

**2011 Geological and Geochemical Reconnaissance Report
on the R.P. Property**

Dawson Mining District, Yukon Territory
NTS Map Sheets 115N 08 and 115O 05, RP Group HD03122
UTM NAD 83 Zone 7N: 547000E/7026200N

Date of work performed: August 8 to August 10, 2011

Prepared by: Leif Bailey

Prepared for: Kinross Gold Corporation
700 W. Pender Street, Suite 410
Vancouver, BC, V6C 1G8

Date of Report: February 13, 2012.

Summary

The metamorphic rock package mapped at the RP claim block is similar in composition to the rocks which host the nearby Golden Saddle deposit. The RP claims were staked in 2009 by Underworld Resources because of this lithologic similarity. Underworld is not known to have conducted any exploration activities at RP beyond a limited soil sampling program. Subsequent to acquiring Underworld, Kinross conducted an airborne magnetic and radiometric survey over the property in 2010, and a stream sediment sampling and prospecting program in 2011. This report summarizes the work completed by Kinross at RP in 2011. This report is also an interpretation of the geology of the claim block as it is currently understood, based upon prospecting, mapping, geochemical sampling and geophysical data.

In spite of the lithologic similarities between RP and Golden Saddle, no significant gold mineralization has thus far been demonstrated to occur at RP. Prospecting, rock chip sampling, and soil sampling along the ridgelines of the property has failed to identify any interesting or prospective zones. The highlight of the exploration completed to date is a single highly anomalous stream sediment sample with a value of 136 ppb Au. This is of similar calibre to samples collected downstream of Golden Saddle, and is a value greater than 98% of the stream sediment samples collected during the 2011 field season. Although this sample is highly anomalous, it appears to be an isolated occurrence and there is a lack of evidence for a large mineralized zone.

The geologic understanding of the RP claim block has been greatly improved by Kinross' exploration activities, particularly by the airborne geophysical survey. A preliminary geologic map of the claim block is presented here, and is based upon interpretation of the geophysics, some limited mapping in 2011, and previous regional mapping by the Canadian Geological Survey. Although RP is lithologically similar to Golden Saddle, the RP claim block appears to lack the intersecting fault sets that are believed to be critical for gold mineralization at Golden Saddle.

Table of Contents

Summary	2
Table of Contents	3
List of Figures	4
1.0 Introduction	5
1.1 Location, Access, and Physiography.....	5
1.2 Property	7
1.3 Historical Work	7
1.4 2011 Geological and Geochemical Reconnaissance Program	11
2.0 Geology.....	13
2.1 Rock Types	13
2.2 Structure	14
2.3 Mineralization.....	14
2.4 Interpreted Geologic Map.....	15
3.0 Geochemistry.....	17
3.1 Rock Chip Geochemistry	17
3.2 Stream Sediment Geochemistry.....	17
4.0 Summary of Results and Conclusions	20
5.0 References	20

List of Figures

Figure 1. Map showing the location of Kinross claim blocks in the White Gold area.	6
Figure 2. Geology of the RP area, from Ryan and Gordey, 2005.	8
Figure 3. Total magnetic intensity map of the RP claim block.	9
Figure 4. First vertical derivative map of the RP claim block.	10
Figure 5. Map of field work conducted at RP during 2011.	12
Figure 6. Preliminary geologic map of the RP claim block.	16
Figure 7. Arsenic values for rock chip samples at the RP claim block.	18
Figure 8. Gold values for stream sediment samples at the RP claim block.	19

List of Appendix

Appendix 1: Claim Map

Appendix 2: List of Quartz Claims

Appendix 3: Geology Map

Appendix 4: Rock Samples: Location Map

Appendix 5: Sample Description: rocks

Appendix 6: Stream Sediment Samples: Location Map

Appendix 7: Original Assays Certificate: rock samples (ALS Chemex)

Appendix 8: Original Assays Certificate: stream sediment samples (Acme Lab)

Appendix 9: Statement of Expenditure

1.0 Introduction

This report summarizes geological and geochemical work conducted in 2011 by Kinross on the RP claim block in the Dawson Mining District, Yukon Territory. The 2011 program was intended as reconnaissance to evaluate the potential of this claim block to host Golden Saddle-style mineralization. Golden Saddle is a nearby structurally-controlled gold deposit hosted in a faulted package of metamorphic rocks. The RP claim block contains similar metamorphic rocks to those at Golden Saddle, and was thus considered a prospective area for gold mineralization. Field work in 2011 included geological mapping, prospecting, rock chip sampling and stream sediment sampling.

1.1 Location, Access, and Physiography

The RP claim block is located at the headwaters of Eighteen Mile and Twenty Mile Creeks. The claims are located approximately 40 km northwest from the Green Gulch camp on Thistle Creek, and approximately 75 km southwest of Dawson City.

During the 2011 season the RP area was only accessible by helicopter. The ridges on the property generally have suitable landing sites, while the lower spurs, slopes and valleys have fewer suitable landing sites. Helicopter landing zones were cleared at a few sites in stream valleys to facilitate stream sediment sampling.

The RP claim block consists of a series of ridges that form a horseshoe shape, open to the south. Ridge tops generally have sparse but continuous outcropping rock, while lower hills and slopes are thickly covered by trees, with limited rock exposure. The highest ridges, located in the northern part of the property, have large exposures of felsenmeer and outcropping rock. Much of the property appears to have been burned by a forest fire in the last five to ten years. Throughout the property, there is a significant difference in soil development and vegetation between the north- and south-facing slopes. North-facing slopes typically have poorly developed soil horizons and more extensive zones of near-surface permafrost.




Figure 1. Map showing the location of Kinross claim blocks in the White Gold area. The RP claim block is labelled.

1.2 Property

The RP claim block consists of 336 mineral claims covering an area of ~64 km². The claim block forms a rectangular donut shape; 7.3 by 9.6 kilometres wide, with a 1.9 by 3.5 kilometre hole in the center. During the 2011 field season, this central area was staked by Silverquest Resources; their name for this central claim block is EMC. Details of individual claims are presented as a table in Appendix 1.

1.3 Historical Work

The geology of the RP area was mapped by the Geological Survey of Canada as part of the Stewart River map area (Ryan and Gordey, 2005). This mapping describes the RP claims as comprising Devonian to Mississippian quartz-mica schist, amphibolite, and orthogneiss overlain by Cretaceous volcanic and Tertiary intrusive rocks (Figure 2). Most of the lithologic contacts at RP were mapped as approximate or assumed by the Geologic Survey of Canada mapping.

No recent exploration is known to have occurred on the RP claims prior to 2008. In 2008, soil samplers working for Shawn Ryan collected ridge-and-spur soil samples on the central ridge of the property. This initial sampling resulted in a few weakly anomalous gold-in-soil samples. The RP claims were staked by Underworld in 2009 because of their proximity to the White claims and the similarity of mapped rock units to those at White. No further work by Underworld is known to have occurred on the property.

Airborne magnetic and radiometric surveys were flown over the RP claim block as part of Kinross' 2010 airborne survey. The survey was flown by helicopter with 75 meter line spacing over the entire RP claim block. The most prominent feature from this survey is a series of magnetic lineations trending NNW across the property. These linear features are interpreted to be faults. The magnetic survey also highlights the fabric of different rock units on the property (Figures 3 and 4).

Much of Twenty Mile Creek north of the RP claims is staked for placer mining. Eighteen Mile creek is not known to have any history of placer mining operations. No evidence of recent placer mining activity in the vicinity of RP was observed during 2011.




Figure 2. Geology of the RP area, from Ryan and Gordey, 2005. Blue DMogt = Devonian/Mississippian orthogneiss; Green DMA = Devonian/Mississippian amphibolite; Light pink DMps = Devonian/Mississippian quartz mica schist; Green uKCV = Cretaceous Carmacks volcanics; Green IKTCg = Cretaceous conglomerate; Purple Er = Eocene rhyolite porphyry dike.




Figure 3. Total magnetic intensity map of the RP claim block, from the 2010 airborne survey.




Figure 4. First vertical derivative map of the RP claim block, from the 2010 airborne survey.

1.4 2011 Geological and Geochemical Reconnaissance Program

The 2011 program at RP was intended as reconnaissance to evaluate the potential of this claim block to host Golden Saddle-style mineralization. Field work in the 2011 program consisted of two days of geologic prospecting and mapping by a two-man crew and three days of stream sediment sampling by a four-man crew. In total, 11 rock chip samples and 88 stream sediment samples were collected at RP during 2011 (Figure 5).

The geologic work consisted of preliminary mapping and field-checking of rock types and lithologic contacts that were mapped by Ryan and Gordey (2005). Rock exposure on slopes is limited, and so much of the mapped geologic information comes from ridgelines and rock chips dug out of the ground. A limited number of rock chip samples were collected during mapping; these samples were collected in zones containing visible alteration or interesting veining. The geologic field work in 2011 also provided an opportunity to ground-truth features identified in the airborne geophysical data.

Stream sediment samples were collected on all the major streams that drain the property. Sediment samples were collected at roughly 500 meter intervals with additional samples collected above and below confluences. Samples were collected from sand/gravel bars or from the gravel bottom of the active stream channel. Prior to sampling, sediment was sieved in the field through a size 12 mesh screen, and the coarse fraction was removed.

The rock chip and stream sediment samples were first transported to the White Gold camp, where they were then combined with other samples into larger batches for shipment. Rock chip samples were sent to ALS Chemex for aqua regia digestion with ICP-AES analysis and fire assay with ICP-AES finish (ALS assay packages ME -ICP41 and Au-ICP22). Stream sediment samples were sent to Acme Laboratories for drying, sieving to -80 mesh, and aqua regia digestion with ICP-MS analysis (Acme assay package 1F02).

During the 2011 field work, several ridge-and-spur soil samples from 2008 were spot-checked. The samples were consistently located at the proper UTM coordinates, and were generally flagged. The ridge and spur samples were collected by hand auger, and the auger holes were observed to be between 15 and 20 cm deep. In most holes checked, this depth was only sufficient to sample the B horizon.




Figure 5. Traverse routes (green lines), rock chip sample locations (orange squares), and stream sediment sample locations (blue triangles) from field work at RP in 2011.

2.0 Geology

The RP claim block contains a variety of felsic to mafic metamorphic rock types that are intruded by at least two types of unfoliated dikes. On the east side of the property small skiffs of Carmacks volcanic rock are preserved along ridge lines. The Carmacks volcanic unconformably overlie the metamorphic package. Mapping at RP in 2011 indicates that the lithologic contacts assumed or inferred by Ryan and Gordey in 2005 need revision and should be modified to incorporate more recent mapping and geophysical data. The metamorphic package is crosscut by a series of NNW-SSE trending faults that are interpreted to be normal faults with minor offset. To date, no significant occurrences of gold mineralization are known to exist on the RP property. The following sections summarize the observations from the 2011 reconnaissance program.

2.1 Rock Types

Mapped metamorphic rock types at RP include coarse-grained garnet-bearing amphibolite, biotite-quartz-feldspar gneiss, and quartz-biotite gneiss. Feldspar augen gneiss was observed at one outcrop (near 546500E/7025600N), but was not observed as a mappable unit. The metamorphic rocks are presumed to be part of the Devonian to Permian metamorphic package described by Ryan and Gordey (2005). Mapped metamorphic rock units at RP strike roughly E-W, with the pervasive foliation (S2) generally dipping gently to the south. Gradational changes in composition were observed at several contacts between mapped units. The mapped units are interpreted to represent a relatively continuous metamorphic stratigraphy, similar to that on the White claim block. The garnet-bearing amphibolite unit is a distinct marker horizon in the field, and has a crenulated fabric that is visible in the magnetic data. This crenulated fabric is most evident in the northern amphibolite unit (see Figure 4).

Unfoliated igneous rock types at RP include fine grained to porphyritic andesitic volcanics, an andesitic feldspar porphyry dike, and a quartz porphyry dike. Based upon texture and field relationships ages can be inferred for these rock types: The volcanics are inferred to be part of the Late Cretaceous Carmacks Group; the andesitic porphyry dike is inferred to be Late Cretaceous in age; and the quartz porphyry dike is inferred to be part of an Eocene bimodal volcanic group. The Carmacks volcanics occur as small skiffs of outcrop on the eastern ridge of the RP claim block. The feldspar porphyry dike was observed in float on the eastern side of the property and as float within a NNW-trending fault zone at 546080E/7025250N. At this location the feldspar porphyry unit is interpreted to be an intrusion emplaced along the fault. In a similar fashion, the quartz-rich Eocene porphyry unit appears to trend parallel to N-S oriented structures that are visible in the magnetic data. The Carmacks volcanics have a distinctive magnetic pattern that can be used to aid

mapping. In contrast, the quartz-rich porphyry dike does not have an obvious geophysical signature.

2.2 Structure

NNW-trending faults are observed to crosscut metamorphic rocks throughout the RP property. These faults are interpreted to be normal faults with only minor offset. The trend of these faults is visible in the field and in the geophysical data. In the field, NNW-trending faults correspond to fault scarps and slope breaks on ridgelines and NNW-trending river drainages. In the geophysical data, the faults appear as linear features in both magnetic and radiometric data. As described above, in several instances these N to NNW trending structures appear to have been intruded by dikes of Cretaceous and Eocene age. On the White claim block, similar high angle normal faults occur in a NE-SW orientation. Foliation parallel thrust faults are also known to occur on the White claim block; these type of faults are suspected to occur at RP, but have not directly observed.

2.3 Mineralization

No significant occurrences of gold mineralization have been identified at RP. Quartz veins and brecciated quartz vein material were sampled at several locations during the 2011 mapping but assay results on these samples did not return significant gold or anomalous pathfinder element concentrations.

The most interesting occurrence identified in 2011 is a zone of vuggy oxidized veining at 545910E/7025095N. At this location, quartz veining outcrops along a hilltop and trends parallel to a nearby mapped NNW-trending fault along a strike length of approximately 400 hundred meters. Together, the outcropping quartz and quartz boulders represent a large zone of relatively continuous veining that is parallel to a NNW-trending fault. This style of parallel veining and faulting is reminiscent of Golden Saddle, where veining and mineralization occur along several sub-parallel brittle structures. Unfortunately, in this location at RP no anomalous gold was found to occur with this quartz veining. One sample from this occurrence, CAF100647, did return a highly anomalous arsenic value of 123 ppm As, which is an arsenic value > 99% of rock samples collected on the White property from 2009-2010. Arsenic is known to be a pathfinder element for gold mineralization at Golden Saddle, but can also be associated with barren hydrothermal alteration.

2.4 Interpreted Geologic Map

A preliminary geology map for the RP claim block is presented in Figure 6. This geological map combines mapping by Ryan and Gordey in 2005 with geological mapping in 2011 and interpretation of the airborne geophysical data collected in 2010. Rock types have been interpreted based upon the airborne geophysical data with a relatively high degree of confidence because rock types were spot-checked in the field, and because the geophysical data has many similarities to the better-studied White Gold property. Many of the geologic contacts and fault structures are based upon geophysical data and/or rock chips from float or dug out of the ground. Because of this, the majority of contacts should still be considered approximate or assumed.




Figure 6. Preliminary geologic map of the RP claim block. Dashed lines are inferred high angle normal faults. Red area is a zone of quartz veining, described in section 2.3. Foliation symbols illustrate strike and dip direction for S2 foliation. The S2 foliation generally dips gently to the south.

3.0 Geochemistry

3.1 Rock Chip Geochemistry

Eleven rock chip samples were collected over two days during ridgeline mapping traverses at RP in 2011. Samples were collected from oxidized quartz veins, vein breccias, and/or metamorphic rocks with visible alteration. Assay results from these eleven samples did not return any significant gold or anomalous pathfinder element concentrations. Several of these samples did return moderate to highly anomalous arsenic values (including CAF100647, discussed above). However, without corresponding anomalous concentrations of other pathfinder elements this amount of arsenic is not considered a significant occurrence. Figure 7 is a map of arsenic values from rock chips collected during 2011.

3.2 Stream Sediment Geochemistry

Eighty-eight stream sediment samples were collected over three days from all the major drainages on the property, with the exception of the central part of the claim block which was staked by Silverquest. Samples were collected from sand and gravel bars, or from the gravel bottom of active stream channels.

Gold assay results from these eighty-seven of these samples returned a range of values from 0 to 16 ppb Au, with only three samples greater than 10 ppb. One sample, CAG199121, returned a highly anomalous value of 136 ppb Au, which is an Au value > 98% of stream sediment samples collected during the 2011 field season (approximately 1470 samples). Samples collected upstream and downstream of this site did not return anomalous gold values, but did return weakly elevated silver and arsenic values. Although CAG199121 does not form part of a robust multi-sample gold anomaly, it is a very anomalous value for a stream sediment sample. Figure 8 is a map of gold values from stream sediment samples collected during 2011.

Concentrations of other pathfinder elements such as As, Ag, Mo, Pb, and Cu vary considerably between drainages. Some drainages have elevated values for these elements but very little variation downstream within the drainage. These variations are interpreted to reflect differences in rock type between drainages. Similarly, stream samples collected near the Eocene quartz-porphyry dike mapped on the east side of the RP claim block have elevated values for a number of elements such as Au and Pb. These Au and Pb values are interpreted to reflect the geochemical composition of the Eocene quartz porphyry dike, and are thus interpreted to not represent a prospective geochemical target. Some levelling by rock type or drainage may be aid the interpretation of these pathfinder elements.




Figure 7. Arsenic values for rock chip samples collected at RP in 2011. Legend shows the total range of arsenic values from rock chip samples collected at White Gold from 2009-2011.




Figure 8. Gold values for stream sediment samples collected from RP in 2011. Legend shows the total range of gold values from stream sediment samples collected at White Gold in 2011.

4.0 Summary of Results and Conclusions

No significant occurrences of gold mineralization were identified at the RP claim block in 2011. One stream sediment sample, CAG199121, returned a highly anomalous gold value of 136 ppm Au. This gold value is greater than 98% of the sediment samples collected in 2011, and is of a similar magnitude to samples collected from the stream draining the Golden saddle deposit. However, unlike Golden Saddle, this sample at RP does not form part of a multi-sample anomaly. Nevertheless, this remains a very high value for a stream sediment sample, and should probably be followed up with additional work. At this point, the best follow up work is careful closely-spaced sampling of the anomalous drainage and geologic prospecting in the vicinity of the sample. Re-sampling the drainage would help determine the quality and natural variation of the sample material and rule out the possibility of contamination. Prospecting might identify the source of the geochemical anomaly.


Beyond this follow up of CAG199121, no additional sampling is recommended at the RP claims at this time. Stream sediment sampling and ridge-and spur soil sampling has been completed over the majority of the claim block. The combination of these two sampling techniques is believed to be a good method of evaluating prospectivity and sterilizing ground, and the results to date do not warrant additional follow up beyond CAG199121. The quartz vein with anomalous arsenic at CAF100647 is interesting, but without coincident enrichment in gold or other pathfinder elements this site is not considered a high priority.

The geologic map of the claim block could be improved with additional time spent mapping and prospecting. This additional mapping would help confirm the mapped distribution of rock types and constrain lithologic contacts. Additionally, there are several nearby ridges and spurs outside the limits of RP claim block that have not been traversed. Additional traverses outside the limits of the claim block would improve the geologic map and improve the regional interpretation of the metamorphic rock package and faulting which hosts the Golden Saddle deposit.

5.0 References

- Ryan, J.J., and Gordey, S.P., 2005, Geology, Stewart River Area (115N, 115O and part of 115 J), Yukon Territory, Geological Survey of Canada, Open File 4970, scale 1:250,000.
- Paulsen, H.K., Gibson, J., Fleming, A., and King, N., Technical Report on the White Gold Property, Dawson Range, Yukon, for Underworld Resources, February 19, 2010.

Appendix 1: Claim Map




**KINROSS GOLD CORP.
Selene Holdings L.P.**

Date: 21/3/2012
Author: jpl
Office: Van
Drawing:
Scale: 1:25000

**R.P. Property
CLAIM MAP**

Projection: UTM Zone 7 (NAD 83)




Appendix 2: List of Quartz Claims

**KINROSS GOLD CORP. / SELENE HOLDINGS LLP
RP GROUP HD03122: Certificate of Work Filing List**

Grant #	Claim Name	Current Expiry Date	RENEWAL	NTS Map	+ 1yr work	Filing Fees	Mining District	Record Date	Annual Work Due	Annual Fees Due	Owner
YC97301	RP 301	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97302	RP 302	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97303	RP 303	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97304	RP 304	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97305	RP 305	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97306	RP 306	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97307	RP 307	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97308	RP 308	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97309	RP 309	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97310	RP 310	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97311	RP 311	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97312	RP 312	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97313	RP 313	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97314	RP 314	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97315	RP 315	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97316	RP 316	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97317	RP 317	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97318	RP 318	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97319	RP 319	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97320	RP 320	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97321	RP 321	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97322	RP 322	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97323	RP 323	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97324	RP 324	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97325	RP 325	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97326	RP 326	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97327	RP 327	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97328	RP 328	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97329	RP 329	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97330	RP 330	2/15/2012	2/15/2013	115N08	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97331	RP 331	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97332	RP 332	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97333	RP 333	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97334	RP 334	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97335	RP 335	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
YC97336	RP 336	2/15/2012	2/15/2013	115O05	\$100.00	\$5.00	Dawson	6/30/2009	\$100.00	\$5.00	SELENE HOLDINGS LP
336 claims	RP Group HD03122				\$33,600.00	\$1,680.00					

Appendix 3: Geology Map




Geological Legend

- Biotite-Quartz-Feldspar Gneiss
- Quartz-Biotite Gneiss
- Amphibolite
- Feldspar Porphyry
- Quartz- Rich Porphyry

KINROSS GOLD CORP. Selene Holdings L.P.	
<small>Date: 21/3/2012</small>	R.P. Property
<small>Author: jpl</small>	GEOLOGY MAP
<small>Office: Van</small>	
<small>Drawing:</small>	
<small>Scale: 1:25000</small>	<small>Projection: UTM Zone 7 (NAD 83)</small>

Appendix 4: Rock Samples: Location Map




KINROSS GOLD CORP.
Selene Holdings L.P.

Date: 21/3/2012
Author: jpl
Office: Van
Drawing:

R.P. Property
Rock Samples Location Map

Scale: 1:25000 Projection: UTM Zone 7 (NAD 83)



Appendix 5: Sample Description: rocks

APPENDIX: SURFACE SAMPLE DESCRIPTION: Rocks

Sample_ID	Date	Geologist	Location	Prospect	Grid	Map_X	Map_Y	Elev	Lith1Code	Sample_Type	Comments
F100638	8/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	552312	7023766		BS - Biotite Quartz Schist	Grab	silicified with vuggy quartz veining
F100639	8/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	551046	7023910		QV - Quartz Vein	Grab	weakly oxidized quartz vein. Sugary texture, some vuggy openings
F100640	8/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	549581	7025001		QV - Quartz Vein	Grab	quartz vein, crackle breccia with hematite veinlets. Silicified gneiss wallrock
F100641	8/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	549472	7025260		AMPH - Amphibolite	Grab	quartz vein and chlorite altered biotite/amphibolite
F100642	8/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	548525	702551		FDK - Felsic Dike	Grab	dike crowded with smoky quartz phenos
F100643	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	547021	7026102		QV - Quartz Vein	Grab	sugary quartz vein with possible crack seal texture. Oxidized fractures, minor brecciation
F100644	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	546457	7025459		BQFG - Biotite Quartz Feldspar Gneiss	Grab	silicified gneiss with hematite staining. Foliation-cutting quartz veinlets
F100645	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	546098	7025223		CFP - Carmacks Feldspar Porphyry	Grab	greyish fine grained igneous rock with clay altered feldspar phenos. Some quartz veining. Sample is from a steep gully- possibly a fault
F100646	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	545912	7025086		QV - Quartz Vein	Grab	Large representative sample of oxidized quartz from a large hilltop outcrop of quartz veining
F100647	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	545912	7025093		QV - Quartz Vein	Grab	"high-graded" grab sample of best-looking material at same location as F100646. Oxidized quartz veining with boxy hematite and pyrite/arsenopyrite
F100648	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	546033	7024664		QV - Quartz Vein	Grab	quartz boulder with trace oxidation. Appears to be along strike from F100646 and 647
F100649	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	546138	7024337		BS - Biotite Quartz Schist	Grab	chlorite altered biotite schist
F100650	9/8/2011	Leif Bailey	Yukon	RP	NAD83 UTM Zone 7	546790	7023382		QV - Quartz Vein	Grab	oxidized quartz vein, strikes perpendicular to ridgeline

Appendix 6: Stream Sediment Samples: Location Map

Appendix 7: Original Assays Certificate: rock samples (ALS Chemex)

See Data Files for Secured Assay Certificates

Appendix 8: Original Assays Certificate: stream sediment samples
(Acme Lab)



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Dawson City
Received: August 29, 2011
Report Date: October 09, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS

DAW11000337.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01102011
P.O. Number
Number of Samples: 76

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Keith Fowlow

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include WGHT, RJSV, Dry at 60C, SS80, and 1F02.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method	Analyte	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CA-G199115	Sediment	1.26	0.70	11.09	5.16	53.4	29	13.4	9.8	284	2.30	3.6	0.6	<0.2	4.6	14.3	0.08	0.13	0.09	47	0.33	
CA-G199116	Sediment	2.05	0.62	13.19	6.39	59.3	54	16.3	8.7	322	1.93	4.3	0.8	0.6	3.9	18.8	0.09	0.14	0.08	40	0.36	
CA-G199117	Sediment	1.80	0.37	10.02	4.74	46.3	20	9.4	7.5	278	1.94	3.5	0.5	2.3	2.7	21.2	0.09	0.17	0.10	44	0.37	
CA-G199118	Sediment	1.29	0.37	9.78	4.58	44.7	28	9.9	6.8	228	1.69	3.1	0.5	1.9	2.9	19.0	0.09	0.15	0.09	38	0.34	
CA-G199119	Sediment	1.54	0.37	9.53	4.65	46.0	24	10.7	6.6	231	1.68	3.3	0.5	1.4	3.2	20.8	0.08	0.16	0.08	37	0.35	
CA-G199120	Sediment	1.47	0.57	13.65	5.44	63.3	24	12.0	11.6	466	2.69	5.6	0.4	0.5	3.6	17.8	0.10	0.17	0.11	55	0.30	
CA-G199121	Sediment	2.07	0.36	9.59	4.70	49.5	97	11.9	7.6	234	1.87	3.2	0.6	136.8	3.1	20.2	0.07	0.11	0.07	40	0.33	
CA-G199122	Sediment	1.36	0.44	11.26	4.84	50.2	35	11.9	7.7	266	1.90	3.6	0.7	1.0	3.0	23.4	0.08	0.15	0.07	40	0.36	
CA-G199123	Sediment	2.58	0.35	9.86	4.45	47.4	26	11.1	7.2	256	1.79	3.3	0.6	0.9	3.0	20.2	0.09	0.12	0.06	37	0.33	
CA-G199124	Sediment	1.55	0.47	12.48	5.24	49.4	42	16.4	8.4	275	1.76	3.3	1.2	1.9	3.6	26.1	0.09	0.13	0.07	32	0.40	
CA-G199125	Sediment	1.59	0.34	8.36	4.08	41.5	19	9.4	6.4	248	1.55	2.9	0.5	0.4	2.6	18.3	0.07	0.10	0.06	31	0.31	
CA-G199126	Sediment	1.61	0.26	15.85	1.80	25.3	24	21.3	6.7	184	1.46	2.3	0.2	8.6	1.0	11.8	0.04	0.21	0.03	29	0.38	
CA-G199127	Sediment	2.11	0.38	15.67	2.25	46.8	54	139.6	11.7	222	1.62	10.4	0.4	2.3	1.7	16.2	0.11	0.86	0.04	28	0.33	
CA-G199128	Sediment	1.81	0.95	21.12	3.33	65.4	105	61.0	9.7	310	1.96	17.7	0.6	19.8	2.2	24.3	0.26	1.02	0.06	35	0.44	
CA-G199129	Sediment	1.44	1.60	27.44	4.19	89.3	121	44.8	9.3	310	2.32	15.1	0.9	3.0	3.3	27.1	0.31	1.06	0.08	41	0.46	
CA-G199130	Sediment	1.83	2.04	33.23	4.78	98.8	134	47.8	10.5	392	2.55	15.6	1.0	2.8	3.5	27.6	0.44	1.64	0.09	42	0.45	
CA-G199131	Sediment	1.20	0.40	19.59	2.82	32.9	48	13.0	6.4	164	1.47	2.7	0.3	23.7	1.6	17.6	0.05	0.14	0.04	40	0.31	
CA-G199132	Sediment	1.78	0.65	34.43	3.21	37.3	43	24.6	9.4	292	2.15	3.4	1.2	9.1	2.5	19.9	0.09	0.22	0.06	54	0.42	
CA-G199133	Sediment	2.02	0.26	21.27	2.29	24.1	92	12.8	5.7	147	1.42	2.1	0.3	236.7	1.6	17.4	0.05	0.15	0.03	42	0.35	
CA-G199134	Sediment	2.08	0.26	30.05	2.29	36.2	56	20.9	9.0	259	1.63	2.3	0.6	2.3	2.0	23.2	0.11	0.14	0.04	35	0.41	
CA-G199135	Sediment	2.21	0.35	28.43	2.75	38.8	38	18.5	8.7	278	1.96	2.9	0.5	32.5	1.9	20.6	0.06	0.18	0.04	49	0.33	
CA-G199136	Sediment	1.89	0.33	23.11	2.16	27.5	20	13.7	7.3	224	1.44	2.4	0.3	3.6	1.3	15.9	0.06	0.14	0.03	39	0.32	
CA-G199137	Sediment	2.41	0.29	21.44	2.27	28.8	23	13.9	6.1	146	1.42	2.1	0.4	8.6	1.3	16.9	0.05	0.14	0.03	38	0.32	
CA-G199138	Sediment	1.64	0.58	21.50	2.95	45.7	40	19.2	7.5	249	1.94	3.9	0.7	3.1	2.4	24.6	0.07	0.23	0.11	46	0.41	
CA-G199139	Sediment	1.32	1.55	21.81	4.94	75.0	70	22.3	9.2	488	2.48	15.0	0.7	6.7	2.8	24.4	0.24	0.51	0.10	50	0.39	
CA-G199140	Sediment	1.93	0.79	23.59	4.19	56.7	53	21.8	9.4	356	2.28	7.0	1.0	3.3	2.4	29.6	0.18	0.32	0.07	50	0.47	
CA-G197051	Sediment	1.21	0.60	15.04	8.80	71.6	85	15.1	11.2	872	2.53	5.0	1.7	6.1	3.2	40.4	0.25	0.28	0.14	48	0.61	
CA-G197052	Sediment	1.28	0.32	13.51	5.86	43.6	44	12.1	7.5	287	2.16	4.5	2.9	8.1	2.7	32.0	0.09	0.28	0.09	48	0.63	
CA-G197053	Sediment	1.14	0.54	13.57	9.45	71.7	87	13.3	10.4	797	2.67	7.4	10.2	1.8	3.6	38.6	0.16	0.25	0.16	57	0.66	
CA-G197054	Sediment	1.07	0.43	11.39	6.58	61.7	47	11.8	7.1	309	1.98	3.4	9.9	1.3	2.9	33.1	0.14	0.21	0.09	44	0.60	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
CA-G199115	Sediment	0.057	11.0	25.6	0.62	81.7	0.079	<1	1.14	0.009	0.09	0.1	2.5	0.06	<0.02	<5	0.2	<0.02	4.5
CA-G199116	Sediment	0.063	10.8	28.3	0.55	104.4	0.072	<1	0.99	0.010	0.09	0.1	2.1	0.07	<0.02	7	0.3	<0.02	3.5
CA-G199117	Sediment	0.072	7.3	17.9	0.53	77.3	0.065	<1	0.93	0.008	0.04	0.1	2.2	0.04	<0.02	13	0.1	<0.02	3.5
CA-G199118	Sediment	0.064	7.6	18.5	0.46	72.7	0.063	<1	0.84	0.007	0.05	0.2	2.0	0.04	<0.02	6	0.2	<0.02	3.1
CA-G199119	Sediment	0.069	7.9	18.8	0.48	70.4	0.062	<1	0.84	0.007	0.05	0.1	2.1	0.04	<0.02	6	0.2	<0.02	3.0
CA-G199120	Sediment	0.060	8.1	22.5	0.74	89.5	0.064	<1	1.15	0.006	0.07	0.1	2.7	0.04	<0.02	<5	0.2	<0.02	4.7
CA-G199121	Sediment	0.058	8.3	20.1	0.48	73.2	0.063	<1	0.90	0.007	0.06	0.2	2.1	0.05	<0.02	10	0.1	<0.02	3.5
CA-G199122	Sediment	0.058	8.3	20.5	0.53	94.2	0.066	<1	0.99	0.009	0.06	0.2	2.3	0.05	<0.02	<5	0.2	0.02	3.6
CA-G199123	Sediment	0.060	7.9	19.4	0.48	77.4	0.059	<1	0.88	0.007	0.05	<0.1	2.0	0.04	<0.02	11	0.1	<0.02	3.2
CA-G199124	Sediment	0.077	10.3	23.2	0.54	94.1	0.057	<1	0.96	0.007	0.07	0.2	1.7	0.06	<0.02	7	0.3	0.03	3.0
CA-G199125	Sediment	0.062	6.9	16.1	0.43	66.8	0.048	<1	0.75	0.006	0.05	<0.1	1.7	0.04	<0.02	<5	0.2	<0.02	2.8
CA-G199126	Sediment	0.061	3.9	39.9	0.52	111.9	0.040	<1	0.85	0.012	0.07	<0.1	2.4	0.05	<0.02	<5	0.2	0.03	2.6
CA-G199127	Sediment	0.065	5.6	128.6	1.46	222.4	0.037	2	0.86	0.006	0.09	<0.1	2.1	0.13	<0.02	<5	0.3	<0.02	2.7
CA-G199128	Sediment	0.120	8.6	61.5	0.77	439.2	0.047	<1	0.85	0.006	0.15	0.1	2.2	0.14	0.04	12	0.6	0.05	2.5
CA-G199129	Sediment	0.167	11.0	40.5	0.57	435.9	0.050	<1	0.83	0.005	0.21	0.1	2.4	0.15	0.05	8	0.9	0.04	2.7
CA-G199130	Sediment	0.164	11.4	38.3	0.55	361.7	0.042	<1	0.78	0.005	0.21	<0.1	2.4	0.15	0.05	<5	1.2	0.08	2.6
CA-G199131	Sediment	0.062	6.1	30.8	0.44	235.5	0.058	<1	0.83	0.009	0.08	0.1	1.9	0.05	<0.02	6	0.1	0.02	2.8
CA-G199132	Sediment	0.051	8.7	54.9	0.72	355.4	0.058	<1	1.10	0.012	0.12	<0.1	3.4	0.08	<0.02	9	0.1	0.03	3.8
CA-G199133	Sediment	0.075	4.3	29.0	0.39	234.8	0.047	<1	0.65	0.013	0.05	0.2	2.0	0.04	<0.02	6	<0.1	<0.02	2.3
CA-G199134	Sediment	0.048	10.3	43.6	0.68	231.4	0.077	<1	1.00	0.008	0.23	<0.1	2.0	0.11	<0.02	12	0.3	<0.02	3.0
CA-G199135	Sediment	0.063	6.3	37.9	0.72	230.8	0.069	<1	0.94	0.007	0.21	<0.1	2.3	0.10	<0.02	6	0.2	<0.02	3.3
CA-G199136	Sediment	0.061	4.5	31.5	0.48	242.9	0.047	<1	0.74	0.013	0.07	<0.1	2.1	0.04	<0.02	<5	<0.1	<0.02	2.5
CA-G199137	Sediment	0.056	4.6	32.9	0.46	204.7	0.048	<1	0.76	0.012	0.08	0.1	2.0	0.04	<0.02	<5	0.1	0.03	2.4
CA-G199138	Sediment	0.096	7.7	33.5	0.54	287.7	0.052	<1	0.84	0.009	0.12	0.2	2.3	0.07	<0.02	8	0.3	<0.02	2.9
CA-G199139	Sediment	0.102	9.0	29.4	0.47	371.2	0.054	<1	0.89	0.005	0.16	<0.1	2.5	0.13	0.02	5	0.6	0.09	3.1
CA-G199140	Sediment	0.089	9.1	36.5	0.63	301.1	0.062	<1	1.01	0.010	0.14	0.1	2.7	0.09	0.02	10	0.4	0.04	3.3
CA-G197051	Sediment	0.067	13.0	22.6	0.57	203.1	0.079	<1	1.42	0.021	0.06	0.2	3.2	0.08	0.04	36	0.2	0.03	4.7
CA-G197052	Sediment	0.101	9.7	17.7	0.49	136.9	0.085	<1	1.11	0.025	0.09	0.3	3.2	0.09	<0.02	9	0.2	0.02	4.0
CA-G197053	Sediment	0.096	13.0	20.7	0.54	159.8	0.076	<1	1.22	0.019	0.07	0.4	3.3	0.08	0.02	29	0.3	<0.02	4.5
CA-G197054	Sediment	0.080	9.5	17.2	0.52	116.9	0.077	<1	1.14	0.020	0.07	0.3	2.8	0.07	<0.02	19	0.2	<0.02	4.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method Analyte Unit MDL	DRY WT Wgt kg	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca		
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01
CA-G197055	Sediment	1.67	0.33	12.43	4.67	49.1	48	11.4	7.0	368	2.04	3.9	0.6	5.7	2.0	30.8	0.11	0.22	0.07	49	0.64	
CA-G197056	Sediment	1.16	0.36	10.91	5.09	53.9	33	9.5	7.5	347	2.45	3.6	4.9	0.7	2.8	28.9	0.09	0.18	0.07	50	0.63	
CA-G197057	Sediment	1.33	0.28	8.99	4.57	54.5	23	9.8	7.0	302	2.09	3.0	3.1	0.6	3.0	28.5	0.08	0.15	0.06	45	0.63	
CA-G197058	Sediment	1.41	0.36	10.80	4.99	61.0	28	11.0	8.1	404	2.35	3.8	3.7	1.7	3.5	33.8	0.09	0.17	0.07	48	0.66	
CA-G197059	Sediment	0.97	0.43	11.55	5.18	67.1	31	10.3	9.0	398	2.41	4.0	3.1	1.3	3.8	33.7	0.09	0.19	0.07	47	0.62	
CA-G197060	Sediment	1.82	0.47	14.33	4.84	40.7	37	12.0	6.7	229	1.96	4.1	0.5	2.4	2.7	31.2	0.05	0.24	0.07	48	0.55	
CA-G197061	Sediment	1.68	0.39	10.79	5.11	61.2	28	10.5	8.5	353	2.34	3.5	3.0	1.0	3.8	33.6	0.08	0.16	0.06	46	0.66	
CA-G196913	Sediment	1.92	0.69	14.13	5.87	65.7	56	17.7	7.4	274	1.81	4.9	1.5	14.3	3.6	21.1	0.15	0.13	0.07	32	0.31	
CA-G196914	Sediment	2.13	0.93	18.97	7.56	62.6	79	24.7	15.3	687	2.32	7.3	0.8	4.0	4.0	22.0	0.23	0.22	0.53	42	0.30	
CA-G196915	Sediment	1.70	0.80	16.79	6.70	68.4	56	23.9	11.4	388	2.08	5.7	1.5	2.0	3.9	21.0	0.21	0.18	0.37	37	0.28	
CA-G196916	Sediment	1.21	0.90	18.68	6.59	65.1	73	24.5	11.7	371	2.01	5.4	2.3	1.0	3.7	21.9	0.20	0.15	0.19	36	0.31	
CA-G196917	Sediment	1.05	0.71	16.13	5.95	66.6	66	23.3	10.6	337	1.88	4.7	1.3	1.4	3.8	24.5	0.23	0.14	0.14	33	0.36	
CA-G196918	Sediment	1.64	0.70	17.44	5.72	58.4	60	22.9	10.8	414	1.85	4.4	1.2	0.9	4.0	23.4	0.19	0.13	0.11	34	0.32	
CA-G196919	Sediment	1.19	0.71	20.16	5.66	58.2	69	23.2	10.4	396	1.91	4.6	1.6	1.6	3.5	25.6	0.18	0.14	0.10	35	0.36	
CA-G196920	Sediment	1.25	0.48	14.13	4.65	49.7	34	16.8	9.9	346	1.86	3.8	1.1	5.2	3.6	20.8	0.12	0.12	0.08	36	0.35	
CA-G196921	Sediment	1.14	0.58	20.70	6.09	63.5	63	22.2	12.5	428	2.09	5.0	1.6	1.2	3.8	31.3	0.18	0.19	0.10	41	0.47	
CA-G196922	Sediment	0.83	0.73	19.86	5.93	59.3	40	24.1	11.8	367	2.28	5.2	1.2	0.7	4.1	25.9	0.13	0.15	0.10	42	0.39	
CA-G196923	Sediment	1.27	0.59	15.69	4.83	48.8	39	19.0	9.8	373	1.79	3.6	1.0	0.6	3.8	23.5	0.14	0.12	0.08	33	0.34	
CA-G196924	Sediment	0.82	0.43	12.19	3.90	40.8	26	16.5	8.1	217	1.59	3.1	1.0	0.4	3.4	20.9	0.08	0.09	0.06	29	0.33	
CA-G196925	Sediment	746	0.59	12.30	5.82	48.0	25	19.8	10.5	368	1.91	3.7	1.4	1.6	4.9	25.6	0.09	0.11	0.09	32	0.37	
CA-G196926	Sediment	1.22	0.45	12.55	4.61	46.1	28	17.3	8.7	258	1.72	3.2	1.1	0.6	3.5	21.9	0.09	0.11	0.07	32	0.35	
CA-G196927	Sediment	0.76	0.30	22.08	2.30	29.4	25	8.1	6.8	200	1.41	1.3	0.3	1.3	0.9	14.6	0.04	0.05	0.04	41	0.29	
CA-G196928	Sediment	0.78	0.93	42.76	6.36	63.5	86	37.9	13.4	517	2.40	3.6	0.6	1.2	2.2	37.6	0.17	0.22	0.09	63	0.63	
CA-G196929	Sediment	1.62	0.34	21.49	2.14	29.9	33	10.3	7.0	207	1.43	1.2	0.6	1.2	1.0	17.6	0.05	0.06	0.04	42	0.31	
CA-G196930	Sediment	1.02	0.36	22.59	2.40	29.8	22	24.6	8.1	194	1.37	1.4	0.4	1.0	1.3	18.6	0.05	0.09	0.04	35	0.32	
CA-G196931	Sediment	0.68	0.45	21.67	2.08	29.6	30	23.4	7.7	228	1.14	1.6	0.3	6.1	0.7	12.3	0.06	0.08	0.04	35	0.26	
CA-G196932	Sediment	3.40	0.36	22.23	2.71	34.6	30	23.9	7.6	218	1.44	1.9	0.5	1.2	1.5	20.3	0.07	0.11	0.05	37	0.34	
CA-G196933	Sediment	0.83	0.42	29.29	2.79	41.8	35	22.8	9.4	250	1.61	2.4	0.4	1.3	1.2	22.4	0.09	0.14	0.04	44	0.38	
CA-G196934	Sediment	2.92	0.42	28.85	2.87	39.0	35	23.4	9.2	276	1.59	2.3	0.4	1.2	1.3	22.9	0.10	0.14	0.04	44	0.38	
CA-G196935	Sediment	5.92	0.42	53.10	2.96	59.7	37	22.9	15.8	579	2.18	2.5	0.9	2.3	1.0	21.8	0.15	0.21	0.04	65	0.47	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
CA-G197055	Sediment	0.094	7.9	17.4	0.55	127.4	0.079	<1	1.04	0.020	0.09	0.3	2.9	0.08	<0.02	15	0.2	<0.02	3.7
CA-G197056	Sediment	0.116	9.4	16.0	0.54	84.9	0.072	<1	1.05	0.016	0.07	0.2	3.2	0.07	<0.02	<5	0.1	<0.02	4.4
CA-G197057	Sediment	0.124	9.8	15.8	0.51	85.8	0.071	<1	0.98	0.017	0.06	0.2	2.7	0.06	<0.02	5	0.1	<0.02	4.1
CA-G197058	Sediment	0.130	10.8	16.5	0.58	98.4	0.072	<1	1.06	0.017	0.06	0.3	3.2	0.06	<0.02	8	0.2	<0.02	4.6
CA-G197059	Sediment	0.114	10.1	17.1	0.63	105.5	0.079	<1	1.21	0.016	0.07	0.2	3.3	0.05	<0.02	15	0.1	<0.02	5.1
CA-G197060	Sediment	0.074	8.9	19.6	0.46	114.1	0.078	<1	1.12	0.021	0.04	0.3	2.8	0.04	<0.02	8	0.3	<0.02	3.9
CA-G197061	Sediment	0.133	10.6	17.4	0.60	103.2	0.075	<1	1.18	0.018	0.06	0.2	3.0	0.05	<0.02	9	0.2	<0.02	4.6
CA-G196913	Sediment	0.047	11.6	23.0	0.48	70.3	0.052	<1	1.06	0.003	0.07	<0.1	1.6	0.08	<0.02	<5	0.3	0.03	3.3
CA-G196914	Sediment	0.078	12.2	32.5	0.61	126.9	0.060	2	1.16	0.006	0.08	0.2	1.8	0.09	0.04	15	0.2	0.03	3.5
CA-G196915	Sediment	0.056	11.3	30.4	0.57	101.7	0.055	<1	1.12	0.006	0.07	<0.1	1.6	0.08	0.02	10	0.2	<0.02	3.3
CA-G196916	Sediment	0.056	12.6	30.7	0.56	91.8	0.060	1	1.05	0.006	0.07	0.1	1.6	0.08	<0.02	11	0.4	0.02	2.9
CA-G196917	Sediment	0.075	13.7	25.5	0.48	94.6	0.058	1	1.04	0.006	0.06	0.2	1.5	0.06	<0.02	18	0.4	0.03	2.8
CA-G196918	Sediment	0.070	12.0	28.7	0.54	98.2	0.056	<1	0.95	0.006	0.06	0.1	1.5	0.06	<0.02	15	0.3	<0.02	2.8
CA-G196919	Sediment	0.064	12.1	29.1	0.53	106.8	0.054	<1	1.01	0.007	0.06	0.1	1.6	0.06	<0.02	16	0.5	<0.02	2.9
CA-G196920	Sediment	0.081	9.4	23.1	0.56	100.6	0.062	<1	0.98	0.009	0.08	0.1	1.5	0.06	<0.02	<5	0.2	<0.02	2.9
CA-G196921	Sediment	0.075	13.2	27.6	0.60	133.7	0.075	2	1.14	0.011	0.08	0.1	2.0	0.08	<0.02	20	0.4	<0.02	3.5
CA-G196922	Sediment	0.080	10.5	32.6	0.73	126.7	0.067	1	1.14	0.009	0.10	0.1	1.6	0.07	<0.02	15	0.2	<0.02	3.2
CA-G196923	Sediment	0.084	10.1	25.3	0.55	106.2	0.057	1	0.91	0.008	0.07	0.1	1.5	0.06	<0.02	10	0.4	<0.02	2.7
CA-G196924	Sediment	0.088	8.2	23.1	0.49	79.6	0.051	<1	0.81	0.007	0.06	0.1	1.3	0.04	<0.02	<5	0.2	<0.02	2.4
CA-G196925	Sediment	0.087	13.0	27.9	0.54	76.0	0.067	<1	0.98	0.007	0.08	<0.1	1.5	0.07	0.02	<5	0.1	<0.02	3.2
CA-G196926	Sediment	0.069	9.4	23.3	0.53	87.0	0.061	<1	0.94	0.009	0.07	<0.1	1.4	0.06	<0.02	16	0.1	<0.02	3.0
CA-G196927	Sediment	0.059	3.8	18.3	0.54	122.9	0.084	<1	0.81	0.013	0.09	<0.1	1.5	0.05	<0.02	<5	<0.1	<0.02	2.8
CA-G196928	Sediment	0.081	10.5	56.9	0.81	385.0	0.083	1	1.16	0.015	0.10	0.2	3.4	0.07	0.03	16	0.4	0.02	3.9
CA-G196929	Sediment	0.068	4.0	20.8	0.50	115.3	0.075	<1	0.75	0.014	0.07	<0.1	1.5	0.04	<0.02	8	<0.1	<0.02	2.6
CA-G196930	Sediment	0.070	4.6	32.9	0.53	132.9	0.068	<1	0.74	0.013	0.08	<0.1	1.7	0.05	<0.02	9	<0.1	<0.02	2.5
CA-G196931	Sediment	0.046	3.6	31.2	0.46	111.2	0.063	<1	0.60	0.015	0.04	<0.1	1.5	0.04	<0.02	6	0.1	<0.02	2.3
CA-G196932	Sediment	0.056	5.9	32.9	0.52	126.1	0.067	<1	0.76	0.015	0.07	0.1	1.7	0.06	<0.02	9	0.2	<0.02	2.7
CA-G196933	Sediment	0.066	5.0	30.2	0.58	156.4	0.067	<1	0.80	0.016	0.07	<0.1	1.8	0.05	<0.02	7	0.1	<0.02	2.7
CA-G196934	Sediment	0.077	5.3	29.8	0.53	159.3	0.065	<1	0.75	0.017	0.06	0.1	1.8	0.05	<0.02	12	0.1	<0.02	2.5
CA-G196935	Sediment	0.074	4.7	35.1	0.81	209.4	0.085	2	1.05	0.016	0.08	<0.1	2.8	0.06	<0.02	14	0.2	<0.02	3.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method	Analyte	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	ppm	2
CA-G196936	Sediment	3.03	0.43	32.80	3.00	42.4	46	24.6	9.8	330	1.61	2.5	0.6	1.1	1.3	23.4	0.11	0.14	0.05	42	0.38	
CA-G196937	Sediment	3.01	0.24	27.90	2.56	31.4	25	16.1	8.9	222	1.42	2.0	0.3	0.7	1.2	12.5	0.07	0.19	0.03	40	0.29	
CA-G196938	Sediment	1.78	0.43	34.19	3.01	41.8	38	25.9	10.4	314	1.73	2.6	0.6	1.4	1.2	22.5	0.11	0.16	0.05	46	0.39	
CA-G196939	Sediment	2.06	0.53	35.74	3.78	46.6	53	26.3	10.8	316	1.78	3.1	0.9	3.7	1.8	30.1	0.13	0.21	0.06	46	0.48	
CA-G196940	Sediment	3.81	0.42	31.07	2.85	39.2	47	21.8	9.2	270	1.66	2.6	1.0	2.6	1.4	24.6	0.10	0.18	0.04	44	0.40	
CA-G196941	Sediment	1.95	0.53	27.58	3.05	46.2	54	22.4	9.8	453	1.79	3.5	0.7	4.0	1.8	23.4	0.15	0.20	0.10	45	0.38	
CA-G196963	Sediment	1.10	0.78	18.41	3.78	39.3	95	15.5	6.5	276	1.64	3.7	0.6	2.1	2.6	20.7	0.10	0.17	0.07	37	0.35	
CA-G196964	Sediment	1.04	1.15	24.49	4.80	68.8	138	22.8	10.6	509	2.24	5.6	1.4	3.1	2.9	29.1	0.23	0.26	0.08	49	0.49	
CA-G196965	Sediment	2.16	0.97	20.57	3.94	72.9	110	23.8	8.3	298	1.98	4.2	1.2	2.1	2.8	29.1	0.24	0.24	0.06	42	0.54	
CA-G196966	Sediment	1.66	1.32	23.78	5.25	74.3	94	32.1	8.2	300	2.05	8.3	0.9	2.9	2.8	27.0	0.22	0.48	0.08	38	0.40	
CA-G196967	Sediment	1.88	0.77	16.86	3.03	45.1	65	16.1	6.3	275	1.67	4.0	0.7	1.2	2.3	22.6	0.15	0.19	0.06	40	0.42	
CA-G196968	Sediment	1.75	1.30	20.69	4.64	64.3	119	25.4	11.2	481	2.14	5.2	0.7	1.8	3.0	22.9	0.18	0.25	0.07	50	0.44	
CA-G196969	Sediment	2.07	1.13	24.78	4.24	69.4	104	26.1	9.2	396	2.17	6.5	1.2	2.3	2.7	30.6	0.30	0.24	0.07	51	0.49	
CA-G196970	Sediment	3.21	1.27	24.70	5.63	79.8	108	34.1	8.9	330	2.21	8.7	1.0	2.9	2.8	29.5	0.26	0.46	0.08	44	0.45	
CA-G196971	Sediment	1.75	1.10	22.36	5.12	70.2	84	29.0	9.7	359	2.10	5.7	1.3	6.4	2.9	32.3	0.27	0.40	0.15	43	0.54	
CA-G196972	Sediment	1.64	1.68	26.01	5.18	82.0	76	31.6	12.9	508	2.41	5.0	1.0	3.4	3.5	32.9	0.26	0.26	0.12	53	0.53	



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

DAW11000337.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
CA-G196936	Sediment	0.065	5.5	32.4	0.58	158.8	0.063	<1	0.81	0.015	0.07	<0.1	1.9	0.05	<0.02	13	0.2	<0.02	2.7
CA-G196937	Sediment	0.036	3.7	30.0	0.53	75.0	0.042	1	0.71	0.010	0.04	<0.1	2.0	0.03	<0.02	8	0.2	<0.02	2.4
CA-G196938	Sediment	0.052	5.5	35.4	0.66	162.4	0.066	1	0.91	0.015	0.07	0.1	2.1	0.05	0.02	12	0.2	<0.02	3.0
CA-G196939	Sediment	0.065	7.4	36.8	0.64	202.6	0.072	2	0.93	0.017	0.08	0.1	2.4	0.07	0.02	16	0.2	<0.02	3.2
CA-G196940	Sediment	0.069	6.1	35.1	0.56	186.7	0.059	2	0.80	0.014	0.07	0.1	2.0	0.05	0.02	13	0.2	<0.02	2.6
CA-G196941	Sediment	0.079	6.3	34.7	0.59	222.9	0.057	2	0.84	0.014	0.09	<0.1	2.1	0.05	0.02	10	0.3	<0.02	2.6
CA-G196963	Sediment	0.076	14.4	26.7	0.39	274.3	0.058	<1	0.87	0.012	0.14	0.1	2.3	0.09	<0.02	24	0.2	<0.02	2.9
CA-G196964	Sediment	0.087	18.4	38.4	0.53	372.1	0.074	1	1.17	0.011	0.17	0.2	2.9	0.13	0.03	39	0.6	0.05	4.0
CA-G196965	Sediment	0.118	13.6	33.0	0.51	382.4	0.071	1	1.03	0.010	0.20	0.1	2.4	0.13	0.03	21	0.7	0.04	3.4
CA-G196966	Sediment	0.107	10.5	37.3	0.41	323.8	0.046	1	0.73	0.010	0.14	0.1	2.0	0.11	0.03	19	0.7	0.04	2.3
CA-G196967	Sediment	0.116	10.5	31.7	0.43	271.6	0.061	<1	0.89	0.010	0.19	0.2	2.2	0.09	<0.02	9	0.3	<0.02	2.9
CA-G196968	Sediment	0.133	9.6	55.1	0.59	373.8	0.061	<1	0.93	0.008	0.20	0.1	2.4	0.11	<0.02	11	0.4	0.05	3.1
CA-G196969	Sediment	0.108	13.3	40.7	0.59	419.5	0.074	<1	1.08	0.011	0.25	0.1	2.7	0.14	0.03	25	0.8	0.04	3.6
CA-G196970	Sediment	0.109	11.9	40.0	0.48	351.4	0.051	1	0.84	0.011	0.17	0.1	2.4	0.12	0.03	18	0.8	0.03	2.8
CA-G196971	Sediment	0.113	10.9	37.6	0.54	336.5	0.055	2	0.89	0.008	0.16	0.2	2.4	0.13	0.03	27	0.5	0.06	3.0
CA-G196972	Sediment	0.145	11.7	48.6	0.64	310.1	0.066	1	1.03	0.005	0.25	0.1	2.6	0.15	0.03	18	0.7	0.07	3.5



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

DAW11000337.1

Method	DRY WT	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	
Pulp Duplicates																					
CA-G199120	Sediment	1.47	0.57	13.65	5.44	63.3	24	12.0	11.6	466	2.69	5.6	0.4	0.5	3.6	17.8	0.10	0.17	0.11	55	0.30
REP CA-G199120	QC		0.63	14.63	5.38	69.9	24	12.6	12.1	506	2.76	5.8	0.4	1.5	3.7	19.4	0.11	0.20	0.12	58	0.31
CA-G199137	Sediment	2.41	0.29	21.44	2.27	28.8	23	13.9	6.1	146	1.42	2.1	0.4	8.6	1.3	16.9	0.05	0.14	0.03	38	0.32
REP CA-G199137	QC		0.33	21.63	2.25	30.3	25	13.1	6.0	142	1.40	2.2	0.4	10.2	1.3	17.3	0.06	0.15	0.03	38	0.33
CA-G196917	Sediment	1.05	0.71	16.13	5.95	66.6	66	23.3	10.6	337	1.88	4.7	1.3	1.4	3.8	24.5	0.23	0.14	0.14	33	0.36
REP CA-G196917	QC		0.66	16.64	6.20	70.4	63	24.0	10.7	349	1.93	4.8	1.4	1.0	3.9	23.8	0.24	0.13	0.12	34	0.36
CA-G196937	Sediment	3.01	0.24	27.90	2.56	31.4	25	16.1	8.9	222	1.42	2.0	0.3	0.7	1.2	12.5	0.07	0.19	0.03	40	0.29
REP CA-G196937	QC		0.25	25.64	2.39	30.6	30	14.6	8.6	219	1.42	1.9	0.3	4.8	1.0	12.6	0.06	0.17	0.03	41	0.28
Reference Materials																					
STD DS8	Standard		12.95	107.3	124.2	310.0	1816	37.6	7.3	598	2.51	24.5	2.8	120.4	6.5	60.6	2.18	5.43	6.31	41	0.70
STD DS8	Standard		12.43	100.3	117.4	293.0	1640	36.6	7.1	583	2.36	22.5	2.6	106.0	6.1	59.0	2.12	4.97	5.92	41	0.68
STD DS8	Standard		11.44	96.64	114.7	287.6	1560	33.1	6.3	541	2.17	23.1	2.5	102.7	6.5	60.9	2.16	5.09	6.11	36	0.63
STD DS8	Standard		12.31	104.6	115.4	291.1	1613	35.7	7.0	569	2.27	23.3	2.5	105.1	6.6	64.2	2.20	5.27	6.23	39	0.67
STD DS8 Expected			13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: October 09, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

DAW11000337.1

Method		1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15		
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																				
CA-G199120	Sediment	0.060	8.1	22.5	0.74	89.5	0.064	<1	1.15	0.006	0.07	0.1	2.7	0.04	<0.02	<5	0.2	<0.02	4.7	
REP CA-G199120	QC	0.060	8.9	24.9	0.77	98.1	0.077	<1	1.21	0.006	0.08	<0.1	3.0	0.05	<0.02	<5	0.3	0.04	5.4	
CA-G199137	Sediment	0.056	4.6	32.9	0.46	204.7	0.048	<1	0.76	0.012	0.08	0.1	2.0	0.04	<0.02	<5	0.1	0.03	2.4	
REP CA-G199137	QC	0.061	4.7	32.3	0.47	213.3	0.050	<1	0.76	0.011	0.08	<0.1	2.1	0.05	<0.02	7	0.1	<0.02	2.5	
CA-G196917	Sediment	0.075	13.7	25.5	0.48	94.6	0.058	1	1.04	0.006	0.06	0.2	1.5	0.06	<0.02	18	0.4	0.03	2.8	
REP CA-G196917	QC	0.073	13.9	25.4	0.49	94.4	0.058	1	1.05	0.006	0.06	0.1	1.6	0.07	<0.02	13	0.4	0.03	2.9	
CA-G196937	Sediment	0.036	3.7	30.0	0.53	75.0	0.042	1	0.71	0.010	0.04	<0.1	2.0	0.03	<0.02	8	0.2	<0.02	2.4	
REP CA-G196937	QC	0.034	3.5	31.0	0.53	72.0	0.041	1	0.74	0.011	0.04	<0.1	1.9	0.03	<0.02	9	0.1	<0.02	2.2	
Reference Materials																				
STD DS8	Standard	0.080	14.2	121.0	0.61	265.2	0.107	3	0.90	0.088	0.41	3.3	2.2	5.47	0.17	212	5.0	5.02	4.7	
STD DS8	Standard	0.076	13.7	115.6	0.59	254.8	0.108	2	0.93	0.101	0.41	2.9	2.1	5.15	0.14	173	4.8	4.85	4.7	
STD DS8	Standard	0.076	13.8	107.4	0.55	264.9	0.101	2	0.82	0.090	0.38	2.7	1.9	4.83	0.14	171	4.6	4.45	4.1	
STD DS8	Standard	0.083	13.9	112.7	0.56	263.2	0.108	2	0.87	0.089	0.39	2.7	2.0	4.96	0.15	175	4.9	4.55	4.1	
STD DS8 Expected		0.08	14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	



1020 Cordova St. East Vancouver BC V6A 4A3 Canada

Acme Analytical Laboratories (Vancouver) Ltd.

www.acmelab.com

Client: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8 Canada

Submitted By: Jean-Pierre Londero
Receiving Lab: Canada-Whitehorse
Received: August 20, 2011
Report Date: November 16, 2011
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI11001194.1

CLIENT JOB INFORMATION

Project: White Gold
Shipment ID: WG01072011
P.O. Number
Number of Samples: 71

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Selene Holdings LP
885 W. Georgia Street, Suite 1380
Vancouver BC V6C 3E8
Canada

CC: Jean-Pierre Londero

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Table with 6 columns: Method Code, Number of Samples, Code Description, Test Wgt (g), Report Status, Lab. Rows include SS80, Dry at 60C, RJSV, and 1F02.

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. ** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 2 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
CAG196954	Sediment	2.62	35.04	9.27	149.3	130	40.4	19.6	1317	3.07	23.2	1.5	5.3	3.7	35.3	0.95	5.62	0.27	60	0.50	0.105
CAG196955	Sediment	1.23	37.86	6.62	76.4	120	34.5	16.0	685	2.73	6.0	1.0	4.8	3.8	25.7	0.21	0.72	0.09	60	0.43	0.074
G196956	Sediment	2.09	36.31	8.40	125.6	149	35.4	16.8	894	2.83	18.1	1.3	10.6	3.8	34.8	0.69	3.90	0.22	57	0.49	0.096
CAG196957	Sediment	1.48	27.61	6.22	88.7	100	30.7	11.4	474	2.31	10.6	1.0	3.5	3.2	29.4	0.43	1.73	0.14	49	0.43	0.106
CAG196958	Sediment	4.15	28.96	16.98	89.4	166	39.8	11.8	526	2.30	12.4	1.5	48.8	3.2	33.1	0.45	1.75	0.22	47	0.50	0.089
CAG196959	Sediment	0.68	25.67	4.52	60.9	79	52.3	11.0	301	2.03	14.5	1.1	6.1	2.6	38.8	0.18	0.57	0.08	45	0.57	0.069
CAG196960	Sediment	0.74	21.47	4.13	48.9	50	44.6	10.0	298	1.91	12.4	0.8	6.0	2.5	28.0	0.14	0.56	0.07	43	0.43	0.086
CAG196961	Sediment	0.69	24.22	4.37	59.2	88	30.5	8.7	313	1.94	19.1	1.0	11.0	2.7	37.1	0.15	0.69	0.08	41	0.54	0.074
CAG196962	Sediment	0.96	20.68	5.42	65.1	86	34.9	8.0	349	2.27	8.0	0.9	44.9	3.1	28.9	0.21	1.04	0.09	46	0.62	0.144
CAG196288	Sediment	0.75	15.35	9.37	77.6	45	10.0	9.0	375	2.40	8.4	0.5	<0.2	1.9	17.8	0.10	0.16	0.10	68	0.28	0.080
CAG196289	Sediment	0.67	17.91	7.29	107.1	95	14.1	12.2	483	3.01	6.3	0.5	0.6	1.8	26.5	0.12	0.20	0.10	76	0.38	0.071
CAG196290	Sediment	0.82	15.71	9.12	90.9	60	11.2	13.1	645	3.00	9.6	0.4	1.0	1.8	20.4	0.13	0.23	0.11	76	0.31	0.077
CAG196291	Sediment	0.56	17.30	6.97	66.1	89	12.7	10.7	618	2.48	5.1	0.7	0.6	2.0	34.6	0.12	0.20	0.10	57	0.59	0.057
CAG196292	Sediment	0.76	17.62	9.79	87.4	92	14.6	11.7	573	2.56	6.2	0.9	0.7	2.8	30.2	0.21	0.25	0.14	64	0.54	0.070
CAG196293	Sediment	0.60	16.25	13.13	70.0	110	15.1	10.4	534	2.47	6.1	1.5	7.8	4.0	29.5	0.15	0.25	0.19	60	0.53	0.066
CAG196294	Sediment	0.61	12.31	10.89	61.4	51	7.7	10.2	398	2.60	5.7	1.0	<0.2	2.7	23.1	0.08	0.14	0.14	58	0.29	0.056
CAG196295	Sediment	0.80	14.90	13.86	75.0	90	15.0	13.1	1062	2.98	7.5	1.8	16.6	4.1	29.6	0.22	0.27	0.22	62	0.49	0.078
CAG196296	Sediment	0.47	10.89	4.83	52.7	21	10.9	8.2	319	2.18	6.4	0.4	0.2	3.0	21.4	0.08	0.13	0.07	48	0.30	0.062
CAG196297	Sediment	0.49	12.30	5.97	54.7	25	11.8	10.1	390	2.46	7.3	0.5	8.4	3.1	23.5	0.07	0.16	0.08	54	0.38	0.077
CAG196298	Sediment	0.41	10.69	4.86	51.5	27	9.2	7.6	311	2.09	5.5	0.7	0.3	3.1	20.9	0.06	0.13	0.07	45	0.33	0.063
CAG196299	Sediment	0.68	12.91	5.90	59.5	29	11.6	10.9	527	2.68	9.9	1.0	0.5	3.8	21.6	0.09	0.17	0.09	51	0.32	0.068
CAG196300	Sediment	0.57	12.46	7.09	63.1	38	12.5	10.8	542	2.36	6.2	1.2	2.1	4.0	23.0	0.13	0.18	0.11	48	0.36	0.062
CAG196901	Sediment	0.83	14.97	8.27	68.3	59	17.7	10.6	556	2.37	5.5	2.2	0.3	4.1	28.2	0.16	0.20	0.11	50	0.49	0.073
CAG196902	Sediment	0.61	19.78	4.42	54.0	86	55.1	15.3	1082	2.39	9.4	0.7	0.6	3.0	28.7	0.22	0.18	0.06	41	0.36	0.073
CAG196903	Sediment	0.74	17.47	8.71	64.5	53	25.7	13.3	469	2.80	11.4	0.7	1.5	6.3	23.5	0.15	0.24	0.12	41	0.41	0.091
CAG196904	Sediment	0.49	13.87	6.27	52.9	51	23.3	10.8	481	2.21	8.3	0.8	1.3	4.6	25.1	0.14	0.20	0.08	38	0.38	0.083
CAG196905	Sediment	0.68	21.68	5.20	52.6	81	34.9	12.9	801	2.35	10.7	1.3	4.7	3.6	29.1	0.20	0.19	0.08	44	0.39	0.078
CAG196906	Sediment	0.62	31.08	5.69	57.0	55	18.2	10.4	389	2.34	7.0	0.6	1.3	3.7	21.7	0.11	0.14	0.07	54	0.36	0.101
CAG196907	Sediment	0.52	23.28	4.67	56.3	68	20.1	9.1	337	1.96	6.1	0.6	0.4	3.1	21.4	0.09	0.14	0.06	42	0.30	0.066
CAG196908	Sediment	0.58	22.48	5.12	52.3	63	22.1	11.6	940	1.96	6.4	0.9	1.5	3.2	24.9	0.20	0.31	0.07	40	0.35	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 2 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196954	Sediment	14.1	37.7	0.48	573.6	0.052	1	1.11	0.008	0.16	0.5	3.3	0.16	0.05	39	1.2	0.08	3.4
CAG196955	Sediment	12.4	47.0	0.79	308.9	0.086	2	1.32	0.009	0.28	<0.1	3.1	0.17	0.03	30	0.7	0.07	4.2
G196956	Sediment	14.4	35.9	0.56	587.4	0.063	1	1.07	0.008	0.18	0.5	3.0	0.18	0.04	45	1.0	0.11	3.5
CAG196957	Sediment	11.1	32.9	0.49	458.4	0.065	<1	0.94	0.009	0.20	1.0	2.2	0.12	0.05	24	0.8	0.06	2.9
CAG196958	Sediment	12.7	44.4	0.55	419.7	0.061	1	0.99	0.011	0.15	0.4	2.7	0.14	0.04	25	0.7	0.12	3.0
CAG196959	Sediment	9.6	52.0	0.76	237.9	0.069	2	1.09	0.017	0.11	0.1	2.6	0.09	0.03	23	0.4	0.07	3.1
CAG196960	Sediment	8.1	53.1	0.65	200.2	0.048	1	0.85	0.013	0.09	0.1	2.1	0.06	0.02	11	0.5	0.06	2.2
CAG196961	Sediment	10.0	39.6	0.62	202.0	0.063	2	0.98	0.016	0.09	0.2	2.6	0.07	0.03	29	0.3	0.04	2.8
CAG196962	Sediment	11.9	39.4	0.43	361.6	0.056	2	0.84	0.010	0.16	0.2	2.4	0.09	0.02	24	0.3	0.06	2.6
CAG196288	Sediment	6.6	19.4	0.87	116.5	0.085	<1	1.32	0.010	0.08	0.3	3.9	0.05	0.02	6	0.2	<0.02	5.3
CAG196289	Sediment	6.8	23.9	1.06	157.6	0.096	1	1.77	0.010	0.06	0.1	4.7	0.05	0.03	20	0.2	<0.02	6.1
CAG196290	Sediment	6.1	20.6	0.92	128.6	0.082	<1	1.40	0.010	0.07	0.4	3.9	0.05	0.02	10	0.1	0.05	5.2
CAG196291	Sediment	7.4	27.5	0.79	179.7	0.087	1	1.45	0.014	0.06	0.3	4.3	0.04	0.03	24	0.2	0.04	5.2
CAG196292	Sediment	9.8	24.8	0.78	176.3	0.086	1	1.43	0.019	0.08	0.8	4.3	0.08	0.03	33	0.3	<0.02	4.6
CAG196293	Sediment	11.8	24.2	0.59	151.8	0.086	1	1.40	0.020	0.07	0.4	3.3	0.10	0.02	27	0.2	<0.02	4.0
CAG196294	Sediment	5.8	16.3	0.73	114.9	0.065	<1	1.23	0.015	0.07	0.3	3.7	0.08	<0.02	10	<0.1	<0.02	4.4
CAG196295	Sediment	11.5	22.9	0.63	167.1	0.080	<1	1.41	0.016	0.07	0.3	3.6	0.10	<0.02	28	0.1	<0.02	4.5
CAG196296	Sediment	7.8	18.6	0.64	139.9	0.081	<1	1.18	0.011	0.10	0.2	2.6	0.06	<0.02	11	<0.1	<0.02	4.0
CAG196297	Sediment	8.7	20.4	0.66	154.8	0.082	1	1.23	0.014	0.10	0.2	3.1	0.05	<0.02	28	<0.1	<0.02	4.2
CAG196298	Sediment	8.1	16.9	0.58	121.3	0.073	<1	1.09	0.011	0.09	0.1	2.5	0.05	<0.02	10	<0.1	<0.02	3.8
CAG196299	Sediment	9.6	20.0	0.64	135.1	0.076	<1	1.19	0.010	0.11	0.1	2.8	0.06	<0.02	6	<0.1	<0.02	4.2
CAG196300	Sediment	9.6	21.4	0.63	145.8	0.077	<1	1.16	0.012	0.10	0.2	2.7	0.06	<0.02	11	<0.1	<0.02	4.0
CAG196901	Sediment	12.5	29.0	0.65	184.6	0.083	1	1.34	0.015	0.09	0.3	2.8	0.06	<0.02	16	0.1	<0.02	4.1
CAG196902	Sediment	10.9	91.5	0.81	270.5	0.042	<1	1.30	0.005	0.05	<0.1	2.4	0.05	<0.02	12	0.3	<0.02	2.9
CAG196903	Sediment	14.9	44.1	0.68	135.7	0.066	1	1.52	0.005	0.07	0.1	2.3	0.10	<0.02	13	0.1	0.06	4.0
CAG196904	Sediment	12.6	37.8	0.62	138.1	0.052	<1	1.31	0.005	0.05	0.1	2.0	0.06	<0.02	11	<0.1	<0.02	3.3
CAG196905	Sediment	12.4	49.4	0.65	186.8	0.046	<1	1.26	0.006	0.05	<0.1	2.4	0.05	<0.02	20	0.4	<0.02	3.1
CAG196906	Sediment	10.7	28.5	0.76	201.0	0.061	<1	1.24	0.006	0.09	0.1	2.3	0.05	<0.02	9	<0.1	0.05	3.9
CAG196907	Sediment	9.7	31.9	0.67	160.3	0.053	<1	1.16	0.005	0.07	<0.1	1.9	0.04	<0.02	16	0.2	<0.02	3.1
CAG196908	Sediment	10.6	35.9	0.65	185.8	0.050	<1	1.13	0.005	0.06	<0.1	2.0	0.06	<0.02	14	0.1	<0.02	3.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 3 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
CAG196909	Sediment	1.53	33.13	11.90	116.2	128	20.8	14.1	569	2.94	10.6	0.8	0.9	2.9	35.2	0.34	0.24	0.27	60	0.35	0.070
CAG196910	Sediment	0.64	23.69	6.21	57.2	107	23.9	10.8	518	2.07	7.2	1.1	6.0	3.1	28.4	0.18	0.13	0.10	42	0.39	0.072
CAG196911	Sediment	0.50	15.42	7.30	44.3	80	14.7	9.1	361	1.91	5.2	0.6	0.9	2.5	23.1	0.13	0.16	0.13	40	0.33	0.074
CAG196912	Sediment	0.56	25.34	5.45	48.1	51	18.5	8.7	318	2.17	7.0	0.6	0.4	2.2	22.0	0.12	0.16	0.08	50	0.34	0.073
CAG199078	Sediment	1.16	23.54	4.94	73.5	74	48.1	10.8	391	2.34	41.4	0.8	8.9	3.1	34.3	0.18	1.30	0.08	50	0.48	0.120
CAG199079	Sediment	0.85	22.19	4.14	65.1	69	32.1	9.9	329	2.06	29.2	0.9	6.9	2.5	31.9	0.16	0.93	0.08	44	0.49	0.094
CAG199080	Sediment	1.47	24.30	6.48	67.2	116	22.3	9.1	382	2.47	19.4	1.2	4.1	3.9	27.2	0.22	1.13	0.14	42	0.41	0.083
CAG199081	Sediment	1.05	19.62	5.90	62.7	106	20.0	7.3	279	2.07	6.9	0.8	12.4	3.1	21.3	0.24	0.74	0.11	41	0.34	0.072
CAG199082	Sediment	0.84	19.12	4.64	61.5	73	41.0	10.0	300	2.33	23.1	0.9	29.2	3.1	33.7	0.11	0.82	0.09	49	0.53	0.120
CAG199083	Sediment	0.99	19.38	4.95	58.4	65	40.5	10.3	440	2.34	23.2	1.1	19.1	3.1	26.1	0.15	0.77	0.10	45	0.42	0.102
CAG199084	Sediment	0.86	31.58	4.15	52.0	54	25.9	11.8	641	2.03	5.8	1.0	2.1	2.3	25.0	0.18	0.42	0.07	46	0.41	0.083
CAG199085	Sediment	0.79	20.89	4.55	57.3	56	35.2	9.9	333	2.23	20.1	0.8	5.5	2.6	25.3	0.15	0.72	0.08	45	0.40	0.089
CAG199086	Sediment	0.76	19.78	4.08	59.6	56	27.1	9.5	290	1.99	18.2	0.8	5.2	2.5	27.7	0.13	0.68	0.07	41	0.42	0.088
CAG199087	Sediment	0.98	23.94	6.35	71.4	90	34.1	8.9	373	2.42	8.1	0.8	7.5	3.1	30.7	0.23	1.16	0.09	45	0.66	0.148
CAG199088	Sediment	0.81	22.14	5.08	62.6	68	34.0	9.5	333	2.09	16.9	0.8	5.6	2.8	27.0	0.13	0.68	0.08	43	0.42	0.095
CAG199089	Sediment	0.69	15.60	5.58	65.2	44	15.5	11.7	453	2.41	6.4	0.4	0.3	3.2	14.4	0.09	0.16	0.07	51	0.31	0.053
CAG199090	Sediment	0.60	13.20	6.22	64.0	33	18.0	11.5	474	2.48	6.8	0.7	1.0	4.3	16.3	0.09	0.15	0.08	47	0.37	0.079
CAG199091	Sediment	0.63	13.05	5.78	60.2	38	13.3	10.5	354	2.50	5.7	0.5	0.9	3.7	18.3	0.09	0.19	0.09	45	0.33	0.067
CAG199092	Sediment	0.81	14.55	6.90	71.1	31	20.1	14.2	668	2.76	8.9	0.7	<0.2	4.7	15.0	0.10	0.17	0.09	50	0.31	0.068
CAG199093	Sediment	0.57	11.60	5.64	61.2	37	16.1	10.6	405	2.24	5.2	0.6	0.9	3.9	16.2	0.08	0.14	0.07	42	0.32	0.060
CAG199094	Sediment	0.98	19.33	10.13	85.5	53	26.2	13.4	513	2.79	6.9	1.0	0.5	6.0	38.9	0.24	0.22	0.13	58	0.65	0.078
CAG199095	Sediment	0.67	13.50	6.06	65.1	43	18.6	13.6	1186	2.43	7.3	1.1	0.6	4.0	22.9	0.12	0.17	0.11	44	0.39	0.066
CAG199096	Sediment	0.92	13.96	13.66	77.7	92	15.0	10.1	546	2.45	6.1	1.8	1.0	7.4	28.7	0.24	0.22	0.30	47	0.40	0.060
CAG199097	Sediment	0.57	11.77	6.32	60.9	37	17.2	11.8	510	2.29	6.0	0.9	0.3	3.7	19.3	0.07	0.14	0.07	42	0.33	0.063
CAG199098	Sediment	0.67	15.18	7.98	74.4	48	19.7	13.3	455	2.65	7.1	1.3	3.8	4.3	25.4	0.10	0.21	0.12	51	0.42	0.072
CAG199099	Sediment	0.48	18.63	9.24	65.4	77	24.0	9.4	473	2.28	5.6	0.8	0.9	3.4	31.4	0.18	0.38	0.16	51	0.64	0.071
CAG199100	Sediment	0.68	13.04	8.03	66.1	40	18.6	12.3	766	2.51	6.6	1.1	0.3	4.8	25.0	0.09	0.19	0.28	49	0.43	0.085
CAG199101	Sediment	0.81	21.21	5.00	80.8	41	12.6	13.1	440	3.04	6.5	0.6	1.0	3.2	18.0	0.12	0.16	0.07	56	0.39	0.091
CAG199102	Sediment	0.36	16.65	3.85	59.4	40	12.7	11.0	1146	2.43	4.2	0.5	0.7	3.7	27.4	0.11	0.14	0.04	45	0.57	0.165
CAG199103	Sediment	0.51	18.18	4.35	65.1	28	13.2	12.2	645	2.75	5.7	0.4	0.7	3.2	20.6	0.09	0.17	0.04	48	0.44	0.111

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 3 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	Analyte	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
CAG196909	Sediment	9.6	48.3	1.05	165.6	0.050	<1	1.53	0.011	0.09	<0.1	3.3	0.05	0.07	13	0.7	0.13	4.6
CAG196910	Sediment	11.4	37.1	0.68	176.3	0.054	<1	1.21	0.007	0.06	<0.1	2.3	0.05	0.02	17	0.3	<0.02	3.4
CAG196911	Sediment	9.8	26.8	0.54	138.0	0.045	<1	1.13	0.007	0.04	0.1	2.1	0.04	<0.02	20	<0.1	<0.02	3.2
CAG196912	Sediment	8.2	33.0	0.63	126.7	0.048	<1	1.23	0.008	0.06	<0.1	2.3	0.03	<0.02	14	0.1	0.05	3.7
CAG199078	Sediment	10.3	108.3	0.61	246.1	0.053	1	0.94	0.010	0.13	0.2	2.2	0.08	0.04	64	0.3	0.03	2.7
CAG199079	Sediment	8.9	57.4	0.66	192.9	0.055	1	0.96	0.010	0.11	0.1	2.4	0.08	0.03	21	0.3	0.04	2.9
CAG199080	Sediment	13.9	22.0	0.35	261.4	0.046	2	0.76	0.010	0.09	0.2	2.2	0.10	0.04	16	0.5	0.03	2.6
CAG199081	Sediment	11.6	21.3	0.32	260.4	0.051	2	0.78	0.008	0.08	0.2	2.0	0.07	0.03	26	0.3	<0.02	2.5
CAG199082	Sediment	10.0	101.9	0.65	232.5	0.053	1	0.92	0.011	0.10	0.2	2.5	0.07	0.03	20	0.2	0.02	3.4
CAG199083	Sediment	9.2	102.3	0.60	243.7	0.045	<1	0.83	0.007	0.10	0.3	2.4	0.08	0.02	18	0.3	<0.02	2.8
CAG199084	Sediment	7.1	40.7	0.65	295.1	0.056	1	0.87	0.011	0.10	0.1	2.4	0.07	0.02	19	0.2	<0.02	2.9
CAG199085	Sediment	8.2	79.2	0.62	214.6	0.048	2	0.84	0.007	0.10	0.1	2.3	0.07	0.02	22	0.2	<0.02	2.9
CAG199086	Sediment	8.7	41.5	0.62	204.5	0.049	1	0.88	0.011	0.10	0.1	2.5	0.07	0.02	20	0.1	<0.02	2.8
CAG199087	Sediment	11.8	45.1	0.49	440.1	0.056	2	0.91	0.009	0.18	0.1	3.0	0.11	0.02	26	0.3	0.02	3.1
CAG199088	Sediment	8.1	48.9	0.61	258.2	0.048	1	0.85	0.009	0.11	0.1	2.2	0.08	0.03	24	0.2	0.04	2.9
CAG199089	Sediment	9.1	32.5	0.78	148.1	0.065	<1	1.25	0.007	0.07	<0.1	2.9	0.05	<0.02	14	<0.1	<0.02	4.5
CAG199090	Sediment	12.8	32.9	0.75	226.7	0.066	<1	1.26	0.007	0.07	0.1	2.6	0.05	<0.02	12	<0.1	<0.02	4.7
CAG199091	Sediment	10.4	22.9	0.66	156.3	0.066	<1	1.19	0.007	0.06	0.1	2.8	0.04	<0.02	17	<0.1	<0.02	4.6
CAG199092	Sediment	13.2	34.6	0.79	238.6	0.066	<1	1.27	0.007	0.08	<0.1	2.7	0.05	<0.02	11	<0.1	<0.02	4.8
CAG199093	Sediment	10.9	29.1	0.69	196.4	0.059	<1	1.15	0.007	0.07	0.1	2.3	0.05	<0.02	9	<0.1	<0.02	3.9
CAG199094	Sediment	18.1	38.3	0.80	203.2	0.069	<1	1.34	0.010	0.15	0.2	3.2	0.09	<0.02	13	0.1	<0.02	5.8
CAG199095	Sediment	12.1	28.7	0.65	241.7	0.061	<1	1.13	0.009	0.07	0.1	2.4	0.04	<0.02	13	<0.1	<0.02	4.0
CAG199096	Sediment	22.8	28.2	0.52	188.2	0.062	<1	1.23	0.008	0.06	0.3	2.8	0.07	<0.02	18	<0.1	<0.02	5.3
CAG199097	Sediment	10.5	28.5	0.65	188.4	0.060	<1	1.10	0.007	0.07	0.2	2.2	0.04	<0.02	11	0.1	<0.02	4.0
CAG199098	Sediment	11.9	30.8	0.71	195.2	0.067	<1	1.28	0.011	0.08	0.2	2.7	0.06	<0.02	12	<0.1	<0.02	4.5
CAG199099	Sediment	10.2	31.9	0.62	239.2	0.071	1	1.18	0.023	0.06	0.3	2.8	0.06	0.03	28	<0.1	0.02	3.9
CAG199100	Sediment	12.3	29.5	0.61	199.9	0.064	<1	1.15	0.011	0.07	0.3	2.5	0.05	<0.02	16	<0.1	<0.02	4.2
CAG199101	Sediment	10.1	19.3	0.72	157.4	0.060	<1	1.29	0.012	0.09	<0.1	3.0	0.06	<0.02	9	0.2	0.02	4.8
CAG199102	Sediment	9.5	16.5	0.72	175.5	0.057	<1	1.16	0.011	0.11	0.1	2.8	0.06	<0.02	8	0.1	<0.02	4.0
CAG199103	Sediment	9.1	17.9	0.72	156.9	0.056	<1	1.16	0.013	0.10	<0.1	2.9	0.05	<0.02	8	<0.1	<0.02	4.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 4 of 4 Part 1

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
CAG199104	Sediment	0.60	23.38	4.39	73.4	33	14.5	15.1	762	2.93	5.9	0.5	2.8	2.8	24.1	0.12	0.17	0.05	55	0.51	0.125
CAG199105	Sediment	0.52	19.90	4.01	62.8	37	9.2	8.3	230	2.15	3.0	0.5	6.6	1.5	14.8	0.10	0.12	0.05	48	0.34	0.072
CAG199106	Sediment	0.76	27.74	4.81	89.5	37	14.7	16.1	672	3.05	6.0	0.6	0.9	2.5	19.6	0.13	0.18	0.06	61	0.42	0.092
CAG199107	Sediment	0.58	30.73	5.38	72.4	41	16.4	14.8	528	2.90	6.4	0.6	1.2	2.0	25.2	0.14	0.26	0.07	60	0.46	0.063
CAG199108	Sediment	0.76	24.86	6.04	89.8	43	13.2	16.3	587	2.75	6.0	0.3	0.5	1.5	17.2	0.14	0.18	0.07	63	0.34	0.068
CAG199109	Sediment	0.45	18.43	5.98	66.2	30	11.3	11.2	510	2.21	4.2	0.5	3.0	1.8	22.6	0.11	0.17	0.05	47	0.38	0.077
CAG199110	Sediment	0.49	18.20	4.87	62.8	37	13.9	11.1	381	2.64	5.7	0.6	1.6	2.1	24.4	0.12	0.23	0.07	62	0.47	0.089
CAG199111	Sediment	0.74	23.94	5.15	73.8	44	11.9	14.7	489	2.86	10.7	0.3	0.4	1.6	14.1	0.11	0.20	0.06	71	0.32	0.059
CAG199112	Sediment	0.58	20.01	4.85	70.6	38	13.1	13.9	752	2.89	7.2	0.5	6.6	1.8	22.3	0.17	0.22	0.06	64	0.43	0.085
CAG199113	Sediment	0.78	20.10	7.75	81.6	48	14.4	10.0	314	2.36	10.0	0.4	0.8	2.6	15.8	0.14	0.18	0.07	55	0.29	0.050
CAG199114	Sediment	0.57	18.50	5.07	68.8	38	13.4	12.4	584	2.54	6.7	0.5	0.3	2.1	24.1	0.14	0.25	0.07	58	0.45	0.086



Acme Analytical Laboratories (Vancouver) Ltd.
 1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 4 of 4 Part 2

CERTIFICATE OF ANALYSIS

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
CAG199104	Sediment	8.6	19.3	0.80	208.2	0.073	<1	1.33	0.013	0.13	<0.1	2.9	0.06	<0.02	11	0.1	<0.02	4.6
CAG199105	Sediment	5.8	19.1	0.61	131.1	0.069	<1	1.06	0.012	0.10	<0.1	2.5	0.05	<0.02	12	0.2	<0.02	3.8
CAG199106	Sediment	8.2	24.1	0.83	193.8	0.078	<1	1.37	0.014	0.14	<0.1	3.2	0.06	<0.02	17	<0.1	0.03	4.9
CAG199107	Sediment	6.9	24.0	0.86	167.8	0.069	<1	1.39	0.013	0.10	<0.1	3.8	0.05	<0.02	14	<0.1	<0.02	4.7
CAG199108	Sediment	5.3	26.3	0.85	143.8	0.074	<1	1.34	0.014	0.08	<0.1	3.1	0.05	<0.02	9	<0.1	<0.02	4.8
CAG199109	Sediment	6.4	18.5	0.62	128.7	0.060	<1	1.08	0.012	0.07	<0.1	2.7	0.04	<0.02	18	<0.1	<0.02	3.6
CAG199110	Sediment	7.1	24.4	0.67	149.4	0.063	<1	1.11	0.014	0.06	0.3	2.9	0.03	<0.02	18	<0.1	<0.02	3.9
CAG199111	Sediment	5.6	26.1	0.87	208.1	0.072	<1	1.26	0.017	0.09	<0.1	3.9	0.04	0.02	10	0.2	0.05	5.0
CAG199112	Sediment	6.1	23.4	0.72	156.3	0.063	<1	1.12	0.016	0.07	0.1	3.3	0.03	<0.02	8	0.1	<0.02	4.0
CAG199113	Sediment	8.0	31.6	0.74	167.6	0.060	<1	1.16	0.008	0.07	<0.1	2.8	0.05	<0.02	11	<0.1	<0.02	4.5
CAG199114	Sediment	7.1	24.7	0.72	153.5	0.064	<1	1.16	0.016	0.07	0.2	3.2	0.04	<0.02	10	0.1	<0.02	4.1



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Selene Holdings LP**
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
 Report Date: November 16, 2011

Page: 1 of 1 Part 1

QUALITY CONTROL REPORT

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	2	0.01	0.001	
Pulp Duplicates																					
G196956	Sediment	2.09	36.31	8.40	125.6	149	35.4	16.8	894	2.83	18.1	1.3	10.6	3.8	34.8	0.69	3.90	0.22	57	0.49	0.096
REP G196956	QC	2.08	35.60	8.51	119.3	132	35.1	16.7	913	2.84	18.0	1.3	4.7	3.7	34.9	0.72	3.84	0.23	58	0.50	0.100
CAG196298	Sediment	0.41	10.69	4.86	51.5	27	9.2	7.6	311	2.09	5.5	0.7	0.3	3.1	20.9	0.06	0.13	0.07	45	0.33	0.063
REP CAG196298	QC	0.47	10.07	5.13	50.3	25	10.6	7.8	316	2.09	5.5	0.7	0.3	3.0	20.1	0.10	0.14	0.06	45	0.30	0.064
CAG199081	Sediment	1.05	19.62	5.90	62.7	106	20.0	7.3	279	2.07	6.9	0.8	12.4	3.1	21.3	0.24	0.74	0.11	41	0.34	0.072
REP CAG199081	QC	0.94	19.22	6.24	61.5	102	20.5	7.5	282	2.12	7.0	0.8	2.5	3.1	22.1	0.28	0.73	0.12	41	0.35	0.073
CAG199097	Sediment	0.57	11.77	6.32	60.9	37	17.2	11.8	510	2.29	6.0	0.9	0.3	3.7	19.3	0.07	0.14	0.07	42	0.33	0.063
REP CAG199097	QC	0.63	11.93	6.84	65.8	29	17.3	12.3	541	2.37	6.3	0.9	0.5	4.1	20.7	0.11	0.16	0.08	42	0.34	0.065
Reference Materials																					
STD DS8	Standard	12.27	107.6	117.7	299.9	1693	38.1	7.2	602	2.39	23.6	2.7	104.2	6.7	64.1	2.11	5.34	6.61	41	0.67	0.075
STD DS8	Standard	12.65	105.2	129.5	311.3	1844	35.8	7.3	580	2.48	24.2	2.7	113.1	6.9	62.7	2.28	5.60	7.07	40	0.65	0.077
STD DS8 Expected		13.44	110	123	312	1690	38.1	7.5	615	2.46	26	2.8	107	6.89	67.7	2.38	5.7	6.67	41.1	0.7	0.08
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<2	<0.01	<0.001



Acme Analytical Laboratories (Vancouver) Ltd.

1020 Cordova St. East Vancouver BC V6A 4A3 Canada
 Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: Selene Holdings LP
 885 W. Georgia Street, Suite 1380
 Vancouver BC V6C 3E8 Canada

Project: White Gold
Report Date: November 16, 2011

Page: 1 of 1 Part 2

QUALITY CONTROL REPORT

WHI11001194.1

Method	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	1F15	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																		
G196956	Sediment	14.4	35.9	0.56	587.4	0.063	1	1.07	0.008	0.18	0.5	3.0	0.18	0.04	45	1.0	0.11	3.5
REP G196956	QC	14.6	37.1	0.56	593.2	0.063	2	1.09	0.008	0.18	0.4	3.1	0.16	0.04	42	0.8	0.09	3.4
CAG196298	Sediment	8.1	16.9	0.58	121.3	0.073	<1	1.09	0.011	0.09	0.1	2.5	0.05	<0.02	10	<0.1	<0.02	3.8
REP CAG196298	QC	7.8	18.2	0.58	124.0	0.072	<1	1.07	0.010	0.09	<0.1	2.6	0.05	<0.02	8	<0.1	<0.02	3.5
CAG199081	Sediment	11.6	21.3	0.32	260.4	0.051	2	0.78	0.008	0.08	0.2	2.0	0.07	0.03	26	0.3	<0.02	2.5
REP CAG199081	QC	11.7	21.9	0.31	266.1	0.052	1	0.78	0.009	0.08	0.2	2.1	0.08	0.03	36	0.2	<0.02	2.6
CAG199097	Sediment	10.5	28.5	0.65	188.4	0.060	<1	1.10	0.007	0.07	0.2	2.2	0.04	<0.02	11	0.1	<0.02	4.0
REP CAG199097	QC	11.9	29.0	0.67	192.9	0.062	<1	1.12	0.007	0.07	<0.1	2.2	0.05	<0.02	20	<0.1	<0.02	4.2
Reference Materials																		
STD DS8	Standard	13.9	119.2	0.59	252.0	0.111	4	0.92	0.098	0.42	2.7	2.0	4.96	0.16	185	5.5	4.48	3.8
STD DS8	Standard	14.1	119.3	0.60	280.3	0.103	3	0.90	0.088	0.41	2.9	2.3	5.62	0.16	208	5.1	4.83	4.8
STD DS8 Expected		14.6	115	0.6045	279	0.113	2.6	0.93	0.0883	0.41	3	2.3	5.4	0.1679	192	5.23	5	4.7
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1

Appendix 9: Statement of Expenditure

Statement of Expenditure (Summary)

	RP - HD03122 (336 claims)	
	Quantity	Amount
Professional Fees and Wages		
Trenching		
Geologist (supervised trenching) (\$300/ day)		\$ -
Stream Sediment Sampling Survey		
Stream Sampler (\$250/ day)	6 days	\$ 1,500.00
Assistant Stream Sampler (\$225/day)	6 days	\$ 1,350.00
Drilling		
Geologist (logger) (\$350/ day)		\$ -
Assistant Geologist (logger) (\$250/ day)		\$ -
Core Cutter (\$225/ day)		\$ -
Pab Builder (2 man team) (\$500/ day/ team)		\$ -
Mapping		
Geologist (mapper) (\$350/ day)	2 days	\$ 700.00
Assistant Geologist (mapper) (\$250/ day)	2 days	\$ 500.00
Report redaction, map generation...	3 days	\$ 1,050.00
Expenses		
Drilling		
Accomodation logging (Selene employees = 5)		\$ -
Camp \$100/ day/ person		
Accomodation Drilling contractor (5 employees)		\$ -
Camp \$100/ day/ person		
Aircraft & Helicopter		\$ -
3 hrs/ day @ \$1,400/hr		
Trenching		
Accomodation geologist (Selene Holdings L.P.)		\$ -
Camp \$100/ day/ person		
Accomodation trencher (Talus Exploration Inc.)		\$ -
Camp \$100/ day/ person		
Aircraft & Helicopter (Fireweeds Helicopter)		\$ -
1 hrs/ day @ \$1,400/hr		
Stream Sediment Sampling Program		
Accomodation Stream Sampler	6 days	\$ 600.00
Camp \$100/ day/ person		
Accomodation Ass. Stream Sampler	6 days	\$ 600.00
Camp \$100/ day/ person		
Aircraft & Helicopter (Fireweeds Helicopter)	6 days	\$ 8,400.00
1 hrs/ day @ \$1,400/hr		
Mapping		
Accomodation Geologist	2 days	\$ 200.00
Camp \$100/ day/ person		
Accomodation Ass. Geologist	2 days	\$ 200.00
Camp \$100/ day/ person		
Aircraft & Helicopter (Fireweeds Helicopter)	2 days	\$ 2,800.00
1 hrs/ day @ \$1,400/hr		
Chemical Analysis		
Soil Samples (\$21.48)		\$ -
Core Samples (\$32.23)		\$ -
Trench samples (\$32.23)	11 samples	\$ 354.53
Stream Sediment Samples (\$23.44)	69 samples	\$ 1,617.36
Contract Crew		
Soil Sampling (Groung Truth) \$33.73/ sample		\$ -
Trenching (Talus Exploration), \$12.72/m		\$ -
Drilling (Peak Drilling) (\$110.00/m)		\$ -
Helicopter (soil Samplers, Trans North Helicopter,)		\$ -
(\$ 1966.25/ hr incl. fuel)		
TOTAL		\$ 19,871.89