

# **ASSESSMENT REPORT (2012)**

ON GONZO CLAIMS

AT FORT SELKIRK AREA

NTS Map Sheet No: 115I/13

Latitude: 62°50' N Longitude: 137°59' W

Dawson Mining District  
YUKON TERRITORY

Work date: June 01, 2012 to December 01, 2012

Claims owner: Canadian Dehua International Mines Group Inc.  
1450-1199 West Hastings St, Vancouver, BC, V6E 3T5

By: Raymond Xie

Date: Dec 05, 2012

<b>TABLE OF CONTENTS</b>	<b>Page</b>
1. INTRODUCTION.....	2
2. GONZO CLAIMS.....	3
3. HISTORY WORK.....	4
4. WORK DONE IN 2011.....	5
4.1 Soil sampling.....	5
4.2 4. 2 IP survey in prospection area.....	12

## **Appendix**

Statement of Expenditure in 2012


### **List of figures:**

- Fig 1 Geographic location of GONZO claims
- Fig 2 Gonze Claims and 2012 Exploration Target
- Fig 3 Position of soil sample and IP survey station at Gonzo property
- Fig 4 Ag, Cu, K, Pb, Mo anomalies distribution ,Gonzo
- Fig5 Content contour of Cu, Ag, Mo, Pb, K in Gonzo exploration district
- Fig 6 Contour of Chargeability
- Fig 7 Coincidence of copper content and chargeability anomaly

# 1. INTRODUCTIN

Gonzo Claims Group, including 310 claims, situated along the nor bank of Yukon River, is located approximately 116 km northwest of Carmacks, and 57 km west of the Minto airstrip (Fig 1). NTS Map Sheet is 115I13. The property located within Fort Selkirk area, in Dawson Mining District, 100 % held by Canadian Dehua International Mines Group Inc. (Dehua Mines). Its latitude and longitude are 62°50' N, 137°59' W respectively. In 2012, geological, IP survey and soil sampling programs were employed by Dehua mines to explore Cu, Au deposit on a target of 11 square kilometers within Gonzo Claims Group based on the work of 2011.


Access to Gonzo property is by helicopter, Yukon. No ground access to the property at being time. Helicopter access service is generally available from Carmacks, Yukon.



**Fig 1 Geographic location of GONZO claims**

## 2. GONZO CLAIMS

Gonzo Claims Group is at north side of Yukon River (fig 2 and table1). Twelve months were renewed based on the work done in 2012 and acceptance of this report.



**Fig 2 Gonze Claims and 2012 Exploration Target**

(2012 Exploration Target: within blue color rectangular)

**Table 1 Gonzo Claims**

Grant Number	claim name	claims	expiration date	renew period
YD21101-YD21140	Gonzo 01-40	40	Dec. 25, 2016	Dec. 25, 2017
YD55265-YD55275	Gonzo 45-55	11	Dec. 25, 2016	Dec. 25, 2017
YD55288-YD55303	Gonzo 468-83	16	Dec. 25, 2016	Dec. 25, 2017
YD55316-YD55335	Gonzo 96-115	20	Dec. 25, 2016	Dec. 25, 2017
YD55344-YD55370	Gonzo 124-150	27	Dec. 25, 2016	Dec. 25, 2017
YD55381-YD55416	Gonzo 161-196	36	Dec. 25, 2016	Dec. 25, 2017
YD55626-YD55641	Gonzo 406-421	16	Dec. 25, 2016	Dec. 25, 2017
YD55668-YD55683	Gonzo 448-463	16	Dec. 25, 2016	Dec. 25, 2017
YD55710-YD55725	Gonzo 490-505	16	Dec. 25, 2016	Dec. 25, 2017
YD55752-YD55759	Gonzo 532-539	8	Dec. 25, 2016	Dec. 25, 2017
YD106455-YD106456	Gonzo 540-541	2	Dec. 25, 2016	Dec. 25, 2017
YD55762-YD55767	Gonzo 542-547	6	Dec. 25, 2016	Dec. 25, 2017
YD58931-YD58956	Gonzo 574-599	26	Dec. 25, 2016	Dec. 25, 2017
YD32030-YD32099	Gonzo 600-669	70	Apr. 25, 2013	Dec. 25, 2017

310 claims

### 3. WORK HISTORY

- 1975 and 1976 Kerr Addison Mines Ltd. collected Induced Polarization (IP) data on their WON claims that lie predominately within Dehua's Gonzo Claims. In addition to the geophysical surveys they drilled 6 diamond drill holes within the survey area (Yukon MINFILE #115I 081). The drill log and assessment work indicate the presence of pyrite and pyrrhotite in the intrusive rocks.
- 1977, Sinclair carried out geological mapping in the vicinity of the Minto deposit, as well as reconnaissance-level geochemical studies of intrusive rocks in the area.
- 1984, a 1:250 000-scale geological map of the Carmacks map sheet was published by Tempelman-Kluit.
- 2001, a low-level airborne magnetic and radiometric survey was flown over the entire Minto-Williams Creek area by the Geological Survey of Canada and the Yukon Geology (Shives et al., 2002). No geological interpretation of this new geophysical data set has yet been published.
- 2003, stream sedimentary analyses of this regional area had done. ( Yukon Regional Geochemical Database, Yukon Geological Survey)
- 2010, Dehua Mines has employed airborne magnetic-radiometric survey by Precision GeoSurveys Ltd for field data information collection. The geophysical data was interpreted by Mira and Aurora Geosciences. Aurora Geosciences and Mira Geosciences conducted data processing and interpretation separately on behalf of Dehua Mines based on exploration targeting requirement.

- 2011, Canadian Dehua International Mines Group Inc. carried out ground IP survey and soil sampling in thirteen small targets within Gonzo claims group. One plot (fig 2, block in blue line) was chosen out for work target in 2012.
- 2012, Canadian Dehua International Mines Group Inc. conducted detail exploration work same as in 2011 in selected target of Gonzo claims,

## 4. WORK DONE IN 2012

In 2012, Dehua Mines carried out ground exploration works in Gonzo claims property which include geological, IP survey and soil sampling in a target about 10 square kilometers based on the work of 2011 .

### 4.1 Soil sampling

Totally 32 North-South direction lines (3km long, 100m between) were designed for soil sampling. Grid of sampling are 50m x (50-100)m (Fig 3). There were more than two thousand soil samples had sent to lab for assaying in 2012. Table 2 presents some statistical parameters of the assay results.

*Tools:* gasoline-powered and manual soil sampling auger.

*Sampling depth:* Try to reach to the original residual - the soil B-C or C layer. C layer is in situ weathering products.

For various reasons, sampling do not always reaches to required layer because of ice and permafrost, ancient alluvial river bed, moorland and thick layer of talus in valleys.

Fig 4 Element anomalies location

Fig 5 presents variation of element content in prospection area.


**Table 2 statistical parameters of elements content in soil**

	Au	Ag	Cu	Mo	Pb	Zn	Bi	Sb	As	Hg
<b>Active data</b>	181	2145	2249	2220	2233	2249	2130	2162	2243	2080
<b>Min</b>	0.01	0.01	10.9	0.09	0.5	16.5	0.02	0.05	0.2	0.01
<b>25%-tile</b>	0.01	0.11	32.3	0.7	4.9	49	0.1	0.43	7.9	0.02
<b>Median</b>	0.02	0.14	45.9	0.98	5.8	56.5	0.13	0.6	9.8	0.03
<b>75%-tile</b>	0.03	0.21	74.2	1.47	6.9	67	0.19	0.81	13.9	0.04
<b>Max</b>	1.6	4.72	5.34	250	172	530	21.4	68	3220	0.9
<b>Mean</b>	0.04	0.198	62.2	2.906	6.87	60.64	0.44	0.79	17.05	0.04
<b>Trim Mean (10%)</b>	0.024	0.17	56.08	1.3	6.01	58.49	0.21	0.64	11.73	0.033
<b>Standard Deviation</b>	0.124	0.22	49.87	10.56	7.6	23.21	1.24	1.88	74.12	0.048
<b>Variance</b>	0.0154	0.048	2487	111.48	57.82	538.87	1.54	3.54	5493	0.002


**Table 3 Value of element background and obvious anomaly threshold (ppm)**

element	Ag	Cu	Mo	Pb	Zn	Bi	Hg	As	Sb
---------	----	----	----	----	----	----	----	----	----



background	0.17	30.69	0.906	6.179	67.03	0.086	0.023	6.147	0.429
Obvious anomaly threshold	0.61	97	11.86	21.05	105	2.68	0.11	35.16	4.4





**Fig 3 Position of soil sample and IP survey station at Gonzo property**














**Fig 4 Ag, Cu, K, Pb, Mo anomalies distribution, Gonzo**



Canadian Dehua International Mines Group Inc.  
Address: #1145- 1199 West Hastings St. Vancouver  
BC Canada V6E 3T5  
Phone: (604) 697 0118



Canadian Dehua International Mines Group Inc.  
Address: #1145- 1199 West Hastings St. Vancouver  
BC Canada V6E 3T5  
Phone: (604) 697 0118



**Fig5 Content contour of Cu, Ag, Mo, Pb, K in Gonzo exploration district**

## 4. 2 IP survey in prospection area

### *Instruments:*

SQ-3C dual-frequency IP transmitter and receiver.

### *Data acquisition:*

Take the same section with soil sampling survey (Fig 3, red dot line).


### *Dipole-dipole array IP method*


MN: 25m;

Collecting data of apparent chargeability and resistivity at each station when  $n=2$  and  $n=4$ .


The survey results are shown by map figure 6.

Fig 7 reveals the anomaly coincidence of copper content and chargeability.





**Fig 6 Contour of Chargeability**



**Fig 7 Coincidence of copper content and chargeability anomaly**

## Reference

- Reza Tafti and James K. Mortensen, 2004, Early Jurassic porphyry (?) copper (-gold) deposits at Minto and Williams Creek, Carmacks Copper Belt, western Yukon, MDRU Earth and Ocean Science UBC, In: Yukon Exploration and Geology 2003, D.S. Emond and L.L. Lewis (eds.), Yukon Geological Survey, p. 290-191.
- Precision GeoSurveys Inc. Airborne Geological survey Report Gonzo-Block Property report.
- Aurora Geosciences Ltd. G Block Airborne Magnetic Interpretation Report.
- Mira Geosciences Ltd. Integrated Geologic, Magnetic and Radiometric Cu-Au-Mo Targeting on the G, K and O Block Properties near Carmacks, Yukon Territory, Canada.
- Assessment work report on Gonzo Claims .Canadian dehua Mines,2011



## Appendix

### Statement of Expenditure for Gonzo Claims Group

Expenditures on Gonzo Claims Group in period of June 01, 2012 to December 01, 2012:  
is **\$249370.91**.

#### 2012 Working Expenditure on Gonzo Claims

item	unit cost	unit	amount
Helicopter rent payment	1285/hour	18hours	\$25,163.57
Manpower expense	\$320/day/person	480 days	\$153,600.00
Accommodation	\$50/day		\$24,000.00
Tool and equipment	300/day		\$18,000.00
Transportation			
Communication			
Other supplies			
Consulting			
Sample assay			\$25,107.34
Office supplies			
Insurance			\$3,500.00
Safety and labor protection			

**Total:\$249370.91**

**\$249,370.91**



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: Raymond Xie

PROJECT NO:

AGAT WORK ORDER: 12Y615702

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jul 18, 2012

PAGES (INCLUDING COVER): 61

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G22-24		0.63	0.02	1.60	5.3	<0.01	<5	186	0.67	<0.01	0.66	<0.01	18.9	10.3	45.7
G22-26		0.56	0.43	1.27	7.6	<0.01	<5	177	0.74	<0.01	0.68	0.41	19.9	12.6	38.2
G22-30		0.39	0.25	1.84	1.8	<0.01	<5	282	0.59	<0.01	1.53	<0.01	14.8	20.1	53.4
G22-36		0.55	0.28	1.43	8.9	<0.01	<5	174	0.57	<0.01	1.04	<0.01	18.6	10.2	37.0
G22-38		0.37	0.26	1.38	11.4	<0.01	<5	261	0.78	<0.01	1.15	<0.01	22.7	10.0	42.4
G22-40		0.61	0.24	1.72	4.9	<0.01	<5	317	0.89	<0.01	0.83	<0.01	25.3	7.9	30.0
G22-42		0.64	0.20	1.87	12.7	0.02	<5	282	0.99	<0.01	0.75	<0.01	24.6	7.9	34.8
G22-44		0.41	0.04	1.54	24.2	<0.01	<5	207	0.83	<0.01	0.55	<0.01	23.7	6.7	33.7
G22-46		0.72	<0.01	1.57	12.1	<0.01	<5	214	0.82	<0.01	0.42	<0.01	26.1	6.3	30.4
G22-50		0.54	0.30	1.50	10.6	<0.01	<5	256	0.68	<0.01	1.00	<0.01	20.7	11.5	33.5
G22-52		0.53	0.25	1.15	12.5	<0.01	<5	183	0.55	<0.01	0.90	<0.01	20.1	14.1	35.1
G20-36		0.64	0.03	1.48	8.0	<0.01	<5	216	0.50	<0.01	0.86	<0.01	19.6	14.3	63.8
G20-38		0.62	0.33	1.11	35.6	<0.01	<5	210	0.69	<0.01	1.09	1.82	20.8	14.7	23.1
G20-40		0.67	0.07	1.80	15.8	<0.01	<5	287	0.71	<0.01	0.61	<0.01	18.6	12.2	29.8
G20-42		0.66	0.27	2.03	9.3	<0.01	<5	387	0.88	<0.01	0.96	<0.01	13.1	15.2	47.7
G20-44		0.65	0.59	1.21	303	0.02	<5	274	0.59	<0.01	1.06	<0.01	21.3	13.9	24.7
G20-46		0.68	0.05	1.54	9.0	<0.01	<5	229	0.71	<0.01	0.97	<0.01	25.0	13.4	44.4
G20-48		0.59	0.15	1.47	9.9	0.01	<5	195	0.48	<0.01	1.58	<0.01	14.4	15.5	86.3
G20-50		0.53	0.44	1.19	13.0	<0.01	<5	252	0.54	<0.01	1.53	0.27	16.7	12.7	37.5
G20-52		0.65	0.53	1.33	11.7	<0.01	<5	177	0.73	<0.01	1.01	<0.01	20.2	12.5	40.4
G20-54		0.69	0.43	1.56	10.4	<0.01	<5	236	0.76	<0.01	1.11	<0.01	19.8	12.9	47.2
G18-22		0.56	0.05	1.28	3.9	<0.01	<5	222	0.74	<0.01	0.52	<0.01	22.5	8.3	29.1
G18-24		0.61	<0.01	1.26	3.3	<0.01	<5	232	0.74	<0.01	0.56	<0.01	21.8	8.7	30.1
G18-26		0.65	<0.01	1.36	3.0	<0.01	<5	205	0.66	<0.01	0.80	<0.01	15.6	8.6	31.4
G18-36		0.74	0.29	1.78	31.0	<0.01	<5	216	0.82	<0.01	0.46	<0.01	17.0	13.6	62.3
G18-38		0.69	1.17	1.99	10.2	<0.01	<5	292	0.79	<0.01	0.36	<0.01	23.6	15.1	56.8
G18-40		0.54	0.15	1.21	3.4	<0.01	<5	158	0.64	<0.01	0.28	<0.01	14.8	7.1	29.4
G18-42		0.61	0.04	1.94	3.2	<0.01	<5	257	0.92	<0.01	0.52	<0.01	24.6	8.7	60.4
G18-44		0.78	0.18	1.74	6.9	<0.01	<5	335	0.91	<0.01	0.38	<0.01	28.0	8.5	37.7
G18-46		0.62	0.16	2.16	<0.1	<0.01	<5	265	1.08	<0.01	0.54	<0.01	14.2	11.5	52.9
G18-48		0.64	0.43	2.00	6.3	<0.01	<5	213	0.48	<0.01	1.15	<0.01	13.1	16.7	57.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G18-50		0.56	0.04	2.23	0.2	<0.01	<5	411	0.91	<0.01	0.84	<0.01	14.7	16.6	59.7
G18-52		0.68	0.02	1.58	8.8	<0.01	<5	281	0.63	<0.01	0.77	<0.01	17.2	10.9	40.8
G18-54		0.59	0.36	1.67	7.3	<0.01	<5	266	0.74	<0.01	1.04	<0.01	11.6	13.8	58.9
G18-56		0.53	<0.01	1.83	12.2	<0.01	<5	281	0.99	<0.01	0.76	<0.01	19.1	12.9	96.3
G18-58		0.64	0.18	1.50	24.5	<0.01	<5	234	0.71	<0.01	1.10	<0.01	10.4	14.0	55.3
G18-60		0.79	0.09	1.71	11.8	<0.01	<5	210	0.61	<0.01	0.46	<0.01	16.9	10.2	35.8
G1618-24		0.70	<0.01	1.42	4.8	<0.01	<5	168	0.53	<0.01	0.52	<0.01	14.4	11.6	38.4
G1618-26		0.73	<0.01	1.31	4.7	<0.01	<5	153	0.53	<0.01	0.52	<0.01	13.7	8.6	34.1
G1618-32		0.63	<0.01	1.72	5.5	<0.01	<5	225	0.54	<0.01	0.52	<0.01	10.1	14.5	45.5
G1618-36		0.66	<0.01	2.41	15.2	<0.01	<5	307	0.38	2.93	0.53	0.47	<0.01	15.4	62.6
G1618-38		0.63	0.03	1.68	15.1	<0.01	<5	199	0.33	2.00	0.27	0.06	9.07	7.7	30.5
G1618-40		0.61	0.26	1.71	16.9	<0.01	<5	217	0.28	1.12	0.48	0.10	5.06	8.9	33.7
G1618-42		0.65	0.35	2.07	15.8	<0.01	<5	241	0.42	2.06	0.38	0.26	8.91	10.4	47.4
G1618-44		0.75	0.27	2.09	21.9	<0.01	<5	343	0.46	0.99	0.44	<0.01	15.7	10.0	44.6
G1618-46		0.58	<0.01	2.29	14.4	<0.01	<5	356	0.41	0.65	0.71	<0.01	5.15	13.1	58.8
G16-34		0.71	0.06	2.24	17.2	<0.01	<5	230	0.30	2.44	0.42	<0.01	0.69	13.1	71.4
G16-36		0.64	<0.01	1.89	16.4	<0.01	<5	162	0.20	1.95	0.32	<0.01	<0.01	13.9	96.4
G16-38		0.78	<0.01	1.92	15.5	<0.01	<5	245	0.34	1.26	0.51	<0.01	10.7	12.5	72.2
G16-40		0.79	0.05	1.86	14.0	<0.01	<5	211	0.36	1.62	0.57	<0.01	7.86	11.8	76.4
G16-42		0.73	<0.01	1.95	16.8	<0.01	<5	216	0.41	1.05	0.35	<0.01	10.9	10.6	56.1
G16-44		0.67	<0.01	3.40	31.5	<0.01	<5	255	0.51	3.36	0.60	<0.01	<0.01	21.2	173
G16-46		0.59	<0.01	2.43	16.7	<0.01	<5	198	0.52	3.19	0.25	0.12	<0.01	14.6	30.5
G16-48		0.63	<0.01	2.30	12.5	<0.01	<5	203	0.28	1.41	0.48	<0.01	<0.01	15.0	125
G16-50		0.74	<0.01	2.50	19.2	<0.01	<5	284	0.39	3.60	0.54	0.05	<0.01	16.5	89.3
G16-52		0.67	0.08	2.27	19.2	<0.01	<5	269	0.38	4.30	0.59	0.02	1.00	13.8	73.4
G16-54		0.72	0.23	2.01	44.4	0.01	<5	272	0.47	2.26	0.93	0.09	2.56	18.4	112
G16-60		0.66	<0.01	2.13	16.0	<0.01	<5	284	0.34	4.55	0.79	0.03	2.47	13.0	50.8
G1416-34		0.84	0.08	1.73	16.9	<0.01	<5	233	0.43	2.33	0.45	0.02	14.9	6.2	32.4
G1416-36		0.77	<0.01	1.83	16.8	<0.01	<5	242	0.39	3.18	0.42	<0.01	8.89	7.8	31.2
G1416-38		0.74	0.07	1.98	19.9	<0.01	<5	298	0.38	3.34	0.52	0.11	<0.01	12.7	48.7
G1416-40		0.66	<0.01	1.69	13.7	<0.01	<5	218	0.44	4.00	0.26	<0.01	6.52	9.8	35.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G1416-42	0.76	<0.01	2.56	18.3	<0.01	<5	304	0.41	2.93	0.68	0.08	<0.01	20.4	34.4	
G1416-44	0.73	0.15	2.55	19.5	<0.01	<5	257	0.70	3.84	0.24	<0.01	20.6	10.8	44.9	
G1416-46	0.70	<0.01	0.94	35.0	<0.01	7	221	0.45	5.49	0.49	0.18	<0.01	16.4	10.2	
G14-34	0.76	<0.01	2.84	19.2	<0.01	<5	302	0.41	3.99	0.55	0.03	<0.01	15.0	27.7	
G14-36	0.73	<0.01	2.56	13.0	0.01	<5	333	0.39	2.99	0.83	<0.01	<0.01	15.1	15.1	
G14-38	0.61	<0.01	2.93	13.4	<0.01	<5	212	0.28	4.05	0.38	0.05	<0.01	18.3	19.1	
G14-40	0.80	<0.01	2.52	18.2	<0.01	<5	177	0.37	4.21	0.38	<0.01	4.35	15.2	24.9	
G14-42	0.67	0.09	2.08	17.4	<0.01	<5	273	0.39	2.36	0.39	<0.01	9.08	8.5	28.3	
G14-44	0.60	<0.01	4.09	30.1	<0.01	<5	424	0.36	1.92	0.41	<0.01	<0.01	21.8	32.0	
G14-46	0.63	<0.01	3.17	15.1	<0.01	<5	208	0.35	4.29	0.46	<0.01	<0.01	17.8	21.1	
G14-48	0.67	<0.01	3.59	42.7	0.01	<5	340	0.43	4.94	0.71	0.10	<0.01	23.7	19.9	
G14-50	0.70	<0.01	2.83	11.8	<0.01	5	508	0.41	4.59	0.95	<0.01	<0.01	16.5	17.2	
G14-52	0.56	0.27	2.11	26.0	<0.01	<5	209	0.42	1.86	0.40	<0.01	12.7	8.7	28.1	
G14-54	0.62	<0.01	1.83	16.4	<0.01	<5	289	0.59	3.14	0.27	<0.01	15.2	8.9	35.0	
G14-56	0.90	0.01	1.82	17.0	0.01	<5	315	0.54	3.59	0.52	<0.01	21.7	8.4	39.2	
G14-58	0.58	<0.01	2.32	20.7	<0.01	<5	189	0.26	2.72	0.47	<0.01	<0.01	15.0	73.6	
G14-60	0.58	<0.01	2.65	24.4	<0.01	<5	312	0.48	4.46	0.68	<0.01	<0.01	12.6	51.4	
G12-32	0.64	0.03	1.86	17.2	<0.01	<5	233	0.40	3.86	0.42	<0.01	6.47	10.1	35.4	
G12-34	0.64	<0.01	2.06	10.7	<0.01	<5	339	1.09	<0.01	0.49	0.24	24.3	11.2	43.1	
G12-36	0.62	<0.01	2.08	1.1	<0.01	<5	202	1.10	<0.01	0.39	0.03	15.1	11.1	45.1	
G12-38	0.60	<0.01	2.67	9.8	<0.01	<5	328	1.34	<0.01	0.41	0.34	7.78	18.9	59.0	
G12-40	0.64	<0.01	2.15	7.7	<0.01	<5	327	1.13	<0.01	0.36	0.20	19.0	9.0	32.1	
G12-42	0.60	0.02	1.73	8.2	<0.01	<5	413	0.92	<0.01	0.64	0.31	27.3	11.1	43.1	
G12-44	0.60	<0.01	2.40	5.2	<0.01	<5	377	1.19	<0.01	0.48	0.21	13.6	12.2	45.3	
G12-46	0.58	<0.01	2.46	<0.1	<0.01	<5	412	1.55	<0.01	0.57	0.10	7.65	14.9	30.1	
G12-48	0.56	<0.01	1.74	6.0	0.03	<5	281	0.92	<0.01	0.61	0.24	21.9	13.3	98.3	
G12-50	0.68	<0.01	1.88	2.9	<0.01	<5	322	1.04	<0.01	0.36	0.15	23.1	10.0	46.1	
G12-52	0.59	<0.01	2.66	<0.1	<0.01	<5	549	1.68	<0.01	0.59	0.20	8.28	21.3	108	
G12-54	0.59	<0.01	1.52	46.9	0.01	<5	119	0.80	<0.01	0.22	1.04	15.6	8.5	28.8	
G12-56	0.68	<0.01	3.82	12.6	<0.01	<5	844	2.26	<0.01	0.61	0.92	4.94	25.2	27.5	
G12-58	0.64	<0.01	2.96	4.7	<0.01	<5	438	1.45	<0.01	0.56	0.31	19.9	18.9	21.3	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
Sample Description															
G12-60	0.62	<0.01	2.21	2.0	<0.01	<5	313	1.03	<0.01	0.57	<0.01	22.8	15.0	39.0	
G1012-30	0.62	<0.01	1.87	3.3	<0.01	<5	262	0.81	<0.01	0.40	0.10	13.7	12.6	23.5	
G1012-32	0.59	<0.01	2.33	4.0	<0.01	<5	255	1.16	<0.01	0.41	0.15	5.91	16.8	17.0	
G1012-34	0.58	<0.01	2.65	1.2	<0.01	<5	383	1.49	<0.01	0.54	<0.01	9.25	17.5	24.3	
G1012-36	0.60	0.03	1.51	5.3	<0.01	<5	173	0.83	<0.01	0.32	0.23	12.6	8.7	24.5	
G1012-38	0.64	<0.01	2.28	10.3	<0.01	<5	316	1.78	<0.01	0.67	0.29	14.1	11.3	23.0	
G1012-40	0.65	<0.01	2.40	5.9	<0.01	<5	378	1.45	<0.01	0.77	0.33	14.1	14.2	33.6	
G1012-42	0.59	<0.01	1.96	7.3	<0.01	<5	286	1.07	<0.01	0.50	0.38	20.3	9.6	36.2	
G1012-44	0.54	<0.01	2.11	8.0	<0.01	<5	365	0.95	<0.01	0.47	0.27	15.5	13.3	42.9	
G1012-46	0.56	<0.01	1.87	11.9	<0.01	<5	301	0.96	<0.01	0.49	0.32	16.5	10.4	40.6	
G10-22	0.63	<0.01	1.90	13.2	<0.01	<5	178	0.83	<0.01	0.53	0.42	13.4	11.9	23.9	
G10-24	0.59	<0.01	2.66	<0.1	<0.01	<5	200	1.38	<0.01	0.74	0.22	8.27	20.8	25.3	
G10-26	0.69	<0.01	2.15	<0.1	<0.01	<5	277	1.25	<0.01	0.58	0.11	15.2	11.4	21.2	
G10-28	0.63	<0.01	2.53	<0.1	<0.01	<5	195	1.43	<0.01	0.51	<0.01	7.56	12.8	23.2	
G10-30	0.67	<0.01	3.18	3.5	<0.01	<5	218	1.39	<0.01	0.35	0.46	5.65	23.0	14.9	
G10-32	0.58	<0.01	1.96	11.5	<0.01	<5	385	0.94	<0.01	0.33	0.34	11.4	9.3	23.1	
G10-34	0.61	<0.01	2.35	5.5	<0.01	<5	439	1.36	<0.01	0.45	0.28	13.8	14.2	27.9	
G10-36	0.45	0.18	1.97	13.6	<0.01	<5	263	1.11	<0.01	0.55	0.45	11.9	11.4	22.0	
G10-38	0.59	<0.01	2.27	4.2	<0.01	<5	272	1.27	<0.01	0.53	0.32	11.8	11.4	24.3	
G10-40	0.71	<0.01	2.79	21.2	<0.01	<5	332	1.71	<0.01	0.97	0.62	8.22	22.7	32.5	
G10-42	0.62	<0.01	1.94	4.4	<0.01	<5	273	1.25	<0.01	0.65	0.11	16.0	10.6	26.9	
G10-48	0.68	<0.01	2.04	17.1	<0.01	<5	328	1.07	<0.01	0.55	0.37	22.0	9.5	36.5	
G10-50	0.68	<0.01	1.77	6.6	<0.01	<5	295	1.03	<0.01	0.46	0.34	14.5	12.3	27.9	
G10-52	0.65	<0.01	1.92	18.1	<0.01	<5	300	0.95	<0.01	0.47	0.50	16.9	11.1	29.5	
G10-54	0.60	0.29	1.69	16.1	<0.01	<5	363	0.26	0.10	0.65	0.11	20.1	10.5	41.7	
G10-56	0.63	<0.01	2.54	7.6	<0.01	<5	542	1.67	<0.01	0.58	0.30	12.3	15.8	25.3	
G10-58	0.71	<0.01	2.52	8.8	<0.01	<5	488	1.68	<0.01	0.69	0.05	7.85	15.0	30.7	
G10-60	0.69	<0.01	1.92	3.9	<0.01	<5	275	0.97	<0.01	0.60	0.14	16.1	11.1	24.7	
G0810-22	0.63	<0.01	1.71	11.5	<0.01	<5	244	0.78	<0.01	0.46	0.31	21.1	10.2	28.3	
G0810-24	0.57	0.67	2.06	4.6	<0.01	<5	358	0.32	0.55	0.73	0.29	31.6	14.0	22.3	
G0810-26	0.75	0.89	1.87	8.2	<0.01	<5	211	0.27	1.38	0.47	0.47	29.0	11.1	26.7	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0810-28	0.64	0.49	2.09	6.6	<0.01	<5	541	0.25	0.31	0.64	0.27	21.7	15.4	23.7
G0810-30	0.54	0.34	2.38	18.1	<0.01	<5	349	0.37	0.89	0.39	0.34	29.0	13.5	32.1
G0810-32	0.55	0.27	2.99	4.6	<0.01	<5	532	0.17	0.23	0.68	0.25	24.7	23.9	43.4
G0810-34	0.68	0.37	2.41	6.4	<0.01	<5	651	0.36	0.83	0.70	0.59	39.7	9.9	18.9
G0810-36	0.56	0.91	1.94	25.4	<0.01	<5	389	0.36	0.16	0.62	0.35	46.6	12.8	29.4
G0810-38	0.59	0.63	2.15	20.8	<0.01	<5	429	0.31	0.10	0.67	0.23	25.5	11.4	24.9
G0810-40	0.63	0.34	1.73	17.9	<0.01	<5	266	0.24	0.11	0.51	0.08	26.9	8.2	27.5
G0810-42	0.74	0.27	2.17	14.4	<0.01	<5	430	0.24	0.11	0.64	0.10	22.8	10.8	29.6
G0810-44	0.72	0.29	2.22	20.7	<0.01	<5	338	0.26	0.09	0.66	0.12	23.4	15.2	29.1
G0810-46	0.61	0.17	1.90	12.8	<0.01	<5	320	0.24	0.09	0.58	0.10	22.0	14.8	29.6
G08-05	0.42	0.22	1.99	31.4	<0.01	<5	272	0.25	0.11	0.56	0.12	23.8	13.7	78.3
G08-03	0.60	0.15	1.92	6.7	<0.01	<5	289	0.22	0.10	0.64	0.12	22.4	13.3	76.1
G08-00	0.48	0.21	2.07	8.2	<0.01	<5	294	0.27	0.14	0.65	0.17	18.5	15.5	34.1
G08-02	0.55	0.28	1.64	10.1	<0.01	<5	245	0.29	0.20	0.39	0.15	31.6	8.3	31.7
G08-08	0.57	0.27	1.57	16.4	<0.01	<5	288	0.35	0.64	0.51	0.34	32.9	9.3	30.6
G08-10	0.74	0.33	1.83	17.3	<0.01	<5	319	0.33	0.58	0.71	0.31	28.1	13.7	38.4
G08-12	0.50	1.40	1.38	101	<0.01	<5	175	0.25	0.54	0.25	0.29	25.7	8.2	25.6
G08-14	0.53	0.36	1.63	10.4	<0.01	<5	221	0.30	0.39	0.47	0.16	27.9	9.7	30.4
G08-22	0.67	0.30	1.55	7.5	<0.01	<5	241	0.30	0.32	0.66	0.20	31.7	11.0	27.7
G08-28	0.66	0.50	2.15	8.5	<0.01	<5	494	0.30	0.52	0.76	0.21	27.3	15.8	29.0
G08-30	0.56	0.40	1.92	7.4	<0.01	<5	379	0.23	0.24	0.61	0.21	20.5	14.4	29.0
G08-32	0.66	0.47	1.85	8.7	<0.01	<5	379	0.31	0.31	0.56	0.27	28.2	11.1	29.1
G08-34	0.67	0.36	2.16	21.8	<0.01	<5	340	0.29	0.58	0.58	0.26	26.7	11.9	27.7
G08-36	0.63	0.57	1.88	22.9	<0.01	<5	340	0.29	0.15	0.56	0.29	27.6	10.8	29.3
G08-38	0.66	0.56	1.50	13.4	<0.01	<5	248	0.18	0.13	0.46	0.21	19.6	8.0	27.9
G08-40	0.59	0.49	1.93	18.7	<0.01	<5	343	0.27	0.22	0.55	0.22	27.4	10.2	30.6
G08-42	0.53	0.39	1.78	13.1	<0.01	<5	292	0.24	0.16	0.55	0.34	24.5	10.5	27.8
G08-44	0.66	0.22	1.97	18.2	<0.01	<5	313	0.25	0.09	0.66	0.17	23.8	11.6	28.2
G08-52	0.63	0.25	2.22	17.5	<0.01	<5	378	0.28	0.08	0.77	0.15	24.5	14.4	31.7
G08-54	0.61	0.24	2.26	13.1	<0.01	<5	327	0.24	0.07	0.58	0.13	18.7	16.0	24.8
G08-56	0.68	0.19	1.58	16.5	<0.01	<5	234	0.26	0.08	0.57	0.12	22.1	12.8	25.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G08-58	0.63	0.19	1.82	17.3	<0.01	<5	383	0.21	0.06	0.67	0.13	16.7	14.1	25.6	
G08-60	0.60	0.17	1.84	45.3	<0.01	<5	247	0.28	0.08	0.68	0.11	22.8	12.3	30.7	
G06-42	0.82	0.28	2.15	24.0	<0.01	<5	373	0.31	0.09	0.69	0.19	22.3	16.2	29.8	
G06-44	0.86	0.24	1.76	14.6	<0.01	<5	316	0.29	0.10	0.66	0.14	27.1	10.1	30.0	
G06-46	0.69	0.25	1.82	13.6	<0.01	<5	330	0.36	0.12	0.78	0.25	31.4	11.1	32.8	
G06-54	0.62	0.25	2.03	24.4	<0.01	<5	342	0.28	0.08	0.77	0.20	22.4	13.9	23.1	
G06-56	0.71	0.11	1.89	19.1	<0.01	<5	287	0.29	0.06	0.55	0.07	14.9	12.6	20.4	
G06-58	0.69	0.13	2.01	17.9	<0.01	<5	272	0.30	0.09	0.73	0.13	24.9	13.8	30.3	
G06-60	0.74	<0.01	1.60	2.8	<0.01	<5	235	0.98	<0.01	0.51	0.12	17.5	9.7	26.6	
G0406-12	0.76	0.48	1.38	58.1	<0.01	<5	203	0.34	4.52	0.37	1.20	29.2	16.9	22.4	
G0406-14	0.63	0.33	1.64	9.4	<0.01	<5	261	0.27	0.96	0.48	0.32	23.3	11.1	29.7	
G0406-16	0.68	0.33	1.79	4.7	<0.01	<5	308	0.20	1.90	0.53	0.32	19.9	12.3	26.5	
G0406-18	0.67	0.30	1.16	9.6	<0.01	<5	226	0.32	0.96	0.41	0.18	28.1	9.0	23.1	
G0406-20	0.67	0.21	1.53	24.4	<0.01	<5	394	0.57	7.29	0.46	0.32	51.6	12.4	20.4	
G0406-22	0.71	0.35	1.65	9.8	<0.01	<5	247	0.36	0.90	0.62	0.24	32.0	10.9	28.9	
G0406-24	0.68	0.34	1.92	7.2	<0.01	<5	319	0.26	1.78	0.70	0.54	27.6	13.2	27.8	
G0406-26	0.72	0.43	1.80	7.6	<0.01	<5	328	0.33	0.70	0.76	0.81	33.4	12.5	28.5	
G0406-28	0.49	0.42	1.71	4.2	<0.01	<5	284	0.19	1.28	0.68	0.53	19.7	12.3	25.0	
G0406-30	0.66	0.33	1.73	7.0	<0.01	<5	326	0.30	1.27	0.65	0.46	24.1	13.6	29.6	
G0406-32	0.71	0.39	1.66	11.8	<0.01	<5	292	0.35	0.52	0.59	0.20	27.7	12.5	29.0	
G0406-34	0.67	0.31	1.57	9.3	<0.01	<5	296	0.32	0.35	0.55	0.20	25.4	11.3	28.2	
G0406-36	0.62	0.33	1.78	11.3	<0.01	<5	338	0.44	0.31	0.71	0.18	36.1	10.5	33.1	
G0406-38	0.73	0.76	2.17	26.6	<0.01	<5	464	0.41	0.14	0.82	0.29	30.9	12.6	32.8	
G0406-40	0.63	0.46	1.84	18.2	<0.01	<5	329	0.34	0.11	0.60	0.24	24.1	12.7	31.6	
G0406-42	0.63	0.35	1.74	20.5	<0.01	<5	318	0.37	0.10	0.60	0.16	28.1	10.9	30.1	
G0406-44	0.71	0.35	1.59	19.9	<0.01	<5	326	0.35	0.11	0.70	0.20	23.2	10.1	27.9	
G04-08	0.64	1.48	2.06	61.9	<0.01	<5	267	0.31	8.71	0.52	5.33	20.7	31.3	28.9	
G04-10	0.66	0.31	1.28	45.6	<0.01	<5	210	0.40	2.14	0.29	0.36	32.2	10.3	21.1	
G04-12	0.64	0.35	2.52	8.8	<0.01	<5	435	0.22	2.12	0.51	0.66	22.6	14.8	36.2	
G04-14	0.54	0.49	1.30	12.1	<0.01	<5	202	0.23	1.87	0.42	0.70	20.5	15.4	23.4	
G04-16	0.65	0.29	1.48	10.4	<0.01	<5	318	0.39	1.02	0.63	0.15	31.6	12.1	28.7	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G04-18	0.61	0.26	1.52	14.0	0.08	<5	240	0.31	1.43	0.42	0.24	26.7	10.5	26.0	
G04-20	0.67	0.22	1.54	13.8	<0.01	<5	226	0.32	1.55	0.45	0.19	23.8	10.2	26.1	
G04-22	0.65	0.26	1.53	9.9	<0.01	<5	264	0.33	1.31	0.63	0.26	27.5	10.4	27.1	
G04-26	0.58	0.23	1.92	6.4	<0.01	<5	257	0.32	1.15	0.59	0.36	23.1	12.0	29.9	
G04-28	0.72	0.35	2.34	5.8	<0.01	<5	275	0.44	1.62	0.72	0.74	29.7	13.7	35.4	
G04-30	0.64	0.48	1.81	7.1	<0.01	<5	226	0.34	0.85	0.62	0.65	28.2	9.8	28.9	
G04-32	0.64	0.74	3.08	16.8	<0.01	<5	292	0.50	2.59	0.90	1.18	27.0	15.3	39.7	
G04-34	0.65	0.35	1.95	8.9	<0.01	<5	331	0.41	1.21	0.67	0.28	26.1	13.2	28.7	
G04-36	0.67	0.38	1.74	8.5	<0.01	<5	310	0.39	0.63	0.87	0.24	27.4	12.9	30.5	
G04-38	0.67	0.27	1.47	10.3	<0.01	<5	263	0.36	0.13	0.74	0.17	24.0	9.4	26.2	
G04-40	0.71	0.50	2.07	39.6	0.01	<5	237	0.32	0.07	0.67	0.21	15.0	21.7	32.6	
G04-42	0.62	0.32	1.81	20.4	<0.01	<5	250	0.29	0.08	0.74	0.22	17.0	16.1	36.1	
G04-44	0.60	0.23	1.69	11.5	<0.01	<5	302	0.38	0.11	0.92	0.20	27.8	10.5	29.2	
G04-52	0.72	0.27	1.76	19.0	<0.01	<5	318	0.41	0.10	0.77	0.20	33.7	11.6	31.5	
G04-54	0.68	0.33	1.60	17.5	0.07	<5	295	0.35	0.10	0.77	0.18	22.0	11.4	26.2	
G04-56	0.61	0.16	1.63	14.3	<0.01	<5	299	0.39	0.09	0.63	0.12	22.4	10.5	26.3	
G04-58	0.67	0.12	2.17	19.7	<0.01	<5	318	0.46	4.61	0.71	0.03	1.53	10.3	26.4	
G04-60	0.64	<0.01	2.37	45.1	<0.01	<5	224	0.43	5.95	0.67	<0.01	<0.01	13.7	23.9	
G0204-08	0.59	0.31	1.50	17.1	<0.01	<5	254	0.42	3.54	0.72	0.26	13.0	8.8	29.0	
G0204-10	0.63	0.24	1.74	40.9	<0.01	<5	286	0.60	6.74	0.44	0.16	17.3	9.0	29.0	
G0204-12	0.61	0.22	1.95	19.7	<0.01	5	263	0.49	6.37	0.54	0.03	6.00	9.6	28.6	
G0204-14	0.65	0.25	1.82	15.1	<0.01	<5	275	0.46	8.79	0.55	0.11	9.91	8.8	26.8	
G0204-16	0.69	0.13	1.53	15.3	<0.01	<5	259	0.41	6.24	0.54	0.07	17.6	8.2	26.4	
G0204-18	0.67	0.15	1.65	14.8	<0.01	<5	228	0.45	4.17	0.56	0.13	12.2	7.1	27.9	
G0204-20	0.66	0.12	2.16	14.1	<0.01	<5	230	0.41	4.12	0.66	0.10	2.10	8.9	23.3	
G0204-22	0.68	0.16	1.94	14.0	<0.01	<5	235	0.43	6.32	0.62	0.05	9.39	9.3	29.6	
G0204-24	0.71	<0.01	1.89	12.3	<0.01	<5	226	0.34	5.45	0.69	0.22	3.28	9.2	28.0	
G0204-26	0.64	0.11	1.99	14.4	<0.01	<5	204	0.38	4.66	0.59	0.15	4.83	9.4	26.4	
G0204-28	0.67	0.24	2.23	11.9	<0.01	<5	189	0.42	6.26	0.68	0.50	1.43	11.5	26.0	
G0204-30	0.54	0.53	2.20	17.1	<0.01	<5	176	0.44	7.76	0.55	1.07	<0.01	11.6	25.1	
G0204-32	0.61	0.44	2.01	14.9	<0.01	<5	218	0.33	5.63	0.67	0.77	1.56	13.6	25.6	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0204-34		0.61	0.16	2.20	13.7	<0.01	<5	270	0.47	4.98	0.62	<0.01	9.75	10.3	33.1
G0204-36		0.59	0.01	3.30	12.0	<0.01	<5	374	0.58	3.88	0.86	0.27	1.44	7.4	42.5
G0204-38		0.60	<0.01	2.20	13.5	<0.01	<5	283	0.51	4.03	0.81	<0.01	3.65	11.0	28.7
G0204-40		0.54	0.07	1.78	23.7	<0.01	<5	274	0.45	3.74	1.09	<0.01	9.10	9.3	28.9
G0204-42		0.58	0.10	1.92	24.3	<0.01	<5	267	0.42	4.03	0.74	0.02	5.75	11.5	32.9
G02-42		0.65	0.09	1.78	24.0	<0.01	<5	210	0.35	3.63	0.64	0.03	3.73	10.6	30.3
G02-46		0.50	0.04	1.22	16.7	<0.01	<5	193	0.26	3.26	0.81	<0.01	10.8	6.4	25.6
G02-52		0.58	0.79	1.96	32.4	<0.01	<5	268	0.24	0.11	0.91	0.14	22.1	10.2	31.5
G02-54		0.52	0.16	1.81	21.6	<0.01	<5	340	0.41	3.89	0.86	<0.01	13.3	8.4	28.9
G02-56		0.58	0.16	2.09	35.3	<0.01	<5	348	0.46	5.60	0.77	<0.01	9.87	11.1	29.9
G02-58		0.56	0.73	1.91	58.1	<0.01	<5	308	0.41	4.25	0.80	<0.01	7.43	11.0	26.7
G02-60		0.71	1.18	1.83	105	<0.01	<5	348	0.37	4.52	0.90	<0.01	4.06	11.6	24.9
G00-10		0.60	0.41	2.02	18.8	<0.01	<5	194	0.50	4.58	0.71	0.62	13.9	9.5	31.6
G00-12		0.57	0.36	2.52	14.8	<0.01	<5	163	0.38	8.89	1.02	<0.01	<0.01	24.0	209
G00-14		0.67	0.41	1.11	20.4	<0.01	5	144	0.52	21.4	0.57	0.89	<0.01	20.5	12.8
G00-16		0.71	0.08	1.50	16.6	<0.01	<5	253	0.53	6.04	0.46	<0.01	21.0	7.7	25.0
G00-18		0.60	0.11	1.51	16.1	<0.01	<5	259	0.42	6.34	0.48	0.20	15.7	8.6	23.3
G00-20		0.66	0.27	1.92	10.7	<0.01	<5	172	0.34	5.97	0.65	0.13	0.42	11.0	21.5
G00-22		0.66	<0.01	1.69	9.6	<0.01	<5	135	0.36	6.52	0.60	0.13	0.70	12.2	21.8
G00-24		0.61	<0.01	1.65	12.4	<0.01	<5	130	0.27	6.65	0.56	0.13	<0.01	11.8	19.9
G00-26		0.53	0.24	2.00	11.8	<0.01	<5	172	0.33	5.80	0.73	0.76	3.27	15.5	23.1
G00-28		0.61	0.54	2.15	18.5	<0.01	5	222	0.41	7.99	1.08	0.68	<0.01	17.3	21.6
G00-30		0.57	0.32	1.89	15.6	<0.01	<5	183	0.39	5.55	0.69	0.33	5.97	10.6	28.2
G00-32		0.57	0.47	1.68	12.7	<0.01	<5	164	0.42	6.72	0.64	0.29	2.55	13.0	23.8
G00-34		0.60	0.31	1.82	15.9	<0.01	<5	221	0.47	4.07	0.53	<0.01	11.9	8.4	28.2
G00-36		0.58	0.17	2.67	17.1	<0.01	<5	421	0.48	4.60	0.56	<0.01	<0.01	10.7	24.2
G00-38		0.66	0.52	2.09	16.9	<0.01	<5	328	0.37	3.36	0.67	0.06	1.96	11.0	27.6
G00-40		0.64	0.16	2.53	20.7	<0.01	<5	465	0.16	0.19	0.68	0.15	14.6	14.7	25.5
G00-52		0.62	0.33	1.72	16.7	<0.01	<5	332	0.21	0.12	0.84	0.19	30.8	10.7	31.9
G00-58		0.58	0.40	2.15	54.4	<0.01	11	309	0.17	0.07	0.76	0.21	17.9	16.6	36.5
G00-60		0.44	0.59	1.71	38.1	<0.01	<5	448	0.16	0.10	1.35	0.24	22.3	10.6	24.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G01-28	0.50	1.04	2.01	5.2	<0.01	<5	253	0.11	5.33	0.83	1.25	17.8	18.7	24.1	
G01-32	0.61	0.43	2.05	6.7	<0.01	<5	214	0.15	1.08	0.81	0.21	21.8	15.4	29.1	
G01-34	0.63	0.54	2.32	5.8	<0.01	<5	248	0.17	0.66	0.85	0.19	21.9	16.3	29.9	
G01-36	0.61	0.57	2.55	8.1	<0.01	<5	359	0.24	0.66	0.76	0.21	25.6	15.2	34.3	
G01-38	0.55	0.51	1.89	12.1	<0.01	<5	428	0.20	0.43	1.44	0.35	27.2	13.1	33.0	
G01-40	0.57	0.51	2.00	16.2	<0.01	<5	302	0.16	0.27	0.71	0.37	19.6	13.0	29.2	
G01-42	0.56	0.95	2.90	26.7	0.01	<5	701	0.22	0.18	0.89	0.18	17.8	15.5	26.7	
G01-46	0.50	0.44	1.43	13.7	<0.01	<5	261	0.17	0.16	0.92	0.21	25.5	10.2	31.1	
G01-54	0.54	0.26	2.07	29.0	<0.01	<5	287	0.17	0.06	0.82	0.16	15.2	17.1	20.8	
G01-58	0.59	1.21	1.44	205	0.02	<5	325	0.19	0.07	1.27	0.22	21.3	15.3	32.9	
G01-60	0.49	0.55	1.89	55.2	<0.01	<5	380	0.21	0.09	1.09	0.15	25.4	12.2	27.6	
G03-16	0.53	0.10	1.30	8.9	<0.01	<5	299	0.23	0.13	1.25	0.13	44.8	8.7	30.0	
G03-18	0.61	0.18	1.78	10.4	<0.01	<5	304	0.29	0.20	1.18	0.28	38.3	11.2	38.2	
G03-20	0.72	0.17	1.46	9.5	<0.01	<5	284	0.23	0.21	0.89	0.22	32.8	10.6	43.6	
G03-22	0.66	0.28	1.70	8.8	<0.01	<5	360	0.26	0.18	0.76	0.13	38.8	9.2	34.8	
G03-26	0.57	0.14	1.23	9.3	<0.01	<5	324	0.23	0.16	0.87	0.28	31.0	9.0	28.2	
G03-30	0.67	0.16	1.43	11.5	<0.01	<5	343	0.25	0.21	0.77	0.26	35.2	10.4	34.7	
G03-32	0.63	0.13	1.42	10.9	<0.01	<5	350	0.28	0.19	0.69	0.24	34.7	9.7	32.4	
G03-34	0.52	0.15	1.76	10.3	<0.01	<5	365	0.29	0.20	0.79	0.11	38.5	9.9	37.8	
G03-44	0.61	0.17	1.47	17.4	<0.01	<5	311	0.16	0.15	1.04	0.30	29.4	14.3	36.1	
G03-60	0.66	0.68	1.83	157	0.02	<5	279	0.22	0.07	1.33	0.18	21.7	16.5	68.0	
G0305-18	0.59	0.23	1.43	11.3	<0.01	<5	257	0.27	0.24	1.06	0.16	37.5	9.8	33.5	
G0305-20	0.71	0.15	1.33	12.7	<0.01	<5	264	0.24	0.21	0.88	0.24	31.7	11.1	45.5	
G0305-22	0.52	0.16	1.15	10.7	<0.01	<5	196	0.20	0.19	1.18	0.22	24.4	11.6	40.3	
G0305-28	0.69	0.13	1.08	13.8	<0.01	<5	147	0.15	0.20	0.48	0.16	16.2	14.8	61.0	
G0305-30	0.57	0.15	1.89	15.1	<0.01	<5	280	0.22	3.49	0.62	0.19	24.1	16.5	64.1	
G0305-32	0.64	0.19	2.13	16.9	<0.01	<5	265	0.25	0.75	0.73	0.22	21.3	17.9	61.1	
G0305-34	0.55	0.16	1.93	19.4	<0.01	<5	224	0.23	0.39	0.67	0.23	21.8	16.9	55.5	
G0305-42	0.85	0.20	1.42	11.2	<0.01	<5	201	0.18	0.21	0.88	0.12	24.9	9.2	36.8	
G05-20	0.68	0.17	1.27	14.7	<0.01	<5	224	0.23	0.21	1.39	0.28	30.3	13.5	48.4	
G05-22	0.58	0.24	1.31	11.0	<0.01	<5	235	0.22	0.19	0.70	0.22	25.5	12.2	40.0	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G05-24		0.69	0.16	1.28	8.6	<0.01	<5	217	0.21	0.23	0.65	0.11	25.7	11.8	48.1
G05-26		0.64	0.07	1.77	13.0	<0.01	<5	170	0.26	0.24	0.53	0.11	16.2	14.4	70.0
G05-28		0.68	0.08	1.76	13.6	<0.01	<5	294	0.26	0.26	0.61	0.11	29.2	12.6	47.7
G05-30		0.65	0.21	2.02	16.9	<0.01	<5	300	0.29	1.00	0.65	0.13	31.9	15.1	50.5
G05-32		0.62	0.17	1.62	14.0	<0.01	<5	282	0.28	0.53	0.64	0.14	31.8	12.7	47.9
G05-34		0.64	<0.01	1.38	16.9	<0.01	<5	194	1.09	<0.01	0.61	<0.01	18.3	12.5	46.8
G05-36		0.67	<0.01	1.33	6.9	<0.01	<5	208	1.06	<0.01	0.66	<0.01	23.4	13.8	44.5
G05-38		0.56	<0.01	1.20	7.4	<0.01	<5	132	0.94	<0.01	0.54	<0.01	12.6	10.8	50.8
G05-40		0.70	0.02	1.62	1.9	0.02	<5	252	1.10	<0.01	0.66	<0.01	23.7	8.3	36.9
G05-52		0.69	0.12	1.25	8.7	<0.01	<5	191	0.88	<0.01	0.86	<0.01	17.4	9.0	32.8
G05-58		0.66	<0.01	1.17	3.8	<0.01	<5	179	1.09	<0.01	0.79	<0.01	19.3	8.1	37.4
G0507-22		0.70	<0.01	2.01	2.0	0.02	<5	246	1.52	<0.01	0.55	<0.01	28.8	11.4	57.1
G0507-24		0.78	<0.01	2.20	2.3	<0.01	<5	264	1.59	<0.01	0.55	<0.01	22.3	12.9	62.6
G0507-26		0.68	<0.01	1.83	2.0	<0.01	<5	341	1.22	<0.01	0.54	<0.01	31.2	7.4	41.2
G0507-28		0.66	<0.01	1.89	6.7	<0.01	<5	233	1.39	<0.01	0.58	<0.01	22.1	10.9	49.9
G0507-30		0.68	<0.01	2.00	6.7	<0.01	<5	182	1.37	<0.01	0.39	<0.01	16.2	10.8	54.3
G0507-32		0.70	<0.01	1.29	11.9	<0.01	<5	193	1.16	<0.01	0.45	<0.01	21.6	13.1	56.1
G0507-36		0.70	0.30	1.35	5.9	<0.01	<5	235	0.97	<0.01	0.62	<0.01	20.1	9.0	39.1
G0507-40		0.64	<0.01	1.49	8.7	<0.01	<5	199	0.99	<0.01	0.55	<0.01	17.6	11.3	44.7
G0507-42		0.59	0.08	1.59	2.9	<0.01	<5	214	1.19	<0.01	0.83	<0.01	24.0	9.1	41.8
G07-22		0.65	<0.01	1.55	2.8	<0.01	<5	214	1.03	<0.01	0.50	<0.01	27.0	6.6	35.5
G07-24		0.76	0.03	1.50	3.5	<0.01	<5	272	0.99	<0.01	0.56	<0.01	28.1	7.5	33.7
G07-26		0.69	<0.01	1.57	3.4	<0.01	<5	270	1.13	<0.01	0.63	<0.01	27.5	7.8	38.0
G07-28		0.67	0.08	1.21	5.6	<0.01	<5	212	1.00	<0.01	0.61	<0.01	20.8	10.1	45.9
G07-30		0.63	<0.01	2.04	8.7	<0.01	<5	300	1.41	<0.01	0.67	<0.01	26.4	9.5	52.6
G07-32		0.66	<0.01	1.90	4.6	<0.01	<5	212	1.23	<0.01	0.31	<0.01	26.3	8.9	61.7
G07-34		0.72	0.14	1.28	7.1	<0.01	<5	209	1.08	<0.01	0.85	<0.01	20.9	11.9	55.5
G07-36		0.58	0.13	1.59	5.2	<0.01	<5	317	1.12	<0.01	0.75	<0.01	29.4	9.8	37.5
G07-38		0.68	<0.01	1.44	3.2	<0.01	<5	233	1.12	<0.01	0.55	<0.01	24.2	8.4	35.2
G07-42		0.51	<0.01	1.36	3.4	<0.01	<5	146	0.91	<0.01	0.56	<0.01	18.3	8.3	31.0
G07-58		0.76	0.12	1.33	1.8	<0.01	<5	205	1.06	<0.01	0.77	<0.01	20.6	7.4	36.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012	DATE REPORTED: Jul 18, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G0709-26	0.64	0.08	1.44	4.9	<0.01	<5	339	0.94	<0.01	0.80	<0.01	26.1	8.1	34.2	
G0709-28	0.68	<0.01	1.73	2.9	<0.01	<5	257	1.14	<0.01	0.48	<0.01	25.5	7.3	39.4	
G0709-30	0.79	0.02	1.42	7.3	<0.01	<5	286	1.14	<0.01	0.70	<0.01	26.7	8.7	39.9	
G0709-32	0.61	0.24	1.63	6.0	<0.01	<5	306	1.17	<0.01	0.68	<0.01	31.8	9.8	36.9	
G0709-34	0.68	<0.01	1.47	9.1	<0.01	<5	247	1.13	<0.01	0.49	<0.01	20.4	9.4	51.0	
G0709-36	0.64	<0.01	1.67	5.8	<0.01	<5	231	1.10	<0.01	0.44	<0.01	22.0	8.7	42.7	
G09-22	0.67	<0.01	1.49	3.1	<0.01	<5	318	1.15	<0.01	0.77	<0.01	31.1	7.7	34.7	
G09-24	0.58	0.12	1.41	5.0	<0.01	<5	248	1.06	<0.01	0.97	<0.01	26.8	8.8	36.1	
G09-26	0.58	0.07	1.43	13.6	<0.01	<5	195	0.93	<0.01	0.59	<0.01	18.4	10.0	48.3	
G09-28	0.63	<0.01	1.87	6.9	<0.01	<5	258	1.30	<0.01	0.60	<0.01	23.8	9.7	56.0	
G09-30	0.53	<0.01	1.99	14.3	<0.01	<5	273	1.34	<0.01	0.64	<0.01	24.9	10.0	57.7	
G09-32	0.60	<0.01	2.16	9.6	<0.01	<5	159	1.35	<0.01	0.41	<0.01	13.5	12.8	60.4	
G09-34	0.77	<0.01	1.76	6.4	<0.01	<5	205	1.06	<0.01	0.26	<0.01	26.0	6.5	39.0	
G09-38	0.57	0.13	1.63	5.3	<0.01	<5	251	0.94	<0.01	0.62	<0.01	22.6	10.2	36.6	
G09-40	0.63	0.13	1.40	12.2	<0.01	<5	226	0.20	0.13	0.56	0.13	23.5	10.3	31.8	
G09-48	0.61	0.16	0.83	11.6	<0.01	<5	116	0.16	0.45	1.64	0.20	18.8	10.7	35.9	
G09-52	0.59	0.13	1.35	11.3	<0.01	<5	255	0.23	0.17	0.74	0.10	22.1	10.3	32.4	
G09-54	0.47	0.19	1.55	14.6	<0.01	<5	272	0.27	0.18	0.85	0.20	27.2	12.7	42.1	
G0911-24	0.74	0.21	1.51	13.7	<0.01	<5	252	0.27	0.32	0.72	0.20	26.7	10.8	40.2	
G0911-26	0.84	0.23	1.79	14.3	0.01	<5	326	0.30	0.33	0.63	0.11	30.0	11.2	48.3	
G0911-28	0.54	0.08	1.82	15.4	<0.01	<5	303	0.27	0.29	0.46	0.14	29.5	12.0	55.5	
G0911-30	0.54	0.10	1.62	12.9	<0.01	<5	268	0.31	0.20	0.45	0.04	32.0	9.4	35.8	
G0911-34	0.63	0.07	3.04	47.0	<0.01	<5	352	0.35	0.75	0.72	0.21	20.3	19.0	75.7	
G0911-36	0.59	0.11	1.51	24.2	<0.01	<5	242	0.28	0.71	0.53	0.12	22.8	12.7	48.2	
G11-30	0.76	0.20	1.74	14.4	<0.01	<5	270	0.29	0.21	0.63	0.10	28.5	10.8	38.8	
G11-34	0.64	0.13	1.80	13.3	<0.01	<5	279	0.28	0.16	0.61	0.08	31.6	11.4	36.7	
G11-36	0.36	0.16	1.59	12.8	<0.01	<5	283	0.25	0.15	0.55	0.11	24.9	9.9	32.7	
G11-38	0.68	0.14	1.14	11.3	<0.01	<5	267	0.31	0.16	0.50	0.07	28.4	9.6	28.9	
G11-50	0.74	0.14	0.80	13.5	<0.01	<5	145	0.22	0.30	0.52	0.27	22.8	10.4	34.9	
G11-56	0.52	0.17	1.46	12.5	<0.01	<5	279	0.28	0.11	1.33	0.06	23.8	12.7	38.0	
G13-28	0.76	0.09	1.49	11.4	0.04	<5	199	0.23	0.12	0.60	0.08	26.7	10.9	31.1	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G13-32		0.61	0.09	1.48	10.2	<0.01	<5	231	0.22	0.13	0.64	0.09	25.6	9.7	30.0
G13-42		0.56	0.19	1.56	15.4	<0.01	<5	201	0.20	0.14	0.91	0.09	20.5	13.3	38.3
G13-48		0.53	0.24	1.56	18.7	<0.01	<5	218	0.21	0.10	1.15	0.14	19.3	14.0	36.6
G13-50		0.59	0.31	1.47	24.3	<0.01	<5	218	0.20	0.12	0.96	0.13	17.7	11.4	36.8
G15-32		0.65	0.10	1.49	12.4	<0.01	<5	211	0.17	0.12	0.74	0.09	23.5	10.2	30.2
G15-34		0.78	0.14	1.50	9.2	<0.01	<5	206	0.19	0.12	0.74	0.12	22.3	10.8	31.5
G15-36		0.77	0.13	1.93	11.0	<0.01	<5	209	0.18	0.12	0.86	0.14	21.9	13.3	37.7
G15-38		0.75	0.11	1.52	11.4	<0.01	<5	217	0.20	0.12	0.61	0.09	19.9	11.8	28.8
G15-40		0.64	0.15	1.62	15.9	<0.01	<5	221	0.20	0.14	0.57	0.13	17.8	12.9	30.4
G15-42		0.64	0.17	1.76	19.7	<0.01	<5	263	0.24	0.16	0.61	0.09	21.6	11.6	33.7
G15-44		0.55	0.25	1.89	19.2	<0.01	<5	214	0.23	0.08	0.87	0.15	17.2	17.4	45.3
G15-46		0.56	0.38	2.08	17.3	<0.01	<5	272	0.20	0.07	1.26	0.28	15.7	21.0	49.6
G15-50		0.75	0.43	2.25	25.7	<0.01	<5	254	0.25	0.08	1.00	0.19	21.9	23.0	48.1
G17-28		0.60	0.14	1.55	13.5	<0.01	<5	244	0.25	0.20	0.67	0.10	25.3	11.1	29.3
G17-30		0.37	0.38	2.13	17.2	<0.01	<5	309	0.28	0.27	1.16	0.14	31.1	14.0	40.5
G17-32		0.60	0.33	1.64	18.9	<0.01	<5	241	0.23	0.23	0.77	0.22	23.2	12.4	33.1
G17-34		0.59	0.16	1.52	17.2	<0.01	<5	254	0.22	0.13	0.72	0.14	21.9	12.0	32.9
G17-38		0.56	0.24	1.68	14.9	<0.01	<5	188	0.20	0.14	0.74	0.15	18.7	13.0	36.8
G17-42		0.57	0.20	1.91	15.3	<0.01	<5	225	0.19	0.08	0.71	0.13	20.8	15.5	39.2
G17-44		0.65	0.25	1.95	27.7	<0.01	<5	223	0.24	0.09	0.59	0.11	20.6	16.0	36.8
G17-46		0.58	0.30	2.20	25.5	<0.01	<5	252	0.28	0.12	0.88	0.16	21.9	15.8	31.4
G17-48		0.63	0.11	1.65	17.9	<0.01	<5	103	0.13	0.07	0.38	0.23	12.2	14.7	50.1
G17-50		0.57	0.14	1.80	18.9	<0.01	<5	111	0.14	0.08	0.42	0.24	13.5	15.9	56.8
G17-52		0.61	0.27	2.08	28.8	<0.01	<5	156	0.16	0.06	0.52	0.11	12.1	20.5	70.9
G17-54		0.51	0.19	1.97	154	0.01	<5	135	0.18	0.08	0.32	0.14	10.5	18.0	48.4
G17-56		0.59	0.28	2.24	22.3	<0.01	6	244	0.45	3.82	0.53	0.01	2.43	14.7	33.8
G17-58		0.44	0.76	2.15	113	0.02	<5	279	0.53	4.65	0.58	<0.01	11.7	11.3	41.9
G17-60		0.58	0.13	2.25	41.4	<0.01	<5	194	0.44	4.86	0.67	<0.01	0.62	14.3	36.6
G19-32		0.60	0.13	2.02	25.2	<0.01	<5	210	0.34	3.16	0.78	<0.01	6.66	10.4	37.8
G19-34		0.63	<0.01	1.87	23.6	<0.01	<5	196	0.37	2.84	0.71	0.06	10.2	10.4	32.5
G19-36		0.54	0.07	1.79	24.7	<0.01	<5	204	0.36	3.63	0.79	0.04	7.66	10.9	29.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 28, 2012				DATE REPORTED: Jul 18, 2012				SAMPLE TYPE: Soil				
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G19-38	0.66	0.05	1.95	29.5	<0.01	<5	218	0.40	3.80	0.75	<0.01	6.48	11.6	35.0
G19-40	0.49	0.08	1.88	30.9	<0.01	<5	252	0.40	3.64	1.10	0.06	5.48	11.6	33.3
G19-42	0.61	0.09	2.23	33.7	<0.01	<5	250	0.43	4.36	0.83	<0.01	4.37	13.3	43.7
G19-44	0.60	0.09	2.16	38.5	<0.01	<5	227	0.41	4.03	0.80	<0.01	3.50	13.8	43.0
G19-48	0.62	<0.01	2.39	35.8	<0.01	<5	201	0.48	4.94	0.86	<0.01	<0.01	16.9	46.2
G19-54	0.40	<0.01	1.30	11.0	<0.01	<5	149	0.25	1.47	0.23	0.22	7.94	6.2	28.3
G19-56	0.53	0.22	1.92	16.9	<0.01	<5	251	0.33	3.51	0.66	0.12	3.84	12.4	37.0
G19-58	0.37	0.07	1.29	16.6	<0.01	<5	154	0.28	3.39	0.28	0.17	12.0	4.8	23.9
G19-60	0.46	0.10	2.30	29.5	<0.01	<5	223	0.46	4.35	0.62	<0.01	3.12	12.0	32.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G22-24	0.89	40.0	2.65	7.95	0.12	0.04	<0.01	<0.005	0.05	9.0	11.2	0.72	567	3.79	
G22-26	0.74	55.8	2.67	7.82	0.13	0.05	<0.01	<0.005	0.05	9.1	9.2	0.59	714	4.52	
G22-30	1.53	209	6.23	12.6	0.15	0.03	<0.01	<0.005	0.14	5.6	11.6	0.87	2130	7.56	
G22-36	0.70	42.2	2.76	7.36	0.11	0.04	<0.01	<0.005	0.05	8.5	8.9	0.55	413	4.72	
G22-38	1.21	61.9	2.71	6.99	0.09	0.07	<0.01	<0.005	0.07	11.0	8.7	0.48	563	4.45	
G22-40	1.20	31.2	2.21	7.84	0.13	0.11	<0.01	<0.005	0.07	12.3	9.7	0.42	696	2.07	
G22-42	0.84	35.9	2.62	7.50	0.14	0.16	<0.01	<0.005	0.07	10.9	9.8	0.49	608	2.90	
G22-44	0.81	26.2	2.36	6.55	0.13	0.10	<0.01	<0.005	0.08	10.9	8.9	0.41	470	2.04	
G22-46	0.96	18.3	2.30	7.88	0.13	0.08	<0.01	<0.005	0.09	11.7	10.7	0.42	393	2.70	
G22-50	0.92	85.5	3.59	7.35	0.14	<0.02	<0.01	<0.005	0.14	10.1	10.0	0.65	652	3.48	
G22-52	0.31	63.0	3.51	7.50	0.15	<0.02	<0.01	<0.005	0.06	9.0	7.2	0.44	718	6.15	
G20-36	0.40	61.6	3.18	9.04	0.14	0.02	<0.01	<0.005	0.03	9.0	10.1	0.71	526	4.01	
G20-38	2.68	86.1	3.79	7.30	0.09	0.04	<0.01	<0.005	0.06	9.4	7.6	0.39	700	15.6	
G20-40	1.24	79.9	3.61	8.97	0.14	0.03	<0.01	<0.005	0.15	9.3	11.1	0.64	559	4.68	
G20-42	1.70	118	4.56	11.1	0.13	0.02	<0.01	<0.005	0.26	6.3	12.4	0.95	810	3.97	
G20-44	0.75	122	3.81	6.91	0.15	<0.02	<0.01	<0.005	0.08	10.1	7.0	0.46	946	4.30	
G20-46	0.93	63.0	3.51	7.74	0.14	<0.02	0.28	<0.005	0.08	11.4	9.5	0.59	623	3.63	
G20-48	1.18	83.0	3.35	7.75	0.09	0.05	<0.01	<0.005	0.06	6.6	9.3	0.90	701	3.79	
G20-50	0.62	77.5	2.34	7.24	0.08	0.05	<0.01	<0.005	0.04	7.9	6.9	0.51	839	2.75	
G20-52	1.09	72.7	3.29	7.37	0.10	0.05	<0.01	<0.005	0.08	9.3	7.7	0.51	581	5.72	
G20-54	0.80	83.5	3.62	8.15	0.14	0.02	<0.01	<0.005	0.07	10.1	9.9	0.72	709	3.37	
G18-22	0.52	24.9	2.27	7.45	0.13	0.05	<0.01	<0.005	0.05	10.4	8.7	0.52	460	0.69	
G18-24	0.67	32.5	2.25	7.20	0.13	0.04	<0.01	<0.005	0.05	9.9	8.3	0.54	471	1.65	
G18-26	0.75	35.9	2.52	6.71	0.13	0.03	<0.01	<0.005	0.05	7.3	9.1	0.68	605	2.71	
G18-36	1.73	109	3.64	8.84	0.14	<0.02	<0.01	<0.005	0.17	8.1	13.2	0.95	677	1.15	
G18-38	0.76	93.6	3.86	10.4	0.16	0.03	<0.01	<0.005	0.06	12.8	14.8	0.98	808	1.25	
G18-40	0.91	20.6	2.15	8.02	0.12	0.03	<0.01	<0.005	0.08	7.0	7.9	0.45	429	1.83	
G18-42	0.98	35.5	2.58	8.72	0.13	0.08	<0.01	<0.005	0.06	11.6	11.7	0.83	336	0.96	
G18-44	0.95	33.3	2.44	7.54	0.14	0.09	0.07	<0.005	0.06	12.9	11.9	0.59	329	0.57	
G18-46	0.91	105	3.27	10.7	0.13	0.06	<0.01	<0.005	0.07	7.4	13.8	1.14	633	2.01	
G18-48	1.21	108	4.75	9.31	0.14	<0.02	<0.01	<0.005	0.10	7.4	10.2	1.07	999	2.21	
G18-50	0.56	74.2	3.47	8.90	0.12	0.05	<0.01	<0.005	0.05	7.1	13.2	1.09	1030	<0.05	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G18-52	0.35	56.1	2.84	7.06	0.14	0.02	<0.01	<0.005	0.05	8.5	10.1	0.70	503	0.97	
G18-54	1.28	96.0	3.17	9.01	0.09	0.04	<0.01	<0.005	0.16	5.9	10.0	0.93	599	<0.05	
G18-56	1.13	70.8	3.22	9.22	0.13	0.04	<0.01	<0.005	0.07	9.2	12.3	1.03	487	0.60	
G18-58	0.72	84.7	2.96	8.56	0.10	0.05	<0.01	<0.005	0.15	5.2	9.4	0.93	565	1.53	
G18-60	0.90	64.8	3.20	8.12	0.13	0.02	<0.01	<0.005	0.05	7.5	9.8	0.73	508	5.40	
G1618-24	0.67	38.8	2.84	8.41	0.14	0.02	<0.01	<0.005	0.05	6.5	9.7	0.76	666	2.22	
G1618-26	0.74	26.8	2.54	7.66	0.14	0.02	0.03	<0.005	0.05	6.5	9.3	0.71	363	1.04	
G1618-32	0.78	63.4	3.34	7.77	0.13	0.02	0.16	<0.005	0.11	4.8	12.8	1.16	630	1.58	
G1618-36	1.33	81.2	4.16	7.75	0.13	0.02	0.08	<0.005	0.18	5.4	15.4	1.49	722	4.38	
G1618-38	0.72	27.8	2.69	6.62	0.13	<0.02	<0.01	3.14	0.07	8.1	12.3	0.55	266	1.99	
G1618-40	0.90	44.9	2.86	5.48	0.12	0.02	<0.01	<0.005	0.15	6.2	12.1	0.78	431	1.83	
G1618-42	1.11	38.9	3.26	7.71	0.12	0.09	<0.01	1.32	0.09	8.3	14.2	0.85	551	2.81	
G1618-44	1.17	52.4	3.06	6.79	0.13	<0.02	<0.01	<0.005	0.09	11.5	13.2	0.85	355	0.73	
G1618-46	0.94	64.4	3.57	7.65	0.13	0.10	<0.01	<0.005	0.09	7.4	14.0	1.22	700	2.01	
G16-34	0.91	123	3.40	7.34	0.12	0.05	0.23	<0.005	0.17	5.1	15.0	1.16	414	0.48	
G16-36	0.75	118	3.02	5.78	0.12	<0.02	0.10	3.57	0.26	2.6	12.0	1.28	457	0.77	
G16-38	0.93	100	3.00	7.99	0.12	0.02	<0.01	<0.005	0.11	9.3	13.9	1.05	396	1.10	
G16-40	1.20	91.6	2.92	6.87	0.12	<0.02	<0.01	<0.005	0.14	7.4	12.9	1.00	386	<0.05	
G16-42	0.94	69.4	2.98	6.31	0.13	<0.02	0.06	<0.005	0.09	9.0	13.6	0.82	369	1.59	
G16-44	3.94	173	5.15	11.6	0.16	0.05	<0.01	<0.005	0.41	4.7	23.6	2.33	905	<0.05	
G16-46	1.88	110	4.32	11.1	0.13	0.04	0.15	0.892	0.13	5.2	14.8	0.72	474	2.29	
G16-48	1.26	125	3.68	8.21	0.13	0.04	0.16	<0.005	0.21	3.8	14.4	1.55	496	<0.05	
G16-50	1.53	145	5.28	9.75	0.15	<0.02	<0.01	0.957	0.28	5.4	14.2	1.45	847	1.41	
G16-52	1.40	112	4.05	9.25	0.13	0.03	<0.01	<0.005	0.26	6.8	15.4	1.21	614	1.94	
G16-54	1.38	142	4.53	7.52	0.15	0.03	<0.01	<0.005	0.09	10.0	13.0	1.05	803	0.14	
G16-60	1.08	64.0	3.49	6.89	0.12	0.05	<0.01	<0.005	0.07	6.2	12.9	1.15	603	1.68	
G1416-34	1.35	32.9	2.58	7.12	0.12	0.09	<0.01	0.578	0.07	10.7	10.6	0.44	340	2.50	
G1416-36	1.32	42.3	2.92	6.12	0.12	0.09	<0.01	1.95	0.05	8.6	11.2	0.59	267	0.46	
G1416-38	1.19	69.1	4.36	7.69	0.13	0.04	<0.01	<0.005	0.06	6.1	11.8	0.87	627	1.91	
G1416-40	0.97	53.9	2.67	8.23	0.12	<0.02	<0.01	2.25	0.13	7.8	11.1	0.61	406	0.34	
G1416-42	1.62	265	5.63	10.4	0.14	0.02	0.04	<0.005	0.16	6.3	14.3	1.32	1040	0.09	
G1416-44	1.93	60.0	3.31	8.01	0.13	0.05	<0.01	<0.005	0.06	14.2	15.6	0.60	345	1.33	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G1416-46	1.26	267	8.57	7.26	0.15	<0.02	<0.01	<0.005	0.09	2.5	2.4	0.16	973	2.08	
G14-34	2.76	154	5.00	11.4	0.16	0.03	0.13	<0.005	0.22	6.9	19.3	1.83	851	<0.05	
G14-36	3.18	329	4.94	9.17	0.18	0.02	0.19	<0.005	0.85	2.1	16.8	1.25	812	0.54	
G14-38	1.78	119	5.06	11.8	0.14	<0.02	0.27	<0.005	0.25	4.9	17.8	2.30	972	1.05	
G14-40	1.65	89.6	4.26	9.06	0.14	0.02	<0.01	1.47	0.06	7.7	17.1	1.68	640	0.82	
G14-42	1.24	79.7	3.58	9.43	0.13	<0.02	<0.01	<0.005	0.09	9.6	10.7	0.75	448	2.06	
G14-44	2.57	160	8.03	16.6	0.25	0.02	0.80	<0.005	0.61	5.0	23.3	2.21	1520	0.71	
G14-46	1.92	128	5.51	12.1	0.16	<0.02	0.90	<0.005	0.25	6.5	19.7	2.17	1020	<0.05	
G14-48	7.26	319	7.51	15.2	0.22	0.04	0.57	<0.005	0.61	4.9	21.6	2.00	1560	0.95	
G14-50	3.04	325	5.11	9.04	0.23	0.06	<0.01	<0.005	1.28	2.1	13.9	1.56	759	<0.05	
G14-52	1.03	73.8	3.28	8.27	0.13	0.05	0.03	<0.005	0.05	11.8	13.9	0.99	430	1.47	
G14-54	0.76	49.0	2.93	6.00	0.12	0.05	0.41	1.25	0.03	11.5	11.4	0.57	357	0.38	
G14-56	1.16	56.6	2.59	7.00	0.14	0.05	<0.01	<0.005	0.06	15.1	12.1	0.65	439	0.46	
G14-58	1.34	127	4.10	10.1	0.14	<0.02	0.18	<0.005	0.31	2.7	13.1	1.26	638	0.47	
G14-60	1.73	106	4.33	9.33	0.14	0.05	<0.01	<0.005	0.36	4.8	14.5	1.26	662	1.67	
G12-32	0.95	55.6	3.11	8.31	0.12	0.03	0.02	2.67	0.08	8.1	12.6	0.91	471	0.43	
G12-34	1.05	66.8	3.84	9.69	0.13	0.11	<0.01	<0.005	0.08	12.4	13.7	1.17	576	0.84	
G12-36	1.23	83.8	3.76	9.78	0.12	0.09	<0.01	<0.005	0.13	8.1	11.5	1.18	563	0.47	
G12-38	2.29	149	5.01	12.1	0.15	0.05	0.11	<0.005	0.56	3.8	14.4	1.45	821	1.83	
G12-40	1.49	69.5	3.79	10.2	0.13	0.02	<0.01	<0.005	0.25	8.8	12.8	0.93	660	1.23	
G12-42	1.29	65.9	3.20	9.71	0.13	0.03	0.05	<0.005	0.10	14.2	12.2	0.86	545	<0.05	
G12-44	2.11	72.7	4.38	11.3	0.14	0.04	0.18	<0.005	0.45	6.4	17.2	1.34	815	<0.05	
G12-46	1.52	62.2	4.48	11.1	0.13	0.05	0.26	<0.005	0.77	5.0	15.3	1.48	1060	<0.05	
G12-48	1.10	67.8	3.02	8.33	0.12	0.04	0.05	<0.005	0.06	10.4	12.5	1.03	471	1.00	
G12-50	1.25	87.7	3.12	8.40	0.12	0.10	<0.01	<0.005	0.09	11.2	12.5	0.74	380	0.72	
G12-52	2.63	198	5.02	14.0	0.15	0.04	0.37	<0.005	0.94	3.7	16.6	1.53	948	0.24	
G12-54	1.93	43.3	3.47	10.4	0.12	<0.02	0.13	<0.005	0.15	7.6	8.1	0.70	515	1.31	
G12-56	2.38	160	6.51	13.4	0.25	0.04	0.04	<0.005	1.82	3.2	20.7	2.07	1270	1.07	
G12-58	2.03	115	5.53	14.4	0.16	0.03	0.02	<0.005	0.29	7.6	15.1	1.47	1070	0.19	
G12-60	1.73	105	4.60	12.1	0.15	0.08	<0.01	<0.005	0.09	11.1	11.3	1.04	765	0.18	
G1012-30	1.07	113	3.71	8.83	0.12	<0.02	0.36	<0.005	0.14	6.6	10.2	0.91	663	0.12	
G1012-32	1.33	179	4.74	11.4	0.13	<0.02	0.31	<0.005	0.38	2.8	11.6	1.25	869	0.58	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G1012-34	1.24	178	5.57	11.4	0.16	0.08	<0.01	<0.005	0.54	4.4	12.3	1.34	907	0.98	
G1012-36	1.17	65.4	3.18	8.92	0.11	<0.02	<0.01	<0.005	0.17	6.2	8.9	0.73	500	0.83	
G1012-38	2.43	162	4.35	10.6	0.15	0.11	0.12	<0.005	0.24	7.0	12.6	0.96	624	0.24	
G1012-40	1.55	134	4.56	11.8	0.15	0.04	0.02	<0.005	0.35	6.7	12.5	1.11	865	0.70	
G1012-42	1.39	65.2	3.25	11.2	0.12	0.04	0.05	<0.005	0.12	9.5	12.7	0.79	494	1.32	
G1012-44	1.40	94.2	4.00	10.5	0.12	0.03	0.17	<0.005	0.26	7.3	13.9	1.17	795	0.46	
G1012-46	1.22	51.6	3.37	10.2	0.12	0.04	0.03	<0.005	0.16	8.0	12.1	0.91	604	0.38	
G10-22	2.06	108	3.46	9.83	0.13	0.04	<0.01	<0.005	0.11	6.2	10.9	0.73	404	3.15	
G10-24	5.43	236	5.43	15.3	0.23	0.05	<0.01	<0.005	0.29	3.7	16.0	1.49	565	0.96	
G10-26	2.43	130	3.66	10.4	0.14	0.06	<0.01	<0.005	0.14	7.0	11.3	0.87	456	0.67	
G10-28	2.76	182	5.17	12.4	0.14	0.04	0.06	<0.005	0.15	3.4	12.9	1.06	548	1.53	
G10-30	2.89	178	6.74	17.1	0.16	0.09	<0.01	<0.005	0.15	2.6	17.0	1.59	844	0.74	
G10-32	1.92	66.3	3.72	11.3	0.12	<0.02	0.12	<0.005	0.42	5.4	11.3	0.93	704	0.95	
G10-34	1.60	125	4.70	11.5	0.14	0.04	<0.01	<0.005	0.51	6.3	12.5	1.13	876	0.25	
G10-36	1.47	128	3.97	10.9	0.14	<0.02	0.33	<0.005	0.14	6.1	10.0	1.00	610	<0.05	
G10-38	2.26	99.9	4.12	12.4	0.15	<0.02	0.25	<0.005	0.43	5.6	10.3	1.17	961	0.62	
G10-40	1.84	184	4.81	11.4	0.23	0.06	0.44	<0.005	0.51	4.4	13.3	1.55	870	0.74	
G10-42	1.39	90.1	3.64	10.6	0.14	0.09	0.14	<0.005	0.16	7.9	10.9	0.90	582	<0.05	
G10-48	1.26	91.1	3.64	10.1	0.14	0.09	<0.01	<0.005	0.09	12.2	12.4	0.79	508	1.62	
G10-50	0.87	86.3	3.45	9.59	0.12	0.06	<0.01	<0.005	0.18	7.0	9.4	0.82	682	<0.05	
G10-52	1.20	93.7	3.82	9.67	0.12	0.03	<0.01	<0.005	0.16	8.4	11.2	0.90	609	0.45	
G10-54	1.42	64.6	3.19	4.87	0.10	0.03	0.03	0.021	0.11	12.2	9.1	0.80	651	0.71	
G10-56	2.07	104	5.11	13.2	0.19	0.04	0.08	<0.005	0.70	5.5	15.9	1.33	1300	<0.05	
G10-58	2.96	141	5.36	11.7	0.15	0.04	0.26	<0.005	0.83	4.4	16.4	1.28	906	0.82	
G10-60	1.19	66.6	3.78	10.4	0.13	0.05	<0.01	<0.005	0.16	7.7	10.9	0.90	698	<0.05	
G0810-22	1.27	82.2	3.23	8.70	0.12	0.02	0.22	<0.005	0.06	9.7	9.5	0.53	376	3.31	
G0810-24	2.91	183	4.24	6.91	0.08	0.10	0.04	0.038	0.30	17.0	6.9	0.75	712	8.21	
G0810-26	1.97	102	3.25	6.33	0.07	0.05	0.05	0.036	0.10	16.0	10.6	0.65	399	4.36	
G0810-28	2.51	150	4.61	7.34	0.10	0.04	0.04	0.038	0.33	13.2	9.6	0.91	821	3.58	
G0810-30	3.94	121	5.06	8.32	0.10	0.09	0.01	0.068	0.49	13.6	8.5	0.92	1010	6.63	
G0810-32	6.10	130	6.54	11.7	0.14	0.13	<0.01	0.045	0.94	13.5	13.9	2.01	1070	1.75	
G0810-34	2.95	40.8	3.75	9.23	0.09	0.24	0.02	0.038	0.17	18.8	15.8	0.99	620	1.15	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G0810-36	1.50	86.5	3.31	6.65	0.10	0.10	0.03	0.034	0.10	25.7	12.0	0.71	993	0.97	
G0810-38	1.54	104	3.93	7.14	0.07	<0.02	0.03	0.032	0.18	14.4	11.2	0.93	812	0.91	
G0810-40	1.40	41.1	2.89	6.16	0.07	0.05	0.03	0.025	0.11	13.9	9.8	0.68	338	0.82	
G0810-42	1.68	79.4	3.74	7.37	0.06	0.06	0.02	0.029	0.23	12.5	12.2	0.96	498	0.82	
G0810-44	1.71	127	4.50	6.90	0.08	0.09	0.03	0.031	0.29	13.2	10.1	1.02	734	0.75	
G0810-46	1.01	91.7	3.53	6.51	0.07	0.07	0.03	0.026	0.14	11.7	10.1	0.93	732	0.71	
G08-05	1.37	81.1	3.35	6.10	0.07	<0.02	0.04	0.021	0.12	12.6	10.9	1.10	433	1.37	
G08-03	1.38	103	3.28	6.13	0.09	0.04	0.02	0.022	0.19	12.7	10.7	1.02	446	1.02	
G08-00	2.35	107	4.22	6.37	0.12	0.03	0.02	0.026	0.51	10.0	9.4	0.99	629	1.26	
G08-02	1.48	27.8	2.53	5.91	0.08	0.09	0.02	0.026	0.09	17.8	11.1	0.54	252	1.21	
G08-08	1.67	48.9	2.88	5.31	0.07	0.08	0.04	0.035	0.09	18.8	8.8	0.46	427	3.72	
G08-10	2.05	109	3.56	6.81	0.11	0.20	0.04	0.037	0.16	15.4	9.7	0.86	520	4.32	
G08-12	1.84	35.9	2.26	5.47	<0.05	0.06	0.02	0.022	0.05	13.1	10.1	0.35	273	7.08	
G08-14	1.25	35.0	2.67	6.07	0.06	0.08	0.01	0.030	0.08	13.9	10.0	0.51	306	2.98	
G08-22	1.87	55.3	2.88	5.55	0.07	0.07	0.02	0.033	0.08	16.1	8.8	0.53	428	5.86	
G08-28	3.33	122	4.79	8.20	0.11	0.04	0.03	0.042	0.41	17.4	9.3	0.95	814	2.52	
G08-30	3.77	88.0	3.78	7.47	0.07	0.04	0.02	0.027	0.23	11.4	11.0	0.95	583	1.33	
G08-32	1.86	78.0	3.31	6.30	0.08	0.04	0.03	0.029	0.17	18.2	11.3	0.84	571	1.07	
G08-34	3.49	89.7	3.79	7.38	0.08	0.05	0.02	0.034	0.37	12.6	10.7	0.98	816	1.39	
G08-36	1.40	74.2	3.06	6.71	0.06	0.07	0.03	0.027	0.13	15.4	10.9	0.75	470	1.07	
G08-38	0.97	39.8	2.77	6.21	0.06	0.07	0.02	0.020	0.17	10.3	9.4	0.68	412	1.08	
G08-40	1.78	67.0	3.22	6.74	0.07	0.04	0.03	0.032	0.23	14.6	11.7	0.81	578	0.97	
G08-42	1.42	53.8	2.91	6.61	<0.05	0.09	0.01	0.026	0.20	12.3	10.7	0.77	629	1.15	
G08-44	1.40	70.2	3.56	6.47	0.09	0.05	0.01	0.030	0.16	12.6	11.2	0.85	706	0.92	
G08-52	1.86	105	4.31	8.13	0.09	0.07	0.02	0.030	0.39	12.8	11.7	1.18	690	0.71	
G08-54	1.66	110	4.69	8.33	0.08	0.08	0.02	0.035	0.37	9.8	10.8	1.26	877	0.75	
G08-56	1.26	77.3	3.23	5.52	0.07	<0.02	0.02	0.025	0.12	11.5	10.3	0.74	591	0.85	
G08-58	2.63	113	4.04	6.90	0.08	0.05	0.02	0.031	0.18	8.6	13.6	0.83	783	0.78	
G08-60	2.11	77.3	3.70	6.98	0.06	0.12	0.01	0.033	0.17	11.2	11.3	0.87	610	0.79	
G06-42	2.28	113	4.59	6.91	0.08	0.06	0.02	0.031	0.41	11.5	10.6	1.05	821	0.87	
G06-44	1.22	57.8	2.95	6.25	0.08	0.07	0.03	0.028	0.14	14.1	11.2	0.73	490	0.84	
G06-46	1.10	70.3	3.20	5.83	0.06	0.09	0.04	0.028	0.13	17.0	11.1	0.71	507	0.81	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G06-54	1.93	107	4.18	7.79	0.07	0.06	0.02	0.038	0.33	11.9	11.1	1.01	743	0.80
G06-56	1.08	73.4	3.76	6.15	0.07	0.07	0.02	0.023	0.36	7.6	11.8	1.06	644	0.60
G06-58	1.66	107	4.14	7.02	0.10	0.11	0.03	0.031	0.21	13.3	10.8	0.90	643	1.14
G06-60	0.95	76.5	3.37	9.44	0.08	0.06	<0.01	<0.005	0.13	8.5	9.7	0.75	511	0.45
G0406-12	2.06	216	4.58	4.56	0.07	0.14	0.02	0.049	0.17	14.3	8.7	0.50	649	55.9
G0406-14	2.01	156	3.59	6.00	0.08	0.07	0.02	0.036	0.23	11.6	10.6	0.83	479	44.7
G0406-16	3.00	265	4.78	7.37	0.09	0.16	0.01	0.036	0.46	10.1	11.3	0.91	572	71.8
G0406-18	0.86	69.8	2.33	4.43	0.05	0.06	0.02	0.022	0.05	14.3	9.4	0.46	376	11.9
G0406-20	2.88	195	3.72	5.93	0.09	0.37	0.03	0.035	0.12	28.2	10.3	0.59	483	82.7
G0406-22	1.81	79.9	2.98	6.43	0.07	0.11	0.02	0.031	0.09	16.5	11.7	0.63	473	9.31
G0406-24	2.52	137	4.23	7.43	0.15	0.07	0.03	0.043	0.51	14.6	12.3	1.08	624	21.6
G0406-26	2.01	110	3.67	6.79	0.12	0.07	0.03	0.045	0.26	18.2	11.8	0.87	626	6.13
G0406-28	2.56	113	3.87	7.22	0.11	0.07	0.02	0.034	0.50	9.7	11.0	0.99	684	7.15
G0406-30	1.61	88.7	3.81	7.07	0.08	0.05	0.04	0.040	0.28	12.7	10.4	0.80	649	2.65
G0406-32	2.00	89.2	3.80	6.15	0.07	0.08	0.04	0.040	0.16	16.0	9.7	0.74	548	2.23
G0406-34	2.30	63.4	3.35	6.11	0.09	0.10	0.03	0.035	0.18	13.6	9.1	0.61	506	3.08
G0406-36	1.75	80.2	3.27	6.33	0.10	0.07	0.03	0.040	0.15	20.6	12.0	0.72	544	4.91
G0406-38	1.96	107	4.11	6.57	0.08	0.03	0.05	0.038	0.26	23.9	14.4	0.89	756	1.01
G0406-40	1.40	63.3	3.37	6.06	0.06	0.07	0.03	0.028	0.15	12.9	12.3	0.83	824	1.11
G0406-42	1.22	65.2	3.13	5.69	0.06	0.08	0.02	0.028	0.10	16.5	12.7	0.73	619	0.80
G0406-44	0.93	66.6	2.92	5.43	0.07	0.04	0.03	0.026	0.11	13.1	11.4	0.72	496	0.75
G04-08	2.80	488	5.92	6.74	0.09	0.15	0.04	0.095	0.38	12.7	14.1	0.81	1280	125
G04-10	1.64	78.2	2.65	4.57	0.06	0.16	0.01	0.030	0.12	15.5	9.8	0.35	629	52.1
G04-12	4.05	369	6.13	10.5	0.25	0.06	0.01	0.070	0.97	11.1	14.6	1.27	859	129
G04-14	2.50	113	3.19	6.59	0.06	0.04	0.02	0.029	0.21	10.1	7.5	0.54	1160	49.5
G04-16	1.25	148	3.07	5.51	0.07	0.06	0.04	0.030	0.09	16.3	12.8	0.68	410	29.2
G04-18	1.48	102	2.90	6.01	0.06	0.06	0.01	0.028	0.11	13.7	12.6	0.56	406	38.3
G04-20	1.49	109	3.10	5.77	0.07	0.07	0.02	0.031	0.10	12.4	12.2	0.57	374	28.7
G04-22	1.20	78.5	2.90	5.70	0.05	0.06	0.03	0.028	0.07	14.5	11.9	0.61	510	10.5
G04-26	1.93	101	3.53	7.39	0.10	0.04	0.02	0.036	0.20	11.7	13.1	0.79	633	15.5
G04-28	2.30	176	4.09	8.29	0.17	0.08	0.03	0.047	0.22	14.8	12.4	0.85	738	15.1
G04-30	1.85	59.7	2.75	6.84	0.06	0.07	0.02	0.032	0.10	14.2	11.5	0.64	393	6.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G04-32	4.79	165	5.43	9.40	0.10	0.11	0.03	0.062	0.35	14.6	14.0	1.20	1070	12.5	
G04-34	2.40	88.9	3.92	6.88	0.09	0.10	0.04	0.037	0.26	14.0	10.4	0.86	715	4.57	
G04-36	2.12	105	3.76	6.38	0.08	0.05	0.03	0.034	0.24	14.9	12.0	0.80	574	3.85	
G04-38	1.44	61.4	2.63	4.90	0.08	0.05	0.03	0.025	0.14	13.4	11.7	0.66	423	1.17	
G04-40	3.92	153	4.96	6.04	0.07	0.11	0.02	0.032	0.17	8.7	10.6	1.07	881	0.67	
G04-42	1.27	104	3.78	5.80	0.09	0.05	0.02	0.022	0.19	9.2	11.4	0.93	685	0.73	
G04-44	1.09	62.6	2.71	5.65	0.07	0.03	0.03	0.024	0.11	14.6	12.5	0.68	465	0.56	
G04-52	1.29	54.7	3.20	6.20	0.09	0.02	0.03	0.030	0.11	17.3	13.3	0.74	536	0.81	
G04-54	1.07	66.5	3.16	5.72	0.06	0.04	0.03	0.025	0.15	12.6	12.5	0.72	571	0.79	
G04-56	0.93	61.7	3.27	5.76	0.07	0.07	0.03	0.028	0.12	13.0	12.1	0.70	505	0.74	
G04-58	1.44	96.8	3.89	11.0	0.17	0.06	<0.01	1.03	0.40	8.1	12.1	0.98	653	1.50	
G04-60	1.38	102	4.16	9.98	0.15	0.06	<0.01	2.28	0.32	5.7	14.8	1.14	776	1.25	
G0204-08	1.12	90.7	2.85	6.13	0.15	0.05	<0.01	<0.005	0.13	11.2	11.2	0.73	431	25.1	
G0204-10	1.35	120	2.90	8.35	0.13	0.15	<0.01	<0.005	0.13	13.0	11.0	0.57	434	37.6	
G0204-12	2.05	215	3.48	8.63	0.15	0.09	<0.01	3.32	0.30	8.4	13.7	0.89	548	55.0	
G0204-14	1.43	205	3.27	8.18	0.15	0.12	<0.01	1.36	0.15	10.4	12.2	0.68	455	54.5	
G0204-16	1.21	130	2.55	7.05	0.14	0.09	<0.01	<0.005	0.11	12.9	11.1	0.60	384	30.7	
G0204-18	1.42	188	2.97	8.65	0.15	0.11	<0.01	2.35	0.20	11.1	12.0	0.60	372	51.1	
G0204-20	1.84	280	4.23	8.12	0.17	0.10	0.06	<0.005	0.32	8.5	13.1	0.78	462	44.5	
G0204-22	1.38	135	3.03	10.1	0.15	0.10	<0.01	<0.005	0.15	9.9	13.1	0.67	471	25.1	
G0204-24	1.88	126	3.65	9.53	0.19	0.09	<0.01	1.03	0.39	7.3	11.8	0.75	519	24.4	
G0204-26	1.39	94.0	3.09	8.73	0.14	0.06	0.04	2.61	0.17	7.3	12.6	0.71	415	12.5	
G0204-28	1.74	137	3.53	8.75	0.15	0.09	<0.01	2.12	0.28	6.5	12.9	0.81	518	11.0	
G0204-30	1.93	148	3.80	10.3	0.15	0.08	<0.01	2.40	0.33	6.0	12.3	0.74	543	9.92	
G0204-32	1.19	64.7	3.23	9.07	0.15	0.05	<0.01	4.13	0.25	6.0	10.3	0.61	1040	5.39	
G0204-34	1.35	72.0	3.15	8.32	0.15	0.10	<0.01	2.03	0.19	9.7	11.7	0.85	549	2.05	
G0204-36	4.11	114	3.73	12.3	0.24	0.05	<0.01	<0.005	0.48	7.3	13.9	1.34	792	1.68	
G0204-38	2.88	76.7	3.54	9.44	0.20	0.11	<0.01	3.42	0.41	8.1	13.1	1.00	546	1.91	
G0204-40	1.17	99.4	2.68	8.20	0.15	0.04	<0.01	3.54	0.18	10.7	11.6	0.78	413	0.49	
G0204-42	1.15	89.4	3.08	8.53	0.15	0.07	<0.01	4.72	0.18	9.3	12.2	0.87	567	<0.05	
G02-42	1.12	59.0	3.03	7.17	0.14	0.05	<0.01	2.45	0.20	7.2	12.1	0.84	506	1.52	
G02-46	0.61	29.1	1.82	5.33	0.13	0.03	<0.01	1.23	0.05	8.6	8.4	0.49	292	1.10	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G02-52	1.19	68.2	3.09	5.26	0.11	0.04	0.03	0.022	0.16	12.1	9.8	0.80	531	0.72	
G02-54	0.97	54.4	2.57	7.89	0.14	0.04	<0.01	1.71	0.08	11.3	11.2	0.63	450	0.87	
G02-56	1.18	72.1	3.44	9.46	0.16	0.06	<0.01	2.56	0.19	11.2	12.9	0.86	650	0.66	
G02-58	1.13	78.5	3.42	8.98	0.14	0.06	<0.01	<0.005	0.17	10.5	12.8	0.76	597	0.94	
G02-60	1.03	72.6	3.35	9.71	0.14	0.05	<0.01	0.180	0.19	8.1	11.8	0.71	797	1.31	
G00-10	1.01	156	3.13	8.39	0.16	0.10	<0.01	<0.005	0.16	12.5	15.0	0.69	580	30.2	
G00-12	3.55	275	4.25	11.1	0.23	0.09	<0.01	0.997	0.23	5.8	17.8	1.84	753	70.5	
G00-14	3.38	534	6.46	10.0	0.22	0.11	0.08	2.21	0.22	7.3	6.3	0.43	800	250	
G00-16	1.41	135	2.52	6.87	0.16	0.15	<0.01	0.914	0.11	14.7	9.8	0.49	298	50.0	
G00-18	1.74	166	2.67	7.60	0.14	0.10	<0.01	2.90	0.16	12.2	10.1	0.47	544	61.4	
G00-20	1.76	333	3.62	7.66	0.16	0.07	<0.01	0.389	0.27	6.2	14.2	0.65	453	59.3	
G00-22	1.38	186	3.00	8.21	0.15	0.10	<0.01	1.45	0.22	5.0	11.3	0.61	444	31.7	
G00-24	1.57	141	3.07	8.15	0.15	0.08	<0.01	1.57	0.34	5.0	12.3	0.69	474	13.6	
G00-26	2.02	119	3.22	9.01	0.16	0.07	<0.01	1.72	0.31	6.8	10.5	0.70	1060	11.7	
G00-28	2.00	224	4.16	9.51	0.18	0.05	<0.01	1.79	0.23	7.7	11.5	0.77	1020	5.23	
G00-30	1.59	122	3.32	8.64	0.15	0.10	<0.01	2.66	0.19	8.8	11.5	0.68	499	4.74	
G00-32	2.14	124	3.42	8.59	0.16	0.11	<0.01	2.88	0.29	7.6	9.9	0.70	573	3.52	
G00-34	1.15	92.7	2.65	7.37	0.15	0.14	<0.01	<0.005	0.16	10.8	11.2	0.65	452	2.73	
G00-36	5.93	112	3.98	9.42	0.17	0.08	0.09	0.231	0.72	6.0	13.9	1.20	623	1.83	
G00-38	3.72	90.3	3.32	9.15	0.16	0.04	<0.01	3.07	0.43	7.9	13.0	0.93	642	1.67	
G00-40	4.79	90.2	4.37	7.06	0.08	0.08	0.03	0.025	0.84	7.5	8.3	1.37	973	1.19	
G00-52	1.35	55.7	2.83	5.88	0.07	0.05	0.33	0.028	0.10	16.3	6.9	0.68	491	0.78	
G00-58	2.05	114	4.39	7.34	0.09	0.03	0.02	0.033	0.47	9.3	7.6	1.21	1290	0.88	
G00-60	1.41	63.9	3.05	6.18	0.06	0.05	0.04	0.030	0.13	11.9	6.3	0.68	612	0.74	
G01-28	5.90	187	4.37	8.28	0.09	0.12	0.02	0.048	0.73	9.0	7.8	1.15	717	12.1	
G01-32	2.75	124	3.78	7.58	0.09	0.11	0.02	0.033	0.34	11.2	6.6	0.84	567	3.26	
G01-34	3.68	139	3.92	7.58	0.08	0.09	0.02	0.033	0.52	11.5	8.1	1.02	643	2.00	
G01-36	4.77	126	3.78	8.61	0.08	0.08	0.03	0.035	0.33	13.9	7.7	0.88	639	1.48	
G01-38	2.56	133	3.18	6.02	0.07	0.04	0.03	0.030	0.23	17.4	6.9	0.83	855	1.29	
G01-40	3.77	67.2	3.44	7.47	0.08	0.07	0.01	0.031	0.41	10.3	7.0	0.84	744	1.52	
G01-42	6.10	149	5.17	9.36	0.10	0.04	0.03	0.047	1.00	11.3	8.8	1.50	1150	1.37	
G01-46	1.10	38.0	2.39	4.89	0.06	0.03	0.03	0.023	0.08	12.6	5.9	0.59	575	0.96	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G01-54	3.55	134	4.62	6.15	0.08	0.06	0.03	0.025	0.46	8.4	6.9	1.00	798	0.57	
G01-58	2.70	107	4.15	4.42	0.06	0.03	0.04	0.032	0.15	11.8	5.1	0.63	937	0.79	
G01-60	1.68	70.9	3.33	6.41	0.07	0.04	0.04	0.032	0.22	14.6	7.8	0.83	654	0.67	
G03-16	0.91	20.6	2.31	4.43	0.07	0.14	0.02	0.022	0.10	22.1	6.9	0.60	514	0.69	
G03-18	1.31	38.6	2.69	5.99	0.08	0.21	0.02	0.032	0.13	18.7	8.7	0.75	527	1.35	
G03-20	1.37	52.0	2.49	4.94	0.06	0.06	0.03	0.027	0.12	16.3	6.5	0.63	518	1.17	
G03-22	1.08	30.0	2.37	5.38	0.06	0.09	0.05	0.025	0.09	19.3	8.1	0.60	396	0.91	
G03-26	0.70	31.1	2.16	4.13	0.07	0.06	0.03	0.022	0.06	15.5	7.9	0.55	500	0.83	
G03-30	1.10	46.9	2.53	4.80	0.06	0.06	0.04	0.025	0.08	17.5	8.0	0.63	476	1.06	
G03-32	0.84	36.6	2.51	4.69	0.07	0.04	0.03	0.024	0.07	17.3	8.8	0.62	399	0.82	
G03-34	1.25	42.3	2.57	5.90	0.07	0.07	0.03	0.027	0.10	19.1	9.0	0.66	427	0.84	
G03-44	1.38	27.6	3.72	4.89	0.06	0.04	0.04	0.022	0.08	13.8	5.6	0.61	481	1.98	
G03-60	3.88	91.9	4.34	5.84	0.07	0.03	0.04	0.036	0.24	12.3	6.9	0.95	863	0.78	
G0305-18	1.09	31.0	2.56	4.79	0.07	0.17	0.02	0.025	0.10	18.3	6.9	0.70	543	1.25	
G0305-20	1.27	53.8	2.71	4.51	0.08	0.09	0.03	0.025	0.13	15.6	6.8	0.72	496	1.22	
G0305-22	1.40	56.2	2.55	3.98	0.06	0.08	0.03	0.021	0.14	11.9	5.2	0.64	541	1.09	
G0305-28	1.82	83.8	3.62	3.72	0.07	0.05	0.01	0.021	0.12	7.5	3.7	0.62	633	1.31	
G0305-30	2.00	75.0	3.83	6.23	0.08	0.13	0.02	0.033	0.15	11.5	6.9	0.74	755	1.65	
G0305-32	3.37	94.8	4.28	7.53	0.07	0.03	0.03	0.037	0.27	9.8	7.9	1.00	814	2.02	
G0305-34	3.04	98.8	4.20	6.50	0.07	0.03	0.02	0.032	0.29	9.1	7.4	0.97	732	1.97	
G0305-42	1.29	48.4	2.42	4.63	0.06	0.03	0.02	0.020	0.08	12.3	6.5	0.62	362	0.90	
G05-20	1.69	59.6	2.78	4.46	0.07	0.13	0.03	0.024	0.15	14.7	6.0	0.77	620	1.73	
G05-22	1.49	58.6	2.82	4.36	0.07	0.09	0.03	0.021	0.14	12.9	5.9	0.64	579	1.08	
G05-24	1.69	66.6	2.82	4.37	0.07	0.09	0.03	0.021	0.12	16.5	4.6	0.62	496	1.13	
G05-26	1.92	73.2	3.78	5.13	0.07	0.11	0.09	0.030	0.15	7.1	5.2	0.64	563	1.56	
G05-28	1.71	69.4	3.30	5.77	0.07	0.12	0.05	0.030	0.13	15.0	7.8	0.81	558	1.18	
G05-30	2.65	86.9	3.67	6.96	0.07	0.17	0.05	0.035	0.14	16.1	7.6	0.79	625	2.24	
G05-32	1.95	71.2	3.10	5.65	0.06	0.07	0.03	0.028	0.11	15.8	6.7	0.66	534	1.66	
G05-34	2.96	95.6	3.42	7.52	0.14	0.11	<0.01	<0.005	0.14	9.0	7.7	0.69	623	3.12	
G05-36	2.62	85.1	3.11	8.14	0.17	0.22	<0.01	<0.005	0.17	10.6	7.3	0.68	821	1.09	
G05-38	1.80	59.5	3.29	7.71	0.13	0.09	<0.01	<0.005	0.16	5.7	6.8	0.62	438	1.27	
G05-40	1.33	48.2	2.40	8.07	0.12	0.08	<0.01	<0.005	0.06	12.0	10.0	0.58	395	<0.05	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05	
G05-52	1.26	56.4	2.39	7.22	0.10	0.08	<0.01	<0.005	0.09	8.0	8.4	0.63	523	1.67	
G05-58	1.27	57.2	2.40	7.28	0.12	0.10	<0.01	<0.005	0.10	8.9	6.8	0.58	449	0.57	
G0507-22	2.29	81.0	3.42	10.2	0.15	0.21	<0.01	<0.005	0.13	14.2	9.8	0.75	495	0.20	
G0507-24	1.98	71.0	3.57	10.2	0.15	0.19	<0.01	<0.005	0.10	9.1	10.9	0.83	474	0.84	
G0507-26	1.45	36.2	2.54	8.12	0.12	0.18	<0.01	<0.005	0.08	15.1	10.2	0.54	415	1.70	
G0507-28	2.39	78.0	3.53	8.66	0.15	0.19	<0.01	<0.005	0.12	8.8	9.4	0.71	500	1.14	
G0507-30	2.05	77.2	3.50	8.98	0.12	0.09	<0.01	<0.005	0.10	7.0	9.7	0.70	424	1.48	
G0507-32	2.06	85.4	3.17	7.73	0.13	0.18	<0.01	<0.005	0.09	8.5	6.2	0.65	582	2.10	
G0507-36	1.35	57.5	2.51	7.42	0.11	0.07	<0.01	<0.005	0.09	9.9	8.4	0.57	403	0.12	
G0507-40	2.66	86.2	3.22	7.75	0.12	0.10	<0.01	<0.005	0.14	8.6	8.8	0.71	475	1.57	
G0507-42	1.57	63.1	2.73	8.09	0.14	0.05	<0.01	<0.005	0.10	12.0	9.9	0.66	456	0.40	
G07-22	1.23	26.1	2.25	7.64	0.12	0.16	<0.01	<0.005	0.06	12.8	8.4	0.48	275	1.62	
G07-24	1.14	27.2	2.15	7.98	0.11	0.10	<0.01	<0.005	0.06	13.1	8.9	0.47	360	0.35	
G07-26	1.23	36.8	2.42	8.05	0.12	0.12	<0.01	<0.005	0.07	13.1	9.3	0.53	349	0.68	
G07-28	1.53	66.8	2.71	6.65	0.13	0.15	<0.01	<0.005	0.11	9.8	6.8	0.57	498	1.39	
G07-30	2.18	77.4	3.32	11.1	0.16	0.39	<0.01	<0.005	0.13	13.7	12.2	0.67	466	0.46	
G07-32	1.39	50.3	2.88	8.78	0.12	0.03	<0.01	<0.005	0.07	11.8	10.1	0.61	287	1.07	
G07-34	1.79	67.6	2.88	7.75	0.17	0.20	<0.01	<0.005	0.14	9.3	7.0	0.67	712	1.21	
G07-36	1.24	53.6	2.60	7.57	0.12	0.06	<0.01	<0.005	0.08	14.2	10.7	0.55	678	<0.05	
G07-38	0.98	34.1	2.46	7.74	0.13	0.14	0.12	<0.005	0.06	11.2	9.1	0.57	449	0.30	
G07-42	0.78	21.3	2.39	7.46	0.12	0.09	<0.01	<0.005	0.07	8.4	9.4	0.55	440	0.65	
G07-58	1.24	54.2	2.36	6.53	0.13	0.08	<0.01	<0.005	0.09	9.9	7.9	0.56	427	0.87	
G0709-26	0.80	43.7	2.34	7.39	0.11	0.07	<0.01	<0.005	0.05	12.5	9.8	0.55	447	0.93	
G0709-28	1.37	29.8	2.52	7.52	0.12	0.12	<0.01	<0.005	0.07	12.1	10.2	0.56	281	0.45	
G0709-30	1.45	54.5	2.49	6.82	0.14	0.07	<0.01	<0.005	0.07	13.1	9.1	0.55	471	1.49	
G0709-32	1.29	67.2	2.51	8.18	0.12	0.12	<0.01	<0.005	0.07	15.3	10.6	0.55	490	0.89	
G0709-34	1.82	66.8	2.86	8.16	0.13	0.21	<0.01	<0.005	0.08	10.1	8.0	0.62	454	1.27	
G0709-36	1.56	41.7	2.68	8.29	0.12	0.18	<0.01	<0.005	0.08	10.1	9.9	0.62	330	0.79	
G09-22	0.98	43.5	2.45	7.17	0.13	0.16	<0.01	<0.005	0.08	14.8	10.2	0.57	419	0.49	
G09-24	1.21	57.8	2.43	7.81	0.12	0.14	<0.01	<0.005	0.07	12.6	9.6	0.59	348	1.05	
G09-26	1.81	70.7	3.00	8.03	0.12	0.08	<0.01	<0.005	0.11	9.0	10.3	0.63	438	1.67	
G09-28	2.26	66.3	3.23	9.29	0.13	0.15	<0.01	<0.005	0.12	11.7	11.1	0.76	456	1.62	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G09-30	2.50	75.2	3.49	9.37	0.17	0.15	<0.01	<0.005	0.16	11.1	12.6	0.72	523	0.86	
G09-32	1.69	61.1	3.39	10.3	0.13	0.13	<0.01	<0.005	0.07	6.3	13.2	0.72	389	0.61	
G09-34	1.48	34.0	2.58	8.08	0.12	0.16	<0.01	<0.005	0.06	12.4	10.5	0.49	256	0.63	
G09-38	1.20	51.4	2.63	7.18	0.12	0.03	<0.01	<0.005	0.05	10.8	9.9	0.66	565	0.64	
G09-40	0.87	48.9	2.49	4.42	0.05	0.04	0.04	0.020	0.04	11.8	7.2	0.60	411	1.03	
G09-48	1.22	56.2	2.42	2.86	0.07	0.17	0.03	0.019	0.11	9.3	3.4	0.53	575	1.63	
G09-52	0.98	50.3	2.44	4.53	<0.05	0.07	0.04	0.020	0.05	11.1	6.8	0.61	438	0.90	
G09-54	1.32	67.3	3.02	5.23	0.06	0.09	0.04	0.026	0.08	13.9	7.5	0.71	528	1.09	
G0911-24	1.16	63.1	2.78	5.03	0.07	0.13	0.04	0.028	0.10	14.1	8.2	0.64	391	1.29	
G0911-26	1.28	70.6	3.12	5.75	<0.05	0.18	0.05	0.028	0.07	17.2	8.3	0.68	386	1.15	
G0911-28	1.78	55.0	3.09	5.84	0.06	0.03	0.04	0.029	0.12	14.6	8.6	0.73	451	1.30	
G0911-30	1.08	29.5	2.65	5.23	0.06	0.17	0.03	0.027	0.06	15.9	8.1	0.55	271	1.01	
G0911-34	6.55	132	5.66	8.94	0.12	0.19	0.02	0.049	0.35	9.2	9.9	1.11	739	3.28	
G0911-36	2.60	82.6	3.46	5.06	0.09	0.13	0.02	0.026	0.13	12.9	6.3	0.68	512	2.06	
G11-30	1.05	46.6	2.87	5.87	0.07	0.07	0.04	0.029	0.06	14.5	9.4	0.63	392	1.18	
G11-34	1.15	35.8	2.85	5.71	0.06	0.15	0.03	0.026	0.05	15.3	8.5	0.66	403	0.89	
G11-36	0.95	39.0	2.57	5.39	<0.05	0.08	0.02	0.023	0.04	12.8	8.0	0.61	369	0.88	
G11-38	0.59	38.3	2.15	4.29	0.06	0.08	0.04	0.024	0.04	14.6	7.9	0.51	364	0.73	
G11-50	1.29	48.0	2.21	3.28	0.07	0.18	0.03	0.021	0.08	11.7	4.6	0.44	466	1.45	
G11-56	1.18	76.1	2.55	4.52	0.05	0.06	0.03	0.023	0.04	11.8	6.1	0.63	574	0.68	
G13-28	0.94	32.4	2.69	4.77	0.07	0.04	0.03	0.019	0.05	13.2	7.6	0.67	418	0.74	
G13-32	0.86	30.5	2.43	5.05	<0.05	0.05	0.03	0.020	0.05	12.7	7.7	0.62	353	0.74	
G13-42	1.36	71.4	2.92	4.89	0.07	0.04	0.03	0.020	0.06	10.2	7.3	0.78	512	0.84	
G13-48	1.31	82.1	3.10	4.82	0.08	0.05	0.04	0.021	0.09	9.8	7.4	0.78	682	1.18	
G13-50	1.47	66.9	2.95	4.76	0.06	0.07	0.04	0.025	0.09	8.9	7.4	0.73	461	0.90	
G15-32	1.23	35.2	2.49	4.86	0.06	0.03	0.03	0.019	0.05	11.7	7.5	0.66	416	0.68	
G15-34	1.23	52.1	2.40	4.67	0.08	0.03	0.03	0.019	0.05	11.0	7.6	0.69	452	0.52	
G15-36	1.43	62.8	3.32	5.69	0.08	0.05	0.02	0.020	0.09	11.2	8.8	0.94	471	0.66	
G15-38	1.01	43.5	2.67	4.82	0.05	0.04	0.04	0.018	0.06	9.9	8.3	0.72	434	0.65	
G15-40	0.86	36.6	2.90	5.33	<0.05	0.08	<0.01	0.021	0.06	8.7	8.4	0.73	540	0.74	
G15-42	1.31	47.9	2.98	5.84	0.05	0.12	0.02	0.024	0.09	10.9	9.0	0.78	514	0.78	
G15-44	2.03	115	3.75	5.23	0.07	0.03	0.03	0.020	0.10	9.1	8.5	1.00	664	0.69	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G15-46	1.86	161	3.99	5.87	0.08	0.02	0.03	0.020	0.23	7.6	9.0	1.16	938	0.76	
G15-50	2.33	166	4.29	5.87	0.10	0.05	0.04	0.025	0.25	10.2	10.4	1.13	757	1.01	
G17-28	1.28	43.4	2.35	5.01	0.06	0.02	0.04	0.019	0.04	12.7	8.5	0.60	472	0.71	
G17-30	1.50	74.3	3.15	6.29	0.07	0.04	0.10	0.027	0.07	15.8	10.7	0.78	458	0.94	
G17-32	1.58	60.0	2.87	5.56	0.05	0.03	0.03	0.023	0.06	11.8	8.5	0.67	587	0.96	
G17-34	1.23	51.2	2.73	5.12	<0.05	0.03	0.04	0.020	0.05	11.0	7.9	0.70	523	0.75	
G17-38	1.46	78.4	3.04	5.27	0.06	0.07	0.03	0.019	0.09	9.6	8.2	0.81	460	0.59	
G17-42	1.40	76.4	3.44	6.07	0.06	0.04	0.03	0.020	0.11	10.4	9.3	1.00	711	0.71	
G17-44	1.28	68.0	3.60	6.29	0.07	0.08	0.02	0.023	0.18	10.1	9.6	1.01	685	0.77	
G17-46	2.06	90.2	4.24	7.08	0.07	0.06	0.03	0.029	0.29	11.6	10.6	1.11	818	0.81	
G17-48	1.29	84.9	3.33	5.69	0.07	<0.02	0.03	0.016	0.11	5.9	7.2	0.92	456	1.29	
G17-50	1.45	97.7	3.60	6.23	0.08	<0.02	0.03	0.018	0.12	6.6	7.6	0.98	514	1.26	
G17-52	1.19	130	3.45	5.15	0.05	0.04	0.02	0.015	0.08	5.7	10.6	1.20	531	0.71	
G17-54	1.29	124	4.34	5.55	0.07	<0.02	0.02	0.016	0.19	5.1	10.6	1.04	608	1.23	
G17-56	2.32	74.8	4.27	9.06	0.14	0.04	<0.01	4.30	0.13	7.7	14.2	1.02	689	1.82	
G17-58	1.47	74.2	3.29	8.71	0.14	0.06	<0.01	1.37	0.14	11.1	16.1	0.90	559	0.71	
G17-60	2.40	101	3.97	9.35	0.14	0.06	<0.01	2.58	0.20	6.5	16.0	1.16	621	<0.05	
G19-32	2.00	59.2	3.07	7.98	0.14	0.05	<0.01	<0.005	0.12	7.4	13.5	0.84	457	0.94	
G19-34	1.37	50.7	2.91	6.17	0.13	0.02	<0.01	2.41	0.06	8.8	11.9	0.77	458	1.05	
G19-36	1.26	54.1	2.72	8.26	0.13	0.04	<0.01	0.678	0.06	7.7	11.8	0.82	452	0.97	
G19-38	1.57	66.0	3.12	7.61	0.14	0.04	<0.01	3.42	0.07	8.2	12.7	0.91	450	<0.05	
G19-40	1.75	73.5	3.08	7.32	0.14	0.06	<0.01	1.48	0.08	7.3	10.7	0.86	544	0.97	
G19-42	2.27	95.7	3.60	7.98	0.15	0.05	<0.01	<0.005	0.17	7.7	13.9	1.02	518	1.06	
G19-44	2.40	96.9	3.69	8.07	0.15	0.06	0.08	<0.005	0.18	7.5	13.9	1.08	623	1.16	
G19-48	1.72	117	4.20	8.29	0.15	0.05	<0.01	0.952	0.24	6.2	14.1	1.36	738	1.86	
G19-54	0.63	43.9	2.05	6.82	0.12	<0.02	<0.01	3.74	0.05	6.8	7.2	0.45	223	0.24	
G19-56	1.49	124	3.20	8.40	0.14	0.03	<0.01	<0.005	0.19	7.0	10.6	0.84	392	0.95	
G19-58	1.15	26.8	2.39	6.51	0.12	0.02	0.16	1.38	0.12	9.2	7.6	0.41	249	2.38	
G19-60	1.88	76.7	3.71	9.57	0.16	0.05	<0.01	<0.005	0.31	7.1	14.7	1.12	651	0.98	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G22-24	0.02	1.31	21.6	433	4.6	15.5	0.002	0.014	1.07	4.7	2.4	<0.2	27.3	<0.01
G22-26	0.02	1.27	26.1	540	4.5	15.6	0.001	0.017	0.51	5.5	3.4	<0.2	26.5	2.52
G22-30	0.01	0.37	55.7	545	1.5	19.0	0.002	0.031	2.06	10.5	6.5	<0.2	33.6	2.71
G22-36	0.02	1.29	28.5	447	3.8	13.3	0.001	0.020	1.98	5.9	2.0	<0.2	35.7	2.64
G22-38	0.02	1.37	33.6	674	7.4	13.9	<0.001	0.031	2.21	7.2	2.7	<0.2	40.9	3.36
G22-40	0.02	1.65	17.0	325	15.0	18.8	<0.001	0.014	0.68	4.8	1.8	<0.2	31.5	1.31
G22-42	0.02	1.54	24.4	285	15.3	17.8	<0.001	0.011	1.33	5.8	<0.2	<0.2	29.6	0.03
G22-44	0.02	1.39	21.0	235	23.5	18.4	<0.001	0.009	1.07	4.6	3.4	<0.2	27.0	1.09
G22-46	0.02	1.35	17.1	317	17.9	19.7	<0.001	0.007	0.65	4.2	1.6	<0.2	23.2	1.61
G22-50	0.02	0.85	28.3	654	3.5	18.5	<0.001	0.022	1.29	7.5	1.6	<0.2	29.5	0.95
G22-52	0.01	0.56	34.5	488	3.9	9.4	<0.001	0.016	1.60	7.8	4.4	<0.2	24.8	2.08
G20-36	0.01	0.86	36.0	488	3.0	7.5	<0.001	0.022	0.70	8.4	3.4	<0.2	27.3	1.62
G20-38	0.02	1.12	45.6	636	5.1	12.7	0.001	0.042	7.48	6.0	4.8	<0.2	38.1	0.85
G20-40	0.01	0.71	29.2	396	3.9	18.2	<0.001	0.009	1.74	7.2	3.6	<0.2	21.4	<0.01
G20-42	0.02	0.63	33.8	535	2.0	28.2	<0.001	0.011	2.05	9.5	14.5	<0.2	37.2	2.34
G20-44	0.02	0.67	37.2	686	4.0	13.6	<0.001	0.020	2.06	6.7	3.3	<0.2	34.4	2.51
G20-46	0.02	1.08	32.8	533	4.4	14.6	<0.001	0.012	1.01	7.3	2.1	<0.2	33.6	0.70
G20-48	0.01	0.62	45.9	743	2.3	10.2	<0.001	0.024	1.62	7.9	1.5	<0.2	31.5	<0.01
G20-50	0.02	0.82	34.0	749	4.1	10.4	<0.001	0.039	1.30	4.5	2.9	<0.2	36.9	0.05
G20-52	0.02	1.14	35.7	623	3.8	14.2	<0.001	0.019	2.46	8.2	3.8	<0.2	31.0	<0.01
G20-54	0.02	0.96	37.8	760	2.9	14.6	<0.001	0.021	3.79	8.8	3.5	<0.2	32.1	4.52
G18-22	0.02	1.14	17.7	679	4.8	15.5	<0.001	0.010	<0.05	3.9	1.9	<0.2	25.2	0.79
G18-24	0.02	1.30	19.0	652	4.2	13.8	<0.001	0.012	0.26	4.1	1.4	<0.2	25.5	0.94
G18-26	0.02	1.27	16.9	613	2.6	11.6	<0.001	0.023	0.14	3.9	0.8	<0.2	27.2	<0.01
G18-36	0.01	0.55	37.0	728	2.2	26.6	<0.001	0.007	1.30	6.5	0.4	<0.2	18.3	<0.01
G18-38	0.01	0.45	62.4	487	4.3	12.7	<0.001	0.010	1.57	6.5	3.7	<0.2	18.8	0.59
G18-40	0.01	1.10	12.4	511	5.0	24.8	<0.001	0.006	0.19	2.5	0.3	<0.2	15.1	0.57
G18-42	0.01	0.97	33.0	415	5.3	18.2	<0.001	<0.005	1.17	4.5	<0.2	<0.2	25.5	1.53
G18-44	0.02	1.11	22.3	357	6.0	16.5	<0.001	<0.005	1.06	4.5	1.0	<0.2	23.5	<0.01
G18-46	0.01	1.70	26.7	363	3.7	17.6	<0.001	0.007	0.98	5.0	0.9	<0.2	19.6	0.78
G18-48	<0.01	0.21	41.2	1010	0.8	15.1	<0.001	0.010	3.00	13.3	<0.2	<0.2	25.5	0.31
G18-50	0.01	1.10	32.2	363	3.1	11.2	<0.001	0.009	1.96	5.3	2.2	<0.2	30.7	0.98

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G18-52	0.01	0.67	23.7	427	3.7	10.8	<0.001	0.009	3.17	5.7	<0.2	<0.2	25.3	2.15	
G18-54	0.01	0.88	31.5	858	1.9	22.3	<0.001	0.022	2.43	7.3	2.3	<0.2	29.5	0.35	
G18-56	0.02	1.06	39.5	682	2.5	18.3	<0.001	0.009	2.06	7.3	0.5	<0.2	27.9	0.75	
G18-58	0.01	0.91	34.4	791	1.6	21.4	<0.001	0.028	2.24	5.2	4.4	<0.2	27.4	0.69	
G18-60	0.01	0.86	31.6	444	2.9	13.7	<0.001	0.008	1.67	6.2	1.9	<0.2	17.8	<0.01	
G1618-24	0.01	0.55	17.1	566	3.0	12.7	<0.001	0.012	0.82	5.1	1.6	<0.2	18.7	<0.01	
G1618-26	0.01	0.59	15.4	550	3.2	11.1	<0.001	0.010	0.45	3.9	0.4	<0.2	19.8	0.57	
G1618-32	0.01	0.51	29.4	640	1.5	15.8	<0.001	0.013	0.31	3.0	0.9	<0.2	14.7	<0.01	
G1618-36	0.01	1.15	37.6	543	7.8	30.5	<0.001	0.020	<0.05	3.9	<0.2	<0.2	18.7	<0.01	
G1618-38	0.01	1.10	14.8	433	9.7	15.7	<0.001	0.010	<0.05	2.6	<0.2	<0.2	17.1	<0.01	
G1618-40	0.01	1.02	15.6	639	7.2	21.5	<0.001	0.013	0.55	3.4	<0.2	<0.2	19.3	<0.01	
G1618-42	<0.01	1.07	25.8	428	9.2	18.2	<0.001	0.008	<0.05	4.8	<0.2	<0.2	17.9	<0.01	
G1618-44	0.01	1.44	26.1	509	8.4	20.8	<0.001	0.009	<0.05	4.6	<0.2	<0.2	22.4	<0.01	
G1618-46	0.02	0.93	34.4	454	8.4	16.6	<0.001	0.011	<0.05	5.8	<0.2	<0.2	23.9	<0.01	
G16-34	0.01	0.84	37.1	450	7.6	17.8	<0.001	0.010	<0.05	5.0	<0.2	<0.2	14.2	0.88	
G16-36	<0.01	0.44	41.2	749	5.3	23.3	<0.001	0.009	<0.05	2.5	<0.2	<0.2	7.4	1.74	
G16-38	0.02	1.02	37.0	623	6.9	16.2	<0.001	0.009	<0.05	5.3	<0.2	<0.2	22.7	<0.01	
G16-40	0.02	0.97	36.5	698	6.5	19.1	<0.001	0.010	<0.05	4.3	<0.2	<0.2	18.4	<0.01	
G16-42	0.01	1.06	32.5	464	8.5	15.9	<0.001	0.007	<0.05	5.0	<0.2	<0.2	19.4	<0.01	
G16-44	0.01	0.22	68.4	568	7.4	43.8	<0.001	0.007	<0.05	15.6	<0.2	<0.2	20.0	<0.01	
G16-46	0.02	0.99	14.6	308	9.9	28.2	<0.001	0.008	<0.05	5.5	<0.2	<0.2	10.9	<0.01	
G16-48	0.01	0.26	46.7	724	6.2	23.2	<0.001	0.006	<0.05	6.3	<0.2	<0.2	16.9	<0.01	
G16-50	0.01	0.40	43.3	689	6.4	26.6	<0.001	0.009	<0.05	14.5	<0.2	<0.2	15.4	<0.01	
G16-52	0.01	0.99	37.8	653	6.6	27.2	<0.001	0.011	<0.05	9.5	<0.2	<0.2	18.1	<0.01	
G16-54	0.02	0.73	53.2	939	6.0	13.4	0.001	0.020	<0.05	19.1	<0.2	<0.2	29.5	<0.01	
G16-60	0.01	1.49	24.0	674	7.4	18.4	<0.001	0.014	<0.05	4.7	<0.2	<0.2	24.6	<0.01	
G1416-34	0.01	1.75	12.8	432	10.5	19.6	<0.001	0.008	<0.05	4.7	<0.2	<0.2	24.6	<0.01	
G1416-36	0.01	0.56	14.2	423	8.4	12.4	<0.001	0.006	<0.05	6.4	<0.2	<0.2	20.0	1.72	
G1416-38	0.01	0.69	26.4	452	10.4	13.4	<0.001	0.039	<0.05	10.6	<0.2	<0.2	18.7	<0.01	
G1416-40	0.01	1.07	15.9	400	8.2	20.1	<0.001	0.021	<0.05	4.3	<0.2	<0.2	18.4	<0.01	
G1416-42	0.01	0.34	31.7	978	7.1	16.5	<0.001	0.010	<0.05	13.2	<0.2	<0.2	17.4	<0.01	
G1416-44	0.01	1.66	27.6	289	12.9	17.8	<0.001	0.007	<0.05	6.4	<0.2	<0.2	18.8	<0.01	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G1416-46		<0.01	0.22	20.2	1380	4.2	13.5	<0.001	0.012	40.8	15.8	8.9	<0.2	20.0	6.26
G14-34		0.01	0.48	17.0	617	8.4	35.2	<0.001	0.008	<0.05	14.5	<0.2	<0.2	19.4	<0.01
G14-36		0.03	0.23	11.8	1030	6.0	73.2	<0.001	0.011	<0.05	8.4	<0.2	<0.2	15.2	<0.01
G14-38		<0.01	0.44	10.6	591	10.3	32.2	<0.001	0.008	<0.05	9.8	<0.2	<0.2	14.0	1.60
G14-40		0.01	0.47	14.0	523	7.2	14.2	<0.001	0.006	<0.05	8.3	<0.2	<0.2	16.3	<0.01
G14-42		0.01	1.13	11.8	369	8.9	17.1	<0.001	0.010	<0.05	7.2	<0.2	<0.2	17.9	<0.01
G14-44		<0.01	0.21	19.6	782	9.2	55.4	<0.001	0.006	<0.05	24.7	<0.2	<0.2	12.9	<0.01
G14-46		0.01	0.51	11.8	708	8.2	27.9	<0.001	0.008	<0.05	11.7	<0.2	<0.2	16.2	<0.01
G14-48		0.02	0.13	18.3	1050	8.4	63.8	<0.001	0.009	<0.05	24.7	<0.2	<0.2	17.0	2.12
G14-50		0.03	0.07	22.8	1280	6.3	126	<0.001	0.009	<0.05	5.8	<0.2	<0.2	29.0	<0.01
G14-52		0.02	0.66	13.3	458	9.2	13.4	<0.001	0.006	<0.05	8.9	<0.2	<0.2	20.0	1.78
G14-54		0.01	0.95	16.7	222	9.9	9.2	<0.001	0.006	<0.05	6.2	<0.2	<0.2	18.7	0.43
G14-56		0.02	1.36	18.2	541	8.8	15.6	<0.001	0.009	<0.05	7.3	<0.2	<0.2	31.7	<0.01
G14-58		0.02	0.55	26.6	895	6.1	33.1	<0.001	0.010	<0.05	5.9	<0.2	<0.2	14.0	1.08
G14-60		0.01	0.42	27.1	738	8.1	40.1	<0.001	0.011	<0.05	6.6	<0.2	<0.2	33.1	<0.01
G12-32		0.01	0.77	14.5	516	8.4	16.0	<0.001	0.007	<0.05	6.1	<0.2	<0.2	18.3	<0.01
G12-34		0.02	0.90	23.5	556	4.5	14.5	<0.001	<0.005	0.50	8.5	1.2	<0.2	26.3	<0.01
G12-36		0.01	0.63	25.0	375	1.9	17.9	<0.001	<0.005	<0.05	5.4	1.7	<0.2	17.1	<0.01
G12-38		0.01	0.54	31.0	670	<0.1	53.7	<0.001	<0.005	0.81	8.6	1.4	<0.2	17.6	2.21
G12-40		0.01	1.13	22.1	507	5.1	28.2	<0.001	<0.005	0.50	4.6	3.2	<0.2	22.3	3.23
G12-42		0.02	1.30	25.7	701	5.8	19.7	<0.001	0.011	0.43	7.1	2.2	<0.2	27.8	1.95
G12-44		0.01	0.64	25.5	673	2.0	49.0	<0.001	<0.005	0.21	6.6	1.6	<0.2	19.4	0.54
G12-46		0.01	0.35	17.6	690	<0.1	63.5	<0.001	<0.005	0.21	5.0	4.2	<0.2	21.2	<0.01
G12-48		0.02	1.10	40.3	660	4.5	12.3	<0.001	0.007	0.24	6.4	<0.2	<0.2	28.5	0.59
G12-50		0.02	0.98	24.2	338	4.2	16.8	<0.001	<0.005	1.11	5.4	1.2	<0.2	21.9	1.53
G12-52		0.02	0.48	41.2	781	<0.1	88.1	<0.001	<0.005	0.87	5.8	1.5	<0.2	22.9	1.14
G12-54		0.01	1.15	11.1	674	4.9	31.4	<0.001	0.005	1.15	3.8	1.0	<0.2	13.7	1.19
G12-56		0.02	0.36	20.3	751	<0.1	145	<0.001	<0.005	0.74	4.1	7.9	<0.2	30.6	<0.01
G12-58		0.02	0.71	17.1	743	2.0	30.6	<0.001	<0.005	1.07	12.5	18.3	<0.2	40.4	1.19
G12-60		0.02	0.60	27.8	554	2.3	13.2	<0.001	<0.005	1.00	12.8	1.3	<0.2	24.8	<0.01
G1012-30		0.02	0.86	14.0	590	2.5	17.8	<0.001	0.006	0.85	4.3	0.9	<0.2	18.6	0.84
G1012-32		0.01	0.49	18.3	610	<0.1	36.7	<0.001	<0.005	0.60	3.9	2.4	<0.2	14.3	1.73

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1012-34	0.02	0.38	19.4	589	<0.1	38.8	<0.001	<0.005	0.37	6.2	0.6	<0.2	20.1	0.39
G1012-36	0.01	1.11	13.2	483	2.6	30.0	<0.001	0.006	0.78	3.7	0.7	<0.2	15.5	2.59
G1012-38	0.03	0.68	18.6	416	1.3	29.5	<0.001	<0.005	0.14	7.2	1.7	<0.2	20.7	4.02
G1012-40	0.03	1.18	21.8	579	1.5	38.2	<0.001	0.007	0.95	6.8	1.2	<0.2	25.5	2.39
G1012-42	0.02	1.45	19.6	437	4.1	22.9	<0.001	0.006	0.74	5.7	1.9	<0.2	25.3	1.88
G1012-44	0.01	0.86	24.2	635	1.5	30.4	<0.001	0.006	<0.05	7.0	1.7	<0.2	19.4	1.55
G1012-46	0.01	1.16	21.5	525	3.8	26.7	<0.001	0.006	<0.05	4.4	1.9	<0.2	24.2	2.00
G10-22	0.03	0.98	20.5	615	3.2	19.9	<0.001	0.012	0.78	4.7	0.6	<0.2	25.7	3.07
G10-24	0.04	0.61	29.4	1150	5.6	49.1	<0.001	0.012	0.07	5.4	3.6	<0.2	22.7	<0.01
G10-26	0.03	1.04	15.2	398	2.2	25.3	<0.001	0.005	<0.05	5.1	<0.2	<0.2	37.8	4.68
G10-28	0.03	0.86	17.2	395	0.8	24.4	<0.001	0.006	0.83	6.2	3.1	<0.2	39.5	<0.01
G10-30	0.01	0.47	20.3	478	4.8	27.8	<0.001	0.008	0.81	7.6	<0.2	<0.2	14.0	2.76
G10-32	0.01	0.78	12.3	606	5.2	42.0	<0.001	0.008	0.68	3.9	1.0	<0.2	18.1	2.28
G10-34	0.01	0.71	21.3	579	4.9	39.3	<0.001	0.005	0.88	6.6	2.1	<0.2	20.5	3.91
G10-36	0.01	1.03	14.7	558	2.2	19.2	<0.001	0.013	<0.05	6.4	2.9	<0.2	23.5	2.32
G10-38	0.02	0.97	14.6	754	1.4	58.4	<0.001	0.009	<0.05	6.5	2.4	<0.2	21.5	1.30
G10-40	0.04	0.38	21.9	1050	0.6	43.9	<0.001	<0.005	1.49	7.3	2.9	<0.2	38.3	1.77
G10-42	0.03	1.07	15.2	530	2.1	20.6	<0.001	<0.005	0.45	6.7	1.6	<0.2	27.5	1.32
G10-48	0.02	0.96	20.4	445	4.2	18.0	<0.001	<0.005	0.38	8.8	0.7	<0.2	28.5	4.94
G10-50	0.01	0.67	17.6	602	2.9	17.8	<0.001	<0.005	1.14	5.4	2.1	<0.2	18.2	2.30
G10-52	0.01	0.93	19.0	549	2.4	19.9	<0.001	<0.005	0.10	6.7	2.7	<0.2	23.6	<0.01
G10-54	0.02	1.17	20.0	613	4.4	10.5	<0.001	0.008	0.69	6.4	0.3	0.4	26.6	<0.01
G10-56	0.02	0.59	17.0	912	0.5	47.1	<0.001	<0.005	0.20	6.6	2.2	<0.2	24.5	1.69
G10-58	0.02	0.56	20.0	790	<0.1	66.4	<0.001	<0.005	0.69	7.3	9.6	<0.2	25.8	<0.01
G10-60	0.02	0.94	13.3	599	2.0	22.4	<0.001	0.005	0.26	6.0	1.9	<0.2	22.0	0.15
G0810-22	0.02	1.23	14.9	436	5.3	15.2	<0.001	0.006	<0.05	5.7	<0.2	<0.2	30.7	0.78
G0810-24	0.03	1.23	16.8	739	10.2	21.8	<0.001	0.016	0.61	8.6	0.7	0.6	95.1	<0.01
G0810-26	0.02	1.60	15.6	559	34.2	11.9	<0.001	0.009	0.51	6.0	0.6	0.7	34.0	<0.01
G0810-28	0.03	0.90	22.9	649	12.1	21.1	<0.001	0.010	0.37	8.6	0.7	0.5	54.9	<0.01
G0810-30	0.02	1.11	31.1	647	20.8	37.1	<0.001	0.006	1.24	8.3	1.2	0.7	33.0	<0.01
G0810-32	0.04	0.40	26.5	927	8.1	43.7	<0.001	<0.005	0.56	11.8	0.5	0.5	47.9	<0.01
G0810-34	0.02	3.31	16.3	996	70.1	19.7	<0.001	0.011	0.38	5.5	0.2	0.9	187	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0810-36	0.02	2.09	21.2	659	15.2	10.5	<0.001	0.009	0.58	7.9	0.6	0.6	43.3	<0.01
G0810-38	0.02	1.27	16.3	632	5.4	11.8	<0.001	0.010	0.60	6.7	0.5	0.5	34.9	<0.01
G0810-40	0.02	1.59	13.3	441	6.2	12.3	<0.001	<0.005	0.49	5.0	0.2	0.6	34.1	<0.01
G0810-42	0.02	1.53	16.7	599	5.7	14.8	<0.001	0.007	0.51	6.0	0.4	0.6	35.6	<0.01
G0810-44	0.02	0.98	19.9	637	5.2	14.9	<0.001	0.005	0.66	9.1	0.5	0.5	32.2	<0.01
G0810-46	0.02	1.34	17.0	459	4.8	11.7	<0.001	0.007	0.48	7.1	0.3	0.9	32.0	<0.01
G08-05	0.02	1.96	34.4	591	4.5	11.6	<0.001	0.007	0.88	6.0	0.5	0.7	34.5	<0.01
G08-03	0.02	1.51	31.9	664	4.2	12.7	<0.001	0.005	0.37	6.3	0.2	1.1	35.1	<0.01
G08-00	0.03	1.32	19.0	643	4.8	24.0	<0.001	0.005	0.39	6.9	0.5	0.7	33.2	<0.01
G08-02	0.02	1.92	14.9	502	7.9	13.6	<0.001	<0.005	0.55	4.2	0.3	0.9	36.1	<0.01
G08-08	0.02	1.89	18.9	575	12.9	11.7	<0.001	0.010	1.02	6.6	0.5	1.0	48.1	<0.01
G08-10	0.06	1.08	29.7	482	13.8	14.5	<0.001	0.009	0.94	9.0	0.4	0.7	53.1	<0.01
G08-12	0.01	1.95	14.2	392	9.3	10.2	<0.001	0.008	2.20	3.0	0.2	0.7	21.7	<0.01
G08-14	0.02	2.18	15.0	417	10.4	11.2	<0.001	0.007	0.53	4.5	0.3	0.9	37.3	<0.01
G08-22	0.02	2.05	14.0	530	7.7	11.3	<0.001	0.014	0.64	6.2	0.5	0.8	50.6	<0.01
G08-28	0.02	1.39	19.6	725	9.5	21.6	<0.001	0.010	0.72	11.5	0.8	0.8	55.6	<0.01
G08-30	0.02	1.42	18.6	514	9.3	20.3	<0.001	0.007	0.51	6.8	0.3	0.8	38.9	<0.01
G08-32	0.02	1.40	23.4	617	7.8	15.6	<0.001	0.007	0.52	6.9	0.8	0.9	37.1	<0.01
G08-34	0.02	1.26	24.2	707	8.0	31.7	<0.001	0.007	0.68	7.0	0.7	0.6	39.7	<0.01
G08-36	0.02	1.71	19.2	512	9.5	12.9	<0.001	0.009	0.47	5.7	0.3	0.8	37.4	<0.01
G08-38	0.01	1.59	13.2	448	7.1	13.4	<0.001	0.007	0.38	3.9	<0.2	0.5	28.3	<0.01
G08-40	0.02	1.75	21.1	621	11.9	18.1	<0.001	0.008	0.58	6.0	0.4	0.6	36.4	<0.01
G08-42	0.02	1.95	17.4	631	11.1	19.8	<0.001	0.007	0.36	4.8	0.4	0.6	36.5	<0.01
G08-44	0.02	1.61	15.5	557	5.5	14.4	<0.001	0.006	0.47	6.0	0.5	0.6	37.9	<0.01
G08-52	0.02	1.64	18.0	761	4.2	15.6	<0.001	0.010	0.51	8.2	0.3	0.6	38.7	<0.01
G08-54	0.01	1.04	14.4	683	3.8	16.3	<0.001	0.006	0.45	8.5	0.4	0.5	26.7	<0.01
G08-56	0.02	1.14	14.5	600	4.0	10.8	<0.001	0.009	0.53	6.4	0.2	0.5	30.7	<0.01
G08-58	0.02	1.10	15.4	630	3.2	12.5	<0.001	0.010	0.62	9.1	0.3	0.5	50.2	<0.01
G08-60	0.02	1.46	16.6	594	4.4	12.9	<0.001	<0.005	0.86	7.8	0.3	0.5	37.7	<0.01
G06-42	0.02	1.11	22.6	671	5.8	18.5	<0.001	0.008	0.82	8.7	0.5	0.5	34.2	<0.01
G06-44	0.02	2.01	16.2	526	6.1	14.5	<0.001	0.008	0.52	6.3	0.2	0.6	40.4	<0.01
G06-46	0.02	1.84	20.8	681	6.5	11.7	0.001	0.010	0.62	7.1	0.4	0.6	42.4	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G06-54	0.02	1.38	13.7	793	5.0	16.4	<0.001	0.011	0.62	8.1	0.3	0.5	36.0	<0.01	
G06-56	0.01	0.79	12.6	660	3.3	16.2	<0.001	<0.005	0.47	5.1	0.3	0.4	27.9	<0.01	
G06-58	0.03	1.59	17.9	680	4.6	13.6	<0.001	0.006	0.70	8.8	0.4	0.6	37.3	<0.01	
G06-60	0.02	0.85	14.5	553	2.0	16.9	<0.001	<0.005	0.12	6.3	4.3	<0.2	21.2	1.92	
G0406-12	0.02	0.87	20.6	632	23.9	12.4	0.002	0.048	4.83	7.5	0.8	0.5	31.9	<0.01	
G0406-14	0.02	1.41	14.4	558	8.7	19.7	0.005	0.116	0.77	6.8	0.6	0.8	51.7	<0.01	
G0406-16	0.04	1.25	15.8	801	7.6	35.3	0.010	0.263	0.37	6.5	0.9	0.8	74.1	<0.01	
G0406-18	0.01	1.30	12.9	539	9.7	7.0	<0.001	0.014	0.67	4.7	0.3	0.5	36.8	<0.01	
G0406-20	0.02	2.20	14.1	873	22.8	10.5	0.012	0.082	4.07	6.8	1.0	1.0	109	<0.01	
G0406-22	0.03	2.17	14.5	554	9.0	14.1	<0.001	0.021	0.67	6.3	0.4	0.8	48.0	<0.01	
G0406-24	0.03	1.98	17.2	751	10.1	33.8	0.002	0.062	0.51	8.6	0.9	0.7	48.7	<0.01	
G0406-26	0.03	2.11	19.8	785	12.3	22.0	<0.001	0.036	0.56	8.8	0.6	0.7	49.0	<0.01	
G0406-28	0.03	1.54	11.7	697	14.6	38.4	0.001	0.117	0.29	7.3	0.7	0.6	50.9	<0.01	
G0406-30	0.02	1.23	20.5	594	20.7	19.7	0.001	0.059	0.46	8.0	0.6	0.6	48.4	<0.01	
G0406-32	0.02	1.31	20.3	611	10.7	15.1	<0.001	0.016	0.77	9.8	0.7	0.6	41.2	<0.01	
G0406-34	0.02	1.63	20.2	394	8.1	14.3	<0.001	0.007	0.68	8.8	0.5	0.6	37.4	<0.01	
G0406-36	0.03	1.94	23.8	516	9.1	13.8	<0.001	0.009	0.75	9.7	0.6	0.7	49.9	<0.01	
G0406-38	0.02	1.58	24.8	686	7.8	17.0	<0.001	0.013	0.69	10.3	0.7	0.6	46.1	<0.01	
G0406-40	0.02	1.64	17.7	486	7.1	13.0	<0.001	0.007	0.53	6.0	0.4	0.5	34.9	<0.01	
G0406-42	0.02	1.64	17.3	480	6.9	10.7	0.001	0.006	0.56	7.2	0.4	0.5	36.1	<0.01	
G0406-44	0.02	1.22	19.1	567	6.4	10.1	<0.001	0.013	0.58	6.2	0.3	0.4	37.8	<0.01	
G04-08	0.05	0.93	32.8	635	69.4	27.2	0.006	0.131	5.74	12.1	1.2	0.7	58.2	<0.01	
G04-10	0.01	1.67	14.8	509	15.5	17.4	<0.001	0.007	4.58	4.5	0.4	0.7	33.7	<0.01	
G04-12	0.06	1.93	14.8	1250	11.3	66.4	0.011	0.468	0.30	10.0	1.4	1.3	86.3	<0.01	
G04-14	0.02	1.79	12.1	543	8.9	52.7	0.002	0.059	0.70	5.1	0.5	0.8	45.3	<0.01	
G04-16	0.03	1.77	21.0	617	9.1	9.6	<0.001	0.033	0.63	6.9	0.6	0.6	53.6	<0.01	
G04-18	0.02	1.74	13.9	486	9.2	13.6	0.002	0.057	0.89	5.2	0.7	0.7	44.4	<0.01	
G04-20	0.02	1.77	14.9	489	8.2	11.5	0.002	0.065	0.87	5.2	0.8	0.7	44.7	<0.01	
G04-22	0.02	1.72	15.3	500	8.2	11.3	<0.001	0.020	0.52	5.7	0.5	0.6	45.2	<0.01	
G04-26	0.04	1.67	17.3	578	9.8	22.5	<0.001	0.060	0.40	6.6	1.0	0.7	49.0	<0.01	
G04-28	0.05	1.92	27.6	541	12.2	21.6	<0.001	0.077	0.46	8.9	1.6	0.8	63.1	<0.01	
G04-30	0.03	2.13	16.0	467	15.1	16.2	<0.001	0.020	0.62	5.9	0.4	0.7	48.2	<0.01	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil				
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	
Sample Description	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G04-32	0.08	1.96	36.0	688	33.7	35.2	<0.001	0.037	4.02	10.3	1.8	0.8	116	<0.01	
G04-34	0.02	1.34	21.4	462	12.8	19.6	<0.001	0.008	0.88	9.4	0.7	0.6	63.0	<0.01	
G04-36	0.03	1.54	21.9	626	8.7	16.9	<0.001	0.018	0.75	8.7	0.6	0.6	56.6	<0.01	
G04-38	0.02	1.39	18.6	538	6.0	11.9	<0.001	0.011	0.52	6.9	0.4	0.5	43.6	<0.01	
G04-40	0.01	0.70	25.1	537	12.5	10.2	<0.001	<0.005	0.67	13.5	0.5	0.4	31.0	<0.01	
G04-42	0.02	1.13	22.4	463	5.7	11.6	<0.001	0.009	0.64	7.6	0.2	0.4	33.8	<0.01	
G04-44	0.02	1.63	18.0	555	5.4	11.1	<0.001	0.020	0.55	6.8	0.5	0.5	46.0	<0.01	
G04-52	0.02	1.77	18.1	699	5.7	11.5	<0.001	0.014	0.67	7.2	0.4	0.5	45.0	<0.01	
G04-54	0.02	1.26	16.6	567	4.8	10.3	<0.001	0.013	0.64	6.8	0.4	0.5	37.6	<0.01	
G04-56	0.02	1.34	15.3	549	4.5	9.3	<0.001	0.007	0.59	6.9	0.3	0.5	32.5	<0.01	
G04-58	0.02	1.03	12.0	831	8.2	31.2	<0.001	0.013	<0.05	9.6	<0.2	<0.2	31.2	<0.01	
G04-60	0.02	0.86	11.3	774	8.8	30.5	<0.001	0.011	0.05	9.1	<0.2	<0.2	27.1	<0.01	
G0204-08	0.03	1.14	16.9	648	13.6	27.1	0.003	0.033	0.26	7.4	<0.2	<0.2	46.0	<0.01	
G0204-10	0.03	1.29	18.5	550	15.7	22.2	0.001	0.041	2.81	8.2	<0.2	<0.2	36.6	<0.01	
G0204-12	0.04	1.35	13.6	671	12.4	49.7	0.005	0.185	0.74	8.3	<0.2	<0.2	55.3	<0.01	
G0204-14	0.03	1.24	13.8	631	11.4	25.3	0.006	0.098	<0.05	8.1	<0.2	<0.2	51.2	0.35	
G0204-16	0.03	1.41	12.4	770	9.7	24.2	0.002	0.050	1.07	6.7	<0.2	<0.2	49.1	<0.01	
G0204-18	0.04	1.62	12.7	710	9.5	33.8	0.005	0.141	0.66	6.9	<0.2	<0.2	50.5	<0.01	
G0204-20	0.07	0.99	12.2	634	10.5	42.9	0.004	0.240	<0.05	9.9	<0.2	<0.2	58.4	3.00	
G0204-22	0.03	1.57	12.7	614	10.4	30.7	0.002	0.095	<0.05	6.7	<0.2	<0.2	44.0	<0.01	
G0204-24	0.04	1.58	11.9	754	11.6	64.7	0.002	0.182	<0.05	7.3	<0.2	<0.2	49.2	<0.01	
G0204-26	0.03	1.28	13.8	565	11.9	32.4	<0.001	0.056	<0.05	6.2	<0.2	<0.2	35.2	<0.01	
G0204-28	0.04	1.19	16.5	648	13.0	40.9	<0.001	0.051	<0.05	8.0	<0.2	<0.2	38.9	<0.01	
G0204-30	0.03	1.14	21.2	576	22.2	43.3	<0.001	0.043	1.07	8.0	<0.2	<0.2	47.9	<0.01	
G0204-32	0.02	0.95	14.6	773	20.9	48.7	<0.001	0.040	0.08	5.3	<0.2	<0.2	46.4	<0.01	
G0204-34	0.03	0.73	20.2	514	12.5	30.9	<0.001	0.026	0.48	7.3	<0.2	<0.2	51.0	<0.01	
G0204-36	0.09	1.05	33.7	616	13.7	94.5	<0.001	0.044	<0.05	9.5	<0.2	<0.2	71.3	2.39	
G0204-38	0.03	0.98	14.5	604	8.9	54.0	<0.001	0.011	<0.05	8.3	<0.2	<0.2	40.1	<0.01	
G0204-40	0.02	1.33	18.0	702	10.7	25.0	<0.001	0.032	3.04	8.8	<0.2	<0.2	44.9	<0.01	
G0204-42	0.02	1.25	17.4	670	9.0	24.9	<0.001	0.012	0.86	8.5	<0.2	<0.2	32.1	<0.01	
G02-42	0.02	0.87	14.6	576	8.3	28.3	<0.001	0.013	1.22	6.1	<0.2	<0.2	26.2	<0.01	
G02-46	0.02	1.09	10.9	636	6.5	14.5	<0.001	0.029	3.06	4.3	<0.2	<0.2	36.8	<0.01	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G02-52	0.02	1.31	15.1	788	4.0	10.8	<0.001	0.025	0.57	6.5	0.3	0.4	36.5	<0.01
G02-54	0.02	1.43	15.1	693	8.1	18.0	<0.001	0.023	1.94	7.0	<0.2	<0.2	37.4	0.68
G02-56	0.02	1.28	15.9	728	8.6	24.7	<0.001	0.015	<0.05	9.1	<0.2	<0.2	35.9	0.15
G02-58	0.02	1.11	15.5	711	9.5	22.0	<0.001	0.022	0.51	9.6	<0.2	<0.2	33.0	<0.01
G02-60	0.02	1.13	13.3	688	12.1	23.8	<0.001	0.025	2.89	8.4	<0.2	<0.2	34.0	<0.01
G00-10	0.04	1.43	18.6	676	14.8	22.9	<0.001	0.024	1.07	10.1	<0.2	<0.2	44.3	<0.01
G00-12	0.07	0.47	79.4	739	14.0	69.0	0.001	0.030	<0.05	13.2	<0.2	<0.2	44.2	<0.01
G00-14	0.02	0.83	10.9	1130	22.2	36.1	0.010	0.129	<0.05	13.0	<0.2	<0.2	40.7	4.66
G00-16	0.02	1.58	12.2	534	13.1	21.3	0.003	0.037	1.31	6.4	<0.2	<0.2	43.7	<0.01
G00-18	0.02	1.40	12.9	622	12.2	34.8	0.004	0.045	0.86	5.7	<0.2	<0.2	36.4	4.70
G00-20	0.05	1.08	13.4	682	9.7	49.1	0.007	0.128	<0.05	7.9	<0.2	<0.2	46.1	<0.01
G00-22	0.04	0.99	12.2	639	8.0	36.6	0.004	0.056	<0.05	6.8	<0.2	<0.2	35.3	<0.01
G00-24	0.03	0.61	10.7	686	9.1	45.7	<0.001	0.041	<0.05	7.0	<0.2	<0.2	29.1	0.63
G00-26	0.04	1.32	12.3	556	11.5	54.3	<0.001	0.031	0.24	8.3	<0.2	<0.2	56.0	0.67
G00-28	0.06	0.93	16.6	638	14.5	37.8	<0.001	0.034	0.61	17.0	<0.2	<0.2	48.5	<0.01
G00-30	0.03	0.95	15.3	544	16.7	30.2	<0.001	0.018	0.28	10.6	<0.2	<0.2	38.4	<0.01
G00-32	0.03	0.93	14.5	596	26.4	34.1	<0.001	0.014	0.92	9.5	<0.2	<0.2	36.6	<0.01
G00-34	0.04	1.20	21.2	423	10.2	27.7	<0.001	0.018	0.49	7.3	<0.2	<0.2	36.3	<0.01
G00-36	0.04	0.52	16.9	567	9.6	93.4	<0.001	0.017	<0.05	9.0	<0.2	<0.2	34.7	<0.01
G00-38	0.03	0.82	17.6	602	11.7	57.9	<0.001	0.016	<0.05	7.5	<0.2	<0.2	33.7	<0.01
G00-40	0.02	0.47	14.3	746	5.4	37.8	<0.001	0.011	0.48	6.1	0.4	0.4	37.4	<0.01
G00-52	0.02	1.51	16.7	662	6.0	12.5	<0.001	0.021	0.77	6.6	0.5	0.9	49.2	<0.01
G00-58	0.01	0.41	20.3	1050	4.4	25.8	<0.001	0.018	1.47	6.7	0.6	1.0	41.8	<0.01
G00-60	0.02	1.44	13.0	585	8.4	12.3	<0.001	0.042	0.99	6.3	0.6	0.8	53.6	<0.01
G01-28	0.06	0.95	15.9	664	46.6	43.7	0.001	0.031	0.42	8.6	1.4	0.6	40.7	<0.01
G01-32	0.05	1.11	21.3	526	8.5	26.0	<0.001	0.023	0.47	8.2	0.7	0.8	52.9	<0.01
G01-34	0.05	1.29	25.3	526	8.1	34.9	<0.001	0.022	0.43	8.4	0.9	0.8	61.9	<0.01
G01-36	0.04	1.43	24.0	299	10.9	33.0	<0.001	0.015	0.74	7.1	0.6	0.9	57.1	<0.01
G01-38	0.03	1.29	27.1	673	7.5	18.2	<0.001	0.045	0.67	7.4	1.0	0.8	78.7	<0.01
G01-40	0.02	1.46	13.6	511	7.9	38.5	<0.001	0.016	0.64	6.1	0.5	0.9	48.5	<0.01
G01-42	0.03	0.48	21.5	813	8.6	49.0	<0.001	0.016	1.24	10.2	0.8	0.5	92.7	<0.01
G01-46	0.02	1.24	13.9	674	5.8	11.9	<0.001	0.037	0.63	5.2	0.4	1.2	48.9	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G01-54	0.02	0.57	14.4	752	3.0	18.8	<0.001	0.015	0.93	7.5	0.4	0.6	38.9	<0.01
G01-58	0.01	0.72	28.0	792	5.0	10.2	<0.001	0.041	4.07	9.7	0.9	0.9	44.3	<0.01
G01-60	0.02	1.39	15.0	593	5.1	16.1	<0.001	0.030	1.27	7.7	0.5	0.7	49.0	<0.01
G03-16	0.04	2.23	16.5	833	5.9	9.4	<0.001	0.028	0.64	4.5	0.4	0.6	82.6	<0.01
G03-18	0.05	2.83	28.2	723	8.5	14.4	<0.001	0.160	0.98	6.0	0.5	0.9	97.6	<0.01
G03-20	0.03	1.83	26.6	734	6.5	11.4	<0.001	0.029	0.87	6.3	0.6	1.0	55.9	<0.01
G03-22	0.03	1.80	18.9	551	7.6	11.5	<0.001	0.022	0.79	5.1	0.6	1.0	50.6	<0.01
G03-26	0.03	1.55	19.8	644	7.1	8.1	<0.001	0.036	0.78	4.2	0.6	0.5	44.6	<0.01
G03-30	0.03	1.76	26.6	628	8.1	10.2	<0.001	0.025	1.02	5.2	0.6	0.6	44.5	<0.01
G03-32	0.03	1.29	21.7	636	8.3	9.1	<0.001	0.027	0.91	4.6	0.5	0.6	41.7	<0.01
G03-34	0.03	2.07	23.9	529	7.2	13.1	<0.001	0.017	0.89	6.0	0.6	0.7	53.9	<0.01
G03-44	0.02	1.83	15.7	686	5.8	11.6	<0.001	0.051	0.76	5.3	0.5	0.6	60.3	<0.01
G03-60	0.02	0.92	33.9	726	4.7	15.6	<0.001	0.044	2.19	11.1	0.7	0.7	54.0	<0.01
G0305-18	0.04	2.27	18.8	769	6.5	11.3	<0.001	0.112	0.77	5.2	0.5	0.6	139	<0.01
G0305-20	0.03	0.85	30.1	824	6.6	10.4	<0.001	0.028	0.98	6.1	0.5	0.5	54.1	<0.01
G0305-22	0.02	1.22	25.3	817	5.7	9.3	<0.001	0.021	0.87	5.9	0.5	0.5	48.2	<0.01
G0305-28	0.01	0.28	25.9	708	4.3	8.0	<0.001	0.007	0.99	7.8	0.4	0.3	26.1	<0.01
G0305-30	0.02	1.48	29.4	599	7.6	15.1	<0.001	0.013	1.03	7.9	0.5	0.7	41.5	<0.01
G0305-32	0.02	1.11	30.3	1010	6.0	37.0	<0.001	0.015	1.24	9.0	0.4	1.1	46.9	<0.01
G0305-34	0.02	0.71	29.3	939	6.2	23.6	<0.001	0.014	1.21	9.3	0.5	0.5	37.6	<0.01
G0305-42	0.02	1.57	15.7	691	4.9	9.6	<0.001	0.027	0.73	5.8	0.5	0.6	44.7	<0.01
G05-20	0.03	0.84	31.9	891	6.3	11.2	<0.001	0.018	1.11	6.9	0.5	0.6	59.1	<0.01
G05-22	0.03	1.10	26.9	818	6.2	10.5	<0.001	0.013	0.86	6.7	0.4	0.6	39.3	<0.01
G05-24	0.02	1.36	25.0	774	4.5	9.9	<0.001	0.012	0.75	9.1	0.5	0.6	42.3	<0.01
G05-26	0.01	0.82	28.1	843	4.4	11.7	<0.001	0.008	0.99	7.3	0.5	0.4	33.9	<0.01
G05-28	0.03	0.59	28.6	554	6.7	12.4	<0.001	0.010	1.09	7.9	0.2	0.8	45.4	<0.01
G05-30	0.03	0.89	31.0	525	8.8	14.4	<0.001	0.010	1.41	9.7	0.5	0.9	44.8	<0.01
G05-32	0.03	1.38	29.4	625	7.2	11.1	<0.001	0.011	1.20	8.0	0.4	0.9	39.9	<0.01
G05-34	0.03	1.17	30.8	802	4.7	21.5	<0.001	0.006	1.17	9.7	2.9	<0.2	29.2	0.64
G05-36	0.03	0.91	30.1	927	6.7	19.9	<0.001	<0.005	1.35	8.4	<0.2	<0.2	30.9	2.42
G05-38	0.01	1.20	21.7	841	3.4	24.1	<0.001	<0.005	0.96	5.7	0.6	<0.2	25.0	0.97
G05-40	0.02	2.00	20.1	558	4.4	17.6	<0.001	0.007	0.69	5.9	1.0	<0.2	31.8	2.37

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G05-52	0.02	1.63	21.0	707	3.7	13.5	<0.001	0.018	0.50	5.7	1.9	<0.2	37.6	<0.01
G05-58	0.02	1.84	23.9	816	3.3	14.4	<0.001	0.009	0.58	6.3	1.9	<0.2	34.7	<0.01
G0507-22	0.03	1.41	28.6	568	4.0	21.2	<0.001	<0.005	1.20	10.3	3.5	<0.2	33.1	<0.01
G0507-24	0.02	1.42	28.4	272	3.2	23.3	<0.001	<0.005	1.14	8.2	2.5	<0.2	32.1	0.63
G0507-26	0.03	2.00	20.4	419	5.7	19.8	<0.001	<0.005	0.70	6.6	1.2	<0.2	36.2	3.42
G0507-28	0.02	1.48	30.2	604	4.6	20.1	<0.001	<0.005	1.01	8.9	2.0	<0.2	31.6	3.16
G0507-30	0.02	1.44	29.5	265	3.7	23.2	<0.001	<0.005	1.45	7.3	2.3	<0.2	20.0	<0.01
G0507-32	0.02	0.77	32.6	614	4.9	14.1	<0.001	<0.005	1.12	9.9	0.5	<0.2	23.5	1.53
G0507-36	0.02	1.59	23.7	674	4.9	16.7	<0.001	0.013	1.00	6.6	1.4	<0.2	31.9	<0.01
G0507-40	0.02	1.07	24.2	746	4.6	21.9	<0.001	0.005	1.71	7.8	0.7	<0.2	24.9	1.89
G0507-42	0.02	1.94	23.1	712	4.4	18.9	<0.001	0.016	1.30	7.2	1.0	<0.2	35.4	<0.01
G07-22	0.02	1.91	16.7	513	5.0	18.7	<0.001	<0.005	0.72	5.2	1.4	<0.2	30.3	1.62
G07-24	0.02	2.07	17.7	520	5.8	18.9	<0.001	0.006	0.44	5.3	0.8	<0.2	36.0	<0.01
G07-26	0.02	2.02	21.6	565	5.9	18.5	<0.001	0.007	1.34	6.1	1.1	<0.2	38.0	<0.01
G07-28	0.03	1.04	28.0	763	4.6	16.9	<0.001	<0.005	0.86	7.7	1.0	<0.2	31.4	2.48
G07-30	0.03	1.50	32.7	629	5.6	25.5	<0.001	0.005	1.34	9.9	<0.2	<0.2	37.7	<0.01
G07-32	0.02	2.08	32.4	241	4.9	18.4	<0.001	0.009	0.96	6.6	2.7	<0.2	25.6	1.76
G07-34	0.03	0.83	35.6	870	5.0	18.4	<0.001	<0.005	1.12	8.1	0.9	<0.2	36.5	1.90
G07-36	0.03	2.07	25.9	575	5.1	17.2	<0.001	0.013	0.33	6.8	<0.2	<0.2	36.7	0.41
G07-38	0.02	1.79	19.5	512	4.3	15.0	<0.001	0.005	0.81	5.6	1.0	<0.2	30.4	1.71
G07-42	0.02	1.73	13.8	431	3.7	15.6	<0.001	0.005	0.77	3.5	1.8	<0.2	26.3	1.84
G07-58	0.02	1.94	21.9	683	3.3	15.4	<0.001	0.012	0.46	6.0	2.7	<0.2	34.6	<0.01
G0709-26	0.02	1.77	24.8	586	5.2	12.2	<0.001	0.017	1.16	5.7	1.2	<0.2	43.7	0.03
G0709-28	0.02	1.77	18.4	415	5.4	17.0	<0.001	<0.005	0.54	5.4	2.9	<0.2	28.5	<0.01
G0709-30	0.03	1.98	25.5	585	5.8	15.3	<0.001	0.011	1.42	7.3	0.7	<0.2	39.1	<0.01
G0709-32	0.03	2.07	25.1	566	6.8	17.2	0.001	0.007	1.39	7.2	2.9	<0.2	38.0	<0.01
G0709-34	0.02	1.28	31.2	526	4.5	16.0	<0.001	<0.005	0.75	9.4	1.9	<0.2	27.8	1.03
G0709-36	0.02	1.54	22.3	402	4.8	19.1	<0.001	<0.005	1.44	6.1	1.4	<0.2	28.8	0.46
G09-22	0.03	2.33	25.9	659	5.4	17.6	<0.001	0.016	1.18	5.8	0.6	<0.2	43.0	0.68
G09-24	0.02	1.98	24.5	660	5.0	16.1	<0.001	0.022	0.82	6.3	0.5	<0.2	44.4	<0.01
G09-26	0.02	1.33	27.6	628	5.8	18.6	<0.001	0.008	0.72	8.3	3.3	<0.2	27.0	<0.01
G09-28	0.03	1.64	27.9	567	4.7	23.4	<0.001	<0.005	0.79	9.3	4.0	<0.2	32.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G09-30	0.03	1.77	30.9	598	5.2	25.7	<0.001	0.006	1.53	10.2	4.6	<0.2	33.0	<0.01
G09-32	0.02	1.60	32.5	203	4.3	18.4	<0.001	<0.005	1.93	6.9	3.7	<0.2	25.2	1.38
G09-34	0.02	1.76	21.5	143	6.4	17.9	<0.001	<0.005	1.21	5.1	3.3	<0.2	22.2	<0.01
G09-38	0.02	1.48	19.7	587	4.9	15.8	<0.001	0.011	0.52	5.5	2.3	<0.2	29.1	<0.01
G09-40	0.01	1.24	15.7	589	5.3	7.2	<0.001	0.015	0.52	4.7	0.4	0.5	31.1	<0.01
G09-48	0.02	0.84	20.2	916	4.5	5.9	<0.001	0.020	0.97	5.3	0.7	0.4	48.6	<0.01
G09-52	0.02	1.33	17.1	652	5.4	6.8	<0.001	0.023	0.60	5.1	0.6	0.5	37.0	<0.01
G09-54	0.02	1.80	28.3	754	6.7	9.5	<0.001	0.020	0.88	6.7	0.7	0.6	44.1	<0.01
G0911-24	0.02	1.52	26.7	625	7.0	9.2	<0.001	0.020	0.92	6.8	0.6	0.6	38.9	<0.01
G0911-26	0.02	1.20	29.8	667	7.4	9.7	<0.001	0.011	0.86	8.3	0.6	0.8	36.7	<0.01
G0911-28	0.02	1.30	28.0	575	6.9	13.4	<0.001	0.011	0.77	6.4	0.5	0.8	35.6	<0.01
G0911-30	0.02	0.92	15.8	440	7.8	9.1	<0.001	0.007	0.64	5.4	0.5	0.7	33.9	<0.01
G0911-34	0.02	1.01	43.7	935	9.9	32.1	<0.001	0.013	1.79	11.7	0.7	0.9	46.8	<0.01
G0911-36	0.02	0.79	28.6	624	7.0	12.1	<0.001	0.009	1.27	8.3	0.6	0.5	32.8	<0.01
G11-30	0.02	1.70	18.3	553	7.3	10.3	<0.001	0.016	0.64	6.6	0.4	0.7	41.9	<0.01
G11-34	0.02	1.51	16.2	525	7.1	9.9	<0.001	0.010	0.62	5.4	0.4	0.7	39.0	<0.01
G11-36	0.02	1.42	15.2	462	6.9	8.1	<0.001	0.013	0.55	5.1	0.4	0.6	35.7	<0.01
G11-38	0.01	1.28	23.2	555	7.3	5.6	<0.001	0.015	0.75	4.9	0.5	0.5	37.1	<0.01
G11-50	0.02	1.16	28.2	887	5.5	7.6	<0.001	0.009	1.07	5.6	0.7	0.4	36.7	<0.01
G11-56	0.01	1.36	24.9	762	5.7	6.0	<0.001	0.056	0.74	5.9	0.9	0.4	56.8	<0.01
G13-28	0.01	1.39	14.3	682	5.1	7.6	<0.001	0.015	0.49	4.3	0.4	0.5	38.2	<0.01
G13-32	0.02	1.56	14.3	564	5.7	9.1	<0.001	0.017	0.50	4.3	0.3	0.6	41.7	<0.01
G13-42	0.01	1.32	16.9	689	5.2	8.6	<0.001	0.032	0.66	5.4	0.8	0.5	43.8	<0.01
G13-48	0.01	1.45	17.5	831	5.2	8.6	<0.001	0.044	0.80	6.0	0.8	0.5	53.5	<0.01
G13-50	0.01	1.31	17.1	671	5.8	9.4	<0.001	0.033	0.88	6.5	0.8	0.5	44.2	<0.01
G15-32	0.02	1.49	13.0	575	5.6	7.9	<0.001	0.027	0.45	4.4	0.3	0.5	41.5	<0.01
G15-34	0.01	1.18	14.6	589	4.7	8.0	<0.001	0.023	0.46	4.9	0.4	0.4	39.3	<0.01
G15-36	0.02	1.42	16.4	696	4.1	10.6	<0.001	0.019	0.44	5.4	0.4	0.5	46.1	<0.01
G15-38	0.01	1.16	13.6	572	4.6	7.7	<0.001	0.014	0.40	4.2	0.4	0.5	36.5	<0.01
G15-40	0.01	1.28	13.9	511	6.5	7.7	<0.001	0.011	0.52	4.0	<0.2	0.5	33.8	<0.01
G15-42	0.01	1.45	15.5	547	6.8	10.6	<0.001	0.011	0.65	5.4	0.4	0.6	38.5	<0.01
G15-44	0.01	0.93	25.0	744	4.2	11.0	<0.001	0.024	0.70	6.7	0.4	0.5	38.1	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G15-46	0.01	1.03	26.0	760	4.0	18.3	<0.001	0.042	0.89	6.3	0.8	0.4	52.2	<0.01
G15-50	0.01	1.28	27.8	772	4.8	16.5	<0.001	0.033	0.84	8.7	1.4	0.5	44.3	<0.01
G17-28	0.02	1.30	13.6	574	5.7	8.9	<0.001	0.019	0.43	5.0	0.5	0.5	38.5	<0.01
G17-30	0.03	1.67	19.4	698	7.0	10.1	<0.001	0.041	0.69	7.0	0.8	0.7	55.7	<0.01
G17-32	0.01	1.32	15.3	694	6.1	9.5	<0.001	0.028	0.55	6.1	0.4	0.6	42.3	<0.01
G17-34	0.01	1.16	15.9	652	5.5	7.4	<0.001	0.023	0.50	5.3	0.2	0.5	36.9	<0.01
G17-38	0.01	1.13	17.4	665	4.6	8.9	<0.001	0.020	0.55	6.0	0.5	0.5	36.4	<0.01
G17-42	0.01	1.31	19.6	643	4.4	12.5	<0.001	0.018	0.43	5.8	0.3	0.6	40.9	<0.01
G17-44	0.01	1.19	16.7	651	4.8	14.9	<0.001	0.011	0.59	6.1	0.5	0.6	38.0	<0.01
G17-46	0.01	1.19	20.8	822	5.8	17.8	<0.001	0.024	0.92	8.1	0.5	0.6	48.7	<0.01
G17-48	<0.01	1.07	22.2	504	3.6	10.6	<0.001	0.018	0.40	4.3	0.3	0.8	22.9	<0.01
G17-50	0.01	1.19	25.1	569	4.0	11.5	<0.001	0.020	0.45	4.7	0.2	0.9	25.7	<0.01
G17-52	<0.01	0.82	28.6	570	2.4	9.0	<0.001	0.013	0.47	4.5	0.4	0.5	27.4	<0.01
G17-54	<0.01	0.92	25.0	650	3.1	11.8	<0.001	0.012	1.95	3.4	0.2	0.4	16.6	<0.01
G17-56	0.01	0.83	16.5	676	7.6	22.4	<0.001	0.015	<0.05	9.7	<0.2	<0.2	23.9	<0.01
G17-58	0.02	1.32	24.1	614	9.8	27.3	<0.001	0.015	1.34	6.9	<0.2	<0.2	28.3	<0.01
G17-60	0.01	0.85	16.0	605	7.3	26.7	<0.001	0.013	0.54	7.8	<0.2	<0.2	28.0	<0.01
G19-32	0.03	1.35	15.2	605	9.9	22.4	<0.001	0.015	0.25	6.6	<0.2	<0.2	32.1	<0.01
G19-34	0.02	1.24	13.7	748	8.6	16.4	<0.001	0.018	<0.05	5.7	<0.2	<0.2	28.7	<0.01
G19-36	0.02	1.35	13.9	606	7.3	16.3	<0.001	0.019	1.68	5.5	<0.2	<0.2	30.0	<0.01
G19-38	0.01	1.08	16.1	702	7.9	18.2	<0.001	0.021	<0.05	6.9	<0.2	<0.2	30.7	<0.01
G19-40	0.01	1.21	15.7	835	7.5	17.4	<0.001	0.034	1.11	7.8	<0.2	<0.2	43.8	0.49
G19-42	0.02	1.33	22.8	713	8.4	26.2	<0.001	0.016	0.52	8.1	<0.2	<0.2	36.0	1.70
G19-44	0.01	1.28	21.6	671	7.9	28.6	<0.001	0.019	<0.05	7.7	<0.2	<0.2	33.7	<0.01
G19-48	0.01	0.99	22.7	804	7.5	31.6	<0.001	0.020	0.08	7.9	<0.2	<0.2	32.2	<0.01
G19-54	0.01	1.13	12.9	648	6.0	9.2	<0.001	0.013	<0.05	3.1	<0.2	<0.2	17.8	<0.01
G19-56	0.02	1.19	16.7	693	7.1	27.8	<0.001	0.021	<0.05	5.1	<0.2	<0.2	44.6	<0.01
G19-58	0.01	1.53	8.7	996	8.7	27.3	<0.001	0.014	0.07	3.4	<0.2	<0.2	21.2	<0.01
G19-60	0.01	1.13	13.3	665	7.1	38.3	<0.001	0.011	<0.05	6.8	<0.2	<0.2	32.3	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G22-24	<0.01	<0.1	0.079	1.54	2.54	66.5	<0.05	6.89	83.5	2.5	
G22-26	<0.01	1.9	0.064	0.56	3.08	67.6	0.30	8.95	90.9	4.5	
G22-30	<0.01	<0.1	0.060	3.88	6.08	147	<0.05	14.8	168	3.1	
G22-36	<0.01	0.3	0.040	1.55	3.23	57.7	0.06	8.80	68.9	2.7	
G22-38	<0.01	<0.1	0.045	1.60	2.87	53.4	0.57	13.1	59.4	3.1	
G22-40	<0.01	1.4	0.059	1.83	2.91	60.9	0.08	8.75	54.7	5.2	
G22-42	<0.01	2.3	0.084	1.09	3.07	62.8	0.49	8.95	62.5	8.5	
G22-44	<0.01	1.9	0.065	0.45	2.55	54.5	<0.05	6.76	58.5	5.3	
G22-46	<0.01	2.6	0.074	0.96	1.70	59.6	0.30	7.04	48.9	4.8	
G22-50	<0.01	<0.1	0.058	2.11	2.28	70.9	0.45	13.6	87.6	2.0	
G22-52	<0.01	<0.1	0.017	1.50	2.49	54.1	<0.05	12.2	77.4	2.2	
G20-36	<0.01	<0.1	0.021	1.71	3.16	79.0	0.14	11.7	67.1	2.9	
G20-38	<0.01	<0.1	0.040	1.45	3.86	57.0	<0.05	11.5	255	2.5	
G20-40	<0.01	0.1	0.065	1.44	2.25	86.7	<0.05	11.2	88.4	3.2	
G20-42	<0.01	<0.1	0.108	1.91	3.87	102	<0.05	9.95	97.2	2.6	
G20-44	<0.01	<0.1	0.025	2.48	3.21	52.7	<0.05	15.5	104	2.6	
G20-46	<0.01	0.5	0.054	1.58	2.77	67.1	0.66	11.0	67.8	2.1	
G20-48	<0.01	<0.1	0.031	1.00	3.50	74.5	0.28	10.7	66.2	2.6	
G20-50	<0.01	<0.1	0.035	0.96	3.71	55.9	<0.05	10.2	72.5	2.5	
G20-52	<0.01	<0.1	0.060	1.63	2.82	70.6	0.08	12.5	86.3	2.3	
G20-54	<0.01	<0.1	0.064	1.36	3.40	80.7	0.14	15.7	102	2.1	
G18-22	<0.01	1.4	0.069	0.68	1.85	56.1	0.33	7.46	57.2	3.1	
G18-24	<0.01	<0.1	0.082	0.38	2.15	55.8	0.24	7.42	53.8	2.6	
G18-26	<0.01	<0.1	0.092	1.37	2.47	61.8	0.21	6.03	58.5	2.3	
G18-36	<0.01	<0.1	0.105	2.14	2.62	80.8	0.28	9.58	76.7	1.6	
G18-38	<0.01	0.2	0.070	2.33	2.48	67.4	<0.05	17.6	125	3.9	
G18-40	<0.01	0.7	0.092	0.57	1.32	66.7	0.21	2.70	44.0	2.1	
G18-42	<0.01	1.0	0.106	0.78	2.29	68.9	<0.05	8.86	44.7	4.6	
G18-44	<0.01	2.6	0.085	0.56	1.73	64.1	0.23	6.99	44.7	5.0	
G18-46	<0.01	<0.1	0.172	1.84	2.52	110	<0.05	6.20	76.3	3.2	
G18-48	<0.01	<0.1	0.026	2.66	3.58	110	<0.05	17.1	120	2.4	
G18-50	<0.01	<0.1	0.116	1.67	3.15	86.7	<0.05	8.69	60.9	3.4	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G18-52	<0.01	0.2	0.055	1.48	2.42	66.8	0.13	10.1	58.7	2.6	
G18-54	<0.01	<0.1	0.086	1.09	3.75	81.2	0.50	10.3	68.4	2.2	
G18-56	<0.01	<0.1	0.132	2.37	2.34	87.1	0.18	9.43	59.2	3.0	
G18-58	<0.01	<0.1	0.089	1.80	3.44	71.5	4.54	7.51	80.9	2.2	
G18-60	<0.01	<0.1	0.071	1.84	2.65	86.9	<0.05	8.05	145	2.0	
G1618-24	<0.01	<0.1	0.057	1.54	2.86	73.7	0.06	5.15	61.7	2.1	
G1618-26	<0.01	<0.1	0.061	1.93	2.00	65.0	<0.05	4.76	61.6	2.5	
G1618-32	<0.01	<0.1	0.070	1.84	2.64	76.0	<0.05	4.56	84.8	2.4	
G1618-36	<0.01	<0.1	0.202	9.33	<0.05	112	<0.05	4.84	126	<0.5	
G1618-38	<0.01	<0.1	0.074	4.96	<0.05	67.4	<0.05	3.25	41.5	<0.5	
G1618-40	<0.01	<0.1	0.093	7.59	<0.05	68.7	0.11	3.62	46.1	0.6	
G1618-42	<0.01	<0.1	0.109	6.17	<0.05	84.8	<0.05	4.13	68.4	2.9	
G1618-44	<0.01	<0.1	0.144	6.98	0.23	76.2	0.11	7.05	45.6	<0.5	
G1618-46	<0.01	<0.1	0.164	9.81	<0.05	93.7	<0.05	7.48	76.4	3.9	
G16-34	<0.01	0.1	0.151	6.68	<0.05	93.7	<0.05	4.32	51.1	1.7	
G16-36	<0.01	<0.1	0.120	6.44	<0.05	85.6	<0.05	2.06	43.1	<0.5	
G16-38	<0.01	<0.1	0.152	7.98	<0.05	84.8	<0.05	6.78	48.4	0.5	
G16-40	<0.01	<0.1	0.172	8.36	<0.05	80.8	<0.05	5.18	46.9	<0.5	
G16-42	<0.01	<0.1	0.118	6.72	<0.05	81.2	<0.05	4.76	49.1	<0.5	
G16-44	<0.01	<0.1	0.222	12.5	<0.05	185	<0.05	11.1	76.9	1.8	
G16-46	<0.01	0.9	0.155	6.44	<0.05	133	<0.05	3.66	47.9	1.4	
G16-48	<0.01	<0.1	0.153	8.18	<0.05	116	<0.05	3.96	46.2	1.2	
G16-50	<0.01	<0.1	0.162	8.66	<0.05	157	<0.05	11.3	86.9	<0.5	
G16-52	<0.01	<0.1	0.157	9.31	<0.05	129	<0.05	9.00	75.6	1.3	
G16-54	<0.01	<0.1	0.103	8.52	<0.05	131	<0.05	26.1	67.0	<0.5	
G16-60	<0.01	<0.1	0.158	8.99	<0.05	95.2	<0.05	4.57	76.5	1.6	
G1416-34	<0.01	1.9	0.122	6.71	<0.05	79.8	<0.05	4.63	45.0	3.4	
G1416-36	<0.01	0.4	0.078	6.57	<0.05	79.2	<0.05	5.13	40.0	3.9	
G1416-38	<0.01	<0.1	0.110	8.12	<0.05	114	<0.05	6.10	75.0	1.8	
G1416-40	<0.01	0.9	0.098	4.26	0.29	82.5	<0.05	4.08	44.2	<0.5	
G1416-42	<0.01	<0.1	0.094	7.75	<0.05	165	<0.05	13.0	62.4	<0.5	
G1416-44	<0.01	2.1	0.114	6.31	<0.05	84.8	<0.05	6.94	39.3	2.2	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G1416-46		1.51	<0.1	0.005	5.14	<0.05	103	<0.05	10.2	101	<0.5
G14-34		<0.01	<0.1	0.177	9.06	<0.05	176	<0.05	11.4	65.3	1.3
G14-36		<0.01	<0.1	0.281	13.6	<0.05	174	<0.05	8.50	55.5	0.6
G14-38		<0.01	<0.1	0.142	7.89	<0.05	175	<0.05	6.85	56.4	<0.5
G14-40		<0.01	<0.1	0.131	6.86	<0.05	134	<0.05	6.70	53.0	0.7
G14-42		<0.01	<0.1	0.128	8.35	<0.05	103	<0.05	8.13	42.6	<0.5
G14-44		<0.01	<0.1	0.224	12.0	<0.05	289	<0.05	13.9	98.0	<0.5
G14-46		<0.01	<0.1	0.160	8.39	<0.05	186	<0.05	8.48	57.2	<0.5
G14-48		<0.01	<0.1	0.183	10.9	<0.05	281	<0.05	15.9	99.2	0.9
G14-50		<0.01	<0.1	0.409	15.9	<0.05	181	<0.05	11.5	59.5	2.5
G14-52		<0.01	1.0	0.095	6.86	<0.05	116	0.10	12.8	42.0	2.5
G14-54		<0.01	2.3	0.065	4.88	0.29	72.7	<0.05	8.44	38.2	1.4
G14-56		<0.01	1.4	0.109	8.22	<0.05	74.2	<0.05	14.2	42.6	2.3
G14-58		<0.01	<0.1	0.196	10.4	<0.05	131	<0.05	4.04	56.9	<0.5
G14-60		<0.01	<0.1	0.169	9.35	<0.05	116	<0.05	5.80	91.5	2.6
G12-32		<0.01	0.8	0.112	6.39	<0.05	95.3	<0.05	5.56	48.6	1.4
G12-34		<0.01	0.1	0.128	2.24	2.47	99.9	0.08	12.8	60.2	6.0
G12-36		<0.01	<0.1	0.162	2.25	2.82	92.5	<0.05	5.32	56.9	3.9
G12-38		<0.01	<0.1	0.204	3.06	3.21	131	0.12	5.14	73.5	3.2
G12-40		<0.01	<0.1	0.146	2.12	2.99	86.5	<0.05	5.46	73.7	2.4
G12-42		<0.01	<0.1	0.102	2.07	3.16	76.4	0.11	15.4	61.2	2.6
G12-44		<0.01	<0.1	0.174	2.49	3.22	102	0.09	7.51	86.1	2.7
G12-46		<0.01	<0.1	0.222	2.38	4.24	89.1	<0.05	9.13	80.9	3.4
G12-48		<0.01	0.1	0.104	0.69	2.71	75.1	0.44	9.68	48.2	2.6
G12-50		<0.01	1.2	0.125	0.93	2.42	75.4	0.14	8.48	53.2	5.4
G12-52		<0.01	<0.1	0.253	2.13	4.30	129	0.09	6.58	70.0	3.3
G12-54		<0.01	<0.1	0.126	1.80	1.67	98.5	0.28	3.21	47.6	1.4
G12-56		<0.01	<0.1	0.395	2.98	4.54	110	0.05	4.68	92.7	3.4
G12-58		<0.01	<0.1	0.188	2.52	3.26	171	0.52	8.92	71.2	3.2
G12-60		<0.01	<0.1	0.108	2.56	3.08	126	0.06	15.8	68.3	5.2
G1012-30		<0.01	<0.1	0.111	0.94	2.51	81.9	0.14	5.95	60.1	1.8
G1012-32		<0.01	<0.1	0.180	2.14	3.97	102	0.63	4.94	71.0	2.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G1012-34		<0.01	<0.1	0.223	1.30	3.54	113	0.28	7.31	78.2	4.1
G1012-36		<0.01	<0.1	0.123	1.20	2.76	83.8	0.08	3.95	53.3	1.7
G1012-38		<0.01	<0.1	0.266	1.37	2.77	121	0.25	9.56	60.1	5.0
G1012-40		<0.01	<0.1	0.216	2.03	3.78	105	0.24	8.22	81.3	3.0
G1012-42		<0.01	<0.1	0.141	0.73	2.65	88.6	<0.05	6.59	60.9	2.9
G1012-44		<0.01	<0.1	0.132	2.25	2.36	103	0.37	7.75	69.5	2.4
G1012-46		<0.01	<0.1	0.128	0.63	2.82	79.7	0.24	6.28	65.9	3.2
G10-22		<0.01	<0.1	0.114	2.18	2.66	93.1	1.24	5.65	58.0	2.4
G10-24		<0.01	<0.1	0.222	2.70	3.98	148	2.66	9.88	82.1	2.6
G10-26		<0.01	<0.1	0.189	1.18	3.27	97.3	0.29	7.19	53.4	3.1
G10-28		<0.01	<0.1	0.243	2.67	3.53	135	0.70	7.23	57.2	2.7
G10-30		<0.01	<0.1	0.190	3.02	5.16	181	0.66	7.60	71.3	4.4
G10-32		<0.01	<0.1	0.138	1.11	2.91	89.2	0.30	4.88	71.8	1.7
G10-34		<0.01	<0.1	0.178	1.35	4.01	111	0.43	8.40	83.9	3.9
G10-36		<0.01	<0.1	0.169	2.93	2.58	118	0.19	7.69	60.0	1.8
G10-38		<0.01	<0.1	0.210	1.90	4.23	115	<0.05	8.00	78.7	1.5
G10-40		<0.01	<0.1	0.274	2.08	3.47	123	<0.05	6.51	59.9	3.8
G10-42		<0.01	<0.1	0.181	0.92	3.07	94.4	0.17	7.56	60.2	3.7
G10-48		<0.01	<0.1	0.131	1.84	2.14	90.4	0.27	18.6	60.6	5.4
G10-50		<0.01	<0.1	0.125	1.65	3.23	83.3	0.13	8.09	62.4	3.7
G10-52		<0.01	<0.1	0.125	1.36	3.43	91.2	0.08	9.63	66.3	2.6
G10-54		0.03	2.4	0.116	0.09	0.96	78.4	0.20	9.76	58.4	1.7
G10-56		<0.01	<0.1	0.242	2.79	3.63	108	<0.05	8.31	84.7	3.4
G10-58		<0.01	<0.1	0.252	2.50	4.34	103	0.35	8.82	94.2	2.9
G10-60		<0.01	0.4	0.129	1.29	2.93	85.5	0.49	8.13	63.3	3.5
G0810-22		<0.01	<0.1	0.086	1.66	2.71	79.7	0.51	8.39	52.0	2.2
G0810-24		0.15	4.7	0.123	0.38	1.59	89.6	1.87	14.3	77.7	5.1
G0810-26		0.25	4.1	0.131	0.19	1.26	80.6	1.38	10.3	68.5	2.5
G0810-28		0.17	2.7	0.151	0.21	1.30	118	0.59	16.4	82.5	2.0
G0810-30		0.30	4.1	0.165	0.33	1.08	110	1.85	11.1	112	4.3
G0810-32		0.09	3.4	0.236	0.42	1.06	198	0.32	14.9	97.0	5.9
G0810-34		0.23	7.7	0.172	0.16	1.68	74.7	0.62	11.0	94.9	13.0

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0810-36	0.11	5.3	0.144	0.13	2.06	86.8	0.46	19.5	67.3	4.6
G0810-38	0.06	2.5	0.150	0.12	1.04	103	0.29	11.9	69.2	0.9
G0810-40	0.04	3.5	0.146	0.12	0.75	76.4	0.38	6.63	50.9	2.3
G0810-42	0.03	2.9	0.158	0.14	0.86	101	0.23	8.73	73.3	2.5
G0810-44	0.05	3.2	0.177	0.13	1.02	108	0.24	14.0	81.9	4.7
G0810-46	0.04	3.0	0.141	0.08	1.03	91.8	0.22	9.95	62.5	3.5
G08-05	0.04	2.2	0.191	0.15	0.84	94.3	0.26	7.48	66.6	0.7
G08-03	0.05	2.6	0.204	0.10	0.76	90.5	0.28	8.84	53.8	1.5
G08-00	0.10	2.1	0.230	0.18	0.77	86.2	0.27	7.47	73.6	1.4
G08-02	0.06	4.4	0.134	0.15	0.85	67.6	0.29	6.28	50.2	4.2
G08-08	0.08	4.8	0.107	0.15	1.49	65.0	2.66	10.4	64.4	3.8
G08-10	0.07	3.9	0.185	0.21	0.90	107	1.13	15.8	79.9	8.9
G08-12	0.06	3.4	0.080	0.13	0.57	60.1	1.23	4.02	35.2	2.0
G08-14	0.06	3.9	0.130	0.12	0.84	69.8	0.64	6.01	51.6	3.3
G08-22	0.08	4.4	0.126	0.14	1.34	68.9	1.22	8.78	56.6	3.2
G08-28	0.20	3.2	0.176	0.26	1.55	128	0.53	15.7	77.7	1.9
G08-30	0.07	2.5	0.179	0.22	0.79	107	1.24	8.07	67.7	1.6
G08-32	0.08	3.7	0.130	0.14	1.54	78.5	0.32	17.7	75.1	2.4
G08-34	0.12	3.2	0.156	0.28	1.05	94.1	0.40	10.9	82.3	2.6
G08-36	0.04	3.3	0.144	0.11	1.24	82.4	0.47	10.5	63.6	2.9
G08-38	0.06	2.3	0.133	0.10	0.53	75.3	0.28	5.17	51.8	2.5
G08-40	0.08	3.3	0.156	0.14	1.07	81.5	0.40	9.92	76.6	1.9
G08-42	0.07	2.9	0.160	0.12	0.72	76.7	0.28	6.87	76.2	3.3
G08-44	0.05	2.9	0.179	0.11	0.89	91.5	0.32	8.96	70.8	2.3
G08-52	0.04	3.1	0.215	0.11	0.86	121	0.24	11.1	78.5	3.0
G08-54	0.04	2.1	0.189	0.11	0.57	131	0.24	11.4	78.3	3.2
G08-56	0.04	2.4	0.118	0.07	0.70	76.1	0.19	8.65	58.4	0.9
G08-58	0.04	1.8	0.146	0.08	0.47	118	0.15	9.46	61.4	2.4
G08-60	0.04	2.9	0.172	0.11	0.67	101	0.23	8.06	66.1	4.4
G06-42	0.06	2.7	0.166	0.12	0.84	105	0.31	10.5	82.0	2.6
G06-44	0.05	3.5	0.160	0.11	1.05	76.3	0.27	9.59	62.5	3.0
G06-46	0.04	3.9	0.149	0.09	1.45	75.1	0.37	13.3	69.8	3.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G06-54	0.04	2.5	0.171	0.11	0.81	122	0.36	10.7	78.8	2.3	
G06-56	0.04	2.1	0.152	0.11	0.49	81.3	0.22	5.72	67.9	3.0	
G06-58	0.05	3.2	0.204	0.10	0.87	106	0.31	11.9	70.6	4.7	
G06-60	<0.01	0.2	0.148	2.33	1.65	85.9	0.37	8.25	59.4	3.4	
G0406-12	0.26	3.4	0.115	0.22	1.20	80.6	3.15	9.35	91.6	7.5	
G0406-14	0.08	2.8	0.178	0.26	1.23	102	2.17	7.51	69.0	3.2	
G0406-16	0.08	3.1	0.243	0.37	1.86	138	4.48	8.14	65.5	6.9	
G0406-18	0.06	3.9	0.081	0.09	1.73	55.8	1.24	8.50	45.6	3.1	
G0406-20	0.16	10.8	0.138	0.14	4.46	69.1	6.79	14.7	67.0	15.8	
G0406-22	0.10	4.2	0.165	0.17	1.90	83.9	1.41	9.96	58.7	4.5	
G0406-24	0.13	3.5	0.255	0.36	2.05	119	4.41	12.5	93.4	3.1	
G0406-26	0.09	3.9	0.200	0.22	2.38	98.9	2.29	14.9	97.1	2.9	
G0406-28	0.10	2.2	0.229	0.42	1.34	120	4.04	9.89	82.7	2.5	
G0406-30	0.11	2.8	0.161	0.21	1.61	103	2.00	11.4	90.1	2.4	
G0406-32	0.11	4.0	0.130	0.19	1.57	89.6	0.89	15.5	70.5	3.8	
G0406-34	0.07	3.3	0.142	0.18	0.91	89.1	0.34	9.78	63.3	4.0	
G0406-36	0.07	4.7	0.139	0.18	1.42	80.8	0.84	18.9	71.1	2.9	
G0406-38	0.04	3.5	0.154	0.13	1.63	92.2	0.33	28.5	78.6	1.3	
G0406-40	0.04	2.9	0.146	0.10	0.76	78.7	0.30	8.52	71.6	2.8	
G0406-42	0.04	3.6	0.139	0.09	1.28	73.4	0.24	14.2	67.1	3.8	
G0406-44	0.04	2.7	0.097	0.07	1.14	65.5	0.32	11.5	67.2	1.8	
G04-08	0.45	2.7	0.187	0.30	2.68	122	15.2	20.2	243	6.0	
G04-10	0.15	6.8	0.078	0.13	1.27	51.3	1.05	5.49	69.0	7.3	
G04-12	0.15	2.1	0.360	0.61	1.59	183	7.04	9.36	116	2.0	
G04-14	0.09	1.9	0.158	0.17	0.87	94.2	3.74	5.74	64.0	1.4	
G04-16	0.06	3.8	0.141	0.13	1.96	81.6	1.26	12.0	66.2	2.8	
G04-18	0.09	3.5	0.146	0.16	1.54	79.3	1.68	7.19	56.2	2.8	
G04-20	0.10	3.3	0.147	0.16	1.42	79.9	5.86	6.80	59.3	2.8	
G04-22	0.08	3.7	0.122	0.12	1.78	74.0	2.23	8.45	62.2	2.6	
G04-26	0.13	2.8	0.192	0.24	1.23	97.1	3.35	9.50	84.7	1.6	
G04-28	0.10	3.6	0.214	0.30	2.01	108	5.82	13.9	120	3.2	
G04-30	0.09	3.2	0.161	0.19	1.15	77.5	2.59	8.46	62.8	2.8	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G04-32	0.26	3.5	0.228	0.38	2.08	118	8.19	18.2	154	3.7	
G04-34	0.13	3.4	0.158	0.22	1.54	89.0	1.73	14.6	79.6	3.7	
G04-36	0.15	2.8	0.138	0.18	1.17	90.3	0.96	13.5	68.8	2.1	
G04-38	0.04	2.8	0.111	0.10	1.10	63.3	0.31	11.5	59.2	2.2	
G04-40	0.04	2.1	0.113	0.10	0.67	111	0.20	14.3	71.5	4.0	
G04-42	0.04	2.2	0.143	0.10	0.66	87.8	0.34	6.73	66.7	2.1	
G04-44	0.04	2.7	0.128	0.08	1.23	65.9	0.28	10.8	58.8	1.5	
G04-52	0.03	3.3	0.145	0.10	1.23	81.0	0.43	11.5	68.8	1.1	
G04-54	0.04	2.7	0.113	0.09	0.90	73.8	0.25	10.5	66.9	2.1	
G04-56	0.04	3.0	0.131	0.08	0.92	76.4	0.22	10.6	63.5	3.2	
G04-58	<0.01	<0.1	0.178	12.1	<0.05	124	<0.05	10.9	63.1	2.4	
G04-60	<0.01	<0.1	0.172	9.06	<0.05	135	<0.05	7.11	64.0	2.1	
G0204-08	<0.01	1.4	0.101	8.42	0.50	82.1	0.24	11.2	51.6	1.9	
G0204-10	<0.01	3.7	0.107	6.88	0.88	82.0	1.75	10.4	57.8	6.1	
G0204-12	<0.01	0.8	0.194	8.71	<0.05	122	0.81	9.47	61.3	3.4	
G0204-14	<0.01	0.9	0.151	8.52	0.37	96.9	4.90	11.0	56.5	4.0	
G0204-16	<0.01	2.0	0.121	8.05	2.00	75.1	5.12	9.40	53.6	3.3	
G0204-18	<0.01	2.4	0.166	8.36	1.26	92.3	7.31	9.75	47.8	4.6	
G0204-20	<0.01	<0.1	0.215	10.5	<0.05	128	1.86	10.7	49.6	3.1	
G0204-22	<0.01	3.2	0.163	9.08	0.80	95.1	7.91	7.94	56.8	3.0	
G0204-24	<0.01	<0.1	0.209	10.3	<0.05	118	5.96	7.70	67.2	2.1	
G0204-26	<0.01	0.8	0.155	7.71	<0.05	94.8	2.80	6.73	58.2	1.7	
G0204-28	<0.01	<0.1	0.187	9.51	<0.05	110	7.36	8.42	70.4	2.0	
G0204-30	<0.01	<0.1	0.146	8.83	0.07	104	7.48	7.85	101	2.7	
G0204-32	<0.01	<0.1	0.115	8.93	1.27	86.0	5.35	5.64	87.3	1.3	
G0204-34	<0.01	0.1	0.145	7.58	0.83	88.4	0.50	9.33	51.4	4.7	
G0204-36	<0.01	<0.1	0.214	12.6	<0.05	112	0.73	16.2	71.6	1.8	
G0204-38	<0.01	2.1	0.235	11.2	<0.05	103	0.15	11.2	51.0	3.6	
G0204-40	<0.01	0.8	0.112	8.98	0.59	78.0	<0.05	16.0	55.0	1.6	
G0204-42	<0.01	<0.1	0.148	7.87	0.58	86.7	<0.05	11.3	56.9	2.5	
G02-42	<0.01	<0.1	0.111	8.98	<0.05	81.7	<0.05	7.51	57.3	1.8	
G02-46	<0.01	1.6	0.067	6.76	0.24	56.5	<0.05	5.67	44.2	1.0	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G02-52		0.03	2.3	0.126	0.08	0.66	89.3	1.13	7.99	58.2	1.8
G02-54		<0.01	2.0	0.106	9.13	0.27	74.5	<0.05	11.2	52.3	1.2
G02-56		<0.01	1.3	0.142	9.28	0.33	94.2	<0.05	12.0	61.0	4.2
G02-58		<0.01	<0.1	0.100	8.39	0.96	89.3	<0.05	13.2	62.0	2.3
G02-60		<0.01	<0.1	0.082	8.95	0.69	94.7	<0.05	7.84	65.1	2.3
G00-10		<0.01	0.5	0.132	10.3	0.58	94.5	2.81	13.9	61.2	3.7
G00-12		<0.01	<0.1	0.178	11.1	<0.05	135	0.62	12.4	70.4	3.2
G00-14		<0.01	<0.1	0.118	9.16	0.45	133	15.8	16.9	90.7	1.9
G00-16		<0.01	3.9	0.111	7.20	0.71	69.1	3.29	8.69	41.8	5.5
G00-18		<0.01	0.3	0.112	7.91	1.09	76.0	2.35	8.69	45.0	3.6
G00-20		<0.01	<0.1	0.178	9.26	0.05	116	4.81	8.61	45.2	2.1
G00-22		<0.01	0.6	0.161	8.80	<0.05	102	4.52	6.40	44.3	2.5
G00-24		<0.01	1.1	0.139	9.33	<0.05	99.7	9.65	5.79	53.8	1.4
G00-26		<0.01	<0.1	0.163	9.61	<0.05	111	3.20	7.18	63.9	1.7
G00-28		<0.01	0.3	0.123	10.4	0.22	131	1.75	18.7	64.0	0.9
G00-30		<0.01	1.3	0.142	8.59	<0.05	99.6	6.49	12.3	64.9	3.1
G00-32		<0.01	0.7	0.149	9.44	<0.05	99.7	3.11	9.85	59.0	3.5
G00-34		<0.01	<0.1	0.128	7.79	0.60	74.6	0.84	11.6	45.3	5.1
G00-36		<0.01	<0.1	0.199	11.1	<0.05	131	0.16	8.97	61.4	2.5
G00-38		<0.01	<0.1	0.123	9.14	0.19	93.3	0.52	11.6	57.6	1.5
G00-40		0.09	2.1	0.193	0.26	0.65	103	0.74	8.61	73.8	3.4
G00-52		0.05	3.5	0.113	0.10	1.25	78.7	0.24	13.2	57.0	2.4
G00-58		0.05	2.3	0.124	0.14	0.59	146	0.21	8.92	97.6	1.9
G00-60		0.04	2.4	0.105	0.10	0.97	85.3	0.26	10.6	53.9	2.0
G01-28		0.18	2.2	0.232	0.36	0.92	138	9.01	12.7	73.4	3.1
G01-32		0.22	2.9	0.196	0.26	1.05	114	1.76	12.9	50.4	3.5
G01-34		0.14	2.9	0.198	0.33	1.21	113	1.86	14.5	58.7	3.4
G01-36		0.11	3.0	0.190	0.28	1.41	116	0.67	13.4	60.1	3.3
G01-38		0.09	2.3	0.112	0.16	1.74	84.8	0.54	23.8	57.0	1.6
G01-40		0.08	2.2	0.168	0.22	0.67	96.5	0.58	9.29	59.0	2.6
G01-42		0.10	2.2	0.214	0.41	0.56	141	1.08	20.6	104	2.1
G01-46		0.04	2.4	0.080	0.09	0.95	66.0	0.31	8.79	48.9	1.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G01-54		0.04	2.2	0.148	0.13	0.63	100	0.17	9.46	69.7	2.9
G01-58		0.05	2.0	0.061	0.10	1.01	89.6	0.64	17.2	70.1	1.5
G01-60		0.04	2.8	0.122	0.11	1.17	90.8	1.35	14.5	59.7	1.8
G03-16		0.02	6.2	0.126	0.08	0.93	61.5	0.53	11.2	41.8	6.8
G03-18		0.03	5.3	0.147	0.12	1.50	76.3	0.33	12.6	55.2	10.3
G03-20		0.04	4.1	0.121	0.10	0.94	74.5	0.31	11.1	45.9	3.6
G03-22		0.04	5.5	0.107	0.10	1.67	67.0	0.28	10.6	47.2	4.8
G03-26		0.03	4.2	0.063	0.08	0.93	50.3	0.34	9.85	54.0	3.7
G03-30		0.04	4.9	0.084	0.10	0.87	66.7	0.33	10.8	55.0	3.3
G03-32		0.04	4.9	0.057	0.09	0.84	58.8	0.29	10.4	58.2	2.7
G03-34		0.03	4.9	0.126	0.11	1.25	70.8	0.39	12.6	48.1	4.2
G03-44		0.04	3.3	0.108	0.10	1.37	68.1	0.34	8.77	48.5	2.2
G03-60		0.03	2.1	0.095	0.11	0.92	101	0.30	15.9	78.3	1.3
G0305-18		0.02	5.1	0.131	0.09	1.17	67.4	0.97	11.3	43.4	8.3
G0305-20		0.03	4.5	0.104	0.10	0.78	76.2	0.30	11.2	53.7	6.1
G0305-22		0.03	3.3	0.107	0.09	0.64	67.9	0.61	9.99	43.9	4.9
G0305-28		0.04	1.9	0.093	0.07	0.47	111	0.34	9.37	47.1	3.1
G0305-30		0.05	3.1	0.151	0.12	0.79	120	0.55	11.1	63.6	5.5
G0305-32		0.06	2.6	0.176	0.16	0.78	125	1.10	9.08	75.7	1.4
G0305-34		0.05	2.6	0.139	0.16	0.67	114	1.50	8.56	66.3	1.5
G0305-42		0.04	3.0	0.136	0.07	0.88	70.5	1.31	8.45	43.0	1.8
G05-20		0.03	4.0	0.116	0.11	0.65	73.9	0.28	11.6	52.2	7.7
G05-22		0.04	3.5	0.118	0.10	0.57	72.2	0.33	11.0	48.9	5.4
G05-24		0.03	3.0	0.143	0.10	0.74	82.0	0.37	22.9	37.4	4.1
G05-26		0.04	2.6	0.152	0.09	0.52	113	1.07	6.10	49.4	5.1
G05-28		0.04	4.4	0.140	0.11	0.66	92.1	0.45	11.8	51.3	6.7
G05-30		0.05	4.5	0.166	0.15	0.86	103	1.02	14.6	50.5	8.1
G05-32		0.04	3.9	0.145	0.11	0.89	90.4	1.51	12.4	44.1	2.9
G05-34		<0.01	0.9	0.134	1.99	3.10	91.0	0.84	12.7	58.5	5.3
G05-36		<0.01	1.5	0.142	0.91	1.83	78.9	1.44	12.1	58.6	8.7
G05-38		<0.01	0.2	0.133	1.81	3.40	92.6	1.29	5.77	59.5	3.9
G05-40		<0.01	1.5	0.144	0.17	2.70	65.0	0.61	9.15	50.9	3.7

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G05-52	<0.01	<0.1	0.118	0.48	1.60	61.7	0.45	8.48	50.5	3.0	
G05-58	<0.01	<0.1	0.144	0.86	2.93	62.7	0.36	10.1	49.6	4.2	
G0507-22	<0.01	2.0	0.200	1.16	2.63	94.1	0.80	9.95	56.9	8.7	
G0507-24	<0.01	<0.1	0.213	1.39	3.04	107	0.88	6.68	50.9	7.7	
G0507-26	<0.01	1.3	0.153	1.01	2.93	74.1	0.58	11.5	44.3	8.0	
G0507-28	<0.01	0.7	0.186	1.44	2.94	97.8	1.65	8.11	56.5	7.9	
G0507-30	<0.01	<0.1	0.189	1.55	2.99	98.2	0.74	6.02	48.5	4.2	
G0507-32	<0.01	0.6	0.138	0.61	2.48	85.1	2.49	9.07	52.5	7.7	
G0507-36	<0.01	0.4	0.113	0.65	2.62	68.1	1.34	9.42	51.1	3.0	
G0507-40	<0.01	0.2	0.126	1.67	2.01	82.9	1.54	8.08	56.8	4.9	
G0507-42	<0.01	0.9	0.157	1.65	2.38	74.4	0.99	10.4	54.3	2.9	
G07-22	<0.01	0.8	0.133	<0.01	1.93	64.7	0.52	8.21	43.6	6.9	
G07-24	<0.01	1.6	0.118	0.75	2.70	62.6	0.41	8.36	45.6	5.1	
G07-26	<0.01	2.7	0.135	1.12	2.87	67.1	0.32	9.96	49.1	5.8	
G07-28	<0.01	0.8	0.128	1.00	2.45	69.6	0.73	10.9	51.6	7.7	
G07-30	<0.01	1.2	0.175	1.48	2.16	88.6	0.77	14.3	61.2	16.3	
G07-32	<0.01	<0.1	0.143	1.38	1.74	81.4	0.69	7.23	44.7	1.8	
G07-34	<0.01	1.0	0.159	0.93	1.89	77.4	0.87	10.6	54.4	8.6	
G07-36	<0.01	1.3	0.127	1.28	2.40	67.5	1.35	13.6	52.8	3.0	
G07-38	<0.01	2.3	0.142	0.89	1.95	64.4	0.38	8.27	48.8	6.0	
G07-42	<0.01	0.2	0.140	0.01	1.74	62.4	0.43	4.72	47.5	3.8	
G07-58	<0.01	0.2	0.148	0.47	1.89	63.6	0.57	9.77	48.9	3.6	
G0709-26	<0.01	0.6	0.097	1.29	3.79	58.8	0.48	10.9	46.5	3.4	
G0709-28	<0.01	2.1	0.150	1.74	1.90	70.4	0.81	6.73	49.0	5.8	
G0709-30	<0.01	0.9	0.132	0.81	3.11	69.9	0.64	12.7	48.1	3.8	
G0709-32	<0.01	3.1	0.124	0.32	2.78	69.5	0.67	20.3	47.8	5.9	
G0709-34	<0.01	0.3	0.138	1.03	1.95	78.5	0.56	11.4	49.9	8.9	
G0709-36	<0.01	0.4	0.143	1.47	1.94	75.9	0.67	6.43	47.2	7.1	
G09-22	<0.01	1.5	0.135	1.10	1.73	63.7	0.34	12.5	53.0	7.5	
G09-24	<0.01	2.4	0.116	1.27	3.31	65.0	1.06	13.2	51.4	6.1	
G09-26	<0.01	1.1	0.119	1.34	2.26	76.3	0.86	11.8	52.1	4.4	
G09-28	<0.01	1.3	0.182	1.21	2.89	91.0	0.57	10.4	57.3	9.7	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012	DATE RECEIVED: Jun 28, 2012					DATE REPORTED: Jul 18, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G09-30	<0.01	1.7	0.172	1.28	2.78	93.4	1.35	11.5	59.5	6.7	
G09-32	<0.01	<0.1	0.175	1.37	3.69	95.9	0.42	5.27	50.5	5.7	
G09-34	<0.01	1.7	0.127	0.87	1.71	69.9	0.27	5.67	40.3	6.7	
G09-38	<0.01	<0.1	0.116	1.33	2.76	64.9	0.37	8.07	55.0	2.1	
G09-40	0.04	2.8	0.101	0.06	1.13	64.0	0.80	8.03	43.2	1.6	
G09-48	0.03	2.4	0.114	0.07	0.46	63.6	0.56	8.88	39.1	6.7	
G09-52	0.03	2.5	0.085	0.07	0.89	62.5	0.67	8.66	42.8	2.3	
G09-54	0.04	3.6	0.128	0.09	1.09	79.2	0.42	11.7	52.8	3.6	
G0911-24	0.02	3.9	0.113	0.09	0.87	72.4	0.50	12.5	47.4	5.4	
G0911-26	0.03	4.7	0.121	0.09	1.47	79.7	0.68	14.4	50.7	8.1	
G0911-28	0.02	3.7	0.122	0.13	1.22	79.9	0.59	9.38	57.5	1.5	
G0911-30	0.02	4.9	0.105	0.10	1.41	68.7	0.34	8.04	38.8	7.2	
G0911-34	0.06	3.5	0.195	0.28	0.99	146	1.36	8.90	87.4	7.7	
G0911-36	0.05	3.4	0.137	0.13	0.97	91.2	1.53	9.65	44.9	6.3	
G11-30	0.04	4.1	0.118	0.09	1.85	76.1	0.40	11.3	46.1	3.7	
G11-34	0.03	4.7	0.125	0.09	1.74	73.0	0.32	8.46	47.2	6.2	
G11-36	0.03	3.6	0.096	0.08	1.29	67.2	0.26	7.76	43.6	4.0	
G11-38	0.02	4.0	0.065	0.06	1.48	53.8	0.31	10.3	43.9	3.5	
G11-50	0.04	3.3	0.096	0.11	0.58	57.9	0.54	10.5	50.3	7.7	
G11-56	0.03	1.9	0.086	0.07	1.12	68.3	0.21	11.0	38.0	2.3	
G13-28	0.03	3.3	0.128	0.08	1.11	70.1	0.74	6.83	45.1	1.5	
G13-32	0.03	3.2	0.111	0.07	1.34	63.7	0.32	7.13	43.6	2.1	
G13-42	0.03	2.2	0.121	0.08	1.14	77.4	0.40	7.96	44.9	1.3	
G13-48	0.05	1.8	0.122	0.07	1.05	75.8	0.37	9.40	44.5	1.7	
G13-50	0.05	2.0	0.093	0.08	0.80	73.4	0.50	9.14	49.1	2.7	
G15-32	0.02	2.5	0.110	0.09	0.88	68.6	0.84	6.72	42.0	1.0	
G15-34	0.02	2.4	0.114	0.08	1.18	64.1	0.27	7.67	42.7	1.1	
G15-36	0.04	2.9	0.179	0.09	0.91	84.5	0.44	7.05	51.2	2.1	
G15-38	0.02	2.6	0.111	0.07	1.26	68.3	0.27	6.25	45.4	1.8	
G15-40	0.04	2.4	0.109	0.07	0.87	72.5	0.41	5.31	48.8	2.9	
G15-42	0.03	3.1	0.131	0.09	1.15	77.3	0.25	7.56	52.1	4.9	
G15-44	0.03	2.0	0.105	0.08	1.01	84.5	0.22	7.59	54.6	1.1	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y615702

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: Raymond Xie

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 28, 2012

DATE REPORTED: Jul 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G15-46		0.06	1.3	0.143	0.10	0.98	96.4	0.30	8.39	56.4	1.0
G15-50		0.05	2.3	0.156	0.10	1.29	99.7	0.36	11.6	56.1	2.1
G17-28		0.03	2.5	0.097	0.09	1.11	66.3	0.59	7.84	42.9	0.8
G17-30		0.03	2.9	0.128	0.11	1.88	80.8	1.73	13.9	53.7	1.6
G17-32		0.03	2.1	0.096	0.09	1.13	75.5	1.43	8.58	48.6	0.9
G17-34		0.03	2.4	0.091	0.07	0.92	69.9	1.04	7.85	47.9	1.3
G17-38		0.03	2.3	0.111	0.08	0.79	74.3	0.33	8.48	48.7	2.9
G17-42		0.02	2.3	0.143	0.09	0.99	89.2	0.29	7.84	54.1	1.4
G17-44		0.03	2.7	0.144	0.09	1.21	91.8	0.22	7.76	60.5	3.5
G17-46		0.03	2.7	0.137	0.11	1.44	97.0	0.35	12.1	64.7	2.5
G17-48		0.05	1.3	0.135	0.06	0.35	88.6	0.22	2.99	44.9	0.7
G17-50		0.04	1.4	0.148	0.08	0.40	101	0.36	3.29	61.9	0.7
G17-52		0.04	1.5	0.139	0.07	0.48	84.8	0.18	4.26	51.1	1.7
G17-54		0.04	1.0	0.131	0.08	0.30	97.8	0.30	2.34	53.4	<0.5
G17-56		<0.01	<0.1	0.075	6.67	0.56	95.8	<0.05	7.47	63.3	0.9
G17-58		<0.01	3.8	0.105	6.90	0.65	86.4	<0.05	9.91	68.9	2.1
G17-60		<0.01	<0.1	0.114	7.45	<0.05	113	<0.05	6.47	57.4	2.2
G19-32		<0.01	<0.1	0.165	9.48	<0.05	92.5	0.55	5.98	51.2	1.2
G19-34		<0.01	<0.1	0.130	8.55	0.30	79.6	0.09	6.07	51.4	<0.5
G19-36		<0.01	<0.1	0.134	8.41	0.17	75.9	<0.05	5.54	53.8	1.2
G19-38		<0.01	<0.1	0.116	8.49	0.34	83.8	<0.05	6.93	56.7	1.3
G19-40		<0.01	<0.1	0.124	9.58	0.58	82.0	<0.05	9.26	54.9	1.7
G19-42		<0.01	<0.1	0.173	10.9	0.09	97.7	<0.05	8.59	59.4	1.6
G19-44		<0.01	1.0	0.177	9.84	0.13	98.7	<0.05	7.68	61.0	1.7
G19-48		<0.01	<0.1	0.173	10.9	0.95	108	<0.05	6.72	63.0	1.6
G19-54		<0.01	<0.1	0.113	4.67	0.07	63.5	<0.05	2.76	42.4	<0.5
G19-56		<0.01	<0.1	0.177	9.57	0.18	95.0	<0.05	5.31	44.9	<0.5
G19-58		<0.01	<0.1	0.120	5.93	<0.05	76.7	<0.05	3.28	41.3	<0.5
G19-60		<0.01	<0.1	0.190	9.37	0.35	100	<0.05	6.35	61.2	1.7

Comments: RDL - Reported Detection Limit

Certified By:



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis												
RPT Date: Jul 18, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3473916	0.34	0.34	0.0%	< 0.01				80%	120%	
Al	1	3474016	1.96	1.95	0.5%	< 0.01				80%	120%	
As	1	3473916	18.1	16.9	6.9%	0.3				80%	120%	
Au	1	3473916	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3474016	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3474016	268	266	0.7%	< 1				80%	120%	
Be	1	3473916	0.365	0.356	2.5%	< 0.05	0.3	0.4	81%	80%	120%	
Bi	1	3473916	0.891	0.841	5.8%	< 0.01				80%	120%	
Ca	1	3474016	0.91	0.91	0.0%	< 0.01				80%	120%	
Cd	1	3473916	0.34	0.34	0.0%	< 0.01				80%	120%	
Ce	1	3473916	29.0	28.0	3.5%	< 0.01				80%	120%	
Co	1	3473916	13.5	13.0	3.8%	< 0.1				80%	120%	
Cr	1	3474016	31.5	31.4	0.3%	< 0.5				80%	120%	
Cs	1	3473916	3.94	3.75	4.9%	< 0.05				80%	120%	
Cu	1	3474016	68.2	65.3	4.3%	0.4	3819	3800	100%	80%	120%	
Fe	1	3474016	3.09	3.03	2.0%	< 0.01				80%	120%	
Ga	1	3473916	8.32	8.11	2.6%	< 0.05				80%	120%	
Ge	1	3473916	0.104	0.131	23.0%	< 0.05				80%	120%	
Hf	1	3473916	0.090	0.085	5.7%	< 0.02				80%	120%	
Hg	1	3473916	0.01	0.01	0.0%	< 0.01	1.4	1.3	107%	80%	120%	
In	1	3473916	0.068	0.067	1.5%	< 0.005				80%	120%	
K	1	3474016	0.163	0.166	1.8%	< 0.01				80%	120%	
La	1	3473916	13.6	13.0	4.5%	< 0.1				80%	120%	
Li	1	3473916	8.5	8.3	2.4%	< 0.1				80%	120%	
Mg	1	3474016	0.80	0.80	0.0%	< 0.01				80%	120%	
Mn	1	3474016	531	538	1.3%	< 1				80%	120%	
Mo	1	3473916	6.63	6.36	4.2%	< 0.05	333	380	87%	80%	120%	
Na	1	3474016	0.024	0.025	4.1%	< 0.01				80%	120%	
Nb	1	3473916	1.11	1.06	4.6%	< 0.05				80%	120%	
Ni	1	3474016	15.1	15.0	0.7%	< 0.2				80%	120%	
P	1	3474016	788	795	0.9%	< 10	542	600	90%	80%	120%	
Pb	1	3473916	20.8	19.8	4.9%	< 0.1				80%	120%	
Rb	1	3473916	37.1	35.5	4.4%	< 0.1	15	13	115%	80%	120%	
Re	1	3473916	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3474016	0.0245	0.0231	5.9%	< 0.005				80%	120%	
Sb	1	3473916	1.24	1.20	3.3%	< 0.05				80%	120%	
Sc	1	3473916	8.3	8.1	2.4%	< 0.1				80%	120%	
Se	1	3473916	1.24	1.31	5.5%	< 0.2				80%	120%	
Sn	1	3473916	0.7	0.7	0.0%	< 0.2	6	7.1	84%	80%	120%	
Sr	1	3473916	33.0	32.2	2.5%	< 0.2				80%	120%	
Ta	1	3473916	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3473916	0.300	0.281	6.5%	< 0.01				80%	120%	
Th	1	3473916	4.1	4.0	2.5%	< 0.1				80%	120%	
Ti	1	3474016	0.126	0.127	0.8%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Tl	1	3473916	0.33	0.31	6.3%	< 0.01				80%	120%
U	1	3473916	1.08	1.03	4.7%	< 0.05				80%	120%
V	1	3474016	89.3	87.2	2.4%	< 0.5				80%	120%
W	1	3473916	1.85	1.48	22.2%	< 0.05				80%	120%
Y	1	3473916	11.1	10.9	1.8%	< 0.05				80%	120%
Zn	1	3474016	58.2	58.7	0.9%	< 0.5				80%	120%
Zr	1	3473916	4.29	4.10	4.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3473941	0.395	0.417	5.4%	< 0.01				80%	120%
Al	1	3474166	1.88	2.08	10.1%	< 0.01				80%	120%
As	1	3473941	13.1	13.8	5.2%	0.4				80%	120%
Au	1	3473941	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474166	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3474166	252	277	9.5%	< 1				80%	120%
Be	1	3473941	0.24	0.25	4.1%	< 0.05	0.4	0.4	100%	80%	120%
Bi	1	3473941	0.16	0.17	6.1%	< 0.01				80%	120%
Ca	1	3474166	1.10	1.23	11.2%	< 0.01				80%	120%
Cd	1	3473941	0.343	0.367	6.8%	< 0.01				80%	120%
Ce	1	3473941	24.5	25.9	5.6%	< 0.01				80%	120%
Co	1	3473941	10.5	11.2	6.5%	< 0.1				80%	120%
Cr	1	3474166	33.3	36.8	10.0%	< 0.5				80%	120%
Cs	1	3473941	1.42	1.43	0.7%	< 0.05				80%	120%
Cu	1	3474166	73.5	80.8	9.5%	< 0.1	3835	3800	100%	80%	120%
Fe	1	3474166	3.08	3.43	10.8%	< 0.01				80%	120%
Ga	1	3473941	6.61	7.05	6.4%	< 0.05				80%	120%
Ge	1	3473941	< 0.05	0.07		0.07				80%	120%
Hf	1	3473941	0.09	0.08	11.8%	< 0.02				80%	120%
Hg	1	3473941	0.014	0.016	13.3%	< 0.01	1.5	1.3	115%	80%	120%
In	1	3473941	0.026	0.030	14.3%	< 0.005				80%	120%
K	1	3474166	0.083	0.091	9.2%	< 0.01				80%	120%
La	1	3473941	12.3	13.0	5.5%	< 0.1				80%	120%
Li	1	3473941	10.7	11.3	5.5%	< 0.1				80%	120%
Mg	1	3474166	0.860	0.947	9.6%	< 0.01				80%	120%
Mn	1	3474166	544	589	7.9%	< 1				80%	120%
Mo	1	3473941	1.15	1.20	4.3%	< 0.05	360	380	94%	80%	120%
Na	1	3474166	0.015	0.016	6.5%	< 0.01				80%	120%
Nb	1	3473941	1.95	1.97	1.0%	< 0.05				80%	120%
Ni	1	3474166	15.7	17.6	11.4%	< 0.2				80%	120%
P	1	3474166	835	938	11.6%	< 10	525	600	87%	80%	120%
Pb	1	3473941	11.1	12.5	11.9%	< 0.1				80%	120%
Rb	1	3473941	19.8	20.7	4.4%	< 0.1	15	13	115%	80%	120%
Re	1	3473941	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3474166	0.0338	0.0365	7.7%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Sb	1	3473941	0.363	0.391	7.4%	< 0.05				80%	120%
Sc	1	3473941	4.8	5.0	4.1%	< 0.1				80%	120%
Se	1	3473941	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3473941	0.6	0.6	0.0%	< 0.2	6.5	7.1	92%	80%	120%
Sr	1	3473941	36.5	38.0	4.0%	< 0.2				80%	120%
Ta	1	3473941	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3473941	0.07	0.07	0.0%	< 0.01				80%	120%
Th	1	3473941	2.9	3.0	3.4%	< 0.1				80%	120%
Ti	1	3474166	0.124	0.136	9.2%	< 0.005				80%	120%
Tl	1	3473941	0.12	0.12	0.0%	< 0.01				80%	120%
U	1	3473941	0.718	0.766	6.5%	< 0.05				80%	120%
V	1	3474166	82.0	90.2	9.5%	< 0.5				80%	120%
W	1	3473941	0.28	0.30	6.9%	< 0.05				80%	120%
Y	1	3473941	6.87	7.24	5.2%	< 0.05				80%	120%
Zn	1	3474166	54.9	60.8	10.2%	< 0.5				80%	120%
Zr	1	3473941	3.3	3.2	3.1%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3473966	0.386	0.361	6.7%	0.02				80%	120%
Al	1	3474091	1.59	1.63	2.5%	< 0.01				80%	120%
As	1	3473966	11.8	11.2	5.2%	0.7				80%	120%
Au	1	3473966	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474091	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3474091	214	222	3.7%	< 1				80%	120%
Be	1	3473966	0.35	0.35	0.0%	< 0.05	0.3	0.4	84%	80%	120%
Bi	1	3473966	0.519	0.475	8.9%	< 0.01				80%	120%
Ca	1	3474091	0.826	0.855	3.5%	< 0.01				80%	120%
Cd	1	3473966	0.196	0.171	13.6%	< 0.01				80%	120%
Ce	1	3473966	27.7	24.9	10.6%	< 0.01				80%	120%
Co	1	3473966	12.5	12.0	4.1%	< 0.1				80%	120%
Cr	1	3474091	41.8	43.0	2.8%	< 0.5				80%	120%
Cs	1	3473966	2.00	1.66	18.6%	< 0.05				80%	120%
Cu	1	3474091	63.1	64.7	2.5%	< 0.1	3926	3800	103%	80%	120%
Fe	1	3474091	2.73	2.73	0.0%	< 0.01				80%	120%
Ga	1	3473966	6.15	5.77	6.4%	< 0.05				80%	120%
Ge	1	3473966	0.07	0.07	0.0%	0.05				80%	120%
Hf	1	3473966	0.081	0.072	11.8%	< 0.02				80%	120%
Hg	1	3473966	0.04	0.03	28.6%	< 0.01				80%	120%
In	1	3473966	0.0396	0.0359	9.8%	< 0.005				80%	120%
K	1	3474091	0.099	0.107	7.8%	< 0.01				80%	120%
La	1	3473966	16.0	14.4	10.5%	< 0.1				80%	120%
Li	1	3473966	9.7	9.3	4.2%	< 0.1				80%	120%
Mg	1	3474091	0.66	0.67	1.5%	< 0.01				80%	120%
Mn	1	3474091	456	456	0.0%	< 1				80%	120%
Mo	1	3473966	2.23	2.12	5.1%	< 0.05	354	380	93%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Na	1	3474091	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3473966	1.31	1.18	10.4%	< 0.05				80%	120%
Ni	1	3474091	23.1	22.5	2.6%	< 0.2				80%	120%
P	1	3474091	712	698	2.0%	< 10	545	600	90%	80%	120%
Pb	1	3473966	10.7	9.92	7.6%	0.1				80%	120%
Rb	1	3473966	15.1	14.0	7.6%	< 0.1	15	13	115%	80%	120%
Re	1	3473966	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3474091	0.016	0.016	0.0%	< 0.005				80%	120%
Sb	1	3473966	0.770	0.702	9.2%	< 0.05				80%	120%
Sc	1	3473966	9.80	9.33	4.9%	< 0.1				80%	120%
Se	1	3473966	0.7	0.7	0.0%	< 0.2				80%	120%
Sn	1	3473966	0.61	0.51	17.9%	< 0.2				80%	120%
Sr	1	3473966	41.2	38.5	6.8%	< 0.2				80%	120%
Ta	1	3473966	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3473966	0.112	0.104	7.4%	< 0.01				80%	120%
Th	1	3473966	3.95	3.50	12.1%	< 0.1				80%	120%
Ti	1	3474091	0.157	0.168	6.8%	< 0.005				80%	120%
Tl	1	3473966	0.187	0.162	14.3%	< 0.01				80%	120%
U	1	3473966	1.57	1.43	9.3%	< 0.05				80%	120%
V	1	3474091	74.4	77.8	4.5%	< 0.5				80%	120%
W	1	3473966	0.89	0.86	3.4%	< 0.05				80%	120%
Y	1	3473966	15.5	14.6	6.0%	< 0.05				80%	120%
Zn	1	3474091	54.3	54.3	0.0%	< 0.5				80%	120%
Zr	1	3473966	3.8	3.6	5.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3473991	0.27	0.22	20.4%	< 0.01				80%	120%
Al	1	3474116	1.63	1.66	1.8%	< 0.01				80%	120%
As	1	3473991	19.0	16.6	13.5%	0.6				80%	120%
Au	1	3473991	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474116	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3474116	251	253	0.8%	< 1				80%	120%
Be	1	3473991	0.41	0.34	18.7%	< 0.05	0.4	0.4	111%	80%	120%
Bi	1	3473991	0.10	0.09	10.5%	< 0.01				80%	120%
Ca	1	3474116	0.619	0.635	2.6%	< 0.01				80%	120%
Cd	1	3473991	0.20	0.18	10.5%	< 0.01				80%	120%
Ce	1	3473991	33.7	25.1	29.3%	< 0.01				80%	120%
Co	1	3473991	11.6	9.51	19.8%	< 0.1				80%	120%
Cr	1	3474116	36.6	37.7	3.0%	< 0.5				80%	120%
Cs	1	3473991	1.29	0.91	< 0.05	< 0.05				80%	120%
Cu	1	3474116	51.4	53.7	4.4%	< 0.1	3815	3800	100%	80%	120%
Fe	1	3474116	2.63	2.69	2.3%	< 0.01				80%	120%
Ga	1	3473991	6.20	4.99	21.6%	< 0.05				80%	120%
Ge	1	3473991	0.09	0.06	< 0.05	< 0.05				80%	120%
Hf	1	3473991	0.02	0.02	0.0%	< 0.02				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3473991	0.03	0.04	28.6%	< 0.01	1.5	1.3	115%	80%	120%
In	1	3473991	0.030	0.024	22.2%	< 0.005				80%	120%
K	1	3474116	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3473991	17.3	13.0	28.4%	< 0.1				80%	120%
Li	1	3473991	13.3	11.1	18.0%	< 0.1				80%	120%
Mg	1	3474116	0.66	0.67	1.5%	< 0.01				80%	120%
Mn	1	3474116	565	569	0.7%	< 1				80%	120%
Mo	1	3473991	0.81	0.72	11.8%	< 0.05	360	380	94%	80%	120%
Na	1	3474116	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3473991	1.77	1.31	29.9%	< 0.05				80%	120%
Ni	1	3474116	19.7	19.7	0.0%	< 0.2				80%	120%
P	1	3474116	587	585	0.3%	< 10				80%	120%
Pb	1	3473991	5.66	4.78	16.9%	< 0.1				80%	120%
Rb	1	3473991	11.5	8.5		< 0.1	15	13	115%	80%	120%
Re	1	3473991	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3474116	0.011	0.011	0.0%	< 0.005				80%	120%
Sb	1	3473991	0.67	0.56	17.9%	< 0.05				80%	120%
Sc	1	3473991	7.21	5.84	21.0%	< 0.1				80%	120%
Se	1	3473991	0.37	0.31	17.6%	< 0.2				80%	120%
Sn	1	3473991	0.5	0.4	22.2%	< 0.2	7.2	7.1	101%	80%	120%
Sr	1	3473991	45.0	34.8	25.6%	< 0.2				80%	120%
Ta	1	3473991	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3473991	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3473991	3.3	2.6	23.7%	< 0.1				80%	120%
Ti	1	3474116	0.116	0.120	3.4%	< 0.005				80%	120%
Tl	1	3473991	0.10	0.08	22.2%	< 0.01				80%	120%
U	1	3473991	1.23	0.965	24.1%	< 0.05				80%	120%
V	1	3474116	64.9	67.0	3.2%	< 0.5				80%	120%
W	1	3473991	0.43	0.74		< 0.05				80%	120%
Y	1	3473991	11.5	9.28	21.4%	< 0.05				80%	120%
Zn	1	3474116	55.0	55.5	0.9%	< 0.5				80%	120%
Zr	1	3473991	1.07	0.92	15.1%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3474041	0.427	0.364	15.9%	< 0.01				80%	120%
As	1	3474041	6.65	6.34	4.8%	< 0.1				80%	120%
Au	1	3474041	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3473891	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3474041	0.15	0.15	0.0%	< 0.05	0.4	0.4	108%	80%	120%
Bi	1	3474041	1.08	1.06	1.9%	< 0.01				80%	120%
Cd	1	3474041	0.21	0.21	0.0%	< 0.01				80%	120%
Ce	1	3474041	21.8	18.2	18.0%	< 0.01				80%	120%
Co	1	3474041	15.4	14.9	3.3%	< 0.1				80%	120%
Cs	1	3474041	2.75	2.39	14.0%	< 0.05				80%	120%





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cu	1					< 0.1	3946	3800	103%	80%	120%
Ga	1	3474041	7.58	6.79	11.0%	< 0.05				80%	120%
Ge	1	3474041	0.09	0.08	11.8%	< 0.05				80%	120%
Hf	1	3474041	0.11	0.10	9.5%	< 0.02				80%	120%
Hg	1	3474041	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3474041	0.0332	0.0292	12.8%	< 0.005				80%	120%
La	1	3474041	11.2	9.5	16.4%	< 0.1				80%	120%
Li	1	3474041	6.59	6.40	2.9%	< 0.1				80%	120%
Mo	1	3474041	3.26	3.08	5.7%	< 0.05	354	380	93%	80%	120%
Nb	1	3474041	1.11	0.67		< 0.05				80%	120%
P	1					< 10				80%	120%
Pb	1	3474041	8.5	8.5	0.0%	< 0.1				80%	120%
Rb	1	3474041	26.0	23.6	9.7%	< 0.1	13	13	100%	80%	120%
Re	1	3474041	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1					< 0.005	0.92	0.80	115%	80%	120%
Sb	1	3474041	0.469	0.431	8.4%	< 0.05				80%	120%
Sc	1	3474041	8.23	7.23	12.9%	< 0.1				80%	120%
Se	1	3474041	0.7	0.7	0.0%	< 0.2	0.8	0.8	100%	80%	120%
Sn	1	3474041	0.8	0.7	13.3%	< 0.2	7.1	7.1	100%	80%	120%
Sr	1	3474041	52.9	45.1	15.9%	< 0.2				80%	120%
Ta	1	3474041	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3474041	0.22	0.22	0.0%	< 0.01				80%	120%
Th	1	3474041	2.9	2.5	14.8%	< 0.1				80%	120%
Tl	1	3474041	0.259	0.242	6.8%	< 0.01				80%	120%
U	1	3474041	1.05	0.93	12.1%	< 0.05				80%	120%
W	1	3474041	1.76	2.99		< 0.05				80%	120%
Y	1	3474041	12.9	11.0	15.9%	< 0.05				80%	120%
Zr	1	3474041	3.5	3.3	5.9%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3474066	0.15	0.17	12.5%	< 0.01				80%	120%
As	1	3474066	15.1	15.2	0.7%	< 0.1				80%	120%
Au	1	3474066	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474091	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3474066	0.22	0.24	8.7%	< 0.05	0.4	0.4	107%	80%	120%
Bi	1	3474066	3.49	0.29		< 0.01				80%	120%
Cd	1	3474066	0.192	0.199	3.6%	< 0.01				80%	120%
Ce	1	3474066	24.1	22.4	7.3%	< 0.01				80%	120%
Co	1	3474066	16.5	16.5	0.0%	< 0.1				80%	120%
Cs	1	3474066	2.00	1.88	6.2%	< 0.05				80%	120%
Cu	1					< 0.1	3965	3800	104%	80%	120%
Ga	1	3474066	6.23	6.07	2.6%	< 0.05				80%	120%
Ge	1	3474066	0.08	0.08	0.0%	< 0.05				80%	120%
Hf	1	3474066	0.13	0.13	0.0%	< 0.02				80%	120%
Hg	1	3474066	0.02	0.02	0.0%	< 0.01	1.6	1.3	119%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
In	1	3474066	0.0326	0.0314	3.8%	< 0.005				80%	120%
La	1	3474066	11.5	10.5	9.1%	< 0.1				80%	120%
Li	1	3474066	6.9	6.9	0.0%	< 0.1				80%	120%
Mo	1	3474066	1.65	1.55	6.3%	< 0.05	357	380	93%	80%	120%
Nb	1	3474066	1.48	1.45	2.0%	< 0.05				80%	120%
P	1					< 10	524	600	87%	80%	120%
Pb	1	3474066	7.58	7.02	7.7%	< 0.1				80%	120%
Rb	1	3474066	15.1	14.7	2.7%	< 0.1	13	13	100%	80%	120%
Re	1	3474066	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1					< 0.005				80%	120%
Sb	1	3474066	1.03	1.02	1.0%	< 0.05				80%	120%
Sc	1	3474066	7.89	7.71	2.3%	< 0.1				80%	120%
Se	1	3474066	0.51	0.59	14.5%	< 0.2				80%	120%
Sn	1	3474066	0.7	0.7	0.0%	< 0.2	7.2	7.1	101%	80%	120%
Sr	1	3474066	41.5	39.3	5.4%	< 0.2				80%	120%
Ta	1	3474066	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3474066	0.05	0.03		< 0.01				80%	120%
Th	1	3474066	3.1	3.1	0.0%	< 0.1				80%	120%
Tl	1	3474066	0.117	0.109	7.1%	< 0.01				80%	120%
U	1	3474066	0.790	0.732	7.6%	< 0.05				80%	120%
W	1	3474066	0.55	0.65	16.7%	< 0.05				80%	120%
Y	1	3474066	11.1	10.5	5.6%	< 0.05				80%	120%
Zr	1	3474066	5.5	5.4	1.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3474141	0.11	0.13	16.7%	< 0.01				80%	120%
As	1	3474141	11.4	12.1	6.0%	< 0.1				80%	120%
Au	1	3474141	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474116	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3474141	0.20	0.20	0.0%	< 0.05				80%	120%
Bi	1	3474141	0.12	0.12	0.0%	< 0.01				80%	120%
Cd	1	3474141	0.09	0.10	10.5%	< 0.01				80%	120%
Ce	1	3474141	19.9	23.3	15.7%	< 0.01				80%	120%
Co	1	3474141	11.8	13.2	11.2%	< 0.1				80%	120%
Cs	1	3474141	1.01	1.20	17.2%	< 0.05				80%	120%
Ga	1	3474141	4.82	5.61	15.1%	< 0.05				80%	120%
Ge	1	3474141	0.052	0.062	17.5%	< 0.05				80%	120%
Hf	1	3474141	0.040	0.047	16.1%	< 0.02				80%	120%
Hg	1	3474141	0.04	0.03	28.6%	< 0.01				80%	120%
In	1	3474141	0.0182	0.0215	16.6%	< 0.005				80%	120%
La	1	3474141	9.91	11.2	12.2%	< 0.1				80%	120%
Li	1	3474141	8.3	9.1	9.2%	< 0.1				80%	120%
Mo	1	3474141	0.654	0.707	7.8%	< 0.05				80%	120%
Nb	1	3474141	1.16	1.43	20.8%	< 0.05				80%	120%
Pb	1	3474141	4.62	5.07	9.3%	< 0.1				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

Solid Analysis (Continued)											
RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Rb	1	3474141	7.69	9.47	20.7%	< 0.1				80%	120%
Re	1	3474141	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3474141	0.399	0.468	15.9%	< 0.05				80%	120%
Sc	1	3474141	4.2	4.9	15.4%	< 0.1				80%	120%
Se	1	3474141	0.4	0.5	22.2%	< 0.2	0.9	0.8	107%	80%	120%
Sn	1	3474141	0.5	0.6	18.2%	< 0.2				80%	120%
Sr	1	3474141	36.5	44.4	19.5%	< 0.2	362	390	93%	80%	120%
Ta	1	3474141	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3474141	0.024	0.028	15.4%	< 0.01				80%	120%
Th	1	3474141	2.62	2.97	12.5%	< 0.1	1.1	1.4	80%	80%	120%
Tl	1	3474141	0.070	0.086	20.5%	< 0.01				80%	120%
U	1	3474141	1.26	1.45	14.0%	< 0.05				80%	120%
W	1	3474141	0.27	0.22	20.4%	< 0.05				80%	120%
Y	1	3474141	6.25	7.40	16.8%	< 0.05				80%	120%
Zr	1	3474141	1.8	2.0	10.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3474166	0.234	0.243	3.8%	< 0.01				80%	120%
As	1	3474166	23.6	26.4	11.2%	< 0.1				80%	120%
Au	1	3474166	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3474166	< 5	< 5	0.0%	< 5				80%	120%
Be	1	3474166	0.37	0.41	10.3%	< 0.05				80%	120%
Bi	1	3474166	0.093	0.103	10.2%	< 0.01				80%	120%
Cd	1	3474166	0.254	0.270	6.1%	< 0.01				80%	120%
Ce	1	3474166	19.8	21.5	8.2%	< 0.01				80%	120%
Co	1	3474166	14.5	15.9	9.2%	< 0.1				80%	120%
Cs	1	3474166	1.75	1.92	9.3%	< 0.05				80%	120%
Ga	1	3474166	5.60	6.28	11.4%	< 0.05				80%	120%
Ge	1	3474166	0.14	0.14	0.0%	< 0.05				80%	120%
Hf	1	3474166	0.059	0.068	14.2%	< 0.02				80%	120%
Hg	1	3474166	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3474166	0.025	0.027	7.7%	< 0.005				80%	120%
La	1	3474166	9.71	10.8	10.6%	< 0.1				80%	120%
Li	1	3474166	11.9	13.0	8.8%	< 0.1				80%	120%
Mo	1	3474166	0.539	0.586	8.4%	< 0.05				80%	120%
Nb	1	3474166	1.21	1.34	10.2%	< 0.05				80%	120%
Pb	1	3474166	4.9	5.5	11.5%	< 0.1				80%	120%
Rb	1	3474166	8.83	9.47	7.0%	< 0.1				80%	120%
Re	1	3474166	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
Sb	1	3474166	0.55	0.59	7.0%	< 0.05				80%	120%
Sc	1	3474166	6.1	6.7	9.4%	< 0.1				80%	120%
Se	1	3474166	0.44	0.47	6.6%	< 0.2	0.8	0.8	103%	80%	120%
Sn	1	3474166	0.49	0.55	11.5%	< 0.2				80%	120%
Sr	1	3474166	52.9	57.5	8.3%	< 0.2	371	390	95%	80%	120%
Ta	1	3474166	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3474166	0.03	0.03	0.0%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

### Solid Analysis (Continued)

RPT Date: Jul 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Th	1	3474166	2.14	2.41	11.9%	< 0.1	1.2	1.4	86%	80%	120%
Tl	1	3474166	0.081	0.090	10.5%	< 0.01				80%	120%
U	1	3474166	0.765	0.875	13.4%	< 0.05				80%	120%
W	1	3474166	0.294	0.330	11.5%	< 0.05				80%	120%
Y	1	3474166	9.78	10.8	9.9%	< 0.05		7		80%	120%
Zr	1	3474166	2.2	2.5	12.8%	< 0.5				80%	120%

Certified By:

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y615702

PROJECT NO:

ATTENTION TO: Raymond Xie

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y622745

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 29, 2012

PAGES (INCLUDING COVER): 53

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G3638-0	0.48	0.17	1.03	8.6	<0.01	<5	266	0.23	0.11	0.66	0.25	17.5	9.8	27.2
G3638-1	0.38	0.10	1.05	9.8	<0.01	<5	215	0.26	0.10	0.85	0.31	18.2	8.9	23.8
G3638-2	0.43	0.25	1.40	10.3	<0.01	<5	306	0.25	0.10	0.58	0.11	15.7	10.8	32.4
G3638-3	0.53	0.13	1.00	11.7	<0.01	<5	219	0.31	0.11	0.63	0.19	20.8	9.9	26.8
G3638-4	0.40	0.26	1.82	6.1	<0.01	<5	527	0.26	0.09	0.84	0.11	23.5	12.3	27.8
G3638-5	0.52	0.22	1.10	7.8	<0.01	<5	191	0.20	0.09	0.36	0.14	15.3	7.4	28.4
G3638-6	0.46	0.16	2.08	5.2	<0.01	<5	456	0.33	0.09	0.41	0.05	22.0	14.0	29.1
G3638-7	0.42	0.16	1.12	11.0	<0.01	<5	305	0.29	0.10	0.30	0.23	20.5	8.5	31.4
G3638-8	0.41	0.41	1.11	16.5	<0.01	<5	281	0.25	0.15	0.19	0.13	15.6	7.0	31.6
G3638-9	0.43	0.26	1.21	14.7	<0.01	<5	364	0.41	0.13	0.35	0.29	25.5	9.8	45.8
G3638-10	0.39	0.57	1.09	8.1	<0.01	<5	193	0.20	0.15	0.16	0.08	12.4	5.7	23.9
G3638-11	0.58	0.23	1.49	6.7	<0.01	<5	217	0.32	0.09	0.47	0.16	17.9	18.6	125
G3638-12	0.46	0.51	1.55	84.8	0.03	<5	432	0.48	0.11	0.42	0.09	20.8	12.3	30.8
G3638-13	0.46	0.37	1.07	12.1	<0.01	<5	253	0.37	0.11	0.49	0.26	22.5	8.8	39.0
G3638-14	0.50	0.32	1.45	16.9	<0.01	<5	440	0.36	0.12	0.66	0.10	20.4	10.5	59.3
G3638-15	0.54	0.23	1.05	9.7	<0.01	<5	247	0.31	0.11	0.32	0.14	22.0	8.0	36.1
G3638-16	0.58	0.31	1.08	47.6	0.03	<5	343	0.39	0.11	0.37	0.10	21.5	10.6	29.8
G3638-17	0.47	0.18	1.11	11.3	<0.01	<5	239	0.32	0.13	0.30	0.14	21.8	7.3	32.6
G3638-18	0.42	0.58	1.65	12.8	<0.01	<5	573	0.39	0.13	0.34	0.41	21.7	14.6	41.6
G3638-19	0.44	0.25	1.21	11.5	<0.01	<5	308	0.43	0.14	0.39	0.15	25.6	10.3	30.6
G3638-20	0.44	0.22	1.38	9.6	<0.01	<5	325	0.23	0.09	0.41	0.11	13.2	8.8	39.1
G3638-21	0.50	0.17	1.09	6.7	<0.01	<5	219	0.31	0.10	0.31	0.11	21.5	5.8	23.3
G3638-22	0.43	0.06	1.36	3.4	<0.01	<5	269	0.19	0.07	0.37	0.03	12.1	10.8	32.8
G3638-23	0.52	0.10	1.03	7.1	<0.01	<5	222	0.29	0.10	0.43	0.10	19.6	7.8	26.5
G3638-24	0.46	0.04	1.80	1.7	<0.01	<5	278	0.13	0.03	0.44	0.03	4.74	18.3	84.0
G3638-25	0.49	0.12	1.12	6.7	<0.01	<5	231	0.29	0.10	0.45	0.11	21.9	8.2	26.2
G3638-27	0.51	0.17	1.14	7.0	<0.01	<5	235	0.30	0.10	0.44	0.11	20.8	8.3	26.5
G3638-29	0.53	0.09	1.11	5.6	<0.01	<5	202	0.25	0.09	0.34	0.12	19.1	6.6	25.4
G3638-31	0.44	0.09	1.00	6.2	<0.01	<5	190	0.26	0.09	0.56	0.08	19.5	7.1	23.6
G3638-33	0.45	0.08	0.88	6.6	<0.01	<5	188	0.30	0.08	0.67	0.11	19.0	9.0	35.1
G3638-35	0.46	0.11	1.08	6.5	<0.01	<5	252	0.33	0.09	1.07	0.13	19.7	9.1	34.9

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G3638-37	0.48	0.12	1.33	7.3	<0.01	<5	262	0.38	0.10	1.05	0.17	21.7	10.6	42.6
G3638-39	0.43	0.10	0.96	6.0	<0.01	<5	234	0.28	0.09	1.34	0.17	18.4	8.9	35.9
G3638-41	0.43	0.11	1.12	6.5	<0.01	<5	245	0.36	0.09	1.76	0.28	23.2	13.1	57.8
G3638-43	0.43	0.11	1.06	7.1	<0.01	<5	239	0.32	0.10	0.59	0.08	19.5	7.0	26.0
G3638-45	0.43	0.08	1.05	7.3	<0.01	<5	202	0.32	0.09	0.50	0.06	18.3	8.2	36.0
G3638-47	0.44	<0.01	0.77	0.4	<0.01	<5	<1	<0.05	<0.01	0.69	<0.01	<0.01	<0.1	<0.5
G3638-49	0.41	<0.01	1.02	0.4	<0.01	<5	<1	<0.05	<0.01	0.53	<0.01	<0.01	<0.1	<0.5
G3638-51	0.43	<0.01	1.37	0.4	<0.01	<5	<1	<0.05	<0.01	0.97	<0.01	<0.01	<0.1	<0.5
G3638-53	0.49	<0.01	1.45	0.4	<0.01	<5	<1	<0.05	<0.01	0.86	<0.01	<0.01	<0.1	<0.5
G3638-55	0.41	0.05	2.26	1.7	<0.01	<5	521	0.46	0.03	0.70	0.02	24.9	13.8	86.3
G3638-57	0.43	0.06	0.74	21.9	<0.01	<5	200	0.57	0.05	0.41	0.05	37.7	9.9	14.8
G3638-59	0.48	0.07	2.20	2.2	<0.01	<5	70	0.89	0.08	1.22	0.07	59.2	16.3	51.4
G32-0	0.53	<0.01	1.73	0.4	<0.01	<5	<1	<0.05	<0.01	0.95	<0.01	0.02	<0.1	<0.5
G32-1	0.50	0.11	1.56	7.3	<0.01	<5	296	0.30	0.11	0.64	0.06	28.1	8.5	34.7
G32-2	0.44	<0.01	2.34	0.4	<0.01	<5	<1	<0.05	<0.01	0.54	<0.01	<0.01	<0.1	<0.5
G32-3	0.52	<0.01	1.30	0.4	<0.01	<5	<1	<0.05	<0.01	0.58	<0.01	<0.01	<0.1	<0.5
G32-4	0.47	0.23	1.65	9.0	<0.01	<5	292	0.44	0.13	0.51	0.06	25.1	8.8	41.5
G32-5	0.55	<0.01	1.41	0.4	<0.01	<5	<1	<0.05	<0.01	0.69	<0.01	<0.01	<0.1	<0.5
G32-6	0.48	<0.01	1.93	0.4	<0.01	<5	<1	<0.05	<0.01	0.64	<0.01	<0.01	<0.1	<0.5
G32-7	0.46	0.11	1.37	4.5	<0.01	<5	302	0.22	0.07	0.68	0.02	15.3	9.8	21.2
G32-8	0.45	0.09	1.60	8.0	<0.01	<5	244	0.30	0.10	0.41	0.07	31.2	10.8	28.9
G32-9	0.46	0.27	1.24	8.9	<0.01	<5	460	0.27	0.09	0.60	0.21	24.1	9.1	32.8
G32-10	0.44	0.16	1.30	8.5	<0.01	<5	262	0.42	0.09	0.75	0.27	27.1	12.7	25.9
G32-11	0.51	0.11	1.74	8.1	<0.01	<5	226	0.19	0.10	0.76	0.12	16.7	8.6	39.3
G32-12	0.42	0.10	2.26	9.3	<0.01	<5	248	0.33	0.10	0.69	0.07	31.5	7.8	27.8
G32-13	0.66	0.16	1.27	13.6	<0.01	<5	234	0.23	0.13	0.55	0.18	17.3	12.6	34.8
G32-14	0.48	0.11	2.54	9.9	<0.01	<5	248	0.34	0.11	0.79	0.08	25.6	9.8	27.8
G32-15	0.57	0.10	1.49	6.3	<0.01	<5	223	0.25	0.09	0.55	0.14	32.8	6.6	24.5
G32-16	0.44	0.12	1.60	4.6	<0.01	<5	314	0.25	0.07	0.48	0.02	15.8	10.3	22.5
G32-17	0.50	0.11	1.30	8.4	<0.01	<5	239	0.28	0.10	0.57	0.05	25.5	8.2	26.6
G32-18	0.42	0.14	1.98	6.0	0.03	<5	321	0.32	0.08	0.58	0.04	19.8	13.8	85.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G32-19		0.60	0.09	1.41	8.2	<0.01	<5	265	0.33	0.10	0.71	0.07	33.7	11.5	31.1
G32-20		0.44	0.28	1.54	9.1	<0.01	<5	491	0.29	0.09	0.57	0.22	25.8	9.3	33.7
G32-21		0.39	0.17	1.33	9.3	<0.01	<5	297	0.48	0.10	0.90	0.30	30.7	13.8	28.2
G32-22		0.43	0.11	1.33	8.1	<0.01	<5	217	0.18	0.10	0.51	0.11	16.1	8.3	38.3
G32-23		0.54	0.10	1.35	8.9	<0.01	<5	230	0.31	0.09	0.59	0.07	28.5	7.7	27.8
G32-24		0.55	0.14	1.20	12.0	<0.01	<5	206	0.21	0.12	0.48	0.16	15.3	10.9	30.6
G32-25		0.37	0.11	1.35	9.5	<0.01	<5	241	0.33	0.11	0.66	0.08	24.9	9.3	26.6
G32-27		0.48	0.11	1.24	7.2	0.06	<5	225	0.26	0.09	0.66	0.10	27.5	9.4	26.2
G32-29		0.52	0.09	1.06	6.1	<0.01	<5	201	0.25	0.08	0.53	0.12	29.2	6.4	24.0
G32-31		0.46	0.08	1.19	5.9	<0.01	<5	191	0.26	0.10	0.62	0.19	21.4	7.7	24.8
G32-33		0.42	0.13	1.74	9.7	<0.01	<5	281	0.44	0.12	1.01	0.21	32.2	11.3	43.5
G32-35		0.45	0.16	1.94	8.7	<0.01	<5	401	0.59	0.15	1.04	0.28	37.2	12.6	56.2
G32-37		0.41	0.14	1.50	8.1	<0.01	<5	353	0.41	0.11	1.05	0.15	31.2	8.5	31.2
G32-39		0.47	0.15	1.52	9.0	<0.01	<5	309	0.42	0.13	1.03	0.15	28.4	9.1	32.1
G32-41		0.44	0.10	1.54	6.7	<0.01	<5	287	0.37	0.11	1.31	0.18	24.9	9.8	42.0
G32-43		0.46	0.10	1.46	6.9	<0.01	<5	272	0.37	0.10	1.36	0.20	27.4	9.8	46.0
G32-45		0.42	0.07	1.64	6.5	<0.01	<5	253	0.32	0.10	0.49	0.08	21.6	9.0	41.0
G32-47		0.41	0.05	1.27	7.4	<0.01	<5	177	0.31	0.06	1.71	0.06	21.1	10.7	48.6
G32-49		0.39	0.09	1.15	9.1	<0.01	<5	291	0.31	0.11	2.96	0.18	28.9	8.5	26.4
G32-51		0.39	0.12	1.21	10.1	<0.01	<5	353	0.33	0.13	2.78	0.22	30.7	8.3	25.7
G32-53		0.37	0.11	1.85	59.4	0.01	<5	458	0.38	0.10	0.53	0.10	29.5	10.6	52.9
G32-55		0.37	0.16	1.87	26.0	<0.01	<5	394	0.55	0.18	0.59	0.13	39.3	11.7	42.6
G32-57		0.41	0.13	1.65	9.5	<0.01	<5	306	0.49	0.10	0.55	0.17	31.3	17.1	59.2
G32-59		0.33	0.13	1.41	8.9	<0.01	<5	402	0.53	0.11	0.67	0.24	32.4	14.2	58.5
G2628-0		0.39	0.33	1.65	48.0	<0.01	<5	376	0.54	0.16	0.45	0.22	29.8	17.0	43.4
G2628-1		0.43	0.18	2.01	3.4	<0.01	<5	401	0.32	0.05	0.70	0.10	19.8	20.2	39.6
G2628-3		0.44	0.35	1.77	111	<0.01	<5	297	0.49	0.08	0.33	0.10	23.0	6.4	14.5
G2628-4		0.41	0.56	1.83	10.4	0.01	<5	446	0.26	0.17	0.63	0.12	11.4	22.1	53.6
G2628-5		0.40	0.22	2.19	10.0	<0.01	<5	532	0.38	0.06	0.75	0.11	13.3	21.9	26.4
G2628-6		0.38	0.43	2.25	15.7	<0.01	<5	667	0.39	0.11	0.62	0.10	16.9	21.9	56.0
G2628-7		0.55	0.18	2.00	6.9	<0.01	<5	388	0.41	0.08	0.73	0.07	19.1	18.0	31.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G2628-8		0.42	0.64	2.30	22.9	0.01	<5	649	0.21	0.06	0.77	0.12	8.14	25.1	41.7
G2628-10		0.47	0.61	2.74	89.8	0.03	<5	400	0.25	0.07	1.02	0.16	9.85	43.9	212
G2628-12		0.50	0.55	1.99	46.4	0.01	<5	405	0.41	0.12	1.57	0.15	26.9	13.7	44.6
G2628-14		0.45	0.45	1.93	21.7	<0.01	<5	334	0.44	0.13	0.91	0.14	32.6	11.9	36.4
G2628-15		0.40	0.13	1.28	9.0	<0.01	<5	329	0.41	0.11	0.68	0.18	31.3	9.5	31.0
G2628-16		0.48	0.21	1.71	15.9	<0.01	<5	376	0.37	0.20	1.05	0.19	27.0	14.9	51.6
G2628-17		0.47	0.41	1.45	10.1	<0.01	<5	321	0.40	0.12	0.61	0.10	36.0	9.6	33.8
G2628-18		0.41	0.13	1.87	22.9	<0.01	<5	310	0.49	0.13	0.65	0.09	33.4	13.5	40.1
G2628-19		0.50	0.28	1.60	10.9	<0.01	<5	376	0.49	0.14	0.70	0.12	41.2	11.1	37.3
G2628-20		0.44	0.27	2.43	33.1	<0.01	<5	558	0.46	0.14	0.65	0.22	24.2	19.1	60.5
G2628-21		0.51	0.18	1.35	11.7	<0.01	<5	270	0.38	0.11	0.67	0.11	38.1	10.7	32.7
G2628-23		0.54	0.19	1.67	11.1	<0.01	<5	362	0.52	0.14	0.78	0.12	41.9	10.9	37.9
G2628-28		0.52	0.45	2.06	10.9	<0.01	<5	526	0.37	0.13	0.76	0.20	22.8	12.7	33.7
G2628-29		0.43	0.18	1.67	10.6	<0.01	<5	332	0.48	0.14	0.79	0.27	38.2	12.3	41.4
G2628-30		0.43	0.30	1.57	12.4	<0.01	<5	407	0.45	0.22	0.87	0.50	28.3	11.6	34.7
G2628-31		0.46	0.11	1.24	10.0	<0.01	<5	281	0.36	0.12	0.73	0.26	30.2	8.8	30.4
G2628-32		0.40	0.27	1.83	13.1	<0.01	<5	373	0.45	0.22	0.80	0.22	27.3	11.0	38.5
G2628-33		0.39	0.16	1.27	9.6	<0.01	17	293	0.29	0.10	1.05	0.29	24.8	10.8	29.4
G2628-34		0.39	0.28	1.91	14.0	<0.01	<5	437	0.54	0.21	0.79	0.35	29.9	11.9	41.7
G2628-35		0.44	0.14	1.74	11.5	<0.01	5	423	0.64	0.14	1.02	0.37	41.5	14.0	54.9
G2628-37		0.43	0.11	2.08	11.5	<0.01	<5	383	0.48	0.13	1.04	0.16	39.9	10.8	44.6
G2628-39		0.43	0.12	1.48	10.1	<0.01	<5	359	0.54	0.13	0.84	0.15	35.9	10.6	43.9
G2628-41		0.36	0.22	1.28	9.8	<0.01	5	452	0.49	0.12	1.53	0.25	32.7	10.5	38.9
G2628-43		0.49	0.09	1.57	10.0	<0.01	5	286	0.59	0.11	0.66	0.15	38.7	13.0	57.2
G2628-45		0.48	0.10	1.39	10.2	<0.01	<5	345	0.48	0.12	1.13	0.18	29.7	10.8	44.1
G2628-47		0.52	0.23	1.69	9.0	<0.01	5	535	0.65	0.14	1.07	0.18	33.6	10.7	50.5
G2628-49		0.45	0.12	1.28	8.8	0.01	<5	372	0.41	0.11	0.86	0.23	30.2	10.6	42.3
G2628-51		0.40	0.12	1.31	7.2	<0.01	<5	318	0.45	0.11	0.98	0.24	31.7	9.3	41.7
G2628-53		0.40	0.14	1.30	6.8	<0.01	9	312	0.44	0.12	1.18	0.28	32.6	9.6	34.6
G2628-55		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G2628-57		0.44	0.15	1.72	9.4	<0.01	<5	361	0.99	0.14	1.76	0.29	34.7	12.5	53.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G2628-59		0.41	0.10	1.42	9.1	<0.01	<5	295	0.78	0.12	0.87	0.08	29.4	9.8	36.1
G22-0		0.34	0.20	2.25	9.2	<0.01	17	500	0.27	0.06	0.64	0.10	14.3	12.0	42.2
G22-1		0.46	0.20	1.82	9.1	<0.01	<5	522	0.94	0.09	0.84	0.09	24.0	10.0	28.6
G22-2		0.43	0.40	2.58	9.9	<0.01	<5	856	1.47	0.04	0.79	0.07	7.01	20.6	31.3
G22-3		0.40	0.14	1.66	9.9	<0.01	<5	300	0.73	0.11	0.66	0.09	26.3	8.2	31.9
G22-4		0.45	0.23	1.29	10.7	0.02	<5	369	0.71	0.10	0.93	0.09	24.8	9.8	26.4
G22-5		0.44	0.15	1.89	9.5	<0.01	<5	310	0.96	0.14	0.55	0.09	22.7	12.9	40.0
G22-6		0.47	0.28	1.85	8.6	<0.01	<5	658	0.92	0.07	1.16	0.18	18.8	14.4	46.7
G22-7		0.42	0.10	2.06	10.1	<0.01	<5	291	0.83	0.20	0.58	0.08	21.7	12.8	37.6
G22-8		0.38	0.12	1.37	8.0	<0.01	<5	299	0.77	0.10	1.36	0.18	33.2	8.4	26.9
G22-9		0.35	0.19	1.66	7.7	<0.01	<5	371	0.89	0.11	0.55	0.09	28.8	9.9	26.8
G22-11		0.42	0.16	2.72	1.7	<0.01	17	751	0.23	0.02	0.46	0.04	5.30	16.9	21.1
G22-13		0.39	0.08	2.44	1.6	<0.01	17	468	0.19	0.10	0.75	0.05	5.28	19.4	18.7
G22-15		0.39	0.13	2.49	6.3	<0.01	17	344	0.21	0.02	0.65	0.06	6.85	19.9	16.9
G22-16		0.43	0.08	0.96	9.1	<0.01	17	293	0.30	0.08	1.27	0.19	32.0	8.1	27.0
G22-17		0.49	0.17	1.89	6.1	<0.01	17	375	0.29	0.05	0.85	0.10	19.0	17.0	52.5
G22-19		0.43	0.15	1.69	9.5	<0.01	18	353	0.37	0.10	0.87	0.11	29.2	12.8	41.4
G22-21		0.47	0.11	1.22	12.4	<0.01	<5	309	0.80	0.10	0.73	0.14	34.5	12.5	27.9
G22-22		0.35	0.09	1.13	7.9	<0.01	<5	198	0.44	0.10	0.62	0.22	20.6	7.2	24.2
G22-23		0.35	0.09	1.26	7.6	<0.01	<5	253	0.74	0.09	0.72	0.17	26.9	8.7	27.7
G22-24		0.36	0.18	1.48	11.5	<0.01	<5	228	0.74	0.10	0.66	0.43	27.8	11.7	46.2
G22-25		0.48	0.06	0.97	5.8	<0.01	<5	180	0.61	0.07	0.61	0.12	29.5	6.7	25.0
G22-26		0.38	0.17	1.55	11.6	<0.01	<5	239	0.90	0.10	0.87	0.45	30.7	10.7	42.7
G22-27		0.47	0.08	1.28	6.0	<0.01	<5	227	0.75	0.08	0.74	0.21	33.9	7.9	28.4
G22-28		0.47	0.20	1.81	12.5	<0.01	<5	253	0.87	0.10	1.40	0.63	30.2	11.2	41.1
G22-29		0.44	0.10	1.26	10.5	<0.01	<5	302	0.82	0.12	0.87	0.23	37.9	10.1	37.3
G22-30		Missing	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G22-31		0.41	0.06	0.85	6.4	<0.01	<5	211	0.67	0.09	0.48	0.21	28.9	8.3	25.3
G22-33		0.42	0.10	1.04	8.4	<0.01	<5	294	0.71	0.12	0.91	0.29	34.4	8.5	26.0
G22-35		0.50	0.12	1.31	10.2	<0.01	<5	362	0.97	0.12	1.74	0.25	38.1	10.9	39.7
G22-37		0.36	0.14	1.30	7.4	<0.01	<5	349	0.75	0.11	1.66	0.40	32.4	8.8	27.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G22-39	0.37	0.17	1.04	7.7	<0.01	<5	363	0.61	0.10	2.00	0.41	27.7	8.9	25.3
G22-41	0.42	0.16	1.38	10.1	<0.01	<5	342	0.80	0.13	1.09	0.25	37.8	10.0	30.4
G22-43	0.40	0.14	1.48	10.1	<0.01	<5	396	0.87	0.13	1.16	0.20	36.2	9.9	37.8
G22-45	0.46	0.13	1.95	8.7	<0.01	<5	497	0.94	0.13	1.17	0.25	33.1	11.7	42.3
G22-47	0.45	0.15	1.43	8.4	<0.01	<5	365	0.73	0.10	0.76	0.11	24.3	11.0	37.9
G22-49	0.42	0.15	2.02	6.3	<0.01	<5	477	1.05	0.08	0.54	0.10	17.1	15.0	55.5
G22-51	0.43	0.10	1.35	9.1	<0.01	<5	229	1.07	0.09	0.69	0.07	26.4	11.1	48.1
G22-53	0.42	0.17	1.48	11.3	<0.01	<5	416	0.86	0.16	1.41	0.23	38.2	11.8	40.9
G22-55	0.44	0.12	1.53	9.8	<0.01	<5	261	0.89	0.11	1.18	0.23	31.8	13.7	58.6
G22-57	0.46	0.12	1.81	10.1	<0.01	<5	308	0.88	0.13	0.82	0.10	33.3	11.4	52.1
G22-59	0.41	0.13	1.28	9.5	<0.01	<5	346	0.75	0.12	1.48	0.15	30.8	10.8	37.3
G20-25	0.39	0.14	1.45	8.5	<0.01	<5	315	0.95	0.14	0.77	0.15	33.8	10.4	37.0
G20-27	0.42	0.11	1.49	8.5	<0.01	5	311	1.02	0.13	0.77	0.23	38.0	8.8	37.5
G20-29	0.40	0.15	1.42	17.6	<0.01	6	406	0.95	0.13	1.38	0.39	33.3	12.3	32.2
G20-31	0.40	0.13	1.28	9.7	<0.01	<5	330	0.93	0.13	0.93	0.27	35.9	9.6	30.0
G20-33	0.41	0.13	1.25	9.7	<0.01	7	372	0.98	0.13	0.88	0.24	35.3	10.6	39.8
G20-35	0.43	0.13	1.18	10.0	<0.01	7	338	0.96	0.13	0.98	0.23	33.5	10.4	37.6
G20-37	0.47	0.15	1.45	10.4	<0.01	8	397	1.08	0.14	1.43	0.35	38.1	12.8	50.7
G20-39	0.39	0.10	0.94	11.6	<0.01	7	358	0.79	0.11	2.69	0.33	29.0	9.6	29.6
G20-41	0.37	0.13	1.38	9.7	<0.01	6	385	0.93	0.12	1.14	0.30	35.0	11.8	40.8
G20-43	0.42	0.12	1.35	10.9	<0.01	7	385	1.05	0.13	1.97	0.28	36.9	11.3	40.8
G20-45	0.44	0.10	1.06	8.6	<0.01	6	286	0.87	0.11	0.93	0.22	34.4	9.8	29.9
G20-47	0.44	0.12	1.35	9.5	<0.01	5	319	0.93	0.12	1.14	0.18	35.0	10.6	37.5
G20-49	0.41	0.17	1.21	9.4	<0.01	6	396	0.88	0.14	0.98	0.28	35.5	11.1	31.6
G20-51	0.46	0.10	1.18	9.7	<0.01	9	311	0.98	0.11	0.91	0.19	30.1	14.2	42.4
G20-53	0.40	0.18	1.52	9.5	<0.01	7	482	1.06	0.14	1.23	0.28	39.8	11.8	42.0
G20-55	0.41	0.13	1.23	10.1	<0.01	8	332	0.98	0.12	0.67	0.09	39.0	9.3	38.3
G20-57	0.43	0.13	1.37	9.8	<0.01	7	413	1.06	0.13	1.66	0.20	37.5	11.4	44.0
G20-59	0.40	0.15	1.51	9.5	<0.01	11	374	1.05	0.13	1.70	0.18	37.3	10.5	44.0
G18-25	0.43	0.16	1.63	10.9	<0.01	6	373	0.88	0.16	1.18	0.20	34.4	13.1	40.8
G18-27	0.42	0.09	1.10	7.1	<0.01	<5	243	0.71	0.09	0.66	0.13	30.2	8.6	26.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G18-29		0.46	0.12	1.46	12.7	<0.01	<5	315	0.87	0.15	0.74	0.11	36.2	10.3	36.5
G18-31		0.54	0.12	1.50	9.3	<0.01	6	407	1.12	0.13	1.37	0.36	37.0	12.1	40.9
G18-33		0.52	0.12	1.43	10.6	<0.01	6	420	1.16	0.12	1.76	0.33	38.5	12.0	40.2
G18-35		0.45	0.13	1.51	9.6	<0.01	<5	322	1.00	0.13	1.04	0.23	37.7	10.5	39.1
G18-37		0.46	0.12	1.42	9.7	<0.01	<5	318	0.81	0.12	1.55	0.35	32.6	10.0	30.9
G18-39		0.41	0.15	1.22	10.4	<0.01	7	375	0.91	0.13	1.13	0.43	37.1	10.5	29.6
G18-41		0.41	0.12	1.19	8.9	<0.01	21	328	1.51	0.12	0.97	0.24	35.9	9.7	29.7
G18-43		0.40	0.11	1.38	9.4	<0.01	7	415	1.04	0.13	1.02	0.26	33.6	11.1	33.9
G18-45		0.41	0.10	1.78	9.0	<0.01	<5	377	1.15	0.13	1.43	0.22	38.0	11.4	41.7
G18-47		0.40	0.16	1.48	9.4	<0.01	6	428	1.09	0.16	1.10	0.35	43.7	10.3	33.2
G18-49		0.44	0.08	1.52	7.6	<0.01	6	339	1.16	0.11	1.09	0.18	37.2	9.3	32.4
G18-51		0.43	0.09	1.39	8.9	<0.01	<5	316	0.95	0.12	0.83	0.15	36.6	10.4	32.2
G18-53		0.46	0.15	1.49	10.3	<0.01	<5	385	0.96	0.15	0.83	0.13	39.2	10.2	32.3
G18-55		0.46	0.12	1.53	9.2	<0.01	<5	374	0.85	0.13	1.28	0.14	34.8	10.4	35.4
G18-57		0.46	0.14	1.34	10.7	<0.01	9	408	1.12	0.13	2.10	0.19	41.3	10.3	37.1
G18-59		0.43	0.12	1.17	10.6	<0.01	<5	289	0.82	0.13	0.66	0.06	32.1	8.9	32.0
G16-27		0.46	0.11	1.08	7.2	<0.01	6	235	0.92	0.13	0.65	0.14	33.4	8.5	28.6
G16-29		0.37	0.12	1.05	8.8	<0.01	7	345	0.91	0.12	0.80	0.36	32.3	9.9	29.1
G16-31		0.37	0.15	1.17	9.7	<0.01	7	403	0.99	0.13	0.99	0.35	34.8	11.0	32.3
G16-33		0.35	0.13	1.17	8.2	<0.01	6	350	0.92	0.12	0.84	0.24	35.6	9.1	30.3
G16-35		0.46	0.19	1.45	9.7	<0.01	8	426	1.07	0.17	1.46	0.39	37.3	11.1	35.1
G16-37		0.32	0.12	1.14	6.8	<0.01	6	319	0.80	0.11	1.60	0.28	28.0	8.7	25.2
G16-39		0.42	0.15	1.40	9.7	<0.01	<5	332	0.91	0.13	0.88	0.30	34.5	9.9	30.4
G16-41		0.40	0.14	1.44	9.9	<0.01	6	413	0.99	0.13	1.86	0.32	35.7	10.2	33.3
G16-43		0.43	0.14	1.49	10.7	<0.01	<5	366	0.94	0.14	0.84	0.21	35.5	11.1	33.8
G16-45		0.43	0.12	1.15	8.7	0.20	5	320	0.82	0.11	1.05	0.24	30.5	10.7	27.8
G16-47		0.44	0.12	1.23	9.6	<0.01	6	390	0.88	0.12	1.22	0.22	31.8	12.0	30.1
G16-49		0.42	0.10	1.10	8.1	<0.01	5	279	0.83	0.11	0.88	0.16	32.6	10.5	36.2
G16-51		0.43	0.10	1.52	9.9	<0.01	6	351	1.02	0.13	1.04	0.31	34.2	13.6	50.1
G16-53		0.42	0.09	1.52	10.0	<0.01	7	341	1.09	0.13	1.08	0.27	39.3	13.1	53.6
G16-55		0.44	0.11	1.33	7.2	<0.01	6	252	0.81	0.09	2.39	0.25	28.0	12.6	81.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G16-57		0.48	0.13	1.41	8.4	<0.01	8	338	0.82	0.10	2.90	0.29	25.6	16.7	132
G16-59		0.47	0.09	1.06	3.8	<0.01	8	794	0.59	0.04	4.68	0.69	9.25	31.8	269
G14-27		0.48	0.07	1.12	6.6	<0.01	<5	199	0.79	0.08	0.70	0.08	29.9	9.7	27.7
G14-29		0.44	0.09	1.41	9.8	<0.01	<5	259	0.71	0.13	0.70	0.33	23.9	7.7	32.7
G14-31		0.31	0.12	1.04	8.3	<0.01	<5	278	0.78	0.12	0.64	0.23	28.8	9.4	29.5
G14-33		0.42	0.13	1.33	11.1	<0.01	<5	302	0.89	0.13	0.88	0.30	33.4	9.6	29.3
G14-35		0.42	0.13	1.35	9.6	<0.01	<5	328	0.94	0.12	0.87	0.27	34.6	8.9	29.5
G14-37		0.36	0.14	1.49	9.9	<0.01	7	363	0.97	0.13	0.98	0.26	33.5	10.6	34.7
G14-39		0.38	0.11	1.28	8.6	<0.01	6	283	0.93	0.12	0.74	0.22	35.6	9.8	33.7
G14-41		0.40	0.09	1.21	9.0	<0.01	5	282	0.87	0.12	0.69	0.24	32.1	11.2	36.6
G14-43		0.52	0.12	1.43	9.3	<0.01	9	346	0.93	0.13	1.66	0.38	30.5	10.8	37.8
G14-45		0.40	0.13	1.07	11.3	<0.01	14	362	0.93	0.13	1.07	0.38	31.5	11.0	35.2
G14-47		0.46	0.13	1.37	10.2	<0.01	15	397	0.78	0.11	4.59	0.63	26.5	13.3	33.7
G14-49		0.43	0.13	1.18	10.1	<0.01	<5	338	0.80	0.13	1.09	0.25	35.4	9.2	30.1
G14-51		0.51	0.09	1.04	8.4	<0.01	<5	235	0.75	0.10	0.85	0.18	30.3	8.7	29.0
G14-53		0.43	0.12	1.28	8.7	<0.01	10	359	0.96	0.12	1.89	0.31	33.6	11.3	36.3
G14-55		0.53	0.10	1.21	9.1	<0.01	8	324	0.92	0.12	1.44	0.31	28.8	11.7	35.3
G14-57		0.49	0.12	1.45	8.5	<0.01	6	416	0.96	0.14	1.12	0.34	28.9	10.6	34.9
G14-59		0.48	0.23	1.40	13.9	<0.01	13	310	1.04	0.14	1.32	0.35	33.5	14.3	56.5
G12-29		0.41	0.14	1.46	7.3	<0.01	<5	281	0.83	0.12	0.79	0.22	31.5	11.0	32.7
G12-31		0.42	0.09	1.23	9.0	<0.01	<5	273	0.91	0.11	0.63	0.21	32.9	10.9	31.4
G12-33		0.40	0.13	1.55	12.2	<0.01	<5	369	0.95	0.14	0.98	0.34	31.7	9.9	34.1
G12-35		0.40	0.11	1.26	8.6	<0.01	7	292	0.85	0.11	1.02	0.35	28.4	9.8	30.8
G12-37		0.24	0.11	1.26	7.5	<0.01	7	302	0.74	0.11	1.63	0.30	24.1	7.7	28.3
G12-39		0.28	0.13	1.15	7.0	<0.01	10	332	0.85	0.13	0.76	0.22	25.5	9.7	32.9
G12-41		0.40	0.14	1.17	8.6	<0.01	8	314	0.82	0.13	0.97	0.31	27.0	9.2	31.5
G12-43		0.40	0.14	1.18	10.9	<0.01	10	355	0.79	0.12	1.36	0.53	25.1	11.3	28.4
G12-45		0.46	0.17	1.34	11.7	<0.01	6	343	0.89	0.21	1.20	0.31	31.4	10.2	30.7
G12-47		0.38	0.12	1.26	8.9	<0.01	<5	278	0.85	0.13	0.79	0.18	30.7	9.3	30.6
G12-49		0.48	0.13	1.42	9.2	<0.01	<5	319	0.85	0.13	0.94	0.25	30.3	10.4	31.0
G12-51		0.44	0.14	1.36	9.7	<0.01	<5	347	0.87	0.14	0.75	0.23	29.0	11.4	34.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G12-53		0.47	0.18	1.58	10.6	<0.01	8	386	1.23	0.20	1.12	0.22	38.8	11.0	38.6
G12-55		0.50	0.12	1.68	9.9	<0.01	9	445	1.27	0.15	1.30	0.28	42.5	11.4	39.3
G12-57		0.51	0.11	1.83	9.5	<0.01	<5	426	0.97	0.14	1.74	0.28	30.7	9.8	33.0
G12-59		0.46	0.11	1.26	8.2	<0.01	<5	157	0.90	0.08	2.23	0.23	25.1	13.2	43.1
G10-29		0.46	0.06	1.01	6.5	<0.01	<5	171	0.47	0.08	0.67	0.13	22.2	6.7	24.3
G10-35		0.43	0.12	1.19	9.8	<0.01	<5	289	0.67	0.12	1.31	0.29	24.5	8.5	26.9
G10-37		0.44	0.14	1.29	9.7	<0.01	<5	354	0.83	0.13	1.05	0.42	35.0	9.3	31.3
G10-39		0.41	0.12	1.50	7.6	<0.01	5	352	0.89	0.13	1.23	0.32	31.5	8.5	33.5
G10-41		0.41	0.11	1.25	9.7	<0.01	<5	280	0.77	0.12	1.06	0.29	31.3	9.2	29.7
G10-43		0.36	0.13	1.12	8.8	<0.01	<5	330	0.78	0.12	1.35	0.41	31.6	8.4	28.1
G10-45		0.42	0.12	1.24	8.6	<0.01	<5	317	0.78	0.11	1.61	0.31	29.8	8.6	27.9
G10-47		0.30	0.11	1.35	8.6	<0.01	<5	319	0.85	0.12	1.17	0.24	30.7	9.9	30.3
G10-49		0.53	0.08	1.19	11.0	<0.01	<5	312	0.92	0.13	1.01	0.25	35.6	12.2	34.3
G10-51		0.32	0.05	1.11	8.6	<0.01	<5	295	0.70	0.11	0.81	0.18	32.9	9.6	33.0
G10-53		0.31	0.13	1.27	8.2	<0.01	<5	296	0.79	0.11	1.43	0.24	28.9	9.5	32.9
G10-55		0.43	0.17	1.46	9.2	<0.01	6	387	0.96	0.14	1.00	0.26	36.4	11.0	44.3
G10-57		0.45	0.15	1.59	7.1	<0.01	<5	284	0.94	0.09	1.96	0.23	27.2	14.0	62.5
G10-59		0.48	0.13	1.37	7.9	<0.01	6	225	0.93	0.09	2.48	0.23	26.1	13.7	43.0
G08-29		0.45	0.17	1.26	8.4	<0.01	<5	285	0.87	0.20	0.68	0.14	35.1	9.7	33.3
G08-31		0.22	0.06	1.24	5.7	<0.01	<5	201	0.74	0.10	0.62	0.11	24.9	5.4	24.6
G08-33		0.48	0.12	1.32	9.7	<0.01	<5	309	0.99	0.13	0.60	0.21	30.9	8.8	41.2
G08-35		0.44	0.13	1.21	10.3	<0.01	<5	350	0.90	0.13	1.05	0.39	34.3	8.7	30.7
G08-37		0.47	0.17	1.46	9.0	<0.01	<5	237	1.07	0.11	0.83	0.21	27.3	11.1	55.2
G08-39		0.44	0.09	1.21	7.2	<0.01	<5	279	0.86	0.10	0.85	0.19	28.5	7.7	27.2
G08-41		0.42	0.12	1.21	8.1	<0.01	6	344	0.78	0.10	1.78	0.27	26.7	8.5	28.4
G08-43		0.47	0.12	1.35	10.6	<0.01	<5	299	0.86	0.14	0.85	0.23	34.4	9.7	33.0
G08-45		0.43	0.14	1.16	8.4	<0.01	<5	344	0.81	0.11	1.20	0.31	30.5	9.5	30.4
G08-47		0.49	0.12	1.13	8.8	<0.01	<5	326	0.82	0.12	0.89	0.33	33.9	9.5	31.1
G08-49		0.45	0.10	1.24	9.3	<0.01	5	216	0.83	0.12	1.07	0.14	31.1	7.7	31.1
G08-51		0.48	0.10	1.44	7.4	<0.01	5	299	1.13	0.11	0.77	0.20	33.9	10.8	42.1
G08-53		0.50	0.13	1.35	8.0	<0.01	<5	315	0.93	0.12	0.92	0.21	31.2	10.4	34.3

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G08-55	0.49	0.08	1.60	6.7	<0.01	<5	159	1.14	0.07	2.72	0.19	25.9	13.4	45.3
G08-57	0.47	0.10	1.56	5.1	<0.01	18	203	0.33	0.07	1.22	0.15	24.0	11.7	40.7
G08-59	0.49	0.23	1.42	7.2	<0.01	6	222	0.88	0.09	1.07	0.19	25.2	13.1	45.0
G06-29	0.37	0.11	1.33	7.1	<0.01	5	210	0.80	0.10	0.78	0.27	26.6	8.2	33.9
G06-31	0.45	0.10	1.16	8.2	<0.01	<5	214	0.64	0.11	0.73	0.25	25.8	10.1	35.6
G06-33	0.48	0.12	0.94	7.5	<0.01	<5	202	0.91	0.17	0.75	0.16	30.7	8.5	38.2
G06-35	0.42	0.08	1.08	8.2	<0.01	<5	172	0.61	0.10	0.75	0.14	23.4	8.4	30.6
G06-37	0.47	0.12	1.24	10.8	<0.01	<5	274	0.84	0.13	0.73	0.29	29.9	11.3	38.0
G06-39	0.43	0.10	1.04	8.3	<0.01	6	225	0.81	0.10	0.75	0.25	28.4	8.9	33.3
G06-41	0.53	0.12	0.79	6.7	<0.01	<5	148	0.52	0.18	0.76	0.20	16.9	6.6	22.2
G06-43	0.43	0.11	0.93	8.5	<0.01	<5	194	0.49	0.11	0.87	0.25	16.8	9.6	32.8
G06-45	0.41	0.05	0.90	8.9	<0.01	<5	147	0.46	0.09	0.54	0.22	14.9	8.0	33.6
G06-49	0.38	0.10	0.98	6.4	<0.01	<5	196	0.51	0.11	0.82	0.58	18.0	9.8	40.0
G06-51	0.44	0.10	1.09	7.7	<0.01	5	187	0.60	0.12	1.11	0.39	20.4	9.2	29.6
G06-53	0.43	0.07	0.96	8.3	<0.01	<5	163	0.53	0.10	0.63	0.23	17.9	8.6	34.2
G06-55	0.34	0.10	1.04	8.2	<0.01	<5	182	0.52	0.11	0.77	0.29	15.7	10.1	44.8
G06-57	0.32	0.13	1.17	9.9	<0.01	6	214	0.59	0.13	1.06	0.41	17.8	11.7	47.3
G06-59	0.45	0.07	0.98	6.1	<0.01	<5	151	0.50	0.09	0.74	0.18	15.6	8.9	39.0

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G3638-0	0.78	68.7	2.11	7.34	<0.05	0.08	0.15	0.018	0.08	9.0	9.2	0.54	586	1.49
G3638-1	0.46	39.4	2.30	5.88	0.07	0.08	0.09	0.018	0.06	9.2	8.2	0.60	494	0.85
G3638-2	1.70	68.8	2.68	8.19	0.06	0.04	0.11	0.026	0.19	9.5	9.1	0.76	1050	0.92
G3638-3	0.56	46.2	2.31	6.19	0.05	0.08	0.60	0.021	0.05	10.8	9.7	0.57	427	0.84
G3638-4	2.54	96.1	2.99	11.0	0.05	0.06	0.13	0.023	0.31	14.3	13.0	1.05	711	0.72
G3638-5	0.77	27.1	2.08	5.75	<0.05	0.03	0.11	0.016	0.04	8.0	7.2	0.50	401	1.41
G3638-6	2.68	76.5	3.43	12.4	0.06	0.04	0.07	0.023	0.35	12.4	19.0	1.34	507	0.69
G3638-7	0.79	34.7	2.33	7.56	0.06	0.04	0.11	0.022	0.06	11.1	7.6	0.48	319	2.39
G3638-8	1.14	30.3	2.26	8.66	<0.05	0.02	0.10	0.021	0.10	8.3	9.7	0.38	286	2.13
G3638-9	0.86	47.3	2.32	8.75	<0.05	0.06	0.14	0.026	0.03	14.5	8.7	0.45	559	4.27
G3638-10	0.67	14.1	2.26	7.40	<0.05	0.03	0.13	0.017	0.07	6.3	10.1	0.39	191	1.35
G3638-11	1.71	82.3	2.43	6.97	0.05	0.16	0.09	0.019	0.11	10.1	13.1	1.13	463	2.07
G3638-12	3.59	117	3.54	9.38	0.06	0.04	0.13	0.033	0.30	15.8	13.4	0.82	553	1.39
G3638-13	0.65	46.7	2.38	6.74	<0.05	0.09	0.15	0.023	0.04	12.5	8.2	0.48	346	2.99
G3638-14	1.56	54.7	2.99	9.85	<0.05	0.05	0.12	0.026	0.14	12.2	12.3	0.80	524	0.77
G3638-15	0.55	36.5	2.02	6.74	<0.05	0.05	0.25	0.020	0.03	11.6	8.3	0.42	271	3.81
G3638-16	0.79	52.4	2.71	7.78	0.06	0.05	0.19	0.028	0.06	12.6	9.5	0.47	511	2.46
G3638-17	0.74	30.4	2.15	7.08	<0.05	0.04	0.16	0.022	0.03	11.5	8.2	0.40	232	3.21
G3638-18	1.17	84.5	3.16	12.5	<0.05	0.03	0.14	0.032	0.10	10.7	14.9	0.65	1540	2.65
G3638-19	0.68	45.9	2.47	7.70	<0.05	0.04	0.22	0.024	0.03	13.2	8.2	0.41	529	3.25
G3638-20	0.68	45.2	2.47	8.41	<0.05	0.06	0.08	0.018	0.07	7.0	11.6	0.62	357	1.01
G3638-21	0.52	26.7	1.84	6.12	<0.05	0.03	0.13	0.019	0.03	11.1	8.0	0.41	201	1.21
G3638-22	0.69	78.1	2.42	7.38	<0.05	0.05	0.05	0.014	0.13	6.0	10.9	0.69	283	0.68
G3638-23	0.57	28.2	2.03	5.92	<0.05	0.04	0.12	0.017	0.03	10.2	7.6	0.44	408	1.67
G3638-24	1.39	159	2.96	7.50	0.06	<0.02	0.03	0.008	0.55	2.7	16.6	1.27	400	0.39
G3638-25	0.51	30.8	2.18	6.04	<0.05	0.05	0.12	0.018	0.04	11.0	7.9	0.51	329	1.24
G3638-27	0.56	29.1	2.23	6.25	0.06	0.03	0.11	0.018	0.03	10.8	8.3	0.49	409	1.23
G3638-29	0.63	28.0	1.92	5.86	<0.05	0.03	0.10	0.017	0.03	9.8	8.7	0.48	220	1.15
G3638-31	0.58	22.1	1.93	5.28	<0.05	0.04	0.09	0.016	0.04	10.1	7.6	0.47	603	1.00
G3638-33	0.35	29.2	2.10	5.00	<0.05	0.08	0.10	0.015	0.03	9.7	6.2	0.48	476	0.77
G3638-35	0.50	39.6	2.35	5.86	<0.05	0.08	0.11	0.017	0.06	10.1	6.9	0.63	517	0.79
G3638-37	0.76	50.2	2.76	6.54	0.05	0.10	0.12	0.020	0.10	11.0	8.5	0.81	586	1.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G3638-39	0.59	40.6	2.36	5.38	<0.05	0.07	0.10	0.016	0.08	9.4	6.5	0.68	524	0.99
G3638-41	1.21	51.0	2.91	6.31	<0.05	0.22	0.12	0.021	0.13	11.8	8.3	0.91	600	1.27
G3638-43	0.32	31.8	2.15	5.88	<0.05	0.07	0.10	0.018	0.04	10.3	7.5	0.53	294	0.72
G3638-45	0.43	39.4	2.34	5.61	<0.05	0.08	0.11	0.017	0.05	10.1	6.9	0.57	338	0.99
G3638-47	<0.05	29.6	2.06	<0.05	0.08	<0.02	0.11	<0.005	0.06	<0.1	<0.1	0.50	341	0.10
G3638-49	<0.05	26.4	2.16	<0.05	0.08	<0.02	0.03	<0.005	0.05	<0.1	<0.1	0.49	310	<0.05
G3638-51	<0.05	67.7	2.77	<0.05	0.08	<0.02	0.02	<0.005	0.14	<0.1	<0.1	0.73	597	<0.05
G3638-53	<0.05	52.3	3.44	<0.05	0.08	<0.02	0.02	<0.005	0.15	<0.1	<0.1	0.77	703	<0.05
G3638-55	1.85	58.5	3.69	14.4	0.12	0.12	0.09	0.018	0.79	10.5	16.4	1.63	1020	2.08
G3638-57	1.27	33.9	2.59	5.11	0.10	0.03	0.12	0.024	0.14	22.2	3.4	0.21	448	1.80
G3638-59	2.23	42.3	4.46	13.7	0.15	0.14	0.08	0.052	0.31	28.7	12.6	1.51	781	12.6
G32-0	<0.05	54.7	2.82	<0.05	0.08	<0.02	0.02	<0.005	0.13	<0.1	<0.1	0.73	442	<0.05
G32-1	1.10	37.7	2.50	8.27	0.08	0.07	0.11	0.022	0.07	14.4	11.7	0.62	304	0.73
G32-2	<0.05	98.0	4.01	<0.05	0.08	<0.02	0.01	<0.005	0.50	<0.1	<0.1	0.89	453	<0.05
G32-3	<0.05	39.0	2.14	<0.05	0.08	<0.02	0.01	<0.005	0.06	<0.1	<0.1	0.49	308	<0.05
G32-4	0.78	27.3	2.51	8.58	0.07	0.07	0.08	0.025	0.06	13.2	11.0	0.57	331	0.54
G32-5	<0.05	42.9	2.41	<0.05	0.08	<0.02	<0.01	<0.005	0.08	<0.1	<0.1	0.55	336	<0.05
G32-6	<0.05	112	4.59	<0.05	0.08	<0.02	<0.01	<0.005	0.33	<0.1	<0.1	0.84	686	<0.05
G32-7	0.95	33.7	2.39	8.49	0.08	0.10	0.07	0.019	0.07	7.7	12.0	0.51	377	0.44
G32-8	0.87	62.7	2.64	7.10	0.09	0.04	0.08	0.021	0.07	15.3	9.8	0.51	224	1.07
G32-9	1.06	32.1	2.31	10.2	0.08	<0.02	0.10	0.021	0.05	13.7	11.0	0.47	289	1.00
G32-10	0.78	53.5	2.49	6.87	0.07	<0.02	0.09	0.020	0.06	13.5	8.6	0.55	276	1.28
G32-11	0.95	68.2	3.12	7.22	0.09	0.02	0.06	0.019	0.12	8.8	7.8	0.71	407	1.32
G32-12	0.89	138	3.98	6.80	0.08	0.02	0.10	0.022	0.57	16.3	9.7	1.07	515	0.99
G32-13	1.17	26.7	2.07	7.01	0.09	0.12	0.09	0.019	0.06	8.4	9.1	0.45	301	1.44
G32-14	0.78	178	4.74	6.87	0.07	<0.02	0.10	0.021	0.58	12.9	10.2	1.11	550	1.07
G32-15	0.69	23.6	2.09	5.77	0.08	0.02	0.09	0.019	0.06	16.8	7.8	0.51	225	0.76
G32-16	0.96	96.4	2.77	8.73	0.08	0.10	0.06	0.019	0.18	7.9	12.5	0.67	274	0.45
G32-17	0.81	24.5	2.21	6.84	0.08	0.03	0.10	0.019	0.06	13.2	9.9	0.52	267	0.82
G32-18	0.97	75.6	3.02	9.40	0.09	0.11	0.08	0.023	0.14	10.2	13.9	0.98	310	0.53
G32-19	0.94	26.4	2.40	7.41	0.09	0.04	0.08	0.022	0.07	16.5	10.5	0.55	359	1.12
G32-20	1.09	46.9	2.38	10.4	0.08	<0.02	0.13	0.022	0.06	14.7	11.4	0.57	483	1.02

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G32-21	0.85	55.8	2.53	7.35	0.08	0.02	0.09	0.023	0.07	15.5	9.6	0.51	468	1.42
G32-22	0.90	45.0	2.40	7.05	0.09	0.03	0.06	0.018	0.12	8.5	7.6	0.55	273	1.26
G32-23	0.79	31.0	2.34	6.64	0.08	0.02	0.10	0.021	0.07	14.9	9.4	0.53	313	0.98
G32-24	0.99	66.2	2.58	6.18	0.09	0.13	0.07	0.016	0.23	7.4	8.1	0.57	431	1.24
G32-25	0.73	32.1	2.55	6.58	0.07	0.05	0.09	0.021	0.06	12.5	9.8	0.57	485	1.02
G32-27	0.66	22.6	2.18	6.27	0.07	0.04	0.09	0.018	0.07	14.2	8.6	0.51	510	0.96
G32-29	0.56	22.9	1.91	5.57	0.08	0.03	0.09	0.017	0.05	15.1	7.5	0.45	258	0.68
G32-31	0.67	24.1	2.09	5.39	0.07	0.04	0.10	0.016	0.05	11.0	7.5	0.50	351	1.07
G32-33	1.06	32.3	2.74	8.06	0.09	0.06	0.15	0.025	0.13	16.3	10.6	0.71	668	1.08
G32-35	1.56	55.2	2.93	9.94	0.09	0.07	0.18	0.029	0.19	19.0	12.5	0.88	617	1.33
G32-37	0.73	40.7	2.35	7.88	0.08	0.06	0.13	0.022	0.08	16.5	9.0	0.58	456	0.93
G32-39	0.61	39.7	2.62	7.76	0.07	0.11	0.12	0.022	0.08	14.8	10.4	0.65	490	0.92
G32-41	0.82	42.3	2.60	7.39	0.07	0.14	0.14	0.022	0.10	13.0	9.3	0.73	483	1.51
G32-43	0.89	43.3	2.60	7.10	0.08	0.08	0.14	0.022	0.12	14.3	9.1	0.78	489	1.06
G32-45	0.75	43.9	2.82	7.34	0.08	0.12	0.08	0.025	0.09	12.1	8.7	0.66	346	0.86
G32-47	0.60	66.2	2.70	5.38	0.07	0.12	0.09	0.019	0.06	9.0	6.3	0.72	541	1.25
G32-49	0.60	33.3	2.21	6.59	0.06	0.06	0.19	0.019	0.07	14.9	7.6	0.67	452	1.48
G32-51	0.67	30.9	2.05	7.28	0.07	0.04	0.16	0.021	0.06	15.7	10.1	0.61	419	0.97
G32-53	2.11	58.6	2.88	11.4	0.08	0.11	0.36	0.039	0.15	15.8	10.0	0.68	288	9.24
G32-55	1.32	42.0	2.67	10.7	0.08	0.09	0.25	0.034	0.08	20.6	15.8	0.58	371	3.65
G32-57	2.75	72.2	3.33	9.57	0.08	0.13	0.11	0.029	0.17	15.3	11.9	0.71	711	4.56
G32-59	0.99	44.3	2.73	10.1	0.08	0.06	0.14	0.031	0.11	18.1	10.4	0.61	642	2.49
G2628-0	1.66	61.8	3.35	10.2	0.07	0.10	0.11	0.045	0.07	14.7	11.6	0.41	1020	15.2
G2628-1	4.57	158	3.93	12.6	0.11	0.08	0.09	0.033	0.54	12.1	16.8	0.92	652	3.64
G2628-3	2.68	126	2.88	10.7	0.08	0.02	0.08	0.035	0.22	10.5	11.1	0.39	585	7.65
G2628-4	2.67	136	3.99	11.5	0.21	0.07	0.15	0.022	0.39	6.6	17.3	0.90	745	2.64
G2628-5	4.70	122	4.39	14.4	0.11	0.04	0.08	0.036	0.69	7.5	18.6	1.01	1010	2.99
G2628-6	3.19	133	4.34	15.5	0.09	0.08	0.12	0.025	0.42	11.1	22.2	1.05	678	2.57
G2628-7	2.85	110	3.62	11.9	0.09	0.05	0.07	0.027	0.37	9.7	18.6	0.89	482	2.53
G2628-8	3.77	137	4.37	14.6	0.15	0.03	0.07	0.020	0.59	4.5	20.1	1.26	830	1.87
G2628-10	3.89	139	4.38	12.0	0.08	0.06	0.10	0.027	0.46	4.9	24.9	2.24	1240	2.01
G2628-12	1.84	76.0	3.29	11.0	0.06	0.14	0.14	0.030	0.31	14.5	16.0	0.82	514	1.43

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G2628-14	1.37	76.9	3.00	10.5	0.09	0.10	0.13	0.033	0.13	17.6	15.7	0.64	431	0.91
G2628-15	0.74	36.0	2.01	8.78	0.07	0.05	0.13	0.023	0.06	16.2	10.6	0.46	385	0.93
G2628-16	1.67	71.1	3.15	10.3	0.12	0.12	0.11	0.029	0.30	14.0	13.8	0.84	499	1.64
G2628-17	0.96	30.8	2.19	8.99	0.08	0.08	0.14	0.027	0.06	18.5	11.4	0.47	307	1.23
G2628-18	1.14	56.2	2.96	10.4	0.10	0.27	0.15	0.033	0.10	18.1	15.3	0.61	419	1.54
G2628-19	0.96	34.1	2.47	9.71	0.07	0.10	0.17	0.028	0.07	21.0	12.3	0.52	414	1.15
G2628-20	3.42	138	4.93	15.6	0.17	0.06	0.07	0.053	0.45	13.1	22.4	1.12	706	1.86
G2628-21	0.88	23.8	2.41	8.09	0.08	0.05	0.11	0.025	0.06	19.5	10.2	0.46	421	1.38
G2628-23	1.06	36.5	2.58	9.66	0.08	0.09	0.15	0.029	0.08	21.5	13.1	0.55	436	1.07
G2628-28	2.03	64.2	3.24	12.3	0.08	0.05	0.08	0.025	0.36	12.2	16.4	0.87	542	1.87
G2628-29	1.45	34.6	2.72	9.15	0.08	0.04	0.13	0.030	0.10	19.0	13.7	0.62	666	1.86
G2628-30	0.86	39.6	2.51	9.99	0.08	0.06	0.12	0.028	0.07	14.6	11.6	0.55	540	2.59
G2628-31	0.52	26.3	2.38	7.06	0.09	0.07	0.11	0.022	0.06	15.2	9.8	0.56	290	1.59
G2628-32	1.38	56.6	2.78	9.94	0.07	0.11	0.14	0.029	0.16	14.7	13.9	0.66	480	1.83
G2628-33	0.51	27.8	2.22	9.14	0.11	0.07	0.17	0.018	0.07	10.9	7.0	0.53	437	0.86
G2628-34	1.38	58.8	2.90	6.28	0.14	0.11	0.04	0.026	0.17	15.6	12.5	0.65	623	1.97
G2628-35	1.06	42.0	2.78	5.81	0.14	0.17	0.05	0.029	0.13	20.8	12.2	0.69	682	1.65
G2628-37	0.85	39.2	3.12	5.46	0.15	0.11	0.04	0.027	0.12	21.6	13.8	0.71	452	1.34
G2628-39	0.73	36.1	2.40	5.00	0.12	0.09	0.03	0.026	0.07	18.5	10.2	0.56	418	1.20
G2628-41	0.57	39.4	2.18	4.41	0.14	0.06	0.04	0.023	0.07	17.0	9.4	0.56	465	1.01
G2628-43	0.86	42.1	2.72	5.34	0.15	0.25	0.03	0.027	0.12	19.6	10.3	0.61	442	1.24
G2628-45	0.52	38.8	2.49	4.63	0.13	0.09	0.04	0.022	0.07	16.2	9.8	0.61	386	1.03
G2628-47	0.81	55.7	2.52	5.42	0.13	0.06	0.06	0.028	0.09	18.7	11.8	0.63	430	1.61
G2628-49	0.62	40.2	2.33	4.16	0.13	0.09	0.05	0.022	0.07	15.6	9.4	0.57	426	1.03
G2628-51	0.71	40.3	2.08	4.43	0.11	0.12	0.04	0.023	0.08	16.6	9.9	0.59	247	1.02
G2628-53	0.68	31.4	2.13	4.53	0.12	0.13	0.03	0.024	0.09	16.5	10.5	0.60	319	1.04
G2628-55	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G2628-57	1.00	51.9	3.04	5.14	0.13	0.08	0.05	0.026	0.12	17.5	11.7	0.82	580	1.94
G2628-59	0.54	31.3	2.39	4.49	0.13	0.05	0.05	0.021	0.05	15.4	8.2	0.53	423	1.17
G22-0	1.41	62.3	3.91	13.9	0.11	0.05	0.12	0.019	0.23	7.0	13.1	1.11	584	1.22
G22-1	1.09	58.5	3.15	5.13	0.14	0.03	0.03	0.020	0.22	13.6	13.9	0.80	442	1.21
G22-2	3.47	112	4.87	8.66	0.13	<0.02	0.01	0.018	0.98	4.1	20.7	1.51	1140	1.13

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G22-3	0.75	31.1	2.71	4.94	0.13	0.04	0.02	0.024	0.08	13.9	9.4	0.57	433	1.43
G22-4	0.70	48.8	2.75	4.04	0.14	0.03	0.03	0.019	0.15	13.5	9.5	0.66	441	0.89
G22-5	1.79	80.2	3.92	6.07	0.13	0.09	0.01	0.028	0.16	10.2	10.5	0.68	550	3.06
G22-6	1.89	58.7	3.27	5.20	0.14	0.03	0.02	0.018	0.47	8.9	13.8	0.99	655	1.02
G22-7	2.69	85.1	4.47	8.03	0.14	0.05	0.02	0.048	0.15	11.2	11.1	0.66	658	3.42
G22-8	0.75	31.3	2.33	4.11	0.14	0.06	0.02	0.020	0.11	16.9	9.2	0.64	303	0.72
G22-9	1.02	36.1	2.84	5.76	0.13	0.04	0.02	0.025	0.20	15.3	10.6	0.61	432	1.13
G22-11	2.12	123	5.34	18.7	0.21	0.04	0.08	0.012	1.35	2.9	18.6	1.42	766	0.98
G22-13	2.28	123	4.92	16.4	0.17	0.04	0.04	0.021	0.95	3.3	19.7	1.27	790	1.98
G22-15	2.82	129	5.31	11.4	0.15	0.03	0.10	0.012	1.04	4.0	18.3	1.31	946	0.78
G22-16	0.68	24.1	2.05	8.43	0.12	0.06	0.15	0.017	0.08	13.8	7.2	0.53	396	0.58
G22-17	1.73	101	3.74	11.6	0.15	0.02	0.09	0.019	0.47	8.5	16.1	0.99	589	0.99
G22-19	1.20	58.5	2.98	11.4	0.12	0.05	0.15	0.022	0.20	12.6	13.3	0.70	538	0.87
G22-21	0.78	32.2	2.58	4.40	0.13	0.04	0.03	0.022	0.07	17.7	7.4	0.42	315	1.07
G22-22	0.67	18.4	1.93	3.88	0.12	<0.02	0.02	0.017	0.04	9.9	7.2	0.44	289	1.78
G22-23	0.58	31.0	2.27	3.90	0.15	0.03	0.02	0.020	0.06	13.7	8.6	0.52	372	0.95
G22-24	1.21	33.1	2.26	5.33	0.11	0.03	0.03	0.024	0.05	14.1	8.9	0.57	429	2.90
G22-25	0.80	12.6	1.68	3.47	0.14	0.02	0.02	0.016	0.06	15.5	6.1	0.44	263	0.88
G22-26	0.95	41.8	2.83	5.29	0.14	0.12	0.03	0.027	0.07	16.2	9.6	0.63	378	2.75
G22-27	0.82	16.4	2.05	4.17	0.15	0.09	0.02	0.019	0.08	17.4	8.1	0.54	182	1.00
G22-28	1.08	60.8	3.19	5.23	0.14	0.12	0.04	0.029	0.11	16.2	11.4	0.72	414	2.61
G22-29	0.63	26.4	2.51	4.38	0.14	0.11	0.03	0.023	0.07	19.0	8.5	0.57	376	1.43
G22-30	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G22-31	0.42	16.8	1.85	3.39	0.13	0.13	0.02	0.017	0.04	14.9	5.6	0.37	202	1.19
G22-33	0.64	24.5	1.98	3.82	0.12	0.06	0.03	0.020	0.06	17.7	7.2	0.45	285	1.05
G22-35	0.80	32.4	2.38	4.63	0.13	0.10	0.03	0.025	0.08	19.3	8.6	0.56	526	1.44
G22-37	0.72	27.6	2.12	4.19	0.12	0.11	0.08	0.022	0.08	16.7	7.7	0.47	410	0.97
G22-39	0.62	24.7	1.98	3.56	0.10	0.07	0.04	0.020	0.07	14.3	6.7	0.43	504	0.92
G22-41	0.74	27.2	2.46	4.63	0.13	0.05	0.05	0.025	0.10	19.2	9.2	0.54	439	1.08
G22-43	0.79	33.1	2.36	5.16	0.13	0.05	0.04	0.027	0.09	18.5	9.3	0.54	365	0.94
G22-45	0.86	46.0	3.08	5.95	0.14	0.12	0.03	0.029	0.15	17.1	12.2	0.71	428	1.04
G22-47	0.81	55.7	2.96	5.32	0.13	0.06	0.03	0.028	0.20	11.9	10.2	0.70	330	1.14

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G22-49	2.14	99.1	3.72	8.34	0.14	0.04	0.01	0.038	0.49	9.3	13.3	1.32	481	1.71
G22-51	0.69	44.7	2.50	5.00	0.13	0.06	0.03	0.024	0.07	14.4	8.4	0.70	320	0.99
G22-53	0.95	61.2	2.71	4.97	0.13	0.07	0.06	0.027	0.10	19.6	10.2	0.65	688	2.31
G22-55	0.89	50.9	3.14	5.08	0.14	0.07	0.04	0.027	0.12	16.8	10.1	0.82	699	1.93
G22-57	0.75	44.8	3.21	5.38	0.15	0.05	0.03	0.029	0.08	17.6	11.6	0.78	511	1.43
G22-59	0.70	39.9	2.61	4.58	0.11	0.05	0.03	0.029	0.06	15.9	8.2	0.56	515	1.31
G20-25	0.82	37.4	2.47	4.82	0.13	0.06	0.05	0.025	0.06	17.2	9.7	0.59	579	1.99
G20-27	0.89	33.5	2.33	4.94	0.11	0.10	0.04	0.025	0.07	19.2	9.5	0.57	348	1.11
G20-29	0.62	43.0	3.53	4.49	0.13	0.14	0.04	0.025	0.06	17.2	9.0	0.55	712	0.97
G20-31	0.66	33.3	2.26	4.34	0.11	0.09	0.04	0.024	0.07	18.5	8.8	0.53	473	1.13
G20-33	0.70	34.3	2.09	4.92	0.12	0.07	0.05	0.025	0.07	18.0	8.0	0.49	493	1.09
G20-35	0.66	33.3	2.16	4.51	0.13	0.10	0.04	0.025	0.07	17.0	8.1	0.52	500	1.14
G20-37	0.90	41.8	2.55	5.34	0.13	0.11	0.04	0.029	0.11	19.3	10.0	0.68	669	1.39
G20-39	0.62	40.9	2.07	3.75	0.10	0.09	0.03	0.022	0.06	13.4	7.3	0.57	526	1.11
G20-41	0.70	43.9	2.54	4.85	0.13	0.08	0.04	0.027	0.07	17.9	8.7	0.60	639	1.31
G20-43	0.76	37.9	2.58	4.86	0.12	0.14	0.03	0.028	0.10	18.7	8.7	0.63	603	1.45
G20-45	0.60	29.7	2.06	4.11	0.12	0.07	0.03	0.022	0.07	17.2	7.0	0.52	450	1.16
G20-47	0.65	36.9	2.40	4.76	0.12	0.09	0.03	0.026	0.07	17.7	8.4	0.55	437	1.43
G20-49	0.64	36.9	2.29	4.52	0.12	0.09	0.04	0.026	0.07	18.2	8.5	0.58	551	1.13
G20-51	0.59	47.2	2.52	4.60	0.11	0.20	0.03	0.027	0.06	15.0	6.9	0.54	739	2.09
G20-53	0.81	49.0	2.59	5.30	0.13	0.07	0.04	0.029	0.09	20.3	9.9	0.68	478	1.30
G20-55	0.73	35.3	2.27	4.72	0.13	0.05	0.04	0.025	0.07	20.3	8.4	0.57	373	1.00
G20-57	1.06	37.8	2.52	5.23	0.13	0.06	0.04	0.027	0.09	19.6	9.7	0.73	585	1.38
G20-59	0.95	39.3	2.60	5.61	0.12	0.07	0.03	0.032	0.09	19.3	10.6	0.68	605	1.22
G18-25	1.17	48.3	2.90	5.50	0.13	0.02	0.06	0.027	0.08	17.6	10.1	0.58	993	2.50
G18-27	0.72	22.2	1.99	3.82	0.12	0.03	0.03	0.019	0.05	15.4	7.4	0.48	419	1.01
G18-29	0.64	30.6	2.61	4.99	0.15	0.08	0.05	0.026	0.06	18.1	9.2	0.52	303	0.99
G18-31	0.68	38.4	2.40	5.31	0.13	0.22	0.04	0.027	0.08	18.4	9.0	0.56	629	1.26
G18-33	0.68	36.4	2.52	5.02	0.13	0.21	0.03	0.027	0.07	19.2	8.5	0.55	719	1.58
G18-35	0.86	35.0	2.41	5.22	0.13	0.07	0.06	0.027	0.08	19.3	9.0	0.54	551	1.25
G18-37	0.75	30.1	2.40	4.65	0.12	0.09	0.04	0.024	0.08	16.6	8.2	0.52	584	1.21
G18-39	0.73	33.2	2.18	4.49	0.13	0.08	0.05	0.024	0.08	19.0	8.1	0.50	583	1.00

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G18-41	0.75	70.4	2.14	4.48	0.12	0.07	0.04	0.024	0.07	18.3	7.6	0.50	554	1.11
G18-43	0.63	39.7	2.27	5.15	0.13	0.23	0.04	0.027	0.08	17.3	8.8	0.54	594	1.21
G18-45	0.65	40.7	3.00	5.38	0.13	0.24	0.03	0.028	0.10	19.0	10.6	0.64	613	1.29
G18-47	0.89	39.5	2.54	5.07	0.12	0.06	0.04	0.029	0.11	22.5	10.7	0.66	485	1.25
G18-49	0.75	31.0	2.40	5.03	0.14	0.24	0.02	0.026	0.10	18.9	9.1	0.57	505	1.09
G18-51	0.66	31.6	2.46	4.79	0.13	0.10	0.03	0.025	0.08	18.3	9.1	0.58	543	1.26
G18-53	0.73	29.7	2.63	5.18	0.12	0.05	0.03	0.028	0.08	20.0	10.6	0.64	604	1.34
G18-55	0.83	32.3	2.64	5.25	0.11	0.08	0.03	0.028	0.08	17.8	10.5	0.67	528	1.22
G18-57	1.02	39.3	2.33	5.53	0.13	0.05	0.04	0.029	0.11	21.2	9.8	0.65	546	1.40
G18-59	0.54	26.2	2.31	4.33	0.12	0.05	0.07	0.025	0.05	16.9	8.1	0.56	297	0.83
G16-27	0.95	50.4	1.82	4.40	0.13	0.04	0.04	0.021	0.06	17.1	6.9	0.43	341	2.17
G16-29	0.68	38.5	1.96	4.19	0.11	0.12	0.04	0.024	0.06	16.5	7.1	0.47	472	1.10
G16-31	0.73	38.4	2.16	4.73	0.12	0.10	0.04	0.026	0.06	17.5	7.8	0.50	476	1.40
G16-33	0.66	34.3	2.05	4.46	0.12	0.10	0.04	0.024	0.07	18.2	7.5	0.46	344	0.91
G16-35	0.74	66.6	2.33	5.32	0.12	0.13	0.06	0.030	0.08	19.1	9.2	0.55	500	2.52
G16-37	0.58	34.6	1.97	3.86	0.09	0.12	0.05	0.021	0.05	12.9	6.2	0.41	530	1.04
G16-39	0.70	33.8	2.50	4.60	0.12	0.10	0.04	0.024	0.08	17.2	9.2	0.57	513	1.12
G16-41	0.90	35.1	2.35	5.14	0.12	0.13	0.04	0.027	0.10	18.2	9.4	0.59	532	1.42
G16-43	0.69	37.7	2.66	5.09	0.13	0.12	0.04	0.028	0.09	18.0	9.4	0.61	524	1.34
G16-45	0.63	30.0	2.19	4.19	0.12	0.09	0.04	0.023	0.06	14.2	7.1	0.49	650	1.15
G16-47	0.60	42.4	2.21	4.26	0.10	0.10	0.04	0.024	0.06	16.5	7.9	0.53	885	1.39
G16-49	0.67	26.5	2.02	4.43	0.11	0.09	0.03	0.025	0.06	14.9	7.0	0.51	527	1.35
G16-51	0.88	46.9	2.92	5.34	0.11	0.21	0.03	0.033	0.09	15.0	10.2	0.71	886	1.83
G16-53	0.90	43.0	2.84	5.51	0.13	0.15	0.03	0.031	0.10	19.2	9.5	0.66	599	1.85
G16-55	1.11	46.2	2.55	4.43	0.11	0.13	0.03	0.026	0.09	12.8	9.7	0.79	495	1.51
G16-57	1.33	66.2	2.86	4.82	0.11	0.08	0.03	0.031	0.09	11.8	10.9	1.06	757	2.39
G16-59	1.93	66.8	3.06	3.93	0.10	0.06	0.01	0.027	0.04	4.6	7.8	1.71	1420	2.21
G14-27	0.85	21.0	2.00	3.87	0.11	0.03	0.03	0.019	0.05	13.6	7.6	0.50	359	1.07
G14-29	1.55	22.6	2.12	5.21	0.10	0.05	0.03	0.026	0.05	10.8	9.4	0.59	327	1.25
G14-31	0.62	27.1	2.03	3.92	0.12	0.11	0.03	0.022	0.05	13.3	6.8	0.46	426	1.03
G14-33	0.71	35.2	2.32	4.55	0.11	0.08	0.03	0.025	0.05	16.8	8.7	0.49	553	1.28
G14-35	0.73	28.8	2.20	4.65	0.12	0.11	0.04	0.026	0.06	17.5	8.2	0.49	419	1.06

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G14-37	0.86	33.6	2.41	5.32	0.12	0.13	0.04	0.029	0.08	17.0	9.0	0.57	501	1.17
G14-39	0.80	33.4	2.33	4.89	0.13	0.13	0.03	0.027	0.09	17.6	7.8	0.52	410	1.49
G14-41	0.52	36.8	2.51	4.43	0.12	0.20	0.03	0.026	0.07	14.5	8.1	0.57	497	1.72
G14-43	0.74	43.0	2.44	4.85	0.11	0.16	0.04	0.028	0.10	13.7	9.9	0.70	619	1.28
G14-45	0.66	38.8	2.15	4.56	0.11	0.18	0.04	0.027	0.07	14.5	7.3	0.52	565	2.44
G14-47	0.69	46.0	2.47	4.23	0.10	0.09	0.03	0.025	0.09	12.3	9.2	0.66	2020	2.08
G14-49	0.72	27.6	2.32	4.39	0.13	0.07	0.04	0.026	0.08	17.8	8.6	0.57	334	1.43
G14-51	0.59	27.0	2.05	3.98	0.12	0.09	0.03	0.022	0.07	14.0	6.8	0.49	296	1.39
G14-53	0.74	42.5	2.44	4.90	0.10	0.17	0.03	0.028	0.08	15.1	8.7	0.63	515	1.55
G14-55	0.78	44.3	2.31	4.62	0.11	0.21	0.03	0.029	0.07	13.0	8.5	0.55	553	1.73
G14-57	0.82	42.0	2.40	5.16	0.11	0.23	0.03	0.029	0.08	13.1	10.4	0.58	498	1.57
G14-59	1.58	64.7	2.66	5.72	0.11	0.08	0.04	0.037	0.08	15.5	10.7	0.64	804	2.74
G12-29	1.16	26.9	2.28	5.13	0.12	0.04	0.03	0.025	0.07	14.3	9.9	0.59	427	0.98
G12-31	0.68	28.6	2.30	4.46	0.13	0.19	0.03	0.025	0.07	15.0	7.7	0.50	682	1.41
G12-33	0.69	37.8	3.10	4.94	0.13	0.20	0.04	0.028	0.10	14.2	10.2	0.63	244	1.35
G12-35	0.64	31.9	2.06	4.50	0.12	0.12	0.03	0.025	0.08	13.0	8.1	0.51	693	1.19
G12-37	0.50	31.4	2.02	4.10	0.12	0.13	0.05	0.022	0.06	11.1	8.0	0.60	274	0.91
G12-39	0.71	29.8	2.04	4.97	0.10	0.16	0.03	0.028	0.06	11.6	8.4	0.57	282	0.80
G12-41	0.54	37.0	1.91	4.54	0.10	0.14	0.04	0.027	0.07	12.5	8.6	0.60	297	1.17
G12-43	0.59	41.5	2.21	4.21	0.08	0.13	0.03	0.024	0.07	11.7	8.4	0.63	512	1.44
G12-45	0.65	84.7	2.63	4.36	0.12	0.12	0.06	0.026	0.10	14.4	9.3	0.63	735	3.53
G12-47	0.60	31.9	2.19	4.54	0.12	0.12	0.04	0.025	0.08	14.1	8.7	0.58	291	1.20
G12-49	0.57	47.6	2.47	4.65	0.13	0.11	0.04	0.026	0.08	13.9	9.4	0.63	611	1.26
G12-51	0.53	40.3	2.47	5.20	0.12	0.19	0.04	0.030	0.07	13.3	8.7	0.58	487	1.45
G12-53	0.95	51.4	2.42	5.99	0.12	0.16	0.06	0.034	0.10	19.9	10.1	0.64	539	3.54
G12-55	0.93	46.1	2.68	6.11	0.12	0.18	0.04	0.034	0.11	21.5	11.0	0.66	518	1.49
G12-57	0.79	42.1	2.76	5.63	0.14	0.14	0.04	0.030	0.10	14.4	12.1	0.69	457	1.34
G12-59	0.95	57.0	2.72	4.53	0.13	0.08	0.03	0.025	0.12	11.5	7.0	0.79	723	1.37
G10-29	0.58	16.8	1.46	3.72	0.15	<0.02	0.03	0.018	0.04	10.4	7.4	0.47	153	0.50
G10-35	0.52	26.3	2.15	4.01	0.13	0.12	0.04	0.022	0.05	11.3	8.3	0.59	373	1.27
G10-37	0.86	31.6	2.15	4.78	0.12	0.10	0.04	0.025	0.08	16.1	8.1	0.52	518	1.19
G10-39	0.80	32.9	2.22	5.16	0.11	0.13	0.03	0.028	0.09	14.6	9.6	0.63	522	1.07

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G10-41	0.69	25.4	2.13	4.45	0.11	0.10	0.04	0.024	0.07	14.2	7.8	0.52	294	1.28
G10-43	0.75	27.8	1.88	4.36	0.11	0.10	0.04	0.024	0.07	14.6	7.5	0.48	394	1.14
G10-45	0.70	28.5	1.96	4.25	0.11	0.11	0.04	0.024	0.08	13.8	7.9	0.55	456	1.00
G10-47	0.74	29.4	2.18	4.85	0.11	0.08	0.03	0.026	0.08	14.1	8.7	0.57	965	1.40
G10-49	0.55	29.7	2.51	4.50	0.13	0.20	0.04	0.025	0.07	15.8	7.4	0.51	447	1.69
G10-51	0.35	35.0	2.68	4.01	0.16	0.07	0.02	0.022	0.05	15.0	7.1	0.51	396	1.32
G10-53	0.66	29.1	2.04	4.53	0.11	0.10	0.03	0.025	0.08	13.4	7.9	0.57	541	1.09
G10-55	0.93	39.5	2.44	5.60	0.12	0.06	0.04	0.032	0.09	16.6	10.1	0.65	406	1.50
G10-57	1.01	58.0	3.03	5.39	0.12	0.05	0.03	0.030	0.12	12.6	8.5	0.91	692	1.73
G10-59	1.05	60.9	2.70	5.13	0.11	0.08	0.03	0.029	0.09	11.8	7.5	0.82	657	1.60
G08-29	1.02	32.7	2.10	5.08	0.11	0.04	0.05	0.027	0.07	16.0	8.3	0.54	473	3.72
G08-31	0.57	19.3	1.74	4.19	0.12	0.16	0.02	0.020	0.05	11.4	7.3	0.47	145	1.45
G08-33	1.00	34.0	2.34	5.02	0.12	0.15	0.04	0.026	0.08	15.4	8.2	0.58	311	1.06
G08-35	0.79	32.9	2.23	4.51	0.12	0.06	0.04	0.025	0.08	15.8	8.6	0.57	402	1.20
G08-37	1.19	45.3	2.59	5.19	0.12	0.11	0.03	0.026	0.10	13.3	9.1	0.80	381	1.23
G08-39	0.69	23.6	1.85	4.38	0.12	0.11	0.03	0.023	0.08	13.0	7.6	0.49	315	0.99
G08-41	0.70	35.4	2.09	4.04	0.12	0.09	0.04	0.023	0.07	12.6	7.4	0.58	723	0.81
G08-43	0.73	29.2	2.36	4.91	0.13	0.07	0.04	0.027	0.07	15.6	9.0	0.55	395	1.18
G08-45	0.69	31.5	1.91	4.36	0.11	0.08	0.04	0.024	0.06	14.1	7.1	0.49	463	1.05
G08-47	0.66	29.3	2.13	4.39	0.12	0.10	0.04	0.024	0.07	15.6	7.8	0.53	393	0.93
G08-49	0.74	22.7	2.06	4.59	0.11	0.07	0.04	0.025	0.07	14.2	7.9	0.50	283	1.60
G08-51	1.79	38.3	2.56	5.08	0.13	0.20	0.03	0.026	0.10	15.4	9.1	0.62	558	1.14
G08-53	0.71	36.2	2.23	5.00	0.10	0.07	0.03	0.026	0.09	14.0	8.6	0.66	438	1.22
G08-55	0.91	67.7	2.99	5.32	0.13	0.18	0.03	0.027	0.17	11.5	7.6	0.96	693	1.01
G08-57	0.66	69.6	2.80	8.42	0.14	0.10	0.22	0.019	0.12	10.0	7.9	0.88	897	0.58
G08-59	0.94	67.5	2.91	5.23	0.12	0.07	0.04	0.031	0.08	11.8	8.8	0.78	694	2.09
G06-29	1.12	21.3	1.99	5.08	0.11	0.06	0.03	0.025	0.06	12.1	8.6	0.56	345	0.87
G06-31	0.54	27.7	2.16	4.20	0.14	0.05	0.04	0.023	0.05	11.7	8.2	0.59	734	0.92
G06-33	0.81	23.3	2.21	3.77	0.12	0.08	0.04	0.019	0.06	14.2	5.8	0.53	466	3.61
G06-35	0.84	21.1	1.93	3.79	0.12	0.04	0.03	0.022	0.05	10.4	8.3	0.56	238	0.99
G06-37	1.04	31.1	2.34	4.63	0.13	0.08	0.03	0.025	0.07	13.4	8.5	0.57	729	1.16
G06-39	0.90	26.2	2.02	4.08	0.11	0.08	0.03	0.021	0.06	13.3	7.1	0.53	407	0.82

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G06-41	0.59	43.5	1.73	2.88	0.10	0.09	0.49	0.017	0.05	8.5	6.0	0.42	261	3.47
G06-43	0.82	27.5	1.91	3.29	0.08	0.04	0.04	0.018	0.03	8.4	6.5	0.51	400	1.18
G06-45	0.87	18.1	2.02	3.12	0.09	0.06	0.02	0.016	0.04	7.4	6.4	0.54	305	1.09
G06-49	1.44	28.5	1.74	3.41	0.08	0.07	0.03	0.018	0.05	8.1	7.6	0.67	271	0.70
G06-51	0.50	25.5	2.07	3.75	0.09	0.09	0.03	0.022	0.05	9.1	9.0	0.67	362	0.74
G06-53	0.73	20.7	2.06	3.29	0.08	0.08	0.02	0.018	0.04	8.9	6.6	0.56	345	1.05
G06-55	1.96	29.5	2.02	3.49	0.10	0.07	0.03	0.019	0.06	7.7	7.6	0.64	385	0.62
G06-57	2.21	38.8	2.32	3.85	0.08	0.08	0.04	0.022	0.06	8.8	8.8	0.73	764	0.87
G06-59	0.99	20.2	1.86	3.32	0.09	0.05	0.02	0.018	0.04	7.8	7.0	0.59	434	0.65

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G3638-0		0.01	1.00	21.7	785	5.6	10.6	0.001	0.037	0.70	3.1	0.4	0.3	35.5	0.01
G3638-1		0.02	0.97	25.8	895	5.6	5.7	<0.001	0.037	0.91	3.4	0.2	0.3	36.9	<0.01
G3638-2		0.01	0.90	35.1	662	4.7	14.4	<0.001	0.023	0.85	4.5	0.5	0.3	23.7	<0.01
G3638-3		0.02	0.92	25.7	810	6.2	4.9	<0.001	0.024	1.13	3.8	0.3	0.3	30.7	<0.01
G3638-4		<0.01	1.13	32.8	693	4.3	20.5	<0.001	0.039	0.59	4.5	0.6	0.4	30.3	<0.01
G3638-5		<0.01	0.64	23.9	700	4.9	4.5	<0.001	0.015	0.50	2.7	0.2	0.3	18.2	<0.01
G3638-6		<0.01	0.99	23.7	675	5.1	25.2	<0.001	0.009	0.64	4.8	0.7	0.4	15.7	<0.01
G3638-7		<0.01	0.79	25.4	589	6.0	5.9	<0.001	0.016	0.97	4.0	0.4	0.3	18.2	<0.01
G3638-8		<0.01	1.04	21.8	457	8.7	9.9	<0.001	0.015	1.36	2.7	0.3	0.5	13.0	<0.01
G3638-9		<0.01	0.95	41.6	537	7.6	5.5	0.001	0.027	1.15	5.2	0.6	0.4	25.6	<0.01
G3638-10		<0.01	1.28	13.5	226	7.4	10.1	<0.001	<0.005	0.52	2.1	<0.2	0.5	9.9	<0.01
G3638-11		0.01	0.53	76.0	827	6.4	12.4	<0.001	0.015	0.63	5.0	0.5	0.3	19.8	<0.01
G3638-12		<0.01	0.25	39.5	811	5.8	23.8	<0.001	0.005	10.8	6.5	1.7	0.3	16.7	<0.01
G3638-13		0.01	0.85	36.4	684	7.0	4.9	<0.001	0.019	1.13	4.7	0.7	0.3	30.2	<0.01
G3638-14		0.01	0.97	36.0	750	6.1	14.6	<0.001	0.013	1.07	6.0	0.5	0.4	23.7	<0.01
G3638-15		<0.01	0.79	31.3	617	6.6	4.4	<0.001	0.013	0.90	3.8	0.7	0.3	23.7	<0.01
G3638-16		<0.01	0.61	31.0	358	6.4	5.6	<0.001	0.007	4.02	6.6	0.9	0.3	18.1	<0.01
G3638-17		<0.01	1.00	24.6	531	7.8	5.3	<0.001	0.011	0.84	3.9	0.9	0.4	21.5	<0.01
G3638-18		<0.01	0.82	30.8	961	5.5	11.9	<0.001	0.015	0.97	5.0	0.5	0.4	21.7	<0.01
G3638-19		<0.01	0.81	31.3	652	7.8	5.3	0.002	0.022	0.77	4.3	1.0	0.4	24.5	<0.01
G3638-20		0.01	0.75	25.4	589	4.1	8.5	<0.001	0.006	0.87	3.8	0.6	0.3	16.9	<0.01
G3638-21		<0.01	0.70	20.8	686	6.1	5.0	0.001	0.016	0.48	2.9	0.3	0.3	20.0	<0.01
G3638-22		0.01	0.51	22.2	473	3.3	10.5	<0.001	<0.005	0.30	3.0	0.3	0.2	14.5	<0.01
G3638-23		<0.01	0.73	24.5	729	5.4	4.7	0.001	0.022	0.57	3.1	0.6	0.3	25.4	<0.01
G3638-24		0.01	0.10	47.8	884	1.1	24.9	<0.001	<0.005	0.17	2.6	0.5	<0.2	10.5	<0.01
G3638-25		0.01	0.75	24.9	705	5.7	4.8	<0.001	0.021	0.56	3.3	0.4	0.3	28.0	<0.01
G3638-27		0.01	0.76	24.0	668	5.5	5.7	<0.001	0.021	0.53	3.5	0.3	0.3	29.0	<0.01
G3638-29		0.01	0.82	19.9	617	5.2	5.5	<0.001	0.022	0.47	3.1	0.2	0.3	22.6	<0.01
G3638-31		0.01	0.79	19.5	798	5.3	4.8	0.001	0.030	0.49	3.0	<0.2	0.3	36.1	<0.01
G3638-33		0.01	1.06	28.9	766	4.5	2.9	<0.001	0.018	0.53	3.8	<0.2	0.2	32.8	<0.01
G3638-35		0.01	1.04	37.5	761	5.0	4.9	<0.001	0.023	0.69	3.6	<0.2	0.3	43.0	<0.01
G3638-37		0.02	1.18	48.7	814	5.7	7.7	<0.001	0.024	0.84	4.3	<0.2	0.3	49.5	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G3638-39	0.02	0.93	38.0	968	4.7	5.2	<0.001	0.013	0.62	3.6	<0.2	0.3	44.6	<0.01
G3638-41	0.02	0.82	48.5	1040	5.1	9.0	<0.001	0.006	0.72	5.7	<0.2	0.3	45.8	<0.01
G3638-43	0.02	0.88	24.9	639	5.4	4.0	<0.001	0.010	0.61	3.6	<0.2	0.3	31.0	<0.01
G3638-45	0.01	0.89	30.2	673	4.9	4.0	<0.001	0.007	0.66	4.6	<0.2	0.3	26.0	<0.01
G3638-47	0.02	<0.05	21.1	852	<0.1	<0.1	0.001	0.012	<0.05	<0.1	<0.2	<0.2	32.1	<0.01
G3638-49	0.02	<0.05	21.7	703	<0.1	<0.1	<0.001	0.011	<0.05	<0.1	0.6	<0.2	32.8	<0.01
G3638-51	0.02	<0.05	29.7	722	<0.1	<0.1	<0.001	0.013	<0.05	<0.1	0.5	<0.2	35.6	<0.01
G3638-53	0.02	<0.05	122	762	<0.1	<0.1	<0.001	0.009	<0.05	<0.1	0.6	<0.2	40.2	<0.01
G3638-55	<0.01	0.65	28.7	1330	3.2	51.1	<0.001	0.015	0.22	4.6	0.4	0.6	34.7	<0.01
G3638-57	<0.01	0.21	16.0	973	6.0	12.4	<0.001	0.013	0.95	5.6	<0.2	0.2	18.3	<0.01
G3638-59	<0.01	0.10	22.4	1970	3.2	39.5	<0.001	0.046	0.38	11.8	0.3	1.5	45.6	<0.01
G32-0	0.03	<0.05	21.3	765	<0.1	<0.1	<0.001	0.032	<0.05	<0.1	0.4	<0.2	36.0	<0.01
G32-1	0.03	1.37	16.8	724	5.4	9.1	<0.001	0.020	0.77	4.8	0.3	0.5	28.7	<0.01
G32-2	0.03	<0.05	14.2	648	<0.1	<0.1	<0.001	0.009	<0.05	<0.1	0.5	<0.2	14.5	<0.01
G32-3	0.02	<0.05	15.2	621	<0.1	<0.1	<0.001	0.014	<0.05	<0.1	0.6	<0.2	25.8	<0.01
G32-4	0.02	1.16	18.9	434	7.3	6.6	<0.001	0.010	0.68	4.8	<0.2	0.6	23.6	<0.01
G32-5	0.03	<0.05	17.8	689	<0.1	<0.1	<0.001	0.021	<0.05	<0.1	0.4	<0.2	34.9	<0.01
G32-6	0.03	<0.05	10.0	564	<0.1	<0.1	<0.001	0.008	<0.05	<0.1	0.5	<0.2	9.8	<0.01
G32-7	0.03	0.58	17.4	728	3.4	11.9	<0.001	0.017	0.44	5.2	0.2	0.3	37.1	<0.01
G32-8	0.02	1.58	17.9	262	5.3	8.6	<0.001	0.006	0.68	4.5	0.3	0.4	21.0	<0.01
G32-9	0.03	0.89	16.1	662	4.2	8.7	<0.001	0.013	0.73	5.2	0.3	0.4	34.3	<0.01
G32-10	0.03	1.16	18.0	725	5.1	7.4	<0.001	0.022	0.68	3.8	0.3	0.4	30.8	<0.01
G32-11	0.03	1.06	19.4	783	3.6	12.9	<0.001	0.020	1.25	4.6	0.3	0.4	38.5	<0.01
G32-12	0.05	1.28	12.8	526	5.8	8.5	<0.001	0.008	0.84	4.1	0.2	0.4	11.4	<0.01
G32-13	0.02	0.37	13.3	645	4.8	13.6	<0.001	0.014	1.92	5.6	0.4	0.3	30.3	<0.01
G32-14	0.05	1.12	15.1	539	6.0	8.0	<0.001	0.011	0.78	4.0	0.3	0.4	15.1	<0.01
G32-15	0.03	1.19	13.1	567	5.2	6.2	<0.001	0.015	0.77	3.4	<0.2	0.4	30.5	<0.01
G32-16	0.03	0.61	15.2	363	3.6	12.3	<0.001	0.008	0.42	5.6	<0.2	0.3	15.2	<0.01
G32-17	0.02	1.24	14.5	734	5.6	7.5	<0.001	0.024	0.70	4.0	<0.2	0.4	30.8	<0.01
G32-18	0.03	0.62	34.1	414	3.9	12.4	<0.001	0.008	0.59	6.1	<0.2	0.4	23.0	<0.01
G32-19	0.03	1.68	16.7	765	5.6	9.0	<0.001	0.023	0.72	4.8	0.2	0.5	38.0	<0.01
G32-20	0.02	0.93	21.4	767	4.4	8.8	<0.001	0.023	0.72	5.3	0.3	0.4	28.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G32-21	0.03	1.30	23.3	973	5.5	8.1	<0.001	0.053	0.73	4.2	0.2	0.4	45.0	<0.01
G32-22	0.02	1.06	17.8	716	3.5	12.5	<0.001	0.011	1.16	4.5	0.2	0.4	23.8	<0.01
G32-23	0.02	1.36	19.3	789	5.1	8.2	<0.001	0.023	0.78	4.1	0.3	0.4	30.0	<0.01
G32-24	0.02	0.32	19.9	793	4.2	12.0	<0.001	0.008	1.53	4.9	0.3	0.3	21.6	<0.01
G32-25	0.03	1.15	18.1	784	5.8	7.7	<0.001	0.041	0.70	3.9	<0.2	0.4	32.8	<0.01
G32-27	0.02	1.23	16.0	865	4.9	7.7	<0.001	0.032	0.62	3.7	<0.2	0.4	35.0	<0.01
G32-29	0.02	1.20	14.8	797	4.8	5.6	<0.001	0.017	0.60	3.4	<0.2	0.4	30.9	<0.01
G32-31	0.02	1.01	20.2	783	5.4	6.7	<0.001	0.036	0.44	3.3	<0.2	0.3	38.2	<0.01
G32-33	0.03	1.83	31.8	799	6.9	12.6	0.001	0.039	0.72	5.4	0.3	0.5	60.8	<0.01
G32-35	0.03	1.97	53.1	856	7.9	16.6	<0.001	0.033	1.02	6.7	0.4	0.6	65.1	<0.01
G32-37	0.03	1.59	29.7	701	6.1	7.9	<0.001	0.038	0.82	4.5	0.4	0.5	59.7	<0.01
G32-39	0.03	1.36	29.4	695	6.7	7.2	<0.001	0.020	0.73	5.0	<0.2	0.4	44.3	<0.01
G32-41	0.03	1.36	33.2	671	5.7	8.9	<0.001	0.025	0.69	5.3	0.2	0.4	50.3	<0.01
G32-43	0.03	1.29	35.0	862	5.4	8.7	<0.001	0.023	0.68	5.5	<0.2	0.4	54.6	<0.01
G32-45	0.02	0.73	27.1	404	5.0	8.9	<0.001	0.010	0.50	6.1	<0.2	0.4	26.5	<0.01
G32-47	0.01	0.61	37.2	596	3.8	5.0	<0.001	0.028	0.67	6.4	0.3	0.3	43.0	<0.01
G32-49	0.04	0.75	19.3	795	6.0	5.8	<0.001	0.050	0.63	4.2	0.2	0.4	96.7	<0.01
G32-51	0.03	0.91	20.0	659	6.9	6.8	<0.001	0.049	0.77	3.8	<0.2	0.4	81.0	<0.01
G32-53	0.02	1.16	22.2	478	5.9	13.3	<0.001	0.031	9.52	9.4	0.9	0.6	50.9	<0.01
G32-55	0.03	1.34	21.9	873	9.3	12.1	<0.001	0.018	3.51	7.2	0.6	0.7	41.6	<0.01
G32-57	0.03	0.47	28.4	792	6.4	15.4	0.002	0.100	0.61	9.1	0.8	0.5	47.2	<0.01
G32-59	0.02	1.50	32.8	750	7.9	13.8	<0.001	0.017	0.93	9.0	0.5	0.5	41.7	<0.01
G2628-0	0.02	1.56	26.8	462	8.1	13.5	<0.001	0.011	7.47	9.8	1.7	0.8	29.5	<0.01
G2628-1	0.03	0.45	15.4	769	2.7	40.5	0.002	0.010	1.03	13.0	1.2	0.5	16.5	<0.01
G2628-3	0.01	0.99	9.1	1130	16.2	28.5	<0.001	0.018	3.37	4.5	0.6	0.5	18.3	<0.01
G2628-4	0.03	0.61	40.3	510	2.4	28.6	0.001	0.023	0.73	8.4	3.0	0.4	16.7	<0.01
G2628-5	0.03	0.49	10.9	832	2.8	36.6	<0.001	0.014	1.22	13.3	0.7	0.4	19.5	<0.01
G2628-6	0.03	0.65	38.6	410	4.0	32.0	0.002	0.012	2.66	9.2	2.0	0.5	22.5	<0.01
G2628-7	0.03	0.98	12.4	645	3.4	25.7	<0.001	0.016	0.71	8.7	0.8	0.5	19.3	<0.01
G2628-8	0.03	0.32	30.5	656	2.3	41.5	0.001	0.014	4.28	8.3	1.8	0.3	25.5	<0.01
G2628-10	0.01	0.24	106	996	3.5	29.0	0.002	0.018	10.4	9.4	1.2	0.3	19.6	<0.01
G2628-12	0.03	1.27	21.1	511	5.9	23.2	<0.001	0.030	3.38	7.2	0.6	0.5	40.7	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G2628-14	0.03	1.86	17.8	686	6.3	13.9	<0.001	0.024	2.42	8.2	0.4	0.6	40.0	<0.01
G2628-15	0.03	1.59	16.4	678	5.9	8.4	<0.001	0.020	0.78	5.2	0.5	0.5	38.7	<0.01
G2628-16	0.04	1.29	21.8	849	5.9	19.3	<0.001	0.018	2.06	8.2	0.5	0.5	39.5	<0.01
G2628-17	0.03	1.80	14.0	664	6.1	9.7	<0.001	0.014	0.88	5.7	0.5	0.6	34.1	<0.01
G2628-18	0.04	1.43	17.7	565	6.6	10.8	<0.001	0.011	2.79	9.1	0.4	0.7	29.1	<0.01
G2628-19	0.03	1.76	18.8	772	7.3	11.2	<0.001	0.017	0.92	6.4	0.4	0.6	43.2	<0.01
G2628-20	0.02	0.58	32.1	1010	6.0	31.5	0.001	0.013	9.22	14.4	1.5	0.6	20.6	<0.01
G2628-21	0.03	1.71	12.7	829	5.8	9.1	<0.001	0.016	0.96	5.6	0.4	0.6	36.0	<0.01
G2628-23	0.04	2.00	20.0	823	7.6	11.9	<0.001	0.018	0.95	6.5	0.4	0.7	47.9	<0.01
G2628-28	0.02	1.50	15.8	650	7.4	27.3	<0.001	0.021	0.63	6.2	0.6	0.5	30.0	<0.01
G2628-29	0.03	1.99	23.5	906	8.4	15.9	<0.001	0.040	0.81	6.1	0.7	0.6	53.7	<0.01
G2628-30	0.02	1.47	17.3	685	11.2	8.6	<0.001	0.040	1.05	5.6	0.7	0.5	45.8	<0.01
G2628-31	0.03	1.60	16.9	775	6.4	6.2	0.001	0.058	0.68	4.3	0.3	0.4	60.9	<0.01
G2628-32	0.03	1.75	18.8	666	8.2	14.1	<0.001	0.021	0.96	7.1	0.4	0.5	36.4	<0.01
G2628-33	0.03	1.37	18.6	792	5.4	6.5	0.025	0.127	0.60	4.2	0.7	0.3	79.7	<0.01
G2628-34	0.03	1.87	19.7	579	8.6	13.4	<0.001	0.017	0.86	6.8	<0.2	0.5	35.8	<0.01
G2628-35	0.03	1.94	36.5	838	8.1	11.9	<0.001	0.046	1.28	7.0	0.3	0.6	57.1	<0.01
G2628-37	0.04	2.02	28.3	698	6.9	10.3	<0.001	0.034	1.10	6.5	0.3	0.6	66.6	<0.01
G2628-39	0.03	1.91	27.1	726	7.1	8.7	<0.001	0.030	0.92	6.0	0.3	0.5	50.1	<0.01
G2628-41	0.03	1.76	24.0	800	6.6	7.0	<0.001	0.063	0.95	5.1	0.6	0.4	73.3	<0.01
G2628-43	0.03	1.18	31.6	801	6.5	9.7	<0.001	0.021	0.85	7.5	0.2	0.5	44.9	<0.01
G2628-45	0.02	1.57	23.7	680	6.3	7.1	<0.001	0.035	0.71	5.7	0.3	0.4	48.8	<0.01
G2628-47	0.03	1.87	35.8	686	6.8	9.9	<0.001	0.053	0.90	6.5	0.7	0.5	59.5	<0.01
G2628-49	0.02	1.63	24.9	729	6.1	7.8	<0.001	0.040	0.75	5.3	0.5	0.4	48.1	<0.01
G2628-51	0.03	1.94	23.0	720	6.1	8.5	0.002	0.071	0.69	5.6	0.6	0.4	76.9	<0.01
G2628-53	0.03	1.95	19.5	735	6.5	8.4	0.003	0.086	0.62	5.3	<0.2	0.5	89.5	<0.01
G2628-55	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G2628-57	0.04	1.54	35.8	805	6.9	10.9	<0.001	0.017	0.90	6.3	<0.2	0.5	58.9	<0.01
G2628-59	0.02	1.41	26.2	632	6.0	6.5	<0.001	0.019	0.71	4.7	<0.2	0.4	43.8	<0.01
G22-0	0.01	0.79	26.8	947	3.6	14.3	<0.001	0.007	1.46	4.1	0.8	0.3	31.5	<0.01
G22-1	0.03	1.35	22.0	674	4.6	15.3	0.002	0.013	0.95	5.0	<0.2	0.4	35.7	<0.01
G22-2	0.02	0.45	25.5	1080	2.1	50.6	0.001	0.011	1.41	6.6	0.8	0.3	23.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G22-3	0.02	1.09	17.6	693	5.8	8.5	<0.001	0.008	0.76	4.8	<0.2	0.5	37.8	<0.01
G22-4	0.03	0.93	23.0	786	5.1	9.3	<0.001	0.014	0.94	4.3	0.3	0.3	36.3	<0.01
G22-5	0.02	0.63	23.3	509	4.8	12.2	<0.001	<0.005	1.03	7.5	0.6	0.5	33.8	<0.01
G22-6	0.02	1.34	25.4	782	3.7	26.3	0.002	0.045	0.93	4.8	0.5	0.3	45.7	<0.01
G22-7	0.01	0.64	22.3	712	4.4	14.3	<0.001	0.007	1.94	11.5	0.8	0.6	26.2	<0.01
G22-8	0.04	1.87	20.8	888	5.7	8.3	0.001	0.050	1.06	4.4	0.7	0.4	55.0	<0.01
G22-9	0.02	1.25	18.2	531	5.2	14.5	<0.001	0.005	0.52	5.5	<0.2	0.5	32.0	<0.01
G22-11	0.01	0.21	17.8	754	1.4	52.8	<0.001	<0.005	0.19	5.7	0.7	0.2	18.5	<0.01
G22-13	0.05	0.12	13.4	713	0.9	42.9	<0.001	<0.005	0.18	10.5	0.6	0.2	12.4	<0.01
G22-15	0.02	0.23	13.0	840	1.5	44.3	<0.001	<0.005	0.41	6.8	0.5	0.2	18.6	<0.01
G22-16	0.03	0.99	20.2	842	5.3	7.1	<0.001	0.014	0.60	4.4	0.6	0.3	54.0	<0.01
G22-17	0.03	0.70	24.5	837	2.7	29.1	<0.001	0.009	0.52	8.2	0.7	0.3	26.3	<0.01
G22-19	0.03	1.40	22.6	814	5.0	14.8	<0.001	0.015	0.80	7.4	0.6	0.4	36.3	<0.01
G22-21	0.02	1.64	19.1	914	5.7	9.0	<0.001	0.025	0.56	4.7	<0.2	0.5	40.7	<0.01
G22-22	0.01	1.09	13.8	584	4.9	6.9	0.001	0.022	0.47	3.2	0.3	0.3	28.6	<0.01
G22-23	0.02	1.18	24.8	883	5.4	7.1	<0.001	0.024	0.51	4.2	0.3	0.3	42.4	<0.01
G22-24	0.02	1.69	20.9	563	5.5	8.3	0.001	0.020	0.69	5.2	1.4	0.5	31.0	<0.01
G22-25	0.02	1.43	14.8	663	4.4	7.1	<0.001	0.021	0.42	3.5	<0.2	0.4	43.3	<0.01
G22-26	0.03	2.01	24.7	718	5.3	9.2	0.001	0.020	0.92	5.9	1.5	0.5	37.9	<0.01
G22-27	0.03	1.84	19.0	824	5.2	8.8	0.002	0.044	0.48	4.4	<0.2	0.5	54.8	<0.01
G22-28	0.03	1.80	30.2	768	5.4	9.9	0.002	0.049	1.08	6.7	3.0	0.5	52.5	<0.01
G22-29	0.03	1.99	24.0	869	6.5	7.2	0.001	0.061	0.80	4.8	<0.2	0.5	60.9	<0.01
G22-30	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G22-31	0.02	1.18	18.7	777	5.1	5.3	<0.001	0.016	0.59	3.7	<0.2	0.3	31.4	<0.01
G22-33	0.02	1.88	20.2	929	6.5	7.0	<0.001	0.043	0.70	4.1	<0.2	0.4	54.3	<0.01
G22-35	0.03	1.97	29.5	762	6.7	8.7	<0.001	0.024	0.92	5.3	0.3	0.5	65.0	<0.01
G22-37	0.03	2.05	22.9	903	5.9	8.6	<0.001	0.070	0.77	4.6	0.3	0.5	76.4	<0.01
G22-39	0.02	1.71	21.8	915	5.9	7.5	<0.001	0.079	0.78	3.9	0.4	0.4	97.2	<0.01
G22-41	0.03	1.88	25.3	795	7.2	8.8	<0.001	0.025	0.80	5.1	<0.2	0.5	54.4	<0.01
G22-43	0.03	1.98	26.9	702	6.7	9.7	<0.001	0.030	0.82	5.3	0.3	0.6	50.9	<0.01
G22-45	0.03	1.71	29.2	605	6.7	12.3	<0.001	0.018	1.00	6.2	<0.2	0.6	48.0	<0.01
G22-47	0.02	1.03	24.8	672	4.9	10.7	<0.001	0.018	0.72	6.1	0.2	0.4	34.9	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G22-49	0.01	0.50	38.7	713	3.1	32.2	<0.001	0.006	0.35	9.3	0.7	0.5	21.6	<0.01
G22-51	0.04	1.24	27.6	600	4.8	7.0	<0.001	0.010	0.60	6.5	<0.2	0.5	38.6	<0.01
G22-53	0.03	2.06	30.2	671	7.7	11.2	<0.001	0.044	1.02	5.6	0.6	0.6	91.9	<0.01
G22-55	0.03	0.94	39.3	664	6.4	11.1	<0.001	0.009	0.90	7.2	0.3	0.5	53.4	<0.01
G22-57	0.03	1.15	34.8	523	6.8	8.4	<0.001	0.013	0.84	6.9	<0.2	0.5	52.5	<0.01
G22-59	0.02	1.04	26.0	628	6.6	7.3	<0.001	0.011	0.78	6.2	<0.2	0.5	46.2	<0.01
G20-25	0.03	1.71	27.0	847	7.3	8.7	0.001	0.032	0.67	5.0	0.3	0.5	50.7	<0.01
G20-27	0.03	2.14	23.5	788	7.2	9.6	<0.001	0.055	0.71	5.3	0.2	0.5	53.4	<0.01
G20-29	0.02	2.02	34.5	883	7.0	8.3	0.001	0.087	0.95	5.4	0.4	0.5	73.8	<0.01
G20-31	0.02	1.88	28.9	816	6.8	7.9	<0.001	0.034	0.86	4.7	<0.2	0.5	50.3	<0.01
G20-33	0.02	1.95	31.4	707	7.1	8.7	<0.001	0.029	0.84	5.4	0.2	0.5	48.1	<0.01
G20-35	0.02	1.61	31.1	738	7.0	8.1	<0.001	0.017	0.80	5.0	<0.2	0.5	40.3	<0.01
G20-37	0.03	1.82	38.8	847	7.6	11.3	<0.001	0.024	0.93	6.4	0.3	0.5	63.0	<0.01
G20-39	0.02	1.32	27.7	707	6.2	6.9	<0.001	0.029	0.79	4.4	<0.2	0.4	84.9	<0.01
G20-41	0.03	1.78	28.7	928	6.6	8.9	<0.001	0.054	0.81	6.0	0.3	0.5	67.9	<0.01
G20-43	0.03	1.72	29.2	815	6.9	9.7	<0.001	0.032	0.90	5.9	<0.2	0.5	72.3	<0.01
G20-45	0.02	1.67	25.4	758	5.8	7.5	<0.001	0.028	0.68	4.6	<0.2	0.4	56.0	<0.01
G20-47	0.02	1.90	27.2	717	6.7	8.2	<0.001	0.038	0.81	5.4	0.2	0.5	59.6	<0.01
G20-49	0.03	1.94	30.0	827	7.3	8.0	<0.001	0.067	0.87	5.1	0.5	0.5	63.3	<0.01
G20-51	0.02	0.95	34.3	700	6.7	7.2	<0.001	0.040	0.90	6.2	<0.2	0.4	43.5	<0.01
G20-53	0.03	2.12	35.6	744	7.5	10.6	0.001	0.071	0.92	6.0	0.8	0.6	68.6	<0.01
G20-55	0.03	1.52	27.1	746	6.9	9.2	<0.001	0.017	0.75	5.4	<0.2	0.5	56.5	<0.01
G20-57	0.03	1.27	37.3	710	6.8	11.6	<0.001	0.019	0.90	5.9	<0.2	0.6	78.6	<0.01
G20-59	0.03	1.99	30.4	602	7.1	11.3	<0.001	0.036	0.82	6.4	0.3	0.6	102	<0.01
G18-25	0.03	1.74	28.3	944	7.8	11.8	0.002	0.072	0.67	5.2	0.4	0.6	83.0	<0.01
G18-27	0.02	1.32	20.2	824	5.5	7.3	<0.001	0.021	0.51	3.9	0.3	0.4	41.9	<0.01
G18-29	0.02	1.75	24.8	751	8.0	7.4	<0.001	0.024	0.80	5.3	<0.2	0.5	43.5	<0.01
G18-31	0.03	1.92	29.7	681	7.2	9.5	<0.001	0.025	1.01	5.9	0.2	0.6	59.4	<0.01
G18-33	0.03	1.81	30.5	812	6.8	8.8	<0.001	0.024	1.00	5.5	0.2	0.5	70.8	<0.01
G18-35	0.03	2.05	26.3	888	7.1	10.2	<0.001	0.037	0.72	5.4	<0.2	0.6	61.2	<0.01
G18-37	0.02	1.93	24.0	859	6.4	9.1	<0.001	0.080	0.79	5.1	0.4	0.5	93.6	<0.01
G18-39	0.03	2.07	28.7	910	6.8	8.7	<0.001	0.066	0.86	4.9	0.4	0.5	69.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G18-41	0.03	2.01	41.3	1340	6.3	8.8	<0.001	0.117	0.90	4.9	<0.2	0.5	64.3	<0.01
G18-43	0.02	1.12	30.9	640	7.2	8.8	<0.001	0.039	0.98	5.7	<0.2	0.5	45.7	<0.01
G18-45	0.03	1.34	32.0	753	7.0	8.8	<0.001	0.038	0.89	5.9	<0.2	0.6	59.5	<0.01
G18-47	0.04	2.51	33.7	943	8.1	11.5	0.001	0.057	1.04	5.1	0.6	0.6	66.0	<0.01
G18-49	0.04	1.45	27.2	740	5.9	9.6	<0.001	0.025	0.80	5.5	<0.2	0.6	58.7	<0.01
G18-51	0.03	1.35	27.7	720	6.6	8.5	<0.001	0.026	0.77	5.3	<0.2	0.5	50.3	<0.01
G18-53	0.03	1.69	28.4	798	8.1	8.8	<0.001	0.052	0.76	5.1	0.3	0.6	58.0	<0.01
G18-55	0.03	1.23	26.0	625	6.9	10.0	<0.001	0.043	0.78	5.8	<0.2	0.6	55.2	<0.01
G18-57	0.03	1.56	30.9	675	7.4	13.4	<0.001	0.023	0.95	5.6	<0.2	0.6	75.4	<0.01
G18-59	0.02	0.91	27.2	652	7.1	7.0	<0.001	0.008	0.66	5.1	<0.2	0.4	52.9	<0.01
G16-27	0.02	1.75	20.3	848	6.2	9.2	0.001	0.030	0.55	4.2	<0.2	0.5	47.3	<0.01
G16-29	0.02	1.64	29.1	814	6.4	8.3	<0.001	0.034	0.86	4.7	<0.2	0.4	43.3	<0.01
G16-31	0.02	2.07	29.6	829	7.0	9.1	<0.001	0.046	1.02	5.1	0.4	0.5	53.7	<0.01
G16-33	0.02	2.01	24.2	851	6.4	8.7	<0.001	0.042	0.81	5.0	0.3	0.5	55.3	<0.01
G16-35	0.02	2.11	32.3	746	7.7	9.7	<0.001	0.050	1.07	5.8	<0.2	0.6	67.2	<0.01
G16-37	0.02	1.63	25.5	789	5.4	7.0	<0.001	0.156	0.84	4.2	<0.2	0.4	88.3	<0.01
G16-39	0.03	1.71	28.7	739	6.8	8.4	<0.001	0.027	0.91	4.9	<0.2	0.5	51.3	<0.01
G16-41	0.03	2.08	28.1	691	6.9	10.8	<0.001	0.041	1.07	5.4	<0.2	0.6	67.3	<0.01
G16-43	0.02	1.73	30.0	680	7.7	9.1	<0.001	0.032	0.94	5.7	<0.2	0.5	56.2	<0.01
G16-45	0.02	1.75	24.8	804	6.0	8.0	0.001	0.088	0.84	4.5	0.2	0.4	59.8	<0.01
G16-47	0.02	1.63	32.8	714	6.4	7.9	0.001	0.095	0.95	4.7	<0.2	0.4	70.9	<0.01
G16-49	0.03	1.75	23.8	720	6.1	8.1	0.001	0.051	0.77	4.9	<0.2	0.5	58.9	<0.01
G16-51	0.03	1.17	35.9	705	7.4	9.6	0.001	0.030	1.05	6.7	<0.2	0.5	62.9	<0.01
G16-53	0.03	1.52	32.1	748	7.2	10.2	0.001	0.029	1.07	6.5	<0.2	0.6	59.0	<0.01
G16-55	0.03	1.38	30.8	612	5.2	8.7	0.001	0.073	0.73	7.3	0.5	0.5	84.1	<0.01
G16-57	0.02	1.02	40.7	511	5.5	8.9	0.001	0.049	0.85	10.3	0.2	0.4	87.6	<0.01
G16-59	0.03	0.23	51.6	235	2.5	3.8	<0.001	0.051	0.53	25.7	<0.2	0.2	86.9	<0.01
G14-27	0.02	1.37	20.0	778	5.2	7.1	<0.001	0.020	0.53	3.9	<0.2	0.4	43.0	<0.01
G14-29	0.02	1.54	21.0	725	9.9	9.4	0.001	0.088	0.62	4.8	<0.2	0.5	44.2	<0.01
G14-31	0.02	1.46	25.2	801	6.1	6.9	<0.001	0.027	0.80	4.4	<0.2	0.4	40.5	<0.01
G14-33	0.02	1.79	26.9	834	7.3	7.4	<0.001	0.056	0.85	4.8	<0.2	0.5	53.9	<0.01
G14-35	0.02	1.94	25.0	790	6.8	8.7	<0.001	0.049	0.86	4.9	<0.2	0.5	53.1	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G14-37	0.02	1.93	31.2	739	7.1	10.8	<0.001	0.069	0.88	6.0	0.2	0.6	64.3	<0.01
G14-39	0.02	1.72	26.1	769	7.3	9.7	0.001	0.045	0.86	5.5	<0.2	0.5	50.9	<0.01
G14-41	0.02	1.48	28.3	772	6.5	6.7	0.001	0.043	0.97	5.2	<0.2	0.5	49.1	<0.01
G14-43	0.03	1.89	31.8	691	7.1	9.0	0.003	0.133	0.99	5.8	0.4	0.5	93.7	<0.01
G14-45	0.02	1.93	30.2	728	6.9	8.3	0.006	0.138	1.04	5.5	0.3	0.5	80.1	<0.01
G14-47	0.03	1.64	35.7	854	6.4	9.2	0.003	0.224	1.01	4.7	0.6	0.5	206	<0.01
G14-49	0.03	1.93	25.0	775	7.2	8.6	0.001	0.051	0.83	4.8	0.3	0.5	68.5	<0.01
G14-51	0.02	1.57	23.3	628	5.4	7.1	0.001	0.057	0.78	4.4	<0.2	0.4	52.7	<0.01
G14-53	0.03	1.85	32.1	751	6.7	8.8	0.002	0.080	0.98	5.6	0.7	0.5	91.9	<0.01
G14-55	0.02	1.34	34.0	611	6.8	8.2	0.002	0.063	1.10	5.7	0.2	0.5	65.5	<0.01
G14-57	0.03	0.99	30.9	557	7.1	9.1	<0.001	0.037	1.07	5.6	<0.2	0.5	59.4	<0.01
G14-59	0.02	1.49	42.6	564	7.6	10.5	0.001	0.053	1.22	8.0	0.8	0.5	63.3	<0.01
G12-29	0.03	1.78	23.0	817	7.2	11.9	0.001	0.050	0.71	5.1	<0.2	0.5	49.6	<0.01
G12-31	0.03	1.63	26.2	689	6.4	7.4	<0.001	0.023	0.87	4.9	<0.2	0.5	46.3	<0.01
G12-33	0.03	2.01	29.0	701	7.3	10.3	0.003	0.099	0.91	5.6	<0.2	0.5	76.3	<0.01
G12-35	0.02	1.78	27.5	675	5.7	8.4	0.002	0.065	0.82	4.9	<0.2	0.5	76.1	<0.01
G12-37	0.02	1.63	22.3	714	5.6	6.8	0.003	0.166	0.78	4.3	<0.2	0.4	116	<0.01
G12-39	0.02	1.66	27.8	587	7.1	9.0	0.004	0.103	0.75	5.4	<0.2	0.5	59.2	<0.01
G12-41	0.03	1.63	29.0	680	7.2	7.1	0.004	0.138	0.89	5.3	<0.2	0.5	75.4	<0.01
G12-43	0.02	1.61	34.6	685	6.3	7.8	0.003	0.151	1.08	4.6	0.4	0.4	103	<0.01
G12-45	0.03	1.83	31.9	713	7.5	8.0	0.002	0.091	1.03	4.8	<0.2	0.5	88.5	<0.01
G12-47	0.03	1.71	26.8	655	6.7	8.1	0.001	0.056	0.88	5.0	<0.2	0.5	62.9	<0.01
G12-49	0.03	1.53	30.9	651	6.7	7.8	0.001	0.050	0.92	5.1	<0.2	0.5	63.2	<0.01
G12-51	0.02	1.37	31.3	564	7.4	7.6	<0.001	0.035	1.11	5.8	<0.2	0.5	46.6	<0.01
G12-53	0.03	1.80	34.1	618	8.6	11.8	<0.001	0.037	1.13	6.6	<0.2	0.7	55.8	<0.01
G12-55	0.04	2.06	32.8	729	7.7	11.5	0.001	0.042	1.14	6.4	<0.2	0.7	68.9	<0.01
G12-57	0.04	0.71	28.4	461	7.4	10.2	0.001	0.032	1.09	5.8	<0.2	0.6	70.9	<0.01
G12-59	0.02	0.75	32.4	873	5.2	9.7	<0.001	0.016	0.74	6.7	<0.2	0.4	62.8	<0.01
G10-29	0.02	1.06	17.4	466	5.1	5.9	0.002	0.070	0.44	3.5	<0.2	0.3	54.7	<0.01
G10-35	0.02	1.61	20.8	701	6.2	6.3	0.002	0.143	0.76	4.2	<0.2	0.4	102	<0.01
G10-37	0.03	2.00	26.2	796	6.7	10.3	<0.001	0.060	0.87	5.0	<0.2	0.5	77.6	<0.01
G10-39	0.03	2.10	26.3	721	6.7	9.3	0.002	0.074	0.89	5.4	<0.2	0.6	88.1	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G10-41	0.02	1.96	23.2	692	6.3	7.5	0.001	0.074	0.79	4.7	<0.2	0.5	69.8	<0.01
G10-43	0.03	2.09	24.4	699	6.1	9.4	<0.001	0.084	0.95	4.6	<0.2	0.5	68.0	<0.01
G10-45	0.03	1.98	25.2	690	6.2	8.8	0.002	0.107	0.85	4.5	<0.2	0.5	77.4	<0.01
G10-47	0.03	1.93	25.3	603	6.3	9.4	0.001	0.077	0.86	4.9	<0.2	0.5	76.4	<0.01
G10-49	0.03	1.30	26.2	768	7.8	6.9	<0.001	0.023	1.25	4.7	<0.2	0.5	51.9	<0.01
G10-51	0.02	0.73	25.6	740	5.8	4.9	<0.001	0.026	0.77	4.2	<0.2	0.4	46.4	<0.01
G10-53	0.03	1.91	26.1	719	6.2	8.2	0.001	0.102	0.77	4.9	0.3	0.5	83.6	<0.01
G10-55	0.03	2.03	31.3	751	7.7	10.3	0.001	0.046	0.87	6.4	0.2	0.6	61.9	<0.01
G10-57	0.03	1.57	36.8	821	5.6	10.2	<0.001	0.051	0.89	7.4	<0.2	0.5	77.1	<0.01
G10-59	0.02	0.71	30.4	777	5.5	10.1	<0.001	0.040	0.82	7.2	<0.2	0.5	68.7	<0.01
G08-29	0.03	1.88	22.7	732	7.8	10.1	<0.001	0.032	0.94	5.0	<0.2	0.6	45.7	<0.01
G08-31	0.03	1.57	14.9	573	5.8	5.2	0.002	0.052	0.61	4.1	<0.2	0.5	43.2	<0.01
G08-33	0.03	1.40	29.5	768	7.4	9.5	<0.001	0.019	0.97	5.6	<0.2	0.6	45.3	<0.01
G08-35	0.03	1.99	27.1	792	6.8	9.3	<0.001	0.040	1.01	4.5	<0.2	0.5	58.7	<0.01
G08-37	0.02	1.81	33.8	680	7.1	10.3	<0.001	0.033	0.85	6.1	<0.2	0.5	49.8	<0.01
G08-39	0.03	1.84	21.6	589	5.5	8.5	<0.001	0.045	0.77	4.5	<0.2	0.5	54.1	<0.01
G08-41	0.03	1.64	26.7	787	5.7	8.7	0.002	0.148	0.88	4.4	<0.2	0.4	97.0	<0.01
G08-43	0.03	1.90	27.2	692	7.6	8.3	0.001	0.040	0.84	5.1	<0.2	0.5	59.6	<0.01
G08-45	0.02	1.82	28.1	730	6.2	8.4	<0.001	0.084	0.83	4.8	<0.2	0.5	79.5	<0.01
G08-47	0.02	1.85	25.6	762	6.5	7.7	<0.001	0.036	0.84	4.7	<0.2	0.5	54.5	<0.01
G08-49	0.02	1.97	20.6	731	6.6	9.1	<0.001	0.072	0.80	4.7	<0.2	0.5	68.3	<0.01
G08-51	0.03	1.23	31.1	818	6.3	9.8	<0.001	0.026	0.81	5.7	<0.2	0.6	48.9	<0.01
G08-53	0.02	1.94	26.5	683	6.6	9.5	0.001	0.050	0.81	5.3	0.5	0.5	66.6	<0.01
G08-55	0.03	0.71	31.1	949	4.9	12.3	<0.001	0.017	0.76	7.0	<0.2	0.5	81.1	<0.01
G08-57	0.03	1.12	30.9	773	4.4	8.6	<0.001	0.039	0.51	6.2	0.6	0.3	64.4	<0.01
G08-59	0.02	1.41	32.4	720	5.7	8.3	0.001	0.040	0.82	8.4	0.5	0.4	59.6	<0.01
G06-29	0.02	1.88	21.5	747	6.5	10.5	0.002	0.105	0.64	5.0	<0.2	0.5	57.0	<0.01
G06-31	0.02	1.22	26.4	826	6.8	5.9	<0.001	0.053	0.45	4.4	<0.2	0.3	52.3	<0.01
G06-33	0.02	1.48	21.1	947	6.5	6.2	0.001	0.036	0.53	3.8	<0.2	0.5	49.9	<0.01
G06-35	0.02	1.15	19.9	820	6.2	5.6	0.002	0.063	0.57	3.6	<0.2	0.4	61.8	<0.01
G06-37	0.02	1.61	28.7	728	7.5	9.3	0.001	0.066	0.80	5.1	<0.2	0.5	51.3	<0.01
G06-39	0.02	1.60	24.6	809	5.9	7.7	0.002	0.061	0.62	4.4	<0.2	0.4	56.8	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G06-41	0.02	0.95	18.9	766	6.2	5.2	0.003	0.047	0.45	3.0	<0.2	0.3	52.0	<0.01
G06-43	0.01	0.72	27.1	808	7.8	4.4	0.001	0.069	0.53	2.9	<0.2	0.3	69.7	<0.01
G06-45	0.01	0.77	24.0	836	7.1	5.4	<0.001	0.049	0.42	2.9	<0.2	0.2	40.4	<0.01
G06-49	0.02	0.85	30.5	860	9.1	6.9	0.003	0.125	0.51	3.3	<0.2	0.3	64.4	<0.01
G06-51	0.02	1.03	27.5	894	7.6	5.7	0.001	0.122	0.58	3.5	<0.2	0.3	53.6	<0.01
G06-53	0.01	0.95	27.8	808	6.8	6.0	<0.001	0.040	0.48	3.3	<0.2	0.3	46.3	<0.01
G06-55	0.01	0.85	34.6	779	8.7	8.5	0.001	0.075	0.44	3.5	<0.2	0.3	58.0	<0.01
G06-57	0.01	0.95	39.5	857	11.6	8.3	0.002	0.090	0.59	3.7	<0.2	0.3	76.7	<0.01
G06-59	0.01	0.82	28.1	744	6.2	6.6	0.001	0.049	0.42	3.0	<0.2	0.3	51.7	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G3638-0	0.06	1.6	0.057	0.07	0.70	41.7	0.36	5.41	65.4	1.6
G3638-1	0.03	2.0	0.056	0.06	0.50	35.6	0.18	8.14	67.3	3.2
G3638-2	0.06	1.7	0.078	0.13	0.79	45.9	0.47	7.67	84.1	1.6
G3638-3	0.04	2.6	0.056	0.06	0.59	41.9	1.02	8.62	63.6	3.0
G3638-4	0.05	1.8	0.100	0.17	1.27	53.5	0.55	11.8	85.0	1.7
G3638-5	0.04	1.5	0.052	0.09	0.64	33.2	0.37	3.94	67.5	1.0
G3638-6	0.06	2.7	0.109	0.19	1.09	70.2	0.26	12.0	78.1	1.6
G3638-7	0.04	2.4	0.056	0.11	0.96	39.7	0.21	6.95	63.0	1.9
G3638-8	0.05	1.8	0.047	0.09	0.56	49.8	0.35	3.52	51.7	0.7
G3638-9	0.05	2.5	0.050	0.17	1.65	41.7	0.30	11.0	73.3	2.5
G3638-10	0.03	2.1	0.069	0.08	0.30	49.4	0.39	1.64	39.2	1.4
G3638-11	0.05	2.8	0.070	0.20	0.63	39.6	0.26	7.71	62.3	8.4
G3638-12	0.07	2.7	0.081	0.25	1.00	55.4	0.16	18.0	125	2.2
G3638-13	0.04	3.2	0.061	0.13	1.57	40.8	0.39	9.64	71.5	4.3
G3638-14	0.03	2.4	0.089	0.12	0.57	56.3	0.23	11.9	68.0	1.9
G3638-15	0.04	2.5	0.045	0.10	1.79	37.3	0.47	7.89	53.9	1.9
G3638-16	0.06	3.2	0.045	0.08	1.35	41.6	0.78	11.6	64.2	2.7
G3638-17	0.05	2.7	0.047	0.15	1.29	42.1	0.52	7.14	54.2	1.9
G3638-18	0.08	2.2	0.073	0.11	0.94	61.9	0.28	7.19	85.7	1.5
G3638-19	0.05	1.9	0.038	0.13	1.68	40.5	0.57	10.8	55.9	1.5
G3638-20	0.06	1.9	0.086	0.07	0.66	51.5	0.22	4.14	69.8	2.5
G3638-21	0.03	1.7	0.040	0.07	1.01	31.7	0.24	7.67	46.5	1.1
G3638-22	0.06	1.5	0.111	0.08	0.35	46.2	0.24	3.19	41.6	2.0
G3638-23	0.04	2.0	0.051	0.07	0.99	35.1	0.21	6.08	49.2	1.6
G3638-24	0.09	0.6	0.145	0.14	0.16	53.5	0.13	1.45	42.8	0.7
G3638-25	0.04	2.1	0.055	0.06	0.99	34.6	0.24	7.80	55.2	2.0
G3638-27	0.04	2.2	0.057	0.07	1.06	35.0	0.17	7.94	53.7	1.5
G3638-29	0.03	1.7	0.055	0.08	0.87	33.6	0.34	5.62	54.2	1.2
G3638-31	0.02	1.9	0.056	0.05	1.03	33.8	0.26	5.97	51.5	1.6
G3638-33	0.02	2.2	0.060	0.03	0.57	36.5	0.27	7.44	36.5	3.3
G3638-35	0.02	2.0	0.061	0.05	0.94	35.1	0.28	7.76	49.1	3.5
G3638-37	0.03	2.4	0.068	0.08	1.16	39.7	0.17	8.87	66.4	4.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
Sample Description										
G3638-39	0.02	2.3	0.068	0.06	0.95	34.7	0.15	7.50	52.7	3.4
G3638-41	0.03	3.3	0.108	0.11	0.65	48.8	0.15	9.62	62.7	8.5
G3638-43	0.02	2.5	0.056	0.04	0.63	34.6	0.24	7.84	41.2	2.7
G3638-45	0.02	2.6	0.072	0.04	0.59	39.2	0.42	8.28	41.6	3.3
G3638-47	0.02	<0.1	0.057	<0.01	<0.05	0.6	<0.05	<0.05	41.1	<0.5
G3638-49	<0.01	<0.1	0.061	<0.01	<0.05	0.6	<0.05	<0.05	40.3	<0.5
G3638-51	<0.01	<0.1	0.082	<0.01	<0.05	0.6	<0.05	<0.05	66.0	<0.5
G3638-53	<0.01	<0.1	0.064	<0.01	<0.05	0.6	<0.05	<0.05	99.6	<0.5
G3638-55	0.04	2.9	0.243	0.26	0.54	77.5	0.12	8.47	89.1	4.3
G3638-57	0.02	4.9	0.016	0.10	1.05	27.1	0.25	14.0	78.5	1.2
G3638-59	0.08	7.9	0.060	0.22	1.36	107	0.30	15.3	120	3.6
G32-0	<0.01	<0.1	0.121	<0.01	<0.05	0.7	<0.05	<0.05	56.4	<0.5
G32-1	0.04	4.0	0.111	0.10	1.07	49.2	0.32	8.50	51.1	3.4
G32-2	<0.01	<0.1	0.175	<0.01	<0.05	0.7	<0.05	<0.05	66.9	<0.5
G32-3	<0.01	<0.1	0.090	<0.01	<0.05	0.6	<0.05	<0.05	48.4	<0.5
G32-4	0.03	3.7	0.078	0.09	0.96	50.8	0.23	8.67	36.6	3.5
G32-5	<0.01	<0.1	0.107	<0.01	<0.05	0.7	<0.05	<0.05	54.8	<0.5
G32-6	<0.01	<0.1	0.206	<0.01	<0.05	0.6	<0.05	<0.05	65.8	<0.5
G32-7	0.05	2.3	0.103	0.10	0.54	54.8	0.16	7.53	48.0	4.1
G32-8	0.03	3.5	0.102	0.09	0.96	47.3	0.35	9.20	38.0	2.0
G32-9	0.04	1.8	0.095	0.10	1.14	48.8	0.37	11.2	44.7	<0.5
G32-10	0.03	1.3	0.076	0.07	0.96	42.3	0.25	10.2	43.9	<0.5
G32-11	0.04	2.0	0.131	0.09	0.44	52.6	0.69	4.88	59.9	1.2
G32-12	0.03	3.5	0.235	0.09	0.99	45.8	0.24	8.59	51.0	1.1
G32-13	0.05	2.6	0.089	0.12	0.46	54.3	0.40	8.34	42.2	6.4
G32-14	0.03	2.1	0.280	0.08	0.87	44.5	0.25	8.37	57.0	0.8
G32-15	0.03	3.8	0.107	0.07	0.87	39.4	0.58	8.16	42.8	1.2
G32-16	0.05	2.4	0.145	0.10	0.58	58.8	0.15	7.85	38.0	4.4
G32-17	0.03	2.9	0.084	0.08	0.85	44.0	0.25	7.68	46.6	1.4
G32-18	0.04	2.8	0.152	0.10	0.83	61.7	0.29	9.05	48.4	4.8
G32-19	0.03	3.8	0.108	0.10	1.01	51.3	0.38	9.55	46.9	2.1
G32-20	0.04	1.8	0.086	0.10	1.19	49.8	0.39	11.4	58.8	0.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012	DATE RECEIVED: Jul 20, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G32-21	0.03	1.4	0.080	0.07	1.05	46.1	0.27	11.4	45.7	0.6	
G32-22	0.04	1.9	0.127	0.09	0.43	51.1	0.64	4.71	43.6	1.3	
G32-23	0.03	3.1	0.094	0.08	0.90	45.4	0.20	8.64	52.7	1.3	
G32-24	0.04	2.3	0.111	0.10	0.41	47.7	0.33	6.49	48.2	5.5	
G32-25	0.03	2.0	0.074	0.08	0.84	42.7	0.24	8.16	58.9	1.1	
G32-27	0.02	2.6	0.086	0.07	0.84	40.8	0.60	8.17	47.0	1.1	
G32-29	0.02	3.5	0.081	0.06	0.83	38.2	0.49	6.79	44.6	1.5	
G32-31	0.02	2.4	0.068	0.06	1.10	35.7	0.53	6.09	58.7	1.3	
G32-33	0.03	3.9	0.099	0.10	1.41	51.5	0.20	10.2	52.6	2.8	
G32-35	0.03	4.4	0.107	0.13	1.34	57.3	0.27	12.9	75.0	3.6	
G32-37	0.02	3.1	0.092	0.07	3.12	42.3	0.28	10.9	39.8	2.7	
G32-39	0.02	3.8	0.100	0.07	1.00	45.2	0.21	10.5	48.3	5.0	
G32-41	0.05	3.4	0.112	0.09	0.66	45.5	0.19	9.20	49.2	6.7	
G32-43	0.03	3.7	0.126	0.09	0.89	48.6	0.17	9.91	51.0	4.5	
G32-45	0.03	3.3	0.117	0.09	0.60	51.0	0.32	5.23	45.9	5.7	
G32-47	0.03	2.5	0.111	0.06	0.43	50.1	0.13	5.75	41.9	7.7	
G32-49	0.05	3.6	0.090	0.08	0.65	45.8	0.31	10.1	41.2	2.8	
G32-51	0.03	4.0	0.075	0.08	0.65	41.9	0.23	9.88	46.2	2.0	
G32-53	0.11	3.3	0.104	0.35	0.98	76.7	0.43	13.0	36.3	4.9	
G32-55	0.06	5.6	0.108	0.16	1.66	69.5	0.38	12.9	54.2	6.0	
G32-57	0.11	4.5	0.085	0.11	0.82	67.7	0.22	14.0	48.9	6.6	
G32-59	0.03	4.1	0.097	0.12	1.03	67.6	0.23	15.2	48.6	3.5	
G2628-0	0.07	4.2	0.078	0.17	1.03	82.9	0.25	7.55	76.0	4.4	
G2628-1	0.07	2.3	0.201	0.25	0.84	105	0.11	14.3	64.8	2.8	
G2628-3	0.13	2.5	0.054	0.32	0.87	43.6	0.18	5.24	116	1.3	
G2628-4	0.11	1.7	0.239	0.20	1.25	102	0.24	13.1	80.2	3.1	
G2628-5	0.06	1.6	0.179	0.19	0.61	107	0.14	14.8	63.3	2.0	
G2628-6	0.10	2.5	0.229	0.22	0.89	118	0.30	12.6	93.9	3.6	
G2628-7	0.06	2.3	0.193	0.17	0.78	97.6	0.19	12.0	50.3	2.3	
G2628-8	0.06	1.1	0.235	0.25	0.53	123	0.25	7.86	78.9	1.6	
G2628-10	0.06	1.1	0.156	0.25	0.39	92.0	0.25	11.4	68.9	2.8	
G2628-12	0.05	3.4	0.158	0.16	0.77	75.1	0.43	12.6	57.3	6.3	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012	DATE RECEIVED: Jul 20, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G2628-14	0.05	3.9	0.136	0.10	1.25	70.9	0.24	12.9	51.9	4.7	
G2628-15	0.03	3.6	0.087	0.07	1.58	52.2	0.29	10.9	41.3	2.6	
G2628-16	0.05	3.4	0.177	0.15	0.63	80.0	0.67	12.5	53.5	6.4	
G2628-17	0.03	4.5	0.112	0.09	1.29	59.4	0.75	10.6	40.4	4.3	
G2628-18	0.07	4.8	0.150	0.09	1.07	84.1	0.28	13.9	45.1	12.3	
G2628-19	0.03	5.0	0.113	0.10	2.01	62.8	0.26	13.5	45.2	4.7	
G2628-20	0.09	3.0	0.167	0.22	1.35	135	0.28	15.7	106	3.4	
G2628-21	0.03	4.4	0.121	0.08	1.18	63.8	0.47	11.0	37.0	2.5	
G2628-23	0.03	5.1	0.127	0.10	1.77	64.7	0.23	13.3	48.1	4.3	
G2628-28	0.04	2.9	0.169	0.16	1.31	78.6	0.37	8.06	59.3	2.2	
G2628-29	0.04	3.9	0.108	0.12	1.99	60.0	0.29	12.6	61.0	1.8	
G2628-30	0.04	3.1	0.076	0.09	2.18	57.3	0.60	11.1	58.7	2.9	
G2628-31	0.02	3.7	0.080	0.07	1.70	47.2	0.30	9.52	46.7	3.6	
G2628-32	0.04	3.9	0.137	0.11	1.57	66.9	0.40	12.4	51.6	5.3	
G2628-33	0.03	2.5	0.085	0.06	2.38	42.8	0.19	7.66	49.4	3.5	
G2628-34	0.03	3.2	0.150	0.11	1.22	89.7	0.38	11.0	52.6	5.2	
G2628-35	0.02	4.7	0.120	0.11	1.13	84.4	0.37	11.9	56.7	9.0	
G2628-37	0.03	4.5	0.152	0.09	1.25	81.0	0.33	13.3	41.7	6.1	
G2628-39	0.03	3.8	0.101	0.08	1.47	74.8	0.26	10.8	42.7	4.7	
G2628-41	0.02	2.9	0.074	0.07	1.52	67.3	0.25	10.6	39.5	3.1	
G2628-43	0.02	4.5	0.139	0.10	0.74	88.6	0.31	11.3	48.2	13.7	
G2628-45	0.02	3.3	0.089	0.06	0.99	74.2	0.26	9.98	43.2	4.5	
G2628-47	0.10	2.8	0.100	0.08	2.16	79.0	0.26	13.8	39.8	3.0	
G2628-49	0.04	3.2	0.087	0.07	1.45	68.6	0.53	9.51	43.5	4.2	
G2628-51	0.03	3.3	0.097	0.08	3.66	67.7	0.38	11.0	39.6	5.4	
G2628-53	0.03	3.6	0.095	0.08	1.45	69.4	0.25	9.54	46.3	6.2	
G2628-55	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	
G2628-57	0.11	3.8	0.118	0.10	0.70	82.4	0.29	10.9	74.6	4.6	
G2628-59	0.04	2.9	0.080	0.06	0.92	67.3	0.33	9.02	46.9	2.4	
G22-0	0.04	1.8	0.141	0.14	0.49	59.2	0.38	5.08	84.8	2.1	
G22-1	0.03	2.7	0.137	0.10	0.61	75.1	0.49	9.74	63.0	1.7	
G22-2	0.03	0.8	0.228	0.29	0.43	165	0.22	7.64	113	0.8	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G22-3	0.03	3.1	0.083	0.08	1.12	65.4	0.23	6.82	66.0	2.2
G22-4	0.03	2.7	0.092	0.08	0.59	69.8	0.33	8.23	55.8	1.6
G22-5	0.04	3.1	0.118	0.14	0.81	118	0.17	5.71	77.1	4.4
G22-6	0.03	1.9	0.149	0.16	1.32	93.2	0.24	6.83	68.2	1.4
G22-7	0.06	2.6	0.081	0.27	0.71	140	0.12	11.4	87.3	2.4
G22-8	0.02	3.2	0.099	0.08	1.08	61.2	0.19	8.69	58.2	2.8
G22-9	0.03	3.3	0.126	0.11	0.80	84.6	0.20	7.93	57.3	1.9
G22-11	0.07	0.9	0.243	0.24	0.54	79.7	0.11	5.74	115	1.6
G22-13	0.06	0.7	0.249	0.18	0.43	113	0.08	8.40	85.5	1.3
G22-15	0.03	1.0	0.243	0.22	0.36	92.4	0.10	7.47	94.4	1.4
G22-16	0.02	3.7	0.080	0.08	0.54	50.0	0.12	8.20	50.4	3.3
G22-17	0.04	1.7	0.166	0.16	0.43	81.0	0.15	9.57	69.4	1.1
G22-19	0.03	3.1	0.131	0.12	0.82	73.8	0.21	9.71	63.1	2.6
G22-21	0.02	3.1	0.075	0.08	1.08	69.4	0.38	9.05	51.1	1.3
G22-22	0.02	2.0	0.054	0.07	0.67	56.1	0.39	5.26	50.7	1.0
G22-23	0.02	2.7	0.069	0.07	1.10	55.1	0.14	8.05	69.4	1.6
G22-24	0.03	2.5	0.086	0.12	1.09	80.2	0.20	7.32	71.1	1.2
G22-25	0.02	2.8	0.085	0.06	0.83	55.4	0.47	6.79	40.2	1.1
G22-26	0.03	3.6	0.119	0.09	1.01	85.5	0.34	9.54	86.2	5.8
G22-27	0.01	3.7	0.110	0.08	1.07	65.4	0.44	8.49	56.9	4.0
G22-28	0.03	3.3	0.113	0.10	1.33	83.3	0.15	11.1	94.5	6.2
G22-29	0.03	4.5	0.097	0.07	1.97	74.9	0.67	9.94	58.2	5.6
G22-30	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G22-31	0.02	3.7	0.067	0.05	1.06	56.9	0.29	7.93	46.7	6.0
G22-33	0.02	3.7	0.073	0.07	3.40	55.2	0.32	8.94	58.8	2.9
G22-35	0.03	4.2	0.100	0.09	1.21	78.4	0.27	10.6	60.8	5.4
G22-37	0.02	3.3	0.081	0.09	2.03	58.9	0.23	9.47	52.0	5.1
G22-39	0.02	2.3	0.067	0.07	1.78	52.8	0.27	8.41	45.9	3.4
G22-41	0.02	3.8	0.085	0.09	0.98	65.0	0.32	10.5	50.7	2.7
G22-43	0.03	3.2	0.091	0.08	1.35	73.1	0.27	10.4	51.9	2.5
G22-45	0.03	3.7	0.121	0.10	0.95	81.5	0.23	10.9	67.4	7.3
G22-47	0.04	2.6	0.090	0.08	0.61	82.7	0.25	9.75	61.1	2.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G22-49	0.06	2.3	0.137	0.22	0.58	133	0.15	8.88	105	2.1
G22-51	0.02	2.9	0.123	0.07	0.67	86.9	0.20	9.99	50.7	2.6
G22-53	0.12	3.9	0.091	0.11	1.68	74.8	0.37	11.2	52.7	3.5
G22-55	0.04	3.8	0.107	0.11	0.74	88.0	0.36	10.5	66.2	4.4
G22-57	0.03	3.8	0.090	0.09	0.77	81.1	0.33	11.5	63.5	2.8
G22-59	0.03	3.3	0.056	0.07	0.92	73.9	0.33	10.5	55.0	2.3
G20-25	0.13	3.5	0.097	0.08	1.33	67.9	0.24	9.69	63.7	3.1
G20-27	0.04	4.5	0.110	0.10	1.54	73.4	0.43	9.87	58.8	5.1
G20-29	0.03	3.5	0.083	0.08	1.60	69.4	0.27	12.1	57.8	7.1
G20-31	0.03	3.8	0.093	0.08	1.16	63.6	0.35	10.3	52.2	4.0
G20-33	0.03	3.3	0.084	0.08	1.38	70.8	0.32	11.0	49.4	3.6
G20-35	0.02	3.7	0.083	0.08	0.84	67.3	0.27	10.2	55.8	4.8
G20-37	0.03	4.2	0.099	0.11	1.00	79.0	0.22	11.9	67.4	5.9
G20-39	0.02	3.3	0.072	0.08	0.85	64.2	0.20	9.38	56.1	4.6
G20-41	0.03	3.4	0.092	0.09	2.03	72.9	0.20	11.8	61.3	3.8
G20-43	0.03	4.3	0.107	0.10	1.30	83.1	0.30	10.9	58.4	7.5
G20-45	0.02	3.7	0.089	0.08	1.63	63.4	0.32	9.23	47.9	3.5
G20-47	0.03	3.5	0.094	0.08	2.33	72.8	0.30	10.3	51.1	4.5
G20-49	0.02	3.8	0.077	0.07	2.24	63.9	0.92	10.9	51.4	4.3
G20-51	0.03	3.6	0.083	0.07	0.81	80.7	0.29	9.71	60.8	10.4
G20-53	0.03	3.8	0.100	0.08	2.32	76.0	0.24	12.2	54.8	4.1
G20-55	0.02	4.0	0.089	0.09	0.96	72.9	0.22	11.5	48.8	2.3
G20-57	0.02	4.2	0.098	0.12	0.86	79.1	0.33	11.8	63.4	3.3
G20-59	0.03	3.7	0.089	0.10	1.03	79.5	0.48	11.1	57.1	3.5
G18-25	0.12	2.2	0.092	0.11	1.75	75.7	0.31	10.1	68.3	1.1
G18-27	0.03	3.0	0.081	0.07	1.17	56.7	0.35	8.06	48.6	1.6
G18-29	0.03	4.2	0.077	0.08	1.32	72.8	0.30	10.4	47.3	4.4
G18-31	0.03	4.2	0.114	0.08	1.77	79.5	0.55	11.1	56.6	11.6
G18-33	0.03	4.3	0.125	0.08	1.09	83.9	0.38	11.1	60.0	11.1
G18-35	0.03	3.7	0.108	0.10	1.19	74.3	0.24	10.4	55.3	3.7
G18-37	0.03	3.1	0.091	0.08	1.72	65.6	0.27	9.68	48.2	4.4
G18-39	0.02	3.8	0.086	0.09	2.69	65.1	0.36	10.9	51.3	3.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G18-41	0.02	3.6	0.086	0.09	1.24	63.2	0.32	10.4	75.2	3.3
G18-43	0.02	4.1	0.093	0.08	0.69	71.0	0.34	10.9	60.3	13.6
G18-45	0.02	4.5	0.134	0.08	0.83	79.9	0.45	11.3	59.7	12.9
G18-47	0.02	4.5	0.111	0.10	1.89	68.4	0.39	12.0	57.6	3.2
G18-49	0.02	4.3	0.136	0.09	0.98	70.6	0.27	10.5	54.7	12.0
G18-51	0.02	4.2	0.102	0.08	0.89	69.6	0.36	10.3	50.5	5.4
G18-53	0.03	4.1	0.092	0.08	1.11	68.5	0.31	10.8	52.2	2.3
G18-55	0.02	4.2	0.096	0.09	0.83	69.7	0.21	10.7	49.9	4.5
G18-57	0.02	4.4	0.095	0.11	1.11	77.8	0.94	11.8	63.2	2.7
G18-59	0.02	4.0	0.070	0.07	0.56	61.6	0.23	10.7	48.7	3.0
G16-27	0.13	3.4	0.092	0.09	1.23	61.2	0.28	8.40	52.9	1.8
G16-29	0.04	3.7	0.079	0.08	1.28	61.9	0.28	10.0	56.6	5.5
G16-31	0.03	3.7	0.087	0.09	2.16	70.0	0.30	11.1	57.7	4.7
G16-33	0.03	3.9	0.090	0.08	1.50	63.0	0.40	10.2	56.2	4.9
G16-35	0.15	4.1	0.097	0.09	0.95	72.1	0.35	11.9	59.0	6.6
G16-37	0.04	2.4	0.064	0.06	1.73	51.0	0.31	10.8	35.6	5.6
G16-39	0.03	4.0	0.100	0.08	0.90	64.5	0.30	10.2	55.6	5.3
G16-41	0.03	3.9	0.108	0.11	1.80	72.7	0.55	10.9	58.9	6.6
G16-43	0.03	4.3	0.093	0.08	1.45	70.3	0.29	11.4	53.3	6.1
G16-45	0.02	3.2	0.080	0.08	1.53	61.5	0.27	10.1	43.8	4.7
G16-47	0.03	2.9	0.072	0.07	1.73	63.5	0.55	11.9	42.9	4.9
G16-49	0.03	3.6	0.082	0.07	1.94	64.0	0.44	9.54	43.1	3.8
G16-51	0.03	4.0	0.104	0.10	0.72	79.7	0.33	10.8	69.2	10.2
G16-53	0.03	4.4	0.122	0.10	0.96	90.0	0.81	11.6	61.0	8.4
G16-55	0.03	3.2	0.103	0.09	0.90	73.7	0.24	9.02	51.5	5.9
G16-57	0.04	2.7	0.093	0.10	0.81	88.9	0.20	9.25	56.4	3.9
G16-59	0.02	1.0	0.093	0.17	0.33	123	0.21	7.59	43.3	2.8
G14-27	0.02	3.1	0.094	0.07	1.17	57.2	0.40	8.13	44.9	1.3
G14-29	0.02	2.8	0.078	0.11	1.12	59.8	0.23	6.94	80.6	2.3
G14-31	0.02	3.8	0.076	0.07	1.26	58.1	0.30	8.85	50.7	5.0
G14-33	0.03	3.7	0.081	0.08	1.19	66.1	0.34	10.1	54.4	3.7
G14-35	0.03	3.8	0.093	0.08	1.27	63.9	0.25	10.2	47.5	5.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G14-37	0.03	3.8	0.087	0.10	1.91	67.4	0.19	11.1	56.8	6.3
G14-39	0.03	4.1	0.089	0.09	1.24	69.1	0.27	10.4	58.6	6.0
G14-41	0.04	4.0	0.093	0.07	1.18	71.3	0.55	10.2	58.7	9.4
G14-43	0.03	3.4	0.094	0.09	1.56	70.1	0.24	10.6	62.2	7.7
G14-45	0.03	3.7	0.072	0.08	2.53	68.1	0.36	10.8	55.4	8.0
G14-47	0.03	2.3	0.077	0.08	2.22	64.8	0.30	10.2	50.5	4.4
G14-49	0.02	4.1	0.086	0.09	1.80	63.6	0.25	10.3	49.1	3.4
G14-51	0.02	3.5	0.086	0.07	0.84	63.9	0.42	8.95	39.9	4.4
G14-53	0.03	3.8	0.097	0.09	1.55	72.8	1.35	10.5	57.1	8.1
G14-55	0.04	3.5	0.081	0.08	0.86	69.5	0.35	10.2	63.8	10.1
G14-57	0.04	3.7	0.086	0.09	0.54	64.5	0.27	9.68	69.2	11.3
G14-59	0.04	3.6	0.070	0.10	1.12	85.1	0.33	11.8	83.2	3.7
G12-29	0.03	3.4	0.100	0.11	1.12	64.0	0.23	8.91	62.0	2.1
G12-31	0.03	4.0	0.102	0.08	0.79	68.2	0.21	10.1	49.6	9.1
G12-33	0.02	3.8	0.099	0.09	1.41	67.8	0.22	11.0	64.7	9.2
G12-35	0.03	2.9	0.087	0.07	2.67	60.7	0.21	9.37	50.5	5.4
G12-37	0.03	2.3	0.073	0.07	3.01	53.8	0.96	8.78	46.5	5.6
G12-39	0.02	3.3	0.064	0.09	1.32	54.8	0.19	9.03	66.9	6.8
G12-41	0.03	3.4	0.065	0.08	2.36	59.9	0.21	10.7	56.2	6.3
G12-43	0.03	2.4	0.065	0.07	2.49	57.1	0.22	10.2	52.0	5.4
G12-45	0.15	3.5	0.097	0.08	1.45	68.0	0.30	10.6	53.7	6.1
G12-47	0.04	3.8	0.084	0.08	1.99	62.4	0.22	9.81	50.1	5.3
G12-49	0.03	3.5	0.084	0.07	1.05	63.4	0.33	10.4	59.3	5.4
G12-51	0.03	3.7	0.080	0.07	1.00	70.3	0.32	10.8	54.3	9.4
G12-53	0.17	4.7	0.113	0.11	0.89	83.0	0.32	12.8	64.6	8.6
G12-55	0.05	5.0	0.128	0.11	1.35	85.8	0.45	12.1	68.6	9.3
G12-57	0.03	4.0	0.108	0.10	0.72	72.1	0.22	10.8	66.5	8.9
G12-59	0.03	2.8	0.110	0.08	0.60	79.8	0.26	9.87	54.6	5.3
G10-29	0.02	2.3	0.044	0.06	1.17	53.8	0.13	6.36	43.1	1.0
G10-35	0.02	2.7	0.062	0.07	2.00	54.4	0.26	8.82	47.4	5.2
G10-37	0.03	3.7	0.087	0.10	2.90	65.1	0.33	10.9	50.2	4.7
G10-39	0.03	3.3	0.100	0.09	2.46	67.3	0.21	10.7	52.6	5.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G10-41		0.03	3.4	0.084	0.08	1.58	61.8	0.40	9.73	43.6	4.8
G10-43		0.02	3.4	0.082	0.09	1.64	59.4	0.42	10.3	44.0	5.0
G10-45		0.02	3.2	0.088	0.08	2.42	58.4	0.27	9.68	45.0	5.1
G10-47		0.03	3.1	0.091	0.09	1.95	65.3	0.43	9.88	47.0	4.2
G10-49		0.04	4.4	0.112	0.06	0.86	89.1	0.76	10.1	51.4	10.7
G10-51		0.03	4.3	0.074	0.05	0.81	76.2	0.73	9.14	60.3	4.4
G10-53		0.02	2.8	0.080	0.08	3.02	63.7	0.22	9.52	46.6	4.5
G10-55		0.03	3.8	0.095	0.10	1.19	77.8	0.33	11.5	51.3	2.8
G10-57		0.03	2.7	0.121	0.09	1.02	91.4	0.14	11.1	53.9	3.0
G10-59		0.03	3.1	0.108	0.09	0.65	90.8	0.15	10.7	56.9	4.7
G08-29		0.18	3.9	0.101	0.10	1.43	71.0	0.27	10.2	52.2	2.0
G08-31		0.03	3.1	0.097	0.07	0.68	53.2	0.21	7.43	43.0	7.2
G08-33		0.03	4.5	0.115	0.10	0.72	74.9	0.26	11.1	63.3	8.2
G08-35		0.03	3.9	0.098	0.10	1.22	65.8	0.46	10.1	57.6	3.3
G08-37		0.03	3.8	0.153	0.10	1.08	84.4	0.24	10.1	58.9	5.2
G08-39		0.02	3.4	0.097	0.08	1.01	60.8	0.18	8.87	43.3	5.5
G08-41		0.02	2.5	0.074	0.08	1.96	55.8	0.19	9.91	36.7	4.1
G08-43		0.02	4.1	0.088	0.09	1.14	67.3	0.31	10.2	48.6	3.9
G08-45		0.02	3.1	0.079	0.08	2.54	60.5	0.55	10.6	41.6	4.0
G08-47		0.02	4.0	0.088	0.08	0.96	65.7	0.46	10.1	53.3	4.7
G08-49		0.02	3.4	0.084	0.09	1.66	64.0	0.40	8.67	43.9	3.4
G08-51		0.03	4.4	0.135	0.09	0.63	78.7	0.46	10.4	61.5	9.9
G08-53		0.03	3.3	0.096	0.08	1.71	70.2	0.27	10.0	45.2	3.4
G08-55		0.02	2.8	0.168	0.09	0.54	94.9	0.15	10.5	53.7	9.3
G08-57		0.02	2.5	0.117	0.06	0.60	60.0	0.10	8.54	52.9	5.5
G08-59		0.03	2.6	0.087	0.07	1.16	88.7	0.18	10.8	62.1	3.1
G06-29		0.02	3.1	0.086	0.11	1.54	63.1	0.27	8.11	66.7	3.2
G06-31		0.02	2.8	0.065	0.05	1.31	59.3	0.33	8.56	50.7	2.5
G06-33		0.14	3.7	0.123	0.06	0.71	74.2	1.57	8.18	42.5	3.5
G06-35		0.04	2.4	0.064	0.07	1.15	56.5	0.51	6.78	43.1	1.7
G06-37		0.03	3.7	0.088	0.08	1.06	66.9	0.24	9.71	54.8	4.1
G06-39		0.03	3.4	0.087	0.07	1.27	61.6	0.36	8.82	47.3	3.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622745

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 20, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G06-41	0.14	2.4	0.054	0.05	0.68	37.0	0.38	6.34	45.9	3.7
G06-43	0.03	1.2	0.038	0.04	1.73	47.5	0.29	7.84	51.4	1.6
G06-45	0.02	1.9	0.048	0.06	0.80	45.9	0.23	5.73	59.3	2.1
G06-49	0.03	1.6	0.049	0.07	0.94	51.8	0.14	6.95	68.5	2.4
G06-51	0.02	2.1	0.058	0.06	0.53	51.8	0.23	7.74	77.0	3.0
G06-53	0.02	2.2	0.057	0.06	0.83	49.9	0.42	7.03	53.1	2.9
G06-55	0.02	1.8	0.052	0.07	0.85	48.7	0.16	6.80	64.6	2.6
G06-57	0.02	1.8	0.056	0.08	0.99	54.9	0.19	8.21	75.8	3.1
G06-59	0.01	1.6	0.055	0.06	0.87	47.6	0.43	6.14	54.1	1.8

Comments: RDL - Reported Detection Limit  
Sample NRC - Not Received

Certified By:



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3538287	0.200	0.227	12.6%	< 0.01				80%	120%	
Al	1	3538212	1.37	1.38	0.7%	< 0.01	0.407	0.359	113%	80%	120%	
As	1	3538287	9.22	10.1	9.1%	0.2				80%	120%	
Au	1	3538287	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3538287	17	17	0.0%	< 5				80%	120%	
Ba	1	3538287	500	532	6.2%	< 1				80%	120%	
Be	1	3538287	0.27	0.29	7.1%	< 0.05	0.3	0.4	87%	80%	120%	
Bi	1	3538287	0.064	0.072	11.8%	< 0.01				80%	120%	
Ca	1	3538212	0.683	0.690	1.0%	< 0.01				80%	120%	
Cd	1	3538287	0.10	0.10	0.0%	< 0.01				80%	120%	
Ce	1	3538287	14.3	16.1	11.8%	< 0.01				80%	120%	
Co	1	3538287	12.0	13.1	8.8%	< 0.1				80%	120%	
Cr	1	3538287	42.2	45.9	8.4%	< 0.5				80%	120%	
Cs	1	3538287	1.41	1.46	3.5%	< 0.05				80%	120%	
Cu	1	3538212	33.7	34.6	2.6%	< 0.1	3576	3800	94%	80%	120%	
Fe	1	3538212	2.39	2.40	0.4%	< 0.01				80%	120%	
Ga	1	3538287	13.9	14.8	6.3%	< 0.05				80%	120%	
Ge	1	3538287	0.11	0.12	8.7%	0.09				80%	120%	
Hf	1	3538287	0.05	0.06	18.2%	< 0.02				80%	120%	
Hg	1	3538287	0.121	0.113	6.8%	< 0.01	1.5	1.3	112%	80%	120%	
In	1	3538287	0.0192	0.0202	5.1%	< 0.005				80%	120%	
K	1	3538212	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3538287	7.03	7.53	6.9%	< 0.1				80%	120%	
Li	1	3538287	13.1	14.6	10.8%	< 0.1				80%	120%	
Mg	1	3538212	0.513	0.516	0.6%	< 0.01				80%	120%	
Mn	1	3538212	377	383	1.6%	< 1				80%	120%	
Mo	1	3538287	1.22	1.33	8.6%	< 0.05	313	380	82%	80%	120%	
Na	1	3538212	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3538287	0.793	0.858	7.9%	< 0.05				80%	120%	
Ni	1	3538212	17.4	17.5	0.6%	< 0.2				80%	120%	
P	1	3538212	728	739	1.5%	< 10	515	600	86%	80%	120%	
Pb	1	3538287	3.6	3.8	5.4%	< 0.1				80%	120%	
Rb	1	3538287	14.3	15.9	10.6%	< 0.1	12	13	92%	80%	120%	
Re	1	3538287	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3538212	0.0170	0.0175	2.9%	< 0.005				80%	120%	
Sb	1	3538287	1.46	1.36	7.1%	< 0.05				80%	120%	
Sc	1	3538287	4.09	4.68	13.5%	< 0.1				80%	120%	
Se	1	3538287	0.84	0.96	13.3%	< 0.2				80%	120%	
Sn	1	3538287	0.3	0.3	0.0%	< 0.2	7.3	7.1	102%	80%	120%	
Sr	1	3538212	37.1	38.8	4.5%	0.3				80%	120%	
Ta	1	3538287	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3538287	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3538287	1.82	2.02	10.4%	< 0.1				80%	120%	
Ti	1	3538212	0.103	0.104	1.0%	< 0.005				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Tl	1	3538287	0.145	0.151	4.1%	< 0.01				80%	120%
U	1	3538287	0.495	0.534	7.6%	< 0.05				80%	120%
V	1	3538287	59.2	65.3	9.8%	< 0.5				80%	120%
W	1	3538287	0.38	0.21		< 0.05				80%	120%
Y	1	3538287	5.08	5.52	8.3%	< 0.05				80%	120%
Zn	1	3538212	48.0	48.4	0.8%	< 0.5				80%	120%
Zr	1	3538287	2.1	2.4	13.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3538187	0.12	0.12	0.0%	< 0.01				80%	120%
Al	1	3538237	1.52	1.35	11.8%	< 0.01	0.376	0.359	105%	80%	120%
As	1	3538187	6.74	7.09	5.1%	0.3				80%	120%
Au	1	3538187	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3538187	< 5	< 5	0.0%	< 5	5.63	7.00	80%	80%	120%
Ba	1	3538187	231	232	0.4%	< 1				80%	120%
Be	1	3538187	0.29	0.28	3.5%	< 0.05	0.4	0.4	112%	80%	120%
Bi	1	3538187	0.10	0.10	0.0%	< 0.01				80%	120%
Ca	1	3538237	1.03	0.93	10.2%	< 0.01				80%	120%
Cd	1	3538187	0.112	0.122	8.5%	< 0.01				80%	120%
Ce	1	3538187	21.9	20.8	5.2%	< 0.01				80%	120%
Co	1	3538187	8.23	8.29	0.7%	< 0.1	6	5.0	119%	80%	120%
Cr	1	3538187	26.2	26.2	0.0%	< 0.5				80%	120%
Cs	1	3538187	0.510	0.441	14.5%	< 0.05				80%	120%
Cu	1	3538237	39.7	37.6	5.4%	< 0.1	3716	3800	97%	80%	120%
Fe	1	3538237	2.62	2.41	8.3%	< 0.01	1.55	1.31	118%	80%	120%
Ga	1	3538187	6.04	6.16	2.0%	< 0.05				80%	120%
Ge	1	3538187	< 0.05	0.07		0.05				80%	120%
Hf	1	3538187	0.046	0.038	19.0%	< 0.02				80%	120%
Hg	1	3538187	0.12	0.13	8.0%	< 0.01	1.2	1.3	92%	80%	120%
In	1	3538187	0.018	0.018	0.0%	< 0.005				80%	120%
K	1	3538237	0.08	0.07	13.3%	< 0.01				80%	120%
La	1	3538187	11.0	10.6	3.7%	< 0.1				80%	120%
Li	1	3538187	7.9	7.5	5.2%	< 0.1				80%	120%
Mg	1	3538237	0.645	0.601	7.1%	< 0.01				80%	120%
Mn	1	3538237	490	455	7.4%	< 1				80%	120%
Mo	1	3538187	1.24	1.43	14.2%	< 0.05	361	380	95%	80%	120%
Na	1	3538237	0.028	0.024	15.4%	< 0.01				80%	120%
Nb	1	3538187	0.75	0.69	8.3%	< 0.05				80%	120%
Ni	1	3538237	29.4	24.8	17.0%	< 0.2				80%	120%
P	1	3538237	695	660	5.2%	< 10	528	600	88%	80%	120%
Pb	1	3538187	5.74	5.83	1.6%	< 0.1				80%	120%
Rb	1	3538187	4.76	4.48	6.1%	< 0.1				80%	120%
Re	1	3538337	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3538237	0.0204	0.0195	4.5%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sb	1	3538187	0.56	0.58	3.5%	< 0.05				80%	120%	
Sc	1	3538187	3.3	3.2	3.1%	< 0.1				80%	120%	
Se	1	3538187	0.43	0.48	11.0%	< 0.2	0.7	0.8	87%	80%	120%	
Sn	1	3538187	0.3	0.3	0.0%	< 0.2	7.1	7.1	100%	80%	120%	
Sr	1	3538237	44.3	41.3	7.0%	< 0.2				80%	120%	
Ta	1	3538187	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3538187	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3538187	2.1	2.1	0.0%	< 0.1	1.6	1.4	112%	80%	120%	
Ti	1	3538237	0.0998	0.0820	19.6%	< 0.005				80%	120%	
Tl	1	3538187	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3538187	0.99	0.99	0.0%	< 0.05				80%	120%	
V	1	3538187	34.6	33.4	3.5%	0.5				80%	120%	
W	1	3538187	0.24	0.36		< 0.05				80%	120%	
Y	1	3538187	7.80	8.15	4.4%	< 0.05				80%	120%	
Zn	1	3538237	48.3	46.1	4.7%	< 0.5				80%	120%	
Zr	1	3538187	1.96	1.90	3.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3538212	0.11	0.11	0.0%	< 0.01				80%	120%	
Al	1	3538262	1.87	1.89	1.1%	< 0.01	0.416	0.359	116%	80%	120%	
As	1	3538212	4.5	6		0.3				80%	120%	
Au	1	3538212	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3538212	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3538212	302	224	29.7%	< 1				80%	120%	
Be	1	3538212	0.225	0.265	16.3%	< 0.05	0.3	0.4	83%	80%	120%	
Bi	1	3538212	0.07	0.09	25.0%	< 0.01				80%	120%	
Ca	1	3538262	0.65	0.63	3.1%	< 0.01				80%	120%	
Cd	1	3538212	0.02	0.03	40.0%	< 0.01				80%	120%	
Ce	1	3538212	15.3	19.2		< 0.01				80%	120%	
Co	1	3538212	9.8	8.0	20.2%	< 0.1				80%	120%	
Cr	1	3538212	21.2	25.5	18.4%	< 0.5				80%	120%	
Cs	1	3538212	0.95	0.78	19.7%	< 0.05				80%	120%	
Cu	1	3538262	56.2	58.2	3.5%	< 0.1	3612	3800	95%	80%	120%	
Fe	1	3538262	2.96	3.17	6.9%	< 0.01				80%	120%	
Ga	1	3538212	8.49	7.51	12.3%	< 0.05				80%	120%	
Ge	1	3538212	0.08	0.08	0.0%	0.06				80%	120%	
Hf	1	3538212	0.10	0.07		< 0.02				80%	120%	
Hg	1	3538212	0.073	0.083	12.8%	0.01	1.2	1.3	90%	80%	120%	
In	1	3538212	0.019	0.020	5.1%	< 0.005				80%	120%	
K	1	3538262	0.100	0.093	7.3%	< 0.01				80%	120%	
La	1	3538212	7.7	9.4	19.9%	< 0.1				80%	120%	
Li	1	3538212	12.0	10.8	10.5%	< 0.1				80%	120%	
Mg	1	3538262	0.61	0.64	4.8%	< 0.01				80%	120%	
Mn	1	3538262	419	437	4.2%	< 1				80%	120%	
Mo	1	3538212	0.44	0.61		< 0.05	361	380	95%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3538262	0.038	0.033	14.1%	< 0.01				80%	120%	
Nb	1	3538212	0.58	0.78		< 0.05				80%	120%	
Ni	1	3538262	17.7	18.5	4.4%	< 0.2				80%	120%	
P	1	3538262	565	592	4.7%	< 10	522	600	87%	80%	120%	
Pb	1	3538212	3.4	4.1	18.7%	< 0.1				80%	120%	
Rb	1	3538212	11.9	9.7	20.4%	< 0.1	13	13	101%	80%	120%	
Re	1	3538362	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3538262	0.0112	0.0119	6.1%	< 0.005				80%	120%	
Sb	1	3538212	0.44	0.54	20.4%	< 0.05				80%	120%	
Sc	1	3538212	5.2	4.9	5.9%	< 0.1				80%	120%	
Se	1	3538212	0.2	0.2	0.0%	< 0.2				80%	120%	
Sn	1	3538212	0.34	0.38	11.1%	< 0.2	7.6	7.1	108%	80%	120%	
Sr	1	3538262	29.1	28.7	1.4%	< 0.2				80%	120%	
Ta	1	3538212	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3538212	0.05	0.03		< 0.01				80%	120%	
Th	1	3538212	2.3	2.7	16.0%	< 0.1				80%	120%	
Ti	1	3538262	0.150	0.136	9.8%	< 0.005				80%	120%	
Tl	1	3538212	0.098	0.079	21.5%	< 0.01				80%	120%	
U	1	3538212	0.54	0.62	13.8%	< 0.05				80%	120%	
V	1	3538212	54.8	48.1	13.0%	0.5				80%	120%	
W	1	3538212	0.16	0.20		< 0.05				80%	120%	
Y	1	3538212	7.53	6.59	13.3%	< 0.05				80%	120%	
Zn	1	3538262	45.1	46.8	3.7%	< 0.5				80%	120%	
Zr	1	3538212	4.1	3.3		< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3538237	0.145	0.131	10.1%	< 0.01				80%	120%	
Al	1	3538362	1.34	1.36	1.5%	0.02				80%	120%	
As	1	3538237	9.03	8.45	6.6%	< 0.1				80%	120%	
Au	1	3538237	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3538237	< 5	< 5	0.0%	< 5	6.71	7.00	96%	80%	120%	
Ba	1	3538237	309	293	5.3%	< 1				80%	120%	
Be	1	3538237	0.415	0.381	8.5%	< 0.05				80%	120%	
Bi	1	3538237	0.125	0.122	2.4%	< 0.01				80%	120%	
Ca	1	3538362	2.10	2.24	6.5%	0.01				80%	120%	
Cd	1	3538237	0.148	0.141	4.8%	< 0.01				80%	120%	
Ce	1	3538237	28.4	26.2	8.1%	< 0.01				80%	120%	
Co	1	3538237	9.07	8.68	4.4%	< 0.1				80%	120%	
Cr	1	3538237	32.1	29.9	7.1%	< 0.5				80%	120%	
Cs	1	3538237	0.61	0.51	17.9%	< 0.05				80%	120%	
Cu	1	3538362	39.3	39.6	0.8%	< 0.1	3929	3800	103%	80%	120%	
Fe	1	3538362	2.33	2.45	5.0%	< 0.01				80%	120%	
Ga	1	3538237	7.76	7.21	7.3%	< 0.05				80%	120%	
Ge	1	3538237	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3538237	0.106	0.099	6.8%	< 0.02				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3538237	0.12	0.11	8.7%	< 0.01				80%	120%
In	1	3538237	0.022	0.022	0.0%	< 0.005				80%	120%
K	1	3538362	0.106	0.099	6.8%	< 0.01				80%	120%
La	1	3538237	14.8	13.7	7.7%	< 0.1				80%	120%
Li	1	3538237	10.4	9.44	9.7%	< 0.1				80%	120%
Mg	1	3538362	0.65	0.68	4.5%	< 0.01				80%	120%
Mn	1	3538362	546	559	2.4%	< 1				80%	120%
Mo	1	3538237	0.92	0.87	5.6%	< 0.05				80%	120%
Na	1	3538362	0.03	0.03	0.0%	< 0.01				80%	120%
Nb	1	3538237	1.36	1.12	19.4%	< 0.05				80%	120%
Ni	1	3538362	30.9	31.6	2.2%	< 0.2				80%	120%
P	1	3538362	675	680	0.7%	< 10	553	600	92%	80%	120%
Pb	1	3538237	6.66	6.29	5.7%	< 0.1				80%	120%
Rb	1	3538237	7.20	6.13	16.1%	< 0.1	15	13	119%	80%	120%
Re	1	3538387	0.001	0.002		< 0.001				80%	120%
S	1	3538362	0.0227	0.0223	1.8%	< 0.005				80%	120%
Sb	1	3538237	0.726	0.684	6.0%	< 0.05				80%	120%
Sc	1	3538237	4.95	4.59	7.5%	< 0.1				80%	120%
Se	1	3538237	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sn	1	3538237	0.4	0.4	0.0%	< 0.2	6	7.1	84%	80%	120%
Sr	1	3538362	75.4	77.1	2.2%	1.1				80%	120%
Ta	1	3538237	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3538237	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3538237	3.8	3.5	8.2%	< 0.1				80%	120%
Ti	1	3538362	0.095	0.094	1.1%	< 0.005				80%	120%
Tl	1	3538237	0.069	0.060	14.0%	< 0.01				80%	120%
U	1	3538237	0.996	0.910	9.0%	< 0.05				80%	120%
V	1	3538237	45.2	41.5	8.5%	< 0.5				80%	120%
W	1	3538237	0.21	0.23	9.1%	< 0.05				80%	120%
Y	1	3538237	10.5	9.77	7.2%	< 0.05				80%	120%
Zn	1	3538362	63.2	64.3	1.7%	< 0.5				80%	120%
Zr	1	3538237	5.0	4.6	8.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3538262	0.13	0.12	8.0%	< 0.01				80%	120%
Al	1	3538387	1.28	1.29	0.8%	< 0.01				80%	120%
As	1	3538262	22.9	22.9	0.0%	< 0.1				80%	120%
Au	1	3538262	< 0.01	0.01		< 0.01				80%	120%
B	1	3538262	< 5	< 5	0.0%	< 5	7.13	7.00	102%	80%	120%
Ba	1	3538262	310	294	5.3%	< 1				80%	120%
Be	1	3538262	0.492	0.463	6.1%	< 0.05				80%	120%
Bi	1	3538262	0.134	0.125	6.9%	< 0.01				80%	120%
Ca	1	3538387	0.744	0.758	1.9%	< 0.01				80%	120%
Cd	1	3538262	0.09	0.09	0.0%	< 0.01	0.11	0.10	110%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ce	1	3538262	33.4	30.0	10.7%	< 0.01				80%	120%	
Co	1	3538262	13.5	13.1	3.0%	< 0.1				80%	120%	
Cr	1	3538262	40.1	37.4	7.0%	< 0.5				80%	120%	
Cs	1	3538262	1.14	0.87	26.9%	< 0.05				80%	120%	
Cu	1	3538387	33.4	39.2	16.0%	< 0.1	3874	3800	101%	80%	120%	
Fe	1	3538387	2.33	2.44	4.6%	< 0.01				80%	120%	
Ga	1	3538262	10.4	9.67	7.3%	< 0.05				80%	120%	
Ge	1	3538262	0.10	0.09	10.5%	< 0.05				80%	120%	
Hf	1	3538262	0.27	0.27	0.0%	< 0.02				80%	120%	
Hg	1	3538262	0.15	0.13	14.3%	< 0.01	1.2	1.3	89%	80%	120%	
In	1	3538262	0.0331	0.0313	5.6%	< 0.005				80%	120%	
K	1	3538387	0.09	0.09	0.0%	< 0.01				80%	120%	
La	1	3538262	18.1	16.3	10.5%	< 0.1				80%	120%	
Li	1	3538262	15.3	14.5	5.4%	< 0.1				80%	120%	
Mg	1	3538387	0.524	0.544	3.7%	< 0.01				80%	120%	
Mn	1	3538387	410	415	1.2%	< 1				80%	120%	
Mo	1	3538262	1.54	1.06		< 0.05				80%	120%	
Na	1	3538387	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3538262	1.43	1.10	26.1%	< 0.05				80%	120%	
Ni	1	3538387	26.1	26.9	3.0%	< 0.2				80%	120%	
P	1	3538387	769	777	1.0%	< 10	542	600	90%	80%	120%	
Pb	1	3538262	6.6	6.4	3.1%	< 0.1				80%	120%	
Rb	1	3538262	10.8	8.9	19.3%	< 0.1				80%	120%	
Re	1	3538412	0.001	< 0.001		< 0.001				80%	120%	
S	1	3538387	0.0452	0.0462	2.2%	< 0.005				80%	120%	
Sb	1	3538262	2.79	2.70	3.3%	< 0.05				80%	120%	
Sc	1	3538262	9.13	8.25	10.1%	< 0.1				80%	120%	
Se	1	3538262	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3538262	0.7	0.6	15.4%	< 0.2				80%	120%	
Sr	1	3538387	50.9	53.0	4.0%	< 0.2				80%	120%	
Ta	1	3538262	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3538262	0.067	0.058	14.4%	< 0.01				80%	120%	
Th	1	3538262	4.76	4.45	6.7%	< 0.1				80%	120%	
Ti	1	3538387	0.089	0.088	1.1%	< 0.005				80%	120%	
Tl	1	3538262	0.09	0.08	11.8%	< 0.01				80%	120%	
U	1	3538262	1.07	1.00	6.8%	< 0.05				80%	120%	
V	1	3538262	84.1	76.5	9.5%	< 0.5				80%	120%	
W	1	3538262	0.280	0.326	15.2%	< 0.05				80%	120%	
Y	1	3538262	13.9	12.3	12.2%	< 0.05				80%	120%	
Zn	1	3538387	58.6	59.4	1.4%	< 0.5				80%	120%	
Zr	1	3538262	12.3	11.4	7.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3538437	0.118	0.110	7.0%	< 0.01				80%	120%	
Al	1	3538412	1.83	1.76	3.9%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
As	1	3538437	8.8	8.4	4.7%	< 0.1				80%	120%
Au	1	3538437	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3538412	< 5	< 5	0.0%	< 5	5.72	7.00	82%	80%	120%
Ba	1	3538437	326	304	7.0%	< 1				80%	120%
Be	1	3538412	0.97	0.97	0.0%	< 0.05	0.4	0.4	93%	80%	120%
Bi	1	3538437	0.116	0.111	4.4%	< 0.01				80%	120%
Ca	1	3538412	1.74	1.70	2.3%	< 0.01				80%	120%
Cd	1	3538437	0.33	0.32	3.1%	< 0.01				80%	120%
Ce	1	3538437	33.9	30.8	9.6%	< 0.01				80%	120%
Co	1	3538437	9.47	8.83	7.0%	< 0.1	5.8	5.0	116%	80%	120%
Cr	1	3538437	31.1	29.6	4.9%	< 0.5				80%	120%
Cs	1	3538437	0.66	0.64	3.1%	< 0.05				80%	120%
Cu	1	3538412	42.1	42.1	0.0%	< 0.1	3910	3800	102%	80%	120%
Fe	1	3538412	2.76	2.65	4.1%	< 0.01				80%	120%
Ga	1	3538437	4.39	4.04	8.3%	< 0.05				80%	120%
Ge	1	3538437	0.12	0.13	8.0%	< 0.05				80%	120%
Hf	1	3538437	0.095	0.083	13.5%	< 0.02				80%	120%
Hg	1	3538437	0.037	0.028	27.7%	< 0.01	1.4	1.3	110%	80%	120%
In	1	3538437	0.0236	0.0227	3.9%	< 0.005				80%	120%
K	1	3538412	0.099	0.093	6.3%	< 0.01				80%	120%
La	1	3538437	15.6	14.0	10.8%	< 0.1				80%	120%
Li	1	3538412	12.1	11.7	3.4%	< 0.1				80%	120%
Mg	1	3538412	0.690	0.662	4.1%	< 0.01				80%	120%
Mn	1	3538412	457	453	0.9%	< 1				80%	120%
Mo	1	3538437	0.925	0.858	7.5%	< 0.05				80%	120%
Na	1	3538412	0.035	0.033	5.9%	< 0.01				80%	120%
Nb	1	3538437	1.85	1.69	9.0%	< 0.05				80%	120%
Ni	1	3538412	28.4	29.3	3.1%	< 0.2				80%	120%
P	1	3538412	461	453	1.8%	< 10	556	600	93%	80%	120%
Pb	1	3538437	6.45	5.92	8.6%	< 0.1				80%	120%
Rb	1	3538437	7.69	7.25	5.9%	< 0.1				80%	120%
Re	1	3538437	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3538412	0.0322	0.0312	3.2%	< 0.005				80%	120%
Sb	1	3538437	0.84	0.81	3.6%	< 0.05				80%	120%
Sc	1	3538437	4.69	4.40	6.4%	< 0.1				80%	120%
Se	1	3538437	< 0.2	< 0.2	0.0%	< 0.2	0.8	0.8	96%	80%	120%
Sn	1	3538437	0.5	0.5	0.0%	< 0.2	8.4	7.1	118%	80%	120%
Sr	1	3538412	70.9	65.2	8.4%	< 0.2	324	390	83%	80%	120%
Ta	1	3538437	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3538437	0.023	0.025	8.3%	< 0.01				80%	120%
Th	1	3538437	4.0	3.7	7.8%	< 0.1				80%	120%
Ti	1	3538412	0.108	0.100	7.7%	< 0.005				80%	120%
Tl	1	3538437	0.080	0.073	9.2%	< 0.01				80%	120%
U	1	3538437	0.957	0.884	7.9%	< 0.05				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
V	1	3538437	65.7	61.5	6.6%	< 0.5				80%	120%	
W	1	3538437	0.46	0.38	19.0%	< 0.05				80%	120%	
Y	1	3538437	10.1	9.50	6.1%	< 0.05				80%	120%	
Zn	1	3538412	66.5	66.7	0.3%	< 0.5				80%	120%	
Zr	1	3538437	4.7	4.3	8.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3538437	0.184	0.228	21.4%	< 0.01				80%	120%	
Al	1	3538437	1.13	1.11	1.8%	< 0.01				80%	120%	
As	1	3538437	5.1	6.3	21.1%	< 0.1				80%	120%	
B	1	3538437	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3538437	290	284	2.1%	< 1				80%	120%	
Be	1	3538437	0.815	0.788	3.4%	< 0.05	0.4	0.4	98%	80%	120%	
Bi	1	3538437	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Ca	1	3538437	0.887	0.861	3.0%	< 0.01				80%	120%	
Cd	1	3538437	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Ce	1	3538437	29.7	28.8	3.1%	< 0.01				80%	120%	
Co	1	3538437	8.3	8.3	0.0%	< 0.1				80%	120%	
Cr	1	3538437	31.0	30.8	0.6%	< 0.5				80%	120%	
Cu	1	3538437	29.3	28.6	2.4%	< 0.1	3906	3800	102%	80%	120%	
Fe	1	3538437	2.13	2.08	2.4%	< 0.01	1.58	1.31	120%	80%	120%	
Ga	1	3538437	4.07	4.55	11.1%	< 0.05				80%	120%	
Hg	1	3538437	0.14	0.12	15.4%	< 0.01				80%	120%	
In	1	3538437	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
K	1	3538437	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3538437	14.0	13.3	5.1%	< 0.1				80%	120%	
Li	1	3538437	7.81	7.63	2.3%	< 0.1				80%	120%	
Mg	1	3538437	0.526	0.510	3.1%	< 0.01				80%	120%	
Mn	1	3538437	393	391	0.5%	< 1				80%	120%	
Mo	1	3538437	0.596	0.471	23.4%	< 0.05				80%	120%	
Na	1	3538437	0.02	0.02	0.0%	< 0.01				80%	120%	
Ni	1	3538437	25.6	25.7	0.4%	< 0.2				80%	120%	
P	1	3538437	762	770	1.0%	< 10	550	600	92%	80%	120%	
Pb	1	3538437	3.79	4.46	16.2%	< 0.1				80%	120%	
Rb	1	3538437	11.8	11.5	2.6%	< 0.1				80%	120%	
S	1	3538437	0.0360	0.0352	2.2%	< 0.005	0.9	0.80	112%	80%	120%	
Sb	1	3538437	1.73	1.51	13.6%	< 0.05				80%	120%	
Sc	1	3538437	4.48	4.41	1.6%	< 0.1				80%	120%	
Se	1	3538437	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3538437	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3538437	54.5	53.4	2.0%	< 0.2				80%	120%	
Ta	1	3538437	3.28	3.71	12.3%	< 0.01				80%	120%	
Te	1	3538437	< 0.01	0.69		< 0.01				80%	120%	
Th	1	3538437	2.03	1.94	4.5%	< 0.1				80%	120%	
Ti	1	3538437	0.088	0.084	4.7%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Tl	1	3538437	2.94	1.85		< 0.01			80%	120%		
U	1	3538437	0.87	0.91	4.5%	< 0.05			80%	120%		
V	1	3538437	50.4	49.6	1.6%	< 0.5			80%	120%		
W	1	3538437	< 0.05	< 0.05	0.0%	< 0.05			80%	120%		
Y	1	3538437	10.1	10.0	1.0%	< 0.05			80%	120%		
Zn	1	3538437	53.3	50.3	5.8%	< 0.5			80%	120%		
Zr	1	3538437	4.8	4.7	2.1%	< 0.5			80%	120%		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Be	1					< 0.05	0.3	0.4	86%	80%	120%	
Cu	1					< 0.1	3505	3800	92%	80%	120%	
Mo	1					< 0.05	351	380	92%	80%	120%	
P	1					< 10	488	600	81%	80%	120%	
Rb	1					< 0.1	11	13	83%	80%	120%	
Se	1					< 0.2	0.8	0.8	94%	80%	120%	
Sn	1					< 0.2	7.9	7.1	111%	80%	120%	
Sr	1					< 0.2	379	390	97%	80%	120%	
Ta	1					< 0.01	0.9	0.9	99%	80%	120%	
Th	1					< 0.1	1.2	1.4	87%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
B	1					< 5	7.66	7.00	109%	80%	120%	
Be	1					< 0.05	0.4	0.4	102%	80%	120%	
Cu	1					< 0.1	4128	3800	108%	80%	120%	
P	1					< 10	579	600	97%	80%	120%	
Rb	1					< 0.1	13	13	99%	80%	120%	
Sr	1					< 0.2	362	390	93%	80%	120%	
Th	1					< 0.1	1.5	1.4	110%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
B	1					< 5	5.68	7.00	81%	80%	120%	
Be	1					< 0.05	0.3	0.4	85%	80%	120%	
Cu	1					< 0.1	3722	3800	97%	80%	120%	
Mo	1					< 0.05	361	380	95%	80%	120%	
P	1					< 10	516	600	86%	80%	120%	
S	1					< 0.005	0.94	0.80	118%	80%	120%	
Sn	1					< 0.2	8	7.1	113%	80%	120%	
Sr	1					< 0.2	341	390	87%	80%	120%	
Th	1					< 0.1	1.2	1.4	89%	80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Be	1					< 0.05	0.3	0.4	85%	80%	120%	
Cu	1					< 0.1	3797	3800	99%	80%	120%	
P	1					< 10	493	600	82%	80%	120%	
Rb	1					< 0.1	10	13	80%	80%	120%	
Sn	1					< 0.2	8.4	7.1	119%	80%	120%	
Sr	1					< 0.2	373	390	96%	80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

### Solid Analysis (Continued)

RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Be	1					< 0.05	0.3	0.4	87%	80%	120%
Cu	1					< 0.1	3666	3800	96%	80%	120%
Mo	1					< 0.05	359	380	94%	80%	120%
Rb	1					< 0.1	11	13	82%	80%	120%
S	1					< 0.005	0.94	0.80	117%	80%	120%
Sn	1					< 0.2				80%	120%
Sr	1					< 0.2	398	390	102%	80%	120%
Th	1					< 0.1				80%	120%

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

B	1					< 5	6.01	7.00	86%	80%	120%
Be	1					< 0.05	0.4	0.4	97%	80%	120%
Cu	1					< 0.1	3955	3800	104%	80%	120%
P	1					< 10	537	600	90%	80%	120%
Rb	1					< 0.1	11	13	85%	80%	120%
Sr	1					< 0.2	362	390	93%	80%	120%
Th	1					< 0.1	1.4	1.4	98%	80%	120%

Certified By:

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622745

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y622863

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 29, 2012

PAGES (INCLUDING COVER): 54

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G04-27		0.51	0.14	1.20	16.3	<0.01	<5	349	0.38	0.14	0.77	0.27	22.9	11.9	31.4
G04-29		0.41	0.11	1.10	9.6	<0.01	<5	272	0.42	0.12	0.88	0.21	19.8	9.8	38.9
G04-31		0.32	0.11	0.93	7.3	<0.01	<5	324	0.34	0.10	1.42	0.46	17.5	9.1	29.1
G04-33		0.44	0.11	1.06	9.7	<0.01	<5	232	0.38	0.11	0.61	0.17	19.5	9.2	29.1
G04-35		0.51	0.07	0.75	9.9	<0.01	<5	192	0.30	0.09	0.90	0.16	19.4	7.8	22.3
G04-37		0.47	0.05	0.79	7.1	<0.01	<5	163	0.28	0.07	0.46	0.11	19.3	7.8	26.2
G04-39		0.37	0.06	0.93	6.5	<0.01	<5	192	0.30	0.07	0.67	0.53	15.5	10.9	42.0
G04-41		0.44	0.06	0.89	9.3	<0.01	<5	163	0.29	0.08	0.71	0.27	15.0	7.7	41.8
G04-43		0.42	0.11	0.96	7.8	<0.01	<5	212	0.40	0.10	0.98	0.19	19.9	7.6	22.9
G04-45		0.43	0.13	1.08	8.3	<0.01	<5	353	0.46	0.11	0.78	0.17	22.0	8.5	24.5
G04-47		0.46	0.16	1.04	8.1	<0.01	<5	408	0.44	0.11	0.89	0.20	21.6	8.8	25.2
G04-49		0.44	0.09	1.13	8.5	<0.01	<5	351	0.41	0.10	2.03	0.19	22.2	9.8	26.8
G04-51		0.47	0.11	1.04	10.3	<0.01	<5	393	0.38	0.11	2.49	0.24	22.1	9.2	25.3
G04-53		0.43	0.08	1.20	7.4	<0.01	<5	341	0.41	0.10	1.56	0.19	22.3	11.0	30.5
G04-55		0.47	0.13	1.10	8.8	<0.01	<5	421	0.43	0.13	1.66	0.38	26.3	11.0	27.8
G04-57		0.43	0.07	1.68	6.6	<0.01	<5	310	0.42	0.07	0.63	0.13	16.1	17.8	84.2
G04-59		0.48	0.08	0.86	10.8	<0.01	<5	404	0.37	0.13	0.83	0.51	24.0	9.5	21.1
G02-27		0.42	0.17	1.22	12.5	<0.01	<5	300	0.49	0.17	0.84	0.19	25.2	14.1	52.3
G02-29		0.37	0.11	0.90	20.7	<0.01	<5	167	0.32	0.13	0.63	0.12	16.7	8.8	32.9
G02-31		0.40	0.14	1.28	10.8	<0.01	<5	313	0.46	0.14	0.79	0.28	23.4	13.6	64.3
G02-33		0.41	0.11	1.05	7.2	<0.01	<5	223	0.42	0.12	0.70	0.27	22.8	9.0	43.0
G02-35		0.41	0.08	0.96	9.8	<0.01	<5	216	0.35	0.09	0.64	0.11	20.1	9.4	31.9
G02-39		0.40	0.10	1.07	9.3	<0.01	<5	226	0.44	0.12	0.92	0.24	23.3	8.8	27.7
G02-41		0.37	0.09	0.82	9.3	<0.01	<5	291	0.33	0.09	1.31	0.29	16.2	7.9	19.4
G02-43		0.40	0.13	1.08	8.6	<0.01	<5	342	0.42	0.11	1.02	0.18	21.6	7.8	23.5
G02-45		0.42	0.11	1.08	9.9	<0.01	<5	396	0.39	0.10	3.07	0.26	22.1	9.7	24.8
G02-47		0.44	0.11	1.06	9.9	<0.01	<5	299	0.42	0.10	2.11	0.15	20.3	8.1	24.1
G02-49		0.46	0.12	1.17	10.7	<0.01	<5	241	0.39	0.10	1.39	0.15	17.8	10.7	28.5
G02-51		0.40	0.19	1.23	15.3	<0.01	<5	306	0.38	0.08	3.36	0.23	14.1	20.6	34.5
G02-53		0.43	0.13	1.03	8.7	<0.01	<5	219	0.38	0.07	2.68	0.24	15.9	13.9	36.3
G02-55		0.49	0.08	0.95	7.3	<0.01	<5	234	0.38	0.06	2.94	0.10	16.4	11.2	32.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G02-57		0.49	0.09	1.27	5.8	<0.01	<5	230	0.37	0.03	1.09	0.12	13.8	16.9	63.2
G02-59		0.51	0.07	1.34	5.8	<0.01	<5	248	0.34	0.06	2.56	0.12	11.9	13.8	53.3
G02-61		0.44	0.13	1.41	8.9	<0.01	<5	335	0.49	0.13	1.90	0.13	23.0	13.2	37.1
G02-63		0.45	0.10	1.17	7.8	<0.01	<5	245	0.40	0.09	0.58	0.11	17.2	8.4	29.3
G02-65		0.43	0.06	0.82	9.4	<0.01	<5	234	0.36	0.07	0.53	0.08	22.1	7.6	19.7
G02-67		0.48	0.18	1.56	59.4	0.01	<5	218	0.40	0.22	0.82	0.06	12.9	16.8	69.4
G02-69		0.43	0.12	1.48	5.8	<0.01	<5	233	0.31	0.03	2.26	0.09	11.0	16.8	82.5
G00-0		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-1		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-2		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-3		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-4		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-6		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-7		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-8		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-11		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-13		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G01-0		0.39	0.33	3.74	8.5	<0.01	<5	242	0.29	0.21	0.49	0.52	15.8	26.6	21.8
G01-1		0.39	0.34	1.76	7.6	<0.01	<5	203	0.36	0.11	0.34	0.16	7.76	14.7	31.6
G01-2		0.38	0.73	2.05	69.2	0.01	<5	578	0.36	1.57	0.60	0.30	11.6	17.4	22.7
G01-4		0.38	0.43	2.58	57.0	<0.01	<5	309	0.45	1.40	1.02	0.49	20.1	23.8	26.9
G01-6		0.40	0.41	1.58	49.3	<0.01	<5	224	0.33	1.47	0.66	0.70	24.4	14.3	26.9
G01-7		0.38	0.10	1.37	13.8	<0.01	<5	191	0.29	0.10	0.68	0.19	22.9	9.1	31.3
G01-8		0.35	0.85	2.39	33.9	<0.01	<5	258	0.65	5.39	0.62	2.27	28.1	25.4	49.0
G01-10		0.34	0.74	1.64	8.9	<0.01	<5	192	0.36	1.64	1.52	1.20	25.5	10.0	20.9
G01-13		0.37	0.15	1.14	12.3	<0.01	<5	457	0.49	0.12	0.90	0.26	32.2	14.7	33.0
G01-25		0.38	0.15	1.78	10.3	<0.01	<5	346	0.53	0.16	0.86	0.52	35.4	15.9	68.8
G01-27		0.38	0.12	1.78	10.6	<0.01	<5	294	0.44	0.13	0.95	0.24	32.0	12.5	60.7
G01-29		0.37	0.11	1.49	9.8	<0.01	<5	314	0.45	0.12	0.86	0.23	33.0	11.0	59.2
G01-33		0.42	0.07	1.15	5.9	<0.01	<5	202	0.33	0.06	0.76	0.09	33.2	9.0	47.8
G01-35		0.42	0.13	1.57	8.8	<0.01	<5	291	0.46	0.10	0.85	0.13	33.9	10.9	55.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G01-37		0.36	0.11	1.43	8.4	<0.01	<5	379	0.45	0.10	1.97	0.29	35.7	9.3	32.7
G01-39		0.39	0.10	1.41	7.8	<0.01	<5	333	0.42	0.08	1.52	0.30	28.8	9.1	25.7
G01-41		0.39	0.14	1.21	8.6	<0.01	<5	363	0.48	0.10	0.97	0.19	27.4	8.8	26.5
G01-43		0.44	0.17	1.52	7.7	<0.01	<5	327	0.46	0.10	2.05	0.34	29.7	11.5	45.0
G01-45		0.43	0.15	1.67	6.9	<0.01	<5	328	0.50	0.09	1.94	0.24	31.0	9.5	34.5
G01-47		0.44	0.21	1.55	8.4	<0.01	<5	304	0.48	0.10	1.59	0.24	32.4	10.5	43.0
G01-49		0.36	0.52	1.57	69.6	0.01	<5	207	0.42	0.24	3.44	0.39	24.7	20.3	58.0
G01-51		0.40	0.34	1.61	12.3	<0.01	<5	220	0.39	0.07	3.58	0.62	25.8	18.8	70.3
G01-53		0.43	0.26	1.49	11.4	<0.01	<5	261	0.47	0.10	2.39	0.18	33.2	13.7	47.0
G01-55		0.36	0.20	1.48	9.5	<0.01	<5	340	0.40	0.07	5.71	0.19	29.5	10.0	30.6
G01-57		0.43	0.62	1.91	9.3	<0.01	<5	200	0.51	0.07	4.58	0.12	26.4	16.4	29.3
G01-59		0.45	0.15	1.87	11.3	<0.01	<5	222	0.61	0.16	0.54	0.09	42.8	10.9	46.4
G01-61		0.44	0.08	1.93	10.0	<0.01	<5	450	0.38	0.03	5.76	0.13	19.7	21.2	91.7
G01-63		0.46	0.17	1.39	11.0	<0.01	<5	254	0.43	0.07	3.19	0.25	24.7	14.4	47.1
G01-65		0.42	0.07	1.36	8.4	<0.01	<5	277	0.40	0.11	1.59	0.18	38.7	10.9	37.7
G01-67		0.47	0.04	2.09	6.6	<0.01	<5	449	0.33	0.03	1.11	0.09	14.2	27.4	81.0
G01-69		0.44	<0.01	2.00	4.3	<0.01	<5	380	0.28	<0.01	0.81	0.05	10.2	19.2	51.6
G03-0		0.44	0.22	1.68	8.3	<0.01	<5	198	0.32	0.08	0.87	0.14	22.1	12.1	25.3
G03-1		0.45	0.43	2.85	6.4	<0.01	<5	343	0.31	0.07	3.84	0.31	21.8	21.6	26.1
G03-2		0.51	0.07	0.93	9.0	<0.01	<5	330	0.34	0.07	1.43	0.25	38.9	7.5	27.6
G03-3		0.37	0.14	1.58	10.1	<0.01	<5	311	0.55	0.11	0.49	0.06	35.9	9.0	32.6
G03-4		0.51	0.08	1.26	8.8	<0.01	<5	258	0.42	0.12	0.67	0.10	32.7	8.3	28.3
G03-5		0.43	0.16	1.31	9.0	<0.01	<5	307	0.40	0.09	0.49	0.05	27.6	8.8	24.2
G03-6		0.42	0.09	1.16	10.0	<0.01	<5	227	0.41	0.11	0.61	0.23	34.6	8.7	28.0
G03-7		0.44	0.29	1.41	72.0	0.01	<5	230	0.32	0.22	0.62	0.11	18.4	11.7	24.2
G03-8		0.41	0.13	1.37	11.7	<0.01	<5	320	0.43	0.78	0.58	0.23	39.9	8.9	29.0
G03-9		0.49	0.06	1.08	7.4	<0.01	<5	175	0.32	0.09	0.58	0.15	29.4	7.1	33.9
G03-10		0.36	0.11	1.44	11.2	<0.01	<5	253	0.50	0.37	0.73	0.15	35.6	11.4	45.9
G03-11		0.51	0.15	1.39	12.2	<0.01	<5	322	0.29	0.16	0.76	0.13	33.7	10.4	34.7
G03-12		0.36	0.14	1.34	10.4	<0.01	<5	308	0.31	0.32	0.83	0.14	32.4	10.6	40.4
G03-13		0.55	0.10	1.23	9.5	<0.01	<5	253	0.27	0.13	0.57	0.07	32.9	7.4	28.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G03-14		0.46	0.09	1.07	10.3	<0.01	<5	233	0.23	0.22	1.41	0.22	26.3	9.6	36.5
G03-15		0.35	0.14	1.34	8.3	<0.01	<5	345	0.32	0.15	0.63	0.14	37.4	9.4	35.2
G03-21		0.35	0.08	1.12	5.8	<0.01	<5	244	0.25	0.10	0.64	0.07	33.4	8.4	28.4
G03-23		0.43	0.16	1.48	17.3	<0.01	<5	334	0.36	0.16	0.86	0.24	35.4	17.9	57.9
G03-29		0.39	0.13	1.27	8.8	<0.01	<5	281	0.30	0.14	0.91	0.26	31.7	7.4	29.4
G03-33		0.40	0.12	0.98	7.3	<0.01	<5	295	0.23	0.10	1.74	0.22	30.0	5.9	21.3
G03-35		0.43	0.10	1.11	6.8	<0.01	<5	296	0.27	0.11	1.31	0.16	35.3	6.7	25.6
G03-37		0.46	0.12	1.21	7.6	<0.01	<5	327	0.29	0.12	1.37	0.18	36.1	7.3	26.6
G03-39		0.44	0.13	1.32	6.6	<0.01	<5	368	0.30	0.13	0.89	0.15	35.0	6.9	26.5
G03-41		0.44	0.10	1.64	6.3	<0.01	<5	423	0.32	0.12	1.36	0.19	33.5	8.1	28.4
G03-43		0.51	0.12	1.25	7.4	<0.01	<5	373	0.28	0.13	2.02	0.24	30.2	7.2	26.1
G03-45		0.44	0.12	1.47	7.2	<0.01	<5	360	0.27	0.12	2.79	0.27	31.7	7.7	29.3
G03-47		0.45	0.24	1.50	9.0	<0.01	<5	380	0.37	0.13	1.99	0.38	42.2	12.3	43.8
G03-49		0.48	0.17	1.61	6.3	<0.01	<5	240	0.23	0.09	3.06	0.30	26.1	7.9	29.2
G03-51		0.51	0.26	1.76	8.7	0.04	<5	273	0.41	0.12	3.18	0.89	37.1	13.1	33.3
G03-53		0.42	0.22	1.16	9.6	<0.01	<5	305	0.28	0.12	1.97	0.13	31.5	7.0	24.5
G03-55		0.42	0.13	0.95	6.2	<0.01	<5	254	0.20	0.10	3.54	0.15	27.0	5.9	21.3
G03-57		0.42	0.21	1.54	8.1	<0.01	<5	268	0.36	0.14	0.99	0.07	39.0	8.6	30.8
G03-59		0.52	0.14	1.87	30.5	<0.01	<5	291	0.38	0.14	0.65	0.13	31.7	28.5	70.1
G0305-0		0.38	0.09	1.33	6.9	<0.01	<5	258	0.27	0.13	0.60	0.08	36.5	6.1	26.8
G0305-1		0.44	0.16	1.40	7.2	<0.01	<5	221	0.23	0.11	0.93	0.17	32.3	7.8	25.1
G0305-2		0.40	0.10	1.38	6.5	<0.01	<5	285	0.26	0.11	0.66	0.09	33.5	5.8	24.2
G0305-3		0.50	0.11	1.87	7.5	<0.01	<5	391	0.25	0.08	0.62	0.05	25.3	16.6	26.7
G0305-4		0.49	0.07	1.20	7.6	<0.01	<5	137	0.26	0.10	1.57	0.23	29.5	6.4	25.3
G0305-5		0.36	0.12	1.58	7.6	<0.01	<5	298	0.27	0.14	0.52	0.05	30.7	7.2	26.9
G0305-6		0.41	0.12	1.24	7.4	<0.01	<5	345	0.31	0.17	0.62	0.11	37.9	6.9	25.8
G0305-7		0.42	0.13	1.56	8.9	<0.01	<5	279	0.24	0.11	0.59	0.04	29.7	7.9	27.8
G0305-8		0.39	0.16	1.61	9.7	<0.01	<5	460	0.42	1.18	0.73	0.15	53.5	9.9	41.2
G0305-9		0.48	0.13	1.20	8.5	<0.01	<5	236	0.28	0.11	0.87	0.19	30.8	10.4	58.1
G0305-10		0.46	0.18	1.67	9.0	<0.01	<5	412	0.41	1.81	0.91	0.27	49.3	10.0	42.5
G0305-11		0.54	0.13	1.25	7.4	<0.01	<5	298	0.29	0.13	0.58	0.05	37.4	8.4	35.4

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G0305-12	0.40	0.12	1.32	8.3	<0.01	<5	362	0.32	0.25	1.00	0.24	39.7	8.9	34.9
G0305-13	0.43	0.12	1.29	7.3	<0.01	<5	288	0.28	0.12	0.66	0.10	30.8	8.3	33.0
G0305-14	0.48	0.11	1.28	12.1	<0.01	<5	320	0.28	0.38	1.53	0.32	34.0	10.6	40.8
G0305-15	0.50	0.10	1.44	8.1	<0.01	<5	277	0.28	0.14	0.60	0.06	34.5	7.0	29.9
G0305-16	0.55	0.10	1.53	5.8	<0.01	<5	311	0.26	0.13	1.03	0.14	34.2	6.8	23.7
G0305-17	0.39	0.10	1.54	7.5	<0.01	<5	217	0.27	0.12	0.54	0.08	27.4	5.3	27.5
G0305-19	0.35	0.13	1.44	15.9	<0.01	<5	315	0.34	0.17	0.56	0.17	34.9	7.3	34.4
G0305-21	0.33	0.09	0.98	5.7	<0.01	<5	253	0.19	0.10	0.52	0.11	27.1	6.7	20.8
G0305-23	0.35	0.10	1.17	3.9	<0.01	<5	209	0.19	0.09	0.59	0.20	28.5	4.9	22.6
G05-0	0.46	0.07	1.09	6.5	<0.01	<5	125	0.21	0.09	0.88	0.16	24.2	5.3	20.2
G05-1	0.47	0.07	1.13	7.9	<0.01	<5	241	0.24	0.11	0.48	0.10	27.4	5.7	22.7
G05-2	0.50	0.09	1.14	7.4	<0.01	<5	120	0.22	0.11	2.16	0.25	28.2	5.8	22.2
G05-3	0.48	0.15	1.73	4.0	<0.01	<5	540	0.24	0.07	0.46	0.15	23.6	10.5	3.2
G05-4	0.46	0.10	1.30	9.1	<0.01	<5	401	0.30	0.13	0.56	0.15	31.6	6.4	24.6
G05-6	0.53	0.09	1.13	7.1	<0.01	<5	443	0.28	0.12	1.49	0.25	34.7	6.6	25.0
G05-7	0.46	0.13	1.38	8.1	<0.01	<5	379	0.28	0.13	0.85	0.29	35.5	8.1	27.2
G05-8	0.47	0.15	1.54	8.9	<0.01	<5	357	0.35	0.55	0.97	0.22	40.5	9.2	42.9
G05-9	0.56	0.10	1.03	7.2	<0.01	<5	226	0.21	0.10	0.63	0.14	30.5	7.6	46.6
G05-10	0.39	0.09	1.39	7.6	<0.01	<5	313	0.30	0.15	0.80	0.09	37.7	7.1	26.0
G05-11	0.44	0.15	1.34	6.4	<0.01	<5	372	0.29	0.12	1.10	0.09	31.4	7.2	30.5
G05-12	0.45	0.13	1.18	9.7	<0.01	<5	357	0.28	0.30	0.64	0.12	30.8	8.2	34.3
G05-13	0.48	0.12	1.24	6.6	<0.01	<5	309	0.27	0.12	0.78	0.17	29.9	7.7	30.1
G05-15	0.48	0.12	1.38	8.2	<0.01	<5	304	0.29	0.13	0.67	0.14	33.3	8.5	30.4
G05-16	0.46	0.11	1.50	10.5	<0.01	<5	326	0.30	0.33	0.69	0.09	35.9	8.7	31.5
G05-17	0.35	0.12	0.98	5.2	<0.01	<5	289	0.22	0.11	0.69	0.16	25.5	6.0	24.5
G05-18	0.44	0.11	1.10	11.9	<0.01	<5	123	0.20	0.64	0.79	0.17	22.8	9.5	35.9
G05-19	0.43	0.14	1.51	11.7	<0.01	<5	364	0.31	0.16	0.89	0.16	34.7	8.6	32.9
G05-21	0.45	0.10	1.19	7.2	<0.01	<5	281	0.27	0.16	0.60	0.09	34.1	6.6	26.2
G05-23	0.41	0.10	1.26	8.0	<0.01	<5	269	0.26	0.15	0.77	0.11	34.0	6.8	24.9
G05-25	0.32	0.12	1.31	8.8	<0.01	<5	295	0.28	0.17	0.59	0.25	33.1	8.6	34.9
G05-33	0.56	0.08	1.47	6.0	<0.01	<5	347	0.29	0.11	1.86	0.22	27.3	7.9	31.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G05-35		0.51	0.11	1.70	7.0	<0.01	<5	510	0.33	0.13	1.85	0.21	37.8	8.0	30.6
G05-37		0.46	0.13	1.27	6.1	<0.01	<5	338	0.30	0.13	1.37	0.24	31.4	6.6	25.4
G05-41		0.45	0.09	1.11	4.9	<0.01	<5	256	0.19	0.09	1.13	0.16	21.2	4.3	12.6
G05-43		0.51	0.09	1.21	5.6	<0.01	<5	238	0.22	0.10	0.85	0.08	25.6	4.3	18.7
G05-45		0.48	0.12	1.88	7.1	<0.01	<5	282	0.34	0.12	0.87	0.17	31.2	7.3	36.0
G05-47		0.52	0.09	1.59	5.0	<0.01	<5	172	0.25	0.09	2.22	0.21	26.3	9.1	38.7
G05-49		0.48	0.21	1.61	9.7	<0.01	<5	122	0.25	0.11	2.57	0.56	26.4	17.5	57.8
G05-51		0.48	0.19	2.54	10.6	<0.01	<5	292	0.34	0.13	1.85	0.32	34.7	17.2	106
G05-53		0.52	0.17	3.11	19.4	<0.01	<5	101	0.22	0.08	4.47	0.65	30.1	21.3	184
G05-55		0.47	0.13	1.27	6.4	<0.01	<5	178	0.22	0.08	5.05	0.13	14.4	8.0	16.1
G05-57		0.47	0.19	0.97	9.3	<0.01	<5	145	0.24	0.09	2.84	0.11	22.6	8.9	10.9
G05-59		0.48	0.15	1.60	7.0	<0.01	<5	268	0.40	0.13	0.46	0.06	35.5	7.8	29.0
G0507-2		0.50	0.09	1.08	7.1	<0.01	<5	290	0.27	0.12	0.61	0.14	35.9	6.1	23.5
G0507-3		0.44	0.09	0.95	9.0	<0.01	<5	274	0.23	0.13	0.57	0.12	30.0	6.0	23.0
G0507-4		0.46	0.09	1.66	6.2	<0.01	<5	342	0.28	0.13	0.68	0.12	34.4	7.4	23.7
G0507-5		0.44	0.09	1.37	8.9	<0.01	<5	276	0.24	0.15	0.58	0.05	39.4	8.4	26.2
G0507-6		0.50	0.13	1.27	7.8	<0.01	<5	406	0.33	0.14	0.78	0.12	37.2	6.8	25.2
G0507-8		0.39	0.20	1.46	13.5	<0.01	<5	405	0.40	0.35	0.97	0.23	40.6	11.9	53.0
G0507-10		0.47	0.11	1.02	10.3	<0.01	<5	319	0.31	0.20	0.89	0.16	33.9	8.5	31.1
G0507-12		0.49	0.15	1.28	10.0	<0.01	<5	418	0.37	0.20	1.25	0.28	48.3	9.4	34.9
G0507-13		0.51	0.10	0.96	7.3	<0.01	<5	286	0.22	0.21	0.48	0.10	30.4	8.6	28.9
G0507-14		0.45	0.12	1.56	10.7	<0.01	<5	387	0.38	0.33	0.63	0.07	43.1	9.6	37.1
G0507-15		0.43	0.11	1.00	9.8	<0.01	<5	313	0.28	0.27	0.47	0.20	34.3	8.0	29.4
G0507-16		0.51	0.12	1.51	13.3	<0.01	<5	299	0.33	0.50	0.63	0.16	36.7	9.0	41.6
G0507-18		0.48	0.14	1.31	15.2	<0.01	<5	314	0.33	0.52	0.61	0.11	32.8	10.0	42.0
G0507-20		0.51	0.16	1.19	17.1	<0.01	<5	160	0.27	0.72	0.67	0.20	29.1	13.1	53.2
G0507-25		0.47	0.08	0.93	8.3	<0.01	<5	351	0.27	0.25	0.48	0.09	44.2	6.8	33.3
G07-0		0.51	0.11	1.23	7.9	<0.01	<5	334	0.30	0.16	0.65	0.15	40.6	7.3	34.5
G07-1		0.43	0.11	1.17	8.7	0.03	<5	336	0.32	0.16	0.85	0.18	38.2	8.6	33.6
G07-2		0.51	0.14	1.33	11.6	<0.01	<5	331	0.33	0.25	0.62	0.16	36.4	9.6	37.6
G07-3		0.47	0.07	0.90	8.1	<0.01	<5	264	0.28	0.15	0.40	0.08	31.9	6.6	26.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G07-4		0.49	0.09	1.32	6.2	<0.01	<5	289	0.23	0.12	0.91	0.09	29.6	5.6	20.9
G07-5		0.53	0.04	0.95	10.1	<0.01	<5	95	0.14	0.17	0.50	0.06	22.3	5.7	19.2
G07-6		0.44	0.09	1.37	8.9	<0.01	<5	326	0.34	0.16	0.58	0.09	41.4	7.5	30.2
G07-7		0.49	0.10	1.32	8.5	<0.01	<5	247	0.21	0.23	0.56	0.08	32.2	7.8	27.2
G07-8		0.44	0.11	1.26	11.8	<0.01	<5	318	0.30	0.16	0.67	0.09	39.7	7.4	30.4
G07-9		0.45	0.08	1.32	7.4	<0.01	<5	146	0.18	0.42	0.59	0.10	28.2	6.3	16.3
G07-10		0.46	0.09	1.15	8.5	<0.01	<5	259	0.25	0.15	0.54	0.12	33.9	7.1	27.3
G07-11		0.51	0.09	1.37	7.5	<0.01	<5	153	0.18	0.32	0.67	0.13	27.0	5.9	17.1
G07-12		0.50	0.09	1.10	8.4	<0.01	<5	152	0.23	0.16	0.59	0.16	35.4	6.9	31.8
G07-13		0.42	0.09	1.09	6.0	<0.01	<5	153	0.21	0.24	0.65	0.09	39.4	5.9	23.3
G07-14		0.42	0.10	1.63	9.5	<0.01	<5	318	0.33	0.19	0.79	0.16	36.6	8.2	33.8
G07-16		0.49	0.08	1.71	7.9	<0.01	<5	156	0.24	0.30	0.72	0.09	26.7	6.7	30.3
G07-18		0.51	0.10	1.24	9.4	<0.01	<5	358	0.31	0.36	0.49	0.07	33.7	7.1	36.5
G07-20		0.54	0.07	1.27	8.4	<0.01	<5	281	0.28	0.33	0.44	0.07	31.7	6.8	33.4
G07-25		0.56	0.08	0.91	6.6	<0.01	<5	302	0.21	0.23	0.51	0.11	34.2	6.6	27.5
G07-29		0.43	0.07	0.89	5.2	<0.01	<5	142	0.20	0.09	0.61	0.13	32.0	8.1	41.0
G07-31		0.39	0.09	1.12	4.8	<0.01	<5	160	0.25	0.11	0.67	0.24	29.3	7.9	39.2
G07-33		0.40	0.11	1.27	7.3	<0.01	<5	335	0.30	0.12	1.14	0.14	30.9	7.6	27.1
G07-35		0.42	0.11	1.16	6.2	<0.01	<5	327	0.29	0.11	1.02	0.17	33.1	6.2	25.9
G07-37		0.40	0.12	1.10	5.3	<0.01	<5	388	0.27	0.11	1.55	0.17	27.9	6.2	26.0
G07-39		0.53	0.08	1.34	5.3	<0.01	<5	162	0.21	0.09	1.22	0.11	22.7	5.8	17.0
G07-41		0.49	0.10	0.89	4.5	<0.01	<5	172	0.19	0.09	1.36	0.14	12.0	4.4	11.4
G07-43		0.56	0.15	1.27	10.9	<0.01	<5	397	0.30	0.13	1.14	0.29	35.8	7.0	27.0
G07-45		0.51	0.13	1.19	8.2	<0.01	<5	376	0.32	0.13	1.15	0.13	39.9	6.7	27.4
G07-47		0.56	0.10	1.12	7.0	<0.01	<5	171	0.28	0.15	1.33	0.10	28.3	8.3	30.7
G07-49		0.59	0.06	1.39	5.1	<0.01	<5	167	0.27	0.09	1.62	0.12	24.9	8.7	32.3
G07-51		0.51	0.16	1.71	13.2	<0.01	<5	428	0.35	0.14	2.47	0.21	40.5	10.6	53.3
G07-53		0.50	0.13	1.98	7.8	<0.01	<5	347	0.27	0.10	3.21	0.15	28.4	12.9	87.3
G07-55		0.49	0.35	1.16	8.0	<0.01	<5	214	0.29	0.11	3.69	0.16	33.9	12.7	75.7
G07-57		0.48	0.28	1.44	13.5	<0.01	<5	178	0.43	0.13	3.71	0.12	40.6	12.0	58.3
G07-59		0.53	0.17	1.39	9.2	<0.01	<5	305	0.32	0.11	0.75	0.11	35.2	8.0	32.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0709-0		0.49	0.07	1.21	6.7	<0.01	<5	143	0.22	0.13	0.53	0.07	30.7	5.2	16.6
G0709-1		0.47	0.06	1.10	5.1	<0.01	<5	124	0.16	0.11	0.57	0.07	29.0	4.6	15.9
G0709-2		0.42	0.07	1.05	2.8	<0.01	<5	152	0.19	0.12	0.60	0.07	33.3	4.1	22.4
G0709-3		0.51	0.08	1.42	14.3	<0.01	<5	149	0.22	0.19	0.64	0.08	32.2	6.3	24.5
G0709-4		0.49	0.07	1.32	5.3	<0.01	<5	145	0.19	0.13	0.62	0.04	30.4	5.1	22.0
G0709-5		0.51	0.08	1.16	11.7	<0.01	<5	121	0.17	0.33	0.62	0.09	31.0	6.7	23.4
G0709-6		0.47	0.08	1.29	6.7	<0.01	<5	162	0.23	0.16	0.56	0.06	35.4	6.0	25.1
G0709-7		0.34	0.10	1.37	7.6	<0.01	<5	177	0.24	0.41	1.40	0.12	30.2	7.5	26.8
G0709-8		0.39	0.12	1.17	8.5	<0.01	<5	352	0.28	0.20	0.60	0.10	42.0	8.5	33.5
G0709-9		0.51	0.11	1.37	8.2	<0.01	<5	186	0.27	0.36	0.70	0.14	37.5	8.2	35.4
G0709-10		0.35	0.11	1.39	7.7	<0.01	<5	343	0.26	0.19	0.81	0.09	37.1	8.9	31.5
G0709-11		0.51	0.14	1.49	8.8	<0.01	<5	399	0.36	0.21	0.76	0.16	43.2	8.6	39.4
G0709-12		0.49	0.10	1.45	7.4	<0.01	<5	322	0.28	0.19	0.78	0.11	40.7	7.1	31.5
G0709-13		0.54	0.12	1.61	12.7	<0.01	<5	366	0.32	0.21	0.85	0.19	36.9	7.0	30.8
G0709-14		0.43	0.08	1.06	6.4	<0.01	<5	143	0.17	0.16	0.58	0.07	26.6	5.1	16.7
G0709-15		0.55	0.13	1.57	9.0	0.02	<5	434	0.39	0.24	0.68	0.13	39.5	9.0	43.4
G0709-16		0.49	0.10	1.36	6.9	<0.01	<5	185	0.23	0.16	0.61	0.10	33.2	6.3	26.3
G0709-18		0.49	0.10	1.45	8.4	<0.01	<5	335	0.29	0.18	0.66	0.08	40.7	7.3	31.0
G0709-20		0.41	0.12	1.24	7.5	<0.01	<5	364	0.27	0.15	0.60	0.10	38.7	7.2	31.0
G0709-22		0.50	0.11	1.43	10.2	<0.01	<5	380	0.32	0.17	0.64	0.12	42.7	7.7	33.3
G09-2		0.49	0.07	1.07	7.4	<0.01	<5	136	0.18	0.15	0.58	0.07	39.1	5.8	26.7
G09-3		0.48	0.10	1.08	7.0	<0.01	<5	129	0.17	0.41	0.62	0.08	33.8	6.6	24.8
G09-4		0.49	0.06	0.96	8.0	<0.01	<5	133	0.18	0.12	0.48	0.10	28.4	5.7	17.7
G09-5		0.50	0.09	1.15	8.1	<0.01	<5	159	0.22	0.45	0.55	0.08	33.3	6.4	26.4
G09-6		0.43	0.08	1.29	7.2	<0.01	<5	156	0.20	0.13	0.57	0.09	28.3	6.5	26.0
G09-7		0.43	0.11	1.25	10.7	<0.01	<5	168	0.26	0.42	0.62	0.13	35.1	8.6	31.7
G09-8		0.45	0.07	1.09	7.6	<0.01	<5	138	0.20	0.13	0.56	0.08	30.2	6.4	27.2
G09-9		0.44	0.12	1.28	7.3	<0.01	<5	481	0.37	0.19	1.03	0.20	42.8	8.2	32.1
G09-10		0.50	0.07	1.21	5.8	<0.01	<5	146	0.19	0.11	0.61	0.06	32.0	5.0	16.7
G09-11		0.47	0.16	1.55	9.0	<0.01	<5	176	0.31	0.58	0.76	0.19	37.8	10.9	49.8
G09-12		0.51	0.08	1.26	7.0	<0.01	<5	146	0.21	0.13	0.66	0.11	30.4	5.3	24.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G09-13		0.47	0.10	1.34	8.6	<0.01	<5	189	0.31	0.15	1.91	0.27	35.9	10.2	54.2
G09-14		0.50	0.08	1.31	6.4	<0.01	<5	187	0.24	0.12	0.68	0.08	34.6	5.5	24.1
G09-15		0.46	0.13	1.62	10.7	<0.01	<5	346	0.32	0.20	0.82	0.18	39.2	8.6	47.5
G09-16		0.59	0.08	1.39	7.5	<0.01	<5	183	0.27	0.14	0.67	0.08	33.5	6.1	25.5
G09-17		0.50	0.13	1.34	13.0	<0.01	<5	442	0.34	0.17	0.74	0.27	43.0	8.0	33.7
G09-18		0.47	0.13	1.40	7.8	<0.01	<5	381	0.28	0.17	0.76	0.12	37.0	7.3	22.1
G09-19		0.43	0.10	1.27	9.0	<0.01	<5	187	0.28	0.21	0.72	0.15	35.5	9.4	29.3
G09-20		0.45	0.10	1.17	7.1	<0.01	<5	354	0.30	0.14	0.62	0.10	35.0	6.2	20.1
G09-21		0.47	0.05	0.94	8.9	<0.01	<5	89	0.17	0.12	0.67	0.13	16.5	7.0	19.8
G09-29		0.45	0.09	1.09	6.2	<0.01	<5	201	0.26	0.11	0.74	0.20	34.5	6.7	36.5
G09-31		0.43	0.10	1.09	8.0	<0.01	<5	181	0.25	0.11	0.64	0.27	31.7	8.8	40.6
G09-33		0.48	0.11	1.39	8.3	<0.01	<5	496	0.35	0.14	1.41	0.26	39.6	8.3	23.5
G09-35		0.52	0.09	1.49	6.6	<0.01	<5	437	0.33	0.11	1.17	0.18	35.3	8.7	23.4
G09-37		0.50	0.11	1.65	7.3	<0.01	<5	495	0.39	0.14	0.90	0.13	41.3	7.5	32.4
G09-39		0.47	0.11	1.65	7.2	<0.01	<5	437	0.36	0.14	0.77	0.09	41.2	6.7	32.0
G09-41		0.49	0.09	1.94	5.3	<0.01	<5	420	0.34	0.11	0.94	0.17	33.7	7.0	32.2
G09-43		0.46	0.08	1.80	6.4	<0.01	<5	488	0.34	0.12	1.47	0.14	42.0	8.4	36.3
G09-45		0.47	0.12	1.73	7.2	<0.01	<5	443	0.35	0.12	1.26	0.19	41.5	9.1	36.8
G09-47		0.48	0.11	1.36	7.0	<0.01	<5	239	0.30	0.11	1.93	0.16	32.8	8.9	35.0
G09-49		0.52	0.11	1.29	7.1	<0.01	<5	230	0.31	0.12	1.16	0.11	34.8	8.0	35.0
G09-51		0.52	0.08	1.01	6.3	<0.01	<5	158	0.24	0.09	0.89	0.09	35.1	5.1	20.5
G09-53		0.51	0.10	1.60	6.9	<0.01	<5	210	0.32	0.13	0.88	0.07	40.2	6.6	30.5
G09-55		0.52	0.08	1.69	7.7	<0.01	<5	215	0.35	0.12	1.54	0.08	38.9	7.8	35.0
G09-57		0.53	0.07	1.16	7.1	<0.01	<5	201	0.26	0.10	1.36	0.09	37.2	5.7	18.7
G09-59		0.50	0.12	1.45	11.0	<0.01	<5	202	0.33	0.13	1.60	0.14	39.7	8.2	38.3
G11-0		0.47	0.16	1.33	7.1	<0.01	<5	204	0.20	0.62	0.79	0.10	18.1	9.8	16.8
G11-1		0.50	0.11	1.43	8.7	<0.01	<5	194	0.25	0.34	0.73	0.13	34.7	6.5	19.4
G11-2		0.52	0.19	1.71	11.4	<0.01	<5	360	0.33	0.92	0.82	0.16	38.4	10.0	31.5
G11-3		0.51	0.11	1.54	8.3	<0.01	<5	221	0.32	0.26	0.77	0.10	45.9	7.7	30.1
G11-5		0.52	0.15	1.70	9.5	<0.01	<5	480	0.39	0.20	1.28	0.28	47.0	9.8	44.8
G11-6		0.42	0.10	1.44	10.8	<0.01	<5	159	0.21	0.44	0.68	0.08	34.5	6.8	20.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G11-7	0.52	0.13	1.41	9.8	<0.01	<5	456	0.33	0.18	0.93	0.25	42.8	8.3	25.1
G11-8	0.37	0.11	1.04	9.9	<0.01	<5	167	0.19	0.15	0.78	0.15	30.4	8.7	17.1
G11-9	0.46	0.12	1.53	8.2	<0.01	<5	208	0.31	0.16	0.79	0.22	41.1	7.0	33.3
G11-10	0.45	0.13	1.44	8.7	<0.01	<5	210	0.25	0.18	0.91	0.12	35.3	7.9	31.1
G11-11	0.32	0.14	1.65	7.8	0.01	<5	497	0.37	0.14	1.14	0.31	40.6	8.7	40.9
G11-12	0.47	0.11	1.54	8.6	<0.01	<5	209	0.26	0.19	0.82	0.10	38.8	7.1	29.9
G11-13	0.53	0.11	1.48	8.2	<0.01	<5	392	0.33	0.12	1.01	0.16	38.6	7.8	36.1
G11-14	0.40	0.11	1.76	8.3	<0.01	<5	225	0.26	0.18	0.83	0.09	37.5	8.8	32.8
G11-15	0.50	0.10	1.29	6.4	<0.01	<5	451	0.32	0.12	1.21	0.22	34.2	7.4	32.0
G11-18	0.49	0.10	1.34	9.2	<0.01	<5	191	0.27	0.14	0.56	0.10	41.6	7.9	32.6
G11-21	0.44	0.10	1.17	5.6	<0.01	<5	160	0.24	0.17	0.64	0.12	36.3	6.6	29.9
G11-23	0.47	0.14	1.53	12.4	<0.01	<5	213	0.30	0.23	0.68	0.17	39.2	7.8	26.0
G11-25	0.43	0.08	1.02	6.4	<0.01	<5	149	0.20	0.18	0.58	0.10	33.2	4.8	16.5
G11-27	0.46	0.08	1.00	5.6	<0.01	<5	168	0.24	0.10	0.59	0.09	37.8	5.8	18.7
G11-29	0.50	0.09	1.20	6.0	<0.01	<5	177	0.27	0.12	0.72	0.12	37.9	6.3	20.9
G11-31	0.48	0.08	0.83	11.3	<0.01	<5	150	0.25	0.08	0.56	0.16	13.8	7.8	38.7
G11-33	0.50	0.09	1.02	6.6	<0.01	<5	380	0.32	0.10	1.16	0.14	15.9	6.8	19.0
G11-35	0.46	0.11	0.92	7.0	<0.01	<5	397	0.29	0.09	1.04	0.13	16.6	6.1	17.4
G11-37	0.49	0.08	0.97	5.4	<0.01	<5	175	0.23	0.07	0.92	0.07	12.7	4.8	12.8
G11-39	0.51	0.08	1.01	7.0	<0.01	<5	200	0.26	0.08	1.88	0.14	15.5	6.7	18.0
G11-41	0.52	0.13	1.13	5.8	<0.01	<5	388	0.30	0.09	1.38	0.26	27.3	7.2	30.4
G11-43	0.51	0.05	1.37	4.4	<0.01	<5	186	0.24	0.06	1.01	0.10	12.8	7.2	29.2
G11-45	0.52	0.06	1.29	4.3	<0.01	<5	166	0.23	0.06	0.78	0.08	11.6	6.3	28.0
G11-47	0.49	0.06	1.07	5.3	<0.01	<5	178	0.22	0.07	1.21	0.10	12.0	5.4	17.2
G11-49	0.45	0.10	1.08	5.0	<0.01	<5	191	0.22	0.06	1.34	0.29	11.5	7.1	16.0
G11-51	0.50	0.08	1.05	3.4	<0.01	<5	95	0.18	0.04	2.46	0.13	9.19	6.9	17.7
G11-53	0.47	0.09	0.97	5.6	<0.01	<5	159	0.22	0.09	0.65	0.06	13.5	4.7	12.7
G11-55	0.51	0.08	1.14	3.8	<0.01	<5	128	0.20	0.05	1.72	0.07	11.1	7.0	17.2
G11-57	0.48	0.31	1.00	5.7	<0.01	<5	132	0.20	0.05	2.93	0.11	9.88	11.6	69.1
G11-59	0.44	0.20	0.87	5.2	<0.01	<5	711	0.22	0.07	3.10	0.26	9.92	6.4	12.2

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G04-27	0.69	52.6	2.48	4.07	<0.05	0.11	0.03	0.022	0.04	10.5	11.2	0.62	740	1.25
G04-29	0.65	36.0	2.28	3.83	<0.05	0.07	0.03	0.020	0.04	9.1	9.6	0.60	707	0.61
G04-31	0.48	33.5	1.81	3.21	<0.05	0.07	0.03	0.018	0.04	8.1	7.7	0.53	728	0.38
G04-33	0.56	43.9	2.27	3.57	<0.05	0.12	0.03	0.018	0.06	9.8	9.7	0.62	412	0.30
G04-35	0.47	25.5	1.89	2.72	<0.05	0.08	0.02	0.014	0.04	8.8	7.4	0.45	241	0.26
G04-37	0.51	20.3	1.85	2.67	<0.05	0.05	0.01	0.014	0.03	9.0	7.4	0.44	345	0.27
G04-39	0.85	27.6	1.85	2.97	<0.05	0.03	0.01	0.014	0.04	7.8	7.8	0.56	560	0.27
G04-41	1.18	26.4	1.78	3.11	<0.05	0.05	0.02	0.015	0.04	7.8	9.0	0.58	234	0.31
G04-43	0.37	26.9	1.87	3.25	<0.05	0.07	0.03	0.019	0.03	9.1	8.6	0.45	406	0.49
G04-45	0.37	35.6	2.20	3.71	<0.05	0.10	0.03	0.024	0.04	10.6	9.8	0.50	445	0.41
G04-47	0.39	40.1	2.19	3.68	<0.05	0.10	0.03	0.021	0.03	10.4	9.7	0.51	474	0.58
G04-49	0.53	41.6	2.53	3.85	<0.05	0.14	0.02	0.024	0.04	10.5	9.8	0.61	536	0.45
G04-51	0.46	43.9	2.40	3.69	<0.05	0.12	0.03	0.022	0.04	10.5	9.6	0.61	468	0.60
G04-53	0.54	48.3	2.63	4.01	<0.05	0.14	0.02	0.024	0.05	10.6	10.2	0.67	610	0.40
G04-55	0.57	42.6	2.51	3.92	<0.05	0.31	0.03	0.024	0.06	11.9	10.6	0.59	567	0.56
G04-57	0.98	88.8	3.51	5.28	0.06	0.15	0.03	0.022	0.16	8.4	11.5	1.23	1200	0.95
G04-59	0.39	29.6	2.15	3.06	<0.05	0.10	0.02	0.019	0.04	10.9	12.4	0.52	613	0.55
G02-27	1.38	47.9	2.49	4.11	<0.05	0.08	0.04	0.025	0.04	11.2	12.4	0.67	875	0.79
G02-29	0.89	60.5	2.02	3.07	<0.05	0.05	0.02	0.017	0.03	8.6	8.8	0.53	359	1.32
G02-31	1.25	49.7	2.62	4.30	<0.05	0.10	0.04	0.022	0.06	10.5	12.6	0.82	566	0.62
G02-33	0.87	41.0	2.09	3.50	<0.05	0.07	0.03	0.020	0.04	10.4	10.6	0.64	587	0.20
G02-35	0.58	28.8	2.04	3.19	<0.05	0.06	0.02	0.017	0.03	9.3	10.1	0.57	198	0.31
G02-39	0.62	29.0	2.21	3.63	<0.05	0.08	0.03	0.020	0.05	10.6	10.8	0.54	321	0.57
G02-41	0.28	19.3	1.82	2.97	<0.05	0.09	0.03	0.018	0.03	8.1	8.1	0.37	473	1.08
G02-43	0.40	38.1	2.24	3.59	<0.05	0.11	0.03	0.022	0.04	10.7	9.6	0.51	420	0.51
G02-45	0.54	43.4	2.46	3.73	<0.05	0.14	0.03	0.025	0.05	10.1	10.7	0.62	557	0.75
G02-47	0.48	39.8	2.54	3.64	<0.05	0.09	0.03	0.023	0.04	9.9	9.9	0.61	393	0.41
G02-49	0.60	59.2	3.14	4.11	<0.05	0.06	0.02	0.032	0.04	9.4	8.8	0.66	675	1.19
G02-51	0.99	134	4.65	4.54	<0.05	0.05	0.02	0.052	0.04	7.5	7.1	0.78	1850	3.12
G02-53	0.82	67.6	3.21	3.45	<0.05	0.07	0.02	0.028	0.04	8.5	7.7	0.72	924	1.29
G02-55	0.47	55.6	2.46	3.46	<0.05	0.08	0.04	0.020	0.04	9.0	8.9	0.72	477	0.31
G02-57	0.72	86.3	3.11	4.17	0.05	0.09	0.03	0.016	0.10	7.5	10.1	1.27	775	0.41

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G02-59	0.58	87.3	2.96	4.11	<0.05	0.08	0.02	0.018	0.06	6.5	9.8	1.16	615	1.18
G02-61	0.71	58.0	3.06	4.69	<0.05	0.10	0.04	0.029	0.05	10.7	12.1	0.76	750	1.32
G02-63	0.34	36.4	2.50	3.83	<0.05	0.05	0.03	0.026	0.03	9.6	9.5	0.56	397	1.94
G02-65	0.38	23.2	2.12	2.88	<0.05	0.06	0.02	0.018	0.04	10.7	8.8	0.47	418	0.19
G02-67	0.58	130	3.21	4.65	<0.05	0.08	0.03	0.015	0.06	7.8	13.1	1.22	612	3.71
G02-69	0.40	99.5	3.18	4.53	<0.05	0.08	0.04	0.015	0.05	5.6	11.2	1.35	599	0.26
G00-0	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-1	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-2	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-4	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-6	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-7	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-8	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-11	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-13	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G01-0	3.48	191	6.71	14.1	0.11	0.05	0.01	0.079	0.75	6.6	31.8	3.42	1170	0.57
G01-1	2.22	142	5.18	7.18	0.07	0.07	0.02	0.044	0.25	4.9	13.8	1.11	760	0.97
G01-2	3.50	160	4.18	7.90	0.14	0.06	0.01	0.029	0.85	6.9	19.1	1.12	1070	5.24
G01-4	5.04	142	5.74	9.06	0.12	0.04	0.02	0.045	0.78	9.4	15.0	1.44	1320	2.06
G01-6	2.02	105	3.27	6.15	0.09	0.09	0.01	0.038	0.22	11.5	13.6	0.80	877	9.42
G01-7	0.89	52.2	3.04	4.24	0.08	0.07	0.02	0.021	0.14	11.2	8.6	0.65	392	0.73
G01-8	5.40	369	5.69	11.7	0.25	0.14	0.03	0.101	0.32	16.4	15.5	0.99	1200	38.9
G01-10	0.89	259	3.09	4.99	0.10	0.08	0.03	0.037	0.16	17.3	11.8	0.64	592	32.4
G01-13	0.63	52.4	2.50	4.36	0.07	0.06	0.04	0.024	0.05	15.0	11.3	0.47	707	1.15
G01-25	2.48	53.4	2.86	5.77	0.08	0.05	0.05	0.029	0.12	16.0	14.8	0.86	977	0.79
G01-27	1.67	43.4	3.00	5.28	0.08	0.04	0.05	0.026	0.10	14.4	14.2	0.86	677	0.82
G01-29	2.08	35.3	2.15	5.26	0.07	0.04	0.04	0.027	0.07	15.1	14.4	0.70	558	0.35
G01-33	1.30	22.6	1.88	4.19	0.07	0.05	0.02	0.019	0.06	15.3	11.1	0.57	628	0.35
G01-35	1.30	35.2	2.45	5.42	0.07	0.09	0.04	0.027	0.09	15.6	14.8	0.70	537	0.61
G01-37	0.86	38.9	2.47	5.28	0.07	0.17	0.03	0.028	0.10	18.3	13.0	0.57	455	0.56
G01-39	0.43	35.9	2.49	4.08	0.08	0.11	0.03	0.023	0.08	13.4	10.3	0.59	518	0.48

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G01-41	0.45	32.1	2.21	4.17	0.08	0.10	0.03	0.024	0.05	12.9	11.6	0.49	386	0.60
G01-43	1.32	60.5	2.84	5.73	0.07	0.15	0.02	0.038	0.08	14.1	13.1	0.54	628	2.03
G01-45	1.25	50.8	2.71	5.57	0.07	0.12	0.02	0.034	0.09	15.1	13.8	0.57	494	0.98
G01-47	1.65	61.7	2.80	5.90	0.07	0.04	0.03	0.040	0.09	15.7	15.9	0.67	493	3.09
G01-49	1.77	132	4.55	6.24	0.08	<0.02	0.03	0.056	0.09	11.8	10.6	0.81	1260	10.2
G01-51	3.40	127	4.16	6.24	0.07	0.04	0.03	0.045	0.09	12.4	10.5	0.97	938	5.54
G01-53	1.12	94.8	3.55	6.19	0.09	0.04	0.03	0.055	0.06	17.8	10.1	0.66	1280	1.39
G01-55	1.48	66.5	2.79	5.33	0.05	0.03	0.04	0.036	0.09	14.1	11.0	0.81	479	1.57
G01-57	4.16	120	4.17	7.36	0.06	0.03	0.05	0.054	0.12	14.1	11.3	0.65	1230	0.69
G01-59	1.22	33.4	2.97	6.57	0.08	0.08	0.02	0.040	0.12	20.7	14.6	0.51	639	0.93
G01-61	6.89	95.9	4.97	7.73	0.05	0.02	0.01	0.056	0.18	9.0	12.3	1.27	1080	0.40
G01-63	2.41	87.2	3.75	5.03	0.07	0.02	0.03	0.051	0.16	12.3	8.6	0.61	592	10.2
G01-65	0.99	52.7	2.50	4.70	0.08	0.11	0.02	0.024	0.09	18.0	13.9	0.75	507	0.47
G01-67	1.36	176	3.61	5.00	0.08	0.11	0.02	0.013	0.56	7.1	17.7	1.49	622	0.26
G01-69	1.13	152	3.43	4.87	0.09	0.08	0.01	0.011	0.39	6.4	14.6	1.24	457	<0.05
G03-0	1.45	115	3.40	6.06	0.09	0.06	0.02	0.024	0.25	11.0	14.3	0.99	488	0.72
G03-1	1.89	189	5.28	11.0	0.07	0.03	0.02	0.051	0.31	9.8	26.3	2.10	1040	0.74
G03-2	0.68	23.0	2.34	3.67	0.08	0.09	0.01	0.017	0.08	18.4	9.9	0.62	448	0.38
G03-3	0.70	40.2	2.62	5.35	0.08	0.20	0.02	0.027	0.07	18.2	14.5	0.54	368	0.41
G03-4	0.58	27.9	2.22	4.29	0.08	0.07	0.02	0.022	0.06	15.1	11.9	0.50	426	0.56
G03-5	1.35	50.3	2.29	5.23	0.07	0.11	0.03	0.027	0.09	13.1	12.0	0.47	350	0.57
G03-6	0.89	31.8	2.10	4.43	0.08	0.12	0.02	0.023	0.08	16.1	13.0	0.53	439	0.35
G03-7	1.23	103	2.84	5.10	0.08	0.07	0.03	0.022	0.28	10.3	13.0	0.65	482	3.82
G03-8	1.24	47.7	2.43	5.06	0.08	0.06	0.03	0.026	0.10	20.5	13.4	0.57	434	8.27
G03-9	0.86	37.6	2.06	3.83	0.07	0.11	0.02	0.019	0.09	14.1	8.7	0.49	283	0.43
G03-10	1.44	55.4	2.57	5.39	0.09	0.12	0.02	0.034	0.13	16.5	13.5	0.64	541	4.87
G03-11	0.53	103	2.57	7.27	0.08	0.06	0.04	0.017	0.07	13.4	7.9	0.55	479	1.13
G03-12	0.91	64.9	2.50	6.84	0.08	0.10	0.03	0.017	0.12	12.6	7.8	0.67	636	1.22
G03-13	0.54	34.1	2.04	6.52	0.06	0.04	0.03	0.014	0.07	13.1	6.9	0.47	350	0.66
G03-14	0.92	59.1	2.50	5.12	0.06	0.14	0.03	0.014	0.12	7.6	5.7	0.69	650	0.94
G03-15	0.64	44.2	2.13	7.56	0.05	0.08	0.04	0.017	0.07	14.7	8.2	0.52	424	0.62
G03-21	0.57	20.8	1.79	5.78	0.06	0.03	0.04	0.013	0.06	13.1	6.9	0.44	447	0.61

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G03-23	1.11	42.3	2.74	7.66	0.08	0.05	0.05	0.018	0.06	13.6	10.3	0.71	688	1.15
G03-29	0.39	28.4	2.33	6.01	0.09	0.08	0.05	0.015	0.05	12.4	7.2	0.51	364	0.69
G03-33	0.40	32.7	2.00	5.33	0.06	0.08	0.03	0.012	0.08	11.8	5.5	0.52	491	0.63
G03-35	0.42	25.7	1.91	5.87	0.07	0.08	0.06	0.013	0.08	13.9	6.2	0.47	475	0.59
G03-37	0.43	30.3	2.10	6.42	0.07	0.08	0.03	0.014	0.08	14.2	6.5	0.51	543	0.67
G03-39	0.37	32.7	2.14	6.84	0.08	0.09	0.03	0.015	0.07	14.0	7.2	0.50	488	0.58
G03-41	0.35	38.5	2.64	7.79	0.09	0.19	0.03	0.018	0.09	13.3	8.2	0.58	525	0.71
G03-43	0.34	37.6	2.33	6.53	0.10	0.06	0.04	0.016	0.06	8.8	7.6	0.62	451	0.80
G03-45	0.50	42.0	2.67	6.51	0.10	0.05	0.03	0.017	0.08	9.2	8.0	0.75	535	1.01
G03-47	0.93	73.1	2.99	7.81	<0.05	0.05	0.04	0.025	0.11	16.8	9.3	0.73	766	3.24
G03-49	0.56	63.1	3.07	5.19	0.05	0.03	0.02	0.017	0.11	7.6	6.3	0.75	777	2.75
G03-51	1.33	110	4.06	6.64	<0.05	0.07	0.04	0.031	0.19	15.6	7.5	0.84	688	13.6
G03-53	0.37	75.1	2.34	5.87	0.07	0.05	0.04	0.016	0.08	13.3	6.2	0.58	594	1.04
G03-55	0.32	37.0	1.92	4.59	0.05	0.03	0.03	0.012	0.05	7.8	5.6	0.58	445	0.54
G03-57	0.84	57.2	2.93	6.46	0.07	0.09	0.04	0.021	0.10	16.4	7.7	0.54	565	0.70
G03-59	1.59	155	5.47	6.83	0.11	0.04	0.02	0.036	0.14	13.4	6.0	0.67	1150	1.23
G0305-0	0.53	26.9	2.13	5.69	0.09	0.07	0.03	0.013	0.08	14.3	6.7	0.47	410	0.48
G0305-1	0.55	71.6	2.37	6.20	0.09	0.04	0.03	0.015	0.13	12.7	7.4	0.65	477	0.82
G0305-2	0.44	26.5	2.12	6.14	0.09	0.06	0.01	0.013	0.07	13.5	6.4	0.48	373	0.49
G0305-3	0.82	116	3.45	8.23	0.13	0.11	0.02	0.014	0.40	7.6	8.9	0.99	1020	0.39
G0305-4	0.61	31.8	2.24	4.83	0.08	0.10	0.02	0.013	0.13	11.8	6.4	0.60	481	0.60
G0305-5	0.48	40.9	2.65	7.00	0.11	0.10	0.02	0.017	0.06	12.9	8.0	0.62	381	0.74
G0305-6	0.48	33.7	2.20	6.52	0.07	0.08	0.03	0.014	0.06	15.2	7.8	0.48	403	0.78
G0305-7	0.66	43.3	2.54	6.85	0.07	0.09	0.01	0.014	0.09	11.8	8.3	0.58	365	0.62
G0305-8	1.24	82.5	2.61	9.50	0.07	0.15	0.04	0.020	0.12	21.4	10.6	0.65	486	6.53
G0305-9	0.86	58.8	2.53	5.90	0.10	0.09	0.03	0.017	0.12	8.8	6.7	0.62	465	0.77
G0305-10	0.99	76.1	2.82	8.54	0.11	0.18	0.04	0.020	0.15	19.9	9.9	0.73	543	4.96
G0305-11	0.76	37.4	2.05	7.01	0.07	0.03	0.04	0.016	0.07	14.8	7.8	0.48	413	0.75
G0305-12	0.91	46.2	2.27	7.24	0.08	0.20	0.03	0.016	0.13	15.4	8.0	0.66	528	1.07
G0305-13	0.49	45.9	2.29	6.36	0.08	0.03	0.03	0.014	0.06	12.1	6.9	0.52	490	0.67
G0305-14	1.14	67.9	2.55	6.38	0.08	0.22	0.03	0.016	0.15	9.4	7.4	0.80	696	1.66
G0305-15	0.51	34.8	2.32	6.38	0.10	0.03	0.03	0.015	0.06	13.5	7.7	0.54	296	0.55

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G0305-16	0.47	30.2	2.39	6.24	0.09	0.22	0.02	0.013	0.09	13.3	6.9	0.64	631	0.43	
G0305-17	0.54	37.9	2.15	5.75	0.06	0.02	0.04	0.013	0.06	10.9	7.3	0.52	229	0.27	
G0305-19	0.69	70.1	2.47	7.34	0.09	0.07	0.05	0.018	0.06	13.7	8.8	0.49	191	0.56	
G0305-21	0.42	23.7	1.67	5.52	0.07	0.03	0.03	0.010	0.04	7.5	5.4	0.36	479	0.45	
G0305-23	0.47	18.7	1.61	5.01	0.09	0.02	0.02	0.011	0.07	8.1	6.2	0.47	248	0.48	
G05-0	0.38	32.3	2.02	4.20	0.08	0.06	0.02	0.010	0.08	6.9	5.1	0.51	474	0.46	
G05-1	0.34	23.7	2.10	5.30	0.09	0.07	0.02	0.010	0.05	8.2	6.4	0.48	368	0.46	
G05-2	0.47	26.9	2.23	4.23	0.10	0.10	0.02	0.012	0.12	8.0	6.0	0.64	438	0.59	
G05-3	5.30	130	5.48	10.3	0.19	0.03	0.01	0.040	0.90	5.0	8.5	0.68	1070	0.49	
G05-4	0.45	30.5	2.11	7.52	0.10	0.20	0.03	0.013	0.08	12.5	7.8	0.47	451	0.61	
G05-6	0.50	29.0	2.08	7.18	0.09	0.14	0.02	0.014	0.09	13.5	7.3	0.53	470	0.70	
G05-7	0.57	45.5	2.65	7.48	0.11	0.07	0.03	0.015	0.20	14.3	8.6	0.68	385	0.57	
G05-8	0.86	63.3	2.73	7.46	0.11	0.11	0.04	0.020	0.14	16.6	8.5	0.71	496	1.66	
G05-9	0.60	40.1	2.48	4.97	0.11	0.07	0.03	0.013	0.10	8.8	5.0	0.55	346	0.71	
G05-10	0.42	28.0	2.17	6.42	0.09	0.10	0.03	0.014	0.06	14.6	6.5	0.44	510	0.84	
G05-11	0.50	47.1	2.46	6.79	0.09	0.03	0.05	0.014	0.07	12.5	6.3	0.54	416	0.72	
G05-12	0.75	47.7	2.16	7.01	0.09	0.11	0.02	0.015	0.08	8.7	6.9	0.54	489	0.98	
G05-13	0.40	50.1	2.22	6.48	0.09	0.05	0.03	0.013	0.06	8.4	6.5	0.52	484	0.51	
G05-15	0.47	41.3	2.61	6.35	0.11	0.03	0.03	0.015	0.07	12.9	6.4	0.56	408	0.55	
G05-16	0.57	41.0	2.64	6.98	0.10	0.10	0.02	0.015	0.06	14.1	7.9	0.55	565	0.84	
G05-17	0.39	24.9	1.65	5.78	0.07	<0.02	0.03	0.011	0.04	7.2	5.9	0.38	370	0.58	
G05-18	1.10	76.3	2.69	4.85	0.11	0.07	0.02	0.014	0.13	6.4	4.9	0.60	616	1.16	
G05-19	0.57	65.0	2.58	7.28	0.09	0.03	0.09	0.017	0.07	13.8	7.4	0.57	498	0.76	
G05-21	0.53	32.1	1.88	6.26	0.09	<0.02	0.03	0.013	0.05	13.5	7.1	0.43	279	0.78	
G05-23	0.43	30.5	2.20	6.18	0.09	<0.02	0.03	0.013	0.06	13.2	6.8	0.49	719	0.88	
G05-25	0.59	29.1	2.05	6.81	0.08	0.04	0.03	0.015	0.09	8.9	9.6	0.55	270	1.59	
G05-33	0.28	38.1	2.73	6.41	0.10	0.19	0.02	0.015	0.08	7.5	6.4	0.64	594	0.60	
G05-35	0.36	36.3	2.76	8.16	0.11	0.18	0.03	0.018	0.09	14.9	8.0	0.62	555	0.76	
G05-37	0.27	32.4	2.25	6.02	0.12	0.05	0.04	0.014	0.07	8.8	6.9	0.57	416	0.64	
G05-41	0.16	29.9	2.04	4.63	0.11	0.04	0.03	0.010	0.05	6.1	4.6	0.49	340	0.52	
G05-43	0.27	29.4	2.16	4.79	0.09	0.03	0.02	0.011	0.06	7.3	5.5	0.55	345	0.45	
G05-45	0.42	48.2	2.83	7.07	0.09	0.05	0.03	0.019	0.08	13.5	8.5	0.73	434	1.65	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G05-47	0.51	67.0	2.67	5.79	0.08	0.10	0.02	0.016	0.11	7.3	7.0	0.87	604	1.45
G05-49	0.66	105	3.60	6.02	0.06	0.04	0.02	0.031	0.07	6.8	9.0	0.93	909	9.71
G05-51	0.56	109	4.21	8.75	0.09	0.03	0.04	0.032	0.09	16.9	13.4	1.42	750	6.98
G05-53	0.28	126	5.44	7.10	0.10	<0.02	0.04	0.039	0.05	8.4	15.1	2.54	1040	6.29
G05-55	0.57	64.2	3.11	4.76	0.08	0.02	0.03	0.020	0.08	5.8	4.9	0.92	634	0.63
G05-57	0.64	88.0	3.87	3.97	0.10	<0.02	0.03	0.029	0.07	6.1	3.2	0.37	733	1.17
G05-59	0.63	67.2	3.26	7.08	0.12	0.09	0.03	0.026	0.07	16.6	7.0	0.48	463	0.70
G0507-2	0.36	26.9	1.99	5.69	0.09	0.05	0.09	0.012	0.06	14.2	6.2	0.43	372	0.60
G0507-3	0.31	65.3	1.82	5.77	0.09	0.05	0.03	0.013	0.04	8.3	6.0	0.38	330	0.63
G0507-4	0.31	29.6	2.46	6.58	0.11	0.25	0.02	0.015	0.06	9.2	6.6	0.48	609	0.66
G0507-5	0.43	22.5	2.64	5.94	0.11	0.05	0.02	0.014	0.05	15.3	6.6	0.50	326	0.68
G0507-6	0.31	33.5	2.25	7.02	0.09	0.05	0.04	0.014	0.06	14.9	7.7	0.50	351	0.55
G0507-8	0.93	81.4	2.67	8.77	0.07	0.10	0.04	0.022	0.10	16.2	9.6	0.67	489	1.77
G0507-10	0.44	35.9	2.24	6.36	0.09	0.12	0.03	0.016	0.06	9.5	7.7	0.53	421	0.81
G0507-12	0.51	31.0	2.25	7.92	0.09	0.22	0.04	0.019	0.07	18.8	10.3	0.57	578	0.63
G0507-13	0.44	30.4	1.85	6.07	0.09	0.04	0.03	0.013	0.05	8.5	7.2	0.46	308	0.58
G0507-14	0.41	38.4	2.68	7.97	0.11	0.19	0.04	0.019	0.05	17.3	9.4	0.54	453	0.87
G0507-15	0.39	33.3	2.01	6.40	0.08	0.06	0.04	0.014	0.04	13.5	7.3	0.43	286	0.87
G0507-16	0.76	55.3	2.94	7.11	0.10	0.23	0.03	0.018	0.07	15.2	8.7	0.56	398	1.10
G0507-18	0.80	64.3	2.86	6.73	0.10	0.07	0.04	0.017	0.08	9.7	7.6	0.52	406	1.19
G0507-20	1.68	82.6	3.22	5.91	0.13	0.09	0.03	0.018	0.13	8.2	6.0	0.66	730	1.59
G0507-25	0.56	29.1	2.13	6.95	0.10	0.08	0.03	0.015	0.07	17.9	7.1	0.42	273	0.98
G07-0	0.55	32.3	2.13	6.93	0.09	0.08	0.03	0.015	0.07	16.5	8.6	0.50	358	0.62
G07-1	0.47	26.3	2.17	6.73	0.08	0.04	0.03	0.014	0.05	15.3	7.3	0.46	541	0.88
G07-2	0.63	56.1	2.90	7.15	0.10	0.09	0.04	0.018	0.09	15.4	10.0	0.61	405	1.18
G07-3	0.33	24.2	1.73	5.65	0.07	0.06	0.02	0.012	0.03	8.6	7.0	0.37	273	0.60
G07-4	0.27	22.6	2.36	5.52	0.11	0.04	0.03	0.012	0.06	8.0	5.6	0.51	368	0.61
G07-5	0.25	22.2	2.27	3.75	0.10	0.02	0.02	0.009	0.03	6.0	4.7	0.43	306	0.54
G07-6	0.49	27.6	2.32	6.91	0.09	0.06	0.03	0.015	0.06	16.4	8.1	0.48	401	0.91
G07-7	0.53	22.4	2.17	5.93	0.08	0.02	0.03	0.013	0.06	8.5	7.4	0.48	322	0.59
G07-8	0.49	54.0	2.30	6.46	0.10	0.09	0.04	0.015	0.06	15.7	7.6	0.48	394	1.17
G07-9	0.39	27.6	2.33	5.05	0.12	0.02	0.03	0.012	0.05	7.5	6.1	0.54	333	0.65

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G07-10		0.35	23.4	2.11	5.70	0.10	0.06	0.03	0.014	0.05	9.0	7.0	0.44	410	0.85
G07-11		0.35	35.1	2.55	4.94	0.12	0.03	0.06	0.012	0.07	7.2	5.8	0.57	357	0.81
G07-12		0.51	36.2	2.21	5.41	0.10	0.06	0.02	0.013	0.07	14.1	6.2	0.45	475	0.93
G07-13		0.48	26.8	1.91	5.08	0.10	0.04	0.04	0.013	0.06	15.4	5.7	0.42	296	0.80
G07-14		0.49	34.7	2.56	7.73	0.08	0.08	0.03	0.016	0.06	14.5	8.2	0.55	363	0.75
G07-16		0.55	52.6	2.72	5.70	0.10	0.09	0.02	0.013	0.09	7.4	7.2	0.67	453	0.67
G07-18		0.60	49.5	2.19	7.40	0.08	0.09	0.05	0.016	0.05	14.4	9.7	0.48	283	0.80
G07-20		0.60	34.6	2.24	6.25	0.10	0.08	0.03	0.014	0.05	8.7	6.8	0.46	251	0.74
G07-25		0.46	30.8	2.24	5.96	0.10	0.06	0.01	0.012	0.08	9.4	6.1	0.46	276	1.00
G07-29		0.67	21.2	1.53	4.98	0.09	0.06	0.03	0.010	0.05	8.5	5.9	0.46	382	0.62
G07-31		0.71	38.1	1.74	5.14	0.08	0.06	0.03	0.011	0.06	7.8	7.1	0.57	324	0.39
G07-33		0.24	35.2	2.20	6.10	0.09	0.08	0.04	0.014	0.05	8.1	6.3	0.50	562	0.77
G07-35		0.33	28.1	2.04	6.07	0.10	0.04	0.04	0.012	0.07	8.9	6.6	0.47	396	0.61
G07-37		0.26	30.9	1.99	6.25	0.09	0.07	0.04	0.013	0.06	7.6	6.1	0.50	390	0.57
G07-39		0.22	40.3	2.40	4.78	0.11	0.06	0.03	0.011	0.07	6.3	5.3	0.64	450	0.49
G07-41		0.15	29.3	1.68	4.31	0.10	0.05	0.03	0.008	0.04	4.7	4.0	0.47	460	0.41
G07-43		0.36	73.2	2.25	6.69	0.09	0.05	0.03	0.014	0.08	9.5	7.5	0.57	437	0.86
G07-45		0.44	39.0	2.14	6.47	0.09	0.04	0.03	0.015	0.07	15.9	7.9	0.56	445	0.70
G07-47		0.43	49.7	2.31	5.48	0.06	0.08	0.03	0.013	0.06	7.6	7.6	0.69	451	0.49
G07-49		0.37	55.6	2.57	5.46	0.07	0.13	0.03	0.013	0.06	6.4	6.2	0.75	627	0.55
G07-51		0.70	62.1	2.78	8.28	0.05	0.07	0.03	0.024	0.07	10.7	10.7	0.83	681	1.36
G07-53		0.68	69.2	3.57	7.52	0.07	0.04	0.02	0.023	0.07	7.8	9.2	1.21	790	0.99
G07-55		0.59	61.5	3.07	5.61	<0.05	0.03	0.03	0.022	0.06	9.2	6.7	0.78	818	0.94
G07-57		0.75	70.3	2.80	6.25	<0.05	0.05	0.05	0.024	0.10	11.3	9.1	0.66	610	0.85
G07-59		0.63	55.4	2.80	6.45	0.10	0.02	0.03	0.019	0.08	9.9	7.2	0.59	872	0.76
G0709-0		0.36	22.2	2.17	4.71	0.09	<0.02	0.03	0.011	0.04	8.1	5.6	0.45	238	0.46
G0709-1		0.30	15.9	1.81	4.36	0.09	<0.02	0.02	0.010	0.04	7.7	5.2	0.43	239	0.30
G0709-2		0.37	29.4	1.39	5.24	0.07	0.05	0.03	0.010	0.05	8.8	6.7	0.40	207	0.24
G0709-3		0.47	21.9	2.73	5.26	0.09	<0.02	0.03	0.012	0.05	8.4	6.4	0.53	360	0.65
G0709-4		0.38	19.3	2.01	5.00	0.09	<0.02	0.04	0.011	0.05	8.0	5.9	0.47	295	0.39
G0709-5		0.44	15.9	2.72	4.64	0.09	0.02	0.03	0.011	0.05	8.2	5.8	0.46	437	1.06
G0709-6		0.40	18.9	2.06	5.41	0.09	0.03	0.04	0.012	0.05	9.2	6.7	0.46	279	0.44

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G0709-7	0.52	32.4	2.27	5.99	0.08	0.02	0.03	0.014	0.07	8.0	7.6	0.58	445	0.98
G0709-8	0.64	24.2	1.88	7.15	0.07	0.03	0.04	0.016	0.05	16.7	7.8	0.39	475	0.83
G0709-9	0.63	41.0	2.46	6.61	0.09	0.04	0.03	0.015	0.08	9.9	7.8	0.57	362	1.18
G0709-10	0.57	28.8	2.35	6.96	0.06	0.03	0.04	0.014	0.06	9.6	7.8	0.51	522	0.70
G0709-11	0.69	41.8	2.52	7.92	0.08	0.08	0.04	0.017	0.10	17.8	10.0	0.62	379	0.90
G0709-12	0.52	28.4	2.38	6.46	0.08	0.03	0.06	0.014	0.06	10.5	7.7	0.54	334	0.69
G0709-13	0.54	57.8	2.76	6.96	0.10	0.11	0.03	0.015	0.10	10.2	9.1	0.69	432	0.99
G0709-14	0.32	21.9	1.93	4.50	0.09	0.04	0.02	0.010	0.04	7.0	4.9	0.40	315	0.47
G0709-15	0.56	45.0	2.68	8.15	0.09	0.10	0.04	0.019	0.07	10.9	10.4	0.64	388	0.85
G0709-16	0.37	26.1	2.18	5.88	0.09	0.05	0.03	0.013	0.05	8.7	6.9	0.48	351	0.49
G0709-18	0.50	23.5	2.32	6.86	0.09	0.05	0.04	0.014	0.05	10.5	7.9	0.50	355	0.63
G0709-20	0.52	18.0	1.90	7.36	0.08	0.03	0.04	0.015	0.04	10.2	8.1	0.41	406	0.70
G0709-22	0.51	26.8	2.27	7.40	0.08	0.09	0.04	0.016	0.05	11.0	8.5	0.48	367	0.66
G09-2	0.46	16.7	1.85	5.28	0.06	0.03	0.03	0.012	0.04	10.1	6.8	0.43	271	0.41
G09-3	0.48	18.8	1.95	4.99	0.09	0.04	0.03	0.012	0.05	8.8	6.2	0.44	331	0.79
G09-4	0.30	15.7	1.89	4.62	0.09	0.03	0.03	0.010	0.03	7.5	5.8	0.41	257	0.40
G09-5	0.55	28.8	2.09	5.91	0.09	0.03	0.02	0.013	0.06	8.8	7.3	0.44	294	1.43
G09-6	0.41	20.3	2.20	5.61	0.10	<0.02	0.03	0.011	0.04	7.3	6.8	0.50	309	0.44
G09-7	0.66	42.8	2.54	6.15	0.10	0.04	0.02	0.015	0.08	9.2	7.7	0.51	454	1.87
G09-8	0.49	18.9	1.80	5.53	0.06	<0.02	0.02	0.011	0.04	7.9	6.8	0.42	294	0.48
G09-9	0.63	35.6	1.96	8.13	0.05	0.04	0.05	0.016	0.06	11.1	8.6	0.46	492	0.90
G09-10	0.37	26.5	2.02	4.83	0.09	0.03	0.01	0.011	0.05	8.3	5.4	0.46	295	0.41
G09-11	1.04	72.5	3.20	6.75	0.11	0.14	0.03	0.018	0.16	10.1	9.2	0.75	553	1.42
G09-12	0.32	26.9	2.36	4.87	0.09	0.05	0.02	0.010	0.06	8.0	6.0	0.54	314	0.42
G09-13	0.90	57.4	2.81	5.95	0.09	0.13	0.03	0.015	0.15	9.2	7.4	0.91	719	0.99
G09-14	0.38	26.8	2.11	5.60	0.08	0.05	0.03	0.012	0.06	9.0	6.2	0.49	359	0.45
G09-15	0.66	54.8	2.86	6.58	0.10	0.07	0.03	0.015	0.12	10.1	8.1	0.72	520	1.28
G09-16	0.38	31.5	2.39	5.64	0.09	0.04	0.03	0.012	0.05	8.6	6.6	0.50	395	0.52
G09-17	0.39	49.3	2.52	7.27	0.12	0.06	0.05	0.016	0.08	11.2	8.2	0.58	480	1.03
G09-18	0.31	28.9	2.12	7.03	0.13	0.02	0.04	0.017	0.04	9.5	7.7	0.48	387	0.63
G09-19	0.52	36.7	2.23	6.05	0.10	0.03	0.03	0.014	0.06	9.2	7.3	0.51	575	1.19
G09-20	0.31	23.1	1.82	6.61	0.08	0.04	0.03	0.015	0.04	9.0	7.4	0.41	327	0.49

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G09-21	0.48	30.4	2.09	3.73	0.11	0.05	0.01	0.011	0.06	6.4	4.6	0.47	749	0.82
G09-29	0.43	30.7	2.08	5.97	0.14	0.02	0.03	0.015	0.10	9.0	7.1	0.64	322	0.48
G09-31	0.55	25.1	1.84	5.73	0.14	0.03	0.04	0.014	0.04	8.1	7.7	0.57	393	0.47
G09-33	0.23	36.9	2.26	7.96	0.14	0.09	0.04	0.017	0.06	10.1	8.5	0.56	529	0.70
G09-35	0.22	44.7	2.36	7.43	0.15	0.07	0.04	0.018	0.06	8.9	7.8	0.59	575	0.70
G09-37	0.33	38.5	2.34	8.41	0.13	0.07	0.04	0.019	0.06	11.2	8.9	0.56	422	0.56
G09-39	0.38	39.7	2.48	7.47	0.11	0.05	0.04	0.017	0.08	11.1	8.8	0.62	376	0.55
G09-41	0.36	48.5	2.72	7.41	0.10	0.10	0.02	0.016	0.09	8.8	7.3	0.67	475	0.46
G09-43	0.51	41.0	2.63	7.93	0.09	0.17	0.02	0.017	0.09	10.5	9.1	0.68	541	0.72
G09-45	0.44	47.3	2.71	7.60	0.09	0.10	0.04	0.017	0.10	10.3	8.4	0.71	637	0.85
G09-47	0.30	44.9	2.46	6.59	0.13	0.04	0.04	0.015	0.07	8.2	7.9	0.73	619	0.95
G09-49	0.30	35.1	2.29	6.44	0.14	0.03	0.04	0.016	0.07	8.9	8.1	0.65	428	0.51
G09-51	0.35	25.1	2.15	4.87	0.09	0.04	0.01	0.012	0.06	9.1	5.5	0.51	309	0.45
G09-53	0.43	34.2	2.48	6.44	0.11	0.03	0.02	0.015	0.09	10.1	8.1	0.68	412	0.43
G09-55	0.57	40.8	2.37	6.81	0.08	0.16	0.03	0.016	0.11	9.3	7.5	0.62	474	0.58
G09-57	0.36	27.1	2.27	5.45	0.11	0.04	0.04	0.013	0.08	9.5	5.9	0.62	413	0.49
G09-59	0.57	59.4	2.47	6.29	0.09	0.05	0.03	0.017	0.10	10.1	8.5	0.71	507	1.32
G11-0	0.53	41.7	2.28	6.20	0.13	<0.02	0.04	0.014	0.05	7.0	6.2	0.50	427	2.05
G11-1	0.47	45.4	2.36	6.23	0.13	0.05	0.04	0.015	0.08	9.0	7.7	0.54	358	0.92
G11-2	0.92	65.3	2.79	7.71	0.09	0.03	0.03	0.018	0.09	9.4	8.9	0.60	515	2.59
G11-3	0.77	44.3	2.48	6.96	0.10	0.06	0.03	0.016	0.09	11.4	8.5	0.55	422	0.97
G11-5	0.72	43.8	2.66	8.59	0.10	0.06	0.04	0.019	0.13	11.7	11.0	0.73	494	0.85
G11-6	0.60	27.2	2.40	6.12	0.09	<0.02	0.04	0.014	0.06	8.5	7.5	0.53	276	0.72
G11-7	0.55	40.8	2.58	7.46	0.13	0.06	0.03	0.017	0.11	10.7	9.1	0.63	461	0.74
G11-8	0.26	28.8	2.19	4.98	0.14	<0.02	0.03	0.011	0.04	7.1	5.4	0.44	615	0.93
G11-9	0.49	39.2	2.57	6.40	0.11	0.07	0.04	0.017	0.11	10.4	8.1	0.62	406	0.64
G11-10	0.64	26.9	2.06	6.82	0.08	<0.02	0.03	0.014	0.05	8.8	8.7	0.54	365	0.68
G11-11	0.64	40.9	2.60	7.69	0.09	0.05	0.05	0.016	0.11	10.1	8.5	0.67	742	0.77
G11-12	0.62	33.2	2.31	6.57	0.09	<0.02	0.03	0.014	0.06	9.5	8.2	0.55	328	0.75
G11-13	0.52	38.3	2.40	6.84	0.09	0.04	0.03	0.016	0.09	9.6	7.8	0.59	479	0.68
G11-14	0.68	37.1	2.47	7.29	0.08	<0.02	0.04	0.015	0.06	9.2	9.6	0.62	443	0.70
G11-15	0.40	38.3	2.26	6.73	0.09	0.05	0.04	0.014	0.06	8.7	6.6	0.52	617	0.61

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G11-18		0.62	27.0	2.09	6.68	0.06	0.02	0.02	0.014	0.05	10.2	8.5	0.49	318	0.54
G11-21		0.57	31.6	1.83	5.64	0.07	0.03	0.03	0.013	0.06	8.9	7.6	0.48	288	0.99
G11-23		0.53	48.4	2.41	6.89	0.13	0.05	0.04	0.017	0.08	9.7	9.3	0.62	358	1.02
G11-25		0.35	30.5	1.70	4.69	0.11	0.03	0.03	0.011	0.05	8.1	5.6	0.43	295	0.70
G11-27		0.45	20.2	1.64	5.27	0.09	0.03	0.02	0.011	0.06	9.3	6.6	0.42	311	0.66
G11-29		0.49	24.9	1.94	5.55	0.10	0.03	0.04	0.013	0.07	9.4	7.5	0.52	347	0.61
G11-31		0.43	34.0	1.82	4.80	<0.05	0.06	0.02	0.010	0.03	5.3	6.7	0.51	371	0.69
G11-33		0.18	37.9	2.04	5.70	<0.05	0.11	0.03	0.012	0.04	6.2	6.6	0.53	474	0.52
G11-35		0.19	33.3	1.88	5.99	<0.05	0.10	0.03	0.012	0.04	6.8	6.7	0.47	343	0.56
G11-37		0.12	29.9	1.97	4.58	0.05	0.06	0.03	0.009	0.03	5.0	4.9	0.47	442	0.46
G11-39		0.23	43.5	2.22	5.16	<0.05	0.11	0.02	0.011	0.05	6.0	6.1	0.61	487	0.60
G11-41		0.28	39.3	2.45	5.72	<0.05	0.07	0.03	0.012	0.08	6.5	6.9	0.71	632	0.62
G11-43		0.22	54.7	2.57	5.13	0.06	0.20	0.02	0.010	0.08	5.0	5.6	0.74	540	0.47
G11-45		0.21	53.6	2.34	4.82	0.06	0.15	0.02	0.009	0.06	4.6	5.1	0.71	456	0.30
G11-47		0.19	116	2.21	4.61	0.06	0.09	0.02	0.009	0.06	4.7	5.2	0.67	1030	0.41
G11-49		0.16	50.9	2.35	4.81	0.05	0.07	0.02	0.009	0.05	4.4	4.2	0.66	884	0.49
G11-51		0.25	72.2	2.45	3.27	0.06	0.08	0.02	0.008	0.12	3.5	3.7	0.90	660	0.37
G11-53		0.13	23.2	2.22	4.43	0.06	0.04	0.02	0.010	0.07	5.2	5.7	0.50	298	0.65
G11-55		0.22	63.1	2.63	3.90	0.06	0.06	0.02	0.008	0.09	4.3	4.8	0.85	579	0.42
G11-57		0.31	100	4.61	3.33	<0.05	0.04	0.04	0.019	0.06	4.0	3.7	0.71	849	1.51
G11-59		0.13	62.7	3.19	7.29	<0.05	0.03	0.02	0.014	0.04	4.1	3.6	0.47	811	1.58

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G04-27	0.02	1.11	25.1	797	8.7	7.1	0.003	0.105	0.69	4.2	0.4	0.3	60.7	<0.01
G04-29	0.01	0.87	26.3	756	9.0	5.9	0.002	0.081	0.60	3.4	0.5	0.3	60.7	<0.01
G04-31	0.01	0.70	25.8	848	7.5	5.4	0.002	0.075	0.56	2.2	1.0	0.2	96.4	<0.01
G04-33	0.01	0.82	29.2	698	7.7	5.5	<0.001	0.030	0.70	3.7	0.4	0.3	48.2	<0.01
G04-35	0.01	0.62	22.1	724	6.3	3.8	<0.001	0.014	0.61	2.9	0.2	0.2	41.2	<0.01
G04-37	0.01	0.63	19.4	821	6.2	3.5	<0.001	0.017	0.44	2.7	<0.2	0.2	28.0	<0.01
G04-39	0.01	0.64	32.1	796	6.4	4.3	0.001	0.032	0.42	2.3	0.5	0.2	36.2	<0.01
G04-41	0.01	0.66	24.3	710	8.6	5.8	0.001	0.051	0.42	2.6	0.4	0.2	39.0	<0.01
G04-43	0.01	0.87	21.2	781	6.3	4.3	<0.001	0.057	0.61	2.9	0.4	0.3	48.8	<0.01
G04-45	0.01	0.96	26.1	622	6.8	4.8	<0.001	0.020	0.77	4.0	0.3	0.3	39.7	<0.01
G04-47	0.01	0.91	27.1	645	6.9	4.7	<0.001	0.024	0.84	3.9	0.4	0.3	41.8	<0.01
G04-49	0.02	0.72	29.0	615	6.4	5.5	<0.001	0.011	0.83	5.3	0.2	0.3	48.6	<0.01
G04-51	0.02	0.78	29.1	597	6.6	5.1	<0.001	0.019	0.89	4.5	0.4	0.3	66.2	<0.01
G04-53	0.01	0.74	31.9	615	6.3	6.5	<0.001	0.008	0.81	5.6	<0.2	0.3	40.6	<0.01
G04-55	0.02	1.02	34.9	735	7.8	7.4	<0.001	0.010	0.92	4.8	0.2	0.4	45.8	<0.01
G04-57	0.01	0.66	51.7	873	5.1	15.3	<0.001	0.008	0.74	7.0	0.3	0.3	32.2	<0.01
G04-59	0.01	0.97	27.1	798	8.6	3.8	<0.001	0.017	1.02	2.9	0.4	0.3	30.9	<0.01
G02-27	0.01	0.95	39.7	853	13.9	5.8	0.001	0.045	0.74	4.1	0.7	0.3	46.8	<0.01
G02-29	0.01	0.68	25.5	816	8.6	4.8	0.002	0.031	0.57	2.8	0.3	0.2	34.2	<0.01
G02-31	0.01	1.01	44.7	838	11.3	9.2	0.001	0.053	0.70	4.1	0.8	0.3	41.3	<0.01
G02-33	0.01	0.81	32.2	808	10.0	6.2	<0.001	0.041	0.58	3.4	0.5	0.2	35.8	<0.01
G02-35	0.01	0.80	27.4	795	8.1	3.7	<0.001	0.059	0.53	3.0	0.4	0.2	36.5	<0.01
G02-39	0.01	1.02	22.9	857	8.3	5.0	<0.001	0.047	0.62	3.2	0.3	0.3	44.4	<0.01
G02-41	<0.01	0.91	17.4	804	5.9	3.0	<0.001	0.057	0.64	2.7	0.5	0.3	69.2	<0.01
G02-43	0.01	0.98	25.5	691	6.6	4.9	<0.001	0.027	0.81	3.8	0.4	0.3	46.3	<0.01
G02-45	0.02	0.90	28.3	599	6.5	5.7	<0.001	0.029	0.93	4.8	0.4	0.3	81.5	<0.01
G02-47	0.02	0.65	24.4	602	6.2	4.5	<0.001	0.014	0.80	4.5	0.5	0.3	59.6	<0.01
G02-49	0.01	0.66	30.6	711	6.4	4.1	<0.001	0.008	0.66	6.0	0.8	0.3	39.5	<0.01
G02-51	0.01	0.32	45.1	936	5.9	3.6	<0.001	0.012	0.86	10.3	1.5	0.2	52.0	<0.01
G02-53	0.01	0.54	32.1	545	5.4	4.0	<0.001	0.010	0.80	8.2	0.6	0.2	53.1	<0.01
G02-55	0.01	0.72	26.7	613	5.1	4.9	<0.001	0.015	0.67	5.8	0.5	0.2	59.3	<0.01
G02-57	0.01	0.33	50.3	1050	4.0	8.6	<0.001	0.005	0.58	6.1	0.3	<0.2	32.3	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G02-59	0.01	0.42	35.6	731	4.0	5.2	<0.001	0.015	0.52	5.7	0.5	0.2	52.4	<0.01
G02-61	0.01	0.77	33.7	755	8.2	5.7	<0.001	0.015	0.97	5.7	0.7	0.4	42.1	<0.01
G02-63	0.01	0.65	25.7	714	5.3	4.0	<0.001	0.007	0.68	4.9	0.7	0.3	28.1	<0.01
G02-65	0.02	0.53	22.3	857	6.0	3.9	<0.001	0.014	0.59	3.4	0.5	0.2	30.1	<0.01
G02-67	<0.01	0.42	49.4	680	4.3	6.7	0.004	0.009	0.72	4.9	0.4	0.2	23.8	<0.01
G02-69	<0.01	0.47	43.0	752	2.9	4.5	<0.001	0.012	0.41	5.2	0.5	<0.2	37.1	<0.01
G00-0	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-1	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-2	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-4	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-6	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-7	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-8	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-11	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-13	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G01-0	<0.01	0.16	17.0	930	28.1	38.5	<0.001	<0.005	0.28	22.0	0.5	0.3	15.9	<0.01
G01-1	<0.01	0.19	22.9	492	9.8	12.2	<0.001	<0.005	0.48	15.3	0.5	0.2	14.9	<0.01
G01-2	0.01	0.29	15.4	1040	25.5	47.9	0.004	0.008	1.80	9.6	0.9	0.4	29.3	<0.01
G01-4	0.01	0.64	21.9	610	42.5	49.2	<0.001	0.022	4.17	15.4	0.6	0.4	48.4	<0.01
G01-6	0.04	0.78	25.5	733	21.1	21.9	<0.001	0.017	1.64	8.8	0.7	0.4	40.0	<0.01
G01-7	0.02	0.86	18.1	777	5.1	8.4	<0.001	0.008	0.65	6.2	0.4	0.3	34.8	<0.01
G01-8	0.08	0.55	54.8	769	92.2	30.8	0.225	0.116	1.77	16.6	3.3	0.9	58.1	<0.01
G01-10	0.04	0.97	23.2	750	15.5	10.0	0.006	0.183	0.72	8.1	0.9	0.4	66.7	<0.01
G01-13	0.01	1.17	35.2	960	6.5	6.9	<0.001	0.039	0.94	6.1	0.6	0.4	45.4	<0.01
G01-25	0.02	1.72	46.3	910	12.2	14.7	<0.001	0.062	0.83	6.8	0.6	0.5	50.7	<0.01
G01-27	0.03	1.49	37.7	905	10.0	11.8	<0.001	0.054	0.68	6.0	0.6	0.4	53.2	<0.01
G01-29	0.03	1.67	32.8	788	10.2	10.9	<0.001	0.059	0.66	5.9	0.7	0.5	50.4	<0.01
G01-33	0.02	1.55	26.9	860	6.0	6.7	<0.001	0.036	0.48	4.5	0.6	0.4	45.9	<0.01
G01-35	0.02	1.85	32.8	794	7.5	10.2	<0.001	0.033	0.60	6.4	0.4	0.5	48.5	<0.01
G01-37	0.03	1.94	27.8	733	6.4	10.1	<0.001	0.033	0.79	6.1	0.5	0.5	76.4	<0.01
G01-39	0.03	1.60	26.9	776	5.8	7.2	<0.001	0.061	0.72	4.8	0.6	0.3	85.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
Sample Description														
G01-41	0.02	1.38	24.8	641	6.5	6.0	<0.001	0.039	0.83	4.9	0.5	0.4	47.3	<0.01
G01-43	0.03	0.93	30.0	589	5.9	10.1	<0.001	0.017	0.80	9.5	1.0	0.5	59.0	<0.01
G01-45	0.03	1.29	27.1	522	5.7	10.9	<0.001	0.012	0.82	8.0	0.7	0.6	59.2	<0.01
G01-47	0.03	1.18	31.0	589	6.0	11.7	<0.001	0.014	0.95	8.7	0.7	0.6	60.0	<0.01
G01-49	0.01	0.45	43.0	747	5.8	9.9	0.004	0.023	1.45	12.6	2.4	0.3	78.8	<0.01
G01-51	0.02	0.52	44.4	705	5.1	8.6	<0.001	0.016	0.86	13.4	2.6	0.4	72.2	<0.01
G01-53	0.02	0.59	39.0	533	6.4	7.4	<0.001	0.014	0.69	10.8	1.5	0.4	51.3	<0.01
G01-55	0.03	1.13	23.9	593	5.2	8.9	<0.001	0.035	0.95	8.7	1.0	0.4	142	<0.01
G01-57	0.01	0.70	23.1	505	5.9	11.3	<0.001	0.028	0.97	18.5	1.1	0.4	69.2	<0.01
G01-59	0.01	1.37	26.4	309	8.4	13.2	<0.001	0.008	0.77	10.9	0.6	0.7	25.3	<0.01
G01-61	0.02	0.32	51.1	583	3.0	13.5	<0.001	0.023	0.66	20.6	1.4	0.4	100	<0.01
G01-63	0.02	0.43	39.7	593	5.1	10.8	<0.001	0.019	0.96	13.2	1.2	0.4	70.6	<0.01
G01-65	0.02	1.31	33.1	847	6.4	10.7	<0.001	0.009	0.78	5.4	0.5	0.5	52.1	<0.01
G01-67	0.01	0.42	45.5	874	2.5	27.5	<0.001	0.010	0.40	5.6	0.4	0.3	35.1	<0.01
G01-69	0.01	0.31	23.8	754	2.0	19.9	<0.001	<0.005	0.25	5.8	<0.2	0.2	46.5	<0.01
G03-0	0.02	0.85	19.9	804	5.1	14.0	<0.001	0.010	0.52	9.1	0.3	0.4	32.4	<0.01
G03-1	0.02	0.61	21.0	792	23.0	17.7	<0.001	0.020	0.81	17.8	1.0	0.4	51.8	<0.01
G03-2	0.03	1.70	22.4	857	4.8	6.9	<0.001	0.014	0.66	3.9	0.7	0.4	52.1	<0.01
G03-3	0.02	1.13	24.0	352	7.0	8.5	<0.001	<0.005	0.69	7.1	0.7	0.5	30.4	<0.01
G03-4	0.02	1.29	23.2	761	6.4	7.1	<0.001	0.009	0.61	4.9	0.5	0.5	40.8	<0.01
G03-5	0.02	0.80	16.5	589	5.0	9.7	<0.001	<0.005	0.89	6.4	0.6	0.5	27.5	<0.01
G03-6	0.04	1.09	26.9	875	6.5	9.5	<0.001	0.006	0.80	5.3	0.6	0.5	39.9	<0.01
G03-7	0.02	0.94	16.9	699	4.1	13.9	0.004	0.011	0.92	6.3	0.7	0.4	28.8	<0.01
G03-8	0.03	1.96	20.3	933	7.3	13.8	<0.001	0.018	0.67	5.4	0.8	0.6	42.6	<0.01
G03-9	0.02	1.31	18.3	803	4.1	8.0	<0.001	0.006	0.63	5.1	0.6	0.4	29.8	<0.01
G03-10	0.03	1.63	32.6	868	7.1	12.8	<0.001	0.013	0.86	7.1	0.7	0.5	42.5	<0.01
G03-11	0.02	1.53	23.0	701	5.8	6.1	0.079	0.021	0.50	4.9	0.6	0.4	40.9	<0.01
G03-12	0.03	1.69	36.6	815	6.0	7.7	0.078	0.016	0.51	5.0	0.5	0.4	47.2	<0.01
G03-13	0.02	1.67	18.7	703	5.4	6.0	0.057	0.012	0.38	4.1	0.5	0.4	34.8	<0.01
G03-14	0.03	0.46	31.9	966	4.6	5.6	0.064	0.009	0.46	4.6	0.4	0.3	51.4	<0.01
G03-15	0.02	1.93	24.3	713	6.9	7.6	0.068	0.018	0.44	5.2	0.6	0.5	37.5	<0.01
G03-21	0.02	1.62	19.8	668	4.3	5.7	0.025	0.031	0.35	3.5	0.5	0.4	40.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G03-23	0.02	1.79	40.0	807	9.1	7.5	0.059	0.069	0.52	4.6	0.9	1.9	47.6	<0.01
G03-29	0.02	1.58	25.3	702	6.5	4.0	0.036	0.053	0.48	3.6	0.7	0.8	53.8	<0.01
G03-33	0.03	1.33	25.4	859	4.6	4.7	0.067	0.043	0.47	3.0	0.4	0.3	71.7	<0.01
G03-35	0.03	1.59	24.9	695	4.5	5.2	0.066	0.018	0.42	3.3	0.4	0.4	56.8	<0.01
G03-37	0.03	1.67	27.9	732	5.2	5.4	0.041	0.021	0.44	3.5	0.4	0.4	58.7	<0.01
G03-39	0.03	1.65	27.5	651	5.2	5.3	0.059	0.017	0.42	3.6	0.4	0.4	46.2	<0.01
G03-41	0.04	0.72	28.7	485	5.4	5.9	0.054	0.014	0.38	4.4	0.4	0.4	54.9	<0.01
G03-43	0.03	0.77	26.9	566	5.3	4.8	0.076	0.022	0.34	3.7	0.5	0.4	64.6	<0.01
G03-45	0.03	0.37	30.3	633	5.0	5.5	0.056	0.016	0.37	4.2	0.5	0.4	73.2	<0.01
G03-47	0.03	1.18	37.1	707	5.8	7.8	0.111	0.016	0.57	6.6	1.3	0.5	64.8	<0.01
G03-49	0.03	0.89	37.2	588	4.2	5.1	0.095	0.020	0.43	4.5	0.9	0.3	85.7	<0.01
G03-51	0.02	0.86	60.8	525	6.4	8.4	0.119	0.018	0.82	7.3	2.9	0.4	109	<0.01
G03-53	0.03	1.16	28.0	709	5.3	5.1	0.074	0.023	0.42	3.9	0.6	0.4	68.4	<0.01
G03-55	0.03	0.90	22.8	582	4.0	3.5	0.082	0.022	0.38	3.1	0.4	0.3	98.5	<0.01
G03-57	0.02	1.55	27.9	481	6.0	7.6	0.089	0.012	0.39	5.8	0.6	0.5	40.9	<0.01
G03-59	0.01	0.77	84.1	393	5.9	6.3	0.100	0.008	0.24	17.8	0.7	0.4	45.2	<0.01
G0305-0	0.03	1.43	23.3	693	4.7	5.6	0.088	0.008	0.35	3.7	0.4	0.4	36.6	<0.01
G0305-1	0.03	1.46	23.0	906	6.0	6.9	0.054	0.025	0.34	4.6	0.4	0.4	42.1	<0.01
G0305-2	0.03	1.27	23.2	698	4.4	5.2	0.048	0.007	0.33	3.4	0.4	0.4	42.0	<0.01
G0305-3	0.03	0.20	25.0	577	3.8	17.1	0.081	<0.005	0.27	6.0	0.4	0.4	39.9	<0.01
G0305-4	0.03	0.94	28.3	760	4.4	6.1	0.056	0.008	0.48	3.5	0.4	0.4	51.5	<0.01
G0305-5	0.02	0.59	20.0	467	6.7	5.2	0.054	0.005	0.24	4.6	0.4	0.4	27.8	<0.01
G0305-6	0.02	1.39	26.8	824	5.5	5.2	0.058	0.010	0.35	3.7	0.5	0.4	40.1	<0.01
G0305-7	0.02	0.95	19.0	600	4.4	6.4	0.078	<0.005	0.30	4.0	0.4	0.4	31.5	<0.01
G0305-8	0.03	2.49	27.1	943	7.4	17.5	0.089	0.017	0.48	5.9	1.2	0.6	68.2	<0.01
G0305-9	0.02	1.01	32.3	848	4.2	6.6	0.066	0.006	0.47	6.6	0.6	0.4	37.6	<0.01
G0305-10	0.03	2.16	32.3	814	7.1	15.4	0.081	0.019	0.41	5.7	0.9	0.5	65.7	<0.01
G0305-11	0.02	1.63	22.0	736	4.8	7.1	0.057	0.014	0.40	4.8	0.5	0.4	33.0	<0.01
G0305-12	0.05	1.58	30.1	913	5.4	7.4	0.088	0.017	0.43	4.8	0.5	0.4	59.7	<0.01
G0305-13	0.02	1.30	24.0	731	4.8	5.2	0.060	0.018	0.43	4.3	0.5	0.3	36.0	<0.01
G0305-14	0.03	0.67	34.1	962	6.0	6.9	0.078	0.069	0.56	5.2	0.6	0.4	69.9	<0.01
G0305-15	0.02	1.41	20.9	641	5.8	5.3	0.036	0.014	0.34	4.1	0.4	0.4	36.0	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0305-16	0.05	1.65	26.7	879	4.6	5.4	0.058	0.044	0.33	3.3	0.4	0.4	61.5	<0.01
G0305-17	0.02	1.36	19.7	663	5.2	4.2	0.066	0.023	0.33	3.6	0.4	0.3	35.0	<0.01
G0305-19	0.02	1.86	21.8	672	6.9	5.9	0.075	0.034	0.56	4.6	0.6	0.5	34.5	<0.01
G0305-21	0.02	1.17	14.9	813	3.9	4.2	0.044	0.026	0.32	2.9	0.3	0.3	30.2	<0.01
G0305-23	0.02	1.18	17.6	776	3.9	5.7	0.056	0.035	0.27	2.6	0.4	0.3	35.1	<0.01
G05-0	0.02	0.94	27.1	836	3.7	4.0	0.058	0.009	0.36	2.8	0.3	0.3	39.5	<0.01
G05-1	0.02	0.67	20.6	690	4.0	4.0	0.045	0.005	0.30	2.7	0.3	0.3	28.3	<0.01
G05-2	0.03	0.84	23.0	824	4.3	5.2	0.056	0.009	0.41	3.1	0.3	0.3	63.2	<0.01
G05-3	<0.01	0.07	5.1	1310	3.1	25.4	0.078	<0.005	0.23	7.4	0.5	0.5	16.1	<0.01
G05-4	0.03	1.37	26.2	624	5.1	5.2	0.055	0.014	0.42	3.4	0.3	0.4	37.1	<0.01
G05-6	0.03	0.82	25.4	827	5.1	6.2	0.070	0.013	0.51	3.4	0.3	0.4	49.4	<0.01
G05-7	0.03	1.46	21.5	870	4.9	7.7	0.054	0.022	0.45	4.3	0.6	0.4	42.8	<0.01
G05-8	0.03	1.71	33.7	983	6.0	8.6	0.047	0.019	0.51	5.3	0.5	0.5	52.4	<0.01
G05-9	0.02	0.73	25.6	894	3.5	4.8	0.049	<0.005	0.39	4.5	0.5	0.3	30.6	<0.01
G05-10	0.02	1.44	20.6	667	4.8	4.5	0.062	0.010	0.34	3.7	0.6	0.4	47.5	<0.01
G05-11	0.02	1.23	24.1	852	4.5	5.3	0.058	0.031	0.57	4.3	0.6	0.3	52.2	<0.01
G05-12	0.03	0.96	28.3	846	5.2	5.3	0.075	0.041	0.39	4.5	0.4	0.3	43.0	<0.01
G05-13	0.02	1.26	27.2	802	4.6	5.5	0.037	0.024	0.44	4.0	0.6	0.3	40.6	<0.01
G05-15	0.02	1.21	25.2	803	5.1	5.7	0.036	0.016	0.37	4.1	0.5	0.3	39.5	<0.01
G05-16	0.02	1.38	23.1	559	5.6	5.2	0.056	0.018	0.36	4.5	0.5	0.4	43.9	<0.01
G05-17	0.01	0.99	16.8	871	4.0	4.3	0.047	0.033	0.38	3.0	0.4	0.3	36.1	<0.01
G05-18	0.02	0.61	25.5	914	4.2	6.2	0.028	<0.005	0.52	5.2	0.5	0.3	31.3	<0.01
G05-19	0.02	1.36	25.0	844	5.9	6.2	0.058	0.025	0.44	4.4	0.6	0.4	48.9	<0.01
G05-21	0.02	1.25	18.8	677	4.5	5.0	0.060	0.026	0.31	3.6	0.4	0.4	37.4	<0.01
G05-23	0.02	1.35	20.2	836	4.3	5.4	0.060	0.030	0.32	3.4	0.5	0.4	50.6	<0.01
G05-25	0.02	1.63	22.1	800	6.1	7.9	0.066	0.115	0.41	4.3	0.6	0.4	42.3	<0.01
G05-33	0.03	0.64	33.2	694	4.7	4.7	0.056	0.050	0.30	4.0	0.3	0.3	76.5	<0.01
G05-35	0.04	0.65	30.8	649	5.7	5.9	0.070	0.026	0.37	4.3	0.4	0.4	66.5	<0.01
G05-37	0.03	1.33	28.2	783	5.2	4.3	0.053	0.035	0.54	3.0	0.6	0.3	64.9	<0.01
G05-41	0.02	0.96	23.5	668	3.6	2.6	0.008	0.028	0.39	2.1	0.4	0.2	50.8	<0.01
G05-43	0.03	0.95	25.6	746	4.1	3.3	0.031	0.015	0.28	2.4	0.3	0.3	44.2	<0.01
G05-45	0.02	1.23	32.2	357	4.7	5.2	0.040	0.012	0.31	4.9	0.5	0.4	46.1	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G05-47	0.03	0.79	33.0	748	4.0	6.0	0.092	0.011	0.36	4.7	0.5	0.3	66.7	<0.01
G05-49	0.01	0.44	49.6	864	4.9	3.9	0.104	0.029	0.53	6.1	2.3	0.3	60.3	<0.01
G05-51	0.01	0.68	55.4	443	4.9	6.0	0.105	0.017	0.34	8.5	1.3	0.4	37.6	<0.01
G05-53	0.01	0.28	95.4	744	3.5	3.0	0.138	0.026	0.57	6.9	1.9	<0.2	75.3	<0.01
G05-55	0.03	0.79	21.8	472	3.4	4.1	0.090	0.024	0.38	5.7	0.6	0.3	131	<0.01
G05-57	0.01	0.57	18.0	391	3.7	3.4	0.068	0.017	0.22	7.8	0.6	0.2	60.5	<0.01
G05-59	0.01	0.51	21.7	228	5.7	4.9	0.052	0.005	0.22	6.6	0.7	0.5	21.7	<0.01
G0507-2	0.02	1.21	22.3	826	4.7	4.5	0.065	0.011	0.39	3.2	0.3	0.3	38.5	<0.01
G0507-3	0.02	1.26	19.0	777	4.4	4.1	0.070	0.017	0.36	3.0	0.4	0.3	32.4	<0.01
G0507-4	0.03	1.04	24.5	680	4.9	4.8	0.061	0.010	0.31	3.4	0.3	0.4	43.7	<0.01
G0507-5	0.02	1.35	16.8	784	4.7	4.6	0.050	0.009	0.31	3.4	0.4	0.4	36.5	<0.01
G0507-6	0.03	1.55	26.9	757	5.4	4.2	0.057	0.018	0.42	3.3	0.4	0.4	46.5	<0.01
G0507-8	0.03	2.10	33.7	1040	7.2	8.7	0.093	0.021	0.54	6.3	0.7	0.5	52.3	<0.01
G0507-10	0.02	0.83	22.9	805	5.8	4.8	0.065	0.007	0.37	4.3	0.4	0.4	33.6	<0.01
G0507-12	0.03	2.21	28.3	889	7.0	6.9	0.058	0.018	0.43	4.7	0.5	0.5	51.9	<0.01
G0507-13	0.01	1.02	18.7	802	4.5	5.2	0.060	0.016	0.29	3.7	0.4	0.3	24.2	<0.01
G0507-14	0.02	1.24	25.8	728	6.7	4.7	0.063	0.008	0.34	5.2	0.5	0.5	45.3	<0.01
G0507-15	0.01	1.29	18.9	880	5.4	4.9	0.070	0.030	0.38	4.0	0.5	0.3	27.5	<0.01
G0507-16	0.03	1.00	24.4	858	5.6	6.4	0.081	0.008	0.47	6.1	0.5	0.4	30.3	<0.01
G0507-18	0.02	0.83	28.3	790	5.8	5.2	0.071	0.006	0.48	6.4	0.5	0.4	31.6	<0.01
G0507-20	0.02	0.18	30.6	1030	6.1	6.6	0.084	<0.005	0.65	7.8	0.6	0.3	29.6	<0.01
G0507-25	0.02	0.62	17.1	847	4.9	5.6	0.069	0.009	0.36	4.4	0.5	0.4	30.1	<0.01
G07-0	0.03	1.59	23.2	807	4.9	6.1	0.074	0.012	0.37	4.3	0.4	0.5	45.7	<0.01
G07-1	0.02	1.52	19.6	925	4.6	5.1	0.074	0.032	0.48	4.1	0.9	0.4	56.8	<0.01
G07-2	0.02	1.35	28.4	882	5.5	6.8	0.077	0.010	0.38	5.1	0.5	0.4	37.3	<0.01
G07-3	0.01	1.15	15.4	749	4.6	3.9	0.056	0.011	0.34	3.5	0.4	0.3	26.3	<0.01
G07-4	0.02	1.10	20.8	919	4.8	3.7	0.049	0.031	0.28	2.9	0.4	0.3	72.3	<0.01
G07-5	0.01	0.81	11.4	801	3.2	2.8	0.043	0.009	0.24	2.4	0.2	0.2	27.1	<0.01
G07-6	0.02	1.65	21.4	756	5.6	5.8	0.065	0.010	0.35	4.0	0.5	0.4	44.4	<0.01
G07-7	0.02	1.33	15.6	748	4.8	6.4	0.042	0.015	0.31	3.5	0.4	0.4	34.3	<0.01
G07-8	0.02	1.49	23.0	778	5.1	5.3	0.074	0.013	0.40	4.1	0.5	0.4	46.5	<0.01
G07-9	0.02	0.73	14.8	780	5.1	4.5	0.035	0.016	0.23	3.0	0.3	0.3	31.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G07-10	0.02	1.29	18.5	709	4.9	4.9	0.055	0.012	0.31	3.5	0.3	0.4	39.3	<0.01
G07-11	0.02	0.72	20.2	864	4.5	4.2	0.068	0.018	0.24	2.9	0.3	0.2	35.3	<0.01
G07-12	0.02	1.29	21.2	939	4.0	5.0	0.073	0.014	0.37	3.9	0.4	0.3	34.0	<0.01
G07-13	0.02	1.26	16.7	830	4.1	4.6	0.055	0.012	0.31	3.2	0.4	0.3	35.9	<0.01
G07-14	0.03	1.77	23.5	745	5.0	6.4	0.050	0.016	0.37	4.5	0.5	0.4	43.6	<0.01
G07-16	0.03	0.65	23.8	673	3.8	5.0	0.042	0.015	0.24	4.3	0.4	0.3	33.4	<0.01
G07-18	0.02	1.06	24.9	687	5.0	4.8	0.066	0.006	0.37	5.2	0.5	0.4	26.4	<0.01
G07-20	0.01	0.61	18.6	592	4.5	4.6	0.053	<0.005	0.28	4.4	0.4	0.4	24.2	<0.01
G07-25	0.02	0.54	16.0	925	3.8	4.7	0.032	0.012	0.28	3.4	0.3	0.3	29.9	<0.01
G07-29	0.02	1.33	25.1	863	4.4	4.5	0.083	0.034	0.32	3.1	0.5	0.3	33.2	<0.01
G07-31	0.02	1.28	31.0	835	5.0	4.8	0.048	0.041	0.31	3.2	0.6	0.3	37.1	<0.01
G07-33	0.02	1.29	25.6	769	5.0	4.1	0.062	0.039	0.44	3.4	0.6	0.3	58.6	<0.01
G07-35	0.02	1.39	24.6	850	4.6	4.9	0.040	0.029	0.43	3.2	0.5	0.3	53.1	<0.01
G07-37	0.02	1.32	23.5	786	4.4	4.3	0.067	0.064	0.51	3.0	0.7	0.3	75.5	<0.01
G07-39	0.03	0.93	24.2	714	3.6	3.5	0.050	0.042	0.27	2.9	0.3	0.2	51.9	<0.01
G07-41	0.03	0.83	22.0	817	3.4	2.6	0.048	0.086	0.39	1.9	0.5	<0.2	66.9	<0.01
G07-43	0.03	1.65	29.6	818	5.1	5.3	0.067	0.030	0.49	3.4	0.6	0.4	58.7	<0.01
G07-45	0.03	1.37	26.1	820	5.5	5.5	0.076	0.017	0.43	3.5	0.4	0.4	50.0	<0.01
G07-47	0.02	0.82	28.2	732	4.4	5.1	0.080	0.010	0.30	4.0	0.3	0.3	44.5	<0.01
G07-49	0.03	0.46	31.4	706	4.2	4.7	0.067	0.008	0.27	4.3	0.3	0.3	47.5	<0.01
G07-51	0.03	0.99	33.5	523	5.8	6.6	0.109	0.017	0.47	5.9	0.6	0.5	64.3	<0.01
G07-53	0.03	0.52	54.1	590	4.1	4.9	0.101	0.013	0.32	6.4	1.1	0.4	63.2	<0.01
G07-55	0.02	1.20	49.6	556	4.7	5.3	0.136	0.022	0.49	7.4	0.9	0.4	107	<0.01
G07-57	0.02	1.45	41.7	704	5.8	7.5	0.134	0.027	0.63	7.9	0.7	0.5	74.0	<0.01
G07-59	0.02	1.08	33.7	561	4.8	5.2	0.066	0.013	0.45	5.3	0.5	0.4	37.3	<0.01
G0709-0	0.02	1.15	15.1	669	4.1	4.0	0.063	0.013	0.33	2.7	0.3	0.3	35.0	<0.01
G0709-1	0.02	1.04	13.3	740	3.5	3.4	0.072	0.021	0.27	2.4	0.2	0.3	31.4	<0.01
G0709-2	0.02	1.44	14.4	652	3.7	4.3	0.049	0.019	0.30	3.0	0.4	0.3	34.9	<0.01
G0709-3	0.02	1.38	15.9	747	4.2	5.0	0.066	0.018	0.35	3.1	0.3	0.3	36.3	<0.01
G0709-4	0.02	1.22	15.3	696	4.0	4.5	0.062	0.016	0.27	2.8	0.3	0.3	38.9	<0.01
G0709-5	0.02	1.25	12.4	726	4.0	4.5	0.072	0.016	0.31	3.0	0.3	0.3	32.2	<0.01
G0709-6	0.02	1.32	14.4	674	4.6	4.5	0.044	0.012	0.29	3.2	0.3	0.3	33.9	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0709-7	0.03	1.31	21.8	713	5.1	6.1	0.076	0.071	0.36	3.7	0.5	0.4	101	<0.01
G0709-8	0.02	1.66	19.2	875	5.1	6.9	0.067	0.023	0.39	4.4	0.5	0.5	36.7	<0.01
G0709-9	0.02	1.57	22.0	827	5.1	6.4	0.059	0.018	0.38	4.4	0.5	0.4	36.6	<0.01
G0709-10	0.02	1.63	18.8	824	4.7	6.7	0.095	0.031	0.41	4.0	0.6	0.4	43.0	<0.01
G0709-11	0.03	1.85	27.5	761	5.4	7.3	0.085	0.014	0.49	5.0	0.6	0.5	43.5	<0.01
G0709-12	0.02	1.49	19.4	741	4.9	5.5	0.087	0.015	0.37	4.0	0.4	0.4	38.2	<0.01
G0709-13	0.03	1.18	27.8	776	5.6	6.9	0.074	0.010	0.43	4.0	0.4	0.4	46.4	<0.01
G0709-14	0.01	0.94	14.1	691	3.5	3.4	0.050	0.014	0.26	2.6	0.3	0.3	30.3	<0.01
G0709-15	0.02	1.48	27.5	651	6.1	6.3	0.097	0.008	0.41	5.4	0.5	0.5	39.2	<0.01
G0709-16	0.02	1.24	18.9	671	4.4	4.4	0.076	0.010	0.27	3.5	0.3	0.3	33.3	<0.01
G0709-18	0.02	1.53	17.8	685	5.1	5.5	0.074	0.011	0.34	3.9	0.5	0.4	38.4	<0.01
G0709-20	0.02	1.51	15.0	598	5.0	5.6	0.079	0.012	0.35	3.9	0.4	0.4	35.4	<0.01
G0709-22	0.02	1.57	19.4	620	5.4	5.5	0.076	0.010	0.36	4.4	0.5	0.4	37.1	<0.01
G09-2	0.02	1.48	12.6	800	4.0	4.8	0.073	0.022	0.30	3.2	0.3	0.3	29.2	<0.01
G09-3	0.02	1.22	11.6	760	4.2	4.7	0.084	0.021	0.29	3.4	0.3	0.3	30.7	<0.01
G09-4	0.01	1.10	13.0	721	3.8	3.4	0.055	0.011	0.29	2.7	0.3	0.3	24.0	<0.01
G09-5	0.02	1.37	15.2	730	4.9	5.3	0.072	0.013	0.30	3.5	0.4	0.4	29.7	<0.01
G09-6	0.01	1.16	15.1	678	4.1	4.9	0.052	0.017	0.28	3.1	0.3	0.3	31.7	<0.01
G09-7	0.02	1.46	20.3	828	5.1	6.8	0.077	0.016	0.41	4.3	0.5	0.4	32.8	<0.01
G09-8	0.01	1.26	13.3	653	3.8	5.1	0.084	0.020	0.27	3.3	0.3	0.3	31.4	<0.01
G09-9	0.02	1.71	25.4	822	5.3	6.3	0.073	0.049	0.63	4.1	0.8	0.4	56.4	<0.01
G09-10	0.02	1.16	17.4	724	3.4	3.9	0.041	0.015	0.28	2.7	0.3	0.3	35.1	<0.01
G09-11	0.03	1.10	33.1	970	5.1	9.6	0.104	0.006	0.45	6.2	0.6	0.4	38.9	<0.01
G09-12	0.02	1.15	20.3	745	3.5	3.8	0.065	0.015	0.31	3.0	0.3	0.3	36.7	<0.01
G09-13	0.03	0.56	43.1	1030	4.8	6.8	0.098	0.006	0.43	5.2	0.5	0.4	60.6	<0.01
G09-14	0.02	1.28	20.6	712	4.0	4.1	0.061	0.015	0.32	3.1	0.4	0.3	38.9	<0.01
G09-15	0.03	1.67	37.5	741	5.7	6.8	0.093	0.012	0.47	4.6	0.5	0.4	44.6	<0.01
G09-16	0.02	1.19	21.6	709	4.5	4.2	0.054	0.014	0.31	3.3	0.4	0.3	37.3	<0.01
G09-17	0.02	1.38	30.6	824	5.5	5.3	0.083	0.017	0.54	3.9	0.5	0.3	40.4	<0.01
G09-18	0.02	1.13	18.1	647	5.4	4.4	0.038	0.019	0.36	3.6	0.4	0.2	39.1	<0.01
G09-19	0.03	1.44	20.5	763	4.8	4.8	0.071	0.058	0.43	3.7	0.5	0.4	39.4	<0.01
G09-20	0.02	1.26	16.1	615	5.2	4.1	0.082	0.015	0.36	3.3	0.4	0.4	35.6	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G09-21	0.02	0.86	17.5	886	3.2	3.2	0.061	0.009	0.45	3.3	0.4	0.2	32.6	<0.01
G09-29	0.02	0.47	26.9	669	5.0	5.3	0.020	0.014	0.33	3.5	0.3	0.2	41.1	<0.01
G09-31	0.02	1.10	26.9	645	6.2	4.1	0.018	0.040	0.42	3.0	0.4	0.2	34.2	<0.01
G09-33	0.03	1.43	26.0	661	5.8	4.7	0.054	0.028	0.52	3.8	0.5	0.2	57.4	<0.01
G09-35	0.03	0.91	27.2	438	5.4	4.9	0.035	0.018	0.60	3.9	0.4	0.2	50.7	<0.01
G09-37	0.03	1.56	27.6	572	5.7	5.3	0.062	0.018	0.47	4.2	0.5	0.3	51.4	<0.01
G09-39	0.03	1.51	27.1	564	5.4	5.7	0.064	0.012	0.50	3.9	0.4	0.5	50.4	<0.01
G09-41	0.04	1.34	31.1	646	4.3	5.8	0.058	0.019	0.43	4.0	0.4	0.4	55.7	<0.01
G09-43	0.04	0.68	29.7	662	4.8	6.2	0.096	0.014	0.47	4.5	0.4	0.5	56.7	<0.01
G09-45	0.03	1.81	31.9	860	5.3	6.6	0.091	0.018	0.51	4.4	0.7	0.4	62.6	<0.01
G09-47	0.02	0.81	29.1	11	4.2	5.1	0.050	0.014	0.49	3.8	0.4	0.3	61.2	<0.01
G09-49	0.02	0.75	27.8	549	5.2	5.2	0.053	0.010	0.47	3.9	0.3	0.3	44.8	<0.01
G09-51	0.02	0.87	19.8	756	3.8	3.8	0.065	0.009	0.37	3.1	0.3	0.3	44.1	<0.01
G09-53	0.03	1.28	24.5	586	5.4	5.9	0.065	0.009	0.32	3.4	0.3	0.4	51.2	<0.01
G09-55	0.03	0.60	26.9	526	4.9	7.7	0.084	0.009	0.49	4.5	0.3	0.5	61.0	<0.01
G09-57	0.03	0.77	23.3	883	4.5	4.2	0.077	0.012	0.35	3.1	0.3	0.3	61.6	<0.01
G09-59	0.03	0.84	32.3	646	5.2	6.2	0.082	0.014	0.54	4.6	0.5	0.4	53.9	<0.01
G11-0	0.02	0.75	15.3	824	5.8	4.2	0.067	0.041	0.41	3.3	0.4	0.2	43.4	<0.01
G11-1	0.03	1.09	20.8	678	5.2	5.5	0.061	0.016	0.40	3.7	0.5	0.3	40.8	<0.01
G11-2	0.03	1.37	21.3	771	7.2	8.3	0.067	0.023	0.46	5.1	0.7	0.4	43.9	<0.01
G11-3	0.03	1.57	21.0	791	5.5	6.9	0.082	0.016	0.44	4.2	0.5	0.4	44.3	<0.01
G11-5	0.03	1.91	30.8	755	6.5	8.4	0.082	0.019	0.71	5.0	0.7	0.5	58.5	<0.01
G11-6	0.02	1.35	14.0	692	5.0	5.8	0.068	0.034	0.39	3.5	0.4	0.4	37.0	<0.01
G11-7	0.02	1.15	27.1	818	6.1	6.5	0.073	0.013	1.84	4.1	0.5	0.4	43.6	<0.01
G11-8	0.01	0.66	14.2	725	3.6	3.3	0.022	0.041	0.48	2.5	0.3	<0.2	33.2	<0.01
G11-9	0.03	1.59	28.2	821	5.2	6.1	0.061	0.016	0.52	3.9	0.4	0.4	43.4	<0.01
G11-10	0.02	1.38	15.4	686	4.5	6.5	0.064	0.048	0.39	3.8	0.4	0.4	41.8	<0.01
G11-11	0.02	1.74	33.1	876	5.4	7.3	0.080	0.036	0.61	4.2	0.6	0.4	58.2	<0.01
G11-12	0.02	1.36	17.0	656	4.7	6.0	0.095	0.020	0.40	3.8	0.4	0.4	37.1	<0.01
G11-13	0.02	1.61	30.5	781	4.8	5.8	0.087	0.022	0.54	3.9	0.5	0.4	50.9	<0.01
G11-14	0.02	1.40	18.2	671	5.0	6.4	0.072	0.024	0.35	3.8	0.4	0.4	45.2	<0.01
G11-15	0.02	1.43	27.5	829	4.5	4.5	0.075	0.040	0.58	3.4	0.7	0.3	56.3	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G11-18	0.02	1.52	15.4	632	4.5	6.1	0.086	0.011	0.36	3.9	0.4	0.4	31.6	<0.01
G11-21	0.02	1.51	16.7	767	4.1	5.5	0.081	0.028	0.40	3.7	0.4	0.3	36.7	<0.01
G11-23	0.02	1.43	21.3	676	5.7	6.1	0.087	0.028	0.54	4.2	0.4	0.3	37.6	<0.01
G11-25	0.02	1.17	15.1	755	3.8	3.7	0.054	0.037	0.36	2.7	0.4	0.3	35.2	<0.01
G11-27	0.02	1.43	15.9	731	3.6	4.7	0.078	0.020	0.35	2.9	0.5	0.3	37.3	<0.01
G11-29	0.03	1.46	21.0	793	4.4	5.3	0.062	0.031	0.37	3.1	0.5	0.4	45.0	<0.01
G11-31	0.01	0.72	26.2	737	4.9	3.1	0.068	0.026	0.31	2.6	0.4	<0.2	28.4	<0.01
G11-33	0.02	0.93	27.9	669	4.8	2.8	0.087	0.069	0.39	2.7	0.4	0.2	44.7	<0.01
G11-35	0.01	0.89	23.7	619	4.8	3.0	0.100	0.020	0.42	2.6	0.4	0.2	42.3	<0.01
G11-37	0.02	0.74	23.3	641	3.8	1.8	0.062	0.024	0.29	1.9	0.3	<0.2	45.5	<0.01
G11-39	0.02	0.55	30.3	619	4.2	3.0	0.096	0.018	0.36	2.9	0.3	0.2	49.6	<0.01
G11-41	0.02	1.15	37.8	812	4.9	3.7	0.089	0.020	0.32	2.7	0.3	0.3	53.1	<0.01
G11-43	0.02	0.30	35.9	559	3.8	3.9	0.091	0.013	0.28	3.0	0.2	0.2	33.9	<0.01
G11-45	0.02	0.54	31.5	581	3.2	3.7	0.068	0.018	0.19	2.7	0.2	<0.2	32.2	<0.01
G11-47	0.02	0.45	78.3	1530	3.4	2.8	0.078	0.046	0.25	2.3	0.2	<0.2	36.4	<0.01
G11-49	0.02	0.66	30.4	1210	3.4	3.0	0.062	0.045	0.34	2.1	0.5	<0.2	52.3	<0.01
G11-51	0.01	0.67	28.7	896	2.6	4.2	0.096	0.021	0.19	2.6	0.4	<0.2	48.5	<0.01
G11-53	0.01	0.77	21.7	631	4.3	2.4	0.054	0.016	0.25	2.0	0.3	0.2	29.9	<0.01
G11-55	0.01	0.69	29.1	717	3.3	3.1	0.104	0.015	0.21	2.6	0.3	<0.2	37.0	<0.01
G11-57	0.01	0.34	66.2	642	3.2	1.9	0.114	0.024	0.37	6.3	0.9	<0.2	86.5	<0.01
G11-59	0.01	0.57	28.6	427	3.7	1.8	0.086	0.018	0.38	3.0	0.6	<0.2	48.7	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G04-27	0.04	2.3	0.047	0.07	1.53	56.3	0.34	8.81	77.3	4.1
G04-29	0.01	1.5	0.038	0.05	1.99	53.4	0.19	7.83	56.0	2.6
G04-31	0.01	0.8	0.029	0.04	5.12	40.7	0.18	7.17	57.6	2.6
G04-33	0.01	2.3	0.052	0.06	1.09	51.9	0.27	8.25	56.4	5.2
G04-35	0.01	2.3	0.041	0.05	0.48	49.0	0.23	6.65	44.6	3.6
G04-37	<0.01	2.0	0.042	0.04	0.76	42.8	0.53	6.20	42.8	2.1
G04-39	<0.01	0.8	0.038	0.05	0.79	44.9	0.14	6.39	56.3	1.2
G04-41	0.01	1.2	0.039	0.05	0.90	49.1	0.51	5.89	56.9	1.8
G04-43	0.01	1.3	0.034	0.04	1.50	44.3	0.19	7.50	43.5	2.6
G04-45	<0.01	2.1	0.042	0.04	1.04	50.9	0.36	9.21	49.1	4.1
G04-47	0.01	1.8	0.036	0.04	1.12	50.7	0.49	9.31	49.4	3.8
G04-49	0.01	2.8	0.054	0.06	0.57	53.9	0.23	9.73	58.4	6.5
G04-51	0.01	2.5	0.043	0.06	0.58	54.5	0.66	9.67	58.0	5.1
G04-53	0.01	2.8	0.061	0.06	0.56	57.2	0.20	10.2	60.5	6.6
G04-55	0.01	3.8	0.076	0.08	0.72	54.1	0.33	10.9	70.8	13.0
G04-57	0.02	2.1	0.089	0.11	0.50	87.0	0.46	9.10	73.3	7.0
G04-59	0.01	2.6	0.038	0.05	0.50	40.8	0.24	9.25	71.4	4.0
G02-27	0.03	1.7	0.038	0.07	1.81	60.7	0.17	11.0	77.3	3.2
G02-29	0.03	1.5	0.037	0.05	1.10	45.8	0.21	6.42	50.2	1.8
G02-31	0.03	1.7	0.045	0.08	1.43	64.9	0.18	9.69	81.0	3.7
G02-33	0.02	1.7	0.042	0.06	1.26	55.0	0.18	8.71	64.4	2.8
G02-35	0.01	1.7	0.043	0.04	0.98	49.3	0.51	7.29	52.5	2.5
G02-39	0.01	1.9	0.041	0.06	1.09	49.1	0.29	8.04	51.2	2.8
G02-41	<0.01	1.4	0.031	0.03	1.15	37.6	0.25	6.85	40.7	3.2
G02-43	0.02	1.8	0.039	0.05	1.20	48.8	0.24	9.36	49.3	4.5
G02-45	0.02	2.3	0.047	0.07	1.20	54.3	0.42	9.99	57.6	5.7
G02-47	0.01	2.1	0.041	0.05	0.54	55.9	0.42	9.56	54.9	3.7
G02-49	0.02	2.1	0.032	0.05	0.72	67.8	0.22	9.79	73.5	2.6
G02-51	0.05	1.7	0.013	0.05	0.77	105	0.25	11.5	115	2.3
G02-53	0.03	1.8	0.032	0.05	0.52	63.1	0.16	10.4	61.8	2.9
G02-55	0.01	2.3	0.047	0.05	0.63	57.8	0.80	9.56	47.8	3.7
G02-57	0.01	1.8	0.071	0.07	0.34	78.8	0.30	10.1	59.5	3.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G02-59	0.01	1.7	0.068	0.07	0.52	77.6	0.16	7.53	59.6	3.1
G02-61	0.03	2.0	0.049	0.07	0.49	66.6	0.26	11.3	75.2	4.4
G02-63	0.02	2.2	0.037	0.05	0.82	54.3	0.50	8.26	63.6	2.3
G02-65	<0.01	2.0	0.039	0.05	0.46	46.1	0.68	8.71	46.1	2.7
G02-67	0.06	2.1	0.069	0.08	0.33	74.2	0.49	9.12	57.6	3.7
G02-69	<0.01	1.3	0.069	0.05	0.27	83.3	0.12	7.37	50.0	3.6
G00-0	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-1	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-2	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-4	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-6	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-7	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-8	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-11	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G00-13	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G01-0	0.12	1.1	0.082	0.27	0.36	276	0.45	7.72	101	1.8
G01-1	0.10	1.2	0.052	0.15	0.44	141	0.65	11.5	85.5	2.6
G01-2	0.25	1.4	0.186	0.43	0.45	134	0.56	12.8	107	2.2
G01-4	0.18	1.7	0.178	0.58	0.55	162	3.86	14.2	99.6	1.3
G01-6	0.12	2.8	0.112	0.32	0.61	106	3.55	12.4	98.5	3.7
G01-7	0.03	2.8	0.134	0.09	0.74	77.1	0.58	8.49	58.0	3.5
G01-8	0.60	3.3	0.124	0.60	2.16	219	11.5	23.8	243	5.7
G01-10	0.06	2.0	0.084	0.13	1.50	78.8	4.76	27.4	70.1	2.7
G01-13	0.02	2.3	0.047	0.06	1.34	65.3	0.34	13.7	44.9	2.1
G01-25	0.03	3.4	0.116	0.14	1.72	82.2	0.19	12.0	91.6	2.8
G01-27	0.02	2.9	0.099	0.11	1.35	74.3	0.15	10.3	77.5	1.9
G01-29	0.01	2.9	0.095	0.12	1.39	72.3	0.18	10.3	66.9	2.0
G01-33	<0.01	3.4	0.106	0.08	0.93	62.7	0.37	8.40	51.1	2.6
G01-35	0.01	3.7	0.121	0.10	0.86	76.5	0.41	10.1	63.4	4.4
G01-37	0.01	3.9	0.102	0.10	0.97	70.8	0.20	11.1	61.7	8.5
G01-39	<0.01	2.8	0.069	0.07	1.37	57.7	0.18	9.97	55.0	5.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G01-41	0.01	2.9	0.059	0.06	1.03	56.6	0.25	10.0	48.1	4.6
G01-43	0.02	3.3	0.073	0.10	1.01	90.1	0.21	11.7	77.6	8.6
G01-45	0.02	3.4	0.090	0.10	0.84	76.4	0.20	12.3	64.3	7.1
G01-47	0.02	3.0	0.068	0.13	0.74	89.9	0.14	13.9	85.0	1.8
G01-49	0.10	1.8	0.017	0.11	0.98	120	0.45	14.6	108	0.6
G01-51	0.05	2.5	0.049	0.14	1.00	152	0.33	14.1	118	1.9
G01-53	0.03	3.7	0.048	0.08	0.86	104	0.13	16.6	98.4	2.9
G01-55	0.02	2.6	0.057	0.10	0.85	81.0	0.33	12.4	61.2	1.4
G01-57	0.04	2.1	0.032	0.10	0.90	95.5	0.19	18.9	84.5	0.9
G01-59	0.04	5.4	0.082	0.12	0.85	88.8	0.27	9.92	57.8	4.4
G01-61	0.02	1.5	0.053	0.12	0.61	136	1.30	12.8	77.8	0.8
G01-63	0.04	2.2	0.028	0.19	0.80	88.3	0.11	15.6	75.1	1.3
G01-65	<0.01	4.8	0.131	0.11	0.84	64.3	0.24	10.8	60.7	5.5
G01-67	<0.01	1.9	0.213	0.22	0.38	94.2	0.19	7.45	67.3	5.1
G01-69	<0.01	1.5	0.267	0.13	0.50	108	0.25	9.85	53.4	3.1
G03-0	0.03	2.6	0.116	0.12	0.40	95.8	0.24	10.8	67.7	2.2
G03-1	0.09	1.9	0.086	0.20	0.46	208	0.45	15.6	82.2	1.5
G03-2	<0.01	5.3	0.101	0.07	1.12	69.4	0.38	9.15	50.0	3.7
G03-3	0.02	4.5	0.100	0.08	0.89	73.0	0.20	13.7	43.6	8.2
G03-4	<0.01	3.8	0.082	0.06	1.04	60.4	0.21	9.35	49.7	4.0
G03-5	0.02	3.5	0.097	0.13	0.97	78.3	0.28	9.56	51.7	5.1
G03-6	<0.01	4.2	0.095	0.11	0.65	64.0	0.39	10.4	62.0	6.2
G03-7	0.08	2.5	0.113	0.14	0.54	75.2	0.42	11.3	64.8	3.1
G03-8	0.02	4.7	0.105	0.13	1.84	64.9	0.72	9.89	62.5	3.3
G03-9	0.01	3.4	0.113	0.08	0.74	61.0	0.22	8.60	52.4	5.1
G03-10	0.02	4.0	0.116	0.12	1.06	78.1	0.31	12.0	63.5	6.7
G03-11	0.02	3.2	0.101	0.07	1.26	58.9	0.28	8.63	54.1	2.8
G03-12	0.02	3.1	0.102	0.09	0.79	54.2	0.17	9.18	65.2	5.1
G03-13	0.02	2.9	0.100	0.07	1.03	51.4	0.16	7.57	51.6	1.8
G03-14	0.01	3.0	0.100	0.08	0.53	50.6	0.07	8.19	60.2	6.4
G03-15	0.02	3.5	0.102	0.09	1.22	58.5	0.13	9.65	62.9	3.8
G03-21	0.01	2.4	0.087	0.07	0.97	46.5	0.19	5.18	49.9	1.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G03-23	0.03	2.8	0.083	0.09	1.41	62.4	0.12	10.4	74.8	2.7
G03-29	0.02	3.1	0.072	0.05	1.41	41.3	0.19	5.94	56.8	3.8
G03-33	0.01	2.8	0.077	0.07	1.15	37.6	0.14	5.54	57.8	3.4
G03-35	0.02	3.5	0.098	0.07	0.75	44.5	0.15	5.84	53.4	3.9
G03-37	0.02	3.5	0.101	0.07	0.84	45.5	0.24	6.30	57.9	4.0
G03-39	0.02	3.0	0.088	0.06	0.58	42.1	0.13	8.64	52.9	4.4
G03-41	0.02	3.5	0.108	0.07	0.57	48.2	0.08	9.14	59.8	10.0
G03-43	0.02	3.0	0.071	0.07	0.71	44.2	0.08	6.44	58.9	3.3
G03-45	0.02	3.5	0.092	0.08	0.63	49.0	0.10	6.77	69.7	3.3
G03-47	0.03	3.7	0.078	0.12	0.83	79.0	0.17	12.8	89.5	2.4
G03-49	0.02	2.4	0.070	0.08	0.54	50.1	0.06	6.25	94.8	1.9
G03-51	0.06	3.3	0.051	0.16	0.91	94.5	0.08	14.9	131	3.6
G03-53	0.02	2.8	0.070	0.06	0.64	44.4	0.12	7.25	56.8	2.4
G03-55	0.02	2.6	0.063	0.05	0.58	38.9	0.28	5.70	45.4	1.7
G03-57	0.03	4.2	0.085	0.08	0.66	55.0	0.10	12.1	68.2	4.5
G03-59	0.08	2.8	0.041	0.08	0.45	78.6	<0.05	12.7	109	2.1
G0305-0	0.02	3.4	0.102	0.07	0.74	45.9	0.16	5.67	50.6	3.4
G0305-1	0.03	2.9	0.106	0.07	0.61	58.7	0.22	8.53	61.5	2.2
G0305-2	0.01	3.3	0.104	0.06	0.84	42.4	0.07	5.38	49.4	3.4
G0305-3	0.04	2.9	0.206	0.12	0.48	83.8	0.06	9.45	76.4	5.0
G0305-4	0.01	3.1	0.106	0.08	0.50	43.2	0.09	5.63	64.2	4.9
G0305-5	0.02	3.4	0.086	0.07	0.76	55.5	0.09	9.00	49.6	4.9
G0305-6	0.01	3.6	0.082	0.07	1.03	43.7	0.10	8.50	56.6	3.9
G0305-7	0.02	3.0	0.122	0.09	0.65	56.7	0.08	4.37	53.1	3.9
G0305-8	0.03	5.7	0.132	0.13	2.45	68.2	0.57	12.2	66.5	7.0
G0305-9	0.02	3.2	0.120	0.09	0.47	68.3	<0.05	9.75	57.8	4.4
G0305-10	0.02	5.4	0.131	0.11	1.73	62.7	0.21	12.5	62.9	9.1
G0305-11	0.02	2.8	0.094	0.08	0.99	59.9	0.30	9.13	53.4	1.4
G0305-12	0.02	3.9	0.123	0.09	0.92	55.7	0.18	9.97	62.8	9.3
G0305-13	0.02	2.3	0.086	0.05	0.94	50.9	0.16	5.81	52.5	1.7
G0305-14	0.02	3.8	0.117	0.10	0.83	57.9	0.14	7.17	69.2	9.0
G0305-15	0.02	3.1	0.090	0.07	1.02	49.3	0.10	5.70	51.6	1.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0305-16	0.02	3.7	0.135	0.07	0.56	41.1	0.11	5.63	66.5	8.1
G0305-17	0.02	2.0	0.088	0.07	0.79	46.8	0.13	4.85	51.5	1.2
G0305-19	0.03	3.0	0.084	0.10	1.14	58.3	0.18	9.15	55.3	2.6
G0305-21	0.01	1.9	0.068	0.06	0.66	33.1	0.19	4.39	41.2	1.1
G0305-23	0.01	1.6	0.088	0.06	0.79	35.2	0.17	4.31	58.6	0.8
G05-0	0.01	2.3	0.088	0.05	0.52	33.5	0.06	4.53	60.9	2.7
G05-1	0.01	3.1	0.090	0.05	0.52	38.7	0.06	4.80	50.6	3.6
G05-2	<0.01	3.3	0.099	0.08	0.48	38.9	0.11	5.35	53.9	4.4
G05-3	<0.01	2.1	0.123	0.15	0.31	64.0	1.14	13.0	118	1.0
G05-4	0.02	3.4	0.101	0.07	0.73	43.5	0.12	5.64	68.6	8.9
G05-6	0.01	3.8	0.102	0.08	0.54	43.4	0.19	6.28	67.8	6.8
G05-7	0.02	3.7	0.117	0.09	0.82	54.7	0.15	6.71	67.9	3.4
G05-8	0.01	4.1	0.115	0.09	1.06	58.6	0.32	10.8	66.5	5.4
G05-9	0.02	3.1	0.109	0.07	0.52	51.3	0.11	5.86	47.9	3.7
G05-10	0.02	3.3	0.105	0.05	1.06	47.6	0.13	5.94	37.7	5.0
G05-11	0.02	1.9	0.081	0.06	1.91	46.7	0.13	6.54	44.0	1.3
G05-12	0.01	3.0	0.096	0.07	0.65	50.2	0.27	6.09	54.5	5.6
G05-13	0.02	2.6	0.083	0.05	1.22	44.1	0.23	5.99	57.7	2.6
G05-15	0.02	2.7	0.092	0.06	0.99	47.7	0.11	6.14	52.8	1.9
G05-16	0.02	3.6	0.107	0.06	1.18	55.3	0.25	6.40	46.2	4.8
G05-17	0.01	1.1	0.051	0.05	0.76	36.1	0.18	4.56	40.2	0.8
G05-18	0.02	2.4	0.128	0.08	0.41	60.4	0.43	6.09	51.6	3.5
G05-19	0.02	2.5	0.088	0.07	1.44	51.6	0.18	6.48	57.6	1.4
G05-21	0.02	2.2	0.085	0.07	1.21	47.3	0.19	5.38	42.3	0.7
G05-23	0.01	2.2	0.092	0.05	1.88	45.3	0.38	5.71	48.9	1.0
G05-25	0.01	2.6	0.089	0.08	1.25	55.8	0.19	5.53	76.6	1.9
G05-33	0.01	3.0	0.109	0.05	0.79	42.8	0.06	6.00	57.4	10.3
G05-35	0.02	4.1	0.120	0.07	1.11	49.5	0.12	6.93	57.8	9.8
G05-37	0.01	2.8	0.069	0.05	1.28	36.7	1.28	5.97	51.4	2.8
G05-41	<0.01	1.7	0.062	0.03	0.76	23.5	0.12	4.20	45.5	2.2
G05-43	<0.01	2.2	0.075	0.04	0.57	30.4	0.15	4.39	51.6	1.6
G05-45	0.02	2.8	0.079	0.09	0.65	58.1	0.12	9.73	60.4	2.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G05-47	0.01	2.5	0.121	0.08	0.53	59.1	0.05	6.09	72.1	5.4	
G05-49	0.05	1.9	0.045	0.13	0.83	76.7	0.15	8.24	111	2.0	
G05-51	0.03	3.1	0.041	0.16	1.00	101	0.07	21.8	73.1	2.2	
G05-53	0.03	2.0	0.023	0.10	1.19	116	0.06	17.7	112	1.1	
G05-55	0.02	2.0	0.041	0.05	0.86	43.2	0.08	5.73	55.6	1.5	
G05-57	0.03	1.7	0.019	0.04	0.53	38.6	<0.05	5.98	70.1	1.0	
G05-59	0.02	4.3	0.058	0.07	0.70	65.4	<0.05	17.2	73.0	4.1	
G0507-2	0.01	3.3	0.080	0.06	0.59	39.8	0.16	5.79	47.5	2.8	
G0507-3	0.01	3.0	0.065	0.05	0.95	37.0	0.17	5.60	46.8	2.9	
G0507-4	0.01	3.5	0.132	0.05	0.83	43.3	0.11	5.76	52.9	10.5	
G0507-5	0.01	3.7	0.109	0.06	1.06	48.6	0.22	5.77	46.6	2.6	
G0507-6	0.01	3.1	0.087	0.05	0.80	41.3	0.13	6.36	55.1	2.6	
G0507-8	0.02	3.5	0.108	0.09	1.69	71.9	0.70	11.7	66.0	4.4	
G0507-10	0.01	4.2	0.077	0.07	0.59	53.8	0.12	6.69	52.7	5.4	
G0507-12	0.02	5.2	0.107	0.09	1.03	56.5	0.19	11.4	61.2	9.5	
G0507-13	0.01	2.8	0.076	0.06	1.61	51.7	0.56	5.35	47.4	1.6	
G0507-14	0.02	4.6	0.111	0.06	1.34	60.6	0.17	11.7	52.3	9.4	
G0507-15	0.02	3.1	0.071	0.06	1.20	54.1	0.32	6.02	50.9	2.7	
G0507-16	0.02	4.2	0.134	0.07	0.80	69.9	0.33	10.8	56.8	9.9	
G0507-18	0.02	3.5	0.104	0.06	0.66	65.9	0.23	11.3	51.9	3.8	
G0507-20	0.03	3.1	0.129	0.10	0.51	81.0	0.31	12.6	57.2	4.9	
G0507-25	0.02	4.9	0.101	0.07	0.80	68.6	0.70	6.72	44.8	4.1	
G07-0	0.02	4.1	0.112	0.07	1.07	57.6	0.69	6.50	54.0	3.6	
G07-1	0.02	2.8	0.095	0.06	1.84	59.3	0.77	6.75	47.4	1.9	
G07-2	0.02	3.9	0.103	0.08	1.16	64.5	0.21	7.60	62.1	4.1	
G07-3	0.01	3.0	0.066	0.05	1.11	46.9	0.31	4.97	48.2	2.7	
G07-4	<0.01	2.7	0.084	0.05	5.33	36.8	0.10	4.69	57.0	2.1	
G07-5	0.01	2.1	0.094	0.03	0.51	41.5	0.83	3.32	43.8	1.1	
G07-6	0.02	3.7	0.102	0.07	2.92	52.6	0.13	6.32	49.0	3.2	
G07-7	0.02	2.4	0.105	0.07	0.85	54.7	0.27	4.75	52.4	1.1	
G07-8	0.02	4.0	0.109	0.07	1.90	51.3	0.62	6.71	49.0	4.4	
G07-9	0.02	2.5	0.091	0.06	0.71	40.0	0.55	4.26	53.0	1.2	

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm 0.01	ppm 0.1	% 0.005	ppm 0.01	ppm 0.05	ppm 0.5	ppm 0.05	ppm 0.05	ppm 0.5	ppm 0.5
G07-10		0.01	3.2	0.086	0.06	1.62	47.3	0.30	5.12	47.2	3.0
G07-11		0.01	2.4	0.096	0.06	0.82	37.9	1.47	4.41	56.0	1.4
G07-12		0.01	3.5	0.111	0.06	1.06	54.9	0.16	5.50	53.0	2.7
G07-13		0.01	3.4	0.110	0.06	1.11	43.3	0.59	5.35	44.3	2.1
G07-14		0.02	3.3	0.124	0.06	2.12	57.9	0.25	6.78	51.8	4.4
G07-16		0.01	2.8	0.135	0.06	0.66	49.3	0.14	5.32	44.0	4.4
G07-18		0.02	3.7	0.090	0.07	0.78	58.1	0.17	7.06	54.4	4.7
G07-20		0.01	3.3	0.087	0.06	1.18	52.0	0.15	5.70	42.7	3.9
G07-25		0.01	4.0	0.094	0.06	0.63	59.2	0.56	5.40	48.3	3.2
G07-29		0.01	2.9	0.106	0.05	0.75	47.6	0.16	4.88	48.1	2.9
G07-31		0.01	2.6	0.093	0.06	0.92	42.0	0.08	5.18	65.8	2.8
G07-33		0.02	2.1	0.068	0.04	1.19	41.6	0.12	5.67	45.0	3.8
G07-35		0.01	2.6	0.078	0.05	1.07	40.5	0.30	5.71	43.7	2.2
G07-37		0.01	1.7	0.063	0.05	2.03	37.2	0.13	5.40	41.6	3.0
G07-39		0.01	1.9	0.091	0.04	0.55	34.6	0.08	4.66	47.9	2.9
G07-41		0.01	1.2	0.049	0.03	4.32	21.3	0.20	3.52	40.5	2.2
G07-43		0.01	2.7	0.094	0.06	1.70	43.6	0.15	6.32	52.8	2.6
G07-45		0.02	3.4	0.087	0.07	0.91	46.2	0.12	6.35	53.3	2.2
G07-47		0.01	2.7	0.091	0.06	0.59	57.5	0.12	6.13	52.5	3.5
G07-49		0.01	2.3	0.100	0.06	0.48	52.6	0.07	5.56	59.3	6.3
G07-51		0.02	3.8	0.086	0.10	0.93	75.6	0.23	7.85	67.4	4.0
G07-53		0.02	2.6	0.097	0.09	0.58	81.2	0.10	7.26	69.8	2.3
G07-55		0.03	3.0	0.055	0.07	0.89	67.1	0.18	7.60	66.7	1.6
G07-57		0.03	3.3	0.063	0.09	1.04	67.4	0.18	10.7	60.4	2.6
G07-59		0.02	2.7	0.076	0.07	0.57	58.7	0.40	8.31	70.9	1.4
G0709-0		0.01	2.5	0.092	0.06	0.99	38.5	0.19	4.54	44.6	1.0
G0709-1		<0.01	2.3	0.091	0.04	0.74	34.2	0.37	3.51	42.2	0.9
G0709-2		<0.01	3.0	0.100	0.05	0.94	35.1	0.41	4.55	43.2	2.4
G0709-3		0.02	2.4	0.119	0.06	0.88	50.5	0.35	4.51	51.1	0.9
G0709-4		0.01	2.4	0.103	0.05	0.88	37.7	0.14	4.14	45.5	1.1
G0709-5		0.01	3.0	0.119	0.05	0.75	52.9	1.71	4.21	43.0	0.9
G0709-6		<0.01	3.1	0.097	0.06	1.16	45.1	0.31	4.52	45.8	1.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0709-7	0.02	2.2	0.101	0.07	0.91	51.0	0.52	5.54	51.6	1.4
G0709-8	0.02	2.9	0.089	0.07	1.44	59.0	0.34	6.27	51.1	1.3
G0709-9	0.02	2.9	0.114	0.07	1.00	58.5	0.83	6.45	54.7	2.0
G0709-10	0.01	2.7	0.104	0.07	1.77	56.6	0.57	5.87	54.7	1.6
G0709-11	0.02	3.8	0.122	0.08	1.34	66.1	0.30	7.49	63.3	3.5
G0709-12	0.02	3.2	0.117	0.06	1.29	55.8	0.39	5.68	50.1	1.6
G0709-13	0.02	3.8	0.120	0.08	0.62	51.4	0.20	6.62	69.5	5.1
G0709-14	<0.01	2.2	0.079	0.04	0.82	34.9	0.59	3.71	39.9	1.4
G0709-15	0.02	4.1	0.110	0.08	1.32	62.7	0.19	7.57	56.6	4.9
G0709-16	0.01	3.0	0.095	0.05	1.18	44.3	0.10	5.25	49.4	2.6
G0709-18	0.01	3.5	0.102	0.07	1.21	54.2	0.35	5.65	49.1	2.4
G0709-20	0.01	2.8	0.080	0.06	1.34	52.0	0.25	5.26	39.4	1.5
G0709-22	0.02	3.9	0.105	0.06	1.86	57.2	0.18	6.40	45.0	4.0
G09-2	0.01	2.8	0.109	0.05	0.78	48.9	0.67	4.76	42.7	1.1
G09-3	0.02	2.5	0.115	0.06	0.65	53.5	6.05	4.54	42.2	1.0
G09-4	0.01	2.5	0.091	0.04	0.64	43.1	0.28	3.90	43.2	1.5
G09-5	0.02	2.9	0.098	0.07	0.84	52.8	1.07	5.03	50.6	1.5
G09-6	<0.01	2.1	0.090	0.06	0.88	48.2	0.18	4.01	47.5	0.8
G09-7	0.03	3.0	0.108	0.08	1.02	62.3	1.04	6.21	57.4	2.1
G09-8	0.01	1.8	0.104	0.05	0.80	52.1	0.48	4.11	39.9	0.6
G09-9	0.02	2.3	0.085	0.07	2.61	55.2	0.47	7.33	45.9	1.6
G09-10	<0.01	2.6	0.110	0.05	1.03	38.4	0.27	4.40	50.9	1.5
G09-11	0.03	4.2	0.166	0.11	0.74	78.4	1.00	7.03	74.6	6.6
G09-12	0.01	3.1	0.109	0.04	0.76	43.5	0.11	4.60	50.5	2.5
G09-13	0.01	3.5	0.136	0.10	0.59	60.1	0.20	6.85	71.7	6.7
G09-14	<0.01	2.9	0.105	0.05	1.41	42.4	0.17	5.01	49.4	2.6
G09-15	0.02	3.4	0.134	0.08	1.02	55.7	0.54	6.74	61.1	3.3
G09-16	0.01	2.7	0.095	0.05	1.26	45.2	0.13	5.12	51.2	1.9
G09-17	0.02	3.8	0.097	0.06	1.29	52.5	0.30	7.70	58.8	3.2
G09-18	0.02	2.8	0.062	0.05	2.21	45.3	0.19	5.83	44.9	1.4
G09-19	0.02	2.5	0.096	0.07	1.11	50.4	0.16	5.84	47.6	1.3
G09-20	0.01	2.6	0.064	0.04	1.47	44.5	0.15	5.39	39.4	1.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G09-21	0.02	2.3	0.141	0.04	0.57	47.6	0.17	4.83	39.8	2.4
G09-29	0.02	3.5	0.054	0.07	0.64	48.7	0.21	6.04	56.1	2.0
G09-31	0.02	3.0	0.055	0.07	0.97	43.7	0.10	5.50	58.4	2.1
G09-33	0.02	3.2	0.070	0.06	0.96	49.8	0.15	7.42	51.3	4.7
G09-35	0.02	2.8	0.067	0.05	0.85	47.1	0.10	7.11	49.2	4.8
G09-37	0.02	3.2	0.096	0.06	1.83	53.5	0.16	7.76	49.3	4.0
G09-39	0.02	3.6	0.111	0.06	0.86	52.5	0.19	7.16	50.5	3.2
G09-41	0.01	2.8	0.141	0.05	0.89	50.5	0.08	6.36	55.0	5.5
G09-43	0.02	4.1	0.148	0.07	0.64	57.6	0.08	6.93	60.8	9.2
G09-45	0.01	3.5	0.133	0.07	1.86	59.3	0.10	7.06	59.1	5.5
G09-47	0.01	3.0	0.095	0.06	0.85	53.8	0.10	6.57	51.5	2.7
G09-49	0.02	3.2	0.072	0.06	0.57	50.8	0.10	6.43	50.1	2.2
G09-51	0.01	3.6	0.098	0.05	0.66	48.8	0.16	5.44	41.1	2.3
G09-53	0.01	3.5	0.119	0.06	0.62	50.1	0.10	5.49	54.2	2.1
G09-55	0.02	3.8	0.132	0.09	0.59	60.1	0.10	6.08	50.5	9.9
G09-57	0.01	3.3	0.099	0.07	0.66	44.0	0.35	6.05	46.3	2.1
G09-59	0.03	3.8	0.107	0.09	0.66	57.9	0.21	7.19	63.0	3.2
G11-0	0.02	1.6	0.059	0.07	1.03	44.9	0.53	4.87	51.8	0.6
G11-1	0.02	3.2	0.112	0.07	0.96	48.3	0.23	6.20	52.3	2.6
G11-2	0.03	2.7	0.133	0.09	1.21	72.2	2.12	7.28	61.8	1.2
G11-3	0.03	3.7	0.136	0.08	1.20	60.4	0.21	6.72	55.8	2.7
G11-5	0.02	4.2	0.124	0.09	0.96	67.3	0.20	8.03	64.9	3.6
G11-6	0.02	2.2	0.116	0.07	0.79	54.8	2.28	4.73	48.4	0.7
G11-7	0.02	4.0	0.101	0.09	0.89	55.4	0.15	6.94	65.9	3.5
G11-8	0.02	1.5	0.034	0.04	0.75	41.8	0.82	4.69	40.9	<0.5
G11-9	0.02	3.6	0.123	0.08	0.69	53.2	0.21	6.81	62.3	3.7
G11-10	0.01	1.7	0.096	0.07	0.95	57.7	0.98	5.21	47.0	0.6
G11-11	0.02	2.8	0.104	0.07	1.81	54.9	1.28	6.76	63.9	2.3
G11-12	0.02	2.8	0.121	0.06	1.17	56.2	0.33	5.49	50.4	0.9
G11-13	0.02	2.8	0.110	0.06	1.18	54.0	0.20	6.36	50.3	2.0
G11-14	0.02	2.2	0.119	0.07	0.95	59.7	0.24	4.98	57.2	0.7
G11-15	0.02	2.1	0.078	0.05	2.23	45.1	0.22	6.53	47.9	2.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622863

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G11-18	0.01	2.7	0.115	0.06	1.11	62.1	0.22	5.42	45.5	1.0	
G11-21	0.01	2.5	0.111	0.06	1.05	52.5	0.22	5.57	47.1	1.5	
G11-23	0.02	3.4	0.102	0.09	1.29	56.3	0.25	6.48	60.6	2.7	
G11-25	0.01	2.7	0.092	0.05	0.85	39.4	0.22	4.75	40.6	1.6	
G11-27	0.01	2.9	0.098	0.06	0.92	44.0	0.32	5.14	41.1	1.7	
G11-29	0.01	2.8	0.100	0.07	1.10	44.4	0.12	5.51	52.5	1.6	
G11-31	0.01	1.4	0.040	0.05	0.67	42.0	0.17	4.22	55.6	2.7	
G11-33	0.01	1.7	0.047	0.04	0.72	36.4	0.10	5.09	48.8	4.5	
G11-35	0.01	1.7	0.041	0.04	0.62	35.3	0.19	5.40	44.4	4.2	
G11-37	0.01	1.2	0.040	0.02	0.72	26.0	0.13	3.84	43.0	2.8	
G11-39	0.01	2.3	0.057	0.05	0.49	38.2	0.11	5.00	49.4	4.9	
G11-41	0.01	1.8	0.060	0.05	0.60	35.5	0.12	4.80	68.9	3.1	
G11-43	0.01	2.1	0.087	0.05	0.28	37.4	0.06	4.45	62.2	8.5	
G11-45	<0.01	1.6	0.065	0.04	0.35	34.7	<0.05	3.85	50.2	6.4	
G11-47	0.01	1.7	0.055	0.04	0.35	29.3	0.05	3.76	145	3.7	
G11-49	0.01	1.0	0.047	0.03	0.76	29.0	0.05	3.79	55.0	2.8	
G11-51	0.01	1.1	0.063	0.04	0.49	34.7	0.12	3.67	50.8	3.0	
G11-53	<0.01	1.5	0.049	0.03	0.33	24.7	0.10	3.76	46.5	2.0	
G11-55	<0.01	1.3	0.066	0.04	0.29	35.0	0.07	4.03	52.7	2.5	
G11-57	0.03	1.1	0.020	0.04	0.56	48.6	0.65	5.51	90.1	1.5	
G11-59	0.02	1.2	0.021	0.04	0.48	27.4	0.10	5.33	89.7	1.5	

Comments: RDL - Reported Detection Limit  
Sample NRC - Not Received

Certified By:



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3539821	0.121	0.146	18.7%	< 0.01	11.1	13.0	85%	80%	120%	
Al	1	3539996	1.71	1.79	4.6%	< 0.01	0.408	0.359	114%	80%	120%	
As	1	3539821	7.6	9.2	19.0%	< 0.1				80%	120%	
Au	1	3539821	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3539821	< 5	< 5	0.0%	< 5	7.34	7.00	105%	80%	120%	
Ba	1	3539821	327	377	14.2%	< 1				80%	120%	
Be	1	3539821	0.29	0.34	15.9%	< 0.05				80%	120%	
Bi	1	3539821	0.12	0.14	15.4%	0.04				80%	120%	
Ca	1	3539996	0.819	0.838	2.3%	< 0.01				80%	120%	
Cd	1	3539821	0.185	0.220	17.3%	< 0.01				80%	120%	
Ce	1	3539821	36.1	43.1	17.7%	< 0.01				80%	120%	
Co	1	3539821	7.34	8.68	16.7%	< 0.1				80%	120%	
Cr	1	3539821	26.6	33.2	22.1%	< 0.5				80%	120%	
Cs	1	3539821	0.435	0.539	21.4%	< 0.05				80%	120%	
Cu	1	3539996	65.3	63.0	3.6%	< 0.1	5985	6000	99%	80%	120%	
Fe	1	3539996	2.79	2.99	6.9%	< 0.01				80%	120%	
Ga	1	3539821	6.42	7.38	13.9%	< 0.05				80%	120%	
Ge	1	3539821	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3539821	0.081	0.099	20.0%	< 0.02				80%	120%	
Hg	1	3539821	0.028	0.037	27.7%	< 0.01	1.5	1.3	118%	80%	120%	
In	1	3539821	0.014	0.017	19.4%	< 0.005				80%	120%	
K	1	3539996	0.09	0.09	0.0%	< 0.01				80%	120%	
La	1	3539821	14.2	16.7	16.2%	< 0.1				80%	120%	
Li	1	3539821	6.55	8.00	19.9%	< 0.1				80%	120%	
Mg	1	3539996	0.60	0.64	6.5%	< 0.01				80%	120%	
Mn	1	3539996	515	516	0.2%	< 1				80%	120%	
Mo	1	3539821	0.671	0.818	19.7%	< 0.05	359	360	99%	80%	120%	
Na	1	3539996	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3539821	1.67	2.09	22.3%	< 0.05				80%	120%	
Ni	1	3539996	21.3	21.7	1.9%	< 0.2				80%	120%	
P	1	3539996	771	773	0.3%	< 10	635	600	106%	80%	120%	
Pb	1	3539821	5.2	6.0	14.3%	< 0.1				80%	120%	
Rb	1	3539821	5.41	6.69	21.2%	< 0.1				80%	120%	
Re	1	3539821	0.041	0.070		< 0.001				80%	120%	
S	1	3539996	0.0234	0.0238	1.7%	< 0.005				80%	120%	
Sb	1	3539821	0.438	0.536	20.1%	< 0.05				80%	120%	
Sc	1	3539821	3.48	4.26	20.2%	< 0.1				80%	120%	
Se	1	3539821	0.4	0.5	22.2%	< 0.2	0.7	0.8	85%	80%	120%	
Sn	1	3539821	0.41	0.50	19.8%	< 0.2				80%	120%	
Sr	1	3540021	33.9	34.0	0.3%	< 0.2	370	390	95%	80%	120%	
Ta	1	3539821	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3539821	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3539821	3.5	4.1	15.8%	< 0.1	1.2	1.4	84%	80%	120%	
Ti	1	3539996	0.133	0.123	7.8%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Tl	1	3539821	0.07	0.08	13.3%	< 0.01				80%	120%	
U	1	3539821	0.84	0.95	12.3%	< 0.05				80%	120%	
V	1	3539821	45.5	57.2	22.8%	< 0.5				80%	120%	
W	1	3539821	0.24	0.32	28.6%	< 0.05				80%	120%	
Y	1	3539821	6.30	10.0		< 0.05				80%	120%	
Zn	1	3539996	61.8	63.1	2.1%	< 0.5				80%	120%	
Zr	1	3539821	4.0	4.7	16.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3539846	0.119	0.137	14.1%	< 0.01				80%	120%	
Al	1	3539846	1.29	1.57	19.6%	< 0.01				80%	120%	
As	1	3539846	7.3	8.6	16.4%	0.2				80%	120%	
Au	1	3539846	< 0.01	0.02		< 0.01				80%	120%	
B	1	3539846	< 5	< 5	0.0%	< 5	8.28	7.00	118%	80%	120%	
Ba	1	3539846	288	322	11.1%	< 1				80%	120%	
Be	1	3539846	0.283	0.327	14.4%	< 0.05				80%	120%	
Bi	1	3539846	0.123	0.139	12.2%	0.03				80%	120%	
Ca	1	3539846	0.664	0.788	17.1%	< 0.01				80%	120%	
Cd	1	3539846	0.10	0.12	18.2%	< 0.01				80%	120%	
Ce	1	3539846	30.8	35.4	13.9%	< 0.01				80%	120%	
Co	1	3539846	8.34	9.99	18.0%	< 0.1				80%	120%	
Cr	1	3539846	33.0	37.4	12.5%	< 0.5				80%	120%	
Cs	1	3539846	0.49	0.60		< 0.05				80%	120%	
Cu	1	3539846	45.9	52.7	13.8%	< 0.1	5995	6000	99%	80%	120%	
Fe	1	3539846	2.29	2.70	16.4%	< 0.01				80%	120%	
Ga	1	3539846	6.36	7.67	18.7%	< 0.05				80%	120%	
Ge	1	3539846	0.08	< 0.05		0.09				80%	120%	
Hf	1	3539846	0.03	0.04	28.6%	< 0.02				80%	120%	
Hg	1	3539846	0.03	0.03	0.0%	< 0.01	1.2	1.3	92%	80%	120%	
In	1	3539846	0.0144	0.0172	17.7%	< 0.005				80%	120%	
K	1	3539846	0.061	0.076	21.9%	< 0.01				80%	120%	
La	1	3539846	12.1	14.4	17.4%	< 0.1				80%	120%	
Li	1	3539846	6.9	7.8	12.2%	< 0.1				80%	120%	
Mg	1	3539846	0.520	0.608	15.6%	< 0.01				80%	120%	
Mn	1	3539846	490	542	10.1%	< 1				80%	120%	
Mo	1	3539846	0.674	0.778	14.3%	< 0.05				80%	120%	
Na	1	3539846	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3539846	1.30	1.55	17.5%	< 0.05				80%	120%	
Ni	1	3539846	24.0	26.5	9.9%	< 0.2				80%	120%	
P	1	3539846	731	791	7.9%	< 10	647	600	108%	80%	120%	
Pb	1	3539846	4.8	5.6	15.4%	< 0.1				80%	120%	
Rb	1	3539846	5.2	6.1	15.9%	< 0.1				80%	120%	
Re	1	3539846	0.060	0.07	15.4%	< 0.001				80%	120%	
S	1	3539846	0.018	0.020	10.5%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sb	1	3539846	0.431	0.496	14.0%	< 0.05				80%	120%	
Sc	1	3539846	4.35	4.87	11.3%	< 0.1				80%	120%	
Se	1	3539846	0.5	0.7		< 0.2				80%	120%	
Sn	1	3539846	0.3	0.4	28.6%	< 0.2				80%	120%	
Sr	1	3539846	36.0	42.7	17.0%	< 0.2				80%	120%	
Ta	1	3539846	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3539846	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3539846	2.31	2.71	15.9%	< 0.1				80%	120%	
Ti	1	3539846	0.0863	0.109	23.2%	< 0.005				80%	120%	
Tl	1	3539846	0.052	0.060	14.3%	< 0.01				80%	120%	
U	1	3539846	0.942	1.09	14.6%	< 0.05				80%	120%	
V	1	3539846	50.9	57.3	11.8%	< 0.5				80%	120%	
W	1	3539846	0.16	0.20	22.2%	< 0.05				80%	120%	
Y	1	3539846	5.81	7.7		< 0.05				80%	120%	
Zn	1	3539846	52.5	58.0	10.0%	< 0.5				80%	120%	
Zr	1	3539846	1.7	2.1	21.1%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3539871	0.14	0.11	24.0%	< 0.01				80%	120%	
Al	1	3539771	2.05	2.26	9.7%	< 0.01				80%	120%	
As	1	3539871	11.7	9.1		< 0.1				80%	120%	
Au	1	3539871	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3539871	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3539871	364	288	23.3%	< 1				80%	120%	
Be	1	3539871	0.31	0.27	13.8%	< 0.05				80%	120%	
Bi	1	3539871	0.158	0.136	15.0%	< 0.01				80%	120%	
Ca	1	3539771	0.60	0.62	3.3%	0.02				80%	120%	
Cd	1	3539871	0.16	0.13	20.7%	< 0.01				80%	120%	
Ce	1	3539871	34.7	30.2	13.9%	< 0.01				80%	120%	
Co	1	3539871	8.6	7.3	16.4%	< 0.1				80%	120%	
Cr	1	3539871	32.9	27.7	17.2%	< 0.5				80%	120%	
Cs	1	3539871	0.57	0.45		< 0.05				80%	120%	
Cu	1	3539771	160	149	7.1%	< 0.1	6082	6000	101%	80%	120%	
Fe	1	3539771	4.18	4.63	10.2%	0.07				80%	120%	
Ga	1	3539871	7.28	6.4	12.9%	< 0.05				80%	120%	
Ge	1	3539871	0.092	0.108	16.0%	0.06				80%	120%	
Hf	1	3539871	0.03	0.02		< 0.02				80%	120%	
Hg	1	3539871	0.09	0.04		< 0.01	1.4	1.3	108%	80%	120%	
In	1	3539871	0.017	0.012		< 0.005				80%	120%	
K	1	3539771	0.851	0.935	9.4%	< 0.01				80%	120%	
La	1	3539871	13.8	10.1		< 0.1				80%	120%	
Li	1	3539871	7.4	6.3	16.1%	< 0.1				80%	120%	
Mg	1	3539771	1.12	1.24	10.2%	0.02				80%	120%	
Mn	1	3539771	1070	1050	1.9%	< 1				80%	120%	
Mo	1	3539871	0.76	0.60		< 0.05	330	360	91%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3539771	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3539871	1.36	1.06		< 0.05				80%	120%	
Ni	1	3539771	15.4	14.9	3.3%	< 0.2				80%	120%	
P	1	3539771	1040	1010	2.9%	< 10	634	600	106%	80%	120%	
Pb	1	3539871	5.9	4.7	22.6%	< 0.1				80%	120%	
Rb	1	3539871	6.2	5.0		< 0.1				80%	120%	
Re	1	3539871	0.058	0.036		< 0.001				80%	120%	
S	1	3539771	0.0079	0.0072	9.3%	< 0.005				80%	120%	
Sb	1	3539871	0.44	0.37	17.3%	< 0.05				80%	120%	
Sc	1	3539871	4.4	3.6	20.0%	< 0.1				80%	120%	
Se	1	3539871	0.6	0.4		< 0.2				80%	120%	
Sn	1	3539871	0.4	0.2		< 0.2				80%	120%	
Sr	1	3539771	29.3	28.8	1.7%	0.6				80%	120%	
Ta	1	3539871	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3539871	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3539871	2.52	2.23	12.2%	< 0.1				80%	120%	
Ti	1	3539771	0.186	0.200	7.3%	< 0.005				80%	120%	
Tl	1	3539871	0.07	0.05		< 0.01				80%	120%	
U	1	3539871	1.44	1.28	11.8%	< 0.05				80%	120%	
V	1	3539871	51.6	43.2	17.7%	< 0.5				80%	120%	
W	1	3539871	0.18	0.15	18.2%	< 0.05				80%	120%	
Y	1	3539871	6.48	5.40	18.2%	< 0.05				80%	120%	
Zn	1	3539771	107	104	2.8%	< 0.5				80%	120%	
Zr	1	3539871	1.42	1.25	12.7%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3539896	0.10	0.10	0.0%	< 0.01				80%	120%	
Al	1	3539796	1.39	1.40	0.7%	< 0.01				80%	120%	
As	1	3539896	7.29	7.10	2.6%	< 0.1				80%	120%	
Au	1	3539896	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3539896	< 5	< 5	0.0%	< 5	6.19	7.00	88%	80%	120%	
Ba	1	3539896	286	289	1.0%	< 1				80%	120%	
Be	1	3539896	0.22	0.22	0.0%	< 0.05				80%	120%	
Bi	1	3539896	0.209	0.201	3.9%	0.03				80%	120%	
Ca	1	3539796	3.19	3.13	1.9%	< 0.01				80%	120%	
Cd	1	3539896	0.097	0.084	14.4%	< 0.01				80%	120%	
Ce	1	3539896	30.4	32.8	7.6%	< 0.01				80%	120%	
Co	1	3539896	8.6	8.6	0.0%	< 0.1				80%	120%	
Cr	1	3539896	28.9	31.0	7.0%	< 0.5				80%	120%	
Cs	1	3539896	0.443	0.549	21.4%	< 0.05				80%	120%	
Cu	1	3539796	87.2	87.9	0.8%	< 0.1	6118	6000	101%	80%	120%	
Fe	1	3539796	3.75	3.73	0.5%	< 0.01				80%	120%	
Ga	1	3539896	6.07	6.27	3.2%	< 0.05				80%	120%	
Ge	1	3539896	0.09	0.09	0.0%	0.06				80%	120%	
Hf	1	3539896	0.04	0.04	0.0%	< 0.02				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3539896	0.025	0.024	4.1%	< 0.01	1.3	1.3	99%	80%	120%
In	1	3539896	0.0132	0.0138	4.4%	< 0.005				80%	120%
K	1	3539796	0.159	0.166	4.3%	< 0.01				80%	120%
La	1	3539896	8.5	9.0	5.7%	< 0.1				80%	120%
Li	1	3539896	7.2	7.3	1.4%	< 0.1				80%	120%
Mg	1	3539796	0.608	0.599	1.5%	< 0.01				80%	120%
Mn	1	3539796	592	603	1.8%	< 1				80%	120%
Mo	1	3539896	0.58	0.57	1.7%	< 0.05	314	360	87%	80%	120%
Na	1	3539796	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3539896	1.02	1.30	24.1%	< 0.05				80%	120%
Ni	1	3539796	39.7	39.7	0.0%	< 0.2				80%	120%
P	1	3539796	593	608	2.5%	< 10				80%	120%
Pb	1	3539896	4.5	4.4	2.2%	< 0.1				80%	120%
Rb	1	3539896	5.21	5.88	12.1%	< 0.1				80%	120%
Re	1	3539896	0.0602	0.0737	20.2%	< 0.001				80%	120%
S	1	3539796	0.019	0.019	0.0%	< 0.005				80%	120%
Sb	1	3539896	0.293	0.310	5.6%	< 0.05				80%	120%
Sc	1	3539896	3.7	4.0	7.8%	< 0.1				80%	120%
Se	1	3539896	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3539896	0.29	0.36	21.5%	< 0.2				80%	120%
Sr	1	3539796	70.6	71.1	0.7%	< 0.2				80%	120%
Ta	1	3539896	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3539896	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3539896	2.83	3.06	7.8%	< 0.1				80%	120%
Ti	1	3539796	0.028	0.029	3.5%	< 0.005				80%	120%
Tl	1	3539896	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3539896	1.61	1.68	4.3%	< 0.05				80%	120%
V	1	3539896	51.7	56.8	9.4%	< 0.5				80%	120%
W	1	3539896	0.56	0.35		< 0.05				80%	120%
Y	1	3539896	5.35	5.77	7.6%	< 0.05				80%	120%
Zn	1	3539796	75.1	75.7	0.8%	< 0.5				80%	120%
Zr	1	3539896	1.63	1.65	1.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3539921	0.08	0.08	0.0%	0.02				80%	120%
Al	1	3539871	1.51	1.33	12.7%	< 0.01				80%	120%
As	1	3539921	6.60	6.12	7.5%	0.3				80%	120%
Au	1	3539921	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3539921	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3539921	302	288	4.7%	< 1				80%	120%
Be	1	3539921	0.210	0.192	9.0%	< 0.05				80%	120%
Bi	1	3539921	0.23	0.23	0.0%	0.04				80%	120%
Ca	1	3539871	0.89	0.76	15.8%	< 0.01				80%	120%
Cd	1	3539921	0.110	0.104	5.6%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ce	1	3539921	34.2	30.9	10.1%	< 0.01				80%	120%
Co	1	3539921	6.56	6.09	7.4%	< 0.1				80%	120%
Cr	1	3539921	27.5	24.9	9.9%	< 0.5				80%	120%
Cs	1	3539921	0.46	0.39	16.5%	< 0.05				80%	120%
Cu	1	3539871	65.0	54.1	18.3%	< 0.1	6019	6000	100%	80%	120%
Fe	1	3539871	2.58	2.44	5.6%	< 0.01				80%	120%
Ga	1	3539921	5.96	5.46	8.8%	< 0.05				80%	120%
Ge	1	3539921	0.10	0.10	0.0%	0.09				80%	120%
Hf	1	3539921	0.060	0.066	9.5%	< 0.02				80%	120%
Hg	1	3539921	0.01	0.02		< 0.01	1.3	1.3	102%	80%	120%
In	1	3539921	0.0122	0.0112	8.5%	< 0.005				80%	120%
K	1	3539871	0.07	0.05		< 0.01				80%	120%
La	1	3539921	9.41	8.54	9.7%	< 0.1				80%	120%
Li	1	3539921	6.1	5.6	8.5%	< 0.1				80%	120%
Mg	1	3539871	0.57	0.54	5.4%	< 0.01				80%	120%
Mn	1	3539871	498	465	6.9%	< 1				80%	120%
Mo	1	3539921	1.00	0.96	4.1%	< 0.05	336	360	93%	80%	120%
Na	1	3539871	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3539921	0.538	0.421	24.4%	< 0.05				80%	120%
Ni	1	3539871	25.0	23.5	6.2%	< 0.2				80%	120%
P	1	3539871	844	814	3.6%	< 10				80%	120%
Pb	1	3539921	3.8	3.7	2.7%	0.2				80%	120%
Rb	1	3539921	4.72	4.03	15.8%	< 0.1				80%	120%
Re	1	3539921	0.032	0.079		< 0.001				80%	120%
S	1	3539871	0.025	0.022	12.8%	< 0.005				80%	120%
Sb	1	3539921	0.28	0.24	15.4%	< 0.05				80%	120%
Sc	1	3539921	3.4	3.0	12.5%	< 0.1				80%	120%
Se	1	3539921	0.3	0.3	0.0%	< 0.2				80%	120%
Sn	1	3539921	0.31	0.25	21.4%	< 0.2				80%	120%
Sr	1	3539871	48.9	40.9	17.8%	< 0.2				80%	120%
Ta	1	3539921	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3539921	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3539921	3.95	3.42	14.4%	< 0.1	1.1	1.4	80%	80%	120%
Ti	1	3539871	0.088	0.062		< 0.005				80%	120%
Tl	1	3539921	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3539921	0.63	0.70	10.5%	< 0.05				80%	120%
V	1	3539921	59.2	53.2	10.7%	< 0.5				80%	120%
W	1	3539921	0.56	0.57	1.8%	< 0.05				80%	120%
Y	1	3539921	5.40	4.91	9.5%	< 0.05		7		80%	120%
Zn	1	3539871	57.6	55.5	3.7%	< 0.5				80%	120%
Zr	1	3539921	3.18	2.83	11.6%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3539946	0.125	0.105	17.4%	< 0.01				80%	120%
Al	1	3539896	0.96	1.12	15.4%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
As	1	3539946	8.5	7.3	15.2%	0.2				80%	120%
Au	1	3539946	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3539946	< 5	< 5	0.0%	< 5	8.38	7.00	120%	80%	120%
Ba	1	3539946	352	310	12.7%	< 1				80%	120%
Be	1	3539946	0.282	0.234	18.6%	< 0.05				80%	120%
Bi	1	3539946	0.20	0.18	10.5%	< 0.01				80%	120%
Ca	1	3539896	0.48	0.57	17.1%	< 0.01				80%	120%
Cd	1	3539946	0.101	0.092	9.3%	< 0.01				80%	120%
Ce	1	3539946	42.0	36.7	13.5%	< 0.01				80%	120%
Co	1	3539946	8.5	7.7	9.9%	< 0.1				80%	120%
Cr	1	3539946	33.5	27.7	19.0%	< 0.5				80%	120%
Cs	1	3539946	0.64	0.53	18.8%	< 0.05				80%	120%
Cu	1	3539896	30.4	31.3	2.9%	< 0.1	6065	6000	101%	80%	120%
Fe	1	3539896	1.85	2.00	7.8%	< 0.01				80%	120%
Ga	1	3539946	7.15	6.08	16.2%	< 0.05				80%	120%
Ge	1	3539946	0.071	0.090	23.6%	0.06				80%	120%
Hf	1	3539946	0.028	0.023	19.6%	< 0.02				80%	120%
Hg	1	3539946	0.04	0.05	22.2%	< 0.01	1.5	1.3	115%	80%	120%
In	1	3539946	0.016	0.013	20.7%	< 0.005				80%	120%
K	1	3539896	0.05	0.06	18.2%	< 0.01				80%	120%
La	1	3539946	16.7	14.8	12.1%	< 0.1				80%	120%
Li	1	3539946	7.83	6.44	19.5%	< 0.1				80%	120%
Mg	1	3539896	0.46	0.50	8.3%	< 0.01				80%	120%
Mn	1	3539896	308	329	6.6%	< 1				80%	120%
Mo	1	3539946	0.827	0.720	13.8%	< 0.05	348	360	96%	80%	120%
Na	1	3539896	0.01	0.02		< 0.01				80%	120%
Nb	1	3539946	1.66	1.45	13.5%	< 0.05				80%	120%
Ni	1	3539896	18.7	19.4	3.7%	< 0.2				80%	120%
P	1	3539896	802	804	0.2%	< 10				80%	120%
Pb	1	3539946	5.1	4.6	10.3%	< 0.1				80%	120%
Rb	1	3539946	6.9	5.7	19.0%	< 0.1				80%	120%
Re	1	3539946	0.067	0.068	1.5%	< 0.001				80%	120%
S	1	3539896	0.0161	0.0170	5.4%	< 0.005				80%	120%
Sb	1	3539946	0.392	0.344	13.0%	< 0.05				80%	120%
Sc	1	3539946	4.39	3.93	11.1%	< 0.1				80%	120%
Se	1	3539946	0.5	0.4	22.2%	< 0.2				80%	120%
Sn	1	3539946	0.5	0.3		< 0.2				80%	120%
Sr	1	3539896	24.2	29.4	19.4%	< 0.2				80%	120%
Ta	1	3539946	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3539946	0.017	0.014	19.4%	< 0.01				80%	120%
Th	1	3539946	2.9	2.5	14.8%	< 0.1	1.2	1.4	83%	80%	120%
Ti	1	3539896	0.076	0.089	15.8%	< 0.005				80%	120%
Tl	1	3539946	0.07	0.06	15.4%	< 0.01				80%	120%
U	1	3539946	1.44	1.22	16.5%	< 0.05				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
V	1	3539946	59.0	53.4	10.0%	< 0.5				80%	120%
W	1	3539946	0.341	0.332	2.7%	< 0.05				80%	120%
Y	1	3539946	6.27	5.60	11.3%	< 0.05				80%	120%
Zn	1	3539896	47.4	48.1	1.5%	< 0.5				80%	120%
Zr	1	3539946	1.3	1.3	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3539971	0.13	0.13	0.0%	< 0.01	11.6	13.0	89%	80%	120%
Al	1	3539921	0.91	0.77	16.7%	< 0.01				80%	120%
As	1	3539971	10.7	7.8		< 0.1				80%	120%
Au	1	3539971	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3539971	< 5	< 5	0.0%	< 5	8.17	7.00	117%	80%	120%
Ba	1	3539971	346	340	1.7%	< 1				80%	120%
Be	1	3539971	0.322	0.325	0.9%	< 0.05				80%	120%
Bi	1	3539971	0.20	0.19	5.1%	< 0.01				80%	120%
Ca	1	3539921	0.51	0.43	17.0%	< 0.01				80%	120%
Cd	1	3539971	0.178	0.186	4.4%	< 0.01				80%	120%
Ce	1	3539971	39.2	37.6	4.2%	< 0.01				80%	120%
Co	1	3539971	8.63	8.89	3.0%	< 0.1				80%	120%
Cr	1	3539971	47.5	50.2	5.5%	< 0.5				80%	120%
Cs	1	3539971	0.66	0.60	9.5%	< 0.05				80%	120%
Cu	1	3539921	30.8	32.4	5.1%	< 0.1				80%	120%
Fe	1	3539921	2.24	2.07	7.9%	< 0.01				80%	120%
Ga	1	3539971	6.58	6.60	0.3%	< 0.05				80%	120%
Ge	1	3539971	0.10	0.10	0.0%	< 0.05				80%	120%
Hf	1	3539971	0.07	0.07	0.0%	< 0.02				80%	120%
Hg	1	3539971	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3539971	0.015	0.016	6.5%	< 0.005				80%	120%
K	1	3539921	0.08	0.07	13.3%	< 0.01				80%	120%
La	1	3539971	10.1	9.74	3.6%	< 0.1				80%	120%
Li	1	3539971	8.1	8.1	0.0%	< 0.1				80%	120%
Mg	1	3539921	0.46	0.42	9.1%	< 0.01				80%	120%
Mn	1	3539921	276	283	2.5%	< 1				80%	120%
Mo	1	3539971	1.28	1.10	15.1%	< 0.05				80%	120%
Na	1	3539921	0.02	0.01		< 0.01				80%	120%
Nb	1	3539971	1.67	1.56	6.8%	< 0.05				80%	120%
Ni	1	3539921	16.0	17.1	6.6%	< 0.2				80%	120%
P	1	3539921	925	1030	10.7%	< 10				80%	120%
Pb	1	3539971	5.68	5.51	3.0%	< 0.1				80%	120%
Rb	1	3539971	6.80	6.52	4.2%	< 0.1				80%	120%
Re	1	3539971	0.0931	0.0754	21.0%	< 0.001				80%	120%
S	1	3539921	0.012	0.013	8.0%	< 0.005				80%	120%
Sb	1	3539971	0.467	0.441	5.7%	< 0.05				80%	120%
Sc	1	3539971	4.65	4.82	3.6%	< 0.1				80%	120%
Se	1	3539971	0.46	0.45	2.2%	< 0.2				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sn	1	3539971	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3539921	29.9	25.5	15.9%	< 0.2				80%	120%	
Ta	1	3539971	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3539971	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3539971	3.4	3.3	3.0%	< 0.1	1.3	1.4	92%	80%	120%	
Ti	1	3539921	0.094	0.070	29.3%	< 0.005				80%	120%	
Tl	1	3539971	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3539971	1.02	1.02	0.0%	< 0.05				80%	120%	
V	1	3539971	55.7	58.4	4.7%	< 0.5				80%	120%	
W	1	3539971	0.54	0.19		< 0.05				80%	120%	
Y	1	3539971	6.74	6.62	1.8%	< 0.05				80%	120%	
Zn	1	3539921	48.3	51.1	5.6%	< 0.5				80%	120%	
Zr	1	3539971	3.27	3.21	1.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3539996	0.188	0.180	4.3%	< 0.01				80%	120%	
As	1	3539996	11.4	10.8	5.4%	< 0.1				80%	120%	
Au	1	3539996	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3539996	< 5	< 5	0.0%	< 5	7.91	7.00	113%	80%	120%	
Ba	1	3539996	360	296	19.5%	< 1				80%	120%	
Be	1	3539996	0.328	0.281	15.4%	< 0.05				80%	120%	
Bi	1	3539996	0.917	0.890	3.0%	< 0.01				80%	120%	
Cd	1	3539996	0.16	0.16	0.0%	< 0.01				80%	120%	
Ce	1	3539996	38.4	38.1	0.8%	< 0.01				80%	120%	
Co	1	3539996	9.99	8.91	11.4%	< 0.1				80%	120%	
Cr	1	3539996	31.5	26.8	16.1%	< 0.5				80%	120%	
Cs	1	3539996	0.916	0.748	20.2%	< 0.05				80%	120%	
Ga	1	3539996	7.71	7.05	8.9%	< 0.05				80%	120%	
Ge	1	3539996	0.09	0.13		< 0.05				80%	120%	
Hf	1	3539996	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3539996	0.03	0.03	0.0%	< 0.01	1.3	1.3	97%	80%	120%	
In	1	3539996	0.018	0.018	0.0%	< 0.005				80%	120%	
La	1	3539996	9.4	9.4	0.0%	< 0.1				80%	120%	
Li	1	3539996	8.9	8.1	9.4%	< 0.1				80%	120%	
Mo	1	3539996	2.59	2.41	7.2%	< 0.05	330	360	91%	80%	120%	
Nb	1	3539996	1.37	1.11	21.0%	< 0.05				80%	120%	
Pb	1	3539996	7.15	7.01	2.0%	< 0.1				80%	120%	
Rb	1	3539996	8.3	7.4	11.5%	< 0.1				80%	120%	
Re	1	3539996	0.0667	0.0594	11.6%	< 0.001				80%	120%	
Sb	1	3539996	0.46	0.42	9.1%	< 0.05				80%	120%	
Sc	1	3539996	5.05	4.31	15.8%	< 0.1				80%	120%	
Se	1	3539996	0.65	0.60	8.0%	< 0.2				80%	120%	
Sn	1	3539996	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3539996	40700	37000	9.5%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Ta	1	3539996	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3539996	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3539996	2.7	2.7	0.0%	< 0.1				80%	120%
Tl	1	3539996	0.09	0.09	0.0%	< 0.01				80%	120%
U	1	3539996	1.21	1.14	6.0%	< 0.05				80%	120%
V	1	3539996	72.2	59.6	19.1%	< 0.5				80%	120%
Y	1	3539996	7.28	6.76	7.4%	< 0.05				80%	120%
Zr	1	3539996	1.22	1.14	6.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3540021	0.054	0.057	5.4%	< 0.01				80%	120%
As	1	3540021	4.4	4.7	6.6%	< 0.1				80%	120%
Au	1	3540021	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3540021	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3540021	186	190	2.1%	< 1				80%	120%
Be	1	3540021	0.24	0.26	8.0%	< 0.05				80%	120%
Bi	1	3540021	0.064	0.068	6.1%	< 0.01				80%	120%
Cd	1	3540021	0.10	0.11	9.5%	< 0.01				80%	120%
Ce	1	3540021	12.8	13.1	2.3%	< 0.01				80%	120%
Co	1	3540021	7.2	7.5	4.1%	< 0.1				80%	120%
Cr	1	3540021	29.2	30.8	5.3%	< 0.5				80%	120%
Cs	1	3540021	0.222	0.235	5.7%	< 0.05				80%	120%
Ga	1	3540021	5.13	5.33	3.8%	< 0.05				80%	120%
Ge	1	3540021	0.060	0.054	10.5%	< 0.05				80%	120%
Hf	1	3540021	0.20	0.20	0.0%	< 0.02				80%	120%
Hg	1	3540021	0.023	0.025	8.3%	< 0.01	1.3	1.3	102%	80%	120%
In	1	3540021	0.0103	0.0107	3.8%	< 0.005				80%	120%
La	1	3540021	5.0	5.1	2.0%	< 0.1				80%	120%
Li	1	3540021	5.65	5.99	5.8%	< 0.1				80%	120%
Mo	1	3540021	0.473	0.536	12.5%	< 0.05	337	360	93%	80%	120%
Nb	1	3540021	0.305	0.325	6.3%	< 0.05				80%	120%
Pb	1	3540021	3.78	3.85	1.8%	< 0.1				80%	120%
Rb	1	3540021	3.9	4.0	2.5%	< 0.1				80%	120%
Re	1	3540021	0.091	0.080	12.9%	< 0.001				80%	120%
Sb	1	3540021	0.28	0.31	10.2%	< 0.05				80%	120%
Sc	1	3540021	3.0	3.1	3.3%	< 0.1				80%	120%
Se	1	3540021	0.2	0.2	0.0%	< 0.2				80%	120%
Sn	1	3540021	0.2	0.2	0.0%	< 0.2				80%	120%
Sr	1	3540021	24900	25900	3.9%	< 0.2				80%	120%
Ta	1	3540021	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3540021	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3540021	2.1	2.1	0.0%	< 0.1				80%	120%
Tl	1	3540021	0.05	0.05	0.0%	< 0.01				80%	120%
U	1	3540021	0.28	0.37	27.7%	< 0.05				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)										
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
									Lower	Upper
V	1	3540021	37.4	39.1	4.4%	< 0.5			80%	120%
W	1	3540021	0.06	0.06	0.0%	< 0.05			80%	120%
Y	1	3540021	4.45	4.63	4.0%	< 0.05			80%	120%
Zr	1	3540021	8.5	9.0	5.7%	< 0.5			80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
B	1					< 5	7.23	7.00	103%	80% 120%
Hg	1					< 0.01	1.4	1.3	104%	80% 120%
Mo	1					< 0.05	334	360	92%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Hg	1					< 0.01	1.3	1.3	101%	80% 120%
Mo	1					< 0.05	363	360	100%	80% 120%
Th	1					< 0.1	1.2	1.4	84%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	10.6	13.0	81%	80% 120%
Hg	1					< 0.01	1.5	1.3	118%	80% 120%
Th	1					< 0.1	1.3	1.4	93%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	11.7	13.0	90%	80% 120%
B	1					< 5	8.3	7.00	119%	80% 120%
Th	1					< 0.1	1.3	1.4	92%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Hg	1					< 0.01	1.4	1.3	109%	80% 120%
Mo	1					< 0.05	363	360	100%	80% 120%
Th	1					< 0.1	1.1	1.4	82%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1					< 0.01	10.3	13.0	80%	80% 120%
Hg	1					< 0.01	1.5	1.3	119%	80% 120%
Th	1					< 0.1	1.2	1.4	84%	80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
B	1					< 5	5.73	7.00	82%	80% 120%
Hg	1					< 0.01	1.3	1.3	97%	80% 120%
Mo	1					< 0.05	349	360	96%	80% 120%

Certified By: \_\_\_\_\_



## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS



## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622863

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y622906

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Sep 11, 2012

PAGES (INCLUDING COVER): 51

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G1113-8	0.38	0.13	1.29	9.2	<0.01	<5	208	0.17	0.40	0.75	0.10	24.4	4.4	28.2
G1113-10	0.49	0.06	1.19	8.1	<0.01	<5	171	0.13	0.11	0.51	0.05	19.2	3.5	28.0
G1113-12	0.55	0.08	1.24	7.2	<0.01	<5	194	0.14	0.12	0.63	0.06	20.6	3.5	29.9
G1113-16	0.49	0.08	1.32	6.7	<0.01	<5	202	0.15	0.11	0.61	0.06	22.4	4.2	35.0
G1113-18	0.49	0.10	1.39	10.4	<0.01	<5	204	0.23	0.70	0.65	0.06	32.9	8.0	37.8
G1113-20	0.45	0.17	1.45	9.4	<0.01	<5	219	0.22	0.12	0.65	0.08	27.1	7.7	36.3
G1113-24	0.53	0.14	1.68	7.3	<0.01	<5	228	0.21	0.10	0.65	0.06	29.9	5.4	35.6
G13-0	0.54	0.15	1.37	7.2	<0.01	<5	241	0.23	0.25	0.66	0.13	28.5	5.1	34.0
G13-1	0.50	0.13	1.67	8.4	<0.01	<5	288	0.25	0.26	0.82	0.13	31.4	7.9	34.2
G13-2	0.55	0.13	1.60	8.7	0.01	<5	282	0.27	0.40	0.73	0.08	31.0	7.5	35.8
G13-3	0.49	0.15	1.52	8.2	<0.01	<5	324	0.28	0.13	0.79	0.19	33.4	5.4	31.9
G13-4	0.51	0.18	1.61	8.8	<0.01	<5	274	0.26	0.60	0.85	0.19	30.3	7.9	32.9
G13-5	0.55	0.13	1.52	8.5	0.14	<5	241	0.25	0.12	0.87	0.20	30.1	9.3	38.2
G13-6	0.51	0.18	1.35	8.5	<0.01	<5	203	0.25	0.91	0.70	0.15	31.7	7.9	27.4
G13-7	0.40	0.14	1.90	8.7	<0.01	<5	371	0.39	0.11	2.28	0.34	41.1	12.1	72.3
G13-8	0.52	0.15	1.53	8.6	<0.01	<5	157	0.19	0.75	0.68	0.07	32.3	4.9	28.7
G13-9	0.47	0.22	1.77	9.0	<0.01	<5	402	0.39	0.15	1.10	0.47	42.2	11.1	47.6
G13-11	0.48	0.14	1.39	9.1	<0.01	<5	245	0.32	0.12	0.76	0.15	37.9	9.8	50.1
G13-13	0.54	0.12	1.22	9.2	<0.01	<5	251	0.25	0.11	0.76	0.14	31.2	6.3	41.7
G13-15	0.49	0.11	1.14	8.4	<0.01	<5	199	0.26	0.11	0.68	0.14	35.1	5.9	44.8
G13-16	0.51	0.09	1.33	9.0	<0.01	<5	185	0.18	0.30	0.70	0.09	31.0	5.0	35.3
G13-17	0.56	0.10	1.31	8.1	<0.01	<5	261	0.23	0.09	0.83	0.14	33.5	5.3	38.6
G13-18	0.49	0.09	1.39	8.6	<0.01	<5	213	0.19	0.12	0.65	0.09	30.9	4.7	32.8
G13-19	0.46	0.11	1.50	8.4	<0.01	<5	226	0.25	0.21	0.62	0.17	35.6	5.2	33.5
G13-20	0.51	0.22	1.42	7.9	<0.01	<5	272	0.19	0.19	0.87	0.08	31.6	4.9	31.9
G13-22	0.50	0.10	1.40	8.2	<0.01	<5	221	0.20	0.14	0.78	0.10	25.3	5.0	33.5
G13-24	0.53	0.12	1.46	7.7	<0.01	<5	223	0.17	0.11	0.79	0.12	27.0	5.0	32.4
G13-26	0.42	0.08	1.22	6.8	<0.01	<5	145	0.15	0.07	0.70	0.09	30.1	5.0	26.4
G13-31	0.40	0.08	1.14	6.3	<0.01	<5	212	0.26	0.08	0.93	0.15	37.6	4.5	34.4
G13-33	0.38	0.11	1.33	7.7	<0.01	<5	294	0.32	0.10	1.22	0.28	35.9	5.7	37.2
G13-35	0.36	0.10	1.35	7.5	<0.01	<5	201	0.26	0.10	1.29	0.17	34.9	5.1	38.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G13-37		0.33	0.08	1.12	5.3	<0.01	<5	186	0.20	0.07	1.21	0.11	28.0	4.0	31.3
G13-39		0.41	0.07	0.98	5.4	0.04	<5	202	0.19	0.07	0.80	0.17	31.1	4.6	33.0
G13-41		0.42	0.08	1.56	5.7	<0.01	<5	377	0.26	0.09	1.52	0.21	29.2	5.4	38.1
G13-43		0.38	0.08	1.36	9.0	<0.01	<5	214	0.17	0.29	0.53	0.05	28.4	3.9	32.0
G13-45		0.60	0.07	1.69	5.8	<0.01	<5	356	0.27	0.09	1.38	0.18	32.5	6.0	45.1
G13-47		0.55	0.14	1.30	8.2	<0.01	<5	339	0.33	0.12	0.83	0.09	40.7	9.5	40.4
G13-49		0.51	0.09	1.38	7.0	<0.01	<5	314	0.26	0.08	0.81	0.05	30.8	5.3	40.9
G13-51		0.55	0.09	1.28	6.7	<0.01	<5	348	0.21	0.08	3.54	0.21	29.9	5.5	41.1
G13-53		0.49	0.10	0.93	6.2	<0.01	<5	235	0.19	0.05	4.79	0.09	18.5	28.6	67.2
G13-55		0.49	0.14	1.44	7.3	0.14	5	224	0.38	0.13	4.65	0.21	22.5	15.8	54.0
G13-57		0.49	0.21	2.34	12.8	0.07	12	240	0.42	0.13	3.61	0.50	21.7	20.3	93.8
G13-59		0.49	0.36	1.17	8.5	0.06	11	190	0.39	0.11	7.13	0.63	16.9	14.7	28.1
G1315-0		0.45	0.18	1.54	9.9	0.05	<5	304	0.44	0.30	1.23	0.27	23.2	11.0	26.2
G1315-1		0.60	0.17	1.72	11.3	0.07	11	307	0.43	0.18	0.63	0.12	15.0	12.5	21.1
G1315-2		0.46	0.15	1.29	12.4	0.04	7	234	0.42	0.26	0.65	0.22	20.1	10.1	29.6
G1315-3		0.56	0.09	2.44	8.2	0.04	15	383	0.37	0.09	0.65	0.21	6.82	20.4	15.4
G1315-4		0.49	0.23	1.66	11.6	0.03	6	282	0.42	1.12	0.87	0.22	21.6	12.4	27.8
G1315-5		0.48	0.20	1.48	12.0	0.03	7	217	0.46	0.16	0.83	0.25	21.1	12.6	44.0
G1315-6		0.38	0.45	1.63	9.2	0.03	6	173	0.48	0.87	1.06	0.32	29.4	11.2	24.0
G1315-7		0.45	0.19	1.44	8.9	0.03	7	331	0.50	0.18	0.98	0.32	27.2	10.0	29.7
G1315-8		0.51	0.21	1.82	37.5	0.03	10	222	0.58	1.17	0.60	0.29	19.3	11.0	19.1
G1315-9		0.51	0.16	1.21	11.2	0.02	6	260	0.43	0.16	1.43	0.35	20.1	10.7	35.8
G1315-10		0.53	0.26	1.49	10.0	0.02	7	210	0.30	1.08	0.63	0.21	19.0	11.9	24.2
G1315-11		0.45	0.14	1.33	10.6	0.02	5	233	0.46	0.16	0.84	0.24	24.1	10.0	36.1
G1315-12		0.48	0.11	1.11	10.5	0.02	<5	144	0.26	0.42	0.53	0.09	18.7	7.5	23.6
G1315-13		0.38	0.15	1.39	7.9	0.02	5	253	0.47	0.15	1.12	0.14	24.6	10.3	36.9
G1315-14		0.55	0.13	1.49	11.0	0.07	<5	192	0.33	0.24	0.57	0.10	25.0	8.4	27.9
G1315-15		0.44	0.16	1.49	12.5	0.02	<5	196	0.41	0.24	0.82	0.16	24.6	11.5	42.4
G1315-16		0.54	0.09	1.33	10.9	0.01	<5	183	0.29	0.17	0.53	0.10	20.7	7.8	25.8
G1315-17		0.42	0.13	1.31	8.9	0.02	5	224	0.50	0.15	0.80	0.14	24.0	9.4	36.0
G1315-18		0.47	0.13	1.46	13.2	0.02	<5	213	0.35	0.16	0.71	0.12	24.9	10.2	27.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G1315-22	0.36	0.10	1.35	11.8	0.01	<5	201	0.27	0.15	0.82	0.09	18.1	7.6	27.4
G1315-24	0.40	0.29	1.78	16.3	0.02	8	306	0.55	0.29	0.83	0.08	28.9	11.1	33.3
G1315-26	0.26	0.11	1.64	11.0	0.01	5	211	0.31	0.16	0.67	0.08	23.2	8.1	28.7
G1315-28	0.39	0.07	1.45	10.7	<0.01	6	151	0.24	0.12	0.65	0.08	22.2	8.5	28.5
G15-0	0.45	0.21	2.12	8.7	<0.01	15	268	0.33	0.21	0.70	0.26	9.53	22.4	20.8
G15-1	0.45	0.13	2.36	6.8	0.01	14	417	0.37	0.12	0.62	0.13	9.12	19.0	10.3
G15-2	0.43	0.18	1.32	10.1	<0.01	6	246	0.43	0.29	0.77	0.28	23.5	10.2	28.9
G15-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G15-4	0.48	0.26	1.52	7.8	<0.01	6	208	0.34	0.78	0.59	0.35	12.6	11.1	26.7
G15-5	0.44	0.34	2.16	10.3	<0.01	10	237	0.42	0.15	0.63	0.12	20.1	15.0	29.9
G15-6	0.42	0.18	1.86	9.4	<0.01	9	238	0.36	1.39	0.61	0.17	15.5	11.9	22.9
G15-7	0.41	0.44	1.38	19.5	0.01	11	147	0.42	0.14	1.62	0.20	17.4	16.4	34.8
G15-8	0.50	0.34	2.32	3.5	0.01	17	367	0.28	0.71	0.99	0.55	7.75	25.6	3.3
G15-9	0.51	0.35	1.59	15.9	<0.01	11	217	0.52	0.15	1.93	0.32	24.7	17.2	56.9
G15-10	0.43	0.26	2.99	14.3	<0.01	22	282	0.41	0.99	0.94	0.48	10.9	26.0	14.6
G15-11	0.44	0.23	1.40	11.5	0.01	6	234	0.42	0.25	1.08	0.21	22.7	10.6	30.9
G15-12	0.43	0.09	1.54	12.1	<0.01	<5	216	0.36	0.61	0.50	0.12	23.3	8.1	28.9
G15-13	0.44	0.15	1.35	10.5	<0.01	6	190	0.51	0.14	0.79	0.28	27.1	10.7	40.2
G15-14	0.29	0.11	1.39	11.3	<0.01	5	176	0.30	0.27	0.60	0.08	21.4	7.4	27.8
G15-15	0.43	0.10	1.19	7.6	<0.01	<5	225	0.23	0.10	0.63	0.12	32.8	4.4	31.2
G15-16	0.41	0.08	1.47	12.0	<0.01	<5	202	0.18	0.24	0.53	0.09	26.1	5.3	30.8
G15-17	0.44	0.09	1.38	7.6	<0.01	<5	214	0.25	0.09	0.59	0.08	35.4	4.2	31.4
G15-18	0.39	0.08	1.39	7.4	<0.01	<5	202	0.16	0.13	0.57	0.07	29.4	4.0	25.8
G15-19	0.40	0.10	1.40	9.2	<0.01	<5	212	0.22	0.10	0.53	0.12	28.5	4.1	35.0
G15-20	0.47	0.06	1.30	11.0	<0.01	<5	124	0.14	0.10	0.64	0.08	23.2	4.9	30.9
G15-21	0.42	0.12	1.49	10.4	<0.01	<5	214	0.23	0.23	0.71	0.17	31.7	6.0	33.7
G15-22	0.37	0.11	0.98	9.9	<0.01	<5	144	0.13	0.08	0.55	0.09	23.0	4.9	20.0
G15-26	0.45	0.10	1.50	10.1	<0.01	<5	197	0.16	0.10	0.63	0.07	31.2	4.9	28.9
G15-27	0.46	0.08	1.24	6.0	<0.01	<5	223	0.23	0.10	0.67	0.08	35.7	4.9	27.6
G15-28	0.42	0.11	1.60	9.9	<0.01	<5	193	0.17	0.11	0.70	0.06	34.3	5.1	29.8
G15-29	0.38	0.08	1.26	9.3	<0.01	<5	186	0.21	0.12	0.80	0.12	32.8	4.9	31.0

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G15-31	0.46	0.13	1.59	7.8	<0.01	<5	329	0.27	0.10	0.77	0.20	38.9	5.4	40.3
G15-33	0.42	0.14	1.57	8.9	<0.01	<5	323	0.31	0.11	1.14	0.20	39.5	5.9	34.9
G15-35	0.50	0.08	1.04	7.1	<0.01	<5	231	0.21	0.08	1.45	0.17	33.5	5.1	26.6
G15-37	0.46	0.08	1.15	6.4	<0.01	<5	282	0.20	0.07	11.0	0.25	22.5	4.4	23.8
G15-39	0.52	0.08	1.48	7.9	<0.01	<5	272	0.27	0.09	3.47	0.17	33.9	7.1	32.5
G15-41	0.50	0.08	1.85	8.0	<0.01	<5	412	0.33	0.11	1.71	0.29	41.9	11.7	40.9
G15-43	0.43	0.12	1.81	9.3	<0.01	<5	387	0.37	0.12	2.33	0.36	49.1	13.6	63.1
G15-45	0.46	0.12	1.57	8.5	<0.01	<5	361	0.30	0.10	2.26	0.16	41.3	6.4	35.2
G15-47	0.48	0.11	1.57	8.9	<0.01	<5	343	0.31	0.10	3.07	0.18	40.8	7.4	36.9
G15-49	0.48	0.13	1.86	9.1	<0.01	<5	354	0.37	0.11	2.54	0.22	41.6	18.4	44.6
G15-51	0.47	0.20	1.41	7.4	<0.01	<5	268	0.27	0.05	4.53	0.09	23.2	25.1	41.7
G15-53	0.45	0.13	1.59	7.7	<0.01	<5	328	0.28	0.08	5.45	0.23	35.5	8.9	55.0
G15-55	0.42	0.12	1.72	6.4	<0.01	<5	191	0.23	0.04	2.94	0.09	23.5	18.9	55.4
G15-57	0.41	0.21	1.98	6.7	<0.01	<5	217	0.21	0.06	6.63	0.22	27.9	8.8	39.2
G15-59	0.43	0.70	2.08	9.0	<0.01	<5	415	0.36	0.09	5.38	0.25	42.4	15.2	46.4
G17-0	0.54	0.14	2.75	4.0	0.04	<5	336	0.16	0.08	0.67	0.09	8.16	17.5	31.0
G17-1	0.48	0.15	2.65	6.3	0.02	<5	409	0.29	0.04	0.60	0.11	10.1	11.7	10.4
G17-2	0.42	0.16	1.38	17.2	<0.01	<5	296	0.29	0.13	0.72	0.25	38.9	5.9	29.3
G17-3	0.46	0.11	1.48	7.8	<0.01	<5	329	0.29	0.10	0.56	0.04	42.5	4.8	31.1
G17-4	0.48	0.15	2.67	6.6	<0.01	<5	282	0.22	0.40	0.89	0.13	21.5	16.0	34.9
G17-5	0.44	0.27	1.72	11.6	<0.01	<5	302	0.24	0.04	1.19	0.18	22.8	20.3	18.5
G17-6	0.44	0.11	4.01	21.0	<0.01	<5	364	0.39	0.53	1.22	0.11	25.2	10.7	34.8
G17-7	0.53	0.11	2.56	6.1	<0.01	<5	409	0.19	0.03	0.75	0.08	8.05	22.0	30.0
G17-8	0.47	0.12	2.62	5.7	<0.01	<5	469	0.10	0.28	0.83	0.09	7.80	16.4	32.1
G17-9	0.48	0.34	1.57	16.9	<0.01	<5	270	0.36	0.15	0.50	0.08	51.3	12.4	31.7
G17-10	0.52	0.11	2.13	3.5	<0.01	<5	378	0.12	0.35	0.77	0.13	9.88	13.2	9.6
G17-11	0.46	0.14	1.93	7.4	0.01	<5	177	0.17	0.04	0.72	0.09	10.3	15.4	18.7
G17-12	0.43	0.09	1.64	9.9	<0.01	<5	233	0.24	0.83	0.53	0.07	35.8	5.4	33.4
G17-13	0.43	0.16	1.82	9.3	<0.01	<5	230	0.25	0.11	0.89	0.12	32.7	13.1	24.6
G17-14	0.46	0.11	1.35	10.2	<0.01	<5	248	0.23	2.29	0.51	0.06	37.6	4.7	25.7
G17-15	0.45	0.25	1.26	80.5	0.02	9	233	0.42	0.31	0.84	0.24	29.3	11.1	27.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G17-16		0.46	0.19	1.44	21.9	<0.01	9	307	0.46	4.56	0.57	0.14	29.7	9.9	31.2
G17-17		0.42	0.16	1.47	14.3	<0.01	10	291	0.60	0.20	0.82	0.21	29.6	12.9	31.6
G17-18		0.60	0.09	1.40	15.0	<0.01	7	213	0.38	0.41	0.50	0.10	21.6	9.2	28.5
G17-19		0.37	0.11	1.18	11.0	<0.01	10	239	0.48	0.14	0.86	0.19	25.5	8.7	28.9
G17-20		0.45	0.13	1.64	14.4	<0.01	9	238	0.40	0.35	0.63	0.10	27.0	9.4	33.1
G17-21		0.39	0.12	1.17	8.5	<0.01	8	203	0.45	0.20	0.61	0.18	23.5	8.7	30.0
G17-22		0.43	0.14	1.66	16.1	<0.01	10	222	0.40	0.36	0.57	0.10	22.4	9.5	33.5
G17-23		0.23	0.26	2.25	11.5	<0.01	15	286	0.62	0.37	0.82	0.32	28.0	11.9	55.5
G17-24		0.36	0.18	1.41	11.7	<0.01	8	207	0.31	0.29	0.79	0.10	20.6	8.2	27.2
G17-25		0.45	0.07	0.99	6.8	<0.01	<5	167	0.34	0.13	0.59	0.10	21.1	6.1	23.5
G17-26		0.46	0.09	1.50	14.3	<0.01	6	160	0.27	0.23	0.54	0.07	18.6	8.3	26.4
G17-27		0.51	0.11	1.10	8.0	<0.01	10	218	0.44	0.14	0.56	0.16	29.7	9.3	32.7
G17-28		0.45	0.14	1.69	12.1	<0.01	<5	235	0.36	0.26	0.70	0.13	27.6	10.5	32.4
G17-29		0.41	0.10	1.04	6.3	<0.01	<5	204	0.35	0.12	1.58	0.27	26.9	8.5	30.6
G17-31		0.39	0.12	1.42	6.3	<0.01	11	224	0.51	0.14	2.13	0.25	26.4	8.2	28.3
G17-33		0.38	0.14	1.42	9.6	<0.01	6	347	0.58	0.16	0.88	0.12	28.4	8.3	28.5
G17-35		0.41	0.13	1.55	11.0	<0.01	7	322	0.65	0.16	0.91	0.27	32.9	10.5	34.4
G17-37		0.44	0.15	1.36	22.0	<0.01	7	329	0.47	0.17	2.35	0.25	26.2	10.3	31.1
G17-39		0.45	0.14	1.62	10.9	<0.01	11	352	0.68	0.16	0.88	0.29	31.3	11.8	34.2
G17-41		0.43	0.16	1.50	11.3	<0.01	11	346	0.65	0.17	1.03	0.20	32.4	10.4	34.8
G17-43		0.40	0.17	1.47	10.9	<0.01	10	360	0.64	0.18	0.98	0.16	33.5	9.8	32.9
G17-45		0.46	0.12	1.49	10.7	<0.01	11	327	0.62	0.16	1.63	0.21	30.7	11.4	38.9
G17-47		0.47	0.12	1.60	10.5	<0.01	8	395	0.57	0.16	2.91	0.26	28.8	11.6	38.6
G17-49		0.43	0.18	1.49	10.8	<0.01	9	351	0.59	0.18	1.17	0.19	32.8	10.4	32.7
G17-51		0.46	0.14	1.15	10.7	<0.01	9	314	0.50	0.17	1.89	0.26	23.6	11.2	29.9
G17-53		0.45	0.20	1.26	9.2	<0.01	<5	318	0.39	0.12	3.00	0.13	20.3	17.0	38.4
G17-55		0.48	0.14	1.58	10.3	<0.01	9	244	0.58	0.14	1.01	0.09	26.8	13.5	50.9
G17-57		0.49	0.25	1.79	15.4	<0.01	28	208	0.61	0.15	4.53	0.45	14.0	27.8	41.9
G17-59		0.48	0.27	0.78	12.7	<0.01	18	193	0.38	0.11	12.8	2.25	8.53	20.2	30.4
G19-2		0.50	0.13	1.96	3.9	<0.01	25	453	0.30	0.28	1.08	0.22	9.80	23.3	4.1
G19-4		0.48	0.20	2.29	20.3	<0.01	19	312	0.59	0.26	0.64	0.49	16.7	12.4	30.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G19-5		0.47	0.17	1.42	13.7	<0.01	8	215	0.38	0.17	0.89	0.12	20.9	10.0	28.8
G19-6		0.50	0.14	2.10	8.5	<0.01	32	597	0.39	0.45	0.79	0.22	7.55	24.7	9.1
G19-7		0.57	0.36	2.16	7.9	<0.01	<5	256	0.39	0.10	1.08	0.18	13.2	19.7	22.6
G19-8		0.40	0.34	1.52	12.4	<0.01	<5	311	0.47	1.02	0.69	0.10	28.9	12.0	29.0
G19-10		0.47	0.44	1.47	84.4	0.02	<5	231	0.40	1.87	0.65	0.15	24.7	11.6	32.1
G19-11		0.42	0.12	1.21	16.7	<0.01	<5	188	0.27	0.24	0.69	0.13	19.5	9.8	23.1
G19-12		0.53	0.16	1.62	15.5	<0.01	<5	217	0.35	1.25	0.67	0.16	21.4	12.2	33.1
G19-13		0.37	0.11	1.04	18.4	<0.01	<5	209	0.28	0.22	0.58	0.12	20.9	9.4	21.9
G19-14		0.38	0.15	1.65	16.1	<0.01	<5	236	0.23	0.46	0.67	0.07	32.4	4.7	29.7
G19-15		0.39	0.09	1.18	14.3	<0.01	<5	204	0.21	0.13	0.60	0.07	32.2	4.8	22.7
G19-16		0.49	0.08	1.22	10.7	<0.01	<5	165	0.17	0.33	0.50	0.04	37.0	4.2	24.1
G19-17		0.45	0.07	1.06	9.8	<0.01	<5	154	0.19	0.11	0.56	0.09	33.4	3.9	19.0
G19-18		0.47	0.09	1.31	11.2	<0.01	<5	188	0.21	0.34	0.54	0.06	35.9	4.8	27.5
G19-19		0.42	0.09	1.34	15.0	<0.01	<5	233	0.23	0.16	0.63	0.10	35.3	3.9	25.6
G19-20		0.39	0.11	1.42	11.0	<0.01	<5	178	0.15	0.28	0.54	0.05	26.8	5.4	25.1
G19-21		0.42	0.24	1.41	16.1	<0.01	<5	246	0.40	0.23	0.58	0.27	48.0	6.3	30.2
G19-22		0.48	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G19-23		0.37	0.12	1.22	14.7	<0.01	<5	236	0.34	0.18	0.61	0.21	41.5	5.4	25.2
G19-24		0.37	0.15	1.43	12.4	<0.01	<5	208	0.21	0.59	0.55	0.08	34.0	5.1	25.7
G19-25		0.40	0.07	1.05	5.2	<0.01	<5	189	0.21	0.07	0.60	0.08	39.5	4.2	22.8
G19-26		0.48	0.12	1.44	15.7	<0.01	<5	203	0.22	0.50	0.54	0.11	35.1	6.2	29.9
G19-27		0.43	0.07	0.96	6.5	<0.01	<5	152	0.21	0.09	0.65	0.13	38.7	4.8	29.5
G19-28		0.45	0.13	1.62	12.9	<0.01	<5	222	0.21	0.23	0.62	0.09	34.5	5.5	31.4
G19-29		0.40	0.10	1.23	4.9	<0.01	<5	207	0.28	0.09	0.69	0.20	36.8	5.7	32.3
G19-30		0.43	0.18	1.64	14.2	<0.01	<5	203	0.19	0.34	0.64	0.08	30.8	6.1	31.4
G19-31		0.43	0.11	1.33	6.0	<0.01	<5	214	0.29	0.10	0.72	0.21	41.3	5.3	36.3
G19-33		0.48	0.12	1.38	12.3	<0.01	<5	266	0.31	0.12	0.83	0.21	44.1	6.1	31.8
G19-35		0.45	0.11	1.18	6.9	<0.01	<5	330	0.23	0.09	1.17	0.23	28.2	4.4	25.1
G19-37		0.45	0.13	1.31	8.3	<0.01	<5	327	0.31	0.11	1.10	0.20	43.0	5.3	27.9
G19-39		0.42	0.12	1.43	9.0	<0.01	<5	327	0.34	0.11	2.37	0.24	46.9	6.4	32.0
G19-41		0.51	0.09	1.55	8.8	<0.01	<5	320	0.36	0.11	1.51	0.23	48.3	7.1	36.6

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G19-43		0.47	0.10	1.38	8.7	<0.01	<5	319	0.34	0.10	1.44	0.22	46.7	6.9	35.5
G19-45		0.49	0.13	1.60	9.6	<0.01	<5	327	0.40	0.12	1.52	0.19	49.6	7.2	40.1
G19-47		0.47	0.13	1.35	8.4	<0.01	<5	301	0.37	0.12	0.76	0.11	48.3	5.6	33.4
G19-49		0.42	0.11	1.71	7.9	<0.01	<5	369	0.37	0.10	2.11	0.27	44.0	7.8	57.3
G19-51		0.42	0.08	1.33	6.0	<0.01	<5	232	0.25	0.07	1.53	0.18	30.3	7.2	49.6
G19-53		0.43	0.10	1.31	6.4	<0.01	<5	222	0.28	0.08	1.52	0.12	34.6	6.8	40.3
G19-55		0.48	0.13	1.42	6.5	<0.01	<5	193	0.26	0.07	3.08	0.20	33.5	17.2	63.6
G19-57		0.47	0.18	1.56	6.6	<0.01	<5	316	0.32	0.10	1.16	0.14	38.9	6.0	35.4
G19-59		0.45	0.19	1.55	8.5	<0.01	<5	409	0.31	0.09	1.74	0.12	36.1	8.5	53.3
G21-0		0.43	0.12	1.49	13.8	<0.01	<5	241	0.31	0.09	0.61	0.09	33.3	6.4	40.9
G21-1		0.46	0.10	1.18	16.7	<0.01	<5	186	0.24	0.08	0.78	0.22	29.8	6.8	35.2
G21-2		0.41	0.21	2.26	8.3	<0.01	<5	239	0.18	0.43	0.71	0.34	9.13	24.9	31.2
G21-3		0.45	0.11	1.84	19.6	<0.01	<5	253	0.39	0.13	0.48	0.21	36.4	12.9	45.3
G21-4		0.68	0.22	2.07	5.9	<0.01	<5	443	0.23	0.45	0.70	0.18	9.33	16.6	10.9
G21-5		0.50	0.17	1.19	13.9	<0.01	<5	191	0.25	0.11	0.68	0.21	26.5	11.1	45.6
G21-6		0.51	0.58	1.33	123	0.01	<5	272	0.50	10.6	0.42	0.27	32.4	7.2	20.4
G21-7		0.45	0.14	1.32	12.6	<0.01	<5	243	0.31	0.19	0.58	0.19	35.2	5.8	35.7
G21-8		0.54	0.14	1.21	34.7	<0.01	7	202	0.44	0.27	0.53	0.11	22.6	9.6	27.6
G21-9		0.42	0.19	1.21	18.2	<0.01	8	233	0.51	0.14	0.79	0.19	20.2	10.4	38.0
G21-10		0.56	0.09	1.00	19.3	<0.01	7	182	0.32	0.19	0.43	0.08	20.1	9.7	25.9
G21-11		0.47	0.18	1.03	18.7	<0.01	8	274	0.46	0.13	0.99	0.23	22.1	8.3	26.3
G21-12		0.45	0.12	1.13	16.8	<0.01	5	197	0.33	0.20	0.40	0.11	17.8	7.8	23.2
G21-13		0.35	0.15	1.18	31.1	<0.01	9	269	0.48	0.14	0.82	0.18	18.9	10.2	27.4
G21-14		0.45	0.14	1.27	25.2	<0.01	9	224	0.46	0.24	0.45	0.09	19.8	11.1	29.4
G21-15		0.42	0.11	1.13	15.2	<0.01	7	227	0.52	0.15	0.52	0.14	23.1	7.9	26.0
G21-16		0.46	0.09	0.98	12.9	<0.01	6	153	0.30	0.16	0.53	0.11	16.5	6.3	20.7
G21-17		0.42	0.11	1.31	18.5	<0.01	7	194	0.37	0.29	0.49	0.10	20.5	8.5	28.0
G21-18		0.60	0.17	1.12	20.8	<0.01	<5	265	0.43	0.28	0.55	0.24	23.5	11.1	23.8
G21-19		0.41	0.18	0.97	25.4	<0.01	7	279	0.56	0.28	0.47	0.28	22.0	11.9	22.5
G21-20		0.67	0.07	0.90	18.2	<0.01	8	119	0.25	0.31	0.38	0.09	14.5	7.9	24.7
G21-21		0.37	0.15	1.01	12.3	<0.01	8	232	0.40	0.22	0.45	0.27	16.0	9.6	22.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G21-22		0.56	0.16	1.40	17.5	<0.01	7	209	0.39	0.38	0.56	0.14	19.8	9.7	32.1
G21-23		0.36	0.13	1.24	6.9	<0.01	7	281	0.59	0.16	0.64	0.17	20.3	10.8	30.8
G21-24		0.52	0.19	1.34	18.2	<0.01	8	220	0.38	0.45	0.55	0.11	18.6	10.3	27.2
G21-25		0.37	0.11	1.15	6.4	<0.01	9	247	0.55	0.14	0.83	0.23	21.5	10.5	40.6
G21-26		0.44	0.28	1.34	19.8	<0.01	7	208	0.40	0.37	0.63	0.15	18.7	9.8	26.1
G21-27		0.43	0.08	0.98	5.1	<0.01	6	208	0.41	0.12	0.67	0.13	18.7	8.9	39.0
G21-28		0.41	0.28	1.36	102	0.02	8	180	0.30	0.82	0.63	0.19	12.9	13.0	31.1
G21-30		0.43	0.23	1.50	28.3	<0.01	8	220	0.39	0.35	0.58	0.15	16.8	11.4	28.5
G21-31		0.38	0.14	1.18	10.6	<0.01	8	255	0.54	0.15	1.09	0.29	21.6	12.1	42.9
G21-32		0.48	0.13	1.33	18.4	<0.01	8	208	0.40	0.14	0.54	0.14	18.4	9.3	27.7
G21-33		0.38	0.11	1.12	7.8	<0.01	8	237	0.49	0.13	0.86	0.19	21.2	10.8	38.1
G21-35		0.48	0.12	1.26	11.4	<0.01	7	369	0.58	0.16	2.09	0.45	23.5	10.6	31.5
G21-36		0.45	0.11	1.29	19.7	<0.01	8	148	0.28	0.10	0.62	0.17	14.3	10.2	29.4
G21-37		0.59	0.10	1.34	9.8	<0.01	7	332	0.58	0.13	2.09	0.23	22.3	11.0	31.3
G21-38		0.48	0.25	1.54	19.7	<0.01	9	218	0.45	0.12	0.72	0.26	19.0	11.7	35.7
G21-39		0.48	0.12	1.45	8.3	<0.01	9	302	0.66	0.15	1.09	0.26	23.7	11.3	33.6
G21-40		0.42	0.32	1.80	38.0	0.01	13	223	0.43	0.12	1.13	0.24	12.8	16.8	29.2
G21-41		0.46	0.21	1.12	10.9	<0.01	8	301	0.58	0.15	2.05	0.40	22.9	10.1	26.4
G21-42		0.46	0.28	1.65	28.3	<0.01	10	202	0.45	0.17	0.98	0.22	13.8	14.9	30.6
G21-43		0.40	0.16	1.21	10.6	<0.01	7	317	0.66	0.16	1.22	0.23	24.7	10.0	28.1
G21-45		0.41	0.18	1.01	9.3	<0.01	9	322	0.56	0.15	2.00	0.41	20.8	8.9	27.1
G21-46		0.46	0.17	1.77	55.2	<0.01	12	194	0.33	0.10	0.55	0.12	10.9	15.3	33.7
G21-47		0.47	0.13	1.02	11.3	<0.01	7	281	0.57	0.14	1.03	0.21	23.7	8.8	26.6
G21-49		0.43	0.21	1.27	11.3	<0.01	8	331	0.72	0.16	1.14	0.33	25.2	11.1	38.6
G21-51		0.40	0.30	1.18	81.9	0.01	7	292	0.63	0.30	0.95	0.19	23.8	11.8	38.1
G21-52		0.40	0.27	1.28	25.8	<0.01	8	231	0.53	0.13	1.21	0.18	18.0	11.0	32.0
G21-53		0.39	0.52	1.48	38.8	<0.01	9	149	0.34	0.14	0.29	0.17	11.6	9.7	28.6
G21-54		0.46	0.63	1.75	45.7	<0.01	10	165	0.37	0.16	0.31	0.19	12.9	11.0	35.5
G21-55		0.45	0.14	1.48	13.4	<0.01	<5	218	0.35	0.09	1.63	0.25	41.1	13.8	51.3
G21-56		0.44	0.24	1.77	14.9	<0.01	<5	138	0.17	0.08	0.37	0.15	24.9	6.7	30.2
G21-57		0.47	0.10	1.15	7.9	<0.01	<5	222	0.32	0.09	1.05	0.12	47.9	6.6	31.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G21-58	0.36	0.32	1.60	16.7	<0.01	<5	176	0.21	0.11	0.32	0.39	25.8	6.0	35.3
G21-59	0.50	0.09	1.26	7.2	<0.01	<5	235	0.32	0.08	1.17	0.15	36.8	6.5	41.5
G21-60	0.60	0.07	1.78	7.7	<0.01	<5	188	0.26	0.07	0.52	0.05	37.9	7.4	35.9
G23-0	0.50	0.07	1.82	21.7	<0.01	<5	289	0.43	0.12	0.51	0.15	38.9	7.5	46.5
G23-1	0.47	0.07	1.74	18.0	<0.01	<5	274	0.38	0.11	0.43	0.16	43.4	7.0	46.2
G23-2	0.48	0.08	1.85	16.5	<0.01	<5	260	0.38	0.11	0.47	0.12	37.6	6.0	46.0
G23-3	0.47	0.08	1.36	14.5	<0.01	<5	193	0.32	0.09	0.50	0.16	35.3	6.0	42.6
G23-4	0.44	0.29	1.28	11.4	<0.01	<5	147	0.26	0.09	0.62	0.22	41.4	5.2	36.3
G23-5	0.45	0.09	1.37	13.9	<0.01	<5	240	0.28	0.09	0.53	0.15	30.2	5.8	38.8
G23-6	0.52	0.16	1.22	10.9	<0.01	<5	160	0.19	0.09	0.61	0.15	32.8	4.1	29.5
G23-7	0.45	0.13	1.23	7.0	<0.01	<5	316	0.26	0.09	0.93	0.24	37.0	4.0	30.3
G23-8	0.49	0.09	1.17	13.6	<0.01	<5	203	0.19	0.09	0.55	0.09	33.4	3.7	25.7
G23-10	0.48	0.15	1.26	19.4	0.26	<5	196	0.21	0.12	0.56	0.08	37.8	4.8	24.0
G23-12	0.52	0.08	1.13	25.4	<0.01	<5	177	0.18	0.14	0.53	0.05	35.3	4.2	22.2
G23-13	0.45	0.09	1.34	5.1	<0.01	<5	249	0.24	0.08	0.87	0.12	34.8	3.2	35.1
G23-14	0.52	0.09	1.21	18.5	0.04	<5	196	0.15	0.14	0.57	0.05	30.8	3.5	24.1
G23-17	0.53	0.08	1.22	16.2	<0.01	<5	233	0.17	0.13	0.52	0.10	30.1	4.1	25.6
G23-18	0.63	0.09	1.42	11.5	<0.01	<5	249	0.22	0.13	0.62	0.08	32.1	4.4	29.1
G23-19	0.46	0.11	1.33	14.6	<0.01	<5	217	0.16	0.09	0.55	0.07	28.6	4.0	25.4
G23-22	0.56	0.12	1.56	19.6	<0.01	<5	257	0.25	0.11	0.60	0.07	35.1	4.5	32.7
G23-26	0.51	0.06	1.17	5.1	<0.01	<5	221	0.20	0.06	0.72	0.10	31.5	4.2	37.9
G23-27	0.46	0.15	1.62	18.9	<0.01	<5	235	0.21	0.12	0.58	0.06	31.2	4.6	30.7
G23-28	0.54	0.06	1.15	4.8	<0.01	<5	215	0.23	0.06	0.76	0.11	33.7	4.2	38.7
G23-29	0.48	0.10	1.45	25.5	<0.01	<5	214	0.20	0.30	0.57	0.10	28.1	5.1	31.8
G23-30	0.51	0.06	1.04	4.3	<0.01	<5	207	0.21	0.06	0.71	0.08	34.0	4.0	38.7
G23-31	0.45	0.12	1.36	17.8	<0.01	<5	190	0.15	0.07	0.65	0.18	24.4	4.6	31.5
G23-32	0.41	0.13	1.52	18.2	<0.01	<5	236	0.17	0.07	0.70	0.10	24.9	5.2	35.4
G23-34	0.55	0.07	1.20	5.4	<0.01	<5	208	0.23	0.07	0.90	0.10	33.3	5.3	40.2
G23-35	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G23-36	0.51	0.16	1.51	19.0	<0.01	<5	202	0.20	0.06	0.71	0.10	27.8	5.2	32.8
G23-37	0.44	0.05	0.97	2.6	<0.01	<5	135	0.15	0.04	0.73	0.06	33.5	3.1	37.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G23-38	0.32	0.32	1.35	23.1	<0.01	<5	191	0.21	0.06	0.97	0.11	25.7	5.4	34.3
G23-42	0.44	0.24	1.66	21.6	<0.01	<5	233	0.23	0.07	0.90	0.13	28.8	6.3	40.3
G23-43	0.49	0.08	1.29	5.8	<0.01	<5	259	0.28	0.07	0.92	0.14	36.6	4.9	36.2
G23-45	0.40	0.13	1.17	9.7	<0.01	<5	305	0.30	0.08	1.77	0.21	33.9	5.9	39.9
G23-46	0.37	0.19	1.64	33.6	0.01	<5	132	0.13	0.05	0.53	0.24	8.88	8.0	21.2
G23-47	0.47	0.08	1.04	7.5	<0.01	<5	225	0.25	0.07	0.85	0.21	36.1	4.8	36.0
G23-48	0.48	0.13	1.33	18.8	<0.01	<5	146	0.14	0.04	0.81	0.08	9.28	6.7	29.4
G23-49	0.53	0.26	1.12	88.1	0.02	7	287	0.58	0.28	1.49	0.14	19.4	11.9	30.3
G23-51	0.51	0.13	1.11	14.2	<0.01	12	248	0.61	0.09	0.86	0.13	17.3	23.1	49.6
G23-52	0.45	0.37	1.80	55.7	0.01	9	222	0.49	0.09	0.39	0.09	16.4	13.8	37.5
G23-53	0.49	0.16	1.09	10.9	<0.01	8	275	0.69	0.12	0.78	0.16	20.9	10.1	31.6
G23-54	0.54	0.13	1.50	9.1	<0.01	8	209	0.62	0.11	0.30	0.05	21.5	9.6	31.2
G23-55	0.42	0.17	1.10	10.0	<0.01	9	351	0.64	0.12	1.58	0.25	18.2	11.2	34.6
G23-56	0.43	0.14	1.32	11.2	<0.01	7	145	0.43	0.12	0.16	0.08	11.9	8.1	26.9
G23-57	0.53	0.13	1.02	10.0	<0.01	6	251	0.61	0.11	0.69	0.17	19.3	9.5	29.0
G23-58	0.59	0.30	1.55	13.0	<0.01	12	165	0.42	0.08	0.25	0.08	12.9	11.1	22.6
G23-59	0.50	0.12	1.03	9.0	<0.01	6	253	0.60	0.11	0.71	0.09	18.6	8.9	28.0
G23-60	0.41	0.14	1.00	13.2	<0.01	8	77	0.22	0.12	0.11	0.23	7.83	7.1	19.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G1113-8	0.73	30.8	2.14	7.37	0.13	<0.02	0.05	0.009	0.06	13.1	5.3	0.49	340	1.55
G1113-10	0.49	13.9	2.02	5.66	0.14	<0.02	0.02	0.007	0.04	7.2	4.5	0.50	265	0.51
G1113-12	0.53	17.1	2.07	6.00	0.14	<0.02	0.02	0.007	0.05	7.7	4.5	0.51	286	0.82
G1113-16	0.55	20.8	2.24	6.28	0.14	0.02	0.02	0.007	0.05	8.3	4.7	0.55	312	0.77
G1113-18	0.89	25.1	2.33	8.57	0.12	0.03	0.03	0.011	0.05	17.6	7.5	0.55	312	1.21
G1113-20	0.84	27.4	2.48	8.01	0.12	0.03	0.02	0.010	0.04	14.4	7.0	0.58	333	0.90
G1113-24	1.01	23.8	2.46	8.70	0.13	0.02	0.03	0.010	0.05	16.0	7.6	0.64	367	0.72
G13-0	1.15	44.9	2.48	8.03	0.15	0.09	0.02	0.010	0.12	15.2	6.3	0.54	333	1.28
G13-1	1.09	37.8	2.90	9.31	0.15	0.06	0.03	0.012	0.11	16.9	6.5	0.58	530	1.57
G13-2	1.34	55.9	2.84	9.27	0.15	0.10	0.03	0.012	0.13	16.9	7.4	0.64	370	1.87
G13-3	1.28	54.4	2.96	9.26	0.14	0.04	0.02	0.012	0.15	18.4	7.0	0.64	407	0.89
G13-4	1.13	51.5	2.88	8.98	0.12	0.05	0.03	0.012	0.13	16.8	7.4	0.61	428	2.90
G13-5	1.13	53.8	2.94	8.31	0.14	0.17	0.02	0.012	0.16	15.7	6.5	0.61	581	0.94
G13-6	1.41	54.5	2.44	7.90	0.14	0.03	0.03	0.012	0.13	16.8	6.7	0.51	383	3.49
G13-7	1.71	49.8	3.37	10.8	0.14	0.16	0.03	0.015	0.23	21.1	8.8	1.09	790	1.47
G13-8	1.05	41.4	2.49	6.63	0.15	0.03	0.02	0.011	0.10	17.3	7.4	0.55	343	2.34
G13-9	1.23	52.4	2.97	11.8	0.14	0.05	0.04	0.015	0.14	22.0	8.0	0.72	570	1.24
G13-11	1.13	38.7	2.55	8.77	0.14	0.07	0.03	0.013	0.11	19.8	6.8	0.64	495	1.16
G13-13	0.66	30.7	2.45	8.10	0.14	0.05	0.04	0.011	0.08	16.1	5.1	0.56	440	1.42
G13-15	0.91	28.5	2.12	7.82	0.14	0.07	0.07	0.011	0.08	18.1	5.8	0.51	326	1.47
G13-16	0.84	17.5	2.20	7.17	0.13	0.02	0.03	0.010	0.06	16.5	6.2	0.54	319	0.86
G13-17	0.71	23.5	2.41	7.82	0.16	0.05	0.03	0.010	0.09	17.5	5.0	0.54	485	1.01
G13-18	0.77	18.8	2.22	7.31	0.14	0.02	0.03	0.009	0.06	16.2	5.9	0.55	282	0.70
G13-19	0.88	28.6	2.42	8.01	0.15	0.05	0.04	0.011	0.09	18.3	6.8	0.59	290	1.15
G13-20	0.77	26.4	2.28	8.43	0.13	<0.02	0.03	0.009	0.05	16.9	6.2	0.54	250	0.89
G13-22	0.73	25.7	2.31	7.44	0.10	0.02	0.02	0.009	0.05	8.8	6.5	0.58	304	0.81
G13-24	0.85	23.2	2.25	7.45	0.13	<0.02	0.02	0.009	0.05	9.2	6.2	0.55	423	0.83
G13-26	0.68	14.8	1.96	6.04	0.13	0.03	0.01	0.008	0.05	15.7	5.0	0.49	337	0.61
G13-31	0.50	17.9	1.96	7.23	0.13	0.11	0.02	0.010	0.05	19.8	5.3	0.44	225	1.13
G13-33	0.49	28.4	2.32	8.48	0.14	0.09	0.03	0.010	0.08	18.5	5.6	0.54	590	1.02
G13-35	0.61	16.6	2.21	7.00	0.14	0.07	0.03	0.011	0.09	18.1	6.5	0.58	291	1.30
G13-37	0.45	11.7	1.79	6.16	0.13	0.07	0.03	0.009	0.06	14.7	4.9	0.50	258	0.97

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G13-39	0.32	10.9	2.04	6.23	0.14	0.07	0.02	0.008	0.06	16.2	3.9	0.48	306	0.78
G13-41	0.37	34.4	2.67	9.35	0.15	0.23	0.02	0.010	0.09	15.1	5.5	0.64	543	0.71
G13-43	0.77	25.9	2.14	6.55	0.13	0.04	0.02	0.008	0.05	15.0	5.2	0.53	280	0.47
G13-45	0.58	36.5	2.77	8.69	0.13	0.16	0.03	0.011	0.10	16.9	6.0	0.73	551	1.13
G13-47	0.63	49.4	2.46	10.0	0.13	0.04	0.05	0.013	0.07	21.8	6.7	0.61	359	1.50
G13-49	0.56	22.0	2.59	7.56	0.13	0.03	0.02	0.009	0.07	17.0	5.1	0.69	403	0.81
G13-51	0.60	31.5	2.33	7.93	0.12	0.06	0.02	0.009	0.07	9.9	5.7	0.87	422	1.03
G13-53	0.82	27.1	3.58	4.92	0.12	<0.02	0.06	0.010	0.04	6.5	2.9	1.73	792	1.29
G13-55	0.89	50.5	2.75	5.23	0.12	0.07	0.06	0.023	0.08	11.2	11.9	1.16	525	2.20
G13-57	0.54	94.3	4.19	7.78	0.15	0.04	0.04	0.041	0.08	11.3	18.4	1.25	766	5.66
G13-59	0.58	85.7	3.53	4.06	0.10	<0.02	0.06	0.042	0.07	8.4	8.3	0.79	703	8.66
G1315-0	1.07	58.7	2.78	5.43	0.17	0.05	0.05	0.023	0.12	11.8	13.8	0.60	683	1.69
G1315-1	3.38	120	3.97	6.93	0.18	0.10	0.03	0.028	0.33	8.7	14.0	0.67	628	1.16
G1315-2	0.96	61.5	2.73	5.22	0.17	0.11	0.03	0.023	0.14	10.8	14.6	0.65	411	1.17
G1315-3	2.21	207	5.62	8.22	0.21	0.04	0.01	0.022	0.67	3.7	14.8	1.11	1050	1.02
G1315-4	1.26	94.3	2.96	6.31	0.17	0.07	0.04	0.025	0.13	11.0	14.8	0.65	741	5.78
G1315-5	1.21	69.7	3.15	5.89	0.18	0.08	0.04	0.025	0.15	11.2	12.1	0.71	543	1.06
G1315-6	1.23	94.1	2.56	6.02	0.20	0.04	0.04	0.026	0.14	16.0	21.0	0.52	426	2.74
G1315-7	0.78	44.6	2.44	5.45	0.16	0.04	0.06	0.023	0.08	14.0	13.8	0.59	575	1.16
G1315-8	3.33	93.3	3.78	7.83	0.17	0.09	0.02	0.037	0.35	9.5	13.8	0.59	671	5.30
G1315-9	0.64	48.9	2.56	4.66	0.18	0.09	0.04	0.022	0.10	10.4	11.2	0.67	442	0.93
G1315-10	1.67	70.3	3.17	6.65	0.17	0.09	0.02	0.026	0.24	9.7	12.4	0.68	534	2.96
G1315-11	0.77	41.3	2.47	5.13	0.17	0.07	0.04	0.023	0.08	12.3	11.7	0.58	415	1.01
G1315-12	0.50	20.8	1.98	4.20	0.17	0.03	0.03	0.016	0.04	9.6	10.3	0.44	324	1.25
G1315-13	0.83	37.2	2.22	5.45	0.16	0.05	0.04	0.023	0.08	12.4	12.4	0.57	453	0.82
G1315-14	0.90	21.7	2.19	5.79	0.16	0.03	0.03	0.021	0.05	12.6	13.4	0.52	289	0.68
G1315-15	0.74	42.4	2.77	5.42	0.17	0.06	0.06	0.024	0.08	12.1	11.2	0.64	371	3.80
G1315-16	0.51	24.6	2.25	4.67	0.18	0.03	0.04	0.017	0.04	10.5	11.1	0.55	283	0.62
G1315-17	0.71	36.2	2.13	5.20	0.14	0.06	0.05	0.023	0.06	12.2	12.0	0.53	358	0.87
G1315-18	0.83	29.6	2.33	5.62	0.15	0.03	0.03	0.020	0.05	12.5	13.4	0.56	414	0.75
G1315-22	0.62	20.3	2.12	5.14	0.13	0.03	0.03	0.018	0.04	9.5	13.4	0.54	317	0.68
G1315-24	1.06	64.2	2.69	6.85	0.16	0.03	0.05	0.026	0.05	15.2	18.5	0.60	396	1.11

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Sep 11, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G1315-26	1.19	21.4	2.26	6.73	0.13	0.04	0.04	0.021	0.05	11.7	16.8	0.58	316	0.71	
G1315-28	0.86	18.3	2.30	5.82	0.15	0.08	0.01	0.017	0.05	11.2	13.6	0.60	336	0.62	
G15-0	3.62	176	5.02	7.78	0.20	0.07	0.02	0.021	0.60	4.9	14.5	1.02	1030	1.47	
G15-1	4.15	244	5.57	11.0	0.21	0.07	0.01	0.030	0.73	4.6	15.9	1.19	943	0.63	
G15-2	1.34	71.5	2.76	5.32	0.17	0.09	0.03	0.023	0.20	12.3	13.1	0.56	400	1.02	
G15-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	
G15-4	2.02	75.4	3.37	5.44	0.18	0.07	0.02	0.019	0.49	6.0	9.7	0.67	672	1.37	
G15-5	4.15	95.1	3.99	7.96	0.20	0.08	0.03	0.033	0.21	12.8	15.2	0.90	794	0.90	
G15-6	2.22	89.6	3.48	7.11	0.18	0.09	0.02	0.026	0.36	7.7	14.0	0.72	566	6.22	
G15-7	1.13	95.7	4.21	5.44	0.18	0.05	0.02	0.036	0.16	9.2	9.8	0.59	660	1.34	
G15-8	6.84	272	6.69	12.8	0.37	0.10	0.01	0.048	1.14	3.7	11.3	1.03	1130	3.31	
G15-9	1.66	78.4	3.36	6.56	0.18	0.12	0.03	0.030	0.23	12.5	11.5	0.89	797	1.12	
G15-10	4.28	276	6.99	13.4	0.25	0.08	0.02	0.054	0.87	4.9	11.0	1.14	1210	7.82	
G15-11	0.74	55.9	2.65	5.39	0.16	0.06	0.06	0.025	0.12	11.6	11.9	0.59	417	3.40	
G15-12	0.89	25.7	2.31	6.07	0.16	0.07	0.03	0.022	0.06	11.8	13.1	0.53	297	1.73	
G15-13	0.88	44.3	2.54	5.51	0.17	0.13	0.03	0.024	0.11	13.7	12.6	0.61	376	0.79	
G15-14	0.72	21.4	2.08	5.35	0.15	0.03	0.03	0.018	0.05	10.8	13.8	0.53	253	0.63	
G15-15	0.47	29.1	2.14	6.95	0.14	0.06	0.03	0.010	0.08	17.5	5.3	0.49	261	1.05	
G15-16	0.67	35.5	2.62	6.72	0.13	0.06	0.02	0.009	0.05	8.9	5.6	0.60	332	1.32	
G15-17	0.59	29.3	2.01	7.09	0.16	0.04	0.03	0.011	0.06	18.3	5.3	0.51	167	0.55	
G15-18	0.66	25.0	1.93	6.80	0.15	0.02	0.02	0.008	0.05	15.5	5.4	0.51	240	0.47	
G15-19	0.53	32.4	1.94	6.84	0.16	0.04	0.03	0.010	0.05	9.3	5.2	0.55	229	0.40	
G15-20	0.51	22.0	2.47	5.31	0.14	0.05	<0.01	0.008	0.05	7.7	5.1	0.59	310	0.70	
G15-21	0.83	38.7	2.71	7.21	0.14	0.04	0.03	0.011	0.09	16.4	6.2	0.65	633	1.81	
G15-22	0.37	21.0	1.55	7.05	0.18	<0.02	0.02	0.009	0.03	7.7	5.7	0.43	241	0.59	
G15-26	0.82	24.0	2.11	7.67	0.14	0.02	0.11	0.010	0.05	16.6	6.4	0.57	276	0.50	
G15-27	0.67	23.2	1.91	7.25	0.16	0.04	0.05	0.009	0.07	18.8	6.0	0.53	424	0.87	
G15-28	0.95	25.0	2.20	7.94	0.14	0.03	0.03	0.010	0.06	18.0	7.2	0.62	302	0.62	
G15-29	0.75	22.5	2.55	6.06	0.15	0.06	0.02	0.008	0.07	17.4	5.5	0.55	322	1.28	
G15-31	0.55	40.2	2.38	8.71	0.16	0.08	0.02	0.011	0.10	20.1	6.9	0.75	248	1.35	
G15-33	0.44	33.7	2.37	9.02	0.15	0.09	0.04	0.011	0.09	20.6	7.2	0.73	550	1.11	
G15-35	0.23	23.1	1.82	7.74	0.18	0.08	0.02	0.009	0.06	17.4	5.2	0.56	376	0.83	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G15-37	0.42	33.4	1.88	5.54	<0.05	0.11	0.02	0.008	0.09	7.4	6.0	1.02	809	0.57
G15-39	0.51	33.0	2.20	7.89	0.14	0.11	0.02	0.011	0.10	10.8	6.8	0.79	541	0.85
G15-41	0.60	39.2	2.83	10.7	0.15	0.26	0.03	0.014	0.13	21.2	8.0	0.80	572	0.90
G15-43	1.11	49.6	2.92	11.0	0.16	0.15	0.04	0.016	0.19	25.4	8.4	1.09	671	1.26
G15-45	0.69	36.0	2.41	9.26	0.14	0.06	0.03	0.012	0.11	21.4	6.8	0.79	506	0.95
G15-47	0.96	42.6	2.41	9.62	0.13	0.08	0.03	0.014	0.10	21.5	7.5	0.85	430	1.03
G15-49	1.54	57.5	3.15	10.5	0.12	0.14	0.03	0.017	0.11	21.4	8.5	0.91	735	1.27
G15-51	4.28	115	4.57	7.08	0.09	<0.02	0.03	0.019	0.16	7.4	4.5	1.59	1000	0.81
G15-53	1.18	59.1	2.69	8.76	0.09	0.03	0.03	0.014	0.11	11.2	7.8	1.23	501	1.60
G15-55	0.57	86.8	3.08	7.83	0.17	0.04	0.04	0.012	0.07	7.6	5.9	1.57	725	1.29
G15-57	0.44	71.9	3.30	7.28	0.10	0.02	0.03	0.019	0.08	8.6	7.7	1.25	611	5.94
G15-59	1.97	139	4.32	10.6	0.12	0.02	0.05	0.028	0.16	25.6	8.9	0.99	1180	3.08
G17-0	3.34	155	5.45	10.4	0.18	0.05	0.01	0.008	1.01	5.1	9.0	1.64	1160	0.67
G17-1	2.65	114	5.07	11.8	0.18	0.05	0.02	0.013	0.94	6.1	10.1	1.14	1010	0.90
G17-2	0.87	43.3	2.68	8.44	0.15	0.08	0.03	0.011	0.10	20.7	7.1	0.60	466	1.13
G17-3	0.73	31.7	2.41	9.37	0.14	0.13	0.02	0.011	0.10	22.5	6.3	0.52	319	0.48
G17-4	4.86	168	4.54	10.4	0.17	0.09	0.02	0.014	0.44	7.2	9.1	1.38	662	2.61
G17-5	7.52	157	7.23	9.60	0.16	0.02	0.01	0.029	0.34	6.9	2.6	0.59	2180	0.76
G17-6	4.89	161	4.57	12.2	0.18	0.09	0.02	0.014	0.42	8.8	9.3	1.21	649	3.88
G17-7	1.44	187	5.54	10.7	0.18	<0.02	0.01	0.009	0.50	4.3	6.6	1.36	1490	0.60
G17-8	3.91	140	4.11	12.4	0.16	0.06	<0.01	0.010	0.98	4.1	10.5	1.35	734	1.75
G17-9	1.47	59.3	3.18	9.42	0.16	0.15	0.03	0.015	0.13	29.3	7.4	0.71	914	0.69
G17-10	5.47	260	4.80	12.5	0.18	0.07	<0.01	0.017	0.94	4.9	8.0	1.04	549	3.73
G17-11	0.99	152	4.23	6.53	0.15	0.04	0.01	0.009	0.17	5.6	5.8	1.09	680	0.86
G17-12	1.08	37.9	2.39	8.60	0.14	0.11	0.01	0.011	0.08	18.9	7.9	0.60	267	4.17
G17-13	1.24	96.8	3.60	8.37	0.15	0.03	0.03	0.014	0.12	18.7	6.7	0.80	543	0.93
G17-14	0.84	34.2	2.13	8.31	0.12	0.05	0.02	0.009	0.05	20.0	6.8	0.55	296	2.02
G17-15	0.66	75.5	2.81	5.13	0.19	0.10	0.05	0.024	0.09	14.8	10.2	0.52	383	3.86
G17-16	1.10	64.0	2.66	5.86	0.17	0.11	0.06	0.025	0.06	15.7	13.1	0.55	334	10.3
G17-17	0.72	45.4	2.81	6.01	0.16	0.05	0.04	0.027	0.07	14.9	12.9	0.54	497	1.15
G17-18	0.56	30.4	2.49	5.12	0.17	0.06	0.03	0.019	0.05	10.9	12.4	0.57	330	0.88
G17-19	0.81	26.6	1.94	5.25	0.14	0.06	0.05	0.022	0.05	12.9	12.0	0.42	615	0.62

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G17-20	1.02	30.7	2.40	6.55	0.16	0.07	0.03	0.023	0.06	14.1	15.8	0.59	388	0.75
G17-21	0.59	32.5	1.92	5.09	0.15	0.06	0.04	0.021	0.05	11.7	14.1	0.48	343	0.80
G17-22	0.96	34.4	2.47	6.86	0.15	0.06	0.03	0.023	0.05	11.3	17.2	0.63	342	0.73
G17-23	1.42	72.3	2.74	9.53	0.16	0.12	0.06	0.037	0.11	13.8	24.5	0.88	410	0.77
G17-24	0.93	28.2	1.90	6.21	0.12	0.03	0.03	0.020	0.05	10.5	14.8	0.53	352	0.64
G17-25	0.46	15.7	1.84	3.88	0.17	0.04	0.02	0.017	0.04	10.7	10.9	0.43	250	0.77
G17-26	0.73	23.8	2.41	5.81	0.16	0.09	0.03	0.018	0.04	9.5	15.2	0.60	291	0.57
G17-27	0.78	23.4	1.83	4.96	0.16	0.07	0.05	0.020	0.06	14.9	13.4	0.48	515	0.79
G17-28	1.16	43.1	2.45	5.94	0.15	0.04	0.03	0.025	0.06	14.2	14.7	0.65	354	0.66
G17-29	0.70	20.1	1.78	3.87	0.13	0.08	0.02	0.018	0.07	13.4	12.0	0.60	439	0.71
G17-31	0.45	24.2	2.01	5.33	0.16	0.17	0.03	0.024	0.10	13.4	15.5	0.66	310	0.40
G17-33	0.57	19.7	2.15	5.82	0.16	0.03	0.03	0.024	0.07	14.1	14.4	0.52	466	0.82
G17-35	0.46	30.7	2.54	5.69	0.19	0.13	0.03	0.025	0.08	16.6	14.5	0.58	536	0.83
G17-37	0.39	44.7	2.55	4.86	0.19	0.12	0.03	0.023	0.08	13.1	10.7	0.63	512	1.50
G17-39	0.64	40.4	2.39	6.60	0.18	0.17	0.03	0.029	0.10	15.7	15.0	0.60	529	0.99
G17-41	0.60	37.5	2.39	6.24	0.17	0.08	0.03	0.027	0.08	16.5	16.0	0.60	477	1.00
G17-43	0.61	32.3	2.36	6.09	0.16	0.05	0.04	0.027	0.08	16.9	16.1	0.61	544	0.85
G17-45	0.66	38.2	2.48	6.01	0.16	0.11	0.04	0.026	0.09	15.4	14.7	0.73	556	0.82
G17-47	0.81	46.2	2.70	6.13	0.16	0.13	0.04	0.027	0.10	14.4	14.7	0.81	527	0.92
G17-49	0.82	39.3	2.57	5.94	0.17	0.05	0.04	0.027	0.08	16.2	15.2	0.69	492	0.74
G17-51	0.53	33.2	2.43	4.88	0.16	0.09	0.03	0.022	0.06	11.8	14.1	0.76	542	0.83
G17-53	1.83	41.4	3.19	4.30	0.11	0.04	0.05	0.030	0.08	10.0	8.2	0.88	700	0.80
G17-55	0.79	43.7	2.89	5.90	0.18	0.09	0.04	0.027	0.08	14.3	12.6	0.91	563	0.84
G17-57	0.77	155	4.93	6.65	0.12	0.03	0.02	0.046	0.11	6.0	16.5	0.83	826	19.7
G17-59	0.46	115	4.97	2.60	0.10	<0.02	0.02	0.056	0.06	3.9	3.7	0.48	837	26.9
G19-2	12.2	265	4.98	9.89	0.28	0.09	<0.01	0.029	0.87	4.1	14.0	0.87	1040	1.19
G19-4	4.89	136	3.72	9.50	0.20	0.11	0.02	0.036	0.31	9.0	19.0	0.92	790	4.07
G19-5	0.51	56.4	2.63	4.75	0.20	0.04	0.02	0.022	0.11	10.9	12.6	0.62	337	0.49
G19-6	6.41	284	5.10	12.1	0.24	0.10	0.01	0.034	0.52	4.2	19.4	1.18	963	2.28
G19-7	2.35	157	4.71	7.72	0.16	0.04	0.02	0.035	0.51	7.0	13.2	1.20	940	0.57
G19-8	0.86	71.8	2.63	5.10	0.15	0.04	0.05	0.025	0.06	14.8	11.5	0.57	513	5.08
G19-10	2.45	101	2.68	5.90	0.15	0.10	0.03	0.033	0.13	13.3	11.3	0.55	458	12.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Unit: RDL:	ppm 0.05	ppm 0.1	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.1	ppm 0.1	% 0.01	ppm 1	ppm 0.05
G19-11		0.87	28.8	2.45	3.89	0.14	0.03	0.04	0.018	0.08	9.1	8.6	0.54	572	1.06
G19-12		1.80	100	3.10	5.69	0.15	0.09	0.03	0.026	0.08	11.2	11.9	0.62	354	13.4
G19-13		0.76	30.4	3.03	3.75	0.14	0.03	0.03	0.017	0.05	9.8	8.7	0.45	684	1.38
G19-14		0.58	67.4	2.44	7.49	0.15	0.04	0.04	0.009	0.06	17.0	6.3	0.56	313	7.86
G19-15		0.88	28.4	2.05	7.14	0.12	0.03	0.03	0.009	0.07	10.0	5.9	0.50	335	0.54
G19-16		0.83	19.8	1.85	7.04	0.13	0.08	0.02	0.008	0.05	19.4	6.0	0.47	244	1.46
G19-17		0.77	20.6	1.69	6.09	0.12	0.03	0.02	0.008	0.07	10.3	5.0	0.43	269	0.45
G19-18		0.66	21.5	2.16	7.55	0.15	0.05	0.02	0.010	0.05	19.2	6.5	0.53	272	1.12
G19-19		0.76	36.4	2.03	7.86	0.15	0.03	0.02	0.009	0.07	18.5	5.9	0.51	239	0.40
G19-20		0.89	24.8	2.01	7.25	0.12	0.03	<0.01	0.009	0.04	8.2	6.1	0.55	362	0.77
G19-21		0.98	47.5	2.10	10.1	0.14	0.04	0.04	0.013	0.07	25.0	9.2	0.55	316	1.26
G19-22		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G19-23		0.77	36.5	2.12	9.30	0.13	0.03	0.03	0.012	0.07	22.0	7.7	0.50	316	1.21
G19-24		1.00	31.3	2.05	8.84	0.13	0.04	0.03	0.010	0.05	10.4	7.4	0.52	313	1.17
G19-25		0.58	15.9	1.65	7.08	0.14	0.04	0.02	0.008	0.06	21.1	5.8	0.47	265	0.73
G19-26		0.68	32.7	2.35	9.35	0.18	0.03	0.02	0.011	0.04	10.9	8.3	0.59	335	1.29
G19-27		0.56	19.1	1.78	6.68	0.14	0.04	0.01	0.008	0.06	20.5	5.8	0.49	303	0.84
G19-28		0.88	41.5	2.31	8.48	0.15	0.03	0.02	0.010	0.06	18.9	7.6	0.64	317	0.57
G19-29		0.67	28.9	1.67	7.97	0.15	0.06	0.03	0.009	0.08	19.1	6.9	0.58	677	0.63
G19-30		1.31	36.2	2.30	9.02	0.14	<0.02	0.02	0.011	0.07	9.6	8.1	0.64	362	0.69
G19-31		0.70	30.0	1.96	8.06	0.15	0.07	0.02	0.011	0.10	21.8	7.9	0.66	234	0.58
G19-33		0.45	31.0	2.17	8.95	0.16	0.06	0.03	0.011	0.08	22.9	6.9	0.54	412	1.09
G19-35		0.20	30.1	1.89	8.17	0.16	0.07	0.03	0.008	0.06	8.7	4.8	0.51	457	0.60
G19-37		0.51	29.1	2.05	9.78	0.15	0.06	0.03	0.011	0.08	22.3	7.0	0.57	406	0.88
G19-39		0.63	36.0	2.19	10.1	0.14	0.10	0.03	0.012	0.10	24.1	7.9	0.66	484	0.92
G19-41		0.67	38.3	2.38	10.6	0.16	0.15	0.02	0.013	0.11	24.9	8.0	0.69	526	1.07
G19-43		0.60	34.8	2.15	10.7	0.15	0.12	0.03	0.013	0.09	24.1	7.8	0.63	481	1.01
G19-45		0.79	43.5	2.33	11.3	0.15	0.09	0.04	0.014	0.10	25.8	9.5	0.75	470	0.97
G19-47		0.63	29.3	2.12	9.98	0.15	0.04	0.02	0.012	0.08	25.3	8.0	0.64	408	0.92
G19-49		0.90	49.9	2.71	10.5	0.14	0.10	0.03	0.013	0.14	22.8	8.1	1.01	630	1.26
G19-51		0.47	45.0	2.52	7.31	0.15	0.07	0.03	0.009	0.12	9.0	5.6	0.93	577	0.83
G19-53		0.56	42.5	2.29	7.44	0.13	0.05	0.03	0.010	0.09	10.4	6.0	0.89	473	0.77

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Sep 11, 2012					SAMPLE TYPE: Soil				
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G19-55	1.00	49.9	2.69	6.89	0.13	0.03	0.02	0.012	0.10	10.1	6.6	1.38	786	1.65	
G19-57	0.71	41.4	2.41	9.86	0.15	0.05	0.02	0.013	0.11	20.9	9.0	0.65	491	0.85	
G19-59	0.76	60.3	3.12	11.6	0.15	0.03	0.03	0.016	0.11	11.6	6.7	0.58	732	1.34	
G21-0	0.94	54.5	2.70	8.50	0.17	0.09	0.03	0.012	0.09	10.7	6.8	0.66	493	1.17	
G21-1	1.01	54.4	2.54	6.65	0.15	0.06	0.03	0.010	0.08	9.0	5.3	0.61	530	1.93	
G21-2	9.60	195	4.23	9.63	0.18	<0.02	0.02	0.008	0.64	4.7	12.0	1.26	1050	1.66	
G21-3	1.50	69.3	3.25	9.93	0.13	0.10	<0.01	0.014	0.18	10.6	9.7	0.83	600	2.47	
G21-4	9.44	205	4.79	14.5	0.16	0.04	<0.01	0.015	0.87	4.8	12.0	0.97	861	1.92	
G21-5	1.12	58.2	2.54	7.11	0.14	0.09	0.02	0.009	0.10	7.9	5.8	0.67	513	1.71	
G21-6	2.74	94.3	3.05	9.89	0.16	0.29	0.02	0.018	0.20	9.8	5.6	0.52	665	8.02	
G21-7	0.61	44.7	2.28	9.06	0.17	0.06	0.03	0.012	0.09	10.8	7.7	0.62	363	1.15	
G21-8	0.61	48.9	2.70	4.84	0.12	0.08	0.03	0.020	0.04	11.3	12.3	0.51	422	1.40	
G21-9	0.58	50.0	2.54	5.04	0.12	0.12	0.03	0.023	0.06	10.5	12.8	0.57	506	1.14	
G21-10	0.47	19.7	2.25	4.32	0.13	0.06	0.02	0.017	0.03	10.2	10.7	0.47	434	0.67	
G21-11	0.50	37.1	2.22	4.41	0.12	0.12	0.03	0.020	0.07	11.4	14.0	0.60	391	0.84	
G21-12	0.63	23.3	1.93	4.73	0.11	0.05	0.03	0.018	0.03	9.0	12.9	0.49	303	0.51	
G21-13	0.31	42.6	2.49	4.86	0.15	0.13	0.04	0.023	0.05	9.5	12.4	0.50	564	0.95	
G21-14	0.67	33.3	2.43	5.13	0.13	0.08	0.03	0.021	0.03	10.0	14.8	0.54	472	0.71	
G21-15	0.45	27.7	2.15	4.83	0.12	0.08	0.04	0.022	0.04	11.6	14.5	0.43	235	0.72	
G21-16	0.67	21.3	1.95	4.06	0.11	0.07	0.02	0.015	0.06	8.4	12.1	0.45	443	0.51	
G21-17	0.70	30.0	2.48	5.29	0.12	0.07	0.03	0.020	0.04	10.4	15.0	0.54	365	0.60	
G21-18	0.64	44.8	2.40	3.92	0.13	0.07	0.03	0.020	0.05	11.2	9.7	0.48	409	0.97	
G21-19	0.59	42.1	2.13	4.75	0.15	0.09	0.04	0.022	0.04	10.7	12.9	0.41	400	0.91	
G21-20	0.48	22.8	2.02	4.34	0.15	0.07	0.02	0.016	0.03	7.5	11.1	0.42	321	0.68	
G21-21	0.66	36.5	2.32	4.43	0.15	0.08	0.03	0.020	0.05	8.2	12.0	0.44	393	0.46	
G21-22	0.76	50.0	2.62	5.68	0.13	0.12	0.02	0.022	0.05	10.4	15.9	0.61	335	0.65	
G21-23	0.67	36.1	2.00	5.26	0.11	0.10	0.03	0.023	0.04	10.4	15.8	0.51	704	0.85	
G21-24	0.93	52.3	2.41	5.64	0.11	0.08	0.03	0.020	0.04	9.5	16.5	0.55	446	0.85	
G21-25	0.60	35.7	2.14	4.75	0.12	0.15	0.03	0.020	0.05	10.9	15.0	0.60	564	0.74	
G21-26	0.72	61.4	2.40	5.49	0.13	0.08	0.04	0.021	0.04	10.1	17.5	0.54	380	0.77	
G21-27	0.50	30.1	1.67	4.08	0.14	0.11	0.02	0.016	0.04	9.4	12.6	0.54	312	0.46	
G21-28	1.36	68.2	2.83	5.62	0.13	0.08	0.02	0.021	0.10	6.1	14.1	0.65	484	4.77	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G21-30	0.89	51.8	2.78	6.32	0.12	0.06	0.03	0.023	0.05	8.4	17.5	0.64	489	0.93
G21-31	0.44	49.5	2.55	4.68	0.17	0.12	0.04	0.020	0.06	10.8	12.9	0.67	846	1.02
G21-32	0.69	33.9	2.33	5.41	0.11	0.08	0.03	0.020	0.03	9.4	16.6	0.59	376	0.49
G21-33	0.54	28.8	2.24	4.58	0.10	0.13	0.03	0.020	0.06	10.7	15.8	0.62	509	0.61
G21-35	0.47	37.1	2.48	4.98	0.12	0.15	0.03	0.024	0.07	11.6	16.8	0.76	584	1.15
G21-36	0.47	39.8	2.64	4.84	0.16	0.11	0.02	0.017	0.04	6.9	13.3	0.70	384	0.44
G21-37	0.40	40.9	2.47	5.29	0.12	0.24	0.03	0.023	0.06	11.1	14.6	0.65	574	0.71
G21-38	0.82	71.2	2.74	5.73	0.12	0.13	0.03	0.023	0.06	9.6	17.8	0.78	516	0.46
G21-39	0.36	41.0	2.37	5.69	0.15	0.30	0.03	0.024	0.07	11.5	16.5	0.62	563	0.79
G21-40	1.16	97.9	3.32	6.58	0.10	0.09	0.04	0.022	0.13	6.0	19.7	0.95	1070	0.64
G21-41	0.40	35.6	2.27	4.94	0.10	0.15	0.03	0.023	0.05	11.4	16.2	0.65	526	0.93
G21-42	1.14	90.2	2.84	5.96	0.12	0.08	0.04	0.021	0.06	6.8	19.3	0.88	633	0.58
G21-43	0.36	36.1	2.30	5.04	0.13	0.17	0.03	0.024	0.05	12.4	17.1	0.57	468	1.05
G21-45	0.27	34.7	2.03	4.09	0.13	0.14	0.05	0.020	0.05	10.4	12.9	0.54	511	0.92
G21-46	2.17	68.5	3.61	6.88	0.15	0.08	0.01	0.021	0.13	5.0	18.6	0.97	621	0.51
G21-47	0.36	24.9	2.28	4.41	0.12	0.12	0.03	0.022	0.05	11.8	14.2	0.56	378	0.74
G21-49	0.32	39.3	2.44	5.26	0.12	0.13	0.04	0.026	0.05	12.7	17.4	0.65	623	0.91
G21-51	0.35	47.9	2.34	5.11	0.12	0.14	0.04	0.025	0.05	12.0	15.9	0.65	491	4.13
G21-52	0.50	51.9	2.46	4.93	0.11	0.10	0.04	0.024	0.06	9.1	15.0	0.63	627	0.82
G21-53	0.72	37.4	2.81	6.15	0.15	0.04	0.03	0.017	0.11	5.8	15.7	0.81	451	0.60
G21-54	0.82	48.1	3.31	7.04	0.13	0.05	0.03	0.019	0.12	6.5	19.2	0.98	522	0.84
G21-55	0.87	64.3	2.89	8.89	0.14	0.12	0.03	0.012	0.15	12.2	7.4	0.85	690	1.48
G21-56	0.73	39.8	3.33	7.62	0.15	0.02	0.03	0.009	0.10	7.6	8.7	0.85	407	0.79
G21-57	0.60	23.9	2.15	8.98	0.13	0.07	0.02	0.011	0.07	25.1	6.8	0.56	365	0.88
G21-58	0.92	57.9	2.72	9.12	0.12	0.02	0.03	0.009	0.07	7.8	7.4	0.51	268	1.22
G21-59	0.60	41.8	2.25	8.54	0.13	0.08	0.03	0.010	0.09	10.9	7.2	0.65	504	0.85
G21-60	1.46	87.5	3.23	7.82	0.14	0.03	0.02	0.010	0.05	20.8	8.9	0.80	463	0.46
G23-0	1.34	61.6	3.48	10.8	0.15	0.18	0.04	0.016	0.08	24.3	9.2	0.70	537	3.05
G23-1	1.33	51.4	3.06	10.7	0.14	0.09	0.01	0.014	0.10	24.8	8.6	0.62	422	2.44
G23-2	1.10	43.3	3.05	9.85	0.15	0.10	0.02	0.013	0.09	22.2	8.9	0.66	344	2.01
G23-3	1.26	43.3	2.58	8.34	0.14	0.09	0.01	0.012	0.09	11.1	7.5	0.54	369	2.10
G23-4	1.01	28.0	2.19	6.79	0.15	0.06	0.02	0.011	0.09	22.5	7.3	0.52	386	1.35

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G23-5	0.87	38.2	2.77	8.06	0.14	0.04	0.02	0.010	0.08	9.4	6.5	0.57	403	1.74
G23-6	0.44	28.7	2.24	5.99	0.17	0.04	0.02	0.008	0.06	9.8	6.4	0.55	257	0.42
G23-7	0.48	28.4	2.10	9.00	0.15	0.07	0.03	0.009	0.08	10.9	7.3	0.55	309	0.70
G23-8	0.71	16.3	2.00	6.76	0.14	<0.02	0.02	0.008	0.06	9.5	5.3	0.44	276	0.49
G23-10	1.15	18.6	2.11	8.20	0.13	<0.02	0.03	0.010	0.06	10.7	6.9	0.46	349	0.71
G23-12	0.90	14.3	2.50	6.62	0.15	0.02	0.02	0.008	0.05	10.1	5.1	0.42	447	0.87
G23-13	0.62	18.7	1.90	7.39	0.15	0.03	0.03	0.009	0.09	9.7	6.0	0.53	181	0.54
G23-14	0.76	39.3	1.98	6.40	0.14	0.02	0.02	0.007	0.05	9.0	5.1	0.44	274	0.80
G23-17	0.63	20.9	2.37	6.93	0.15	0.03	0.02	0.007	0.05	8.8	5.3	0.50	332	0.59
G23-18	0.95	27.9	2.35	7.52	0.14	0.02	0.02	0.009	0.08	9.2	6.2	0.52	349	0.58
G23-19	1.11	15.9	1.97	7.76	0.15	0.02	0.01	0.008	0.06	8.2	6.3	0.48	362	0.54
G23-22	1.04	25.8	2.42	8.05	0.14	0.02	0.02	0.009	0.07	10.3	6.8	0.54	388	0.51
G23-26	0.44	24.8	2.24	5.81	0.16	0.04	0.02	0.007	0.07	9.1	4.8	0.59	380	0.50
G23-27	1.25	18.0	2.39	8.16	0.14	0.02	0.02	0.010	0.07	9.0	7.3	0.55	403	0.55
G23-28	0.57	21.0	2.00	6.50	0.15	0.05	0.01	0.007	0.07	9.5	5.4	0.55	288	0.48
G23-29	1.01	18.2	2.40	8.21	0.13	0.04	0.01	0.009	0.05	8.1	7.5	0.56	434	0.67
G23-30	0.47	14.5	1.95	5.99	0.15	0.05	0.01	0.006	0.07	9.6	4.9	0.54	299	0.41
G23-31	0.86	19.7	2.39	6.65	0.13	0.02	0.01	0.008	0.05	6.9	6.0	0.59	470	0.45
G23-32	0.59	34.1	2.76	7.12	0.17	<0.02	0.02	0.008	0.05	7.1	5.8	0.69	532	0.40
G23-34	0.65	20.2	2.14	6.67	0.15	0.04	0.02	0.008	0.08	9.3	5.8	0.61	495	0.51
G23-35	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G23-36	1.22	34.7	2.46	7.32	0.13	<0.02	0.02	0.009	0.05	7.9	6.6	0.64	409	0.44
G23-37	0.47	11.0	1.60	4.73	0.14	0.04	0.01	0.006	0.06	9.5	4.2	0.50	241	0.27
G23-38	0.85	40.8	2.25	6.98	0.12	0.05	0.03	0.009	0.05	7.4	7.5	0.61	383	0.53
G23-42	1.03	47.4	2.76	8.01	0.14	0.03	0.03	0.010	0.05	8.5	7.8	0.74	525	0.46
G23-43	0.58	23.4	2.26	7.52	0.15	0.06	0.02	0.008	0.09	10.2	6.3	0.63	425	0.56
G23-45	0.54	78.6	2.16	8.73	0.13	0.06	0.04	0.009	0.07	9.6	6.0	0.61	566	0.91
G23-46	1.22	64.2	3.16	6.85	0.13	0.02	0.02	0.008	0.15	4.5	7.7	0.92	485	0.62
G23-47	0.56	23.4	2.02	7.06	0.15	0.08	0.02	0.008	0.08	10.2	5.7	0.54	298	0.68
G23-48	0.76	60.0	2.57	5.00	0.14	0.02	0.01	0.006	0.11	4.7	5.4	0.72	515	0.30
G23-49	0.53	69.6	2.26	4.94	0.10	0.20	0.03	0.023	0.05	9.9	14.5	0.58	403	4.20
G23-51	0.92	61.0	3.22	4.60	0.11	0.15	0.03	0.026	0.06	8.8	13.3	0.74	781	1.10

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G23-52	0.92	95.1	3.20	7.01	0.09	0.08	0.04	0.024	0.07	8.4	25.3	1.00	478	0.51
G23-53	0.36	38.6	2.28	4.91	0.09	0.11	0.03	0.023	0.05	10.5	18.6	0.61	450	0.88
G23-54	1.02	116	2.51	6.47	0.11	0.12	0.04	0.025	0.02	11.1	22.4	0.60	301	0.54
G23-55	0.33	46.0	2.31	4.70	0.07	0.14	0.04	0.021	0.05	9.2	13.9	0.63	729	0.83
G23-56	0.66	46.5	2.34	6.21	0.09	0.04	0.01	0.019	0.02	5.6	19.4	0.47	232	0.70
G23-57	0.33	37.6	2.23	4.51	0.10	0.11	0.03	0.020	0.05	9.7	17.5	0.61	424	0.76
G23-58	0.82	58.0	3.16	7.52	0.10	0.05	0.02	0.021	0.10	6.1	22.6	0.82	494	0.59
G23-59	0.27	30.7	2.07	4.54	0.08	0.09	0.03	0.021	0.03	9.1	16.2	0.52	450	0.78
G23-60	0.40	47.1	2.50	6.95	0.09	<0.02	0.02	0.012	0.04	4.0	11.0	0.41	291	0.84

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1113-8	0.02	0.99	14.7	663	4.3	4.1	0.002	0.048	0.42	3.7	0.4	0.3	39.2	<0.01
G1113-10	0.01	0.77	14.6	604	3.6	2.7	<0.001	0.015	0.10	2.8	0.2	0.2	25.1	<0.01
G1113-12	0.01	0.89	15.2	603	3.5	3.0	<0.001	0.016	0.18	3.1	0.2	0.3	30.3	<0.01
G1113-16	0.02	0.92	18.1	640	3.4	2.9	<0.001	0.011	0.26	3.5	0.3	0.3	28.1	<0.01
G1113-18	0.02	1.44	19.4	619	5.0	4.7	<0.001	0.012	0.37	4.0	0.4	0.4	30.3	<0.01
G1113-20	0.02	1.28	19.1	654	4.4	4.1	<0.001	0.016	0.29	3.9	0.4	0.4	31.5	<0.01
G1113-24	0.02	1.37	17.4	556	4.6	4.8	<0.001	0.014	0.16	3.7	0.4	0.4	33.8	<0.01
G13-0	0.03	1.23	22.6	732	4.8	8.0	<0.001	0.013	0.41	5.0	0.5	0.4	37.2	<0.01
G13-1	0.03	1.38	21.5	713	5.5	8.2	<0.001	0.020	0.35	4.9	0.6	0.4	42.0	<0.01
G13-2	0.04	1.33	24.0	691	5.2	8.9	<0.001	0.015	0.50	5.8	0.6	0.4	43.3	<0.01
G13-3	0.03	1.38	24.0	747	5.0	8.3	<0.001	0.018	0.66	5.0	0.6	0.4	46.1	<0.01
G13-4	0.04	1.41	23.6	740	6.5	8.7	<0.001	0.022	0.48	4.9	0.6	0.4	46.9	<0.01
G13-5	0.02	0.85	28.0	733	4.9	8.5	<0.001	0.008	0.57	5.9	0.5	0.4	35.2	<0.01
G13-6	0.03	1.17	18.0	778	7.3	9.6	<0.001	0.022	0.38	4.7	0.6	0.4	33.2	<0.01
G13-7	0.04	0.91	54.7	906	6.2	12.1	0.001	0.014	0.58	7.3	0.6	0.5	77.7	<0.01
G13-8	0.03	1.14	14.9	646	5.3	8.0	<0.001	0.014	0.25	4.2	0.4	0.4	35.8	<0.01
G13-9	0.03	1.85	39.7	1000	6.9	10.7	<0.001	0.040	0.49	6.0	0.9	0.5	55.2	<0.01
G13-11	0.02	1.77	36.6	821	5.7	8.8	<0.001	0.015	0.50	5.8	0.6	0.4	40.3	<0.01
G13-13	0.02	1.40	29.0	782	5.0	4.3	<0.001	0.017	0.42	4.5	0.5	0.4	38.1	<0.01
G13-15	0.02	1.63	26.6	766	5.2	4.9	<0.001	0.013	0.41	5.0	0.5	0.4	37.5	<0.01
G13-16	0.02	1.34	16.4	653	4.1	4.6	<0.001	0.019	0.20	3.8	0.3	0.4	34.0	<0.01
G13-17	0.02	1.40	25.6	803	4.6	4.4	<0.001	0.019	0.29	4.4	0.5	0.4	44.5	<0.01
G13-18	0.02	1.22	17.1	635	4.3	4.1	<0.001	0.015	0.21	3.5	0.3	0.4	33.6	<0.01
G13-19	0.03	1.47	19.4	685	5.4	8.4	<0.001	0.027	0.28	4.3	0.5	0.4	37.8	<0.01
G13-20	0.02	1.17	17.9	643	4.2	4.0	<0.001	0.028	0.20	3.9	0.4	0.4	37.8	<0.01
G13-22	0.02	1.17	18.3	593	4.0	3.7	<0.001	0.026	0.22	3.4	0.3	0.3	34.4	<0.01
G13-24	0.02	1.17	16.4	583	4.0	4.2	<0.001	0.021	0.14	3.8	0.3	0.4	37.1	<0.01
G13-26	0.01	1.30	12.9	614	3.3	3.3	<0.001	0.018	0.11	3.0	0.3	0.3	33.7	<0.01
G13-31	0.02	1.73	21.5	738	4.6	3.4	<0.001	0.069	0.31	3.6	0.5	0.4	45.8	<0.01
G13-33	0.03	1.68	30.9	792	5.0	4.6	<0.001	0.072	0.39	4.0	0.6	0.4	60.7	<0.01
G13-35	0.03	1.73	24.3	832	5.1	5.2	<0.001	0.088	0.34	4.0	0.5	0.4	58.0	<0.01
G13-37	0.03	1.49	18.9	687	3.9	3.7	<0.001	0.091	0.28	3.0	0.4	0.3	56.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G13-39	0.02	1.29	20.3	738	3.7	2.8	<0.001	0.032	0.26	2.6	0.4	0.3	42.4	<0.01
G13-41	0.03	0.67	35.1	607	4.6	4.1	<0.001	0.045	0.29	5.0	0.3	0.4	51.3	<0.01
G13-43	0.02	1.03	18.7	607	4.1	3.6	<0.001	0.007	0.30	4.2	0.3	0.3	30.4	<0.01
G13-45	0.03	0.84	37.8	651	5.0	4.6	<0.001	0.042	0.48	5.6	0.4	0.4	54.0	<0.01
G13-47	0.03	1.52	49.5	671	6.1	4.5	<0.001	0.034	0.52	4.6	0.4	0.5	51.0	<0.01
G13-49	0.03	1.21	54.2	600	4.6	3.2	<0.001	0.014	0.23	4.7	0.4	0.4	48.9	<0.01
G13-51	0.03	0.79	37.3	553	4.2	3.4	<0.001	0.021	0.36	4.0	0.4	0.3	102	<0.01
G13-53	0.01	0.54	257	376	2.9	2.3	<0.001	0.018	0.23	4.7	0.5	0.2	145	<0.01
G13-55	0.02	1.19	47.6	689	5.1	8.5	<0.001	0.014	0.41	8.6	0.6	0.4	144	<0.01
G13-57	0.02	0.94	50.8	628	6.2	7.7	<0.001	0.018	0.46	9.9	2.0	0.4	95.1	<0.01
G13-59	0.02	0.55	35.3	755	5.0	6.0	<0.001	0.028	0.39	9.7	1.5	0.3	217	<0.01
G1315-0	0.02	1.45	20.8	729	7.2	14.0	<0.001	0.042	0.60	5.6	1.4	0.4	68.8	<0.01
G1315-1	0.02	0.58	15.8	860	4.5	21.3	<0.001	0.006	0.65	8.5	0.9	0.4	44.7	<0.01
G1315-2	0.02	1.09	24.0	712	6.2	11.0	<0.001	0.013	0.47	6.2	0.7	0.4	47.8	<0.01
G1315-3	0.01	0.14	13.3	844	10.6	26.8	<0.001	<0.005	0.38	9.7	0.9	0.3	35.3	<0.01
G1315-4	0.03	1.25	21.4	757	8.9	15.0	<0.001	0.020	0.46	6.5	1.0	0.4	62.7	<0.01
G1315-5	0.03	1.55	27.8	869	7.1	11.7	<0.001	0.014	0.55	8.5	1.0	0.4	56.1	<0.01
G1315-6	0.03	1.35	15.8	837	8.7	15.1	0.001	0.032	0.43	6.4	1.5	0.4	63.8	<0.01
G1315-7	0.02	1.70	23.5	806	6.7	10.6	<0.001	0.033	0.56	5.4	1.4	0.4	83.1	<0.01
G1315-8	0.04	0.76	13.4	966	7.6	27.9	<0.001	0.007	0.73	7.2	1.0	0.5	41.1	<0.01
G1315-9	0.02	1.37	29.2	826	6.0	8.5	<0.001	0.026	0.60	5.7	1.0	0.3	64.4	<0.01
G1315-10	0.04	0.83	14.9	803	7.8	19.7	<0.001	0.013	0.31	7.1	0.8	0.4	43.0	<0.01
G1315-11	0.02	1.70	25.6	774	6.0	9.3	<0.001	0.016	0.57	6.2	0.7	0.4	53.3	<0.01
G1315-12	0.01	0.93	12.1	632	4.7	5.8	<0.001	0.011	0.24	3.9	0.4	0.3	36.2	<0.01
G1315-13	0.02	1.81	23.0	845	6.0	10.4	<0.001	0.033	0.56	6.5	0.8	0.4	62.3	<0.01
G1315-14	0.02	1.49	13.2	582	5.6	10.5	<0.001	0.009	0.29	4.9	0.4	0.5	40.8	<0.01
G1315-15	0.02	1.66	24.3	762	8.2	9.5	<0.001	0.016	0.51	6.3	0.7	0.5	51.3	<0.01
G1315-16	0.01	0.91	15.2	595	5.1	6.4	<0.001	0.008	0.24	4.0	0.4	0.3	35.6	<0.01
G1315-17	0.02	1.60	22.5	814	6.4	8.6	<0.001	0.029	0.53	5.9	0.8	0.4	55.5	<0.01
G1315-18	0.02	1.50	14.6	690	5.2	9.1	<0.001	0.018	0.34	5.2	0.5	0.4	46.2	<0.01
G1315-22	0.02	1.32	13.9	555	5.6	8.1	<0.001	0.024	0.30	4.1	0.4	0.4	48.1	<0.01
G1315-24	0.02	1.57	20.3	651	6.4	9.7	<0.001	0.027	0.47	8.2	0.9	0.5	55.3	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1315-26	0.02	1.84	14.4	507	5.9	11.5	<0.001	0.014	0.27	5.1	0.4	0.6	49.5	<0.01
G1315-28	0.02	1.56	13.2	541	4.5	9.6	<0.001	0.006	0.26	4.5	0.4	0.5	44.2	<0.01
G15-0	0.02	0.42	19.1	989	5.2	31.9	<0.001	0.010	0.52	9.0	1.4	0.3	38.6	<0.01
G15-1	0.02	0.11	13.5	976	4.4	33.1	<0.001	<0.005	0.23	7.8	0.7	0.4	31.0	<0.01
G15-2	0.02	1.38	19.1	795	7.3	13.5	<0.001	0.019	0.52	6.1	0.9	0.4	50.3	<0.01
G15-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G15-4	0.03	0.24	13.6	969	22.8	25.7	<0.001	0.007	0.32	5.5	0.7	0.3	36.6	<0.01
G15-5	0.02	0.44	24.8	669	6.2	19.5	<0.001	0.005	0.35	11.7	1.0	0.5	40.4	<0.01
G15-6	0.04	0.38	14.7	764	8.6	23.9	<0.001	0.006	0.27	6.6	0.6	0.4	44.7	<0.01
G15-7	0.02	0.98	25.0	769	5.4	11.3	<0.001	0.010	1.44	12.1	1.8	0.4	47.4	<0.01
G15-8	0.05	0.17	11.8	1360	13.2	69.6	<0.001	<0.005	0.15	15.2	1.2	0.5	40.9	<0.01
G15-9	0.03	1.23	40.1	986	6.8	16.0	<0.001	0.009	0.64	9.8	1.2	0.5	76.4	<0.01
G15-10	0.09	0.19	23.0	1250	5.6	68.3	<0.001	0.009	0.55	18.6	2.7	0.5	86.7	<0.01
G15-11	0.02	1.55	22.1	711	7.3	9.6	<0.001	0.030	0.50	6.3	1.0	0.5	63.2	<0.01
G15-12	0.02	1.25	14.9	592	6.7	11.9	<0.001	0.005	0.28	4.8	0.4	0.5	40.8	<0.01
G15-13	0.03	1.65	28.6	850	6.0	10.9	<0.001	0.012	0.52	6.8	0.7	0.5	53.0	<0.01
G15-14	0.02	1.24	13.5	567	5.7	8.9	<0.001	0.016	0.24	4.3	0.4	0.4	44.9	<0.01
G15-15	0.02	1.12	20.4	680	4.9	3.8	<0.001	<0.005	0.45	3.7	0.4	0.4	36.0	<0.01
G15-16	0.02	0.80	13.7	634	4.1	3.4	<0.001	<0.005	0.24	3.2	0.3	0.3	28.0	<0.01
G15-17	0.02	1.29	16.8	652	5.2	3.5	<0.001	<0.005	0.11	3.4	0.4	0.4	34.8	<0.01
G15-18	0.02	0.95	11.5	576	4.0	3.6	<0.001	<0.005	<0.05	2.5	0.2	0.3	32.1	<0.01
G15-19	0.02	1.14	15.6	559	5.2	2.6	<0.001	0.006	0.17	3.8	0.3	0.3	30.7	<0.01
G15-20	0.02	0.93	12.0	650	2.8	2.7	<0.001	<0.005	0.17	2.8	0.3	0.3	29.8	<0.01
G15-21	0.02	1.31	18.5	770	5.1	4.8	<0.001	0.015	0.33	4.4	0.5	0.3	41.2	<0.01
G15-22	0.01	0.38	8.7	386	3.9	3.0	<0.001	<0.005	<0.05	1.1	0.2	<0.2	25.5	<0.01
G15-26	0.02	1.10	12.1	560	4.5	4.3	<0.001	<0.005	0.11	2.7	0.3	0.4	33.1	<0.01
G15-27	0.03	1.24	15.9	744	4.6	4.1	<0.001	0.009	0.17	2.5	0.5	0.4	43.9	<0.01
G15-28	0.02	1.38	11.8	572	4.6	4.8	<0.001	<0.005	0.08	2.8	0.3	0.4	36.4	<0.01
G15-29	0.03	1.29	19.6	862	4.9	4.5	<0.001	0.035	0.16	2.9	0.5	0.3	66.3	<0.01
G15-31	0.04	1.35	31.3	701	5.6	4.4	<0.001	0.013	0.31	4.6	0.5	0.4	66.9	<0.01
G15-33	0.03	1.66	27.6	665	5.8	4.1	<0.001	0.032	0.31	4.3	0.5	0.4	103	<0.01
G15-35	0.02	0.42	22.9	584	4.5	2.5	<0.001	0.020	0.13	2.8	0.4	0.2	84.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G15-37	0.05	1.41	27.7	598	3.7	3.8	<0.001	0.288	0.44	3.3	0.7	0.3	1020	<0.01
G15-39	0.05	1.04	29.1	552	4.8	4.6	<0.001	0.128	0.43	4.6	0.5	0.4	308	<0.01
G15-41	0.04	0.72	34.0	717	6.2	5.7	<0.001	0.038	0.54	7.6	0.5	0.5	121	<0.01
G15-43	0.05	0.59	41.4	847	6.5	7.3	<0.001	0.028	0.76	7.9	0.6	0.6	119	<0.01
G15-45	0.04	1.05	28.1	555	5.6	5.3	<0.001	0.026	0.63	4.7	0.4	0.5	96.2	<0.01
G15-47	0.04	0.78	32.0	488	5.4	5.8	<0.001	0.045	0.74	5.4	0.5	0.5	103	<0.01
G15-49	0.03	0.77	53.9	550	6.1	6.9	<0.001	0.017	0.77	9.6	0.6	0.5	88.6	<0.01
G15-51	0.02	0.50	30.9	1000	3.1	7.2	<0.001	0.040	0.26	18.2	0.8	0.3	178	<0.01
G15-53	0.03	0.95	33.6	706	4.7	5.7	<0.001	0.052	0.59	5.7	0.7	0.4	155	<0.01
G15-55	0.02	0.20	52.5	454	3.4	3.5	<0.001	0.016	0.16	6.8	0.5	0.2	86.0	<0.01
G15-57	0.03	0.67	27.0	573	3.8	3.8	<0.001	0.078	0.45	6.2	1.0	0.3	142	<0.01
G15-59	0.03	0.50	29.7	769	6.0	5.9	<0.001	0.070	0.92	15.5	1.7	0.5	125	<0.01
G17-0	0.01	0.20	15.6	890	1.8	26.2	<0.001	<0.005	0.24	5.8	0.5	0.2	26.9	<0.01
G17-1	0.01	0.13	8.3	762	2.5	25.8	<0.001	<0.005	0.64	6.0	0.7	0.3	27.5	<0.01
G17-2	0.04	1.30	23.7	607	6.3	4.3	<0.001	<0.005	1.13	4.8	0.5	0.4	44.4	<0.01
G17-3	0.03	0.43	19.4	618	5.3	4.2	<0.001	<0.005	0.27	5.3	0.4	0.4	38.9	<0.01
G17-4	0.05	0.21	19.1	659	7.4	24.4	<0.001	<0.005	0.33	8.7	0.7	0.3	40.0	<0.01
G17-5	<0.01	<0.05	14.5	1030	4.1	15.1	0.001	<0.005	0.39	18.7	0.9	0.3	53.6	<0.01
G17-6	0.21	0.28	26.9	685	5.8	30.7	<0.001	0.007	0.36	11.7	1.2	0.4	87.5	<0.01
G17-7	0.01	0.05	18.3	573	1.5	15.2	<0.001	<0.005	<0.05	9.3	0.4	<0.2	27.6	<0.01
G17-8	0.10	0.15	12.9	704	2.8	29.1	<0.001	<0.005	0.14	7.5	0.4	0.2	40.2	<0.01
G17-9	0.01	0.30	25.1	593	17.7	4.7	<0.001	<0.005	0.35	8.0	0.8	0.3	21.3	<0.01
G17-10	0.05	0.15	7.6	974	2.2	34.1	<0.001	<0.005	0.08	8.1	0.5	0.4	27.8	<0.01
G17-11	0.02	0.29	12.3	635	2.3	4.4	<0.001	<0.005	0.22	7.8	0.4	0.2	27.9	<0.01
G17-12	0.02	0.62	14.5	472	5.0	5.8	<0.001	<0.005	0.26	4.0	0.3	0.4	30.5	<0.01
G17-13	0.02	0.91	15.6	662	5.4	4.8	<0.001	<0.005	0.23	9.1	0.7	0.3	39.9	<0.01
G17-14	0.02	1.04	13.0	648	5.8	4.0	<0.001	<0.005	0.17	3.3	0.3	0.3	30.1	<0.01
G17-15	0.03	1.50	21.3	876	6.3	8.6	0.003	0.021	0.65	5.8	0.9	0.5	56.5	<0.01
G17-16	0.02	0.89	21.2	727	10.1	9.9	<0.001	0.006	0.40	6.3	0.7	0.5	44.4	<0.01
G17-17	0.02	1.62	27.4	887	7.4	10.3	<0.001	0.025	0.47	6.8	0.9	0.5	60.3	<0.01
G17-18	0.02	0.83	17.9	615	5.6	6.7	<0.001	0.006	0.25	5.0	0.5	0.4	36.9	<0.01
G17-19	0.02	1.63	17.6	836	6.5	8.3	<0.001	0.053	0.46	5.4	0.7	0.4	63.8	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G17-20	0.02	1.64	17.2	643	6.1	11.3	<0.001	0.009	0.28	5.9	0.5	0.5	51.0	<0.01
G17-21	0.02	1.49	20.0	787	6.5	6.3	<0.001	0.034	0.38	4.9	0.6	0.4	48.8	<0.01
G17-22	0.02	1.54	19.0	588	7.2	9.8	<0.001	0.013	0.26	5.7	0.5	0.5	43.4	<0.01
G17-23	0.03	2.50	29.1	761	9.9	17.5	<0.001	0.073	0.64	9.8	1.0	0.7	64.6	<0.01
G17-24	0.02	1.52	14.1	571	5.7	9.2	<0.001	0.023	0.30	5.2	0.5	0.5	56.1	<0.01
G17-25	0.02	1.26	15.3	677	4.8	5.8	<0.001	0.021	0.35	3.6	0.5	0.3	43.4	<0.01
G17-26	0.02	1.07	14.0	530	5.3	7.8	<0.001	0.005	0.18	4.5	0.3	0.4	36.5	<0.01
G17-27	0.02	1.69	23.6	807	6.3	9.1	<0.001	0.016	0.38	4.7	0.7	0.4	57.7	<0.01
G17-28	0.02	1.37	19.5	670	5.4	10.3	<0.001	0.011	0.29	6.3	0.4	0.5	45.0	<0.01
G17-29	0.03	1.52	23.0	747	5.0	8.0	0.002	0.090	0.38	4.6	0.5	0.4	190	<0.01
G17-31	0.03	2.11	24.7	658	6.1	9.5	0.003	0.087	0.51	5.9	0.6	0.5	279	<0.01
G17-33	0.02	1.78	19.2	676	7.5	8.5	<0.001	0.023	0.33	4.8	0.8	0.6	85.9	<0.01
G17-35	0.03	1.90	31.8	671	7.4	8.9	<0.001	0.014	0.44	5.9	0.6	0.6	57.7	<0.01
G17-37	0.03	1.04	30.3	646	6.7	7.6	<0.001	0.021	0.40	5.2	0.6	0.4	103	<0.01
G17-39	0.03	2.18	31.0	601	7.3	13.0	<0.001	0.033	0.49	7.6	0.8	0.6	82.7	<0.01
G17-41	0.03	2.12	29.7	732	8.0	11.1	<0.001	0.023	0.45	6.2	0.8	0.6	80.6	<0.01
G17-43	0.03	2.01	28.3	832	8.1	10.8	<0.001	0.019	0.49	5.5	0.6	0.6	83.0	<0.01
G17-45	0.03	1.57	33.6	691	7.4	10.6	<0.001	0.012	0.43	6.6	0.6	0.6	85.3	<0.01
G17-47	0.04	1.09	34.0	550	7.2	11.6	<0.001	0.018	0.47	7.3	0.6	0.6	127	<0.01
G17-49	0.03	1.73	27.7	628	8.1	10.9	<0.001	0.012	0.40	6.9	0.6	0.6	66.7	<0.01
G17-51	0.03	0.70	30.8	694	6.7	7.7	<0.001	0.013	0.36	5.9	0.5	0.4	86.8	<0.01
G17-53	0.02	1.13	36.7	434	5.1	10.3	<0.001	0.018	0.27	15.9	0.5	0.4	114	<0.01
G17-55	0.02	0.89	47.5	379	6.5	10.0	<0.001	0.007	0.31	8.1	0.7	0.5	59.0	<0.01
G17-57	0.02	0.22	52.1	868	7.8	6.5	0.001	0.023	0.41	11.8	1.8	0.3	201	<0.01
G17-59	0.01	0.18	63.0	698	5.4	4.2	<0.001	0.028	0.25	13.3	3.1	<0.2	299	<0.01
G19-2	0.03	0.12	9.3	1100	3.3	75.7	<0.001	<0.005	0.11	7.7	0.9	0.3	42.3	<0.01
G19-4	0.09	0.26	27.4	701	7.3	35.8	<0.001	0.020	0.40	10.3	1.9	0.5	67.3	<0.01
G19-5	0.02	0.94	21.9	695	5.8	9.3	<0.001	0.038	0.30	5.4	1.1	<0.2	57.2	<0.01
G19-6	0.04	0.14	13.6	1080	6.0	35.3	<0.001	0.005	0.19	12.9	1.0	0.4	48.1	<0.01
G19-7	0.01	0.29	17.3	808	4.8	24.1	<0.001	0.016	0.17	10.5	0.7	0.4	43.6	<0.01
G19-8	0.02	0.89	24.1	741	12.0	7.6	<0.001	0.017	0.45	6.6	0.7	0.4	46.8	<0.01
G19-10	0.05	0.69	23.3	696	11.1	16.7	0.004	0.009	0.92	8.2	0.8	0.5	46.4	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G19-11	0.02	0.79	13.9	705	4.9	8.0	0.001	0.033	0.37	4.5	0.4	0.3	39.8	<0.01
G19-12	0.04	0.50	23.9	615	5.2	8.6	<0.001	0.008	0.44	8.1	0.6	0.4	40.9	<0.01
G19-13	0.01	0.77	13.4	724	5.1	6.6	0.001	0.042	0.46	4.2	0.4	0.3	39.9	<0.01
G19-14	0.02	0.83	14.9	522	5.0	3.3	<0.001	<0.005	0.28	4.0	0.5	0.3	35.5	<0.01
G19-15	0.02	1.17	12.2	685	4.4	4.4	<0.001	0.016	0.24	2.6	0.4	0.3	36.5	<0.01
G19-16	0.02	1.08	9.4	551	4.2	4.6	<0.001	<0.005	0.13	2.4	0.2	0.4	28.3	<0.01
G19-17	0.02	1.23	9.7	681	3.4	4.0	<0.001	<0.005	0.16	2.0	0.3	0.3	33.3	<0.01
G19-18	0.02	0.97	12.4	657	4.7	3.8	<0.001	<0.005	0.12	2.8	0.3	0.4	31.0	<0.01
G19-19	0.02	1.17	13.2	704	4.7	4.5	<0.001	0.009	0.19	3.1	0.5	0.3	39.8	<0.01
G19-20	0.02	1.21	10.4	464	4.7	4.7	<0.001	<0.005	<0.05	2.5	0.3	0.4	30.2	<0.01
G19-21	0.02	1.71	17.7	736	6.6	5.7	<0.001	0.009	0.53	3.8	0.7	0.4	38.5	<0.01
G19-22	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G19-23	0.02	1.58	14.4	756	5.8	5.0	<0.001	0.027	0.45	3.0	0.7	0.4	41.3	<0.01
G19-24	0.02	1.35	10.4	491	5.0	4.3	<0.001	<0.005	0.09	2.9	0.3	0.4	30.8	<0.01
G19-25	0.02	1.31	12.5	692	3.4	3.8	<0.001	<0.005	0.13	1.7	0.4	0.3	38.4	<0.01
G19-26	0.02	0.86	13.4	556	5.4	3.8	<0.001	<0.005	0.15	3.0	0.4	0.3	28.5	<0.01
G19-27	0.02	1.36	13.9	638	3.9	3.3	<0.001	0.009	0.15	1.8	0.4	0.3	40.4	<0.01
G19-28	0.02	1.00	14.5	592	4.6	4.6	<0.001	<0.005	0.06	4.0	0.4	0.4	34.4	<0.01
G19-29	0.03	1.31	19.1	664	5.0	4.6	<0.001	0.009	0.19	2.9	0.4	0.4	41.4	<0.01
G19-30	0.02	1.12	13.2	536	5.7	5.2	<0.001	<0.005	0.11	3.3	0.4	0.4	35.4	<0.01
G19-31	0.03	1.51	24.1	752	5.4	5.3	<0.001	0.005	0.28	3.2	0.4	0.4	44.1	<0.01
G19-33	0.02	1.44	23.8	723	5.8	4.5	<0.001	<0.005	0.27	3.9	0.5	0.4	50.6	<0.01
G19-35	0.02	1.05	23.2	646	4.4	2.5	<0.001	0.022	0.23	3.0	0.5	0.2	61.2	<0.01
G19-37	0.03	1.75	22.0	670	5.6	4.3	<0.001	0.014	0.36	3.2	0.6	0.4	61.3	<0.01
G19-39	0.03	1.31	22.0	611	5.8	5.2	<0.001	0.018	0.50	4.3	0.5	0.5	91.2	<0.01
G19-41	0.04	1.15	27.6	682	5.8	5.7	<0.001	0.009	0.53	5.8	0.5	0.5	64.4	<0.01
G19-43	0.03	1.42	25.9	630	5.7	5.1	<0.001	0.015	0.56	4.7	0.5	0.5	64.3	<0.01
G19-45	0.03	1.19	26.0	596	6.3	6.1	<0.001	0.007	0.53	5.0	0.5	0.5	64.3	<0.01
G19-47	0.03	1.44	24.4	667	6.1	5.3	<0.001	<0.005	0.37	3.5	0.5	0.5	49.5	<0.01
G19-49	0.04	0.92	36.5	776	5.9	6.3	<0.001	0.021	0.51	6.7	0.5	0.4	81.1	<0.01
G19-51	0.02	1.30	32.5	685	4.4	3.9	<0.001	0.007	0.25	5.3	0.4	0.3	51.5	<0.01
G19-53	0.02	1.25	34.0	715	4.8	4.1	<0.001	<0.005	0.21	4.3	0.4	0.3	57.0	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Sep 11, 2012					SAMPLE TYPE: Soil				
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G19-55	0.03	0.53	61.0	674	4.4	4.4	<0.001	0.020	0.38	5.8	0.5	0.3	81.3	<0.01	
G19-57	0.03	0.94	24.8	543	5.1	5.1	<0.001	<0.005	0.44	5.1	0.5	0.4	48.7	<0.01	
G19-59	0.02	0.63	26.4	468	4.7	4.9	<0.001	0.007	0.41	10.3	0.6	0.5	54.3	<0.01	
G21-0	0.02	0.38	27.2	662	5.0	3.9	<0.001	<0.005	0.50	6.5	0.5	0.3	35.6	<0.01	
G21-1	0.02	0.28	27.1	788	4.6	3.4	<0.001	<0.005	0.85	5.3	0.5	0.3	35.4	<0.01	
G21-2	0.02	0.17	22.4	690	4.1	50.5	<0.001	<0.005	0.06	4.9	0.6	<0.2	27.8	<0.01	
G21-3	0.02	0.89	26.9	511	5.6	11.3	<0.001	<0.005	0.53	7.9	0.6	0.4	23.5	<0.01	
G21-4	0.02	0.23	7.4	1030	3.3	48.0	<0.001	<0.005	0.19	5.2	0.6	0.3	25.8	<0.01	
G21-5	0.02	0.44	30.6	749	4.0	4.1	<0.001	<0.005	0.48	5.6	0.6	0.3	29.1	<0.01	
G21-6	0.02	1.06	14.8	542	123	15.0	<0.001	<0.005	2.33	7.2	1.0	0.4	26.4	<0.01	
G21-7	0.02	0.90	25.7	612	5.8	4.3	<0.001	<0.005	0.42	4.4	0.6	0.3	33.3	<0.01	
G21-8	0.02	1.15	16.2	746	6.3	7.4	<0.001	0.024	0.54	4.3	0.6	0.4	41.5	<0.01	
G21-9	0.02	1.43	29.6	760	5.9	7.1	<0.001	0.012	0.60	6.1	0.8	0.4	49.8	<0.01	
G21-10	0.01	0.88	13.5	701	5.0	5.6	<0.001	0.027	0.32	3.5	0.4	0.3	35.0	<0.01	
G21-11	0.02	1.01	23.4	723	6.1	7.0	<0.001	0.012	0.54	4.7	0.7	0.4	54.0	<0.01	
G21-12	0.02	0.96	13.8	565	5.3	7.3	<0.001	0.040	0.29	3.6	0.4	0.3	33.0	<0.01	
G21-13	0.01	1.05	22.0	701	6.3	6.2	<0.001	0.040	0.57	4.4	0.9	0.3	55.5	<0.01	
G21-14	0.02	1.08	17.7	684	6.1	7.2	<0.001	0.034	0.38	4.3	0.6	0.3	38.6	<0.01	
G21-15	0.01	1.24	17.8	683	7.0	6.8	<0.001	0.020	0.45	4.2	0.6	0.4	43.7	<0.01	
G21-16	0.01	0.87	12.6	689	4.6	7.2	<0.001	0.025	0.32	3.5	0.4	0.3	38.9	<0.01	
G21-17	0.01	1.03	14.7	665	5.3	6.8	<0.001	0.008	0.27	4.2	0.4	0.4	33.5	<0.01	
G21-18	0.01	0.76	19.8	681	6.4	7.2	<0.001	0.022	0.45	4.8	0.6	0.3	38.3	<0.01	
G21-19	0.01	0.96	18.2	613	7.2	8.0	<0.001	0.021	0.52	4.9	0.8	0.3	43.9	<0.01	
G21-20	0.01	0.74	13.4	622	3.9	5.0	<0.001	0.008	0.26	3.3	0.3	0.2	29.5	<0.01	
G21-21	0.01	0.97	17.0	610	6.5	8.2	<0.001	0.027	0.50	4.2	0.6	0.3	40.0	<0.01	
G21-22	0.02	1.11	19.3	719	5.3	7.5	<0.001	0.008	0.35	5.6	0.5	0.4	38.0	<0.01	
G21-23	0.02	1.26	25.2	709	6.8	8.1	<0.001	0.041	0.40	4.2	0.8	0.4	55.1	<0.01	
G21-24	0.02	0.97	16.2	613	5.5	7.0	<0.001	0.014	0.30	4.7	0.5	0.3	38.1	<0.01	
G21-25	0.02	1.43	30.9	808	5.9	7.9	<0.001	0.038	0.44	4.4	0.6	0.4	60.2	<0.01	
G21-26	0.01	0.91	16.7	555	5.4	7.1	<0.001	0.014	0.34	5.5	0.5	0.3	38.1	<0.01	
G21-27	0.01	1.06	27.3	704	5.0	6.1	<0.001	0.030	0.34	3.7	0.5	0.3	46.8	<0.01	
G21-28	0.02	0.78	17.9	666	5.1	11.0	0.003	0.016	0.87	4.7	0.5	0.3	35.4	<0.01	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G21-30	0.01	0.92	16.3	627	5.9	7.7	<0.001	0.017	0.35	5.0	0.5	0.4	36.5	<0.01
G21-31	0.02	1.15	36.9	765	6.4	7.8	<0.001	0.083	0.59	4.4	0.8	0.3	73.6	<0.01
G21-32	0.01	1.07	16.6	561	5.4	6.6	<0.001	0.011	0.34	4.6	0.4	0.4	36.9	<0.01
G21-33	0.02	1.34	29.6	807	5.7	7.8	<0.001	0.049	0.44	4.2	0.7	0.4	58.7	<0.01
G21-35	0.03	1.40	31.6	769	7.7	7.8	<0.001	0.031	0.59	4.6	0.8	0.4	101	<0.01
G21-36	0.01	0.70	16.9	660	3.9	4.9	<0.001	0.012	0.32	4.7	0.4	0.2	32.8	<0.01
G21-37	0.02	1.00	29.6	540	6.4	7.9	<0.001	0.016	0.52	5.2	0.4	0.4	94.1	<0.01
G21-38	0.01	1.03	24.9	679	5.3	7.7	<0.001	0.019	0.60	6.4	0.7	0.3	40.9	<0.01
G21-39	0.02	1.14	30.6	663	6.9	9.3	<0.001	0.020	0.47	5.3	0.5	0.5	79.7	<0.01
G21-40	0.01	0.90	18.4	777	5.0	10.0	<0.001	0.035	0.53	6.3	0.6	0.3	49.3	<0.01
G21-41	0.03	1.49	27.1	748	6.9	6.9	<0.001	0.064	0.66	4.4	0.8	0.4	110	<0.01
G21-42	<0.01	0.85	18.9	662	4.8	8.0	<0.001	0.029	0.51	6.3	0.6	0.3	44.1	<0.01
G21-43	0.02	1.64	28.6	745	7.2	7.0	<0.001	0.034	0.65	4.5	0.8	0.4	78.3	<0.01
G21-45	0.02	1.43	27.9	794	6.4	6.1	<0.001	0.078	0.86	3.6	1.5	0.4	137	<0.01
G21-46	<0.01	0.66	18.3	551	3.9	10.9	<0.001	<0.005	0.35	5.4	0.3	0.3	32.8	<0.01
G21-47	0.02	1.22	23.2	787	6.6	5.8	<0.001	0.023	0.47	4.2	0.6	0.4	72.4	<0.01
G21-49	0.02	1.60	36.7	724	9.8	6.4	<0.001	0.047	0.61	4.8	0.9	0.5	74.6	<0.01
G21-51	0.02	1.63	33.0	588	7.5	6.1	0.003	0.025	0.82	5.0	0.8	0.5	65.8	<0.01
G21-52	0.01	0.96	24.7	647	6.4	6.7	<0.001	0.041	0.59	5.1	0.9	0.3	66.9	<0.01
G21-53	<0.01	0.81	16.7	323	9.3	11.8	<0.001	0.010	0.41	3.4	0.3	0.3	28.3	<0.01
G21-54	<0.01	0.98	21.0	369	11.2	13.2	<0.001	0.012	0.45	3.8	0.3	0.4	29.7	<0.01
G21-55	0.03	1.94	38.9	890	5.3	6.7	<0.001	0.023	0.42	5.4	0.5	0.4	58.9	<0.01
G21-56	<0.01	1.00	15.8	524	4.0	5.1	<0.001	0.009	<0.05	2.4	<0.2	0.4	21.1	<0.01
G21-57	0.02	1.75	21.9	633	5.1	4.7	<0.001	0.026	0.26	3.2	0.5	0.4	50.2	<0.01
G21-58	0.01	1.13	17.5	771	4.8	5.6	<0.001	0.017	0.05	1.9	0.2	0.5	17.2	<0.01
G21-59	0.02	1.44	32.1	761	4.9	4.6	<0.001	0.026	0.17	4.2	0.4	0.4	39.9	<0.01
G21-60	0.01	0.54	19.9	524	4.1	3.7	<0.001	<0.005	<0.05	5.7	0.4	0.3	20.9	<0.01
G23-0	0.02	0.38	36.6	353	5.7	5.2	<0.001	<0.005	0.70	8.5	0.8	0.5	29.6	<0.01
G23-1	0.01	0.69	29.4	372	5.6	5.8	<0.001	0.006	0.58	8.3	0.7	0.5	28.1	<0.01
G23-2	0.02	0.48	31.4	465	4.7	5.6	<0.001	0.005	0.37	7.4	0.6	0.5	29.5	<0.01
G23-3	0.02	0.78	25.9	616	4.6	5.4	<0.001	<0.005	0.50	5.9	0.7	0.4	27.5	<0.01
G23-4	0.02	1.44	20.6	644	3.7	5.6	<0.001	0.012	0.26	5.7	0.5	0.4	35.3	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G23-5	0.02	0.57	28.8	647	4.4	4.0	<0.001	<0.005	0.33	5.2	0.5	0.3	28.0	<0.01
G23-6	0.02	0.81	19.9	668	4.1	3.1	<0.001	0.013	<0.05	4.0	0.4	0.2	31.2	<0.01
G23-7	0.02	1.35	24.9	711	4.5	3.6	<0.001	0.030	0.28	3.8	0.6	0.3	39.9	<0.01
G23-8	0.02	0.98	14.3	605	4.0	4.1	<0.001	0.015	0.13	3.0	0.4	0.3	31.9	<0.01
G23-10	0.02	1.14	12.0	645	4.9	5.4	<0.001	0.023	0.24	3.1	0.4	0.4	30.0	<0.01
G23-12	0.02	1.01	10.7	648	3.9	4.2	<0.001	0.011	0.20	2.7	0.3	0.3	28.1	<0.01
G23-13	0.02	1.24	18.9	715	4.4	4.5	<0.001	0.033	0.20	4.2	0.5	0.3	41.8	<0.01
G23-14	0.02	1.01	12.1	568	3.5	3.8	<0.001	0.017	0.09	2.9	0.2	0.3	32.5	<0.01
G23-17	0.02	0.80	14.9	665	3.9	3.2	<0.001	0.012	0.07	3.1	0.3	0.2	27.5	<0.01
G23-18	0.02	1.08	17.9	643	4.3	4.7	<0.001	0.024	0.12	3.8	0.4	0.3	36.9	<0.01
G23-19	0.02	0.97	13.4	472	4.6	6.2	<0.001	0.015	<0.05	3.1	0.2	0.3	31.6	<0.01
G23-22	0.02	1.05	17.6	591	4.9	5.0	<0.001	0.009	0.11	4.2	0.4	0.4	34.6	<0.01
G23-26	0.02	0.94	25.6	850	3.5	3.1	<0.001	0.019	<0.05	3.3	0.3	0.2	38.8	<0.01
G23-27	0.02	1.12	14.8	496	4.5	5.6	<0.001	0.012	0.05	3.9	0.3	0.4	30.8	<0.01
G23-28	0.03	1.21	26.9	780	3.7	3.8	<0.001	0.022	0.06	3.3	0.4	0.3	42.6	<0.01
G23-29	0.01	1.18	15.4	507	4.1	4.0	<0.001	0.010	0.14	3.5	0.3	0.4	25.0	<0.01
G23-30	0.02	1.04	23.4	770	3.4	3.3	<0.001	0.019	<0.05	2.8	0.3	0.3	37.4	<0.01
G23-31	0.01	0.95	15.2	535	3.7	4.0	<0.001	0.013	<0.05	3.3	0.2	0.3	28.5	<0.01
G23-32	0.01	0.63	18.6	610	4.0	3.0	<0.001	0.017	<0.05	4.6	0.3	<0.2	27.5	<0.01
G23-34	0.03	1.23	28.7	720	3.8	4.2	<0.001	0.079	0.05	3.3	0.4	0.3	43.6	<0.01
G23-35	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G23-36	0.01	0.93	16.9	613	3.7	4.1	<0.001	0.020	0.12	4.7	0.4	0.3	32.2	<0.01
G23-37	0.02	1.12	18.6	751	2.9	2.7	<0.001	0.023	<0.05	2.5	0.2	0.3	40.1	<0.01
G23-38	0.01	1.06	19.6	616	4.0	3.5	<0.001	0.033	0.22	4.7	0.4	0.3	36.0	<0.01
G23-42	0.01	1.00	21.7	681	3.9	3.7	<0.001	0.023	0.15	6.1	0.5	0.3	32.2	<0.01
G23-43	0.03	1.26	29.3	810	4.3	4.3	<0.001	0.027	0.12	3.8	0.5	0.3	49.6	<0.01
G23-45	0.02	1.35	29.7	853	4.6	4.6	<0.001	0.081	0.28	3.1	1.0	0.3	89.6	<0.01
G23-46	0.01	0.79	11.9	379	2.5	5.5	<0.001	0.016	0.06	4.2	0.2	0.3	20.8	<0.01
G23-47	0.03	1.38	27.5	815	4.0	4.1	<0.001	0.029	0.19	3.3	0.7	0.3	48.1	<0.01
G23-48	0.01	0.63	15.2	571	2.4	3.4	<0.001	0.023	<0.05	3.7	0.2	<0.2	28.6	<0.01
G23-49	0.02	0.70	25.9	476	6.5	6.8	0.004	0.018	0.56	5.5	0.5	0.4	71.0	<0.01
G23-51	0.01	1.08	82.9	596	5.8	7.0	<0.001	0.012	0.38	10.4	0.6	0.3	59.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G23-52	<0.01	0.73	24.0	425	5.4	8.2	<0.001	<0.005	0.38	6.6	0.5	0.4	30.1	<0.01
G23-53	0.01	1.26	30.4	607	7.0	6.4	<0.001	0.020	0.44	4.4	0.6	0.4	52.4	<0.01
G23-54	<0.01	0.61	18.5	300	5.5	4.9	<0.001	<0.005	0.22	6.2	0.6	0.4	25.2	<0.01
G23-55	0.02	1.17	35.3	889	6.6	6.8	0.001	0.114	0.66	3.3	1.0	0.3	96.9	0.02
G23-56	<0.01	1.22	15.7	207	6.5	5.2	<0.001	0.005	0.21	2.8	0.3	0.5	18.0	<0.01
G23-57	0.02	1.01	27.2	624	6.6	6.4	<0.001	0.036	0.41	4.1	0.7	0.3	52.0	<0.01
G23-58	<0.01	0.70	12.7	428	4.8	11.3	<0.001	<0.005	0.20	4.3	0.3	0.4	21.9	<0.01
G23-59	0.01	1.11	23.4	551	6.4	4.4	<0.001	0.021	0.38	3.5	0.9	0.3	53.9	<0.01
G23-60	<0.01	0.88	10.1	688	5.4	4.9	<0.001	0.013	0.25	1.4	0.2	0.5	11.9	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G1113-8	0.03	1.3	0.090	0.06	0.77	52.5	0.82	3.48	23.1	<0.5
G1113-10	0.01	1.6	0.072	0.05	0.52	47.1	0.16	2.08	24.7	0.5
G1113-12	0.01	1.8	0.091	0.05	0.59	48.9	0.25	2.44	23.7	0.6
G1113-16	0.02	2.0	0.105	0.05	0.67	52.1	0.66	2.76	28.5	0.8
G1113-18	0.02	2.9	0.109	0.07	1.02	61.8	0.26	5.87	31.3	1.2
G1113-20	0.02	2.1	0.106	0.07	0.99	61.1	0.38	5.02	31.8	0.9
G1113-24	0.02	2.3	0.116	0.08	1.04	58.1	0.16	3.27	33.7	1.0
G13-0	0.03	3.0	0.121	0.10	0.78	63.2	0.27	6.53	39.9	4.2
G13-1	0.03	3.0	0.126	0.09	1.13	63.2	1.67	6.81	36.3	2.7
G13-2	0.03	3.3	0.142	0.11	1.15	70.3	0.42	7.57	43.0	4.5
G13-3	0.02	3.1	0.117	0.11	0.95	62.7	0.23	7.46	44.4	1.9
G13-4	0.03	2.5	0.126	0.09	0.85	66.2	0.58	7.14	44.5	2.1
G13-5	0.02	3.2	0.127	0.10	0.48	69.6	0.19	7.21	43.0	8.0
G13-6	0.04	2.4	0.102	0.12	1.14	60.2	1.68	8.21	42.6	1.0
G13-7	0.02	4.2	0.138	0.14	0.78	76.7	0.09	8.99	63.9	9.1
G13-8	0.03	2.9	0.120	0.09	0.83	60.8	2.16	5.86	38.3	1.2
G13-9	0.03	3.1	0.104	0.10	2.17	66.2	0.18	9.97	59.7	2.6
G13-11	0.02	3.3	0.104	0.09	0.95	62.7	0.29	8.02	43.0	3.7
G13-13	0.02	2.7	0.086	0.06	0.98	53.0	0.12	7.03	30.2	2.4
G13-15	0.02	3.2	0.099	0.08	0.97	60.5	0.22	7.01	30.6	3.5
G13-16	0.02	2.3	0.116	0.07	0.72	57.8	0.21	3.45	29.4	0.8
G13-17	0.02	2.8	0.103	0.06	0.85	56.0	0.11	6.26	28.9	2.3
G13-18	0.02	2.5	0.108	0.07	0.76	55.2	0.26	3.39	30.1	1.0
G13-19	0.02	2.9	0.104	0.09	1.19	55.1	0.19	6.66	40.8	2.2
G13-20	0.02	2.0	0.103	0.07	1.15	53.8	0.25	5.87	26.7	0.7
G13-22	0.02	1.7	0.094	0.06	0.82	51.0	0.33	3.30	30.7	0.8
G13-24	0.02	1.8	0.105	0.06	0.89	55.9	0.21	3.32	28.0	0.7
G13-26	0.01	2.3	0.123	0.05	0.67	51.6	0.31	3.04	18.3	1.0
G13-31	0.01	3.4	0.091	0.06	0.93	47.2	0.24	6.94	23.0	5.0
G13-33	0.02	2.9	0.092	0.06	1.22	51.5	0.21	7.60	32.9	4.4
G13-35	0.02	2.7	0.090	0.08	0.97	51.5	0.20	6.40	34.4	3.2
G13-37	0.02	2.2	0.079	0.06	1.05	40.0	0.31	3.56	22.4	3.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G13-39	0.02	2.9	0.102	0.04	1.07	47.3	0.45	3.72	19.6	3.2
G13-41	0.01	3.0	0.113	0.06	0.76	58.4	0.12	6.90	42.1	11.9
G13-43	0.02	2.6	0.100	0.07	0.72	56.1	0.44	3.28	33.2	1.8
G13-45	0.02	3.1	0.125	0.07	0.62	62.4	0.13	7.17	42.5	8.4
G13-47	0.03	3.4	0.073	0.07	0.88	51.9	0.27	8.71	33.3	2.2
G13-49	0.02	2.6	0.080	0.07	0.63	53.7	0.15	6.42	23.7	1.4
G13-51	0.02	2.9	0.081	0.07	0.58	50.2	0.21	4.22	35.9	3.1
G13-53	0.02	1.4	0.021	0.13	0.53	37.5	0.54	2.94	23.2	0.9
G13-55	0.08	2.9	0.114	0.08	0.63	56.0	0.19	11.4	41.8	3.9
G13-57	0.04	2.6	0.056	0.12	0.89	78.2	0.17	16.7	74.4	2.2
G13-59	0.03	1.7	0.016	0.09	0.95	46.7	0.10	14.1	75.4	0.9
G1315-0	0.03	2.4	0.103	0.10	1.91	52.3	0.33	11.5	52.0	2.5
G1315-1	0.03	2.7	0.144	0.17	0.97	85.6	0.39	11.1	71.9	4.9
G1315-2	0.02	3.0	0.104	0.10	0.53	57.8	0.27	11.0	56.0	4.8
G1315-3	0.12	1.5	0.217	0.16	0.46	125	0.32	6.89	96.3	2.2
G1315-4	0.03	2.9	0.122	0.11	1.45	65.1	1.25	11.8	61.5	3.1
G1315-5	0.03	3.0	0.133	0.10	0.95	70.3	0.22	12.9	60.1	4.0
G1315-6	0.03	1.9	0.111	0.11	1.71	52.0	1.62	30.5	55.5	1.1
G1315-7	0.02	2.8	0.089	0.08	2.54	49.2	0.26	12.7	51.9	1.8
G1315-8	0.03	3.2	0.118	0.24	1.07	59.2	5.01	14.8	99.0	3.7
G1315-9	0.01	2.5	0.081	0.08	1.60	48.0	0.23	10.6	54.5	4.1
G1315-10	0.05	3.1	0.142	0.20	0.98	85.4	6.30	10.2	58.6	3.4
G1315-11	0.01	3.2	0.114	0.08	1.01	54.5	0.22	11.1	51.0	3.7
G1315-12	<0.01	2.4	0.088	0.05	0.68	45.0	1.15	5.84	36.8	1.3
G1315-13	0.01	2.5	0.108	0.07	1.64	55.0	0.20	11.0	47.1	2.5
G1315-14	<0.01	2.9	0.124	0.09	0.85	52.7	0.43	6.74	42.0	1.1
G1315-15	0.11	3.2	0.124	0.07	1.06	58.8	0.34	9.89	49.0	3.0
G1315-16	0.02	2.8	0.090	0.06	0.85	44.1	0.37	6.87	42.4	1.7
G1315-17	0.02	2.6	0.087	0.06	1.08	52.6	0.25	10.3	45.3	2.6
G1315-18	0.01	2.6	0.119	0.08	1.03	57.2	0.36	7.72	44.2	0.9
G1315-22	0.01	2.0	0.089	0.06	0.71	46.7	0.28	5.91	42.8	1.3
G1315-24	0.01	2.6	0.102	0.08	1.87	64.0	0.39	17.3	49.4	1.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
Sample Description										
G1315-26	0.01	2.9	0.129	0.12	0.78	56.9	0.17	6.54	48.4	2.0
G1315-28	<0.01	3.3	0.163	0.08	0.65	58.4	0.53	6.08	43.5	3.1
G15-0	0.03	1.8	0.232	0.33	0.78	127	0.45	8.59	91.7	3.3
G15-1	0.04	1.9	0.239	0.22	0.63	133	0.29	10.5	88.5	4.2
G15-2	0.03	3.4	0.120	0.12	0.70	58.3	0.47	11.9	61.0	4.0
G15-3	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G15-4	0.06	1.9	0.172	0.20	0.57	51.3	0.34	10.0	88.4	3.7
G15-5	0.03	3.1	0.120	0.15	0.81	87.5	0.22	19.2	71.1	3.8
G15-6	0.04	2.6	0.177	0.21	0.83	78.8	1.72	8.15	69.6	4.1
G15-7	0.03	2.6	0.100	0.15	0.62	82.5	0.40	13.7	75.8	2.6
G15-8	0.09	1.3	0.353	0.57	0.84	219	0.69	15.3	97.5	3.7
G15-9	0.02	3.6	0.141	0.16	0.73	78.6	0.24	14.3	72.8	7.2
G15-10	0.17	1.7	0.213	0.99	1.29	237	0.53	14.8	121	3.0
G15-11	0.12	2.8	0.096	0.07	1.23	58.7	0.33	10.7	54.9	3.1
G15-12	0.03	3.3	0.112	0.09	0.80	55.1	0.33	6.72	49.0	3.3
G15-13	0.02	3.9	0.123	0.10	0.69	59.7	0.25	11.7	58.1	6.4
G15-14	0.01	2.6	0.101	0.08	0.76	49.3	0.29	5.91	44.2	1.3
G15-15	0.02	3.7	0.092	0.06	1.23	59.0	0.46	6.77	40.9	3.4
G15-16	0.02	2.7	0.113	0.06	0.70	71.5	0.50	3.04	46.1	2.5
G15-17	0.02	3.2	0.085	0.07	1.00	60.3	0.14	6.91	38.7	2.2
G15-18	0.01	2.5	0.096	0.07	0.71	58.1	0.37	3.14	38.3	1.0
G15-19	0.01	2.6	0.068	0.07	0.79	65.2	0.16	3.64	43.6	2.2
G15-20	0.01	2.4	0.151	0.04	0.46	72.1	0.27	2.68	40.2	1.8
G15-21	0.02	2.5	0.109	0.08	1.61	67.7	0.65	7.23	52.9	1.8
G15-22	0.01	1.8	0.032	0.05	0.65	42.8	0.30	2.87	34.6	0.6
G15-26	0.02	2.6	0.103	0.08	0.73	61.7	0.14	3.14	42.1	1.1
G15-27	0.02	2.8	0.094	0.07	1.21	56.0	0.15	6.49	43.9	1.6
G15-28	0.02	2.6	0.118	0.08	0.79	65.6	0.23	3.23	42.8	1.1
G15-29	0.01	3.0	0.098	0.06	0.76	58.1	0.13	3.91	46.3	2.9
G15-31	0.02	3.5	0.115	0.07	1.19	71.4	0.15	7.66	54.2	4.1
G15-33	0.02	3.3	0.098	0.06	1.18	65.5	0.19	7.95	44.0	4.7
G15-35	0.02	3.5	0.063	0.04	0.70	49.4	0.20	4.36	37.5	5.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012	DATE RECEIVED: Jul 21, 2012					DATE REPORTED: Sep 11, 2012					SAMPLE TYPE: Soil
Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5	
G15-37	0.04	1.7	0.067	0.05	2.23	46.5	0.12	3.70	43.0	5.8	
G15-39	0.02	3.3	0.108	0.07	1.23	61.6	0.17	7.92	39.7	7.3	
G15-41	0.02	4.4	0.134	0.09	0.75	71.4	0.18	9.30	57.4	13.7	
G15-43	0.02	4.9	0.143	0.13	0.79	80.2	0.10	10.7	61.7	9.9	
G15-45	0.02	3.6	0.104	0.08	0.72	66.1	0.15	8.60	46.2	3.4	
G15-47	0.02	3.9	0.099	0.11	0.82	67.5	0.16	9.16	43.3	5.0	
G15-49	0.03	3.9	0.088	0.13	0.65	80.0	0.26	10.0	52.0	8.2	
G15-51	0.02	1.9	0.020	0.14	0.59	124	0.29	9.41	55.5	1.0	
G15-53	0.02	3.0	0.115	0.11	0.81	79.1	0.21	9.44	49.6	1.8	
G15-55	0.02	1.9	0.142	0.07	0.61	95.7	0.15	9.59	45.9	2.7	
G15-57	0.04	1.9	0.030	0.09	1.05	69.6	0.19	11.3	55.6	1.3	
G15-59	0.05	2.1	0.029	0.09	1.21	93.3	0.15	17.6	84.6	0.9	
G17-0	0.04	1.3	0.299	0.24	0.41	128	0.39	4.71	82.1	1.9	
G17-1	0.02	1.6	0.260	0.19	0.54	86.6	0.38	9.88	97.3	2.2	
G17-2	0.02	3.3	0.096	0.11	0.83	64.9	0.20	10.4	51.2	3.0	
G17-3	0.02	4.2	0.106	0.08	0.90	66.3	0.10	8.10	39.0	6.2	
G17-4	0.05	2.0	0.222	0.37	0.91	142	0.43	7.38	68.0	3.8	
G17-5	0.05	1.0	0.026	0.22	0.24	179	0.15	17.3	96.2	<0.5	
G17-6	0.09	2.4	0.241	0.46	1.38	143	1.23	12.5	74.1	4.3	
G17-7	0.03	1.0	0.179	0.12	0.26	124	0.10	7.65	72.5	0.7	
G17-8	0.02	1.0	0.292	0.31	0.50	144	0.74	7.01	54.4	2.1	
G17-9	0.06	4.9	0.042	0.10	0.60	71.2	0.34	13.9	59.7	7.5	
G17-10	0.03	1.6	0.270	0.31	0.67	175	1.21	9.09	61.3	3.0	
G17-11	0.03	1.8	0.146	0.08	0.37	102	0.19	3.62	53.6	1.6	
G17-12	0.03	3.7	0.122	0.09	0.68	69.8	1.03	3.25	42.3	4.8	
G17-13	0.03	2.4	0.099	0.08	0.84	98.2	0.29	9.89	54.8	1.7	
G17-14	0.02	3.4	0.094	0.07	0.86	61.0	0.91	6.36	43.7	2.0	
G17-15	0.07	4.2	0.094	0.08	1.20	61.9	0.40	11.4	58.0	5.0	
G17-16	0.04	5.2	0.102	0.09	1.19	59.6	2.94	11.0	58.6	5.5	
G17-17	0.02	3.3	0.082	0.07	1.42	65.1	0.22	13.3	57.5	2.6	
G17-18	0.01	3.1	0.092	0.06	0.90	55.5	2.19	8.63	50.8	3.0	
G17-19	0.02	2.9	0.065	0.08	1.05	54.9	0.39	9.80	47.0	2.8	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G17-20		0.01	4.0	0.126	0.10	1.03	63.7	0.78	8.35	56.9	3.1
G17-21		<0.01	2.6	0.069	0.08	1.08	46.0	0.24	9.51	53.0	2.7
G17-22		0.01	3.0	0.112	0.09	0.95	66.7	0.37	7.38	60.3	2.7
G17-23		0.02	3.8	0.134	0.16	1.72	87.4	0.21	12.0	97.2	5.8
G17-24		0.01	1.8	0.102	0.08	0.86	56.2	0.48	7.07	47.0	1.1
G17-25		<0.01	2.8	0.073	0.05	0.91	37.7	0.23	7.07	42.7	2.1
G17-26		0.01	2.7	0.102	0.07	0.61	57.4	0.18	5.64	50.8	3.6
G17-27		0.01	3.8	0.095	0.07	1.31	54.3	0.33	10.2	53.1	3.5
G17-28		0.02	3.0	0.120	0.10	1.06	64.6	0.49	8.81	62.8	1.3
G17-29		0.01	3.1	0.086	0.07	0.93	45.7	0.47	8.27	53.6	2.7
G17-31		<0.01	3.5	0.095	0.07	1.28	45.9	0.17	10.5	45.3	8.5
G17-33		<0.01	2.6	0.079	0.07	1.38	48.7	0.21	9.69	40.1	1.3
G17-35		0.01	4.4	0.103	0.07	0.81	53.0	0.17	12.6	52.6	7.1
G17-37		0.04	3.8	0.088	0.07	1.26	50.6	0.16	11.1	54.2	7.2
G17-39		0.02	3.7	0.105	0.08	1.31	59.5	0.16	13.6	54.3	9.9
G17-41		0.01	3.6	0.093	0.08	1.17	59.6	0.15	12.8	56.2	4.1
G17-43		0.01	3.3	0.086	0.07	1.23	54.9	0.19	12.5	56.3	2.5
G17-45		<0.01	4.1	0.101	0.09	1.01	58.7	0.10	12.8	56.5	6.0
G17-47		0.01	4.1	0.109	0.10	0.88	61.2	0.11	12.9	65.0	7.4
G17-49		0.01	4.1	0.086	0.09	0.80	58.6	0.19	12.0	64.7	2.8
G17-51		0.01	3.3	0.067	0.08	0.64	50.5	0.19	10.9	63.3	4.3
G17-53		0.01	2.4	0.047	0.11	0.62	85.9	0.14	10.1	50.7	1.5
G17-55		<0.01	4.1	0.090	0.08	0.71	62.8	0.08	12.8	51.0	5.3
G17-57		0.08	2.1	0.016	0.16	1.17	66.1	0.07	15.1	119	1.7
G17-59		0.06	1.3	0.007	0.15	1.40	92.5	0.07	19.6	196	0.6
G19-2		0.07	1.2	0.247	0.66	0.55	145	0.38	8.42	97.0	3.9
G19-4		0.05	2.6	0.127	0.48	1.84	133	0.46	15.4	123	5.0
G19-5		0.01	2.1	0.069	0.07	0.85	53.1	0.14	15.4	65.5	1.9
G19-6		0.02	1.4	0.169	0.34	0.80	175	0.28	9.70	101	3.8
G19-7		0.06	1.4	0.092	0.16	0.41	106	0.16	12.3	95.2	0.9
G19-8		0.02	2.7	0.072	0.08	1.58	55.1	0.43	14.1	56.5	1.3
G19-10		0.13	3.4	0.110	0.19	0.91	82.9	5.05	11.3	60.6	3.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G19-11	0.03	1.9	0.100	0.06	0.68	52.8	0.27	7.23	49.1	0.8
G19-12	0.02	3.1	0.102	0.11	0.78	78.7	0.75	9.81	53.0	3.2
G19-13	0.02	1.8	0.055	0.06	0.74	45.2	0.40	7.77	53.8	1.0
G19-14	0.02	2.8	0.087	0.06	1.71	67.7	0.65	4.20	42.0	2.2
G19-15	0.02	2.0	0.091	0.07	0.76	54.8	0.23	4.11	39.0	1.2
G19-16	0.02	3.5	0.107	0.07	0.64	57.7	0.28	3.20	33.0	3.4
G19-17	0.01	2.5	0.106	0.06	0.64	52.1	0.25	3.73	35.7	1.3
G19-18	0.02	3.5	0.096	0.07	0.70	62.4	0.34	3.26	39.6	2.6
G19-19	0.02	2.5	0.093	0.07	0.77	61.9	0.21	4.11	43.7	1.5
G19-20	0.02	2.1	0.103	0.07	0.51	64.0	0.35	2.52	37.8	1.6
G19-21	0.03	3.3	0.093	0.09	1.52	70.4	0.35	10.3	49.2	2.2
G19-22	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
G19-23	0.03	2.8	0.082	0.09	1.32	58.6	0.35	8.84	42.4	1.7
G19-24	0.02	2.7	0.106	0.09	0.75	63.6	1.29	3.35	36.4	1.6
G19-25	0.01	3.0	0.096	0.06	0.84	47.4	0.29	3.90	33.1	1.7
G19-26	0.03	2.9	0.079	0.07	0.82	66.2	0.92	3.92	42.1	1.6
G19-27	0.01	2.9	0.105	0.05	0.90	54.7	1.03	3.76	33.8	1.6
G19-28	0.02	2.8	0.114	0.08	0.86	70.3	0.38	4.11	43.6	1.4
G19-29	0.01	2.9	0.093	0.08	0.79	51.7	0.15	7.16	42.8	3.1
G19-30	0.03	2.3	0.110	0.11	0.75	69.9	0.74	3.27	42.2	0.7
G19-31	0.02	3.3	0.103	0.08	0.65	55.4	0.20	7.71	50.1	3.1
G19-33	0.02	3.5	0.090	0.06	1.15	58.5	0.25	8.51	41.5	3.2
G19-35	0.02	2.2	0.064	0.04	1.17	47.1	0.15	4.03	37.5	3.4
G19-37	0.02	3.2	0.088	0.06	1.36	54.7	0.26	8.20	38.4	3.0
G19-39	0.02	4.0	0.109	0.08	0.92	63.5	0.27	9.21	42.1	5.9
G19-41	0.02	4.3	0.118	0.08	1.20	69.6	0.16	9.98	45.6	8.7
G19-43	0.02	4.1	0.106	0.08	1.34	61.8	0.26	9.33	40.4	6.6
G19-45	0.02	4.2	0.113	0.09	0.90	70.1	0.19	10.7	45.1	5.8
G19-47	0.02	3.8	0.088	0.07	1.03	59.0	0.17	8.91	39.0	2.0
G19-49	0.02	3.9	0.123	0.10	1.03	74.8	0.13	9.62	54.0	6.2
G19-51	0.01	2.5	0.095	0.06	0.45	67.0	0.16	4.29	41.2	3.6
G19-53	0.02	2.7	0.095	0.06	0.52	64.5	0.29	4.70	39.4	2.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm 0.01	ppm 0.1	% 0.005	ppm 0.01	ppm 0.05	ppm 0.5	ppm 0.05	ppm 0.05	ppm 0.5	ppm 0.5
G19-55		0.02	2.9	0.086	0.08	0.61	64.9	0.12	5.08	42.7	2.3
G19-57		0.02	3.4	0.097	0.08	0.59	61.7	0.17	9.59	49.0	2.9
G19-59		0.03	2.7	0.062	0.08	0.55	75.7	0.14	12.5	53.6	1.6
G21-0		0.02	3.2	0.122	0.07	0.53	72.2	0.15	9.75	49.0	5.6
G21-1		0.02	2.5	0.114	0.07	0.44	66.6	0.19	8.26	49.7	3.7
G21-2		0.07	1.2	0.175	0.56	0.54	108	0.32	4.12	82.3	0.7
G21-3		0.02	3.6	0.153	0.13	0.76	82.0	0.33	4.48	54.1	5.0
G21-4		0.06	1.5	0.206	0.44	0.62	134	1.42	4.34	69.8	1.8
G21-5		0.02	2.2	0.123	0.08	0.43	68.1	0.40	8.05	46.3	5.0
G21-6		0.40	5.7	0.093	0.18	2.05	75.1	10.5	10.8	68.1	10.8
G21-7		0.02	3.2	0.090	0.07	0.57	61.9	0.20	8.89	46.8	3.1
G21-8		0.02	2.4	0.069	0.06	0.89	54.7	0.35	8.07	54.0	3.3
G21-9		0.01	2.1	0.078	0.05	0.94	52.2	0.22	10.5	59.7	5.4
G21-10		<0.01	2.2	0.069	0.05	0.70	51.4	0.38	6.14	44.0	2.5
G21-11		0.01	3.2	0.067	0.07	0.90	44.7	0.17	10.5	58.8	5.2
G21-12		<0.01	1.6	0.051	0.06	0.78	42.3	0.32	5.83	46.7	2.2
G21-13		0.02	1.6	0.043	0.04	1.17	47.0	0.67	9.78	53.2	5.1
G21-14		0.02	2.2	0.057	0.06	1.14	56.4	0.26	7.27	57.5	3.3
G21-15		<0.01	2.4	0.046	0.05	1.04	46.1	1.27	8.27	48.5	3.0
G21-16		<0.01	1.6	0.062	0.06	0.61	41.1	0.34	6.08	48.3	2.7
G21-17		0.01	2.5	0.072	0.06	0.75	57.0	0.40	6.55	50.2	2.9
G21-18		0.02	2.0	0.055	0.05	1.07	51.2	0.24	9.41	52.0	2.3
G21-19		0.01	2.0	0.045	0.05	1.22	47.4	0.28	11.2	47.8	3.8
G21-20		0.01	1.9	0.054	0.04	0.52	50.4	2.19	4.68	45.9	2.5
G21-21		0.01	1.8	0.047	0.06	0.77	41.4	0.22	8.24	53.5	3.5
G21-22		0.01	2.6	0.088	0.06	0.85	58.4	1.16	8.74	59.7	4.8
G21-23		0.01	1.3	0.056	0.06	1.42	42.8	0.17	9.91	60.4	4.4
G21-24		0.02	1.4	0.068	0.07	1.04	60.2	1.01	7.05	53.2	2.9
G21-25		<0.01	2.3	0.073	0.06	1.02	47.0	0.17	8.99	55.5	6.4
G21-26		0.01	1.7	0.055	0.06	0.91	52.7	1.35	10.4	52.0	3.2
G21-27		<0.01	1.8	0.059	0.05	0.89	38.7	0.15	7.76	42.6	4.8
G21-28		0.05	1.4	0.071	0.09	0.56	68.1	4.05	5.03	54.5	2.7

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G21-30		0.02	1.3	0.055	0.07	0.88	63.4	0.56	5.99	57.9	2.6
G21-31		<0.01	2.3	0.054	0.06	1.84	50.7	0.18	11.2	57.1	5.7
G21-32		<0.01	2.0	0.062	0.06	0.85	50.8	0.15	6.43	57.4	3.3
G21-33		<0.01	2.1	0.071	0.06	0.89	44.2	0.35	8.70	55.3	5.4
G21-35		0.01	2.7	0.072	0.07	1.32	46.6	0.17	11.1	68.6	7.3
G21-36		<0.01	1.9	0.064	0.04	0.82	53.5	0.78	6.72	54.4	4.2
G21-37		0.01	3.0	0.082	0.06	0.63	49.6	0.48	10.7	49.0	12.2
G21-38		<0.01	2.0	0.080	0.06	1.09	58.1	0.41	11.3	65.9	5.3
G21-39		<0.01	3.2	0.088	0.06	0.94	50.6	0.20	11.3	58.0	14.9
G21-40		0.01	0.9	0.077	0.06	0.86	71.9	0.62	7.61	69.8	3.7
G21-41		0.01	2.3	0.061	0.06	1.34	44.2	0.38	11.1	56.9	6.3
G21-42		<0.01	1.1	0.054	0.06	0.94	61.1	0.38	8.76	62.3	3.3
G21-43		<0.01	2.4	0.062	0.05	1.26	44.4	0.33	11.5	49.3	7.5
G21-45		<0.01	1.8	0.047	0.04	2.53	38.0	0.40	10.4	43.8	6.0
G21-46		0.01	1.7	0.106	0.08	0.36	76.0	0.09	4.05	73.9	3.0
G21-47		<0.01	2.5	0.061	0.06	0.93	44.4	0.29	9.63	49.8	5.2
G21-49		<0.01	2.0	0.058	0.04	1.42	48.5	0.18	12.1	51.4	5.6
G21-51		0.04	2.3	0.062	0.05	1.09	47.6	0.35	11.4	49.1	6.5
G21-52		0.01	1.4	0.045	0.04	2.15	50.4	0.68	9.77	46.8	3.9
G21-53		0.01	1.2	0.078	0.06	0.48	60.5	0.16	4.14	57.7	1.3
G21-54		0.01	1.3	0.088	0.07	0.51	70.7	0.25	4.57	67.3	1.6
G21-55		0.03	3.1	0.121	0.08	1.04	65.3	0.16	9.98	36.7	6.4
G21-56		0.02	1.7	0.129	0.07	0.41	69.1	0.17	2.21	42.6	0.8
G21-57		0.02	3.7	0.099	0.06	1.00	53.8	0.53	9.03	19.1	3.1
G21-58		0.03	0.5	0.108	0.08	0.47	61.9	0.19	2.11	23.8	0.7
G21-59		0.02	2.8	0.088	0.06	0.68	60.4	0.19	4.88	33.1	3.6
G21-60		0.01	3.1	0.093	0.07	0.77	70.9	0.06	4.38	38.6	1.5
G23-0		0.03	3.9	0.132	0.10	0.97	83.1	0.96	16.6	53.6	8.4
G23-1		0.02	3.5	0.125	0.11	0.97	76.0	0.22	9.33	46.4	4.5
G23-2		0.02	3.3	0.120	0.09	0.63	74.5	0.17	8.78	47.0	5.1
G23-3		0.02	3.0	0.126	0.09	0.84	67.7	0.17	8.37	43.3	4.4
G23-4		0.02	3.1	0.118	0.07	0.90	51.1	0.20	9.74	40.5	2.7

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G23-5	0.02	2.5	0.105	0.08	0.53	59.1	0.91	8.50	35.5	2.6
G23-6	0.01	2.6	0.083	0.05	0.89	44.6	0.34	9.14	37.0	2.3
G23-7	0.02	2.9	0.076	0.06	1.07	45.3	0.17	4.65	44.1	3.2
G23-8	0.01	1.8	0.084	0.05	0.65	47.2	0.16	3.23	29.1	0.6
G23-10	0.02	2.1	0.095	0.08	0.71	53.1	0.29	3.66	29.6	0.6
G23-12	0.02	2.3	0.107	0.06	0.59	56.5	0.28	3.37	20.1	0.9
G23-13	0.01	2.2	0.080	0.06	0.72	50.6	0.11	3.66	37.8	1.5
G23-14	0.02	2.3	0.096	0.06	0.52	49.2	0.15	2.72	27.5	1.0
G23-17	0.02	2.3	0.087	0.05	0.66	53.7	0.21	3.04	31.5	1.2
G23-18	0.02	1.9	0.093	0.07	0.71	51.4	0.16	3.64	35.5	0.8
G23-19	0.01	1.9	0.081	0.08	0.54	50.7	0.18	2.64	29.2	1.1
G23-22	0.02	2.5	0.101	0.08	0.85	61.2	0.13	3.67	38.3	1.0
G23-26	0.01	2.3	0.091	0.05	0.56	46.0	0.13	3.44	39.4	2.0
G23-27	0.02	2.1	0.097	0.09	0.72	59.9	0.13	3.15	37.5	1.0
G23-28	0.01	2.5	0.095	0.05	0.70	47.5	0.19	3.72	28.7	2.4
G23-29	0.02	2.2	0.100	0.08	0.54	63.0	0.29	2.70	40.4	2.0
G23-30	0.01	2.6	0.093	0.05	0.63	44.1	0.09	3.37	25.2	2.1
G23-31	0.02	1.6	0.097	0.06	0.44	57.9	0.28	2.29	39.7	0.8
G23-32	0.01	1.7	0.070	0.05	0.60	60.5	0.09	2.98	44.1	0.7
G23-34	0.01	2.3	0.091	0.06	0.82	47.0	0.12	3.78	29.8	2.2
G23-35	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G23-36	0.02	1.5	0.094	0.07	0.66	60.1	0.15	3.30	38.8	0.6
G23-37	<0.01	2.5	0.107	0.04	0.59	39.1	0.22	3.01	16.5	1.7
G23-38	0.02	1.6	0.088	0.05	0.75	58.8	0.26	3.85	37.0	1.9
G23-42	0.02	1.8	0.091	0.06	0.78	64.3	0.42	4.62	45.7	1.6
G23-43	0.01	2.5	0.093	0.06	0.60	48.4	0.13	4.28	38.7	2.7
G23-45	0.02	2.0	0.071	0.05	2.06	38.6	0.17	4.47	27.9	3.0
G23-46	0.02	0.8	0.129	0.05	0.32	68.3	0.15	2.00	39.9	0.5
G23-47	0.02	2.8	0.085	0.06	1.11	46.8	0.11	4.07	33.0	3.9
G23-48	0.02	1.1	0.088	0.04	0.36	56.0	1.06	2.29	33.0	0.8
G23-49	0.04	2.5	0.055	0.06	0.59	43.6	0.29	9.44	45.7	9.6
G23-51	0.01	2.1	0.053	0.15	0.43	61.8	0.13	11.2	52.9	7.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622906

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 21, 2012

DATE RECEIVED: Jul 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G23-52	0.01	2.3	0.073	0.07	0.84	68.5	0.13	8.41	60.0	3.3
G23-53	0.01	2.0	0.051	0.06	0.74	42.4	0.17	10.1	47.0	5.0
G23-54	0.01	3.0	0.047	0.09	1.51	59.5	0.09	17.2	47.7	5.2
G23-55	0.01	1.0	0.040	0.05	2.65	38.2	0.21	9.95	44.9	5.5
G23-56	<0.01	1.5	0.056	0.07	0.42	55.8	0.11	3.17	39.2	1.7
G23-57	<0.01	2.1	0.053	0.06	1.01	40.7	0.13	9.50	49.9	4.7
G23-58	<0.01	1.8	0.093	0.07	0.45	75.2	0.10	4.75	59.3	1.9
G23-59	<0.01	1.5	0.046	0.04	2.24	38.8	0.20	8.00	42.0	3.8
G23-60	0.01	0.2	0.053	0.05	0.28	64.6	0.12	1.78	36.0	0.6

Comments: RDL - Reported Detection Limit  
 Sample NRC - Not Received

Certified By:



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis												
RPT Date: Sep 11, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3540728	0.131	0.122	7.1%	< 0.01	12.3	13.0	94%	80%	120%	
Al	1	3540778	1.28	1.27	0.8%	< 0.01	0.408	0.359	114%	80%	120%	
As	1	3540728	9.2	8.8	4.4%	0.2				80%	120%	
Au	1	3540728	< 0.01	< 0.01	0.0%	< 0.01	0.0725	0.0849	85%	80%	120%	
B	1	3540728	< 5	< 5	0.0%	< 5	7.34	7.00	105%	80%	120%	
Ba	1	3540778	331	322	2.8%	< 1				80%	120%	
Be	1	3540728	0.172	0.152	12.3%	< 0.05	0.3	0.4	85%	80%	120%	
Bi	1	3540728	0.403	0.408	1.2%	< 0.01				80%	120%	
Ca	1	3540778	2.29	2.36	3.0%	< 0.01				80%	120%	
Cd	1	3540728	0.10	0.10	0.0%	< 0.01				80%	120%	
Ce	1	3540728	24.4	22.1	9.9%	< 0.01				80%	120%	
Co	1	3540728	4.4	4.2	4.7%	< 0.1	4.1	5.0	81%	80%	120%	
Cr	1	3540778	76.0	74.5	2.0%	< 0.5				80%	120%	
Cs	1	3540728	0.73	0.57	24.6%	< 0.05				80%	120%	
Cu	1	3540778	291	290	0.3%	< 0.2	3949	3800	103%	80%	120%	
Fe	1	3540778	3.77	3.73	1.1%	< 0.01	1.53	1.31	116%	80%	120%	
Ga	1	3540728	7.37	7.09	3.9%	< 0.05				80%	120%	
Ge	1	3540728	0.130	0.157	18.8%	0.07				80%	120%	
Hf	1	3540728	< 0.02	< 0.02	0.0%	< 0.02				80%	120%	
Hg	1	3540728	0.05	0.03		< 0.01	1.1	1.3	83%	80%	120%	
In	1	3540728	0.0090	0.0084	6.9%	< 0.005				80%	120%	
K	1	3540778	0.64	0.64	0.0%	< 0.01				80%	120%	
La	1	3540728	13.1	8.3		< 0.1				80%	120%	
Li	1	3540728	5.26	4.73	10.6%	< 0.1				80%	120%	
Mg	1	3540778	1.11	1.10	0.9%	< 0.01				80%	120%	
Mn	1	3540778	505	513	1.6%	< 1				80%	120%	
Mo	1	3540728	1.55	1.30	17.5%	< 0.05	350	360	97%	80%	120%	
Na	1	3540778	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3540728	0.99	0.83	17.6%	< 0.05				80%	120%	
Ni	1	3540778	42.4	41.8	1.4%	< 0.2				80%	120%	
P	1	3540778	1160	1170	0.9%	< 10				80%	120%	
Pb	1	3540728	4.29	4.22	1.6%	< 0.1				80%	120%	
Rb	1	3540728	4.11	3.41	18.6%	< 0.1	13	13	97%	80%	120%	
Re	1	3540728	0.002	0.002	0.0%	< 0.001				80%	120%	
S	1	3540778	1.23	1.16	5.9%	< 0.005				80%	120%	
Sb	1	3540728	0.42	0.14		< 0.05				80%	120%	
Sc	1	3540778	5.4	5.3	1.9%	< 0.1				80%	120%	
Se	1	3540728	0.4	0.4	0.0%	< 0.2	0.7	0.8	82%	80%	120%	
Sn	1	3540728	0.31	0.25	21.4%	< 0.2				80%	120%	
Sr	1	3540778	83.1	81.1	2.4%	< 0.2				80%	120%	
Ta	1	3540728	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3540728	0.027	0.020	29.8%	< 0.01				80%	120%	
Th	1	3540728	1.3	1.4	7.4%	< 0.1	1.2	1.4	86%	80%	120%	
Ti	1	3540778	0.141	0.134	5.1%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Tl	1	3540728	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3540728	0.77	0.77	0.0%	< 0.05				80%	120%
V	1	3540778	63.5	62.5	1.6%	< 0.5				80%	120%
W	1	3540728	0.82	0.44		< 0.05				80%	120%
Y	1	3540728	3.48	3.16	9.6%	< 0.05	6	7	90%	80%	120%
Zn	1	3540778	27.6	27.3	1.1%	< 0.5				80%	120%
Zr	1	3540728	0.5	0.5	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3540753	0.103	0.094	9.1%	< 0.01	13.2	13.0	101%	80%	120%
Al	1	3540878	1.58	1.52	3.9%	< 0.01				80%	120%
As	1	3540753	8.19	7.53	8.4%	0.3				80%	120%
Au	1	3540753	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3540753	< 5	< 5	0.0%	< 5	7.12	7.00	102%	80%	120%
Ba	1	3540803	217	219	0.9%	< 1				80%	120%
Be	1	3540753	0.20	0.18	10.5%	< 0.05	0.4	0.4	91%	80%	120%
Bi	1	3540753	0.14	0.12	15.4%	< 0.01				80%	120%
Ca	1	3540878	1.01	0.925	8.8%	< 0.01				80%	120%
Cd	1	3540753	0.103	0.095	8.1%	< 0.01				80%	120%
Ce	1	3540753	25.3	25.4	0.4%	< 0.01				80%	120%
Co	1	3540753	5.0	4.7	6.2%	< 0.1	4.2	5.0	84%	80%	120%
Cr	1	3540878	50.9	52.5	3.1%	< 0.5				80%	120%
Cs	1	3540753	0.73	0.68	7.1%	< 0.05				80%	120%
Cu	1	3540878	43.7	45.8	4.7%	< 0.1	3722	3800	97%	80%	120%
Fe	1	3540878	2.89	2.73	5.7%	< 0.01				80%	120%
Ga	1	3540753	7.44	7.05	5.4%	< 0.05				80%	120%
Ge	1	3540753	0.104	0.124	17.5%	0.13				80%	120%
Hf	1	3540753	0.02	0.02	0.0%	< 0.02				80%	120%
Hg	1	3540753	0.022	0.025	12.8%	< 0.01	1.3	1.3	97%	80%	120%
In	1	3540753	0.009	0.009	0.0%	< 0.005				80%	120%
K	1	3540878	0.08	0.08	0.0%	< 0.01				80%	120%
La	1	3540753	8.8	8.8	0.0%	< 0.1				80%	120%
Li	1	3540753	6.5	5.9	9.7%	< 0.1				80%	120%
Mg	1	3540878	0.91	0.87	4.5%	< 0.01				80%	120%
Mn	1	3540878	563	590	4.7%	< 1				80%	120%
Mo	1	3540753	0.81	0.74	9.0%	< 0.05	348	380	91%	80%	120%
Na	1	3540878	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3540753	1.17	1.12	4.4%	< 0.05				80%	120%
Ni	1	3540878	47.5	49.2	3.5%	< 0.2				80%	120%
P	1	3540878	379	389	2.6%	< 10	493	600	82%	80%	120%
Pb	1	3540753	4.0	3.9	2.5%	< 0.1				80%	120%
Rb	1	3540753	3.72	3.44	7.8%	< 0.1	14	13	104%	80%	120%
Re	1	3540753	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3540878	0.0074	0.0076	2.7%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Sb	1	3540753	0.22	0.15		< 0.05				80%	120%
Sc	1	3540803	9.8	9.4	4.2%	< 0.1				80%	120%
Se	1	3540753	0.3	0.3	0.0%	< 0.2	0.7	0.8	91%	80%	120%
Sn	1	3540753	0.3	0.3	0.0%	< 0.2				80%	120%
Sr	1	3540803	76.4	70.7	7.7%	< 0.2				80%	120%
Ta	1	3540753	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3540753	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3540753	1.74	1.84	5.6%	< 0.1				80%	120%
Ti	1	3540878	0.0898	0.0885	1.5%	< 0.005				80%	120%
Tl	1	3540753	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3540753	0.815	0.789	3.2%	< 0.05				80%	120%
V	1	3540878	62.8	65.2	3.8%	< 0.5				80%	120%
W	1	3540753	0.33	0.39	16.7%	< 0.05				80%	120%
Y	1	3540753	3.30	3.13	5.3%	< 0.05	7	7	94%	80%	120%
Zn	1	3540878	51.0	53.1	4.0%	< 0.5				80%	120%
Zr	1	3540753	0.8	0.8	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3540828	0.12	0.13	8.0%	< 0.01	12.8	13.0	99%	80%	120%
Al	1	3540928	1.19	1.29	8.1%	< 0.01				80%	120%
As	1	3540828	8.53	9.35	9.2%	0.3				80%	120%
Au	1	3540828	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3540828	< 5	< 5	0.0%	< 5	7.58	7.00	108%	80%	120%
Ba	1	3540853	291	277	4.9%	< 1				80%	120%
Be	1	3540828	0.30	0.31	3.3%	< 0.05	0.4	0.4	93%	80%	120%
Bi	1	3540828	0.103	0.130	23.2%	< 0.01				80%	120%
Ca	1	3540928	0.68	0.73	7.1%	< 0.01				80%	120%
Cd	1	3540828	0.163	0.171	4.8%	< 0.01				80%	120%
Ce	1	3540828	41.3	42.3	2.4%	< 0.01				80%	120%
Co	1	3540828	6.4	6.9	7.5%	< 0.1				80%	120%
Cr	1	3540928	45.6	49.1	7.4%	< 0.5				80%	120%
Cs	1	3540828	0.69	0.58	17.3%	< 0.05				80%	120%
Cu	1	3540928	58.2	65.0	11.0%	< 0.1	3908	3800	102%	80%	120%
Fe	1	3540928	2.54	2.71	6.5%	< 0.01				80%	120%
Ga	1	3540828	9.26	9.67	4.3%	< 0.05				80%	120%
Ge	1	3540828	0.138	0.130	6.0%	0.11				80%	120%
Hf	1	3540828	0.06	0.08	28.6%	< 0.02				80%	120%
Hg	1	3540828	0.03	0.04	28.6%	< 0.01	1.1	1.3	87%	80%	120%
In	1	3540828	0.0120	0.0128	6.5%	< 0.005				80%	120%
K	1	3540928	0.10	0.11	9.5%	< 0.01				80%	120%
La	1	3540828	21.4	22.1	3.2%	< 0.1				80%	120%
Li	1	3540828	6.85	7.24	5.5%	< 0.1				80%	120%
Mg	1	3540928	0.671	0.720	7.0%	< 0.01				80%	120%
Mn	1	3540928	513	561	8.9%	< 1				80%	120%
Mo	1	3540828	0.95	1.32		< 0.05	364	380	95%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 11, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3540928	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3540828	1.05	1.13	7.3%	< 0.05				80%	120%	
Ni	1	3540928	30.6	32.3	5.4%	< 0.2				80%	120%	
P	1	3540928	749	770	2.8%	< 10	522	600	87%	80%	120%	
Pb	1	3540828	5.6	6.5	14.9%	< 0.1				80%	120%	
Rb	1	3540828	5.28	4.62	13.3%	< 0.1	13	13	102%	80%	120%	
Re	1	3540828	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3540928	< 0.005	< 0.005	0.0%	< 0.005	0.94	0.80	117%	80%	120%	
Sb	1	3540828	0.632	0.612	3.2%	< 0.05				80%	120%	
Sc	1	3540853	6.75	6.32	6.6%	< 0.1				80%	120%	
Se	1	3540828	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3540828	0.47	0.45	4.3%	< 0.2				80%	120%	
Sr	1	3540853	60.3	54.4	10.3%	< 0.2				80%	120%	
Ta	1	3540828	< 0.01	< 0.01	0.0%	< 0.01	1	0.9	110%	80%	120%	
Te	1	3540828	0.019	0.025	27.3%	< 0.01				80%	120%	
Th	1	3540828	3.6	3.7	2.7%	< 0.1				80%	120%	
Ti	1	3540928	0.123	0.133	7.8%	< 0.005				80%	120%	
Tl	1	3540828	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3540828	0.725	0.803	10.2%	< 0.05				80%	120%	
V	1	3540928	68.1	73.1	7.1%	< 0.5				80%	120%	
W	1	3540828	0.148	0.166	11.5%	< 0.05				80%	120%	
Y	1	3540828	8.60	9.03	4.9%	< 0.05	6	7	85%	80%	120%	
Zn	1	3540928	46.3	49.5	6.7%	< 0.5				80%	120%	
Zr	1	3540828	3.4	4.4	25.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3540903	0.12	0.12	0.0%	< 0.01	13.2	13.0	101%	80%	120%	
Al	1	3541003	1.20	1.26	4.9%	< 0.01				80%	120%	
As	1	3540903	15.7	15.8	0.6%	0.4				80%	120%	
Au	1	3540903	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3540903	< 5	< 5	0.0%	< 5	7.73	7.00	110%	80%	120%	
Ba	1	3540878	244	246	0.8%	< 1				80%	120%	
Be	1	3540903	0.220	0.229	4.0%	< 0.05	0.4	0.4	107%	80%	120%	
Bi	1	3540903	0.500	0.509	1.8%	< 0.01				80%	120%	
Ca	1	3541003	0.90	0.94	4.3%	< 0.01				80%	120%	
Cd	1	3540903	0.11	0.11	0.0%	< 0.01				80%	120%	
Ce	1	3540903	35.1	35.4	0.9%	< 0.01				80%	120%	
Co	1	3540903	6.2	6.4	3.2%	< 0.1				80%	120%	
Cr	1	3541003	40.2	41.2	2.5%	< 0.5				80%	120%	
Cs	1	3540903	0.68	0.86	23.4%	< 0.05				80%	120%	
Cu	1	3541003	20.2	20.1	0.5%	< 0.1	5614	6000	93%	80%	120%	
Fe	1	3541003	2.14	2.22	3.7%	< 0.01				80%	120%	
Ga	1	3540903	9.35	9.20	1.6%	< 0.05				80%	120%	
Ge	1	3540903	0.18	0.16	11.8%	0.11				80%	120%	
Hf	1	3540903	0.033	0.041	21.6%	< 0.02				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3540903	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3540903	0.0113	0.0116	2.6%	< 0.005				80%	120%
K	1	3541003	0.08	0.08	0.0%	< 0.01				80%	120%
La	1	3540903	10.9	14		< 0.1				80%	120%
Li	1	3540903	8.3	8.4	1.2%	< 0.1				80%	120%
Mg	1	3541003	0.61	0.63	3.2%	< 0.01				80%	120%
Mn	1	3541003	495	515	4.0%	< 1				80%	120%
Mo	1	3540903	1.29	1.30	0.8%	< 0.05	354	360	98%	80%	120%
Na	1	3541003	0.03	0.03	0.0%	< 0.01				80%	120%
Nb	1	3540903	0.86	1.19		< 0.05				80%	120%
Ni	1	3541003	28.7	28.8	0.3%	< 0.2				80%	120%
P	1	3541003	720	709	1.5%	< 10	594	600	99%	80%	120%
Pb	1	3540903	5.4	5.4	0.0%	< 0.1				80%	120%
Rb	1	3540903	3.8	4.3	12.3%	< 0.1	13	13	96%	80%	120%
Re	1	3540903	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3541003	0.0792	0.0796	0.5%	< 0.005				80%	120%
Sb	1	3540903	0.15	0.24		< 0.05				80%	120%
Sc	1	3540878	8.1	8.4	3.6%	< 0.1				80%	120%
Se	1	3540903	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3540903	0.30	0.38	23.5%	< 0.2				80%	120%
Sr	1	3540878	59.0	62.3	5.4%	< 0.2				80%	120%
Ta	1	3540903	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3540903	0.025	0.020	22.2%	< 0.01				80%	120%
Th	1	3540903	2.9	2.9	0.0%	< 0.1				80%	120%
Ti	1	3541003	0.091	0.098	7.4%	< 0.005				80%	120%
Tl	1	3540903	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3540903	0.82	0.83	1.2%	< 0.05				80%	120%
V	1	3541003	47.0	48.2	2.5%	< 0.5				80%	120%
W	1	3540903	0.92	0.93	1.1%	< 0.05				80%	120%
Y	1	3540903	3.92	4.05	3.3%	< 0.05	6	7	85%	80%	120%
Zn	1	3541003	29.8	28.6	4.1%	< 0.5				80%	120%
Zr	1	3540903	1.6	1.6	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3540928	0.17	0.17	0.0%	< 0.01	12.9	13.0	99%	80%	120%
As	1	3540928	13.9	18.7		< 0.1				80%	120%
Au	1	3540928	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3540928	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3540953	255	251	1.6%	< 1				80%	120%
Be	1	3540928	0.252	0.289	13.7%	< 0.05	0.4	0.4	112%	80%	120%
Bi	1	3540928	0.11	0.11	0.0%	< 0.01				80%	120%
Cd	1	3540928	0.212	0.270	24.1%	< 0.01				80%	120%
Ce	1	3540928	26.5	29.5	10.7%	< 0.01				80%	120%
Co	1	3540928	11.1	8.6	25.4%	< 0.1	4.1	5.0	82%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 11, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Cs	1	3540928	1.12	1.29	14.1%	< 0.05				80%	120%	
Cu	1					< 0.1	5580	6000	93%	80%	120%	
Ga	1	3540928	7.11	8.42	16.9%	< 0.05				80%	120%	
Ge	1	3540928	0.142	0.157	10.0%	< 0.05				80%	120%	
Hf	1	3540928	0.088	0.096	8.7%	< 0.02				80%	120%	
Hg	1	3540928	0.02	0.03		< 0.01				80%	120%	
In	1	3540928	0.0095	0.0119	22.4%	< 0.005				80%	120%	
La	1	3540928	7.9	9.0	13.0%	< 0.1				80%	120%	
Li	1	3540928	5.85	6.56	11.4%	< 0.1				80%	120%	
Mo	1	3540928	1.71	2.17		< 0.05	349	360	96%	80%	120%	
Nb	1	3540928	0.44	0.41	7.1%	< 0.05				80%	120%	
P	1					< 10	582	600	97%	80%	120%	
Pb	1	3540928	4.0	5.0	22.2%	< 0.1				80%	120%	
Rb	1	3540928	4.1	5.0	19.8%	< 0.1				80%	120%	
Re	1	3540928	< 0.001	0.001		< 0.001				80%	120%	
Sb	1	3540928	0.48	0.56	15.4%	< 0.05				80%	120%	
Sc	1	3540953	4.42	4.22	4.6%	< 0.1				80%	120%	
Se	1	3540928	0.6	0.6	0.0%	< 0.2	0.8	0.8	97%	80%	120%	
Sn	1	3540928	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3540953	73.6	72.9	1.0%	< 0.2				80%	120%	
Ta	1	3540928	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3540928	0.024	0.029	18.9%	< 0.01				80%	120%	
Th	1	3540928	2.2	2.7	20.4%	< 0.1				80%	120%	
Tl	1	3540928	0.08	0.10	22.2%	< 0.01				80%	120%	
U	1	3540928	0.43	0.53	20.8%	< 0.05				80%	120%	
W	1	3540928	0.40	0.50	22.2%	< 0.05				80%	120%	
Y	1	3540928	8.05	9.46	16.1%	< 0.05				80%	120%	
Zr	1	3540928	5.0	5.5	9.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3540978	0.07	0.07	0.0%	< 0.01	12.9	13.0	99%	80%	120%	
As	1	3540978	7.73	7.53	2.6%	< 0.1				80%	120%	
Au	1	3540978	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3540978	< 5	< 5	0.0%	< 5				80%	120%	
Be	1	3540978	0.257	0.248	3.6%	< 0.05				80%	120%	
Bi	1	3540978	0.07	0.07	0.0%	< 0.01				80%	120%	
Cd	1	3540978	0.053	0.056	5.5%	< 0.01				80%	120%	
Ce	1	3540978	37.9	35.5	6.5%	< 0.01				80%	120%	
Co	1	3540978	7.40	7.23	2.3%	< 0.1				80%	120%	
Cs	1	3540978	1.46	1.38	5.6%	< 0.05				80%	120%	
Cu	1					< 0.1	5829	6000	97%	80%	120%	
Ga	1	3540978	7.82	7.60	2.9%	< 0.05				80%	120%	
Ge	1	3540978	0.142	0.151	6.1%	< 0.05				80%	120%	
Hf	1	3540978	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3540978	0.02	0.02	0.0%	< 0.01	1.2	1.3	93%	80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 11, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
In	1	3540978	0.010	0.010	0.0%	< 0.005				80%	120%	
La	1	3540978	20.8	16.1		< 0.1				80%	120%	
Li	1	3540978	8.9	8.5	4.6%	< 0.1				80%	120%	
Mo	1	3540978	0.46	0.43	6.7%	< 0.05	361	360	100%	80%	120%	
Nb	1	3540978	0.54	0.42	25.0%	< 0.05				80%	120%	
P	1					< 10	613	600	102%	80%	120%	
Pb	1	3540978	4.11	3.95	4.0%	< 0.1				80%	120%	
Rb	1	3540978	3.68	3.34	9.7%	< 0.1				80%	120%	
Re	1	3540978	< 0.001	0.001		< 0.001				80%	120%	
Sb	1	3540978	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Se	1	3540978	0.35	0.34	2.9%	< 0.2				80%	120%	
Sn	1	3540978	0.3	0.3	0.0%	< 0.2				80%	120%	
Ta	1	3540978	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3540978	0.015	0.020	28.6%	< 0.01				80%	120%	
Th	1	3540978	3.1	3.0	3.3%	< 0.1				80%	120%	
Tl	1	3540978	0.066	0.064	3.1%	< 0.01				80%	120%	
U	1	3540978	0.77	0.74	4.0%	< 0.05				80%	120%	
W	1	3540978	0.057	0.066	14.6%	< 0.05				80%	120%	
Y	1	3540978	4.38	4.09	6.8%	< 0.05	7	7	94%	80%	120%	
Zr	1	3540978	1.46	1.24	16.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541003	0.070	0.061	13.7%	< 0.01	10.6	13.0	82%	80%	120%	
As	1	3541003	5.36	5.14	4.2%	< 0.1				80%	120%	
Au	1	3541003	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3541003	< 5	< 5	0.0%	< 5	7.81	7.00	112%	80%	120%	
Be	1	3541003	0.233	0.242	3.8%	< 0.05	0.4	0.4	107%	80%	120%	
Bi	1	3541003	0.067	0.064	4.6%	< 0.01				80%	120%	
Cd	1	3541003	0.10	0.09	10.5%	< 0.01				80%	120%	
Ce	1	3541003	33.3	32.2	3.4%	< 0.01				80%	120%	
Co	1	3541003	5.3	5.0	5.8%	< 0.1				80%	120%	
Cs	1	3541003	0.65	0.68	4.5%	< 0.05				80%	120%	
Cu	1					< 0.1	5462	6000	91%	80%	120%	
Ga	1	3541003	6.67	6.52	2.3%	< 0.05				80%	120%	
Ge	1	3541003	0.15	0.16	6.5%	< 0.05				80%	120%	
Hf	1	3541003	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3541003	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3541003	0.008	0.008	0.0%	< 0.005				80%	120%	
La	1	3541003	9.27	9.02	2.7%	< 0.1				80%	120%	
Li	1	3541003	5.79	5.53	4.6%	< 0.1				80%	120%	
Mo	1	3541003	0.51	0.48	6.1%	< 0.05	347	360	96%	80%	120%	
Nb	1	3541003	1.23	1.13	8.5%	< 0.05				80%	120%	
P	1					< 10	589	600	98%	80%	120%	
Pb	1	3541003	3.8	3.7	2.7%	< 0.1				80%	120%	
Rb	1	3541003	4.2	4.2	0.0%	< 0.1	14	13	108%	80%	120%	
Re	1	3541003	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Sb	1	3541003	0.05	< 0.05		< 0.05				80%	120%
Se	1	3541003	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3541003	0.3	0.3	0.0%	< 0.2				80%	120%
Ta	1	3541003	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541003	0.01	0.01	0.0%	< 0.01				80%	120%
Th	1	3541003	2.3	2.2	4.4%	< 0.1				80%	120%
Tl	1	3541003	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3541003	0.820	0.784	4.5%	< 0.05				80%	120%
W	1	3541003	0.12	0.08		< 0.05				80%	120%
Y	1	3541003	3.78	3.56	6.0%	< 0.05	6	7	85%	80%	120%
Zr	1	3541003	2.15	1.87	13.9%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	10.9	13.0	84%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	12.9	13.0	99%	80%	120%
Th	1					< 0.1	1.2	1.4	85%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	10.5	13.0	81%	80%	120%

Certified By:

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622906

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y622927

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 29, 2012

PAGES (INCLUDING COVER): 62

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G25-0		0.51	0.07	2.60	18.9	<0.01	<5	309	0.54	0.15	0.41	0.17	34.0	15.8	68.2
G25-1		0.44	0.08	1.57	20.3	<0.01	<5	191	0.39	0.12	0.34	0.20	23.2	13.0	49.7
G25-2		0.44	0.07	2.04	15.7	<0.01	<5	265	0.39	0.14	0.41	0.09	23.9	12.1	45.1
G25-3		0.52	0.14	1.42	24.7	<0.01	<5	179	0.34	0.11	0.62	0.30	19.8	14.2	50.8
G25-4		0.43	0.16	1.44	13.6	<0.01	<5	308	0.40	0.12	0.60	0.16	29.3	10.2	33.1
G25-5		0.53	0.15	0.78	13.7	<0.01	<5	136	0.22	0.08	0.74	0.36	16.8	11.0	34.6
G25-6		0.48	0.09	1.13	14.9	<0.01	<5	176	0.24	0.10	0.55	0.10	27.7	8.0	26.5
G25-7		0.52	0.17	1.34	8.8	<0.01	<5	262	0.29	0.11	0.90	0.35	24.1	9.2	33.9
G25-8		0.43	0.14	1.49	26.1	<0.01	<5	240	0.29	0.15	0.64	0.12	29.5	10.2	32.3
G25-9		0.43	0.17	1.37	10.5	<0.01	<5	230	0.29	0.11	1.04	0.28	24.9	11.0	37.5
G25-10		0.51	0.16	1.66	21.1	<0.01	<5	295	0.33	0.16	0.71	0.11	34.5	10.7	35.7
G25-12		0.44	0.22	1.75	41.0	0.05	<5	297	0.35	0.16	0.65	0.19	31.9	9.8	41.1
G25-13		0.42	0.14	1.06	10.4	<0.01	<5	231	0.30	0.10	1.10	0.14	22.6	8.8	29.6
G25-16		0.46	0.13	1.39	17.8	<0.01	<5	240	0.25	0.14	0.54	0.10	25.1	8.6	30.0
G25-17		0.43	0.08	1.10	7.5	<0.01	<5	164	0.18	0.10	0.65	0.08	20.8	7.5	28.8
G25-19		0.48	0.11	1.33	8.0	<0.01	<5	218	0.29	0.11	0.73	0.18	28.2	9.8	31.8
G25-20		0.42	0.27	1.73	27.3	<0.01	<5	279	0.26	0.22	0.66	0.12	23.6	9.8	28.6
G25-21		0.46	0.16	1.69	7.7	<0.01	<5	335	0.40	0.13	1.18	0.28	30.9	14.4	63.0
G25-22		0.43	0.28	1.64	25.8	<0.01	<5	256	0.22	0.14	0.60	0.14	23.6	11.8	28.3
G25-23		0.44	0.09	1.06	6.0	<0.01	<5	191	0.23	0.07	0.79	0.13	20.9	10.0	44.3
G25-24		0.47	0.23	1.64	29.7	<0.01	<5	259	0.22	0.14	0.62	0.14	23.1	11.6	27.5
G25-25		0.42	0.08	1.22	5.3	<0.01	<5	201	0.24	0.07	0.82	0.10	25.7	10.1	41.4
G25-26		0.44	0.24	1.71	35.0	<0.01	<5	263	0.25	0.21	0.65	0.17	25.4	12.1	29.7
G25-27		0.45	0.09	1.12	4.3	<0.01	<5	246	0.25	0.08	0.77	0.16	26.9	10.8	44.5
G25-28		0.45	0.37	1.64	30.7	0.33	<5	228	0.22	0.14	0.59	0.10	23.9	9.4	31.4
G25-29		0.38	0.12	1.48	8.2	<0.01	<5	318	0.35	0.11	1.04	0.21	32.5	13.3	53.8
G25-31		0.47	0.08	0.98	6.7	<0.01	<5	218	0.23	0.07	0.73	0.10	25.8	7.8	32.0
G25-32		0.44	0.19	1.51	38.7	<0.01	<5	196	0.21	0.10	0.63	0.12	22.2	10.9	29.0
G25-33		0.48	0.08	0.93	5.3	<0.01	<5	224	0.24	0.07	0.69	0.09	29.6	8.1	34.3
G25-34		0.46	0.27	1.52	33.5	<0.01	<5	225	0.23	0.11	0.69	0.21	21.5	13.0	34.3
G25-35		0.49	0.12	1.15	8.8	<0.01	<5	286	0.30	0.11	0.74	0.16	33.9	12.7	50.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G25-37		0.45	0.11	1.38	7.2	<0.01	<5	243	0.30	0.10	0.95	0.10	32.0	11.4	43.0
G25-39		0.47	0.14	1.01	6.5	<0.01	<5	239	0.20	0.06	0.71	0.11	30.6	9.5	42.6
G25-41		0.42	0.10	0.75	5.4	<0.01	<5	236	0.25	0.08	0.53	0.18	23.3	9.4	36.2
G25-43		0.51	0.28	1.11	6.1	<0.01	<5	387	0.27	0.09	0.71	0.19	25.8	11.3	44.1
G25-45		0.43	0.25	1.11	5.6	<0.01	<5	183	0.22	0.06	0.80	0.06	22.6	9.6	47.5
G25-47		0.47	0.16	1.51	7.3	<0.01	<5	309	0.31	0.11	1.15	0.16	27.8	10.8	39.0
G25-49		0.49	0.15	1.46	8.9	<0.01	<5	337	0.33	0.13	0.90	0.13	30.7	9.5	31.6
G25-51		0.49	0.14	1.55	8.0	<0.01	<5	327	0.32	0.11	1.27	0.18	29.3	10.8	37.4
G25-52		0.48	0.20	2.11	36.4	0.01	<5	266	0.25	0.06	0.50	0.11	19.1	16.5	30.2
G25-53		0.48	0.16	1.54	13.5	<0.01	<5	331	0.34	0.17	1.28	0.20	33.0	11.0	33.3
G25-54		0.51	0.62	2.47	36.3	<0.01	<5	292	0.25	0.11	0.76	0.11	19.7	20.3	33.7
G25-55		0.50	0.18	1.41	10.7	<0.01	<5	365	0.35	0.19	0.92	0.20	36.1	10.7	32.6
G25-56		0.46	0.26	2.07	13.9	<0.01	<5	215	0.25	0.17	0.51	0.17	25.6	19.7	46.6
G25-57		0.42	0.15	1.62	10.1	<0.01	<5	420	0.35	0.18	1.81	0.33	35.8	11.7	36.3
G25-58		0.48	0.11	2.31	14.9	<0.01	<5	249	0.25	0.15	0.56	0.11	22.7	21.7	54.6
G25-59		0.48	0.26	1.31	10.0	<0.01	<5	319	0.27	0.16	2.01	0.25	28.3	10.2	28.5
G25-60		0.44	0.13	2.40	24.4	<0.01	<5	295	0.28	0.13	0.43	0.12	22.7	18.2	37.8
G27-2		0.59	0.07	1.96	10.5	<0.01	<5	271	0.27	0.15	0.56	0.12	22.4	9.9	37.6
G27-4		0.54	0.11	1.70	17.3	<0.01	<5	266	0.28	0.17	0.66	0.06	29.8	8.9	31.4
G27-6		0.54	0.15	1.81	21.6	<0.01	<5	319	0.31	0.19	0.83	0.13	29.0	10.5	32.6
G27-8		0.48	0.12	1.48	19.3	<0.01	<5	294	0.28	0.15	0.71	0.13	29.7	10.8	32.4
G27-10		0.49	0.16	1.41	23.4	<0.01	<5	315	0.27	0.21	0.56	0.13	30.4	11.8	34.0
G27-12		0.50	0.12	1.24	17.6	<0.01	<5	235	0.23	0.16	0.55	0.10	25.1	9.2	28.2
G27-14		0.46	0.16	1.68	20.4	<0.01	<5	290	0.23	0.25	0.65	0.10	29.7	10.3	36.4
G27-15		0.36	0.16	1.48	9.4	<0.01	<5	336	0.36	0.15	0.69	0.22	29.7	11.3	36.2
G27-16		0.48	0.19	1.63	22.7	<0.01	<5	285	0.26	0.31	0.66	0.15	26.2	10.8	34.5
G27-17		0.46	0.19	1.79	11.5	<0.01	<5	345	0.32	0.22	0.81	0.31	34.9	12.4	43.5
G27-18		0.54	0.22	1.90	29.6	<0.01	<5	305	0.27	0.38	0.78	0.15	30.3	11.4	41.3
G27-20		0.49	0.26	1.62	29.7	<0.01	<5	234	0.21	0.39	0.65	0.13	20.8	10.9	36.8
G27-21		0.36	0.12	1.40	6.5	<0.01	<5	268	0.28	0.14	0.89	0.24	27.7	11.9	48.9
G27-22		0.46	0.28	1.90	28.8	<0.01	<5	228	0.24	0.49	0.74	0.20	25.1	11.3	34.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg 0.01	Ag ppm 0.01	Al % 0.01	As ppm 0.1	Au ppm 0.01	B ppm 5	Ba ppm 1	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.01	Ce ppm 0.01	Co ppm 0.1	Cr ppm 0.5
G27-23		0.44	0.12	1.57	8.4	<0.01	<5	275	0.30	0.13	0.96	0.11	29.2	13.2	51.3
G27-24		0.48	0.26	1.98	35.8	<0.01	<5	275	0.24	0.19	0.76	0.19	25.4	12.5	44.9
G27-25		0.43	0.14	1.68	6.0	<0.01	<5	281	0.30	0.14	1.35	0.19	28.5	12.8	54.6
G27-26		0.45	0.23	1.70	27.0	<0.01	<5	260	0.19	0.14	0.90	0.24	21.0	10.9	40.9
G27-27		0.42	0.09	1.12	6.6	<0.01	<5	231	0.22	0.11	1.00	0.23	25.7	11.1	39.0
G27-28		0.44	0.21	1.62	27.5	<0.01	<5	268	0.20	0.14	0.79	0.16	19.5	11.8	22.6
G27-29		0.39	0.15	1.39	8.7	<0.01	<5	289	0.36	0.14	1.32	0.22	27.5	11.7	47.3
G27-30		0.38	0.23	1.83	31.8	<0.01	<5	281	0.19	0.13	0.97	0.22	19.0	13.6	25.1
G27-31		0.44	0.10	1.28	7.1	<0.01	<5	254	0.26	0.12	0.86	0.14	28.1	10.2	39.5
G27-32		0.45	0.26	1.69	29.5	<0.01	<5	284	0.19	0.13	0.78	0.17	19.5	12.9	27.5
G27-33		0.46	0.07	1.19	5.5	<0.01	<5	217	0.22	0.10	0.87	0.11	28.5	9.2	40.4
G27-34		0.43	0.26	1.91	24.2	<0.01	<5	304	0.25	0.15	1.14	0.24	25.6	14.0	34.6
G27-35		0.48	0.09	1.12	6.4	<0.01	<5	243	0.23	0.11	0.81	0.24	31.2	9.5	41.7
G27-36		0.46	0.23	1.41	28.8	<0.01	<5	232	0.20	0.13	0.74	0.18	17.9	12.2	29.0
G27-37		0.50	0.17	1.33	13.3	<0.01	<5	366	0.29	0.16	1.82	0.43	30.6	12.8	40.7
G27-39		0.47	0.07	1.03	7.5	<0.01	<5	197	0.19	0.10	0.70	0.15	24.2	9.0	32.2
G27-42		0.38	0.39	1.57	61.2	<0.01	<5	224	0.25	0.19	1.07	0.17	26.5	10.9	31.5
G27-43		0.52	0.17	1.57	10.6	<0.01	<5	427	0.37	0.17	1.10	0.30	36.3	12.9	39.7
G27-44		0.45	0.73	1.83	123	0.02	<5	255	0.34	0.27	0.82	0.23	28.0	13.8	29.7
G27-45		0.56	0.18	1.64	11.6	<0.01	<5	385	0.36	0.19	1.40	0.21	36.4	14.5	52.4
G27-47		0.60	0.14	1.45	9.1	<0.01	<5	402	0.28	0.17	1.82	0.28	31.3	11.1	34.8
G27-49		0.46	0.10	1.64	8.1	<0.01	<5	337	0.31	0.14	1.45	0.16	29.6	14.8	65.9
G27-51		0.48	0.11	1.41	8.4	<0.01	<5	369	0.30	0.14	1.09	0.13	25.4	10.2	42.4
G27-52		0.37	1.07	0.85	20.7	0.03	<5	217	0.13	0.15	0.19	0.33	19.6	3.1	14.0
G27-53		0.50	0.12	1.71	9.2	<0.01	<5	397	0.35	0.16	1.34	0.14	33.4	12.6	49.5
G27-54		0.42	0.20	1.86	23.9	<0.01	<5	220	0.24	0.14	0.26	0.17	15.1	17.9	36.6
G27-55		0.50	0.12	1.74	8.7	<0.01	<5	400	0.32	0.17	1.65	0.15	32.6	14.4	57.2
G27-56		0.41	0.18	2.00	38.4	<0.01	<5	212	0.23	0.13	0.40	0.11	25.6	13.5	32.2
G27-57		0.40	0.09	1.55	9.7	<0.01	<5	302	0.31	0.13	0.90	0.08	32.6	11.2	50.2
G27-58		0.46	0.10	2.18	10.8	<0.01	<5	280	0.41	0.18	0.28	0.07	43.0	12.4	42.8
G27-59		0.44	0.09	1.72	8.5	<0.01	<5	258	0.32	0.13	0.81	0.06	29.7	12.9	59.6

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G27-60		0.41	0.36	2.23	19.5	<0.01	<5	269	0.34	0.22	0.20	0.15	27.2	15.4	46.4
G29-0		0.59	0.15	1.89	12.0	<0.01	<5	293	0.34	0.17	0.31	0.15	28.4	12.3	43.1
G29-1		0.43	0.15	1.50	12.0	<0.01	<5	362	0.34	0.18	0.44	0.14	30.1	12.5	41.9
G29-2		0.52	0.11	1.83	17.0	<0.01	<5	349	0.42	0.27	0.38	0.08	40.7	12.7	46.6
G29-4		0.57	0.13	1.43	16.0	<0.01	<5	353	0.34	0.18	0.71	0.23	36.2	11.4	34.8
G29-5		0.44	0.19	1.56	15.5	<0.01	<5	279	0.32	0.18	1.03	0.18	33.1	12.7	37.7
G29-6		0.55	0.16	1.50	18.9	<0.01	<5	390	0.35	0.18	1.41	0.23	40.2	13.0	43.1
G29-8		0.49	0.17	1.46	22.4	<0.01	<5	370	0.35	0.20	0.78	0.20	36.7	12.5	35.8
G29-9		0.34	0.14	1.16	6.1	<0.01	<5	416	0.28	0.12	1.22	0.23	24.0	11.4	32.7
G29-10		0.51	0.14	1.30	15.1	<0.01	<5	295	0.27	0.18	0.62	0.21	30.5	10.6	35.3
G29-11		0.50	0.12	1.35	9.7	<0.01	<5	270	0.25	0.15	0.69	0.16	29.1	10.2	32.8
G29-12		0.53	0.13	1.50	15.5	<0.01	<5	281	0.28	0.16	0.73	0.11	32.9	10.4	38.1
G29-14		0.52	0.14	1.71	20.0	<0.01	<5	333	0.33	0.18	0.69	0.15	37.1	12.3	42.1
G29-16		0.44	0.15	1.79	20.4	<0.01	<5	288	0.25	0.18	0.67	0.11	28.2	11.9	42.1
G29-17		0.36	0.11	1.23	6.9	<0.01	<5	233	0.22	0.15	0.55	0.10	26.6	10.5	32.3
G29-18		0.48	0.16	1.57	20.8	<0.01	<5	260	0.20	0.22	0.74	0.13	22.2	11.9	43.3
G29-19		0.50	0.09	0.99	7.9	<0.01	<5	206	0.22	0.14	0.64	0.16	25.4	12.8	37.7
G29-20		0.43	0.23	1.96	27.7	0.11	<5	304	0.25	0.34	0.81	0.15	28.9	15.4	54.2
G29-21		0.41	0.10	1.25	6.9	<0.01	<5	250	0.27	0.13	0.69	0.17	29.7	10.7	36.4
G29-22		0.55	0.13	2.35	11.5	<0.01	<5	418	0.16	1.17	0.91	0.17	20.3	21.0	39.9
G29-23		0.43	0.10	1.39	6.4	<0.01	<5	286	0.27	0.12	0.91	0.11	29.8	10.0	45.4
G29-24		0.60	0.18	1.61	31.3	<0.01	<5	234	0.17	0.14	0.66	0.14	20.2	11.7	38.4
G29-27		0.46	0.10	1.14	6.2	<0.01	<5	209	0.25	0.12	0.72	0.13	27.8	10.7	40.4
G29-28		0.42	0.29	1.86	45.2	<0.01	<5	234	0.21	0.14	0.97	0.13	23.9	13.3	62.9
G29-29		0.46	0.09	1.61	8.6	<0.01	<5	310	0.30	0.14	1.34	0.17	29.2	13.1	48.9
G29-30		0.43	0.39	1.92	49.7	<0.01	<5	247	0.24	0.15	1.03	0.19	24.7	16.2	52.6
G29-31		0.48	0.09	1.13	10.8	<0.01	<5	272	0.26	0.15	0.66	0.17	33.8	10.9	45.2
G29-32		0.43	0.37	1.85	49.8	<0.01	<5	241	0.23	0.14	0.98	0.34	23.3	15.9	60.0
G29-33		0.44	0.11	1.21	8.8	<0.01	<5	240	0.28	0.12	0.83	0.11	27.8	11.9	46.2
G29-34		0.40	0.55	1.60	46.3	<0.01	<5	246	0.25	0.14	1.22	0.28	26.8	12.0	30.0
G29-35		0.48	0.09	1.18	6.6	<0.01	<5	231	0.22	0.10	0.78	0.15	24.4	9.0	37.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G29-36	0.42	0.47	2.05	40.1	<0.01	<5	325	0.31	0.12	1.08	0.23	26.3	13.8	23.7
G29-37	0.47	0.16	1.78	9.3	<0.01	<5	423	0.40	0.12	1.38	0.15	37.6	12.2	40.7
G29-39	0.49	0.15	1.48	9.0	<0.01	<5	378	0.32	0.14	1.51	0.18	30.1	10.9	33.1
G29-41	0.53	0.15	1.31	9.9	<0.01	<5	371	0.28	0.16	2.14	0.25	30.9	8.8	28.2
G29-42	0.46	0.46	2.01	511	0.03	<5	412	0.33	0.13	0.77	0.24	27.7	20.6	21.3
G29-43	0.53	0.11	1.38	9.1	<0.01	<5	339	0.25	0.14	2.47	0.20	29.3	7.8	28.0
G29-44	0.58	0.28	1.79	19.3	0.01	<5	244	0.24	0.09	1.02	0.15	24.0	16.2	20.8
G29-45	0.47	0.10	1.93	8.6	<0.01	<5	412	0.35	0.12	1.65	0.16	35.2	14.9	55.0
G29-46	0.38	1.26	1.60	104	0.02	<5	277	0.29	0.16	0.58	0.22	34.5	8.8	24.0
G29-47	0.43	0.10	1.77	8.6	<0.01	<5	329	0.34	0.10	1.83	0.12	32.4	14.1	52.8
G29-48	0.37	2.01	1.98	199	0.04	<5	331	0.57	0.40	0.42	0.13	39.6	10.5	30.0
G29-49	0.44	0.08	1.29	8.7	<0.01	<5	290	0.29	0.14	0.91	0.08	28.6	9.5	35.3
G29-51	0.52	0.06	1.70	7.1	<0.01	<5	276	0.30	0.11	2.14	0.17	25.8	17.0	76.4
G29-52	0.37	0.30	2.08	52.0	<0.01	<5	131	0.18	0.16	0.30	0.14	21.9	11.9	29.0
G29-53	0.50	0.08	1.48	8.5	<0.01	<5	273	0.30	0.10	1.34	0.08	31.6	10.6	38.6
G29-54	0.54	0.34	2.52	210	0.02	<5	284	0.35	0.12	0.39	0.23	22.3	19.7	27.7
G29-55	0.48	0.13	1.98	7.3	<0.01	<5	362	0.30	0.08	3.75	0.10	25.2	17.5	82.9
G29-56	0.51	0.18	1.58	9.3	<0.01	<5	201	0.22	0.15	0.37	0.08	24.6	8.4	27.8
G29-57	0.56	0.15	1.83	8.8	<0.01	<5	316	0.36	0.13	0.80	0.08	29.8	19.1	73.7
G29-58	0.55	0.26	1.96	21.7	<0.01	<5	304	0.34	0.16	0.39	0.12	36.0	14.8	44.6
G29-59	0.51	0.11	1.98	9.0	<0.01	<5	278	0.34	0.11	1.02	0.06	28.1	21.1	116
G29-60	0.50	0.27	3.26	20.3	<0.01	<5	159	0.14	0.02	0.78	0.08	8.34	43.4	545
G31-0	0.60	0.11	1.91	14.8	<0.01	<5	288	0.35	0.12	0.44	0.20	29.7	13.8	48.5
G31-1	0.49	0.15	1.76	11.4	<0.01	<5	413	0.39	0.13	0.64	0.11	40.7	12.0	41.7
G31-2	0.59	0.06	2.04	18.5	<0.01	<5	397	0.49	0.13	0.60	0.18	38.0	18.3	69.3
G31-3	0.61	0.33	1.55	20.9	<0.01	<5	311	0.41	0.17	0.55	0.44	31.5	16.1	57.4
G31-4	0.53	0.10	1.43	12.8	<0.01	<5	230	0.23	0.14	0.53	0.09	27.4	9.5	31.4
G31-5	0.61	0.18	1.36	11.4	<0.01	<5	237	0.27	0.09	0.76	0.23	26.2	11.1	40.3
G31-6	0.51	0.12	1.42	13.5	<0.01	<5	276	0.25	0.10	0.66	0.12	33.3	10.7	33.7
G31-7	0.58	0.17	1.57	10.0	<0.01	<5	344	0.33	0.12	0.74	0.14	34.2	11.6	35.8
G31-8	0.59	0.11	1.54	14.2	0.01	<5	295	0.27	0.11	0.66	0.09	37.6	11.1	37.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G31-9	0.49	0.13	1.40	10.1	0.02	<5	323	0.33	0.12	0.61	0.15	34.0	13.0	38.5
G31-10	0.60	0.10	1.34	16.1	<0.01	<5	258	0.23	0.11	0.58	0.12	31.4	11.6	44.3
G31-11	0.51	0.16	1.36	8.6	<0.01	<5	300	0.32	0.14	0.76	0.11	32.2	11.1	29.6
G31-12	0.57	0.11	1.34	12.6	<0.01	<5	297	0.23	0.11	0.56	0.13	31.6	8.2	28.3
G31-13	0.50	0.12	1.48	9.6	<0.01	<5	319	0.30	0.13	0.57	0.15	33.5	8.2	30.3
G31-14	0.53	0.09	1.30	11.4	<0.01	<5	195	0.14	0.08	0.56	0.06	22.5	6.3	23.2
G31-15	0.48	0.12	1.28	9.4	<0.01	<5	278	0.22	0.10	0.65	0.12	29.2	11.5	29.4
G31-16	0.54	0.12	1.56	17.0	<0.01	<5	204	0.17	0.12	0.67	0.06	24.3	8.5	36.0
G31-17	0.44	0.11	1.25	7.6	<0.01	<5	234	0.20	0.13	0.69	0.25	25.5	7.3	24.0
G31-18	0.56	0.12	1.24	13.6	<0.01	<5	235	0.19	0.12	0.57	0.11	26.7	8.0	33.8
G31-19	0.54	0.08	0.93	6.4	<0.01	<5	211	0.18	0.11	0.59	0.11	25.8	7.5	25.0
G31-20	0.53	0.14	1.53	20.3	<0.01	<5	259	0.22	0.15	0.64	0.12	28.8	11.5	44.4
G31-21	0.45	0.09	1.18	12.9	<0.01	<5	227	0.22	0.11	0.72	0.19	26.2	8.0	30.7
G31-22	0.45	0.14	1.77	15.5	<0.01	<5	198	0.19	0.25	0.77	0.11	25.8	12.6	54.3
G31-23	0.60	0.06	1.05	9.7	<0.01	<5	167	0.19	0.09	0.72	0.11	23.4	9.5	39.4
G31-24	0.39	0.22	1.77	20.7	<0.01	<5	250	0.20	0.12	0.88	0.21	22.9	12.2	44.7
G31-26	0.38	0.25	1.96	26.3	<0.01	<5	248	0.25	0.12	0.97	0.15	26.5	15.3	57.2
G31-27	0.71	0.09	0.92	6.6	0.14	<5	128	0.14	0.08	0.65	0.07	21.6	7.5	41.2
G31-28	0.37	0.21	1.71	27.2	<0.01	<5	217	0.22	0.11	1.08	0.22	22.5	12.4	48.7
G31-29	0.46	0.09	1.12	5.4	<0.01	<5	215	0.21	0.10	0.91	0.15	25.9	8.0	38.2
G31-30	0.42	0.29	2.24	55.2	<0.01	<5	227	0.24	0.13	0.93	0.17	21.8	19.6	77.6
G31-31	0.50	0.10	1.24	5.0	<0.01	<5	262	0.24	0.11	1.26	0.27	27.9	7.9	31.3
G31-32	0.46	0.31	1.96	73.4	0.01	<5	238	0.22	0.13	0.85	0.14	23.5	15.7	49.6
G31-33	0.51	0.12	1.80	7.9	<0.01	<5	334	0.32	0.13	0.93	0.12	31.4	11.2	36.3
G31-34	0.47	0.28	2.37	55.4	<0.01	<5	213	0.19	0.09	1.02	0.14	16.3	19.4	117
G31-35	0.60	0.11	1.83	10.9	<0.01	<5	339	0.32	0.15	1.09	0.17	34.3	8.8	34.1
G31-37	0.55	0.15	1.43	8.5	<0.01	<5	338	0.30	0.15	1.39	0.20	32.8	8.5	29.8
G31-38	0.41	0.60	1.46	81.5	0.05	<5	182	0.17	0.17	0.49	0.27	24.3	8.5	25.2
G31-39	0.52	0.14	1.36	9.7	<0.01	<5	354	0.30	0.13	1.88	0.18	33.5	9.5	32.0
G31-41	0.53	0.09	1.80	7.4	<0.01	<5	383	0.33	0.13	1.50	0.17	33.1	14.5	55.0
G31-42	0.53	0.34	3.44	67.6	<0.01	<5	873	0.52	0.06	1.16	0.10	14.2	27.0	5.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G31-43	0.58	0.11	1.64	8.0	<0.01	<5	377	0.32	0.13	1.44	0.15	35.5	14.4	55.0
G31-45	0.58	0.11	1.56	8.9	<0.01	<5	484	0.33	0.14	1.72	0.30	36.4	13.7	47.2
G31-46	0.60	0.79	3.46	399	0.04	<5	403	0.34	0.08	0.68	0.20	18.6	35.3	16.5
G31-47	0.50	0.12	1.83	8.7	<0.01	<5	365	0.32	0.14	2.50	0.14	32.1	15.6	59.8
G31-48	0.50	0.30	1.74	33.0	<0.01	<5	204	0.31	0.13	0.43	0.08	33.4	11.3	31.4
G31-49	0.56	0.09	1.44	7.4	<0.01	<5	268	0.30	0.12	2.03	0.12	29.7	12.8	46.1
G31-50	0.48	4.72	1.82	701	0.06	<5	387	0.79	0.60	0.46	0.21	67.8	16.9	54.6
G31-51	0.53	0.12	1.72	9.7	<0.01	<5	463	0.39	0.15	2.96	0.23	37.1	19.8	73.4
G31-52	0.44	0.79	1.65	316	0.01	<5	225	0.40	0.25	0.26	0.28	29.6	10.9	19.3
G31-53	0.45	0.10	1.62	9.1	<0.01	<5	506	0.36	0.15	3.85	0.24	39.7	16.7	65.6
G31-54	0.54	0.14	5.93	30.4	<0.01	<5	274	0.34	0.12	1.60	0.17	26.1	21.2	50.2
G31-55	0.60	0.07	1.13	8.3	<0.01	<5	359	0.27	0.12	1.52	0.12	31.2	9.8	41.0
G31-56	0.46	0.29	2.06	40.2	<0.01	<5	293	0.30	0.15	0.43	0.10	29.2	16.8	39.8
G31-57	0.49	0.12	1.82	5.6	0.05	<5	379	0.28	0.09	4.41	0.19	22.0	23.0	69.6
G31-58	0.58	0.16	1.85	18.8	<0.01	<5	311	0.39	0.19	0.36	0.07	43.0	10.4	44.8
G31-59	0.60	0.09	1.98	3.4	<0.01	<5	346	0.19	0.06	4.27	0.09	8.32	24.0	210
G31-60	0.54	0.27	1.58	14.1	<0.01	<5	254	0.25	0.17	0.34	0.08	27.3	8.0	31.3
G33-0	0.53	0.14	1.21	16.6	<0.01	<5	262	0.24	0.14	0.72	0.27	30.8	10.6	33.9
G33-1	0.65	0.09	1.10	14.7	<0.01	<5	176	0.20	0.14	0.57	0.14	29.9	9.8	34.7
G33-3	0.61	0.11	1.07	9.2	<0.01	<5	267	0.29	0.13	0.67	0.19	33.6	8.2	29.5
G33-5	0.57	0.16	1.31	11.4	<0.01	<5	207	0.25	0.12	0.80	0.28	24.5	9.8	37.8
G33-6	0.58	0.28	1.51	21.4	<0.01	<5	256	0.29	0.17	0.67	0.27	31.8	14.7	51.2
G33-7	0.49	0.16	1.46	12.4	<0.01	<5	333	0.36	0.15	0.74	0.23	32.2	14.4	51.5
G33-8	0.61	0.14	1.32	14.9	<0.01	<5	305	0.29	0.14	0.51	0.11	37.1	13.2	42.0
G33-9	0.67	0.14	1.09	10.5	<0.01	<5	240	0.27	0.10	0.72	0.20	24.2	12.7	47.9
G33-10	0.62	0.12	1.46	13.6	<0.01	<5	266	0.23	0.13	0.62	0.13	31.1	8.9	34.5
G33-11	0.59	0.17	1.32	10.9	<0.01	<5	338	0.38	0.15	0.75	0.23	37.2	15.9	57.5
G33-12	0.66	0.20	1.78	19.6	<0.01	<5	416	0.37	0.17	0.61	0.16	45.2	16.9	50.1
G33-13	0.51	0.07	0.94	12.4	<0.01	<5	166	0.17	0.09	0.52	0.09	28.8	6.9	27.1
G33-14	0.53	0.15	1.51	17.6	<0.01	<5	346	0.32	0.15	0.56	0.14	40.6	13.9	45.2
G33-15	0.63	0.09	1.17	18.4	<0.01	<5	237	0.22	0.12	0.56	0.10	29.8	8.3	25.8

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G33-16		0.53	0.14	1.42	18.4	0.01	<5	284	0.25	0.14	0.44	0.10	27.6	13.4	37.3
G33-17		0.56	0.11	1.24	14.7	<0.01	<5	276	0.29	0.13	0.62	0.09	36.9	13.3	37.2
G33-18		0.49	0.17	1.68	19.8	<0.01	<5	356	0.31	0.16	0.60	0.11	40.2	16.6	50.6
G33-19		0.62	0.11	1.23	16.9	<0.01	<5	300	0.28	0.13	0.61	0.13	37.7	13.9	34.6
G33-20		0.52	0.15	1.55	19.6	<0.01	<5	277	0.26	0.14	0.70	0.15	35.0	13.7	46.2
G33-21		0.63	0.11	1.29	9.9	<0.01	<5	311	0.33	0.17	0.72	0.23	40.3	12.8	42.5
G33-22		0.46	0.19	1.73	21.7	<0.01	<5	222	0.23	0.16	0.72	0.20	29.4	13.0	47.5
G33-23		0.46	0.11	1.13	5.8	<0.01	<5	317	0.31	0.12	0.78	0.20	32.6	12.8	50.4
G33-24		0.39	0.21	1.80	24.9	<0.01	<5	301	0.27	0.14	0.69	0.16	32.8	16.8	61.3
G33-25		0.61	0.12	1.20	6.8	<0.01	<5	301	0.31	0.12	0.75	0.14	39.1	13.7	58.1
G33-26		0.42	0.34	1.94	32.1	<0.01	<5	280	0.31	0.14	0.87	0.18	31.6	18.8	70.4
G33-27		0.54	0.11	1.30	6.9	<0.01	<5	307	0.32	0.12	0.74	0.23	33.7	14.8	63.9
G33-28		0.39	0.88	2.10	77.6	0.02	<5	307	0.27	0.12	1.09	0.23	27.1	17.9	42.1
G33-29		0.63	0.09	1.32	6.7	<0.01	<5	349	0.25	0.11	0.75	0.19	25.9	10.8	38.3
G33-30		0.38	0.28	1.53	58.7	<0.01	<5	236	0.27	0.13	0.57	0.14	25.0	18.3	56.9
G33-31		0.58	0.20	1.42	9.2	<0.01	<5	430	0.34	0.14	1.40	0.29	37.0	8.5	31.0
G33-32		0.38	0.40	2.06	53.9	<0.01	<5	262	0.30	0.14	0.61	0.24	28.3	22.6	82.5
G33-33		0.54	0.16	1.47	9.4	<0.01	<5	461	0.34	0.14	1.75	0.20	38.5	9.3	36.2
G33-34		0.45	0.36	2.07	59.2	<0.01	<5	176	0.21	0.14	0.50	0.15	26.4	17.7	52.6
G33-35		0.62	0.11	1.31	5.8	<0.01	<5	264	0.23	0.10	0.85	0.15	26.6	5.7	21.1
G33-36		0.42	0.25	2.06	51.8	<0.01	<5	99	0.23	0.16	0.28	0.19	20.0	13.3	42.6
G33-37		0.59	0.15	1.15	7.2	<0.01	<5	335	0.26	0.13	0.87	0.21	31.6	7.0	22.7
G33-38		0.43	0.66	2.35	65.0	0.02	<5	270	0.29	0.14	0.58	0.17	23.7	18.9	58.1
G33-39		0.61	0.11	1.55	10.1	<0.01	<5	359	0.33	0.13	1.58	0.16	33.0	14.2	49.4
G33-40		0.42	0.29	2.06	108	<0.01	<5	216	0.18	0.12	0.56	0.21	19.3	15.4	30.5
G33-41		0.58	0.11	1.44	8.7	<0.01	<5	323	0.30	0.15	0.89	0.10	34.8	7.3	28.7
G33-42		0.38	0.15	1.89	159	0.03	<5	169	0.24	0.14	0.29	0.29	25.5	17.4	53.6
G33-43		0.52	0.12	1.57	11.2	<0.01	<5	433	0.39	0.13	0.67	0.09	32.6	16.3	59.9
G33-44		0.39	1.17	1.86	32.7	<0.01	<5	297	0.42	0.16	0.22	0.07	41.5	8.7	42.3
G33-45		0.56	0.10	1.69	8.0	<0.01	<5	429	0.36	0.09	2.23	0.16	33.4	23.8	87.5
G33-46		0.42	0.30	1.92	84.8	0.01	<5	246	0.35	0.12	0.29	0.06	33.5	8.6	35.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G33-47	0.56	0.13	1.36	8.4	<0.01	<5	364	0.30	0.10	3.49	0.18	29.0	20.4	62.3
G33-48	0.47	0.26	1.61	9.5	<0.01	<5	236	0.30	0.14	0.36	0.06	37.0	6.6	30.7
G33-49	0.57	0.12	1.47	6.9	<0.01	<5	311	0.29	0.10	2.53	0.16	28.7	22.7	80.5
G33-50	0.46	0.29	1.39	12.4	<0.01	<5	295	0.33	0.12	0.62	0.07	33.3	6.8	24.0
G33-51	0.55	0.13	1.36	8.9	<0.01	<5	284	0.30	0.10	2.52	0.10	30.7	26.4	53.6
G33-52	0.43	0.77	1.72	33.0	<0.01	<5	378	0.43	0.14	0.58	0.06	38.0	7.4	32.9
G33-53	0.57	0.11	1.47	10.2	<0.01	<5	300	0.33	0.11	1.58	0.13	33.9	24.0	47.7
G33-54	0.42	0.38	1.82	32.5	0.01	<5	360	0.59	0.24	0.41	0.08	41.7	8.0	38.5
G33-55	0.59	0.15	0.92	7.2	<0.01	<5	224	0.23	0.09	2.95	0.19	27.8	7.9	34.5
G33-56	0.49	0.14	1.53	21.7	<0.01	<5	225	0.23	0.08	0.48	0.09	20.5	8.4	26.0
G33-57	0.62	0.10	1.73	6.9	<0.01	<5	284	0.30	0.09	1.84	0.08	25.4	20.0	78.2
G33-58	0.45	0.31	1.71	21.5	<0.01	<5	255	0.26	0.09	0.61	0.08	26.3	8.5	27.8
G33-59	0.57	0.06	1.65	5.0	<0.01	<5	233	0.26	0.05	0.60	0.05	18.1	17.6	57.0
G33-60	0.47	0.29	1.83	12.2	<0.01	<5	187	0.26	0.08	0.40	0.08	24.8	13.0	30.8
G35-0	0.69	0.10	1.95	23.3	<0.01	<5	269	0.32	0.13	0.61	0.22	24.1	16.5	51.5
G35-1	0.50	0.13	1.09	13.1	<0.01	<5	225	0.20	0.09	1.03	0.23	23.6	9.9	32.4
G35-2	0.49	0.12	1.34	13.1	<0.01	<5	299	0.29	0.12	0.47	0.11	29.6	8.4	32.8
G35-3	0.49	0.11	1.17	13.7	<0.01	<5	205	0.21	0.07	1.39	0.22	21.1	12.1	43.2
G35-4	0.62	0.11	1.39	15.3	<0.01	<5	333	0.36	0.13	0.58	0.07	38.5	8.7	30.4
G35-5	0.48	0.14	1.38	9.9	<0.01	<5	243	0.27	0.11	0.60	0.17	33.0	8.0	35.4
G35-6	0.48	0.14	1.30	14.6	<0.01	<5	290	0.26	0.11	0.69	0.13	33.4	8.6	27.4
G35-7	0.49	0.08	1.29	8.8	<0.01	<5	220	0.23	0.08	0.65	0.14	30.2	7.8	28.1
G35-8	0.55	1.64	1.38	15.8	1.60	<5	244	0.23	0.09	0.63	0.18	31.8	9.8	30.2
G35-9	0.58	0.14	1.24	14.1	<0.01	<5	271	0.32	0.12	0.54	0.16	32.1	10.8	32.9
G35-10	0.48	0.11	1.22	11.0	<0.01	<5	243	0.21	0.09	0.54	0.10	34.2	7.5	25.8
G35-11	0.46	0.10	1.18	6.2	<0.01	<5	220	0.22	0.08	0.68	0.16	29.1	6.3	26.1
G35-12	0.54	0.13	1.60	11.8	<0.01	<5	313	0.29	0.11	0.65	0.15	39.3	9.4	33.4
G35-13	0.45	0.10	1.27	8.8	<0.01	<5	311	0.21	0.09	0.80	0.11	25.7	7.7	24.6
G35-14	0.54	0.13	1.42	14.4	<0.01	<5	290	0.26	0.11	0.59	0.18	30.8	9.6	29.8
G35-15	0.58	0.05	1.02	18.9	<0.01	<5	114	0.16	0.07	0.54	0.07	27.5	7.7	25.9
G35-16	0.57	0.12	1.49	15.0	<0.01	<5	275	0.24	0.09	0.60	0.11	31.8	8.8	29.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G35-17		0.42	0.13	1.42	13.5	<0.01	<5	279	0.23	0.09	0.76	0.17	23.6	8.9	30.4
G35-18		0.48	0.15	1.56	20.5	<0.01	<5	281	0.26	0.13	0.64	0.10	30.6	8.4	27.0
G35-19		0.49	0.06	1.08	6.6	<0.01	<5	174	0.15	0.06	0.53	0.08	21.2	4.9	16.6
G35-20		0.36	0.16	1.58	12.3	<0.01	<5	234	0.20	0.09	0.67	0.14	23.3	7.7	24.1
G35-21		0.41	0.09	1.14	7.8	<0.01	<5	238	0.23	0.09	0.65	0.12	29.5	8.1	28.0
G35-22		0.44	0.13	1.75	15.4	<0.01	<5	199	0.20	0.09	0.89	0.09	22.2	7.8	25.8
G35-23		0.38	0.11	1.15	7.6	<0.01	<5	270	0.26	0.10	0.69	0.10	30.2	7.8	31.9
G35-24		0.36	0.23	1.67	19.4	<0.01	<5	279	0.26	0.11	0.94	0.20	25.3	9.9	33.7
G35-25		0.46	0.12	1.24	7.2	<0.01	<5	298	0.29	0.08	0.98	0.20	25.2	21.4	75.7
G35-26		0.41	0.29	1.59	17.4	<0.01	<5	301	0.31	0.11	0.69	0.19	29.0	9.0	33.9
G35-27		0.54	0.07	1.06	3.5	<0.01	<5	192	0.19	0.05	0.70	0.13	24.6	9.9	50.9
G35-28		0.40	0.32	1.45	20.0	<0.01	<5	310	0.31	0.11	0.54	0.19	28.3	10.3	35.3
G35-29		0.47	0.11	0.99	6.6	<0.01	<5	275	0.23	0.10	0.91	0.15	29.3	6.2	23.3
G35-30		0.38	0.38	1.95	24.9	<0.01	<5	317	0.32	0.11	0.80	0.12	31.5	16.1	46.1
G35-31		0.34	0.15	1.22	8.1	<0.01	<5	346	0.29	0.11	1.27	0.25	35.1	7.9	27.8
G35-32		0.43	0.43	1.95	52.2	0.01	<5	304	0.35	0.10	0.68	0.19	37.1	17.2	55.6
G35-33		0.50	0.11	1.13	9.8	<0.01	<5	387	0.29	0.10	2.14	0.21	38.9	8.6	33.8
G35-34		0.42	0.17	1.89	19.3	<0.01	<5	196	0.20	0.09	0.52	0.12	25.6	9.6	38.7
G35-35		0.50	0.14	1.38	8.3	<0.01	<5	413	0.32	0.12	2.06	0.21	38.2	9.1	34.4
G35-36		0.38	0.41	1.78	17.1	<0.01	<5	216	0.21	0.09	0.39	0.14	22.7	9.8	43.0
G35-37		0.50	0.09	1.24	8.2	<0.01	<5	385	0.29	0.10	1.66	0.15	29.3	10.4	39.3
G35-38		0.39	0.48	2.08	30.9	<0.01	<5	286	0.29	0.13	0.46	0.13	31.8	12.8	63.7
G35-39		0.59	0.13	1.18	9.7	<0.01	<5	373	0.32	0.11	1.32	0.16	41.6	8.5	36.0
G35-40		0.36	0.32	1.67	26.8	<0.01	<5	99	0.19	0.14	0.33	0.27	23.8	8.0	44.0
G35-41		0.48	0.08	1.28	8.3	<0.01	<5	354	0.30	0.26	1.55	0.12	29.8	11.3	45.6
G35-42		0.41	0.22	1.72	26.1	<0.01	<5	260	0.28	0.13	0.41	0.12	35.0	10.9	43.2
G35-43		0.48	0.09	1.47	10.8	<0.01	<5	331	0.29	0.09	1.42	0.09	32.2	11.1	44.2
G35-44		0.37	0.37	2.12	15.9	<0.01	<5	309	0.25	0.13	0.39	0.17	27.4	16.5	31.7
G35-45		0.47	0.09	1.67	8.4	<0.01	<5	480	0.35	0.11	2.53	0.24	35.9	14.1	65.6
G35-46		0.40	0.18	1.83	25.6	<0.01	<5	264	0.35	0.09	0.61	0.08	34.7	16.6	51.0
G35-47		0.46	0.11	1.71	8.1	<0.01	<5	468	0.37	0.11	1.86	0.17	35.3	19.2	64.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G35-48	0.42	0.10	2.40	40.6	<0.01	<5	314	0.39	0.11	0.49	0.11	36.2	17.3	143
G35-49	0.46	0.12	1.29	8.3	<0.01	<5	379	0.26	0.10	2.72	0.27	28.0	11.7	33.7
G35-50	0.41	1.06	1.77	502	0.04	<5	226	0.27	0.18	0.44	0.40	32.7	12.6	47.0
G35-51	0.50	0.09	1.42	15.4	<0.01	<5	365	0.24	0.08	4.01	0.15	23.7	30.7	107
G35-52	0.39	0.35	1.60	61.1	0.01	<5	375	0.34	0.11	0.90	0.09	38.4	10.9	41.3
G35-53	0.47	0.12	1.55	18.9	<0.01	<5	360	0.29	0.07	3.87	0.11	26.8	54.2	110
G35-54	0.41	0.25	1.84	30.1	0.01	<5	306	0.31	0.11	0.60	0.08	35.9	12.5	92.7
G35-55	0.47	0.12	1.11	9.1	<0.01	<5	417	0.28	0.11	3.13	0.25	39.7	11.3	46.3
G35-56	0.39	0.92	2.52	82.1	0.04	<5	317	0.37	0.12	0.80	0.21	25.3	37.4	396
G35-57	0.48	0.12	1.10	25.7	<0.01	<5	278	0.22	0.08	2.30	0.08	27.2	22.0	65.7
G35-58	0.39	0.22	1.67	42.5	0.01	<5	272	0.29	0.12	0.64	0.10	26.7	10.3	42.7
G35-59	0.58	0.03	2.43	3.3	<0.01	<5	110	0.21	<0.01	1.29	0.02	3.13	40.5	440
G35-60	0.39	0.11	1.56	13.4	<0.01	<5	340	0.32	0.14	0.37	0.09	30.6	8.5	44.0

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G25-0	1.30	72.7	4.19	13.3	0.10	0.26	0.01	0.039	0.07	17.6	12.2	0.83	438	2.52
G25-1	1.72	55.0	3.16	9.04	0.08	0.07	0.01	0.028	0.08	12.5	9.1	0.58	365	2.54
G25-2	1.06	45.9	3.12	11.4	0.11	0.13	0.02	0.031	0.06	11.9	11.1	0.67	354	1.42
G25-3	1.54	64.1	3.33	8.18	0.11	0.20	0.03	0.028	0.09	11.9	7.6	0.66	511	2.44
G25-4	0.76	39.5	2.67	10.4	0.06	0.10	0.04	0.026	0.08	15.3	9.3	0.60	366	0.90
G25-5	0.84	49.3	2.41	4.85	0.08	0.14	0.03	0.019	0.08	9.2	5.5	0.55	383	1.29
G25-6	0.61	24.3	2.12	6.37	<0.05	0.13	0.02	0.019	0.05	14.7	7.0	0.48	285	0.43
G25-7	0.79	43.2	2.34	9.06	0.07	0.11	0.04	0.023	0.10	12.5	8.4	0.60	329	0.92
G25-8	0.98	36.0	2.57	9.59	0.09	0.07	0.03	0.024	0.06	15.3	8.5	0.56	424	0.80
G25-9	0.97	40.7	2.47	9.03	0.09	0.10	0.05	0.026	0.10	12.9	8.4	0.62	376	1.33
G25-10	1.08	42.5	2.66	10.6	0.09	0.09	0.05	0.026	0.07	18.3	9.5	0.65	387	0.58
G25-12	0.76	42.9	3.13	11.0	0.09	0.31	0.02	0.029	0.07	17.6	10.1	0.63	350	0.87
G25-13	0.45	49.3	2.27	7.13	0.09	0.06	0.04	0.021	0.05	11.3	6.1	0.50	230	1.20
G25-16	0.86	35.9	2.28	9.22	0.07	0.06	0.03	0.023	0.05	13.4	9.0	0.56	277	0.45
G25-17	0.75	16.9	1.98	6.19	0.06	0.03	0.01	0.017	0.05	11.1	6.9	0.50	374	0.99
G25-19	1.05	30.9	2.29	8.62	0.05	0.06	0.02	0.022	0.08	14.6	8.4	0.57	403	0.81
G25-20	1.65	43.9	2.66	11.2	0.07	0.05	0.03	0.025	0.06	12.3	8.7	0.63	354	0.77
G25-21	1.35	51.7	2.68	11.2	0.08	0.09	0.05	0.029	0.12	16.1	9.8	0.84	578	0.68
G25-22	2.10	52.1	2.71	10.6	0.07	0.02	0.03	0.025	0.06	12.4	8.8	0.59	634	0.90
G25-23	0.58	34.1	2.12	6.24	0.05	0.06	0.03	0.017	0.06	11.1	5.8	0.59	402	0.58
G25-24	1.95	44.1	2.90	10.4	<0.05	0.03	0.03	0.023	0.06	12.2	10.1	0.63	555	0.70
G25-25	0.85	31.4	2.20	7.62	0.05	0.07	0.03	0.017	0.07	13.5	6.1	0.61	308	0.46
G25-26	1.97	38.7	3.06	10.6	0.06	0.03	0.03	0.026	0.08	13.2	9.5	0.65	620	0.85
G25-27	0.67	26.5	2.15	8.66	0.07	0.11	0.02	0.020	0.07	14.0	6.9	0.63	249	0.52
G25-28	1.65	31.5	2.49	10.6	0.06	0.08	0.04	0.024	0.06	12.9	9.1	0.61	348	0.72
G25-29	1.32	40.1	2.50	10.6	0.06	0.10	0.03	0.025	0.10	17.1	8.8	0.74	382	0.63
G25-31	0.58	22.1	2.15	7.52	<0.05	0.10	0.02	0.017	0.06	13.6	5.9	0.50	257	0.64
G25-32	1.16	35.2	2.93	8.93	0.06	0.04	0.03	0.022	0.06	11.5	8.2	0.61	519	0.68
G25-33	0.64	16.3	1.91	6.56	0.05	0.10	0.02	0.017	0.06	15.8	6.0	0.49	259	0.52
G25-34	1.29	52.0	2.83	9.86	0.10	0.06	0.03	0.025	0.09	11.3	8.4	0.66	481	0.74
G25-35	0.80	34.6	2.38	9.98	0.09	0.08	0.03	0.023	0.08	17.5	7.6	0.65	319	0.80
G25-37	1.02	30.5	2.42	8.92	0.07	0.08	0.02	0.023	0.10	16.7	8.0	0.67	362	0.69

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G25-39	0.54	17.8	2.50	6.67	0.08	0.08	0.02	0.017	0.06	16.1	5.4	0.56	354	0.57
G25-41	0.60	28.4	1.53	7.94	0.05	0.11	0.03	0.018	0.05	12.1	6.4	0.42	302	0.57
G25-43	0.64	33.5	2.39	10.8	0.05	0.11	0.03	0.018	0.07	13.2	6.7	0.63	402	0.77
G25-45	0.81	29.4	2.33	5.79	<0.05	0.08	0.02	0.016	0.06	11.6	5.4	0.62	357	0.64
G25-47	0.75	38.6	2.37	10.0	<0.05	0.13	0.04	0.023	0.08	14.3	7.6	0.68	467	1.07
G25-49	0.48	37.3	2.48	10.5	0.07	0.09	0.04	0.024	0.08	16.3	8.3	0.63	382	0.85
G25-51	0.73	41.1	2.56	10.3	<0.05	0.14	0.03	0.024	0.10	15.3	8.0	0.73	459	0.73
G25-52	1.38	85.5	3.79	11.3	0.09	0.04	0.02	0.021	0.33	9.8	11.2	1.18	682	0.42
G25-53	0.64	38.9	2.57	11.0	0.07	0.10	0.03	0.025	0.09	17.4	8.4	0.65	473	1.08
G25-54	3.01	119	4.52	12.1	0.10	0.05	0.03	0.025	0.19	9.9	11.4	1.20	726	0.42
G25-55	0.57	37.7	2.43	11.9	0.11	0.05	0.03	0.027	0.08	19.0	9.3	0.62	431	0.82
G25-56	1.31	125	3.67	11.6	0.12	0.03	0.04	0.029	0.12	13.3	11.2	0.89	516	0.77
G25-57	0.75	44.3	2.51	12.8	0.09	0.13	0.04	0.029	0.11	18.5	10.4	0.70	480	0.82
G25-58	1.65	160	4.17	12.4	0.13	0.04	0.01	0.026	0.24	12.4	11.7	1.18	622	0.50
G25-59	0.45	38.5	2.37	8.52	0.10	0.10	0.03	0.024	0.08	14.6	8.2	0.66	474	0.69
G25-60	1.51	131	3.95	12.1	0.11	0.05	0.03	0.025	0.19	12.2	11.9	0.93	541	0.58
G27-2	1.14	40.6	2.93	10.6	0.10	0.09	0.01	0.024	0.08	11.7	10.6	0.69	375	0.83
G27-4	0.89	37.1	2.56	10.2	0.10	0.10	0.03	0.023	0.08	15.5	7.7	0.61	334	0.62
G27-6	0.88	50.6	2.92	11.2	0.09	0.06	0.04	0.025	0.07	15.0	8.1	0.65	572	0.73
G27-8	0.65	39.2	2.68	10.4	0.10	0.08	0.03	0.024	0.06	15.7	7.5	0.62	392	0.64
G27-10	0.60	46.5	2.41	9.48	0.13	0.08	0.03	0.027	0.05	16.1	8.9	0.59	320	0.63
G27-12	0.58	38.7	2.24	9.21	0.11	0.07	0.03	0.021	0.05	13.4	7.0	0.53	323	0.50
G27-14	1.12	46.6	2.61	11.2	0.09	0.10	0.06	0.025	0.07	16.1	9.2	0.63	367	0.77
G27-15	0.86	47.1	2.43	11.6	0.10	0.04	0.05	0.027	0.06	15.7	7.7	0.50	247	0.51
G27-16	1.04	41.8	2.57	11.3	0.08	0.04	0.02	0.025	0.06	13.7	8.7	0.65	506	1.00
G27-17	1.27	49.4	2.79	12.0	0.11	0.07	0.04	0.031	0.10	18.1	10.2	0.71	412	0.56
G27-18	1.29	47.3	2.99	11.9	0.10	0.06	0.03	0.031	0.07	16.4	10.0	0.75	443	1.34
G27-20	1.13	75.2	3.06	9.84	0.11	0.08	0.03	0.029	0.07	11.8	8.2	0.71	377	1.05
G27-21	0.92	40.9	2.35	7.82	0.09	0.09	0.03	0.022	0.09	14.3	7.4	0.70	393	0.56
G27-22	1.75	60.4	3.08	10.6	0.10	0.05	0.02	0.030	0.09	13.4	9.2	0.70	559	1.07
G27-23	1.13	42.8	2.97	9.88	0.10	0.08	0.03	0.023	0.08	15.3	7.3	0.72	486	0.82
G27-24	1.89	49.0	2.99	11.5	0.08	0.02	0.03	0.030	0.07	13.8	10.0	0.76	537	0.61

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G27-25	1.36	44.6	2.46	10.2	0.07	0.06	0.05	0.024	0.10	15.1	7.9	0.78	649	0.72
G27-26	1.46	38.6	2.56	10.4	0.07	0.02	0.03	0.024	0.07	11.0	7.9	0.69	597	0.75
G27-27	0.64	34.4	2.17	6.76	0.09	0.06	0.02	0.017	0.07	13.3	5.9	0.60	792	0.81
G27-28	1.62	53.1	2.95	10.7	0.09	0.04	0.03	0.022	0.12	10.3	8.0	0.68	615	0.59
G27-29	0.73	62.8	2.22	8.25	0.10	0.09	0.05	0.024	0.07	14.8	6.8	0.68	294	0.55
G27-30	2.17	60.4	3.37	11.5	0.09	0.03	0.03	0.024	0.16	9.8	8.2	0.75	825	0.73
G27-31	0.92	31.1	2.21	7.80	0.11	0.09	0.03	0.020	0.08	14.7	6.8	0.62	334	0.67
G27-32	3.51	83.5	3.18	10.9	0.07	0.04	0.03	0.023	0.15	10.2	8.4	0.72	559	0.56
G27-33	0.75	26.6	2.45	6.62	0.11	0.08	0.02	0.017	0.07	14.9	6.1	0.62	465	0.54
G27-34	1.82	64.5	2.98	11.5	0.08	0.03	0.04	0.031	0.10	13.4	8.6	0.76	692	0.49
G27-35	0.60	22.9	2.38	7.28	0.10	0.08	0.02	0.018	0.07	16.3	6.2	0.57	370	0.61
G27-36	0.81	59.6	2.76	7.68	0.10	0.06	0.03	0.023	0.06	9.6	7.4	0.69	514	0.51
G27-37	0.72	37.7	2.36	9.12	0.10	0.09	0.03	0.026	0.11	15.7	9.0	0.73	504	1.32
G27-39	0.46	24.7	2.08	5.97	0.11	0.10	0.02	0.016	0.06	12.6	5.3	0.55	290	0.62
G27-42	1.34	34.3	2.72	7.75	0.07	0.07	0.04	0.027	0.06	13.5	7.0	0.60	493	0.90
G27-43	0.68	40.1	2.51	12.9	0.08	0.08	0.05	0.028	0.08	19.4	9.3	0.66	636	1.13
G27-44	1.39	62.7	3.04	9.20	0.12	0.06	0.04	0.035	0.10	14.5	8.9	0.66	493	0.85
G27-45	0.72	46.9	2.70	12.8	0.11	0.19	0.08	0.031	0.09	19.3	10.0	0.79	511	1.09
G27-47	0.50	40.0	2.45	9.32	0.14	0.10	0.04	0.028	0.08	16.4	9.1	0.74	472	0.98
G27-49	0.66	46.9	2.78	9.36	0.09	0.18	0.03	0.026	0.08	15.1	8.5	0.87	497	0.81
G27-51	0.53	33.4	2.30	11.9	0.06	0.06	0.02	0.023	0.07	13.3	7.6	0.63	357	0.61
G27-52	0.86	27.1	1.37	12.3	0.10	0.03	0.02	0.018	0.07	10.4	2.4	0.18	131	0.59
G27-53	0.65	46.9	2.66	13.0	0.11	0.12	0.05	0.028	0.10	17.4	10.0	0.78	440	0.66
G27-54	0.88	94.2	3.42	9.20	0.13	0.04	0.02	0.021	0.08	8.0	11.5	0.85	411	0.57
G27-55	0.65	51.5	2.74	10.6	0.13	0.13	0.03	0.027	0.10	16.7	9.8	0.85	510	0.78
G27-56	0.92	70.4	3.44	8.83	0.13	0.02	0.03	0.023	0.09	14.0	9.2	0.86	437	0.47
G27-57	0.65	50.2	2.80	8.66	0.12	0.06	0.04	0.024	0.11	17.5	8.1	0.79	438	0.47
G27-58	2.00	30.4	2.85	12.9	0.12	0.08	0.02	0.034	0.06	21.4	10.5	0.58	306	0.69
G27-59	0.68	60.1	2.97	8.37	0.11	0.10	0.04	0.024	0.10	16.7	8.2	0.92	463	0.52
G27-60	1.65	48.1	2.86	13.0	0.13	0.08	0.02	0.037	0.05	14.4	13.8	0.55	254	1.00
G29-0	1.08	36.4	2.61	12.3	0.12	0.04	0.02	0.032	0.06	14.5	13.0	0.57	373	1.10
G29-1	0.71	40.4	2.46	12.6	0.11	0.10	0.04	0.028	0.06	16.5	10.2	0.55	380	0.81

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
	Unit: RDL:	ppm 0.05	ppm 0.1	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.1	ppm 0.1	% 0.01	ppm 1	ppm 0.05
G29-2		1.15	35.2	2.72	13.7	0.11	0.17	0.03	0.034	0.07	21.1	12.3	0.57	250	0.90
G29-4		0.57	36.9	2.49	9.72	0.12	0.08	0.04	0.027	0.05	19.0	8.7	0.56	408	0.66
G29-5		0.72	41.6	2.85	9.01	0.12	0.11	0.05	0.031	0.07	16.9	9.9	0.63	273	1.56
G29-6		0.85	37.7	2.45	13.0	0.09	0.23	0.04	0.030	0.08	21.1	9.9	0.66	401	0.64
G29-8		0.62	50.4	2.53	9.83	0.12	0.10	0.04	0.029	0.06	19.1	8.8	0.61	383	0.88
G29-9		0.69	42.5	1.95	11.9	0.07	0.06	0.04	0.022	0.06	12.8	6.8	0.52	597	0.72
G29-10		0.83	29.8	2.01	8.85	0.09	0.05	0.03	0.024	0.05	16.1	8.1	0.51	338	0.53
G29-11		0.52	36.9	2.52	7.97	0.14	0.06	0.04	0.026	0.07	15.2	8.2	0.60	340	0.76
G29-12		0.80	34.2	2.54	8.68	0.10	0.06	0.04	0.024	0.06	17.5	8.0	0.59	418	0.62
G29-14		0.93	45.8	2.57	12.1	0.10	0.06	0.03	0.027	0.07	19.3	9.0	0.60	439	0.65
G29-16		1.05	36.2	2.52	11.5	0.10	0.04	0.04	0.025	0.06	14.8	9.2	0.67	460	0.59
G29-17		0.78	24.0	2.13	7.38	0.11	0.03	0.03	0.022	0.06	13.9	7.7	0.52	526	0.78
G29-18		0.78	48.2	2.33	9.10	0.11	0.03	0.03	0.022	0.04	11.6	8.4	0.70	499	0.55
G29-19		0.56	21.4	2.41	6.41	0.10	0.09	0.02	0.018	0.07	13.0	7.2	0.57	339	0.66
G29-20		1.53	60.4	2.87	13.6	0.09	0.05	0.03	0.030	0.08	15.2	11.3	0.84	458	0.59
G29-21		0.63	32.6	2.20	7.37	0.11	0.10	0.03	0.021	0.08	15.1	7.6	0.60	285	0.53
G29-22		3.96	163	3.96	17.5	0.17	0.12	<0.01	0.032	0.53	10.2	15.9	1.15	526	0.54
G29-23		0.87	31.1	2.04	8.19	0.11	0.07	0.03	0.021	0.08	15.2	7.6	0.64	380	0.38
G29-24		0.79	56.6	2.72	8.32	0.14	0.03	0.02	0.024	0.08	10.9	8.8	0.74	463	0.54
G29-27		0.59	29.4	2.15	6.56	0.11	0.09	0.03	0.019	0.06	14.5	7.0	0.57	346	0.65
G29-28		1.06	62.2	3.10	8.98	0.10	0.10	0.04	0.031	0.06	12.8	10.8	0.98	442	0.46
G29-29		0.70	47.7	2.82	8.53	0.08	0.17	0.02	0.021	0.10	15.1	8.1	0.85	448	0.62
G29-30		1.72	75.1	3.09	9.42	0.10	0.07	0.04	0.034	0.07	13.0	10.4	0.93	511	0.70
G29-31		0.61	27.2	2.58	7.83	0.12	0.09	0.03	0.023	0.07	17.9	7.7	0.60	297	0.69
G29-32		0.90	61.5	3.04	8.21	0.13	0.02	0.04	0.032	0.06	12.4	9.3	0.89	860	0.59
G29-33		0.98	34.5	2.26	7.00	0.08	0.09	0.03	0.020	0.05	14.3	7.0	0.61	428	0.99
G29-34		1.21	68.4	2.77	7.57	0.08	0.06	0.05	0.028	0.08	14.5	7.9	0.65	626	0.82
G29-35		0.57	28.7	2.17	6.59	0.09	0.09	0.03	0.017	0.08	13.0	6.6	0.62	294	0.57
G29-36		2.55	74.4	3.40	13.1	0.09	0.04	0.04	0.031	0.20	15.5	11.2	0.73	752	0.71
G29-37		0.78	42.8	2.56	13.0	0.07	0.15	0.05	0.027	0.10	19.8	9.7	0.74	522	0.80
G29-39		0.49	40.7	2.40	9.08	0.08	0.14	0.04	0.024	0.08	15.7	8.5	0.70	451	0.90
G29-41		0.46	37.0	2.26	8.43	0.11	0.07	0.03	0.025	0.07	16.2	8.7	0.68	442	0.81

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G29-42		3.21	105	4.77	15.2	0.10	0.07	0.05	0.042	0.25	13.8	9.9	0.87	1140	0.73
G29-43		0.51	36.7	2.30	7.67	0.14	0.05	0.03	0.023	0.08	15.4	7.4	0.74	415	0.65
G29-44		2.56	108	3.79	7.92	0.11	0.07	0.04	0.024	0.19	12.7	8.7	0.83	664	0.40
G29-45		0.85	52.6	2.83	13.2	0.09	0.19	0.04	0.028	0.11	18.2	10.4	0.93	643	0.77
G29-46		2.19	46.2	2.61	11.4	0.10	0.02	0.03	0.027	0.12	18.8	8.1	0.43	528	0.68
G29-47		0.82	51.6	2.74	9.00	0.07	0.14	0.04	0.026	0.10	17.1	9.5	0.96	522	0.65
G29-48		2.79	39.0	2.80	12.1	0.11	0.09	0.06	0.034	0.08	23.0	10.2	0.48	551	0.75
G29-49		0.50	28.9	2.41	7.66	0.11	0.05	0.02	0.021	0.07	15.2	7.4	0.69	463	0.53
G29-51		0.81	60.9	2.92	7.97	0.08	0.14	0.04	0.025	0.13	13.0	9.0	1.21	620	0.65
G29-52		1.91	70.3	4.01	9.01	0.12	<0.02	0.02	0.023	0.08	11.5	9.2	0.72	409	0.77
G29-53		0.53	37.2	2.58	7.80	0.12	0.10	0.03	0.024	0.08	16.3	8.6	0.73	436	0.71
G29-54		20.4	109	5.71	17.4	0.15	0.03	0.01	0.062	0.39	11.2	12.9	0.96	1290	1.10
G29-55		0.66	85.4	3.16	9.52	0.07	0.13	0.07	0.029	0.10	14.5	9.7	1.26	629	0.94
G29-56		1.29	53.0	2.61	7.94	0.13	0.02	0.03	0.023	0.04	12.7	8.4	0.53	315	0.55
G29-57		0.73	77.4	3.35	9.74	0.11	0.18	0.05	0.027	0.11	17.9	10.5	1.24	688	0.68
G29-58		2.13	76.4	3.49	10.5	0.13	0.04	0.03	0.035	0.09	19.3	13.1	0.77	518	0.97
G29-59		0.74	76.9	3.42	9.99	0.10	0.14	0.05	0.025	0.10	15.9	11.1	1.35	597	0.76
G29-60		1.74	114	4.69	11.5	0.13	0.03	0.03	0.040	0.03	6.5	31.1	3.81	941	0.28
G31-0		1.49	49.2	3.04	10.1	0.11	0.04	0.02	0.031	0.14	15.4	9.8	0.63	448	1.60
G31-1		1.06	37.1	2.54	14.6	0.11	0.12	0.04	0.030	0.08	22.1	10.0	0.54	462	0.96
G31-2		1.88	81.4	3.84	14.6	0.12	0.20	0.02	0.038	0.13	23.1	11.0	0.88	566	1.61
G31-3		1.70	92.7	3.74	8.92	0.13	0.09	0.05	0.037	0.15	17.5	10.6	0.75	601	2.20
G31-4		0.61	30.5	2.21	7.63	0.11	0.05	0.02	0.021	0.05	14.3	7.6	0.53	378	0.59
G31-5		1.08	51.5	2.58	7.67	0.11	0.11	0.04	0.025	0.11	14.3	8.1	0.64	379	1.16
G31-6		0.91	32.1	2.26	8.28	0.10	0.04	0.03	0.022	0.06	17.1	7.8	0.53	471	0.55
G31-7		0.83	46.6	2.49	9.41	0.12	0.06	0.04	0.028	0.07	17.6	9.5	0.63	494	0.93
G31-8		1.03	38.7	2.35	8.59	0.09	0.04	0.04	0.023	0.06	19.5	8.7	0.58	447	0.63
G31-9		0.70	39.4	2.42	9.09	0.06	0.11	0.04	0.025	0.06	17.6	9.3	0.58	391	0.94
G31-10		0.74	31.6	2.43	8.14	0.07	0.05	0.04	0.021	0.04	16.5	8.5	0.61	356	0.62
G31-11		0.71	28.4	2.13	8.61	0.08	0.02	0.05	0.024	0.06	16.7	8.0	0.47	478	0.66
G31-12		0.56	34.9	2.13	8.00	0.15	0.04	0.07	0.025	0.04	16.7	7.7	0.52	369	0.64
G31-13		0.72	30.9	2.06	8.65	0.13	0.05	0.06	0.029	0.06	17.4	8.8	0.53	766	0.67

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G31-14	0.53	23.0	1.98	6.26	0.14	0.02	0.03	0.019	0.04	11.8	6.7	0.52	333	0.50
G31-15	0.81	24.8	2.39	7.75	0.09	0.04	0.05	0.022	0.06	14.9	7.8	0.47	551	0.88
G31-16	0.89	37.8	2.29	7.40	0.11	0.04	0.02	0.021	0.05	12.5	8.0	0.67	339	0.73
G31-17	0.62	27.3	2.14	6.48	0.11	0.06	0.03	0.020	0.06	13.1	6.7	0.54	496	0.64
G31-18	0.77	32.3	1.90	7.45	0.09	0.04	0.03	0.019	0.04	14.3	7.7	0.52	291	0.52
G31-19	0.51	16.5	1.81	6.00	0.11	0.05	0.02	0.017	0.05	13.6	6.6	0.44	272	0.59
G31-20	0.90	47.0	2.51	8.35	0.11	0.05	0.03	0.024	0.05	15.4	9.4	0.70	365	0.66
G31-21	0.38	33.6	2.72	5.98	0.16	0.07	0.03	0.021	0.06	13.6	6.3	0.62	360	1.27
G31-22	1.85	71.5	2.81	8.39	0.08	0.13	0.03	0.025	0.09	13.9	10.3	0.84	364	1.97
G31-23	0.50	25.0	2.74	5.47	0.09	0.10	0.02	0.014	0.05	12.3	5.3	0.60	309	0.55
G31-24	0.91	75.6	2.54	7.89	0.11	0.04	0.02	0.022	0.05	11.9	8.1	0.80	590	0.35
G31-26	1.27	101	2.90	8.45	0.09	0.09	0.03	0.024	0.08	13.9	9.7	0.91	619	0.33
G31-27	0.43	16.7	2.30	4.69	0.11	0.09	0.02	0.014	0.04	11.6	4.5	0.57	339	0.53
G31-28	0.85	92.7	2.58	7.40	0.09	0.08	0.03	0.022	0.08	12.1	8.6	0.82	436	0.33
G31-29	0.89	25.6	2.08	5.93	0.10	0.08	0.02	0.017	0.07	13.7	6.2	0.59	494	0.55
G31-30	1.79	136	4.01	9.56	0.10	0.13	0.03	0.031	0.22	11.7	10.7	1.20	648	0.46
G31-31	0.67	23.8	2.02	6.90	0.08	0.08	0.04	0.019	0.07	14.3	6.7	0.55	316	0.96
G31-32	1.12	92.0	3.18	8.59	0.12	0.06	0.03	0.028	0.07	12.6	10.5	0.93	608	0.41
G31-33	0.56	45.1	2.57	8.83	0.11	0.15	0.03	0.023	0.09	16.5	8.5	0.72	528	0.56
G31-34	1.35	123	3.78	7.83	0.10	0.06	0.03	0.021	0.26	7.1	10.9	1.50	729	0.33
G31-35	0.58	41.0	2.66	8.48	0.10	0.14	0.03	0.026	0.10	17.7	8.6	0.72	475	0.96
G31-37	0.51	37.6	2.41	7.72	0.09	0.09	0.03	0.022	0.08	17.0	8.2	0.67	458	0.86
G31-38	0.81	45.2	2.65	7.12	0.13	0.02	0.03	0.032	0.09	12.7	8.3	0.54	485	0.80
G31-39	0.61	37.0	2.38	8.34	0.08	0.11	0.03	0.024	0.09	17.4	7.9	0.68	524	0.83
G31-41	0.64	50.9	2.80	9.37	0.10	0.15	0.04	0.027	0.09	17.0	9.8	0.91	595	0.69
G31-42	8.20	217	6.97	21.5	0.21	0.07	0.01	0.017	1.11	5.2	16.3	1.77	1860	0.54
G31-43	0.66	45.6	2.68	9.75	0.10	0.10	0.03	0.027	0.09	18.2	9.4	0.83	566	0.66
G31-45	0.76	44.1	2.50	10.9	0.10	0.17	0.04	0.027	0.11	18.7	10.4	0.80	562	0.91
G31-46	12.2	280	7.82	19.0	0.18	0.06	0.02	0.045	0.56	8.8	15.4	1.81	1450	0.44
G31-47	0.62	59.3	2.88	9.15	0.11	0.13	0.05	0.029	0.08	16.2	10.6	1.02	642	0.66
G31-48	1.61	51.7	2.76	8.28	0.09	<0.02	0.02	0.031	0.07	17.5	10.1	0.54	383	0.54
G31-49	0.65	49.4	2.55	7.19	0.07	0.16	0.03	0.023	0.09	15.5	8.8	0.90	493	0.57

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G31-50	3.18	49.5	3.58	11.1	0.15	0.08	0.06	0.049	0.13	40.5	9.0	0.39	802	1.21
G31-51	0.98	50.7	2.89	11.0	<0.05	0.12	0.04	0.033	0.11	19.0	11.8	1.22	649	0.92
G31-52	2.27	68.9	3.35	8.12	0.12	<0.02	0.02	0.046	0.12	15.1	6.7	0.26	336	1.40
G31-53	1.04	55.6	2.55	10.7	<0.05	0.09	0.04	0.031	0.10	20.5	12.5	1.08	564	0.90
G31-54	2.36	106	11.7	10.8	0.11	0.06	0.02	0.034	0.35	12.4	14.5	2.73	724	0.64
G31-55	0.60	38.5	2.31	8.14	0.09	0.07	0.03	0.021	0.07	16.7	8.4	0.74	450	0.77
G31-56	1.85	87.1	3.50	9.45	0.16	0.04	0.03	0.034	0.08	15.1	12.9	0.87	577	0.47
G31-57	0.73	91.7	3.17	9.95	<0.05	0.11	0.06	0.027	0.10	9.0	9.9	1.45	778	0.70
G31-58	1.00	63.9	2.69	9.64	0.14	0.09	0.04	0.032	0.06	23.0	12.9	0.62	351	0.98
G31-59	0.93	110	3.68	8.38	0.07	0.07	0.03	0.014	0.17	4.1	10.6	2.25	637	0.43
G31-60	0.67	31.2	2.28	8.62	0.14	0.05	0.02	0.027	0.09	14.3	10.2	0.50	245	0.77
G33-0	0.68	33.2	2.38	7.75	0.12	0.05	0.03	0.025	0.05	16.0	9.1	0.57	639	0.85
G33-1	0.98	31.8	2.28	6.69	0.10	0.07	0.02	0.022	0.06	15.6	7.6	0.53	386	0.72
G33-3	0.57	28.1	2.02	7.33	0.09	0.13	0.04	0.023	0.07	17.6	8.1	0.46	301	0.71
G33-5	0.81	56.3	2.85	6.33	0.14	0.10	0.04	0.025	0.11	13.1	7.2	0.66	439	1.12
G33-6	1.53	68.9	2.84	8.79	0.11	0.11	0.04	0.032	0.12	18.0	11.5	0.70	436	0.78
G33-7	0.90	51.1	2.91	8.80	0.12	0.08	0.04	0.031	0.10	16.9	9.3	0.68	514	1.14
G33-8	1.18	34.7	2.04	9.52	0.07	0.08	0.02	0.026	0.05	19.8	10.7	0.48	447	0.71
G33-9	0.86	51.0	2.28	6.78	0.08	0.07	0.03	0.021	0.08	13.0	6.9	0.57	476	1.14
G33-10	1.11	29.6	2.21	8.59	0.08	0.04	0.03	0.023	0.05	16.4	9.6	0.56	396	0.59
G33-11	0.95	39.7	2.27	9.79	0.08	0.16	0.04	0.031	0.09	19.3	10.7	0.56	429	0.98
G33-12	1.82	54.2	2.60	12.1	0.08	0.05	0.04	0.032	0.07	23.2	12.2	0.61	597	0.77
G33-13	0.67	15.7	1.77	5.78	0.09	0.05	0.02	0.016	0.04	15.2	6.1	0.39	222	0.52
G33-14	1.36	36.7	2.34	10.5	0.08	0.07	0.03	0.027	0.06	21.2	11.2	0.55	446	0.78
G33-15	0.50	25.6	2.62	6.48	0.13	0.04	0.02	0.021	0.05	15.5	6.9	0.49	451	0.83
G33-16	0.97	39.7	2.29	8.93	0.09	0.08	0.02	0.025	0.04	14.3	10.0	0.55	446	0.63
G33-17	0.88	37.1	2.25	8.39	0.07	0.04	0.03	0.023	0.06	18.8	8.9	0.49	552	0.70
G33-18	1.92	50.5	2.51	10.9	0.08	0.09	0.03	0.030	0.06	20.9	12.7	0.63	532	0.81
G33-19	0.92	28.8	3.02	8.09	0.09	0.03	0.03	0.022	0.05	19.6	8.3	0.47	551	0.84
G33-20	1.43	44.0	2.34	9.36	0.07	0.05	0.03	0.026	0.06	18.4	11.0	0.62	392	0.55
G33-21	1.16	75.6	1.97	8.64	0.08	0.05	0.02	0.026	0.07	20.9	10.3	0.53	264	1.00
G33-22	0.93	83.2	3.03	7.90	0.13	0.13	0.03	0.026	0.08	15.9	10.9	0.81	387	0.84

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G33-23	1.01	33.0	1.82	8.37	0.07	0.10	0.03	0.022	0.06	16.9	9.1	0.52	407	0.54
G33-24	1.36	80.5	2.73	9.79	0.11	0.10	0.04	0.030	0.06	17.2	12.2	0.84	478	0.76
G33-25	1.16	31.7	1.99	7.96	0.08	0.13	0.03	0.024	0.06	20.4	8.4	0.56	323	0.55
G33-26	1.90	107	2.76	10.5	0.07	0.11	0.04	0.032	0.07	16.6	13.3	0.84	542	0.51
G33-27	1.27	39.0	2.18	7.99	0.08	0.12	0.03	0.023	0.08	17.3	9.0	0.65	291	0.54
G33-28	2.01	163	3.84	8.71	0.14	0.08	0.05	0.029	0.13	14.3	12.1	1.04	837	0.56
G33-29	0.37	51.8	2.70	7.66	0.15	0.07	0.03	0.020	0.06	13.9	8.4	0.88	525	0.66
G33-30	2.23	103	2.74	9.23	0.08	0.06	0.03	0.031	0.09	13.5	12.0	0.69	626	0.53
G33-31	0.55	39.9	2.33	9.05	0.09	0.10	0.07	0.024	0.09	19.3	9.0	0.61	427	0.68
G33-32	2.47	133	3.23	10.2	0.08	0.04	0.03	0.030	0.07	14.7	12.2	0.90	674	0.57
G33-33	0.66	35.7	2.42	9.58	0.08	0.10	0.03	0.027	0.09	20.0	9.4	0.66	487	0.92
G33-34	2.20	86.9	2.98	9.14	0.10	0.03	0.03	0.026	0.08	13.8	11.7	0.82	436	0.61
G33-35	0.46	29.3	2.05	6.14	0.09	0.04	0.02	0.017	0.07	13.7	6.1	0.54	481	0.60
G33-36	1.77	78.6	3.04	9.19	0.12	0.03	0.02	0.025	0.07	8.1	11.9	0.53	279	0.77
G33-37	0.45	28.7	2.15	7.25	0.10	0.04	0.03	0.019	0.07	16.5	7.4	0.55	409	0.72
G33-38	2.10	151	3.25	10.2	0.09	0.03	0.03	0.030	0.08	13.1	14.1	0.88	533	0.54
G33-39	0.85	88.5	2.61	8.63	0.08	0.14	0.04	0.026	0.09	16.9	9.1	0.74	633	0.84
G33-40	4.21	126	3.87	10.8	0.10	0.03	0.03	0.036	0.07	8.0	10.4	0.88	529	0.95
G33-41	0.51	37.3	2.58	7.55	0.12	0.04	0.04	0.024	0.08	18.4	8.9	0.70	377	0.56
G33-42	1.76	64.8	2.80	7.74	0.10	<0.02	<0.01	0.030	0.05	12.6	11.2	0.59	637	0.79
G33-43	0.71	59.6	2.78	9.81	0.08	0.18	0.05	0.028	0.06	17.5	10.8	0.91	482	0.88
G33-44	0.92	27.1	2.57	9.64	0.12	0.11	0.04	0.035	0.04	21.8	11.5	0.51	270	0.83
G33-45	1.42	57.8	3.07	9.77	<0.05	0.28	0.04	0.028	0.09	17.2	11.2	1.29	656	0.71
G33-46	1.49	41.0	2.84	8.54	0.09	0.10	0.02	0.029	0.06	17.1	11.0	0.56	353	0.73
G33-47	2.11	50.1	2.70	7.70	<0.05	0.14	0.07	0.027	0.07	15.0	8.6	1.11	543	0.68
G33-48	1.53	35.9	2.23	8.09	0.10	0.10	0.03	0.024	0.07	19.2	10.1	0.49	240	0.64
G33-49	2.31	43.3	2.85	7.38	0.09	0.09	0.07	0.028	0.08	14.8	9.8	1.17	655	0.67
G33-50	0.52	37.8	2.24	7.19	0.10	0.04	0.03	0.021	0.06	17.5	8.5	0.52	418	0.31
G33-51	0.87	40.5	2.74	6.67	0.07	0.07	0.12	0.024	0.09	16.5	8.0	1.20	573	0.70
G33-52	0.88	29.2	2.49	9.20	0.11	0.09	0.03	0.029	0.06	20.9	9.8	0.51	348	0.52
G33-53	0.77	36.9	2.67	7.52	0.09	0.08	0.07	0.026	0.09	17.7	8.6	0.97	500	0.94
G33-54	1.16	30.3	2.49	9.73	0.09	0.23	0.04	0.029	0.06	22.2	10.9	0.54	321	0.66

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G33-55	0.55	34.3	2.19	5.06	0.10	0.06	0.06	0.020	0.06	15.0	6.0	0.90	353	0.57
G33-56	0.93	42.3	2.77	7.37	0.10	0.07	0.02	0.024	0.06	8.2	10.1	0.71	410	0.36
G33-57	0.72	104	3.36	8.05	0.08	0.11	0.05	0.025	0.09	13.5	8.6	1.32	658	0.73
G33-58	0.94	61.7	2.83	7.34	0.12	0.09	0.03	0.024	0.08	14.7	9.8	0.74	478	0.39
G33-59	0.58	92.2	3.00	7.20	0.10	0.17	0.05	0.018	0.10	7.5	8.3	1.09	647	0.49
G33-60	1.19	66.7	2.95	7.21	0.10	0.03	0.02	0.021	0.08	13.0	11.1	0.80	393	0.54
G35-0	1.80	84.4	3.86	8.31	0.12	0.12	0.02	0.033	0.15	8.9	10.2	0.91	608	2.98
G35-1	0.89	54.0	2.43	5.64	0.15	0.04	0.04	0.022	0.12	9.3	6.1	0.66	567	0.94
G35-2	0.70	48.9	2.67	7.34	0.13	0.14	0.03	0.026	0.07	16.7	8.1	0.61	354	0.87
G35-3	1.34	70.9	2.85	5.75	0.11	0.12	0.02	0.022	0.14	8.1	5.7	0.72	630	0.99
G35-4	0.74	41.9	2.40	8.20	0.11	0.11	0.04	0.026	0.06	20.9	9.2	0.53	445	0.61
G35-5	0.70	41.6	2.49	7.21	0.12	0.24	0.03	0.025	0.10	18.3	10.0	0.59	286	0.66
G35-6	1.12	28.2	2.11	8.07	0.08	0.03	0.03	0.024	0.06	17.7	9.1	0.47	483	0.59
G35-7	0.63	26.5	2.16	6.53	0.11	0.13	0.02	0.021	0.07	15.7	7.3	0.51	293	0.53
G35-8	0.82	36.7	2.74	7.34	0.10	0.08	0.06	0.023	0.07	16.8	8.6	0.58	429	0.65
G35-9	0.60	53.5	2.33	7.51	0.13	0.16	0.03	0.027	0.07	16.7	9.3	0.57	271	0.48
G35-10	0.73	28.5	2.10	6.95	0.11	0.04	0.03	0.021	0.04	17.7	7.6	0.47	338	0.45
G35-11	0.66	28.4	1.71	6.39	0.08	0.04	0.05	0.019	0.06	15.2	7.4	0.49	200	0.32
G35-12	0.99	44.5	2.52	8.56	0.09	0.08	0.04	0.026	0.07	20.9	10.1	0.62	394	0.42
G35-13	0.58	42.8	2.16	6.82	0.12	0.04	0.04	0.020	0.05	13.3	6.8	0.53	419	0.48
G35-14	0.90	40.2	2.38	8.31	0.08	0.05	0.03	0.024	0.06	16.3	9.2	0.56	450	0.58
G35-15	0.49	20.1	2.54	4.79	0.12	0.05	0.02	0.017	0.05	14.4	5.8	0.51	326	0.69
G35-16	0.99	43.4	2.44	7.82	0.09	0.05	0.03	0.024	0.06	17.0	9.1	0.59	420	0.46
G35-17	0.66	52.7	2.55	7.08	0.08	0.04	0.03	0.019	0.05	12.0	7.8	0.62	1240	0.88
G35-18	1.06	50.0	2.43	7.84	0.10	0.05	0.03	0.026	0.06	16.2	9.1	0.58	421	0.86
G35-19	0.42	27.8	1.83	4.56	0.11	0.03	0.02	0.014	0.05	8.2	5.0	0.46	271	0.30
G35-20	0.78	68.0	2.42	6.77	0.09	0.06	0.03	0.021	0.05	9.2	7.8	0.64	412	0.31
G35-21	0.63	25.4	2.28	6.10	0.09	0.06	0.03	0.019	0.05	15.3	7.4	0.52	445	0.81
G35-22	0.78	71.2	2.86	6.30	0.10	0.10	0.03	0.021	0.09	8.8	8.4	0.73	447	0.52
G35-23	0.71	20.5	2.14	6.69	0.09	0.07	0.04	0.019	0.05	15.4	8.3	0.53	312	0.78
G35-24	0.74	88.4	2.84	7.58	0.13	0.08	0.04	0.027	0.09	10.5	9.8	0.71	469	0.38
G35-25	0.79	54.5	2.56	6.95	0.08	0.10	0.04	0.019	0.07	9.9	7.4	0.73	607	0.76

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G35-26		1.07	76.2	2.39	8.47	0.10	0.08	0.03	0.029	0.05	16.1	10.2	0.55	476	0.41
G35-27		0.68	32.7	1.78	5.54	0.11	0.11	0.02	0.018	0.07	9.6	6.2	0.63	291	0.46
G35-28		1.11	86.4	2.55	8.51	0.12	0.09	0.04	0.030	0.05	15.3	9.7	0.55	573	0.52
G35-29		0.52	18.6	1.74	6.26	0.08	0.10	0.03	0.019	0.04	15.3	7.0	0.42	222	0.62
G35-30		2.84	121	3.34	9.81	0.10	0.08	0.03	0.033	0.10	16.4	12.7	0.81	642	0.53
G35-31		0.51	27.2	2.10	7.49	0.10	0.10	0.03	0.024	0.08	18.1	8.2	0.58	441	0.86
G35-32		3.04	146	3.25	9.91	0.11	0.06	0.04	0.035	0.09	20.0	13.6	0.82	630	0.61
G35-33		0.61	32.9	2.23	7.70	0.09	0.12	0.03	0.025	0.08	20.6	8.1	0.58	441	0.76
G35-34		1.33	81.8	2.93	7.30	0.11	0.07	0.02	0.023	0.05	10.0	10.4	0.81	455	0.49
G35-35		0.65	33.9	2.39	8.29	0.08	0.14	0.04	0.024	0.08	20.0	9.6	0.68	486	0.81
G35-36		1.04	81.8	2.58	6.90	0.11	0.05	0.02	0.022	0.04	8.9	9.6	0.70	301	0.43
G35-37		0.56	36.7	2.46	7.70	0.10	0.16	0.03	0.023	0.06	15.2	8.5	0.69	467	0.73
G35-38		1.80	102	2.80	9.82	0.11	0.07	0.03	0.028	0.06	17.2	13.9	0.83	406	0.54
G35-39		0.63	31.7	2.22	7.93	0.09	0.08	0.04	0.024	0.08	21.4	8.7	0.58	370	0.65
G35-40		1.73	108	2.67	7.73	0.10	0.02	0.02	0.021	0.07	9.3	7.7	0.57	320	0.84
G35-41		0.54	41.8	2.31	7.55	0.10	0.17	0.04	0.023	0.05	15.5	8.8	0.70	464	0.61
G35-42		1.48	73.3	2.71	8.75	0.09	0.03	0.03	0.027	0.06	18.0	10.9	0.63	384	0.62
G35-43		0.73	45.5	2.55	7.31	0.10	0.14	0.04	0.023	0.07	16.8	8.5	0.77	557	0.59
G35-44		1.74	47.8	2.81	10.4	0.10	0.07	<0.01	0.030	0.03	14.2	10.4	0.49	815	0.63
G35-45		1.11	43.7	2.69	9.53	0.09	0.21	0.05	0.029	0.10	18.5	11.5	0.95	578	0.76
G35-46		0.96	66.8	2.83	8.09	0.11	0.12	0.05	0.026	0.07	18.6	13.2	0.96	518	0.59
G35-47		1.17	42.5	2.65	9.30	0.08	0.22	0.05	0.028	0.10	18.1	10.9	0.94	600	0.67
G35-48		0.87	50.9	3.13	9.24	0.11	0.14	0.02	0.032	0.06	19.1	14.8	1.16	449	0.60
G35-49		1.02	34.3	2.55	6.99	0.10	0.10	0.05	0.023	0.07	10.7	8.8	0.89	566	0.70
G35-50		1.68	106	4.22	6.73	0.12	<0.02	0.03	0.060	0.09	10.6	10.6	0.71	755	1.34
G35-51		2.79	47.9	3.04	7.24	0.06	0.10	0.09	0.026	0.08	8.7	8.2	1.61	693	1.03
G35-52		1.22	55.0	2.89	9.11	0.10	0.07	0.04	0.033	0.07	19.7	11.7	0.74	591	0.48
G35-53		7.24	61.0	3.97	8.26	<0.05	0.06	0.24	0.034	0.10	10.3	8.1	1.75	839	1.59
G35-54		1.59	43.9	2.48	9.42	0.09	0.10	0.03	0.032	0.06	18.5	13.7	0.75	356	0.75
G35-55		0.71	32.6	2.15	7.44	<0.05	0.08	0.05	0.025	0.09	21.0	8.6	1.01	462	0.78
G35-56		2.86	108	3.90	10.1	0.11	0.09	0.04	0.045	0.06	11.0	25.8	2.32	1010	0.59
G35-57		0.58	53.8	2.92	5.94	0.11	0.08	0.20	0.022	0.09	10.8	6.4	0.73	628	0.64

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

## Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Sample Description	RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1
G35-58		0.99	86.2	2.91	7.19	0.10	0.14	0.03	0.023	0.07	14.9	9.4	0.70	502
G35-59		1.80	141	4.12	8.39	0.13	0.09	0.02	0.012	0.96	1.5	13.4	3.60	751
G35-60		1.03	55.2	2.37	8.80	0.10	0.12	0.03	0.031	0.05	16.0	11.9	0.54	286

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G25-0	0.01	1.37	40.1	347	7.7	10.8	0.117	0.010	0.65	11.1	0.8	0.7	23.6	<0.01
G25-1	0.01	1.37	27.2	517	6.1	9.6	0.122	0.007	1.28	7.7	0.8	0.5	19.4	<0.01
G25-2	0.01	0.85	30.7	383	6.5	9.5	0.085	0.010	0.40	7.5	0.5	0.6	23.3	<0.01
G25-3	0.02	0.46	34.7	889	6.2	8.4	0.092	0.010	0.93	10.5	0.9	0.4	32.9	<0.01
G25-4	0.03	1.74	26.1	663	6.5	8.5	0.056	0.017	0.59	6.8	0.7	0.5	39.9	<0.01
G25-5	0.01	0.33	32.5	931	4.8	6.1	0.046	0.010	0.66	5.9	0.8	0.3	28.1	<0.01
G25-6	0.02	1.57	17.7	767	4.7	6.1	0.076	0.011	0.44	4.8	0.5	0.4	29.9	<0.01
G25-7	0.02	1.84	28.0	776	5.7	8.6	0.087	0.031	0.62	6.1	0.8	0.4	42.4	<0.01
G25-8	0.02	1.61	18.4	730	6.3	9.6	0.083	0.016	0.51	6.2	0.6	0.5	37.3	<0.01
G25-9	0.02	1.89	22.9	803	6.3	10.8	0.091	0.036	0.70	6.8	0.9	0.5	45.1	<0.01
G25-10	0.03	1.93	23.4	790	7.1	10.0	0.115	0.018	0.60	7.1	0.7	0.6	41.4	<0.01
G25-12	0.02	1.79	23.5	806	7.2	9.8	0.098	0.013	0.54	7.3	0.7	0.6	34.9	<0.01
G25-13	0.01	1.18	20.0	846	5.4	5.7	0.071	0.056	0.62	5.0	0.8	0.3	42.9	<0.01
G25-16	0.02	1.45	19.0	721	6.1	8.0	0.072	0.015	0.43	5.9	0.5	0.4	28.1	<0.01
G25-17	0.02	1.43	15.6	785	5.6	6.8	0.095	0.024	0.31	4.3	0.4	0.4	33.9	<0.01
G25-19	0.03	1.92	21.2	799	6.6	10.3	0.082	0.027	0.48	5.3	0.7	0.4	44.9	<0.01
G25-20	0.02	1.88	12.7	539	7.2	11.7	0.087	0.021	0.42	5.6	0.5	0.6	34.5	<0.01
G25-21	0.02	2.07	41.4	836	7.7	14.9	0.110	0.068	0.55	7.4	0.9	0.5	63.2	<0.01
G25-22	0.02	1.62	14.5	744	7.0	13.3	0.099	0.013	0.38	6.0	0.5	0.5	30.8	<0.01
G25-23	0.02	1.46	25.5	842	4.5	7.0	0.085	0.046	0.37	4.5	0.5	0.3	38.2	<0.01
G25-24	0.02	1.70	11.7	702	6.9	11.5	0.084	0.018	0.45	6.1	0.6	0.5	30.2	<0.01
G25-25	0.02	1.79	25.0	835	4.7	8.4	0.083	0.040	0.38	4.8	0.6	0.4	41.2	<0.01
G25-26	0.02	1.71	12.6	745	7.5	15.0	0.104	0.022	0.55	6.0	0.6	0.5	32.2	<0.01
G25-27	0.02	1.83	22.4	799	5.3	7.9	0.097	0.035	0.42	5.2	0.5	0.4	42.2	<0.01
G25-28	0.02	1.99	12.1	487	7.3	12.8	0.096	0.016	0.44	5.9	0.5	0.6	30.0	<0.01
G25-29	0.03	2.34	34.1	864	6.9	13.5	0.106	0.066	0.50	6.7	0.8	0.5	57.9	<0.01
G25-31	0.02	1.73	19.1	683	4.6	7.4	0.088	0.027	0.44	4.2	0.5	0.4	38.4	<0.01
G25-32	0.01	1.65	12.7	653	6.5	8.8	0.093	0.016	0.44	5.4	0.4	0.4	28.2	<0.01
G25-33	0.02	1.92	18.2	860	4.4	7.3	0.070	0.019	0.36	4.7	0.5	0.4	38.9	<0.01
G25-34	0.02	1.47	15.0	687	6.1	10.3	0.101	0.017	0.47	6.9	0.5	0.4	29.9	<0.01
G25-35	0.02	2.06	31.7	986	6.7	10.5	0.077	0.029	0.49	6.0	0.7	0.5	45.5	<0.01
G25-37	0.03	2.18	30.5	875	6.0	12.6	0.103	0.042	0.48	5.8	0.6	0.5	53.3	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G25-39	0.02	1.77	19.3	830	4.2	6.6	0.078	0.024	0.33	4.2	0.4	0.4	40.7	<0.01
G25-41	0.01	1.56	24.2	836	5.2	8.4	0.069	0.025	0.41	4.7	0.6	0.3	28.1	<0.01
G25-43	0.02	1.64	29.8	832	5.8	8.3	0.110	0.026	0.46	5.0	0.7	0.4	39.2	<0.01
G25-45	0.02	1.56	23.0	747	4.3	6.5	0.089	0.032	0.42	4.6	0.5	0.4	44.4	<0.01
G25-47	0.03	1.99	30.6	723	6.6	9.6	0.118	0.087	0.54	5.3	0.7	0.5	63.8	<0.01
G25-49	0.03	1.95	27.7	696	7.0	8.4	0.087	0.029	0.49	5.4	0.6	0.5	49.8	<0.01
G25-51	0.03	1.82	33.4	672	6.2	10.7	0.105	0.026	0.58	5.9	0.5	0.5	50.3	<0.01
G25-52	0.01	1.22	15.7	787	4.1	17.0	0.143	0.010	0.23	5.8	0.5	0.4	21.4	<0.01
G25-53	0.03	1.92	29.9	691	7.2	10.4	0.102	0.028	0.59	5.9	0.6	0.6	56.6	<0.01
G25-54	0.02	1.16	24.9	629	5.0	13.9	0.139	0.016	0.27	7.8	0.5	0.5	32.3	<0.01
G25-55	0.03	1.88	29.7	746	8.1	9.8	0.098	0.026	0.50	5.6	0.6	0.6	53.0	<0.01
G25-56	0.02	1.24	25.9	668	5.9	12.2	0.114	0.014	0.34	7.4	0.5	0.5	22.8	<0.01
G25-57	0.03	2.11	30.9	661	8.0	13.8	0.087	0.039	0.65	6.1	0.7	0.6	66.9	<0.01
G25-58	0.01	0.79	30.7	582	4.9	13.0	0.099	0.010	0.40	8.6	0.6	0.5	27.5	<0.01
G25-59	0.03	1.41	29.1	665	6.9	8.4	0.096	0.038	0.59	5.0	0.6	0.5	61.3	<0.01
G25-60	0.01	1.00	20.7	405	5.6	14.2	0.126	0.008	0.39	7.2	0.5	0.5	25.9	<0.01
G27-2	0.02	1.10	22.0	609	5.2	12.0	0.090	0.010	0.31	5.8	0.4	0.5	33.0	<0.01
G27-4	0.03	1.49	19.7	690	6.0	10.1	0.087	0.023	0.39	6.0	0.6	0.5	41.2	<0.01
G27-6	0.04	1.46	22.4	759	6.8	9.5	0.105	0.031	0.48	6.6	0.7	0.5	48.2	<0.01
G27-8	0.03	1.51	22.6	782	6.2	7.4	0.082	0.024	0.45	5.9	0.6	0.5	44.2	<0.01
G27-10	0.02	1.11	20.7	702	7.0	7.1	0.099	0.015	0.42	6.6	0.6	0.4	32.1	<0.01
G27-12	0.02	1.04	20.0	694	5.4	6.6	0.072	0.013	0.38	5.5	0.5	0.4	31.2	<0.01
G27-14	0.03	1.63	17.6	668	6.2	12.0	0.111	0.020	0.41	6.8	0.6	0.5	37.3	<0.01
G27-15	0.02	1.58	18.9	880	6.4	8.8	0.087	0.060	0.63	6.6	0.9	0.4	40.2	<0.01
G27-16	0.02	1.47	16.5	674	7.1	10.4	0.106	0.034	0.52	5.8	0.5	0.5	32.7	<0.01
G27-17	0.03	2.05	28.8	913	10.1	16.0	0.100	0.041	0.51	7.4	0.8	0.6	50.9	<0.01
G27-18	0.03	1.63	17.6	732	8.5	11.9	0.107	0.024	0.57	7.2	0.6	0.7	40.8	<0.01
G27-20	0.02	1.02	20.8	778	6.3	8.5	0.095	0.016	0.44	7.5	0.5	0.5	29.0	<0.01
G27-21	0.02	1.83	34.3	862	6.2	11.3	0.104	0.071	0.49	5.9	0.6	0.4	48.2	<0.01
G27-22	0.02	1.38	16.2	700	9.1	12.3	0.079	0.018	0.67	7.4	0.6	0.5	34.6	<0.01
G27-23	0.03	1.80	38.4	868	6.2	10.5	0.108	0.047	0.48	6.2	0.6	0.5	55.5	<0.01
G27-24	0.02	1.37	20.8	748	6.7	12.6	0.118	0.024	0.93	8.0	0.5	0.5	32.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G27-25	0.03	1.79	36.5	882	6.2	13.8	0.104	0.079	0.48	6.4	0.7	0.5	68.3	<0.01
G27-26	0.02	1.31	18.1	703	5.9	10.7	0.101	0.038	0.60	5.8	0.5	0.5	36.9	<0.01
G27-27	0.02	1.55	24.6	845	4.6	8.0	0.090	0.047	0.46	4.8	0.5	0.4	52.8	<0.01
G27-28	0.02	1.11	11.8	795	5.3	13.5	0.113	0.029	0.55	5.5	0.5	0.4	32.6	<0.01
G27-29	0.02	1.59	38.1	830	6.5	10.3	0.096	0.098	0.60	5.6	0.9	0.4	63.4	<0.01
G27-30	0.02	1.30	11.3	794	6.0	16.5	0.130	0.035	0.38	6.1	0.5	0.5	39.4	<0.01
G27-31	0.03	1.81	24.8	826	5.5	10.7	0.100	0.045	0.44	5.2	0.6	0.4	51.0	<0.01
G27-32	0.02	1.11	13.1	739	5.5	16.6	0.137	0.028	0.45	6.1	0.5	0.4	33.5	<0.01
G27-33	0.02	1.61	21.7	876	4.7	8.0	0.107	0.033	0.36	4.7	0.5	0.4	54.5	<0.01
G27-34	0.02	1.34	17.0	831	6.4	13.0	0.096	0.045	0.69	7.4	0.7	0.5	47.8	<0.01
G27-35	0.03	1.72	19.7	873	4.6	8.4	0.088	0.032	0.42	4.8	0.5	0.4	46.8	<0.01
G27-36	0.01	0.93	16.8	773	5.7	7.2	0.084	0.028	0.69	6.0	0.5	0.3	30.3	<0.01
G27-37	0.03	1.29	31.1	697	7.4	11.9	0.111	0.040	0.65	5.9	0.5	0.5	68.4	<0.01
G27-39	0.02	1.42	21.9	844	4.5	6.4	0.095	0.026	0.39	3.8	0.4	0.4	40.2	<0.01
G27-42	0.01	1.31	13.2	741	10.3	9.0	0.114	0.051	0.85	6.7	0.7	0.4	44.0	<0.01
G27-43	0.03	2.09	31.7	709	7.6	11.3	0.105	0.037	0.66	6.4	0.8	0.6	62.7	<0.01
G27-44	0.01	1.25	17.5	633	15.8	12.7	0.113	0.024	0.85	7.8	0.7	0.5	36.6	<0.01
G27-45	0.03	0.71	36.9	640	8.0	12.9	0.111	0.026	0.61	7.9	0.5	0.7	59.3	<0.01
G27-47	0.03	1.00	33.6	666	7.3	10.3	0.115	0.038	0.51	4.9	0.5	0.4	64.1	<0.01
G27-49	0.03	0.92	43.5	653	6.4	10.9	0.132	0.025	0.57	7.5	0.5	0.5	58.6	<0.01
G27-51	0.02	1.67	23.3	624	6.3	9.3	0.113	0.029	0.44	5.5	0.6	0.5	49.4	<0.01
G27-52	0.01	1.10	4.6	321	5.7	8.5	0.063	0.013	0.23	3.2	0.3	0.7	18.5	<0.01
G27-53	0.03	1.10	34.2	587	7.3	13.4	0.108	0.026	0.48	6.6	0.5	0.6	55.7	<0.01
G27-54	<0.01	0.94	15.9	422	4.5	7.3	0.125	0.008	0.37	4.1	0.3	0.4	13.9	<0.01
G27-55	0.03	0.49	37.3	595	7.2	14.2	0.110	0.028	0.46	6.4	0.4	0.5	58.0	<0.01
G27-56	0.01	0.78	17.3	457	4.9	10.4	0.100	0.009	3.51	6.9	0.4	0.5	25.2	<0.01
G27-57	0.03	0.95	34.8	659	6.1	11.1	0.117	0.017	0.43	6.4	0.5	0.5	49.4	<0.01
G27-58	0.02	1.16	21.0	229	8.6	11.3	0.126	0.007	0.34	7.3	0.5	0.8	23.1	<0.01
G27-59	0.03	0.81	37.8	676	5.9	11.3	0.113	0.013	0.40	7.5	0.5	0.5	50.7	<0.01
G27-60	0.01	0.95	26.3	230	9.5	13.2	0.100	0.005	0.55	5.0	0.5	0.7	16.8	<0.01
G29-0	0.01	1.38	24.7	370	6.1	10.9	0.132	0.007	0.37	6.8	0.4	0.6	21.6	<0.01
G29-1	0.01	0.94	25.1	519	6.9	9.7	0.117	0.009	0.49	8.8	0.6	0.5	27.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012	DATE RECEIVED: Jul 20, 2012					DATE REPORTED: Aug 29, 2012					SAMPLE TYPE: Soil				
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G29-2	0.02	0.83	21.0	405	9.0	14.2	0.104	0.007	0.38	7.5	0.7	0.8	26.7	<0.01	
G29-4	0.03	1.59	23.0	736	7.7	7.5	0.113	0.019	0.47	6.1	0.7	0.5	44.2	<0.01	
G29-5	0.02	1.98	18.9	526	8.1	10.4	0.108	0.051	0.74	7.8	0.8	0.5	43.7	<0.01	
G29-6	0.03	1.48	21.6	600	7.6	13.1	0.125	0.028	0.58	7.8	0.6	0.7	62.3	<0.01	
G29-8	0.03	1.74	29.1	742	8.2	7.8	0.089	0.026	0.61	6.6	0.8	0.5	47.5	<0.01	
G29-9	0.02	1.44	25.7	834	5.4	8.5	0.104	0.056	0.65	6.1	0.8	0.4	54.2	<0.01	
G29-10	0.02	1.56	19.5	680	6.1	11.0	0.129	0.015	0.38	6.1	0.5	0.5	39.5	<0.01	
G29-11	0.02	1.33	20.9	761	6.8	8.0	0.095	0.025	0.48	5.9	0.6	0.4	37.8	<0.01	
G29-12	0.03	1.52	19.3	764	6.1	10.1	0.085	0.018	0.41	6.3	0.6	0.5	42.6	<0.01	
G29-14	0.03	1.62	23.1	690	6.7	11.3	0.120	0.017	0.46	7.1	0.7	0.6	40.9	<0.01	
G29-16	0.03	1.57	19.3	593	6.5	12.8	0.112	0.033	0.30	6.0	0.5	0.5	35.3	<0.01	
G29-17	0.02	1.39	20.3	767	6.4	11.4	0.096	0.027	0.33	4.5	0.6	0.5	35.5	<0.01	
G29-18	0.03	1.19	20.0	609	5.4	7.3	0.110	0.030	0.33	5.9	0.5	0.4	35.7	<0.01	
G29-19	0.02	1.39	21.4	869	5.7	9.1	0.111	0.025	0.38	5.1	0.4	0.4	33.2	<0.01	
G29-20	0.04	1.53	19.4	649	6.0	14.3	0.133	0.019	0.38	9.0	0.6	0.6	39.3	<0.01	
G29-21	0.03	1.47	25.9	805	5.7	9.5	0.094	0.025	0.41	5.4	0.5	0.4	42.7	<0.01	
G29-22	0.10	0.51	13.4	635	5.6	33.2	0.146	0.013	0.21	11.3	0.5	0.5	39.4	<0.01	
G29-23	0.03	1.73	24.0	785	5.7	10.6	0.117	0.057	0.42	5.7	0.6	0.5	53.1	<0.01	
G29-24	0.02	0.86	17.6	633	5.2	8.4	0.098	0.018	0.43	5.2	0.4	0.3	26.9	<0.01	
G29-27	0.02	1.53	24.9	771	5.0	8.7	0.099	0.027	0.41	4.6	0.5	0.4	41.2	<0.01	
G29-28	0.02	1.32	24.8	707	5.4	7.2	0.129	0.031	0.54	9.0	0.6	0.4	33.1	<0.01	
G29-29	0.03	1.38	33.0	678	6.1	9.9	0.114	0.030	0.49	6.3	0.5	0.5	53.9	<0.01	
G29-30	0.01	1.26	28.2	761	5.7	10.0	0.135	0.036	0.94	10.5	0.7	0.4	37.2	<0.01	
G29-31	0.02	0.75	21.9	801	5.9	9.4	0.120	0.017	0.45	5.2	0.5	0.5	37.8	<0.01	
G29-32	0.01	0.94	36.4	754	6.6	7.6	0.128	0.036	0.88	9.3	0.7	0.3	35.5	<0.01	
G29-33	0.02	1.78	30.8	719	5.5	7.0	0.123	0.040	0.53	5.5	0.6	0.4	47.0	<0.01	
G29-34	0.02	1.24	20.2	792	6.6	9.6	0.115	0.047	1.13	7.5	0.9	0.4	46.3	<0.01	
G29-35	0.02	1.54	22.9	809	4.4	8.3	0.108	0.024	0.37	4.2	0.4	0.4	44.8	<0.01	
G29-36	0.02	1.46	12.7	852	5.8	23.7	0.119	0.034	0.60	8.2	0.9	0.5	42.4	<0.01	
G29-37	0.05	2.14	32.5	574	7.0	13.7	0.126	0.049	0.69	6.9	0.7	0.6	69.4	<0.01	
G29-39	0.04	1.57	29.6	620	6.4	9.7	0.111	0.041	0.57	5.7	0.5	0.5	69.2	<0.01	
G29-41	0.03	1.35	25.0	631	6.8	7.5	0.115	0.042	0.54	4.4	0.5	0.5	74.2	<0.01	

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G29-42	0.02	1.25	11.7	769	6.7	24.8	0.129	0.029	2.97	14.3	0.9	0.5	38.1	<0.01
G29-43	0.03	0.54	25.4	578	6.0	7.7	0.101	0.044	0.42	3.9	0.3	0.3	81.9	<0.01
G29-44	0.02	1.19	13.2	778	5.2	15.4	0.132	0.034	0.59	7.3	0.6	0.4	43.4	<0.01
G29-45	0.04	0.75	44.7	565	6.8	14.6	0.115	0.029	0.59	7.7	0.5	0.6	64.8	<0.01
G29-46	0.02	1.46	12.3	649	10.5	19.8	0.119	0.019	1.46	6.2	0.6	0.6	33.5	<0.01
G29-47	0.04	0.76	42.6	538	6.1	13.0	0.109	0.031	0.58	7.3	0.4	0.6	67.6	<0.01
G29-48	0.01	1.63	17.4	473	33.5	13.5	0.137	0.014	0.89	7.4	0.6	0.6	24.7	<0.01
G29-49	0.03	0.88	30.1	608	6.1	7.1	0.094	0.018	0.38	4.6	0.4	0.4	47.4	<0.01
G29-51	0.03	0.50	55.8	693	5.4	14.6	0.133	0.031	0.76	7.2	0.5	0.5	75.8	<0.01
G29-52	0.01	1.44	12.5	401	6.7	12.5	0.101	0.012	0.53	6.1	0.3	0.6	19.0	<0.01
G29-53	0.02	0.74	29.3	412	6.3	10.4	0.095	0.024	0.44	5.3	0.4	0.5	55.7	<0.01
G29-54	0.02	0.81	13.6	1200	7.6	33.7	0.142	0.015	1.33	12.9	0.7	0.7	24.3	<0.01
G29-55	0.02	0.78	48.0	406	6.3	12.7	0.152	0.060	0.72	8.9	0.6	0.5	107	<0.01
G29-56	0.01	1.04	15.9	374	6.3	6.5	0.090	0.010	0.24	4.6	0.3	0.5	19.2	<0.01
G29-57	0.02	0.81	41.8	520	5.9	14.7	0.137	0.015	0.53	10.0	0.6	0.5	47.2	<0.01
G29-58	0.01	0.95	20.1	419	7.1	14.0	0.124	0.009	0.69	10.0	0.5	0.6	23.2	<0.01
G29-59	0.02	0.59	49.4	509	5.0	15.8	0.125	0.017	0.38	9.2	0.6	0.5	50.4	<0.01
G29-60	<0.01	0.24	167	606	1.8	4.3	0.228	0.015	0.30	31.3	0.6	0.2	20.1	<0.01
G31-0	0.02	1.76	28.3	583	7.0	19.2	0.095	0.013	0.60	7.5	0.7	0.6	28.1	<0.01
G31-1	0.03	1.47	20.8	582	7.1	14.4	0.135	0.012	0.45	8.2	0.6	0.7	37.1	<0.01
G31-2	0.02	0.64	37.0	523	6.6	16.7	0.126	0.012	0.73	14.2	1.0	0.5	32.7	<0.01
G31-3	0.02	0.53	39.1	977	8.1	16.2	0.120	0.013	1.09	15.0	1.2	0.5	31.5	<0.01
G31-4	0.02	1.35	15.4	663	5.4	10.7	0.112	0.017	0.30	4.4	0.4	0.4	28.0	<0.01
G31-5	0.02	1.46	23.3	753	5.0	11.8	0.098	0.020	0.66	7.8	0.7	0.4	37.4	<0.01
G31-6	0.02	1.46	16.7	787	5.5	12.8	0.129	0.020	0.42	6.0	0.5	0.5	40.7	<0.01
G31-7	0.02	1.68	23.2	657	6.7	11.6	0.123	0.027	0.56	7.2	0.7	0.5	39.8	<0.01
G31-8	0.02	1.53	18.6	805	6.1	12.0	0.141	0.019	0.43	6.3	0.5	0.5	39.0	<0.01
G31-9	0.02	1.68	20.1	696	6.6	10.3	0.111	0.019	0.59	7.4	0.7	0.5	30.4	<0.01
G31-10	0.02	1.34	16.1	739	5.0	9.2	0.110	0.014	0.37	6.1	0.5	0.4	30.3	<0.01
G31-11	0.02	1.49	16.8	772	6.2	11.0	0.086	0.038	0.44	5.7	0.6	0.5	45.7	<0.01
G31-12	0.02	1.03	17.5	640	6.6	7.5	0.094	0.016	0.33	4.4	0.4	0.3	34.1	<0.01
G31-13	0.02	1.49	18.8	656	7.9	8.0	0.099	0.029	0.47	5.1	0.6	0.5	33.6	<0.01

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G31-14		0.02	0.94	14.5	520	5.2	6.6	0.077	0.018	0.22	3.1	0.3	<0.2	29.8	<0.01
G31-15		0.02	1.60	14.9	784	5.8	10.9	0.133	0.036	0.47	5.7	0.5	0.4	38.4	<0.01
G31-16		0.02	1.20	15.7	666	4.7	7.7	0.119	0.020	0.30	4.7	0.3	0.4	31.9	<0.01
G31-17		0.03	1.48	20.8	908	5.9	8.1	0.108	0.038	0.39	4.0	0.5	0.4	42.0	<0.01
G31-18		0.02	1.29	15.1	602	4.6	7.0	0.106	0.016	0.32	4.6	0.4	0.4	29.8	<0.01
G31-19		0.02	1.10	16.6	735	4.6	6.1	0.100	0.022	0.29	3.5	0.4	0.3	35.8	<0.01
G31-20		0.02	1.35	19.4	685	5.3	8.2	0.158	0.018	0.34	6.5	0.5	0.5	32.1	<0.01
G31-21		0.02	0.96	27.6	563	6.2	6.7	0.081	0.042	0.41	3.5	0.5	<0.2	39.7	<0.01
G31-22		0.04	1.33	20.0	690	4.0	14.2	0.130	0.014	0.35	8.0	0.5	0.5	33.4	<0.01
G31-23		0.02	1.26	22.2	997	4.1	5.4	0.081	0.038	0.36	3.7	0.4	0.3	37.9	<0.01
G31-24		0.02	1.27	24.5	756	5.0	7.7	0.104	0.032	0.34	5.0	0.5	0.4	34.6	<0.01
G31-26		0.02	1.45	32.6	739	5.5	11.7	0.133	0.031	0.48	7.9	0.6	0.4	38.8	<0.01
G31-27		0.01	1.07	19.2	775	3.5	4.4	0.093	0.017	0.30	3.4	0.3	0.3	36.8	<0.01
G31-28		0.02	1.45	31.1	724	4.5	8.3	0.127	0.041	0.54	7.0	0.7	0.4	41.7	<0.01
G31-29		0.02	1.52	23.6	794	4.6	8.3	0.098	0.056	0.36	4.0	0.5	0.4	49.5	<0.01
G31-30		0.02	1.06	36.4	832	5.8	17.8	0.146	0.017	0.49	10.7	0.6	0.5	31.2	<0.01
G31-31		0.03	1.80	18.5	891	4.9	7.7	0.113	0.070	0.48	4.2	0.5	0.4	66.8	<0.01
G31-32		0.01	0.98	22.8	629	6.7	8.1	0.136	0.019	0.35	8.5	0.4	0.4	30.8	<0.01
G31-33		0.04	1.54	34.8	550	6.1	11.9	0.123	0.030	0.50	5.2	0.5	0.5	55.2	<0.01
G31-34		0.01	0.82	51.9	776	4.6	15.5	0.148	0.026	0.73	8.6	0.5	0.3	34.8	<0.01
G31-35		0.04	1.83	30.4	671	6.2	12.6	0.118	0.035	0.49	5.1	0.7	0.6	59.8	<0.01
G31-37		0.03	1.67	25.5	734	6.5	7.9	0.130	0.038	0.56	4.6	0.5	0.5	68.3	<0.01
G31-38		0.01	1.24	19.0	539	8.5	8.3	0.107	0.022	0.58	4.3	0.5	0.4	25.0	<0.01
G31-39		0.04	1.59	24.1	627	6.2	9.1	0.123	0.042	0.56	5.1	0.5	0.5	75.9	<0.01
G31-41		0.03	0.80	40.6	643	6.2	12.9	0.116	0.028	0.46	6.2	0.4	0.6	59.8	<0.01
G31-42		0.01	0.40	5.4	1610	3.0	71.6	0.187	0.021	0.23	6.8	0.6	0.4	41.5	<0.01
G31-43		0.03	1.22	36.0	610	6.0	12.6	0.115	0.028	0.46	7.2	0.5	0.6	61.9	<0.01
G31-45		0.04	0.88	35.3	705	6.6	14.4	0.105	0.035	0.63	6.2	0.5	0.6	65.7	<0.01
G31-46		0.01	0.26	12.5	823	6.4	39.1	0.189	0.015	0.48	18.2	0.7	0.4	26.6	<0.01
G31-47		0.03	0.35	44.0	508	6.6	9.8	0.149	0.040	0.42	6.8	0.4	0.5	71.5	<0.01
G31-48		0.01	1.19	15.6	658	5.9	10.6	0.121	0.010	0.73	6.6	0.5	0.6	28.9	<0.01
G31-49		0.03	0.81	40.2	612	5.7	8.5	0.141	0.033	0.53	5.5	0.4	0.5	67.0	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G31-50	0.01	0.92	79.2	564	37.8	21.7	0.117	0.016	2.67	12.7	0.9	0.6	33.9	<0.01
G31-51	0.04	1.14	47.8	662	7.1	18.1	0.137	0.048	0.66	8.9	0.6	0.7	95.9	<0.01
G31-52	<0.01	0.89	20.4	645	12.1	26.2	0.134	0.016	1.68	7.5	0.7	0.4	20.6	<0.01
G31-53	0.03	1.21	37.7	752	7.5	16.9	0.185	0.065	0.75	7.2	0.6	0.7	115	<0.01
G31-54	0.04	0.87	25.2	607	6.1	17.4	0.175	0.025	0.40	11.6	0.5	0.6	59.9	<0.01
G31-55	0.02	0.46	26.3	628	5.6	7.7	0.128	0.027	0.50	5.0	0.5	0.4	55.1	<0.01
G31-56	0.01	0.24	21.6	351	6.8	9.2	0.121	0.009	0.26	7.7	0.4	0.2	19.8	<0.01
G31-57	0.02	0.58	32.5	786	5.0	9.4	0.191	0.069	0.59	10.2	0.6	0.5	104	<0.01
G31-58	0.02	0.66	22.0	222	7.8	10.5	0.112	0.008	0.46	8.5	0.6	0.7	22.3	<0.01
G31-59	0.01	0.28	101	1020	2.9	15.9	0.184	0.058	0.27	4.7	0.4	0.2	92.8	<0.01
G31-60	0.01	1.08	18.1	416	7.7	7.6	0.118	0.007	0.25	3.8	0.3	0.4	21.7	<0.01
G33-0	0.02	1.50	20.1	805	5.8	10.0	0.118	0.027	0.48	5.0	0.6	0.4	37.2	<0.01
G33-1	0.02	1.39	16.1	756	4.9	8.2	0.105	0.008	0.45	5.4	0.4	0.4	27.8	<0.01
G33-3	0.03	1.50	20.5	744	6.1	8.6	0.110	0.012	0.47	5.3	0.6	0.5	38.0	<0.01
G33-5	0.03	0.84	30.8	840	5.4	7.9	0.089	0.010	0.50	6.3	0.7	0.3	37.6	<0.01
G33-6	0.02	1.61	26.6	725	5.9	16.0	0.126	0.012	0.63	10.9	0.7	0.5	34.4	<0.01
G33-7	0.03	1.15	31.4	844	6.3	8.8	0.105	0.010	0.49	9.0	0.7	0.5	37.8	<0.01
G33-8	0.02	2.00	17.8	688	6.4	14.5	0.135	0.008	0.43	7.4	0.6	0.6	28.2	<0.01
G33-9	0.03	1.63	33.6	793	4.4	7.6	0.110	0.012	0.55	7.7	0.7	0.4	33.2	<0.01
G33-10	0.02	1.62	15.8	625	5.7	13.4	0.110	0.011	0.32	5.2	0.4	0.5	34.6	<0.01
G33-11	0.03	2.27	26.9	652	6.6	14.6	0.106	0.015	0.56	10.2	0.9	0.6	37.1	<0.01
G33-12	0.02	1.93	20.9	700	8.0	20.4	0.128	0.010	0.39	9.2	0.7	0.7	37.2	<0.01
G33-13	0.02	1.27	11.6	628	3.7	6.3	0.069	0.005	0.38	4.1	0.4	0.4	27.8	<0.01
G33-14	0.02	1.90	17.9	618	7.0	15.6	0.128	0.005	0.40	8.1	0.6	0.6	33.2	<0.01
G33-15	0.02	1.01	19.0	733	5.1	6.2	0.106	0.009	0.39	4.1	0.4	0.3	33.0	<0.01
G33-16	0.01	1.37	16.8	547	6.6	8.8	0.106	0.005	0.25	5.6	0.4	0.5	25.0	<0.01
G33-17	0.02	1.69	18.6	753	5.8	13.4	0.120	0.015	0.45	6.9	0.6	0.5	34.2	<0.01
G33-18	0.02	1.88	19.4	620	7.2	17.7	0.150	0.007	0.41	9.2	0.6	0.7	33.1	<0.01
G33-19	0.02	1.67	18.8	781	5.9	9.0	0.125	0.015	0.47	5.6	0.5	0.5	35.6	<0.01
G33-20	0.02	1.82	17.6	602	5.7	14.3	0.122	0.011	0.37	7.7	0.5	0.6	35.7	<0.01
G33-21	0.03	2.06	22.3	683	7.2	14.0	0.134	0.033	0.46	5.8	0.7	0.6	49.5	<0.01
G33-22	0.02	1.15	25.7	781	5.3	8.9	0.137	0.011	0.35	6.8	0.5	0.5	33.2	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G33-23	0.02	2.14	29.7	797	5.8	13.4	0.143	0.062	0.44	5.7	0.6	0.5	45.0	<0.01
G33-24	0.02	1.52	28.3	642	6.3	9.2	0.144	0.012	0.44	9.1	0.6	0.5	32.4	<0.01
G33-25	0.02	2.16	31.1	745	5.6	14.3	0.123	0.027	0.46	6.0	0.7	0.5	42.0	<0.01
G33-26	0.02	2.01	29.6	736	5.9	15.6	0.143	0.023	0.63	11.5	0.7	0.6	37.3	<0.01
G33-27	0.02	2.00	37.7	753	6.2	14.5	0.126	0.035	0.43	6.1	0.6	0.5	41.8	<0.01
G33-28	0.02	1.17	25.4	808	6.7	12.4	0.156	0.026	1.52	7.5	0.6	0.3	41.7	<0.01
G33-29	0.02	1.12	33.4	508	5.2	6.0	0.126	0.026	0.35	4.5	0.5	0.3	40.2	<0.01
G33-30	0.01	1.31	25.2	659	5.3	14.6	0.154	0.010	0.62	10.7	0.6	0.5	21.6	<0.01
G33-31	0.04	2.01	31.6	629	6.3	8.9	0.132	0.031	0.58	4.9	0.6	0.5	66.3	<0.01
G33-32	0.02	1.41	36.2	619	5.2	14.3	0.153	0.012	0.72	11.0	0.5	0.6	27.1	<0.01
G33-33	0.04	2.00	29.0	655	6.6	10.7	0.126	0.024	0.58	5.5	0.5	0.6	75.1	<0.01
G33-34	0.02	1.63	26.9	463	6.1	17.5	0.130	0.009	0.41	6.1	0.4	0.6	24.6	<0.01
G33-35	0.03	1.47	27.5	753	4.5	7.1	0.094	0.022	0.37	3.2	0.5	0.4	51.2	<0.01
G33-36	0.01	1.52	22.0	481	7.2	18.0	0.100	0.007	0.22	4.8	0.3	0.7	18.5	<0.01
G33-37	0.03	1.54	29.5	770	5.5	6.8	0.107	0.019	0.46	3.4	0.5	0.4	54.8	<0.01
G33-38	0.01	1.41	33.3	607	6.2	13.3	0.144	0.013	0.28	9.0	0.5	0.6	27.3	<0.01
G33-39	0.03	1.40	44.5	577	5.9	14.4	0.145	0.015	0.52	6.2	0.4	0.6	63.5	<0.01
G33-40	0.01	1.17	19.1	581	4.9	16.6	0.152	0.011	0.55	10.3	0.4	0.6	26.8	<0.01
G33-41	0.03	0.81	31.6	691	6.9	7.7	0.124	0.013	0.33	4.3	0.4	0.5	48.1	<0.01
G33-42	0.01	1.39	31.6	524	13.9	17.6	0.120	0.008	0.45	6.2	0.4	0.6	18.4	<0.01
G33-43	0.02	1.54	45.3	530	7.4	7.9	0.118	0.019	0.50	8.0	0.5	0.5	42.8	<0.01
G33-44	0.01	1.12	21.1	161	9.3	9.1	0.114	0.006	0.37	5.3	0.4	0.8	20.0	<0.01
G33-45	0.03	0.84	66.0	584	6.1	15.9	0.175	0.032	0.63	9.9	0.5	0.5	83.7	<0.01
G33-46	0.01	0.96	19.4	226	7.3	9.1	0.132	0.006	0.40	6.0	0.5	0.6	18.0	<0.01
G33-47	0.02	1.02	68.4	561	5.5	8.9	0.175	0.053	0.50	7.7	0.5	0.5	95.7	<0.01
G33-48	0.01	1.76	16.0	464	7.7	13.8	0.094	0.007	0.25	4.4	0.5	0.7	20.6	<0.01
G33-49	0.03	0.85	74.3	561	5.7	9.3	0.147	0.039	0.39	8.2	0.4	0.5	86.6	<0.01
G33-50	0.02	1.34	24.7	572	6.3	6.0	0.116	0.015	0.34	4.3	0.4	0.5	35.3	<0.01
G33-51	0.02	1.36	139	355	5.1	8.9	0.145	0.042	0.49	5.6	0.5	0.5	97.9	<0.01
G33-52	0.02	1.23	23.9	467	8.2	8.5	0.124	0.014	0.40	5.7	0.5	0.7	31.1	<0.01
G33-53	0.02	1.49	100	278	6.3	9.9	0.126	0.028	0.40	5.9	0.5	0.6	74.7	<0.01
G33-54	0.02	1.19	21.7	352	17.7	9.7	0.129	0.007	0.44	6.5	0.6	0.6	24.8	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G33-55	0.02	0.87	36.3	555	5.0	6.5	0.164	0.051	0.49	4.0	0.4	0.3	105	<0.01
G33-56	0.01	0.66	13.2	385	6.7	7.0	0.119	0.008	0.25	5.8	0.4	0.4	21.0	<0.01
G33-57	0.02	0.80	42.5	620	5.5	7.9	0.145	0.029	0.43	10.1	0.5	0.5	50.5	<0.01
G33-58	0.02	0.76	18.6	561	4.7	7.5	0.130	0.012	0.34	5.9	0.5	0.4	29.5	<0.01
G33-59	0.01	0.23	28.4	579	4.0	9.1	0.128	0.008	0.35	6.2	0.4	0.3	35.5	<0.01
G33-60	0.01	1.31	15.9	412	4.3	9.7	0.154	0.010	0.44	4.6	0.4	0.5	24.3	<0.01
G35-0	0.02	0.86	33.1	677	6.0	16.1	0.158	0.013	0.75	10.1	0.8	0.5	29.8	<0.01
G35-1	0.02	0.26	22.9	756	5.1	7.6	0.115	0.017	0.39	4.9	0.5	<0.2	32.8	<0.01
G35-2	0.02	0.28	24.2	503	6.3	6.9	0.138	0.009	0.41	6.5	0.6	0.4	26.7	<0.01
G35-3	0.02	0.26	22.8	868	4.4	7.7	0.150	0.019	0.52	7.0	0.6	0.3	38.2	<0.01
G35-4	0.02	1.14	18.6	687	7.4	7.8	0.118	0.013	0.48	6.7	0.7	0.5	36.7	<0.01
G35-5	0.02	1.77	18.6	749	5.5	8.7	0.103	0.013	0.46	5.8	0.5	0.5	36.1	<0.01
G35-6	0.02	1.47	14.8	683	6.6	14.1	0.109	0.027	0.49	5.7	0.5	0.5	38.5	<0.01
G35-7	0.03	1.45	17.2	701	4.5	7.3	0.097	0.014	0.35	4.8	0.4	0.4	38.2	<0.01
G35-8	0.02	1.52	15.1	847	5.1	8.3	0.106	0.016	0.46	5.6	0.5	0.4	34.0	<0.01
G35-9	0.02	1.17	20.7	698	6.7	7.6	0.117	0.016	0.42	5.7	0.5	0.4	31.2	<0.01
G35-10	0.01	1.26	13.1	714	5.9	7.5	0.106	0.014	0.35	4.5	0.4	0.4	29.8	<0.01
G35-11	0.02	1.51	15.0	719	4.8	8.3	0.087	0.028	0.41	4.5	0.5	0.4	37.8	<0.01
G35-12	0.03	1.64	18.0	794	6.5	9.6	0.127	0.017	0.42	6.3	0.5	0.5	38.7	<0.01
G35-13	0.02	1.02	18.9	843	5.1	6.9	0.095	0.062	0.52	4.0	0.5	0.3	41.3	<0.01
G35-14	0.02	1.50	15.9	784	5.7	9.9	0.125	0.017	0.43	5.7	0.5	0.5	35.4	<0.01
G35-15	0.02	0.94	13.8	836	4.1	5.0	0.098	0.015	0.36	3.4	0.3	0.3	27.0	<0.01
G35-16	0.02	1.39	16.1	764	5.4	9.5	0.120	0.016	0.35	5.4	0.4	0.5	32.5	<0.01
G35-17	0.02	0.98	20.1	808	5.1	7.0	0.098	0.033	0.41	4.3	0.5	0.3	36.4	<0.01
G35-18	0.02	1.38	17.3	656	6.2	9.5	0.132	0.020	0.45	5.5	0.5	0.5	36.1	<0.01
G35-19	0.02	0.90	16.1	689	3.7	5.0	0.071	0.018	0.29	3.0	0.3	0.3	33.0	<0.01
G35-20	0.01	1.06	14.8	643	6.1	5.7	0.132	0.021	0.37	5.2	0.4	0.4	30.5	<0.01
G35-21	0.02	1.43	21.5	774	5.0	6.5	0.117	0.026	0.37	4.0	0.6	0.4	43.7	<0.01
G35-22	0.02	1.21	19.7	714	4.8	7.4	0.116	0.016	0.39	5.0	0.4	0.4	36.7	<0.01
G35-23	0.02	1.42	18.3	601	6.4	6.8	0.119	0.019	0.37	4.2	0.7	0.4	38.1	<0.01
G35-24	0.01	1.08	23.1	634	6.1	8.1	0.109	0.022	0.56	6.7	0.5	0.3	37.1	<0.01
G35-25	0.01	1.41	45.9	880	5.2	9.3	0.145	0.046	0.49	5.6	0.7	0.3	44.0	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G35-26	0.01	1.38	23.6	630	6.4	8.3	0.111	0.015	0.46	7.4	0.6	0.5	30.2	<0.01
G35-27	0.01	1.45	32.9	803	3.6	7.4	0.128	0.022	0.30	4.3	0.4	0.4	36.6	<0.01
G35-28	0.01	1.11	24.8	621	7.3	7.0	0.151	0.009	0.43	7.6	0.5	0.5	24.4	<0.01
G35-29	0.02	1.60	19.2	827	5.7	6.1	0.088	0.067	0.47	3.7	0.5	0.4	49.2	<0.01
G35-30	0.01	1.29	26.4	720	8.0	16.2	0.155	0.013	0.49	10.3	0.5	0.6	34.7	<0.01
G35-31	0.04	1.87	27.7	715	6.1	8.1	0.109	0.067	0.53	4.4	0.7	0.5	59.0	<0.01
G35-32	0.01	1.51	30.0	755	8.2	18.2	0.185	0.014	0.66	10.7	0.5	0.6	33.6	<0.01
G35-33	0.03	1.49	29.9	632	5.9	8.9	0.127	0.021	0.61	4.8	0.5	0.5	74.3	<0.01
G35-34	0.01	1.24	21.4	446	6.0	8.2	0.136	<0.005	0.31	5.1	0.3	0.5	24.1	<0.01
G35-35	0.04	1.89	33.7	628	6.5	9.5	0.158	0.023	0.61	5.0	0.5	0.6	70.7	<0.01
G35-36	0.01	1.17	24.0	454	5.2	6.0	0.109	0.007	0.29	4.2	0.3	0.5	19.6	<0.01
G35-37	0.03	0.89	44.0	469	5.8	7.5	0.141	0.023	0.45	5.0	0.5	0.5	55.5	<0.01
G35-38	0.01	1.79	34.3	377	7.2	10.4	0.116	0.008	0.34	6.1	0.4	0.7	23.4	<0.01
G35-39	0.03	1.46	27.6	667	6.3	8.8	0.125	0.011	0.57	4.9	0.4	0.5	53.0	<0.01
G35-40	0.01	1.25	22.2	567	6.1	10.5	0.117	0.014	0.31	3.9	0.3	0.6	20.3	<0.01
G35-41	0.02	0.58	45.4	456	5.8	7.6	0.159	0.010	0.45	5.3	0.4	0.5	50.0	<0.01
G35-42	0.01	1.31	20.9	725	6.4	9.8	0.148	0.007	0.32	5.5	0.4	0.6	19.7	<0.01
G35-43	0.03	0.66	56.3	429	5.5	7.7	0.138	0.012	0.45	5.2	0.4	0.5	53.1	<0.01
G35-44	0.01	1.70	19.3	217	6.9	5.6	0.139	0.006	0.25	5.5	0.3	0.8	22.6	<0.01
G35-45	0.03	0.64	63.7	443	6.6	13.2	0.148	0.013	0.55	6.5	0.4	0.6	71.6	<0.01
G35-46	0.03	0.42	38.8	487	6.1	8.3	0.129	<0.005	0.42	7.1	0.6	0.5	32.9	<0.01
G35-47	0.03	0.75	73.8	405	6.1	13.2	0.151	0.011	0.48	6.5	0.4	0.6	69.3	<0.01
G35-48	0.01	1.06	60.7	262	7.0	7.9	0.148	0.006	0.33	10.3	0.5	0.6	27.0	<0.01
G35-49	0.03	1.01	61.3	560	5.7	7.8	0.139	0.017	0.47	4.9	0.4	0.4	79.1	<0.01
G35-50	<0.01	0.71	42.6	619	16.0	10.8	0.177	0.013	1.10	6.7	1.1	0.3	18.8	<0.01
G35-51	0.02	0.69	119	585	4.2	9.2	0.171	0.011	0.41	9.2	0.5	0.4	108	<0.01
G35-52	0.02	1.53	23.7	672	6.9	9.7	0.130	0.015	0.43	6.6	0.7	0.5	36.7	<0.01
G35-53	0.02	0.97	227	568	4.5	12.8	0.201	0.014	0.49	15.0	0.6	0.5	151	<0.01
G35-54	0.01	2.05	38.8	367	6.9	11.8	0.148	0.008	0.39	7.4	0.5	0.7	28.2	<0.01
G35-55	0.03	1.36	49.5	669	6.1	9.5	0.153	0.017	0.57	5.0	0.5	0.5	95.0	<0.01
G35-56	0.01	0.81	147	558	11.0	10.4	0.195	0.011	0.70	28.4	0.7	0.4	26.3	<0.01
G35-57	0.02	0.90	91.6	432	5.2	8.1	0.135	0.014	0.61	5.6	0.5	0.4	88.4	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	
G35-58		0.01	0.89	27.1	507	7.0	6.6	0.150	0.006	0.70	6.4	0.5	0.4	27.6	<0.01
G35-59		0.01	0.15	132	1820	1.5	83.2	0.200	<0.005	0.09	5.3	0.3	<0.2	29.3	<0.01
G35-60		0.01	1.08	24.4	355	7.9	10.6	0.153	0.006	0.34	4.4	0.5	0.7	21.6	<0.01

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Te ppm 0.01	Th ppm 0.1	Ti % 0.005	Tl ppm 0.01	U ppm 0.05	V ppm 0.5	W ppm 0.05	Y ppm 0.05	Zn ppm 0.5	Zr ppm 0.5
G25-0		0.04	5.2	0.173	0.11	1.06	107	0.25	7.53	69.6	11.7
G25-1		0.03	2.9	0.140	0.11	0.75	86.8	0.28	6.63	50.2	2.3
G25-2		0.02	4.2	0.120	0.10	0.84	81.1	0.13	6.09	50.2	5.9
G25-3		0.03	3.2	0.158	0.10	0.88	85.8	0.23	14.2	68.6	10.4
G25-4		0.02	3.8	0.104	0.09	0.88	64.4	0.22	11.5	55.0	4.2
G25-5		0.02	2.8	0.088	0.08	0.51	53.1	0.06	9.04	65.1	5.7
G25-6		0.02	4.1	0.122	0.05	1.00	59.5	0.52	8.60	45.9	5.0
G25-7		0.02	3.6	0.106	0.08	1.18	56.2	0.30	9.67	59.0	4.3
G25-8		0.02	3.9	0.112	0.08	1.30	70.8	0.46	9.89	50.3	3.0
G25-9		0.02	3.3	0.108	0.10	0.99	65.9	0.26	10.4	57.8	3.9
G25-10		0.02	4.7	0.128	0.09	1.49	72.9	0.44	12.0	55.8	4.1
G25-12		0.03	5.2	0.139	0.07	1.39	78.1	0.43	12.2	56.4	13.1
G25-13		0.02	1.6	0.063	0.05	1.28	52.7	0.24	11.9	42.5	2.3
G25-16		0.02	3.1	0.093	0.07	1.02	57.5	0.18	9.74	58.7	2.4
G25-17		0.02	2.3	0.093	0.06	0.84	53.6	0.28	6.25	42.8	1.3
G25-19		0.02	3.3	0.111	0.08	1.24	59.1	0.19	9.54	53.4	2.5
G25-20		0.02	2.9	0.125	0.11	0.86	81.0	0.25	6.77	49.2	2.1
G25-21		0.02	3.5	0.118	0.11	1.51	75.4	0.15	12.1	67.3	3.5
G25-22		0.03	2.2	0.136	0.11	0.93	79.9	0.33	7.69	72.6	0.8
G25-23		0.02	2.4	0.099	0.05	0.99	56.1	0.13	8.67	37.0	2.3
G25-24		0.02	2.5	0.135	0.11	0.82	80.3	0.38	7.63	57.8	1.0
G25-25		0.02	3.0	0.121	0.06	0.97	54.9	0.21	8.72	40.2	2.7
G25-26		0.03	2.7	0.134	0.12	0.90	83.3	0.61	7.43	57.6	1.0
G25-27		0.01	3.7	0.127	0.06	0.97	65.7	0.23	9.12	40.7	4.0
G25-28		0.02	3.1	0.124	0.13	0.84	78.2	0.21	6.42	50.5	2.7
G25-29		0.02	3.9	0.130	0.10	1.08	72.3	0.23	12.4	51.3	4.2
G25-31		0.01	3.4	0.099	0.06	0.85	51.9	0.23	8.16	36.0	3.7
G25-32		0.02	2.8	0.120	0.08	0.89	80.3	0.38	6.82	50.4	1.4
G25-33		0.01	3.9	0.111	0.06	0.82	58.6	0.55	9.51	39.8	3.8
G25-34		0.02	3.0	0.119	0.08	0.91	82.7	2.13	8.47	55.9	2.3
G25-35		0.02	4.4	0.111	0.08	0.97	75.1	0.59	11.2	50.9	3.8
G25-37		0.02	3.8	0.126	0.09	1.09	65.4	0.20	10.5	46.0	3.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G25-39	0.01	4.4	0.131	0.05	0.74	67.2	0.41	8.33	36.6	3.1
G25-41	0.02	3.1	0.069	0.06	0.82	51.9	0.12	8.87	51.2	4.4
G25-43	0.02	3.4	0.104	0.07	0.87	59.7	0.30	9.72	45.8	4.4
G25-45	0.01	2.7	0.121	0.05	0.96	55.9	0.15	7.89	32.0	3.0
G25-47	0.02	2.7	0.111	0.08	1.22	60.0	0.28	11.0	41.3	5.2
G25-49	0.02	3.7	0.103	0.06	1.14	59.1	0.28	11.4	43.0	3.9
G25-51	0.02	3.7	0.122	0.08	0.65	61.5	0.15	11.3	46.3	6.1
G25-52	0.02	2.1	0.194	0.10	0.62	98.8	0.26	7.16	64.7	1.3
G25-53	0.02	4.1	0.108	0.08	1.08	65.4	0.30	12.7	44.2	3.6
G25-54	0.04	2.4	0.217	0.11	0.76	117	0.17	9.05	60.8	1.7
G25-55	0.02	4.2	0.086	0.07	1.53	63.5	0.16	12.4	46.3	2.3
G25-56	0.05	2.7	0.160	0.11	0.97	112	0.18	8.90	54.8	1.1
G25-57	0.02	4.3	0.108	0.10	1.05	70.6	0.25	13.6	54.2	5.7
G25-58	0.06	1.9	0.204	0.10	1.06	130	0.16	11.9	63.3	1.1
G25-59	0.02	3.7	0.083	0.08	0.90	54.6	0.18	11.5	52.0	4.2
G25-60	0.02	2.7	0.179	0.11	0.77	106	0.15	10.7	52.3	1.6
G27-2	0.02	3.4	0.142	0.09	0.65	67.0	0.15	6.26	52.9	3.9
G27-4	0.02	3.8	0.120	0.08	1.09	63.1	0.10	10.1	49.4	4.5
G27-6	0.02	3.4	0.116	0.08	1.53	69.7	0.15	11.3	56.1	3.0
G27-8	0.02	4.0	0.113	0.07	1.09	68.5	0.78	10.5	51.0	3.8
G27-10	0.02	4.1	0.086	0.07	1.67	72.3	0.38	12.2	51.6	4.1
G27-12	0.02	3.4	0.095	0.06	1.10	63.6	0.24	9.59	47.6	3.6
G27-14	0.02	3.9	0.133	0.09	1.30	77.4	0.31	10.6	48.7	4.2
G27-15	0.02	1.8	0.073	0.08	1.52	66.8	0.21	13.4	39.1	1.4
G27-16	0.02	3.0	0.099	0.07	1.08	70.8	1.19	8.37	49.1	1.6
G27-17	0.02	4.3	0.113	0.12	1.58	76.4	0.15	12.8	72.1	3.4
G27-18	0.03	3.7	0.117	0.09	1.21	79.6	0.91	11.8	53.1	2.5
G27-20	0.02	2.8	0.110	0.06	0.91	79.8	1.95	10.6	54.6	3.4
G27-21	0.02	3.3	0.105	0.08	1.26	62.6	0.14	10.9	52.1	4.1
G27-22	0.04	3.2	0.126	0.08	0.95	82.3	0.43	9.73	60.4	2.2
G27-23	0.02	3.5	0.115	0.08	1.41	66.1	0.15	11.7	52.9	3.7
G27-24	0.02	2.5	0.098	0.10	0.95	88.0	0.25	10.1	62.5	0.9

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G27-25	0.02	2.6	0.108	0.09	1.88	64.8	0.16	11.2	54.2	2.5
G27-26	0.02	1.8	0.094	0.09	0.74	69.2	0.14	7.21	58.3	0.9
G27-27	0.02	3.0	0.106	0.05	0.90	59.1	0.33	9.02	39.4	2.6
G27-28	0.02	2.0	0.106	0.08	0.77	70.2	0.16	7.56	63.3	1.5
G27-29	0.02	2.6	0.079	0.06	2.34	61.0	0.36	13.4	42.2	3.9
G27-30	0.02	1.7	0.147	0.10	0.72	85.6	0.17	7.02	69.2	1.2
G27-31	0.02	3.5	0.108	0.08	1.45	58.3	0.21	10.5	43.0	4.2
G27-32	0.02	1.8	0.116	0.10	0.76	84.4	0.18	7.37	59.7	1.3
G27-33	0.01	3.7	0.125	0.06	0.95	60.5	0.40	9.15	40.5	3.4
G27-34	0.02	2.0	0.113	0.09	1.04	80.7	0.20	10.9	64.1	1.1
G27-35	0.01	4.1	0.122	0.06	0.87	68.9	0.51	10.1	41.3	3.5
G27-36	0.02	2.1	0.060	0.05	0.96	66.2	0.37	9.13	55.7	2.6
G27-37	0.02	4.1	0.101	0.10	0.82	68.7	0.28	12.4	56.2	3.9
G27-39	0.01	3.3	0.103	0.05	0.73	52.1	0.19	8.64	39.0	4.3
G27-42	0.02	2.5	0.063	0.09	1.74	67.3	0.21	9.55	50.2	2.2
G27-43	0.02	3.5	0.099	0.07	1.74	70.4	0.65	13.5	46.7	3.3
G27-44	0.03	3.6	0.075	0.10	2.78	78.0	0.56	13.5	63.7	2.8
G27-45	0.02	5.6	0.122	0.10	1.38	82.7	0.28	15.8	50.4	10.2
G27-47	0.02	4.4	0.093	0.09	1.45	57.1	0.13	12.9	51.6	4.9
G27-49	0.02	4.3	0.129	0.08	0.99	74.6	0.09	12.2	51.7	8.5
G27-51	0.02	2.3	0.084	0.06	1.44	66.8	0.19	9.24	38.1	2.3
G27-52	0.02	0.6	0.088	0.06	0.48	55.8	0.06	4.15	23.6	0.8
G27-53	0.02	4.3	0.113	0.09	0.98	74.1	0.16	13.2	45.7	6.2
G27-54	0.02	1.3	0.119	0.07	0.47	103	0.33	4.12	44.2	1.0
G27-55	0.02	4.8	0.120	0.10	0.96	79.4	0.14	13.2	53.3	7.8
G27-56	0.02	1.7	0.121	0.09	0.82	93.2	<0.05	8.30	44.4	0.9
G27-57	0.02	4.1	0.119	0.08	0.61	74.9	0.10	13.4	49.8	3.1
G27-58	0.02	5.8	0.113	0.15	1.28	86.9	0.07	9.97	40.8	4.2
G27-59	0.01	4.4	0.139	0.08	0.71	84.7	0.12	14.4	55.0	5.1
G27-60	0.03	5.3	0.083	0.16	0.72	89.4	0.13	3.98	49.9	4.2
G29-0	0.02	3.6	0.100	0.11	0.83	79.5	0.15	6.99	52.9	2.1
G29-1	0.02	4.2	0.090	0.08	1.29	72.4	0.13	13.9	53.1	4.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G29-2	0.02	6.1	0.106	0.13	1.28	88.0	0.11	10.9	44.1	7.4
G29-4	0.02	4.6	0.093	0.07	0.96	71.6	0.24	13.1	47.9	4.3
G29-5	0.02	4.1	0.093	0.08	1.36	79.7	0.44	14.5	49.3	4.4
G29-6	0.02	5.6	0.129	0.10	0.99	87.7	0.28	14.5	48.1	10.9
G29-8	0.02	4.6	0.090	0.08	0.94	74.8	0.19	14.9	52.0	5.1
G29-9	0.02	2.2	0.077	0.07	1.16	57.5	0.30	12.0	43.6	2.4
G29-10	0.02	3.4	0.087	0.08	2.31	69.9	0.16	10.8	48.6	2.2
G29-11	0.02	3.8	0.087	0.07	1.26	63.3	0.23	11.3	50.5	2.9
G29-12	0.02	4.1	0.107	0.08	1.52	74.4	0.21	11.4	46.5	3.0
G29-14	0.02	4.2	0.106	0.09	1.71	77.9	0.28	13.1	48.7	3.0
G29-16	0.02	3.1	0.097	0.09	1.09	72.7	0.48	8.92	49.4	1.8
G29-17	0.02	2.4	0.076	0.08	1.13	57.8	0.16	9.34	52.5	1.3
G29-18	0.02	2.4	0.080	0.07	1.12	70.2	0.46	8.52	44.1	1.4
G29-19	0.02	3.6	0.087	0.07	0.80	61.6	0.17	8.78	49.9	3.9
G29-20	0.03	3.2	0.130	0.10	1.19	105	0.46	11.9	49.4	2.0
G29-21	0.01	3.8	0.100	0.07	0.71	58.2	0.14	11.3	53.0	4.8
G29-22	0.03	2.5	0.192	0.19	0.62	159	0.16	12.3	56.3	3.7
G29-23	0.01	3.5	0.106	0.08	1.15	60.3	0.19	10.3	43.5	3.3
G29-24	0.02	2.6	0.100	0.07	0.83	78.6	0.16	7.68	49.7	1.5
G29-27	0.01	3.4	0.099	0.06	0.87	59.3	0.24	10.2	44.6	4.1
G29-28	0.03	2.8	0.102	0.06	0.75	88.9	0.20	10.5	64.4	3.7
G29-29	0.02	3.9	0.148	0.08	0.66	72.9	0.22	11.3	51.4	7.4
G29-30	0.03	2.4	0.085	0.07	0.93	102	0.20	14.0	56.0	2.7
G29-31	0.01	4.9	0.111	0.08	0.85	82.0	0.19	12.0	41.9	4.4
G29-32	0.02	2.0	0.055	0.06	1.09	75.9	0.17	13.9	71.9	1.1
G29-33	0.02	3.2	0.098	0.07	1.19	62.1	0.19	11.4	37.0	4.2
G29-34	0.03	1.9	0.089	0.07	1.09	66.5	0.25	15.6	65.7	1.2
G29-35	0.02	3.0	0.122	0.06	0.67	57.1	0.16	9.33	43.1	3.4
G29-36	0.02	2.5	0.131	0.11	1.20	76.3	0.39	19.5	73.5	1.7
G29-37	0.02	4.0	0.129	0.09	1.52	74.8	0.30	14.3	42.3	6.9
G29-39	0.02	3.5	0.099	0.06	1.36	63.5	0.45	12.7	43.2	6.2
G29-41	0.01	4.0	0.084	0.07	0.91	55.9	0.20	12.6	43.7	3.3

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G29-42	0.02	3.2	0.123	0.20	1.26	152	0.21	14.5	69.2	3.2
G29-43	0.02	4.1	0.092	0.08	0.80	52.9	0.13	10.7	42.4	3.1
G29-44	0.02	3.0	0.133	0.10	0.91	88.0	0.12	11.1	65.1	2.6
G29-45	0.02	4.6	0.147	0.10	0.78	81.3	0.16	14.5	57.8	10.5
G29-46	0.02	3.4	0.067	0.11	1.59	65.1	0.21	10.3	53.7	1.0
G29-47	0.02	4.2	0.133	0.09	0.69	77.2	0.11	14.1	52.0	7.5
G29-48	0.02	5.9	0.049	0.14	2.58	67.2	0.19	21.0	61.6	3.8
G29-49	0.01	3.8	0.087	0.07	0.82	56.9	0.35	10.7	39.9	2.8
G29-51	0.01	3.4	0.143	0.09	0.61	80.5	0.08	12.2	54.4	7.5
G29-52	0.02	2.2	0.126	0.10	0.52	107	0.11	3.43	49.0	0.7
G29-53	0.01	4.5	0.107	0.07	0.63	67.1	0.18	11.2	39.6	5.1
G29-54	0.06	2.2	0.179	0.22	0.71	137	0.16	12.3	136	1.0
G29-55	0.02	3.3	0.153	0.08	0.69	101	0.09	19.7	52.9	6.3
G29-56	0.01	2.2	0.076	0.10	0.62	69.4	0.08	6.96	40.0	0.7
G29-57	0.02	4.0	0.167	0.09	0.66	112	0.24	21.6	61.5	7.5
G29-58	0.02	4.6	0.103	0.13	0.93	104	0.11	10.9	48.2	1.8
G29-59	0.02	3.9	0.196	0.08	0.87	125	0.83	17.8	54.1	6.5
G29-60	0.02	0.9	0.112	0.07	0.30	185	0.09	32.2	46.8	1.4
G31-0	0.02	3.2	0.137	0.12	0.89	88.9	0.33	8.86	51.4	1.9
G31-1	0.02	5.0	0.117	0.10	1.82	83.1	0.10	14.3	45.4	5.4
G31-2	0.03	5.2	0.196	0.13	1.05	114	0.17	16.3	69.0	9.2
G31-3	0.02	5.3	0.110	0.17	1.01	98.6	0.20	30.7	87.8	5.5
G31-4	0.01	3.2	0.089	0.06	0.92	60.7	0.34	8.16	43.2	2.4
G31-5	0.02	3.4	0.115	0.09	0.78	72.0	0.15	13.8	52.4	5.2
G31-6	0.02	3.3	0.102	0.08	1.09	70.0	0.19	11.0	45.0	1.6
G31-7	0.02	3.6	0.090	0.08	1.60	71.5	0.30	14.3	48.5	2.7
G31-8	0.02	4.0	0.112	0.10	1.20	77.7	0.19	10.9	48.0	1.6
G31-9	0.02	4.0	0.098	0.07	1.33	73.8	0.30	12.7	50.2	4.3
G31-10	0.02	3.5	0.108	0.06	0.97	81.9	0.56	9.96	41.3	2.0
G31-11	0.02	2.3	0.070	0.07	1.28	65.2	0.25	12.4	40.6	1.1
G31-12	0.02	4.0	0.059	0.08	1.23	61.6	0.11	10.7	42.9	2.3
G31-13	0.02	3.8	0.068	0.10	1.30	64.8	0.16	11.1	50.7	2.2

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G31-14	0.01	2.9	0.054	0.07	0.79	48.6	0.11	5.24	42.5	1.2
G31-15	0.02	3.0	0.084	0.08	0.96	64.0	0.17	9.27	42.3	1.8
G31-16	0.02	2.5	0.108	0.07	0.83	65.8	0.25	8.00	42.0	1.4
G31-17	0.01	3.2	0.088	0.07	0.92	48.9	0.14	8.91	61.4	2.7
G31-18	0.02	3.0	0.090	0.07	0.93	63.9	0.30	8.21	39.8	1.5
G31-19	0.01	3.0	0.078	0.05	0.91	50.0	0.10	8.43	40.8	2.1
G31-20	0.02	3.4	0.107	0.07	1.09	78.7	0.17	10.6	46.6	2.2
G31-21	0.02	3.6	0.034	0.06	0.95	48.6	0.17	9.92	46.6	3.6
G31-22	0.02	3.4	0.153	0.10	0.83	93.2	0.71	11.0	47.6	5.0
G31-23	0.01	3.6	0.112	0.04	0.74	59.1	0.62	8.01	41.2	3.9
G31-24	0.02	2.1	0.098	0.06	0.90	64.6	0.39	8.84	58.6	1.6
G31-26	0.03	2.9	0.147	0.08	1.13	80.8	0.14	11.6	64.0	3.6
G31-27	0.01	2.9	0.138	0.04	0.57	63.6	0.39	5.78	33.1	3.1
G31-28	0.02	2.4	0.130	0.06	1.10	70.3	0.17	11.6	56.9	3.5
G31-29	0.01	2.9	0.106	0.06	1.20	53.8	0.13	8.85	40.7	3.2
G31-30	0.05	2.7	0.196	0.10	0.54	117	0.11	11.6	77.3	4.8
G31-31	0.01	2.9	0.097	0.07	1.10	53.2	0.46	9.89	46.5	3.3
G31-32	0.03	2.8	0.117	0.07	0.88	95.2	0.12	10.1	65.3	2.3
G31-33	0.02	3.4	0.122	0.07	1.35	65.6	0.13	12.8	43.7	7.4
G31-34	0.03	1.9	0.189	0.09	0.61	98.5	0.11	8.55	65.5	1.9
G31-35	0.02	3.5	0.127	0.07	1.32	63.6	0.34	12.9	45.8	6.4
G31-37	0.02	3.4	0.100	0.07	1.47	58.0	0.30	11.8	48.2	3.7
G31-38	0.03	2.4	0.067	0.06	0.58	57.9	0.21	5.79	65.0	1.1
G31-39	0.02	3.7	0.106	0.08	1.20	68.5	0.16	12.6	44.7	4.8
G31-41	0.02	4.0	0.138	0.08	0.74	79.7	0.33	13.9	57.7	7.5
G31-42	0.01	1.4	0.354	0.26	0.55	107	0.15	12.1	143	2.5
G31-43	0.02	3.8	0.131	0.08	0.97	84.6	0.13	13.8	50.3	4.9
G31-45	0.02	4.5	0.130	0.10	0.83	81.4	0.12	14.9	53.8	9.0
G31-46	0.02	2.2	0.229	0.22	0.54	255	0.15	19.5	115	2.3
G31-47	0.02	4.2	0.125	0.09	0.87	84.3	0.08	14.3	55.2	7.5
G31-48	0.02	2.6	0.082	0.11	0.73	87.0	0.21	8.73	46.8	0.6
G31-49	0.02	3.7	0.116	0.08	0.62	71.0	0.12	12.7	45.9	7.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G31-50	0.02	7.1	0.036	0.22	1.89	71.3	0.20	32.2	75.6	4.5
G31-51	0.02	4.3	0.132	0.11	0.84	102	0.13	17.3	59.6	6.6
G31-52	0.05	1.8	0.023	0.18	2.68	71.0	0.24	11.0	98.7	<0.5
G31-53	0.02	4.7	0.121	0.12	0.90	100	0.22	17.3	60.8	4.3
G31-54	0.02	3.1	0.405	0.10	0.66	154	0.09	9.90	52.1	2.8
G31-55	0.02	4.3	0.099	0.08	0.81	72.3	0.39	12.4	42.5	3.8
G31-56	0.02	4.4	0.088	0.12	0.79	96.0	0.06	10.8	50.4	2.6
G31-57	0.02	2.6	0.188	0.08	0.68	133	0.15	15.8	66.1	4.7
G31-58	0.02	5.8	0.103	0.12	1.26	84.5	0.16	17.6	43.4	4.6
G31-59	0.01	1.3	0.212	0.05	0.49	115	0.16	7.66	51.9	2.7
G31-60	0.02	3.7	0.071	0.11	0.65	67.3	0.15	5.00	38.9	2.6
G33-0	0.02	3.4	0.078	0.07	1.42	74.5	0.21	11.5	55.0	2.0
G33-1	0.01	4.0	0.117	0.07	0.76	82.8	0.54	9.93	47.4	2.4
G33-3	0.02	4.2	0.084	0.09	0.95	63.9	0.14	12.3	51.7	5.4
G33-5	0.02	3.3	0.108	0.09	0.72	66.4	0.08	12.7	61.8	4.5
G33-6	0.02	4.0	0.117	0.12	0.99	100	0.80	19.6	70.8	4.6
G33-7	0.02	3.8	0.106	0.09	0.78	84.4	0.08	14.6	61.4	3.9
G33-8	0.02	4.3	0.109	0.09	1.11	94.4	0.15	11.6	56.7	3.2
G33-9	0.02	2.5	0.106	0.07	0.57	72.2	0.08	12.5	51.2	3.3
G33-10	0.02	2.9	0.107	0.08	0.91	79.0	0.22	9.24	51.4	1.4
G33-11	0.02	4.1	0.114	0.09	1.44	92.1	0.23	15.5	52.8	6.7
G33-12	0.03	4.2	0.125	0.11	1.47	109	0.16	14.2	64.1	2.0
G33-13	0.01	3.1	0.104	0.05	0.60	63.9	0.25	8.66	35.1	2.1
G33-14	0.02	4.6	0.121	0.10	1.22	99.5	0.16	13.0	52.4	3.1
G33-15	0.02	3.3	0.085	0.05	0.89	60.4	0.36	10.3	46.7	1.7
G33-16	0.02	3.5	0.081	0.07	0.90	81.0	0.26	8.85	55.4	3.2
G33-17	0.02	3.1	0.101	0.07	1.07	85.9	0.62	12.8	55.6	1.4
G33-18	0.02	4.5	0.131	0.12	1.25	111	0.15	12.6	61.1	3.5
G33-19	0.02	3.4	0.101	0.08	1.13	80.4	0.74	12.5	48.7	1.2
G33-20	0.02	3.5	0.130	0.09	1.07	95.0	0.52	11.2	54.3	2.1
G33-21	0.02	3.7	0.101	0.10	1.49	79.3	0.24	13.3	55.8	1.9
G33-22	0.02	3.8	0.134	0.07	1.12	88.2	0.37	12.9	65.1	5.1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G33-23	0.02	3.6	0.090	0.08	1.22	71.1	0.18	12.6	53.1	4.5
G33-24	0.02	3.5	0.137	0.07	1.23	101	0.31	13.5	63.8	4.1
G33-25	0.02	4.1	0.118	0.08	1.08	80.1	0.15	13.7	46.8	5.3
G33-26	0.03	3.3	0.155	0.08	1.11	113	0.38	15.8	67.6	4.7
G33-27	0.02	3.7	0.116	0.09	1.15	71.6	0.16	12.8	55.1	5.2
G33-28	0.02	2.6	0.123	0.09	1.29	94.0	2.55	15.3	78.5	2.9
G33-29	0.01	3.5	0.112	0.06	1.03	64.3	0.26	11.9	53.6	3.1
G33-30	0.03	2.7	0.103	0.08	0.79	120	0.31	12.3	65.2	2.3
G33-31	0.02	3.6	0.103	0.07	1.22	62.4	0.15	14.1	55.8	4.8
G33-32	0.03	2.8	0.132	0.08	0.85	116	0.15	11.0	72.3	1.5
G33-33	0.02	3.8	0.107	0.08	1.63	72.7	0.34	14.7	52.3	4.7
G33-34	0.03	2.5	0.158	0.10	0.58	107	0.25	5.49	58.8	1.2
G33-35	0.01	2.3	0.091	0.05	1.05	41.9	0.12	9.37	51.1	1.7
G33-36	0.03	2.2	0.117	0.10	0.42	93.9	0.10	3.33	47.0	1.8
G33-37	0.01	2.8	0.080	0.05	1.12	44.6	0.16	10.6	51.2	1.7
G33-38	0.04	2.3	0.139	0.09	0.77	116	0.15	10.6	71.7	1.5
G33-39	0.02	3.6	0.121	0.09	0.63	77.4	0.20	13.8	55.5	6.7
G33-40	0.04	1.7	0.133	0.09	0.48	161	0.24	6.92	59.8	1.1
G33-41	0.01	4.0	0.092	0.08	0.77	55.9	0.11	12.8	52.7	1.9
G33-42	0.02	2.5	0.082	0.10	0.52	81.5	0.58	4.98	75.4	0.8
G33-43	0.02	3.9	0.102	0.08	0.91	83.7	0.24	15.6	46.4	6.9
G33-44	0.02	5.6	0.080	0.12	1.04	79.8	0.09	9.81	41.4	5.0
G33-45	0.02	4.3	0.146	0.14	0.72	99.0	0.14	15.7	49.7	11.9
G33-46	0.01	4.7	0.097	0.13	0.80	82.6	0.10	5.96	47.2	4.0
G33-47	0.01	3.8	0.079	0.16	0.81	76.6	0.15	13.1	44.0	6.2
G33-48	0.01	5.2	0.099	0.13	1.06	66.0	0.14	6.85	43.9	4.4
G33-49	0.02	3.5	0.077	0.17	0.66	72.4	0.19	12.8	53.5	3.9
G33-50	0.02	3.9	0.075	0.06	0.84	49.1	0.16	12.1	42.8	2.0
G33-51	0.01	3.7	0.089	0.30	0.70	60.6	0.19	13.3	39.3	3.3
G33-52	0.02	5.3	0.076	0.10	1.58	63.1	0.15	13.5	37.7	4.4
G33-53	0.02	4.3	0.091	0.21	0.78	66.0	0.15	11.9	40.8	4.0
G33-54	0.02	6.1	0.083	0.11	2.42	75.6	0.12	17.6	47.6	8.6

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm 0.01	ppm 0.1	% 0.005	ppm 0.01	ppm 0.05	ppm 0.5	ppm 0.05	ppm 0.05	ppm 0.5	ppm 0.5
G33-55		0.01	3.6	0.062	0.09	0.71	52.3	0.12	8.53	35.7	2.7
G33-56		0.01	2.7	0.079	0.06	0.64	76.3	0.11	6.53	40.3	2.9
G33-57		0.02	3.1	0.155	0.08	0.64	110	0.97	17.8	55.6	4.8
G33-58		0.02	3.7	0.118	0.07	0.82	69.0	0.18	13.0	46.6	4.2
G33-59		0.01	2.3	0.158	0.06	0.47	99.5	0.06	12.8	50.3	7.2
G33-60		0.02	2.9	0.141	0.09	0.61	86.0	0.28	4.80	38.6	1.2
G35-0		0.03	3.4	0.177	0.13	0.72	103	0.14	11.0	67.2	5.0
G35-1		0.02	3.0	0.073	0.09	0.58	56.9	1.20	8.71	43.5	2.7
G35-2		0.02	5.0	0.100	0.07	0.99	65.0	0.19	15.0	47.8	6.9
G35-3		0.02	2.4	0.127	0.09	0.48	79.5	0.14	12.2	42.7	5.0
G35-4		0.02	4.6	0.091	0.07	1.38	72.4	0.17	17.2	43.6	5.2
G35-5		0.02	4.8	0.125	0.08	0.85	71.6	0.33	12.6	49.8	8.7
G35-6		0.02	2.5	0.078	0.09	1.11	73.3	0.18	11.2	46.5	1.3
G35-7		0.01	3.6	0.121	0.06	0.96	63.3	0.17	10.5	41.8	5.2
G35-8		0.02	3.8	0.126	0.07	0.98	78.8	0.51	11.5	49.6	3.4
G35-9		0.02	4.1	0.088	0.08	0.90	69.1	0.12	14.8	48.5	7.7
G35-10		0.01	4.6	0.090	0.07	0.96	64.2	0.71	7.66	40.6	1.9
G35-11		0.01	2.6	0.092	0.06	0.87	57.9	0.18	10.4	45.3	1.9
G35-12		0.02	4.4	0.123	0.09	1.26	79.2	0.12	13.1	53.8	3.6
G35-13		0.02	1.6	0.063	0.06	0.90	52.2	0.75	10.7	43.8	1.5
G35-14		0.01	2.9	0.093	0.07	1.07	74.8	0.35	12.9	46.9	2.0
G35-15		0.01	3.4	0.094	0.04	0.62	71.9	1.28	5.83	39.2	1.8
G35-16		0.02	3.3	0.107	0.07	1.05	75.6	0.16	10.9	53.1	2.0
G35-17		0.02	1.3	0.071	0.05	0.84	61.8	0.16	9.97	46.6	1.3
G35-18		0.02	3.2	0.099	0.08	1.32	70.3	0.24	11.7	51.0	2.1
G35-19		0.01	2.2	0.080	0.05	0.64	39.8	0.10	5.56	43.2	1.4
G35-20		0.02	2.3	0.092	0.05	1.06	62.8	0.15	7.53	45.9	2.4
G35-21		0.01	3.2	0.096	0.06	1.20	57.6	0.17	10.3	46.5	2.6
G35-22		0.02	2.8	0.128	0.05	0.86	62.6	0.20	7.10	62.3	3.4
G35-23		0.02	3.0	0.082	0.07	1.53	56.8	0.21	11.5	39.3	2.5
G35-24		0.02	3.0	0.078	0.06	1.93	71.3	0.31	14.0	59.2	3.3
G35-25		0.02	2.7	0.091	0.07	1.25	69.9	0.22	12.7	47.0	3.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G35-26	0.02	2.9	0.076	0.06	1.68	74.8	0.33	15.8	62.9	3.4
G35-27	0.01	2.8	0.119	0.06	0.64	60.7	0.19	7.40	46.2	4.3
G35-28	0.02	3.2	0.071	0.06	1.16	78.4	0.12	15.2	66.3	4.1
G35-29	0.01	3.2	0.057	0.07	1.00	46.1	0.21	7.03	47.9	3.3
G35-30	0.02	2.9	0.109	0.10	1.00	107	0.15	15.1	71.9	3.2
G35-31	0.02	3.9	0.080	0.07	1.77	55.1	0.16	12.5	47.4	4.3
G35-32	0.02	3.3	0.119	0.11	1.12	110	0.19	17.5	73.1	2.5
G35-33	0.02	4.8	0.091	0.09	1.16	72.8	0.50	14.1	47.4	5.5
G35-34	0.02	3.1	0.133	0.08	0.65	81.5	0.09	6.01	58.3	2.8
G35-35	0.01	4.5	0.098	0.09	1.25	66.1	0.22	13.9	53.5	6.5
G35-36	0.02	2.5	0.087	0.08	0.67	69.7	0.11	4.67	46.9	2.0
G35-37	0.01	3.6	0.079	0.08	0.81	61.7	0.41	9.18	50.7	7.1
G35-38	0.03	3.5	0.111	0.13	0.80	98.3	0.15	7.88	56.8	3.1
G35-39	0.02	4.6	0.090	0.09	0.97	71.6	0.35	13.6	45.6	3.3
G35-40	0.03	1.2	0.116	0.11	0.51	81.7	0.27	3.17	44.3	0.8
G35-41	0.02	4.8	0.082	0.08	0.79	65.0	0.21	13.1	47.4	7.9
G35-42	0.04	2.0	0.100	0.11	0.97	97.0	0.23	7.38	52.9	0.9
G35-43	0.01	3.9	0.099	0.09	0.56	62.9	0.12	12.8	55.2	6.3
G35-44	0.01	3.1	0.110	0.13	0.51	96.5	0.08	5.24	51.2	3.3
G35-45	0.02	4.5	0.112	0.14	0.71	77.8	0.14	15.4	63.3	11.0
G35-46	0.02	4.2	0.112	0.08	0.63	91.6	0.12	19.3	58.1	6.1
G35-47	0.02	4.2	0.108	0.14	0.61	72.7	0.67	14.3	59.7	10.2
G35-48	0.02	4.6	0.097	0.10	0.85	89.0	0.12	12.5	48.9	5.9
G35-49	0.01	3.2	0.067	0.10	0.63	56.7	0.20	9.15	64.1	4.4
G35-50	0.08	2.5	0.024	0.06	0.53	69.9	0.27	9.56	102	0.8
G35-51	0.02	3.1	0.077	0.17	0.53	87.4	0.22	8.74	43.7	5.2
G35-52	0.02	3.9	0.103	0.08	1.03	87.2	0.28	16.3	55.3	2.5
G35-53	0.02	3.2	0.052	0.48	0.75	117	0.16	10.9	48.3	2.8
G35-54	0.02	4.5	0.083	0.11	0.96	96.5	0.28	8.30	41.3	4.4
G35-55	0.02	4.9	0.089	0.12	1.03	74.3	0.66	11.7	48.9	3.8
G35-56	0.02	3.4	0.086	0.08	1.25	138	0.23	24.1	59.4	4.1
G35-57	0.01	3.2	0.069	0.28	0.66	66.0	0.97	10.4	42.0	3.5

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y622927

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Jul 22, 2012

DATE RECEIVED: Jul 20, 2012

DATE REPORTED: Aug 29, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.5	0.5
G35-58	0.03	3.6	0.104	0.06	1.82	77.4	0.33	14.4	51.8	5.8
G35-59	0.01	0.6	0.190	0.05	0.25	155	0.20	7.40	54.4	2.5
G35-60	0.02	4.5	0.078	0.12	0.71	75.0	0.14	5.03	51.0	4.9

Comments: RDL - Reported Detection Limit

Certified By:



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis											
RPT Date: Aug 29, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541459	0.07	0.07	0.0%	< 0.01			80%	120%	
Al	1	3541459	2.60	2.52	3.1%	< 0.01			80%	120%	
As	1	3541459	18.9	18.7	1.1%	0.2			80%	120%	
Au	1	3541459	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
B	1	3541459	< 5	< 5	0.0%	< 5			80%	120%	
Ba	1	3541459	309	308	0.3%	1			80%	120%	
Be	1	3541459	0.54	0.57	5.4%	< 0.05			80%	120%	
Bi	1	3541459	0.15	0.15	0.0%	< 0.01			80%	120%	
Ca	1	3541459	0.41	0.40	2.5%	< 0.01			80%	120%	
Cd	1	3541459	0.167	0.164	1.8%	< 0.01			80%	120%	
Ce	1	3541459	34.0	34.4	1.2%	< 0.01			80%	120%	
Co	1	3541459	15.8	15.0	5.2%	< 0.1			80%	120%	
Cr	1	3541459	68.2	66.3	2.8%	< 0.5			80%	120%	
Cs	1	3541459	1.30	1.45	10.9%	< 0.05			80%	120%	
Cu	1	3541459	72.7	70.6	2.9%	< 0.1	3689	3800	97%	80%	120%
Fe	1	3541459	4.19	4.04	3.6%	< 0.01			80%	120%	
Ga	1	3541459	13.3	12.8	3.8%	< 0.05			80%	120%	
Ge	1	3541459	0.096	0.078	20.7%	0.05			80%	120%	
Hf	1	3541459	0.26	0.28	7.4%	< 0.02			80%	120%	
Hg	1	3541459	0.015	0.017	12.5%	< 0.01	1.6	1.3	120%	80%	120%
In	1	3541459	0.039	0.037	5.3%	< 0.005			80%	120%	
K	1	3541459	0.07	0.07	0.0%	< 0.01			80%	120%	
La	1	3541459	17.6	17.8	1.1%	< 0.1			80%	120%	
Li	1	3541459	12.2	12.7	4.0%	< 0.1			80%	120%	
Mg	1	3541459	0.829	0.784	5.6%	< 0.01			80%	120%	
Mn	1	3541459	438	415	5.4%	< 1			80%	120%	
Mo	1	3541459	2.52	2.20	13.6%	< 0.05	326	380	85%	80%	120%
Na	1	3541459	0.01	0.01	0.0%	< 0.01			80%	120%	
Nb	1	3541459	1.37	1.89		< 0.05			80%	120%	
Ni	1	3541459	40.1	39.2	2.3%	< 0.2			80%	120%	
P	1	3541459	347	346	0.3%	< 10	536	600	89%	80%	120%
Pb	1	3541459	7.67	7.51	2.1%	< 0.1			80%	120%	
Rb	1	3541459	10.8	11.0	1.8%	< 0.1	11	13	82%	80%	120%
Re	1	3541459	0.117	0.130	10.5%	< 0.001			80%	120%	
S	1	3541459	0.010	0.010	0.0%	< 0.005			80%	120%	
Sb	1	3541459	0.65	0.65	0.0%	< 0.05			80%	120%	
Sc	1	3541459	11.1	11.0	0.9%	< 0.1			80%	120%	
Se	1	3541459	0.8	0.8	0.0%	< 0.2	0.8	0.8	94%	80%	120%
Sn	1	3541459	0.7	0.7	0.0%	< 0.2			80%	120%	
Sr	1	3541709	86.6	78.9	9.3%	< 0.2			80%	120%	
Ta	1	3541459	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Te	1	3541459	0.035	0.029	18.8%	< 0.01			80%	120%	
Th	1	3541459	5.17	5.01	3.1%	< 0.1	1.1	1.4	82%	80%	120%
Ti	1	3541459	0.173	0.175	1.1%	< 0.005			80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Tl	1	3541459	0.11	0.11	0.0%	< 0.01				80%	120%
U	1	3541459	1.06	1.05	0.9%	< 0.05				80%	120%
V	1	3541459	107	103	3.8%	< 0.5				80%	120%
W	1	3541459	0.254	0.297	15.6%	< 0.05				80%	120%
Y	1	3541459	7.53	7.42	1.5%	< 0.05				80%	120%
Zn	1	3541459	69.6	66.4	4.7%	< 0.5				80%	120%
Zr	1	3541459	11.7	11.9	1.7%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541484	0.122	0.114	6.8%	< 0.01				80%	120%
Al	1	3541484	1.48	1.42	4.1%	< 0.01				80%	120%
As	1	3541484	8.2	7.7	6.3%	0.2				80%	120%
Au	1	3541484	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541484	< 5	< 5	0.0%	< 5	5.84	7.00	83%	80%	120%
Ba	1	3541484	318	287	10.2%	< 1				80%	120%
Be	1	3541484	0.350	0.321	8.6%	< 0.05				80%	120%
Bi	1	3541484	0.11	0.11	0.0%	0.04				80%	120%
Ca	1	3541484	1.04	1.01	2.9%	< 0.01				80%	120%
Cd	1	3541484	0.21	0.20	4.9%	< 0.01				80%	120%
Ce	1	3541484	32.5	28.8	12.1%	< 0.01				80%	120%
Co	1	3541484	13.3	12.0	10.3%	< 0.1				80%	120%
Cr	1	3541484	53.8	47.7	12.0%	< 0.5				80%	120%
Cs	1	3541484	1.32	1.11	17.3%	< 0.05				80%	120%
Cu	1	3541484	40.1	40.8	1.7%	< 0.1	3801	3800	100%	80%	120%
Fe	1	3541484	2.50	2.46	1.6%	< 0.01				80%	120%
Ga	1	3541484	10.6	9.63	9.6%	< 0.05				80%	120%
Ge	1	3541484	0.06	0.06	0.0%	0.08				80%	120%
Hf	1	3541484	0.10	0.09	10.5%	< 0.02				80%	120%
Hg	1	3541484	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3541484	0.025	0.023	8.3%	< 0.005				80%	120%
K	1	3541484	0.095	0.086	9.9%	< 0.01				80%	120%
La	1	3541484	17.1	15.1	12.4%	< 0.1				80%	120%
Li	1	3541484	8.8	7.8	12.0%	< 0.1				80%	120%
Mg	1	3541484	0.739	0.712	3.7%	< 0.01				80%	120%
Mn	1	3541484	382	368	3.7%	< 1				80%	120%
Mo	1	3541484	0.63	0.58	8.3%	< 0.05	355	380	93%	80%	120%
Na	1	3541484	0.03	0.03	0.0%	< 0.01				80%	120%
Nb	1	3541484	2.34	2.08	11.8%	< 0.05				80%	120%
Ni	1	3541484	34.1	35.1	2.9%	< 0.2				80%	120%
P	1	3541484	864	852	1.4%	< 10	543	600	90%	80%	120%
Pb	1	3541484	6.89	6.42	7.1%	< 0.1				80%	120%
Rb	1	3541484	13.5	11.7	14.3%	< 0.1	13	13	103%	80%	120%
Re	1	3541484	0.106	0.123	14.8%	< 0.001				80%	120%
S	1	3541484	0.0664	0.0677	1.9%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Sb	1	3541484	0.500	0.493	1.4%	< 0.05				80%	120%
Sc	1	3541484	6.68	5.90	12.4%	< 0.1				80%	120%
Se	1	3541484	0.76	0.70	8.2%	< 0.2	0.8	0.8	105%	80%	120%
Sn	1	3541484	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3541734	41.3	38.7	6.5%	< 0.2	316	390	81%	80%	120%
Ta	1	3541484	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541484	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3541484	3.9	3.6	8.0%	< 0.1	1.2	1.4	86%	80%	120%
Ti	1	3541484	0.130	0.124	4.7%	< 0.005				80%	120%
Tl	1	3541484	0.10	0.09	10.5%	< 0.01				80%	120%
U	1	3541484	1.08	0.98	9.7%	< 0.05				80%	120%
V	1	3541484	72.3	63.9	12.3%	0.9				80%	120%
W	1	3541484	0.23	0.38		< 0.05				80%	120%
Y	1	3541484	12.4	11.0	12.0%	< 0.05				80%	120%
Zn	1	3541484	51.3	50.9	0.8%	< 0.5				80%	120%
Zr	1	3541484	4.2	3.9	7.4%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541509	0.149	0.158	5.9%	0.02				80%	120%
Al	1	3541509	1.81	1.79	1.1%	< 0.01				80%	120%
As	1	3541509	21.6	22.6	4.5%	0.4				80%	120%
Au	1	3541509	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541509	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3541509	319	336	5.2%	< 1				80%	120%
Be	1	3541509	0.31	0.32	3.2%	< 0.05				80%	120%
Bi	1	3541509	0.191	0.206	7.6%	< 0.01				80%	120%
Ca	1	3541509	0.833	0.813	2.4%	< 0.01				80%	120%
Cd	1	3541509	0.132	0.142	7.3%	< 0.01				80%	120%
Ce	1	3541509	29.0	30.7	5.7%	0.03				80%	120%
Co	1	3541509	10.5	11.0	4.7%	< 0.1				80%	120%
Cr	1	3541509	32.6	34.0	4.2%	< 0.5				80%	120%
Cs	1	3541509	0.884	0.955	7.7%	< 0.05				80%	120%
Cu	1	3541509	50.6	57.4	12.6%	< 0.1	3774	3800	99%	80%	120%
Fe	1	3541509	2.92	2.84	2.8%	< 0.01				80%	120%
Ga	1	3541509	11.2	11.8	5.2%	< 0.05				80%	120%
Ge	1	3541509	0.09	0.09	0.0%	0.06				80%	120%
Hf	1	3541509	0.062	0.065	4.7%	< 0.02				80%	120%
Hg	1	3541509	0.043	0.046	6.7%	< 0.01	1.2	1.3	95%	80%	120%
In	1	3541509	0.0254	0.0270	6.1%	< 0.005				80%	120%
K	1	3541509	0.075	0.076	1.3%	< 0.01				80%	120%
La	1	3541509	15.0	16.1	7.1%	< 0.1				80%	120%
Li	1	3541509	8.1	8.5	4.8%	< 0.1				80%	120%
Mg	1	3541509	0.65	0.65	0.0%	< 0.01				80%	120%
Mn	1	3541509	572	582	1.7%	< 1				80%	120%
Mo	1	3541509	0.73	0.78	6.6%	< 0.05	353	380	92%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3541509	0.04	0.04	0.0%	< 0.01				80%	120%	
Nb	1	3541509	1.46	1.60	9.2%	< 0.05				80%	120%	
Ni	1	3541509	22.4	25.4	12.6%	< 0.2				80%	120%	
P	1	3541509	759	847	11.0%	< 10	541	600	90%	80%	120%	
Pb	1	3541509	6.80	7.39	8.3%	0.2				80%	120%	
Rb	1	3541509	9.51	10.1	6.0%	< 0.1	11	13	84%	80%	120%	
Re	1	3541509	0.105	0.0935	11.6%	< 0.001				80%	120%	
S	1	3541509	0.0315	0.0321	1.9%	< 0.005				80%	120%	
Sb	1	3541509	0.48	0.53	9.9%	< 0.05				80%	120%	
Sc	1	3541509	6.63	6.87	3.6%	< 0.1				80%	120%	
Se	1	3541509	0.7	0.7	0.0%	< 0.2	0.8	0.8	96%	80%	120%	
Sn	1	3541509	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3541634	31.2	27.2	13.7%	< 0.2				80%	120%	
Ta	1	3541509	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3541509	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3541509	3.4	3.7	8.5%	< 0.1	1.2	1.4	83%	80%	120%	
Ti	1	3541509	0.116	0.114	1.7%	< 0.005				80%	120%	
Tl	1	3541509	0.081	0.090	10.5%	< 0.01				80%	120%	
U	1	3541509	1.53	1.64	6.9%	< 0.05				80%	120%	
V	1	3541509	69.7	72.0	3.2%	< 0.5				80%	120%	
W	1	3541509	0.15	0.30	< 0.05	< 0.05				80%	120%	
Y	1	3541509	11.3	12.0	6.0%	< 0.05				80%	120%	
Zn	1	3541509	56.1	63.5	12.4%	< 0.5				80%	120%	
Zr	1	3541509	3.01	3.19	5.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541534	0.23	0.22	4.4%	< 0.01	12.6	13.0	97%	80%	120%	
Al	1	3541534	1.41	1.60	12.6%	< 0.01				80%	120%	
As	1	3541534	28.8	29.2	1.4%	0.2				80%	120%	
Au	1	3541534	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3541534	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3541534	232	255	9.4%	< 1				80%	120%	
Be	1	3541534	0.201	0.220	9.0%	< 0.05				80%	120%	
Bi	1	3541534	0.13	0.13	0.0%	0.04				80%	120%	
Ca	1	3541534	0.745	0.854	13.6%	< 0.01				80%	120%	
Cd	1	3541534	0.181	0.172	5.1%	< 0.01				80%	120%	
Ce	1	3541534	17.9	21.5	18.3%	< 0.01				80%	120%	
Co	1	3541534	12.2	12.4	1.6%	< 0.1				80%	120%	
Cr	1	3541534	29.0	31.5	8.3%	< 0.5				80%	120%	
Cs	1	3541534	0.81	1.22	< 0.05	< 0.05				80%	120%	
Cu	1	3541534	59.6	61.6	3.3%	< 0.1				80%	120%	
Fe	1	3541534	2.76	2.99	8.0%	< 0.01				80%	120%	
Ga	1	3541534	7.68	9.71	23.3%	< 0.05				80%	120%	
Ge	1	3541534	0.10	0.07		0.08				80%	120%	
Hf	1	3541534	0.06	0.06	0.0%	< 0.02				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3541534	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3541534	0.023	0.023	0.0%	< 0.005				80%	120%
K	1	3541534	0.06	0.07	15.4%	< 0.01				80%	120%
La	1	3541534	9.61	11.6	18.8%	< 0.1				80%	120%
Li	1	3541534	7.40	7.66	3.5%	< 0.1				80%	120%
Mg	1	3541534	0.694	0.737	6.0%	< 0.01				80%	120%
Mn	1	3541534	514	543	5.5%	< 1				80%	120%
Mo	1	3541534	0.51	0.52	1.9%	< 0.05	358	380	94%	80%	120%
Na	1	3541534	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3541534	0.93	1.17	22.9%	< 0.05				80%	120%
Ni	1	3541534	16.8	17.6	4.7%	< 0.2				80%	120%
P	1	3541534	773	802	3.7%	< 10				80%	120%
Pb	1	3541534	5.73	5.77	0.7%	< 0.1				80%	120%
Rb	1	3541534	7.22	8.80	19.7%	< 0.1				80%	120%
Re	1	3541534	0.084	0.118		< 0.001				80%	120%
S	1	3541534	0.028	0.030	6.9%	< 0.005				80%	120%
Sb	1	3541534	0.695	0.732	5.2%	< 0.05				80%	120%
Sc	1	3541534	6.0	6.6	9.5%	< 0.1				80%	120%
Se	1	3541534	0.50	0.58	14.8%	< 0.2				80%	120%
Sn	1	3541534	0.30	0.36	18.2%	< 0.2				80%	120%
Sr	1	3541659	22.3	21.8	2.3%	< 0.2				80%	120%
Ta	1	3541534	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541534	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3541534	2.14	2.31	7.6%	< 0.1	1.4	1.4	101%	80%	120%
Ti	1	3541659	0.103	0.089	14.6%	< 0.005				80%	120%
Tl	1	3541534	0.054	0.068	23.0%	< 0.01				80%	120%
U	1	3541534	0.96	1.00	4.1%	< 0.05				80%	120%
V	1	3541534	66.2	71.4	7.6%	< 0.5				80%	120%
W	1	3541534	0.37	0.21		< 0.05				80%	120%
Y	1	3541534	9.13	9.78	6.9%	< 0.05	8	7	112%	80%	120%
Zn	1	3541534	55.7	57.1	2.5%	< 0.5				80%	120%
Zr	1	3541534	2.6	2.3	12.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541559	0.165	0.161	2.5%	< 0.01	12.9	13.0	99%	80%	120%
Al	1	3541559	1.46	1.38	5.6%	< 0.01				80%	120%
As	1	3541559	22.4	18.1	21.2%	0.2				80%	120%
Au	1	3541559	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541559	< 5	< 5	0.0%	< 5	6.57	7.00	94%	80%	120%
Ba	1	3541559	370	351	5.3%	< 1				80%	120%
Be	1	3541559	0.347	0.333	4.1%	< 0.05				80%	120%
Bi	1	3541559	0.20	0.22	9.5%	0.03				80%	120%
Ca	1	3541559	0.776	0.740	4.7%	< 0.01				80%	120%
Cd	1	3541559	0.203	0.194	4.5%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ce	1	3541559	36.7	33.7	8.5%	< 0.01				80%	120%	
Co	1	3541559	12.5	11.8	5.8%	< 0.1				80%	120%	
Cr	1	3541559	35.8	33.1	7.8%	< 0.5				80%	120%	
Cs	1	3541559	0.62	0.54	13.8%	< 0.05				80%	120%	
Cu	1	3541559	50.4	48.7	3.4%	< 0.1				80%	120%	
Fe	1	3541559	2.53	2.48	2.0%	< 0.01				80%	120%	
Ga	1	3541559	9.83	9.18	6.8%	< 0.05				80%	120%	
Ge	1	3541559	0.12	0.12	0.0%	0.08				80%	120%	
Hf	1	3541559	0.101	0.091	10.4%	< 0.02				80%	120%	
Hg	1	3541559	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3541559	0.029	0.028	3.5%	< 0.005				80%	120%	
K	1	3541559	0.062	0.053	15.7%	< 0.01				80%	120%	
La	1	3541559	19.1	17.6	8.2%	< 0.1				80%	120%	
Li	1	3541559	8.8	8.4	4.7%	< 0.1				80%	120%	
Mg	1	3541559	0.61	0.58	5.0%	< 0.01				80%	120%	
Mn	1	3541559	383	365	4.8%	< 1				80%	120%	
Mo	1	3541559	0.88	0.65		< 0.05				80%	120%	
Na	1	3541559	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3541559	1.74	1.53	12.8%	< 0.05				80%	120%	
Ni	1	3541559	29.1	27.9	4.2%	< 0.2				80%	120%	
P	1	3541559	742	728	1.9%	< 10				80%	120%	
Pb	1	3541559	8.2	7.7	6.3%	< 0.1				80%	120%	
Rb	1	3541559	7.77	6.68	15.1%	< 0.1				80%	120%	
Re	1	3541559	0.089	0.124		< 0.001				80%	120%	
S	1	3541559	0.026	0.026	0.0%	< 0.005				80%	120%	
Sb	1	3541559	0.606	0.594	2.0%	< 0.05				80%	120%	
Sc	1	3541559	6.6	6.2	6.3%	< 0.1				80%	120%	
Se	1	3541559	0.75	0.72	4.1%	< 0.2				80%	120%	
Sn	1	3541559	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3541559	47.5	43.3	9.3%	< 0.2				80%	120%	
Ta	1	3541559	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3541559	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3541559	4.6	4.2	9.1%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3541559	0.090	0.083	8.1%	< 0.005				80%	120%	
Tl	1	3541559	0.083	0.074	11.5%	< 0.01				80%	120%	
U	1	3541559	0.936	0.819	13.3%	< 0.05				80%	120%	
V	1	3541559	74.8	69.5	7.3%	< 0.5				80%	120%	
W	1	3541559	0.19	0.22	14.6%	< 0.05				80%	120%	
Y	1	3541559	14.9	13.7	8.4%	< 0.05				80%	120%	
Zn	1	3541559	52.0	51.2	1.6%	< 0.5				80%	120%	
Zr	1	3541559	5.1	4.7	8.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541584	0.16	0.17	6.1%	< 0.01	11.9	13.0	91%	80%	120%	
As	1	3541584	9.33	9.97	6.6%	0.3				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Au	1	3541584	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541584	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3541584	423	445	5.1%	< 1				80%	120%
Be	1	3541584	0.40	0.42	4.9%	< 0.05				80%	120%
Bi	1	3541584	0.125	0.129	3.1%	0.04				80%	120%
Cd	1	3541584	0.151	0.169	11.3%	< 0.01				80%	120%
Ce	1	3541584	37.6	39.0	3.7%	< 0.01				80%	120%
Co	1	3541584	12.2	13.3	8.6%	< 0.1				80%	120%
Cr	1	3541584	40.7	45.3	10.7%	< 0.5				80%	120%
Cs	1	3541584	0.78	0.80	2.5%	< 0.05				80%	120%
Ga	1	3541584	13.0	14.0	7.4%	< 0.05				80%	120%
Ge	1	3541584	0.07	0.06	15.4%	0.10				80%	120%
Hf	1	3541584	0.152	0.170	11.2%	< 0.02				80%	120%
Hg	1	3541584	0.048	0.040	18.2%	< 0.01	1.4	1.3	111%	80%	120%
In	1	3541584	0.0273	0.0300	9.4%	< 0.005				80%	120%
La	1	3541584	19.8	20.7	4.4%	< 0.1				80%	120%
Li	1	3541584	9.7	10.5	7.9%	< 0.1				80%	120%
Mo	1	3541584	0.80	0.88	9.5%	< 0.05	351	380	92%	80%	120%
Nb	1	3541584	2.14	2.46	13.9%	< 0.05				80%	120%
Pb	1	3541584	7.0	7.3	4.2%	< 0.1				80%	120%
Rb	1	3541584	13.7	14.7	7.0%	< 0.1				80%	120%
Re	1	3541584	0.126	0.134	6.2%	< 0.001				80%	120%
Sb	1	3541584	0.69	0.77	11.0%	< 0.05				80%	120%
Sc	1	3541584	6.9	7.6	9.7%	< 0.1				80%	120%
Se	1	3541584	0.7	0.7	0.0%	< 0.2				80%	120%
Sn	1	3541584	0.61	0.66	7.9%	< 0.2				80%	120%
Ta	1	3541584	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541584	0.022	0.026	16.7%	< 0.01				80%	120%
Th	1	3541584	4.00	4.18	4.4%	< 0.1	1.3	1.4	89%	80%	120%
Tl	1	3541584	0.09	0.09	0.0%	< 0.01				80%	120%
U	1	3541584	1.52	1.61	5.8%	< 0.05				80%	120%
V	1	3541584	74.8	81.5	8.6%	< 0.5				80%	120%
W	1	3541584	0.30	0.20		< 0.05				80%	120%
Y	1	3541584	14.3	15.8	10.0%	< 0.05	7	7	102%	80%	120%
Zr	1	3541584	6.9	8.0	14.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541609	0.103	0.120	15.2%	< 0.01	13	13.0	100%	80%	120%
As	1	3541609	12.8	15.0	15.8%	0.2				80%	120%
Au	1	3541609	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541609	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3541609	230	280	19.6%	< 1				80%	120%
Be	1	3541609	0.228	0.267	15.8%	< 0.05				80%	120%
Bi	1	3541609	0.14	0.17	19.4%	< 0.01				80%	120%
Cd	1	3541609	0.09	0.10	10.5%	< 0.01				80%	120%





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ce	1	3541609	27.4	34.5	22.9%	< 0.01				80%	120%	
Co	1	3541609	9.5	10.8	12.8%	< 0.1				80%	120%	
Cr	1	3541609	31.4	36.5	15.0%	< 0.5				80%	120%	
Cs	1	3541609	0.61	0.75	20.6%	< 0.05				80%	120%	
Ga	1	3541609	7.63	8.92	15.6%	< 0.05				80%	120%	
Ge	1	3541609	0.108	0.116	7.1%	0.08				80%	120%	
Hf	1	3541609	0.049	0.057	15.1%	< 0.02				80%	120%	
Hg	1	3541609	0.02	0.03		< 0.01	1.5	1.3	118%	80%	120%	
In	1	3541609	0.021	0.025	17.4%	< 0.005				80%	120%	
La	1	3541609	14.3	18.0	22.9%	< 0.1				80%	120%	
Li	1	3541609	7.62	8.86	15.0%	< 0.1				80%	120%	
Mo	1	3541609	0.59	0.67	12.7%	< 0.05				80%	120%	
Nb	1	3541609	1.35	1.60	16.9%	< 0.05				80%	120%	
Pb	1	3541609	5.4	6.7	21.5%	< 0.1				80%	120%	
Rb	1	3541609	10.7	13.4	22.4%	< 0.1				80%	120%	
Re	1	3541609	0.112	0.126	11.8%	< 0.001				80%	120%	
Sb	1	3541609	0.305	0.328	7.3%	< 0.05				80%	120%	
Sc	1	3541609	4.43	5.18	15.6%	< 0.1				80%	120%	
Se	1	3541609	0.40	0.46	14.0%	< 0.2				80%	120%	
Sn	1	3541609	0.44	0.53	18.6%	< 0.2				80%	120%	
Ta	1	3541609	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3541609	0.014	0.016	13.3%	< 0.01				80%	120%	
Th	1	3541609	3.19	4.16	26.4%	< 0.1	1.4	1.4	98%	80%	120%	
Tl	1	3541609	0.061	0.077	23.2%	< 0.01				80%	120%	
U	1	3541609	0.922	1.18	24.5%	< 0.05				80%	120%	
V	1	3541609	60.7	71.2	15.9%	< 0.5				80%	120%	
W	1	3541609	0.34	0.15		< 0.05				80%	120%	
Y	1	3541609	8.16	9.90	19.3%	< 0.05	8	7	116%	80%	120%	
Zr	1	3541609	2.4	2.8	15.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541634	0.29	0.32	9.8%	< 0.01	13.3	13.0	102%	80%	120%	
As	1	3541634	55.2	58.5	5.8%	0.1				80%	120%	
Au	1	3541634	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3541634	< 5	< 5	0.0%	< 5	6.78	7.00	97%	80%	120%	
Ba	1	3541634	227	240	5.6%	< 1				80%	120%	
Be	1	3541634	0.24	0.24	0.0%	< 0.05				80%	120%	
Bi	1	3541634	0.13	0.14	7.4%	< 0.01				80%	120%	
Cd	1	3541634	0.172	0.196	13.0%	< 0.01				80%	120%	
Ce	1	3541634	21.8	21.5	1.4%	< 0.01				80%	120%	
Co	1	3541634	19.6	19.6	0.0%	< 0.1				80%	120%	
Cr	1	3541634	77.6	75.1	3.3%	< 0.5				80%	120%	
Cs	1	3541634	1.79	1.51	17.0%	< 0.05				80%	120%	
Ga	1	3541634	9.56	9.43	1.4%	< 0.05				80%	120%	
Ge	1	3541634	0.104	0.137	27.4%	0.07				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Hf	1	3541634	0.129	0.113	13.2%	< 0.02				80%	120%	
Hg	1	3541634	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3541634	0.031	0.034	9.2%	< 0.005				80%	120%	
La	1	3541634	11.7	11.5	1.7%	< 0.1				80%	120%	
Li	1	3541634	10.7	11.1	3.7%	< 0.1				80%	120%	
Mo	1	3541634	0.462	0.466	0.9%	< 0.05				80%	120%	
Nb	1	3541634	1.06	0.67		< 0.05				80%	120%	
Pb	1	3541634	5.8	6.4	9.8%	< 0.1				80%	120%	
Rb	1	3541634	17.8	16.8	5.8%	< 0.1				80%	120%	
Re	1	3541634	0.146	0.119	20.4%	0.002				80%	120%	
Sb	1	3541634	0.49	0.38	25.3%	< 0.05				80%	120%	
Sc	1	3541634	10.7	10.0	6.8%	< 0.1				80%	120%	
Se	1	3541634	0.58	0.52	10.9%	< 0.2				80%	120%	
Sn	1	3541634	0.47	0.39	18.6%	< 0.2				80%	120%	
Ta	1	3541634	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3541634	0.05	0.05	0.0%	< 0.01				80%	120%	
Th	1	3541634	2.7	2.9	7.1%	< 0.1	1.5	1.4	104%	80%	120%	
Tl	1	3541634	0.10	0.10	0.0%	< 0.01				80%	120%	
U	1	3541634	0.54	0.56	3.6%	< 0.05				80%	120%	
V	1	3541634	117	112	4.4%	< 0.5				80%	120%	
W	1	3541634	0.11	0.07		< 0.05				80%	120%	
Y	1	3541634	11.6	11.5	0.9%	< 0.05				80%	120%	
Zr	1	3541634	4.8	4.5	6.5%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541659	0.16	0.14	13.3%	< 0.01	12.1	13.0	93%	80%	120%	
As	1	3541659	18.8	14.8	23.8%	< 0.1				80%	120%	
Au	1	3541659	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3541659	< 5	< 5	0.0%	< 5	5.57	7.00	80%	80%	120%	
Ba	1	3541659	311	287	8.0%	< 1				80%	120%	
Be	1	3541659	0.394	0.345	13.3%	< 0.05				80%	120%	
Bi	1	3541659	0.19	0.17	11.1%	< 0.01				80%	120%	
Cd	1	3541659	0.065	0.064	1.6%	< 0.01				80%	120%	
Ce	1	3541659	43.0	38.7	10.5%	< 0.01				80%	120%	
Co	1	3541659	10.4	9.14	12.9%	< 0.1				80%	120%	
Cr	1	3541659	44.8	38.2	15.9%	< 0.5				80%	120%	
Cs	1	3541659	1.00	0.80	22.2%	< 0.05				80%	120%	
Ga	1	3541659	9.64	8.64	10.9%	< 0.05				80%	120%	
Ge	1	3541659	0.14	0.14	0.0%	< 0.05				80%	120%	
Hf	1	3541659	0.09	0.07	25.0%	< 0.02				80%	120%	
Hg	1	3541659	0.04	0.04	0.0%	< 0.01	1.5	1.3	114%	80%	120%	
In	1	3541659	0.0320	0.0291	9.5%	< 0.005				80%	120%	
La	1	3541659	23.0	20.5	11.5%	< 0.1				80%	120%	
Li	1	3541659	12.9	11.2	14.1%	< 0.1				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Mo	1	3541659	0.98	0.58		< 0.05			80%	120%		
Nb	1	3541659	0.66	0.46		< 0.05			80%	120%		
Pb	1	3541659	7.8	7.3	6.6%	< 0.1			80%	120%		
Rb	1	3541659	10.5	8.5	21.1%	< 0.1			80%	120%		
Re	1	3541659	0.112	0.117	4.4%	< 0.001			80%	120%		
Sb	1	3541659	0.46	0.41	11.5%	< 0.05			80%	120%		
Sc	1	3541659	8.5	6.4	28.2%	< 0.1			80%	120%		
Se	1	3541659	0.56	0.48	15.4%	< 0.2			80%	120%		
Sn	1	3541659	0.7	0.6	15.4%	< 0.2			80%	120%		
Ta	1	3541659	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
Te	1	3541659	0.02	0.02	0.0%	< 0.01			80%	120%		
Th	1	3541659	5.8	5.2	10.9%	< 0.1	1.3	1.4	96%	80%	120%	
Tl	1	3541659	0.118	0.100	16.5%	< 0.01			80%	120%		
U	1	3541659	1.26	1.11	12.7%	< 0.05			80%	120%		
V	1	3541659	84.5	71.6	16.5%	< 0.5			80%	120%		
W	1	3541659	0.16	0.10		< 0.05			80%	120%		
Y	1	3541659	17.6	15.7	11.4%	< 0.05			80%	120%		
Zr	1	3541659	4.56	3.57	24.4%	< 0.5			80%	120%		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541684	0.21	0.21	0.0%	< 0.01			80%	120%		
As	1	3541684	24.9	24.6	1.2%	< 0.1			80%	120%		
Au	1	3541684	< 0.01	0.01		< 0.01			80%	120%		
B	1	3541684	< 5	< 5	0.0%	< 5			80%	120%		
Ba	1	3541684	301	292	3.0%	< 1			80%	120%		
Be	1	3541684	0.27	0.27	0.0%	< 0.05			80%	120%		
Bi	1	3541684	0.14	0.14	0.0%	< 0.01			80%	120%		
Cd	1	3541684	0.16	0.16	0.0%	< 0.01			80%	120%		
Ce	1	3541684	32.8	32.2	1.8%	< 0.01			80%	120%		
Co	1	3541684	16.8	16.4	2.4%	< 0.1			80%	120%		
Cr	1	3541684	61.3	59.6	2.8%	< 0.5			80%	120%		
Cs	1	3541684	1.36	1.29	5.3%	< 0.05			80%	120%		
Ga	1	3541684	9.79	9.72	0.7%	< 0.05			80%	120%		
Ge	1	3541684	0.11	0.11	0.0%	< 0.05			80%	120%		
Hf	1	3541684	0.10	0.10	0.0%	< 0.02			80%	120%		
Hg	1	3541684	0.038	0.031	20.3%	< 0.01			80%	120%		
In	1	3541684	0.0296	0.0294	0.7%	< 0.005			80%	120%		
La	1	3541684	17.2	16.6	3.6%	< 0.1			80%	120%		
Li	1	3541684	12.2	12.2	0.0%	< 0.1			80%	120%		
Mo	1	3541684	0.758	0.709	6.7%	< 0.05			80%	120%		
Nb	1	3541684	1.52	1.45	4.7%	< 0.05			80%	120%		
Pb	1	3541684	6.3	6.3	0.0%	< 0.1			80%	120%		
Rb	1	3541684	9.20	9.12	0.9%	< 0.1			80%	120%		
Re	1	3541684	0.144	0.136	5.7%	< 0.001			80%	120%		



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
									Lower	Upper	
Sb	1	3541684	0.44	0.42	4.7%	< 0.05				80%	120%
Sc	1	3541684	9.1	8.9	2.2%	< 0.1				80%	120%
Se	1	3541684	0.6	0.6	0.0%	< 0.2	0.8	0.8	97%	80%	120%
Sn	1	3541684	0.5	0.5	0.0%	< 0.2				80%	120%
Ta	1	3541684	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541684	0.02	0.02	0.0%	< 0.01				80%	120%
Th	1	3541684	3.5	3.5	0.0%	< 0.1	1.1	1.4	82%	80%	120%
Tl	1	3541684	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3541684	1.23	1.24	0.8%	< 0.05				80%	120%
V	1	3541684	101	98.7	2.3%	< 0.5				80%	120%
W	1	3541684	0.31	0.22		< 0.05				80%	120%
Y	1	3541684	13.5	13.5	0.0%	< 0.05				80%	120%
Zr	1	3541684	4.10	4.03	1.7%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541709	0.123	0.115	6.7%	< 0.01				80%	120%
As	1	3541709	6.9	6.6	4.4%	< 0.1				80%	120%
Au	1	3541709	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541709	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3541709	311	289	7.3%	< 1				80%	120%
Be	1	3541709	0.287	0.268	6.8%	< 0.05				80%	120%
Bi	1	3541709	0.100	0.092	8.3%	< 0.01				80%	120%
Cd	1	3541709	0.159	0.151	5.2%	< 0.01				80%	120%
Ce	1	3541709	28.7	24.5	15.8%	< 0.01				80%	120%
Co	1	3541709	22.7	21.9	3.6%	< 0.1	5.4	5.0	108%	80%	120%
Cr	1	3541709	80.5	75.9	5.9%	< 0.5				80%	120%
Cs	1	3541709	2.31	2.02	13.4%	< 0.05				80%	120%
Ga	1	3541709	7.38	6.71	9.5%	< 0.05				80%	120%
Ge	1	3541709	0.09	0.06		< 0.05				80%	120%
Hf	1	3541709	0.09	0.11	20.0%	< 0.02				80%	120%
Hg	1	3541709	0.065	0.063	3.1%	< 0.01				80%	120%
In	1	3541709	0.028	0.026	7.4%	< 0.005				80%	120%
La	1	3541709	14.8	9.7		< 0.1				80%	120%
Li	1	3541709	9.78	9.11	7.1%	< 0.1				80%	120%
Mo	1	3541709	0.67	0.64	4.6%	< 0.05	321	380	84%	80%	120%
Nb	1	3541709	0.85	0.84	1.2%	< 0.05				80%	120%
Pb	1	3541709	5.7	5.4	5.4%	< 0.1				80%	120%
Rb	1	3541709	9.31	7.71	18.8%	< 0.1				80%	120%
Re	1	3541709	0.147	0.161	9.1%	< 0.001				80%	120%
Sb	1	3541709	0.391	0.373	4.7%	< 0.05				80%	120%
Sc	1	3541709	8.16	7.85	3.9%	< 0.1				80%	120%
Se	1	3541709	0.44	0.46	4.4%	< 0.2				80%	120%
Sn	1	3541709	0.48	0.42	13.3%	< 0.2				80%	120%
Ta	1	3541709	< 0.01	< 0.01	0.0%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Aug 29, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Te	1	3541709	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3541709	3.45	2.98	14.6%	< 0.1				80%	120%	
Tl	1	3541709	0.172	0.153	11.7%	< 0.01				80%	120%	
U	1	3541709	0.66	0.60	9.5%	< 0.05				80%	120%	
V	1	3541709	72.4	66.9	7.9%	< 0.5				80%	120%	
W	1	3541709	0.19	0.19	0.0%	< 0.05				80%	120%	
Y	1	3541709	12.8	9.04		< 0.05				80%	120%	
Zr	1	3541709	3.9	4.3	9.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3541734	0.103	0.113	9.3%	< 0.01				80%	120%	
As	1	3541734	8.8	9.7	9.7%	< 0.1				80%	120%	
Au	1	3541734	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3541734	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3541734	311	319	2.5%	< 1				80%	120%	
Be	1	3541734	0.212	0.230	8.1%	< 0.05				80%	120%	
Bi	1	3541734	0.09	0.09	0.0%	< 0.01				80%	120%	
Cd	1	3541734	0.113	0.118	4.3%	< 0.01				80%	120%	
Ce	1	3541734	25.7	26.3	2.3%	< 0.01				80%	120%	
Co	1	3541734	7.69	8.56	10.7%	< 0.1				80%	120%	
Cr	1	3541734	24.6	27.7	11.9%	< 0.5				80%	120%	
Cs	1	3541734	0.579	0.608	4.9%	< 0.05				80%	120%	
Ga	1	3541734	6.82	7.31	6.9%	< 0.05				80%	120%	
Ge	1	3541734	0.115	0.095	19.0%	< 0.05				80%	120%	
Hf	1	3541734	0.038	0.046	19.0%	< 0.02				80%	120%	
Hg	1	3541734	0.035	0.034	2.9%	< 0.01				80%	120%	
In	1	3541734	0.020	0.021	4.9%	< 0.005				80%	120%	
La	1	3541734	13.3	13.6	2.2%	< 0.1				80%	120%	
Li	1	3541734	6.8	7.4	8.5%	< 0.1				80%	120%	
Mo	1	3541734	0.481	0.521	8.0%	< 0.05				80%	120%	
Nb	1	3541734	1.02	1.10	7.5%	< 0.05				80%	120%	
Pb	1	3541734	5.11	5.46	6.6%	< 0.1				80%	120%	
Rb	1	3541734	6.9	7.3	5.6%	< 0.1				80%	120%	
Re	1	3541734	0.095	0.132		< 0.001				80%	120%	
Sb	1	3541734	0.523	0.579	10.2%	< 0.05				80%	120%	
Sc	1	3541734	4.0	4.4	9.5%	< 0.1				80%	120%	
Se	1	3541734	0.52	0.58	10.9%	< 0.2	0.8	0.8	99%	80%	120%	
Sn	1	3541734	0.3	0.3	0.0%	< 0.2				80%	120%	
Ta	1	3541734	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3541734	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3541734	1.6	1.6	0.0%	< 0.1	1.1	1.4	82%	80%	120%	
Tl	1	3541734	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3541734	0.904	0.957	5.7%	< 0.05				80%	120%	
V	1	3541734	52.2	57.9	10.4%	< 0.5				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	3541734	0.75	0.45		< 0.05				80%	120%
Y	1	3541734	10.7	11.5	7.2%	< 0.05		7		80%	120%
Zr	1	3541734	1.51	1.80	17.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3541759	0.48	0.45	6.5%	< 0.01	11.9	13.0	91%	80%	120%
As	1	3541759	30.9	28.6	7.7%	< 0.1				80%	120%
Au	1	3541759	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3541759	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3541759	286	270	5.8%	< 1				80%	120%
Be	1	3541759	0.29	0.28	3.5%	< 0.05				80%	120%
Bi	1	3541759	0.127	0.124	2.4%	< 0.01				80%	120%
Cd	1	3541759	0.13	0.13	0.0%	< 0.01				80%	120%
Ce	1	3541759	31.8	29.9	6.2%	< 0.01				80%	120%
Co	1	3541759	12.8	15.2	17.1%	< 0.1				80%	120%
Cr	1	3541759	63.7	60.9	4.5%	< 0.5				80%	120%
Cs	1	3541759	1.80	1.68	6.9%	< 0.05				80%	120%
Ga	1	3541759	9.82	9.15	7.1%	< 0.05				80%	120%
Ge	1	3541759	0.11	0.11	0.0%	< 0.05				80%	120%
Hf	1	3541759	0.067	0.060	11.0%	< 0.02				80%	120%
Hg	1	3541759	0.03	0.03	0.0%	< 0.01	1.5	1.3	114%	80%	120%
In	1	3541759	0.028	0.027	3.6%	< 0.005				80%	120%
La	1	3541759	17.2	16.1	6.6%	< 0.1				80%	120%
Li	1	3541759	13.9	13.2	5.2%	< 0.1				80%	120%
Mo	1	3541759	0.544	0.494	9.6%	< 0.05				80%	120%
Nb	1	3541759	1.79	1.64	8.7%	< 0.05				80%	120%
Pb	1	3541759	7.2	7.0	2.8%	< 0.1				80%	120%
Rb	1	3541759	10.4	9.4	10.1%	< 0.1				80%	120%
Re	1	3541759	0.116	0.150	25.6%	< 0.001				80%	120%
Sb	1	3541759	0.34	0.31	9.2%	< 0.05				80%	120%
Sc	1	3541759	6.06	5.75	5.2%	< 0.1				80%	120%
Se	1	3541759	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3541759	0.7	0.7	0.0%	< 0.2				80%	120%
Ta	1	3541759	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3541759	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3541759	3.5	3.4	2.9%	< 0.1	1.3	1.4	90%	80%	120%
Tl	1	3541759	0.132	0.123	7.1%	< 0.01				80%	120%
U	1	3541759	0.80	0.80	0.0%	< 0.05				80%	120%
V	1	3541759	98.3	93.9	4.6%	< 0.5				80%	120%
W	1	3541759	0.15	0.18	18.2%	< 0.05				80%	120%
Y	1	3541759	7.88	7.10	10.4%	< 0.05	6	7	90%	80%	120%
Zr	1	3541759	3.1	2.7	13.8%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.7	13.0	90%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
B	1					< 5	6.02	7.00	86%	80%	120%
Hg	1					< 0.01	1.5	1.3	118%	80%	120%
Th	1					< 0.1	1.3	1.4	93%	80%	120%
Y	1					< 0.05	7	7	106%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	12.7	13.0	97%	80%	120%
B	1					< 5	7.97	7.00	114%	80%	120%
Th	1					< 0.1	1.4	1.4	100%	80%	120%
Y	1					< 0.05	8	7	118%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	12.5	13.0	96%	80%	120%
Hg	1					< 0.01	1.6	1.3	120%	80%	120%
Th	1					< 0.1	1.3	1.4	95%	80%	120%
Y	1					< 0.05	7	7	97%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	12.5	13.0	96%	80%	120%
Th	1					< 0.1	1.4	1.4	103%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.1	13.0	85%	80%	120%
B	1					< 5	6.66	7.00	95%	80%	120%
Hg	1					< 0.01	1.4	1.3	110%	80%	120%
Th	1					< 0.1	1.2	1.4	85%	80%	120%
Y	1					< 0.05	7	7	100%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.3	13.0	87%	80%	120%
Hg	1					< 0.01	1.5	1.3	118%	80%	120%
Th	1					< 0.1	1.2	1.4	87%	80%	120%
Y	1					< 0.05	6	7	82%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.3	13.0	87%	80%	120%
B	1					< 5	5.57	7.00	80%	80%	120%
Th	1					< 0.1	1.2	1.4	88%	80%	120%
Y	1					< 0.05	7	7	98%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Hg	1					< 0.01	1.3	1.3	96%	80%	120%
Mo	1					< 0.05	313	360	86%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Hg	1					< 0.01	1.4	1.3	108%	80%	120%
Mo	1					< 0.05	347	360	96%	80%	120%
Th	1					< 0.1	1.1	1.4	80%	80%	120%
Y	1					< 0.05	6	7	80%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	10.6	13.0	81%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

### Solid Analysis (Continued)

RPT Date: Aug 29, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
B	1					< 5	5.65	7.00	81%	80%	120%
Hg	1					< 0.01	1.4	1.3	110%	80%	120%
Mo	1					< 0.05	359	360	99%	80%	120%
Th	1					< 0.1	1.2	1.4	84%	80%	120%
Y	1					< 0.05	6	7	93%	80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.3	13.0	87%	80%	120%
Hg	1					< 0.01	1.5	1.3	117%	80%	120%

Certified By:



## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y622927

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y630507

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Sep 26, 2012

PAGES (INCLUDING COVER): 72

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012	DATE RECEIVED: Aug 14, 2012	DATE REPORTED: Sep 26, 2012	SAMPLE TYPE: Soil												
Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5	
G24-59 (-)	0.40	0.14	1.49	8.7	<0.01	5	324	0.47	0.13	0.95	0.14	28.5	9.5	37.8	
G34-59 (-)	0.46	0.04	0.70	4.8	<0.01	<5	659	0.54	0.05	0.22	0.07	21.0	6.9	12.7	
G26-59 (-)	0.36	0.13	1.45	7.7	<0.01	<5	354	0.52	0.12	1.17	0.17	26.6	9.2	33.6	
G34-29 (-)	0.40	0.12	1.41	8.6	<0.01	<5	279	0.38	0.11	0.57	0.11	25.5	7.9	31.5	
G36-59 (-)	0.46	0.03	2.44	2.2	<0.01	<5	151	1.17	0.03	0.82	0.06	74.4	15.3	63.7	
G36-29 (-)	0.42	0.08	1.08	5.0	<0.01	<5	229	0.34	0.09	0.47	0.12	25.2	6.6	25.9	
G34-24 (-)	0.42	0.08	2.40	3.3	<0.01	<5	464	0.26	0.06	0.61	0.05	10.6	15.6	26.1	
G36-24 (-)	0.44	0.10	1.88	3.4	<0.01	<5	326	0.28	0.07	0.45	0.04	13.1	13.2	50.3	
G34-60 (-)	0.43	0.14	1.48	5.1	<0.01	<5	255	0.36	0.15	0.44	0.08	23.3	5.9	25.7	
G3436-60 (-)	0.43	0.07	2.04	3.3	<0.01	<5	261	0.23	0.05	0.62	0.06	6.61	12.8	23.7	
G3638-26 (-)	0.34	0.12	1.77	6.6	<0.01	<5	211	0.20	0.07	0.35	0.04	9.47	11.1	63.2	
G3638-28 (-)	0.39	0.15	1.68	4.6	<0.01	<5	310	0.29	0.09	0.36	0.05	13.6	10.5	32.2	
G3638-30 (-)	0.39	0.05	1.59	5.8	<0.01	<5	219	0.23	0.08	0.31	0.04	16.4	10.2	33.3	
G3638-32 (-)	0.43	0.14	1.85	4.0	<0.01	<5	384	0.21	0.06	0.67	0.05	11.4	11.6	39.4	
G3638-34 (-)	0.44	0.14	2.02	6.5	<0.01	<5	499	0.17	0.04	0.77	0.05	7.67	14.1	38.7	
G3638-36 (-)	0.43	0.15	1.42	25.8	<0.01	<5	334	0.36	0.07	1.32	0.08	14.5	15.5	38.5	
G3638-38 (-)	0.41	0.09	2.21	2.9	<0.01	<5	512	0.18	0.04	0.63	0.03	6.77	16.5	75.2	
G3638-40 (-)	0.38	0.09	2.47	5.1	<0.01	<5	528	0.34	0.09	0.50	0.04	13.8	13.5	29.7	
G3638-42 (-)	0.42	0.10	1.67	4.8	<0.01	<5	348	0.24	0.10	0.52	0.06	11.4	11.9	36.3	
G3638-44 (-)	0.40	0.19	1.29	7.9	<0.01	<5	423	0.34	0.09	1.02	0.16	22.3	7.7	35.9	
G3638-46 (-)	0.35	0.20	1.51	6.3	<0.01	<5	612	0.37	0.10	1.10	0.23	19.3	8.7	38.9	
G3638-48 (-)	0.38	0.07	1.00	5.3	<0.01	<5	219	0.33	0.08	0.59	0.09	26.1	6.2	25.6	
G3638-50 (-)	0.47	0.10	1.27	6.8	<0.01	<5	242	0.35	0.12	0.51	0.12	28.9	6.7	29.2	
G3638-52 (-)	0.35	0.10	1.20	4.8	<0.01	<5	194	0.30	0.11	0.50	0.16	27.1	6.3	27.8	
G3638-54 (-)	0.30	0.17	1.25	4.4	<0.01	<5	327	0.37	0.12	0.74	0.24	24.0	7.9	24.7	
G3638-56 (-)	0.40	0.14	1.32	5.3	<0.01	<5	191	0.27	0.17	0.47	0.09	20.1	5.4	25.7	
G3638-58 (-)	0.41	0.16	1.40	7.1	<0.01	<5	233	0.35	0.23	0.65	0.18	24.8	7.6	32.4	
G3638-60 (-)	0.41	0.09	1.27	6.1	<0.01	<5	243	0.30	0.14	0.57	0.13	22.5	7.0	26.6	
G32-26 (-)	0.40	0.15	1.71	5.5	<0.01	7	309	0.36	0.10	0.57	0.08	21.2	8.6	33.3	
G32-28 (-)	0.41	0.24	1.50	12.7	<0.01	<5	254	0.30	0.20	0.61	0.24	18.0	12.1	43.0	
G32-30 (-)	0.43	0.15	1.99	6.6	<0.01	<5	310	0.31	0.12	0.61	0.09	16.0	10.6	41.2	

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G32-32 (-)	0.45	0.23	1.58	8.5	<0.01	<5	261	0.31	0.18	0.71	0.18	18.4	11.7	40.3
G32-34 (-)	0.43	0.21	1.74	8.7	<0.01	<5	429	0.39	0.17	0.91	0.14	22.0	10.6	45.6
G32-36 (-)	0.46	0.18	1.62	6.8	<0.01	<5	364	0.42	0.17	0.86	0.11	25.1	10.0	34.5
G32-40 (-)	0.34	0.11	1.18	4.2	<0.01	11	191	0.30	0.14	0.61	0.14	23.9	5.3	29.3
G32-42 (-)	0.38	0.11	1.29	7.1	<0.01	17	277	0.32	0.16	0.67	0.13	23.4	6.7	28.4
G32-44 (-)	0.41	0.15	1.23	9.0	<0.01	<5	188	0.32	0.30	0.96	0.24	22.4	9.1	36.2
G32-46 (-)	0.42	0.18	1.36	10.2	<0.01	<5	211	0.37	0.32	1.15	0.25	24.5	10.3	40.1
G32-48 (-)	0.39	0.12	1.18	7.3	<0.01	<5	269	0.38	0.12	0.50	0.15	25.8	6.9	27.4
G32-50 (-)	0.41	0.16	1.33	9.1	<0.01	<5	286	0.41	0.13	0.54	0.10	28.4	7.2	27.0
G32-52 (-)	0.42	0.18	1.46	9.1	<0.01	<5	300	0.36	0.14	0.56	0.10	27.1	7.7	26.8
G32-54 (-)	0.42	0.26	1.58	10.0	<0.01	<5	353	0.49	0.18	0.62	0.13	27.9	7.8	28.6
G32-56 (-)	0.36	0.43	1.81	11.7	0.01	<5	376	0.53	0.21	0.71	0.15	25.1	9.3	29.0
G32-58 (-)	0.35	0.29	1.30	21.8	<0.01	<5	177	0.48	0.21	0.41	0.12	20.3	6.5	25.1
G32-60 (-)	0.38	0.35	1.58	5.3	<0.01	<5	274	0.31	0.11	0.54	0.09	15.8	8.5	25.4
G2628-36 (-)	0.37	0.15	1.63	9.2	<0.01	<5	293	0.48	0.25	0.70	0.23	23.2	8.6	34.3
G2628-38 (-)	0.46	0.19	1.51	10.5	<0.01	<5	244	0.35	0.49	0.72	0.23	14.9	9.4	42.3
G2628-40 (-)	0.45	0.28	1.69	11.5	<0.01	<5	289	0.42	0.50	0.87	0.32	18.5	11.5	40.3
G2628-42 (-)	0.38	0.23	1.50	11.1	<0.01	<5	282	0.46	0.36	0.80	0.24	21.5	9.4	36.8
G2628-44 (-)	0.45	0.21	1.50	8.7	<0.01	<5	351	0.45	0.36	0.93	0.32	24.2	10.4	33.8
G2628-50 (-)	0.29	0.37	1.43	11.6	<0.01	<5	424	0.29	0.09	1.38	0.16	15.0	10.5	41.4
G2628-54 (-)	0.37	0.73	1.69	11.4	<0.01	<5	532	0.36	0.07	0.94	0.42	16.1	13.1	39.4
G2628-56 (-)	0.41	0.21	1.60	4.1	<0.01	<5	532	0.26	0.07	0.80	0.10	15.3	11.7	25.5
G2628-58 (-)	0.40	0.09	2.00	3.3	<0.01	<5	367	0.21	0.04	0.68	0.07	7.82	14.0	22.8
G2628-60 (-)	0.38	0.40	1.92	5.4	<0.01	<5	565	0.29	0.08	0.53	0.10	17.6	10.1	31.2
G22-10 (-)	0.43	0.09	1.17	6.7	<0.01	8	203	0.29	0.09	0.60	0.09	21.7	6.8	27.4
G22-14 (-)	0.41	0.10	1.32	7.3	<0.01	5	210	0.29	0.11	0.75	0.13	23.7	5.8	30.2
G22-16 (-)	0.45	0.11	1.24	8.0	<0.01	5	265	0.42	0.11	0.77	0.13	27.6	7.4	27.8
G22-18 (-)	0.37	0.17	1.37	8.3	<0.01	7	285	0.37	0.13	1.07	0.45	21.4	8.0	30.3
G22-20 (-)	0.45	0.14	1.27	7.0	0.13	<5	315	0.33	0.11	0.78	0.41	25.7	7.9	30.0
G20-23 (-)	0.42	0.13	1.56	6.1	<0.01	<5	293	0.48	0.12	0.77	0.26	26.0	7.5	34.9
G20-21 (-)	0.39	0.10	1.29	9.7	<0.01	6	300	0.46	0.11	0.68	0.10	30.2	8.8	27.4

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G20-19 (-)	0.47	0.17	1.79	6.6	<0.01	<5	417	0.47	0.11	0.79	0.18	24.5	10.4	31.7
G20-17 (-)	0.47	0.12	2.26	5.7	<0.01	<5	366	0.31	0.04	0.77	0.07	7.63	17.0	35.2
G20-15 (-)	0.48	0.13	1.85	8.8	<0.01	8	195	0.39	0.10	0.59	0.08	17.9	10.6	29.4
G20-13 (-)	0.53	0.10	2.56	3.6	<0.01	<5	426	0.47	0.17	0.55	0.11	19.5	16.7	38.0
G20-11 (-)	0.50	0.26	1.95	12.9	<0.01	<5	415	0.47	0.14	1.55	0.11	20.0	11.1	53.7
G20-9 (-)	0.52	0.31	1.54	13.7	<0.01	<5	383	0.47	0.21	0.90	0.11	20.2	11.2	27.7
G20-7 (-)	0.48	0.33	1.31	24.5	<0.01	<5	372	0.53	0.11	2.03	0.17	21.3	13.5	39.1
G20-5 (-)	0.51	0.29	2.01	17.7	<0.01	<5	343	0.46	0.14	0.58	0.30	20.7	10.2	33.0
G20-3 (-)	0.41	0.39	1.93	7.0	<0.01	<5	565	0.46	0.09	0.88	0.25	18.1	11.1	30.5
G20-1 (-)	0.41	0.28	1.67	6.3	<0.01	7	615	0.43	0.10	1.43	0.23	20.3	9.9	28.7
G20-0 (-)	0.28	0.23	1.49	7.0	<0.01	<5	588	0.43	0.09	1.48	0.13	18.6	8.9	27.5
G20-2 (-)	0.43	0.13	1.49	8.6	<0.01	<5	280	0.53	0.14	0.77	0.14	26.8	7.6	32.6
G20-4 (-)	0.40	0.08	1.19	5.9	<0.01	<5	209	0.26	0.10	0.57	0.12	21.5	5.6	27.3
G20-6 (-)	0.33	0.12	1.16	6.4	<0.01	<5	288	0.36	0.11	0.85	0.14	20.2	5.7	26.5
G20-8 (-)	0.41	0.11	1.30	7.8	<0.01	5	260	0.40	0.12	0.68	0.15	25.2	7.3	29.0
G20-10 (-)	0.43	0.12	1.15	8.5	<0.01	<5	244	0.33	0.12	0.60	0.09	20.8	6.8	28.1
G20-12 (-)	0.40	0.12	1.19	7.3	<0.01	<5	241	0.36	0.13	0.57	0.19	22.1	7.2	29.0
G20-14 (-)	0.44	0.09	1.03	7.7	<0.01	<5	223	0.39	0.12	0.53	0.24	19.6	6.8	28.8
G20-16 (-)	0.39	0.13	1.15	7.6	<0.01	<5	214	0.34	0.11	0.75	0.58	19.3	8.3	29.4
G20-18 (-)	0.37	0.13	1.20	6.9	<0.01	<5	221	0.35	0.11	0.58	0.24	19.3	7.7	28.1
G20-20 (-)	0.36	0.19	1.32	9.1	<0.01	<5	251	0.32	0.11	0.70	0.27	18.4	7.7	28.9
G20-22 (-)	0.33	0.30	1.42	9.4	<0.01	<5	216	0.39	0.10	0.57	1.20	19.1	10.3	36.7
G20-24 (-)	0.36	0.23	1.45	13.5	<0.01	<5	237	0.42	0.13	0.78	0.46	19.2	9.7	41.6
G20-26 (-)	0.35	0.31	1.57	9.6	<0.01	<5	214	0.38	0.09	0.94	0.61	17.5	10.6	43.6
G20-28 (-)	0.32	0.32	1.83	8.7	<0.01	5	260	0.38	0.09	1.19	0.39	16.2	13.3	57.9
G20-30 (-)	0.33	0.18	1.65	12.8	<0.01	17	204	0.36	0.07	1.14	0.24	16.1	14.1	54.0
G20-32 (-)	0.27	0.25	1.44	33.6	<0.01	<5	196	0.31	0.06	1.28	0.29	13.6	12.0	46.1
G20-34 (-)	0.35	0.30	1.68	21.0	<0.01	6	225	0.38	0.08	1.18	0.37	14.5	14.9	57.2
G18-19 (-)	0.37	0.15	1.04	11.1	<0.01	6	321	0.45	0.10	1.17	0.22	20.5	13.5	25.3
G18-17 (-)	0.30	0.22	1.24	11.8	<0.01	6	449	0.56	0.11	1.73	0.36	17.4	11.0	28.9
G18-15 (-)	0.43	0.15	1.38	8.4	<0.01	11	324	0.57	0.15	0.84	0.20	23.3	8.9	34.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G18-13 (-)		0.46	0.11	1.12	7.2	<0.01	5	288	0.44	0.10	0.72	0.15	22.0	7.1	26.3
G18-11 (-)		0.46	0.15	1.26	13.5	<0.01	<5	333	0.51	0.14	1.07	0.24	24.6	8.6	28.2
G18-9 (-)		0.44	0.14	1.32	8.3	<0.01	<5	411	0.50	0.12	1.14	0.23	23.0	8.1	28.3
G18-5 (-)		0.51	0.13	1.28	9.1	<0.01	10	303	0.52	0.15	1.15	0.30	25.6	9.3	41.8
G18-3 (-)		0.33	0.17	1.43	9.8	<0.01	5	367	0.51	0.12	1.02	0.15	21.6	9.8	27.5
G18-1 (-)		0.46	0.23	1.53	13.9	<0.01	7	308	0.51	0.19	0.71	0.22	22.7	8.6	31.2
G18-0 (-)		0.39	0.10	1.11	5.1	0.01	6	217	0.33	0.10	0.64	0.20	19.9	6.3	25.9
G18-2 (-)		0.38	0.11	1.25	5.1	<0.01	5	275	0.37	0.12	0.62	0.16	21.5	6.5	28.8
G18-4 (-)		0.35	0.11	1.17	8.2	<0.01	<5	265	0.35	0.14	0.59	0.15	21.1	6.7	27.5
G18-6 (-)		0.48	0.07	1.07	5.7	<0.01	7	299	0.36	0.10	0.58	0.11	23.8	5.8	29.1
G18-8 (-)		0.40	0.10	1.16	6.8	<0.01	8	251	0.40	0.11	0.60	0.12	21.3	7.6	28.1
G18-10 (-)		0.38	0.09	1.10	6.0	<0.01	<5	343	0.41	0.11	0.70	0.14	25.4	6.9	27.7
G18-12 (-)		0.37	0.15	1.30	6.5	<0.01	<5	291	0.45	0.11	0.61	0.24	22.5	7.4	28.5
G18-14 (-)		0.42	0.14	1.27	7.8	<0.01	7	218	0.31	0.12	0.69	0.32	21.0	7.9	31.2
G18-16 (-)		0.39	0.12	1.37	8.1	<0.01	8	222	0.37	0.11	0.62	0.26	20.7	9.2	35.5
G18-18 (-)		0.42	0.10	1.22	6.8	<0.01	8	252	0.37	0.30	0.62	0.21	21.1	6.6	27.1
G18-20 (-)		0.37	0.16	1.53	10.6	<0.01	<5	340	0.51	0.13	0.73	0.21	26.9	9.8	33.8
G18-22 (-)		0.39	0.09	1.38	6.9	<0.01	<5	234	0.39	0.11	0.55	0.13	21.3	7.0	28.1
G18-24 (-)		0.39	0.10	1.33	7.9	<0.01	<5	235	0.17	0.09	0.57	0.11	23.7	9.9	30.5
G18-26 (-)		0.34	0.13	1.26	7.9	<0.01	<5	211	0.15	0.09	0.80	0.17	20.5	10.6	29.0
G18-28 (-)		0.41	0.24	3.09	12.0	<0.01	<5	357	0.14	0.05	0.89	0.22	8.40	24.2	103
G18-30 (-)		0.33	0.40	2.31	30.0	<0.01	<5	333	0.19	0.54	1.09	0.34	17.0	19.3	61.2
G18-32 (-)		0.34	0.22	1.50	36.2	<0.01	<5	222	0.13	0.07	1.00	0.18	12.1	17.6	48.6
G18-34 (-)		0.38	0.17	1.69	8.9	<0.01	<5	334	0.21	0.12	0.73	0.09	23.1	12.2	35.9
G16-25 (-)		0.40	0.08	0.97	6.7	<0.01	<5	212	0.18	0.08	0.59	0.13	24.2	8.5	27.5
G16-19 (-)		0.28	0.20	1.23	8.4	<0.01	7	421	0.24	0.14	1.39	0.47	23.8	11.6	36.6
G16-17 (-)		0.45	0.17	1.16	10.3	<0.01	<5	316	0.24	0.12	0.55	0.24	25.3	10.7	35.5
G16-15 (-)		0.52	0.19	1.29	12.4	<0.01	<5	318	0.25	0.13	0.69	0.24	22.4	12.7	33.2
G16-13 (-)		0.42	0.10	0.96	10.4	<0.01	6	260	0.21	0.11	1.50	0.23	24.7	9.4	27.2
G16-9 (-)		0.47	0.12	1.13	8.1	<0.01	<5	296	0.28	0.13	0.63	0.14	28.9	12.4	32.7
G16-7 (-)		0.42	0.14	1.28	9.2	<0.01	<5	299	0.27	0.15	0.66	0.25	30.1	9.4	29.9

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G16-5 (-)		0.39	0.09	1.10	10.6	<0.01	7	240	0.24	0.09	0.57	0.13	23.7	8.6	25.4
G16-3 (-)		0.39	0.13	1.32	9.8	<0.01	<5	256	0.27	0.16	1.86	0.19	27.5	11.7	31.9
G16-1 (-)		0.37	0.08	1.13	6.0	<0.01	<5	212	0.16	0.15	0.56	0.11	21.7	9.1	27.0
G16-0 (-)		0.29	0.14	1.23	10.8	<0.01	<5	233	0.21	0.18	0.90	0.13	24.3	8.5	28.4
G16-2 (-)		0.47	0.13	1.47	8.2	<0.01	6	306	0.29	0.24	0.59	0.16	28.1	8.7	29.2
G16-4 (-)		0.49	0.16	1.32	9.9	<0.01	<5	237	0.22	0.36	0.64	0.18	27.0	9.8	31.1
G16-6 (-)		0.46	0.11	1.16	9.8	<0.01	<5	219	0.16	0.18	0.50	0.16	23.6	10.0	26.5
G16-8 (-)		0.44	0.07	0.98	9.5	<0.01	<5	241	0.20	0.11	0.54	0.12	24.4	8.0	27.0
G16-10 (-)		0.33	0.11	1.15	8.8	0.01	<5	252	0.18	0.14	0.66	0.18	22.5	9.6	26.0
G16-12 (-)		0.40	0.12	1.28	9.2	<0.01	<5	302	0.27	0.12	0.67	0.15	28.7	9.8	28.4
G16-14 (-)		0.40	0.13	1.21	8.2	0.17	<5	233	0.15	0.10	0.64	0.18	21.0	9.4	27.0
G16-16 (-)		0.40	0.10	1.14	8.6	<0.01	<5	222	0.17	0.10	0.61	0.17	22.6	9.1	27.6
G16-18 (-)		0.43	0.11	1.15	8.5	<0.01	<5	295	0.22	0.10	0.59	0.18	29.3	8.8	26.6
G16-20 (-)		0.36	0.10	1.37	8.8	<0.01	<5	333	0.24	0.13	0.60	0.14	25.3	8.5	28.3
G16-22 (-)		0.37	0.13	1.46	8.9	<0.01	<5	283	0.22	0.12	0.67	0.22	25.8	10.9	30.3
G16-24 (-)		0.32	0.14	1.57	10.2	0.01	<5	214	0.17	0.10	0.59	0.15	20.9	14.6	46.6
G16-26 (-)		0.29	0.13	1.44	9.5	<0.01	<5	240	0.18	0.09	0.71	0.12	19.4	10.8	46.5
G16-28 (-)		0.37	0.14	1.70	8.8	<0.01	<5	207	0.19	0.10	0.85	0.19	21.3	12.2	63.7
G16-30 (-)		0.28	0.12	1.59	3.4	<0.01	<5	198	0.13	0.07	0.96	0.10	13.8	12.5	69.7
G16-32 (-)		0.31	0.20	1.85	9.9	<0.01	<5	240	0.16	0.09	1.02	0.10	15.3	17.0	71.5
G14-21 (-)		0.35	0.16	1.26	7.6	<0.01	<5	354	0.32	0.12	1.27	0.28	26.3	8.7	29.6
G14-17 (-)		0.37	0.21	1.34	6.9	<0.01	<5	354	0.28	0.11	1.00	0.45	25.9	11.1	29.3
G14-13 (-)		0.73	0.16	1.05	8.0	<0.01	<5	421	0.26	0.11	1.90	0.28	20.3	12.0	41.7
G14-11 (-)		0.41	0.10	1.27	10.3	<0.01	<5	234	0.24	0.12	0.53	0.08	22.8	8.9	30.2
G14-9 (-)		0.40	0.12	1.33	8.0	<0.01	<5	320	0.27	0.19	0.70	0.18	30.9	9.1	28.1
G14-7 (-)		0.35	0.09	1.30	7.9	<0.01	<5	237	0.26	0.15	2.10	0.18	27.0	11.3	31.8
G14-5 (-)		0.42	0.16	1.33	10.0	<0.01	<5	368	0.24	0.15	0.96	0.23	25.2	9.5	28.8
G14-3 (-)		0.40	0.12	1.28	9.6	<0.01	<5	324	0.26	0.20	0.69	0.14	28.2	9.5	27.7
G14-1 (-)		0.40	0.11	1.19	9.6	<0.01	<5	365	0.26	0.16	0.62	0.10	28.8	9.3	26.5
G14-0 (-)		0.42	0.15	1.58	9.5	<0.01	<5	317	0.24	0.28	0.56	0.14	26.9	10.5	29.1
G14-2 (-)		0.50	0.23	1.28	26.0	<0.01	<5	211	0.20	0.43	0.54	0.21	17.0	12.2	35.8

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G14-4 (-)	0.47	0.18	1.18	12.5	<0.01	<5	218	0.20	0.42	0.39	0.19	15.7	9.9	27.4
G14-6 (-)	0.48	0.10	1.72	12.4	<0.01	<5	229	0.21	0.34	0.33	0.11	18.1	10.9	31.2
G14-8 (-)	0.57	0.14	1.46	17.2	<0.01	<5	238	0.20	0.67	0.52	0.19	19.9	11.7	31.8
G14-10 (-)	0.43	0.14	1.39	8.7	0.01	<5	241	0.20	0.22	0.44	0.13	24.9	9.5	28.7
G14-12 (-)	0.40	0.11	1.10	8.9	<0.01	<5	263	0.24	0.10	0.51	0.09	25.4	8.0	26.6
G14-14 (-)	0.37	0.19	1.23	10.0	<0.01	7	243	0.23	0.14	0.54	0.24	24.6	10.2	25.8
G14-16 (-)	0.43	0.19	1.39	9.0	0.02	<5	240	0.16	0.34	0.57	0.16	18.1	10.4	25.1
G14-18 (-)	0.38	0.10	1.27	8.1	<0.01	<5	290	0.21	0.12	0.57	0.17	26.2	9.0	27.2
G14-20 (-)	0.44	0.12	1.23	9.4	<0.01	<5	327	0.24	0.12	0.61	0.20	28.4	9.1	27.6
G14-22 (-)	0.41	0.15	1.23	8.9	<0.01	14	300	0.22	0.11	0.57	0.15	26.3	9.1	26.1
G14-24 (-)	0.37	0.18	1.60	10.2	<0.01	8	355	0.21	0.09	0.89	0.20	20.7	13.4	26.9
G14-26 (-)	0.45	0.16	1.63	9.8	<0.01	<5	293	0.24	0.09	0.71	0.20	24.5	11.5	31.0
G14-28 (-)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G14-30 (-)	0.46	0.41	2.39	17.3	<0.01	<5	418	0.25	0.07	0.52	0.14	14.9	17.4	19.1
G14-32 (-)	0.32	0.18	1.67	12.4	<0.01	<5	210	0.10	0.06	0.40	0.08	10.1	12.8	25.3
G12-27 (-)	0.49	0.21	0.96	5.1	<0.01	5	157	0.19	0.07	0.66	0.12	22.0	5.5	24.3
G12-23 (-)	0.42	0.12	1.20	7.9	<0.01	<5	228	0.23	0.11	0.61	0.16	27.1	9.0	27.3
G12-21 (-)	0.52	0.10	1.23	8.4	<0.01	<5	215	0.25	0.12	0.50	0.09	27.3	8.7	26.1
G12-19 (-)	0.38	0.09	1.14	8.2	<0.01	<5	245	0.20	0.11	0.63	0.12	25.2	8.0	27.3
G12-17 (-)	0.48	0.10	1.13	12.8	<0.01	7	234	0.22	0.14	0.60	0.08	27.0	7.9	27.6
G12-15 (-)	0.40	0.15	1.40	9.0	0.01	<5	303	0.24	0.16	0.75	0.21	27.3	9.8	28.6
G12-13 (-)	0.47	0.28	1.39	11.2	<0.01	<5	341	0.29	0.17	0.90	0.16	29.8	10.0	30.0
G12-11 (-)	0.54	0.27	1.14	7.3	<0.01	<5	233	0.20	0.14	0.64	0.12	31.3	8.0	29.1
G12-9 (-)	0.47	0.30	1.22	8.5	<0.01	<5	305	0.26	0.16	0.63	0.12	30.6	8.2	26.8
G12-7 (-)	0.40	0.13	1.37	9.5	<0.01	<5	363	0.28	0.33	0.66	0.11	30.0	9.6	30.7
G12-5 (-)	0.38	0.25	1.50	8.3	<0.01	<5	423	0.33	0.21	0.89	0.43	28.1	11.6	29.7
G12-3 (-)	0.47	0.12	1.04	5.8	0.04	<5	168	0.15	0.24	0.53	0.08	23.1	5.4	23.2
G12-1 (-)	0.45	0.14	1.29	8.8	<0.01	<5	235	0.18	0.37	0.57	0.10	26.3	7.5	27.0
G12-0 (-)	0.41	0.14	1.49	9.5	<0.01	6	287	0.25	0.28	0.56	0.15	29.5	9.3	32.7
G12-2 (-)	0.38	0.15	1.51	9.3	<0.01	10	336	0.30	0.26	0.58	0.09	32.3	9.4	30.6
G12-4 (-)	0.45	0.54	1.26	8.4	<0.01	<5	217	0.20	0.26	0.43	0.10	26.5	6.8	26.8

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G12-6 (-)		0.41	0.10	1.19	8.0	<0.01	<5	252	0.20	0.23	0.44	0.10	24.9	7.1	26.2
G12-8 (-)		0.40	0.17	1.27	9.7	<0.01	<5	319	0.25	0.27	0.56	0.19	25.6	8.3	27.8
G12-10 (-)		0.42	0.17	1.38	8.2	<0.01	<5	243	0.23	0.24	0.47	0.11	24.7	7.4	28.9
G12-12 (-)		0.38	0.10	1.24	6.5	<0.01	<5	181	0.18	0.16	0.44	0.08	22.9	6.7	23.9
G12-14 (-)		0.36	0.16	1.17	6.6	<0.01	<5	218	0.20	0.12	0.50	0.08	25.6	6.8	25.3
G12-16 (-)		0.40	0.14	1.38	8.0	<0.01	<5	324	0.25	0.16	0.61	0.15	27.6	9.4	28.2
G12-18 (-)		0.41	0.16	1.53	8.4	<0.01	<5	258	0.20	0.19	0.53	0.08	24.8	10.8	30.1
G12-20 (-)		0.42	0.13	1.34	8.5	<0.01	<5	289	0.21	0.17	0.66	0.11	26.5	9.2	28.0
G12-22 (-)		0.42	0.12	1.10	9.7	<0.01	<5	294	0.24	0.14	0.66	0.12	27.8	9.2	26.3
G12-24 (-)		0.40	0.26	1.49	13.3	<0.01	<5	368	0.23	0.13	0.73	0.16	23.1	11.1	27.1
G12-26 (-)		0.37	0.62	3.09	30.7	<0.01	<5	639	0.24	0.09	0.73	0.16	13.1	19.8	21.4
G12-28 (-)		0.42	0.27	2.17	15.2	<0.01	<5	245	0.16	0.11	0.47	0.12	12.4	17.3	47.4
G12-30 (-)		0.45	0.17	1.63	9.7	<0.01	<5	253	0.24	0.11	0.31	0.06	20.7	10.8	28.9
G10-27 (-)		0.39	0.11	1.15	8.6	<0.01	12	274	0.24	0.12	0.70	0.18	23.1	9.4	26.4
G10-25 (-)		0.38	0.08	1.00	5.6	<0.01	<5	227	0.23	0.11	0.57	0.10	23.7	6.5	24.1
G10-23 (-)		0.41	0.11	1.25	10.5	<0.01	<5	332	0.28	0.12	0.73	0.41	26.9	11.5	26.9
G10-21 (-)		0.46	0.12	1.18	8.6	<0.01	<5	258	0.30	0.13	0.73	0.20	28.0	8.6	28.5
G10-19 (-)		0.54	0.08	0.95	6.1	<0.01	<5	205	0.20	0.10	0.59	0.10	24.1	7.1	28.2
G10-17 (-)		0.44	0.12	1.14	7.1	0.02	<5	281	0.28	0.13	0.76	0.16	28.4	9.1	30.0
G10-15 (-)		0.53	0.15	1.43	8.0	<0.01	<5	333	0.34	0.15	1.24	0.24	30.7	11.3	47.4
G10-13 (-)		0.49	0.09	1.06	6.9	<0.01	<5	229	0.23	0.13	0.62	0.13	28.9	8.2	28.2
G10-11 (-)		0.52	0.12	1.38	9.2	<0.01	<5	295	0.30	0.18	0.80	0.19	28.3	9.8	33.3
G10-9 (-)		0.45	0.15	1.15	9.2	<0.01	<5	350	0.31	0.15	0.84	0.16	29.5	9.6	28.5
G10-7 (-)		0.51	0.14	1.48	9.0	<0.01	<5	304	0.28	0.19	0.67	0.17	24.8	9.1	35.0
G10-5 (-)		0.54	0.18	1.43	9.0	<0.01	<5	333	0.28	0.15	0.71	0.17	26.5	9.5	37.8
G10-3 (-)		0.52	0.11	2.06	11.8	<0.01	<5	324	0.22	0.11	0.49	0.13	17.5	14.4	60.3
G10-1 (-)		0.49	0.07	1.50	9.6	<0.01	<5	240	0.23	0.17	0.35	0.08	20.4	9.7	31.7
G10-0 (-)		0.48	0.15	1.32	9.4	<0.01	<5	268	0.24	0.23	0.44	0.09	23.9	8.0	27.3
G10-2 (-)		0.47	0.15	1.45	12.3	<0.01	<5	318	0.30	0.30	0.61	0.13	27.3	8.9	26.9
G10-4 (-)		0.46	0.13	1.20	9.5	<0.01	<5	225	0.21	0.33	0.61	0.14	24.9	8.2	24.9
G10-6 (-)		0.48	0.18	1.27	10.4	<0.01	5	256	0.24	0.49	0.64	0.38	27.0	9.2	27.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G10-10 (-)	0.44	0.36	1.75	55.2	<0.01	<5	289	0.27	0.83	0.50	0.48	21.0	13.9	49.1
G10-12 (-)	0.26	0.17	1.28	7.0	<0.01	<5	179	0.19	0.25	0.34	0.21	22.1	6.6	24.9
G10-14 (-)	0.37	0.10	1.29	8.5	<0.01	<5	238	0.22	0.20	0.46	0.08	25.4	7.4	26.0
G10-16 (-)	0.29	0.27	1.37	8.2	<0.01	<5	291	0.27	0.37	0.76	0.23	27.0	9.4	26.9
G10-18 (-)	0.42	0.30	1.39	8.9	<0.01	<5	190	0.28	0.42	0.66	0.17	30.2	10.7	29.4
G10-20 (-)	0.33	0.23	1.20	5.9	<0.01	<5	136	0.11	0.49	0.37	0.12	16.4	9.6	24.4
G08-27 (-)	0.37	0.12	1.40	8.3	<0.01	<5	285	0.31	0.14	0.67	0.22	27.3	8.0	30.9
G08-25 (-)	0.36	0.07	0.88	5.8	<0.01	<5	194	0.10	0.08	0.54	0.08	16.7	5.4	19.3
G08-23 (-)	0.30	0.06	0.91	5.0	<0.01	<5	229	0.16	0.08	0.57	0.11	18.0	8.1	19.9
G08-21 (-)	0.41	0.11	1.17	7.4	<0.01	<5	303	0.29	0.12	0.86	0.27	28.6	9.2	27.7
G08-19 (-)	0.43	0.12	1.13	9.8	<0.01	<5	311	0.30	0.13	0.78	0.28	30.2	9.1	27.8
G08-17 (-)	0.45	0.14	1.85	9.6	<0.01	<5	372	0.19	0.07	0.61	0.20	14.6	14.2	39.0
G08-15 (-)	0.44	0.14	1.28	10.1	<0.01	<5	258	0.30	0.14	1.26	0.56	27.4	11.1	35.4
G08-13 (-)	0.38	0.17	1.51	9.9	<0.01	<5	367	0.36	0.16	0.88	0.20	28.5	11.5	43.7
G08-11 (-)	0.40	0.17	1.40	10.7	<0.01	<5	303	0.29	0.15	1.05	0.35	28.2	11.6	42.2
G08-09 (-)	0.39	0.11	1.32	8.3	<0.01	<5	281	0.25	0.13	0.69	0.10	23.9	8.7	29.8
G08-07 (-)	0.43	0.16	1.50	9.7	<0.01	<5	347	0.30	0.17	1.44	0.24	28.9	11.3	40.9
G08-05 (-)	0.37	0.26	2.08	27.4	<0.01	<5	306	0.19	0.08	0.54	0.17	14.7	14.7	58.8
G08-03 (-)	0.43	0.08	1.69	6.6	<0.01	<5	236	0.15	0.08	0.47	0.10	13.3	13.1	72.8
G08-01 (-)	0.48	0.11	1.58	7.9	<0.01	<5	266	0.22	0.14	0.47	0.08	20.4	9.7	30.6
G08-00 (-)	0.47	0.12	1.84	8.2	<0.01	<5	369	0.26	0.15	0.48	0.16	15.4	13.0	29.2
G08-02 (-)	0.48	0.27	2.90	8.5	<0.01	<5	509	0.15	0.35	0.66	0.17	7.60	28.6	77.2
G08-04 (-)	0.45	0.13	2.43	10.1	<0.01	<5	390	0.21	0.21	0.58	0.17	14.9	17.5	28.2
G08-06 (-)	0.40	0.42	2.39	10.8	<0.01	<5	430	0.23	0.43	0.60	0.34	21.0	13.5	23.2
G08-08 (-)	0.42	0.34	1.33	24.9	<0.01	<5	211	0.30	0.46	0.49	0.49	28.6	9.0	32.2
G08-10 (-)	0.42	0.19	1.40	16.4	<0.01	<5	242	0.23	0.36	0.46	0.21	21.3	9.2	27.3
G08-12 (-)	0.44	0.16	1.23	21.7	<0.01	<5	233	0.29	0.32	0.62	0.24	26.5	8.6	27.8
G08-14 (-)	0.35	0.34	1.82	255	<0.01	<5	308	0.28	0.91	0.47	0.81	22.5	13.2	31.2
G08-16 (-)	0.44	0.18	1.67	9.8	<0.01	<5	332	0.27	0.41	0.75	0.25	26.6	9.5	31.1
G08-18 (-)	0.38	0.21	1.40	5.9	<0.01	<5	226	0.18	0.34	0.90	0.13	20.4	7.4	27.5
G08-20 (-)	0.31	0.39	1.52	6.5	<0.01	<5	306	0.32	0.46	1.19	0.36	26.8	11.4	28.3

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G08-22 (-)	0.40	0.70	1.67	14.6	<0.01	<5	279	0.25	2.21	0.65	0.42	18.5	14.6	34.1
G08-24 (-)	0.36	0.40	1.71	5.1	<0.01	<5	316	0.27	0.38	0.85	0.36	27.8	13.7	31.7
G08-26 (-)	0.36	0.52	2.20	5.2	<0.01	<5	403	0.28	0.59	1.19	0.38	23.3	16.4	24.6
G08-46 (-)	0.46	0.16	1.69	8.8	<0.01	<5	255	0.16	0.08	0.53	0.06	15.5	8.5	25.1
G08-48 (-)	0.49	0.15	1.61	11.7	<0.01	<5	233	0.17	0.08	0.47	0.06	17.0	8.2	26.1
G08-50 (-)	0.40	0.19	2.38	28.3	<0.01	<5	392	0.24	0.06	0.66	0.11	12.9	18.2	20.6
G0608-23 (-)	0.38	0.10	1.27	8.6	<0.01	<5	313	0.27	0.13	0.76	0.20	25.6	9.0	28.6
G0608-21 (-)	0.38	0.12	1.24	8.0	<0.01	<5	285	0.29	0.12	0.69	0.19	26.9	9.3	31.2
G0608-19 (-)	0.41	0.15	1.31	9.7	<0.01	<5	328	0.34	0.13	0.79	0.20	29.0	9.7	32.8
G0608-17 (-)	0.38	0.17	1.33	10.4	<0.01	<5	347	0.24	0.13	0.83	0.29	26.4	10.9	32.0
G0608-15 (-)	0.43	0.14	1.40	11.9	<0.01	<5	342	0.35	0.16	0.71	0.22	30.5	10.3	33.2
G0608-13 (-)	0.29	0.19	1.35	8.5	<0.01	8	548	0.40	0.12	1.39	0.29	25.4	10.1	28.6
G0608-11 (-)	0.41	0.28	1.23	24.0	<0.01	<5	300	0.34	0.14	0.57	0.57	25.5	13.7	31.2
G0608-9 (-)	0.43	0.14	1.52	28.9	<0.01	<5	263	0.26	0.11	0.64	0.17	23.4	10.9	45.3
G0608-7 (-)	0.45	0.50	1.58	172	<0.01	<5	255	0.32	0.08	0.54	0.73	18.8	18.0	47.2
G0608-5 (-)	0.47	0.11	1.31	8.8	<0.01	<5	262	0.28	0.13	0.65	0.08	25.4	9.7	31.4
G0608-3 (-)	0.45	0.13	1.69	7.2	<0.01	<5	303	0.26	0.12	0.54	0.10	22.6	12.0	37.1
G0608-1 (-)	0.47	0.11	2.37	9.1	<0.01	<5	305	0.24	0.10	0.64	0.10	15.0	19.0	27.4
G0608-00 (-)	0.44	0.14	2.61	34.9	<0.01	<5	488	0.30	0.32	0.51	0.73	10.2	16.8	15.6
G0608-02 (-)	0.37	0.18	1.49	9.0	<0.01	<5	245	0.19	0.23	0.39	0.18	23.6	7.6	27.3
G0608-04 (-)	0.37	0.27	2.31	8.8	<0.01	<5	394	0.26	0.21	0.40	0.21	23.2	12.5	26.2
G0608-06 (-)	0.40	0.35	2.48	5.3	<0.01	<5	351	0.22	0.40	0.53	0.34	13.4	12.3	24.3
G0608-08 (-)	0.39	0.12	1.71	7.3	<0.01	<5	207	0.18	0.36	0.50	0.21	16.8	10.0	25.1
G0608-10 (-)	0.45	0.15	1.31	13.6	<0.01	<5	182	0.26	0.35	0.45	0.20	22.4	9.7	23.4
G0608-12 (-)	0.31	0.43	1.96	204	0.01	<5	199	0.20	0.70	0.34	0.44	13.2	10.6	21.3
G0608-14 (-)	0.36	0.60	1.67	3220	<0.01	<5	239	0.37	1.74	0.62	0.74	19.9	17.5	22.1
G0608-16 (-)	0.40	0.21	2.55	25.5	<0.01	<5	414	0.23	4.67	0.57	0.41	9.71	18.5	16.4
G0608-18 (-)	0.48	0.17	2.99	5.0	<0.01	<5	178	0.19	0.69	0.64	0.20	8.71	20.4	15.2
G0608-20 (-)	0.39	0.28	1.39	7.0	<0.01	<5	196	0.24	5.22	0.44	0.40	13.4	16.0	20.2
G06-27 (-)	0.36	0.11	1.24	6.7	<0.01	<5	255	0.32	0.13	0.61	0.21	25.3	7.7	28.9
G06-25 (-)	0.43	0.07	0.93	9.1	<0.01	<5	207	0.28	0.10	0.52	0.13	23.5	5.7	24.4

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G06-23 (-)	0.37	0.14	1.53	13.5	<0.01	<5	375	0.35	0.14	0.60	0.38	28.0	13.4	29.6
G06-21 (-)	0.43	0.11	1.18	7.2	<0.01	6	291	0.32	0.12	0.68	0.16	25.8	9.2	28.7
G06-19 (-)	0.45	0.09	0.89	10.9	<0.01	6	225	0.24	0.10	0.60	0.20	23.0	7.4	26.9
G06-17 (-)	0.42	0.11	1.11	8.0	<0.01	<5	297	0.29	0.12	0.67	0.15	23.0	8.4	28.7
G06-15 (-)	0.35	0.19	1.24	7.6	<0.01	<5	411	0.39	0.12	1.51	0.71	25.3	10.6	34.9
G06-13 (-)	0.41	0.18	1.37	12.9	<0.01	<5	368	0.35	0.15	0.93	0.45	27.6	11.4	38.8
G06-11 (-)	0.48	1.16	0.60	62.5	<0.01	<5	334	0.79	0.18	1.23	6.48	22.4	39.5	44.1
G06-9 (-)	0.49	0.12	1.79	11.9	0.01	<5	278	0.29	0.08	0.55	0.14	16.1	11.6	44.0
G06-7 (-)	0.45	0.12	1.49	8.3	<0.01	<5	242	0.29	0.14	0.51	0.08	17.6	10.1	39.5
G06-48 (-)	0.52	0.21	1.55	10.9	<0.01	<5	341	0.30	0.10	0.80	0.20	23.7	8.7	27.8
G06-50 (-)	0.42	0.22	1.78	13.5	<0.01	<5	328	0.32	0.10	0.85	0.14	25.6	10.6	36.5
G06-52 (-)	0.39	0.36	1.99	19.8	<0.01	<5	287	0.27	0.10	0.77	0.15	21.7	11.2	29.7

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G24-59 (-)	0.54	55.1	2.72	4.20	0.11	0.08	0.04	0.025	0.06	14.8	11.6	0.63	507	1.81
G34-59 (-)	0.47	28.4	1.88	2.23	0.11	0.05	0.02	0.012	0.10	11.6	3.6	0.20	623	14.9
G26-59 (-)	0.47	46.1	2.46	4.02	0.10	0.08	0.05	0.022	0.06	14.1	12.3	0.58	518	1.34
G34-29 (-)	0.79	28.8	2.50	4.06	0.10	0.03	0.03	0.022	0.05	13.0	12.2	0.57	337	1.59
G36-59 (-)	1.48	89.3	4.70	13.6	0.19	0.19	0.01	0.032	0.50	52.0	27.5	2.01	734	0.98
G36-29 (-)	0.63	20.9	1.91	3.31	0.09	0.05	0.02	0.017	0.05	12.6	10.5	0.48	266	0.76
G34-24 (-)	2.05	154	4.27	7.29	0.12	0.12	<0.01	0.024	0.74	5.3	22.5	1.17	545	0.46
G36-24 (-)	1.32	105	3.13	5.66	0.10	0.05	0.01	0.020	0.34	6.9	19.9	1.05	342	0.58
G34-60 (-)	0.77	25.5	2.22	4.64	0.09	0.08	0.02	0.022	0.06	12.0	12.1	0.47	246	0.82
G3436-60 (-)	1.58	107	3.91	6.28	0.11	0.04	0.01	0.012	0.71	3.4	16.1	1.07	595	0.73
G3638-26 (-)	1.12	79.7	2.88	5.00	0.10	0.04	<0.01	0.017	0.25	4.8	18.7	1.06	260	0.52
G3638-28 (-)	0.92	80.8	2.93	5.19	0.10	0.04	0.01	0.023	0.20	6.4	18.0	0.81	280	0.67
G3638-30 (-)	0.80	76.9	2.70	4.64	0.10	0.06	0.02	0.021	0.18	8.4	16.0	0.80	248	0.58
G3638-32 (-)	1.26	101	2.97	4.79	0.10	0.04	<0.01	0.014	0.49	6.2	20.3	1.13	385	0.36
G3638-34 (-)	1.40	161	3.47	5.55	0.11	0.05	0.02	0.016	0.51	5.4	23.5	1.35	745	0.37
G3638-36 (-)	4.39	115	4.20	4.27	0.11	0.04	0.03	0.040	0.20	6.9	15.1	0.70	837	0.88
G3638-38 (-)	1.69	144	3.73	6.20	0.12	0.09	0.03	0.016	0.68	4.2	23.9	1.51	638	0.34
G3638-40 (-)	1.66	124	4.17	7.33	0.12	0.09	0.02	0.020	0.49	6.9	24.2	1.14	378	0.80
G3638-42 (-)	1.06	95.9	3.05	5.16	0.10	0.05	0.01	0.019	0.31	5.5	16.1	0.88	356	0.69
G3638-44 (-)	0.83	55.6	2.37	3.83	0.10	0.05	0.03	0.019	0.11	12.0	12.4	0.67	332	0.54
G3638-46 (-)	0.84	72.7	2.47	4.08	0.09	0.05	0.02	0.020	0.12	10.1	12.8	0.77	405	0.84
G3638-48 (-)	0.49	14.3	1.89	3.14	0.10	0.04	0.02	0.017	0.05	13.2	10.2	0.51	190	0.93
G3638-50 (-)	0.69	18.8	2.39	3.95	0.10	0.04	0.02	0.019	0.06	14.7	12.5	0.55	254	1.07
G3638-52 (-)	0.63	14.8	2.10	3.81	0.10	0.03	0.06	0.019	0.05	13.8	11.5	0.51	216	0.78
G3638-54 (-)	0.78	24.5	1.99	4.12	0.08	0.02	0.03	0.019	0.05	12.2	10.9	0.45	711	1.62
G3638-56 (-)	0.78	21.1	2.01	4.69	0.09	0.02	0.02	0.018	0.05	10.2	11.0	0.49	198	1.21
G3638-58 (-)	0.97	40.4	2.56	4.52	0.10	0.03	0.02	0.023	0.11	12.6	13.8	0.66	330	2.34
G3638-60 (-)	0.68	26.7	2.40	3.88	0.10	0.03	0.02	0.019	0.06	11.7	11.0	0.54	348	1.55
G32-26 (-)	0.73	70.1	2.77	5.18	0.11	0.12	0.02	0.022	0.17	11.5	16.8	0.69	332	0.68
G32-28 (-)	1.36	86.7	3.34	4.66	0.11	0.20	0.03	0.021	0.32	8.7	13.3	0.79	629	1.92
G32-30 (-)	1.21	88.7	3.32	5.94	0.10	0.13	0.02	0.023	0.33	7.8	16.3	0.85	371	0.96
G32-32 (-)	1.38	87.3	3.26	4.98	0.11	0.11	0.02	0.023	0.32	9.1	15.4	0.84	516	1.51

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G32-34 (-)	1.26	89.6	3.12	5.16	0.10	0.06	0.03	0.023	0.21	11.6	17.3	0.87	464	0.82
G32-36 (-)	1.10	68.9	2.85	4.88	0.10	0.07	0.03	0.024	0.18	13.1	17.1	0.78	438	0.73
G32-40 (-)	0.64	22.7	1.71	3.69	0.09	0.03	0.02	0.019	0.07	11.8	12.0	0.56	262	1.03
G32-42 (-)	0.58	27.2	2.26	3.99	0.10	0.03	0.02	0.020	0.06	12.0	11.1	0.53	342	1.38
G32-44 (-)	0.99	52.8	2.69	3.87	0.10	0.08	0.02	0.021	0.15	11.3	10.6	0.71	443	2.94
G32-46 (-)	1.20	57.8	2.93	4.12	0.10	0.08	0.03	0.023	0.17	12.3	11.7	0.86	484	2.77
G32-48 (-)	0.66	23.8	2.18	3.72	0.10	0.04	0.02	0.018	0.06	13.0	12.6	0.52	368	0.94
G32-50 (-)	0.77	28.2	2.34	4.13	0.10	0.06	0.03	0.021	0.05	14.5	12.6	0.52	382	0.96
G32-52 (-)	0.86	26.5	2.46	4.65	0.10	0.03	0.03	0.023	0.06	13.7	13.8	0.55	354	0.95
G32-54 (-)	0.92	35.8	2.56	4.83	0.11	0.06	0.03	0.025	0.07	14.2	15.4	0.57	433	0.86
G32-56 (-)	1.17	51.9	2.88	5.46	0.11	0.08	0.04	0.028	0.11	13.1	17.3	0.59	536	1.09
G32-58 (-)	1.69	46.7	2.70	4.04	0.10	0.04	0.03	0.023	0.10	11.3	11.2	0.44	469	1.11
G32-60 (-)	1.24	57.3	2.98	5.18	0.10	0.03	0.03	0.023	0.14	8.0	18.6	0.69	424	0.99
G2628-36 (-)	0.65	40.7	2.78	4.71	0.10	0.12	0.03	0.025	0.09	11.6	13.9	0.64	467	1.71
G2628-38 (-)	1.61	63.8	3.31	4.68	0.10	0.06	0.01	0.024	0.18	7.1	11.4	0.78	441	3.17
G2628-40 (-)	1.51	84.2	3.60	4.92	0.10	0.11	0.03	0.027	0.20	9.1	13.5	0.82	601	3.38
G2628-42 (-)	1.06	68.0	3.01	4.53	0.10	0.11	0.03	0.025	0.15	11.5	14.4	0.71	457	2.45
G2628-44 (-)	0.88	67.3	2.82	4.59	0.10	0.11	0.03	0.026	0.10	12.0	14.9	0.72	568	2.32
G2628-50 (-)	1.23	51.2	2.77	4.51	0.09	0.03	0.04	0.022	0.11	7.5	15.7	0.72	1050	1.02
G2628-54 (-)	1.85	90.9	4.61	5.29	0.12	0.03	0.02	0.037	0.42	8.8	16.1	0.91	803	1.19
G2628-56 (-)	0.98	68.9	3.27	4.94	0.10	0.03	0.02	0.019	0.26	7.6	16.8	0.83	598	0.71
G2628-58 (-)	1.27	85.7	3.80	6.12	0.10	0.03	<0.01	0.016	0.50	3.9	20.6	1.14	636	0.49
G2628-60 (-)	1.60	65.6	3.49	5.98	0.11	0.02	0.03	0.023	0.30	9.6	22.8	0.96	476	0.81
G22-10 (-)	0.64	19.9	2.04	3.62	0.09	0.03	0.02	0.017	0.05	10.7	12.3	0.56	305	1.00
G22-14 (-)	0.74	20.3	2.11	4.09	0.09	0.03	0.02	0.018	0.06	12.0	13.2	0.58	249	1.06
G22-16 (-)	0.54	35.1	2.44	3.76	0.10	0.07	0.02	0.020	0.07	14.0	13.5	0.59	354	0.83
G22-18 (-)	0.73	34.7	2.54	3.94	0.08	0.03	0.03	0.020	0.05	11.1	12.6	0.58	435	2.36
G22-20 (-)	0.64	33.2	2.45	3.91	0.10	0.03	0.02	0.019	0.05	13.1	11.7	0.58	272	1.21
G20-23 (-)	0.94	31.8	2.22	4.55	0.09	0.05	0.03	0.023	0.07	12.7	16.3	0.70	284	0.98
G20-21 (-)	0.64	25.6	3.10	3.95	0.10	0.03	0.03	0.021	0.06	14.8	12.7	0.50	386	0.93
G20-19 (-)	0.99	68.1	3.28	5.21	0.10	0.04	0.03	0.024	0.22	12.5	18.5	0.77	462	1.21
G20-17 (-)	1.38	134	4.41	6.36	0.11	0.05	0.01	0.016	0.60	4.1	22.5	1.27	762	1.09

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012	DATE RECEIVED: Aug 14, 2012		DATE REPORTED: Sep 26, 2012		SAMPLE TYPE: Soil									
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G20-15 (-)	1.41	80.3	3.89	6.21	0.11	0.05	0.03	0.030	0.09	9.6	22.8	0.87	531	1.85
G20-13 (-)	2.32	155	5.82	9.43	0.14	0.07	0.02	0.055	0.48	9.5	32.5	1.33	1260	3.10
G20-11 (-)	2.11	64.7	3.32	6.02	0.10	0.03	0.02	0.035	0.19	10.1	19.1	0.86	812	2.21
G20-9 (-)	3.40	76.3	4.02	4.53	0.11	0.04	0.04	0.033	0.17	10.9	12.5	0.64	622	2.16
G20-7 (-)	1.96	86.3	4.02	3.93	0.10	0.03	0.04	0.040	0.10	10.4	12.3	0.54	760	1.38
G20-5 (-)	1.12	51.2	3.51	5.38	0.08	0.06	0.02	0.032	0.08	10.7	18.6	0.78	587	3.17
G20-3 (-)	1.20	82.3	3.80	5.37	0.10	0.04	0.02	0.030	0.26	9.7	17.8	0.81	609	1.13
G20-1 (-)	1.00	68.9	3.18	4.66	0.09	0.04	0.03	0.023	0.21	10.7	18.9	0.78	657	0.81
G20-0 (-)	0.90	76.5	2.90	4.05	0.09	0.03	0.05	0.021	0.10	9.0	13.4	0.68	1540	2.62
G20-2 (-)	0.82	36.5	2.64	4.50	0.09	0.11	0.04	0.023	0.09	14.2	17.5	0.71	363	0.70
G20-4 (-)	0.56	14.9	2.01	3.65	0.09	0.03	0.04	0.017	0.05	10.9	12.4	0.54	233	0.66
G20-6 (-)	0.62	32.7	2.00	3.64	0.08	0.03	0.03	0.018	0.06	10.5	11.4	0.50	288	0.99
G20-8 (-)	0.65	22.6	2.43	4.00	0.08	0.04	0.02	0.021	0.07	12.7	14.4	0.62	397	1.07
G20-10 (-)	0.61	25.7	2.34	3.61	0.10	0.04	0.02	0.018	0.05	10.0	13.5	0.60	408	0.94
G20-12 (-)	0.68	33.1	2.28	3.68	0.09	0.03	0.02	0.018	0.04	11.1	13.8	0.61	384	0.92
G20-14 (-)	0.54	35.0	2.20	3.29	0.09	0.08	0.03	0.017	0.04	9.7	12.4	0.53	270	1.16
G20-16 (-)	0.63	26.5	2.28	3.63	0.08	0.03	0.02	0.018	0.05	9.2	13.6	0.58	427	1.25
G20-18 (-)	0.64	22.7	2.24	3.65	0.09	0.04	0.02	0.019	0.04	9.3	13.6	0.55	334	1.25
G20-20 (-)	0.78	29.7	2.29	3.97	0.08	0.03	0.03	0.018	0.04	8.8	14.7	0.59	385	1.93
G20-22 (-)	0.77	34.6	2.78	4.12	0.09	0.05	0.03	0.022	0.06	8.8	15.5	0.72	641	2.30
G20-24 (-)	0.96	47.8	2.79	4.22	0.09	0.06	0.03	0.022	0.05	9.4	16.2	0.72	398	4.22
G20-26 (-)	1.00	66.1	2.82	4.44	0.10	0.05	0.03	0.021	0.05	8.6	18.6	0.84	409	1.71
G20-28 (-)	1.32	84.2	3.21	4.94	0.10	0.04	0.03	0.021	0.06	7.9	22.0	1.10	626	1.61
G20-30 (-)	1.68	67.9	3.28	4.61	0.10	0.04	0.03	0.024	0.05	7.5	20.1	1.12	629	1.45
G20-32 (-)	1.36	62.0	2.92	3.86	0.09	0.04	0.03	0.019	0.12	6.4	16.9	0.86	502	1.72
G20-34 (-)	1.61	67.5	3.60	4.59	0.09	0.04	0.03	0.029	0.05	6.5	17.5	1.00	793	4.05
G18-19 (-)	0.64	43.5	2.91	3.28	0.09	0.06	0.04	0.020	0.06	9.4	12.5	0.47	1480	2.32
G18-17 (-)	0.89	82.6	2.85	3.70	0.09	0.07	0.05	0.021	0.10	8.4	13.4	0.56	537	1.18
G18-15 (-)	0.72	45.5	2.70	4.16	0.10	0.07	0.03	0.023	0.08	11.6	16.2	0.70	447	1.25
G18-13 (-)	0.49	23.3	2.30	3.37	0.10	0.05	0.03	0.019	0.06	11.1	12.9	0.53	395	1.01
G18-11 (-)	0.68	36.2	2.65	3.74	0.09	0.07	0.03	0.023	0.08	12.1	15.4	0.66	492	1.28
G18-9 (-)	0.58	34.7	2.51	3.83	0.09	0.05	0.03	0.022	0.08	11.5	16.5	0.60	414	0.90

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G18-5 (-)		1.04	41.4	2.79	3.91	0.11	0.14	0.03	0.023	0.13	12.9	15.4	0.76	440	1.40
G18-3 (-)		0.69	43.4	2.78	4.22	0.09	0.06	0.03	0.024	0.06	10.1	14.6	0.53	293	1.33
G18-1 (-)		0.86	49.3	2.59	4.39	0.11	0.10	0.04	0.023	0.10	10.5	15.7	0.55	431	1.32
G18-0 (-)		0.58	22.7	2.02	3.41	0.09	0.04	0.02	0.018	0.07	9.4	14.3	0.60	239	0.85
G18-2 (-)		0.60	27.5	2.29	3.62	0.09	0.04	0.02	0.018	0.06	10.0	15.0	0.61	344	0.66
G18-4 (-)		0.62	25.2	2.41	3.79	0.10	0.02	0.02	0.018	0.05	10.1	13.4	0.56	493	0.99
G18-6 (-)		0.54	21.2	2.24	3.29	0.11	0.07	0.01	0.017	0.06	11.9	13.5	0.54	301	0.66
G18-8 (-)		0.56	25.7	2.27	3.51	0.09	0.04	0.02	0.018	0.05	10.0	14.0	0.56	374	0.76
G18-10 (-)		0.57	19.8	2.33	3.37	0.10	0.09	0.02	0.018	0.06	12.6	14.1	0.59	431	0.66
G18-12 (-)		0.60	21.4	2.27	3.79	0.09	0.03	0.03	0.019	0.05	10.7	14.7	0.55	426	0.74
G18-14 (-)		0.71	31.5	2.57	3.73	0.09	0.03	0.03	0.018	0.07	10.2	15.3	0.68	410	1.09
G18-16 (-)		0.72	32.3	2.74	4.21	0.10	0.04	0.02	0.019	0.08	9.8	16.6	0.75	504	1.08
G18-18 (-)		0.61	25.7	2.29	3.72	0.08	0.03	0.02	0.019	0.06	10.1	14.4	0.59	377	0.90
G18-20 (-)		0.80	34.4	2.88	4.44	0.10	0.03	0.03	0.025	0.06	13.0	17.5	0.71	558	1.48
G18-22 (-)		0.72	24.4	2.36	4.15	0.09	0.05	0.14	0.020	0.05	10.0	15.4	0.61	338	1.04
G18-24 (-)		0.97	26.9	2.47	3.72	0.07	0.06	0.05	0.015	0.05	12.2	6.2	0.65	326	1.56
G18-26 (-)		1.20	36.3	2.47	3.50	0.06	0.05	0.03	0.013	0.05	10.3	6.2	0.69	398	1.77
G18-28 (-)		4.18	105	4.85	6.12	0.12	0.06	0.01	0.011	0.54	4.7	12.7	2.51	806	3.05
G18-30 (-)		5.54	100	4.07	4.72	0.11	0.05	0.02	0.015	0.30	8.7	15.2	1.60	601	2.62
G18-32 (-)		1.59	63.4	2.98	4.54	0.08	0.02	0.02	0.013	0.10	6.2	8.1	0.91	509	4.67
G18-34 (-)		1.32	45.8	2.51	4.94	0.05	0.02	0.02	0.018	0.05	11.4	8.4	0.61	281	1.99
G16-25 (-)		0.72	20.9	2.08	3.01	0.07	0.06	0.03	0.013	0.04	12.2	5.1	0.55	373	0.81
G16-19 (-)		1.02	47.9	2.36	3.74	0.06	0.04	0.04	0.018	0.07	11.6	5.0	0.64	873	1.38
G16-17 (-)		1.11	44.1	2.84	3.68	0.08	0.15	0.03	0.018	0.14	13.4	6.4	0.64	296	1.51
G16-15 (-)		1.63	56.2	3.26	3.95	0.09	0.12	0.02	0.019	0.20	11.2	7.0	0.73	471	1.70
G16-13 (-)		0.76	27.9	2.45	3.13	0.07	0.11	0.02	0.015	0.09	12.0	5.5	0.73	468	0.94
G16-9 (-)		0.97	35.2	2.50	3.53	0.07	0.10	0.03	0.018	0.07	14.0	6.5	0.69	374	1.09
G16-7 (-)		0.81	35.8	2.51	3.79	0.08	0.09	0.04	0.019	0.07	15.8	6.9	0.61	358	1.05
G16-5 (-)		0.70	24.8	2.71	3.30	0.06	0.06	0.02	0.016	0.05	11.7	6.3	0.59	412	1.22
G16-3 (-)		1.10	35.2	2.61	4.11	0.07	0.08	0.02	0.020	0.08	13.7	8.3	0.90	537	1.63
G16-1 (-)		0.66	19.0	1.95	3.50	0.06	0.04	0.03	0.014	0.05	10.6	5.9	0.54	536	1.29
G16-0 (-)		0.77	25.1	2.42	3.73	0.06	0.05	0.03	0.017	0.06	12.0	6.9	0.63	313	6.14

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G16-2 (-)	0.80	38.8	2.48	4.29	0.06	0.05	0.02	0.019	0.05	13.9	6.7	0.60	305	4.15
G16-4 (-)	1.10	54.2	2.95	4.03	0.09	0.08	0.03	0.020	0.12	13.9	7.0	0.71	313	4.12
G16-6 (-)	0.80	23.8	2.47	3.66	0.07	<0.02	0.03	0.014	0.05	11.7	5.7	0.53	476	1.21
G16-8 (-)	0.71	23.2	2.40	3.17	0.08	0.07	0.02	0.014	0.06	12.5	5.4	0.54	390	1.00
G16-10 (-)	0.79	25.5	2.37	3.61	0.07	0.04	0.02	0.015	0.06	11.4	6.4	0.58	554	0.89
G16-12 (-)	0.68	27.1	2.55	3.64	0.07	0.04	0.02	0.017	0.06	14.1	6.5	0.58	353	1.02
G16-14 (-)	0.83	27.0	2.55	3.70	0.07	0.03	0.02	0.015	0.06	10.6	6.1	0.64	464	0.82
G16-16 (-)	0.75	23.2	2.27	3.55	0.07	0.03	0.02	0.015	0.05	11.3	6.0	0.56	448	0.91
G16-18 (-)	0.76	26.7	2.44	3.44	0.08	0.06	0.02	0.016	0.05	15.5	6.1	0.59	376	0.97
G16-20 (-)	0.86	24.2	2.50	4.04	0.07	0.03	0.02	0.017	0.06	12.7	7.6	0.64	346	0.89
G16-22 (-)	1.05	33.2	2.77	4.26	0.07	0.05	0.03	0.019	0.06	12.8	8.0	0.72	472	0.78
G16-24 (-)	1.11	42.6	3.09	4.76	0.08	0.03	0.02	0.017	0.07	10.3	8.0	0.85	489	1.04
G16-26 (-)	1.09	53.5	2.64	4.42	0.07	0.03	0.40	0.017	0.04	9.7	6.6	0.75	319	0.77
G16-28 (-)	1.31	76.4	2.91	4.93	0.10	0.11	0.03	0.019	0.12	10.5	8.4	0.98	292	0.59
G16-30 (-)	1.20	86.0	2.25	4.21	0.08	0.04	0.03	0.012	0.23	7.1	7.5	1.09	294	0.35
G16-32 (-)	1.41	123	3.05	4.89	0.07	0.05	0.03	0.014	0.25	8.0	9.6	1.15	406	0.89
G14-21 (-)	0.78	42.0	2.20	3.63	0.06	0.04	0.05	0.018	0.06	13.2	7.2	0.66	285	0.81
G14-17 (-)	1.16	55.9	2.45	3.75	0.08	0.05	0.04	0.018	0.13	12.7	8.9	0.76	409	1.17
G14-13 (-)	0.77	74.2	2.46	3.03	0.06	0.07	0.04	0.016	0.06	10.5	5.0	0.69	800	1.27
G14-11 (-)	0.76	29.6	2.65	3.79	0.08	0.03	0.03	0.016	0.05	11.3	6.7	0.60	472	1.25
G14-9 (-)	0.76	34.5	2.40	3.94	0.08	0.04	0.02	0.018	0.06	15.5	7.3	0.58	354	1.61
G14-7 (-)	0.73	46.1	2.50	3.90	0.08	0.10	0.02	0.017	0.07	13.2	7.7	0.91	506	1.33
G14-5 (-)	0.86	36.6	2.72	3.39	0.07	0.09	0.01	0.017	0.08	12.4	7.0	0.82	537	1.38
G14-3 (-)	0.83	28.2	2.46	3.85	0.07	0.08	0.02	0.017	0.05	13.9	7.8	0.64	484	0.91
G14-1 (-)	0.66	32.6	2.44	3.59	0.07	0.07	0.03	0.018	0.05	14.4	7.1	0.58	366	1.22
G14-0 (-)	0.98	31.2	2.53	4.71	0.07	0.03	0.03	0.020	0.06	13.3	7.0	0.56	380	3.48
G14-2 (-)	1.80	80.8	3.26	3.91	0.10	0.12	0.03	0.018	0.21	9.2	5.4	0.75	427	3.96
G14-4 (-)	1.34	65.4	2.73	3.73	0.07	0.04	0.02	0.017	0.14	8.8	5.1	0.61	345	4.91
G14-6 (-)	1.11	39.6	3.02	4.96	0.08	0.04	0.01	0.021	0.08	9.2	6.3	0.62	370	3.49
G14-8 (-)	1.88	66.9	3.35	4.45	0.08	0.05	0.02	0.022	0.20	10.2	6.0	0.75	606	6.05
G14-10 (-)	0.91	25.8	2.54	4.21	0.06	0.03	0.03	0.019	0.04	12.3	6.6	0.56	304	1.06
G14-12 (-)	0.59	23.3	2.20	3.33	0.06	0.09	0.02	0.015	0.04	12.8	5.7	0.51	290	0.81

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G14-14 (-)		0.81	32.5	2.42	3.72	<0.05	0.03	0.03	0.017	0.05	12.7	8.1	0.53	529	0.88
G14-16 (-)		0.99	31.0	3.17	4.28	0.08	0.04	0.02	0.015	0.21	9.3	5.8	0.73	468	1.01
G14-18 (-)		0.88	21.9	2.34	3.87	0.06	0.02	0.18	0.016	0.05	13.1	6.8	0.54	302	0.85
G14-20 (-)		0.88	29.8	2.52	3.68	0.07	0.09	0.02	0.017	0.07	14.5	7.2	0.65	417	0.87
G14-22 (-)		0.85	27.0	2.36	3.83	0.06	0.04	0.02	0.018	0.05	12.9	7.2	0.56	308	0.64
G14-24 (-)		1.27	64.1	3.16	4.81	0.08	0.04	0.03	0.019	0.13	10.3	7.6	0.76	587	0.78
G14-26 (-)		1.07	68.1	3.01	4.93	0.09	0.21	0.02	0.021	0.20	12.0	7.7	0.82	344	0.66
G14-28 (-)		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G14-30 (-)		4.38	121	5.27	6.29	0.12	0.05	0.02	0.029	1.03	8.4	10.0	1.25	851	0.76
G14-32 (-)		1.78	77.2	3.35	6.66	0.07	<0.02	0.01	0.017	0.27	5.4	6.2	1.00	482	0.67
G12-27 (-)		0.66	17.9	1.69	2.91	0.06	0.04	0.02	0.013	0.05	11.0	5.8	0.55	179	0.48
G12-23 (-)		0.77	24.1	2.31	3.63	0.07	0.04	0.03	0.018	0.07	13.4	6.7	0.61	336	0.98
G12-21 (-)		0.70	27.8	2.27	3.67	0.07	0.03	0.02	0.017	0.05	13.5	6.5	0.58	228	0.96
G12-19 (-)		0.76	23.9	2.23	3.47	0.07	0.04	0.02	0.015	0.06	12.6	6.2	0.58	545	0.90
G12-17 (-)		0.70	20.1	2.31	3.42	0.06	0.04	0.03	0.016	0.04	13.4	5.8	0.51	324	1.25
G12-15 (-)		0.86	29.1	2.47	4.05	0.07	0.03	0.04	0.019	0.05	13.7	5.9	0.56	426	1.31
G12-13 (-)		0.84	31.8	3.04	4.04	0.07	0.08	0.03	0.020	0.06	14.8	7.3	0.69	508	1.80
G12-11 (-)		0.61	21.5	2.36	3.40	0.08	0.08	0.02	0.016	0.05	15.9	5.3	0.54	367	1.06
G12-9 (-)		0.69	27.5	2.31	3.53	0.07	0.07	0.03	0.017	0.05	15.2	6.5	0.55	337	1.13
G12-7 (-)		0.77	39.1	2.59	3.98	0.07	0.08	0.05	0.018	0.06	15.0	7.7	0.63	366	1.76
G12-5 (-)		1.06	48.4	2.59	4.38	0.06	0.04	0.03	0.021	0.06	13.7	6.1	0.58	492	2.11
G12-3 (-)		0.61	17.0	1.84	3.24	0.06	0.04	0.02	0.013	0.04	11.8	5.2	0.46	233	1.35
G12-1 (-)		0.81	23.5	2.25	4.00	0.07	0.03	0.03	0.018	0.05	13.0	6.2	0.53	304	2.23
G12-0 (-)		0.97	35.7	2.66	4.48	0.08	0.05	0.03	0.020	0.08	14.8	7.3	0.64	304	2.21
G12-2 (-)		0.82	34.0	2.51	4.52	0.07	0.07	0.04	0.022	0.06	17.0	7.7	0.58	348	1.88
G12-4 (-)		0.70	23.0	2.16	3.78	0.07	0.04	0.02	0.017	0.04	13.5	5.8	0.46	202	1.60
G12-6 (-)		0.81	23.6	2.07	3.70	0.06	0.04	0.02	0.016	0.04	12.5	5.9	0.46	251	1.47
G12-8 (-)		0.91	40.0	2.47	3.95	0.08	0.09	0.04	0.019	0.06	13.2	6.7	0.58	333	1.81
G12-10 (-)		0.89	29.9	2.27	4.02	0.07	0.05	0.02	0.018	0.05	12.4	6.6	0.53	246	1.42
G12-12 (-)		0.85	19.5	2.04	3.77	0.07	<0.02	0.01	0.015	0.04	11.5	5.5	0.46	213	0.87
G12-14 (-)		0.77	18.4	2.08	3.63	0.06	0.04	0.02	0.016	0.05	12.8	6.0	0.49	222	0.84
G12-16 (-)		1.00	37.5	2.55	4.18	0.07	0.06	0.03	0.018	0.06	13.7	7.3	0.63	420	1.11

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G12-18 (-)	1.33	45.0	2.70	4.71	0.08	0.05	0.02	0.019	0.06	12.3	7.0	0.71	368	1.13
G12-20 (-)	1.13	41.8	2.55	3.97	0.08	0.05	0.03	0.017	0.08	13.4	6.8	0.65	359	0.86
G12-22 (-)	0.96	33.9	2.51	3.50	0.08	0.09	0.03	0.017	0.08	13.8	6.1	0.60	363	0.75
G12-24 (-)	1.26	63.8	2.92	4.46	0.08	0.05	0.02	0.022	0.16	11.6	7.4	0.74	411	0.79
G12-26 (-)	3.39	171	6.22	7.63	0.15	0.06	<0.01	0.039	1.25	6.4	9.8	1.83	1210	1.11
G12-28 (-)	1.63	95.9	4.01	6.57	0.09	0.03	0.02	0.019	0.40	7.0	10.0	1.42	682	0.58
G12-30 (-)	0.94	32.9	2.72	4.69	0.07	0.05	0.02	0.019	0.06	10.5	8.1	0.70	340	0.73
G10-27 (-)	0.71	24.8	2.60	3.36	0.08	0.04	0.02	0.016	0.06	11.5	6.3	0.57	966	1.33
G10-25 (-)	0.61	21.7	1.92	3.01	0.06	0.06	0.02	0.015	0.05	12.0	6.0	0.52	232	0.84
G10-23 (-)	0.80	28.2	2.76	3.63	0.07	0.05	0.03	0.019	0.08	12.9	7.8	0.66	281	1.46
G10-21 (-)	0.70	30.4	2.45	3.51	0.07	0.08	0.03	0.019	0.06	14.0	7.3	0.61	278	1.10
G10-19 (-)	0.58	19.4	1.91	2.93	0.07	0.06	0.03	0.014	0.05	12.0	5.5	0.50	253	0.82
G10-17 (-)	0.65	31.7	2.19	3.51	0.07	0.07	0.03	0.017	0.06	14.3	6.6	0.55	377	0.92
G10-15 (-)	1.12	47.2	2.79	4.41	0.08	0.10	0.04	0.022	0.13	15.7	8.6	0.87	442	1.41
G10-13 (-)	0.56	23.6	2.17	3.22	0.07	0.07	0.02	0.016	0.05	14.4	6.0	0.50	357	1.05
G10-11 (-)	0.81	37.8	2.56	4.22	0.07	0.07	0.03	0.020	0.08	14.3	7.6	0.65	470	1.45
G10-9 (-)	0.60	32.6	2.43	3.52	0.07	0.09	0.03	0.019	0.05	14.6	7.6	0.63	387	1.06
G10-7 (-)	0.74	42.4	2.79	4.20	0.08	0.17	0.02	0.020	0.10	13.5	7.4	0.67	299	1.35
G10-5 (-)	0.97	54.0	2.69	4.06	0.08	0.06	0.04	0.019	0.09	13.9	8.4	0.79	315	1.30
G10-3 (-)	2.29	94.1	3.81	5.37	0.09	0.03	0.02	0.021	0.31	9.4	9.6	1.26	497	1.61
G10-1 (-)	1.02	42.0	2.59	4.51	0.07	0.03	0.02	0.019	0.05	10.2	7.3	0.66	307	1.47
G10-0 (-)	0.81	37.4	2.43	3.97	0.07	0.08	0.04	0.018	0.06	12.2	6.3	0.55	267	1.49
G10-2 (-)	0.92	38.9	2.68	4.34	0.07	0.08	0.03	0.022	0.05	14.4	7.3	0.61	406	1.77
G10-4 (-)	0.71	24.8	2.30	3.67	0.07	0.04	0.02	0.018	0.04	12.6	6.1	0.48	448	2.18
G10-6 (-)	0.83	35.1	2.48	4.00	0.08	0.06	0.03	0.020	0.06	13.4	6.7	0.51	344	2.41
G10-10 (-)	4.01	129	4.43	5.31	0.11	0.09	0.02	0.035	0.29	12.0	6.7	0.91	840	3.73
G10-12 (-)	0.98	21.4	2.08	4.26	0.07	0.03	0.02	0.017	0.05	10.9	6.1	0.42	217	1.54
G10-14 (-)	0.85	25.1	2.26	4.09	0.06	0.06	0.02	0.017	0.05	12.6	6.7	0.49	196	1.25
G10-16 (-)	1.14	75.6	2.32	4.37	0.06	<0.02	0.03	0.020	0.06	13.3	6.9	0.51	311	1.64
G10-18 (-)	1.01	79.8	2.71	4.35	0.09	0.09	0.03	0.023	0.10	15.2	8.6	0.66	291	1.50
G10-20 (-)	1.79	36.9	2.14	5.30	0.07	0.02	0.01	0.014	0.13	8.6	5.8	0.51	434	2.33
G08-27 (-)	1.02	30.9	2.29	4.28	0.07	0.03	0.03	0.021	0.07	13.5	8.4	0.60	339	0.88

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G08-25 (-)	0.46	18.0	1.55	2.67	0.10	0.08	0.02	0.012	0.05	8.4	3.7	0.51	142	0.56
G08-23 (-)	0.47	19.2	1.66	2.64	0.10	0.08	0.02	0.014	0.04	8.9	3.8	0.52	394	0.65
G08-21 (-)	0.72	33.6	2.21	3.51	0.07	0.08	0.03	0.019	0.06	14.2	7.0	0.56	386	0.94
G08-19 (-)	0.71	30.8	2.49	3.48	0.09	0.08	0.03	0.019	0.07	15.2	7.0	0.57	386	1.19
G08-17 (-)	1.67	81.7	4.04	5.63	0.12	0.07	0.02	0.020	0.40	7.7	9.3	1.11	598	2.07
G08-15 (-)	1.57	41.6	2.50	3.85	0.09	0.11	0.03	0.020	0.11	13.4	8.0	0.80	428	1.23
G08-13 (-)	0.89	48.6	2.79	4.33	0.08	0.07	0.04	0.022	0.07	14.3	8.3	0.72	498	1.65
G08-11 (-)	0.95	50.3	2.72	4.18	0.08	0.07	0.03	0.023	0.09	14.1	7.5	0.72	545	1.77
G08-09 (-)	0.76	25.5	2.31	4.02	0.07	0.05	0.02	0.019	0.05	11.9	6.7	0.56	330	1.22
G08-07 (-)	1.05	51.4	2.87	4.45	0.09	0.14	0.03	0.023	0.11	14.2	8.0	0.81	560	1.47
G08-05 (-)	1.69	91.1	3.88	4.96	0.10	0.03	0.02	0.018	0.25	8.7	9.4	1.36	550	1.63
G08-03 (-)	1.10	97.7	3.00	4.56	0.08	0.03	0.01	0.016	0.21	7.8	7.3	1.17	400	0.82
G08-01 (-)	1.15	49.9	3.05	4.61	0.08	0.07	0.03	0.021	0.08	10.7	7.6	0.73	356	1.39
G08-00 (-)	2.69	92.5	3.88	4.92	0.09	0.07	0.02	0.024	0.50	8.7	7.4	0.95	514	1.28
G08-02 (-)	3.78	208	6.01	7.04	0.14	0.10	0.01	0.022	0.96	5.3	11.9	2.08	1190	1.55
G08-04 (-)	2.90	91.9	4.82	7.49	0.12	0.08	0.01	0.024	0.66	7.9	10.7	1.36	762	1.45
G08-06 (-)	2.11	97.8	4.21	7.17	0.10	0.09	0.01	0.026	0.48	10.8	7.7	0.94	578	2.00
G08-08 (-)	1.55	91.1	3.15	3.76	0.08	0.04	0.04	0.034	0.09	15.0	6.1	0.47	515	6.54
G08-10 (-)	1.04	42.4	2.65	4.46	0.07	0.10	0.02	0.022	0.10	10.6	7.4	0.59	329	2.42
G08-12 (-)	0.84	50.7	2.55	3.85	0.07	0.08	0.03	0.021	0.06	13.5	7.7	0.58	408	2.88
G08-14 (-)	3.88	128	4.72	5.66	0.10	0.05	0.02	0.053	0.14	11.6	13.6	0.77	668	19.8
G08-16 (-)	1.03	72.2	3.14	5.24	0.10	0.09	0.03	0.026	0.08	13.2	8.2	0.66	410	4.10
G08-18 (-)	1.02	51.0	2.38	4.42	0.06	0.04	0.03	0.020	0.05	10.2	6.7	0.56	270	3.13
G08-20 (-)	1.30	136	3.06	4.34	0.08	0.09	0.05	0.027	0.08	13.9	7.8	0.60	610	4.69
G08-22 (-)	1.86	132	4.46	5.10	0.11	0.11	0.03	0.043	0.21	9.4	7.1	0.85	600	19.6
G08-24 (-)	1.66	95.5	3.18	5.06	0.08	0.08	0.03	0.028	0.13	14.9	10.9	0.77	458	5.37
G08-26 (-)	2.69	122	3.88	6.86	0.10	0.05	0.04	0.036	0.24	13.0	10.1	1.03	820	10.9
G08-46 (-)	0.94	49.6	2.82	4.94	0.07	0.08	0.02	0.020	0.11	8.4	7.9	0.84	342	0.59
G08-48 (-)	0.83	43.8	2.77	4.62	0.07	0.09	0.01	0.019	0.07	9.3	7.7	0.73	304	0.60
G08-50 (-)	3.12	169	5.81	8.08	0.14	0.08	0.01	0.037	0.58	6.1	8.1	1.25	906	0.71
G0608-23 (-)	0.85	25.9	2.76	3.63	0.06	0.04	0.04	0.019	0.06	12.6	7.4	0.56	351	1.20
G0608-21 (-)	0.76	33.0	2.31	3.53	0.07	0.05	0.03	0.019	0.06	13.3	6.6	0.54	416	1.15

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012	DATE RECEIVED: Aug 14, 2012		DATE REPORTED: Sep 26, 2012				SAMPLE TYPE: Soil							
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G0608-19 (-)	0.74	47.3	2.59	3.72	0.08	0.07	0.03	0.020	0.07	14.5	7.6	0.62	349	1.17
G0608-17 (-)	1.06	32.1	2.63	3.74	0.07	0.03	0.03	0.020	0.08	12.8	7.8	0.58	557	1.63
G0608-15 (-)	0.80	39.9	2.83	4.04	0.08	0.11	0.03	0.023	0.06	15.3	8.0	0.66	473	2.02
G0608-13 (-)	0.78	51.5	2.43	3.50	0.07	0.06	0.06	0.020	0.05	13.6	6.2	0.55	1080	1.46
G0608-11 (-)	1.68	81.4	4.31	3.23	0.08	0.07	0.03	0.035	0.08	13.5	7.0	0.55	675	10.6
G0608-9 (-)	1.32	58.6	3.31	4.05	0.09	0.08	0.03	0.019	0.10	12.4	8.2	0.90	430	2.06
G0608-7 (-)	3.09	119	5.14	4.19	0.10	0.07	0.04	0.044	0.12	11.8	7.2	0.92	883	3.51
G0608-5 (-)	0.75	39.6	2.80	3.68	0.08	0.05	0.03	0.020	0.06	13.0	6.3	0.64	387	1.29
G0608-3 (-)	0.89	49.5	3.20	4.76	0.08	0.05	0.03	0.022	0.09	11.4	8.0	0.98	571	1.10
G0608-1 (-)	1.90	186	4.91	6.45	0.12	0.13	0.02	0.024	0.51	8.4	10.5	1.33	655	1.32
G0608-00 (-)	3.13	107	5.24	5.45	0.12	0.06	0.01	0.016	1.23	5.1	9.8	1.38	814	1.30
G0608-02 (-)	1.29	26.3	2.42	4.47	0.07	0.05	0.02	0.020	0.06	12.3	7.3	0.54	255	1.41
G0608-04 (-)	3.26	74.1	4.19	6.68	0.09	0.04	0.01	0.040	0.35	11.6	9.4	0.97	636	3.06
G0608-06 (-)	3.20	129	4.62	7.15	0.11	0.03	0.02	0.033	0.58	7.4	8.3	1.20	680	3.66
G0608-08 (-)	1.54	80.5	2.86	5.54	0.07	0.05	0.01	0.022	0.13	8.5	8.8	0.93	291	15.6
G0608-10 (-)	1.43	106	3.14	4.18	0.08	0.08	0.03	0.026	0.06	12.5	7.3	0.58	372	19.3
G0608-12 (-)	3.04	126	4.46	6.74	0.08	0.05	0.01	0.039	0.09	6.6	22.0	0.54	475	23.1
G0608-14 (-)	6.36	248	6.24	4.34	0.10	0.06	0.04	0.058	0.11	11.1	11.6	0.53	832	23.8
G0608-16 (-)	3.15	304	6.65	7.45	0.12	0.08	0.01	0.046	0.32	5.0	10.7	0.97	657	18.3
G0608-18 (-)	7.26	171	5.74	8.57	0.20	0.07	0.01	0.035	0.72	5.0	16.9	2.85	670	5.89
G0608-20 (-)	2.82	143	4.40	4.55	0.09	0.08	0.02	0.036	0.18	6.9	9.0	0.74	591	16.7
G06-27 (-)	0.93	30.6	2.23	3.58	0.06	0.07	0.02	0.019	0.06	12.5	9.0	0.60	256	1.04
G06-25 (-)	0.64	23.7	2.25	2.84	0.07	0.06	0.03	0.016	0.05	11.6	6.8	0.49	266	1.04
G06-23 (-)	0.94	43.7	2.94	4.35	0.08	0.08	0.03	0.024	0.07	13.0	11.0	0.67	349	1.16
G06-21 (-)	0.88	36.5	2.30	3.38	0.06	0.05	0.02	0.019	0.05	13.0	7.4	0.53	403	1.33
G06-19 (-)	0.59	22.3	2.38	2.71	0.09	0.06	0.02	0.015	0.06	11.5	6.3	0.49	291	1.34
G06-17 (-)	0.63	28.8	2.23	3.14	0.06	0.05	0.03	0.018	0.04	11.4	6.8	0.53	342	1.22
G06-15 (-)	1.03	56.0	2.30	3.27	0.05	0.08	0.04	0.022	0.07	12.8	7.1	0.60	956	1.62
G06-13 (-)	1.07	54.4	3.03	3.66	0.08	0.07	0.03	0.024	0.08	13.8	9.2	0.75	431	2.36
G06-11 (-)	2.84	375	11.4	1.60	0.16	0.05	0.03	0.100	0.07	13.2	2.3	0.41	1400	45.0
G06-9 (-)	1.35	70.9	3.29	4.18	0.07	0.05	0.02	0.016	0.17	8.5	10.1	1.16	474	1.37
G06-7 (-)	0.78	35.2	2.76	4.23	0.06	0.06	0.02	0.020	0.06	8.9	9.0	0.80	341	1.23

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Sample Description	RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1
G06-48 (-)		0.91	63.1	2.78	4.26	0.07	0.05	0.03	0.023	0.09	12.6	9.1	0.72	375
G06-50 (-)		1.46	65.3	3.21	4.84	0.10	0.05	0.03	0.026	0.11	12.9	10.4	0.88	440
G06-52 (-)		1.25	66.9	3.57	5.45	0.10	0.05	0.03	0.028	0.14	12.0	12.1	0.94	491

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G24-59 (-)		0.03	1.33	35.7	546	7.9	5.9	<0.001	0.014	0.96	5.6	0.5	3.0	50.0	<0.01
G34-59 (-)		<0.01	0.22	14.2	439	17.3	7.6	<0.001	0.005	0.65	3.8	0.3	0.7	16.3	<0.01
G26-59 (-)		0.02	1.37	32.4	633	6.6	5.8	<0.001	0.035	1.01	4.7	0.6	0.7	55.5	<0.01
G34-29 (-)		0.02	1.09	23.6	680	6.3	7.4	<0.001	0.016	0.86	4.3	0.5	0.7	34.3	<0.01
G36-59 (-)		<0.01	0.23	37.7	2280	3.5	49.2	<0.001	0.007	0.47	11.3	0.5	1.2	44.9	<0.01
G36-29 (-)		0.02	1.13	19.7	686	5.1	6.2	<0.001	0.011	0.53	3.5	0.4	0.4	30.3	<0.01
G34-24 (-)		0.04	0.44	19.9	530	2.2	27.2	<0.001	<0.005	0.43	8.7	0.4	0.9	22.7	<0.01
G36-24 (-)		0.03	0.66	31.8	396	2.6	22.6	<0.001	<0.005	0.34	5.5	0.5	0.7	14.7	<0.01
G34-60 (-)		0.01	1.20	14.4	443	8.0	7.6	<0.001	0.006	0.51	4.5	0.3	0.6	24.2	<0.01
G3436-60 (-)		0.03	0.50	14.8	771	2.7	22.5	<0.001	0.006	0.33	4.2	0.3	0.8	15.2	<0.01
G3638-26 (-)		0.02	0.68	32.9	293	3.4	15.8	<0.001	<0.005	0.35	3.9	0.3	0.5	15.5	<0.01
G3638-28 (-)		0.02	0.96	22.2	282	4.6	12.4	<0.001	<0.005	0.47	4.6	0.3	0.9	16.0	<0.01
G3638-30 (-)		0.02	0.63	25.9	247	3.7	12.1	<0.001	<0.005	0.51	3.9	0.4	0.5	15.2	<0.01
G3638-32 (-)		0.04	0.70	29.3	461	3.0	26.0	<0.001	0.005	0.36	4.9	0.4	0.3	17.7	<0.01
G3638-34 (-)		0.05	0.33	30.6	630	1.6	24.6	<0.001	<0.005	0.61	7.0	0.5	0.2	17.6	<0.01
G3638-36 (-)		0.02	0.50	31.7	623	3.1	11.6	<0.001	0.008	14.8	13.5	0.6	0.5	24.6	<0.01
G3638-38 (-)		0.03	0.26	41.2	725	1.5	31.7	<0.001	<0.005	0.39	7.4	0.5	0.3	18.0	<0.01
G3638-40 (-)		0.03	0.96	26.7	267	2.8	23.8	<0.001	<0.005	0.63	6.9	0.5	0.6	19.9	<0.01
G3638-42 (-)		0.03	0.67	24.3	443	3.0	15.6	<0.001	<0.005	0.52	5.3	0.3	0.4	14.9	<0.01
G3638-44 (-)		0.03	1.09	28.5	796	4.6	9.7	<0.001	0.020	0.86	4.4	0.6	0.5	39.8	<0.01
G3638-46 (-)		0.03	1.11	38.2	699	4.7	11.0	<0.001	0.046	0.79	4.5	0.6	0.5	51.2	<0.01
G3638-48 (-)		0.02	1.20	17.7	755	4.8	5.2	0.002	0.027	0.62	3.1	0.4	0.4	34.8	<0.01
G3638-50 (-)		0.02	1.49	19.1	809	6.2	7.5	<0.001	0.013	0.56	3.6	0.4	0.5	30.8	<0.01
G3638-52 (-)		0.02	1.34	17.6	758	5.8	7.6	<0.001	0.015	0.44	3.3	0.3	0.5	29.1	<0.01
G3638-54 (-)		0.02	1.14	17.0	582	6.2	8.6	0.001	0.026	0.43	3.7	0.4	0.5	37.9	<0.01
G3638-56 (-)		0.02	1.22	12.7	474	6.8	8.4	<0.001	0.013	0.37	3.4	0.3	0.6	25.4	<0.01
G3638-58 (-)		0.02	1.43	21.7	712	6.7	9.5	<0.001	0.016	0.63	4.8	0.6	0.7	33.2	<0.01
G3638-60 (-)		0.02	1.12	16.1	642	4.7	6.5	<0.001	0.012	0.58	4.1	0.4	0.5	27.0	<0.01
G32-26 (-)		0.03	1.28	21.0	402	4.7	10.7	<0.001	0.008	0.61	6.0	0.4	1.0	26.8	<0.01
G32-28 (-)		0.02	0.43	28.7	933	7.2	13.8	<0.001	0.006	2.06	7.0	0.5	0.8	28.7	<0.01
G32-30 (-)		0.03	1.13	24.6	611	5.1	16.5	<0.001	0.007	1.24	6.6	0.4	1.9	22.1	<0.01
G32-32 (-)		0.03	0.80	27.7	812	4.9	13.5	<0.001	0.006	1.13	7.4	0.4	1.3	27.0	<0.01

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G32-34 (-)	0.03	1.38	32.4	776	5.4	14.2	<0.001	0.017	1.22	6.5	0.5	0.9	36.0	<0.01
G32-36 (-)	0.03	1.32	29.4	588	6.7	10.5	<0.001	0.015	1.05	6.3	0.5	1.0	34.5	<0.01
G32-40 (-)	0.02	1.29	16.2	722	8.1	7.0	<0.001	0.034	0.57	4.1	0.4	0.5	36.4	<0.01
G32-42 (-)	0.02	1.20	16.8	649	6.2	6.8	<0.001	0.022	0.59	3.6	0.4	0.6	34.3	<0.01
G32-44 (-)	0.03	1.19	25.3	851	6.5	9.1	<0.001	0.013	0.86	5.2	0.5	0.6	38.8	<0.01
G32-46 (-)	0.03	1.42	28.0	931	7.4	9.8	<0.001	0.012	0.97	5.9	0.5	0.6	42.3	<0.01
G32-48 (-)	0.02	1.23	19.7	752	6.0	8.3	<0.001	0.009	0.58	3.5	0.4	0.5	28.8	<0.01
G32-50 (-)	0.02	1.29	18.7	710	8.5	7.2	<0.001	0.011	0.78	4.7	0.4	0.6	31.1	<0.01
G32-52 (-)	0.02	1.21	17.6	652	9.1	8.2	<0.001	0.012	0.67	4.5	0.4	0.7	31.1	<0.01
G32-54 (-)	0.02	1.31	21.1	638	13.0	9.1	<0.001	0.021	0.92	5.4	0.6	0.8	33.5	<0.01
G32-56 (-)	0.02	1.31	22.0	562	18.2	10.2	<0.001	0.016	1.17	6.5	0.6	1.7	31.9	<0.01
G32-58 (-)	0.02	0.94	16.2	544	18.1	9.0	<0.001	0.009	1.71	5.9	0.5	0.9	21.2	<0.01
G32-60 (-)	0.02	0.98	14.4	513	7.3	12.7	<0.001	0.009	0.44	5.4	0.3	1.2	21.4	<0.01
G2628-36 (-)	0.02	1.76	24.4	509	7.5	8.7	<0.001	0.011	0.92	5.7	0.6	0.5	32.9	<0.01
G2628-38 (-)	0.02	0.95	23.2	765	9.4	13.9	<0.001	0.015	0.83	6.4	0.6	0.4	27.7	<0.01
G2628-40 (-)	0.03	1.16	27.5	802	9.9	12.7	<0.001	0.016	0.99	7.5	0.7	0.9	33.9	<0.01
G2628-42 (-)	0.02	1.19	27.7	776	10.0	10.0	<0.001	0.013	1.07	6.5	0.7	1.2	33.2	<0.01
G2628-44 (-)	0.03	1.41	30.8	704	8.5	9.3	<0.001	0.046	1.00	6.3	0.7	0.8	45.0	<0.01
G2628-50 (-)	0.02	0.78	24.6	764	5.0	10.0	<0.001	0.052	0.81	5.4	0.8	0.5	40.4	<0.01
G2628-54 (-)	0.02	0.61	43.5	1040	3.9	20.8	0.001	0.035	1.34	9.6	1.6	0.6	33.7	<0.01
G2628-56 (-)	0.02	0.84	19.5	738	3.5	14.4	<0.001	0.019	0.38	4.8	0.6	0.4	27.5	<0.01
G2628-58 (-)	0.03	0.55	16.2	927	2.0	19.9	<0.001	0.006	0.30	5.3	0.3	0.4	18.4	<0.01
G2628-60 (-)	0.02	0.94	22.5	758	3.6	17.3	<0.001	0.010	0.53	5.7	0.4	0.6	29.2	<0.01
G22-10 (-)	0.02	1.14	17.6	721	5.1	7.0	<0.001	0.020	0.58	3.5	0.4	0.4	32.7	<0.01
G22-14 (-)	0.02	1.47	16.8	675	6.0	8.7	0.002	0.033	0.49	3.6	0.7	0.5	38.1	<0.01
G22-16 (-)	0.03	1.28	24.9	804	6.0	6.3	<0.001	0.019	0.75	4.4	0.5	0.5	45.2	<0.01
G22-18 (-)	0.02	1.25	21.9	675	6.1	7.6	0.002	0.042	0.66	4.0	1.0	0.5	44.6	<0.01
G22-20 (-)	0.02	1.21	24.0	722	6.0	8.0	0.001	0.024	0.62	3.7	0.7	0.4	35.8	<0.01
G20-23 (-)	0.03	1.56	25.0	698	7.3	8.0	0.002	0.058	0.62	5.1	0.6	0.5	52.4	<0.01
G20-21 (-)	0.02	1.32	19.5	898	6.0	6.1	<0.001	0.022	0.65	4.3	0.5	0.5	37.6	<0.01
G20-19 (-)	0.02	1.19	26.1	790	5.4	11.7	<0.001	0.021	1.24	6.3	1.0	0.7	33.3	<0.01
G20-17 (-)	0.03	0.34	24.5	839	2.1	25.8	<0.001	0.006	1.70	7.9	0.6	0.5	17.3	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G20-15 (-)		0.02	0.57	19.7	699	4.6	6.7	<0.001	0.005	1.02	9.1	0.5	0.7	26.6	<0.01
G20-13 (-)		0.02	0.17	26.6	859	3.4	16.2	0.001	<0.005	1.14	14.7	0.9	0.8	21.4	<0.01
G20-11 (-)		0.02	0.73	35.5	816	5.8	12.9	<0.001	0.007	1.82	7.3	0.7	0.8	38.6	<0.01
G20-9 (-)		0.02	0.64	25.2	701	5.3	10.3	0.001	0.008	3.11	9.1	1.1	0.7	30.0	<0.01
G20-7 (-)		0.02	0.73	31.1	659	5.0	8.9	<0.001	0.012	8.52	11.0	1.4	0.5	42.6	<0.01
G20-5 (-)		0.02	1.22	25.6	432	6.8	7.9	<0.001	0.006	2.34	6.7	1.0	1.0	29.0	<0.01
G20-3 (-)		0.02	1.01	25.8	734	4.8	12.0	0.001	0.013	1.05	7.2	1.1	0.6	33.1	<0.01
G20-1 (-)		0.03	1.20	26.6	829	5.2	13.2	<0.001	0.044	1.02	4.9	0.9	0.5	47.7	<0.01
G20-0 (-)		0.02	0.94	28.3	893	4.4	8.0	0.002	0.071	1.57	4.7	1.2	0.6	56.0	<0.01
G20-2 (-)		0.04	1.39	27.1	773	6.8	9.6	<0.001	0.008	0.79	5.0	0.3	0.8	43.7	<0.01
G20-4 (-)		0.02	1.21	16.4	806	5.4	7.3	<0.001	0.013	0.43	3.2	0.3	0.5	32.5	<0.01
G20-6 (-)		0.02	1.14	19.5	739	5.3	8.6	<0.001	0.033	0.61	3.4	0.4	0.5	43.5	<0.01
G20-8 (-)		0.03	1.49	20.3	789	6.1	8.0	<0.001	0.013	0.65	4.1	0.4	0.5	38.1	<0.01
G20-10 (-)		0.02	0.99	19.3	756	6.9	6.1	<0.001	0.018	0.59	3.6	0.4	0.4	31.2	<0.01
G20-12 (-)		0.02	0.97	19.8	732	7.0	7.1	<0.001	0.015	0.59	3.6	0.5	0.4	27.7	<0.01
G20-14 (-)		0.02	0.81	21.8	667	6.2	4.8	<0.001	0.020	0.76	4.3	0.4	0.5	32.6	<0.01
G20-16 (-)		0.01	0.94	19.9	694	6.2	7.5	<0.001	0.028	0.91	3.5	0.6	0.5	31.8	<0.01
G20-18 (-)		0.02	0.95	19.4	651	6.0	6.7	0.001	0.018	0.55	3.5	0.7	0.4	29.2	<0.01
G20-20 (-)		0.01	0.97	20.4	585	6.9	6.8	0.002	0.061	0.62	3.7	1.3	0.6	30.0	<0.01
G20-22 (-)		0.01	0.93	27.4	705	6.3	9.1	0.001	0.021	0.76	4.6	1.9	0.8	25.0	<0.01
G20-24 (-)		0.02	1.00	27.3	648	11.1	6.8	<0.001	0.023	1.83	5.9	0.9	0.7	36.1	<0.01
G20-26 (-)		0.02	1.01	29.1	729	6.3	7.0	<0.001	0.023	0.73	5.4	1.2	1.2	30.5	<0.01
G20-28 (-)		0.01	1.01	36.7	777	5.1	7.4	<0.001	0.033	0.70	5.9	1.2	0.6	36.8	<0.01
G20-30 (-)		0.01	0.97	38.2	781	4.5	6.0	<0.001	0.036	0.82	6.5	1.2	1.1	30.7	<0.01
G20-32 (-)		0.01	0.84	28.5	712	4.6	8.9	<0.001	0.043	0.84	6.2	1.0	0.3	38.2	<0.01
G20-34 (-)		0.01	0.78	37.2	799	5.5	5.9	0.001	0.036	2.07	9.0	1.3	0.5	50.4	<0.01
G18-19 (-)		0.02	0.91	28.4	907	5.4	6.4	<0.001	0.050	0.98	4.1	0.9	0.5	42.6	<0.01
G18-17 (-)		0.02	1.04	38.7	865	5.4	9.5	<0.001	0.069	1.30	4.7	1.4	0.5	58.1	<0.01
G18-15 (-)		0.02	1.21	30.5	750	6.6	7.9	<0.001	0.013	0.92	5.2	0.6	0.6	44.4	<0.01
G18-13 (-)		0.02	1.08	20.6	776	5.5	5.6	<0.001	0.015	0.71	3.8	0.6	0.4	39.9	<0.01
G18-11 (-)		0.03	1.22	27.7	799	6.9	7.8	<0.001	0.023	1.24	4.6	0.6	0.7	51.2	<0.01
G18-9 (-)		0.02	1.21	25.5	831	6.4	7.2	<0.001	0.030	0.97	4.5	0.7	0.5	48.2	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G18-5 (-)	0.02	1.02	35.4	890	6.8	9.7	<0.001	0.011	0.98	5.6	0.4	0.5	41.2	<0.01
G18-3 (-)	0.02	1.22	25.2	730	6.5	6.8	<0.001	0.032	1.15	5.1	0.8	0.6	48.1	<0.01
G18-1 (-)	0.02	1.34	26.4	706	17.4	10.3	<0.001	0.017	2.08	5.1	0.7	1.0	37.4	<0.01
G18-0 (-)	0.02	1.11	18.8	742	5.0	7.4	0.002	0.066	0.52	3.5	0.5	0.4	35.0	<0.01
G18-2 (-)	0.02	1.07	19.9	732	5.9	7.2	<0.001	0.017	0.59	3.8	0.4	0.4	32.1	<0.01
G18-4 (-)	0.02	1.07	17.2	724	6.2	8.0	<0.001	0.018	0.58	3.5	0.4	0.4	31.5	<0.01
G18-6 (-)	0.02	1.01	19.2	844	4.9	6.0	<0.001	0.009	0.59	3.7	0.3	0.4	32.5	<0.01
G18-8 (-)	0.02	0.98	19.7	715	5.6	6.0	<0.001	0.014	0.53	3.6	0.4	0.5	32.6	<0.01
G18-10 (-)	0.03	1.22	20.8	892	5.7	6.3	<0.001	0.016	0.62	3.7	0.4	0.4	39.1	<0.01
G18-12 (-)	0.02	1.08	20.6	739	5.9	7.1	<0.001	0.012	0.56	3.6	0.5	0.5	34.8	<0.01
G18-14 (-)	0.02	1.07	20.3	766	7.9	7.5	<0.001	0.018	0.61	3.7	0.5	0.6	30.4	<0.01
G18-16 (-)	0.02	1.08	21.0	762	7.2	8.4	<0.001	0.015	0.57	4.2	0.5	0.7	27.7	<0.01
G18-18 (-)	0.02	1.10	19.5	725	5.5	7.3	<0.001	0.013	0.56	3.4	0.4	0.5	29.1	<0.01
G18-20 (-)	0.02	1.22	25.4	864	7.1	8.8	<0.001	0.020	0.79	4.9	0.7	0.6	38.5	<0.01
G18-22 (-)	0.02	1.16	18.4	620	6.1	8.3	<0.001	0.009	0.55	3.7	0.4	0.6	29.2	<0.01
G18-24 (-)	0.01	1.11	18.7	627	4.9	6.7	<0.001	0.009	0.46	3.8	0.6	0.3	24.4	<0.01
G18-26 (-)	0.01	1.02	19.3	734	4.6	5.8	<0.001	0.025	0.52	3.9	1.0	0.5	27.0	<0.01
G18-28 (-)	0.01	0.84	48.0	942	2.3	26.1	0.001	0.008	0.57	5.5	1.2	0.5	23.0	<0.01
G18-30 (-)	0.01	1.13	38.4	971	3.8	14.2	<0.001	0.025	1.62	5.6	1.3	0.4	55.7	<0.01
G18-32 (-)	0.01	1.04	26.5	522	3.8	9.3	0.001	0.051	0.51	4.2	1.4	0.5	26.3	<0.01
G18-34 (-)	0.01	1.42	22.1	308	7.0	6.8	0.001	0.024	1.15	3.7	1.2	0.8	24.5	<0.01
G16-25 (-)	0.02	0.98	20.7	805	5.0	6.0	<0.001	0.028	0.43	3.5	0.6	0.3	33.8	<0.01
G16-19 (-)	0.02	1.15	31.2	953	5.4	8.4	0.001	0.058	0.86	4.7	1.3	0.4	82.9	<0.01
G16-17 (-)	0.02	0.97	28.1	868	5.9	9.4	<0.001	0.009	1.22	5.0	0.7	0.7	37.0	<0.01
G16-15 (-)	0.01	0.90	31.0	829	5.9	10.8	<0.001	0.015	1.74	5.2	0.9	0.6	36.7	<0.01
G16-13 (-)	0.03	1.15	24.0	863	5.7	6.7	<0.001	0.053	0.62	3.9	0.5	0.4	69.9	<0.01
G16-9 (-)	0.03	0.95	34.5	835	7.3	7.1	<0.001	0.017	0.75	5.0	0.5	0.3	39.1	<0.01
G16-7 (-)	0.02	1.36	28.5	604	6.7	7.4	<0.001	0.015	0.72	4.9	0.5	0.5	34.2	<0.01
G16-5 (-)	0.02	1.13	20.4	731	5.3	6.3	0.001	0.047	0.52	3.6	0.6	0.4	32.6	<0.01
G16-3 (-)	0.03	1.33	28.4	802	7.0	8.1	<0.001	0.018	0.76	4.7	0.4	0.8	57.8	<0.01
G16-1 (-)	0.02	1.01	16.7	710	6.3	6.1	<0.001	0.019	0.38	3.5	0.3	0.8	31.0	<0.01
G16-0 (-)	0.02	1.17	16.7	737	6.5	7.0	0.001	0.050	0.58	3.8	0.7	0.4	43.1	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G16-2 (-)	0.02	1.25	23.1	618	7.3	7.8	<0.001	0.019	0.60	4.5	0.6	0.6	32.2	<0.01
G16-4 (-)	0.02	1.06	22.8	730	6.6	9.4	<0.001	0.013	0.64	5.1	0.5	0.6	32.9	<0.01
G16-6 (-)	0.01	0.90	15.9	733	6.6	7.2	<0.001	0.016	0.50	3.4	0.4	0.5	28.0	<0.01
G16-8 (-)	0.02	0.83	19.4	785	5.0	5.6	<0.001	0.011	0.54	3.6	0.4	0.3	30.8	<0.01
G16-10 (-)	0.02	0.97	18.0	715	5.9	7.3	<0.001	0.023	0.47	3.6	0.4	0.3	30.6	<0.01
G16-12 (-)	0.02	1.09	23.2	743	6.1	6.4	<0.001	0.012	0.57	3.9	0.4	0.4	33.9	<0.01
G16-14 (-)	0.02	0.93	16.3	674	5.5	6.5	<0.001	0.025	0.41	3.6	0.4	0.8	25.1	<0.01
G16-16 (-)	0.02	0.97	17.2	698	5.3	6.4	<0.001	0.022	0.45	3.5	0.4	0.4	25.5	<0.01
G16-18 (-)	0.02	1.05	21.7	777	5.4	5.9	<0.001	0.012	0.59	3.8	0.5	0.4	31.5	<0.01
G16-20 (-)	0.02	1.19	21.2	674	6.7	7.3	<0.001	0.014	0.57	3.6	0.4	0.5	28.5	<0.01
G16-22 (-)	0.02	1.43	21.9	689	6.8	8.1	<0.001	0.028	0.57	4.4	0.5	0.6	29.1	<0.01
G16-24 (-)	0.02	1.05	23.2	711	6.0	6.7	<0.001	0.021	0.50	4.6	0.5	0.7	23.3	<0.01
G16-26 (-)	0.01	1.02	25.5	657	5.2	5.9	<0.001	0.036	0.45	4.4	0.6	0.4	27.4	<0.01
G16-28 (-)	0.02	1.28	32.3	636	5.6	11.4	<0.001	0.030	0.59	5.8	0.8	0.5	26.3	<0.01
G16-30 (-)	0.01	0.82	33.9	657	3.8	12.4	<0.001	0.046	0.35	4.4	0.6	0.3	25.1	<0.01
G16-32 (-)	0.01	0.93	40.3	558	5.4	11.5	<0.001	0.035	0.44	4.9	0.9	0.5	25.2	<0.01
G14-21 (-)	0.02	1.32	27.4	718	6.2	7.1	<0.001	0.122	0.79	4.3	1.2	0.6	86.1	<0.01
G14-17 (-)	0.02	1.07	29.3	748	6.0	9.4	<0.001	0.098	1.14	5.0	1.1	0.4	82.9	<0.01
G14-13 (-)	0.01	1.06	45.3	906	4.6	4.9	0.001	0.092	0.90	4.7	1.4	0.5	88.7	<0.01
G14-11 (-)	0.02	1.08	21.5	665	5.8	6.4	<0.001	0.016	0.62	4.1	0.5	0.5	34.0	<0.01
G14-9 (-)	0.02	1.29	26.6	716	6.4	7.3	<0.001	0.014	0.64	4.4	0.5	0.5	33.0	<0.01
G14-7 (-)	0.03	1.73	32.1	879	6.0	6.5	<0.001	0.045	0.66	4.5	0.6	0.4	76.3	<0.01
G14-5 (-)	0.03	0.99	31.1	802	6.4	7.1	<0.001	0.015	0.73	3.7	0.3	0.4	35.5	<0.01
G14-3 (-)	0.03	1.31	24.7	727	6.1	6.9	<0.001	0.017	0.64	4.0	0.3	0.4	39.9	<0.01
G14-1 (-)	0.02	1.17	26.1	668	6.8	5.7	<0.001	0.015	0.66	4.3	0.5	0.4	36.0	<0.01
G14-0 (-)	0.02	1.14	18.8	559	7.7	8.6	<0.001	0.012	0.52	4.5	0.5	0.6	32.1	<0.01
G14-2 (-)	0.02	0.65	25.2	737	7.3	12.0	<0.001	0.008	0.98	6.5	0.5	0.6	25.8	<0.01
G14-4 (-)	0.01	0.62	20.5	583	6.4	9.8	<0.001	0.012	0.90	5.0	0.5	0.4	22.6	<0.01
G14-6 (-)	0.01	1.01	18.6	402	6.3	7.8	<0.001	0.012	0.67	4.0	0.4	0.5	21.6	<0.01
G14-8 (-)	0.02	0.84	20.3	758	7.2	13.7	<0.001	0.016	1.05	5.4	0.5	0.6	29.6	<0.01
G14-10 (-)	0.01	1.05	17.1	668	7.4	7.7	<0.001	0.013	0.44	3.8	0.4	0.5	25.8	<0.01
G14-12 (-)	0.02	0.90	19.7	639	5.2	5.0	<0.001	0.008	0.54	4.0	0.5	0.4	31.7	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G14-14 (-)	0.02	1.18	17.3	715	7.1	7.3	<0.001	0.017	0.47	3.8	0.5	0.4	28.2	<0.01
G14-16 (-)	0.02	0.88	11.9	786	12.7	11.5	<0.001	0.047	0.37	3.7	0.4	0.5	27.0	<0.01
G14-18 (-)	0.02	1.16	19.7	685	6.2	8.3	<0.001	0.018	0.57	3.6	0.4	0.4	31.5	<0.01
G14-20 (-)	0.03	1.11	25.2	741	5.8	7.5	<0.001	0.010	0.70	4.1	0.5	0.4	31.9	<0.01
G14-22 (-)	0.02	1.19	18.8	630	6.1	7.2	<0.001	0.014	0.53	3.8	0.4	0.6	27.5	<0.01
G14-24 (-)	0.02	1.16	18.4	614	5.8	11.0	<0.001	0.028	0.51	5.2	0.6	0.5	32.4	<0.01
G14-26 (-)	0.02	1.44	21.5	613	5.6	11.0	<0.001	0.020	0.68	5.8	0.8	0.7	29.3	<0.01
G14-28 (-)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G14-30 (-)	0.01	0.43	14.6	825	4.2	33.7	<0.001	0.005	0.55	8.8	0.6	0.5	16.5	<0.01
G14-32 (-)	0.01	0.62	12.8	406	3.5	16.9	<0.001	0.007	0.25	6.3	0.2	0.5	13.3	<0.01
G12-27 (-)	0.02	1.05	15.1	695	4.7	6.2	<0.001	0.058	0.34	3.2	0.4	0.4	47.6	<0.01
G12-23 (-)	0.02	1.21	22.1	740	5.9	7.0	<0.001	0.037	0.59	4.0	0.6	0.4	46.0	<0.01
G12-21 (-)	0.02	0.99	20.6	694	6.6	6.1	<0.001	0.022	0.56	3.9	0.6	1.3	38.3	<0.01
G12-19 (-)	0.02	1.13	20.0	688	4.8	7.2	0.001	0.054	0.63	3.7	0.4	0.4	34.3	<0.01
G12-17 (-)	0.02	1.12	17.4	885	5.5	5.6	<0.001	0.014	0.64	3.8	0.4	0.4	33.5	<0.01
G12-15 (-)	0.02	1.22	20.8	750	6.4	8.5	<0.001	0.020	0.61	4.4	0.5	0.4	41.2	<0.01
G12-13 (-)	0.03	1.62	25.6	806	7.3	6.4	<0.001	0.032	0.83	4.7	0.6	0.6	49.5	<0.01
G12-11 (-)	0.02	1.26	17.5	798	5.6	5.5	<0.001	0.012	0.54	3.9	0.4	0.4	31.4	<0.01
G12-9 (-)	0.02	1.22	21.3	733	6.1	6.0	<0.001	0.013	0.64	4.1	0.5	0.4	34.8	<0.01
G12-7 (-)	0.02	1.28	25.2	705	6.7	6.6	<0.001	0.017	0.76	4.7	0.6	0.5	37.7	<0.01
G12-5 (-)	0.02	1.22	26.7	753	6.7	9.3	0.002	0.039	0.55	5.0	2.2	0.4	44.9	<0.01
G12-3 (-)	0.02	1.05	11.8	630	5.7	5.7	<0.001	0.011	0.38	3.1	0.3	0.4	28.8	<0.01
G12-1 (-)	0.02	1.13	13.6	650	7.2	7.0	<0.001	0.020	0.53	3.9	0.4	0.4	32.1	<0.01
G12-0 (-)	0.02	1.15	21.0	713	6.7	7.9	<0.001	0.009	0.61	5.1	0.5	0.6	32.8	<0.01
G12-2 (-)	0.02	1.35	22.4	636	7.5	7.2	<0.001	0.011	0.66	5.2	0.5	0.6	37.7	<0.01
G12-4 (-)	0.02	1.07	15.5	613	6.6	6.6	<0.001	0.009	0.47	3.7	0.3	0.5	27.8	<0.01
G12-6 (-)	0.02	0.98	16.2	587	6.5	6.7	<0.001	0.009	0.50	3.7	0.4	0.6	28.8	<0.01
G12-8 (-)	0.03	1.06	22.4	679	7.3	7.4	<0.001	0.011	0.69	4.6	0.4	0.7	34.4	<0.01
G12-10 (-)	0.02	1.08	17.3	570	7.2	7.1	<0.001	0.010	0.51	3.9	0.5	0.5	29.0	<0.01
G12-12 (-)	0.01	1.00	13.0	508	5.7	7.1	<0.001	0.008	0.39	3.1	0.3	0.5	25.1	<0.01
G12-14 (-)	0.02	1.01	15.4	580	5.5	6.8	<0.001	0.008	0.48	3.3	0.3	0.5	29.1	<0.01
G12-16 (-)	0.02	1.21	21.9	658	6.3	7.9	<0.001	0.015	0.65	4.5	0.6	0.6	35.0	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G12-18 (-)	0.02	1.11	17.6	558	5.5	8.3	<0.001	0.013	0.49	4.9	0.5	0.6	31.1	<0.01
G12-20 (-)	0.03	1.15	20.6	681	5.1	8.5	<0.001	0.016	0.59	4.5	0.5	0.4	34.9	<0.01
G12-22 (-)	0.03	1.13	22.3	799	5.8	7.4	<0.001	0.017	0.63	4.5	0.5	0.5	38.7	<0.01
G12-24 (-)	0.02	0.98	22.4	624	6.6	11.0	<0.001	0.021	0.57	5.5	0.8	0.5	30.0	<0.01
G12-26 (-)	<0.01	0.37	24.8	1180	4.2	39.3	<0.001	0.011	0.60	9.7	1.0	0.5	23.0	<0.01
G12-28 (-)	0.01	0.54	28.1	673	3.7	17.5	<0.001	0.007	0.32	6.5	0.3	0.4	17.3	<0.01
G12-30 (-)	0.01	0.77	17.3	401	6.7	6.2	<0.001	<0.005	0.53	3.7	0.4	0.4	16.7	<0.01
G10-27 (-)	0.02	1.01	21.2	829	5.3	7.5	<0.001	0.042	0.64	3.6	0.6	0.4	39.7	<0.01
G10-25 (-)	0.02	1.06	16.7	708	5.0	5.5	0.001	0.024	0.47	3.3	0.5	0.3	29.5	<0.01
G10-23 (-)	0.02	1.33	26.1	840	6.1	8.1	0.003	0.055	0.77	4.0	0.7	0.4	41.1	<0.01
G10-21 (-)	0.02	1.35	24.2	797	6.6	6.4	<0.001	0.019	0.71	4.2	0.5	0.5	38.5	<0.01
G10-19 (-)	0.02	1.00	18.7	781	4.5	4.8	<0.001	0.008	0.49	3.6	0.3	0.4	30.4	<0.01
G10-17 (-)	0.02	1.30	25.5	803	5.6	6.0	<0.001	0.016	0.63	4.3	0.5	0.5	40.6	<0.01
G10-15 (-)	0.02	1.52	36.8	829	6.5	9.5	<0.001	0.013	0.79	5.8	0.5	0.9	50.4	<0.01
G10-13 (-)	0.02	1.10	19.5	783	5.3	5.0	<0.001	0.012	0.58	3.8	0.4	0.4	30.3	<0.01
G10-11 (-)	0.02	1.38	25.2	770	7.0	7.6	<0.001	0.014	0.69	4.8	0.4	1.0	42.9	<0.01
G10-9 (-)	0.02	1.34	26.2	768	6.9	5.0	<0.001	0.028	0.81	4.4	0.6	0.4	45.8	<0.01
G10-7 (-)	0.02	1.12	23.4	684	6.1	8.1	<0.001	0.009	0.79	4.9	0.4	0.7	33.5	<0.01
G10-5 (-)	0.02	1.14	30.3	707	5.8	8.1	<0.001	0.017	0.84	5.1	0.6	0.7	37.6	<0.01
G10-3 (-)	0.01	0.71	33.7	647	4.4	15.1	<0.001	<0.005	0.93	7.2	0.6	1.1	22.9	<0.01
G10-1 (-)	0.01	0.93	18.6	396	6.6	6.2	<0.001	<0.005	0.44	4.3	0.3	0.6	21.2	<0.01
G10-0 (-)	0.02	0.86	18.8	557	6.3	6.8	<0.001	0.005	0.59	4.7	0.4	0.7	27.5	<0.01
G10-2 (-)	0.02	1.16	21.8	638	8.6	7.5	<0.001	0.012	0.81	5.0	0.6	0.7	39.1	<0.01
G10-4 (-)	0.02	1.12	15.7	685	7.2	6.3	<0.001	0.018	0.57	3.8	0.5	0.7	33.2	<0.01
G10-6 (-)	0.02	1.22	18.4	719	9.5	7.8	<0.001	0.023	0.68	4.3	0.7	0.9	35.4	<0.01
G10-10 (-)	0.03	0.65	53.8	667	13.8	23.4	<0.001	0.014	5.26	8.6	1.7	1.3	32.4	<0.01
G10-12 (-)	0.01	1.16	13.2	536	8.2	8.6	<0.001	0.010	0.37	3.0	0.4	0.5	22.8	<0.01
G10-14 (-)	0.02	1.11	16.4	581	6.3	7.5	<0.001	0.008	0.47	3.7	0.3	0.5	30.9	<0.01
G10-16 (-)	0.02	1.15	22.5	596	7.1	7.7	<0.001	0.034	0.55	4.5	0.7	0.5	40.4	<0.01
G10-18 (-)	0.02	1.40	24.3	677	7.1	8.6	<0.001	0.022	0.61	5.5	0.5	0.6	38.6	<0.01
G10-20 (-)	0.01	1.14	12.6	404	6.1	24.5	<0.001	0.017	0.28	3.1	0.3	0.6	22.3	<0.01
G08-27 (-)	0.02	1.46	22.2	782	6.8	8.5	0.001	0.051	0.67	4.7	0.7	0.5	41.0	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G08-25 (-)	0.02	0.46	14.9	676	4.6	5.1	0.002	0.060	0.05	2.8	0.4	0.2	30.8	<0.01
G08-23 (-)	0.02	0.48	18.8	680	4.6	4.6	0.001	0.032	0.07	2.8	0.4	<0.2	29.7	<0.01
G08-21 (-)	0.02	1.36	25.5	793	5.9	6.3	<0.001	0.028	0.74	4.5	0.8	0.4	45.6	<0.01
G08-19 (-)	0.02	1.33	26.1	754	6.4	6.8	0.001	0.024	0.80	4.4	0.9	0.5	43.2	<0.01
G08-17 (-)	0.02	0.68	27.0	816	3.0	17.4	<0.001	0.006	0.74	6.6	0.9	0.5	25.0	<0.01
G08-15 (-)	0.03	1.38	32.2	822	7.1	9.1	0.001	0.019	0.80	5.1	0.6	0.5	52.0	<0.01
G08-13 (-)	0.02	1.36	33.3	750	6.5	7.5	<0.001	0.018	0.92	6.1	1.0	0.6	45.7	<0.01
G08-11 (-)	0.02	1.39	32.6	760	6.5	8.2	<0.001	0.019	0.85	5.7	0.9	0.7	49.4	<0.01
G08-09 (-)	0.02	1.25	18.5	581	5.8	6.8	<0.001	0.012	0.52	4.2	0.4	0.5	36.4	<0.01
G08-07 (-)	0.02	1.34	30.7	797	6.4	9.3	<0.001	0.015	0.88	5.7	0.5	0.6	48.9	<0.01
G08-05 (-)	0.01	0.73	36.4	713	3.7	14.4	<0.001	0.005	1.65	6.4	1.0	0.5	21.7	<0.01
G08-03 (-)	0.01	0.47	31.8	699	3.2	9.9	<0.001	<0.005	0.31	5.0	0.3	0.7	20.9	<0.01
G08-01 (-)	0.02	0.78	19.1	544	5.3	6.9	<0.001	<0.005	0.51	5.4	0.4	0.7	25.1	<0.01
G08-00 (-)	0.01	0.45	19.6	744	9.4	20.3	<0.001	<0.005	0.49	6.3	0.6	0.5	20.6	<0.01
G08-02 (-)	0.02	0.13	44.0	782	4.8	42.7	<0.001	<0.005	0.46	10.3	0.8	0.5	26.8	<0.01
G08-04 (-)	0.02	0.40	19.6	792	5.2	31.5	<0.001	0.006	0.48	7.1	0.7	0.5	29.7	<0.01
G08-06 (-)	0.04	0.67	20.6	645	11.8	23.2	<0.001	0.014	0.47	6.8	0.9	0.7	38.5	<0.01
G08-08 (-)	0.02	0.87	24.4	551	17.0	9.1	<0.001	0.015	2.06	6.3	0.6	5.6	32.4	<0.01
G08-10 (-)	0.02	0.97	15.7	475	7.3	8.7	<0.001	0.033	0.66	5.0	0.4	0.5	32.6	<0.01
G08-12 (-)	0.02	1.03	21.0	753	7.2	6.0	<0.001	0.013	1.31	5.3	0.6	0.5	38.3	<0.01
G08-14 (-)	0.02	0.74	23.8	583	13.8	11.8	0.001	0.008	13.7	10.4	0.9	0.7	32.7	<0.01
G08-16 (-)	0.03	1.37	22.6	703	6.2	8.5	<0.001	0.022	0.72	6.1	0.6	0.6	38.9	<0.01
G08-18 (-)	0.02	1.13	17.2	591	5.9	7.2	<0.001	0.037	0.39	4.7	0.6	0.5	46.2	<0.01
G08-20 (-)	0.02	1.24	25.2	783	7.6	8.3	0.001	0.052	0.72	8.3	1.2	0.6	59.8	<0.01
G08-22 (-)	0.03	0.85	21.1	686	72.6	16.7	0.001	0.054	0.90	8.1	1.0	1.0	44.1	<0.01
G08-24 (-)	0.02	1.19	24.2	634	8.8	10.9	<0.001	0.022	0.59	7.9	0.8	0.5	40.9	<0.01
G08-26 (-)	0.02	0.98	23.9	664	13.7	19.3	0.001	0.028	0.65	8.5	1.3	1.3	52.4	<0.01
G08-46 (-)	0.01	0.82	14.3	361	3.5	9.3	<0.001	<0.005	0.41	5.0	0.3	0.5	22.2	<0.01
G08-48 (-)	0.01	0.84	15.9	404	3.9	7.6	<0.001	<0.005	0.45	4.2	0.3	0.5	22.2	<0.01
G08-50 (-)	0.02	0.54	13.3	760	3.5	21.0	<0.001	0.007	0.64	9.5	0.5	1.2	22.7	<0.01
G0608-23 (-)	0.02	1.39	21.6	899	5.9	7.7	0.001	0.060	0.71	4.2	0.7	0.5	41.4	<0.01
G0608-21 (-)	0.02	1.23	25.7	802	5.7	6.6	<0.001	0.020	0.70	4.5	0.6	0.5	37.8	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012	DATE RECEIVED: Aug 14, 2012					DATE REPORTED: Sep 26, 2012					SAMPLE TYPE: Soil				
Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G0608-19 (-)	0.02	1.25	30.5	795	6.0	6.8	<0.001	0.022	0.85	5.1	0.8	0.5	41.4	<0.01	
G0608-17 (-)	0.02	1.08	21.6	869	6.2	8.5	<0.001	0.025	0.80	4.5	1.0	0.5	39.3	<0.01	
G0608-15 (-)	0.02	1.29	28.6	734	6.7	7.1	<0.001	0.015	1.03	5.3	0.7	0.5	40.6	<0.01	
G0608-13 (-)	0.02	1.12	34.2	851	5.3	6.9	0.001	0.081	1.14	5.1	2.3	0.4	76.1	<0.01	
G0608-11 (-)	0.02	0.84	42.8	741	6.6	6.4	0.001	0.015	3.20	7.8	2.2	1.1	27.9	<0.01	
G0608-9 (-)	0.02	0.80	28.6	770	4.2	7.3	<0.001	0.007	1.24	6.1	1.1	0.6	31.1	<0.01	
G0608-7 (-)	<0.01	0.28	38.1	967	16.1	8.0	<0.001	0.007	6.46	14.3	2.0	0.8	17.5	<0.01	
G0608-5 (-)	0.02	0.95	20.8	734	5.1	5.8	<0.001	0.010	0.60	5.2	0.5	0.4	32.1	<0.01	
G0608-3 (-)	0.02	0.74	23.1	562	4.9	7.2	<0.001	0.006	0.50	5.9	0.5	0.5	28.5	<0.01	
G0608-1 (-)	0.02	0.49	23.1	760	3.7	18.0	<0.001	<0.005	0.57	8.7	0.8	0.4	25.5	<0.01	
G0608-00 (-)	0.01	0.57	12.0	902	19.6	34.7	<0.001	<0.005	0.35	4.2	0.6	0.6	19.2	<0.01	
G0608-02 (-)	0.02	0.88	14.9	492	6.8	7.6	<0.001	0.006	0.53	3.8	0.3	0.5	26.2	<0.01	
G0608-04 (-)	0.02	0.70	28.8	667	7.3	20.3	<0.001	0.010	0.93	6.6	0.9	0.6	25.6	<0.01	
G0608-06 (-)	0.04	0.45	20.2	652	8.0	30.5	<0.001	0.035	0.40	7.4	1.1	0.6	36.1	<0.01	
G0608-08 (-)	0.02	0.70	18.4	715	5.6	11.2	<0.001	0.010	0.48	4.5	0.4	0.7	29.9	<0.01	
G0608-10 (-)	0.02	0.73	19.7	508	5.6	5.1	<0.001	0.008	1.71	7.0	0.5	0.6	27.6	<0.01	
G0608-12 (-)	0.02	0.96	15.1	435	18.2	12.5	<0.001	0.010	4.21	5.7	0.6	0.6	21.3	<0.01	
G0608-14 (-)	0.03	0.69	19.4	631	19.9	10.8	<0.001	0.015	68.0	13.6	1.1	0.5	45.1	<0.01	
G0608-16 (-)	0.02	0.59	13.5	562	13.9	17.5	<0.001	0.024	2.37	7.0	1.2	0.6	130	<0.01	
G0608-18 (-)	0.02	0.34	13.0	542	4.8	60.2	<0.001	0.051	0.42	12.4	0.8	0.5	36.2	<0.01	
G0608-20 (-)	0.02	0.39	14.4	575	20.9	14.3	<0.001	0.022	0.78	6.7	1.0	0.4	21.4	<0.01	
G06-27 (-)	0.02	1.19	23.3	770	6.7	8.0	0.001	0.044	0.66	4.2	0.6	0.5	35.9	<0.01	
G06-25 (-)	0.02	0.91	16.8	764	5.5	5.6	0.001	0.034	0.68	3.3	0.5	0.3	30.0	<0.01	
G06-23 (-)	0.02	1.09	23.6	680	7.4	8.4	0.001	0.032	1.18	5.1	0.8	0.8	34.9	<0.01	
G06-21 (-)	0.02	0.84	23.5	849	5.5	6.4	<0.001	0.019	0.78	4.3	0.5	0.4	36.6	<0.01	
G06-19 (-)	0.02	0.78	18.0	801	4.9	4.8	<0.001	0.018	0.76	3.3	0.6	0.3	33.4	<0.01	
G06-17 (-)	0.02	0.69	22.5	763	5.8	5.2	<0.001	0.016	0.69	4.0	0.6	0.4	37.6	<0.01	
G06-15 (-)	0.02	1.15	38.8	925	5.7	8.9	<0.001	0.076	1.10	5.2	1.2	0.5	63.9	0.01	
G06-13 (-)	0.02	1.13	32.9	866	6.0	7.2	0.001	0.025	1.16	5.6	1.5	0.7	48.5	<0.01	
G06-11 (-)	<0.01	0.26	113	976	7.9	4.5	0.002	0.204	8.49	15.3	12.9	0.7	53.7	<0.01	
G06-9 (-)	0.01	0.35	27.0	747	3.5	10.2	<0.001	<0.005	0.87	5.1	0.9	0.4	26.2	<0.01	
G06-7 (-)	0.01	0.57	22.9	572	5.3	7.5	<0.001	<0.005	0.60	4.1	0.4	0.4	27.6	<0.01	

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	
G06-48 (-)		0.02	0.94	20.8	664	5.3	7.4	<0.001	0.018	0.70	5.4	0.5	0.5	31.7	<0.01
G06-50 (-)		0.02	1.04	22.2	695	5.5	9.5	<0.001	0.017	0.73	6.4	0.5	0.5	31.4	<0.01
G06-52 (-)		0.02	0.92	19.3	625	5.9	10.1	<0.001	0.012	0.70	6.7	0.5	0.6	28.6	<0.01

Certified By:

*Ron Cardinali*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G24-59 (-)	0.04	3.7	0.080	0.07	1.02	54.6	0.33	11.1	64.8	3.7
G34-59 (-)	0.03	2.0	0.012	0.07	0.63	20.7	0.26	11.9	39.0	2.3
G26-59 (-)	0.03	2.8	0.073	0.06	0.94	51.3	0.31	11.8	52.2	3.3
G34-29 (-)	0.03	2.9	0.072	0.12	1.05	48.1	0.21	7.65	63.5	1.1
G36-59 (-)	0.02	8.9	0.115	0.24	1.56	128	0.25	19.0	136	5.4
G36-29 (-)	0.03	3.6	0.076	0.08	0.94	38.7	0.30	7.19	51.7	2.2
G34-24 (-)	0.10	1.6	0.213	0.17	0.42	99.3	0.16	6.20	78.5	4.7
G36-24 (-)	0.06	1.6	0.150	0.17	0.36	71.7	0.12	4.87	56.3	2.1
G34-60 (-)	0.03	3.7	0.075	0.09	1.15	45.8	0.38	6.74	52.2	3.4
G3436-60 (-)	0.05	1.1	0.202	0.13	0.28	76.5	0.22	3.41	78.7	1.5
G3638-26 (-)	0.06	1.5	0.151	0.11	0.27	67.3	0.19	2.87	45.0	1.5
G3638-28 (-)	0.06	2.2	0.118	0.11	0.39	68.9	0.17	3.55	50.5	1.8
G3638-30 (-)	0.04	2.5	0.118	0.11	0.46	59.5	0.16	3.80	49.7	2.6
G3638-32 (-)	0.05	1.8	0.160	0.16	0.42	65.6	0.13	5.37	52.3	1.5
G3638-34 (-)	0.07	1.2	0.184	0.15	0.53	81.8	0.68	8.27	53.6	2.1
G3638-36 (-)	0.06	1.8	0.067	0.21	0.48	83.9	0.19	11.0	76.9	1.6
G3638-38 (-)	0.05	1.2	0.230	0.22	0.50	91.8	0.12	11.7	56.0	3.9
G3638-40 (-)	0.09	1.8	0.209	0.18	0.52	74.0	0.27	6.06	74.9	3.5
G3638-42 (-)	0.07	1.7	0.151	0.12	0.31	67.5	0.99	4.85	52.5	1.9
G3638-44 (-)	0.04	2.6	0.083	0.09	1.50	50.2	0.31	8.83	55.1	1.7
G3638-46 (-)	0.04	2.0	0.091	0.08	1.34	48.1	0.16	8.24	52.3	2.0
G3638-48 (-)	0.02	3.8	0.075	0.06	1.57	46.3	0.44	7.07	49.8	1.5
G3638-50 (-)	0.02	4.0	0.089	0.08	0.96	50.1	0.22	7.57	59.9	1.4
G3638-52 (-)	0.02	3.7	0.078	0.08	1.01	45.7	0.58	6.14	60.9	1.0
G3638-54 (-)	0.02	2.3	0.057	0.09	1.71	40.8	0.23	7.67	48.0	0.7
G3638-56 (-)	0.03	3.0	0.077	0.10	0.86	45.3	0.49	4.79	47.7	0.9
G3638-58 (-)	0.04	3.2	0.100	0.11	0.89	56.9	0.51	7.69	66.2	1.1
G3638-60 (-)	0.03	3.2	0.087	0.07	0.84	49.8	0.98	6.30	52.8	1.3
G32-26 (-)	0.04	3.5	0.139	0.08	0.83	64.7	0.23	9.52	54.5	5.8
G32-28 (-)	0.05	2.6	0.144	0.14	0.52	71.5	0.63	9.10	71.8	8.3
G32-30 (-)	0.05	2.4	0.171	0.13	0.52	75.8	0.31	7.69	60.7	6.0
G32-32 (-)	0.05	2.7	0.147	0.13	0.53	71.4	0.34	9.46	68.2	5.3

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G32-34 (-)	0.05	2.9	0.131	0.12	1.19	66.4	0.29	10.3	69.3	2.8
G32-36 (-)	0.04	3.5	0.115	0.10	1.11	59.3	0.28	10.6	60.7	3.3
G32-40 (-)	0.02	3.3	0.085	0.09	0.84	40.9	0.23	7.03	58.7	1.7
G32-42 (-)	0.03	2.9	0.073	0.08	1.09	49.1	0.56	6.54	53.3	1.0
G32-44 (-)	0.04	3.2	0.111	0.11	0.66	57.7	1.21	8.25	64.1	4.1
G32-46 (-)	0.05	3.6	0.129	0.13	0.83	61.8	1.78	9.11	69.0	3.9
G32-48 (-)	0.02	3.8	0.071	0.09	0.82	44.5	0.58	7.35	59.0	1.6
G32-50 (-)	0.03	4.5	0.085	0.09	1.42	49.9	0.36	9.02	63.5	3.0
G32-52 (-)	0.03	3.7	0.078	0.10	1.26	50.7	0.45	7.97	60.9	1.2
G32-54 (-)	0.03	4.4	0.085	0.10	1.70	52.3	0.41	10.8	69.5	2.7
G32-56 (-)	0.03	4.2	0.102	0.12	1.58	56.1	0.35	12.8	78.7	4.1
G32-58 (-)	0.03	3.5	0.089	0.12	1.47	47.8	0.55	14.0	74.7	1.6
G32-60 (-)	0.04	2.3	0.116	0.09	1.00	61.7	0.32	7.39	69.7	1.3
G2628-36 (-)	0.03	3.6	0.111	0.08	1.17	55.6	0.76	8.52	61.0	5.7
G2628-38 (-)	0.06	2.1	0.122	0.16	0.77	74.1	1.78	6.63	67.2	2.6
G2628-40 (-)	0.07	3.0	0.134	0.15	0.99	77.4	2.56	10.1	79.7	5.0
G2628-42 (-)	0.05	3.6	0.105	0.11	0.80	62.9	0.91	10.6	75.9	5.1
G2628-44 (-)	0.05	3.5	0.097	0.10	1.48	58.9	0.75	10.9	71.1	4.8
G2628-50 (-)	0.03	1.6	0.078	0.09	0.83	58.4	0.28	7.47	70.8	1.2
G2628-54 (-)	0.04	2.0	0.103	0.24	0.59	91.4	0.30	14.3	127	0.9
G2628-56 (-)	0.04	2.1	0.119	0.10	0.75	69.1	0.12	7.23	70.7	1.2
G2628-58 (-)	0.05	1.1	0.191	0.12	0.29	85.9	0.21	4.64	74.4	1.1
G2628-60 (-)	0.03	2.4	0.148	0.14	0.87	74.1	0.32	9.39	89.2	0.8
G22-10 (-)	0.02	2.8	0.074	0.08	0.77	45.7	0.48	6.07	57.4	1.0
G22-14 (-)	0.02	3.4	0.089	0.09	0.89	54.8	0.28	6.30	61.5	1.3
G22-16 (-)	0.02	4.2	0.087	0.07	0.62	51.0	0.32	9.03	59.9	3.3
G22-18 (-)	0.03	2.5	0.069	0.09	1.83	53.0	0.51	7.79	63.2	1.2
G22-20 (-)	0.02	3.4	0.076	0.08	0.94	53.4	0.34	7.46	62.7	1.1
G20-23 (-)	0.02	3.6	0.094	0.10	1.61	53.3	0.19	8.73	75.0	2.4
G20-21 (-)	0.02	3.5	0.074	0.08	1.23	59.5	0.25	10.3	48.1	1.3
G20-19 (-)	0.04	3.2	0.109	0.10	1.60	63.5	0.17	11.2	79.6	2.0
G20-17 (-)	0.05	1.3	0.190	0.16	0.46	90.8	0.13	6.59	85.1	2.0

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G20-15 (-)	0.04	2.8	0.090	0.07	0.75	84.9	0.29	12.2	79.4	2.5
G20-13 (-)	0.11	2.4	0.128	0.15	0.87	161	0.12	15.0	106	2.7
G20-11 (-)	0.04	2.9	0.078	0.27	1.06	80.5	0.19	11.5	84.6	1.3
G20-9 (-)	0.04	3.2	0.078	0.24	0.77	81.9	0.15	11.8	86.1	1.9
G20-7 (-)	0.03	2.9	0.049	0.15	0.74	68.5	0.21	11.9	86.2	1.1
G20-5 (-)	0.04	3.1	0.088	0.18	0.99	71.0	0.20	10.3	84.4	2.4
G20-3 (-)	0.03	2.4	0.125	0.16	1.07	82.7	0.36	11.5	86.7	1.5
G20-1 (-)	0.03	2.3	0.112	0.10	1.45	68.7	0.19	9.29	77.5	1.4
G20-0 (-)	0.04	1.6	0.081	0.14	2.70	60.2	0.13	9.95	60.0	1.2
G20-2 (-)	0.03	4.5	0.109	0.10	0.61	57.3	0.30	10.4	69.5	5.0
G20-4 (-)	0.02	3.1	0.080	0.07	0.73	45.7	0.22	5.79	57.7	1.1
G20-6 (-)	0.02	1.7	0.069	0.07	0.82	43.4	0.44	7.07	49.5	0.7
G20-8 (-)	0.02	4.1	0.096	0.08	0.87	53.3	0.24	7.45	61.7	1.9
G20-10 (-)	0.03	3.2	0.071	0.07	0.79	50.7	0.64	6.56	59.0	1.2
G20-12 (-)	0.02	3.2	0.072	0.08	0.84	48.7	0.90	7.30	62.8	1.2
G20-14 (-)	0.03	3.7	0.068	0.07	0.59	45.7	0.54	8.18	61.9	3.7
G20-16 (-)	0.03	2.9	0.060	0.08	0.90	48.7	0.51	6.75	70.0	1.1
G20-18 (-)	0.02	3.1	0.065	0.08	0.84	46.5	0.48	6.71	62.2	1.8
G20-20 (-)	0.03	2.7	0.062	0.10	0.97	48.2	0.45	6.67	71.0	1.2
G20-22 (-)	0.03	2.7	0.066	0.09	0.85	56.9	0.21	7.33	94.8	1.5
G20-24 (-)	0.03	3.2	0.080	0.10	0.85	60.9	0.69	8.23	81.9	2.3
G20-26 (-)	0.03	2.4	0.087	0.09	0.90	58.3	0.24	8.66	79.6	2.0
G20-28 (-)	0.03	1.9	0.087	0.10	1.16	70.0	0.34	8.90	82.5	1.4
G20-30 (-)	0.03	1.9	0.080	0.09	0.72	71.8	0.16	7.91	76.2	1.5
G20-32 (-)	0.04	1.7	0.080	0.10	0.62	63.9	0.67	6.73	69.2	1.2
G20-34 (-)	0.04	1.8	0.048	0.09	0.79	80.8	1.09	6.56	77.3	1.0
G18-19 (-)	0.03	2.0	0.055	0.08	2.40	47.8	0.27	9.96	52.8	1.8
G18-17 (-)	0.03	1.9	0.061	0.09	3.43	47.5	0.20	9.45	59.8	2.5
G18-15 (-)	0.03	3.8	0.089	0.09	1.27	54.4	0.55	9.65	64.6	3.1
G18-13 (-)	0.02	3.4	0.076	0.06	1.31	44.0	0.32	8.24	51.5	2.0
G18-11 (-)	0.02	3.7	0.081	0.09	1.74	48.6	0.52	9.71	63.6	2.7
G18-9 (-)	0.02	3.2	0.079	0.08	1.84	47.6	0.45	9.06	59.0	2.0

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G18-5 (-)	0.03	4.7	0.091	0.12	0.75	52.7	0.43	10.0	74.6	6.4
G18-3 (-)	0.02	3.1	0.074	0.07	1.51	53.7	0.23	8.87	53.7	2.5
G18-1 (-)	0.03	3.8	0.101	0.14	1.42	54.9	0.72	9.51	72.0	4.7
G18-0 (-)	0.02	3.1	0.080	0.08	1.23	41.9	0.35	6.93	66.0	1.7
G18-2 (-)	0.03	3.4	0.082	0.07	0.92	46.6	0.30	7.30	60.6	1.6
G18-4 (-)	0.03	3.5	0.085	0.08	0.97	56.3	1.70	6.34	54.3	0.8
G18-6 (-)	0.02	4.6	0.093	0.06	1.04	49.2	0.49	7.81	56.2	3.4
G18-8 (-)	0.02	3.2	0.077	0.07	0.91	49.4	0.53	7.07	53.3	1.3
G18-10 (-)	0.02	4.7	0.094	0.07	0.87	51.3	0.81	8.41	62.1	3.6
G18-12 (-)	0.02	3.5	0.073	0.07	0.91	49.4	0.59	7.50	59.4	1.4
G18-14 (-)	0.03	3.5	0.085	0.09	0.88	57.5	0.32	7.10	68.0	1.2
G18-16 (-)	0.03	3.2	0.093	0.09	0.90	61.5	0.48	7.03	71.9	1.3
G18-18 (-)	0.02	3.5	0.083	0.07	0.81	50.3	0.36	6.47	64.6	1.2
G18-20 (-)	0.02	3.4	0.085	0.10	1.13	63.2	0.56	9.90	75.8	0.8
G18-22 (-)	0.02	3.5	0.092	0.09	0.83	52.4	0.16	6.45	61.6	2.6
G18-24 (-)	0.03	2.8	0.082	0.09	0.71	50.9	0.35	5.75	59.1	2.4
G18-26 (-)	0.04	2.2	0.077	0.08	0.71	52.9	1.52	5.89	63.7	1.5
G18-28 (-)	0.04	1.1	0.213	0.40	0.28	111	0.18	4.28	114	2.2
G18-30 (-)	0.06	1.8	0.132	0.25	0.50	78.0	0.59	7.17	92.1	1.7
G18-32 (-)	0.05	1.2	0.104	0.11	0.46	72.2	0.36	3.61	56.5	0.9
G18-34 (-)	0.04	2.2	0.082	0.11	0.80	54.8	0.30	5.24	50.0	0.8
G16-25 (-)	0.03	2.9	0.066	0.05	0.74	39.8	0.38	6.61	53.7	2.7
G16-19 (-)	0.04	1.2	0.061	0.08	2.75	47.0	0.27	8.03	69.9	1.4
G16-17 (-)	0.05	3.5	0.087	0.10	0.64	56.4	0.55	8.42	78.4	6.9
G16-15 (-)	0.06	2.7	0.087	0.14	0.55	61.3	0.97	8.26	79.5	5.8
G16-13 (-)	0.04	2.8	0.077	0.08	0.90	48.2	0.58	7.41	61.1	4.8
G16-9 (-)	0.04	3.5	0.070	0.08	0.53	46.6	0.21	9.11	64.6	4.6
G16-7 (-)	0.03	3.7	0.080	0.08	0.71	47.2	0.33	9.26	61.5	4.0
G16-5 (-)	0.03	2.5	0.065	0.07	1.64	44.5	0.30	7.33	61.8	2.2
G16-3 (-)	0.04	3.1	0.092	0.09	0.54	53.2	0.35	8.82	75.6	3.1
G16-1 (-)	0.02	2.5	0.069	0.06	0.67	39.4	0.34	5.41	56.4	1.4
G16-0 (-)	0.04	2.5	0.068	0.07	0.79	53.4	0.65	6.29	60.8	1.8

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G16-2 (-)	0.04	3.0	0.078	0.07	1.37	50.5	1.23	8.20	56.0	1.8
G16-4 (-)	0.06	3.6	0.098	0.10	0.73	61.2	1.89	8.40	70.9	3.3
G16-6 (-)	0.05	2.3	0.068	0.07	0.69	52.1	1.43	5.61	60.7	0.6
G16-8 (-)	0.04	3.2	0.068	0.06	0.71	50.3	0.44	6.91	58.0	2.5
G16-10 (-)	0.05	2.3	0.064	0.07	0.65	48.4	0.67	5.89	64.8	1.0
G16-12 (-)	0.03	3.5	0.067	0.06	0.93	50.0	0.62	7.86	60.8	1.5
G16-14 (-)	0.05	2.1	0.073	0.07	1.15	54.9	0.50	5.11	61.1	0.8
G16-16 (-)	0.04	2.2	0.063	0.06	0.68	47.6	0.26	5.39	58.9	0.9
G16-18 (-)	0.03	3.5	0.081	0.07	0.71	50.7	0.80	7.42	61.0	2.6
G16-20 (-)	0.04	2.9	0.073	0.07	0.56	49.5	0.59	6.21	68.7	1.3
G16-22 (-)	0.04	2.9	0.087	0.08	0.80	57.9	0.52	7.05	75.1	2.0
G16-24 (-)	0.06	2.3	0.095	0.07	0.72	70.9	0.71	5.34	69.7	1.3
G16-26 (-)	0.06	1.7	0.081	0.08	0.82	59.4	0.37	5.70	55.1	1.1
G16-28 (-)	0.08	2.7	0.129	0.09	0.90	70.8	0.56	6.94	61.6	4.8
G16-30 (-)	0.07	1.7	0.109	0.09	0.62	55.5	0.32	4.39	51.2	1.6
G16-32 (-)	0.09	1.8	0.114	0.10	0.63	74.0	0.52	5.36	57.7	1.9
G14-21 (-)	0.03	2.0	0.068	0.07	3.32	42.3	0.26	9.08	45.3	1.7
G14-17 (-)	0.04	2.4	0.074	0.12	2.74	48.6	0.28	10.1	55.5	2.1
G14-13 (-)	0.04	1.2	0.054	0.07	2.43	44.0	1.54	8.96	59.6	2.3
G14-11 (-)	0.03	2.5	0.074	0.07	0.84	48.4	0.31	6.98	57.2	1.0
G14-9 (-)	0.04	3.4	0.087	0.07	0.96	50.2	1.00	9.06	61.4	1.8
G14-7 (-)	0.03	2.4	0.101	0.06	0.74	53.0	0.26	10.1	73.0	3.9
G14-5 (-)	0.04	3.2	0.091	0.08	0.43	53.7	0.36	7.89	78.2	3.9
G14-3 (-)	0.04	3.2	0.081	0.07	0.68	51.1	0.61	8.49	63.0	3.1
G14-1 (-)	0.03	3.7	0.072	0.06	0.70	44.7	0.33	8.25	65.9	2.7
G14-0 (-)	0.05	3.1	0.087	0.09	1.21	55.5	0.53	6.73	63.1	1.5
G14-2 (-)	0.08	2.3	0.098	0.15	0.48	65.9	1.05	7.79	74.9	5.4
G14-4 (-)	0.08	2.2	0.080	0.12	0.51	55.2	1.08	6.23	61.0	2.0
G14-6 (-)	0.08	2.4	0.098	0.11	0.50	67.4	1.32	3.59	55.9	2.1
G14-8 (-)	0.10	2.7	0.116	0.16	0.70	72.7	4.61	6.14	75.6	2.2
G14-10 (-)	0.06	2.8	0.073	0.09	0.84	53.7	0.56	5.66	61.6	1.1
G14-12 (-)	0.03	3.2	0.069	0.06	0.69	45.2	0.35	7.32	51.6	4.5

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G14-14 (-)	0.04	2.6	0.077	0.07	0.88	49.1	0.30	6.80	56.1	0.9
G14-16 (-)	0.10	2.4	0.127	0.12	0.58	60.5	1.78	4.46	74.2	1.7
G14-18 (-)	0.03	2.5	0.072	0.08	0.66	48.4	0.35	6.77	65.3	0.8
G14-20 (-)	0.04	3.7	0.090	0.08	0.51	50.4	0.92	8.42	67.7	4.0
G14-22 (-)	0.03	3.0	0.073	0.07	0.75	48.1	0.30	6.67	60.0	1.7
G14-24 (-)	0.05	2.2	0.111	0.10	0.87	70.1	0.24	6.63	70.3	1.7
G14-26 (-)	0.06	2.9	0.129	0.09	0.86	71.3	1.61	8.32	71.2	8.9
G14-28 (-)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
G14-30 (-)	0.11	1.6	0.188	0.22	0.35	84.7	0.27	10.8	115	2.0
G14-32 (-)	0.06	1.0	0.139	0.10	0.29	95.3	0.28	3.89	59.0	<0.5
G12-27 (-)	0.02	2.5	0.071	0.05	0.77	37.3	0.17	5.94	54.8	1.9
G12-23 (-)	0.03	3.0	0.078	0.07	1.68	45.4	0.54	7.17	58.1	1.7
G12-21 (-)	0.03	3.1	0.068	0.07	1.40	45.4	0.68	7.33	57.8	1.3
G12-19 (-)	0.03	2.5	0.078	0.07	1.05	45.8	0.76	6.66	55.7	1.3
G12-17 (-)	0.04	3.1	0.078	0.06	0.71	49.6	0.32	6.50	51.1	1.8
G12-15 (-)	0.04	2.6	0.076	0.07	1.00	49.0	0.33	7.36	59.7	1.1
G12-13 (-)	0.04	3.5	0.092	0.08	1.49	53.7	0.34	8.54	72.1	3.4
G12-11 (-)	0.03	4.0	0.101	0.06	0.90	53.7	0.50	7.46	55.0	3.4
G12-9 (-)	0.03	3.8	0.087	0.06	0.86	47.2	0.55	7.96	56.8	2.8
G12-7 (-)	0.05	3.8	0.094	0.07	1.05	54.0	0.59	8.98	65.2	3.6
G12-5 (-)	0.05	2.5	0.079	0.08	2.61	52.1	0.45	9.30	64.2	1.2
G12-3 (-)	0.04	2.8	0.089	0.06	0.71	42.7	2.82	5.28	46.1	1.8
G12-1 (-)	0.06	2.8	0.087	0.07	0.84	51.4	1.74	6.06	53.3	1.1
G12-0 (-)	0.05	3.7	0.106	0.09	0.88	60.0	1.77	7.95	67.1	2.5
G12-2 (-)	0.05	4.1	0.096	0.08	1.24	55.9	0.52	8.89	61.1	3.7
G12-4 (-)	0.04	3.2	0.084	0.07	0.87	47.5	1.29	6.36	48.6	1.8
G12-6 (-)	0.05	3.1	0.078	0.07	0.87	43.7	0.48	6.06	49.1	2.3
G12-8 (-)	0.05	3.4	0.097	0.08	0.73	53.4	0.46	8.14	62.7	4.3
G12-10 (-)	0.05	3.1	0.089	0.08	0.87	45.6	1.28	6.09	53.6	2.5
G12-12 (-)	0.05	2.6	0.083	0.08	0.64	45.9	0.31	4.93	42.6	1.0
G12-14 (-)	0.03	3.2	0.076	0.07	0.76	45.7	0.53	5.62	48.7	2.0
G12-16 (-)	0.05	3.4	0.097	0.09	0.85	55.8	0.56	7.86	62.2	2.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G12-18 (-)	0.08	3.0	0.110	0.11	0.90	64.1	0.90	6.80	58.6	2.4
G12-20 (-)	0.08	3.3	0.103	0.09	0.84	54.9	0.50	7.68	59.4	2.3
G12-22 (-)	0.05	3.4	0.087	0.09	0.64	52.1	0.21	8.31	63.7	3.9
G12-24 (-)	0.05	2.5	0.093	0.10	1.31	64.5	0.25	8.51	72.3	2.0
G12-26 (-)	0.08	1.5	0.204	0.29	0.39	132	0.35	9.41	149	1.9
G12-28 (-)	0.09	1.6	0.137	0.12	0.50	106	0.39	5.11	78.4	1.1
G12-30 (-)	0.04	3.0	0.072	0.09	0.58	57.3	0.44	3.95	54.2	2.4
G10-27 (-)	0.03	2.3	0.066	0.07	1.23	41.3	0.25	7.12	60.1	1.4
G10-25 (-)	0.03	2.7	0.073	0.06	0.94	40.8	0.63	6.56	51.1	1.7
G10-23 (-)	0.04	2.9	0.080	0.09	1.23	50.0	0.25	8.06	82.5	2.1
G10-21 (-)	0.03	3.5	0.084	0.07	0.76	48.0	0.29	8.03	64.9	3.3
G10-19 (-)	0.02	3.1	0.079	0.05	0.82	40.3	0.59	6.57	48.9	2.6
G10-17 (-)	0.03	3.3	0.083	0.06	1.48	46.8	0.32	8.38	57.0	2.7
G10-15 (-)	0.03	3.9	0.106	0.10	0.92	57.8	0.89	9.55	74.6	5.1
G10-13 (-)	0.03	3.8	0.084	0.05	1.16	47.5	0.67	7.30	50.7	3.4
G10-11 (-)	0.04	3.4	0.091	0.08	0.89	53.4	0.43	8.48	65.0	3.2
G10-9 (-)	0.03	3.7	0.076	0.07	0.85	47.0	0.53	8.86	67.2	3.8
G10-7 (-)	0.05	3.6	0.110	0.08	0.64	56.7	1.07	7.93	63.0	7.6
G10-5 (-)	0.03	3.4	0.093	0.11	0.61	55.4	0.66	9.18	68.8	2.5
G10-3 (-)	0.05	2.1	0.132	0.24	0.77	88.9	0.30	8.10	84.4	1.7
G10-1 (-)	0.05	2.6	0.093	0.08	0.70	57.7	0.34	4.73	49.6	1.4
G10-0 (-)	0.05	3.2	0.092	0.07	0.84	49.1	0.49	6.92	52.1	4.1
G10-2 (-)	0.08	3.5	0.093	0.09	1.17	54.1	0.54	8.61	64.5	3.7
G10-4 (-)	0.05	2.8	0.080	0.07	0.92	49.0	1.25	6.70	52.2	1.7
G10-6 (-)	0.08	3.0	0.095	0.08	1.17	54.4	4.93	7.59	64.0	2.0
G10-10 (-)	0.26	2.7	0.101	0.29	0.93	79.4	1.57	12.4	127	4.4
G10-12 (-)	0.05	2.6	0.073	0.09	0.75	46.5	0.68	4.23	43.8	1.5
G10-14 (-)	0.04	3.3	0.079	0.08	0.85	50.1	0.62	6.28	46.4	3.1
G10-16 (-)	0.08	1.7	0.080	0.10	1.46	52.2	1.70	8.95	49.2	<0.5
G10-18 (-)	0.09	3.7	0.103	0.11	1.57	60.0	1.22	10.2	67.2	3.3
G10-20 (-)	0.15	1.8	0.109	0.14	0.44	61.0	1.32	3.88	47.9	0.6
G08-27 (-)	0.04	2.8	0.088	0.10	1.23	54.5	0.26	8.31	64.1	1.1

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G08-25 (-)	0.02	2.4	0.035	0.05	0.75	29.2	0.06	5.07	51.9	3.3
G08-23 (-)	0.02	2.5	0.034	0.06	0.93	29.3	0.05	6.11	51.1	3.4
G08-21 (-)	0.03	3.4	0.081	0.07	1.27	47.4	0.28	8.74	66.1	3.3
G08-19 (-)	0.03	3.8	0.084	0.08	1.16	51.0	0.76	8.93	62.0	3.5
G08-17 (-)	0.04	2.1	0.145	0.13	0.76	93.7	0.88	6.81	88.0	3.2
G08-15 (-)	0.03	3.1	0.100	0.13	0.91	50.5	0.21	11.0	90.3	4.0
G08-13 (-)	0.04	3.3	0.088	0.08	1.76	57.1	0.81	9.49	70.5	3.2
G08-11 (-)	0.04	3.2	0.091	0.09	1.21	55.3	0.38	9.05	72.4	3.1
G08-09 (-)	0.03	2.9	0.083	0.07	0.83	50.7	0.30	6.26	49.6	2.2
G08-07 (-)	0.05	3.6	0.111	0.09	0.71	62.2	0.62	9.26	69.1	5.9
G08-05 (-)	0.05	1.9	0.126	0.17	0.64	85.0	0.34	8.03	86.8	1.5
G08-03 (-)	0.05	1.7	0.114	0.08	0.46	73.2	0.19	5.22	51.2	1.6
G08-01 (-)	0.06	2.8	0.103	0.08	0.80	63.2	0.44	6.60	58.7	3.3
G08-00 (-)	0.09	2.1	0.141	0.17	0.75	65.2	0.26	9.24	84.4	3.3
G08-02 (-)	0.23	1.0	0.195	0.33	0.59	129	0.34	6.66	87.0	3.6
G08-04 (-)	0.13	1.9	0.214	0.26	0.81	100	0.37	7.57	83.9	3.7
G08-06 (-)	0.13	2.6	0.185	0.25	1.06	92.2	0.95	8.30	85.9	3.6
G08-08 (-)	0.12	4.0	0.055	0.14	0.88	45.4	1.31	10.2	83.2	1.7
G08-10 (-)	0.06	3.0	0.103	0.10	1.01	66.4	2.10	6.32	54.5	4.3
G08-12 (-)	0.05	3.5	0.086	0.08	1.02	55.9	0.62	8.97	65.2	3.3
G08-14 (-)	0.18	2.5	0.094	0.16	0.95	81.6	2.67	9.16	114	2.3
G08-16 (-)	0.11	3.2	0.127	0.09	0.76	72.1	1.19	10.0	69.9	3.9
G08-18 (-)	0.10	2.3	0.085	0.09	0.98	53.9	0.93	6.47	51.2	1.3
G08-20 (-)	0.10	2.8	0.084	0.12	1.23	63.7	0.99	15.8	70.0	3.5
G08-22 (-)	0.24	2.6	0.144	0.24	1.49	95.9	15.1	8.51	88.6	2.8
G08-24 (-)	0.11	3.2	0.095	0.13	1.35	72.9	1.38	13.9	70.1	3.0
G08-26 (-)	0.15	2.3	0.120	0.25	1.73	108	0.73	16.5	78.1	1.8
G08-46 (-)	0.03	2.1	0.124	0.07	0.52	65.6	0.26	5.08	57.5	2.9
G08-48 (-)	0.04	2.4	0.109	0.06	0.49	61.4	0.25	4.57	58.5	3.3
G08-50 (-)	0.06	1.6	0.184	0.17	0.39	160	0.28	7.26	94.7	2.9
G0608-23 (-)	0.03	2.9	0.074	0.08	1.71	48.1	0.43	7.51	62.6	1.7
G0608-21 (-)	0.03	3.1	0.078	0.07	0.95	48.1	0.24	8.32	61.1	2.1

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0608-19 (-)	0.04	3.4	0.083	0.07	2.50	53.8	0.28	9.81	68.0	3.0
G0608-17 (-)	0.04	2.7	0.074	0.09	1.31	56.5	1.18	7.79	68.9	0.9
G0608-15 (-)	0.04	4.0	0.093	0.09	1.18	58.9	0.28	9.48	69.2	4.6
G0608-13 (-)	0.04	2.1	0.054	0.08	3.93	46.2	0.30	11.7	53.7	2.3
G0608-11 (-)	0.08	3.2	0.068	0.13	0.73	58.6	0.43	10.8	112	3.3
G0608-9 (-)	0.04	3.3	0.111	0.13	0.87	74.7	0.50	8.24	74.6	3.6
G0608-7 (-)	0.08	2.3	0.033	0.27	0.77	123	0.38	16.2	135	3.0
G0608-5 (-)	0.04	3.3	0.087	0.06	0.92	57.6	0.26	8.34	57.1	2.0
G0608-3 (-)	0.04	3.0	0.102	0.07	1.23	71.6	0.35	8.23	60.6	2.2
G0608-1 (-)	0.07	2.1	0.197	0.13	0.80	133	0.40	9.06	79.3	5.5
G0608-00 (-)	0.13	1.3	0.274	0.27	0.61	61.8	0.36	5.30	122	2.3
G0608-02 (-)	0.10	3.0	0.087	0.10	0.78	57.9	0.27	5.07	45.2	2.3
G0608-04 (-)	0.10	2.9	0.129	0.18	0.80	89.7	0.65	8.53	97.5	1.6
G0608-06 (-)	0.20	1.7	0.152	0.36	1.06	106	0.66	8.92	91.3	1.1
G0608-08 (-)	0.08	2.0	0.099	0.20	0.54	87.8	0.56	5.54	58.0	1.9
G0608-10 (-)	0.07	3.0	0.086	0.09	0.81	72.4	1.27	12.8	58.6	3.2
G0608-12 (-)	0.16	1.8	0.072	0.13	0.37	117	3.96	3.80	64.5	1.4
G0608-14 (-)	0.37	2.6	0.057	0.16	1.34	76.1	2.86	15.2	98.0	1.8
G0608-16 (-)	0.47	1.4	0.182	0.21	0.81	147	7.01	4.83	98.8	2.5
G0608-18 (-)	0.12	1.2	0.233	0.83	0.95	209	0.55	5.53	88.9	2.3
G0608-20 (-)	0.21	2.1	0.094	0.18	1.08	96.7	7.47	5.32	80.2	2.4
G06-27 (-)	0.03	3.2	0.077	0.08	1.24	46.3	0.49	7.72	68.5	2.4
G06-25 (-)	0.03	3.0	0.063	0.06	0.94	44.0	0.39	7.11	50.5	2.4
G06-23 (-)	0.04	3.0	0.073	0.09	1.93	59.1	0.23	9.43	86.8	2.8
G06-21 (-)	0.03	2.9	0.061	0.07	1.09	47.3	0.33	8.93	58.1	1.8
G06-19 (-)	0.03	3.0	0.060	0.06	1.38	48.6	0.95	6.34	55.1	2.3
G06-17 (-)	0.03	2.5	0.044	0.06	1.43	42.9	0.17	7.36	56.8	1.9
G06-15 (-)	0.03	2.2	0.060	0.09	1.60	45.7	0.36	10.4	64.6	2.6
G06-13 (-)	0.03	3.1	0.077	0.10	1.47	58.3	0.47	10.2	81.4	2.5
G06-11 (-)	0.31	1.8	0.009	0.16	1.78	121	0.67	18.5	530	2.1
G06-9 (-)	0.05	2.1	0.085	0.17	0.79	69.5	0.25	6.90	74.9	1.6
G06-7 (-)	0.04	2.6	0.070	0.08	0.77	60.9	0.20	4.46	55.3	2.5

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y630507

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 14, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
Sample Description	RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G06-48 (-)	0.03	2.9	0.084	0.07	0.96	58.8	0.35	9.64	69.1	1.7	
G06-50 (-)	0.04	3.1	0.107	0.09	1.09	71.2	0.44	9.82	73.8	1.9	
G06-52 (-)	0.04	3.0	0.113	0.09	0.97	78.2	0.24	9.61	78.1	2.1	

Comments: RDL - Reported Detection Limit  
 Sample NRC - Not Received

Certified By:

*Ron Cardinal*



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611133	0.143	0.150	4.8%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3611133	1.49	1.52	2.0%	< 0.01				80%	120%	
As	1	3611133	8.74	8.77	0.3%	0.1				80%	120%	
Au	1	3611133	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611133	5	5	0.0%	< 5	7.75	7.00	111%	80%	120%	
Ba	1	3611133	324	330	1.8%	< 1				80%	120%	
Be	1	3611133	0.47	0.49	4.2%	< 0.05				80%	120%	
Bi	1	3611133	0.13	0.13	0.0%	< 0.01				80%	120%	
Ca	1	3611133	0.95	0.98	3.1%	< 0.01				80%	120%	
Cd	1	3611133	0.14	0.14	0.0%	< 0.01				80%	120%	
Ce	1	3611133	28.5	29.1	2.1%	< 0.01				80%	120%	
Co	1	3611133	9.52	9.85	3.4%	< 0.1				80%	120%	
Cr	1	3611133	37.8	39.0	3.1%	< 0.5				80%	120%	
Cs	1	3611133	0.543	0.549	1.1%	< 0.05				80%	120%	
Cu	1	3611133	55.1	54.8	0.5%	2.5	5822	6000	97%	80%	120%	
Fe	1	3611133	2.72	2.79	2.5%	< 0.01				80%	120%	
Ga	1	3611133	4.20	4.34	3.3%	< 0.05				80%	120%	
Ge	1	3611133	0.11	0.11	0.0%	0.07				80%	120%	
Hf	1	3611133	0.082	0.087	5.9%	< 0.02				80%	120%	
Hg	1	3611133	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3611133	0.0251	0.0257	2.4%	< 0.005				80%	120%	
K	1	3611133	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3611133	14.8	15.2	2.7%	< 0.1				80%	120%	
Li	1	3611133	11.6	12.4	6.7%	< 0.1				80%	120%	
Mg	1	3611133	0.63	0.64	1.6%	< 0.01				80%	120%	
Mn	1	3611133	507	518	2.1%	< 1				80%	120%	
Mo	1	3611133	1.81	1.90	4.9%	< 0.05	339	350	96%	80%	120%	
Na	1	3611133	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3611133	1.33	1.35	1.5%	< 0.05				80%	120%	
Ni	1	3611133	35.7	37.1	3.8%	< 0.2				80%	120%	
P	1	3611133	546	573	4.8%	< 10	612	600	102%	80%	120%	
Pb	1	3611133	7.95	8.27	3.9%	< 0.1				80%	120%	
Rb	1	3611133	5.91	5.99	1.3%	< 0.1	14	13	107%	80%	120%	
Re	1	3611133	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611133	0.014	0.014	0.0%	< 0.005				80%	120%	
Sb	1	3611133	0.962	1.01	4.9%	< 0.05				80%	120%	
Sc	1	3611133	5.58	5.77	3.3%	< 0.1				80%	120%	
Se	1	3611133	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3611133	3.04	3.43	12.1%	< 0.2				80%	120%	
Sr	1	3611133	50.0	52.5	4.9%	< 0.2				80%	120%	
Ta	1	3611133	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611133	0.035	0.030	15.4%	< 0.01				80%	120%	
Th	1	3611133	3.72	3.80	2.1%	< 0.1	1	1.4	71%	80%	120%	
Ti	1	3611133	0.080	0.080	0.0%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Tl	1	3611133	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3611133	1.02	1.04	1.9%	< 0.05				80%	120%
V	1	3611133	54.6	55.5	1.6%	< 0.5				80%	120%
W	1	3611133	0.19	< 0.05		2.17				80%	120%
Y	1	3611133	11.1	11.5	3.5%	< 0.05	5	7	73%	80%	120%
Zn	1	3611133	64.8	66.8	3.0%	3.0				80%	120%
Zr	1	3611133	3.74	4.07	8.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3611147	0.14	0.14	0.0%	< 0.01	11.3	13.0	87%	80%	120%
Al	1	3611147	1.85	1.85	0.0%	< 0.01				80%	120%
As	1	3611147	4.0	4.0	0.0%	< 0.1				80%	120%
Au	1	3611147	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3611147	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3611147	384	392	2.1%	< 1				80%	120%
Be	1	3611147	0.212	0.220	3.7%	< 0.05	0.3	0.4	74%	80%	120%
Bi	1	3611147	0.06	0.06	0.0%	< 0.01				80%	120%
Ca	1	3611147	0.67	0.68	1.5%	< 0.01				80%	120%
Cd	1	3611147	0.050	0.056	11.3%	< 0.01				80%	120%
Ce	1	3611147	11.4	11.3	0.9%	< 0.01				80%	120%
Co	1	3611147	11.6	11.6	0.0%	< 0.1				80%	120%
Cr	1	3611147	39.4	39.5	0.3%	< 0.5				80%	120%
Cs	1	3611147	1.26	1.27	0.8%	< 0.05				80%	120%
Cu	1	3611147	101	103	2.0%	< 0.1	5983	6000	99%	80%	120%
Fe	1	3611147	2.97	2.98	0.3%	< 0.01				80%	120%
Ga	1	3611147	4.79	4.84	1.0%	< 0.05				80%	120%
Ge	1	3611147	0.10	0.09	10.5%	0.05				80%	120%
Hf	1	3611147	0.04	0.04	0.0%	< 0.02				80%	120%
Hg	1	3611147	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
In	1	3611147	0.0140	0.0146	4.2%	< 0.005				80%	120%
K	1	3611147	0.49	0.49	0.0%	< 0.01				80%	120%
La	1	3611147	6.2	6.2	0.0%	< 0.1				80%	120%
Li	1	3611147	20.3	21.4	5.3%	< 0.1				80%	120%
Mg	1	3611147	1.13	1.14	0.9%	< 0.01				80%	120%
Mn	1	3611147	385	391	1.5%	< 1				80%	120%
Mo	1	3611147	0.364	0.384	5.3%	< 0.05	345	350	98%	80%	120%
Na	1	3611147	0.04	0.04	0.0%	< 0.01				80%	120%
Nb	1	3611147	0.70	0.83	17.0%	< 0.05				80%	120%
Ni	1	3611147	29.3	29.2	0.3%	< 0.2				80%	120%
P	1	3611147	461	458	0.7%	< 10	637	600	106%	80%	120%
Pb	1	3611147	3.02	3.06	1.3%	< 0.1				80%	120%
Rb	1	3611147	26.0	26.2	0.8%	< 0.1	12	13	92%	80%	120%
Re	1	3611147	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3611147	0.0051	0.0056	9.3%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sb	1	3611147	0.36	0.36	0.0%	< 0.05				80%	120%	
Sc	1	3611147	4.94	4.98	0.8%	< 0.1				80%	120%	
Se	1	3611147	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3611147	0.3	0.3	0.0%	< 0.2				80%	120%	
Sr	1	3611147	17.7	18.0	1.7%	< 0.2				80%	120%	
Ta	1	3611147	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611147	0.05	0.05	0.0%	< 0.01				80%	120%	
Th	1	3611147	1.83	1.93	5.3%	< 0.1	1.1	1.4	75%	80%	120%	
Ti	1	3611147	0.160	0.169	5.5%	< 0.005				80%	120%	
Tl	1	3611147	0.161	0.166	3.1%	< 0.01				80%	120%	
U	1	3611147	0.42	0.43	2.4%	< 0.05				80%	120%	
V	1	3611147	65.6	66.4	1.2%	< 0.5				80%	120%	
W	1	3611147	0.07	< 0.05		< 0.05				80%	120%	
Y	1	3611147	5.37	5.44	1.3%	< 0.05	6	7	79%	80%	120%	
Zn	1	3611147	52.3	52.9	1.1%	< 0.5				80%	120%	
Zr	1	3611147	1.48	1.41	4.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611159	0.136	0.135	0.7%	0.02	11.5	13.0	88%	80%	120%	
Al	1	3611159	1.32	1.31	0.8%	< 0.01				80%	120%	
As	1	3611159	5.31	5.05	5.0%	< 0.1				80%	120%	
Au	1	3611159	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611159	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3611159	191	193	1.0%	< 1				80%	120%	
Be	1	3611159	0.27	0.28	3.6%	< 0.05	0.3	0.4	71%	80%	120%	
Bi	1	3611159	0.165	0.163	1.2%	< 0.01				80%	120%	
Ca	1	3611159	0.47	0.47	0.0%	< 0.01				80%	120%	
Cd	1	3611159	0.092	0.096	4.3%	< 0.01				80%	120%	
Ce	1	3611159	20.1	20.2	0.5%	< 0.01				80%	120%	
Co	1	3611159	5.44	5.35	1.7%	< 0.1				80%	120%	
Cr	1	3611159	25.7	25.9	0.8%	< 0.5				80%	120%	
Cs	1	3611159	0.783	0.808	3.1%	< 0.05				80%	120%	
Cu	1	3611159	21.1	20.6	2.4%	< 0.1	5995	6000	99%	80%	120%	
Fe	1	3611159	2.01	1.98	1.5%	< 0.01				80%	120%	
Ga	1	3611159	4.69	4.62	1.5%	< 0.05				80%	120%	
Ge	1	3611159	0.09	0.09	0.0%	< 0.05				80%	120%	
Hf	1	3611159	0.02	0.02	0.0%	< 0.02				80%	120%	
Hg	1	3611159	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3611159	0.018	0.018	0.0%	< 0.005				80%	120%	
K	1	3611159	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3611159	10.2	10.4	1.9%	< 0.1				80%	120%	
Li	1	3611159	11.0	11.2	1.8%	< 0.1				80%	120%	
Mg	1	3611159	0.49	0.49	0.0%	< 0.01				80%	120%	
Mn	1	3611159	198	199	0.5%	< 1				80%	120%	
Mo	1	3611159	1.21	1.17	3.4%	< 0.05	351	380	92%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3611159	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611159	1.22	1.28	4.8%	< 0.05				80%	120%	
Ni	1	3611159	12.7	12.7	0.0%	< 0.2				80%	120%	
P	1	3611159	474	464	2.1%	< 10	645	600	107%	80%	120%	
Pb	1	3611159	6.8	6.8	0.0%	< 0.1				80%	120%	
Rb	1	3611159	8.4	8.4	0.0%	< 0.1	13	13	97%	80%	120%	
Re	1	3611159	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611159	0.013	0.013	0.0%	< 0.005				80%	120%	
Sb	1	3611159	0.37	0.37	0.0%	< 0.05				80%	120%	
Sc	1	3611159	3.4	3.4	0.0%	< 0.1				80%	120%	
Se	1	3611159	0.3	0.3	0.0%	< 0.2				80%	120%	
Sn	1	3611159	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3611159	25.4	25.3	0.4%	< 0.2				80%	120%	
Ta	1	3611159	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611159	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3611159	2.95	2.66	10.3%	< 0.1	1.1	1.4	77%	80%	120%	
Ti	1	3611159	0.077	0.080	3.8%	< 0.005				80%	120%	
Tl	1	3611159	0.10	0.10	0.0%	< 0.01				80%	120%	
U	1	3611159	0.86	0.84	2.4%	< 0.05				80%	120%	
V	1	3611159	45.3	44.8	1.1%	< 0.5				80%	120%	
W	1	3611159	0.52	0.25	< 0.05	< 0.05				80%	120%	
Y	1	3611159	4.79	4.85	1.2%	< 0.05	6	7	82%	80%	120%	
Zn	1	3611159	47.7	47.3	0.8%	< 0.5				80%	120%	
Zr	1	3611159	0.88	0.79	10.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611172	0.18	0.18	0.0%	< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3611172	1.36	1.32	3.0%	< 0.01				80%	120%	
As	1	3611172	10.2	10.2	0.0%	0.3				80%	120%	
Au	1	3611172	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611172	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3611172	211	199	5.9%	< 1				80%	120%	
Be	1	3611172	0.37	0.37	0.0%	< 0.05				80%	120%	
Bi	1	3611172	0.321	0.331	3.1%	< 0.01				80%	120%	
Ca	1	3611172	1.15	1.10	4.4%	< 0.01				80%	120%	
Cd	1	3611172	0.250	0.259	3.5%	< 0.01				80%	120%	
Ce	1	3611172	24.5	23.4	4.6%	< 0.01				80%	120%	
Co	1	3611172	10.3	10.5	1.9%	< 0.1				80%	120%	
Cr	1	3611172	40.1	39.9	0.5%	< 0.5				80%	120%	
Cs	1	3611172	1.20	1.17	2.5%	< 0.05				80%	120%	
Cu	1	3611172	57.8	58.7	1.5%	< 0.1				80%	120%	
Fe	1	3611172	2.93	2.93	0.0%	< 0.01				80%	120%	
Ga	1	3611172	4.12	4.11	0.2%	< 0.05				80%	120%	
Ge	1	3611172	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3611172	0.08	0.08	0.0%	< 0.02				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3611172	0.03	0.03	0.0%	< 0.01			80%	120%		
In	1	3611172	0.023	0.023	0.0%	< 0.005			80%	120%		
K	1	3611172	0.17	0.17	0.0%	< 0.01			80%	120%		
La	1	3611172	12.3	11.7	5.0%	< 0.1			80%	120%		
Li	1	3611172	11.7	11.8	0.9%	< 0.1			80%	120%		
Mg	1	3611172	0.86	0.86	0.0%	< 0.01			80%	120%		
Mn	1	3611172	484	494	2.0%	< 1			80%	120%		
Mo	1	3611172	2.77	2.89	4.2%	< 0.05	350	350	100%	80%	120%	
Na	1	3611172	0.03	0.03	0.0%	< 0.01			80%	120%		
Nb	1	3611172	1.42	1.35	5.1%	< 0.05			80%	120%		
Ni	1	3611172	28.0	28.1	0.4%	< 0.2			80%	120%		
P	1	3611172	931	919	1.3%	< 10	660	600	110%	80%	120%	
Pb	1	3611172	7.44	7.47	0.4%	< 0.1			80%	120%		
Rb	1	3611172	9.81	9.63	1.9%	< 0.1	12	13	95%	80%	120%	
Re	1	3611172	< 0.001	< 0.001	0.0%	< 0.001			80%	120%		
S	1	3611172	0.012	0.012	0.0%	< 0.005			80%	120%		
Sb	1	3611172	0.973	0.981	0.8%	< 0.05			80%	120%		
Sc	1	3611172	5.89	5.85	0.7%	< 0.1			80%	120%		
Se	1	3611172	0.5	0.5	0.0%	< 0.2			80%	120%		
Sn	1	3611172	0.6	0.6	0.0%	< 0.2			80%	120%		
Sr	1	3611172	42.3	40.9	3.4%	< 0.2			80%	120%		
Ta	1	3611172	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
Te	1	3611172	0.05	0.05	0.0%	< 0.01			80%	120%		
Th	1	3611172	3.6	3.4	5.7%	< 0.1	1.1	1.4	75%	80%	120%	
Ti	1	3611172	0.129	0.121	6.4%	< 0.005			80%	120%		
Tl	1	3611172	0.125	0.122	2.4%	< 0.01			80%	120%		
U	1	3611172	0.83	0.76	8.8%	< 0.05			80%	120%		
V	1	3611172	61.8	61.0	1.3%	< 0.5			80%	120%		
W	1	3611172	1.78	2.02	12.6%	< 0.05			80%	120%		
Y	1	3611172	9.11	9.03	0.9%	< 0.05	6	7	79%	80%	120%	
Zn	1	3611172	69.0	69.6	0.9%	< 0.5			80%	120%		
Zr	1	3611172	3.85	3.77	2.1%	< 0.5			80%	120%		
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611185	0.368	0.376	2.2%	< 0.01	11.5	13.0	89%	80%	120%	
Al	1	3611185	1.43	1.48	3.4%	< 0.01			80%	120%		
As	1	3611185	11.6	11.8	1.7%	0.2			80%	120%		
Au	1	3611185	< 0.01	< 0.01	0.0%	< 0.01			80%	120%		
B	1	3611185	< 5	< 5	0.0%	< 5			80%	120%		
Ba	1	3611185	424	440	3.7%	< 1			80%	120%		
Be	1	3611185	0.293	0.312	6.3%	< 0.05	0.3	0.4	81%	80%	120%	
Bi	1	3611185	0.09	0.09	0.0%	< 0.01			80%	120%		
Ca	1	3611185	1.38	1.42	2.9%	< 0.01			80%	120%		
Cd	1	3611185	0.16	0.18	11.8%	< 0.01			80%	120%		





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ce	1	3611185	15.0	15.3	2.0%	< 0.01				80%	120%	
Co	1	3611185	10.5	10.7	1.9%	< 0.1				80%	120%	
Cr	1	3611185	41.4	42.2	1.9%	0.9				80%	120%	
Cs	1	3611185	1.23	1.26	2.4%	< 0.05				80%	120%	
Cu	1	3611185	51.2	53.1	3.6%	< 0.1				80%	120%	
Fe	1	3611185	2.77	2.86	3.2%	< 0.01				80%	120%	
Ga	1	3611185	4.51	4.54	0.7%	< 0.05				80%	120%	
Ge	1	3611185	0.09	0.09	0.0%	< 0.05				80%	120%	
Hf	1	3611185	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3611185	0.04	0.05	22.2%	< 0.01				80%	120%	
In	1	3611185	0.022	0.022	0.0%	< 0.005				80%	120%	
K	1	3611185	0.11	0.11	0.0%	< 0.01				80%	120%	
La	1	3611185	7.5	7.7	2.6%	< 0.1				80%	120%	
Li	1	3611185	15.7	16.5	5.0%	< 0.1				80%	120%	
Mg	1	3611185	0.72	0.74	2.7%	< 0.01				80%	120%	
Mn	1	3611185	1050	1070	1.9%	< 1				80%	120%	
Mo	1	3611185	1.02	1.06	3.8%	< 0.05	355	350	101%	80%	120%	
Na	1	3611185	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611185	0.78	0.79	1.3%	< 0.05				80%	120%	
Ni	1	3611185	24.6	25.7	4.4%	< 0.2				80%	120%	
P	1	3611185	764	772	1.0%	< 10	657	600	110%	80%	120%	
Pb	1	3611185	5.04	5.13	1.8%	< 0.1				80%	120%	
Rb	1	3611185	10.0	10.2	2.0%	< 0.1	14	13	104%	80%	120%	
Re	1	3611185	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611185	0.0522	0.0546	4.5%	< 0.005				80%	120%	
Sb	1	3611185	0.81	0.83	2.4%	< 0.05				80%	120%	
Sc	1	3611185	5.43	5.57	2.5%	< 0.1				80%	120%	
Se	1	3611185	0.8	0.8	0.0%	< 0.2				80%	120%	
Sn	1	3611185	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3611185	40.4	41.5	2.7%	< 0.2				80%	120%	
Ta	1	3611185	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611185	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3611185	1.6	1.6	0.0%	< 0.1	1.1	1.4	80%	80%	120%	
Ti	1	3611185	0.078	0.080	2.5%	< 0.005				80%	120%	
Tl	1	3611185	0.095	0.096	1.0%	< 0.01				80%	120%	
U	1	3611185	0.83	0.86	3.6%	< 0.05				80%	120%	
V	1	3611185	58.4	59.2	1.4%	< 0.5				80%	120%	
W	1	3611185	0.28	0.37	27.7%	< 0.05				80%	120%	
Y	1	3611185	7.47	7.64	2.3%	< 0.05	6	7	89%	80%	120%	
Zn	1	3611185	70.8	72.9	2.9%	< 0.5				80%	120%	
Zr	1	3611185	1.2	1.2	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611198	0.12	0.12	0.0%	< 0.01	11.5	13.0	88%	80%	120%	
Al	1	3611198	2.26	2.24	0.9%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012		REPLICATE					Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3611198	5.7	6.3	10.0%	0.2				80%	120%	
Au	1	3611198	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611198	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3611198	366	369	0.8%	< 1				80%	120%	
Be	1	3611198	0.309	0.280	9.8%	< 0.05	0.3	0.4	79%	80%	120%	
Bi	1	3611198	0.04	0.04	0.0%	< 0.01				80%	120%	
Ca	1	3611198	0.767	0.725	5.6%	< 0.01				80%	120%	
Cd	1	3611198	0.07	0.07	0.0%	< 0.01				80%	120%	
Ce	1	3611198	7.63	7.02	8.3%	< 0.01				80%	120%	
Co	1	3611198	17.0	16.7	1.8%	< 0.1				80%	120%	
Cr	1	3611198	35.2	33.2	5.8%	< 0.5				80%	120%	
Cs	1	3611198	1.38	1.33	3.7%	< 0.05				80%	120%	
Cu	1	3611198	134	129	3.8%	< 0.1				80%	120%	
Fe	1	3611198	4.41	4.41	0.0%	< 0.01				80%	120%	
Ga	1	3611198	6.36	6.07	4.7%	< 0.05				80%	120%	
Ge	1	3611198	0.111	0.121	8.6%	< 0.05				80%	120%	
Hf	1	3611198	0.05	0.05	0.0%	< 0.02				80%	120%	
Hg	1	3611198	0.43	0.06		0.29				80%	120%	
In	1	3611198	0.016	0.015	6.5%	< 0.005				80%	120%	
K	1	3611198	0.605	0.607	0.3%	< 0.01				80%	120%	
La	1	3611198	4.13	3.84	7.3%	< 0.1				80%	120%	
Li	1	3611198	22.5	22.0	2.2%	< 0.1				80%	120%	
Mg	1	3611198	1.27	1.27	0.0%	< 0.01				80%	120%	
Mn	1	3611198	762	735	3.6%	< 1				80%	120%	
Mo	1	3611198	1.09	1.12	2.7%	< 0.05	354	350	101%	80%	120%	
Na	1	3611198	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3611198	0.338	0.324	4.2%	< 0.05				80%	120%	
Ni	1	3611198	24.5	23.6	3.7%	< 0.2				80%	120%	
P	1	3611198	839	805	4.1%	< 10	658	600	110%	80%	120%	
Pb	1	3611198	2.08	2.04	1.9%	< 0.1				80%	120%	
Rb	1	3611198	25.8	25.1	2.8%	< 0.1	13	13	97%	80%	120%	
Re	1	3611198	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611198	0.0058	0.0051	12.8%	< 0.005				80%	120%	
Sb	1	3611198	1.70	1.67	1.8%	< 0.05				80%	120%	
Sc	1	3611198	7.9	7.4	6.5%	< 0.1				80%	120%	
Se	1	3611198	0.62	0.55	12.0%	< 0.2				80%	120%	
Sn	1	3611198	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3611198	17.3	15.9	8.4%	< 0.2				80%	120%	
Ta	1	3611198	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611198	0.05	0.05	0.0%	< 0.01				80%	120%	
Th	1	3611198	1.3	1.3	0.0%	< 0.1	1.2	1.4	82%	80%	120%	
Ti	1	3611198	0.190	0.178	6.5%	< 0.005				80%	120%	
Tl	1	3611198	0.159	0.152	4.5%	< 0.01				80%	120%	
U	1	3611198	0.463	0.444	4.2%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
V	1	3611198	90.8	83.5	8.4%	< 0.5				80%	120%	
W	1	3611198	0.127	0.156	20.5%	< 0.05				80%	120%	
Y	1	3611198	6.59	6.13	7.2%	< 0.05	6	7	88%	80%	120%	
Zn	1	3611198	85.1	81.2	4.7%	< 0.5				80%	120%	
Zr	1	3611198	2.00	1.82	9.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611210	0.12	0.12	0.0%	< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3611210	1.16	1.14	1.7%	< 0.01				80%	120%	
As	1	3611210	6.37	6.20	2.7%	0.3				80%	120%	
Au	1	3611210	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611210	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3611210	288	289	0.3%	< 1				80%	120%	
Be	1	3611210	0.361	0.406	11.7%	< 0.05				80%	120%	
Bi	1	3611210	0.11	0.12	8.7%	< 0.01				80%	120%	
Ca	1	3611210	0.85	0.85	0.0%	< 0.01				80%	120%	
Cd	1	3611210	0.14	0.14	0.0%	< 0.01				80%	120%	
Ce	1	3611210	20.2	20.2	0.0%	< 0.01				80%	120%	
Co	1	3611210	5.7	5.7	0.0%	< 0.1				80%	120%	
Cr	1	3611210	26.5	27.0	1.9%	< 0.5				80%	120%	
Cs	1	3611210	0.62	0.62	0.0%	< 0.05				80%	120%	
Cu	1	3611210	32.7	31.6	3.4%	< 0.1	6043	6000	100%	80%	120%	
Fe	1	3611210	2.00	1.99	0.5%	< 0.01				80%	120%	
Ga	1	3611210	3.64	3.59	1.4%	< 0.05				80%	120%	
Ge	1	3611210	0.08	0.08	0.0%	< 0.05				80%	120%	
Hf	1	3611210	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3611210	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3611210	0.018	0.018	0.0%	< 0.005				80%	120%	
K	1	3611210	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3611210	10.5	9.9	5.9%	< 0.1				80%	120%	
Li	1	3611210	11.4	11.3	0.9%	< 0.1				80%	120%	
Mg	1	3611210	0.50	0.50	0.0%	< 0.01				80%	120%	
Mn	1	3611210	288	299	3.7%	< 1				80%	120%	
Mo	1	3611210	0.987	0.954	3.4%	< 0.05	345	350	98%	80%	120%	
Na	1	3611210	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611210	1.14	1.08	5.4%	< 0.05				80%	120%	
Ni	1	3611210	19.5	19.9	2.0%	< 0.2				80%	120%	
P	1	3611210	739	749	1.3%	< 10	645	600	107%	80%	120%	
Pb	1	3611210	5.3	5.3	0.0%	0.1				80%	120%	
Rb	1	3611210	8.60	8.45	1.8%	< 0.1	12	13	90%	80%	120%	
Re	1	3611210	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611210	0.0334	0.0351	5.0%	< 0.005				80%	120%	
Sb	1	3611210	0.607	0.600	1.2%	< 0.05				80%	120%	
Sc	1	3611210	3.38	3.31	2.1%	< 0.1				80%	120%	
Se	1	3611210	0.4	0.4	0.0%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3611210	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3611210	43.5	43.5	0.0%	< 0.2				80%	120%	
Ta	1	3611210	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611210	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3611210	1.7	1.6	6.1%	< 0.1	1.1	1.4	76%	80%	120%	
Ti	1	3611210	0.069	0.067	2.9%	< 0.005				80%	120%	
Tl	1	3611210	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3611210	0.82	0.82	0.0%	< 0.05				80%	120%	
V	1	3611210	43.4	43.6	0.5%	< 0.5				80%	120%	
W	1	3611210	0.17	< 0.05		< 0.05				80%	120%	
Y	1	3611210	7.07	6.96	1.6%	< 0.05	5	7	74%	80%	120%	
Zn	1	3611210	49.5	50.3	1.6%	< 0.5				80%	120%	
Zr	1	3611210	0.7	0.7	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611222	0.18	0.18	0.0%	< 0.01	11.9	13.0	91%	80%	120%	
Al	1	3611222	1.65	1.67	1.2%	< 0.01				80%	120%	
As	1	3611222	12.8	12.6	1.6%	0.4				80%	120%	
Au	1	3611222	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611222	17	13	26.7%	< 5				80%	120%	
Ba	1	3611222	204	205	0.5%	< 1				80%	120%	
Be	1	3611222	0.364	0.355	2.5%	< 0.05	0.3	0.4	70%	80%	120%	
Bi	1	3611222	0.07	0.07	0.0%	< 0.01				80%	120%	
Ca	1	3611222	1.14	1.16	1.7%	< 0.01				80%	120%	
Cd	1	3611222	0.24	0.24	0.0%	< 0.01				80%	120%	
Ce	1	3611222	16.1	15.7	2.5%	< 0.01				80%	120%	
Co	1	3611222	14.1	14.3	1.4%	< 0.1				80%	120%	
Cr	1	3611222	54.0	56.7	4.9%	< 0.5				80%	120%	
Cs	1	3611222	1.68	1.71	1.8%	< 0.05				80%	120%	
Cu	1	3611222	67.9	71.5	5.2%	< 0.1				80%	120%	
Fe	1	3611222	3.28	3.31	0.9%	< 0.01				80%	120%	
Ga	1	3611222	4.61	4.66	1.1%	< 0.05				80%	120%	
Ge	1	3611222	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3611222	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3611222	0.030	0.038	23.5%	< 0.01				80%	120%	
In	1	3611222	0.024	0.024	0.0%	< 0.005				80%	120%	
K	1	3611222	0.055	0.056	1.8%	< 0.01				80%	120%	
La	1	3611222	7.47	7.38	1.2%	< 0.1				80%	120%	
Li	1	3611222	20.1	20.7	2.9%	< 0.1				80%	120%	
Mg	1	3611222	1.12	1.13	0.9%	< 0.01				80%	120%	
Mn	1	3611222	629	640	1.7%	< 1				80%	120%	
Mo	1	3611222	1.45	1.46	0.7%	< 0.05	348	350	99%	80%	120%	
Na	1	3611222	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3611222	0.972	0.962	1.0%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ni	1	3611222	38.2	38.2	0.0%	< 0.2				80%	120%	
P	1	3611222	781	783	0.3%	< 10	626	600	104%	80%	120%	
Pb	1	3611222	4.52	4.14	8.8%	0.1				80%	120%	
Rb	1	3611222	6.04	6.05	0.2%	< 0.1	11	13	86%	80%	120%	
Re	1	3611222	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611222	0.0363	0.0367	1.1%	< 0.005				80%	120%	
Sb	1	3611222	0.824	0.843	2.3%	< 0.05				80%	120%	
Sc	1	3611222	6.5	6.6	1.5%	< 0.1				80%	120%	
Se	1	3611222	1.25	1.25	0.0%	< 0.2				80%	120%	
Sn	1	3611222	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3611222	30.7	30.8	0.3%	< 0.2				80%	120%	
Ta	1	3611222	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611222	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3611222	1.9	1.9	0.0%	< 0.1	1.1	1.4	77%	80%	120%	
Ti	1	3611222	0.080	0.080	0.0%	< 0.005				80%	120%	
Tl	1	3611222	0.094	0.096	2.1%	< 0.01				80%	120%	
U	1	3611222	0.72	0.72	0.0%	< 0.05				80%	120%	
V	1	3611222	71.8	75.5	5.0%	< 0.5				80%	120%	
W	1	3611222	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Y	1	3611222	7.91	8.03	1.5%	< 0.05	5	7	76%	80%	120%	
Zn	1	3611222	76.2	76.8	0.8%	< 0.5				80%	120%	
Zr	1	3611222	1.5	1.5	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611235	0.11	0.11	0.0%	< 0.01	11.1	13.0	86%	80%	120%	
Al	1	3611235	1.25	1.22	2.4%	< 0.01				80%	120%	
As	1	3611235	5.13	5.30	3.3%	< 0.1				80%	120%	
Au	1	3611235	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611235	5	6	18.2%	< 5	6.88	7.00	98%	80%	120%	
Ba	1	3611235	275	275	0.0%	< 1				80%	120%	
Be	1	3611235	0.37	0.36	2.7%	< 0.05	0.3	0.4	70%	80%	120%	
Bi	1	3611235	0.12	0.12	0.0%	< 0.01				80%	120%	
Ca	1	3611235	0.624	0.605	3.1%	< 0.01				80%	120%	
Cd	1	3611235	0.16	0.16	0.0%	< 0.01				80%	120%	
Ce	1	3611235	21.5	20.9	2.8%	< 0.01				80%	120%	
Co	1	3611235	6.5	6.5	0.0%	< 0.1				80%	120%	
Cr	1	3611235	28.8	28.2	2.1%	< 0.5				80%	120%	
Cs	1	3611235	0.60	0.59	1.7%	< 0.05				80%	120%	
Cu	1	3611235	27.5	27.5	0.0%	< 0.1				80%	120%	
Fe	1	3611235	2.29	2.23	2.7%	< 0.01				80%	120%	
Ga	1	3611235	3.62	3.62	0.0%	< 0.05				80%	120%	
Ge	1	3611235	0.09	0.09	0.0%	< 0.05				80%	120%	
Hf	1	3611235	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3611235	0.02	0.02	0.0%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
In	1	3611235	0.018	0.018	0.0%	< 0.005				80%	120%	
K	1	3611235	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3611235	10.0	9.8	2.0%	< 0.1				80%	120%	
Li	1	3611235	15.0	14.7	2.0%	< 0.1				80%	120%	
Mg	1	3611235	0.610	0.595	2.5%	< 0.01				80%	120%	
Mn	1	3611235	344	340	1.2%	< 1				80%	120%	
Mo	1	3611235	0.66	0.65	1.5%	< 0.05	363	350	103%	80%	120%	
Na	1	3611235	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611235	1.07	1.09	1.9%	< 0.05				80%	120%	
Ni	1	3611235	19.9	19.7	1.0%	< 0.2				80%	120%	
P	1	3611235	732	716	2.2%	< 10	648	600	108%	80%	120%	
Pb	1	3611235	5.93	5.85	1.4%	< 0.1				80%	120%	
Rb	1	3611235	7.19	7.12	1.0%	< 0.1	11	13	86%	80%	120%	
Re	1	3611235	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611235	0.0165	0.0160	3.1%	< 0.005				80%	120%	
Sb	1	3611235	0.59	0.59	0.0%	< 0.05				80%	120%	
Sc	1	3611235	3.8	3.8	0.0%	< 0.1				80%	120%	
Se	1	3611235	0.44	0.46	4.4%	< 0.2				80%	120%	
Sn	1	3611235	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3611235	32.1	32.0	0.3%	< 0.2				80%	120%	
Ta	1	3611235	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611235	0.025	0.023	8.3%	< 0.01				80%	120%	
Th	1	3611235	3.37	3.24	3.9%	< 0.1				80%	120%	
Ti	1	3611235	0.0820	0.0782	4.7%	< 0.005				80%	120%	
Tl	1	3611235	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3611235	0.92	1.06	14.1%	< 0.05				80%	120%	
V	1	3611235	46.6	45.3	2.8%	< 0.5				80%	120%	
W	1	3611235	< 0.05	< 0.05	0.0%	< 0.05				80%	120%	
Y	1	3611235	7.30	7.28	0.3%	< 0.05	5	7	78%	80%	120%	
Zn	1	3611235	60.6	59.7	1.5%	< 0.5				80%	120%	
Zr	1	3611235	1.6	1.6	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611247	0.126	0.124	1.6%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3611247	1.26	1.30	3.1%	< 0.01				80%	120%	
As	1	3611247	7.93	7.75	2.3%	< 0.1				80%	120%	
Au	1	3611247	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611247	< 5	< 5	0.0%	< 5	5.62	7.00	80%	80%	120%	
Ba	1	3611247	211	209	1.0%	< 1				80%	120%	
Be	1	3611247	0.148	0.155	4.6%	< 0.05				80%	120%	
Bi	1	3611247	0.09	0.09	0.0%	< 0.01				80%	120%	
Ca	1	3611247	0.80	0.82	2.5%	< 0.01				80%	120%	
Cd	1	3611247	0.167	0.163	2.4%	< 0.01				80%	120%	
Ce	1	3611247	20.5	20.6	0.5%	< 0.01				80%	120%	
Co	1	3611247	10.6	10.4	1.9%	< 0.1				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cr	1	3611247	29.0	29.0	0.0%	< 0.5				80%	120%
Cs	1	3611247	1.20	1.23	2.5%	< 0.05				80%	120%
Cu	1	3611247	36.3	35.5	2.2%	< 0.1				80%	120%
Fe	1	3611247	2.47	2.51	1.6%	< 0.01				80%	120%
Ga	1	3611247	3.50	3.51	0.3%	< 0.05				80%	120%
Ge	1	3611247	0.062	0.067	7.8%	< 0.05				80%	120%
Hf	1	3611247	0.046	0.039	16.5%	< 0.02				80%	120%
Hg	1	3611247	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3611247	0.013	0.013	0.0%	< 0.005				80%	120%
K	1	3611247	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3611247	10.3	10.2	1.0%	< 0.1				80%	120%
Li	1	3611247	6.22	6.29	1.1%	< 0.1				80%	120%
Mg	1	3611247	0.694	0.703	1.3%	< 0.01				80%	120%
Mn	1	3611247	398	395	0.8%	< 1				80%	120%
Mo	1	3611247	1.77	1.74	1.7%	< 0.05	357	350	102%	80%	120%
Na	1	3611247	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3611247	1.02	1.06	3.8%	< 0.05				80%	120%
Ni	1	3611247	19.3	19.5	1.0%	< 0.2				80%	120%
P	1	3611247	734	723	1.5%	< 10	619	600	103%	80%	120%
Pb	1	3611247	4.6	4.5	2.2%	< 0.1				80%	120%
Rb	1	3611247	5.83	5.88	0.9%	< 0.1	11	13	84%	80%	120%
Re	1	3611247	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3611247	0.025	0.025	0.0%	< 0.005				80%	120%
Sb	1	3611247	0.52	0.51	1.9%	< 0.05				80%	120%
Sc	1	3611247	3.9	3.9	0.0%	< 0.1				80%	120%
Se	1	3611247	1.0	1.0	0.0%	< 0.2				80%	120%
Sn	1	3611247	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3611247	27.0	27.2	0.7%	< 0.2				80%	120%
Ta	1	3611247	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3611247	0.04	0.04	0.0%	< 0.01				80%	120%
Th	1	3611247	2.2	2.1	4.7%	< 0.1				80%	120%
Ti	1	3611247	0.077	0.081	5.1%	< 0.005				80%	120%
Tl	1	3611247	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3611247	0.705	0.684	3.0%	< 0.05				80%	120%
V	1	3611247	52.9	51.9	1.9%	< 0.5				80%	120%
W	1	3611247	0.91	0.49		< 0.05				80%	120%
Y	1	3611247	5.89	5.81	1.4%	< 0.05	5	7	75%	80%	120%
Zn	1	3611247	63.7	63.2	0.8%	< 0.5				80%	120%
Zr	1	3611247	1.47	1.41	4.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3611260	0.13	0.13	0.0%	< 0.01	10.5	13.0	81%	80%	120%
Al	1	3611260	1.32	1.32	0.0%	< 0.01				80%	120%
As	1	3611260	9.8	9.8	0.0%	< 0.1				80%	120%
Au	1	3611260	< 0.01	< 0.01	0.0%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
B	1	3611260	< 5	< 5	0.0%	< 5	5.85	7.00	84%	80%	120%
Ba	1	3611260	256	265	3.5%	< 1				80%	120%
Be	1	3611260	0.27	0.27	0.0%	< 0.05				80%	120%
Bi	1	3611260	0.16	0.16	0.0%	< 0.01				80%	120%
Ca	1	3611260	1.86	1.87	0.5%	< 0.01				80%	120%
Cd	1	3611260	0.19	0.19	0.0%	< 0.01				80%	120%
Ce	1	3611260	27.5	26.1	5.2%	< 0.01				80%	120%
Co	1	3611260	11.7	11.5	1.7%	< 0.1				80%	120%
Cr	1	3611260	31.9	30.8	3.5%	< 0.5				80%	120%
Cs	1	3611260	1.10	1.06	3.7%	< 0.05				80%	120%
Cu	1	3611260	35.2	34.4	2.3%	< 0.1	5881	6000	98%	80%	120%
Fe	1	3611260	2.61	2.66	1.9%	< 0.01				80%	120%
Ga	1	3611260	4.11	3.99	3.0%	< 0.05				80%	120%
Ge	1	3611260	0.07	0.07	0.0%	< 0.05				80%	120%
Hf	1	3611260	0.08	0.08	0.0%	< 0.02				80%	120%
Hg	1	3611260	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3611260	0.0198	0.0191	3.6%	< 0.005				80%	120%
K	1	3611260	0.08	0.08	0.0%	< 0.01				80%	120%
La	1	3611260	13.7	12.7	7.6%	< 0.1				80%	120%
Li	1	3611260	8.3	8.3	0.0%	< 0.1				80%	120%
Mg	1	3611260	0.897	0.915	2.0%	< 0.01				80%	120%
Mn	1	3611260	537	530	1.3%	< 1				80%	120%
Mo	1	3611260	1.63	1.61	1.2%	< 0.05	346	350	98%	80%	120%
Na	1	3611260	0.03	0.03	0.0%	< 0.01				80%	120%
Nb	1	3611260	1.33	1.23	7.8%	< 0.05				80%	120%
Ni	1	3611260	28.4	28.0	1.4%	< 0.2				80%	120%
P	1	3611260	802	793	1.1%	< 10	595	600	99%	80%	120%
Pb	1	3611260	7.0	7.0	0.0%	< 0.1				80%	120%
Rb	1	3611260	8.12	7.84	3.5%	< 0.1	11	13	82%	80%	120%
Re	1	3611260	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3611260	0.018	0.018	0.0%	< 0.005				80%	120%
Sb	1	3611260	0.762	0.734	3.7%	< 0.05				80%	120%
Sc	1	3611260	4.72	4.55	3.7%	< 0.1				80%	120%
Se	1	3611260	0.4	0.4	0.0%	< 0.2				80%	120%
Sn	1	3611260	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Sr	1	3611260	57.8	56.0	3.2%	< 0.2				80%	120%
Ta	1	3611260	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3611260	0.038	0.032	17.1%	< 0.01				80%	120%
Th	1	3611260	3.10	3.01	2.9%	< 0.1				80%	120%
Ti	1	3611260	0.0920	0.0882	4.2%	< 0.005				80%	120%
Tl	1	3611260	0.09	0.09	0.0%	< 0.01				80%	120%
U	1	3611260	0.54	0.52	3.8%	< 0.05				80%	120%
V	1	3611260	53.2	51.1	4.0%	< 0.5				80%	120%
W	1	3611260	0.35	0.26	29.5%	< 0.05				80%	120%





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Y	1	3611260	8.82	8.54	3.2%	< 0.05	5	7	74%	80%	120%	
Zn	1	3611260	75.6	74.7	1.2%	< 0.5				80%	120%	
Zr	1	3611260	3.1	3.1	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611271	0.107	0.104	2.8%	< 0.01	11.3	13.0	87%	80%	120%	
Al	1	3611271	1.15	1.16	0.9%	< 0.01				80%	120%	
As	1	3611271	8.5	8.5	0.0%	< 0.1				80%	120%	
Au	1	3611271	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611271	< 5	< 5	0.0%	< 5	6.53	7.00	93%	80%	120%	
Ba	1	3611271	295	301	2.0%	< 1				80%	120%	
Be	1	3611271	0.216	0.215	0.5%	< 0.05				80%	120%	
Bi	1	3611271	0.10	0.10	0.0%	< 0.01				80%	120%	
Ca	1	3611271	0.589	0.597	1.3%	< 0.01				80%	120%	
Cd	1	3611271	0.180	0.187	3.8%	< 0.01				80%	120%	
Ce	1	3611271	29.3	28.2	3.8%	< 0.01				80%	120%	
Co	1	3611271	8.8	8.9	1.1%	< 0.1				80%	120%	
Cr	1	3611271	26.6	29.1	9.0%	< 0.5				80%	120%	
Cs	1	3611271	0.763	0.803	5.1%	< 0.05				80%	120%	
Cu	1	3611271	26.7	26.5	0.8%	< 0.1				80%	120%	
Fe	1	3611271	2.44	2.48	1.6%	< 0.01				80%	120%	
Ga	1	3611271	3.44	3.46	0.6%	< 0.05				80%	120%	
Ge	1	3611271	0.080	0.072	10.5%	< 0.05				80%	120%	
Hf	1	3611271	0.06	0.06	0.0%	< 0.02				80%	120%	
Hg	1	3611271	0.06	0.06	0.0%	< 0.01				80%	120%	
In	1	3611271	0.016	0.016	0.0%	< 0.005				80%	120%	
K	1	3611271	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3611271	15.5	13.9	10.9%	< 0.1				80%	120%	
Li	1	3611271	6.1	6.2	1.6%	< 0.1				80%	120%	
Mg	1	3611271	0.59	0.59	0.0%	< 0.01				80%	120%	
Mn	1	3611271	376	376	0.0%	< 1				80%	120%	
Mo	1	3611271	0.97	1.01	4.0%	< 0.05	363	350	103%	80%	120%	
Na	1	3611271	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611271	1.05	1.05	0.0%	< 0.05				80%	120%	
Ni	1	3611271	21.7	21.6	0.5%	< 0.2				80%	120%	
P	1	3611271	777	771	0.8%	< 10	595	600	99%	80%	120%	
Pb	1	3611271	5.45	5.61	2.9%	< 0.1				80%	120%	
Rb	1	3611271	5.92	6.07	2.5%	< 0.1	11	13	83%	80%	120%	
Re	1	3611271	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611271	0.012	0.012	0.0%	< 0.005				80%	120%	
Sb	1	3611271	0.59	0.59	0.0%	< 0.05				80%	120%	
Sc	1	3611271	3.79	3.87	2.1%	< 0.1				80%	120%	
Se	1	3611271	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3611271	0.4	0.4	0.0%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sr	1	3611271	31.5	32.0	1.6%	< 0.2				80%	120%	
Ta	1	3611271	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611271	0.033	0.036	8.7%	< 0.01				80%	120%	
Th	1	3611271	3.5	3.5	0.0%	< 0.1				80%	120%	
Ti	1	3611271	0.081	0.081	0.0%	< 0.005				80%	120%	
Tl	1	3611271	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3611271	0.71	0.71	0.0%	< 0.05				80%	120%	
V	1	3611271	50.7	50.1	1.2%	< 0.5				80%	120%	
W	1	3611271	0.80	0.90	11.8%	< 0.05				80%	120%	
Y	1	3611271	7.42	7.45	0.4%	< 0.05	5	7	72%	80%	120%	
Zn	1	3611271	61.0	60.7	0.5%	< 0.5				80%	120%	
Zr	1	3611271	2.6	2.6	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611285	0.13	0.14	7.4%	< 0.01	11.1	13.0	86%	80%	120%	
Al	1	3611285	1.33	1.28	3.8%	< 0.01				80%	120%	
As	1	3611285	11.5	11.4	0.9%	< 0.1				80%	120%	
Au	1	3611285	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611285	< 5	< 5	0.0%	< 5	6.3	7.00	90%	80%	120%	
Ba	1	3611285	368	352	4.4%	< 1				80%	120%	
Be	1	3611285	0.282	0.292	3.5%	< 0.05				80%	120%	
Bi	1	3611285	0.196	0.174	11.9%	< 0.01				80%	120%	
Ca	1	3611285	0.958	0.934	2.5%	< 0.01				80%	120%	
Cd	1	3611285	0.257	0.249	3.2%	< 0.01				80%	120%	
Ce	1	3611285	30.6	29.6	3.3%	< 0.01				80%	120%	
Co	1	3611285	11.2	11.1	0.9%	< 0.1				80%	120%	
Cr	1	3611285	28.8	28.8	0.0%	< 0.5				80%	120%	
Cs	1	3611285	1.02	0.975	4.5%	< 0.05				80%	120%	
Cu	1	3611285	36.6	36.4	0.5%	< 0.1	6109	6000	101%	80%	120%	
Fe	1	3611285	2.72	2.66	2.2%	< 0.01				80%	120%	
Ga	1	3611285	4.04	3.91	3.3%	< 0.05				80%	120%	
Ge	1	3611285	0.08	0.08	0.0%	< 0.05				80%	120%	
Hf	1	3611285	0.10	0.10	0.0%	< 0.02				80%	120%	
Hg	1	3611285	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3611285	0.020	0.019	5.1%	< 0.005				80%	120%	
K	1	3611285	0.079	0.074	6.5%	< 0.01				80%	120%	
La	1	3611285	15.2	14.6	4.0%	< 0.1				80%	120%	
Li	1	3611285	8.39	8.20	2.3%	< 0.1				80%	120%	
Mg	1	3611285	0.82	0.80	2.5%	< 0.01				80%	120%	
Mn	1	3611285	537	531	1.1%	< 1				80%	120%	
Mo	1	3611285	1.66	1.59	4.3%	< 0.05	362	350	103%	80%	120%	
Na	1	3611285	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3611285	1.27	1.17	8.2%	< 0.05				80%	120%	
Ni	1	3611285	31.1	30.9	0.6%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
P	1	3611285	802	797	0.6%	< 10	599	600	100%	80%	120%	
Pb	1	3611285	7.5	7.4	1.3%	< 0.1				80%	120%	
Rb	1	3611285	8.6	8.2	4.8%	< 0.1	11	13	83%	80%	120%	
Re	1	3611285	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611285	0.015	0.015	0.0%	< 0.005				80%	120%	
Sb	1	3611285	0.835	0.853	2.1%	< 0.05				80%	120%	
Sc	1	3611285	4.46	4.32	3.2%	< 0.1				80%	120%	
Se	1	3611285	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3611285	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3611285	42.4	41.4	2.4%	< 0.2				80%	120%	
Ta	1	3611285	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611285	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3611285	4.0	3.8	5.1%	< 0.1				80%	120%	
Ti	1	3611285	0.091	0.084	8.0%	< 0.005				80%	120%	
Tl	1	3611285	0.10	0.10	0.0%	< 0.01				80%	120%	
U	1	3611285	0.54	0.63	15.4%	< 0.05				80%	120%	
V	1	3611285	53.7	52.0	3.2%	< 0.5				80%	120%	
W	1	3611285	0.443	0.505	13.1%	< 0.05				80%	120%	
Y	1	3611285	9.44	9.12	3.4%	< 0.05	5	7	71%	80%	120%	
Zn	1	3611285	78.2	77.8	0.5%	< 0.5				80%	120%	
Zr	1	3611285	4.4	4.4	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611297	0.103	0.116	11.9%	< 0.01	11.1	13.0	85%	80%	120%	
Al	1	3611297	1.27	1.30	2.3%	< 0.01				80%	120%	
As	1	3611297	8.1	8.3	2.4%	< 0.1				80%	120%	
Au	1	3611297	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611297	< 5	6		< 5	6.61	7.00	94%	80%	120%	
Ba	1	3611297	290	301	3.7%	< 1				80%	120%	
Be	1	3611297	0.210	0.216	2.8%	< 0.05				80%	120%	
Bi	1	3611297	0.12	0.12	0.0%	< 0.01				80%	120%	
Ca	1	3611297	0.57	0.58	1.7%	< 0.01				80%	120%	
Cd	1	3611297	0.17	0.17	0.0%	< 0.01				80%	120%	
Ce	1	3611297	26.2	26.4	0.8%	< 0.01				80%	120%	
Co	1	3611297	9.0	9.1	1.1%	< 0.1				80%	120%	
Cr	1	3611297	27.2	27.8	2.2%	< 0.5				80%	120%	
Cs	1	3611297	0.876	0.865	1.3%	< 0.05				80%	120%	
Cu	1	3611297	21.9	22.8	4.0%	< 0.1				80%	120%	
Fe	1	3611297	2.34	2.41	2.9%	< 0.01				80%	120%	
Ga	1	3611297	3.87	3.90	0.8%	< 0.05				80%	120%	
Ge	1	3611297	0.06	0.06	0.0%	< 0.05				80%	120%	
Hf	1	3611297	0.023	0.028	19.6%	< 0.02				80%	120%	
Hg	1	3611297	0.373	0.462	21.3%	< 0.01				80%	120%	
In	1	3611297	0.016	0.017	6.1%	< 0.005				80%	120%	
K	1	3611297	0.05	0.05	0.0%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
La	1	3611297	13.1	13.0	0.8%	< 0.1				80%	120%	
Li	1	3611297	6.84	6.93	1.3%	< 0.1				80%	120%	
Mg	1	3611297	0.543	0.555	2.2%	< 0.01				80%	120%	
Mn	1	3611297	302	312	3.3%	< 1				80%	120%	
Mo	1	3611297	0.848	0.866	2.1%	< 0.05	358	350	102%	80%	120%	
Na	1	3611297	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611297	1.16	1.15	0.9%	< 0.05				80%	120%	
Ni	1	3611297	19.7	20.2	2.5%	< 0.2				80%	120%	
P	1	3611297	685	694	1.3%	< 10	591	600	99%	80%	120%	
Pb	1	3611297	6.25	6.43	2.8%	< 0.1				80%	120%	
Rb	1	3611297	8.3	8.3	0.0%	< 0.1	10	13	80%	80%	120%	
Re	1	3611297	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611297	0.018	0.018	0.0%	< 0.005				80%	120%	
Sb	1	3611297	0.567	0.524	7.9%	< 0.05				80%	120%	
Sc	1	3611297	3.6	3.6	0.0%	< 0.1				80%	120%	
Se	1	3611297	0.41	0.45	9.3%	< 0.2				80%	120%	
Sn	1	3611297	0.43	0.46	6.7%	< 0.2				80%	120%	
Sr	1	3611297	31.5	31.2	1.0%	< 0.2				80%	120%	
Ta	1	3611297	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611297	0.033	0.037	11.4%	< 0.01				80%	120%	
Th	1	3611297	2.5	2.5	0.0%	< 0.1				80%	120%	
Ti	1	3611297	0.072	0.072	0.0%	< 0.005				80%	120%	
Tl	1	3611297	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3611297	0.663	0.685	3.3%	< 0.05				80%	120%	
V	1	3611297	48.4	49.1	1.4%	< 0.5				80%	120%	
W	1	3611297	< 0.05	0.27		< 0.05				80%	120%	
Y	1	3611297	6.77	6.81	0.6%	< 0.05	5	7	73%	80%	120%	
Zn	1	3611297	65.3	66.5	1.8%	< 0.5				80%	120%	
Zr	1	3611297	0.85	0.98	14.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611310	0.04	0.19		< 0.01	10.9	13.0	84%	80%	120%	
Al	1	3611310	1.40	1.43	2.1%	< 0.01				80%	120%	
As	1	3611310	8.99	9.07	0.9%	< 0.1				80%	120%	
Au	1	3611310	0.01	< 0.01		< 0.01				80%	120%	
B	1	3611310	< 5	< 5	0.0%	< 5	7.29	7.00	104%	80%	120%	
Ba	1	3611310	303	311	2.6%	< 1				80%	120%	
Be	1	3611310	0.24	0.27	11.8%	< 0.05	0.3	0.4	72%	80%	120%	
Bi	1	3611310	0.16	0.16	0.0%	< 0.01				80%	120%	
Ca	1	3611310	0.752	0.761	1.2%	< 0.01				80%	120%	
Cd	1	3611310	0.21	0.22	4.7%	< 0.01				80%	120%	
Ce	1	3611310	27.3	29.1	6.4%	< 0.01				80%	120%	
Co	1	3611310	9.8	10.0	2.0%	< 0.1				80%	120%	
Cr	1	3611310	28.6	30.9	7.7%	< 0.5				80%	120%	
Cs	1	3611310	0.86	0.88	2.3%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cu	1	3611310	29.1	28.8	1.0%	< 0.1	5956	6000	99%	80%	120%
Fe	1	3611310	2.47	2.51	1.6%	< 0.01				80%	120%
Ga	1	3611310	4.05	4.26	5.1%	< 0.05				80%	120%
Ge	1	3611310	0.07	0.07	0.0%	< 0.05				80%	120%
Hf	1	3611310	0.03	0.03	0.0%	< 0.02				80%	120%
Hg	1	3611310	0.036	0.032	11.8%	< 0.01				80%	120%
In	1	3611310	0.019	0.019	0.0%	< 0.005				80%	120%
K	1	3611310	0.054	0.058	7.1%	< 0.01				80%	120%
La	1	3611310	13.7	14.4	5.0%	< 0.1				80%	120%
Li	1	3611310	5.92	6.46	8.7%	< 0.1				80%	120%
Mg	1	3611310	0.564	0.579	2.6%	< 0.01				80%	120%
Mn	1	3611310	426	445	4.4%	< 1				80%	120%
Mo	1	3611310	1.31	1.31	0.0%	< 0.05	344	350	98%	80%	120%
Na	1	3611310	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3611310	1.22	1.35	10.1%	< 0.05				80%	120%
Ni	1	3611310	20.8	21.8	4.7%	< 0.2				80%	120%
P	1	3611310	750	762	1.6%	< 10	592	600	99%	80%	120%
Pb	1	3611310	6.4	6.6	3.1%	< 0.1				80%	120%
Rb	1	3611310	8.51	9.07	6.4%	< 0.1	11	13	82%	80%	120%
Re	1	3611310	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3611310	0.0197	0.0206	4.5%	< 0.005				80%	120%
Sb	1	3611310	0.61	0.62	1.6%	< 0.05				80%	120%
Sc	1	3611310	4.4	4.5	2.2%	< 0.1				80%	120%
Se	1	3611310	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3611310	0.4	0.4	0.0%	< 0.2				80%	120%
Sr	1	3611310	41.2	43.5	5.4%	< 0.2				80%	120%
Ta	1	3611310	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3611310	0.04	0.04	0.0%	< 0.01				80%	120%
Th	1	3611310	2.6	2.7	3.8%	< 0.1				80%	120%
Ti	1	3611310	0.0758	0.0816	7.4%	< 0.005				80%	120%
Tl	1	3611310	0.074	0.078	5.3%	< 0.01				80%	120%
U	1	3611310	1.00	1.04	3.9%	< 0.05				80%	120%
V	1	3611310	49.0	52.0	5.9%	< 0.5				80%	120%
W	1	3611310	0.33	0.30	9.5%	< 0.05				80%	120%
Y	1	3611310	7.36	7.70	4.5%	< 0.05	5	7	74%	80%	120%
Zn	1	3611310	59.7	61.6	3.1%	< 0.5				80%	120%
Zr	1	3611310	1.1	1.1	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3611322	0.17	0.17	0.0%	< 0.01	11.7	13.0	90%	80%	120%
Al	1	3611322	1.27	1.34	5.4%	< 0.01				80%	120%
As	1	3611322	9.7	9.7	0.0%	< 0.1				80%	120%
Au	1	3611322	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3611322	< 5	< 5	0.0%	< 5	6.87	7.00	98%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ba	1	3611322	319	337	5.5%	< 1				80%	120%	
Be	1	3611322	0.254	0.263	3.5%	< 0.05				80%	120%	
Bi	1	3611322	0.27	0.28	3.6%	< 0.01				80%	120%	
Ca	1	3611322	0.56	0.58	3.5%	< 0.01				80%	120%	
Cd	1	3611322	0.19	0.20	5.1%	< 0.01				80%	120%	
Ce	1	3611322	25.6	27.3	6.4%	< 0.01				80%	120%	
Co	1	3611322	8.35	8.45	1.2%	< 0.1				80%	120%	
Cr	1	3611322	27.8	28.3	1.8%	< 0.5				80%	120%	
Cs	1	3611322	0.910	0.949	4.2%	< 0.05				80%	120%	
Cu	1	3611322	40.0	40.0	0.0%	< 0.1				80%	120%	
Fe	1	3611322	2.47	2.60	5.1%	< 0.01				80%	120%	
Ga	1	3611322	3.95	4.03	2.0%	< 0.05				80%	120%	
Ge	1	3611322	0.08	0.08	0.0%	< 0.05				80%	120%	
Hf	1	3611322	0.092	0.101	9.3%	< 0.02				80%	120%	
Hg	1	3611322	0.04	0.03	28.6%	< 0.01				80%	120%	
In	1	3611322	0.019	0.020	5.1%	< 0.005				80%	120%	
K	1	3611322	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3611322	13.2	14.1	6.6%	< 0.1				80%	120%	
Li	1	3611322	6.69	6.65	0.6%	< 0.1				80%	120%	
Mg	1	3611322	0.583	0.623	6.6%	< 0.01				80%	120%	
Mn	1	3611322	333	346	3.8%	< 1				80%	120%	
Mo	1	3611322	1.81	1.81	0.0%	< 0.05	358	350	102%	80%	120%	
Na	1	3611322	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3611322	1.06	1.09	2.8%	< 0.05				80%	120%	
Ni	1	3611322	22.4	23.0	2.6%	< 0.2				80%	120%	
P	1	3611322	679	696	2.5%	< 10	616	600	102%	80%	120%	
Pb	1	3611322	7.3	7.6	4.0%	< 0.1				80%	120%	
Rb	1	3611322	7.4	7.6	2.7%	< 0.1	13	13	100%	80%	120%	
Re	1	3611322	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611322	0.011	0.011	0.0%	< 0.005				80%	120%	
Sb	1	3611322	0.69	0.71	2.9%	< 0.05				80%	120%	
Sc	1	3611322	4.6	4.7	2.2%	< 0.1				80%	120%	
Se	1	3611322	0.44	0.49	10.8%	< 0.2				80%	120%	
Sn	1	3611322	0.72	0.63	13.3%	< 0.2				80%	120%	
Sr	1	3611322	34.4	34.9	1.4%	< 0.2				80%	120%	
Ta	1	3611322	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611322	0.054	0.057	5.4%	< 0.01				80%	120%	
Th	1	3611322	3.4	3.6	5.7%	< 0.1				80%	120%	
Ti	1	3611322	0.097	0.103	6.0%	< 0.005				80%	120%	
Tl	1	3611322	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3611322	0.73	0.74	1.4%	< 0.05				80%	120%	
V	1	3611322	53.4	54.7	2.4%	< 0.5				80%	120%	
W	1	3611322	0.25	0.45	< 0.05	< 0.05				80%	120%	
Y	1	3611322	8.14	8.32	2.2%	< 0.05	5	7	73%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Zn	1	3611322	62.7	64.2	2.4%	< 0.5				80%	120%
Zr	1	3611322	4.31	4.41	2.3%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3611335	0.085	0.088	3.5%	< 0.01	11.5	13.0	89%	80%	120%
Al	1	3611335	0.996	0.984	1.2%	< 0.01				80%	120%
As	1	3611335	5.6	5.7	1.8%	< 0.1				80%	120%
Au	1	3611335	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3611335	< 5	< 5	0.0%	< 5	7.54	7.00	108%	80%	120%
Ba	1	3611335	227	224	1.3%	< 1				80%	120%
Be	1	3611335	0.23	0.23	0.0%	< 0.05	0.3	0.4	70%	80%	120%
Bi	1	3611335	0.11	0.11	0.0%	< 0.01				80%	120%
Ca	1	3611335	0.57	0.57	0.0%	< 0.01				80%	120%
Cd	1	3611335	0.102	0.092	10.3%	< 0.01				80%	120%
Ce	1	3611335	23.7	24.9	4.9%	< 0.01				80%	120%
Co	1	3611335	6.5	6.5	0.0%	< 0.1				80%	120%
Cr	1	3611335	24.1	24.5	1.6%	< 0.5				80%	120%
Cs	1	3611335	0.61	0.61	0.0%	< 0.05				80%	120%
Cu	1	3611335	21.7	23.4	7.5%	< 0.1	6070	6000	101%	80%	120%
Fe	1	3611335	1.92	1.89	1.6%	< 0.01				80%	120%
Ga	1	3611335	3.01	3.05	1.3%	< 0.05				80%	120%
Ge	1	3611335	0.06	0.06	0.0%	< 0.05				80%	120%
Hf	1	3611335	0.06	0.05	18.2%	< 0.02				80%	120%
Hg	1	3611335	0.02	< 0.01		< 0.01				80%	120%
In	1	3611335	0.0149	0.0143	4.1%	< 0.005				80%	120%
K	1	3611335	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3611335	12.0	12.4	3.3%	< 0.1				80%	120%
Li	1	3611335	6.0	6.4	6.5%	< 0.1				80%	120%
Mg	1	3611335	0.52	0.52	0.0%	< 0.01				80%	120%
Mn	1	3611335	232	230	0.9%	< 1				80%	120%
Mo	1	3611335	0.840	0.866	3.0%	< 0.05	356	350	101%	80%	120%
Na	1	3611335	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3611335	1.06	1.11	4.6%	< 0.05				80%	120%
Ni	1	3611335	16.7	16.9	1.2%	< 0.2				80%	120%
P	1	3611335	708	741	4.6%	< 10	614	600	102%	80%	120%
Pb	1	3611335	5.0	5.0	0.0%	< 0.1				80%	120%
Rb	1	3611335	5.55	5.69	2.5%	< 0.1	12	13	91%	80%	120%
Re	1	3611335	0.001	< 0.001		< 0.001				80%	120%
S	1	3611335	0.0237	0.0246	3.7%	< 0.005				80%	120%
Sb	1	3611335	0.471	0.480	1.9%	< 0.05				80%	120%
Sc	1	3611335	3.3	3.3	0.0%	< 0.1				80%	120%
Se	1	3611335	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3611335	0.34	0.41	18.7%	< 0.2				80%	120%
Sr	1	3611335	29.5	30.5	3.3%	< 0.2				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ta	1	3611335	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611335	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3611335	2.7	3.2	16.9%	< 0.1				80%	120%	
Ti	1	3611335	0.0730	0.0736	0.8%	< 0.005				80%	120%	
Tl	1	3611335	0.06	0.06	0.0%	< 0.01				80%	120%	
U	1	3611335	0.94	0.97	3.1%	< 0.05				80%	120%	
V	1	3611335	40.8	43.4	6.2%	< 0.5				80%	120%	
W	1	3611335	0.63	0.63	0.0%	< 0.05				80%	120%	
Y	1	3611335	6.56	6.93	5.5%	< 0.05	5	7	75%	80%	120%	
Zn	1	3611335	51.1	52.8	3.3%	< 0.5				80%	120%	
Zr	1	3611335	1.7	1.7	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611347	0.07	0.07	0.0%	< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3611347	1.50	1.55	3.3%	< 0.01				80%	120%	
As	1	3611347	9.6	10.1	5.1%	< 0.1				80%	120%	
Au	1	3611347	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611347	< 5	< 5	0.0%	< 5	8.02	7.00	115%	80%	120%	
Ba	1	3611347	240	253	5.3%	< 1				80%	120%	
Be	1	3611347	0.231	0.222	4.0%	< 0.05	0.3	0.4	73%	80%	120%	
Bi	1	3611347	0.165	0.165	0.0%	< 0.01				80%	120%	
Ca	1	3611347	0.353	0.366	3.6%	< 0.01				80%	120%	
Cd	1	3611347	0.083	0.086	3.6%	< 0.01				80%	120%	
Ce	1	3611347	20.4	20.8	1.9%	< 0.01				80%	120%	
Co	1	3611347	9.7	9.9	2.0%	< 0.1				80%	120%	
Cr	1	3611347	31.7	32.8	3.4%	< 0.5				80%	120%	
Cs	1	3611347	1.02	1.05	2.9%	< 0.05				80%	120%	
Cu	1	3611347	42.0	42.3	0.7%	< 0.1				80%	120%	
Fe	1	3611347	2.59	2.67	3.0%	< 0.01				80%	120%	
Ga	1	3611347	4.51	4.65	3.1%	< 0.05				80%	120%	
Ge	1	3611347	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3611347	0.03	0.03	0.0%	< 0.02				80%	120%	
Hg	1	3611347	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3611347	0.019	0.019	0.0%	< 0.005				80%	120%	
K	1	3611347	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3611347	10.2	10.3	1.0%	< 0.1				80%	120%	
Li	1	3611347	7.3	7.6	4.0%	< 0.1				80%	120%	
Mg	1	3611347	0.66	0.68	3.0%	< 0.01				80%	120%	
Mn	1	3611347	307	314	2.3%	< 1				80%	120%	
Mo	1	3611347	1.47	1.45	1.4%	< 0.05	360	350	102%	80%	120%	
Na	1	3611347	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3611347	0.93	0.98	5.2%	< 0.05				80%	120%	
Ni	1	3611347	18.6	19.1	2.7%	< 0.2				80%	120%	
P	1	3611347	396	400	1.0%	< 10	622	600	104%	80%	120%	
Pb	1	3611347	6.60	6.53	1.1%	< 0.1				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Rb	1	3611347	6.2	6.4	3.2%	< 0.1	12	13	94%	80%	120%	
Re	1	3611347	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611347	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
Sb	1	3611347	0.44	0.45	2.2%	< 0.05				80%	120%	
Sc	1	3611347	4.32	4.46	3.2%	< 0.1				80%	120%	
Se	1	3611347	0.33	0.41	21.6%	< 0.2				80%	120%	
Sn	1	3611347	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3611347	21.2	21.7	2.3%	< 0.2				80%	120%	
Ta	1	3611347	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611347	0.05	0.05	0.0%	< 0.01				80%	120%	
Th	1	3611347	2.6	2.6	0.0%	< 0.1				80%	120%	
Ti	1	3611347	0.0931	0.0988	5.9%	< 0.005				80%	120%	
Tl	1	3611347	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3611347	0.70	0.72	2.8%	< 0.05				80%	120%	
V	1	3611347	57.7	59.9	3.7%	< 0.5				80%	120%	
W	1	3611347	0.342	0.322	6.0%	< 0.05				80%	120%	
Y	1	3611347	4.73	4.88	3.1%	< 0.05	8	7	114%	80%	120%	
Zn	1	3611347	49.6	50.8	2.4%	< 0.5				80%	120%	
Zr	1	3611347	1.4	1.4	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611360	0.12	< 0.01		< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3611360	0.91	1.11	19.8%	< 0.01				80%	120%	
As	1	3611360	5.01	6.09	19.5%	< 0.1				80%	120%	
Au	1	3611360	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611360	< 5	< 5	0.0%	< 5	6.74	7.00	96%	80%	120%	
Ba	1	3611360	229	251	9.2%	< 1				80%	120%	
Be	1	3611360	0.42	0.61		< 0.05				80%	120%	
Bi	1	3611360	0.079	0.096	19.4%	< 0.01				80%	120%	
Ca	1	3611360	0.57	0.66	14.6%	< 0.01				80%	120%	
Cd	1	3611360	0.11	0.11	0.0%	< 0.01				80%	120%	
Ce	1	3611360	14.9	21.2		< 0.01				80%	120%	
Co	1	3611360	8.1	9.1	11.6%	< 0.1				80%	120%	
Cr	1	3611360	19.9	25.8	25.8%	< 0.5				80%	120%	
Cs	1	3611360	0.47	0.74		< 0.05				80%	120%	
Cu	1	3611360	19.2	21.6	11.8%	< 0.1				80%	120%	
Fe	1	3611360	1.66	2.05	21.0%	< 0.01				80%	120%	
Ga	1	3611360	2.64	3.34	23.4%	< 0.05				80%	120%	
Ge	1	3611360	0.10	0.07		< 0.05				80%	120%	
Hf	1	3611360	0.08	0.04		< 0.02				80%	120%	
Hg	1	3611360	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3611360	0.0145	0.0160	9.8%	< 0.005				80%	120%	
K	1	3611360	0.04	0.06		< 0.01				80%	120%	
La	1	3611360	6.9	10.3		< 0.1				80%	120%	
Li	1	3611360	8.4	9.9	16.4%	< 0.1				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Mg	1	3611360	0.524	0.598	13.2%	< 0.01				80%	120%	
Mn	1	3611360	394	428	8.3%	< 1				80%	120%	
Mo	1	3611360	0.09	0.56		< 0.05	359	350	102%	80%	120%	
Na	1	3611360	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611360	0.48	1.14		< 0.05				80%	120%	
Ni	1	3611360	18.8	20.8	10.1%	< 0.2				80%	120%	
P	1	3611360	680	724	6.3%	< 10	629	600	105%	80%	120%	
Pb	1	3611360	4.6	5.0	8.3%	< 0.1				80%	120%	
Rb	1	3611360	11.5	13.4	15.3%	< 0.1	11	13	82%	80%	120%	
Re	1	3611360	0.001	0.001	0.0%	< 0.001				80%	120%	
S	1	3611360	0.032	0.034	6.1%	< 0.005				80%	120%	
Sb	1	3611360	0.50	< 0.05		< 0.05				80%	120%	
Sc	1	3611360	2.84	3.59	23.3%	< 0.1				80%	120%	
Se	1	3611360	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sn	1	3611360	< 0.2	< 0.2	0.0%	< 0.2				80%	120%	
Sr	1	3611360	29.7	36.5	20.5%	< 0.2				80%	120%	
Ta	1	3611360	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611360	0.021	0.026	21.3%	< 0.01				80%	120%	
Th	1	3611360	2.5	2.6	3.9%	< 0.1				80%	120%	
Ti	1	3611360	0.034	0.077		< 0.005				80%	120%	
Tl	1	3611360	0.06	0.08	28.6%	< 0.01				80%	120%	
U	1	3611360	0.933	1.21	25.9%	< 0.05				80%	120%	
V	1	3611360	29.3	41.4		< 0.5				80%	120%	
W	1	3611360	< 0.05	0.11		< 0.05				80%	120%	
Y	1	3611360	6.11	7.21	16.5%	< 0.05	5	7	71%	80%	120%	
Zn	1	3611360	51.1	57.0	10.9%	< 0.5				80%	120%	
Zr	1	3611360	3.8	2.1		< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611372	0.12	0.12	0.0%	< 0.01	11.7	13.0	90%	80%	120%	
Al	1	3611372	1.84	1.87	1.6%	< 0.01				80%	120%	
As	1	3611372	8.20	8.03	2.1%	< 0.1				80%	120%	
Au	1	3611372	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611372	< 5	< 5	0.0%	< 5	7.62	7.00	109%	80%	120%	
Ba	1	3611372	369	364	1.4%	< 1				80%	120%	
Be	1	3611372	0.26	0.24	8.0%	< 0.05				80%	120%	
Bi	1	3611372	0.15	0.15	0.0%	< 0.01				80%	120%	
Ca	1	3611372	0.478	0.497	3.9%	< 0.01				80%	120%	
Cd	1	3611372	0.16	0.16	0.0%	< 0.01				80%	120%	
Ce	1	3611372	15.4	15.5	0.6%	< 0.01				80%	120%	
Co	1	3611372	13.0	12.9	0.8%	< 0.1				80%	120%	
Cr	1	3611372	29.2	28.5	2.4%	< 0.5				80%	120%	
Cs	1	3611372	2.69	2.68	0.4%	< 0.05				80%	120%	
Cu	1	3611372	92.5	89.5	3.3%	< 0.1				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Fe	1	3611372	3.88	3.91	0.8%	< 0.01				80%	120%	
Ga	1	3611372	4.92	4.95	0.6%	< 0.05				80%	120%	
Ge	1	3611372	0.094	0.101	7.2%	< 0.05				80%	120%	
Hf	1	3611372	0.07	0.07	0.0%	< 0.02				80%	120%	
Hg	1	3611372	0.02	0.02	0.0%	< 0.01				80%	120%	
In	1	3611372	0.024	0.024	0.0%	< 0.005				80%	120%	
K	1	3611372	0.50	0.50	0.0%	< 0.01				80%	120%	
La	1	3611372	8.73	8.79	0.7%	< 0.1				80%	120%	
Li	1	3611372	7.4	7.4	0.0%	< 0.1				80%	120%	
Mg	1	3611372	0.953	0.960	0.7%	< 0.01				80%	120%	
Mn	1	3611372	514	505	1.8%	< 1				80%	120%	
Mo	1	3611372	1.28	1.26	1.6%	< 0.05	352	350	100%	80%	120%	
Na	1	3611372	0.015	0.015	0.0%	< 0.01				80%	120%	
Nb	1	3611372	0.45	0.47	4.3%	< 0.05				80%	120%	
Ni	1	3611372	19.6	19.3	1.5%	< 0.2				80%	120%	
P	1	3611372	744	742	0.3%	< 10	618	600	103%	80%	120%	
Pb	1	3611372	9.4	9.4	0.0%	< 0.1				80%	120%	
Rb	1	3611372	20.3	20.1	1.0%	< 0.1	11	13	82%	80%	120%	
Re	1	3611372	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3611372	< 0.005	< 0.005	0.0%	< 0.005				80%	120%	
Sb	1	3611372	0.493	0.506	2.6%	< 0.05				80%	120%	
Sc	1	3611372	6.32	6.38	0.9%	< 0.1				80%	120%	
Se	1	3611372	0.6	0.6	0.0%	< 0.2				80%	120%	
Sn	1	3611372	0.52	0.57	9.2%	< 0.2				80%	120%	
Sr	1	3611372	20.6	20.9	1.4%	< 0.2				80%	120%	
Ta	1	3611372	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611372	0.09	0.09	0.0%	< 0.01				80%	120%	
Th	1	3611372	2.1	2.1	0.0%	< 0.1				80%	120%	
Ti	1	3611372	0.141	0.149	5.5%	< 0.005				80%	120%	
Tl	1	3611372	0.17	0.17	0.0%	< 0.01				80%	120%	
U	1	3611372	0.75	0.75	0.0%	< 0.05				80%	120%	
V	1	3611372	65.2	64.3	1.4%	< 0.5				80%	120%	
W	1	3611372	< 0.05	0.26		< 0.05				80%	120%	
Y	1	3611372	9.24	9.32	0.9%	< 0.05	5	7	74%	80%	120%	
Zn	1	3611372	84.4	82.2	2.6%	< 0.5				80%	120%	
Zr	1	3611372	3.3	3.3	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611385	0.52	0.51	1.9%	< 0.01	11.3	13.0	87%	80%	120%	
Al	1	3611385	2.20	2.15	2.3%	< 0.01				80%	120%	
As	1	3611385	5.2	4.9	5.9%	< 0.1				80%	120%	
Au	1	3611385	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611385	< 5	< 5	0.0%	< 5	8.12	7.00	116%	80%	120%	
Ba	1	3611385	403	397	1.5%	< 1				80%	120%	
Be	1	3611385	0.277	0.262	5.6%	< 0.05	0.3	0.4	75%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Bi	1	3611385	0.59	0.50	16.5%	< 0.01				80%	120%	
Ca	1	3611385	1.19	1.16	2.6%	< 0.01				80%	120%	
Cd	1	3611385	0.38	0.37	2.7%	< 0.01				80%	120%	
Ce	1	3611385	23.3	22.9	1.7%	< 0.01				80%	120%	
Co	1	3611385	16.4	15.7	4.4%	< 0.1				80%	120%	
Cr	1	3611385	24.6	22.8	7.6%	< 0.5				80%	120%	
Cs	1	3611385	2.69	2.70	0.4%	< 0.05				80%	120%	
Cu	1	3611385	122	113	7.7%	< 0.1	6055	6000	100%	80%	120%	
Fe	1	3611385	3.88	3.76	3.1%	< 0.01				80%	120%	
Ga	1	3611385	6.86	6.71	2.2%	< 0.05				80%	120%	
Ge	1	3611385	0.10	0.10	0.0%	< 0.05				80%	120%	
Hf	1	3611385	0.05	0.05	0.0%	< 0.02				80%	120%	
Hg	1	3611385	0.039	0.035	10.8%	< 0.01				80%	120%	
In	1	3611385	0.036	0.034	5.7%	< 0.005				80%	120%	
K	1	3611385	0.24	0.24	0.0%	< 0.01				80%	120%	
La	1	3611385	13.0	12.5	3.9%	< 0.1				80%	120%	
Li	1	3611385	10.1	10.1	0.0%	< 0.1				80%	120%	
Mg	1	3611385	1.03	1.00	3.0%	< 0.01				80%	120%	
Mn	1	3611385	820	792	3.5%	< 1				80%	120%	
Mo	1	3611385	10.9	10.7	1.9%	< 0.05	330	350	94%	80%	120%	
Na	1	3611385	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611385	0.98	0.96	2.1%	< 0.05				80%	120%	
Ni	1	3611385	23.9	23.0	3.8%	< 0.2				80%	120%	
P	1	3611385	664	646	2.7%	< 10	594	600	99%	80%	120%	
Pb	1	3611385	13.7	13.3	3.0%	< 0.1				80%	120%	
Rb	1	3611385	19.3	19.1	1.0%	< 0.1	13	13	100%	80%	120%	
Re	1	3611385	0.001	0.001	0.0%	< 0.001				80%	120%	
S	1	3611385	0.0280	0.0273	2.5%	< 0.005				80%	120%	
Sb	1	3611385	0.65	0.64	1.6%	< 0.05				80%	120%	
Sc	1	3611385	8.5	8.4	1.2%	< 0.1				80%	120%	
Se	1	3611385	1.34	1.40	4.4%	< 0.2				80%	120%	
Sn	1	3611385	1.3	1.3	0.0%	< 0.2				80%	120%	
Sr	1	3611385	52.4	52.3	0.2%	< 0.2				80%	120%	
Ta	1	3611385	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3611385	0.149	0.121	20.7%	< 0.01				80%	120%	
Th	1	3611385	2.3	2.2	4.4%	< 0.1				80%	120%	
Ti	1	3611385	0.120	0.120	0.0%	< 0.005				80%	120%	
Tl	1	3611385	0.248	0.244	1.6%	< 0.01				80%	120%	
U	1	3611385	1.73	1.67	3.5%	< 0.05				80%	120%	
V	1	3611385	108	103	4.7%	< 0.5				80%	120%	
W	1	3611385	0.728	0.671	8.1%	< 0.05				80%	120%	
Y	1	3611385	16.5	16.3	1.2%	< 0.05	8	7	114%	80%	120%	
Zn	1	3611385	78.1	75.1	3.9%	< 0.5				80%	120%	
Zr	1	3611385	1.8	1.8	0.0%	< 0.5				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		

Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

Ag	1	3611397	0.503	0.518	2.9%	< 0.01	11.8	13.0	91%	80%	120%
Al	1	3611397	1.58	1.66	4.9%	< 0.01				80%	120%
As	1	3611397	172	175	1.7%	< 0.1				80%	120%
Au	1	3611397	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3611397	< 5	< 5	0.0%	< 5	7.22	7.00	103%	80%	120%
Ba	1	3611397	255	270	5.7%	< 1				80%	120%
Be	1	3611397	0.32	0.34	6.1%	< 0.05				80%	120%
Bi	1	3611397	0.08	0.08	0.0%	< 0.01				80%	120%
Ca	1	3611397	0.54	0.57	5.4%	< 0.01				80%	120%
Cd	1	3611397	0.73	0.78	6.6%	< 0.01				80%	120%
Ce	1	3611397	18.8	18.3	2.7%	< 0.01				80%	120%
Co	1	3611397	18.0	18.4	2.2%	< 0.1				80%	120%
Cr	1	3611397	47.2	49.0	3.7%	< 0.5				80%	120%
Cs	1	3611397	3.09	3.19	3.2%	< 0.05				80%	120%
Cu	1	3611397	119	123	3.3%	< 0.1				80%	120%
Fe	1	3611397	5.14	5.43	5.5%	< 0.01				80%	120%
Ga	1	3611397	4.19	4.30	2.6%	< 0.05				80%	120%
Ge	1	3611397	0.10	0.10	0.0%	< 0.05				80%	120%
Hf	1	3611397	0.07	0.07	0.0%	< 0.02				80%	120%
Hg	1	3611397	0.04	0.04	0.0%	< 0.01				80%	120%
In	1	3611397	0.0442	0.0459	3.8%	< 0.005				80%	120%
K	1	3611397	0.12	0.12	0.0%	< 0.01				80%	120%
La	1	3611397	11.8	11.5	2.6%	< 0.1				80%	120%
Li	1	3611397	7.21	7.61	5.4%	< 0.1				80%	120%
Mg	1	3611397	0.921	0.977	5.9%	< 0.01				80%	120%
Mn	1	3611397	883	916	3.7%	< 1				80%	120%
Mo	1	3611397	3.51	3.65	3.9%	< 0.05	336	350	96%	80%	120%
Na	1	3611397	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Nb	1	3611397	0.282	0.310	9.5%	< 0.05				80%	120%
Ni	1	3611397	38.1	39.7	4.1%	< 0.2				80%	120%
P	1	3611397	967	1010	4.4%	< 10	601	600	100%	80%	120%
Pb	1	3611397	16.1	18.4	13.3%	< 0.1				80%	120%
Rb	1	3611397	8.0	8.3	3.7%	< 0.1	14	13	107%	80%	120%
Re	1	3611397	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3611397	0.0074	0.0082	10.3%	< 0.005				80%	120%
Sb	1	3611397	6.46	6.64	2.7%	< 0.05				80%	120%
Sc	1	3611397	14.3	14.6	2.1%	< 0.1				80%	120%
Se	1	3611397	2.0	1.9	5.1%	< 0.2				80%	120%
Sn	1	3611397	0.77	0.72	6.7%	< 0.2				80%	120%
Sr	1	3611397	17.5	18.1	3.4%	< 0.2				80%	120%
Ta	1	3611397	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3611397	0.08	0.08	0.0%	< 0.01				80%	120%
Th	1	3611397	2.3	2.2	4.4%	< 0.1				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ti	1	3611397	0.0331	0.0351	5.9%	< 0.005				80%	120%	
Tl	1	3611397	0.274	0.282	2.9%	< 0.01				80%	120%	
U	1	3611397	0.77	0.78	1.3%	< 0.05				80%	120%	
V	1	3611397	123	127	3.2%	< 0.5				80%	120%	
W	1	3611397	0.38	0.39	2.6%	< 0.05				80%	120%	
Y	1	3611397	16.2	16.7	3.0%	< 0.05	5	7	73%	80%	120%	
Zn	1	3611397	135	139	2.9%	< 0.5				80%	120%	
Zr	1	3611397	3.0	3.1	3.3%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3611410	0.17	0.17	0.0%	< 0.01				80%	120%	
Al	1	3611410	2.99	2.72	9.5%	< 0.01				80%	120%	
As	1	3611410	5.0	4.7	6.2%	< 0.1				80%	120%	
Au	1	3611410	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3611410	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3611410	178	170	4.6%	< 1				80%	120%	
Be	1	3611410	0.188	0.172	8.9%	< 0.05				80%	120%	
Bi	1	3611410	0.689	0.670	2.8%	< 0.01				80%	120%	
Ca	1	3611410	0.635	0.594	6.7%	< 0.01				80%	120%	
Cd	1	3611410	0.20	0.18	10.5%	< 0.01				80%	120%	
Ce	1	3611410	8.71	8.10	7.3%	< 0.01				80%	120%	
Co	1	3611410	20.4	19.4	5.0%	< 0.1				80%	120%	
Cr	1	3611410	15.2	13.8	9.7%	< 0.5				80%	120%	
Cs	1	3611410	7.26	7.14	1.7%	< 0.05				80%	120%	
Cu	1	3611410	171	163	4.8%	< 0.1				80%	120%	
Fe	1	3611410	5.74	5.34	7.2%	< 0.01				80%	120%	
Ga	1	3611410	8.57	8.19	4.5%	< 0.05				80%	120%	
Ge	1	3611410	0.20	0.18	10.5%	< 0.05				80%	120%	
Hf	1	3611410	0.067	0.054	21.5%	< 0.02				80%	120%	
Hg	1	3611410	0.01	0.01	0.0%	< 0.01				80%	120%	
In	1	3611410	0.035	0.033	5.9%	< 0.005				80%	120%	
K	1	3611410	0.72	0.69	4.3%	< 0.01				80%	120%	
La	1	3611410	5.0	4.7	6.2%	< 0.1				80%	120%	
Li	1	3611410	16.9	16.3	3.6%	< 0.1				80%	120%	
Mg	1	3611410	2.85	2.65	7.3%	< 0.01				80%	120%	
Mn	1	3611410	670	633	5.7%	< 1				80%	120%	
Mo	1	3611410	5.89	5.52	6.5%	< 0.05				80%	120%	
Na	1	3611410	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3611410	0.340	0.314	8.0%	< 0.05				80%	120%	
Ni	1	3611410	13.0	12.5	3.9%	< 0.2				80%	120%	
P	1	3611410	542	519	4.3%	< 10				80%	120%	
Pb	1	3611410	4.8	4.7	2.1%	< 0.1				80%	120%	
Rb	1	3611410	60.2	58.3	3.2%	< 0.1				80%	120%	
Re	1	3611410	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)										
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
S	1	3611410	0.0509	0.0491	3.6%	< 0.005			80%	120%
Sb	1	3611410	0.42	0.39	7.4%	< 0.05			80%	120%
Sc	1	3611410	12.4	11.6	6.7%	< 0.1			80%	120%
Se	1	3611410	0.78	0.71	9.4%	< 0.2			80%	120%
Sn	1	3611410	0.5	0.5	0.0%	< 0.2			80%	120%
Sr	1	3611410	36.2	34.4	5.1%	< 0.2			80%	120%
Ta	1	3611410	< 0.01	< 0.01	0.0%	< 0.01			80%	120%
Te	1	3611410	0.12	0.11	8.7%	< 0.01			80%	120%
Th	1	3611410	1.2	1.2	0.0%	< 0.1			80%	120%
Ti	1	3611410	0.233	0.209	10.9%	< 0.005			80%	120%
Tl	1	3611410	0.826	0.803	2.8%	< 0.01			80%	120%
U	1	3611410	0.95	0.92	3.2%	< 0.05			80%	120%
V	1	3611410	209	198	5.4%	< 0.5			80%	120%
W	1	3611410	0.55	0.50	9.5%	< 0.05			80%	120%
Y	1	3611410	5.53	5.12	7.7%	< 0.05		7	80%	120%
Zn	1	3611410	88.9	84.9	4.6%	< 0.5			80%	120%
Zr	1	3611410	2.31	1.91	19.0%	< 0.5			80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1	3611421	0.116	0.108	7.1%	< 0.01			80%	120%
Al	1	3611421	1.79	1.81	1.1%	< 0.01			80%	120%
As	1	3611421	11.9	11.5	3.4%	< 0.1			80%	120%
Au	1	3611421	0.01	< 0.01		< 0.01			80%	120%
B	1	3611421	< 5	< 5	0.0%	< 5			80%	120%
Ba	1	3611421	278	269	3.3%	< 1			80%	120%
Be	1	3611421	0.291	0.271	7.1%	< 0.05			80%	120%
Bi	1	3611421	0.08	0.08	0.0%	< 0.01			80%	120%
Ca	1	3611421	0.55	0.55	0.0%	< 0.01			80%	120%
Cd	1	3611421	0.137	0.121	12.4%	< 0.01			80%	120%
Ce	1	3611421	16.1	16.9	4.8%	< 0.01			80%	120%
Co	1	3611421	11.6	11.6	0.0%	< 0.1			80%	120%
Cr	1	3611421	44.0	45.1	2.5%	< 0.5			80%	120%
Cs	1	3611421	1.35	1.38	2.2%	< 0.05			80%	120%
Cu	1	3611421	70.9	70.5	0.6%	< 0.1			80%	120%
Fe	1	3611421	3.29	3.31	0.6%	< 0.01			80%	120%
Ga	1	3611421	4.18	4.14	1.0%	< 0.05			80%	120%
Ge	1	3611421	0.074	0.076	2.7%	< 0.05			80%	120%
Hf	1	3611421	0.05	0.06	18.2%	< 0.02			80%	120%
Hg	1	3611421	0.024	0.025	4.1%	< 0.01			80%	120%
In	1	3611421	0.0158	0.0165	4.3%	< 0.005			80%	120%
K	1	3611421	0.17	0.17	0.0%	< 0.01			80%	120%
La	1	3611421	8.5	8.9	4.6%	< 0.1			80%	120%
Li	1	3611421	10.1	10.2	1.0%	< 0.1			80%	120%
Mg	1	3611421	1.16	1.16	0.0%	< 0.01			80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits	
							Lower			Upper	
Mn	1	3611421	474	477	0.6%	< 1			80%	120%	
Mo	1	3611421	1.37	1.34	2.2%	< 0.05			80%	120%	
Na	1	3611421	0.01	0.01	0.0%	< 0.01			80%	120%	
Nb	1	3611421	0.35	0.44	22.8%	< 0.05			80%	120%	
Ni	1	3611421	27.0	26.7	1.1%	< 0.2			80%	120%	
P	1	3611421	747	732	2.0%	< 10			80%	120%	
Pb	1	3611421	3.5	3.5	0.0%	< 0.1			80%	120%	
Rb	1	3611421	10.2	10.1	1.0%	< 0.1			80%	120%	
Re	1	3611421	< 0.001	< 0.001	0.0%	< 0.001			80%	120%	
S	1	3611421	< 0.005	< 0.005	0.0%	< 0.005			80%	120%	
Sb	1	3611421	0.874	0.956	9.0%	< 0.05			80%	120%	
Sc	1	3611421	5.1	5.1	0.0%	< 0.1			80%	120%	
Se	1	3611421	0.9	0.9	0.0%	< 0.2			80%	120%	
Sn	1	3611421	0.43	0.50	15.1%	< 0.2			80%	120%	
Sr	1	3611421	26.2	26.0	0.8%	< 0.2			80%	120%	
Ta	1	3611421	< 0.01	< 0.01	0.0%	< 0.01			80%	120%	
Te	1	3611421	0.05	0.04	22.2%	< 0.01			80%	120%	
Th	1	3611421	2.12	2.36	10.7%	< 0.1			80%	120%	
Ti	1	3611421	0.0853	0.0986	14.5%	< 0.005			80%	120%	
Tl	1	3611421	0.174	0.179	2.8%	< 0.01			80%	120%	
U	1	3611421	0.79	0.80	1.3%	< 0.05			80%	120%	
V	1	3611421	69.5	71.1	2.3%	< 0.5			80%	120%	
W	1	3611421	0.25	0.20	22.2%	< 0.05			80%	120%	
Y	1	3611421	6.90	6.95	0.7%	< 0.05		7	80%	120%	
Zn	1	3611421	74.9	73.4	2.0%	< 0.5			80%	120%	
Zr	1	3611421	2.7	3.2	16.9%	< 0.5			80%	120%	

Certified By:

*Ron Cardinal*



## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y630507

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y631033

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Sep 26, 2012

PAGES (INCLUDING COVER): 65

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0406-25 (-)	0.36	0.11	1.06	7.3	<0.01	<5	197	0.28	0.09	0.73	0.18	21.9	7.0	25.9
G0406-23 (-)	0.42	0.09	1.00	5.3	<0.01	<5	211	0.24	0.09	0.55	0.14	21.3	6.6	23.4
G0406-21 (-)	0.42	0.11	1.07	10.3	<0.01	<5	229	0.34	0.12	0.53	0.19	23.3	8.2	27.8
G0406-19 (-)	0.30	0.18	1.24	12.1	<0.01	<5	333	0.44	0.14	0.90	0.35	26.7	9.8	31.6
G0406-17 (-)	0.49	0.15	1.27	12.2	<0.01	<5	188	0.30	0.11	0.61	0.21	19.4	10.2	46.5
G0406-15 (-)	0.43	0.15	1.22	8.1	<0.01	<5	257	0.33	0.12	0.93	0.21	22.7	8.5	34.2
G0406-13 (-)	0.50	0.21	1.92	10.7	<0.01	<5	326	0.34	0.11	0.79	0.30	17.8	14.0	56.8
G0406-11 (-)	0.47	0.14	2.00	11.2	<0.01	<5	319	0.26	0.08	0.66	0.23	12.2	15.6	53.4
G0406-9 (-)	0.44	0.10	1.40	8.2	<0.01	<5	210	0.30	0.09	0.53	0.07	19.7	9.8	34.8
G0406-7 (-)	0.41	0.20	1.58	8.7	0.02	5	194	0.22	0.10	0.55	0.27	16.6	11.1	43.4
G0406-5 (-)	0.40	0.10	1.42	7.0	<0.01	<5	258	0.31	0.17	0.53	0.10	21.5	8.8	29.9
G0406-3 (-)	0.40	0.14	1.17	7.9	<0.01	<5	266	0.32	0.20	0.68	0.19	24.7	8.5	27.2
G0406-1 (-)	0.43	0.17	1.30	10.7	<0.01	<5	320	0.37	0.19	0.69	0.19	23.9	10.1	27.5
G0406-0 (-)	0.46	0.18	1.34	7.6	0.01	<5	300	0.31	0.18	0.62	0.18	22.3	9.5	27.6
G0406-2 (-)	0.43	0.29	1.62	10.4	<0.01	<5	220	0.36	0.23	0.39	0.16	22.9	9.7	29.5
G0406-4 (-)	0.47	0.63	1.61	11.3	<0.01	<5	196	0.24	0.56	0.52	0.30	17.8	11.3	29.5
G0406-6 (-)	0.42	0.69	2.16	3.0	<0.01	<5	255	0.18	0.31	0.68	0.52	9.51	16.7	19.1
G0406-8 (-)	0.46	0.31	1.51	11.1	<0.01	<5	234	0.30	0.58	0.37	0.32	25.6	11.4	25.6
G0406-10 (-)	0.46	0.87	1.55	9.2	<0.01	<5	244	0.33	2.18	0.39	2.13	12.9	22.5	22.7
G0406-46 (-)	0.55	0.23	1.63	7.8	<0.01	<5	319	0.32	0.11	0.76	0.17	21.6	9.2	27.9
G0406-48 (-)	0.46	0.19	1.45	11.9	<0.01	<5	303	0.26	0.09	0.96	0.13	19.2	9.5	29.0
G04-25 (-)	0.32	0.11	1.15	6.5	<0.01	<5	229	0.30	0.10	0.70	0.16	22.7	7.1	27.7
G04-23 (-)	0.42	0.11	1.08	8.6	<0.01	<5	222	0.29	0.09	0.57	0.15	23.6	9.6	24.7
G04-21 (-)	0.36	0.11	0.90	6.2	<0.01	<5	187	0.25	0.11	0.43	0.29	20.6	7.6	21.0
G04-19 (-)	0.51	0.13	1.25	11.3	<0.01	<5	286	0.37	0.13	0.70	0.24	26.7	9.3	31.6
G04-17 (-)	0.47	0.17	1.43	10.2	<0.01	<5	343	0.41	0.14	0.72	0.25	27.8	11.6	35.7
G04-15 (-)	0.44	0.15	1.32	8.9	<0.01	<5	406	0.41	0.12	0.86	0.13	28.3	10.2	31.6
G04-13 (-)	0.48	0.13	2.01	11.6	<0.01	<5	267	0.30	0.11	0.65	0.12	17.8	12.7	55.5
G04-11 (-)	0.37	0.09	1.17	8.5	<0.01	<5	173	0.24	0.10	0.36	0.15	16.8	9.1	26.3
G04-09 (-)	0.42	0.18	2.23	12.2	<0.01	<5	280	0.26	0.08	0.55	0.27	15.2	13.3	53.9
G04-07 (-)	0.40	0.14	1.24	15.2	<0.01	<5	215	0.33	0.11	0.58	0.09	23.7	8.7	32.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G04-05 (-)		0.43	0.11	1.18	8.2	<0.01	<5	220	0.31	0.14	0.57	0.09	20.4	9.9	27.2
G04-03 (-)		0.43	0.14	1.14	8.8	<0.01	<5	288	0.36	0.15	0.66	0.20	25.4	7.9	27.2
G04-01 (-)		0.46	0.17	1.29	8.7	<0.01	<5	277	0.32	0.30	0.66	0.24	21.8	10.2	31.0
G04-00 (-)		0.44	0.40	1.44	7.4	<0.01	<5	268	0.38	0.32	0.47	0.46	20.8	9.8	27.9
G04-02 (-)		0.33	0.29	1.60	8.1	<0.01	<5	120	0.15	0.17	0.42	0.20	12.7	11.2	26.7
G04-04 (-)		0.41	0.62	2.13	6.1	<0.01	<5	300	0.36	1.32	0.59	1.21	13.5	13.8	19.9
G04-06 (-)		0.42	0.44	1.76	7.7	<0.01	<5	184	0.29	0.53	0.37	0.24	19.1	10.6	25.0
G04-08 (-)		0.43	0.20	1.58	10.7	<0.01	<5	289	0.31	0.10	0.69	0.16	22.2	9.3	31.6
G04-46 (-)		0.40	0.85	1.70	17.3	<0.01	<5	328	0.34	3.37	0.50	1.21	20.0	12.2	24.7
G04-48 (-)		0.42	0.21	1.53	16.1	<0.01	<5	284	0.32	0.11	0.86	0.18	19.8	10.3	33.6
G04-50 (-)		0.33	0.24	1.55	9.4	<0.01	<5	365	0.30	0.10	1.09	0.17	20.1	8.7	28.7
G0204-25 (-)		0.38	0.09	1.00	4.8	<0.01	<5	192	0.31	0.09	0.56	0.23	22.7	5.8	25.6
G0204-23 (-)		0.39	0.09	1.15	5.3	<0.01	<5	191	0.27	0.08	0.58	0.20	23.5	6.4	29.0
G0204-21 (-)		0.46	0.14	1.36	15.9	<0.01	<5	342	0.49	0.13	0.59	0.25	27.9	9.5	35.6
G0204-19 (-)		0.41	0.10	1.16	8.9	<0.01	<5	213	0.32	0.11	0.59	0.16	22.0	8.3	26.9
G0204-17 (-)		0.40	0.13	1.33	12.2	<0.01	<5	313	0.38	0.13	0.75	0.28	25.6	10.7	30.5
G0204-15 (-)		0.26	0.15	1.22	9.2	<0.01	<5	363	0.34	0.11	1.29	0.29	21.3	9.5	30.0
G0204-13 (-)		0.42	0.20	1.35	8.6	<0.01	<5	332	0.34	0.11	1.05	0.42	23.8	10.4	30.8
G0204-11 (-)		0.54	0.19	2.02	10.8	<0.01	<5	283	0.27	0.09	0.65	0.13	16.0	13.0	52.9
G0204-9 (-)		0.41	0.36	1.63	19.3	<0.01	<5	312	0.36	0.12	0.65	0.17	21.9	12.6	40.3
G0204-7 (-)		0.55	0.17	1.26	9.1	0.01	<5	259	0.37	0.14	0.61	0.13	23.3	10.1	29.2
G0204-5 (-)		0.54	0.15	2.11	8.7	<0.01	<5	302	0.45	0.09	0.59	0.14	12.4	14.4	27.9
G0204-3 (-)		0.47	0.11	1.23	13.4	<0.01	<5	209	0.28	0.13	0.50	0.10	21.1	7.7	26.1
G0204-1 (-)		0.50	0.22	1.20	9.5	<0.01	<5	266	0.32	0.23	0.68	0.32	19.4	11.8	38.3
G0204-0 (-)		0.28	0.47	1.27	11.4	<0.01	<5	210	0.27	0.25	0.51	0.69	21.0	9.8	30.3
G0204-2 (-)		0.49	0.24	1.53	9.9	<0.01	<5	181	0.21	0.32	0.50	0.44	15.5	10.1	22.4
G0204-4 (-)		0.35	0.47	1.63	9.6	<0.01	<5	306	0.45	0.74	0.65	0.34	26.0	10.5	24.8
G0204-6 (-)		0.48	0.72	2.76	11.2	<0.01	<5	310	0.50	0.82	0.77	0.72	21.2	13.7	25.4
G0204-8 (-)		0.43	0.63	1.55	12.4	<0.01	<5	264	0.44	1.58	0.57	0.48	23.4	10.8	28.6
G0204-44 (-)		0.38	0.27	1.60	12.8	<0.01	<5	252	0.35	0.11	1.00	0.21	20.2	10.8	27.1
G0204-46 (-)		0.37	0.20	1.58	11.2	<0.01	<5	314	0.37	0.11	0.80	0.16	23.6	10.3	31.8

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0204-48 (-)	0.49	0.36	1.60	17.7	<0.01	<5	261	0.34	0.10	0.72	0.14	21.8	9.9	31.5
G02-23 (-)	0.38	0.13	1.45	8.6	<0.01	<5	273	0.41	0.15	0.59	0.21	25.1	8.6	30.7
G02-21 (-)	0.34	0.13	1.31	8.7	<0.01	<5	250	0.38	0.12	0.67	0.20	24.2	8.8	29.8
G02-19 (-)	0.34	0.12	1.29	9.1	<0.01	<5	244	0.34	0.12	0.68	0.18	24.0	8.4	29.0
G02-17 (-)	0.44	0.15	1.41	12.5	<0.01	<5	309	0.40	0.15	0.71	0.21	25.7	10.2	33.0
G02-15 (-)	0.45	0.11	1.17	7.4	<0.01	<5	241	0.32	0.13	0.64	0.14	24.8	6.7	28.5
G02-11 (-)	0.47	0.16	1.47	10.3	<0.01	<5	219	0.29	0.09	0.75	0.19	19.6	11.5	44.4
G02-9 (-)	0.47	0.20	1.35	17.2	<0.01	<5	266	0.40	0.12	0.63	0.18	23.1	11.4	36.1
G02-7 (-)	0.53	0.11	1.80	10.4	<0.01	7	241	0.34	0.11	0.55	0.11	16.5	14.7	34.0
G02-44 (-)	0.56	0.20	1.54	11.6	<0.01	<5	240	0.28	0.10	0.82	0.14	21.3	9.5	30.8
G02-46 (-)	0.47	0.20	1.44	12.6	<0.01	<5	266	0.28	0.14	0.82	0.16	22.1	10.2	30.3
G02-48 (-)	0.43	0.29	1.47	14.8	<0.01	<5	277	0.30	0.12	0.76	0.11	22.4	9.5	28.2
G02-50 (-)	0.40	0.33	1.60	16.1	<0.01	<5	349	0.32	0.11	0.79	0.16	22.4	9.3	27.1
G00-25 (-)	0.42	0.19	1.43	8.4	<0.01	<5	367	0.50	0.16	0.88	0.28	29.1	13.8	36.4
G00-23 (-)	0.45	0.15	1.58	8.3	<0.01	<5	306	0.46	0.14	0.64	0.09	28.7	11.1	34.6
G00-19 (-)	0.40	0.13	1.34	8.7	<0.01	<5	231	0.33	0.12	0.84	0.12	24.7	7.8	31.5
G00-15 (-)	0.49	0.13	1.40	9.9	0.02	<5	252	0.32	0.11	0.65	0.12	23.4	11.3	38.0
G00-13 (-)	0.32	0.15	1.28	11.5	<0.01	5	228	0.33	0.12	0.78	0.10	20.5	10.7	31.1
G00-11 (-)	0.41	0.19	1.49	10.5	<0.01	7	272	0.50	0.14	1.67	0.36	27.3	14.8	56.3
G00-9 (-)	0.55	0.31	2.50	7.7	<0.01	<5	232	0.29	0.07	0.89	0.14	9.72	27.4	136
G00-7 (-)	0.47	0.10	2.23	9.6	<0.01	<5	308	0.39	0.07	0.71	0.09	11.9	15.8	61.1
G00-5 (-)	0.45	0.21	1.60	50.4	<0.01	<5	256	0.39	0.16	0.61	0.33	25.4	10.1	28.3
G00-3 (-)	0.41	0.14	2.49	6.6	<0.01	<5	369	0.37	0.06	0.64	0.12	13.4	20.3	26.8
G00-1 (-)	0.39	0.15	1.32	8.8	<0.01	<5	270	0.42	0.16	0.62	0.08	26.9	10.6	33.1
G00-0 (-)	0.42	0.16	1.25	10.8	<0.01	<5	230	0.33	0.25	0.56	0.12	21.9	9.1	24.5
G00-2 (-)	0.36	0.21	1.40	8.9	0.06	<5	386	0.43	0.21	0.59	0.17	24.2	10.9	25.9
G00-4 (-)	0.38	0.54	2.39	14.9	<0.01	<5	337	0.43	2.76	0.91	0.37	14.0	22.1	31.0
G00-6 (-)	0.36	0.94	2.02	28.3	<0.01	<5	191	0.46	3.77	0.50	1.08	18.2	18.7	28.7
G00-8 (-)	0.38	0.25	1.65	9.5	<0.01	<5	272	0.28	0.68	0.49	0.26	21.2	9.0	29.2
G00-42 (-)	0.41	0.32	2.27	8.6	<0.01	<5	375	0.28	0.12	0.68	0.10	16.9	13.6	23.4
G00-44 (-)	0.40	0.18	1.48	11.0	0.01	<5	243	0.24	0.10	1.11	0.24	18.9	9.4	29.5

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G00-46 (-)	0.56	0.21	1.40	11.8	<0.01	<5	240	0.26	0.23	0.69	0.17	21.1	9.2	35.5
G00-48 (-)	0.49	0.27	1.37	13.8	<0.01	<5	266	0.22	0.24	0.80	0.14	21.2	9.3	33.7
G00-50 (-)	0.34	0.27	1.49	16.3	<0.01	<5	269	0.23	0.10	0.74	0.15	21.1	8.1	28.7
G00-52 (-)	0.42	0.28	1.55	15.1	0.01	<5	325	0.26	0.10	0.72	0.12	22.2	8.3	26.8
G00-54 (-)	0.43	0.28	1.38	24.8	<0.01	<5	217	0.20	0.08	0.59	0.10	20.1	9.3	25.8
G00-56 (-)	0.41	0.33	1.69	10.8	<0.01	<5	361	0.27	0.09	1.03	0.17	22.2	10.8	26.2
G00-58 (-)	0.32	0.61	2.07	56.7	<0.01	<5	296	0.27	0.06	0.74	0.15	16.7	15.0	29.8
G01-23 (-)	0.32	0.14	1.36	8.0	<0.01	<5	269	0.29	0.12	0.77	0.16	25.9	9.1	32.5
G01-19 (-)	0.32	0.19	1.44	12.8	<0.01	<5	316	0.32	0.13	0.70	0.23	26.7	12.9	36.1
G01-15 (-)	0.30	0.15	1.42	14.4	<0.01	<5	319	0.30	0.13	0.91	0.15	25.4	10.6	36.6
G01-13 (-)	0.38	0.15	1.39	9.7	<0.01	<5	307	0.32	0.13	0.77	0.20	27.9	10.8	37.4
G01-11 (-)	0.32	0.15	1.28	8.2	<0.01	<5	350	0.33	0.13	0.93	0.37	28.4	10.2	30.1
G01-9 (-)	0.38	0.16	1.34	12.0	<0.01	<5	281	0.30	0.13	0.87	0.32	27.5	10.5	27.2
G01-7 (-)	0.42	0.19	1.34	14.0	<0.01	<5	261	0.22	0.11	0.91	0.25	19.6	10.3	30.0
G01-12 (-)	0.46	0.58	1.61	7.6	<0.01	<5	261	0.23	3.26	0.83	0.49	20.2	17.8	24.8
G01-14 (-)	0.42	0.37	1.29	7.3	<0.01	<5	210	0.25	3.67	0.67	0.40	17.8	14.4	19.6
G01-16 (-)	0.44	0.34	1.27	8.4	<0.01	<5	417	0.30	3.93	0.50	0.44	34.0	8.8	21.8
G01-18 (-)	0.37	0.47	1.65	34.8	<0.01	<5	257	0.27	0.13	1.35	0.18	20.6	11.7	35.4
G01-20 (-)	0.41	0.39	1.70	6.8	<0.01	<5	378	0.27	1.69	0.76	0.28	26.8	11.9	26.3
G01-22 (-)	0.42	0.27	1.56	5.3	<0.01	<5	213	0.18	2.01	0.64	0.22	16.6	9.7	25.6
G01-24 (-)	0.41	0.36	1.97	6.7	<0.01	<5	201	0.20	2.92	0.73	0.20	13.4	14.7	23.8
G01-26 (-)	0.42	0.48	1.89	8.3	<0.01	<5	232	0.23	2.14	0.81	0.31	15.0	12.2	25.4
G01-28 (-)	0.41	0.71	1.90	14.2	<0.01	<5	281	0.21	3.38	0.81	0.74	18.1	15.0	28.6
G01-30 (-)	0.40	0.53	1.91	7.9	<0.01	<5	261	0.29	1.44	0.95	0.57	18.1	11.1	29.7
G01-32 (-)	0.36	0.37	1.99	4.6	<0.01	<5	215	0.18	1.29	0.63	0.20	13.5	11.6	27.8
G01-34 (-)	0.42	0.43	1.71	5.7	<0.01	<5	221	0.22	0.67	0.69	0.14	17.3	15.8	25.7
G01-36 (-)	0.33	0.51	2.16	7.6	<0.01	<5	235	0.20	0.44	0.49	0.20	13.0	15.1	26.7
G01-38 (-)	0.36	0.46	1.91	13.8	<0.01	<5	370	0.26	0.44	1.11	0.30	17.5	13.1	31.9
G01-40 (-)	0.42	0.22	1.67	12.4	<0.01	<5	300	0.29	0.20	0.62	0.09	17.7	10.4	27.7
G01-42 (-)	0.48	0.47	2.59	9.8	<0.01	<5	456	0.53	0.16	0.63	0.08	21.4	13.6	31.2
G01-44 (-)	0.46	0.19	1.51	13.9	<0.01	<5	263	0.28	0.13	0.93	0.17	19.4	11.4	29.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G01-46 (-)	0.44	0.14	1.22	11.7	<0.01	<5	231	0.21	0.13	0.70	0.17	18.5	8.5	27.8
G01-48 (-)	0.43	0.27	1.43	15.5	<0.01	<5	287	0.28	0.17	0.72	0.16	22.0	9.3	31.8
G01-50 (-)	0.51	0.18	1.32	14.7	<0.01	<5	228	0.22	0.12	0.76	0.16	14.6	11.2	33.6
G01-52 (-)	0.45	0.27	1.49	19.1	<0.01	<5	275	0.25	0.09	0.90	0.17	18.1	10.1	26.2
G01-54 (-)	0.47	0.18	1.48	16.8	<0.01	<5	235	0.24	0.08	0.62	0.09	18.4	10.1	26.6
G01-56 (-)	0.40	0.83	1.68	88.1	0.01	<5	267	0.25	0.06	0.89	0.11	16.1	13.5	30.7
G03-23 (-)	0.39	0.10	1.02	6.8	<0.01	<5	195	0.26	0.08	0.62	0.07	22.0	7.2	25.8
G03-21 (-)	0.34	0.15	1.27	12.1	<0.01	<5	324	0.38	0.14	0.72	0.26	26.9	10.3	30.8
G03-17 (-)	0.31	0.14	1.30	10.7	<0.01	<5	282	0.30	0.12	0.81	0.22	24.2	9.9	31.1
G03-24 (-)	0.44	0.14	1.36	9.0	<0.01	<5	314	0.36	0.16	0.67	0.24	28.9	9.2	30.1
G03-26 (-)	0.38	0.15	1.32	9.9	<0.01	<5	378	0.38	0.15	0.72	0.34	30.4	9.4	29.6
G03-28 (-)	0.42	0.15	1.29	7.7	<0.01	<5	309	0.32	0.16	0.94	0.25	25.8	8.5	29.8
G03-30 (-)	0.42	0.13	1.42	10.4	<0.01	<5	423	0.38	0.18	0.92	0.29	30.3	10.3	32.1
G03-32 (-)	0.42	0.16	1.36	11.2	<0.01	<5	317	0.34	0.21	1.02	0.25	26.3	9.4	32.8
G03-34 (-)	0.43	0.26	1.61	10.0	<0.01	<5	379	0.38	0.20	0.71	0.15	29.1	9.7	37.0
G03-36 (-)	0.45	0.15	1.22	9.9	<0.01	<5	198	0.28	0.34	0.77	0.19	20.8	9.8	40.2
G03-38 (-)	0.45	0.16	1.51	10.6	<0.01	<5	226	0.27	0.27	0.72	0.13	19.9	10.3	41.2
G03-40 (-)	0.41	0.16	1.43	10.0	<0.01	<5	248	0.31	0.28	0.82	0.18	23.7	9.6	34.7
G03-42 (-)	0.35	0.13	1.35	11.6	<0.01	<5	221	0.26	0.18	0.91	0.18	19.3	8.5	31.6
G03-44 (-)	0.37	0.13	1.22	11.6	<0.01	<5	226	0.25	0.14	0.81	0.16	19.3	9.6	30.9
G03-48 (-)	0.37	0.11	1.24	8.5	<0.01	<5	213	0.25	0.12	0.75	0.12	20.2	7.9	29.3
G03-52 (-)	0.36	0.15	1.49	10.4	<0.01	<5	220	0.23	0.08	0.95	0.14	18.5	10.6	30.3
G03-54 (-)	0.38	0.27	1.73	24.8	<0.01	<5	235	0.25	0.08	0.96	0.14	17.9	11.8	26.8
G03-56 (-)	0.36	0.51	1.52	9.1	<0.01	<5	389	0.42	1.72	0.76	0.29	31.7	9.2	26.4
G03-58 (-)	0.36	1.73	1.58	123	0.02	<5	246	0.29	0.09	1.00	0.25	16.5	15.9	29.2
G0305-24 (-)	0.47	0.16	1.41	9.2	<0.01	<5	348	0.38	0.18	0.57	0.17	32.3	10.2	31.5
G0305-26 (-)	0.46	0.16	1.78	12.7	<0.01	<5	296	0.43	0.19	0.63	0.21	27.4	12.5	42.2
G0305-28 (-)	0.44	0.11	1.15	13.8	<0.01	<5	173	0.28	0.53	2.02	0.25	18.6	16.0	47.0
G0305-30 (-)	0.47	0.11	1.04	12.8	<0.01	<5	147	0.26	0.26	1.12	0.25	17.0	15.9	44.9
G0305-32 (-)	0.41	0.16	1.49	8.5	<0.01	<5	250	0.32	0.25	0.35	0.09	20.3	9.5	33.1
G0305-34 (-)	0.42	0.13	1.39	12.5	<0.01	<5	281	0.35	0.21	0.59	0.09	22.6	9.0	35.3

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G0305-36 (-)	0.45	0.16	1.29	10.8	<0.01	<5	257	0.31	0.33	0.86	0.18	22.6	9.4	32.8
G0305-38 (-)	0.47	0.22	1.62	11.6	<0.01	<5	266	0.32	0.44	0.72	0.15	22.6	10.7	42.0
G0305-40 (-)	0.47	0.14	1.28	11.3	<0.01	<5	210	0.29	0.42	0.75	0.15	21.3	9.3	37.5
G0305-42 (-)	0.45	0.16	1.18	12.4	<0.01	<5	197	0.23	0.17	0.81	0.13	17.0	8.7	33.7
G0305-44 (-)	0.45	0.15	1.15	10.3	<0.01	<5	216	0.25	0.13	0.87	0.13	18.3	8.7	27.9
G0305-46 (-)	0.46	0.13	1.20	8.7	<0.01	<5	223	0.24	0.15	0.67	0.14	20.1	8.7	26.9
G05-42 (-)	0.50	0.22	1.33	14.7	<0.01	<5	196	0.28	0.27	0.73	0.18	19.2	11.1	35.5
G05-44 (-)	0.53	0.17	1.16	11.7	<0.01	<5	178	0.23	0.17	0.65	0.13	17.8	9.2	27.6
G05-46 (-)	0.52	0.25	1.39	20.3	<0.01	<5	180	0.24	0.15	0.70	0.14	15.7	10.6	35.6
G05-48 (-)	0.38	0.16	1.26	11.3	<0.01	<5	206	0.26	0.14	0.72	0.12	18.8	9.0	29.3
G05-50 (-)	0.42	0.12	1.27	7.9	<0.01	<5	277	0.27	0.13	0.72	0.10	20.9	9.3	26.3
G05-52 (-)	0.45	0.23	1.55	27.3	<0.01	<5	204	0.29	0.18	0.84	0.22	16.4	13.6	35.1
G05-54 (-)	0.48	0.17	1.24	14.5	<0.01	6	126	0.23	0.10	0.60	0.22	15.0	12.4	41.5
G05-56 (-)	0.48	0.15	1.22	7.7	<0.01	<5	214	0.26	0.13	0.71	0.11	18.5	8.7	31.5
G05-58 (-)	0.48	0.42	1.05	8.7	<0.01	<5	215	0.26	0.12	0.98	0.16	18.1	9.2	31.2
G05-60 (-)	0.45	0.17	1.05	9.2	<0.01	<5	166	0.26	0.14	0.74	0.14	17.9	9.4	30.5
G0507-15 (-)	0.41	0.12	1.17	8.0	<0.01	<5	221	0.30	0.25	0.54	0.14	23.6	9.0	27.3
G0507-13 (-)	0.36	0.10	1.13	7.2	<0.01	<5	211	0.25	0.22	0.68	0.21	20.7	8.1	28.1
G0507-11 (-)	0.40	0.10	1.04	8.7	<0.01	<5	165	0.24	0.22	0.61	0.13	19.6	9.1	27.1
G0507-5 (-)	0.42	0.10	1.13	7.8	<0.01	<5	237	0.30	0.13	0.68	0.18	24.3	8.0	28.6
G0507-3 (-)	0.45	0.11	1.04	10.8	<0.01	<5	277	0.31	0.12	0.63	0.19	26.6	8.6	26.4
G0507-1 (-)	0.39	0.13	1.30	11.9	<0.01	<5	352	0.39	0.14	0.79	0.23	25.7	10.0	27.7
G0507-0 (-)	0.41	0.11	1.12	9.0	<0.01	<5	275	0.35	0.12	0.66	0.17	26.9	8.6	27.3
G0507-34 (-)	0.49	0.15	1.07	32.3	0.02	<5	151	0.28	0.77	0.79	0.29	18.0	17.1	40.8
G0507-36 (-)	0.48	0.14	1.49	11.9	<0.01	<5	297	0.38	0.28	0.66	0.10	22.3	8.7	34.6
G0507-38 (-)	0.40	0.15	1.27	8.9	<0.01	<5	204	0.22	0.13	0.69	0.12	17.7	8.8	29.1
G0507-40 (-)	0.45	0.24	1.47	11.9	<0.01	<5	225	0.31	0.54	0.57	0.17	20.8	10.7	35.6
G0507-42 (-)	0.49	0.19	1.42	15.1	<0.01	<5	148	0.28	0.60	0.66	0.20	16.5	13.1	46.5
G0507-44 (-)	0.47	0.14	1.22	9.5	<0.01	<5	206	0.25	0.17	0.69	0.11	18.3	9.4	34.7
G0507-46 (-)	0.47	0.19	1.28	7.9	0.22	<5	253	0.28	0.18	0.68	0.10	20.8	8.3	30.6
G07-23 (-)	0.40	0.14	1.27	9.4	<0.01	<5	249	0.35	0.12	0.76	0.35	25.1	11.6	35.8

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G07-40 (-)		0.51	0.13	1.28	9.0	<0.01	<5	194	0.25	0.19	0.58	0.09	20.8	9.8	34.3
G07-42 (-)		0.42	0.10	1.33	12.4	<0.01	<5	129	0.21	0.37	0.56	0.09	15.7	13.3	36.0
G07-44 (-)		0.48	0.23	1.36	8.6	<0.01	<5	193	0.23	0.17	0.76	0.12	19.3	9.4	31.2
G07-46 (-)		0.39	0.17	1.40	8.6	<0.01	<5	324	0.32	0.18	0.83	0.13	22.1	9.6	29.8
G07-48 (-)		0.46	0.16	1.36	10.9	<0.01	<5	201	0.31	0.16	0.81	0.15	22.0	9.8	30.4
G07-50 (-)		0.43	0.14	1.21	8.9	<0.01	<5	198	0.24	0.15	0.70	0.13	19.0	8.4	28.4
G07-52 (-)		0.43	0.26	1.43	10.3	<0.01	<5	277	0.33	0.14	0.86	0.23	20.9	11.1	34.2
G07-54 (-)		0.35	0.16	1.26	9.8	<0.01	<5	208	0.27	0.14	1.00	0.10	17.9	8.9	33.2
G07-56 (-)		0.48	0.18	1.18	8.8	<0.01	<5	181	0.22	0.27	0.87	0.16	16.6	9.8	30.8
G07-58 (-)		0.50	0.26	1.11	9.1	0.04	<5	168	0.25	0.15	0.72	0.15	16.2	9.1	32.7
G07-60 (-)		0.43	0.33	1.19	10.8	<0.01	<5	190	0.26	0.17	0.70	0.13	18.4	8.5	33.9
G0709-23 (-)		0.31	0.16	1.40	14.8	<0.01	<5	241	0.35	0.33	0.83	0.34	21.2	11.3	31.9
G0709-19 (-)		0.35	0.12	1.21	9.4	<0.01	<5	198	0.26	0.25	0.64	0.11	21.0	9.2	26.6
G09-23 (-)		0.37	0.15	1.34	12.7	<0.01	<5	209	0.31	0.26	0.63	0.18	21.2	11.4	31.9
G09-36 (-)		0.48	0.16	1.11	12.4	<0.01	<5	255	0.32	0.23	0.45	0.10	19.8	8.0	26.8
G09-38 (-)		0.46	0.13	1.24	9.7	<0.01	<5	213	0.26	0.12	0.53	0.13	17.6	8.9	27.9
G09-40 (-)		0.51	0.17	1.30	8.9	<0.01	<5	198	0.19	0.10	0.49	0.09	17.5	8.8	28.5
G09-42 (-)		0.41	0.16	1.40	9.0	<0.01	<5	223	0.30	0.17	0.74	0.14	20.9	11.2	33.7
G09-44 (-)		0.47	0.19	1.19	11.6	<0.01	<5	234	0.30	0.24	0.88	0.12	18.0	9.5	34.1
G09-46 (-)		0.47	0.17	1.12	9.3	<0.01	<5	194	0.27	0.32	0.64	0.15	19.9	10.1	33.9
G09-48 (-)		0.46	0.14	0.78	11.1	<0.01	<5	113	0.23	0.43	1.57	0.19	16.9	10.7	31.8
G09-50 (-)		0.56	0.15	0.70	10.6	<0.01	<5	99	0.21	0.24	1.53	0.26	17.3	9.5	28.1
G09-52 (-)		0.48	0.14	1.27	10.2	<0.01	<5	212	0.28	0.19	0.69	0.11	18.7	9.5	31.4
G09-54 (-)		0.49	0.16	1.24	11.3	<0.01	<5	215	0.29	0.15	0.71	0.16	19.2	10.5	34.3
G09-56 (-)		0.45	0.16	1.25	12.1	<0.01	<5	176	0.25	0.10	0.85	0.16	16.1	10.4	33.7
G09-58 (-)		0.38	0.13	1.29	11.0	<0.01	<5	206	0.28	0.11	0.93	0.17	17.2	9.9	32.2
G09-60 (-)		0.46	0.14	1.16	11.0	0.03	<5	177	0.24	0.15	0.59	0.13	15.7	9.3	35.5
G11-17 (-)		0.52	0.10	1.02	9.0	<0.01	<5	240	0.31	0.10	0.60	0.18	24.1	8.9	28.6
G11-24 (-)		0.41	0.11	1.48	8.4	<0.01	<5	265	0.26	0.14	0.49	0.05	21.7	9.8	27.5
G11-26 (-)		0.42	0.19	1.52	8.3	<0.01	<5	320	0.32	0.17	0.62	0.11	25.7	11.5	29.5
G11-28 (-)		0.44	0.11	1.44	9.7	<0.01	<5	199	0.24	0.17	0.48	0.10	21.5	7.6	30.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G11-30 (-)		0.46	0.21	1.54	14.8	<0.01	<5	244	0.35	0.19	0.59	0.09	25.7	10.0	35.8
G11-32 (-)		0.44	0.11	1.42	9.4	<0.01	<5	227	0.28	0.13	0.48	0.04	21.1	7.7	27.0
G11-34 (-)		0.45	0.12	1.35	10.7	<0.01	<5	209	0.32	0.13	0.46	0.08	20.8	8.8	28.3
G11-36 (-)		0.44	0.16	1.37	13.0	<0.01	<5	278	0.33	0.13	0.55	0.08	21.6	10.0	30.1
G11-38 (-)		0.46	0.15	1.31	10.1	0.01	<5	307	0.45	0.14	0.65	0.25	27.0	9.7	29.3
G11-40 (-)		0.43	0.14	1.36	10.5	<0.01	<5	211	0.29	0.11	0.60	0.11	21.0	10.3	31.3
G11-42 (-)		0.41	0.20	1.55	10.4	<0.01	<5	245	0.28	0.13	0.82	0.08	19.2	12.6	38.0
G11-44 (-)		0.36	0.17	1.44	11.6	<0.01	<5	261	0.30	0.16	0.85	0.12	19.1	13.2	35.6
G11-46 (-)		0.34	0.22	1.53	15.6	<0.01	<5	212	0.27	0.12	0.91	0.17	17.7	13.5	34.7
G11-48 (-)		0.46	0.16	1.34	10.6	<0.01	<5	257	0.29	0.10	0.77	0.11	21.3	10.0	30.5
G11-50 (-)		0.43	0.16	0.89	11.5	<0.01	<5	163	0.29	0.17	0.64	0.18	18.3	9.0	30.2
G11-52 (-)		0.32	0.25	1.34	19.9	0.01	<5	251	0.28	0.10	1.21	0.11	18.5	11.0	29.9
G11-54 (-)		0.41	0.17	1.36	12.3	<0.01	<5	206	0.28	0.10	0.85	0.16	20.3	10.4	35.4
G11-56 (-)		0.42	0.16	1.35	12.5	<0.01	<5	188	0.27	0.09	0.76	0.10	18.4	10.8	34.9
G11-58 (-)		0.45	0.17	1.36	12.8	<0.01	<5	181	0.29	0.09	0.80	0.08	17.5	11.5	35.7
G11-60 (-)		0.38	0.13	1.26	9.9	<0.01	<5	163	0.22	0.08	0.82	0.14	15.5	10.5	30.3
G13-21 (-)		0.33	0.15	1.35	10.7	<0.01	<5	249	0.38	0.26	0.65	0.27	24.3	10.1	31.5
G13-30 (-)		0.39	0.13	1.49	10.4	<0.01	<5	228	0.23	0.11	0.68	0.08	18.5	9.4	27.3
G13-32 (-)		0.36	0.11	1.40	11.8	<0.01	<5	252	0.34	0.13	0.56	0.09	25.2	9.7	28.5
G13-34 (-)		0.47	0.13	1.49	11.1	<0.01	<5	259	0.33	0.12	0.55	0.07	22.4	9.7	29.4
G13-36 (-)		0.38	0.14	1.51	13.7	0.02	<5	295	0.36	0.14	0.60	0.07	24.4	10.9	31.8
G13-38 (-)		0.43	0.16	1.53	15.1	<0.01	<5	279	0.40	0.15	0.61	0.08	23.7	9.7	31.9
G13-40 (-)		0.46	0.18	1.60	13.5	<0.01	<5	247	0.36	0.13	0.69	0.17	22.4	11.7	36.0
G13-42 (-)		0.43	0.20	1.51	11.0	<0.01	<5	223	0.27	0.11	0.78	0.17	18.6	12.0	34.3
G13-44 (-)		0.45	0.20	1.64	11.8	<0.01	<5	243	0.23	0.10	1.14	0.16	18.2	12.4	38.8
G13-46 (-)		0.48	0.21	1.57	13.3	<0.01	<5	204	0.27	0.19	0.85	0.17	18.7	12.6	39.2
G13-48 (-)		0.38	0.15	1.43	18.1	<0.01	<5	186	0.23	0.09	0.90	0.09	16.9	12.4	31.6
G13-50 (-)		0.44	0.19	1.53	18.2	<0.01	<5	219	0.31	0.12	0.70	0.12	21.8	11.7	33.7
G13-52 (-)		0.36	0.25	1.62	13.7	<0.01	<5	283	0.40	0.11	0.92	0.19	24.5	12.5	36.0
G13-54 (-)		0.44	0.40	1.54	21.3	<0.01	<5	207	0.36	0.10	0.77	0.20	21.2	11.6	41.4
G13-56 (-)		0.45	0.22	1.57	18.9	<0.01	<5	196	0.33	0.09	0.65	0.11	21.1	12.0	36.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G13-58 (-)	0.48	0.16	1.44	20.0	<0.01	<5	144	0.25	0.08	0.79	0.14	16.5	12.8	41.2
G13-60 (-)	0.38	0.15	1.41	22.7	<0.01	<5	154	0.27	0.08	0.79	0.12	17.8	13.5	35.0
G1315-19 (-)	0.36	0.13	1.13	9.6	<0.01	<5	244	0.31	0.10	0.81	0.26	22.4	9.6	32.1
G15-48 (-)	0.43	0.36	1.86	21.7	<0.01	<5	221	0.29	0.06	0.89	0.15	13.7	19.7	51.8
G15-50 (-)	0.42	0.46	2.02	23.1	0.01	<5	254	0.35	0.08	0.88	0.15	16.6	22.8	43.9
G15-52 (-)	0.31	0.42	1.54	56.6	0.01	<5	204	0.43	0.10	0.77	0.07	22.2	14.6	35.6
G15-54 (-)	0.45	0.27	1.59	17.8	<0.01	<5	271	0.37	0.12	0.73	0.07	24.8	12.4	32.3
G15-56 (-)	0.37	1.31	1.63	120	0.04	<5	234	0.38	0.09	0.74	0.13	22.9	11.2	29.4
G15-58 (-)	0.46	0.33	2.03	30.7	0.01	<5	167	0.36	0.08	0.83	0.19	19.6	16.7	31.5
G15-60 (-)	0.37	0.28	2.00	33.6	<0.01	<5	170	0.27	0.06	0.91	0.10	12.9	18.7	31.4
G19-1 (-)	0.51	1.56	2.44	37.4	<0.01	<5	293	0.47	3.29	0.73	1.67	33.3	18.6	38.3
G19-46 (-)	0.45	0.21	2.13	13.7	<0.01	<5	223	0.34	0.07	0.74	0.09	15.6	17.1	37.9
G19-48 (-)	0.39	0.27	2.27	32.3	<0.01	<5	230	0.35	0.06	0.78	0.14	14.5	20.3	39.0
G19-50 (-)	0.39	0.46	2.10	38.2	0.03	<5	237	0.53	0.15	0.84	0.11	19.5	20.6	53.1
G19-52 (-)	0.41	4.20	2.64	30.5	<0.01	<5	148	0.32	0.04	1.04	0.36	8.76	25.2	52.6
G21-44 (-)	0.41	0.26	1.83	23.7	<0.01	<5	218	0.25	0.08	0.80	0.15	17.2	16.1	32.2
G21-46 (-)	0.42	0.19	1.92	56.8	<0.01	<5	226	0.27	0.05	0.62	0.12	9.89	17.0	24.7
G21-48 (-)	0.45	0.44	2.07	44.5	0.02	<5	246	0.34	0.07	0.86	0.09	17.3	18.8	51.1
G21-50 (-)	0.40	0.39	1.85	47.1	0.01	<5	183	0.30	0.07	0.88	0.08	18.7	17.7	38.2
G23-17 (-)	0.44	0.10	1.13	28.1	<0.01	<5	186	0.27	0.23	0.51	0.13	20.9	10.0	23.1
G23-15 (-)	0.40	0.13	1.31	10.5	<0.01	<5	232	0.39	0.12	0.58	0.11	26.5	9.3	31.0
G23-13 (-)	0.41	0.16	1.27	11.1	0.01	<5	294	0.39	0.11	0.68	0.14	28.3	11.2	31.4
G23-11 (-)	0.47	0.19	1.32	10.1	<0.01	<5	281	0.42	0.11	0.87	0.27	25.7	10.8	41.0
G23-9 (-)	0.40	0.21	1.17	11.9	<0.01	<5	208	0.37	0.10	0.88	0.32	21.9	11.2	41.6
G23-40 (-)	0.42	0.21	1.77	30.5	<0.01	<5	228	0.29	0.10	0.66	0.11	20.1	11.4	35.3
G23-42 (-)	0.58	0.28	1.64	19.9	<0.01	<5	270	0.33	0.10	0.86	0.21	21.9	12.1	37.9
G23-44 (-)	0.41	0.37	2.04	30.7	0.01	<5	258	0.36	0.10	0.86	0.08	19.6	17.8	38.7
G25-15 (-)	0.42	0.12	1.16	11.6	<0.01	<5	241	0.30	0.10	0.64	0.26	23.0	9.1	29.8
G25-13 (-)	0.40	0.14	1.23	9.6	<0.01	<5	287	0.36	0.10	0.89	0.25	23.6	10.3	35.3
G25-36 (-)	0.33	0.33	1.41	34.0	0.01	<5	236	0.28	0.13	0.75	0.23	19.0	11.3	30.6
G25-38 (-)	0.45	0.46	1.65	34.5	0.01	<5	221	0.27	0.11	0.81	0.13	19.7	11.6	42.6

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G25-40 (-)		0.42	0.33	1.44	33.4	0.01	<5	254	0.31	0.12	0.73	0.15	19.2	11.8	32.3
G25-42 (-)		0.38	0.22	1.37	46.1	<0.01	<5	176	0.34	0.09	0.66	0.14	17.3	13.1	36.8
G25-44 (-)		0.42	0.24	1.49	52.8	<0.01	<5	205	0.25	0.09	0.89	0.13	16.4	13.6	30.8
G25-46 (-)		0.34	0.28	1.74	29.1	0.01	<5	231	0.36	0.09	0.78	0.19	21.8	16.9	41.7
G25-48 (-)		0.34	0.71	1.80	82.8	0.03	<5	199	0.37	0.09	0.78	0.24	22.5	20.0	31.3
G25-50 (-)		0.40	0.55	1.63	70.9	0.03	<5	178	0.33	0.07	0.64	0.11	18.1	19.7	28.3
G27-15 (-)		0.36	0.21	1.31	18.0	<0.01	<5	350	0.44	0.12	0.74	0.40	28.7	17.3	31.3
G27-13 (-)		0.42	0.15	1.25	11.1	<0.01	<5	287	0.33	0.12	0.57	0.35	28.7	10.4	29.7
G27-11 (-)		0.40	0.13	1.33	8.1	<0.01	<5	268	0.35	0.11	0.74	0.19	22.8	8.5	31.2
G27-9 (-)		0.41	0.14	1.33	11.7	<0.01	<5	268	0.33	0.13	0.67	0.21	23.2	9.7	30.9
G27-5 (-)		0.42	0.19	1.45	13.6	<0.01	<5	260	0.35	0.13	0.74	0.33	23.7	9.9	34.1
G27-3 (-)		0.38	0.17	1.33	14.1	<0.01	<5	265	0.33	0.14	0.63	0.17	22.1	8.8	28.2
G27-1 (-)		0.45	0.19	1.29	14.2	0.03	<5	278	0.33	0.13	0.59	0.20	21.8	10.1	30.6
G27-0 (-)		0.43	0.26	1.34	11.9	<0.01	<5	305	0.30	0.12	0.54	0.23	23.3	8.6	31.0
G27-38 (-)		0.43	0.23	1.50	34.6	0.01	<5	252	0.32	0.12	0.90	0.10	22.0	12.4	31.2
G27-40 (-)		0.43	0.35	1.66	35.6	0.01	<5	226	0.31	0.11	0.84	0.19	20.1	13.9	39.2
G27-42 (-)		0.40	0.48	1.69	58.9	0.02	<5	267	0.47	0.17	0.91	0.10	31.4	11.6	29.1
G27-44 (-)		0.37	0.67	1.72	96.3	0.03	<5	249	0.48	0.19	0.74	0.20	23.9	13.0	28.6
G27-46 (-)		0.38	0.15	1.70	30.1	<0.01	<5	146	0.26	0.09	0.73	0.04	21.3	8.4	28.8
G27-48 (-)		0.47	0.18	3.43	25.8	<0.01	<5	321	0.37	0.03	0.82	0.13	6.15	31.8	47.4
G27-50 (-)		0.42	0.68	2.03	109	0.01	<5	302	0.45	0.10	0.82	0.13	25.5	16.3	28.0
G29-15 (-)		0.39	0.12	1.23	8.0	<0.01	<5	226	0.33	0.11	0.65	0.26	24.9	7.7	30.1
G29-13 (-)		0.42	0.12	1.31	9.4	<0.01	<5	272	0.39	0.11	0.71	0.15	27.1	9.4	29.2
G29-11 (-)		0.48	0.13	1.39	10.3	<0.01	<5	311	0.46	0.11	0.79	0.19	27.5	11.2	36.5
G29-9 (-)		0.42	0.16	1.37	9.4	<0.01	<5	331	0.47	0.11	0.89	0.27	27.5	11.3	34.6
G29-7 (-)		0.42	0.15	1.51	10.1	<0.01	<5	332	0.47	0.12	0.84	0.33	28.4	11.8	35.4
G29-5 (-)		0.52	0.24	1.34	13.0	<0.01	<5	241	0.40	0.11	0.83	0.37	24.7	12.0	38.6
G29-38 (-)		0.38	0.53	2.08	62.6	0.01	<5	249	0.38	0.11	1.04	0.15	19.8	15.4	29.7
G29-40 (-)		0.38	0.61	1.49	49.5	0.01	<5	244	0.45	0.21	1.29	0.31	26.3	14.9	32.8
G31-36 (-)		0.40	0.54	1.67	39.2	0.02	<5	296	0.43	0.12	0.99	0.23	27.1	14.0	47.3
G31-38 (-)		0.40	1.34	1.59	121	0.02	<5	176	0.35	0.13	0.86	0.31	26.3	12.5	49.2

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.1	0.5
G31-40 (-)	0.39	0.69	2.37	85.2	0.04	<5	323	0.41	0.11	1.01	0.25	15.4	20.7	20.9
G31-42 (-)	0.41	0.28	1.54	21.2	0.01	<5	398	0.42	0.11	1.09	0.10	24.1	12.7	25.8
G31-44 (-)	0.32	0.51	3.64	83.2	<0.01	<5	816	0.79	0.03	0.97	0.12	9.79	26.8	5.4

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G0406-25 (-)	0.72	21.0	1.89	3.32	0.08	0.04	0.03	0.017	0.05	11.5	7.5	0.50	325	0.93
G0406-23 (-)	0.59	18.1	1.93	3.06	0.08	0.05	0.02	0.015	0.05	11.1	7.6	0.52	209	0.70
G0406-21 (-)	0.72	25.3	2.22	3.39	0.08	0.07	0.03	0.019	0.05	12.2	7.6	0.50	291	1.36
G0406-19 (-)	0.83	46.3	2.62	3.69	0.09	0.04	0.05	0.022	0.06	13.9	8.1	0.54	527	1.76
G0406-17 (-)	1.10	46.0	2.87	3.77	0.09	0.06	0.03	0.019	0.11	10.8	8.3	0.77	380	2.39
G0406-15 (-)	0.90	37.3	2.15	3.74	0.07	0.06	0.03	0.022	0.06	11.9	8.9	0.60	289	1.52
G0406-13 (-)	1.57	88.0	3.35	5.15	0.09	0.06	0.03	0.022	0.20	9.8	13.7	1.04	501	1.89
G0406-11 (-)	1.42	83.3	3.93	5.01	0.10	0.08	0.05	0.015	0.24	7.0	12.2	1.26	543	2.48
G0406-9 (-)	1.45	49.7	2.70	4.10	0.08	0.07	0.02	0.020	0.08	10.0	10.0	0.79	312	0.99
G0406-7 (-)	1.22	48.0	2.67	4.65	0.08	0.03	0.02	0.019	0.11	8.3	12.0	0.90	408	1.43
G0406-5 (-)	0.88	26.5	2.36	4.60	0.08	0.06	0.02	0.022	0.06	11.5	9.4	0.59	332	1.30
G0406-3 (-)	0.73	33.3	2.35	3.67	0.09	0.05	0.03	0.021	0.07	13.1	9.1	0.56	358	1.22
G0406-1 (-)	0.92	44.5	2.66	3.96	0.08	0.05	0.04	0.020	0.08	12.9	8.6	0.62	445	1.83
G0406-0 (-)	1.09	45.1	2.51	4.10	0.08	0.05	0.02	0.021	0.10	12.1	9.0	0.60	504	1.48
G0406-2 (-)	1.75	57.2	3.07	4.85	0.09	0.03	0.02	0.028	0.12	12.4	10.8	0.63	363	2.59
G0406-4 (-)	1.81	88.0	3.06	5.84	0.09	<0.02	0.03	0.028	0.14	9.6	10.6	0.84	429	6.27
G0406-6 (-)	2.64	120	4.81	8.03	0.12	0.05	0.01	0.039	1.03	5.5	11.0	1.07	661	14.8
G0406-8 (-)	1.42	45.1	2.60	5.12	0.09	0.09	0.02	0.026	0.09	12.8	11.1	0.78	457	11.5
G0406-10 (-)	3.24	374	5.38	5.58	0.12	0.18	0.04	0.050	0.38	7.8	10.1	0.74	801	188
G0406-46 (-)	0.94	67.7	2.63	4.95	0.09	0.05	0.04	0.024	0.13	12.6	10.2	0.72	347	1.37
G0406-48 (-)	0.88	45.3	2.45	4.42	0.09	0.04	0.03	0.021	0.07	10.2	8.7	0.67	480	0.59
G04-25 (-)	0.75	24.0	2.04	3.51	0.09	0.04	0.03	0.019	0.06	11.8	8.6	0.54	313	1.04
G04-23 (-)	0.67	17.6	2.44	3.30	0.08	0.04	0.02	0.018	0.05	12.2	8.4	0.51	306	1.29
G04-21 (-)	0.71	19.5	1.53	3.10	0.08	0.05	0.06	0.016	0.06	10.7	7.3	0.43	170	0.86
G04-19 (-)	0.76	32.7	2.63	3.72	0.09	0.11	0.03	0.019	0.08	13.9	8.9	0.62	300	1.61
G04-17 (-)	0.89	46.0	2.65	4.12	0.09	0.07	0.03	0.023	0.07	14.6	9.9	0.66	413	1.30
G04-15 (-)	0.84	39.6	2.45	3.82	0.08	0.06	0.24	0.022	0.05	14.9	8.4	0.57	310	1.24
G04-13 (-)	1.39	73.6	3.32	5.38	0.09	0.13	0.02	0.021	0.21	10.3	12.6	1.02	388	1.61
G04-11 (-)	0.88	27.6	2.01	3.98	0.08	0.02	0.02	0.016	0.07	8.8	9.1	0.56	243	1.28
G04-09 (-)	1.55	78.1	3.83	5.44	0.09	0.03	0.02	0.023	0.07	7.9	14.4	1.37	522	3.64
G04-07 (-)	0.82	26.1	2.52	3.77	0.09	0.06	0.03	0.022	0.06	12.7	7.8	0.59	314	0.94
G04-05 (-)	1.13	43.9	2.62	4.05	0.09	0.05	0.02	0.021	0.08	10.8	7.5	0.60	346	1.35

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012	DATE RECEIVED: Aug 14, 2012							DATE REPORTED: Sep 26, 2012				SAMPLE TYPE: Soil			
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G04-03 (-)	0.68	29.3	2.23	3.61	0.09	0.05	0.04	0.020	0.06	13.6	8.3	0.53	363	1.21	
G04-01 (-)	1.06	52.3	2.72	3.94	0.09	0.05	0.03	0.022	0.10	12.1	8.1	0.62	453	1.88	
G04-00 (-)	1.46	59.0	2.93	4.17	0.09	0.06	0.03	0.030	0.15	12.8	9.0	0.68	437	1.64	
G04-02 (-)	1.32	55.4	2.95	5.83	0.09	<0.02	0.02	0.020	0.15	6.6	9.0	0.86	426	2.89	
G04-04 (-)	2.14	154	5.16	7.46	0.12	0.05	0.02	0.035	0.44	7.3	11.9	1.05	657	11.5	
G04-06 (-)	1.53	50.6	3.07	5.62	0.09	0.08	0.01	0.029	0.14	10.0	13.2	0.97	358	12.4	
G04-08 (-)	0.90	41.1	2.52	4.68	0.08	0.03	0.03	0.023	0.07	11.9	10.3	0.67	342	0.70	
G04-46 (-)	1.43	210	3.98	5.39	0.11	0.11	0.03	0.042	0.32	11.5	12.1	0.75	584	46.4	
G04-48 (-)	0.87	39.5	2.72	4.72	0.08	0.03	0.04	0.022	0.08	10.4	10.3	0.71	598	0.97	
G04-50 (-)	0.69	50.4	2.54	4.79	0.08	0.05	0.04	0.024	0.06	11.0	10.3	0.70	359	0.53	
G0204-25 (-)	0.57	20.4	1.72	3.14	0.08	0.03	0.02	0.016	0.05	11.9	7.5	0.49	175	0.67	
G0204-23 (-)	0.71	17.8	1.91	3.55	0.08	0.04	0.03	0.017	0.06	12.1	8.4	0.53	291	0.95	
G0204-21 (-)	0.86	53.1	3.29	3.92	0.10	0.06	0.04	0.022	0.05	14.2	8.3	0.55	187	0.56	
G0204-19 (-)	0.63	26.7	2.23	3.59	0.08	0.05	0.03	0.018	0.06	11.3	8.5	0.55	290	1.03	
G0204-17 (-)	0.65	34.3	2.72	3.92	0.09	0.04	0.04	0.022	0.06	13.1	9.3	0.60	591	1.31	
G0204-15 (-)	0.64	45.3	2.33	3.49	0.07	0.06	0.04	0.019	0.07	11.1	8.4	0.58	411	1.48	
G0204-13 (-)	0.65	51.9	2.37	3.80	0.07	0.05	0.04	0.021	0.07	13.3	10.1	0.66	342	1.47	
G0204-11 (-)	1.29	77.1	3.43	5.23	0.09	0.06	0.02	0.020	0.19	8.5	13.6	1.22	478	1.10	
G0204-9 (-)	1.24	57.8	3.19	4.67	0.09	0.04	0.03	0.028	0.14	11.9	10.7	0.90	720	1.18	
G0204-7 (-)	0.72	50.1	2.62	4.04	0.09	0.04	0.03	0.023	0.05	12.6	8.4	0.59	442	1.19	
G0204-5 (-)	1.34	107	4.56	6.44	0.10	0.07	0.02	0.032	0.31	7.1	11.1	1.12	646	1.15	
G0204-3 (-)	0.74	17.5	2.18	3.86	0.08	0.07	0.02	0.018	0.05	10.8	8.7	0.51	248	1.22	
G0204-1 (-)	0.96	57.5	2.81	3.65	0.09	0.05	0.03	0.021	0.14	10.3	7.9	0.68	738	2.18	
G0204-0 (-)	1.09	50.5	2.41	4.27	0.08	0.02	0.03	0.023	0.09	10.9	8.2	0.59	619	2.42	
G0204-2 (-)	1.17	36.3	3.06	5.57	0.08	0.05	0.01	0.023	0.17	8.0	11.8	0.76	420	5.60	
G0204-4 (-)	1.28	63.1	3.16	5.43	0.09	0.06	0.03	0.041	0.13	15.3	12.1	0.69	512	4.85	
G0204-6 (-)	1.84	132	4.38	8.22	0.11	0.11	0.03	0.054	0.32	12.8	13.8	1.09	843	15.9	
G0204-8 (-)	1.17	103	3.23	4.91	0.10	0.08	0.04	0.042	0.13	13.1	10.9	0.72	407	30.1	
G0204-44 (-)	0.86	79.1	2.69	4.66	0.08	0.05	0.03	0.021	0.12	11.3	10.6	0.77	390	0.71	
G0204-46 (-)	0.86	52.6	2.73	4.70	0.08	0.03	0.03	0.021	0.08	13.1	11.2	0.70	393	0.65	
G0204-48 (-)	0.91	37.9	2.76	4.91	0.09	0.03	0.04	0.026	0.08	11.8	11.5	0.71	429	0.64	
G02-23 (-)	0.80	31.1	2.51	4.38	0.08	0.03	0.03	0.022	0.06	12.8	11.4	0.63	286	0.67	

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012	DATE RECEIVED: Aug 14, 2012	DATE REPORTED: Sep 26, 2012	SAMPLE TYPE: Soil												
Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05	
G02-21 (-)	0.72	31.7	2.28	3.87	0.08	0.05	0.03	0.020	0.06	12.2	9.3	0.61	323	0.74	
G02-19 (-)	0.70	30.0	2.27	3.88	0.08	0.05	0.04	0.020	0.06	12.2	8.9	0.59	359	0.72	
G02-17 (-)	0.70	39.3	2.49	4.21	0.09	0.05	0.04	0.022	0.07	13.3	9.8	0.64	357	0.81	
G02-15 (-)	0.61	25.5	2.10	3.63	0.08	0.05	0.04	0.019	0.08	13.1	8.8	0.55	298	0.93	
G02-11 (-)	1.65	48.3	3.26	4.39	0.09	0.05	0.03	0.025	0.14	10.6	9.4	0.89	427	1.07	
G02-9 (-)	0.72	50.7	2.81	4.15	0.09	0.03	0.04	0.025	0.06	12.2	8.7	0.62	514	1.08	
G02-7 (-)	0.88	97.7	4.11	6.24	0.11	0.07	0.02	0.034	0.09	8.8	10.6	0.97	673	1.26	
G02-44 (-)	0.88	55.3	2.52	4.45	0.09	0.03	0.05	0.021	0.10	11.8	10.1	0.74	365	0.46	
G02-46 (-)	0.90	40.2	2.53	4.41	0.09	0.02	0.04	0.021	0.07	11.7	9.9	0.64	374	0.73	
G02-48 (-)	0.91	36.1	2.55	4.58	0.08	0.02	0.03	0.022	0.06	12.0	10.1	0.64	372	0.60	
G02-50 (-)	0.96	35.7	2.61	4.98	0.08	<0.02	0.04	0.022	0.05	12.1	10.4	0.65	462	0.64	
G00-25 (-)	0.91	46.6	2.49	4.45	0.08	0.04	0.04	0.024	0.07	14.9	10.3	0.62	808	1.12	
G00-23 (-)	0.93	31.7	2.98	4.74	0.09	0.05	0.04	0.025	0.07	14.5	11.8	0.68	329	1.20	
G00-19 (-)	0.82	32.4	2.67	4.03	0.08	0.05	0.03	0.021	0.06	12.5	8.9	0.59	293	0.82	
G00-15 (-)	0.92	47.7	2.75	4.17	0.09	0.04	0.03	0.025	0.10	12.0	9.2	0.77	361	1.03	
G00-13 (-)	0.56	32.1	2.53	3.83	0.08	0.03	0.04	0.022	0.04	10.5	8.6	0.62	604	1.19	
G00-11 (-)	1.52	66.9	3.08	4.64	0.09	0.22	0.06	0.028	0.17	13.9	11.1	0.96	621	1.47	
G00-9 (-)	1.88	215	4.74	6.92	0.10	0.08	0.02	0.021	0.42	5.5	15.5	2.17	643	0.77	
G00-7 (-)	0.93	129	4.04	6.09	0.11	0.07	0.02	0.019	0.23	7.1	13.9	1.57	676	0.81	
G00-5 (-)	0.93	52.8	3.07	5.03	0.08	0.09	0.02	0.027	0.10	14.0	10.6	0.73	393	1.91	
G00-3 (-)	1.46	146	4.89	6.80	0.10	0.11	0.02	0.021	0.49	7.3	15.8	1.63	824	0.92	
G00-1 (-)	0.69	40.9	2.53	4.28	0.07	0.06	0.04	0.026	0.06	14.0	10.5	0.62	365	1.37	
G00-0 (-)	0.86	46.4	2.67	4.11	0.08	0.07	0.06	0.024	0.10	11.7	9.1	0.65	330	2.15	
G00-2 (-)	0.58	40.8	2.65	4.53	0.08	0.05	0.03	0.026	0.10	12.3	10.4	0.57	572	1.50	
G00-4 (-)	6.10	175	5.51	7.62	0.11	0.05	0.02	0.057	0.50	7.7	11.8	1.27	1250	2.37	
G00-6 (-)	3.49	132	5.07	7.39	0.11	0.05	0.04	0.071	0.47	9.7	11.9	0.96	731	12.6	
G00-8 (-)	1.05	71.7	3.17	5.06	0.09	0.07	0.01	0.031	0.20	11.7	8.1	0.73	446	16.8	
G00-42 (-)	2.69	70.6	4.13	5.99	0.09	0.05	0.01	0.023	0.84	9.8	12.2	1.35	841	0.93	
G00-44 (-)	1.19	50.2	2.57	4.50	0.06	0.05	0.03	0.021	0.10	10.2	7.6	0.76	385	0.48	
G00-46 (-)	1.10	51.9	2.75	4.14	0.08	0.04	0.03	0.020	0.10	12.3	7.5	0.71	354	0.85	
G00-48 (-)	1.04	51.8	2.63	4.06	0.08	0.04	0.03	0.020	0.09	11.6	6.6	0.66	407	0.90	
G00-50 (-)	0.89	45.6	2.57	4.35	0.07	0.03	0.03	0.021	0.09	11.9	7.6	0.68	352	0.56	

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G00-52 (-)		0.83	44.5	2.63	4.56	0.07	0.03	0.03	0.022	0.07	12.8	7.9	0.67	343	0.56
G00-54 (-)		1.00	44.1	2.92	4.12	0.07	0.07	0.03	0.021	0.08	11.0	7.2	0.65	402	0.71
G00-56 (-)		0.91	74.1	2.89	4.88	0.08	0.05	0.04	0.024	0.14	13.5	8.3	0.76	485	0.54
G00-58 (-)		1.82	78.0	4.25	5.91	0.08	0.03	0.02	0.028	0.45	8.7	11.0	1.21	854	0.81
G01-23 (-)		0.87	27.4	2.37	4.13	0.07	0.04	0.03	0.020	0.07	13.4	8.3	0.63	371	1.09
G01-19 (-)		0.75	43.9	2.96	4.26	0.08	0.06	0.04	0.023	0.06	13.8	7.5	0.67	459	1.03
G01-15 (-)		0.84	42.9	2.79	4.17	0.07	0.04	0.04	0.022	0.07	13.3	7.0	0.64	528	1.19
G01-13 (-)		0.69	47.4	2.57	4.21	0.07	0.05	0.03	0.023	0.07	14.6	7.5	0.69	415	1.03
G01-11 (-)		0.59	43.2	2.32	3.83	0.07	0.07	0.03	0.023	0.08	15.0	7.1	0.62	459	0.86
G01-9 (-)		0.60	45.2	2.60	4.16	0.08	0.04	0.04	0.021	0.08	14.7	7.9	0.62	455	1.18
G01-7 (-)		0.88	50.7	2.86	3.96	0.08	0.03	0.02	0.019	0.12	10.7	5.9	0.67	488	1.37
G01-12 (-)		2.23	283	4.15	5.52	0.10	0.09	0.03	0.039	0.37	11.7	10.6	0.99	606	34.9
G01-14 (-)		1.37	279	4.05	4.23	0.09	0.04	0.02	0.038	0.13	9.8	6.5	0.55	588	94.5
G01-16 (-)		1.32	252	2.75	4.15	0.09	0.08	0.03	0.025	0.11	18.1	7.6	0.52	241	98.4
G01-18 (-)		1.45	81.8	3.09	4.65	0.08	0.05	0.03	0.024	0.16	11.2	8.8	0.83	587	2.54
G01-20 (-)		1.32	261	3.15	5.25	0.08	0.07	0.03	0.026	0.15	14.6	11.4	0.69	395	41.2
G01-22 (-)		1.41	190	3.20	4.91	0.08	0.06	0.04	0.024	0.18	9.4	9.9	0.68	338	40.4
G01-24 (-)		2.03	183	3.73	6.02	0.08	0.07	0.02	0.032	0.26	7.6	12.6	0.83	413	16.1
G01-26 (-)		1.63	163	3.48	5.87	0.09	0.06	0.02	0.033	0.24	9.2	10.9	0.77	464	6.42
G01-28 (-)		1.80	196	3.78	6.08	0.09	0.07	0.03	0.038	0.31	10.6	11.0	0.84	549	6.83
G01-30 (-)		1.62	148	3.67	5.84	0.08	0.05	0.03	0.035	0.25	11.4	10.0	0.87	447	3.96
G01-32 (-)		1.87	118	3.52	6.75	0.08	0.06	0.02	0.024	0.31	8.1	9.7	0.83	355	3.15
G01-34 (-)		2.20	148	3.47	5.40	0.09	0.10	0.02	0.024	0.33	10.1	10.7	0.85	491	1.51
G01-36 (-)		2.60	67.4	3.41	6.21	0.09	<0.02	0.01	0.024	0.26	6.9	12.1	0.91	398	1.76
G01-38 (-)		2.52	118	3.67	5.36	0.09	0.04	0.02	0.025	0.32	10.6	10.7	1.00	750	1.37
G01-40 (-)		1.66	52.8	3.18	4.91	0.09	0.07	0.03	0.024	0.15	10.5	8.9	0.85	545	0.87
G01-42 (-)		4.00	105	4.72	7.97	0.12	0.07	0.04	0.045	0.63	15.2	12.1	1.38	815	1.18
G01-44 (-)		1.07	58.3	2.88	4.49	0.07	0.04	0.03	0.021	0.10	10.7	9.5	0.77	561	0.70
G01-46 (-)		0.77	30.2	2.33	3.73	0.08	0.04	0.03	0.019	0.05	9.8	7.4	0.58	429	0.75
G01-48 (-)		0.91	45.2	2.60	4.35	0.07	0.04	0.09	0.021	0.07	11.9	8.8	0.68	362	0.78
G01-50 (-)		1.13	72.7	2.96	3.88	0.08	0.05	0.02	0.019	0.12	8.4	7.4	0.75	444	0.93
G01-52 (-)		1.12	59.9	2.95	4.17	0.08	0.04	0.02	0.022	0.08	10.2	7.8	0.71	417	0.60

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G01-54 (-)	1.10	60.6	3.00	4.19	0.08	0.05	0.02	0.019	0.06	10.2	8.4	0.70	409	0.57
G01-56 (-)	1.70	88.1	3.69	4.57	0.09	0.04	0.03	0.024	0.18	9.9	9.2	0.86	719	0.61
G03-23 (-)	0.59	17.7	1.89	3.22	0.07	0.04	0.02	0.016	0.05	11.7	7.4	0.50	379	0.78
G03-21 (-)	0.67	38.2	2.61	3.90	0.07	0.07	0.04	0.022	0.06	14.0	8.9	0.61	400	0.81
G03-17 (-)	0.63	34.7	2.44	3.90	0.08	0.07	0.04	0.022	0.06	12.6	8.0	0.62	356	0.72
G03-24 (-)	0.91	31.2	2.39	4.13	0.07	0.08	0.03	0.022	0.06	15.0	11.3	0.63	352	0.73
G03-26 (-)	0.80	33.8	2.45	3.99	0.07	0.11	0.03	0.022	0.06	15.9	11.7	0.64	343	0.71
G03-28 (-)	0.96	32.6	2.28	3.88	0.07	0.08	0.02	0.020	0.06	13.5	10.9	0.62	359	0.80
G03-30 (-)	0.91	45.0	2.65	4.16	0.07	0.11	0.02	0.024	0.08	15.6	11.5	0.70	413	0.82
G03-32 (-)	1.09	44.8	2.60	4.06	0.07	0.08	0.03	0.022	0.10	14.0	10.1	0.70	387	1.07
G03-34 (-)	0.76	42.4	2.65	4.76	0.08	0.07	0.03	0.025	0.07	15.3	12.1	0.70	416	0.78
G03-36 (-)	1.42	62.6	2.67	3.67	0.08	0.09	0.02	0.020	0.13	11.4	7.3	0.68	373	1.16
G03-38 (-)	1.42	59.5	2.76	4.60	0.08	0.04	0.02	0.019	0.10	10.6	10.1	0.78	405	0.96
G03-40 (-)	0.98	55.1	2.46	4.14	0.06	0.05	0.03	0.020	0.07	12.3	9.3	0.67	383	0.93
G03-42 (-)	0.90	38.5	2.49	3.95	0.08	0.04	0.03	0.019	0.05	9.9	7.9	0.62	339	0.81
G03-44 (-)	0.73	31.5	2.51	3.62	0.07	0.04	0.03	0.017	0.05	9.8	7.3	0.62	311	0.85
G03-48 (-)	0.82	31.3	2.02	3.78	0.06	0.04	0.02	0.018	0.05	10.5	7.3	0.55	255	0.56
G03-52 (-)	0.92	62.7	2.58	4.16	0.07	0.04	0.03	0.018	0.13	9.6	9.4	0.78	515	0.53
G03-54 (-)	1.25	76.4	3.19	5.07	0.08	0.04	0.05	0.022	0.10	9.4	10.4	0.86	361	0.61
G03-56 (-)	1.27	256	2.95	4.77	0.08	0.06	0.04	0.027	0.12	18.2	10.2	0.63	295	63.8
G03-58 (-)	1.06	115	3.49	4.57	0.08	0.03	0.04	0.024	0.16	10.2	9.2	0.73	742	1.37
G0305-24 (-)	1.03	31.4	2.44	4.39	0.07	0.06	0.03	0.022	0.07	16.7	12.5	0.63	326	0.89
G0305-26 (-)	1.08	50.4	3.12	5.54	0.09	0.10	0.03	0.027	0.09	13.7	11.6	0.68	400	1.45
G0305-28 (-)	2.01	79.5	3.36	3.56	0.08	0.22	0.01	0.022	0.14	9.3	6.1	0.77	764	1.42
G0305-30 (-)	1.97	82.6	3.30	3.18	0.08	0.18	0.02	0.021	0.13	8.5	5.5	0.69	749	1.29
G0305-32 (-)	1.24	27.4	2.40	5.03	0.07	0.07	0.02	0.021	0.06	10.7	8.5	0.52	385	1.53
G0305-34 (-)	0.76	38.4	2.57	4.27	0.08	0.05	0.02	0.022	0.06	12.2	9.3	0.66	388	1.00
G0305-36 (-)	0.79	49.9	2.41	3.90	0.08	0.06	0.02	0.021	0.08	12.0	8.0	0.61	392	1.20
G0305-38 (-)	1.34	67.0	2.92	4.79	0.09	0.04	0.02	0.023	0.12	12.8	10.7	0.75	406	1.24
G0305-40 (-)	1.05	52.8	2.52	3.74	0.09	0.05	0.03	0.019	0.08	11.6	8.6	0.63	317	1.08
G0305-42 (-)	1.05	74.0	2.33	3.52	0.07	0.05	0.02	0.019	0.07	9.0	7.6	0.61	324	1.09
G0305-44 (-)	0.84	31.6	2.13	3.49	0.07	0.05	0.03	0.017	0.05	9.4	7.8	0.58	378	0.96

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G0305-46 (-)	0.76	31.0	2.09	3.72	0.06	0.05	0.03	0.018	0.05	10.3	8.6	0.58	279	0.78
G05-42 (-)	1.36	60.9	2.63	4.09	0.08	0.06	0.02	0.020	0.09	9.8	9.0	0.67	453	1.11
G05-44 (-)	0.94	32.9	2.24	3.89	0.06	0.05	0.02	0.018	0.06	9.3	8.1	0.59	309	0.90
G05-46 (-)	1.50	58.1	2.76	4.11	0.08	0.09	0.03	0.020	0.08	8.6	8.4	0.75	355	0.94
G05-48 (-)	0.97	36.2	2.32	4.01	0.07	0.04	0.03	0.019	0.05	9.9	8.2	0.61	364	0.73
G05-50 (-)	0.87	26.6	2.14	4.03	0.07	0.04	0.03	0.017	0.04	10.8	8.7	0.57	513	0.72
G05-52 (-)	2.07	81.4	3.33	4.45	0.08	0.07	0.03	0.022	0.18	8.5	9.0	0.93	647	1.22
G05-54 (-)	1.62	69.5	2.90	3.66	0.09	0.16	0.03	0.019	0.12	8.2	7.7	0.83	439	1.45
G05-56 (-)	0.89	41.9	2.18	3.67	0.07	0.06	0.02	0.017	0.06	9.7	7.5	0.62	322	0.69
G05-58 (-)	1.04	50.4	2.33	3.33	0.07	0.07	0.07	0.017	0.08	9.5	6.4	0.58	377	0.82
G05-60 (-)	1.26	39.7	2.27	3.61	0.08	0.07	0.02	0.018	0.09	9.4	7.3	0.58	327	0.88
G0507-15 (-)	0.88	33.7	2.13	3.60	0.07	0.05	0.05	0.017	0.06	12.2	7.8	0.57	289	1.14
G0507-13 (-)	0.85	40.7	2.11	3.48	0.06	0.05	0.12	0.017	0.07	10.6	7.3	0.59	281	1.45
G0507-11 (-)	0.89	27.8	2.34	3.50	0.07	0.04	0.02	0.015	0.06	10.2	7.7	0.55	592	3.05
G0507-5 (-)	0.60	25.9	2.11	3.48	0.07	0.07	0.03	0.020	0.05	12.6	7.2	0.52	297	0.77
G0507-3 (-)	0.64	23.8	2.47	3.34	0.07	0.07	0.03	0.017	0.06	14.1	7.5	0.51	377	1.17
G0507-1 (-)	0.74	28.3	2.33	4.11	0.07	0.13	0.03	0.022	0.06	13.2	10.4	0.59	345	1.25
G0507-0 (-)	0.61	26.8	2.21	3.71	0.07	0.09	0.03	0.020	0.05	14.1	8.2	0.56	332	0.88
G0507-34 (-)	2.70	86.6	3.39	3.50	0.09	0.14	0.02	0.025	0.13	9.1	5.8	0.67	804	2.51
G0507-36 (-)	1.01	46.7	2.68	4.47	0.08	0.07	0.02	0.022	0.07	12.4	9.5	0.64	311	1.07
G0507-38 (-)	0.86	28.7	2.16	3.81	0.07	0.03	0.03	0.016	0.04	9.3	8.0	0.57	347	0.78
G0507-40 (-)	1.36	59.8	2.70	4.56	0.07	0.04	0.03	0.020	0.08	11.4	9.1	0.66	407	1.32
G0507-42 (-)	2.52	92.4	3.54	4.22	0.09	0.15	0.03	0.024	0.19	9.2	7.6	0.81	443	1.75
G0507-44 (-)	1.01	34.5	2.41	3.87	0.07	0.04	0.03	0.017	0.07	9.7	7.7	0.62	337	0.96
G0507-46 (-)	0.86	30.8	2.22	3.93	0.07	0.05	0.02	0.018	0.05	11.1	8.6	0.58	285	0.77
G07-23 (-)	1.39	32.0	2.04	4.01	0.07	0.06	0.02	0.020	0.07	12.9	9.2	0.65	366	0.99
G07-40 (-)	1.08	47.9	2.39	3.83	0.08	0.04	0.04	0.018	0.06	11.1	7.7	0.62	343	1.02
G07-42 (-)	1.60	41.9	3.03	4.35	0.08	0.10	<0.01	0.021	0.15	7.7	7.4	0.69	735	1.67
G07-44 (-)	0.73	37.3	2.60	3.99	0.08	0.07	0.02	0.020	0.05	10.3	8.1	0.65	283	0.81
G07-46 (-)	0.80	35.7	2.25	4.34	0.07	0.05	0.04	0.020	0.04	11.6	8.6	0.62	375	0.82
G07-48 (-)	0.96	37.7	2.29	4.40	0.07	0.04	0.03	0.021	0.06	11.7	9.0	0.63	335	0.81
G07-50 (-)	0.94	32.7	2.07	3.89	0.07	0.05	0.03	0.018	0.06	9.9	8.1	0.59	335	0.77

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G07-52 (-)		0.92	47.7	2.45	4.37	0.07	0.05	0.02	0.021	0.05	10.6	8.5	0.65	529	0.75
G07-54 (-)		0.98	49.6	2.32	3.81	0.07	0.05	0.03	0.020	0.06	9.6	8.0	0.62	312	0.68
G07-56 (-)		0.96	45.7	2.22	3.62	0.07	0.05	0.02	0.015	0.06	8.6	7.4	0.62	385	0.63
G07-58 (-)		1.05	46.9	2.41	3.38	0.07	0.06	0.03	0.017	0.08	8.6	6.5	0.56	336	0.85
G07-60 (-)		1.13	52.3	2.41	3.59	0.08	0.07	0.03	0.017	0.09	10.2	6.9	0.59	348	0.88
G0709-23 (-)		1.19	57.5	3.21	4.21	0.09	0.04	0.03	0.022	0.11	10.7	8.7	0.78	357	4.94
G0709-19 (-)		0.90	34.8	2.21	3.80	0.07	0.04	0.03	0.018	0.05	10.7	8.2	0.58	352	2.49
G09-23 (-)		1.00	48.0	2.45	4.10	0.07	0.06	0.03	0.022	0.07	10.7	8.7	0.67	373	2.23
G09-36 (-)		0.85	47.2	2.12	3.62	0.07	0.07	0.02	0.018	0.04	11.4	7.9	0.50	268	0.90
G09-38 (-)		0.91	40.3	2.16	3.77	0.07	0.05	0.03	0.016	0.04	9.7	8.1	0.58	355	0.69
G09-40 (-)		0.80	33.7	2.24	3.85	0.07	0.05	0.02	0.016	0.04	9.1	8.4	0.61	287	0.68
G09-42 (-)		0.96	48.9	2.42	4.36	0.07	0.05	0.03	0.020	0.05	10.8	9.6	0.70	390	0.78
G09-44 (-)		1.07	63.8	2.29	3.72	0.07	0.05	0.04	0.019	0.07	9.6	8.1	0.61	327	0.89
G09-46 (-)		1.11	43.7	2.30	3.67	0.07	0.06	0.03	0.019	0.08	10.5	8.3	0.60	346	1.04
G09-48 (-)		1.13	49.8	2.32	2.70	0.06	0.13	0.02	0.017	0.10	8.7	4.6	0.54	491	1.52
G09-50 (-)		1.03	43.8	2.19	2.35	0.07	0.16	0.02	0.015	0.08	8.8	4.2	0.55	415	1.22
G09-52 (-)		1.08	44.3	2.50	4.06	0.07	0.07	0.02	0.018	0.07	9.7	8.4	0.65	354	1.09
G09-54 (-)		1.10	59.5	2.50	3.83	0.08	0.07	0.04	0.021	0.06	10.3	7.8	0.62	398	1.04
G09-56 (-)		0.99	55.5	2.41	4.01	0.07	0.06	0.02	0.020	0.06	8.7	7.9	0.65	354	0.81
G09-58 (-)		0.86	57.9	2.35	3.89	0.07	0.06	0.03	0.018	0.05	8.7	7.8	0.63	392	0.73
G09-60 (-)		1.25	49.0	2.48	3.79	0.07	0.07	0.02	0.017	0.09	8.5	7.1	0.60	338	0.95
G11-17 (-)		0.64	28.2	2.19	3.39	0.08	0.07	0.02	0.018	0.06	12.4	7.2	0.50	309	0.97
G11-24 (-)		0.98	25.6	2.28	4.46	0.06	0.03	0.02	0.020	0.04	11.1	8.7	0.56	340	1.04
G11-26 (-)		0.99	32.3	2.32	4.62	0.07	0.03	0.05	0.022	0.04	13.1	9.7	0.56	316	0.99
G11-28 (-)		0.92	21.7	2.19	4.58	0.07	0.02	0.02	0.021	0.04	11.2	9.4	0.55	218	0.94
G11-30 (-)		1.00	73.3	2.65	4.88	0.07	0.08	0.04	0.022	0.06	13.9	11.3	0.62	323	1.49
G11-32 (-)		0.81	28.6	2.20	4.28	0.07	0.09	0.01	0.016	0.04	11.1	8.7	0.56	254	0.76
G11-34 (-)		0.88	28.3	2.25	4.21	0.07	0.11	0.03	0.018	0.04	11.0	8.5	0.57	263	0.81
G11-36 (-)		0.91	41.0	2.49	4.23	0.08	0.06	0.03	0.019	0.04	11.7	8.6	0.62	379	0.77
G11-38 (-)		0.71	50.2	2.36	4.20	0.07	0.08	0.05	0.023	0.05	14.8	10.4	0.59	323	0.68
G11-40 (-)		0.97	47.4	2.42	4.26	0.08	0.06	0.02	0.019	0.04	11.0	9.3	0.68	298	0.77
G11-42 (-)		1.22	70.2	2.50	4.60	0.06	0.04	0.04	0.021	0.05	10.0	9.4	0.74	430	0.71

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G11-44 (-)	1.04	64.9	2.55	4.26	0.07	0.05	0.05	0.019	0.05	9.8	8.6	0.69	483	0.97
G11-46 (-)	0.98	68.7	2.89	4.40	0.07	0.05	0.04	0.020	0.05	9.0	9.2	0.81	424	0.84
G11-48 (-)	0.96	44.5	2.29	4.17	0.06	0.06	0.04	0.019	0.05	11.2	8.7	0.63	366	0.64
G11-50 (-)	1.03	40.9	2.22	2.98	0.08	0.08	0.04	0.016	0.07	9.9	5.7	0.50	356	1.04
G11-52 (-)	0.95	44.9	2.51	4.15	0.08	0.05	0.05	0.019	0.05	9.5	8.0	0.64	447	0.79
G11-54 (-)	1.04	49.2	2.48	4.40	0.08	0.09	0.03	0.021	0.07	10.8	8.9	0.69	364	0.84
G11-56 (-)	1.08	53.1	2.46	4.11	0.07	0.05	0.03	0.019	0.04	9.3	7.8	0.64	406	0.72
G11-58 (-)	0.99	56.9	2.37	4.33	0.07	0.06	0.03	0.018	0.04	9.1	8.6	0.68	443	0.55
G11-60 (-)	0.93	50.8	2.29	3.89	0.07	0.05	0.03	0.015	0.05	8.0	7.7	0.63	396	0.61
G13-21 (-)	1.06	54.2	2.43	4.26	0.08	0.06	0.03	0.023	0.09	12.7	9.3	0.64	505	2.04
G13-30 (-)	1.03	45.9	2.42	4.62	0.07	0.02	0.03	0.018	0.04	9.6	8.6	0.69	386	0.83
G13-32 (-)	0.92	34.5	2.37	4.62	0.07	0.07	0.04	0.019	0.05	13.2	9.7	0.63	292	0.78
G13-34 (-)	0.95	33.0	2.35	4.84	0.07	0.07	0.02	0.022	0.04	12.1	10.6	0.67	307	0.70
G13-36 (-)	0.98	47.3	2.48	4.81	0.07	0.06	0.02	0.021	0.04	12.6	9.9	0.67	356	1.00
G13-38 (-)	0.88	44.0	2.53	4.60	0.08	0.08	0.03	0.021	0.05	13.0	9.9	0.67	320	0.87
G13-40 (-)	1.02	54.1	2.85	4.72	0.08	0.06	0.03	0.022	0.08	11.6	10.8	0.78	387	0.80
G13-42 (-)	1.22	70.8	2.65	4.36	0.07	0.04	0.02	0.018	0.07	9.9	8.6	0.77	419	0.65
G13-44 (-)	1.12	80.9	2.73	4.53	0.07	0.05	0.04	0.018	0.07	9.5	9.5	0.82	427	0.75
G13-46 (-)	1.41	80.2	2.83	4.72	0.07	0.07	0.03	0.020	0.11	9.6	10.9	0.88	363	0.87
G13-48 (-)	1.08	61.2	2.88	4.19	0.07	0.05	0.03	0.018	0.08	8.8	8.9	0.77	498	0.68
G13-50 (-)	1.27	56.9	2.83	4.83	0.07	0.08	0.03	0.023	0.09	11.6	10.7	0.78	355	0.69
G13-52 (-)	1.29	70.6	2.68	4.87	0.06	0.07	0.04	0.023	0.07	13.2	10.8	0.75	532	0.66
G13-54 (-)	1.75	78.2	2.98	4.70	0.07	0.08	0.06	0.022	0.16	11.6	10.0	0.79	409	0.87
G13-56 (-)	1.31	48.0	2.80	4.94	0.07	0.05	0.02	0.023	0.07	11.2	10.2	0.74	465	0.81
G13-58 (-)	0.97	59.0	3.02	4.39	0.06	0.07	0.03	0.020	0.06	8.5	8.6	0.79	488	0.93
G13-60 (-)	1.19	69.8	2.91	4.56	0.07	0.07	0.03	0.020	0.05	8.8	8.6	0.75	437	0.79
G1315-19 (-)	0.80	30.4	2.26	3.68	0.06	0.04	0.02	0.018	0.06	11.5	6.4	0.50	529	1.24
G15-48 (-)	1.38	129	3.36	4.45	0.08	0.03	0.03	0.014	0.19	7.1	11.0	1.10	645	0.68
G15-50 (-)	1.91	146	3.91	5.05	0.08	0.06	0.04	0.022	0.23	8.6	13.0	1.11	746	0.99
G15-52 (-)	1.76	94.7	3.70	4.44	0.08	0.04	0.04	0.032	0.08	11.5	9.9	0.80	509	0.71
G15-54 (-)	1.29	49.5	2.68	5.17	0.06	0.05	0.03	0.024	0.07	12.9	11.5	0.67	455	0.68
G15-56 (-)	1.40	75.0	3.03	4.48	0.07	0.04	0.03	0.026	0.14	12.9	10.1	0.80	501	0.72

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G15-58 (-)	1.60	102	3.68	5.98	0.08	0.08	0.02	0.021	0.26	10.5	12.6	1.16	703	0.63
G15-60 (-)	3.17	177	4.21	6.37	0.07	0.06	0.03	0.021	0.29	6.4	12.1	1.20	627	0.48
G19-1 (-)	4.77	130	5.25	7.95	0.12	0.11	0.02	0.049	0.88	18.7	17.2	1.19	1200	1.96
G19-46 (-)	1.90	97.0	3.61	5.96	0.08	0.05	0.02	0.019	0.31	8.1	12.9	1.25	581	0.48
G19-48 (-)	1.93	114	4.33	6.18	0.08	0.04	0.02	0.020	0.26	7.5	12.4	1.35	734	0.52
G19-50 (-)	2.66	120	4.42	5.74	0.08	0.07	0.02	0.026	0.19	10.6	13.2	1.14	728	0.77
G19-52 (-)	1.49	109	5.34	6.38	0.08	0.04	0.02	0.024	0.23	4.1	10.5	1.68	970	1.12
G21-44 (-)	1.85	85.2	3.22	5.25	0.07	0.03	0.02	0.022	0.10	9.0	11.3	1.01	567	0.54
G21-46 (-)	5.32	93.1	4.07	5.78	0.08	0.07	<0.01	0.020	0.35	4.9	9.9	1.11	727	0.56
G21-48 (-)	1.93	103	3.48	5.59	0.07	0.04	0.03	0.019	0.13	9.3	13.8	1.24	597	0.46
G21-50 (-)	1.47	92.9	3.34	5.02	0.08	0.04	0.04	0.019	0.08	9.9	12.3	1.10	495	0.45
G23-17 (-)	0.97	25.6	2.80	3.87	0.07	0.04	0.02	0.019	0.07	10.7	7.4	0.55	316	1.22
G23-15 (-)	0.88	29.7	2.28	4.25	0.07	0.05	0.04	0.021	0.06	13.4	8.8	0.57	220	0.72
G23-13 (-)	0.89	31.6	2.42	4.21	0.07	0.05	0.04	0.022	0.07	14.5	9.0	0.58	365	1.32
G23-11 (-)	1.21	50.1	2.40	4.36	0.07	0.09	0.05	0.023	0.10	13.3	9.1	0.67	335	1.38
G23-9 (-)	1.16	56.1	2.48	3.86	0.07	0.10	0.03	0.022	0.10	11.6	8.2	0.67	364	1.71
G23-40 (-)	1.45	44.6	2.79	5.64	0.07	0.04	0.03	0.021	0.05	10.6	11.4	0.82	397	0.67
G23-42 (-)	1.29	60.5	2.62	5.14	0.07	0.07	0.04	0.022	0.06	11.4	11.2	0.80	362	0.56
G23-44 (-)	1.93	85.8	3.15	5.64	0.08	0.04	0.04	0.022	0.06	10.1	12.9	1.04	645	0.48
G25-15 (-)	0.82	34.3	2.11	3.90	0.07	0.06	0.03	0.020	0.05	11.5	7.4	0.51	353	0.84
G25-13 (-)	0.98	44.8	2.31	3.99	0.06	0.08	0.04	0.022	0.08	12.1	8.2	0.61	331	1.26
G25-36 (-)	1.06	45.5	2.42	4.50	0.08	0.05	0.03	0.021	0.05	9.4	8.6	0.63	602	0.76
G25-38 (-)	1.66	65.9	2.84	5.08	0.08	0.04	0.03	0.024	0.08	10.2	10.3	0.85	455	0.77
G25-40 (-)	1.45	50.4	2.59	5.00	0.08	0.03	0.03	0.022	0.05	10.0	9.9	0.69	587	0.85
G25-42 (-)	1.67	54.9	3.01	4.44	0.08	0.04	0.03	0.021	0.08	8.7	8.2	0.78	451	0.87
G25-44 (-)	1.46	46.8	2.95	4.77	0.07	0.04	0.03	0.021	0.05	8.1	9.0	0.77	544	0.65
G25-46 (-)	1.77	76.4	2.83	5.11	0.07	0.07	0.03	0.020	0.07	11.0	11.6	0.97	468	0.33
G25-48 (-)	1.62	88.9	2.89	5.81	0.07	0.07	0.03	0.026	0.06	11.5	12.4	0.91	411	0.42
G25-50 (-)	1.67	126	2.60	4.70	0.08	0.04	0.04	0.020	0.06	9.8	10.3	0.78	372	0.38
G27-15 (-)	0.84	42.9	3.90	3.93	0.09	0.04	0.04	0.022	0.05	14.0	7.5	0.53	602	3.17
G27-13 (-)	0.84	32.4	2.17	4.20	0.07	0.03	0.04	0.022	0.05	12.3	7.8	0.54	360	1.14
G27-11 (-)	0.88	33.1	1.96	4.21	0.07	0.03	0.03	0.020	0.06	11.8	7.9	0.58	351	0.74

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G27-9 (-)	0.83	33.4	2.27	4.25	0.07	0.03	0.04	0.020	0.06	11.9	7.9	0.59	360	1.18
G27-5 (-)	1.08	40.5	2.45	4.55	0.07	0.03	0.04	0.023	0.07	12.1	9.2	0.64	388	1.27
G27-3 (-)	0.94	31.8	2.13	4.52	0.07	0.03	0.03	0.021	0.05	11.6	8.9	0.53	367	0.97
G27-1 (-)	1.01	31.0	2.29	4.31	0.07	0.03	0.03	0.020	0.06	11.2	8.5	0.59	545	1.20
G27-0 (-)	0.86	29.7	2.15	4.26	0.07	0.04	0.03	0.022	0.07	12.3	9.1	0.58	365	0.92
G27-38 (-)	1.36	45.4	2.74	4.90	0.07	0.04	0.04	0.022	0.05	11.3	9.6	0.66	479	0.66
G27-40 (-)	1.82	54.3	3.04	5.21	0.06	0.04	0.03	0.023	0.09	9.8	9.9	0.83	645	0.72
G27-42 (-)	1.59	50.1	2.99	4.88	0.07	0.06	0.04	0.030	0.06	16.3	9.6	0.67	527	1.01
G27-44 (-)	1.72	64.2	2.93	5.25	0.08	0.04	0.03	0.027	0.08	12.4	10.0	0.66	472	0.91
G27-46 (-)	1.17	39.1	2.89	6.90	0.08	0.02	0.03	0.034	0.04	10.5	12.1	0.96	304	0.32
G27-48 (-)	2.65	204	6.50	7.93	0.10	0.11	<0.01	0.016	1.06	3.0	20.2	2.19	1180	0.53
G27-50 (-)	2.47	80.2	3.72	6.57	0.07	0.02	0.05	0.033	0.08	13.4	13.1	0.88	605	0.77
G29-15 (-)	0.98	29.7	1.78	4.09	0.07	0.03	0.03	0.019	0.06	12.8	8.3	0.54	299	0.32
G29-13 (-)	0.76	27.5	2.30	4.44	0.07	0.04	0.04	0.020	0.07	13.7	9.0	0.55	274	0.85
G29-11 (-)	0.86	42.3	2.56	4.59	0.07	0.06	0.03	0.025	0.08	14.2	9.6	0.65	360	1.16
G29-9 (-)	0.81	47.6	2.45	4.46	0.07	0.06	0.04	0.023	0.08	14.2	9.5	0.61	409	1.14
G29-7 (-)	0.91	51.9	2.65	4.77	0.08	0.09	0.06	0.024	0.08	14.6	10.8	0.67	447	1.16
G29-5 (-)	1.15	44.6	2.83	4.32	0.08	0.10	0.06	0.025	0.10	13.2	9.6	0.68	368	1.98
G29-38 (-)	3.13	84.5	4.07	6.20	0.09	0.04	0.04	0.029	0.31	10.1	13.4	1.01	727	1.02
G29-40 (-)	1.84	73.1	2.96	4.95	0.06	0.04	0.03	0.027	0.10	13.9	10.6	0.68	462	0.65
G31-36 (-)	1.12	62.9	2.27	5.08	0.08	0.06	0.04	0.027	0.06	14.1	11.8	0.75	477	0.47
G31-38 (-)	1.62	77.0	2.90	4.80	0.07	0.03	0.03	0.037	0.09	15.2	10.8	0.73	548	0.86
G31-40 (-)	4.42	156	5.12	6.83	0.09	0.07	0.03	0.031	0.27	8.4	15.2	1.16	947	0.77
G31-42 (-)	1.56	64.1	2.69	5.00	0.06	0.02	0.03	0.023	0.06	12.4	8.9	0.55	843	0.56
G31-44 (-)	8.76	240	7.43	7.67	0.11	0.07	0.01	0.016	1.37	4.7	23.2	2.04	1800	0.66

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0406-25 (-)	0.02	1.24	17.9	591	5.5	7.4	0.001	0.029	0.52	3.5	0.4	0.4	46.3	<0.01
G0406-23 (-)	0.02	1.12	16.5	665	4.6	5.6	0.001	0.028	0.54	3.3	0.4	0.4	31.9	<0.01
G0406-21 (-)	0.02	1.24	20.8	700	5.9	6.8	<0.001	0.015	0.85	4.3	0.5	0.4	34.1	<0.01
G0406-19 (-)	0.02	1.40	29.3	792	6.7	8.2	<0.001	0.040	1.14	5.6	1.1	0.5	52.4	<0.01
G0406-17 (-)	0.02	1.09	26.3	829	3.9	8.2	<0.001	0.010	1.07	5.7	0.7	0.5	29.9	<0.01
G0406-15 (-)	0.02	1.28	23.8	657	5.5	7.6	<0.001	0.036	0.85	5.0	0.9	0.4	46.1	<0.01
G0406-13 (-)	0.02	1.23	35.3	673	4.8	11.9	0.001	0.019	1.36	6.9	1.0	1.0	42.6	<0.01
G0406-11 (-)	0.01	0.64	30.7	716	3.4	13.2	<0.001	0.007	0.87	5.9	0.7	0.4	27.3	<0.01
G0406-9 (-)	0.02	0.71	22.6	682	4.1	6.4	<0.001	<0.005	0.86	5.6	0.4	0.5	29.2	<0.01
G0406-7 (-)	0.01	1.31	25.1	569	5.0	13.2	<0.001	0.012	1.74	4.2	0.5	1.3	28.7	<0.01
G0406-5 (-)	0.02	1.15	16.9	511	6.1	8.0	<0.001	0.008	0.55	4.6	0.3	0.5	33.1	<0.01
G0406-3 (-)	0.02	1.17	20.3	630	6.9	6.5	<0.001	0.013	0.72	4.8	0.4	0.5	39.9	<0.01
G0406-1 (-)	0.03	1.15	23.6	668	7.1	7.1	<0.001	0.014	0.79	5.4	0.6	0.5	42.6	<0.01
G0406-0 (-)	0.02	1.03	19.5	566	6.5	8.3	<0.001	0.009	0.68	5.0	0.4	0.6	34.5	<0.01
G0406-2 (-)	0.01	0.87	20.4	516	8.6	10.2	<0.001	0.014	2.34	6.0	0.8	0.8	27.5	<0.01
G0406-4 (-)	0.02	0.78	17.9	551	9.0	15.8	<0.001	0.044	0.82	7.3	0.4	0.7	36.9	<0.01
G0406-6 (-)	0.03	0.43	12.2	964	6.2	30.5	<0.001	0.013	0.38	11.2	0.5	0.6	28.0	<0.01
G0406-8 (-)	0.02	1.15	16.5	442	7.8	13.8	<0.001	0.013	0.61	6.1	0.3	0.6	27.7	<0.01
G0406-10 (-)	0.03	0.42	23.0	541	16.4	26.1	0.007	0.064	2.00	13.1	1.0	0.8	27.3	<0.01
G0406-46 (-)	0.02	1.10	19.6	579	4.9	9.3	<0.001	0.016	0.67	6.9	0.4	0.6	32.7	<0.01
G0406-48 (-)	0.02	1.00	17.7	636	4.6	7.5	<0.001	0.028	0.61	5.7	0.4	0.5	39.1	<0.01
G04-25 (-)	0.02	1.36	20.6	676	5.5	7.9	0.001	0.042	0.59	4.2	0.5	0.4	46.1	<0.01
G04-23 (-)	0.02	1.32	18.5	695	4.7	6.1	0.001	0.022	0.59	3.6	0.5	0.4	35.7	<0.01
G04-21 (-)	0.02	1.19	16.0	500	5.0	6.6	0.001	0.026	0.62	3.7	0.4	0.4	30.0	<0.01
G04-19 (-)	0.02	1.54	25.4	799	6.1	8.0	<0.001	0.019	0.90	5.1	0.6	0.5	42.1	<0.01
G04-17 (-)	0.02	1.45	29.3	764	6.7	8.5	<0.001	0.024	0.98	5.8	0.7	0.7	41.4	<0.01
G04-15 (-)	0.02	1.27	27.7	785	6.1	7.1	<0.001	0.033	0.79	5.3	0.8	0.5	46.0	<0.01
G04-13 (-)	0.02	0.93	28.1	550	4.9	12.2	<0.001	0.005	1.01	6.4	0.4	1.0	26.5	<0.01
G04-11 (-)	0.01	0.87	14.6	441	4.4	7.7	<0.001	<0.005	0.51	3.6	0.4	0.7	22.0	<0.01
G04-09 (-)	0.01	0.75	33.2	578	4.2	7.2	<0.001	0.007	1.21	6.1	1.0	1.7	25.9	<0.01
G04-07 (-)	0.02	0.86	20.9	705	5.9	6.0	<0.001	0.006	0.94	5.5	0.4	0.6	38.0	<0.01
G04-05 (-)	0.02	0.89	18.4	613	5.0	6.5	<0.001	0.010	0.65	6.0	0.4	0.5	34.5	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G04-03 (-)	0.02	1.14	21.3	623	6.2	6.1	<0.001	0.011	0.79	4.8	0.4	0.5	41.0	<0.01
G04-01 (-)	0.02	0.98	22.8	674	6.7	7.9	<0.001	0.010	0.88	6.0	0.4	0.6	34.0	<0.01
G04-00 (-)	0.02	0.68	29.5	545	10.9	10.5	<0.001	0.005	1.08	6.8	0.9	0.8	25.5	<0.01
G04-02 (-)	0.01	0.86	13.9	476	5.1	11.2	<0.001	0.017	0.41	5.0	0.3	0.6	21.7	<0.01
G04-04 (-)	0.06	0.94	10.9	931	14.7	21.8	<0.001	0.322	1.51	13.0	0.7	0.7	85.1	<0.01
G04-06 (-)	0.02	0.89	15.2	326	9.9	13.7	<0.001	0.013	0.58	6.2	0.3	0.6	26.1	<0.01
G04-08 (-)	0.02	1.08	17.9	502	5.5	7.8	<0.001	0.012	0.55	5.6	0.3	0.6	31.5	<0.01
G04-46 (-)	0.04	0.82	19.6	648	22.5	16.1	0.004	0.139	1.43	7.9	0.8	0.6	50.9	<0.01
G04-48 (-)	0.02	0.93	18.5	677	5.4	8.3	<0.001	0.025	0.52	5.4	0.4	0.6	35.2	<0.01
G04-50 (-)	0.02	1.03	19.5	681	5.1	6.8	<0.001	0.035	0.65	5.8	0.5	0.6	44.4	<0.01
G0204-25 (-)	0.02	1.15	17.0	706	5.3	5.6	0.001	0.038	0.51	3.5	0.5	0.4	33.2	<0.01
G0204-23 (-)	0.02	1.29	17.9	716	5.4	7.0	0.001	0.058	0.46	4.0	0.4	0.5	35.7	<0.01
G0204-21 (-)	0.01	1.46	26.5	694	6.4	7.9	<0.001	0.033	0.98	6.1	0.8	0.5	33.3	<0.01
G0204-19 (-)	0.02	1.12	19.5	701	5.6	7.4	<0.001	0.017	0.71	4.5	0.4	0.5	33.1	<0.01
G0204-17 (-)	0.02	1.29	26.6	809	6.5	7.2	<0.001	0.026	0.96	5.0	0.5	0.4	41.4	<0.01
G0204-15 (-)	0.02	1.16	27.2	860	5.1	6.9	<0.001	0.053	0.93	4.3	0.8	0.5	54.2	<0.01
G0204-13 (-)	0.02	1.12	27.0	714	5.3	6.5	<0.001	0.033	0.83	5.3	1.1	0.4	43.1	<0.01
G0204-11 (-)	0.01	0.88	31.1	755	4.5	10.5	<0.001	0.007	0.77	6.1	0.5	1.1	29.1	<0.01
G0204-9 (-)	0.02	0.88	30.6	648	5.4	9.2	<0.001	0.010	1.11	8.1	0.7	0.7	32.8	<0.01
G0204-7 (-)	0.02	0.90	21.3	681	7.1	5.7	<0.001	0.009	0.67	6.2	0.4	0.6	33.4	<0.01
G0204-5 (-)	0.02	0.51	22.5	539	3.6	12.2	<0.001	0.005	0.91	10.1	0.7	0.9	26.6	<0.01
G0204-3 (-)	0.02	0.96	15.1	521	9.9	6.2	<0.001	<0.005	0.54	3.7	0.3	0.5	30.0	<0.01
G0204-1 (-)	0.02	0.91	28.9	711	7.4	7.5	<0.001	0.014	0.83	6.5	0.6	0.6	32.6	<0.01
G0204-0 (-)	0.02	1.03	18.1	619	10.1	9.3	<0.001	0.019	0.53	4.9	0.5	0.7	32.2	<0.01
G0204-2 (-)	0.02	0.93	12.6	555	8.5	14.3	<0.001	0.009	0.56	4.9	0.2	0.5	27.9	<0.01
G0204-4 (-)	0.02	1.19	18.5	705	16.9	10.0	<0.001	0.016	0.76	7.6	0.5	0.8	38.6	<0.01
G0204-6 (-)	0.04	0.72	17.0	618	15.5	19.4	<0.001	0.007	1.27	10.4	0.8	0.8	45.7	<0.01
G0204-8 (-)	0.03	0.84	22.8	525	20.9	11.0	0.003	0.030	1.25	8.3	0.6	0.6	43.6	<0.01
G0204-44 (-)	0.02	1.04	20.7	609	5.4	8.9	<0.001	0.024	0.67	6.9	0.6	0.5	36.9	<0.01
G0204-46 (-)	0.02	1.05	21.6	652	5.4	8.4	<0.001	0.018	0.57	5.9	0.3	0.5	35.8	<0.01
G0204-48 (-)	0.02	1.06	17.8	627	5.6	9.0	<0.001	0.017	0.57	5.9	0.3	0.6	32.4	<0.01
G02-23 (-)	0.02	1.46	21.9	650	7.5	6.9	0.001	0.041	0.73	5.0	0.6	0.5	35.9	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012	DATE RECEIVED: Aug 14, 2012					DATE REPORTED: Sep 26, 2012					SAMPLE TYPE: Soil				
Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	
Sample Description	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01	
G02-21 (-)	0.02	1.41	21.4	723	6.4	7.8	<0.001	0.026	0.70	4.9	0.5	0.4	38.5	<0.01	
G02-19 (-)	0.02	1.44	20.8	729	6.2	7.5	<0.001	0.027	0.71	4.8	0.4	0.5	38.7	<0.01	
G02-17 (-)	0.02	1.31	27.2	761	6.3	8.2	<0.001	0.020	0.77	5.4	0.6	0.7	39.8	<0.01	
G02-15 (-)	0.02	1.17	20.8	750	6.1	6.5	<0.001	0.011	0.67	4.4	0.3	0.5	36.0	<0.01	
G02-11 (-)	0.02	0.91	28.4	867	4.0	9.4	<0.001	0.016	0.99	7.6	0.5	0.5	34.2	<0.01	
G02-9 (-)	0.02	0.94	28.8	688	5.3	6.3	<0.001	0.009	2.10	6.8	0.5	0.5	31.9	<0.01	
G02-7 (-)	0.02	0.50	21.8	616	4.2	6.3	<0.001	<0.005	0.88	11.3	0.5	1.0	26.1	<0.01	
G02-44 (-)	0.02	1.02	18.6	629	5.3	8.5	<0.001	0.016	0.55	6.2	0.4	0.4	34.7	<0.01	
G02-46 (-)	0.02	1.07	18.4	653	5.1	8.6	<0.001	0.020	0.53	5.4	0.4	0.5	36.6	<0.01	
G02-48 (-)	0.02	1.12	17.0	594	5.3	8.0	<0.001	0.017	0.56	5.4	0.4	0.5	34.0	<0.01	
G02-50 (-)	0.02	1.11	16.7	544	5.0	6.9	<0.001	0.017	0.59	5.5	0.4	0.5	37.4	<0.01	
G00-25 (-)	0.02	1.40	32.6	811	6.8	8.8	<0.001	0.034	0.96	5.9	0.7	0.6	55.8	<0.01	
G00-23 (-)	0.03	1.64	26.9	804	7.9	8.9	<0.001	0.027	0.75	5.6	0.5	0.6	43.2	<0.01	
G00-19 (-)	0.02	1.34	19.2	752	6.1	6.1	<0.001	0.042	0.64	5.2	0.4	0.5	43.0	<0.01	
G00-15 (-)	0.02	1.01	28.1	785	5.5	8.4	<0.001	0.015	0.87	6.5	0.5	0.5	35.1	<0.01	
G00-13 (-)	0.01	0.95	20.6	623	5.5	5.4	<0.001	0.026	0.79	5.1	0.5	0.5	38.2	<0.01	
G00-11 (-)	0.02	0.96	49.1	847	8.7	12.2	0.001	0.009	1.10	7.4	0.6	2.0	52.9	<0.01	
G00-9 (-)	0.02	0.34	70.1	863	4.0	14.8	<0.001	0.007	0.77	10.6	0.4	2.2	28.9	<0.01	
G00-7 (-)	0.02	0.41	30.9	605	3.9	10.8	<0.001	<0.005	0.54	8.0	0.4	0.5	31.9	<0.01	
G00-5 (-)	0.02	1.01	18.2	659	27.9	9.1	<0.001	0.008	0.70	6.1	0.5	4.2	32.5	<0.01	
G00-3 (-)	0.02	0.43	23.6	727	4.3	18.2	<0.001	<0.005	0.55	7.5	0.5	0.7	27.1	<0.01	
G00-1 (-)	0.02	1.19	23.5	614	8.0	6.1	<0.001	0.018	0.61	6.5	0.5	1.0	38.9	<0.01	
G00-0 (-)	0.02	0.80	18.0	678	8.1	7.7	<0.001	0.011	0.67	6.3	0.4	0.8	37.1	<0.01	
G00-2 (-)	0.02	1.28	22.5	428	8.4	6.9	<0.001	0.014	0.59	5.5	0.5	0.7	36.0	<0.01	
G00-4 (-)	0.02	0.37	23.3	663	24.7	33.4	<0.001	0.014	1.04	13.0	0.9	0.7	36.4	<0.01	
G00-6 (-)	0.02	0.44	18.3	533	81.2	24.3	0.005	0.030	2.81	13.2	0.7	0.7	45.2	<0.01	
G00-8 (-)	0.03	0.90	20.4	545	10.5	15.1	0.001	0.012	0.64	5.6	0.6	0.6	37.7	<0.01	
G00-42 (-)	0.02	0.84	17.8	709	4.6	30.9	<0.001	0.010	0.39	5.7	0.4	0.4	34.3	<0.01	
G00-44 (-)	0.02	0.98	18.8	666	5.3	10.9	<0.001	0.031	0.50	5.3	0.5	0.4	40.6	<0.01	
G00-46 (-)	0.02	1.19	23.6	739	5.0	9.7	<0.001	0.009	0.59	5.4	0.4	0.4	33.0	<0.01	
G00-48 (-)	0.02	1.16	23.2	751	5.4	9.2	0.001	0.016	0.65	5.3	0.5	0.5	35.6	<0.01	
G00-50 (-)	0.02	1.05	17.4	597	4.5	9.1	<0.001	0.015	0.55	5.1	0.5	0.5	35.2	<0.01	

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G00-52 (-)	0.02	1.06	17.5	552	5.9	8.4	<0.001	0.012	0.61	5.1	0.4	0.5	34.4	<0.01
G00-54 (-)	0.02	0.82	15.7	568	4.7	7.1	<0.001	<0.005	0.65	4.8	0.3	0.6	29.5	<0.01
G00-56 (-)	0.02	1.00	19.7	656	5.0	9.4	<0.001	0.023	0.65	6.6	0.5	0.5	38.8	<0.01
G00-58 (-)	0.01	0.74	21.3	813	4.8	21.2	<0.001	0.014	1.31	6.5	0.6	1.1	33.6	<0.01
G01-23 (-)	0.03	1.54	24.5	712	6.8	9.5	<0.001	0.037	0.61	4.2	0.6	0.5	49.3	<0.01
G01-19 (-)	0.02	1.49	30.3	722	6.7	8.1	<0.001	0.033	0.91	5.6	0.6	0.5	42.0	<0.01
G01-15 (-)	0.02	1.43	27.3	751	6.4	8.7	<0.001	0.033	0.88	5.0	0.5	0.5	51.2	<0.01
G01-13 (-)	0.02	1.37	30.1	726	6.5	7.7	<0.001	0.021	0.79	5.4	0.5	0.5	44.7	<0.01
G01-11 (-)	0.02	1.46	27.9	740	7.4	8.0	<0.001	0.034	0.71	4.9	0.7	0.5	52.7	<0.01
G01-9 (-)	0.02	1.37	22.8	642	8.1	7.6	<0.001	0.032	0.69	5.0	0.7	0.4	47.0	<0.01
G01-7 (-)	0.02	1.05	18.5	713	6.8	8.4	<0.001	0.018	0.69	5.2	0.6	0.4	43.1	<0.01
G01-12 (-)	0.04	0.97	22.4	694	12.7	24.4	0.005	0.101	0.90	8.4	1.0	0.6	43.4	<0.01
G01-14 (-)	0.03	0.81	16.1	733	8.4	11.8	0.011	0.090	0.85	7.3	1.2	0.6	50.4	<0.01
G01-16 (-)	0.02	1.31	16.0	552	12.2	13.9	0.004	0.044	2.27	4.6	0.7	0.8	48.9	<0.01
G01-18 (-)	0.02	0.97	25.7	671	4.4	11.0	<0.001	0.039	1.13	7.1	0.7	0.5	45.0	<0.01
G01-20 (-)	0.03	1.41	20.0	543	7.3	13.4	0.003	0.081	0.62	5.9	0.9	0.7	47.5	<0.01
G01-22 (-)	0.04	1.02	16.0	546	5.5	18.8	0.002	0.065	0.53	5.5	0.8	0.6	39.4	<0.01
G01-24 (-)	0.04	0.83	17.4	396	7.1	22.8	0.001	0.045	0.54	7.7	1.0	1.0	46.1	<0.01
G01-26 (-)	0.04	0.97	18.6	441	9.7	19.1	<0.001	0.029	0.54	8.5	0.9	0.9	47.9	<0.01
G01-28 (-)	0.04	1.03	23.3	514	18.9	20.4	0.001	0.025	0.58	8.5	0.9	0.8	40.9	<0.01
G01-30 (-)	0.03	1.06	24.9	617	12.0	16.4	<0.001	0.025	0.63	8.9	0.9	0.7	51.9	<0.01
G01-32 (-)	0.04	1.15	22.2	291	8.6	22.6	<0.001	0.025	0.40	6.0	0.5	0.5	42.2	<0.01
G01-34 (-)	0.04	0.87	24.9	510	6.5	20.9	<0.001	0.035	0.34	7.5	0.7	0.4	46.7	<0.01
G01-36 (-)	0.02	0.81	21.5	437	5.1	19.3	<0.001	0.010	0.35	4.4	0.3	0.5	36.4	<0.01
G01-38 (-)	0.02	0.87	25.5	652	6.9	20.0	<0.001	0.021	0.81	6.3	0.7	1.2	54.9	<0.01
G01-40 (-)	0.02	0.75	19.8	510	6.8	13.0	<0.001	0.007	0.54	6.1	0.5	0.6	30.2	<0.01
G01-42 (-)	0.03	0.52	29.6	558	6.8	33.7	<0.001	0.006	0.82	12.8	0.7	0.5	37.3	<0.01
G01-44 (-)	0.02	0.90	20.3	682	5.1	10.1	<0.001	0.025	0.52	5.2	0.5	0.4	37.6	<0.01
G01-46 (-)	0.02	0.92	15.9	637	4.8	7.5	<0.001	0.018	0.43	4.0	0.3	0.4	31.1	<0.01
G01-48 (-)	0.02	1.10	21.1	692	5.6	8.3	<0.001	0.016	0.62	5.1	0.6	0.6	34.6	<0.01
G01-50 (-)	0.01	0.89	22.3	777	3.6	8.5	<0.001	0.015	0.64	5.3	0.4	0.5	31.8	<0.01
G01-52 (-)	0.01	0.86	17.7	728	3.8	7.0	<0.001	0.019	0.65	5.8	0.4	0.6	36.6	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G01-54 (-)	0.02	0.90	16.9	578	3.8	6.1	<0.001	0.006	0.52	5.3	0.4	0.5	29.2	<0.01
G01-56 (-)	0.01	0.61	23.0	662	3.7	10.1	<0.001	0.021	1.20	8.2	0.7	0.5	30.5	<0.01
G03-23 (-)	0.02	1.15	18.2	709	4.8	5.4	<0.001	0.022	0.46	3.3	0.5	0.4	38.1	<0.01
G03-21 (-)	0.02	1.54	28.2	791	7.7	8.8	<0.001	0.031	0.83	4.9	0.6	0.6	45.4	<0.01
G03-17 (-)	0.02	1.41	23.0	727	7.2	7.4	<0.001	0.042	0.70	4.8	0.6	0.4	44.3	<0.01
G03-24 (-)	0.03	1.62	25.6	629	7.1	8.8	<0.001	0.025	0.76	4.3	0.5	0.5	33.7	<0.01
G03-26 (-)	0.03	1.73	28.8	702	7.3	8.3	<0.001	0.024	0.85	4.2	0.7	0.5	38.8	<0.01
G03-28 (-)	0.03	1.58	23.9	624	6.1	8.2	<0.001	0.030	0.74	4.3	0.6	0.5	44.0	<0.01
G03-30 (-)	0.03	1.68	28.4	733	7.6	9.7	<0.001	0.024	0.97	4.9	0.7	0.5	46.4	<0.01
G03-32 (-)	0.02	1.40	27.3	724	6.8	8.7	<0.001	0.015	0.89	4.8	0.4	0.6	40.1	<0.01
G03-34 (-)	0.02	1.48	27.6	535	7.3	8.8	<0.001	0.010	0.78	5.4	0.7	0.6	39.8	<0.01
G03-36 (-)	0.02	1.09	27.1	858	5.3	9.4	<0.001	0.011	0.81	5.9	0.6	0.6	34.7	<0.01
G03-38 (-)	0.02	1.14	22.8	657	5.7	11.4	<0.001	0.016	0.62	5.6	0.4	1.1	32.9	<0.01
G03-40 (-)	0.02	1.18	23.2	645	5.8	7.8	<0.001	0.020	0.74	5.5	0.6	0.8	37.0	<0.01
G03-42 (-)	0.02	1.21	18.6	618	5.5	7.3	<0.001	0.035	0.62	4.6	0.5	0.4	38.0	<0.01
G03-44 (-)	0.01	1.16	18.1	670	5.1	6.5	<0.001	0.033	0.70	4.2	0.4	0.4	36.3	<0.01
G03-48 (-)	0.02	1.28	16.2	587	4.9	7.6	<0.001	0.028	0.49	4.3	0.5	0.4	35.5	<0.01
G03-52 (-)	0.02	1.05	18.5	690	4.0	9.2	<0.001	0.038	0.51	5.1	0.5	0.5	40.5	<0.01
G03-54 (-)	0.02	0.94	16.5	605	4.6	9.2	<0.001	0.025	0.62	6.4	0.5	0.4	34.7	<0.01
G03-56 (-)	0.03	1.20	16.8	552	8.6	12.0	0.006	0.112	1.03	6.4	0.9	0.8	82.6	<0.01
G03-58 (-)	0.01	0.81	24.2	545	6.5	11.4	<0.001	0.025	1.46	6.5	0.7	1.9	32.0	<0.01
G0305-24 (-)	0.02	1.86	26.1	687	8.1	9.8	<0.001	0.022	0.83	4.6	0.5	0.6	30.0	<0.01
G0305-26 (-)	0.02	1.41	27.7	619	7.9	11.1	<0.001	0.014	0.84	6.6	0.7	1.2	32.7	<0.01
G0305-28 (-)	0.02	0.26	29.6	916	5.4	7.9	<0.001	<0.005	0.98	7.5	0.5	0.4	43.4	<0.01
G0305-30 (-)	0.02	0.25	28.0	935	4.9	7.1	<0.001	<0.005	0.92	6.9	0.4	0.3	33.2	<0.01
G0305-32 (-)	0.01	1.05	16.3	249	6.2	13.0	<0.001	<0.005	0.57	5.1	0.3	0.8	23.6	<0.01
G0305-34 (-)	0.02	1.19	24.9	466	6.1	7.5	<0.001	0.008	0.63	5.5	0.4	0.5	33.0	<0.01
G0305-36 (-)	0.02	1.28	24.5	625	5.9	6.8	<0.001	0.018	0.80	5.4	0.7	0.6	39.1	<0.01
G0305-38 (-)	0.02	1.18	25.8	654	5.8	13.2	<0.001	0.016	0.68	6.7	0.5	0.8	34.9	<0.01
G0305-40 (-)	0.02	1.11	24.0	752	4.9	7.8	<0.001	0.013	0.71	5.5	0.5	0.7	35.1	<0.01
G0305-42 (-)	0.01	0.97	21.1	630	4.8	6.6	<0.001	0.023	0.76	4.9	0.4	0.8	31.1	<0.01
G0305-44 (-)	0.01	1.06	17.1	550	4.7	6.3	<0.001	0.025	0.61	4.1	0.4	0.6	39.7	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0305-46 (-)	0.01	1.07	17.2	522	5.2	6.2	<0.001	0.013	0.55	4.2	0.5	0.7	30.6	<0.01
G05-42 (-)	0.01	1.12	21.3	623	5.8	8.0	<0.001	0.018	0.80	5.9	0.5	0.8	29.6	<0.01
G05-44 (-)	0.01	1.11	16.3	590	4.4	6.5	<0.001	0.011	0.63	4.5	0.5	0.4	33.4	<0.01
G05-46 (-)	0.01	1.00	22.7	626	4.6	7.1	<0.001	0.009	0.86	6.3	0.5	0.6	32.9	<0.01
G05-48 (-)	0.02	1.13	17.2	527	5.3	7.7	<0.001	0.017	0.58	4.8	0.4	0.5	32.0	<0.01
G05-50 (-)	0.02	1.22	17.2	486	5.5	6.6	<0.001	0.018	0.56	4.2	0.5	0.5	35.3	<0.01
G05-52 (-)	0.02	1.04	24.7	741	5.5	9.6	<0.001	0.013	1.15	6.7	0.6	0.6	37.4	<0.01
G05-54 (-)	0.01	0.58	32.5	753	4.0	8.0	<0.001	<0.005	1.28	6.3	0.5	0.6	27.2	<0.01
G05-56 (-)	0.02	1.25	20.3	587	4.7	6.4	<0.001	0.021	0.57	4.8	0.5	0.6	36.6	<0.01
G05-58 (-)	0.02	1.36	23.3	685	4.1	6.8	<0.001	0.017	0.73	5.4	0.5	0.4	40.3	<0.01
G05-60 (-)	0.02	1.38	20.1	683	4.5	8.5	<0.001	0.012	0.66	5.0	0.4	0.5	34.3	<0.01
G0507-15 (-)	0.02	1.19	19.0	638	5.8	8.3	<0.001	0.018	0.58	4.3	0.4	0.4	35.8	<0.01
G0507-13 (-)	0.02	1.17	19.4	613	4.8	7.6	0.001	0.045	0.58	4.4	0.5	0.4	37.9	<0.01
G0507-11 (-)	0.01	1.01	15.8	625	4.5	7.2	<0.001	0.031	0.54	4.1	0.4	0.3	35.9	<0.01
G0507-5 (-)	0.02	1.31	20.9	661	5.7	6.4	<0.001	0.020	0.66	4.1	0.4	0.4	44.9	<0.01
G0507-3 (-)	0.02	1.23	21.2	727	5.5	6.4	<0.001	0.015	0.79	4.0	0.5	0.4	41.8	<0.01
G0507-1 (-)	0.03	1.75	24.6	589	7.1	8.6	0.001	0.032	0.96	4.4	1.1	0.5	51.5	<0.01
G0507-0 (-)	0.02	1.28	22.4	603	6.2	6.3	<0.001	0.014	0.73	4.2	0.4	0.5	43.7	<0.01
G0507-34 (-)	0.02	0.50	32.2	774	8.3	8.0	<0.001	<0.005	1.60	8.2	0.5	0.3	33.4	<0.01
G0507-36 (-)	0.02	1.14	24.1	490	6.4	7.9	<0.001	0.007	0.88	5.9	0.5	0.7	33.3	<0.01
G0507-38 (-)	0.01	1.07	14.9	510	4.8	7.4	<0.001	0.020	0.49	4.0	0.3	0.5	33.8	<0.01
G0507-40 (-)	0.02	1.07	21.3	544	5.7	8.7	<0.001	0.009	0.79	5.7	0.4	0.7	29.6	<0.01
G0507-42 (-)	0.02	0.70	30.4	848	5.5	11.9	<0.001	<0.005	1.16	7.6	0.5	0.6	28.9	<0.01
G0507-44 (-)	0.02	1.37	20.1	644	4.5	6.8	<0.001	0.012	0.64	4.6	0.4	0.6	33.8	<0.01
G0507-46 (-)	0.02	1.29	19.3	523	4.9	6.7	<0.001	0.013	0.62	4.4	0.5	0.5	34.4	<0.01
G07-23 (-)	0.02	1.62	28.0	624	7.5	10.2	<0.001	0.050	0.62	4.6	0.7	0.4	54.0	<0.01
G07-40 (-)	0.02	1.18	20.7	609	4.4	7.0	0.001	0.008	0.70	5.2	0.3	0.9	31.1	<0.01
G07-42 (-)	0.01	1.01	20.7	654	4.5	12.0	<0.001	<0.005	0.81	4.7	0.4	0.6	27.3	<0.01
G07-44 (-)	0.02	1.26	18.9	615	4.3	6.6	<0.001	0.014	0.61	4.5	0.4	0.7	34.5	<0.01
G07-46 (-)	0.02	1.21	21.2	517	5.8	6.9	<0.001	0.025	0.78	4.8	0.5	0.5	43.5	<0.01
G07-48 (-)	0.02	1.44	18.3	535	5.6	7.6	<0.001	0.016	0.61	5.3	0.6	0.7	38.2	<0.01
G07-50 (-)	0.02	1.33	17.9	514	4.7	6.9	<0.001	0.016	0.60	4.7	0.5	0.5	36.0	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G07-52 (-)		0.02	1.39	24.3	513	5.7	7.3	<0.001	0.016	0.69	5.6	0.5	0.7	40.6	<0.01
G07-54 (-)		0.02	1.22	22.4	595	4.7	6.7	<0.001	0.025	0.68	5.5	0.6	0.5	41.2	<0.01
G07-56 (-)		0.01	1.16	19.8	542	4.1	6.9	<0.001	0.021	0.59	4.9	0.4	0.5	36.1	<0.01
G07-58 (-)		0.02	1.27	21.6	656	4.0	7.2	<0.001	0.010	0.72	5.0	0.5	0.4	31.8	<0.01
G07-60 (-)		0.02	1.43	22.4	692	4.5	7.7	<0.001	0.010	0.74	5.5	0.4	0.5	33.5	<0.01
G0709-23 (-)		0.02	1.32	23.7	681	5.9	9.6	0.002	0.088	0.79	5.5	0.5	0.5	50.3	<0.01
G0709-19 (-)		0.02	1.21	18.4	624	5.1	7.2	<0.001	0.034	0.61	4.4	0.4	0.4	38.2	<0.01
G09-23 (-)		0.02	1.20	22.7	647	7.8	8.9	<0.001	0.059	0.81	5.2	0.5	0.4	37.3	<0.01
G09-36 (-)		0.01	0.88	19.7	461	5.6	5.2	<0.001	0.006	0.75	5.1	0.4	0.7	27.5	<0.01
G09-38 (-)		0.01	0.89	17.7	520	4.7	6.4	<0.001	0.009	0.52	4.2	0.3	0.6	29.0	<0.01
G09-40 (-)		0.01	0.95	15.3	455	4.1	6.1	<0.001	0.006	0.44	4.0	0.3	0.5	24.9	<0.01
G09-42 (-)		0.01	1.14	21.5	569	5.2	6.9	<0.001	0.016	0.64	5.2	0.4	0.5	36.7	<0.01
G09-44 (-)		0.01	1.08	23.7	602	4.8	7.3	<0.001	0.024	0.85	5.6	0.7	0.5	37.1	<0.01
G09-46 (-)		0.02	1.11	21.9	605	4.9	7.6	<0.001	0.010	0.80	5.2	0.4	0.6	30.9	<0.01
G09-48 (-)		0.02	0.90	23.9	777	4.6	5.6	<0.001	<0.005	1.10	5.1	0.6	1.0	43.3	<0.01
G09-50 (-)		0.02	0.77	23.3	790	4.1	4.6	<0.001	<0.005	0.88	4.4	0.5	0.4	42.5	<0.01
G09-52 (-)		0.02	1.26	21.1	618	4.6	7.4	<0.001	0.011	0.66	4.9	0.5	0.8	32.5	<0.01
G09-54 (-)		0.02	1.20	24.6	596	5.7	7.3	<0.001	0.010	0.81	5.6	0.5	1.7	32.6	<0.01
G09-56 (-)		0.01	1.15	21.4	556	4.9	6.5	<0.001	0.021	0.70	5.3	0.5	1.0	36.0	<0.01
G09-58 (-)		0.01	1.12	21.5	540	4.9	6.0	<0.001	0.026	0.64	5.2	0.5	0.7	36.5	<0.01
G09-60 (-)		0.01	1.18	21.1	629	4.9	7.8	<0.001	0.007	0.71	5.1	0.5	1.4	28.9	<0.01
G11-17 (-)		0.02	1.21	23.4	650	5.5	6.3	<0.001	0.011	0.72	4.4	0.4	0.7	36.6	<0.01
G11-24 (-)		0.02	1.14	15.7	466	5.8	7.7	<0.001	0.014	0.50	4.0	0.4	0.6	30.8	<0.01
G11-26 (-)		0.02	1.23	21.0	466	6.1	7.6	<0.001	0.017	0.67	5.3	0.5	0.6	38.0	<0.01
G11-28 (-)		0.01	1.29	15.0	441	5.9	8.3	<0.001	0.013	0.49	4.0	0.3	0.6	30.0	<0.01
G11-30 (-)		0.02	1.47	22.9	470	7.2	8.1	<0.001	0.011	0.72	6.2	0.5	2.4	35.3	<0.01
G11-32 (-)		0.01	1.08	15.8	357	5.8	7.1	<0.001	0.005	0.57	3.9	0.3	0.9	28.8	<0.01
G11-34 (-)		0.01	0.95	16.3	393	5.6	7.0	<0.001	<0.005	0.58	4.4	0.3	1.0	28.1	<0.01
G11-36 (-)		0.02	1.03	21.2	497	6.0	6.5	<0.001	0.010	0.67	5.4	0.4	1.2	33.4	<0.01
G11-38 (-)		0.02	1.37	30.0	546	6.9	6.2	<0.001	0.014	0.84	5.1	0.5	0.7	41.1	<0.01
G11-40 (-)		0.01	1.22	18.3	534	4.6	6.7	<0.001	0.010	0.59	4.8	0.6	0.8	30.6	<0.01
G11-42 (-)		0.01	1.16	23.0	556	5.2	7.0	<0.001	0.027	0.59	5.5	0.7	0.8	40.8	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G11-44 (-)		0.01	1.10	22.5	567	5.4	6.3	<0.001	0.026	0.73	5.5	0.7	0.6	37.7	<0.01
G11-46 (-)		0.01	1.08	22.3	525	5.4	6.9	<0.001	0.026	0.77	5.9	0.8	1.0	39.0	<0.01
G11-48 (-)		0.02	1.21	23.3	528	5.1	6.8	<0.001	0.022	0.76	5.1	0.6	0.6	38.9	<0.01
G11-50 (-)		0.02	1.16	24.8	682	4.5	6.1	<0.001	0.007	0.95	4.9	0.5	0.6	32.9	<0.01
G11-52 (-)		0.01	1.20	18.9	540	5.4	6.7	<0.001	0.037	0.81	5.5	0.6	0.5	48.2	<0.01
G11-54 (-)		0.02	1.37	22.3	538	5.1	8.1	<0.001	0.019	0.76	5.7	0.5	1.0	39.5	<0.01
G11-56 (-)		0.01	1.09	20.8	538	4.7	5.8	<0.001	0.016	0.62	5.5	0.4	0.5	33.4	<0.01
G11-58 (-)		0.01	1.06	20.8	466	4.9	5.8	<0.001	0.018	0.65	6.1	0.5	0.4	34.8	<0.01
G11-60 (-)		0.01	1.02	18.4	520	4.1	6.0	<0.001	0.024	0.59	4.9	0.4	0.3	33.6	<0.01
G13-21 (-)		0.02	1.26	25.5	660	6.2	11.2	<0.001	0.033	0.81	5.6	0.8	0.5	41.7	<0.01
G13-30 (-)		0.01	1.04	15.5	457	4.8	7.9	<0.001	0.016	0.46	4.1	0.4	0.5	38.2	<0.01
G13-32 (-)		0.02	1.26	18.6	474	6.0	7.3	<0.001	0.012	0.64	4.7	0.4	1.0	36.5	<0.01
G13-34 (-)		0.02	1.22	19.5	449	5.6	7.8	<0.001	0.014	0.72	5.2	0.4	0.6	37.9	<0.01
G13-36 (-)		0.02	1.26	22.6	438	7.3	7.5	<0.001	0.021	0.75	5.1	0.5	2.0	40.5	<0.01
G13-38 (-)		0.02	1.15	23.0	464	6.2	6.7	<0.001	0.014	0.77	5.6	0.5	0.9	37.1	<0.01
G13-40 (-)		0.02	1.21	25.4	543	5.7	7.8	<0.001	0.016	0.72	5.9	0.5	0.8	38.5	<0.01
G13-42 (-)		0.02	1.18	22.7	486	4.6	9.0	<0.001	0.017	0.66	5.3	0.5	0.4	37.8	<0.01
G13-44 (-)		0.02	1.28	22.7	589	4.9	7.6	<0.001	0.032	0.74	6.0	0.6	0.5	46.1	<0.01
G13-46 (-)		0.02	1.32	23.6	593	5.3	10.3	<0.001	0.024	0.72	6.6	0.7	0.5	39.1	<0.01
G13-48 (-)		0.01	1.10	19.1	644	4.4	7.4	0.001	0.025	0.71	5.5	0.6	0.4	40.3	<0.01
G13-50 (-)		0.02	1.37	22.6	497	6.0	8.8	<0.001	0.013	0.92	6.4	0.6	0.8	36.7	<0.01
G13-52 (-)		0.02	1.52	28.1	546	6.0	9.1	<0.001	0.023	0.97	7.1	0.8	0.6	44.8	<0.01
G13-54 (-)		0.02	1.56	25.1	623	5.1	11.3	<0.001	0.012	0.92	7.6	0.6	0.7	36.3	<0.01
G13-56 (-)		0.02	1.31	21.0	415	5.3	8.4	<0.001	0.010	0.70	6.4	0.4	0.7	31.9	<0.01
G13-58 (-)		0.02	1.12	24.2	611	5.1	5.7	<0.001	0.013	0.79	5.9	0.4	1.1	32.5	<0.01
G13-60 (-)		0.01	1.09	20.2	590	5.1	5.8	<0.001	0.017	0.76	6.4	0.6	0.8	33.9	<0.01
G1315-19 (-)		0.02	1.30	21.7	709	5.5	7.1	<0.001	0.032	0.61	4.6	0.4	0.5	46.3	<0.01
G15-48 (-)		0.01	0.82	27.2	613	3.9	11.6	<0.001	0.027	0.63	5.9	0.7	0.5	36.3	<0.01
G15-50 (-)		0.01	1.02	27.7	620	4.5	13.7	<0.001	0.024	0.82	8.5	1.1	0.5	37.3	<0.01
G15-52 (-)		0.01	0.96	22.5	634	6.8	8.1	<0.001	0.021	1.87	8.5	0.8	0.5	36.7	<0.01
G15-54 (-)		0.02	1.62	20.7	394	6.4	8.9	<0.001	0.010	0.64	6.3	0.5	0.7	39.1	<0.01
G15-56 (-)		0.01	0.87	22.8	611	8.9	10.7	<0.001	0.017	2.06	6.9	0.7	1.0	34.1	<0.01

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
G15-58 (-)		0.01	0.92	22.5	667	4.7	14.5	<0.001	0.016	1.23	7.0	0.7	0.7	35.6	<0.01
G15-60 (-)		0.01	0.67	20.2	734	4.4	14.8	<0.001	0.019	0.67	9.1	0.6	0.6	31.8	<0.01
G19-1 (-)		0.01	0.54	17.4	939	64.7	32.2	<0.001	0.034	2.44	8.7	0.8	0.9	41.4	<0.01
G19-46 (-)		0.01	0.94	21.1	573	4.0	17.8	<0.001	0.013	0.51	6.1	0.4	0.5	34.2	<0.01
G19-48 (-)		0.01	0.73	21.6	635	3.0	16.0	<0.001	0.016	0.66	7.7	0.5	0.4	34.3	<0.01
G19-50 (-)		0.01	0.73	35.8	687	11.1	12.6	<0.001	0.017	1.18	10.2	0.7	1.1	36.4	<0.01
G19-52 (-)		<0.01	0.39	25.9	726	123	10.4	<0.001	0.019	1.80	11.0	0.5	1.4	35.2	<0.01
G21-44 (-)		0.01	0.86	19.4	545	4.9	9.3	<0.001	0.018	0.58	7.4	0.4	1.1	34.2	<0.01
G21-46 (-)		0.01	0.67	15.5	590	3.7	16.7	<0.001	<0.005	0.82	5.9	0.3	2.7	30.3	<0.01
G21-48 (-)		0.01	0.88	27.7	558	4.4	10.9	<0.001	0.015	0.78	6.6	0.4	0.5	37.3	<0.01
G21-50 (-)		0.01	0.86	23.4	504	4.8	8.7	<0.001	0.022	0.81	6.9	0.6	0.5	37.3	<0.01
G23-17 (-)		0.02	1.09	14.7	708	5.5	7.3	<0.001	0.014	0.67	4.2	0.3	0.4	30.9	<0.01
G23-15 (-)		0.02	1.47	19.3	583	6.7	9.7	<0.001	0.016	0.79	5.3	0.5	0.5	35.5	<0.01
G23-13 (-)		0.02	1.51	24.0	640	6.3	8.5	<0.001	0.018	0.88	5.4	0.6	0.6	39.5	<0.01
G23-11 (-)		0.02	1.70	31.6	646	5.9	9.6	<0.001	0.019	0.98	7.0	0.6	0.6	46.3	<0.01
G23-9 (-)		0.02	1.64	32.8	700	5.2	8.5	<0.001	0.016	0.98	6.7	0.7	0.6	43.5	<0.01
G23-40 (-)		0.02	1.23	18.1	442	6.1	7.6	<0.001	0.012	0.66	6.5	0.4	1.1	32.5	<0.01
G23-42 (-)		0.02	1.31	23.7	553	5.4	8.0	<0.001	0.019	0.78	6.9	0.6	0.7	38.4	<0.01
G23-44 (-)		0.01	1.09	22.0	519	5.8	8.4	<0.001	0.023	0.77	7.9	0.5	0.7	35.1	<0.01
G25-15 (-)		0.02	1.46	20.2	610	5.8	8.4	<0.001	0.023	0.87	5.0	0.6	0.6	38.4	<0.01
G25-13 (-)		0.02	1.59	27.9	634	5.7	8.3	<0.001	0.025	0.93	5.7	0.8	0.6	43.8	<0.01
G25-36 (-)		0.01	1.06	18.6	539	7.6	7.1	<0.001	0.025	0.92	5.4	0.5	0.5	39.7	<0.01
G25-38 (-)		0.01	1.08	22.0	564	6.1	9.0	<0.001	0.021	0.84	7.4	0.6	0.6	36.4	<0.01
G25-40 (-)		0.01	1.04	18.5	469	6.2	7.9	<0.001	0.018	0.72	6.1	0.4	0.6	34.5	<0.01
G25-42 (-)		0.01	0.89	20.3	563	5.0	7.5	<0.001	0.013	0.93	6.2	0.6	0.4	30.0	<0.01
G25-44 (-)		0.01	0.94	17.7	569	6.3	7.1	<0.001	0.026	0.85	6.3	0.5	0.6	36.7	<0.01
G25-46 (-)		0.01	1.22	25.4	457	5.7	9.4	<0.001	0.025	0.83	7.3	0.5	0.5	34.0	<0.01
G25-48 (-)		0.01	1.27	22.9	408	8.2	9.1	<0.001	0.026	1.08	9.3	0.6	0.6	34.6	<0.01
G25-50 (-)		0.01	0.90	19.0	398	5.1	7.0	<0.001	0.012	0.90	6.5	0.4	0.7	28.6	<0.01
G27-15 (-)		0.02	1.46	26.4	841	6.0	9.3	<0.001	0.035	1.04	5.7	0.9	0.5	45.2	<0.01
G27-13 (-)		0.02	1.38	19.1	573	6.1	8.9	<0.001	0.024	0.80	5.3	0.6	0.4	37.6	<0.01
G27-11 (-)		0.02	1.29	19.1	568	5.8	9.9	<0.001	0.027	0.62	5.3	0.4	0.5	42.5	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G27-9 (-)	0.02	1.23	21.1	593	5.9	8.5	<0.001	0.020	0.65	5.1	0.5	0.5	38.7	<0.01
G27-5 (-)	0.02	1.31	23.5	604	5.8	9.6	<0.001	0.025	0.69	5.8	0.5	0.5	41.3	<0.01
G27-3 (-)	0.02	1.27	18.5	493	6.0	9.8	<0.001	0.021	0.54	5.0	0.4	0.6	38.5	<0.01
G27-1 (-)	0.02	1.21	19.1	534	5.6	8.8	<0.001	0.022	0.63	5.2	0.4	0.5	38.6	<0.01
G27-0 (-)	0.02	1.16	18.3	561	5.1	9.3	<0.001	0.023	0.55	5.1	0.3	0.7	33.5	<0.01
G27-38 (-)	0.02	1.18	19.3	564	6.7	7.7	<0.001	0.024	0.92	6.2	0.5	0.5	41.8	<0.01
G27-40 (-)	0.02	1.32	21.9	611	7.5	9.0	<0.001	0.017	0.87	7.4	0.6	0.6	41.2	<0.01
G27-42 (-)	0.02	1.21	20.4	630	11.3	9.4	<0.001	0.027	1.37	6.7	0.6	0.5	43.8	<0.01
G27-44 (-)	0.01	1.11	20.8	461	13.6	10.1	<0.001	0.014	1.49	6.9	0.6	0.8	38.2	<0.01
G27-46 (-)	0.01	0.96	11.8	465	5.5	5.3	<0.001	0.030	0.64	9.0	0.4	0.5	31.3	<0.01
G27-48 (-)	<0.01	0.58	30.9	711	1.1	35.4	0.001	0.008	0.57	8.8	0.3	0.4	31.6	<0.01
G27-50 (-)	0.02	1.14	19.7	577	6.1	10.7	<0.001	0.014	1.00	10.5	0.6	0.6	41.3	<0.01
G29-15 (-)	0.02	1.43	18.8	574	5.8	9.5	<0.001	0.035	0.64	4.9	0.5	0.5	41.4	<0.01
G29-13 (-)	0.02	1.54	20.4	652	6.5	9.2	<0.001	0.024	0.77	5.3	0.6	0.6	45.9	<0.01
G29-11 (-)	0.02	1.58	28.4	646	6.3	8.8	<0.001	0.018	0.88	6.4	0.6	0.8	47.0	<0.01
G29-9 (-)	0.02	1.60	30.8	650	6.0	9.0	<0.001	0.026	0.95	6.4	0.6	0.8	53.0	<0.01
G29-7 (-)	0.02	1.70	30.2	597	6.7	8.8	<0.001	0.024	1.02	6.7	0.8	0.6	48.1	<0.01
G29-5 (-)	0.02	1.52	28.1	658	5.9	8.9	<0.001	0.018	1.08	7.6	0.7	0.5	43.0	<0.01
G29-38 (-)	0.01	1.06	18.5	704	6.1	20.1	<0.001	0.023	1.19	8.2	0.9	0.5	44.4	<0.01
G29-40 (-)	0.02	1.33	28.8	605	8.0	12.7	<0.001	0.043	1.48	8.7	1.3	0.4	59.8	<0.01
G31-36 (-)	0.02	1.41	34.3	458	7.9	9.0	<0.001	0.025	1.16	6.9	0.8	0.5	45.3	<0.01
G31-38 (-)	0.01	1.06	35.4	635	9.2	12.0	<0.001	0.026	1.51	7.6	0.9	0.7	40.9	<0.01
G31-40 (-)	0.02	0.98	17.2	541	6.3	16.0	0.001	0.022	1.42	11.1	0.9	1.1	46.8	<0.01
G31-42 (-)	0.02	1.25	17.5	609	5.7	7.5	<0.001	0.033	0.74	5.9	0.8	0.6	45.9	<0.01
G31-44 (-)	<0.01	0.52	8.2	1290	2.8	62.3	<0.001	0.009	0.62	6.4	0.5	0.4	39.6	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0406-25 (-)	0.03	2.9	0.068	0.07	1.15	40.6	0.23	6.86	47.1	1.5
G0406-23 (-)	0.03	3.1	0.070	0.06	0.98	37.5	0.34	6.44	51.5	1.9
G0406-21 (-)	0.03	3.6	0.071	0.07	1.00	45.8	0.44	7.55	55.3	3.3
G0406-19 (-)	0.03	2.7	0.065	0.08	1.66	50.8	0.22	10.7	59.1	1.5
G0406-17 (-)	0.03	3.6	0.099	0.11	1.06	62.6	1.35	7.22	70.2	2.8
G0406-15 (-)	0.03	3.0	0.073	0.09	1.27	50.5	0.26	7.75	54.4	2.2
G0406-13 (-)	0.04	2.7	0.116	0.15	1.14	78.6	0.37	8.98	80.9	2.7
G0406-11 (-)	0.04	2.2	0.137	0.23	0.75	83.1	0.21	5.56	88.3	3.5
G0406-9 (-)	0.04	3.1	0.093	0.09	0.67	65.7	0.35	6.28	54.6	3.2
G0406-7 (-)	0.05	2.2	0.089	0.13	0.58	56.8	0.24	4.28	66.8	1.3
G0406-5 (-)	0.04	3.3	0.083	0.08	1.06	55.4	0.28	6.21	51.3	3.0
G0406-3 (-)	0.03	3.7	0.080	0.08	0.87	47.5	0.30	8.34	56.2	2.3
G0406-1 (-)	0.05	3.3	0.085	0.09	1.55	54.9	0.36	9.06	57.9	2.2
G0406-0 (-)	0.05	3.4	0.083	0.10	1.15	54.0	0.43	8.63	56.8	2.0
G0406-2 (-)	0.09	3.5	0.083	0.16	1.13	57.7	0.44	8.66	68.2	1.1
G0406-4 (-)	0.12	1.6	0.097	0.24	1.08	83.3	0.94	9.51	59.5	<0.5
G0406-6 (-)	0.12	1.2	0.230	0.29	0.54	116	0.29	11.6	94.6	1.4
G0406-8 (-)	0.06	3.6	0.095	0.14	0.86	69.3	0.89	6.02	51.5	4.3
G0406-10 (-)	0.24	2.4	0.157	0.36	1.70	149	3.25	13.4	107	8.0
G0406-46 (-)	0.04	3.1	0.099	0.08	1.29	60.0	0.23	11.7	68.0	2.0
G0406-48 (-)	0.04	2.2	0.075	0.07	0.86	56.9	0.18	7.61	58.0	1.4
G04-25 (-)	0.03	2.8	0.070	0.08	1.38	42.5	0.29	7.87	55.4	1.6
G04-23 (-)	0.03	3.1	0.075	0.07	1.09	42.8	0.39	7.11	53.4	1.7
G04-21 (-)	0.03	2.9	0.066	0.07	0.91	35.1	0.29	6.49	49.9	2.4
G04-19 (-)	0.03	4.1	0.096	0.09	1.03	51.0	0.26	8.72	63.7	5.2
G04-17 (-)	0.03	3.8	0.085	0.09	1.33	55.4	0.29	10.1	66.9	3.0
G04-15 (-)	0.03	3.4	0.068	0.08	1.70	55.2	0.28	10.9	51.5	1.7
G04-13 (-)	0.04	3.0	0.150	0.15	0.55	81.1	0.35	6.58	68.5	6.2
G04-11 (-)	0.03	2.1	0.071	0.10	0.63	45.1	0.29	4.40	46.9	0.6
G04-09 (-)	0.04	2.2	0.105	0.21	0.76	93.9	0.26	5.83	103	1.4
G04-07 (-)	0.03	3.8	0.081	0.08	1.00	55.3	0.18	8.04	50.3	3.1
G04-05 (-)	0.04	3.2	0.084	0.08	0.96	61.9	0.68	7.97	49.9	2.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G04-03 (-)	0.03	3.8	0.074	0.08	1.12	46.9	0.29	8.55	52.0	2.5
G04-01 (-)	0.07	3.5	0.093	0.10	1.05	57.2	0.64	9.81	60.3	2.6
G04-00 (-)	0.10	3.4	0.079	0.12	0.96	56.1	0.35	11.9	83.8	3.2
G04-02 (-)	0.08	1.1	0.118	0.11	0.38	75.7	0.32	3.69	54.3	<0.5
G04-04 (-)	0.36	1.6	0.154	0.27	0.95	130	1.01	9.68	85.5	1.5
G04-06 (-)	0.07	2.9	0.114	0.21	0.61	81.7	0.51	4.78	55.6	3.2
G04-08 (-)	0.04	2.8	0.082	0.08	0.93	57.0	0.33	8.05	62.0	1.1
G04-46 (-)	0.17	3.4	0.138	0.22	1.86	83.4	5.62	11.0	100	4.9
G04-48 (-)	0.03	1.9	0.075	0.08	0.82	59.1	0.27	6.86	72.4	0.9
G04-50 (-)	0.02	2.0	0.072	0.07	1.14	57.0	0.21	9.64	68.6	1.6
G0204-25 (-)	0.03	3.4	0.072	0.06	1.05	40.0	0.15	6.79	54.9	1.3
G0204-23 (-)	0.02	3.3	0.086	0.07	1.22	41.2	0.25	6.74	58.2	1.7
G0204-21 (-)	0.04	3.8	0.074	0.09	1.64	61.4	0.22	11.9	48.2	3.2
G0204-19 (-)	0.02	3.1	0.073	0.07	1.00	45.9	0.30	7.25	55.7	2.4
G0204-17 (-)	0.03	3.3	0.076	0.07	1.19	52.5	0.41	8.83	59.5	1.8
G0204-15 (-)	0.03	2.3	0.067	0.08	1.54	53.7	0.42	8.34	51.2	2.1
G0204-13 (-)	0.03	2.7	0.068	0.09	2.05	51.1	0.57	14.1	65.3	1.9
G0204-11 (-)	0.06	2.6	0.127	0.12	0.76	78.2	0.27	6.07	79.5	2.7
G0204-9 (-)	0.04	3.0	0.081	0.14	1.08	68.5	0.22	10.9	75.5	1.7
G0204-7 (-)	0.04	3.3	0.073	0.06	1.20	58.6	1.15	9.61	55.0	1.7
G0204-5 (-)	0.08	2.0	0.134	0.13	0.62	96.2	0.40	8.47	89.1	3.0
G0204-3 (-)	0.03	3.7	0.079	0.08	0.78	45.9	0.33	5.14	47.0	3.6
G0204-1 (-)	0.04	2.8	0.090	0.11	0.75	58.0	1.45	8.89	60.8	2.3
G0204-0 (-)	0.07	2.8	0.077	0.09	0.80	53.8	0.51	6.97	62.2	1.0
G0204-2 (-)	0.08	2.2	0.118	0.13	0.43	78.2	0.50	4.67	67.0	1.9
G0204-4 (-)	0.09	3.8	0.089	0.14	1.10	61.9	0.71	15.9	79.1	2.4
G0204-6 (-)	0.11	3.5	0.164	0.22	1.34	96.7	0.79	19.4	103	4.1
G0204-8 (-)	0.08	4.0	0.108	0.18	1.42	72.8	3.17	11.8	84.1	3.8
G0204-44 (-)	0.03	2.5	0.091	0.07	1.21	59.2	0.59	11.5	68.8	1.6
G0204-46 (-)	0.03	2.7	0.088	0.08	1.11	59.4	0.82	10.6	67.4	1.0
G0204-48 (-)	0.03	2.6	0.085	0.08	0.89	61.1	0.34	7.81	70.2	0.9
G02-23 (-)	0.03	3.3	0.084	0.11	1.51	54.5	0.20	8.05	67.8	1.6

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
	Unit: RDL:	ppm 0.01	ppm 0.1	% 0.005	ppm 0.01	ppm 0.05	ppm 0.5	ppm 0.05	ppm 0.05	ppm 0.5	ppm 0.5
G02-21 (-)		0.03	3.4	0.086	0.09	1.11	50.8	0.23	7.93	59.3	2.6
G02-19 (-)		0.03	3.4	0.084	0.09	1.05	50.2	0.23	7.93	57.6	2.5
G02-17 (-)		0.03	3.4	0.081	0.08	1.32	53.7	0.27	9.48	61.6	2.2
G02-15 (-)		0.03	3.7	0.087	0.08	0.80	47.3	0.32	7.62	52.8	2.6
G02-11 (-)		0.03	2.9	0.080	0.12	0.79	76.0	0.94	8.82	78.5	1.8
G02-9 (-)		0.04	3.2	0.076	0.08	1.19	61.2	0.39	9.94	71.8	1.6
G02-7 (-)		0.05	2.7	0.111	0.09	0.82	112	0.41	8.53	75.0	3.1
G02-44 (-)		0.03	2.8	0.094	0.07	0.97	56.2	0.25	9.24	64.5	1.4
G02-46 (-)		0.02	2.3	0.082	0.08	0.84	57.3	0.28	7.83	63.8	0.7
G02-48 (-)		0.03	2.6	0.086	0.08	0.88	57.4	0.33	7.69	62.7	0.7
G02-50 (-)		0.03	2.3	0.081	0.09	0.86	59.1	0.28	8.78	62.1	0.6
G00-25 (-)		0.03	2.7	0.077	0.08	1.78	52.1	0.33	11.5	63.3	1.4
G00-23 (-)		0.03	4.1	0.093	0.10	1.29	56.4	0.20	9.55	70.8	2.4
G00-19 (-)		0.03	3.0	0.075	0.08	1.13	52.0	0.32	7.85	47.4	1.9
G00-15 (-)		0.04	3.2	0.079	0.10	1.06	63.0	0.41	9.59	68.0	2.1
G00-13 (-)		0.03	2.5	0.055	0.07	1.13	50.8	0.21	7.49	54.9	1.1
G00-11 (-)		0.04	4.6	0.104	0.15	0.65	59.2	0.91	10.2	83.0	10.9
G00-9 (-)		0.08	1.7	0.169	0.15	0.36	118	0.16	7.01	78.5	2.9
G00-7 (-)		0.09	1.9	0.180	0.13	0.51	91.9	1.12	7.76	71.1	2.9
G00-5 (-)		0.06	4.7	0.105	0.11	1.11	60.4	0.36	8.47	78.3	4.8
G00-3 (-)		0.03	2.3	0.188	0.12	0.73	110	0.35	7.15	80.4	4.2
G00-1 (-)		0.04	4.0	0.083	0.07	0.92	53.6	0.33	10.3	51.9	2.9
G00-0 (-)		0.07	3.5	0.088	0.10	0.91	60.1	0.36	9.48	56.9	3.0
G00-2 (-)		0.05	3.5	0.084	0.08	0.79	54.9	0.32	9.07	46.9	2.3
G00-4 (-)		0.32	1.7	0.107	0.44	0.48	123	1.39	15.7	118	1.3
G00-6 (-)		0.21	2.5	0.100	0.55	0.99	113	2.72	12.0	145	1.7
G00-8 (-)		0.07	3.5	0.108	0.17	1.03	78.5	1.69	8.08	80.9	3.0
G00-42 (-)		0.04	2.7	0.171	0.18	0.60	72.3	0.76	10.9	88.7	1.7
G00-44 (-)		0.03	1.9	0.075	0.07	0.86	58.8	0.58	8.74	71.5	1.4
G00-46 (-)		0.04	3.1	0.104	0.09	0.69	58.9	0.68	9.48	69.5	1.8
G00-48 (-)		0.04	2.4	0.086	0.09	0.78	56.9	0.33	9.76	61.9	1.4
G00-50 (-)		0.03	2.6	0.084	0.07	0.85	53.5	0.25	8.78	67.0	1.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G00-52 (-)	0.03	2.8	0.083	0.08	0.97	56.3	0.26	10.2	62.9	1.4
G00-54 (-)	0.04	3.0	0.098	0.07	0.68	60.3	0.47	8.18	62.5	3.3
G00-56 (-)	0.03	2.3	0.091	0.08	1.46	67.0	0.38	14.9	68.6	1.6
G00-58 (-)	0.03	2.2	0.128	0.12	0.57	89.1	0.39	7.86	93.8	1.1
G01-23 (-)	0.03	2.9	0.086	0.09	1.35	50.2	0.21	8.55	66.7	1.6
G01-19 (-)	0.04	3.5	0.077	0.08	1.27	57.7	0.29	10.5	61.9	2.9
G01-15 (-)	0.04	2.8	0.075	0.08	1.15	57.1	0.21	9.58	57.6	1.6
G01-13 (-)	0.04	3.5	0.085	0.07	1.37	57.5	0.44	10.7	60.5	2.2
G01-11 (-)	0.03	3.8	0.081	0.08	2.03	51.3	0.27	10.5	74.6	3.3
G01-9 (-)	0.04	3.5	0.076	0.08	2.33	52.8	0.29	10.8	62.1	2.1
G01-7 (-)	0.04	2.3	0.100	0.08	0.93	61.6	0.34	8.45	57.8	1.2
G01-12 (-)	0.08	3.0	0.135	0.29	1.29	108	4.93	12.1	82.9	3.2
G01-14 (-)	0.08	2.0	0.097	0.16	1.62	92.0	6.39	11.0	71.0	0.8
G01-16 (-)	0.05	5.6	0.086	0.16	2.20	49.1	4.51	10.5	54.3	3.7
G01-18 (-)	0.04	2.0	0.085	0.09	1.29	66.3	0.99	12.1	70.7	1.6
G01-20 (-)	0.08	3.6	0.136	0.14	1.96	76.2	5.12	12.2	69.4	2.2
G01-22 (-)	0.08	2.4	0.140	0.17	0.96	84.2	6.50	7.36	60.0	1.8
G01-24 (-)	0.10	1.8	0.149	0.23	0.75	101	6.48	7.94	66.6	2.0
G01-26 (-)	0.10	2.3	0.131	0.19	1.06	94.3	5.39	11.5	75.6	1.7
G01-28 (-)	0.12	2.3	0.156	0.20	1.14	101	7.76	13.7	85.8	1.6
G01-30 (-)	0.15	2.4	0.123	0.18	1.32	88.3	2.87	15.6	82.3	1.4
G01-32 (-)	0.21	1.8	0.163	0.21	0.81	91.0	3.15	9.44	61.3	2.0
G01-34 (-)	0.16	2.8	0.127	0.21	0.89	79.7	1.85	14.4	66.0	4.0
G01-36 (-)	0.11	1.7	0.121	0.18	0.37	81.1	0.70	3.86	67.4	0.6
G01-38 (-)	0.11	1.9	0.110	0.16	1.04	78.4	0.74	13.7	82.4	1.3
G01-40 (-)	0.06	2.9	0.100	0.13	0.91	66.1	0.51	9.86	70.0	3.3
G01-42 (-)	0.07	3.6	0.145	0.35	0.73	125	0.54	21.6	87.9	3.1
G01-44 (-)	0.04	1.9	0.079	0.07	0.79	60.6	2.94	9.17	67.6	1.1
G01-46 (-)	0.04	1.9	0.070	0.06	0.70	49.4	0.66	6.31	58.3	0.9
G01-48 (-)	0.04	2.6	0.081	0.08	0.88	56.7	0.28	8.61	68.1	1.3
G01-50 (-)	0.04	2.0	0.085	0.07	0.52	62.7	0.31	7.30	62.9	1.6
G01-52 (-)	0.04	2.1	0.076	0.06	0.72	60.0	0.31	8.15	64.8	1.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G01-54 (-)	0.03	2.8	0.096	0.06	0.74	62.7	0.39	8.00	62.1	2.4
G01-56 (-)	0.03	1.8	0.071	0.07	0.98	72.8	0.38	12.0	75.6	1.5
G03-23 (-)	0.02	2.9	0.073	0.06	1.11	41.4	0.25	6.84	51.2	1.7
G03-21 (-)	0.03	3.8	0.077	0.08	1.18	50.8	0.24	10.0	64.1	3.2
G03-17 (-)	0.03	3.4	0.080	0.07	1.11	48.5	0.31	8.54	60.2	3.1
G03-24 (-)	0.03	4.2	0.084	0.09	1.05	47.0	0.29	9.09	70.6	3.4
G03-26 (-)	0.03	4.6	0.087	0.09	0.68	47.2	0.38	10.3	75.9	4.9
G03-28 (-)	0.03	3.8	0.081	0.08	0.96	45.7	0.86	8.62	68.7	3.3
G03-30 (-)	0.03	4.5	0.089	0.09	0.78	50.9	0.39	10.4	76.3	4.6
G03-32 (-)	0.03	4.0	0.090	0.09	0.71	50.0	0.45	9.56	71.9	3.4
G03-34 (-)	0.03	4.2	0.095	0.07	1.06	57.0	0.44	10.6	66.1	3.5
G03-36 (-)	0.04	3.2	0.104	0.10	0.64	59.0	0.70	9.44	60.6	3.9
G03-38 (-)	0.04	2.9	0.110	0.09	0.92	66.6	0.69	7.07	63.4	1.5
G03-40 (-)	0.04	3.0	0.099	0.07	1.65	54.3	0.72	9.60	58.6	2.1
G03-42 (-)	0.04	2.3	0.089	0.07	0.89	54.6	0.79	6.77	52.5	1.4
G03-44 (-)	0.03	2.4	0.086	0.06	0.83	51.4	0.72	6.43	54.3	1.3
G03-48 (-)	0.03	2.2	0.092	0.06	0.83	49.5	0.30	6.85	50.0	1.4
G03-52 (-)	0.03	2.2	0.100	0.07	1.14	58.9	0.26	7.67	61.7	1.5
G03-54 (-)	0.03	2.1	0.086	0.07	0.79	72.3	0.14	7.96	69.8	1.4
G03-56 (-)	0.07	3.9	0.107	0.13	3.37	66.2	4.17	14.2	54.3	2.0
G03-58 (-)	0.04	1.5	0.065	0.07	0.80	64.7	0.99	12.4	80.0	0.8
G0305-24 (-)	0.03	4.8	0.083	0.10	1.28	48.8	0.33	9.92	73.2	2.7
G0305-26 (-)	0.03	4.1	0.110	0.10	1.25	70.4	0.41	9.26	69.2	4.8
G0305-28 (-)	0.04	2.6	0.100	0.08	0.47	76.2	1.17	9.63	59.9	8.1
G0305-30 (-)	0.03	2.3	0.089	0.07	0.40	73.1	0.48	9.27	57.4	6.9
G0305-32 (-)	0.03	2.8	0.086	0.09	0.76	57.2	0.53	6.41	49.3	3.2
G0305-34 (-)	0.03	3.5	0.090	0.06	1.28	57.2	0.45	8.54	53.5	2.3
G0305-36 (-)	0.03	3.0	0.086	0.06	1.39	51.2	0.60	9.22	51.1	2.3
G0305-38 (-)	0.04	2.8	0.106	0.10	1.05	66.2	1.18	10.8	63.8	1.4
G0305-40 (-)	0.03	2.8	0.097	0.07	0.89	53.2	1.10	9.89	59.9	1.9
G0305-42 (-)	0.04	2.2	0.078	0.07	0.77	48.0	0.68	6.96	52.4	1.6
G0305-44 (-)	0.02	2.2	0.073	0.06	1.02	41.7	2.10	6.74	48.1	1.4

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0305-46 (-)	0.03	2.8	0.075	0.06	0.84	43.0	0.63	7.13	50.1	1.8
G05-42 (-)	0.04	2.7	0.088	0.08	0.79	56.8	0.64	7.89	56.0	2.3
G05-44 (-)	0.03	2.6	0.086	0.06	0.72	45.7	0.63	5.97	50.1	1.9
G05-46 (-)	0.03	2.5	0.119	0.07	0.60	56.9	0.46	7.73	57.6	3.7
G05-48 (-)	0.03	2.3	0.082	0.07	0.93	50.3	0.40	6.75	54.7	1.5
G05-50 (-)	0.04	2.7	0.072	0.07	1.14	45.2	0.39	6.61	48.3	1.4
G05-52 (-)	0.04	2.2	0.125	0.09	0.56	67.8	0.50	8.34	73.6	2.8
G05-54 (-)	0.04	2.3	0.117	0.09	0.41	56.5	0.25	8.12	66.3	5.6
G05-56 (-)	0.03	2.5	0.094	0.06	0.81	47.7	0.70	7.45	49.1	2.6
G05-58 (-)	0.03	2.2	0.091	0.07	0.95	47.1	0.21	8.82	46.2	3.1
G05-60 (-)	0.03	2.4	0.093	0.08	0.49	46.4	0.27	7.41	50.1	2.9
G0507-15 (-)	0.03	3.5	0.084	0.07	1.15	46.6	0.56	7.89	54.6	2.5
G0507-13 (-)	0.03	2.5	0.084	0.07	2.02	48.3	0.53	7.92	53.2	2.3
G0507-11 (-)	0.03	2.6	0.079	0.07	1.05	46.5	1.51	6.61	49.4	1.4
G0507-5 (-)	0.03	3.8	0.079	0.06	1.49	46.6	0.28	8.06	53.6	3.8
G0507-3 (-)	0.03	4.2	0.079	0.07	0.88	50.8	0.22	8.40	53.3	3.4
G0507-1 (-)	0.03	3.8	0.075	0.09	1.03	49.7	0.22	9.14	73.5	5.0
G0507-0 (-)	0.03	4.3	0.077	0.07	1.00	48.4	0.31	8.90	53.3	3.9
G0507-34 (-)	0.05	2.5	0.083	0.11	0.57	67.6	1.13	10.8	60.6	6.2
G0507-36 (-)	0.03	3.7	0.097	0.08	0.74	55.4	0.80	8.95	54.3	3.7
G0507-38 (-)	0.03	2.0	0.076	0.07	0.71	45.6	0.91	5.54	46.3	0.8
G0507-40 (-)	0.04	3.1	0.094	0.08	0.83	58.8	0.88	6.75	55.6	1.7
G0507-42 (-)	0.05	2.8	0.113	0.13	0.46	73.4	1.99	9.13	76.3	6.7
G0507-44 (-)	0.03	2.6	0.104	0.07	0.71	52.9	0.91	6.42	54.4	1.8
G0507-46 (-)	0.03	2.9	0.090	0.07	0.85	47.2	0.27	7.14	51.4	1.8
G07-23 (-)	0.03	3.4	0.092	0.09	1.44	48.4	0.25	8.61	68.1	2.7
G07-40 (-)	0.03	2.9	0.109	0.07	0.84	52.3	0.54	7.61	53.0	2.0
G07-42 (-)	0.03	2.5	0.126	0.09	0.46	65.8	1.52	5.59	57.0	3.9
G07-44 (-)	0.03	2.9	0.104	0.06	0.59	48.1	0.51	6.95	54.9	3.2
G07-46 (-)	0.04	2.6	0.069	0.07	1.36	46.6	0.27	8.24	52.3	1.8
G07-48 (-)	0.03	2.7	0.099	0.07	0.69	51.2	0.39	7.98	57.3	1.7
G07-50 (-)	0.03	2.4	0.092	0.07	0.61	46.9	0.69	6.85	49.6	1.7

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G07-52 (-)	0.04	2.6	0.097	0.07	1.15	55.4	0.54	8.04	59.9	2.1
G07-54 (-)	0.03	2.0	0.088	0.07	0.75	50.2	0.56	8.62	50.8	1.7
G07-56 (-)	0.03	2.0	0.094	0.06	0.75	46.8	0.65	7.33	51.2	1.8
G07-58 (-)	0.03	2.2	0.103	0.07	0.65	51.1	1.09	7.48	49.0	2.7
G07-60 (-)	0.03	2.6	0.115	0.08	0.74	51.6	0.23	9.19	52.2	3.2
G0709-23 (-)	0.04	2.5	0.098	0.10	1.22	59.9	0.40	8.76	73.9	2.0
G0709-19 (-)	0.03	2.6	0.087	0.07	1.36	49.6	0.85	7.58	52.2	1.4
G09-23 (-)	0.04	2.9	0.079	0.08	1.24	56.7	0.46	8.59	67.5	2.4
G09-36 (-)	0.04	3.3	0.063	0.06	1.19	43.1	0.49	9.32	45.0	3.2
G09-38 (-)	0.03	2.5	0.068	0.06	0.90	44.0	5.72	6.40	50.5	1.5
G09-40 (-)	0.03	2.6	0.088	0.06	0.67	44.6	2.42	5.00	48.2	2.2
G09-42 (-)	0.03	2.9	0.085	0.07	1.52	48.6	0.30	7.79	56.5	2.2
G09-44 (-)	0.03	2.1	0.076	0.07	0.85	48.2	1.51	9.24	52.9	1.8
G09-46 (-)	0.03	2.9	0.088	0.08	0.53	48.9	0.58	7.83	54.7	2.8
G09-48 (-)	0.03	2.3	0.099	0.07	0.43	48.0	0.68	8.34	47.2	5.9
G09-50 (-)	0.03	2.3	0.095	0.06	0.43	42.0	0.83	8.12	46.2	6.4
G09-52 (-)	0.03	2.8	0.101	0.07	0.66	52.9	0.68	7.26	57.0	2.6
G09-54 (-)	0.04	2.9	0.095	0.07	0.84	53.2	2.13	8.67	60.3	2.7
G09-56 (-)	0.03	2.1	0.089	0.06	0.68	52.0	1.23	7.46	55.3	2.2
G09-58 (-)	0.03	2.0	0.088	0.06	0.83	52.9	0.43	7.27	51.4	2.1
G09-60 (-)	0.04	2.5	0.103	0.08	0.54	51.5	0.99	6.75	53.2	3.1
G11-17 (-)	0.04	3.4	0.075	0.06	0.75	45.3	0.20	8.41	50.1	3.4
G11-24 (-)	0.02	2.9	0.075	0.08	1.18	47.8	0.21	5.49	55.3	1.0
G11-26 (-)	0.04	3.0	0.073	0.09	2.07	48.7	0.26	8.98	51.8	1.3
G11-28 (-)	0.03	2.9	0.085	0.08	1.03	48.6	0.77	5.29	49.7	1.0
G11-30 (-)	0.04	4.0	0.111	0.08	1.68	57.8	0.53	10.7	59.0	3.6
G11-32 (-)	0.03	3.3	0.089	0.07	1.18	45.7	0.24	5.57	47.3	4.3
G11-34 (-)	0.04	3.4	0.093	0.07	1.07	47.4	0.65	5.89	47.5	5.0
G11-36 (-)	0.03	3.5	0.088	0.06	1.44	52.1	0.34	8.11	52.7	2.9
G11-38 (-)	0.03	3.7	0.078	0.07	1.09	47.2	0.32	10.5	66.1	3.5
G11-40 (-)	0.03	2.9	0.107	0.07	1.01	50.4	0.28	7.46	55.2	2.4
G11-42 (-)	0.04	2.1	0.088	0.08	1.05	53.4	0.66	7.59	50.1	1.4

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G11-44 (-)	0.03	2.1	0.075	0.07	1.21	53.9	0.78	8.29	52.8	1.9
G11-46 (-)	0.03	2.0	0.091	0.07	0.91	59.0	0.51	8.09	68.0	1.9
G11-48 (-)	0.03	2.6	0.078	0.07	1.02	46.8	0.33	8.40	55.9	2.3
G11-50 (-)	0.04	2.6	0.088	0.09	0.53	42.8	0.56	8.81	53.8	3.7
G11-52 (-)	0.03	1.8	0.074	0.07	0.81	52.2	0.32	8.54	50.6	2.0
G11-54 (-)	0.03	2.8	0.100	0.07	0.71	53.7	2.52	8.49	57.4	3.5
G11-56 (-)	0.03	2.3	0.089	0.06	0.73	55.4	1.34	7.10	54.3	1.9
G11-58 (-)	0.03	2.4	0.087	0.06	0.88	54.4	0.29	7.69	49.5	2.3
G11-60 (-)	0.03	2.0	0.087	0.06	0.72	48.7	0.16	6.31	48.0	2.2
G13-21 (-)	0.03	3.0	0.079	0.09	1.68	53.7	0.41	9.95	67.1	2.3
G13-30 (-)	0.03	2.4	0.089	0.08	0.98	50.2	0.69	5.29	51.6	1.0
G13-32 (-)	0.03	3.8	0.097	0.08	1.81	50.6	0.22	8.07	54.0	3.0
G13-34 (-)	0.03	3.5	0.095	0.08	1.16	49.3	0.23	8.18	54.4	3.4
G13-36 (-)	0.04	3.6	0.094	0.08	2.64	52.6	0.34	8.49	58.5	3.0
G13-38 (-)	0.03	3.9	0.099	0.07	1.32	52.4	0.33	9.51	55.9	4.1
G13-40 (-)	0.03	3.4	0.113	0.07	0.92	57.7	0.25	8.77	62.9	2.9
G13-42 (-)	0.03	2.4	0.109	0.07	1.07	57.9	1.60	7.54	59.0	1.6
G13-44 (-)	0.03	2.1	0.108	0.08	1.10	59.3	1.61	8.22	54.5	1.8
G13-46 (-)	0.04	2.7	0.119	0.09	0.61	60.9	0.75	8.42	60.9	2.7
G13-48 (-)	0.04	2.1	0.105	0.06	0.83	57.3	1.03	7.08	50.4	1.7
G13-50 (-)	0.04	3.2	0.115	0.09	0.91	62.5	0.27	9.17	65.4	3.7
G13-52 (-)	0.04	3.1	0.104	0.08	1.23	59.5	0.23	12.2	61.6	3.1
G13-54 (-)	0.03	3.0	0.140	0.10	0.69	65.6	0.42	11.7	70.2	3.6
G13-56 (-)	0.03	2.8	0.116	0.08	0.75	62.7	0.19	8.42	60.5	2.2
G13-58 (-)	0.04	2.6	0.114	0.06	0.62	67.5	0.46	6.83	56.4	2.8
G13-60 (-)	0.04	2.3	0.107	0.06	0.78	64.1	0.22	8.02	53.0	2.5
G1315-19 (-)	0.03	2.5	0.071	0.07	0.92	48.6	0.48	7.12	47.0	1.7
G15-48 (-)	0.04	1.5	0.110	0.08	0.90	64.1	0.22	6.90	58.2	1.2
G15-50 (-)	0.05	2.0	0.114	0.09	1.20	76.6	0.33	9.89	68.5	2.2
G15-52 (-)	0.06	2.4	0.066	0.08	0.99	64.2	1.44	12.0	70.0	1.3
G15-54 (-)	0.04	3.2	0.085	0.09	0.98	54.7	0.36	9.17	57.3	2.1
G15-56 (-)	0.04	2.6	0.068	0.09	0.97	51.6	0.19	12.5	80.3	1.5

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G15-58 (-)	0.05	2.4	0.123	0.10	0.65	80.1	0.20	12.1	80.8	3.2
G15-60 (-)	0.04	1.5	0.149	0.09	0.84	106	0.24	11.9	65.0	2.1
G19-1 (-)	0.48	6.1	0.141	0.42	1.06	59.2	0.88	17.3	196	6.1
G19-46 (-)	0.03	2.1	0.144	0.10	0.65	75.7	0.32	6.57	72.5	1.9
G19-48 (-)	0.03	1.8	0.129	0.10	0.86	90.1	0.18	7.04	73.3	1.4
G19-50 (-)	0.03	2.7	0.080	0.08	1.45	86.3	0.18	12.1	80.8	2.9
G19-52 (-)	0.04	1.2	0.072	0.07	0.40	112	0.08	4.29	210	1.3
G21-44 (-)	0.04	2.1	0.088	0.07	0.83	69.8	0.37	7.95	71.8	1.2
G21-46 (-)	0.04	1.3	0.172	0.11	0.29	78.2	0.22	4.77	81.3	2.2
G21-48 (-)	0.03	2.2	0.108	0.08	0.85	70.5	0.27	7.63	67.4	1.3
G21-50 (-)	0.03	2.1	0.087	0.07	1.12	68.3	0.19	10.2	64.5	1.5
G23-17 (-)	0.04	2.8	0.085	0.07	0.68	51.9	0.70	6.81	55.5	1.9
G23-15 (-)	0.03	3.6	0.073	0.08	1.01	50.8	0.28	8.31	52.7	2.6
G23-13 (-)	0.04	3.5	0.078	0.08	1.04	50.3	0.27	9.60	59.0	2.0
G23-11 (-)	0.04	3.5	0.101	0.10	0.92	51.8	0.27	11.1	67.1	4.3
G23-9 (-)	0.03	2.9	0.103	0.10	0.71	52.3	0.31	10.8	64.5	4.9
G23-40 (-)	0.03	2.6	0.105	0.08	0.73	64.3	0.42	6.58	66.1	2.0
G23-42 (-)	0.02	2.8	0.094	0.08	1.15	58.4	0.39	9.44	69.4	2.2
G23-44 (-)	0.03	2.2	0.084	0.09	0.97	69.0	0.23	8.86	63.6	1.6
G25-15 (-)	0.03	3.0	0.088	0.07	0.88	50.4	0.21	7.86	73.9	2.4
G25-13 (-)	0.03	3.0	0.094	0.08	0.98	52.1	0.20	9.50	57.7	3.6
G25-36 (-)	0.03	2.1	0.063	0.07	1.29	52.1	0.30	7.65	62.0	1.7
G25-38 (-)	0.03	2.4	0.081	0.09	1.04	62.6	0.22	8.66	72.2	1.7
G25-40 (-)	0.03	2.2	0.061	0.09	0.87	57.1	0.59	7.44	65.4	1.0
G25-42 (-)	0.04	2.1	0.078	0.08	0.71	62.6	0.53	7.06	60.4	1.4
G25-44 (-)	0.03	1.9	0.068	0.08	0.61	65.2	0.24	5.81	63.1	1.5
G25-46 (-)	0.03	2.8	0.091	0.08	0.96	67.7	0.32	8.72	61.4	3.0
G25-48 (-)	0.04	2.7	0.067	0.08	1.10	67.7	0.46	10.9	60.0	3.3
G25-50 (-)	0.03	2.3	0.082	0.08	0.68	53.8	0.35	9.74	53.3	1.6
G27-15 (-)	0.04	2.6	0.064	0.07	1.32	52.9	0.27	11.5	64.0	1.8
G27-13 (-)	0.03	2.7	0.076	0.08	1.03	47.9	0.29	8.71	57.4	1.3
G27-11 (-)	0.03	2.3	0.076	0.07	1.02	47.6	0.29	8.22	59.1	1.1

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y631033

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 15, 2012

DATE RECEIVED: Aug 14, 2012

DATE REPORTED: Sep 26, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G27-9 (-)	0.03	2.5	0.076	0.07	0.93	50.5	0.59	8.00	61.7	1.1
G27-5 (-)	0.03	2.6	0.079	0.08	0.90	50.9	1.83	8.17	75.9	1.1
G27-3 (-)	0.03	2.3	0.068	0.08	0.92	45.4	0.45	7.21	53.7	1.0
G27-1 (-)	0.04	2.4	0.073	0.08	0.79	47.7	1.59	7.33	57.2	1.1
G27-0 (-)	0.03	3.1	0.084	0.07	0.84	46.1	1.43	6.57	57.6	1.6
G27-38 (-)	0.03	2.4	0.070	0.08	1.02	58.8	0.29	8.33	62.1	1.4
G27-40 (-)	0.04	2.7	0.110	0.09	0.82	68.0	0.21	7.44	75.7	2.1
G27-42 (-)	0.04	3.4	0.058	0.10	2.07	54.3	0.25	11.3	75.9	2.3
G27-44 (-)	0.05	3.1	0.065	0.10	2.31	59.2	0.44	10.6	75.2	2.0
G27-46 (-)	0.03	2.1	0.046	0.08	0.93	90.4	0.23	6.29	55.6	1.0
G27-48 (-)	0.04	1.1	0.316	0.20	0.31	140	0.23	4.60	113	3.8
G27-50 (-)	0.05	2.9	0.076	0.10	0.97	84.9	0.27	11.7	72.0	0.8
G29-15 (-)	0.03	2.9	0.085	0.08	1.06	44.5	0.21	8.56	56.6	1.5
G29-13 (-)	0.03	3.4	0.077	0.08	1.04	49.1	0.25	9.13	57.2	2.1
G29-11 (-)	0.04	3.6	0.098	0.08	1.15	55.9	0.23	10.6	62.0	3.1
G29-9 (-)	0.02	3.3	0.092	0.08	1.62	54.2	0.21	11.2	64.0	3.2
G29-7 (-)	0.03	3.7	0.099	0.09	1.56	57.5	0.36	12.2	68.5	4.1
G29-5 (-)	0.04	4.0	0.106	0.10	0.85	58.4	1.40	10.8	77.1	4.5
G29-38 (-)	0.04	2.5	0.116	0.13	0.75	71.8	0.22	9.91	93.7	1.7
G29-40 (-)	0.04	2.7	0.070	0.13	1.66	62.3	0.33	13.1	80.0	2.1
G31-36 (-)	0.03	2.9	0.068	0.08	1.22	47.8	0.44	12.3	69.0	2.3
G31-38 (-)	0.06	2.1	0.064	0.08	0.82	49.6	1.25	13.5	86.5	0.8
G31-40 (-)	0.04	2.1	0.149	0.12	0.66	111	0.32	10.5	95.3	3.2
G31-42 (-)	0.03	1.8	0.066	0.09	1.30	61.0	0.28	9.72	54.9	0.7
G31-44 (-)	0.02	1.2	0.325	0.29	0.48	85.7	0.31	9.29	153	2.6

Comments: RDL - Reported Detection Limit

Certified By:

## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615252	0.11	0.11	0.0%	< 0.01	11.5	13.0	88%	80%	120%	
Al	1	3615252	1.06	1.06	0.0%	< 0.01				80%	120%	
As	1	3615252	7.27	6.28	14.6%	0.3				80%	120%	
Au	1	3615252	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615252	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615252	197	193	2.1%	< 1				80%	120%	
Be	1	3615252	0.283	0.288	1.8%	< 0.05				80%	120%	
Bi	1	3615252	0.09	0.09	0.0%	< 0.01				80%	120%	
Ca	1	3615252	0.726	0.724	0.3%	< 0.01				80%	120%	
Cd	1	3615252	0.184	0.188	2.2%	< 0.01				80%	120%	
Ce	1	3615252	21.9	22.5	2.7%	< 0.01				80%	120%	
Co	1	3615252	7.0	7.0	0.0%	< 0.1				80%	120%	
Cr	1	3615252	25.9	26.3	1.5%	< 0.5				80%	120%	
Cs	1	3615252	0.720	0.769	6.6%	< 0.05				80%	120%	
Cu	1	3615252	21.0	20.3	3.4%	< 0.1	6431	6000	107%	80%	120%	
Fe	1	3615252	1.89	1.89	0.0%	< 0.01				80%	120%	
Ga	1	3615252	3.32	3.32	0.0%	< 0.05				80%	120%	
Ge	1	3615252	0.08	0.08	0.0%	< 0.05				80%	120%	
Hf	1	3615252	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3615252	0.025	0.023	8.3%	< 0.01				80%	120%	
In	1	3615252	0.017	0.017	0.0%	< 0.005				80%	120%	
K	1	3615252	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3615252	11.5	11.9	3.4%	< 0.1				80%	120%	
Li	1	3615252	7.54	7.58	0.5%	< 0.1				80%	120%	
Mg	1	3615252	0.50	0.50	0.0%	< 0.01				80%	120%	
Mn	1	3615252	325	325	0.0%	< 1				80%	120%	
Mo	1	3615252	0.93	0.84	10.2%	< 0.05	322	360	89%	80%	120%	
Na	1	3615252	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615252	1.24	1.25	0.8%	< 0.05				80%	120%	
Ni	1	3615252	17.9	18.6	3.8%	< 0.2				80%	120%	
P	1	3615252	591	606	2.5%	< 10	621	600	103%	80%	120%	
Pb	1	3615252	5.51	5.32	3.5%	< 0.1				80%	120%	
Rb	1	3615252	7.4	7.5	1.3%	< 0.1	11	13	82%	80%	120%	
Re	1	3615252	0.001	0.001	0.0%	< 0.001				80%	120%	
S	1	3615252	0.029	0.029	0.0%	< 0.005				80%	120%	
Sb	1	3615252	0.52	0.50	3.9%	< 0.05				80%	120%	
Sc	1	3615252	3.5	3.6	2.8%	< 0.1				80%	120%	
Se	1	3615252	0.44	0.51	14.7%	< 0.2				80%	120%	
Sn	1	3615252	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3615252	46.3	46.4	0.2%	< 0.2				80%	120%	
Ta	1	3615252	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615252	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3615252	2.9	3.0	3.4%	< 0.1				80%	120%	
Ti	1	3615252	0.068	0.069	1.5%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)										
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper
Tl	1	3615252	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3615252	1.15	1.14	0.9%	< 0.05				80% 120%
V	1	3615252	40.6	40.9	0.7%	< 0.5				80% 120%
W	1	3615252	0.23	0.82		< 0.05				80% 120%
Y	1	3615252	6.86	6.90	0.6%	< 0.05				80% 120%
Zn	1	3615252	47.1	48.3	2.5%	< 0.5				80% 120%
Zr	1	3615252	1.5	1.5	0.0%	< 0.5				80% 120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)										
Ag	1	3615277	0.17	0.26		< 0.01	11.9	13.0	92%	80% 120%
Al	1	3615277	1.43	1.42	0.7%	< 0.01				80% 120%
As	1	3615277	10.2	10.6	3.8%	0.2				80% 120%
Au	1	3615277	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
B	1	3615277	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3615277	343	347	1.2%	< 1				80% 120%
Be	1	3615277	0.41	0.41	0.0%	< 0.05	0.3	0.4	75%	80% 120%
Bi	1	3615277	0.14	0.14	0.0%	< 0.01				80% 120%
Ca	1	3615277	0.717	0.712	0.7%	< 0.01				80% 120%
Cd	1	3615277	0.252	0.272	7.6%	< 0.01				80% 120%
Ce	1	3615277	27.8	28.0	0.7%	< 0.01				80% 120%
Co	1	3615277	11.6	11.7	0.9%	< 0.1				80% 120%
Cr	1	3615277	35.7	36.4	1.9%	< 0.5				80% 120%
Cs	1	3615277	0.89	0.94	5.5%	< 0.05				80% 120%
Cu	1	3615277	46.0	45.7	0.7%	< 0.1	6263	6000	104%	80% 120%
Fe	1	3615277	2.65	2.61	1.5%	< 0.01				80% 120%
Ga	1	3615277	4.12	4.28	3.8%	< 0.05				80% 120%
Ge	1	3615277	0.09	0.09	0.0%	0.06				80% 120%
Hf	1	3615277	0.07	0.07	0.0%	< 0.02				80% 120%
Hg	1	3615277	0.035	0.046	27.2%	< 0.01				80% 120%
In	1	3615277	0.023	0.023	0.0%	< 0.005				80% 120%
K	1	3615277	0.07	0.07	0.0%	< 0.01				80% 120%
La	1	3615277	14.6	14.6	0.0%	< 0.1				80% 120%
Li	1	3615277	9.9	10.2	3.0%	< 0.1				80% 120%
Mg	1	3615277	0.658	0.652	0.9%	< 0.01				80% 120%
Mn	1	3615277	413	416	0.7%	< 1				80% 120%
Mo	1	3615277	1.30	1.35	3.8%	< 0.05	340	360	94%	80% 120%
Na	1	3615277	0.02	0.02	0.0%	< 0.01				80% 120%
Nb	1	3615277	1.45	1.52	4.7%	< 0.05				80% 120%
Ni	1	3615277	29.3	29.6	1.0%	< 0.2				80% 120%
P	1	3615277	764	767	0.4%	< 10	602	600	100%	80% 120%
Pb	1	3615277	6.7	6.7	0.0%	< 0.1				80% 120%
Rb	1	3615277	8.5	8.8	3.5%	< 0.1	13	13	100%	80% 120%
Re	1	3615277	< 0.001	< 0.001	0.0%	< 0.001				80% 120%
S	1	3615277	0.024	0.024	0.0%	< 0.005				80% 120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sb	1	3615277	0.98	1.00	2.0%	< 0.05				80%	120%	
Sc	1	3615277	5.8	5.9	1.7%	< 0.1				80%	120%	
Se	1	3615277	0.73	0.65	11.6%	< 0.2				80%	120%	
Sn	1	3615277	0.7	0.7	0.0%	< 0.2				80%	120%	
Sr	1	3615277	41.4	42.4	2.4%	< 0.2				80%	120%	
Ta	1	3615277	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615277	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3615277	3.8	3.8	0.0%	< 0.1	1.2	1.4	85%	80%	120%	
Ti	1	3615277	0.085	0.089	4.6%	< 0.005				80%	120%	
Tl	1	3615277	0.095	0.103	8.1%	< 0.01				80%	120%	
U	1	3615277	1.33	1.35	1.5%	< 0.05				80%	120%	
V	1	3615277	55.4	56.1	1.3%	< 0.5				80%	120%	
W	1	3615277	0.292	0.285	2.4%	< 0.05				80%	120%	
Y	1	3615277	10.1	10.2	1.0%	< 0.05	7	7	100%	80%	120%	
Zn	1	3615277	66.9	66.9	0.0%	< 0.5				80%	120%	
Zr	1	3615277	3.02	3.10	2.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615302	0.36	0.36	0.0%	< 0.01	11.2	13.0	86%	80%	120%	
Al	1	3615302	1.63	1.69	3.6%	< 0.01				80%	120%	
As	1	3615302	19.3	19.3	0.0%	0.2				80%	120%	
Au	1	3615302	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615302	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615302	312	325	4.1%	< 1				80%	120%	
Be	1	3615302	0.36	0.37	2.7%	< 0.05	0.3	0.4	82%	80%	120%	
Bi	1	3615302	0.12	0.12	0.0%	< 0.01				80%	120%	
Ca	1	3615302	0.648	0.665	2.6%	< 0.01				80%	120%	
Cd	1	3615302	0.17	0.17	0.0%	< 0.01				80%	120%	
Ce	1	3615302	21.9	22.1	0.9%	< 0.01				80%	120%	
Co	1	3615302	12.6	12.6	0.0%	< 0.1				80%	120%	
Cr	1	3615302	40.3	41.3	2.5%	< 0.5				80%	120%	
Cs	1	3615302	1.24	1.20	3.3%	< 0.05				80%	120%	
Cu	1	3615302	57.8	59.2	2.4%	< 0.1				80%	120%	
Fe	1	3615302	3.19	3.32	4.0%	< 0.01				80%	120%	
Ga	1	3615302	4.67	4.60	1.5%	< 0.05				80%	120%	
Ge	1	3615302	0.092	0.097	5.3%	0.05				80%	120%	
Hf	1	3615302	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3615302	0.033	0.038	14.1%	< 0.01				80%	120%	
In	1	3615302	0.028	0.027	3.6%	< 0.005				80%	120%	
K	1	3615302	0.142	0.147	3.5%	< 0.01				80%	120%	
La	1	3615302	11.9	12.0	0.8%	< 0.1				80%	120%	
Li	1	3615302	10.7	10.2	4.8%	< 0.1				80%	120%	
Mg	1	3615302	0.90	0.93	3.3%	< 0.01				80%	120%	
Mn	1	3615302	720	726	0.8%	< 1				80%	120%	
Mo	1	3615302	1.18	1.13	4.3%	< 0.05	301	360	83%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Na	1	3615302	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615302	0.878	0.874	0.5%	< 0.05				80%	120%	
Ni	1	3615302	30.6	31.5	2.9%	< 0.2				80%	120%	
P	1	3615302	648	675	4.1%	< 10	594	600	99%	80%	120%	
Pb	1	3615302	5.4	5.4	0.0%	0.1				80%	120%	
Rb	1	3615302	9.2	9.0	2.2%	< 0.1	11	13	87%	80%	120%	
Re	1	3615302	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615302	0.010	0.010	0.0%	< 0.005				80%	120%	
Sb	1	3615302	1.11	1.05	5.6%	< 0.05				80%	120%	
Sc	1	3615302	8.1	8.1	0.0%	< 0.1				80%	120%	
Se	1	3615302	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3615302	0.7	0.7	0.0%	< 0.2				80%	120%	
Sr	1	3615302	32.8	32.1	2.2%	< 0.2				80%	120%	
Ta	1	3615302	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615302	0.043	0.047	8.9%	< 0.01				80%	120%	
Th	1	3615302	3.01	3.08	2.3%	< 0.1				80%	120%	
Ti	1	3615302	0.0814	0.0818	0.5%	< 0.005				80%	120%	
Tl	1	3615302	0.14	0.14	0.0%	< 0.01				80%	120%	
U	1	3615302	1.08	1.08	0.0%	< 0.05				80%	120%	
V	1	3615302	68.5	69.6	1.6%	< 0.5				80%	120%	
W	1	3615302	0.22	0.22	0.0%	< 0.05				80%	120%	
Y	1	3615302	10.9	10.8	0.9%	< 0.05	7	7	100%	80%	120%	
Zn	1	3615302	75.5	78.4	3.8%	< 0.5				80%	120%	
Zr	1	3615302	1.68	1.77	5.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615328	0.186	0.179	3.8%	< 0.01	12.4	13.0	95%	80%	120%	
Al	1	3615328	1.43	1.43	0.0%	< 0.01				80%	120%	
As	1	3615328	8.36	8.24	1.4%	0.4				80%	120%	
Au	1	3615328	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615328	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615328	367	365	0.5%	< 1				80%	120%	
Be	1	3615328	0.50	0.51	2.0%	< 0.05	0.3	0.4	71%	80%	120%	
Bi	1	3615328	0.16	0.16	0.0%	< 0.01				80%	120%	
Ca	1	3615328	0.883	0.887	0.5%	< 0.01				80%	120%	
Cd	1	3615328	0.28	0.29	3.5%	< 0.01				80%	120%	
Ce	1	3615328	29.1	28.4	2.4%	< 0.01				80%	120%	
Co	1	3615328	13.8	13.6	1.5%	< 0.1				80%	120%	
Cr	1	3615328	36.4	36.0	1.1%	< 0.5				80%	120%	
Cs	1	3615328	0.910	0.842	7.8%	< 0.05				80%	120%	
Cu	1	3615328	46.6	46.5	0.2%	< 0.1	6150	6000	102%	80%	120%	
Fe	1	3615328	2.49	2.52	1.2%	< 0.01				80%	120%	
Ga	1	3615328	4.45	4.31	3.2%	< 0.05				80%	120%	
Ge	1	3615328	0.083	0.089	7.0%	< 0.05				80%	120%	
Hf	1	3615328	0.038	0.034	11.1%	< 0.02				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Hg	1	3615328	0.04	0.04	0.0%	< 0.01				80%	120%	
In	1	3615328	0.024	0.024	0.0%	< 0.005				80%	120%	
K	1	3615328	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3615328	14.9	14.3	4.1%	< 0.1				80%	120%	
Li	1	3615328	10.3	9.75	5.5%	< 0.1				80%	120%	
Mg	1	3615328	0.62	0.62	0.0%	< 0.01				80%	120%	
Mn	1	3615328	808	804	0.5%	< 1				80%	120%	
Mo	1	3615328	1.12	1.10	1.8%	< 0.05	344	360	95%	80%	120%	
Na	1	3615328	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615328	1.40	1.33	5.1%	< 0.05				80%	120%	
Ni	1	3615328	32.6	32.5	0.3%	< 0.2				80%	120%	
P	1	3615328	811	806	0.6%	< 10	618	600	103%	80%	120%	
Pb	1	3615328	6.8	6.8	0.0%	< 0.1				80%	120%	
Rb	1	3615328	8.8	8.3	5.8%	< 0.1	11	13	84%	80%	120%	
Re	1	3615328	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615328	0.034	0.034	0.0%	< 0.005				80%	120%	
Sb	1	3615328	0.963	0.967	0.4%	< 0.05				80%	120%	
Sc	1	3615328	5.86	5.73	2.2%	< 0.1				80%	120%	
Se	1	3615328	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3615328	0.57	0.53	7.3%	< 0.2				80%	120%	
Sr	1	3615328	55.8	54.6	2.2%	< 0.2				80%	120%	
Ta	1	3615328	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615328	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3615328	2.7	2.7	0.0%	< 0.1	1.1	1.4	82%	80%	120%	
Ti	1	3615328	0.077	0.073	5.3%	< 0.005				80%	120%	
Tl	1	3615328	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3615328	1.78	1.74	2.3%	< 0.05				80%	120%	
V	1	3615328	52.1	51.2	1.7%	< 0.5				80%	120%	
W	1	3615328	0.326	0.263	21.4%	< 0.05				80%	120%	
Y	1	3615328	11.5	11.2	2.6%	< 0.05	7	7	100%	80%	120%	
Zn	1	3615328	63.3	62.9	0.6%	< 0.5				80%	120%	
Zr	1	3615328	1.4	1.4	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615331	0.13	0.12	8.0%	< 0.01	12	13.0	92%	80%	120%	
Al	1	3615331	1.40	1.38	1.4%	< 0.01				80%	120%	
As	1	3615331	9.9	9.3	6.3%	0.4				80%	120%	
Au	1	3615331	0.02	< 0.01		< 0.01				80%	120%	
B	1	3615331	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615331	252	252	0.0%	< 1				80%	120%	
Be	1	3615331	0.320	0.349	8.7%	< 0.05	0.3	0.4	75%	80%	120%	
Bi	1	3615331	0.11	0.11	0.0%	< 0.01				80%	120%	
Ca	1	3615331	0.65	0.65	0.0%	< 0.01				80%	120%	
Cd	1	3615331	0.123	0.133	7.8%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Ce	1	3615331	23.4	24.1	2.9%	< 0.01				80%	120%	
Co	1	3615331	11.3	11.5	1.8%	< 0.1				80%	120%	
Cr	1	3615331	38.0	38.5	1.3%	< 0.5				80%	120%	
Cs	1	3615331	0.921	0.960	4.1%	< 0.05				80%	120%	
Cu	1	3615331	47.7	47.0	1.5%	< 0.1	6472	6000	107%	80%	120%	
Fe	1	3615331	2.75	2.73	0.7%	< 0.01				80%	120%	
Ga	1	3615331	4.17	4.28	2.6%	< 0.05				80%	120%	
Ge	1	3615331	0.09	0.09	0.0%	< 0.05				80%	120%	
Hf	1	3615331	0.044	0.049	10.8%	< 0.02				80%	120%	
Hg	1	3615331	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3615331	0.025	0.024	4.1%	< 0.005				80%	120%	
K	1	3615331	0.10	0.10	0.0%	< 0.01				80%	120%	
La	1	3615331	12.0	12.3	2.5%	< 0.1				80%	120%	
Li	1	3615331	9.2	9.7	5.3%	< 0.1				80%	120%	
Mg	1	3615331	0.773	0.765	1.0%	< 0.01				80%	120%	
Mn	1	3615331	361	363	0.6%	< 1				80%	120%	
Mo	1	3615331	1.03	0.94	9.1%	< 0.05	334	360	92%	80%	120%	
Na	1	3615331	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615331	1.01	1.00	1.0%	< 0.05				80%	120%	
Ni	1	3615331	28.1	27.6	1.8%	< 0.2				80%	120%	
P	1	3615331	785	774	1.4%	< 10	616	600	103%	80%	120%	
Pb	1	3615331	5.5	5.5	0.0%	< 0.1				80%	120%	
Rb	1	3615331	8.45	8.62	2.0%	< 0.1	13	13	100%	80%	120%	
Re	1	3615331	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615331	0.0151	0.0143	5.4%	< 0.005				80%	120%	
Sb	1	3615331	0.87	0.89	2.3%	< 0.05				80%	120%	
Sc	1	3615331	6.5	6.6	1.5%	< 0.1				80%	120%	
Se	1	3615331	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3615331	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3615331	35.1	35.5	1.1%	< 0.2				80%	120%	
Ta	1	3615331	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615331	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3615331	3.22	3.38	4.8%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615331	0.0788	0.0775	1.7%	< 0.005				80%	120%	
Tl	1	3615331	0.10	0.10	0.0%	< 0.01				80%	120%	
U	1	3615331	1.06	1.09	2.8%	< 0.05				80%	120%	
V	1	3615331	63.0	63.7	1.1%	< 0.5				80%	120%	
W	1	3615331	0.41	0.47	13.6%	< 0.05				80%	120%	
Y	1	3615331	9.59	9.70	1.1%	< 0.05	8	7	114%	80%	120%	
Zn	1	3615331	68.0	67.1	1.3%	< 0.5				80%	120%	
Zr	1	3615331	2.1	2.1	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615354	0.14	0.13	7.4%	< 0.01	12	13.0	92%	80%	120%	
Al	1	3615354	1.36	1.37	0.7%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
As	1	3615354	8.0	7.8	2.5%	< 0.1				80%	120%	
Au	1	3615354	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615354	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615354	269	261	3.0%	< 1				80%	120%	
Be	1	3615354	0.29	0.27	7.1%	< 0.05	0.3	0.4	75%	80%	120%	
Bi	1	3615354	0.115	0.113	1.8%	< 0.01				80%	120%	
Ca	1	3615354	0.77	0.78	1.3%	< 0.01				80%	120%	
Cd	1	3615354	0.16	0.16	0.0%	< 0.01				80%	120%	
Ce	1	3615354	25.9	25.5	1.6%	< 0.01				80%	120%	
Co	1	3615354	9.06	8.88	2.0%	< 0.1				80%	120%	
Cr	1	3615354	32.5	32.1	1.2%	< 0.5				80%	120%	
Cs	1	3615354	0.874	0.824	5.9%	< 0.05				80%	120%	
Cu	1	3615354	27.4	27.0	1.5%	< 0.1				80%	120%	
Fe	1	3615354	2.37	2.38	0.4%	< 0.01				80%	120%	
Ga	1	3615354	4.13	4.04	2.2%	< 0.05				80%	120%	
Ge	1	3615354	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3615354	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3615354	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3615354	0.0203	0.0211	3.9%	< 0.005				80%	120%	
K	1	3615354	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3615354	13.4	13.1	2.3%	< 0.1				80%	120%	
Li	1	3615354	8.28	8.10	2.2%	< 0.1				80%	120%	
Mg	1	3615354	0.63	0.63	0.0%	< 0.01				80%	120%	
Mn	1	3615354	371	370	0.3%	< 1				80%	120%	
Mo	1	3615354	1.09	1.02	6.6%	< 0.05	335	360	93%	80%	120%	
Na	1	3615354	0.03	0.03	0.0%	< 0.01				80%	120%	
Nb	1	3615354	1.54	1.53	0.7%	< 0.05				80%	120%	
Ni	1	3615354	24.5	24.6	0.4%	< 0.2				80%	120%	
P	1	3615354	712	713	0.1%	< 10	611	600	102%	80%	120%	
Pb	1	3615354	6.80	6.72	1.2%	< 0.1				80%	120%	
Rb	1	3615354	9.5	9.2	3.2%	< 0.1	11	13	88%	80%	120%	
Re	1	3615354	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615354	0.037	0.037	0.0%	< 0.005				80%	120%	
Sb	1	3615354	0.61	0.60	1.7%	< 0.05				80%	120%	
Sc	1	3615354	4.20	4.12	1.9%	< 0.1				80%	120%	
Se	1	3615354	0.6	0.7	15.4%	< 0.2				80%	120%	
Sn	1	3615354	0.5	0.5	0.0%	< 0.2				80%	120%	
Sr	1	3615354	49.3	48.7	1.2%	< 0.2				80%	120%	
Ta	1	3615354	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615354	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3615354	2.89	2.81	2.8%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615354	0.0863	0.0854	1.0%	< 0.005				80%	120%	
Tl	1	3615354	0.086	0.082	4.8%	< 0.01				80%	120%	
U	1	3615354	1.35	1.35	0.0%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
V	1	3615354	50.2	49.9	0.6%	< 0.5				80%	120%	
W	1	3615354	0.21	0.33		< 0.05				80%	120%	
Y	1	3615354	8.55	8.44	1.3%	< 0.05	6	7	85%	80%	120%	
Zn	1	3615354	66.7	66.5	0.3%	< 0.5				80%	120%	
Zr	1	3615354	1.57	1.54	1.9%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615381	0.273	0.280	2.5%	< 0.01	12.5	13.0	96%	80%	120%	
Al	1	3615381	1.43	1.45	1.4%	0.01				80%	120%	
As	1	3615381	15.5	15.4	0.6%	0.5				80%	120%	
Au	1	3615381	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615381	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615381	287	295	2.7%	2				80%	120%	
Be	1	3615381	0.276	0.264	4.4%	< 0.05				80%	120%	
Bi	1	3615381	0.17	0.17	0.0%	< 0.01				80%	120%	
Ca	1	3615381	0.718	0.736	2.5%	< 0.01				80%	120%	
Cd	1	3615381	0.156	0.154	1.3%	< 0.01				80%	120%	
Ce	1	3615381	22.0	21.7	1.4%	< 0.01				80%	120%	
Co	1	3615381	9.3	9.2	1.1%	< 0.1				80%	120%	
Cr	1	3615381	31.8	31.7	0.3%	< 0.5				80%	120%	
Cs	1	3615381	0.91	0.90	1.1%	< 0.05				80%	120%	
Cu	1	3615381	45.2	43.8	3.1%	< 0.1	5792	6000	96%	80%	120%	
Fe	1	3615381	2.60	2.64	1.5%	0.02				80%	120%	
Ga	1	3615381	4.35	4.29	1.4%	< 0.05				80%	120%	
Ge	1	3615381	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3615381	0.039	0.034	13.7%	< 0.02				80%	120%	
Hg	1	3615381	0.09	0.03		< 0.01				80%	120%	
In	1	3615381	0.0213	0.0230	7.7%	< 0.005				80%	120%	
K	1	3615381	0.07	0.07	0.0%	< 0.01				80%	120%	
La	1	3615381	11.9	11.7	1.7%	< 0.1				80%	120%	
Li	1	3615381	8.76	8.44	3.7%	< 0.1				80%	120%	
Mg	1	3615381	0.68	0.68	0.0%	< 0.01				80%	120%	
Mn	1	3615381	362	354	2.2%	1				80%	120%	
Mo	1	3615381	0.78	0.76	2.6%	< 0.05	336	350	96%	80%	120%	
Na	1	3615381	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615381	1.10	1.06	3.7%	< 0.05				80%	120%	
Ni	1	3615381	21.1	20.7	1.9%	< 0.2				80%	120%	
P	1	3615381	692	688	0.6%	< 10	550	600	92%	80%	120%	
Pb	1	3615381	5.59	5.54	0.9%	< 0.1				80%	120%	
Rb	1	3615381	8.3	8.2	1.2%	< 0.1	13	13	100%	80%	120%	
Re	1	3615381	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615381	0.0164	0.0155	5.6%	< 0.005				80%	120%	
Sb	1	3615381	0.625	0.633	1.3%	< 0.05				80%	120%	
Sc	1	3615381	5.1	5.1	0.0%	< 0.1				80%	120%	
Se	1	3615381	0.57	0.50	13.1%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sn	1	3615381	0.56	0.50	11.3%	< 0.2				80%	120%	
Sr	1	3615381	34.6	34.0	1.7%	< 0.2				80%	120%	
Ta	1	3615381	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615381	0.04	0.04	0.0%	< 0.01				80%	120%	
Th	1	3615381	2.6	2.6	0.0%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615381	0.081	0.081	0.0%	< 0.005				80%	120%	
Tl	1	3615381	0.08	0.08	0.0%	< 0.01				80%	120%	
U	1	3615381	0.88	0.86	2.3%	< 0.05				80%	120%	
V	1	3615381	56.7	56.3	0.7%	< 0.5				80%	120%	
W	1	3615381	0.283	0.311	9.4%	< 0.05				80%	120%	
Y	1	3615381	8.61	8.50	1.3%	< 0.05	8	7	114%	80%	120%	
Zn	1	3615381	68.1	67.3	1.2%	< 0.5				80%	120%	
Zr	1	3615381	1.33	1.24	7.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615399	0.13	0.13	0.0%	< 0.01	11.8	13.0	91%	80%	120%	
Al	1	3615399	1.35	1.36	0.7%	< 0.01				80%	120%	
As	1	3615399	11.6	11.9	2.6%	0.5				80%	120%	
Au	1	3615399	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615399	< 5	< 5	0.0%	< 5	7.9	7.00	113%	80%	120%	
Ba	1	3615399	221	226	2.2%	< 1				80%	120%	
Be	1	3615399	0.26	0.26	0.0%	< 0.05				80%	120%	
Bi	1	3615399	0.18	0.18	0.0%	< 0.01				80%	120%	
Ca	1	3615399	0.91	0.91	0.0%	< 0.01				80%	120%	
Cd	1	3615399	0.176	0.174	1.1%	< 0.01				80%	120%	
Ce	1	3615399	19.3	19.0	1.6%	0.01				80%	120%	
Co	1	3615399	8.52	8.67	1.7%	< 0.1				80%	120%	
Cr	1	3615399	31.6	31.7	0.3%	< 0.5				80%	120%	
Cs	1	3615399	0.90	0.85	5.7%	< 0.05				80%	120%	
Cu	1	3615399	38.5	38.5	0.0%	< 0.1	5934	6000	98%	80%	120%	
Fe	1	3615399	2.49	2.50	0.4%	< 0.01				80%	120%	
Ga	1	3615399	3.95	3.92	0.8%	< 0.05				80%	120%	
Ge	1	3615399	0.08	0.08	0.0%	0.06				80%	120%	
Hf	1	3615399	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3615399	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3615399	0.019	0.019	0.0%	< 0.005				80%	120%	
K	1	3615399	0.05	0.05	0.0%	< 0.01				80%	120%	
La	1	3615399	9.92	9.84	0.8%	< 0.1				80%	120%	
Li	1	3615399	7.92	8.01	1.1%	< 0.1				80%	120%	
Mg	1	3615399	0.62	0.62	0.0%	< 0.01				80%	120%	
Mn	1	3615399	339	344	1.5%	< 1				80%	120%	
Mo	1	3615399	0.805	0.782	2.9%	< 0.05	351	350	100%	80%	120%	
Na	1	3615399	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615399	1.21	1.20	0.8%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ni	1	3615399	18.6	18.8	1.1%	< 0.2				80%	120%	
P	1	3615399	618	626	1.3%	< 10	574	600	96%	80%	120%	
Pb	1	3615399	5.47	5.39	1.5%	< 0.1				80%	120%	
Rb	1	3615399	7.3	7.3	0.0%	< 0.1	11	13	86%	80%	120%	
Re	1	3615399	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615399	0.035	0.035	0.0%	< 0.005				80%	120%	
Sb	1	3615399	0.616	0.595	3.5%	< 0.05				80%	120%	
Sc	1	3615399	4.63	4.69	1.3%	< 0.1				80%	120%	
Se	1	3615399	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3615399	0.44	0.47	6.6%	< 0.2				80%	120%	
Sr	1	3615399	38.0	38.3	0.8%	< 0.2				80%	120%	
Ta	1	3615399	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615399	0.04	0.03	28.6%	< 0.01				80%	120%	
Th	1	3615399	2.3	2.2	4.4%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615399	0.0886	0.0869	1.9%	< 0.005				80%	120%	
Tl	1	3615399	0.071	0.063	11.9%	< 0.01				80%	120%	
U	1	3615399	0.89	0.88	1.1%	< 0.05				80%	120%	
V	1	3615399	54.6	54.4	0.4%	< 0.5				80%	120%	
W	1	3615399	0.79	0.31		< 0.05				80%	120%	
Y	1	3615399	6.77	6.81	0.6%	< 0.05	6	7	82%	80%	120%	
Zn	1	3615399	52.5	53.0	0.9%	< 0.5				80%	120%	
Zr	1	3615399	1.44	1.67	14.8%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615408	0.155	0.150	3.3%	< 0.01	11.9	13.0	92%	80%	120%	
Al	1	3615408	1.78	1.75	1.7%	< 0.01				80%	120%	
As	1	3615408	12.7	12.0	5.7%	< 0.1				80%	120%	
Au	1	3615408	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615408	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615408	296	286	3.4%	< 1				80%	120%	
Be	1	3615408	0.432	0.551	24.2%	< 0.05				80%	120%	
Bi	1	3615408	0.189	0.183	3.2%	< 0.01				80%	120%	
Ca	1	3615408	0.632	0.623	1.4%	< 0.01				80%	120%	
Cd	1	3615408	0.21	0.21	0.0%	< 0.01				80%	120%	
Ce	1	3615408	27.4	26.0	5.2%	< 0.01				80%	120%	
Co	1	3615408	12.5	13.0	3.9%	< 0.1				80%	120%	
Cr	1	3615408	42.2	41.6	1.4%	< 0.5				80%	120%	
Cs	1	3615408	1.08	1.08	0.0%	< 0.05				80%	120%	
Cu	1	3615408	50.4	48.6	3.6%	< 0.1	5428	6000	90%	80%	120%	
Fe	1	3615408	3.12	3.04	2.6%	< 0.01				80%	120%	
Ga	1	3615408	5.54	5.55	0.2%	< 0.05				80%	120%	
Ge	1	3615408	0.092	0.097	5.3%	< 0.05				80%	120%	
Hf	1	3615408	0.10	0.11	9.5%	< 0.02				80%	120%	
Hg	1	3615408	0.028	0.021	28.6%	< 0.01				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
In	1	3615408	0.027	0.027	0.0%	< 0.005				80%	120%	
K	1	3615408	0.09	0.09	0.0%	< 0.01				80%	120%	
La	1	3615408	13.7	12.9	6.0%	< 0.1				80%	120%	
Li	1	3615408	11.6	15.6	29.4%	< 0.1				80%	120%	
Mg	1	3615408	0.675	0.658	2.6%	< 0.01				80%	120%	
Mn	1	3615408	400	388	3.0%	< 1				80%	120%	
Mo	1	3615408	1.45	1.38	4.9%	< 0.05	309	350	88%	80%	120%	
Na	1	3615408	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615408	1.41	1.45	2.8%	< 0.05				80%	120%	
Ni	1	3615408	27.7	26.7	3.7%	< 0.2				80%	120%	
P	1	3615408	619	600	3.1%	< 10	523	600	87%	80%	120%	
Pb	1	3615408	7.87	7.70	2.2%	< 0.1				80%	120%	
Rb	1	3615408	11.1	11.3	1.8%	< 0.1	13	13	100%	80%	120%	
Re	1	3615408	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615408	0.0136	0.0133	2.2%	< 0.005				80%	120%	
Sb	1	3615408	0.84	0.84	0.0%	< 0.05				80%	120%	
Sc	1	3615408	6.59	7.16	8.3%	< 0.1				80%	120%	
Se	1	3615408	0.7	0.7	0.0%	< 0.2				80%	120%	
Sn	1	3615408	1.2	1.2	0.0%	< 0.2				80%	120%	
Sr	1	3615408	32.7	33.0	0.9%	< 0.2				80%	120%	
Ta	1	3615408	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615408	0.035	0.039	10.8%	< 0.01				80%	120%	
Th	1	3615408	4.1	4.1	0.0%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615408	0.110	0.112	1.8%	< 0.005				80%	120%	
Tl	1	3615408	0.10	0.10	0.0%	< 0.01				80%	120%	
U	1	3615408	1.25	1.28	2.4%	< 0.05				80%	120%	
V	1	3615408	70.4	68.9	2.2%	< 0.5				80%	120%	
W	1	3615408	0.41	0.46	11.5%	< 0.05				80%	120%	
Y	1	3615408	9.26	9.08	2.0%	< 0.05	6	7	88%	80%	120%	
Zn	1	3615408	69.2	67.3	2.8%	< 0.5				80%	120%	
Zr	1	3615408	4.83	4.63	4.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615435	0.106	0.094	12.0%	< 0.01	12.3	13.0	94%	80%	120%	
Al	1	3615435	1.04	0.99	4.9%	< 0.01				80%	120%	
As	1	3615435	10.8	10.9	0.9%	< 0.1				80%	120%	
Au	1	3615435	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615435	< 5	< 5	0.0%	< 5	7.77	7.00	111%	80%	120%	
Ba	1	3615435	277	270	2.6%	< 1				80%	120%	
Be	1	3615435	0.31	0.31	0.0%	< 0.05	0.4	0.4	100%	80%	120%	
Bi	1	3615435	0.118	0.113	4.3%	< 0.01				80%	120%	
Ca	1	3615435	0.626	0.597	4.7%	< 0.01				80%	120%	
Cd	1	3615435	0.192	0.184	4.3%	< 0.01				80%	120%	
Ce	1	3615435	26.6	24.2	9.4%	< 0.01				80%	120%	
Co	1	3615435	8.6	8.4	2.4%	< 0.1				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Cr	1	3615435	26.4	27.2	3.0%	< 0.5				80%	120%	
Cs	1	3615435	0.64	0.59	8.1%	< 0.05				80%	120%	
Cu	1	3615435	23.8	22.7	4.7%	< 0.1	6062	6000	101%	80%	120%	
Fe	1	3615435	2.47	2.39	3.3%	< 0.01				80%	120%	
Ga	1	3615435	3.34	3.28	1.8%	< 0.05				80%	120%	
Ge	1	3615435	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3615435	0.07	0.07	0.0%	< 0.02				80%	120%	
Hg	1	3615435	0.03	0.03	0.0%	< 0.01				80%	120%	
In	1	3615435	0.017	0.017	0.0%	< 0.005				80%	120%	
K	1	3615435	0.057	0.053	7.3%	< 0.01				80%	120%	
La	1	3615435	14.1	12.8	9.7%	< 0.1				80%	120%	
Li	1	3615435	7.46	7.02	6.1%	< 0.1				80%	120%	
Mg	1	3615435	0.512	0.495	3.4%	< 0.01				80%	120%	
Mn	1	3615435	377	360	4.6%	< 1				80%	120%	
Mo	1	3615435	1.17	1.12	4.4%	< 0.05	364	350	104%	80%	120%	
Na	1	3615435	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615435	1.23	1.09	12.1%	< 0.05				80%	120%	
Ni	1	3615435	21.2	20.2	4.8%	< 0.2				80%	120%	
P	1	3615435	727	713	1.9%	< 10	574	600	96%	80%	120%	
Pb	1	3615435	5.5	5.5	0.0%	< 0.1				80%	120%	
Rb	1	3615435	6.4	6.0	6.5%	< 0.1	11	13	83%	80%	120%	
Re	1	3615435	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615435	0.0146	0.0138	5.6%	< 0.005				80%	120%	
Sb	1	3615435	0.791	0.723	9.0%	< 0.05				80%	120%	
Sc	1	3615435	3.99	3.80	4.9%	< 0.1				80%	120%	
Se	1	3615435	0.48	0.42	13.3%	< 0.2				80%	120%	
Sn	1	3615435	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3615435	41.8	38.6	8.0%	< 0.2				80%	120%	
Ta	1	3615435	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615435	0.030	0.025	18.2%	< 0.01				80%	120%	
Th	1	3615435	4.2	3.8	10.0%	< 0.1	1.4	1.4	100%	80%	120%	
Ti	1	3615435	0.079	0.072	9.3%	< 0.005				80%	120%	
Tl	1	3615435	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3615435	0.88	0.84	4.7%	< 0.05				80%	120%	
V	1	3615435	50.8	48.0	5.7%	< 0.5				80%	120%	
W	1	3615435	0.22	0.42		< 0.05				80%	120%	
Y	1	3615435	8.40	7.96	5.4%	< 0.05	7	7	100%	80%	120%	
Zn	1	3615435	53.3	51.4	3.6%	< 0.5				80%	120%	
Zr	1	3615435	3.35	3.22	4.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615462	0.16	0.16	0.0%	< 0.01	12.2	13.0	94%	80%	120%	
Al	1	3615462	1.11	1.19	7.0%	< 0.01				80%	120%	
As	1	3615462	12.4	12.0	3.3%	< 0.1				80%	120%	
Au	1	3615462	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
B	1	3615462	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615462	255	272	6.5%	< 1				80%	120%	
Be	1	3615462	0.32	0.33	3.1%	< 0.05	0.3	0.4	76%	80%	120%	
Bi	1	3615462	0.233	0.241	3.4%	< 0.01				80%	120%	
Ca	1	3615462	0.45	0.48	6.5%	< 0.01				80%	120%	
Cd	1	3615462	0.095	0.090	5.4%	< 0.01				80%	120%	
Ce	1	3615462	19.8	21.0	5.9%	< 0.01				80%	120%	
Co	1	3615462	7.99	8.38	4.8%	< 0.1				80%	120%	
Cr	1	3615462	26.8	29.1	8.2%	< 0.5				80%	120%	
Cs	1	3615462	0.852	0.927	8.4%	< 0.05				80%	120%	
Cu	1	3615462	47.2	51.2	8.1%	< 0.1	6099	6000	101%	80%	120%	
Fe	1	3615462	2.12	2.24	5.5%	< 0.01				80%	120%	
Ga	1	3615462	3.62	3.67	1.4%	< 0.05				80%	120%	
Ge	1	3615462	0.07	0.07	0.0%	< 0.05				80%	120%	
Hf	1	3615462	0.07	0.07	0.0%	< 0.02				80%	120%	
Hg	1	3615462	0.02	0.04		< 0.01				80%	120%	
In	1	3615462	0.0184	0.0202	9.3%	< 0.005				80%	120%	
K	1	3615462	0.04	0.04	0.0%	< 0.01				80%	120%	
La	1	3615462	11.4	12.1	6.0%	< 0.1				80%	120%	
Li	1	3615462	7.93	8.28	4.3%	< 0.1				80%	120%	
Mg	1	3615462	0.50	0.53	5.8%	< 0.01				80%	120%	
Mn	1	3615462	268	291	8.2%	< 1				80%	120%	
Mo	1	3615462	0.900	0.946	5.0%	< 0.05	337	350	96%	80%	120%	
Na	1	3615462	0.01	0.01	0.0%	< 0.01				80%	120%	
Nb	1	3615462	0.88	0.95	7.7%	< 0.05				80%	120%	
Ni	1	3615462	19.7	21.2	7.3%	< 0.2				80%	120%	
P	1	3615462	461	499	7.9%	< 10	575	600	96%	80%	120%	
Pb	1	3615462	5.56	5.85	5.1%	< 0.1				80%	120%	
Rb	1	3615462	5.2	5.5	5.6%	< 0.1	11	13	81%	80%	120%	
Re	1	3615462	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615462	0.006	0.006	0.0%	< 0.005				80%	120%	
Sb	1	3615462	0.75	0.79	5.2%	< 0.05				80%	120%	
Sc	1	3615462	5.11	5.27	3.1%	< 0.1				80%	120%	
Se	1	3615462	0.4	0.4	0.0%	< 0.2				80%	120%	
Sn	1	3615462	0.7	0.7	0.0%	< 0.2				80%	120%	
Sr	1	3615462	27.5	28.5	3.6%	< 0.2				80%	120%	
Ta	1	3615462	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615462	0.038	0.032	17.1%	< 0.01				80%	120%	
Th	1	3615462	3.3	3.3	0.0%	< 0.1	1.2	1.4	85%	80%	120%	
Ti	1	3615462	0.0635	0.0702	10.0%	< 0.005				80%	120%	
Tl	1	3615462	0.062	0.066	6.3%	< 0.01				80%	120%	
U	1	3615462	1.19	1.24	4.1%	< 0.05				80%	120%	
V	1	3615462	43.1	47.4	9.5%	< 0.5				80%	120%	
W	1	3615462	0.49	0.47	4.2%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Y	1	3615462	9.32	9.78	4.8%	< 0.05	6	7	86%	80%	120%
Zn	1	3615462	45.0	48.8	8.1%	< 0.5				80%	120%
Zr	1	3615462	3.18	3.35	5.2%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3615488	0.22	0.22	0.0%	< 0.01	12.5	13.0	96%	80%	120%
Al	1	3615488	1.53	1.53	0.0%	< 0.01				80%	120%
As	1	3615488	15.6	15.9	1.9%	< 0.1				80%	120%
Au	1	3615488	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3615488	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3615488	212	216	1.9%	< 1				80%	120%
Be	1	3615488	0.275	0.280	1.8%	< 0.05	0.3	0.4	78%	80%	120%
Bi	1	3615488	0.12	0.13	8.0%	< 0.01				80%	120%
Ca	1	3615488	0.91	0.90	1.1%	< 0.01				80%	120%
Cd	1	3615488	0.167	0.165	1.2%	< 0.01				80%	120%
Ce	1	3615488	17.7	18.6	5.0%	< 0.01				80%	120%
Co	1	3615488	13.5	13.2	2.2%	< 0.1				80%	120%
Cr	1	3615488	34.7	35.3	1.7%	< 0.5				80%	120%
Cs	1	3615488	0.984	1.07	8.4%	< 0.05				80%	120%
Cu	1	3615488	68.7	69.6	1.3%	< 0.1	6103	6000	101%	80%	120%
Fe	1	3615488	2.89	2.88	0.3%	< 0.01				80%	120%
Ga	1	3615488	4.40	4.35	1.1%	< 0.05				80%	120%
Ge	1	3615488	0.07	0.07	0.0%	< 0.05				80%	120%
Hf	1	3615488	0.05	0.05	0.0%	< 0.02				80%	120%
Hg	1	3615488	0.038	0.031	20.3%	< 0.01				80%	120%
In	1	3615488	0.0196	0.0193	1.5%	< 0.005				80%	120%
K	1	3615488	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3615488	9.01	9.56	5.9%	< 0.1				80%	120%
Li	1	3615488	9.2	9.3	1.1%	< 0.1				80%	120%
Mg	1	3615488	0.81	0.81	0.0%	< 0.01				80%	120%
Mn	1	3615488	424	432	1.9%	< 1				80%	120%
Mo	1	3615488	0.84	0.89	5.8%	< 0.05	333	350	95%	80%	120%
Na	1	3615488	0.01	0.01	0.0%	< 0.01				80%	120%
Nb	1	3615488	1.08	1.10	1.8%	< 0.05				80%	120%
Ni	1	3615488	22.3	22.2	0.4%	< 0.2				80%	120%
P	1	3615488	525	533	1.5%	< 10	573	600	96%	80%	120%
Pb	1	3615488	5.4	5.6	3.6%	< 0.1				80%	120%
Rb	1	3615488	6.90	6.71	2.8%	< 0.1	11	13	83%	80%	120%
Re	1	3615488	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3615488	0.0257	0.0249	3.2%	< 0.005				80%	120%
Sb	1	3615488	0.769	0.808	4.9%	< 0.05				80%	120%
Sc	1	3615488	5.88	5.71	2.9%	< 0.1				80%	120%
Se	1	3615488	0.77	0.68	12.4%	< 0.2				80%	120%
Sn	1	3615488	1.0	0.8	22.2%	< 0.2				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Sr	1	3615488	39.0	37.6	3.7%	< 0.2				80%	120%	
Ta	1	3615488	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615488	0.03	0.04	28.6%	< 0.01	1.4	1.4	100%	80%	120%	
Th	1	3615488	2.0	2.3	14.0%	< 0.1				80%	120%	
Ti	1	3615488	0.091	0.090	1.1%	< 0.005				80%	120%	
Tl	1	3615488	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3615488	0.91	1.04	13.3%	< 0.05				80%	120%	
V	1	3615488	59.0	59.6	1.0%	< 0.5				80%	120%	
W	1	3615488	0.51	2.21		< 0.05				80%	120%	
Y	1	3615488	8.09	7.96	1.6%	< 0.05	6	7	87%	80%	120%	
Zn	1	3615488	68.0	64.0	6.1%	< 0.5				80%	120%	
Zr	1	3615488	1.93	1.98	2.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615513	0.130	0.122	6.3%	< 0.01	11.5	13.0	88%	80%	120%	
Al	1	3615513	1.13	1.12	0.9%	< 0.01				80%	120%	
As	1	3615513	9.6	9.4	2.1%	< 0.1				80%	120%	
Au	1	3615513	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615513	< 5	< 5	0.0%	< 5	7.81	7.00	112%	80%	120%	
Ba	1	3615513	244	241	1.2%	< 1				80%	120%	
Be	1	3615513	0.308	0.305	1.0%	< 0.05				80%	120%	
Bi	1	3615513	0.104	0.108	3.8%	< 0.01				80%	120%	
Ca	1	3615513	0.809	0.802	0.9%	< 0.01	2.22	2.21	100%	80%	120%	
Cd	1	3615513	0.264	0.272	3.0%	< 0.01				80%	120%	
Ce	1	3615513	22.4	22.1	1.3%	< 0.01				80%	120%	
Co	1	3615513	9.6	9.9	3.1%	< 0.1				80%	120%	
Cr	1	3615513	32.1	31.1	3.2%	< 0.5				80%	120%	
Cs	1	3615513	0.80	0.78	2.5%	< 0.05				80%	120%	
Cu	1	3615513	30.4	29.4	3.3%	< 0.1	5373	6000	89%	80%	120%	
Fe	1	3615513	2.26	2.26	0.0%	< 0.01				80%	120%	
Ga	1	3615513	3.68	3.66	0.5%	< 0.05				80%	120%	
Ge	1	3615513	0.064	0.070	9.0%	< 0.05				80%	120%	
Hf	1	3615513	0.04	0.04	0.0%	< 0.02				80%	120%	
Hg	1	3615513	0.02	0.04		< 0.01				80%	120%	
In	1	3615513	0.0184	0.0202	9.3%	< 0.005				80%	120%	
K	1	3615513	0.06	0.06	0.0%	< 0.01				80%	120%	
La	1	3615513	11.5	11.2	2.6%	< 0.1				80%	120%	
Li	1	3615513	6.4	6.4	0.0%	< 0.1				80%	120%	
Mg	1	3615513	0.498	0.494	0.8%	< 0.01				80%	120%	
Mn	1	3615513	529	527	0.4%	< 1				80%	120%	
Mo	1	3615513	1.24	1.27	2.4%	< 0.05	346	350	98%	80%	120%	
Na	1	3615513	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615513	1.30	1.30	0.0%	< 0.05				80%	120%	
Ni	1	3615513	21.7	21.2	2.3%	< 0.2				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
P	1	3615513	709	690	2.7%	< 10	501	600	83%	80%	120%
Pb	1	3615513	5.45	5.44	0.2%	< 0.1				80%	120%
Rb	1	3615513	7.1	7.1	0.0%	< 0.1	11	13	84%	80%	120%
Re	1	3615513	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3615513	0.0318	0.0309	2.9%	< 0.005				80%	120%
Sb	1	3615513	0.61	0.68	10.9%	< 0.05				80%	120%
Sc	1	3615513	4.6	4.6	0.0%	< 0.1				80%	120%
Se	1	3615513	0.42	0.47	11.2%	< 0.2				80%	120%
Sn	1	3615513	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3615513	46.3	47.6	2.8%	< 0.2				80%	120%
Ta	1	3615513	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3615513	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3615513	2.5	2.5	0.0%	< 0.1				80%	120%
Ti	1	3615513	0.0713	0.0674	5.6%	< 0.005				80%	120%
Tl	1	3615513	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3615513	0.922	0.958	3.8%	< 0.05				80%	120%
V	1	3615513	48.6	47.3	2.7%	< 0.5				80%	120%
W	1	3615513	0.48	0.23		< 0.05				80%	120%
Y	1	3615513	7.12	7.14	0.3%	< 0.05	7	7	100%	80%	120%
Zn	1	3615513	47.0	45.6	3.0%	< 0.5				80%	120%
Zr	1	3615513	1.7	1.7	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3615538	0.115	0.114	0.9%	< 0.01	11.4	13.0	87%	80%	120%
Al	1	3615538	1.16	1.14	1.7%	< 0.01				80%	120%
As	1	3615538	11.6	10.7	8.1%	< 0.1				80%	120%
Au	1	3615538	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3615538	< 5	< 5	0.0%	< 5	7.69	7.00	110%	80%	120%
Ba	1	3615538	241	239	0.8%	< 1				80%	120%
Be	1	3615538	0.30	0.31	3.3%	< 0.05				80%	120%
Bi	1	3615538	0.10	0.10	0.0%	< 0.01				80%	120%
Ca	1	3615538	0.641	0.624	2.7%	< 0.01				80%	120%
Cd	1	3615538	0.259	0.277	6.7%	< 0.01				80%	120%
Ce	1	3615538	23.0	23.0	0.0%	< 0.01				80%	120%
Co	1	3615538	9.10	9.16	0.7%	< 0.1				80%	120%
Cr	1	3615538	29.8	29.2	2.0%	< 0.5				80%	120%
Cs	1	3615538	0.823	0.833	1.2%	< 0.05				80%	120%
Cu	1	3615538	34.3	30.6	11.4%	< 0.1	5698	6000	94%	80%	120%
Fe	1	3615538	2.11	2.09	1.0%	< 0.01				80%	120%
Ga	1	3615538	3.90	3.86	1.0%	< 0.05				80%	120%
Ge	1	3615538	0.066	0.062	6.3%	< 0.05				80%	120%
Hf	1	3615538	0.06	0.06	0.0%	< 0.02				80%	120%
Hg	1	3615538	0.03	0.09		< 0.01				80%	120%
In	1	3615538	0.0200	0.0208	3.9%	< 0.005				80%	120%
K	1	3615538	0.05	0.05	0.0%	< 0.01				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
La	1	3615538	11.5	11.5	0.0%	< 0.1				80%	120%	
Li	1	3615538	7.39	7.15	3.3%	< 0.1				80%	120%	
Mg	1	3615538	0.508	0.503	1.0%	< 0.01				80%	120%	
Mn	1	3615538	353	352	0.3%	< 1				80%	120%	
Mo	1	3615538	0.84	0.72	15.4%	< 0.05	338	350	96%	80%	120%	
Na	1	3615538	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3615538	1.46	1.46	0.0%	< 0.05				80%	120%	
Ni	1	3615538	20.2	20.2	0.0%	< 0.2				80%	120%	
P	1	3615538	610	602	1.3%	< 10	527	600	88%	80%	120%	
Pb	1	3615538	5.80	5.85	0.9%	< 0.1				80%	120%	
Rb	1	3615538	8.4	8.4	0.0%	< 0.1	14	13	107%	80%	120%	
Re	1	3615538	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615538	0.0226	0.0224	0.9%	< 0.005				80%	120%	
Sb	1	3615538	0.87	0.87	0.0%	< 0.05				80%	120%	
Sc	1	3615538	5.0	5.0	0.0%	< 0.1				80%	120%	
Se	1	3615538	0.59	0.52	12.6%	< 0.2				80%	120%	
Sn	1	3615538	0.6	0.6	0.0%	< 0.2				80%	120%	
Sr	1	3615538	38.4	38.4	0.0%	< 0.2				80%	120%	
Ta	1	3615538	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615538	0.03	0.03	0.0%	< 0.01				80%	120%	
Th	1	3615538	3.00	2.94	2.0%	< 0.1				80%	120%	
Ti	1	3615538	0.088	0.085	3.5%	< 0.005				80%	120%	
Tl	1	3615538	0.07	0.07	0.0%	< 0.01				80%	120%	
U	1	3615538	0.88	0.88	0.0%	< 0.05				80%	120%	
V	1	3615538	50.4	48.7	3.4%	< 0.5				80%	120%	
W	1	3615538	0.21	0.42		< 0.05				80%	120%	
Y	1	3615538	7.86	7.85	0.1%	< 0.05	7	7	100%	80%	120%	
Zn	1	3615538	73.9	51.3		< 0.5				80%	120%	
Zr	1	3615538	2.44	2.57	5.2%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3615563	0.124	0.133	7.0%	< 0.01	11.5	13.0	89%	80%	120%	
Al	1	3615563	1.23	1.23	0.0%	< 0.01				80%	120%	
As	1	3615563	8.0	7.7	3.8%	< 0.1				80%	120%	
Au	1	3615563	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3615563	< 5	< 5	0.0%	< 5				80%	120%	
Ba	1	3615563	226	233	3.1%	< 1				80%	120%	
Be	1	3615563	0.332	0.338	1.8%	< 0.05				80%	120%	
Bi	1	3615563	0.107	0.102	4.8%	< 0.01				80%	120%	
Ca	1	3615563	0.65	0.65	0.0%	< 0.01				80%	120%	
Cd	1	3615563	0.263	0.275	4.5%	< 0.01				80%	120%	
Ce	1	3615563	24.9	23.9	4.1%	< 0.01				80%	120%	
Co	1	3615563	7.70	7.63	0.9%	< 0.1				80%	120%	
Cr	1	3615563	30.1	30.0	0.3%	< 0.5				80%	120%	
Cs	1	3615563	0.984	0.934	5.2%	< 0.05				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Cu	1	3615563	29.7	29.7	0.0%	< 0.1	5696	6000	94%	80%	120%
Fe	1	3615563	1.78	1.80	1.1%	< 0.01				80%	120%
Ga	1	3615563	4.09	4.05	1.0%	< 0.05				80%	120%
Ge	1	3615563	0.07	0.07	0.0%	< 0.05				80%	120%
Hf	1	3615563	0.03	0.03	0.0%	< 0.02				80%	120%
Hg	1	3615563	0.03	0.04	28.6%	< 0.01				80%	120%
In	1	3615563	0.0187	0.0178	4.9%	< 0.005				80%	120%
K	1	3615563	0.06	0.06	0.0%	< 0.01				80%	120%
La	1	3615563	12.8	12.1	5.6%	< 0.1				80%	120%
Li	1	3615563	8.33	8.23	1.2%	< 0.1				80%	120%
Mg	1	3615563	0.538	0.545	1.3%	< 0.01				80%	120%
Mn	1	3615563	299	302	1.0%	< 1				80%	120%
Mo	1	3615563	0.32	0.33	3.1%	< 0.05	353	350	100%	80%	120%
Na	1	3615563	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3615563	1.43	1.38	3.6%	< 0.05				80%	120%
Ni	1	3615563	18.8	18.8	0.0%	< 0.2				80%	120%
P	1	3615563	574	572	0.3%	< 10	523	600	87%	80%	120%
Pb	1	3615563	5.8	5.8	0.0%	< 0.1				80%	120%
Rb	1	3615563	9.5	9.3	2.1%	< 0.1	11	13	82%	80%	120%
Re	1	3615563	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3615563	0.035	0.035	0.0%	< 0.005				80%	120%
Sb	1	3615563	0.64	0.64	0.0%	< 0.05				80%	120%
Sc	1	3615563	4.9	4.7	4.2%	< 0.1				80%	120%
Se	1	3615563	0.5	0.5	0.0%	< 0.2				80%	120%
Sn	1	3615563	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3615563	41.4	41.0	1.0%	< 0.2				80%	120%
Ta	1	3615563	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3615563	0.03	0.03	0.0%	< 0.01				80%	120%
Th	1	3615563	2.85	2.69	5.8%	< 0.1	1.4	1.4	100%	80%	120%
Ti	1	3615563	0.0849	0.0843	0.7%	< 0.005				80%	120%
Tl	1	3615563	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3615563	1.06	1.04	1.9%	< 0.05				80%	120%
V	1	3615563	44.5	43.4	2.5%	< 0.5				80%	120%
W	1	3615563	0.209	0.257	20.6%	< 0.05				80%	120%
Y	1	3615563	8.56	8.33	2.7%	< 0.05	6	7	81%	80%	120%
Zn	1	3615563	56.6	56.5	0.2%	< 0.5				80%	120%
Zr	1	3615563	1.5	1.5	0.0%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3615576	0.51	0.49	4.0%	< 0.01	11.4	13.0	88%	80%	120%
Al	1	3615576	3.64	3.65	0.3%	< 0.01				80%	120%
As	1	3615576	83.2	81.8	1.7%	< 0.1				80%	120%
Au	1	3615576	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3615576	< 5	< 5	0.0%	< 5	7.28	7.00	104%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Sep 26, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Ba	1	3615576	816	816	0.0%	< 1				80%	120%	
Be	1	3615576	0.790	0.859	8.4%	< 0.05				80%	120%	
Bi	1	3615576	0.03	0.03	0.0%	< 0.01				80%	120%	
Ca	1	3615576	0.972	0.992	2.0%	< 0.01	2.18	2.21	98%	80%	120%	
Cd	1	3615576	0.12	0.12	0.0%	< 0.01				80%	120%	
Ce	1	3615576	9.79	9.68	1.1%	< 0.01				80%	120%	
Co	1	3615576	26.8	26.9	0.4%	< 0.1				80%	120%	
Cr	1	3615576	5.4	5.2	3.8%	< 0.5				80%	120%	
Cs	1	3615576	8.76	8.57	2.2%	< 0.05				80%	120%	
Cu	1	3615576	240	231	3.8%	< 0.1	5636	6000	93%	80%	120%	
Fe	1	3615576	7.43	7.44	0.1%	< 0.01				80%	120%	
Ga	1	3615576	7.67	7.66	0.1%	< 0.05				80%	120%	
Ge	1	3615576	0.11	0.11	0.0%	< 0.05				80%	120%	
Hf	1	3615576	0.07	0.07	0.0%	< 0.02				80%	120%	
Hg	1	3615576	0.01	0.01	0.0%	< 0.01				80%	120%	
In	1	3615576	0.0155	0.0146	6.0%	< 0.005				80%	120%	
K	1	3615576	1.37	1.36	0.7%	< 0.01				80%	120%	
La	1	3615576	4.7	4.7	0.0%	< 0.1				80%	120%	
Li	1	3615576	23.2	23.2	0.0%	< 0.1				80%	120%	
Mg	1	3615576	2.04	2.03	0.5%	< 0.01				80%	120%	
Mn	1	3615576	1800	1780	1.1%	< 1				80%	120%	
Mo	1	3615576	0.655	0.604	8.1%	< 0.05	337	350	96%	80%	120%	
Na	1	3615576	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Nb	1	3615576	0.52	0.53	1.9%	< 0.05				80%	120%	
Ni	1	3615576	8.2	7.9	3.7%	< 0.2				80%	120%	
P	1	3615576	1290	1270	1.6%	< 10	513	600	86%	80%	120%	
Pb	1	3615576	2.8	2.7	3.6%	< 0.1				80%	120%	
Rb	1	3615576	62.3	61.7	1.0%	< 0.1	13	13	100%	80%	120%	
Re	1	3615576	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3615576	0.009	0.009	0.0%	< 0.005				80%	120%	
Sb	1	3615576	0.62	0.59	5.0%	< 0.05				80%	120%	
Sc	1	3615576	6.4	6.4	0.0%	< 0.1				80%	120%	
Se	1	3615576	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3615576	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3615576	39.6	40.6	2.5%	< 0.2				80%	120%	
Ta	1	3615576	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3615576	0.02	0.02	0.0%	< 0.01				80%	120%	
Th	1	3615576	1.2	1.2	0.0%	< 0.1				80%	120%	
Ti	1	3615576	0.325	0.337	3.6%	< 0.005				80%	120%	
Tl	1	3615576	0.291	0.285	2.1%	< 0.01				80%	120%	
U	1	3615576	0.48	0.48	0.0%	< 0.05				80%	120%	
V	1	3615576	85.7	82.7	3.6%	< 0.5				80%	120%	
W	1	3615576	0.31	0.31	0.0%	< 0.05				80%	120%	
Y	1	3615576	9.29	9.27	0.2%	< 0.05	7	7	100%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Zn	1	3615576	153	149	2.6%	< 0.5			80%	120%	
Zr	1	3615576	2.6	2.6	0.0%	< 0.5			80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.8	13.0	90%	80% 120%	
Cu	1					< 0.1	5672	6000	94%	80% 120%	
Mo	1					< 0.05	353	350	100%	80% 120%	
P	1					< 10	501	600	84%	80% 120%	
Rb	1					< 0.1	10	13	80%	80% 120%	
Th	1					< 0.1	1	1.4	72%	80% 120%	
Y	1					< 0.05	6	7	81%	80% 120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	12	13.0	92%	80% 120%	
Cu	1					< 0.1	5658	6000	94%	80% 120%	
Mo	1					< 0.05	347	350	99%	80% 120%	
P	1					< 10	495	600	83%	80% 120%	
Rb	1					< 0.1	11	13	82%	80% 120%	
Th	1					< 0.1	1	1.4	72%	80% 120%	
Y	1					< 0.05	6	7	79%	80% 120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.7	13.0	90%	80% 120%	
Be	1					< 0.05	0.3	0.4	70%	80% 120%	
Cu	1					< 0.1	5687	6000	94%	80% 120%	
Mo	1					< 0.05	347	380	91%	80% 120%	
P	1					< 10	497	600	83%	80% 120%	
Rb	1					< 0.1	10	13	80%	80% 120%	
Th	1					< 0.1	1	1.4	70%	80% 120%	
Y	1					< 0.05	6	7	83%	80% 120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.3	13.0	87%	80% 120%	
B	1					< 5	7	7.00	100%	80% 120%	
Cu	1					< 0.1	5717	6000	95%	80% 120%	
Mo	1					< 0.05	336	350	96%	80% 120%	
P	1					< 10	501	600	83%	80% 120%	
Rb	1					< 0.1	13	13	100%	80% 120%	
Y	1					< 0.05	5	7	78%	80% 120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.6	13.0	89%	80% 120%	
Be	1					< 0.05	0.3	0.4	71%	80% 120%	
Cu	1					< 0.1	5607	6000	93%	80% 120%	
Mo	1					< 0.05	348	350	99%	80% 120%	
P	1					< 10	497	600	83%	80% 120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

### Solid Analysis (Continued)

RPT Date: Sep 26, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Rb	1					< 0.1	11	13	84%	80%	120%
Th	1					< 0.1	1	1.4	71%	80%	120%
Y	1					< 0.05	6	7	85%	80%	120%

Certified By: \_\_\_\_\_

*Ron Cardinal*



## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y631033

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS



CLIENT NAME: CANADIAN DEHUA INT MINES CO.  
820-1130 WEST PENDER STREET  
VANCOUVER, BC V6E4A4  
(250) 710-0587

ATTENTION TO: VINCENT LI

PROJECT NO:

AGAT WORK ORDER: 12Y635121

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 04, 2012

PAGES (INCLUDING COVER): 25

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

\*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Sample Login Weight kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
G1618-25 (-)		0.38	0.06	0.93	8.9	<0.01	<5	177	0.21	0.06	0.57	0.18	20.5	5.9	25.2
G1618-19 (-)		0.38	0.11	1.20	10.9	<0.01	<5	262	0.33	0.10	0.67	0.23	24.9	8.6	37.0
G1618-17 (-)		0.42	0.16	1.43	9.6	<0.01	<5	291	0.41	0.12	0.85	0.19	27.3	11.4	46.3
G1618-15 (-)		0.41	0.16	1.54	10.4	<0.01	<5	333	0.45	0.13	1.53	0.34	27.5	13.7	54.5
G1618-13 (-)		0.43	0.15	1.15	8.0	<0.01	<5	299	0.36	0.14	0.98	0.35	27.4	8.9	28.9
G1618-11 (-)		0.44	0.18	1.42	12.5	<0.01	<5	340	0.37	0.15	1.21	0.25	26.3	10.9	36.9
G1618-09 (-)		0.38	0.16	1.20	9.8	<0.01	<5	326	0.35	0.13	1.50	0.42	24.0	12.1	46.0
G1618-07 (-)		0.46	0.16	1.38	9.2	<0.01	<5	317	0.38	0.14	0.76	0.38	26.5	9.3	31.6
G1618-05 (-)		0.39	0.11	1.28	9.2	<0.01	<5	253	0.35	0.10	0.75	0.10	28.5	8.0	29.3
G1618-03 (-)		0.43	0.08	1.11	6.8	<0.01	<5	215	0.28	0.08	0.62	0.06	23.9	7.4	23.5
G1618-01 (-)		0.38	0.09	1.22	18.3	<0.01	7	250	0.28	0.15	0.62	0.24	26.6	7.3	26.5
G1618-00 (-)		0.31	0.09	1.21	10.4	<0.01	<5	231	0.28	0.15	0.62	0.11	28.5	7.4	26.1
G1618-02 (-)		0.36	0.08	1.05	6.9	<0.01	<5	201	0.23	0.11	0.50	0.08	24.1	6.9	22.1
G1618-04 (-)		0.32	0.08	1.22	12.8	<0.01	<5	221	0.27	0.15	0.60	0.23	21.2	10.9	27.7
G1618-06 (-)		0.43	0.08	1.09	4.8	<0.01	<5	213	0.23	0.13	0.56	0.15	24.0	7.8	26.2
G1618-08 (-)		0.46	0.07	1.08	8.8	<0.01	<5	292	0.31	0.12	0.60	0.14	28.8	7.4	28.5
G1618-10 (-)		0.46	0.08	0.99	9.0	<0.01	<5	286	0.26	0.10	0.60	0.14	25.8	7.7	26.7
G1618-12 (-)		0.45	0.08	1.10	8.6	<0.01	<5	267	0.26	0.09	0.59	0.13	24.0	7.4	26.5
G1618-14 (-)		0.38	0.13	1.19	14.1	<0.01	<5	423	0.38	0.11	0.78	0.87	26.5	10.4	26.5
G1618-16 (-)		0.42	0.10	1.11	13.2	<0.01	<5	325	0.33	0.10	0.66	0.23	25.8	10.1	26.3
G1618-18 (-)		0.45	0.10	1.02	9.7	<0.01	<5	296	0.28	0.12	1.72	0.27	25.1	8.0	24.7
G1618-20 (-)		0.42	0.10	1.16	11.5	<0.01	<5	320	0.31	0.10	0.68	0.20	29.0	9.2	27.7
G1618-22 (-)		0.39	0.22	1.61	8.8	<0.01	<5	247	0.20	0.10	0.77	0.28	18.8	12.0	39.4
G1618-24 (-)		0.40	0.13	1.49	9.8	<0.01	<5	225	0.16	0.08	0.72	0.18	18.7	10.2	38.1
G1618-26 (-)		0.32	0.19	1.46	15.8	<0.01	<5	231	0.18	0.10	0.82	0.20	18.1	10.1	34.2
G1618-28 (-)		0.38	0.15	1.72	12.9	<0.01	<5	228	0.20	0.13	0.78	0.26	18.0	12.9	44.5
G1618-30 (-)		0.36	0.27	1.97	12.9	<0.01	<5	254	0.18	0.08	0.97	0.36	16.2	18.3	51.7
G1618-32 (-)		0.41	0.18	1.85	10.2	<0.01	<5	211	0.19	0.08	0.69	0.25	14.5	13.0	40.4
G1618-34 (-)		0.39	0.86	2.31	42.3	<0.01	<5	383	0.26	0.08	0.89	0.39	20.1	17.1	50.6
G1416-25 (-)		0.37	0.10	1.11	7.9	0.03	<5	201	0.28	0.07	0.58	0.20	24.4	7.4	28.5
G1416-21 (-)		0.34	0.19	1.23	10.7	<0.01	<5	383	0.29	0.11	1.24	0.26	19.4	10.3	34.4

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G1416-19 (-)	0.45	0.12	1.18	8.9	<0.01	<5	286	0.24	0.10	0.54	0.24	22.8	9.8	29.1
G1416-17 (-)	0.50	0.19	1.30	11.0	<0.01	<5	283	0.36	0.11	0.52	0.14	24.0	10.9	29.8
G1416-15 (-)	0.44	0.12	1.17	9.0	<0.01	<5	228	0.30	0.11	0.93	0.18	22.8	9.8	39.6
G1416-13 (-)	0.47	0.09	0.84	8.7	<0.01	<5	204	0.21	0.09	1.73	0.18	17.9	9.4	40.5
G1416-11 (-)	0.47	0.09	1.02	9.6	<0.01	<5	271	0.28	0.10	0.69	0.17	26.6	9.0	27.2
G1416-09 (-)	0.43	0.09	1.12	8.6	<0.01	<5	257	0.33	0.10	1.46	0.18	27.4	8.8	27.3
G1416-07 (-)	0.39	0.16	1.46	10.3	<0.01	<5	293	0.41	0.17	0.74	0.13	28.7	10.9	31.9
G1416-05 (-)	0.41	0.14	1.17	9.2	<0.01	<5	296	0.29	0.14	1.01	0.36	28.1	8.8	25.7
G1416-03 (-)	0.42	0.11	1.15	9.7	<0.01	<5	283	0.38	0.14	0.67	0.13	29.8	8.4	25.2
G1416-01 (-)	0.41	0.10	1.13	12.8	<0.01	<5	189	0.32	0.15	1.94	0.24	25.3	9.7	26.3
G1416-00 (-)	0.44	0.13	1.23	11.5	<0.01	<5	302	0.36	0.16	0.75	0.25	29.0	9.9	28.4
G1416-02 (-)	0.46	0.38	1.53	27.7	<0.01	<5	209	0.32	0.93	0.74	0.49	17.2	17.4	39.1
G1416-04 (-)	0.45	0.30	1.50	23.8	<0.01	<5	235	0.32	1.16	0.62	0.42	17.8	14.9	34.2
G1416-06 (-)	0.43	0.12	1.39	9.8	<0.01	<5	259	0.37	0.23	0.52	0.11	26.7	9.2	28.9
G1416-08 (-)	0.43	0.11	1.26	9.6	<0.01	<5	258	0.31	0.17	0.49	0.14	26.6	8.7	25.8
G1416-10 (-)	0.42	0.11	1.20	12.9	<0.01	<5	233	0.34	0.16	0.57	0.14	27.5	9.5	27.3
G1416-12 (-)	0.45	0.19	1.37	15.9	<0.01	<5	202	0.26	0.23	0.63	0.24	20.2	12.1	26.4
G1416-14 (-)	0.42	0.15	1.26	8.3	<0.01	6	261	0.30	0.12	0.74	0.36	27.8	9.6	25.6
G1416-16 (-)	0.45	0.10	1.25	10.3	<0.01	<5	279	0.31	0.11	0.63	0.18	27.0	9.3	26.4
G1416-18 (-)	0.47	0.10	0.95	9.2	<0.01	<5	322	0.28	0.09	1.55	0.26	24.4	8.5	24.1
G1416-20 (-)	0.38	0.11	1.18	10.6	<0.01	<5	284	0.33	0.10	0.62	0.22	25.8	9.2	26.6
G1416-22 (-)	0.39	0.13	1.67	8.1	<0.01	<5	289	0.32	0.10	0.87	0.24	22.1	11.7	27.0
G1416-24 (-)	0.34	0.12	1.75	11.6	<0.01	<5	211	0.24	0.09	0.82	0.10	16.9	13.0	24.2
G1416-26 (-)	0.29	0.21	1.79	15.7	<0.01	<5	301	0.34	0.12	1.05	0.24	19.2	17.3	28.8
G1416-28 (-)	0.38	0.19	1.84	9.8	<0.01	<5	229	0.30	0.09	0.92	0.24	19.0	19.5	35.1
G1416-30 (-)	0.38	0.27	2.46	13.9	<0.01	<5	159	0.33	0.12	0.74	0.16	19.3	21.0	42.8
G1416-32 (-)	0.42	0.39	2.35	11.5	<0.01	<5	255	0.31	0.07	0.81	0.17	16.3	18.0	49.2
G1012-25 (-)	0.39	0.10	1.20	12.0	<0.01	<5	247	0.30	0.13	0.68	0.34	27.1	10.1	26.4
G1012-21 (-)	0.40	0.10	1.11	6.6	<0.01	<5	232	0.28	0.10	0.57	0.14	23.1	7.5	23.9
G1012-19 (-)	0.22	0.15	1.17	9.0	<0.01	<5	391	0.39	0.14	1.17	0.41	28.8	8.4	28.2
G1012-17 (-)	0.43	0.11	1.22	8.0	<0.01	<5	274	0.34	0.15	0.82	0.14	30.9	9.1	31.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
G1012-15 (-)	0.40	0.13	1.24	10.1	<0.01	<5	316	0.37	0.18	0.69	0.18	29.4	9.7	27.7
G1012-13 (-)	0.43	0.13	1.25	10.0	<0.01	<5	333	0.39	0.16	0.76	0.26	30.8	10.3	31.7
G1012-11 (-)	0.35	0.12	1.36	10.1	<0.01	<5	296	0.41	0.18	0.64	0.12	31.1	9.6	28.6
G1012-09 (-)	0.32	0.11	1.32	10.2	<0.01	<5	401	0.39	0.17	0.88	0.12	26.2	9.5	28.6
G1012-07 (-)	0.44	0.15	1.45	9.9	<0.01	<5	316	0.36	0.19	0.68	0.23	27.8	10.7	32.7
G1012-05 (-)	0.44	0.14	1.39	9.7	<0.01	<5	333	0.38	0.16	0.70	0.18	29.4	10.0	31.3
G1012-03 (-)	0.43	0.20	1.49	11.6	<0.01	<5	303	0.42	0.32	0.72	0.14	29.7	11.8	30.8
G1012-01 (-)	0.46	0.32	1.61	13.1	<0.01	<5	243	0.29	0.93	0.53	0.31	20.2	11.9	34.6
G1012-00 (-)	0.38	0.17	1.35	5.0	<0.01	<5	239	0.25	0.39	0.60	0.13	25.0	6.6	25.7
G1012-02 (-)	0.50	0.13	1.25	11.3	<0.01	<5	199	0.32	0.42	0.49	0.14	28.1	8.7	25.9
G1012-04 (-)	0.37	0.10	1.44	10.5	<0.01	<5	249	0.38	0.27	0.46	0.12	28.0	9.3	26.5
G1012-06 (-)	0.42	0.16	1.44	11.5	<0.01	<5	318	0.44	0.27	0.53	0.12	33.9	10.5	28.6
G1012-08 (-)	0.40	0.14	1.33	12.1	<0.01	<5	258	0.33	0.35	0.44	0.18	29.0	7.8	29.2
G1012-10 (-)	0.33	0.20	1.57	10.6	<0.01	<5	193	0.34	0.56	0.45	0.15	27.3	8.5	32.2
G1012-12 (-)	0.43	0.20	2.48	21.0	<0.01	<5	341	0.38	1.89	0.62	0.63	21.0	12.5	31.1
G1012-14 (-)	0.43	0.14	1.64	9.5	<0.01	<5	304	0.36	0.26	0.61	0.15	28.0	9.8	30.3
G1012-16 (-)	0.44	0.14	1.21	8.7	<0.01	<5	262	0.33	0.25	0.60	0.17	28.9	10.1	27.4
G1012-18 (-)	0.38	0.24	1.94	7.7	<0.01	<5	291	0.31	0.35	0.91	0.24	25.2	14.1	35.8
G1012-20 (-)	0.42	0.21	2.26	5.3	<0.01	<5	219	0.15	1.02	0.67	0.19	9.21	18.9	42.3
G1012-22 (-)	0.36	0.17	2.45	5.5	<0.01	<5	226	0.16	0.24	0.73	0.11	8.60	22.1	39.9
G1012-24 (-)	0.42	0.15	1.76	13.9	<0.01	<5	230	0.29	0.21	0.43	0.12	18.9	13.9	29.3
G1012-26 (-)	0.44	0.29	1.80	11.8	<0.01	7	357	0.36	0.32	0.52	0.07	25.0	13.6	29.4
G1012-28 (-)	0.37	0.16	1.99	16.1	<0.01	<5	294	0.31	0.15	0.38	0.13	15.1	15.7	32.1
G0810-27 (-)	0.44	0.07	0.92	7.0	<0.01	<5	197	0.24	0.09	0.52	0.15	23.7	9.8	21.2
G0810-23 (-)	0.32	0.20	1.33	16.9	<0.01	<5	423	0.49	0.16	1.10	0.53	28.0	26.3	30.3
G0810-21 (-)	0.41	0.10	1.04	8.3	<0.01	<5	246	0.35	0.12	0.65	0.13	27.5	8.5	25.7
G0810-19 (-)	0.44	0.10	1.12	8.7	<0.01	8	266	0.38	0.13	0.60	0.11	29.7	9.7	29.3
G0810-17 (-)	0.42	0.13	1.27	9.7	0.01	<5	332	0.41	0.14	0.80	0.21	28.5	10.3	31.7
G0810-15 (-)	0.43	0.11	1.28	9.7	<0.01	<5	269	0.39	0.15	0.88	0.23	30.7	11.4	40.5
G0810-13 (-)	0.43	0.12	1.33	8.3	<0.01	<5	307	0.30	0.17	0.83	0.15	24.8	10.1	30.7
G0810-11 (-)	0.46	0.14	1.43	10.0	<0.01	<5	297	0.42	0.17	1.04	0.30	32.5	11.9	38.7

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Sample Login Weight	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
Unit:	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.01	0.01	0.01	0.1	0.01	5	1	0.05	0.01	0.01	0.01	0.01	0.1	0.5
Sample Description														
G0810-09 (-)	0.47	0.14	1.37	8.2	<0.01	14	414	0.39	0.15	1.02	0.18	25.9	10.8	30.6
G0810-07 (-)	0.50	0.16	1.61	8.9	0.01	<5	329	0.40	0.19	1.04	0.24	28.7	10.6	34.1
G0810-05 (-)	0.41	0.20	1.67	11.0	<0.01	<5	260	0.33	0.17	1.00	0.25	22.2	14.5	56.5
G0810-03 (-)	0.42	0.07	2.10	30.5	<0.01	16	303	0.25	0.08	0.49	0.19	16.0	16.1	63.5
G0810-01 (-)	0.47	0.07	1.69	7.3	0.09	<5	127	0.20	0.11	0.40	0.18	14.1	14.4	30.5
G0810-00 (-)	0.46	0.08	1.64	9.2	<0.01	<5	311	0.35	0.20	0.58	0.06	22.5	11.4	26.0
G0810-02 (-)	0.44	0.11	1.73	11.9	<0.01	<5	249	0.27	0.29	0.48	0.16	15.4	13.4	26.8
G0810-04 (-)	0.42	0.16	1.91	19.6	<0.01	<5	293	0.33	0.54	0.56	0.17	19.1	16.8	32.0
G0810-06 (-)	0.44	0.29	1.92	13.0	<0.01	<5	315	0.43	0.68	0.60	0.44	23.8	16.6	26.9
G0810-08 (-)	0.40	0.21	1.46	11.9	<0.01	<5	285	0.41	0.30	0.40	0.14	31.2	8.6	28.4
G0810-10 (-)	0.34	0.33	1.34	15.9	<0.01	6	239	0.26	0.74	0.84	0.47	25.8	10.6	29.6
G0810-12 (-)	0.39	0.70	1.69	9.3	<0.01	<5	248	0.31	1.07	0.72	0.87	21.2	15.3	49.8
G0810-14 (-)	0.40	0.17	3.43	8.6	<0.01	<5	618	0.34	0.31	1.35	0.11	26.0	9.5	25.9
G0810-16 (-)	0.33	0.20	1.29	15.8	<0.01	<5	270	0.30	0.39	0.86	0.31	28.7	11.0	23.9
G0810-18 (-)	0.39	1.20	1.63	18.1	<0.01	<5	247	0.38	4.43	0.79	1.68	18.4	21.1	43.2
G0810-20 (-)	0.40	0.23	2.38	9.6	<0.01	<5	371	0.31	0.84	0.65	0.24	17.2	24.4	37.0

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G1618-25 (-)	0.57	15.5	1.64	5.63	0.08	0.05	0.02	0.013	0.04	10.5	6.2	0.44	268	0.75
G1618-19 (-)	0.77	26.0	2.34	8.38	0.08	0.05	0.04	0.018	0.06	12.6	7.4	0.52	331	0.69
G1618-17 (-)	1.10	42.9	2.43	9.83	0.09	0.05	0.05	0.023	0.12	14.3	10.5	0.71	509	1.23
G1618-15 (-)	1.35	58.0	2.64	13.3	0.10	0.10	0.04	0.025	0.16	14.0	11.0	0.88	574	1.70
G1618-13 (-)	0.84	31.6	2.00	8.92	0.09	0.07	0.04	0.020	0.07	14.3	9.5	0.56	445	0.82
G1618-11 (-)	0.91	46.7	2.43	9.87	0.09	0.09	0.04	0.023	0.09	13.4	9.7	0.70	526	1.58
G1618-09 (-)	1.20	49.8	2.45	9.34	0.10	0.10	0.05	0.021	0.13	12.4	8.3	0.74	617	1.57
G1618-07 (-)	0.86	39.5	2.26	10.0	0.09	0.09	0.05	0.022	0.09	14.4	10.2	0.59	345	1.10
G1618-05 (-)	0.77	23.5	2.08	8.82	0.08	0.03	0.04	0.020	0.06	14.5	8.6	0.49	334	1.25
G1618-03 (-)	0.67	21.5	1.90	7.48	0.08	0.04	0.02	0.016	0.06	12.2	8.6	0.52	244	0.73
G1618-01 (-)	0.76	23.0	2.50	8.59	0.08	<0.02	0.04	0.018	0.06	13.1	8.8	0.51	246	1.36
G1618-00 (-)	0.75	24.0	2.07	8.15	0.07	0.08	0.03	0.018	0.06	14.4	8.8	0.51	288	0.87
G1618-02 (-)	0.64	17.6	1.76	7.17	0.08	0.04	0.02	0.015	0.05	12.6	7.6	0.46	287	0.71
G1618-04 (-)	0.67	25.8	2.75	7.65	0.08	0.04	0.03	0.017	0.08	10.9	8.3	0.62	594	1.36
G1618-06 (-)	0.66	19.3	1.79	7.71	0.08	0.04	0.02	0.016	0.05	12.5	8.2	0.52	306	0.60
G1618-08 (-)	0.63	18.7	2.30	8.68	0.08	0.07	0.03	0.017	0.06	15.0	8.3	0.53	262	0.92
G1618-10 (-)	0.67	19.9	2.34	8.60	0.08	0.05	0.03	0.016	0.06	13.5	7.8	0.53	302	1.21
G1618-12 (-)	0.57	19.9	2.01	8.35	0.08	0.06	0.03	0.016	0.05	12.4	8.0	0.53	380	0.86
G1618-14 (-)	0.75	34.5	2.38	15.8	0.08	0.09	0.03	0.019	0.07	13.9	10.0	0.59	514	1.36
G1618-16 (-)	0.71	30.1	2.54	9.20	0.09	0.07	0.03	0.018	0.07	13.4	8.8	0.61	338	1.21
G1618-18 (-)	0.86	25.6	1.95	8.66	0.10	0.08	0.05	0.017	0.09	12.8	9.3	0.73	431	1.04
G1618-20 (-)	0.81	28.6	2.35	10.2	0.08	0.08	0.03	0.019	0.07	15.3	9.2	0.60	440	1.05
G1618-22 (-)	0.90	48.8	2.68	9.23	0.11	0.03	0.03	0.021	0.08	9.8	8.5	0.77	555	1.23
G1618-24 (-)	0.82	40.0	2.65	7.87	0.12	0.04	0.02	0.019	0.08	9.6	7.9	0.78	392	1.08
G1618-26 (-)	0.81	41.4	2.63	7.85	0.13	0.03	0.03	0.019	0.04	9.2	6.9	0.75	373	2.12
G1618-28 (-)	1.12	52.7	3.15	8.27	0.11	0.11	0.02	0.020	0.12	9.9	8.9	0.98	479	2.08
G1618-30 (-)	1.37	67.8	3.15	8.57	0.11	0.05	0.03	0.016	0.22	8.5	10.2	1.27	682	2.47
G1618-32 (-)	0.91	45.0	2.87	8.23	0.07	0.03	0.02	0.015	0.06	7.6	13.1	1.11	501	1.80
G1618-34 (-)	1.30	114	3.51	14.7	0.08	0.03	0.05	0.016	0.18	10.8	18.2	1.35	510	1.93
G1416-25 (-)	0.80	18.3	1.87	7.06	0.07	0.07	0.02	0.015	0.06	12.7	8.4	0.52	229	0.72
G1416-21 (-)	0.81	50.2	2.59	9.60	0.09	0.06	0.04	0.017	0.10	9.9	8.0	0.69	390	1.63
G1416-19 (-)	0.91	38.0	2.51	8.06	0.12	0.17	0.02	0.019	0.16	12.0	6.4	0.57	294	1.33

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G1416-17 (-)	0.88	38.1	2.60	9.11	0.09	0.09	0.03	0.020	0.17	12.5	11.3	0.68	591	1.23
G1416-15 (-)	0.78	38.6	2.53	7.82	0.09	0.08	0.03	0.018	0.09	11.6	8.1	0.67	437	1.05
G1416-13 (-)	0.79	31.2	2.35	6.17	0.11	0.07	0.02	0.014	0.09	9.3	5.4	0.72	519	1.04
G1416-11 (-)	0.60	22.9	1.99	8.35	0.09	0.07	0.02	0.017	0.09	13.5	8.6	0.58	253	0.95
G1416-09 (-)	0.71	24.8	2.02	8.13	0.08	0.12	0.03	0.019	0.09	13.8	8.9	0.71	427	0.73
G1416-07 (-)	0.76	36.6	2.43	9.82	0.09	0.08	0.03	0.024	0.08	15.0	11.5	0.74	484	1.04
G1416-05 (-)	0.69	38.2	2.17	8.31	0.08	0.08	0.03	0.018	0.08	14.2	9.7	0.62	430	1.40
G1416-03 (-)	0.62	29.3	2.10	9.15	0.06	0.10	0.04	0.018	0.05	15.2	8.9	0.50	356	1.35
G1416-01 (-)	0.80	33.1	2.29	6.94	0.10	0.15	0.03	0.020	0.10	13.0	8.7	0.69	422	1.97
G1416-00 (-)	0.78	33.9	2.38	9.26	0.09	0.13	0.03	0.021	0.08	14.5	10.7	0.68	444	1.58
G1416-02 (-)	2.61	152	3.94	8.88	0.11	0.08	0.04	0.031	0.38	9.3	9.9	1.00	668	13.5
G1416-04 (-)	1.98	131	3.56	9.42	0.09	0.07	0.03	0.029	0.21	9.3	9.7	0.85	631	11.5
G1416-06 (-)	0.69	25.7	2.14	9.99	0.05	0.10	0.03	0.020	0.05	13.9	10.7	0.48	361	2.25
G1416-08 (-)	0.61	24.1	2.19	9.16	0.05	0.05	0.04	0.017	0.04	13.7	9.2	0.51	301	1.06
G1416-10 (-)	0.68	24.8	2.65	8.61	0.07	0.07	0.03	0.017	0.06	14.0	9.3	0.58	339	1.10
G1416-12 (-)	0.84	34.9	2.96	8.35	0.06	0.04	0.03	0.018	0.09	10.4	10.1	0.69	539	1.43
G1416-14 (-)	0.70	30.2	2.11	8.92	0.07	0.03	0.05	0.017	0.06	13.8	9.8	0.54	594	0.90
G1416-16 (-)	0.64	21.3	2.39	12.2	0.06	0.08	0.03	0.019	0.06	14.1	10.0	0.57	346	1.01
G1416-18 (-)	0.65	27.0	2.00	9.47	0.09	0.09	0.03	0.017	0.08	12.5	8.5	0.67	386	0.97
G1416-20 (-)	0.65	28.0	2.20	9.52	0.09	0.08	0.11	0.020	0.07	13.3	9.9	0.58	365	0.87
G1416-22 (-)	0.86	60.4	2.65	13.6	0.07	0.08	0.04	0.022	0.06	11.2	11.6	0.73	407	0.33
G1416-24 (-)	0.86	47.2	3.20	9.82	0.07	0.06	0.03	0.025	0.06	8.4	12.1	0.92	962	0.64
G1416-26 (-)	1.32	107	3.96	14.5	0.08	0.04	0.09	0.028	0.09	9.7	11.1	0.84	633	0.68
G1416-28 (-)	2.41	91.1	4.11	10.1	0.08	0.05	0.03	0.036	0.09	9.4	12.5	1.02	617	0.91
G1416-30 (-)	2.10	108	5.29	12.3	0.10	0.08	0.03	0.047	0.19	10.3	16.8	1.67	833	1.26
G1416-32 (-)	2.15	118	4.16	14.3	0.09	0.06	0.03	0.037	0.22	9.5	15.9	1.33	675	0.81
G1012-25 (-)	0.69	23.5	2.62	8.01	0.09	0.03	0.03	0.019	0.08	13.5	9.7	0.58	447	1.16
G1012-21 (-)	0.62	18.7	1.83	8.04	0.07	0.04	0.02	0.016	0.07	11.9	9.5	0.53	248	0.86
G1012-19 (-)	0.58	56.0	1.87	11.3	0.09	0.06	0.05	0.019	0.06	14.9	10.9	0.56	499	0.94
G1012-17 (-)	0.63	26.5	2.18	9.21	0.09	0.05	0.04	0.019	0.06	15.9	8.9	0.56	375	1.11
G1012-15 (-)	0.56	31.7	2.26	10.1	0.08	0.08	0.04	0.020	0.06	15.2	9.4	0.59	469	1.40
G1012-13 (-)	0.76	32.3	2.30	10.3	0.08	0.09	0.04	0.022	0.07	16.0	10.0	0.61	384	1.45

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
RDL:	0.05	0.1	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.1	0.1	0.01	1	0.05
G1012-11 (-)	0.61	31.1	2.29	9.99	0.08	0.10	0.04	0.022	0.06	15.8	10.3	0.56	359	1.42
G1012-09 (-)	0.57	35.8	2.01	14.9	0.08	0.08	0.05	0.019	0.05	14.0	8.8	0.50	446	1.37
G1012-07 (-)	0.71	43.1	2.39	10.4	0.09	0.08	0.04	0.022	0.07	14.5	10.7	0.67	399	1.54
G1012-05 (-)	0.66	40.2	2.32	10.8	0.09	0.07	0.05	0.022	0.07	15.2	11.5	0.63	350	1.59
G1012-03 (-)	0.88	59.9	2.61	14.3	0.07	0.08	0.04	0.024	0.07	16.0	12.4	0.66	312	2.98
G1012-01 (-)	1.42	73.9	3.02	9.99	0.09	0.04	0.03	0.029	0.20	11.0	9.5	0.73	453	7.73
G1012-00 (-)	0.69	29.1	1.56	9.14	0.07	0.04	0.04	0.020	0.05	12.9	9.5	0.50	255	1.09
G1012-02 (-)	0.76	26.7	2.17	8.00	0.07	0.04	0.04	0.020	0.05	14.6	9.3	0.48	300	2.37
G1012-04 (-)	0.75	28.1	2.19	9.62	0.07	0.06	0.05	0.021	0.05	14.6	10.7	0.50	259	1.65
G1012-06 (-)	0.72	38.7	2.30	14.3	0.09	0.10	0.05	0.024	0.05	17.4	10.7	0.53	336	1.76
G1012-08 (-)	0.82	33.6	2.13	9.89	0.09	0.07	0.04	0.021	0.05	14.8	10.2	0.50	278	2.09
G1012-10 (-)	0.96	38.5	2.20	9.26	0.08	0.06	0.04	0.024	0.05	14.2	11.2	0.54	231	3.52
G1012-12 (-)	2.76	105	4.24	16.5	0.11	0.16	0.02	0.040	0.57	10.7	12.4	1.21	792	6.20
G1012-14 (-)	0.84	45.4	2.65	14.0	0.08	0.16	0.04	0.023	0.07	14.6	10.7	0.63	315	1.17
G1012-16 (-)	0.78	37.6	2.11	10.2	0.08	0.10	0.04	0.021	0.06	14.8	10.2	0.56	314	0.89
G1012-18 (-)	1.34	89.9	3.19	10.2	0.08	0.06	0.03	0.023	0.16	13.1	12.1	0.90	559	1.06
G1012-20 (-)	3.49	151	4.99	10.2	0.09	0.08	0.02	0.020	0.52	5.1	9.5	1.28	545	1.11
G1012-22 (-)	2.89	118	4.51	10.7	0.08	0.05	0.02	0.018	0.31	4.2	12.3	1.60	680	0.77
G1012-24 (-)	2.02	89.9	3.55	10.7	0.08	0.05	0.03	0.025	0.15	9.5	12.5	0.80	465	1.57
G1012-26 (-)	1.30	109	3.27	15.9	0.08	0.05	0.05	0.022	0.06	13.9	16.5	0.78	526	0.93
G1012-28 (-)	1.54	91.7	3.65	11.5	0.11	0.05	0.03	0.019	0.19	7.4	11.1	0.87	511	0.94
G0810-27 (-)	0.44	19.6	2.35	7.02	0.13	0.03	0.02	0.015	0.05	12.3	7.4	0.47	314	0.96
G0810-23 (-)	0.83	47.9	3.93	16.1	0.07	0.03	0.04	0.023	0.08	13.9	10.8	0.68	2280	3.46
G0810-21 (-)	0.53	25.8	2.18	8.59	0.07	0.06	0.04	0.018	0.05	14.1	8.7	0.47	316	0.94
G0810-19 (-)	0.60	28.4	2.30	9.38	0.07	0.06	0.05	0.020	0.05	15.2	12.3	0.51	390	1.05
G0810-17 (-)	0.66	36.8	2.50	14.1	0.08	0.05	0.04	0.021	0.06	15.1	10.0	0.57	469	1.24
G0810-15 (-)	0.71	45.1	2.69	9.83	0.09	0.10	0.04	0.022	0.08	15.5	9.6	0.65	488	1.44
G0810-13 (-)	0.51	28.9	2.35	13.6	0.09	0.07	0.04	0.020	0.05	12.7	9.0	0.56	503	1.11
G0810-11 (-)	0.80	47.8	2.76	13.3	0.10	0.19	0.04	0.024	0.11	16.5	11.9	0.75	557	1.26
G0810-09 (-)	0.59	49.8	2.54	16.0	0.07	0.08	0.05	0.020	0.05	13.5	15.7	0.60	640	1.41
G0810-07 (-)	0.71	54.4	2.83	14.2	0.10	0.24	0.04	0.024	0.11	15.4	11.4	0.72	431	1.09
G0810-05 (-)	1.44	75.3	3.35	9.63	0.10	0.11	0.04	0.022	0.24	12.0	12.5	1.03	592	1.74

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Cs ppm 0.05	Cu ppm 0.1	Fe % 0.01	Ga ppm 0.05	Ge ppm 0.05	Hf ppm 0.02	Hg ppm 0.01	In ppm 0.005	K % 0.01	La ppm 0.1	Li ppm 0.1	Mg % 0.01	Mn ppm 1	Mo ppm 0.05
G0810-03 (-)		2.22	93.2	4.14	14.2	0.09	0.03	0.03	0.020	0.28	9.0	23.1	1.46	624	1.25
G0810-01 (-)		0.84	57.4	3.35	7.71	0.09	<0.02	0.04	0.018	0.10	7.4	11.2	0.85	528	1.49
G0810-00 (-)		1.08	77.2	3.21	13.6	0.09	0.15	0.04	0.020	0.15	12.0	10.5	0.73	399	1.19
G0810-02 (-)		1.32	76.1	3.47	10.3	0.10	0.05	0.02	0.019	0.21	8.0	10.1	0.83	451	1.62
G0810-04 (-)		2.49	102	4.19	14.5	0.10	0.09	0.03	0.025	0.27	10.0	12.0	0.97	602	1.65
G0810-06 (-)		1.83	114	4.50	15.6	0.11	0.12	0.03	0.030	0.20	13.4	11.7	0.89	741	2.47
G0810-08 (-)		0.68	38.1	2.56	13.1	0.09	0.14	0.04	0.022	0.05	16.4	9.3	0.48	237	1.83
G0810-10 (-)		0.80	53.7	2.39	9.10	0.11	0.04	0.04	0.024	0.06	14.0	10.6	0.56	523	3.62
G0810-12 (-)		0.99	97.4	3.25	9.94	0.10	0.04	0.05	0.030	0.12	10.9	11.4	0.74	550	2.48
G0810-14 (-)		0.71	38.2	6.19	9.26	0.08	0.07	0.03	0.021	0.13	13.7	10.9	1.28	376	2.70
G0810-16 (-)		0.75	66.1	2.69	9.15	0.10	0.05	0.06	0.021	0.07	15.1	9.4	0.56	485	4.17
G0810-18 (-)		1.99	205	5.35	10.0	0.12	0.08	0.05	0.063	0.20	10.0	10.7	0.75	845	13.3
G0810-20 (-)		2.08	152	5.30	18.2	0.11	0.07	0.04	0.042	0.24	8.5	10.9	0.81	767	16.7

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1618-25 (-)	0.02	1.05	16.7	771	4.5	4.6	<0.001	0.017	0.45	3.0	0.4	0.4	33.5	<0.01
G1618-19 (-)	0.02	1.62	24.6	829	5.5	7.6	<0.001	0.022	0.71	5.0	0.6	0.5	36.8	<0.01
G1618-17 (-)	0.02	1.75	34.4	777	6.6	10.0	<0.001	0.016	0.87	6.4	0.6	0.9	42.6	<0.01
G1618-15 (-)	0.03	1.82	44.9	800	7.5	11.8	<0.001	0.012	1.08	7.4	0.6	2.1	54.0	<0.01
G1618-13 (-)	0.03	1.64	28.3	684	6.6	8.4	<0.001	0.032	1.02	4.5	0.7	0.7	43.6	<0.01
G1618-11 (-)	0.04	1.54	31.1	712	7.2	8.7	<0.001	0.030	1.12	5.6	0.7	1.4	54.8	<0.01
G1618-09 (-)	0.02	1.51	38.5	859	6.1	10.5	0.001	0.050	1.16	5.7	1.3	1.0	44.5	<0.01
G1618-07 (-)	0.03	1.59	28.6	711	6.3	9.3	<0.001	0.019	0.97	5.7	0.7	0.8	37.6	<0.01
G1618-05 (-)	0.02	1.37	23.4	774	5.5	6.8	<0.001	0.020	0.82	4.9	0.5	0.6	37.4	<0.01
G1618-03 (-)	0.03	1.34	17.3	707	4.3	6.1	<0.001	0.033	0.52	3.8	0.5	0.4	35.6	<0.01
G1618-01 (-)	0.02	1.26	16.4	807	5.9	8.2	<0.001	0.034	0.61	4.1	0.4	0.5	31.8	<0.01
G1618-00 (-)	0.03	1.46	15.6	779	5.8	8.4	<0.001	0.017	0.63	4.2	0.5	0.5	31.5	<0.01
G1618-02 (-)	0.02	1.05	14.3	684	4.9	5.9	<0.001	0.008	0.48	3.3	0.3	0.4	24.4	<0.01
G1618-04 (-)	0.02	0.97	17.2	839	5.6	6.6	<0.001	0.016	0.67	4.2	0.4	0.4	23.6	<0.01
G1618-06 (-)	0.02	1.09	15.9	690	5.1	6.0	<0.001	0.012	0.50	3.7	0.3	0.4	27.7	<0.01
G1618-08 (-)	0.03	1.22	19.3	795	5.3	5.9	<0.001	0.008	0.75	3.9	0.5	0.4	30.5	<0.01
G1618-10 (-)	0.02	1.08	18.6	840	4.6	5.9	<0.001	0.011	0.74	3.7	0.4	0.4	28.8	<0.01
G1618-12 (-)	0.03	1.09	20.0	722	4.8	5.6	<0.001	0.008	0.69	3.6	0.4	0.4	30.7	<0.01
G1618-14 (-)	0.03	1.50	26.8	808	6.2	8.5	<0.001	0.030	1.10	4.5	0.8	0.5	46.1	<0.01
G1618-16 (-)	0.03	1.13	22.6	855	5.5	6.2	<0.001	0.014	0.90	4.5	0.5	0.4	36.7	<0.01
G1618-18 (-)	0.03	1.04	24.0	766	5.9	8.4	<0.001	0.010	0.90	3.9	0.4	0.4	54.4	<0.01
G1618-20 (-)	0.03	1.37	22.7	788	5.4	6.9	<0.001	0.012	0.91	4.4	0.5	0.5	35.6	<0.01
G1618-22 (-)	0.02	0.95	21.1	657	5.8	7.9	<0.001	0.023	0.54	5.5	<0.2	0.3	28.4	<0.01
G1618-24 (-)	0.02	1.00	21.5	731	4.9	7.4	<0.001	0.018	0.52	5.1	<0.2	0.6	26.3	<0.01
G1618-26 (-)	0.02	1.02	20.6	681	5.4	6.0	<0.001	0.035	0.76	4.4	0.3	0.2	24.3	<0.01
G1618-28 (-)	0.02	1.34	25.2	756	4.8	9.5	<0.001	0.013	0.91	5.5	0.4	0.8	28.7	<0.01
G1618-30 (-)	0.01	1.26	31.3	759	4.1	15.0	<0.001	0.024	0.64	4.7	0.7	0.4	24.6	<0.01
G1618-32 (-)	0.01	1.22	23.6	545	4.5	6.5	<0.001	0.011	0.42	3.6	0.8	0.5	21.9	<0.01
G1618-34 (-)	0.02	1.21	39.9	626	4.8	13.8	<0.001	0.018	0.63	5.0	1.0	0.7	23.4	<0.01
G1416-25 (-)	0.03	1.40	20.3	794	4.8	7.1	0.001	0.064	0.51	4.0	0.5	0.4	36.3	<0.01
G1416-21 (-)	0.02	1.45	30.3	798	5.4	7.4	0.001	0.127	1.35	5.0	1.8	0.4	87.0	<0.01
G1416-19 (-)	0.02	1.06	20.1	787	5.2	8.5	<0.001	0.011	1.57	4.4	0.4	0.3	36.4	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1416-17 (-)	0.02	1.21	27.0	621	5.2	8.2	<0.001	0.022	1.17	5.4	0.6	0.5	46.7	<0.01
G1416-15 (-)	0.02	1.48	30.0	731	5.1	6.4	<0.001	0.036	0.80	5.1	0.7	0.4	60.7	<0.01
G1416-13 (-)	0.02	0.98	27.9	852	3.7	5.3	<0.001	0.017	0.74	4.5	0.5	0.4	58.8	<0.01
G1416-11 (-)	0.03	1.35	22.0	789	4.9	5.7	0.002	0.045	0.67	4.0	0.8	0.4	48.3	<0.01
G1416-09 (-)	0.05	1.46	22.8	780	5.6	8.7	<0.001	0.026	0.79	4.7	0.5	0.4	59.5	<0.01
G1416-07 (-)	0.04	1.65	29.3	776	6.5	6.8	<0.001	0.018	0.84	5.8	0.5	0.5	42.5	<0.01
G1416-05 (-)	0.03	1.37	28.0	858	5.6	7.3	<0.001	0.017	0.77	3.9	0.8	0.4	45.9	<0.01
G1416-03 (-)	0.03	1.33	21.0	769	6.0	5.8	<0.001	0.010	0.80	4.6	0.5	0.5	38.2	<0.01
G1416-01 (-)	0.03	0.93	23.6	743	6.1	7.6	<0.001	0.011	0.70	5.3	0.5	0.5	62.0	<0.01
G1416-00 (-)	0.03	1.07	26.3	892	6.9	7.8	<0.001	0.009	0.70	4.9	0.6	0.5	39.5	<0.01
G1416-02 (-)	0.02	0.57	30.6	851	11.5	22.0	0.001	0.019	1.85	10.4	0.9	0.6	31.1	<0.01
G1416-04 (-)	0.02	0.59	25.2	847	11.0	15.4	0.001	0.024	1.68	8.8	0.8	1.6	29.0	<0.01
G1416-06 (-)	0.02	1.44	17.9	564	6.1	7.7	<0.001	0.007	0.53	5.2	0.5	0.5	30.5	<0.01
G1416-08 (-)	0.02	1.23	17.3	664	6.3	6.2	<0.001	0.011	0.50	4.3	0.5	0.4	27.1	<0.01
G1416-10 (-)	0.02	1.26	18.4	809	6.3	6.2	<0.001	0.014	0.61	4.4	0.5	0.5	27.2	<0.01
G1416-12 (-)	0.02	1.04	15.6	794	9.3	9.3	<0.001	0.023	0.49	4.8	0.4	0.7	26.0	<0.01
G1416-14 (-)	0.02	1.09	16.9	790	6.0	8.1	<0.001	0.026	0.46	4.2	0.5	0.7	35.3	<0.01
G1416-16 (-)	0.02	1.32	18.7	750	5.9	7.1	<0.001	0.011	0.54	4.4	0.5	0.5	35.9	<0.01
G1416-18 (-)	0.02	0.97	19.8	734	5.0	6.3	<0.001	0.013	0.64	4.3	0.5	0.4	56.2	<0.01
G1416-20 (-)	0.03	1.38	22.3	784	5.5	7.3	<0.001	0.013	0.64	4.8	0.6	0.4	28.5	<0.01
G1416-22 (-)	0.02	1.29	17.2	630	5.5	8.7	<0.001	0.029	0.58	7.1	0.6	0.5	31.7	<0.01
G1416-24 (-)	0.02	0.91	14.2	665	4.9	6.0	<0.001	0.020	0.56	7.3	0.5	0.7	25.6	<0.01
G1416-26 (-)	0.02	0.92	22.2	696	5.6	7.9	<0.001	0.029	0.73	10.0	0.7	0.5	30.3	<0.01
G1416-28 (-)	0.01	0.93	21.4	725	5.2	9.3	<0.001	0.022	0.68	14.1	0.8	0.7	23.9	<0.01
G1416-30 (-)	0.01	0.63	23.9	937	4.5	11.7	<0.001	0.015	0.80	19.2	0.8	0.4	18.9	<0.01
G1416-32 (-)	0.01	0.64	29.2	691	3.7	11.3	<0.001	0.016	0.63	14.0	0.8	0.6	23.7	<0.01
G1012-25 (-)	0.02	1.17	21.3	912	5.8	8.4	0.001	0.038	0.68	4.4	0.7	0.5	36.4	<0.01
G1012-21 (-)	0.02	1.31	17.9	698	4.7	7.2	0.001	0.029	0.60	4.0	0.6	0.5	31.8	<0.01
G1012-19 (-)	0.02	1.82	39.6	606	6.4	7.1	<0.001	0.037	0.78	4.3	1.1	0.6	55.7	<0.01
G1012-17 (-)	0.02	1.35	22.9	797	5.7	6.5	<0.001	0.018	0.75	5.1	0.5	0.5	41.2	<0.01
G1012-15 (-)	0.03	1.34	24.6	728	6.4	6.0	<0.001	0.013	0.71	5.0	0.6	0.5	36.5	<0.01
G1012-13 (-)	0.03	1.34	26.9	757	6.8	7.2	<0.001	0.012	0.94	5.4	0.6	0.6	40.3	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G1012-11 (-)	0.02	1.17	23.0	673	6.9	6.6	<0.001	0.010	0.75	5.5	0.6	0.5	37.9	<0.01
G1012-09 (-)	0.02	1.18	21.6	661	6.2	5.9	<0.001	0.031	0.61	4.8	0.6	0.5	45.0	<0.01
G1012-07 (-)	0.02	1.32	25.4	693	6.6	7.4	<0.001	0.015	0.72	5.7	0.6	0.6	36.0	<0.01
G1012-05 (-)	0.02	1.36	25.6	683	6.3	7.3	<0.001	0.016	0.70	5.6	1.1	0.5	38.5	<0.01
G1012-03 (-)	0.03	1.43	25.2	747	8.0	7.5	<0.001	0.015	0.78	6.7	0.7	0.7	36.7	<0.01
G1012-01 (-)	0.02	0.93	21.5	777	9.8	13.4	0.001	0.017	0.67	7.5	0.7	1.0	31.9	<0.01
G1012-00 (-)	0.02	1.24	14.3	587	8.4	7.6	<0.001	0.025	0.40	4.9	0.5	0.5	32.5	<0.01
G1012-02 (-)	0.02	1.13	14.9	753	7.7	6.7	<0.001	0.009	0.68	4.8	0.5	0.6	26.2	<0.01
G1012-04 (-)	0.02	1.24	18.2	587	7.4	7.8	<0.001	0.010	0.73	5.1	0.5	0.5	25.9	<0.01
G1012-06 (-)	0.02	1.29	25.0	681	8.2	7.3	<0.001	0.010	0.74	5.8	0.7	0.8	33.9	<0.01
G1012-08 (-)	0.02	1.31	19.5	598	9.0	8.2	<0.001	0.012	0.60	4.8	0.6	1.3	27.2	<0.01
G1012-10 (-)	0.02	1.32	16.2	456	12.2	8.8	<0.001	0.054	0.62	4.6	0.6	0.9	24.8	<0.01
G1012-12 (-)	0.04	0.74	25.5	788	42.6	38.7	<0.001	0.019	0.86	8.3	1.6	0.7	43.5	<0.01
G1012-14 (-)	0.03	1.50	22.4	648	6.5	8.9	<0.001	0.011	0.60	6.2	0.6	0.8	40.3	<0.01
G1012-16 (-)	0.02	1.42	21.5	688	6.3	7.6	<0.001	0.017	0.60	5.6	0.7	0.5	33.4	<0.01
G1012-18 (-)	0.03	1.32	27.9	729	7.7	13.3	<0.001	0.037	0.62	6.6	0.8	0.6	47.7	<0.01
G1012-20 (-)	0.06	0.52	23.8	722	9.0	33.9	<0.001	0.174	0.55	8.0	0.9	0.4	71.3	<0.01
G1012-22 (-)	0.05	0.58	24.8	599	3.8	23.1	<0.001	0.025	0.28	6.6	0.6	0.4	50.4	<0.01
G1012-24 (-)	0.02	0.99	16.9	596	4.9	13.7	<0.001	0.011	0.64	6.4	0.6	0.5	25.1	<0.01
G1012-26 (-)	0.02	1.13	17.4	566	6.5	7.1	<0.001	0.013	0.45	6.9	0.7	0.6	26.4	<0.01
G1012-28 (-)	0.01	0.94	18.8	504	8.0	15.7	<0.001	0.010	0.31	4.4	0.5	0.4	20.2	<0.01
G0810-27 (-)	0.02	0.94	15.6	851	4.5	5.6	<0.001	0.023	0.48	3.4	0.5	0.4	30.7	<0.01
G0810-23 (-)	0.02	1.30	29.7	1030	6.7	10.5	0.002	0.084	1.13	5.3	1.2	0.6	58.5	<0.01
G0810-21 (-)	0.02	1.37	19.0	881	5.6	5.5	<0.001	0.024	0.61	4.5	0.5	0.5	37.5	<0.01
G0810-19 (-)	0.02	1.41	20.6	849	6.1	6.0	<0.001	0.017	0.63	5.1	0.6	0.5	35.9	<0.01
G0810-17 (-)	0.02	1.40	23.8	819	6.2	6.6	<0.001	0.027	0.79	5.4	0.6	0.5	43.1	<0.01
G0810-15 (-)	0.02	1.73	27.1	995	6.4	7.8	<0.001	0.026	0.67	5.8	0.7	0.8	43.0	<0.01
G0810-13 (-)	0.02	1.34	17.7	792	6.6	6.6	<0.001	0.027	0.58	5.3	0.5	0.6	46.1	<0.01
G0810-11 (-)	0.03	1.67	27.7	979	8.9	9.9	<0.001	0.022	0.74	6.4	0.6	1.2	46.6	<0.01
G0810-09 (-)	0.02	1.33	23.2	814	5.8	6.7	<0.001	0.042	0.74	5.4	1.0	0.5	49.9	<0.01
G0810-07 (-)	0.02	1.37	23.2	771	6.8	10.1	<0.001	0.020	0.78	6.3	0.5	0.7	46.0	<0.01
G0810-05 (-)	0.02	0.86	34.5	878	6.1	13.4	<0.001	0.017	0.79	7.1	0.6	1.1	33.9	<0.01

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
 MISSISSAUGA, ONTARIO  
 CANADA L4Z 1N9  
 TEL (905)501-9998  
 FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.05	0.2	10	0.1	0.1	0.001	0.005	0.05	0.1	0.2	0.2	0.2	0.01
G0810-03 (-)	0.01	0.55	33.1	851	3.3	16.2	<0.001	0.007	1.07	8.3	0.6	0.7	19.3	<0.01
G0810-01 (-)	0.02	0.86	14.1	858	3.8	10.0	<0.001	0.008	0.44	5.6	0.3	0.8	15.9	<0.01
G0810-00 (-)	0.02	0.77	18.0	603	5.2	10.3	<0.001	0.010	0.57	7.1	0.5	0.8	29.7	<0.01
G0810-02 (-)	0.02	0.85	16.5	676	5.8	14.3	<0.001	0.011	0.56	5.4	0.5	0.5	21.5	<0.01
G0810-04 (-)	0.02	0.67	22.1	679	8.7	22.7	<0.001	0.020	0.79	8.3	0.6	0.5	27.2	<0.01
G0810-06 (-)	0.03	0.62	21.0	663	15.6	19.1	<0.001	0.017	0.97	10.1	1.1	0.6	30.5	<0.01
G0810-08 (-)	0.02	1.16	16.3	499	8.1	5.8	<0.001	0.009	0.57	5.8	0.6	0.6	28.1	<0.01
G0810-10 (-)	0.02	1.09	17.9	857	11.0	8.3	<0.001	0.046	0.90	6.3	0.7	0.5	47.9	<0.01
G0810-12 (-)	0.02	1.06	23.8	674	16.7	11.5	<0.001	0.068	0.63	6.5	0.8	0.8	41.1	<0.01
G0810-14 (-)	0.05	1.31	16.1	615	7.0	7.0	<0.001	0.050	0.48	4.8	0.5	0.6	84.1	<0.01
G0810-16 (-)	0.02	1.27	17.9	809	7.1	6.7	<0.001	0.051	0.83	5.7	0.7	0.5	47.2	<0.01
G0810-18 (-)	0.03	0.86	31.0	804	67.2	14.2	<0.001	0.034	2.14	14.9	1.3	1.9	36.3	<0.01
G0810-20 (-)	0.04	0.85	23.2	704	7.6	19.4	<0.001	0.025	0.43	11.0	0.9	0.9	59.6	<0.01

Certified By:

*Ron Cardinal*





## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G1618-25 (-)	0.02	2.6	0.077	0.05	0.81	37.8	1.73	5.81	45.2	1.9
G1618-19 (-)	0.03	2.8	0.081	0.07	1.06	48.9	1.17	8.18	51.0	2.1
G1618-17 (-)	0.03	3.3	0.099	0.11	1.09	53.9	1.51	9.26	65.5	2.6
G1618-15 (-)	0.03	3.9	0.109	0.13	0.70	57.7	0.79	10.1	80.6	5.5
G1618-13 (-)	0.03	3.6	0.077	0.09	0.89	39.5	0.80	8.71	57.3	2.8
G1618-11 (-)	0.03	3.4	0.094	0.09	1.39	49.7	0.92	8.99	63.6	4.2
G1618-09 (-)	0.04	2.8	0.075	0.11	1.41	46.5	0.86	9.70	68.6	4.4
G1618-07 (-)	0.03	3.4	0.089	0.09	1.05	46.3	0.62	10.2	63.5	3.9
G1618-05 (-)	0.03	2.6	0.077	0.07	0.98	43.8	0.65	8.79	44.1	1.2
G1618-03 (-)	0.02	2.7	0.080	0.07	1.16	37.8	0.67	7.29	52.1	1.7
G1618-01 (-)	0.04	2.7	0.075	0.08	0.84	55.9	0.63	7.27	56.1	0.7
G1618-00 (-)	0.04	3.3	0.088	0.07	1.00	48.8	0.89	7.38	50.3	1.9
G1618-02 (-)	0.03	2.9	0.073	0.06	0.67	39.7	0.49	6.10	46.5	1.3
G1618-04 (-)	0.06	2.6	0.087	0.06	0.82	60.1	1.77	6.16	62.1	1.1
G1618-06 (-)	0.04	3.0	0.078	0.06	0.71	45.1	1.11	6.19	49.7	1.3
G1618-08 (-)	0.03	4.2	0.086	0.06	0.76	51.5	0.72	7.72	51.8	3.1
G1618-10 (-)	0.03	4.0	0.081	0.06	0.81	51.3	1.63	7.23	50.8	2.1
G1618-12 (-)	0.03	3.2	0.077	0.06	0.48	43.6	0.73	7.11	52.9	2.6
G1618-14 (-)	0.03	3.4	0.079	0.08	1.07	45.4	0.37	9.84	78.8	3.9
G1618-16 (-)	0.03	3.7	0.082	0.07	0.79	50.6	0.83	8.45	66.0	3.2
G1618-18 (-)	0.03	4.1	0.073	0.09	0.64	37.6	0.57	8.32	57.9	4.0
G1618-20 (-)	0.04	4.3	0.090	0.08	0.90	50.9	0.41	8.72	61.3	3.6
G1618-22 (-)	0.04	1.7	0.077	0.09	0.85	69.4	0.24	6.82	64.9	0.6
G1618-24 (-)	0.05	2.3	0.090	0.08	0.76	65.6	0.37	6.65	66.7	1.3
G1618-26 (-)	0.04	1.7	0.072	0.10	0.84	64.4	0.25	6.35	66.0	1.1
G1618-28 (-)	0.04	2.8	0.136	0.13	0.65	70.3	0.97	7.63	79.9	4.4
G1618-30 (-)	0.05	2.2	0.125	0.25	0.82	69.8	0.33	6.57	91.4	1.8
G1618-32 (-)	0.04	1.8	0.125	0.14	0.58	65.9	0.35	3.94	82.5	1.1
G1618-34 (-)	0.05	2.2	0.124	0.21	0.84	71.2	1.87	8.72	82.1	0.9
G1416-25 (-)	0.02	3.1	0.088	0.06	1.00	40.2	0.54	7.02	54.9	3.0
G1416-21 (-)	0.04	2.2	0.091	0.09	3.89	51.4	1.05	8.11	56.2	2.9
G1416-19 (-)	0.04	3.1	0.110	0.10	0.51	56.6	0.25	8.24	68.2	6.9

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G1416-17 (-)	0.04	3.1	0.098	0.10	0.57	54.0	0.55	8.54	63.1	3.8
G1416-15 (-)	0.03	2.9	0.090	0.08	1.19	48.9	0.37	7.90	53.7	3.7
G1416-13 (-)	0.03	2.4	0.088	0.07	0.52	46.9	0.25	6.74	45.6	3.6
G1416-11 (-)	0.02	3.5	0.089	0.07	0.90	46.1	0.35	7.97	51.9	3.1
G1416-09 (-)	0.02	3.6	0.092	0.08	0.73	44.5	0.32	8.89	52.6	4.0
G1416-07 (-)	0.03	3.2	0.103	0.07	0.61	55.2	0.27	11.3	67.9	2.6
G1416-05 (-)	0.03	3.7	0.089	0.08	0.77	47.1	0.49	7.84	64.1	3.4
G1416-03 (-)	0.03	3.8	0.080	0.07	0.65	48.3	1.20	9.39	50.3	4.3
G1416-01 (-)	0.03	3.8	0.092	0.10	0.62	49.7	0.33	9.04	57.5	6.1
G1416-00 (-)	0.03	4.1	0.087	0.10	0.63	47.3	0.37	9.64	72.3	5.4
G1416-02 (-)	0.13	2.5	0.136	0.30	0.58	81.6	1.90	10.7	86.8	3.8
G1416-04 (-)	0.12	2.5	0.128	0.21	0.63	75.9	1.82	9.51	82.7	3.7
G1416-06 (-)	0.04	3.3	0.093	0.07	1.04	50.2	1.08	7.80	48.0	4.3
G1416-08 (-)	0.03	3.0	0.079	0.07	0.88	48.4	1.65	7.34	54.0	1.9
G1416-10 (-)	0.03	3.5	0.090	0.07	0.89	52.2	1.27	7.82	58.5	2.7
G1416-12 (-)	0.05	2.2	0.098	0.09	0.66	62.5	5.26	5.93	65.0	1.2
G1416-14 (-)	0.03	2.0	0.073	0.07	0.87	46.9	1.55	7.07	62.0	1.0
G1416-16 (-)	0.03	3.7	0.089	0.06	1.28	48.8	0.46	7.59	57.7	3.3
G1416-18 (-)	0.02	3.4	0.076	0.07	1.03	41.5	0.56	7.98	52.9	3.8
G1416-20 (-)	0.03	3.3	0.081	0.07	0.60	44.5	0.42	8.61	63.0	3.8
G1416-22 (-)	0.04	2.4	0.094	0.07	1.00	69.6	0.54	7.70	62.4	3.1
G1416-24 (-)	0.06	1.8	0.090	0.06	0.58	82.8	0.55	5.87	59.6	2.2
G1416-26 (-)	0.10	1.7	0.078	0.08	0.87	87.2	0.66	11.0	67.3	1.8
G1416-28 (-)	0.06	2.1	0.087	0.09	0.83	111	0.35	10.7	81.6	1.9
G1416-30 (-)	0.09	1.8	0.100	0.15	0.33	130	0.38	17.7	93.5	3.1
G1416-32 (-)	0.09	1.9	0.099	0.10	0.46	112	0.40	13.4	85.0	2.3
G1012-25 (-)	0.03	3.2	0.080	0.07	1.07	49.4	0.78	8.13	72.9	1.4
G1012-21 (-)	0.02	2.5	0.080	0.07	1.12	38.1	0.28	7.02	54.8	1.6
G1012-19 (-)	0.03	3.1	0.076	0.07	1.76	44.6	0.35	9.46	46.9	3.1
G1012-17 (-)	0.03	3.6	0.087	0.06	1.14	50.1	0.79	8.99	51.5	2.3
G1012-15 (-)	0.03	3.6	0.085	0.06	0.88	48.4	0.35	9.51	57.0	3.4
G1012-13 (-)	0.03	4.1	0.094	0.08	0.71	49.6	0.55	9.67	61.3	4.2

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G1012-11 (-)	0.04	4.1	0.089	0.07	0.91	49.1	0.39	10.1	53.9	5.0
G1012-09 (-)	0.03	2.4	0.065	0.06	1.78	42.8	0.46	9.27	43.1	1.7
G1012-07 (-)	0.04	3.4	0.099	0.08	0.95	54.6	0.37	9.28	62.8	3.6
G1012-05 (-)	0.03	3.7	0.093	0.08	0.97	49.8	0.32	9.55	59.9	3.1
G1012-03 (-)	0.06	3.6	0.112	0.08	1.11	61.7	0.73	10.7	70.4	3.3
G1012-01 (-)	0.09	2.3	0.128	0.15	0.71	73.8	2.29	8.11	72.6	1.5
G1012-00 (-)	0.03	2.5	0.088	0.08	1.04	39.4	1.95	6.73	50.8	1.4
G1012-02 (-)	0.07	3.6	0.099	0.08	1.12	52.3	2.16	7.79	52.3	1.9
G1012-04 (-)	0.05	3.9	0.094	0.08	1.02	48.8	1.27	8.36	53.0	3.6
G1012-06 (-)	0.05	4.3	0.087	0.08	1.80	52.2	0.38	10.4	59.3	4.9
G1012-08 (-)	0.06	3.4	0.092	0.09	1.24	49.7	1.10	8.09	53.8	3.4
G1012-10 (-)	0.07	3.3	0.094	0.11	1.08	53.2	1.73	7.17	58.7	2.9
G1012-12 (-)	0.26	2.5	0.217	0.39	1.27	89.5	3.22	11.7	166	6.0
G1012-14 (-)	0.07	3.6	0.127	0.09	0.92	60.6	0.35	9.58	58.7	7.6
G1012-16 (-)	0.06	3.7	0.094	0.09	1.33	52.4	0.27	9.24	59.7	4.5
G1012-18 (-)	0.13	2.8	0.126	0.13	1.13	74.5	0.59	9.92	71.6	2.7
G1012-20 (-)	0.50	1.3	0.180	0.42	1.11	114	1.11	6.90	65.5	3.2
G1012-22 (-)	0.12	1.1	0.175	0.24	0.48	116	0.51	5.86	58.6	1.6
G1012-24 (-)	0.11	2.4	0.115	0.14	0.64	91.1	0.47	5.73	57.6	2.3
G1012-26 (-)	0.10	3.1	0.100	0.11	1.57	77.1	1.02	12.5	55.4	2.0
G1012-28 (-)	0.10	1.8	0.136	0.15	0.46	75.4	0.34	4.37	64.7	2.1
G0810-27 (-)	0.02	2.8	0.057	0.05	0.97	47.8	0.17	6.53	45.8	1.4
G0810-23 (-)	0.07	1.7	0.067	0.09	2.52	65.3	0.30	10.5	64.0	1.1
G0810-21 (-)	0.02	3.2	0.071	0.06	0.89	52.1	0.50	7.97	46.1	2.6
G0810-19 (-)	0.03	3.6	0.076	0.06	1.05	58.2	0.31	8.79	47.2	2.9
G0810-17 (-)	0.03	3.1	0.076	0.07	1.28	59.1	0.32	8.96	49.6	2.1
G0810-15 (-)	0.03	3.4	0.096	0.07	0.89	69.8	0.36	9.70	54.1	3.8
G0810-13 (-)	0.03	2.8	0.072	0.06	1.14	59.7	0.32	6.95	45.4	2.2
G0810-11 (-)	0.03	4.5	0.104	0.09	0.88	66.8	0.53	10.4	64.1	8.6
G0810-09 (-)	0.04	2.4	0.075	0.06	1.61	59.9	0.47	9.87	43.8	2.9
G0810-07 (-)	0.04	4.0	0.110	0.09	0.88	66.8	0.85	10.1	58.1	10.0
G0810-05 (-)	0.04	3.1	0.125	0.15	0.52	81.4	0.30	8.68	69.2	5.8

Certified By:

*Ron Cardinal*



## Certificate of Analysis

AGAT WORK ORDER: 12Y635121

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

ATTENTION TO: VINCENT LI

### Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Oct 04, 2012

SAMPLE TYPE: Soil

Analyte:	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr
Unit:	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RDL:	0.01	0.1	0.005	0.01	0.05	0.5	0.05	0.05	0.5	0.5
G0810-03 (-)	0.05	2.1	0.132	0.21	0.63	106	0.25	6.10	81.1	1.6
G0810-01 (-)	0.05	1.5	0.129	0.07	0.37	90.2	0.30	3.53	52.9	0.6
G0810-00 (-)	0.07	3.0	0.144	0.08	0.94	78.3	0.39	8.72	49.2	6.8
G0810-02 (-)	0.11	1.9	0.140	0.13	0.49	80.5	0.70	4.65	57.7	2.0
G0810-04 (-)	0.18	2.6	0.124	0.25	0.91	99.2	0.69	7.23	59.1	4.2
G0810-06 (-)	0.24	2.9	0.168	0.22	1.42	96.6	0.67	14.0	77.5	5.8
G0810-08 (-)	0.04	3.8	0.088	0.08	1.22	63.6	0.76	9.36	43.9	6.3
G0810-10 (-)	0.06	2.1	0.070	0.09	1.73	63.2	1.92	8.91	56.2	1.6
G0810-12 (-)	0.20	2.3	0.094	0.15	1.52	80.9	1.85	8.15	66.6	1.6
G0810-14 (-)	0.05	3.1	0.214	0.07	1.11	65.8	0.80	7.12	40.9	3.3
G0810-16 (-)	0.06	2.9	0.085	0.07	1.42	63.5	1.58	9.80	48.7	2.1
G0810-18 (-)	0.24	2.2	0.124	0.26	1.05	119	4.50	12.3	146	3.2
G0810-20 (-)	0.23	1.7	0.141	0.22	0.82	120	13.2	9.75	68.7	1.3

Comments: RDL - Reported Detection Limit

Certified By:

*Ron Cardinal*



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis											
RPT Date: Oct 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1	3650672	0.15	0.15	0.0%	< 0.01	11	13.0	84%	80%	120%
Al	1	3650747	1.91	2.09	9.0%	< 0.01				80%	120%
As	1	3650672	12.9	13.4	3.8%	< 0.1				80%	120%
Au	1	3650672	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
B	1	3650672	< 5	< 5	0.0%	< 5	7	7.00	100%	80%	120%
Ba	1	3650747	293	307	4.7%	< 1				80%	120%
Be	1	3650672	0.20	0.20	0.0%	< 0.05				80%	120%
Bi	1	3650672	0.13	0.13	0.0%	< 0.01				80%	120%
Ca	1	3650747	0.56	0.64	13.3%	< 0.01				80%	120%
Cd	1	3650672	0.262	0.269	2.6%	< 0.01				80%	120%
Ce	1	3650672	18.0	18.3	1.7%	< 0.01				80%	120%
Co	1	3650672	12.9	13.0	0.8%	< 0.1				80%	120%
Cr	1	3650747	32.0	35.4	10.1%	< 0.5				80%	120%
Cs	1	3650672	1.12	1.14	1.8%	< 0.05				80%	120%
Cu	1	3650747	102	109	6.6%	< 0.1	5836	6000	97%	80%	120%
Fe	1	3650747	4.19	4.47	6.5%	< 0.01				80%	120%
Ga	1	3650672	8.27	8.56	3.4%	< 0.05				80%	120%
Ge	1	3650672	0.11	0.11	0.0%	< 0.05				80%	120%
Hf	1	3650672	0.11	0.11	0.0%	< 0.02				80%	120%
Hg	1	3650672	0.02	0.02	0.0%	< 0.01				80%	120%
In	1	3650672	0.0198	0.0237	17.9%	< 0.005				80%	120%
K	1	3650747	0.274	0.292	6.4%	< 0.01				80%	120%
La	1	3650672	9.9	9.9	0.0%	< 0.1				80%	120%
Li	1	3650672	8.87	8.79	0.9%	< 0.1				80%	120%
Mg	1	3650747	0.97	1.03	6.0%	< 0.01				80%	120%
Mn	1	3650747	602	649	7.5%	< 1				80%	120%
Mo	1	3650672	2.08	2.12	1.9%	< 0.05	327	350	93%	80%	120%
Na	1	3650747	0.023	0.027	16.0%	< 0.01				80%	120%
Nb	1	3650672	1.34	1.37	2.2%	< 0.05				80%	120%
Ni	1	3650747	22.1	24.1	8.7%	< 0.2				80%	120%
P	1	3650747	679	693	2.0%	14	716	600	119%	80%	120%
Pb	1	3650672	4.8	4.7	2.1%	< 0.1				80%	120%
Rb	1	3650672	9.54	9.75	2.2%	< 0.1	12	13	93%	80%	120%
Re	1	3650672	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3650747	0.020	0.021	4.9%	< 0.005				80%	120%
Sb	1	3650672	0.911	0.921	1.1%	< 0.05				80%	120%
Sc	1	3650672	5.51	5.41	1.8%	< 0.1				80%	120%
Se	1	3650672	0.41	0.47	13.6%	< 0.2				80%	120%
Sn	1	3650672	0.8	0.8	0.0%	< 0.2	8.2	7.1	115%	80%	120%
Sr	1	3650747	27.2	30.6	11.8%	< 0.2				80%	120%
Ta	1	3650672	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3650672	0.042	0.047	11.2%	< 0.01				80%	120%
Th	1	3650672	2.8	2.8	0.0%	< 0.1	1.4	1.4	100%	80%	120%
Ti	1	3650747	0.124	0.154	21.6%	< 0.005				80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Oct 04, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
										Lower	Upper	
Tl	1	3650672	0.13	0.13	0.0%	< 0.01				80%	120%	
U	1	3650672	0.65	0.65	0.0%	< 0.05				80%	120%	
V	1	3650747	99.2	110	10.3%	< 0.5				80%	120%	
W	1	3650672	0.971	0.915	5.9%	< 0.05				80%	120%	
Y	1	3650672	7.63	7.76	1.7%	< 0.05	6.7	7	95%	80%	120%	
Zn	1	3650747	59.1	62.4	5.4%	0.9				80%	120%	
Zr	1	3650672	4.4	4.6	4.4%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3650697	0.103	0.106	2.9%	< 0.01	11.3	13.0	87%	80%	120%	
Al	1	3650672	1.72	1.70	1.2%	< 0.01				80%	120%	
As	1	3650697	9.25	9.68	4.5%	0.4				80%	120%	
Au	1	3650697	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3650697	< 5	< 5	0.0%	< 5	7	7.00	100%	80%	120%	
Ba	1	3650672	228	230	0.9%	< 1				80%	120%	
Be	1	3650697	0.28	0.28	0.0%	< 0.05				80%	120%	
Bi	1	3650697	0.09	0.10	10.5%	< 0.01				80%	120%	
Ca	1	3650672	0.78	0.77	1.3%	< 0.01				80%	120%	
Cd	1	3650697	0.26	0.26	0.0%	< 0.01				80%	120%	
Ce	1	3650697	24.4	26.2	7.1%	< 0.01				80%	120%	
Co	1	3650697	8.51	8.97	5.3%	< 0.1				80%	120%	
Cr	1	3650672	44.5	44.2	0.7%	< 0.5				80%	120%	
Cs	1	3650697	0.65	0.67	3.0%	< 0.05				80%	120%	
Cu	1	3650672	52.7	52.5	0.4%	< 0.1	5721	6000	95%	80%	120%	
Fe	1	3650672	3.15	3.10	1.6%	< 0.01				80%	120%	
Ga	1	3650697	9.47	9.76	3.0%	< 0.05				80%	120%	
Ge	1	3650697	0.090	0.098	8.5%	< 0.05				80%	120%	
Hf	1	3650697	0.09	0.09	0.0%	< 0.02				80%	120%	
Hg	1	3650697	0.027	0.035	25.8%	< 0.01				80%	120%	
In	1	3650697	0.017	0.017	0.0%	< 0.005				80%	120%	
K	1	3650672	0.12	0.12	0.0%	< 0.01				80%	120%	
La	1	3650697	12.5	13.3	6.2%	< 0.1				80%	120%	
Li	1	3650697	8.52	8.57	0.6%	< 0.1				80%	120%	
Mg	1	3650672	0.98	0.98	0.0%	< 0.01				80%	120%	
Mn	1	3650672	479	476	0.6%	< 1				80%	120%	
Mo	1	3650697	0.97	1.00	3.0%	< 0.05	322	350	92%	80%	120%	
Na	1	3650672	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3650697	0.966	0.964	0.2%	< 0.05				80%	120%	
Ni	1	3650672	25.2	25.2	0.0%	< 0.2				80%	120%	
P	1	3650672	756	763	0.9%	< 10	712	600	119%	80%	120%	
Pb	1	3650697	5.0	5.1	2.0%	< 0.1				80%	120%	
Rb	1	3650697	6.33	6.56	3.6%	< 0.1	12	13	94%	80%	120%	
Re	1	3650697	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3650672	0.013	0.013	0.0%	< 0.005				80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Oct 04, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Sb	1	3650697	0.64	0.65	1.6%	< 0.05				80%	120%	
Sc	1	3650697	4.31	4.46	3.4%	< 0.1				80%	120%	
Se	1	3650697	0.5	0.5	0.0%	< 0.2				80%	120%	
Sn	1	3650697	0.4	0.4	0.0%	< 0.2				80%	120%	
Sr	1	3650672	28.7	25.2	13.0%	< 0.2				80%	120%	
Ta	1	3650697	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3650697	0.024	0.027	11.8%	< 0.01				80%	120%	
Th	1	3650697	3.40	3.85	12.4%	< 0.1				80%	120%	
Ti	1	3650672	0.136	0.135	0.7%	< 0.005				80%	120%	
Tl	1	3650697	0.072	0.075	4.1%	< 0.01				80%	120%	
U	1	3650672	1.93	2.77		0.64				80%	120%	
V	1	3650672	70.3	69.9	0.6%	< 0.5				80%	120%	
W	1	3650672	0.391	0.459	16.0%	< 0.05				80%	120%	
Y	1	3650697	7.98	8.36	4.7%	< 0.05	5.9	7	84%	80%	120%	
Zn	1	3650672	79.9	80.2	0.4%	< 0.5				80%	120%	
Zr	1	3650697	3.8	3.8	0.0%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3650722	0.20	0.20	0.0%	< 0.01	11	13.0	85%	80%	120%	
Al	1	3650697	0.951	0.988	3.8%	< 0.01				80%	120%	
As	1	3650722	10.6	10.5	0.9%	0.6				80%	120%	
Au	1	3650722	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3650722	< 5	< 5	0.0%	< 5	6	7.00	85%	80%	120%	
Ba	1	3650697	322	336	4.3%	< 1				80%	120%	
Be	1	3650722	0.34	0.34	0.0%	< 0.05				80%	120%	
Bi	1	3650722	0.56	0.57	1.8%	< 0.01				80%	120%	
Ca	1	3650697	1.55	1.60	3.2%	< 0.01				80%	120%	
Cd	1	3650722	0.146	0.155	6.0%	< 0.01				80%	120%	
Ce	1	3650722	27.3	27.6	1.1%	< 0.01				80%	120%	
Co	1	3650722	8.5	9.1	6.8%	< 0.1				80%	120%	
Cr	1	3650697	24.1	25.0	3.7%	< 0.5				80%	120%	
Cs	1	3650722	0.957	0.941	1.7%	< 0.05				80%	120%	
Cu	1	3650697	27.0	27.9	3.3%	< 0.1	5821	6000	97%	80%	120%	
Fe	1	3650697	2.00	2.06	3.0%	< 0.01				80%	120%	
Ga	1	3650722	9.26	9.25	0.1%	< 0.05				80%	120%	
Ge	1	3650722	0.08	0.08	0.0%	0.05				80%	120%	
Hf	1	3650722	0.058	0.054	7.1%	< 0.02				80%	120%	
Hg	1	3650722	0.037	0.034	8.5%	< 0.01				80%	120%	
In	1	3650722	0.024	0.024	0.0%	< 0.005				80%	120%	
K	1	3650697	0.085	0.088	3.5%	< 0.01				80%	120%	
La	1	3650722	14.2	14.3	0.7%	< 0.1				80%	120%	
Li	1	3650722	11.2	11.2	0.0%	< 0.1				80%	120%	
Mg	1	3650697	0.670	0.696	3.8%	< 0.01				80%	120%	
Mn	1	3650697	386	397	2.8%	< 1				80%	120%	
Mo	1	3650722	3.52	3.60	2.2%	< 0.05	327	350	93%	80%	120%	



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)												
RPT Date: Oct 04, 2012			REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD	Result Value		Expect Value	Recovery	Acceptable Limits		
							Lower			Upper		
Na	1	3650697	0.02	0.02	0.0%	< 0.01				80%	120%	
Nb	1	3650722	1.32	1.24	6.3%	< 0.05				80%	120%	
Ni	1	3650697	19.8	20.4	3.0%	< 0.2				80%	120%	
P	1	3650697	734	755	2.8%	< 10	618	600	103%	80%	120%	
Pb	1	3650722	12.2	12.6	3.2%	< 0.1				80%	120%	
Rb	1	3650722	8.8	8.6	2.3%	< 0.1	10	13	80%	80%	120%	
Re	1	3650722	< 0.001	< 0.001	0.0%	< 0.001				80%	120%	
S	1	3650697	0.0133	0.0137	3.0%	< 0.005				80%	120%	
Sb	1	3650722	0.623	0.636	2.1%	< 0.05				80%	120%	
Sc	1	3650722	4.6	4.6	0.0%	< 0.1				80%	120%	
Se	1	3650722	0.6	0.6	0.0%	< 0.2				80%	120%	
Sn	1	3650722	0.94	0.99	5.2%	< 0.2				80%	120%	
Sr	1	3650697	56.2	55.9	0.5%	< 0.2				80%	120%	
Ta	1	3650722	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
Te	1	3650722	0.07	0.07	0.0%	< 0.01				80%	120%	
Th	1	3650722	3.34	3.40	1.8%	< 0.1	1.5	1.4	107%	80%	120%	
Ti	1	3650697	0.076	0.077	1.3%	< 0.005				80%	120%	
Tl	1	3650722	0.112	0.116	3.5%	< 0.01				80%	120%	
U	1	3650722	1.08	1.09	0.9%	< 0.05				80%	120%	
V	1	3650697	41.5	42.4	2.1%	< 0.5				80%	120%	
W	1	3650697	0.16	< 0.05	< 0.05	< 0.05				80%	120%	
Y	1	3650722	7.17	7.02	2.1%	< 0.05	6	7	81%	80%	120%	
Zn	1	3650697	52.9	54.4	2.8%	< 0.5				80%	120%	
Zr	1	3650722	2.87	2.74	4.6%	< 0.5				80%	120%	
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)												
Ag	1	3650747	0.161	0.171	6.0%	< 0.01	12.4	13.0	95%	80%	120%	
Al	1	3650722	1.57	1.66	5.6%	< 0.01				80%	120%	
As	1	3650747	19.6	19.1	2.6%	< 0.1				80%	120%	
Au	1	3650747	< 0.01	< 0.01	0.0%	< 0.01				80%	120%	
B	1	3650747	< 5	< 5	0.0%	< 5	7.01	7.00	100%	80%	120%	
Ba	1	3650722	193	204	5.5%	< 1				80%	120%	
Be	1	3650747	0.33	0.35	5.9%	< 0.05				80%	120%	
Bi	1	3650747	0.54	0.54	0.0%	< 0.01				80%	120%	
Ca	1	3650722	0.45	0.47	4.3%	< 0.01				80%	120%	
Cd	1	3650747	0.17	0.17	0.0%	< 0.01				80%	120%	
Ce	1	3650747	19.1	21.8	13.2%	< 0.01				80%	120%	
Co	1	3650747	16.8	17.3	2.9%	< 0.1				80%	120%	
Cr	1	3650722	32.2	33.3	3.4%	< 0.5				80%	120%	
Cs	1	3650747	2.49	2.75	9.9%	< 0.05				80%	120%	
Cu	1	3650722	38.5	42.5	9.9%	< 0.1				80%	120%	
Fe	1	3650722	2.20	2.32	5.3%	< 0.01				80%	120%	
Ga	1	3650747	14.5	14.9	2.7%	< 0.05				80%	120%	
Ge	1	3650747	0.103	0.095	8.1%	< 0.05				80%	120%	
Hf	1	3650747	0.09	0.11	20.0%	< 0.02				80%	120%	





## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

Solid Analysis (Continued)											
RPT Date: Oct 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
						Lower				Upper	
Hg	1	3650747	0.03	0.03	0.0%	< 0.01				80%	120%
In	1	3650747	0.025	0.026	3.9%	< 0.005				80%	120%
K	1	3650722	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3650747	10.0	11.4	13.1%	< 0.1				80%	120%
Li	1	3650747	12.0	12.5	4.1%	< 0.1				80%	120%
Mg	1	3650722	0.54	0.56	3.6%	< 0.01				80%	120%
Mn	1	3650722	231	237	2.6%	< 1				80%	120%
Mo	1	3650747	1.65	1.65	0.0%	< 0.05	347	350	99%	80%	120%
Na	1	3650722	0.02	0.02	0.0%	< 0.01				80%	120%
Nb	1	3650747	0.667	0.836	22.5%	< 0.05				80%	120%
Ni	1	3650722	16.2	16.6	2.4%	< 0.2				80%	120%
P	1	3650722	456	463	1.5%	< 10	627	600	105%	80%	120%
Pb	1	3650747	8.68	8.97	3.3%	< 0.1				80%	120%
Rb	1	3650747	22.7	23.8	4.7%	< 0.1	11	13	82%	80%	120%
Re	1	3650747	< 0.001	< 0.001	0.0%	< 0.001				80%	120%
S	1	3650722	0.0540	0.0558	3.3%	< 0.005				80%	120%
Sb	1	3650747	0.790	0.744	6.0%	< 0.05				80%	120%
Sc	1	3650747	8.3	9.1	9.2%	< 0.1				80%	120%
Se	1	3650747	0.61	0.66	7.9%	< 0.2				80%	120%
Sn	1	3650747	0.5	0.5	0.0%	< 0.2				80%	120%
Sr	1	3650722	24.8	26.4	6.3%	< 0.2				80%	120%
Ta	1	3650747	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Te	1	3650747	0.18	0.17	5.7%	< 0.01				80%	120%
Th	1	3650747	2.64	2.94	10.8%	< 0.1	1.4	1.4	100%	80%	120%
Ti	1	3650722	0.0941	0.0968	2.8%	< 0.005				80%	120%
Tl	1	3650747	0.25	0.26	3.9%	< 0.01				80%	120%
U	1	3650747	0.91	0.97	6.4%	< 0.05				80%	120%
V	1	3650722	53.2	55.0	3.3%	< 0.5				80%	120%
W	1	3650722	1.15	0.77		< 0.05				80%	120%
Y	1	3650747	7.23	7.89	8.7%	< 0.05	6	7	83%	80%	120%
Zn	1	3650722	58.7	63.1	7.2%	< 0.5				80%	120%
Zr	1	3650747	4.22	4.88	14.5%	< 0.5				80%	120%
Aqua Regia Digest - Metals Package, ICP/ICP-MS finish (201074)											
Ag	1					< 0.01	11.9	13.0	91%	80%	120%
B	1					< 5	7	7.00	100%	80%	120%
Cu	1					< 0.1	6055	6000	100%	80%	120%
Mo	1					< 0.05	349	350	99%	80%	120%
P	1					< 10	635	600	106%	80%	120%
Rb	1					< 0.1	11	13	82%	80%	120%
Th	1					< 0.1	1.5	1.4	107%	80%	120%
Y	1					< 0.05	6	7	82%	80%	120%



## Quality Assurance

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

### Solid Analysis (Continued)

RPT Date: Oct 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
						Lower				Upper

Certified By:

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12017		ICP-MS
Al	MIN-200-12017		ICP/OES
As	MIN-200-12017		ICP-MS
Au	MIN-200-12017		ICP-MS
B	MIN-200-12017		ICP/OES
Ba	MIN-200-12017		ICP-MS
Be	MIN-200-12017		ICP-MS
Bi	MIN-200-12017		ICP-MS
Ca	MIN-200-12017		ICP/OES
Cd	MIN-200-12017		ICP-MS
Ce	MIN-200-12017		ICP-MS
Co	MIN-200-12017		ICP-MS
Cr	MIN-200-12017		ICP/OES
Cs	MIN-200-12017		ICP-MS
Cu	MIN-200-12017		ICP-MS
Fe	MIN-200-12017		ICP/OES
Ga	MIN-200-12017		ICP-MS
Ge	MIN-200-12017		ICP-MS
Hf	MIN-200-12017		ICP-MS
Hg	MIN-200-12017		ICP-MS
In	MIN-200-12017		ICP-MS
K	MIN-200-12017		ICP/OES
La	MIN-200-12017		ICP-MS
Li	MIN-200-12017		ICP-MS
Mg	MIN-200-12017		ICP/OES
Mn	MIN-200-12017		ICP/OES
Mo	MIN-200-12017		ICP-MS
Na	MIN-200-12017		ICP/OES
Nb	MIN-200-12017		ICP-MS
Ni	MIN-200-12017		ICP-MS
P	MIN-200-12017		ICP/OES
Pb	MIN-200-12017		ICP-MS
Rb	MIN-200-12017		ICP-MS
Re	MIN-200-12017		ICP-MS
S	MIN-200-12017		ICP/OES
Sb	MIN-200-12017		ICP-MS
Sc	MIN-200-12017		ICP-MS
Se	MIN-200-12017		ICP-MS
Sn	MIN-200-12017		ICP-MS
Sr	MIN-200-12017		ICP-MS
Ta	MIN-200-12017		ICP-MS
Te	MIN-200-12017		ICP-MS
Th	MIN-200-12017		ICP-MS
Ti	MIN-200-12017		ICP/OES
Tl	MIN-200-12017		ICP-MS
U	MIN-200-12017		ICP-MS
V	MIN-200-12017		ICP/OES
W	MIN-200-12017		ICP-MS

## Method Summary

CLIENT NAME: CANADIAN DEHUA INT MINES CO.

AGAT WORK ORDER: 12Y635121

PROJECT NO:

ATTENTION TO: VINCENT LI

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Y	MIN-200-12017		ICP-MS
Zn	MIN-200-12017		ICP-MS
Zr	MIN-200-12017		ICP-MS