

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

SOIL GEOCHEMICAL SAMPLING

at the

HARLOW PROPERTY

Harlow 1-20 YC57072-YC57091

NTS 105O/3
Latitude 63°09'N; Longitude 131°11'W

in the

Mayo Mining District
Yukon Territory

Field work performed on August 21, 2012

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton
and
H. Burrell, B.Sc., P.Geo.

April 2013

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
MINERALIZATION	7
SOIL GEOCHEMISTRY	8
DISCUSSION AND CONCLUSIONS	9
REFERENCES	11

APPENDICES

I	STATEMENTS OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	CERTIFICATES OF ANALYSIS

TABLES

I	Regional Lithological Units	3
II	Property-Scale Unit Descriptions	5
III	Threshold Values for Soil Samples	8
IV	Peak 2007 and 2012 Soil Sample Values	9

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	2
4	Regional Geology	3
5	Property Geology	5
6	2012 Soil Sample Locations	In Pocket
7	Zinc Geochemistry	8
8	Nickel Geochemistry	8
9	Barium Geochemistry	8
10	Molybdenum Geochemistry	8
11	Copper Geochemistry	8
12	Vanadium Geochemistry	8
13	Silver Geochemistry	8
14	Gold Geochemistry	8
15	Arsenic Geochemistry	8
16	Thallium Geochemistry	8
17	Antimony Geochemistry	8

INTRODUCTION

The Harlow property hosts a stratiform zinc, nickel, and molybdenum target that is also enriched in pathfinder elements characteristic of Carlin-type gold mineralization. The 2012 exploration program focused on the property's Carlin-type potential, due to recent major gold discoveries of this type made by ATAC Resources Ltd. and Anthill Resources Ltd. approximately 110 km to the northwest. The Harlow property is located in east-central Yukon and is wholly owned by Strategic Metals Ltd.

This report describes soil geochemical sampling that was conducted on August 21, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The authors' Statements of Qualifications is located in Appendix I, and the statement of expenditures is in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Harlow property is located in east-central Yukon, about 60 km west of the Yukon Territory – Northwest Territories border, at a latitude 63°09' north and longitude 131°11' west on NTS map sheet 1050/3 (Figure 1).

The property comprises 20 contiguous mineral claims that cover an area of approximately 405 ha (4.1 km²). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Claim registration data are listed below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Numbers</u>	<u>Expiry Date*</u>
Harlow 1-20	YC57072-YC57091	March 6, 2018

*Expiry date includes 2012 work which has been filed for assessment credit but not yet accepted.

In 2012, access to and from the property was provided by a Hughes 500D helicopter operated by Kluane Airways Ltd. from the Inconnu Fishing Lodge on McEvoy Lake, which is located 170 km to the south. The property lies about 45 km northwest of the North Canol Road, and nine kilometres south of Niddery Lake. The nearest supply centre is the community of Ross River, located approximately 150 km southwest of the claims.

HISTORY AND PREVIOUS WORK

The Harlow target was first staked and explored by Atlas Exploration Ltd. from 1967 to 1970 as part of a larger regional exploration program, but the claims were allowed to lapse (Parry and Carne, 1990).

In 1976, the target was restaked as the Rain claims by Itsí Joint Venture (Union Oli Ltd., Acquitaine Company of Canada Ltd., and St. Joseph Explorations Ltd.). There is no record of work performed on the Rain claims and they were allowed to lapse. In July 1981, the property was again restaked as the Sun claims by Hudson Bay Exploration and Development Company

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION


HARLOW PROPERTY

0 200 km

FILE:///2012/HARLOW

DATE: APRIL 2013





Ltd., which carried out geological mapping and geochemical sampling in 1981 and 1982. Hudson Bay Exploration reportedly focussed on the barite potential of the area, but was also attracted by very anomalous zinc and silver silt values in local drainages. Due to the lack of supportive lead geochemistry, the workers attributed the strong zinc and silver values to a high metal background associated with the underlying Road River Group shales (Perry and Carne, 1990). The Sun claims were allowed to lapse following this work. Later mapping by the Geological Survey of Canada (GSC) identified fossils that lead to the re-assignment of the underlying rocks to a section at the contact between the Road River and Earn Groups (Deklerk and Traynor, 2005).

Exploration interest in the Harlow property area was renewed after the 1981 discovery of Lower Devonian sedimentary exhalative zinc-nickel-molybdenum (NiMo) mineralization at the Nick property in north-central Yukon (Figure 3). The Nick mineralization lies within sulphide-bearing, bituminous limestone that intermittently occurs at the contact between ‘starved basin’ calcareous or dolomitic shale and mudstone stratigraphy of the Ordovician to Lower Devonian Road River Group and overlying siliciclastic turbidite and debris flow deposits of the Middle Devonian to Mississippian Earn Group (Carne, 1991).

In 1990, reconnaissance-scale soil and silt samples collected for the Itsi Joint Venture were re-analyzed by NDU Resources Ltd. and returned elevated values for zinc, nickel and other metals indicative of polymetallic massive sulphide mineralization similar to that found at the Nick property (Carne, 1991). Based on positive results from the reanalyses, NDU Resources staked the Jet property, which included the current Harlow claims, and then performed geochemical sampling.

In 1991, NDU Resources optioned the Jet property to Falconbridge Limited, which conducted geochemical sampling and geological mapping. A total of 510 soil, silt and rock samples were collected along a 1500 m section of the ‘favourable horizon’, where it is exposed on a steep northeast-facing slope. Falconbridge’s work identified four areas with encouraging NiMo-type geochemical signatures, the largest of which lies on the current Harlow property. Peak values from soil sampling were: 3160 ppm nickel, 1010 ppm copper, 26 ppm silver, 460 ppm arsenic, 355 ppm molybdenum, greater than 1% zinc, and greater than 100 ppm cadmium (Carne, 1991). Select soil sample pulps were also analysed for platinum, palladium and gold. The best results were 200 ppb platinum, <30 ppb palladium and 45 ppb gold. Additional results relating to Falconbridge’s work are discussed in later sections of this report.

In spring 1998, NDU Resources optioned the Jet property to Expatriate Resources Ltd., before NDU Resources merged with United Keno Hill Mines Ltd. Expatriate performed hand trenching, geological mapping and geochemical sampling. Five trenches (TR98-01 to TR98-05) were dug, with TR98-05 located on the current Harlow property. Results from bedrock chip sampling within trench TR98-05 were generally anomalous, with the best interval grading 6200 ppm zinc and 259 ppm nickel over nine metres. Additional information pertaining to the 1998 trenching is discussed in the Mineralization section below. The Jet claims were subsequently allowed to expire.

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING

HARLOW PROPERTY

FILE: P:/2012.cdr

DATE: APRIL 2013

After Colpron, M. and Nelson, J.L., 2011



In the summer of 2007, Strategic Metals restaked the historical Jet property as the Harlot and Harlow claims. The Harlow property was one of five projects Strategic Metals explored that year for stratiform NiMo-type mineralization (Gregory, 2008). The field program at Harlow consisted of prospecting, hand trenching, geological mapping, and soil and rock geochemical sampling. While prospecting eight rock samples were collected across favourable stratigraphy. The best sample returned 18.35% zinc and 3270 ppm nickel. A total of 67 soil samples were also collected and yielded up to 15,400 ppm zinc and 994 ppm nickel. Results from the 2007 program are discussed in more detail in the Mineralization and Soil Geochemistry sections below.

GEOMORPHOLOGY

The Harlow property straddles a southeast-trending ridge in the Hess Mountains. The property drains into the Hess River toward the north and the North Macmillan River toward the south. Both rivers are part of the Yukon River watershed.

Local elevations range from 1380 m above sea level in creek valleys to a maximum of 1980 m on the top of the ridge. Topographic relief is steep on the flanks of the ridge, coming to a sharp crest at the top.

Vegetation on the property is sparse, with minor grass in sheltered areas on the ridges and nearly complete grass cover in the valley bottoms. Thick stands of arctic black birch occur at lower elevations, particularly along creeks.

REGIONAL GEOLOGY


The Harlow property lies within Selwyn Basin (Figure 3), a tectonic element composed of deep water clastic sediments, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

In 1989, the Geological Survey of Canada published a geological map of the Niddery Lake map area (NTS 105O) at a 1:250,000 scale (Cecile and Abbott, 1989). In 2003, Gordey and Makepeace incorporated this data as part of a Yukon-wide geological compilation and updated the lithological names in the vicinity of the Harlow property. The following geological descriptions are based on the most recent published data.


Stratigraphy in the region consists of an Upper Proterozoic to Permian package of clastic sedimentary rocks with lesser volcanic and carbonate units, which are locally blanketed by Quaternary sediments (Figure 4). Units comprising this package are described in Table I.

Table I – Regional Lithological Units (Yukon Geological Survey, 2013)

Unit Name	Age	Map Name	Description
Quaternary	Quaternary	Q	Unconsolidated glacial, glaciofluvial and glaciolacustrine



			deposits; fluviatile silt, sand, and gravel; in part with cover of soil and organic deposits.
Selwyn Plutonic Suite	Middle Cretaceous	mKqS	Equigranular to porphyritic (potassium feldspar) biotite hornblende granite, quartz monzonite and granodiorite; large smoky grey quartz phenocrysts and locally potassium feldspar phenocrysts.
Mount Christie Formation	Carboniferous to Permian	CPMC	Burrowed, interbedded, greenish grey cherty shale and green shale; thin to medium bedded, light grey-green to black chert; black siliceous slate and siltstone; minor quartzite, limestone and dolostone; locally abundant, large grey barite nodules.
Keno Hill Formation	Mississippian	MK	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; locally foliated and lineated.
Earn Group – Portrait Lake Formation	Devonian and Mississippian	DME1	Laminated slate with thin to thick interbeds of fine to medium grained chert-quartz arenite and wacke; thick members of chert pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone.
		DME2	Silvery blue weathering, black shale, argillite, cherty argillite and thin bedded chert; nodular and bedded barite; rare limestone.
Road River Group – Sapper Formation	Upper Ordovician Middle Devonian	ODR3	Recessive, thin-bedded, orange weathering, dark grey to tan limestone and silty limestone.
Road River Group – Steel Formation	Upper Silurian	ODR2	Orange to brown weathering, pyritic and locally dolomitic mudstone and siltstone.
Road River Group – Duo Lake Formation	Lower Ordovician to Silurian	ODR1	Recessive, blue weathering, black graptolitic shale, laminated chert, and minor limestone.



Marmot Formation	Cambrian to Silurian	CSM	Mostly mafic volcanics in locally thick accumulations, but also occurs as undifferentiated, thin, scattered members within other units.
Rabbitkettle Formation	Upper Cambrian to Ordovician	COR1	Thin bedded, wavy banded, silty limestone and grey lustrous calcareous phyllite; limestone intraclast breccia and conglomerate; massive to laminated, grey quartzose siltstone and chert and rare black slate; local mafic flows, breccia, and tuff.
Hyland Group – Narchilla Formation	Upper Proterozoic to Lower Cambrian	PCH3	Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate.

Based on regional-scale mapping by the Yukon Geological Survey, the Harlow property is underlain by Earn Group sediments (Figure 4), which flank a thin unit of Road River Group limestone. This limestone generally parallels the long axis of the property but appears to be broadly folded in the southeastern part. Evidence of a fold hinge was identified during property-scale mapping and is described in more detail in the Property Geology section below.

The region is characterized by northwesterly-trending blocks of clastic sedimentary rocks, which are juxtaposed against each other by normal or thrust faults. Bedding parallels regional faults and typically strikes northwesterly and dips 30 to 70° to the southwest.

A package of Mississippian Keno Hill Formation quartzite and quartz arenite lies 1300 m north of the Harlow property. A large northwesterly-trending thrust fault marks the contact with Earn Group sediments. A stock of Carboniferous to Permian Mount Christie Formation intrudes the Keno Hill Formation – Earn Group contact 1000 m north of the property.

PROPERTY GEOLOGY

Property-scale mapping was done by Carne (1991) and Gish (1999). Figure 5 illustrates property geology after Carne and Gish, while Table II provides detailed unit descriptions based on their work. The main difference between the regional-scale government mapping and the property-scale mapping of Carne and Gish is that regionals-scale maps show Earn Group below the Road River Group limestone whereas the property-scale mapping has it underlain by Road River Group.

Table II – Property-Scale Unit Descriptions

Group	Age	Map Name	Description
Selwyn Plutonic Suite	Middle Cretaceous	mKqS	Equigranular to porphyritic (K-feldspar) biotite hornblende granite, quartz monzonite and granodiorite; large smoky grey quartz phenocrysts and locally K-feldspar phenocrysts.
Upper Earn Group	Upper Devonian to Mississippian	uDM	Undivided Earn Group.
		uDMMtb	Brown weathering shale and siltstone.
Lower Earn Group - Portrait Lake Formation	Middle to Upper Devonian	DPsc	Bluish white weathering, black siliceous shale and chert.
		DPcg	Massive chert pebble conglomerate and thick bedded chert with silty shale interbeds (debris flows and proximal turbidites).
		DPbs	Silvery-grey weathering black shale; minor sandstone and pebbly mudstone; includes DPgl near base.
		DPgl	Minor lenses of buff to grey weathering, massive to laminated, bioclastic and micritic limestone.
		DPca	Black chert, cherty argillite.
		DPls	Lenses or mounds of fossiliferous, grey pyritic limestone; often with irregular masses of bitumen.
		DPba	Dark grey laminated barite, nodular barite, barium carbonate lenses.
		DPbm	Sooty black, non-siliceous, silty mudstone.
		ODRls	Grey weathering, black to grey pyritic chert; discontinuous fossiliferous limestone lenses and pods.
Road River Group - Duo Lake Formation	Ordovician to Lower Devonian	ODRsc	Calcareous, sooty black mudstone; discontinuous.
		ODRca	Calcareous black shale, siliceous argillite and chert.
		ODRsm	Tan-brown weathering dolomitic siltstone, limestone, and calcareous mudstone.
		ODRgc	Black and grey banded chert; rusty brown weathering grey pyritic chert; minor chert nodule limestone.
		ODRu	Undivided Road River Group.

The oldest rocks exposed in the area of the Harlow property are thin bedded calcareous mudstones and silty shales of the generally recessive Road River Group Duo Lake Formation. Calcareous black shales, siliceous argillite and chert underlie the northern part of the property. The youngest unit of the Road River Group is a discontinuous, grey weathering, black to grey pyritic chert and fossiliferous limestone (ODRLs). The limestone mapped on the Harlow property is generally bedded or podiform, and carrying a diverse assortment of macrofossils, including trilobite carapaces, single and double ossicle crinoid fragments, as well as bryozoan and coral debris. The faunal assemblage is indicative of an upper Early Devonian (Emsian) age of deposition in a relatively shallow water environment. This is in contrast to the deep water shale facies, which enclose the limestone. In addition to the unusual faunal assemblage, the carbonate is often sulphide rich with irregular pyrite masses distributed throughout. Vug fillings and scattered disseminations of bituminous material are also present. Lenses of grey weathering, black to grey pyritic chert occasionally occur as lateral equivalents to limestone bodies (Carne, 1991). Bedding within the Road River Group reportedly strikes about 100° and dips 35° to the south.

The remainder of the property comprises Middle to Upper Devonian Earn Group Portrait Lake Formation fine to coarse grained siliciclastic rocks. Interbedded chert and carbonaceous shales characterize the Portrait Lake Formation stratigraphy, the bulk of which is comprised of silvery-grey weathering black shale with minor sandstone and pebbly mudstone intervals (DPbs), and little compositional variation (Carne, 1991). Near the base of this unit, minor lenses of grey weathering, massive to laminated, bioclastic to micritic limestone are sporadic within the stratigraphy. The limestone is exposed within a fold hinge in the southeast corner of the property. Topographic highs south of the property comprise a resistant, massive chert pebble conglomerate and thick bedded chert with silty shale interbeds (DPcg) that were deposited as debris flows and proximal facies turbidites (Gregory, 2008). Bedding within the Portrait Lake formation strikes about 105° to 156° and dips 25° to 73° to the south.

The sedimentary rocks are intruded by Middle Cretaceous biotite-hornblende granite and quartz monzonite stocks of the Selwyn Plutonic Suite (mKqS), as well as related quartz-feldspar porphyry dykes. Extensive rusty weathering hornfels aureoles surround the intrusions (Carne, 1991).

MINERALIZATION

Historical sampling on the Harlow property identified anomalous values for zinc, nickel, copper, cadmium and zinc. Geological mapping has revealed that the anomalous geochemical response is likely related to an intermittent metaliferous horizon located stratigraphically above the discontinuous limestone unit (OSDI) in a setting similar to mineralization at the Nick property.

In 1991, six rock samples were collected along the Road River Group – Earn Group contact. The best result was from a sample that returned 6620 ppm zinc, 2220 ppm nickel, 600 ppm copper, 3150 ppm strontium and 1160 ppm vanadium (Carne, 1991).

In 1998, Expatriate dug trench TR98-05 on the Harlow property, uphill and along strike from a 1991 soil sample that returned values of greater than 1% zinc and 1060 ppm nickel. Bedrock

within the trench comprised both Road River Group and Lower Earn Group stratigraphy. A chip sample yielded 6200 ppm zinc and 259 ppm nickel over nine metres (Gish, 1999).

In 2007, Strategic Metals collected eight rock samples, seven of which were of material from the Road River Group – Earn Group contact. A specimen sample of dark brown limonitic carbonate returned 18.35% zinc, 3270 ppm nickel and 4850 ppm copper (Gregory, 2008).

No rock samples were collected during the 2012 exploration program.


SOIL GEOCHEMISTRY


Various operators have performed soil sampling within the area now covered by the Harlow property. Some of the samples were only analysed for a limited suite of elements (zinc, lead, copper, silver and barium), and the maps on which results were plotted have too few control points to permit accurate digitization of the data. As such, these samples have not been included in this report.


In 2012, Strategic Metals collected a total of 100 contour soil samples in the northwestern part of the property. Most of these samples were collected stratigraphically above the Road River – Earn Group contact. The 2012 sample locations are illustrated on Figure 6, while 2007 and 2012 results for zinc, nickel, barium, molybdenum, copper, silver, gold, arsenic, thallium and antimony are illustrated thematically on Figures 7 to 17, respectively.


All 2012 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 10 to 70 cm deep holes dug by mattock or hand-held auger. They were placed into individually pre-numbered Kraft paper bags.


The soil samples were sent to ALS Minerals in Whitehorse, Yukon, where they were dried, screened to -180 microns. The samples were then shipped to ALS Minerals in North Vancouver for analysis for 35 elements using aqua regia digestion followed by inductively coupled plasma and atomic emission spectroscopy technique (ME-ICP41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Over limit zinc values were determined using aqua regia digestion with inductively coupled plasma and either atomic emission spectroscopy or atomic absorption spectroscopy (Zn-OG46). Certificates of Analysis are given in Appendix III, while anomalous thresholds values for the elements of interest are listed in Table III.



































Table III – Threshold Values for Soil Samples

Element	Weak	Moderate	Strong	Very Strong
Zinc (ppm)	$\geq 500 < 1000$	$\geq 1000 < 2000$	$\geq 3000 < 5000$	$>10,000$
Nickel (ppm)	$\geq 100 < 200$	$\geq 200 < 500$	$\geq 500 < 1000$	>1000
Barium (ppm)	$\geq 1000 < 2000$	$\geq 2000 < 5000$	$\geq 5000 < 10000$	≥ 10000
Molybdenum (ppm)	$\geq 20 < 50$	$\geq 50 < 100$	$\geq 100 < 200$	≥ 200
Copper (ppm)	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	-
Vanadium (ppm)	$\geq 500 < 1000$	$\geq 1000 < 2000$	$\geq 2000 < 5000$	≥ 5000
Silver (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20
Gold (ppb)	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	-
Arsenic (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500
Thallium (ppm)	$\geq 1 < 2$	$\geq 2 < 5$	$\geq 5 < 10$	≥ 10
Antimony (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500
Mercury (ppb)	$\geq 1 < 2$	$\geq 2 < 5$	$\geq 5 < 10$	≥ 10

Results from the 2012 soil geochemistry are highly variable. In many instances moderately to strongly anomalous values for elements of interest occurred as consecutive strings of samples or as clusters with historical high values. The highest values generally occur near the surface trace of the favourable Road River – Earn Group contact. Peak soil sample values for both 2007 and 2012 are listed in Table IV.

Table IV –Peak 2007 and 2012 Soil Sample Values*

Year	Zn	Ni	Ba	Mo	Cu	V	Ag	Au	As	Tl	Sb	Hg
2007	15400	994	10001	350	1105	4590	19.85	-	971	21.4	488	5.93
2012	16100	1100	6360	581	1545	5170	12	24	729	20.2	520	5.04

* All values are reported in ppm except gold and mercury values, which are in ppb. All gold values for 2007 samples were below detection limits.

The 2012 soil sampling returned significant values for pathfinder elements for Carlin-type mineralization including arsenic (729 ppm), thallium (20.2 ppm) and antimony (520 ppm). Most of the very high Carlin-type pathfinder values appear to be sourcing from Earn Group. This geochemical signature has been identified elsewhere in Selwyn Basin within Earn Group sediments.

DISCUSSION AND CONCLUSIONS

Exploration on the Harlow property in 2012 was primarily conducted to test for pathfinder elements for Carlin-type gold mineralization.

Although geochemical results for arsenic, antimony and thallium are elevated, it is unlikely that the Harlow property hosts a sizeable Carlin-type gold deposit because the mapped limestone horizons are narrow. In addition, there have been no discoveries of realgar or orpiment mineralization, which are associated with gold at ATAC and Anthill's properties.

Based on the significant multi-element soil geochemical signature identified on the Harlow property future work is recommended. This work should include detailed prospecting, stratigraphic mapping and hand trenching, targeting NiMo-type mineralization.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton



H. Burrell, B.Sc., P.Geo.

REFERENCES

- Cecile, M.P. and Abbott, J.G.
- 1989 Geology of the Niddery Lake map area (NTS105O), Yukon; Geological Survey of Canada, Open File 2076.
- Carne, R.C.
- 1991 Report on geological mapping and geochemical sampling on the Jet property; assessment report prepared for Falconbridge Limited and NDU Resources Ltd. by Archer, Cathro & Associates (1981) Limited; report #093003.
- Colpron, M. and Nelson, J. L.
- 2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11
http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf
- Deklerk R. and Traynor S.
- 2005 Yukon MINFILE – A database of mineral occurrences; Yukon Geological Survey, CD-ROM.
- Gish, R.F.
- 1999 Report on hand trenching on the Jet property; assessment report prepared for Expatriate Resources Ltd. by Archer, Cathro & Associates (1981) Limited; report #094012.
- Gordey, S.P. and Makepeace, A.J.
- 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Gregory, D.
- 2008 Assessment report describing prospecting, mapping, and geochemical sampling at the Harlow property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.
- Parry, D. and Carne, R.C.
- 1990 Report on prospecting and geochemical sampling on the Jet property; assessment report prepared for NDU Resources Ltd. by Archer, Cathro & Associates (1981) Limited.
- Pigage, L.C.
- 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.

Yukon Geological Survey

2013 Yukon Bedrock Geology in Yukon Digital Geology. Available at;
<http://www.geology.gov.yk.ca/mapgallery/203.html>

APPENDIX I
STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I am a candidate for a B.Sc. in Earth Sciences from Simon Fraser University in December of 2013.
2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, Northwest Territories, Manitoba, and Newfoundland.
3. I have interpreted all data resulting from this work.

A handwritten signature in blue ink, appearing to read "J. Morton".

J. Morton

STATEMENT OF QUALIFICATIONS

I, Heather Burrell (née Smith), geologist, with business addresses in Vancouver and Squamish, British Columbia and Whitehorse, Yukon Territory and residential address in Squamish, British Columbia do hereby certify that:

1. I graduated from the University of British Columbia in 2006 with a B.Sc. in Geological Sciences.
2. From 2004 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia and Northwest Territories.
3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 34689).
4. I have personally participated in and directed the fieldwork reported herein and have interpreted all data resulting from this work.

A handwritten signature in blue ink that reads "Heather Burrell". The signature is fluid and cursive, with "Heather" on top and "Burrell" below it, slightly overlapping.

H. Burrell, B.Sc., P.Geo.

APPENDIX II
STATEMENTS OF EXPENDITURES

Statement of Expenditures
Harlow 1-30 Mineral Claims
October 30, 2012

Labour

H. Burrell (geologist) Aug. 2012 – 1.5 days @ \$765.00/day	\$ 1,285.20
M. Nadeau (field assistant) Aug. 2012 – 1.5 days @ \$391.00/day	656.88
A. Hughes (field assistant) Aug. 2012 – 1.5 days @ \$340.00/day	<u>571.20</u>
	2,513.28

Expenses (including management fee)

Field room and board – 4.5 mandays @ \$180/manday	979.78
Kluane Airways – 4.15 hours Hughes 500D @ \$1,075/hour + fuel	5,998.81
Inconnu Lodge	1,062.52
ALS Chemex- 85 samples	<u>3,118.01</u>
	11,159.12
Total	<u>\$13,672.40</u>

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21- SEP- 2012
Account: MTT

CERTIFICATE WH12198909

Project: Harlow

P.O. No.:

This report is for 150 Soil samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2012.

The following have access to data associated with this certificate:

SARAH EATON

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- ICP21 Au	ME- MS41 Ag	ME- MS41 Al	ME- MS41 As	ME- MS41 Au	ME- MS41 B	ME- MS41 Ba	ME- MS41 Be	ME- MS41 Bi	ME- MS41 Ca	ME- MS41 Cd	ME- MS41 Ce	ME- MS41 Co	ME- MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ33289		0.17	0.011	2.77	0.92	25.5	<0.2	<10	990	0.30	0.28	0.15	0.56	24.9	3.1	31
ZZ33290		0.16	0.010	2.15	1.20	24.1	<0.2	10	1930	0.70	0.26	1.49	0.62	28.7	2.9	52
ZZ33291		0.18	0.010	1.65	1.12	41.0	<0.2	<10	600	0.37	0.24	0.18	1.01	26.7	3.7	31
ZZ33292		0.18	0.017	1.26	1.89	35.4	<0.2	<10	2870	0.93	0.19	0.09	1.20	20.1	2.6	47
ZZ33293		0.15	0.017	4.49	1.24	52.9	<0.2	<10	440	0.60	0.19	0.14	1.01	22.3	2.0	66
ZZ33294		0.22	0.005	0.69	0.68	21.8	<0.2	<10	610	0.24	0.30	0.03	0.29	20.8	2.0	24
ZZ33295		0.13	0.005	0.78	0.46	10.7	<0.2	<10	120	0.19	0.08	0.18	0.63	7.68	2.0	14
ZZ33296		0.12	0.015	0.57	0.61	12.0	<0.2	<10	210	0.33	0.15	0.05	0.46	8.51	1.4	18
ZZ33297		0.12	0.003	0.96	0.66	9.4	<0.2	<10	140	0.18	0.08	0.13	0.28	7.41	1.1	13
ZZ33298		0.12	0.016	5.76	3.54	227	<0.2	<10	900	2.39	0.26	0.49	4.04	24.5	3.3	96
ZZ33299		0.16	0.005	1.62	1.02	26.8	<0.2	<10	420	0.63	0.14	0.17	0.96	11.60	1.9	25
ZZ33300		0.17	0.009	1.74	0.76	35.0	<0.2	<10	490	0.52	0.19	0.16	1.81	15.80	1.3	27
ZZ33301		0.13	0.012	3.54	1.07	61.6	<0.2	<10	680	0.45	0.26	0.07	1.25	14.30	2.1	49
ZZ33302		0.17	0.015	4.57	1.75	91.7	<0.2	<10	950	1.01	0.27	0.47	2.57	27.3	4.2	100
ZZ33303		0.23	0.014	3.96	1.67	144.5	<0.2	<10	640	0.96	0.29	0.43	2.75	25.1	3.2	132
ZZ33304		0.16	0.008	2.16	0.91	29.0	<0.2	<10	630	0.50	0.17	0.15	1.36	13.10	2.8	37
ZZ33305		0.16	0.003	0.63	0.43	7.3	<0.2	<10	280	0.18	0.11	0.03	0.35	7.39	1.3	12
ZZ33306		0.20	0.008	1.86	1.16	60.0	<0.2	<10	570	0.67	0.25	0.19	1.42	18.20	2.8	50
ZZ33307		0.16	0.003	0.54	1.07	21.0	<0.2	<10	200	0.35	0.15	0.10	0.47	12.45	1.8	24
ZZ33308		0.11	0.006	0.75	0.69	14.8	<0.2	<10	240	0.31	0.11	0.06	0.45	7.95	1.2	16
ZZ33309		0.13	0.010	3.57	1.22	34.1	<0.2	<10	800	0.76	0.20	0.38	2.21	14.65	3.7	29
ZZ33310		0.23	0.012	2.34	0.93	42.4	<0.2	<10	860	0.67	0.23	0.26	1.33	17.80	1.9	37
ZZ33311		0.18	0.009	1.79	0.88	35.9	<0.2	<10	740	0.57	0.26	0.20	1.34	21.0	2.2	35
ZZ33312		0.20	0.012	3.24	0.78	41.3	<0.2	<10	1090	0.52	0.22	0.19	1.11	19.30	1.3	41
ZZ33313		0.21	0.012	1.17	0.73	56.4	<0.2	<10	510	0.44	0.14	0.21	1.63	18.10	2.7	27
ZZ33314		0.22	0.009	0.87	0.71	33.4	<0.2	<10	310	0.49	0.14	0.11	0.89	15.75	1.7	23
ZZ33315		0.22	0.007	1.80	0.80	85.4	<0.2	<10	590	0.63	0.21	0.60	1.22	17.15	1.3	43
ZZ33316		0.15	0.007	1.51	0.61	15.2	<0.2	<10	580	0.48	0.19	0.05	0.49	11.20	1.3	19
ZZ33317		0.15	0.010	2.24	1.01	39.0	<0.2	<10	790	0.75	0.20	0.39	1.53	19.80	2.8	33
ZZ33318		0.16	0.016	7.06	4.08	131.5	<0.2	10	1550	2.60	0.32	0.90	4.99	33.5	2.7	113
ZZ33319		0.16	0.003	1.84	0.84	28.4	<0.2	<10	690	0.50	0.26	0.09	1.03	14.50	2.3	27
ZZ33320		0.18	0.001	0.25	0.50	2.8	<0.2	<10	80	0.07	0.04	0.11	0.20	4.92	1.6	9
ZZ33321		0.17	0.004	0.64	0.57	12.5	<0.2	<10	340	0.27	0.13	0.10	0.34	10.75	1.0	16
ZZ33322		0.22	0.005	1.71	0.71	22.9	<0.2	<10	510	0.50	0.17	0.16	0.66	12.65	1.1	26
ZZ33323		0.20	0.010	2.33	1.08	28.0	<0.2	<10	810	0.83	0.23	0.28	1.37	22.4	1.6	39
ZZ33324		0.23	0.017	3.90	0.77	40.9	<0.2	<10	960	0.85	0.21	0.37	2.18	17.45	0.9	39
ZZ33325		0.21	0.007	0.79	0.39	21.2	<0.2	<10	380	0.16	0.22	0.02	0.12	17.00	1.4	10
ZZ33326		0.23	0.010	0.70	0.48	29.3	<0.2	<10	330	0.58	0.30	0.01	0.68	8.95	7.1	12
ZZ33327		0.31	0.002	0.81	0.30	5.0	<0.2	<10	70	0.08	0.07	0.08	0.11	4.16	1.8	5
ZZ33328		0.15	0.009	1.74	0.42	70.4	<0.2	<10	610	0.24	0.44	0.01	0.24	27.4	2.7	13

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
ZZ33289		1.07	43.0	2.68	5.11	0.07	0.04	0.44	0.042	0.14	16.1	2.4	0.07	152	18.15	<0.01
ZZ33290		1.28	39.7	3.09	6.69	0.15	0.09	0.32	0.062	0.15	19.6	3.6	0.12	74	18.45	<0.01
ZZ33291		1.51	45.0	4.08	4.58	0.16	0.08	2.13	0.076	0.24	15.3	4.9	0.12	116	28.8	<0.01
ZZ33292		0.56	298	3.51	9.69	0.10	0.08	0.79	0.057	0.05	12.3	1.6	0.04	65	31.7	<0.01
ZZ33293		0.81	81.1	3.11	5.41	0.19	0.07	1.70	0.094	0.15	17.8	2.4	0.06	67	54.2	<0.01
ZZ33294		1.12	23.7	1.86	4.00	<0.05	0.03	0.14	0.033	0.11	12.1	0.9	0.03	87	11.25	0.01
ZZ33295		0.47	23.8	1.20	2.07	<0.05	0.02	0.19	0.014	0.04	4.6	1.0	0.05	63	9.66	0.02
ZZ33296		0.83	25.2	1.11	2.58	<0.05	<0.02	0.04	0.021	0.06	5.7	0.5	0.02	40	15.20	0.01
ZZ33297		0.44	20.7	0.99	2.29	<0.05	0.02	0.09	0.017	0.04	4.3	0.7	0.03	41	8.39	0.02
ZZ33298		1.27	116.5	4.82	7.18	0.50	0.40	0.73	0.096	0.18	18.2	3.6	0.12	91	114.0	<0.01
ZZ33299		0.59	39.0	1.60	3.97	0.06	0.02	0.11	0.035	0.08	7.7	1.5	0.06	170	19.95	0.01
ZZ33300		1.01	92.2	1.48	3.74	0.14	0.10	0.31	0.039	0.11	10.6	1.8	0.06	58	45.4	<0.01
ZZ33301		0.96	67.9	3.31	6.18	0.18	0.04	0.21	0.054	0.17	9.1	2.6	0.06	46	48.5	<0.01
ZZ33302		1.77	151.5	3.97	9.35	0.40	0.19	0.35	0.086	0.21	18.3	5.7	0.19	163	58.4	<0.01
ZZ33303		1.78	155.0	4.63	12.50	0.54	0.20	0.38	0.107	0.25	16.6	5.2	0.18	93	76.2	<0.01
ZZ33304		0.75	53.3	2.41	4.78	0.11	0.03	0.07	0.041	0.14	8.3	2.4	0.08	123	20.9	0.01
ZZ33305		0.74	19.9	0.92	2.13	<0.05	<0.02	0.04	0.012	0.07	5.2	0.5	0.02	80	10.80	0.02
ZZ33306		1.26	85.1	3.24	7.22	0.25	0.09	0.24	0.057	0.17	11.1	4.1	0.14	74	57.2	<0.01
ZZ33307		0.76	47.4	1.39	4.16	<0.05	0.02	0.05	0.023	0.06	7.3	2.6	0.08	64	17.50	0.02
ZZ33308		0.59	36.2	1.12	2.66	<0.05	<0.02	0.07	0.018	0.05	5.0	0.9	0.03	27	11.20	0.02
ZZ33309		0.93	110.0	2.34	3.64	0.15	0.06	0.22	0.041	0.16	10.8	2.2	0.05	290	27.0	0.01
ZZ33310		1.07	152.5	2.11	4.85	0.23	0.10	0.17	0.046	0.15	13.1	2.5	0.10	90	55.0	<0.01
ZZ33311		0.94	78.8	2.39	5.06	0.15	0.05	0.20	0.058	0.12	16.3	1.3	0.04	57	37.0	<0.01
ZZ33312		0.83	92.2	1.96	4.07	0.17	0.11	1.67	0.052	0.14	13.6	1.8	0.06	53	31.1	<0.01
ZZ33313		0.83	87.7	2.03	3.14	0.14	0.08	0.78	0.048	0.09	10.8	3.9	0.12	95	38.3	<0.01
ZZ33314		0.72	75.0	1.45	3.12	0.12	0.08	0.80	0.047	0.07	9.9	2.4	0.06	83	21.3	<0.01
ZZ33315		0.80	59.1	2.89	4.00	0.17	0.10	0.29	0.038	0.12	13.4	1.2	0.04	42	70.7	<0.01
ZZ33316		0.91	45.4	1.28	2.48	0.06	0.02	0.41	0.030	0.07	8.2	0.5	0.02	29	18.90	<0.01
ZZ33317		0.71	80.9	2.74	5.02	0.18	0.06	0.25	0.055	0.17	13.7	2.9	0.10	102	63.7	0.01
ZZ33318		2.04	222	3.87	7.38	0.66	0.73	2.12	0.153	0.18	27.0	2.5	0.06	79	99.4	<0.01
ZZ33319		0.81	50.0	2.31	4.67	0.10	0.03	0.06	0.038	0.15	10.6	1.0	0.03	58	58.1	0.01
ZZ33320		0.21	10.8	0.58	1.47	<0.05	0.02	0.04	<0.005	0.04	2.5	0.4	0.03	83	4.64	0.03
ZZ33321		0.71	32.3	1.00	3.17	0.06	0.02	0.07	0.023	0.06	8.1	0.6	0.02	57	12.90	0.02
ZZ33322		0.78	50.8	1.43	2.96	0.09	0.05	0.16	0.035	0.08	8.9	0.9	0.03	32	17.70	0.01
ZZ33323		1.04	104.5	2.09	5.35	0.19	0.12	0.25	0.050	0.12	16.0	2.2	0.07	37	35.6	<0.01
ZZ33324		0.89	216	1.42	3.14	0.21	0.09	0.77	0.047	0.11	14.5	0.7	0.02	22	32.9	<0.01
ZZ33325		1.46	29.2	1.38	2.19	<0.05	<0.02	0.16	0.023	0.09	9.9	0.9	0.03	49	5.83	0.01
ZZ33326		2.46	130.5	3.22	1.35	<0.05	0.04	0.05	0.048	0.12	4.0	0.8	0.02	186	5.60	<0.01
ZZ33327		0.90	14.6	0.72	1.36	<0.05	<0.02	0.03	0.007	0.04	1.9	0.6	0.03	102	1.46	0.02
ZZ33328		3.69	52.6	4.06	2.78	0.08	0.02	0.07	0.069	0.24	16.0	0.8	0.02	90	14.70	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- SEP- 2012
 Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
ZZ33289		0.13	20.6	3560	20.7	11.5	0.002	0.28	10.30	0.6	9.0	0.8	87.2	0.01	0.34	0.2
ZZ33290		0.18	22.6	>10000	31.5	12.8	0.003	0.19	11.05	1.0	10.4	1.0	218	0.02	0.33	0.3
ZZ33291		0.35	28.3	3520	39.7	11.9	0.003	0.51	27.1	2.3	16.9	1.4	207	0.01	0.24	0.9
ZZ33292		0.41	37.7	2150	122.0	5.2	0.017	0.20	17.45	1.5	10.4	0.6	61.0	0.02	0.52	0.3
ZZ33293		0.28	22.1	6020	95.3	9.3	0.013	0.36	31.8	1.5	21.2	1.0	135.0	0.01	0.43	0.6
ZZ33294		0.11	13.4	1760	24.6	10.4	0.001	0.21	9.90	0.4	5.0	1.1	60.3	<0.01	0.14	<0.2
ZZ33295		0.06	12.8	1880	11.0	3.9	0.001	0.06	10.90	0.3	3.7	0.3	40.5	<0.01	0.13	<0.2
ZZ33296		<0.05	21.2	2230	16.1	7.2	0.001	0.13	7.26	0.2	7.2	0.7	45.3	<0.01	0.21	<0.2
ZZ33297		0.09	6.3	2530	11.6	4.4	<0.001	0.08	4.99	0.3	5.1	0.4	29.2	<0.01	0.13	<0.2
ZZ33298		0.47	151.0	>10000	101.0	12.1	0.011	0.45	154.5	14.0	73.1	1.2	560	0.03	0.91	5.8
ZZ33299		0.08	15.4	3450	32.7	6.6	0.002	0.21	15.40	0.2	16.4	0.5	96.2	<0.01	0.25	<0.2
ZZ33300		0.13	17.6	4670	21.6	8.6	0.012	0.16	25.7	1.5	27.8	0.7	142.5	0.01	0.58	0.6
ZZ33301		0.11	28.7	4290	56.5	11.4	0.003	0.45	41.0	0.4	42.6	0.9	101.5	0.01	0.54	<0.2
ZZ33302		0.45	37.8	>10000	56.6	15.5	0.014	0.40	57.5	3.8	73.0	0.9	193.0	0.02	0.67	1.9
ZZ33303		0.32	43.2	>10000	82.0	17.4	0.013	0.52	75.6	5.7	107.0	1.2	276	0.02	0.96	2.1
ZZ33304		0.07	37.9	3250	35.4	10.2	0.002	0.34	14.90	0.3	23.1	0.6	97.0	0.01	0.29	<0.2
ZZ33305		0.05	12.5	1410	12.9	6.8	0.001	0.11	3.17	0.3	4.3	0.5	41.0	<0.01	0.11	<0.2
ZZ33306		0.16	30.3	5810	67.3	12.8	0.007	0.38	37.5	1.0	54.6	0.9	120.0	0.01	0.61	0.4
ZZ33307		0.06	21.8	2640	23.0	6.1	0.002	0.12	9.19	0.4	9.1	0.4	69.9	0.01	0.13	<0.2
ZZ33308		0.05	14.9	2120	13.4	5.0	0.002	0.13	6.84	0.2	6.1	0.4	44.8	<0.01	0.11	<0.2
ZZ33309		0.12	45.7	5880	22.2	10.0	0.003	0.40	12.65	0.4	15.9	0.8	134.5	0.01	0.26	<0.2
ZZ33310		0.23	29.5	6650	19.3	11.1	0.008	0.25	27.7	2.5	32.5	0.8	156.0	0.01	0.40	0.7
ZZ33311		0.07	30.6	5210	19.3	10.9	0.002	0.24	18.80	0.3	18.5	0.8	185.0	0.01	0.32	<0.2
ZZ33312		0.16	17.0	5130	36.7	9.1	0.008	0.29	19.80	2.2	20.9	1.0	159.5	0.01	0.30	0.6
ZZ33313		0.24	18.7	4300	8.6	7.7	0.011	0.11	23.7	3.6	25.3	0.6	65.7	0.01	0.51	1.2
ZZ33314		0.12	14.7	3160	9.8	7.3	0.012	0.10	15.80	1.0	26.0	0.6	58.6	0.01	0.50	0.4
ZZ33315		0.16	26.7	9370	17.3	8.8	0.008	0.22	31.9	1.2	17.4	1.0	196.5	0.01	0.36	0.5
ZZ33316		<0.05	12.8	2420	23.0	6.9	0.002	0.17	7.44	0.3	9.2	0.8	65.4	<0.01	0.25	<0.2
ZZ33317		0.12	30.1	6180	15.8	10.6	0.003	0.35	33.4	0.5	22.3	0.6	151.5	0.01	0.30	<0.2
ZZ33318		0.37	129.5	>10000	23.4	13.3	0.015	0.36	67.4	16.4	35.8	2.0	1110	0.05	0.63	6.1
ZZ33319		0.07	28.6	2620	19.7	10.3	0.001	0.37	23.2	0.3	21.6	0.7	139.0	0.01	0.31	<0.2
ZZ33320		0.31	5.1	570	2.5	2.0	<0.001	0.03	1.89	0.6	1.2	<0.2	16.6	0.01	0.03	<0.2
ZZ33321		0.07	8.9	2170	7.9	6.4	0.001	0.12	5.28	0.3	5.2	0.5	102.5	<0.01	0.14	<0.2
ZZ33322		0.10	15.5	4020	12.0	8.3	0.005	0.16	7.31	0.4	8.7	0.6	103.5	0.01	0.21	<0.2
ZZ33323		0.19	23.4	5860	15.6	11.6	0.006	0.22	19.20	1.5	11.2	0.8	408	0.02	0.28	0.6
ZZ33324		0.11	23.7	5080	20.0	7.5	0.014	0.18	19.00	3.8	17.9	0.9	317	0.02	0.34	1.3
ZZ33325		0.13	8.9	880	36.7	7.7	0.001	0.15	4.90	1.2	6.1	0.4	33.2	<0.01	0.12	<0.2
ZZ33326		0.13	38.1	1040	38.8	10.8	0.002	0.18	4.51	5.2	5.4	0.3	102.5	0.01	0.16	0.7
ZZ33327		0.28	5.2	440	8.0	3.4	<0.001	0.02	1.10	0.8	0.7	<0.2	13.3	<0.01	0.03	<0.2
ZZ33328		0.23	19.4	1330	86.5	15.8	0.001	0.47	11.00	3.2	13.9	0.7	143.0	<0.01	0.30	2.1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method	ME-MS41	Zn-OG46						
	Analyte Units LOR	Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ33289		0.006	2.69	3.36	143	0.38	9.46	128	0.6
ZZ33290		0.008	1.77	8.87	247	0.51	32.4	110	0.8
ZZ33291		0.016	1.85	3.00	172	0.49	11.45	180	1.8
ZZ33292		0.014	0.38	7.50	779	0.36	18.25	178	1.3
ZZ33293		0.009	3.20	7.26	382	0.71	12.40	279	1.6
ZZ33294		<0.005	0.85	1.39	107	0.27	3.27	71	0.5
ZZ33295		0.008	0.58	3.04	81	0.15	4.66	86	<0.5
ZZ33296		<0.005	0.73	2.89	115	0.16	5.06	120	<0.5
ZZ33297		0.007	0.44	3.69	60	0.14	4.50	33	<0.5
ZZ33298		0.018	3.69	25.3	628	1.32	62.2	418	15.8
ZZ33299		<0.005	1.33	5.78	157	0.26	11.05	84	<0.5
ZZ33300		0.008	2.51	12.65	245	0.52	19.10	78	2.5
ZZ33301		0.007	3.76	6.69	385	0.54	12.95	204	<0.5
ZZ33302		0.017	4.69	18.50	484	1.25	30.3	170	5.5
ZZ33303		0.020	6.37	21.6	668	1.28	34.6	203	5.6
ZZ33304		<0.005	1.71	5.44	169	0.28	12.60	276	<0.5
ZZ33305		0.005	0.70	1.61	84	0.18	4.32	105	<0.5
ZZ33306		0.009	4.15	8.99	466	0.71	17.65	173	1.7
ZZ33307		<0.005	1.41	4.62	159	0.24	8.54	52	<0.5
ZZ33308		<0.005	0.73	3.69	102	0.17	5.95	69	<0.5
ZZ33309		<0.005	1.89	10.40	194	0.43	26.5	257	0.5
ZZ33310		0.013	3.72	17.10	374	0.72	25.4	106	2.1
ZZ33311		<0.005	3.21	9.68	290	0.41	21.1	151	<0.5
ZZ33312		0.008	2.11	11.15	229	0.60	22.6	65	2.1
ZZ33313		0.012	1.59	6.85	303	0.46	14.75	80	2.3
ZZ33314		0.006	1.67	7.99	237	0.40	12.60	83	2.2
ZZ33315		0.007	2.12	10.45	316	0.62	25.2	106	2.6
ZZ33316		<0.005	1.40	6.20	128	0.28	10.40	104	<0.5
ZZ33317		0.005	3.56	13.90	382	0.72	25.0	176	<0.5
ZZ33318		0.010	4.24	30.1	595	2.56	117.5	330	29.4
ZZ33319		<0.005	3.63	6.41	307	0.43	14.60	255	<0.5
ZZ33320		0.025	0.24	0.95	51	0.08	1.83	38	0.5
ZZ33321		<0.005	1.00	3.81	114	0.20	10.05	42	<0.5
ZZ33322		0.006	1.49	6.27	120	0.33	16.65	80	<0.5
ZZ33323		0.010	2.72	14.45	351	0.71	30.4	95	3.0
ZZ33324		<0.005	2.85	12.75	258	0.74	37.9	128	0.8
ZZ33325		0.009	0.40	0.88	55	0.11	3.06	53	<0.5
ZZ33326		<0.005	0.44	1.30	60	0.06	8.82	311	0.6
ZZ33327		0.021	0.17	0.28	25	0.05	1.70	42	<0.5
ZZ33328		0.006	1.34	0.49	102	0.15	4.86	198	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- ICP21 Au	ME- MS41 Ag	ME- MS41 Al	ME- MS41 As	ME- MS41 Au	ME- MS41 B	ME- MS41 Ba	ME- MS41 Be	ME- MS41 Bi	ME- MS41 Ca	ME- MS41 Cd	ME- MS41 Ce	ME- MS41 Co	ME- MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ33029		0.27	0.010	0.77	0.43	38.4	<0.2	<10	650	0.26	0.30	0.02	0.65	20.2	2.5	13
ZZ33030		0.21	0.009	1.81	0.28	22.6	<0.2	<10	630	0.14	0.15	0.03	0.25	14.65	0.9	11
ZZ33031		0.33	0.006	0.92	0.45	18.5	<0.2	<10	220	0.25	0.16	0.04	0.30	9.82	3.3	9
ZZ33032		0.24	0.007	1.15	0.54	23.4	<0.2	<10	240	0.23	0.17	0.07	0.22	16.35	3.2	8
ZZ33033		0.21	0.015	1.92	1.12	55.3	<0.2	<10	380	0.51	0.24	0.05	2.07	20.7	5.7	27
ZZ33034		0.21	0.012	2.31	0.48	24.5	<0.2	<10	3770	0.44	0.11	0.04	1.63	12.65	9.4	28
ZZ33035		0.17	0.003	0.31	0.54	9.6	<0.2	<10	420	0.13	0.11	0.07	0.07	9.78	1.7	6
ZZ33036		0.16	0.012	3.58	0.34	49.8	<0.2	<10	40	0.08	0.44	0.03	0.22	39.7	0.9	34
ZZ33037		0.29	0.001	0.15	0.53	4.8	<0.2	<10	190	0.12	0.06	0.06	0.05	5.80	1.4	3
ZZ33038		0.19	0.004	0.99	0.39	20.3	<0.2	<10	930	0.11	0.26	0.01	0.15	25.8	0.8	16
ZZ33401		0.23	0.022	1.02	1.96	196.5	<0.2	<10	520	3.75	0.67	0.93	16.50	133.0	120.0	36
ZZ33402		0.31	0.011	0.64	3.25	42.3	<0.2	<10	420	2.43	0.25	0.57	3.98	30.6	23.5	71
ZZ33403		0.27	0.012	0.72	3.79	23.1	<0.2	<10	210	2.95	0.36	0.30	1.78	26.8	26.1	66
ZZ33404		0.24	0.008	0.33	3.57	33.7	<0.2	<10	280	2.81	0.37	0.26	1.72	33.2	34.7	74
ZZ33405		0.29	0.017	2.17	2.46	71.9	<0.2	<10	350	2.45	0.38	0.46	4.12	47.1	36.8	70
ZZ33406		0.23	0.005	1.49	2.85	46.7	<0.2	<10	240	1.63	0.21	0.24	5.21	23.7	10.8	69
ZZ33407		0.18	0.008	1.11	3.54	23.8	<0.2	<10	330	2.07	0.22	0.23	4.61	23.9	16.8	70
ZZ33408		0.24	0.007	0.92	3.48	28.0	<0.2	<10	450	2.19	0.20	0.25	9.69	21.7	16.3	83
ZZ33409		0.26	0.007	1.39	2.56	32.6	<0.2	<10	590	1.93	0.25	1.36	14.10	17.55	19.8	58
ZZ33410		0.22	0.006	3.87	1.28	81.0	<0.2	<10	980	1.82	0.14	1.47	35.3	20.1	8.5	128
ZZ33411		0.25	0.007	3.11	1.81	89.4	<0.2	<10	1970	2.59	0.14	2.93	82.1	31.0	9.9	181
ZZ33412		0.38	0.006	2.33	1.79	158.0	<0.2	<10	1320	2.75	0.13	0.55	42.8	37.8	8.9	181
ZZ33413		0.29	0.009	3.82	1.23	109.5	<0.2	<10	810	1.43	0.17	0.40	6.68	28.3	3.2	155
ZZ33414		0.28	0.010	4.16	1.47	164.0	<0.2	<10	520	1.40	0.21	0.57	8.86	36.9	3.1	166
ZZ33415		0.33	0.011	6.57	2.02	212	<0.2	<10	770	2.70	0.23	0.70	15.40	35.6	12.3	223
ZZ33416		0.27	0.017	9.57	2.48	411	<0.2	10	910	3.90	0.23	0.60	135.0	27.3	15.8	247
ZZ33417		0.30	0.013	7.20	2.00	283	<0.2	<10	800	2.40	0.37	1.00	17.10	56.1	1.3	291
ZZ33418		0.26	0.013	9.84	1.59	220	<0.2	<10	630	1.55	0.34	0.57	9.11	49.3	1.5	190
ZZ33419		0.26	0.023	5.15	1.62	107.5	<0.2	<10	770	1.56	0.24	0.55	13.45	33.9	3.5	121
ZZ33420		0.29	0.014	5.27	1.24	135.5	<0.2	<10	1100	1.78	0.19	1.05	45.9	27.9	37.1	183
ZZ33421		0.27	0.015	5.27	1.51	126.0	<0.2	<10	860	1.19	0.25	0.70	10.80	23.4	5.6	102
ZZ33422		0.24	0.016	8.99	1.17	160.0	<0.2	<10	290	0.81	0.39	0.33	10.90	32.4	2.9	82
ZZ33423		0.18	0.017	3.95	1.34	77.6	<0.2	<10	570	1.02	0.24	0.16	2.84	18.10	2.4	62
ZZ33424		0.23	0.013	3.56	1.82	105.0	<0.2	<10	910	1.07	0.28	0.31	3.18	23.2	3.2	88
ZZ33425		0.22	0.020	2.74	0.81	89.3	<0.2	<10	490	0.55	0.23	0.28	2.32	28.6	1.4	50
ZZ33426		0.32	0.013	4.62	1.03	134.5	<0.2	<10	580	0.66	0.30	0.28	2.56	27.9	1.5	64
ZZ33427		0.24	0.017	4.31	0.72	189.5	<0.2	<10	180	0.68	0.36	0.49	7.21	46.3	0.9	78
ZZ33428		0.28	0.018	6.28	1.12	174.5	<0.2	<10	120	0.90	0.41	0.53	3.86	36.0	1.5	112
ZZ33429		0.23	0.010	5.98	0.82	76.1	<0.2	<10	480	0.53	0.27	0.10	2.16	20.4	1.9	51
ZZ33430		0.31	0.005	3.04	0.38	68.0	<0.2	<10	140	0.61	0.12	0.09	3.62	17.85	33.9	75

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
ZZ33029		2.18	56.7	3.11	2.13	<0.05	0.03	0.04	0.040	0.12	11.4	0.9	0.02	74	8.52	<0.01
ZZ33030		0.88	39.8	1.83	1.71	<0.05	<0.02	0.45	0.016	0.15	10.6	0.6	0.01	35	11.90	0.01
ZZ33031		3.50	57.8	1.86	1.73	<0.05	0.02	0.04	0.027	0.08	4.9	1.2	0.03	91	4.50	0.01
ZZ33032		2.15	54.6	2.39	1.87	<0.05	0.03	0.05	0.029	0.08	9.1	1.2	0.03	75	4.23	0.01
ZZ33033		1.93	89.5	3.57	2.95	0.08	0.08	0.20	0.057	0.19	12.7	2.1	0.04	273	15.55	<0.01
ZZ33034		0.27	65.0	1.27	2.28	<0.05	0.04	0.58	0.039	0.07	7.2	0.5	0.01	202	18.25	<0.01
ZZ33035		1.05	18.6	1.07	2.11	<0.05	0.02	0.03	0.018	0.05	5.3	0.7	0.02	50	2.48	0.02
ZZ33036		1.82	42.9	6.98	6.21	0.30	0.03	0.42	0.100	0.95	22.9	1.5	0.02	69	33.5	0.02
ZZ33037		0.48	15.6	0.90	1.80	<0.05	0.02	0.03	0.009	0.04	3.1	0.3	0.02	24	1.36	0.02
ZZ33038		1.64	38.5	2.01	2.72	<0.05	0.02	0.07	0.084	0.20	14.9	0.6	0.01	24	5.59	<0.01
ZZ33401		2.16	209	12.45	7.82	0.71	0.28	0.64	0.107	0.13	58.4	17.9	1.66	2220	13.30	<0.01
ZZ33402		4.39	84.6	4.64	10.65	0.24	0.30	0.13	0.048	0.36	15.1	31.3	3.26	550	5.72	<0.01
ZZ33403		3.62	91.3	4.89	10.85	0.15	0.09	0.08	0.069	0.28	13.6	27.5	2.28	454	9.08	<0.01
ZZ33404		4.42	89.0	7.22	11.20	0.20	0.08	0.07	0.072	0.14	15.5	31.2	3.16	1290	10.45	<0.01
ZZ33405		3.74	161.5	6.64	8.98	0.27	0.18	0.15	0.068	0.48	25.9	36.5	1.95	809	25.6	<0.01
ZZ33406		4.07	156.5	3.45	8.59	0.13	0.06	0.22	0.052	0.15	14.7	29.7	2.73	569	34.6	0.01
ZZ33407		4.25	89.2	3.86	10.65	0.13	0.06	0.15	0.048	0.21	13.4	31.2	3.37	485	13.75	<0.01
ZZ33408		4.39	84.9	3.34	10.75	0.09	0.07	0.14	0.048	0.19	12.2	35.4	3.26	422	16.55	<0.01
ZZ33409		2.64	126.0	3.42	7.20	0.08	0.16	0.29	0.050	0.28	10.4	20.5	2.55	279	28.1	0.02
ZZ33410		1.30	227	1.73	5.02	0.14	0.09	0.52	0.032	0.13	16.2	12.3	1.24	241	39.6	0.01
ZZ33411		2.57	419	1.93	7.67	0.34	0.14	0.62	0.038	0.14	24.5	20.3	3.55	213	60.4	<0.01
ZZ33412		2.44	508	2.67	8.49	0.46	0.12	0.36	0.044	0.19	35.8	17.0	0.94	219	75.9	<0.01
ZZ33413		2.77	179.0	2.93	10.25	0.50	0.08	0.72	0.070	0.16	24.5	16.7	0.58	102	91.7	0.01
ZZ33414		3.30	173.0	4.19	14.40	0.77	0.08	0.63	0.105	0.22	30.8	19.5	0.81	79	161.0	0.01
ZZ33415		4.47	513	4.40	14.95	0.93	0.11	1.46	0.102	0.27	33.1	21.9	1.00	295	141.5	0.01
ZZ33416		4.92	1545	6.23	15.85	0.67	0.19	3.33	0.104	0.30	23.3	29.1	1.66	742	132.5	<0.01
ZZ33417		3.44	351	5.03	24.8	1.57	0.21	5.04	0.214	0.29	53.6	14.8	0.50	28	260	<0.01
ZZ33418		5.14	144.0	4.87	20.3	0.85	0.10	1.58	0.116	0.31	53.6	26.9	1.04	41	200	0.01
ZZ33419		2.90	402	3.61	11.30	0.42	0.16	0.70	0.082	0.26	29.8	16.3	0.84	88	83.4	<0.01
ZZ33420		2.64	417	6.73	8.53	0.40	0.12	1.32	0.122	0.23	18.8	15.4	0.58	700	101.5	<0.01
ZZ33421		3.62	264	4.84	11.05	0.43	0.16	0.82	0.116	0.24	17.1	21.9	0.77	206	103.0	0.01
ZZ33422		2.75	188.5	5.24	16.80	0.75	0.08	2.23	0.134	0.37	24.1	11.8	0.45	113	261	<0.01
ZZ33423		2.10	196.5	3.16	8.66	0.30	0.06	0.71	0.069	0.13	14.2	5.8	0.26	58	103.0	0.01
ZZ33424		4.35	187.5	3.84	12.95	0.47	0.15	0.98	0.081	0.21	17.0	20.9	0.95	131	105.5	<0.01
ZZ33425		1.31	86.9	2.85	8.42	0.36	0.09	0.22	0.073	0.18	19.9	5.4	0.14	47	115.0	<0.01
ZZ33426		2.74	128.0	3.90	11.70	0.67	0.07	1.03	0.098	0.34	18.5	10.0	0.31	57	223	0.01
ZZ33427		1.35	118.5	5.10	13.60	0.92	0.08	1.80	0.143	0.39	31.2	2.8	0.07	31	288	0.01
ZZ33428		3.84	158.5	5.58	18.60	0.91	0.11	0.60	0.154	0.59	24.2	13.5	0.32	54	393	0.01
ZZ33429		1.09	88.0	3.52	7.54	0.25	0.06	0.98	0.058	0.12	15.1	1.4	0.04	26	119.0	0.01
ZZ33430		1.96	91.1	7.74	3.42	0.26	0.04	0.54	0.047	0.09	8.3	1.1	0.02	189	47.4	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
ZZ33029		0.18	18.8	860	59.4	9.9	0.002	0.19	8.31	3.6	8.7	0.6	80.8	<0.01	0.18	2.6
ZZ33030		0.14	7.5	710	55.4	7.7	0.001	0.43	11.95	1.2	7.9	0.4	35.5	<0.01	0.15	0.4
ZZ33031		0.32	20.2	650	22.7	8.4	0.001	0.07	3.81	2.5	3.1	0.2	36.9	<0.01	0.09	0.5
ZZ33032		0.33	18.9	920	27.5	6.6	0.001	0.11	4.16	2.3	4.0	0.2	38.0	0.01	0.11	0.7
ZZ33033		0.25	62.3	1840	127.5	13.1	0.002	0.32	12.95	5.0	11.2	0.6	95.7	0.01	0.21	1.5
ZZ33034		0.09	45.8	580	127.5	3.7	0.001	0.08	16.15	3.8	5.1	0.5	29.3	0.01	0.10	1.0
ZZ33035		0.24	6.3	670	14.9	4.8	<0.001	0.06	1.85	0.8	1.9	0.2	19.8	<0.01	0.06	<0.2
ZZ33036		0.39	4.5	1070	156.0	33.3	0.002	2.30	20.9	6.9	31.1	1.8	46.1	<0.01	0.34	4.1
ZZ33037		0.21	3.7	440	8.3	2.3	<0.001	0.05	0.89	0.5	1.0	0.2	13.0	<0.01	0.04	<0.2
ZZ33038		0.14	5.7	880	39.0	12.8	0.001	0.51	3.54	3.4	4.5	0.4	28.5	<0.01	0.15	0.9
ZZ33401		0.42	573	1550	45.0	16.7	0.003	0.13	25.9	18.2	28.7	0.6	123.5	0.04	0.15	14.7
ZZ33402		0.95	163.5	900	22.0	45.6	0.001	0.09	5.44	9.8	3.2	1.1	59.3	0.02	0.07	7.9
ZZ33403		2.16	104.0	690	29.0	37.8	0.001	0.07	4.73	8.0	3.8	1.0	30.8	0.02	0.09	5.2
ZZ33404		1.54	118.5	1340	37.3	32.1	0.001	0.12	9.67	8.8	4.3	1.1	45.6	0.02	0.15	3.6
ZZ33405		0.44	145.5	1870	53.7	57.2	0.002	0.34	10.10	11.9	5.0	1.2	95.5	0.01	0.12	9.9
ZZ33406		0.68	124.0	1640	19.7	26.3	0.001	0.12	15.60	5.3	9.2	0.9	40.1	0.01	0.12	1.2
ZZ33407		1.33	100.0	1120	21.3	30.2	0.001	0.07	7.24	7.1	5.2	1.0	37.8	0.01	0.10	2.3
ZZ33408		1.34	138.0	1480	16.5	36.8	0.001	0.08	8.93	7.9	5.8	1.1	46.2	0.01	0.10	3.2
ZZ33409		0.72	178.0	900	20.1	31.2	0.002	0.08	13.90	6.5	5.1	0.7	103.5	0.01	0.09	7.3
ZZ33410		0.25	269	3360	13.2	16.1	0.002	0.10	30.0	3.0	14.7	0.7	128.0	0.01	0.18	0.6
ZZ33411		0.24	502	3390	12.7	31.4	0.009	0.10	42.6	7.3	31.8	0.9	194.5	0.02	0.20	3.3
ZZ33412		0.35	406	4120	16.7	22.5	0.003	0.19	69.4	6.7	32.0	0.8	168.5	0.02	0.33	2.3
ZZ33413		0.17	93.9	7020	20.2	17.4	0.015	0.45	70.6	2.8	52.2	1.2	190.0	0.01	0.53	0.3
ZZ33414		0.40	94.2	>10000	27.5	21.8	0.023	0.64	117.5	8.2	77.7	1.6	211	0.02	0.82	2.2
ZZ33415		0.27	405	9900	43.2	29.5	0.013	0.49	121.0	8.9	61.8	1.4	210	0.02	0.63	3.0
ZZ33416		0.22	1100	6730	141.5	36.4	0.017	0.18	181.0	8.1	37.7	1.3	132.5	0.02	0.78	1.9
ZZ33417		0.25	99.0	>10000	44.2	27.3	0.015	0.41	186.0	12.3	178.0	2.6	460	0.04	0.90	5.3
ZZ33418		0.26	85.8	>10000	40.2	35.3	0.013	0.59	190.0	10.8	75.7	2.5	215	0.02	0.74	9.9
ZZ33419		0.15	135.5	9350	25.6	22.7	0.005	0.61	61.3	2.8	59.6	1.4	175.5	0.02	0.75	1.1
ZZ33420		0.23	267	>10000	101.0	18.7	0.008	0.31	102.0	14.1	31.8	2.0	180.0	0.02	0.97	5.1
ZZ33421		0.18	143.5	>10000	115.5	25.5	0.007	0.36	63.0	2.8	53.3	2.1	208	0.02	1.06	1.0
ZZ33422		0.18	87.8	>10000	288	26.4	0.010	0.83	114.0	4.2	134.5	2.7	186.0	0.01	1.21	2.4
ZZ33423		0.14	92.3	6880	99.8	15.0	0.006	0.38	45.9	0.4	47.4	1.4	129.5	0.01	0.59	<0.2
ZZ33424		0.15	128.0	9080	106.5	25.5	0.004	0.41	58.8	1.8	70.5	1.8	174.5	0.01	0.70	0.8
ZZ33425		0.10	31.3	5870	103.0	13.1	0.005	0.39	65.3	1.1	72.2	1.6	111.0	0.01	0.69	0.5
ZZ33426		0.26	43.8	6230	168.5	22.1	0.010	0.79	118.5	5.0	139.5	2.5	125.0	0.01	0.90	4.5
ZZ33427		0.14	33.6	>10000	282	20.6	0.016	0.96	185.5	6.2	192.0	2.7	279	0.01	1.56	4.8
ZZ33428		0.27	51.3	8700	122.0	39.7	0.024	1.44	147.0	7.7	170.5	3.6	234	0.01	0.89	8.4
ZZ33429		0.22	40.8	6090	115.5	10.3	0.011	0.38	52.5	0.8	46.0	1.6	117.5	0.01	0.61	0.3
ZZ33430		0.19	281	5200	115.0	11.6	0.001	0.12	56.0	6.3	40.4	0.6	35.3	0.01	0.27	0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41	Zn-OG46						
		Ti	Ti	U	V	W	Y	Zn	Zr
		%	ppm	ppm	ppm	ppm	ppm	ppm	%
ZZ33029		0.005	0.61	0.70	94	0.11	6.13	176	1.1
ZZ33030		0.007	1.35	0.95	103	0.21	4.15	59	<0.5
ZZ33031		0.011	0.36	0.61	51	0.06	4.96	176	<0.5
ZZ33032		0.013	0.35	0.59	56	0.10	5.09	176	0.6
ZZ33033		0.005	1.48	1.72	148	0.26	17.85	491	1.9
ZZ33034		<0.005	0.88	1.50	242	0.33	9.45	484	0.9
ZZ33035		0.015	0.19	0.54	32	0.08	2.41	48	0.5
ZZ33036		0.017	2.21	0.71	193	0.66	2.98	42	1.3
ZZ33037		0.018	0.10	0.27	25	0.07	1.19	28	0.5
ZZ33038		0.007	0.49	0.77	55	0.12	2.19	28	<0.5
ZZ33401		0.029	3.46	18.15	119	0.30	79.0	5890	7.5
ZZ33402		0.135	0.56	3.44	110	0.32	25.1	583	15.1
ZZ33403		0.129	0.48	3.73	106	0.37	17.85	375	2.6
ZZ33404		0.102	0.73	5.54	188	0.33	22.5	548	1.2
ZZ33405		0.063	1.08	7.55	175	0.34	21.2	581	9.6
ZZ33406		0.061	1.54	13.25	449	0.55	23.6	882	0.9
ZZ33407		0.096	0.84	5.03	198	0.34	19.35	716	1.0
ZZ33408		0.106	1.10	6.20	270	0.38	19.80	1430	1.7
ZZ33409		0.075	1.27	20.1	374	0.29	22.8	2090	9.6
ZZ33410		0.020	2.32	14.60	1040	0.42	35.3	3880	2.0
ZZ33411		0.040	4.53	21.6	1930	0.65	53.5	7740	6.2
ZZ33412		0.031	6.57	48.6	3790	0.69	63.0	7000	2.8
ZZ33413		0.018	4.12	23.3	1720	0.85	35.1	649	1.2
ZZ33414		0.029	6.27	24.9	1860	1.31	39.2	544	1.0
ZZ33415		0.021	9.13	42.2	2680	1.34	56.6	3000	1.7
ZZ33416		0.023	17.95	88.0	4610	1.25	57.0	>10000	7.4 1.300
ZZ33417		0.014	11.95	73.0	2630	3.28	113.0	549	2.0
ZZ33418		0.017	9.50	38.0	2270	2.68	53.7	555	2.9
ZZ33419		0.010	5.53	23.8	1080	1.17	44.7	921	4.2
ZZ33420		0.012	4.50	21.4	737	1.19	47.1	1860	6.0
ZZ33421		0.011	6.84	25.6	909	1.40	31.6	895	4.7
ZZ33422		0.013	15.95	26.9	1000	2.68	28.8	618	1.3
ZZ33423		<0.005	5.90	30.0	551	0.87	24.3	398	<0.5
ZZ33424		0.009	7.71	27.7	1030	1.07	23.6	702	4.9
ZZ33425		0.005	7.28	17.40	592	1.23	17.20	184	2.3
ZZ33426		0.016	11.75	21.8	1070	2.02	19.55	307	3.2
ZZ33427		0.007	19.65	22.8	873	2.65	30.8	262	1.3
ZZ33428		0.017	20.2	30.5	1450	2.97	27.1	287	7.5
ZZ33429		0.005	5.53	14.05	397	1.12	13.10	302	1.2
ZZ33430		<0.005	2.43	3.90	175	0.36	15.10	1810	<0.5

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 21- SEP- 2012
 Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- ICP21	ME- MS41												
		kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
ZZ33431		0.29	0.008	2.87	0.49	17	<0.2	<10	420	0.55	0.06	14.05	20.8	6.35	5.5	39
ZZ33432		0.21	0.016	5.02	1.80	109.0	<0.2	<10	650	1.48	0.28	0.43	21.8	30.4	8.6	93
ZZ33433		0.26	0.012	4.65	1.31	92.2	<0.2	<10	510	1.03	0.24	0.47	9.12	35.4	2.4	144
ZZ33434		0.23	0.013	12.00	1.27	177.0	<0.2	<10	520	1.22	0.31	0.59	5.11	30.2	2.0	174
ZZ33435		0.30	0.011	9.71	1.58	230	<0.2	<10	550	3.62	0.20	0.90	8.20	32.8	42.9	227
ZZ33436		0.26	0.011	8.78	1.90	458	<0.2	<10	690	2.71	0.26	0.28	28.5	26.9	17.4	204
ZZ33437		0.20	0.009	2.97	1.15	64.5	<0.2	<10	690	1.20	0.12	5.94	43.8	21.2	11.9	137
ZZ33438		0.26	0.005	2.19	0.88	38	<0.2	<10	1370	1.37	0.08	12.00	40.5	15.85	10.3	115
ZZ33439		0.23	0.007	2.51	0.99	54.0	<0.2	<10	530	1.39	0.12	8.14	51.9	19.45	14.5	113
ZZ33440		0.27	0.006	2.42	0.73	49	<0.2	<10	470	0.80	0.12	11.55	25.0	13.80	6.8	36
ZZ33441		0.28	0.011	5.28	1.45	158.0	<0.2	<10	590	1.91	0.27	0.69	9.89	34.7	4.8	98
ZZ33442		0.29	0.013	2.48	0.82	66.3	<0.2	<10	450	0.61	0.20	0.28	3.32	26.2	1.8	36
ZZ33443		0.28	0.010	1.74	0.87	45.9	<0.2	<10	330	0.57	0.17	0.19	3.25	18.30	3.3	28
ZZ33444		0.31	0.008	1.33	1.53	56.5	<0.2	<10	380	1.06	0.20	0.28	6.04	23.0	5.1	46
ZZ33445		0.22	NSS	8.54	1.13	113.0	<0.2	<10	970	1.33	0.32	1.74	39.7	34.3	13.6	76
ZZ33446		0.26	0.021	6.98	1.75	137.5	<0.2	<10	320	1.89	0.51	1.53	14.55	50.8	8.9	98
ZZ33447		0.27	0.015	3.66	0.68	79.7	<0.2	<10	530	0.68	0.30	0.64	6.18	35.6	1.3	32
ZZ33448		0.30	0.009	1.82	0.51	48.3	<0.2	<10	600	0.47	0.15	0.28	14.55	26.4	1.7	25
ZZ33449		0.28	0.009	1.37	0.92	51.8	<0.2	<10	330	0.62	0.15	0.45	3.60	23.4	1.9	33
ZZ33450		0.34	0.009	1.28	0.71	56.7	<0.2	<10	450	0.40	0.20	0.17	2.56	22.7	1.7	36
ZZ33451		0.18	0.009	3.57	1.67	101.5	<0.2	<10	780	2.29	0.15	6.20	46.2	26.1	11.9	104
ZZ33452		0.21	0.013	9.12	3.36	227	<0.2	<10	630	3.59	0.25	1.21	46.5	37.6	30.4	143
ZZ33453		0.25	0.011	4.21	0.62	106.5	<0.2	<10	470	1.44	0.23	3.80	25.5	27.2	28.8	67
ZZ33454		0.23	0.010	3.53	0.95	88.8	<0.2	<10	390	1.60	0.22	3.16	57.8	22.0	19.2	62
ZZ33455		0.18	0.009	2.99	0.86	173.0	<0.2	<10	280	1.39	0.19	3.26	70.4	24.3	17.6	50
ZZ33456		0.21	0.011	3.74	0.69	206	<0.2	<10	350	1.42	0.20	4.24	112.0	19.05	27.2	65
ZZ33457		0.20	0.006	0.65	0.97	32.0	<0.2	<10	290	1.12	0.14	3.93	22.8	15.45	16.8	42
ZZ33458		0.21	0.010	0.87	1.90	52.6	<0.2	<10	670	1.70	0.25	0.66	5.53	47.4	26.3	42
ZZ33459		0.20	0.011	0.78	3.60	29.6	<0.2	<10	220	1.81	0.28	0.29	1.92	27.3	21.9	54
ZZ33460		0.21	0.008	0.64	3.89	21.2	<0.2	<10	210	1.90	0.36	0.54	2.27	35.7	28.3	54
ZZ33461		0.20	0.011	6.07	0.90	167.0	<0.2	<10	620	0.87	0.19	0.59	14.90	23.6	5.6	117
ZZ33462		0.20	0.009	0.64	4.88	37.8	<0.2	<10	240	3.66	0.45	0.35	14.60	59.8	22.6	61
ZZ33463		0.19	0.009	2.09	2.11	44.1	<0.2	<10	520	1.44	0.26	0.79	8.72	25.8	8.1	73
ZZ33464		0.22	0.006	1.53	3.21	48.1	<0.2	<10	340	1.85	0.22	0.55	9.60	27.4	13.2	80
ZZ33465		0.21	0.007	2.63	2.04	73.5	<0.2	<10	370	1.32	0.21	0.36	10.75	27.1	11.5	75
ZZ33466		0.24	0.009	2.97	2.04	101.5	<0.2	<10	370	1.32	0.23	0.33	7.29	37.6	15.2	76
ZZ33467		0.19	0.011	3.25	1.92	53.5	<0.2	<10	480	0.96	0.26	0.33	2.53	26.4	6.7	70
ZZ33468		0.22	0.009	0.91	4.65	16.6	<0.2	<10	210	2.08	0.20	0.94	11.85	16.20	14.1	91
ZZ33469		0.21	0.008	1.03	2.51	56.9	<0.2	<10	810	1.62	0.12	4.97	53.1	20.1	13.1	78
ZZ33470		0.24	0.006	0.83	2.45	41.1	<0.2	<10	610	1.26	0.22	3.23	22.2	16.15	19.9	50

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
ZZ33431		0.94	71.5	1.02	2.73	0.05	0.09	0.20	0.020	0.06	5.4	14.0	0.71	170	24.6	<0.01
ZZ33432		3.68	295	4.00	12.55	0.52	0.10	0.30	0.091	0.30	23.8	17.5	1.47	298	111.0	0.01
ZZ33433		2.86	160.5	3.41	12.25	0.36	0.11	0.15	0.082	0.26	31.4	12.4	0.48	92	69.3	<0.01
ZZ33434		3.26	215	3.58	14.20	0.53	0.10	3.48	0.119	0.23	26.3	9.1	0.26	57	127.5	0.01
ZZ33435		2.87	540	5.29	11.45	0.74	0.12	1.78	0.098	0.23	31.5	13.2	0.40	490	181.0	0.01
ZZ33436		4.21	716	5.84	15.00	0.74	0.13	2.48	0.090	0.34	21.3	10.8	0.50	377	242	<0.01
ZZ33437		1.46	156.0	2.02	5.66	0.18	0.11	0.40	0.031	0.11	17.1	16.2	3.41	374	38.4	0.01
ZZ33438		1.05	156.0	1.15	3.94	0.13	0.09	0.30	0.020	0.09	14.2	17.5	5.78	173	24.8	<0.01
ZZ33439		1.03	158.5	1.88	3.98	0.12	0.10	0.42	0.023	0.09	14.0	15.8	5.00	364	43.3	0.01
ZZ33440		1.28	100.5	2.85	3.52	0.22	0.08	0.40	0.039	0.12	11.7	9.5	7.08	723	49.2	0.01
ZZ33441		3.67	212	6.42	8.87	0.74	0.14	0.94	0.088	0.29	26.4	16.6	0.69	149	114.0	0.01
ZZ33442		1.90	90.3	2.19	5.21	0.39	0.05	0.26	0.044	0.17	20.8	8.5	0.43	66	77.9	<0.01
ZZ33443		1.61	63.6	1.83	4.45	0.15	0.08	0.25	0.033	0.10	12.0	9.8	0.53	119	38.4	<0.01
ZZ33444		2.89	157.0	2.80	7.43	0.19	0.05	0.14	0.040	0.11	14.5	16.7	1.24	369	48.9	<0.01
ZZ33445		1.04	267	4.90	7.14	0.42	0.12	0.63	0.098	0.20	31.4	4.5	0.12	408	83.9	0.01
ZZ33446		2.26	281	5.81	10.45	0.42	0.24	0.69	0.141	0.28	44.0	13.3	0.27	288	155.0	0.01
ZZ33447		2.09	132.5	3.28	5.96	0.47	0.13	1.57	0.046	0.27	25.6	5.5	0.23	52	123.5	<0.01
ZZ33448		1.21	92.1	1.69	4.71	0.24	0.03	0.45	0.040	0.13	23.1	6.7	0.41	89	53.5	<0.01
ZZ33449		2.51	62.8	1.69	5.68	0.20	0.06	0.15	0.031	0.12	17.1	11.9	0.61	89	39.3	<0.01
ZZ33450		1.53	57.6	2.06	5.33	0.25	0.04	0.09	0.044	0.16	16.1	7.0	0.24	85	56.1	<0.01
ZZ33451		1.01	450	2.35	5.73	0.12	0.14	3.18	0.043	0.12	19.2	11.3	4.21	596	37.7	0.01
ZZ33452		0.56	569	6.06	5.43	0.38	0.48	2.38	0.091	0.10	28.5	7.2	0.18	1680	79.2	<0.01
ZZ33453		0.60	233	4.02	2.88	0.25	0.20	1.24	0.043	0.11	17.8	5.1	1.91	778	94.2	<0.01
ZZ33454		1.27	271	2.94	3.15	0.18	0.18	0.87	0.046	0.14	14.1	9.2	2.11	464	53.4	<0.01
ZZ33455		1.20	213	3.41	3.82	0.20	0.11	2.26	0.054	0.18	15.9	6.7	1.98	536	74.9	<0.01
ZZ33456		1.16	691	2.99	2.74	0.21	0.21	2.26	0.037	0.12	13.8	4.3	1.96	532	75.6	<0.01
ZZ33457		1.67	55.3	3.23	3.44	0.10	0.22	0.24	0.035	0.31	9.3	10.3	2.00	353	21.0	<0.01
ZZ33458		2.35	106.0	5.24	6.41	0.21	0.17	0.16	0.048	0.24	26.4	23.6	1.93	1200	16.85	0.01
ZZ33459		4.62	87.3	5.56	11.70	0.31	0.12	0.08	0.055	0.44	13.3	27.8	2.74	800	15.65	0.01
ZZ33460		4.87	105.5	6.93	12.95	0.35	0.09	0.07	0.054	0.27	18.7	37.7	3.81	1830	8.70	0.01
ZZ33461		1.65	213	2.76	4.87	0.28	0.10	0.44	0.060	0.20	21.4	7.6	0.33	282	66.3	0.01
ZZ33462		5.26	144.0	12.30	12.85	0.65	0.25	0.08	0.049	0.34	20.0	28.4	2.37	2380	45.2	0.01
ZZ33463		3.65	139.0	4.24	7.80	0.25	0.10	0.22	0.059	0.37	16.8	24.8	1.77	352	35.1	0.02
ZZ33464		5.28	160.5	4.61	10.55	0.32	0.06	0.23	0.074	0.34	16.4	40.8	3.40	497	54.3	0.01
ZZ33465		2.99	209	3.61	7.34	0.26	0.04	0.15	0.054	0.20	19.6	22.0	1.75	639	57.8	0.01
ZZ33466		3.10	203	4.64	7.23	0.31	0.10	0.09	0.064	0.22	25.3	17.2	1.38	700	39.6	0.01
ZZ33467		2.83	201	4.17	6.97	0.32	0.05	0.24	0.070	0.22	19.2	14.5	1.22	201	42.0	0.02
ZZ33468		7.96	54.4	3.45	16.00	0.34	0.72	0.11	0.072	1.17	10.0	46.6	5.02	373	13.15	0.01
ZZ33469		3.18	239	2.27	8.09	0.41	0.15	0.23	0.029	0.44	12.3	25.3	4.72	318	55.9	0.01
ZZ33470		3.19	83.0	3.93	7.81	0.23	0.16	0.10	0.062	0.34	8.3	21.8	3.28	480	17.95	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
ZZ33431		0.20	123.0	2340	17.6	9.1	0.002	0.04	9.97	3.0	5.4	0.5	371	0.01	0.11	0.7
ZZ33432		0.18	255	7080	23.0	23.9	0.003	0.71	68.4	4.6	78.9	1.4	166.0	0.02	1.05	1.2
ZZ33433		0.12	70.0	7790	21.0	22.3	0.003	0.64	54.5	1.9	44.5	1.4	146.0	0.02	0.38	0.5
ZZ33434		0.22	74.0	>10000	64.1	22.2	0.006	0.35	122.0	5.7	66.6	1.4	126.0	0.02	0.46	1.5
ZZ33435		0.33	371	9350	29.3	22.4	0.008	0.43	104.0	9.1	56.8	1.1	253	0.02	0.56	3.6
ZZ33436		0.38	280	6910	48.9	30.6	0.010	0.53	295	11.5	96.2	1.4	195.5	0.02	0.71	6.8
ZZ33437		0.21	240	3660	23.5	17.1	0.003	0.14	30.6	4.3	19.0	0.7	249	0.01	0.16	1.0
ZZ33438		0.27	331	3170	8.8	16.4	0.010	0.04	17.80	3.8	9.9	0.5	557	0.01	0.11	1.2
ZZ33439		0.19	348	3070	23.6	13.5	0.002	0.03	26.1	4.7	13.2	0.6	345	0.01	0.14	2.1
ZZ33440		0.27	120.0	3030	43.7	10.7	0.003	0.25	38.6	3.0	46.1	0.8	558	0.01	0.41	1.3
ZZ33441		0.23	134.0	>10000	90.6	24.1	0.004	0.58	81.2	5.2	78.4	1.6	189.5	0.02	1.04	1.9
ZZ33442		0.15	53.9	4960	48.6	13.5	0.008	0.35	50.7	3.1	67.3	1.1	98.4	0.01	0.81	1.5
ZZ33443		0.11	80.7	2830	30.7	10.4	0.002	0.23	24.3	0.8	32.9	0.9	63.4	0.01	0.76	0.4
ZZ33444		0.09	112.0	5300	19.7	17.5	0.002	0.30	26.2	0.6	37.6	1.0	65.8	0.01	0.81	<0.2
ZZ33445		0.19	177.0	>10000	88.6	16.8	0.005	0.38	58.0	4.8	21.9	2.5	310	0.02	0.82	1.9
ZZ33446		0.20	164.5	>10000	179.0	27.4	0.005	0.61	65.1	4.9	33.6	2.5	338	0.03	0.86	2.6
ZZ33447		0.15	25.9	6570	31.7	20.7	0.016	0.75	61.4	5.7	90.4	1.2	133.0	0.02	1.10	4.4
ZZ33448		0.07	57.3	2960	25.9	10.4	0.008	0.37	33.7	1.9	42.9	0.9	80.8	0.01	0.87	1.0
ZZ33449		0.13	44.0	5030	18.7	12.2	0.006	0.20	25.3	1.8	39.6	0.8	88.3	0.01	0.82	0.6
ZZ33450		0.09	25.1	3850	22.7	13.2	0.004	0.35	32.0	1.4	48.9	0.9	74.2	<0.01	0.63	0.3
ZZ33451		0.23	310	4120	30.4	16.5	0.001	0.07	39.6	4.7	18.7	0.9	292	0.02	0.17	1.0
ZZ33452		0.19	707	7960	80.5	8.8	0.006	0.12	93.1	10.5	32.4	1.6	414	0.04	0.51	3.9
ZZ33453		0.16	598	2980	42.5	7.6	0.027	0.10	67.3	7.4	34.4	1.1	191.5	0.02	0.26	5.9
ZZ33454		0.20	417	2890	27.0	13.3	0.032	0.10	37.2	7.8	23.6	1.0	184.5	0.01	0.18	5.5
ZZ33455		0.18	311	2440	55.2	14.0	0.025	0.19	63.0	6.7	27.8	1.0	216	0.02	0.20	3.9
ZZ33456		0.14	591	2650	60.6	10.9	0.071	0.14	109.5	6.1	36.2	0.9	211	0.02	0.28	4.7
ZZ33457		0.14	255	1930	14.1	24.4	0.017	0.27	10.20	6.6	9.0	0.6	178.5	0.01	0.05	5.8
ZZ33458		0.32	174.0	1240	19.8	28.2	0.003	0.31	11.40	8.1	7.2	0.7	66.5	0.02	0.08	9.3
ZZ33459		1.28	95.3	1000	24.3	47.9	0.002	0.36	7.76	9.2	7.5	1.0	85.4	0.04	0.10	8.4
ZZ33460		1.08	110.0	750	24.4	44.7	0.001	0.29	5.69	9.3	4.7	0.8	63.4	0.01	0.10	9.0
ZZ33461		0.27	112.5	3960	21.7	18.1	0.005	0.23	58.4	5.7	29.0	0.9	93.6	<0.01	0.33	4.2
ZZ33462		0.34	100.5	1420	41.4	44.4	0.002	0.72	43.2	8.8	7.2	1.0	22.3	0.01	0.20	9.1
ZZ33463		0.62	96.2	3320	27.3	37.8	0.002	0.51	16.00	6.5	12.2	0.9	136.0	0.01	0.20	7.1
ZZ33464		0.94	193.5	1950	23.5	43.6	0.001	0.32	18.45	7.9	12.6	1.0	85.2	0.01	0.14	5.0
ZZ33465		0.34	165.0	2770	23.7	26.3	0.002	0.21	25.4	5.8	15.8	1.0	72.1	0.01	0.18	2.4
ZZ33466		0.36	145.5	4260	30.8	24.1	0.002	0.24	24.7	7.9	22.9	1.2	80.9	0.01	0.26	7.0
ZZ33467		0.65	84.4	3780	24.9	22.3	0.002	0.43	31.6	5.6	32.7	1.1	130.0	0.01	0.25	5.4
ZZ33468		0.35	86.5	1640	22.4	105.5	0.001	0.09	2.77	11.0	1.9	1.7	108.5	0.01	0.07	8.2
ZZ33469		0.17	396	1370	12.7	49.1	0.003	0.04	20.8	6.6	15.6	0.8	226	0.01	0.09	3.7
ZZ33470		0.20	183.0	1020	16.4	39.1	0.005	0.21	6.87	6.4	11.8	0.5	206	0.01	0.06	8.4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Ti % 0.005	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Zn-OG46 Zn % 0.001
ZZ33431		0.007	1.26	2.86	383	0.30	19.35	2370	3.5	
ZZ33432		0.017	7.71	25.7	1020	1.33	38.4	2080	1.8	
ZZ33433		0.010	4.99	24.6	1080	0.88	33.6	427	2.1	
ZZ33434		0.018	8.83	41.2	1790	1.77	47.7	441	0.8	
ZZ33435		0.022	10.80	61.8	2530	1.37	62.3	2170	2.1	
ZZ33436		0.031	19.10	105.5	5170	1.64	50.5	2610	7.0	
ZZ33437		0.020	2.81	12.75	1200	0.43	38.6	5120	3.2	
ZZ33438		0.019	2.31	8.59	1000	0.36	36.5	6120	3.4	
ZZ33439		0.020	2.25	10.25	995	0.47	38.4	6480	3.4	
ZZ33440		0.008	2.86	8.03	461	0.69	24.5	1220	1.9	
ZZ33441		0.015	6.47	26.8	764	1.39	48.5	1320	2.6	
ZZ33442		0.009	4.10	11.80	593	0.82	20.3	372	0.6	
ZZ33443		0.006	2.43	7.59	357	0.58	16.10	434	2.0	
ZZ33444		0.007	3.36	10.25	839	0.57	19.15	815	0.6	
ZZ33445		0.005	4.00	18.95	572	1.79	51.8	1700	2.2	
ZZ33446		0.005	7.55	28.9	903	3.05	61.0	1170	6.5	
ZZ33447		0.008	6.09	24.3	708	1.61	56.2	203	4.5	
ZZ33448		0.005	3.04	9.94	415	0.74	13.80	454	0.5	
ZZ33449		0.010	2.32	10.75	661	0.52	16.95	363	1.2	
ZZ33450		0.008	3.42	10.60	515	0.73	11.50	130	0.7	
ZZ33451		0.011	1.99	10.10	1220	0.51	47.9	4380	4.5	
ZZ33452		<0.005	2.67	32.7	868	1.06	83.4	5040	16.2	
ZZ33453		0.005	1.98	11.10	349	0.82	46.3	5510	14.3	
ZZ33454		0.014	1.93	13.35	353	0.51	40.4	5950	13.7	
ZZ33455		0.009	4.26	20.0	808	0.68	42.9	4730	3.6	
ZZ33456		0.007	2.04	20.8	708	0.69	40.8	>10000	15.4	1.610
ZZ33457		0.020	0.71	10.05	139	0.20	21.8	5170	12.4	
ZZ33458		0.046	0.85	6.96	148	0.26	30.0	1080	7.8	
ZZ33459		0.116	0.82	6.97	146	0.51	20.6	454	6.4	
ZZ33460		0.099	0.74	5.22	149	0.34	25.3	567	3.5	
ZZ33461		0.016	2.67	25.2	1220	0.79	22.3	1250	9.6	
ZZ33462		0.073	0.67	11.15	348	0.97	31.2	984	8.7	
ZZ33463		0.059	1.45	13.85	429	0.57	26.3	660	7.4	
ZZ33464		0.080	2.07	18.40	530	0.62	30.6	1260	2.4	
ZZ33465		0.039	2.19	20.2	779	0.71	26.7	1140	1.2	
ZZ33466		0.046	1.81	17.20	523	0.62	33.3	1260	8.2	
ZZ33467		0.048	1.60	10.85	446	0.58	18.80	611	3.0	
ZZ33468		0.192	1.04	4.48	270	0.63	21.4	556	36.9	
ZZ33469		0.067	2.90	11.95	1100	0.45	43.1	5220	11.2	
ZZ33470		0.058	1.06	5.51	181	0.17	26.9	2210	9.7	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt.	Au- ICP21 Au	ME- MS41 Ag	ME- MS41 Al	ME- MS41 As	ME- MS41 Au	ME- MS41 B	ME- MS41 Ba	ME- MS41 Be	ME- MS41 Bi	ME- MS41 Ca	ME- MS41 Cd	ME- MS41 Ce	ME- MS41 Co	ME- MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ33471		0.22	0.006	2.03	1.78	79	<0.2	<10	1290	2.17	0.08	12.05	146.0	28.9	21.6	115
ZZ33472		0.26	0.007	4.79	3.09	267	<0.2	<10	1490	4.00	0.18	2.09	105.0	45.9	28.0	243
ZZ33473		0.22	0.007	2.61	1.71	79.3	<0.2	<10	1510	1.67	0.14	4.58	57.4	26.5	11.1	151
ZZ33474		0.18	0.009	3.83	1.72	77.4	<0.2	<10	630	1.87	0.17	2.21	181.5	24.5	12.0	346
ZZ33475		0.22	0.007	1.92	1.22	50	<0.2	<10	1360	1.40	0.09	11.60	96.8	20.4	11.9	126
ZZ33476		0.23	0.011	4.06	1.15	84.7	<0.2	<10	2400	1.51	0.12	1.15	16.10	20.1	3.5	163
ZZ33477		0.22	0.008	2.41	1.20	76.4	<0.2	<10	6360	1.33	0.10	3.56	66.8	18.05	12.1	166
ZZ33478		0.24	0.005	1.77	1.06	79.4	<0.2	<10	1470	1.31	0.08	7.91	108.0	15.90	10.7	82
ZZ33479		0.24	0.006	2.42	1.02	57	<0.2	<10	540	1.02	0.12	10.70	45.5	19.60	9.9	99
ZZ33480		0.23	0.012	5.14	0.82	111.0	<0.2	<10	720	0.60	0.27	0.43	3.06	27.0	1.7	55
ZZ33481		0.30	0.006	1.45	0.72	43.1	<0.2	<10	1800	0.62	0.08	0.28	12.60	6.41	10.7	45
ZZ33482		0.24	0.015	4.09	1.57	156.5	<0.2	10	330	0.86	0.39	0.24	1.62	35.9	2.1	78
ZZ33483		0.20	0.017	2.34	1.86	240	<0.2	10	210	0.84	0.32	0.20	7.16	48.3	1.4	104
ZZ33484		0.24	0.011	1.33	0.88	113.5	<0.2	<10	430	0.54	0.21	0.12	3.58	24.9	1.3	45
ZZ33485		0.24	0.012	3.55	1.10	85.4	<0.2	<10	580	0.87	0.27	0.55	4.04	24.6	1.9	56
ZZ33486		0.27	0.013	2.89	0.22	32.0	<0.2	<10	610	0.27	0.12	0.09	1.76	10.75	0.7	26
ZZ33487		0.19	0.011	2.94	1.16	125.0	<0.2	<10	520	0.55	0.33	0.22	1.88	35.6	2.3	66
ZZ33488		0.23	0.012	1.65	0.38	47.1	<0.2	<10	480	0.26	0.24	0.02	1.40	20.9	0.3	18
ZZ33489		0.27	0.018	3.64	1.03	259	<0.2	<10	390	0.57	0.39	0.09	1.5	36.3	1.6	72
ZZ33490		0.21	0.012	1.97	0.93	161.5	<0.2	<10	550	0.42	0.23	0.39	2.80	26.4	1.2	55
ZZ33491		0.24	0.024	5.59	1.53	238	<0.2	10	340	1.14	0.60	0.39	5.3	50.5	1.5	150
ZZ33492		0.22	0.009	1.62	1.10	90.3	<0.2	<10	550	0.49	0.26	0.08	1.88	25.8	1.9	64
ZZ33493		0.22	0.010	2.86	1.55	74.0	<0.2	<10	990	1.70	0.21	0.44	7.74	25.5	12.9	65
ZZ33494		0.25	0.009	2.97	0.23	34.6	<0.2	<10	380	0.28	0.20	0.27	1.88	11.25	0.2	32
ZZ33495		0.25	0.005	1.71	1.16	21.8	<0.2	<10	1560	1.11	0.11	0.68	21.0	10.10	18.8	41
ZZ33496		0.23	0.010	2.32	0.23	81.3	<0.2	<10	480	0.36	0.19	0.03	1.26	13.90	0.1	43
ZZ33497		0.19	0.005	0.83	0.52	20.7	<0.2	<10	100	0.16	0.06	0.08	0.72	5.95	0.7	11
ZZ33498		0.21	0.014	2.71	1.35	205	<0.2	<10	570	0.57	0.29	0.15	5.73	49.7	1.6	56
ZZ33499		0.21	0.016	4.85	1.30	266	<0.2	<10	770	2.14	0.34	0.17	6.66	82.8	2.0	72
ZZ33500		0.22	0.004	2.03	10.55	729	<0.2	<10	1310	9.49	0.08	0.09	19.10	178.5	7.9	96

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
ZZ33471		1.69	441	2.00	4.12	0.34	0.11	0.28	0.026	0.08	25.1	12.0	7.20	639	37.2	0.02
ZZ33472		3.92	920	3.99	11.05	0.76	0.14	0.91	0.103	0.22	42.6	19.2	1.78	719	129.0	0.01
ZZ33473		2.58	291	2.16	8.03	0.37	0.17	0.42	0.034	0.15	18.4	22.2	3.88	271	65.3	0.01
ZZ33474		2.54	379	1.73	8.49	0.37	0.18	0.31	0.031	0.19	19.2	35.1	3.89	199	41.8	0.01
ZZ33475		1.69	202	1.70	5.11	0.27	0.20	0.20	0.021	0.11	14.3	17.1	6.28	352	44.3	0.01
ZZ33476		2.17	246	1.65	7.73	0.77	0.16	0.55	0.037	0.18	19.7	16.6	1.31	89	69.4	<0.01
ZZ33477		1.54	222	1.53	4.78	0.30	0.07	0.33	0.019	0.19	14.2	14.2	2.15	291	45.4	0.01
ZZ33478		1.77	266	1.61	4.19	0.27	0.10	0.34	0.017	0.10	12.1	13.7	5.17	439	59.6	0.02
ZZ33479		1.15	142.0	1.78	3.59	0.23	0.15	0.52	0.023	0.10	13.3	12.1	5.30	421	50.4	0.01
ZZ33480		1.52	92.9	2.82	6.84	0.28	0.04	2.54	0.077	0.16	20.7	6.0	0.17	77	107.5	0.01
ZZ33481		0.11	98.3	4.29	1.86	0.14	0.06	0.58	0.020	0.03	3.9	1.6	0.01	673	28.0	<0.01
ZZ33482		4.89	147.5	4.18	15.95	0.61	0.06	0.48	0.092	0.39	26.5	17.2	0.43	99	248	0.02
ZZ33483		6.32	168.5	5.25	19.80	1.14	0.08	1.62	0.141	0.43	33.3	24.4	0.89	60	305	0.01
ZZ33484		3.22	80.1	3.27	9.64	0.59	0.08	0.19	0.066	0.29	17.8	13.4	0.46	37	208	0.01
ZZ33485		2.16	121.5	3.20	9.37	0.54	0.07	0.77	0.068	0.21	20.7	8.6	0.21	94	157.5	0.01
ZZ33486		0.37	38.3	1.52	1.87	0.18	0.02	0.79	0.016	0.10	9.6	1.5	0.02	37	23.3	<0.01
ZZ33487		1.39	95.8	3.63	10.75	0.33	0.07	0.49	0.076	0.17	28.1	6.6	0.17	133	151.5	0.01
ZZ33488		1.21	40.0	1.88	4.16	0.25	0.09	0.64	0.034	0.17	17.0	3.6	0.07	15	126.0	<0.01
ZZ33489		2.10	169.0	5.91	15.70	0.57	0.07	0.93	0.108	0.27	28.7	6.1	0.12	59	581	0.01
ZZ33490		2.33	86.9	3.85	12.15	0.45	0.03	1.05	0.070	0.20	20.0	6.2	0.16	76	208	0.01
ZZ33491		2.20	190.5	6.01	21.5	0.84	0.10	1.18	0.155	0.31	43.2	10.1	0.18	58	453	0.01
ZZ33492		1.20	83.0	3.45	10.50	0.38	0.02	0.55	0.071	0.17	19.4	5.0	0.15	72	75.7	0.01
ZZ33493		2.30	375	4.49	7.24	0.27	0.09	0.51	0.046	0.16	22.6	17.0	0.81	997	111.5	0.01
ZZ33494		0.71	24.7	1.84	3.07	0.23	<0.02	1.12	0.031	0.23	8.5	1.1	0.02	6	33.7	0.01
ZZ33495		0.15	100.0	4.60	1.47	0.15	0.06	0.86	0.017	0.02	7.0	2.0	0.01	739	21.7	<0.01
ZZ33496		0.32	22.1	1.24	1.90	0.16	0.02	0.84	0.043	0.04	12.6	0.7	0.01	<5	16.65	<0.01
ZZ33497		0.19	18.6	0.64	2.63	0.05	<0.02	0.75	0.016	0.04	3.9	0.7	0.02	20	8.52	0.03
ZZ33498		4.41	89.0	3.81	11.55	0.91	0.03	1.07	0.090	0.31	36.3	20.2	0.73	59	301	0.01
ZZ33499		2.00	253	6.21	19.15	0.98	0.05	2.76	0.188	0.20	59.8	2.5	0.09	24	253	0.01
ZZ33500		0.60	298	9.13	8.35	1.06	0.32	1.43	0.084	0.05	140.5	1.5	0.03	20	178.5	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
ZZ33471		0.18	656	3040	9.9	15.1	0.011	0.08	29.8	4.4	22.4	0.5	573	0.02	0.12	2.1
ZZ33472		0.22	964	6300	30.6	24.9	0.009	0.34	130.5	9.8	54.0	1.5	308	0.02	0.42	4.6
ZZ33473		0.12	377	3870	13.9	30.3	0.021	0.06	36.9	7.1	24.2	1.0	257	0.01	0.16	4.4
ZZ33474		0.10	657	2360	12.1	37.0	0.013	0.02	35.5	7.4	24.1	0.9	141.5	0.01	0.20	3.6
ZZ33475		0.13	318	2630	9.2	28.8	0.009	0.03	25.7	4.8	19.5	0.6	553	0.01	0.11	3.3
ZZ33476		0.25	144.5	3350	13.0	26.9	0.009	0.22	43.8	6.4	24.8	1.2	172.0	0.01	0.27	3.2
ZZ33477		1.28	445	3170	9.1	39.1	0.006	0.08	52.6	5.0	17.7	0.5	255	0.01	0.17	1.9
ZZ33478		0.19	485	2200	9.4	19.3	0.008	0.08	48.9	4.8	19.7	0.4	391	0.01	0.15	2.1
ZZ33479		0.14	355	2540	36.3	17.5	0.006	0.04	36.7	5.5	24.8	0.7	415	0.01	0.11	3.5
ZZ33480		0.12	34.0	6810	117.0	14.6	0.005	0.43	55.5	2.2	28.0	1.5	252	0.01	0.49	0.4
ZZ33481		0.54	154.5	2610	93.0	2.2	0.001	0.15	38.3	3.6	6.9	0.6	145.5	0.01	0.09	1.2
ZZ33482		0.30	70.0	5040	41.7	36.4	0.009	0.83	138.0	8.4	105.5	1.8	205	<0.01	0.85	4.8
ZZ33483		0.23	75.4	>10000	83.5	37.2	0.039	0.99	205	11.3	202	2.6	352	0.01	1.88	7.8
ZZ33484		0.18	42.8	4260	23.5	23.6	0.025	0.73	97.4	5.7	121.0	1.3	134.5	<0.01	0.76	5.2
ZZ33485		0.24	72.6	7360	82.5	19.5	0.007	0.61	65.3	5.6	39.5	1.4	267	0.01	0.49	5.0
ZZ33486		0.44	15.8	1240	35.2	6.5	0.006	0.34	16.35	1.8	15.1	0.5	85.2	<0.01	0.24	1.3
ZZ33487		0.11	35.7	6800	54.9	16.9	0.004	0.39	58.2	1.6	43.3	1.8	106.0	0.01	0.57	0.5
ZZ33488		0.08	12.4	1100	36.0	15.3	0.015	0.58	60.1	1.9	39.5	1.1	79.2	<0.01	0.44	3.2
ZZ33489		0.20	58.8	5670	79.8	25.0	0.034	0.92	244	7.2	105.0	3.1	315	0.01	1.35	7.4
ZZ33490		0.22	34.1	7260	58.7	18.8	0.014	0.56	117.0	5.1	80.2	1.7	138.5	<0.01	0.90	3.2
ZZ33491		0.27	32.3	>10000	172.0	25.3	0.019	0.82	145.0	9.9	86.9	4.6	265	0.02	1.12	7.4
ZZ33492		0.08	28.1	4430	29.4	16.9	0.003	0.49	33.5	0.4	76.6	1.4	72.5	<0.01	0.66	<0.2
ZZ33493		0.15	228	5820	23.2	20.2	0.004	0.42	38.3	2.6	24.2	0.9	267	0.01	0.45	0.7
ZZ33494		<0.05	8.1	2780	17.8	9.9	0.385	0.59	11.50	2.8	23.4	0.6	203	<0.01	0.24	2.0
ZZ33495		0.67	294	2400	74.3	1.4	0.002	0.14	11.50	4.4	5.9	0.3	169.5	0.02	0.05	1.4
ZZ33496		0.06	1.7	5060	37.9	2.7	0.002	0.05	8.91	6.2	8.9	0.8	87.8	<0.01	0.17	0.9
ZZ33497		0.11	5.1	1200	16.3	2.6	0.001	0.08	7.48	0.2	4.9	0.7	23.7	<0.01	0.06	<0.2
ZZ33498		0.19	47.2	7660	43.2	25.1	0.025	0.59	167.0	5.5	165.5	2.0	187.0	<0.01	2.03	4.3
ZZ33499		0.14	105.5	>10000	185.0	16.5	0.063	0.41	179.0	6.9	182.5	2.4	537	0.01	2.19	4.5
ZZ33500		0.23	694	>10000	128.5	4.4	0.007	0.23	520	25.0	95.8	1.2	643	0.04	3.57	4.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 21- SEP- 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Sample Description	Method Analyte Units LOR	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Zn-OG46 Zn %
ZZ33471		0.017	2.71	26.1	1080	0.39	82.7	>10000	6.7	1.225
ZZ33472		0.029	7.75	75.4	3320	0.91	113.0	>10000	10.8	1.530
ZZ33473		0.042	3.18	13.35	1440	0.58	44.6	6070	16.6	
ZZ33474		0.051	2.73	10.40	1560	0.46	30.4	9650	13.9	
ZZ33475		0.034	2.17	11.00	997	0.44	39.5	6210	17.0	
ZZ33476		0.033	3.39	21.7	1770	0.61	29.7	1460	15.7	
ZZ33477		0.080	2.58	13.80	1360	0.43	39.7	8760	3.6	
ZZ33478		0.027	3.84	16.90	1520	0.43	35.0	>10000	10.9	1.105
ZZ33479		0.017	3.50	12.60	677	0.49	41.0	5640	13.9	
ZZ33480		0.008	5.22	20.4	544	1.51	20.7	221	0.6	
ZZ33481		0.038	1.34	1.93	535	0.76	23.1	1750	3.9	
ZZ33482		0.022	11.15	21.5	2080	2.47	18.45	294	4.7	
ZZ33483		0.017	11.95	30.8	2230	2.40	35.5	410	6.3	
ZZ33484		0.012	7.52	15.50	1360	1.30	14.65	260	8.7	
ZZ33485		0.014	6.82	21.2	962	1.70	26.9	317	6.8	
ZZ33486		0.022	2.07	4.09	288	0.54	7.30	126	1.1	
ZZ33487		0.007	5.74	20.9	759	1.43	20.0	198	2.1	
ZZ33488		<0.005	5.40	11.60	555	1.05	7.56	79	7.5	
ZZ33489		0.009	12.55	25.7	2230	2.52	21.1	441	7.7	
ZZ33490		0.010	7.29	17.90	1420	1.52	21.7	243	0.9	
ZZ33491		0.014	9.22	46.1	1360	3.82	63.9	176	1.9	
ZZ33492		<0.005	5.14	13.65	812	0.83	13.55	195	<0.5	
ZZ33493		0.010	4.16	13.30	997	0.97	46.4	2430	3.1	
ZZ33494		<0.005	0.80	5.52	258	0.47	7.02	60	<0.5	
ZZ33495		0.035	2.30	4.32	341	0.68	33.2	4430	4.2	
ZZ33496		<0.005	1.72	7.77	105	0.36	8.21	17	<0.5	
ZZ33497		0.006	0.59	3.90	81	0.20	3.06	29	<0.5	
ZZ33498		0.015	10.40	12.95	1160	2.49	16.05	241	1.4	
ZZ33499		<0.005	8.52	37.0	1140	2.15	37.6	1520	1.1	
ZZ33500		<0.005	1.31	64.7	1940	0.61	169.5	5080	34.1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21 - SEP - 2012
Account: MTT

Project: Harlow

CERTIFICATE OF ANALYSIS WH12198909

Method	CERTIFICATE COMMENTS
ALL METHODS	NSS is non- sufficient sample.
ME- MS41	Interference: Samples with Ca> 10% on ICP- MS As. ICP- AES As results reported (2 ppm DL)
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41	Interference: Mo> 400ppm on ICP- MS Cd, ICP- AES results shown.