ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

SOIL GEOCHEMICAL SAMPLING

Field work performed on July 5 and 6, 2015

at the

STAFF PROPERTY

Staff 1-326	YD111681-YD112006
327-342	YE13253-YE13268
343-346	YE55201-YE55204

NTS 106D/02, 03, 06 and 07
Latitude 64°16´N; Longitude 134°54´W

in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

A. Mitchell, B.Sc. GIT

February 2016

CONTENTS

APPENDICES

TABLES

FIGURES

INTRODUCTION

The Staff property covers three zones of strongly elevated gold geochemistry. It is located in central Yukon, within a district of precious metal enriched, replacement-style, volcanogenic massive sulphide and vein occurrences, which include ATAC Resources Ltd.'s Tiger and Ocelot deposits, Xstrata's Craig deposit, Copper Ridge Explorations Inc.'s Marg deposit, Blind Creek Resources Ltd.'s Blende deposit, Victoria Gold Corp.'s Dublin Gulch deposit and Alexco Resource Corp.'s Keno Hill deposits. The Staff property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes soil geochemical sampling conducted on July 5 and 6, 2015 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author interpreted all results from this work, and his Statement of Qualifications is in Appendix I. A Statement of Expenditures is in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Staff property comprises 346 mineral claims, which are located in central Yukon at latitude 64°16′ north and longitude 134°54′ west on NTS map sheets 106D/02, 03, 06 and 07 (Figure 1). The property covers an area of approximately 7000 ha (70 km^2). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, and the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
Staff 1-326	YD111681-YD112006	March 15, 2019
327-342	YE13253-YE13268	March 15, 2019
343-346	YE55201-YE55204	March 15, 2019

* Expiry dates include 2015 work that has been filed for assessment credit, but has not yet been accepted.

The Staff property lies 90 km northeast of the town of Mayo, the nearest supply centre. The closest road access is at McQuesten Lake, 30 km southwest of the property.

Access to and from the property in 2015 was provided by a Hughes 500D helicopter owned by Fireweed Helicopters and operated from ATAC Resources' Rau camp, which is located approximately 17 km east of the Staff property. Crews were housed at the Rau camp and were positioned there utilizing fixed wing aircraft from Mayo to the Rau airstrip followed by helicopter from the airstrip to the camp.

HISTORY AND PREVIOUS WORK

In 1977, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 106D (Friske et al., 1990). Eleven samples were taken from creeks draining the property. The best sample was collected in the southern part of the property area, and it yielded 6 ppb gold, 66 ppm copper, 148 ppm arsenic and 98 ppm zinc.

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

STAFF PROPERTY

0 200 km

FILE: P:2015/Staff/ DATE: February 2016





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../2015/Staff/ | DATE: February 2016

In 2008, ATAC followed up a nearby GSC gold anomaly and discovered the Tiger carbonate-hosted gold deposit, located 20 km west of the Staff property (Dumala, 2009). In 2009, ATAC explored an area of GSC arsenic anomalies in streams located 100 km east of the Tiger deposit and identified moderately to very strongly anomalous gold-in-soil results. Drilling in this new area since 2010 has outlined several Carlin-type gold deposits, collectively referred to as the Nadaleen Trend.

In November 2009, after ATAC had staked a very large claim block connecting the Tiger deposit to the Nadaleen Trend, Strategic Metals purchased ATAC's regional exploration data base. Starting in 2010, Strategic Metals staked the Staff property and several other properties in the hanging wall of the stratigraphy that hosts ATAC's discoveries, looking for leakage anomalies that could indicate buried deposits.

In 2011, Strategic Metals completed reconnaissance-scale geochemical sampling, prospecting and geological mapping on the Staff property. Encouraging results were obtained from stream sediment and soil samples within three zones of interest for gold and a separate zone of interest for zinc and copper (Mitchell, 2012).

In 2012, Strategic Metals conducted a three-day exploration program involving prospecting and grid soil sampling within two of the previously identified gold zones, in the east-central and southern portions of the property. The program successfully expanded the size and tenor of the two anomalous zones (Morton and Drechsler, 2013).

In 2013, Strategic Metals performed another eleven days of detailed geological mapping, prospecting and geochemical sampling on the property. This work expanded the size of one of the previously identified gold zones, and discovered gold-enriched vein float (Morton, 2014).

In 2014, Strategic Metals carried out more prospecting and soil geochemical sampling. A soil grid was established near two previously identified gold zones and in the headwaters of a creek that had previously produced strongly elevated gold-in-silt values (Morton, 2015).

Results from all of the work performed by Strategic Metals to date is further described in the appropriate sections of this report.

GEOMORPHOLOGY

The Staff property is situated on the southwestern flank of the Selwyn Mountains. Creeks draining the property flow northeasterly and southwesterly into the Beaver River, which connects to the Pacific Ocean via the Stewart and Yukon rivers.

The northern part of the property covers a series of isolated peaks, while the central and southern parts encompass northeasterly trending ridges and valleys. Elevations on the property range from about 915 m on the valley floors to 1800 m on the highest ridge. Treeline is at approximately 1400 m and about 25% of the property lies above that elevation. Grass-, moss-, and talus-covered slopes and cliffs characterize alpine terrain. Sub-alpine areas are typically

devoid of outcrop and are well vegetated with dwarf birch, wild blueberry, hellebore and stands of stunted black spruce and willow. Valley bottoms are densely treed with mature spruce.

The climate in the vicinity of the Staff property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Staff property straddles the Dawson Thrust Fault, a crustal break that probably formed the northern edge of Selwyn Basin in Cambrian time and later reactivated as a north-directed thrust (Pyle et al., 2007). The Dawson Thrust Fault juxtaposes rocks of Selwyn Basin to the south against Mackenzie Platform to the north (Figure 3). Selwyn Basin stratigraphy consists of regionally metamorphosed, basinal sediments of Neoproterozoic to Paleozoic age. Mackenzie Platform stratigraphy comprises dominantly shallow water carbonate and clastic sediments that were deposited from Mid-Proterozoic through Paleozoic times. Both packages of sediments were deposited on the western margin of ancestral North America.

In the early 1990s, the Geological Survey of Canada performed geological mapping in the vicinity of the Staff property at 1:250,000 scale (Wheeler and McFeely, 1991). The Yukon Geological Survey has incorporated this work into a Yukon-wide geological compilation and updated the lithological unit names in the Staff property area (Yukon Geological Survey, 2013).

Stratigraphy in the area of the property comprises a southeasterly trending package of clastic sedimentary rocks with lesser volcanic and carbonate units (Figure 4). This package consists of Upper Proterozoic to Lower Cambrian Hyland Group, which is juxtaposed by the Dawson Thrust Fault against Upper Cambrian to Lower Devonian Bouvette Formation and Mississippian Keno Hill Quartzite to the northeast. Bedrock is locally blanketed by unconsolidated Quaternary sediments. The lithological units that occur in the immediate vicinity of the Staff property are described in Table I.

Table I – Lithological Units (*after Yukon Geological Survey, 2015*)

Map Suite	Age	Map Unit	Description
Quaternary	Quaternary	Q	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits.
Galena Suite	Triassic	TrG	Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro and altered equivalents) sills; minor occurences of possible Mid- to Late Paleozoic age.
Keno Hill	Mississippian	MK	Massive to thick bedded quartz arenite; thin to

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

STAFF PROPERTY

FILE: P:/2015/Staff.cdr | DATE: FEBRUARY 2016

After Colpron, M. and Nelson, J.L., 2011



Legend

Outboard

- CG Chugach
- YA Yakutat

Insular

- WR Wrangellia
- AX Alexander
- KS Kluane schist

Arctic

- AA Arctic Alaska

Intermontane

- CC Cache Creek
- ST Stikinia
- QN Quesnellia
- YT Yukon-Tanana
- SM Slide Mountain

Ancestral North America

- CA Cassiar
- NAb basinal facies
- NAp shelf facies
- NAc craton & cover



TRIASSIC

TrG — Galena Suite - Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone (diorite, gabbro, and altered equivalents) sills; minor occurrences of possible mid- to Late Paleozoic age.

MISSISSIPPIAN

MK — Keno Hill Quartzite - Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.

CAMBRIAN TO SILURIAN

CSM6 — Marmot Group - Grey- to dark grey weathering, dark volcanic rocks, many partly serpentinized, brown-weathering grey-green limy tuff and argillite, and thin-bedded brown limestone.

UPPER CAMBRIAN TO LOWER DEVONIAN

CDB1 — Bouvette Formation - Grey-and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate, and black shale; massive bluish-grey weathering dolostone.

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCH2 — Hyland Group - Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.

PCH — Undifferentiaed Hyland Group - Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).

MIDDLE PROTEROZOIC

mPH2 — Hart River Sills - Resistant dark weathering diorite and gabbro sills and dikes.

LOWER PROTEROZOIC

IPG — Gillespie Lake Group - Dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karst infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; local dolomite boulder conglomerate.

IPQ — Quartet Group - Black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weathering dolostone in upper part.

After Yukon Geological Survey, 2015

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ../Staff/Figures/

DATE: February 2016

Quartzite			medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite; local scour surfaces and shale intraclasts; locally foliated and lineated.
Marmot Group	Cambrian to Silurian	CSM6	Grey- to dark grey weathering, dark volcanic rocks, many partly seperentinize, brown-weathering grey-green limy tuff and argillite, and thin-bedded brown limestone.
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey and buff weathering; medium to thick bedded dolomite and limestone; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate, and black shale; and massive bluish-grey weathering dolostone.
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of coarse turbiditic clastics (1), limestone (2) and fine clastics typified by maroon and green shale (3); may include younger (4) units; includes scattered mafic volcanic rocks (5).
		PCH2	Grey weathering, dark grey to grey white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
Hart River	Middle Proterozoic	mPH2	Resistant dark weathering diorite and gabbro sills and dikes.
Gillespie Lake Group	Lower Proterozoic	lPG	Dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karts infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; locale dolomite boulder conglomerate.
Quartet Group	Lower Proterozoic	lPQ	Black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weather dolostone in upper part.

PROPERTY GEOLOGY

In 2011, Strategic Metals conducted cursory geological mapping of the entire property (Figure 5). Detailed mapping of the central part of the property was completed at 1:2500 scale in 2013. In 2014, Strategic Metals performed geological mapping of a southern portion of the property, at the same scale. The detailed maps are reproduced as Figures 6 and 7, respectively. Geological features mapped by Strategic Metals are discussed below.

The property is cut by the Dawson Thrust Fault, which separates Hyland Group stratigraphy to the southwest from younger rocks to the northeast.

T.N.
0°14'
22° 21'
Grid north
Magnetic north
Annual change decreasing 26.4'

500000 mE
505000 mE
510000 mE
7130000 mN
7125000 mN

PROPERTY BOUNDARY

CENTRAL AREA OF DETAILED MAPPING (SEE FIGURE 6)

DAWSON THRUST FAULT

SOUTH AREA OF DETAILED MAPPING (SEE FIGURE 7)

3200 ft
3700 ft
4000 ft

Q	Quaternary
MKs?	Dark grey siltstone and shale
MKv?	Deformed, calcareous, green-grey, fine grained volcaniclastic rock; deformed, chloritized volcanic breccia
MK	White weathered, fine to medium grained arenite, thin bedded, light to dark grey and grey-brown, fine grained very siliceous sandstone to siltstone, and grey-green to dark grey shale
PCHy	Tan to light grey, medium-grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple siltstone and shale
PCHa	Grey, thinly bedded limestone to silty limestone
PCHv	Green, fine to medium grained volcaniclastic sandstone and laminated siltstone interlayered with fine to medium grained basalt

- bedding
- upright bedding
- overturned bedding
- foliation
- fold axis
- vein
- defined contact
- approximate contact
- inferred contact
- synform hinge line
- antiform hinge line
- fault

STRATEGIC METALS LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../Staff/ DATE: February 2016

Three sub-units were identified within Hyland Group – Algae Lake Formation carbonate (PCHa), Yusezyu Formation siliciclastics (PCHy) and Hyland Group volcanic (PCHv). Lenses of Algae Lake Formation are surrounded by grits and shales that are interpreted to belong to Yusezyu Formation. Algae Lake Formation is grey, thinly bedded limestone to silty limestone, while Yusezyu Formation comprises tan to light grey, medium-grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple siltstone and shale. The southwestern corner of the claim block hosts a package of volcanics and volcaniclastic rocks that are assigned to Hyland Group. This unit consists of green, fine to medium grained volcaniclastic sandstone and laminated siltstone interlayered with lesser, fine to medium grained basalt. Hyland Group volcanics are bound to the north by a steeply dipping fault that strikes west-northwesterly. This fault separates the volcanic rocks from Algae Lake and Yusezyu formations.

A quartz-rich sedimentary package that has been mapped regionally as Keno Hill Quartzite (MK) lies immediately northeast of the Dawson Thrust Fault. Within the property, this unit is broadly typified by fine to medium grained arenite, thin bedded sandstone, siltstone, and shale. Locally, this unit has been divided into two sub-units – MK1 and MK2. MK1 comprises tan to brown weathering, dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite. MK2 consists of light grey resistive- and blocky-weathering, dark grey, fine to medium grained, quartz arenite to siltstone.

Further to the northeast, deformed, calcareous, green-grey volcanic breccia (MKv?) is interbedded with a dark grey siltstone and shale (MKs?) that may correlate with MK1. These horizons have been interpreted as sub-units of Keno Hill Quartzite, which includes minor volcanic rocks elsewhere in the region.

Bedding and foliation on the property generally strike southeasterly and dip steeply to the southwest. Quartz and quartz-carbonate veins, as well as gullies and linears observed along ridge-tops, are aligned sub-parallel to bedding and foliation. Stratigraphy has been deformed by a number of tight folds with shallow southeasterly plunging hinges. These folds are best observed in Hyland Group carbonates where fold hinges are evident in ridge-top outcrops. Within Keno Hill Quartzite folding is inferred from periodic changes in the dip of bedding and symmetry of units across strike. Veins observed within Keno Hill Quartzite are typically boudinaged and discontinuous.

MINERALIZATION

In 2011, Strategic Metals collected 28 rock samples in conjunction with geological mapping to characterize a variety of rock types across the Staff property (Mitchell, 2012). In 2012, Strategic Metals performed limited prospecting and collected a total of 17 rock samples within two zones of anomalous soil geochemistry. Most pre-2013 rock samples from the property yielded background to weakly elevated values for the elements of interest. An elevated arsenic value of 3460 ppm was obtained from a sample of rusty-grey weathering, limonitic quartz vein collected as float in the east-central portion of the property, but this sample returned a low gold value (Morton and Drechsler, 2013).

In 2013, Strategic Metals collected another 58 rock samples from the property. The majority of samples collected were of rusty weathering and limonitic quartz vein material found in talus, some of which contains residual grains of pyrite, galena, arsenopyrite and/or chalcopyrite. Several rock samples yielded slightly to moderately elevated gold values, with the best sample grading 1.295 g/t. Values for other metals were generally low and showed little correlation with gold (Morton, 2014).

In 2014, Strategic Metals took 59 more rock samples from the property. The majority of these samples consisted of limonitic and brecciated quartz vein, found as float and in outcrop. A few samples contained medium to coarse grained sphalerite with trace pyrite and chalcopyrite, the best of which returned 3.52% zinc. Values for gold, and all other elements of interest, were generally low (Morton, 2015).

No rock samples were collected in 2015.

Thematic results for gold, copper, arsenic, silver, lead and zinc from all Strategic Metals programs are illustrated on Figure 8.

SOIL GEOCHEMISTRY

In 2011, Strategic Metals collected 104 stream sediment and 484 contour samples from the property. This work identified three main areas of interest for gold – Zones A to C – as defined by stream sediment values ranging from 134 to 164 ppb and soil values between 20 and 101 ppb. Stream sediment sampling also detected a fourth zone that is principally anomalous for zinc and copper (Zone D) in a drainage to the northwest of the gold-bearing zones (Mitchell, 2012).

In 2012, a total of 551 soil samples were taken from two grids encompassing Zones A and B. The 2012 sampling expanded the size of the two anomalous zones and identified higher gold (597 ppb), copper (849 ppm), arsenic (358 ppm) and silver (5.32 ppm) values than were obtained from previous work (Morton and Drechsler, 2013).

In 2013, Strategic Metals collected another 345 soil samples, chiefly to extend the Zone A soil grid to the southeast. This work successfully expanded the size of Zone A, but geochemical values did not exceed the previous maximums for any of the metals. Anomalous results were also returned from a new area, Zone D, located 2.5 km northwest of Zone A along the Dawson Thrust Fault (Morton, 2014).

In 2014, an additional 373 grid soil samples were collected to improve coverage along the Dawson Thrust Fault near Zones A and B, and in the headwaters of a drainage that had previously produced strongly elevated gold-in-silt values. A lead and zinc soil anomaly (Zone E), located between Zones A and C, was also identified during this program (Morton, 2015).

In 2015, a total of 184 contour soil samples were collected at 50 m intervals along contour lines located south of Zone A and within Zone D and its surrounding area. Locations for 2015 soil samples are plotted on Figure 9. Thematic results from historical and 2015 programs for gold,

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
4000 ft
3800 ft
3500 ft
0
1000 m
ZONE C
ZONE D
DAWSON THRUST FAULT
SEE INSET I
1700 ft
3300 ft
SEE INSET II
ZONE B
5200 ft
5000 ft
INSET II

Gold Soil (ppb)
- ≥200 ≤ 597
- ≥100 < 200
- ≥50 < 100
- ≥20 < 50
- ≥10 < 20
- 0 < 10

Gold Silt (ppb)
- ≥100 ≤ 164
- ≥50 < 100
- ≥20 < 50
- ≥10 < 20
- 0 < 10

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/ | DATE: February 2016

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
510000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
ZONE D
ZONE C
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
ZONE B
INSET II
0
1000 m
3500 ft
3300 ft
5200 ft
5000 ft

Copper Soil (ppm)
≥ 500 ≤ 849
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
0 < 50

Copper Silt (ppm)
≥ 200 ≤ 278
≥ 100 < 200
≥ 50 < 100
≥ 20 < 50
0 < 20

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/Figures/ | DATE: February 2016

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
0
1000 m
510000 mE
ZONE C
ZONE D
DAWSON THRUST FAULT
SEE INSET I
SEE INSET II
ZONE B
INSET II

Arsenic Soil (ppm)
- ≥ 500 ≤ 527
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 20 < 50
- 0 < 20

Arsenic Silt (ppm)
- ≥ 50 ≤ 59
- ≥ 20 < 50
- 0 < 20

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ARSENIC SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/ | DATE: February 2016

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

INSET I
500000 mE
505000 mE
506000 mE
507000 mE
508000 mE
7127000 mN
7126000 mN
7125000 mN
7130000 mN
ZONE A
ZONE E
CLUSTER I
CLUSTER II
CLUSTER III
PROPERTY BOUNDARY
ZONE D
ZONE C
DAWSON THRUST FAULT
SEE INSET I
ZONE A
ZONE E
SEE INSET II
ZONE B
ZONE B
INSET II
0
1000 m
3500 ft
3800 ft
4000 ft
3700 ft
3300 ft
5200 ft
5000 ft

Silver Soil (ppm)
≥ 5 ≤ 5.32
≥ 2 < 5
≥ 1 < 2
≥ 0.5 < 1
0 < 0.5

Silver Silt (ppm)
≥ 1 ≤ 1.44
≥ 0.5 < 1
≥ 0.2 < 0.5
0 < 0.2

Fault
Thrust fault

STRATEGIC METALS LTD.

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER SOIL GEOCHEMISTRY
STAFF PROPERTY

0 2.5 km
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/ | DATE: February 2016

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change decreasing 26.7'

INSET I

500000 mE

505000 mE

506000 mE

507000 mE

508000 mE

510000 mE

7127000 mN

7126000 mN

7125000 mN

7130000 mN

ZONE A

ZONE E

CLUSTER I

CLUSTER II

CLUSTER III

PROPERTY BOUNDARY

ZONE D

ZONE C

DAWSON THRUST FAULT

SEE INSET I

SEE INSET II

ZONE B

0

1000 m

INSET II

Lead Soil (ppm)

- ≥ 200 ≤ 1120
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 10 < 20
- 0 < 10

Lead Silt (ppm)

- ≥ 50 ≤ 58.9
- ≥ 20 < 50
- ≥ 10 < 20
- 0 < 10

Fault

Thrust fault

STRATEGIC METALS LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD SOIL GEOCHEMISTRY

STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/Figures/F_15_Pb_Soil.wor

DATE: February 2016

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change decreasing 26.7'

INSET I

500000 mE

505000 mE

506000 mE

507000 mE

508000 mE

510000 mE

7127000 mN

7126000 mN

7125000 mN

7130000 mN

ZONE A

ZONE E

CLUSTER I

CLUSTER II

CLUSTER III

PROPERTY BOUNDARY

ZONE D

ZONE C

DAWSON THRUST FAULT

SEE INSET I

ZONE A

ZONE E

SEE INSET II

ZONE B

ZONE B

INSET II

0

1000 m

Zinc Soil (ppm)

≥ 2000 ≤ 3860

≥ 1000 < 2000

≥ 500 < 1000

≥ 200 < 500

≥ 100 < 200

0 < 100

Zinc Silt (ppm)

≥ 1,000 ≤ 1,670

≥ 500 < 1,000

≥ 200 < 500

≥ 100 < 200

≥ 50 < 100

Fault

Thrust fault

STRATEGIC METALS LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY

STAFF PROPERTY

0 2.5 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ...2015/Staff/

DATE: February 2016

copper, arsenic, silver, lead and zinc are plotted on Figures 10 to 15, respectively. Certificates of Analysis for the 2015 samples are provided in Appendix III.

The 2015 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 75 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals' laboratory in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver where they were analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table II.

Table II – Threshold and Peak Values for Soil Samples

Element	Anomalous Thresholds					
	Weak	Moderate	Strong	Very Strong	Historical Peak Values	2015 Peak Values
Gold (ppb)	≥ 20 < 50	≥ 50 < 100	≥ 100 < 200	≥ 200	597	125
Copper (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	-	849	322
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	527	55
Silver (ppm)	≥2 < 5	≥ 5	-	-	5.32	2.75
Lead (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	1120	407
Zinc (ppm)	≥ 200 < 500	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	3860	241

To date, soil sampling has identified three zones of interest for gold (Zones A to C), one for gold, silver and lead (Zone D), and another for lead and zinc (Zone E).

Zone A comprises three relatively linear, sub-parallel, southeasterly trending clusters with moderate to very strong gold-in-soil and moderate to strong copper-in-soil support (Clusters I, II, and III). Cluster I also has moderate to strong arsenic and silver signatures and weak to moderate zinc and lead response. The peak values for gold, copper and silver were obtained within Zone A. The clusters of anomalous values cross a northeasterly trending ridge and an adjacent steep north-facing slope. Geochemical response is subdued on the south side of the ridge where the slope is shallower and soil cover is thicker. In 2015, soil samples were collected adjacent to this zone, on the south side of the Dawson Thrust Fault. The 2015 samples returned subdued results for all elements of interest. All of the anomalous values within Zone A are underlain by clastic rocks of Keno Hill Quartzite on the north side of the Dawson Thrust Fault.

Zone B lies 4000 m southeast of Zone A. It comprises several moderately to very strongly anomalous gold values that form a southwesterly trending band in the immediate hanging wall of the Dawson Thrust Fault, as it is mapped by Strategic Metals. The anomaly is approximately 400 by 1300 m and is supported by weak, sporadic, moderately elevated copper, arsenic and

silver values. Scattered, strong to very strong gold-in-soil values from samples taken to the northwest along the surface trace of the Dawson Thrust Fault, may be an extension of Zone B.

Zone C lies 1500 m northeast of Zone A and consists of two very strongly elevated gold values obtained from stream sediment samples collected 400 m apart. In 2013, limited grid soil sampling within this zone returned weak response for lead and background values for all other elements of interest, including gold.

Zone D lies about 3500 m northwest of Zone A and comprises several stream sediment samples from two adjoining creeks that yielded elevated zinc (200 to 1670 ppm) and copper (up to 278 ppm) values with weak lead support. Contour soil sampling completed at this zone in 2015 was unable to explain the previous high copper and zinc silt values, but did identify a strong gold-in-soil point anomaly (125 ppb) and two adjacent, strongly anomalous lead (202 and 407 ppm) values. This zone is hosted within Keno Hill Quartzite, near the junction of the Dawson Thrust Fault and a southwesterly trending high angle fault of unknown movement.

Zone E lies about 1000 m west of Zone A, and is located in the immediate footwall of the Dawson Thrust Fault, as it is mapped by Strategic Metals. The anomaly covers moderately to very strongly anomalous lead values plus a very strongly anomalous zinc point value. In 2014, soil sampling within this zone returned the property's strongest response for lead (1120 ppm) and zinc (3860 ppm). A single strong gold-in-soil value is located at the northern edge of the anomalous area.

DISCUSSION AND CONCLUSIONS

The Staff property is located in a district of advanced exploration projects, including the nearby Tiger carbonate replacement-style gold deposit, Dublin Gulch stockwork gold vein deposit, and Keno Hill silver-bearing vein mines.

Strategic Metal's 2015 exploration program was unable to explain anomalous silt results at Zone D, and did not extend Zone A to the southwest, across the Dawson Thrust Fault. Previous prospecting at Zones A and B have failed to adequately explain their elevated gold-in-soil responses.

Future work on the property is warranted. Some areas of the property with strong soil geochemical response have not been systematically prospected, and no prospecting has been performed in Zones D and E. Hand trenching should be conducted uphill of strongly anomalous soil sites in order to target in-situ mineralization that may have weathered recessively. Particular attention should be paid to Cluster I in Zone A where gold anomalies are strongly supported by arsenic and silver.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A. Mitchell, B.Sc. GIT

REFERENCES

Colpron, M. and Nelson, J. L.

2011 A Digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11 (http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf).

Dumala, M.

2009 Assessment report describing geological mapping, prospecting, soil geochemistry, diamond drilling and geophysical surveys at the Rau property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.

1990 National Geochemical Reconnaissance stream sediment and water geochemical data, east central Yukon (NTS 106D; parts of 106C, 106E and 106F); Geological Survey of Canada, Open File 2175.

Mitchell, A.

2012 Assessment report describing prospecting, mapping, and geochemical sampling on the Staff property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Morton, J.

2015 Assessment report describing prospecting and geochemical sampling, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Morton, J.

2014 Assessment report describing geological mapping, prospecting and geochemical sampling, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Morton, J. and Drechsler, S.

2013 Assessment report describing geochemical sampling and prospecting at the Staff property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Pyle, L., Roots, C., Allen, T., Fraser, T., Bond, J., Jones, A. and Gal, L.

2007 Roadside Geology of the Dempster Highway, Northwest Territories and Yukon: A traveller's guide to the Geology of Canada's most north-western road; Yukon Geological Survey; Department of Energy, Mines and Resources, YGS Open File 2007-10 (http://www.geology.gov.yk.ca/pdf/of2007_10.pdf).

Wheeler, J.O. and McFeely, P.

1991 Bedrock geology (including structure) and mineral occurrences are briefly described and taken largely from the referenced, most recent 1:250,000 geological map with additional contributions from Wheeler and McFeely (1991), and Yukon MINFILE (1993).

Yukon Geological Survey

2013 MapMaker Online; available at: http://mapservices.gov.yk.ca/YGS/WebMap.aspx

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Andrew Mitchell, geoscientist in training, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2010 with a B.Sc. in Earth and Environmental Sciences.

2. From 2010 to present, I have been actively engaged in mineral exploration in Yukon Territory.

3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia.

1. I have personally participated in the fieldwork reported herein and have interpreted all data resulting from this work.

A. Mitchell, B.Sc. GIT

APPENDIX II

STATEMENT OF EXPENDITURES

Statement of Expenditures
Staff 1-346 Mineral Claims
March 8, 2016

Labour

D. Eaton (geologist) 4 hours April to January at $120/hr	$ 504.00
H. Burrell (geologist 3 hours April to January at $106/hr	333.90
A. Mitchell (geologist) 9 hours April to January at $82/hr	774.90
J. Thomson-Gladish (field assistant) 16 hours April to January at $57/hr	957.60
L. Martin-Berry (field assistant) 16 hours April to January at $49/hr	823.20
C. Hoefs (field assistant) 16 hours April to January at $43/hr	722.40
J. Mariacher (office) 1 3/4 hours April to January at $90/hr	165.38
S. Newman office) 4 hours April to January at $64/hr	268.80
L. Smith (office) 16 hours April to January at $69/hr	1,159.20
D. Huston expedite) field bonus	892.50
L. Corbett (expedite) 1 hours April to January at $81/hr	85.05
	6,686.93

Expenses (including management)

Field room and board – 8 mandays @ $180/manday	1,627.20
Fireweed Helicopters – 2.7 hours Hughes 500 at $1,050/hr plus fuel	3,203.55
ALS Chemex	5,971.16
	10,801.91

Total	$17,488.84

192 samples at = 91.09/sample

APPENDIX III

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

CERTIFICATE WH15100626

Project: STAFF

This report is for 192 Soil samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS41	51 anal. aqua regia ICPMS	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ99810		0.39	0.22	1.11	17.9	<0.2	<10	240	0.49	0.20	2.84	0.62	25.5	11.9	30	0.60
ZZ99811		0.44	0.29	1.20	15.8	<0.2	<10	210	0.43	0.25	1.52	0.61	30.6	14.5	34	1.14
ZZ99812		0.24	0.36	1.21	11.7	<0.2	<10	220	0.34	0.23	0.92	0.51	23.9	14.1	28	1.54
ZZ99813		0.22	0.29	1.49	10.0	<0.2	<10	220	0.40	0.25	0.73	0.08	19.85	14.4	31	1.36
ZZ99814		0.28	0.29	1.42	8.5	<0.2	<10	260	0.49	0.24	0.57	0.19	24.7	13.2	30	1.13
ZZ99815		0.16	0.42	1.40	5.8	<0.2	<10	390	0.35	0.27	0.51	0.39	29.5	22.0	31	1.44
ZZ99816		0.29	0.45	1.42	9.5	<0.2	<10	340	0.41	0.29	0.50	0.23	31.8	14.1	28	2.43
ZZ99817		0.15	0.33	1.21	6.4	<0.2	<10	370	0.43	0.24	1.11	0.35	23.9	10.3	23	0.78
ZZ99818		0.33	0.49	1.45	11.7	<0.2	<10	440	0.45	0.23	0.58	0.31	27.5	10.2	27	1.16
ZZ99819		0.25	2.75	1.41	18.8	<0.2	<10	410	0.27	0.35	0.35	2.59	34.5	130.0	26	1.84
ZZ99820		0.39	0.74	1.17	18.1	<0.2	<10	210	0.31	0.46	0.13	0.50	45.9	16.1	22	1.66
ZZ99821		0.29	0.87	1.62	13.8	<0.2	<10	290	0.42	0.37	1.00	0.33	36.9	9.9	35	2.63
ZZ99822		0.27	0.96	1.54	9.2	<0.2	<10	320	0.34	0.31	0.76	0.25	34.5	10.6	28	3.14
ZZ99823		0.31	0.64	1.55	9.9	<0.2	<10	500	0.54	0.31	0.99	0.07	27.0	13.8	28	2.12
ZZ99824		0.35	0.40	1.17	9.9	<0.2	<10	250	0.37	0.24	1.20	0.41	32.0	8.5	26	1.72
ZZ99825		0.32	0.26	1.00	10.1	<0.2	<10	320	0.40	0.19	2.17	0.32	20.6	8.1	24	0.84
ZZ99826		0.42	0.35	1.04	11.3	<0.2	<10	250	0.39	0.22	2.04	0.40	25.1	9.0	26	0.97
ZZ99827		0.37	0.31	0.95	12.0	<0.2	<10	260	0.33	0.19	2.52	0.56	24.7	10.4	24	0.98
ZZ99828		0.45	0.54	1.45	16.2	<0.2	<10	210	0.40	0.32	0.33	0.35	36.9	16.5	29	1.15
ZZ99829		0.40	0.36	1.56	19.1	<0.2	<10	300	0.54	0.34	0.35	0.42	41.0	16.0	30	1.52
ZZ99830		0.38	1.00	1.58	16.0	<0.2	<10	230	0.35	0.31	0.38	0.27	37.7	12.7	26	2.44
ZZ99831		0.39	0.56	1.21	11.4	<0.2	<10	160	0.28	0.25	0.09	0.28	28.2	7.0	22	1.23
ZZ99832		0.42	0.05	0.79	9.4	<0.2	<10	210	0.17	0.24	0.03	0.20	20.4	24.7	13	0.80
ZZ99833		0.54	0.20	1.88	33.8	<0.2	<10	230	0.34	0.41	0.04	0.28	47.1	24.8	27	6.58
ZZ99834		0.41	0.07	1.11	11.7	<0.2	<10	120	0.30	0.28	0.06	0.17	25.1	16.2	20	1.23
ZZ99835		0.45	1.50	1.50	43.1	<0.2	<10	130	0.39	0.82	0.60	0.61	38.3	25.2	23	5.75
ZZ99836		0.51	0.05	1.52	8.9	<0.2	<10	60	0.64	0.84	0.08	0.10	65.1	20.8	26	2.67
ZZ99837		0.44	0.05	1.44	32.6	<0.2	<10	80	0.36	0.53	0.04	0.11	37.4	20.5	18	0.71
ZZ99838		0.52	0.05	1.17	29.4	<0.2	<10	30	0.32	0.59	0.05	0.02	33.8	21.4	18	1.76
ZZ99839		0.55	0.03	1.13	39.5	<0.2	<10	30	0.29	0.50	0.06	0.04	60.8	21.6	18	1.25
ZZ99840		0.40	0.08	1.63	31.1	<0.2	<10	50	0.38	0.50	0.08	0.11	38.4	36.8	27	2.79
ZZ99841		0.55	0.04	1.55	30.3	<0.2	<10	40	0.35	0.42	0.03	0.07	34.7	19.9	24	1.45
ZZ99842		0.40	0.05	1.79	21.7	<0.2	<10	90	0.55	0.41	0.08	0.16	27.9	17.9	28	1.74
ZZ99843		0.42	0.03	1.82	18.3	<0.2	<10	80	0.39	0.43	0.07	0.15	23.5	14.5	30	1.77
ZZ99844		0.45	0.05	1.28	20.0	<0.2	<10	60	0.30	0.35	0.04	0.18	22.1	11.7	22	1.67
ZZ99845		0.46	0.06	1.29	29.0	<0.2	<10	40	0.30	0.47	0.04	0.18	25.3	16.7	21	1.06
ZZ99846		0.58	0.09	1.35	28.0	<0.2	<10	60	0.30	0.46	0.03	0.08	25.9	20.5	20	1.57
ZZ99847		0.39	0.05	1.10	29.1	<0.2	<10	30	0.27	0.45	0.04	0.06	28.8	17.6	17	1.50
ZZ99848		0.51	0.03	1.22	18.4	<0.2	<10	30	0.32	0.46	0.07	0.03	39.8	24.6	20	0.68
ZZ99849		0.35	0.05	1.28	15.8	<0.2	<10	50	0.41	0.43	0.05	0.12	27.9	16.8	20	1.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ99810		32.1	2.96	3.55	0.06	0.03	0.08	0.027	0.05	14.0	10.5	1.60	1020	1.41	<0.01	1.28
ZZ99811		80.7	3.06	4.05	0.07	0.06	0.14	0.029	0.06	16.2	12.8	1.18	1560	1.78	<0.01	1.47
ZZ99812		87.8	2.51	3.85	0.06	0.04	0.18	0.028	0.06	12.7	12.8	0.62	1620	1.85	<0.01	0.98
ZZ99813		65.6	2.63	4.96	0.06	0.04	0.14	0.032	0.06	11.4	17.0	0.59	1680	1.18	<0.01	0.78
ZZ99814		54.9	2.37	4.45	0.05	0.05	0.14	0.030	0.06	13.0	13.7	0.55	1380	0.91	<0.01	0.72
ZZ99815		67.9	2.02	4.87	0.05	0.05	0.20	0.033	0.07	14.4	13.4	0.56	4920	2.11	<0.01	0.65
ZZ99816		77.9	2.52	5.10	0.07	0.03	0.31	0.034	0.09	15.3	14.3	0.55	1800	2.35	<0.01	0.87
ZZ99817		75.8	2.00	3.76	0.05	0.05	0.24	0.026	0.06	11.9	11.3	0.49	878	1.44	0.01	0.75
ZZ99818		59.4	2.66	4.42	0.07	0.02	0.19	0.027	0.07	15.8	15.3	0.51	953	2.07	0.01	0.68
ZZ99819		205	2.77	4.79	0.10	0.03	1.13	0.030	0.12	17.0	10.7	0.45	5090	8.47	0.01	0.56
ZZ99820		116.0	4.68	4.36	0.10	0.04	0.19	0.032	0.16	21.8	9.0	0.36	660	8.31	<0.01	0.66
ZZ99821		99.7	3.16	5.26	0.10	0.02	0.52	0.032	0.14	24.5	19.0	0.77	615	3.32	<0.01	0.67
ZZ99822		136.5	2.68	5.11	0.09	0.03	0.61	0.031	0.14	20.9	18.4	0.84	860	3.70	<0.01	0.68
ZZ99823		148.0	2.86	4.78	0.07	0.06	0.43	0.030	0.10	14.9	17.6	0.79	1120	3.05	<0.01	0.81
ZZ99824		95.2	2.35	3.93	0.09	0.06	0.24	0.026	0.09	17.9	14.7	0.81	801	2.59	<0.01	1.00
ZZ99825		83.6	2.28	3.11	0.05	0.03	0.16	0.022	0.06	11.9	11.2	0.73	970	1.40	<0.01	0.79
ZZ99826		69.2	2.48	3.50	0.06	0.05	0.20	0.025	0.06	14.2	12.1	1.08	711	1.82	0.01	1.03
ZZ99827		84.0	2.54	3.18	0.06	0.04	0.15	0.019	0.08	13.4	10.4	1.09	1350	2.15	0.01	0.87
ZZ99828		92.2	3.31	4.70	0.08	<0.02	0.11	0.036	0.12	20.0	16.5	0.45	1300	4.05	<0.01	0.76
ZZ99829		123.0	4.34	4.67	0.09	<0.02	0.08	0.040	0.13	22.7	18.0	0.48	1490	5.67	<0.01	0.81
ZZ99830		112.5	3.47	5.39	0.08	<0.02	0.11	0.027	0.15	20.3	17.2	0.75	1200	4.05	<0.01	0.66
ZZ99831		42.7	2.67	4.91	0.05	<0.02	0.11	0.021	0.11	14.6	9.9	0.32	500	3.06	<0.01	0.80
ZZ99832		74.6	2.13	3.58	<0.05	<0.02	0.12	0.019	0.04	9.3	7.8	0.21	6710	1.21	<0.01	0.27
ZZ99833		144.5	5.18	6.13	0.10	<0.02	0.11	0.028	0.34	19.9	17.0	0.65	4330	8.16	<0.01	0.92
ZZ99834		67.9	3.04	4.05	0.05	<0.02	0.06	0.023	0.07	11.5	13.2	0.29	2700	2.27	<0.01	0.30
ZZ99835		322	4.95	4.20	0.12	0.02	0.51	0.050	0.19	23.7	25.8	0.85	3120	13.65	<0.01	0.06
ZZ99836		87.2	3.88	5.84	0.10	<0.02	0.02	0.019	0.05	30.5	29.7	0.62	2120	2.07	<0.01	0.35
ZZ99837		60.3	3.29	4.59	0.06	0.02	0.03	0.014	0.09	17.4	21.5	0.44	2030	1.06	<0.01	0.24
ZZ99838		41.5	3.75	4.02	0.06	0.04	0.02	0.022	0.03	16.6	44.4	0.46	1000	0.96	<0.01	0.08
ZZ99839		45.0	3.91	4.02	0.10	<0.02	0.01	0.026	0.03	29.6	45.5	0.46	934	0.94	<0.01	0.13
ZZ99840		53.0	3.97	5.62	0.07	<0.02	0.03	0.025	0.05	17.9	41.9	0.56	1760	1.34	<0.01	0.37
ZZ99841		39.0	3.67	5.26	0.06	0.03	0.03	0.023	0.03	17.4	47.1	0.53	922	0.84	<0.01	0.28
ZZ99842		38.8	3.52	5.55	0.06	<0.02	0.04	0.026	0.05	14.1	34.0	0.53	748	1.30	<0.01	0.71
ZZ99843		29.7	3.51	6.26	0.05	<0.02	0.03	0.024	0.05	12.3	29.9	0.49	514	1.55	<0.01	0.66
ZZ99844		23.4	3.38	5.15	<0.05	<0.02	0.05	0.027	0.04	11.2	20.3	0.26	750	1.48	<0.01	0.57
ZZ99845		32.7	3.98	4.34	0.05	<0.02	0.05	0.023	0.03	12.1	35.3	0.35	825	0.96	<0.01	0.27
ZZ99846		29.3	3.67	4.28	0.06	0.04	0.04	0.022	0.03	12.2	50.3	0.46	1080	0.63	<0.01	0.15
ZZ99847		33.4	3.51	3.74	0.05	0.03	0.03	0.017	0.03	14.5	38.7	0.37	619	0.57	<0.01	0.10
ZZ99848		44.5	4.87	3.94	0.09	0.07	0.02	0.024	0.02	20.2	54.4	0.50	1150	0.77	<0.01	<0.05
ZZ99849		33.4	3.67	4.09	0.05	<0.02	0.03	0.024	0.03	14.0	42.4	0.41	791	0.79	<0.01	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ99810		32.6	1270	26.2	6.3	<0.001	0.06	1.32	2.6	0.8	0.3	33.1	0.01	0.05	0.8	0.041
ZZ99811		47.8	1170	27.2	10.4	<0.001	0.03	1.52	4.1	1.0	0.3	31.0	<0.01	0.07	2.2	0.058
ZZ99812		46.4	1240	21.3	11.4	0.001	0.06	1.09	3.2	1.1	0.3	35.4	<0.01	0.08	1.2	0.039
ZZ99813		33.4	1210	22.7	13.0	<0.001	0.06	0.87	3.4	1.1	0.4	32.1	<0.01	0.07	0.9	0.026
ZZ99814		33.8	1030	38.2	13.2	<0.001	0.05	0.84	3.5	1.1	0.3	27.4	<0.01	0.07	1.4	0.021
ZZ99815		46.6	1120	35.9	12.0	0.001	0.06	0.75	3.1	1.6	0.4	37.1	<0.01	0.07	1.1	0.029
ZZ99816		30.7	1150	22.2	16.6	0.001	0.06	0.82	3.4	1.8	0.4	36.7	<0.01	0.09	1.1	0.034
ZZ99817		27.5	930	19.3	10.5	<0.001	0.08	0.99	2.4	1.3	0.3	35.4	<0.01	0.08	0.9	0.023
ZZ99818		34.6	1040	32.1	14.8	0.002	0.06	0.99	2.8	1.8	0.3	34.2	<0.01	0.06	0.7	0.029
ZZ99819		298	1190	29.0	17.9	0.002	0.14	1.70	2.8	4.0	0.3	55.2	<0.01	0.17	0.7	0.027
ZZ99820		39.3	1510	38.2	25.7	<0.001	0.09	2.15	2.5	2.7	0.3	66.3	<0.01	0.40	2.5	0.040
ZZ99821		26.2	5390	25.3	22.6	0.001	0.04	1.32	2.4	2.1	0.3	171.5	<0.01	0.22	1.1	0.052
ZZ99822		28.0	3730	21.7	23.7	0.001	0.06	1.15	2.8	2.6	0.3	116.5	<0.01	0.15	1.2	0.053
ZZ99823		35.3	2720	26.5	17.0	0.003	0.07	1.24	3.1	2.4	0.3	93.2	<0.01	0.17	1.2	0.042
ZZ99824		34.1	2350	23.9	13.2	<0.001	0.05	1.51	3.0	1.8	0.2	93.2	<0.01	0.13	1.8	0.051
ZZ99825		29.1	1330	19.5	7.7	0.001	0.08	1.39	1.9	1.7	0.2	45.4	<0.01	0.07	0.6	0.029
ZZ99826		30.8	1640	21.6	9.3	0.001	0.05	1.30	2.7	1.3	0.2	61.2	<0.01	0.08	1.1	0.041
ZZ99827		36.2	1460	25.8	10.2	<0.001	0.05	1.39	2.5	1.4	0.2	55.6	<0.01	0.10	1.1	0.038
ZZ99828		29.3	2620	24.4	15.2	0.001	0.04	1.33	2.4	1.3	0.3	105.5	<0.01	0.17	1.5	0.039
ZZ99829		41.7	3820	26.5	18.4	0.001	0.05	1.83	2.8	1.9	0.3	134.5	<0.01	0.17	2.7	0.042
ZZ99830		31.3	2720	20.0	19.2	0.001	0.05	1.38	2.6	1.7	0.4	78.9	<0.01	0.18	2.0	0.058
ZZ99831		20.5	860	14.3	16.4	<0.001	0.04	0.89	1.6	0.8	0.4	21.2	<0.01	0.08	0.7	0.041
ZZ99832		48.5	460	12.8	6.2	<0.001	0.03	0.65	1.5	0.6	0.2	10.8	<0.01	0.09	0.4	0.024
ZZ99833		39.6	1080	28.6	48.9	<0.001	0.21	1.80	2.5	1.5	0.3	49.4	<0.01	0.38	1.1	0.083
ZZ99834		36.1	680	14.5	10.1	<0.001	0.05	0.87	0.8	0.8	0.3	15.3	<0.01	0.14	0.2	0.026
ZZ99835		60.1	3990	49.3	19.2	0.001	0.11	2.43	1.1	4.6	0.2	181.0	<0.01	0.68	0.5	0.018
ZZ99836		31.9	1120	32.8	7.6	0.001	0.02	0.57	2.1	0.7	0.3	11.5	<0.01	0.10	2.8	0.048
ZZ99837		28.9	780	34.7	8.5	<0.001	0.03	0.31	1.0	0.4	<0.2	8.6	<0.01	0.07	1.9	0.011
ZZ99838		37.6	430	32.3	2.5	<0.001	0.02	0.65	2.3	0.2	<0.2	5.9	<0.01	0.05	3.7	0.007
ZZ99839		36.5	450	25.6	2.4	<0.001	0.01	0.99	2.4	0.4	<0.2	7.9	<0.01	0.04	7.3	0.008
ZZ99840		31.7	1060	59.4	6.6	<0.001	0.03	0.75	2.2	0.6	0.3	10.0	<0.01	0.07	1.5	0.030
ZZ99841		31.9	580	27.6	4.7	<0.001	0.03	0.61	2.0	0.5	0.2	5.3	<0.01	0.05	2.1	0.013
ZZ99842		30.9	660	27.0	8.1	<0.001	0.03	0.78	2.4	0.7	0.4	9.6	<0.01	0.07	1.2	0.031
ZZ99843		28.4	650	23.8	8.6	<0.001	0.03	0.78	2.0	0.8	0.5	9.0	<0.01	0.06	0.7	0.027
ZZ99844		20.6	560	27.8	9.6	<0.001	0.05	0.81	1.1	0.5	0.5	6.2	<0.01	0.05	0.2	0.027
ZZ99845		27.4	740	35.6	5.3	<0.001	0.04	0.72	1.0	0.6	0.2	5.2	<0.01	0.05	0.6	0.012
ZZ99846		30.0	610	32.7	4.3	<0.001	0.03	0.61	1.5	0.3	<0.2	5.4	<0.01	0.06	1.4	0.008
ZZ99847		29.0	650	27.4	3.6	<0.001	0.03	0.89	1.2	0.2	<0.2	6.5	<0.01	0.04	1.2	0.005
ZZ99848		40.6	520	31.9	1.3	<0.001	0.01	0.63	2.5	0.3	<0.2	11.8	<0.01	0.06	7.2	0.014
ZZ99849		29.2	620	26.8	4.5	<0.001	0.02	0.75	1.2	0.4	0.2	6.9	<0.01	0.04	0.6	0.012

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ99810		0.12	1.17	41	0.24	10.90	102	1.0	0.005
ZZ99811		0.15	1.31	45	0.22	12.30	125	2.0	0.006
ZZ99812		0.14	1.96	35	0.17	12.40	111	1.5	0.006
ZZ99813		0.14	2.35	42	0.14	10.45	102	1.1	0.002
ZZ99814		0.17	1.69	40	0.15	11.00	116	1.6	0.003
ZZ99815		0.18	1.73	39	0.17	12.60	90	1.4	0.004
ZZ99816		0.18	2.68	39	0.17	10.45	76	1.0	0.006
ZZ99817		0.11	2.47	32	0.14	9.27	77	1.8	0.006
ZZ99818		0.13	1.66	41	0.18	11.10	112	0.7	0.009
ZZ99819		0.21	6.34	41	0.15	22.3	241	1.1	0.024
ZZ99820		0.18	2.75	38	0.15	7.47	134	1.3	0.014
ZZ99821		0.29	6.45	117	0.16	24.2	104	1.0	0.023
ZZ99822		0.35	7.41	70	0.14	24.5	106	1.0	0.020
ZZ99823		0.24	5.85	62	0.12	18.15	101	2.3	0.012
ZZ99824		0.22	3.84	46	0.65	16.60	103	2.7	0.011
ZZ99825		0.13	3.61	35	0.13	11.30	84	1.4	0.006
ZZ99826		0.14	2.04	43	0.16	12.65	94	1.8	0.008
ZZ99827		0.14	1.58	37	0.19	11.05	102	1.6	0.014
ZZ99828		0.18	3.10	52	0.35	9.10	111	<0.5	0.006
ZZ99829		0.22	5.18	61	0.18	11.45	153	0.5	0.004
ZZ99830		0.25	2.94	65	0.16	8.42	116	0.6	0.008
ZZ99831		0.16	1.06	48	0.22	2.71	79	<0.5	0.005
ZZ99832		0.09	0.65	21	0.14	4.43	55	<0.5	0.001
ZZ99833		0.40	2.76	46	0.13	5.65	94	0.6	0.008
ZZ99834		0.08	0.99	32	0.15	3.49	70	<0.5	0.003
ZZ99835		0.22	13.70	66	0.14	20.1	178	<0.5	0.067
ZZ99836		0.09	1.37	35	0.19	4.33	92	<0.5	0.002
ZZ99837		0.06	0.73	17	0.08	3.18	73	0.5	0.002
ZZ99838		0.02	0.78	12	<0.05	3.26	87	1.3	<0.001
ZZ99839		0.02	0.92	13	<0.05	3.88	93	0.6	0.001
ZZ99840		0.08	1.26	33	0.12	4.97	93	<0.5	0.005
ZZ99841		0.05	0.78	21	0.08	3.05	84	0.8	0.002
ZZ99842		0.11	1.03	40	0.19	3.82	91	<0.5	0.002
ZZ99843		0.13	0.86	47	0.20	3.38	87	<0.5	0.001
ZZ99844		0.13	0.74	42	0.19	2.12	74	<0.5	0.001
ZZ99845		0.07	0.80	20	0.09	2.05	84	<0.5	<0.001
ZZ99846		0.05	0.70	15	0.05	2.43	81	0.9	0.001
ZZ99847		0.03	0.81	13	<0.05	2.21	85	0.9	<0.001
ZZ99848		0.02	1.01	15	<0.05	3.51	112	4.2	<0.001
ZZ99849		0.04	1.00	20	0.09	3.24	84	<0.5	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ99850		0.34	0.03	1.17	13.3	<0.2	<10	80	0.48	0.33	0.10	0.14	34.4	15.3	20	1.69
ZZ99851		0.31	0.07	1.52	18.4	<0.2	<10	50	0.40	0.47	0.04	0.11	25.2	16.6	22	1.05
ZZ99852		0.45	0.04	0.24	55.0	<0.2	<10	50	0.25	0.30	3.96	0.07	19.65	21.8	4	0.40
ZZ99853		0.40	0.14	0.30	21.1	<0.2	<10	40	0.29	0.33	3.99	0.08	16.75	16.0	6	0.37
ZZ99854		0.32	0.18	0.47	18.1	<0.2	<10	40	0.44	0.24	9.38	0.15	44.0	9.5	6	0.43
ZZ99855		0.29	0.08	1.14	23.0	<0.2	<10	40	0.48	0.48	1.39	0.05	22.2	15.9	14	0.61
ZZ99856		0.35	0.24	0.57	21.1	<0.2	<10	50	0.39	0.18	15.00	0.20	25.3	7.7	8	0.45
ZZ99857		0.31	0.06	0.27	26.1	<0.2	<10	40	0.30	0.31	14.55	0.07	17.55	17.6	4	0.46
ZZ99858		0.39	0.15	0.38	33.0	<0.2	<10	40	0.43	0.37	5.51	0.08	52.7	20.7	5	1.04
ZZ99859		0.39	0.10	0.68	29.2	<0.2	<10	30	0.41	0.47	0.62	0.05	45.4	22.5	9	1.35
ZZ99860		0.39	0.07	1.44	21.7	<0.2	<10	30	0.35	0.61	0.05	0.06	25.9	20.2	21	1.09
ZZ99861		0.29	0.05	1.18	20.4	<0.2	<10	20	0.32	0.56	0.12	0.02	20.0	22.3	16	0.93
ZZ99862		0.31	0.04	0.08	2.2	<0.2	<10	20	0.08	0.02	>25.0	0.07	2.22	1.3	1	0.07
ZZ99863		0.44	0.04	1.00	4.5	<0.2	<10	30	0.37	0.45	0.13	0.01	22.4	18.9	16	1.39
ZZ99864		0.49	1.66	0.76	46.6	<0.2	<10	100	0.40	0.81	0.73	1.02	30.2	22.7	16	0.68
ZZ99865		0.41	0.03	0.14	11.9	<0.2	<10	10	<0.05	0.07	0.01	0.02	3.66	1.7	3	0.21
ZZ100179		0.34	0.18	1.79	11.9	<0.2	<10	110	0.45	0.28	0.11	0.39	26.8	11.6	57	1.15
ZZ100180		0.28	0.13	1.80	14.7	<0.2	<10	160	0.48	0.27	0.10	0.47	32.9	13.1	34	1.43
ZZ100181		0.34	0.19	1.55	13.4	<0.2	<10	180	0.34	0.40	0.16	0.38	35.2	19.4	35	2.01
ZZ100182		0.28	0.10	1.22	13.6	<0.2	<10	180	0.24	0.28	0.26	0.47	18.90	9.6	33	0.85
ZZ100183		0.29	0.16	1.58	16.8	<0.2	<10	160	0.37	0.32	0.23	0.14	30.3	13.1	29	1.56
ZZ100184		0.34	0.14	1.23	13.8	<0.2	<10	150	0.33	0.22	0.06	0.28	28.2	9.0	22	1.20
ZZ100185		0.37	0.13	1.41	14.9	<0.2	<10	340	0.50	0.24	0.17	0.31	33.5	11.8	29	1.22
ZZ100186		0.31	0.16	1.16	11.2	<0.2	<10	190	0.32	0.20	0.07	0.23	25.4	6.5	22	1.04
ZZ100187		0.32	0.34	1.72	13.3	<0.2	<10	360	0.56	0.30	0.18	0.99	35.8	11.2	31	1.27
ZZ100188		0.37	2.73	1.38	32.3	<0.2	<10	270	0.32	0.42	0.06	0.38	38.6	8.8	32	2.95
ZZ100189		0.34	0.19	1.63	14.2	<0.2	<10	160	0.35	0.28	0.08	0.28	30.5	10.1	30	1.30
ZZ100190		0.29	0.54	1.31	13.1	<0.2	<10	130	0.23	0.25	0.05	0.20	26.2	7.9	24	1.30
ZZ100191		0.28	0.30	1.30	11.8	<0.2	<10	130	0.27	0.21	0.08	0.28	24.3	8.9	25	1.12
ZZ100192		0.37	0.20	1.28	14.0	<0.2	<10	210	0.36	0.19	0.16	0.41	31.5	12.3	25	0.96
ZZ100193		0.35	0.33	1.78	16.0	<0.2	<10	230	0.65	0.24	0.10	0.36	40.5	12.2	30	1.36
ZZ100194		0.28	0.29	1.10	11.0	<0.2	<10	160	0.27	0.17	0.18	0.32	25.3	9.9	24	0.83
ZZ100195		0.31	1.07	1.28	11.4	<0.2	<10	190	0.27	0.25	0.06	0.32	30.4	6.7	24	1.36
ZZ100196		0.34	2.19	1.19	11.7	<0.2	<10	290	0.27	0.33	0.09	0.33	31.1	6.7	23	1.18
ZZ100197		0.25	1.30	1.21	7.4	<0.2	<10	500	0.42	0.78	0.06	1.85	24.4	21.6	21	1.17
ZZ100198		0.26	0.12	1.31	18.1	<0.2	<10	150	0.34	0.25	0.07	0.26	23.5	25.5	24	1.09
ZZ100199		0.28	0.32	1.13	7.6	<0.2	<10	300	0.44	0.21	1.40	0.26	16.45	9.2	24	0.92
ZZ100200		0.15	1.01	0.91	15.7	<0.2	<10	500	0.42	0.33	1.06	0.51	24.9	6.3	22	0.99
ZZ100201		0.30	0.92	0.92	14.9	<0.2	<10	340	0.31	0.22	1.29	0.46	27.8	6.2	23	1.72
ZZ100202		0.39	0.28	1.63	15.4	<0.2	<10	220	0.59	0.24	0.15	0.81	31.7	13.2	31	1.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ99850		32.4	3.20	3.78	0.05	<0.02	0.04	0.023	0.04	16.8	37.0	0.35	829	0.97	<0.01	0.46
ZZ99851		30.8	3.91	4.78	0.05	<0.02	0.03	0.021	0.04	12.2	46.0	0.45	817	0.78	<0.01	0.19
ZZ99852		36.8	3.48	0.72	0.05	0.03	0.06	0.026	0.02	10.1	2.4	0.08	769	0.64	<0.01	0.09
ZZ99853		27.1	2.71	0.99	<0.05	0.05	0.09	0.021	0.02	9.3	3.2	0.07	464	0.69	<0.01	0.08
ZZ99854		26.8	2.51	1.32	0.08	0.07	0.09	0.030	0.03	32.9	3.6	0.12	283	0.69	<0.01	0.08
ZZ99855		51.2	3.52	3.18	0.05	0.07	0.06	0.019	0.04	13.7	27.3	0.42	629	0.65	<0.01	0.07
ZZ99856		21.3	1.88	1.63	0.05	0.03	0.14	0.021	0.03	15.7	4.9	0.19	372	0.64	0.01	0.17
ZZ99857		30.5	2.83	0.76	0.05	0.05	0.06	0.021	0.03	10.2	2.6	0.19	654	0.87	0.01	0.07
ZZ99858		49.2	3.30	1.29	0.08	0.07	0.17	0.028	0.03	37.9	5.3	0.18	361	0.75	<0.01	0.07
ZZ99859		45.6	3.85	2.05	0.08	0.07	0.07	0.029	0.03	28.6	22.1	0.24	738	0.65	<0.01	0.08
ZZ99860		41.0	4.24	4.30	0.06	0.05	0.02	0.021	0.03	13.2	59.5	0.51	616	0.63	<0.01	0.12
ZZ99861		40.6	4.07	3.52	0.05	0.06	0.02	0.022	0.03	10.0	50.2	0.48	571	0.42	<0.01	<0.05
ZZ99862		4.5	0.18	0.20	<0.05	0.03	0.04	<0.005	0.01	1.2	0.9	0.11	53	0.14	<0.01	<0.05
ZZ99863		39.5	3.87	3.07	0.06	0.07	0.01	0.015	0.03	11.5	47.9	0.45	552	0.53	<0.01	<0.05
ZZ99864		266	4.66	2.49	0.10	0.06	0.20	0.049	0.11	19.3	10.4	0.25	2590	17.05	<0.01	<0.05
ZZ99865		15.0	0.50	0.55	<0.05	<0.02	0.03	0.005	0.01	1.7	0.9	0.02	225	0.41	<0.01	0.14
ZZ100179		19.6	3.19	7.02	<0.05	0.04	0.05	0.025	0.05	13.2	20.7	0.47	868	1.42	<0.01	6.43
ZZ100180		26.1	3.28	6.56	0.05	<0.02	0.05	0.031	0.05	15.6	15.5	0.38	1140	1.89	<0.01	2.00
ZZ100181		84.4	3.32	4.90	0.07	0.05	0.12	0.034	0.12	17.6	15.4	0.58	1920	4.37	<0.01	1.27
ZZ100182		35.4	3.46	5.81	<0.05	<0.02	0.05	0.024	0.10	9.9	10.4	0.36	1840	1.54	<0.01	1.20
ZZ100183		64.1	3.56	5.89	0.05	<0.02	0.08	0.026	0.08	15.8	13.6	0.35	1580	3.27	<0.01	0.45
ZZ100184		44.3	2.73	4.39	0.05	<0.02	0.05	0.021	0.06	14.3	11.8	0.32	911	2.14	<0.01	0.70
ZZ100185		50.8	2.84	4.74	0.07	<0.02	0.11	0.023	0.07	17.4	13.3	0.46	1160	1.77	<0.01	0.86
ZZ100186		35.3	2.34	4.06	<0.05	<0.02	0.04	0.016	0.05	13.6	9.4	0.29	653	1.98	<0.01	0.53
ZZ100187		68.0	3.03	5.52	0.06	<0.02	0.09	0.028	0.07	16.5	14.3	0.46	652	1.90	<0.01	1.04
ZZ100188		85.2	3.26	5.54	0.08	0.08	0.87	0.036	0.14	19.8	12.0	0.31	610	11.20	0.01	1.11
ZZ100189		45.4	3.30	5.57	0.05	0.02	0.06	0.027	0.09	15.4	18.0	0.46	892	2.62	<0.01	1.55
ZZ100190		25.2	2.65	5.36	<0.05	<0.02	0.04	0.022	0.07	13.2	11.4	0.26	803	3.09	<0.01	1.45
ZZ100191		27.3	2.72	4.63	<0.05	<0.02	0.04	0.022	0.06	11.8	12.7	0.30	1080	2.17	<0.01	1.13
ZZ100192		53.1	2.64	3.82	0.05	<0.02	0.11	0.022	0.07	14.8	11.7	0.38	1440	1.89	<0.01	0.73
ZZ100193		72.1	3.00	4.72	0.05	0.03	0.13	0.028	0.11	19.8	15.8	0.45	914	2.59	<0.01	1.17
ZZ100194		40.1	2.35	3.55	<0.05	<0.02	0.08	0.020	0.07	12.8	9.2	0.34	1220	1.71	<0.01	0.60
ZZ100195		32.3	2.61	5.27	<0.05	<0.02	0.12	0.022	0.08	15.3	11.9	0.28	520	2.88	<0.01	0.89
ZZ100196		38.3	2.94	5.37	0.05	<0.02	0.18	0.021	0.12	15.9	9.2	0.26	363	3.55	<0.01	1.27
ZZ100197		88.0	4.95	4.78	0.05	<0.02	0.13	0.025	0.15	13.1	6.5	0.20	1080	10.95	0.02	0.38
ZZ100198		101.5	2.80	4.39	<0.05	<0.02	0.12	0.024	0.06	11.5	13.2	0.33	4300	2.30	<0.01	0.56
ZZ100199		58.6	2.11	3.32	<0.05	0.05	0.13	0.027	0.05	9.6	10.0	0.48	672	1.46	<0.01	0.65
ZZ100200		42.5	2.23	2.90	0.05	0.09	0.57	0.025	0.09	13.5	9.1	0.43	638	5.02	0.01	0.59
ZZ100201		42.1	2.34	2.99	0.06	0.09	0.53	0.023	0.11	14.6	8.5	0.69	287	2.61	0.01	0.78
ZZ100202		56.3	3.16	4.26	<0.05	0.02	0.06	0.028	0.07	15.2	15.1	0.52	840	1.90	<0.01	1.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ99850		32.5	580	25.4	5.8	<0.001	0.02	0.82	2.0	0.5	0.3	11.9	<0.01	0.03	1.8	0.027
ZZ99851		27.3	770	29.0	6.2	<0.001	0.04	0.58	0.7	0.4	0.2	8.3	<0.01	0.05	0.4	0.009
ZZ99852		37.2	610	14.4	1.7	<0.001	0.02	1.37	2.4	0.4	<0.2	186.5	<0.01	0.04	2.4	<0.005
ZZ99853		31.2	910	13.8	1.9	<0.001	0.03	1.37	2.5	0.7	<0.2	125.0	<0.01	0.08	1.8	<0.005
ZZ99854		27.3	1280	15.9	2.9	<0.001	0.06	1.25	1.4	1.0	0.2	346	<0.01	0.07	1.1	0.005
ZZ99855		35.9	730	25.1	4.4	<0.001	0.06	0.71	1.9	0.7	<0.2	48.6	<0.01	0.07	1.7	<0.005
ZZ99856		25.2	1480	10.4	3.7	<0.001	0.07	2.47	1.3	1.1	0.2	582	<0.01	0.05	0.5	0.010
ZZ99857		34.2	1200	14.9	1.9	<0.001	0.10	2.37	2.1	0.5	0.2	350	<0.01	0.12	2.4	<0.005
ZZ99858		53.6	1340	21.5	2.4	<0.001	0.07	2.90	2.0	1.1	<0.2	176.5	<0.01	0.13	3.3	<0.005
ZZ99859		51.7	1300	27.7	2.2	<0.001	0.05	1.35	3.2	0.5	0.2	35.6	<0.01	0.12	4.9	<0.005
ZZ99860		35.7	500	41.9	3.3	<0.001	0.02	0.27	1.8	0.2	<0.2	9.3	<0.01	0.05	2.6	0.006
ZZ99861		32.4	360	34.7	2.4	<0.001	0.02	0.23	2.1	0.3	<0.2	17.9	<0.01	0.05	2.7	<0.005
ZZ99862		3.4	660	1.1	0.8	<0.001	0.03	0.39	0.4	0.4	<0.2	1625	<0.01	0.02	0.2	<0.005
ZZ99863		35.8	410	16.8	2.3	<0.001	0.01	0.29	2.1	0.4	<0.2	12.3	<0.01	0.05	3.4	0.015
ZZ99864		61.7	5580	68.8	6.5	0.001	0.14	3.20	1.0	5.5	0.2	215	<0.01	0.67	0.7	0.005
ZZ99865		5.6	200	1.8	1.2	<0.001	0.01	0.30	0.4	0.2	<0.2	1.4	<0.01	0.04	0.2	0.007
ZZ100179		24.2	390	17.0	8.6	<0.001	0.03	0.71	2.4	0.5	0.8	9.4	0.01	0.05	1.0	0.194
ZZ100180		32.6	500	42.1	9.8	<0.001	0.03	0.89	3.3	0.7	0.6	12.2	<0.01	0.07	2.1	0.055
ZZ100181		42.4	1180	42.0	17.6	<0.001	0.05	1.38	3.2	0.8	0.3	30.0	<0.01	0.19	2.1	0.056
ZZ100182		22.1	950	52.2	15.2	<0.001	0.06	1.04	1.7	0.4	0.4	30.8	<0.01	0.09	0.4	0.038
ZZ100183		23.9	2300	28.9	12.6	<0.001	0.04	1.25	1.1	1.2	0.4	83.1	<0.01	0.18	0.2	0.021
ZZ100184		20.8	580	13.9	11.2	<0.001	0.04	1.00	1.8	0.8	0.4	14.8	<0.01	0.09	0.7	0.035
ZZ100185		33.8	820	37.5	11.5	<0.001	0.03	1.14	3.4	0.9	0.4	19.9	<0.01	0.08	1.1	0.036
ZZ100186		19.7	630	9.7	9.9	<0.001	0.05	0.83	1.3	0.7	0.3	13.2	<0.01	0.06	0.2	0.032
ZZ100187		33.8	520	66.1	12.8	<0.001	0.02	0.73	3.1	0.9	0.5	28.6	<0.01	0.07	1.6	0.032
ZZ100188		26.5	670	58.2	20.5	<0.001	0.09	3.83	2.5	4.0	0.4	39.2	<0.01	0.17	4.2	0.045
ZZ100189		23.8	550	55.4	16.5	<0.001	0.02	0.93	2.7	0.6	0.5	19.7	<0.01	0.09	2.7	0.042
ZZ100190		15.4	440	26.9	15.3	<0.001	0.02	0.82	2.0	0.7	0.5	15.6	<0.01	0.06	1.5	0.044
ZZ100191		16.5	500	36.7	12.2	<0.001	0.02	0.80	1.8	0.5	0.4	13.4	<0.01	0.06	0.9	0.038
ZZ100192		31.8	710	18.3	8.5	<0.001	0.02	1.02	2.6	0.9	0.3	20.5	<0.01	0.05	1.1	0.044
ZZ100193		31.6	610	16.7	12.2	<0.001	0.02	1.14	5.0	1.1	0.4	18.2	<0.01	0.07	3.8	0.048
ZZ100194		23.2	760	10.9	7.5	<0.001	0.02	0.91	1.9	0.6	0.3	18.9	<0.01	0.04	0.8	0.046
ZZ100195		15.4	530	13.8	12.9	<0.001	0.03	0.91	1.8	1.0	0.5	15.0	<0.01	0.06	0.7	0.034
ZZ100196		17.8	470	17.4	16.1	<0.001	0.04	1.14	2.1	1.0	0.5	19.4	<0.01	0.09	2.2	0.049
ZZ100197		22.3	1790	44.8	15.3	0.001	0.29	2.32	0.7	2.8	0.3	78.1	<0.01	0.27	0.2	0.014
ZZ100198		46.4	660	15.0	10.6	<0.001	0.05	1.02	1.8	0.8	0.3	19.2	<0.01	0.11	0.5	0.032
ZZ100199		28.3	1280	46.9	7.6	<0.001	0.14	1.04	2.0	1.4	0.5	26.8	<0.01	0.06	0.6	0.019
ZZ100200		25.9	850	17.3	9.0	0.001	0.13	2.52	2.4	3.7	0.2	22.6	<0.01	0.04	1.3	0.027
ZZ100201		28.1	860	17.7	11.6	<0.001	0.11	2.12	2.5	2.2	0.2	25.7	<0.01	0.07	2.0	0.041
ZZ100202		35.6	690	20.3	10.3	<0.001	0.03	1.10	3.2	0.8	0.4	18.8	<0.01	0.07	3.1	0.045

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ99850		0.06	1.06	28	0.15	4.88	74	<0.5	0.003
ZZ99851		0.05	0.87	22	0.08	2.50	81	<0.5	<0.001
ZZ99852		0.03	0.90	5	<0.05	5.88	82	0.9	0.005
ZZ99853		0.03	0.78	7	<0.05	8.64	65	1.3	<0.001
ZZ99854		0.05	1.34	9	0.08	16.60	80	1.8	0.001
ZZ99855		0.03	0.97	10	<0.05	8.25	78	1.9	<0.001
ZZ99856		0.08	1.48	15	0.13	12.05	75	0.8	<0.001
ZZ99857		0.06	1.46	5	0.06	7.60	55	1.6	0.003
ZZ99858		0.06	2.69	6	0.06	10.15	80	1.8	0.002
ZZ99859		0.04	2.00	7	<0.05	9.60	81	2.0	<0.001
ZZ99860		0.03	1.01	15	0.06	2.79	96	1.6	<0.001
ZZ99861		<0.02	0.85	9	<0.05	2.97	99	2.1	<0.001
ZZ99862		<0.02	0.95	2	<0.05	1.72	17	1.2	<0.001
ZZ99863		<0.02	0.79	12	<0.05	3.18	89	2.0	0.001
ZZ99864		0.15	13.20	50	0.07	19.80	233	1.8	0.035
ZZ99865		<0.02	0.24	5	<0.05	0.57	13	<0.5	<0.001
ZZ100179		0.12	0.56	72	0.26	3.18	85	1.5	<0.001
ZZ100180		0.16	0.91	63	0.25	5.22	96	0.5	<0.001
ZZ100181		0.18	1.86	47	0.19	6.60	134	1.6	0.005
ZZ100182		0.13	0.60	55	0.19	2.57	90	<0.5	0.001
ZZ100183		0.17	1.28	57	0.17	4.47	87	<0.5	0.004
ZZ100184		0.11	1.06	40	0.23	4.08	70	<0.5	0.004
ZZ100185		0.13	1.06	45	0.20	9.94	85	<0.5	0.003
ZZ100186		0.09	1.05	39	0.24	5.06	63	<0.5	0.005
ZZ100187		0.16	1.48	53	0.18	9.89	86	<0.5	0.005
ZZ100188		0.28	2.73	67	0.12	3.66	99	3.9	0.044
ZZ100189		0.14	0.91	53	0.15	2.76	90	0.7	0.004
ZZ100190		0.15	0.66	50	0.18	1.94	65	<0.5	0.001
ZZ100191		0.13	0.64	46	0.23	2.35	60	<0.5	0.002
ZZ100192		0.09	1.17	43	0.21	5.22	89	<0.5	0.010
ZZ100193		0.14	2.78	48	0.22	9.08	91	1.3	0.006
ZZ100194		0.08	0.82	42	0.17	4.20	65	<0.5	0.004
ZZ100195		0.16	0.95	50	0.19	2.68	61	<0.5	0.005
ZZ100196		0.17	1.27	56	0.16	2.87	79	0.8	0.003
ZZ100197		0.19	1.66	46	0.10	2.58	132	<0.5	0.039
ZZ100198		0.09	0.88	35	0.12	3.76	91	<0.5	0.006
ZZ100199		0.15	1.92	33	0.13	9.25	84	1.8	<0.001
ZZ100200		0.16	3.52	37	0.17	9.35	82	3.4	0.015
ZZ100201		0.19	0.98	39	0.16	6.78	115	3.9	0.034
ZZ100202		0.14	0.93	48	0.20	4.81	92	0.8	0.004

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ100203		0.26	0.63	1.00	9.7	<0.2	<10	410	0.36	0.22	1.94	0.96	19.90	9.1	22	1.22
ZZ100204		0.23	0.37	0.75	4.7	<0.2	<10	380	0.31	0.15	2.35	0.39	12.50	6.0	14	0.43
ZZ100205		0.33	0.18	1.32	8.5	<0.2	<10	280	0.34	0.23	0.21	0.47	27.9	14.7	26	1.13
ZZ100206		0.28	0.07	0.82	4.4	<0.2	<10	200	0.11	0.18	0.09	0.11	16.60	18.0	13	1.80
ZZ100207		0.37	0.51	1.33	14.7	<0.2	<10	200	0.34	0.28	0.06	0.48	31.6	20.4	26	2.38
ZZ100208		0.34	0.24	1.11	13.3	<0.2	<10	320	0.39	0.22	0.38	0.22	28.7	8.6	25	1.11
ZZ100209		0.46	0.15	2.49	13.4	<0.2	<10	370	0.47	0.30	0.07	0.08	75.5	22.5	27	7.25
ZZ100210		0.45	0.17	2.00	32.1	<0.2	<10	230	0.38	0.46	0.05	0.20	55.0	27.7	28	6.57
ZZ100211		0.34	0.09	1.07	11.1	<0.2	<10	80	0.26	0.26	0.05	0.15	22.6	7.4	20	1.11
ZZ100212		0.34	0.12	1.00	21.3	<0.2	<10	90	0.31	0.41	0.06	0.24	24.1	10.8	17	1.85
ZZ100213		0.44	0.05	1.32	28.4	<0.2	<10	30	0.36	0.50	0.04	0.08	31.9	21.7	20	1.25
ZZ100214		0.49	0.04	1.58	22.2	<0.2	<10	40	0.35	0.49	0.03	0.09	30.1	18.3	25	1.93
ZZ100215		0.45	0.05	1.56	34.0	<0.2	<10	40	0.48	0.62	0.04	0.06	34.1	37.4	25	1.88
ZZ100216		0.43	0.04	1.71	17.9	<0.2	<10	60	0.49	0.68	0.06	0.11	28.6	23.7	28	2.28
ZZ100217		0.44	0.12	1.41	11.1	<0.2	<10	90	0.48	0.51	0.19	0.19	38.0	17.4	24	1.48
ZZ100218		0.36	0.04	1.08	12.2	<0.2	<10	70	0.16	0.32	0.04	0.09	20.0	5.1	22	1.19
ZZ100219		0.36	0.02	1.13	13.6	<0.2	<10	100	0.29	0.29	0.03	0.08	40.6	9.4	14	1.18
ZZ100220		0.37	0.08	1.21	5.8	<0.2	<10	50	0.26	0.51	0.04	0.07	26.3	13.2	20	1.49
ZZ100221		0.34	0.06	1.38	2.6	<0.2	<10	40	0.17	0.29	0.07	0.07	11.15	15.1	24	0.54
ZZ100222		0.59	0.02	1.86	46.8	<0.2	<10	30	0.50	0.66	0.04	0.03	57.7	39.5	26	1.50
ZZ100223		0.38	0.08	1.78	32.1	<0.2	<10	40	0.33	0.44	0.02	0.09	35.0	19.8	27	1.63
ZZ100224		0.33	0.09	0.86	14.1	<0.2	<10	50	0.13	0.34	0.04	0.12	21.6	6.4	17	1.43
ZZ100225		0.30	0.07	0.98	11.8	<0.2	<10	30	0.14	0.34	0.03	0.07	24.3	8.5	17	1.03
ZZ100226		0.37	0.07	1.11	13.6	<0.2	<10	60	0.21	0.35	0.04	0.10	16.90	16.6	22	1.31
ZZ100227		0.39	0.07	1.67	12.4	<0.2	<10	50	0.25	0.39	0.02	0.08	19.90	21.5	25	1.15
ZZ100228		0.33	0.05	1.47	17.7	<0.2	<10	40	0.24	0.35	0.02	0.12	25.1	14.2	22	0.85
ZZ100229		0.40	0.06	1.35	19.4	<0.2	<10	40	0.25	0.40	0.07	0.06	19.00	19.3	20	1.32
ZZ100230		0.26	0.07	1.14	14.2	<0.2	<10	80	0.27	0.19	0.07	0.17	21.8	11.9	22	0.76
ZZ100231		0.33	0.05	1.52	17.7	<0.2	<10	30	0.31	0.36	0.03	0.06	30.9	20.6	20	0.45
ZZ100232		0.39	0.04	1.06	14.9	<0.2	<10	100	0.28	0.32	0.22	0.13	18.30	8.1	18	0.85
ZZ100233		0.32	0.09	0.33	24.2	<0.2	<10	30	0.20	0.24	0.91	0.09	10.50	13.5	5	0.16
ZZ100234		0.32	0.12	0.79	20.6	<0.2	<10	30	0.28	0.37	0.81	0.05	18.50	13.6	11	0.36
ZZ100235		0.33	0.12	0.66	28.6	<0.2	<10	70	0.35	0.26	4.78	0.17	22.5	13.5	9	0.33
ZZ100236		0.35	0.11	0.73	19.0	<0.2	<10	50	0.33	0.30	1.96	0.15	25.2	16.2	10	0.32
ZZ100237		0.25	0.07	0.23	5.0	<0.2	<10	30	0.13	0.05	14.85	0.18	8.17	1.6	3	0.15
ZZ100238		0.27	0.11	0.48	21.9	<0.2	<10	40	0.35	0.24	7.74	0.12	34.0	9.9	6	0.39
ZZ100239		0.35	0.06	1.13	17.1	<0.2	<10	30	0.28	0.43	0.23	0.03	16.65	15.4	15	0.66
ZZ100240		0.26	0.14	0.32	15.9	<0.2	<10	40	0.25	0.38	1.28	0.05	12.40	11.8	5	0.47
ZZ100241		0.31	0.09	0.36	20.8	<0.2	<10	60	0.33	0.61	0.19	0.12	10.65	18.3	6	0.62
ZZ100242		0.42	0.04	0.68	18.4	<0.2	<10	20	0.22	0.40	3.19	0.04	18.15	18.2	10	0.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ100203		79.1	2.32	2.95	<0.05	0.04	0.18	0.020	0.09	11.6	8.7	0.59	449	1.27	0.01	0.77
ZZ100204		62.2	1.47	2.06	<0.05	0.04	0.15	0.015	0.06	7.3	6.0	0.41	508	1.29	0.01	0.46
ZZ100205		30.7	2.77	4.55	<0.05	<0.02	0.03	0.023	0.13	13.8	14.7	0.49	732	1.77	<0.01	0.62
ZZ100206		67.2	2.13	2.86	0.05	<0.02	0.05	0.017	0.19	7.2	9.9	0.56	2640	0.62	<0.01	0.33
ZZ100207		91.5	3.96	4.05	0.05	<0.02	0.05	0.026	0.12	15.1	12.8	0.45	1720	2.95	<0.01	0.89
ZZ100208		53.5	2.62	3.49	<0.05	0.03	0.13	0.020	0.07	15.4	11.6	0.47	549	1.62	<0.01	1.00
ZZ100209		162.5	6.67	7.01	0.10	0.02	0.17	0.031	0.41	23.4	28.6	0.90	3420	2.60	<0.01	0.91
ZZ100210		146.5	5.82	6.06	0.10	<0.02	0.15	0.030	0.35	21.5	17.3	0.76	4920	8.24	<0.01	0.91
ZZ100211		30.0	2.70	4.52	<0.05	<0.02	0.06	0.022	0.06	11.1	9.5	0.21	817	2.16	<0.01	0.33
ZZ100212		46.4	3.02	4.48	<0.05	<0.02	0.05	0.020	0.08	12.3	5.8	0.16	851	3.55	<0.01	0.12
ZZ100213		44.4	4.25	4.17	0.06	0.05	0.03	0.023	0.03	16.4	45.0	0.50	1150	0.96	<0.01	0.07
ZZ100214		34.7	3.84	4.77	0.05	<0.02	0.02	0.022	0.03	15.2	47.2	0.56	961	0.88	<0.01	0.18
ZZ100215		59.3	4.91	5.02	0.07	0.02	0.04	0.026	0.03	16.8	52.4	0.59	2550	1.33	<0.01	0.11
ZZ100216		55.5	4.02	5.26	0.05	<0.02	0.04	0.022	0.03	14.0	42.4	0.58	1700	1.55	<0.01	0.25
ZZ100217		76.7	3.11	4.39	0.07	<0.02	0.05	0.018	0.04	19.1	28.5	0.49	1620	1.77	<0.01	0.34
ZZ100218		28.0	2.41	6.62	<0.05	<0.02	0.06	0.022	0.04	10.8	5.7	0.18	355	2.12	<0.01	0.53
ZZ100219		26.3	2.48	4.42	0.05	<0.02	0.05	0.017	0.06	20.2	9.5	0.13	1150	1.25	<0.01	0.84
ZZ100220		35.4	2.40	4.69	<0.05	<0.02	0.05	0.017	0.05	13.1	17.7	0.36	1020	1.13	<0.01	0.19
ZZ100221		35.2	3.17	4.53	<0.05	0.02	0.08	0.017	0.04	5.1	33.2	0.46	710	1.11	0.01	0.21
ZZ100222		63.3	5.32	5.82	0.10	0.02	0.01	0.032	0.03	29.1	61.2	0.68	2040	1.66	<0.01	<0.05
ZZ100223		31.7	4.20	5.97	0.05	0.02	0.03	0.023	0.04	17.3	47.6	0.58	1040	0.85	<0.01	0.38
ZZ100224		18.3	2.38	4.46	<0.05	<0.02	0.06	0.020	0.05	11.3	8.1	0.14	443	1.28	<0.01	0.29
ZZ100225		19.8	3.32	4.43	0.05	<0.02	0.05	0.019	0.03	12.2	19.8	0.26	414	0.93	<0.01	0.45
ZZ100226		25.9	3.75	4.69	<0.05	<0.02	0.06	0.022	0.04	8.3	21.5	0.28	1770	1.02	<0.01	0.25
ZZ100227		39.7	4.19	5.29	<0.05	<0.02	0.02	0.022	0.03	9.6	44.4	0.52	1660	0.86	<0.01	0.21
ZZ100228		29.4	3.69	4.41	0.05	0.02	0.04	0.020	0.02	12.0	37.5	0.44	633	0.67	<0.01	0.24
ZZ100229		42.3	3.85	3.89	0.05	0.06	0.02	0.020	0.03	9.3	45.6	0.52	1100	0.51	<0.01	0.10
ZZ100230		23.6	2.85	4.07	<0.05	<0.02	0.05	0.020	0.03	10.2	17.6	0.31	656	0.93	<0.01	0.46
ZZ100231		37.7	4.20	4.19	0.07	0.05	0.01	0.020	0.03	14.1	52.8	0.62	939	0.40	<0.01	0.08
ZZ100232		16.8	2.71	3.76	<0.05	<0.02	0.02	0.024	0.04	9.1	15.4	0.23	460	0.80	<0.01	0.28
ZZ100233		24.5	2.59	0.87	<0.05	0.04	0.04	0.018	0.02	5.3	5.0	0.09	683	0.40	<0.01	0.06
ZZ100234		35.7	2.83	2.03	<0.05	0.05	0.05	0.017	0.03	12.0	15.8	0.28	327	0.48	<0.01	0.09
ZZ100235		22.1	2.53	1.65	<0.05	0.04	0.06	0.024	0.03	13.5	4.3	0.18	1010	0.94	0.01	0.26
ZZ100236		23.6	2.90	1.94	0.05	0.06	0.04	0.024	0.03	14.8	8.0	0.25	1130	0.71	<0.01	0.16
ZZ100237		9.4	0.45	0.52	<0.05	0.02	0.08	0.007	0.03	4.8	1.1	0.09	189	0.27	<0.01	0.12
ZZ100238		23.8	2.50	1.20	0.05	0.04	0.07	0.025	0.03	24.1	2.6	0.12	282	0.55	<0.01	0.10
ZZ100239		42.9	3.71	3.15	<0.05	0.09	0.03	0.021	0.02	8.9	40.7	0.40	540	0.50	<0.01	0.07
ZZ100240		30.8	2.95	0.75	<0.05	0.05	0.06	0.027	0.02	7.5	2.3	0.08	812	0.68	<0.01	0.11
ZZ100241		41.4	5.13	1.06	<0.05	0.02	0.02	0.028	0.02	6.1	2.1	0.08	1360	0.63	<0.01	0.15
ZZ100242		41.0	3.64	2.00	<0.05	0.07	0.01	0.023	0.02	9.4	23.6	0.30	585	0.48	<0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ100203		34.9	850	16.1	9.8	0.001	0.08	1.18	1.8	2.0	0.2	28.8	<0.01	0.06	0.5	0.031
ZZ100204		23.4	1170	9.9	5.6	<0.001	0.14	1.21	1.0	1.4	<0.2	38.3	<0.01	0.05	0.3	0.015
ZZ100205		26.0	520	13.8	16.0	<0.001	0.03	0.62	1.5	0.6	0.4	19.4	<0.01	0.06	0.3	0.031
ZZ100206		46.6	320	9.0	17.4	<0.001	0.02	0.53	2.1	0.5	<0.2	15.7	<0.01	0.06	0.9	0.051
ZZ100207		40.6	670	21.6	18.2	<0.001	0.06	1.55	2.2	1.2	0.3	25.6	<0.01	0.11	2.4	0.054
ZZ100208		30.4	860	12.8	10.1	<0.001	0.03	1.05	2.9	0.8	0.3	25.2	<0.01	0.06	2.3	0.044
ZZ100209		39.6	660	27.9	62.4	<0.001	0.08	0.71	5.6	1.2	0.4	39.3	<0.01	0.22	4.5	0.153
ZZ100210		42.7	1020	34.4	49.2	<0.001	0.17	1.84	2.8	1.6	0.3	51.4	<0.01	0.41	1.5	0.089
ZZ100211		15.7	690	10.1	11.0	<0.001	0.05	0.71	0.5	0.6	0.4	8.5	<0.01	0.08	<0.2	0.018
ZZ100212		22.6	1490	22.5	17.1	<0.001	0.07	0.87	0.2	1.0	0.4	15.5	<0.01	0.13	<0.2	0.005
ZZ100213		38.3	590	27.3	2.9	<0.001	0.02	0.57	2.0	0.4	<0.2	6.4	<0.01	0.07	2.7	0.007
ZZ100214		31.1	600	28.9	4.9	<0.001	0.03	0.55	1.3	0.4	0.2	5.3	<0.01	0.04	0.7	0.015
ZZ100215		43.8	590	54.4	2.9	<0.001	0.02	0.48	2.6	0.3	0.2	6.4	<0.01	0.06	3.1	0.018
ZZ100216		36.5	770	34.0	4.9	<0.001	0.03	0.43	1.9	0.5	0.2	7.4	<0.01	0.07	0.9	0.023
ZZ100217		32.5	1220	21.2	5.8	<0.001	0.02	0.58	1.8	0.7	0.3	20.2	<0.01	0.08	1.3	0.039
ZZ100218		14.4	690	13.8	6.2	<0.001	0.05	0.71	0.7	0.8	0.7	8.0	<0.01	0.05	<0.2	0.028
ZZ100219		13.6	400	12.7	11.5	<0.001	0.02	0.54	1.4	0.6	0.5	5.3	<0.01	0.05	2.3	0.018
ZZ100220		19.0	840	9.8	7.0	<0.001	0.08	0.46	0.5	0.6	0.4	6.5	<0.01	0.04	<0.2	0.020
ZZ100221		26.4	1100	24.6	3.1	<0.001	0.10	0.32	0.9	0.5	0.2	6.7	<0.01	0.04	0.3	0.012
ZZ100222		48.2	460	59.5	2.1	<0.001	0.01	0.37	3.2	<0.2	<0.2	5.7	<0.01	0.07	8.5	0.006
ZZ100223		26.1	430	28.0	6.9	<0.001	0.02	0.43	2.0	0.4	0.2	4.7	<0.01	0.03	3.1	0.015
ZZ100224		13.4	820	20.2	7.2	<0.001	0.07	0.62	0.4	0.5	0.4	6.2	<0.01	0.04	<0.2	0.014
ZZ100225		16.1	580	25.8	5.7	<0.001	0.03	0.46	1.0	0.3	0.3	4.8	<0.01	0.04	0.6	0.017
ZZ100226		21.4	920	35.3	5.5	<0.001	0.05	0.55	0.6	0.5	0.3	4.9	<0.01	0.04	<0.2	0.020
ZZ100227		29.8	1000	40.7	5.0	<0.001	0.03	0.46	1.1	0.4	0.2	4.5	<0.01	0.05	0.5	0.018
ZZ100228		26.5	600	24.5	4.1	<0.001	0.03	0.47	0.9	0.4	0.2	4.9	<0.01	0.03	0.7	0.014
ZZ100229		33.3	560	26.6	2.5	<0.001	0.02	0.45	1.4	0.2	<0.2	9.7	<0.01	0.04	1.3	0.008
ZZ100230		20.6	620	25.8	5.7	<0.001	0.04	0.59	0.8	0.6	0.3	9.7	<0.01	0.03	0.3	0.027
ZZ100231		32.1	430	27.6	2.2	<0.001	0.02	0.57	1.6	0.4	<0.2	7.3	<0.01	0.03	2.8	0.006
ZZ100232		18.1	860	19.9	7.3	<0.001	0.05	0.52	0.7	0.3	0.3	15.3	<0.01	0.03	0.2	0.015
ZZ100233		26.3	620	16.5	1.4	<0.001	0.05	0.74	1.6	0.7	<0.2	48.7	<0.01	0.06	0.7	<0.005
ZZ100234		29.3	680	24.9	2.4	<0.001	0.05	0.67	1.4	0.5	<0.2	33.8	<0.01	0.05	1.0	0.005
ZZ100235		26.0	1510	15.1	2.9	<0.001	0.12	0.88	1.2	1.0	0.2	183.5	<0.01	0.09	0.6	0.011
ZZ100236		28.1	1170	19.7	2.6	<0.001	0.06	1.01	1.8	0.7	0.2	63.1	<0.01	0.07	1.1	0.009
ZZ100237		7.0	1230	3.2	1.3	<0.001	0.14	0.63	0.4	0.6	<0.2	614	<0.01	0.01	0.2	0.005
ZZ100238		25.5	1200	14.6	2.1	<0.001	0.08	1.87	1.0	0.9	0.2	237	<0.01	0.07	0.9	0.005
ZZ100239		30.8	480	31.7	2.4	<0.001	0.02	0.32	1.7	0.4	<0.2	15.6	<0.01	0.04	1.8	<0.005
ZZ100240		25.3	790	36.0	1.7	<0.001	0.09	0.95	1.8	0.8	<0.2	51.9	<0.01	0.07	0.8	0.005
ZZ100241		34.4	700	30.4	2.5	<0.001	0.04	0.43	2.9	0.6	<0.2	13.3	<0.01	0.05	1.0	0.008
ZZ100242		31.0	520	25.0	1.0	<0.001	0.03	0.47	2.0	0.2	<0.2	130.0	<0.01	0.05	2.6	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ100203		0.15	1.95	34	0.15	9.07	114	1.3	0.004
ZZ100204		0.09	1.75	19	0.12	7.53	67	1.7	0.004
ZZ100205		0.14	0.74	44	0.25	3.04	104	<0.5	0.034
ZZ100206		0.13	0.40	17	<0.05	3.82	55	<0.5	<0.001
ZZ100207		0.21	1.11	39	0.20	3.47	105	0.7	0.004
ZZ100208		0.11	1.60	36	0.21	7.44	90	1.2	0.125
ZZ100209		0.51	1.30	48	0.11	5.84	87	0.8	0.006
ZZ100210		0.38	2.58	49	0.14	5.40	93	0.7	0.007
ZZ100211		0.08	0.80	37	0.13	2.19	53	<0.5	0.001
ZZ100212		0.09	1.71	37	0.11	3.03	81	<0.5	0.002
ZZ100213		0.02	0.97	14	<0.05	2.79	103	1.2	<0.001
ZZ100214		0.05	0.94	22	0.08	3.19	85	<0.5	<0.001
ZZ100215		0.03	1.38	20	0.05	3.61	103	0.7	<0.001
ZZ100216		0.05	1.57	28	0.11	3.81	96	<0.5	<0.001
ZZ100217		0.07	2.25	34	0.17	6.59	81	<0.5	0.002
ZZ100218		0.16	0.96	62	0.21	2.49	51	<0.5	0.001
ZZ100219		0.13	0.49	34	0.17	2.03	47	<0.5	<0.001
ZZ100220		0.11	1.03	32	0.13	2.12	57	<0.5	<0.001
ZZ100221		0.05	0.67	21	<0.05	1.35	67	0.6	<0.001
ZZ100222		0.02	1.13	16	<0.05	3.38	116	1.4	<0.001
ZZ100223		0.06	0.80	26	0.08	2.40	88	0.6	<0.001
ZZ100224		0.11	0.79	35	0.12	1.61	56	<0.5	<0.001
ZZ100225		0.06	0.60	24	0.10	1.25	60	<0.5	<0.001
ZZ100226		0.05	0.69	30	0.10	1.49	68	<0.5	<0.001
ZZ100227		0.05	0.77	26	0.08	2.06	88	<0.5	<0.001
ZZ100228		0.04	0.69	21	0.07	2.02	79	<0.5	<0.001
ZZ100229		0.02	0.67	15	<0.05	2.12	92	1.4	<0.001
ZZ100230		0.06	0.72	39	0.22	2.56	71	<0.5	0.001
ZZ100231		0.02	0.70	13	<0.05	2.26	91	1.3	<0.001
ZZ100232		0.07	0.59	32	0.14	2.83	78	<0.5	<0.001
ZZ100233		0.02	0.54	6	<0.05	8.11	63	1.1	0.001
ZZ100234		0.02	0.85	10	<0.05	8.28	67	1.4	0.001
ZZ100235		0.05	1.16	17	0.10	12.90	76	1.3	0.003
ZZ100236		0.04	0.74	15	0.06	11.30	73	1.6	0.004
ZZ100237		0.03	1.00	5	<0.05	5.70	52	1.0	<0.001
ZZ100238		0.05	1.06	9	0.06	12.25	65	1.1	0.003
ZZ100239		0.02	0.94	10	<0.05	3.99	94	2.5	0.001
ZZ100240		0.03	1.22	7	0.05	11.15	63	1.4	0.001
ZZ100241		0.02	0.70	15	<0.05	8.21	89	0.5	<0.001
ZZ100242		<0.02	0.88	7	<0.05	4.05	85	2.6	<0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ100243		0.36	0.19	1.34	17.1	<0.2	<10	90	0.28	0.56	0.18	0.19	12.85	15.0	20	1.14
ZZ100244		0.44	0.04	0.83	10.7	<0.2	<10	40	0.30	0.45	0.12	0.03	18.15	14.5	15	0.99
ZZ100245		0.40	0.88	0.73	31.6	<0.2	<10	60	0.28	0.45	0.53	0.89	20.3	17.9	13	0.54
ZZ100246		0.60	0.04	0.09	87.1	<0.2	<10	70	<0.05	0.07	0.11	0.13	5.72	7.0	19	0.10
ZZ100247		0.38	0.16	0.88	27.4	<0.2	<10	100	0.27	0.29	0.04	0.19	36.0	14.4	13	0.72
ZZ100248		0.45	1.64	0.68	106.5	<0.2	<10	90	0.31	0.74	0.13	0.75	40.9	20.4	11	0.87
ZZ100249		0.33	0.13	0.96	32.4	<0.2	<10	80	0.33	0.33	0.06	0.25	30.2	13.2	19	1.05
ZZ100250		0.36	0.13	0.64	9.7	<0.2	<10	60	0.27	0.34	0.08	0.27	39.9	12.2	13	0.53
ZZ99379		0.24	0.09	0.96	7.0	<0.2	<10	100	0.22	0.23	0.48	0.16	21.7	5.9	15	0.86
ZZ99380		0.34	0.08	1.72	2.8	0.3	<10	60	0.25	0.44	0.06	0.03	25.8	16.8	24	1.32
ZZ99381		0.28	0.07	1.06	10.2	<0.2	<10	130	0.24	0.24	0.15	0.10	26.5	8.2	20	1.10
ZZ99382		0.20	0.04	1.16	13.3	<0.2	<10	100	0.22	0.25	0.08	0.12	20.1	6.3	21	1.63
ZZ99383		0.40	0.08	1.41	12.8	<0.2	<10	160	0.35	0.20	0.11	0.20	29.4	8.1	26	0.96
ZZ99384		0.43	0.06	1.52	12.5	<0.2	<10	190	0.46	0.24	0.09	0.21	31.1	9.2	25	1.11
ZZ99385		0.39	0.09	1.39	13.6	<0.2	<10	130	0.37	0.28	0.10	0.15	26.7	11.0	25	1.67
ZZ99386		0.21	0.09	1.36	13.8	<0.2	<10	120	0.34	0.27	0.10	0.17	27.6	13.7	24	1.26
ZZ99387		0.48	0.20	1.26	13.4	<0.2	<10	130	0.29	0.24	0.34	0.51	31.3	12.2	23	1.44
ZZ99388		0.29	0.07	1.46	12.4	<0.2	<10	100	0.30	0.24	0.10	0.34	25.0	10.4	26	1.21
ZZ99389		0.17	0.78	1.45	12.4	<0.2	<10	180	0.33	0.27	0.40	0.51	24.2	10.7	26	2.23
ZZ99390		0.37	0.09	1.32	8.9	<0.2	<10	100	0.24	0.24	0.06	0.21	21.2	6.4	24	1.65
ZZ99391		0.63	0.15	1.65	10.2	<0.2	<10	160	0.27	0.21	0.20	0.31	42.2	17.1	25	2.70
ZZ99392		0.29	0.25	2.39	14.6	<0.2	<10	200	0.41	0.36	0.10	0.18	30.3	18.1	36	4.21
ZZ99393		0.34	0.29	2.58	17.7	<0.2	<10	200	0.38	0.39	0.13	0.16	32.2	21.3	36	4.88
ZZ99394		0.30	0.13	2.20	17.0	<0.2	<10	210	0.42	0.39	0.07	0.11	29.9	23.9	32	3.79
ZZ99395		0.37	0.75	1.35	12.7	<0.2	<10	230	0.28	0.26	0.09	0.49	45.5	15.7	25	1.60
ZZ99396		0.23	1.03	1.17	7.6	<0.2	<10	210	0.23	0.25	0.03	0.28	27.6	3.8	19	1.30
ZZ99397		0.28	0.33	1.19	11.2	<0.2	<10	160	0.22	0.26	0.05	0.20	34.3	5.7	24	1.61
ZZ99398		0.27	0.28	1.27	12.2	<0.2	<10	180	0.27	0.25	0.10	0.64	35.4	16.0	24	1.33
ZZ99399		0.25	0.77	1.19	10.4	<0.2	<10	130	0.28	0.23	0.09	0.49	31.1	14.0	25	1.56
ZZ99400		0.30	0.73	1.40	13.9	<0.2	<10	260	0.26	0.25	0.08	0.83	35.9	11.0	26	2.02
ZZ99401		0.29	0.16	1.12	10.4	<0.2	<10	160	0.27	0.19	0.18	0.77	36.9	18.0	23	1.33
ZZ99402		0.37	0.20	1.40	16.3	<0.2	<10	180	0.29	0.27	0.09	0.24	36.6	11.2	26	1.95
ZZ99403		0.28	0.35	1.27	18.1	<0.2	<10	240	0.26	0.35	0.16	0.46	39.6	13.8	25	1.69
ZZ99404		0.10	0.75	0.89	10.8	<0.2	<10	780	0.31	0.16	2.04	0.63	17.45	10.0	19	0.90
ZZ99405		0.33	0.14	1.14	14.7	<0.2	<10	190	0.27	0.23	0.33	0.40	33.2	15.1	25	1.35
ZZ99406		0.34	0.20	1.31	6.7	<0.2	<10	250	0.35	0.18	0.41	0.26	29.3	8.9	27	0.95
ZZ99407		0.24	0.21	1.25	5.5	<0.2	<10	360	0.30	0.20	0.36	0.41	19.60	9.8	24	0.96
ZZ99408		0.24	0.08	1.20	12.5	<0.2	<10	150	0.32	0.24	0.23	0.28	32.3	12.5	22	1.29
ZZ99409		0.25	0.19	1.32	10.7	<0.2	<10	280	0.34	0.23	0.80	0.30	23.1	11.4	25	0.83
ZZ99410		0.34	0.11	1.46	6.8	<0.2	<10	210	0.34	0.28	0.32	0.10	30.9	11.5	29	1.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ100243		25.8	4.01	4.81	<0.05	0.02	0.09	0.020	0.05	6.6	40.4	0.37	1500	0.72	<0.01	0.35
ZZ100244		30.8	3.55	2.66	<0.05	0.06	0.01	0.019	0.03	9.3	33.5	0.35	521	0.43	<0.01	0.10
ZZ100245		172.5	3.76	2.16	0.06	0.04	0.09	0.029	0.06	11.7	17.1	0.29	1540	8.98	<0.01	0.05
ZZ100246		25.5	1.13	0.42	<0.05	<0.02	0.11	0.010	0.02	1.9	0.5	0.01	4170	2.19	<0.01	0.07
ZZ100247		62.0	3.05	3.06	0.05	<0.02	0.06	0.029	0.03	14.7	8.1	0.15	3150	4.55	<0.01	0.54
ZZ100248		167.5	3.75	1.95	0.06	0.02	0.10	0.047	0.04	21.0	3.4	0.06	1220	5.23	<0.01	0.15
ZZ100249		52.9	3.03	3.24	0.05	<0.02	0.04	0.029	0.04	14.4	8.7	0.20	766	1.98	<0.01	0.36
ZZ100250		55.9	2.90	2.10	0.05	<0.02	0.02	0.017	0.03	19.5	15.9	0.26	755	1.60	<0.01	0.14
ZZ99379		16.6	1.92	3.48	<0.05	<0.02	0.04	0.016	0.03	10.8	15.5	0.23	298	0.72	<0.01	0.58
ZZ99380		20.6	3.80	5.10	0.05	0.03	0.02	0.015	0.02	12.4	68.2	0.69	389	0.58	<0.01	0.27
ZZ99381		17.3	2.47	3.52	<0.05	<0.02	0.05	0.019	0.04	13.4	14.9	0.33	376	0.76	<0.01	0.76
ZZ99382		13.7	2.46	4.69	<0.05	<0.02	0.03	0.022	0.04	10.5	11.7	0.29	335	1.03	<0.01	0.53
ZZ99383		25.6	2.76	4.29	<0.05	0.02	0.05	0.025	0.04	14.8	14.3	0.41	367	0.89	<0.01	0.87
ZZ99384		20.7	2.74	5.48	0.05	0.03	0.05	0.024	0.04	15.6	17.0	0.34	598	1.22	<0.01	1.14
ZZ99385		24.3	3.04	4.65	<0.05	<0.02	0.04	0.025	0.04	13.3	18.6	0.38	625	1.07	<0.01	0.60
ZZ99386		28.1	2.94	4.60	<0.05	<0.02	0.05	0.023	0.04	13.8	17.8	0.41	854	1.31	<0.01	0.57
ZZ99387		77.9	2.86	4.23	0.05	<0.02	0.11	0.025	0.07	16.5	15.5	0.48	813	2.21	<0.01	0.44
ZZ99388		30.5	2.74	5.53	<0.05	<0.02	0.06	0.026	0.05	12.7	15.4	0.40	1100	1.91	<0.01	0.49
ZZ99389		125.0	2.69	4.71	0.06	<0.02	0.40	0.036	0.12	14.8	20.5	0.79	1420	5.62	<0.01	0.20
ZZ99390		53.5	2.47	4.54	<0.05	<0.02	0.07	0.022	0.07	11.4	13.3	0.37	509	1.79	<0.01	0.22
ZZ99391		108.0	3.34	4.94	0.07	<0.02	0.15	0.021	0.22	22.0	22.2	0.97	1800	1.85	0.01	0.58
ZZ99392		112.5	4.32	7.04	0.06	<0.02	0.20	0.032	0.15	16.6	34.8	1.24	1680	2.84	0.01	0.42
ZZ99393		109.0	4.69	7.68	0.06	<0.02	0.19	0.035	0.15	17.6	36.6	1.50	2010	2.55	0.01	0.49
ZZ99394		100.0	4.34	6.56	0.06	<0.02	0.13	0.030	0.12	15.3	36.0	1.24	2920	1.80	0.01	0.38
ZZ99395		85.5	3.35	4.06	0.06	<0.02	0.18	0.025	0.13	22.6	10.0	0.39	1160	4.05	0.01	0.59
ZZ99396		48.8	2.37	4.35	<0.05	<0.02	0.13	0.021	0.09	14.1	4.0	0.15	431	3.98	0.01	0.37
ZZ99397		57.0	3.45	4.71	<0.05	<0.02	0.10	0.023	0.08	17.3	7.0	0.23	358	4.15	0.01	0.87
ZZ99398		98.5	3.71	3.69	0.05	0.02	0.11	0.022	0.09	17.3	9.7	0.39	708	4.27	0.01	0.76
ZZ99399		64.6	4.56	4.23	0.05	<0.02	0.09	0.022	0.08	15.5	8.4	0.30	870	2.86	0.01	0.73
ZZ99400		68.5	3.33	4.56	0.05	<0.02	0.11	0.066	0.14	17.1	10.0	0.45	1400	3.74	0.01	0.80
ZZ99401		59.4	2.96	3.36	0.05	<0.02	0.07	0.022	0.11	18.1	9.4	0.38	1080	2.89	0.01	0.87
ZZ99402		65.8	3.34	4.12	<0.05	<0.02	0.08	0.023	0.12	17.3	10.9	0.42	778	3.86	0.01	1.02
ZZ99403		88.5	3.40	3.52	0.06	0.02	0.14	0.026	0.12	18.3	10.6	0.50	1580	3.78	0.01	0.81
ZZ99404		80.0	2.39	2.60	<0.05	0.06	0.47	0.017	0.07	9.5	5.7	0.44	2370	4.41	0.01	0.47
ZZ99405		63.2	3.27	3.44	0.05	<0.02	0.06	0.020	0.09	15.9	9.9	0.50	1540	2.53	0.01	0.80
ZZ99406		39.9	2.12	3.90	0.05	0.04	0.08	0.023	0.06	15.6	11.3	0.50	562	1.02	0.01	0.85
ZZ99407		29.0	2.10	3.58	<0.05	0.02	0.12	0.022	0.05	11.0	13.7	0.42	1200	1.05	<0.01	0.42
ZZ99408		23.4	2.79	3.82	<0.05	<0.02	0.04	0.022	0.05	16.1	14.4	0.40	812	1.03	0.01	0.71
ZZ99409		36.3	2.37	3.63	<0.05	0.06	0.08	0.022	0.06	12.1	19.3	0.53	791	1.87	0.01	0.61
ZZ99410		26.8	2.57	4.35	<0.05	0.04	0.06	0.022	0.07	15.8	23.4	0.56	523	0.98	0.01	0.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ100243		25.0	780	35.5	5.2	<0.001	0.06	0.42	1.2	0.4	0.2	12.9	<0.01	0.05	1.1	0.015
ZZ100244		31.5	450	17.5	2.3	<0.001	0.01	0.29	1.8	0.2	<0.2	11.3	<0.01	0.04	1.8	0.011
ZZ100245		52.6	3360	41.8	3.6	<0.001	0.09	1.73	0.7	3.3	<0.2	119.5	<0.01	0.35	0.6	0.007
ZZ100246		19.8	710	3.1	1.1	<0.001	0.02	0.32	0.7	0.4	<0.2	27.0	<0.01	0.03	0.3	<0.005
ZZ100247		32.9	580	10.3	6.7	<0.001	0.03	0.80	1.7	1.0	0.3	7.9	<0.01	0.18	0.9	0.021
ZZ100248		58.2	1540	129.5	5.2	<0.001	0.06	2.79	1.1	3.8	0.2	27.5	<0.01	0.27	0.9	0.008
ZZ100249		28.4	800	24.0	6.4	<0.001	0.04	1.18	0.9	1.0	0.3	11.0	<0.01	0.07	0.2	0.024
ZZ100250		25.7	680	13.5	2.9	<0.001	0.03	0.62	0.6	0.5	<0.2	10.0	<0.01	0.06	0.6	0.019
ZZ99379		16.5	600	17.3	5.5	<0.001	0.03	0.40	1.2	0.5	0.3	32.6	<0.01	0.02	0.6	0.022
ZZ99380		32.6	370	21.6	3.5	<0.001	0.01	0.17	1.6	0.3	<0.2	12.1	<0.01	0.03	3.0	0.012
ZZ99381		19.6	590	21.6	6.2	<0.001	0.01	0.43	2.0	0.5	0.3	14.8	<0.01	0.02	1.8	0.031
ZZ99382		14.3	590	17.3	6.9	<0.001	0.03	0.49	0.8	0.5	0.4	10.7	<0.01	0.03	<0.2	0.028
ZZ99383		23.7	690	16.4	6.8	<0.001	0.02	0.58	2.4	0.7	0.4	11.3	<0.01	0.03	1.1	0.037
ZZ99384		21.9	560	18.0	6.9	<0.001	0.01	0.59	2.8	0.7	0.5	11.2	<0.01	0.04	2.0	0.032
ZZ99385		22.6	780	22.9	7.2	<0.001	0.02	0.54	1.9	0.5	0.4	11.8	<0.01	0.02	0.6	0.032
ZZ99386		23.5	700	21.3	6.8	<0.001	0.02	0.58	2.0	0.6	0.4	12.7	<0.01	0.04	0.5	0.034
ZZ99387		26.8	1950	27.4	11.4	<0.001	0.03	0.91	2.0	1.3	0.5	49.5	<0.01	0.08	0.7	0.044
ZZ99388		19.1	890	16.4	10.7	<0.001	0.03	0.57	0.9	0.6	0.6	14.6	<0.01	0.05	0.2	0.034
ZZ99389		31.5	2490	49.8	17.7	<0.001	0.07	1.38	0.6	2.3	0.9	72.8	<0.01	0.17	<0.2	0.021
ZZ99390		17.6	870	20.5	12.9	<0.001	0.05	0.55	0.3	0.9	0.4	18.4	<0.01	0.08	<0.2	0.015
ZZ99391		32.6	1280	15.3	27.4	<0.001	0.02	0.79	3.1	1.1	0.3	39.6	<0.01	0.11	2.9	0.081
ZZ99392		30.8	1480	50.5	29.5	<0.001	0.05	0.80	2.1	1.5	0.6	29.3	<0.01	0.19	0.4	0.049
ZZ99393		33.8	1530	95.2	30.6	<0.001	0.05	0.78	2.6	1.5	0.7	34.3	<0.01	0.20	0.6	0.055
ZZ99394		42.8	1040	25.9	23.9	<0.001	0.04	0.57	2.3	1.1	0.3	26.5	<0.01	0.18	0.5	0.043
ZZ99395		38.0	770	24.5	15.4	<0.001	0.04	1.28	2.2	1.5	0.3	32.9	<0.01	0.12	2.6	0.038
ZZ99396		14.9	840	26.2	19.0	<0.001	0.07	1.01	0.6	1.1	0.7	23.4	<0.01	0.08	<0.2	0.020
ZZ99397		20.0	590	22.4	15.0	<0.001	0.03	1.12	1.5	1.4	0.6	20.4	<0.01	0.09	1.7	0.035
ZZ99398		37.7	820	21.3	11.5	<0.001	0.05	1.51	2.7	1.5	0.3	29.4	<0.01	0.12	3.1	0.050
ZZ99399		27.0	820	407	14.7	<0.001	0.07	1.11	1.8	1.7	0.4	22.1	<0.01	0.08	1.2	0.049
ZZ99400		26.9	690	202	19.6	<0.001	0.08	2.09	2.0	1.2	1.3	28.2	<0.01	0.16	1.6	0.050
ZZ99401		48.7	930	20.1	13.2	<0.001	0.05	1.21	2.0	1.2	0.3	26.0	<0.01	0.09	2.6	0.056
ZZ99402		25.4	770	22.2	16.7	<0.001	0.07	1.42	2.3	1.3	0.3	26.9	<0.01	0.15	2.6	0.055
ZZ99403		36.6	760	18.1	13.3	<0.001	0.06	1.50	2.7	1.2	0.2	26.3	<0.01	0.13	3.4	0.060
ZZ99404		32.3	1100	10.0	9.8	0.005	0.15	3.33	1.2	5.2	0.2	46.2	<0.01	0.07	0.6	0.025
ZZ99405		42.2	1170	18.0	12.4	<0.001	0.04	1.16	2.3	0.7	0.2	35.4	<0.01	0.11	1.8	0.055
ZZ99406		24.5	1130	11.3	9.6	<0.001	0.02	0.71	3.4	0.8	0.3	28.8	<0.01	0.04	1.9	0.042
ZZ99407		24.7	1400	10.7	11.7	<0.001	0.06	0.51	1.9	0.7	0.2	22.9	<0.01	0.04	0.5	0.020
ZZ99408		22.5	730	16.3	6.9	<0.001	0.01	0.60	2.2	0.7	0.3	17.2	<0.01	0.03	1.2	0.042
ZZ99409		27.4	1100	14.1	10.7	0.001	0.05	0.59	2.5	1.1	0.2	28.2	<0.01	0.04	1.5	0.020
ZZ99410		24.9	890	13.4	11.8	<0.001	0.01	0.45	2.8	0.4	0.3	22.1	<0.01	0.03	2.4	0.032

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ100243		0.05	0.58	22	0.07	1.31	78	0.7	0.001
ZZ100244		0.02	0.75	15	0.05	2.52	95	1.6	<0.001
ZZ100245		0.07	6.04	27	<0.05	11.25	196	1.1	0.013
ZZ100246		0.02	0.33	2	0.07	2.38	83	<0.5	<0.001
ZZ100247		0.05	0.80	28	0.13	2.91	71	<0.5	0.003
ZZ100248		0.09	3.13	19	0.07	6.33	177	0.5	0.017
ZZ100249		0.07	1.03	35	0.18	3.41	87	<0.5	0.004
ZZ100250		0.03	1.07	20	0.12	2.51	93	<0.5	0.004
ZZ99379		0.07	0.76	27	0.13	4.64	64	<0.5	0.002
ZZ99380		0.03	0.55	19	0.05	2.53	91	1.1	<0.001
ZZ99381		0.07	0.79	36	0.27	3.88	65	0.5	0.002
ZZ99382		0.09	0.63	44	0.20	2.20	54	<0.5	0.002
ZZ99383		0.10	0.99	44	0.19	6.05	76	0.6	0.003
ZZ99384		0.14	0.86	49	0.19	6.95	62	0.9	0.003
ZZ99385		0.08	0.97	43	0.21	4.84	73	<0.5	0.003
ZZ99386		0.10	1.05	44	0.21	4.17	74	<0.5	0.003
ZZ99387		0.14	3.09	53	0.21	10.35	111	<0.5	0.004
ZZ99388		0.11	1.06	55	0.21	3.38	72	<0.5	0.003
ZZ99389		0.20	5.96	90	0.14	14.00	141	<0.5	0.013
ZZ99390		0.14	1.48	51	0.12	2.97	77	<0.5	0.005
ZZ99391		0.18	1.58	55	0.13	7.91	107	0.5	0.008
ZZ99392		0.20	2.67	77	0.13	7.90	125	<0.5	0.007
ZZ99393		0.24	2.35	82	0.13	7.42	127	<0.5	0.007
ZZ99394		0.17	1.85	62	0.13	7.76	107	<0.5	0.005
ZZ99395		0.16	1.93	43	0.15	6.95	120	0.5	0.011
ZZ99396		0.17	1.57	46	0.13	3.07	69	<0.5	0.003
ZZ99397		0.16	1.17	53	0.16	2.63	87	<0.5	0.009
ZZ99398		0.14	1.90	44	0.17	6.12	120	0.9	0.014
ZZ99399		0.14	1.44	48	0.21	3.68	119	0.5	0.008
ZZ99400		0.16	1.14	44	0.17	4.04	158	0.5	0.006
ZZ99401		0.12	1.25	43	0.31	5.20	122	0.6	0.008
ZZ99402		0.15	1.44	45	0.21	3.82	92	0.6	0.008
ZZ99403		0.14	1.43	42	0.14	6.14	105	1.3	0.013
ZZ99404		0.14	2.30	33	0.08	5.94	69	2.8	0.013
ZZ99405		0.12	1.37	41	0.20	7.56	111	0.5	0.004
ZZ99406		0.14	0.86	43	0.19	8.95	86	1.3	0.005
ZZ99407		0.10	1.09	35	0.16	6.06	91	0.6	0.004
ZZ99408		0.07	0.91	41	0.19	4.32	78	<0.5	0.001
ZZ99409		0.10	1.62	33	0.23	7.19	104	1.8	0.003
ZZ99410		0.12	0.86	40	0.15	4.22	88	1.2	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ99411		0.48	0.15	1.37	21.7	<0.2	<10	240	0.30	0.25	0.12	0.26	39.6	23.9	22	1.58
ZZ99412		0.35	0.20	1.14	12.3	<0.2	<10	190	0.26	0.25	0.08	0.21	32.4	12.0	22	1.74
ZZ99413		0.48	0.14	1.38	12.5	<0.2	<10	90	0.36	0.43	0.07	0.10	38.0	14.7	21	1.11
ZZ99414		0.52	0.04	1.88	23.7	<0.2	<10	50	0.46	0.54	0.07	0.07	21.3	23.8	28	2.82
ZZ99415		0.27	0.15	0.82	6.0	<0.2	<10	70	0.19	0.19	0.06	0.10	12.55	5.2	15	0.98
ZZ99416		0.38	0.10	1.38	8.8	<0.2	<10	150	0.32	0.22	0.09	0.12	26.5	8.3	23	1.36
ZZ99417		0.36	0.08	1.26	9.5	<0.2	<10	140	0.23	0.17	0.09	0.13	23.3	12.3	22	1.41
ZZ99418		0.48	0.07	1.67	9.5	<0.2	<10	150	0.33	0.23	0.09	0.12	33.2	9.0	30	2.18
ZZ99419		0.24	0.16	1.07	7.0	<0.2	<10	100	0.21	0.20	0.05	0.13	19.70	4.8	20	1.46
ZZ99420		0.34	0.07	1.71	11.9	<0.2	<10	120	0.36	0.25	0.10	0.18	29.5	7.0	30	1.75
ZZ99421		0.26	0.07	1.28	11.2	<0.2	<10	110	0.29	0.22	0.06	0.18	27.8	6.8	27	1.41
ZZ99422		0.17	0.03	1.39	10.6	<0.2	<10	70	0.17	0.25	0.06	0.09	24.5	5.9	27	1.44
ZZ99423		0.14	0.15	1.28	7.0	<0.2	<10	120	0.24	0.21	0.04	0.13	15.70	10.4	22	1.26
ZZ99424		0.26	0.10	1.06	10.3	<0.2	<10	90	0.16	0.24	0.04	0.11	20.3	5.0	23	1.25
ZZ99425		0.35	0.13	1.17	13.1	<0.2	<10	110	0.38	0.29	0.04	0.23	31.3	7.8	20	1.83
ZZ99426		0.24	0.14	0.93	9.0	<0.2	<10	230	0.38	0.27	0.09	0.49	15.95	7.4	18	1.27
ZZ99427		0.39	0.07	1.18	4.4	<0.2	<10	70	0.41	0.40	0.03	0.11	20.9	15.4	26	3.05
ZZ99428		0.28	0.08	1.40	6.4	<0.2	<10	90	0.29	0.57	0.04	0.15	18.10	17.3	31	2.12
ZZ99429		0.44	0.04	1.73	30.5	<0.2	<10	30	0.33	0.46	0.02	0.04	40.9	29.9	25	1.35
ZZ99430		0.27	0.11	2.30	32.1	<0.2	<10	70	0.46	0.49	0.07	0.22	23.0	21.9	33	1.49
ZZ99431		0.35	0.02	1.24	15.5	<0.2	<10	60	0.20	0.35	0.04	0.11	22.9	9.6	24	1.64
ZZ99432		0.38	0.05	1.41	6.4	<0.2	<10	50	0.17	0.46	0.04	0.15	17.80	13.3	32	1.14
ZZ99433		0.28	0.07	1.48	13.1	<0.2	<10	50	0.25	0.41	0.04	0.12	26.2	11.6	26	1.40
ZZ99434		0.24	0.05	0.96	9.2	<0.2	<10	60	0.16	0.32	0.04	0.16	20.2	7.8	19	0.91
ZZ99435		0.38	0.06	1.54	9.0	<0.2	<10	50	0.29	0.47	0.03	0.08	23.5	15.4	27	1.39
ZZ99436		0.29	0.03	1.64	12.5	<0.2	<10	70	0.30	0.35	0.03	0.12	27.6	13.4	25	1.30
ZZ99437		0.23	0.11	1.45	10.2	<0.2	<10	50	0.26	0.49	0.03	0.12	21.0	11.1	21	0.96
ZZ99438		0.33	0.07	1.08	9.0	<0.2	<10	90	0.27	0.26	0.39	0.16	18.95	10.5	18	0.93
ZZ99439		0.40	0.07	1.25	14.6	<0.2	<10	60	0.35	0.30	0.44	0.12	26.9	16.3	21	0.54
ZZ99440		0.17	0.28	0.71	23.5	<0.2	<10	60	0.42	0.25	1.57	0.23	33.1	12.5	12	0.47
ZZ99441		0.30	0.09	0.63	8.4	<0.2	<10	40	0.32	0.11	18.45	0.22	14.35	4.2	11	0.30
ZZ99442		0.20	0.11	1.21	10.0	<0.2	<10	100	0.35	0.20	2.78	0.36	14.85	5.8	18	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ99411		106.0	3.73	3.91	<0.05	<0.02	0.11	0.025	0.15	17.3	13.2	0.45	6180	3.33	0.01	0.54
ZZ99412		56.2	3.18	4.07	<0.05	<0.02	0.06	0.019	0.12	15.2	8.3	0.35	2010	2.18	0.01	0.34
ZZ99413		68.6	3.52	3.88	0.05	<0.02	0.05	0.019	0.05	18.7	27.3	0.51	766	2.03	<0.01	0.13
ZZ99414		47.6	4.46	5.32	<0.05	0.02	0.02	0.024	0.04	10.8	51.1	0.69	1180	1.24	0.01	0.14
ZZ99415		33.1	1.65	2.74	<0.05	<0.02	0.05	0.013	0.04	7.1	7.4	0.21	907	1.17	<0.01	0.09
ZZ99416		61.6	2.53	4.38	<0.05	<0.02	0.04	0.017	0.05	13.9	12.7	0.45	762	1.62	<0.01	0.41
ZZ99417		66.2	2.45	4.01	<0.05	<0.02	0.09	0.019	0.09	11.6	12.5	0.55	1720	1.38	<0.01	0.48
ZZ99418		79.7	3.25	5.32	<0.05	<0.02	0.14	0.025	0.11	16.4	13.7	0.54	861	2.44	<0.01	0.56
ZZ99419		40.2	2.14	4.33	<0.05	<0.02	0.06	0.017	0.07	10.2	5.4	0.26	501	1.95	<0.01	0.34
ZZ99420		41.8	2.97	5.71	<0.05	<0.02	0.05	0.025	0.08	15.2	14.1	0.48	550	2.13	0.01	0.41
ZZ99421		40.0	2.86	4.91	<0.05	<0.02	0.06	0.024	0.07	13.8	11.2	0.35	661	1.95	0.01	0.73
ZZ99422		13.9	3.03	7.13	<0.05	<0.02	0.04	0.024	0.04	12.5	7.9	0.26	483	1.75	<0.01	1.07
ZZ99423		23.6	2.00	4.67	<0.05	<0.02	0.09	0.022	0.04	6.7	3.5	0.15	3860	1.53	0.01	0.18
ZZ99424		19.5	3.17	6.24	<0.05	<0.02	0.05	0.024	0.05	10.1	4.4	0.17	851	1.65	<0.01	0.75
ZZ99425		52.5	3.11	4.44	<0.05	<0.02	0.08	0.019	0.11	16.3	6.0	0.22	688	3.47	<0.01	0.27
ZZ99426		38.8	2.37	4.44	<0.05	0.03	0.04	0.021	0.08	9.3	3.8	0.13	1590	3.51	<0.01	0.08
ZZ99427		36.9	3.40	4.10	<0.05	0.03	0.03	0.014	0.04	10.2	17.5	0.36	1420	1.31	<0.01	0.06
ZZ99428		41.0	4.37	5.66	<0.05	0.03	0.07	0.024	0.05	8.8	18.2	0.34	2330	1.51	0.01	0.25
ZZ99429		50.1	4.85	4.68	0.06	0.05	0.02	0.026	0.03	20.1	51.8	0.63	1400	0.83	<0.01	0.10
ZZ99430		27.0	4.20	4.92	<0.05	0.06	0.12	0.034	0.05	11.3	34.6	0.45	729	1.63	0.01	1.19
ZZ99431		15.4	3.61	5.07	<0.05	0.03	0.03	0.019	0.04	11.7	21.9	0.33	433	1.20	<0.01	0.49
ZZ99432		21.1	4.89	6.25	<0.05	0.03	0.05	0.017	0.04	9.1	31.2	0.44	597	1.41	<0.01	0.60
ZZ99433		22.6	3.87	5.21	<0.05	0.03	0.05	0.025	0.04	13.5	20.2	0.29	720	1.56	<0.01	0.49
ZZ99434		15.5	3.21	4.32	<0.05	0.03	0.05	0.017	0.04	10.0	12.6	0.24	501	1.05	<0.01	0.40
ZZ99435		42.8	3.95	4.74	<0.05	0.03	0.03	0.021	0.03	11.8	41.9	0.49	402	1.35	<0.01	0.51
ZZ99436		23.0	3.71	5.00	<0.05	0.03	0.03	0.020	0.04	13.7	34.3	0.42	695	1.12	<0.01	0.43
ZZ99437		32.7	3.33	3.93	<0.05	0.03	0.04	0.020	0.03	10.1	41.2	0.48	244	0.68	<0.01	0.31
ZZ99438		15.6	2.32	3.40	<0.05	0.04	0.03	0.018	0.04	9.6	18.3	0.28	718	0.89	<0.01	0.32
ZZ99439		39.2	3.82	2.87	<0.05	0.06	0.02	0.020	0.03	12.4	28.4	0.43	494	0.66	<0.01	0.28
ZZ99440		24.3	2.47	1.73	<0.05	0.09	0.14	0.025	0.05	15.7	6.7	0.19	499	0.75	0.01	0.26
ZZ99441		13.0	1.08	1.22	<0.05	0.05	0.05	0.016	0.03	7.3	3.9	0.20	292	0.57	0.01	0.24
ZZ99442		13.9	2.13	2.98	<0.05	0.04	0.06	0.020	0.04	8.4	9.9	0.29	335	0.58	<0.01	0.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ99411		58.8	990	17.0	17.4	<0.001	0.05	1.05	2.1	0.9	0.2	33.1	<0.01	0.19	1.4	0.055
ZZ99412		23.2	870	13.0	16.8	<0.001	0.07	0.91	0.7	0.8	0.3	17.9	<0.01	0.12	<0.2	0.030
ZZ99413		29.8	850	28.2	6.2	<0.001	0.02	0.46	0.8	0.6	0.2	14.6	<0.01	0.09	0.6	0.016
ZZ99414		41.5	610	32.0	5.2	<0.001	0.01	0.35	1.7	0.4	0.2	12.1	<0.01	0.06	1.0	0.013
ZZ99415		13.7	900	6.7	7.5	<0.001	0.05	0.36	0.2	0.4	0.2	10.4	<0.01	0.05	<0.2	0.011
ZZ99416		21.3	730	11.0	12.0	<0.001	0.03	0.56	1.0	0.6	0.3	16.1	<0.01	0.09	0.2	0.031
ZZ99417		31.9	680	8.4	14.4	<0.001	0.03	0.64	1.5	0.5	0.2	16.8	<0.01	0.08	0.4	0.049
ZZ99418		22.9	850	12.8	17.3	0.001	0.08	0.87	1.8	1.0	0.4	23.9	<0.01	0.12	0.4	0.049
ZZ99419		16.8	1000	6.5	12.2	<0.001	0.08	0.78	0.4	0.6	0.4	9.8	<0.01	0.08	<0.2	0.023
ZZ99420		20.5	1020	10.5	15.8	<0.001	0.03	0.67	0.8	0.8	0.5	15.5	<0.01	0.07	<0.2	0.027
ZZ99421		22.0	710	9.1	13.2	<0.001	0.05	0.87	1.2	0.9	0.4	12.4	<0.01	0.08	0.3	0.044
ZZ99422		13.0	450	11.3	7.1	<0.001	0.03	0.71	1.3	0.7	0.7	8.2	<0.01	0.06	0.3	0.054
ZZ99423		11.3	1430	9.1	9.2	<0.001	0.13	0.63	0.2	1.2	0.4	6.5	<0.01	0.05	<0.2	0.010
ZZ99424		11.4	570	10.1	9.9	<0.001	0.03	0.68	0.7	0.5	0.6	7.0	<0.01	0.06	<0.2	0.045
ZZ99425		19.3	960	18.6	19.9	<0.001	0.05	0.92	0.3	0.9	0.4	18.3	<0.01	0.09	<0.2	0.018
ZZ99426		13.2	2930	14.3	17.0	0.001	0.10	0.77	0.1	1.0	0.4	31.0	<0.01	0.09	<0.2	<0.005
ZZ99427		20.3	1010	10.0	6.3	<0.001	0.06	0.41	0.2	0.5	0.3	7.3	<0.01	0.06	<0.2	0.010
ZZ99428		19.9	1150	10.3	6.9	<0.001	0.08	0.69	0.4	0.6	0.4	7.2	<0.01	0.09	<0.2	0.021
ZZ99429		39.7	500	29.6	3.0	<0.001	0.01	0.40	2.0	0.4	<0.2	3.6	<0.01	0.05	3.4	0.007
ZZ99430		23.0	850	33.4	9.7	<0.001	0.03	0.70	2.4	0.8	0.3	8.2	0.01	0.05	2.4	0.034
ZZ99431		16.2	520	18.7	10.0	<0.001	0.03	0.50	0.7	0.3	0.4	6.9	<0.01	0.04	0.2	0.019
ZZ99432		22.1	770	13.4	7.2	<0.001	0.04	0.57	1.1	0.4	0.3	5.0	<0.01	0.06	0.4	0.035
ZZ99433		17.4	680	28.6	9.4	<0.001	0.03	0.63	0.8	0.5	0.4	6.5	<0.01	0.05	0.2	0.025
ZZ99434		13.5	580	18.8	7.8	<0.001	0.04	0.52	0.5	0.4	0.3	5.4	<0.01	0.04	<0.2	0.021
ZZ99435		27.8	410	28.4	5.2	<0.001	0.02	0.45	1.5	0.5	0.2	6.2	<0.01	0.06	1.2	0.020
ZZ99436		20.8	530	24.5	8.6	<0.001	0.02	0.50	1.0	0.5	0.3	6.6	<0.01	0.03	0.4	0.020
ZZ99437		22.3	520	23.6	4.5	<0.001	0.02	0.43	0.8	0.3	0.2	6.7	<0.01	0.04	0.4	0.013
ZZ99438		16.3	1150	17.4	7.3	<0.001	0.07	0.39	0.8	0.3	0.2	26.9	<0.01	0.03	0.3	0.013
ZZ99439		42.1	550	21.4	3.2	<0.001	0.02	0.47	2.1	0.4	<0.2	39.2	<0.01	0.03	1.9	0.014
ZZ99440		29.4	1860	13.7	3.4	<0.001	0.06	3.68	2.4	1.4	0.2	82.8	<0.01	0.07	1.3	0.013
ZZ99441		13.2	1290	5.9	3.2	<0.001	0.10	0.60	0.6	0.8	0.2	1360	<0.01	0.03	0.2	0.012
ZZ99442		16.4	1350	11.2	6.5	<0.001	0.09	0.72	0.9	0.5	0.2	143.0	<0.01	0.03	0.3	0.015

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 24-JUL-2015
Account: MTT

Project: STAFF

CERTIFICATE OF ANALYSIS WH15100626

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ99411		0.13	1.13	41	0.20	5.27	97	<0.5	0.006
ZZ99412		0.11	1.21	42	0.13	5.25	72	<0.5	0.004
ZZ99413		0.06	1.70	24	0.08	5.23	84	<0.5	0.003
ZZ99414		0.03	1.31	22	0.07	3.73	110	0.5	0.001
ZZ99415		0.07	1.37	26	0.11	3.78	42	<0.5	0.002
ZZ99416		0.12	1.01	45	0.16	4.26	65	<0.5	0.012
ZZ99417		0.10	0.96	42	0.15	3.52	69	<0.5	0.004
ZZ99418		0.16	1.47	58	0.15	5.94	74	<0.5	0.005
ZZ99419		0.10	1.04	48	0.14	2.75	61	<0.5	0.003
ZZ99420		0.14	1.31	58	0.17	4.15	111	<0.5	0.003
ZZ99421		0.11	0.90	53	0.31	3.42	70	<0.5	0.003
ZZ99422		0.15	0.54	69	0.24	2.10	62	<0.5	0.001
ZZ99423		0.16	1.07	43	0.10	2.03	43	<0.5	0.001
ZZ99424		0.09	0.58	62	0.19	1.71	58	<0.5	0.001
ZZ99425		0.15	1.91	46	0.12	3.20	84	<0.5	0.002
ZZ99426		0.13	2.21	53	0.08	5.56	96	<0.5	0.002
ZZ99427		0.05	1.05	35	0.08	1.72	75	<0.5	<0.001
ZZ99428		0.07	0.81	43	0.10	1.92	69	<0.5	0.001
ZZ99429		0.02	0.95	17	<0.05	2.67	111	0.7	0.001
ZZ99430		0.09	0.67	42	0.18	2.68	87	1.1	<0.001
ZZ99431		0.07	0.52	38	0.13	1.48	83	<0.5	0.001
ZZ99432		0.05	0.50	39	0.12	1.46	79	<0.5	0.001
ZZ99433		0.09	0.85	43	0.14	2.28	86	<0.5	<0.001
ZZ99434		0.05	0.45	34	0.11	1.30	61	<0.5	0.001
ZZ99435		0.06	0.92	30	0.09	1.93	93	<0.5	0.001
ZZ99436		0.07	0.66	36	0.12	2.17	82	<0.5	0.001
ZZ99437		0.04	0.58	22	0.07	1.83	73	<0.5	0.003
ZZ99438		0.06	1.12	30	0.12	3.32	64	0.5	0.003
ZZ99439		0.03	0.67	22	0.12	6.27	91	1.3	0.002
ZZ99440		0.06	1.20	18	0.13	11.55	91	1.7	0.004
ZZ99441		0.06	0.97	15	0.10	6.64	75	1.0	<0.001
ZZ99442		0.07	0.69	31	0.11	4.88	125	0.6	0.003

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: STAFF

Finalized Date: 24-JUL-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15100626

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

T.N.
0°13.8'
24° 15'
Grid north
Magnetic north
Annual change decreasing 26.7'

504,000 mE
505,000 mE
506,000 mE
7,127,000 mN
7,126,000 mN

AREA OF INTEREST
0
5 km

MK2 — Resistive and blocky, weathering light grey, fresh dark grey, fine to medium-grained quartz arenite to siltstone.
MK1 — Weathering tan to brown, fresh dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite.
PCHy — Thin-beddd and fissile green and maroon shale.

- shear zone (intense shear fabric)
- outcrop
- scree margin
- linear
- synform hinge line
- antiform hinge line
- fault
- cleavage (strike and dip)
- vein (strike, dip and type)
- bedding
- foliation
- fold axis
- vein

STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CENTRAL AREA DETAILED GEOLOGY

STAFF PROPERTY

0 400 m
UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet
FILE: ../Figures/F_6-Central_Detailed_Geology.wor DATE: February 2016

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change decreasing 26.7'

508,500 mE

509,000 mE

7,122,000 mN

4,300

4,400

4,500

4,600

5,000

4,900

81

65

76

76

90

67

66

63

69

qtz

qtz

PROPERTY BOUNDARY

AREA OF INTEREST

0 4 km

MISSISSIPPIAN

MK1 Weathering tan to brown, fresh dark grey, siliceous and variably carbonaceous, thin bedded shale, slate and phyllite.

UPPER PROTEROZOIC TO LOWER CAMBRIAN

PCHa Weathering buff to medium grey dolostone, thinly bedded limestone to silty limestine, and lesser rudstone.

PCHy Tan to light grey, medium grained arenite and arkose sandstone, rare quartz-rich pebble conglomerate and abundant dark green and dark purple siltstone and shale.

contact (measured, irferred)

outcrop

linear

thrust fault (inferred)

subcrop

vein (strike, dip and type)

bedding

foliation

vein

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOUTH AREA DETAILED GEOLOGY

STAFF PROPERTY

0 100 m

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../Staff/Figures/F_7-South_Detailed_Geology.wor

DATE: February 2016















Thrust fault

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK GEOCHEMISTRY
(Au, Cu, As, Ag, Pb & Zn)

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07

FILE: ../2015/Staff/Figures/F-9_Rock_Geochem.wor | DATE: February 2016

T.N.

0°13.8'

24° 15'

Grid north

Magnetic north

Annual change
decreasing 26.7'

AREA OF MAP

0 5 km

PROPERTY BOUNDARY

4,000

4,500

5,000

ZZ99810 ZZ99811 ZZ99812 ZZ99813 ZZ99814 ZZ99815 ZZ99816 ZZ99817 ZZ99818 ZZ99819 ZZ99820 ZZ99821 ZZ99822 ZZ99823 ZZ99824 ZZ99825 ZZ99826 ZZ99827 ZZ99828 ZZ99829 ZZ99830 ZZ99831

ZZ100179 ZZ100180 ZZ100181 ZZ100182 ZZ100183 ZZ100184 ZZ100185 ZZ100186 ZZ100187 ZZ100188 ZZ100189 ZZ100190 ZZ100191 ZZ100192 ZZ100193 ZZ100194 ZZ100195 ZZ100196 ZZ100198 ZZ100200 ZZ100201 ZZ100202 ZZ100203 ZZ100204 ZZ100205 ZZ100206 ZZ100207 ZZ100208

ZZ99379 ZZ99380 ZZ99381 ZZ99382 ZZ99383 ZZ99384 ZZ99385 ZZ99386 ZZ99387 ZZ99388 ZZ99389 ZZ99390 ZZ99391 ZZ99392 ZZ99393 ZZ99394 ZZ99395 ZZ99396 ZZ99397 ZZ99398 ZZ99399 ZZ99400 ZZ99401 ZZ99402 ZZ99403 ZZ99404 ZZ99405 ZZ99406 ZZ99407 ZZ99408 ZZ99409 ZZ99410

ZZ99832 ZZ99833 ZZ99834 ZZ99835 ZZ99836 ZZ99837 ZZ99838 ZZ99839 ZZ99840 ZZ99841 ZZ99842 ZZ99843 ZZ99844 ZZ99845 ZZ99846 ZZ99847 ZZ99848 ZZ99849 ZZ99850 ZZ99851 ZZ99852 ZZ99853 ZZ99854 ZZ99855 ZZ99856 ZZ99857 ZZ99858 ZZ99859 ZZ99860 ZZ99861 ZZ99862 ZZ99863

ZZ100209 ZZ100210 ZZ100211 ZZ100212 ZZ100213 ZZ100214 ZZ100215 ZZ100216 ZZ100217 ZZ100218 ZZ100219 ZZ100220 ZZ100221 ZZ100222 ZZ100223 ZZ100224 ZZ100225 ZZ100226 ZZ100227 ZZ100228 ZZ100229 ZZ100230 ZZ100231 ZZ100232 ZZ100233 ZZ100234 ZZ100235 ZZ100236 ZZ100237 ZZ100238 ZZ100239 ZZ100240 ZZ100241 ZZ100242 ZZ100243 ZZ100244

ZZ99411 ZZ99412 ZZ99413 ZZ99414 ZZ99415 ZZ99416 ZZ99417 ZZ99418 ZZ99419 ZZ99420 ZZ99421 ZZ99422 ZZ99423 ZZ99424 ZZ99425 ZZ99426 ZZ99427 ZZ99428 ZZ99429 ZZ99430 ZZ99431 ZZ99432 ZZ99433 ZZ99434 ZZ99435 ZZ99436 ZZ99437 ZZ99438 ZZ99439 ZZ99440 ZZ99441 ZZ99442

4,500

5,000

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS

STAFF PROPERTY

0 1 km

UTM ZONE 8, NAD 83, 106D/02, 03, 06, 07, Contour intervals 100 feet

FILE: ../2015/Staff/

DATE: February 2016