

Report Transmission Cover Page

Bill To: J. Gibson & Associates	Project:	Lot ID: 1162096
Report To: J. Gibson & Associates	ID: Rockhaven Resources	Control Number: C0059205
Box 20913	Name: Klaza	Date Received: Sep 21, 2016
Whitehorse, YT, Canada	Location: Surface Water	Date Reported: Sep 28, 2016
Y1A 6P2	LSD:	Report Number: 2134014
Attn: John Gibson	P.O.:	
Sampled By: J.Gibson	Acct code:	
Company:		

Contact & Affiliation	Address	Delivery Commitments
John Gibson J. Gibson & Associates	Box 20913, Whitehorse, Yukon Territory Y1A 6P2 Phone: (867) 633-4522 Fax: (867) 668-6895 Email: ludditegibson@gmail.com	On [Lot Verification] send (COA) by Email - Single Report On [Report Approval] send (Test Report) by Email - Single Report On [Report Approval] send (COC, Test Report) by Email - Merge Reports On [Lot Approval and Final Test Report Approval] send (Invoice) by Email - Single Report On [Lot Creation] send (COR) by Email - Single Report

Notes To Clients:

- Reduction of analytical volume was necessary for Total Suspended Solids analysis due to matrix effects in 1162096, sample 12. Detection limits are adjusted accordingly.
- Reduction of analytical volume was necessary for Total Suspended Solids analysis due to limited sample volume for lot 1162096, samples 1 through 11. Detection limits are adjusted accordingly.
- Reduction of analytical volume was necessary for Trace Metals analysis to bring results within the analytical range for samples #1162096-9, 10, and 12. Detection limits are adjusted accordingly.
- Sample 1162096-12; 5515840 Reduction of analytical volume was necessary for TP to bring results within the analytical range for sample 1162096-12. Detection limits are adjusted accordingly.

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

			Reference Number	1162096-1	1162096-2	1162096-3	
			Sample Date	Sep 18, 2016	Sep 18, 2016	Sep 19, 2016	
			Sample Time	14:40	14:40	18:20	
			Sample Location	Surface	Surface	Surface	
			Sample Description	KZ-1	KZ-2	KZ-3	
			Matrix	Water	Water	Water	
Analyte		Units	Results	Results	Results	Nominal Detection Limit	
Inorganic Nonmetallic Parameters							
Organic Carbon	Total Nonpurgeable	mg/L	1.2	2.0	1.9	0.5	
Cyanide	Total	mg/L	<0.002	<0.002	<0.002	0.002	
Ammonia - N		mg/L	<0.01	0.01	<0.01	0.01	
Phosphorus	Total	mg/L	<0.003	<0.003	0.005	0.003	
Metals Total							
Calcium	Total	mg/L	10.5	17.6	17.4	0.01	
Magnesium	Total	mg/L	2.36	2.92	5.37	0.02	
Potassium	Total	mg/L	0.3	0.4	0.5	0.04	
Silicon	Total	mg/L	4.52	3.97	6.63	0.005	
Sulfur	Total	mg/L	0.8	1.6	1.9	0.02	
Sodium	Total	mg/L	1.70	1.69	2.86	0.1	
Titanium	Total	mg/L	<0.002	0.003	0.003	0.002	
Mercury	Total	mg/L	<0.00001			0.00001	
Physical and Aggregate Properties							
Solids	Total Suspended	mg/L	<4	<4	<4	2	
Solids	Total Dissolved	mg/L	78	86	92	5	
Routine Water							
pH - Holding Time			Exceeded	Exceeded	Exceeded		
pH	at 25 °C		7.31	7.39	7.24		
Electrical Conductivity		µS/cm at 25 C	70	107	129	1	
Calcium	Dissolved	mg/L	10.2	17.1	16.8	0.01	
Magnesium	Dissolved	mg/L	2.2	2.8	5.1	0.02	
Potassium	Dissolved	mg/L	0.3	0.4	0.5	0.04	
Silicon	Dissolved	mg/L	4.24	3.73	6.11	0.005	
Sodium	Dissolved	mg/L	1.5	1.3	2.6	0.1	
Sulfur	Dissolved	mg/L	0.7	1.5	1.8	0.02	
Bicarbonate		mg/L	42	61	74	5	
Carbonate		mg/L	<6	<6	<6	6	
Hydroxide		mg/L	<5	<5	<5	5	
P-Alkalinity	as CaCO3	mg/L	<5	<5	<5	5	
T-Alkalinity	as CaCO3	mg/L	34	50	61	5	
Chloride	Dissolved	mg/L	0.12	0.14	0.15	0.05	
Nitrate - N	Dissolved	mg/L	0.10	0.18	0.17	0.01	
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01	
Sulfate (SO4)	Dissolved	mg/L	1.4	3.1	3.9	0.5	
Hardness	as CaCO3 (dissolved)	mg/L	34.8	54	63	5	

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-1	1162096-2	1162096-3
Sample Date	Sep 18, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	14:40	14:40	18:20
Sample Location	Surface	Surface	Surface
Sample Description	KZ-1	KZ-2	KZ-3
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Routine Water - Continued						
Hardness	Total	mg CaCO3/L	36.0	55.9	65.6	1
Trace Metals Dissolved						
Digestion	Dissolved		Field Filtered	Field Filtered	Field Filtered	
Titanium	Dissolved	mg/L	0.002	0.003	0.003	0.002
Aluminum	Dissolved	mg/L	0.008726	0.006318	0.01272	0.001
Antimony	Dissolved	mg/L	0.000049	0.000110	0.000058	0.00002
Arsenic	Dissolved	mg/L	<0.0001	0.001	<0.0001	0.0001
Barium	Dissolved	mg/L	0.0259	0.0719	0.0524	0.0001
Beryllium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Bismuth	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Dissolved	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Dissolved	mg/L	<0.00001	0.000021	<0.00001	0.00001
Chromium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Cobalt	Dissolved	mg/L	<0.000020	<0.000020	<0.000020	0.00002
Copper	Dissolved	mg/L	<0.0005	<0.0005	<0.0005	0.0005
Iron	Dissolved	mg/L	<0.002	<0.002	0.011	0.002
Lead	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Lithium	Dissolved	mg/L	<0.0005	<0.0005	0.0007	0.0005
Manganese	Dissolved	mg/L	<0.001	<0.001	0.004	0.001
Molybdenum	Dissolved	mg/L	0.000099	0.000295	0.000301	0.00002
Nickel	Dissolved	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Selenium	Dissolved	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Silver	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Strontium	Dissolved	mg/L	0.0696	0.0640	0.1487	0.0001
Tellurium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Tin	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Dissolved	mg/L	0.000123	0.000163	0.000873	0.00001
Vanadium	Dissolved	mg/L	0.000084	<0.000050	0.000118	0.00005
Zinc	Dissolved	mg/L	<0.0005	0.0009	<0.0005	0.0005
Zirconium	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Trace Metals Total						
Aluminum	Total	mg/L	0.010	0.007	0.027	0.001
Antimony	Total	mg/L	0.00005	0.00011	0.00007	0.00002
Arsenic	Total	mg/L	<0.0001	0.001	0.0001	0.0001

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-1	1162096-2	1162096-3
Sample Date	Sep 18, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	14:40	14:40	18:20
Sample Location	Surface	Surface	Surface
Sample Description	KZ-1	KZ-2	KZ-3
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Trace Metals Total - Continued						
Barium	Total	mg/L	0.0276	0.0768	0.0546	0.0001
Beryllium	Total	mg/L	<0.00005	<0.00005	<0.00005	0.00005
Bismuth	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Total	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Total	mg/L	<0.00001	0.00003	<0.00001	0.00001
Chromium	Total	mg/L	<0.00005	<0.00005	0.00014	0.00005
Cobalt	Total	mg/L	<0.00002	<0.00002	0.00004	0.00002
Copper	Total	mg/L	<0.0002	0.0003	0.0002	0.0002
Iron	Total	mg/L	0.004	<0.002	0.064	0.002
Lead	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Lithium	Total	mg/L	<0.0005	<0.0005	0.0007	0.0005
Manganese	Total	mg/L	<0.001	<0.001	0.01	0.001
Molybdenum	Total	mg/L	0.000097	0.000314	0.000315	0.00002
Nickel	Total	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Selenium	Total	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Silver	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Strontium	Total	mg/L	0.0676	0.0603	0.142	0.0001
Tellurium	Total	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Total	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Tin	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Total	mg/L	0.000125	0.000175	0.000923	0.00001
Vanadium	Total	mg/L	0.000122	0.000059	0.000246	0.00005
Zinc	Total	mg/L	<0.0005	0.0008	<0.0005	0.0005
Zirconium	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001

Analytical Report

Bill To: J. Gibson & Associates	Project:	Lot ID: 1162096
Report To: J. Gibson & Associates	ID: Rockhaven Resources	Control Number: C0059205
Box 20913	Name: Klaza	Date Received: Sep 21, 2016
Whitehorse, YT, Canada	Name: Surface Water	Date Reported: Sep 28, 2016
Y1A 6P2	Location:	Report Number: 2134014
Attn: John Gibson	LSD:	
Sampled By: J.Gibson	P.O.:	
Company:	Acct code:	

Reference Number		1162096-4	1162096-5	1162096-6		
Sample Date		Sep 19, 2016	Sep 18, 2016	Sep 19, 2016		
Sample Time		17:35	15:50	15:55		
Sample Location		Surface	Surface	Surface		
Sample Description		KZ-4	KZ-5	KZ-6		
Matrix		Water	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Inorganic Nonmetallic Parameters						
Organic Carbon	Total Nonpurgeable	mg/L	3.9	2.4	4.5	0.5
Cyanide	Total	mg/L	<0.002	<0.002	<0.002	0.002
Ammonia - N		mg/L	<0.01	<0.01	0.01	0.01
Phosphorus	Total	mg/L	0.003	0.006	0.006	0.003
Metals Total						
Calcium	Total	mg/L	18.2	7.80	19.4	0.01
Magnesium	Total	mg/L	3.88	1.95	4.18	0.02
Potassium	Total	mg/L	0.4	0.4	0.5	0.04
Silicon	Total	mg/L	6.25	4.97	6.27	0.005
Sulfur	Total	mg/L	3.9	1.5	3.5	0.02
Sodium	Total	mg/L	2.45	1.84	2.59	0.1
Titanium	Total	mg/L	0.004	0.002	0.004	0.002
Physical and Aggregate Properties						
Solids	Total Suspended	mg/L	5	<4	<4	2
Solids	Total Dissolved	mg/L	90	54	110	5
Routine Water						
pH - Holding Time			Exceeded	Exceeded	Exceeded	
pH	at 25 °C		7.39	6.97	7.36	
Electrical Conductivity		µS/cm at 25 C	122	58	132	1
Calcium	Dissolved	mg/L	17.4	7.5	18.8	0.01
Magnesium	Dissolved	mg/L	3.6	1.8	3.9	0.02
Potassium	Dissolved	mg/L	0.4	0.4	0.5	0.04
Silicon	Dissolved	mg/L	5.76	4.60	5.78	0.005
Sodium	Dissolved	mg/L	2.2	1.6	2.2	0.1
Sulfur	Dissolved	mg/L	3.6	1.4	3.3	0.02
Bicarbonate		mg/L	61	34	67	5
Carbonate		mg/L	<6	<6	<6	6
Hydroxide		mg/L	<5	<5	<5	5
P-Alkalinity	as CaCO3	mg/L	<5	<5	<5	5
T-Alkalinity	as CaCO3	mg/L	50	28	55	5
Chloride	Dissolved	mg/L	0.13	0.13	0.14	0.05
Nitrate - N	Dissolved	mg/L	0.01	0.04	<0.01	0.01
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01
Sulfate (SO4)	Dissolved	mg/L	8.8	3.2	7.8	0.5
Hardness	as CaCO3 (dissolved)	mg/L	58	26	63	5
Hardness	Total	mg CaCO3/L	61.3	27.5	65.7	1

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-4	1162096-5	1162096-6
Sample Date	Sep 19, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	17:35	15:50	15:55
Sample Location	Surface	Surface	Surface
Sample Description	KZ-4	KZ-5	KZ-6
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit
Trace Metals Dissolved					
Digestion	Dissolved	Field Filtered	Field Filtered	Field Filtered	
Titanium	Dissolved	mg/L	0.003	0.002	0.004
Aluminum	Dissolved	mg/L	0.008367	0.01410	0.008671
Antimony	Dissolved	mg/L	0.000134	0.000057	0.000139
Arsenic	Dissolved	mg/L	0.0008	0.0002	0.0019
Barium	Dissolved	mg/L	0.0922	0.0320	0.1056
Beryllium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050
Bismuth	Dissolved	mg/L	<0.0001	<0.0001	<0.0001
Boron	Dissolved	mg/L	<0.002	<0.002	<0.002
Cadmium	Dissolved	mg/L	0.000015	0.000012	0.000026
Chromium	Dissolved	mg/L	<0.000050	0.000134	0.000056
Cobalt	Dissolved	mg/L	0.000057	0.000024	0.000233
Copper	Dissolved	mg/L	0.0007	0.0005	0.0007
Iron	Dissolved	mg/L	0.047	0.012	0.575
Lead	Dissolved	mg/L	<0.00001	0.000084	0.000070
Lithium	Dissolved	mg/L	<0.0005	<0.0005	<0.0005
Manganese	Dissolved	mg/L	0.081	0.003	0.356
Molybdenum	Dissolved	mg/L	0.000290	0.000082	0.000411
Nickel	Dissolved	mg/L	<0.0002	<0.0002	<0.0002
Selenium	Dissolved	mg/L	<0.0002	<0.0002	<0.0002
Silver	Dissolved	mg/L	<0.00001	<0.00001	<0.00001
Strontium	Dissolved	mg/L	0.1320	0.0540	0.1418
Tellurium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050
Thallium	Dissolved	mg/L	<0.00001	<0.00001	<0.00001
Thorium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050
Tin	Dissolved	mg/L	<0.0001	<0.0001	<0.0001
Uranium	Dissolved	mg/L	0.000309	0.000057	0.000535
Vanadium	Dissolved	mg/L	<0.000050	0.000121	0.000132
Zinc	Dissolved	mg/L	0.0006	0.001	0.0013
Zirconium	Dissolved	mg/L	<0.0001	<0.0001	<0.0001
Trace Metals Total					
Aluminum	Total	mg/L	0.025	0.034	0.035
Antimony	Total	mg/L	0.00014	0.00006	0.00015
Arsenic	Total	mg/L	0.0009	0.0002	0.0020
Barium	Total	mg/L	0.0980	0.0332	0.111
Beryllium	Total	mg/L	<0.00005	<0.00005	<0.00005

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-4	1162096-5	1162096-6
Sample Date	Sep 19, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	17:35	15:50	15:55
Sample Location	Surface	Surface	Surface
Sample Description	KZ-4	KZ-5	KZ-6
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Trace Metals Total - Continued						
Bismuth	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Total	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Total	mg/L	0.00002	0.00002	0.00003	0.00001
Chromium	Total	mg/L	<0.00005	0.00011	0.00012	0.00005
Cobalt	Total	mg/L	0.00008	0.00003	0.00026	0.00002
Copper	Total	mg/L	0.0008	0.0006	0.0009	0.0002
Iron	Total	mg/L	0.105	0.034	0.794	0.002
Lead	Total	mg/L	0.000128	0.000011	0.000205	0.00001
Lithium	Total	mg/L	0.0006	<0.0005	0.0006	0.0005
Manganese	Total	mg/L	0.090	0.004	0.365	0.001
Molybdenum	Total	mg/L	0.000321	0.000070	0.000423	0.00002
Nickel	Total	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Selenium	Total	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Silver	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Strontium	Total	mg/L	0.126	0.0513	0.132	0.0001
Tellurium	Total	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Total	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Total	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Tin	Total	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Total	mg/L	0.000325	0.000065	0.000543	0.00001
Vanadium	Total	mg/L	0.000145	0.000235	0.000273	0.00005
Zinc	Total	mg/L	0.0011	<0.0005	0.0011	0.0005
Zirconium	Total	mg/L	0.0002	<0.0001	<0.0001	0.0001

Analytical Report

Bill To: J. Gibson & Associates	Project:	Lot ID: 1162096
Report To: J. Gibson & Associates	ID: Rockhaven Resources	Control Number: C0059205
Box 20913	Name: Klaza	Date Received: Sep 21, 2016
Whitehorse, YT, Canada	Name: Surface Water	Date Reported: Sep 28, 2016
Y1A 6P2	Location:	Report Number: 2134014
Attn: John Gibson	LSD:	
Sampled By: J.Gibson	P.O.:	
Company:	Acct code:	

Reference Number		1162096-7	1162096-8	1162096-9		
Sample Date		Sep 20, 2016	Sep 20, 2016	Sep 19, 2016		
Sample Time		09:30	09:55	10:40		
Sample Location		Surface	Surface	Surface		
Sample Description		KZ-7	KZ-8	KZ-9		
Matrix		Water	Water	Water		
Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Inorganic Nonmetallic Parameters						
Organic Carbon	Total Nonpurgeable	mg/L	5.9	6.9	4.6	0.5
Cyanide	Total	mg/L	<0.002	<0.002	<0.002	0.002
Ammonia - N		mg/L	<0.01	<0.01	0.02	0.01
Phosphorus	Total	mg/L	0.005	0.060	0.243	0.003
Metals Total						
Calcium	Total	mg/L	22.5	20.2	14.9	0.01
Magnesium	Total	mg/L	5.07	4.66	5.96	0.02
Potassium	Total	mg/L	0.4	0.5	1.9	0.04
Silicon	Total	mg/L	6.12	7.24	18.3	0.005
Sulfur	Total	mg/L	11.0	10.0	1.9	0.02
Sodium	Total	mg/L	2.91	2.79	2.85	0.1
Titanium	Total	mg/L	0.004	0.015	0.296	0.002
Mercury	Total	mg/L		<0.00001	<0.00001	0.00001
Physical and Aggregate Properties						
Solids	Total Suspended	mg/L	4	28	82	2
Solids	Total Dissolved	mg/L	112	116	114	5
Routine Water						
pH - Holding Time			Exceeded	Exceeded	Exceeded	
pH	at 25 °C		7.31	7.26	7.11	
Electrical Conductivity		µS/cm at 25 C	160	146	95	1
Calcium	Dissolved	mg/L	22.1	20.2	14.4	0.01
Magnesium	Dissolved	mg/L	4.8	4.4	4.1	0.02
Potassium	Dissolved	mg/L	0.4	0.4	1.1	0.04
Silicon	Dissolved	mg/L	5.75	6.33	9.78	0.005
Sodium	Dissolved	mg/L	2.7	2.6	2.4	0.1
Sulfur	Dissolved	mg/L	10.5	9.4	2.1	0.02
Bicarbonate		mg/L	54	50	52	5
Carbonate		mg/L	<6	<6	<6	6
Hydroxide		mg/L	<5	<5	<5	5
P-Alkalinity	as CaCO3	mg/L	<5	<5	<5	5
T-Alkalinity	as CaCO3	mg/L	45	41	43	5
Chloride	Dissolved	mg/L	0.13	0.13	0.14	0.05
Nitrate - N	Dissolved	mg/L	0.02	<0.01	0.04	0.01
Nitrite - N	Dissolved	mg/L	<0.01	<0.01	<0.01	0.01
Sulfate (SO4)	Dissolved	mg/L	26.5	22.7	4.0	0.5
Hardness	as CaCO3 (dissolved)	mg/L	75	69	53	5

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

		Reference Number	1162096-7	1162096-8	1162096-9	
		Sample Date	Sep 20, 2016	Sep 20, 2016	Sep 19, 2016	
		Sample Time	09:30	09:55	10:40	
		Sample Location	Surface	Surface	Surface	
		Sample Description	KZ-7	KZ-8	KZ-9	
		Matrix	Water	Water	Water	
Analyte		Units	Results	Results	Results	Nominal Detection Limit
Routine Water - Continued						
Hardness	Total	mg CaCO3/L	77.0	69.7	61.7	1
Trace Metals Dissolved						
Digestion	Dissolved		Field Filtered	Field Filtered	Lab filtered & preserved	
Titanium	Dissolved	mg/L	0.004	0.005	0.067	0.002
Aluminum	Dissolved	mg/L	0.01134	0.04239	1.469	0.001
Antimony	Dissolved	mg/L	0.000119	0.000180	0.000304	0.00002
Arsenic	Dissolved	mg/L	0.0005	0.0006	0.0046	0.0001
Barium	Dissolved	mg/L	0.0266	0.0261	0.0672	0.0001
Beryllium	Dissolved	mg/L	<0.000050	<0.000050	0.000056	0.00005
Bismuth	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Dissolved	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Dissolved	mg/L	0.000038	0.000045	0.000173	0.00001
Chromium	Dissolved	mg/L	<0.000050	0.000108	0.001042	0.00005
Cobalt	Dissolved	mg/L	0.000028	0.000091	0.000718	0.00002
Copper	Dissolved	mg/L	0.0007	0.0024	0.0029	0.0005
Iron	Dissolved	mg/L	0.029	0.075	2.17	0.002
Lead	Dissolved	mg/L	<0.00001	0.000059	0.006252	0.00001
Lithium	Dissolved	mg/L	<0.0005	<0.0005	0.0014	0.0005
Manganese	Dissolved	mg/L	0.033	0.031	0.197	0.001
Molybdenum	Dissolved	mg/L	0.000203	0.000259	0.000760	0.00002
Nickel	Dissolved	mg/L	<0.0002	0.0002	0.0007	0.0002
Selenium	Dissolved	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Silver	Dissolved	mg/L	<0.00001	<0.00001	0.000024	0.00001
Strontium	Dissolved	mg/L	0.1576	0.1434	0.1314	0.0001
Tellurium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Dissolved	mg/L	<0.00001	<0.00001	0.000028	0.00001
Thorium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Tin	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Dissolved	mg/L	0.000250	0.000248	0.000871	0.00001
Vanadium	Dissolved	mg/L	0.000139	0.000241	0.003739	0.00005
Zinc	Dissolved	mg/L	0.0005	0.0011	0.0078	0.0005
Zirconium	Dissolved	mg/L	<0.0001	0.0002	0.0010	0.0001
Trace Metals Total						
Aluminum	Total	mg/L	0.016	0.295	13.4	0.001
Antimony	Total	mg/L	0.00013	0.00024	0.00149	0.00002

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-7	1162096-8	1162096-9
Sample Date	Sep 20, 2016	Sep 20, 2016	Sep 19, 2016
Sample Time	09:30	09:55	10:40
Sample Location	Surface	Surface	Surface
Sample Description	KZ-7	KZ-8	KZ-9
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Trace Metals Total - Continued						
Arsenic	Total	mg/L	0.0005	0.0011	0.0344	0.0001
Barium	Total	mg/L	0.0280	0.0297	0.216	0.0001
Beryllium	Total	mg/L	<0.00005	<0.00005	0.00033	0.00005
Bismuth	Total	mg/L	<0.0001	<0.0001	0.0006	0.0001
Boron	Total	mg/L	<0.002	<0.002	0.005	0.002
Cadmium	Total	mg/L	0.00005	0.00007	0.00062	0.00001
Chromium	Total	mg/L	<0.00005	0.00040	0.00995	0.00005
Cobalt	Total	mg/L	0.00004	0.00020	0.00543	0.00002
Copper	Total	mg/L	0.0007	0.0040	0.0171	0.0002
Iron	Total	mg/L	0.038	0.387	14.4	0.002
Lead	Total	mg/L	0.000056	0.000792	0.0385	0.00001
Lithium	Total	mg/L	<0.0005	0.0006	0.0076	0.0005
Manganese	Total	mg/L	0.033	0.034	0.408	0.001
Molybdenum	Total	mg/L	0.000219	0.000337	0.00156	0.00002
Nickel	Total	mg/L	<0.0002	0.0003	0.0054	0.0002
Selenium	Total	mg/L	<0.0002	<0.0002	0.0007	0.0002
Silver	Total	mg/L	<0.00001	0.000012	0.000334	0.00001
Strontium	Total	mg/L	0.151	0.138	0.120	0.0001
Tellurium	Total	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Total	mg/L	<0.00001	<0.00001	0.000308	0.00001
Thorium	Total	mg/L	<0.000050	<0.000050	0.00312	0.00005
Tin	Total	mg/L	<0.0001	<0.0001	0.0003	0.0001
Uranium	Total	mg/L	0.000256	0.000276	0.00189	0.00001
Vanadium	Total	mg/L	0.000189	0.000837	0.0288	0.00005
Zinc	Total	mg/L	<0.0005	0.0030	0.0721	0.0005
Zirconium	Total	mg/L	<0.0001	0.0002	0.0067	0.0001

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-10	1162096-11	1162096-12
Sample Date	Sep 19, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	10:45	16:30	11:10
Sample Location	Surface	Surface	Surface
Sample Description	KZ-9 duplicate	KZ-10	KZ-11
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Metals Total						
Calcium	Total	mg/L	16.3	31.9	58.8	0.01
Magnesium	Total	mg/L	7.41	10.1	38.8	0.02
Potassium	Total	mg/L	2.4	1.0	7.9	0.04
Silicon	Total	mg/L	25.0	7.83	89.0	0.005
Sulfur	Total	mg/L	2.1	3.7	6.0	0.02
Sodium	Total	mg/L	2.95	3.42	6.88	0.1
Titanium	Total	mg/L	0.402	0.019	1.58	0.002
Routine Water						
pH - Holding Time				Exceeded		Exceeded
pH	at 25 °C			7.11		7.50
Electrical Conductivity		µS/cm at 25 C		224		258
Calcium	Dissolved	mg/L	14.4	29.7		36.0
Magnesium	Dissolved	mg/L	3.9	8.9		10.3
Potassium	Dissolved	mg/L	0.6	0.7		1.1
Silicon	Dissolved	mg/L	5.47	6.61		5.77
Sodium	Dissolved	mg/L	2.4	2.9		4.9
Sulfur	Dissolved	mg/L	2.1	3.1		4.8
Bicarbonate		mg/L		128		147
Carbonate		mg/L		<6		<6
Hydroxide		mg/L		<5		<5
P-Alkalinity	as CaCO3	mg/L		<5		<5
T-Alkalinity	as CaCO3	mg/L		105		121
Chloride	Dissolved	mg/L		0.16		0.24
Nitrate - N	Dissolved	mg/L		0.26		0.09
Nitrite - N	Dissolved	mg/L		<0.01		<0.01
Sulfate (SO4)	Dissolved	mg/L		7.8		11.4
Hardness	as CaCO3 (dissolved)	mg/L	52	110		132
Hardness	Total	mg CaCO3/L		121		307
Trace Metals Dissolved						
Digestion	Dissolved		Lab filtered & preserved	Field Filtered		Lab filtered & preserved
Titanium	Dissolved	mg/L	0.003	0.006		0.007
Aluminum	Dissolved	mg/L	0.005104	0.002637		0.005578
Antimony	Dissolved	mg/L	0.000137	0.000114		0.000223
Arsenic	Dissolved	mg/L	0.001	0.0001		0.0013
Barium	Dissolved	mg/L	0.0520	0.1963		0.0857



Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-10	1162096-11	1162096-12
Sample Date	Sep 19, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	10:45	16:30	11:10
Sample Location	Surface	Surface	Surface
Sample Description	KZ-9 duplicate	KZ-10	KZ-11
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Trace Metals Dissolved - Continued						
Beryllium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Bismuth	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Boron	Dissolved	mg/L	<0.002	<0.002	<0.002	0.002
Cadmium	Dissolved	mg/L	0.000078	<0.00001	0.000166	0.00001
Chromium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Cobalt	Dissolved	mg/L	0.000147	0.000033	0.000304	0.00002
Copper	Dissolved	mg/L	0.0010	<0.0005	0.0012	0.0005
Iron	Dissolved	mg/L	0.011	0.038	<0.002	0.002
Lead	Dissolved	mg/L	0.000049	<0.00001	<0.00001	0.00001
Lithium	Dissolved	mg/L	<0.0005	0.0018	0.0007	0.0005
Manganese	Dissolved	mg/L	0.143	0.012	0.625	0.001
Molybdenum	Dissolved	mg/L	0.000875	0.000191	0.002646	0.00002
Nickel	Dissolved	mg/L	<0.0002	<0.0002	0.0003	0.0002
Selenium	Dissolved	mg/L	<0.0002	<0.0002	<0.0002	0.0002
Silver	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Strontium	Dissolved	mg/L	0.1299	0.2546	0.3697	0.0001
Tellurium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Thallium	Dissolved	mg/L	<0.00001	<0.00001	<0.00001	0.00001
Thorium	Dissolved	mg/L	<0.000050	<0.000050	<0.000050	0.00005
Tin	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Uranium	Dissolved	mg/L	0.000593	0.001425	0.01044	0.00001
Vanadium	Dissolved	mg/L	0.000472	<0.000050	0.000520	0.00005
Zinc	Dissolved	mg/L	<0.0005	0.0006	<0.0005	0.0005
Zirconium	Dissolved	mg/L	<0.0001	<0.0001	<0.0001	0.0001
Trace Metals Total						
Aluminum	Total	mg/L	17.9	0.481	77.5	0.001
Antimony	Total	mg/L	0.00186	0.00020	0.00196	0.00002
Arsenic	Total	mg/L	0.0444	0.0007	0.151	0.0001
Barium	Total	mg/L	0.290	0.223	1.61	0.0001
Beryllium	Total	mg/L	0.00049	<0.00005	0.00160	0.00005
Bismuth	Total	mg/L	0.001	<0.0001	0.0038	0.0001
Boron	Total	mg/L	0.005	0.002	0.004	0.002
Cadmium	Total	mg/L	0.00100	0.00005	0.00706	0.00001
Chromium	Total	mg/L	0.0143	0.00031	0.0544	0.00005
Cobalt	Total	mg/L	0.00825	0.00021	0.0361	0.00002
Copper	Total	mg/L	0.0264	0.0012	0.124	0.0002

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-10	1162096-11	1162096-12
Sample Date	Sep 19, 2016	Sep 18, 2016	Sep 19, 2016
Sample Time	10:45	16:30	11:10
Sample Location	Surface	Surface	Surface
Sample Description	KZ-9 duplicate	KZ-10	KZ-11
Matrix	Water	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit	
Trace Metals Total - Continued						
Iron	Total	mg/L	21.3	0.606	122	0.002
Lead	Total	mg/L	0.0601	0.000739	0.253	0.00001
Lithium	Total	mg/L	0.0101	0.0022	0.0266	0.0005
Manganese	Total	mg/L	0.591	0.036	3.9	0.001
Molybdenum	Total	mg/L	0.00196	0.000219	0.00323	0.00002
Nickel	Total	mg/L	0.0080	0.0002	0.0368	0.0002
Selenium	Total	mg/L	0.001	<0.0002	0.0062	0.0002
Silver	Total	mg/L	0.000556	0.000022	0.00424	0.00001
Strontium	Total	mg/L	0.134	0.247	0.567	0.0001
Tellurium	Total	mg/L	<0.000050	<0.000050	0.000172	0.00005
Thallium	Total	mg/L	0.000417	0.000014	0.000928	0.00001
Thorium	Total	mg/L	0.00544	0.000177	0.0199	0.00005
Tin	Total	mg/L	0.0004	<0.0001	0.0004	0.0001
Uranium	Total	mg/L	0.00303	0.00158	0.0180	0.00001
Vanadium	Total	mg/L	0.0420	0.00107	0.126	0.00005
Zinc	Total	mg/L	0.112	0.0033	0.547	0.0005
Zirconium	Total	mg/L	0.0101	0.0001	0.0133	0.0001

Analytical Report

Bill To: J. Gibson & Associates
 Report To: J. Gibson & Associates
 Box 20913
 Whitehorse, YT, Canada
 Y1A 6P2
 Attn: John Gibson
 Sampled By: J.Gibson
 Company:

Project:
 ID: Rockhaven Resources
 Klaza
 Name: Surface Water
 Location:
 LSD:
 P.O.:
 Acct code:

Lot ID: **1162096**
 Control Number: C0059205
 Date Received: Sep 21, 2016
 Date Reported: Sep 28, 2016
 Report Number: 2134014

Reference Number	1162096-11	1162096-12
Sample Date	Sep 18, 2016	Sep 19, 2016
Sample Time	16:30	11:10
Sample Location	Surface	Surface
Sample Description	KZ-10	KZ-11
Matrix	Water	Water

Analyte	Units	Results	Results	Results	Nominal Detection Limit
Inorganic Nonmetallic Parameters					
Organic Carbon	Total Nonpurgeable	mg/L	2.8	13	0.5
Cyanide	Total	mg/L	<0.002	<0.002	0.002
Ammonia - N		mg/L	<0.01	0.15	0.01
Phosphorus	Total	mg/L	0.017	2.53	0.003
Physical and Aggregate Properties					
Solids	Total Suspended	mg/L	17	1950	2
Solids	Total Dissolved	mg/L	158	266	5

Approved by: 
 Mathieu Simoneau
 Operations Manager

Data have been validated by Analytical Quality Control and Exova's Integrated Data Validation System (IDVS).

Generation and distribution of the report, and approval by the digitized signature above, are performed through a secure and controlled automatic process.

Methodology and Notes

Bill To: J. Gibson & Associates	Project:	Lot ID: 1162096
Report To: J. Gibson & Associates	ID: Rockhaven Resources	Control Number: C0059205
Box 20913	Name: Klaza	Date Received: Sep 21, 2016
Whitehorse, YT, Canada	Location: Surface Water	Date Reported: Sep 28, 2016
Y1A 6P2	LSD:	Report Number: 2134014
Attn: John Gibson	P.O.:	
Sampled By: J.Gibson	Acct code:	
Company:		

Method of Analysis

Method Name	Reference	Method	Date Analysis Started	Location
Alk, pH, EC, Turb in water (Surrey)	APHA	* Alkalinity - Titration Method, 2320 B	24-Sep-16	Exova Surrey
Alk, pH, EC, Turb in water (Surrey)	APHA	* Conductivity, 2510 B	24-Sep-16	Exova Surrey
Alk, pH, EC, Turb in water (Surrey)	APHA	* pH - Electrometric Method, 4500-H+ B	24-Sep-16	Exova Surrey
Ammonia-N in Water (Surrey)	APHA	* Flow Injection Analysis, 4500-NH3 H	26-Sep-16	Exova Surrey
Anions by IEC in water (Surrey)	APHA	* Ion Chromatography with Chemical Suppression of Eluent Cond., 4110 B	22-Sep-16	Exova Surrey
Carbon Organic (Total) in water (TOC)	APHA	High-Temperature Combustion Method, 5310 B	26-Sep-16	Exova Edmonton
Cyanide (Total) in water	US EPA	* US EPA method, 335.3	27-Sep-16	Exova Edmonton
Mercury Low Level (Total) in water (Surrey)	EPA	* Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, 245.7	24-Sep-16	Exova Surrey
Metals SemiTrace (Dissolved) in water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	23-Sep-16	Exova Surrey
Metals SemiTrace (Total) in Water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	22-Sep-16	Exova Surrey
Phosphorus - total by Smartchem (Surrey)	APHA	* Persulfate digestion method, 4500-P B5	23-Sep-16	Exova Surrey
Solids Dissolved (Total, Fixed and Volatile) - Surrey	APHA	* Total Dissolved Solids Dried at 180 C, 2540 C	23-Sep-16	Exova Surrey
Solids Suspended (Total, Fixed and Volatile) - Surrey	APHA	* Total Suspended Solids Dried at 103-105°C, 2540 D	23-Sep-16	Exova Surrey
Trace Metals (dissolved) in Water (Surrey)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	23-Sep-16	Exova Surrey
Trace Metals (dissolved) in Water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	23-Sep-16	Exova Surrey
Trace Metals (Total) in Water (Surrey)	US EPA	* Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8	22-Sep-16	Exova Surrey
Trace Metals (Total) in Water (Surrey)	US EPA	* Metals & Trace Elements by ICP-AES, 6010C	22-Sep-16	Exova Surrey

* Reference Method Modified

References

APHA	Standard Methods for the Examination of Water and Wastewater
EPA	Environmental Protection Agency Test Methods - US
US EPA	US Environmental Protection Agency Test Methods

Comments:

Methodology and Notes

Bill To:	J. Gibson & Associates	Project:		Lot ID:	1162096
Report To:	J. Gibson & Associates	ID:	Rockhaven Resources	Control Number:	C0059205
	Box 20913		Klaza	Date Received:	Sep 21, 2016
	Whitehorse, YT, Canada	Name:	Surface Water	Date Reported:	Sep 28, 2016
	Y1A 6P2	Location:		Report Number:	2134014
Attn:	John Gibson	LSD:			
Sampled By:	J.Gibson	P.O.:			
Company:		Acct code:			

-
- Reduction of analytical volume was necessary for Total Suspended Solids analysis due to matrix effects in 1162096, sample 12. Detection limits are adjusted accordingly.
 - Reduction of analytical volume was necessary for Total Suspended Solids analysis due to limited sample volume for lot 1162096, samples 1 through 11. Detection limits are adjusted accordingly.
 - Reduction of analytical volume was necessary for Trace Metals analysis to bring results within the analytical range for samples #1162096-9, 10, and 12. Detection limits are adjusted accordingly.
 - Sample 1162096-12; 5515840 Reduction of analytical volume was necessary for TP to bring results within the analytical range for sample 1162096-12. Detection limits are adjusted accordingly.

Please direct any inquiries regarding this report to our Client Services group.

Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

Project Information

Project ID: ROCKWATER RESOURCES
 Project Name: KLAZA
 Project Location: SURFACE H2O
 Legal Location: SURFACE H2O
 PO/AFE#: _____
 Proj. Acct. Code: _____
 Quote #: _____

Invoice to:
 Company: J. Gibson & Associates
 Address: Box 20913
Whitehorse, YT Y1A 6P2
 Attention: John Gibson
 Phone: (867) 633-4522
 Cell: _____
 Fax: (867) 668-6895
 E-mail: ludditegibson@gmail.com
 Agreement ID: 6645
 Copy of report: X

Report To:
 Company: J. Gibson & Associates
 Address: Box 20913
Whitehorse, YT Y1A 6P2
 Attention: John Gibson
 Phone: (867) 633-4522
 Cell: _____
 Fax: (867) 668-6895
 E-mail 1: ludditegibson@gmail.com
 E-mail 2: _____
 Copy of invoice: _____

Report Results	Regulatory Requirement
E-Mail	HCDWQG
Mail	Ab Tier 1
Online	SPIGEC
Fax	BCCSR
PDF	Other (list below)
Excel	
QA/QC	

Sample Custody (please print)
 Sampled by: J. GIBSON / G. FORD

Company: _____

This section for Lab use only

Date/Time Stamp: **RECEIVED**
SEP 2 1 2016

RUSH Priority

Emergency (contact lab for turnaround and pricing)	When "ASAP" is requested, turn around will default to a 100% RUSH priority, with pricing and turn around time to match. Please contact the lab prior to submitting RUSH samples. If not all samples require RUSH, please indicate in the special instructions.
Priority 1-2 working days (100% surcharge)	
Urgent 2-3 working days (50% surcharge)	

Date Required: _____ Signature: _____

Special Instructions/Comments (please include contact information including ph. # if different from above).

RCHFM = pH, EC, TP, N₂, N₃, TALK, CL, SO₄, HARD, BS, TDS.

	Site I.D.	Sample Description	Depth		Date/Time Sampled	Matrix	Sampling Method	Enter tests above (√ relevant samples below)							Indicate in the space allotted any deficiencies by the corresponding number.	
			start in	end in				Number of Containers	↓	↓	↓	↓	↓	↓		
1	KZ-1	SURFACE			SEPT 18 @ 1440	H ₂ O	GRAB	7	✓	✓	✓	✓	✓	✓	✓	
2	KZ-2				"			6	✓	✓	✓	✓	✓	✓	✓	
3	KZ-3	↓			SEPT 19 @ 1820	↓	↓	10	✓	✓	✓	✓	✓	✓	✓	
4	KZ-4				" @ 1735			6	✓	✓	✓	✓	✓	✓	✓	
5	KZ-5				SEPT 18 @ 1550			6	✓	✓	✓	✓	✓	✓	✓	
6	KZ-6				SEPT 19 @ 1535			6	✓	✓	✓	✓	✓	✓	✓	
7	KZ-7				SEPT 20 @ 0930			6	✓	✓	✓	✓	✓	✓	✓	
8	KZ-8				SEPT 20 @ 0955			7	✓	✓	✓	✓	✓	✓	✓	
9	KZ-9				SEPT 19 @ 1040			7	✓	✓	✓	✓	✓	✓	✓	
10	KZ-9 DUPLICATE				SEPT 19 @ 1045			2				✓	✓	✓	✓	
11	KZ-10				SEPT 18 @ 1630			6	✓	✓	✓	✓	✓	✓	✓	
12	KZ-11				SEPT 19 @ 1110			6	✓	✓	✓	✓	✓	✓	✓	
13																
14	NOTES: TW23 FOR KZ-9, KZ-9 DUPLICATE + KZ-11							! NOT FILTERED! PLEASE DO LAB!								
15								NOT PRESERVED.								

Number of Containers	RCHFM	NH4	TSURFACE	THC	TN	TW24ews	THg	TW23ew - F. Nitric
----------------------	-------	-----	----------	-----	----	---------	-----	--------------------

Submission of this form acknowledges acceptance of Exova's Standard Terms and Conditions (<http://www.exova.com/about/terms-and-conditions/>)

Please indicate any potentially hazardous samples

Lot: 1162096 COC



Shipping: COD Y/ N
 # and size of coolers _____
 Temp. received: 6.1°C
 Delivery Method: Carver
 Waybill: _____
 Received by: GZ

ED 120-02