

**Report on Diamond Drilling, Prospecting and Ground Magnetism  
on the Lone Star Property,  
Dawson Mining District, Yukon Territory, Canada**

*On the following claims groups:*

*AC, BAD, Bar, BR, Cal, Chi, CIM, Cul, DE, DN, Gap, Giga, IF, Joe, KG, KG F, KH, Klondike, LB, LLIB, ND,  
Nug, Nugget, On, Oyro, Rado, Red, Reef, Rex, RJ, Ron, Stam, Syndicate, UELD, VI, Win  
See detailed list in Appendix II*

**NTS MAP-SHEETS 1150/14**

**62°52'N 139°15'W**

**588500mE / 7084500mN NAD83, Zone 7N**

**DAWSON MINING DISTRICT**

**Work completed: May 14 – September 7, 2015**

**Submitted by: Peter Tallman P. Geo.**

**On behalf of  
Klondike Gold Corp.**



**715 – 675 West Hastings Street,**

**Vancouver, BC Canada V6B 1N2**

**Tel • 604.559.4440 Fax • 604.559.4443**

**Webpage • [www.klondikegoldcorp.com](http://www.klondikegoldcorp.com)**

**Table of Contents**

1.0 Introduction ..... 3

2.0 Property Description and Location ..... 3

3.0 Accessibility, Climate, Local Resources, Infrastructure and Physiography ..... 6

4.0 History ..... 7

5.0 Geological Setting and Mineralization ..... 13

    5.1 Yukon-Tanana Terrane ..... 13

    5.2 Geology and Structure ..... 14

    5.4 Quartz Veining and Mineralization ..... 14

    5.5 Quaternary Geology ..... 15

    5.6 Property Geology ..... 15

6.0 2015 Exploration Program ..... 17

    6.1 Prospecting ..... 17

    6.2 Ground Magnetics ..... 19

    6.3 Orthophoto Survey ..... 20

    6.4 Diamond Drilling ..... 21

7.0 Sample Preparation, Quality Assurance and Quality Control, Analysis, and Security ..... 27

8.0 Interpretation and Conclusions ..... 29

9.0 Recommendations ..... 30

10.0 Statement of Qualifications ..... 32

11.0 References ..... 33

**Appendices**

- Appendix I: Statement of Costs
- Appendix II: Claims List
- Appendix III: Rock Sample Descriptions
- Appendix IV: Rock Sample Assay Certificates
- Appendix V: Magnetics Data (Digital)
- Appendix VI: Diamond Drill Sample Information
- Appendix VII: Diamond Drill Geological Logs
- Appendix VIII: Diamond Drill Assay Certificates

**List of Figures**

- Figure 1: Lone Star Property Location Map
- Figure 2: Lone Star Property Claims Map
- Figure 3: Lone Star Property with surveyed mineral claims
- Figure 4: Lone Star Property Regional Geology
- Figure 5: Gold Prospecting Results
- Figure 6: Lone Star property ground magnetic survey - total magnetic intensity
- Figure 7: Orthophoto survey
- Figure 8: 2015 Lone Star drill areas
- Figure 9: Nugget Zone plan map
- Figure 10: Gay Gulch zone plan map
- Figure 11: Buckland zone plan map

## 1.0 Introduction

Exploration on the Lone Star Property, which includes the Lone Star and Bonanza claim groupings, in 2015 consisted of 690 line kilometers of ground magnetics surveying completed by Ground Truth Exploration, 19 diamond drill holes completed by Kluane Drilling Ltd. and 85 man days of prospecting, sampling and reclamation work, totaling \$290,227.40. Additional work not claimed for credit includes additional prospecting, mapping, trenching, airphoto surveying and orthophoto mosaic creation, and significant remediation of past disturbances. Exploration focused on three main zones, the Nugget Zone, Gay Gulch and the Buckland Zone.

## 2.0 Property Description and Location

The Lone Star property is centered on 63°52'N, 139°15'W, covers the western portion of the Klondike goldfields, located some 500 km NNW of the territorial capital of Whitehorse, YT. The Lone Star property is comprised of 707 contiguous quartz claims and 14 Crown Grants covering a 135 square kilometer area. The Lone Star property quartz claims are divided for purposes of administration into the Lone Star grouping and the Bonanza grouping. The Lone Star property extends northward along Adams Gulch and the entirety of Bonanza Creek, north to the Klondike River at Bear Creek, east across Chance Creek and Independence Creek, south to Blanche Creek and covering the entirety of Eldorado Creek.

The claims lie on NTS map sheet 115O/14 within the Dawson mining district. Property and claim locations are shown in Figure 1 and Figure 2, and a detailed claim list is located in Appendix II. As of the date of this report all quartz claims are listed and owned 100% by Klondike Gold Corp. without encumbrance or underlying royalty. Klondike Gold also owns 14 crown grants within the Lone Star property. Ownership in one of these crown grants, "Argyle", situated at Adams Gulch has recently (January 2016) been (arbitrarily?) reduced by the Yukon government to 25% from 100%; this is subject to discussion since Klondike Gold purchased 100% and has paid 100% of taxes to the Yukon government since 1980. The remaining 13 crown grants are owned 100% by Klondike Gold without encumbrance or underlying royalty.




Figure 1: Lone Star Property Location Map




Figure 2: Lone Star Property Claims Map

### 3.0 Accessibility, Climate, Local Resources, Infrastructure and Physiography

The Lone Star Property covers the discovery creeks of the Klondike placer goldfields located near Dawson City (“Dawson”), Yukon Territory. Gold in the gravels and bedrock here has been the target of prospectors and placer gold miners since 1896.

Dawson is connected to the territorial capital of Whitehorse via a 540 km sealed, government maintained two-lane highway (the “Klondike Highway”). Electricity in Dawson is supplied by the Yukon Energy Corporation’s territorial power grid (connected in 2004) with back-up diesel power. A 5000’ x 100’ gravel surface lighted Yukon Government airfield at 1214’ (370 m) elevation is located on the outskirts of Dawson. Scheduled daily air service to Dawson is maintained by Air North using twin-engine turboprop aircraft from Whitehorse, and seasonally by Boeing 737 jet (with special gravel landing kit installed) from Fairbanks, Alaska for cruise ship tourists. A smaller unmaintained 800’ grass/gravel airstrip at 2100’ (640 m) elevation suitable for light aircraft is located on the Lone Star property alongside Eldorado Creek. Charter fixed wing light aircraft of various capabilities are available locally or in Whitehorse. In addition, there are two year-round helicopter bases (Trans North Helicopters and Fireweed Helicopters) in Dawson. Other helicopter companies establish seasonal bases as needed. Regular truck freight, parcel and mail, and fuel services supply Dawson via the highway. Dawson offers normal town facilities such as hotels, restaurants, grocery, clothing, building supplies and hardware stores, engineering supplies, four bulk fuel and one bulk propane depot, as well as vehicle and heavy equipment repair capability.

The Lone Star Property lies within the traditional territory of the Tr’ondëk Hwëch’in First Nation. The Tr’ondëk Hwëch’in are based in Dawson with roughly 1,100 members who are descended from the Han-speaking people. Tr’ondëk Hwëch’in began negotiating their individual land claim in 1991. The Tr’ondëk Hwëch’in Final Agreement was signed on July 16, 1998, and came into effect on September 15, 1998.

The Lone Star property has a number of access points. The Bonanza Creek road begins in Dawson, connects south and west to the Hunker Creek road, and is a major government maintained loop which provides access for miners from two points along the Klondike Highway to the centre of the Klondike. This east-west road cuts across the northern part of the Lone Star property. The Eldorado Creek road, a north-south branch off the Bonanza Creek road, runs along Eldorado Creek to its headwater and transects the Lone Star property. The Lone Star Ridge road, one main branch off the Eldorado Creek road, provides access to high ground above both Eldorado and Bonanza Creeks, is a long-used road (in existence at least from 1896) that wears well in summer and is an alternative to the Bonanza Creek road. The Violet road, a second branch off the Eldorado Creek road, loops west on high ground and then runs along the west ridge above Eldorado Creek. The Bonanza and Eldorado creek roads are 2-wheel drive dirt and gravel roads and have significant mining and tourist traffic through the summer. The Bonanza Creek road is ploughed during winter, the other main roads are cleared and graded from April until October. The Lone Star Ridge and Violet roads are maintained privately by Klondike Gold and others as needed. Roads to individual placer claims, old cut roads, and dirt trails, some requiring 4-wheel drive or ATV, branch from these roads. Taken together, there is an extensive road network which allows excellent access by vehicles and heavy equipment throughout the property.

The Lone Star property is within Central Yukon Basin climatic zone, characterized by a sub-arctic climate, with normally low annual precipitation (approximately 400 mm total precipitation). The exploration season typically extends from May through October by which time nightly temperatures are below freezing and there may be a few centimeters of snow on the ground. Winter temperatures may drop to at least -40 °C for up to six weeks in January and February.

The Klondike region consists of rugged topography of rounded hills and V-section valleys since this region was not affected by late Cenozoic glaciation (specifically the Nansen, Klaza, Reid, and McConnell advances (Bostock, 1966)). In-situ weathering of the region has had a lengthy multimillion year history resulting in few natural fresh rock exposures.

Dawson City is on the Yukon River at 1050' (320 m) elevation and the highest point near to the Lone Star property, King Solomon Dome, is at 4032' (1229 m). The highest point on the Lone Star property is at the Eldorado Dome at 1160 m on the "AC" claims. The region surrounding the claims has been historically denuded of large timber by cutting to either supply mines and fuel boilers or by forest fires, and is now covered by regrowth of spruce, poplar, birch and alder. Only the very highest ridges are covered by dwarf willow and birch ("buckbrush").

## 4.0 History

The Klondike area has been prospected since the discovery of placer gold on Bonanza Creek in 1896. Many small gold showings were investigated by hand-dug pits, trenches, shallow shafts, or short adits driven on notable prospects. Circa 1900 prospecting was most successful locating bedrock gold-bearing quartz veins on/near the ridge crests where colluvium/overburden is generally thinnest. Prospectors dug holes, collected the quartz boulders, crushed them, and panned the crushed material. If gold was visually identified, additional pits, shafts, or adits would be excavated. Notable prospects discovered around 1900 include Lone Star, Pioneer, and Parnell showings situated on the east ridge above Eldorado and Bonanza Creeks (Minfile #'s 072, 150, and 147), Violet on the west ridge above Eldorado Creek (Minfile #146) and the Mitchell and Sheba veins off the property to the east near King Solomon Dome (Minfile #068).

The Lone Star prospect was first staked in 1897 and the adjacent Parnell and Pioneer prospects in 1900. The Violet prospect was first staked in 1901. Lone Star and Violet were both explored by various episodes of underground mining from multi-level drifts between 1910 and 1948.

A summary of exploration work from 1896 to present is listed below.

- 1896: Discovery of placer gold, start of placer exploration and mining, along with quartz exploration. Eldorado and Bonanza Creek drainages which underlie the Lone Star property have been the creeks with the most placer gold production, with mining continuing to the present.
- 1897: Lone Star prospect staked by Messrs. *Chute, Corthay and Stewart*. They prospected the discordant quartz body known as the Corthay vein by shaft sinking and drifting.
- 1909-1914: Lone Star Company developed the 'Boulder Lode' at the Lone Star "mine". The company excavated an open-cut and connected it below to a 225 m adit by means of two ore

passes. An amalgamation plate 4-head stamp mill with Wilfley table was built 1.5 km downslope on Victoria Gulch and a gravity cable tramway connected this to the mine. By 1914 some 7650 tons of rock had been mined and milled (calculated, with approximately a head grade of 0.202 oz/ton Au: Cathro, 1979).

- 1914: GSC investigated and sampled surface and underground at the Lone Star mine (MacLean, 1914).
- 1929-1936: Consolidated Lone Star Ltd conduct limited work at the Lone Star mine.
- 1935: GSC investigated and sampled surface and underground at the Lone Star mine.
- 1946-1947: Yukon Consolidated Gold Corp (“YGCG”) conducted cable-driven percussion “churn” drilling and underground examination of the Lone Star mine site, under option.
- 1960-1962: Klondike Lode Gold Mines prospected, bulldozed five contour trenches, and sluiced the ~85 liter size samples collected. Gold concentrations were expressed qualitatively as number of colors. Colluvial gold was found in the 7 Pup-O’Neil area, also Gay Gulch and Oro Grande Gulch. Trenching by engineer Gordon Hilchey was conducted on the Bonanza side of the ridge alongside the Lone Star, and also east of Eldorado Creek at French Gulch (one trench of 2100 ft) and between Gay Gulch and Oro Grande (five smaller trenches). Four churn holes at 7 Pup indicated gold there, including holes VC-10 and VC-11 with ‘considerable gold’. Nine churn holes tested Oro Grande; C-1 to C-6 contained ‘colours’ including C-6 with ‘40 coarse colours’. Also 160 meters of diamond drilling in 5 holes near French Gulch with no gold result, plus other drilling at Gay Gulch and 7 Pup.
- 1979-1985: Dawson Eldorado Gold Explorations Ltd hired Archer Cathro and Associates Ltd who re-evaluated the Lone Star prospect. Soils, resistivity surveying, and geological mapping were completed. Mapping observed the Lone Star prospect contained gold in vertical quartz ‘stringers’ that are discordant to the attitude of the dominant foliation of the host schist, hosted within an “F3” antiform fold. The Lone Star mine adit portal was re-opened. Six reverse circulation holes totaling 416 meters were drilled in 1985 between the Lone Star mine and the Hilchey showing. A sixth hole near Oro Grande was 21 meters. All had anomalous results.
- 1983-1986: A claims syndicate, the “Dawson Syndicate” was created by contribution of properties from Arbor Resources (now Klondike Gold), Ebony Gold Corp, Perron Gold Mines, Eastern Mines, Cream Silver Resources, Tiberon Petroleum, Texoro Resources, H-L Corp, Standard Gold Mines, Silver Sceptre, and Dawson Syndicate (as an entity). The collective carried out systematic prospecting that covered much of the Klondike from upper Adams Gulch to Hunker Creek, and from Grand Forks to the Klondike River. Five grids were laid out for soil sampling and geophysics; four on the south side of the Klondike River within 3 km of its valley and the fourth (Penibe claims) south of Hunker on the ridge to the west of Last Chance Creek. Induced polarization surveys detected no response in the Oro Grande to Gay Gulch grids, and a prominent response from the 27 Pup area likely due to outcropping graphitic schist. At the French Gulch / Eldorado junction a split anomaly was defined and at Big Skookum a resistivity anomaly noted. Detailed surveying of the Lone Star grid produced some very distinct responses. Twenty seven diamond drill holes were used to test anomalies over the whole region, with unknown or little result.



- 1984: Bedrock geology map, 1:50,000 published (Debicki, Open File 1984-3).
- 1986-present: Arbor Resources (later changes name to Klondike Gold Corp) optioned the Klondike property in 1986 and continued exploration of both the large claim block and the Lone Star Crown Grants (Grunenberg and Gonzales, 1987). At French Gulch, near the junction with Eldorado Creek, ten diamond drill holes were used to investigate I.P. and VLF/EM anomalies close to zones of quartz veins exposed in placer workings. The shear zones intersected did not yield any anomalous geochemistry and pyritic chlorite schists were barren of gold. The geophysical anomalies correlated with graphitic layers and linear magnetic anomalies with diabase dykes that are reverse polarized and hence give very sharp negative anomalies. Five zones of from 1.5 to 8 ft. (0.46-2.4 m) thickness were intersected giving gold grades of 0.01-0.20 oz/t Au, each in quartz veins. Seven holes were drilled along Eldorado Creek between Golden Gulch and Little Eldorado Gulch to test shear zones indicated by geophysics and five holes were abandoned due to 'broken ground'. At Lone Star twelve diamond drill holes were completed; holes 86LS01 to 86LS02 beneath the Lone Star mine workings and the rest to test soil geochemistry or I.P. chargeability/resistivity anomalies. 86LS03 and 86LS11 proved the most promising, with narrow intervals (2.5 ft.) up to 0.345 oz/t Au. Also twenty three rotary drill holes were completed during the 1986-87 winter, mostly between Oro Grande and Gay Gulch. Several 5-10 ft. zones of 0.013-0.23 oz/t Au were intersected.
- 1992: *Kennecott* optioned the Lone Star Property and continued the rotary percussion and reverse circulation drilling started by Arbor Resources. The Lone Star mine mineralization was extended out to 250 meters west-northwest of the open cut, including 92LS14. Doyle (1993) considers this to be part of an alteration zone that trends northwest from the Pioneer prospect (with right hand fault offset) and which continues towards O'Neil Gulch.
- 1993: Kennecott (Finlayson, 1994) prepared heavy mineral concentrates from cuttings of hole 92LS14. Assays of concentrates were lower than the original 1992 drill cutting assays and free gold was not found. Kennecott concluded that coarse free gold was not present and, on the basis of gold content in pyrite, that two generations of sulphides exist in the Lone Star rocks: i.e., that gold mineralization was impressed upon existing pyritic schists. The 1993 drilling tested the gold soil anomaly downslope of the Lone Star workings defined by Arbor Resources. Mineralization encountered in their drilling consisted of intersections of less than 10 m of >1g/t Au (>0.029 oz/t Au) in Boulder Lode drill holes 92LS01, 92LS03, 92LS04, 92LS07, 92LS08 and 92LS09. In the Buckland Zone holes 92LS20 to 92LS22 encountered 3 to 15 meter intersections of >1g/t Au.
- 1994: Kennecott (Cranswick et al., 1995a) targeted the Buckland Zone. Power driven soil augers sampled lines spaced at 1 km intervals down the spurs from the ridge road to Eldorado Creek and over the Lone Star mine. Anomalies up to 500 ppm Au were obtained from spurs between 27 Pup and Oro Grande, the northwest side of Gay Gulch, and directly above O'Neil Gulch. The anomaly at the Nugget Zone was trenched (94TR02). Assays of 2.35g/t Au / 12.0 m and 26.5g/t Au / 2.0 m were obtained. In addition low in Gay Gulch, trench 90GGTR06 was re-cut and sampled, yielding individual assays of 3.71 g/t Au / 2 m; 3.01 g/t Au / 2 m; 1.25g/t Au / 2 m; and 1.17g/t Au / 2 m in discordant pyritic quartz veins. Reprocessed helicopter borne magnetic

survey (?year?) was used to infer the presence of a magnetite-type granitic intrusion at Sourdough Gulch, based upon magnetite-bearing porphyry dykes at 77 Pup and Discovery Pup (off Bonanza Creek). Auger sampling found no significant gold at the other localities. Kennecott terminated the property option in January 1995.

- 1995: Arbor Resources changed name to Klondike Gold Corp. (“KG”). Newmont Exploration evaluated the property, under option, by studying the mineralogy and amenability to milling of bulk samples. Coarse gold >100 mesh was found in lab tests as well as in assays indicating considerably higher numbers compared with rotary drill cutting results. J.E. Tilsley and Associates (Hayden and Tilsley, 1997) carried out surface sampling at the Lone Star mine to investigate techniques to obtain representative assays. Coarse gold was encountered in their large size (≈30kg) samples.
- 1996: Work consisted of trenching at Lone Star, Pioneer, Parnell, Buckland, French Hill, Glacier and Oro Grande showings, together with a reinterpretation of the geology (Van Angeren, 1996) who recommended concentration of work on the Boulder Lode, Buckland Shear and 27 Pup Zones with that work aimed at finding primarily disseminated mineralization rather than crosscutting quartz veins. Also in 1996, Barramundi Gold Ltd staked and optioned much of the Klondike area, over 3000 claims, adjacent to KG’s Lone Star property. And YGS produced new bedrock geology maps, 1:50,000 published, including 1150/15.
- 1999: Barramundi commissioned a fixed wing airborne magnetics and VLF-EM survey over a 16 x 24 km area adjacent to Lone Star property. Later, Barramundi optioned all of their Klondike region claims to KSL Exploration (Yukon) Ltd, a private Australian company who conducted airphoto and Landsat interpretation with minor rock and soil sampling (assessment report #094119). Claims that were held by Barramundi under option from JAE Resources and United Keno Hill Mines were excluded from the deal, hence KSL only explored peripheral to the project.
- 2002: Airborne magnetics and radiometrics geophysical survey, 1:50,000 scale published (Shives et. al., GSC Open File 3992). No one from KG looked at this data?
- 2002-2015: Klondike Gold (“KG”) optioned a ~50% interest in the property to Klondike Star Mineral Corporation (“KSMC”), which became a 50/50 joint venture in 2005. KSMC worked the Lone Star property until 2008. KG resumed work in 2011. KG purchased KSMC in 2015, thereby restoring a 100% interest.
- 2004: KSMC conducted exploration at the Lone Star mine, Oro Grande and 27 Pup areas. A gravity circuit mill was constructed on Eldorado Creek to process bulk samples of bedrock mineralization. The mill was fed by hand, so bulk samples were limited to ~1,000 kg in size. The ‘process plan’ circuit consisted of one small jaw crusher, two small ball mills, and a shaker gold finishing table. Tailings were disposed in local placer cuts with placer tailings. Twelve bulk samples ranging in size from 8 kg to 959 kg were processed. Free gold was recovered from all samples, and estimated to constitute between 18 and 81% of the total gold in the samples. Heavy mineral concentrates, dominated by pyrite and iron oxide pseudomorphs of pyrite, contained significant amounts of gold. Tailings from the laboratory table used for cleaning the rough concentrates were also ‘high’ in gold. The mill tailings were gold bearing, containing between 42% and 76% of the calculated gold head grade. Fieldwork consisted of surveying,

detailed geological mapping and trail construction, and trenching. Seventeen trenches were excavated by backhoe and selectively chip sampled over five meter intervals.

- 2005: By 2005, KSMC had acquired a ~55% interest in the property. Thirty two diamond drill holes totaling 4830 meters were drilled; 27 at the Lone Star mine, 3 at the Veronika showing, and 2 at the Dysle showing, with no significant results. The bulk sampling gravity mill was upgraded in 2005, and processed 18 mini-bulk samples ranging between 1394 and 4111 kilograms in weight, collected from Lone Star, 7 Pup, Nugget, Veronika and Dysle showings. These tests indicated a nugget effect with 50% of the gold present as coarse free gold and about one third of the gold in the mill tailings, and the remainder as fine gold. Fourteen trenches were dug by backhoe at nine locations in 2005. Good results were obtained from the '310 Zone' located on the ridge between Nugget Gulch and French Gulch where some older trenches were re-excavated and sampled, also from the Nugget Zone from the re-excavation of the upper part of 94TR02. The trench below the Chateau at Lone Star, 05TR12 returned a broad mineralized interval corresponding to hole 05LS22 which is angled under the trench.
- 2006: Work included 23 diamond drill holes (17 at Lone Star mine, 3 at O'Neill Gulch, 3 at Nugget Zone), 8 trenches, IP geophysics at Buckland, 139 soil samples on the WIN claims, and 18 bulk samples.
- 2007: Work included remapping trenches and geology data compilation. 6 drill holes totalling 858.4 m targeted the Buckland and Pioneer showings, all with anomalous gold results associated with discordant quartz veins. Seven bulk samples from 3085 kg to 7471 kg and one hand excavated 350 kg bulk sample were processed. Twenty three batches of chips from two rotary drill holes totaling 3892 kg were also processed through the gravity mill. Nugget effects were evident in results; in addition 07-LS-B1 had 96% of its gold reporting to tailings "suggesting the gold may be either of an extremely fine grain size or perhaps bound in silicate minerals to avoid being recovered in the heavies". Or the circuit didn't capture the gold. An induced polarization ("IP") geophysical survey at the "JF showing" consists of eleven lines totaling 9.9 line km oriented northwest to southeast located above Gay Gulch targeted trench 06TR06 area. The IP grid was also soil sampled with 381 samples collected.
- 2008: KSMC conducted geological mapping, trench and rock sampling, and soil sampling on the WIN and LB-LLIB claims.
- 2011: *Klondike Gold Corporation* work consisted of excavating two trenches near the Lone Star mine, and excavating a 6 m vertical section in the Lone Star mine to the depth of the first underground level. At Nugget Zone, trenches were enlarged and deepened. A soil sampling program using an excavator to obtain 1 m deep soil samples was conducted along the ridge road from near Grand Forks to the Calder Summit ridge. No significant new results were obtained.
- 2012: *Klondike Gold Corporation* drilled 4 holes to the southeast of the Lone Star mine. Results found that the low grade gold mineralization present at Lone Star does not extend eastward to the Pioneer Zone. Gold is present in all four holes but is weak and sporadic. The faces of the Lone Star mine excavation were channel-sampled at close spacing. Quartz veins yielded interesting assay values (~10-60 g/t Au). The intervening schist yielded sporadic low grades (typically  $\leq 1.0$  g/t Au). Surficial terrain mapping was completed by AECOM Consulting based on

1996 1:25000 aerial photographs and 2009 0.5 m resolution satellite image interpretation. This analysis led to a soil sampling program near the upper headwaters of Little Blanche Creek (defining the “Boy” soil anomaly) and a recommendation to similarly sample the southeast of the property in the vicinity of Canyon Creek.

Little Blanche Creek area was tested with 607 soil samples, following up on anomalous soil results obtained by Klondike Star between 2004 and 2008. Results show a strong north-south trending gold anomaly with a width of approximately 400 m and a length of 900 m. Analysis of soil results indicated a high correlation between Au and Ag and no correlation between Au and As in this area.

In 2012 exploration on the Violet to 310 quartz vein trend consisted of soil sampling, prospecting, and rock sampling. Two selected grab samples from the Violet mine ore pile ran 41.25 g/t Au with 524 g/t Ag and 47.4 g/t Au with 894 g/t Ag in agreement with historical reported samples of up to 131.6 g/t Au in surface sampling (Source: Yukon MINFILE 1150 073). Prospecting along the Violet to 310 trend revealed a number of showed historical unmarked pits from the early 1900s. Rock samples from pits show quartz veining and stockworking with common pyrite and limonite with local galena, chalcopryite, and barite. Results from these samples show anomalous gold. Of the 130 rock samples assayed, 11 returned greater than 1 g/t Au, silver had 14 samples greater than 10 g/t Ag.

The JF target is located on the Lone Star Property near the upper headwaters of Gay Gulch and Eldorado Creek and is an area of anomalous gold associated with quartz veining and quartz rich fault gouge. The JF target was first excavated with ultimately a 1.2 km long trench, cut 150 meters wide (could be seen prominently from space; remediated in 2015), and first sampled in 2006. Anomalous gold values at the western end of this trench prompted an extension of the trench in 2007 resulting in a slight increase of the mineralized zone. An IP grid over the trench area was also completed in 2007. In 2012 a portion of the JF trench was deepened significantly to provide better exposure and 67 samples were collected over 101 meter. The new results redefined the anomalous zone to 1.75 g/t Au over 10.2 meters.

Of historical interest, the following map (Figure 3) shows the location of now defunct “surveyed mineral claims” from c.1896-1906 when owners of mineral claims with a decent discovery (in the eye of the beholder) went to the considerable effort of cutting the claim boundary, surveying it, and registering it with the claim. These “surveyed mineral claims” provide another view of the bedrock potential as of 1906. The surveyed mineral claims are shown in relation to Minfile mineral occurrences on the Lone Star property.




Figure 3: Lone Star Property with historic circa 1908 “surveyed mineral claims” and Minfile occurrences.

## 5.0 Geological Setting and Mineralization

### 5.1 Yukon-Tanana Terrane

The Klondike region is underlain by Permian age Klondike Schist, correlative with units of the Yukon-Tanana terrane (“YTT”) which extends from Alaska through the Yukon to British Columbia. The YTT is a diverse lithotectonic terrane of continental affinity consisting primarily of quartzitic, pelitic and calcic metasedimentary rocks, and local mafic and felsic meta-igneous rocks. These protoliths are intruded by Mesozoic and Cenozoic granitic rocks. The YTT is bound to the north by the Tintina-Kaltag fault system, to the south by the Tanana-Denali-Farewell fault system, and is cut in the middle by the Teslin fault system. These fault systems form zones of major right lateral strike-slip movement. Units of YTT are polydeformed and, over a regional scale, show a range of metamorphic grade from lower green schist to amphibolite facies. Structural styles are consistent with deformation during east to northeast directed accretion and crustal shortening. In part, the Yukon-Tanana terrane forms the basement for Quesnellia, and the existence of mid-Jurassic plutons that intrude both terranes indicates they were sutured by that time (Nelson and Friedman, 2004). Current Klondike Gold exploration thinking links a northwesterly

extension/termination of the Teslin fault system during the mid-Jurassic to orogenesis and emplacement of gold-bearing quartz veins in the Klondike area.

Igneous rocks are widespread throughout the YTT, but are most abundant in the eastern portion of the province. Age dates of plutonic rocks in the YTT generally cluster into three distinctive groups: 1) 215-188 Ma (Late Triassic–Early Jurassic), 2) 110-85 Ma (mid- to Late Cretaceous), and 3) 70-50 Ma (Latest Cretaceous-Eocene).

## 5.2 Geology and Structure

Late Permian back-arc volcanism related to subduction beneath the Slide Mountain ocean produced the rocks of the Klondike schist within the Lone Star property. The Klondike schist represents a Permian transition from plutonism, represented by the Sulphur Creek orthogneiss on the Violet ridge along the western portion of the property, to arc volcanism and related volcanoclastic rocks extending through the Lone Star property eastward 50 km to Dominion Creek.

Obduction of the Klondike schist arc terrane onto cratonic North America created pervasive S1+S2 foliation(s) from deformation and metamorphism of these units. Continued ductile deformation produced a spaced crenulation cleavage across the region. Medium to large scale folds verge to the NE; this phase of folding produced an asymmetric anticline along the Lone Star ridge, associated with regional thrusting and imbrication within the Klondike schist.

In the mid-Jurassic, Slide Mountain terrane mafic and ultramafic rocks were underthrust beneath the Klondike schist which produced angular kink folds, reverse faults, and subsequent quartz veining. Devolatilization of the Slide Mountain underthrust slab produced volumes of carbonate and gold bearing fluids which ascended into the Klondike schist. Uplift and brittle deformation produced conduits for gold-bearing fluids which channeled and formed the distinctive discordant gold-bearing quartz veins.

Northward trending faults within the YTT are a result of transpression and initiation of the Tintina fault in the Tertiary. Late Cretaceous felsic and mafic intrusions (Carmacks Group) and Eocene bimodal dykes emplaced in these N-S structures. Lamprophyre dykes, another phase of intrusion, are known from drill core at the Nugget zone to also intrude along N-S structures.

Within the western end of the Klondike schists in the vicinity of Eldorado Creek (Lone Star property), quartz augen schist representing a deformed subvolcanic dacitic intrusion, outcrops along the west side of Eldorado Creek. Graphitic schist outcrops beneath and immediately adjacent to Eldorado Creek. Felsic tuffaceous volcanics and sediments, locally cherty, outcrop on the hills east of Eldorado Creek and into the high ground south of Bonanza Creek. Further east the ridge is largely chlorite schist derived from mafic tuffaceous volcanic and intrusive rocks.

## 5.4 Quartz Veining and Mineralization

Two types of quartz veins are common in the Klondike, and are distinguishable by not being an exploration target (no gold), or being an exploration target (with gold) respectively:

a) foliaform veins that are typically concordant with transposed bedding and which may be meters thick, but which are usually lenticular and have subtle to prominent foliation(s). These are always barren of gold and,

b) discordant veins that carry sulphide mineralization (pyrite, with rare galena, chalcopyrite and tetrahedrite) and visible gold which is both commonly contained in selvages of pyrite (or after weathering, pseudomorphs of goethite/limonite) and as free gold grains in the white quartz. Discordant veins are rarely up to 2-3 meters thick and can persist for hundreds of meters strike length (eg. Violet-310). Some spectacular gold grades are reported from this vein type (Rushton et al., 1993; Klondike Gold NR 14-Jan-2015 results from Lone Star mine of 1,766 g/t Au grab sample(s); Klondike Gold NR 26-Oct-2015 results from Gay Gulch of 75.6 g/t Au over 2.8m drill hole).

## 5.5 Quaternary Geology

The Lone Star property lies in unglaciated terrain, near the western margin of the Cordilleran ice sheet limits. It is in the zone of widespread discontinuous permafrost, with permafrost generally present on north and east facing slopes.


The upland soils in the area, dominated by colluvium have been described by Bond and Sanborn (2006): "... a thin veneer (<25 cm) of loess is preserved on moderate upland slopes. On slopes with a south-facing aspect the loess forms a distinct unit at the top of the B horizon. A minor component of coarser locally derived colluvium appears to have been incorporated in the loess by slope processes in many places. On north-facing slopes, permafrost is commonly present (or has been present), which enhances the colluviation of the surficial deposits. On these slopes, the loess has been incorporated in the underlying colluvium by cryoturbation." The dominant soil types on ridge crests and south facing slopes are dystric brunisols. The dominant soils on north facing slopes are turbic cryosols.

## 5.6 Property Geology

The geology of the Klondike district which is underlain by Permian age Klondike Schist is poorly known due to a paucity of outcrop. As such, the Klondike Schist has not been subdivided despite indications the eastern end near Dominion Creek exhibits amphibolite facies metamorphism while rocks at the western end near Eldorado Creek exhibit greenschist facies.

In general the Klondike Schist lithologies are comprised of typical island arc volcanic lithologies including mafic and felsic tuffaceous rocks and derived sediments, plus interlayered graphitic schists. The western end of the belt is bounded by the Jim Creek pluton, described as an orthogneiss, which outcrops along Violet ridge west of Eldorado Creek.

Gordey and Makepeace (2001) indicate a small andesite porphyry of Upper Cretaceous age in their compilation of the geology of the Lone Star property area, as originally mapped/reported by Mortenson (1996). The andesite porphyry corresponds to a magnetic 'high' in GSC airborne surveying (2002) and Klondike Gold's 2015 more detailed ground magnetic survey. In YT MINFILE records, the area is named the Jen zone (Minfile ID 115O078).





Legend		
<b>Bedrock Geology</b>	<b>MIDDLE PERMIAN</b>	<b>DEVONIAN, MISSISSIPPIAN AND(?) OLDER</b>
<b>LOWER TERTIARY, MOSTLY(?) EOCENE</b>	PgS: SULPHUR CREEK	DMF4: FINLAYSON
ITR1: ROSS	PgS: SULPHUR CREEK SUITE	DMF3: FINLAYSON
ITR2: ROSS	<b>CARBONIFEROUS AND PERMIAN</b>	<b>LATE PROTEROZOIC AND PALEOZOIC</b>
<b>UPPER CRETACEOUS</b>	PK2: KLONDIKE SCHIST	PDS1: Snowcap clastic
uKC1: CARMACKS		<b>CARBONIFEROUS TO PERMIAN</b>
		CPSM4: SM ultramafic
		CPSM2: SM chert/argillite

Figure 4: Lone Star Property Regional Geology (from Gordey and Makepeace, 2001);

## 6.0 2015 Exploration Program

Exploration in 2015 consisted of 690 line km of ground magnetics surveying completed by Ground Truth Exploration, and 19 diamond drill holes completed by Kluane Drilling Ltd. Additional work not claimed for credit includes prospecting, mapping, trenching, airphoto surveying and orthophoto mosaic creation, and significant remediation of past disturbances.

A minimum total of \$308,515.28 consisting of approximately \$72,500 was spent on magnetics surveying for work performed between June 2 and August 21, 2015, as well as approximately \$158,000 on diamond drilling performed between August 10 and September 7, 2015.

Assessment credit claimed on 747 claims is 2 years (1494 claim years) plus 325 claims for 2.5 years (812.5 claim years) for a total of 2306.5 claims years.

Exploration of the Lone Star property was based from accommodations in Dawson with daily access to the property via 2WD and 4WD trucks. The exploration program consisted of prospecting and mapping work performed by Klondike Gold employees, ground magnetic, induced polarization, and orthophoto surveys conducted by GroundTruth Exploration of Dawson, diamond drilling by Kluane Drilling of Whitehorse, dozer rental for diamond drilling and remediation work by Gimlex Enterprises of Dawson, and remediation of trenches and old camp sites using Klondike Gold excavators and personnel.

### 6.1 Prospecting

Prospecting on the Lone Star Property was completed between May 14 and August 2, 2015, with daily access to the property via company truck and based from accommodations in Dawson. No company exploration camp is located on the property.

Prospecting was guided by interpreted magnetics and investigated areas of faulting with the objective of documenting gold-enriched quartz veins and distinguishing them from unmineralized quartz and carbonate veins. 464 prospecting samples of all types of quartz veins were collected for assay from throughout the Lone Star property and submitted to Bureau Veritas Labs in Whitehorse for analysis.

Nineteen samples submitted had gold assay results above 0.5 g/t Au with eight samples assaying greater than 5 g/t au up to 55.34.4 g/t au. (see Appendix III and IV for rock sample data and assay data).

Additionally, at the Nugget zone, Klondike Gold completed detailed representative chip sampling perpendicular to veining across 14 individual lines over 38 meters strike length of outcropping quartz veins and adjacent host rock. A total of 45 chip samples were collected and analyzed by metallic screen assaying. Thirteen samples were of wall rock and thirty two samples were of quartz veins. Only seven samples had gold values under 0.1 g/t Au (detection limit is 0.01) suggesting gold enriched wall rock. Sixteen samples had values between 5 g/t Au and 30.5 g/t Au. A summary of results is shown in the Table below.

The intent of the survey was to assess the variability of gold content along the strike of the veining, the distribution of gold in light of potential coarse-gold 'nugget' effects, and the gold content (if any) of the adjacent host rock. The reader is cautioned that the results herein, while methodically collected, should be regarded as an estimate only with potentially high variability.

The table below presents results of sampling the Nugget vein array which is comprised of a series of semi-parallel, anastomosing 0.1 to 1.0 meter individual quartz veins over a width of ~5.0 meters. Individual chip lines are across areas only where outcrop occurs on that line, and so sample lines only partially cover the full width of the veining-plus-host rock on any line. The most continuous exposure of outcrop on Line 36 returned a weighted gold assay of 8.0 g/t Au over 4.3 meter interval.

**Table 1: Chip sampling results at the Nugget Zone**

Line (m)	Type	g/t Au	Width (m)
Line 4	QV	6.1	0.2
Line 9	QV	16.0	0.3
Line 11	QV+host rock	5.2	1.2
Line 14	QV	18.4	0.6
Line 16	QV	2.5	0.3
Line 18.5	QV	20.8	0.8
Line 20	QV	1.3	0.4
Line 22	QV	1.5	0.4
Line 26	QV	2.2	0.6
Line 27	QV	16.6	0.7
Line 29	QV	17.4	1.4
Line 33	QV	8.3	1.0
Line 36	QV+host rock	8.0	4.3
Line 38	QV	12.4	0.9

Extensional quartz veins of economic interest sampled at the Lone Star property are ascribed to late or post-D4 veining; all have similar observed textural features, structural characteristics, and geochemistry, and are interpreted to be generated by an extensional fault system documented by Company and GSC airborne magnetics.




Figure 5: Gold Prospecting Results

## 6.2 Ground Magnetics

During 2014 Klondike Gold completed an interpretation of Geological Survey of Canada (“GSC”) airborne magnetics (published 2002), particularly relying on first vertical derivative data, and discerned a dextral shear fault which transects the area of the Klondike goldfields from Eldorado Creek to Dominion Creek. A significant proportion of this fault system, including the horsetail pattern termination, runs through the Lone Star property. GroundTruth Exploration Inc. of Dawson, YT was engaged to run a ground magnetic program on the property to map this inferred structure and investigate any pinnate fractures or splays which may indicate faulting and help with exploration targeting.

The magnetic program began on June 2<sup>nd</sup>, 2015. A total of 535 line kilometers of walking magnetics covering a ~54 square kilometer area was completed between June 2 and August 21, 2015 and totaled 77 man days to complete. Two portable Gem Systems Overhauser proton magnetometers plus one base station were utilized to conduct the survey. Survey data was collected by walking in an E-W direction at nominal 50 meter spaced lines. The magnetometers were set up to “walk” mode and set to record reading every two seconds. The GPS location of the walking line was recorded with a Garmin GPSMap 60cx or 76cx GPS device in UTM NAD 83 format and was merged with the magnetic data based

on the reading times which were synchronized daily. The data was collected in the field and then sent to Dawson daily via satellite. The data was then de-spiked, corrected for IGRF values and diurnal variation, and then leveled for plotting as the final total field magnetic product. The final product was delivered in a “.grd” format which can be plotted and viewed by most standard mapping programs (see figure 6 and appendix XXX).




Figure 6: Lone Star property ground magnetic survey - total magnetic intensity

### 6.3 Orthophoto Survey

GroundTruth Exploration Inc. of Dawson, YT was contracted to fly a drone orthophoto survey of the Lone Star property in order to create an orthophoto mosaic to support in mapping historical work and help with future exploration programs. This program was flown on May 21 – 22, 2015.

GroundTruth utilized a SenseFly eBee drone to capture the airphotos. The eBee drone nominally flies at 100-150m above the ground and captures high definition airphotos utilizing its onboard 18.2 MP WX RGB Camera. This allows for a ground resolution of ~4cm depending on the flight altitude. The photos are then geolocated internally to approximately 3m horizontal and vertical accuracy. Ground control points can be added in post processing to ensure accurate georectification of the images.

The drone flight path was programmed using the supplied eMotion software to maximize coverage of the property while allowing the entire property to be flown in two days. This resulted in a flight altitude of ~600m and a resulting average ground sampling distance of 15.4cm (pixel size). A total of 27 flight lines totaling 2,494 images were needed to create the optimal 60% forward overlap and 30% side overlap suitable for stereoscopic viewing and orthophoto creation.

The data was then transported to Dawson where it was processed using the Postflight Terra 3D program. A single ortho-rectified mosaic, point cloud and digital elevation model (“DEM”) was then created and delivered in “.Tiff” format (see Figure 7).




Figure 7: Orthophoto survey

## 6.4 Diamond Drilling

A total of 1,369.30 meters of diamond drilling, was completed on the Lone Star property in 2015. Resulting in 580 core samples, blanks, and standards submitted to Bureau Veritas Lab for analysis. Kluane Drilling of Whitehorse, YT was contracted to supply the diamond drill. Gimlex Enterprises of Dawson, YT provided a Komatsu dozer which was used to move the drill, prepare drill pads, and in many places for reclamation work backfilling old trenches.

Three general areas, Nugget, Buckland, and Gay Gulch respectively, were drill tested as shown below grouped north to south.




Figure 8: 2015 Lone Star drill areas

2015 exploration drilling tested several zones including Nugget (EC15-01 to EC15-06), Lower Nugget (EC15-07), Gay Gulch (EC15-08 to EC15-13), and various targets in the Buckland area (EC15-14 to EC15-19) with outcrop or sub-crop quartz veining containing visible gold (see table 2). Core logging results show that individual quartz veins with visible gold can be 0.05 to 1.0 meters in thickness and that “zones” are comprised of several to many related quartz veins (“vein arrays”) occurring over widths of up to ~10 meters true thickness and which exhibit along-strike and down-dip continuity. The volume of quartz veining relative to wallrock, expressed as “% quartz veining” or “% QV” is an exploration indicator relating to gold grade.

Table 2: Diamond Drill Locations

Hole ID	Target	UTM East	UTM North	Elevation ASL	Start	End	Dip	Azimuth	EOH_m
EC15-01	Nugget	584992	7085701	809	10/08/2015	12/08/2015	-45	210	76.20
EC15-02	Nugget	584992	7085701	809	12/08/2015	12/08/2015	-85	210	50.30
EC15-03	Nugget	585032	7085684	813	12/08/2015	13/08/2015	-85	210	51.80
EC15-04	Nugget	585032	7085684	813	13/08/2015	13/08/2015	-45	210	68.60

EC15-05	Nugget	584944	7085712	799	13/08/2015	14/08/2015	-85	210	61.00
EC15-06	Nugget	584944	7085712	799	14/08/2015	14/08/2015	-45	210	74.70
EC15-07	Lower Nugget	584802	7085578	755	15/08/2015	16/08/2015	-60	220	65.00
EC15-08	Gay Gulch	585271	7084155	641	16/08/2015	17/08/2015	-85	210	50.20
EC15-09	Gay Gulch	585270	7084158	642	17/08/2015	18/08/2015	-50	210	70.10
EC15-10	Gay Gulch	585226	7084176	633	19/08/2015	19/08/2015	-85	210	99.00
EC15-11	Gay Gulch	585227	7084176	634	20/08/2015	20/08/2015	-50	210	50.30
EC15-12	Gay Gulch	585188	7084205	624	20/08/2015	21/08/2015	-85	210	50.30
EC15-13	Gay Gulch	585188	7084204	625	21/08/2015	21/08/2015	-50	210	49.90
EC15-14	Buckland	585707	7084832	737	22/08/2015	24/08/2015	-50	240	52.00
EC15-15	Buckland	585626	7084975	774	01/09/2015	02/09/2015	-50	180	99.05
EC15-16	Buckland	585644	7084905	752	02/09/2015	03/09/2015	-50	200	100.60
EC15-17	Buckland	585573	7085113	796	03/09/2015	04/09/2015	-50	220	94.50
EC15-18	Buckland	585388	7084964	751	04/09/2015	05/09/2015	-50	205	74.70
EC15-19	Buckland	585294	7084992	735	05/09/2015	07/09/2015	-50	200	131.05
<b>TOTAL</b>									<b>1369.30</b>

### Nugget Zone Drill Results

The first six holes of the 2015 drill program tested the Nugget showing, following up surface chip sampling results. Holes 1 through 5 all intersected quartz veining with visible gold.

**Table 3: Summary of Nugget Zone Drilling Assay Results**

Hole ID	Dip	From (m)	To (m)	Interval (m)	True Thickness (m)	Grade Au g/t	% QV	Vein Array
EC15-01	-45	3.8	11.45	7.65	7.65	4.6	27	Upper
EC15-02	-85	4.4	11.6	7.2	5.7	2.3	15	Upper
EC15-03	-85	4.4	12.0	7.6	6.1	5.3	22	Upper
EC15-03	-85	47.8	49.6	1.8	1.4	7.4	27	Lower
EC15-04	-45	21.1	24.1	3.0	3.0	5.7	58	Lower

The Nugget Zone was tested from pairs of holes at 50 meter spaced intervals along a 100 meter total length. Each drill pad had a -45 and a -85 dipping hole collared from it. All holes were drilled at 210 azimuth. Along the strike of the outcropping Nugget showing, holes 1 and 2 tested the easterly end (section 450E), holes 3 and 4 tested the middle (section 500E), and holes 5 and 6 tested the westerly end (section 550E).

Drilling encountered a previously unknown 'upper vein array' at the bedrock surface at the start of holes 1 through 4. Holes 5 and 6 collared forward of the 'upper vein array'. The target for holes 1 through 6 was the 'lower vein array' which is the Nugget "vein" target which all six holes tested.

Individual quartz veins in holes 1 to 4 assay 5 g/t Au up to 40 g/t Au and most of the visible gold identified occurs within this group of quartz veins.

The 'upper vein array' expresses between 25% and 40% quartz vein to form the array interval. The 'lower vein array' in holes 1 through 4 expresses between 5% and 25% quartz vein to form the array interval. Although individual vein gold assays in the lower vein array are as high as for the upper veins, so far there are fewer veins in the lower vein array to meaningfully carry a weighted average.




Figure 9: Nugget Zone plan map


### **Lower Nugget Zone Drill Results**

One hole (EC15-07) tested an area of outcropping quartz veining containing numerous sights of visible gold in mafic volcanics. The hole intersected a quartz vein at the target depth containing visible gold, however there is no structure present nor is there an array of quartz veining present. The interval of interest in the hole occurs from 5.50 to 8.35 meters downhole however the few veins in the 'array' do not have sufficient grade to carry a weighted average.

### **Gay Gulch Drill Results**

A new discovery of a gold-bearing quartz veining was made near Gay Gulch along Eldorado Creek in drill hole EC15-10. A 2.8 meter zone including a 0.5 meter quartz vein was intersected that contains coarse clots of gold up to 2.5 cm in size.





After removing all the coarse visible gold clots from the assay sample, the remaining split interval assayed 420 g/t Au over 0.5 meter, within an extended interval that averaged 75.6 g/t Au over 2.8 meters.

The Gay Gulch Zone was tested from pairs of holes at 50 meter spaced intervals along a 100 meter total length. Each drill pad had a -50 and a -85 dipping hole collared from it. All holes were drilled at 210 azimuth. Along the strike of the locally sub-cropping Gay Gulch quartz veining, holes EC15-08 and EC15-09 tested the easterly end (section 950E), holes EC15-10 and EC15-11 tested the middle (section 1000E), and holes EC15-12 and EC15-13 tested the westerly end (section 1050E).

Drilling encountered brittle felsic volcanics, fractured and cut by a quartz vein array. The quartz veining is likely related to a nearby prominent (magnetic low) fault that extends for 2,600 meters from Gay Gulch. The Gay Gulch drilling was done adjacent to Eldorado Creek on the right limit bank of Eldorado placer claim 36. By 1900, a 34 ounce gold nugget had been discovered on placer claim 36 and a larger 72 ounce nugget was discovered on placer claim 34 located 250 meters downstream. The Gay Gulch fault transects both of these placer claims.

**Table 4: Summary of Gay Gulch Drilling Assay Results**

Hole ID	Dip	From (m)	To (m)	Interval (m)	True Thickness (m)	Grade Au g/t	% QV
EC15-08	-85	41.90	47.25	5.35	4.00	1.6	16
EC15-09	-50	19.30	20.40	1.10	1.10	1.9	18
EC15-10	-85	23.90	26.70	2.80	2.10	75.6	33
	Including	23.90	24.40	0.50	0.40	420.0	100
EC15-11	-50	21.20	23.05	1.85	1.85	1.0	
EC15-12	-85			No significant results			
EC15-13	-50	19.45	21.00	1.55	1.55	10.9	10




Figure 10: Gay Gulch zone plan map

**Buckland Zone Drill Results**

Six holes (EC15-14 to EC15-19) tested individual quartz vein targets within a 1000 square meter area collectively known as the Buckland Zone. The zone is characterized by extensive fracturing developed in mafic volcanics. The fractures commonly contain quartz veins, many with visible gold. The area is an intense, widespread magnetic low, interpreted as a large and long-lived zone of faulting. It is believed that faulting is synchronous to post-gold mineralization, but continued post-mineralization movement disrupted the earlier mineralized quartz veins.

**Table 5: Summary of Buckland Zone Drilling Assay Results**

Hole ID	Dip	From (m)	To (m)	Interval (m)	True Thickness (m)	Grade Au g/t	% QV
EC15-15	-50	54.70	56.50	1.8	1.80	3.7	Unknown
EC15-16	-50	38.00	38.85	0.85	0.85	1.8	Unknown
EC15-16	-50	55.10	55.30	0.2	0.20	11.9	50
EC15-17	-50	58.80	59.25	0.45	0.45	5.9	18
EC15-18				No significant results			
EC15-19				No significant results			




Figure 11: Buckland zone plan map

## 7.0 Sample Preparation, Quality Assurance and Quality Control, Analysis, and Security

### Rock/Prospecting Grab Sample Assay Protocols

Prospecting samples are selective in nature, non-representative rock grab samples of bedrock or boulders collected to test for the presence or absence of gold and other economic minerals. Systematic additional test results may vary significantly. Samples are usually 0.5 kg to 2.0 kg in weight. The Company's samples are spatially located to within 5 meters using a hand-held Global Positioning System ("GPS") in NAD83 datum, assigned a unique assay tag, described, photographed using a GPS-enabled camera, then placed in a plastic bag and sealed. Groups of sealed sample bags are aggregated in large fiber bags then security sealed for shipment. For samples collected in 2015, the fiber bags were retained in locked storage in the Company's Dawson office until after the end of the field season before being delivered by Company personnel directly to the lab. Samples were submitted to Bureau Veritas Mineral Laboratories ("BV Labs") (formerly Acme Labs) preparation facility in Whitehorse, YT with chemical analysis of sample pulps completed in Vancouver, British Columbia. Bureau Veritas Labs is an accredited ISO 9001:2008 full-service commercial laboratory.

At BV Labs each 1 kg rock sample is crushed to 80% passing 2 mm size. A 250 g subsample is pulverized to >85% passing -75 microns size (Code PRP70-250). A 30 g (1 assay ton) subsample is assayed for gold by fire assay (“FA”) fusion with an atomic absorption (“AA”) finish (Code FA430). All over-limit results in excess of 10 ppm (10 g/t) for both silver and gold are re-assayed. The re-assay uses a 30 g subsample and is assayed by FA with a gravimetric finish (Code FA530-Au/Ag). Samples were also analyzed for multi-element chemistry by ICP-MS analysis (AQ200+U code).

No Company standards, blanks, or duplicates or blank samples were inserted into the sample stream in 2015, as it was not considered necessary for a small program of early stage work. BV Labs inserted and completed analyses on 17 duplicates, 28 blanks, 21 Au-only standards, 18 Ag-Au standards, and 18 ICPMS standards as part of QA/QC process on Klondike Gold’s 2015 submitted samples. All results were within expected bounds and within error limits of detection.

### **Drill Core and Assay Protocols**

All drill holes are photographed wet and dry. Magnetic susceptibility, foliation, and rock quality determination (“RQD”) measurements are systematically collected. All cross-cutting (potentially mineralized) quartz veins and adjoining alteration envelopes are individually photographed and upper and lower contact angles measured. Core logging records lithology, structure, and alteration. Visible gold is identified, measured, photographed, and then excluded from the assay sample for that interval. Assay samples from drill core are cut using a diamond saw. Half the core sample interval is bagged, tagged, and sealed; the other half is returned to the core box with a corresponding tag and retained for reference. Sample bags are aggregated into rice bags, sealed, and submitted by Klondike Gold personnel to Bureau Veritas Mineral Laboratories (“BV Labs”) (formerly Acme Labs) preparation facility in Whitehorse, YT with chemical analysis of sample pulps completed in Vancouver, British Columbia. Bureau Veritas Labs is an accredited ISO 9001:2008 full-service commercial laboratory.

At BV Labs each rock sample is crushed to 80% passing 2 mm size. A 500 g subsample is pulverized to >85% passing -75 microns size (Code PRP70-500). The 500 g subsample is then sieved to 106 microns (140 mesh) for “metallic screen” assaying. The plus 140 mesh fraction is then weighed and assayed for gold by fire assay (“FA”) fusion with a gravimetric finish (Code FS631). A 30 g subsample of the minus 140 mesh fraction is assayed for gold by fire assay (“FA”) fusion with an atomic absorption (“AA”) finish (Code FA430). All over-limit results in excess of 10 ppm (10 g/t) for both silver and gold are re-assayed using a 30 g subsample and assayed by FA with a gravimetric finish (Code FA530-Au/Ag). Total gold grade is then calculated using a weighted average of the plus and minus fraction assay results. Samples were also analyzed for multi-element chemistry by ICP-MS analysis (AQ200+U code). Samples over-limit in lead are rerun by a high-detection limit ICP-ES procedure (Code MA370). QA/QC includes the insertion and continual monitoring of numerous standards, blanks, and duplicates within each batch. Blanks and standards are obtained commercially from Canadian Resource Laboratories of Langley, British Columbia. In 2015, the Company inserted blank BL-10, and standards GS-7F, GS-5J, & GS-2K. Analytical certificates for these are available at <http://www.cdnlabs.com/Certificates.htm>.

## 8.0 Interpretation and Conclusions

The Lone Star property covers a 135 square kilometer area in the vicinity of Eldorado Creek and Bonanza Creek underlying the western half of the Klondike placer goldfields. The area is prospective for orogenic gold deposits that have an implied mid-Jurassic age and are analogues of similar mineralization in the White Gold district.

Interpretation of GSC airborne magnetics flown in 2002, particularly first vertical derivative data, suggests a main WNW-ESE dextral fault runs the 50 km length of the Klondike goldfields and terminates in a NNW horsetail pattern within the Lone Star property in a series of sub-parallel structures near Eldorado Creek, as well as NNW oriented pinnate faults east of Eldorado Creek. One such NNW trending pinnate extensional fracture fault extends northerly from the main WNW-ESE dextral fault and transects the Boulder Lode occurrence. This extensional fault system, a late deformational event, is assumed to be the source of extensional quartz veining containing gold found in outcrop and float on the property. These veins have similar physical and chemical characteristics throughout the Klondike area.

Ground magnetics surveying collected this year images the WNW-trending fault system in much greater detail than the 2002 GSC survey. In the Eldorado Creek area, a series of 'horse-tail splays' terminate the regional dextral fault. The 'horse-tail' structures occur on both sides of Eldorado Creek; as far west as the Violet ridge and as far east as the top of the Lone Star ridge. Examination of outcrops in drilling areas at Gay Gulch and Nugget zones suggests conjecturally there could be both a shear component and thrust component to movement along these structures, although vein textures in most places are open-space filling and thus extensional in nature.

Currently ground magnetic survey coverage stops along the bottom of Eldorado valley leaving a 2 km by 7 km area of no data between the creek and the claim boundary. This area includes the Violet mine occurrence and associated untested soil anomaly which remains a prospective exploration target. Geologically the detailed geology of the Violet mine area could be reinterpreted. The historically reported "late" feldspar porphyry dykes which "disrupt" the gold-bearing quartz veins near Violet appear to be earlier than the gold-bearing vein at the Violet trench. If confirmed, this would be consistent with vein paragenesis documented in the Golden Saddle gold deposit.

Conventional IP data (collected during the 2000's) in the Buckland area has shown the technique can image smaller fault structures that are not evident in the magnetic data. At Buckland the decades old IP was useful in imaging faulting in an area of uniform low magnetism. The IP suggests that gold-bearing quartz vein arrays at Buckland have been severely disrupted and have limited strike length continuity; a result corroborated by 2015 drill results.

The limited detailed IP data (collected during 2015) in the Nugget and Gay Gulch areas is inconclusive in the primary aim of imaging individual meter-scale quartz veins, or equivalent 4-5 meter quartz vein arrays with 25% quartz in the interval. The detailed IP data does however appear to image discordant-to-foliation structures, which may be useful when dealing with larger, more prominent faults.

Diamond drilling was successful in intersecting gold-bearing quartz vein arrays in a variety of lithologic and structural environs. Discovery holes at Gay Gulch zone (EC15-10: 75.6 g/t Au over 2.8 meters) and Nugget zone (EC15-03: 5.3 g/t Au over 7.6 meters) indicate potential for economically interesting grades and widths can be generated by quartz vein arrays. At both zones, follow-up drilling yielded gold mineralization propagating along-strike also. All zones targeted by drilling in 2015 yielded interesting gold assays. Visible gold was identified in 14 of the 19 holes drilled.

In general, the Lone Star property is considered to have potential for gold-bearing extensional quartz vein arrays and brecciation in proximity to the main WNW-ESE dextral fault, also the NNW-SSE trending pinnate extensional fault, and in areas where these two structures intersect. The intersection of the main and pinnate faults should be targeted. Areas of extension versus compression along the major faults should be targeted. Different host lithologies along these faults, particularly in extensional settings, should be targeted. Pervasive silicification and other types of alteration around quartz veining would be a positive exploration indicator.

## 9.0 Recommendations

The property-wide ground magnetics survey should be completed to the western claim boundary on the west side of Eldorado Creek. More detailed prospecting and geological work is required along this trend following acquisition of magnetic data targeting areas interpreted to be 'extensional', and the area of gold-bearing quartz subcrop (to 13.9 g/t Au) between French Gulch and Nugget Gulch along the Violet trend.

Conventional IP should be considered as a secondary targeting tool useful in defining the geometry of individual fault structures, particularly in areas to be tested with follow-up drilling like at Gay Gulch and/or Nugget prospects.

Detailed IP could be considered to help define geometry and extent of major vein arrays identified by drilling adjacent to the major faults which are the prime exploration targets at this time.

The 2015 drill program has shown that previous exploration, including trenching, reverse circulation drilling, and some diamond drilling has been inadequate and falsely sterilized areas with abundant gold hosted by vein arrays with interesting economic characteristics.

Diamond drilling is recommended to test outcropping and subcropping gold-bearing quartz vein arrays wherever identified on the Lone Star property, irrespective of host rock or associated structural features. The intent of this drill program is to document the geological and economic characteristics of a wide range of gold-bearing mineralization, although any of these could be economically interesting. Specific potential targets under consideration at this time include, but are not limited to: Violet shaft, French hill trench, Glacier gulch hill, upper 27 Pup, the Christy pit area, and possibly O'Neill shaft.

Diamond drilling is recommended to follow up 2015 drill discoveries of gold-bearing quartz vein arrays at Nugget zone. Step out drilling should test to the northwest where gold is known to occur in old

trenches, to the south east which is open, and step down and back to test behind and down dip underneath the best intersections.

Diamond drilling is recommended to follow up 2015 drill discoveries of gold-bearing quartz vein arrays at Gay Gulch. Here a prominent structure approximately 2.5 km long appears to be the primary control on orogenic quartz veining. Drilling is recommended to specifically follow up 2015 drill discovery of 75.6 g/t Au over 2.8 meters by drilling along strike and down dip, and also to test along the outlined structure in locations interpreted to be extensional, or in locations that test for vein arrays in different host lithology along the structure.

Geostatistical work is recommended examining domains of quartz veins for correlations between gold and other elements, and for groupings of gold plus high correlation elements in veins with geographic location. Academic speculation has implied there are geochemically different sources to the gold within the Klondike source rocks. Does the Company's data support this concept, and can it be used as an exploration targeting tool?

## 10.0 Statement of Qualifications

I, Peter Tallman, of Vancouver, British Columbia hereby certify that:

- I am a graduate of the University of Western Ontario with a Bachelor of Science (Geology) degree (1984).
- I am a practicing Professional Geoscientist (#02366) with the Professional Engineers and Geoscientists of Newfoundland and Labrador (PEGNL) since May 1991.
- I have practiced my profession as a geologist in Canada, throughout the America's as well as Australia and Africa continuously since graduation.
- I have held the position of executive officer and/or director of various publically listed Canadian corporations since 1995.
- I currently hold the position of President and Chief Executive Officer with Klondike Gold Corp., a company listed publically on the TSXV Exchange.
- I own shares and have been granted options to purchase shares in Klondike Gold Corp.
- I directed work on the Lone Star Property and am the designated Qualified Person as defined by National Instrument 43-101 policy.

Dawson, Yukon Territory

A handwritten signature in black ink, appearing to read 'Peter Tallman', with a period at the end.

Peter Tallman, P.Geol.



## 11.0 References

Allen, M.M., Mortenson, J.K., Hart, C.J., and Bailey, L.A. 2012. Timing, nature, and distribution of Jurassic orogenic gold systems in west-central Yukon. *In* Yukon Gold Project Final Technical Report, May 2012, M. Allen, C. Hart, J. Mortensen (eds), MRDU private report, p. 55-78.

Bond, J.D. and Sanborn, P.T., 2006. Morphology and geochemistry of soils formed on colluviated weathered bedrock: Case studies from unglaciated upland slopes in west-central Yukon. Yukon Geological Survey, Open File 2006-19.

Bostock, H.S., 1966. Notes on Glaciation in Central Yukon Territory," Geological Survey of Canada, Paper 65-36.

Bucknam, C.H. 1995. Lone Star property bulk sample results by Newmont Exploration Ltd. for Klondike Gold Ltd. Unpublished report, pp. 16 + appendix.

Cathro, R.J. 1979. Summary report on the Lone Star gold property. Unpublished report for Dawson Eldorado Gold Explorations Ltd., pp. 21.

Chapman, R.J., Mortensen, J.K., Crawford, E.C. and LeBarge, W.P. 2010. Microchemical studies of placer and lode gold in the Klondike District, Canada: 2. Constraints on the nature and location of regional lode sources. *Economic Geology* **105**: 1393-1410.

Cranswick, R., Martin, L. and de Wit, S. 1995. 1994 Annual report on the Lone Star project, Dawson Mining District, Yukon Territory. Unpublished report for Kennecott Canada Inc., pp. 23 + appendices.

Cranswick, R., de Wit, S. and Vary, A. 1995. 1994 Annual report on the Klondike gold project. Unpublished report for Kennecott Canada Inc., pp. 22 + appendices.

Cranswick, R., Martin, L. and de Wit, S. 1995. 1994 Annual report on the Klondike gold project. Unpublished report for Kennecott Canada Inc., pp. 24 + appendices.

Doyle, A. 1993. 1992 rotary drilling report on the Lone Star property, Yukon. Unpublished report for Kennecott Canada Inc., pp. 23 + appendices.

Finlayson, E.J. 1994. 1993 Exploration report for the Lone Star property, Dawson Mining District, Yukon Territory. Unpublished report for Kennecott Canada Inc., pp. 26 + appendices.

Gonzales, R.A. 1987. Geological, geochemical and diamond drill report for work performed by Mark Management Ltd. on the Dawson property. Unpublished Assessment report for Dawson syndicate (1983) Expl. Partnership.

Gordey, S.P. and Makepeace, A.J., 2001. Bedrock geology, Yukon Territory. Geological Survey of Canada, Open File 3754, scale 1:1 000 000, also Yukon Geological Survey, Open File 2001-1.

Gorton, R., 1996. Lone Star Property Bulk Sampling Results. Internal Report, Newmont Exploration Ltd; 7pp.

Grunenberg, P. and Gonzalez, R.A. 1987a. Geological, geochemical and diamond drill report for work performed by Mark Management Ltd. on the Dawson property. Unpublished report for Dawson Syndicate (1983) Expl. Ltd. partnership, pp. 50 + appendices.

Grunenberg, P. 1988. Geological, geochemical, geophysical diamond and rotary drilling report on the Dawson property, Dawson Mining District, Yukon. Assessment report for Arbor Resources Inc., pp. 56 + appendices. EMR library file number 092132.

Grunenberg, P. 1989. Geological, geochemical, geophysical and trenching report on the Dawson property, Dawson Mining District, Yukon. Assessment report for Arbor Resources Inc., pp. 57 + appendices. EMR library file number 092690.

Grunenberg, P. and Gonzalez, R.A. 1987b. Geological, geochemical, and diamond and rotary drilling report on the Lone Star property, Dawson Mining District, Yukon. Assessment report for Arbor Resources Inc., pp. 48 + appendices. EMR library file number 091756

Hayden, A.S. and Tilsley, J.E. 1997. Sampling study Lone Star area. Unpublished report for Klondike Gold Corporation, pp. 10 + appendices.

Hilchey, G.R. 1961. Report of exploration - 1960. Unpublished report for Klondike Lode Mines Ltd. (N.P.L.), pp. 21.

Hildes, D. 2007. Induced polarization / resistivity surveys at the Eldorado property, Yukon Territory for Klondike Star Mineral Corp. EMR Assessment report.

Knight, J.B., Morison, S.R. and Mortensen, J.K. 1999. The relationship between placer gold particle shape, rimming, and distance of fluvial transport as exemplified by gold from the Klondike district, Yukon Territory, Canada. *Economic Geology*, **94**: 635-648.

Knight, J.B., Morison, S.R. and Mortensen, J.K. 1999. Lode and placer gold composition in the Klondike district, Yukon Territory, Canada: Implications for the nature and genesis of Klondike placer and lode gold deposits. *Economic Geology*, **94**: 649-664.

Liverton, 2004. Geological mapping, rock and soil geochemistry, trenching and bulk sampling on the Lone Star (Klondike) property. Yukon Mining Incentives report YEIP 2004-053. EMR library, Whitehorse.

Liverton, T. and Mann, W. 2005. Geological mapping, rock and soil geochemistry, trenching and bulk sampling on the Lone Star (Klondike) property. EMR Assessment report 094689.

Liverton, T. and Mann, W. 2005. Diamond drilling, geological mapping, rock and soil geochemistry, trenching and bulk sampling on the Lone Star (Klondike) property. EMR Assessment report 094579.

Liverton, T., Mann, W. and O'Shea, C. 2007. Diamond drilling, geological mapping, rock and soil geochemistry, IP geophysics, trenching and bulk sampling on the Lone Star (Klondike) property. EMR Assessment report.

MacKenzie, D.J., Craw, D., Mortensen, J.K. and Liverton, T., 2007. Structure of schist in the vicinity of the Klondike goldfield. *In: Yukon Exploration and Geology 2006*, D.S. Edmond, L.L. Lewis and L.H. Weston (eds.), Yukon Geological Survey, p. 197-212.

MacKenzie, D.J., Craw, D. and Mortensen, J. 2008a. Structural controls on orogenic gold mineralization in the Klondike goldfield, Canada. *Mineralium Deposita*, **43**: 435-448.

MacKenzie, D., Craw, D. and Mortensen, J.M. 2008b. Thrust slices and associated deformation in the Klondike goldfields, Yukon. *In: Yukon Exploration and Geology 2007*, D.S. Emond, L.R. Blackburn, R.P. Hill and L.H. Weston (eds.), Yukon Geological Survey, p. 199-213.

MacKenzie, D., Craw, D., Mortensen, J.M. and Liverton, T. 2008c. Disseminated gold mineralization associated with orogenic veins in the Klondike Schist, Yukon. *In: Yukon Exploration and Geology 2007*, D.S. Emond, L.R. Blackburn, R.P. Hill and L.H. Weston (eds.), Yukon Geological Survey, p. 215-234.

Maclean, T.A. 1914. Lode mining in the Yukon. Mines Branch Publication 222, p. 20-40.

Mortensen, J.K. 1984. Summary report 1983 mapping and interpretation Lone Star gold property, for Dawson Eldorado Gold Explorations Ltd., pp. 13. EMR Assessment report 091756.

Mortensen, J.K., Chapman, R., LeBarge, W. and Crawford, E. 2006. Compositional studies of placer and lode gold from western Yukon: Implications for lode sources. *In: Yukon Exploration and Geology 2005*, D.S. Emond, G.D. Bradshaw, L.L. Lewis and L.H. Weston (eds.), Yukon Geological Survey, p. 247-255.

Mortensen, J.K., Nesbitt, B.E. and Rushton, R. 1992. Observations on the geology and geochemistry of quartz veins in the Klondike district, west-central Yukon. *In: Bremner, T.J. (ed.): Yukon Geology, Vol. 3. Exploration and Geological Services Division, Indian and Northern Affairs Canada*, p. 260-270.

O'Shea, C., Liverton, T., Allen, E., Iles, S. and Mann, W. 2008. Diamond drilling, rotary drilling, geological mapping, rock and soil geochemistry, IP geophysics, trenching and bulk sampling on the Lone Star (Klondike) property. EMR Assessment report.

Rushton, R.W., Nesbitt, B.E. and Mortensen, J.K. 1993. A fluid inclusion and stable isotope study of Au quartz veins in the Klondike district, Yukon Territory, Canada: A section through a mesothermal vein system. *Economic Geology*, **88**: 647-678.

Tomlinson, S. 1991. Geological and geochemical report on the Lone Star property, Dawson Mining District, Y.T. Unpublished report for Arbor Resources Inc., pp. 38 + appendices.

Walcott, P.E. and Associates, 1987. A report on magnetic and induced polarization surveying. Assessment report for Arbor Resources Inc. and Kangel resources Ltd., pp. 14 + appendices. EMR Assessment report 091752.

# APPENDIX I

## STATEMENT OF EXPENDITURES

## APPENDIX I.I

### LONE STAR GROUPING

Appendix I.I - Lone Star Assessment Costs

**Lone Star Grouping Assessment Costs**

<b>Contractor</b>	<b>Work Type</b>	<b>Details</b>	<b>Total</b>	<b>Date</b>
Kluane Drilling Ltd.	Diamond Drilling	12 Holes	\$ 99,856.83	Aug. 16, 2015 - Sep. 7, 2015
GroundTruth Exploration Inc.	Ground Magnetics	31 Sq Km	\$ 42,033.31	June 2, 2015 - Aug. 21, 2015
<b>Sub Total</b>			<b>\$ 141,890.13</b>	

**Prospecting and Reclamation Work Breakdown**

<b>Name</b>		<b>Work Type</b>	<b>Days</b>	<b>Rate</b>	<b>Total</b>	<b>Date</b>
W. Keats	Prospector	Prospecting/Sampling/Reclamation	4	475 \$	1,900.00	June 9 - July 3, 2015
A. Marcotte	Geologist	Prospecting/Sampling	6	475 \$	2,850.00	July 6-21, 2015
M. Szlavay	Geo Asst	Prospecting/Sampling/Reclamation	6	250 \$	1,500.00	July 6-21, 2015

**Food/Lodging/Supplies YMEP Rate Per Diem**

W. Keats	Prospector	YMEP rate per diem	4	100 \$	400.00
A. Marcotte	Geologist	YMEP rate per diem	6	100 \$	600.00
M. Szlavay	Geo Asst	YMEP rate per diem	6	100 \$	600.00

**Samples**

			<b>Number</b>	<b>Cost Per</b>	
Rock	Acme Labs.	Metallic Screen Fire Assay	227	32.05 \$	7,275.35

**Transportation**

Truck			10	100 \$	1,000.00
Fuel			10	50 \$	500.00

Report and GIS @ 10% \$ 1,662.54

**Sub Total** \$ 18,287.89

**Total** \$ **160,178.02**

## APPENDIX I.II

### BONANZA GROUPING

**Bonanza Grouping Assessment Costs**

<b>Contractor</b>	<b>Work Type</b>	<b>Details</b>	<b>Total</b>	<b>Date</b>
Kluane Drilling Ltd.	Diamond Drilling	7 Drillholes	\$ 58,249.81	Aug. 10 - Aug. 16, 2015
GroundTruth Exploration Inc.	Ground Magnetic Survey	22.5 Sq Km	\$ 30,508.04	June 2 - Aug 21, 2015
<b>Sub Total</b>			\$ 88,757.85	

**Prospecting and Reclamation Work Breakdown**

<b>Name</b>	<b>Work Type</b>	<b>Days</b>	<b>Rate</b>	<b>Total</b>	<b>Date</b>
P. Tallman	Geologist Prospecting/Sampling	5	475	\$ 2,375.00	May 14, June 8, 21, 23, 24, 2015
W. Keats	Prospector Prospecting/Sampling/Reclamation	20	475	\$ 9,500.00	May 12 - 26, June 8, 10, 12, 24, Aug. 2, 2015
A. Marcotte	Geologist Prospecting/Sampling	10	475	\$ 4,750.00	June 8, 29 - July 5, July 25, Aug. 2, 2015
O. Lokuciejewski-Taylor	Geologist Prospecting/Sampling/Reclamation	20	400	\$ 8,000.00	May 12 - 26, June 8, 10, 12, 24, Aug. 2, 2015
M. Szlavý	Geo Asst Prospecting/Sampling/Reclamation	30	250	\$ 7,500.00	May 12 - 26, June 8, 10, 12, 24, 29 - July 5, July 25, Aug. 2, 2015

**Food/Lodging/Supplies YMEP Rate Per Diem**

P. Tallman	Geologist	YMEP rate per diem	5	100	\$ 500.00
W. Keats	Prospector	YMEP rate per diem	20	100	\$ 2,000.00
A. Marcotte	Geologist	YMEP rate per diem	10	100	\$ 1,000.00
O. Lokuciejewski-Taylor	Geologist	YMEP rate per diem	20	100	\$ 2,000.00
M. Szlavý	Geo Asst	YMEP rate per diem	30	100	\$ 3,000.00

**Samples**

Rock	Acme Labs.	Metallic Screen Fire Assay	282	32.05	\$ 9,038.10
------	------------	----------------------------	-----	-------	-------------

**Transportation**

Truck	30	100	\$ 3,000.00
Fuel	30	50	\$ 1,500.00

Report and GIS @ 10% \$ 5,416.31

**Sub Total** \$ 59,579.41

**Total** \$ 148,337.26



## APPENDIX II

### DETAILED CLAIMS LIST

## APPENDIX II.I

### LONE STAR GROUPING

Appendix II.I - Lone Star Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	Y 65536	Joe	1	Klondike Gold Corp. - 100%	23-May-72	22-May-72	31-Dec-24	Active	115014	65356	2	31-Dec-28
Dawson	Y 65537	Joe	2	Klondike Gold Corp. - 100%	23-May-72	22-May-72	31-Dec-24	Active	115014	65357	2	31-Dec-28
Dawson	Y 65538	Joe	3	Klondike Gold Corp. - 100%	23-May-72	22-May-72	31-Dec-24	Active	115014	65358	2	31-Dec-28
Dawson	Y 65539	Joe	4	Klondike Gold Corp. - 100%	23-May-72	22-May-72	31-Dec-24	Active	115014	65359	2	31-Dec-28
Dawson	Y 99613	Joe	5	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65384	2	31-Dec-28
Dawson	Y 99614	Joe	6	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65385	2	31-Dec-28
Dawson	Y 99615	Joe	7	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65386	2	31-Dec-28
Dawson	Y 99616	Joe	8	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65387	2	31-Dec-28
Dawson	Y 99617	Joe	9	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65388	2	31-Dec-28
Dawson	Y 99618	Joe	10	Klondike Gold Corp. - 100%	26-May-75	23-May-75	31-Dec-24	Active	115014	65389	2	31-Dec-28
Dawson	YA10300	Ron	1	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65744	2	31-Dec-26
Dawson	YA10301	Ron	2	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65745	2	31-Dec-26
Dawson	YA10302	Ron	3	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65746	2	31-Dec-26
Dawson	YA10303	Ron	4	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65747	2	31-Dec-26
Dawson	YA10304	Ron	5	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65748	2	31-Dec-26
Dawson	YA10305	Ron	6	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65749	2	31-Dec-26
Dawson	YA32828	Oyro		Klondike Gold Corp. - 100%	18-Jul-79	18-Jul-79	31-Dec-23	Active	115014	66445	2	31-Dec-27
Dawson	YA32946	DN	11	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66446	2	31-Dec-29
Dawson	YA32947	DN	12	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66447	2	31-Dec-29
Dawson	YA32948	DN	13	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66448	2	31-Dec-29
Dawson	YA32949	DN	14	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66449	2	31-Dec-29
Dawson	YA32950	DN	15	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-24	Active	115014	66450	2	31-Dec-28
Dawson	YA32951	DN	16	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-24	Active	115014	66451	2	31-Dec-28
Dawson	YA32952	DN	17	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66452	2	31-Dec-29
Dawson	YA32953	DN	18	Klondike Gold Corp. - 100%	07-Aug-79	03-Aug-79	31-Dec-25	Active	115014	66453	2	31-Dec-29
Dawson	YA47089	ND		Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-25	Active	115014	66469	2	31-Dec-29
Dawson	YA49724	ND	1	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66582	2	31-Dec-28
Dawson	YA49725	ND	2	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66583	2	31-Dec-28
Dawson	YA49726	ND	3	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66584	2	31-Dec-28
Dawson	YA49727	ND	4	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66585	2	31-Dec-28
Dawson	YA49728	ND	5	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66586	2	31-Dec-28
Dawson	YA49729	ND	6	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66587	2	31-Dec-28
Dawson	YA49730	ND	7	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66588	2	31-Dec-28
Dawson	YA49731	ND	8	Klondike Gold Corp. - 100%	16-May-80	07-May-80	31-Dec-24	Active	115014	66589	2	31-Dec-28
Dawson	YA49732	ND	9	Klondike Gold Corp. - 100%	16-May-80	09-May-80	31-Dec-24	Active	115014	66590	2	31-Dec-28
Dawson	YA49733	ND	10	Klondike Gold Corp. - 100%	16-May-80	09-May-80	31-Dec-24	Active	115014	66591	2	31-Dec-28
Dawson	YA49734	ND	11	Klondike Gold Corp. - 100%	16-May-80	09-May-80	31-Dec-24	Active	115014	66592	2	31-Dec-28
Dawson	YA49735	ND	12	Klondike Gold Corp. - 100%	16-May-80	09-May-80	31-Dec-24	Active	115014	66593	2	31-Dec-28
Dawson	YA49736	ND	13	Klondike Gold Corp. - 100%	16-May-80	12-May-80	31-Dec-24	Active	115014	66594	2	31-Dec-28
Dawson	YA49737	ND	14	Klondike Gold Corp. - 100%	16-May-80	12-May-80	31-Dec-24	Active	115014	66595	2	31-Dec-28
Dawson	YA49738	ND	15	Klondike Gold Corp. - 100%	16-May-80	12-May-80	31-Dec-24	Active	115014	66596	2	31-Dec-28
Dawson	YA49739	ND	16	Klondike Gold Corp. - 100%	16-May-80	12-May-80	31-Dec-24	Active	115014	66597	2	31-Dec-28
Dawson	YA49740	ND	17	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66598	2	31-Dec-28
Dawson	YA49741	ND	18	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66599	2	31-Dec-28
Dawson	YA49742	ND	19	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66600	2	31-Dec-28
Dawson	YA49743	ND	20	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66601	2	31-Dec-28
Dawson	YA49744	ND	21	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66602	2	31-Dec-28
Dawson	YA49745	ND	22	Klondike Gold Corp. - 100%	16-May-80	15-May-80	31-Dec-24	Active	115014	66603	2	31-Dec-28
Dawson	YA55259	DE	10	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-25	Active	115014	66832	2	31-Dec-29
Dawson	YA55260	DE	11	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-25	Active	115014	66833	2	31-Dec-29
Dawson	YA55261	DE	12	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-25	Active	115014	66834	2	31-Dec-29
Dawson	YA55262	DE	13	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-23	Active	115014	66835	2	31-Dec-27
Dawson	YA55263	DE	14	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-25	Active	115014	66836	2	31-Dec-29

Appendix II.I - Lone Star Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YA55285	VI	1	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66838	2	31-Dec-28
Dawson	YA55286	VI	2	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66839	2	31-Dec-28
Dawson	YA55287	VI	3	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66840	2	31-Dec-28
Dawson	YA55288	VI	4	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66841	2	31-Dec-28
Dawson	YA55295	VI	11	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66848	2	31-Dec-28
Dawson	YA55296	VI	12	Klondike Gold Corp. - 100%	22-May-81	13-May-81	31-Dec-24	Active	115014	66849	2	31-Dec-28
Dawson	YA64276	AC	7	Klondike Gold Corp. - 100%	05-Aug-81	21-Jul-81	31-Dec-24	Active	115014	66934	2	31-Dec-28
Dawson	YA64277	AC	8	Klondike Gold Corp. - 100%	05-Aug-81	21-Jul-81	31-Dec-24	Active	115014	66935	2	31-Dec-28
Dawson	YA64278	AC	9	Klondike Gold Corp. - 100%	05-Aug-81	21-Jul-81	31-Dec-24	Active	115014	66936	2	31-Dec-28
Dawson	YA64279	AC	10	Klondike Gold Corp. - 100%	05-Aug-81	21-Jul-81	31-Dec-24	Active	115014	66937	2	31-Dec-28
Dawson	YA64281	AC	11	Klondike Gold Corp. - 100%	05-Aug-81	21-Jul-81	31-Dec-24	Active	115014	66939	2	31-Dec-28
Dawson	YA65523	VI	16	Klondike Gold Corp. - 100%	20-May-83	15-May-83	31-Dec-22	Active	115014	67048	2	31-Dec-26
Dawson	YA65525	VI	18	Klondike Gold Corp. - 100%	20-May-83	15-May-83	31-Dec-22	Active	115014	67049	2	31-Dec-26
Dawson	YA65550	VI	43	Klondike Gold Corp. - 100%	20-May-83	15-May-83	31-Dec-24	Active	115014	67050	2	31-Dec-28
Dawson	YA65551	VI	44	Klondike Gold Corp. - 100%	20-May-83	15-May-83	31-Dec-24	Active	115014	67051	2	31-Dec-28
Dawson	YA65629	AC	14	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67084	2	31-Dec-26
Dawson	YA65631	AC	16	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67086	2	31-Dec-26
Dawson	YA65632	AC	17	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67087	2	31-Dec-26
Dawson	YA65633	AC	18	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67088	2	31-Dec-26
Dawson	YA65634	AC	19	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67089	2	31-Dec-26
Dawson	YA65635	AC	20	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-24	Active	115014	67090	2	31-Dec-28
Dawson	YA65636	AC	21	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67091	2	31-Dec-26
Dawson	YA65637	AC	22	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-24	Active	115014	67092	2	31-Dec-28
Dawson	YA65638	AC	23	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-22	Active	115014	67093	2	31-Dec-26
Dawson	YA65640	AC	25	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-24	Active	115014	67095	2	31-Dec-28
Dawson	YA65641	AC	26	Klondike Gold Corp. - 100%	02-Jun-83	29-May-83	31-Dec-24	Active	115014	67096	2	31-Dec-28
Dawson	YA80506	KH	1	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68363	2	31-Dec-28
Dawson	YA80507	KH	2	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68364	2	31-Dec-28
Dawson	YA80508	KH	3	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68365	2	31-Dec-28
Dawson	YA80509	KH	4	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68366	2	31-Dec-28
Dawson	YA80510	KH	5	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68367	2	31-Dec-28
Dawson	YA80511	KH	6	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-24	Active	115014	68368	2	31-Dec-28
Dawson	YA80512	KH	7	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-23	Active	115014	68369	2	31-Dec-27
Dawson	YA80513	KH	8	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-23	Active	115014	68370	2	31-Dec-27
Dawson	YA80514	KH	9	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-23	Active	115014	68371	2	31-Dec-27
Dawson	YA80515	KH	10	Klondike Gold Corp. - 100%	18-Jun-84	17-Jun-84	31-Dec-23	Active	115014	68372	2	31-Dec-27
Dawson	YA84204	Rex	22	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69090	2	31-Dec-28
Dawson	YA84206	Rex	24	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69092	2	31-Dec-28
Dawson	YA84208	Rex	26	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69094	2	31-Dec-28
Dawson	YA84210	Rex	28	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69096	2	31-Dec-28
Dawson	YA84212	Rex	30	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69098	2	31-Dec-28
Dawson	YA84213	Rex	31	Klondike Gold Corp. - 100%	10-Jul-84	04-Jul-84	31-Dec-24	Active	115014	69099	2	31-Dec-28
Dawson	YA84218	Rex	36	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69104	2	31-Dec-26
Dawson	YA84219	Rex	37	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69105	2	31-Dec-26
Dawson	YA84220	Rex	38	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69106	2	31-Dec-26
Dawson	YA84221	Rex	39	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69107	2	31-Dec-26
Dawson	YA84222	Rex	40	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69108	2	31-Dec-26
Dawson	YA84223	Rex	41	Klondike Gold Corp. - 100%	10-Jul-84	02-Jul-84	31-Dec-22	Active	115014	69109	2	31-Dec-26
Dawson	YA88228	Nugget	1	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70025	2	31-Dec-26
Dawson	YA88229	Nugget	2	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70026	2	31-Dec-26
Dawson	YA88230	Nugget	3	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70027	2	31-Dec-26
Dawson	YA88231	Nugget	4	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70028	2	31-Dec-26
Dawson	YA88232	Nugget	5	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70029	2	31-Dec-26

Appendix II.I - Lone Star Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YA88233	Nugget	6	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70030	2	31-Dec-26
Dawson	YA88234	Nugget	7	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70031	2	31-Dec-26
Dawson	YA88235	Nugget	8	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70032	2	31-Dec-26
Dawson	YA88236	Nugget	9	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70033	2	31-Dec-26
Dawson	YA88237	Nugget	10	Klondike Gold Corp. - 100%	14-Oct-86	04-Oct-86	31-Dec-22	Active	115014	70034	2	31-Dec-26
Dawson	YB17066	Rado	55	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	17-Dec-19	Active	115014	73437	2	17-Dec-23
Dawson	YB17067	Rado	56	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	17-Dec-19	Active	115014	73438	2	17-Dec-23
Dawson	YB17068	Rado	57	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	17-Dec-19	Active	115014	73439	2	17-Dec-23
Dawson	YB17069	Rado	58	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	17-Dec-19	Active	115014	73440	2	17-Dec-23
Dawson	YB17186	Rado	179	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73557	2	31-Dec-28
Dawson	YB17187	Rado	180	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73558	2	31-Dec-28
Dawson	YB17188	Rado	181	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73559	2	31-Dec-28
Dawson	YB17189	Rado	182	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73560	2	31-Dec-28
Dawson	YB17190	Rado	183	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73561	2	31-Dec-28
Dawson	YB17192	Rado	186	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73563	2	31-Dec-28
Dawson	YB17193	Rado	187	Klondike Gold Corp. - 100%	17-Jun-88	09-Jun-88	31-Dec-24	Active	115014	73564	2	31-Dec-28
Dawson	YB38768	UELD	1	Klondike Gold Corp. - 100%	12-Sep-90	11-Sep-90	31-Dec-25	Active	115014	77744	2	31-Dec-29
Dawson	YB38769	UELD	2	Klondike Gold Corp. - 100%	12-Sep-90	11-Sep-90	31-Dec-25	Active	115014	77745	2	31-Dec-29
Dawson	YC28449	Nug	1	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137175	2	09-Dec-22
Dawson	YC28450	Nug	2	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137176	2	09-Dec-22
Dawson	YC28451	Nug	3	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137177	2	09-Dec-22
Dawson	YC28452	Nug	4	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137178	2	09-Dec-22
Dawson	YC28453	Nug	5	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137179	2	09-Dec-22
Dawson	YC28454	Nug	6	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137180	2	09-Dec-22
Dawson	YC28455	Nug	7	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137181	2	09-Dec-22
Dawson	YC28456	Nug	8	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137182	2	09-Dec-22
Dawson	YC28457	Nug	9	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137183	2	09-Dec-22
Dawson	YC28459	Chi	1	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-17	Active	115014	137199	2	09-Dec-21
Dawson	YC28460	Chi	2	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-17	Active	115014	137200	2	09-Dec-21
Dawson	YC28461	Chi	3	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-17	Active	115014	137201	2	09-Dec-21
Dawson	YC28462	Chi	4	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-17	Active	115014	137202	2	09-Dec-21
Dawson	YC28463	Chi	5	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137203	2	09-Dec-22
Dawson	YC28464	Chi	6	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137204	2	09-Dec-22
Dawson	YC28465	Chi	7	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137205	2	09-Dec-22
Dawson	YC28466	Chi	8	Klondike Gold Corp. - 100%	09-Sep-03	26-Aug-03	09-Dec-18	Active	115014	137206	2	09-Dec-22
Dawson	YC28467	Chi	9	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137207	2	09-Dec-22
Dawson	YC28468	Chi	10	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137208	2	09-Dec-22
Dawson	YC28469	Chi	11	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137209	2	09-Dec-22
Dawson	YC28470	Chi	12	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137210	2	09-Dec-22
Dawson	YC28471	Chi	13	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137211	2	09-Dec-22
Dawson	YC28472	Chi	14	Klondike Gold Corp. - 100%	09-Sep-03	27-Aug-03	09-Dec-18	Active	115014	137212	2	09-Dec-22
Dawson	YC28473	Red	1	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137246	2	09-Dec-22
Dawson	YC28474	Red	2	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137247	2	09-Dec-22
Dawson	YC28475	Red	3	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137248	2	09-Dec-22
Dawson	YC28476	Red	4	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137249	2	09-Dec-22
Dawson	YC28477	Red	5	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137250	2	09-Dec-22
Dawson	YC28478	Red	6	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137251	2	09-Dec-22
Dawson	YC28479	Red	7	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137252	2	09-Dec-22
Dawson	YC28480	Red	8	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137253	2	09-Dec-22
Dawson	YC28481	Red	9	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137254	2	09-Dec-22
Dawson	YC28482	Red	10	Klondike Gold Corp. - 100%	09-Sep-03	04-Sep-03	09-Dec-18	Active	115014	137255	2	09-Dec-22
Dawson	YC28483	Red	11	Klondike Gold Corp. - 100%	09-Sep-03	05-Sep-03	09-Dec-18	Active	115014	137256	2	09-Dec-22
Dawson	YC28484	Red	12	Klondike Gold Corp. - 100%	09-Sep-03	05-Sep-03	09-Dec-18	Active	115014	137257	2	09-Dec-22













Appendix II.I - Lone Star Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YC30822	Win	126	Klondike Gold Corp. - 100%	27-Apr-04	21-Apr-04	31-Dec-21	Active	115014	142437	2	31-Dec-25
Dawson	YC30823	Win	127	Klondike Gold Corp. - 100%	27-Apr-04	21-Apr-04	31-Dec-18	Active	115014	142438	2	31-Dec-22
Dawson	YC30824	Win	128	Klondike Gold Corp. - 100%	27-Apr-04	21-Apr-04	31-Dec-18	Active	115014	142439	2	31-Dec-22
Dawson	YC30825	Win	129	Klondike Gold Corp. - 100%	27-Apr-04	21-Apr-04	31-Dec-18	Active	115014	142440	2	31-Dec-22
Dawson	YC30826	Win	130	Klondike Gold Corp. - 100%	27-Apr-04	21-Apr-04	31-Dec-18	Active	115014	142441	2	31-Dec-22
Dawson	YC32830	Cul	1	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143721	2	09-Dec-22
Dawson	YC32831	Cul	2	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143722	2	09-Dec-22
Dawson	YC32832	Cul	3	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143723	2	09-Dec-22
Dawson	YC32833	Cul	4	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143724	2	09-Dec-22
Dawson	YC32834	Cul	5	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143725	2	09-Dec-22
Dawson	YC32835	Cul	6	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143726	2	09-Dec-22
Dawson	YC32836	Cul	7	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143727	2	09-Dec-22
Dawson	YC32837	Cul	8	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143728	2	09-Dec-22
Dawson	YC32838	Cul	9	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143729	2	09-Dec-22
Dawson	YC32839	Cul	10	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143730	2	09-Dec-22
Dawson	YC32840	Cul	11	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143731	2	09-Dec-22
Dawson	YC32841	Cul	12	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-19	Active	115014	143732	2	09-Dec-23
Dawson	YC32842	Cul	13	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-19	Active	115014	143733	2	09-Dec-23
Dawson	YC32843	Cul	14	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-19	Active	115014	143734	2	09-Dec-23
Dawson	YC32844	Cul	19	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143735	2	09-Dec-22
Dawson	YC32845	Cul	20	Klondike Gold Corp. - 100%	09-Jun-04	05-Jun-04	09-Dec-18	Active	115014	143736	2	09-Dec-22
Dawson	YC32846	Cul	21	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143737	2	09-Dec-22
Dawson	YC32847	Cul	22	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143738	2	09-Dec-22
Dawson	YC32848	Cul	23	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143739	2	09-Dec-22
Dawson	YC32849	Cul	24	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143740	2	09-Dec-22
Dawson	YC32850	Cul	25	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143741	2	09-Dec-22
Dawson	YC32851	Cul	26	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143742	2	09-Dec-22
Dawson	YC32852	Cul	27	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143743	2	09-Dec-22
Dawson	YC32853	Cul	28	Klondike Gold Corp. - 100%	09-Jun-04	04-Jun-04	09-Dec-18	Active	115014	143744	2	09-Dec-22
Dawson	YC32864	Cal	1	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143755	2	09-Dec-23
Dawson	YC32865	Cal	2	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143756	2	09-Dec-23
Dawson	YC32866	Cal	3	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143757	2	09-Dec-23
Dawson	YC32867	Cal	4	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143758	2	09-Dec-23
Dawson	YC32868	Cal	5	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143759	2	09-Dec-23
Dawson	YC32877	Cal	19	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143768	2	09-Dec-23
Dawson	YC32879	Cal	21	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143770	2	09-Dec-23
Dawson	YC32881	Cal	23	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143772	2	09-Dec-23
Dawson	YC32883	Cal	25	Klondike Gold Corp. - 100%	09-Jun-04	01-Jun-04	09-Dec-19	Active	115014	143774	2	09-Dec-23
Dawson	YC64000	LLIB	1	Klondike Gold Corp. - 100%	16-Jul-08	13-Jul-08	16-Jan-19	Active	115014	182053	2	16-Jan-23
Dawson	YC75501	LLIB	2	Klondike Gold Corp. - 100%	16-Jul-08	13-Jul-08	16-Jan-19	Active	115014	182054	2	16-Jan-23
Dawson	YC75502	LLIB	3	Klondike Gold Corp. - 100%	16-Jul-08	13-Jul-08	16-Jan-19	Active	115014	182055	2	16-Jan-23
Dawson	YC75503	LLIB	4	Klondike Gold Corp. - 100%	16-Jul-08	13-Jul-08	16-Jan-19	Active	115014	182056	2	16-Jan-23
Dawson	YC75504	LLIB	5	Klondike Gold Corp. - 100%	16-Jul-08	15-Jul-08	16-Jan-19	Active	115014	182057	2	16-Jan-23
Dawson	YC75505	LLIB	6	Klondike Gold Corp. - 100%	16-Jul-08	15-Jul-08	16-Jan-19	Active	115014	182058	2	16-Jan-23
Dawson	YE75919	Cul	29	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414658	2.5	15-Jan-21
Dawson	YE75920	Cul	30	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414659	2.5	15-Jan-21
Dawson	YE75921	Cul	31	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414660	2.5	15-Jan-21
Dawson	YE75922	Cul	32	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414661	2.5	15-Jan-21
Dawson	YE75923	Cul	33	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414662	2.5	15-Jan-21
Dawson	YE75924	Cul	34	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414663	2.5	15-Jan-21
Dawson	YE75925	Cul	35	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414664	2.5	15-Jan-21
Dawson	YE75926	Cul	36	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414665	2.5	15-Jan-21
Dawson	YE75927	Cul	37	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414666	2.5	15-Jan-21

Appendix II.I - Lone Star Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YE75928	Cul	38	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414667	2.5	15-Jan-21
Dawson	YE75929	Cul	39	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414668	2.5	15-Jan-21
Dawson	YE75930	Cul	40	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414669	2.5	15-Jan-21
Dawson	YE75931	Cul	41	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414670	2.5	15-Jan-21
Dawson	YE75932	Cul	42	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414671	2.5	15-Jan-21
Dawson	YE75933	Cul	43	Klondike Gold Corp. - 100%	15-Jan-15	14-Jan-15	15-Jan-16	Application Pending	115014	1500414672	2.5	15-Jan-21
Dawson	YE75934	Cul	44	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414673	2.5	15-Jan-21
Dawson	YE75935	Cul	45	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414674	2.5	15-Jan-21
Dawson	YE75936	Cul	46	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414675	2.5	15-Jan-21
Dawson	YE75937	Cul	47	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414676	2.5	15-Jan-21
Dawson	YE75938	Cul	48	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414677	2.5	15-Jan-21
Dawson	YE75939	Cul	49	Klondike Gold Corp. - 100%	15-Jan-15	13-Jan-15	15-Jan-16	Application Pending	115014	1500414678	2.5	15-Jan-21
Dawson	YE75940	Cul	50	Klondike Gold Corp. - 100%	15-Jan-15	12-Jan-15	15-Jan-16	Application Pending	115014	1500414679	2.5	15-Jan-21
Dawson	YE75941	Cul	51	Klondike Gold Corp. - 100%	15-Jan-15	12-Jan-15	15-Jan-16	Application Pending	115014	1500414680	2.5	15-Jan-21
Dawson	YE75942	Cul	52	Klondike Gold Corp. - 100%	15-Jan-15	12-Jan-15	15-Jan-16	Application Pending	115014	1500414681	2.5	15-Jan-21
Dawson	YE75943	Cul	53	Klondike Gold Corp. - 100%	15-Jan-15	12-Jan-15	15-Jan-16	Application Pending	115014	1500414682	2.5	15-Jan-21
Dawson	YE75946	Cal	26	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414644	2.5	15-Jan-21
Dawson	YE75947	Cal	27	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414645	2.5	15-Jan-21
Dawson	YE75948	Cal	28	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414646	2.5	15-Jan-21
Dawson	YE75949	Cal	29	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414647	2.5	15-Jan-21
Dawson	YE75950	Cal	30	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414648	2.5	15-Jan-21
Dawson	YE75951	Cal	31	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414649	2.5	15-Jan-21
Dawson	YE75952	Cal	32	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414650	2.5	15-Jan-21
Dawson	YE75953	Cal	33	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414651	2.5	15-Jan-21
Dawson	YE75954	Cal	34	Klondike Gold Corp. - 100%	15-Jan-15	11-Jan-15	15-Jan-16	Application Pending	115014	1500414652	2.5	15-Jan-21
Dawson	YE75955	Cal	35	Klondike Gold Corp. - 100%	15-Jan-15	10-Jan-15	15-Jan-16	Application Pending	115014	1500414653	2.5	15-Jan-21
Dawson	YE75956	Cal	36	Klondike Gold Corp. - 100%	15-Jan-15	10-Jan-15	15-Jan-16	Application Pending	115014	1500414654	2.5	15-Jan-21
Dawson	YE75957	Cal	37	Klondike Gold Corp. - 100%	15-Jan-15	10-Jan-15	15-Jan-16	Application Pending	115014	1500414655	2.5	15-Jan-21
Dawson	YE75958	Cal	38	Klondike Gold Corp. - 100%	15-Jan-15	10-Jan-15	15-Jan-16	Application Pending	115014	1500414656	2.5	15-Jan-21
Dawson	YE75959	Cal	39	Klondike Gold Corp. - 100%	15-Jan-15	10-Jan-15	15-Jan-16	Application Pending	115014	1500414657	2.5	15-Jan-21
Dawson	YF20575	KG F	1	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366525	2	28-May-27
Dawson	YF20576	KG F	2	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366526	2	28-May-27
Dawson	YF20577	KG F	3	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366527	2	28-May-27
Dawson	YF20578	KG F	4	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366528	2	28-May-27
Dawson	YF20579	KG F	5	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366529	2	28-May-27
Dawson	YF20580	KG F	6	Klondike Gold Corp. - 100%	28-May-12	04-May-12	28-May-23	Active	115014	1500366530	2	28-May-27
Dawson	YF20599	KG F	7	Klondike Gold Corp. - 100%	28-May-12	14-May-12	28-May-23	Active	115014	1500366531	2	28-May-27
Dawson	YF20600	KG F	8	Klondike Gold Corp. - 100%	28-May-12	03-May-12	28-May-23	Active	115014	1500366532	2	28-May-27
Dawson	YF20700	KG F	9	Klondike Gold Corp. - 100%	28-May-12	03-May-12	28-May-23	Active	115014	1500366533	2	28-May-27

## APPENDIX II.II

### BONANZA GROUPING

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YA10306	Ron	7	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65750	2	31-Dec-26
Dawson	YA10307	Ron	8	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65751	2	31-Dec-26
Dawson	YA10308	Ron	9	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65752	2	31-Dec-29
Dawson	YA10309	Ron	10	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65753	2	31-Dec-29
Dawson	YA10310	Ron	11	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65754	2	31-Dec-29
Dawson	YA10311	Ron	12	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65755	2	31-Dec-29
Dawson	YA10312	Ron	13	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65756	2	31-Dec-29
Dawson	YA10313	Ron	14	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65757	2	31-Dec-29
Dawson	YA10314	Ron	15	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65758	2	31-Dec-29
Dawson	YA10315	Ron	16	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65759	2	31-Dec-29
Dawson	YA10316	Ron	17	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65760	2	31-Dec-29
Dawson	YA10317	Ron	18	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65761	2	31-Dec-29
Dawson	YA10318	Ron	19	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65762	2	31-Dec-29
Dawson	YA10319	Ron	20	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65763	2	31-Dec-29
Dawson	YA10320	Ron	21	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65764	2	31-Dec-29
Dawson	YA10321	Ron	22	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65765	2	31-Dec-29
Dawson	YA10322	Ron	23	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65766	2	31-Dec-29
Dawson	YA10323	Ron	24	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65767	2	31-Dec-29
Dawson	YA10324	Ron	25	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65768	2	31-Dec-29
Dawson	YA10325	Ron	26	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65769	2	31-Dec-29
Dawson	YA10326	Ron	27	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65770	2	31-Dec-29
Dawson	YA10327	Ron	28	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-25	Active	115014	65771	2	31-Dec-29
Dawson	YA10328	Ron	29	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-23	Active	115014	65772	2	31-Dec-27
Dawson	YA10329	Ron	30	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-23	Active	115014	65773	2	31-Dec-27
Dawson	YA10330	Ron	31	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65774	2	31-Dec-26
Dawson	YA10331	Ron	32	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65775	2	31-Dec-26
Dawson	YA10332	Ron	33	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65776	2	31-Dec-26
Dawson	YA10333	Ron	34	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65777	2	31-Dec-26
Dawson	YA10334	Ron	35	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65778	2	31-Dec-26
Dawson	YA10335	Ron	36	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65779	2	31-Dec-26
Dawson	YA10336	Ron	37	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65780	2	31-Dec-26
Dawson	YA10337	Ron	38	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65781	2	31-Dec-26
Dawson	YA10338	Ron	39	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65782	2	31-Dec-26
Dawson	YA10339	Ron	40	Klondike Gold Corp. - 100%	08-Jul-77	08-Jul-77	31-Dec-22	Active	115014	65783	2	31-Dec-26
Dawson	YA32783	DN	1	Klondike Gold Corp. - 100%	06-Jul-79	06-Jul-79	31-Dec-23	Active	115014	66443	2	31-Dec-27
Dawson	YA32784	DN	2	Klondike Gold Corp. - 100%	06-Jul-79	06-Jul-79	31-Dec-23	Active	115014	66444	2	31-Dec-27
Dawson	YA32954	DN	19	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66454	2	31-Dec-29
Dawson	YA32955	DN	20	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66455	2	31-Dec-29
Dawson	YA32956	DN	21	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66456	2	31-Dec-29
Dawson	YA32957	DN	22	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-24	Active	115014	66457	2	31-Dec-28
Dawson	YA32958	DN	23	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66458	2	31-Dec-29
Dawson	YA32959	DN	24	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66459	2	31-Dec-29
Dawson	YA32960	DN	25	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66460	2	31-Dec-29
Dawson	YA32961	DN	26	Klondike Gold Corp. - 100%	07-Aug-79	04-Aug-79	31-Dec-25	Active	115014	66461	2	31-Dec-29
Dawson	YA47082	DN	10	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66462	2	31-Dec-27
Dawson	YA47083	DN	27	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66463	2	31-Dec-27
Dawson	YA47084	DN	28	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66464	2	31-Dec-27
Dawson	YA47085	DN	29	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66465	2	31-Dec-27
Dawson	YA47086	DN	30	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66466	2	31-Dec-27
Dawson	YA47087	DN	31	Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66467	2	31-Dec-27
Dawson	YA47088	DN		Klondike Gold Corp. - 100%	08-Aug-79	06-Aug-79	31-Dec-23	Active	115014	66468	2	31-Dec-27
Dawson	YA47090	DN	1	Klondike Gold Corp. - 100%	09-Aug-79	08-Aug-79	31-Dec-23	Active	115014	66470	2	31-Dec-27
Dawson	YA47091	DN	2	Klondike Gold Corp. - 100%	09-Aug-79	08-Aug-79	31-Dec-23	Active	115014	66471	2	31-Dec-27

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YA47604	DN	32	Klondike Gold Corp. - 100%	14-Sep-79	14-Sep-79	31-Dec-23	Active	115014	66512	2	31-Dec-27
Dawson	YA47605	DN	33	Klondike Gold Corp. - 100%	14-Sep-79	14-Sep-79	31-Dec-23	Active	115014	66513	2	31-Dec-27
Dawson	YA47890	DN	3	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66547	2	31-Dec-27
Dawson	YA47891	DN	4	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66548	2	31-Dec-27
Dawson	YA47892	DN	5	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66549	2	31-Dec-27
Dawson	YA47893	DN	6	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66550	2	31-Dec-27
Dawson	YA47894	DN	7	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66551	2	31-Dec-27
Dawson	YA47895	DN	8	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-23	Active	115014	66552	2	31-Dec-27
Dawson	YA47896	DN	9	Klondike Gold Corp. - 100%	11-Oct-79	11-Oct-79	31-Dec-18	Active	115014	66553	2	31-Dec-22
Dawson	YA55250	DE	1	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66823	2	31-Dec-29
Dawson	YA55251	DE	2	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66824	2	31-Dec-29
Dawson	YA55252	DE	3	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66825	2	31-Dec-29
Dawson	YA55253	DE	4	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66826	2	31-Dec-29
Dawson	YA55254	DE	5	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66827	2	31-Dec-29
Dawson	YA55255	DE	6	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66828	2	31-Dec-29
Dawson	YA55256	DE	7	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66829	2	31-Dec-29
Dawson	YA55257	DE	8	Klondike Gold Corp. - 100%	24-Apr-81	15-Apr-81	31-Dec-25	Active	115014	66830	2	31-Dec-29
Dawson	YA55258	DE	9	Klondike Gold Corp. - 100%	24-Apr-81	16-Apr-81	31-Dec-25	Active	115014	66831	2	31-Dec-29
Dawson	YA64216	RJ	1	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66877	2	31-Dec-26
Dawson	YA64217	RJ	2	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66878	2	31-Dec-26
Dawson	YA64218	RJ	3	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66879	2	31-Dec-26
Dawson	YA64219	RJ	4	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66880	2	31-Dec-26
Dawson	YA64220	RJ	5	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66881	2	31-Dec-26
Dawson	YA64221	RJ	6	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66882	2	31-Dec-26
Dawson	YA64222	RJ	7	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66883	2	31-Dec-26
Dawson	YA64223	RJ	8	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66884	2	31-Dec-26
Dawson	YA64224	RJ	9	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66885	2	31-Dec-26
Dawson	YA64225	RJ	10	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66886	2	31-Dec-26
Dawson	YA64226	RJ	11	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66887	2	31-Dec-26
Dawson	YA64227	RJ	12	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66888	2	31-Dec-26
Dawson	YA64228	RJ	13	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66889	2	31-Dec-26
Dawson	YA64229	RJ	14	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66890	2	31-Dec-26
Dawson	YA64230	RJ	15	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66891	2	31-Dec-26
Dawson	YA64231	RJ	16	Klondike Gold Corp. - 100%	21-Jul-81	15-Jul-81	31-Dec-22	Active	115014	66892	2	31-Dec-26
Dawson	YA64232	RJ	17	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66893	2	31-Dec-26
Dawson	YA64233	RJ	18	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66894	2	31-Dec-26
Dawson	YA64234	RJ	19	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66895	2	31-Dec-26
Dawson	YA64235	RJ	20	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66896	2	31-Dec-26
Dawson	YA64236	RJ	21	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66897	2	31-Dec-26
Dawson	YA64237	RJ	22	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66898	2	31-Dec-26
Dawson	YA64238	RJ	23	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66899	2	31-Dec-26
Dawson	YA64239	RJ	24	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66900	2	31-Dec-26
Dawson	YA64240	RJ	25	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66901	2	31-Dec-26
Dawson	YA64241	RJ	26	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66902	2	31-Dec-26
Dawson	YA64242	RJ	27	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66903	2	31-Dec-26
Dawson	YA64243	RJ	28	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66904	2	31-Dec-26
Dawson	YA64244	RJ	29	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66905	2	31-Dec-26
Dawson	YA64245	RJ	30	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66906	2	31-Dec-26
Dawson	YA64246	RJ	31	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66907	2	31-Dec-26
Dawson	YA64247	RJ	32	Klondike Gold Corp. - 100%	21-Jul-81	16-Jul-81	31-Dec-22	Active	115014	66908	2	31-Dec-26
Dawson	YA64519	CIM	2	Klondike Gold Corp. - 100%	01-Sep-81	31-Aug-81	31-Dec-23	Active	115014	66940	2	31-Dec-27
Dawson	YA64520	CIM	1	Klondike Gold Corp. - 100%	01-Sep-81	31-Aug-81	31-Dec-23	Active	115014	66941	2	31-Dec-27
Dawson	YA64521	CIM	4	Klondike Gold Corp. - 100%	01-Sep-81	31-Aug-81	31-Dec-23	Active	115014	66942	2	31-Dec-27

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YA64522	CIM	3	Klondike Gold Corp. - 100%	01-Sep-81	31-Aug-81	31-Dec-23	Active	115014	66943	2	31-Dec-27
Dawson	YA65605	RJ	49	Klondike Gold Corp. - 100%	02-Jun-83	31-May-83	31-Dec-22	Active	115014	67062	2	31-Dec-26
Dawson	YA65606	RJ	50	Klondike Gold Corp. - 100%	02-Jun-83	31-May-83	31-Dec-22	Active	115014	67063	2	31-Dec-26
Dawson	YA65615	RJ	59	Klondike Gold Corp. - 100%	02-Jun-83	31-May-83	31-Dec-22	Active	115014	67072	2	31-Dec-26
Dawson	YA65616	RJ	60	Klondike Gold Corp. - 100%	02-Jun-83	31-May-83	31-Dec-22	Active	115014	67073	2	31-Dec-26
Dawson	YA65618	RJ	62	Klondike Gold Corp. - 100%	02-Jun-83	31-May-83	31-Dec-22	Active	115014	67074	2	31-Dec-26
Dawson	YA79250	Syndicate	53	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67265	2	31-Dec-22
Dawson	YA79252	Syndicate	55	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67267	2	31-Dec-22
Dawson	YA79253	Syndicate	56	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67268	2	31-Dec-22
Dawson	YA79257	Syndicate	60	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67272	2	31-Dec-22
Dawson	YA79258	Syndicate	61	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67273	2	31-Dec-22
Dawson	YA79259	Syndicate	62	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67274	2	31-Dec-22
Dawson	YA79260	Syndicate	63	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67275	2	31-Dec-22
Dawson	YA79263	Syndicate	66	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67278	2	31-Dec-22
Dawson	YA79264	Syndicate	67	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67279	2	31-Dec-22
Dawson	YA79265	Syndicate	68	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67280	2	31-Dec-22
Dawson	YA79266	Syndicate	69	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67281	2	31-Dec-22
Dawson	YA79268	Syndicate	71	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67283	2	31-Dec-22
Dawson	YA79269	Syndicate	72	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67284	2	31-Dec-22
Dawson	YA79270	Syndicate	73	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67285	2	31-Dec-22
Dawson	YA79271	Syndicate	74	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67286	2	31-Dec-22
Dawson	YA79274	Syndicate	77	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67289	2	31-Dec-22
Dawson	YA79275	Syndicate	78	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67290	2	31-Dec-22
Dawson	YA79276	Syndicate	79	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67291	2	31-Dec-22
Dawson	YA79277	Syndicate	80	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67292	2	31-Dec-22
Dawson	YA79278	Syndicate	81	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67293	2	31-Dec-22
Dawson	YA79279	Syndicate	82	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-18	Active	115014	67294	2	31-Dec-22
Dawson	YA79280	Syndicate	83	Klondike Gold Corp. - 100%	16-Sep-83	12-Sep-83	31-Dec-17	Active	115014	67295	2	31-Dec-21
Dawson	YA88366	Reef	78	Klondike Gold Corp. - 100%	31-Oct-86	28-Oct-86	31-Dec-17	Active	115014	70163	2	31-Dec-21
Dawson	YC16217	Klondike	2	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112545	2.5	07-Dec-20
Dawson	YC16219	Klondike	4	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112547	2.5	07-Dec-20
Dawson	YC16221	Klondike	6	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112549	2.5	07-Dec-20
Dawson	YC16224	Klondike	9	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112552	2.5	07-Dec-20
Dawson	YC16225	Klondike	10	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112553	2.5	07-Dec-20
Dawson	YC16226	Klondike	11	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112554	2.5	07-Dec-20
Dawson	YC16227	Klondike	12	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112555	2.5	07-Dec-20
Dawson	YC16228	Klondike	13	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112556	2.5	07-Dec-20
Dawson	YC16229	Klondike	14	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112557	2.5	07-Dec-20
Dawson	YC16235	Klondike	20	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112563	2.5	07-Dec-20
Dawson	YC16236	Klondike	21	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112564	2.5	07-Dec-20
Dawson	YC16237	Klondike	22	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112565	2.5	07-Dec-20
Dawson	YC16238	Klondike	23	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112566	2.5	07-Dec-20
Dawson	YC16239	Klondike	24	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112567	2.5	07-Dec-20
Dawson	YC16240	Klondike	25	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112568	2.5	07-Dec-20
Dawson	YC16241	Klondike	26	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112569	2.5	07-Dec-20
Dawson	YC16242	Klondike	27	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112570	2.5	07-Dec-20
Dawson	YC16243	Klondike	28	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112571	2.5	07-Dec-20
Dawson	YC16244	Klondike	29	Klondike Gold Corp. - 100%	07-Jun-99	24-May-99	07-Dec-15	Active	115014	112572	2.5	07-Dec-20
Dawson	YC16277	Klondike	62	Klondike Gold Corp. - 100%	07-Jun-99	26-May-99	07-Dec-15	Active	115014	112605	2.5	07-Dec-20
Dawson	YC16278	Klondike	63	Klondike Gold Corp. - 100%	07-Jun-99	26-May-99	07-Dec-15	Active	115014	112606	2.5	07-Dec-20
Dawson	YC16279	Klondike	64	Klondike Gold Corp. - 100%	07-Jun-99	26-May-99	07-Dec-15	Active	115014	112607	2.5	07-Dec-20
Dawson	YC16280	Klondike	65	Klondike Gold Corp. - 100%	07-Jun-99	26-May-99	07-Dec-15	Active	115014	112608	2.5	07-Dec-20
Dawson	YC16281	Klondike	66	Klondike Gold Corp. - 100%	07-Jun-99	26-May-99	07-Dec-15	Active	115014	112609	2.5	07-Dec-20







Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YC16590	Klondike	375	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112927	2.5	07-Dec-20
Dawson	YC16591	Klondike	376	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112928	2.5	07-Dec-20
Dawson	YC16607	Klondike	393	Klondike Gold Corp. - 100%	07-Jun-99	01-Jun-99	07-Dec-15	Active	115014	112944	2.5	07-Dec-20
Dawson	YC16608	Klondike	394	Klondike Gold Corp. - 100%	07-Jun-99	01-Jun-99	07-Dec-15	Active	115014	112945	2.5	07-Dec-20
Dawson	YC16609	Klondike	395	Klondike Gold Corp. - 100%	07-Jun-99	01-Jun-99	07-Dec-15	Active	115014	112946	2.5	07-Dec-20
Dawson	YC16610	Klondike	396	Klondike Gold Corp. - 100%	07-Jun-99	01-Jun-99	07-Dec-15	Active	115014	112947	2.5	07-Dec-20
Dawson	YC16611	Klondike	397	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112948	2.5	07-Dec-20
Dawson	YC16612	Klondike	398	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112949	2.5	07-Dec-20
Dawson	YC16613	Klondike	399	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112950	2.5	07-Dec-20
Dawson	YC16614	Klondike	400	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112951	2.5	07-Dec-20
Dawson	YC16615	Klondike	401	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112952	2.5	07-Dec-20
Dawson	YC16617	Klondike	403	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112954	2.5	07-Dec-20
Dawson	YC16619	Klondike	405	Klondike Gold Corp. - 100%	07-Jun-99	31-May-99	07-Dec-15	Active	115014	112956	2.5	07-Dec-20
Dawson	YC16621	Klondike	407	Klondike Gold Corp. - 100%	07-Jun-99	30-May-99	07-Dec-15	Active	115014	112958	2.5	07-Dec-20
Dawson	YC16623	Klondike	409	Klondike Gold Corp. - 100%	07-Jun-99	30-May-99	07-Dec-15	Active	115014	112960	2.5	07-Dec-20
Dawson	YC16625	Klondike	411	Klondike Gold Corp. - 100%	07-Jun-99	30-May-99	07-Dec-15	Active	115014	112962	2.5	07-Dec-20
Dawson	YC16627	Klondike	413	Klondike Gold Corp. - 100%	07-Jun-99	30-May-99	07-Dec-15	Active	115014	112964	2.5	07-Dec-20
Dawson	YC16629	Klondike	415	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112966	2.5	07-Dec-20
Dawson	YC16631	Klondike	417	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112968	2.5	07-Dec-20
Dawson	YC16633	Klondike	419	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112970	2.5	07-Dec-20
Dawson	YC16638	Klondike	424	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	112975	2.5	07-Dec-20
Dawson	YC16640	Klondike	426	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112977	2.5	07-Dec-20
Dawson	YC16641	Klondike	427	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112978	2.5	07-Dec-20
Dawson	YC16642	Klondike	428	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112979	2.5	07-Dec-20
Dawson	YC16643	Klondike	429	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112980	2.5	07-Dec-20
Dawson	YC16644	Klondike	430	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112981	2.5	07-Dec-20
Dawson	YC16645	Klondike	431	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112982	2.5	07-Dec-20
Dawson	YC16646	Klondike	432	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112983	2.5	07-Dec-20
Dawson	YC16647	Klondike	433	Klondike Gold Corp. - 100%	07-Jun-99	27-May-99	07-Dec-15	Active	115014	112984	2.5	07-Dec-20
Dawson	YC16719	Klondike	505	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	113056	2.5	07-Dec-20
Dawson	YC16720	Klondike	506	Klondike Gold Corp. - 100%	07-Jun-99	28-May-99	07-Dec-15	Active	115014	113057	2.5	07-Dec-20
Dawson	YC17895	BAD	1	Klondike Gold Corp. - 100%	05-Apr-00	02-Apr-00	31-Dec-18	Active	115014	118925	2	31-Dec-22
Dawson	YC17896	BAD	2	Klondike Gold Corp. - 100%	05-Apr-00	02-Apr-00	31-Dec-18	Active	115014	118926	2	31-Dec-22
Dawson	YC17897	BAD	3	Klondike Gold Corp. - 100%	05-Apr-00	01-Apr-00	31-Dec-18	Active	115014	118927	2	31-Dec-22
Dawson	YC17898	BAD	4	Klondike Gold Corp. - 100%	05-Apr-00	01-Apr-00	31-Dec-18	Active	115014	118928	2	31-Dec-22
Dawson	YC17899	BAD	5	Klondike Gold Corp. - 100%	05-Apr-00	01-Apr-00	31-Dec-18	Active	115014	118929	2	31-Dec-22
Dawson	YC17900	BAD	6	Klondike Gold Corp. - 100%	05-Apr-00	01-Apr-00	31-Dec-18	Active	115014	118930	2	31-Dec-22
Dawson	YC19901	BAD	9	Klondike Gold Corp. - 100%	05-Apr-00	03-Apr-00	31-Dec-18	Active	115014	118939	2	31-Dec-22
Dawson	YC19902	BAD	10	Klondike Gold Corp. - 100%	05-Apr-00	03-Apr-00	31-Dec-18	Active	115014	118940	2	31-Dec-22
Dawson	YC19903	BAD	11	Klondike Gold Corp. - 100%	05-Apr-00	03-Apr-00	31-Dec-18	Active	115014	118941	2	31-Dec-22
Dawson	YC19904	BAD	12	Klondike Gold Corp. - 100%	05-Apr-00	04-Apr-00	31-Dec-18	Active	115014	118942	2	31-Dec-22
Dawson	YC19905	BAD	14	Klondike Gold Corp. - 100%	05-Apr-00	04-Apr-00	31-Dec-18	Active	115014	118943	2	31-Dec-22
Dawson	YC19906	BAD	15	Klondike Gold Corp. - 100%	05-Apr-00	04-Apr-00	31-Dec-18	Active	115014	118944	2	31-Dec-22
Dawson	YC19907	BAD	16	Klondike Gold Corp. - 100%	05-Apr-00	04-Apr-00	31-Dec-18	Active	115014	118945	2	31-Dec-22
Dawson	YC19908	BAD	7	Klondike Gold Corp. - 100%	06-Apr-00	06-Apr-00	31-Dec-18	Active	115014	118953	2	31-Dec-22
Dawson	YC19909	BAD	8	Klondike Gold Corp. - 100%	06-Apr-00	06-Apr-00	31-Dec-18	Active	115014	118954	2	31-Dec-22
Dawson	YC20727	Gap	1	Klondike Gold Corp. - 100%	18-Jun-01	05-Jun-01	18-Dec-15	Active	115014	124421	2.5	18-Dec-20
Dawson	YC20728	Gap	2	Klondike Gold Corp. - 100%	18-Jun-01	05-Jun-01	18-Dec-15	Active	115014	124422	2.5	18-Dec-20
Dawson	YC20729	Gap	3	Klondike Gold Corp. - 100%	18-Jun-01	05-Jun-01	18-Dec-15	Active	115014	124423	2.5	18-Dec-20
Dawson	YC20730	Gap	4	Klondike Gold Corp. - 100%	18-Jun-01	05-Jun-01	18-Dec-15	Active	115014	124424	2.5	18-Dec-20
Dawson	YC20731	Gap	5	Klondike Gold Corp. - 100%	18-Jun-01	05-Jun-01	18-Dec-15	Active	115014	124425	2.5	18-Dec-20
Dawson	YC20732	Gap	6	Klondike Gold Corp. - 100%	18-Jun-01	06-Jun-01	18-Dec-15	Active	115014	124426	2.5	18-Dec-20
Dawson	YC20733	Gap	7	Klondike Gold Corp. - 100%	18-Jun-01	06-Jun-01	18-Dec-15	Active	115014	124427	2.5	18-Dec-20



Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YC27239	Stam	38	Klondike Gold Corp. - 100%	14-Aug-03	08-Aug-03	31-Dec-18	Active	115014	136612	2	31-Dec-22
Dawson	YC27240	Stam	39	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136613	2	31-Dec-22
Dawson	YC27241	Stam	40	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136614	2	31-Dec-22
Dawson	YC27242	Stam	41	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136615	2	31-Dec-22
Dawson	YC27243	Stam	42	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136616	2	31-Dec-22
Dawson	YC27244	Stam	43	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136617	2	31-Dec-22
Dawson	YC27245	Stam	44	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136618	2	31-Dec-22
Dawson	YC27246	Stam	45	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136619	2	31-Dec-22
Dawson	YC27247	Stam	46	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136620	2	31-Dec-22
Dawson	YC27248	Stam	47	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136621	2	31-Dec-22
Dawson	YC27249	Stam	48	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136622	2	31-Dec-22
Dawson	YC27250	Stam	49	Klondike Gold Corp. - 100%	14-Aug-03	07-Aug-03	31-Dec-18	Active	115014	136623	2	31-Dec-22
Dawson	YC27251	Stam	50	Klondike Gold Corp. - 100%	14-Aug-03	08-Aug-03	31-Dec-18	Active	115014	136624	2	31-Dec-22
Dawson	YC27252	Stam	51	Klondike Gold Corp. - 100%	14-Aug-03	08-Aug-03	31-Dec-18	Active	115014	136625	2	31-Dec-22
Dawson	YC27253	Stam	53	Klondike Gold Corp. - 100%	14-Aug-03	10-Aug-03	31-Dec-18	Active	115014	136626	2	31-Dec-22
Dawson	YC30827	Win	131	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142473	2	31-Dec-21
Dawson	YC30828	Win	132	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142474	2	31-Dec-21
Dawson	YC30829	Win	133	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-18	Active	115014	142475	2	31-Dec-22
Dawson	YC30830	Win	134	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142476	2	31-Dec-21
Dawson	YC30831	Win	135	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142477	2	31-Dec-21
Dawson	YC30832	Win	136	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142478	2	31-Dec-21
Dawson	YC30833	Win	137	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142479	2	31-Dec-21
Dawson	YC30834	Win	138	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142480	2	31-Dec-21
Dawson	YC30835	Win	139	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142481	2	31-Dec-21
Dawson	YC30836	Win	140	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142482	2	31-Dec-21
Dawson	YC30837	Win	141	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142483	2	31-Dec-21
Dawson	YC30838	Win	142	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142484	2	31-Dec-21
Dawson	YC30839	Win	143	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142485	2	31-Dec-21
Dawson	YC30840	Win	144	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142486	2	31-Dec-21
Dawson	YC30841	Win	145	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142487	2	31-Dec-21
Dawson	YC30842	Win	146	Klondike Gold Corp. - 100%	30-Apr-04	28-Apr-04	31-Dec-17	Active	115014	142488	2	31-Dec-21
Dawson	YC30843	Win	147	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142489	2	31-Dec-21
Dawson	YC30844	Win	148	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142490	2	31-Dec-21
Dawson	YC30845	Win	149	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142491	2	31-Dec-21
Dawson	YC30846	Win	150	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142492	2	31-Dec-21
Dawson	YC30847	Win	151	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-18	Active	115014	142493	2	31-Dec-22
Dawson	YC30848	Win	152	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142494	2	31-Dec-21
Dawson	YC30849	Win	153	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-18	Active	115014	142495	2	31-Dec-22
Dawson	YC30850	Win	154	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142496	2	31-Dec-21
Dawson	YC30851	Win	155	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-18	Active	115014	142497	2	31-Dec-22
Dawson	YC30852	Win	156	Klondike Gold Corp. - 100%	30-Apr-04	29-Apr-04	31-Dec-17	Active	115014	142498	2	31-Dec-21
Dawson	YC30853	BR	1	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142612	2.5	14-May-21
Dawson	YC30854	BR	2	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142613	2.5	14-May-21
Dawson	YC30855	BR	3	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142614	2.5	14-May-21
Dawson	YC30856	BR	4	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142615	2.5	14-May-21
Dawson	YC30857	BR	5	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142616	2.5	14-May-21
Dawson	YC30858	BR	6	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142617	2.5	14-May-21
Dawson	YC30859	BR	7	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142618	2.5	14-May-21
Dawson	YC30860	BR	8	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142619	2.5	14-May-21
Dawson	YC30861	BR	9	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142620	2.5	14-May-21
Dawson	YC30862	BR	10	Klondike Gold Corp. - 100%	14-May-04	10-May-04	14-May-16	Active	116803	142621	2.5	14-May-21
Dawson	YC30864	BR	12	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142623	2.5	14-May-21
Dawson	YC30865	BR	13	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142624	2.5	14-May-21

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YC30866	BR	14	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142625	2.5	14-May-21
Dawson	YC30867	BR	15	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142626	2.5	14-May-21
Dawson	YC30868	BR	16	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142627	2.5	14-May-21
Dawson	YC30869	BR	17	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142628	2.5	14-May-21
Dawson	YC30870	BR	18	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142629	2.5	14-May-21
Dawson	YC30871	BR	19	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142630	2.5	14-May-21
Dawson	YC30872	BR	20	Klondike Gold Corp. - 100%	14-May-04	11-May-04	14-May-16	Active	116803	142631	2.5	14-May-21
Dawson	YC30873	BR	21	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142632	2.5	14-May-21
Dawson	YC30874	BR	22	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142633	2.5	14-May-21
Dawson	YC30875	BR	23	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142634	2.5	14-May-21
Dawson	YC30876	BR	24	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142635	2.5	14-May-21
Dawson	YC30877	BR	25	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142636	2.5	14-May-21
Dawson	YC30878	BR	26	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142637	2.5	14-May-21
Dawson	YC30879	BR	27	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142638	2.5	14-May-21
Dawson	YC30880	BR	28	Klondike Gold Corp. - 100%	14-May-04	13-May-04	14-May-16	Active	116803	142639	2.5	14-May-21
Dawson	YC30881	BR	29	Klondike Gold Corp. - 100%	14-May-04	14-May-04	14-May-16	Active	116803	142640	2.5	14-May-21
Dawson	YC30882	BR	30	Klondike Gold Corp. - 100%	14-May-04	14-May-04	14-May-16	Active	116803	142641	2.5	14-May-21
Dawson	YC30883	BR	31	Klondike Gold Corp. - 100%	14-May-04	14-May-04	14-May-16	Active	116803	142642	2.5	14-May-21
Dawson	YC30884	BR	32	Klondike Gold Corp. - 100%	14-May-04	14-May-04	14-May-16	Active	116803	142643	2.5	14-May-21
Dawson	YC33726	On	1	Klondike Gold Corp. - 100%	17-Jun-04	13-Jun-04	17-Dec-18	Active	115014	145571	2	17-Dec-22
Dawson	YC33727	On	2	Klondike Gold Corp. - 100%	17-Jun-04	13-Jun-04	17-Dec-18	Active	115014	145572	2	17-Dec-22
Dawson	YC44883	Bar	1	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165059	2.5	25-Feb-21
Dawson	YC44884	Bar	2	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165060	2.5	25-Feb-21
Dawson	YC44885	Bar	3	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165061	2.5	25-Feb-21
Dawson	YC44886	Bar	4	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165062	2.5	25-Feb-21
Dawson	YC44887	Bar	5	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165063	2.5	25-Feb-21
Dawson	YC44888	Bar	6	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165064	2.5	25-Feb-21
Dawson	YC44889	Bar	7	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165065	2.5	25-Feb-21
Dawson	YC44890	Bar	8	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	115014	165066	2.5	25-Feb-21
Dawson	YC44891	Bar	9	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	116803	165067	2.5	25-Feb-21
Dawson	YC44892	Bar	10	Klondike Gold Corp. - 100%	25-Aug-06	24-Aug-06	25-Feb-16	Active	116803	165068	2.5	25-Feb-21
Dawson	YC45083	Giga	1	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166867	2	31-Oct-20
Dawson	YC45084	Giga	2	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166868	2	31-Oct-20
Dawson	YC45085	Giga	3	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166869	2	31-Oct-20
Dawson	YC45086	Giga	4	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166870	2	31-Oct-20
Dawson	YC45087	Giga	5	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166871	2	31-Oct-20
Dawson	YC45088	Giga	6	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166872	2	31-Oct-20
Dawson	YC45089	Giga	7	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166873	2	31-Oct-20
Dawson	YC45090	Giga	8	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166874	2	31-Oct-20
Dawson	YC45091	Giga	9	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166875	2	31-Oct-20
Dawson	YC45092	Giga	10	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166876	2	31-Oct-20
Dawson	YC45093	Giga	11	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166877	2	31-Oct-20
Dawson	YC45094	Giga	12	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166878	2	31-Oct-20
Dawson	YC45095	Giga	13	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166879	2	31-Oct-20
Dawson	YC45096	Giga	14	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166880	2	31-Oct-20
Dawson	YC45097	Giga	15	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166881	2	31-Oct-20
Dawson	YC45098	Giga	16	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166882	2	31-Oct-20
Dawson	YC45099	Giga	17	Klondike Gold Corp. - 100%	31-Oct-06	27-Oct-06	31-Oct-16	Active	115014	166883	2	31-Oct-20
Dawson	YC45100	Giga	18	Klondike Gold Corp. - 100%	31-Oct-06	27-Oct-06	31-Oct-16	Active	115014	166884	2	31-Oct-20
Dawson	YC45101	Giga	19	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166885	2	31-Oct-20
Dawson	YC45102	Giga	20	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166886	2	31-Oct-20
Dawson	YC45103	Giga	21	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166887	2	31-Oct-20
Dawson	YC45104	Giga	22	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166888	2	31-Oct-20

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YC45105	Giga	23	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166889	2	31-Oct-20
Dawson	YC45106	Giga	24	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166890	2	31-Oct-20
Dawson	YC45107	Giga	25	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166891	2	31-Oct-20
Dawson	YC45108	Giga	26	Klondike Gold Corp. - 100%	31-Oct-06	26-Oct-06	31-Oct-16	Active	115014	166892	2	31-Oct-20
Dawson	YC45109	Giga	27	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166893	2	31-Oct-20
Dawson	YC45110	Giga	28	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166894	2	31-Oct-20
Dawson	YC45111	Giga	29	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166895	2	31-Oct-20
Dawson	YC45112	Giga	30	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166896	2	31-Oct-20
Dawson	YC45113	Giga	31	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166897	2	31-Oct-20
Dawson	YC45114	Giga	32	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166898	2	31-Oct-20
Dawson	YC45115	Giga	33	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166899	2	31-Oct-20
Dawson	YC45116	Giga	34	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166900	2	31-Oct-20
Dawson	YC45117	Giga	35	Klondike Gold Corp. - 100%	31-Oct-06	25-Oct-06	31-Oct-16	Active	115014	166901	2	31-Oct-20
Dawson	YC45118	Giga	36	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166902	2	31-Oct-20
Dawson	YC45119	Giga	37	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166903	2	31-Oct-20
Dawson	YC45120	Giga	38	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166904	2	31-Oct-20
Dawson	YC45121	Giga	39	Klondike Gold Corp. - 100%	31-Oct-06	24-Oct-06	31-Oct-16	Active	115014	166905	2	31-Oct-20
Dawson	YD28172	IF	2	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355701	2.5	06-Feb-21
Dawson	YD28173	IF	3	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355702	2.5	06-Feb-21
Dawson	YD28174	IF	4	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355703	2.5	06-Feb-21
Dawson	YD28175	IF	5	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355704	2.5	06-Feb-21
Dawson	YD28176	IF	6	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355705	2.5	06-Feb-21
Dawson	YD28177	IF	7	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355706	2.5	06-Feb-21
Dawson	YD28178	IF	8	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355707	2.5	06-Feb-21
Dawson	YD28179	IF	9	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355708	2.5	06-Feb-21
Dawson	YD28180	IF	10	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355709	2.5	06-Feb-21
Dawson	YD28181	IF	11	Klondike Gold Corp. - 100%	06-Feb-12	01-Feb-12	06-Feb-16	Active	115014	1500355710	2.5	06-Feb-21
Dawson	YD28182	IF	12	Klondike Gold Corp. - 100%	06-Feb-12	01-Feb-12	06-Feb-16	Active	115014	1500355711	2.5	06-Feb-21
Dawson	YD28183	IF	13	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355712	2.5	06-Feb-21
Dawson	YD28184	IF	14	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355713	2.5	06-Feb-21
Dawson	YD28185	IF	15	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355714	2.5	06-Feb-21
Dawson	YD28186	IF	16	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355715	2.5	06-Feb-21
Dawson	YD28187	IF	17	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355716	2.5	06-Feb-21
Dawson	YD28188	IF	18	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355717	2.5	06-Feb-21
Dawson	YD28189	IF	19	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355718	2.5	06-Feb-21
Dawson	YD28190	IF	20	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355719	2.5	06-Feb-21
Dawson	YD72671	IF	31	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355730	2.5	06-Feb-21
Dawson	YD72672	IF	32	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355731	2.5	06-Feb-21
Dawson	YD72673	IF	33	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355732	2.5	06-Feb-21
Dawson	YD72674	IF	34	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355733	2.5	06-Feb-21
Dawson	YD72675	IF	35	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355734	2.5	06-Feb-21
Dawson	YE31371	IF	21	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355720	2.5	06-Feb-21
Dawson	YE31372	IF	22	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355721	2.5	06-Feb-21
Dawson	YE31373	IF	23	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355722	2.5	06-Feb-21
Dawson	YE31374	IF	24	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355723	2.5	06-Feb-21
Dawson	YE31375	IF	25	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355724	2.5	06-Feb-21
Dawson	YE31376	IF	26	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355725	2.5	06-Feb-21
Dawson	YE31377	IF	27	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355726	2.5	06-Feb-21
Dawson	YE31378	IF	28	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355727	2.5	06-Feb-21
Dawson	YE31379	IF	29	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355728	2.5	06-Feb-21
Dawson	YE31380	IF	30	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355729	2.5	06-Feb-21
Dawson	YE31381	IF	1	Klondike Gold Corp. - 100%	06-Feb-12	31-Jan-12	06-Feb-16	Active	115014	1500355700	2.5	06-Feb-21
Dawson	YE84500	KG	10	Klondike Gold Corp. - 100%	23-May-12	03-May-12	23-May-19	Active	115014	1500366467	2	23-May-23

Appendix II.II - Bonanza Grouping Claims list

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	OperationRecordingDate	StakingDate	ClaimExpiryDate	Status	NTS MapNumber	Ops Number	Claim Years	NewExpiryDate (Double Credit)
Dawson	YF30047	Klondike	507	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500413999	2.5	19-Dec-20
Dawson	YF30048	Klondike	508	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414000	2.5	19-Dec-20
Dawson	YF30049	Klondike	509	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414001	2.5	19-Dec-20
Dawson	YF30050	Klondike	510	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414002	2.5	19-Dec-20
Dawson	YF30051	Klondike	511	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414003	2.5	19-Dec-20
Dawson	YF30052	Klondike	512	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414004	2.5	19-Dec-20
Dawson	YF30053	Klondike	513	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414005	2.5	19-Dec-20
Dawson	YF30054	Klondike	514	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414006	2.5	19-Dec-20
Dawson	YF30055	Klondike	515	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414007	2.5	19-Dec-20
Dawson	YF30056	Klondike	516	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414008	2.5	19-Dec-20
Dawson	YF30057	Klondike	517	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414009	2.5	19-Dec-20
Dawson	YF30058	Klondike	518	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414010	2.5	19-Dec-20
Dawson	YF30059	Klondike	519	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414011	2.5	19-Dec-20
Dawson	YF30060	Klondike	520	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414012	2.5	19-Dec-20
Dawson	YF30061	Klondike	521	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414013	2.5	19-Dec-20
Dawson	YF30062	Klondike	522	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414014	2.5	19-Dec-20
Dawson	YF30063	Klondike	523	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414015	2.5	19-Dec-20
Dawson	YF30064	Klondike	524	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414016	2.5	19-Dec-20
Dawson	YF30065	Klondike	525	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414017	2.5	19-Dec-20
Dawson	YF30066	Klondike	526	Klondike Gold Corp. - 100%	19-Dec-14	19-Dec-14	19-Dec-15	Application Pending	115O14	1500414018	2.5	19-Dec-20
Dawson	YF30067	Klondike	527	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414019	2.5	19-Dec-20
Dawson	YF30068	Klondike	528	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414020	2.5	19-Dec-20
Dawson	YF30069	Klondike	529	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414021	2.5	19-Dec-20
Dawson	YF30070	Klondike	530	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414022	2.5	19-Dec-20
Dawson	YF30071	Klondike	531	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414023	2.5	19-Dec-20
Dawson	YF30072	Klondike	532	Klondike Gold Corp. - 100%	19-Dec-14	16-Dec-14	19-Dec-15	Application Pending	115O14	1500414024	2.5	19-Dec-20



## APPENDIX III

### ROCK SAMPLE DESCRIPTIONS

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1961725	584273	7086094	Qtz tr py oc	FL Grab	08-Jun-15	WK	py	
1961726	585283	7083660	Qtz float tr py 60 cm	FL Grab	09-Jun-15	WK	py	
1961727	584318	7086217	QTZ FL 20CM TR PY MALACHITE	FL Grab	10-Jun-15	WK	mal	
1961728	584318	7086221	QTZ FL30CM TR PY MALACHITE	FL Grab	10-Jun-15	WK	mal	
1961729	584306	7086164	QTZ IN RIPPER TRENCH 20CM TR PY	SC Grab	10-Jun-15	WK	py	
1961730	584294	7086137	QTZ FL 60CM TR PY	FL Grab	10-Jun-15	WK	py	
1961731	584305	7086177	OC SHIST 5%PY	FL Grab	10-Jun-15	WK	py	
1961732	584278	7085655	QTZ FL 20CM VUGGY TR PY PB?	FL Grab	10-Jun-15	WK	py	
1961734	584256	7085645	QTZ FL 25CM TR PY	FL Grab	10-Jun-15	WK	py	
1961962	586041	7099113	OC 10 cm white-translucent QV, massive coarse xtlne silica with 1 cm FeCarb clots, local 1-3 mm patchy calcite, with strong white-green sericite altered wallrock margins	OC Grab	14-May-15	PT		
1961963	586042	7099114	OC 5 cm white-translucent QV, massive coarse xtlne silica with 1 cm FeCarb clots, local 1-3 mm patchy calcite, with strong white-green sericite altered wallrock margins	OC Grab	14-May-15	PT		
1961964	586042	7099115	OC 10 cm white-translucent QV, massive coarse xtlne silica with FeCarb in bands along upper vein margin and within vein, local specular hematite, small patches calcite, with strong white-green sericite alter	OC Grab	14-May-15	PT		
1961733	584277	7085652	QTZ FL 20CM TR PY	FL Grab	10-Jun-15	WK	py	
1961735	584251	7085622	QTZ FL 30CM TR PY	FL Grab	10-Jun-15	WK	py	
1960657	586749	7084840	OC: Qtz-ser-chl schist with local py-silica stringers	OC Grab	14-Jun-15	PT	py	
1960658	586037	7084627	local float: 20cm quartz breccia vein in quartz chlorite schist	FL Grab	14-Jun-15	PT		
1960659	585292	7084326	local float: 10cm quartz vein with coarse pyrite clots	FL Grab	14-Jun-15	PT	py	
1961736	584474	7085687	QTZ TR FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961737	584466	7085679	QTZ TR FL 20CM TR PY	FL Grab	12-Jun-15	WK	py	
1961738	584459	7085635	QTZ BLOOB IN OC TR PY	OC Grab	12-Jun-15	WK	py	
1961739	584445	7085624	QTZ FL 10CM TR PY	FL Grab	12-Jun-15	WK	py	
1961740	584442	7085620	QTZ TR FL 20CM TR PY	FL Grab	12-Jun-15	WK	py	
1961741	584437	7085614	QTZ TR FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961742	584434	7085603	QTZ TR FL 35CM TR PY	FL Grab	12-Jun-15	WK	py	
1961743	584425	7085603	QTZ FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961744	584430	7085611	QTZ FL 20CM TR PY	FL Grab	12-Jun-15	WK	py	
1961745	584412	7085625	QTZ FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961746	584463	7085610	QTZ FL 20CM TR PY	FL Grab	12-Jun-15	WK	py	
1961747	584460	7085606	QTZ FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961748	584454	7085601	QTZ FL 20CM TR PY	FL Grab	12-Jun-15	WK	py	
1961749	584411	7085557	QTZ FL 15CM TR PY	FL Grab	12-Jun-15	WK	py	
1961750	584396	7085565	QTZ VEIN TR PY	FL Grab	12-Jun-15	WK	py	
1961751	584399	7085561	QTZ VEIN TR PY	FL Grab	12-Jun-15	WK	py	
1961752	584401	7085553	QTZ VEIN TR PY	FL Grab	12-Jun-15	WK	py	
1961753	584401	7085556	QTZ VEIN TR PY	FL Grab	12-Jun-15	WK	py	
1962364	584297	7085845	Float 5cm QV: white-translucent. Qtz breccia vein + diss py (tr-1%)	FL Grab	08-Jun-15	PT	py	
1962365	584300	7085845	Float: QV: white, 1% weathered py cubes, sub-mm. 2% vugs, 5% orange rust	FL Grab	08-Jun-15	AM	py	
1960708	585970	7084767		FL Grab	19-Jun-15	WK		
1960707	585975	7084736		FL Grab	19-Jun-15	WK		
1961791	587467	7083662		FL Grab	05-Sep-15	WK		
1961792	587470	7083661		FL Grab	05-Sep-15	WK		
1961793	587492	7083687		FL Grab	05-Sep-15	WK		
1961785	586448	7082129	1961785 QV PY HEM?	FL Grab	25-Jul-15	WK		

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1961786	585400	7086892	1961786 30CM QV FL RUSTY	FL Grab	09-Aug-15	WK		
1960709	586285	7098202	CORRECT QV PY 30CM	FL Grab	21-Jun-15	WK		
1960710	586282	7098203	NOT 709	FL Grab	21-Jun-15	WK		
1961777	586246	7082765	OC 30CM PEG PY	OC Grab	30-Jun-15	WK		
1961776	586245	7082788	OC 5CM PEG PY	OC Grab	30-Jun-15	WK		
1960701	585586	7084882	OC FAULT BX	OC Grab	19-Jun-15	WK		
1961774	586250	7082796	OC PEG W SCH PY	OC Grab	30-Jun-15	WK		
1960702	585582	7084873	OC QV	OC Grab	19-Jun-15	WK		
1960703	585582	7084873	OC QV	OC Grab	19-Jun-15	WK		
1961775	586249	7082794	OC SCH RUST PY SHEAR	OC Grab	30-Jun-15	WK		
1961773	586251	7082799	OC WH QV RUST PY	OC Grab	30-Jun-15	WK		
1961760	586626	7086231	Q TZ BLOOB TR PY	FL Grab	18-Jun-15	WK		
1961762	586624	7086223	Q TZ BLOOB TR PY TRENCH	FL Grab	18-Jun-15	WK		
1961770	584524	7085859	Q TZ FL 10CM TR PY	FL Grab	23-Jun-15	WK		
1961771	584595	7085842	Q TZ FL 10CM TR PY	FL Grab	23-Jun-15	WK		
1961755	586628	7086289	Q TZ FL 15 CM IN TRENCH TR PY	FL Grab	18-Jun-15	WK		
1961767	584645	7085821	Q TZ FL IN TRENCH TR PY	FL Grab	23-Jun-15	WK		
1961763	586614	7086188	Q TZ IN TRENCH TR PY	Trench Float	18-Jun-15	WK		
1961765	587208	7086059	Q TZ IN TRENCH TR PY CPY PB MALICHITE	Trench Float	18-Jun-15	WK		
1961754	586621	7086288	Q TZ TR FL 20CM TR PY VUGGY	Trench Float	18-Jun-15	WK		
1960706	585981	7084753	Q TZ TR PY	FL Grab	19-Jun-15	WK		
1961759	586627	7086242	Q TZ TR PY TRENCH	Trench Float	18-Jun-15	WK		
1960713	586295	7098186	Q TZ TRENCH FL 20CMTR PY	Trench Float	21-Jun-15	WK		
1960401	584972.3961	7085678.855	Schist	Chip	24-Jun-15	WK		
1960402	584972.6685	7085679.389	QV	Chip	24-Jun-15	WK		
1960403	584972.8955	7085679.835	Schist	Chip	24-Jun-15	WK		
1960404	584977.2314	7085677.331	1 cm QV	Chip	24-Jun-15	WK		
1960405	584977.4811	7085677.822	QV	Chip	24-Jun-15	WK		
1960406	584979.0203	7085676.437	Schist	Chip	24-Jun-15	WK		
1960407	584979.2927	7085676.972	QV, VG noted	Chip	24-Jun-15	WK		Y
1960408	584981.6355	7085674.962	Schist	Chip	24-Jun-15	WK		
1960409	584981.8852	7085675.452	QV	Chip	24-Jun-15	WK		
1960410	584983.1973	7085673.622	Schist	Chip	24-Jun-15	WK		
1960411	584983.4924	7085674.201	QV	Chip	24-Jun-15	WK		
1960412	584983.7421	7085674.691	QV	Chip	24-Jun-15	WK		
1960413	584983.9918	7085675.181	Schist	Chip	24-Jun-15	WK		
1960414	584985.8193	7085673.261	QV	Chip	24-Jun-15	WK		
1960415	584986.0917	7085673.796	QV	Chip	24-Jun-15	WK		
1960416	584986.296	7085674.197	Schist	Chip	24-Jun-15	WK		
1960417	584985.8444	7085670.006	Schist	Chip	24-Jun-15	WK		
1960418	584986.1168	7085670.541	QV	Chip	24-Jun-15	WK		
1960419	584988.4958	7085670.805	QV	Chip	24-Jun-15	WK		
1960420	584988.8363	7085671.473	QV	Chip	24-Jun-15	WK		
1960421	584989.54	7085672.854	QV	Chip	24-Jun-15	WK		
1960422	584989.7216	7085673.211	Schist	Chip	24-Jun-15	WK		
1960423	584992.4367	7085669.729	5cm QV	Chip	24-Jun-15	WK		

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960424	584992.7091	7085670.263	QV	Chip	24-Jun-15	WK		
1960425	584992.4005	7085667.455	QV (Barren?)	Chip	24-Jun-15	WK		
1960426	584994.6433	7085667.452	QV	Chip	24-Jun-15	WK		
1960427	584994.8249	7085667.808	QV	Chip	24-Jun-15	WK		
1960428	584995.0746	7085668.298	20cm QV	Chip	24-Jun-15	WK		
1960429	584997.6989	7085664.638	Schist	Chip	24-Jun-15	WK		
1960430	584997.9486	7085665.128	3 x 2cm QVs	Chip	24-Jun-15	WK		
1960431	584998.1756	7085665.574	20cm QV	Chip	24-Jun-15	WK		
1960432	584998.4026	7085666.019	QV	Chip	24-Jun-15	WK		
1960433	585001.154	7085664.811	Schist	Chip	24-Jun-15	WK		
1960434	585001.2902	7085665.079	10cm QV	Chip	24-Jun-15	WK		
1960435	585001.4945	7085665.479	QV	Chip	24-Jun-15	WK		
1960436	585001.8804	7085666.237	QV	Chip	24-Jun-15	WK		
1960437	585002.289	7085667.039	Schist	Chip	24-Jun-15	WK		
1960438	585002.6068	7085667.662	QV	Chip	24-Jun-15	WK		
1960439	585002.9699	7085668.375	Schist	Chip	24-Jun-15	WK		
1960440	585003.2497	7085664.49	QV	Chip	24-Jun-15	WK		
1960441	585023.4281	7085657.866	QV	Chip	24-Jun-15	PT		
1960442	585024.6409	7085658.043	QV	Chip	24-Jun-15	PT		
1960443	585025.2101	7085655.857	QV	Chip	24-Jun-15	PT		
1960444	585033.6984	7085653.794	QV	Chip	24-Jun-15	PT		
1960445	585034.7286	7085653.614	QV	Chip	24-Jun-15	PT		
1960447	584202	7086511	QV FL 30CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960448	584202	7086511	QV FL 20CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960449	584208	7086524	QV FL 20CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960450	584211	7086535	QV FL 20CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960451	584211	7086547	QV FL 40CM SUB-R 1%-PY	Trench Float	01-Jul-15	MS	py	
1960452	584211	7086545	QV FL 30CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960453	584215	7086562	QV FL 20CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960454	584222	7086568	QV FL 20CM Sub-r	FL Grab	01-Jul-15	MS		
1960455	584218	7086511	QV FL 15CM Sub-r, tr py	FL Grab	01-Jul-15	MS	py	
1960456	584219	7086479	QV FL 40CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960457	584215	7086431	QV FL 50CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960458	584218	7086411	QV FL 15CM SUB-R	FL Grab	01-Jul-15	MS		
1960459	584223	7086339	QV FL 40CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960460	584239	7086287	QV FL 30CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960461	584265	7086259	QV FL 60CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960462	584296	7086227	QV FL 35CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960463	584356	7086190	QV FL 40CM SUB-R	FL Grab	01-Jul-15	MS		
1960464	584446	7086137	QV FL 50CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960465	584494	7086113	QV FL 30CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960466	584485	7086117	QV FL 50CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960467	584486	7086118	QV FL 40CM SUB-R TR-PY	FL Grab	01-Jul-15	MS	py	
1960468	583918	7086273	QV FL 15CM SUB-R	Trench Float	02-Jul-15	AM		
1960469	583934	7086279	QV FL 15CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960470	583941	7086336	QV FL 30CM SUB-R	Trench Float	02-Jul-15	AM		

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960471	583952	7086382	QV FL 35CM SUB-R	Trench Float	02-Jul-15	AM		
1960472	583961	7086394	QV FL 15CM SUB-R	Trench Float	02-Jul-15	AM		
1960473	583947	7086397	QV FL SUB-R 20CM TR-PY	Trench Float	02-Jul-15	AM	py	
1960474	583952	7086403	QV FL 40CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960475	583957	7086418	QV FL 35CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960476	583969	7086436	QV FL 20CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960477	583971	7086451	QV FL 30CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960478	583977	7086473	QV FL 25CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960479	583991	7086528	QV FL 20CM SUB-R TR-PY	Trench Float	02-Jul-15	AM	py	
1960480	584005	7086540	QV FL 40CM SUB-R TR-PY(FRESH)	FL Grab	02-Jul-15	AM	py	
1960481	584007	7086558	QV FL 60CM SUB-R WTHRD PY	FL Grab	02-Jul-15	AM	py	
1960482	584018	7086540	QV FL 50CM SUB-R TR-PY(FRESH)	FL Grab	02-Jul-15	AM	py	
1960483	584061	7086538	QV FL 30CM SUB-R TR-PY(RUSTED)	FL Grab	02-Jul-15	AM	py	
1960484	584083	7086541	QV FL 30CM SUB-R TR-PY(WTHRD)	FL Grab	02-Jul-15	AM	py	
1960485	584102	7086548	QV FL SUB-R 30CM TR-PY(WTHRD)	FL Grab	02-Jul-15	AM	py	
1960486	584121	7086554	QV FL 40CM SUB-R	FL Grab	02-Jul-15	AM		
1960487	584135	7086558	QV FL SUB-R 30CM TR--PY	FL Grab	02-Jul-15	AM	py	
1960488	584161	7086564	QV FL 40CM SUB-R TR-PY(WTHRD)	FL Grab	02-Jul-15	AM	py	
1960489	584164	7086567	QV FL 30CM SUB-R	FL Grab	02-Jul-15	AM		
1960490	584174	7086571	QV FL 40CM SUB-R TR-PY	FL Grab	02-Jul-15	AM	py	
1960491	584196	7086573	QV FL 20CM SUB-R TR-PY	FL Grab	02-Jul-15	AM	py	
1960492	584529	7086111	QV FL 30CM SUB-R	FL Grab	03-Jul-15	MS		
1960493	584530	7086115	QV FL 40CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960494	584524	7086106	QV FL 35CM SUB-A	FL Grab	03-Jul-15	MS		
1960495	584553	7086097	QV FL 30CM SUB-A	FL Grab	03-Jul-15	MS		
1960496	584566	7086097	QV FL 40CM SUB-R	FL Grab	03-Jul-15	MS		
1960497	584586	7086083	QV FL 35CM SUB-R	FL Grab	03-Jul-15	MS		
1960498	584599	7086080	QV SC 15CM SUB-A 1%-PY HOST FELSIC SCHIST CHL + PY	SC Grab	03-Jul-15	MS	py	
1960499	584605	7086080	QV SC (UP TO 80CM) SUB-A TR-RUST	SC Grab	03-Jul-15	MS		
1960500	584632	7086062	QV FL 20CM SUB-A TR-PY(WTHRD)	FL Grab	03-Jul-15	MS	py	
1960660	583330	7086498	QV FL	FL Grab	29-Jun-15	MS		
1960661	583335	7086499	QV FL WTHR CA 40CM SUB-R	FL Grab	29-Jun-15	MS		
1960662	583344	7086501	QV FL WTHR PY 1% 15CM SUB-A	FL Grab	29-Jun-15	MS	py	
1960663	583383	7086521	QV FL 2% STAIN OR 10CM	FL Grab	29-Jun-15	MS		
1960664	583399	7086546	QV FL TR-PY 40CM SUB-R	FL Grab	29-Jun-15	MS	py	
1960665	583398	7086540	QV FL TR-PY 20CM ROUND. HOST QTZ-MUS SCHIST	FL Grab	29-Jun-15	MS	py	
1960666	583406	7086532	QV FL 100/80/20CM TR-PY SUB-A SUBCROP?	FL Grab	29-Jun-15	MS	py	
1960667	583515	7086618	QV OC 25-30CM THICK TR-PY	FL Grab	29-Jun-15	MS	py	
1960668	583608	7086604	QV FL 13CM SUB-R TR-PY-VUGS	FL Grab	29-Jun-15	MS	py	
1960669	583698	7086661	QV FL 10CM SUB-A	FL Grab	29-Jun-15	MS		
1960670	583721	7086644	QV FL 10CM SUB-A	FL Grab	29-Jun-15	MS		
1960671	583768	7086656	QV FL 15CM SUB-A TR-PY VUGS	FL Grab	29-Jun-15	MS	py	
1960672	583792	7086658	QV FL 15CM SUB-A TR-PY	FL Grab	29-Jun-15	MS	py	
1960673	583830	7086667	QV FL 10CM 1%PY VUGS SUB-A	FL Grab	29-Jun-15	MS	py	
1960674	583845	7086674	QV FL SUB-R	FL Grab	29-Jun-15	MS		
1960675	583984	7086714	QV (ON SCHIST) FL 20CM SUB-A	FL Grab	29-Jun-15	MS		

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960676	584002	7086731	QV FL 100CUBICCM SUB-R TR-PY	FL Grab	29-Jun-15	MS	py	
1960677	584014	7086750	QV FL 100CM/30CMTHICK TR-PY ANGULAR	FL Grab	30-Jun-15	AM	py	
1960678	584020	7086752	QV FL 100/50/40CM SUB-A TR-PY	FL Grab	30-Jun-15	AM	py	
1960679	584007	7086749	QV FL 15CM TR-PY SUB-A	FL Grab	30-Jun-15	AM	py	
1960680	584003	7086758	QV FL 50CM ANGULAR TR-PY	FL Grab	30-Jun-15	AM	py	
1960681	584008	7086756	QV FL 50CM ANGULARTR-PY	FL Grab	30-Jun-15	AM	py	
1960682	584009	7086754	QV FL 30CM ANGULARTR-PY	FL Grab	30-Jun-15	AM	py	
1960683	584018	7086760	QV FL 50CM ANGULAR TR-PY	FL Grab	30-Jun-15	AM	py	
1960684	584018	7086761	QV FL 100CM ANGULAR TR-PY	FL Grab	30-Jun-15	AM	py	
1960685	584017	7086756	QV FL 40CM X 50CM SUB-A	FL Grab	30-Jun-15	AM		
1960686	584014	7086743	QV FL 5-10CM PIECES WHITE SUB-A	FL Grab	30-Jun-15	AM		
1960687	583999	7086738	QV FV 30CM ANGULAR TR-PY	FL Grab	30-Jun-15	AM	py	
1960688	584023	7086728	QV FL SUB-R 50CM	FL Grab	30-Jun-15	AM		
1960689	584140	7086325	QV FL 20CM ROUNDED TR WTHRD PY	Trench Float	30-Jun-15	AM	py	
1960690	584150	7086354	QV FL 20CM SUB-R WHITE	Trench Float	30-Jun-15	AM		
1960691	584154	7086361	QV FL 10CM ROUNDED RUST WHITE	Trench Float	30-Jun-15	AM		
1960692	584163	7086387	QV FL 15CM ROUNDED TR PY 1MM	Trench Float	30-Jun-15	AM	py	
1960693	584171	7086421	QV FL 50CM SUB-A	Trench Float	01-Jul-15	MS		
1960694	584175	7086426	QV FL 60CM SUB-A	Trench Float	01-Jul-15	MS		
1960695	584167	7086422	QV FL 40CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960696	584175	7086427	QV FL 50CM SUB-A RUST	Trench Float	01-Jul-15	MS		
1960697	584170	7086445	QV FL 20CM SUB-R TR-PYVUGS	Trench Float	01-Jul-15	MS	py	
1960698	584175	7086454	QV FL X-CUT POST 30CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960699	584180	7086456	QV FV 20CM SUB-A TR-PY	Trench Float	01-Jul-15	MS	py	
1960700	584181	7086464	QV FL 20CM SUB-A TR-PY	Trench Float	01-Jul-15	MS	py	
1960751	584605	7086027	QV FL 40CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960752	584585	7086023	QV FL 40CM SUB-R TR-PY(WTHRD) HOST ON EDGES	FL Grab	03-Jul-15	MS	py	
1960753	584546	7085993	QV FL 35CM SUB-R TR-PY(WTHRD)	FL Grab	03-Jul-15	MS	py	
1960754	584532	7085993	QV FL 40CM SUB-R	FL Grab	03-Jul-15	MS		
1960755	584641	7086075	QV FL 50CM SUB-R	FL Grab	03-Jul-15	MS		
1960756	584700	7086116	QV FL 200/100/100CMSUB-R TR-PY	FL Grab	03-Jul-15	MS	py	
1960757	584562	7086121	QV FL 50CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960758	584610	7086139	QV FL 50CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960759	584646	7086144	QV FL 30CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960760	584688	7086149	QV FL 30CM SUB-A TR-PY	FL Grab	03-Jul-15	MS	py	
1960761	584558	7085968	QV FL 15CM SUB-R TR-PY +-HOST	FL Grab	04-Jul-15	AM	py	
1960762	584549	7085959	QV FL 40CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960763	584530	7085952	QV FL 20CM SUB-R TR-PY(VUGS)	FL Grab	04-Jul-15	AM	py	
1960764	584498	7085936	QV FL 5-15CM SUB-R	FL Grab	04-Jul-15	AM		
1960765	584447	7085915	QV FL 2-5CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960766	584410	7085905	QV FL 20-40CM SUB-R	FL Grab	04-Jul-15	AM		
1960767	584323	7085856	QV FL 20CM SUB-R TR-PY	FL Grab	04-Jul-15	AM	py	
1960768	584299	7085830	QV FL 30CM SUB-A TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960769	584285	7085818	QV FL 40CM SUB-R	FL Grab	04-Jul-15	AM		
1960770	584269	7085805	QV FL SUB-R 15CM	FL Grab	04-Jul-15	AM		
1960771	584255	7085803	QV FL 30CM SUB-A TR-PY	FL Grab	04-Jul-15	AM	py	

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960772	584230	7085789	QV FL 40CM SUB-A	FL Grab	04-Jul-15	AM		
1960773	584235	7085792	QV FL 80CM SUB-A TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960774	584230	7085788	QV FL 100CM SUB-A	FL Grab	04-Jul-15	AM		
1960775	584228	7085780	QV FL 25CM SUB-A TR-PY	FL Grab	04-Jul-15	AM	py	
1960776	584209	7085776	QV FL 40CM SUB-A TR-PY	FL Grab	04-Jul-15	AM	py	
1960777	584202	7085758	QV FL 30CM SUB-A TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960778	584182	7085748	QV FL 15CM SUB-A	FL Grab	04-Jul-15	AM		
1960779	584174	7085746	QV FL 40CM SUB-R TR-PY	FL Grab	04-Jul-15	AM	py	
1960780	584165	7085722	QV FL 20-40CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960781	584093	7085684	QV FL 15CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960782	584091	7085676	QV FL 30CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960783	584078	7085659	QV FL 40CM SUB-A TR-PY	FL Grab	04-Jul-15	AM	py	
1960784	584060	7085646	QV FL 20-40CM SUB-RTR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960785	584050	7085632	QV FL 30CM SUB-R 1%-PY	FL Grab	04-Jul-15	AM	py	
1960786	584037	7085611	QV FL 40CM SUB-R TR-PY(WTHRD)	FL Grab	04-Jul-15	AM	py	
1960787	584018	7085583	QV FL 30CM SUB-R TR-PY	FL Grab	04-Jul-15	AM	py	
1960788	583994	7085541	QV FL 80CM SUB-R TR-PY	FL Grab	04-Jul-15	AM	py	
1960789	584265	7086062	QV FL 90CM SUB-ANGULAR TR RUSTED PY SUB-MM	FL Grab	05-Jul-15	MS	py	
1960790	584424	7085968	QV FL 20CM SUB-A	FL Grab	05-Jul-15	MS		
1960791	584441	7085924	QV FL(SC?) 20CM(SAMPLE) 100+CM VEIN? SUB-A TR-PY	FL Grab	05-Jul-15	MS	py	
1960792	583973	7085548	SUB-A QV FL ZONE UP TO 120CM MILKY WHITE MIN RUST	FL Grab	05-Jul-15	MS		
1960793	583945	7085490	QV FL SUB-R 50CM	FL Grab	05-Jul-15	MS		
1960794	585294	7085484	QV FL IN WALL 100CM(APROX) SUB-A	FL Grab	05-Jul-15	MS		
1960795	585276	7085469	QV FL 50CM SUB-A TR-PY	FL Grab	05-Jul-15	MS	py	
1960796	585207	7085425	QV FL 40CM TR PY	FL Grab	05-Jul-15	MS	py	
1960797	585213	7085422	QV FL 50CM SUB-A TR PY	FL Grab	05-Jul-15	MS	py	
1960798	585179	7085399	QV OC SUB-A 1%-PY	OC Grab	05-Jul-15	MS	py	
1960799	584941	7085320	QV FL (WALL FL TRENCH) ROUNDED 1%-PY(WTHRD)	FL Grab	05-Jul-15	MS	py	
1960800	584860	7085135	QV TAILINGS SUB-R TR-PY	FL Grab	05-Jul-15	MS	py	
1960801	584560	7085141	QV FL 60CM SUB-R 1%-PY(RUSTED)	FL Grab	05-Jul-15	MS	py	
1961768	584649	7085823	QTZ TRENCH FL 30CM TR PY	Trench Float	23-Jun-15	WK		
1960712	586284	7098191	QTZ TRENCH FL 60CM TR PY	Trench Float	21-Jun-15	WK		
1961761	586624	7086226	QTZ VEIN 10CM IN TR W PY PB	OC Grab	18-Jun-15	WK		
1961757	586634	7086255	QTZ VEIN 5CM IN TR TR PY	OC Grab	18-Jun-15	WK		
1961758	586631	7086247	QTZ VEIN 5CM TR PY OC	OC Grab	18-Jun-15	WK		
1961766	587209	7086064	QTZ VEIN IN TRENCH TR PY CPY PB	OC Grab	18-Jun-15	WK		
1961764	586897	7086192	QTZ VEIN OC TR PY	OC Grab	18-Jun-15	WK		
1961779	586444	7082123	QV PY	OC Grab	30-Jun-15	WK		
1961781	585257	7084127	QV PY GN CLOTS 10CM	FL Grab	03-Jul-15	WK		
1960446	584196	7086493	QV FL 30CM SUB-R TR-PY	Trench Float	01-Jul-15	MS	py	
1960802	586349	7084765	QV FL 20CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960803	586647	7084832	QV FL 80+CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960804	586640	7084829	QV FL 50CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960805	586879	7084906	QV FL 40CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960806	586882	7084876	QV FL 15CM SUB-R TR-PY(WTHRD)	FL Grab	06-Jul-15	AM	py	
1960807	586859	7084864	QV FL 30CM SUB-R 1%-PY(WTHRD)	FL Grab	06-Jul-15	AM	py	

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960808	586857	7084866	QV FL 20-50CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960809	586834	7084872	QV FL 30CM SUB-R TR-PY	FL Grab	06-Jul-15	AM	py	
1960810	586795	7084856	QV FL 30CM SUB-R TR-PY	FL Grab	06-Jul-15	AM	py	
1960811	586761	7084842	QV FL 40CM SUB-R TR-PY(WTHRD)	FL Grab	06-Jul-15	AM	py	
1960812	586712	7084828	QV FL 40CM SUB-A TR-PY(WTHRD)	FL Grab	06-Jul-15	AM	py	
1960813	586653	7084807	QV FL 30CM SUB-A TR-PY	FL Grab	06-Jul-15	AM	py	
1960814	586650	7084805	QV FL 20CM SUB-R TR-PY	FL Grab	06-Jul-15	AM	py	
1960815	586616	7084795	QV FL 10-80CM SUB-R-A TR-PY(WTHRD)	FL Grab	07-Jul-15	MS	py	
1960816	586272	7084750	QV FL 60CM SUB-R TR-PY	FL Grab	07-Jul-15	MS	py	
1960817	586514	7084784	QV FL 40CM SUB-A TR-PY	FL Grab	07-Jul-15	MS	py	
1960818	586556	7084791	QV FL 100/100/80CM SUB-R TR-PY AREAS OF PINK	FL Grab	07-Jul-15	MS	py	
1960819	586512	7084784	QV FL 30CM SUB-A TR-PY	FL Grab	07-Jul-15	MS	py	
1960820	586481	7084775	QV FL 30CM SUB-R TR-PY(WTHRD)	FL Grab	07-Jul-15	MS	py	
1960821	586451	7084766	QV FL 35CM SUB-R TR-PY(WTHRD)	FL Grab	07-Jul-15	MS	py	
1960822	586417	7084763	QV FL 25CM SUB-R TR-PY	FL Grab	07-Jul-15	MS	py	
1960823	586372	7084744	QV FL 35CM SUB-A TR-PY(WTHRD)	FL Grab	07-Jul-15	MS	py	
1960824	586322	7084709	QV FL SUB-A TR-PY	FL Grab	07-Jul-15	MS	py	
1960825	586257	7084708	QV FL 50CM SUB-R TR PY & GN. GN SUB-MM	FL Grab	07-Jul-15	MS	py, gn	
1960826	586224	7084696	QV FL 30CM SUB-A TR-PY TR-GN	FL Grab	07-Jul-15	MS	py, gn	
1960827	586183	7084685	QV FL 30CM SUB-A TR-PY,GN?	FL Grab	07-Jul-15	MS	py, gn	
1960828	586123	7084646	QV FL 50CM SUB-R TR-PY VG	FL Grab	07-Jul-15	MS	py, au	Y
1960829	586109	7084642	QV FL 25CM SUB-A TR-PY	FL Grab	07-Jul-15	MS	py	
1960830	586099	7084643	QV FL 30CM SUB-A-R	FL Grab	07-Jul-15	MS		
1960831	586097	7084641	QV FL 40CM SUB-R 5%-GN TR-PY	FL Grab	07-Jul-15	MS	py, gn	
1960832	586081	7084641	QV FL 30CM SUB-R	FL Grab	07-Jul-15	MS		
1960833	586029	7084619	QV FL 25CM SUB-R 1%-GN TR-PY(WTHRD)	FL Grab	07-Jul-15	MS	py, gn	
1960834	585998	7084610	QV FL 50CM SUB-R TR-GN TR-PY	FL Grab	08-Jul-15	AM	py, gn	
1960835	585979	7084600	QV FL 15CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960836	585941	7084574	QV FL SUB-R TR-PY 20CM	FL Grab	08-Jul-15	AM	py	
1960837	585816	7084515	QV FL 30CM SUB-R 1%-PY	FL Grab	08-Jul-15	AM	py	
1960838	585790	7084483	QV FL 40CM SUB-R TR-GN TR-PY	FL Grab	08-Jul-15	AM	py, gn	
1960839	585720	7084461	QV FL 40CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960840	585675	7084428	QV FL 45CM ROUNDED TR-PY TR-GN	FL Grab	08-Jul-15	AM	py, gn	
1960841	585638	7084411	QV FL 15CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960842	585574	7084401	QV FL 30CM SUB-A TR-PY	FL Grab	08-Jul-15	AM	py	
1960843	585555	7084398	QV FL 40CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960844	585534	7084389	QV FL 15CM SUB-R 1%-PY 1%-GN	FL Grab	08-Jul-15	AM	py, gn	
1960845	585480	7084373	QV FL 100CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960846	585468	7084361	QV FL 25CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960847	585423	7084353	QV FL 30CM SUB-A TR-PY	FL Grab	08-Jul-15	AM	py	
1960848	585365	7084337	QV FL 40CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960849	585297	7084310	QV FL 30CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960850	585221	7084277	QV FL 20CM SUB-R 2%-GN 1%-PY	FL Grab	08-Jul-15	AM	py, gn	
1960851	585097	7084260	QV FL 80CM SUB-R TR-PY	FL Grab	08-Jul-15	AM	py	
1960852	586245	7082768	QV OC 150CM TALL 098/58,FELSIC SCHIST HOST 094/48	OC Grab	12-Jul-15	MS		
1960853	588660	7084161	QV FL 15CM SUB-R	FL Grab	13-Jul-15	MS		



Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960854	588644	7084175	QV FL 45CM SUB-A	FL Grab	13-Jul-15	MS		
1960855	588625	7084234	QV FL 15CM SUB-A TR-PY	FL Grab	13-Jul-15	MS	py	
1960856	588620	7084152	QV FL 10-35CM SUB-A	FL Grab	13-Jul-15	MS		
1960857	588590	7084134	QV FL 30CM SUB-A	FL Grab	13-Jul-15	MS		
1960858	588544	7084111	QV FL 35CM SUB-R	FL Grab	13-Jul-15	MS		
1960859	588521	7084107	QV FL 60CM SUB-A TR-PY	FL Grab	13-Jul-15	MS	py	
1960860	588279	7083963	QV FL 30CM SUB-R 20% HOST	FL Grab	13-Jul-15	MS		
1960861	588253	7083947	QV FL 40CM SUB-R TR-PY	FL Grab	13-Jul-15	MS	py	
1960862	588220	7083937	QV FL 20CM SUB-A TR-GN TR-PY	FL Grab	13-Jul-15	MS	py, gn	
1960863	588188	7083935	QV FL 25CM SUB-R TR-PY	FL Grab	13-Jul-15	MS	py	
1960864	588134	7083906	QV FL 35CM SUB-R	FL Grab	13-Jul-15	MS		
1960865	588062	7083871	QV FL 15CM SUB-R TR-PY	FL Grab	13-Jul-15	MS	py	
1960866	587968	7083857	QV FL 70CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960867	587945	7083823	QV FL 15CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960868	587934	7083800	QV FL 40CM SUB-A TR-GN TR-PY	FL Grab	14-Jul-15	AM	py, gn	
1960869	587937	7083803	QV FL 15CM SUB-R TR-PY 2%-GN	FL Grab	14-Jul-15	AM	gn, py	
1960870	587887	7083783	QV FL 35CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960871	587847	7083744	QV FL 40CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960872	587818	7083727	QV FL 30CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960873	587782	7083708	QV FL 30CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960874	587735	7083685	QV FL 35CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960875	587703	7083682	QV FL 50CM SUB-A TR-PY(WTHRD)	FL Grab	14-Jul-15	AM	py	
1960876	587688	7083630	QV FL 30CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960877	587653	7083600	QV FL 30CM SUB-R TR-PY TR-GN?	FL Grab	14-Jul-15	AM	py	
1960878	587600	7083579	QV FL 30CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960879	587576	7083550	QV FL 80-120CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960880	587536	7083516	QV FL 25CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960881	587503	7083488	QV FL 40CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960882	587461	7083448	QV FL 40CM SUB-R TR-PY	FL Grab	14-Jul-15	AM	py	
1960883	587437	7083411	QV FL 30CM SUB-A TR-PY	FL Grab	14-Jul-15	AM	py	
1960884	587409	7083373	QV FL 40CM SUB-R 1%-PY TR-GN VG	FL Grab	14-Jul-15	AM	py, gn, au	Y
1960885	587371	7083342	QV FL 20-50CM SUB-R 5%-PY	FL Grab	14-Jul-15	AM	py	
1960886	587373	7083347	QV FL 20CM SUB-R 2%-PY	FL Grab	14-Jul-15	AM	py	
1960887	587369	7083344	QV FL 15CM SUB-R TR-GN	FL Grab	16-Jul-15	MS	gn	
1960888	587363	7083339	QV FL 60CM SUB-R TR-PY(SOME FRESH)	FL Grab	16-Jul-15	MS	py	
1960889	587351	7083326	QV FL 15CM SUB-A TR-GN TR-PY(WTHRD)	FL Grab	16-Jul-15	MS	py, gn	
1960890	587295	7083290	QV FL 20CM SUB-A TR-PY TR-GN	FL Grab	16-Jul-15	MS	py, gn	
1960891	587272	7083285	QV FL 50CM SUB-R TR-PY(SOME FRESH)	FL Grab	16-Jul-15	MS	py	
1960892	587256	7083249	QV FL 45CM SUB-R TR-PY TR-GN	FL Grab	16-Jul-15	MS	py, gn	
1960893	587234	7083190	QV FL 50CM SUB-R SUGARY TR-PY	FL Grab	16-Jul-15	MS	py	
1960894	587190	7083133	QV FL 35CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960895	587144	7083098	QV FL 20CM SUB-R TR-PY(FRESH) MNO-STAIN	FL Grab	16-Jul-15	MS	py	
1960896	587142	7083095	QV FL 25CM SUB-R 5%-HOST 2%-PY	FL Grab	16-Jul-15	MS	py	
1960897	587104	7083045	QV FL 30CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960898	587100	7083044	QV FL 100CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960899	587066	7083016	QV FL 50CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960900	587061	7083012	QV FL 20CM SUB-R SUGARY TR-PY(FRESH)	FL Grab	16-Jul-15	MS	py	
1960901	586999	7083007	QV FL 20CM SUB-R TR-GN	FL Grab	16-Jul-15	MS	gn	
1960902	586919	7083029	QV FL 40CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960903	586868	7083001	QV FL 100CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960904	586820	7082974	QV FL 15CM SUB-R TR-GN	FL Grab	16-Jul-15	MS	gn	
1960905	586767	7082976	QV FL 25CM SUB-A TR-GN TR-PY	FL Grab	16-Jul-15	MS	gn, py	
1960906	586703	7082962	QV FL 30CM SUB-R TR-PY TR-GN	FL Grab	16-Jul-15	MS	py, gn	
1960907	586624	7082938	QV FL 20CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960908	586579	7082908	QV FL 25CM SUB-R TR-PY(SOME FRESH)	FL Grab	16-Jul-15	MS	py	
1960909	586490	7082905	QV FL 35CM SUB-R TR-PY MnO	FL Grab	16-Jul-15	MS	py	
1960910	586372	7082895	QV FL 30CM SUB-R TR-PY TR-GN	FL Grab	16-Jul-15	MS	py, gn	
1960911	586266	7082843	QV FL 45CM SUB-R TR-PY	FL Grab	16-Jul-15	MS	py	
1960912	588403	7082312	QV FL 10CM SUB-A TR-PY	FL Grab	17-Jul-15	AM	py	
1960913	588410	7082319	QV FL 15CM SUB-R TR-PY (6-8 QV BOULDERS UP TO 60CM)	FL Grab	17-Jul-15	AM	py	
1960914	588388	7082282	QV FL 20CM SUB-R TR-PY	FL Grab	17-Jul-15	AM	py	
1960915	588345	7082250	QV FL 15CM SUB-A TR-PY	FL Grab	17-Jul-15	AM	py	
1960916	588290	7082168	QV FL 40CM SUB-R	FL Grab	17-Jul-15	AM		
1960917	588265	7082134	QV FL 15CM SUB-R	FL Grab	17-Jul-15	AM		
1960918	588248	7082113	QV FL 30CM SUB-R	FL Grab	17-Jul-15	AM		
1960919	588226	7082082	QV FL 25CM SUB-R	FL Grab	17-Jul-15	AM		
1960920	588194	7082053	QV FL 40CM SUB-R	FL Grab	17-Jul-15	AM		
1960921	588082	7081938	QV FT SUB-R 45CM MILKY WHITE	FL Grab	17-Jul-15	AM		
1960922	587929	7081756	QV FL 25CM SUB-A TR-PY MnO	FL Grab	17-Jul-15	AM	py	
1960923	587877	7081711	QV FL 40CM SUB-R	FL Grab	17-Jul-15	AM		
1960924	587826	7081646	QV FL 20CM SUB-R	FL Grab	17-Jul-15	AM		
1960925	587752	7081559	QV FL 15CM SUB-R RUSTY	FL Grab	17-Jul-15	AM		
1960926	587657	7081445	QV FL 40CM SUB-R	FL Grab	17-Jul-15	AM		
1960927	588170	7081205	QV FL 15CM SUB-A TR-PY	FL Grab	18-Jul-15	MS	py	
1960928	588064	7081246	QV FL 15CM SUB-A	FL Grab	18-Jul-15	MS		
1960929	587911	7081336	QV FL 5CM SUB-R	FL Grab	18-Jul-15	MS		
1960930	587863	7081330	QV FL 50CM SUB-A	FL Grab	18-Jul-15	MS		
1960931	587828	7081342	QV FL 80CM ROUNDED TR-PY	FL Grab	18-Jul-15	MS	py	
1960932	587816	7081355	QV FL 15CM SUB-R 1%-GN	FL Grab	18-Jul-15	MS	gn	
1960933	587812	7081346	QV FL 25CM SUB-R 2%-GN	FL Grab	18-Jul-15	MS	gn	
1960934	587777	7081360	QV FL 15CM SUB-R TR-GN	FL Grab	18-Jul-15	MS	gn	
1960935	587761	7081366	QV FL 30CM SUB-R TR-GN	FL Grab	18-Jul-15	MS	gn	
1960936	587763	7081363	QV FL 80CM SUB-R TR-PY	FL Grab	18-Jul-15	MS	py	
1960937	587728	7081377	QV FL 50CM SUB-R TR-PY	FL Grab	18-Jul-15	MS	py	
1960938	587714	7081380	QV FL 40CM SUB-R TR-PY	FL Grab	18-Jul-15	MS	py	
1960939	587716	7081381	QV FL 40CM SUB-R TR-GN	FL Grab	18-Jul-15	MS	gn	
1960940	587609	7081401	QV FL 15CM SUB-R TR-PY(WTHRD)	FL Grab	18-Jul-15	MS	py	
1960941	587318	7081440	QV FL 30CM SUB-R	FL Grab	18-Jul-15	MS		
1960942	587237	7081451	QV FL 20CM SUB-R	FL Grab	18-Jul-15	MS		
1960943	586735	7081699	QV FL 15CM SUB-R TR-PY	FL Grab	19-Jul-15	AM	py	
1960944	586711	7081723	QV FL MULTI 5CM ROCKS SUB-R TR-PY TR-GN	FL Grab	19-Jul-15	AM	py, gn	
1960945	586676	7081761	QV FL 15CM SUB-R TR-PY	FL Grab	19-Jul-15	AM	py	

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960946	586656	7081786	QV FL 50CM SUB-R	FL Grab	19-Jul-15	AM		
1960947	586645	7081803	QV FL 35CM SUB-R 1CM PY VUGS	FL Grab	19-Jul-15	AM		
1960948	586587	7081879	QV FL 20CM SUB-R TR-PY	FL Grab	19-Jul-15	AM	py	
1960949	586549	7081934	QV FL 30CM SUB-R TR-PY POSSIBLE VEIN?	FL Grab	19-Jul-15	AM	py	
1960950	586522	7081943	QV FL 30CM SUB-A TR-PY	FL Grab	19-Jul-15	AM	py	
1960951	586521	7081940	QV FL 40CM SUB-A 2%-PY(FRESH)	FL Grab	19-Jul-15	AM	py	
1960952	586520	7081939	QV FL 45CM SUB-A 1%-PY(FRESH)	FL Grab	19-Jul-15	AM	py	
1960953	586520	7081934	QV FL 35CM SUB-A TR-PY	FL Grab	19-Jul-15	AM	py	
1960954	586490	7081952	QV FL 20CM SUB-A 1%-PY(FRESH)	FL Grab	19-Jul-15	AM	py	
1960955	586502	7081950	QV OC(?) 50CM SUB-A TR-PY MINOR Ca	OC Grab	19-Jul-15	AM	py	
1960956	586477	7082019	QV FL 50CM SUB-A TR-PY(FRESH)	FL Grab	19-Jul-15	AM	py	
1960957	586438	7082098	QV FL 15CM SUB-R TR-PY	FL Grab	19-Jul-15	AM	py	
1960958	586381	7082292	QV FL 30CM SUB-R 1%-GN	FL Grab	20-Jul-15	AM	gn	
1960959	586372	7082231	QV FL 35CM SUB-R TR-PY	FL Grab	20-Jul-15	AM	py	
1960960	586345	7082330	QV FL 45CM SUB-R	FL Grab	20-Jul-15	AM		
1960961	586324	7082383	QV FL 15CM SUB-R TR-GN TR-PY(FRESH)	FL Grab	20-Jul-15	AM	py, gn	
1960962	586323	7082397	QV FL 25CM SUB-R TR-PY	FL Grab	20-Jul-15	AM	py	
1960963	586294	7082477	QV FL 70CM SUB-R	FL Grab	20-Jul-15	AM		
1960964	586269	7082556	QV FL 15CM SUB-R	FL Grab	20-Jul-15	AM		
1960965	586251	7082645	QV FL 15CM SUB-R TR-PY	FL Grab	20-Jul-15	AM	py	
1960966	586246	7082705	QV FL 15CM SUB-R TR-PY	FL Grab	20-Jul-15	AM	py	
1960967	586233	7082751	QV FL 30CM SUB-A TR-GN	FL Grab	20-Jul-15	AM	gn	
1960968	585254	7084131	QV OC 8CM WIDE TR-PY(FRESH) TR-GN	OC Grab	21-Jul-15	MS	py, gn	
1960969	587759	7081373	QV FL 70CM SUB-R TR-PY	FL Grab	21-Jul-15	MS	py	
1960970	587760	7081371	QV FL 35CM SUB-R TR-PY(MUDDY)	FL Grab	21-Jul-15	MS	py	
1960971	587761	7081370	QV FL 25CM SUB-R TR-PY	FL Grab	21-Jul-15	MS	py	
1960972	587760	7081369	QV FL 30CM SUB-R TR-PY	FL Grab	21-Jul-15	MS	py	
1960973	586452	7082125	QV FL 40CM ANGULAR	FL Grab	21-Jul-15	MS		
1960974	586447	7082131	QV FL 100CM SUB-A TR-PY	FL Grab	21-Jul-15	MS	py	
1960975	586453	7082129	QV FL 20CM SUB-A TR PY	FL Grab	21-Jul-15	MS	py	
1960976	586451	7082128	QV FL 100CM SUB-R TR-PY	FL Grab	21-Jul-15	MS	py	
1960977	586444	7082126	QV FL 100CM SUB-A TR-PY	FL Grab	21-Jul-15	MS	py	
1960978	586503	7081944	QV OC TR PY 118/43	OC Grab	21-Jul-15	MS	py	
1960979	586501	7081945	QV OC TR PY 118/43 TR-GN	OC Grab	21-Jul-15	MS	py, gn	
1960980	586511	7081939	QV FL 30 CM SUB-R W/ FLD TR PY IN QTZ TR GN IN FLD	FL Grab	21-Jul-15	MS	py, gn	
1960981	587407	7083373	QV FL 20CM SUB-R TR-PY TR-GN TR-MAL	FL Grab	21-Jul-15	MS	py,gn, mal	
1960001	585474	7086670	QV FL 130CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960002	585490	7086665	QV FL 35CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960003	585486	7086663	QV FL 110CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960004	585482	7086658	QV FL 80CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960005	585485	7086657	QV FL 150CM SUB-A TR-PY(RUSTED 10MM) HEM?	FL Grab	25-Jul-15	AM	py	
1960006	585492	7086660	QV FL 35CM SUB-A TR-PY(FRESH)	FL Grab	25-Jul-15	AM	py	
1960007	585487	7086660	QV FL 180CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960008	585504	7086654	QV FL 25CM SUB-A TR-PY TR-GN	FL Grab	25-Jul-15	AM	py, gn	
1960009	585508	7086649	QV FL 15CM TR-PY(15MM BLEB)	FL Grab	25-Jul-15	AM	py	
1960010	585524	7086625	QV FL 20CM SUB-A TR-PY (PRE-SAMPLED 1719749)	FL Grab	25-Jul-15	AM	py	

Sample ID	Easting	Northing	Sample Description	Type	Date	Sampler	Mineralization	VG
1960982	585557	7086584	QV FL 15CM SUB-R TR-PY	FL Grab	25-Jul-15	AM	py	
1960983	585538	7086622	QV FL(X-CUT FOL)	FL Grab	25-Jul-15	AM		
1960984	585554	7086650	QV FL 40CM SUB-R TR-PY(UP TO 1MM CUBES)	FL Grab	25-Jul-15	AM	py	
1960985	585526	7086660	QV FL 120/100/80CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960986	585517	7086659	QV FL 40CM SUB-A TR-PY TR-GN	FL Grab	25-Jul-15	AM	py, gn	
1960987	585517	7086660	QV FL 25CM SUB-A TR-PY 5%-HOST	FL Grab	25-Jul-15	AM	py	
1960988	585516	7086657	QV FL 35CM SUB-A 2%-PY	FL Grab	25-Jul-15	AM	py	
1960989	585516	7086654	QV FL 100CM SUB-A TR-PY TR-GN	FL Grab	25-Jul-15	AM	py, gn	
1960990	585512	7086661	QV FL 100CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960991	585510	7086663	QV FL 25CM SUB-A TR-PY UP TO 5MM	FL Grab	25-Jul-15	AM	py	
1960992	585497	7086673	QV FL 50CM SUB-A SUGARY TR-PY	FL Grab	25-Jul-15	AM	py	
1960993	585499	7086697	QV FL 15CM SUA-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960994	585488	7086685	QV FL 50CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960995	585485	7086686	QV FL 30/50CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960996	585484	7086681	QV FL OVER 200CM SUB-A TR-PY(FRESH)	FL Grab	25-Jul-15	AM	py	
1960997	585483	7086684	QV FL 15CM TR-PY AND RUST	FL Grab	25-Jul-15	AM	py	
1960998	585475	7086682	QV FL 30CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1960999	585472	7086674	QV FL 45CM SUB-A TR-PY(FRESH)	FL Grab	25-Jul-15	AM	py	
1961000	585466	7086670	QV FL 50CM SUB-A TR-PY	FL Grab	25-Jul-15	AM	py	
1961778	586444	7082125	QV PY SC? 50CM	FL Grab	30-Jun-15	WK		
1960011	586151	7087034	QV FL 25CM SUB-A TR PY SUB-MM	FL Grab	02-Aug-15	AM	py	
1960012	586157	7087058	QV FL 40CM SUB-A TR PY SUB-MM	FL Grab	02-Aug-15	AM	py	
1960013	586143	7087026	2M ZONE OF 1-10CM SUB-A QV FL TR PY UP TO 10MM	FL Grab	02-Aug-15	AM	py	
1960014	586149	7087024	QV FL 15CM TR 1MM PY, SUB-A	FL Grab	02-Aug-15	AM	py	
1960015	586141	7087021	2M ZONE QV FL 1CM-15CM SUB-A TR PY	FL Grab	02-Aug-15	AM	py	
1960016	586102	7086941	3CM QV IN OC PARALLEL FOL 316/41 TR PY UP TO 2MM	OC Grab	02-Aug-15	AM	py	
1960017	586100	7086936	QV OC POOR EXPOSURE, X-CUT FOL? PY UP TO 9MM TR 30CM WIDE	OC Grab	02-Aug-15	AM	py	
1960018	586104	7086938	QV OC 2-4CM PY ON MARGINS 1% DISCORDANT FELSIC SCHIST	OC Grab	02-Aug-15	AM	py	
1960019	585129	7086845	QV FL 35CM SUB-A TR PY <2MM	FL Grab	02-Aug-15	AM	py	
1960020	585164	7086869	QV FL 50CM SUB-A 1% PY UP TO 5MM	FL Grab	02-Aug-15	AM	py	
1960021	585159	7086868	QV FL 30CM SUB-A TR PY	FL Grab	02-Aug-15	AM	py	
1960714	586132	7087029	QTZ FL TR PY 20CM	FL Grab	02-Aug-15	WK	py	
1960715	586135	7087031	QTZ FL20CM TR PY	FL Grab	02-Aug-15	WK	py	
1960716	586113	7087003	QTZ FL 15CM TR PY	FL Grab	02-Aug-15	WK	py	
1960717	586110	7087004	QTZ FL30CM TR PY	FL Grab	02-Aug-15	WK	py	
1960022	588059	7081921	FL QZ 100X80X80 CM WEAK FE ALT MILKY WHITE	FL Grab	09-Sep-15	WK		
1961780	586397	7082175	SIL BLDR	FL Grab	30-Jun-15	WK		
1960711	586284	7098195	VIOL HOST SIL3T	FL Grab	21-Jun-15	WK		
1961769	584649	7085842	White Qtz with rusty Py	FL Grab	23-Jun-15	WK		
1961772	584633	7085832	X-cutting QV +Py	FL Grab	23-Jun-15	WK		
1960721	585326	7084037	Silicified felsic tuff with 5% fine grained pyrite disseminated, local 1mm-1cm x-cutting quartz veins; all rusty.	OC Grab	04-Oct-15	WK		
1960723	585328	7084037	Silicified felsic tuff with 5% fine grained pyrite disseminated, local 1mm-1cm x-cutting quartz veins; all rusty.	OC Grab	04-Oct-15	WK		
1960724	585329	7084036	Felsic tuff with local 1cm x-cutting quartz veins. TR87-?	OC Grab	04-Oct-15	WK		
1960725	585330	7084034	Felsic tuff with local 1cm x-cutting quartz veins. TR87-?	OC Grab	04-Oct-15	WK		
1960726	584491	7085549	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	06-Oct-15	WK		
1960727	584489	7085548	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	06-Oct-15	WK		

<b>Sample ID</b>	<b>Easting</b>	<b>Northing</b>	<b>Sample Description</b>	<b>Type</b>	<b>Date</b>	<b>Sampler</b>	<b>Mineralization</b>	<b>VG</b>
1960728	584488	7085539	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	06-Oct-15	WK		
1960729	584521	7085508	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	07-Oct-15	WK		
1960730	584518	7085510	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	07-Oct-15	WK		
1960731	584515	7085510	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	07-Oct-15	WK		
1960732	584508	7985508	White coarse (barren?) quartz vein 10-20+cm wide	OC Grab	07-Oct-15	WK		
1960733	584526	7085542	White coarse (barren?) quartz vein 10-20+cm wide, 1 irregular speck PY. (Like the Chief Gulch syn-QV??)	OC Grab	08-Oct-15	WK		

## APPENDIX IV

### ROCK SAMPLE ASSAY CERTIFICATES



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 16, 2015  
Report Date: June 26, 2015  
Page: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI15000031.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-01  
P.O. Number  
Number of Samples: 88

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	88	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	88	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	88	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	4	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# CERTIFICATE OF ANALYSIS

## WHI1500031.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
1961725	Rock	0.74	0.525	0.5	4.5	198.6	11	2.3	1.0	0.6	115	0.46	1.6	0.9	80.8	1.4	2	0.1	0.7	1.8	<2
1961726	Rock	1.28	<0.005	0.1	2.0	5.2	11	0.2	2.0	0.5	111	0.48	1.2	0.1	<0.5	0.2	2	<0.1	0.5	<0.1	<2
1961727	Rock	1.25	0.006	0.1	92.1	363.8	114	3.8	0.6	0.6	45	0.37	2.0	0.8	5.9	0.1	<1	0.5	0.3	4.0	7
1961728	Rock	1.05	<0.005	0.5	175.8	530.2	218	2.0	1.1	1.1	100	0.65	2.5	1.2	2.7	0.2	1	0.6	0.6	4.5	5
1961729	Rock	1.42	<0.005	0.2	3.1	13.1	9	<0.1	1.1	0.7	88	0.51	0.8	0.8	<0.5	29.3	8	<0.1	0.2	0.3	<2
1961730	Rock	1.37	<0.005	0.2	5.3	13.9	7	<0.1	0.8	0.6	67	0.48	0.8	0.3	<0.5	4.8	2	<0.1	0.3	0.2	<2
1961731	Rock	1.41	<0.005	0.4	3.4	4.7	4	<0.1	0.8	1.0	34	0.79	1.0	2.3	<0.5	12.5	6	<0.1	0.3	0.2	<2
1961732	Rock	1.92	3.039	1.2	49.1	7727.2	80	>100	1.9	0.4	57	0.72	22.3	1.7	3337.8	0.6	6	1.5	78.3	0.2	9
1961733	Rock	1.71	>10	0.3	15.0	10.1	7	11.1	2.8	1.0	67	1.40	2.3	0.4	58754.3	0.9	2	<0.1	0.3	<0.1	<2
1961734	Rock	1.13	0.112	1.1	5.7	31.2	11	4.9	9.5	3.9	50	1.16	19.8	1.3	98.9	0.5	1	<0.1	1.6	<0.1	4
1961735	Rock	1.19	6.468	0.2	3.5	3.0	7	2.1	3.7	5.2	57	0.98	2.9	0.4	7842.6	0.8	8	<0.1	0.6	<0.1	<2
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████
1961962	Rock	1.05	<0.005	0.1	8.4	18.3	34	0.2	1.0	0.3	224	0.61	1.0	0.2	<0.5	1.5	75	0.6	0.4	<0.1	<2
1961963	Rock	0.99	0.006	0.3	3.5	434.4	45	1.5	1.1	0.6	258	0.58	<0.5	0.3	3.6	2.9	69	0.4	0.1	2.2	<2
1961964	Rock	1.78	<0.005	0.2	4.5	206.3	118	0.6	1.1	0.2	646	0.88	0.6	0.5	2.1	3.6	367	2.5	0.2	0.7	<2
████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████	████

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.







**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 2 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI1500031.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
1961725	Rock
1961726	Rock
1961727	Rock
1961728	Rock
1961729	Rock
1961730	Rock
1961731	Rock
1961732	Rock
1961733	Rock
1961734	Rock
1961735	Rock
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
██████████	██████████
1961962	Rock
1961963	Rock
1961964	Rock
██████████	██████████

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp. 715 - 675 West Hastings St. Vancouver BC V6B 1N2 CANADA

Project: LS Report Date: June 26, 2015

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI1500031.1

Table with columns: Method, Analyte, Unit, MDL, and various elements (Wght, FA430, AQ201, etc.) and their units (kg, ppm, ppb, etc.).

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.







Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp. 715 - 675 West Hastings St. Vancouver BC V6B 1N2 CANADA

Project: LS Report Date: June 26, 2015

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI1500031.1

Table with columns: Method, Analyte, Unit, MDL, and various elements (Wght, FA430, AQ201, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V) with corresponding units and MDL values.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp. 715 - 675 West Hastings St. Vancouver BC V6B 1N2 CANADA

Project: LS Report Date: June 26, 2015

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI1500031.1

Table with columns: Method, Analyte, Unit, MDL, and various elements (Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S, Ga, Se, Te, Ag) with their respective units and MDL values.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.







# QUALITY CONTROL REPORT

WHI15000031.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1961732	Rock	1.92	3.039	1.2	49.1	7727.2	80	>100	1.9	0.4	57	0.72	22.3	1.7	3337.8	0.6	6	1.5	78.3	0.2	9
REP 1961732	QC		5.508																		
1961733	Rock	1.71	>10	0.3	15.0	10.1	7	11.1	2.8	1.0	67	1.40	2.3	0.4	58754.3	0.9	2	<0.1	0.3	<0.1	<2
REP 1961733	QC																				
Core Reject Duplicates																					
1961729	Rock	1.42	<0.005	0.2	3.1	13.1	9	<0.1	1.1	0.7	88	0.51	0.8	0.8	<0.5	29.3	8	<0.1	0.2	0.3	<2
DUP 1961729	QC		<0.005	0.2	3.7	14.1	10	<0.1	1.4	0.7	116	0.74	0.9	0.8	<0.5	35.3	10	<0.1	0.3	0.3	<2
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS10	Standard			15.7	154.8	153.9	374	1.9	75.7	13.0	888	2.82	46.9	2.7	82.6	7.2	67	2.6	8.4	11.1	43
STD DS10	Standard			15.0	149.2	150.3	370	2.0	74.0	13.0	878	2.80	46.2	2.5	68.8	7.1	67	2.6	8.3	11.0	43
STD DS10	Standard			15.1	153.8	148.8	371	2.0	75.1	12.9	882	2.81	46.1	2.6	86.1	7.0	66	2.5	8.7	10.8	43
STD DS10	Standard			14.8	142.0	152.8	373	2.0	73.1	12.9	891	2.87	47.7	2.5	114.1	6.9	65	2.6	9.0	11.8	44
STD OXC129	Standard			1.4	27.0	5.3	41	<0.1	78.2	20.0	421	3.09	0.5	0.6	201.4	1.6	191	<0.1	<0.1	<0.1	51
STD OXC129	Standard			1.1	26.8	5.2	40	<0.1	78.0	20.8	414	3.04	0.6	0.6	188.9	1.5	183	<0.1	<0.1	<0.1	50
STD OXC129	Standard			1.3	26.5	5.3	42	<0.1	79.3	20.3	415	3.04	<0.5	0.6	199.9	1.6	180	<0.1	<0.1	<0.1	51
STD OXC129	Standard			1.3	24.6	5.1	42	<0.1	76.9	19.6	412	3.03	0.7	0.6	194.9	1.5	182	<0.1	<0.1	<0.1	50
STD OXD108	Standard		0.416																		



# QUALITY CONTROL REPORT

WHI15000031.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	50		
Pulp Duplicates																					
1961732	Rock	0.03	0.033	2	6	0.05	62	0.010	1	0.12	0.002	0.03	0.2	0.16	0.4	<0.1	<0.05	<1	1.4	<0.2	640
REP 1961732	QC																				634
1961733	Rock	<0.01	0.007	3	5	0.02	59	0.002	<1	0.11	0.004	0.05	<0.1	0.04	0.7	<0.1	<0.05	<1	<0.5	0.4	<50
REP 1961733	QC																				<50
Core Reject Duplicates																					
1961729	Rock	0.04	0.012	131	3	0.11	233	0.005	<1	0.19	0.005	0.13	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	
DUP 1961729	QC	0.06	0.015	168	5	0.10	348	0.005	<1	0.24	0.007	0.18	<0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2	
Reference Materials																					
STD AGPROOF	Standard																				91
STD AGPROOF	Standard																				93
STD AGPROOF	Standard																				92
STD DS10	Standard	1.10	0.080	18	57	0.79	360	0.083	6	1.10	0.072	0.34	3.4	0.29	3.0	5.3	0.28	4	2.2	5.0	
STD DS10	Standard	1.09	0.077	19	56	0.79	356	0.082	8	1.10	0.073	0.34	3.3	0.28	3.3	5.0	0.27	4	2.0	5.0	
STD DS10	Standard	1.08	0.079	17	55	0.77	344	0.079	6	1.06	0.071	0.34	3.5	0.30	2.9	5.1	0.28	5	2.1	4.9	
STD DS10	Standard	1.10	0.080	18	56	0.80	371	0.076	7	1.10	0.074	0.35	3.4	0.32	3.0	5.4	0.28	5	2.4	5.3	
STD OXC129	Standard	0.69	0.101	12	53	1.58	50	0.394	<1	1.60	0.600	0.37	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.68	0.095	12	52	1.57	48	0.394	<1	1.57	0.589	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.65	0.101	12	51	1.57	50	0.385	1	1.58	0.595	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.65	0.102	12	51	1.57	47	0.390	<1	1.58	0.595	0.38	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2	
STD OXD108	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500031.1

	Method	FA530
Analyte	Au	
Unit	gm/t	
MDL	0.9	
Pulp Duplicates		
1961732	Rock	4.3
REP 1961732	QC	3.9
1961733	Rock	40.4
REP 1961733	QC	51.5
██████████	██████████	
██████████	██████████	
██████████	██████████	
██████████	██████████	
██████████	██████████	
██████████	██████████	
Core Reject Duplicates		
1961729	Rock	
DUP 1961729	QC	
██████████	██████████	
██████████	██████████	
Reference Materials		
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD DS10	Standard	
STD DS10	Standard	
STD DS10	Standard	
STD DS10	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXD108	Standard	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 2 of 3

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI1500031.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
STD OXD108	Standard		0.399																			
STD OXD108	Standard		0.403																			
STD OXD108	Standard		0.404																			
STD OXI121	Standard		1.823																			
STD OXI121	Standard		1.777																			
STD OXI121	Standard		1.790																			
STD OXI121	Standard		1.821																			
STD OXN117	Standard		7.904																			
STD OXN117	Standard		7.596																			
STD OXN117	Standard		7.170																			
STD OXN117	Standard		7.570																			
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD DS10 Expected				14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43	
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
STD OXD108 Expected			0.414																			
STD OXN117 Expected			7.679																			
STD OXI121 Expected			1.834																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 2 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000031.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	50	
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD SP49	Standard																				60
STD SP49	Standard																				60
STD SP49	Standard																				61
STD SQ70	Standard																				156
STD SQ70	Standard																				159
STD SQ70	Standard																				159
STD DS10 Expected		1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
STD SQ70 Expected																					159.5
STD OXD108 Expected																					
STD OXN117 Expected																					
STD OXI121 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 2 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500031.1

		FA530 Au gm/t 0.9
STD OXD108	Standard	
STD OXD108	Standard	
STD OXD108	Standard	
STD OXI121	Standard	
STD OXI121	Standard	
STD OXI121	Standard	
STD OXI121	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD SP49	Standard	18.3
STD SP49	Standard	18.4
STD SP49	Standard	18.4
STD SQ70	Standard	40.1
STD SQ70	Standard	39.9
STD SQ70	Standard	39.9
STD DS10 Expected		
STD OXC129 Expected		
STD AGPROOF Expected		0
STD SP49 Expected		18.34
STD SQ70 Expected		39.62
STD OXD108 Expected		
STD OXN117 Expected		
STD OXI121 Expected		
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	



# QUALITY CONTROL REPORT

WHI15000031.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank																				
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.4	3.7	1.4	33	<0.1	0.7	3.6	449	1.71	0.8	0.3	<0.5	1.7	24	<0.1	<0.1	<0.1	20
ROCK-WHI	Prep Blank		<0.005	0.7	3.4	1.6	37	<0.1	0.9	3.5	463	1.70	0.7	0.4	<0.5	1.9	25	<0.1	<0.1	<0.1	20



# QUALITY CONTROL REPORT

WHI15000031.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	50		
BLK	Blank																				<50	
BLK	Blank																					<50
BLK	Blank																					<50
BLK	Blank																					<50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																				<50	
BLK	Blank																					<50
Prep Wash																						
ROCK-WHI	Prep Blank	0.55	0.040	6	2	0.42	61	0.069	2	0.94	0.114	0.12	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.59	0.041	6	2	0.43	61	0.075	2	1.03	0.123	0.13	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2		





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 26, 2015

Page: 3 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500031.1

		FA530 Au gm/t 0.9
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 23, 2015  
Report Date: August 05, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000031M.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-01  
P.O. Number  
Number of Samples: 4

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	4	Split samples by riffle splitter			VAN
PUL85	4	Pulverize to 85% passing 200 mesh			VAN
FS631	4	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	4	Analysis sample split/packet			VAN
Split -150	4	Analysis sample split/packet			VAN
FS631	4	Metallics Fire Assay for Au	30	Completed	VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 05, 2015

Page: 2 of 2

Part: 1 of 1

# CERTIFICATE OF ANALYSIS

WHI1500031M.1

Method	Analyte	M150	FA430	FS600	FS600	FS600	FA530
		TotWt	-Au	TotAu	+Au	+Wt	-Au
Unit		g	gm/t	gm/t	gm/t	g	ppm
MDL		1	0.005	0.01	0.17	0.01	0.9
1961733	Rock	602	>10	55.34	638.07	23.59	31.6
1961735	Rock	609	0.463	1.56	25.69	26.47	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 05, 2015

Page: 1 of 1

Part: 1 of 1

## QUALITY CONTROL REPORT

WHI15000031M.1

Method	M150	FA430	FS600	FS600	FS600	FA530
Analyte	TotWt	-Au	TotAu	+Au	+Wt	-Au
Unit	g	gm/t	gm/t	gm/t	g	ppm
MDL	1	0.005	0.01	0.17	0.01	0.9
Reference Materials						
STD AGPROOF	Standard					<0.9
STD OXD108	Standard	0.430				
STD OXI121	Standard	1.822				
STD OXN117	Standard	7.473				
STD OXP91	Standard			14.98	29.30	
STD SP49	Standard					17.4
STD SQ70	Standard					40.2
STD OXP91 Expected				14.82		
BLK	Blank			<0.17	30.00	
BLK	Blank	<0.005				
BLK	Blank	0.010				
BLK	Blank					<0.9
Prep Wash						
ROCK-WHI	Prep Blank	555	<0.005	<0.01	<0.17	20.31



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 16, 2015  
Report Date: June 29, 2015  
Page: 1 of 5

# CERTIFICATE OF ANALYSIS

WHI15000032.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-01  
P.O. Number  
Number of Samples: 104

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	104	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	104	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	104	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	6	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



CERTIFICATE OF ANALYSIS

WHI1500032.1

Table with columns: Method, Analyte, Unit, MDL, WGHT, FA430, AQ201 (Au, Mo, Cu, Pb, Zn, Ag, Ni, Co, Mn, Fe, As, U, Au, Th, Sr, Cd, Sb, Bi, V), and various units (kg, ppm, ppb, %).



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 2 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

## WHI1500032.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	50	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 2 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

# WHI1500032.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████
████████	██████

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





CERTIFICATE OF ANALYSIS

WHI1500032.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	
1962364	Rock	0.96	0.019	0.8	19.9	159.2	14	2.5	1.3	0.3	79	0.83	8.1	0.5	24.3	3.1	50	0.3	8.8	0.1	<2
1962365	Rock	1.19	0.033	0.3	12.7	173.5	23	2.8	1.6	0.9	93	0.65	4.4	0.4	31.2	2.4	4	0.2	5.8	0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd. 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

Project: LS Report Date: June 29, 2015

Page: 3 of 5 Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI1500032.1

Table with columns: Method, Analyte, Unit, MDL, and elements Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S, Ga, Se, Te, FA530. Rows include sample IDs 1962364 and 1962365.











**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI1500032.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1961740	Rock	0.98	0.006	0.2	3.5	4.4	6	<0.1	1.3	0.5	80	0.70	2.4	0.1	15.3	0.6	1	<0.1	0.7	<0.1	<2
1961741	Rock	1.31	0.009	0.3	3.5	6.1	7	<0.1	1.3	0.4	89	0.49	1.3	0.2	3.0	0.3	<1	<0.1	0.4	<0.1	<2
1961742	Rock	0.86	<0.005	0.1	1.5	1.5	<1	<0.1	0.8	0.2	59	0.57	<0.5	<0.1	1.3	<0.1	<1	<0.1	0.2	<0.1	<2
1961743	Rock	0.88	0.520	0.2	4.4	11.4	5	1.8	1.3	0.5	46	0.54	7.7	<0.1	680.4	0.1	2	<0.1	0.5	0.4	<2
1961744	Rock	1.41	<0.005	0.2	1.8	3.4	2	<0.1	0.7	0.3	47	0.45	0.5	<0.1	<0.5	0.2	<1	<0.1	0.2	<0.1	<2
1961745	Rock	1.04	<0.005	<0.1	4.5	6.8	1	0.3	0.3	0.2	41	0.35	<0.5	<0.1	1.6	0.1	<1	<0.1	1.0	0.2	<2
1961746	Rock	0.89	0.006	0.3	1.8	3.7	8	<0.1	1.7	0.4	134	0.67	1.6	<0.1	2.5	0.3	<1	0.1	0.1	<0.1	<2
1961747	Rock	0.94	0.010	0.1	1.3	9.4	5	0.3	1.6	0.5	67	0.53	1.3	<0.1	18.9	<0.1	<1	<0.1	0.2	0.9	<2
1961748	Rock	1.46	<0.005	0.2	2.0	24.8	7	<0.1	1.5	0.5	117	0.78	1.5	0.6	0.5	1.1	2	<0.1	0.2	<0.1	<2
1961749	Rock	1.70	0.017	0.6	4.9	4.7	13	0.8	1.9	0.6	88	1.47	8.3	0.1	15.6	0.5	24	0.1	0.7	<0.1	3
1961750	Rock	1.20	0.030	0.2	5.8	3.8	21	0.3	1.8	1.7	91	0.49	0.8	0.1	12.8	0.2	<1	0.1	0.2	<0.1	<2
1961751	Rock	0.90	0.016	0.2	7.5	4.2	29	0.3	2.3	2.8	146	0.47	0.8	0.2	9.7	0.2	1	0.2	0.3	<0.1	<2
1961752	Rock	0.66	0.018	0.6	14.5	38.3	70	0.7	6.9	11.4	650	0.80	2.9	0.7	75.6	0.6	1	0.9	0.5	<0.1	<2
1961753	Rock	1.07	0.009	0.2	6.9	1.6	33	0.3	3.2	3.9	240	0.52	1.4	0.2	8.7	0.2	1	0.4	0.4	<0.1	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI1500032.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	50	
1961740	Rock	0.01	0.002	4	4	0.02	43	<0.001	<1	0.08	0.005	0.05	<0.1	0.02	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1961741	Rock	<0.01	0.001	1	2	0.03	23	<0.001	<1	0.06	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961742	Rock	<0.01	<0.001	<1	4	<0.01	6	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961743	Rock	<0.01	0.001	<1	2	0.01	34	0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961744	Rock	<0.01	0.001	<1	3	<0.01	15	<0.001	<1	0.02	0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961745	Rock	<0.01	<0.001	<1	3	<0.01	29	<0.001	<1	0.03	0.009	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961746	Rock	0.01	0.001	2	4	0.02	18	<0.001	<1	0.05	0.002	<0.01	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
1961747	Rock	<0.01	0.001	<1	4	0.02	15	0.001	1	0.03	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961748	Rock	<0.01	0.002	4	5	0.01	39	0.002	<1	0.10	0.021	0.05	0.2	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
1961749	Rock	0.01	0.026	4	3	0.01	72	0.003	<1	0.09	0.012	0.07	<0.1	0.02	0.5	<0.1	0.07	<1	2.6	<0.2	
1961750	Rock	<0.01	0.003	<1	3	0.02	17	<0.001	<1	0.09	0.002	<0.01	<0.1	0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	
1961751	Rock	<0.01	0.004	<1	2	0.02	30	<0.001	<1	0.14	0.002	<0.01	<0.1	0.02	0.7	<0.1	<0.05	<1	<0.5	<0.2	
1961752	Rock	<0.01	0.006	2	4	0.03	74	0.001	<1	0.20	0.003	<0.01	<0.1	0.02	1.3	<0.1	<0.05	<1	<0.5	<0.2	
1961753	Rock	0.01	0.004	<1	3	0.03	24	<0.001	<1	0.15	0.006	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	<0.2	





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 5 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI1500032.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
1961740	Rock
1961741	Rock
1961742	Rock
1961743	Rock
1961744	Rock
1961745	Rock
1961746	Rock
1961747	Rock
1961748	Rock
1961749	Rock
1961750	Rock
1961751	Rock
1961752	Rock
1961753	Rock



# QUALITY CONTROL REPORT

WHI1500032.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
1961750	Rock	1.20	0.030	0.2	5.8	3.8	21	0.3	1.8	1.7	91	0.49	0.8	0.1	12.8	0.2	<1	0.1	0.2	<0.1	<2
REP 1961750	QC			0.3	5.4	3.8	21	0.3	1.7	1.6	90	0.49	1.0	0.1	11.1	0.1	<1	0.1	0.3	<0.1	<2
1961753	Rock	1.07	0.009	0.2	6.9	1.6	33	0.3	3.2	3.9	240	0.52	1.4	0.2	8.7	0.2	1	0.4	0.4	<0.1	<2
REP 1961753	QC			0.3	6.8	1.6	34	0.4	3.4	4.3	238	0.52	1.3	0.2	9.5	0.2	1	0.4	0.5	<0.1	<2
Core Reject Duplicates																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
[REDACTED]																					
1961736	Rock	0.97	<0.005	0.1	3.5	14.7	7	0.1	1.1	0.4	81	0.54	<0.5	<0.1	<0.5	0.2	<1	<0.1	0.5	<0.1	<2
DUP 1961736	QC		<0.005	0.2	3.9	18.7	7	0.1	0.8	0.4	85	0.51	<0.5	<0.1	<0.5	0.2	<1	<0.1	0.5	<0.1	<2
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS10	Standard			14.9	150.9	153.5	368	1.9	77.0	12.6	885	2.84	46.2	2.6	120.7	7.6	70	2.5	9.4	12.1	44
STD DS10	Standard			15.9	152.7	152.9	368	1.9	75.1	12.7	892	2.80	43.9	2.6	73.3	7.4	68	2.4	9.0	11.3	44



# QUALITY CONTROL REPORT

WHI15000032.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	50	
Pulp Duplicates																				
1961750	Rock	<0.01	0.003	<1	3	0.02	17	<0.001	<1	0.09	0.002	<0.01	<0.1	0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
REP 1961750	QC	<0.01	0.003	<1	3	0.02	17	<0.001	<1	0.09	0.003	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	<0.2
1961753	Rock	0.01	0.004	<1	3	0.03	24	<0.001	<1	0.15	0.006	<0.01	<0.1	0.02	0.6	<0.1	<0.05	<1	<0.5	<0.2
REP 1961753	QC	0.01	0.004	<1	2	0.02	22	<0.001	<1	0.14	0.006	<0.01	<0.1	0.02	0.4	<0.1	<0.05	<1	<0.5	<0.2
Core Reject Duplicates																				
1961736	Rock	<0.01	<0.001	<1	3	0.02	43	<0.001	1	0.04	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
DUP 1961736	QC	<0.01	<0.001	<1	3	0.02	36	<0.001	<1	0.04	<0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD AGPROOF	Standard																			94
STD AGPROOF	Standard																			93
STD AGPROOF	Standard																			99
STD DS10	Standard	1.10	0.078	19	55	0.79	362	0.082	8	1.09	0.073	0.34	3.1	0.31	2.8	5.3	0.28	4	2.6	5.3
STD DS10	Standard	1.10	0.075	19	55	0.79	367	0.083	9	1.12	0.071	0.35	3.2	0.28	2.8	5.1	0.29	4	1.9	4.8



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500032.1

	Method	FA530
Analyte	Au	
Unit	gm/t	
MDL	0.9	
Pulp Duplicates		
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
1961750	Rock	
REP 1961750	QC	
1961753	Rock	
REP 1961753	QC	
Core Reject Duplicates		
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]
1961736	Rock	
DUP 1961736	QC	
Reference Materials		
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD DS10	Standard	
STD DS10	Standard	



# QUALITY CONTROL REPORT

WHI15000032.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
STD DS10	Standard			14.6	154.2	154.9	372	2.0	76.3	12.3	905	2.76	45.0	2.6	81.4	6.9	68	2.3	9.3	11.6	44	
STD DS10	Standard			15.7	146.6	156.2	385	2.1	75.3	13.2	966	2.94	47.6	2.5	75.7	7.0	66	2.4	8.3	11.7	45	
STD DS10	Standard			14.6	147.6	147.6	363	2.0	73.4	12.6	881	2.79	42.9	2.6	76.4	7.5	66	2.6	8.7	11.0	41	
STD OXC129	Standard			1.2	28.2	5.5	42	<0.1	80.1	20.1	419	3.09	<0.5	0.6	195.4	1.6	183	<0.1	<0.1	<0.1	52	
STD OXC129	Standard			1.2	26.4	5.4	40	<0.1	75.9	19.7	408	2.98	<0.5	0.6	189.3	1.6	171	<0.1	<0.1	<0.1	50	
STD OXC129	Standard			1.2	27.2	7.2	40	<0.1	79.5	19.9	419	2.95	0.8	0.6	195.9	1.6	172	<0.1	<0.1	<0.1	53	
STD OXC129	Standard			1.3	26.0	6.5	40	<0.1	80.8	21.0	434	3.03	<0.5	0.6	198.5	1.6	176	<0.1	<0.1	<0.1	53	
STD OXC129	Standard			1.2	26.7	5.5	38	<0.1	75.3	18.6	416	3.04	<0.5	0.7	195.4	1.8	172	<0.1	<0.1	<0.1	49	
STD OXD108	Standard		0.417																			
STD OXD108	Standard		0.422																			
STD OXD108	Standard		0.423																			
STD OXI121	Standard		1.863																			
STD OXI121	Standard		1.902																			
STD OXI121	Standard		1.833																			
STD OXN117	Standard		7.605																			
STD OXN117	Standard		7.802																			
STD OXN117	Standard		7.768																			
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXD108 Expected			0.414																			
STD OXN117 Expected			7.679																			
STD OXI121 Expected			1.834																			
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 2 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000032.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.2	50
STD DS10	Standard	1.09	0.075	18	56	0.80	348	0.081	5	1.09	0.071	0.34	3.3	0.28	2.8	5.3	0.28	4	2.1	4.9	
STD DS10	Standard	1.14	0.082	19	57	0.83	357	0.080	8	1.06	0.075	0.35	3.5	0.33	3.2	5.6	0.30	5	2.6	5.3	
STD DS10	Standard	1.08	0.073	17	54	0.77	358	0.076	8	1.04	0.070	0.34	3.4	0.29	2.7	4.9	0.27	4	2.3	4.6	
STD OXC129	Standard	0.69	0.104	12	51	1.59	50	0.393	<1	1.61	0.601	0.37	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.70	0.098	11	51	1.58	46	0.389	<1	1.61	0.611	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.66	0.093	12	51	1.55	47	0.398	<1	1.54	0.594	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.67	0.095	12	53	1.58	44	0.393	1	1.61	0.601	0.39	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.62	0.102	12	49	1.52	48	0.384	2	1.50	0.602	0.38	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2	
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD SP49	Standard																				55
STD SP49	Standard																				61
STD SP49	Standard																				61
STD SQ70	Standard																				154
STD SQ70	Standard																				159
STD SQ70	Standard																				150
STD OXD108 Expected																					
STD OXN117 Expected																					
STD OXI121 Expected																					
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
STD SQ70 Expected																					159.5



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 2 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500032.1

		FA530 Au gm/t 0.9
STD DS10	Standard	
STD DS10	Standard	
STD DS10	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXD108	Standard	
STD OXD108	Standard	
STD OXD108	Standard	
STD OXI121	Standard	
STD OXI121	Standard	
STD OXI121	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD OXN117	Standard	
STD SP49	Standard	18.4
STD SP49	Standard	18.4
STD SP49	Standard	18.4
STD SQ70	Standard	39.9
STD SQ70	Standard	39.7
STD SQ70	Standard	39.0
STD OXD108 Expected		
STD OXN117 Expected		
STD OXI121 Expected		
STD AGPROOF Expected		0
STD SP49 Expected		18.34
STD SQ70 Expected		39.62



# QUALITY CONTROL REPORT

WHI15000032.1

	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43	
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank																				
BLK	Blank		<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.4	3.4	1.9	35	<0.1	0.8	3.4	495	1.81	0.7	0.3	<0.5	1.6	22	<0.1	<0.1	<0.1	24	
ROCK-WHI	Prep Blank	<0.005	0.4	3.9	1.6	36	<0.1	0.7	3.7	527	1.80	<0.5	0.3	0.7	1.6	22	<0.1	<0.1	<0.1	25	





# QUALITY CONTROL REPORT

WHI15000032.1

	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ag
	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	50
STD DS10 Expected	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OXC129 Expected	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.53	0.041	6	3	0.45	60	0.068	2	1.04	0.141	0.13	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.54	0.042	6	2	0.48	52	0.066	1	1.08	0.136	0.13	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 29, 2015

Page: 3 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI1500032.1

		FA530 Au gm/t 0.9
STD DS10 Expected		
STD OXC129 Expected		
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	<0.9
BLK	Blank	
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 29, 2015  
Report Date: July 17, 2015  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000049.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-02  
P.O. Number  
Number of Samples: 32

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	32	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	32	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	32	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	5	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: July 17, 2015

Page: 2 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI1500049.1

Method Analyte Unit MDL	WGHT Wgt kg	FA430 Au ppm	AQ201 Mo ppm	AQ201 Cu ppm	AQ201 Pb ppm	AQ201 Zn ppm	AQ201 Ag ppm	AQ201 Ni ppm	AQ201 Co ppm	AQ201 Mn ppm	AQ201 Fe %	AQ201 As ppm	AQ201 U ppm	AQ201 Au ppb	AQ201 Th ppm	AQ201 Sr ppm	AQ201 Cd ppm	AQ201 Sb ppm	AQ201 Bi ppm	AQ201 V ppm	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
1960701	Rock	1.34	0.007	0.3	6.2	11.0	33	<0.1	3.5	3.2	228	1.32	15.5	1.3	4.1	11.8	18	0.1	0.3	<0.1	4
1960702	Rock	0.79	0.008	0.3	2.4	52.8	14	0.3	2.9	1.4	215	0.78	6.2	0.3	9.6	1.1	11	0.1	0.3	0.3	<2
1960703	Rock	1.32	0.006	0.3	2.5	11.4	7	<0.1	2.3	1.2	165	0.58	4.5	0.2	6.6	0.8	7	0.1	0.2	<0.1	<2
1960706	Rock	1.21	0.006	<0.1	0.9	12.9	6	<0.1	0.8	0.2	100	0.50	2.5	<0.1	1.9	0.7	1	<0.1	0.1	<0.1	<2
1960707	Rock	1.21	>10	4.1	47.9	1173.7	92	31.0	1.4	0.5	66	2.05	36.3	3.7	42836.3	0.7	2	0.6	2.7	6.1	<2
1960708	Rock	0.84	1.088	0.7	1.6	187.7	14	2.1	1.0	0.2	43	0.56	5.1	0.5	1556.7	0.1	<1	<0.1	0.3	1.1	<2
1960709	Rock	1.83	>10	0.7	3.4	76.0	2	4.8	1.0	0.2	37	1.06	2.5	0.4	14379.0	0.2	1	0.1	0.2	1.6	<2
1960710	Rock	0.68	>10	0.2	1.2	4.4	1	5.0	0.8	0.1	32	0.40	0.7	0.4	17287.6	0.4	1	<0.1	0.1	<0.1	<2
1960711	Rock	0.92	0.008	0.2	1.8	9.9	4	0.1	0.7	0.2	23	0.38	1.5	1.5	18.0	11.5	5	<0.1	<0.1	<0.1	<2
1960712	Rock	1.12	0.008	0.2	0.8	1.7	<1	<0.1	0.8	0.1	33	0.41	0.7	<0.1	6.6	<0.1	<1	<0.1	<0.1	<0.1	<2
1960713	Rock	1.17	>10	0.5	1.6	33.7	2	3.7	0.7	0.2	28	0.68	2.1	1.0	12296.3	0.7	2	<0.1	0.1	<0.1	<2
1961754	Rock	1.34	0.007	0.2	21.8	14.0	32	0.5	1.9	1.4	107	1.28	2.0	0.4	3.4	3.0	13	<0.1	0.9	<0.1	4
1961755	Rock	0.66	1.077	<0.1	30.0	8.0	34	1.5	1.2	0.7	34	0.99	0.7	0.1	1286.3	1.4	102	<0.1	0.4	<0.1	<2
1961757	Rock	1.09	0.520	<0.1	21.0	5.9	42	0.8	1.8	0.6	79	0.76	9.1	0.6	956.4	2.5	64	<0.1	1.5	<0.1	3
1961758	Rock	0.60	>10	0.2	25.1	4.6	42	7.0	2.0	0.7	58	1.33	0.7	0.3	32037.3	1.9	9	<0.1	0.2	<0.1	2
1961759	Rock	0.97	0.128	<0.1	16.0	7.9	30	0.4	1.1	0.2	39	0.69	2.1	0.5	188.1	0.8	7	<0.1	1.4	<0.1	2
1961760	Rock	0.76	0.299	0.2	12.5	44.1	63	0.9	2.1	0.5	59	1.09	3.5	0.6	411.4	1.1	18	0.1	0.2	0.2	3
1961761	Rock	1.02	0.199	<0.1	12.9	861.4	14	4.8	0.8	0.2	33	0.70	7.7	0.4	1908.1	1.0	49	<0.1	0.3	3.7	<2
1961762	Rock	0.97	0.240	0.1	11.0	49.6	3	0.6	0.7	<0.1	33	0.45	2.6	<0.1	206.9	0.4	6	<0.1	1.2	<0.1	<2
1961763	Rock	0.79	0.009	0.4	14.7	46.4	32	0.9	1.9	0.7	68	0.89	1.5	0.8	7.9	3.2	43	0.4	2.6	0.2	<2
1961764	Rock	1.84	0.016	0.4	4.0	4.9	12	0.2	2.3	0.6	61	0.64	4.5	0.6	18.7	0.5	1	<0.1	0.2	<0.1	<2
1961765	Rock	0.90	2.554	0.3	380.3	2029.2	71	35.6	2.2	0.3	32	0.85	6.8	1.1	4361.4	0.2	2	1.2	17.2	1.1	<2
1961766	Rock	1.23	1.967	0.2	61.8	1202.9	24	17.9	1.5	0.3	73	0.74	3.8	0.4	1912.9	0.5	6	0.3	2.7	0.9	<2
1961767	Rock	1.09	0.015	0.1	2.5	15.5	2	0.4	0.7	0.3	39	0.36	0.7	<0.1	14.8	0.4	<1	<0.1	0.2	<0.1	<2
1961768	Rock	0.90	0.179	0.2	2.4	27.4	4	0.2	1.1	0.1	49	0.54	1.5	<0.1	72.5	0.1	<1	<0.1	0.2	0.7	<2
1961769	Rock	1.21	<0.005	0.1	19.7	48.2	16	0.2	0.9	0.5	51	0.54	2.0	0.5	4.6	0.5	<1	<0.1	0.6	0.9	<2
1961770	Rock	1.62	<0.005	0.2	1.1	3.4	3	<0.1	0.8	0.6	51	0.42	1.5	<0.1	1.6	0.1	1	<0.1	<0.1	<0.1	<2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: July 17, 2015

Page: 2 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI1500049.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9	
1960701	Rock	0.12	0.033	27	4	0.44	171	0.002	2	0.78	0.037	0.24	<0.1	<0.01	1.3	<0.1	<0.05	2	<0.5	<0.2	
1960702	Rock	0.23	0.016	3	4	0.17	59	0.001	2	0.28	0.002	0.06	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	
1960703	Rock	0.15	0.011	2	3	0.10	35	<0.001	<1	0.13	0.002	0.03	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
1960706	Rock	0.02	0.004	2	3	0.05	34	<0.001	1	0.08	0.011	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1960707	Rock	<0.01	0.004	2	3	0.03	54	<0.001	<1	0.07	0.004	0.05	<0.1	0.06	0.3	<0.1	<0.05	<1	1.0	7.5	28.0
1960708	Rock	<0.01	<0.001	<1	3	<0.01	14	<0.001	<1	0.01	0.002	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	0.6	
1960709	Rock	<0.01	0.001	<1	3	<0.01	84	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.07	<0.1	<0.1	0.15	<1	<0.5	0.4	6.6
1960710	Rock	<0.01	<0.001	1	3	<0.01	53	<0.001	<1	0.03	0.001	<0.01	<0.1	0.12	0.1	<0.1	<0.05	<1	<0.5	<0.2	14.2
1960711	Rock	<0.01	0.003	23	1	0.01	759	<0.001	1	0.43	<0.001	0.22	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2	
1960712	Rock	<0.01	<0.001	<1	3	<0.01	10	<0.001	1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1960713	Rock	<0.01	<0.001	6	2	<0.01	106	<0.001	<1	0.03	0.001	<0.01	<0.1	0.07	0.1	<0.1	<0.05	<1	<0.5	<0.2	14.0
1961754	Rock	0.02	0.027	10	6	0.14	240	0.002	1	0.26	0.024	0.17	<0.1	0.07	0.8	<0.1	0.09	1	<0.5	<0.2	
1961755	Rock	<0.01	0.004	2	3	0.02	2560	0.001	<1	0.11	0.004	0.06	<0.1	0.02	0.4	<0.1	0.06	<1	<0.5	0.6	
1961757	Rock	0.03	0.016	6	6	0.24	2383	0.001	<1	0.35	0.017	0.08	<0.1	0.08	0.6	<0.1	0.06	1	<0.5	0.2	
1961758	Rock	<0.01	0.002	2	6	0.06	398	0.003	<1	0.16	0.005	0.05	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	1.8	25.6
1961759	Rock	0.02	0.018	3	4	0.12	211	<0.001	<1	0.20	0.003	0.07	<0.1	0.04	0.5	<0.1	<0.05	<1	<0.5	<0.2	
1961760	Rock	0.01	0.025	2	6	0.14	923	<0.001	<1	0.22	0.007	0.06	<0.1	<0.01	1.0	<0.1	0.06	<1	<0.5	0.5	
1961761	Rock	<0.01	0.027	3	3	0.02	1374	<0.001	<1	0.09	0.009	0.05	<0.1	<0.01	0.4	<0.1	0.08	<1	1.1	0.8	
1961762	Rock	<0.01	0.003	2	5	<0.01	193	<0.001	<1	0.04	0.002	0.03	<0.1	0.05	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961763	Rock	0.01	0.018	7	5	0.11	1395	0.001	<1	0.21	0.019	0.11	<0.1	0.08	0.6	<0.1	0.09	<1	<0.5	<0.2	
1961764	Rock	<0.01	0.003	<1	4	0.02	39	<0.001	<1	0.07	0.001	<0.01	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	
1961765	Rock	<0.01	0.002	<1	2	<0.01	225	<0.001	<1	0.02	0.001	<0.01	<0.1	0.06	<0.1	<0.1	0.45	<1	4.3	7.6	
1961766	Rock	0.02	0.011	1	4	<0.01	105	<0.001	<1	0.03	0.015	<0.01	<0.1	0.05	0.1	<0.1	0.07	<1	2.2	7.1	
1961767	Rock	<0.01	0.001	1	2	<0.01	28	0.001	<1	0.04	0.002	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961768	Rock	<0.01	<0.001	<1	4	<0.01	10	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
1961769	Rock	<0.01	0.001	2	3	<0.01	20	<0.001	<1	0.04	0.001	0.02	0.3	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1961770	Rock	0.02	0.004	<1	2	0.01	20	0.001	<1	0.04	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 3 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI1500049.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1961771	Rock	1.05	0.032	0.2	1.3	12.5	4	<0.1	1.1	0.2	55	0.69	2.0	0.3	18.4	0.9	<1	<0.1	0.2	0.2	<2
1961772	Rock	1.93	0.007	0.1	1.0	10.7	4	0.2	0.7	0.3	45	0.35	1.5	0.3	3.8	2.2	<1	<0.1	0.3	0.9	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 3 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI1500049.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
1961771	Rock	<0.01	0.002	3	4	<0.01	28	<0.001	<1	0.05	0.004	0.04	<0.1	0.02	0.1	<0.1	<0.05	<1	<0.5	<0.2
1961772	Rock	<0.01	0.001	7	2	<0.01	38	<0.001	2	0.10	0.001	0.08	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000049.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1960709	Rock	1.83	>10	0.7	3.4	76.0	2	4.8	1.0	0.2	37	1.06	2.5	0.4	14379.0	0.2	1	0.1	0.2	1.6	<2
REP 1960709	QC																				
1961765	Rock	0.90	2.554	0.3	380.3	2029.2	71	35.6	2.2	0.3	32	0.85	6.8	1.1	4361.4	0.2	2	1.2	17.2	1.1	<2
REP 1961765	QC			0.3	377.2	2032.2	74	35.4	2.2	0.3	32	0.85	7.0	1.2	2967.6	0.2	2	1.0	17.9	1.2	<2
1961766	Rock	1.23	1.967	0.2	61.8	1202.9	24	17.9	1.5	0.3	73	0.74	3.8	0.4	1912.9	0.5	6	0.3	2.7	0.9	<2
REP 1961766	QC		2.131																		
1961771	Rock	1.05	0.032	0.2	1.3	12.5	4	<0.1	1.1	0.2	55	0.69	2.0	0.3	18.4	0.9	<1	<0.1	0.2	0.2	<2
REP 1961771	QC		0.057																		
1961772	Rock	1.93	0.007	0.1	1.0	10.7	4	0.2	0.7	0.3	45	0.35	1.5	0.3	3.8	2.2	<1	<0.1	0.3	0.9	<2
REP 1961772	QC		0.007																		
Core Reject Duplicates																					
1961768	Rock	0.90	0.179	0.2	2.4	27.4	4	0.2	1.1	0.1	49	0.54	1.5	<0.1	72.5	0.1	<1	<0.1	0.2	0.7	<2
DUP 1961768	QC		0.107	0.1	2.4	21.9	4	0.1	1.3	0.2	58	0.64	1.5	<0.1	213.0	<0.1	<1	<0.1	0.2	0.7	<2
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS10	Standard			14.5	155.5	149.7	358	1.9	74.9	12.3	902	2.88	41.3	2.7	130.7	7.2	58	2.4	8.2	9.7	42
STD OXC129	Standard			1.3	28.3	6.0	42	<0.1	84.3	20.6	432	3.22	0.7	0.7	204.7	1.8	175	<0.1	<0.1	<0.1	51
STD OXD108	Standard		0.415																		
STD OXD108	Standard		0.405																		
STD OXD108	Standard		0.402																		
STD OXI121	Standard		1.781																		
STD OXI121	Standard		1.807																		
STD OXI121	Standard		1.799																		
STD OXN117	Standard		7.604																		
STD OXN117	Standard		7.524																		
STD OXN117	Standard		7.789																		
STD SP49	Standard																				





# QUALITY CONTROL REPORT

WHI15000049.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
Pulp Duplicates																					
1960709	Rock	<0.01	0.001	<1	3	<0.01	84	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.07	<0.1	<0.1	0.15	<1	<0.5	0.4	6.6
REP 1960709	QC																				12.4
1961765	Rock	<0.01	0.002	<1	2	<0.01	225	<0.001	<1	0.02	0.001	<0.01	<0.1	0.06	<0.1	<0.1	0.45	<1	4.3	7.6	
REP 1961765	QC	<0.01	0.002	<1	2	<0.01	227	<0.001	<1	0.02	0.001	<0.01	<0.1	0.07	<0.1	<0.1	0.45	<1	4.4	7.5	
1961766	Rock	0.02	0.011	1	4	<0.01	105	<0.001	<1	0.03	0.015	<0.01	<0.1	0.05	0.1	<0.1	0.07	<1	2.2	7.1	
REP 1961766	QC																				
1961771	Rock	<0.01	0.002	3	4	<0.01	28	<0.001	<1	0.05	0.004	0.04	<0.1	0.02	0.1	<0.1	<0.05	<1	<0.5	<0.2	
REP 1961771	QC																				
1961772	Rock	<0.01	0.001	7	2	<0.01	38	<0.001	2	0.10	0.001	0.08	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
REP 1961772	QC																				
Core Reject Duplicates																					
1961768	Rock	<0.01	<0.001	<1	4	<0.01	10	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
DUP 1961768	QC	<0.01	<0.001	<1	4	<0.01	9	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Reference Materials																					
STD AGPROOF	Standard																				<0.9
STD AGPROOF	Standard																				<0.9
STD DS10	Standard	1.11	0.071	18	55	0.80	340	0.082	6	1.10	0.073	0.35	3.0	0.28	3.0	4.8	0.28	4	1.8	4.5	
STD OXC129	Standard	0.69	0.104	13	54	1.57	46	0.423	<1	1.63	0.622	0.40	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2	
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD SP49	Standard																				18.3



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI15000049.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD SP49	Standard																				
STD SQ70	Standard																				
STD SQ70	Standard																				
STD DS10 Expected				14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.005																		
BLK	Blank		0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.5	4.1	2.0	38	<0.1	1.3	3.7	515	2.00	2.3	0.4	2.4	2.1	26	<0.1	<0.1	<0.1	23
ROCK-WHI	Prep Blank		<0.005	0.5	3.8	2.6	40	<0.1	1.0	3.8	495	1.82	1.5	0.4	1.8	2.2	23	<0.1	<0.1	<0.1	23



# QUALITY CONTROL REPORT

WHI15000049.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA530		
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t	
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		0.9	
STD SP49	Standard																				18.1	
STD SQ70	Standard																					40.1
STD SQ70	Standard																					40.0
STD DS10 Expected		1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01		
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6				
STD AGPROOF Expected																						0
STD SP49 Expected																						18.34
STD SQ70 Expected																						39.62
STD OXD108 Expected																						
STD OXN117 Expected																						
STD OXI121 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					<0.9
BLK	Blank																					<0.9
BLK	Blank																					
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																					<0.9
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	0.67	0.040	7	4	0.46	79	0.091	2	1.39	0.263	0.24	<0.1	<0.01	4.0	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	0.66	0.038	7	2	0.46	73	0.088	2	1.33	0.232	0.21	<0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 22, 2015  
Report Date: August 05, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000049M.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-02  
P.O. Number  
Number of Samples: 5

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	5	Split samples by riffle splitter			VAN
PUL85	5	Pulverize to 85% passing 200 mesh			VAN
FS631	5	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	5	Analysis sample split/packet			VAN
Split -150	5	Analysis sample split/packet			VAN
FS631	5	Metallics Fire Assay for Au	30	Completed	VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 05, 2015

Page: 2 of 2

Part: 1 of 1

# CERTIFICATE OF ANALYSIS

WHI1500049M.1

Method	Analyte	M150	FA430	FS600	FS600	FS600	FA530
		TotWt	-Au	TotAu	+Au	+Wt	-Au
Unit		g	gm/t	gm/t	gm/t	g	ppm
MDL		1	0.005	0.01	0.17	0.01	0.9
1960707	Rock	574	3.520	6.26	76.06	21.72	
1960710	Rock	508	2.965	6.26	79.78	21.76	
1960713	Rock	605	3.335	7.01	87.95	26.30	
1961758	Rock	433	>10	52.73	449.11	22.56	30.9



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 05, 2015

Page: 1 of 1

Part: 1 of 1

## QUALITY CONTROL REPORT

WHI1500049M.1

Method	M150	FA430	FS600	FS600	FS600	FA530
Analyte	TotWt	-Au	TotAu	+Au	+Wt	-Au
Unit	g	gm/t	gm/t	gm/t	g	ppm
MDL	1	0.005	0.01	0.17	0.01	0.9
Pulp Duplicates						
1961758	Rock	433	>10	52.73	449.11	22.56 30.9
REP 1961758	QC					32.7
Reference Materials						
STD AGPROOF	Standard					<0.9
STD OXD108	Standard		0.430			
STD OXD108	Standard		0.420			
STD OXI121	Standard		1.822			
STD OXI121	Standard		1.838			
STD OXN117	Standard		7.473			
STD OXN117	Standard		7.891			
STD OXP91	Standard			14.98	29.30	
STD SP49	Standard					17.4
STD SQ70	Standard					40.2
STD OXP91 Expected				14.82		
BLK	Blank			<0.17	30.00	
BLK	Blank		<0.005			
BLK	Blank		0.010			
BLK	Blank		<0.005			
BLK	Blank		<0.005			
BLK	Blank					<0.9
Prep Wash						
ROCK-WHI	Prep Blank	516	0.014	0.01	<0.17	21.34



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: June 29, 2015  
Report Date: July 17, 2015  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000050.2

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-02  
P.O. Number  
Number of Samples: 45

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	45	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	45	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	45	Analysis sample split/packet			VAN
Split -150	45	Analysis sample split/packet			VAN
FS631	45	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	45	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	5	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.







Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: July 17, 2015

Page: 2 of 3 Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000050.2

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	%	%
1960401	Rock		0.3	0.6	0.1	12	0.62	0.078	34	14	0.68	309	0.026	2	1.21	0.029	0.44	0.2	0.01	3.3	0.2	<0.05
1960402	Rock		0.3	0.9	<0.1	6	0.20	0.066	22	8	0.36	246	0.003	2	0.78	0.012	0.30	0.1	0.01	1.9	0.1	<0.05
1960403	Rock		0.4	0.9	0.1	10	0.45	0.066	30	13	0.68	307	0.004	2	1.14	0.017	0.40	<0.1	0.01	3.1	0.1	<0.05
1960404	Rock		0.4	0.8	<0.1	7	0.57	0.083	29	9	0.64	315	0.006	2	1.07	0.022	0.45	0.1	0.02	2.3	0.1	<0.05
1960405	Rock		0.1	0.8	<0.1	<2	0.06	0.022	6	7	0.15	91	0.001	1	0.22	0.005	0.09	<0.1	<0.01	0.6	<0.1	<0.05
1960406	Rock		0.3	0.7	<0.1	8	0.23	0.058	25	9	0.46	302	0.013	2	0.95	0.049	0.48	0.3	0.01	2.5	0.2	<0.05
1960407	Rock		0.1	0.7	0.1	3	0.03	0.008	4	7	0.11	53	0.002	1	0.21	0.004	0.05	<0.1	0.02	0.7	<0.1	<0.05
1960408	Rock		0.4	1.1	0.4	8	0.22	0.053	14	10	0.57	363	0.020	2	0.88	0.009	0.50	0.3	0.02	2.6	0.2	0.15
1960409	Rock		0.2	0.7	0.1	4	0.05	0.016	5	7	0.12	63	0.002	<1	0.24	0.005	0.07	<0.1	0.02	0.8	<0.1	<0.05
1960410	Rock		0.3	0.6	0.4	12	0.21	0.056	20	17	0.55	372	0.013	2	0.89	0.037	0.41	0.2	0.02	3.3	0.2	<0.05
1960411	Rock		0.1	0.4	<0.1	4	0.05	0.010	5	9	0.21	92	0.002	2	0.31	0.013	0.09	0.1	<0.01	1.0	<0.1	<0.05
1960412	Rock		0.3	0.6	0.1	6	0.08	0.029	18	11	0.24	280	0.002	<1	0.54	0.008	0.27	0.2	<0.01	1.5	<0.1	<0.05
1960413	Rock		0.4	0.7	0.2	23	0.74	0.056	22	27	0.81	356	0.029	<1	1.20	0.040	0.35	0.2	0.01	4.5	0.1	<0.05
1960414	Rock		<0.1	0.2	<0.1	<2	0.01	0.003	2	5	0.06	22	0.001	1	0.10	0.003	0.03	<0.1	0.02	0.4	<0.1	<0.05
1960415	Rock		0.2	0.4	0.2	8	0.07	0.015	9	11	0.30	200	0.005	2	0.49	0.007	0.22	<0.1	<0.01	1.1	0.1	<0.05
1960416	Rock		0.7	0.5	0.3	23	0.42	0.067	22	36	1.02	250	0.012	<1	1.25	0.029	0.27	<0.1	<0.01	4.2	0.2	<0.05
1960417	Rock		0.4	0.7	0.3	12	0.26	0.051	22	14	0.65	209	0.052	<1	1.06	0.041	0.35	0.4	<0.01	2.9	0.2	<0.05
1960418	Rock		0.1	0.2	<0.1	<2	<0.01	<0.001	3	5	0.06	53	0.002	<1	0.10	0.010	0.05	<0.1	<0.01	0.4	<0.1	<0.05
1960419	Rock		0.2	0.4	<0.1	5	0.12	0.012	10	11	0.30	63	0.004	<1	0.45	0.014	0.14	<0.1	<0.01	1.1	<0.1	<0.05
1960420	Rock		0.2	0.9	<0.1	10	0.31	0.019	11	12	0.39	100	0.023	<1	0.79	0.020	0.25	0.2	<0.01	1.8	0.3	<0.05
1960421	Rock		<0.1	0.2	<0.1	3	0.05	0.009	3	8	0.12	66	0.012	<1	0.19	0.004	0.08	<0.1	<0.01	0.7	<0.1	<0.05
1960422	Rock		0.3	0.8	0.3	32	0.37	0.062	19	33	1.04	277	0.043	2	1.49	0.020	0.45	0.3	<0.01	4.2	0.2	<0.05
1960423	Rock		0.5	0.6	0.1	7	0.16	0.042	25	10	0.59	268	0.005	1	1.00	0.026	0.43	0.2	0.01	2.3	0.1	<0.05
1960424	Rock		0.2	0.3	<0.1	<2	0.05	0.017	9	6	0.16	102	0.002	<1	0.29	0.016	0.13	<0.1	<0.01	0.7	<0.1	<0.05
1960425	Rock		<0.1	0.6	1.8	2	0.03	0.008	5	7	0.08	66	0.002	<1	0.16	0.005	0.08	0.1	<0.01	0.6	<0.1	<0.05
1960426	Rock		0.3	0.5	0.1	3	0.08	0.032	10	7	0.25	119	0.002	1	0.43	0.014	0.19	0.1	<0.01	1.0	<0.1	<0.05
1960427	Rock		0.3	0.4	<0.1	<2	0.02	0.006	6	7	0.10	26	<0.001	<1	0.14	0.002	0.04	<0.1	0.02	0.4	<0.1	<0.05
1960428	Rock		0.3	0.5	<0.1	6	0.12	0.025	16	9	0.40	176	0.004	1	0.69	0.021	0.28	0.1	0.02	1.3	0.1	<0.05
1960429	Rock		0.5	0.6	0.4	7	0.20	0.048	18	11	0.63	254	0.003	1	0.96	0.017	0.32	<0.1	0.01	2.4	<0.1	<0.05
1960430	Rock		0.6	0.6	0.5	7	0.11	0.039	23	10	0.50	269	0.003	<1	0.87	0.021	0.35	0.1	0.02	2.3	0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 2 of 3

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI1500050.2

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960401	Rock	5	<0.5	<0.2	
1960402	Rock	3	<0.5	<0.2	
1960403	Rock	4	<0.5	<0.2	
1960404	Rock	4	<0.5	<0.2	
1960405	Rock	<1	<0.5	0.6	10.3
1960406	Rock	3	<0.5	<0.2	
1960407	Rock	1	<0.5	0.8	
1960408	Rock	2	<0.5	<0.2	
1960409	Rock	2	<0.5	2.1	13.4
1960410	Rock	4	0.5	<0.2	
1960411	Rock	2	<0.5	<0.2	
1960412	Rock	3	<0.5	0.8	
1960413	Rock	6	<0.5	<0.2	
1960414	Rock	<1	<0.5	<0.2	12.2
1960415	Rock	2	<0.5	<0.2	
1960416	Rock	6	<0.5	<0.2	
1960417	Rock	4	<0.5	<0.2	
1960418	Rock	<1	<0.5	<0.2	
1960419	Rock	2	<0.5	<0.2	
1960420	Rock	3	<0.5	<0.2	
1960421	Rock	<1	<0.5	<0.2	
1960422	Rock	5	<0.5	<0.2	
1960423	Rock	3	<0.5	<0.2	
1960424	Rock	1	<0.5	<0.2	
1960425	Rock	<1	<0.5	<0.2	
1960426	Rock	2	<0.5	<0.2	
1960427	Rock	<1	<0.5	0.8	
1960428	Rock	3	<0.5	0.3	15.9
1960429	Rock	3	<0.5	<0.2	
1960430	Rock	3	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 3 of 3

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI1500050.2

Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
				Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
				kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
				0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm
1960431	Rock			1.28	364	6.014	11.61	227.86	9.19	0.3	14.2	2.8	11	4.4	2.9	1.5	149	0.90	3.5	0.1	10118.8	1.5	4	
1960432	Rock			0.90	398	3.457	4.91	50.95	12.15	0.5	48.2	3.5	10	7.5	2.6	1.4	117	0.87	2.7	<0.1	6154.8	0.5	1	
1960433	Rock			1.17	438	0.541	0.65	3.58	15.35	0.6	32.1	10.5	54	2.2	14.3	8.4	466	2.18	58.7	1.6	599.0	10.0	44	
1960434	Rock			0.86	434	1.331	2.45	41.40	12.10	0.7	23.3	3.3	27	2.5	7.4	4.5	300	1.48	6.7	0.7	3407.6	5.7	10	
1960435	Rock			1.04	403	8.954	13.97	153.69	13.95	0.6	25.0	2.2	16	6.4	5.7	3.2	135	1.11	5.9	0.3	23026.8	3.6	4	
1960436	Rock			0.73	522	5.767	10.41	263.51	9.40	0.3	22.0	4.2	13	4.5	5.8	3.6	135	0.93	3.9	0.3	13884.1	3.4	4	
1960437	Rock			0.98	428	>10	14.92	169.16	8.82	0.8	61.2	4.2	35	5.3	10.0	6.0	242	1.59	7.1	0.6	16953.5	7.6	9	
1960438	Rock			1.01	444	0.792	1.54	35.94	9.46	0.8	23.4	2.7	18	0.8	4.2	2.2	213	0.93	2.4	0.2	723.6	2.5	6	
1960439	Rock			1.74	435	0.637	1.05	14.87	12.51	0.7	31.6	17.9	49	0.9	12.6	5.3	361	1.54	6.0	1.0	1701.9	10.9	19	
1960440	Rock			1.43	494	6.190	12.35	246.14	12.70	0.6	15.5	2.8	22	3.8	7.4	4.6	208	1.26	4.0	0.7	21068.4	6.1	9	
1960441	Rock			1.24	380	3.695	6.79	103.13	11.82	0.3	4.4	0.7	2	3.1	1.7	0.4	67	0.61	0.8	<0.1	15403.7	0.1	<1	
1960442	Rock			0.68	437	0.164	0.24	1.93	19.16	0.4	8.9	1.4	7	0.2	1.9	0.8	122	0.72	1.3	<0.1	112.8	0.3	<1	
1960443	Rock			0.93	378	0.060	0.15	3.51	10.27	0.3	7.3	1.4	5	0.2	1.6	0.4	81	0.68	0.8	<0.1	74.8	0.2	<1	
1960444	Rock			1.31	530	3.150	5.97	108.08	14.24	0.3	23.3	3.2	11	4.2	2.1	1.2	118	0.66	2.1	0.2	5346.0	0.6	3	
1960445	Rock			1.01	380	4.691	7.27	83.33	12.48	0.7	13.7	4.5	11	3.0	2.6	1.2	141	0.84	2.1	0.2	12254.3	0.4	4	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 3 of 3

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI1500050.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1960431	Rock	0.1	0.2	<0.1	<2	0.05	0.019	4	7	0.10	55	<0.001	<1	0.20	0.006	0.08	<0.1	0.02	0.5	<0.1	<0.05	
1960432	Rock	0.1	1.4	0.1	<2	0.01	0.003	2	5	0.06	22	<0.001	1	0.09	0.002	0.03	<0.1	0.01	0.3	<0.1	<0.05	
1960433	Rock	0.5	1.7	0.2	12	0.49	0.069	23	15	0.98	267	0.010	1	1.28	0.015	0.48	0.1	0.01	3.2	0.1	0.13	
1960434	Rock	0.2	1.0	0.1	6	0.09	0.023	15	8	0.40	246	0.004	1	0.64	0.010	0.28	0.1	0.01	1.8	0.1	<0.05	
1960435	Rock	0.2	1.3	<0.1	3	0.05	0.015	10	8	0.16	141	0.002	<1	0.31	0.006	0.15	<0.1	0.02	0.7	<0.1	<0.05	
1960436	Rock	0.1	0.6	<0.1	3	0.05	0.017	11	7	0.16	170	0.002	2	0.34	0.007	0.17	<0.1	0.01	0.7	<0.1	<0.05	
1960437	Rock	0.4	1.2	<0.1	4	0.09	0.033	22	11	0.27	228	0.004	1	0.52	0.006	0.27	0.1	0.03	1.4	0.1	<0.05	
1960438	Rock	0.2	0.6	<0.1	3	0.08	0.023	8	6	0.20	181	0.005	2	0.36	0.005	0.20	0.2	<0.01	1.1	<0.1	<0.05	
1960439	Rock	0.2	0.9	0.2	10	0.28	0.053	25	14	0.72	291	0.048	1	0.95	0.011	0.36	0.5	0.02	2.8	0.2	<0.05	
1960440	Rock	0.3	1.2	<0.1	5	0.10	0.024	16	9	0.29	229	0.005	2	0.55	0.010	0.26	0.1	0.01	1.2	0.1	<0.05	
1960441	Rock	<0.1	0.3	<0.1	<2	<0.01	0.002	<1	6	<0.01	7	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1960442	Rock	<0.1	0.6	<0.1	<2	<0.01	0.002	1	4	0.05	19	<0.001	<1	0.07	0.001	0.01	<0.1	0.01	0.4	<0.1	<0.05	
1960443	Rock	<0.1	0.3	<0.1	<2	<0.01	0.002	<1	6	0.03	7	<0.001	<1	0.05	<0.001	<0.01	<0.1	0.02	0.2	<0.1	<0.05	
1960444	Rock	<0.1	3.9	<0.1	<2	0.03	0.008	2	4	0.06	31	0.003	<1	0.10	0.004	0.03	0.1	<0.01	0.5	<0.1	<0.05	
1960445	Rock	<0.1	1.0	<0.1	<2	0.04	0.011	2	7	0.09	17	0.001	1	0.12	0.003	0.01	<0.1	<0.01	0.4	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 3 of 3

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI1500050.2

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960431	Rock	<1	<0.5	0.2	
1960432	Rock	<1	<0.5	0.7	
1960433	Rock	4	<0.5	<0.2	
1960434	Rock	2	<0.5	<0.2	
1960435	Rock	1	<0.5	0.3	
1960436	Rock	1	<0.5	0.2	
1960437	Rock	2	<0.5	1.4	11.7
1960438	Rock	1	<0.5	<0.2	
1960439	Rock	3	<0.5	<0.2	
1960440	Rock	3	<0.5	<0.2	
1960441	Rock	<1	<0.5	0.4	
1960442	Rock	<1	<0.5	0.3	
1960443	Rock	<1	<0.5	<0.2	
1960444	Rock	<1	<0.5	0.3	
1960445	Rock	<1	<0.5	0.5	



# QUALITY CONTROL REPORT

WHI15000050.2

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
Pulp Duplicates																					
1960412	Rock	1.57	422	2.135	2.47	21.31	7.46	0.7	58.8	5.6	26	2.9	8.8	6.8	169	1.60	14.7	0.8	2486.9	5.7	9
REP 1960412	QC							0.6	57.5	5.4	26	3.2	9.0	6.9	167	1.59	14.6	0.7	2737.1	5.6	9
1960426	Rock	0.65	423	1.778	2.14	13.53	13.08	0.3	25.9	5.5	34	1.5	4.8	3.3	165	1.25	4.0	0.3	1918.2	3.3	8
REP 1960426	QC			1.674																	
1960433	Rock	1.17	438	0.541	0.65	3.58	15.35	0.6	32.1	10.5	54	2.2	14.3	8.4	466	2.18	58.7	1.6	599.0	10.0	44
REP 1960433	QC			0.594																	
1960444	Rock	1.31	530	3.150	5.97	108.08	14.24	0.3	23.3	3.2	11	4.2	2.1	1.2	118	0.66	2.1	0.2	5346.0	0.6	3
REP 1960444	QC			2.944																	
1960445	Rock	1.01	380	4.691	7.27	83.33	12.48	0.7	13.7	4.5	11	3.0	2.6	1.2	141	0.84	2.1	0.2	12254.3	0.4	4
REP 1960445	QC							0.6	13.7	4.5	11	3.2	2.6	1.0	141	0.83	1.4	0.2	17301.3	0.4	4
Core Reject Duplicates																					
1960413	Rock	0.68	467	0.028	0.03	<0.17	7.39	0.7	15.1	7.8	53	0.2	14.9	9.3	556	2.02	6.1	1.0	2.3	8.5	54
DUP 1960413	QC		111	0.028	0.03	<0.17	3.82	0.9	14.5	7.7	57	0.3	14.7	9.1	554	2.14	6.3	1.1	1.2	8.7	61
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard							15.1	157.7	151.2	374	1.9	76.6	12.7	904	2.82	44.4	2.6	72.7	7.3	58
STD DS10	Standard							14.0	158.6	142.1	378	1.9	74.5	12.9	885	2.72	45.7	2.6	71.6	7.2	65
STD DS10	Standard							14.7	154.4	148.1	373	1.9	72.9	12.7	896	2.80	44.9	2.6	70.8	7.0	64
STD OXC129	Standard							1.4	28.0	5.7	40	<0.1	80.6	20.5	427	3.11	0.6	0.7	193.6	1.7	158
STD OXC129	Standard							1.2	27.0	5.3	41	<0.1	76.9	19.9	423	3.02	<0.5	0.6	188.4	1.6	190
STD OXC129	Standard							1.4	27.2	5.9	41	<0.1	77.2	19.9	418	3.07	0.7	0.6	192.5	1.7	183
STD OXD108	Standard			0.430																	
STD OXD108	Standard			0.402																	
STD OXI121	Standard			1.870																	
STD OXI121	Standard			1.808																	
STD OXN117	Standard			7.810																	
STD OXN117	Standard			7.608																	
STD OXP91	Standard					14.97	29.52														



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 1 of 2

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000050.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1960412	Rock	0.3	0.6	0.1	6	0.08	0.029	18	11	0.24	280	0.002	<1	0.54	0.008	0.27	0.2	<0.01	1.5	<0.1	<0.05
REP 1960412	QC	0.3	0.7	0.1	6	0.09	0.028	18	11	0.23	277	0.002	2	0.53	0.009	0.27	0.1	0.01	1.4	<0.1	<0.05
1960426	Rock	0.3	0.5	0.1	3	0.08	0.032	10	7	0.25	119	0.002	1	0.43	0.014	0.19	0.1	<0.01	1.0	<0.1	<0.05
REP 1960426	QC																				
1960433	Rock	0.5	1.7	0.2	12	0.49	0.069	23	15	0.98	267	0.010	1	1.28	0.015	0.48	0.1	0.01	3.2	0.1	0.13
REP 1960433	QC																				
1960444	Rock	<0.1	3.9	<0.1	<2	0.03	0.008	2	4	0.06	31	0.003	<1	0.10	0.004	0.03	0.1	<0.01	0.5	<0.1	<0.05
REP 1960444	QC																				
1960445	Rock	<0.1	1.0	<0.1	<2	0.04	0.011	2	7	0.09	17	0.001	1	0.12	0.003	0.01	<0.1	<0.01	0.4	<0.1	<0.05
REP 1960445	QC	<0.1	0.9	<0.1	<2	0.04	0.011	2	7	0.09	17	0.001	1	0.11	0.003	0.01	<0.1	<0.01	0.5	<0.1	<0.05
Core Reject Duplicates																					
1960413	Rock	0.4	0.7	0.2	23	0.74	0.056	22	27	0.81	356	0.029	<1	1.20	0.040	0.35	0.2	0.01	4.5	0.1	<0.05
DUP 1960413	QC	0.4	0.9	0.2	26	0.78	0.059	26	30	0.84	710	0.043	3	1.52	0.094	0.57	0.3	0.01	6.0	0.2	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.4	7.2	10.0	45	1.07	0.078	18	55	0.78	353	0.080	7	1.06	0.068	0.33	3.1	0.27	2.8	4.9	0.29
STD DS10	Standard	2.4	7.7	11.1	44	1.07	0.075	17	54	0.78	350	0.081	7	1.04	0.069	0.33	2.9	0.28	2.8	4.9	0.28
STD DS10	Standard	2.5	8.5	11.4	42	1.07	0.074	18	54	0.77	375	0.081	8	1.05	0.068	0.34	3.2	0.26	2.8	5.1	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.68	0.100	12	53	1.55	49	0.414	<1	1.57	0.599	0.37	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.68	0.096	12	52	1.53	51	0.410	<1	1.56	0.591	0.35	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.65	0.103	13	52	1.55	50	0.406	1	1.54	0.594	0.37	<0.1	<0.01	0.7	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 1 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000050.2

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
Pulp Duplicates					
1960412	Rock	3	<0.5	0.8	
REP 1960412	QC	3	<0.5	0.7	
1960426	Rock	2	<0.5	<0.2	
REP 1960426	QC				
1960433	Rock	4	<0.5	<0.2	
REP 1960433	QC				
1960444	Rock	<1	<0.5	0.3	
REP 1960444	QC				
1960445	Rock	<1	<0.5	0.5	
REP 1960445	QC	<1	<0.5	0.4	
Core Reject Duplicates					
1960413	Rock	6	<0.5	<0.2	
DUP 1960413	QC	7	<0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard				<0.9
STD DS10	Standard	4	2.1	5.1	
STD DS10	Standard	5	2.0	4.7	
STD DS10	Standard	4	2.7	5.1	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				





# QUALITY CONTROL REPORT

WHI15000050.2

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
STD OXP91	Standard					14.79	29.82														
STD OXP91	Standard					14.87	30.60														
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected						14.82															
STD DS10 Expected								14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.032																	
BLK	Blank			<0.005																	
BLK	Blank																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		472	<0.005	<0.01	<0.17	8.95	0.7	4.8	1.9	38	<0.1	0.9	3.5	511	1.85	1.0	0.3	0.8	1.9	26
ROCK-WHI	Prep Blank		464	<0.005	<0.01	<0.17	8.23	0.9	5.4	2.0	37	<0.1	0.9	3.7	510	1.81	1.2	0.3	<0.5	1.9	26



# QUALITY CONTROL REPORT

WHI15000050.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXP91	Standard																					
STD OXP91	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.49	8.23	11.65	43	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.59	0.043	6	3	0.48	67	0.076	2	1.18	0.171	0.15	0.1	<0.01	2.5	<0.1	<0.05	
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.59	0.039	6	2	0.47	78	0.079	1	1.18	0.175	0.16	0.1	<0.01	2.7	<0.1	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 17, 2015

Page: 2 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI1500050.2

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.0
STD SQ70	Standard				39.8
STD OXP91 Expected					
STD DS10 Expected		4.3	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 06, 2015  
Report Date: July 29, 2015  
Page: 1 of 7

# CERTIFICATE OF ANALYSIS

WHI15000065.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-03  
P.O. Number  
Number of Samples: 159

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	159	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	159	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	159	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



CERTIFICATE OF ANALYSIS

WHI1500065.1

Table with columns: Method Analyte Unit MDL, WGHT, FA430, AQ201 Mo, AQ201 Cu, AQ201 Pb, AQ201 Zn, AQ201 Ag, AQ201 Ni, AQ201 Co, AQ201 Mn, AQ201 Fe, AQ201 As, AQ201 U, AQ201 Au, AQ201 Th, AQ201 Sr, AQ201 Cd, AQ201 Sb, AQ201 Bi, AQ201 V. Rows 1960446 to 1960475.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: July 29, 2015

Page: 2 of 7 Part: 2 of 2

# CERTIFICATE OF ANALYSIS

## WHI1500065.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.05	1	0.5	0.5	0.2	
1960446	Rock	<0.01	0.001	<1	2	0.01	16	<0.001	<1	0.04	0.001	0.01	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960447	Rock	<0.01	0.002	3	2	<0.01	65	<0.001	<1	0.05	0.002	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960448	Rock	<0.01	0.001	4	2	<0.01	39	<0.001	<1	0.07	0.001	0.05	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960449	Rock	<0.01	<0.001	<1	2	<0.01	14	<0.001	<1	0.03	0.007	<0.01	<0.1	0.03	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960450	Rock	<0.01	<0.001	<1	2	<0.01	48	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960451	Rock	<0.01	<0.001	1	2	<0.01	25	<0.001	<1	0.06	0.001	0.03	<0.1	0.02	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960452	Rock	<0.01	<0.001	2	2	0.02	37	0.001	<1	0.07	0.003	0.04	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960453	Rock	<0.01	0.001	<1	3	<0.01	26	<0.001	<1	0.02	<0.001	0.01	<0.1	0.03	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960454	Rock	<0.01	<0.001	2	2	<0.01	9	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960455	Rock	<0.01	<0.001	3	2	0.01	36	<0.001	<1	0.07	<0.001	0.05	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960456	Rock	0.02	<0.001	<1	2	0.03	14	0.002	<1	0.03	<0.001	<0.01	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960457	Rock	0.01	0.004	2	3	0.05	41	0.001	<1	0.10	0.002	0.03	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960458	Rock	<0.01	0.001	5	2	<0.01	41	<0.001	<1	0.07	0.007	0.06	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960459	Rock	0.02	0.004	3	3	0.06	143	0.004	<1	0.08	0.008	0.03	0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960460	Rock	<0.01	0.002	1	3	0.04	15	<0.001	<1	0.04	0.001	<0.01	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960461	Rock	0.01	0.003	<1	3	0.04	14	<0.001	<1	0.05	0.005	<0.01	<0.1	0.21	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960462	Rock	<0.01	<0.001	<1	2	0.04	6	<0.001	<1	0.05	0.008	<0.01	<0.1	0.20	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960463	Rock	0.02	0.011	2	2	0.06	6	<0.001	<1	0.07	<0.001	<0.01	0.9	0.06	0.3	<0.1	<0.05	<1	0.6	0.2
1960464	Rock	<0.01	0.003	27	2	0.01	8	<0.001	<1	0.03	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960465	Rock	0.06	0.016	<1	3	0.05	10	0.004	<1	0.08	0.005	<0.01	0.3	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960466	Rock	0.01	0.006	<1	3	0.01	6	<0.001	<1	0.03	0.004	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960467	Rock	0.01	0.001	<1	3	0.04	7	0.002	<1	0.05	0.003	<0.01	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960468	Rock	<0.01	0.002	2	3	0.04	40	<0.001	<1	0.07	0.002	0.02	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960469	Rock	0.01	0.003	1	3	0.03	1708	<0.001	<1	0.05	0.002	0.02	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960470	Rock	0.07	0.028	6	11	0.35	80	0.003	<1	0.49	0.042	0.07	<0.1	<0.01	1.3	<0.1	<0.05	2	<0.5	<0.2
1960471	Rock	0.01	0.006	2	2	0.04	31	<0.001	<1	0.08	0.004	0.04	<0.1	0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960472	Rock	0.03	0.008	2	3	0.06	42	0.003	<1	0.10	0.003	0.05	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960473	Rock	1.36	0.006	13	2	0.21	148	<0.001	<1	0.12	0.017	0.08	0.1	<0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2
1960474	Rock	0.01	0.005	6	3	0.06	57	0.001	<1	0.14	0.006	0.07	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960475	Rock	<0.01	0.003	2	3	0.03	27	<0.001	<1	0.07	0.003	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: July 29, 2015

Page: 3 of 7

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

**WHI1500065.1**

Method Analyte	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Unit	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	0.1	
1960476	Rock	2.11	<0.005	0.2	1.6	2.7	2	<0.1	1.2	0.5	108	0.30	0.9	<0.1	<0.5	0.1	6	<0.1	0.3	<0.1	<2	
1960477	Rock	1.71	<0.005	0.2	3.4	5.9	16	<0.1	2.8	1.0	176	0.53	1.4	0.1	3.8	0.4	4	0.3	0.1	<0.1	4	
1960478	Rock	1.53	<0.005	0.1	5.7	5.0	5	<0.1	0.9	0.6	60	0.29	1.2	<0.1	<0.5	1.2	29	<0.1	0.9	<0.1	<2	
1960479	Rock	0.97	<0.005	0.1	0.9	1.8	2	<0.1	0.9	0.2	39	0.34	<0.5	<0.1	0.8	0.3	<1	<0.1	0.2	<0.1	<2	
1960480	Rock	0.68	0.012	0.5	2.5	27.9	3	1.8	0.7	0.2	30	0.30	0.9	<0.1	62.6	0.4	2	<0.1	0.6	0.9	<2	
1960481	Rock	0.89	<0.005	0.1	3.7	3.0	4	0.1	0.8	0.2	45	0.38	<0.5	<0.1	2.0	0.3	<1	<0.1	0.5	<0.1	<2	
1960482	Rock	0.70	<0.005	0.3	6.7	17.0	9	0.4	1.2	0.8	69	0.38	0.8	0.2	<0.5	0.9	5	<0.1	1.1	0.2	<2	
1960483	Rock	1.12	<0.005	0.1	11.1	1.8	6	0.3	0.9	0.7	57	0.38	2.5	0.3	1.8	1.3	<1	<0.1	0.6	<0.1	<2	
1960484	Rock	1.02	<0.005	0.1	5.4	2.0	6	<0.1	0.8	1.0	81	0.39	<0.5	0.2	0.8	1.3	<1	<0.1	0.1	<0.1	<2	
1960485	Rock	1.40	0.116	0.1	0.8	0.4	<1	<0.1	0.8	0.2	43	0.34	<0.5	<0.1	2.4	0.1	<1	<0.1	<0.1	<0.1	<2	
1960486	Rock	1.58	<0.005	0.1	0.6	1.6	<1	<0.1	0.6	0.1	27	0.25	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960487	Rock	1.03	<0.005	<0.1	1.1	2.3	2	<0.1	0.5	0.2	39	0.32	<0.5	<0.1	2.4	<0.1	<1	<0.1	0.2	<0.1	<2	
1960488	Rock	1.02	<0.005	0.1	12.5	21.1	9	0.3	0.8	0.3	42	0.38	1.2	0.7	<0.5	0.8	<1	<0.1	0.6	0.7	3	
1960489	Rock	1.42	<0.005	<0.1	1.1	5.9	1	<0.1	0.7	0.2	43	0.28	<0.5	<0.1	<0.5	0.1	<1	<0.1	0.3	<0.1	<2	
1960490	Rock	1.59	<0.005	<0.1	3.1	2.4	3	<0.1	0.8	0.5	55	0.35	<0.5	<0.1	<0.5	0.7	<1	<0.1	0.2	<0.1	<2	
1960491	Rock	1.35	<0.005	<0.1	1.4	13.5	1	0.2	0.7	0.1	36	0.30	<0.5	<0.1	<0.5	0.2	<1	<0.1	0.2	0.4	<2	
1960492	Rock	1.72	0.018	0.1	3.5	22.8	39	0.1	0.8	0.2	66	0.33	<0.5	<0.1	11.4	0.5	1	0.6	0.5	0.2	<2	
1960493	Rock	1.66	<0.005	0.1	5.2	5.2	6	0.1	1.0	0.4	47	0.34	<0.5	<0.1	0.8	0.6	<1	<0.1	0.2	<0.1	<2	
1960494	Rock	1.99	0.008	0.1	6.0	4.5	8	<0.1	1.0	0.3	43	0.33	<0.5	<0.1	2.6	0.2	<1	<0.1	0.1	<0.1	<2	
1960495	Rock	1.74	<0.005	0.2	2.7	6.6	3	0.1	1.0	0.2	53	0.38	0.5	<0.1	<0.5	0.4	<1	<0.1	0.6	0.1	<2	
1960496	Rock	1.73	<0.005	<0.1	3.0	7.7	6	0.1	0.8	0.2	43	0.29	<0.5	<0.1	0.9	0.2	<1	<0.1	0.5	0.2	<2	
1960497	Rock	1.47	<0.005	<0.1	1.3	3.6	6	<0.1	0.9	0.2	45	0.31	<0.5	<0.1	<0.5	<0.1	<1	<0.1	0.4	<0.1	<2	
1960498	Rock	1.78	0.117	0.2	4.9	8.9	5	0.3	1.1	0.5	62	0.61	7.7	1.6	15.5	11.8	4	0.1	0.7	0.2	<2	
1960499	Rock	1.29	<0.005	0.1	2.8	8.3	7	<0.1	0.8	0.4	51	0.35	1.2	0.3	1.3	0.7	<1	<0.1	0.4	<0.1	<2	
1960500	Rock	1.59	<0.005	<0.1	1.2	7.7	2	<0.1	0.8	0.1	37	0.35	1.7	0.2	1.0	0.8	<1	<0.1	0.4	<0.1	<2	
1960660	Rock	2.33	<0.005	0.2	2.9	20.8	24	0.1	1.4	1.7	156	0.63	1.2	0.1	<0.5	0.2	19	0.2	0.2	<0.1	5	
1960661	Rock	2.30	<0.005	0.3	6.0	2.2	13	<0.1	1.0	2.9	570	0.95	1.9	<0.1	2.7	0.2	7	<0.1	0.1	<0.1	8	
1960662	Rock	1.08	<0.005	0.1	13.1	8.6	6	<0.1	1.5	0.4	79	0.39	<0.5	<0.1	<0.5	<0.1	7	<0.1	<0.1	<0.1	3	
1960663	Rock	0.81	<0.005	0.1	1.3	7.2	8	<0.1	1.8	0.7	81	0.50	1.9	<0.1	1.6	0.6	3	<0.1	0.1	<0.1	<2	
1960664	Rock	1.34	<0.005	<0.1	1.0	1.4	3	<0.1	0.8	0.2	47	0.31	<0.5	<0.1	<0.5	<0.1	6	<0.1	0.2	<0.1	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 29, 2015

**Page:** 3 of 7

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

## WHI1500065.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1960476	Rock	0.05	0.013	<1	3	0.01	26	<0.001	<1	0.03	<0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960477	Rock	0.04	0.004	1	6	0.14	83	0.003	<1	0.16	0.009	0.03	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1960478	Rock	0.06	0.020	3	3	0.06	1002	0.004	<1	0.11	0.024	0.05	<0.1	0.05	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960479	Rock	<0.01	<0.001	<1	3	<0.01	23	<0.001	<1	0.02	0.002	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960480	Rock	0.01	0.007	1	2	<0.01	20	<0.001	<1	0.02	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960481	Rock	<0.01	0.001	<1	2	0.02	19	<0.001	<1	0.04	0.003	0.02	<0.1	0.03	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960482	Rock	0.04	0.016	3	3	0.05	59	0.001	<1	0.10	0.004	0.04	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960483	Rock	<0.01	0.002	5	2	0.02	47	<0.001	<1	0.08	0.007	0.04	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960484	Rock	<0.01	0.001	4	3	0.02	44	<0.001	1	0.09	0.006	0.05	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960485	Rock	<0.01	<0.001	<1	3	<0.01	13	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960486	Rock	<0.01	<0.001	<1	2	<0.01	9	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960487	Rock	<0.01	<0.001	<1	2	<0.01	7	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960488	Rock	<0.01	<0.001	2	3	<0.01	9	<0.001	<1	0.02	0.001	<0.01	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960489	Rock	<0.01	<0.001	<1	2	<0.01	8	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960490	Rock	<0.01	<0.001	2	3	<0.01	17	<0.001	<1	0.05	0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960491	Rock	<0.01	<0.001	<1	2	<0.01	9	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960492	Rock	<0.01	<0.001	<1	2	0.01	45	<0.001	<1	0.04	<0.001	<0.01	0.1	0.05	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960493	Rock	<0.01	0.001	1	3	0.03	14	<0.001	<1	0.06	0.008	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960494	Rock	<0.01	0.002	<1	3	0.01	10	<0.001	<1	0.04	0.006	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960495	Rock	<0.01	0.002	1	3	0.03	30	<0.001	<1	0.05	0.002	0.02	<0.1	0.02	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960496	Rock	<0.01	<0.001	<1	2	0.01	20	<0.001	<1	0.03	<0.001	<0.01	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960497	Rock	<0.01	<0.001	<1	2	0.02	6	<0.001	<1	0.04	0.002	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960498	Rock	0.04	0.004	23	2	0.03	148	0.002	<1	0.25	0.009	0.23	<0.1	0.02	0.6	<0.1	<0.05	1	<0.5	<0.2
1960499	Rock	<0.01	0.002	3	3	0.02	14	<0.001	<1	0.05	0.004	0.01	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960500	Rock	<0.01	<0.001	2	3	<0.01	26	<0.001	<1	0.04	<0.001	0.03	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960660	Rock	0.42	0.008	1	4	0.11	682	0.001	<1	0.16	0.009	0.05	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1960661	Rock	0.70	0.028	1	2	0.27	26	0.003	<1	0.36	0.003	0.02	<0.1	<0.01	1.8	<0.1	<0.05	1	<0.5	<0.2
1960662	Rock	0.19	0.003	<1	3	0.06	272	<0.001	<1	0.07	0.007	0.02	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960663	Rock	0.03	0.010	2	4	0.08	68	<0.001	<1	0.11	0.006	0.03	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960664	Rock	<0.01	0.004	<1	3	0.03	17	<0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 29, 2015

Page: 4 of 7

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI1500065.1

Method Analyte	Unit	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
1960665	Rock	0.77	0.064	0.2	3.0	11.3	10	0.3	0.6	0.4	75	0.54	3.3	0.5	38.1	7.5	4	<0.1	0.2	0.3	<2	
1960666	Rock	1.15	0.010	0.1	1.4	0.4	3	<0.1	0.7	0.3	33	0.29	0.7	<0.1	1.2	0.8	1	<0.1	0.3	<0.1	<2	
1960667	Rock	1.83	<0.005	0.1	2.3	4.4	4	<0.1	2.1	1.0	75	0.43	1.8	0.1	<0.5	0.7	2	<0.1	<0.1	<0.1	2	
1960668	Rock	1.18	0.006	0.7	4.3	26.7	28	0.1	1.7	1.7	233	0.51	0.9	0.2	4.1	0.8	20	0.1	0.5	0.1	3	
1960669	Rock	1.13	<0.005	0.2	3.0	11.0	16	<0.1	1.0	0.5	56	0.34	<0.5	0.2	<0.5	1.1	1	<0.1	0.2	<0.1	<2	
1960670	Rock	0.92	<0.005	<0.1	0.5	0.6	2	<0.1	0.8	0.2	43	0.34	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960671	Rock	1.23	<0.005	0.1	2.2	7.2	7	<0.1	0.9	0.3	45	0.32	0.5	<0.1	159.0	0.2	2	<0.1	0.1	<0.1	<2	
1960672	Rock	1.64	<0.005	0.7	4.1	7.4	34	<0.1	1.3	1.4	106	0.68	3.5	0.6	4.2	6.4	3	0.1	0.2	<0.1	2	
1960673	Rock	1.21	<0.005	0.2	1.0	9.4	7	<0.1	1.2	0.5	82	0.42	0.6	0.1	1.1	0.2	3	<0.1	0.1	<0.1	<2	
1960674	Rock	0.40	<0.005	0.1	0.7	1.4	2	<0.1	0.9	0.2	47	0.36	0.6	0.1	1.8	0.8	1	<0.1	<0.1	<0.1	<2	
1960675	Rock	0.66	<0.005	0.1	1.3	24.4	16	<0.1	0.9	0.6	130	0.39	<0.5	1.0	0.7	13.5	3	<0.1	<0.1	<0.1	<2	
1960676	Rock	1.36	0.025	0.1	2.2	3.1	<1	1.9	0.8	0.1	37	0.36	1.0	<0.1	42.9	<0.1	<1	<0.1	7.9	<0.1	<2	
1960677	Rock	1.06	0.007	<0.1	1.8	1.7	<1	<0.1	0.7	0.1	40	0.33	<0.5	0.2	2.1	1.8	<1	<0.1	0.5	<0.1	<2	
1960678	Rock	1.50	<0.005	0.1	1.2	0.4	<1	<0.1	0.9	0.1	40	0.35	<0.5	<0.1	2.5	0.1	<1	<0.1	0.5	<0.1	<2	
1960679	Rock	1.38	<0.005	0.1	3.2	3.0	<1	<0.1	0.7	0.1	51	0.32	<0.5	0.1	2.7	0.4	1	<0.1	0.1	<0.1	<2	
1960680	Rock	1.45	<0.005	<0.1	3.6	4.3	2	<0.1	0.9	0.2	51	0.41	0.6	0.1	2.1	0.7	<1	<0.1	<0.1	<0.1	<2	
1960681	Rock	1.56	<0.005	<0.1	2.1	2.5	3	<0.1	0.9	0.2	45	0.39	0.6	0.2	2.9	2.1	<1	<0.1	0.2	<0.1	<2	
1960682	Rock	1.37	<0.005	<0.1	0.5	0.5	<1	<0.1	0.7	<0.1	31	0.26	<0.5	<0.1	1.9	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960683	Rock	1.63	<0.005	0.1	3.9	1.3	1	<0.1	1.0	0.2	46	0.36	<0.5	0.1	1.8	1.1	<1	<0.1	<0.1	<0.1	<2	
1960684	Rock	1.10	0.010	<0.1	4.3	1.8	1	0.1	0.8	0.2	40	0.34	<0.5	<0.1	16.7	0.8	<1	<0.1	0.4	<0.1	<2	
1960685	Rock	1.49	<0.005	0.1	1.1	1.5	1	0.1	0.9	0.2	45	0.33	<0.5	0.2	1.9	1.1	<1	<0.1	0.4	<0.1	<2	
1960686	Rock	1.49	<0.005	0.1	1.5	2.7	<1	<0.1	0.9	0.3	52	0.37	<0.5	<0.1	2.0	0.2	<1	<0.1	0.3	<0.1	<2	
1960687	Rock	1.80	<0.005	<0.1	1.5	0.7	<1	<0.1	0.8	0.1	50	0.36	0.6	<0.1	2.1	0.5	<1	<0.1	0.4	<0.1	<2	
1960688	Rock	0.99	<0.005	<0.1	1.2	0.4	<1	<0.1	0.8	0.2	35	0.30	<0.5	<0.1	2.0	0.1	<1	<0.1	0.1	<0.1	<2	
1960689	Rock	1.99	<0.005	0.2	8.1	48.0	9	0.4	1.2	0.7	106	0.37	0.5	<0.1	1.9	0.5	96	<0.1	0.5	0.3	<2	
1960690	Rock	1.67	<0.005	0.1	2.4	13.5	3	<0.1	0.9	0.7	72	0.31	<0.5	<0.1	4.1	<0.1	3	<0.1	0.4	<0.1	<2	
1960691	Rock	1.23	<0.005	0.3	3.1	8.3	11	<0.1	1.3	0.6	198	0.48	<0.5	0.2	0.7	0.2	8	<0.1	0.1	<0.1	<2	
1960692	Rock	1.24	<0.005	0.2	5.0	30.8	8	0.1	0.9	0.8	187	0.38	<0.5	0.1	1.6	0.6	5	<0.1	0.5	<0.1	<2	
1960693	Rock	1.29	<0.005	0.2	1.9	0.5	1	<0.1	1.0	0.4	76	0.32	<0.5	<0.1	2.4	0.1	<1	<0.1	0.3	<0.1	<2	
1960694	Rock	1.60	<0.005	<0.1	5.8	12.9	10	0.3	0.6	0.2	50	0.27	0.5	<0.1	4.1	<0.1	<1	<0.1	0.9	<0.1	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: July 29, 2015

Page: 4 of 7

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI1500065.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1960665	Rock	<0.01	0.005	12	2	0.03	242	0.001	<1	0.22	0.022	0.25	<0.1	<0.01	0.8	<0.1	<0.05	1	<0.5	<0.2
1960666	Rock	<0.01	0.002	3	2	0.01	16	<0.001	<1	0.03	0.007	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960667	Rock	0.03	0.011	1	4	0.06	30	0.001	<1	0.11	0.002	0.03	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
1960668	Rock	0.03	0.006	3	3	0.15	1268	0.004	<1	0.14	0.004	0.03	0.5	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960669	Rock	<0.01	0.003	6	3	0.03	68	<0.001	<1	0.09	0.004	0.05	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960670	Rock	<0.01	<0.001	<1	3	0.01	6	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960671	Rock	0.02	0.004	<1	3	0.02	22	<0.001	<1	0.06	0.018	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960672	Rock	0.03	0.005	17	3	0.05	168	0.001	<1	0.24	0.023	0.12	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1960673	Rock	0.04	0.012	<1	3	0.04	17	<0.001	<1	0.05	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960674	Rock	<0.01	0.002	2	3	<0.01	38	0.001	2	0.07	0.002	0.04	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960675	Rock	0.01	0.004	32	2	0.09	163	<0.001	<1	0.31	0.034	0.22	0.1	<0.01	0.5	<0.1	<0.05	1	<0.5	<0.2
1960676	Rock	<0.01	0.001	<1	3	<0.01	10	<0.001	1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960677	Rock	<0.01	0.002	7	2	<0.01	20	<0.001	<1	0.05	0.006	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960678	Rock	<0.01	<0.001	<1	3	<0.01	8	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960679	Rock	<0.01	<0.001	<1	2	<0.01	305	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960680	Rock	<0.01	0.002	3	3	<0.01	81	<0.001	<1	0.05	0.001	0.03	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960681	Rock	<0.01	0.001	6	3	<0.01	43	<0.001	<1	0.08	0.004	0.06	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960682	Rock	<0.01	<0.001	<1	2	<0.01	4	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960683	Rock	<0.01	<0.001	4	3	<0.01	32	<0.001	<1	0.04	0.002	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960684	Rock	<0.01	<0.001	3	2	<0.01	21	<0.001	1	0.06	0.001	0.04	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960685	Rock	<0.01	0.001	2	3	<0.01	15	<0.001	<1	0.03	0.003	0.02	0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960686	Rock	<0.01	<0.001	<1	3	<0.01	16	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960687	Rock	<0.01	<0.001	2	3	<0.01	21	<0.001	<1	0.03	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960688	Rock	<0.01	<0.001	<1	3	<0.01	13	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960689	Rock	0.05	0.007	2	3	0.07	2284	<0.001	<1	0.06	0.006	0.01	<0.1	0.03	0.2	<0.1	0.06	<1	<0.5	<0.2
1960690	Rock	0.02	0.008	<1	2	0.02	17	<0.001	<1	0.04	0.004	0.02	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960691	Rock	0.05	0.021	<1	3	0.09	35	<0.001	<1	0.09	0.003	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960692	Rock	0.04	0.014	2	2	0.06	53	0.002	<1	0.07	0.004	0.04	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960693	Rock	<0.01	<0.001	<1	3	<0.01	16	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960694	Rock	<0.01	<0.001	<1	2	0.01	9	<0.001	<1	0.03	0.004	<0.01	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2



# CERTIFICATE OF ANALYSIS

WHI1500065.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1		
1960695	Rock	1.55	0.010	0.3	29.1	63.8	32	0.5	2.1	1.2	128	0.79	4.1	0.4	6.8	2.1	3	0.1	0.3	3.3	6	
1960696	Rock	1.58	0.044	0.4	47.7	375.7	121	1.9	1.3	0.8	138	0.69	4.3	0.9	20.3	0.4	2	0.1	1.1	0.9	<2	
1960697	Rock	1.29	<0.005	0.3	6.4	16.0	16	0.2	2.8	1.3	179	0.74	1.4	<0.1	3.6	0.5	24	<0.1	<0.1	0.3	7	
1960698	Rock	3.45	0.941	0.3	10.4	10.6	9	3.1	0.9	0.3	49	0.43	3.2	0.4	73.9	6.4	1	<0.1	1.2	0.1	<2	
1960699	Rock	1.59	0.021	0.2	1.6	3.7	3	0.1	1.1	0.4	76	0.41	0.9	<0.1	9.1	0.1	<1	<0.1	0.2	<0.1	<2	
1960700	Rock	2.06	<0.005	0.1	1.3	2.4	4	<0.1	0.9	0.4	60	0.36	0.8	<0.1	3.5	0.3	<1	<0.1	0.3	<0.1	<2	
1960751	Rock	1.37	<0.005	0.1	0.9	10.1	1	<0.1	0.9	0.2	39	0.34	<0.5	0.2	3.3	0.3	<1	<0.1	0.3	0.2	<2	
1960752	Rock	1.06	<0.005	<0.1	0.8	7.6	4	<0.1	0.9	0.2	50	0.30	0.7	0.2	2.9	1.4	<1	<0.1	0.2	<0.1	<2	
1960753	Rock	1.13	<0.005	0.1	1.2	1.8	7	<0.1	0.8	0.3	49	0.36	1.5	<0.1	1.3	<0.1	1	<0.1	0.5	<0.1	<2	
1960754	Rock	1.85	<0.005	0.1	1.2	11.7	6	<0.1	0.8	0.3	66	0.36	0.6	<0.1	1.1	0.9	9	<0.1	<0.1	0.2	<2	
1960755	Rock	1.31	<0.005	<0.1	1.2	7.7	4	<0.1	0.7	0.3	53	0.27	0.7	<0.1	<0.5	0.1	1	<0.1	0.2	0.5	<2	
1960756	Rock	1.11	<0.005	<0.1	1.6	5.2	7	<0.1	0.7	0.1	46	0.33	<0.5	<0.1	1.6	0.6	<1	<0.1	0.1	<0.1	<2	
1960757	Rock	0.86	<0.005	0.1	0.9	3.5	2	<0.1	0.8	0.3	45	0.34	0.5	<0.1	1.0	0.2	<1	<0.1	0.1	<0.1	<2	
1960758	Rock	1.85	<0.005	0.1	4.6	25.5	7	0.3	0.7	0.3	56	0.31	0.6	0.1	0.8	0.2	<1	<0.1	<0.1	0.4	<2	
1960759	Rock	1.66	<0.005	0.1	2.1	5.0	8	<0.1	1.4	0.6	79	0.44	2.0	0.3	<0.5	1.4	5	<0.1	0.3	<0.1	<2	
1960760	Rock	1.57	<0.005	<0.1	5.7	36.7	29	0.4	0.8	0.3	97	0.34	0.9	0.1	0.5	0.4	<1	<0.1	0.2	2.5	<2	
1960761	Rock	1.48	0.006	0.3	4.8	23.2	14	0.2	1.2	0.9	91	0.57	4.8	1.3	3.9	4.1	3	0.1	0.5	0.3	<2	
1960762	Rock	1.61	<0.005	0.2	1.3	3.5	7	<0.1	0.7	0.2	40	0.36	1.3	0.1	1.0	0.3	<1	<0.1	0.2	<0.1	<2	
1960763	Rock	1.44	<0.005	0.1	1.7	1.8	4	<0.1	0.8	0.1	38	0.35	0.8	0.1	0.8	0.5	<1	<0.1	0.2	<0.1	<2	
1960764	Rock	1.78	<0.005	0.1	5.6	7.7	9	0.3	0.9	0.4	85	0.38	0.9	0.2	1.3	1.1	1	<0.1	1.0	<0.1	<2	
1960765	Rock	1.46	<0.005	0.2	2.2	5.4	10	0.2	1.0	0.3	46	0.44	1.7	0.3	1.0	1.1	3	<0.1	0.3	0.4	<2	
1960766	Rock	2.04	<0.005	0.1	2.7	2.7	3	<0.1	0.9	0.4	39	0.38	1.0	0.2	1.5	1.0	1	<0.1	0.3	<0.1	<2	
1960767	Rock	2.08	<0.005	<0.1	0.8	2.5	1	<0.1	0.7	0.2	42	0.35	0.6	<0.1	1.6	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960768	Rock	1.64	<0.005	0.2	4.6	14.0	11	0.1	1.2	0.9	98	0.50	0.9	0.6	<0.5	4.4	14	0.1	0.5	0.3	<2	
1960769	Rock	1.42	<0.005	0.2	1.0	2.1	2	<0.1	1.0	0.2	47	0.41	0.7	<0.1	<0.5	0.2	<1	<0.1	0.2	<0.1	<2	
1960770	Rock	1.00	<0.005	0.1	2.5	3.0	6	0.1	0.8	0.3	43	0.38	1.3	0.2	0.6	1.5	2	<0.1	0.6	<0.1	<2	
1960771	Rock	2.30	<0.005	<0.1	0.9	0.6	2	<0.1	0.7	0.2	34	0.31	<0.5	<0.1	<0.5	0.3	<1	<0.1	0.1	<0.1	<2	
1960772	Rock	1.41	<0.005	0.1	0.7	1.0	1	<0.1	0.7	0.2	37	0.33	0.6	<0.1	1.0	0.1	<1	<0.1	0.1	<0.1	<2	
1960773	Rock	1.85	<0.005	0.1	0.7	1.8	1	<0.1	0.7	0.1	37	0.33	0.6	<0.1	<0.5	0.4	<1	<0.1	0.1	<0.1	<2	
1960774	Rock	0.90	<0.005	0.1	1.2	0.7	1	<0.1	0.7	0.2	40	0.35	0.6	<0.1	<0.5	0.2	<1	<0.1	0.3	<0.1	<2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: July 29, 2015

Page: 5 of 7

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI1500065.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1960695	Rock	0.03	0.006	6	4	0.11	60	0.004	<1	0.24	0.004	0.08	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1960696	Rock	0.02	0.004	2	3	0.11	27	0.001	<1	0.14	0.002	0.02	0.2	0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
1960697	Rock	0.33	0.006	3	6	0.21	35	0.002	<1	0.26	0.005	0.04	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1960698	Rock	<0.01	0.003	19	2	0.04	134	<0.001	<1	0.21	0.008	0.19	<0.1	0.06	0.6	<0.1	<0.05	<1	<0.5	<0.2
1960699	Rock	<0.01	<0.001	<1	3	0.02	24	<0.001	<1	0.05	0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960700	Rock	<0.01	<0.001	1	3	0.02	27	<0.001	<1	0.05	0.001	0.03	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960751	Rock	<0.01	0.001	1	2	<0.01	20	<0.001	<1	0.03	<0.001	0.02	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960752	Rock	<0.01	0.001	6	2	0.02	32	<0.001	<1	0.05	<0.001	0.02	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960753	Rock	<0.01	0.001	<1	2	0.03	27	<0.001	<1	0.04	<0.001	<0.01	<0.1	0.02	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960754	Rock	0.12	0.056	3	3	0.04	64	0.001	<1	0.11	0.004	0.06	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960755	Rock	<0.01	<0.001	<1	2	0.01	33	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960756	Rock	<0.01	0.001	<1	3	0.01	27	<0.001	<1	0.03	<0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960757	Rock	<0.01	<0.001	<1	3	0.01	12	<0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960758	Rock	<0.01	<0.001	<1	2	<0.01	33	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960759	Rock	0.04	0.003	4	3	0.08	57	0.006	<1	0.12	0.008	0.05	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960760	Rock	0.01	0.001	1	2	0.05	45	<0.001	<1	0.09	<0.001	0.02	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960761	Rock	0.01	0.007	9	3	0.05	123	0.002	1	0.19	0.016	0.11	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
1960762	Rock	<0.01	0.001	1	3	<0.01	35	<0.001	<1	0.03	<0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960763	Rock	<0.01	0.001	1	3	<0.01	11	<0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960764	Rock	<0.01	0.002	6	2	0.04	74	0.001	<1	0.11	0.004	0.06	<0.1	0.04	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960765	Rock	0.02	0.008	4	3	0.04	54	0.002	<1	0.11	0.005	0.05	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960766	Rock	<0.01	0.002	3	2	0.02	40	<0.001	<1	0.06	0.007	0.04	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960767	Rock	<0.01	<0.001	<1	3	<0.01	8	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1960768	Rock	0.12	0.012	12	2	0.10	178	0.003	<1	0.30	0.032	0.15	<0.1	<0.01	1.2	<0.1	<0.05	1	<0.5	<0.2
1960769	Rock	<0.01	0.001	<1	3	0.01	14	<0.001	<1	0.03	0.004	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960770	Rock	0.01	0.003	7	3	0.02	63	0.001	<1	0.11	0.026	0.05	0.2	0.04	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960771	Rock	<0.01	<0.001	<1	3	<0.01	20	<0.001	<1	0.03	<0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960772	Rock	<0.01	<0.001	<1	3	<0.01	14	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960773	Rock	<0.01	<0.001	1	2	<0.01	26	<0.001	<1	0.04	0.008	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960774	Rock	<0.01	<0.001	<1	3	<0.01	13	<0.001	<1	0.02	0.002	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2



# CERTIFICATE OF ANALYSIS

WHI1500065.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1
1960775	Rock	1.56	0.047	0.6	9.1	27.2	33	0.6	5.4	3.6	124	1.53	9.1	1.2	37.4	4.4	15	0.4	0.4	0.3	<2	
1960776	Rock	2.57	<0.005	0.5	2.6	11.3	12	<0.1	1.4	1.4	180	0.42	1.2	0.2	1.6	0.1	1	<0.1	<0.1	0.4	<2	
1960777	Rock	1.55	<0.005	0.2	1.3	1.3	4	<0.1	1.1	0.2	95	0.41	<0.5	<0.1	1.7	<0.1	<1	<0.1	0.1	<0.1	<2	
1960778	Rock	2.47	<0.005	0.5	3.2	2.1	7	0.1	1.3	0.4	73	0.69	6.2	0.4	<0.5	0.3	3	0.1	1.4	<0.1	<2	
1960779	Rock	1.61	<0.005	0.4	12.7	68.4	31	1.8	0.9	0.4	55	0.46	9.9	0.2	0.7	0.9	<1	<0.1	1.7	2.5	<2	
1960780	Rock	1.89	<0.005	0.1	1.7	28.8	1	0.1	0.9	0.6	42	0.41	1.4	0.2	2.2	0.8	3	<0.1	0.4	0.3	<2	
1960781	Rock	1.65	<0.005	0.1	1.1	2.1	3	<0.1	0.9	0.1	63	0.36	0.8	<0.1	1.4	<0.1	<1	<0.1	0.1	<0.1	<2	
1960782	Rock	2.00	<0.005	0.2	3.2	5.7	11	<0.1	0.7	0.2	39	0.35	1.5	0.1	<0.5	0.2	<1	<0.1	0.2	<0.1	<2	
1960783	Rock	1.84	<0.005	0.1	1.3	1.8	<1	<0.1	0.7	0.1	35	0.34	0.7	<0.1	<0.5	<0.1	<1	<0.1	0.3	<0.1	<2	
1960784	Rock	1.51	<0.005	0.1	0.7	2.3	3	<0.1	0.8	0.2	43	0.36	1.0	<0.1	1.2	0.5	<1	<0.1	<0.1	<0.1	<2	
1960785	Rock	2.73	0.016	0.4	2.0	8.6	4	0.3	0.8	0.2	44	0.32	0.7	<0.1	34.0	0.3	54	<0.1	0.4	<0.1	<2	
1960786	Rock	1.70	<0.005	0.2	1.1	2.0	2	<0.1	1.0	0.2	52	0.43	1.8	0.1	1.8	0.4	<1	<0.1	0.2	<0.1	<2	
1960787	Rock	1.28	0.006	0.2	2.6	5.5	9	0.3	0.9	0.2	40	0.37	1.6	0.2	3.6	0.6	2	<0.1	0.5	<0.1	<2	
1960788	Rock	1.26	0.764	0.2	1.9	1.3	2	0.5	0.7	0.3	38	0.35	0.8	<0.1	7399.9	0.2	<1	<0.1	0.1	<0.1	<2	
1960789	Rock	1.20	<0.005	0.1	1.1	3.6	3	<0.1	0.9	0.2	63	0.35	1.0	<0.1	3.0	0.2	<1	<0.1	0.3	<0.1	<2	
1960790	Rock	1.92	<0.005	0.1	0.9	2.4	4	<0.1	0.9	0.2	52	0.39	<0.5	<0.1	2.2	0.3	<1	<0.1	0.1	<0.1	<2	
1960791	Rock	1.66	<0.005	<0.1	2.7	0.8	<1	<0.1	0.5	0.1	24	0.25	0.5	<0.1	<0.5	0.5	<1	<0.1	0.4	<0.1	<2	
1960792	Rock	1.23	0.022	<0.1	1.1	0.5	<1	0.2	0.6	0.1	33	0.30	<0.5	<0.1	26.7	<0.1	<1	<0.1	0.1	<0.1	<2	
1960793	Rock	1.49	<0.005	<0.1	0.4	0.5	<1	<0.1	0.8	<0.1	36	0.34	<0.5	<0.1	38.9	0.1	<1	<0.1	<0.1	<0.1	<2	
1960794	Rock	1.07	<0.005	<0.1	0.7	2.4	1	<0.1	0.8	0.1	38	0.31	<0.5	<0.1	2.4	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960795	Rock	0.53	0.044	0.1	8.0	13.2	6	0.1	1.7	2.2	39	0.52	3.4	<0.1	13.7	0.1	<1	<0.1	0.1	<0.1	<2	
1960796	Rock	0.99	0.083	<0.1	0.5	0.5	<1	<0.1	0.9	0.3	40	0.35	0.5	<0.1	1.1	<0.1	<1	<0.1	<0.1	<0.1	<2	
1960797	Rock	1.19	<0.005	0.2	2.9	9.2	2	<0.1	1.2	0.9	46	0.40	2.0	0.3	0.5	2.0	2	<0.1	0.3	0.1	<2	
1960798	Rock	1.16	0.010	0.2	6.9	11.6	8	0.1	2.5	1.2	52	0.49	9.8	0.1	10.1	<0.1	<1	<0.1	0.3	0.2	<2	
1960799	Rock	1.43	0.012	26.4	24.2	183.4	59	0.9	1.2	0.5	54	0.62	33.9	0.4	14.2	<0.1	1	0.4	8.4	<0.1	<2	
1960800	Rock	1.06	<0.005	0.2	3.1	12.7	2	0.1	1.0	1.2	66	0.41	<0.5	0.1	1.7	0.1	2	<0.1	0.3	0.4	<2	
1960801	Rock	1.70	0.337	0.5	1.4	1.8	3	0.2	1.6	0.8	86	0.59	6.4	0.1	239.3	<0.1	1	<0.1	0.2	<0.1	<2	
1961773	Rock	1.06	<0.005	<0.1	6.5	13.1	5	<0.1	2.0	4.2	315	0.65	0.7	0.2	1.3	0.3	23	0.1	<0.1	<0.1	3	
1961774	Rock	1.10	<0.005	0.4	8.9	37.9	40	0.1	9.2	13.0	1862	2.81	5.8	0.2	2.3	1.1	121	0.4	0.2	<0.1	17	
1961775	Rock	1.15	0.010	1.1	11.3	12.8	20	0.2	6.7	19.5	1241	3.92	28.7	0.3	13.1	1.9	93	0.1	0.4	<0.1	15	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 29, 2015

**Page:** 6 of 7

**Part:** 2 of 2

## CERTIFICATE OF ANALYSIS

### WHI1500065.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1960775	Rock	0.15	0.068	12	4	0.10	145	0.001	<1	0.30	0.067	0.15	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1960776	Rock	0.02	0.008	<1	2	0.05	25	<0.001	<1	0.07	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960777	Rock	<0.01	<0.001	<1	3	0.02	17	<0.001	<1	0.03	0.003	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960778	Rock	<0.01	0.008	<1	3	<0.01	18	0.004	<1	0.04	0.002	0.01	<0.1	0.12	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960779	Rock	<0.01	0.003	5	3	0.01	27	<0.001	<1	0.05	<0.001	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960780	Rock	<0.01	0.002	3	3	<0.01	40	0.001	<1	0.05	0.012	0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960781	Rock	<0.01	<0.001	<1	3	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960782	Rock	<0.01	0.001	<1	2	0.01	40	<0.001	<1	0.05	<0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960783	Rock	<0.01	<0.001	<1	3	<0.01	9	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960784	Rock	<0.01	0.001	2	3	0.02	43	<0.001	<1	0.06	0.001	0.04	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960785	Rock	0.05	0.022	2	2	<0.01	2286	<0.001	<1	0.04	0.003	0.02	<0.1	<0.01	0.1	<0.1	0.06	<1	<0.5	0.4
1960786	Rock	<0.01	<0.001	1	4	<0.01	26	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960787	Rock	0.01	0.002	3	2	0.06	138	<0.001	<1	0.13	0.002	0.06	<0.1	0.03	0.5	<0.1	<0.05	<1	<0.5	<0.2
1960788	Rock	<0.01	<0.001	<1	3	<0.01	71	<0.001	<1	0.03	<0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960789	Rock	<0.01	<0.001	<1	3	0.01	10	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960790	Rock	<0.01	<0.001	1	3	0.01	22	<0.001	<1	0.03	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960791	Rock	<0.01	<0.001	4	2	<0.01	9	<0.001	<1	0.03	0.003	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960792	Rock	<0.01	<0.001	<1	2	<0.01	73	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960793	Rock	<0.01	<0.001	<1	3	<0.01	33	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960794	Rock	<0.01	<0.001	<1	2	<0.01	3	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960795	Rock	<0.01	<0.001	<1	3	<0.01	9	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960796	Rock	<0.01	<0.001	<1	2	<0.01	9	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960797	Rock	<0.01	0.002	5	2	<0.01	36	<0.001	<1	0.04	0.001	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960798	Rock	<0.01	<0.001	<1	3	0.02	12	<0.001	<1	0.05	0.002	0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960799	Rock	0.01	0.002	1	3	0.02	30	<0.001	<1	0.05	<0.001	<0.01	0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960800	Rock	<0.01	0.001	<1	2	0.01	84	<0.001	<1	0.05	0.002	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960801	Rock	<0.01	0.002	<1	2	0.02	20	<0.001	1	0.04	0.001	0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1961773	Rock	1.44	0.002	4	3	0.12	20	<0.001	<1	0.16	0.003	0.02	<0.1	<0.01	1.1	<0.1	0.05	<1	<0.5	<0.2
1961774	Rock	8.51	0.046	6	19	1.10	32	0.001	<1	1.04	0.005	0.06	<0.1	<0.01	5.6	<0.1	1.41	2	<0.5	<0.2
1961775	Rock	6.53	0.053	7	7	0.75	43	0.003	<1	0.90	0.012	0.14	<0.1	<0.01	3.2	<0.1	3.56	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 29, 2015

**Page:** 7 of 7

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI1500065.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
1961776	Rock	1.18	<0.005	<0.1	21.7	35.1	45	0.1	1.5	11.2	2670	1.68	1.4	0.3	2.0	0.9	196	1.0	0.1	<0.1	12
1961777	Rock	1.64	0.009	<0.1	18.9	12.3	23	0.1	6.4	6.3	1738	1.78	3.8	<0.1	5.2	0.2	166	0.5	<0.1	<0.1	18
1961778	Rock	1.15	<0.005	<0.1	0.7	0.5	2	<0.1	1.6	1.1	52	0.49	32.4	<0.1	1.4	0.1	2	<0.1	<0.1	<0.1	<2
1961779	Rock	1.01	<0.005	0.3	6.2	2.3	6	0.1	4.7	2.5	74	0.83	146.7	0.1	3.3	0.1	2	<0.1	0.2	<0.1	<2
1961780	Rock	1.35	<0.005	12.7	35.7	23.8	68	0.5	35.5	8.6	645	1.81	<0.5	2.8	0.5	9.3	40	0.8	0.1	0.2	12
1961781	Rock	0.57	0.070	0.5	3.0	1079.7	362	5.5	8.5	1.0	84	0.70	36.4	0.1	138.6	0.4	9	3.1	10.3	2.8	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 29, 2015

**Page:** 7 of 7

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI1500065.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1961776	Rock	14.90	0.029	6	1	0.59	12	0.017	<1	0.68	0.005	0.03	<0.1	<0.01	4.8	<0.1	0.59	2	<0.5	<0.2
1961777	Rock	11.04	0.059	2	4	0.92	21	0.001	<1	1.02	0.006	0.05	<0.1	<0.01	7.9	<0.1	0.10	2	<0.5	<0.2
1961778	Rock	0.09	<0.001	<1	2	<0.01	10	<0.001	<1	0.02	0.012	<0.01	<0.1	<0.01	0.2	<0.1	0.17	<1	<0.5	<0.2
1961779	Rock	0.03	0.001	1	4	<0.01	44	<0.001	2	0.05	0.006	0.02	<0.1	<0.01	0.6	<0.1	0.14	<1	<0.5	<0.2
1961780	Rock	1.56	0.082	27	10	0.68	148	0.002	<1	0.23	0.080	0.09	<0.1	0.02	4.4	0.1	0.48	<1	1.4	<0.2
1961781	Rock	0.04	0.005	1	2	<0.01	171	<0.001	2	0.03	0.002	0.01	<0.1	0.10	0.6	<0.1	0.24	<1	1.9	<0.2
██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████
██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████
██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████	██████

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





# QUALITY CONTROL REPORT

WHI15000065.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm		
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1		
Pulp Duplicates																						
REP ROCK-WHI	QC	<0.005																				
1960461	Rock	1.85	0.018	0.1	11.7	13.7	11	0.5	0.8	0.6	82	0.33	1.1	0.1	6.2	0.3	2	<0.1	2.4	<0.1	<2	
REP 1960461	QC	0.013																				
1960464	Rock	1.84	<0.005	0.1	1.1	4.0	4	<0.1	0.8	0.3	43	0.30	1.1	<0.1	6.4	4.9	<1	<0.1	0.1	<0.1	<2	
REP 1960464	QC			0.1	1.3	3.9	4	<0.1	0.7	0.3	44	0.31	0.8	<0.1	1.6	4.9	<1	<0.1	0.1	<0.1	<2	
1960499	Rock	1.29	<0.005	0.1	2.8	8.3	7	<0.1	0.8	0.4	51	0.35	1.2	0.3	1.3	0.7	<1	<0.1	0.4	<0.1	<2	
REP 1960499	QC			0.1	3.0	8.3	7	0.1	0.8	0.4	50	0.35	1.0	0.3	<0.5	0.7	<1	<0.1	0.4	<0.1	<2	
1960679	Rock	1.38	<0.005	0.1	3.2	3.0	<1	<0.1	0.7	0.1	51	0.32	<0.5	0.1	2.7	0.4	1	<0.1	0.1	<0.1	<2	
REP 1960679	QC	<0.005																				
1960693	Rock	1.29	<0.005	0.2	1.9	0.5	1	<0.1	1.0	0.4	76	0.32	<0.5	<0.1	2.4	0.1	<1	<0.1	0.3	<0.1	<2	
REP 1960693	QC			0.2	2.1	0.6	1	<0.1	0.9	0.4	75	0.32	<0.5	<0.1	1.3	0.1	<1	<0.1	0.3	<0.1	<2	
1960695	Rock	1.55	0.010	0.3	29.1	63.8	32	0.5	2.1	1.2	128	0.79	4.1	0.4	6.8	2.1	3	0.1	0.3	3.3	6	
REP 1960695	QC	0.009																				
1960778	Rock	2.47	<0.005	0.5	3.2	2.1	7	0.1	1.3	0.4	73	0.69	6.2	0.4	<0.5	0.3	3	0.1	1.4	<0.1	<2	
REP 1960778	QC			0.6	3.6	2.1	7	0.1	1.4	0.5	74	0.68	5.9	0.5	0.9	0.3	3	0.1	1.5	<0.1	<2	
1961775	Rock	1.15	0.010	1.1	11.3	12.8	20	0.2	6.7	19.5	1241	3.92	28.7	0.3	13.1	1.9	93	0.1	0.4	<0.1	15	
REP 1961775	QC	0.008																				
██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	
██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	
Core Reject Duplicates																						
1960475	Rock	1.76	<0.005	0.3	4.7	3.3	11	<0.1	1.3	0.4	51	0.43	1.0	0.4	2.8	0.9	4	<0.1	0.2	<0.1	<2	
DUP 1960475	QC	<0.005		0.3	5.0	3.7	13	<0.1	1.5	0.4	54	0.48	0.6	0.5	1.3	0.9	4	<0.1	0.2	<0.1	<2	
1960668	Rock	1.18	0.006	0.7	4.3	26.7	28	0.1	1.7	1.7	233	0.51	0.9	0.2	4.1	0.8	20	0.1	0.5	0.1	3	
DUP 1960668	QC	<0.005		0.6	4.1	24.5	26	<0.1	1.7	1.6	229	0.53	0.7	0.2	<0.5	0.9	19	<0.1	0.5	<0.1	3	
1960752	Rock	1.06	<0.005	<0.1	0.8	7.6	4	<0.1	0.9	0.2	50	0.30	0.7	0.2	2.9	1.4	<1	<0.1	0.2	<0.1	<2	
DUP 1960752	QC	<0.005		<0.1	0.8	6.6	4	<0.1	0.8	0.2	46	0.31	0.6	0.2	3.0	1.1	<1	<0.1	0.2	<0.1	<2	
1960786	Rock	1.70	<0.005	0.2	1.1	2.0	2	<0.1	1.0	0.2	52	0.43	1.8	0.1	1.8	0.4	<1	<0.1	0.2	<0.1	<2	
DUP 1960786	QC	<0.005		0.1	0.8	1.6	2	<0.1	0.9	0.2	48	0.39	1.4	<0.1	1.5	0.3	<1	<0.1	0.2	<0.1	<2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: July 29, 2015

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI15000065.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
Pulp Duplicates																				
REP ROCK-WHI	QC																			
1960461	Rock	0.01	0.003	<1	3	0.04	14	<0.001	<1	0.05	0.005	<0.01	<0.1	0.21	0.1	<0.1	<0.05	<1	<0.5	<0.2
REP 1960461	QC																			
1960464	Rock	<0.01	0.003	27	2	0.01	8	<0.001	<1	0.03	0.004	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
REP 1960464	QC	<0.01	0.003	27	2	0.01	9	<0.001	<1	0.03	0.004	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960499	Rock	<0.01	0.002	3	3	0.02	14	<0.001	<1	0.05	0.004	0.01	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1960499	QC	<0.01	0.002	3	2	0.02	14	<0.001	<1	0.05	0.004	0.01	<0.1	0.03	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960679	Rock	<0.01	<0.001	<1	2	<0.01	305	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
REP 1960679	QC																			
1960693	Rock	<0.01	<0.001	<1	3	<0.01	16	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1960693	QC	<0.01	<0.001	<1	3	<0.01	16	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.02	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960695	Rock	0.03	0.006	6	4	0.11	60	0.004	<1	0.24	0.004	0.08	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
REP 1960695	QC																			
1960778	Rock	<0.01	0.008	<1	3	<0.01	18	0.004	<1	0.04	0.002	0.01	<0.1	0.12	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1960778	QC	<0.01	0.008	<1	3	<0.01	19	0.004	<1	0.04	0.002	0.01	<0.1	0.11	0.2	<0.1	<0.05	<1	<0.5	<0.2
1961775	Rock	6.53	0.053	7	7	0.75	43	0.003	<1	0.90	0.012	0.14	<0.1	<0.01	3.2	<0.1	3.56	2	<0.5	<0.2
REP 1961775	QC																			
██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████
██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████	██████████
Core Reject Duplicates																				
1960475	Rock	<0.01	0.003	2	3	0.03	27	<0.001	<1	0.07	0.003	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
DUP 1960475	QC	<0.01	0.003	2	3	0.04	29	<0.001	<1	0.08	0.004	0.03	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960668	Rock	0.03	0.006	3	3	0.15	1268	0.004	<1	0.14	0.004	0.03	0.5	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
DUP 1960668	QC	0.03	0.006	3	3	0.14	1193	0.004	<1	0.14	0.004	0.03	0.4	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960752	Rock	<0.01	0.001	6	2	0.02	32	<0.001	<1	0.05	<0.001	0.02	<0.1	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
DUP 1960752	QC	<0.01	0.001	5	2	0.02	29	<0.001	<1	0.04	<0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1960786	Rock	<0.01	<0.001	1	4	<0.01	26	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
DUP 1960786	QC	<0.01	<0.001	<1	3	<0.01	28	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000065.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Reference Materials																					
STD DS10	Standard			14.5	163.5	151.2	359	1.9	78.5	13.2	898	2.76	43.7	2.6	63.6	7.2	66	2.5	8.6	11.2	45
STD DS10	Standard			15.4	155.9	153.1	364	1.9	76.6	13.2	908	2.82	46.0	2.6	69.9	7.0	66	2.6	8.6	11.7	45
STD DS10	Standard			15.9	160.7	142.1	376	1.9	74.6	12.9	907	2.78	46.5	2.4	143.0	7.0	68	2.6	8.6	11.3	44
STD DS10	Standard			15.1	159.6	149.6	365	2.0	77.6	13.7	911	2.78	45.3	2.6	93.3	7.5	66	2.6	8.4	11.3	46
STD DS10	Standard			14.4	155.5	140.4	370	1.9	75.7	12.9	873	2.69	45.1	2.3	73.8	6.4	68	2.6	9.0	10.8	43
STD OXC129	Standard			1.3	27.5	5.6	38	<0.1	79.8	20.0	421	3.04	<0.5	0.6	180.4	1.7	184	<0.1	<0.1	<0.1	54
STD OXC129	Standard			1.2	27.6	5.7	38	<0.1	80.5	20.3	420	3.05	<0.5	0.6	182.0	1.7	187	<0.1	<0.1	<0.1	52
STD OXC129	Standard			1.2	28.1	5.8	40	<0.1	80.3	19.8	427	3.05	<0.5	0.6	181.6	1.7	187	<0.1	<0.1	<0.1	54
STD OXC129	Standard			1.3	29.3	5.7	41	<0.1	80.9	21.3	430	3.10	0.8	0.7	184.3	1.8	199	<0.1	<0.1	<0.1	55
STD OXC129	Standard			1.2	25.8	5.5	40	<0.1	75.4	19.4	403	2.88	0.5	0.6	185.9	1.6	175	<0.1	<0.1	<0.1	50
STD OXD108	Standard		0.423																		
STD OXD108	Standard		0.422																		
STD OXD108	Standard		0.438																		
STD OXD108	Standard		0.425																		
STD OXI121	Standard		1.852																		
STD OXI121	Standard		1.846																		
STD OXI121	Standard		1.817																		
STD OXI121	Standard		1.803																		
STD OXN117	Standard		7.645																		
STD OXN117	Standard		7.829																		
STD OXN117	Standard		7.838																		
STD OXN117	Standard		7.836																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
BLK	Blank		<0.005																		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 29, 2015

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI15000065.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Reference Materials																					
STD DS10	Standard	1.09	0.071	18	57	0.78	344	0.085	6	1.06	0.073	0.35	3.1	0.29	2.9	5.0	0.27	4	1.9	5.0	
STD DS10	Standard	1.09	0.075	18	58	0.79	342	0.083	7	1.09	0.080	0.35	3.2	0.30	2.9	5.2	0.28	4	2.5	5.2	
STD DS10	Standard	1.08	0.075	18	58	0.78	338	0.086	7	1.08	0.074	0.34	3.1	0.29	3.0	5.0	0.28	4	2.8	5.0	
STD DS10	Standard	1.12	0.073	19	56	0.81	357	0.084	7	1.11	0.076	0.35	3.0	0.29	2.8	5.1	0.27	5	2.2	5.1	
STD DS10	Standard	1.08	0.073	17	55	0.77	330	0.080	9	1.03	0.069	0.34	3.2	0.31	2.8	4.8	0.27	4	2.5	4.8	
STD OXC129	Standard	0.65	0.095	13	53	1.52	49	0.409	<1	1.58	0.602	0.38	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.65	0.095	13	54	1.53	49	0.402	1	1.60	0.619	0.40	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.68	0.103	13	54	1.56	49	0.403	1	1.64	0.619	0.39	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.67	0.104	13	53	1.57	53	0.421	1	1.60	0.618	0.40	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	0.61	0.090	12	47	1.48	45	0.357	2	1.46	0.573	0.35	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2	
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXD108 Expected																					
STD OXN117 Expected																					
STD OXI121 Expected																					
STD DS10 Expected		1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01	
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
BLK	Blank																				



# QUALITY CONTROL REPORT

WHI15000065.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	0.005																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
Prep Wash																						
ROCK-WHI	Prep Blank	<0.005	0.5	5.3	4.0	40	<0.1	1.4	3.8	479	1.68	1.2	0.3	1.4	1.9	23	0.1	<0.1	<0.1		22	
ROCK-WHI	Prep Blank		0.6	7.1	14.1	52	<0.1	1.7	3.8	526	1.75	1.0	0.3	0.5	1.9	30	0.2	<0.1	<0.1		24	
ROCK-WHI	Prep Blank	<0.005																				



# QUALITY CONTROL REPORT

WHI15000065.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
ROCK-WHI	Prep Blank	0.57	0.038	6	2	0.46	56	0.068	1	1.04	0.124	0.11	0.1	<0.01	2.2	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.69	0.039	5	3	0.51	68	0.074	1	1.23	0.125	0.13	0.1	<0.01	2.5	<0.1	0.06	4	<0.5	<0.2
ROCK-WHI	Prep Blank																			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 23, 2015  
Report Date: August 04, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000065M.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-03  
P.O. Number  
Number of Samples: 1

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	1	Split samples by riffle splitter			VAN
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
FS631	1	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	1	Analysis sample split/packet			VAN
Split -150	1	Analysis sample split/packet			VAN
FS631	1	Metallics Fire Assay for Au	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 04, 2015

Page: 2 of 2

Part: 1 of 1

## CERTIFICATE OF ANALYSIS

WHI1500065M.1

Method	M150	FA430	FS600	FS600	FS600	
	TotWt	-Au	TotAu	+Au	+Wt	
Analyte						
Unit	g	gm/t	gm/t	gm/t	g	
MDL	1	0.005	0.01	0.17	0.01	
1960446	Rock	510	<0.005	<0.01	<0.17	26.12





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 04, 2015

Page: 1 of 1

Part: 1 of 1

# QUALITY CONTROL REPORT

WHI1500065M.1

Method	M150	FA430	FS600	FS600	FS600
Analyte	TotWt	-Au	TotAu	+Au	+Wt
Unit	g	gm/t	gm/t	gm/t	g
MDL	1	0.005	0.01	0.17	0.01
Reference Materials					
STD OXD108	Standard	0.430			
STD OXI121	Standard	1.822			
STD OXN117	Standard	7.473			
STD OXP91	Standard			14.98	29.30
STD OXP91 Expected				14.82	
BLK	Blank			<0.17	30.00
BLK	Blank	<0.005			
BLK	Blank	0.010			
Prep Wash					
ROCK-WHI	Prep Blank	585	<0.005	<0.01	<0.17 14.40



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: July 23, 2015  
Report Date: August 31, 2015  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI15000107.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-04  
P.O. Number  
Number of Samples: 138

### SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	138	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	138	Analysis sample split/packet			VAN
Split -150	138	Analysis sample split/packet			VAN
FS631	138	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: August 31, 2015

Page: 2 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000107.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1960802	Rock	1.14	485	<0.005	<0.01	<0.17	24.80	0.4	0.8	0.9	4	<0.1	0.8	0.3	96	0.59	0.8	0.1	<0.5	0.3	2
1960803	Rock	0.90	352	<0.005	<0.01	<0.17	22.73	0.5	4.8	7.3	6	<0.1	2.6	1.4	146	0.96	2.4	0.2	<0.5	0.6	2
1960804	Rock	1.61	489	<0.005	<0.01	<0.17	20.24	0.4	1.6	15.3	8	<0.1	1.9	1.4	120	0.88	4.2	0.3	<0.5	1.6	5
1960805	Rock	1.00	409	<0.005	<0.01	<0.17	21.83	0.3	3.4	6.4	2	<0.1	1.6	0.7	94	0.67	0.7	<0.1	0.6	0.3	2
1960806	Rock	1.25	547	<0.005	<0.01	<0.17	18.79	0.3	2.9	17.4	7	<0.1	1.0	0.7	85	0.53	1.2	0.4	<0.5	4.4	5
1960807	Rock	1.08	485	<0.005	<0.01	<0.17	17.69	0.4	3.4	8.6	10	<0.1	1.6	0.9	97	0.68	7.8	0.2	<0.5	0.4	5
1960808	Rock	1.08	442	0.007	<0.01	<0.17	24.87	0.4	0.9	4.2	3	<0.1	1.0	0.5	71	0.55	1.9	0.1	<0.5	0.7	1
1960809	Rock	1.41	534	<0.005	<0.01	<0.17	18.73	0.4	12.4	14.9	6	<0.1	2.0	1.0	120	0.69	1.8	0.5	<0.5	0.4	78
1960810	Rock	1.54	514	<0.005	<0.01	<0.17	20.73	0.4	3.2	6.3	7	<0.1	1.1	0.5	73	0.65	1.0	0.1	<0.5	0.4	4
1960811	Rock	0.94	379	<0.005	<0.01	<0.17	19.73	0.3	5.5	6.6	3	<0.1	1.5	0.6	71	0.62	0.9	<0.1	<0.5	0.3	5
1960812	Rock	1.35	533	<0.005	<0.01	<0.17	18.55	1.0	9.9	24.4	9	0.1	0.8	0.4	51	0.57	3.4	0.8	<0.5	4.1	2
1960813	Rock	1.35	541	<0.005	<0.01	<0.17	18.97	0.2	4.6	10.4	7	0.2	1.2	0.7	74	0.54	1.5	0.3	<0.5	1.8	3
1960814	Rock	0.76	337	0.006	<0.01	<0.17	20.70	1.7	0.5	12.2	<1	0.3	0.6	0.1	44	0.53	3.6	0.1	3.6	0.8	4
1960815	Rock	1.57	529	<0.005	<0.01	<0.17	17.28	0.4	6.0	2.3	4	<0.1	1.3	0.6	63	0.49	4.4	0.2	<0.5	0.3	3
1960816	Rock	0.61	536	<0.005	<0.01	<0.17	24.20	0.2	3.7	1.9	1	0.2	0.7	0.2	50	0.46	1.3	<0.1	<0.5	0.2	<1
1960817	Rock	1.08	463	<0.005	<0.01	<0.17	23.71	0.3	6.9	10.3	1	<0.1	1.5	0.7	79	0.54	0.9	<0.1	<0.5	<0.1	<1
1960818	Rock	0.55	475	<0.005	<0.01	<0.17	24.72	0.2	1.6	8.4	1	<0.1	0.5	0.1	49	0.45	1.1	<0.1	<0.5	0.5	2
1960819	Rock	1.24	466	<0.005	<0.01	<0.17	19.74	0.2	2.8	1.3	<1	<0.1	1.2	0.6	75	0.53	<0.5	<0.1	<0.5	<0.1	<1
1960820	Rock	1.18	525	<0.005	<0.01	<0.17	22.28	0.3	3.3	24.6	3	0.1	1.5	0.9	76	0.57	2.0	0.1	<0.5	0.2	3
1960821	Rock	1.47	485	<0.005	<0.01	<0.17	18.82	0.2	2.8	2.8	2	<0.1	1.2	0.5	68	0.48	1.1	<0.1	<0.5	<0.1	<1
1960822	Rock	1.46	449	0.005	<0.01	<0.17	22.52	0.3	1.1	12.7	5	<0.1	0.9	0.4	105	0.59	4.2	0.1	1.4	0.4	2
1960823	Rock	1.29	521	<0.005	<0.01	<0.17	22.34	0.2	1.2	10.4	2	<0.1	0.7	0.3	70	0.50	0.5	<0.1	0.9	0.1	1
1960824	Rock	1.23	531	0.213	0.30	2.67	19.82	0.7	3.8	45.2	2	0.7	1.3	0.8	85	0.59	1.2	0.2	427.9	0.3	2
1960825	Rock	2.96	347	<0.005	<0.01	<0.17	21.70	0.5	1.6	5.5	<1	<0.1	0.7	0.4	81	0.52	1.4	<0.1	0.9	<0.1	<1
1960826	Rock	0.87	394	0.006	<0.01	<0.17	20.39	0.3	3.3	2.2	4	<0.1	1.2	0.6	79	0.57	0.7	<0.1	<0.5	0.1	2
1960827	Rock	1.64	544	<0.005	<0.01	<0.17	20.55	0.2	2.5	0.9	1	<0.1	1.0	0.5	69	0.44	1.1	<0.1	<0.5	0.1	<1
1960828	Rock	0.74	472	1.083	2.18	21.72	25.09	0.3	0.9	3.8	2	0.9	0.6	0.2	56	0.49	0.6	0.1	3279.6	<0.1	<1
1960829	Rock	1.53	544	0.789	1.62	24.84	18.88	0.9	3.7	10.2	16	0.9	2.1	1.5	153	0.66	2.8	0.8	937.4	2.2	4
1960830	Rock	1.34	481	0.025	0.02	<0.17	21.14	0.7	2.3	8.9	5	<0.1	0.8	0.4	61	0.59	2.9	0.3	16.6	2.0	2
1960831	Rock	1.40	323	0.010	<0.01	<0.17	19.83	3.9	9.0	136.2	3	1.5	1.7	1.9	233	0.75	1.4	0.3	4.9	1.2	9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: August 31, 2015

Page: 2 of 6 Part: 2 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
Unit																					
MDL																					
1960802	Rock	<0.1	<0.1	<0.1	<2	0.02	0.006	<1	2	0.05	18	<0.001	<1	0.07	0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05
1960803	Rock	<0.1	0.3	<0.1	<2	0.03	0.016	2	7	0.06	28	<0.001	<1	0.12	0.011	0.05	<0.1	<0.01	0.3	<0.1	<0.05
1960804	Rock	<0.1	0.1	0.1	<2	0.07	0.033	5	3	0.07	45	<0.001	<1	0.15	0.005	0.07	<0.1	<0.01	0.2	<0.1	<0.05
1960805	Rock	<0.1	0.1	<0.1	<2	<0.01	0.003	<1	4	0.01	14	<0.001	<1	0.04	0.004	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1960806	Rock	<0.1	0.2	0.4	<2	0.03	0.012	9	2	0.05	97	<0.001	<1	0.16	0.019	0.10	<0.1	<0.01	0.2	<0.1	<0.05
1960807	Rock	<0.1	0.2	<0.1	<2	0.02	0.007	1	4	0.06	43	<0.001	<1	0.09	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1960808	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	2	2	0.01	59	<0.001	<1	0.05	0.001	0.04	<0.1	<0.01	0.1	<0.1	<0.05
1960809	Rock	<0.1	0.8	<0.1	<2	0.08	0.034	2	4	0.03	1398	<0.001	<1	0.05	0.003	0.02	<0.1	0.03	0.2	<0.1	<0.05
1960810	Rock	<0.1	0.2	0.1	<2	0.04	0.016	1	2	0.02	43	<0.001	<1	0.06	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05
1960811	Rock	<0.1	0.4	<0.1	<2	0.02	0.010	1	4	0.01	39	<0.001	<1	0.03	0.009	0.01	<0.1	0.03	<0.1	<0.1	<0.05
1960812	Rock	<0.1	2.0	0.3	<2	<0.01	0.006	28	2	0.01	81	<0.001	<1	0.06	0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05
1960813	Rock	<0.1	0.3	0.1	<2	<0.01	0.002	3	3	0.02	166	<0.001	<1	0.08	0.002	0.05	<0.1	<0.01	0.2	<0.1	<0.05
1960814	Rock	<0.1	0.5	0.2	<2	<0.01	0.003	6	3	0.01	132	<0.001	<1	0.09	0.014	0.09	<0.1	<0.01	0.3	<0.1	0.06
1960815	Rock	<0.1	0.5	<0.1	<2	<0.01	0.003	<1	3	<0.01	39	<0.001	<1	0.04	0.017	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960816	Rock	<0.1	1.5	<0.1	<2	<0.01	<0.001	<1	2	0.01	23	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.05	<0.1	<0.1	<0.05
1960817	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.002	<1	4	0.01	7	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960818	Rock	<0.1	0.4	<0.1	<2	<0.01	<0.001	<1	2	<0.01	116	<0.001	<1	0.01	0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05
1960819	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	5	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960820	Rock	<0.1	<0.1	0.5	<2	0.05	0.013	<1	2	0.02	34	0.010	<1	0.05	0.002	0.03	<0.1	<0.01	0.3	<0.1	<0.05
1960821	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	3	0.01	5	<0.001	<1	0.03	0.012	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
1960822	Rock	<0.1	<0.1	0.1	<2	0.02	0.003	1	2	0.07	26	<0.001	<1	0.09	0.002	0.03	<0.1	<0.01	0.2	<0.1	<0.05
1960823	Rock	<0.1	<0.1	<0.1	<2	0.01	0.004	<1	2	0.03	12	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960824	Rock	<0.1	0.1	0.8	<2	0.01	0.005	<1	3	0.03	30	<0.001	<1	0.04	0.003	0.01	<0.1	<0.01	0.1	<0.1	<0.05
1960825	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	2	<0.01	14	<0.001	<1	0.01	0.004	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960826	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	0.02	35	<0.001	<1	0.04	0.005	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960827	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	22	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960828	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	2	0.01	11	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960829	Rock	0.1	0.3	0.2	<2	0.02	0.003	6	3	0.09	166	0.001	<1	0.17	0.006	0.10	<0.1	0.02	0.4	<0.1	<0.05
1960830	Rock	<0.1	0.2	<0.1	<2	<0.01	0.003	1	2	0.01	95	<0.001	<1	0.06	0.009	0.05	<0.1	<0.01	0.1	<0.1	<0.05
1960831	Rock	0.1	0.6	1.5	<2	0.04	0.016	3	4	0.03	334	0.001	<1	0.08	0.018	0.06	<0.1	0.01	0.2	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 2 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960802	Rock	<1	<0.5	<0.2	
1960803	Rock	<1	<0.5	<0.2	
1960804	Rock	<1	<0.5	<0.2	
1960805	Rock	<1	<0.5	<0.2	
1960806	Rock	<1	<0.5	<0.2	
1960807	Rock	<1	<0.5	<0.2	
1960808	Rock	<1	<0.5	<0.2	
1960809	Rock	<1	<0.5	<0.2	
1960810	Rock	<1	<0.5	<0.2	
1960811	Rock	<1	<0.5	<0.2	
1960812	Rock	<1	<0.5	<0.2	
1960813	Rock	<1	<0.5	<0.2	
1960814	Rock	<1	<0.5	<0.2	
1960815	Rock	<1	<0.5	<0.2	
1960816	Rock	<1	<0.5	<0.2	
1960817	Rock	<1	<0.5	<0.2	
1960818	Rock	<1	<0.5	<0.2	
1960819	Rock	<1	<0.5	<0.2	
1960820	Rock	<1	<0.5	<0.2	
1960821	Rock	<1	<0.5	<0.2	
1960822	Rock	<1	<0.5	<0.2	
1960823	Rock	<1	<0.5	<0.2	
1960824	Rock	<1	<0.5	<0.2	
1960825	Rock	<1	<0.5	<0.2	
1960826	Rock	<1	<0.5	<0.2	
1960827	Rock	<1	<0.5	<0.2	
1960828	Rock	<1	<0.5	<0.2	
1960829	Rock	<1	<0.5	<0.2	
1960830	Rock	<1	<0.5	<0.2	
1960831	Rock	<1	<0.5	<0.2	



# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1960832	Rock	1.20	518	<0.005	<0.01	<0.17	21.22	0.3	1.1	2.9	3	<0.1	0.5	0.2	54	0.45	<0.5	<0.1	<0.5	0.6	8
1960833	Rock	1.45	412	<0.005	<0.01	<0.17	18.10	0.3	4.9	9.8	9	0.2	1.4	0.6	93	0.58	0.6	0.2	1.5	0.4	2
1960834	Rock	1.23	539	<0.005	<0.01	<0.17	22.00	0.3	0.7	6.8	2	<0.1	0.6	0.3	75	0.48	0.6	<0.1	<0.5	<0.1	3
1960835	Rock	1.46	435	<0.005	<0.01	<0.17	24.65	0.6	3.9	13.8	33	<0.1	4.7	2.3	226	1.34	2.2	0.2	5.8	0.4	6
1960836	Rock	1.36	451	0.022	0.03	0.26	19.29	0.3	1.1	23.2	4	0.4	0.9	0.2	54	0.54	1.4	<0.1	19.9	<0.1	1
1960837	Rock	1.14	538	<0.005	<0.01	<0.17	26.60	0.3	7.4	9.0	9	0.1	1.5	0.7	86	0.61	3.2	0.2	<0.5	1.5	7
1960838	Rock	1.50	370	<0.005	<0.01	<0.17	23.16	1.0	3.7	566.1	<1	2.3	0.8	0.2	51	0.66	1.2	0.3	1.1	0.4	4
1960839	Rock	1.28	394	<0.005	<0.01	<0.17	24.95	0.5	4.0	19.3	5	<0.1	1.9	0.8	87	0.78	1.4	0.2	3.5	0.2	7
1960840	Rock	1.28	519	<0.005	<0.01	<0.17	26.75	0.2	1.7	4.8	1	0.1	0.7	0.2	51	0.43	<0.5	<0.1	0.6	0.1	<1
1960841	Rock	1.46	330	<0.005	<0.01	<0.17	29.16	0.5	4.7	9.7	4	<0.1	2.5	2.1	98	0.84	2.3	<0.1	0.5	0.3	2
1960842	Rock	1.46	401	0.012	0.05	0.54	25.96	0.5	0.9	1.8	9	<0.1	0.9	0.6	232	0.74	1.7	0.1	6.8	<0.1	6
1960843	Rock	1.36	547	0.046	0.09	1.01	22.70	0.4	9.6	19.5	10	0.4	1.7	0.9	67	0.67	5.0	0.2	13.5	0.7	2
1960844	Rock	1.83	354	<0.005	<0.01	<0.17	23.50	0.4	4.9	53.2	12	0.2	2.0	1.8	95	0.76	3.6	0.3	0.5	2.1	5
1960845	Rock	1.92	418	<0.005	<0.01	<0.17	24.11	0.4	4.6	1.9	2	<0.1	1.7	0.7	79	0.70	0.9	<0.1	0.5	<0.1	1
1960846	Rock	1.65	542	0.014	0.06	1.05	24.84	0.5	2.3	2.6	2	<0.1	0.8	0.6	52	0.58	2.2	0.3	3.7	<0.1	<1
1960847	Rock	1.03	412	<0.005	<0.01	<0.17	20.49	0.4	4.6	2.4	3	<0.1	1.7	0.7	85	0.69	1.7	<0.1	<0.5	0.2	5
1960848	Rock	1.30	532	0.147	0.14	<0.17	26.51	0.3	6.6	70.6	2	0.3	0.8	0.3	48	0.56	0.7	<0.1	<0.5	0.2	10
1960849	Rock	1.37	491	0.013	0.01	<0.17	19.90	0.9	3.5	4.7	8	0.3	1.5	0.7	95	0.80	7.0	0.4	171.4	2.1	7
1960850	Rock	1.68	355	<0.005	<0.01	<0.17	23.28	0.6	4.7	3.8	5	<0.1	1.1	0.8	159	0.62	1.4	0.2	1.5	0.4	29
1960851	Rock	1.41	540	<0.005	<0.01	<0.17	18.84	0.3	3.6	3.3	2	<0.1	1.2	0.5	62	0.54	1.1	<0.1	1.5	0.2	5
1960852	Rock	0.95	444	<0.005	<0.01	<0.17	20.77	0.2	7.7	2.1	2	<0.1	1.3	1.8	577	0.58	0.9	<0.1	<0.5	<0.1	74
1960853	Rock	1.47	504	<0.005	<0.01	<0.17	19.94	0.4	5.1	7.0	17	0.1	1.4	1.0	105	0.59	1.4	0.1	0.9	0.5	3
1960854	Rock	0.93	378	<0.005	<0.01	<0.17	20.41	0.3	1.3	0.4	<1	<0.1	0.6	0.1	56	0.54	0.6	<0.1	<0.5	<0.1	<1
1960855	Rock	1.54	376	<0.005	<0.01	<0.17	20.46	0.4	5.9	11.3	4	0.3	1.3	0.6	83	0.59	0.9	<0.1	<0.5	1.1	29
1960856	Rock	1.59	486	<0.005	<0.01	<0.17	21.17	0.3	1.4	0.6	4	<0.1	1.2	0.2	51	0.49	0.7	<0.1	<0.5	<0.1	1
1960857	Rock	1.54	418	<0.005	<0.01	<0.17	21.24	0.3	3.6	1.0	<1	<0.1	1.1	0.4	57	0.52	0.7	<0.1	<0.5	0.4	2
1960858	Rock	1.39	385	<0.005	<0.01	<0.17	19.20	0.3	3.6	6.7	4	<0.1	0.6	0.5	73	0.48	<0.5	0.1	1.5	1.1	2
1960859	Rock	0.99	421	<0.005	<0.01	<0.17	21.32	0.3	3.0	0.6	<1	<0.1	1.1	0.5	61	0.54	<0.5	<0.1	0.9	<0.1	<1
1960860	Rock	1.05	498	<0.005	<0.01	<0.17	18.60	0.4	4.6	32.2	20	0.2	0.8	0.5	64	0.62	3.3	0.5	1.1	3.4	4
1960861	Rock	1.21	349	<0.005	<0.01	<0.17	20.03	0.3	1.7	8.6	2	0.1	1.0	0.2	50	0.49	0.7	<0.1	<0.5	0.9	7



Bureau Veritas Commodities Canada Ltd. 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

Project: LS Report Date: August 31, 2015

CERTIFICATE OF ANALYSIS WHI15000107.1

Table with columns: Method, Analyte, Unit, MDL, and 20 analyte columns (Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S) with values for 20 samples (1960832-1960861).



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 3 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960832	Rock	<1	<0.5	<0.2	
1960833	Rock	<1	<0.5	<0.2	
1960834	Rock	<1	<0.5	<0.2	
1960835	Rock	1	<0.5	<0.2	
1960836	Rock	<1	<0.5	<0.2	
1960837	Rock	<1	<0.5	<0.2	
1960838	Rock	<1	0.7	<0.2	
1960839	Rock	<1	<0.5	<0.2	
1960840	Rock	<1	<0.5	<0.2	
1960841	Rock	<1	<0.5	<0.2	
1960842	Rock	<1	<0.5	<0.2	
1960843	Rock	<1	<0.5	<0.2	
1960844	Rock	<1	<0.5	<0.2	
1960845	Rock	<1	<0.5	<0.2	
1960846	Rock	<1	<0.5	<0.2	
1960847	Rock	<1	<0.5	<0.2	
1960848	Rock	<1	<0.5	<0.2	
1960849	Rock	<1	<0.5	<0.2	
1960850	Rock	<1	<0.5	<0.2	
1960851	Rock	<1	<0.5	<0.2	
1960852	Rock	<1	<0.5	<0.2	
1960853	Rock	<1	<0.5	<0.2	
1960854	Rock	<1	<0.5	<0.2	
1960855	Rock	<1	<0.5	<0.2	
1960856	Rock	<1	<0.5	<0.2	
1960857	Rock	<1	<0.5	<0.2	
1960858	Rock	<1	<0.5	<0.2	
1960859	Rock	<1	<0.5	<0.2	
1960860	Rock	<1	<0.5	<0.2	
1960861	Rock	<1	<0.5	<0.2	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: August 31, 2015

Page: 4 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000107.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1960862	Rock	2.20	486	<0.005	<0.01	<0.17	19.17	0.7	5.2	2.7	7	0.2	1.6	2.0	188	0.60	1.9	0.3	0.8	3.2	3
1960863	Rock	1.15	450	<0.005	<0.01	<0.17	20.46	0.4	1.4	32.7	35	0.3	1.1	0.5	119	0.61	2.5	0.3	<0.5	0.3	1
1960864	Rock	1.52	491	0.005	<0.01	<0.17	22.53	0.4	6.7	8.0	10	0.3	2.3	1.6	86	0.73	2.7	0.3	0.7	1.4	10
1960865	Rock	1.86	403	<0.005	<0.01	<0.17	21.89	0.3	2.9	6.7	5	<0.1	0.9	0.4	113	0.53	<0.5	<0.1	<0.5	0.3	54
1960866	Rock	1.08	326	<0.005	<0.01	<0.17	21.42	0.4	3.5	1.4	3	<0.1	1.5	0.5	74	0.61	1.3	0.1	<0.5	0.5	1
1960867	Rock	1.12	391	>10	38.59	433.27	16.77	0.8	296.9	2.1	4	11.7	1.1	0.3	66	0.62	0.9	0.4	37843.3	<0.1	1
1960868	Rock	1.28	486	0.008	<0.01	<0.17	19.13	0.4	4.1	3.5	5	<0.1	1.1	0.5	58	0.51	1.2	0.2	9.4	0.1	2
1960869	Rock	0.97	415	0.055	0.06	<0.17	22.12	0.5	7.9	4.2	10	<0.1	2.4	0.7	130	0.78	7.7	0.9	48.4	0.3	9
1960870	Rock	1.92	492	0.005	<0.01	<0.17	20.96	0.5	17.7	107.6	19	0.4	2.0	1.4	91	0.86	4.2	0.6	<0.5	0.5	6
1960871	Rock	1.25	464	0.005	<0.01	<0.17	21.48	0.4	2.2	4.9	4	0.2	0.7	0.3	71	0.62	0.7	<0.1	1.1	0.3	1
1960872	Rock	1.48	499	<0.005	<0.01	<0.17	22.18	0.3	5.9	2.2	3	0.2	1.5	0.7	89	0.47	1.1	0.1	0.7	0.4	1
1960873	Rock	1.11	487	0.952	3.64	62.38	21.29	0.3	74.5	19.3	<1	0.8	0.7	0.1	51	0.53	<0.5	<0.1	1084.1	<0.1	<1
1960874	Rock	1.29	456	0.541	0.52	<0.17	19.15	0.4	6.1	4.3	3	<0.1	1.6	0.7	86	0.68	5.0	0.1	38.4	0.2	8
1960875	Rock	1.48	514	0.012	0.01	<0.17	21.93	0.3	0.8	3.5	2	<0.1	0.6	0.2	62	0.51	0.9	<0.1	1.3	0.1	<1
1960876	Rock	1.48	455	0.484	0.66	4.79	18.59	0.4	4.7	2.3	4	0.1	1.6	0.9	119	0.67	2.8	0.2	407.4	0.2	2
1960877	Rock	1.51	536	0.028	0.18	4.35	18.38	0.3	1.6	5.4	4	<0.1	0.9	0.5	86	0.54	1.9	<0.1	24.1	0.2	2
1960878	Rock	1.58	471	<0.005	<0.01	<0.17	21.56	0.4	6.0	5.9	8	0.3	1.6	0.7	107	0.58	1.1	0.2	2.3	1.3	33
1960879	Rock	1.22	412	<0.005	<0.01	<0.17	19.79	0.2	0.6	0.3	<1	<0.1	0.5	0.1	52	0.49	0.5	<0.1	<0.5	<0.1	<1
1960880	Rock	1.45	469	<0.005	<0.01	<0.17	22.42	0.3	6.0	25.3	9	0.2	1.5	0.7	75	0.63	1.2	0.2	<0.5	0.9	12
1960881	Rock	1.34	511	<0.005	<0.01	<0.17	20.31	0.2	0.5	1.1	<1	<0.1	0.5	0.1	55	0.44	1.6	<0.1	<0.5	<0.1	1
1960882	Rock	1.34	430	<0.005	<0.01	<0.17	19.77	0.3	3.5	2.7	3	<0.1	1.3	0.6	80	0.62	1.6	<0.1	<0.5	0.3	2
1960883	Rock	1.60	413	<0.005	<0.01	<0.17	21.61	0.4	6.4	3.7	7	<0.1	0.9	0.6	142	0.56	0.8	0.2	<0.5	0.4	3
1960884	Rock	1.99	409	2.043	3.60	35.48	19.08	0.6	666.4	1689.0	263	29.1	1.8	0.8	73	0.94	9.6	0.7	3427.8	<0.1	1
1960885	Rock	1.68	337	>10	24.09	127.14	22.59	2.8	136.3	722.0	5	14.8	1.7	1.5	59	0.76	12.5	0.7	20074.2	0.3	5
1960886	Rock	1.96	432	0.013	0.01	<0.17	18.13	0.4	6.4	4.8	9	<0.1	2.6	1.5	145	0.80	2.5	0.2	4.3	1.3	7
1960887	Rock	1.13	468	0.020	0.02	<0.17	21.10	0.4	8.7	31.9	10	0.3	1.0	0.5	191	0.58	1.6	0.1	7.8	0.6	106
1960888	Rock	0.63	395	<0.005	<0.01	<0.17	20.22	0.5	4.4	15.1	4	0.1	1.7	1.6	70	0.80	2.8	0.4	<0.5	0.2	8
1960889	Rock	1.35	321	<0.005	<0.01	<0.17	18.67	0.4	16.8	4.3	58	<0.1	12.3	8.5	408	0.70	2.6	1.2	3.3	<0.1	3
1960890	Rock	1.15	396	0.037	0.04	<0.17	17.35	0.3	3.3	2.6	2	<0.1	1.4	0.7	77	0.62	1.3	<0.1	1.2	<0.1	<1
1960891	Rock	1.37	448	<0.005	<0.01	<0.17	21.57	0.8	4.8	6.5	7	<0.1	1.0	0.8	110	0.55	1.1	0.2	1.3	0.1	4



Bureau Veritas Commodities Canada Ltd. 9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA PHONE (604) 253-3158

Project: LS Report Date: August 31, 2015

Page: 4 of 6 Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI15000107.1

Table with columns: Method, Analyte, Unit, MDL, and 20 elements (Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S) with their respective concentrations and units.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 4 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960862	Rock	<1	<0.5	<0.2	
1960863	Rock	<1	<0.5	<0.2	
1960864	Rock	<1	<0.5	<0.2	
1960865	Rock	<1	<0.5	<0.2	
1960866	Rock	<1	<0.5	<0.2	
1960867	Rock	<1	<0.5	<0.2	20.9
1960868	Rock	<1	<0.5	<0.2	
1960869	Rock	<1	<0.5	<0.2	
1960870	Rock	<1	<0.5	<0.2	
1960871	Rock	<1	<0.5	<0.2	
1960872	Rock	<1	<0.5	<0.2	
1960873	Rock	<1	<0.5	<0.2	
1960874	Rock	<1	<0.5	<0.2	
1960875	Rock	<1	<0.5	<0.2	
1960876	Rock	<1	<0.5	<0.2	
1960877	Rock	<1	<0.5	<0.2	
1960878	Rock	<1	<0.5	<0.2	
1960879	Rock	<1	<0.5	<0.2	
1960880	Rock	<1	<0.5	<0.2	
1960881	Rock	<1	<0.5	<0.2	
1960882	Rock	<1	<0.5	<0.2	
1960883	Rock	<1	<0.5	<0.2	
1960884	Rock	<1	3.1	4.8	
1960885	Rock	<1	0.7	3.7	16.7
1960886	Rock	<1	<0.5	<0.2	
1960887	Rock	<1	<0.5	<0.2	
1960888	Rock	<1	<0.5	<0.2	
1960889	Rock	<1	<0.5	<0.2	
1960890	Rock	<1	<0.5	<0.2	
1960891	Rock	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 31, 2015

**Page:** 5 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000107.1

Method Analyte Unit MDL	WGHT Wgt kg 0.01	M150 TotWt g 1	FA430 -Au gm/t 0.005	FS600 TotAu gm/t 0.01	FS600 +Au gm/t 0.17	FS600 +Wt g 0.01	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201						
							Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr						
							ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
							0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1
1960892	Rock	1.08	350	<0.005	<0.01	<0.17	17.90	0.4	5.4	6.0	2	0.2	1.4	0.7	114	0.72	1.5	0.1	7.5	<0.1	9					
1960893	Rock	1.29	455	<0.005	<0.01	<0.17	21.57	0.3	3.0	6.3	1	<0.1	0.6	0.3	68	0.46	0.6	<0.1	0.8	0.2	3					
1960894	Rock	1.78	407	<0.005	<0.01	<0.17	18.68	0.3	3.8	2.4	2	<0.1	1.3	0.5	67	0.58	0.9	<0.1	<0.5	0.3	<1					
1960895	Rock	1.31	464	<0.005	<0.01	<0.17	20.93	0.3	3.3	21.8	3	0.3	1.3	0.8	87	0.63	0.6	0.3	<0.5	1.6	10					
1960896	Rock	1.03	397	<0.005	<0.01	<0.17	18.36	0.3	1.0	3.4	4	<0.1	0.7	0.4	155	0.52	2.6	0.2	3.0	2.0	5					
1960897	Rock	1.50	443	<0.005	<0.01	<0.17	19.91	0.4	3.2	5.7	3	<0.1	1.1	0.6	145	0.55	1.1	<0.1	<0.5	0.7	2					
1960898	Rock	1.15	501	<0.005	<0.01	<0.17	19.48	0.3	0.9	1.6	2	<0.1	0.5	0.2	48	0.43	0.6	<0.1	<0.5	<0.1	3					
1960899	Rock	1.08	381	<0.005	<0.01	<0.17	18.08	0.3	3.8	6.8	3	<0.1	1.6	0.7	66	0.50	0.6	<0.1	<0.5	<0.1	2					
1960900	Rock	1.50	521	0.094	0.09	<0.17	18.72	0.4	9.5	47.2	5	0.5	1.0	0.7	805	0.69	1.2	0.1	2.1	0.4	87					
1960901	Rock	1.75	513	0.233	0.32	2.16	22.70	0.4	8.2	2.1	2	<0.1	1.4	0.8	107	0.52	0.7	<0.1	62.4	<0.1	3					
1960902	Rock	1.60	498	<0.005	<0.01	<0.17	20.01	0.3	3.3	4.2	2	<0.1	1.1	0.6	77	0.47	1.6	<0.1	<0.5	<0.1	1					
1960903	Rock	1.27	356	<0.005	<0.01	<0.17	21.28	0.3	4.7	9.9	1	0.7	0.5	0.1	54	0.50	0.7	<0.1	<0.5	<0.1	<1					
1960904	Rock	1.49	511	<0.005	<0.01	<0.17	17.67	0.3	2.9	8.1	2	<0.1	1.3	0.5	70	0.50	5.8	<0.1	<0.5	<0.1	<1					
1960905	Rock	1.16	504	<0.005	<0.01	<0.17	24.98	0.1	1.4	4.1	<1	<0.1	0.6	0.2	53	0.48	0.7	<0.1	<0.5	<0.1	3					
1960906	Rock	1.20	481	<0.005	<0.01	<0.17	19.42	0.3	6.5	2.5	7	0.1	1.6	0.7	97	0.61	0.8	<0.1	4.6	0.5	5					
1960907	Rock	1.40	506	<0.005	<0.01	<0.17	22.69	0.3	3.1	18.6	3	<0.1	1.1	0.3	62	0.53	2.2	0.2	2.7	0.7	7					
1960908	Rock	1.36	455	4.517	7.18	52.31	25.37	0.3	4.4	58.9	65	2.5	1.0	0.4	53	0.54	1.2	0.1	6951.1	0.1	2					
1960909	Rock	1.41	518	<0.005	<0.01	<0.17	28.19	0.3	0.7	1.1	3	<0.1	0.6	0.3	97	0.58	3.8	<0.1	1.2	0.1	19					
1960910	Rock	0.96	392	<0.005	<0.01	<0.17	24.90	0.3	4.9	1.4	3	<0.1	1.7	0.7	97	0.64	1.9	<0.1	3.2	0.1	2					
1960911	Rock	1.26	497	<0.005	<0.01	<0.17	22.78	0.3	1.1	6.4	<1	0.2	0.7	0.2	45	0.49	7.0	<0.1	<0.5	<0.1	<1					
1960912	Rock	0.85	339	<0.005	<0.01	<0.17	23.63	0.2	2.8	3.8	7	<0.1	1.4	0.6	71	0.56	6.5	0.3	6.0	0.5	1					
1960913	Rock	1.14	467	0.018	0.02	<0.17	22.08	1.2	20.7	3.7	6	0.4	1.5	1.6	98	0.99	60.5	0.5	18.8	0.2	7					
1960914	Rock	1.71	427	<0.005	<0.01	<0.17	18.90	0.3	3.2	5.3	4	<0.1	1.8	0.8	105	0.64	2.3	<0.1	1.4	0.5	2					
1960915	Rock	1.50	502	<0.005	<0.01	<0.17	20.96	0.3	1.1	1.0	3	<0.1	0.8	0.5	80	0.54	2.1	<0.1	0.9	0.2	1					
1960916	Rock	1.68	411	0.005	<0.01	<0.17	22.38	0.4	3.3	16.1	3	0.2	1.5	0.6	85	0.64	1.7	<0.1	5.0	0.2	1					
1960917	Rock	1.67	493	<0.005	<0.01	<0.17	22.48	0.2	1.5	1.1	3	0.2	0.7	0.3	57	0.53	3.6	0.1	<0.5	0.1	2					
1960918	Rock	1.14	490	<0.005	<0.01	<0.17	20.00	0.1	32.0	4.1	56	0.2	19.4	8.5	418	2.33	12.2	0.5	3.2	0.9	44					
1960919	Rock	1.28	490	<0.005	<0.01	<0.17	18.78	0.3	1.7	1.3	3	<0.1	1.7	0.5	67	0.56	4.0	<0.1	<0.5	0.3	2					
1960920	Rock	1.50	329	<0.005	<0.01	<0.17	19.97	0.3	3.9	0.4	<1	<0.1	1.6	0.6	76	0.64	0.7	<0.1	<0.5	<0.1	<1					
1960921	Rock	1.80	532	<0.005	<0.01	<0.17	26.86	0.3	1.4	0.2	3	<0.1	1.1	0.7	69	0.58	1.1	<0.1	<0.5	<0.1	<1					



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 5 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
Unit																						
MDL																						
1960892	Rock	<0.1	0.3	0.3	<2	0.02	0.012	<1	9	<0.01	802	<0.001	<1	0.02	0.004	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960893	Rock	<0.1	<0.1	<0.1	<2	0.02	0.007	<1	7	<0.01	37	<0.001	<1	0.03	0.008	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960894	Rock	<0.1	0.3	<0.1	<2	<0.01	<0.001	<1	9	<0.01	38	<0.001	<1	0.02	0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960895	Rock	0.1	0.3	0.5	<2	0.07	0.014	4	9	0.02	121	<0.001	<1	0.02	0.007	0.01	<0.1	0.03	0.2	<0.1	<0.05	
1960896	Rock	<0.1	0.2	<0.1	<2	<0.01	0.001	7	6	<0.01	525	<0.001	<1	0.09	0.009	0.10	0.1	0.02	1.0	<0.1	<0.05	
1960897	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	2	8	0.02	31	<0.001	<1	0.04	0.016	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960898	Rock	<0.1	<0.1	<0.1	<2	0.03	0.015	<1	7	<0.01	19	<0.001	<1	0.02	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960899	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	9	<0.01	77	<0.001	<1	0.03	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960900	Rock	0.2	<0.1	0.9	<2	1.70	0.053	1	8	0.07	88	0.001	<1	0.08	0.004	0.03	<0.1	<0.01	0.6	<0.1	<0.05	
1960901	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	7	0.02	362	<0.001	<1	0.03	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960902	Rock	<0.1	0.2	<0.1	<2	<0.01	0.001	<1	8	<0.01	21	<0.001	<1	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960903	Rock	<0.1	2.7	<0.1	<2	<0.01	<0.001	<1	6	<0.01	25	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960904	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	29	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1960905	Rock	<0.1	0.1	<0.1	<2	0.02	0.007	<1	2	<0.01	19	<0.001	2	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960906	Rock	<0.1	0.2	<0.1	<2	0.01	0.004	1	3	0.05	191	<0.001	1	0.07	0.006	0.02	<0.1	<0.01	0.2	<0.1	<0.05	
1960907	Rock	<0.1	0.2	0.1	<2	0.06	0.025	2	2	<0.01	37	<0.001	1	0.04	0.010	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	
1960908	Rock	0.8	0.1	1.2	<2	<0.01	<0.001	<1	3	<0.01	118	<0.001	<1	0.02	0.001	0.02	<0.1	0.45	<0.1	<0.1	0.06	
1960909	Rock	<0.1	<0.1	<0.1	<2	0.47	0.001	<1	2	0.04	14	<0.001	1	0.05	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960910	Rock	<0.1	0.1	<0.1	<2	0.02	0.009	<1	4	0.03	18	<0.001	<1	0.04	0.003	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960911	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	2	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960912	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.003	2	3	0.01	34	<0.001	<1	0.10	0.045	0.01	0.2	<0.01	0.8	<0.1	<0.05	
1960913	Rock	<0.1	0.5	<0.1	2	0.09	0.040	2	2	0.02	211	0.001	<1	0.09	0.007	0.01	0.1	<0.01	0.4	<0.1	<0.05	
1960914	Rock	<0.1	<0.1	<0.1	<2	0.03	0.015	1	4	0.02	64	<0.001	<1	0.12	0.003	0.09	<0.1	<0.01	0.3	<0.1	<0.05	
1960915	Rock	<0.1	<0.1	<0.1	<2	0.03	0.015	<1	2	<0.01	51	<0.001	<1	0.05	0.003	0.02	<0.1	<0.01	0.2	<0.1	<0.05	
1960916	Rock	<0.1	<0.1	0.4	<2	0.02	0.010	<1	4	<0.01	35	<0.001	<1	0.03	0.003	0.02	<0.1	<0.01	0.2	<0.1	<0.05	
1960917	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	2	0.01	36	<0.001	<1	0.04	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960918	Rock	0.2	0.4	<0.1	42	0.73	0.082	4	23	0.85	208	0.112	<1	1.43	0.053	0.06	<0.1	<0.01	2.7	<0.1	<0.05	
1960919	Rock	<0.1	<0.1	<0.1	<2	0.04	0.014	1	3	<0.01	50	<0.001	<1	0.05	0.001	0.04	<0.1	<0.01	0.2	<0.1	<0.05	
1960920	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	4	<0.01	9	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960921	Rock	<0.1	<0.1	<0.1	<2	0.01	0.001	<1	2	0.04	5	<0.001	<1	0.05	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 5 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1960892	Rock	<1	<0.5	<0.2
1960893	Rock	<1	<0.5	<0.2
1960894	Rock	<1	<0.5	<0.2
1960895	Rock	<1	<0.5	<0.2
1960896	Rock	<1	<0.5	<0.2
1960897	Rock	<1	<0.5	<0.2
1960898	Rock	<1	<0.5	<0.2
1960899	Rock	<1	<0.5	<0.2
1960900	Rock	<1	<0.5	<0.2
1960901	Rock	<1	<0.5	<0.2
1960902	Rock	<1	<0.5	<0.2
1960903	Rock	<1	<0.5	<0.2
1960904	Rock	<1	<0.5	<0.2
1960905	Rock	<1	<0.5	<0.2
1960906	Rock	<1	<0.5	<0.2
1960907	Rock	<1	<0.5	<0.2
1960908	Rock	<1	<0.5	<0.2
1960909	Rock	<1	<0.5	<0.2
1960910	Rock	<1	<0.5	<0.2
1960911	Rock	<1	<0.5	<0.2
1960912	Rock	<1	<0.5	<0.2
1960913	Rock	<1	0.6	<0.2
1960914	Rock	<1	<0.5	<0.2
1960915	Rock	<1	<0.5	<0.2
1960916	Rock	<1	<0.5	<0.2
1960917	Rock	<1	<0.5	<0.2
1960918	Rock	4	2.4	<0.2
1960919	Rock	<1	<0.5	<0.2
1960920	Rock	<1	<0.5	<0.2
1960921	Rock	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 6 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1960922	Rock	1.31	526	<0.005	<0.01	<0.17	20.02	0.2	3.4	4.3	2	<0.1	1.3	0.6	85	0.53	0.9	<0.1	1.6	<0.1	10
1960923	Rock	1.48	442	<0.005	<0.01	<0.17	22.88	0.4	0.6	0.4	<1	<0.1	0.7	0.1	64	0.57	1.2	<0.1	0.8	<0.1	<1
1960924	Rock	1.37	426	0.006	<0.01	<0.17	20.51	0.2	2.6	1.0	3	<0.1	1.0	0.5	98	0.56	<0.5	<0.1	<0.5	0.3	7
1960925	Rock	1.58	519	<0.005	<0.01	<0.17	20.42	0.3	0.8	12.8	2	<0.1	1.0	0.3	58	0.56	4.0	<0.1	<0.5	<0.1	<1
1960926	Rock	1.45	436	0.006	<0.01	<0.17	21.34	0.4	2.8	0.3	<1	<0.1	1.3	0.7	183	0.58	0.8	<0.1	<0.5	<0.1	<1
1960927	Rock	1.80	474	<0.005	<0.01	<0.17	25.60	0.3	4.0	3.0	4	<0.1	2.9	1.3	70	0.66	2.5	<0.1	<0.5	0.2	2
1960928	Rock	1.18	449	<0.005	<0.01	<0.17	21.49	0.3	1.8	2.1	2	<0.1	1.5	1.0	112	0.62	1.4	<0.1	5.8	<0.1	3
1960929	Rock	0.77	507	<0.005	<0.01	<0.17	18.72	0.3	3.2	15.7	6	0.2	1.8	1.6	193	0.72	3.1	0.1	1.2	0.3	2
1960930	Rock	1.67	532	<0.005	<0.01	<0.17	22.13	0.2	0.6	0.3	<1	<0.1	0.8	0.2	69	0.53	0.7	<0.1	<0.5	<0.1	<1
1960931	Rock	0.42	335	<0.005	<0.01	<0.17	21.10	0.3	4.0	0.2	<1	<0.1	1.4	0.5	75	0.66	6.4	<0.1	<0.5	<0.1	<1
1960932	Rock	1.60	521	<0.005	<0.01	<0.17	22.33	0.3	0.5	0.4	2	<0.1	1.1	0.4	99	0.55	1.4	<0.1	<0.5	<0.1	1
1960933	Rock	1.43	508	<0.005	<0.01	<0.17	25.20	0.2	2.5	0.3	3	<0.1	1.3	0.8	108	0.58	1.1	<0.1	<0.5	<0.1	<1
1960934	Rock	1.23	388	<0.005	<0.01	<0.17	21.90	0.4	6.3	4.2	2	<0.1	3.5	0.6	86	0.58	4.5	<0.1	1.2	<0.1	1
1960935	Rock	1.47	516	<0.005	<0.01	<0.17	19.51	0.5	5.7	2.7	6	<0.1	3.4	1.8	104	0.71	10.5	0.1	<0.5	0.2	3
1960936	Rock	1.15	488	<0.005	<0.01	<0.17	20.49	0.3	0.5	0.5	<1	<0.1	0.7	0.2	54	0.47	8.9	<0.1	<0.5	<0.1	<1
1960937	Rock	1.49	434	<0.005	<0.01	<0.17	23.37	0.5	3.2	4.1	3	<0.1	1.9	0.9	134	0.67	11.1	<0.1	0.7	<0.1	3
1960938	Rock	1.12	449	<0.005	<0.01	<0.17	23.99	0.3	3.8	9.7	10	<0.1	3.2	1.3	88	0.77	18.8	<0.1	<0.5	<0.1	4
1960939	Rock	1.42	430	<0.005	<0.01	<0.17	21.71	0.3	3.0	0.1	<1	<0.1	1.2	0.5	74	0.57	1.1	<0.1	<0.5	<0.1	<1



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 6 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	%	ppm	ppm	ppm	ppm	%	%	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	0.05
1960922	Rock	<0.1	<0.1	<0.1	<2	0.16	0.002	<1	3	0.03	7	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<0.05
1960923	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	14	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960924	Rock	<0.1	<0.1	<0.1	<2	0.24	0.011	1	3	0.01	34	0.001	<1	0.06	0.009	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<0.05
1960925	Rock	<0.1	0.2	<0.1	<2	0.01	0.004	<1	2	<0.01	26	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<0.05
1960926	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	12	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960927	Rock	<0.1	0.1	<0.1	2	0.02	0.008	<1	3	0.06	24	<0.001	<1	0.09	0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<0.05
1960928	Rock	<0.1	<0.1	<0.1	<2	0.04	0.016	<1	4	0.02	11	<0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<0.05
1960929	Rock	<0.1	0.1	0.1	3	0.03	0.010	1	4	0.05	30	0.002	<1	0.09	0.003	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<0.05
1960930	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.002	<1	2	<0.01	9	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960931	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	25	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960932	Rock	<0.1	<0.1	<0.1	<2	0.01	0.004	<1	2	<0.01	9	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<0.05
1960933	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	0.04	34	<0.001	<1	0.06	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<0.05
1960934	Rock	<0.1	<0.1	<0.1	<2	0.01	0.002	<1	2	<0.01	10	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960935	Rock	<0.1	0.5	<0.1	<2	0.02	0.007	<1	3	0.01	23	<0.001	<1	0.07	0.022	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<0.05
1960936	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05
1960937	Rock	<0.1	0.1	<0.1	<2	0.02	0.009	<1	4	<0.01	12	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<0.05
1960938	Rock	<0.1	0.2	<0.1	6	0.07	0.029	<1	4	0.03	15	<0.001	<1	0.08	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<0.05
1960939	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	11	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<0.05





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 6 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000107.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1960922	Rock	<1	<0.5	<0.2	
1960923	Rock	<1	<0.5	<0.2	
1960924	Rock	<1	<0.5	<0.2	
1960925	Rock	<1	<0.5	<0.2	
1960926	Rock	<1	<0.5	<0.2	
1960927	Rock	<1	<0.5	<0.2	
1960928	Rock	<1	<0.5	<0.2	
1960929	Rock	<1	<0.5	<0.2	
1960930	Rock	<1	<0.5	<0.2	
1960931	Rock	<1	<0.5	<0.2	
1960932	Rock	<1	<0.5	<0.2	
1960933	Rock	<1	<0.5	<0.2	
1960934	Rock	<1	<0.5	<0.2	
1960935	Rock	<1	<0.5	<0.2	
1960936	Rock	<1	<0.5	<0.2	
1960937	Rock	<1	<0.5	<0.2	
1960938	Rock	<1	<0.5	<0.2	
1960939	Rock	<1	<0.5	<0.2	



# QUALITY CONTROL REPORT

WHI15000107.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
Pulp Duplicates																					
1960827	Rock	1.64	544	<0.005	<0.01	<0.17	20.55	0.2	2.5	0.9	1	<0.1	1.0	0.5	69	0.44	1.1	<0.1	<0.5	0.1	<1
REP 1960827	QC	<0.005																			
1960831	Rock	1.40	323	0.010	<0.01	<0.17	19.83	3.9	9.0	136.2	3	1.5	1.7	1.9	233	0.75	1.4	0.3	4.9	1.2	9
REP 1960831	QC	3.9 8.5 134.9 3 1.5 1.8 1.9 236 0.76 1.3 0.3 6.2 1.2 9																			
1960861	Rock	1.21	349	<0.005	<0.01	<0.17	20.03	0.3	1.7	8.6	2	0.1	1.0	0.2	50	0.49	0.7	<0.1	<0.5	0.9	7
REP 1960861	QC	0.3 1.7 9.0 2 0.1 0.5 0.2 49 0.49 0.5 <0.1 0.6 0.8 7																			
1960866	Rock	1.08	326	<0.005	<0.01	<0.17	21.42	0.4	3.5	1.4	3	<0.1	1.5	0.5	74	0.61	1.3	0.1	<0.5	0.5	1
REP 1960866	QC	0.3 3.3 1.4 3 <0.1 1.3 0.6 74 0.61 0.9 0.1 <0.5 0.4 <1																			
1960867	Rock	1.12	391	>10	38.59	433.27	16.77	0.8	296.9	2.1	4	11.7	1.1	0.3	66	0.62	0.9	0.4	37843.3	<0.1	1
REP 1960867	QC																				
1960885	Rock	1.68	337	>10	24.09	127.14	22.59	2.8	136.3	722.0	5	14.8	1.7	1.5	59	0.76	12.5	0.7	20074.2	0.3	5
REP 1960885	QC																				
1960896	Rock	1.03	397	<0.005	<0.01	<0.17	18.36	0.3	1.0	3.4	4	<0.1	0.7	0.4	155	0.52	2.6	0.2	3.0	2.0	5
REP 1960896	QC	0.3 1.1 3.7 4 <0.1 0.7 0.4 155 0.51 2.8 0.3 1.6 2.1 6																			
1960901	Rock	1.75	513	0.233	0.32	2.16	22.70	0.4	8.2	2.1	2	<0.1	1.4	0.8	107	0.52	0.7	<0.1	62.4	<0.1	3
REP 1960901	QC	0.4 8.2 2.1 2 <0.1 1.3 0.8 108 0.52 0.7 <0.1 69.7 <0.1 3																			
1960902	Rock	1.60	498	<0.005	<0.01	<0.17	20.01	0.3	3.3	4.2	2	<0.1	1.1	0.6	77	0.47	1.6	<0.1	<0.5	<0.1	1
REP 1960902	QC	<0.005																			
1960903	Rock	1.27	356	<0.005	<0.01	<0.17	21.28	0.3	4.7	9.9	1	0.7	0.5	0.1	54	0.50	0.7	<0.1	<0.5	<0.1	<1
REP 1960903	QC	<0.005																			
1960911	Rock	1.26	497	<0.005	<0.01	<0.17	22.78	0.3	1.1	6.4	<1	0.2	0.7	0.2	45	0.49	7.0	<0.1	<0.5	<0.1	<1
REP 1960911	QC	0.3 1.2 6.5 <1 0.3 0.8 0.2 45 0.50 7.2 <0.1 <0.5 <0.1 <1																			
1960936	Rock	1.15	488	<0.005	<0.01	<0.17	20.49	0.3	0.5	0.5	<1	<0.1	0.7	0.2	54	0.47	8.9	<0.1	<0.5	<0.1	<1
REP 1960936	QC	0.2 0.5 0.5 <1 <0.1 0.7 0.2 55 0.48 9.1 <0.1 <0.5 <0.1 <1																			
Core Reject Duplicates																					
1960826	Rock	0.87	394	0.006	<0.01	<0.17	20.39	0.3	3.3	2.2	4	<0.1	1.2	0.6	79	0.57	0.7	<0.1	<0.5	0.1	2
DUP 1960826	QC	339 <0.005 <0.01 <0.17 22.72 0.3 0.8 2.1 4 <0.1 0.6 0.2 64 0.45 0.7 <0.1 <0.5 0.1 2																			
1960860	Rock	1.05	498	<0.005	<0.01	<0.17	18.60	0.4	4.6	32.2	20	0.2	0.8	0.5	64	0.62	3.3	0.5	1.1	3.4	4



# QUALITY CONTROL REPORT

WHI15000107.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1960827	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	22	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960827	QC																				
1960831	Rock	0.1	0.6	1.5	<2	0.04	0.016	3	4	0.03	334	0.001	<1	0.08	0.018	0.06	<0.1	0.01	0.2	<0.1	<0.05
REP 1960831	QC	0.1	0.5	1.6	<2	0.04	0.016	3	4	0.03	330	0.001	<1	0.08	0.018	0.06	<0.1	0.01	0.2	<0.1	<0.05
1960861	Rock	<0.1	0.3	<0.1	<2	<0.01	<0.001	2	8	<0.01	433	<0.001	<1	0.04	0.001	0.03	<0.1	0.02	<0.1	<0.1	<0.05
REP 1960861	QC	<0.1	0.3	<0.1	<2	<0.01	<0.001	2	7	<0.01	426	<0.001	<1	0.04	0.001	0.03	<0.1	<0.01	<0.1	<0.1	<0.05
1960866	Rock	0.1	0.1	<0.1	<2	<0.01	0.001	2	9	<0.01	28	<0.001	<1	0.03	0.001	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960866	QC	<0.1	0.1	<0.1	<2	<0.01	0.001	1	8	<0.01	30	<0.001	<1	0.03	0.001	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1960867	Rock	<0.1	0.3	<0.1	<2	<0.01	0.001	<1	7	0.01	40	<0.001	<1	0.02	0.001	<0.01	<0.1	0.02	<0.1	<0.1	0.05
REP 1960867	QC																				
1960885	Rock	0.1	8.9	4.4	<2	0.01	0.004	1	2	0.02	455	<0.001	<1	0.04	0.001	0.02	<0.1	0.03	0.1	<0.1	0.05
REP 1960885	QC																				
1960896	Rock	<0.1	0.2	<0.1	<2	<0.01	0.001	7	6	<0.01	525	<0.001	<1	0.09	0.009	0.10	0.1	0.02	1.0	<0.1	<0.05
REP 1960896	QC	<0.1	0.2	<0.1	<2	<0.01	0.001	7	6	<0.01	539	<0.001	<1	0.09	0.009	0.10	0.1	0.01	0.9	<0.1	<0.05
1960901	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	7	0.02	362	<0.001	<1	0.03	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960901	QC	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	7	0.02	358	<0.001	<1	0.03	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960902	Rock	<0.1	0.2	<0.1	<2	<0.01	0.001	<1	8	<0.01	21	<0.001	<1	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960902	QC																				
1960903	Rock	<0.1	2.7	<0.1	<2	<0.01	<0.001	<1	6	<0.01	25	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960903	QC																				
1960911	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	2	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960911	QC	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	2	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1960936	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960936	QC	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Core Reject Duplicates																					
1960826	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	0.02	35	<0.001	<1	0.04	0.005	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
DUP 1960826	QC	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	2	0.02	33	<0.001	<1	0.04	0.004	0.01	<0.1	<0.01	<0.1	0.1	<0.05
1960860	Rock	<0.1	1.0	0.2	<2	0.01	0.003	13	6	0.09	198	<0.001	<1	0.13	<0.001	0.08	<0.1	0.13	1.8	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 1 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000107.1

Method Analyte	Unit	AQ201	AQ201	AQ201	FA530
		Ga ppm	Se ppm	Te ppm	-Au ppm
MDL		1	0.5	0.2	0.9
Pulp Duplicates					
1960827	Rock	<1	<0.5	<0.2	
REP 1960827	QC				
1960831	Rock	<1	<0.5	<0.2	
REP 1960831	QC	<1	<0.5	<0.2	
1960861	Rock	<1	<0.5	<0.2	
REP 1960861	QC	<1	<0.5	<0.2	
1960866	Rock	<1	<0.5	<0.2	
REP 1960866	QC	<1	<0.5	<0.2	
1960867	Rock	<1	<0.5	<0.2	20.9
REP 1960867	QC				20.3
1960885	Rock	<1	0.7	3.7	16.7
REP 1960885	QC				17.6
1960896	Rock	<1	<0.5	<0.2	
REP 1960896	QC	<1	<0.5	<0.2	
1960901	Rock	<1	<0.5	<0.2	
REP 1960901	QC	<1	<0.5	<0.2	
1960902	Rock	<1	<0.5	<0.2	
REP 1960902	QC				
1960903	Rock	<1	<0.5	<0.2	
REP 1960903	QC				
1960911	Rock	<1	<0.5	<0.2	
REP 1960911	QC	<1	<0.5	<0.2	
1960936	Rock	<1	<0.5	<0.2	
REP 1960936	QC	<1	<0.5	<0.2	
Core Reject Duplicates					
1960826	Rock	<1	<0.5	<0.2	
DUP 1960826	QC	<1	<0.5	<0.2	
1960860	Rock	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 2 of 4

Part: 1 of 3

# QUALITY CONTROL REPORT

## WHI15000107.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
DUP 1960860	QC		385	<0.005	<0.01	<0.17	21.76	0.4	6.9	32.9	19	0.2	1.4	0.9	84	0.77	3.6	0.5	<0.5	3.6	4
1960894	Rock	1.78	407	<0.005	<0.01	<0.17	18.68	0.3	3.8	2.4	2	<0.1	1.3	0.5	67	0.58	0.9	<0.1	<0.5	0.3	<1
DUP 1960894	QC		440	<0.005	<0.01	<0.17	16.60	0.3	1.1	2.3	2	<0.1	0.6	0.1	51	0.48	0.6	<0.1	<0.5	0.2	<1
1960928	Rock	1.18	449	<0.005	<0.01	<0.17	21.49	0.3	1.8	2.1	2	<0.1	1.5	1.0	112	0.62	1.4	<0.1	5.8	<0.1	3
DUP 1960928	QC		440	<0.005	<0.01	<0.17	23.86	0.3	0.9	2.1	2	<0.1	1.1	0.6	97	0.59	1.2	<0.1	1.1	<0.1	3
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS10	Standard							14.7	147.1	141.3	366	1.9	73.1	12.5	879	2.76	46.8	2.6	102.9	7.0	68
STD DS10	Standard							15.2	154.0	136.7	365	2.0	75.4	13.4	898	2.86	47.2	2.5	76.0	7.0	69
STD DS10	Standard							17.0	160.7	160.6	389	2.1	74.1	13.3	905	2.85	48.5	2.8	76.7	7.8	74
STD DS10	Standard							14.2	155.2	150.9	377	1.9	74.6	12.9	894	2.79	44.8	2.8	126.2	7.8	67
STD DS10	Standard							15.1	146.2	150.4	372	2.1	75.1	13.3	869	2.70	46.5	2.6	90.0	7.1	64
STD DS10	Standard							15.8	163.4	150.7	372	2.0	76.8	13.2	920	2.85	49.7	3.0	99.6	8.0	72
STD DS10	Standard							15.2	153.3	151.4	357	1.8	75.3	12.6	888	2.71	42.5	2.5	77.2	7.2	65
STD DS10	Standard							16.2	152.1	155.0	387	2.0	79.6	15.1	902	2.85	48.6	2.8	74.8	8.0	71
STD DS10	Standard							14.5	145.4	150.2	365	1.8	75.2	13.0	891	2.74	46.7	2.7	78.8	7.6	59
STD OXC129	Standard							1.3	26.3	6.0	40	<0.1	78.0	19.9	406	3.01	<0.5	0.7	186.8	1.8	192
STD OXC129	Standard							1.4	27.7	6.0	41	<0.1	80.6	21.4	427	3.21	0.6	0.7	193.9	1.9	192
STD OXC129	Standard							1.3	26.9	5.7	43	<0.1	78.3	20.8	417	3.09	<0.5	0.7	181.2	1.9	204
STD OXC129	Standard							1.2	28.6	6.4	42	<0.1	79.0	20.0	431	3.12	0.7	0.7	176.5	1.9	178
STD OXC129	Standard							1.3	25.1	5.6	40	<0.1	74.8	19.3	393	2.92	0.5	0.6	179.9	1.7	172
STD OXC129	Standard							1.3	29.1	6.1	43	<0.1	79.0	20.8	422	3.07	0.7	0.7	184.5	1.8	186
STD OXC129	Standard							1.2	26.2	5.3	40	<0.1	77.1	19.5	421	3.01	0.8	0.6	170.7	1.7	179
STD OXC129	Standard							1.4	29.0	6.2	47	<0.1	84.9	22.7	435	3.17	1.0	0.7	202.4	2.0	192
STD OXC129	Standard							1.3	25.4	7.1	43	<0.1	79.4	20.5	426	3.12	0.9	0.8	191.0	2.0	193
STD OXD108	Standard			0.424																	
STD OXD108	Standard			0.412																	
STD OXD108	Standard			0.405																	



# QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
DUP 1960860	QC	<0.1	1.0	0.1	<2	0.01	0.003	15	8	0.10	211	<0.001	<1	0.16	0.001	0.11	0.1	0.12	1.9	<0.1	<0.05	
1960894	Rock	<0.1	0.3	<0.1	<2	<0.01	<0.001	<1	9	<0.01	38	<0.001	<1	0.02	0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
DUP 1960894	QC	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	8	<0.01	36	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960928	Rock	<0.1	<0.1	<0.1	<2	0.04	0.016	<1	4	0.02	11	<0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
DUP 1960928	QC	<0.1	<0.1	<0.1	2	0.04	0.019	<1	3	0.02	10	<0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
Reference Materials																						
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD DS10	Standard	2.7	9.0	11.7	44	1.07	0.076	19	54	0.78	344	0.080	6	1.10	0.071	0.34	3.0	0.30	2.9	4.8	0.28	
STD DS10	Standard	2.7	9.1	11.7	46	1.08	0.079	19	57	0.80	359	0.083	7	1.12	0.068	0.35	3.0	0.28	3.0	5.0	0.28	
STD DS10	Standard	2.7	10.4	12.6	46	1.10	0.075	20	58	0.80	386	0.083	6	1.13	0.072	0.35	3.3	0.33	3.0	5.3	0.29	
STD DS10	Standard	2.6	8.8	12.4	46	1.08	0.077	19	54	0.80	342	0.081	7	1.10	0.075	0.35	3.1	0.33	3.2	4.8	0.29	
STD DS10	Standard	2.4	8.9	12.8	42	1.07	0.081	18	53	0.76	323	0.069	7	1.03	0.068	0.32	3.3	0.31	3.0	5.3	0.28	
STD DS10	Standard	2.9	10.7	12.7	44	1.11	0.084	20	57	0.80	380	0.083	7	1.12	0.077	0.36	3.2	0.30	3.2	5.3	0.29	
STD DS10	Standard	2.5	8.7	11.8	41	1.06	0.072	17	56	0.77	342	0.077	7	1.04	0.069	0.34	3.3	0.28	2.8	4.9	0.27	
STD DS10	Standard	3.1	10.0	13.2	46	1.14	0.083	20	63	0.80	379	0.094	7	1.09	0.065	0.35	3.5	0.29	3.3	5.3	0.28	
STD DS10	Standard	2.4	8.5	11.0	45	1.05	0.075	17	55	0.77	378	0.075	7	1.03	0.061	0.33	3.6	0.30	2.8	5.0	0.29	
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.72	0.106	13	51	1.57	51	0.393	<1	1.67	0.609	0.38	<0.1	<0.01	0.9	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.70	0.107	13	53	1.55	52	0.405	<1	1.61	0.567	0.37	<0.1	<0.01	0.7	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.70	0.097	13	54	1.60	53	0.413	<1	1.67	0.622	0.38	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.68	0.105	13	53	1.55	49	0.414	1	1.64	0.621	0.40	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.61	0.103	13	48	1.51	48	0.381	<1	1.51	0.586	0.38	<0.1	<0.01	0.7	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.70	0.105	13	52	1.55	51	0.408	<1	1.63	0.617	0.39	<0.1	<0.01	0.9	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.65	0.094	11	53	1.54	45	0.393	1	1.55	0.596	0.37	<0.1	<0.01	0.9	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.70	0.106	14	55	1.57	57	0.441	2	1.60	0.570	0.36	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.67	0.103	13	52	1.53	82	0.412	1	1.59	0.564	0.37	0.1	<0.01	1.0	<0.1	<0.05	
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 2 of 4

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
DUP 1960860	QC	<1	<0.5	<0.2	
1960894	Rock	<1	<0.5	<0.2	
DUP 1960894	QC	<1	<0.5	<0.2	
1960928	Rock	<1	<0.5	<0.2	
DUP 1960928	QC	<1	<0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard				<0.9
STD AGPROOF	Standard				<0.9
STD DS10	Standard	5	2.2	4.6	
STD DS10	Standard	5	2.5	4.9	
STD DS10	Standard	4	2.7	5.6	
STD DS10	Standard	4	3.1	5.1	
STD DS10	Standard	4	2.1	5.2	
STD DS10	Standard	5	2.4	5.2	
STD DS10	Standard	4	2.4	4.7	
STD DS10	Standard	5	2.8	5.4	
STD DS10	Standard	4	2.3	4.8	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				



# QUALITY CONTROL REPORT

WHI15000107.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXD108	Standard			0.413																		
STD OXI121	Standard			1.799																		
STD OXI121	Standard			1.750																		
STD OXI121	Standard			1.735																		
STD OXI121	Standard			1.811																		
STD OXN117	Standard			7.654																		
STD OXN117	Standard			7.872																		
STD OXN117	Standard			7.758																		
STD OXN117	Standard			7.691																		
STD OXP91	Standard					15.05	30.10															
STD OXP91	Standard					14.72	29.95															
STD OXP91	Standard					14.98	30.17															
STD OXP91	Standard					14.99	29.89															
STD OXP91	Standard					15.16	29.36															
STD OXP91	Standard					14.96	29.82															
STD OXP91	Standard					15.07	30.53															
STD OXP91	Standard					15.12	29.63															
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXP91 Expected						14.82																
STD DS10 Expected								14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9		
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 3 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.49	8.23	11.65	43	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 3 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.4
STD SP49	Standard				17.2
STD SQ70	Standard				39.7
STD SQ70	Standard				39.7
STD OXP91 Expected					
STD DS10 Expected		4.3	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				



# QUALITY CONTROL REPORT

WHI15000107.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1	
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank			<0.005				<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
Prep Wash																						
ROCK-WHI	Prep Blank		478	<0.005	<0.01	<0.17	27.68	0.5	2.9	3.7	40	<0.1	0.7	3.7	520	1.85	0.9	0.3	<0.5	1.9	29	
ROCK-WHI	Prep Blank		463	<0.005	<0.01	<0.17	25.11	0.6	3.0	2.9	37	<0.1	0.8	3.6	472	1.73	0.7	0.4	<0.5	2.0	26	



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Page: 4 of 4 Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.57	0.043	6	2	0.48	63	0.071	1	1.03	0.101	0.11	0.1	<0.01	3.0	<0.1	<0.05	
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.57	0.040	6	2	0.43	65	0.074	<1	1.03	0.122	0.13	0.1	0.01	3.0	<0.1	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 31, 2015

Page: 4 of 4

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000107.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: July 23, 2015  
Report Date: August 18, 2015  
Page: 1 of 3

## CERTIFICATE OF ANALYSIS

WHI15000108.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-04  
P.O. Number  
Number of Samples: 42

### SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	42	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	42	Metallic Sieve 500g to 150 mesh		Completed	VAN
Split +150 mesh	42	Analysis sample split/packet			VAN
Split -150	42	Analysis sample split/packet			VAN
FS631	42	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	42	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 2 of 3

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000108.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1960940	Rock	1.32	500	<0.005	<0.01	<0.17	26.59	0.3	11.6	2.0	1	<0.1	7.7	3.9	77	0.73	21.3	<0.1	16.1	<0.1	1
1960941	Rock	1.09	496	<0.005	<0.01	<0.17	24.45	0.2	2.5	5.5	5	<0.1	2.4	1.0	94	0.61	34.9	<0.1	<0.5	<0.1	2
1960942	Rock	1.33	465	<0.005	<0.01	<0.17	25.22	0.2	0.7	0.6	3	<0.1	0.8	0.3	124	0.58	8.2	<0.1	<0.5	<0.1	<1
1960943	Rock	0.85	354	<0.005	<0.01	<0.17	27.17	0.2	3.1	1.3	4	<0.1	1.8	0.6	87	0.75	1.0	<0.1	<0.5	<0.1	1
1960944	Rock	1.56	478	<0.005	<0.01	<0.17	29.95	0.3	0.9	3.3	5	<0.1	0.7	0.4	217	0.59	2.4	0.2	<0.5	0.6	16
1960945	Rock	1.48	437	<0.005	<0.01	<0.17	25.72	0.2	1.9	1.3	6	<0.1	1.8	0.8	113	0.74	1.7	<0.1	<0.5	0.3	2
1960946	Rock	0.50	418	<0.005	<0.01	<0.17	22.71	0.2	2.0	9.1	24	<0.1	1.4	0.5	114	0.81	0.7	<0.1	1.0	0.2	2
1960947	Rock	0.92	395	<0.005	<0.01	<0.17	20.48	0.3	1.6	3.1	4	<0.1	1.8	0.4	87	0.68	4.6	<0.1	1.1	0.1	<1
1960948	Rock	1.24	426	<0.005	<0.01	<0.17	24.44	0.2	0.7	0.2	7	<0.1	2.1	0.6	140	0.77	6.2	<0.1	0.9	<0.1	1
1960949	Rock	1.75	354	<0.005	<0.01	<0.17	23.41	0.3	2.1	5.1	7	<0.1	1.7	0.9	161	0.77	0.9	<0.1	<0.5	0.5	15
1960950	Rock	1.46	452	<0.005	<0.01	<0.17	24.54	0.1	0.7	1.0	4	<0.1	0.8	0.3	102	0.57	0.7	<0.1	<0.5	0.4	3
1960951	Rock	1.06	450	<0.005	<0.01	<0.17	24.41	0.2	8.1	6.8	19	0.1	5.7	6.1	473	1.34	19.3	0.2	0.9	1.0	33
1960952	Rock	1.73	360	<0.005	<0.01	<0.17	20.89	0.1	2.2	0.7	2	<0.1	1.4	0.8	91	0.74	2.8	<0.1	0.6	<0.1	2
1960953	Rock	1.41	439	<0.005	<0.01	<0.17	19.65	0.1	8.7	12.0	22	0.1	3.5	2.2	183	0.85	6.4	0.1	0.7	0.9	8
1960954	Rock	1.16	494	<0.005	<0.01	<0.17	20.93	0.1	1.4	0.3	3	<0.1	1.1	0.9	80	0.55	1.0	<0.1	<0.5	<0.1	4
1960955	Rock	1.49	450	<0.005	<0.01	<0.17	21.26	0.2	7.3	54.9	11	2.4	2.0	1.4	825	0.77	1.8	<0.1	1.0	0.2	93
1960956	Rock	1.44	561	<0.005	<0.01	<0.17	20.39	0.3	12.5	4.1	<1	0.2	1.1	0.6	136	0.55	11.8	<0.1	<0.5	0.4	6
1960957	Rock	1.30	507	<0.005	<0.01	<0.17	25.24	0.2	1.9	3.5	14	<0.1	1.8	1.8	901	0.77	1.6	0.2	0.7	0.3	234
1960958	Rock	0.88	380	<0.005	<0.01	<0.17	23.10	0.2	0.7	0.3	2	<0.1	0.9	0.3	87	0.62	1.3	<0.1	<0.5	<0.1	1
1960959	Rock	1.11	467	<0.005	<0.01	<0.17	20.03	0.2	0.8	1.7	3	<0.1	0.9	0.3	115	0.62	2.5	<0.1	<0.5	<0.1	1
1960960	Rock	0.91	406	<0.005	<0.01	<0.17	17.35	0.1	1.9	0.1	<1	<0.1	0.7	0.2	62	0.51	<0.5	<0.1	<0.5	<0.1	3
1960961	Rock	0.88	388	<0.005	<0.01	<0.17	24.91	0.7	6.9	353.9	182	1.3	4.9	1.6	1792	1.49	35.5	1.7	0.6	2.1	50
1960962	Rock	1.79	388	<0.005	<0.01	<0.17	21.01	0.5	1.6	226.1	96	0.4	3.3	1.0	1028	1.40	10.6	1.5	<0.5	1.4	59
1960963	Rock	1.14	412	<0.005	<0.01	<0.17	27.52	0.1	0.6	1.3	2	<0.1	0.8	0.3	88	0.55	0.7	<0.1	<0.5	<0.1	2
1960964	Rock	1.44	394	<0.005	<0.01	<0.17	21.28	0.2	1.6	3.5	2	<0.1	1.3	0.5	135	0.61	3.6	<0.1	0.8	<0.1	3
1960965	Rock	1.46	521	<0.005	<0.01	<0.17	24.38	0.1	0.6	0.4	2	<0.1	1.0	0.4	317	0.67	0.5	<0.1	<0.5	<0.1	13
1960966	Rock	1.61	397	<0.005	<0.01	<0.17	18.92	0.1	1.3	17.3	92	0.1	0.7	0.2	327	0.68	1.0	<0.1	<0.5	<0.1	2
1960967	Rock	1.50	529	0.006	<0.01	<0.17	22.37	0.4	3.1	53.7	77	0.1	4.7	1.7	1542	1.37	1.7	0.7	4.8	0.8	21
1960968	Rock	1.86	388	0.034	0.03	<0.17	19.22	0.2	0.8	268.0	9	1.2	2.1	0.3	89	0.67	4.2	<0.1	34.7	<0.1	1
1960969	Rock	1.97	447	<0.005	<0.01	<0.17	20.00	0.1	1.0	1.0	6	<0.1	0.8	0.4	49	0.54	<0.5	<0.1	1.4	0.5	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS Report Date: August 18, 2015

CERTIFICATE OF ANALYSIS

WHI15000108.1

Table with columns: Method, Analyte, Unit, MDL, and 20 elements (Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S) with their respective concentrations in ppm and %.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 2 of 3

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000108.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1960940	Rock	<1	<0.5	<0.2
1960941	Rock	<1	<0.5	<0.2
1960942	Rock	<1	<0.5	<0.2
1960943	Rock	<1	<0.5	<0.2
1960944	Rock	<1	<0.5	<0.2
1960945	Rock	<1	<0.5	<0.2
1960946	Rock	<1	<0.5	<0.2
1960947	Rock	<1	<0.5	<0.2
1960948	Rock	<1	<0.5	<0.2
1960949	Rock	<1	<0.5	<0.2
1960950	Rock	<1	<0.5	<0.2
1960951	Rock	<1	0.7	<0.2
1960952	Rock	<1	<0.5	<0.2
1960953	Rock	<1	<0.5	<0.2
1960954	Rock	<1	<0.5	<0.2
1960955	Rock	<1	0.7	<0.2
1960956	Rock	<1	<0.5	<0.2
1960957	Rock	<1	<0.5	<0.2
1960958	Rock	<1	<0.5	<0.2
1960959	Rock	<1	<0.5	<0.2
1960960	Rock	<1	<0.5	<0.2
1960961	Rock	<1	0.9	<0.2
1960962	Rock	<1	0.6	<0.2
1960963	Rock	<1	<0.5	<0.2
1960964	Rock	<1	<0.5	<0.2
1960965	Rock	<1	<0.5	<0.2
1960966	Rock	<1	<0.5	<0.2
1960967	Rock	<1	<0.5	<0.2
1960968	Rock	<1	<0.5	<0.2
1960969	Rock	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 3 of 3

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000108.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1960970	Rock	2.70	427	<0.005	<0.01	<0.17	21.57	0.1	3.3	1.6	<1	<0.1	2.2	0.7	51	0.57	21.9	<0.1	<0.5	<0.1	<1
1960971	Rock	1.91	405	<0.005	<0.01	<0.17	17.70	0.1	0.5	5.9	4	<0.1	1.4	0.5	76	0.56	0.9	<0.1	<0.5	<0.1	1
1960972	Rock	2.38	560	<0.005	<0.01	<0.17	19.95	0.1	3.1	0.4	4	<0.1	2.2	0.9	59	0.57	2.7	<0.1	<0.5	<0.1	<1
1960973	Rock	1.22	389	<0.005	<0.01	0.37	5.45	0.2	0.8	0.3	4	<0.1	1.5	0.5	83	0.66	1.1	<0.1	<0.5	<0.1	<1
1960974	Rock	1.24	470	<0.005	<0.01	<0.17	3.19	0.3	3.5	0.3	2	0.1	1.4	0.6	54	0.61	6.9	<0.1	<0.5	<0.1	<1
1960975	Rock	1.46	489	<0.005	<0.01	<0.17	9.00	0.2	0.8	0.4	2	<0.1	1.1	0.5	95	0.52	2.5	<0.1	<0.5	<0.1	1
1960976	Rock	1.40	471	<0.005	<0.01	<0.17	9.08	0.1	0.8	0.1	1	<0.1	0.8	0.2	59	0.48	<0.5	<0.1	1.5	<0.1	<1
1960977	Rock	1.66	359	<0.005	<0.01	<0.17	3.55	0.2	0.6	2.0	2	<0.1	0.9	0.4	119	0.63	0.6	<0.1	<0.5	<0.1	<1
1960978	Rock	1.55	368	0.009	<0.01	<0.17	1.88	0.3	35.8	225.8	21	11.7	5.3	2.8	477	0.88	2.8	0.2	3.0	0.3	23
1960979	Rock	1.95	439	<0.005	<0.01	<0.17	8.66	0.4	24.5	96.4	27	4.1	6.2	3.6	914	0.95	4.3	0.3	1.0	0.3	68
1960980	Rock	1.05	468	0.007	<0.01	<0.17	17.67	0.5	2.5	625.1	25	2.5	1.1	0.8	3106	0.79	<0.5	<0.1	<0.5	0.1	312
1960981	Rock	2.18	467	0.243	0.54	10.34	13.93	0.2	15.6	672.7	1	5.1	0.7	0.2	51	0.46	1.5	0.1	233.6	<0.1	<1



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 3 of 3

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000108.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1960970	Rock	<0.1	0.2	<0.1	<2	<0.01	0.002	<1	3	<0.01	5	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960971	Rock	<0.1	<0.1	<0.1	2	0.03	0.011	<1	5	0.05	11	<0.001	<1	0.08	0.016	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960972	Rock	<0.1	<0.1	<0.1	2	<0.01	0.001	<1	4	0.04	16	<0.001	<1	0.07	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960973	Rock	<0.1	<0.1	<0.1	<2	0.02	<0.001	<1	3	<0.01	6	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	
1960974	Rock	<0.1	<0.1	<0.1	<2	0.01	<0.001	<1	2	<0.01	11	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960975	Rock	<0.1	<0.1	<0.1	<2	0.06	<0.001	<1	2	0.02	7	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960976	Rock	<0.1	<0.1	<0.1	<2	0.03	<0.001	<1	2	<0.01	4	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1960977	Rock	<0.1	<0.1	<0.1	<2	0.23	<0.001	<1	3	<0.01	8	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	
1960978	Rock	0.4	0.3	18.5	3	0.91	0.010	1	4	0.32	70	0.001	<1	0.07	0.005	0.03	<0.1	0.03	0.5	<0.1	0.07	
1960979	Rock	0.3	0.2	7.0	3	2.48	0.015	<1	3	0.27	34	0.001	<1	0.06	0.004	0.02	<0.1	0.03	0.9	<0.1	<0.05	
1960980	Rock	2.0	1.3	1.2	5	8.43	0.006	<1	3	0.38	25	0.002	<1	0.22	0.002	0.02	<0.1	0.01	2.2	<0.1	<0.05	
1960981	Rock	<0.1	3.6	2.6	<2	0.01	<0.001	<1	2	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 3 of 3

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000108.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1960970	Rock	<1	<0.5	<0.2
1960971	Rock	<1	<0.5	<0.2
1960972	Rock	<1	<0.5	<0.2
1960973	Rock	<1	<0.5	<0.2
1960974	Rock	<1	<0.5	<0.2
1960975	Rock	<1	<0.5	<0.2
1960976	Rock	<1	<0.5	<0.2
1960977	Rock	<1	<0.5	<0.2
1960978	Rock	<1	1.6	0.6
1960979	Rock	<1	1.0	0.2
1960980	Rock	<1	1.6	<0.2
1960981	Rock	<1	0.6	0.8



# QUALITY CONTROL REPORT

WHI15000108.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
REP ROCK-WHI	QC						0.4	3.4	1.3	36	<0.1	0.8	3.5	468	1.70	2.3	0.3	<0.5	1.9	20	
1960954	Rock	1.16	494	<0.005	<0.01	<0.17	20.93	0.1	1.4	0.3	3	<0.1	1.1	0.9	80	0.55	1.0	<0.1	<0.5	<0.1	4
REP 1960954	QC			<0.005																	
1960956	Rock	1.44	561	<0.005	<0.01	<0.17	20.39	0.3	12.5	4.1	<1	0.2	1.1	0.6	136	0.55	11.8	<0.1	<0.5	0.4	6
REP 1960956	QC			<0.005																	
1960973	Rock	1.22	389	<0.005	<0.01	0.37	5.45	0.2	0.8	0.3	4	<0.1	1.5	0.5	83	0.66	1.1	<0.1	<0.5	<0.1	<1
REP 1960973	QC							0.2	0.8	0.3	4	<0.1	1.5	0.5	88	0.66	1.1	<0.1	<0.5	<0.1	<1
Core Reject Duplicates																					
1960963	Rock	1.14	412	<0.005	<0.01	<0.17	27.52	0.1	0.6	1.3	2	<0.1	0.8	0.3	88	0.55	0.7	<0.1	<0.5	<0.1	2
DUP 1960963	QC		316	<0.005	<0.01	<0.17	20.78	0.1	0.5	1.4	2	<0.1	0.8	0.3	85	0.54	0.8	<0.1	<0.5	<0.1	2
Reference Materials																					
STD DS10	Standard							15.0	147.1	150.4	354	2.0	77.0	13.2	884	2.70	46.3	2.7	150.2	7.9	64
STD DS10	Standard							15.2	139.1	155.2	361	2.0	79.4	13.1	886	2.78	41.5	2.4	86.5	7.1	69
STD OXC129	Standard							1.3	26.6	5.7	43	<0.1	75.9	19.4	406	2.96	0.6	0.7	179.4	1.8	175
STD OXC129	Standard							1.3	26.1	5.4	43	<0.1	80.3	20.5	416	3.03	<0.5	0.6	195.8	1.6	178
STD OXD108	Standard			0.426																	
STD OXD108	Standard			0.419																	
STD OXI121	Standard			1.788																	
STD OXI121	Standard			1.830																	
STD OXN117	Standard			7.708																	
STD OXN117	Standard			7.928																	
STD OXP91	Standard					15.23	29.88														
STD OXP91	Standard					15.18	29.58														
STD OXP91	Standard					14.91	30.31														
STD OXP91 Expected						14.82															
STD DS10 Expected								14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	



# QUALITY CONTROL REPORT

WHI15000108.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
REP ROCK-WHI	QC	<0.1	<0.1	<0.1	18	0.47	0.041	5	3	0.43	43	0.059	<1	0.81	0.053	0.07	<0.1	<0.01	2.1	<0.1	<0.05
1960954	Rock	<0.1	<0.1	<0.1	<2	0.06	<0.001	<1	2	0.02	6	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1960954	QC																				
1960956	Rock	<0.1	<0.1	<0.1	<2	0.24	0.005	1	2	0.06	30	<0.001	<1	0.03	0.002	0.03	<0.1	<0.01	0.2	<0.1	<0.05
REP 1960956	QC																				
1960973	Rock	<0.1	<0.1	<0.1	<2	0.02	<0.001	<1	3	<0.01	6	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.4	<0.1	<0.05
REP 1960973	QC	<0.1	<0.1	<0.1	<2	0.02	<0.001	<1	3	<0.01	6	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.5	<0.1	<0.05
Core Reject Duplicates																					
1960963	Rock	<0.1	<0.1	<0.1	<2	0.04	0.017	<1	3	<0.01	30	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
DUP 1960963	QC	<0.1	<0.1	<0.1	<2	0.03	0.016	<1	3	<0.01	29	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.5	8.9	12.2	43	1.06	0.081	18	55	0.77	357	0.078	7	1.07	0.069	0.33	3.3	0.28	3.0	4.9	0.28
STD DS10	Standard	2.6	9.4	11.4	44	1.07	0.074	19	57	0.77	372	0.072	7	1.05	0.062	0.33	3.2	0.30	3.0	5.1	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.64	0.099	12	49	1.55	47	0.387	1	1.56	0.584	0.35	<0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.61	0.105	12	52	1.52	46	0.373	<1	1.48	0.540	0.34	<0.1	<0.01	0.6	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.49	8.23	11.65	43	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 1 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000108.1

Method Analyte	Unit	AQ201	AQ201	AQ201
		Ga ppm	Se ppm	Te ppm
MDL		1	0.5	0.2
Pulp Duplicates				
REP ROCK-WHI	QC	3	<0.5	<0.2
1960954	Rock	<1	<0.5	<0.2
REP 1960954	QC			
1960956	Rock	<1	<0.5	<0.2
REP 1960956	QC			
1960973	Rock	<1	<0.5	<0.2
REP 1960973	QC	<1	<0.5	<0.2
Core Reject Duplicates				
1960963	Rock	<1	<0.5	<0.2
DUP 1960963	QC	<1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.3	4.8
STD DS10	Standard	5	2.3	5.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.3	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 2 of 2

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI15000108.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
BLK	Blank			<0.005																		
BLK	Blank					<0.17	30.00															
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
	Prep Wash																					
ROCK-WHI	Prep Blank		466	<0.005	<0.01	<0.17	24.00															
ROCK-WHI	Prep Blank		472	<0.005	<0.01	<0.17	29.78	0.4	15.2	2.3	33	<0.1	0.6	3.4	453	1.69	1.5	0.3	<0.5	1.8	19	
ROCK-WHI	Prep Blank							0.5	3.3	1.4	36	<0.1	0.6	3.5	461	1.70	2.5	0.3	<0.5	1.9	20	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 2 of 2

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000108.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
BLK	Blank	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank																				
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.50	0.040	5	3	0.42	44	0.057	1	0.80	0.053	0.06	<0.1	<0.01	2.3	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	18	0.47	0.043	5	3	0.44	45	0.058	1	0.79	0.052	0.07	0.1	<0.01	2.2	<0.1	<0.05



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 18, 2015

Page: 2 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000108.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank			
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	3	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: July 30, 2015  
Report Date: August 20, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000115.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-05  
P.O. Number  
Number of Samples: 30

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	30	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	30	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	30	Analysis sample split/packet			VAN
Split -150	30	Analysis sample split/packet			VAN
FS631	30	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	30	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 20, 2015

**Page:** 2 of 2

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000115.1

Method Analyte Unit MDL	WGHT Wgt kg 0.01	M150 TotWt g 1	FA430 -Au gm/t 0.005	FS600 TotAu gm/t 0.01	FS600 +Au gm/t 0.17	FS600 +Wt g 0.01	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
							Mo ppm 0.1	Cu ppm 0.1	Pb ppm 0.1	Zn ppm 1	Ag ppm 0.1	Ni ppm 0.1	Co ppm 0.1	Mn ppm 1	Fe % 0.01	As ppm 0.5	U ppm 0.1	Au ppb 0.5	Th ppm 0.1	Sr ppm 1	
1960001	Rock	1.06	480	0.045	0.04	<0.17	22.77	0.9	0.7	14.4	1	0.3	0.7	0.2	61	0.54	0.7	0.2	34.8	0.4	<1
1960002	Rock	1.85	566	0.028	0.03	<0.17	21.56	14.7	2.0	66.9	2	0.5	0.5	0.2	44	0.46	0.5	0.1	22.1	0.1	25
1960003	Rock	1.18	512	0.016	0.02	<0.17	23.56	0.6	0.8	6.7	1	0.2	0.5	0.1	59	0.50	0.6	<0.1	7.6	0.2	3
1960004	Rock	2.06	441	0.163	0.16	0.19	21.32	9.0	1.7	60.7	11	3.1	0.7	0.2	64	0.74	1.3	0.4	158.5	0.6	46
1960005	Rock	1.25	353	0.189	0.19	0.21	18.93	5.7	4.7	266.1	10	4.8	0.8	0.2	61	0.74	1.7	0.3	301.0	0.4	14
1960006	Rock	2.82	533	1.585	1.74	5.24	22.52	3.6	18.4	1678.7	140	47.4	0.5	0.1	49	0.61	2.4	0.1	2093.8	<0.1	32
1960007	Rock	1.42	400	0.006	<0.01	<0.17	19.99	0.3	0.9	14.0	<1	0.1	0.4	0.2	67	0.52	0.6	0.4	19.6	0.6	1
1960008	Rock	1.67	385	0.122	0.12	<0.17	18.28	12.6	1.1	132.7	2	3.6	0.7	0.2	72	0.65	<0.5	<0.1	142.6	<0.1	<1
1960009	Rock	1.24	509	0.626	0.63	0.74	20.40	4.4	140.0	203.6	27	29.0	0.6	0.2	48	0.56	16.9	0.2	693.0	<0.1	18
1960010	Rock	1.62	479	1.601	1.67	3.26	20.26	2.0	1.2	729.7	76	12.3	0.5	0.2	53	0.59	1.1	0.4	1824.6	0.4	3
1960982	Rock	1.34	522	<0.005	<0.01	<0.17	21.10	0.1	5.8	5.3	12	0.1	0.8	1.1	100	0.75	11.3	0.3	2.6	0.8	4
1960983	Rock	2.00	447	0.446	0.46	0.79	21.52	5.6	1.8	40.3	6	1.9	0.5	0.2	56	0.48	1.7	0.6	172.8	3.4	4
1960984	Rock	2.73	384	0.053	0.05	<0.17	19.09	6.8	1.1	33.7	8	0.9	0.6	0.3	70	0.63	1.3	0.2	49.6	0.2	4
1960985	Rock	1.27	508	0.011	0.01	<0.17	19.25	0.5	0.8	7.2	1	0.1	0.6	0.1	53	0.48	0.6	<0.1	9.3	<0.1	<1
1960986	Rock	1.24	534	<0.005	<0.01	<0.17	20.61	0.5	0.9	16.6	2	0.1	0.4	0.2	62	0.43	<0.5	0.2	<0.5	1.2	5
1960987	Rock	1.18	530	<0.005	<0.01	<0.17	18.02	0.3	1.9	23.1	2	0.1	0.5	0.2	55	0.43	1.0	0.5	0.8	4.2	9
1960988	Rock	1.23	516	<0.005	<0.01	<0.17	19.64	0.9	0.8	10.0	<1	<0.1	0.8	0.1	64	0.48	<0.5	0.7	0.9	1.0	7
1960989	Rock	1.15	518	0.027	0.03	<0.17	23.70	7.8	0.7	59.1	<1	0.9	0.7	0.2	49	0.48	0.7	0.6	25.6	0.7	<1
1960990	Rock	1.45	444	<0.005	<0.01	<0.17	17.23	0.2	0.5	1.3	<1	<0.1	0.8	0.2	52	0.44	0.7	<0.1	2.8	<0.1	<1
1960991	Rock	1.33	503	0.015	0.01	<0.17	21.47	0.4	1.0	7.9	1	0.2	0.7	0.2	56	0.53	<0.5	0.1	11.7	<0.1	<1
1960992	Rock	1.13	440	<0.005	<0.01	<0.17	19.82	6.6	1.0	23.4	2	0.1	0.5	0.2	55	0.43	0.9	0.2	1.5	1.5	3
1960993	Rock	1.33	523	<0.005	<0.01	<0.17	18.95	0.2	0.7	1.1	1	<0.1	0.6	0.2	52	0.44	0.6	<0.1	1.5	0.5	4
1960994	Rock	1.27	524	<0.005	<0.01	<0.17	20.22	0.5	0.8	1.4	<1	<0.1	0.8	0.2	56	0.44	0.6	0.1	0.7	1.1	<1
1960995	Rock	1.71	436	<0.005	<0.01	<0.17	21.96	0.2	0.8	2.5	1	<0.1	0.6	0.3	70	0.49	0.9	<0.1	<0.5	0.5	<1
1960996	Rock	0.76	407	0.271	0.27	<0.17	20.60	5.7	9.7	260.9	17	10.7	0.5	0.1	47	0.50	1.0	0.1	823.0	0.1	38
1960997	Rock	0.64	329	0.077	0.07	<0.17	20.95	11.5	2.6	14.3	62	1.7	0.6	0.2	64	0.71	0.9	0.6	71.3	2.3	36
1960998	Rock	0.94	438	0.017	0.02	<0.17	20.73	0.3	1.5	6.5	5	0.3	0.6	0.2	52	0.49	0.6	<0.1	12.6	<0.1	<1
1960999	Rock	0.94	437	0.013	0.01	<0.17	18.66	3.9	0.8	19.7	2	0.3	0.7	0.3	58	0.50	1.0	0.1	10.7	0.4	6
1961000	Rock	1.00	537	<0.005	<0.01	<0.17	18.97	3.5	3.7	24.1	8	<0.1	0.8	0.2	58	0.46	1.2	0.1	0.8	0.7	2
1961785	Rock	0.79	365	<0.005	<0.01	<0.17	20.21	0.3	1.6	3.1	4	<0.1	1.5	0.6	149	0.64	2.3	<0.1	1.0	<0.1	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 20, 2015

**Page:** 2 of 2

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000115.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
MDL	MDL	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	%	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	0.05
1960001	Rock	<0.1	0.4	0.1	<2	<0.01	<0.001	<1	2	<0.01	9	<0.001	4	<0.01	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960002	Rock	<0.1	0.6	0.6	<2	<0.01	<0.001	<1	2	<0.01	727	<0.001	2	0.01	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960003	Rock	<0.1	0.4	<0.1	<2	<0.01	<0.001	<1	2	<0.01	100	<0.001	2	0.01	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1960004	Rock	0.1	1.1	0.8	<2	<0.01	0.001	1	3	<0.01	1890	<0.001	2	0.04	0.001	0.03	<0.1	0.02	<0.1	<0.1	0.09	
1960005	Rock	0.2	2.3	3.5	<2	<0.01	<0.001	<1	3	<0.01	700	<0.001	2	<0.01	<0.001	<0.01	0.1	0.03	0.2	<0.1	0.09	
1960006	Rock	4.1	12.6	4.0	<2	<0.01	<0.001	<1	2	<0.01	919	<0.001	1	<0.01	<0.001	<0.01	<0.1	0.46	<0.1	<0.1	0.13	
1960007	Rock	<0.1	0.3	<0.1	<2	<0.01	0.002	<1	3	<0.01	113	<0.001	2	0.02	<0.001	0.02	0.1	<0.01	0.2	<0.1	<0.05	
1960008	Rock	<0.1	0.5	0.8	<2	<0.01	<0.001	<1	3	<0.01	18	<0.001	1	<0.01	<0.001	<0.01	<0.1	0.04	0.2	<0.1	<0.05	
1960009	Rock	2.1	156.5	1.6	<2	<0.01	<0.001	<1	2	<0.01	495	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.26	0.1	<0.1	0.10	
1960010	Rock	1.5	1.0	1.5	<2	<0.01	<0.001	1	2	<0.01	123	<0.001	2	<0.01	<0.001	<0.01	0.1	0.40	0.3	<0.1	<0.05	
1960982	Rock	<0.1	1.0	<0.1	3	0.04	0.006	1	3	0.05	20	0.008	1	0.13	0.004	0.02	<0.1	<0.01	0.9	<0.1	<0.05	
1960983	Rock	<0.1	0.5	0.3	<2	<0.01	0.002	6	2	0.01	169	<0.001	2	0.08	0.007	0.07	0.2	0.01	0.5	<0.1	<0.05	
1960984	Rock	0.1	0.4	0.2	<2	<0.01	0.001	<1	2	<0.01	214	<0.001	1	0.01	<0.001	<0.01	<0.1	0.03	0.1	<0.1	<0.05	
1960985	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	2	<0.01	35	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	0.1	<0.1	<0.05	
1960986	Rock	<0.1	0.4	0.1	<2	<0.01	<0.001	2	2	<0.01	235	<0.001	<1	0.03	0.002	0.03	<0.1	<0.01	0.3	<0.1	<0.05	
1960987	Rock	<0.1	0.7	<0.1	<2	<0.01	0.002	8	2	0.01	640	<0.001	2	0.08	0.004	0.06	0.1	<0.01	0.3	<0.1	<0.05	
1960988	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	8	<0.01	430	0.001	<1	<0.01	0.001	<0.01	0.2	<0.01	0.3	<0.1	<0.05	
1960989	Rock	<0.1	0.4	1.4	<2	<0.01	0.001	<1	7	<0.01	71	<0.001	<1	<0.01	<0.001	<0.01	0.3	<0.01	0.2	<0.1	<0.05	
1960990	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	6	<0.01	35	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1960991	Rock	<0.1	0.3	<0.1	<2	<0.01	<0.001	<1	7	<0.01	12	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	
1960992	Rock	<0.1	0.4	<0.1	<2	<0.01	0.001	3	5	0.01	326	<0.001	<1	0.06	<0.001	0.05	<0.1	<0.01	0.2	<0.1	<0.05	
1960993	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	2	6	0.01	406	<0.001	<1	0.03	<0.001	0.02	<0.1	<0.01	0.2	<0.1	<0.05	
1960994	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	1	7	<0.01	28	<0.001	<1	0.03	<0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	
1960995	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	2	7	<0.01	44	<0.001	<1	0.02	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	
1960996	Rock	0.6	6.2	1.0	<2	<0.01	<0.001	<1	6	<0.01	1564	<0.001	<1	0.01	0.001	0.01	<0.1	0.07	0.2	<0.1	0.09	
1960997	Rock	1.0	1.3	<0.1	<2	<0.01	0.001	4	5	<0.01	2042	<0.001	2	0.07	0.018	0.05	0.1	0.30	0.3	<0.1	0.06	
1960998	Rock	<0.1	0.4	<0.1	<2	<0.01	<0.001	<1	6	<0.01	31	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	
1960999	Rock	<0.1	0.4	0.2	<2	<0.01	<0.001	1	6	<0.01	208	<0.001	1	0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1961000	Rock	<0.1	2.2	0.1	<2	<0.01	0.002	2	6	0.02	202	<0.001	1	0.04	0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	
1961785	Rock	<0.1	0.1	<0.1	<2	0.01	0.004	<1	7	<0.01	37	<0.001	1	0.02	0.002	0.01	<0.1	<0.01	0.4	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 20, 2015

Page: 2 of 2

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000115.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1960001	Rock	<1	<0.5	0.2
1960002	Rock	<1	<0.5	<0.2
1960003	Rock	<1	<0.5	0.6
1960004	Rock	<1	<0.5	1.7
1960005	Rock	<1	0.7	1.3
1960006	Rock	<1	0.5	14.5
1960007	Rock	<1	<0.5	<0.2
1960008	Rock	<1	<0.5	1.0
1960009	Rock	<1	0.6	1.8
1960010	Rock	<1	0.8	4.7
1960982	Rock	<1	<0.5	<0.2
1960983	Rock	<1	<0.5	1.7
1960984	Rock	<1	<0.5	0.8
1960985	Rock	<1	<0.5	<0.2
1960986	Rock	<1	<0.5	<0.2
1960987	Rock	<1	<0.5	<0.2
1960988	Rock	<1	<0.5	<0.2
1960989	Rock	<1	<0.5	<0.2
1960990	Rock	<1	<0.5	<0.2
1960991	Rock	<1	<0.5	<0.2
1960992	Rock	<1	<0.5	<0.2
1960993	Rock	<1	<0.5	<0.2
1960994	Rock	<1	<0.5	<0.2
1960995	Rock	<1	<0.5	<0.2
1960996	Rock	<1	<0.5	2.1
1960997	Rock	<1	<0.5	0.7
1960998	Rock	<1	<0.5	0.3
1960999	Rock	<1	<0.5	<0.2
1961000	Rock	<1	<0.5	<0.2
1961785	Rock	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000115.1

Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
				Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
Pulp Duplicates																					
1960002	Rock	1.85	566	0.028	0.03	<0.17	21.56	14.7	2.0	66.9	2	0.5	0.5	0.2	44	0.46	0.5	0.1	22.1	0.1	25
REP 1960002	QC							14.9	2.0	68.8	1	0.5	0.5	0.1	47	0.47	0.7	0.1	24.6	0.1	26
Core Reject Duplicates																					
1960997	Rock	0.64	329	0.077	0.07	<0.17	20.95	11.5	2.6	14.3	62	1.7	0.6	0.2	64	0.71	0.9	0.6	71.3	2.3	36
DUP 1960997	QC		260	0.080	0.07	<0.17	17.52	12.1	2.6	15.2	64	1.7	0.8	0.2	64	0.73	0.9	0.6	73.4	2.4	38
Reference Materials																					
STD DS10	Standard							14.2	160.6	146.2	373	1.9	70.7	12.5	892	2.78	45.0	2.6	77.0	7.6	64
STD OXC129	Standard							1.2	27.9	6.0	44	<0.1	77.3	21.0	419	3.08	0.8	0.7	190.2	1.9	206
STD OXD108	Standard			0.421																	
STD OXD108	Standard			0.402																	
STD OXI121	Standard			1.756																	
STD OXI121	Standard			1.802																	
STD OXN117	Standard			7.372																	
STD OXN117	Standard			7.761																	
STD OXP91	Standard					15.07	29.47														
STD OXP91	Standard					15.12	29.49														
STD OXP91 Expected						14.82															
STD DS10 Expected								14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			0.007																	
BLK	Blank					<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1		
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		483	<0.005	<0.01	<0.17	19.22	0.6	4.8	8.0	49	<0.1	1.9	3.8	492	1.86	1.6	0.4	<0.5	2.2	27
ROCK-WHI	Prep Blank		489	<0.005	<0.01	<0.17	18.99	0.5	7.0	13.0	67	<0.1	1.8	3.9	483	1.80	1.5	0.4	<0.5	2.0	25



# QUALITY CONTROL REPORT

WHI15000115.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																						
1960002	Rock	<0.1	0.6	0.6	<2	<0.01	<0.001	<1	2	<0.01	727	<0.001	2	0.01	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
REP 1960002	QC	<0.1	0.6	0.6	<2	<0.01	<0.001	<1	2	<0.01	770	<0.001	1	0.01	0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	
Core Reject Duplicates																						
1960997	Rock	1.0	1.3	<0.1	<2	<0.01	0.001	4	5	<0.01	2042	<0.001	2	0.07	0.018	0.05	0.1	0.30	0.3	<0.1	0.06	
DUP 1960997	QC	1.0	1.3	<0.1	<2	<0.01	0.001	4	6	<0.01	1944	<0.001	<1	0.07	0.018	0.05	0.1	0.31	0.3	<0.1	0.06	
Reference Materials																						
STD DS10	Standard	2.6	9.8	11.8	45	1.10	0.071	19	53	0.78	332	0.081	7	1.08	0.065	0.34	3.2	0.30	2.9	4.9	0.28	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.71	0.097	13	49	1.52	51	0.415	1	1.58	0.557	0.35	<0.1	<0.01	0.9	<0.1	<0.05	
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.49	8.23	11.65	43	1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.64	0.040	7	3	0.47	59	0.073	3	1.00	0.060	0.08	0.1	<0.01	2.8	<0.1	<0.05	
ROCK-WHI	Prep Blank	0.3	<0.1	<0.1	23	0.63	0.040	6	3	0.46	52	0.068	3	0.96	0.052	0.07	0.1	<0.01	2.6	<0.1	<0.05	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: August 20, 2015

Page: 1 of 1

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000115.1

Method Analyte	Unit	AQ201	AQ201	AQ201
		Ga ppm	Se ppm	Te ppm
MDL		1	0.5	0.2
Pulp Duplicates				
1960002	Rock	<1	<0.5	<0.2
REP 1960002	QC	<1	<0.5	<0.2
Core Reject Duplicates				
1960997	Rock	<1	<0.5	0.7
DUP 1960997	QC	<1	<0.5	0.8
Reference Materials				
STD DS10	Standard	4	2.2	4.6
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.3	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 06, 2015  
Report Date: September 01, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000136.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15  
P.O. Number  
Number of Samples: 15

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	15	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	15	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	15	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

## ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 01, 2015

**Page:** 2 of 2

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000136.1

Method	Analyte	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
1960011	Rock	1.54	<0.005	0.1	1.4	1.0	1	<0.1	0.8	0.2	34	0.31	<0.5	<0.1	<0.5	0.4	<1	<0.1	0.1	<0.1	<2
1960012	Rock	0.86	1.528	3.0	4.6	49.8	19	11.7	0.7	<0.1	25	0.33	0.9	<0.1	1197.9	<0.1	<1	0.5	3.9	0.5	<2
1960013	Rock	1.64	0.291	0.4	9.1	58.2	35	0.9	1.5	0.3	51	0.57	1.8	0.6	257.9	1.4	11	0.2	1.8	0.4	<2
1960014	Rock	1.36	0.017	0.1	1.9	10.3	6	0.3	0.7	0.2	30	0.32	0.6	0.2	25.8	0.4	2	<0.1	0.2	<0.1	<2
1960015	Rock	1.38	0.020	0.2	5.6	11.3	15	0.4	1.1	0.4	77	0.45	1.3	0.5	21.5	0.9	1	0.3	0.8	0.5	<2
1960016	Rock	1.10	0.215	0.4	9.6	5.2	29	1.7	4.2	1.3	89	0.82	5.1	0.9	225.2	3.5	12	1.8	0.3	<0.1	8
1960017	Rock	1.85	0.048	0.4	24.5	100.5	66	0.5	3.3	2.1	253	0.77	2.0	0.6	34.0	0.9	3	0.8	0.3	<0.1	4
1960018	Rock	1.60	0.103	0.2	13.4	88.8	84	0.6	1.6	0.8	61	0.72	2.6	1.0	139.8	4.4	6	1.1	0.3	0.1	<2
1960019	Rock	0.95	<0.005	<0.1	3.7	6.2	3	0.4	0.8	0.2	49	0.39	0.6	<0.1	4.3	0.1	<1	<0.1	0.4	0.1	<2
1960020	Rock	1.39	<0.005	0.4	16.1	19.6	12	0.8	0.8	0.3	39	0.29	1.0	0.1	4.7	0.2	<1	<0.1	0.7	<0.1	<2
1960021	Rock	1.26	0.010	0.2	59.3	40.7	65	0.5	1.6	0.8	116	0.63	1.0	0.4	4.9	0.4	15	<0.1	2.0	0.2	<2
1960714	Rock	1.17	0.015	0.5	0.8	2.0	<1	0.2	0.6	0.1	29	0.28	0.6	0.1	17.2	0.5	3	<0.1	0.2	<0.1	<2
1960715	Rock	0.97	0.210	0.8	6.5	441.8	6	2.6	1.0	0.1	46	0.54	3.0	0.5	200.7	<0.1	<1	<0.1	2.9	2.0	<2
1960716	Rock	0.85	2.303	2.5	52.8	434.4	6	33.8	0.6	<0.1	26	0.31	3.1	0.2	3194.2	0.1	72	0.2	19.1	3.1	<2
1960717	Rock	1.13	0.145	1.5	1.1	45.8	4	2.2	0.9	0.1	49	0.46	0.5	<0.1	113.1	0.1	1	<0.1	0.4	0.4	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 01, 2015

Page: 2 of 2

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI15000136.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2	
1960011	Rock	<0.01	<0.001	1	6	<0.01	35	<0.001	<1	0.05	0.002	0.03	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
1960012	Rock	<0.01	<0.001	<1	4	<0.01	47	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.27	<0.1	0.06	<1	<0.5	5.5	
1960013	Rock	<0.01	0.009	2	5	0.02	890	<0.001	<1	0.08	0.011	0.04	<0.1	0.04	<0.1	<0.05	<1	<0.5	0.8	
1960014	Rock	<0.01	0.002	<1	4	<0.01	97	<0.001	<1	0.03	0.013	0.02	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2	
1960015	Rock	<0.01	0.002	3	4	0.02	80	<0.001	<1	0.08	0.003	0.05	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2	
1960016	Rock	0.09	0.032	9	6	0.13	127	0.001	<1	0.25	0.019	0.05	<0.1	0.01	0.9	<0.05	1	<0.5	2.1	
1960017	Rock	0.03	0.006	4	8	0.11	86	0.001	<1	0.18	0.005	0.04	<0.1	0.01	0.4	<0.05	<1	<0.5	<0.2	
1960018	Rock	0.05	0.022	13	4	0.10	117	0.001	<1	0.23	0.018	0.11	<0.1	<0.01	0.6	<0.05	1	<0.5	0.3	
1960019	Rock	<0.01	<0.001	<1	6	<0.01	22	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
1960020	Rock	<0.01	0.001	<1	4	0.02	14	<0.001	<1	0.04	0.007	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
1960021	Rock	<0.01	0.003	<1	5	0.10	648	<0.001	<1	0.16	0.012	0.02	<0.1	0.02	1.6	<0.05	<1	<0.5	<0.2	
1960714	Rock	<0.01	<0.001	<1	5	<0.01	136	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2	
1960715	Rock	<0.01	0.003	<1	6	<0.01	27	<0.001	<1	<0.01	0.001	<0.01	<0.1	0.01	<0.1	<0.05	<1	<0.5	1.0	
1960716	Rock	<0.01	<0.001	<1	5	<0.01	1789	<0.001	<1	0.01	0.001	<0.01	<0.1	0.20	<0.1	0.08	<1	0.9	11.8	
1960717	Rock	<0.01	<0.001	<1	5	<0.01	82	<0.001	<1	<0.01	0.001	<0.01	<0.1	0.04	<0.1	<0.05	<1	<0.5	1.2	



# QUALITY CONTROL REPORT

WHI15000136.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1960015	Rock	1.38	0.020	0.2	5.6	11.3	15	0.4	1.1	0.4	77	0.45	1.3	0.5	21.5	0.9	1	0.3	0.8	0.5	<2
REP 1960015	QC			0.3	5.8	11.7	16	0.4	1.1	0.3	76	0.47	1.5	0.5	23.0	1.0	1	0.2	0.9	0.5	<2
Reference Materials																					
STD DS10	Standard			14.2	160.2	148.5	365	1.9	78.9	13.1	889	2.90	46.1	2.5	79.1	7.4	64	2.7	9.7	11.3	46
STD OXC129	Standard			1.4	27.4	6.3	42	<0.1	83.0	20.8	429	3.23	0.7	0.6	191.1	1.8	195	<0.1	<0.1	<0.1	55
STD OXD108	Standard		0.420																		
STD OXD108	Standard		0.419																		
STD OXI121	Standard		1.794																		
STD OXI121	Standard		1.790																		
STD OXN117	Standard		7.908																		
STD OXN117	Standard		7.703																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	2.59	91.9	7.5	67.1	2.49	8.23	11.65	43	
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	5.2	1.3	41	<0.1	0.9	3.4	509	1.81	0.6	0.3	<0.5	1.9	25	<0.1	<0.1	<0.1	25
ROCK-WHI	Prep Blank		<0.005	0.5	5.5	4.9	45	<0.1	0.8	3.8	508	1.84	0.8	0.3	<0.5	2.1	22	<0.1	<0.1	<0.1	26



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 01, 2015

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

# WHI15000136.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																				
1960015	Rock	<0.01	0.002	3	4	0.02	80	<0.001	<1	0.08	0.003	0.05	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
REP 1960015	QC	<0.01	0.002	3	5	0.02	83	<0.001	<1	0.08	0.003	0.05	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD DS10	Standard	1.08	0.071	18	54	0.79	363	0.083	6	1.07	0.071	0.34	3.2	0.30	2.7	5.2	0.28	5	2.1	5.2
STD OXC129	Standard	0.68	0.105	13	54	1.54	53	0.419	<1	1.57	0.596	0.37	0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
STD DS10 Expected		1.0625	0.073	17.5	54.6	0.775	359	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
ROCK-WHI	Prep Blank	0.58	0.038	6	3	0.46	60	0.082	<1	0.99	0.089	0.10	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.54	0.043	6	2	0.46	57	0.076	<1	0.92	0.079	0.08	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: September 15, 2015  
Report Date: October 01, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000202.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-09  
P.O. Number  
Number of Samples: 12

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	12	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	12	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 01, 2015

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000202.1

Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
1960022	Rock	0.85	<0.005	<0.1	0.8	0.4	1	<0.1	0.7	0.2	35	0.24	1.1	<0.1	<0.5	<0.1	2	<0.1	<0.1	<0.1	<2
1961786	Rock	0.96	<0.005	<0.1	10.8	5.5	38	0.8	3.0	0.3	106	0.73	1.6	1.2	0.5	2.0	15	<0.1	0.8	<0.1	5
1961791	Rock	0.84	<0.005	0.5	10.6	63.6	84	1.0	5.7	1.7	504	0.99	37.3	0.2	2.9	0.8	6	0.4	1.6	2.1	10
1961792	Rock	0.97	<0.005	0.3	3.4	8.2	25	0.2	6.8	2.2	478	0.73	19.0	<0.1	<0.5	0.7	73	0.3	0.5	0.1	10
1961793	Rock	0.82	0.356	0.1	7.4	3.0	9	0.3	2.1	0.8	145	0.41	11.8	<0.1	123.5	0.9	2	<0.1	0.2	<0.1	3





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 01, 2015

Page: 2 of 2

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI15000202.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1960022	Rock	0.01	0.001	<1	2	<0.01	43	0.001	<1	0.03	0.002	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1961786	Rock	0.03	0.008	4	12	0.46	501	0.013	<1	0.40	0.005	0.05	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1961791	Rock	0.07	0.014	4	11	0.42	66	<0.001	<1	0.49	0.002	0.04	<0.1	<0.01	1.1	<0.1	<0.05	2	<0.5	<0.2
1961792	Rock	1.94	0.017	3	11	0.36	81	<0.001	<1	0.38	0.002	0.04	<0.1	<0.01	1.1	<0.1	<0.05	1	<0.5	<0.2
1961793	Rock	0.02	0.004	3	4	0.09	344	<0.001	<1	0.20	0.005	0.12	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000202.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1961793	Rock	0.82	0.356	0.1	7.4	3.0	9	0.3	2.1	0.8	145	0.41	11.8	<0.1	123.5	0.9	2	<0.1	0.2	<0.1	3
REP 1961793	QC			0.1	7.4	2.9	9	0.2	2.1	0.9	146	0.41	11.6	<0.1	40.0	0.9	2	<0.1	0.2	<0.1	3
Reference Materials																					
STD DS10	Standard			14.8	159.3	150.5	371	1.9	74.9	13.2	911	2.82	47.4	2.7	131.0	7.8	70	2.6	9.6	13.1	47
STD OXC129	Standard			1.3	28.2	6.5	42	<0.1	79.6	20.4	428	3.13	0.7	0.7	180.1	2.0	193	<0.1	<0.1	<0.1	56
STD OXD108	Standard		0.423																		
STD OXI121	Standard		1.807																		
STD OXN117	Standard		7.535																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	2.9	1.4	29	<0.1	1.1	3.8	457	1.75	0.9	0.5	<0.5	2.2	28	<0.1	<0.1	<0.1	26
ROCK-WHI	Prep Blank		<0.005	2.2	1.6	1.0	28	<0.1	0.8	3.3	424	1.73	0.9	0.4	<0.5	2.2	27	<0.1	<0.1	<0.1	26



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 01, 2015

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI15000202.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																				
1961793	Rock	0.02	0.004	3	4	0.09	344	<0.001	<1	0.20	0.005	0.12	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
REP 1961793	QC	0.02	0.004	3	4	0.09	338	<0.001	<1	0.19	0.005	0.12	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD DS10	Standard	1.09	0.076	19	57	0.80	361	0.080	7	1.07	0.064	0.34	3.2	0.29	3.0	5.1	0.29	4	1.9	4.8
STD OXC129	Standard	0.66	0.105	13	52	1.56	50	0.401	1	1.58	0.575	0.37	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
ROCK-WHI	Prep Blank	0.71	0.041	6	2	0.46	62	0.075	1	1.05	0.092	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.62	0.040	5	2	0.42	56	0.076	1	1.00	0.105	0.10	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: October 09, 2015  
Report Date: October 27, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000223.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-11  
P.O. Number  
Number of Samples: 12

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	12	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	12	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
BAT01	12	Batch charge of <20 samples			WHI

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000223.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
1960721	Rock	0.77	0.024	0.4	2.6	2.8	5	0.3	3.7	4.2	38	2.15	7.7	0.6	27.8	5.1	8	<0.1	0.3	<0.1	<2
1960723	Rock	0.98	0.019	0.5	3.2	2.4	8	0.2	5.2	5.4	226	2.28	9.5	0.4	19.9	4.1	9	0.3	0.4	<0.1	<2
1960724	Rock	2.49	0.031	0.6	3.3	2.3	16	0.2	2.2	3.4	440	1.37	7.3	0.3	30.1	4.9	8	<0.1	0.3	<0.1	4
1960725	Rock	0.96	0.018	0.6	2.1	6.1	19	0.2	2.4	3.4	543	1.88	12.0	0.4	9.3	5.0	12	0.2	0.5	<0.1	4
1960726	Rock	2.11	<0.005	0.3	2.2	2.1	2	<0.1	1.7	0.6	39	0.30	1.0	<0.1	2.4	<0.1	<1	<0.1	<0.1	<0.1	<2
1960727	Rock	1.56	<0.005	0.2	2.0	4.4	5	<0.1	2.0	0.7	48	0.41	0.9	<0.1	1.4	0.2	1	<0.1	0.1	<0.1	3
1960728	Rock	1.47	<0.005	0.5	2.2	7.0	5	<0.1	2.6	0.9	72	0.46	1.6	<0.1	1.7	0.2	3	<0.1	<0.1	<0.1	2
1960729	Rock	2.51	<0.005	0.2	12.0	21.0	7	0.2	6.0	2.7	58	0.64	6.4	<0.1	<0.5	0.5	2	0.1	0.3	0.2	6
1960730	Rock	1.56	<0.005	0.4	5.4	5.3	4	<0.1	2.5	1.3	83	0.49	3.9	<0.1	<0.5	0.2	1	<0.1	0.2	<0.1	<2
1960731	Rock	2.02	<0.005	0.3	5.6	4.5	14	<0.1	4.6	2.7	89	0.73	4.1	<0.1	0.7	0.6	2	<0.1	0.3	<0.1	7
1960732	Rock	1.77	<0.005	0.6	14.9	3.3	13	<0.1	4.7	2.8	119	0.74	7.2	0.1	1.0	0.5	2	0.1	0.3	<0.1	5
1960733	Rock	2.16	1.166	0.3	2.5	3.3	5	0.3	4.9	2.3	118	0.75	3.6	0.1	2305.9	0.7	4	0.1	0.2	<0.1	<2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 27, 2015

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI15000223.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1960721	Rock	0.10	0.042	16	3	0.01	53	0.002	<1	0.18	0.286	0.04	0.3	0.03	1.7	<0.1	<0.05	<1	0.9	<0.2
1960723	Rock	0.10	0.040	13	4	0.03	63	0.001	<1	0.17	0.308	0.04	<0.1	0.05	2.2	<0.1	<0.05	<1	0.6	<0.2
1960724	Rock	0.09	0.035	16	3	0.06	189	0.002	1	0.26	0.079	0.19	0.1	0.05	2.1	<0.1	<0.05	<1	<0.5	<0.2
1960725	Rock	0.12	0.046	20	3	0.05	139	0.002	1	0.25	0.187	0.11	0.1	0.04	2.7	<0.1	<0.05	<1	<0.5	<0.2
1960726	Rock	0.01	0.004	<1	3	0.04	7	0.001	<1	0.06	0.002	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1960727	Rock	0.03	0.005	<1	4	0.09	15	0.007	<1	0.12	0.004	0.02	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
1960728	Rock	0.05	0.021	<1	5	0.08	20	0.005	<1	0.11	0.004	0.02	<0.1	0.02	0.4	<0.1	<0.05	<1	<0.5	<0.2
1960729	Rock	0.03	0.010	1	4	0.16	32	0.002	<1	0.20	0.006	0.05	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1960730	Rock	0.03	0.004	<1	4	0.05	16	0.001	<1	0.08	0.002	0.01	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
1960731	Rock	0.05	0.016	2	5	0.30	48	0.003	<1	0.33	0.003	0.07	<0.1	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2
1960732	Rock	0.03	0.006	2	5	0.13	39	0.003	<1	0.19	0.003	0.04	<0.1	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1960733	Rock	0.04	0.013	2	5	0.06	39	0.002	<1	0.10	0.006	0.02	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000223.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1960733	Rock	2.16	1.166	0.3	2.5	3.3	5	0.3	4.9	2.3	118	0.75	3.6	0.1	2305.9	0.7	4	0.1	0.2	<0.1	<2
REP 1960733	QC			0.4	2.6	3.3	4	0.3	4.6	2.1	118	0.76	3.2	0.1	888.8	0.6	4	<0.1	0.2	<0.1	<2
Reference Materials																					
STD DS10	Standard			14.1	151.3	151.1	360	2.0	72.9	12.8	893	2.76	44.5	2.5	77.8	7.4	64	2.4	8.4	11.5	44
STD OXC129	Standard			1.1	26.7	6.4	40	<0.1	75.5	19.6	420	3.04	0.7	0.7	183.5	1.9	184	<0.1	<0.1	<0.1	51
STD OXD108	Standard		0.404																		
STD OXI121	Standard		1.821																		
STD OXN117	Standard		7.573																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<2
Prep Wash																					
ROCK-WHI	Prep Blank		0.005	0.9	3.5	2.0	32	<0.1	1.0	3.6	460	1.78	0.9	0.4	<0.5	2.2	26	<0.1	<0.1	<0.1	23
ROCK-WHI	Prep Blank		<0.005	0.6	3.2	1.0	32	<0.1	1.0	3.4	475	1.76	0.8	0.4	0.7	2.1	24	<0.1	<0.1	<0.1	22



# QUALITY CONTROL REPORT

WHI15000223.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																					
1960733	Rock	0.04	0.013	2	5	0.06	39	0.002	<1	0.10	0.006	0.02	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2	
REP 1960733	QC	0.04	0.012	2	5	0.06	38	0.002	<1	0.09	0.006	0.02	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2	
Reference Materials																					
STD DS10	Standard	1.08	0.068	18	55	0.78	353	0.081	7	1.08	0.074	0.35	3.3	0.32	2.9	5.0	0.28	5	2.2	5.1	
STD OXC129	Standard	0.71	0.090	12	50	1.55	45	0.402	1	1.60	0.602	0.36	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2	
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXD108 Expected																					
STD OXN117 Expected																					
STD OXI121 Expected																					
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01	
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																					
ROCK-WHI	Prep Blank	0.72	0.036	5	3	0.45	49	0.086	<1	1.13	0.133	0.12	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.67	0.039	5	3	0.45	48	0.083	1	1.15	0.165	0.14	0.1	<0.01	3.2	<0.1	<0.05	3	<0.5	<0.2	



## Appendix V

See Data Folder for geophysical data

## APPENDIX VI

### DIAMOND DRILL SAMPLE INFORMATION

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-01	1718351	3.80	4.25	0.45			40.34
EC15-01	1718940	4.25	5.35	1.10			0.54
EC15-01	1718352	5.35	6.00	0.65			16.82
EC15-01	1718941	6.00	7.00	1.00			0.42
EC15-01	1718942	7.00	8.00	1.00			0.01
EC15-01	1718943	8.00	8.50	0.50			0.01
EC15-01	1718353	8.50	8.80	0.30			0.81
EC15-01	1718944	8.80	9.60	0.80			0.08
EC15-01	1718945	9.60	10.10	0.50			1.28
EC15-01	1718354	10.10	10.40	0.30			5.28
EC15-01	1718946	10.40	11.10	0.70			3.42
EC15-01	1718355	11.10	11.45	0.35			0.52
EC15-01	1718947	11.45	12.45	1.00			0.01
EC15-01	1718948	12.45	13.45	1.00			0.01
EC15-01	1718356	13.45	13.70	0.25			0.03
EC15-01	1718949	13.70	14.70	1.00			0.01
EC15-01	1718950	14.70	14.70	0.00		Blank	0.01
EC15-01	1718951	14.70	14.70	0.00	CDN-GS-7F		7.38
EC15-01	1718952	14.70	15.70	1.00			0.11
EC15-01	1718953	15.70	16.70	1.00			0.19
EC15-01	1718954	16.70	17.70	1.00			0.05
EC15-01	1718955	17.70	18.75	1.05			0.22
EC15-01	1718357	18.75	19.15	0.40			0.57
EC15-01	1718358	19.15	19.60	0.45			0.01
EC15-01	1718359	19.60	19.95	0.35			0.01
EC15-01	1718956	19.95	20.95	1.00			0.01
EC15-01	1718957	20.95	21.95	1.00			0.01
EC15-01	1718958	21.95	22.95	1.00			0.01
EC15-01	1718959	22.95	23.95	1.00			0.01
EC15-01	1718960	23.95	24.50	0.55			0.01
EC15-01	1718360	24.50	24.90	0.40			0.01
EC15-01	1718961	24.90	25.90	1.00			0.01
EC15-01	1718962	25.90	26.90	1.00			0.01
EC15-01	1718963	26.90	27.90	1.00			0.01
EC15-01	1718964	27.90	28.90	1.00			0.03
EC15-01	1718965	28.90	29.65	0.75			0.16
EC15-01	1718361	29.65	29.95	0.30			0.06
EC15-01	1718966	29.95	30.30	0.35			0.28
EC15-01	1718362	30.30	30.55	0.25			0.01
EC15-01	1718363	30.55	31.10	0.55			0.01
EC15-01	1718967	31.10	32.10	1.00			0.01
EC15-01	1718968	32.10	33.10	1.00			0.01
EC15-01	1718969	33.10	33.75	0.65			0.01
EC15-01	1718970	33.75	33.75	0.00		Blank	0.01
EC15-01	1718971	33.75	33.75	0.00	CDN-GS-7F		7.44
EC15-01	1718364	33.75	34.00	0.25			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-01	1718972	34.00	35.00	1.00			0.01
EC15-01	1718365	35.00	35.50	0.50			0.02
EC15-01	1718366	42.55	42.75	0.20			0.12
EC15-01	1718367	46.10	46.40	0.30			0.04
EC15-01	1718368	47.15	47.40	0.25			1.21
EC15-01	1718369	49.25	49.80	0.55			0.01
EC15-01	1718370	49.80	49.80	0.00		Blank	0.01
EC15-01	1718371	49.80	49.80	0.00	OREAS 45c		0.05
EC15-01	1718372	50.75	51.00	0.25			0.01
EC15-01	1718373	63.55	63.75	0.20			0.01
EC15-01	1718374	64.70	65.40	0.70			0.01
EC15-01	1718375	65.40	66.05	0.65			0.01
EC15-01	1718376	66.05	66.60	0.55			0.03
EC15-01	1718377	66.60	67.15	0.55			0.01
EC15-01	1718378	75.85	76.10	0.25			0.01
EC15-02	1718379	2.80	3.00	0.20			0.01
EC15-02	1718973	3.00	3.55	0.55			0.01
EC15-02	1718380	3.55	3.80	0.25			0.01
EC15-02	1718974	3.80	4.40	0.60			0.06
EC15-02	1718381	4.40	4.90	0.50			11.05
EC15-02	1718975	4.90	5.75	0.85			0.34
EC15-02	1718382	5.75	6.15	0.40			0.01
EC15-02	1718383	6.15	6.70	0.55			0.17
EC15-02	1718976	6.70	7.70	1.00			1.11
EC15-02	1718977	7.70	8.70	1.00			0.02
EC15-02	1718978	8.70	9.70	1.00			0.01
EC15-02	1718979	9.70	10.70	1.00			0.01
EC15-02	1718980	10.70	11.00	0.30			0.05
EC15-02	1718384	11.00	11.60	0.60			16.36
EC15-02	1718981	11.60	12.50	0.90			0.01
EC15-02	1718385	12.50	12.90	0.40			0.01
EC15-02	1718982	12.90	13.50	0.60			0.01
EC15-02	1718386	13.50	14.10	0.60			0.01
EC15-02	1718983	14.10	15.10	1.00			0.01
EC15-02	1718984	15.10	16.10	1.00			0.01
EC15-02	1718985	16.10	17.10	1.00			0.01
EC15-02	1718986	17.10	18.10	1.00			0.01
EC15-02	1718987	18.10	19.10	1.00			0.02
EC15-02	1718988	19.10	20.10	1.00			0.01
EC15-02	1718989	20.10	21.10	1.00			0.01
EC15-02	1718990	21.10	21.10	0.00		Blank	0.01
EC15-02	1718991	21.10	21.10	0.00	CDN-GS-7F		7.23
EC15-02	1718992	21.10	21.80	0.70			0.01
EC15-02	1718387	21.80	22.20	0.40			0.01
EC15-02	1718993	22.20	23.20	1.00			0.01
EC15-02	1718994	23.20	24.20	1.00			0.18

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-02	1718995	24.20	25.20	1.00			0.35
EC15-02	1718996	25.20	26.20	1.00			0.01
EC15-02	1718997	26.20	27.15	0.95			0.09
EC15-02	1718388	27.15	27.35	0.20			0.06
EC15-02	1718998	27.35	27.90	0.55			0.18
EC15-02	1718389	27.90	28.45	0.55			0.31
EC15-02	1718390	28.45	28.45	0.00		Blank	0.01
EC15-02	1718391	28.45	28.45	0.00	CDN-GS-P2A		0.24
EC15-02	1718392	28.45	29.00	0.55			0.21
EC15-02	1718393	29.00	29.80	0.80			0.65
EC15-02	1718394	29.80	30.25	0.45			0.70
EC15-02	1718395	30.25	30.80	0.55			0.03
EC15-02	1718396	30.80	31.40	0.60			0.01
EC15-02	1718397	31.40	31.70	0.30			0.01
EC15-02	1718398	35.30	35.60	0.30			0.05
EC15-02	1718399	36.15	36.50	0.35			0.01
EC15-02	1718400	36.75	37.10	0.35			0.52
EC15-02	1718401	37.10	37.45	0.35			0.09
EC15-02	1718403	37.45	37.85	0.40			0.45
EC15-02	1718404	37.85	38.15	0.30			0.84
EC15-02	1718402	39.05	39.35	0.30			0.04
EC15-02	1718405	40.50	40.80	0.30			0.66
EC15-02	1718406	41.30	41.75	0.45			0.58
EC15-02	1718407	42.85	43.65	0.80			5.60
EC15-02	1718408	47.05	47.50	0.45			0.11
EC15-02	1718409	47.75	48.40	0.65			0.25
EC15-02	1718410	48.40	48.40	0.00		Blank	0.01
EC15-02	1718411	48.40	48.40	0.00	CDN-GS-2K		2.04
EC15-03	1718999	2.80	3.20	0.40			0.01
EC15-03	1719000	3.20	4.40	1.20			0.02
EC15-03	1718412	4.40	4.70	0.30			15.03
EC15-03	1719201	4.70	5.10	0.40			0.01
EC15-03	1718413	5.10	5.45	0.35			30.22
EC15-03	1719202	5.45	6.20	0.75			0.33
EC15-03	1718414	6.20	6.50	0.30			15.47
EC15-03	1719203	6.50	7.50	1.00			0.04
EC15-03	1719204	7.50	8.50	1.00			0.01
EC15-03	1719205	8.50	9.50	1.00			0.02
EC15-03	1719206	9.50	9.95	0.45			0.19
EC15-03	1718415	9.95	10.20	0.25			37.86
EC15-03	1719207	10.20	11.00	0.80			0.15
EC15-03	1719208	11.00	11.50	0.50			0.06
EC15-03	1718416	11.50	12.00	0.50			22.19
EC15-03	1719209	12.00	13.10	1.10			0.27
EC15-03	1719210	13.10	13.10	0.00		Blank	0.01
EC15-03	1719211	13.10	13.10	0.00	CDN-GS-7F		6.82

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-03	1719212	13.10	14.20	1.10			0.63
EC15-03	1718417	14.20	14.70	0.50			1.64
EC15-03	1719213	14.70	15.70	1.00			0.32
EC15-03	1719214	15.70	16.70	1.00			0.01
EC15-03	1719215	16.70	17.70	1.00			0.01
EC15-03	1719216	17.70	18.70	1.00			0.34
EC15-03	1719217	18.70	19.70	1.00			0.05
EC15-03	1719218	19.70	20.70	1.00			0.01
EC15-03	1719219	20.70	21.70	1.00			0.01
EC15-03	1719220	21.70	22.85	1.15			0.01
EC15-03	1718418	22.85	23.60	0.75			0.03
EC15-03	1718419	23.60	24.40	0.80			0.02
EC15-03	1718420	25.25	25.75	0.50			0.09
EC15-03	1718421	28.10	28.40	0.30			2.15
EC15-03	1718422	31.00	31.40	0.40			0.03
EC15-03	1718423	33.30	34.00	0.70			0.01
EC15-03	1718424	34.00	34.30	0.30			0.01
EC15-03	1718425	38.85	39.45	0.60			2.43
EC15-03	1718426	39.60	40.15	0.55			0.77
EC15-03	1718427	40.30	40.60	0.30			0.20
EC15-03	1718428	42.70	42.95	0.25			0.14
EC15-03	1718429	43.35	43.55	0.20			0.04
EC15-03	1718430	43.55	43.55	0.00		Blank	0.01
EC15-03	1718431	43.55	43.55	0.00	CDN-GS-5J		4.65
EC15-03	1718432	44.05	44.30	0.25			0.14
EC15-03	1718433	47.80	48.30	0.50			25.36
EC15-03	1718434	48.30	48.70	0.40			0.38
EC15-03	1718435	48.90	49.60	0.70			0.72
EC15-04	1718436	4.60	4.80	0.20			0.01
EC15-04	1719221	4.80	5.80	1.00			0.01
EC15-04	1719222	5.80	6.80	1.00			0.01
EC15-04	1719223	6.80	7.80	1.00			0.01
EC15-04	1719224	7.80	8.80	1.00			0.01
EC15-04	1719225	8.80	9.80	1.00			0.01
EC15-04	1719226	9.80	10.80	1.00			0.01
EC15-04	1719227	10.80	11.70	0.90			0.01
EC15-04	1718437	11.70	11.90	0.20			0.01
EC15-04	1719228	11.90	12.90	1.00			0.01
EC15-04	1719229	12.90	13.90	1.00			0.01
EC15-04	1719230	13.90	13.90	0.00		Blank	0.01
EC15-04	1719231	13.90	13.90	0.00	CDN-GS-7F		6.41
EC15-04	1719232	13.90	14.90	1.00			0.01
EC15-04	1719233	14.90	15.90	1.00			0.01
EC15-04	1719234	15.90	16.90	1.00			0.01
EC15-04	1719235	16.90	17.90	1.00			0.01
EC15-04	1719236	17.90	18.45	0.55			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-04	1718438	18.45	18.80	0.35			5.13
EC15-04	1719237	18.80	19.70	0.90			0.42
EC15-04	1718439	19.70	20.05	0.35			0.25
EC15-04	1719238	20.05	21.10	1.05			0.01
EC15-04	1718440	21.10	21.80	0.70			8.22
EC15-04	1718441	21.80	22.20	0.40			17.91
EC15-04	1719239	22.20	22.95	0.75			0.12
EC15-04	1718442	22.95	23.20	0.25			1.06
EC15-04	1718443	23.20	23.70	0.50			0.50
EC15-04	1718444	23.70	23.90	0.20			2.96
EC15-04	1718445	23.90	24.10	0.20			14.94
EC15-04	1719240	24.10	25.10	1.00			0.34
EC15-04	1719241	25.10	26.10	1.00			0.56
EC15-04	1718446	26.10	26.70	0.60			2.46
EC15-04	1718447	26.70	27.60	0.90			1.42
EC15-04	1719242	27.60	28.60	1.00			0.01
EC15-04	1719243	28.60	29.60	1.00			0.01
EC15-04	1719244	29.60	30.60	1.00			0.01
EC15-04	1719245	30.60	31.60	1.00			0.01
EC15-04	1719246	31.60	32.75	1.15			0.01
EC15-04	1718448	32.75	33.10	0.35			0.01
EC15-04	1719247	33.10	33.75	0.65			0.01
EC15-04	1718449	38.70	39.00	0.30			0.01
EC15-04	1718450	39.00	39.00	0.00		Blank	0.01
EC15-04	1718451	39.00	39.00	0.00	OREAS 45c		0.05
EC15-04	1718452	40.30	40.55	0.25			0.01
EC15-04	1718453	47.50	47.90	0.40			0.01
EC15-04	1718454	51.10	51.60	0.50			0.01
EC15-04	1718455	55.00	55.30	0.30			0.01
EC15-04	1718456	60.30	61.05	0.75			0.01
EC15-05	1718457	4.60	4.70	0.10			0.01
EC15-05	1718497	7.70	7.80	0.10			0.01
EC15-05	1718458	9.45	9.90	0.45			0.01
EC15-05	1718459	9.90	10.45	0.55			0.01
EC15-05	1718460	15.25	15.50	0.25			0.01
EC15-05	1718461	15.75	16.15	0.40			0.01
EC15-05	1719248	17.40	18.40	1.00			0.01
EC15-05	1718462	18.40	18.70	0.30			0.18
EC15-05	1719249	18.70	18.90	0.20			0.18
EC15-05	1719250	18.90	18.90	0.00		Blank	0.01
EC15-05	1719251	18.90	18.90	0.00	CDN-GS-7F		6.96
EC15-05	1718463	18.90	19.20	0.30			0.20
EC15-05	1718464	19.20	19.75	0.55			2.99
EC15-05	1719252	19.75	20.15	0.40			0.01
EC15-05	1718465	20.15	20.45	0.30			0.02
EC15-05	1718466	20.45	20.70	0.25			0.10

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-05	1719253	20.70	21.70	1.00			0.02
EC15-05	1718467	21.70	21.95	0.25			0.43
EC15-05	1719254	21.95	22.95	1.00			0.05
EC15-05	1719255	22.95	23.65	0.70			0.01
EC15-05	1718468	23.65	24.40	0.75			0.01
EC15-05	1719256	24.40	25.40	1.00			0.01
EC15-05	1719257	25.40	25.80	0.40			0.01
EC15-05	1719258	25.80	26.10	0.30			0.06
EC15-05	1719259	26.10	27.10	1.00			0.23
EC15-05	1719260	27.10	27.45	0.35			0.15
EC15-05	1718469	27.45	27.60	0.15			0.01
EC15-05	1718470	27.60	27.60	0.00		Blank	0.01
EC15-05	1718471	27.60	27.60	0.00	CDN-GS-P2A		0.26
EC15-05	1719261	27.60	28.60	1.00			0.01
EC15-05	1719262	28.60	29.60	1.00			0.44
EC15-05	1719263	29.60	30.15	0.55			1.64
EC15-05	1718472	30.15	30.50	0.35			0.51
EC15-05	1719264	30.50	31.50	1.00			0.35
EC15-05	1719265	31.50	32.50	1.00			0.40
EC15-05	1719266	32.50	33.50	1.00			0.09
EC15-05	1719267	33.50	34.50	1.00			0.01
EC15-05	1719268	34.50	35.50	1.00			0.01
EC15-05	1719269	35.50	36.50	1.00			0.05
EC15-05	1719270	36.50	36.50	0.00		Blank	0.01
EC15-05	1719271	36.50	36.50	0.00	CDN-GS-7F		6.91
EC15-05	1719272	36.50	37.50	1.00			0.02
EC15-05	1719273	37.50	38.50	1.00			0.08
EC15-05	1719274	38.50	39.50	1.00			0.02
EC15-05	1719275	39.50	40.50	1.00			0.01
EC15-05	1719276	40.50	41.50	1.00			0.01
EC15-05	1719299	41.50	41.80	0.30			0.01
EC15-05	1718473	41.80	42.10	0.30			0.32
EC15-05	1719277	42.10	43.10	1.00			0.01
EC15-05	1718474	44.35	44.65	0.30			0.04
EC15-05	1718475	45.25	45.60	0.35			0.01
EC15-05	1718476	45.60	46.30	0.70			0.02
EC15-05	1718477	46.30	46.55	0.25			0.02
EC15-05	1718478	55.70	56.00	0.30			0.01
EC15-05	1718479	56.20	56.90	0.70			0.01
EC15-05	1718480	57.95	58.25	0.30			0.01
EC15-06	1718481	6.90	7.20	0.30			0.02
EC15-06	1718482	15.20	15.50	0.30			0.23
EC15-06	1718483	18.85	19.40	0.55			0.02
EC15-06	1718484	25.35	25.90	0.55			1.87
EC15-06	1719278	25.90	26.85	0.95			0.27
EC15-06	1719279	26.85	27.85	1.00			0.01



Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-06	1719280	27.85	28.85	1.00			0.01
EC15-06	1719281	28.85	29.85	1.00			0.01
EC15-06	1719282	29.85	30.30	0.45			0.01
EC15-06	1718485	30.30	30.75	0.45			0.01
EC15-06	1719283	30.75	31.90	1.15			0.09
EC15-06	1718486	31.90	32.65	0.75			0.12
EC15-06	1719284	32.65	33.45	0.80			0.41
EC15-06	1718521	33.45	33.60	0.15			1.77
EC15-06	1719285	33.60	34.75	1.15			0.73
EC15-06	1718487	34.75	35.00	0.25			0.86
EC15-06	1719286	35.00	36.00	1.00			0.31
EC15-06	1719287	36.00	37.00	1.00			0.01
EC15-06	1719288	37.00	38.00	1.00			0.01
EC15-06	1718488	38.00	38.20	0.20			0.01
EC15-06	1719289	38.20	39.20	1.00			0.01
EC15-06	1719290	39.20	39.20	0.00		Blank	0.01
EC15-06	1719291	39.20	39.20	0.00	CDN-GS-7F		7.17
EC15-06	1719292	39.20	40.20	1.00			0.01
EC15-06	1719293	40.20	41.20	1.00			0.01
EC15-06	1719294	41.20	42.20	1.00			0.01
EC15-06	1719295	42.20	43.20	1.00			0.01
EC15-06	1719296	43.20	43.85	0.65			0.02
EC15-06	1718489	43.85	44.15	0.30			0.06
EC15-06	1718490	44.15	44.15	0.00		Blank	0.01
EC15-06	1718491	44.15	44.15	0.00	CDN-GS-2K		1.95
EC15-06	1718492	44.15	44.90	0.75			2.76
EC15-06	1719297	44.90	45.40	0.50			0.05
EC15-06	1718493	45.40	45.60	0.20			0.60
EC15-06	1719298	45.60	46.45	0.85			0.01
EC15-06	1718494	51.45	51.90	0.45			0.01
EC15-06	1718495	55.95	56.30	0.35			0.03
EC15-06	1718496	57.55	57.80	0.25			0.02
EC15-06	1718522	60.95	61.25	0.30			0.01
EC15-07	1718498	4.70	4.85	0.15			0.01
EC15-07	1718499	5.50	5.70	0.20			0.58
EC15-07	1718500	6.50	7.25	0.75			0.35
EC15-07	1718501	7.25	8.35	1.10			0.54
EC15-07	1718502	14.60	15.10	0.50			0.01
EC15-07	1718503	19.80	20.15	0.35			0.01
EC15-07	1718504	35.70	36.00	0.30			0.01
EC15-07	1718505	36.00	36.35	0.35			0.01
EC15-07	1718506	36.35	36.70	0.35			0.01
EC15-07	1718507	40.60	40.95	0.35			0.01
EC15-07	1718508	40.95	41.25	0.30			0.01
EC15-07	1718509	41.25	41.75	0.50			0.01
EC15-07	1718510	41.75	41.75	0.00		Blank	0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-07	1718511	41.75	41.75	0.00	CDN-GS-5J		4.92
EC15-07	1718512	46.05	46.30	0.25			0.01
EC15-07	1718513	51.00	51.30	0.30			0.18
EC15-07	1718514	51.60	52.10	0.50			0.05
EC15-07	1718515	52.10	52.85	0.75			0.01
EC15-07	1718516	53.80	54.65	0.85			0.01
EC15-07	1718520	54.65	55.60	0.95			0.01
EC15-07	1718517	55.60	56.10	0.50			0.01
EC15-07	1718518	57.35	57.65	0.30			0.01
EC15-07	1718519	62.50	63.00	0.50			0.01
EC15-08	1718523	13.10	13.90	0.80			0.21
EC15-08	1718524	13.90	14.55	0.65			0.34
EC15-08	1718525	14.55	15.35	0.80			0.16
EC15-08	1718526	15.35	15.55	0.20			0.05
EC15-08	1718527	15.55	16.35	0.80			0.01
EC15-08	1718528	24.00	24.45	0.45			0.06
EC15-08	1719300	24.45	25.00	0.55			0.01
EC15-08	1718529	25.00	25.50	0.50			0.02
EC15-08	1718530	25.50	25.50	0.00		Blank	0.01
EC15-08	1718531	25.50	25.50	0.00	CDN-GS-5J		4.87
EC15-08	1718532	25.50	25.95	0.45			0.01
EC15-08	1718533	25.95	26.25	0.30			4.14
EC15-08	1718534	26.25	27.00	0.75			0.01
EC15-08	1718535	27.00	27.40	0.40			0.06
EC15-08	1718536	27.40	27.90	0.50			0.01
EC15-08	1718537	27.90	28.45	0.55			0.01
EC15-08	1718539	28.45	28.90	0.45			0.01
EC15-08	1718540	28.90	29.30	0.40			0.01
EC15-08	1718541	29.30	29.65	0.35			1.17
EC15-08	1718542	29.65	29.85	0.20			0.03
EC15-08	1718543	29.85	30.15	0.30			4.07
EC15-08	1718544	30.15	31.05	0.90			0.01
EC15-08	1718545	31.05	31.45	0.40			0.31
EC15-08	1718546	31.45	32.00	0.55			0.79
EC15-08	1718547	32.00	32.75	0.75			0.17
EC15-08	1718548	32.75	33.05	0.30			3.26
EC15-08	1718549	33.05	33.35	0.30			0.91
EC15-08	1718550	33.35	33.35	0.00		Blank	0.01
EC15-08	1718551	33.35	33.35	0.00	OREAS 45c		0.05
EC15-08	1719301	33.35	34.35	1.00			0.01
EC15-08	1719302	34.35	35.35	1.00			0.01
EC15-08	1719303	35.35	35.85	0.50			0.14
EC15-08	1718552	35.85	36.30	0.45			4.01
EC15-08	1718553	36.30	36.75	0.45			0.02
EC15-08	1719304	36.75	36.90	0.15			0.01
EC15-08	1718554	36.90	37.35	0.45			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-08	1719305	37.35	38.30	0.95			0.01
EC15-08	1718555	38.30	38.75	0.45			0.55
EC15-08	1719306	38.75	39.05	0.30			0.01
EC15-08	1718556	39.05	39.60	0.55			0.30
EC15-08	1719327	39.65	40.10	0.45			0.03
EC15-08	1718557	40.10	40.35	0.25			3.87
EC15-08	1719307	40.35	40.70	0.35			0.01
EC15-08	1718558	40.70	41.30	0.60			0.03
EC15-08	1719308	41.30	41.90	0.60			0.03
EC15-08	1718559	41.90	42.50	0.60			0.73
EC15-08	1718560	42.50	42.85	0.35			13.47
EC15-08	1718561	42.85	43.60	0.75			0.07
EC15-08	1718562	43.60	43.80	0.20			0.25
EC15-08	1718563	43.80	44.20	0.40			0.56
EC15-08	1718564	44.20	44.40	0.20			1.10
EC15-08	1718565	44.40	44.75	0.35			1.02
EC15-08	1718566	44.75	45.10	0.35			0.32
EC15-08	1719309	45.10	45.85	0.75			0.02
EC15-08	1719310	45.85	45.85	0.00		Blank	0.01
EC15-08	1719311	45.85	45.85	0.00	CDN-GS-7F		7.04
EC15-08	1718567	45.85	46.20	0.35			1.56
EC15-08	1718568	46.20	46.60	0.40			4.04
EC15-08	1718569	46.60	47.25	0.65			0.51
EC15-08	1718570	47.25	47.25	0.00		Blank	0.01
EC15-08	1718571	47.25	47.25	0.00	CDN-GS-P2A		0.26
EC15-08	1719312	47.25	47.75	0.50			0.17
EC15-09	1719313	17.10	17.70	0.60			0.01
EC15-09	1718572	17.70	18.15	0.45			0.01
EC15-09	1718573	18.15	18.40	0.25			0.80
EC15-09	1718574	18.40	18.80	0.40			0.01
EC15-09	1718575	18.80	19.05	0.25			0.20
EC15-09	1718576	19.05	19.30	0.25			0.04
EC15-09	1718577	19.30	19.55	0.25			0.93
EC15-09	1718578	19.55	19.80	0.25			0.97
EC15-09	1718579	19.80	20.15	0.35			0.03
EC15-09	1718580	20.15	20.40	0.25			6.55
EC15-09	1718581	20.40	21.00	0.60			0.27
EC15-09	1718582	21.00	22.00	1.00			0.10
EC15-09	1718583	22.00	23.00	1.00			0.01
EC15-09	1718584	23.00	23.50	0.50			0.05
EC15-09	1718585	23.50	23.90	0.40			1.29
EC15-09	1718586	23.90	24.90	1.00			0.02
EC15-09	1718587	24.90	25.50	0.60			0.16
EC15-09	1718588	25.90	26.00	0.10			0.02
EC15-09	1719314	26.00	27.00	1.00			0.01
EC15-09	1719315	27.00	27.40	0.40			0.14

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-09	1718589	27.40	27.50	0.10			0.04
EC15-09	1718590	27.50	27.50	0.00		Blank	0.01
EC15-09	1718591	27.50	27.50	0.00	CDN-GS-2K		2.03
EC15-09	1719316	27.50	28.00	0.50			0.01
EC15-09	1718592	28.00	28.45	0.45			0.03
EC15-09	1718593	28.45	28.85	0.40			0.37
EC15-09	1719317	28.85	29.85	1.00			0.01
EC15-09	1719318	29.85	30.85	1.00			0.01
EC15-09	1719319	30.85	31.85	1.00			0.01
EC15-09	1719320	31.85	32.45	0.60			0.01
EC15-09	1718594	32.45	32.80	0.35			0.01
EC15-09	1719321	32.80	33.80	1.00			0.07
EC15-09	1719322	33.80	34.40	0.60			0.01
EC15-09	1718595	34.40	34.70	0.30			0.06
EC15-09	1718596	34.70	35.15	0.45			0.03
EC15-09	1718597	35.15	35.50	0.35			2.58
EC15-09	1719323	35.50	36.05	0.55			0.14
EC15-09	1719324	36.05	37.05	1.00			0.16
EC15-09	1719325	37.05	37.90	0.85			0.01
EC15-09	1718598	37.90	38.10	0.20			0.01
EC15-09	1719326	38.10	39.10	1.00			0.01
EC15-09	1718599	68.35	69.30	0.95			0.01
EC15-10	1719328	5.75	6.75	1.00			0.01
EC15-10	1718538	6.75	7.25	0.50			0.01
EC15-10	1719329	7.25	7.90	0.65			0.01
EC15-10	1719330	7.90	7.90	0.00		Blank	0.01
EC15-10	1719331	7.90	7.90	0.00	CDN-GS-7F		6.79
EC15-10	1719332	7.90	8.40	0.50			0.01
EC15-10	1718600	8.40	8.75	0.35			0.01
EC15-10	1719333	8.75	9.50	0.75			0.01
EC15-10	1719334	18.50	19.50	1.00			0.01
EC15-10	1718601	19.50	19.80	0.30			1.08
EC15-10	1719335	19.80	20.80	1.00			0.01
EC15-10	1719336	20.80	21.80	1.00			0.05
EC15-10	1719337	21.80	22.50	0.70			0.61
EC15-10	1718602	22.50	22.85	0.35			0.13
EC15-10	1719338	22.85	23.65	0.80			0.18
EC15-10	1718603	23.65	23.90	0.25			0.02
EC15-10	1718604	23.90	24.40	0.50			419.91
EC15-10	1718605	24.40	25.10	0.70			1.03
EC15-10	1718606	25.10	25.40	0.30			0.50
EC15-10	1718607	25.40	25.65	0.25			0.40
EC15-10	1718654	25.65	25.90	0.25			0.25
EC15-10	1718608	25.90	26.40	0.50			0.81
EC15-10	1718609	26.40	26.70	0.30			0.79
EC15-10	1718610	26.70	26.70	0.00		Blank	0.02

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-10	1718611	26.70	26.70	0.00	CDN-GS-5J		4.93
EC15-10	1719339	26.70	27.50	0.80			0.01
EC15-10	1719340	27.50	28.15	0.65			0.01
EC15-10	1718612	28.15	28.45	0.30			0.34
EC15-10	1719341	28.45	29.10	0.65			0.01
EC15-10	1719342	29.10	29.85	0.75			0.01
EC15-10	1718613	29.85	30.55	0.70			0.76
EC15-10	1718614	30.55	30.75	0.20			0.20
EC15-10	1719343	30.75	31.50	0.75			0.01
EC15-10	1719344	31.50	32.20	0.70			0.01
EC15-10	1718615	32.20	32.60	0.40			0.08
EC15-10	1718616	32.60	32.85	0.25			0.81
EC15-10	1718617	32.85	33.20	0.35			0.05
EC15-10	1719345	33.20	33.85	0.65			0.31
EC15-10	1718618	33.85	34.05	0.20			0.03
EC15-10	1718619	34.05	34.25	0.20			4.97
EC15-10	1719346	34.25	35.20	0.95			0.22
EC15-10	1718620	35.20	35.35	0.15			0.23
EC15-10	1718621	35.35	35.60	0.25			0.45
EC15-10	1719347	35.60	36.00	0.40			0.08
EC15-10	1718622	36.00	36.30	0.30			0.11
EC15-10	1718655	36.30	36.50	0.20			0.12
EC15-10	1719348	36.50	36.90	0.40			0.01
EC15-10	1718623	36.90	37.10	0.20			0.01
EC15-10	1719349	37.10	38.10	1.00			0.01
EC15-10	1719350	38.10	38.10	0.00		Blank	0.01
EC15-10	1719351	38.10	38.10	0.00	CDN-GS-7F		6.73
EC15-10	1719352	38.10	39.20	1.10			0.01
EC15-10	1718624	39.20	39.40	0.20			0.01
EC15-10	1719353	39.40	39.60	0.20			0.01
EC15-10	1718625	39.60	40.00	0.40			0.01
EC15-10	1719354	40.00	40.80	0.80			0.01
EC15-10	1718626	40.80	41.30	0.50			0.01
EC15-10	1718627	41.30	41.80	0.50			0.01
EC15-10	1719355	41.80	42.25	0.45			0.01
EC15-10	1718628	42.25	42.75	0.50			0.12
EC15-10	1719356	42.75	43.70	0.95			0.01
EC15-10	1718629	43.70	44.45	0.75			0.01
EC15-10	1718630	44.45	44.45	0.00		Blank	0.01
EC15-10	1718631	44.45	44.45	0.00	OREAS 45c		0.05
EC15-10	1719357	44.45	45.50	1.05			0.01
EC15-10	1719358	45.50	46.40	0.90			0.03
EC15-10	1718632	46.40	47.25	0.85			0.20
EC15-10	1719359	47.25	48.00	0.75			0.01
EC15-10	1718633	52.65	52.80	0.15			0.01
EC15-10	1719360	59.20	60.15	0.95			0.04

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-10	1718634	60.15	60.45	0.30			0.01
EC15-10	1719361	60.45	60.95	0.50			0.07
EC15-10	1718635	60.95	61.20	0.25			0.05
EC15-10	1719362	61.20	61.40	0.20			0.07
EC15-10	1718636	61.40	61.95	0.55			0.01
EC15-10	1719363	61.95	62.40	0.45			0.02
EC15-10	1718637	62.40	62.60	0.20			0.19
EC15-10	1719364	62.60	63.50	0.90			0.07
EC15-10	1718638	63.50	63.70	0.20			0.02
EC15-10	1719365	63.70	64.70	1.00			0.01
EC15-10	1719366	64.70	65.70	1.00			0.01
EC15-10	1719367	65.70	66.70	1.00			0.01
EC15-10	1719368	66.70	67.70	1.00			0.01
EC15-10	1719369	67.70	68.60	0.90			0.01
EC15-10	1719370	68.60	68.60	0.00		Blank	0.01
EC15-10	1719371	68.60	68.60	0.00	CDN-GS-7F		6.56
EC15-10	1718639	68.60	68.75	0.15			0.01
EC15-10	1719372	68.75	69.50	0.75			0.01
EC15-10	1718640	92.70	93.00	0.30			0.01
EC15-10	1718653	97.55	98.35	0.80			0.01
EC15-11	1719373	9.90	10.90	1.00			0.01
EC15-11	1718641	10.90	11.20	0.30			0.89
EC15-11	1719374	11.20	12.20	1.00			0.06
EC15-11	1719375	12.20	13.20	1.00			0.01
EC15-11	1719376	13.20	14.20	1.00			0.19
EC15-11	1719377	14.20	15.55	1.35			0.13
EC15-11	1718642	15.55	15.80	0.25			1.10
EC15-11	1718643	15.80	16.20	0.40			0.09
EC15-11	1719378	16.20	17.20	1.00			0.01
EC15-11	1719379	17.20	17.65	0.45			0.01
EC15-11	1718644	17.65	18.20	0.55			0.01
EC15-11	1719380	18.20	18.80	0.60			0.01
EC15-11	1719381	18.80	19.40	0.60			0.01
EC15-11	1718645	19.40	19.65	0.25			1.94
EC15-11	1719382	19.65	20.50	0.85			0.02
EC15-11	1719383	20.50	21.20	0.70			0.34
EC15-11	1718646	21.20	21.35	0.15			4.66
EC15-11	1719384	21.35	21.55	0.20			0.02
EC15-11	1718647	21.55	22.05	0.50			0.94
EC15-11	1719385	22.05	22.75	0.70			0.50
EC15-11	1718648	22.75	23.05	0.30			1.27
EC15-11	1719386	23.05	23.20	0.15			0.05
EC15-11	1718649	23.20	23.60	0.40			0.30
EC15-11	1718650	23.60	23.60	0.00		Blank	0.01
EC15-11	1719387	23.60	24.60	1.00			0.01
EC15-11	1719388	24.60	25.20	0.60			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-11	1719389	25.20	26.00	0.80			0.01
EC15-11	1719390	26.00	26.00	0.00		Blank	0.01
EC15-11	1719391	26.00	26.00	0.00	CDN-GS-7F		6.45
EC15-11	1718651	26.00	26.30	0.30			1.10
EC15-11	1719392	26.30	27.30	1.00			0.02
EC15-11	1718652	46.30	47.00	0.70			0.01
EC15-11	1718656	47.00	47.00	0.00	CDN-GS-P2A		0.25
EC15-12	1719393	3.05	3.75	0.70			0.01
EC15-12	1718657	3.75	4.10	0.35			0.01
EC15-12	1719394	4.10	5.00	0.90			0.01
EC15-12	1719395	5.00	5.70	0.70			0.01
EC15-12	1718658	5.70	6.05	0.35			0.01
EC15-12	1719396	6.05	6.60	0.55			0.01
EC15-12	1719397	6.60	7.20	0.60			0.01
EC15-12	1718659	7.20	7.50	0.30			0.02
EC15-12	1719398	7.50	8.65	1.15			0.01
EC15-12	1718660	8.65	9.40	0.75			0.04
EC15-12	1719399	9.40	10.40	1.00			0.01
EC15-12	1719400	10.40	11.40	1.00			0.01
EC15-12	1719401	11.40	12.10	0.70			0.01
EC15-12	1718661	12.10	12.25	0.15			0.01
EC15-12	1718662	12.25	12.60	0.35			0.01
EC15-12	1719402	12.60	12.90	0.30			0.04
EC15-12	1718663	12.90	13.25	0.35			0.05
EC15-12	1719403	13.25	13.90	0.65			0.01
EC15-12	1719404	13.90	14.55	0.65			0.02
EC15-12	1718664	14.55	14.80	0.25			0.05
EC15-12	1719405	14.80	15.50	0.70			0.01
EC15-12	1719406	15.50	16.10	0.60			0.02
EC15-12	1718665	16.10	16.60	0.50			0.08
EC15-12	1719407	16.60	17.75	1.15			0.01
EC15-12	1718666	17.75	17.95	0.20			0.01
EC15-12	1719408	17.95	18.15	0.20			0.01
EC15-12	1718667	18.15	18.30	0.15			0.01
EC15-12	1719409	18.30	18.60	0.30			0.02
EC15-12	1719410	18.60	18.60	0.00		Blank	0.01
EC15-12	1719411	18.60	18.60	0.00	CDN-GS-7F		6.84
EC15-12	1718668	18.60	19.30	0.70			0.03
EC15-12	1719412	19.30	19.55	0.25			0.02
EC15-12	1718669	19.55	19.75	0.20			0.73
EC15-12	1718670	19.75	19.75	0.00		Blank	0.01
EC15-12	1718671	19.75	19.75	0.00	CDN-GS-2K		2.04
EC15-12	1719413	19.75	19.90	0.15			0.01
EC15-12	1718672	19.90	20.20	0.30			0.15
EC15-12	1719414	20.20	20.60	0.40			0.01
EC15-12	1718673	20.60	20.95	0.35			0.02

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-12	1719415	20.95	21.15	0.20			0.01
EC15-12	1718674	21.15	21.35	0.20			0.01
EC15-12	1719416	21.35	21.95	0.60			0.03
EC15-12	1718675	21.95	22.40	0.45			0.07
EC15-12	1718676	22.40	23.20	0.80			0.08
EC15-12	1719417	23.20	24.30	1.10			0.01
EC15-12	1718677	24.30	24.45	0.15			0.01
EC15-12	1719418	24.45	25.20	0.75			0.01
EC15-12	1718678	25.20	25.60	0.40			0.05
EC15-12	1719419	25.60	26.20	0.60			0.01
EC15-12	1719420	26.20	27.00	0.80			0.01
EC15-12	1718679	27.00	27.30	0.30			0.01
EC15-12	1719421	27.30	27.70	0.40			0.06
EC15-12	1718680	27.70	28.00	0.30			0.07
EC15-12	1719422	28.00	28.15	0.15			0.01
EC15-12	1718681	28.15	28.35	0.20			0.01
EC15-12	1718682	28.35	28.65	0.30			0.01
EC15-12	1718683	28.65	28.95	0.30			0.01
EC15-12	1719423	28.95	29.10	0.15			0.01
EC15-12	1718684	29.10	30.10	1.00			0.01
EC15-12	1719424	30.10	30.30	0.20			0.01
EC15-12	1718685	30.30	30.50	0.20			0.03
EC15-12	1718686	30.50	30.80	0.30			0.10
EC15-12	1718687	30.80	31.00	0.20			0.01
EC15-12	1719425	31.00	31.80	0.80			0.02
EC15-12	1719426	31.80	32.40	0.60			0.02
EC15-12	1718688	32.40	32.55	0.15			0.06
EC15-12	1718689	32.55	33.00	0.45			0.05
EC15-12	1718690	33.00	33.00	0.00		Blank	0.02
EC15-12	1718691	33.00	33.00	0.00	CDN-GS-5J		4.87
EC15-12	1719427	33.00	33.80	0.80			0.02
EC15-12	1719428	33.80	34.55	0.75			0.01
EC15-12	1718692	34.55	34.80	0.25			0.01
EC15-12	1719429	34.80	35.55	0.75			0.02
EC15-12	1719430	35.55	35.55	0.00		Blank	0.01
EC15-12	1719431	35.55	35.55	0.00	CDN-GS-7F		7.16
EC15-12	1718693	35.55	35.80	0.25			0.01
EC15-12	1719432	35.80	36.40	0.60			0.18
EC15-12	1718694	36.40	36.65	0.25			0.01
EC15-12	1719433	36.65	37.30	0.65			0.01
EC15-12	1718695	37.30	37.65	0.35			0.10
EC15-12	1718696	37.65	38.00	0.35			0.01
EC15-12	1718697	38.00	38.30	0.30			0.02
EC15-12	1719434	38.30	38.65	0.35			0.01
EC15-12	1718698	38.65	38.95	0.30			0.01
EC15-12	1718699	38.95	39.45	0.50			0.05



Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-12	1719435	39.45	40.50	1.05			0.02
EC15-12	1719436	40.50	41.60	1.10			0.01
EC15-12	1718700	41.60	41.80	0.20			0.01
EC15-12	1719437	41.80	42.75	0.95			0.04
EC15-12	1718701	42.75	42.95	0.20			0.04
EC15-12	1719438	42.95	43.80	0.85			0.01
EC15-12	1719439	43.80	44.40	0.60			0.01
EC15-12	1718702	44.40	44.60	0.20			0.18
EC15-12	1719440	44.60	45.50	0.90			0.01
EC15-12	1718703	45.50	45.80	0.30			0.05
EC15-12	1719441	45.80	46.95	1.15			0.01
EC15-12	1718704	46.95	47.95	1.00			0.01
EC15-12	1719442	47.95	48.80	0.85			0.01
EC15-12	1719443	48.80	49.40	0.60			0.01
EC15-12	1718705	49.40	49.80	0.40			0.06
EC15-12	1719444	49.80	50.30	0.50			0.01
EC15-13	1718935	8.65	8.85	0.20			0.03
EC15-13	1719445	8.85	9.55	0.70			0.06
EC15-13	1718706	9.55	10.15	0.60			0.16
EC15-13	1719446	10.15	11.15	1.00			0.01
EC15-13	1719447	11.15	12.15	1.00			0.01
EC15-13	1719448	12.15	12.75	0.60			0.01
EC15-13	1718707	12.75	13.35	0.60			0.01
EC15-13	1719449	13.35	14.40	1.05			0.02
EC15-13	1719450	14.40	14.40	0.00		Blank	0.01
EC15-13	1719451	14.40	14.40	0.00	CDN-GS-7F		6.81
EC15-13	1718708	14.40	14.55	0.15			1.76
EC15-13	1719452	14.55	15.35	0.80			0.02
EC15-13	1718709	15.35	15.75	0.40			0.04
EC15-13	1718710	15.75	15.75	0.00		Blank	0.01
EC15-13	1718711	15.75	15.75	0.00	OREAS 45c		0.04
EC15-13	1718712	15.75	16.40	0.65			0.04
EC15-13	1719453	16.40	17.10	0.70			0.01
EC15-13	1718713	17.10	17.25	0.15			0.01
EC15-13	1719454	17.25	18.45	1.20			0.03
EC15-13	1718714	18.45	18.60	0.15			0.22
EC15-13	1719455	18.60	19.25	0.65			0.01
EC15-13	1718715	19.25	19.40	0.15			0.19
EC15-13	1718936	19.45	19.80	0.35			0.74
EC15-13	1719456	19.80	20.00	0.20			0.05
EC15-13	1718716	20.00	20.35	0.35			17.39
EC15-13	1719457	20.35	20.80	0.45			0.35
EC15-13	1718717	20.80	21.00	0.20			51.83
EC15-13	1719458	21.00	21.15	0.15			0.01
EC15-13	1718718	21.15	21.90	0.75			0.02
EC15-13	1719459	21.90	22.50	0.60			0.44

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-13	1719460	22.50	23.30	0.80			0.01
EC15-13	1718719	23.30	23.55	0.25			0.48
EC15-13	1718720	23.55	23.70	0.15			0.74
EC15-13	1719461	23.70	24.70	1.00			0.01
EC15-13	1719462	24.70	25.55	0.85			0.01
EC15-13	1718721	25.55	25.80	0.25			0.27
EC15-13	1719463	25.80	26.80	1.00			0.01
EC15-13	1719464	26.80	27.80	1.00			0.01
EC15-13	1719465	27.80	28.80	1.00			0.01
EC15-13	1719466	28.80	29.85	1.05			0.01
EC15-13	1718722	29.85	30.10	0.25			1.49
EC15-13	1718723	34.00	34.15	0.15			0.04
EC15-13	1718724	35.15	35.30	0.15			0.01
EC15-13	1718725	39.40	40.10	0.70			0.01
EC15-13	1718726	44.60	44.90	0.30			0.05
EC15-13	1719467	44.90	45.45	0.55			0.06
EC15-13	1718727	45.45	45.75	0.30			0.31
EC15-13	1719468	45.75	46.50	0.75			0.01
EC15-13	1719469	46.50	47.20	0.70			0.01
EC15-13	1719470	47.20	47.20	0.00		Blank	0.01
EC15-13	1719471	47.20	47.20	0.00	CDN-GS-7F		6.82
EC15-13	1718728	47.20	47.40	0.20			0.01
EC15-13	1719472	47.40	47.95	0.55			0.01
EC15-13	1718729	47.95	48.20	0.25			0.01
EC15-13	1718730	48.20	48.20	0.00		Blank	0.01
EC15-13	1718731	48.20	48.20	0.00	CDN-GS-P2A		0.26
EC15-13	1719473	48.20	48.80	0.60			0.01
EC15-13	1718732	48.80	49.00	0.20			0.01
EC15-13	1719474	49.00	49.15	0.15			0.01
EC15-13	1718733	49.15	49.30	0.15			0.02
EC15-13	1719475	49.30	50.00	0.70			0.01
EC15-14	1718734	5.80	5.95	0.15			0.01
EC15-14	1718735	8.00	8.30	0.30			0.02
EC15-14	1718736	20.90	21.10	0.20			2.73
EC15-14	1718737	39.40	39.60	0.20			0.01
EC15-14	1718738	43.90	44.20	0.30			0.01
EC15-15	1718739	9.35	9.50	0.15			0.41
EC15-15	1718740	9.80	10.10	0.30			0.14
EC15-15	1718741	11.00	11.40	0.40			0.58
EC15-15	1718742	24.95	25.35	0.40			0.01
EC15-15	1718743	25.80	25.95	0.15			1.68
EC15-15	1718744	33.35	33.50	0.15			0.69
EC15-15	1718745	34.10	34.25	0.15			0.40
EC15-15	1718746	37.60	37.70	0.10			4.58
EC15-15	1718747	48.05	48.25	0.20			0.11
EC15-15	1718748	49.75	50.15	0.40			0.54

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-15	1718749	50.15	50.65	0.50			1.22
EC15-15	1718750	50.65	50.65	0.00		Blank	0.01
EC15-15	1718751	50.65	50.65	0.00	CDN-GS-2K		1.98
EC15-15	1718752	51.00	51.65	0.65			0.27
EC15-15	1718753	51.65	51.85	0.20			0.15
EC15-15	1718754	52.65	53.10	0.45			1.35
EC15-15	1718755	53.75	54.35	0.60			0.10
EC15-15	1718756	54.70	55.00	0.30			0.90
EC15-15	1718757	55.00	55.60	0.60			1.00
EC15-15	1718758	55.60	56.00	0.40			5.98
EC15-15	1718759	56.00	56.50	0.50			6.92
EC15-15	1718760	57.00	57.45	0.45			0.02
EC15-15	1718761	59.65	60.05	0.40			0.01
EC15-15	1718762	60.15	60.50	0.35			0.01
EC15-15	1718763	61.20	61.50	0.30			0.01
EC15-15	1718764	63.90	64.35	0.45			0.01
EC15-15	1718765	66.75	67.10	0.35			0.01
EC15-15	1718766	73.00	73.55	0.55			0.01
EC15-15	1718767	74.70	75.20	0.50			0.01
EC15-15	1718768	81.45	81.90	0.45			0.01
EC15-15	1718769	89.90	90.55	0.65			0.07
EC15-15	1718770	90.55	90.55	0.00		Blank	0.01
EC15-15	1718771	90.55	90.55	0.00	OREAS 45c		0.05
EC15-15	1718772	90.55	91.15	0.60			0.02
EC15-15	1718773	91.15	91.95	0.80			0.03
EC15-15	1718774	91.95	92.75	0.80			1.55
EC15-15	1718775	92.75	93.20	0.45			0.68
EC15-15	1718937	94.20	94.50	0.30			0.01
EC15-15	1718776	95.55	95.95	0.40			0.31
EC15-15	1718777	96.80	97.55	0.75			0.01
EC15-15	1718778	97.55	98.05	0.50			0.01
EC15-15	1718779	98.05	98.50	0.45			0.01
EC15-15	1718780	98.50	99.05	0.55			0.01
EC15-16	1718781	10.80	11.20	0.40			0.81
EC15-16	1718782	11.20	11.65	0.45			1.40
EC15-16	1718783	11.65	11.85	0.20			0.07
EC15-16	1718784	12.95	13.50	0.55			0.29
EC15-16	1718785	13.50	13.95	0.45			0.74
EC15-16	1718786	16.00	16.60	0.60			0.51
EC15-16	1718787	20.15	20.50	0.35			0.03
EC15-16	1718788	21.35	21.60	0.25			0.08
EC15-16	1718789	23.15	23.50	0.35			0.01
EC15-16	1718790	23.50	23.50	0.00		Blank	0.01
EC15-16	1718791	23.50	23.50	0.00	CDN-GS-P2A		0.25
EC15-16	1718792	27.90	28.10	0.20			0.98
EC15-16	1718793	38.00	38.60	0.60			0.71

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-16	1718794	38.60	38.85	0.25			4.33
EC15-16	1718795	46.70	47.30	0.60			0.01
EC15-16	1718796	48.20	48.40	0.20			0.01
EC15-16	1718797	53.85	54.55	0.70			0.02
EC15-16	1718798	55.10	55.30	0.20			11.92
EC15-16	1718799	55.50	55.70	0.20			0.01
EC15-16	1718800	59.10	59.30	0.20			0.15
EC15-16	1718801	59.75	59.90	0.15			0.01
EC15-16	1718802	62.40	63.00	0.60			0.01
EC15-16	1718803	63.70	64.10	0.40			0.01
EC15-16	1718804	64.10	64.50	0.40			0.01
EC15-16	1718805	65.70	66.00	0.30			0.01
EC15-16	1718806	66.55	66.75	0.20			0.01
EC15-16	1718807	70.40	71.10	0.70			0.01
EC15-16	1718808	83.30	83.80	0.50			0.01
EC15-16	1718809	85.20	85.50	0.30			0.01
EC15-16	1718810	85.50	85.50	0.00		Blank	0.01
EC15-16	1718811	85.50	85.50	0.00	OREAS 45c		0.05
EC15-16	1718812	93.00	93.70	0.70			0.01
EC15-17	1718938	4.05	4.50	0.45			0.01
EC15-17	1718813	10.40	10.70	0.30			0.01
EC15-17	1718814	11.75	12.10	0.35			0.01
EC15-17	1718815	13.35	13.80	0.45			1.64
EC15-17	1718816	13.80	14.20	0.40			0.01
EC15-17	1718817	17.30	17.55	0.25			0.01
EC15-17	1718818	28.40	28.65	0.25			0.19
EC15-17	1718906	31.00	31.20	0.20			0.01
EC15-17	1718824	32.45	32.65	0.20			0.11
EC15-17	1718819	34.70	35.00	0.30			3.69
EC15-17	1718820	36.10	36.40	0.30			0.01
EC15-17	1718821	40.60	41.00	0.40			0.01
EC15-17	1718822	49.00	49.60	0.60			1.44
EC15-17	1718823	49.60	49.90	0.30			0.17
EC15-17	1718825	56.70	57.10	0.40			0.02
EC15-17	1718826	57.55	57.85	0.30			0.17
EC15-17	1718827	58.80	59.05	0.25			8.46
EC15-17	1718828	59.05	59.25	0.20			2.70
EC15-17	1718829	66.20	66.55	0.35			2.72
EC15-17	1718830	66.55	66.55	0.00		Blank	0.01
EC15-17	1718831	66.55	66.55	0.00	CDN-GS-P2A		0.23
EC15-17	1718832	69.15	70.00	0.85			0.01
EC15-17	1718833	70.00	70.35	0.35			0.01
EC15-17	1718834	70.35	71.00	0.65			0.01
EC15-17	1718835	73.75	74.25	0.50			0.01
EC15-17	1718836	74.80	75.30	0.50			0.01
EC15-17	1718837	75.30	75.85	0.55			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-17	1718838	75.85	76.40	0.55			0.01
EC15-17	1718839	80.75	81.25	0.50			0.01
EC15-17	1718840	81.25	81.75	0.50			0.05
EC15-17	1718841	81.75	82.05	0.30			0.59
EC15-17	1718842	82.05	82.30	0.25			2.91
EC15-17	1718843	82.30	82.50	0.20			0.33
EC15-17	1718844	83.15	83.40	0.25			0.24
EC15-17	1718845	83.40	83.80	0.40			0.57
EC15-17	1718846	86.15	86.45	0.30			0.01
EC15-17	1718847	88.65	88.95	0.30			0.14
EC15-17	1718848	88.95	89.10	0.15			1.54
EC15-17	1718849	89.10	89.40	0.30			0.82
EC15-17	1718850	89.40	89.40	0.00		Blank	0.01
EC15-17	1718851	89.40	89.40	0.00	OREAS 45c		0.05
EC15-17	1718852	89.40	89.65	0.25			0.24
EC15-17	1718853	90.85	91.05	0.20			0.81
EC15-17	1718854	91.05	91.20	0.15			0.31
EC15-17	1718855	93.40	93.70	0.30			0.20
EC15-17	1718856	94.70	94.90	0.20			0.57
EC15-17	1718857	96.00	96.45	0.45			5.14
EC15-17	1718858	98.30	98.65	0.35			0.33
EC15-17	1718859	98.90	99.05	0.15			0.55
EC15-18	1718860	7.75	8.10	0.35			0.01
EC15-18	1718861	12.20	13.20	1.00			0.01
EC15-18	1718862	16.85	17.85	1.00			0.01
EC15-18	1718863	17.85	18.85	1.00			0.01
EC15-18	1718864	18.85	19.85	1.00			0.01
EC15-18	1718865	19.85	20.85	1.00			0.01
EC15-18	1718866	20.85	21.85	1.00			0.01
EC15-18	1718867	21.85	22.85	1.00			0.01
EC15-18	1718868	22.85	23.85	1.00			0.01
EC15-18	1718869	23.85	24.85	1.00			0.01
EC15-18	1718870	27.75	28.30	0.55			0.01
EC15-18	1718871	29.30	29.70	0.40			0.01
EC15-18	1718939	30.20	30.60	0.40			0.01
EC15-18	1718872	32.65	33.00	0.35			0.01
EC15-18	1718873	36.80	37.30	0.50			0.01
EC15-18	1718874	37.95	38.30	0.35			0.01
EC15-18	1718875	39.50	39.75	0.25			0.01
EC15-18	1718876	46.65	46.85	0.20			0.01
EC15-18	1718877	48.20	48.40	0.20			0.01
EC15-18	1718878	51.05	52.05	1.00			0.01
EC15-18	1718879	52.05	52.05	0.00		Blank	0.01
EC15-18	1718880	52.05	52.05	0.00	CDN-GS-7F		7.16
EC15-18	1718881	52.90	53.45	0.55			0.01
EC15-18	1718882	54.10	54.30	0.20			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-18	1718883	57.80	58.35	0.55			0.01
EC15-18	1718884	59.30	60.25	0.95			0.01
EC15-18	1718885	61.30	62.10	0.80			0.01
EC15-18	1718886	64.35	65.55	1.20			0.03
EC15-18	1718887	72.65	73.55	0.90			0.01
EC15-19	1718888	9.55	9.80	0.25			2.97
EC15-19	1718889	14.50	15.00	0.50			0.01
EC15-19	1718890	15.00	15.00	0.00		Blank	0.01
EC15-19	1718891	15.00	15.00	0.00	OREAS 45c		0.06
EC15-19	1718892	25.00	26.00	1.00			0.01
EC15-19	1718893	28.60	29.05	0.45			0.01
EC15-19	1718894	34.30	34.60	0.30			0.01
EC15-19	1718895	38.25	38.55	0.30			0.01
EC15-19	1718896	43.30	43.50	0.20			0.01
EC15-19	1718897	52.90	53.20	0.30			0.01
EC15-19	1718898	61.65	62.05	0.40			0.01
EC15-19	1718899	62.05	62.55	0.50			0.01
EC15-19	1718900	62.55	63.05	0.50			0.01
EC15-19	1718901	63.05	63.55	0.50			0.01
EC15-19	1718902	63.55	64.05	0.50			0.01
EC15-19	1718903	64.05	64.55	0.50			0.01
EC15-19	1718904	64.55	65.05	0.50			0.01
EC15-19	1718905	65.05	65.40	0.35			0.01
EC15-19	1718907	74.70	75.20	0.50			0.01
EC15-19	1718908	79.75	80.25	0.50			0.01
EC15-19	1718909	81.55	82.00	0.45			0.01
EC15-19	1718910	82.00	82.00	0.00		Blank	0.03
EC15-19	1718911	82.00	82.00	0.00	CDN-GS-7F		7.05
EC15-19	1718912	85.00	85.30	0.30			0.02
EC15-19	1718913	87.55	88.00	0.45			0.01
EC15-19	1718914	89.00	90.00	1.00			0.01
EC15-19	1718915	90.00	90.50	0.50			0.01
EC15-19	1718916	93.00	93.60	0.60			0.01
EC15-19	1718917	94.95	95.25	0.30			0.01
EC15-19	1718918	96.35	96.70	0.35			0.01
EC15-19	1718919	96.70	97.70	1.00			0.01
EC15-19	1718920	97.70	98.35	0.65			0.01
EC15-19	1718921	98.35	98.85	0.50			0.01
EC15-19	1718922	101.40	101.80	0.40			0.01
EC15-19	1718923	105.75	106.05	0.30			0.01
EC15-19	1718924	107.50	108.00	0.50			0.01
EC15-19	1718925	108.00	108.70	0.70			0.01
EC15-19	1718926	110.50	111.00	0.50			0.01
EC15-19	1718927	111.40	111.80	0.40			0.01
EC15-19	1718928	113.90	114.30	0.40			0.01
EC15-19	1718929	115.00	115.45	0.45			0.01

Hole ID	Sample ID	From (m)	To (m)	Length (m)	Standard	Blank	Au (g/t)
EC15-19	1718930	115.45	115.45	0.00		Blank	0.01
EC15-19	1718931	115.45	115.45	0.00	CDN-GS-7F		7.11
EC15-19	1718932	124.60	125.30	0.70			0.01
EC15-19	1718933	126.00	126.50	0.50			0.01
EC15-19	1718934	126.50	127.00	0.50			0.01

## APPENDIX VII

### DIAMOND DRILL GEOLOGICAL LOGS



Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-01	0	3.7	99	Casing						
EC15-01	3.7	27.75	1U	Mafic schist: strongly foliated medium green schist with spotted dark green chl alt (mottled appearance). Moderate sericite alt (mus), locally strong, most visible on fol planes. Local lime green epidote alt. Local patches of orange iron alt. 7% QV-ing parallel to fol, 1-15mm thick, white, locally deformed with host. Younger, x-cutting veins see QV tab. VG at 5.6m and 5.9m, on edge of host and QV . Trace cubic py up to 5mm; rusted with fresh specks. One spot of galena in QV.	mod chl	mod ser		tr py, gn, au	Y	str fol
EC15-01	27.75	35.5	Fault	Fault breccia zone hosted in mafic schist: upper and lower contacts are broken core fault, the rest of the zone is ductile deformation. QVs show increase in orange/borwn iron alt. Fol is elongated parallel to long core axis.	mod chl					
EC15-01	35.5	49.9	1U	Mafic schist: moderately fol, grey-green, unit is fairly homogenous looking, 3% QV. Weak-mod chl alt as darker green banding.	mod chl			tr py		mod fol
EC15-01	49.9	52.1	Fault	Fault zone: core pieces range from 1cm to 20 cm of whole core. Hosted in mafic schist above and below. Fol is sub-parallel to parallel to long core axis.	mod chl					
EC15-01	52.1	64.6	1U	Mafic schist: moderately fol, grey-green, unit is fairly homogenous looking, 3% QV, fol and deformed with host, 1-15mm. Weak-mod chl alt as darker green banding. Tr py as fresh cubes up to 3mm, locally rusted. Last two meters of unit is bleached in approach to lower contact with fault zone.	mod chl			tr py		mod fol
EC15-01	64.6	73.8	Shear	Zone of deformation: hosted in below mafic ser schist unit. Schist is deformation, QVs are broken. Schist is folded or fol is parallel to long core axis, str ser alt. Core ranges from 1 cm pieces to whole core of 40cm.	str ser					
EC15-01	73.8	76.2	1U	Mafic schist: strongly foliated medium grey (green/blue) schist. Mod ser alt, mod chl alt. Unit is homogenous. Tr py; fresh cubes sub-mm to 3mm, locally rusted.	mod ser	mod chl		tr py		str fol
EC15-02	0	3.05	99	Casing						
EC15-02	3.05	13.75	1U	Mafic schist: strongly foliated medium green schist with spotted dark green chl alt (mottled appearance). Moderate sericite alt (mus), locally strong, most visible on fol planes. 8% QV-ing parallel to fol, 1-25mm thick, white, locally deformed with host. Younger, x-cutting veins see QV tab. VG at 2.55m and 4.6m, on edge of host and QV . Trace cubic py up to 5mm; rusted with fresh specks. Last meter of the unit is tuffaceous.	mod chl	mod ser		tr py, au	Y	str fol
EC15-02	13.75	28	1U	Mafic schist: strongly foliated medium green schist with lime green epidote alt overprinting chl alt. 5% Qvs parallel fol, deformed with host, 5-20mm (see QV tab for x-cutting veins). Trace cubic py up to 5mm; rusted with fresh specks.	mod epi	mod chl				str fol
EC15-02	28	31.7	Fault	Fault breccia zone hosted in mafic schist: zone contains broken core as well as whole pieces of core displaying more ductile deformation, QVs show increase in orange/borwn iron alt.	mod chl					
EC15-02	31.7	40.5	1U	Mafic schist: moderately fol, grey-green, unit is fairly homogenous looking, 3% QV, fol and deformed with host, 1-15mm. mod chl alt as darker green banding. Tr py as fresh cubes up to 3mm	mod chl			tr py		mod fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-02	40.5	42.4	shear	Zone of deformation: increased deformation of fol, host is mafic schist above and below. At 42m 50 cm of rubble/gouge. Increase in orange/brown iron alt.	mod chl					
EC15-02	42.4	50.3	1U	Mafic schist: moderately fol, grey-green, unit is fairly homogenous looking, 3% QV, fol and deformed with host, 1-15mm. mod chl alt as darker green banding. Local areas of lime green epidote alt. Sharp alt contact at 49.4 Local areas (up to 2-3m) of dark green chl blebs; mottled appearance. Tr py as fresh cubes up to 3mm.	mod chl	wk epi		tr py		mod fol
EC15-03	0	3.1	99	Casing						
EC15-03	3.1	18.75	1U	Mafic (intermediate) schist: strongly foliated medium green (blue) schist with spotted moderate to strong chlorite alteration, moderate sericite alt (mus), most visible on fol planes. Local lime green epidote alt. 10% QV-ing parallel to fol, 1-15mm thick, white, locally deformed with host. Younger, x-cutting veins see QV tab. VG at 4.55m 1mm nugget. Trace cubic py up to 5mm; rusted with fresh specks.	mod chl	mod ser		tr py, au	y	Str fol
EC15-03	18.75	22.85	4U	Sediment: massive grey folded layered siliceous sediment. Locally deformed (shearing, folding). Tr rusted and fresh py cubes up to 3mm. Moderate dark green chl alt. Local QV parallel fol, 1-50mm thick, milky white.	mod chl			tr py		mod fol
EC15-03	22.85	26.3	Shear	Zone of deformation, fault breccia: host is above below, brecciated, foliation and parallel fol QVs are folded. Local fault gouge.	mod chl					
EC15-03	26.3	28.8	4U	Tuffaceous sediment: grey (brownish) fine grained - gritty appearance. Str fol, tr py rusted cubes up to 2mm. Local 2-3mm qtz eyes deformed in the direction of fol. 5% qtz veining parallel fol 1-4mm.	mod ser			tr py		str fol
EC15-03	28.8	30.6	4U	Fine grained grey sediment: layered, siliceous. Unit is fol. 5% QV parallel fol, 1-3mm thick. Patchy dark green chl. Tr py rust cubes 1mm	mod chl			tr py		mod fol
EC15-03	30.6	34.25	Shear	Zone of deformation, hosted in the unit above and below. Zone of increased folding and QVs. QVs up to 20cm, irregular contacts, x-cutting fol. ``W`` shaped folding of QVs. Tr py, rusted and fresh up to 12mm cubes.	mod chl			tr py		
EC15-03	34.25	35.25	4U	Fine grained grey sediment: layered, siliceous. Unit is fol. 3% QV parallel fol, 1-3mm thick. Patchy dark green chl.	mod chl					mod fol
EC15-03	35.25	51.8	4U	Sediment (or schist): grey-blue (green) locally tuffaceous sediment. 5% QV-ing as 1-8mm veins parallel fol and as QVs up to 45 cm x-cutting fol. Mod ser alt, locally str to very str. Iron alt overprinting associated with x-cutting QVs. Local lime green epidote alt in last 2 m of unit. Unit is strongly fol. VG is two spots (see QV log) as specks. Local patches of increased ductile deformation associated with x-cutting veins. Tr py as rusted (locally fresh) cubes up to 4mm.	mod ser	mod chl	mod Fe	tr py, au	y	str fol
EC15-04	0	4.6	99	Casing						
EC15-04	4.6	10.6	1U	Mafic schist: strongly fol medium grey-green, str chl as green bands and spots. Mod-str ser, micaceous. 3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 15mm cubes, rusted and fresh	str chl	mod ser		tr py		str fol
EC15-04	10.6	12	Shear	Shear zone hosted in mafic schist above and below. Fol is folded into "S" and "W", as well as str 45° t.l.c.a						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-04	12	25.5	1U	Mafic schist: strongly fol medium grey-green, str chl as green bands and spots. Mod-str ser, micaceous. 3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 15mm cubes, rusted and fresh. VG hosted in QVs (see QV tab). Youngest QVs see QV tab	str chl	mod ser		tr py, au	Y	str fol
EC15-04	25.5	30.4	2U	Intermediate schist: grey (blue/green), mod fol. Pale green worm-like mm scale blebs of ser alt, mod chl as dark green bands. 1% early QVs parallel fol. Tr py cubes up to 5mm, rusted wit fresh specks.	mod ser	mod chl		tr py		mod fol
EC15-04	30.4	48.8	1U	Mafic schist: strongly fol medium grey-blue/green, mod chl as green bands and spots. Mod-str with local very str ser, micaceous. 3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 10mm cubes, rusted and fresh.	str ser	mod chl		tr py		str fol
EC15-04	48.8	49.35	Shear	Shear zone hosted in mafic schist above and below. Fol is folded into "S" and "W", as well as str fol 45° t.l.c.a						
EC15-04	49.35	54.1	1U	Mafic schist: strongly fol medium grey-blue/green. Fol varies from parallel l.t.c. to 50° t.l.c.a. Mod-str with local very str ser, micaceous. Mod chl as green bands and spots.3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 10mm cubes, rusted and fresh.	str ser	mod chl		tr py		str fol
EC15-04	54.1	60.85	1U	Mafic schist: strongly fol medium grey-green (blue) chl schist. Fol varies from parallel l.t.c. to 50° t.l.c.a. Mod chl as green bands and spots. Mod ser locally. 3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 10mm cubes, rusted and fresh. Unit also contains 1% 1-2mm QV x-cutting fol, random orientation, display no deformation.	mod chl	mod ser		tr py		str fol
EC15-04	60.85	60.95	Fault	Fault zone: rubble and broken core up to 5 cm half pieces of core. Host in unit above and below.						
EC15-04	60.95	68.6	1U	Mafic schist: strongly fol medium grey-green (blue) chl schist. Fol varies from parallel l.t.c. to 50° t.l.c.a. Mod chl as green bands and spots. Mod ser locally. Lime green epidote alt increasing towards bottom of hole. 3% early QV parallel fol and deformed with host. Local patches of orange iron alt. Tr py up to 10mm cubes, rusted and fresh. Unit also contains 1% 1-2mm QV x-cutting fol, random orientation, display no deformation.	mod chl	mod ser	mod epi	tr py		str fol
EC15-05	0	4.6	99	Casing						
EC15-05	4.6	8.45	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 1% early QV parallel fol and deformed with host. Tr py up to 5mm cubes, rusted and fresh.	str chl	mod ser		tr py		str fol
EC15-05	8.45	9.2	1U	Mafic schist: fine grained, sheared, medium green-grey. Str chl alt as dark green mm-scale blebs (deformed with unit). 2% deformed relic-like QVs.	str chl					
EC15-05	9.2	10.75	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 1% early QV parallel fol and deformed with host woth local iron alt. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-05	10.75	13.75	6	Mafic dyke: fine grained, competent, homogenous medium grey-green. Mod-str chl alt. < 1% QVs, mm-scale. Tr py	mod chl			tr py		mod fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-05	13.75	15.15	Shear	Sheared mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Weak ser, micaceous. 5% early QV parallel fol and deformed with host with local iron alt. Tr py, rusted.	str chl			tr oy		str fol
EC15-05	15.15	17.3	6	Mafic dyke: fine grained, competent, homogenous medium grey-green. Mod-str chl alt. 5% QVs parallel fol and x-cutting (see QV tab). Tr py	mod chl			tr py		mod fol
EC15-05	17.3	19.55	Shear	Sheared mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Weak ser, micaceous. 5% early QV parallel fol and x-cutting (see QV tab). Tr py, rusted and fresh. Tr au.	str chl			tr py, au	Y	str fol
EC15-05	19.55	26.1	1U	Mafic schist & mafic dyke: Schist is sheared, medium grey-green, with 20% 1-10mm QVs parallel fol, deformed with host with orange iron alt. Str chl. Ty py up to 3mm, rusted. Mafic dyke: as above, homogenous, fine grained.	str chl			tr py		str fol
EC15-05	26.1	33.4	Shear	Sheared mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Weak ser, micaceous. 5% early QV parallel fol and x-cutting (see QV tab). Tr py, rusted and fresh up to 25mm. 32.4m 10 cm of possible fault, broken core with minor gouge. 3cm patch of dark green high mag (magnetite?).	str chl					
EC15-05	33.4	36	1U	Mafic schist: fine grained medium grey-blue, transitioning into grey-brown. Local patches of orange iron alt. 2% fol QVs. Tr py	mod chl	mod fe		tr py		mod fol
EC15-05	36	36.25	Fault	Fault: rubbly core, broken. Hosted in above unit, QVs are deformed						
EC15-05	36.25	38.1	1U	Mafic schist: fine grained medium grey-blue, transitioning into grey-brown. Local patches of orange iron alt. 2% fol QVs. Tr py	mod chl	mod fe		tr py		mod fol
EC15-05	38.1	38.95	6	Mafic dyke: fine grained, competent, homogenous medium grey-green. Mod-str chl alt. Tr py	mod chl	mod fe		tr py		mod fol
EC15-05	38.95	43.8	1U	Mafic schist: fine grained medium grey-blue, transitioning into grey-brown. Local patches of orange iron alt. 2% fol QVs. Tr py. At 42m 10 cm zone of rubbly broken core. Possible fault.	mod chl	mod fe		tr py		mod fol
EC15-05	43.8	48.95	1U	Mafic schist: fine grained, medium grey (olive green), tuffaceous, grainy texture. Mod chl. 5% QVs x-cutting (see QV tab) and parallel fol. Tr py, sub-mm to 2mm, rusted.	mod chl			tr py		str fol
EC15-05	48.95	49.15	Fault	Fault: rubble and broken core. Mm-scale to 3 cm pieces. Hosted in unit above and below						
EC15-05	49.15	55.2	1U	Mafic schist: fine grained, medium grey, tuffaceous, grainy texture. Mod chl. Local lime green epidote. 5% QVs and parallel fol. Tr py, sub-mm to 2mm, rusted.	mod chl	weak epi		tr py		str fol
EC15-05	55.2	58.25	Fault	Fault: rubble and broken core. Mm-scale to 15cm pieces of whole core. Hosted in unit above and below.						
EC15-05	58.25	60.95	1U	Mafic schist: fine grained, medium grey (olive green), tuffaceous, grainy texture. Mod chl and mod brown fe. 5% QVs parallel fol. Tr py, sub-mm to 2mm, rusted. 10 cm of gouge at 59m.	mod chl	mod fe		tr py		str fol
EC15-06	0	4.45	99	Casing						
EC15-06	4.45	7	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands and blebs. Mod ser, micaceous. 1% early QV parallel fol and deformed with host. Tr py up to 5mm cubes, rusted and fresh.	str chl	mod ser		tr py		str fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-06	7	7.7	Fault	Fault: hosted in above and below unit. Broken core rubble, 1-10 cm pieces						
EC15-06	7.7	16.35	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 1% early QV parallel fol and deformed with host with local iron alt. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-06	16.35	20.85	Shear	Shear zone: hosted in unit above with increase brown iron alt. Zone of broken core.	str fe					
EC15-06	20.85	25.6	6	Mafic dyke: fine grained, competent, homogenous medium grey-green. Mod-str chl alt. < 1% QVs, mm-scale. Tr py	mod chl			tr py		mod fol
EC15-06	25.6	32.8	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 1% early QV parallel fol and deformed with host. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-06	32.8	36	1U	Mafic schist: fine grained, strongly fol medium grey-green with brown patches. Str chl as green bands. Mod fe are brown patches. 1% early QV parallel fol and deformed with host. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod fe		tr py		str fol
EC15-06	36	40.5	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. <1% early QV parallel fol and deformed with host. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-06	40.5	42.5	1U	Mafic schist: fine grained, strongly fol medium grey-blue with brown patches. Str chl as green bands. Mod fe are brown patches. 1% early QV parallel fol and deformed with host. Tr py, rusted.	str chl	mod fe		tr py		str fol
EC15-06	42.5	46.5	1U	Mafic schist: fine grained, strongly fol medium grey-green. Locally tuffaceous. Str chl as green bands. Mod ser, micaceous. <1% early QV parallel fol and deformed with host. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-06	46.5	48.4	Shear	Shear zone: hosted in unit above. Deformation is strong fol.						
EC15-06	48.4	49.45	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 1% early QV parallel fol and deformed with host, local orange iron alt. See QV tab for x-cutting veins. Tr py, rusted.	str chl	mod ser		tr py		str fol
EC15-06	49.45	56.3	1U	Mafic schist: medium green-grey, fine grained mafic schist. Very strong to intense chl and str ser, strongly micaceous. 10% early qtz veining strongly deformed with host (late QVs see QV tab) as elongated blebs giving the unit a mottled appearance. Tr py	int chl	str ser		tr py		str fol
EC15-06	56.3	58.75	Fault	Fault zone: rubble to broken core. Hosted in unit above and below						
EC15-06	58.75	63.3	1U	Mafic schist: medium green-grey, fine grained mafic schist. Very strong to intense chl and str ser, strongly micaceous. 10% early qtz veining strongly deformed with host (late QVs see QV tab) as elongated blebs giving the unit a mottled appearance. Tr py	int chl	str ser		tr py		str fol
EC15-06	63.3	68.3	1U	Mafic schist: fine grained, strongly fol medium grey-green/blue with local brown patches. Str chl, mod ser, micaceous. Weak fe are brown patches. 2% early QV parallel fol and deformed with host local orange iron alt. Tr py, rusted.	str chl	mod ser	weak fe	tr py		str fol
EC15-06	68.3	68.4	Fault	Fault zone: gouge						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-06	68.4	74.7	1U	Mafic schist: fine grained, strongly fol medium grey-green/blue with local brown patches. Str chl, mod ser, micaceous. Weak fe are brown patches. Local lime green epidote. 2% early QV parallel fol and deformed with host local orange iron alt. Tr py, rusted. Broken core from 68.9m to 70.1m (very angular, from drillers?)	str chl	mod ser	weak fe	tr py		str fol
EC15-07	0	4.7	99	Casing						
EC15-07	4.7	8.4	Fault	Fault zone: hosted in mafic schist below. Mm-scale rubble to 20 cm pieces of whole core. Zone caintains QVs and VG at 7.10m				tr py, au	Y	
EC15-07	8.4	11.15	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 3% early QV parallel fol and deformed with host. Tr py up to 5mm cubes, rusted and fresh.	str chl	mod ser		tr py		str fol
EC15-07	11.15	13.4	Fault	Fault zone: hosted in mafic schist below. Mm-scale rubble to 5 cm pieces of partial core. ~1.8 m of missing core						
EC15-07	13.4	18.55	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 5% early QV parallel fol and deformed with host (later QVs see QV tab). Tr py up to 5mm cubes, rusted and fresh.	str chl	mod ser		tr py		str fol
EC15-07	18.55	19.8	Fault	Fault zone: rubble to 15 cm pieces of partial core. Hosted in unit above and below						
EC15-07	19.8	21.3	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. 5% early QV parallel fol and deformed with host (later QVs see QV tab). Tr py up to 3 mm cubes, rusted and fresh.	str chl	mod ser		tr py		str fol
EC15-07	21.3	40	1U	Mafic schist: fine grained, gritty texture, locally tuffaceous. Strongly fol medium grey-green. Str chl as green bands. Locally str ser, micaceous over 1-2m. <1% early QV parallel fol and deformed with host. Tr py up to 2 mm cubes, rusted and fresh.	str chl	wk ser		tr py		str fol
EC15-07	40	41.3	Fault	Fault zone: broken core, 1 cm pieces up to 15 cm partial core pieces						
EC15-07	41.3	69.5	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod to str ser alt, locally intensely micaceous (48-51m, 57.3-62.6m). 5% early QV parallel fol and deformed with host (later QVs see QV tab). Tr py up to 4 mm cubes, rusted. 47.55-47.6m possible fault: red/orange clay-like structure.	str chl	mod ser		tr py		str fol
EC15-08	0	4.2	99	Casing						
EC15-08	4.2	16.5	3U	Felsic schist: chl felsic xtls schist. Str fol. Fine grained, grey-blue/green. 20% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. 1% rusted 1 mm py cubes. Soft and weakly to mod magnetic. Gouge at 11.5m over 2 cm	str chl	str ser		1% py		str fol
EC15-08	10.5	10.6	Fault	10 cm fault gouge. Soft, gouge, clay-like						
EC15-08	10.6	15.1	3U	Felsic schist: chl felsic xtls schist. Str fol. Fine grained, grey-blue/green. 20% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Soft and weakly to mod magnetic.	str chl	str ser		tr py		str fol
EC15-08	15.1	16.35	3FeXU	Fe felsic xtls schist. Str fol. Fine grained, orange-grey. 20% qtz xtls (augens): rounded, 1-3mm. Str Fe alt giving the unit an orange colour. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Soft and weakly to mod magnetic.	str Fe	str chl	str ser	tr py		str fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-08	16.35	22.4	3XU	Felsic xtls schist. Str fol. Fine grained, grey-blue/green. 20% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Unit has intermitten 10-30cm paths of mod Fe alt creating orange patches. 1% rusted 1 mm py cubes. Very weakly magnetic.	str chl	str ser	mod fe	tr py		str fol
EC15-08	22.4	22.5	Fault	10 cm fault gouge. Soft, gouge, clay-like. Brown						
EC15-08	22.5	25	3XU	Felsic xtls schist. Str fol. Fine grained, grey-blue/green. 10-15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Unit has intermitten 10-30cm paths of mod Fe alt creating orange patches. Tr rusted 1 mm py cubes. Very weakly magnetic.	str chl	str ser	mod fe	tr py		str fol
EC15-08	25	33.05	3FeXU	Fe felsic schist. Str fol. Fine grained, orange-grey.10-15% qtz xtls (augens): rounded, 1-3mm. Str Fe alt giving the unit an orange colour. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Soft and weakly to mod magnetic.	str Fe	str chl	str ser	tr py		str fol
EC15-08	33.05	40.9	3U	Felsic schist. Str fol. Fine grained, grey-blue/green. 10-15% qtz xtls (augens): rounded, 1-5mm, locally elongated with fol. Str chl, str ser (micaceous) alt. Unit has intermitten 10-30cm paths of mod Fe alt creating orange patches. 1% rusted 1 mm py cubes. Very weakly magnetic. VG in QV at 36.05m (see QV tab).	str chl	str ser	mod fe	1% py	Y	str fol
EC15-08	40.9	46.35	3U	Felsic schist: chl felsic xtls schist. Str fol. Fine grained, grey-blue/green. 20% qtz xtls (augens): rounded, 1-5mm, blue-ish. Str chl, mod ser alt. Tr rusted 1 mm py cubes. Weakly to magnetic. Qtz veins see QV tab	str chl	mod ser		tr py		str fol
EC15-08	46.35	47.55	Fault	Fault zone: three zones of 15-30 cm fault over the 1.2m. Faults are gouge to broken core.						
EC15-08	47.55	50.3	3U	Felsic schist: chl felsic xtls schist. Str fol. Fine grained, grey-blue/green. 20% qtz xtls (augens): rounded, 1-5mm, blue-ish. Str chl, mod ser alt. Tr rusted 1 mm py cubes. Weakly to magnetic.	str chl	mod ser		tr py		str fol
EC15-09	0	5.6	99	Casing						
EC15-09	5.6	14.8	Fault	Fault zone hosted in unit below: rubble to broken core up to 15 cm partial core. <1m section near top of whole core.						
EC15-09	14.8	17.7	3U	Felsic schist: chl felsic schist. Str fol. Fine grained, grey-blue/green. 5-10% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Weakly magnetic.	str chl	str ser		tr py		str fol
EC15-09	17.7	25.9	3FeXU	Fe felsic schist. Str fol. Fine grained, orange-grey. 15% qtz xtls (augens): rounded, 1-3mm. Str Fe alt giving the unit an orange colour. Str chl, str ser (micaceous) alt. 1% rusted with fresh specks 1 mm - 3mm py cubes. Weakly magnetic. Qtz veining begins (see QV tab)	str Fe	str chl	str ser	1% py	Y	str fol
EC15-09	25.9	27.5	Fault	Fault zone hosted in unit above: gouge, rubble, and broken core. Partial pieces up to 15 cm						
EC15-09	27.5	28.95	3FeXU	Fe felsic schist. Str fol. Fine grained, orange-grey. 15% qtz xtls (augens): rounded, 1-3mm. Str Fe alt giving the unit an orange colour. Str chl, str ser (micaceous) alt. Tr rusted with fresh specks 1 mm - 3mm py cubes. Weakly magnetic. Qtz veining begins (see QV tab)	str Fe	str chl	str ser	tr py		str fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-09	28.95	30.5	3U	Felsic schist: chl felsic schist. Str fol. Fine grained, grey-blue/green. 10% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Weakly magnetic.	str chl	str ser		tr py		str fol
EC15-09	30.5	30.85	Fault	Fault zone broken core						
EC15-09	30.85	34.4	3U	Felsic schist: chl felsic schist. Str fol. Fine grained, grey-blue/green. 10% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Weakly magnetic.	str chl	str ser		tr py		str fol
EC15-09	34.4	35.15	3FeXU	Fe felsic schist. Str fol. Fine grained, orange-grey. 15% qtz xtls (augens): rounded, 1-3mm. Str Fe alt giving the unit an orange colour. Str chl, str ser (micaceous) alt. Tr rusted 1 mm - 3mm py cubes. Weakly magnetic.	str Fe	str chl	str ser	tr py	Y	str fol
EC15-09	35.15	36	Fault	Fault Zone: gouge and rubble. First 1/3 of fault is in above unit, last 2/3s in below unit						
EC15-09	36	49.8	3U	Felsic schist: chl felsic schist. Str fol. Fine grained, grey-blue/green. 5-10% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Weakly magnetic. Local bands and blebs of black chl from 27-39m. Local, isolated 10-15 cm sections of orange Fe alt associated with fractures.	str chl	str ser		tr py		str fol
EC15-09	49.8	51	3FeXU	Fe alt zone of unit above and below (felsic schist): unit has orange colour.	str Fe	str chl	str ser	tr py		str fol
EC15-09	51	70.1	3U	Felsic schist: chl felsic schist. Str fol. Fine grained, grey-blue/green. 5-10% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Weakly magnetic. Local, isolated 10-15 cm sections of orange Fe alt associated with fractures.	str chl	str ser		tr py		str fol
EC15-10	0	3.2	99	Casing						
EC15-10	3.2	23.9	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Local areas of weak to mod Fe alt. Tr rusted 1 mm py cubes. Weakly magnetic. Local areas of broken core	str chl	str ser		tr py		str fol
EC15-10	23.9	25.6	QVX	Quartz vein fault zone: broken core, rubble to 20 cm pieces of whole core. Fe alt giving the host (above unit) orange colour. QVs + VG(see QV tab).	str Fe	str chl	str ser	tr py	Y	
EC15-10	25.6	38.2	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 5-10% qtz xtls (augens): 1-3mm, elongated locally.. Str chl, str ser (micaceous) alt. Local areas of weak to mod Fe alt. Tr rusted 1 mm py cubes. Weakly magnetic. Local areas of broken core. 2% QV (see QV tab).	str chl	str ser		tr py		str fol
EC15-10	38.2	42.65	Fault	Fault zone hosted in above and below unit. Gouge and strongly broken core in the first and last meters of the unit, pink-maroon hem alt. Local gouge and broken core throughout.	str chl	mod hem	str ser			
EC15-10	42.65	47.8	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Local areas of weak to mod Fe alt. Tr rusted 1 mm py cubes. Weakly magnetic.	str chl	str ser		tr py		str fol
EC15-10	47.8	55.35	3HemU	Hem felsic schist. Str fol, fine grained, grey-blue over 50% and pink-maroon hem alt over 50% of the unit. 15% qtz xtls (augens): rounded, 1-3mm (locally up to 40% qtz xtls). Str hem alt giving the unit pink-maroon colour. Str chl, str ser (micaceous) alt. Tr rusted py cubes.	str hem	str chl	str ser	tr py		str fol



Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-10	55.35	81.65	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens) (locally 3%): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Local areas of weak hem alt. Tr rusted 1 mm py cubes. Local areas of broken core. 3% 1-30mm qtz veins and veinlets; parallel and x-cutting fol (see QV tab for descriptions of QVs). Unit is becoming paler (bleaching?) towards lower contact with fault.	str chl	str ser		tr py		str fol
EC15-10	81.65	83.35	Fault	Fault zone: fault gouge for entire zone, pale grey						
EC15-10	83.35	88.7	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-5mm, elongated locally. Str chl, str ser (micaceous) alt.	str chl	str ser		tr py		str fol
EC15-10	88.7	91.35	3ChIU	Chl felsic schist as above and below with very str to intense chl alt as dark green bands. Str fol, fine grained, grey-green. 15% qtz xtls (augens): rounded, 1-5mm.	int chl	str ser				str fol
EC15-10	91.35	97.55	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-5mm, elongated locally. Str chl, str ser (micaceous) alt.	str chl	str ser				str fol
EC15-10	97.55	98.35	7	Felsic intrusive: pale grey, fine grained, siliceous. Sharp contacts. Strongly fol as schist above and below. Tr py as fresh sub-mm specks. Str ser, mod chl alt	str ser	mod chl		tr py		str fol
EC15-10	98.35	99.05	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-5mm, elongated locally. Str chl, str ser (micaceous) alt.	str chl	str ser				str fol
EC15-11	0	3.6	99	Casing						
EC15-11	3.6	6.35	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15-20% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Local areas of broken core (low RQD).	str chl	str ser		tr py		str fol
EC15-11	6.35	7.85	Fault	Fault zone hosted in unit above and below: rubble to broken core up to 20 cm partial whole core						
EC15-11	7.85	24.4	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15-20% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Local areas of broken core (low RQD). VG in two areas (see QV tab)	str chl	str ser		tr py	Y	str fol
EC15-11	24.4	24.65	Fault	Fault zone: rubble hosted in unit above and below						
EC15-11	24.65	32.15	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15-20% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes. Local areas of broken core (low RQD). VG, see QV tab)	str chl	str ser		tr py	Y	str fol
EC15-11	32.15	41.5	Fault	Fault zone: rubble (40%), broken core (40%), and pieces of whole core up to 30 cm (20%). Host in felsic schist						
EC15-11	41.5	43.55	3HemU	Hem felsic schist: Str fol, fine grained, grey-pink-maroon. 15% qtz xtls (augens): rounded, 1-3mm (locally up to 40% qtz xtls). Str hem alt giving the unit pink-maroon colour. Str chl, str ser (micaceous) alt.	str hem	str chl	str ser			str fol
EC15-11	43.55	50.3	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 10-15% qtz xtls (augens) (locally 5%): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-12	0	3.05	99	Casing						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-12	3.05	6	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green with pink stain from meteoric weathering. 15% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-12	6	15.55	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm, elongated locally. Str chl, str ser (micaceous) alt. From 13-14.5m increase in chl as dark green spots (20%). Tr py, rusted sub-mm cubes	str chl	str ser		tr py		str fol
EC15-12	15.55	22.1	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 20% Feldspar (cream) and qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr py, rusted sub-mm cubes. See QV tab for QVs.	str chl	str ser		tr py		str fol
EC15-12	22.1	23.7	3U	Fault zone: gouge for first 10 cm followed by rubble and broken core with pieces up to 15cm whole core. Hosted in unit above and below						
EC15-12	23.7	31.35	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 20% Feldspar (cream) and qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. From 27.5m -28m Fe alt are orange stain. Tr py, rusted sub-mm cubes. See QV tab for QVs.	str chl	str ser		tr py		str fol
EC15-12	31.35	35.6	3U	Felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, sub-mm to 1mm. This unit has finer grain size augens. Mod chl, str ser (micaceous) alt. Tr py, rusted sub-mm cubes.	str ser	mod chl		tr py		str fol
EC15-12	35.6	37.65	Fault	Fault zone: rubble and broken core up to 10 cm partial pieces. Hosted in above unit.						
EC15-12	37.65	40.75	3U	Felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Mod to str chl, str ser (micaceous) alt. Local patches of 10-20 cm of pink-maroon hem alt. Tr py, rusted sub-mm cubes.	str ser	mod chl	weak hem	tr py		str fol
EC15-12	40.75	41.15	Fault	Fault zone: gouge and rubble up to 3 cm partial core. Hosted in unit above and below						
EC15-12	41.15	50.3	3U	Felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Mod to str chl, str ser (micaceous) alt. Local patches of 10-20 cm of pink-maroon hem alt. From 47-47.60m 10-15% dark green sub-hedral specks Tr py, rusted sub-mm cubes.	str ser	mod chl	weak hem	tr py		str fol
EC15-13	0	1.5	99	Casing						
EC15-13	1.5	12.15	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green with pink stain from meteoric weathering. 15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-13	12.15	13.3	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-13	13.3	16.6	Fault	Fault zone: rubble to broken pieces up to 10 cm partial core. Hosted in above and below unit						
EC15-13	16.6	28.1	3U	Felsic schist: str fol, fine grained, grey-blue/green. 20% Feldspar (cream) and qtz xtls (augens): rounded, 1-3mm. Mod to str chl, str ser (micaceous) alt. Local patches of 10-20 cm of pink-maroon hem alt. Tr py, rusted sub-mm cubes.	str ser	mod chl	weak hem	tr py		str fol
EC15-13	28.1	30	Fault	Fault zone: rubble to broken pieces up to 20 cm partial core. Local areas of gouge along fol planes. Hosted in above and below unit.						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-13	30	33.5	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt, local weak hem over 10 cmTr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-13	33.5	34.4	Fault	Fault zone: rouble to broken pieces up to 5 cm partial core						
EC15-13	34.4	38.2	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt, local weak hem over 10 cmTr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-13	38.2	43.7	Fault	fault zone: rouble to broken pieces up to 30 cm whole core. Local areas of 50 cm of <1 cm rubble						
EC15-13	43.7	46.5	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% Feldspar (cream) and qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-13	46.5	47.65	Fault	fault zone: rouble to broken pieces up to 10 cm of partial core						
EC15-13	47.65	50	3ChIU	Chl felsic schist: str fol, fine grained, grey-blue/green. 15% qtz xtls (augens): rounded, 1-3mm. Str chl, str ser (micaceous) alt. Tr rusted 1 mm py cubes.	str chl	str ser		tr py		str fol
EC15-14	0	5.8	99	Casing						
EC15-14	5.8	16.5	1U	Chl Mafic schist: fine grained, strongly fol medium grey-green. Str chl as green bands. Mod ser, micaceous. Tr py as rusted sub-mm specks up to cubes 10mm. Unit is broken up with local areas of gouge and broken core	str chl	mod ser		tr py		str fol
EC15-14	16.5	20.1	Fault	Fault gouge: 50% gouge, 50% broken core. Hosted in above schist						
EC15-14	20.1	52.1	Fault	Fault zone: hosted in above schist. Broken core, local areas of whole core up to 30 cm pieces and 1 m of full core. Local gouge. 34.6-35m calcite vein						
EC15-15	0	5.8	99	Casing						
EC15-15	5.8	40	Fault	Fault zone in mafic schist. Fault zone: 30% gouge, paste-like, 15% whole fractured core, 55% rubble and broken core up to 15 cm partial core. Schist is fine grained, strongly fol (where visible) medium grey-green. Str chl and mod ser, micaceous. Tr py as rusted sub-mm specks up to cubes 5mm	str chl	mod ser		tr py		str fol
EC15-15	40	46.6	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str ser (micaceous) and str chl. Tr py as rusted sub-mm specks up to cubes 5mm (locally up to 1-2% 42-44m)	str ser	str chl		tr py		str fol
EC15-15	46.6	60.15	Fault	Fault zone in mafic schist. Fault zone: 15% gouge, paste-like, 15% whole fractured core, 70% rubble and broken core up to 15 cm partial core. Is hosted in above and below unit. Increase in QV at 48m, (see QV tab). In crease in carbonate in veins starting at 54.7m. VG at 55.80m in QV+carb in fault zone					Y	
EC15-15	60.15	77.7	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl and ser (micaceous). Tr py as rusted sub-mm specks up to cubes 10 mm cubes. Local broken core	str chl	str ser		tr py		str fol
EC15-15	77.7	78.3	Fault	Fault zone: gouge and rubble (<1 cm)						
EC15-15	78.3	92.75	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl and ser (micaceous). Tr py as rusted sub-mm specks up to cubes 10 mm cubes. Local broken core This unit shows an increase in deformation, stronger fol. Zone of QV-ing, see QV tab, two to three generations of QVs x-cutting each other	str chl	str ser		tr py		str fol

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-15	92.75	96.2	Fault	Fault zone: hosted in above unit. Rubble and broken core up to 15 cm whole core. Local gouge. Upper and lower contacts are within 1 m of >1m QV zones. From 94.35-94.4m there is a 5 cm zone of sil alt (possible failed vein). Host is bleached, contains 2% partially rusted py ranging from 2-5 mm.						
EC15-15	96.2	99.05	1U	Mafic schist: fine grained, strongly fol medium grey-green. Str chl and ser (micaceous). Tr py as rusted sub-mm specks up to cubes 2 mm cubes. Local broken core.	str chl	str ser		tr py		str fol
EC15-16	0	2.75	99	Casing						
EC15-16	2.75	10.7	1U	Mafic schist: fine grained, str fol, medium green-grey. Unit has ~40% highly deformed early qtz veins as white-translucent, gives the unit a banded appearance. Str chl alt, mod ser. Carbonate is present as sub-mm veinlets on the edges of the qtz veins. Tr py as rusted cubes from 1-3mm. Shear zone from 9.30-9.90m.	str chl	mod ser		tr py		str fol
EC15-16	10.7	11.85	Fault	Fault zone: starts in a clay/mud for ~10cm, gouge and broken core. Hosted in below unit. VG at 10.90m in QV near top of fault zone. QV-ing begins at 10.80m					Y	
EC15-16	11.85	24.4	1U	Mafic schist: fine grained, str fol and deformation (D3 and D4. 12.3-13m shows this well). Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Local zones of broken core. Tr py as rusted cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab).	str chl	str ser		tr py		str fol
EC15-16	24.4	36	Fault	Fault zone: hosted in unit above and below (mafic schist). 10% gouge, 70% rubble (sub-cm to 3 cm pieces partial core), 20% pieces of hole core up to 20cm						
EC15-16	36	42.4	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Minor carbonate, mm-scale veinlets as 3mm elongated enechelon. Local zones of broken core. Tr py as rusted cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab).	str chl	str ser		tr py		str fol
EC15-16	42.4	65.7	Fault	Fault zone: hosted in unit above (mafic schist). 20% gouge, 45% rubble (sub-cm to 3 cm pieces partial core), 35% pieces of hole core up to 20cm						
EC15-16	65.7	69.9	1U	Mafic schist: fine grained, str fol and deformation running parallel to long core axis. Medium green-grey. Str chl and str ser (micaceous) alt. Tr py as rusted cubes up to 3mm. 1% metamorphic QVs, translucent, deformed.	str chl	str ser		tr py		str fol
EC15-16	69.9	75.75	Fault	Fault zone: hosted in unit above (mafic schist). 60% gouge, 40% rubble (sub-cm to 3 cm pieces partial core). Rubble is locally in thick poker chips.						
EC15-16	75.75	79.1	1U	Mafic schist: fine grained, str fol and deformation running parallel to long core axis. Medium green-grey. Str chl and str ser (micaceous) alt. 1% metamorphic QVs, translucent, deformed.	str chl	str ser				str fol
EC15-16	79.1	81.6	Fault	Fault zone: hosted in unit above (mafic schist). 25% gouge, 55% rubble (sub-cm to 3 cm pieces partial core), 20% pieces of hole core up to 20cm.						
EC15-16	81.6	94.5	1U	Mafic schist: fine grained, str fol and deformation running parallel to long core axis. Medium green-grey. Str chl and str ser (micaceous) alt. Local dark green chl bands. Tr py as rusted cubes up to 3mm. 5% metamorphic QVs, translucent, deformed.	str chl	str ser		tr py		str fol
EC15-17	0	3.05	99	Casing						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-17	3.05	5	1U	Broken core, weathred bedrock. Mafic schist (as below) and QVs						
EC15-17	5	31.15	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Tr py as fresh cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab). 47.1-47.3, zone of bleaching: zone of sil alt, failed QV?	str chl	str ser		tr py		str fol
EC15-17	31.15	34.05	1U	Zone of above and below mafic schist with a change in alt. Str chl becomes mottled. Unit is paler (bleaching?), silver grey. Unit contains 10% calcite vienlets: 1-6mm, x-cutting fol, white. Py is fresh, sub-hedral, up to 3mm.	str chl	str ser		tr py		str fol
EC15-17	34.05	40.3	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Minor carbonate, mm-scale veinlets as 3mm elongated. Tr py as rusted cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab).	str chl	str ser		tr py		str fol
EC15-17	40.3	43.8	1U	Zone of above and below mafic schist with 40% strongly deformed metamorphoc QV. Veins are running parallel t.l.c.a. and deformed.	str chl	str ser		tr py		str fol
EC15-17	43.8	62	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser (50.4-51.3m). Tr py as rusted cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab).	str chl	str ser		tr py		str fol
EC15-17	62	62.7	Fault	Fault zone: mafic schist is brecciated with gouge between clasts, broken core, rubble						
EC15-17	62.7	100.6	1U	Mafic schist: fine grained, str fol. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Tr py as rusted cubes up to 3mm. Both metamorphic and late stage QVs (see QV tab). At 84.45-84.50m and 94.7-94.8m: 5 cm of sil alt? Bleaching. At 89.5m: 50 cm of chl as dark green specks. At 94.6m 20 cn brecciated with gouge	str chl	str ser		tr py, tr gn (QV)		str fol
EC15-18	0	5	99	Casing						
EC15-18	5	16.85	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Tr py as rusted cubes up 1 to 4mm. Both metamorphic QV, and calcite veins. 11-13m shear zone	str chl	str ser		tr py		str fol
EC15-18	16.85	24.5	1U	Mafic schist & QV: 35% metamorphic qtz veins and veinlets in schist (schist as above). Veins are x-cutting fol, parallel fol, and show deformation. Milky white +/- calcite, local orange Fe alt.	str chl	str ser		tr py		str fol
EC15-18	24.5	27.45	Fault	Zone of broken core, possible fault. Hosted in below mafic schist (10% Qv-ing). Rubble and broken core up to 15 cm whole core. 70% of the core is partial						
EC15-18	27.45	37.35	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser. Tr py as rusted cubes up 1 to 4mm. Both metamorphic QV, and calcite veins.	str chl	str ser		tr py		str fol
EC15-18	37.35	37.5	Fault	Fault zone: gouge at the bottom of a QV. 2-3 cm pieces of host and QV in gouge.						
EC15-18	37.5	47.3	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey-brown. Str chl and str ser (micaceous) alt, mod Fe alt giving unit a orange/brown tint. Tr py as rusted cubes up 1 to 4mm. 1% metamorphic QV.	str chl	str ser	mod Fe	tr py		str fol
EC15-18	47.3	48.8	Fault	Fault zone: rubble and broken core up to 10 cm pieces whole core. Bottom contact is sharp, possible 10 cm felsic dyke						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-18	48.8	52.15	1U	Mafic schist: fine grained, str fol and deformation. Medium grey-green. Very str ser (micaceous) alt, str chl alt as sub-mm blebs. Tr py as red-rusted cubes up 1 to 4mm. QVs rootless, as fractured patches, calcite vienlets.	str ser	str chl		tr py		str fol
EC15-18	52.15	74.7	1U	Mafic schist: very fined grained to fine grain. Grey.green (blue) homogenous appearence. Str ser, str chl. 0.5% py as rusted cubes 1mm-10mm. 5% qtz veins and calcite veinlets. Most the qtz veins are rootless and patchy. 50 cm shear at 59m and 65m: in between increase in deformation. At 569m 50 cm of 10% dark orange calcite veinlets.	str ser	str chl		tr py		str fol
EC15-19	0	9.55	99	Casing						
EC15-19	9.55	10.7	1U	Mafic schist: fine grained, medium green-grey. Str chl and mod ser alt.	str chl	mod ser				mod fol
EC15-19	10.7	13.1	QU	Fault zone hosted in below Qtz schist. Rubble and broken core, partial pieces up to 10 cm, whole pieces up to 20cm						
EC15-19	13.1	15.8	QU	Qtz schist: intensely deformed qtz schist with local fractures. 70% deformed white qtz with 30% dark grey schist. 1% py is coarse, partially rusted, 4-8mm cubes.						
EC15-19	15.8	16.9	Fault	Fault zone: gouge, rubble (majority), and partial pieces of core up to 15 cm						
EC15-19	16.9	29.95	QU	Qtz schist: intensely deformed qtz schist with local fractures. 70% deformed white qtz with 30% dark grey schist. Qtz is white, in demorned patches and stringers. Schist is stronly ser (micaceous) and chl alt. 1% py is coarse, partially rusted, up to 1mm. Last 1.5 meters before fault has increase in deformation.	str ser	str chl		tr py		str fol
EC15-19	29.95	32.9	Fault	Fault zone: gouge, rubble (majority), and partial pieces of core up to 15 cm						
EC15-19	32.9	46.2	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser (41.5-44.5m). Tr py as rusted cubes up 1 to 4mm. Metamorphic QVs. Bottom of the unit becomes more broken in approach to the fault.	str chl	str ser		tr py		str fol
EC15-19	46.2	61.65	Fault	Fault zone: gouge, rubble, and broken core. Top 2.5m has strong dark orange Fe alt in veins and along fol plane, and in last 10cm. Hosted in above mafic schist. 54.85-56.40m, and 61.3-61.5m increase in gouge.						
EC15-19	61.65	65.4	QV	QV in mafic schist zone: below mafic schist (fine grained, deformed, medium grey-green, chl, ser alt) with 30% deformed QVs. Milky white, patchy and irregular, fractured. 10-15% later stage x-cutting cream calcite veinlets. 1% dark red/maroon py as mm-scale blebs and patches in QV and host						
EC15-19	65.4	72.1	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser . Tr py as rusted cubes up 1 to 4mm. Metamorphic QVs. Late stage mm-scale calcite veinelts x-cutting.	str chl	str ser		tr py		str fol
EC15-19	72.1	72.6	Fault	Fault zone: rubble, 1-3 cm. Hosted in above and below mafic schist						
EC15-19	72.6	85.3	1U	Mafic schist: fine grained, str fol and deformation. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser . Tr py as rusted cubes sub-mm. Metamorphic QVs. Late stage mm-scale calcite veinelts x-cutting. Last meter before fault is pale grey-blue, very str ser alt with weak orange Fe alt.	str chl	str ser		tr py		str fol
EC15-19	85.3	85.6	Fault	Fault zone: rubble, 1-5 cm. Hosted in above and below mafic schist						

Hole ID	From (m)	To (m)	Rock Code	Description	Alteration 1	Alteration 2	Alteration 3	Mineralization	VG	Structure
EC15-19	85.6	98.85	1U	Mafic schist: fine grained, str fol and increase in deformation, locally sheared. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser . Tr py as rusted cubes sub-mm. Increase in metamorphic QVs in unit. Late stage mm-scale calcite veinlets x-cutting.	str chl	str ser		tr py		str fol
EC15-19	98.85	99.5	Fault	Fault zone: rubble, dark green-black clay-like with orange rust spots						
EC15-19	99.5	131.05	1U	Mafic schist with 25% QVs: very fine to fine grained, str fol and increase in deformation, locally sheared. Schist contains carbonate. Medium green-grey. Str chl and str ser (micaceous) alt, locally very str ser . Tr py as rusted cubes sub-mm. Last 15m contains fresh py cubes up to 2mm. Metamorphic QVs in unit make up 25% . Late stage mm-scale calcite veinlets x-cutting.	str chl	str ser		tr py		str fol

## APPENDIX VIII

### DIAMOND DRILL ASSAY CERTIFICATES





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: August 28, 2015  
Report Date: September 18, 2015  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI15000172.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-05  
P.O. Number  
Number of Samples: 149

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	142	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	149	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	149	Analysis sample split/packet			VAN
Split -150	149	Analysis sample split/packet			VAN
FS631	142	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	149	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	6	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 18, 2015

Page: 2 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718351	Drill Core	1.34	469	>10	40.34	253.18	22.00	1.0	27.9	19.6	32	13.3	7.6	8.1	413	1.50	2.0	0.6	50291.1	6.6	23
1718352	Drill Core	1.53	353	>10	16.82	47.99	20.36	1.3	123.8	7.2	25	6.9	9.7	8.3	404	1.76	2.4	0.9	16967.2	8.0	16
1718353	Drill Core	0.91	428	0.696	0.81	2.98	20.80	0.7	12.4	12.2	32	1.0	7.2	7.0	448	1.53	2.6	0.9	1750.1	8.7	58
1718354	Drill Core	0.72	495	2.371	5.28	57.13	26.24	1.1	7.5	5.7	21	1.4	9.8	8.3	495	1.52	3.4	0.7	2890.8	9.5	41
1718355	Drill Core	1.02	490	0.508	0.52	0.86	22.16	1.1	5.6	9.3	27	0.7	9.5	6.6	613	1.79	2.7	0.9	363.0	7.4	75
1718356	Drill Core	0.72	451	0.020	0.03	<0.17	21.49	0.6	16.2	105.4	48	0.3	8.5	5.3	378	1.63	3.0	0.7	17.3	9.9	36
1718357	Drill Core	1.23	515	0.578	0.57	0.34	20.85	1.6	18.2	12.1	35	0.6	9.7	5.8	339	1.78	6.9	3.1	623.4	7.8	57
1718358	Drill Core	1.56	465	0.006	<0.01	<0.17	21.84	1.1	10.6	28.0	51	0.5	10.0	6.2	756	1.96	7.5	2.5	3.4	9.1	95
1718359	Drill Core	1.17	540	<0.005	<0.01	<0.17	22.67	1.7	8.4	15.9	49	0.2	10.0	6.5	437	1.93	12.1	1.1	<0.5	8.4	62
1718360	Drill Core	1.42	442	<0.005	<0.01	<0.17	22.13	1.1	27.9	26.4	74	0.6	12.2	7.5	456	2.25	12.0	0.8	2.3	11.6	131
1718361	Drill Core	0.86	399	0.063	0.06	<0.17	21.01	1.3	18.1	21.5	34	1.5	10.3	5.4	456	1.54	2.7	1.1	85.4	7.9	113
1718362	Drill Core	0.93	438	0.009	<0.01	<0.17	19.44	2.2	9.1	25.2	59	0.5	9.5	6.0	431	1.94	5.1	1.4	5.5	8.3	63
1718363	Drill Core	1.64	420	<0.005	<0.01	<0.17	21.61	0.5	22.5	18.0	50	0.6	5.9	7.4	404	1.80	3.5	2.3	3.5	8.1	86
1718364	Drill Core	0.80	366	<0.005	<0.01	<0.17	22.56	1.0	10.7	6.6	68	0.2	11.4	8.1	445	2.30	8.0	1.8	5.1	11.8	84
1718365	Drill Core	1.62	405	0.023	0.02	<0.17	22.26	1.2	20.1	4.5	102	0.4	11.9	8.0	438	2.88	39.7	2.3	27.2	10.1	31
1718366	Drill Core	0.68	423	0.104	0.12	0.32	25.11	0.4	12.9	11.4	49	0.3	8.6	6.2	280	1.86	16.5	1.6	93.9	10.7	59
1718367	Drill Core	0.86	348	0.034	0.04	<0.17	19.92	0.9	13.5	13.2	68	0.2	10.4	10.6	364	2.10	19.5	2.2	44.4	10.6	73
1718368	Drill Core	0.64	385	1.157	1.21	2.07	24.11	0.8	7.9	18.3	45	0.6	9.1	7.2	231	2.02	23.9	2.0	730.4	11.3	70
1718369	Drill Core	1.86	374	<0.005	<0.01	<0.17	18.38	0.8	18.7	23.5	61	0.4	10.1	5.5	422	2.07	4.7	1.1	3.0	7.0	78
1718370	Rock	0.21	166	<0.005	<0.01	<0.17	22.13	1.2	7.9	2.1	254	<0.1	5.1	7.8	740	2.90	1.3	0.2	0.8	0.6	26
1718371	Rock Pulp	0.08		0.050	I.S.	I.S.	I.S.	1.2	558.6	22.5	72	0.2	280.2	94.6	997	17.55	4.6	1.5	58.3	8.3	19
1718372	Drill Core	1.17	494	0.006	<0.01	<0.17	20.93	1.1	11.8	22.0	69	0.2	13.2	9.2	451	2.39	6.9	2.1	5.2	9.9	96
1718373	Drill Core	0.80	324	<0.005	<0.01	<0.17	17.74	0.3	7.9	22.5	9	0.1	0.7	0.8	144	0.51	0.7	0.7	<0.5	12.1	38
1718374	Drill Core	1.96	391	<0.005	<0.01	<0.17	21.41	0.5	9.5	5.6	39	0.1	5.3	3.3	177	1.31	2.8	0.8	1.3	3.7	17
1718375	Drill Core	2.21	446	<0.005	<0.01	<0.17	28.52	0.5	6.9	10.3	52	0.1	9.2	7.9	177	1.83	3.6	1.1	4.1	6.3	10
1718376	Drill Core	1.70	340	0.030	0.03	<0.17	20.37	0.7	3.6	14.9	70	0.2	13.0	9.0	251	2.36	7.8	1.5	4.0	9.1	13
1718377	Drill Core	1.63	336	0.012	0.01	<0.17	20.43	1.0	4.6	17.0	56	0.3	12.6	10.7	196	2.18	11.3	2.0	25.2	8.3	13
1718378	Drill Core	0.77	479	0.011	0.01	<0.17	21.54	0.2	4.2	11.8	46	0.1	0.8	0.7	80	0.49	4.0	0.6	8.3	13.3	4
1718379	Drill Core	0.41	324	0.013	0.01	<0.17	23.46	0.6	10.5	11.1	34	0.2	4.2	2.7	262	1.17	0.6	0.4	12.6	3.2	29
1718380	Drill Core	1.03	434	0.005	<0.01	<0.17	21.91	0.6	44.3	3.9	41	0.3	8.9	7.0	429	1.58	5.2	0.8	3.2	6.2	50



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 2 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%		
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.1	0.1	0.05
1718351	Drill Core	0.3	0.3	<0.1	6	0.18	0.025	14	10	0.47	211	0.018	1	0.61	0.015	0.32	0.9	0.02	1.8	0.1	0.08	
1718352	Drill Core	0.3	0.6	<0.1	5	0.12	0.027	18	8	0.45	231	0.016	2	0.61	0.013	0.36	0.3	0.02	2.0	0.1	<0.05	
1718353	Drill Core	0.2	0.9	<0.1	9	0.45	0.040	15	10	0.65	285	0.027	2	0.89	0.013	0.59	0.5	<0.01	2.5	0.2	0.16	
1718354	Drill Core	0.3	0.5	<0.1	5	0.38	0.032	14	6	0.47	300	0.014	1	0.65	0.008	0.49	0.3	<0.01	2.0	0.2	0.15	
1718355	Drill Core	0.3	0.8	<0.1	7	0.94	0.038	11	9	0.64	277	0.022	2	0.79	0.017	0.52	0.4	<0.01	2.5	0.2	0.28	
1718356	Drill Core	<0.1	0.9	0.2	12	0.29	0.046	20	12	0.74	215	0.065	2	0.97	0.014	0.60	0.6	<0.01	2.4	0.3	<0.05	
1718357	Drill Core	0.2	1.0	<0.1	7	0.65	0.047	9	8	0.59	251	0.029	1	0.76	0.011	0.58	0.4	<0.01	1.9	0.2	0.54	
1718358	Drill Core	0.2	1.4	<0.1	13	2.02	0.049	13	15	1.00	193	0.055	2	1.11	0.016	0.65	0.3	0.03	3.0	0.2	0.07	
1718359	Drill Core	0.2	0.6	0.2	12	0.73	0.043	14	14	0.80	233	0.043	1	1.03	0.018	0.59	0.3	<0.01	2.9	0.2	<0.05	
1718360	Drill Core	0.2	0.2	0.4	20	1.57	0.053	14	17	0.95	268	0.014	1	1.23	0.018	0.32	<0.1	<0.01	4.7	<0.1	0.14	
1718361	Drill Core	0.2	0.6	0.5	9	1.35	0.047	18	9	0.49	231	0.005	1	0.76	0.010	0.32	0.2	<0.01	2.8	<0.1	0.32	
1718362	Drill Core	0.3	0.4	0.5	15	0.93	0.060	19	15	0.68	183	0.004	1	0.99	0.020	0.28	0.2	<0.01	3.4	<0.1	0.05	
1718363	Drill Core	0.4	0.7	0.3	13	1.44	0.049	14	15	0.57	163	0.034	2	0.84	0.027	0.32	<0.1	0.01	3.5	0.3	0.23	
1718364	Drill Core	0.3	0.9	0.1	27	1.38	0.053	25	29	0.94	132	0.084	1	1.26	0.061	0.26	0.8	0.02	6.2	0.1	0.13	
1718365	Drill Core	0.4	0.8	0.1	31	0.63	0.060	26	31	0.91	145	0.005	<1	1.35	0.029	0.21	<0.1	0.02	4.6	<0.1	<0.05	
1718366	Drill Core	0.2	1.2	0.1	15	1.27	0.062	20	15	0.63	249	0.051	1	0.97	0.015	0.39	0.7	<0.01	3.5	0.1	0.16	
1718367	Drill Core	0.4	1.8	<0.1	18	1.31	0.056	24	19	0.67	190	0.067	2	1.23	0.014	0.29	0.9	<0.01	4.2	<0.1	<0.05	
1718368	Drill Core	0.4	0.7	0.1	11	1.08	0.131	21	13	0.52	207	0.049	2	0.84	0.015	0.26	0.9	0.01	2.9	<0.1	0.36	
1718369	Drill Core	0.2	0.3	0.2	16	2.51	0.052	20	20	0.83	160	0.029	1	1.23	0.030	0.23	<0.1	<0.01	3.3	<0.1	<0.05	
1718370	Rock	1.0	<0.1	<0.1	46	1.70	0.065	7	13	0.82	58	0.113	1	1.66	0.103	0.20	<0.1	<0.01	5.5	<0.1	0.23	
1718371	Rock Pulp	<0.1	0.5	0.2	234	0.46	0.040	21	794	0.19	173	0.243	8	4.42	0.010	0.09	<0.1	0.02	51.6	0.1	<0.05	
1718372	Drill Core	0.2	0.2	0.2	23	2.47	0.061	33	23	0.89	320	0.005	2	1.17	0.026	0.22	<0.1	<0.01	5.8	<0.1	<0.05	
1718373	Drill Core	0.1	0.2	0.1	2	0.99	0.009	38	2	0.08	279	0.001	<1	0.32	0.020	0.25	0.1	<0.01	1.3	<0.1	<0.05	
1718374	Drill Core	0.2	0.2	<0.1	9	0.34	0.016	12	12	0.38	51	0.002	<1	0.49	0.019	0.09	<0.1	<0.01	1.8	<0.1	<0.05	
1718375	Drill Core	0.1	0.2	<0.1	15	0.19	0.032	21	15	0.60	186	0.002	1	0.81	0.014	0.18	<0.1	<0.01	3.0	<0.1	<0.05	
1718376	Drill Core	0.1	0.3	<0.1	19	0.19	0.059	29	20	0.89	318	0.003	1	1.26	0.023	0.30	0.1	<0.01	4.0	<0.1	<0.05	
1718377	Drill Core	0.2	0.4	0.1	15	0.15	0.037	26	17	0.60	262	0.002	1	0.90	0.017	0.23	0.2	<0.01	3.5	<0.1	<0.05	
1718378	Drill Core	0.3	0.2	<0.1	<2	0.02	0.009	42	1	0.08	259	<0.001	1	0.32	0.029	0.24	0.1	0.02	1.0	<0.1	<0.05	
1718379	Drill Core	0.1	0.2	<0.1	6	0.27	0.028	9	8	0.47	103	0.020	<1	0.53	0.018	0.18	0.6	<0.01	1.6	<0.1	<0.05	
1718380	Drill Core	0.3	0.4	<0.1	8	0.68	0.045	14	9	0.63	272	0.049	<1	0.87	0.016	0.63	0.5	<0.01	2.8	0.2	0.09	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 2 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718351	Drill Core	2	0.6	<0.2	29.9
1718352	Drill Core	2	<0.5	0.9	14.9
1718353	Drill Core	3	<0.5	<0.2	
1718354	Drill Core	2	<0.5	<0.2	
1718355	Drill Core	3	<0.5	<0.2	
1718356	Drill Core	3	<0.5	<0.2	
1718357	Drill Core	3	0.8	<0.2	
1718358	Drill Core	4	<0.5	<0.2	
1718359	Drill Core	4	<0.5	<0.2	
1718360	Drill Core	6	<0.5	<0.2	
1718361	Drill Core	3	0.7	<0.2	
1718362	Drill Core	4	<0.5	<0.2	
1718363	Drill Core	3	0.8	<0.2	
1718364	Drill Core	5	0.6	<0.2	
1718365	Drill Core	7	<0.5	<0.2	
1718366	Drill Core	4	<0.5	<0.2	
1718367	Drill Core	6	<0.5	<0.2	
1718368	Drill Core	4	<0.5	<0.2	
1718369	Drill Core	5	<0.5	<0.2	
1718370	Rock	7	<0.5	<0.2	
1718371	Rock Pulp	21	0.7	<0.2	
1718372	Drill Core	5	<0.5	<0.2	
1718373	Drill Core	<1	<0.5	<0.2	
1718374	Drill Core	2	<0.5	<0.2	
1718375	Drill Core	3	<0.5	<0.2	
1718376	Drill Core	5	<0.5	<0.2	
1718377	Drill Core	3	<0.5	<0.2	
1718378	Drill Core	1	<0.5	<0.2	
1718379	Drill Core	2	<0.5	<0.2	
1718380	Drill Core	3	<0.5	<0.2	



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 18, 2015

**Page:** 3 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000172.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718381	Drill Core	1.67	345	9.121	11.05	35.64	25.11	0.7	20.8	3.8	23	4.3	9.3	7.3	326	1.69	2.1	0.7	11173.1	6.5	26
1718382	Drill Core	1.33	531	0.006	0.01	<0.17	18.49	1.5	19.8	26.6	50	0.2	8.7	6.2	455	1.72	4.7	1.0	4.4	6.4	65
1718383	Drill Core	1.69	394	0.170	0.17	<0.17	18.54	0.8	5.8	3.5	25	0.2	5.9	4.5	287	1.36	2.7	0.7	161.5	5.7	20
1718384	Drill Core	2.20	519	>10	16.36	41.80	28.61	1.1	19.1	10.3	54	4.8	15.5	10.7	476	2.65	4.7	1.1	16573.8	10.1	32
1718385	Drill Core	1.38	433	0.009	<0.01	<0.17	18.60	0.9	14.2	12.1	72	0.2	11.9	7.9	323	2.36	6.1	1.2	7.8	9.0	30
1718386	Drill Core	2.42	407	0.013	0.01	<0.17	21.94	0.5	14.0	26.8	98	0.3	10.3	8.5	316	1.92	0.9	1.0	9.1	9.2	32
1718387	Drill Core	1.22	485	<0.005	<0.01	<0.17	17.57	0.8	12.0	30.3	43	0.5	11.9	7.2	216	1.78	3.3	1.0	0.5	5.4	31
1718388	Drill Core	0.81	359	0.054	0.06	<0.17	20.58	0.4	6.1	22.1	16	1.4	0.9	1.1	38	0.51	3.6	1.8	109.2	11.8	7
1718389	Drill Core	1.29	530	0.318	0.31	0.24	20.42	1.2	18.7	24.8	148	1.6	11.5	8.3	345	2.18	15.3	2.1	273.5	8.1	41
1718390	Rock	0.20	149	0.005	<0.01	<0.17	19.61	0.9	9.3	2.5	48	<0.1	6.5	9.0	806	3.20	1.4	0.2	2.1	0.7	30
1718391	Rock Pulp	0.08		0.236	I.S.	I.S.	I.S.	14.4	33.2	16.0	19	0.4	10.7	6.6	49	3.14	484.0	1.1	244.6	0.8	40
1718392	Drill Core	1.64	378	0.211	0.21	0.20	20.23	0.7	9.7	24.9	85	0.8	10.1	7.2	302	1.94	8.8	1.4	316.0	7.5	56
1718393	Drill Core	1.75	424	0.649	0.65	0.67	22.45	1.0	16.1	10.1	55	1.0	12.4	7.8	255	1.84	11.8	1.3	698.2	8.1	27
1718394	Drill Core	1.59	383	0.686	0.70	0.91	20.80	1.2	16.2	21.1	54	1.4	11.4	7.1	350	1.88	9.8	1.3	458.3	6.7	35
1718395	Drill Core	1.77	420	0.024	0.03	<0.17	24.31	0.7	14.5	10.9	73	0.2	12.4	8.1	282	2.24	5.0	1.1	4.3	8.0	53
1718396	Drill Core	1.80	423	0.007	<0.01	<0.17	22.19	0.5	10.8	19.7	65	0.3	11.2	7.4	328	1.93	5.4	0.9	<0.5	8.6	36
1718397	Drill Core	1.05	482	<0.005	<0.01	<0.17	21.02	0.3	7.2	21.4	29	0.2	2.4	2.2	147	0.88	1.7	1.1	<0.5	11.4	18
1718398	Drill Core	1.23	399	0.022	0.05	0.47	21.44	0.2	1.9	3.8	9	0.2	1.3	1.4	72	0.54	2.9	1.0	205.6	12.2	15
1718399	Drill Core	1.07	469	<0.005	<0.01	<0.17	26.27	0.4	0.7	9.9	21	<0.1	1.0	0.4	99	0.55	1.4	0.5	<0.5	8.9	9
1718400	Drill Core	1.29	456	0.431	0.52	1.92	27.08	0.6	14.3	9.0	72	0.8	3.0	4.0	212	0.99	3.4	2.4	310.4	11.9	12
1718401	Drill Core	1.18	541	0.088	0.09	0.23	21.86	0.5	3.6	10.8	37	0.5	3.0	2.5	162	0.97	4.5	1.8	64.9	14.5	24
1718402	Drill Core	1.01	449	0.039	0.04	<0.17	23.18	0.2	2.6	9.1	9	0.2	1.1	1.1	116	0.58	4.6	0.5	25.3	7.7	3
1718403	Drill Core	1.00	424	0.460	0.45	0.28	25.06	0.9	12.4	6.7	56	1.0	11.0	9.2	715	2.24	9.0	1.8	356.2	8.9	105
1718404	Drill Core	1.09	479	0.724	0.84	3.39	20.64	1.1	15.6	4.5	44	1.5	8.3	7.1	405	1.87	15.0	4.9	595.0	7.5	122
1718405	Drill Core	1.03	477	0.562	0.66	3.06	18.29	0.6	16.7	23.1	49	0.7	9.1	6.7	246	1.69	5.5	2.3	627.5	4.1	51
1718406	Drill Core	1.42	439	0.558	0.58	0.96	19.79	0.6	16.4	8.9	45	0.6	9.7	8.6	368	1.92	5.9	1.7	512.7	6.4	104
1718407	Drill Core	2.66	381	2.267	5.60	60.06	21.96	0.9	9.7	12.2	28	2.1	8.0	5.1	291	1.56	9.2	0.9	4407.4	4.9	32
1718408	Drill Core	1.69	398	0.113	0.11	<0.17	20.78	0.6	184.0	12.5	58	9.1	4.1	2.7	211	1.08	6.1	1.1	107.3	13.2	37
1718409	Drill Core	2.28	498	0.226	0.25	0.71	19.62	4.1	39.0	42.2	70	3.2	11.4	5.7	289	1.76	14.5	1.1	445.9	8.8	34
1718410	Rock	0.19	131	<0.005	<0.01	<0.17	14.90	1.0	8.5	4.0	47	0.2	3.3	7.7	781	3.09	0.9	0.2	<0.5	0.7	28



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 3 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718381	Drill Core	0.3	0.4	<0.1	7	0.26	0.029	13	10	0.50	200	0.026	<1	0.64	0.014	0.35	0.5	<0.01	2.0	0.1	0.15
1718382	Drill Core	0.2	0.5	0.1	13	0.80	0.050	14	15	0.78	197	0.057	<1	1.00	0.021	0.41	0.9	<0.01	3.3	0.1	<0.05
1718383	Drill Core	0.2	0.4	<0.1	6	0.18	0.030	11	9	0.42	154	0.027	<1	0.59	0.011	0.29	0.5	<0.01	1.6	<0.1	<0.05
1718384	Drill Core	0.3	0.7	0.2	18	0.36	0.067	23	19	0.90	284	0.018	1	1.45	0.026	0.48	0.4	0.02	5.6	0.2	<0.05
1718385	Drill Core	0.4	0.7	0.1	19	0.56	0.062	31	23	0.89	196	0.010	1	1.40	0.035	0.33	0.2	0.01	5.3	0.1	<0.05
1718386	Drill Core	0.5	0.8	<0.1	17	0.69	0.055	26	19	0.72	146	0.042	<1	1.25	0.023	0.31	0.5	0.01	4.5	0.2	<0.05
1718387	Drill Core	0.2	0.6	0.4	17	0.91	0.043	11	21	0.68	174	0.062	<1	0.93	0.032	0.30	0.5	0.02	5.2	0.1	<0.05
1718388	Drill Core	0.1	1.4	0.1	<2	0.05	0.021	30	1	0.06	311	0.003	1	0.39	0.017	0.30	0.2	0.14	1.4	0.1	0.06
1718389	Drill Core	0.7	1.8	0.1	19	0.34	0.055	18	22	1.00	335	0.073	1	1.17	0.024	0.60	1.1	0.02	5.9	0.3	<0.05
1718390	Rock	<0.1	0.1	<0.1	61	1.92	0.067	8	16	1.00	87	0.130	2	2.12	0.125	0.25	0.1	0.02	8.9	<0.1	0.21
1718391	Rock Pulp	0.2	26.7	0.1	11	1.01	0.007	2	18	0.03	3358	0.010	3	0.23	0.011	0.07	33.0	2.99	1.2	13.6	0.20
1718392	Drill Core	0.4	2.3	0.1	19	0.39	0.049	14	21	0.95	306	0.063	2	1.18	0.027	0.67	0.9	0.01	5.9	0.3	<0.05
1718393	Drill Core	0.5	1.9	<0.1	15	0.27	0.054	17	16	0.70	295	0.058	2	0.97	0.014	0.64	1.0	0.02	5.2	0.3	<0.05
1718394	Drill Core	0.6	2.5	<0.1	17	0.28	0.050	14	16	0.78	268	0.055	2	0.99	0.018	0.61	0.9	0.05	4.8	0.2	<0.05
1718395	Drill Core	0.2	3.0	<0.1	25	0.60	0.091	14	28	1.17	211	0.086	1	1.35	0.038	0.85	0.5	<0.01	6.3	0.4	<0.05
1718396	Drill Core	0.4	2.3	0.1	20	0.48	0.062	17	25	1.00	201	0.086	1	1.15	0.028	0.65	0.7	0.02	5.0	0.3	<0.05
1718397	Drill Core	0.2	0.7	0.3	6	0.24	0.019	30	7	0.33	334	0.032	<1	0.70	0.030	0.39	0.3	0.03	4.0	0.1	<0.05
1718398	Drill Core	0.2	0.2	<0.1	<2	0.11	0.056	39	2	0.09	347	0.002	<1	0.46	0.022	0.31	0.1	0.06	1.7	<0.1	<0.05
1718399	Drill Core	0.2	<0.1	<0.1	<2	0.06	0.025	28	3	0.14	216	0.001	<1	0.38	0.025	0.23	0.1	<0.01	1.5	<0.1	<0.05
1718400	Drill Core	0.5	0.5	0.1	4	0.13	0.039	36	5	0.21	429	0.006	<1	0.57	0.020	0.37	0.2	0.02	3.2	0.1	<0.05
1718401	Drill Core	0.5	0.6	<0.1	6	0.21	0.022	45	8	0.42	359	0.009	2	0.83	0.029	0.35	0.2	0.04	3.7	0.1	<0.05
1718402	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.005	22	2	0.07	216	0.001	1	0.26	0.030	0.20	<0.1	<0.01	1.3	<0.1	<0.05
1718403	Drill Core	0.8	1.4	<0.1	16	1.25	0.054	16	17	1.05	350	0.039	2	1.33	0.015	0.58	0.7	<0.01	6.4	0.2	0.34
1718404	Drill Core	0.5	1.6	<0.1	13	1.79	0.064	11	13	0.78	247	0.042	<1	1.00	0.010	0.50	0.7	0.02	3.9	0.2	0.70
1718405	Drill Core	0.3	1.1	0.2	12	0.67	0.037	10	18	0.41	151	0.039	<1	0.59	0.046	0.26	0.7	<0.01	5.1	0.1	0.26
1718406	Drill Core	0.2	0.7	<0.1	15	1.53	0.063	12	18	0.72	180	0.050	<1	0.93	0.019	0.40	0.7	<0.01	4.5	0.2	0.45
1718407	Drill Core	0.3	0.6	0.2	8	0.36	0.039	12	10	0.44	194	0.017	<1	0.64	0.025	0.30	0.4	<0.01	4.6	0.1	0.14
1718408	Drill Core	0.4	4.2	0.1	11	0.46	0.083	23	12	0.46	275	0.044	1	0.77	0.037	0.35	0.9	<0.01	2.9	0.1	0.14
1718409	Drill Core	0.8	1.4	1.1	17	0.55	0.049	16	17	0.57	194	0.056	1	0.90	0.042	0.30	0.8	<0.01	6.3	0.1	0.41
1718410	Rock	0.1	<0.1	<0.1	59	1.75	0.062	7	8	0.90	68	0.148	<1	1.90	0.109	0.21	0.2	0.02	8.6	<0.1	0.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 3 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718381	Drill Core	2	<0.5	0.4	
1718382	Drill Core	4	<0.5	<0.2	
1718383	Drill Core	2	<0.5	<0.2	
1718384	Drill Core	6	<0.5	<0.2	14.9
1718385	Drill Core	5	<0.5	<0.2	
1718386	Drill Core	5	<0.5	<0.2	
1718387	Drill Core	3	<0.5	<0.2	
1718388	Drill Core	1	<0.5	<0.2	
1718389	Drill Core	4	<0.5	<0.2	
1718390	Rock	8	<0.5	<0.2	
1718391	Rock Pulp	<1	0.6	<0.2	
1718392	Drill Core	4	<0.5	<0.2	
1718393	Drill Core	3	<0.5	<0.2	
1718394	Drill Core	3	<0.5	<0.2	
1718395	Drill Core	4	<0.5	<0.2	
1718396	Drill Core	4	<0.5	<0.2	
1718397	Drill Core	3	<0.5	<0.2	
1718398	Drill Core	2	<0.5	<0.2	
1718399	Drill Core	1	<0.5	<0.2	
1718400	Drill Core	2	<0.5	<0.2	
1718401	Drill Core	3	<0.5	<0.2	
1718402	Drill Core	<1	<0.5	<0.2	
1718403	Drill Core	5	<0.5	<0.2	
1718404	Drill Core	3	1.0	<0.2	
1718405	Drill Core	2	0.7	<0.2	
1718406	Drill Core	3	0.8	<0.2	
1718407	Drill Core	2	<0.5	<0.2	
1718408	Drill Core	4	<0.5	<0.2	
1718409	Drill Core	4	0.8	<0.2	
1718410	Rock	7	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 18, 2015

**Page:** 4 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

**WHI15000172.1**

Method	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	MDL	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	1
1718411	Rock Pulp	0.09		2.040	I.S.	I.S.	I.S.	3.6	35.8	6.4	55	0.4	27.0	11.0	480	3.10	8.6	0.3	2008.1	1.1	52
1718412	Drill Core	1.07	477	8.651	15.03	155.30	20.76	1.1	15.4	12.9	65	5.3	10.1	7.6	378	1.85	7.0	1.0	33926.4	7.2	19
1718413	Drill Core	1.47	340	>10	30.22	349.11	17.39	1.9	17.1	15.1	53	6.1	8.7	7.9	561	1.94	7.3	1.6	24255.0	9.7	35
1718414	Drill Core	0.84	355	1.562	15.47	253.16	19.64	1.3	12.8	13.8	26	0.9	9.6	6.7	307	1.18	8.6	0.6	1413.4	7.6	13
1718415	Drill Core	0.91	479	>10	37.86	441.67	18.84	1.4	21.0	6.2	37	12.6	8.3	6.2	471	1.83	2.2	1.0	59656.7	6.7	75
1718416	Drill Core	1.46	473	>10	22.19	306.69	19.43	1.5	8.5	6.3	25	3.2	6.7	5.6	451	1.49	4.5	0.7	11469.8	4.2	17
1718417	Drill Core	1.67	417	0.883	1.64	15.42	21.59	0.3	26.6	1.7	15	0.6	3.8	3.0	270	0.95	1.1	0.4	1048.4	4.6	16
1718418	Drill Core	2.21	463	0.037	0.03	<0.17	29.00	0.7	21.0	22.8	90	0.6	10.4	7.5	640	2.39	1.1	1.8	47.8	10.8	116
1718419	Drill Core	2.52	444	0.024	0.02	<0.17	17.57	0.3	29.8	43.9	133	0.7	12.7	9.0	674	2.25	4.5	1.1	22.3	9.2	134
1718420	Drill Core	1.45	377	0.082	0.09	0.30	20.19	1.0	15.7	35.4	98	0.7	12.3	11.6	407	2.72	14.2	1.7	49.1	13.8	21
1718421	Drill Core	1.10	445	1.381	2.15	16.20	23.09	0.8	10.8	9.1	65	0.9	7.4	7.9	331	1.73	12.0	1.0	1181.9	10.3	23
1718422	Drill Core	1.50	336	0.028	0.03	<0.17	18.51	1.8	43.3	5.4	117	0.7	15.4	10.8	627	3.04	12.2	2.7	21.1	8.6	128
1718423	Drill Core	2.15	416	0.006	<0.01	<0.17	21.50	0.7	9.5	88.6	54	0.6	7.8	7.2	269	1.43	1.2	1.1	3.2	4.2	49
1718424	Drill Core	1.08	447	<0.005	<0.01	<0.17	19.04	0.3	4.2	47.6	45	0.3	3.7	3.7	338	1.03	0.7	1.1	1.0	6.7	115
1718425	Drill Core	1.77	351	1.919	2.43	11.85	17.97	0.7	15.2	9.3	57	1.6	14.8	11.4	375	2.27	12.8	1.7	2035.0	8.8	49
1718426	Drill Core	1.79	506	0.685	0.77	2.56	21.47	0.4	8.4	9.4	68	0.8	11.5	9.7	245	1.82	10.3	1.8	1153.5	6.2	30
1718427	Drill Core	1.11	465	0.213	0.20	<0.17	22.55	0.3	3.7	4.3	38	0.2	8.4	7.2	249	1.18	5.6	1.2	244.1	3.6	27
1718428	Drill Core	0.80	500	0.091	0.14	1.22	23.04	0.2	9.3	10.6	41	0.6	9.4	8.8	339	1.67	13.5	0.8	158.7	6.7	68
1718429	Drill Core	0.77	478	0.037	0.04	<0.17	20.68	0.1	3.0	4.6	26	0.1	3.8	3.7	187	1.04	4.5	1.1	33.5	7.3	63
1718430	Rock	0.25	192	<0.005	<0.01	<0.17	17.29	1.0	12.3	2.5	64	<0.1	12.1	11.7	897	3.90	1.5	0.2	<0.5	0.6	42
1718431	Rock Pulp	0.08		4.647	I.S.	I.S.	I.S.	6.1	63.2	648.6	2205	73.5	24.0	13.6	399	3.00	42.2	0.4	4385.2	1.2	42
1718432	Drill Core	0.70	428	0.136	0.14	0.23	22.04	0.2	13.2	112.7	28	1.0	2.1	2.1	214	0.76	3.4	1.0	210.4	9.5	35
1718433	Drill Core	1.95	345	7.548	25.36	297.12	21.19	0.4	19.1	2.6	31	5.2	5.7	4.0	135	1.20	5.5	1.2	11767.2	4.1	11
1718434	Drill Core	1.10	363	0.376	0.38	0.45	17.90	0.5	48.0	11.3	53	5.0	6.6	6.2	305	1.18	8.6	0.8	283.6	5.0	14
1718435	Drill Core	2.02	352	0.693	0.72	1.17	21.43	0.4	11.2	2.5	33	0.8	7.7	5.3	247	1.44	7.7	1.1	478.5	4.9	44
1718436	Drill Core	0.60	492	0.005	<0.01	<0.17	21.53	0.7	12.9	8.7	19	0.4	5.3	3.1	160	0.93	7.9	0.6	<0.5	4.1	12
1718437	Drill Core	0.87	500	0.006	<0.01	<0.17	24.06	0.7	19.9	26.8	68	0.3	9.7	8.0	303	1.65	5.2	1.1	2.0	11.6	49
1718438	Drill Core	1.36	405	3.302	5.13	39.55	20.38	0.9	11.9	9.9	29	1.6	7.6	5.9	216	1.02	4.0	0.8	3297.9	7.3	22
1718439	Drill Core	1.42	443	0.260	0.25	<0.17	22.03	0.4	16.7	7.9	27	0.6	8.8	5.7	286	1.07	4.2	1.1	283.7	7.5	62
1718440	Drill Core	2.12	520	5.089	8.22	69.66	25.25	0.7	104.0	3.4	33	6.0	5.6	4.8	302	1.13	3.1	0.7	10897.8	5.2	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 18, 2015

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
1718411	Rock Pulp	0.2	2.2	0.2	79	1.13	0.056	6	36	0.90	115	0.173	6	1.95	0.124	0.18	16.3	0.10	7.3	<0.1	<0.05
1718412	Drill Core	0.5	0.5	0.2	12	0.22	0.038	16	14	0.71	230	0.037	1	0.88	0.026	0.48	0.5	0.04	3.2	0.2	<0.05
1718413	Drill Core	0.3	1.2	0.1	11	0.36	0.045	21	14	0.61	207	0.046	<1	0.84	0.038	0.39	0.6	0.04	4.3	0.2	<0.05
1718414	Drill Core	0.5	0.7	<0.1	6	0.13	0.040	21	7	0.30	306	0.012	<1	0.58	0.014	0.41	0.4	0.01	2.9	0.1	<0.05
1718415	Drill Core	0.3	1.2	<0.1	7	0.87	0.037	13	8	0.63	241	0.022	<1	0.86	0.019	0.55	0.4	0.02	3.2	0.2	0.16
1718416	Drill Core	0.3	1.5	<0.1	5	0.13	0.016	12	6	0.43	175	0.014	<1	0.61	0.009	0.34	0.3	0.03	2.5	0.1	<0.05
1718417	Drill Core	0.1	0.5	<0.1	3	0.19	0.018	11	6	0.30	169	0.011	<1	0.45	0.006	0.28	0.3	<0.01	1.9	<0.1	0.06
1718418	Drill Core	0.4	0.3	0.1	23	2.66	0.059	35	26	1.17	169	0.004	<1	1.56	0.019	0.31	0.1	0.02	5.0	0.2	<0.05
1718419	Drill Core	0.8	0.5	0.2	19	3.58	0.053	27	30	0.94	105	0.003	<1	1.22	0.018	0.23	0.1	0.01	3.9	<0.1	<0.05
1718420	Drill Core	0.9	1.7	0.5	19	0.33	0.073	38	24	0.84	237	0.003	<1	1.46	0.015	0.39	0.2	0.03	4.0	0.2	<0.05
1718421	Drill Core	0.5	0.7	0.1	9	0.39	0.051	26	12	0.68	186	0.003	<1	1.04	0.007	0.32	0.2	0.02	2.5	0.2	<0.05
1718422	Drill Core	1.0	0.9	<0.1	25	3.29	0.069	20	29	1.04	254	0.015	<1	1.55	0.020	0.41	1.0	0.01	7.3	0.2	<0.05
1718423	Drill Core	0.2	0.5	0.7	12	1.09	0.045	12	21	0.56	103	0.044	<1	0.75	0.019	0.11	0.5	0.01	3.5	<0.1	<0.05
1718424	Drill Core	0.4	0.7	0.4	8	2.71	0.021	22	14	0.34	211	0.034	<1	0.71	0.023	0.23	0.4	0.04	3.9	<0.1	<0.05
1718425	Drill Core	0.6	1.6	0.1	13	0.52	0.056	19	19	0.81	343	0.045	<1	1.05	0.022	0.59	0.8	0.01	4.8	0.2	<0.05
1718426	Drill Core	0.5	1.1	<0.1	12	0.24	0.031	16	17	0.59	312	0.043	1	0.84	0.022	0.49	0.6	<0.01	4.1	0.2	<0.05
1718427	Drill Core	0.5	0.9	<0.1	7	0.27	0.035	9	10	0.32	249	0.023	<1	0.51	0.015	0.29	0.5	<0.01	2.4	0.1	0.19
1718428	Drill Core	0.4	1.0	0.2	10	0.82	0.067	14	13	0.60	445	0.027	<1	0.81	0.017	0.54	0.5	<0.01	4.1	0.1	0.07
1718429	Drill Core	<0.1	0.6	<0.1	7	0.71	0.045	15	12	0.41	469	0.027	<1	0.65	0.019	0.35	0.4	0.01	2.8	<0.1	0.24
1718430	Rock	<0.1	<0.1	<0.1	68	1.77	0.076	8	26	1.19	72	0.168	<1	2.56	0.193	0.15	<0.1	<0.01	10.2	<0.1	0.15
1718431	Rock Pulp	24.3	92.7	1.5	65	0.81	0.056	7	28	0.58	143	0.145	6	1.35	0.090	0.13	32.7	0.26	5.3	1.5	0.35
1718432	Drill Core	0.1	0.8	0.3	5	0.52	0.027	24	5	0.29	781	0.014	<1	0.66	0.017	0.38	0.3	<0.01	2.7	<0.1	<0.05
1718433	Drill Core	0.2	2.3	<0.1	5	0.11	0.028	12	9	0.21	218	0.014	<1	0.40	0.013	0.28	0.4	<0.01	2.2	<0.1	0.06
1718434	Drill Core	0.7	3.5	<0.1	6	0.20	0.034	14	10	0.37	212	0.021	<1	0.55	0.022	0.34	0.4	<0.01	2.7	0.1	<0.05
1718435	Drill Core	0.3	1.6	<0.1	7	0.59	0.034	10	11	0.39	210	0.026	<1	0.57	0.016	0.33	0.5	<0.01	2.9	0.1	0.29
1718436	Drill Core	0.1	0.6	0.5	6	0.15	0.023	12	9	0.24	131	0.036	<1	0.40	0.022	0.18	0.7	<0.01	2.1	<0.1	<0.05
1718437	Drill Core	0.4	0.6	<0.1	15	0.83	0.057	24	22	0.67	262	0.083	<1	1.13	0.026	0.42	0.8	0.01	4.9	0.3	<0.05
1718438	Drill Core	0.3	0.5	0.1	7	0.24	0.015	17	10	0.40	232	0.025	<1	0.72	0.007	0.39	0.4	<0.01	1.9	0.1	<0.05
1718439	Drill Core	0.2	0.6	0.2	5	0.80	0.032	19	7	0.52	200	0.023	<1	0.72	0.009	0.32	0.4	<0.01	2.5	<0.1	0.09
1718440	Drill Core	0.4	7.4	0.1	5	0.16	0.020	18	8	0.38	169	0.006	<1	0.63	0.007	0.27	0.1	0.06	2.0	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 4 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718411	Rock Pulp	6	<0.5	0.2	
1718412	Drill Core	3	<0.5	<0.2	
1718413	Drill Core	3	0.7	<0.2	13.0
1718414	Drill Core	2	<0.5	<0.2	
1718415	Drill Core	2	<0.5	0.3	21.3
1718416	Drill Core	2	<0.5	<0.2	10.0
1718417	Drill Core	1	<0.5	<0.2	
1718418	Drill Core	7	<0.5	<0.2	
1718419	Drill Core	6	<0.5	<0.2	
1718420	Drill Core	7	0.6	<0.2	
1718421	Drill Core	5	<0.5	<0.2	
1718422	Drill Core	8	0.7	<0.2	
1718423	Drill Core	4	<0.5	<0.2	
1718424	Drill Core	3	<0.5	<0.2	
1718425	Drill Core	4	<0.5	<0.2	
1718426	Drill Core	3	<0.5	<0.2	
1718427	Drill Core	2	<0.5	<0.2	
1718428	Drill Core	3	<0.5	<0.2	
1718429	Drill Core	3	<0.5	<0.2	
1718430	Rock	9	<0.5	<0.2	
1718431	Rock Pulp	8	<0.5	0.2	
1718432	Drill Core	3	<0.5	<0.2	
1718433	Drill Core	2	<0.5	<0.2	
1718434	Drill Core	2	<0.5	<0.2	
1718435	Drill Core	2	0.7	<0.2	
1718436	Drill Core	2	<0.5	<0.2	
1718437	Drill Core	5	<0.5	<0.2	
1718438	Drill Core	3	<0.5	0.4	
1718439	Drill Core	3	<0.5	<0.2	
1718440	Drill Core	2	<0.5	0.3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: September 18, 2015

Page: 5 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718441	Drill Core	1.16	542	5.919	17.91	240.69	27.67	1.8	21.9	5.1	42	6.8	10.7	9.9	456	1.96	5.1	1.6	63596.7	9.4	21
1718442	Drill Core	0.96	440	0.703	1.06	8.85	19.54	1.5	15.3	7.8	58	0.9	9.8	8.2	440	1.97	10.2	1.8	849.6	9.1	39
1718443	Drill Core	1.81	433	0.497	0.50	0.54	22.29	1.2	24.0	3.5	38	0.9	7.5	6.3	375	1.56	4.6	1.4	406.5	8.1	28
1718444	Drill Core	0.79	478	2.548	2.96	12.62	19.65	0.8	29.9	5.3	32	1.4	9.1	8.1	446	1.84	3.3	1.2	2029.3	7.3	46
1718445	Drill Core	0.72	453	6.111	14.94	195.87	21.07	0.3	35.5	3.6	54	3.3	8.7	8.6	371	1.64	4.6	2.2	8942.2	8.4	51
1718446	Drill Core	2.18	525	1.639	2.46	25.07	18.35	0.8	9.9	5.8	28	0.9	9.8	10.8	301	1.69	3.4	0.9	1188.1	7.0	27
1718447	Drill Core	2.95	399	1.162	1.42	5.57	23.34	1.3	63.3	10.5	56	1.3	8.2	6.6	1405	2.38	7.6	1.4	1209.3	6.8	219
1718448	Drill Core	0.91	509	<0.005	<0.01	<0.17	26.96	0.6	11.6	37.6	22	0.3	5.2	4.5	1002	1.14	1.4	0.5	2.4	5.9	95
1718449	Drill Core	1.04	491	<0.005	<0.01	<0.17	23.32	0.7	4.0	4.3	28	<0.1	7.4	5.5	369	1.76	2.6	1.0	2.6	7.0	85
1718450	Rock	0.21	163	<0.005	<0.01	<0.17	15.83	2.4	10.4	2.1	47	<0.1	9.7	10.0	802	3.19	1.1	0.2	<0.5	0.6	30
1718451	Rock Pulp	0.08		0.052	I.S.	I.S.	I.S.	1.6	579.2	21.3	72	0.2	302.3	102.5	1060	16.95	4.1	1.4	41.1	7.9	18
1718452	Drill Core	0.93	466	<0.005	<0.01	<0.17	17.28	1.0	11.9	5.0	38	0.2	10.3	6.3	246	1.73	96.0	1.3	4.2	9.8	33
1718453	Drill Core	1.27	437	<0.005	<0.01	<0.17	16.35	0.5	16.7	40.3	27	0.6	5.3	2.8	268	0.95	4.6	1.0	1.5	10.3	46
1718454	Drill Core	1.06	420	<0.005	<0.01	<0.17	18.33	0.7	13.7	11.4	56	0.2	9.6	7.4	641	2.21	3.3	1.3	1.9	8.0	115
1718455	Drill Core	1.29	424	<0.005	<0.01	<0.17	21.49	1.0	9.7	15.0	62	0.2	8.7	7.1	306	1.78	1.3	1.6	1.0	7.8	48
1718456	Drill Core	2.14	456	0.012	0.01	<0.17	21.50	0.9	10.1	21.7	56	0.3	10.3	9.4	248	2.25	13.6	1.8	8.3	13.1	39
1718457	Drill Core	0.44	350	<0.005	<0.01	<0.17	22.33	0.3	6.7	7.5	34	<0.1	5.5	3.4	159	1.20	1.2	0.5	1.5	4.1	14
1718458	Drill Core	1.58	383	<0.005	<0.01	<0.17	21.36	0.4	12.6	17.6	35	0.2	5.9	5.4	188	1.22	1.9	0.9	0.6	6.5	22
1718459	Drill Core	1.76	372	<0.005	<0.01	<0.17	22.51	0.6	16.0	13.3	35	0.3	7.3	8.3	137	1.36	3.8	1.2	0.5	7.4	16
1718460	Drill Core	0.80	337	<0.005	0.01	<0.17	26.29	0.3	7.6	24.5	29	0.2	1.6	1.0	151	0.81	1.8	1.0	0.9	12.4	10
1718461	Drill Core	1.24	407	0.008	<0.01	<0.17	20.27	0.3	6.8	17.5	36	0.2	2.3	2.1	182	0.83	1.4	1.2	7.3	8.5	30
1718462	Drill Core	0.92	413	0.174	0.18	0.23	21.87	0.7	15.7	6.9	62	0.6	14.3	12.3	334	2.59	11.1	1.8	138.0	10.3	34
1718463	Drill Core	1.04	459	0.197	0.20	0.23	21.51	0.6	54.6	142.9	59	4.0	11.9	10.2	365	2.02	11.7	1.8	156.0	8.8	19
1718464	Drill Core	1.62	368	2.845	2.99	5.51	20.52	0.4	7.6	11.7	14	1.9	1.7	1.5	83	0.75	7.9	0.9	4734.6	6.6	11
1718465	Drill Core	1.09	459	0.015	0.02	<0.17	20.38	0.3	10.8	60.5	14	0.6	1.7	1.0	93	0.67	2.3	0.7	22.5	9.0	2
1718466	Drill Core	0.71	537	0.040	0.10	1.31	25.22	0.2	3.8	25.0	10	0.1	0.7	1.1	51	0.42	5.3	1.6	18.5	13.8	7
1718467	Drill Core	1.29	478	0.425	0.43	0.60	21.64	0.2	2.4	14.7	9	0.3	1.4	0.8	59	0.53	5.0	1.2	381.3	11.0	9
1718468	Drill Core	2.21	449	0.009	<0.01	<0.17	20.42	0.3	26.5	151.6	126	1.3	4.3	4.1	296	1.34	2.4	1.5	15.8	11.3	11
1718469	Drill Core	0.58	430	<0.005	<0.01	<0.17	20.01	1.5	18.3	11.1	102	0.3	12.0	9.2	504	2.27	9.6	1.5	1.5	7.1	71
1718470	Rock	0.25	191	<0.005	<0.01	<0.17	24.31	1.6	15.7	1.6	43	<0.1	6.7	9.1	799	3.11	1.1	0.2	<0.5	0.7	35



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 5 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718441	Drill Core	0.4	1.5	0.2	7	0.25	0.042	23	10	0.57	245	0.021	<1	0.91	0.010	0.43	0.4	0.03	3.3	0.1	0.10
1718442	Drill Core	0.7	1.8	<0.1	10	0.54	0.040	20	12	0.69	273	0.061	<1	1.04	0.014	0.55	0.7	<0.01	3.8	0.2	0.34
1718443	Drill Core	0.3	1.5	<0.1	8	0.31	0.039	18	10	0.63	245	0.047	<1	0.92	0.010	0.53	0.6	<0.01	3.0	0.2	0.12
1718444	Drill Core	0.5	1.4	<0.1	6	0.72	0.026	15	8	0.55	271	0.020	<1	0.81	0.016	0.51	0.4	<0.01	2.7	0.1	0.35
1718445	Drill Core	0.9	1.6	<0.1	7	0.62	0.050	15	9	0.69	231	0.046	<1	0.96	0.009	0.62	0.6	0.01	2.5	0.2	0.67
1718446	Drill Core	0.1	0.7	<0.1	8	0.26	0.036	14	12	0.51	298	0.040	<1	0.88	0.013	0.52	0.5	<0.01	2.9	0.2	0.28
1718447	Drill Core	0.6	0.9	<0.1	9	4.40	0.037	13	13	1.03	202	0.048	<1	1.01	0.010	0.45	0.5	0.01	5.0	0.2	0.23
1718448	Drill Core	0.3	0.5	<0.1	7	1.98	0.052	9	8	0.45	207	0.048	<1	0.62	0.018	0.43	0.1	0.02	3.3	0.2	0.07
1718449	Drill Core	<0.1	0.5	<0.1	16	1.31	0.039	17	18	0.78	102	0.073	<1	0.96	0.022	0.18	0.4	<0.01	4.2	<0.1	<0.05
1718450	Rock	<0.1	<0.1	<0.1	52	1.90	0.096	8	17	0.91	75	0.132	<1	1.85	0.101	0.25	<0.1	<0.01	7.3	<0.1	0.20
1718451	Rock Pulp	0.1	0.5	0.2	236	0.48	0.048	20	812	0.17	175	0.276	5	4.89	0.010	0.09	<0.1	0.04	56.0	0.1	<0.05
1718452	Drill Core	0.2	1.9	<0.1	11	0.41	0.046	21	13	0.58	214	0.049	<1	0.95	0.022	0.44	0.7	<0.01	3.7	0.2	<0.05
1718453	Drill Core	0.2	1.0	1.2	7	1.17	0.047	22	8	0.25	156	0.035	<1	0.48	0.041	0.21	0.3	0.01	2.2	<0.1	<0.05
1718454	Drill Core	0.4	0.5	0.3	19	3.66	0.057	14	24	0.70	142	0.056	2	0.95	0.028	0.20	0.4	0.02	5.1	<0.1	<0.05
1718455	Drill Core	0.2	0.9	0.1	15	1.15	0.055	17	20	0.80	98	0.063	2	1.05	0.018	0.18	0.7	0.01	3.0	<0.1	<0.05
1718456	Drill Core	0.2	0.3	0.2	11	0.83	0.070	33	16	0.60	189	0.003	1	0.97	0.033	0.20	<0.1	<0.01	3.4	<0.1	<0.05
1718457	Drill Core	0.1	0.3	<0.1	10	0.26	0.042	10	14	0.42	95	0.043	<1	0.55	0.017	0.17	0.2	<0.01	1.7	0.1	<0.05
1718458	Drill Core	0.3	0.4	0.2	7	0.33	0.035	14	9	0.31	386	0.049	1	0.58	0.024	0.29	<0.1	<0.01	2.4	0.1	<0.05
1718459	Drill Core	0.3	0.3	0.1	11	0.30	0.066	16	14	0.39	397	0.073	<1	0.48	0.030	0.25	0.1	<0.01	2.6	0.2	<0.05
1718460	Drill Core	0.4	0.6	0.4	<2	0.16	0.008	29	3	0.11	281	0.019	1	0.43	0.030	0.25	0.2	<0.01	2.5	<0.1	<0.05
1718461	Drill Core	0.9	0.7	0.2	3	0.71	0.017	23	6	0.17	235	0.023	2	0.46	0.010	0.23	0.2	<0.01	2.7	<0.1	<0.05
1718462	Drill Core	0.6	1.3	<0.1	25	0.45	0.072	27	30	0.89	218	0.102	1	1.13	0.029	0.34	1.1	0.01	6.3	0.2	<0.05
1718463	Drill Core	1.1	1.3	0.1	13	0.27	0.066	22	15	0.59	324	0.056	<1	0.82	0.015	0.32	0.8	0.01	4.3	0.2	<0.05
1718464	Drill Core	0.2	0.3	0.1	<2	0.08	0.030	20	4	0.06	173	0.001	<1	0.21	0.013	0.15	0.1	0.02	0.6	<0.1	<0.05
1718465	Drill Core	0.1	0.4	2.0	<2	0.03	0.007	22	3	0.06	186	0.001	<1	0.29	0.024	0.21	<0.1	0.01	1.0	<0.1	<0.05
1718466	Drill Core	0.2	0.3	0.2	<2	0.06	0.025	53	2	0.04	269	0.002	2	0.37	0.030	0.31	0.1	0.03	1.1	<0.1	<0.05
1718467	Drill Core	0.2	0.2	0.2	<2	0.06	0.020	32	2	0.04	269	0.002	<1	0.30	0.026	0.24	<0.1	<0.01	1.1	<0.1	<0.05
1718468	Drill Core	0.8	1.2	1.4	7	0.18	0.027	37	9	0.35	256	0.033	1	0.66	0.031	0.29	0.3	0.02	2.7	0.1	<0.05
1718469	Drill Core	0.8	1.3	0.1	22	1.70	0.066	17	25	0.84	202	0.057	<1	0.98	0.021	0.57	0.5	<0.01	5.1	0.4	<0.05
1718470	Rock	<0.1	<0.1	<0.1	45	2.38	0.064	6	14	0.80	60	0.119	1	1.87	0.144	0.18	<0.1	<0.01	6.5	<0.1	0.13



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 5 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718441	Drill Core	4	<0.5	<0.2	
1718442	Drill Core	4	0.6	<0.2	
1718443	Drill Core	3	<0.5	<0.2	
1718444	Drill Core	3	<0.5	<0.2	
1718445	Drill Core	3	0.8	<0.2	
1718446	Drill Core	3	0.7	<0.2	
1718447	Drill Core	4	0.9	<0.2	
1718448	Drill Core	2	<0.5	<0.2	
1718449	Drill Core	5	<0.5	<0.2	
1718450	Rock	7	<0.5	<0.2	
1718451	Rock Pulp	21	<0.5	<0.2	
1718452	Drill Core	4	<0.5	<0.2	
1718453	Drill Core	2	<0.5	<0.2	
1718454	Drill Core	4	<0.5	<0.2	
1718455	Drill Core	5	<0.5	<0.2	
1718456	Drill Core	4	<0.5	<0.2	
1718457	Drill Core	2	<0.5	<0.2	
1718458	Drill Core	2	<0.5	<0.2	
1718459	Drill Core	2	<0.5	<0.2	
1718460	Drill Core	2	<0.5	<0.2	
1718461	Drill Core	2	<0.5	<0.2	
1718462	Drill Core	5	<0.5	<0.2	
1718463	Drill Core	4	<0.5	<0.2	
1718464	Drill Core	<1	<0.5	<0.2	
1718465	Drill Core	1	<0.5	<0.2	
1718466	Drill Core	2	<0.5	<0.2	
1718467	Drill Core	1	<0.5	<0.2	
1718468	Drill Core	3	<0.5	<0.2	
1718469	Drill Core	4	<0.5	<0.2	
1718470	Rock	6	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 6 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718471	Rock Pulp	0.08		0.255	I.S.	I.S.	I.S.	15.1	36.8	16.5	21	0.4	11.5	7.4	49	3.09	489.1	1.1	210.0	0.8	37
1718472	Drill Core	1.12	528	0.512	0.51	0.52	19.25	7.9	41.7	234.1	83	16.6	20.6	8.7	276	1.77	14.5	1.4	297.3	4.7	75
1718473	Drill Core	0.98	516	0.326	0.32	0.23	17.41	8.9	40.4	295.2	61	16.5	20.7	7.7	267	1.71	13.2	1.5	296.6	4.5	55
1718474	Drill Core	1.07	427	0.035	0.04	<0.17	21.83	1.7	20.0	38.9	77	1.6	17.2	9.2	295	1.94	9.6	1.3	25.2	5.8	32
1718475	Drill Core	1.28	527	0.013	0.01	<0.17	21.23	2.4	18.6	24.2	58	1.2	23.6	10.6	306	2.16	11.1	1.5	2.6	6.8	51
1718476	Drill Core	2.14	395	0.014	0.02	<0.17	26.84	2.9	29.9	84.0	74	3.0	15.5	10.9	468	2.58	10.6	2.0	12.3	7.7	44
1718477	Drill Core	0.90	345	0.011	0.02	<0.17	25.92	1.5	27.1	23.8	39	1.2	14.3	11.8	492	2.73	18.8	1.8	6.0	7.5	47
1718478	Drill Core	1.17	510	0.009	<0.01	<0.17	28.87	0.8	44.3	44.7	294	1.5	20.4	14.3	556	2.72	16.9	0.6	4.2	4.9	31
1718479	Drill Core	2.14	391	0.008	<0.01	<0.17	22.50	1.1	58.8	49.4	127	1.7	13.9	14.6	532	2.45	9.8	0.7	2.9	4.3	27
1718480	Drill Core	0.85	472	<0.005	<0.01	<0.17	22.56	2.9	66.0	33.9	189	2.1	36.2	17.0	623	2.94	13.8	3.0	12.9	2.9	23
1718481	Drill Core	0.95	387	0.021	0.02	<0.17	23.11	0.7	13.9	23.4	77	1.1	11.9	7.8	377	1.96	3.4	1.5	2.0	8.0	35
1718482	Drill Core	1.19	460	0.230	0.23	0.28	21.34	0.9	18.4	27.7	51	1.4	7.9	7.1	262	1.80	4.0	1.0	135.2	8.0	40
1718483	Drill Core	1.74	529	0.020	0.02	<0.17	20.52	0.8	16.2	51.3	69	1.1	9.2	6.9	269	2.19	9.6	0.7	11.8	7.2	10
1718484	Drill Core	1.67	477	1.058	1.87	18.26	22.56	1.4	18.6	26.5	74	2.3	10.7	8.5	325	2.05	17.3	1.3	998.6	6.2	54
1718485	Drill Core	1.92	400	0.005	<0.01	<0.17	25.84	0.9	10.5	42.8	58	1.0	5.5	4.4	295	1.19	1.8	1.3	3.2	8.9	58
1718486	Drill Core	2.32	437	0.125	0.12	<0.17	20.86	1.0	35.7	50.4	57	1.0	9.6	8.0	304	1.77	7.2	1.1	90.6	6.5	33
1718487	Drill Core	1.03	432	0.677	0.86	4.19	22.46	2.6	15.5	32.2	72	1.6	11.5	10.2	227	2.26	21.2	3.0	693.1	7.2	42
1718488	Drill Core	0.69	464	0.009	<0.01	<0.17	21.87	0.7	11.3	43.2	59	1.7	8.6	6.9	261	1.63	3.9	1.1	5.0	9.5	34
1718489	Drill Core	1.19	485	0.058	0.06	<0.17	19.30	0.3	3.0	11.2	26	0.2	1.1	2.8	78	0.60	1.5	1.1	46.4	13.6	11
1718490	Rock	0.22	160	<0.005	<0.01	<0.17	19.88	0.9	9.6	1.9	35	<0.1	3.7	6.1	642	2.73	1.1	0.2	3.6	0.6	23
1718491	Rock Pulp	0.08		1.945	I.S.	I.S.	I.S.	3.6	32.8	5.9	49	0.4	25.2	11.4	457	2.81	7.7	0.3	1706.7	1.0	44
1718492	Drill Core	2.47	540	1.584	2.76	34.55	19.19	0.3	3.3	9.8	39	0.9	1.4	1.8	92	0.61	2.2	0.6	2188.0	8.7	8
1718493	Drill Core	0.95	385	0.546	0.60	1.53	19.56	0.7	12.0	19.4	64	0.5	10.3	9.8	335	2.01	7.9	1.6	655.8	8.0	22
1718494	Drill Core	1.81	365	0.013	0.01	<0.17	21.64	0.2	2.2	4.3	8	0.1	1.0	0.9	71	0.59	2.8	0.8	10.3	15.0	3
1718495	Drill Core	1.34	490	0.032	0.03	<0.17	18.24	0.2	7.7	62.2	18	0.6	0.7	0.9	69	0.55	2.3	0.6	46.5	8.0	2
1718496	Drill Core	1.19	551	0.019	0.02	<0.17	28.29	0.2	1.5	6.8	5	0.1	0.5	0.7	56	0.35	2.3	0.7	5.6	13.7	2
1718497	Drill Core	1.00	402	0.006	<0.01	<0.17	19.13	0.2	17.0	18.3	50	0.2	8.8	6.1	201	1.62	6.0	1.0	4.5	6.7	26
1718521	Drill Core	1.09	465	1.018	1.77	19.52	18.90	2.0	10.7	8.5	45	0.8	10.5	9.9	189	2.26	15.6	4.0	1475.0	7.8	27
1718522	Drill Core	0.92	452	0.005	<0.01	<0.17	27.35	0.2	2.2	19.7	10	0.2	0.4	0.5	103	0.39	<0.5	0.7	13.9	13.1	4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 18, 2015

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.1	0.05	
1718471	Rock Pulp	0.6	27.4	0.1	10	1.02	0.007	2	18	0.03	3264	0.011	3	0.18	0.009	0.07	31.2	2.73	1.0	13.1	0.19
1718472	Drill Core	1.3	9.4	0.1	14	0.61	0.128	12	21	0.66	706	0.061	1	0.86	0.008	0.47	1.3	0.48	3.8	0.3	<0.05
1718473	Drill Core	2.5	15.7	0.2	14	0.61	0.123	12	20	0.66	268	0.059	1	0.86	0.008	0.46	1.2	0.54	3.6	0.2	<0.05
1718474	Drill Core	0.5	1.6	0.1	15	0.50	0.054	15	25	0.86	181	0.053	1	0.95	0.016	0.55	1.0	0.06	3.5	0.3	<0.05
1718475	Drill Core	0.4	2.2	<0.1	37	0.88	0.077	14	69	1.12	134	0.121	<1	1.26	0.021	0.38	0.8	0.08	6.1	0.2	<0.05
1718476	Drill Core	0.6	2.9	0.1	28	0.72	0.085	18	40	0.98	176	0.108	1	1.27	0.025	0.52	1.3	0.15	6.2	0.3	<0.05
1718477	Drill Core	0.4	3.1	<0.1	31	0.64	0.070	17	34	0.93	172	0.113	1	1.24	0.033	0.46	1.2	0.06	6.0	0.2	<0.05
1718478	Drill Core	2.4	1.6	0.4	29	0.53	0.088	10	29	1.70	161	0.066	<1	1.76	0.005	0.40	0.4	0.05	3.1	0.2	<0.05
1718479	Drill Core	2.1	1.4	0.1	26	0.36	0.049	7	22	1.67	164	0.052	1	1.66	0.004	0.30	0.4	0.07	3.3	0.1	<0.05
1718480	Drill Core	1.3	1.6	0.1	37	0.37	0.070	7	29	1.47	115	0.060	1	1.53	0.006	0.44	0.2	0.05	2.9	0.4	<0.05
1718481	Drill Core	0.4	0.8	0.2	20	0.72	0.055	24	29	0.82	147	0.097	<1	1.11	0.038	0.21	0.7	0.04	4.6	0.1	<0.05
1718482	Drill Core	0.4	1.2	0.1	14	0.52	0.089	17	24	0.61	185	0.054	1	0.88	0.019	0.20	1.1	0.06	3.7	<0.1	<0.05
1718483	Drill Core	0.5	0.8	0.3	18	0.21	0.055	21	28	0.68	145	0.005	<1	0.95	0.037	0.12	0.2	0.06	4.7	<0.1	<0.05
1718484	Drill Core	1.0	1.7	0.1	16	0.79	0.062	9	26	0.78	388	0.048	2	0.84	0.023	0.44	1.0	0.06	3.6	0.2	0.39
1718485	Drill Core	0.5	1.4	0.2	9	1.17	0.034	24	18	0.54	401	0.065	1	0.82	0.017	0.35	1.0	0.08	4.0	0.2	<0.05
1718486	Drill Core	0.5	1.1	0.2	14	0.42	0.056	15	29	0.62	270	0.068	1	0.87	0.020	0.31	1.1	0.05	3.8	0.2	<0.05
1718487	Drill Core	0.8	1.5	0.2	11	0.53	0.131	12	21	0.44	268	0.071	2	0.83	0.012	0.43	1.0	0.05	2.6	0.3	0.57
1718488	Drill Core	0.4	1.1	0.2	13	0.62	0.065	20	26	0.89	162	0.062	1	1.13	0.022	0.47	0.5	0.05	3.1	0.3	<0.05
1718489	Drill Core	0.2	0.5	0.1	<2	0.10	0.014	28	2	0.22	339	0.010	1	0.41	0.009	0.35	0.3	0.02	1.3	<0.1	<0.05
1718490	Rock	<0.1	<0.1	<0.1	32	1.44	0.051	7	8	0.67	66	0.083	<1	1.44	0.118	0.18	0.1	<0.01	6.7	<0.1	0.15
1718491	Rock Pulp	0.2	1.7	0.2	70	0.97	0.059	5	32	0.88	106	0.153	5	1.82	0.106	0.16	16.9	0.11	6.4	<0.1	<0.05
1718492	Drill Core	0.5	0.5	0.1	<2	0.08	0.015	20	3	0.14	272	0.005	<1	0.31	0.009	0.27	0.2	0.01	1.5	<0.1	<0.05
1718493	Drill Core	1.2	0.7	0.1	15	0.27	0.046	15	17	0.93	218	0.056	<1	0.96	0.022	0.62	0.7	0.02	4.5	0.3	<0.05
1718494	Drill Core	0.2	0.2	<0.1	<2	0.03	0.010	44	2	0.08	174	0.001	1	0.29	0.021	0.25	<0.1	0.02	0.9	<0.1	<0.05
1718495	Drill Core	0.2	0.2	0.5	<2	0.01	0.006	24	2	0.03	125	<0.001	1	0.19	0.019	0.18	0.1	<0.01	0.8	<0.1	<0.05
1718496	Drill Core	0.2	0.2	<0.1	<2	0.02	0.007	39	1	0.05	164	<0.001	<1	0.25	0.018	0.26	<0.1	0.02	1.1	<0.1	<0.05
1718497	Drill Core	0.2	0.3	<0.1	13	0.43	0.053	14	16	0.69	199	0.077	<1	1.03	0.040	0.31	0.2	<0.01	4.5	0.1	<0.05
1718521	Drill Core	0.4	1.1	<0.1	11	0.38	0.073	15	13	0.43	211	0.053	1	0.83	0.009	0.45	0.6	0.02	3.2	0.2	0.14
1718522	Drill Core	0.3	<0.1	0.3	<2	0.03	0.005	41	1	0.06	364	0.002	1	0.43	0.066	0.42	<0.1	<0.01	2.2	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 6 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000172.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718471	Rock Pulp	<1	1.2	<0.2	
1718472	Drill Core	3	<0.5	<0.2	
1718473	Drill Core	3	<0.5	<0.2	
1718474	Drill Core	4	<0.5	<0.2	
1718475	Drill Core	5	<0.5	<0.2	
1718476	Drill Core	5	<0.5	<0.2	
1718477	Drill Core	6	<0.5	<0.2	
1718478	Drill Core	5	<0.5	<0.2	
1718479	Drill Core	4	<0.5	<0.2	
1718480	Drill Core	4	1.0	<0.2	
1718481	Drill Core	5	<0.5	<0.2	
1718482	Drill Core	5	<0.5	<0.2	
1718483	Drill Core	5	<0.5	<0.2	
1718484	Drill Core	4	<0.5	<0.2	
1718485	Drill Core	3	<0.5	<0.2	
1718486	Drill Core	4	<0.5	<0.2	
1718487	Drill Core	3	0.7	<0.2	
1718488	Drill Core	4	<0.5	<0.2	
1718489	Drill Core	1	<0.5	<0.2	
1718490	Rock	6	<0.5	<0.2	
1718491	Rock Pulp	5	<0.5	<0.2	
1718492	Drill Core	1	<0.5	<0.2	
1718493	Drill Core	3	<0.5	<0.2	
1718494	Drill Core	1	<0.5	<0.2	
1718495	Drill Core	<1	<0.5	<0.2	
1718496	Drill Core	<1	<0.5	<0.2	
1718497	Drill Core	4	<0.5	<0.2	
1718521	Drill Core	3	<0.5	<0.2	
1718522	Drill Core	1	<0.5	<0.2	





# QUALITY CONTROL REPORT

WHI15000172.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
Pulp Duplicates																					
1718351	Drill Core	1.34	469	>10	40.34	253.18	22.00	1.0	27.9	19.6	32	13.3	7.6	8.1	413	1.50	2.0	0.6	50291.1	6.6	23
REP 1718351	QC							0.9	27.1	18.8	35	12.4	8.5	7.6	411	1.49	2.0	0.6	49235.3	6.2	23
1718386	Drill Core	2.42	407	0.013	0.01	<0.17	21.94	0.5	14.0	26.8	98	0.3	10.3	8.5	316	1.92	0.9	1.0	9.1	9.2	32
REP 1718386	QC			0.014				0.4	14.0	27.2	101	0.3	10.0	8.5	322	1.93	1.1	1.0	8.4	9.1	32
1718416	Drill Core	1.46	473	>10	22.19	306.69	19.43	1.5	8.5	6.3	25	3.2	6.7	5.6	451	1.49	4.5	0.7	11469.8	4.2	17
REP 1718416	QC																				
1718421	Drill Core	1.10	445	1.381	2.15	16.20	23.09	0.8	10.8	9.1	65	0.9	7.4	7.9	331	1.73	12.0	1.0	1181.9	10.3	23
REP 1718421	QC							0.8	10.3	8.8	62	0.9	7.1	7.9	335	1.76	11.7	1.0	1178.5	9.9	22
REP 1718427	QC			0.271																	
1718456	Drill Core	2.14	456	0.012	0.01	<0.17	21.50	0.9	10.1	21.7	56	0.3	10.3	9.4	248	2.25	13.6	1.8	8.3	13.1	39
REP 1718456	QC							0.8	9.3	21.8	56	0.3	9.5	9.2	246	2.22	13.5	1.8	8.3	12.9	36
REP 1718461	QC			0.012																	
REP 1718495	QC			0.026																	
1718497	Drill Core	1.00	402	0.006	<0.01	<0.17	19.13	0.2	17.0	18.3	50	0.2	8.8	6.1	201	1.62	6.0	1.0	4.5	6.7	26
REP 1718497	QC							0.2	16.0	18.1	50	0.2	8.2	5.9	202	1.63	5.8	1.0	3.2	6.5	25
Core Reject Duplicates																					
1718359	Drill Core	1.17	540	<0.005	<0.01	<0.17	22.67	1.7	8.4	15.9	49	0.2	10.0	6.5	437	1.93	12.1	1.1	<0.5	8.4	62
DUP 1718359	QC		501	<0.005	<0.01	<0.17	20.21	1.8	8.3	15.6	49	0.2	10.2	6.4	439	2.00	12.7	1.1	1.1	9.1	63
1718393	Drill Core	1.75	424	0.649	0.65	0.67	22.45	1.0	16.1	10.1	55	1.0	12.4	7.8	255	1.84	11.8	1.3	698.2	8.1	27
DUP 1718393	QC		506	0.692	0.69	0.75	21.21	0.9	16.4	10.6	59	1.2	13.0	8.1	264	1.92	12.2	1.4	834.5	8.4	30
1718427	Drill Core	1.11	465	0.213	0.20	<0.17	22.55	0.3	3.7	4.3	38	0.2	8.4	7.2	249	1.18	5.6	1.2	244.1	3.6	27
DUP 1718427	QC		493	0.197	0.20	0.17	23.21	0.3	3.3	4.0	40	0.2	8.7	7.3	254	1.18	5.3	1.1	224.5	3.5	27
1718461	Drill Core	1.24	407	0.008	<0.01	<0.17	20.27	0.3	6.8	17.5	36	0.2	2.3	2.1	182	0.83	1.4	1.2	7.3	8.5	30
DUP 1718461	QC		372	0.048	0.05	<0.17	21.17	0.3	6.6	17.4	36	0.2	2.0	2.0	181	0.81	1.2	1.1	199.0	8.6	31
1718495	Drill Core	1.34	490	0.032	0.03	<0.17	18.24	0.2	7.7	62.2	18	0.6	0.7	0.9	69	0.55	2.3	0.6	46.5	8.0	2
DUP 1718495	QC		362	0.055	0.05	<0.17	19.71	0.1	8.1	60.4	17	0.6	1.1	0.8	72	0.56	2.3	0.5	26.9	7.9	2
Reference Materials																					
STD AGPROOF	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 1 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000172.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1718351	Drill Core	0.3	0.3	<0.1	6	0.18	0.025	14	10	0.47	211	0.018	1	0.61	0.015	0.32	0.9	0.02	1.8	0.1	0.08
REP 1718351	QC	0.3	0.3	<0.1	6	0.18	0.025	14	10	0.46	210	0.018	2	0.60	0.015	0.32	0.8	0.02	1.8	0.1	0.08
1718386	Drill Core	0.5	0.8	<0.1	17	0.69	0.055	26	19	0.72	146	0.042	<1	1.25	0.023	0.31	0.5	0.01	4.5	0.2	<0.05
REP 1718386	QC	0.6	0.8	<0.1	17	0.69	0.051	25	19	0.73	159	0.043	<1	1.27	0.022	0.31	0.7	<0.01	5.2	0.2	<0.05
1718416	Drill Core	0.3	1.5	<0.1	5	0.13	0.016	12	6	0.43	175	0.014	<1	0.61	0.009	0.34	0.3	0.03	2.5	0.1	<0.05
REP 1718416	QC																				
1718421	Drill Core	0.5	0.7	0.1	9	0.39	0.051	26	12	0.68	186	0.003	<1	1.04	0.007	0.32	0.2	0.02	2.5	0.2	<0.05
REP 1718421	QC	0.5	0.7	0.1	9	0.36	0.053	26	12	0.68	188	0.003	<1	1.05	0.008	0.33	0.1	0.02	2.4	0.1	<0.05
REP 1718427	QC																				
1718456	Drill Core	0.2	0.3	0.2	11	0.83	0.070	33	16	0.60	189	0.003	1	0.97	0.033	0.20	<0.1	<0.01	3.4	<0.1	<0.05
REP 1718456	QC	0.2	0.3	0.2	11	0.83	0.065	33	16	0.59	188	0.003	1	0.97	0.034	0.20	<0.1	<0.01	3.4	<0.1	<0.05
REP 1718461	QC																				
REP 1718495	QC																				
1718497	Drill Core	0.2	0.3	<0.1	13	0.43	0.053	14	16	0.69	199	0.077	<1	1.03	0.040	0.31	0.2	<0.01	4.5	0.1	<0.05
REP 1718497	QC	0.2	0.3	<0.1	13	0.44	0.054	13	15	0.70	198	0.076	<1	1.04	0.041	0.31	0.2	<0.01	4.5	0.1	<0.05
Core Reject Duplicates																					
1718359	Drill Core	0.2	0.6	0.2	12	0.73	0.043	14	14	0.80	233	0.043	1	1.03	0.018	0.59	0.3	<0.01	2.9	0.2	<0.05
DUP 1718359	QC	0.2	0.7	0.2	13	0.71	0.044	16	14	0.82	243	0.049	<1	1.07	0.020	0.60	0.3	<0.01	3.1	0.2	<0.05
1718393	Drill Core	0.5	1.9	<0.1	15	0.27	0.054	17	16	0.70	295	0.058	2	0.97	0.014	0.64	1.0	0.02	5.2	0.3	<0.05
DUP 1718393	QC	0.5	2.1	<0.1	16	0.29	0.059	19	17	0.73	320	0.059	1	1.02	0.016	0.68	1.0	0.02	5.4	0.3	<0.05
1718427	Drill Core	0.5	0.9	<0.1	7	0.27	0.035	9	10	0.32	249	0.023	<1	0.51	0.015	0.29	0.5	<0.01	2.4	0.1	0.19
DUP 1718427	QC	0.4	1.0	<0.1	7	0.26	0.033	10	11	0.32	255	0.023	<1	0.50	0.015	0.30	0.4	<0.01	2.3	0.1	0.19
1718461	Drill Core	0.9	0.7	0.2	3	0.71	0.017	23	6	0.17	235	0.023	2	0.46	0.010	0.23	0.2	<0.01	2.7	<0.1	<0.05
DUP 1718461	QC	0.7	0.7	0.2	3	0.71	0.018	25	6	0.16	237	0.022	2	0.48	0.009	0.22	0.2	<0.01	2.7	<0.1	<0.05
1718495	Drill Core	0.2	0.2	0.5	<2	0.01	0.006	24	2	0.03	125	<0.001	1	0.19	0.019	0.18	0.1	<0.01	0.8	<0.1	<0.05
DUP 1718495	QC	<0.1	0.2	0.5	<2	0.01	0.006	24	3	0.03	120	<0.001	<1	0.19	0.019	0.18	<0.1	<0.01	0.8	<0.1	<0.05
Reference Materials																					
STD AGPROOF	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 1 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000172.1

Method Analyte	Unit	AQ201	AQ201	AQ201	FA530
		Ga ppm	Se ppm	Te ppm	-Au ppm
MDL		1	0.5	0.2	0.9
Pulp Duplicates					
1718351	Drill Core	2	0.6	<0.2	29.9
REP 1718351	QC	2	<0.5	<0.2	
1718386	Drill Core	5	<0.5	<0.2	
REP 1718386	QC	5	<0.5	<0.2	
1718416	Drill Core	2	<0.5	<0.2	10.0
REP 1718416	QC				10.0
1718421	Drill Core	5	<0.5	<0.2	
REP 1718421	QC	5	<0.5	<0.2	
REP 1718427	QC				
1718456	Drill Core	4	<0.5	<0.2	
REP 1718456	QC	4	0.6	<0.2	
REP 1718461	QC				
REP 1718495	QC				
1718497	Drill Core	4	<0.5	<0.2	
REP 1718497	QC	4	<0.5	<0.2	
Core Reject Duplicates					
1718359	Drill Core	4	<0.5	<0.2	
DUP 1718359	QC	4	<0.5	<0.2	
1718393	Drill Core	3	<0.5	<0.2	
DUP 1718393	QC	3	<0.5	<0.2	
1718427	Drill Core	2	<0.5	<0.2	
DUP 1718427	QC	2	0.6	<0.2	
1718461	Drill Core	2	<0.5	<0.2	
DUP 1718461	QC	2	<0.5	<0.2	
1718495	Drill Core	<1	<0.5	<0.2	
DUP 1718495	QC	<1	<0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard				<0.9



# QUALITY CONTROL REPORT

WHI15000172.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD AGPROOF	Standard																					
STD DS10	Standard							15.2	151.1	146.4	352	2.0	73.4	12.3	898	2.76	43.5	2.8	86.6	7.8	75	
STD DS10	Standard							14.1	154.6	153.0	362	2.0	75.0	12.7	884	2.76	44.8	2.8	137.9	7.6	65	
STD DS10	Standard							15.6	152.4	157.6	380	2.1	75.0	12.8	899	2.81	46.6	3.1	129.2	8.8	80	
STD DS10	Standard							16.2	156.7	151.4	376	1.9	70.6	13.9	873	2.85	45.4	2.8	64.1	8.3	70	
STD DS10	Standard							14.7	162.2	150.5	367	1.9	70.6	13.3	885	2.78	46.3	2.6	114.2	7.6	63	
STD OXC129	Standard							1.2	27.5	6.3	40	<0.1	77.2	19.8	417	3.03	<0.5	0.7	190.3	1.9	211	
STD OXC129	Standard							1.1	27.0	6.3	38	<0.1	76.2	20.0	407	2.95	<0.5	0.7	214.0	1.8	190	
STD OXC129	Standard							1.5	26.5	6.8	40	<0.1	78.7	20.3	419	3.06	0.8	0.7	203.9	2.1	217	
STD OXC129	Standard							1.4	31.1	7.0	47	<0.1	80.5	22.4	431	3.18	<0.5	0.7	187.3	2.0	214	
STD OXC129	Standard							1.3	28.9	6.5	43	<0.1	76.7	20.5	420	3.06	<0.5	0.7	176.5	1.9	192	
STD OXD108	Standard			0.425																		
STD OXD108	Standard			0.418																		
STD OXD108	Standard			0.413																		
STD OXD108	Standard			0.409																		
STD OXI121	Standard			1.854																		
STD OXI121	Standard			1.844																		
STD OXI121	Standard			1.747																		
STD OXI121	Standard			1.754																		
STD OXN117	Standard			7.614																		
STD OXN117	Standard			7.690																		
STD OXN117	Standard			7.498																		
STD OXN117	Standard			7.650																		
STD OXP91	Standard					15.11	29.92															
STD OXP91	Standard					14.91	30.04															
STD OXP91	Standard					14.92	29.95															
STD OXP91	Standard					14.88	30.04															
STD OXP91	Standard					14.96	30.01															
STD OXP91	Standard					15.01	29.99															



# QUALITY CONTROL REPORT

WHI15000172.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD AGPROOF	Standard																					
STD DS10	Standard	2.5	9.0	11.6	46	1.11	0.072	21	56	0.79	373	0.089	7	1.17	0.077	0.35	3.3	0.29	3.6	5.2	0.28	
STD DS10	Standard	2.4	8.5	11.9	42	1.07	0.072	18	56	0.78	335	0.079	7	1.06	0.069	0.34	3.2	0.29	3.2	5.2	0.27	
STD DS10	Standard	2.3	10.6	13.5	45	1.12	0.074	21	56	0.79	382	0.087	7	1.13	0.074	0.34	3.4	0.31	3.1	5.2	0.30	
STD DS10	Standard	3.0	9.5	12.8	44	1.09	0.070	21	58	0.79	332	0.092	7	1.16	0.076	0.36	3.3	0.27	3.3	5.1	0.26	
STD DS10	Standard	2.8	10.8	12.6	43	1.10	0.083	20	57	0.79	383	0.089	7	1.07	0.070	0.35	3.4	0.29	3.2	5.2	0.28	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.78	0.099	13	53	1.60	52	0.415	<1	1.73	0.629	0.37	<0.1	<0.01	2.0	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.66	0.097	13	50	1.48	48	0.403	1	1.53	0.596	0.36	<0.1	<0.01	2.5	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.75	0.096	14	52	1.60	51	0.407	1	1.68	0.621	0.36	<0.1	<0.01	1.1	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.83	0.101	14	57	1.58	57	0.422	<1	1.75	0.629	0.38	<0.1	<0.01	1.3	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.70	0.109	13	53	1.52	52	0.407	2	1.58	0.588	0.37	<0.1	<0.01	1.2	<0.1	<0.05	
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 2 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000172.1

		AQ201 Ga ppm	AQ201 Se ppm	AQ201 Te ppm	FA530 -Au ppm
		1	0.5	0.2	0.9
STD AGPROOF	Standard				<0.9
STD DS10	Standard	4	2.0	4.8	
STD DS10	Standard	4	2.1	4.5	
STD DS10	Standard	4	2.2	5.5	
STD DS10	Standard	5	2.3	4.7	
STD DS10	Standard	4	2.3	5.1	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				



# QUALITY CONTROL REPORT

WHI15000172.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXP91	Standard					15.07	30.06															
STD OXP91	Standard					15.07	30.00															
STD OXP91	Standard					14.87	29.85															
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXP91 Expected						14.82																
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9		
BLK	Blank			0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank			<0.005																		
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	0.3	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 3 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000172.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 3 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000172.1

		AQ201 Ga ppm	AQ201 Se ppm	AQ201 Te ppm	FA530 -Au ppm
STD OXP91	Standard	1	0.5	0.2	0.9
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.2
STD SP49	Standard				18.5
STD SQ70	Standard				39.7
STD SQ70	Standard				40.0
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				<0.9



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 4 of 4

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI15000172.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		466	<0.005	<0.01	<0.17	29.06	0.3	4.8	2.1	36	<0.1	0.7	3.8	478	1.84	0.6	0.4	2.3	2.1	27
ROCK-WHI	Prep Blank		459	<0.005	<0.01	<0.17	24.27	0.4	5.2	2.5	37	<0.1	0.7	3.5	469	1.73	0.8	0.4	0.8	2.1	24



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 4 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000172.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.57	0.041	7	3	0.47	58	0.080	2	0.94	0.095	0.10	0.1	<0.01	2.9	<0.1	<0.05
ROCK-WHI	Prep Blank	0.1	<0.1	<0.1	21	0.51	0.039	7	2	0.45	52	0.069	2	0.86	0.082	0.09	0.1	<0.01	2.5	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 18, 2015

Page: 4 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000172.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				<0.9
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: September 03, 2015  
Report Date: September 30, 2015  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI15000190.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-07  
P.O. Number  
Number of Samples: 141

## SAMPLE DISPOSAL

RTRN-PLP Return  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	132	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	139	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	139	Analysis sample split/packet			VAN
Split -150	139	Analysis sample split/packet			VAN
FS631	132	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	139	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: September 30, 2015

Page: 2 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000190.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1718498	Drill Core	0.45	379	<0.005	<0.01	<0.17	19.75	0.4	16.5	6.5	38	0.3	9.6	5.8	260	1.77	5.1	0.9	<0.5	6.8	18
1718499	Drill Core	0.87	404	0.589	0.58	0.37	16.32	0.4	32.3	14.3	36	1.7	7.2	6.4	390	1.54	3.6	0.9	534.4	7.5	25
1718500	Drill Core	1.56	460	0.263	0.35	2.54	18.54	0.3	40.3	6.1	32	1.4	5.7	4.1	383	1.51	1.6	1.4	167.4	6.6	19
1718501	Drill Core	1.73	484	0.414	0.54	3.38	21.00	0.3	7.6	2.0	7	0.3	3.1	1.9	125	0.86	1.1	0.2	270.3	1.8	4
1718502	Drill Core	1.57	525	0.012	0.01	<0.17	18.93	0.9	12.7	47.7	57	0.3	9.1	6.6	767	2.17	2.7	1.4	10.5	7.7	265
1718503	Drill Core	1.28	432	<0.005	<0.01	<0.17	18.16	0.5	13.7	10.8	39	0.1	9.1	6.7	332	1.82	29.8	1.3	3.6	7.1	45
1718504	Drill Core	1.14	395	0.011	<0.01	<0.17	18.94	2.0	11.3	12.5	56	0.2	16.1	11.6	287	2.22	10.4	1.9	12.5	11.1	45
1718505	Drill Core	1.10	429	<0.005	<0.01	<0.17	17.76	2.0	14.7	5.1	46	0.2	11.6	8.3	411	2.01	4.2	2.1	1.0	6.1	102
1718506	Drill Core	1.06	444	0.005	<0.01	<0.17	19.46	1.5	19.1	30.8	60	0.4	12.1	10.6	238	2.47	3.8	2.1	<0.5	8.5	57
1718507	Drill Core	0.81	487	<0.005	<0.01	<0.17	17.03	1.3	39.9	5.0	59	0.3	13.2	8.1	372	2.46	12.3	1.7	0.6	9.2	77
1718508	Drill Core	0.58	479	<0.005	<0.01	<0.17	16.16	1.2	43.2	2.3	58	0.3	18.9	10.1	374	2.97	10.8	1.8	<0.5	12.8	26
1718509	Drill Core	2.04	518	<0.005	<0.01	<0.17	21.98	1.3	26.6	43.6	50	0.4	9.9	6.3	393	1.82	4.5	1.8	<0.5	7.1	71
1718510	Rock	0.16	105	0.006	<0.01	<0.17	15.40	0.8	13.5	2.6	58	<0.1	12.0	11.6	918	3.94	0.7	0.2	<0.5	0.7	46
1718511	Rock Pulp	0.08		4.917	I.S.	I.S.	I.S.	5.8	59.8	655.1	2261	73.8	23.0	12.3	385	3.00	44.4	0.4	4721.4	1.2	40
1718512	Drill Core	0.99	477	0.009	<0.01	<0.17	22.05	0.6	9.7	7.9	30	<0.1	5.9	3.9	351	1.36	4.5	1.1	2.5	4.6	69
1718513	Drill Core	1.17	533	0.188	0.18	<0.17	19.08	1.0	17.3	14.0	46	0.3	11.4	8.8	374	2.07	11.5	3.0	34.8	9.3	85
1718514	Drill Core	1.48	339	0.050	0.05	<0.17	20.73	0.6	11.7	107.1	472	0.2	5.7	5.4	227	1.50	5.3	1.6	40.6	3.5	41
1718515	Drill Core	2.42	495	0.005	<0.01	<0.17	19.35	0.6	9.2	37.0	572	0.2	14.9	8.5	324	2.34	5.1	2.3	5.3	8.4	78
1718516	Drill Core	2.76	504	0.007	<0.01	<0.17	17.36	1.6	27.9	8.2	50	0.2	5.7	4.9	414	1.83	5.9	3.6	<0.5	5.2	114
1718517	Drill Core	1.56	527	<0.005	<0.01	<0.17	18.62	1.9	13.0	12.4	48	0.3	10.2	6.7	249	1.86	4.4	3.4	1.8	8.7	38
1718518	Drill Core	1.19	525	<0.005	<0.01	<0.17	28.88	0.6	10.0	28.5	52	0.3	10.9	7.6	495	2.14	6.0	1.1	0.8	8.2	99
1718519	Drill Core	1.86	451	<0.005	<0.01	<0.17	20.34	0.4	3.7	23.0	38	0.2	7.5	5.6	387	1.57	2.7	0.9	0.5	5.0	118
1718520	Drill Core	3.06	463	<0.005	<0.01	<0.17	19.31	2.2	17.5	7.4	66	0.1	13.5	8.9	303	2.57	5.2	7.5	0.9	10.6	57
1718521	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1718522	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1718523	Drill Core	2.47	468	0.162	0.21	1.37	19.66	1.1	5.2	6.9	46	0.5	2.5	3.8	1191	1.70	14.0	0.9	3156.8	4.4	77
1718524	Drill Core	2.23	449	0.318	0.34	0.67	22.37	0.7	10.2	4.6	52	0.3	2.9	5.1	1119	1.72	14.6	0.7	224.3	4.4	89
1718525	Drill Core	2.06	434	0.169	0.16	<0.17	21.07	0.2	5.5	6.0	45	0.2	2.0	4.8	1491	1.84	4.6	0.6	136.8	4.1	142
1718526	Drill Core	0.55	479	0.048	0.05	<0.17	20.61	0.4	6.5	5.3	39	0.1	2.1	3.6	1239	1.62	10.7	0.7	33.3	4.3	53
1718527	Drill Core	3.22	355	0.013	0.01	<0.17	18.62	0.7	8.9	13.7	97	0.2	4.9	5.2	637	2.46	18.6	0.5	11.9	4.9	46



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: September 30, 2015

Page: 2 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000190.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718498	Drill Core	0.2	0.4	<0.1	10	0.61	0.044	18	13	0.53	210	0.017	2	0.72	0.013	0.30	0.2	<0.01	2.5	0.1	<0.05
1718499	Drill Core	0.3	1.9	0.3	7	0.45	0.056	14	11	0.46	213	0.006	1	0.64	0.016	0.31	0.2	<0.01	1.8	<0.1	<0.05
1718500	Drill Core	0.4	0.5	<0.1	7	0.17	0.045	15	17	0.52	144	0.006	1	0.62	0.026	0.21	0.1	<0.01	2.3	<0.1	<0.05
1718501	Drill Core	<0.1	0.4	<0.1	<2	0.03	0.008	5	18	0.13	28	0.001	<1	0.14	0.016	0.04	<0.1	<0.01	0.5	<0.1	<0.05
1718502	Drill Core	0.7	0.2	0.4	16	3.58	0.057	18	17	0.67	154	0.034	2	0.93	0.023	0.34	<0.1	<0.01	4.6	0.1	<0.05
1718503	Drill Core	0.2	0.7	<0.1	13	0.93	0.049	21	17	0.48	167	0.018	1	0.66	0.019	0.28	<0.1	<0.01	4.6	0.1	<0.05
1718504	Drill Core	0.3	1.4	0.1	23	0.41	0.062	18	24	0.88	192	0.071	1	1.05	0.026	0.53	0.7	<0.01	4.6	0.3	<0.05
1718505	Drill Core	0.4	1.1	<0.1	20	1.40	0.048	12	24	0.72	120	0.055	<1	0.76	0.026	0.41	0.4	<0.01	4.7	0.3	<0.05
1718506	Drill Core	0.2	0.7	0.3	28	0.81	0.108	17	25	0.80	210	0.089	<1	0.99	0.031	0.61	0.2	<0.01	5.8	0.3	<0.05
1718507	Drill Core	0.6	1.8	<0.1	35	1.67	0.056	19	37	0.84	120	0.055	1	0.95	0.026	0.22	0.4	<0.01	6.2	0.2	<0.05
1718508	Drill Core	0.2	1.9	<0.1	40	0.34	0.081	24	41	1.06	186	0.060	2	1.32	0.031	0.29	0.3	<0.01	7.5	0.2	<0.05
1718509	Drill Core	0.3	1.1	0.4	22	1.74	0.055	16	26	0.74	122	0.041	1	0.76	0.026	0.33	0.2	<0.01	4.9	0.2	<0.05
1718510	Rock	<0.1	<0.1	<0.1	76	2.11	0.067	8	29	1.29	66	0.178	3	2.59	0.153	0.22	<0.1	<0.01	8.7	<0.1	0.18
1718511	Rock Pulp	24.2	95.9	1.3	64	0.72	0.054	6	25	0.58	121	0.119	7	1.24	0.071	0.12	31.4	0.26	5.1	1.5	0.37
1718512	Drill Core	0.3	0.7	<0.1	9	2.51	0.047	11	16	0.36	111	0.013	1	0.49	0.019	0.25	0.3	<0.01	2.4	0.1	<0.05
1718513	Drill Core	0.2	1.6	0.1	19	1.87	0.065	16	21	0.75	158	0.058	1	0.87	0.021	0.39	0.5	<0.01	4.2	0.3	<0.05
1718514	Drill Core	1.3	1.0	0.1	11	0.68	0.025	6	14	0.49	70	0.044	<1	0.54	0.008	0.22	0.5	0.03	2.0	0.1	<0.05
1718515	Drill Core	3.5	1.7	<0.1	27	0.93	0.084	16	36	1.13	150	0.106	<1	1.28	0.018	0.46	1.0	0.01	4.4	0.3	<0.05
1718516	Drill Core	0.5	1.2	<0.1	8	2.92	0.037	10	9	0.45	100	0.028	<1	0.42	0.013	0.24	0.4	<0.01	3.9	0.2	<0.05
1718517	Drill Core	<0.1	0.9	0.2	16	0.97	0.067	18	14	0.69	176	0.080	2	0.94	0.008	0.54	0.8	<0.01	3.8	0.3	<0.05
1718518	Drill Core	0.4	0.3	0.6	18	1.71	0.060	16	13	0.82	228	0.028	<1	0.97	0.016	0.39	<0.1	<0.01	5.5	0.2	<0.05
1718519	Drill Core	0.3	<0.1	0.3	14	2.21	0.036	17	14	0.52	139	0.021	<1	0.64	0.025	0.17	<0.1	<0.01	2.7	<0.1	<0.05
1718520	Drill Core	0.3	1.7	<0.1	29	0.90	0.077	20	31	1.04	152	0.115	<1	1.32	0.023	0.56	1.1	<0.01	5.3	0.3	<0.05
1718521	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1718522	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1718523	Drill Core	0.2	0.5	<0.1	4	2.76	0.052	13	1	0.06	281	0.002	2	0.34	0.021	0.25	0.1	0.08	2.0	<0.1	0.10
1718524	Drill Core	<0.1	1.0	<0.1	5	2.65	0.047	12	2	0.07	255	0.002	1	0.32	0.026	0.29	0.1	<0.01	2.1	<0.1	0.06
1718525	Drill Core	<0.1	0.7	<0.1	5	2.67	0.046	13	2	0.18	245	0.002	1	0.34	0.027	0.31	0.2	0.07	2.3	<0.1	<0.05
1718526	Drill Core	0.2	0.5	<0.1	4	1.73	0.050	14	1	0.08	235	0.002	2	0.34	0.026	0.26	0.2	0.04	2.2	<0.1	<0.05
1718527	Drill Core	0.3	1.0	<0.1	8	1.68	0.044	16	2	0.37	242	0.002	1	0.88	0.039	0.24	<0.1	0.04	2.7	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 2 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
1718498	Drill Core	2	<0.5	<0.2		
1718499	Drill Core	2	<0.5	<0.2		
1718500	Drill Core	2	<0.5	<0.2		
1718501	Drill Core	<1	<0.5	<0.2		
1718502	Drill Core	3	<0.5	<0.2		
1718503	Drill Core	2	<0.5	<0.2		
1718504	Drill Core	4	<0.5	<0.2		
1718505	Drill Core	3	0.8	<0.2		
1718506	Drill Core	5	<0.5	<0.2		
1718507	Drill Core	5	<0.5	<0.2		
1718508	Drill Core	7	<0.5	<0.2		
1718509	Drill Core	4	<0.5	<0.2		
1718510	Rock	8	<0.5	<0.2		
1718511	Rock Pulp	7	<0.5	<0.2		
1718512	Drill Core	2	<0.5	<0.2		
1718513	Drill Core	3	<0.5	<0.2		
1718514	Drill Core	2	0.8	<0.2		
1718515	Drill Core	5	<0.5	<0.2		
1718516	Drill Core	2	<0.5	<0.2		
1718517	Drill Core	3	1.9	<0.2		
1718518	Drill Core	4	<0.5	<0.2		
1718519	Drill Core	3	0.6	<0.2		
1718520	Drill Core	6	2.6	<0.2		
1718521	Drill Core	L.N.R.	L.N.R.	L.N.R.		
1718522	Drill Core	L.N.R.	L.N.R.	L.N.R.		
1718523	Drill Core	<1	<0.5	<0.2		
1718524	Drill Core	1	0.6	<0.2		
1718525	Drill Core	<1	0.5	<0.2		
1718526	Drill Core	<1	0.5	<0.2		
1718527	Drill Core	2	<0.5	<0.2		





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: September 30, 2015

Page: 3 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718528	Drill Core	1.29	538	0.065	0.06	<0.17	20.79	3.2	6.1	21.0	148	0.2	2.0	4.0	463	2.08	51.1	1.5	41.3	6.9	86
1718529	Drill Core	1.50	512	0.017	0.02	<0.17	19.46	0.6	7.4	31.8	181	0.3	3.0	3.9	553	1.99	65.4	2.4	23.5	7.3	64
1718530	Rock	0.21	156	0.006	<0.01	<0.17	17.52	1.2	21.3	2.5	41	<0.1	7.1	9.2	776	3.11	3.5	0.2	1.5	0.8	42
1718531	Rock Pulp	0.08		4.871	I.S.	I.S.	I.S.	5.8	60.8	679.8	2308	75.2	23.4	12.3	392	3.05	44.7	0.4	4373.1	1.2	41
1718532	Drill Core	1.78	433	0.010	<0.01	<0.17	18.32	0.3	5.3	24.1	59	0.1	2.0	3.0	436	1.47	9.1	1.5	8.6	6.9	111
1718533	Drill Core	0.74	481	1.670	4.14	59.94	20.37	0.7	7.6	23.3	49	2.0	4.2	3.4	278	1.52	6.2	1.4	2398.4	5.0	102
1718534	Drill Core	2.46	529	0.007	<0.01	<0.17	17.76	0.2	5.7	11.6	69	0.2	5.1	5.8	319	2.27	71.5	1.4	4.8	5.7	208
1718535	Drill Core	0.94	403	0.061	0.06	<0.17	17.09	0.5	4.3	4.6	37	0.6	2.8	3.4	249	1.75	13.9	0.9	58.7	3.2	128
1718536	Drill Core	1.71	403	0.005	<0.01	<0.17	16.77	1.3	8.7	15.0	94	0.3	6.1	5.0	248	2.43	83.2	1.5	2.8	6.3	45
1718537	Drill Core	2.11	417	<0.005	<0.01	<0.17	18.70	0.3	5.7	12.5	93	0.1	7.3	3.5	201	2.58	19.8	0.7	0.7	9.2	128
1718538	Drill Core	1.80	400	0.005	<0.01	<0.17	17.25	0.3	3.5	4.1	52	0.1	3.9	3.2	168	1.80	13.7	0.7	2.9	3.8	14
1718539	Drill Core	1.78	418	<0.005	<0.01	<0.17	19.65	0.4	6.4	15.2	81	0.1	5.1	4.5	203	2.41	26.1	0.9	<0.5	5.7	142
1718540	Drill Core	0.80	531	0.007	<0.01	<0.17	24.17	0.2	3.8	10.3	66	0.1	2.8	4.0	243	1.93	13.5	0.8	4.4	5.3	164
1718541	Drill Core	1.50	336	0.731	1.17	8.51	18.92	0.8	4.3	9.8	46	0.9	2.9	3.5	322	1.85	14.6	1.0	982.4	5.3	118
1718542	Drill Core	0.64	413	0.018	0.03	0.19	20.68	1.0	2.7	3.1	53	0.3	3.0	4.3	458	1.97	14.0	1.1	73.5	5.3	78
1718543	Drill Core	1.12	517	1.525	4.07	69.65	19.31	0.7	4.3	3.6	46	1.3	4.8	4.7	469	2.18	13.3	0.9	2170.2	5.1	114
1718544	Drill Core	2.31	492	0.006	<0.01	<0.17	21.84	0.4	5.4	9.1	77	0.3	4.6	4.8	352	2.07	16.0	1.0	3.5	6.0	125
1718545	Drill Core	1.23	543	0.300	0.31	0.46	26.11	0.4	5.9	8.5	66	0.4	4.0	4.4	510	2.20	22.0	1.2	289.4	6.2	149
1718546	Drill Core	1.94	403	0.638	0.79	4.13	17.21	0.2	5.5	12.8	39	0.8	2.5	3.1	439	1.68	8.7	0.7	847.1	5.2	107
1718547	Drill Core	2.33	532	0.132	0.17	1.02	22.55	0.8	8.4	7.6	66	1.3	2.6	3.6	613	1.78	10.2	1.0	223.5	6.4	128
1718548	Drill Core	0.94	395	1.352	3.26	42.87	18.15	1.7	15.5	3.7	45	3.3	2.3	4.5	633	1.83	7.9	1.1	4940.1	5.8	83
1718549	Drill Core	1.09	489	0.302	0.91	15.33	19.77	0.5	9.4	4.1	32	0.8	1.8	3.2	590	1.46	2.8	0.6	340.5	4.0	109
1718550	Rock	0.22	164	0.009	<0.01	<0.17	18.68	1.2	11.0	2.7	51	<0.1	9.4	10.5	850	3.39	1.6	0.1	<0.5	0.6	30
1718551	Rock Pulp	0.08	365	0.045	I.S.	I.S.	I.S.	1.5	565.9	21.3	71	0.2	277.9	97.0	1043	16.67	4.6	1.3	44.5	7.7	17
1718552	Drill Core	1.61	365	2.106	4.01	35.74	20.68	0.7	6.6	179.8	104	4.4	2.3	2.3	240	1.22	3.0	0.5	10308.4	3.3	60
1718553	Drill Core	1.13	511	0.024	0.02	<0.17	28.63	18.4	4.1	8.2	34	0.7	1.3	2.9	525	1.15	2.2	0.6	33.4	6.0	134
1718554	Drill Core	1.63	368	<0.005	<0.01	<0.17	18.22	1.8	7.1	9.8	64	0.6	2.1	3.7	572	1.91	2.6	0.8	0.5	5.9	155
1718555	Drill Core	1.76	365	0.278	0.55	4.80	21.89	0.8	8.1	7.2	44	1.3	1.8	4.3	829	1.85	5.1	0.9	184.1	4.6	172
1718556	Drill Core	1.71	438	0.309	0.30	0.22	18.36	1.0	8.4	4.2	38	2.2	1.5	3.3	431	1.33	2.3	0.8	245.5	3.4	80
1718557	Drill Core	0.90	455	2.436	3.87	35.89	19.56	0.3	7.9	6.4	42	1.9	2.6	4.7	441	1.93	7.3	1.0	2758.8	4.8	192



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 30, 2015

**Page:** 3 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	
1718528	Drill Core	1.0	0.6	<0.1	8	1.54	0.034	16	2	0.30	328	0.002	2	0.81	0.058	0.19	<0.1	0.04	3.0	0.1	0.17	
1718529	Drill Core	0.6	0.7	<0.1	5	1.90	0.037	15	2	0.19	410	0.001	3	0.52	0.026	0.23	<0.1	0.06	2.2	<0.1	0.10	
1718530	Rock	<0.1	<0.1	<0.1	52	2.03	0.066	8	16	0.86	87	0.119	<1	1.97	0.150	0.22	<0.1	0.02	7.6	<0.1	0.27	
1718531	Rock Pulp	24.7	100.7	1.3	64	0.73	0.054	6	25	0.59	131	0.121	6	1.26	0.074	0.12	30.8	0.26	4.7	1.5	0.37	
1718532	Drill Core	0.2	0.9	<0.1	3	2.85	0.033	17	1	0.20	355	0.001	2	0.35	0.014	0.31	<0.1	0.05	1.8	<0.1	<0.05	
1718533	Drill Core	0.2	0.9	<0.1	4	1.51	0.022	10	3	0.19	952	0.001	1	0.24	0.007	0.17	0.1	0.07	1.5	<0.1	0.13	
1718534	Drill Core	0.1	1.3	<0.1	5	2.19	0.037	12	2	0.71	896	0.001	1	0.33	0.008	0.24	0.1	0.06	2.1	<0.1	0.16	
1718535	Drill Core	0.3	1.6	<0.1	4	1.46	0.025	10	2	0.33	1387	0.001	1	0.23	0.010	0.18	0.1	0.05	2.2	<0.1	0.10	
1718536	Drill Core	0.5	2.0	<0.1	5	2.32	0.048	14	2	0.21	376	0.001	1	0.42	0.007	0.23	0.2	0.04	2.7	<0.1	0.10	
1718537	Drill Core	0.1	0.7	<0.1	5	1.72	0.029	15	3	1.42	249	0.001	2	1.11	0.005	0.20	<0.1	0.03	2.0	<0.1	0.06	
1718538	Drill Core	0.3	0.6	<0.1	9	0.13	0.030	14	4	0.26	331	0.014	<1	0.72	0.011	0.25	0.2	0.02	4.2	<0.1	<0.05	
1718539	Drill Core	0.1	0.8	<0.1	6	2.07	0.037	12	2	1.20	255	0.001	2	0.81	0.006	0.22	<0.1	0.02	1.9	<0.1	0.15	
1718540	Drill Core	0.1	0.5	<0.1	4	2.39	0.042	11	1	0.83	226	0.002	1	0.33	0.007	0.25	<0.1	0.01	2.1	<0.1	0.11	
1718541	Drill Core	0.3	0.8	<0.1	4	1.90	0.029	9	2	0.49	201	0.001	2	0.30	0.007	0.25	0.3	0.03	1.9	<0.1	0.11	
1718542	Drill Core	0.3	0.9	<0.1	4	2.80	0.036	8	2	0.55	173	0.001	1	0.30	0.005	0.24	0.2	0.04	2.2	<0.1	0.10	
1718543	Drill Core	0.3	1.1	<0.1	4	2.24	0.031	9	2	0.72	167	0.001	2	0.26	0.005	0.24	0.1	0.04	2.2	<0.1	0.25	
1718544	Drill Core	0.1	0.8	<0.1	4	2.60	0.040	12	1	0.89	209	0.002	2	0.34	0.006	0.24	<0.1	0.04	2.3	<0.1	0.11	
1718545	Drill Core	0.2	0.9	<0.1	4	2.02	0.035	13	2	0.65	344	0.002	2	0.47	0.008	0.20	<0.1	0.05	2.3	<0.1	0.16	
1718546	Drill Core	0.2	1.8	<0.1	3	1.37	0.026	10	2	0.37	257	0.001	1	0.29	0.015	0.24	0.1	0.06	1.5	<0.1	0.30	
1718547	Drill Core	0.5	2.5	<0.1	4	1.78	0.040	14	2	0.34	372	0.002	1	0.34	0.021	0.27	0.1	0.05	2.2	<0.1	0.15	
1718548	Drill Core	0.3	6.3	<0.1	4	1.70	0.041	14	2	0.10	274	0.001	<1	0.30	0.019	0.25	0.2	0.12	2.5	<0.1	0.31	
1718549	Drill Core	0.2	1.1	<0.1	3	1.82	0.030	10	2	0.26	254	0.001	<1	0.27	0.015	0.21	0.1	0.06	1.8	<0.1	0.20	
1718550	Rock	<0.1	<0.1	<0.1	61	1.63	0.074	7	22	1.01	61	0.110	<1	1.91	0.101	0.16	<0.1	<0.01	5.9	<0.1	0.19	
1718551	Rock Pulp	<0.1	0.5	0.2	260	0.46	0.041	19	786	0.17	166	0.226	5	4.07	<0.001	0.08	<0.1	0.05	50.4	0.1	<0.05	
1718552	Drill Core	0.9	1.0	1.0	3	0.81	0.015	8	3	0.21	176	<0.001	<1	0.28	0.008	0.18	<0.1	0.29	0.9	<0.1	0.13	
1718553	Drill Core	0.2	0.7	<0.1	3	2.85	0.027	14	2	0.30	285	0.001	1	0.38	0.008	0.30	0.1	0.14	1.6	<0.1	0.14	
1718554	Drill Core	0.2	1.1	<0.1	6	2.49	0.041	15	2	0.47	247	0.002	1	0.75	0.014	0.28	<0.1	0.05	3.0	0.1	0.08	
1718555	Drill Core	0.4	1.2	<0.1	4	2.90	0.042	8	2	0.35	270	0.002	1	0.40	0.017	0.26	0.1	0.08	2.6	<0.1	0.67	
1718556	Drill Core	0.3	2.3	<0.1	3	1.60	0.028	8	2	0.17	315	<0.001	1	0.34	0.012	0.20	<0.1	0.06	1.7	<0.1	0.33	
1718557	Drill Core	0.2	1.2	<0.1	4	2.70	0.036	8	2	0.56	218	0.001	<1	0.32	0.006	0.29	0.1	0.06	2.0	0.2	0.70	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 3 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
1718528	Drill Core	3	<0.5	<0.2		
1718529	Drill Core	1	<0.5	<0.2		
1718530	Rock	7	<0.5	<0.2		
1718531	Rock Pulp	7	<0.5	0.2		
1718532	Drill Core	<1	<0.5	<0.2		
1718533	Drill Core	<1	<0.5	<0.2		
1718534	Drill Core	<1	<0.5	<0.2		
1718535	Drill Core	<1	<0.5	<0.2		
1718536	Drill Core	<1	<0.5	<0.2		
1718537	Drill Core	2	<0.5	<0.2		
1718538	Drill Core	2	<0.5	<0.2		
1718539	Drill Core	2	<0.5	<0.2		
1718540	Drill Core	<1	<0.5	<0.2		
1718541	Drill Core	<1	<0.5	<0.2		
1718542	Drill Core	<1	<0.5	<0.2		
1718543	Drill Core	<1	<0.5	<0.2		
1718544	Drill Core	<1	<0.5	<0.2		
1718545	Drill Core	1	<0.5	<0.2		
1718546	Drill Core	<1	<0.5	<0.2		
1718547	Drill Core	<1	<0.5	<0.2		
1718548	Drill Core	<1	<0.5	<0.2		
1718549	Drill Core	<1	<0.5	<0.2		
1718550	Rock	7	<0.5	<0.2		
1718551	Rock Pulp	19	<0.5	<0.2		
1718552	Drill Core	<1	<0.5	<0.2		
1718553	Drill Core	1	<0.5	<0.2		
1718554	Drill Core	2	<0.5	<0.2		
1718555	Drill Core	1	<0.5	<0.2		
1718556	Drill Core	1	<0.5	<0.2		
1718557	Drill Core	<1	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 4 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1718558	Drill Core	1.82	421	0.033	0.03	<0.17	20.57	0.2	4.6	6.6	28	0.6	1.1	3.0	231	1.04	2.1	0.4	28.1	3.4	101
1718559	Drill Core	1.78	426	0.510	0.73	5.71	18.04	3.4	15.0	9.7	37	3.6	1.3	2.6	303	0.88	7.0	0.7	1364.7	5.7	95
1718560	Drill Core	1.57	361	8.751	13.47	97.60	19.20	0.9	6.1	2120.4	97	19.2	1.0	2.3	147	1.27	3.4	1.7	13928.8	2.3	52
1718561	Drill Core	2.13	519	0.075	0.07	<0.17	23.09	0.1	6.2	10.8	79	1.1	1.3	3.0	398	1.64	2.3	0.6	67.0	5.1	147
1718562	Drill Core	0.87	335	0.250	0.25	0.24	20.95	<0.1	19.0	13.1	42	4.5	1.4	4.7	424	1.67	6.7	0.8	200.1	4.3	125
1718563	Drill Core	1.32	428	0.527	0.56	1.33	18.08	0.2	12.9	8.3	45	3.0	1.7	6.1	480	1.57	4.5	0.7	494.8	3.6	116
1718564	Drill Core	0.44	376	0.767	1.10	8.26	16.94	0.2	5.1	7.3	23	1.1	1.2	1.9	349	1.13	1.6	0.4	1363.6	2.0	109
1718565	Drill Core	1.42	361	0.686	1.02	6.61	20.28	0.4	11.0	7.9	42	1.5	2.2	7.3	641	1.74	9.6	0.6	482.7	3.4	85
1718566	Drill Core	0.98	379	0.298	0.32	0.67	20.92	0.1	11.9	5.4	33	0.8	1.1	4.2	615	1.31	5.5	0.5	1494.3	3.2	107
1718567	Drill Core	1.24	341	0.946	1.56	10.83	21.32	0.3	11.6	5.2	51	1.4	1.8	7.7	751	1.49	5.0	0.7	1125.7	4.0	109
1718568	Drill Core	0.95	414	2.025	4.04	41.78	20.99	0.3	5.0	12.3	38	2.3	1.6	4.6	463	1.53	3.3	0.6	5345.3	3.4	67
1718569	Drill Core	1.81	418	0.518	0.51	0.44	18.22	0.6	9.3	7.4	41	0.7	1.8	5.7	591	1.67	5.3	0.8	282.4	4.6	82
1718570	Rock	0.19	133	0.010	<0.01	<0.17	17.50	0.9	4.9	1.5	41	<0.1	7.2	7.7	756	3.08	0.8	0.1	4.3	0.6	26
1718571	Rock Pulp	0.08		0.256	I.S.	I.S.	I.S.	15.6	38.9	18.2	21	0.4	13.4	7.9	52	3.27	496.2	1.2	242.0	0.9	37
1718572	Drill Core	1.11	526	<0.005	<0.01	<0.17	20.09	0.7	7.2	12.0	87	0.1	5.8	6.5	581	2.72	10.9	0.6	1.1	6.2	94
1718573	Drill Core	1.21	499	0.374	0.80	11.77	18.60	2.0	5.1	4.9	50	1.4	3.2	4.9	649	1.92	9.9	0.7	10814.6	4.6	35
1718574	Drill Core	1.14	443	0.015	0.01	<0.17	17.82	2.1	8.4	5.6	56	0.1	3.9	5.4	525	1.84	9.0	0.5	11.4	4.4	62
1718575	Drill Core	0.79	355	0.132	0.20	1.48	18.90	0.3	6.4	2.2	72	0.6	3.0	3.9	504	1.97	2.2	0.2	85.2	3.1	196
1718576	Drill Core	0.69	505	0.042	0.04	<0.17	27.54	0.5	8.1	9.6	246	2.2	4.6	5.5	746	2.33	3.7	0.3	25.1	4.8	204
1718577	Drill Core	0.88	409	0.646	0.93	7.83	16.23	0.4	9.2	152.5	772	3.1	4.3	5.0	608	2.35	3.9	0.4	599.9	4.2	163
1718578	Drill Core	0.48	404	0.692	0.97	6.11	21.12	1.1	5.7	120.4	213	2.6	3.5	3.4	282	1.85	3.0	0.5	512.5	2.9	38
1718579	Drill Core	1.29	538	0.035	0.03	<0.17	27.30	0.3	9.8	7.1	114	0.2	4.4	5.6	637	2.50	6.3	0.3	33.5	5.4	257
1718580	Drill Core	0.45	381	2.280	6.55	72.34	23.25	1.1	5.7	28.3	200	2.8	3.0	2.9	380	1.48	18.6	0.3	11088.6	2.2	21
1718581	Drill Core	1.11	513	0.255	0.27	0.60	21.67	2.3	28.9	20.1	283	1.3	5.2	7.2	789	2.76	35.3	0.9	646.8	5.6	72
1718582	Drill Core	3.73	438	0.100	0.10	<0.17	20.62	0.7	12.8	9.2	89	0.8	4.0	4.8	613	2.37	16.1	0.4	79.8	5.5	164
1718583	Drill Core	3.66	388	0.007	<0.01	<0.17	18.52	1.1	8.4	8.9	66	1.4	3.3	3.9	497	1.86	10.0	0.3	3.3	5.1	153
1718584	Drill Core	0.61	528	0.043	0.05	0.21	24.37	1.1	6.8	2.0	33	1.2	3.0	3.1	360	1.37	7.4	0.4	45.2	3.4	39
1718585	Drill Core	1.04	437	0.381	1.29	20.98	19.40	1.1	2.2	4.4	55	0.6	4.2	4.7	512	2.00	25.1	0.6	164.1	4.2	98
1718586	Drill Core	2.49	537	0.019	0.02	<0.17	19.79	0.4	7.7	8.1	75	0.7	3.7	4.9	556	2.24	10.9	0.4	5.6	5.4	164
1718587	Drill Core	1.99	456	0.044	0.16	2.53	21.31	1.1	7.7	13.0	57	0.2	3.2	3.3	540	1.99	10.7	0.3	46.3	5.0	147



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 30, 2015

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000190.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
1718558	Drill Core	0.2	0.5	<0.1	2	1.42	0.014	10	3	0.21	147	<0.001	<1	0.36	0.009	0.17	<0.1	0.05	0.9	<0.1	0.10
1718559	Drill Core	0.4	2.7	<0.1	3	1.72	0.030	12	3	0.14	298	0.002	<1	0.39	0.015	0.26	0.1	0.11	1.4	<0.1	0.24
1718560	Drill Core	1.1	3.5	6.8	3	0.62	0.021	6	3	0.11	183	0.001	<1	0.30	0.005	0.19	0.2	0.71	1.0	<0.1	0.18
1718561	Drill Core	0.9	0.7	<0.1	5	2.00	0.043	12	2	0.46	745	0.002	1	0.77	0.006	0.29	0.1	0.08	2.0	<0.1	0.18
1718562	Drill Core	0.6	4.1	<0.1	6	1.81	0.054	10	2	0.26	294	0.002	<1	0.59	0.025	0.26	0.2	0.11	2.8	<0.1	0.57
1718563	Drill Core	0.3	1.1	<0.1	6	1.70	0.046	9	2	0.25	227	0.002	<1	0.53	0.025	0.23	0.1	0.08	2.4	<0.1	0.53
1718564	Drill Core	0.2	0.3	<0.1	3	1.59	0.023	6	3	0.10	167	0.001	<1	0.27	0.016	0.16	0.2	0.05	1.2	<0.1	0.44
1718565	Drill Core	0.3	1.1	<0.1	6	1.58	0.040	7	3	0.20	253	0.003	<1	0.48	0.022	0.25	0.2	0.06	2.2	<0.1	0.78
1718566	Drill Core	0.3	0.5	<0.1	5	1.81	0.039	8	2	0.18	196	0.003	<1	0.41	0.027	0.20	0.1	0.08	2.1	<0.1	0.40
1718567	Drill Core	0.6	0.8	<0.1	5	1.91	0.045	9	2	0.16	289	0.003	<1	0.44	0.029	0.23	0.1	0.07	2.4	<0.1	0.63
1718568	Drill Core	0.2	0.4	<0.1	4	1.28	0.039	7	2	0.21	228	0.002	1	0.46	0.032	0.21	0.4	0.09	2.1	<0.1	0.50
1718569	Drill Core	0.3	0.5	<0.1	6	1.26	0.047	10	2	0.24	349	0.004	<1	0.61	0.049	0.22	0.3	0.06	2.6	<0.1	0.46
1718570	Rock	<0.1	<0.1	<0.1	53	1.60	0.057	7	19	0.93	61	0.092	<1	1.91	0.131	0.20	0.3	<0.01	6.5	<0.1	0.13
1718571	Rock Pulp	0.4	29.0	0.2	11	1.03	0.006	2	18	0.03	3296	0.012	4	0.19	0.010	0.07	37.8	3.01	0.8	14.2	0.19
1718572	Drill Core	0.2	0.6	<0.1	6	2.99	0.057	14	2	0.48	209	0.002	2	0.95	0.005	0.33	<0.1	0.03	3.1	<0.1	<0.05
1718573	Drill Core	0.2	1.0	<0.1	3	1.86	0.043	17	2	0.08	338	0.002	2	0.31	0.008	0.27	<0.1	0.08	2.3	<0.1	<0.05
1718574	Drill Core	0.1	0.6	<0.1	3	1.98	0.050	16	2	0.25	220	0.002	2	0.33	0.010	0.32	<0.1	0.04	2.4	<0.1	<0.05
1718575	Drill Core	0.4	1.2	<0.1	3	1.94	0.033	9	2	0.67	236	0.002	2	0.31	0.008	0.29	0.1	0.03	2.6	<0.1	0.12
1718576	Drill Core	1.9	2.8	<0.1	5	2.51	0.053	11	2	0.74	314	0.002	2	0.37	0.009	0.33	0.2	0.05	3.6	<0.1	0.15
1718577	Drill Core	12.2	2.6	1.4	4	1.90	0.042	10	2	0.66	207	0.002	2	0.33	0.015	0.33	0.2	0.74	2.9	<0.1	0.15
1718578	Drill Core	1.4	1.0	0.3	2	0.35	0.028	9	3	0.17	128	0.001	2	0.23	0.007	0.20	<0.1	0.04	1.7	<0.1	<0.05
1718579	Drill Core	0.4	0.7	<0.1	4	3.06	0.052	11	2	1.01	212	0.002	1	0.50	0.009	0.35	0.1	0.05	3.2	<0.1	0.10
1718580	Drill Core	3.2	0.8	<0.1	<2	1.20	0.020	7	4	0.07	163	0.001	1	0.21	0.004	0.18	<0.1	0.16	1.6	<0.1	<0.05
1718581	Drill Core	2.2	1.6	<0.1	4	2.68	0.060	14	2	0.31	274	0.002	2	0.42	0.008	0.33	0.2	0.10	3.6	<0.1	0.06
1718582	Drill Core	0.3	1.5	<0.1	4	2.70	0.052	12	2	0.76	279	0.002	2	0.67	0.021	0.32	<0.1	0.04	3.5	<0.1	0.10
1718583	Drill Core	0.2	2.4	<0.1	3	2.27	0.048	12	2	0.56	247	0.002	2	0.39	0.014	0.26	<0.1	0.05	2.4	<0.1	<0.05
1718584	Drill Core	0.2	1.2	<0.1	2	1.44	0.031	10	3	0.15	157	0.001	2	0.23	0.007	0.22	<0.1	0.02	1.7	<0.1	<0.05
1718585	Drill Core	0.3	1.2	<0.1	3	2.63	0.046	11	2	0.32	277	0.002	3	0.37	0.022	0.29	0.1	0.05	3.0	<0.1	<0.05
1718586	Drill Core	0.2	2.4	<0.1	4	2.81	0.054	12	2	0.75	217	0.002	3	0.41	0.010	0.31	<0.1	0.04	3.1	<0.1	<0.05
1718587	Drill Core	<0.1	0.9	<0.1	4	2.55	0.049	11	2	0.64	887	0.002	2	0.42	0.020	0.30	<0.1	0.04	2.6	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 4 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
1718558	Drill Core	<1	<0.5	<0.2		
1718559	Drill Core	1	<0.5	<0.2		
1718560	Drill Core	<1	0.9	1.7		
1718561	Drill Core	2	<0.5	<0.2		
1718562	Drill Core	2	<0.5	<0.2		
1718563	Drill Core	2	<0.5	<0.2		
1718564	Drill Core	<1	<0.5	<0.2		
1718565	Drill Core	2	<0.5	<0.2		
1718566	Drill Core	1	<0.5	<0.2		
1718567	Drill Core	1	<0.5	<0.2		
1718568	Drill Core	2	<0.5	<0.2		
1718569	Drill Core	2	0.7	<0.2		
1718570	Rock	6	<0.5	<0.2		
1718571	Rock Pulp	<1	1.6	<0.2		
1718572	Drill Core	2	<0.5	<0.2		
1718573	Drill Core	<1	<0.5	<0.2		
1718574	Drill Core	<1	<0.5	<0.2		
1718575	Drill Core	<1	<0.5	<0.2		
1718576	Drill Core	<1	<0.5	<0.2		
1718577	Drill Core	<1	0.8	<0.2		
1718578	Drill Core	<1	<0.5	<0.2		
1718579	Drill Core	1	<0.5	<0.2		
1718580	Drill Core	<1	<0.5	<0.2		
1718581	Drill Core	<1	<0.5	<0.2		
1718582	Drill Core	1	<0.5	<0.2		
1718583	Drill Core	<1	<0.5	<0.2		
1718584	Drill Core	<1	<0.5	<0.2		
1718585	Drill Core	<1	0.6	<0.2		
1718586	Drill Core	<1	<0.5	<0.2		
1718587	Drill Core	<1	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: September 30, 2015

Page: 5 of 6 Part: 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000190.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718588	Drill Core	0.42	345	0.018	0.02	<0.17	16.69	0.3	5.7	24.4	64	0.5	6.3	3.5	349	1.68	11.3	0.3	26.3	3.9	144
1718589	Drill Core	0.57	494	0.045	0.04	<0.17	19.77	0.3	3.2	13.2	87	0.4	2.1	3.1	401	2.02	4.6	0.6	118.8	4.6	126
1718590	Rock	0.16	97	<0.005	<0.01	<0.17	17.58	0.8	16.0	1.5	35	<0.1	4.2	6.9	645	2.71	1.9	0.2	<0.5	0.8	21
1718591	Rock Pulp	0.08		2.027	I.S.	I.S.	I.S.	3.5	37.3	6.6	54	0.4	26.5	11.6	439	2.78	8.6	0.3	1810.2	1.1	44
1718592	Drill Core	1.36	524	0.036	0.03	<0.17	21.48	0.2	8.7	13.5	141	0.5	1.7	4.2	357	2.36	6.1	0.4	76.4	4.9	173
1718593	Drill Core	1.16	493	0.332	0.37	1.29	19.44	0.4	11.7	4.2	78	0.6	2.2	5.7	441	2.51	6.7	0.7	360.7	5.4	220
1718594	Drill Core	1.10	507	<0.005	<0.01	<0.17	23.27	0.2	5.9	10.3	94	0.1	9.0	5.4	380	2.67	18.1	0.4	<0.5	4.5	69
1718595	Drill Core	1.30	518	0.061	0.06	<0.17	22.47	1.6	8.2	18.1	74	1.2	2.2	4.8	352	1.56	6.4	0.8	44.2	4.6	75
1718596	Drill Core	1.20	488	0.031	0.03	<0.17	18.86	1.4	8.8	11.3	94	0.2	9.3	6.7	324	2.04	38.8	1.1	14.7	5.4	50
1718597	Drill Core	0.68	484	1.119	2.58	40.23	18.02	3.6	13.1	652.2	107	6.8	2.8	2.6	235	2.08	36.5	2.1	5236.8	3.6	41
1718598	Drill Core	0.73	463	<0.005	<0.01	<0.17	16.42	0.2	10.8	9.6	99	<0.1	6.1	6.9	919	3.12	9.4	0.4	3.1	5.5	107
1718599	Drill Core	2.99	359	0.006	<0.01	<0.17	17.26	0.3	4.5	8.4	65	<0.1	4.5	3.1	208	2.07	8.2	0.7	2.1	4.8	107
1718600	Drill Core	1.22	536	0.008	<0.01	<0.17	19.97	0.5	16.8	3.8	30	0.1	3.5	5.0	138	1.44	14.5	0.6	2.4	4.1	12
1718601	Drill Core	1.03	467	0.923	1.08	4.85	18.95	1.3	5.7	557.3	37	5.2	1.4	2.8	104	2.07	20.4	1.2	1000.7	4.2	42
1718602	Drill Core	0.99	471	0.112	0.13	0.51	19.61	0.3	6.1	19.3	19	1.1	1.5	3.2	96	0.71	3.8	0.5	163.6	2.2	7
1718603	Drill Core	1.00	458	0.023	0.02	<0.17	19.00	0.5	7.7	19.0	51	0.8	1.9	3.9	217	1.37	5.8	1.2	9.6	6.0	53
1718604	Drill Core	1.12	478	>10	419.91	5495.03	26.36	0.7	5.1	42.8	23	>100	1.2	0.8	63	0.95	12.9	<0.1>100000	1.2	14	
1718605	Drill Core	2.02	419	0.793	1.03	6.65	16.84	1.9	5.6	39.6	46	1.9	2.5	5.1	81	2.05	40.6	0.8	1006.4	4.0	52
1718606	Drill Core	1.00	395	0.505	0.50	0.48	22.95	0.9	4.9	7.3	52	0.6	3.0	5.9	230	1.52	11.9	1.0	427.0	3.2	70
1718607	Drill Core	1.06	368	0.356	0.40	1.19	20.09	2.6	4.1	7.6	30	0.6	2.1	5.1	245	1.55	8.8	0.8	293.5	3.7	93
1718608	Drill Core	1.38	494	0.540	0.81	8.36	16.86	1.1	8.6	3.7	32	1.8	1.4	5.4	251	1.58	8.7	1.0	216.0	4.6	68
1718609	Drill Core	0.70	499	0.382	0.79	9.25	22.91	1.4	5.5	34.2	38	1.3	1.3	1.7	61	1.43	19.9	0.8	228.9	3.2	19
1718610	Rock	0.16	100	0.019	0.02	<0.17	20.90	1.1	7.1	1.9	49	<0.1	12.1	10.0	843	3.72	1.1	0.2	21.2	0.6	24
1718611	Rock Pulp	0.08		4.932	I.S.	I.S.	I.S.	5.5	56.5	649.2	2103	73.7	22.5	11.8	369	2.83	41.4	0.3	3945.1	1.1	34
1718612	Drill Core	1.48	487	0.337	0.34	0.40	20.16	1.1	10.1	4.0	21	1.3	1.3	3.2	190	1.36	3.7	0.9	241.0	3.9	76
1718613	Drill Core	2.13	419	0.553	0.76	4.77	20.77	0.4	1.4	667.1	20	6.1	1.0	0.5	59	0.80	1.7	0.2	809.6	1.0	18
1718614	Drill Core	0.76	470	0.201	0.20	0.20	19.94	1.8	7.4	7.5	120	0.5	1.1	2.6	196	1.12	3.0	0.7	187.8	3.7	82
1718615	Drill Core	1.45	543	0.085	0.08	<0.17	22.00	0.2	5.6	9.1	32	0.4	1.0	1.4	165	0.68	4.9	0.6	96.4	8.6	45
1718616	Drill Core	0.70	415	0.673	0.81	3.37	21.63	0.3	3.6	3.4	22	0.4	0.8	1.6	168	0.74	6.0	0.9	282.7	6.2	23
1718617	Drill Core	1.07	422	0.048	0.05	<0.17	21.71	1.2	6.9	5.8	38	0.5	1.1	2.3	438	0.93	2.6	1.8	56.6	4.9	106



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 30, 2015

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000190.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
1718588	Drill Core	0.1	0.6	0.2	5	1.29	0.033	10	3	0.44	550	0.002	<1	0.84	0.014	0.19	0.2	0.04	2.5	<0.1	<0.05
1718589	Drill Core	1.2	0.5	<0.1	4	1.75	0.038	12	2	0.63	214	0.001	1	0.77	0.018	0.24	0.2	0.03	2.5	<0.1	<0.05
1718590	Rock	<0.1	<0.1	<0.1	37	1.38	0.056	8	9	0.70	76	0.104	<1	1.62	0.152	0.25	<0.1	0.02	5.9	<0.1	0.17
1718591	Rock Pulp	0.2	1.8	0.2	66	0.90	0.059	5	32	0.82	112	0.138	5	1.72	0.113	0.16	15.1	0.10	5.1	<0.1	<0.05
1718592	Drill Core	1.0	0.6	<0.1	4	1.99	0.046	12	1	0.86	178	0.002	2	0.72	0.017	0.26	<0.1	0.04	2.4	<0.1	0.07
1718593	Drill Core	0.4	0.9	<0.1	4	2.19	0.047	12	1	0.83	214	0.002	1	0.48	0.031	0.30	0.2	0.03	3.0	<0.1	0.15
1718594	Drill Core	0.4	0.9	<0.1	13	1.62	0.036	17	3	1.16	245	0.004	3	1.75	0.037	0.20	0.1	0.05	3.9	<0.1	<0.05
1718595	Drill Core	0.6	1.5	<0.1	4	1.57	0.046	13	1	0.16	228	0.002	2	0.35	0.037	0.25	0.1	0.08	2.2	<0.1	0.10
1718596	Drill Core	0.7	1.3	<0.1	6	1.27	0.048	19	2	0.13	281	0.002	3	0.64	0.029	0.30	0.1	0.04	2.6	<0.1	<0.05
1718597	Drill Core	0.9	3.8	0.3	3	0.12	0.029	12	2	0.07	381	<0.001	2	0.36	0.010	0.19	0.1	0.20	1.7	<0.1	0.10
1718598	Drill Core	0.1	0.4	<0.1	20	2.39	0.044	16	5	1.34	178	0.008	1	2.10	0.074	0.14	<0.1	0.01	6.8	<0.1	<0.05
1718599	Drill Core	<0.1	0.3	<0.1	6	2.50	0.027	17	3	1.27	285	0.021	1	1.73	0.035	0.17	<0.1	<0.01	4.1	<0.1	0.17
1718600	Drill Core	0.2	0.7	<0.1	5	0.11	0.035	15	3	0.13	286	0.004	<1	0.48	0.043	0.19	0.1	0.03	2.5	<0.1	<0.05
1718601	Drill Core	0.2	1.5	1.0	4	0.09	0.037	14	2	0.13	289	0.002	2	0.45	0.025	0.27	0.2	0.07	2.5	<0.1	0.09
1718602	Drill Core	0.2	0.7	<0.1	<2	0.05	0.018	8	3	0.06	193	0.001	1	0.31	0.009	0.19	0.2	0.05	1.1	<0.1	<0.05
1718603	Drill Core	1.2	0.4	0.2	4	0.30	0.041	17	4	0.21	383	0.003	2	0.59	0.009	0.37	<0.1	0.02	2.5	<0.1	0.10
1718604	Drill Core	0.1	2.1	<0.1	<2	0.01	0.010	3	11	<0.01	59	<0.001	<1	0.05	0.013	0.05	<0.1	0.74	0.4	<0.1	0.06
1718605	Drill Core	0.3	1.1	<0.1	3	0.04	0.053	12	6	0.02	277	0.001	1	0.22	0.056	0.17	0.2	0.09	1.7	<0.1	0.20
1718606	Drill Core	0.7	0.3	<0.1	4	0.97	0.040	7	6	0.16	261	0.002	1	0.55	0.014	0.28	<0.1	0.02	1.9	<0.1	0.45
1718607	Drill Core	0.4	0.3	<0.1	4	1.30	0.044	7	6	0.15	232	0.002	1	0.46	0.009	0.30	0.1	0.02	2.2	<0.1	0.65
1718608	Drill Core	0.4	1.1	<0.1	4	0.71	0.051	13	3	0.20	308	0.002	2	0.74	0.008	0.36	<0.1	0.02	2.1	<0.1	0.13
1718609	Drill Core	0.1	0.5	0.1	3	0.08	0.032	11	7	0.10	204	0.001	2	0.41	0.011	0.23	<0.1	0.07	1.5	<0.1	0.06
1718610	Rock	<0.1	<0.1	<0.1	68	1.37	0.068	6	29	1.07	53	0.121	<1	2.16	0.151	0.19	<0.1	<0.01	7.1	<0.1	0.25
1718611	Rock Pulp	23.4	78.2	1.4	60	0.68	0.052	6	24	0.54	120	0.099	7	1.18	0.074	0.11	28.4	0.27	4.3	1.5	0.37
1718612	Drill Core	0.2	0.5	<0.1	4	0.96	0.034	11	7	0.17	292	0.003	<1	0.46	0.015	0.31	<0.1	0.02	2.1	<0.1	0.21
1718613	Drill Core	0.3	1.3	1.2	<2	0.18	0.006	3	15	0.01	139	0.002	1	0.11	0.016	0.15	<0.1	0.33	0.5	<0.1	0.25
1718614	Drill Core	2.5	0.2	<0.1	3	1.07	0.037	8	6	0.18	252	0.003	1	0.44	0.014	0.31	<0.1	0.03	2.2	<0.1	0.52
1718615	Drill Core	0.6	0.2	<0.1	<2	0.70	0.011	18	7	0.02	471	0.001	1	0.24	0.009	0.32	0.2	<0.01	0.6	<0.1	0.27
1718616	Drill Core	0.4	0.3	<0.1	<2	0.39	0.013	17	5	0.02	283	0.001	1	0.26	0.007	0.30	<0.1	0.02	1.0	<0.1	0.15
1718617	Drill Core	0.6	0.3	<0.1	3	1.33	0.046	15	4	0.18	227	0.004	<1	0.48	0.010	0.36	<0.1	<0.01	2.3	<0.1	0.07





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 5 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
1718588	Drill Core	2	<0.5	<0.2		
1718589	Drill Core	1	<0.5	<0.2		
1718590	Rock	6	<0.5	<0.2		
1718591	Rock Pulp	6	<0.5	<0.2		
1718592	Drill Core	1	<0.5	<0.2		
1718593	Drill Core	1	0.7	<0.2		
1718594	Drill Core	5	<0.5	<0.2		
1718595	Drill Core	<1	0.6	<0.2		
1718596	Drill Core	1	0.7	<0.2		
1718597	Drill Core	<1	1.7	0.3		
1718598	Drill Core	6	<0.5	<0.2		
1718599	Drill Core	4	<0.5	<0.2		
1718600	Drill Core	1	<0.5	<0.2		
1718601	Drill Core	1	1.2	0.5		
1718602	Drill Core	<1	<0.5	<0.2		
1718603	Drill Core	2	<0.5	<0.2		
1718604	Drill Core	<1	<0.5	2.9	99	123.7
1718605	Drill Core	<1	1.5	<0.2		
1718606	Drill Core	1	0.8	<0.2		
1718607	Drill Core	1	0.8	<0.2		
1718608	Drill Core	2	<0.5	<0.2		
1718609	Drill Core	1	0.7	<0.2		
1718610	Rock	8	<0.5	<0.2		
1718611	Rock Pulp	6	<0.5	0.2		
1718612	Drill Core	1	<0.5	<0.2		
1718613	Drill Core	<1	1.1	0.5		
1718614	Drill Core	1	0.7	<0.2		
1718615	Drill Core	<1	<0.5	<0.2		
1718616	Drill Core	<1	<0.5	<0.2		
1718617	Drill Core	1	<0.5	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 30, 2015

**Page:** 6 of 6

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1718618	Drill Core	0.79	338	0.037	0.03	<0.17	21.55	0.5	13.6	15.6	47	0.9	0.9	2.5	164	0.87	4.6	0.9	46.7	5.7	22
1718619	Drill Core	0.65	448	1.887	4.97	82.25	17.18	0.8	3.9	33.5	66	1.7	1.5	2.2	81	1.17	6.3	0.7	2410.1	4.8	13
1718620	Drill Core	0.53	448	0.225	0.23	0.25	20.29	7.0	6.4	8.0	42	0.6	2.3	4.8	223	0.94	5.1	1.0	209.3	4.9	51
1718621	Drill Core	0.96	427	0.245	0.45	5.34	17.43	2.7	5.1	10.7	22	0.9	1.1	0.9	47	1.05	13.9	0.6	229.0	6.1	11
1718622	Drill Core	0.58	366	0.056	0.11	0.85	24.64	0.3	2.6	8.9	17	0.5	0.7	0.5	42	0.57	5.1	0.8	731.1	7.0	4
1718623	Drill Core	0.93	375	0.005	<0.01	<0.17	21.20	0.2	4.4	13.1	20	0.1	1.4	3.4	50	0.35	2.3	0.7	4.3	8.9	13
1718624	Drill Core	0.86	481	<0.005	<0.01	<0.17	20.93	0.2	3.4	11.7	41	0.2	1.3	1.9	209	1.15	23.7	1.3	1.4	7.1	64
1718625	Drill Core	1.32	450	<0.005	<0.01	<0.17	23.95	0.4	3.7	9.8	54	0.2	1.5	2.0	215	1.23	10.4	1.5	1.6	7.2	70
1718626	Drill Core	1.37	524	<0.005	<0.01	<0.17	23.75	2.9	9.7	10.4	65	0.2	2.2	3.8	213	1.43	8.1	2.0	1.5	7.1	36
1718627	Drill Core	1.91	403	<0.005	<0.01	<0.17	21.45	2.0	6.8	20.4	80	0.3	2.5	2.6	135	1.29	7.2	0.9	3.2	6.7	33
1718628	Drill Core	1.64	341	0.090	0.12	0.49	22.32	0.3	7.5	28.4	86	1.5	1.3	1.0	72	0.69	4.5	0.2	384.4	2.4	2
1718629	Drill Core	2.25	463	<0.005	<0.01	<0.17	18.85	0.6	5.2	22.6	83	0.2	0.7	0.7	116	0.89	3.6	1.9	1.2	7.7	107
1718630	Rock	0.16	108	0.008	<0.01	<0.17	17.53	1.3	11.6	2.0	46	<0.1	5.4	7.6	736	2.87	1.4	0.2	0.7	0.6	21
1718631	Rock Pulp	0.08		0.046	I.S.	I.S.	I.S.	1.1	553.5	21.0	71	0.2	273.5	95.9	981	16.97	4.3	1.3	32.1	7.5	16
1718632	Drill Core	2.81	385	0.165	0.20	0.80	22.49	2.7	2.2	13.3	29	0.3	0.7	0.6	122	0.82	1.8	1.0	397.9	5.4	75
1718633	Drill Core	0.72	452	<0.005	<0.01	<0.17	20.43	0.3	3.3	7.7	32	<0.1	0.7	1.5	65	0.64	1.2	1.0	<0.5	5.2	40
1718634	Drill Core	1.07	482	0.012	0.01	<0.17	22.27	1.8	1.1	22.2	24	0.3	0.9	0.6	90	0.69	5.6	1.1	15.0	6.0	28
1718635	Drill Core	0.94	389	0.054	0.05	<0.17	20.55	0.5	6.4	12.8	33	2.7	0.8	0.7	99	0.66	12.6	0.9	88.7	8.7	16
1718636	Drill Core	2.04	461	0.015	0.01	<0.17	19.49	0.5	3.1	6.1	22	0.7	0.6	1.4	113	0.55	5.8	0.6	32.9	6.8	199
1718654	Drill Core	0.94	403	0.251	0.25	0.32	18.67	1.5	4.6	1.9	21	0.4	2.0	4.9	318	1.45	3.6	0.6	170.1	3.8	33
1718655	Drill Core	1.38	489	0.077	0.12	1.32	18.91	0.5	1.6	25.9	10	0.4	0.8	0.4	39	0.53	2.4	0.5	42.8	6.0	8



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** September 30, 2015

**Page:** 6 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	0.05
1718618	Drill Core	0.5	0.6	<0.1	<2	0.33	0.010	16	5	0.07	296	0.001	2	0.31	0.021	0.26	0.2	0.03	1.0	<0.1	0.20	
1718619	Drill Core	0.4	0.4	<0.1	2	0.09	0.024	13	6	0.13	283	0.002	2	0.40	0.019	0.27	0.1	0.04	1.6	<0.1	0.10	
1718620	Drill Core	0.6	0.2	<0.1	3	0.81	0.034	11	2	0.07	241	0.004	<1	0.37	0.022	0.33	<0.1	0.03	1.5	<0.1	0.39	
1718621	Drill Core	<0.1	0.5	<0.1	<2	0.02	0.010	18	2	0.01	232	0.001	<1	0.20	0.010	0.25	0.1	0.04	0.6	<0.1	0.08	
1718622	Drill Core	<0.1	0.3	<0.1	<2	0.03	0.009	21	2	0.01	205	0.001	1	0.22	0.033	0.22	<0.1	0.02	0.7	<0.1	<0.05	
1718623	Drill Core	0.1	0.1	<0.1	<2	0.08	0.022	31	2	0.02	263	0.002	<1	0.30	0.029	0.30	<0.1	0.02	0.8	<0.1	<0.05	
1718624	Drill Core	0.2	0.2	<0.1	3	1.21	0.017	25	1	0.29	362	0.004	<1	0.68	0.017	0.23	<0.1	<0.01	2.3	<0.1	0.09	
1718625	Drill Core	0.2	0.2	<0.1	3	1.44	0.020	25	2	0.37	274	0.004	1	0.79	0.025	0.19	<0.1	<0.01	2.1	<0.1	0.07	
1718626	Drill Core	0.4	1.2	<0.1	2	1.57	0.028	13	1	0.31	282	<0.001	2	0.40	0.005	0.23	0.1	0.03	2.2	<0.1	0.13	
1718627	Drill Core	0.4	1.1	<0.1	<2	0.81	0.012	18	2	0.16	490	<0.001	1	0.33	0.007	0.23	<0.1	0.04	1.4	<0.1	0.07	
1718628	Drill Core	0.7	0.6	<0.1	<2	0.01	0.002	9	3	0.07	158	<0.001	1	0.19	0.008	0.10	<0.1	0.19	0.7	<0.1	<0.05	
1718629	Drill Core	0.6	0.9	<0.1	<2	1.13	0.005	22	2	0.23	407	<0.001	2	0.32	0.015	0.22	<0.1	0.09	1.7	0.1	0.11	
1718630	Rock	<0.1	<0.1	<0.1	45	1.50	0.059	7	11	0.83	60	0.092	1	1.64	0.120	0.22	<0.1	<0.01	5.5	<0.1	0.17	
1718631	Rock Pulp	0.2	0.3	0.2	234	0.44	0.039	18	794	0.15	162	0.216	6	4.17	0.009	0.09	<0.1	0.03	49.2	0.1	<0.05	
1718632	Drill Core	0.2	0.4	<0.1	<2	0.71	0.003	13	2	0.11	315	<0.001	1	0.34	0.020	0.23	<0.1	0.05	1.3	<0.1	0.26	
1718633	Drill Core	<0.1	0.7	<0.1	<2	0.35	0.006	18	2	0.09	454	0.007	<1	0.40	0.033	0.24	<0.1	0.02	2.9	<0.1	0.12	
1718634	Drill Core	0.2	0.6	<0.1	<2	0.28	0.004	16	2	0.05	296	<0.001	1	0.23	0.010	0.22	0.1	0.07	1.0	<0.1	0.13	
1718635	Drill Core	0.1	0.5	<0.1	<2	0.13	0.007	28	2	0.04	339	<0.001	2	0.28	0.013	0.32	0.1	0.03	1.3	<0.1	0.15	
1718636	Drill Core	0.1	0.2	<0.1	<2	1.06	0.006	19	1	0.06	185	<0.001	1	0.27	0.016	0.28	<0.1	0.03	1.2	<0.1	0.15	
1718654	Drill Core	0.4	0.4	<0.1	3	0.67	0.038	8	2	0.06	238	0.002	2	0.34	0.007	0.31	<0.1	0.02	1.4	<0.1	0.62	
1718655	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.008	15	2	0.01	205	<0.001	<1	0.19	0.024	0.27	0.1	0.02	0.4	<0.1	0.07	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 6 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
1718618	Drill Core	<1	<0.5	<0.2		
1718619	Drill Core	1	<0.5	<0.2		
1718620	Drill Core	1	<0.5	<0.2		
1718621	Drill Core	<1	<0.5	<0.2		
1718622	Drill Core	<1	<0.5	<0.2		
1718623	Drill Core	<1	<0.5	<0.2		
1718624	Drill Core	2	<0.5	<0.2		
1718625	Drill Core	2	<0.5	<0.2		
1718626	Drill Core	1	<0.5	<0.2		
1718627	Drill Core	<1	<0.5	<0.2		
1718628	Drill Core	<1	<0.5	<0.2		
1718629	Drill Core	<1	<0.5	<0.2		
1718630	Rock	6	<0.5	<0.2		
1718631	Rock Pulp	21	0.6	<0.2		
1718632	Drill Core	1	<0.5	<0.2		
1718633	Drill Core	2	<0.5	<0.2		
1718634	Drill Core	<1	<0.5	<0.2		
1718635	Drill Core	<1	<0.5	<0.2		
1718636	Drill Core	<1	<0.5	<0.2		
1718654	Drill Core	<1	<0.5	<0.2		
1718655	Drill Core	<1	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 1 of 4

Part: 1 of 3

# QUALITY CONTROL REPORT

## WHI15000190.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
1718500	Drill Core	1.56	460	0.263	0.35	2.54	18.54	0.3	40.3	6.1	32	1.4	5.7	4.1	383	1.51	1.6	1.4	167.4	6.6	19
REP 1718500	QC							0.3	39.6	6.1	34	1.4	5.6	4.1	382	1.50	1.5	1.5	190.6	6.6	18
1718503	Drill Core	1.28	432	<0.005	<0.01	<0.17	18.16	0.5	13.7	10.8	39	0.1	9.1	6.7	332	1.82	29.8	1.3	3.6	7.1	45
REP 1718503	QC			<0.005																	
REP 1718536	QC							1.2	8.5	15.1	95	0.3	6.2	4.9	246	2.44	84.6	1.5	1.7	6.5	47
1718538	Drill Core	1.80	400	0.005	<0.01	<0.17	17.25	0.3	3.5	4.1	52	0.1	3.9	3.2	168	1.80	13.7	0.7	2.9	3.8	14
REP 1718538	QC			<0.005																	
1718569	Drill Core	1.81	418	0.518	0.51	0.44	18.22	0.6	9.3	7.4	41	0.7	1.8	5.7	591	1.67	5.3	0.8	282.4	4.6	82
REP 1718569	QC							0.6	9.6	7.0	38	0.6	1.9	5.8	604	1.70	5.5	0.8	179.7	4.5	84
1718606	Drill Core	1.00	395	0.505	0.50	0.48	22.95	0.9	4.9	7.3	52	0.6	3.0	5.9	230	1.52	11.9	1.0	427.0	3.2	70
REP 1718606	QC							0.9	4.7	7.4	52	0.6	2.8	5.7	232	1.54	11.7	1.0	467.1	3.2	72
REP 1718655	QC							0.6	1.9	25.4	10	0.4	0.6	0.5	41	0.55	2.2	0.5	27.3	5.9	8
Core Reject Duplicates																					
1718502	Drill Core	1.57	525	0.012	0.01	<0.17	18.93	0.9	12.7	47.7	57	0.3	9.1	6.6	767	2.17	2.7	1.4	10.5	7.7	265
DUP 1718502	QC		509	0.007	<0.01	<0.17	17.79	0.9	12.9	47.7	56	0.3	9.3	6.7	773	2.18	2.4	1.4	13.0	7.9	266
1718536	Drill Core	1.71	403	0.005	<0.01	<0.17	16.77	1.3	8.7	15.0	94	0.3	6.1	5.0	248	2.43	83.2	1.5	2.8	6.3	45
DUP 1718536	QC		435	0.006	<0.01	<0.17	23.60	1.3	8.7	15.1	93	0.3	6.2	4.9	246	2.41	82.3	1.5	3.6	6.8	46
1718570	Rock	0.19	133	0.010	<0.01	<0.17	17.50	0.9	4.9	1.5	41	<0.1	7.2	7.7	756	3.08	0.8	0.1	4.3	0.6	26
DUP 1718570	QC			I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718604	Drill Core	1.12	478	>10	419.91	5495.03	26.36	0.7	5.1	42.8	23	>100	1.2	0.8	63	0.95	12.9	<0.1>	>100000	1.2	14
DUP 1718604	QC		454	>10	422.80	4577.31	29.97	0.6	5.2	43.1	23	>100	1.1	0.8	62	0.95	12.5	0.1>	>100000	1.2	14
1718655	Drill Core	1.38	489	0.077	0.12	1.32	18.91	0.5	1.6	25.9	10	0.4	0.8	0.4	39	0.53	2.4	0.5	42.8	6.0	8
DUP 1718655	QC		513	0.050	0.11	1.26	24.53	0.6	2.0	27.3	11	0.6	0.6	0.4	44	0.54	2.2	0.6	2792.0	6.1	8
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard							15.2	164.0	155.0	381	2.1	78.5	13.7	903	2.78	45.3	2.9	84.8	8.2	71
STD DS10	Standard							13.3	148.2	148.8	362	1.8	70.6	11.9	845	2.67	51.3	2.8	74.1	7.9	68
STD DS10	Standard							13.9	164.9	149.9	369	1.9	77.8	13.2	874	2.72	43.6	2.7	88.7	7.9	65



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 1 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																						
1718500	Drill Core	0.4	0.5	<0.1	7	0.17	0.045	15	17	0.52	144	0.006	1	0.62	0.026	0.21	0.1	<0.01	2.3	<0.1	<0.05	
REP 1718500	QC	0.4	0.5	<0.1	7	0.16	0.045	15	16	0.52	147	0.005	1	0.60	0.023	0.20	<0.1	<0.01	2.0	<0.1	<0.05	
1718503	Drill Core	0.2	0.7	<0.1	13	0.93	0.049	21	17	0.48	167	0.018	1	0.66	0.019	0.28	<0.1	<0.01	4.6	0.1	<0.05	
REP 1718503	QC																					
REP 1718536	QC	0.5	2.1	<0.1	5	2.32	0.047	13	2	0.21	363	0.001	1	0.40	0.007	0.23	0.2	0.04	2.5	<0.1	0.10	
1718538	Drill Core	0.3	0.6	<0.1	9	0.13	0.030	14	4	0.26	331	0.014	<1	0.72	0.011	0.25	0.2	0.02	4.2	<0.1	<0.05	
REP 1718538	QC																					
1718569	Drill Core	0.3	0.5	<0.1	6	1.26	0.047	10	2	0.24	349	0.004	<1	0.61	0.049	0.22	0.3	0.06	2.6	<0.1	0.46	
REP 1718569	QC	0.3	0.5	<0.1	6	1.29	0.047	11	2	0.24	367	0.004	<1	0.62	0.049	0.23	0.1	0.06	2.9	0.1	0.47	
1718606	Drill Core	0.7	0.3	<0.1	4	0.97	0.040	7	6	0.16	261	0.002	1	0.55	0.014	0.28	<0.1	0.02	1.9	<0.1	0.45	
REP 1718606	QC	0.7	0.3	<0.1	4	0.97	0.038	7	5	0.15	264	0.002	1	0.50	0.015	0.29	<0.1	0.02	2.0	<0.1	0.45	
REP 1718655	QC	<0.1	0.2	<0.1	<2	0.06	0.008	16	2	0.01	211	0.002	<1	0.20	0.025	0.27	<0.1	0.02	0.4	<0.1	0.07	
Core Reject Duplicates																						
1718502	Drill Core	0.7	0.2	0.4	16	3.58	0.057	18	17	0.67	154	0.034	2	0.93	0.023	0.34	<0.1	<0.01	4.6	0.1	<0.05	
DUP 1718502	QC	0.7	0.2	0.4	16	3.59	0.056	17	16	0.67	149	0.034	1	0.93	0.023	0.34	<0.1	<0.01	4.6	0.2	<0.05	
1718536	Drill Core	0.5	2.0	<0.1	5	2.32	0.048	14	2	0.21	376	0.001	1	0.42	0.007	0.23	0.2	0.04	2.7	<0.1	0.10	
DUP 1718536	QC	0.4	1.9	<0.1	5	2.30	0.047	13	2	0.20	388	0.002	2	0.41	0.007	0.23	0.2	0.04	2.6	<0.1	0.09	
1718570	Rock	<0.1	<0.1	<0.1	53	1.60	0.057	7	19	0.93	61	0.092	<1	1.91	0.131	0.20	0.3	<0.01	6.5	<0.1	0.13	
DUP 1718570	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1718604	Drill Core	0.1	2.1	<0.1	<2	0.01	0.010	3	11	<0.01	59	<0.001	<1	0.05	0.013	0.05	<0.1	0.74	0.4	<0.1	0.06	
DUP 1718604	QC	<0.1	2.0	<0.1	<2	0.01	0.011	3	11	<0.01	59	<0.001	1	0.05	0.013	0.05	<0.1	0.66	0.4	<0.1	0.06	
1718655	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.008	15	2	0.01	205	<0.001	<1	0.19	0.024	0.27	0.1	0.02	0.4	<0.1	0.07	
DUP 1718655	QC	<0.1	0.2	<0.1	<2	0.07	0.008	16	2	0.01	208	0.001	<1	0.19	0.026	0.28	0.1	0.02	0.5	<0.1	0.07	
Reference Materials																						
STD AGPROOF	Standard																					
STD DS10	Standard	2.5	10.2	12.9	47	1.10	0.076	20	57	0.79	363	0.083	6	1.07	0.064	0.34	3.2	0.31	2.8	5.3	0.28	
STD DS10	Standard	2.4	9.9	12.2	40	1.03	0.072	17	51	0.75	318	0.075	5	1.02	0.069	0.33	3.5	0.28	2.7	5.2	0.26	
STD DS10	Standard	2.8	9.9	12.4	43	1.07	0.070	18	54	0.76	353	0.082	7	1.06	0.072	0.34	3.4	0.29	2.9	4.9	0.29	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 1 of 4

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000190.1

Method	Analyte	AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
Unit		ppm	ppm	ppm	gm/t	ppm
MDL		1	0.5	0.2	50	0.9
Pulp Duplicates						
1718500	Drill Core	2	<0.5	<0.2		
REP 1718500	QC	2	<0.5	<0.2		
1718503	Drill Core	2	<0.5	<0.2		
REP 1718503	QC					
REP 1718536	QC	<1	0.5	<0.2		
1718538	Drill Core	2	<0.5	<0.2		
REP 1718538	QC					
1718569	Drill Core	2	0.7	<0.2		
REP 1718569	QC	2	0.6	<0.2		
1718606	Drill Core	1	0.8	<0.2		
REP 1718606	QC	1	0.8	<0.2		
REP 1718655	QC	<1	<0.5	<0.2		
Core Reject Duplicates						
1718502	Drill Core	3	<0.5	<0.2		
DUP 1718502	QC	3	<0.5	<0.2		
1718536	Drill Core	<1	<0.5	<0.2		
DUP 1718536	QC	<1	<0.5	<0.2		
1718570	Rock	6	<0.5	<0.2		
DUP 1718570	QC	I.S.	I.S.	I.S.		
1718604	Drill Core	<1	<0.5	2.9	99	123.7
DUP 1718604	QC	<1	<0.5	3.1	93	129.0
1718655	Drill Core	<1	<0.5	<0.2		
DUP 1718655	QC	<1	<0.5	<0.2		
Reference Materials						
STD AGPROOF	Standard				95	<0.9
STD DS10	Standard	4	1.7	4.9		
STD DS10	Standard	4	2.4	5.2		
STD DS10	Standard	5	2.6	4.8		



# QUALITY CONTROL REPORT

WHI15000190.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD DS10	Standard							15.1	151.4	149.6	360	1.8	73.9	12.1	920	2.79	43.5	2.6	84.3	7.5	68
STD DS10	Standard							14.1	155.1	142.7	371	1.8	74.6	12.8	891	2.74	45.2	2.5	94.4	7.2	67
STD OXC129	Standard							1.2	28.1	6.4	40	<0.1	82.0	20.3	420	3.04	0.6	0.7	177.1	2.0	187
STD OXC129	Standard							1.2	26.3	6.5	39	<0.1	75.0	18.6	406	2.98	2.6	0.7	221.9	2.0	178
STD OXC129	Standard							1.3	29.0	6.8	41	<0.1	82.0	21.0	412	3.07	0.7	0.7	191.8	2.0	174
STD OXC129	Standard							1.2	28.6	6.7	41	0.2	81.4	21.3	426	3.11	0.6	0.7	202.7	2.2	202
STD OXC129	Standard							1.2	27.8	6.4	42	<0.1	76.8	19.8	408	2.97	0.5	0.6	175.8	1.8	184
STD OXD108	Standard			0.427																	
STD OXD108	Standard			0.411																	
STD OXD108	Standard			0.415																	
STD OXD108	Standard			0.413																	
STD OXD108	Standard			0.416																	
STD OXI121	Standard			1.812																	
STD OXI121	Standard			1.598																	
STD OXI121	Standard			1.838																	
STD OXI121	Standard			1.760																	
STD OXI121	Standard			1.811																	
STD OXN117	Standard			7.654																	
STD OXN117	Standard			7.665																	
STD OXN117	Standard			7.848																	
STD OXN117	Standard			7.685																	
STD OXN117	Standard			7.643																	
STD OXP91	Standard					15.02	30.02														
STD OXP91	Standard					14.92	30.02														
STD OXP91	Standard					15.11	29.99														
STD OXP91	Standard					14.90	30.01														
STD OXP91	Standard					14.97	30.00														
STD OXP91	Standard					15.00	30.07														
STD OXP91	Standard					14.90	30.06														





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 2 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

# WHI15000190.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05
STD DS10	Standard	2.4	8.8	12.0	47	1.11	0.074	19	55	0.80	355	0.080	6	1.10	0.067	0.35	3.1	0.31	2.9	5.0	0.28	
STD DS10	Standard	2.5	8.2	11.7	45	1.11	0.075	18	54	0.78	349	0.082	7	1.08	0.071	0.34	3.2	0.27	3.0	4.8	0.30	
STD OXC129	Standard	<0.1	<0.1	<0.1	56	0.69	0.100	14	53	1.57	48	0.416	2	1.62	0.575	0.37	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.61	0.099	13	49	1.48	47	0.371	<1	1.55	0.608	0.40	0.3	<0.01	0.6	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.68	0.104	13	54	1.59	48	0.421	1	1.66	0.621	0.42	<0.1	<0.01	1.0	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.70	0.105	14	53	1.57	50	0.413	2	1.59	0.570	0.37	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.66	0.101	13	49	1.57	48	0.385	<1	1.59	0.595	0.37	<0.1	<0.01	0.9	<0.1	<0.05	
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 2 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

## WHI15000190.1

		AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
		ppm	ppm	ppm	gm/t	ppm
		1	0.5	0.2	50	0.9
STD DS10	Standard	5	2.1	4.9		
STD DS10	Standard	5	2.1	5.0		
STD OXC129	Standard	5	<0.5	<0.2		
STD OXC129	Standard	5	<0.5	<0.2		
STD OXC129	Standard	6	<0.5	<0.2		
STD OXC129	Standard	5	<0.5	<0.2		
STD OXC129	Standard	5	<0.5	<0.2		
STD OXD108	Standard					
STD OXD108	Standard					
STD OXD108	Standard					
STD OXD108	Standard					
STD OXD108	Standard					
STD OXI121	Standard					
STD OXI121	Standard					
STD OXI121	Standard					
STD OXI121	Standard					
STD OXI121	Standard					
STD OXN117	Standard					
STD OXN117	Standard					
STD OXN117	Standard					
STD OXN117	Standard					
STD OXN117	Standard					
STD OXP91	Standard					
STD OXP91	Standard					
STD OXP91	Standard					
STD OXP91	Standard					
STD OXP91	Standard					
STD OXP91	Standard					
STD OXP91	Standard					





# QUALITY CONTROL REPORT

WHI15000190.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXP91	Standard																					
STD OXP91	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
STD OXP91 Expected																						
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 3 of 4

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000190.1

		AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
		ppm	ppm	ppm	gm/t	ppm
		1	0.5	0.2	50	0.9
STD OXP91	Standard					
STD OXP91	Standard					
STD SP49	Standard				58	18.5
STD SQ70	Standard				153	40.0
STD AGPROOF Expected					94	
STD SP49 Expected					60.2	
STD SQ70 Expected					159.5	
STD DS10 Expected		4.5	2.3	5.01		
STD OXC129 Expected		5.6				
STD OXP91 Expected						
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank	<1	<0.5	<0.2		
BLK	Blank	<1	<0.5	<0.2		
BLK	Blank	<1	<0.5	<0.2		
BLK	Blank	<1	<0.5	<0.2		
BLK	Blank					
BLK	Blank				<50	<0.9
BLK	Blank	<1	<0.5	<0.2		
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 4 of 4

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI15000190.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
Prep Wash																					
ROCK-WHI	Prep Blank		461	0.006	<0.01	<0.17	22.38	0.9	10.1	9.8	55	0.1	13.0	4.6	544	1.93	1.1	0.4	<0.5	2.2	29
ROCK-WHI	Prep Blank		470	<0.005	<0.01	<0.17	18.16	0.6	8.1	6.6	47	<0.1	4.3	4.0	522	1.82	1.1	0.4	<0.5	2.1	26



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 4 of 4

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000190.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
BLK	Blank	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.1	0.2	<0.1	26	0.69	0.045	7	5	0.57	60	0.084	3	1.12	0.082	0.10	0.1	0.02	3.1	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	0.2	<0.1	24	0.61	0.042	6	7	0.50	52	0.070	2	1.01	0.081	0.09	<0.1	<0.01	2.6	<0.1	<0.05



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: September 30, 2015

Page: 4 of 4

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000190.1

		AQ201	AQ201	AQ201	FA530	FA530
		Ga	Se	Te	Ag	-Au
		ppm	ppm	ppm	gm/t	ppm
		1	0.5	0.2	50	0.9
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank					
Prep Wash						
ROCK-WHI	Prep Blank	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	4	<0.5	<0.2		





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: September 15, 2015  
Report Date: October 08, 2015  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI15000200.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-08  
P.O. Number  
Number of Samples: 138

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	124	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	138	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	138	Analysis sample split/packet			VAN
Split -150	138	Analysis sample split/packet			VAN
FS631	124	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS Report Date: October 08, 2015

Page: 2 of 6 Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI15000200.1

Table with columns: Method, Analyte, Unit, MDL, WGHT, M150, FA430, FS600, FS600, FS600, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201, AQ201. Rows include sample IDs like 1718637 and 1718638 with various chemical analysis results.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 2 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000200.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718637	Drill Core	0.5	0.2	<0.1	<2	1.21	0.012	11	1	0.12	97	<0.001	3	0.39	0.018	0.35	0.1	0.03	2.6	<0.1	1.19
1718638	Drill Core	0.6	0.7	<0.1	<2	0.56	0.006	24	3	0.05	218	<0.001	2	0.24	0.014	0.36	0.1	0.03	1.0	<0.1	0.28
1718639	Drill Core	<0.1	0.3	<0.1	<2	0.71	0.005	28	2	0.05	202	<0.001	1	0.29	0.012	0.35	<0.1	<0.01	1.0	<0.1	0.08
1718640	Drill Core	<0.1	0.5	<0.1	6	0.76	0.076	14	4	0.45	243	0.012	2	0.76	0.008	0.38	0.2	<0.01	2.7	0.1	<0.05
1718641	Drill Core	0.6	1.4	<0.1	6	0.13	0.046	20	3	0.14	333	0.002	2	0.53	0.008	0.30	0.2	0.03	3.0	<0.1	<0.05
1718642	Drill Core	0.3	1.7	<0.1	5	0.08	0.045	20	3	0.05	389	0.002	1	0.32	0.026	0.20	0.2	0.07	2.6	<0.1	<0.05
1718643	Drill Core	0.2	0.5	<0.1	5	0.10	0.027	12	3	0.14	341	0.002	1	0.53	0.017	0.17	0.1	0.02	2.1	<0.1	<0.05
1718644	Drill Core	0.2	0.4	<0.1	7	0.15	0.048	18	3	0.17	422	0.003	2	0.61	0.023	0.26	<0.1	0.04	3.3	<0.1	<0.05
1718645	Drill Core	0.3	1.3	0.3	6	0.07	0.035	16	3	0.08	325	0.002	2	0.36	0.024	0.23	0.1	0.12	3.1	<0.1	<0.05
1718646	Drill Core	0.2	0.6	0.1	4	0.08	0.035	12	3	0.12	396	0.002	1	0.37	0.020	0.21	0.1	0.11	2.3	<0.1	0.08
1718647	Drill Core	0.5	0.5	<0.1	4	0.06	0.023	9	4	0.06	343	0.002	1	0.28	0.027	0.18	0.3	0.07	1.3	<0.1	0.10
1718648	Drill Core	0.2	0.6	<0.1	4	0.07	0.032	13	4	0.07	348	0.002	1	0.33	0.016	0.23	1.0	0.06	2.1	<0.1	<0.05
1718649	Drill Core	0.3	0.9	<0.1	5	0.08	0.039	16	2	0.08	381	0.002	2	0.39	0.021	0.22	0.2	0.09	2.3	<0.1	<0.05
1718650	Rock Pulp	<0.1	<0.1	<0.1	98	0.84	0.062	7	11	0.73	125	0.112	2	1.48	0.141	0.19	2.5	<0.01	2.5	<0.1	<0.05
1718651	Drill Core	0.3	1.1	0.1	4	0.07	0.029	12	3	0.06	231	0.002	<1	0.26	0.020	0.13	0.2	0.13	1.7	<0.1	<0.05
1718652	Drill Core	0.2	0.3	<0.1	10	2.60	0.035	14	3	0.50	625	0.003	<1	0.79	0.016	0.16	<0.1	<0.01	4.6	<0.1	0.06
1718653	Drill Core	<0.1	0.2	<0.1	<2	1.23	0.005	15	6	0.13	132	<0.001	2	0.21	0.021	0.21	<0.1	<0.01	0.5	<0.1	0.34
1718656	Rock Pulp	0.5	24.6	0.1	15	1.05	0.006	2	18	0.03	3064	0.010	3	0.18	0.009	0.07	33.8	3.13	1.1	13.9	0.19
1718657	Drill Core	<0.1	0.4	0.2	<2	0.08	0.016	9	6	0.07	320	0.003	1	0.27	0.025	0.17	0.1	0.02	2.2	<0.1	<0.05
1718658	Drill Core	<0.1	0.4	<0.1	<2	0.07	0.006	5	4	0.05	218	0.003	1	0.20	0.020	0.14	<0.1	0.01	1.5	<0.1	<0.05
1718659	Drill Core	0.1	0.4	<0.1	<2	0.03	0.007	16	6	0.07	530	<0.001	2	0.40	0.022	0.23	<0.1	0.03	3.5	<0.1	<0.05
1718660	Drill Core	<0.1	0.2	<0.1	<2	0.03	0.008	23	9	0.19	351	0.001	2	0.29	0.015	0.24	<0.1	0.02	2.7	<0.1	<0.05
1718661	Drill Core	<0.1	0.5	<0.1	<2	0.03	0.005	21	13	0.35	462	0.001	4	0.24	0.012	0.21	0.1	0.12	1.2	<0.1	<0.05
1718662	Drill Core	<0.1	0.3	<0.1	<2	0.01	0.005	24	5	0.05	702	<0.001	1	0.23	0.013	0.25	<0.1	0.12	1.0	<0.1	<0.05
1718663	Drill Core	0.4	0.2	<0.1	<2	0.78	0.005	17	4	0.24	645	<0.001	3	0.51	0.009	0.28	0.2	0.09	3.0	<0.1	0.24
1718664	Drill Core	0.2	0.9	<0.1	<2	0.19	0.006	24	4	0.27	471	<0.001	2	0.54	0.007	0.27	0.2	0.05	2.7	<0.1	0.07
1718665	Drill Core	<0.1	0.5	<0.1	<2	0.02	0.008	28	4	0.04	435	<0.001	3	0.29	0.020	0.31	0.2	0.03	1.1	<0.1	<0.05
1718666	Drill Core	0.2	0.2	<0.1	<2	0.03	0.007	31	5	0.04	237	0.001	1	0.29	0.013	0.30	0.1	<0.01	1.0	<0.1	<0.05
1718667	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.005	28	5	0.03	262	<0.001	2	0.27	0.009	0.36	0.3	0.02	0.8	0.2	<0.05
1718668	Drill Core	<0.1	0.3	<0.1	<2	<0.01	0.002	11	15	0.02	455	<0.001	2	0.15	0.004	0.23	0.2	0.01	0.5	<0.1	<0.05

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 2 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718637	Drill Core	1	1.2	<0.2	
1718638	Drill Core	<1	<0.5	<0.2	
1718639	Drill Core	<1	<0.5	<0.2	
1718640	Drill Core	2	<0.5	<0.2	
1718641	Drill Core	1	<0.5	<0.2	
1718642	Drill Core	<1	<0.5	<0.2	
1718643	Drill Core	2	<0.5	<0.2	
1718644	Drill Core	2	<0.5	<0.2	
1718645	Drill Core	1	<0.5	<0.2	
1718646	Drill Core	1	<0.5	<0.2	
1718647	Drill Core	<1	<0.5	<0.2	
1718648	Drill Core	<1	<0.5	<0.2	
1718649	Drill Core	1	<0.5	<0.2	
1718650	Rock Pulp	4	<0.5	<0.2	
1718651	Drill Core	<1	0.6	<0.2	
1718652	Drill Core	3	<0.5	<0.2	
1718653	Drill Core	<1	<0.5	<0.2	
1718656	Rock Pulp	<1	1.9	<0.2	
1718657	Drill Core	1	<0.5	<0.2	
1718658	Drill Core	<1	<0.5	<0.2	
1718659	Drill Core	2	<0.5	<0.2	
1718660	Drill Core	1	<0.5	<0.2	
1718661	Drill Core	<1	<0.5	<0.2	
1718662	Drill Core	<1	<0.5	<0.2	
1718663	Drill Core	2	<0.5	<0.2	
1718664	Drill Core	2	<0.5	<0.2	
1718665	Drill Core	1	<0.5	<0.2	
1718666	Drill Core	<1	<0.5	<0.2	
1718667	Drill Core	<1	<0.5	<0.2	
1718668	Drill Core	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 3 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

## WHI15000200.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718669	Drill Core	0.84	469	0.405	0.73	8.75	18.18	3.6	1.7	11.0	16	0.5	1.3	0.4	48	0.82	4.8	0.2	384.5	4.5	7
1718670	Rock Pulp	0.12		0.007	I.S.	I.S.	I.S.	1.9	67.5	3.7	39	<0.1	5.1	8.2	373	2.64	<0.5	0.8	<0.5	2.6	63
1718671	Rock Pulp	0.08		2.037	I.S.	I.S.	I.S.	3.4	35.5	6.6	57	0.4	28.1	11.6	478	3.03	8.6	0.3	1730.1	1.1	48
1718672	Drill Core	0.86	342	0.094	0.15	1.07	18.74	3.1	3.7	6.5	7	0.2	2.2	1.0	73	0.78	4.2	0.1	90.2	2.8	3
1718673	Drill Core	0.91	386	0.020	0.02	<0.17	17.29	2.8	3.0	7.9	12	0.4	3.7	1.6	75	0.94	6.9	0.4	18.4	6.0	10
1718674	Drill Core	0.70	395	0.010	<0.01	<0.17	21.81	0.7	3.7	4.3	23	0.2	1.6	1.7	394	0.48	2.2	0.4	9.9	6.3	79
1718675	Drill Core	0.89	333	0.077	0.07	<0.17	16.36	0.4	2.4	7.3	15	0.2	1.5	1.2	59	0.58	8.0	0.5	17.5	6.0	3
1718676	Drill Core	2.02	419	0.086	0.08	<0.17	23.98	0.4	3.9	16.7	17	0.4	2.3	0.5	52	0.52	4.8	0.6	18.5	5.2	3
1718677	Drill Core	0.79	358	<0.005	<0.01	<0.17	18.30	0.2	0.9	4.7	9	0.1	1.4	0.5	121	0.35	0.8	0.4	4.2	6.3	3
1718678	Drill Core	1.06	409	0.051	0.05	<0.17	18.73	1.0	3.3	6.9	10	0.3	1.7	0.6	162	0.52	2.7	0.5	36.0	5.2	19
1718679	Drill Core	0.69	481	0.015	0.01	<0.17	23.88	0.6	1.7	11.5	26	0.4	1.7	0.3	47	0.52	5.5	0.6	11.3	5.0	4
1718680	Drill Core	0.87	483	0.072	0.07	<0.17	23.45	0.6	4.9	8.3	22	1.4	1.5	0.4	44	0.43	3.2	0.6	92.7	7.1	3
1718681	Drill Core	0.57	426	0.007	<0.01	<0.17	20.79	0.2	0.9	11.3	14	0.2	1.2	0.3	43	0.40	1.9	0.5	9.8	6.8	3
1718682	Drill Core	0.86	402	0.006	<0.01	<0.17	20.15	0.5	1.3	14.8	16	0.4	1.9	0.2	53	0.51	2.4	0.4	<0.5	6.3	2
1718683	Drill Core	1.03	390	0.006	<0.01	<0.17	19.35	0.4	2.8	13.0	21	0.3	1.3	0.4	52	0.47	2.7	0.9	1.7	8.3	4
1718684	Drill Core	0.69	500	<0.005	<0.01	<0.17	19.49	0.5	1.9	10.1	43	<0.1	2.8	0.7	112	0.75	28.1	2.1	<0.5	6.7	12
1718685	Drill Core	0.59	479	0.030	0.03	<0.17	20.61	0.5	4.7	8.1	64	0.2	3.0	0.9	462	0.75	6.3	1.8	14.2	7.6	24
1718686	Drill Core	0.94	447	0.047	0.10	1.38	18.11	0.6	3.4	4.3	25	0.4	1.4	0.6	217	0.66	3.9	0.7	23.7	6.2	12
1718687	Drill Core	0.55	485	0.013	0.01	<0.17	23.61	0.5	2.7	3.8	11	0.2	1.1	0.7	55	0.51	2.0	0.8	5.8	5.3	3
1718688	Drill Core	0.70	488	0.065	0.06	<0.17	29.89	0.6	1.6	9.9	13	0.3	1.7	0.5	53	0.50	7.6	1.2	8.7	6.7	14
1718689	Drill Core	1.39	483	0.034	0.05	0.39	23.10	0.6	3.4	9.2	15	0.2	3.2	0.8	152	0.59	3.1	0.9	15.5	3.9	18
1718690	Rock Pulp	0.12		0.019	I.S.	I.S.	I.S.	1.9	63.6	3.2	34	<0.1	5.7	7.6	355	2.48	<0.5	0.7	<0.5	2.3	59
1718691	Rock Pulp	0.08		4.873	I.S.	I.S.	I.S.	6.6	58.1	675.0	2304	75.7	22.2	12.2	403	3.12	41.4	0.4	4656.2	1.2	37
1718692	Drill Core	0.75	527	0.005	<0.01	<0.17	27.82	0.7	6.2	59.4	5	0.9	1.4	0.9	86	0.61	4.4	1.6	<0.5	6.9	69
1718693	Drill Core	0.75	502	0.012	0.01	<0.17	21.95	0.5	2.8	8.1	15	0.2	1.9	0.7	60	0.47	4.2	0.8	9.2	4.8	6
1718694	Drill Core	0.74	457	0.014	0.01	<0.17	20.20	0.6	0.9	11.9	19	0.3	1.0	0.5	56	0.49	2.6	1.2	10.7	7.7	10
1718695	Drill Core	1.17	533	0.107	0.10	<0.17	32.61	1.9	2.3	7.2	33	0.2	0.9	0.6	105	0.77	0.5	1.4	26.6	6.9	57
1718696	Drill Core	0.78	503	<0.005	<0.01	<0.17	25.03	1.0	1.4	7.6	26	0.1	1.3	2.2	57	0.55	15.6	1.9	7.1	6.3	43
1718697	Drill Core	0.84	534	0.019	0.02	<0.17	31.58	2.8	3.5	7.7	24	0.2	1.7	2.2	94	0.84	20.2	1.5	2.5	4.9	53
1718698	Drill Core	0.87	373	0.013	0.01	<0.17	30.31	3.3	2.0	6.0	22	0.2	1.0	0.5	120	0.71	1.5	1.1	12.7	5.4	141



# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S		
	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	%	%
	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.001	0.01	0.01	0.1	0.1	0.05	0.05
1718669	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.005	17	7	0.02	385	<0.001	2	0.21	0.014	0.36	<0.1	0.09	0.8	<0.1	0.14	
1718670	Rock Pulp	<0.1	<0.1	<0.1	95	0.80	0.062	7	11	0.72	116	0.097	1	1.44	0.134	0.19	2.1	<0.01	2.5	<0.1	<0.05	
1718671	Rock Pulp	0.2	1.9	0.2	78	1.06	0.061	5	35	0.89	117	0.164	5	1.89	0.099	0.17	18.1	0.12	6.7	<0.1	<0.05	
1718672	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.002	14	10	0.02	232	<0.001	2	0.19	0.011	0.28	<0.1	0.01	0.6	<0.1	<0.05	
1718673	Drill Core	<0.1	0.4	0.1	<2	0.02	0.011	14	7	0.03	270	0.001	1	0.24	0.005	0.35	<0.1	0.02	0.9	<0.1	<0.05	
1718674	Drill Core	0.6	0.1	<0.1	<2	0.42	0.004	20	4	0.05	204	<0.001	2	0.31	0.009	0.34	<0.1	0.02	0.7	<0.1	<0.05	
1718675	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.005	25	7	0.03	243	<0.001	1	0.25	0.005	0.31	<0.1	0.02	0.8	<0.1	<0.05	
1718676	Drill Core	<0.1	0.3	<0.1	<2	<0.01	0.004	22	7	0.02	265	<0.001	3	0.24	0.012	0.29	0.1	0.03	0.7	<0.1	<0.05	
1718677	Drill Core	0.1	0.1	<0.1	<2	0.02	0.004	24	4	0.02	423	<0.001	<1	0.24	0.017	0.33	<0.1	0.02	0.6	<0.1	<0.05	
1718678	Drill Core	<0.1	0.2	<0.1	<2	0.38	0.003	17	6	0.02	201	<0.001	<1	0.22	0.014	0.30	<0.1	0.03	0.7	<0.1	0.10	
1718679	Drill Core	<0.1	0.4	<0.1	<2	0.02	0.003	18	7	0.02	797	<0.001	2	0.20	0.013	0.21	0.3	0.02	1.0	<0.1	<0.05	
1718680	Drill Core	<0.1	0.4	<0.1	<2	0.03	0.005	26	4	0.02	195	<0.001	<1	0.20	0.018	0.25	<0.1	0.04	1.4	<0.1	<0.05	
1718681	Drill Core	<0.1	0.2	<0.1	<2	0.01	0.004	24	5	0.02	219	<0.001	1	0.24	0.013	0.27	<0.1	0.02	0.6	<0.1	<0.05	
1718682	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.004	23	8	0.02	182	<0.001	1	0.25	0.019	0.27	0.1	0.01	0.8	<0.1	<0.05	
1718683	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.004	28	4	0.02	321	<0.001	<1	0.26	0.026	0.28	0.1	0.03	0.8	<0.1	<0.05	
1718684	Drill Core	<0.1	0.2	<0.1	<2	0.08	0.007	56	5	0.06	198	0.008	<1	0.33	0.020	0.29	<0.1	0.02	2.7	<0.1	<0.05	
1718685	Drill Core	0.8	0.2	<0.1	<2	0.31	0.006	44	5	0.08	242	0.004	<1	0.33	0.019	0.26	<0.1	0.03	3.3	<0.1	0.11	
1718686	Drill Core	0.5	0.2	<0.1	<2	0.16	0.005	23	6	0.03	409	<0.001	2	0.25	0.022	0.26	<0.1	0.03	1.4	<0.1	0.17	
1718687	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.003	19	6	0.01	380	<0.001	2	0.16	0.021	0.21	0.1	0.03	0.5	<0.1	<0.05	
1718688	Drill Core	<0.1	0.2	0.4	<2	0.17	0.005	24	4	0.05	338	<0.001	3	0.33	0.021	0.26	<0.1	0.06	1.3	<0.1	0.11	
1718689	Drill Core	0.2	0.2	<0.1	<2	0.21	0.003	13	9	0.04	236	<0.001	2	0.20	0.009	0.17	<0.1	0.05	1.0	<0.1	<0.05	
1718690	Rock Pulp	<0.1	<0.1	<0.1	90	0.79	0.053	7	10	0.69	101	0.091	1	1.42	0.136	0.18	1.8	0.01	1.9	<0.1	<0.05	
1718691	Rock Pulp	22.6	90.7	1.3	68	0.78	0.050	7	26	0.59	120	0.120	5	1.31	0.073	0.12	31.8	0.31	4.8	1.4	0.38	
1718692	Drill Core	0.1	0.3	1.1	<2	0.77	0.005	23	2	0.03	194	<0.001	1	0.23	0.035	0.18	0.1	0.04	1.5	<0.1	0.30	
1718693	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.003	20	3	0.01	961	<0.001	1	0.16	0.020	0.14	0.2	0.04	0.8	<0.1	<0.05	
1718694	Drill Core	<0.1	0.2	0.3	<2	0.10	0.005	33	2	0.07	373	<0.001	1	0.38	0.018	0.26	<0.1	0.06	1.8	<0.1	<0.05	
1718695	Drill Core	0.2	<0.1	<0.1	<2	0.57	0.005	19	2	0.17	364	<0.001	2	0.40	0.005	0.27	0.1	0.03	2.0	<0.1	0.14	
1718696	Drill Core	0.1	0.7	<0.1	<2	0.40	0.004	26	3	0.02	189	0.002	<1	0.21	0.038	0.13	<0.1	0.05	1.9	0.2	0.17	
1718697	Drill Core	0.2	0.6	<0.1	<2	0.63	0.002	11	3	0.15	265	<0.001	2	0.33	0.004	0.21	<0.1	0.03	1.4	0.2	0.31	
1718698	Drill Core	<0.1	0.2	<0.1	<2	1.77	0.010	14	4	0.16	454	<0.001	1	0.45	0.007	0.29	<0.1	0.05	3.2	<0.1	0.12	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 3 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1718669	Drill Core	<1	<0.5	<0.2
1718670	Rock Pulp	4	<0.5	<0.2
1718671	Rock Pulp	6	<0.5	<0.2
1718672	Drill Core	<1	<0.5	<0.2
1718673	Drill Core	<1	<0.5	<0.2
1718674	Drill Core	<1	<0.5	<0.2
1718675	Drill Core	<1	<0.5	<0.2
1718676	Drill Core	<1	<0.5	<0.2
1718677	Drill Core	<1	<0.5	<0.2
1718678	Drill Core	<1	<0.5	<0.2
1718679	Drill Core	<1	<0.5	<0.2
1718680	Drill Core	<1	<0.5	<0.2
1718681	Drill Core	<1	<0.5	<0.2
1718682	Drill Core	<1	<0.5	<0.2
1718683	Drill Core	<1	<0.5	<0.2
1718684	Drill Core	1	<0.5	<0.2
1718685	Drill Core	1	<0.5	<0.2
1718686	Drill Core	<1	<0.5	<0.2
1718687	Drill Core	<1	<0.5	<0.2
1718688	Drill Core	1	<0.5	<0.2
1718689	Drill Core	<1	<0.5	<0.2
1718690	Rock Pulp	4	<0.5	<0.2
1718691	Rock Pulp	7	0.6	<0.2
1718692	Drill Core	<1	<0.5	<0.2
1718693	Drill Core	<1	<0.5	<0.2
1718694	Drill Core	1	<0.5	<0.2
1718695	Drill Core	1	<0.5	<0.2
1718696	Drill Core	1	<0.5	<0.2
1718697	Drill Core	<1	<0.5	<0.2
1718698	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 4 of 6 Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000200.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718699	Drill Core	1.09	495	0.030	0.05	0.47	19.22	2.5	2.8	6.0	20	0.2	1.6	1.4	117	0.61	2.6	0.7	10.2	3.8	33
1718700	Drill Core	0.78	518	0.011	0.01	<0.17	19.32	0.8	1.1	3.7	20	0.2	0.9	0.4	51	0.40	1.7	0.4	3.4	6.5	13
1718701	Drill Core	1.03	406	0.042	0.04	<0.17	20.65	3.0	3.9	19.7	28	0.7	1.4	1.0	59	0.74	6.8	1.0	48.6	5.7	9
1718702	Drill Core	0.82	536	0.051	0.18	2.64	26.14	0.3	2.2	10.9	36	0.4	1.3	0.4	53	0.58	4.2	0.8	358.6	7.1	13
1718703	Drill Core	1.00	481	0.054	0.05	<0.17	25.30	1.2	2.1	6.9	15	0.1	1.0	0.5	105	0.54	1.6	1.0	42.4	5.5	59
1718704	Drill Core	1.87	416	0.014	0.01	<0.17	23.90	0.9	2.7	10.5	23	0.9	0.9	0.3	217	0.47	13.3	1.5	15.4	6.8	25
1718705	Drill Core	1.40	383	0.059	0.06	<0.17	24.33	0.7	6.0	11.3	21	0.9	1.1	1.2	131	0.94	5.4	1.7	44.1	5.5	87
1718706	Drill Core	1.56	499	0.168	0.16	<0.17	23.70	0.5	2.0	11.5	14	0.4	1.3	0.6	52	0.61	3.4	0.4	47.4	3.8	2
1718707	Drill Core	1.66	363	0.016	0.01	<0.17	27.11	0.2	3.4	6.2	12	0.2	1.8	0.9	58	0.56	3.0	0.4	4.4	3.9	2
1718708	Drill Core	0.54	461	0.734	1.76	24.42	19.94	0.3	2.3	28.2	30	0.9	1.5	0.4	47	0.62	7.4	1.0	1139.7	6.4	12
1718709	Drill Core	1.62	525	0.039	0.04	<0.17	23.55	0.1	1.3	10.7	13	0.3	1.6	0.5	39	0.46	1.9	0.6	20.1	5.5	2
1718710	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.6	67.9	3.6	39	0.1	4.8	9.0	385	2.70	1.5	0.8	10.2	2.6	65
1718711	Rock Pulp	0.08		0.039	I.S.	I.S.	I.S.	1.3	565.6	20.8	69	0.3	280.7	97.2	1030	17.46	3.0	1.2	51.2	7.5	16
1718712	Drill Core	1.87	433	0.023	0.04	0.38	18.65	0.5	3.2	11.1	11	0.3	1.6	0.9	53	0.51	2.3	0.5	15.0	4.0	2
1718713	Drill Core	0.79	492	0.014	0.01	<0.17	27.81	0.3	2.3	19.0	28	0.3	1.1	0.7	34	0.50	5.4	0.9	16.1	8.4	3
1718714	Drill Core	0.48	411	0.127	0.22	2.38	17.24	1.3	3.0	23.0	29	0.8	0.9	0.5	46	0.59	4.8	0.8	81.2	7.3	5
1718715	Drill Core	0.27	215	0.191	0.19	<0.17	21.78	0.3	3.2	15.4	28	0.7	1.2	1.5	42	0.66	5.3	0.9	221.9	8.1	3
1718716	Drill Core	1.09	487	7.637	17.39	218.14	22.55	0.5	4.6	52.1	21	6.3	1.1	0.8	55	0.65	4.1	0.4	17334.4	3.4	5
1718717	Drill Core	0.78	483	>10	51.83	744.67	20.93	1.2	2.5	17.4	39	17.1	1.5	0.6	117	0.68	37.4	1.6	70580.0	6.0	64
1718718	Drill Core	1.89	367	0.025	0.02	<0.17	20.96	0.8	2.9	10.2	42	0.4	3.3	0.9	75	0.67	11.1	1.3	25.5	7.6	15
1718719	Drill Core	1.18	514	0.114	0.48	9.43	20.14	2.2	1.6	35.4	20	0.7	1.0	0.5	38	0.56	2.6	0.7	71.0	6.4	3
1718720	Drill Core	0.40	330	0.559	0.74	3.34	21.88	2.2	2.6	28.6	36	0.6	1.1	0.9	46	0.76	7.0	1.4	260.2	7.4	3
1718721	Drill Core	0.85	505	0.156	0.27	2.82	21.61	0.8	1.4	72.8	24	0.9	1.1	0.4	50	0.58	2.9	0.6	100.8	5.4	4
1718722	Drill Core	0.73	459	0.651	1.49	18.19	22.04	1.7	3.2	198.1	19	2.4	1.4	0.7	50	0.78	2.9	1.2	2035.6	6.7	5
1718723	Drill Core	0.50	425	0.038	0.04	<0.17	20.05	0.8	1.1	17.0	9	0.3	0.9	0.2	34	0.41	4.8	1.0	25.3	6.7	4
1718724	Drill Core	0.35	282	<0.005	<0.01	<0.17	20.41	0.6	1.7	5.9	8	0.1	0.6	0.5	217	0.41	0.9	1.3	1.6	8.7	64
1718725	Drill Core	1.97	394	0.007	<0.01	<0.17	24.77	1.3	2.3	9.4	64	0.3	1.1	0.8	265	1.46	8.0	1.0	3.9	5.6	129
1718726	Drill Core	0.88	376	0.049	0.05	<0.17	20.74	1.0	3.4	10.6	32	0.3	0.7	0.6	61	0.45	3.4	0.8	32.8	6.4	6
1718727	Drill Core	0.80	329	0.297	0.31	0.48	22.92	0.9	6.5	18.3	66	0.7	0.9	0.9	119	0.70	4.7	1.1	158.3	7.1	8
1718728	Drill Core	0.71	466	0.009	<0.01	<0.17	23.30	0.5	2.7	8.1	21	0.3	0.6	0.9	50	0.46	2.4	0.5	5.2	5.1	3





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 4 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000200.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S		
	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	%	%
	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.001	0.01	0.01	0.1	0.1	0.05	0.05
1718699	Drill Core	0.1	0.2	<0.1	<2	0.61	0.002	12	3	0.06	220	<0.001	1	0.21	0.008	0.16	0.1	0.05	1.1	<0.1	<0.10	
1718700	Drill Core	0.1	0.1	<0.1	<2	0.16	0.005	21	2	0.02	265	<0.001	4	0.23	0.025	0.20	<0.1	0.10	0.9	<0.1	<0.05	
1718701	Drill Core	0.4	0.3	<0.1	<2	0.07	0.003	15	3	0.04	408	<0.001	3	0.28	0.019	0.23	0.1	0.07	1.0	<0.1	0.25	
1718702	Drill Core	<0.1	0.3	<0.1	<2	0.12	0.005	25	2	0.05	431	<0.001	1	0.33	0.027	0.24	0.1	0.07	1.7	<0.1	0.10	
1718703	Drill Core	<0.1	0.2	<0.1	<2	0.65	0.003	18	2	0.04	373	<0.001	1	0.25	0.013	0.23	0.1	0.06	1.1	<0.1	0.09	
1718704	Drill Core	0.2	0.2	<0.1	<2	0.24	0.004	26	2	0.02	379	<0.001	2	0.28	0.009	0.40	0.2	0.03	1.0	<0.1	0.15	
1718705	Drill Core	0.3	0.9	<0.1	<2	0.82	0.004	13	2	0.07	248	<0.001	2	0.28	0.019	0.22	0.1	0.08	1.3	0.2	0.49	
1718706	Drill Core	<0.1	0.5	<0.1	<2	0.01	0.003	16	4	0.02	198	<0.001	<1	0.20	0.011	0.16	<0.1	0.05	0.6	<0.1	<0.05	
1718707	Drill Core	<0.1	0.2	<0.1	<2	0.01	0.003	16	3	0.03	219	<0.001	3	0.22	0.014	0.15	0.1	0.03	0.8	<0.1	<0.05	
1718708	Drill Core	<0.1	1.0	<0.1	<2	0.01	0.005	27	4	0.03	1785	<0.001	4	0.29	0.011	0.22	0.3	0.21	1.0	<0.1	<0.05	
1718709	Drill Core	<0.1	0.3	<0.1	<2	0.01	0.003	25	3	0.02	192	<0.001	2	0.24	0.015	0.19	0.1	0.07	0.7	<0.1	<0.05	
1718710	Rock Pulp	0.1	<0.1	0.1	94	0.89	0.054	7	10	0.71	109	0.118	3	1.48	0.151	0.19	2.2	<0.01	2.1	0.3	<0.05	
1718711	Rock Pulp	0.1	0.5	0.3	232	0.41	0.042	19	832	0.17	163	0.236	8	4.35	0.009	0.08	<0.1	0.03	50.3	0.2	<0.05	
1718712	Drill Core	<0.1	0.3	<0.1	<2	0.01	0.003	17	3	0.01	195	<0.001	3	0.18	0.008	0.15	0.1	0.05	0.6	<0.1	<0.05	
1718713	Drill Core	<0.1	0.5	<0.1	<2	<0.01	0.007	37	2	0.03	248	<0.001	3	0.35	0.011	0.30	<0.1	0.04	1.3	<0.1	<0.05	
1718714	Drill Core	<0.1	0.5	<0.1	<2	<0.01	0.004	27	2	0.03	511	<0.001	1	0.28	0.014	0.23	<0.1	0.05	1.4	<0.1	<0.05	
1718715	Drill Core	<0.1	0.4	<0.1	<2	0.01	0.006	34	3	0.04	383	0.002	3	0.44	0.035	0.32	0.1	0.06	1.8	<0.1	<0.05	
1718716	Drill Core	<0.1	0.6	0.3	<2	<0.01	0.002	11	3	0.02	457	<0.001	3	0.17	0.010	0.13	0.2	0.09	0.7	<0.1	<0.05	
1718717	Drill Core	0.5	0.5	0.4	<2	0.69	0.006	26	3	0.05	235	0.004	1	0.34	0.025	0.18	0.5	0.21	2.7	<0.1	<0.05	
1718718	Drill Core	0.2	0.6	<0.1	<2	0.07	0.005	26	2	0.08	330	0.003	<1	0.37	0.029	0.21	<0.1	0.02	2.8	<0.1	<0.05	
1718719	Drill Core	<0.1	0.2	0.2	<2	0.02	0.004	21	3	0.06	348	<0.001	<1	0.33	0.013	0.23	0.1	0.02	1.1	<0.1	<0.05	
1718720	Drill Core	0.2	0.4	<0.1	<2	0.02	0.006	27	2	0.05	279	0.001	2	0.30	0.022	0.21	0.1	0.06	1.3	<0.1	<0.05	
1718721	Drill Core	<0.1	0.4	0.3	<2	0.02	0.003	23	3	0.04	179	<0.001	2	0.29	0.010	0.22	<0.1	0.02	1.5	<0.1	<0.05	
1718722	Drill Core	<0.1	0.4	0.7	<2	0.01	0.005	20	2	0.06	367	<0.001	2	0.32	0.023	0.24	0.1	0.03	1.0	<0.1	0.13	
1718723	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.005	29	2	0.02	284	<0.001	2	0.25	0.035	0.19	<0.1	0.04	0.9	<0.1	<0.05	
1718724	Drill Core	<0.1	0.1	<0.1	<2	0.91	0.006	33	2	0.03	345	0.001	<1	0.31	0.028	0.31	<0.1	0.01	2.0	<0.1	<0.05	
1718725	Drill Core	0.1	0.3	<0.1	<2	1.37	0.006	23	3	0.32	167	0.001	<1	0.60	0.045	0.15	0.3	0.07	7.0	<0.1	<0.05	
1718726	Drill Core	<0.1	0.3	<0.1	<2	0.08	0.003	19	2	0.02	206	<0.001	2	0.25	0.019	0.31	<0.1	0.05	1.0	<0.1	0.13	
1718727	Drill Core	0.2	0.2	<0.1	<2	0.02	0.006	24	2	0.04	339	0.001	1	0.32	0.022	0.32	<0.1	0.03	1.1	<0.1	0.19	
1718728	Drill Core	<0.1	0.2	<0.1	<2	0.01	0.003	18	2	0.02	208	<0.001	2	0.24	0.016	0.29	<0.1	0.03	0.6	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 4 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718699	Drill Core	<1	<0.5	<0.2	
1718700	Drill Core	<1	<0.5	<0.2	
1718701	Drill Core	<1	<0.5	<0.2	
1718702	Drill Core	<1	<0.5	<0.2	
1718703	Drill Core	<1	<0.5	<0.2	
1718704	Drill Core	<1	<0.5	<0.2	
1718705	Drill Core	<1	<0.5	<0.2	
1718706	Drill Core	<1	<0.5	<0.2	
1718707	Drill Core	<1	<0.5	<0.2	
1718708	Drill Core	<1	<0.5	<0.2	
1718709	Drill Core	<1	<0.5	<0.2	
1718710	Rock Pulp	4	<0.5	<0.2	
1718711	Rock Pulp	20	1.6	<0.2	
1718712	Drill Core	<1	<0.5	<0.2	
1718713	Drill Core	<1	<0.5	<0.2	
1718714	Drill Core	<1	<0.5	<0.2	
1718715	Drill Core	1	<0.5	<0.2	
1718716	Drill Core	<1	<0.5	<0.2	
1718717	Drill Core	1	<0.5	<0.2	20.4
1718718	Drill Core	1	<0.5	<0.2	
1718719	Drill Core	1	<0.5	<0.2	
1718720	Drill Core	<1	<0.5	<0.2	
1718721	Drill Core	<1	<0.5	<0.2	
1718722	Drill Core	<1	<0.5	<0.2	
1718723	Drill Core	<1	<0.5	<0.2	
1718724	Drill Core	<1	<0.5	<0.2	
1718725	Drill Core	2	<0.5	<0.2	
1718726	Drill Core	<1	<0.5	<0.2	
1718727	Drill Core	<1	<0.5	<0.2	
1718728	Drill Core	<1	<0.5	<0.2	



**CERTIFICATE OF ANALYSIS**

**WHI15000200.1**

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt kg	TotWt g	-Au gm/t	TotAu gm/t	+Au gm/t	+Wt g	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	
1718729	Drill Core	1.11	468	0.008	<0.01	<0.17	28.60	2.7	2.2	8.2	25	0.2	0.6	0.8	194	0.53	2.3	1.4	6.9	6.7	19
1718730	Rock Pulp	0.12		0.009	I.S.	I.S.	I.S.	2.0	63.7	3.3	34	<0.1	5.3	7.9	356	2.52	0.5	0.7	4.4	2.2	60
1718731	Rock Pulp	0.08		0.258	I.S.	I.S.	I.S.	15.1	33.9	15.4	19	0.4	11.9	7.0	51	2.99	490.3	1.1	241.2	0.7	28
1718732	Drill Core	0.82	334	<0.005	<0.01	<0.17	19.39	0.7	1.2	4.1	14	<0.1	0.8	0.7	255	0.41	0.7	0.6	1.1	7.1	42
1718733	Drill Core	0.61	532	0.026	0.02	<0.17	28.58	0.8	2.2	8.7	22	0.3	0.5	0.4	315	0.56	2.1	0.6	6.8	7.4	64
1718734	Drill Core	0.52	414	<0.005	<0.01	<0.17	19.50	0.8	6.9	17.0	27	0.1	6.7	3.3	451	1.49	3.5	0.8	3.5	3.7	20
1718735	Drill Core	1.05	430	0.026	0.02	<0.17	25.58	1.0	7.5	16.0	39	0.2	6.8	4.8	439	1.78	3.5	1.0	28.2	6.3	89
1718736	Drill Core	0.40	323	2.298	2.73	8.66	21.94	0.5	11.4	3.4	19	1.6	4.2	2.3	98	1.19	8.1	1.0	4497.6	3.7	15
1718737	Drill Core	0.98	367	<0.005	<0.01	<0.17	24.09	0.7	17.7	16.0	26	0.1	8.6	5.2	240	1.34	1.6	0.9	8.9	3.8	42
1718738	Drill Core	0.67	453	0.006	<0.01	<0.17	23.00	0.5	19.0	13.4	46	0.2	10.6	6.5	418	1.89	7.2	0.8	5.7	3.8	80
1718739	Drill Core	0.47	362	0.412	0.41	0.42	23.57	0.5	2.0	6.4	54	0.2	10.8	8.5	735	2.27	19.4	1.4	86.8	7.1	149
1718740	Drill Core	1.08	445	0.097	0.14	0.84	25.05	0.5	2.2	6.4	50	0.2	11.0	8.9	740	2.31	19.6	1.4	76.7	7.5	154
1718741	Drill Core	1.10	488	0.524	0.58	1.59	27.62	1.1	5.0	4.0	26	0.3	6.1	4.5	269	1.68	102.5	1.4	446.0	6.6	28
1718742	Drill Core	1.45	353	0.009	<0.01	<0.17	18.40	0.6	20.5	11.0	37	0.2	10.5	7.1	388	2.01	10.7	1.2	7.4	7.4	36
1718743	Drill Core	0.58	504	1.124	1.68	12.36	25.09	0.8	14.6	6.6	28	0.5	8.1	5.5	508	1.95	3.4	1.3	770.5	6.0	73
1718744	Drill Core	0.43	362	0.668	0.69	0.98	23.55	0.5	6.2	3.7	37	0.5	6.2	3.1	247	1.43	6.7	0.8	925.2	4.2	40
1718745	Drill Core	0.32	261	0.346	0.40	0.97	22.66	0.8	10.3	16.0	40	0.4	6.5	4.3	656	1.86	7.1	1.2	335.9	5.6	135
1718746	Drill Core	0.21	161	4.489	4.58	5.31	17.50	0.9	4.2	13.7	34	1.6	10.7	6.5	549	2.28	6.2	1.4	4948.6	8.8	64
1718747	Drill Core	0.44	372	0.117	0.11	<0.17	23.68	0.4	5.8	20.9	13	0.3	4.0	2.9	281	1.06	2.4	0.5	64.2	3.5	34
1718748	Drill Core	0.79	527	0.382	0.54	3.65	26.03	0.3	12.5	6.8	43	0.6	7.1	5.9	322	1.89	3.9	1.2	2292.7	7.6	35
1718749	Drill Core	1.35	488	1.145	1.22	2.94	21.07	0.5	22.4	27.8	66	1.2	9.1	6.5	411	2.25	4.3	1.6	1319.3	9.0	59
1718750	Rock Pulp	0.12		0.010	I.S.	I.S.	I.S.	1.9	69.1	3.5	36	<0.1	5.4	8.4	348	2.50	0.9	0.8	1.2	2.5	54
1718751	Rock Pulp	0.08		1.984	I.S.	I.S.	I.S.	2.9	36.6	6.1	55	0.3	27.5	12.0	464	2.91	8.8	0.3	1584.5	1.0	44
1718752	Drill Core	1.66	375	0.240	0.27	0.84	21.41	0.4	9.6	6.9	32	0.4	5.2	3.2	255	1.51	2.1	0.8	471.4	4.0	56
1718753	Drill Core	0.63	390	0.148	0.15	0.22	23.15	0.3	9.2	5.7	74	0.4	10.8	7.3	427	2.47	2.6	1.4	198.0	10.3	96
1718754	Drill Core	1.24	511	0.948	1.35	11.15	19.91	0.4	17.8	11.0	63	1.0	7.4	5.7	455	2.40	1.8	1.4	1791.6	8.2	122
1718755	Drill Core	1.73	413	0.110	0.10	<0.17	26.12	0.3	9.5	5.0	35	0.6	5.9	3.3	274	1.46	1.9	0.8	120.3	4.7	83
1718756	Drill Core	0.56	479	0.628	0.90	6.57	22.07	0.5	16.1	15.6	60	0.6	8.5	4.7	528	2.19	2.2	1.4	1187.8	8.0	145
1718757	Drill Core	0.91	396	0.881	1.00	3.11	20.57	1.0	13.6	12.7	57	0.7	14.3	9.3	534	2.81	3.9	2.2	771.2	12.9	103
1718758	Drill Core	1.17	543	2.707	5.98	85.10	21.54	1.1	22.3	12.4	67	2.5	15.3	9.5	690	3.67	11.6	3.4	12958.4	13.0	131



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 5 of 6

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.1	0.05
1718729	Drill Core	0.1	0.2	<0.1	<2	0.22	0.005	26	3	0.02	963	<0.001	1	0.29	0.004	0.33	<0.1	0.02	1.0	<0.1	0.08	
1718730	Rock Pulp	<0.1	0.1	<0.1	85	0.80	0.053	7	10	0.69	98	0.086	<1	1.39	0.140	0.18	1.6	<0.01	1.8	<0.1	<0.05	
1718731	Rock Pulp	0.7	22.3	0.1	10	0.99	0.006	2	18	0.03	1048	0.010	4	0.21	0.010	0.07	26.9	2.92	0.5	13.4	0.14	
1718732	Drill Core	0.1	<0.1	<0.1	<2	0.62	0.006	26	1	0.04	210	<0.001	<1	0.28	0.005	0.38	<0.1	<0.01	0.5	<0.1	<0.05	
1718733	Drill Core	0.4	0.2	<0.1	<2	0.80	0.005	25	1	0.05	510	0.001	2	0.42	0.006	0.47	<0.1	<0.01	0.7	<0.1	0.18	
1718734	Drill Core	0.3	0.4	0.2	6	0.38	0.035	12	7	0.34	164	0.027	<1	0.48	0.029	0.23	0.5	<0.01	2.2	<0.1	<0.05	
1718735	Drill Core	0.2	0.3	<0.1	9	1.30	0.076	18	12	0.59	197	0.040	1	0.69	0.021	0.43	0.2	<0.01	3.8	0.2	<0.05	
1718736	Drill Core	<0.1	0.4	<0.1	2	0.03	0.009	10	5	0.06	127	0.001	1	0.22	0.006	0.16	1.9	<0.01	0.6	<0.1	<0.05	
1718737	Drill Core	0.2	0.2	0.2	9	0.91	0.048	9	10	0.32	218	0.064	<1	0.56	0.021	0.25	0.1	<0.01	2.6	<0.1	<0.05	
1718738	Drill Core	0.3	0.8	<0.1	12	1.66	0.047	10	12	0.48	192	0.066	<1	0.73	0.025	0.22	<0.1	<0.01	4.2	<0.1	<0.05	
1718739	Drill Core	0.5	0.7	0.1	10	2.10	0.043	21	11	0.81	204	0.030	3	1.04	0.010	0.47	0.2	<0.01	3.9	0.2	<0.05	
1718740	Drill Core	0.5	0.9	0.1	11	2.11	0.044	23	11	0.82	218	0.033	1	1.07	0.009	0.48	0.2	<0.01	3.9	0.2	<0.05	
1718741	Drill Core	0.1	1.5	<0.1	5	0.28	0.018	18	6	0.32	165	0.003	2	0.51	0.007	0.28	0.2	<0.01	1.8	0.1	<0.05	
1718742	Drill Core	0.3	0.4	0.2	9	0.97	0.061	23	10	0.45	187	0.027	1	0.75	0.023	0.38	0.4	<0.01	3.1	0.2	<0.05	
1718743	Drill Core	0.2	0.3	<0.1	6	1.63	0.047	16	9	0.56	103	0.008	1	0.60	0.032	0.19	0.2	<0.01	3.2	<0.1	<0.05	
1718744	Drill Core	0.3	0.9	<0.1	5	0.63	0.019	13	8	0.33	109	0.004	2	0.51	0.008	0.22	0.2	<0.01	1.8	<0.1	<0.05	
1718745	Drill Core	0.3	0.6	<0.1	6	2.10	0.108	15	9	0.66	137	0.006	1	0.76	0.023	0.23	0.2	<0.01	3.4	<0.1	<0.05	
1718746	Drill Core	0.2	0.7	<0.1	4	1.50	0.030	19	6	0.67	176	0.004	<1	0.82	0.042	0.32	0.1	<0.01	3.3	0.1	<0.05	
1718747	Drill Core	0.2	0.3	<0.1	<2	0.73	0.012	10	4	0.19	76	0.002	1	0.22	0.008	0.15	0.1	<0.01	1.2	<0.1	<0.05	
1718748	Drill Core	0.3	0.7	<0.1	10	0.82	0.039	22	15	0.60	90	0.032	1	0.68	0.041	0.39	0.3	<0.01	3.8	0.2	<0.05	
1718749	Drill Core	0.5	0.5	0.3	10	1.43	0.039	23	19	0.82	72	0.026	<1	0.82	0.058	0.22	0.4	<0.01	4.3	0.1	<0.05	
1718750	Rock Pulp	<0.1	<0.1	<0.1	86	0.73	0.057	6	10	0.68	98	0.087	1	1.29	0.124	0.18	1.8	<0.01	1.7	<0.1	<0.05	
1718751	Rock Pulp	0.2	1.7	0.1	70	0.96	0.059	5	30	0.86	101	0.128	5	1.80	0.109	0.16	15.2	0.09	5.1	<0.1	<0.05	
1718752	Drill Core	0.2	0.4	<0.1	6	0.80	0.016	11	14	0.48	27	0.010	<1	0.45	0.036	0.08	0.2	<0.01	2.8	<0.1	<0.05	
1718753	Drill Core	0.4	0.3	<0.1	17	1.34	0.039	26	23	1.10	65	0.015	<1	1.09	0.074	0.19	0.1	0.01	4.4	0.1	<0.05	
1718754	Drill Core	0.4	0.3	<0.1	11	1.70	0.021	21	20	0.95	56	0.010	<1	0.91	0.062	0.15	0.2	<0.01	4.3	<0.1	<0.05	
1718755	Drill Core	0.2	0.4	<0.1	8	1.11	0.019	12	14	0.50	24	0.003	<1	0.47	0.036	0.04	1.4	<0.01	2.2	<0.1	<0.05	
1718756	Drill Core	0.3	0.3	<0.1	9	2.08	0.028	20	22	0.86	37	0.004	<1	0.84	0.073	0.07	<0.1	<0.01	4.3	<0.1	<0.05	
1718757	Drill Core	0.3	0.4	<0.1	14	1.36	0.072	31	26	1.02	150	0.006	<1	1.11	0.048	0.23	0.1	<0.01	4.6	<0.1	<0.05	
1718758	Drill Core	0.4	0.4	0.1	19	1.64	0.083	33	47	1.49	43	0.007	<1	1.41	0.103	0.08	0.1	<0.01	7.2	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 5 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1718729	Drill Core	<1	<0.5	<0.2
1718730	Rock Pulp	4	<0.5	<0.2
1718731	Rock Pulp	<1	1.7	<0.2
1718732	Drill Core	<1	<0.5	<0.2
1718733	Drill Core	1	<0.5	<0.2
1718734	Drill Core	1	<0.5	<0.2
1718735	Drill Core	2	<0.5	<0.2
1718736	Drill Core	<1	<0.5	<0.2
1718737	Drill Core	2	<0.5	<0.2
1718738	Drill Core	2	<0.5	<0.2
1718739	Drill Core	2	<0.5	<0.2
1718740	Drill Core	3	<0.5	<0.2
1718741	Drill Core	2	<0.5	<0.2
1718742	Drill Core	2	<0.5	<0.2
1718743	Drill Core	2	<0.5	<0.2
1718744	Drill Core	2	<0.5	<0.2
1718745	Drill Core	2	<0.5	<0.2
1718746	Drill Core	2	<0.5	<0.2
1718747	Drill Core	<1	<0.5	<0.2
1718748	Drill Core	2	<0.5	<0.2
1718749	Drill Core	3	<0.5	<0.2
1718750	Rock Pulp	4	<0.5	<0.2
1718751	Rock Pulp	6	<0.5	<0.2
1718752	Drill Core	1	<0.5	<0.2
1718753	Drill Core	4	<0.5	<0.2
1718754	Drill Core	3	<0.5	<0.2
1718755	Drill Core	2	<0.5	<0.2
1718756	Drill Core	3	0.6	<0.2
1718757	Drill Core	4	<0.5	<0.2
1718758	Drill Core	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 6 of 6

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718759	Drill Core	1.46	357	2.330	6.92	90.38	18.61	0.9	25.5	14.4	81	1.9	15.6	10.4	448	3.05	3.2	2.7	7040.6	13.7	52
1718760	Drill Core	1.17	463	0.018	0.02	<0.17	23.32	0.7	13.7	15.7	46	0.1	11.9	7.2	283	1.90	10.7	1.3	6.2	10.5	64
1718761	Drill Core	0.94	471	0.007	<0.01	<0.17	24.46	0.5	10.6	31.6	58	0.2	12.8	6.0	280	1.90	11.7	0.9	2.5	9.0	28
1718762	Drill Core	1.21	414	0.007	<0.01	<0.17	26.09	0.7	18.4	48.5	43	1.3	10.6	6.5	481	1.93	15.3	1.2	3.9	7.5	75
1718763	Drill Core	0.91	476	0.006	<0.01	<0.17	19.49	0.8	19.3	22.8	49	0.3	16.1	7.2	318	1.98	23.2	1.1	1.0	8.6	89
1718764	Drill Core	1.41	485	0.011	0.01	<0.17	28.11	1.5	22.7	28.9	50	0.3	19.3	8.0	498	1.96	18.1	1.5	9.3	6.3	87
1718765	Drill Core	1.12	433	<0.005	<0.01	<0.17	21.72	0.3	11.7	27.3	59	0.2	11.4	6.6	405	2.35	11.7	0.6	1.3	8.8	36
1718766	Drill Core	1.62	426	<0.005	<0.01	<0.17	23.85	0.4	8.1	29.3	51	0.1	10.7	5.7	453	1.87	12.0	0.9	0.8	9.5	57
1718767	Drill Core	1.20	473	0.007	<0.01	<0.17	23.58	0.4	12.4	22.8	42	0.1	10.1	5.2	306	1.72	14.0	0.8	4.5	6.6	30
1718768	Drill Core	1.76	483	0.007	<0.01	<0.17	22.26	0.6	14.3	26.0	63	0.1	12.6	7.5	353	2.33	19.7	1.1	2.5	10.3	47
1718769	Drill Core	1.37	579	0.070	0.07	<0.17	27.49	0.9	12.0	28.3	50	0.4	9.2	6.2	369	1.99	17.1	1.5	48.6	6.9	41
1718770	Rock Pulp	0.12		0.008	I.S.	I.S.	I.S.	2.1	70.1	3.8	39	<0.1	5.4	8.2	343	2.46	0.6	0.9	5.4	2.7	64
1718771	Rock Pulp	0.08		0.050	I.S.	I.S.	I.S.	1.1	562.9	21.8	73	0.2	277.2	98.6	996	16.95	5.0	1.3	43.4	7.7	17
1718772	Drill Core	1.46	516	0.020	0.02	<0.17	18.48	0.8	10.9	33.2	36	0.3	11.9	6.4	368	1.99	13.5	1.3	11.7	5.4	25
1718773	Drill Core	2.56	495	0.035	0.03	<0.17	28.61	0.8	9.7	26.7	21	0.3	6.0	3.4	250	1.23	9.9	0.7	36.4	3.5	40
1718774	Drill Core	2.57	517	1.442	1.55	4.42	18.56	0.8	10.8	3.2	17	0.9	13.5	5.8	110	1.28	13.7	0.8	1694.5	3.5	6
1718775	Drill Core	1.19	425	0.545	0.68	2.87	25.05	1.5	18.9	11.1	54	0.9	20.8	11.8	610	2.19	42.0	2.0	789.7	6.8	22
1718776	Drill Core	1.55	365	0.307	0.31	0.38	21.18	1.3	28.9	16.7	43	0.6	14.3	8.3	412	2.17	15.4	2.0	313.9	6.8	48



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 6 of 6

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%		
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718759	Drill Core	0.7	0.4	0.2	18	0.81	0.079	35	29	1.11	170	0.012	<1	1.21	0.048	0.23	<0.1	<0.01	5.6	0.1	<0.05	
1718760	Drill Core	0.4	0.4	0.1	10	1.22	0.068	27	13	0.61	221	0.033	<1	0.89	0.015	0.41	0.4	<0.01	4.2	0.1	<0.05	
1718761	Drill Core	0.3	0.9	<0.1	12	0.53	0.064	24	16	0.63	166	0.010	<1	0.82	0.020	0.24	0.2	<0.01	3.5	<0.1	<0.05	
1718762	Drill Core	0.3	0.2	0.6	10	1.61	0.064	17	18	0.63	134	0.011	<1	0.80	0.031	0.24	1.4	<0.01	2.8	<0.1	<0.05	
1718763	Drill Core	0.3	0.3	0.3	14	1.58	0.063	20	14	0.74	163	0.027	<1	1.01	0.026	0.37	0.2	<0.01	4.8	0.1	<0.05	
1718764	Drill Core	0.3	0.2	0.1	12	1.87	0.052	19	20	0.64	171	0.008	<1	0.85	0.007	0.26	0.2	<0.01	2.7	<0.1	<0.05	
1718765	Drill Core	0.2	0.2	<0.1	17	0.61	0.064	23	20	0.88	152	0.007	<1	1.11	0.029	0.19	<0.1	<0.01	4.8	<0.1	<0.05	
1718766	Drill Core	0.3	0.3	<0.1	15	1.11	0.068	21	18	0.75	171	0.016	<1	0.89	0.024	0.26	<0.1	<0.01	4.8	0.1	<0.05	
1718767	Drill Core	0.2	0.4	<0.1	10	0.59	0.032	15	15	0.58	112	0.008	<1	0.70	0.014	0.19	<0.1	<0.01	3.2	0.1	<0.05	
1718768	Drill Core	0.3	0.5	<0.1	17	0.94	0.066	21	17	0.89	164	0.013	<1	1.10	0.036	0.30	0.1	<0.01	6.3	0.2	<0.05	
1718769	Drill Core	0.3	0.4	0.1	8	0.80	0.053	17	13	0.50	151	0.003	<1	0.84	0.010	0.24	<0.1	<0.01	3.0	<0.1	<0.05	
1718770	Rock Pulp	<0.1	0.1	<0.1	84	0.73	0.062	7	11	0.67	114	0.095	2	1.27	0.126	0.18	1.9	<0.01	1.8	<0.1	<0.05	
1718771	Rock Pulp	0.1	0.6	<0.1	234	0.45	0.041	19	769	0.17	166	0.224	6	4.05	0.009	0.08	<0.1	0.02	46.7	0.1	<0.05	
1718772	Drill Core	0.2	0.4	0.1	16	0.23	0.057	15	31	0.64	59	0.003	<1	0.79	0.013	0.13	<0.1	<0.01	2.4	<0.1	<0.05	
1718773	Drill Core	0.1	0.3	0.1	8	0.37	0.049	10	20	0.35	75	0.003	<1	0.48	0.009	0.15	<0.1	<0.01	1.2	<0.1	<0.05	
1718774	Drill Core	<0.1	0.3	<0.1	2	0.05	0.013	9	8	0.19	92	0.002	<1	0.28	0.006	0.15	0.3	<0.01	1.0	<0.1	<0.05	
1718775	Drill Core	0.4	0.7	<0.1	15	0.19	0.039	20	18	0.64	160	0.003	<1	0.93	0.007	0.24	0.4	0.02	3.2	0.1	<0.05	
1718776	Drill Core	0.2	0.5	<0.1	12	0.77	0.058	19	14	0.57	226	0.008	<1	0.85	0.029	0.25	0.1	<0.01	3.3	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 6 of 6

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
Unit		ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.9
1718759	Drill Core	4	<0.5	<0.2	
1718760	Drill Core	3	<0.5	<0.2	
1718761	Drill Core	3	<0.5	<0.2	
1718762	Drill Core	2	<0.5	<0.2	
1718763	Drill Core	3	<0.5	<0.2	
1718764	Drill Core	2	<0.5	<0.2	
1718765	Drill Core	4	<0.5	<0.2	
1718766	Drill Core	4	<0.5	<0.2	
1718767	Drill Core	3	<0.5	<0.2	
1718768	Drill Core	4	<0.5	<0.2	
1718769	Drill Core	2	<0.5	<0.2	
1718770	Rock Pulp	4	<0.5	<0.2	
1718771	Rock Pulp	20	1.4	<0.2	
1718772	Drill Core	3	<0.5	<0.2	
1718773	Drill Core	2	<0.5	<0.2	
1718774	Drill Core	<1	<0.5	<0.2	
1718775	Drill Core	3	<0.5	<0.2	
1718776	Drill Core	3	<0.5	<0.2	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 1 of 3

Part: 1 of 3

# QUALITY CONTROL REPORT

## WHI15000200.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
1718641	Drill Core	1.35	480	0.733	0.89	4.43	19.88	1.0	12.1	7.8	57	1.0	5.8	4.9	168	2.26	31.5	0.9	564.6	4.9	10
REP 1718641	QC							1.0	12.3	8.0	57	1.1	6.0	4.9	169	2.29	31.3	0.9	727.4	4.9	10
1718657	Drill Core	1.09	464	<0.005	<0.01	<0.17	18.99	0.6	5.7	12.7	17	0.2	5.5	0.8	53	0.62	2.4	0.8	0.6	4.9	11
REP 1718657	QC			<0.005																	
1718678	Drill Core	1.06	409	0.051	0.05	<0.17	18.73	1.0	3.3	6.9	10	0.3	1.7	0.6	162	0.52	2.7	0.5	36.0	5.2	19
REP 1718678	QC							0.6	3.5	7.2	9	0.3	1.8	0.8	164	0.53	2.0	0.5	47.5	5.2	19
1718713	Drill Core	0.79	492	0.014	0.01	<0.17	27.81	0.3	2.3	19.0	28	0.3	1.1	0.7	34	0.50	5.4	0.9	16.1	8.4	3
REP 1718713	QC							0.3	2.7	19.6	29	0.3	1.1	1.1	36	0.50	5.3	0.9	7.4	8.3	3
1718725	Drill Core	1.97	394	0.007	<0.01	<0.17	24.77	1.3	2.3	9.4	64	0.3	1.1	0.8	265	1.46	8.0	1.0	3.9	5.6	129
REP 1718725	QC			0.006																	
1718732	Drill Core	0.82	334	<0.005	<0.01	<0.17	19.39	0.7	1.2	4.1	14	<0.1	0.8	0.7	255	0.41	0.7	0.6	1.1	7.1	42
REP 1718732	QC			<0.005																	
1718748	Drill Core	0.79	527	0.382	0.54	3.65	26.03	0.3	12.5	6.8	43	0.6	7.1	5.9	322	1.89	3.9	1.2	2292.7	7.6	35
REP 1718748	QC							0.3	12.9	7.6	49	0.6	7.3	5.9	316	1.86	4.3	1.4	482.8	8.6	37
Core Reject Duplicates																					
1718667	Drill Core	0.50	207	0.014	0.01	<0.17	19.20	0.6	3.5	9.4	26	0.4	2.3	0.7	59	0.65	6.1	0.7	9.3	7.2	3
DUP 1718667	QC		188	0.013	0.01	<0.17	18.76	0.5	3.9	9.2	25	0.4	2.1	0.7	60	0.66	6.1	0.7	9.0	7.1	4
1718701	Drill Core	1.03	406	0.042	0.04	<0.17	20.65	3.0	3.9	19.7	28	0.7	1.4	1.0	59	0.74	6.8	1.0	48.6	5.7	9
DUP 1718701	QC		497	0.052	0.05	<0.17	24.73	3.1	4.2	19.2	30	0.7	1.0	1.0	57	0.74	6.4	1.0	33.4	5.4	9
1718735	Drill Core	1.05	430	0.026	0.02	<0.17	25.58	1.0	7.5	16.0	39	0.2	6.8	4.8	439	1.78	3.5	1.0	28.2	6.3	89
DUP 1718735	QC		398	0.025	0.02	<0.17	23.80	0.8	6.6	15.6	38	0.2	6.1	5.2	429	1.76	3.7	1.0	24.6	6.3	90
1718769	Drill Core	1.37	579	0.070	0.07	<0.17	27.49	0.9	12.0	28.3	50	0.4	9.2	6.2	369	1.99	17.1	1.5	48.6	6.9	41
DUP 1718769	QC		477	0.052	0.05	<0.17	19.98	0.7	11.3	26.4	47	0.4	9.4	6.0	369	2.00	16.1	1.4	56.7	6.5	40
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard							15.4	154.9	149.0	372	1.7	75.4	13.3	904	2.78	44.7	2.7	91.2	7.7	72
STD DS10	Standard							15.4	151.8	147.9	363	2.0	73.1	12.5	908	2.75	43.3	2.7	126.7	7.5	67
STD DS10	Standard							17.8	159.9	151.9	380	2.1	76.9	13.5	922	2.92	44.6	2.8	73.8	7.9	71



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 1 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000200.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.1	0.1	0.1	0.05
Pulp Duplicates																					
1718641	Drill Core	0.6	1.4	<0.1	6	0.13	0.046	20	3	0.14	333	0.002	2	0.53	0.008	0.30	0.2	0.03	3.0	<0.1	<0.05
REP 1718641	QC	0.5	1.1	<0.1	6	0.12	0.043	19	4	0.14	337	0.002	1	0.55	0.009	0.30	0.2	0.03	3.0	<0.1	<0.05
1718657	Drill Core	<0.1	0.4	0.2	<2	0.08	0.016	9	6	0.07	320	0.003	1	0.27	0.025	0.17	0.1	0.02	2.2	<0.1	<0.05
REP 1718657	QC																				
1718678	Drill Core	<0.1	0.2	<0.1	<2	0.38	0.003	17	6	0.02	201	<0.001	<1	0.22	0.014	0.30	<0.1	0.03	0.7	<0.1	0.10
REP 1718678	QC	0.1	0.2	<0.1	<2	0.37	0.003	18	6	0.02	212	<0.001	<1	0.23	0.014	0.30	<0.1	0.02	0.7	<0.1	0.10
1718713	Drill Core	<0.1	0.5	<0.1	<2	<0.01	0.007	37	2	0.03	248	<0.001	3	0.35	0.011	0.30	<0.1	0.04	1.3	<0.1	<0.05
REP 1718713	QC	<0.1	0.4	<0.1	<2	0.02	0.006	39	2	0.03	271	<0.001	<1	0.37	0.011	0.30	0.1	0.05	1.1	<0.1	<0.05
1718725	Drill Core	0.1	0.3	<0.1	<2	1.37	0.006	23	3	0.32	167	0.001	<1	0.60	0.045	0.15	0.3	0.07	7.0	<0.1	<0.05
REP 1718725	QC																				
1718732	Drill Core	0.1	<0.1	<0.1	<2	0.62	0.006	26	1	0.04	210	<0.001	<1	0.28	0.005	0.38	<0.1	<0.01	0.5	<0.1	<0.05
REP 1718732	QC																				
1718748	Drill Core	0.3	0.7	<0.1	10	0.82	0.039	22	15	0.60	90	0.032	1	0.68	0.041	0.39	0.3	<0.01	3.8	0.2	<0.05
REP 1718748	QC	0.2	0.9	<0.1	10	0.81	0.039	21	16	0.59	92	0.033	<1	0.67	0.039	0.38	0.2	<0.01	3.9	0.3	<0.05
Core Reject Duplicates																					
1718667	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.005	28	5	0.03	262	<0.001	2	0.27	0.009	0.36	0.3	0.02	0.8	0.2	<0.05
DUP 1718667	QC	<0.1	0.3	<0.1	<2	0.02	0.006	28	5	0.03	265	<0.001	2	0.28	0.009	0.36	0.3	0.02	0.8	<0.1	<0.05
1718701	Drill Core	0.4	0.3	<0.1	<2	0.07	0.003	15	3	0.04	408	<0.001	3	0.28	0.019	0.23	0.1	0.07	1.0	<0.1	0.25
DUP 1718701	QC	0.3	0.5	<0.1	<2	0.07	0.003	15	3	0.03	396	<0.001	3	0.27	0.019	0.23	0.1	0.06	1.0	<0.1	0.26
1718735	Drill Core	0.2	0.3	<0.1	9	1.30	0.076	18	12	0.59	197	0.040	1	0.69	0.021	0.43	0.2	<0.01	3.8	0.2	<0.05
DUP 1718735	QC	0.2	0.4	<0.1	9	1.29	0.080	17	12	0.58	195	0.039	<1	0.67	0.021	0.42	0.1	<0.01	3.1	0.2	<0.05
1718769	Drill Core	0.3	0.4	0.1	8	0.80	0.053	17	13	0.50	151	0.003	<1	0.84	0.010	0.24	<0.1	<0.01	3.0	<0.1	<0.05
DUP 1718769	QC	0.3	0.4	0.1	8	0.81	0.056	18	13	0.50	152	0.003	<1	0.84	0.009	0.24	<0.1	<0.01	2.7	<0.1	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.3	8.7	11.6	45	1.10	0.074	19	55	0.79	357	0.087	6	1.12	0.076	0.35	3.3	0.30	3.1	5.1	0.29
STD DS10	Standard	2.7	8.2	12.3	44	1.09	0.067	19	56	0.79	345	0.082	8	1.12	0.071	0.35	3.1	0.34	3.0	4.9	0.28
STD DS10	Standard	2.5	8.9	12.9	49	1.17	0.069	20	58	0.82	379	0.088	8	1.16	0.069	0.36	3.3	0.30	3.5	5.2	0.29



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000200.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
Pulp Duplicates				
1718641	Drill Core	1	<0.5	<0.2
REP 1718641	QC	1	<0.5	<0.2
1718657	Drill Core	1	<0.5	<0.2
REP 1718657	QC			
1718678	Drill Core	<1	<0.5	<0.2
REP 1718678	QC	<1	<0.5	<0.2
1718713	Drill Core	<1	<0.5	<0.2
REP 1718713	QC	<1	<0.5	<0.2
1718725	Drill Core	2	<0.5	<0.2
REP 1718725	QC			
1718732	Drill Core	<1	<0.5	<0.2
REP 1718732	QC			
1718748	Drill Core	2	<0.5	<0.2
REP 1718748	QC	3	<0.5	<0.2
Core Reject Duplicates				
1718667	Drill Core	<1	<0.5	<0.2
DUP 1718667	QC	<1	<0.5	<0.2
1718701	Drill Core	<1	<0.5	<0.2
DUP 1718701	QC	<1	<0.5	<0.2
1718735	Drill Core	2	<0.5	<0.2
DUP 1718735	QC	2	<0.5	<0.2
1718769	Drill Core	2	<0.5	<0.2
DUP 1718769	QC	2	<0.5	<0.2
Reference Materials				
STD AGPROOF	Standard			<0.9
STD DS10	Standard	5	2.1	5.0
STD DS10	Standard	5	1.6	4.3
STD DS10	Standard	5	3.4	4.9



# QUALITY CONTROL REPORT

WHI15000200.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD DS10	Standard							15.1	158.4	161.9	395	2.1	76.6	12.8	918	2.87	49.1	2.9	87.5	8.3	71
STD OXC129	Standard							1.2	28.1	6.2	41	<0.1	77.7	20.1	419	3.03	0.7	0.7	199.3	1.8	182
STD OXC129	Standard							1.3	25.9	6.3	39	<0.1	77.1	20.1	413	3.00	0.7	0.7	180.0	1.8	186
STD OXC129	Standard							1.1	27.2	6.2	42	<0.1	79.1	21.4	427	3.16	0.7	0.7	196.5	1.9	195
STD OXC129	Standard							1.3	27.6	6.5	44	<0.1	75.8	19.6	433	3.15	<0.5	0.7	211.0	2.0	196
STD OXD108	Standard			0.420																	
STD OXD108	Standard			0.423																	
STD OXD108	Standard			0.425																	
STD OXI121	Standard			1.806																	
STD OXI121	Standard			1.840																	
STD OXI121	Standard			1.833																	
STD OXN117	Standard			7.969																	
STD OXN117	Standard			7.473																	
STD OXN117	Standard			7.973																	
STD OXP91	Standard					15.06	29.62														
STD OXP91	Standard					15.19	29.69														
STD OXP91	Standard					15.09	30.01														
STD OXP91	Standard					15.05	30.09														
STD OXP91	Standard					15.24	30.05														
STD OXP91	Standard					14.97	30.07														
STD OXP91	Standard					14.96	30.02														
STD OXP91	Standard					15.02	29.96														
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



# QUALITY CONTROL REPORT

WHI15000200.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD DS10	Standard	2.6	8.7	13.3	48	1.15	0.083	20	55	0.80	397	0.083	7	1.11	0.067	0.35	3.6	0.32	3.5	5.6	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.70	0.100	13	52	1.58	45	0.414	1	1.63	0.610	0.38	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.74	0.087	13	51	1.57	48	0.392	2	1.63	0.609	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	57	0.73	0.097	13	53	1.60	49	0.420	2	1.67	0.579	0.38	<0.1	0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	56	0.72	0.107	13	49	1.58	55	0.390	1	1.64	0.580	0.37	<0.1	<0.01	2.2	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 2 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000200.1

		AQ201 Ga ppm	AQ201 Se ppm	AQ201 Te ppm	FA530 -Au ppm
		1	0.5	0.2	0.9
STD DS10	Standard	5	2.6	5.7	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.4
STD SQ70	Standard				40.2
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				



# QUALITY CONTROL REPORT

WHI15000200.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank																				
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		456	0.010	<0.01	<0.17	24.34	0.9	5.5	1.3	30	<0.1	2.7	3.4	468	1.84	0.8	0.4	1.4	2.2	25
ROCK-WHI	Prep Blank		466	0.007	<0.01	<0.17	20.63	0.9	4.0	1.3	27	<0.1	3.3	3.5	458	1.92	0.6	0.4	<0.5	2.2	24



# QUALITY CONTROL REPORT

WHI15000200.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.66	0.039	6	3	0.44	52	0.079	1	1.01	0.096	0.09	0.1	<0.01	4.6	<0.1	<0.05	
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	26	0.61	0.043	6	4	0.46	58	0.071	1	0.93	0.092	0.08	0.1	<0.01	3.5	<0.1	<0.05	





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 3 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000200.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				<0.9
BLK	Blank				
BLK	Blank				
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: September 15, 2015  
Report Date: October 09, 2015  
Page: 1 of 7

## CERTIFICATE OF ANALYSIS

WHI15000201.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-08  
P.O. Number  
Number of Samples: 163

### SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	147	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	163	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	163	Analysis sample split/packet			VAN
Split -150	163	Analysis sample split/packet			VAN
FS631	147	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	161	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 2 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718777	Drill Core	2.03	394	<0.005	<0.01	<0.17	20.03	0.5	4.2	15.4	18	<0.1	4.9	2.9	240	1.08	17.4	0.5	1.3	3.0	31
1718778	Drill Core	1.48	462	0.007	<0.01	<0.17	25.48	0.6	12.6	78.7	41	0.4	8.4	5.1	469	1.93	41.6	0.7	4.7	5.7	62
1718779	Drill Core	1.01	416	0.006	<0.01	<0.17	21.36	0.5	3.4	13.4	11	<0.1	3.3	2.3	301	0.86	142.6	0.3	10.5	0.9	41
1718780	Drill Core	2.11	376	<0.005	<0.01	<0.17	17.97	0.9	17.2	26.0	66	0.2	14.9	7.9	541	2.56	29.4	0.9	<0.5	9.0	70
1718781	Drill Core	1.10	470	0.833	0.81	0.31	25.51	0.6	6.1	11.5	16	1.0	7.8	4.8	269	1.55	4.0	0.7	688.1	4.5	10
1718782	Drill Core	0.78	326	1.374	1.40	1.90	16.83	0.8	23.2	8.3	69	2.4	12.8	9.9	775	2.25	10.3	1.7	1453.3	11.8	24
1718783	Drill Core	0.46	342	0.077	0.07	<0.17	18.91	0.9	7.7	6.1	31	1.0	7.5	7.8	618	1.57	17.1	1.0	29.8	8.5	19
1718784	Drill Core	1.84	373	0.287	0.29	0.34	17.48	0.7	8.0	4.9	40	0.4	7.6	4.7	291	1.48	5.8	0.9	205.0	4.6	14
1718785	Drill Core	0.93	391	0.682	0.74	1.79	19.55	0.8	20.6	8.5	41	1.2	8.6	6.4	445	1.80	7.1	1.2	1324.5	5.9	18
1718786	Drill Core	1.31	428	0.516	0.51	0.35	20.14	0.6	17.7	7.6	26	0.4	6.7	5.2	225	1.61	11.3	0.9	447.2	4.8	12
1718787	Drill Core	1.12	464	0.033	0.03	<0.17	22.57	1.1	24.4	31.7	161	0.7	10.4	8.9	680	2.04	69.1	2.0	32.5	11.0	23
1718788	Drill Core	0.62	484	0.074	0.08	<0.17	24.64	0.8	14.7	5.8	157	0.2	7.5	4.6	351	1.73	16.0	0.9	77.9	5.2	19
1718789	Drill Core	1.44	480	<0.005	<0.01	<0.17	23.12	0.7	29.2	27.4	50	0.5	11.6	8.6	352	2.17	48.3	1.7	4.6	9.9	27
1718790	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.0	64.4	3.6	34	<0.1	5.4	8.3	355	2.54	<0.5	0.8	7.7	2.7	59
1718791	Rock Pulp	0.08		0.246	I.S.	I.S.	I.S.	14.2	35.8	15.1	19	0.4	11.4	6.8	47	3.03	473.2	1.0	218.6	0.7	27
1718792	Drill Core	0.50	373	0.989	0.98	0.87	18.38	1.6	19.7	7.6	39	0.8	14.6	9.5	577	2.38	33.7	2.1	782.6	7.7	18
1718793	Drill Core	1.60	449	0.584	0.71	2.70	27.03	1.1	20.8	7.7	34	1.3	19.3	12.1	1033	2.88	26.2	2.7	2648.4	9.1	138
1718794	Drill Core	0.77	366	1.186	4.33	70.02	16.71	1.1	17.6	4.2	25	2.0	17.9	12.7	465	3.07	48.2	3.1	1122.6	9.6	40
1718795	Drill Core	1.52	337	0.005	<0.01	<0.17	16.94	0.8	9.3	18.4	62	0.2	11.8	6.7	403	2.24	10.8	2.2	3.7	9.7	61
1718796	Drill Core	0.72	442	0.008	<0.01	<0.17	25.91	0.6	10.0	15.6	87	0.3	11.8	7.2	687	2.90	18.8	2.1	4.7	9.4	110
1718797	Drill Core	1.67	442	0.021	0.02	<0.17	16.94	0.7	12.1	43.1	28	0.5	7.4	4.7	397	1.40	15.5	1.2	18.0	5.5	86
1718798	Drill Core	0.48	373	3.295	11.92	175.79	18.63	1.0	15.6	22.3	41	3.4	6.1	4.3	361	1.11	43.1	0.8	17214.0	3.3	11
1718799	Drill Core	0.43	360	0.008	<0.01	<0.17	22.70	2.6	14.2	36.7	46	0.4	9.3	7.1	361	1.81	22.5	2.0	7.5	10.9	34
1718800	Drill Core	0.53	454	0.010	0.15	3.35	18.82	0.6	46.3	12.2	46	0.7	10.0	6.8	307	2.08	12.4	1.6	8.9	10.4	39
1718801	Drill Core	0.36	298	<0.005	<0.01	<0.17	19.22	0.4	17.1	10.4	46	0.2	9.6	5.1	319	1.88	12.7	1.0	1.8	6.2	28
1718802	Drill Core	0.97	455	<0.005	<0.01	<0.17	19.00	0.5	11.1	11.2	33	0.2	8.1	4.8	445	1.56	13.7	1.1	1.6	6.3	83
1718803	Drill Core	1.12	505	<0.005	<0.01	<0.17	19.60	0.6	13.8	22.3	38	0.3	11.1	5.5	336	1.64	10.7	1.6	1.4	7.4	54
1718804	Drill Core	1.17	486	<0.005	<0.01	<0.17	21.15	0.5	17.2	28.1	32	0.3	9.0	5.7	267	1.45	8.1	1.3	2.0	6.0	58
1718805	Drill Core	0.97	484	<0.005	<0.01	<0.17	25.82	0.4	14.4	12.7	46	0.1	12.3	6.9	315	1.84	3.8	1.3	1.8	7.8	36
1718806	Drill Core	0.85	378	<0.005	<0.01	<0.17	18.68	0.4	7.2	20.3	56	0.1	10.0	5.8	500	2.15	4.6	1.3	2.4	6.7	65



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 2 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
1718777	Drill Core	0.1	0.2	<0.1	6	0.81	0.020	8	8	0.23	94	0.006	2	0.31	0.009	0.14	<0.1	<0.01	1.4	<0.1	<0.05
1718778	Drill Core	0.3	0.4	0.4	14	1.44	0.039	11	13	0.67	131	0.006	1	0.82	0.009	0.18	<0.1	<0.01	3.6	<0.1	<0.05
1718779	Drill Core	0.3	0.2	<0.1	3	1.09	0.023	2	6	0.14	32	0.003	2	0.16	0.004	0.05	<0.1	<0.01	0.5	<0.1	<0.05
1718780	Drill Core	0.4	1.0	0.1	19	1.50	0.071	18	17	0.96	325	0.017	1	1.17	0.014	0.40	<0.1	<0.01	5.9	0.2	<0.05
1718781	Drill Core	0.2	0.2	<0.1	4	0.10	0.017	12	6	0.37	138	0.008	1	0.45	0.011	0.21	0.4	<0.01	1.7	<0.1	<0.05
1718782	Drill Core	0.8	0.8	<0.1	7	0.20	0.051	24	6	0.70	214	0.017	2	0.93	0.010	0.44	0.4	0.01	2.6	0.3	<0.05
1718783	Drill Core	0.5	0.6	<0.1	6	0.17	0.046	22	8	0.52	210	0.007	2	0.70	0.009	0.38	0.3	<0.01	2.5	0.2	<0.05
1718784	Drill Core	0.3	0.4	<0.1	4	0.13	0.033	14	5	0.32	157	0.007	1	0.51	0.010	0.22	0.3	<0.01	1.6	<0.1	<0.05
1718785	Drill Core	0.4	0.4	<0.1	6	0.16	0.038	14	8	0.45	185	0.007	2	0.66	0.009	0.25	0.2	<0.01	2.5	<0.1	<0.05
1718786	Drill Core	0.1	0.3	<0.1	6	0.12	0.035	13	7	0.40	120	0.002	1	0.53	0.009	0.15	0.2	<0.01	1.4	<0.1	<0.05
1718787	Drill Core	0.8	0.6	0.3	9	0.21	0.056	24	11	0.78	189	0.005	<1	0.97	0.017	0.25	0.1	<0.01	2.6	<0.1	<0.05
1718788	Drill Core	0.4	0.3	<0.1	9	0.16	0.036	16	12	0.56	116	0.002	<1	0.69	0.012	0.14	<0.1	<0.01	2.5	<0.1	<0.05
1718789	Drill Core	0.4	0.7	0.1	10	0.35	0.063	23	11	0.51	179	0.004	1	0.89	0.011	0.25	<0.1	<0.01	3.1	<0.1	<0.05
1718790	Rock Pulp	<0.1	<0.1	<0.1	87	0.71	0.059	7	11	0.70	106	0.105	<1	1.35	0.131	0.19	2.0	<0.01	1.8	<0.1	<0.05
1718791	Rock Pulp	0.5	21.2	0.2	11	1.00	0.007	2	17	0.03	915	0.009	4	0.18	0.010	0.07	29.4	3.01	0.6	12.8	0.14
1718792	Drill Core	0.4	0.5	<0.1	7	0.19	0.058	24	8	0.54	199	0.002	1	0.81	0.010	0.26	0.1	<0.01	2.7	<0.1	<0.05
1718793	Drill Core	0.4	0.4	<0.1	7	2.11	0.073	18	8	0.75	209	0.004	2	0.89	0.014	0.28	0.2	0.01	4.5	<0.1	<0.05
1718794	Drill Core	0.2	0.6	<0.1	7	0.19	0.060	23	7	0.44	276	0.004	2	0.69	0.019	0.37	0.4	<0.01	3.0	0.1	<0.05
1718795	Drill Core	0.3	0.7	0.1	19	1.16	0.064	30	19	0.84	180	0.008	1	1.08	0.021	0.23	<0.1	<0.01	5.0	0.1	<0.05
1718796	Drill Core	0.4	0.8	<0.1	25	2.36	0.078	30	23	1.21	155	0.010	<1	1.41	0.016	0.20	0.2	<0.01	4.9	0.1	<0.05
1718797	Drill Core	0.4	1.1	0.4	7	1.98	0.051	13	8	0.36	148	0.007	<1	0.56	0.015	0.18	<0.1	<0.01	1.9	<0.1	<0.05
1718798	Drill Core	0.2	0.8	<0.1	4	0.12	0.021	10	5	0.24	114	0.002	1	0.38	0.007	0.14	0.3	<0.01	1.2	0.2	<0.05
1718799	Drill Core	0.5	3.8	0.3	7	0.92	0.060	22	9	0.53	220	0.004	2	0.79	0.017	0.28	<0.1	<0.01	2.8	0.1	<0.05
1718800	Drill Core	0.2	0.6	<0.1	14	0.73	0.062	28	13	0.59	174	0.029	<1	0.86	0.028	0.30	0.1	<0.01	5.5	0.2	<0.05
1718801	Drill Core	0.2	0.5	<0.1	16	0.63	0.050	19	18	0.71	127	0.006	<1	0.88	0.016	0.18	<0.1	<0.01	3.3	<0.1	<0.05
1718802	Drill Core	0.2	0.4	<0.1	9	1.62	0.045	18	9	0.42	186	0.022	<1	0.49	0.023	0.20	0.2	<0.01	3.0	<0.1	<0.05
1718803	Drill Core	0.2	0.3	0.2	12	0.83	0.054	17	12	0.53	255	0.081	<1	0.61	0.028	0.23	0.3	<0.01	4.5	<0.1	<0.05
1718804	Drill Core	0.3	0.4	0.2	8	0.96	0.054	13	9	0.41	236	0.073	1	0.45	0.028	0.22	0.2	<0.01	3.8	<0.1	<0.05
1718805	Drill Core	0.1	0.2	<0.1	11	0.84	0.055	23	11	0.46	302	0.065	<1	0.63	0.018	0.28	<0.1	<0.01	4.7	0.1	<0.05
1718806	Drill Core	0.2	0.2	<0.1	18	1.46	0.067	21	19	0.68	302	0.003	<1	0.80	0.025	0.22	<0.1	<0.01	5.6	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 2 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718777	Drill Core	1	<0.5	<0.2
1718778	Drill Core	3	<0.5	<0.2
1718779	Drill Core	<1	<0.5	<0.2
1718780	Drill Core	4	<0.5	<0.2
1718781	Drill Core	1	<0.5	<0.2
1718782	Drill Core	2	0.7	<0.2
1718783	Drill Core	2	<0.5	<0.2
1718784	Drill Core	1	<0.5	<0.2
1718785	Drill Core	2	<0.5	<0.2
1718786	Drill Core	2	<0.5	<0.2
1718787	Drill Core	3	<0.5	<0.2
1718788	Drill Core	2	<0.5	<0.2
1718789	Drill Core	3	<0.5	<0.2
1718790	Rock Pulp	4	<0.5	<0.2
1718791	Rock Pulp	<1	2.0	<0.2
1718792	Drill Core	2	<0.5	<0.2
1718793	Drill Core	2	0.7	<0.2
1718794	Drill Core	2	0.6	0.4
1718795	Drill Core	4	<0.5	<0.2
1718796	Drill Core	6	<0.5	<0.2
1718797	Drill Core	2	<0.5	<0.2
1718798	Drill Core	<1	<0.5	<0.2
1718799	Drill Core	2	0.5	<0.2
1718800	Drill Core	3	<0.5	<0.2
1718801	Drill Core	3	<0.5	<0.2
1718802	Drill Core	2	<0.5	<0.2
1718803	Drill Core	2	<0.5	<0.2
1718804	Drill Core	2	<0.5	<0.2
1718805	Drill Core	2	<0.5	<0.2
1718806	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 09, 2015

Page: 3 of 7 Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718807	Drill Core	1.79	368	<0.005	<0.01	<0.17	17.52	0.6	16.5	14.6	49	0.2	12.0	6.6	373	2.10	11.1	1.5	1.3	8.5	40
1718808	Drill Core	1.91	416	<0.005	<0.01	<0.17	18.81	0.9	16.9	7.5	24	0.2	9.3	5.9	170	1.31	<0.5	1.4	0.8	2.8	38
1718809	Drill Core	1.08	434	<0.005	<0.01	<0.17	21.10	0.5	11.5	26.9	25	0.1	7.0	4.1	206	1.20	0.9	1.1	1.3	4.5	25
1718810	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.8	62.3	3.4	33	<0.1	5.0	7.5	344	2.46	0.6	0.8	0.6	2.4	52
1718811	Rock Pulp	0.08		0.050	I.S.	I.S.	I.S.	1.1	532.4	21.0	70	0.2	259.1	94.0	961	16.44	5.2	1.2	31.1	7.2	14
1718812	Drill Core	2.02	401	<0.005	<0.01	<0.17	19.08	0.9	15.7	22.9	70	0.2	15.4	9.1	628	2.39	3.9	0.9	<0.5	5.9	81
1718813	Drill Core	1.42	520	<0.005	<0.01	<0.17	29.15	1.4	22.0	12.0	50	0.2	11.8	8.6	486	2.06	6.8	1.8	<0.5	9.1	86
1718814	Drill Core	1.12	486	<0.005	<0.01	<0.17	24.02	0.2	15.9	25.7	59	0.3	9.6	6.0	661	2.29	2.1	1.1	<0.5	8.3	117
1718815	Drill Core	1.55	532	0.784	1.64	19.34	24.51	1.3	6.5	90.3	55	0.9	6.1	4.9	252	1.47	4.1	1.4	573.4	5.4	38
1718816	Drill Core	1.33	430	0.011	0.01	<0.17	25.33	1.8	11.5	17.3	49	0.2	7.5	5.6	459	1.88	3.6	1.2	1.7	7.1	102
1718817	Drill Core	0.84	429	<0.005	<0.01	<0.17	22.35	1.5	13.3	16.9	54	0.2	11.1	7.0	446	2.14	6.1	0.4	1.7	7.9	115
1718818	Drill Core	1.36	449	0.160	0.19	0.58	27.53	0.5	6.2	17.6	30	0.3	6.0	4.1	338	1.42	1.7	0.7	99.3	4.2	87
1718819	Drill Core	0.94	410	2.552	3.69	25.23	20.49	0.9	7.3	6.9	28	1.0	13.2	9.8	551	2.45	12.2	1.6	2614.0	6.6	165
1718820	Drill Core	1.05	445	<0.005	<0.01	<0.17	21.68	0.9	13.9	12.0	70	0.2	12.0	9.4	435	2.55	5.5	1.8	0.8	10.8	78
1718821	Drill Core	1.52	373	0.006	<0.01	<0.17	19.31	0.2	20.6	3.8	97	0.1	15.4	5.9	487	3.30	2.7	1.1	1.6	12.2	90
1718822	Drill Core	1.88	410	0.804	1.44	13.27	20.87	0.8	17.9	32.5	93	0.7	12.0	9.5	630	3.00	9.0	1.2	753.0	6.9	124
1718823	Drill Core	1.01	432	0.170	0.17	0.18	22.32	0.9	17.4	9.8	50	0.4	9.5	8.3	356	2.09	8.0	1.2	167.1	10.1	65
1718824	Drill Core	0.52	357	0.119	0.11	<0.17	19.79	0.9	13.0	13.0	30	0.6	10.1	10.3	692	1.92	17.0	2.3	146.5	8.9	192
1718825	Drill Core	1.23	446	0.020	0.02	<0.17	21.32	0.9	14.0	55.8	50	0.4	11.0	7.1	626	2.18	8.4	1.2	17.9	9.1	163
1718826	Drill Core	0.82	374	0.161	0.17	0.27	18.78	0.4	14.2	18.1	51	0.7	11.1	9.5	629	2.07	5.7	2.1	123.3	6.3	238
1718827	Drill Core	0.68	455	4.589	8.46	86.72	21.46	0.5	13.8	6.4	29	1.9	9.2	6.9	441	1.93	4.7	1.9	4887.2	4.8	152
1718828	Drill Core	0.66	526	1.494	2.70	27.87	24.11	0.4	44.3	23.7	64	1.7	12.1	8.4	415	2.23	7.6	5.3	3264.7	7.3	126
1718829	Drill Core	1.15	488	2.523	2.72	6.98	21.64	1.4	6.3	7.8	42	0.9	10.6	7.2	245	1.99	16.2	1.9	2592.3	5.7	29
1718830	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.8	64.1	3.7	35	<0.1	5.4	8.1	348	2.50	<0.5	0.8	2.3	2.8	59
1718831	Rock Pulp	0.08		0.230	I.S.	I.S.	I.S.	13.8	35.4	15.8	20	0.4	12.1	7.2	47	3.03	483.5	1.1	231.9	0.8	28
1718832	Drill Core	2.91	332	0.015	0.01	<0.17	23.31	0.6	7.3	37.7	60	0.3	9.3	6.7	528	2.23	2.0	0.6	13.5	6.9	124
1718833	Drill Core	1.19	508	<0.005	<0.01	<0.17	24.69	0.5	4.8	9.9	68	<0.1	10.4	8.0	464	2.67	4.6	0.6	2.1	11.2	74
1718834	Drill Core	2.28	486	<0.005	<0.01	<0.17	20.85	0.5	9.0	54.0	54	0.2	8.9	6.7	583	1.96	5.0	0.5	<0.5	7.9	150
1718835	Drill Core	1.57	391	<0.005	<0.01	<0.17	20.75	1.2	9.0	39.9	54	0.2	10.6	6.9	379	2.04	5.3	0.9	0.8	10.7	90
1718836	Drill Core	1.72	342	<0.005	<0.01	<0.17	17.83	0.5	21.4	15.0	56	0.2	13.6	8.5	448	2.29	6.9	0.9	1.6	12.1	120



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 09, 2015

Page: 3 of 7

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S		
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	%	%
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	0.05
1718807	Drill Core	0.4	0.7	<0.1	15	1.09	0.058	27	16	0.58	261	0.003	<1	0.84	0.026	0.24	<0.1	<0.01	5.0	<0.1	<0.05	
1718808	Drill Core	0.1	0.3	<0.1	7	0.78	0.065	6	7	0.26	171	0.077	<1	0.43	0.017	0.24	<0.1	<0.01	2.1	<0.1	<0.05	
1718809	Drill Core	0.1	0.1	0.1	6	0.44	0.069	10	8	0.27	247	0.053	<1	0.40	0.022	0.25	<0.1	<0.01	2.2	<0.1	<0.05	
1718810	Rock Pulp	<0.1	0.1	<0.1	85	0.72	0.054	6	10	0.68	101	0.090	2	1.32	0.131	0.19	1.9	<0.01	1.8	<0.1	<0.05	
1718811	Rock Pulp	0.1	0.4	0.2	225	0.39	0.036	16	710	0.14	154	0.197	5	3.93	0.009	0.08	<0.1	0.01	45.2	0.1	<0.05	
1718812	Drill Core	0.2	0.3	0.2	22	1.53	0.067	10	26	0.92	177	0.084	<1	1.14	0.018	0.18	0.1	<0.01	5.0	<0.1	<0.05	
1718813	Drill Core	0.3	0.3	<0.1	11	1.36	0.057	8	12	0.76	212	0.044	1	0.83	0.010	0.52	<0.1	<0.01	4.7	0.2	0.40	
1718814	Drill Core	0.2	0.4	0.1	23	1.62	0.047	16	24	1.05	99	0.039	<1	1.05	0.023	0.28	0.1	<0.01	5.8	<0.1	<0.05	
1718815	Drill Core	0.6	0.4	0.8	4	0.51	0.035	11	6	0.33	149	0.006	1	0.44	0.005	0.24	<0.1	<0.01	1.8	<0.1	0.25	
1718816	Drill Core	0.3	0.4	<0.1	10	1.45	0.054	15	11	0.75	157	0.033	1	0.81	0.011	0.39	0.1	<0.01	3.6	0.1	0.15	
1718817	Drill Core	0.2	<0.1	0.1	14	1.76	0.051	10	16	0.76	312	0.010	<1	1.01	0.025	0.23	<0.1	<0.01	4.4	<0.1	0.17	
1718818	Drill Core	0.3	0.3	0.1	4	0.97	0.026	7	6	0.41	100	0.004	<1	0.38	0.010	0.16	<0.1	<0.01	1.8	<0.1	0.46	
1718819	Drill Core	0.3	0.8	<0.1	5	1.86	0.032	5	7	0.53	154	0.005	1	0.60	0.008	0.30	0.1	<0.01	2.7	0.1	1.18	
1718820	Drill Core	0.3	0.6	<0.1	19	0.93	0.047	17	17	1.20	119	0.011	1	1.23	0.009	0.27	<0.1	<0.01	4.9	0.1	0.26	
1718821	Drill Core	0.1	0.3	<0.1	37	1.13	0.073	13	51	1.68	218	0.045	<1	1.70	0.028	0.43	<0.1	<0.01	8.0	0.2	0.25	
1718822	Drill Core	0.5	0.8	0.1	19	1.52	0.044	10	15	1.23	154	0.048	2	1.27	0.015	0.55	0.3	<0.01	4.2	0.2	0.31	
1718823	Drill Core	0.3	0.6	<0.1	10	0.82	0.069	16	11	0.64	234	0.034	<1	0.82	0.020	0.46	0.2	<0.01	3.1	0.2	0.48	
1718824	Drill Core	0.3	0.9	<0.1	6	2.09	0.058	8	7	0.67	170	0.010	1	0.72	0.009	0.35	0.2	<0.01	2.9	0.1	0.81	
1718825	Drill Core	0.3	0.5	0.3	15	1.95	0.067	12	15	0.82	179	0.035	<1	0.94	0.014	0.33	0.2	<0.01	4.9	0.1	0.22	
1718826	Drill Core	0.7	0.7	<0.1	6	2.66	0.035	5	7	0.79	147	0.014	1	0.70	0.015	0.46	0.3	<0.01	3.5	0.2	1.00	
1718827	Drill Core	0.2	0.9	<0.1	6	1.91	0.038	7	8	0.67	137	0.019	1	0.65	0.007	0.41	0.2	<0.01	2.8	0.1	0.61	
1718828	Drill Core	0.4	1.5	0.2	12	1.71	0.061	7	13	1.04	124	0.038	2	0.93	0.013	0.56	0.3	<0.01	4.6	0.2	0.48	
1718829	Drill Core	0.2	0.9	<0.1	8	0.60	0.047	12	10	0.46	133	0.014	<1	0.58	0.008	0.29	0.3	0.02	2.5	0.1	0.48	
1718830	Rock Pulp	<0.1	<0.1	<0.1	87	0.75	0.060	7	11	0.69	112	0.098	2	1.36	0.136	0.19	1.8	<0.01	1.7	<0.1	<0.05	
1718831	Rock Pulp	0.5	23.0	0.2	11	1.04	0.006	2	17	0.03	971	0.009	3	0.17	0.009	0.07	30.6	3.10	0.8	13.5	0.14	
1718832	Drill Core	0.2	0.2	0.4	16	1.76	0.044	15	17	0.90	229	0.016	<1	1.07	0.018	0.20	0.1	<0.01	4.0	<0.1	<0.05	
1718833	Drill Core	0.3	0.2	<0.1	17	0.85	0.068	19	17	0.98	429	0.014	<1	1.06	0.022	0.33	<0.1	<0.01	6.0	0.1	<0.05	
1718834	Drill Core	0.4	0.2	0.3	12	1.88	0.048	15	11	0.80	387	0.007	<1	0.86	0.012	0.23	<0.1	<0.01	3.2	<0.1	0.06	
1718835	Drill Core	0.2	0.3	0.3	11	1.01	0.062	29	11	0.74	459	0.011	<1	0.82	0.012	0.44	<0.1	<0.01	5.1	0.2	0.08	
1718836	Drill Core	0.1	0.2	<0.1	15	1.62	0.069	27	13	0.71	379	0.006	<1	1.00	0.013	0.38	<0.1	<0.01	5.0	0.1	0.25	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 3 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718807	Drill Core	3	<0.5	<0.2
1718808	Drill Core	1	0.6	<0.2
1718809	Drill Core	1	<0.5	<0.2
1718810	Rock Pulp	4	<0.5	<0.2
1718811	Rock Pulp	20	<0.5	<0.2
1718812	Drill Core	5	<0.5	<0.2
1718813	Drill Core	3	0.6	<0.2
1718814	Drill Core	5	<0.5	<0.2
1718815	Drill Core	1	<0.5	<0.2
1718816	Drill Core	2	<0.5	<0.2
1718817	Drill Core	4	<0.5	<0.2
1718818	Drill Core	1	<0.5	<0.2
1718819	Drill Core	2	0.6	<0.2
1718820	Drill Core	5	<0.5	<0.2
1718821	Drill Core	7	<0.5	<0.2
1718822	Drill Core	5	<0.5	<0.2
1718823	Drill Core	2	<0.5	<0.2
1718824	Drill Core	2	0.8	<0.2
1718825	Drill Core	3	0.9	<0.2
1718826	Drill Core	2	<0.5	<0.2
1718827	Drill Core	2	<0.5	<0.2
1718828	Drill Core	3	<0.5	<0.2
1718829	Drill Core	2	<0.5	<0.2
1718830	Rock Pulp	3	<0.5	<0.2
1718831	Rock Pulp	<1	1.5	<0.2
1718832	Drill Core	4	<0.5	<0.2
1718833	Drill Core	3	<0.5	<0.2
1718834	Drill Core	3	<0.5	<0.2
1718835	Drill Core	2	<0.5	<0.2
1718836	Drill Core	3	0.7	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 4 of 7

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718837	Drill Core	1.98	452	<0.005	<0.01	<0.17	22.51	1.3	14.1	18.1	61	0.1	12.8	7.0	572	2.16	5.3	0.9	1.1	7.6	153
1718838	Drill Core	1.52	465	<0.005	<0.01	<0.17	29.94	1.8	16.1	14.4	60	0.2	14.3	8.4	590	2.16	5.6	1.1	0.9	8.8	192
1718839	Drill Core	1.75	368	<0.005	<0.01	<0.17	18.87	1.8	16.3	17.4	51	0.2	11.4	7.1	430	2.11	13.6	1.4	0.9	7.3	117
1718840	Drill Core	1.26	411	0.054	0.05	<0.17	23.64	2.2	15.9	10.3	44	0.3	10.8	8.4	425	1.96	13.1	5.2	53.2	7.1	143
1718841	Drill Core	1.40	446	0.539	0.59	1.46	26.03	4.0	17.9	4.2	38	0.6	13.2	9.7	436	2.22	12.4	6.9	501.5	9.1	208
1718842	Drill Core	0.91	439	2.027	2.91	20.70	20.77	2.0	9.3	32.0	25	0.9	10.6	7.4	270	1.84	11.5	1.1	1456.8	6.0	94
1718843	Drill Core	0.70	442	0.328	0.33	0.27	22.16	22.6	6.3	9.4	24	0.4	11.6	8.3	312	1.89	14.4	2.7	323.9	8.5	99
1718844	Drill Core	0.88	354	0.236	0.24	0.34	20.67	1.9	16.7	17.3	43	0.4	11.1	8.7	441	1.89	11.7	7.0	164.0	9.1	186
1718845	Drill Core	1.19	518	0.424	0.57	3.46	24.83	3.1	11.4	13.9	32	0.5	12.7	8.5	369	2.13	16.7	1.1	494.3	7.2	166
1718846	Drill Core	0.96	435	0.006	<0.01	<0.17	24.96	0.6	16.8	13.6	48	0.2	11.7	8.2	361	1.99	12.9	2.0	<0.5	8.1	140
1718847	Drill Core	0.87	382	0.128	0.14	0.33	21.48	0.5	15.9	41.3	49	0.4	7.8	6.3	466	2.05	11.2	1.8	171.9	7.9	134
1718848	Drill Core	0.58	387	1.260	1.54	5.84	23.29	0.4	6.1	331.8	34	1.6	9.3	5.7	723	1.57	5.0	0.8	1209.0	2.3	266
1718849	Drill Core	1.06	460	0.846	0.82	0.42	24.04	0.3	8.8	105.2	39	0.8	7.6	5.7	205	1.55	9.8	1.0	715.2	4.1	65
1718850	Rock Pulp	0.12		0.011	I.S.	I.S.	I.S.	1.5	66.5	3.5	35	<0.1	5.1	8.4	346	2.48	<0.5	0.8	<0.5	2.5	58
1718851	Rock Pulp	0.08		0.051	I.S.	I.S.	I.S.	1.8	536.8	20.5	65	0.2	259.8	89.4	964	16.63	5.0	1.2	38.9	6.9	16
1718852	Drill Core	0.65	428	0.238	0.24	0.23	17.17	0.1	21.5	8.2	52	0.6	8.8	7.9	475	2.04	32.2	2.3	319.4	8.3	163
1718853	Drill Core	0.85	448	0.581	0.81	4.27	27.14	1.7	4.6	6.1	26	0.3	10.4	7.9	539	2.07	104.0	2.9	527.9	6.8	216
1718854	Drill Core	0.80	346	0.307	0.31	0.37	21.88	0.8	40.7	3.1	26	2.0	5.8	5.4	573	1.59	50.4	2.7	306.8	7.7	188
1718855	Drill Core	0.86	371	0.198	0.20	0.24	20.92	1.0	16.1	21.4	52	0.3	11.4	8.0	512	2.24	12.1	1.7	185.1	5.0	172
1718856	Drill Core	0.74	472	0.562	0.57	0.66	24.38	0.8	14.2	3.4	45	0.4	14.1	8.9	481	2.39	9.5	1.0	637.1	6.1	140
1718857	Drill Core	1.13	463	2.289	5.14	59.45	23.13	0.4	41.7	5.4	61	1.8	9.9	7.4	437	2.21	12.4	1.3	6522.5	6.3	114
1718858	Drill Core	0.97	407	0.300	0.33	0.89	19.13	0.3	32.2	8.3	54	0.6	8.7	7.1	482	2.01	9.2	1.5	344.4	8.1	122
1718859	Drill Core	0.41	338	0.480	0.55	1.68	20.88	0.6	23.7	6.9	29	0.7	7.2	6.3	626	1.73	8.1	1.4	457.1	5.0	151
1718860	Drill Core	1.01	420	0.006	<0.01	<0.17	25.05	1.5	17.9	20.4	61	0.3	16.5	8.9	559	2.33	50.8	1.5	2.7	8.2	105
1718861	Drill Core	3.67	347	<0.005	<0.01	<0.17	20.34	1.8	28.3	12.9	66	0.2	17.2	10.5	588	2.75	18.8	2.7	1.9	11.1	86
1718862	Drill Core	3.03	457	<0.005	<0.01	<0.17	18.27	1.2	18.9	8.9	59	0.2	13.2	8.3	394	2.30	57.5	1.8	1.4	9.4	76
1718863	Drill Core	3.15	504	<0.005	<0.01	<0.17	24.40	0.9	15.2	20.4	55	0.2	11.3	7.2	588	2.16	29.2	1.8	2.5	9.8	141
1718864	Drill Core	2.94	447	0.007	<0.01	<0.17	21.55	1.1	10.6	22.2	47	0.2	9.9	5.7	752	2.10	10.6	1.6	2.5	9.5	210
1718865	Drill Core	3.61	459	<0.005	<0.01	<0.17	27.46	1.0	16.1	19.4	65	0.2	14.2	8.7	603	2.64	25.4	2.1	0.6	10.3	141
1718866	Drill Core	2.72	499	<0.005	<0.01	<0.17	22.56	1.7	11.4	17.6	54	0.4	12.5	7.6	391	2.36	15.1	2.6	1.6	9.5	82



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 4 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	
1718837	Drill Core	0.3	0.2	0.1	17	2.85	0.063	20	15	0.71	223	0.033	<1	0.98	0.016	0.33	<0.1	<0.01	5.1	0.1	0.16
1718838	Drill Core	0.3	0.2	0.1	17	2.81	0.064	23	17	0.70	202	0.033	<1	1.05	0.014	0.37	<0.1	<0.01	4.8	0.2	0.16
1718839	Drill Core	0.4	0.4	<0.1	14	2.24	0.058	9	14	0.69	122	0.034	<1	0.89	0.010	0.38	0.1	<0.01	4.1	0.2	0.22
1718840	Drill Core	0.3	0.4	<0.1	10	2.05	0.063	11	11	0.69	154	0.029	<1	0.82	0.013	0.46	0.2	<0.01	3.8	0.2	0.34
1718841	Drill Core	0.3	0.7	<0.1	8	2.17	0.071	8	7	0.79	145	0.017	2	0.83	0.008	0.59	0.2	0.01	3.5	0.2	1.21
1718842	Drill Core	0.3	0.5	0.2	5	1.26	0.042	6	6	0.47	128	0.009	1	0.46	0.008	0.29	0.2	<0.01	2.4	<0.1	1.05
1718843	Drill Core	0.2	0.4	0.1	6	1.57	0.067	10	8	0.50	161	0.010	1	0.61	0.005	0.37	0.2	<0.01	2.3	<0.1	0.93
1718844	Drill Core	0.4	0.5	0.2	9	2.16	0.071	8	10	0.75	189	0.026	<1	0.77	0.006	0.47	0.2	<0.01	3.4	0.1	0.58
1718845	Drill Core	0.4	0.4	0.1	6	1.65	0.058	5	7	0.53	140	0.009	2	0.59	0.005	0.39	0.2	<0.01	3.0	0.1	1.31
1718846	Drill Core	0.3	0.5	<0.1	13	1.54	0.070	10	13	0.79	174	0.042	1	0.84	0.014	0.48	0.1	<0.01	5.3	0.2	0.27
1718847	Drill Core	0.2	0.7	<0.1	11	1.29	0.044	11	12	0.71	127	0.024	2	0.75	0.030	0.35	0.2	<0.01	4.7	0.1	0.46
1718848	Drill Core	0.6	0.6	1.2	2	2.87	0.017	4	4	0.34	88	0.002	2	0.27	0.005	0.15	<0.1	<0.01	3.3	<0.1	0.95
1718849	Drill Core	0.7	0.5	0.7	3	0.62	0.029	6	5	0.31	122	0.004	1	0.39	0.008	0.27	0.1	0.02	2.2	<0.1	0.93
1718850	Rock Pulp	<0.1	0.1	<0.1	86	0.71	0.059	7	10	0.69	114	0.080	2	1.32	0.129	0.19	1.7	<0.01	2.1	<0.1	<0.05
1718851	Rock Pulp	0.2	0.4	0.2	227	0.42	0.039	18	733	0.15	156	0.187	5	3.89	0.009	0.08	<0.1	0.03	47.5	0.1	<0.05
1718852	Drill Core	0.3	0.9	<0.1	6	1.60	0.051	10	7	0.73	137	0.020	1	0.82	0.009	0.49	0.1	<0.01	2.8	0.1	0.61
1718853	Drill Core	0.2	0.4	<0.1	8	2.09	0.034	6	8	0.71	177	0.007	2	0.77	0.007	0.40	0.1	<0.01	3.3	<0.1	1.11
1718854	Drill Core	0.5	0.9	<0.1	7	1.98	0.041	9	7	0.69	186	0.006	2	0.77	0.007	0.45	0.1	<0.01	3.0	0.1	0.36
1718855	Drill Core	0.5	0.4	<0.1	11	1.69	0.046	6	11	0.80	146	0.011	<1	0.78	0.015	0.29	0.1	<0.01	4.4	<0.1	0.93
1718856	Drill Core	0.1	0.6	<0.1	14	1.37	0.058	7	12	0.76	145	0.018	1	0.83	0.013	0.33	0.2	<0.01	5.2	0.1	0.96
1718857	Drill Core	0.4	0.6	<0.1	12	1.25	0.040	9	11	0.89	160	0.011	1	0.91	0.019	0.29	0.2	<0.01	4.4	0.1	0.58
1718858	Drill Core	0.3	0.5	<0.1	8	1.28	0.044	12	9	0.58	162	0.011	<1	0.76	0.019	0.28	0.3	<0.01	3.8	<0.1	0.36
1718859	Drill Core	0.2	0.5	<0.1	5	1.87	0.038	11	6	0.39	166	0.005	1	0.56	0.015	0.23	0.2	0.01	2.8	<0.1	0.12
1718860	Drill Core	0.5	2.7	0.1	19	2.14	0.064	27	21	0.72	188	0.016	<1	1.00	0.015	0.31	0.1	0.01	5.5	0.1	<0.05
1718861	Drill Core	0.4	1.7	<0.1	22	1.61	0.072	33	20	0.69	534	0.032	1	1.02	0.024	0.58	<0.1	<0.01	8.4	0.3	<0.05
1718862	Drill Core	0.3	0.5	<0.1	16	1.13	0.072	28	15	0.56	638	0.048	<1	0.75	0.021	0.31	<0.1	<0.01	6.7	0.2	<0.05
1718863	Drill Core	0.4	0.5	0.1	16	2.07	0.060	29	14	0.61	445	0.022	<1	0.93	0.026	0.28	<0.1	0.01	5.3	<0.1	<0.05
1718864	Drill Core	0.3	0.4	<0.1	18	2.98	0.051	27	17	0.59	304	0.003	<1	0.88	0.030	0.20	<0.1	<0.01	4.9	<0.1	<0.05
1718865	Drill Core	0.4	0.5	0.1	26	2.97	0.067	31	24	0.83	410	0.005	<1	1.19	0.033	0.29	<0.1	<0.01	6.9	<0.1	<0.05
1718866	Drill Core	0.3	1.0	0.5	18	1.22	0.064	30	16	0.71	346	0.031	<1	0.94	0.024	0.29	<0.1	0.01	7.2	0.2	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 4 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718837	Drill Core	3	<0.5	<0.2
1718838	Drill Core	4	<0.5	<0.2
1718839	Drill Core	3	<0.5	<0.2
1718840	Drill Core	2	<0.5	<0.2
1718841	Drill Core	2	1.1	<0.2
1718842	Drill Core	1	1.2	<0.2
1718843	Drill Core	2	0.9	<0.2
1718844	Drill Core	2	<0.5	<0.2
1718845	Drill Core	2	1.0	<0.2
1718846	Drill Core	2	<0.5	<0.2
1718847	Drill Core	2	<0.5	<0.2
1718848	Drill Core	<1	1.4	<0.2
1718849	Drill Core	<1	0.8	<0.2
1718850	Rock Pulp	4	<0.5	<0.2
1718851	Rock Pulp	19	<0.5	<0.2
1718852	Drill Core	2	0.6	<0.2
1718853	Drill Core	2	0.8	<0.2
1718854	Drill Core	2	<0.5	<0.2
1718855	Drill Core	2	0.9	<0.2
1718856	Drill Core	3	<0.5	<0.2
1718857	Drill Core	3	1.0	<0.2
1718858	Drill Core	2	<0.5	<0.2
1718859	Drill Core	2	<0.5	<0.2
1718860	Drill Core	3	<0.5	<0.2
1718861	Drill Core	4	<0.5	<0.2
1718862	Drill Core	3	1.1	<0.2
1718863	Drill Core	4	<0.5	<0.2
1718864	Drill Core	5	<0.5	<0.2
1718865	Drill Core	5	<0.5	<0.2
1718866	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 5 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718867	Drill Core	3.22	527	<0.005	<0.01	<0.17	28.33	1.1	13.0	11.6	55	0.1	13.0	7.8	465	2.09	7.7	2.2	2.2	9.5	95
1718868	Drill Core	3.44	520	<0.005	<0.01	<0.17	22.67	1.3	14.7	27.7	50	0.3	12.3	6.7	482	2.03	7.6	1.6	1.2	9.4	95
1718869	Drill Core	3.38	487	<0.005	<0.01	<0.17	20.03	1.1	18.6	18.4	52	0.2	13.9	8.5	363	2.19	6.5	1.9	1.6	9.4	47
1718870	Drill Core	1.79	431	0.006	<0.01	<0.17	20.57	1.1	16.3	16.7	66	0.3	15.0	8.0	518	2.57	20.2	2.0	2.6	10.0	89
1718871	Drill Core	1.59	515	<0.005	<0.01	<0.17	26.06	1.4	18.2	12.9	52	0.2	12.9	7.6	401	2.15	22.1	2.6	1.1	9.4	76
1718872	Drill Core	0.86	432	<0.005	<0.01	<0.17	20.96	0.7	8.0	72.5	40	0.7	10.3	5.7	419	2.17	13.6	1.6	0.8	7.0	91
1718873	Drill Core	1.77	413	0.006	<0.01	<0.17	22.93	0.8	14.3	8.8	35	0.2	8.5	4.9	373	1.61	51.0	1.5	4.9	3.9	65
1718874	Drill Core	0.93	431	0.008	<0.01	<0.17	19.60	1.3	20.7	27.4	63	0.3	13.2	9.2	505	2.31	108.2	1.7	4.2	9.3	85
1718875	Drill Core	0.75	468	<0.005	<0.01	<0.17	22.58	0.6	8.3	23.9	55	0.1	8.5	5.1	655	2.29	10.8	0.8	<0.5	8.4	147
1718876	Drill Core	0.57	499	<0.005	<0.01	<0.17	21.82	0.7	15.7	18.3	61	0.1	13.4	8.0	572	2.63	378.9	2.5	1.6	9.0	115
1718877	Drill Core	0.82	373	0.014	0.01	<0.17	19.13	0.4	3.0	18.0	72	0.1	12.8	7.9	382	2.65	675.2	2.5	7.2	8.8	96
1718878	Drill Core	2.92	475	<0.005	<0.01	<0.17	21.95	0.9	14.6	24.5	55	0.2	11.5	7.7	556	2.23	157.9	1.8	1.3	8.7	109
1718879	Rock Pulp	0.12		0.012	I.S.	I.S.	I.S.	1.7	65.7	3.6	36	<0.1	5.2	8.3	350	2.48	1.0	0.8	8.3	2.7	61
1718880	Rock Pulp	0.12		7.158	I.S.	I.S.	I.S.	13.6	69.7	24.0	56	0.7	19.7	9.6	459	4.25	12.1	0.4	7469.2	1.3	56
1718881	Drill Core	1.63	489	<0.005	<0.01	<0.17	21.57	0.8	11.5	17.3	61	0.1	11.0	7.8	530	2.43	91.0	1.8	1.9	10.2	90
1718882	Drill Core	0.50	424	0.008	<0.01	<0.17	19.57	0.9	14.3	11.7	61	0.1	11.8	7.9	456	2.45	12.6	1.8	<0.5	9.5	81
1718883	Drill Core	1.62	341	<0.005	<0.01	<0.17	20.21	1.0	15.0	21.3	57	0.1	11.0	7.5	607	2.17	14.1	2.2	<0.5	9.0	113
1718884	Drill Core	2.65	444	<0.005	<0.01	<0.17	19.93	0.7	15.7	44.1	52	0.3	11.6	7.7	464	2.04	6.1	1.8	2.2	9.4	103
1718885	Drill Core	2.65	444	<0.005	<0.01	<0.17	23.15	0.7	10.1	29.5	42	0.2	8.8	5.9	533	1.82	6.6	0.9	1.5	7.9	130
1718886	Drill Core	3.71	524	0.034	0.03	<0.17	23.51	2.2	21.8	17.5	52	0.3	12.7	9.1	472	2.49	32.8	1.9	30.3	10.2	74
1718887	Drill Core	2.72	493	<0.005	<0.01	<0.17	20.65	1.3	14.0	11.3	55	0.2	13.1	8.8	382	2.27	4.8	1.2	3.5	10.4	142
1718888	Drill Core	0.71	369	1.020	2.97	34.10	21.76	1.5	11.1	118.2	19	1.5	1.8	0.8	114	0.74	1.5	0.3	2798.2	3.3	19
1718889	Drill Core	1.68	483	0.006	<0.01	<0.17	17.28	0.5	4.0	3.0	74	0.1	3.4	3.1	402	1.61	2.0	1.6	2.0	10.8	12
1718890	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.1	64.5	3.4	36	<0.1	5.6	8.4	359	2.53	<0.5	0.8	<0.5	2.5	62
1718891	Rock Pulp	0.08		0.058	I.S.	I.S.	I.S.	1.2	551.7	21.2	63	0.3	270.0	94.2	988	16.98	4.9	1.3	42.5	7.8	16
1718892	Drill Core	2.90	402	0.006	<0.01	<0.17	20.55	0.2	3.7	11.6	71	0.2	3.7	3.1	446	1.49	3.1	1.1	2.6	11.4	9
1718893	Drill Core	1.50	480	<0.005	<0.01	<0.17	22.12	0.4	26.7	29.2	16	0.3	1.3	1.4	94	0.55	1.9	1.6	2.5	16.1	5
1718894	Drill Core	0.61	397	0.009	<0.01	<0.17	26.19	1.8	25.9	39.2	52	0.3	12.6	8.3	530	2.45	30.3	2.6	3.6	8.5	111
1718895	Drill Core	1.00	390	<0.005	<0.01	<0.17	23.72	0.6	12.3	23.3	50	0.2	10.6	7.5	418	2.25	24.4	1.5	1.9	8.0	90
1718896	Drill Core	0.78	478	0.006	<0.01	<0.17	26.74	0.9	25.1	15.4	32	0.2	10.0	7.5	502	1.95	80.3	1.5	1.8	7.0	139



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 5 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
1718867	Drill Core	0.3	0.7	0.1	17	1.44	0.063	28	16	0.68	444	0.058	<1	0.83	0.020	0.32	<0.1	<0.01	6.9	0.2	<0.05
1718868	Drill Core	0.2	0.4	0.3	15	1.22	0.059	27	15	0.69	429	0.061	<1	0.78	0.026	0.30	<0.1	<0.01	6.0	0.2	<0.05
1718869	Drill Core	0.3	0.3	0.1	18	0.73	0.062	28	17	0.81	344	0.073	<1	0.93	0.030	0.30	<0.1	<0.01	6.6	0.2	<0.05
1718870	Drill Core	0.2	0.7	<0.1	24	1.47	0.065	31	22	0.73	266	0.008	<1	1.09	0.025	0.27	<0.1	<0.01	8.3	0.1	<0.05
1718871	Drill Core	0.4	0.5	<0.1	17	1.28	0.065	31	16	0.64	236	0.018	<1	0.96	0.021	0.34	<0.1	<0.01	7.5	0.1	<0.05
1718872	Drill Core	0.2	0.4	1.4	15	1.40	0.066	22	17	0.76	128	0.010	<1	0.95	0.017	0.22	<0.1	<0.01	5.1	0.1	<0.05
1718873	Drill Core	0.3	0.8	<0.1	8	1.71	0.024	13	9	0.37	133	0.003	<1	0.57	0.007	0.17	<0.1	<0.01	3.6	<0.1	<0.05
1718874	Drill Core	0.5	1.5	0.3	21	1.53	0.075	29	16	0.70	194	0.030	1	0.93	0.017	0.44	0.2	0.02	8.5	0.2	0.29
1718875	Drill Core	0.2	0.2	<0.1	24	2.26	0.061	24	24	1.15	123	0.004	<1	1.19	0.022	0.11	<0.1	<0.01	6.3	<0.1	<0.05
1718876	Drill Core	0.3	0.7	0.1	21	1.46	0.068	32	17	1.02	169	0.006	1	1.29	0.018	0.26	<0.1	<0.01	6.7	<0.1	<0.05
1718877	Drill Core	0.3	1.3	<0.1	18	1.09	0.061	29	16	0.97	118	0.008	2	1.24	0.017	0.33	<0.1	<0.01	7.5	0.1	<0.05
1718878	Drill Core	0.3	0.4	0.1	17	1.38	0.077	29	16	0.87	233	0.022	2	1.00	0.017	0.55	<0.1	<0.01	6.3	0.2	<0.05
1718879	Rock Pulp	<0.1	<0.1	<0.1	87	0.77	0.056	7	10	0.69	109	0.087	<1	1.38	0.141	0.19	1.7	<0.01	2.5	<0.1	<0.05
1718880	Rock Pulp	0.2	5.8	0.5	93	1.04	0.050	5	29	0.61	92	0.104	2	1.84	0.168	0.14	1.8	0.32	4.3	<0.1	<0.05
1718881	Drill Core	0.3	0.3	0.1	18	1.63	0.058	32	17	0.85	174	0.032	1	1.03	0.026	0.45	<0.1	<0.01	5.5	0.2	<0.05
1718882	Drill Core	0.4	0.5	<0.1	23	1.52	0.065	21	20	0.90	176	0.046	<1	0.95	0.026	0.57	0.2	<0.01	8.1	0.2	0.31
1718883	Drill Core	0.3	0.9	0.2	15	1.87	0.064	25	16	0.61	508	0.016	2	0.79	0.027	0.36	<0.1	<0.01	5.8	0.2	<0.05
1718884	Drill Core	0.2	0.4	0.3	14	1.29	0.065	23	14	0.65	422	0.009	<1	0.78	0.021	0.33	<0.1	<0.01	5.4	0.1	0.14
1718885	Drill Core	0.3	0.2	0.2	9	2.21	0.047	25	12	0.51	355	0.008	<1	0.69	0.018	0.26	<0.1	<0.01	3.4	0.1	<0.05
1718886	Drill Core	0.5	0.4	0.3	18	1.55	0.069	29	17	0.88	192	0.050	2	1.07	0.018	0.69	<0.1	<0.01	5.5	0.3	<0.05
1718887	Drill Core	0.2	0.2	0.2	13	1.31	0.070	28	13	0.70	325	0.038	<1	0.95	0.026	0.54	<0.1	<0.01	3.7	0.2	0.17
1718888	Drill Core	<0.1	0.4	0.5	<2	0.21	0.007	10	3	0.13	75	<0.001	<1	0.18	0.014	0.08	0.7	<0.01	0.3	<0.1	<0.05
1718889	Drill Core	0.2	0.2	<0.1	5	0.09	0.024	37	8	0.84	135	0.003	<1	0.95	0.021	0.18	<0.1	0.01	1.5	<0.1	<0.05
1718890	Rock Pulp	<0.1	<0.1	<0.1	87	0.74	0.054	7	11	0.70	107	0.089	1	1.38	0.141	0.19	1.9	<0.01	1.9	<0.1	<0.05
1718891	Rock Pulp	0.1	0.4	0.2	231	0.45	0.040	20	789	0.16	172	0.223	4	4.12	0.009	0.08	<0.1	0.04	48.4	0.1	<0.05
1718892	Drill Core	<0.1	0.1	0.1	6	0.10	0.020	30	9	0.89	161	0.002	<1	0.98	0.024	0.20	<0.1	<0.01	1.5	<0.1	<0.05
1718893	Drill Core	<0.1	0.2	0.2	<2	0.03	0.009	39	3	0.18	131	0.001	2	0.36	0.016	0.22	<0.1	<0.01	0.4	<0.1	<0.05
1718894	Drill Core	0.5	0.9	0.3	15	1.75	0.064	29	13	0.85	178	0.026	3	1.15	0.017	0.45	0.3	<0.01	5.3	0.2	<0.05
1718895	Drill Core	0.2	0.7	0.2	18	1.22	0.051	26	18	0.99	130	0.040	1	1.08	0.019	0.33	0.4	<0.01	6.1	0.2	<0.05
1718896	Drill Core	0.2	2.3	<0.1	12	1.75	0.072	23	11	0.63	159	0.024	2	0.80	0.018	0.43	0.2	<0.01	4.9	0.2	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 5 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718867	Drill Core	3	<0.5	<0.2
1718868	Drill Core	3	<0.5	<0.2
1718869	Drill Core	3	<0.5	<0.2
1718870	Drill Core	5	<0.5	<0.2
1718871	Drill Core	3	<0.5	<0.2
1718872	Drill Core	3	<0.5	<0.2
1718873	Drill Core	2	<0.5	<0.2
1718874	Drill Core	3	1.8	<0.2
1718875	Drill Core	6	<0.5	<0.2
1718876	Drill Core	4	<0.5	<0.2
1718877	Drill Core	4	<0.5	<0.2
1718878	Drill Core	3	<0.5	<0.2
1718879	Rock Pulp	4	<0.5	<0.2
1718880	Rock Pulp	5	<0.5	<0.2
1718881	Drill Core	4	<0.5	<0.2
1718882	Drill Core	3	0.7	<0.2
1718883	Drill Core	3	<0.5	<0.2
1718884	Drill Core	3	0.6	<0.2
1718885	Drill Core	2	<0.5	<0.2
1718886	Drill Core	3	<0.5	<0.2
1718887	Drill Core	3	<0.5	<0.2
1718888	Drill Core	<1	<0.5	<0.2
1718889	Drill Core	3	<0.5	<0.2
1718890	Rock Pulp	4	<0.5	<0.2
1718891	Rock Pulp	19	<0.5	<0.2
1718892	Drill Core	4	<0.5	<0.2
1718893	Drill Core	<1	<0.5	<0.2
1718894	Drill Core	3	<0.5	<0.2
1718895	Drill Core	4	<0.5	<0.2
1718896	Drill Core	2	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 6 of 7

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1718897	Drill Core	1.12	410	0.009	<0.01	<0.17	20.80	1.4	21.6	129.1	47	0.8	11.9	7.1	835	2.03	58.1	1.5	2.8	8.6	100
1718898	Drill Core	1.19	487	0.007	<0.01	<0.17	26.43	0.6	20.2	4.7	73	0.3	13.5	9.6	366	2.22	46.5	2.4	4.0	12.6	52
1718899	Drill Core	1.46	445	0.011	0.01	<0.17	24.05	0.8	19.8	8.8	87	0.2	14.4	9.4	501	3.04	28.3	2.2	7.7	11.7	67
1718900	Drill Core	1.48	463	0.007	<0.01	<0.17	27.04	0.8	10.9	10.0	51	0.2	9.4	5.8	394	2.27	18.3	1.5	3.5	11.6	36
1718901	Drill Core	1.24	461	0.005	<0.01	<0.17	23.63	1.0	11.2	15.7	63	0.2	10.4	7.0	633	2.32	15.6	1.8	1.7	12.0	164
1718902	Drill Core	1.44	437	0.006	<0.01	<0.17	24.58	0.9	6.8	13.7	62	0.1	11.2	7.3	511	2.30	8.7	1.5	<0.5	11.4	125
1718903	Drill Core	1.95	344	<0.005	<0.01	<0.17	20.50	1.0	8.0	23.9	69	0.2	11.9	7.9	485	2.51	15.5	1.5	<0.5	11.4	116
1718904	Drill Core	1.32	439	<0.005	<0.01	<0.17	18.57	1.7	23.8	9.9	69	0.3	15.3	9.7	570	2.58	53.8	2.1	<0.5	11.4	148
1718905	Drill Core	1.29	399	0.008	<0.01	<0.17	22.89	0.6	17.4	13.7	56	0.2	11.8	7.6	529	2.44	10.4	1.0	<0.5	8.9	148
1718906	Drill Core	0.55	318	<0.005	<0.01	<0.17	19.74	1.7	5.9	19.6	60	0.2	10.5	8.0	595	2.39	8.5	1.9	2.0	10.7	131
1718907	Drill Core	1.78	362	<0.005	<0.01	<0.17	23.50	0.5	17.9	12.6	48	<0.1	11.3	7.2	266	2.01	3.1	1.5	<0.5	10.2	28
1718908	Drill Core	1.15	582	0.006	<0.01	<0.17	29.37	0.9	17.8	25.4	43	0.2	12.3	6.2	387	1.85	4.3	1.4	2.0	7.6	170
1718909	Drill Core	1.39	439	0.006	<0.01	<0.17	21.50	0.8	14.7	47.7	48	0.2	12.9	7.5	348	1.97	7.5	1.6	<0.5	9.7	68
1718910	Rock Pulp	0.12		0.026	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718911	Rock Pulp	0.12		7.053	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718912	Drill Core	1.48	464	0.021	0.02	<0.17	24.76	1.1	14.9	11.5	40	0.1	13.5	6.9	401	1.82	36.8	2.4	<0.5	5.6	81
1718913	Drill Core	1.48	471	0.006	<0.01	<0.17	19.18	1.1	17.0	23.2	41	0.2	14.6	6.9	319	1.71	5.2	1.5	<0.5	8.2	71
1718914	Drill Core	3.61	364	0.005	<0.01	<0.17	19.55	2.7	16.7	15.8	39	0.2	12.8	8.2	248	1.65	72.2	1.8	<0.5	9.3	45
1718915	Drill Core	1.73	364	<0.005	<0.01	<0.17	19.33	2.2	17.2	19.9	50	0.1	12.5	7.2	398	2.00	18.4	1.9	1.7	10.0	65
1718916	Drill Core	2.02	435	0.006	<0.01	<0.17	21.99	0.7	12.9	39.4	59	0.2	13.7	7.6	600	2.31	6.6	1.8	<0.5	8.7	146
1718917	Drill Core	0.97	424	0.011	0.01	<0.17	21.59	1.4	14.5	23.1	53	0.2	11.1	7.6	323	1.93	3.6	5.9	0.6	9.2	70
1718918	Drill Core	0.66	411	0.006	<0.01	<0.17	19.17	2.9	16.4	22.4	54	0.2	13.1	8.2	429	2.40	4.9	4.4	1.2	9.1	91
1718919	Drill Core	2.96	532	0.005	<0.01	<0.17	24.38	0.5	14.3	12.2	59	0.2	14.0	9.0	559	2.71	18.0	2.0	<0.5	10.0	101
1718920	Drill Core	1.98	430	0.005	<0.01	<0.17	19.69	1.0	15.3	15.2	72	0.2	15.7	10.2	634	3.19	52.4	1.6	0.9	10.1	64
1718921	Drill Core	1.44	410	0.006	<0.01	<0.17	26.45	0.6	13.2	15.7	83	0.2	11.9	7.1	533	2.59	24.1	1.4	2.1	8.7	25
1718922	Drill Core	1.23	520	<0.005	<0.01	<0.17	26.36	0.8	22.1	16.1	51	0.3	13.5	8.1	477	2.38	6.5	1.7	<0.5	10.6	81
1718923	Drill Core	1.27	540	<0.005	<0.01	<0.17	27.86	1.1	14.5	27.4	54	0.3	10.1	6.7	336	2.25	2.9	1.4	<0.5	6.6	66
1718924	Drill Core	1.35	433	<0.005	<0.01	<0.17	23.89	1.1	10.9	38.9	58	0.3	10.9	7.4	446	2.08	6.8	1.4	0.9	7.8	66
1718925	Drill Core	2.21	442	<0.005	<0.01	<0.17	22.55	0.9	10.8	13.9	50	0.2	7.8	6.1	427	1.90	3.6	1.0	<0.5	4.2	52
1718926	Drill Core	1.72	444	0.006	<0.01	<0.17	19.68	1.0	21.9	14.8	55	0.5	13.0	8.3	500	2.22	4.2	1.3	<0.5	10.0	88



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 09, 2015

**Page:** 6 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000201.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	
	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.1	0.05
1718897	Drill Core	0.9	1.0	1.2	13	2.02	0.055	28	13	0.73	211	0.009	1	0.90	0.009	0.40	<0.1	<0.01	3.8	0.2	<0.05
1718898	Drill Core	0.5	1.4	<0.1	22	0.97	0.067	36	21	0.49	197	0.012	<1	0.91	0.036	0.31	<0.1	0.02	7.3	0.2	<0.05
1718899	Drill Core	0.3	0.5	<0.1	37	1.57	0.064	33	37	0.89	112	0.003	<1	1.35	0.033	0.17	<0.1	0.01	4.9	<0.1	<0.05
1718900	Drill Core	0.2	0.3	<0.1	23	0.82	0.063	34	21	0.72	165	0.002	<1	1.19	0.015	0.29	<0.1	0.06	4.1	0.1	<0.05
1718901	Drill Core	0.3	0.3	<0.1	22	3.74	0.066	37	20	0.74	108	0.003	<1	1.14	0.013	0.23	<0.1	<0.01	3.9	<0.1	<0.05
1718902	Drill Core	0.3	0.2	<0.1	24	2.85	0.054	31	24	0.87	116	0.003	<1	1.19	0.020	0.20	<0.1	<0.01	3.7	<0.1	<0.05
1718903	Drill Core	0.4	0.3	0.2	32	2.29	0.061	29	31	0.92	111	0.003	<1	1.23	0.030	0.17	<0.1	<0.01	5.0	<0.1	<0.05
1718904	Drill Core	0.3	1.1	<0.1	28	2.45	0.072	32	25	0.70	194	0.004	<1	1.17	0.024	0.30	<0.1	0.01	5.2	0.1	<0.05
1718905	Drill Core	0.1	0.4	<0.1	26	2.25	0.062	23	25	0.82	155	0.004	1	1.17	0.018	0.23	<0.1	<0.01	4.0	<0.1	<0.05
1718906	Drill Core	0.3	0.6	0.1	14	1.41	0.065	16	15	1.09	190	0.030	1	1.14	0.018	0.49	<0.1	<0.01	4.6	0.2	0.17
1718907	Drill Core	0.2	<0.1	<0.1	15	0.31	0.063	29	15	0.69	353	0.073	<1	0.78	0.023	0.43	<0.1	<0.01	3.9	0.3	<0.05
1718908	Drill Core	0.3	0.1	0.2	12	1.74	0.059	22	13	0.50	290	0.066	<1	0.59	0.016	0.32	<0.1	<0.01	3.8	0.2	<0.05
1718909	Drill Core	0.2	0.2	0.2	12	0.76	0.077	27	12	0.60	344	0.071	<1	0.76	0.018	0.36	<0.1	<0.01	3.4	0.2	<0.05
1718910	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718911	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718912	Drill Core	0.4	0.3	<0.1	13	1.42	0.059	15	16	0.44	160	0.067	<1	0.66	0.022	0.21	<0.1	<0.01	3.7	0.1	<0.05
1718913	Drill Core	0.2	0.1	0.2	15	1.22	0.067	24	16	0.54	222	0.068	<1	0.71	0.014	0.30	<0.1	<0.01	4.8	0.1	<0.05
1718914	Drill Core	0.1	0.1	0.1	11	0.69	0.074	23	13	0.49	266	0.070	<1	0.76	0.011	0.34	<0.1	<0.01	3.3	0.1	<0.05
1718915	Drill Core	0.1	0.1	<0.1	14	0.86	0.066	23	15	0.63	367	0.084	<1	0.79	0.031	0.32	0.1	<0.01	3.9	0.1	<0.05
1718916	Drill Core	0.3	0.2	0.2	19	2.60	0.058	25	19	0.92	178	0.037	<1	1.07	0.014	0.27	<0.1	<0.01	5.3	0.1	<0.05
1718917	Drill Core	0.2	0.3	0.1	16	1.75	0.064	24	17	0.56	145	0.060	<1	0.77	0.030	0.20	<0.1	<0.01	5.6	0.1	0.18
1718918	Drill Core	0.2	0.6	0.2	22	1.71	0.073	23	18	0.77	243	0.018	<1	0.89	0.017	0.31	<0.1	<0.01	7.5	0.2	0.19
1718919	Drill Core	0.3	0.4	<0.1	28	2.12	0.069	27	24	1.05	200	0.006	<1	1.35	0.024	0.28	<0.1	<0.01	5.5	0.2	0.08
1718920	Drill Core	0.3	0.7	<0.1	39	1.37	0.076	32	38	1.27	121	0.003	<1	1.61	0.014	0.18	<0.1	<0.01	5.2	<0.1	<0.05
1718921	Drill Core	0.4	0.4	<0.1	31	0.65	0.066	28	36	1.05	127	0.002	<1	1.31	0.013	0.19	<0.1	<0.01	3.3	<0.1	<0.05
1718922	Drill Core	0.3	0.3	<0.1	23	2.08	0.068	28	19	0.79	232	0.007	<1	1.17	0.010	0.32	<0.1	0.01	6.6	0.1	0.10
1718923	Drill Core	0.3	0.6	0.3	20	1.47	0.049	21	20	0.65	132	0.016	1	1.00	0.009	0.21	0.2	0.01	5.1	<0.1	<0.05
1718924	Drill Core	0.2	0.4	0.4	15	2.31	0.064	18	15	0.60	132	0.056	<1	1.05	0.018	0.22	0.2	<0.01	4.0	<0.1	0.05
1718925	Drill Core	0.2	0.3	<0.1	13	1.88	0.044	13	18	0.46	93	0.038	<1	0.81	0.013	0.15	0.5	0.01	2.9	<0.1	<0.05
1718926	Drill Core	0.2	0.5	0.1	21	2.44	0.063	32	26	0.66	137	0.009	<1	1.03	0.010	0.23	0.1	0.01	2.9	<0.1	0.09

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 6 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718897	Drill Core	2	<0.5	<0.2
1718898	Drill Core	4	0.8	<0.2
1718899	Drill Core	9	<0.5	<0.2
1718900	Drill Core	7	<0.5	<0.2
1718901	Drill Core	6	<0.5	<0.2
1718902	Drill Core	6	<0.5	<0.2
1718903	Drill Core	7	<0.5	<0.2
1718904	Drill Core	5	<0.5	<0.2
1718905	Drill Core	6	<0.5	<0.2
1718906	Drill Core	4	0.8	<0.2
1718907	Drill Core	3	<0.5	<0.2
1718908	Drill Core	2	<0.5	<0.2
1718909	Drill Core	3	<0.5	<0.2
1718910	Rock Pulp	I.S.	I.S.	I.S.
1718911	Rock Pulp	I.S.	I.S.	I.S.
1718912	Drill Core	2	<0.5	<0.2
1718913	Drill Core	3	<0.5	<0.2
1718914	Drill Core	2	<0.5	<0.2
1718915	Drill Core	3	<0.5	<0.2
1718916	Drill Core	4	<0.5	<0.2
1718917	Drill Core	3	<0.5	<0.2
1718918	Drill Core	4	<0.5	<0.2
1718919	Drill Core	5	<0.5	<0.2
1718920	Drill Core	8	<0.5	<0.2
1718921	Drill Core	6	<0.5	<0.2
1718922	Drill Core	5	<0.5	<0.2
1718923	Drill Core	4	<0.5	<0.2
1718924	Drill Core	4	0.8	<0.2
1718925	Drill Core	3	<0.5	<0.2
1718926	Drill Core	5	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 7 of 7

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1718927	Drill Core	1.27	485	<0.005	<0.01	<0.17	22.05	1.2	21.9	8.7	46	0.4	10.5	10.8	574	2.15	3.4	0.9	0.8	6.0	99
1718928	Drill Core	1.32	432	0.008	<0.01	<0.17	17.87	2.2	31.8	9.6	52	0.6	14.4	8.1	372	2.31	5.3	1.6	6.2	8.8	36
1718929	Drill Core	1.40	431	<0.005	<0.01	<0.17	19.51	1.2	11.8	12.1	54	0.2	11.5	7.4	480	2.44	3.4	1.2	<0.5	8.0	64
1718930	Rock Pulp	0.12		0.008	I.S.	I.S.	I.S.	2.2	64.0	3.5	35	<0.1	5.1	7.9	361	2.57	<0.5	0.8	4.1	2.5	59
1718931	Rock Pulp	0.12		7.109	I.S.	I.S.	I.S.	13.2	68.2	22.4	58	0.7	18.4	8.8	461	4.29	11.7	0.4	6765.7	1.2	52
1718932	Drill Core	2.16	500	<0.005	<0.01	<0.17	21.27	1.3	15.7	20.9	56	0.3	12.0	8.2	425	2.02	11.8	1.2	1.0	5.5	90
1718933	Drill Core	1.65	522	<0.005	<0.01	<0.17	30.89	1.1	15.2	19.5	53	0.2	11.6	7.7	688	2.14	6.7	1.6	0.9	5.5	185
1718934	Drill Core	1.64	529	<0.005	<0.01	<0.17	20.99	1.1	14.9	17.2	66	0.2	13.6	8.7	621	2.55	9.3	2.6	0.7	8.5	246
1718935	Drill Core	0.43	348	0.036	0.03	<0.17	19.61	0.5	3.6	15.5	24	0.3	1.0	0.9	46	0.70	6.1	1.0	43.0	8.4	4
1718936	Drill Core	0.92	385	0.211	0.74	11.47	18.05	0.6	2.8	17.3	26	0.5	1.1	0.8	46	0.80	5.3	0.9	189.3	6.3	7
1718937	Drill Core	0.75	363	0.008	<0.01	<0.17	23.12	0.7	28.0	4.3	46	0.2	9.6	6.7	361	2.51	27.7	1.6	3.6	12.3	22
1718938	Drill Core	0.85	498	0.009	<0.01	<0.17	25.11	2.0	14.2	60.2	53	0.5	9.5	5.9	689	2.03	10.4	1.2	4.5	9.0	15
1718939	Drill Core	1.24	415	0.014	0.01	<0.17	19.47	0.9	14.8	33.8	63	0.4	12.5	7.1	354	2.64	24.6	2.3	4.6	10.4	30



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 7 of 7

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05
1718927	Drill Core	0.4	0.3	<0.1	23	2.76	0.047	20	26	0.67	61	0.007	<1	0.93	0.016	0.14	0.1	<0.01	3.0	<0.1	0.08	
1718928	Drill Core	0.1	0.2	<0.1	24	0.90	0.055	25	26	0.70	159	0.008	<1	0.99	0.023	0.18	<0.1	<0.01	4.8	<0.1	<0.05	
1718929	Drill Core	0.2	0.1	<0.1	24	1.70	0.059	23	23	0.95	164	0.012	<1	1.19	0.022	0.20	<0.1	<0.01	5.2	<0.1	<0.05	
1718930	Rock Pulp	<0.1	<0.1	<0.1	89	0.76	0.058	6	10	0.71	108	0.091	2	1.40	0.139	0.19	2.0	<0.01	2.1	<0.1	<0.05	
1718931	Rock Pulp	<0.1	5.0	0.5	95	1.05	0.051	5	28	0.61	91	0.098	2	1.85	0.159	0.14	1.4	0.31	5.2	<0.1	<0.05	
1718932	Drill Core	0.4	0.6	0.1	16	1.50	0.062	12	19	0.60	245	0.073	<1	0.91	0.022	0.26	<0.1	<0.01	4.6	0.2	<0.05	
1718933	Drill Core	0.3	0.5	<0.1	18	4.18	0.062	9	19	0.66	172	0.074	<1	0.97	0.018	0.24	0.1	<0.01	4.0	0.2	0.15	
1718934	Drill Core	0.2	0.4	0.1	27	3.53	0.068	14	29	0.86	123	0.058	<1	1.13	0.024	0.19	<0.1	<0.01	5.5	0.1	0.21	
1718935	Drill Core	<0.1	0.4	<0.1	<2	0.03	0.007	31	2	0.05	322	<0.001	2	0.31	0.017	0.22	0.1	0.07	1.7	<0.1	<0.05	
1718936	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.004	19	4	0.04	1778	<0.001	1	0.23	0.010	0.22	<0.1	0.07	1.3	<0.1	<0.05	
1718937	Drill Core	0.1	0.3	<0.1	25	0.20	0.050	24	25	0.85	89	0.003	<1	1.09	0.045	0.13	<0.1	<0.01	4.6	<0.1	<0.05	
1718938	Drill Core	0.3	0.4	0.5	16	0.16	0.046	22	13	0.87	166	0.002	<1	1.01	0.009	0.21	0.1	<0.01	2.8	<0.1	<0.05	
1718939	Drill Core	0.1	0.5	0.2	20	0.41	0.057	30	19	0.84	196	0.003	<1	1.26	0.025	0.23	<0.1	<0.01	5.2	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 7 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000201.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718927	Drill Core	5	<0.5	<0.2
1718928	Drill Core	5	<0.5	<0.2
1718929	Drill Core	5	<0.5	<0.2
1718930	Rock Pulp	4	<0.5	<0.2
1718931	Rock Pulp	5	<0.5	0.2
1718932	Drill Core	4	<0.5	<0.2
1718933	Drill Core	4	<0.5	<0.2
1718934	Drill Core	5	<0.5	<0.2
1718935	Drill Core	1	<0.5	<0.2
1718936	Drill Core	<1	<0.5	<0.2
1718937	Drill Core	6	<0.5	<0.2
1718938	Drill Core	5	<0.5	<0.2
1718939	Drill Core	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 09, 2015

Page: 1 of 3 Part: 1 of 3

# QUALITY CONTROL REPORT

## WHI15000201.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
Pulp Duplicates																					
1718785	Drill Core	0.93	391	0.682	0.74	1.79	19.55	0.8	20.6	8.5	41	1.2	8.6	6.4	445	1.80	7.1	1.2	1324.5	5.9	18
REP 1718785	QC	0.697																			
1718807	Drill Core	1.79	368	<0.005	<0.01	<0.17	17.52	0.6	16.5	14.6	49	0.2	12.0	6.6	373	2.10	11.1	1.5	1.3	8.5	40
REP 1718807	QC							0.6	16.5	15.8	53	0.2	11.6	6.6	376	2.08	11.4	1.6	1.2	9.4	43
REP 1718840	QC	0.068																			
1718842	Drill Core	0.91	439	2.027	2.91	20.70	20.77	2.0	9.3	32.0	25	0.9	10.6	7.4	270	1.84	11.5	1.1	1456.8	6.0	94
REP 1718842	QC							2.0	10.1	33.9	29	1.3	10.8	7.8	274	1.86	14.2	1.3	3179.1	6.6	105
1718860	Drill Core	1.01	420	0.006	<0.01	<0.17	25.05	1.5	17.9	20.4	61	0.3	16.5	8.9	559	2.33	50.8	1.5	2.7	8.2	105
REP 1718860	QC	0.005																			
1718877	Drill Core	0.82	373	0.014	0.01	<0.17	19.13	0.4	3.0	18.0	72	0.1	12.8	7.9	382	2.65	675.2	2.5	7.2	8.8	96
REP 1718877	QC							0.5	2.9	17.3	68	0.1	11.5	7.2	378	2.63	673.9	2.6	11.0	8.7	95
1718912	Drill Core	1.48	464	0.021	0.02	<0.17	24.76	1.1	14.9	11.5	40	0.1	13.5	6.9	401	1.82	36.8	2.4	<0.5	5.6	81
REP 1718912	QC							1.1	14.6	11.3	39	0.1	12.7	6.6	405	1.78	36.6	2.4	<0.5	5.7	81
1718914	Drill Core	3.61	364	0.005	<0.01	<0.17	19.55	2.7	16.7	15.8	39	0.2	12.8	8.2	248	1.65	72.2	1.8	<0.5	9.3	45
REP 1718914	QC	<0.005																			
1718939	Drill Core	1.24	415	0.014	0.01	<0.17	19.47	0.9	14.8	33.8	63	0.4	12.5	7.1	354	2.64	24.6	2.3	4.6	10.4	30
REP 1718939	QC							0.8	15.1	32.8	62	0.4	13.3	7.4	360	2.69	22.9	2.2	5.9	10.0	31
Core Reject Duplicates																					
1718806	Drill Core	0.85	378	<0.005	<0.01	<0.17	18.68	0.4	7.2	20.3	56	0.1	10.0	5.8	500	2.15	4.6	1.3	2.4	6.7	65
DUP 1718806	Drill Core	342 <0.005 <0.01 <0.17			16.97	0.4	6.9	20.2	53	0.1	10.1	5.7	495	2.12	4.5	1.3	<0.5	6.7	62		
1718840	Drill Core	1.26	411	0.054	0.05	<0.17	23.64	2.2	15.9	10.3	44	0.3	10.8	8.4	425	1.96	13.1	5.2	53.2	7.1	143
DUP 1718840	Drill Core	372 0.071 0.07 <0.17			23.71	2.0	14.9	10.0	43	0.3	10.5	7.7	416	1.90	13.1	5.1	57.6	7.2	151		
1718874	Drill Core	0.93	431	0.008	<0.01	<0.17	19.60	1.3	20.7	27.4	63	0.3	13.2	9.2	505	2.31	108.2	1.7	4.2	9.3	85
DUP 1718874	Drill Core	359 0.009 <0.01 <0.17			19.09	1.7	21.1	28.4	65	0.3	14.3	8.6	505	2.30	114.0	1.8	7.0	9.8	81		
1718908	Drill Core	1.15	582	0.006	<0.01	<0.17	29.37	0.9	17.8	25.4	43	0.2	12.3	6.2	387	1.85	4.3	1.4	2.0	7.6	170
DUP 1718908	Drill Core	437 <0.005 <0.01 <0.17			23.95	0.9	17.0	24.5	39	0.2	11.9	6.2	385	1.82	4.2	1.3	<0.5	7.6	167		
Reference Materials																					
STD DS10	Standard							14.7	152.8	152.9	360	1.8	73.0	12.7	912	2.80	44.2	2.9	76.4	8.0	65



# QUALITY CONTROL REPORT

WHI15000201.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1718785	Drill Core	0.4	0.4	<0.1	6	0.16	0.038	14	8	0.45	185	0.007	2	0.66	0.009	0.25	0.2	<0.01	2.5	<0.1	<0.05
REP 1718785	QC																				
1718807	Drill Core	0.4	0.7	<0.1	15	1.09	0.058	27	16	0.58	261	0.003	<1	0.84	0.026	0.24	<0.1	<0.01	5.0	<0.1	<0.05
REP 1718807	QC	0.3	0.8	<0.1	15	1.09	0.057	29	17	0.59	270	0.003	<1	0.83	0.026	0.23	<0.1	<0.01	5.2	<0.1	<0.05
REP 1718840	QC																				
1718842	Drill Core	0.3	0.5	0.2	5	1.26	0.042	6	6	0.47	128	0.009	1	0.46	0.008	0.29	0.2	<0.01	2.4	<0.1	1.05
REP 1718842	QC	0.4	0.6	0.3	5	1.30	0.049	7	6	0.48	140	0.008	1	0.49	0.009	0.30	0.2	<0.01	2.5	<0.1	1.07
1718860	Drill Core	0.5	2.7	0.1	19	2.14	0.064	27	21	0.72	188	0.016	<1	1.00	0.015	0.31	0.1	0.01	5.5	0.1	<0.05
REP 1718860	QC																				
1718877	Drill Core	0.3	1.3	<0.1	18	1.09	0.061	29	16	0.97	118	0.008	2	1.24	0.017	0.33	<0.1	<0.01	7.5	0.1	<0.05
REP 1718877	QC	0.2	1.3	<0.1	18	1.10	0.062	30	16	0.97	121	0.008	3	1.24	0.015	0.34	<0.1	<0.01	7.4	0.1	<0.05
1718912	Drill Core	0.4	0.3	<0.1	13	1.42	0.059	15	16	0.44	160	0.067	<1	0.66	0.022	0.21	<0.1	<0.01	3.7	0.1	<0.05
REP 1718912	QC	0.3	0.3	<0.1	13	1.37	0.060	14	15	0.42	153	0.063	<1	0.66	0.020	0.21	<0.1	<0.01	3.5	0.1	<0.05
1718914	Drill Core	0.1	0.1	0.1	11	0.69	0.074	23	13	0.49	266	0.070	<1	0.76	0.011	0.34	<0.1	<0.01	3.3	0.1	<0.05
REP 1718914	QC																				
1718939	Drill Core	0.1	0.5	0.2	20	0.41	0.057	30	19	0.84	196	0.003	<1	1.26	0.025	0.23	<0.1	<0.01	5.2	<0.1	<0.05
REP 1718939	QC	<0.1	0.4	0.2	20	0.42	0.060	30	20	0.86	197	0.003	<1	1.28	0.026	0.23	<0.1	<0.01	5.5	<0.1	<0.05
Core Reject Duplicates																					
1718806	Drill Core	0.2	0.2	<0.1	18	1.46	0.067	21	19	0.68	302	0.003	<1	0.80	0.025	0.22	<0.1	<0.01	5.6	<0.1	<0.05
DUP 1718806	Drill Core	0.2	0.2	<0.1	18	1.44	0.068	23	19	0.67	337	0.003	<1	0.78	0.024	0.22	<0.1	<0.01	5.3	<0.1	<0.05
1718840	Drill Core	0.3	0.4	<0.1	10	2.05	0.063	11	11	0.69	154	0.029	<1	0.82	0.013	0.46	0.2	<0.01	3.8	0.2	0.34
DUP 1718840	Drill Core	0.3	0.4	<0.1	10	2.01	0.067	10	11	0.68	151	0.028	<1	0.81	0.013	0.46	0.2	<0.01	3.7	0.2	0.33
1718874	Drill Core	0.5	1.5	0.3	21	1.53	0.075	29	16	0.70	194	0.030	1	0.93	0.017	0.44	0.2	0.02	8.5	0.2	0.29
DUP 1718874	Drill Core	0.5	1.5	0.3	21	1.51	0.071	30	17	0.69	196	0.031	1	0.92	0.016	0.44	0.2	0.01	7.8	0.2	0.29
1718908	Drill Core	0.3	0.1	0.2	12	1.74	0.059	22	13	0.50	290	0.066	<1	0.59	0.016	0.32	<0.1	<0.01	3.8	0.2	<0.05
DUP 1718908	Drill Core	0.3	0.1	0.2	12	1.73	0.060	21	13	0.49	281	0.063	<1	0.58	0.016	0.31	0.1	<0.01	3.6	0.2	<0.05
Reference Materials																					
STD DS10	Standard	2.7	8.9	11.7	46	1.09	0.075	19	55	0.79	381	0.080	7	1.09	0.071	0.34	3.1	0.30	3.1	5.1	0.28



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 1 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000201.1

Method Analyte		AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
1718785	Drill Core	2	<0.5	<0.2
REP 1718785	QC			
1718807	Drill Core	3	<0.5	<0.2
REP 1718807	QC	3	<0.5	<0.2
REP 1718840	QC			
1718842	Drill Core	1	1.2	<0.2
REP 1718842	QC	2	0.5	<0.2
1718860	Drill Core	3	<0.5	<0.2
REP 1718860	QC			
1718877	Drill Core	4	<0.5	<0.2
REP 1718877	QC	4	<0.5	<0.2
1718912	Drill Core	2	<0.5	<0.2
REP 1718912	QC	2	<0.5	<0.2
1718914	Drill Core	2	<0.5	<0.2
REP 1718914	QC			
1718939	Drill Core	5	<0.5	<0.2
REP 1718939	QC	4	<0.5	<0.2
Core Reject Duplicates				
1718806	Drill Core	3	<0.5	<0.2
DUP 1718806	Drill Core	3	<0.5	<0.2
1718840	Drill Core	2	<0.5	<0.2
DUP 1718840	Drill Core	2	<0.5	<0.2
1718874	Drill Core	3	1.8	<0.2
DUP 1718874	Drill Core	3	1.6	<0.2
1718908	Drill Core	2	<0.5	<0.2
DUP 1718908	Drill Core	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	1.6	5.0



# QUALITY CONTROL REPORT

WHI15000201.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD DS10	Standard							13.8	158.1	152.3	364	1.9	77.5	13.1	887	2.72	45.0	2.6	79.1	7.4	70
STD DS10	Standard							14.2	148.5	144.3	363	1.8	72.7	12.6	883	2.73	44.2	2.6	76.9	7.3	68
STD DS10	Standard							13.7	153.1	146.5	355	1.8	72.0	13.1	893	2.74	45.3	2.6	78.3	7.2	63
STD DS10	Standard							15.6	154.0	147.8	357	1.9	75.2	13.3	894	2.75	43.5	2.7	65.4	7.8	68
STD OXC129	Standard							1.2	26.2	6.4	38	<0.1	75.6	19.7	415	3.05	0.6	0.7	173.2	1.8	182
STD OXC129	Standard							1.0	26.2	6.2	38	<0.1	74.6	19.6	406	2.99	<0.5	0.7	197.0	1.7	180
STD OXC129	Standard							1.3	27.7	6.3	43	<0.1	78.9	20.1	401	2.97	<0.5	0.7	176.2	1.8	177
STD OXC129	Standard							1.3	26.9	6.6	40	<0.1	78.3	20.3	418	3.06	0.7	0.7	197.8	1.8	183
STD OXC129	Standard							1.3	27.9	6.3	41	<0.1	82.5	20.4	410	3.01	0.5	0.7	190.0	1.9	186
STD OXD108	Standard			0.411																	
STD OXD108	Standard			0.429																	
STD OXD108	Standard			0.432																	
STD OXI121	Standard			1.784																	
STD OXI121	Standard			1.768																	
STD OXI121	Standard			1.805																	
STD OXN117	Standard			7.684																	
STD OXN117	Standard			7.981																	
STD OXN117	Standard			8.010																	
STD OXP91	Standard					14.73	31.36														
STD OXP91	Standard					15.07	28.87														
STD OXP91	Standard					14.94	30.93														
STD OXP91	Standard					14.96	31.29														
STD OXP91	Standard					15.11	30.25														
STD OXP91	Standard					14.71	29.10														
STD OXP91	Standard					14.71	30.12														
STD OXP91	Standard					15.06	29.94														
STD OXP91	Standard					15.01	29.71														
STD OXP91	Standard					15.02	30.23														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 2 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000201.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	ppm	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD DS10	Standard	2.6	8.8	11.6	44	1.06	0.071	19	53	0.77	355	0.078	7	1.07	0.071	0.33	3.2	0.35	3.3	5.3	0.28	
STD DS10	Standard	2.4	8.5	11.4	43	1.07	0.076	19	52	0.77	340	0.080	8	1.05	0.068	0.33	3.3	0.28	2.8	4.9	0.29	
STD DS10	Standard	2.3	8.6	11.4	44	1.08	0.075	17	54	0.78	346	0.074	7	1.06	0.069	0.33	3.3	0.29	2.8	5.3	0.30	
STD DS10	Standard	2.4	8.9	12.8	44	1.09	0.073	19	55	0.78	360	0.082	7	1.10	0.074	0.34	3.4	0.29	2.8	5.2	0.29	
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.69	0.096	12	50	1.59	49	0.395	1	1.64	0.607	0.38	<0.1	<0.01	1.7	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.62	0.092	12	47	1.55	46	0.359	1	1.53	0.586	0.36	<0.1	<0.01	1.9	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.64	0.094	12	49	1.54	45	0.382	1	1.53	0.579	0.36	<0.1	<0.01	0.6	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.65	0.111	13	49	1.60	50	0.382	1	1.60	0.605	0.37	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.68	0.104	13	52	1.58	48	0.402	1	1.62	0.602	0.37	<0.1	<0.01	0.8	<0.1	<0.05	
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 2 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000201.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
STD DS10	Standard	4	1.8	5.0
STD DS10	Standard	4	3.0	5.3
STD DS10	Standard	4	1.6	4.9
STD DS10	Standard	4	2.2	4.4
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01



# QUALITY CONTROL REPORT

WHI15000201.1

	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXC129 Expected							1.3	28	6.3	42.9			79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD OXP91 Expected					14.82																
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank						<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank		0.006																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank						<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank						<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank						<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
BLK	Blank				<0.17	30.00															
Prep Wash																					
ROCK-WHI	Prep Blank	406	<0.005	<0.01	<0.17	22.06	0.5	1.8	1.0	30	<0.1	1.2	3.6	460	1.94	0.7	0.4	1.8	2.6	28	
ROCK-WHI	Prep Blank	369	<0.005	<0.01	<0.17	20.33	0.6	4.6	1.1	28	<0.1	1.1	3.7	426	1.87	0.9	0.5	0.9	2.4	24	



# QUALITY CONTROL REPORT

WHI15000201.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD OXP91 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.63	0.044	6	4	0.44	51	0.088	1	0.97	0.076	0.07	<0.1	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.54	0.042	5	3	0.42	48	0.078	<1	0.86	0.082	0.08	<0.1	<0.01	2.1	<0.1	<0.05



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 09, 2015

Page: 3 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000201.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
STD OXC129 Expected		5.6		
STD OXP91 Expected				
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Email Distribution List  
Receiving Lab: Canada-Whitehorse  
Received: September 15, 2015  
Report Date: October 01, 2015  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000202.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-09  
P.O. Number  
Number of Samples: 12

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC:

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	12	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	12	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 01, 2015

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI15000202.1

Method	Analyte	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1
1960022	Rock	0.85	<0.005	<0.1	0.8	0.4	1	<0.1	0.7	0.2	35	0.24	1.1	<0.1	<0.5	<0.1	2	<0.1	<0.1	<0.1	<2	
1960718	Rock	2.39	<0.005	0.2	4.7	4.9	14	<0.1	2.6	2.3	910	0.85	1.3	<0.1	<0.5	0.6	426	0.2	<0.1	<0.1	7	
1960719	Rock	4.24	0.016	0.2	15.7	4.1	9	<0.1	3.4	2.9	393	1.00	5.5	0.1	26.7	0.7	6	0.2	<0.1	<0.1	6	
1960720	Rock	1.62	<0.005	<0.1	6.5	1.1	6	<0.1	2.1	0.7	123	0.42	1.4	<0.1	13.7	0.2	2	<0.1	0.1	<0.1	3	
1960722	Rock	1.39	<0.005	0.4	2.8	0.8	11	<0.1	1.7	0.9	373	0.80	1.5	0.1	7.7	0.1	3	<0.1	<0.1	<0.1	2	
1961786	Rock	0.96	<0.005	<0.1	10.8	5.5	38	0.8	3.0	0.3	106	0.73	1.6	1.2	0.5	2.0	15	<0.1	0.8	<0.1	5	
1961787	Rock	1.54	<0.005	0.1	1.6	0.6	2	<0.1	1.4	0.4	32	0.30	3.6	<0.1	<0.5	0.2	1	<0.1	<0.1	<0.1	<2	
1961788	Rock	1.33	<0.005	0.1	3.0	1.0	2	<0.1	1.8	0.7	55	0.37	6.1	<0.1	<0.5	0.1	1	<0.1	<0.1	<0.1	<2	
1961789	Rock	1.36	<0.005	0.2	3.6	1.0	2	<0.1	1.9	1.0	35	0.36	9.2	<0.1	<0.5	0.1	<1	<0.1	<0.1	<0.1	<2	
1961791	Rock	0.84	<0.005	0.5	10.6	63.6	84	1.0	5.7	1.7	504	0.99	37.3	0.2	2.9	0.8	6	0.4	1.6	2.1	10	
1961792	Rock	0.97	<0.005	0.3	3.4	8.2	25	0.2	6.8	2.2	478	0.73	19.0	<0.1	<0.5	0.7	73	0.3	0.5	0.1	10	
1961793	Rock	0.82	0.356	0.1	7.4	3.0	9	0.3	2.1	0.8	145	0.41	11.8	<0.1	123.5	0.9	2	<0.1	0.2	<0.1	3	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 01, 2015

Page: 2 of 2

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI15000202.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1960022	Rock	0.01	0.001	<1	2	<0.01	43	0.001	<1	0.03	0.002	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1960718	Rock	9.61	0.040	3	2	0.21	31	0.002	<1	0.29	0.009	0.04	<0.1	<0.01	1.4	<0.1	<0.05	<1	<0.5	<0.2
1960719	Rock	0.71	0.019	3	4	0.06	84	<0.001	<1	0.15	0.012	0.07	>100	0.02	1.3	<0.1	<0.05	<1	<0.5	<0.2
1960720	Rock	0.16	0.011	<1	3	0.03	27	<0.001	<1	0.06	0.005	0.02	0.4	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
1960722	Rock	0.10	0.007	<1	2	0.01	28	<0.001	<1	0.04	0.003	<0.01	2.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1961786	Rock	0.03	0.008	4	12	0.46	501	0.013	<1	0.40	0.005	0.05	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1961787	Rock	<0.01	<0.001	<1	2	<0.01	9	<0.001	<1	0.03	0.017	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1961788	Rock	0.04	<0.001	<1	2	0.02	8	<0.001	<1	0.03	0.008	<0.01	<0.1	<0.01	0.2	<0.1	0.05	<1	<0.5	<0.2
1961789	Rock	<0.01	<0.001	<1	2	<0.01	11	<0.001	<1	0.04	0.010	<0.01	<0.1	<0.01	0.2	<0.1	0.08	<1	<0.5	<0.2
1961791	Rock	0.07	0.014	4	11	0.42	66	<0.001	<1	0.49	0.002	0.04	<0.1	<0.01	1.1	<0.1	<0.05	2	<0.5	<0.2
1961792	Rock	1.94	0.017	3	11	0.36	81	<0.001	<1	0.38	0.002	0.04	<0.1	<0.01	1.1	<0.1	<0.05	1	<0.5	<0.2
1961793	Rock	0.02	0.004	3	4	0.09	344	<0.001	<1	0.20	0.005	0.12	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 01, 2015

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI15000202.1

Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	0.1	0.1	0.1	0.1	
Pulp Duplicates																					
1961793	Rock	0.82	0.356	0.1	7.4	3.0	9	0.3	2.1	0.8	145	0.41	11.8	<0.1	123.5	0.9	2	<0.1	0.2	<0.1	3
REP 1961793	QC			0.1	7.4	2.9	9	0.2	2.1	0.9	146	0.41	11.6	<0.1	40.0	0.9	2	<0.1	0.2	<0.1	3
Reference Materials																					
STD DS10	Standard			14.8	159.3	150.5	371	1.9	74.9	13.2	911	2.82	47.4	2.7	131.0	7.8	70	2.6	9.6	13.1	47
STD OXC129	Standard			1.3	28.2	6.5	42	<0.1	79.6	20.4	428	3.13	0.7	0.7	180.1	2.0	193	<0.1	<0.1	<0.1	56
STD OXD108	Standard		0.423																		
STD OXI121	Standard		1.807																		
STD OXN117	Standard		7.535																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	2.9	1.4	29	<0.1	1.1	3.8	457	1.75	0.9	0.5	<0.5	2.2	28	<0.1	<0.1	<0.1	26
ROCK-WHI	Prep Blank		<0.005	2.2	1.6	1.0	28	<0.1	0.8	3.3	424	1.73	0.9	0.4	<0.5	2.2	27	<0.1	<0.1	<0.1	26



# QUALITY CONTROL REPORT

WHI15000202.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
1961793	Rock	0.02	0.004	3	4	0.09	344	<0.001	<1	0.20	0.005	0.12	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
REP 1961793	QC	0.02	0.004	3	4	0.09	338	<0.001	<1	0.19	0.005	0.12	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD DS10	Standard	1.09	0.076	19	57	0.80	361	0.080	7	1.07	0.064	0.34	3.2	0.29	3.0	5.1	0.29	4	1.9	4.8
STD OXC129	Standard	0.66	0.105	13	52	1.56	50	0.401	1	1.58	0.575	0.37	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
ROCK-WHI	Prep Blank	0.71	0.041	6	2	0.46	62	0.075	1	1.05	0.092	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.62	0.040	5	2	0.42	56	0.076	1	1.00	0.105	0.10	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: September 21, 2015  
Report Date: October 08, 2015  
Page: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI15000205.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-10  
P.O. Number  
Number of Samples: 85

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	77	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	85	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	85	Analysis sample split/packet			VAN
Split -150	85	Analysis sample split/packet			VAN
FS631	77	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	83	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 08, 2015

Page: 2 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1718940	Drill Core	3.10	346	0.544	0.54	0.39	20.38	0.8	22.9	6.9	52	0.4	10.4	7.2	525	1.85	2.3	0.8	617.1	8.2	45
1718941	Drill Core	3.10	372	0.222	0.42	3.91	19.46	0.5	20.5	8.1	56	0.3	10.0	7.9	415	1.85	3.3	0.7	215.0	7.9	54
1718942	Drill Core	2.04	411	0.006	<0.01	<0.17	21.31	0.5	13.0	8.9	41	0.1	9.1	7.4	408	1.80	2.8	0.8	2.5	7.8	61
1718943	Drill Core	3.19	461	<0.005	<0.01	<0.17	16.67	0.4	7.3	13.2	32	0.1	7.8	6.1	468	1.52	2.1	0.7	<0.5	6.3	77
1718944	Drill Core	1.60	541	0.063	0.08	0.57	22.96	0.5	15.3	4.7	40	0.2	9.2	7.1	477	1.75	3.2	0.9	69.2	7.9	78
1718945	Drill Core	2.52	375	0.905	1.28	7.59	21.20	0.8	10.4	4.5	39	0.9	12.4	7.8	385	1.91	2.9	0.9	809.4	8.8	54
1718946	Drill Core	2.37	460	2.200	3.42	28.92	21.02	0.7	10.2	2.7	36	0.8	9.8	9.0	328	1.55	3.3	0.9	2317.6	9.6	51
1718947	Drill Core	2.97	391	0.011	<0.01	<0.17	20.49	0.4	10.9	6.5	51	0.1	10.9	6.8	467	1.92	3.6	1.0	4.1	8.7	45
1718948	Drill Core	3.32	447	<0.005	<0.01	<0.17	20.51	0.7	12.4	10.0	50	0.1	11.4	7.5	518	1.96	3.6	0.6	1.0	8.7	33
1718949	Drill Core	3.09	456	<0.005	<0.01	<0.17	19.99	0.7	15.9	14.3	43	0.2	8.3	5.7	458	1.76	2.4	0.8	<0.5	8.3	46
1718950	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.8	68.3	3.4	36	<0.1	5.2	8.2	366	2.54	0.6	0.8	<0.5	2.5	62
1718951	Rock Pulp	0.12		7.382	I.S.	I.S.	I.S.	13.4	71.4	22.6	62	0.7	20.9	9.5	476	4.44	12.3	0.4	6393.1	1.3	60
1718952	Drill Core	3.15	416	0.095	0.11	0.46	19.66	1.4	17.6	16.4	56	0.3	9.8	6.7	483	1.92	4.4	1.5	111.9	7.9	77
1718953	Drill Core	3.67	407	0.193	0.19	0.24	16.89	1.4	12.9	6.4	35	0.3	8.8	7.4	391	1.71	6.2	2.4	192.8	8.0	68
1718954	Drill Core	3.61	503	0.050	0.05	<0.17	21.06	1.7	14.1	13.9	53	0.2	10.8	7.8	422	2.02	6.4	1.6	28.1	8.3	43
1718955	Drill Core	3.60	539	0.215	0.22	0.45	22.17	1.6	13.0	11.5	43	0.3	10.0	7.6	437	1.89	9.1	3.3	179.2	8.8	52
1718956	Drill Core	3.33	352	0.009	<0.01	<0.17	21.18	1.0	13.7	13.1	51	0.1	11.7	7.0	486	2.22	13.0	2.2	<0.5	8.8	51
1718957	Drill Core	4.18	426	0.011	0.01	<0.17	19.46	1.4	27.1	19.9	49	0.3	22.7	7.6	399	1.95	185.3	2.9	7.7	9.1	72
1718958	Drill Core	3.37	378	0.010	<0.01	<0.17	20.40	2.7	24.1	21.8	57	0.5	17.9	7.1	400	1.98	208.0	2.7	5.0	9.8	58
1718959	Drill Core	3.44	415	0.005	<0.01	<0.17	22.94	1.2	16.8	23.0	51	0.3	12.3	6.4	378	1.82	15.9	2.4	<0.5	9.7	110
1718960	Drill Core	1.83	463	0.006	<0.01	<0.17	23.61	1.0	18.9	28.7	64	0.3	11.5	6.8	470	2.25	8.8	1.9	<0.5	9.9	103
1718961	Drill Core	3.67	438	0.006	<0.01	<0.17	19.23	0.9	12.4	17.7	54	0.2	13.7	6.3	389	1.76	6.9	1.8	<0.5	9.0	103
1718962	Drill Core	3.36	462	0.007	<0.01	<0.17	20.72	0.5	11.2	14.6	28	0.2	7.5	4.5	344	1.09	5.7	1.6	<0.5	14.1	89
1718963	Drill Core	3.94	452	0.010	<0.01	<0.17	21.34	1.1	21.5	15.2	47	0.4	14.6	7.7	388	1.87	8.6	1.8	2.9	9.1	65
1718964	Drill Core	2.40	495	0.029	0.03	<0.17	20.21	1.4	11.9	9.2	69	0.4	12.5	9.4	554	2.70	15.7	2.5	51.6	13.4	68
1718965	Drill Core	2.18	433	0.133	0.16	0.69	21.82	0.9	18.9	21.3	43	1.0	8.9	6.0	374	1.81	3.7	1.7	366.8	13.3	63
1718966	Drill Core	1.25	501	0.277	0.28	0.38	20.87	1.3	14.8	21.2	42	0.8	10.7	5.6	318	1.52	6.2	1.0	271.0	9.7	72
1718967	Drill Core	4.03	417	0.007	<0.01	<0.17	22.69	0.7	20.3	8.1	62	0.2	11.8	8.7	384	2.21	7.4	2.3	<0.5	10.7	63
1718968	Drill Core	3.51	377	0.005	<0.01	<0.17	18.00	1.9	16.0	11.2	69	0.2	14.5	10.1	364	2.49	6.4	2.0	<0.5	11.8	52
1718969	Drill Core	1.96	444	0.007	<0.01	<0.17	27.92	1.1	16.0	7.3	62	0.2	16.4	10.2	471	2.74	7.1	1.8	2.2	10.7	75



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1718940	Drill Core	0.3	0.4	<0.1	8	0.56	0.055	14	10	0.76	214	0.040	<1	0.92	0.011	0.48	0.7	<0.01	2.4	0.1	0.11
1718941	Drill Core	0.2	0.4	<0.1	8	0.61	0.050	12	11	0.76	213	0.039	<1	0.87	0.013	0.50	0.5	<0.01	2.4	0.2	0.20
1718942	Drill Core	0.1	0.4	<0.1	9	0.69	0.053	12	9	0.77	206	0.057	<1	0.87	0.014	0.64	0.3	<0.01	2.8	0.3	0.08
1718943	Drill Core	0.2	0.3	<0.1	8	0.93	0.045	11	9	0.66	195	0.052	<1	0.76	0.013	0.56	0.2	<0.01	2.4	0.2	0.06
1718944	Drill Core	0.3	0.6	<0.1	9	0.88	0.051	12	10	0.75	207	0.046	<1	0.87	0.011	0.53	0.4	<0.01	2.4	0.2	0.15
1718945	Drill Core	0.2	0.6	<0.1	7	0.58	0.048	11	10	0.67	203	0.041	2	0.79	0.008	0.54	0.4	<0.01	2.1	0.2	0.42
1718946	Drill Core	0.2	0.5	<0.1	6	0.58	0.052	13	7	0.53	231	0.031	2	0.72	0.009	0.50	0.3	0.01	1.9	0.2	0.21
1718947	Drill Core	0.2	1.0	<0.1	13	0.48	0.054	14	17	0.97	159	0.099	1	1.03	0.015	0.63	1.0	<0.01	2.8	0.3	0.07
1718948	Drill Core	0.2	1.0	<0.1	14	0.36	0.055	16	17	0.99	167	0.095	<1	1.09	0.018	0.68	0.9	0.01	2.9	0.3	<0.05
1718949	Drill Core	0.2	0.6	<0.1	10	0.52	0.049	15	12	0.83	172	0.062	1	1.00	0.014	0.64	0.6	<0.01	2.2	0.4	<0.05
1718950	Rock Pulp	<0.1	0.1	<0.1	89	0.74	0.059	6	11	0.71	101	0.098	2	1.42	0.141	0.18	2.0	<0.01	1.9	<0.1	<0.05
1718951	Rock Pulp	0.1	6.3	0.4	97	1.07	0.052	5	29	0.63	85	0.119	1	1.91	0.165	0.14	1.8	0.31	4.4	<0.1	<0.05
1718952	Drill Core	0.2	0.9	<0.1	12	0.76	0.051	12	13	0.89	181	0.061	<1	1.04	0.014	0.64	0.6	<0.01	2.4	0.4	0.21
1718953	Drill Core	0.1	0.7	<0.1	8	0.71	0.046	9	10	0.72	167	0.041	2	0.81	0.009	0.58	0.4	<0.01	1.9	0.3	0.45
1718954	Drill Core	0.4	1.1	<0.1	13	0.46	0.052	12	15	0.96	143	0.063	1	1.08	0.012	0.58	0.5	<0.01	2.5	0.2	0.26
1718955	Drill Core	0.2	1.1	<0.1	10	0.59	0.053	11	13	0.88	159	0.054	<1	0.96	0.009	0.63	0.3	<0.01	2.0	0.3	0.31
1718956	Drill Core	0.1	0.4	<0.1	13	0.80	0.054	14	14	0.91	236	0.046	<1	1.14	0.023	0.54	0.2	0.01	3.5	0.2	0.07
1718957	Drill Core	0.4	1.2	0.4	13	1.22	0.056	10	16	0.70	218	0.017	1	0.85	0.011	0.39	0.1	<0.01	2.8	0.1	0.30
1718958	Drill Core	0.5	0.9	0.9	17	0.81	0.058	13	19	0.69	321	0.040	<1	0.86	0.030	0.39	0.2	<0.01	3.7	0.2	0.25
1718959	Drill Core	0.4	0.5	0.4	12	1.33	0.051	14	14	0.76	267	0.043	<1	0.96	0.023	0.41	0.1	<0.01	3.8	0.2	0.11
1718960	Drill Core	0.3	0.4	0.4	16	1.06	0.053	13	16	0.95	252	0.053	<1	1.11	0.021	0.45	<0.1	<0.01	4.8	0.2	0.10
1718961	Drill Core	0.3	0.2	0.3	13	1.22	0.059	12	16	0.83	177	0.041	<1	0.91	0.015	0.38	<0.1	<0.01	3.3	0.2	0.19
1718962	Drill Core	0.3	0.2	0.2	5	1.43	0.045	23	6	0.25	250	0.004	<1	0.50	0.026	0.26	<0.1	<0.01	1.6	<0.1	0.15
1718963	Drill Core	0.4	0.3	0.4	12	1.23	0.059	15	13	0.41	199	0.005	<1	0.70	0.020	0.23	<0.1	<0.01	2.6	<0.1	0.39
1718964	Drill Core	0.4	0.5	0.2	19	1.33	0.078	32	22	0.65	154	0.004	1	1.06	0.018	0.27	<0.1	<0.01	2.7	<0.1	<0.05
1718965	Drill Core	0.2	1.0	0.4	12	0.87	0.062	25	15	0.60	171	0.019	<1	0.89	0.018	0.33	0.2	<0.01	2.3	0.1	0.16
1718966	Drill Core	0.3	0.7	0.5	10	1.00	0.051	18	13	0.64	137	0.013	<1	0.86	0.017	0.32	0.1	<0.01	2.5	0.1	0.27
1718967	Drill Core	0.3	0.7	<0.1	22	1.14	0.064	17	26	0.85	149	0.057	<1	1.13	0.032	0.33	0.3	<0.01	4.7	0.1	0.13
1718968	Drill Core	0.4	0.6	0.2	26	0.79	0.069	25	29	1.06	175	0.035	1	1.33	0.025	0.34	0.2	<0.01	5.7	0.1	0.11
1718969	Drill Core	0.3	0.5	0.1	33	1.14	0.069	29	41	1.23	79	0.029	<1	1.42	0.032	0.15	0.1	0.01	6.5	<0.1	0.16



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 2 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000205.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718940	Drill Core	3	0.6	<0.2
1718941	Drill Core	2	<0.5	<0.2
1718942	Drill Core	3	<0.5	<0.2
1718943	Drill Core	2	<0.5	<0.2
1718944	Drill Core	3	<0.5	<0.2
1718945	Drill Core	2	0.7	0.3
1718946	Drill Core	2	<0.5	<0.2
1718947	Drill Core	3	<0.5	<0.2
1718948	Drill Core	4	<0.5	<0.2
1718949	Drill Core	3	<0.5	<0.2
1718950	Rock Pulp	4	<0.5	<0.2
1718951	Rock Pulp	5	<0.5	<0.2
1718952	Drill Core	4	<0.5	<0.2
1718953	Drill Core	2	<0.5	<0.2
1718954	Drill Core	4	<0.5	<0.2
1718955	Drill Core	3	<0.5	<0.2
1718956	Drill Core	4	<0.5	<0.2
1718957	Drill Core	3	<0.5	<0.2
1718958	Drill Core	4	0.5	<0.2
1718959	Drill Core	4	<0.5	<0.2
1718960	Drill Core	5	<0.5	<0.2
1718961	Drill Core	3	0.6	<0.2
1718962	Drill Core	2	<0.5	<0.2
1718963	Drill Core	3	1.2	<0.2
1718964	Drill Core	6	1.7	<0.2
1718965	Drill Core	4	0.6	<0.2
1718966	Drill Core	3	<0.5	<0.2
1718967	Drill Core	5	<0.5	<0.2
1718968	Drill Core	6	0.6	<0.2
1718969	Drill Core	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1718970	Rock Pulp	0.12	<0.005	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1718971	Rock Pulp	0.12	7.443	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1718972	Drill Core	3.49	387	0.010	<0.01	<0.17	25.65	1.0	14.4	9.0	74	0.2	16.4	10.2	448	2.68	13.5	2.0	6.2	11.5	71
1718973	Drill Core	1.63	376	0.007	<0.01	<0.17	22.20	0.5	36.5	6.2	57	0.2	11.4	9.4	449	1.85	3.0	1.0	4.5	6.0	51
1718974	Drill Core	1.76	387	0.063	0.06	<0.17	18.36	0.4	14.3	8.3	57	0.2	9.9	6.3	485	1.72	1.9	0.8	35.0	7.2	77
1718975	Drill Core	2.67	471	0.330	0.34	0.43	22.99	0.4	21.2	5.9	40	0.3	8.9	6.1	531	1.72	1.5	0.8	351.6	7.5	60
1718976	Drill Core	3.09	433	1.028	1.11	2.91	19.25	1.0	15.9	5.8	46	0.6	13.2	8.0	451	1.94	6.0	0.8	840.3	8.6	26
1718977	Drill Core	3.88	392	0.024	0.02	<0.17	20.85	1.1	20.7	21.7	47	0.5	13.3	5.7	339	1.60	11.5	1.5	12.2	9.2	36
1718978	Drill Core	3.71	347	<0.005	<0.01	<0.17	21.03	0.6	22.2	17.9	65	0.3	14.2	7.4	474	2.14	7.6	0.7	1.8	8.2	48
1718979	Drill Core	3.02	390	0.006	<0.01	<0.17	19.84	2.6	30.7	26.9	53	0.5	19.2	7.2	401	1.84	13.0	1.1	2.4	7.9	52
1718980	Drill Core	1.17	444	0.054	0.05	<0.17	20.74	1.0	22.7	10.7	46	0.5	15.3	6.9	293	1.68	5.4	1.0	29.2	7.5	39
1718981	Drill Core	3.01	395	0.005	<0.01	<0.17	20.49	0.6	14.9	6.6	59	0.2	10.4	8.2	308	2.05	1.4	1.6	0.6	10.6	47
1718982	Drill Core	1.57	395	0.012	0.01	<0.17	18.82	1.1	22.9	65.2	93	0.7	11.2	7.7	410	2.21	6.4	1.2	4.0	10.7	25
1718983	Drill Core	3.17	385	0.009	<0.01	<0.17	21.23	1.0	24.2	176.9	193	0.4	10.6	7.1	429	2.32	1.2	1.3	<0.5	9.6	36
1718984	Drill Core	3.60	341	0.008	<0.01	<0.17	19.40	3.5	52.6	1377.0	322	2.5	10.1	7.1	427	2.03	<0.5	1.4	3.2	9.5	36
1718985	Drill Core	3.38	447	<0.005	<0.01	<0.17	21.44	1.1	34.1	590.4	364	0.8	10.6	8.2	414	2.07	0.7	1.4	0.6	9.0	40
1718986	Drill Core	3.67	361	0.007	<0.01	<0.17	24.84	1.2	35.3	167.1	248	0.8	11.2	7.5	435	2.26	0.8	1.2	1.6	9.2	38
1718987	Drill Core	3.94	401	0.016	0.02	<0.17	22.04	1.2	151.0	1356.2	454	4.7	10.2	6.8	344	1.99	1.7	1.4	10.2	6.5	37
1718988	Drill Core	3.63	370	0.006	<0.01	<0.17	23.32	0.2	19.5	70.1	143	0.3	9.5	6.8	267	1.69	1.6	0.8	<0.5	5.4	33
1718989	Drill Core	3.98	347	0.012	0.01	<0.17	16.19	0.5	19.5	23.7	85	0.3	12.1	8.3	325	2.15	1.9	1.0	<0.5	6.6	39
1718990	Rock Pulp	0.12		0.008	I.S.	I.S.	I.S.	1.9	65.7	3.6	35	<0.1	5.5	7.8	355	2.46	<0.5	0.8	<0.5	2.6	61
1718991	Rock Pulp	0.12		7.229	I.S.	I.S.	I.S.	14.3	73.3	24.1	60	0.7	20.0	9.6	479	4.29	12.5	0.4	6890.5	1.3	59
1718992	Drill Core	2.78	462	0.006	<0.01	<0.17	23.46	0.7	11.7	8.3	64	0.2	12.4	7.8	261	1.99	2.4	1.1	1.2	5.9	49
1718993	Drill Core	3.96	427	<0.005	<0.01	<0.17	22.59	0.8	29.1	8.2	70	0.4	15.2	9.0	245	2.38	4.8	2.4	1.0	7.2	37
1718994	Drill Core	3.61	352	0.190	0.18	<0.17	17.74	1.1	17.6	13.1	66	0.5	10.2	7.6	351	1.98	9.2	5.0	122.2	8.6	79
1718995	Drill Core	3.99	369	0.266	0.35	1.87	18.69	1.3	16.4	11.3	56	0.5	10.9	8.3	284	1.89	8.8	2.5	159.8	8.9	53
1718996	Drill Core	4.05	393	0.010	<0.01	<0.17	24.07	1.4	16.9	9.9	64	0.6	12.3	8.7	324	2.03	11.7	2.6	4.2	7.5	66
1718997	Drill Core	3.56	480	0.095	0.09	<0.17	24.26	0.3	5.7	9.3	24	0.4	2.4	2.7	119	0.83	3.3	2.4	185.3	11.3	26
1718998	Drill Core	1.92	390	0.191	0.18	<0.17	16.75	0.3	7.7	5.9	42	0.6	3.1	4.4	137	1.01	5.5	3.1	183.5	11.4	13
1718999	Drill Core	1.32	370	0.010	<0.01	<0.17	24.84	0.6	18.9	10.1	37	0.4	9.4	4.7	387	1.67	4.3	0.9	9.9	6.7	26



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	
1718970	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718971	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1718972	Drill Core	0.3	0.6	0.1	27	1.15	0.067	31	34	1.03	122	0.011	<1	1.33	0.028	0.22	0.1	<0.01	4.7	<0.1	0.07
1718973	Drill Core	0.3	0.4	<0.1	12	0.66	0.050	11	13	0.92	214	0.077	1	1.02	0.013	0.63	0.7	<0.01	3.2	0.3	0.10
1718974	Drill Core	0.2	0.4	<0.1	10	0.88	0.056	11	13	0.87	177	0.061	1	0.95	0.019	0.56	0.6	<0.01	2.7	0.2	0.12
1718975	Drill Core	0.3	0.4	<0.1	10	0.75	0.049	13	12	0.80	181	0.066	1	0.95	0.016	0.49	0.8	<0.01	2.6	0.2	0.13
1718976	Drill Core	0.2	0.5	0.1	10	0.26	0.055	14	11	0.69	199	0.042	2	0.94	0.013	0.46	0.5	<0.01	2.5	0.2	0.08
1718977	Drill Core	0.3	0.6	0.7	12	0.60	0.051	17	14	0.58	176	0.029	<1	0.81	0.015	0.28	0.5	<0.01	2.2	<0.1	<0.05
1718978	Drill Core	0.4	0.5	0.2	17	0.71	0.054	19	20	0.96	145	0.019	<1	1.22	0.021	0.25	0.5	<0.01	3.6	<0.1	<0.05
1718979	Drill Core	0.6	0.4	0.6	13	0.95	0.073	13	16	0.62	197	0.030	<1	0.88	0.014	0.42	0.3	<0.01	2.7	0.2	0.26
1718980	Drill Core	0.3	0.5	0.4	16	0.61	0.062	15	19	0.73	164	0.047	<1	0.94	0.015	0.33	0.6	<0.01	3.0	0.1	0.24
1718981	Drill Core	0.2	0.6	<0.1	16	0.77	0.061	31	19	0.76	189	0.023	<1	1.17	0.023	0.32	0.2	0.01	3.7	0.1	<0.05
1718982	Drill Core	0.4	0.5	0.3	17	0.58	0.059	33	24	0.84	121	0.004	<1	1.21	0.011	0.28	0.1	0.01	2.7	0.1	<0.05
1718983	Drill Core	0.8	0.7	0.1	21	0.94	0.055	22	28	1.09	118	0.066	1	1.46	0.046	0.16	0.5	<0.01	4.1	<0.1	<0.05
1718984	Drill Core	1.2	1.1	0.2	17	0.69	0.057	15	22	0.90	163	0.059	1	1.36	0.035	0.20	0.5	0.01	3.6	<0.1	<0.05
1718985	Drill Core	1.6	0.9	0.1	18	0.79	0.053	16	24	0.92	150	0.061	<1	1.38	0.045	0.18	0.5	<0.01	3.8	<0.1	<0.05
1718986	Drill Core	1.3	0.9	<0.1	21	0.71	0.059	16	30	0.97	119	0.057	<1	1.42	0.059	0.14	0.5	<0.01	3.9	<0.1	<0.05
1718987	Drill Core	1.2	1.2	0.3	15	0.65	0.054	11	22	0.87	147	0.066	2	1.33	0.046	0.17	0.4	0.02	2.7	<0.1	<0.05
1718988	Drill Core	0.7	0.5	0.1	12	0.60	0.053	8	16	0.82	158	0.071	2	1.17	0.035	0.18	0.2	<0.01	2.2	<0.1	<0.05
1718989	Drill Core	0.6	0.5	0.1	19	0.74	0.060	13	24	0.92	174	0.072	1	1.25	0.043	0.23	0.3	<0.01	3.7	0.1	<0.05
1718990	Rock Pulp	<0.1	<0.1	<0.1	86	0.71	0.058	6	11	0.70	106	0.089	1	1.33	0.133	0.18	1.9	<0.01	1.8	<0.1	<0.05
1718991	Rock Pulp	0.2	6.3	0.5	95	1.05	0.054	5	30	0.62	94	0.111	2	1.87	0.163	0.14	1.7	0.31	4.6	<0.1	<0.05
1718992	Drill Core	0.3	0.5	<0.1	20	0.69	0.060	15	26	0.99	131	0.086	1	1.24	0.024	0.36	0.3	<0.01	3.4	0.2	<0.05
1718993	Drill Core	0.3	0.7	<0.1	28	0.72	0.065	14	34	1.11	128	0.086	<1	1.28	0.025	0.48	0.5	0.01	4.6	0.2	0.08
1718994	Drill Core	0.5	1.4	<0.1	15	1.79	0.072	12	19	0.90	192	0.075	<1	1.04	0.012	0.65	0.6	<0.01	2.6	0.3	0.31
1718995	Drill Core	0.3	1.6	0.1	16	1.12	0.064	15	21	0.92	213	0.078	1	1.13	0.014	0.69	0.6	0.01	2.8	0.3	0.14
1718996	Drill Core	0.3	1.4	<0.1	17	1.36	0.070	9	23	0.95	288	0.073	<1	1.02	0.017	0.71	0.4	<0.01	3.7	0.3	0.30
1718997	Drill Core	0.2	0.6	0.2	3	0.48	0.021	21	6	0.24	350	0.021	1	0.49	0.013	0.35	0.3	0.02	1.7	0.1	0.18
1718998	Drill Core	0.6	1.1	0.1	4	0.15	0.032	17	6	0.28	424	0.025	2	0.57	0.015	0.41	0.5	0.03	1.8	0.1	0.31
1718999	Drill Core	0.3	0.7	0.1	11	0.28	0.031	14	13	0.76	131	0.033	<1	0.83	0.026	0.30	0.9	<0.01	2.7	0.2	<0.05





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 3 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000205.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1718970	Rock Pulp	I.S.	I.S.	I.S.
1718971	Rock Pulp	I.S.	I.S.	I.S.
1718972	Drill Core	6	<0.5	<0.2
1718973	Drill Core	3	<0.5	<0.2
1718974	Drill Core	3	<0.5	<0.2
1718975	Drill Core	3	<0.5	<0.2
1718976	Drill Core	3	<0.5	<0.2
1718977	Drill Core	3	0.8	<0.2
1718978	Drill Core	5	<0.5	<0.2
1718979	Drill Core	3	1.1	<0.2
1718980	Drill Core	3	0.7	<0.2
1718981	Drill Core	5	<0.5	<0.2
1718982	Drill Core	6	<0.5	<0.2
1718983	Drill Core	6	<0.5	<0.2
1718984	Drill Core	5	3.2	<0.2
1718985	Drill Core	5	2.1	<0.2
1718986	Drill Core	6	<0.5	<0.2
1718987	Drill Core	5	1.0	0.2
1718988	Drill Core	4	<0.5	<0.2
1718989	Drill Core	5	<0.5	<0.2
1718990	Rock Pulp	4	<0.5	<0.2
1718991	Rock Pulp	5	<0.5	0.2
1718992	Drill Core	5	<0.5	<0.2
1718993	Drill Core	5	<0.5	<0.2
1718994	Drill Core	4	0.8	<0.2
1718995	Drill Core	4	<0.5	<0.2
1718996	Drill Core	3	0.6	<0.2
1718997	Drill Core	2	<0.5	<0.2
1718998	Drill Core	2	<0.5	<0.2
1718999	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719000	Drill Core	4.23	392	0.017	0.02	<0.17	20.46	0.7	19.1	14.8	39	0.6	11.2	6.2	257	1.32	9.0	0.9	11.1	11.0	21
1719201	Drill Core	1.52	505	0.011	0.01	<0.17	22.45	2.7	14.2	7.9	61	0.3	9.5	7.1	307	1.83	4.6	1.1	10.2	10.2	18
1719202	Drill Core	1.94	379	0.328	0.33	0.32	25.12	0.9	20.8	19.2	74	0.5	14.3	8.8	381	1.88	6.0	0.9	319.9	9.8	34
1719203	Drill Core	3.94	415	0.040	0.04	<0.17	21.79	1.3	15.1	20.8	67	0.4	14.0	7.7	355	2.00	7.5	0.9	83.5	9.8	34
1719204	Drill Core	3.34	349	0.006	<0.01	<0.17	18.83	1.0	12.6	15.5	46	0.3	9.1	5.8	406	1.63	7.1	0.8	6.0	8.4	39
1719205	Drill Core	3.57	364	0.016	0.02	<0.17	19.74	0.8	19.2	9.8	49	0.3	10.9	6.6	399	1.63	5.3	0.9	7.6	7.9	40
1719206	Drill Core	1.65	391	0.194	0.19	0.18	22.41	0.7	22.5	18.1	48	0.3	8.4	6.5	455	1.64	3.1	1.3	125.0	6.5	78
1719207	Drill Core	2.95	465	0.162	0.15	<0.17	24.95	1.1	28.1	22.7	62	0.8	8.5	6.1	430	1.67	5.9	0.8	192.4	7.5	89
1719208	Drill Core	1.65	367	0.061	0.06	<0.17	17.91	1.0	28.4	9.8	51	0.9	6.1	6.6	493	1.63	4.0	0.8	78.7	7.2	111
1719209	Drill Core	3.86	408	0.261	0.27	0.40	22.43	1.4	18.7	9.1	42	0.3	10.6	7.2	389	1.82	2.5	1.8	211.8	8.6	36
1719210	Rock Pulp	0.12		0.007	I.S.	I.S.	I.S.	1.8	63.7	3.6	36	<0.1	5.2	8.4	358	2.56	<0.5	0.9	2.8	2.8	62
1719211	Rock Pulp	0.12		6.824	I.S.	I.S.	I.S.	13.3	74.0	23.4	60	0.7	19.1	9.7	457	4.23	12.1	0.4	6422.5	1.3	55
1719212	Drill Core	4.61	356	0.497	0.63	2.56	22.63	0.8	14.6	5.2	44	0.2	9.5	7.4	439	1.91	3.2	1.7	360.5	9.2	60
1719213	Drill Core	4.25	526	0.310	0.32	0.50	18.16	0.7	35.0	12.3	42	0.5	10.6	6.0	503	1.67	2.3	1.0	435.7	7.5	78
1719214	Drill Core	4.04	428	0.005	<0.01	<0.17	20.09	1.0	20.2	11.4	62	0.3	13.0	8.9	339	2.03	6.0	1.5	2.7	8.1	57
1719215	Drill Core	3.62	352	0.007	<0.01	<0.17	21.37	0.6	16.8	11.3	60	0.3	11.6	8.3	343	1.91	4.4	1.3	2.9	7.7	70
1719216	Drill Core	3.74	414	0.308	0.34	1.04	21.17	0.4	13.4	7.4	33	0.4	9.3	6.6	338	1.49	5.9	1.0	302.5	9.6	50
1719217	Drill Core	3.57	451	0.055	0.05	<0.17	23.23	0.5	17.3	15.2	41	0.4	9.9	5.0	274	1.22	3.8	1.4	71.8	10.6	41
1719218	Drill Core	3.72	439	0.006	<0.01	<0.17	21.56	0.4	22.3	28.9	58	1.2	14.1	6.8	338	1.86	5.5	1.9	2.1	12.7	45
1719219	Drill Core	3.39	370	0.014	0.01	<0.17	22.70	0.2	15.9	11.8	47	0.6	14.3	8.1	490	2.20	3.4	1.7	14.2	10.3	95
1719220	Drill Core	4.70	510	0.012	0.01	<0.17	24.14	0.6	18.0	18.8	74	0.5	11.5	7.8	575	2.12	3.1	1.7	14.6	10.2	111
1719221	Drill Core	3.29	494	<0.005	<0.01	<0.17	20.45	0.5	17.7	17.0	30	0.3	11.7	4.6	222	1.20	30.0	1.0	1.1	11.8	15
1719222	Drill Core	2.53	488	<0.005	<0.01	<0.17	29.05	1.8	20.5	20.0	47	0.3	10.9	7.0	345	1.74	16.8	1.2	0.6	11.8	29
1719223	Drill Core	3.36	416	<0.005	<0.01	<0.17	23.04	1.5	11.2	20.6	57	0.2	10.1	7.0	318	1.98	11.8	1.1	<0.5	11.3	27
1719224	Drill Core	3.50	429	<0.005	<0.01	<0.17	24.33	1.4	16.6	33.3	83	0.3	12.6	6.3	281	1.96	8.6	1.2	<0.5	12.0	21



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 08, 2015

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000205.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1719000	Drill Core	0.3	0.8	0.3	9	0.28	0.052	22	12	0.63	197	0.035	1	0.82	0.020	0.48	0.5	0.01	2.0	0.2	<0.05	
1719201	Drill Core	0.4	0.7	0.2	11	0.25	0.054	18	13	0.75	194	0.045	<1	0.94	0.022	0.53	0.4	<0.01	2.7	0.2	<0.05	
1719202	Drill Core	0.5	1.2	0.2	16	0.43	0.057	16	21	0.94	204	0.075	<1	1.12	0.028	0.58	0.7	0.03	2.8	0.3	<0.05	
1719203	Drill Core	0.3	1.0	0.4	15	0.45	0.065	16	20	0.99	203	0.057	<1	1.18	0.019	0.60	0.6	0.01	3.0	0.3	<0.05	
1719204	Drill Core	0.2	1.0	0.3	11	0.73	0.053	18	13	0.74	197	0.033	<1	0.96	0.021	0.51	0.4	0.01	2.6	0.2	<0.05	
1719205	Drill Core	0.3	1.4	0.2	9	0.51	0.053	15	10	0.74	193	0.050	<1	0.93	0.013	0.56	0.5	<0.01	2.2	0.2	<0.05	
1719206	Drill Core	0.5	1.1	0.2	7	0.98	0.047	10	9	0.69	198	0.039	<1	0.85	0.014	0.54	0.3	<0.01	2.0	0.2	0.17	
1719207	Drill Core	0.6	2.1	0.1	8	0.97	0.050	11	10	0.76	180	0.041	1	0.90	0.013	0.58	0.3	<0.01	2.2	0.2	0.09	
1719208	Drill Core	0.5	2.5	<0.1	6	1.17	0.036	9	8	0.72	158	0.037	1	0.81	0.011	0.53	0.4	0.01	2.1	0.2	0.12	
1719209	Drill Core	0.1	1.3	<0.1	11	0.42	0.055	14	15	0.82	156	0.075	1	0.93	0.009	0.44	0.6	0.02	2.7	0.1	0.07	
1719210	Rock Pulp	<0.1	<0.1	<0.1	88	0.75	0.062	7	10	0.70	106	0.115	6	1.32	0.128	0.19	2.2	<0.01	1.9	<0.1	<0.05	
1719211	Rock Pulp	0.1	6.5	0.5	92	0.99	0.051	5	28	0.60	86	0.105	3	1.81	0.158	0.14	1.6	0.30	4.2	<0.1	<0.05	
1719212	Drill Core	0.2	1.1	<0.1	11	0.70	0.050	13	12	0.83	169	0.072	<1	0.95	0.017	0.51	0.7	0.02	3.1	0.2	0.13	
1719213	Drill Core	0.3	0.7	0.2	10	1.08	0.046	12	12	0.78	172	0.061	<1	0.85	0.012	0.46	0.4	<0.01	2.3	0.2	0.18	
1719214	Drill Core	0.3	0.8	0.1	14	0.67	0.053	13	18	0.93	163	0.088	<1	1.01	0.023	0.46	0.5	<0.01	3.5	0.1	0.18	
1719215	Drill Core	0.2	0.9	0.1	13	0.83	0.053	14	16	0.94	169	0.072	<1	1.06	0.022	0.43	0.5	<0.01	3.2	0.1	0.12	
1719216	Drill Core	0.3	0.8	0.1	8	0.71	0.045	18	10	0.56	185	0.035	<1	0.75	0.020	0.31	0.5	<0.01	2.4	<0.1	<0.05	
1719217	Drill Core	0.5	0.8	0.3	9	0.76	0.050	25	9	0.34	170	0.070	1	0.69	0.016	0.24	0.8	0.02	2.2	<0.1	<0.05	
1719218	Drill Core	0.5	0.5	2.1	17	0.73	0.074	30	19	0.45	163	0.060	<1	0.77	0.048	0.17	0.3	<0.01	3.9	<0.1	0.10	
1719219	Drill Core	0.3	0.3	0.8	22	1.52	0.044	29	31	0.67	93	0.009	<1	0.98	0.044	0.12	0.2	0.02	3.8	<0.1	<0.05	
1719220	Drill Core	0.4	0.7	0.5	19	2.29	0.061	31	24	0.76	126	0.009	<1	1.08	0.019	0.23	0.8	0.01	3.4	0.1	<0.05	
1719221	Drill Core	0.3	1.1	0.5	6	0.29	0.053	22	8	0.47	189	0.042	<1	0.66	0.014	0.41	0.5	<0.01	2.3	0.2	<0.05	
1719222	Drill Core	0.3	1.1	0.3	9	0.66	0.058	14	12	0.80	183	0.065	<1	0.94	0.014	0.46	0.4	<0.01	3.2	0.2	<0.05	
1719223	Drill Core	0.2	0.9	0.3	12	0.53	0.053	15	16	0.93	172	0.076	<1	1.06	0.018	0.49	0.5	<0.01	3.5	0.2	<0.05	
1719224	Drill Core	0.3	0.6	0.4	16	0.43	0.061	17	21	0.96	177	0.081	1	1.10	0.025	0.54	0.4	<0.01	3.5	0.3	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 4 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000205.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1719000	Drill Core	2	<0.5	<0.2
1719201	Drill Core	3	<0.5	<0.2
1719202	Drill Core	4	<0.5	<0.2
1719203	Drill Core	4	<0.5	<0.2
1719204	Drill Core	3	<0.5	<0.2
1719205	Drill Core	3	1.0	<0.2
1719206	Drill Core	2	0.5	<0.2
1719207	Drill Core	2	0.6	<0.2
1719208	Drill Core	3	<0.5	<0.2
1719209	Drill Core	3	<0.5	<0.2
1719210	Rock Pulp	4	<0.5	<0.2
1719211	Rock Pulp	5	<0.5	0.3
1719212	Drill Core	3	0.6	<0.2
1719213	Drill Core	3	<0.5	<0.2
1719214	Drill Core	4	0.6	<0.2
1719215	Drill Core	4	<0.5	<0.2
1719216	Drill Core	3	<0.5	<0.2
1719217	Drill Core	3	<0.5	<0.2
1719218	Drill Core	4	1.3	<0.2
1719219	Drill Core	6	<0.5	<0.2
1719220	Drill Core	5	<0.5	<0.2
1719221	Drill Core	2	0.7	<0.2
1719222	Drill Core	3	<0.5	<0.2
1719223	Drill Core	4	<0.5	<0.2
1719224	Drill Core	4	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI15000205.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
REP 1718963	QC		0.008																		
1718969	Drill Core	1.96	444	0.007	<0.01	<0.17	27.92	1.1	16.0	7.3	62	0.2	16.4	10.2	471	2.74	7.1	1.8	2.2	10.7	75
REP 1718969	QC							1.1	16.7	7.7	64	0.2	16.9	10.4	470	2.76	6.8	1.9	<0.5	11.3	79
1719203	Drill Core	3.94	415	0.040	0.04	<0.17	21.79	1.3	15.1	20.8	67	0.4	14.0	7.7	355	2.00	7.5	0.9	83.5	9.8	34
REP 1719203	QC		0.046																		
1719206	Drill Core	1.65	391	0.194	0.19	0.18	22.41	0.7	22.5	18.1	48	0.3	8.4	6.5	455	1.64	3.1	1.3	125.0	6.5	78
REP 1719206	QC							0.6	21.4	18.8	48	0.3	8.3	6.3	457	1.64	3.0	1.3	139.5	6.5	75
1719224	Drill Core	3.50	429	<0.005	<0.01	<0.17	24.33	1.4	16.6	33.3	83	0.3	12.6	6.3	281	1.96	8.6	1.2	<0.5	12.0	21
REP 1719224	QC			<0.005				1.5	16.1	33.5	80	0.3	13.1	6.4	277	1.93	8.3	1.1	<0.5	12.3	22
Core Reject Duplicates																					
1718963	Drill Core	3.94	452	0.010	<0.01	<0.17	21.34	1.1	21.5	15.2	47	0.4	14.6	7.7	388	1.87	8.6	1.8	2.9	9.1	65
DUP 1718963	Drill Core		447	0.009	<0.01	<0.17	24.38	0.9	22.0	16.1	52	0.4	14.9	6.8	391	1.88	8.5	1.9	2.4	9.4	66
1718997	Drill Core	3.56	480	0.095	0.09	<0.17	24.26	0.3	5.7	9.3	24	0.4	2.4	2.7	119	0.83	3.3	2.4	185.3	11.3	26
DUP 1718997	Drill Core		344	0.095	0.09	<0.17	20.44	0.3	5.6	8.8	24	0.3	2.4	2.6	119	0.82	3.0	2.2	63.8	10.7	26
Reference Materials																					
STD DS10	Standard							15.9	158.5	149.4	374	1.9	79.1	13.5	901	2.76	45.2	2.7	81.1	8.3	72
STD DS10	Standard							14.8	155.9	146.0	357	1.8	76.7	12.8	902	2.82	44.5	2.6	96.8	7.7	71
STD DS10	Standard							15.7	156.0	153.3	373	1.8	76.5	12.5	913	2.80	44.9	2.8	94.6	7.7	71
STD OXC129	Standard							1.2	28.2	6.7	41	<0.1	79.6	20.5	401	2.95	<0.5	0.7	191.6	2.0	184
STD OXC129	Standard							1.3	27.6	6.5	40	<0.1	81.3	20.7	429	3.07	0.7	0.7	191.7	2.0	189
STD OXC129	Standard							1.2	27.1	6.2	39	<0.1	80.1	19.9	424	3.03	<0.5	0.7	179.7	1.8	184
STD OXD108	Standard		0.417																		
STD OXD108	Standard		0.418																		
STD OXI121	Standard		1.764																		
STD OXI121	Standard		1.820																		
STD OXN117	Standard		7.923																		
STD OXN117	Standard		7.735																		
STD OXP91	Standard					15.06	30.74														



# QUALITY CONTROL REPORT

WHI15000205.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
REP 1718963	QC																				
1718969	Drill Core	0.3	0.5	0.1	33	1.14	0.069	29	41	1.23	79	0.029	<1	1.42	0.032	0.15	0.1	0.01	6.5	<0.1	0.16
REP 1718969	QC	0.4	0.6	0.1	33	1.14	0.073	29	42	1.23	82	0.030	<1	1.35	0.033	0.15	0.1	<0.01	6.1	<0.1	0.16
1719203	Drill Core	0.3	1.0	0.4	15	0.45	0.065	16	20	0.99	203	0.057	<1	1.18	0.019	0.60	0.6	0.01	3.0	0.3	<0.05
REP 1719203	QC																				
1719206	Drill Core	0.5	1.1	0.2	7	0.98	0.047	10	9	0.69	198	0.039	<1	0.85	0.014	0.54	0.3	<0.01	2.0	0.2	0.17
REP 1719206	QC	0.5	1.1	0.1	7	0.99	0.046	11	9	0.70	203	0.039	1	0.84	0.015	0.54	0.3	<0.01	2.0	0.2	0.17
1719224	Drill Core	0.3	0.6	0.4	16	0.43	0.061	17	21	0.96	177	0.081	1	1.10	0.025	0.54	0.4	<0.01	3.5	0.3	<0.05
REP 1719224	QC	0.4	0.5	0.4	15	0.42	0.063	18	21	0.94	184	0.081	<1	1.08	0.025	0.53	0.4	<0.01	4.1	0.3	<0.05
Core Reject Duplicates																					
1718963	Drill Core	0.4	0.3	0.4	12	1.23	0.059	15	13	0.41	199	0.005	<1	0.70	0.020	0.23	<0.1	<0.01	2.6	<0.1	0.39
DUP 1718963	Drill Core	0.4	0.3	0.4	12	1.25	0.065	16	14	0.40	212	0.005	<1	0.70	0.020	0.23	<0.1	<0.01	2.8	<0.1	0.38
1718997	Drill Core	0.2	0.6	0.2	3	0.48	0.021	21	6	0.24	350	0.021	1	0.49	0.013	0.35	0.3	0.02	1.7	0.1	0.18
DUP 1718997	Drill Core	0.2	0.7	0.2	3	0.46	0.019	19	6	0.25	319	0.021	2	0.45	0.014	0.35	0.3	0.03	1.8	0.1	0.18
Reference Materials																					
STD DS10	Standard	2.6	11.2	13.2	43	1.06	0.074	19	58	0.78	371	0.088	7	1.05	0.068	0.33	3.4	0.30	2.9	4.9	0.29
STD DS10	Standard	2.4	8.7	12.4	43	1.09	0.078	18	55	0.80	343	0.083	7	1.09	0.072	0.35	2.9	0.28	2.8	5.1	0.28
STD DS10	Standard	2.3	9.2	12.6	44	1.10	0.080	19	57	0.79	358	0.082	8	1.10	0.071	0.34	3.0	0.29	3.1	5.2	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.63	0.099	14	53	1.54	53	0.435	1	1.52	0.576	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.67	0.101	13	52	1.54	48	0.415	2	1.60	0.599	0.38	0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.66	0.101	13	51	1.53	51	0.407	<1	1.60	0.600	0.38	<0.1	<0.01	0.7	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 1 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000205.1

Method Analyte		AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
REP 1718963	QC			
1718969	Drill Core	7	<0.5	<0.2
REP 1718969	QC	7	<0.5	<0.2
1719203	Drill Core	4	<0.5	<0.2
REP 1719203	QC			
1719206	Drill Core	2	0.5	<0.2
REP 1719206	QC	2	0.5	<0.2
1719224	Drill Core	4	<0.5	<0.2
REP 1719224	QC	4	<0.5	<0.2
Core Reject Duplicates				
1718963	Drill Core	3	1.2	<0.2
DUP 1718963	Drill Core	3	1.8	<0.2
1718997	Drill Core	2	<0.5	<0.2
DUP 1718997	Drill Core	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.0	4.9
STD DS10	Standard	4	1.7	5.1
STD DS10	Standard	4	2.2	4.8
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			



# QUALITY CONTROL REPORT

WHI15000205.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91	Standard					15.08	31.23														
STD OXP91	Standard					15.03	30.67														
STD OXP91	Standard					14.69	30.56														
STD OXP91	Standard					14.96	31.01														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		347	<0.005	<0.01	<0.17	27.79	0.8	4.6	1.9	28	<0.1	2.0	3.8	452	1.85	1.0	0.5	<0.5	2.4	28
ROCK-WHI	Prep Blank		414	<0.005	<0.01	<0.17	20.48	0.9	2.2	1.2	29	<0.1	1.5	3.6	478	1.88	0.8	0.4	<0.5	2.2	21





# QUALITY CONTROL REPORT

WHI15000205.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	0.1	<0.1	23	0.72	0.039	6	3	0.41	59	0.085	<1	1.03	0.107	0.09	0.1	0.01	2.8	<0.1	<0.05	
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.63	0.040	5	4	0.44	46	0.071	<1	0.98	0.096	0.08	<0.1	<0.01	2.6	<0.1	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 08, 2015

Page: 2 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000205.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Expected			
STD DS10	Expected	4.5	2.3	5.01
STD OXC129	Expected	5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: September 28, 2015  
Report Date: October 14, 2015  
Page: 1 of 5

# CERTIFICATE OF ANALYSIS

WHI15000210.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-11  
P.O. Number  
Number of Samples: 102

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	92	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	102	Metallic Sieve 500g to 150 mesh		Completed	VAN
Split +150 mesh	102	Analysis sample split/packet			VAN
Split -150	102	Analysis sample split/packet			VAN
FS631	92	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	102	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 14, 2015

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1719225	Drill Core	3.93	434	<0.005	<0.01	<0.17	19.83	0.8	18.6	40.0	98	0.4	12.9	6.9	302	2.17	7.0	1.2	1.0	11.2	25
1719226	Drill Core	3.53	357	<0.005	<0.01	<0.17	18.43	0.5	16.9	29.8	125	0.3	9.4	7.5	286	2.07	3.0	1.4	1.2	12.3	21
1719227	Drill Core	3.13	516	<0.005	<0.01	<0.17	26.15	0.6	20.6	35.0	77	0.3	9.6	9.5	301	1.75	2.9	1.0	<0.5	11.5	32
1719228	Drill Core	3.46	340	0.005	<0.01	<0.17	20.12	1.4	16.6	34.5	80	0.4	9.9	8.8	347	1.59	6.2	1.1	1.6	10.9	40
1719229	Drill Core	2.98	372	0.006	<0.01	<0.17	19.23	2.2	24.6	38.4	77	0.3	15.9	8.9	366	1.89	10.6	1.2	5.6	11.2	45
1719230	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.0	68.4	3.7	36	<0.1	5.3	8.5	365	2.58	0.6	0.9	1.2	2.7	65
1719231	Rock Pulp	0.12		6.407	I.S.	I.S.	I.S.	13.1	73.1	23.6	61	0.8	20.0	9.4	450	4.24	12.6	0.4	7290.6	1.3	60
1719232	Drill Core	3.49	406	<0.005	<0.01	<0.17	18.24	1.2	23.3	35.0	69	0.5	15.0	6.9	335	1.79	6.1	0.9	2.2	10.1	46
1719233	Drill Core	3.34	377	<0.005	<0.01	<0.17	19.34	1.4	18.0	17.9	66	0.3	11.0	7.6	387	1.95	5.1	1.2	<0.5	12.0	43
1719234	Drill Core	2.90	468	<0.005	<0.01	<0.17	20.04	0.6	10.6	12.1	32	0.3	11.6	5.8	285	1.32	4.3	0.8	1.5	12.3	22
1719235	Drill Core	2.62	394	<0.005	<0.01	<0.17	21.00	0.7	14.5	27.1	42	0.6	10.5	6.6	260	1.21	5.8	0.8	2.4	11.8	25
1719236	Drill Core	1.77	356	<0.005	<0.01	<0.17	20.32	1.0	20.8	11.7	57	0.5	13.6	8.8	295	1.74	6.7	1.5	2.9	11.2	31
1719237	Drill Core	3.14	436	0.411	0.42	0.61	21.35	0.4	22.2	8.7	38	0.7	10.7	6.5	312	1.20	6.6	1.4	559.0	8.2	86
1719238	Drill Core	4.01	359	0.006	<0.01	<0.17	21.37	0.3	19.7	24.4	36	0.7	9.0	5.6	318	1.10	2.3	1.1	5.3	9.9	77
1719239	Drill Core	2.67	526	0.061	0.12	1.67	20.42	1.2	19.7	27.5	47	0.7	8.6	6.6	466	1.72	6.7	1.3	61.6	7.3	55
1719240	Drill Core	3.34	391	0.350	0.34	0.19	21.03	2.4	16.3	6.7	34	0.7	6.9	7.1	561	1.60	6.5	2.9	195.9	8.3	110
1719241	Drill Core	3.53	360	0.561	0.56	0.55	21.87	0.9	10.4	7.4	41	0.4	8.8	7.3	487	1.71	5.0	1.1	544.6	9.0	56
1719242	Drill Core	3.42	467	0.006	<0.01	<0.17	25.32	2.0	15.4	56.5	45	0.3	8.6	7.1	546	1.69	2.9	1.5	2.6	7.9	67
1719243	Drill Core	3.34	517	<0.005	<0.01	<0.17	20.27	1.2	13.0	6.8	55	0.2	11.2	8.8	437	2.09	3.9	1.5	<0.5	9.8	31
1719244	Drill Core	3.59	467	<0.005	<0.01	<0.17	17.06	1.1	15.0	41.1	63	0.2	10.4	7.6	473	1.91	2.7	1.7	1.2	8.0	57
1719245	Drill Core	3.29	471	<0.005	<0.01	<0.17	18.53	1.5	14.8	15.0	53	0.2	10.8	8.0	483	2.01	3.0	2.2	0.7	9.6	51
1719246	Drill Core	4.31	441	<0.005	<0.01	<0.17	21.14	0.9	10.9	6.1	49	<0.1	11.3	8.4	467	2.09	3.4	1.8	1.1	10.3	51
1719247	Drill Core	2.37	357	<0.005	<0.01	<0.17	16.39	0.8	7.4	3.2	42	<0.1	10.3	8.2	354	2.04	4.5	1.2	0.5	10.5	34
1719248	Drill Core	3.50	520	<0.005	<0.01	<0.17	28.22	0.3	9.3	16.8	35	0.3	4.4	3.7	177	1.03	2.0	1.4	1.0	10.8	40
1719249	Drill Core	0.72	517	0.166	0.18	0.43	18.53	0.4	11.9	6.3	56	0.7	12.8	8.2	304	2.01	6.6	1.3	201.3	8.9	31
1719250	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.1	69.8	3.8	38	<0.1	5.5	8.9	361	2.59	0.6	0.9	0.6	2.7	65
1719251	Rock Pulp	0.12		6.956	I.S.	I.S.	I.S.	13.6	76.4	23.5	61	0.8	20.3	9.4	476	4.31	12.3	0.4	7159.8	1.2	58
1719252	Drill Core	1.17	461	0.010	<0.01	<0.17	23.82	0.1	1.4	5.0	9	<0.1	0.4	0.9	46	0.36	3.2	1.1	16.7	14.3	5
1719253	Drill Core	2.98	413	0.026	0.02	<0.17	22.54	0.4	3.2	18.9	8	0.2	1.0	1.1	38	0.56	5.5	2.6	24.9	15.3	13
1719254	Drill Core	3.54	371	0.053	0.05	<0.17	25.82	0.2	3.7	30.1	13	0.3	0.6	0.7	78	0.45	1.5	1.8	44.7	15.4	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 14, 2015

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	
1719225	Drill Core	0.6	0.5	0.4	22	0.37	0.061	15	27	1.09	145	0.085	<1	1.21	0.018	0.56	0.6	<0.01	3.8	0.3	<0.05
1719226	Drill Core	1.1	0.4	0.2	17	0.38	0.057	17	22	1.07	160	0.082	<1	1.18	0.020	0.41	0.6	0.03	3.7	0.3	<0.05
1719227	Drill Core	0.6	0.3	0.1	16	0.56	0.056	19	22	0.80	159	0.074	<1	1.03	0.017	0.37	0.7	0.02	3.2	0.2	<0.05
1719228	Drill Core	0.6	0.4	0.2	15	0.69	0.057	19	20	0.82	163	0.071	1	0.96	0.017	0.47	0.5	<0.01	2.9	0.3	<0.05
1719229	Drill Core	0.7	0.4	0.3	18	0.67	0.058	16	21	1.05	168	0.059	<1	1.11	0.006	0.48	0.6	<0.01	2.8	0.3	0.15
1719230	Rock Pulp	<0.1	<0.1	<0.1	94	0.76	0.062	7	11	0.71	111	0.102	2	1.39	0.129	0.18	2.0	<0.01	2.0	<0.1	<0.05
1719231	Rock Pulp	0.2	5.1	0.5	100	1.00	0.052	5	29	0.60	89	0.105	1	1.75	0.131	0.12	1.6	0.32	4.4	<0.1	<0.05
1719232	Drill Core	0.4	0.3	0.5	16	0.65	0.058	17	17	0.88	155	0.058	<1	1.04	0.006	0.32	0.2	<0.01	2.5	0.2	0.06
1719233	Drill Core	0.4	0.3	0.2	17	0.61	0.059	19	20	0.99	169	0.062	<1	1.18	0.011	0.27	0.4	<0.01	2.9	0.1	<0.05
1719234	Drill Core	0.2	0.2	0.4	9	0.26	0.052	20	11	0.71	164	0.039	<1	0.89	0.010	0.21	0.3	<0.01	1.7	<0.1	<0.05
1719235	Drill Core	0.3	0.4	0.7	8	0.29	0.048	20	11	0.68	160	0.044	<1	0.83	0.007	0.37	0.5	<0.01	1.8	0.2	<0.05
1719236	Drill Core	0.3	0.4	0.4	13	0.38	0.057	18	16	0.84	148	0.085	<1	1.00	0.007	0.42	0.9	<0.01	2.6	0.2	<0.05
1719237	Drill Core	0.5	0.3	0.4	5	0.93	0.047	10	6	0.61	178	0.020	<1	0.67	0.007	0.42	0.3	<0.01	1.6	0.2	0.37
1719238	Drill Core	0.3	0.7	0.9	6	0.88	0.048	25	7	0.65	160	0.016	<1	0.77	0.008	0.31	0.2	<0.01	1.4	0.1	0.07
1719239	Drill Core	0.3	1.2	0.4	11	0.64	0.056	15	12	0.78	141	0.060	<1	0.96	0.008	0.43	0.6	<0.01	2.3	0.2	0.13
1719240	Drill Core	0.3	1.0	<0.1	7	1.31	0.050	10	7	0.70	201	0.033	<1	0.83	0.008	0.61	0.4	<0.01	1.9	0.3	0.50
1719241	Drill Core	0.2	0.8	<0.1	12	0.58	0.054	15	13	0.84	184	0.055	<1	1.01	0.009	0.56	0.6	<0.01	2.5	0.2	0.10
1719242	Drill Core	0.2	0.5	0.2	13	0.87	0.052	13	15	0.85	144	0.072	<1	0.88	0.016	0.52	0.7	<0.01	2.6	0.2	<0.05
1719243	Drill Core	0.2	0.6	<0.1	19	0.39	0.057	16	18	1.02	181	0.114	<1	1.08	0.011	0.67	0.6	<0.01	3.5	0.3	<0.05
1719244	Drill Core	0.4	0.5	0.2	16	0.86	0.048	11	16	0.98	151	0.093	<1	0.97	0.009	0.56	0.4	<0.01	2.9	0.2	0.11
1719245	Drill Core	0.2	0.5	<0.1	18	0.67	0.056	14	17	0.99	178	0.093	<1	1.04	0.013	0.61	0.3	<0.01	3.9	0.3	0.12
1719246	Drill Core	0.2	0.4	<0.1	17	0.74	0.055	11	14	0.97	195	0.088	<1	1.07	0.011	0.65	0.2	<0.01	3.9	0.3	0.13
1719247	Drill Core	0.1	0.4	<0.1	16	0.47	0.058	12	13	0.85	209	0.103	<1	1.01	0.010	0.61	0.2	<0.01	4.0	0.3	0.25
1719248	Drill Core	0.5	0.6	0.1	9	0.64	0.030	28	11	0.43	236	0.040	<1	0.64	0.013	0.26	0.4	<0.01	2.7	<0.1	<0.05
1719249	Drill Core	0.8	0.8	<0.1	25	0.38	0.071	24	30	0.84	154	0.080	<1	0.97	0.014	0.26	0.8	<0.01	4.8	0.1	<0.05
1719250	Rock Pulp	<0.1	<0.1	<0.1	95	0.75	0.060	7	12	0.71	111	0.101	<1	1.42	0.131	0.19	2.0	<0.01	2.0	<0.1	<0.05
1719251	Rock Pulp	0.2	5.1	0.5	103	1.02	0.054	5	29	0.61	86	0.108	2	1.81	0.137	0.13	1.5	0.32	4.3	<0.1	<0.05
1719252	Drill Core	0.3	0.2	<0.1	<2	0.03	0.010	42	1	0.05	203	0.002	<1	0.30	0.029	0.22	<0.1	0.03	0.8	<0.1	<0.05
1719253	Drill Core	0.3	0.4	0.3	<2	0.07	0.036	42	3	0.03	218	0.001	<1	0.27	0.023	0.22	<0.1	0.02	0.7	<0.1	<0.05
1719254	Drill Core	0.3	0.3	0.3	<2	0.11	0.007	44	2	0.05	243	0.009	<1	0.30	0.025	0.24	<0.1	<0.01	1.7	<0.1	0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 2 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1719225	Drill Core	4	<0.5	<0.2
1719226	Drill Core	5	<0.5	<0.2
1719227	Drill Core	5	<0.5	<0.2
1719228	Drill Core	4	<0.5	<0.2
1719229	Drill Core	4	<0.5	<0.2
1719230	Rock Pulp	4	<0.5	<0.2
1719231	Rock Pulp	5	<0.5	0.2
1719232	Drill Core	4	<0.5	<0.2
1719233	Drill Core	5	<0.5	<0.2
1719234	Drill Core	3	<0.5	<0.2
1719235	Drill Core	2	<0.5	<0.2
1719236	Drill Core	3	<0.5	<0.2
1719237	Drill Core	2	<0.5	<0.2
1719238	Drill Core	2	<0.5	<0.2
1719239	Drill Core	3	<0.5	<0.2
1719240	Drill Core	2	<0.5	<0.2
1719241	Drill Core	3	<0.5	<0.2
1719242	Drill Core	3	<0.5	<0.2
1719243	Drill Core	4	<0.5	<0.2
1719244	Drill Core	4	<0.5	<0.2
1719245	Drill Core	4	<0.5	<0.2
1719246	Drill Core	4	<0.5	<0.2
1719247	Drill Core	3	<0.5	<0.2
1719248	Drill Core	2	<0.5	<0.2
1719249	Drill Core	5	<0.5	<0.2
1719250	Rock Pulp	4	<0.5	<0.2
1719251	Rock Pulp	5	<0.5	0.2
1719252	Drill Core	<1	<0.5	<0.2
1719253	Drill Core	<1	<0.5	<0.2
1719254	Drill Core	1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 14, 2015

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719255	Drill Core	2.44	448	0.007	<0.01	<0.17	22.02	0.2	4.4	32.6	23	0.3	0.7	0.8	88	0.48	1.5	1.7	1.8	15.8	13
1719256	Drill Core	3.79	523	<0.005	<0.01	<0.17	26.95	0.3	6.8	23.9	29	0.3	3.6	3.7	209	0.92	2.2	1.9	0.9	14.2	26
1719257	Drill Core	1.57	480	<0.005	<0.01	<0.17	16.72	0.4	7.4	15.6	41	0.3	6.0	4.9	218	1.28	3.0	2.2	2.6	11.8	48
1719258	Drill Core	0.81	375	0.063	0.06	<0.17	18.70	0.2	4.4	18.7	15	0.2	0.9	1.0	51	0.46	2.4	1.9	52.0	13.8	11
1719259	Drill Core	3.66	399	0.226	0.23	0.21	23.36	0.8	19.9	16.5	62	0.6	10.7	7.7	270	1.90	11.2	1.9	282.6	9.3	51
1719260	Drill Core	0.96	408	0.151	0.15	0.20	20.15	1.6	23.8	12.5	70	0.5	11.9	9.7	336	2.07	8.9	1.4	140.2	7.6	41
1719261	Drill Core	3.60	390	0.012	0.01	<0.17	20.68	1.2	19.5	7.8	65	0.3	15.7	10.1	277	2.35	11.7	2.6	14.9	9.1	35
1719262	Drill Core	3.35	366	0.366	0.44	1.66	20.45	1.1	29.2	20.9	57	0.9	10.3	8.7	344	2.03	12.9	2.2	266.2	10.5	78
1719263	Drill Core	1.83	405	1.616	1.64	1.98	25.30	1.3	46.3	7.5	48	2.7	15.2	10.1	606	2.32	24.9	2.6	2618.2	11.1	151
1719264	Drill Core	3.49	367	0.338	0.35	0.56	23.15	10.9	25.0	34.3	46	1.9	18.9	7.7	414	2.00	20.4	2.0	302.3	9.6	58
1719265	Drill Core	3.24	374	0.367	0.40	0.97	22.59	2.8	21.6	12.7	56	1.0	26.6	10.4	397	2.58	22.0	2.0	356.6	10.3	39
1719266	Drill Core	3.85	382	0.095	0.09	<0.17	24.09	1.9	29.0	12.6	57	0.8	32.1	10.5	318	2.56	19.3	2.6	75.0	9.2	55
1719267	Drill Core	3.84	409	<0.005	<0.01	<0.17	20.64	0.5	9.7	25.5	48	0.2	6.2	4.8	178	1.35	7.9	5.2	<0.5	11.8	59
1719268	Drill Core	3.54	368	<0.005	<0.01	<0.17	21.14	1.2	16.0	19.9	51	0.4	14.0	7.3	363	1.84	16.9	1.7	1.5	8.9	53
1719269	Drill Core	3.12	367	0.055	0.05	<0.17	18.62	0.6	25.5	22.4	77	0.5	16.2	7.9	268	1.71	42.6	1.3	49.6	9.3	28
1719270	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.9	68.2	3.5	37	<0.1	5.5	8.7	359	2.57	0.6	0.8	1.9	2.6	63
1719271	Rock Pulp	0.12		6.909	I.S.	I.S.	I.S.	13.1	70.9	22.4	57	0.7	19.6	9.0	435	4.04	11.2	0.4	6779.5	1.2	54
1719272	Drill Core	3.57	366	0.020	0.02	<0.17	21.24	0.7	37.2	70.5	112	0.7	16.8	8.3	214	1.54	35.5	1.2	17.1	10.2	25
1719273	Drill Core	3.35	358	0.081	0.08	<0.17	23.32	0.9	12.9	13.5	23	0.5	11.4	5.7	137	1.19	12.1	3.2	75.5	13.1	27
1719274	Drill Core	3.56	395	0.025	0.02	<0.17	18.55	1.1	14.0	16.8	35	0.3	12.4	5.8	185	1.24	12.5	1.9	15.2	10.9	29
1719275	Drill Core	4.09	497	<0.005	<0.01	<0.17	21.50	1.5	20.1	20.4	53	0.4	15.8	7.4	253	1.54	10.5	2.8	1.0	10.0	64
1719276	Drill Core	3.81	408	<0.005	<0.01	<0.17	21.46	0.9	19.7	8.3	51	0.3	24.4	8.1	201	1.69	13.7	1.0	<0.5	7.1	27
1719277	Drill Core	3.45	370	<0.005	<0.01	<0.17	20.06	1.8	28.8	7.8	72	0.3	26.7	10.4	230	2.04	8.9	1.7	<0.5	6.8	27
1719278	Drill Core	3.51	394	0.269	0.27	0.32	18.79	1.7	19.2	8.7	61	1.4	11.6	9.3	387	2.18	8.7	2.1	337.6	8.4	84
1719279	Drill Core	3.75	418	<0.005	<0.01	<0.17	20.10	0.7	16.1	8.9	64	0.2	12.5	10.0	290	2.08	3.7	2.5	1.2	9.6	60
1719280	Drill Core	3.91	452	<0.005	<0.01	<0.17	23.23	0.3	13.4	13.7	60	0.3	10.8	9.1	275	1.77	1.5	1.9	<0.5	10.3	85
1719281	Drill Core	3.34	370	<0.005	<0.01	<0.17	24.11	0.2	21.6	30.5	65	0.3	8.0	7.5	235	1.42	1.1	1.6	1.3	9.2	47
1719282	Drill Core	1.39	514	<0.005	<0.01	<0.17	18.92	0.2	3.8	18.7	32	0.2	1.9	2.4	359	0.74	1.0	1.4	<0.5	10.1	92
1719283	Drill Core	3.74	392	0.097	0.09	<0.17	22.40	0.7	7.3	11.8	49	0.3	10.3	8.5	348	2.03	7.7	1.5	55.6	9.4	36
1719284	Drill Core	2.80	463	0.384	0.41	1.08	19.41	1.5	19.0	31.8	104	0.7	11.9	10.0	331	2.32	10.2	4.6	330.3	9.1	40



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 14, 2015

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	
1719255	Drill Core	0.3	0.3	0.3	<2	0.15	0.007	49	3	0.06	214	0.007	<1	0.28	0.023	0.22	<0.1	<0.01	1.2	<0.1	<0.05	
1719256	Drill Core	0.6	0.6	0.2	7	0.37	0.024	38	7	0.25	260	0.036	<1	0.54	0.017	0.26	0.3	0.01	2.5	<0.1	<0.05	
1719257	Drill Core	0.5	0.9	0.2	11	0.59	0.037	28	13	0.52	202	0.062	<1	0.75	0.014	0.29	0.4	<0.01	3.3	0.1	<0.05	
1719258	Drill Core	0.3	0.7	0.2	<2	0.07	0.009	32	2	0.05	286	0.014	2	0.30	0.036	0.23	0.3	0.04	1.9	<0.1	<0.05	
1719259	Drill Core	0.4	1.9	0.1	15	0.74	0.057	15	18	0.78	251	0.066	2	0.88	0.021	0.53	0.6	0.02	3.8	0.3	<0.05	
1719260	Drill Core	0.4	1.3	0.1	17	0.61	0.058	14	17	0.79	209	0.056	<1	0.94	0.025	0.58	0.6	<0.01	3.7	0.3	<0.05	
1719261	Drill Core	0.3	1.7	<0.1	26	0.49	0.067	16	32	0.90	172	0.123	<1	1.13	0.036	0.48	0.5	<0.01	4.9	0.3	<0.05	
1719262	Drill Core	0.4	0.7	0.2	17	1.03	0.076	14	20	0.86	175	0.062	1	1.03	0.029	0.38	1.0	<0.01	3.6	0.1	0.21	
1719263	Drill Core	0.4	1.0	0.1	19	2.10	0.146	15	25	1.16	197	0.055	1	1.21	0.031	0.57	0.9	<0.01	4.9	0.3	0.17	
1719264	Drill Core	0.5	0.8	0.5	13	0.87	0.056	20	17	0.57	180	0.005	1	0.88	0.014	0.32	0.2	<0.01	2.5	0.1	0.06	
1719265	Drill Core	0.4	0.4	0.2	18	0.47	0.062	27	22	0.73	179	0.003	<1	1.11	0.014	0.30	0.1	<0.01	3.1	0.1	<0.05	
1719266	Drill Core	0.4	0.7	0.4	25	0.67	0.060	18	33	0.93	147	0.006	<1	1.23	0.014	0.31	0.1	<0.01	3.4	0.1	<0.05	
1719267	Drill Core	0.4	1.0	0.3	8	0.86	0.039	21	8	0.49	161	0.030	<1	0.72	0.046	0.30	0.2	<0.01	2.9	0.1	0.14	
1719268	Drill Core	0.6	1.7	0.3	19	0.83	0.062	20	22	0.70	168	0.061	<1	0.94	0.035	0.31	0.7	<0.01	4.1	0.1	0.08	
1719269	Drill Core	1.4	3.0	0.5	18	0.38	0.065	20	18	0.59	173	0.065	<1	0.94	0.039	0.33	0.9	<0.01	3.7	0.1	<0.05	
1719270	Rock Pulp	<0.1	<0.1	<0.1	90	0.76	0.055	7	11	0.71	104	0.093	1	1.40	0.141	0.19	1.6	<0.01	1.9	<0.1	<0.05	
1719271	Rock Pulp	0.2	4.8	0.5	88	0.99	0.047	5	27	0.57	79	0.094	2	1.77	0.169	0.14	1.4	0.28	4.0	<0.1	<0.05	
1719272	Drill Core	1.2	3.3	0.5	21	0.37	0.070	22	21	0.44	185	0.071	<1	0.78	0.053	0.22	1.0	<0.01	3.5	<0.1	<0.05	
1719273	Drill Core	1.3	1.2	0.4	9	0.32	0.076	20	11	0.30	212	0.041	<1	0.63	0.037	0.34	0.6	<0.01	2.2	0.1	0.21	
1719274	Drill Core	0.3	1.7	0.3	14	0.54	0.058	20	19	0.37	179	0.051	<1	0.62	0.033	0.33	0.4	<0.01	2.5	0.1	0.14	
1719275	Drill Core	0.4	1.6	0.4	17	1.12	0.056	22	20	0.56	181	0.072	<1	0.74	0.040	0.34	0.3	<0.01	3.7	0.2	0.21	
1719276	Drill Core	0.3	3.1	<0.1	19	0.41	0.052	14	21	0.77	176	0.087	<1	1.02	0.029	0.34	0.7	<0.01	4.2	0.2	<0.05	
1719277	Drill Core	0.6	1.7	<0.1	21	0.44	0.064	17	24	0.90	186	0.091	<1	1.11	0.025	0.52	0.7	<0.01	4.6	0.3	<0.05	
1719278	Drill Core	0.4	1.7	0.1	18	1.48	0.065	10	23	0.96	202	0.068	1	1.05	0.017	0.59	0.5	<0.01	3.6	0.3	0.45	
1719279	Drill Core	0.4	0.8	<0.1	21	1.25	0.061	14	26	1.01	218	0.071	<1	1.22	0.028	0.45	0.5	<0.01	4.0	0.2	0.11	
1719280	Drill Core	0.5	0.8	0.1	19	1.38	0.057	22	24	0.83	470	0.070	<1	1.13	0.037	0.32	0.2	<0.01	4.4	0.2	0.07	
1719281	Drill Core	0.6	0.6	0.2	10	0.71	0.040	26	13	0.57	657	0.043	<1	0.92	0.022	0.36	0.2	<0.01	3.7	0.2	<0.05	
1719282	Drill Core	0.6	0.5	0.1	<2	2.26	0.019	27	4	0.18	340	0.033	<1	0.41	0.020	0.21	0.2	<0.01	2.0	<0.1	<0.05	
1719283	Drill Core	0.3	0.7	0.2	17	0.52	0.063	16	21	0.93	273	0.077	1	1.08	0.031	0.46	1.0	<0.01	4.4	0.2	<0.05	
1719284	Drill Core	1.0	1.1	0.1	18	0.59	0.070	18	25	0.72	185	0.099	<1	1.14	0.015	0.48	0.9	<0.01	3.6	0.3	0.11	





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 3 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1719255	Drill Core	1	<0.5	<0.2
1719256	Drill Core	2	<0.5	<0.2
1719257	Drill Core	3	<0.5	<0.2
1719258	Drill Core	1	<0.5	<0.2
1719259	Drill Core	3	<0.5	<0.2
1719260	Drill Core	3	<0.5	<0.2
1719261	Drill Core	4	0.6	<0.2
1719262	Drill Core	4	0.8	<0.2
1719263	Drill Core	5	0.7	<0.2
1719264	Drill Core	3	0.8	<0.2
1719265	Drill Core	5	0.7	<0.2
1719266	Drill Core	5	1.0	<0.2
1719267	Drill Core	3	0.9	<0.2
1719268	Drill Core	4	<0.5	<0.2
1719269	Drill Core	4	<0.5	<0.2
1719270	Rock Pulp	4	<0.5	<0.2
1719271	Rock Pulp	4	<0.5	<0.2
1719272	Drill Core	4	0.7	<0.2
1719273	Drill Core	3	0.9	<0.2
1719274	Drill Core	2	1.0	<0.2
1719275	Drill Core	3	0.7	<0.2
1719276	Drill Core	3	<0.5	<0.2
1719277	Drill Core	4	<0.5	<0.2
1719278	Drill Core	4	<0.5	<0.2
1719279	Drill Core	5	<0.5	<0.2
1719280	Drill Core	5	<0.5	<0.2
1719281	Drill Core	3	<0.5	<0.2
1719282	Drill Core	2	<0.5	<0.2
1719283	Drill Core	4	<0.5	<0.2
1719284	Drill Core	4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 14, 2015

Page: 4 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719285	Drill Core	4.15	451	0.727	0.73	0.84	21.51	1.9	19.0	10.1	43	0.8	12.1	9.1	167	2.30	17.2	3.8	723.0	9.3	33
1719286	Drill Core	3.21	363	0.307	0.31	0.31	22.59	0.6	18.7	15.9	85	0.5	11.6	8.4	296	2.06	9.3	1.9	795.0	8.9	39
1719287	Drill Core	4.34	483	<0.005	<0.01	<0.17	20.35	0.3	8.4	14.2	71	0.1	10.7	7.9	297	2.10	2.8	1.3	<0.5	9.4	38
1719288	Drill Core	3.65	430	<0.005	<0.01	<0.17	22.47	0.2	10.9	12.6	68	<0.1	10.7	7.8	307	2.17	2.5	1.1	<0.5	9.8	26
1719289	Drill Core	3.87	451	<0.005	<0.01	<0.17	18.93	0.2	9.1	7.7	54	0.1	9.9	6.8	290	1.99	4.9	1.1	11.0	8.2	25
1719290	Rock Pulp	0.12		0.006	I.S.	I.S.	I.S.	2.0	67.6	3.6	36	<0.1	5.4	8.6	347	2.47	0.6	0.8	<0.5	2.7	65
1719291	Rock Pulp	0.12		7.169	I.S.	I.S.	I.S.	14.0	72.2	23.3	59	0.7	19.1	9.2	446	4.07	11.9	0.4	6612.0	1.3	54
1719292	Drill Core	3.46	445	<0.005	<0.01	<0.17	19.69	0.7	14.4	19.4	61	0.2	9.2	7.0	257	1.69	5.0	1.4	1.5	9.6	33
1719293	Drill Core	4.34	414	<0.005	<0.01	<0.17	25.11	0.9	14.7	12.6	65	0.2	9.8	7.4	264	1.92	3.9	4.7	1.2	10.3	27
1719294	Drill Core	3.59	398	<0.005	<0.01	<0.17	20.40	1.0	14.8	14.7	61	0.2	10.0	6.8	211	1.81	3.7	1.7	0.7	9.9	71
1719295	Drill Core	3.00	446	<0.005	<0.01	<0.17	21.19	0.6	7.4	14.5	55	0.2	5.6	4.6	165	1.24	4.2	1.8	<0.5	10.7	31
1719296	Drill Core	2.13	436	0.022	0.02	<0.17	20.47	0.3	1.3	13.9	29	0.1	2.7	2.2	100	0.87	3.0	1.1	2.9	11.5	22
1719297	Drill Core	1.49	505	0.049	0.05	<0.17	26.06	0.3	2.2	22.0	30	0.2	2.3	3.1	92	0.73	5.5	1.2	65.7	12.5	12
1719298	Drill Core	3.18	344	<0.005	<0.01	<0.17	19.03	0.9	16.4	3.4	67	0.2	12.2	9.5	230	2.19	6.3	1.4	2.1	9.2	45
1719299	Drill Core	1.40	329	<0.005	<0.01	<0.17	26.93	0.8	26.5	6.4	59	0.3	26.8	9.1	221	1.90	11.9	1.0	1.6	5.1	24
1719300	Drill Core	2.37	510	0.007	<0.01	<0.17	23.62	1.7	7.2	21.2	160	0.2	2.2	4.1	398	2.06	99.8	1.4	2.0	6.4	44
1719301	Drill Core	3.76	415	<0.005	<0.01	<0.17	23.94	0.8	7.0	9.0	62	0.6	2.3	4.1	627	1.76	6.2	1.6	2.0	6.0	117
1719302	Drill Core	3.91	446	0.008	<0.01	<0.17	20.31	1.2	6.0	10.6	57	0.2	2.4	4.2	540	1.66	5.8	1.1	<0.5	6.4	123
1719303	Drill Core	1.54	517	0.145	0.14	<0.17	28.11	0.3	5.0	8.4	53	0.5	1.9	3.4	437	1.74	3.5	0.7	22.5	6.5	144
1719304	Drill Core	0.62	488	<0.005	<0.01	<0.17	29.92	30.7	8.7	9.4	66	1.0	1.7	3.9	524	1.64	4.2	0.7	3.1	6.4	159
1719305	Drill Core	3.61	396	<0.005	<0.01	<0.17	18.22	0.3	6.3	9.0	63	0.2	2.3	4.1	698	1.97	2.4	1.1	0.5	6.1	120
1719306	Drill Core	1.12	480	<0.005	<0.01	<0.17	20.70	0.9	6.4	6.6	40	0.2	1.1	3.9	852	1.39	3.9	0.8	1.6	5.6	116
1719307	Drill Core	1.44	478	<0.005	<0.01	<0.17	25.83	0.5	6.0	6.2	41	0.1	1.7	2.7	258	1.62	7.3	0.4	<0.5	6.0	104
1719308	Drill Core	1.57	349	0.027	0.03	<0.17	20.42	2.9	6.6	9.2	42	1.3	1.5	3.3	406	1.28	7.6	1.0	29.1	6.7	111
1719309	Drill Core	2.76	497	0.025	0.02	<0.17	20.84	0.3	11.4	9.8	50	0.6	1.8	5.3	825	1.48	4.8	0.8	14.8	4.5	127
1719310	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.9	67.0	3.6	35	<0.1	4.7	8.0	343	2.37	<0.5	0.8	<0.5	2.7	63
1719311	Rock Pulp	0.12		7.038	I.S.	I.S.	I.S.	13.2	73.7	24.1	58	0.7	18.9	8.9	459	4.12	12.2	0.4	6594.4	1.3	58
1719312	Drill Core	2.31	408	0.151	0.17	0.53	24.39	0.4	9.1	6.7	44	0.4	1.7	5.1	550	1.63	7.9	0.8	95.7	4.4	103
1719313	Drill Core	2.37	461	<0.005	<0.01	<0.17	28.47	0.4	5.9	10.4	100	<0.1	5.3	7.5	598	3.35	6.2	0.4	3.3	6.9	127
1719314	Drill Core	3.14	439	0.014	0.01	<0.17	24.22	0.4	7.9	9.8	89	0.3	4.1	5.4	434	2.59	29.4	0.5	10.0	6.2	182



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 14, 2015

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI15000210.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001	La ppm 1	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 1	Al % 0.01	Na % 0.01	K % 0.01	W ppm 0.1	Hg ppm 0.01	Sc ppm 0.1	Tl ppm 0.1	S %	
1719285	Drill Core	0.5	1.3	<0.1	14	0.44	0.081	16	18	0.43	101	0.080	2	0.91	0.010	0.49	0.8	0.02	2.8	0.2	1.04
1719286	Drill Core	0.6	0.9	0.1	19	0.61	0.058	16	27	0.84	110	0.088	1	1.08	0.042	0.37	0.7	<0.01	3.4	0.2	<0.05
1719287	Drill Core	0.3	0.8	0.1	18	0.81	0.058	21	27	1.16	102	0.072	<1	1.41	0.034	0.40	0.3	<0.01	3.3	0.2	<0.05
1719288	Drill Core	0.3	0.5	<0.1	16	0.55	0.060	19	25	1.24	108	0.059	<1	1.45	0.030	0.42	0.2	<0.01	3.4	0.2	<0.05
1719289	Drill Core	0.2	0.5	<0.1	15	0.49	0.056	15	21	1.03	105	0.077	<1	1.33	0.040	0.38	0.2	<0.01	2.8	0.2	<0.05
1719290	Rock Pulp	<0.1	<0.1	<0.1	86	0.76	0.059	7	11	0.69	105	0.097	1	1.36	0.141	0.19	1.8	<0.01	1.8	<0.1	<0.05
1719291	Rock Pulp	0.2	5.0	0.5	89	0.99	0.050	5	28	0.58	83	0.098	3	1.80	0.177	0.15	1.3	0.29	4.2	<0.1	<0.05
1719292	Drill Core	0.2	0.8	0.1	13	0.67	0.054	20	19	0.85	113	0.069	<1	1.17	0.029	0.45	0.4	<0.01	2.8	0.2	<0.05
1719293	Drill Core	0.2	0.7	<0.1	16	0.46	0.054	16	20	1.06	166	0.062	1	1.12	0.018	0.51	0.5	<0.01	3.1	0.3	0.09
1719294	Drill Core	0.2	1.0	<0.1	18	0.92	0.052	14	23	0.81	219	0.075	1	0.88	0.020	0.60	0.8	<0.01	3.4	0.3	0.09
1719295	Drill Core	0.4	1.0	0.1	9	0.46	0.033	19	13	0.67	230	0.047	1	0.82	0.016	0.48	0.6	<0.01	2.6	0.2	<0.05
1719296	Drill Core	<0.1	1.0	0.1	5	0.25	0.021	22	8	0.42	252	0.028	1	0.58	0.014	0.36	0.4	<0.01	1.8	0.1	<0.05
1719297	Drill Core	0.6	0.5	0.2	3	0.12	0.022	28	4	0.26	361	0.011	1	0.47	0.009	0.35	0.3	0.02	1.5	0.1	<0.05
1719298	Drill Core	0.3	0.7	<0.1	24	0.56	0.072	13	26	1.14	178	0.080	2	1.20	0.019	0.58	0.6	<0.01	4.4	0.3	<0.05
1719299	Drill Core	0.3	4.0	<0.1	20	0.41	0.059	13	23	0.93	180	0.093	1	1.04	0.010	0.54	1.1	<0.01	3.9	0.3	<0.05
1719300	Drill Core	1.2	0.9	<0.1	7	1.03	0.035	18	3	0.24	268	0.002	1	0.79	0.027	0.13	<0.1	0.04	2.5	<0.1	<0.05
1719301	Drill Core	0.3	1.3	<0.1	3	1.80	0.040	14	3	0.38	259	0.002	1	0.43	0.018	0.24	<0.1	0.04	2.8	<0.1	0.13
1719302	Drill Core	0.2	0.3	<0.1	4	2.31	0.040	14	2	0.46	226	0.002	2	0.67	0.015	0.23	<0.1	0.03	2.6	<0.1	0.11
1719303	Drill Core	0.2	0.4	<0.1	<2	2.10	0.043	13	2	0.55	253	0.001	2	0.32	0.006	0.25	<0.1	0.04	1.8	<0.1	0.20
1719304	Drill Core	0.3	1.5	<0.1	3	2.48	0.041	16	2	0.44	276	0.001	1	0.66	0.008	0.29	<0.1	0.07	2.6	0.2	0.14
1719305	Drill Core	0.2	0.4	0.1	6	2.13	0.043	13	3	0.43	217	0.002	1	0.91	0.018	0.21	<0.1	0.04	3.3	0.1	0.18
1719306	Drill Core	0.3	0.5	<0.1	2	2.27	0.042	15	2	0.26	339	0.001	2	0.31	0.015	0.25	<0.1	0.03	2.0	0.1	0.10
1719307	Drill Core	0.1	0.3	<0.1	2	2.04	0.040	14	3	0.63	275	0.002	2	0.40	0.006	0.33	<0.1	0.03	2.0	<0.1	0.14
1719308	Drill Core	0.4	0.9	<0.1	<2	1.57	0.031	12	2	0.28	331	0.001	2	0.53	0.012	0.24	<0.1	0.13	1.4	<0.1	0.42
1719309	Drill Core	0.5	0.7	<0.1	5	2.47	0.045	11	3	0.20	217	0.004	<1	0.53	0.023	0.19	<0.1	0.09	3.0	<0.1	0.29
1719310	Rock Pulp	<0.1	0.1	<0.1	84	0.75	0.055	7	10	0.66	106	0.094	2	1.30	0.138	0.18	1.8	<0.01	2.0	<0.1	<0.05
1719311	Rock Pulp	<0.1	5.2	0.5	91	1.01	0.050	5	28	0.60	85	0.099	2	1.71	0.143	0.13	1.3	0.30	4.3	<0.1	<0.05
1719312	Drill Core	0.3	0.8	<0.1	5	1.39	0.044	11	2	0.26	321	0.005	<1	0.58	0.021	0.24	0.3	0.05	2.5	<0.1	0.34
1719313	Drill Core	0.2	0.3	<0.1	11	2.57	0.057	23	4	1.41	146	0.002	1	2.03	0.009	0.16	0.1	0.03	5.4	<0.1	<0.05
1719314	Drill Core	0.2	0.5	0.1	5	2.02	0.054	17	2	0.71	201	0.001	2	1.33	0.005	0.23	<0.1	0.03	3.1	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 4 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201
		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
1719285	Drill Core	3	1.1	<0.2
1719286	Drill Core	5	<0.5	<0.2
1719287	Drill Core	5	<0.5	<0.2
1719288	Drill Core	5	<0.5	<0.2
1719289	Drill Core	5	<0.5	<0.2
1719290	Rock Pulp	4	<0.5	<0.2
1719291	Rock Pulp	4	<0.5	<0.2
1719292	Drill Core	5	<0.5	<0.2
1719293	Drill Core	4	0.6	<0.2
1719294	Drill Core	3	<0.5	<0.2
1719295	Drill Core	3	<0.5	<0.2
1719296	Drill Core	2	<0.5	<0.2
1719297	Drill Core	2	<0.5	<0.2
1719298	Drill Core	5	<0.5	<0.2
1719299	Drill Core	3	<0.5	<0.2
1719300	Drill Core	3	0.5	<0.2
1719301	Drill Core	1	<0.5	<0.2
1719302	Drill Core	2	<0.5	<0.2
1719303	Drill Core	<1	<0.5	<0.2
1719304	Drill Core	2	<0.5	<0.2
1719305	Drill Core	3	<0.5	<0.2
1719306	Drill Core	<1	<0.5	<0.2
1719307	Drill Core	1	<0.5	<0.2
1719308	Drill Core	1	<0.5	<0.2
1719309	Drill Core	2	<0.5	<0.2
1719310	Rock Pulp	4	<0.5	<0.2
1719311	Rock Pulp	5	<0.5	<0.2
1719312	Drill Core	2	<0.5	<0.2
1719313	Drill Core	5	<0.5	<0.2
1719314	Drill Core	3	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
1719315	Drill Core	1.45	505	0.131	0.14	0.34	17.79	2.3	6.9	90.7	154	2.3	7.2	4.8	280	2.65	32.1	1.2	131.5	4.8	83
1719316	Drill Core	1.20	473	<0.005	<0.01	<0.17	22.10	0.3	2.2	8.4	79	<0.1	1.8	3.9	403	2.51	4.4	0.5	1.5	5.2	207
1719317	Drill Core	3.81	342	0.009	<0.01	<0.17	20.39	0.3	5.9	10.6	82	0.1	2.3	6.0	324	2.94	10.6	0.4	12.8	5.6	93
1719318	Drill Core	3.41	433	0.011	0.01	<0.17	23.95	0.3	5.3	6.7	98	<0.1	3.0	5.9	321	3.25	9.1	0.5	3.0	6.1	78
1719319	Drill Core	4.34	413	0.007	<0.01	<0.17	15.12	0.2	5.5	9.0	86	<0.1	2.8	5.3	255	2.80	7.9	0.5	3.9	5.8	86
1719320	Drill Core	1.36	387	<0.005	<0.01	<0.17	24.40	0.2	6.1	11.9	101	<0.1	7.0	6.0	317	2.92	14.7	0.5	0.7	5.8	89
1719321	Drill Core	3.61	469	0.071	0.07	<0.17	25.43	1.7	6.4	8.8	82	0.2	4.7	5.1	827	3.38	45.9	0.8	51.6	4.8	132
1719322	Drill Core	2.00	401	0.009	<0.01	<0.17	24.19	0.6	6.8	9.2	67	0.1	3.1	6.8	703	2.12	33.8	1.0	7.2	5.0	119
1719323	Drill Core	1.54	447	0.143	0.14	<0.17	17.40	2.0	7.4	13.2	77	0.3	4.7	4.9	1055	2.31	82.4	1.9	112.6	4.9	53
1719324	Drill Core	3.01	411	0.154	0.16	0.24	20.77	0.8	8.0	8.0	69	0.2	3.1	4.8	1327	2.24	60.1	0.6	81.2	5.4	139
1719325	Drill Core	3.01	452	<0.005	<0.01	<0.17	22.30	0.7	6.0	8.0	80	<0.1	3.9	6.9	1065	2.56	7.6	0.5	2.9	5.6	118
1719326	Drill Core	3.57	395	<0.005	<0.01	<0.17	20.64	0.6	6.3	14.8	104	0.1	4.9	5.0	498	2.76	6.6	0.6	2.4	6.3	56



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1719315	Drill Core	0.8	1.4	0.2	4	0.86	0.051	15	2	0.46	181	<0.001	2	0.99	0.006	0.20	0.1	0.06	2.2	<0.1	<0.05	
1719316	Drill Core	0.2	0.3	0.1	3	2.33	0.045	17	2	1.00	196	0.002	1	0.71	0.009	0.21	<0.1	0.03	2.3	<0.1	<0.05	
1719317	Drill Core	0.2	0.4	<0.1	14	1.55	0.049	15	5	1.17	93	0.003	1	1.51	0.026	0.12	<0.1	0.01	3.2	<0.1	<0.05	
1719318	Drill Core	0.2	0.3	<0.1	20	1.31	0.054	20	6	1.48	100	0.004	<1	1.95	0.030	0.10	<0.1	0.02	4.5	<0.1	<0.05	
1719319	Drill Core	0.2	0.4	<0.1	12	1.49	0.049	18	4	1.22	220	0.003	1	1.71	0.016	0.14	<0.1	0.02	4.0	<0.1	<0.05	
1719320	Drill Core	0.3	0.7	<0.1	13	1.31	0.053	22	4	1.27	207	0.003	2	1.78	0.015	0.15	<0.1	0.06	4.6	<0.1	<0.05	
1719321	Drill Core	0.3	0.7	<0.1	14	3.00	0.042	15	4	0.99	197	0.002	2	1.56	0.013	0.14	<0.1	0.03	4.4	<0.1	<0.05	
1719322	Drill Core	0.2	0.7	<0.1	5	2.42	0.048	14	2	0.30	277	0.002	3	0.76	0.009	0.23	<0.1	0.02	2.4	<0.1	<0.05	
1719323	Drill Core	0.8	1.2	<0.1	5	1.12	0.051	17	3	0.20	432	0.001	2	0.78	0.011	0.18	0.1	0.02	2.2	<0.1	<0.05	
1719324	Drill Core	0.2	2.3	<0.1	8	2.79	0.050	16	3	0.50	206	0.001	1	1.16	0.014	0.15	<0.1	0.04	3.9	<0.1	<0.05	
1719325	Drill Core	0.1	0.5	<0.1	14	2.56	0.047	17	4	0.90	170	0.002	1	1.47	0.021	0.12	<0.1	0.02	5.7	<0.1	<0.05	
1719326	Drill Core	0.1	0.3	<0.1	12	1.29	0.043	24	4	1.13	249	0.009	1	1.64	0.029	0.12	<0.1	0.02	5.6	<0.1	<0.05	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 5 of 5

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI15000210.1

	Method	AQ201		
		Ga	Se	Te
Analyte	Unit	ppm	ppm	ppm
MDL		1	0.5	0.2
1719315	Drill Core	3	0.6	<0.2
1719316	Drill Core	1	<0.5	<0.2
1719317	Drill Core	5	<0.5	<0.2
1719318	Drill Core	7	<0.5	<0.2
1719319	Drill Core	5	<0.5	<0.2
1719320	Drill Core	5	<0.5	<0.2
1719321	Drill Core	4	<0.5	<0.2
1719322	Drill Core	2	<0.5	<0.2
1719323	Drill Core	2	<0.5	<0.2
1719324	Drill Core	3	<0.5	<0.2
1719325	Drill Core	5	<0.5	<0.2
1719326	Drill Core	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 14, 2015

Page: 1 of 3 Part: 1 of 3

# QUALITY CONTROL REPORT

WHI15000210.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
1719253	Drill Core	2.98	413	0.026	0.02	<0.17	22.54	0.4	3.2	18.9	8	0.2	1.0	1.1	38	0.56	5.5	2.6	24.9	15.3	13
REP 1719253	QC							0.4	3.3	18.1	8	0.2	1.0	1.1	35	0.55	5.1	2.5	29.0	15.5	12
1719288	Drill Core	3.65	430	<0.005	<0.01	<0.17	22.47	0.2	10.9	12.6	68	<0.1	10.7	7.8	307	2.17	2.5	1.1	<0.5	9.8	26
REP 1719288	QC							0.2	11.1	12.8	70	<0.1	11.1	7.8	304	2.14	2.4	1.1	<0.5	10.0	25
REP 1719297	QC			0.046																	
1719322	Drill Core	2.00	401	0.009	<0.01	<0.17	24.19	0.6	6.8	9.2	67	0.1	3.1	6.8	703	2.12	33.8	1.0	7.2	5.0	119
REP 1719322	QC			0.008																	
1719323	Drill Core	1.54	447	0.143	0.14	<0.17	17.40	2.0	7.4	13.2	77	0.3	4.7	4.9	1055	2.31	82.4	1.9	112.6	4.9	53
REP 1719323	QC							2.1	7.3	13.1	77	0.3	4.6	4.7	1077	2.36	81.0	2.0	112.5	5.0	54
1719326	Drill Core	3.57	395	<0.005	<0.01	<0.17	20.64	0.6	6.3	14.8	104	0.1	4.9	5.0	498	2.76	6.6	0.6	2.4	6.3	56
REP 1719326	QC			<0.005																	
Core Reject Duplicates																					
1719229	Drill Core	2.98	372	0.006	<0.01	<0.17	19.23	2.2	24.6	38.4	77	0.3	15.9	8.9	366	1.89	10.6	1.2	5.6	11.2	45
DUP 1719229	QC		441	0.007	<0.01	<0.17	20.47	2.6	25.4	41.0	80	0.4	15.4	9.2	368	1.89	11.5	1.3	7.3	11.8	46
1719263	Drill Core	1.83	405	1.616	1.64	1.98	25.30	1.3	46.3	7.5	48	2.7	15.2	10.1	606	2.32	24.9	2.6	2618.2	11.1	151
DUP 1719263	QC		407	1.610	1.63	2.06	19.89	1.4	43.9	7.5	49	2.3	15.9	11.1	638	2.50	26.4	2.5	1498.7	11.0	168
1719297	Drill Core	1.49	505	0.049	0.05	<0.17	26.06	0.3	2.2	22.0	30	0.2	2.3	3.1	92	0.73	5.5	1.2	65.7	12.5	12
DUP 1719297	QC		524	0.125	0.12	<0.17	30.67	0.3	1.3	20.8	25	0.2	2.2	3.0	93	0.69	4.7	1.1	48.8	11.7	11
Reference Materials																					
STD DS10	Standard							14.4	160.3	150.0	373	1.9	76.2	13.0	891	2.81	46.1	2.9	66.9	7.8	73
STD DS10	Standard							15.0	158.8	145.8	351	1.9	76.0	13.0	893	2.74	44.0	2.8	89.6	7.8	70
STD DS10	Standard							14.9	156.0	144.1	362	1.9	73.2	12.6	892	2.74	45.0	2.8	74.6	8.0	70
STD OXC129	Standard							1.3	28.0	6.3	42	<0.1	77.9	20.1	422	3.09	0.7	0.7	176.9	1.9	185
STD OXC129	Standard							1.2	29.0	6.6	40	<0.1	81.1	20.8	404	2.98	0.8	0.8	174.6	1.9	187
STD OXC129	Standard							1.4	28.7	6.9	43	<0.1	80.2	20.7	418	3.01	0.6	0.8	181.8	2.2	191
STD OXD108	Standard			0.422																	
STD OXD108	Standard			0.408																	
STD OXD108	Standard			0.435																	





# QUALITY CONTROL REPORT

WHI15000210.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1719253	Drill Core	0.3	0.4	0.3	<2	0.07	0.036	42	3	0.03	218	0.001	<1	0.27	0.023	0.22	<0.1	0.02	0.7	<0.1	<0.05
REP 1719253	QC	0.3	0.4	0.3	<2	0.07	0.034	40	3	0.03	213	0.001	<1	0.26	0.023	0.22	<0.1	0.02	0.7	<0.1	<0.05
1719288	Drill Core	0.3	0.5	<0.1	16	0.55	0.060	19	25	1.24	108	0.059	<1	1.45	0.030	0.42	0.2	<0.01	3.4	0.2	<0.05
REP 1719288	QC	0.2	0.5	<0.1	16	0.54	0.058	19	25	1.24	110	0.059	<1	1.42	0.026	0.42	0.2	<0.01	3.2	0.2	<0.05
REP 1719297	QC																				
1719322	Drill Core	0.2	0.7	<0.1	5	2.42	0.048	14	2	0.30	277	0.002	3	0.76	0.009	0.23	<0.1	0.02	2.4	<0.1	<0.05
REP 1719322	QC																				
1719323	Drill Core	0.8	1.2	<0.1	5	1.12	0.051	17	3	0.20	432	0.001	2	0.78	0.011	0.18	0.1	0.02	2.2	<0.1	<0.05
REP 1719323	QC	0.9	1.2	<0.1	5	1.12	0.050	18	3	0.20	444	0.001	1	0.79	0.011	0.18	0.1	0.03	2.4	<0.1	<0.05
1719326	Drill Core	0.1	0.3	<0.1	12	1.29	0.043	24	4	1.13	249	0.009	1	1.64	0.029	0.12	<0.1	0.02	5.6	<0.1	<0.05
REP 1719326	QC																				
Core Reject Duplicates																					
1719229	Drill Core	0.7	0.4	0.3	18	0.67	0.058	16	21	1.05	168	0.059	<1	1.11	0.006	0.48	0.6	<0.01	2.8	0.3	0.15
DUP 1719229	QC	0.7	0.4	0.3	18	0.66	0.058	16	21	1.05	161	0.060	<1	1.10	0.010	0.47	0.4	<0.01	2.7	0.3	0.15
1719263	Drill Core	0.4	1.0	0.1	19	2.10	0.146	15	25	1.16	197	0.055	1	1.21	0.031	0.57	0.9	<0.01	4.9	0.3	0.17
DUP 1719263	QC	0.4	1.0	0.1	21	2.27	0.163	15	27	1.28	216	0.059	2	1.34	0.033	0.64	0.9	<0.01	5.2	0.3	0.19
1719297	Drill Core	0.6	0.5	0.2	3	0.12	0.022	28	4	0.26	361	0.011	1	0.47	0.009	0.35	0.3	0.02	1.5	0.1	<0.05
DUP 1719297	QC	0.6	0.5	0.2	3	0.11	0.022	25	4	0.25	266	0.010	<1	0.38	0.007	0.30	0.3	0.01	1.3	0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.9	8.4	12.8	47	1.08	0.078	19	56	0.78	352	0.082	7	1.05	0.062	0.33	3.1	0.29	2.9	5.0	0.29
STD DS10	Standard	2.7	8.4	12.5	44	1.08	0.072	19	55	0.78	334	0.083	6	1.07	0.071	0.33	3.0	0.28	3.0	4.9	0.28
STD DS10	Standard	2.4	9.3	12.2	43	1.08	0.075	19	56	0.78	348	0.084	7	1.08	0.071	0.34	3.0	0.27	3.0	4.9	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	56	0.67	0.103	13	51	1.55	49	0.406	<1	1.54	0.563	0.36	0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.64	0.096	13	51	1.55	49	0.393	2	1.55	0.591	0.37	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.67	0.100	13	53	1.52	48	0.394	2	1.55	0.587	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 1 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000210.1

Method Analyte	Unit	AQ201	AQ201	AQ201
		Ga ppm	Se ppm	Te ppm
MDL		1	0.5	0.2
Pulp Duplicates				
1719253	Drill Core	<1	<0.5	<0.2
REP 1719253	QC	<1	<0.5	<0.2
1719288	Drill Core	5	<0.5	<0.2
REP 1719288	QC	5	<0.5	<0.2
REP 1719297	QC			
1719322	Drill Core	2	<0.5	<0.2
REP 1719322	QC			
1719323	Drill Core	2	<0.5	<0.2
REP 1719323	QC	2	<0.5	<0.2
1719326	Drill Core	6	<0.5	<0.2
REP 1719326	QC			
Core Reject Duplicates				
1719229	Drill Core	4	<0.5	<0.2
DUP 1719229	QC	4	0.6	<0.2
1719263	Drill Core	5	0.7	<0.2
DUP 1719263	QC	5	0.7	<0.2
1719297	Drill Core	2	<0.5	<0.2
DUP 1719297	QC	1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.0	4.9
STD DS10	Standard	4	1.9	4.6
STD DS10	Standard	4	2.5	4.5
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			



# QUALITY CONTROL REPORT

WHI15000210.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXD108	Standard			0.415																	
STD OXI121	Standard			1.762																	
STD OXI121	Standard			1.833																	
STD OXI121	Standard			1.836																	
STD OXI121	Standard			1.789																	
STD OXN117	Standard			7.586																	
STD OXN117	Standard			7.608																	
STD OXN117	Standard			7.717																	
STD OXN117	Standard			7.750																	
STD OXP91	Standard					15.08	29.17														
STD OXP91	Standard					15.06	29.88														
STD OXP91	Standard					15.05	30.09														
STD OXP91	Standard					15.11	30.05														
STD OXP91	Standard					15.12	29.03														
STD OXP91	Standard					15.01	29.39														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 2 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000210.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
STD OXD108	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXI121	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXN117	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91	Standard																					
STD OXP91 Expected																						
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 2 of 3

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI15000210.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



# QUALITY CONTROL REPORT

WHI15000210.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
BLK	Blank			<0.005																		
BLK	Blank					<0.17	30.00															
BLK	Blank					<0.17	30.00															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	
Prep Wash																						
ROCK-WHI	Prep Blank		445	<0.005	<0.01	<0.17	28.21	0.7	4.5	1.9	34	<0.1	1.0	3.7	452	1.84	0.6	0.5	0.8	2.5	22	
ROCK-WHI	Prep Blank		395	<0.005	<0.01	<0.17	26.43	0.6	5.7	1.2	31	<0.1	10.8	4.1	462	1.88	0.8	0.4	<0.5	2.4	24	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 3 of 3

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI15000210.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
Prep Wash																						
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.60	0.043	6	3	0.43	54	0.078	1	0.89	0.059	0.07	0.1	<0.01	2.6	<0.1	<0.05	
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.65	0.044	6	4	0.50	50	0.077	1	0.92	0.049	0.06	0.1	<0.01	2.4	<0.1	<0.05	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 14, 2015

Page: 3 of 3

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI15000210.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: October 05, 2015  
Report Date: October 27, 2015  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI15000214.1

## CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS15-11  
P.O. Number  
Number of Samples: 149

## SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	133	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	149	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	149	Analysis sample split/packet			VAN
Split -150	149	Analysis sample split/packet			VAN
FS631	133	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	147	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
AQ200	2	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 27, 2015

Page: 2 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719327	Drill Core	1.52	366	0.035	0.03	<0.17	25.62	1.0	5.9	4.6	54	0.8	1.6	3.9	443	1.99	4.3	1.2	47.7	5.9	103
1719328	Drill Core	3.62	479	<0.005	<0.01	<0.17	20.84	0.7	6.4	5.8	89	0.3	5.4	7.5	612	2.58	12.2	0.9	3.7	5.5	23
1719329	Drill Core	2.48	321	0.007	<0.01	<0.17	19.88	0.6	5.3	5.8	90	0.1	5.2	7.1	340	2.64	18.7	1.1	2.3	6.3	24
1719330	Rock Pulp	0.12		0.006	I.S.	I.S.	I.S.	2.0	68.3	3.9	38	<0.1	5.4	8.9	383	2.65	1.0	0.9	<0.5	2.8	72
1719331	Rock Pulp	0.12		6.788	I.S.	I.S.	I.S.	13.8	74.3	25.4	63	0.9	20.0	10.0	474	4.40	13.3	0.4	7334.5	1.4	59
1719332	Drill Core	1.20	500	<0.005	<0.01	<0.17	21.30	0.4	8.5	6.0	69	0.1	3.9	6.6	262	2.04	11.0	0.9	0.8	5.7	20
1719333	Drill Core	2.62	341	<0.005	<0.01	<0.17	21.76	0.6	11.7	6.3	63	0.2	3.9	5.9	317	2.18	21.5	1.0	1.2	5.1	20
1719334	Drill Core	3.79	411	0.011	0.01	<0.17	21.12	0.7	5.4	9.3	53	0.4	2.9	5.7	357	1.97	16.1	0.9	7.2	5.4	134
1719335	Drill Core	3.16	479	0.008	<0.01	<0.17	24.23	11.0	6.1	7.9	54	0.3	1.4	4.2	347	1.64	25.6	1.2	8.8	5.3	148
1719336	Drill Core	4.58	388	0.041	0.05	0.21	19.42	1.0	3.5	7.3	71	0.3	2.1	5.9	323	2.20	23.7	1.2	27.5	5.4	145
1719337	Drill Core	2.65	552	0.336	0.61	6.57	24.21	0.6	7.0	6.2	36	1.0	1.2	4.6	188	1.37	9.9	0.8	264.2	5.3	74
1719338	Drill Core	2.16	519	0.175	0.18	0.21	19.01	0.2	10.8	6.2	17	1.6	0.6	1.4	51	0.74	3.3	0.8	65.4	7.1	12
1719339	Drill Core	3.27	412	0.007	<0.01	<0.17	20.65	1.0	4.5	6.8	47	0.2	1.4	4.4	200	1.77	23.4	1.7	6.1	5.3	120
1719340	Drill Core	2.84	383	0.014	0.01	<0.17	20.08	1.0	6.5	8.7	38	0.5	1.3	4.4	264	1.71	15.6	2.1	14.7	5.3	151
1719341	Drill Core	2.42	461	<0.005	<0.01	<0.17	20.72	0.6	5.4	11.1	32	0.1	0.8	3.5	220	1.32	4.5	1.1	5.4	6.1	117
1719342	Drill Core	3.32	334	<0.005	<0.01	<0.17	18.40	0.6	5.0	9.6	97	0.4	0.9	2.9	306	0.94	2.8	1.2	4.8	6.8	157
1719343	Drill Core	2.96	330	0.007	<0.01	<0.17	21.26	0.4	4.6	7.8	140	0.2	1.2	4.1	225	1.37	4.9	1.1	4.7	5.4	98
1719344	Drill Core	2.65	455	<0.005	<0.01	<0.17	18.38	0.2	9.7	8.2	113	0.3	1.8	4.5	221	1.28	3.3	1.2	3.1	6.3	42
1719345	Drill Core	2.28	454	0.324	0.31	<0.17	17.49	0.6	9.6	8.8	38	1.1	0.7	2.2	220	0.88	1.4	1.0	40.4	8.2	81
1719346	Drill Core	3.68	433	0.215	0.22	0.39	17.89	0.5	8.5	8.3	50	1.3	1.4	3.1	111	1.05	5.3	0.8	140.7	6.0	22
1719347	Drill Core	0.97	436	0.081	0.08	<0.17	22.44	0.2	2.8	12.4	22	0.2	0.5	0.5	35	0.42	4.7	1.0	6.1	9.2	4
1719348	Drill Core	1.10	476	0.006	<0.01	<0.17	18.18	0.2	1.3	9.1	13	<0.1	0.5	0.5	36	0.32	0.9	0.7	1.9	9.7	8
1719349	Drill Core	3.13	538	<0.005	<0.01	<0.17	24.88	0.3	3.7	16.4	65	0.2	1.3	2.1	75	0.80	5.3	0.8	3.8	7.7	12
1719350	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.9	63.3	3.9	37	<0.1	4.9	8.2	352	2.50	0.6	0.8	1.3	2.6	65
1719351	Rock Pulp	0.12		6.732	I.S.	I.S.	I.S.	13.1	70.1	24.0	63	0.8	18.6	9.3	460	4.20	12.4	0.4	6798.5	1.3	56
1719352	Drill Core	2.94	466	0.011	0.01	<0.17	25.00	0.7	3.5	15.4	48	0.4	1.2	2.8	186	1.20	17.8	1.3	15.0	8.4	48
1719353	Drill Core	0.82	351	<0.005	<0.01	<0.17	18.48	0.7	4.6	11.2	48	0.3	1.4	3.3	242	1.35	81.1	2.5	<0.5	8.3	67
1719354	Drill Core	2.53	521	0.007	<0.01	<0.17	28.39	1.3	3.7	12.5	51	<0.1	1.0	2.2	215	1.20	3.3	1.6	<0.5	8.7	70
1719355	Drill Core	1.64	351	0.007	<0.01	<0.17	17.28	0.4	5.2	31.3	102	0.8	2.0	1.5	104	1.16	10.6	1.1	2.3	7.8	33
1719356	Drill Core	3.70	453	<0.005	<0.01	<0.17	20.37	1.6	3.6	22.0	63	0.4	0.4	0.9	92	0.69	5.8	1.7	<0.5	7.8	67



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 2 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1719327	Drill Core	0.4	1.1	<0.1	<2	2.34	0.044	12	2	0.44	328	<0.001	2	0.35	0.006	0.36	<0.1	0.04	2.2	<0.1	0.35
1719328	Drill Core	0.4	0.8	<0.1	13	0.25	0.054	16	3	0.41	576	0.032	1	1.09	0.033	0.41	0.1	<0.01	6.9	0.2	<0.05
1719329	Drill Core	0.5	0.9	<0.1	12	0.22	0.059	22	4	0.41	569	0.006	1	1.27	0.040	0.36	0.1	0.03	6.1	<0.1	<0.05
1719330	Rock Pulp	<0.1	<0.1	<0.1	94	0.97	0.057	8	12	0.73	119	0.122	2	1.59	0.178	0.20	2.2	<0.01	2.5	<0.1	<0.05
1719331	Rock Pulp	0.2	6.4	0.5	98	1.13	0.055	6	31	0.66	98	0.100	4	1.97	0.210	0.16	1.6	0.31	5.1	<0.1	<0.05
1719332	Drill Core	0.3	0.7	<0.1	10	0.19	0.055	20	3	0.23	379	0.004	<1	0.89	0.042	0.24	<0.1	0.03	5.4	<0.1	<0.05
1719333	Drill Core	0.4	0.9	<0.1	10	0.18	0.052	21	4	0.22	397	0.004	1	0.91	0.032	0.25	0.1	0.03	5.9	<0.1	<0.05
1719334	Drill Core	0.6	0.4	<0.1	6	2.09	0.053	16	2	0.30	496	0.002	2	0.84	0.008	0.33	<0.1	0.03	3.6	<0.1	0.07
1719335	Drill Core	0.3	0.4	<0.1	6	1.99	0.051	18	2	0.24	308	0.003	1	0.74	0.023	0.30	0.1	0.02	3.5	<0.1	<0.05
1719336	Drill Core	0.5	0.6	<0.1	7	1.52	0.051	18	2	0.37	303	0.003	2	1.04	0.023	0.30	<0.1	0.02	4.1	<0.1	<0.05
1719337	Drill Core	0.2	0.8	<0.1	5	0.92	0.047	17	2	0.22	328	0.003	1	0.66	0.023	0.30	<0.1	0.02	2.7	<0.1	<0.05
1719338	Drill Core	<0.1	0.4	<0.1	<2	0.07	0.026	21	2	0.10	296	0.002	1	0.37	0.023	0.30	<0.1	0.03	1.4	<0.1	<0.05
1719339	Drill Core	0.2	0.4	<0.1	5	1.39	0.054	16	2	0.38	334	0.003	2	0.81	0.015	0.31	<0.1	0.01	3.2	<0.1	<0.05
1719340	Drill Core	0.2	0.3	<0.1	5	1.60	0.050	14	2	0.46	339	0.003	1	0.79	0.013	0.34	<0.1	0.01	3.7	<0.1	0.09
1719341	Drill Core	0.2	0.3	<0.1	4	1.38	0.050	19	2	0.26	321	0.003	1	0.61	0.020	0.34	<0.1	0.02	3.3	<0.1	<0.05
1719342	Drill Core	1.5	0.4	<0.1	4	1.69	0.046	21	2	0.18	367	0.004	2	0.50	0.030	0.38	<0.1	0.02	2.6	<0.1	<0.05
1719343	Drill Core	1.9	0.3	<0.1	6	1.14	0.052	16	2	0.30	297	0.004	1	0.71	0.024	0.37	<0.1	<0.01	4.2	<0.1	<0.05
1719344	Drill Core	1.0	0.3	<0.1	7	0.52	0.048	20	2	0.20	333	0.005	1	0.65	0.026	0.36	0.1	0.01	4.1	<0.1	<0.05
1719345	Drill Core	0.5	0.4	<0.1	2	0.95	0.026	21	1	0.17	296	0.003	1	0.43	0.024	0.33	<0.1	0.02	2.0	<0.1	0.14
1719346	Drill Core	0.5	0.3	<0.1	3	0.23	0.039	17	2	0.14	334	0.003	1	0.46	0.029	0.34	<0.1	0.02	1.9	<0.1	0.16
1719347	Drill Core	<0.1	0.4	<0.1	<2	0.03	0.011	25	2	0.01	224	0.001	2	0.24	0.033	0.23	<0.1	0.02	0.7	<0.1	<0.05
1719348	Drill Core	<0.1	0.1	<0.1	<2	0.03	0.013	29	2	0.01	253	0.001	1	0.23	0.017	0.34	0.3	0.01	0.6	<0.1	<0.05
1719349	Drill Core	0.2	0.4	<0.1	3	0.11	0.022	18	2	0.08	170	0.005	<1	0.39	0.026	0.24	0.1	0.01	2.5	<0.1	<0.05
1719350	Rock Pulp	<0.1	0.1	<0.1	86	0.84	0.059	7	11	0.71	113	0.086	2	1.44	0.165	0.19	1.7	<0.01	2.1	<0.1	<0.05
1719351	Rock Pulp	0.1	5.8	0.5	91	1.08	0.053	5	28	0.62	92	0.089	3	1.85	0.175	0.14	1.3	0.30	4.8	<0.1	<0.05
1719352	Drill Core	0.3	0.5	<0.1	2	0.86	0.023	26	1	0.25	289	<0.001	1	0.71	0.015	0.28	0.1	0.06	2.8	<0.1	<0.05
1719353	Drill Core	0.2	0.4	<0.1	3	1.40	0.020	26	2	0.33	290	0.003	1	0.77	0.018	0.25	0.1	<0.01	2.6	<0.1	0.09
1719354	Drill Core	0.2	0.4	<0.1	<2	2.03	0.022	20	1	0.45	308	0.001	1	0.74	0.009	0.24	<0.1	<0.01	1.7	<0.1	0.07
1719355	Drill Core	0.3	0.6	0.4	<2	0.41	0.014	27	3	0.41	323	<0.001	2	0.63	0.012	0.27	0.1	0.11	1.8	<0.1	<0.05
1719356	Drill Core	0.3	0.7	<0.1	<2	0.77	0.005	22	<1	0.25	370	<0.001	2	0.40	0.023	0.30	<0.1	0.11	1.6	0.1	0.10



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 2 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200																			
	Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
Analyte	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1719327	Drill Core	<1	<0.5	<0.2																
1719328	Drill Core	4	<0.5	<0.2																
1719329	Drill Core	4	<0.5	<0.2																
1719330	Rock Pulp	5	<0.5	<0.2																
1719331	Rock Pulp	5	<0.5	0.3																
1719332	Drill Core	3	<0.5	<0.2																
1719333	Drill Core	3	<0.5	<0.2																
1719334	Drill Core	2	<0.5	<0.2																
1719335	Drill Core	2	<0.5	<0.2																
1719336	Drill Core	3	<0.5	<0.2																
1719337	Drill Core	2	<0.5	<0.2																
1719338	Drill Core	1	<0.5	<0.2																
1719339	Drill Core	2	<0.5	<0.2																
1719340	Drill Core	2	<0.5	<0.2																
1719341	Drill Core	1	<0.5	<0.2																
1719342	Drill Core	1	<0.5	<0.2																
1719343	Drill Core	2	<0.5	<0.2																
1719344	Drill Core	2	<0.5	<0.2																
1719345	Drill Core	1	<0.5	<0.2																
1719346	Drill Core	1	<0.5	<0.2																
1719347	Drill Core	<1	<0.5	<0.2																
1719348	Drill Core	<1	<0.5	<0.2																
1719349	Drill Core	2	<0.5	<0.2																
1719350	Rock Pulp	4	<0.5	<0.2																
1719351	Rock Pulp	5	<0.5	0.2																
1719352	Drill Core	2	<0.5	<0.2																
1719353	Drill Core	2	<0.5	<0.2																
1719354	Drill Core	2	<0.5	<0.2																
1719355	Drill Core	2	<0.5	<0.2																
1719356	Drill Core	1	<0.5	<0.2																



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 2 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1719327	Drill Core																			
1719328	Drill Core																			
1719329	Drill Core																			
1719330	Rock Pulp																			
1719331	Rock Pulp																			
1719332	Drill Core																			
1719333	Drill Core																			
1719334	Drill Core																			
1719335	Drill Core																			
1719336	Drill Core																			
1719337	Drill Core																			
1719338	Drill Core																			
1719339	Drill Core																			
1719340	Drill Core																			
1719341	Drill Core																			
1719342	Drill Core																			
1719343	Drill Core																			
1719344	Drill Core																			
1719345	Drill Core																			
1719346	Drill Core																			
1719347	Drill Core																			
1719348	Drill Core																			
1719349	Drill Core																			
1719350	Rock Pulp																			
1719351	Rock Pulp																			
1719352	Drill Core																			
1719353	Drill Core																			
1719354	Drill Core																			
1719355	Drill Core																			
1719356	Drill Core																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 27, 2015

Page: 3 of 6

Part: 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719357	Drill Core	3.74	371	<0.005	<0.01	<0.17	19.05	3.3	3.1	19.0	47	0.4	0.4	0.7	108	0.81	3.1	2.2	0.9	8.6	108
1719358	Drill Core	4.13	468	0.012	0.03	0.36	22.44	1.4	2.4	20.8	46	0.4	0.3	0.7	105	0.61	1.8	2.6	38.7	8.9	105
1719359	Drill Core	2.93	457	<0.005	<0.01	<0.17	23.88	0.4	3.7	17.7	30	0.3	0.4	1.0	66	0.64	3.0	2.0	2.9	9.3	110
1719360	Drill Core	3.79	410	0.047	0.04	<0.17	22.76	6.7	1.2	24.4	42	0.5	0.4	0.7	165	0.64	1.8	3.5	29.1	8.1	102
1719361	Drill Core	1.78	455	0.051	0.07	0.37	24.45	4.0	1.6	12.9	19	0.3	0.3	0.6	200	0.46	2.3	2.0	33.2	8.3	68
1719362	Drill Core	0.62	535	0.073	0.07	<0.17	18.63	0.4	5.3	11.0	47	1.0	0.5	0.4	68	0.69	12.4	0.7	48.6	9.0	6
1719363	Drill Core	1.57	370	0.020	0.02	<0.17	22.18	1.0	0.8	2.7	23	0.3	0.4	0.9	153	0.74	6.2	1.2	19.1	8.4	56
1719364	Drill Core	3.24	363	0.071	0.07	<0.17	24.17	1.0	4.1	15.1	41	0.9	0.3	0.9	137	0.66	13.9	1.1	42.0	7.9	40
1719365	Drill Core	3.78	342	0.011	<0.01	<0.17	27.30	0.9	3.8	21.0	28	0.7	0.5	0.9	394	0.49	18.0	1.1	8.4	8.8	126
1719366	Drill Core	3.70	429	0.006	<0.01	<0.17	26.48	1.8	6.2	14.7	20	0.3	1.7	1.6	478	0.57	21.8	1.5	1.3	8.8	101
1719367	Drill Core	4.15	529	<0.005	<0.01	<0.17	23.65	1.1	1.1	14.6	24	0.2	0.5	0.6	285	0.44	9.5	2.4	<0.5	8.7	51
1719368	Drill Core	3.85	359	<0.005	<0.01	<0.17	22.14	1.2	1.3	13.5	16	0.3	0.5	0.8	337	0.50	6.0	1.0	<0.5	9.3	66
1719369	Drill Core	2.64	351	<0.005	<0.01	<0.17	23.04	1.1	1.3	11.9	14	0.2	0.4	0.9	222	0.38	0.8	1.2	<0.5	9.7	41
1719370	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.1	68.0	4.2	39	<0.1	5.3	8.8	371	2.62	0.8	1.0	3.3	2.9	77
1719371	Rock Pulp	0.12		6.556	I.S.	I.S.	I.S.	14.4	74.2	26.2	65	0.9	20.3	10.5	489	4.53	13.7	0.4	6932.8	1.4	64
1719372	Drill Core	2.85	372	<0.005	<0.01	<0.17	19.87	0.5	1.0	10.2	14	0.1	0.4	0.6	269	0.43	1.1	2.1	<0.5	9.5	34
1719373	Drill Core	3.27	399	<0.005	<0.01	<0.17	19.02	0.6	9.5	8.9	115	0.4	4.4	11.5	387	4.28	11.2	1.4	<0.5	6.5	29
1719374	Drill Core	2.63	490	0.052	0.06	0.29	23.86	0.8	12.3	10.5	96	0.5	5.7	7.1	293	2.96	33.4	1.3	22.7	6.4	27
1719375	Drill Core	3.56	338	0.010	<0.01	<0.17	19.58	0.3	5.4	9.6	51	0.2	3.0	3.9	173	1.41	14.5	0.9	5.6	5.2	19
1719376	Drill Core	2.69	452	0.194	0.19	<0.17	20.33	0.4	9.8	5.6	41	1.2	1.9	3.7	142	1.23	16.2	0.7	151.3	5.0	10
1719377	Drill Core	4.59	342	0.121	0.13	0.32	18.99	0.6	14.7	14.8	56	0.6	2.7	5.1	501	1.74	12.5	1.0	110.8	5.3	16
1719378	Drill Core	2.82	402	<0.005	<0.01	<0.17	21.20	0.5	4.2	5.2	60	0.2	2.2	4.4	596	2.61	3.9	1.0	7.8	5.1	21
1719379	Drill Core	1.50	495	<0.005	<0.01	<0.17	22.01	0.3	3.7	7.6	54	0.2	2.0	4.5	442	2.37	4.0	1.3	<0.5	5.3	21
1719380	Drill Core	2.21	447	<0.005	<0.01	<0.17	22.35	0.4	1.2	4.8	77	0.1	1.8	4.2	341	2.25	4.6	1.0	<0.5	5.9	15
1719381	Drill Core	1.68	385	0.010	<0.01	<0.17	17.49	0.6	2.4	5.1	70	<0.1	1.4	4.0	392	1.99	2.1	0.9	2.7	6.0	12
1719382	Drill Core	3.05	381	0.022	0.02	<0.17	26.77	0.3	8.1	10.5	43	0.2	1.7	3.7	417	1.09	4.0	0.7	23.1	4.9	12
1719383	Drill Core	1.61	521	0.084	0.34	5.95	23.04	0.4	8.7	7.5	75	0.7	2.3	6.4	598	1.61	9.4	1.0	65.5	5.8	13
1719384	Drill Core	0.54	449	0.018	0.02	<0.17	20.83	0.3	6.7	8.7	153	0.5	3.9	13.5	1653	1.85	4.4	1.5	12.4	4.6	38
1719385	Drill Core	1.80	501	0.333	0.50	3.93	22.88	0.5	14.1	4.6	58	2.2	1.3	4.5	328	1.55	4.6	0.8	559.4	5.3	29
1719386	Drill Core	0.77	474	0.049	0.05	<0.17	20.38	0.6	10.0	9.3	73	2.2	1.4	3.5	347	1.56	13.6	1.3	40.9	5.6	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp. 715 - 675 West Hastings St. Vancouver BC V6B 1N2 CANADA

Project: LS Report Date: October 27, 2015

Page: 3 of 6

Part: 2 of 4

CERTIFICATE OF ANALYSIS

WHI15000214.1

Table with columns: Method, Analyte, Unit, MDL, and 21 elements (Cd, Sb, Bi, V, Ca, P, La, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Hg, Sc, Tl, S). Rows include sample IDs like 1719357 and their corresponding analytical results.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 3 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	Analyte	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	
1719357	Drill Core	<1	<0.5	<0.2																		
1719358	Drill Core	1	<0.5	<0.2																		
1719359	Drill Core	1	<0.5	<0.2																		
1719360	Drill Core	1	<0.5	<0.2																		
1719361	Drill Core	<1	<0.5	<0.2																		
1719362	Drill Core	1	<0.5	<0.2																		
1719363	Drill Core	1	<0.5	<0.2																		
1719364	Drill Core	1	<0.5	<0.2																		
1719365	Drill Core	1	<0.5	<0.2																		
1719366	Drill Core	1	<0.5	<0.2																		
1719367	Drill Core	1	<0.5	<0.2																		
1719368	Drill Core	1	<0.5	<0.2																		
1719369	Drill Core	1	<0.5	<0.2																		
1719370	Rock Pulp	5	<0.5	<0.2																		
1719371	Rock Pulp	6	<0.5	0.3																		
1719372	Drill Core	1	<0.5	<0.2																		
1719373	Drill Core	7	<0.5	<0.2																		
1719374	Drill Core	4	<0.5	<0.2																		
1719375	Drill Core	3	<0.5	<0.2																		
1719376	Drill Core	2	<0.5	<0.2																		
1719377	Drill Core	3	<0.5	<0.2																		
1719378	Drill Core	3	<0.5	<0.2																		
1719379	Drill Core	4	<0.5	<0.2																		
1719380	Drill Core	3	<0.5	<0.2																		
1719381	Drill Core	2	<0.5	<0.2																		
1719382	Drill Core	2	<0.5	<0.2																		
1719383	Drill Core	2	<0.5	<0.2																		
1719384	Drill Core	2	<0.5	<0.2																		
1719385	Drill Core	2	<0.5	<0.2																		
1719386	Drill Core	2	<0.5	<0.2																		





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 3 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1719357	Drill Core																			
1719358	Drill Core																			
1719359	Drill Core																			
1719360	Drill Core																			
1719361	Drill Core																			
1719362	Drill Core																			
1719363	Drill Core																			
1719364	Drill Core																			
1719365	Drill Core																			
1719366	Drill Core																			
1719367	Drill Core																			
1719368	Drill Core																			
1719369	Drill Core																			
1719370	Rock Pulp																			
1719371	Rock Pulp																			
1719372	Drill Core																			
1719373	Drill Core																			
1719374	Drill Core																			
1719375	Drill Core																			
1719376	Drill Core																			
1719377	Drill Core																			
1719378	Drill Core																			
1719379	Drill Core																			
1719380	Drill Core																			
1719381	Drill Core																			
1719382	Drill Core																			
1719383	Drill Core																			
1719384	Drill Core																			
1719385	Drill Core																			
1719386	Drill Core																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	ppm	
1719387	Drill Core	2.33	486	0.005	<0.01	<0.17	14.79	0.5	3.9	8.6	45	0.3	1.9	7.5	1290	1.28	5.6	1.0	2.0	4.6	15
1719388	Drill Core	2.12	433	<0.005	<0.01	<0.17	23.22	0.3	1.2	6.9	38	0.1	1.6	3.3	482	1.22	3.2	0.8	<0.5	5.6	14
1719389	Drill Core	2.80	527	0.012	0.01	<0.17	24.80	0.2	2.6	6.7	50	0.4	1.7	3.9	334	1.15	7.0	0.8	9.1	5.2	13
1719390	Rock Pulp	0.12		0.012	I.S.	I.S.	I.S.	1.9	65.4	3.8	37	<0.1	5.0	8.2	357	2.53	0.7	0.8	0.9	2.7	72
1719391	Rock Pulp	0.12		6.454	I.S.	I.S.	I.S.	14.8	73.7	25.7	64	0.8	20.5	10.6	496	4.61	13.7	0.5	6946.8	1.5	65
1719392	Drill Core	3.11	521	0.017	0.02	<0.17	23.22	0.3	3.0	7.2	85	0.3	3.1	9.2	376	2.29	13.0	1.0	10.9	5.3	30
1719393	Drill Core	2.31	387	<0.005	<0.01	<0.17	17.84	0.3	2.3	10.5	32	0.1	0.6	0.9	47	0.71	3.4	1.3	<0.5	8.0	19
1719394	Drill Core	3.01	437	<0.005	<0.01	<0.17	18.68	0.2	2.1	11.7	17	0.2	0.4	0.8	45	0.45	2.4	1.6	<0.5	4.0	30
1719395	Drill Core	1.68	357	<0.005	<0.01	<0.17	19.04	0.3	2.7	12.5	22	0.1	0.5	0.4	38	0.52	2.6	1.2	<0.5	7.2	10
1719396	Drill Core	2.15	458	<0.005	<0.01	<0.17	21.90	0.3	2.7	13.8	34	0.2	0.5	1.0	37	0.50	5.9	0.7	<0.5	5.3	14
1719397	Drill Core	2.16	462	<0.005	<0.01	<0.17	18.92	0.4	1.6	7.9	26	0.1	0.6	0.9	40	0.61	4.7	0.8	<0.5	5.6	14
1719398	Drill Core	3.54	345	0.006	<0.01	<0.17	20.14	1.0	1.4	12.7	42	0.2	1.0	1.7	52	0.80	9.2	1.3	5.0	9.7	7
1719399	Drill Core	2.25	523	<0.005	<0.01	<0.17	16.23	0.2	0.9	10.2	21	<0.1	0.5	0.7	39	0.52	4.8	1.3	<0.5	9.2	5
1719400	Drill Core	3.99	442	<0.005	<0.01	<0.17	27.72	0.7	0.8	9.8	35	0.2	0.6	1.3	61	0.82	6.3	1.1	<0.5	8.9	8
1719401	Drill Core	1.92	443	0.006	<0.01	<0.17	26.32	2.2	1.1	10.4	33	0.2	0.6	1.6	66	0.97	5.8	1.3	3.2	9.4	8
1719402	Drill Core	1.39	446	0.042	0.04	<0.17	18.80	3.4	1.1	7.2	36	0.3	0.6	1.3	77	1.13	6.6	2.6	14.6	7.4	12
1719403	Drill Core	2.13	474	0.009	<0.01	<0.17	20.38	4.0	0.9	7.5	48	0.1	0.6	0.8	123	0.76	10.1	1.4	3.1	7.9	56
1719404	Drill Core	2.34	534	0.022	0.02	<0.17	26.38	2.7	0.5	7.8	56	0.1	0.4	0.8	172	0.88	6.9	1.6	11.6	7.4	83
1719405	Drill Core	2.12	431	0.009	<0.01	<0.17	20.27	0.9	1.5	13.0	35	0.1	0.7	1.2	83	0.58	3.4	1.5	2.4	9.5	8
1719406	Drill Core	3.44	364	0.022	0.02	<0.17	19.82	0.4	2.1	13.3	34	0.2	0.5	1.1	70	0.55	5.1	1.1	6.2	8.0	8
1719407	Drill Core	1.74	384	0.012	0.01	<0.17	21.95	0.3	1.4	14.6	16	0.2	0.4	0.9	47	0.39	4.0	1.0	7.8	8.8	7
1719408	Drill Core	0.88	369	0.011	0.01	<0.17	22.73	0.4	3.3	14.1	26	0.2	0.4	0.6	72	0.58	5.7	0.9	12.5	8.0	5
1719409	Drill Core	0.86	364	0.018	0.02	<0.17	19.94	0.3	6.4	12.4	22	0.9	0.5	2.0	41	0.55	6.3	0.6	17.0	7.0	2
1719410	Rock Pulp	0.12		0.013	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1719411	Rock Pulp	0.12		6.836	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1719412	Drill Core	0.75	481	0.021	0.02	<0.17	25.53	3.2	2.8	15.3	12	0.6	0.4	0.7	44	0.67	8.2	0.2	18.6	5.2	6
1719413	Drill Core	0.41	348	0.014	0.01	<0.17	20.95	2.3	1.8	4.1	6	0.3	0.7	1.0	50	0.59	2.9	0.4	8.5	5.5	10
1719414	Drill Core	1.11	482	<0.005	<0.01	<0.17	23.40	0.4	1.7	5.9	10	0.1	0.4	1.8	51	0.50	1.3	0.4	0.9	7.1	6
1719415	Drill Core	0.66	424	0.006	<0.01	<0.17	19.59	0.7	2.7	8.5	24	0.4	1.7	2.1	369	0.47	2.6	0.4	6.9	6.9	16
1719416	Drill Core	2.46	448	0.027	0.03	<0.17	19.15	0.6	2.6	8.2	19	0.3	0.6	0.6	48	0.54	5.6	0.5	20.7	7.2	4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 4 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cd ppm 0.1	Sb ppm 0.1	Bi ppm 0.1	V ppm 2	Ca % 0.01	P % 0.001	La ppm 1	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 1	Al % 0.01	Na % 0.01	K % 0.01	W ppm 0.1	Hg ppm 0.01	Sc ppm 0.1	Tl ppm 0.1	S	
1719387	Drill Core	0.7	0.6	<0.1	7	0.21	0.048	18	2	0.10	597	0.006	1	0.62	0.040	0.35	0.2	0.05	3.4	<0.1	<0.05
1719388	Drill Core	0.2	0.5	<0.1	6	0.15	0.049	20	3	0.12	566	0.007	1	0.64	0.039	0.34	0.1	0.03	4.0	<0.1	<0.05
1719389	Drill Core	0.4	0.5	<0.1	6	0.14	0.046	18	2	0.14	523	0.004	2	0.65	0.039	0.32	<0.1	0.04	3.7	<0.1	<0.05
1719390	Rock Pulp	<0.1	0.1	<0.1	87	0.92	0.054	7	12	0.71	111	0.092	2	1.53	0.187	0.19	1.7	<0.01	2.4	<0.1	<0.05
1719391	Rock Pulp	0.2	6.7	0.6	102	1.24	0.052	6	32	0.67	100	0.116	3	2.10	0.221	0.17	1.5	0.30	5.8	<0.1	<0.05
1719392	Drill Core	0.4	0.7	<0.1	13	0.30	0.051	18	4	0.28	437	0.012	1	0.93	0.043	0.25	0.1	0.04	6.0	<0.1	<0.05
1719393	Drill Core	<0.1	0.5	<0.1	<2	0.09	0.008	17	2	0.12	386	0.002	1	0.52	0.031	0.25	<0.1	0.01	3.3	<0.1	<0.05
1719394	Drill Core	<0.1	0.4	<0.1	<2	0.18	0.008	9	2	0.05	430	0.011	<1	0.42	0.035	0.24	<0.1	0.04	2.1	<0.1	<0.05
1719395	Drill Core	<0.1	0.7	<0.1	<2	0.06	0.008	22	1	0.03	221	0.002	2	0.33	0.027	0.23	0.2	0.01	2.2	<0.1	<0.05
1719396	Drill Core	<0.1	0.4	<0.1	<2	0.08	0.007	8	1	0.05	360	0.005	1	0.35	0.036	0.19	<0.1	0.02	2.5	<0.1	<0.05
1719397	Drill Core	0.1	0.4	<0.1	<2	0.07	0.007	7	1	0.04	396	0.005	1	0.33	0.027	0.22	<0.1	<0.01	2.6	<0.1	<0.05
1719398	Drill Core	0.1	0.6	<0.1	<2	0.04	0.009	34	2	0.08	560	<0.001	2	0.45	0.011	0.30	0.1	0.04	5.4	<0.1	<0.05
1719399	Drill Core	<0.1	0.3	<0.1	<2	0.03	0.009	24	2	0.05	270	<0.001	1	0.33	0.017	0.28	0.1	0.03	2.9	<0.1	<0.05
1719400	Drill Core	0.2	0.3	<0.1	<2	0.05	0.007	28	1	0.15	473	<0.001	2	0.48	0.009	0.33	<0.1	0.06	4.0	<0.1	<0.05
1719401	Drill Core	0.1	0.3	0.1	<2	0.04	0.007	34	2	0.19	488	0.001	2	0.59	0.007	0.36	0.1	0.03	2.9	<0.1	<0.05
1719402	Drill Core	0.1	0.2	<0.1	<2	0.05	0.006	19	2	0.26	510	<0.001	1	0.58	0.007	0.27	0.1	0.09	2.2	<0.1	0.07
1719403	Drill Core	0.5	0.2	<0.1	<2	0.54	0.006	25	2	0.15	360	<0.001	2	0.38	0.019	0.25	<0.1	0.03	2.2	<0.1	0.11
1719404	Drill Core	0.2	0.2	<0.1	<2	0.77	0.005	20	1	0.27	366	0.001	1	0.46	0.020	0.21	<0.1	0.04	2.7	<0.1	0.09
1719405	Drill Core	0.1	0.2	<0.1	<2	0.07	0.007	34	1	0.07	440	<0.001	<1	0.30	0.027	0.29	<0.1	0.05	1.8	<0.1	<0.05
1719406	Drill Core	<0.1	0.4	<0.1	<2	0.08	0.006	32	1	0.03	277	0.001	<1	0.25	0.021	0.34	0.1	0.02	1.1	<0.1	<0.05
1719407	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.007	33	1	0.02	490	<0.001	<1	0.23	0.023	0.32	0.1	0.03	0.8	<0.1	<0.05
1719408	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.006	28	1	0.02	301	0.001	<1	0.24	0.017	0.35	<0.1	0.02	0.8	<0.1	<0.05
1719409	Drill Core	<0.1	0.5	<0.1	<2	0.04	0.005	24	1	0.01	259	<0.001	<1	0.18	0.006	0.37	<0.1	0.01	0.5	<0.1	<0.05
1719410	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1719411	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1719412	Drill Core	<0.1	0.3	<0.1	<2	<0.01	0.004	18	2	0.01	423	<0.001	2	0.23	0.012	0.39	0.1	0.01	0.5	<0.1	0.09
1719413	Drill Core	<0.1	<0.1	<0.1	<2	<0.01	0.006	21	2	0.02	493	<0.001	2	0.24	0.011	0.42	<0.1	<0.01	0.6	<0.1	0.06
1719414	Drill Core	<0.1	0.1	0.1	<2	<0.01	0.006	24	2	0.03	254	<0.001	2	0.26	0.014	0.33	0.1	<0.01	0.7	<0.1	<0.05
1719415	Drill Core	0.7	0.2	<0.1	<2	0.14	0.007	24	2	0.04	258	<0.001	2	0.27	0.008	0.35	<0.1	<0.01	0.8	<0.1	<0.05
1719416	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.006	22	2	0.05	246	<0.001	1	0.28	0.010	0.32	<0.1	<0.01	0.6	<0.1	<0.05



# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	Analyte	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
1719387	Drill Core	2	<0.5	<0.2																	
1719388	Drill Core	2	<0.5	<0.2																	
1719389	Drill Core	2	<0.5	<0.2																	
1719390	Rock Pulp	5	<0.5	<0.2																	
1719391	Rock Pulp	6	<0.5	0.3																	
1719392	Drill Core	4	<0.5	<0.2																	
1719393	Drill Core	2	<0.5	<0.2																	
1719394	Drill Core	2	<0.5	<0.2																	
1719395	Drill Core	1	<0.5	<0.2																	
1719396	Drill Core	2	<0.5	<0.2																	
1719397	Drill Core	2	<0.5	<0.2																	
1719398	Drill Core	2	<0.5	<0.2																	
1719399	Drill Core	1	<0.5	<0.2																	
1719400	Drill Core	2	<0.5	<0.2																	
1719401	Drill Core	2	<0.5	<0.2																	
1719402	Drill Core	2	<0.5	<0.2																	
1719403	Drill Core	1	<0.5	<0.2																	
1719404	Drill Core	1	<0.5	<0.2																	
1719405	Drill Core	2	<0.5	<0.2																	
1719406	Drill Core	1	<0.5	<0.2																	
1719407	Drill Core	1	<0.5	<0.2																	
1719408	Drill Core	1	<0.5	<0.2																	
1719409	Drill Core	<1	<0.5	<0.2																	
1719410	Rock Pulp	I.S.	I.S.	I.S.	1.8	66.3	3.4	34	<0.1	5.4	8.3	358	2.51	0.5	3.6	2.4	58	<0.1	<0.1	0.1	87
1719411	Rock Pulp	I.S.	I.S.	I.S.	14.9	75.9	22.6	56	1.4	20.4	9.8	459	4.12	12.0	12895.8	1.3	51	0.1	4.5	0.5	90
1719412	Drill Core	<1	<0.5	<0.2																	
1719413	Drill Core	<1	<0.5	<0.2																	
1719414	Drill Core	<1	<0.5	<0.2																	
1719415	Drill Core	<1	<0.5	<0.2																	
1719416	Drill Core	<1	<0.5	<0.2																	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 4 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1719387	Drill Core																			
1719388	Drill Core																			
1719389	Drill Core																			
1719390	Rock Pulp																			
1719391	Rock Pulp																			
1719392	Drill Core																			
1719393	Drill Core																			
1719394	Drill Core																			
1719395	Drill Core																			
1719396	Drill Core																			
1719397	Drill Core																			
1719398	Drill Core																			
1719399	Drill Core																			
1719400	Drill Core																			
1719401	Drill Core																			
1719402	Drill Core																			
1719403	Drill Core																			
1719404	Drill Core																			
1719405	Drill Core																			
1719406	Drill Core																			
1719407	Drill Core																			
1719408	Drill Core																			
1719409	Drill Core																			
1719410	Rock Pulp	0.72	0.058	6	11	0.68	104	0.109	<20	1.34	0.138	0.18	2.1	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
1719411	Rock Pulp	0.95	0.055	5	30	0.59	86	0.109	<20	1.72	0.140	0.13	1.7	0.35	3.9	<0.1	<0.05	4	<0.5	<0.2
1719412	Drill Core																			
1719413	Drill Core																			
1719414	Drill Core																			
1719415	Drill Core																			
1719416	Drill Core																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** October 27, 2015

**Page:** 5 of 6

**Part:** 1 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719417	Drill Core	3.31	491	0.009	<0.01	<0.17	21.75	0.2	1.2	10.1	19	0.2	0.7	0.9	92	0.39	2.3	0.9	14.2	7.7	4
1719418	Drill Core	2.19	498	<0.005	0.01	0.19	26.95	0.5	1.4	7.5	15	0.2	0.5	0.5	161	0.31	0.9	0.7	1.6	7.4	17
1719419	Drill Core	2.18	390	<0.005	<0.01	<0.17	19.96	0.3	1.5	11.8	23	0.4	0.7	0.7	120	0.40	2.9	0.8	2.5	8.3	10
1719420	Drill Core	2.22	466	0.007	<0.01	<0.17	23.89	0.2	1.5	13.5	28	0.3	0.5	0.7	57	0.37	4.6	0.7	74.0	8.5	4
1719421	Drill Core	1.29	515	0.063	0.06	<0.17	18.45	0.8	2.9	7.0	17	0.8	0.4	1.0	36	0.43	2.6	0.6	42.0	6.8	4
1719422	Drill Core	0.56	363	<0.005	<0.01	<0.17	21.31	0.2	0.7	3.7	11	<0.1	0.3	0.5	40	0.31	0.6	0.5	0.7	7.6	3
1719423	Drill Core	3.41	484	0.014	0.01	<0.17	23.17	0.3	1.2	8.8	23	0.2	0.5	0.7	53	0.46	4.6	1.3	14.7	7.3	7
1719424	Drill Core	0.74	480	<0.005	<0.01	<0.17	21.60	0.7	2.1	10.7	43	0.1	0.4	0.8	219	0.73	22.6	1.5	<0.5	6.1	29
1719425	Drill Core	1.91	419	0.018	0.02	<0.17	23.58	0.6	2.4	14.5	24	1.1	0.6	1.7	83	0.44	4.6	1.5	18.3	7.9	6
1719426	Drill Core	2.16	468	0.017	0.02	<0.17	26.54	1.2	2.9	13.0	25	0.4	0.6	1.1	84	0.58	8.7	1.8	7.3	8.0	65
1719427	Drill Core	2.68	493	0.018	0.02	<0.17	26.27	1.9	0.9	9.4	23	0.2	0.4	0.6	99	0.51	3.5	2.5	3.1	8.4	116
1719428	Drill Core	2.81	408	0.011	0.01	<0.17	24.57	3.8	1.1	10.5	26	0.2	0.4	1.4	75	0.63	7.3	1.8	3.3	7.9	77
1719429	Drill Core	2.73	569	0.018	0.02	<0.17	23.24	0.8	1.9	7.5	15	0.2	0.4	1.0	51	0.44	6.7	1.3	11.0	6.4	44
1719430	Rock Pulp	0.12		0.006	I.S.	I.S.	I.S.	1.6	66.5	3.2	36	<0.1	5.1	8.1	329	2.38	<0.5	0.7	0.7	2.0	52
1719431	Rock Pulp	0.12		7.156	I.S.	I.S.	I.S.	14.0	76.1	23.7	63	0.8	19.5	9.0	461	4.34	12.1	0.4	6611.2	1.1	59
1719432	Drill Core	1.80	339	0.068	0.18	1.54	25.26	0.8	1.7	9.3	19	0.5	0.6	0.6	62	0.47	5.4	1.4	109.1	7.4	30
1719433	Drill Core	2.08	404	<0.005	<0.01	<0.17	20.19	1.6	1.7	12.6	35	0.2	0.8	2.1	81	0.71	3.7	1.2	0.8	7.7	50
1719434	Drill Core	1.36	447	0.009	<0.01	<0.17	25.70	4.1	2.3	13.8	31	0.3	0.5	3.0	93	0.76	15.5	2.1	5.1	6.5	73
1719435	Drill Core	4.04	426	0.017	0.02	<0.17	25.75	0.5	3.0	12.0	57	0.5	1.6	1.5	69	0.47	5.0	0.9	8.5	7.0	52
1719436	Drill Core	3.45	375	0.009	<0.01	<0.17	25.77	0.4	0.9	7.3	18	0.2	0.4	1.1	56	0.29	2.8	0.7	5.9	6.5	26
1719437	Drill Core	2.76	412	0.038	0.04	<0.17	24.15	3.7	2.5	11.3	24	0.3	0.5	1.3	80	0.54	5.9	1.1	2.9	6.4	45
1719438	Drill Core	3.02	349	0.007	<0.01	<0.17	23.01	7.7	4.6	16.2	42	0.5	0.4	1.4	97	0.83	11.7	3.3	5.8	7.4	128
1719439	Drill Core	2.27	435	<0.005	<0.01	<0.17	21.09	0.4	1.7	8.9	37	0.3	0.4	1.5	82	0.72	2.5	2.6	<0.5	7.5	90
1719440	Drill Core	3.10	409	<0.005	<0.01	<0.17	25.01	0.4	2.2	11.3	34	0.2	0.4	1.7	75	0.54	3.4	1.5	4.0	6.4	51
1719441	Drill Core	3.86	381	0.015	0.01	<0.17	21.42	1.6	1.9	9.8	29	0.2	0.5	2.2	133	0.66	3.0	1.7	12.2	7.0	61
1719442	Drill Core	3.13	448	0.008	<0.01	<0.17	22.46	0.6	3.5	12.0	28	0.6	0.7	2.0	96	0.56	7.3	1.1	3.7	5.9	24
1719443	Drill Core	2.03	441	0.009	<0.01	<0.17	29.06	0.4	2.3	8.5	25	0.2	0.4	1.7	96	0.57	3.2	1.0	4.8	6.4	53
1719444	Drill Core	1.88	415	<0.005	<0.01	<0.17	21.34	0.5	1.6	11.5	24	0.1	0.3	1.1	67	0.53	1.3	2.8	0.9	7.2	115
1719445	Drill Core	2.32	416	0.064	0.06	<0.17	28.85	0.4	2.0	17.3	19	0.4	0.5	1.0	32	0.51	9.5	1.1	78.4	8.7	3
1719446	Drill Core	3.24	422	0.006	<0.01	<0.17	23.85	0.2	2.3	10.6	18	0.2	0.5	0.8	36	0.54	2.1	1.0	0.6	8.0	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 27, 2015

Page: 5 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

# WHI15000214.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.1	0.05	
1719417	Drill Core	0.2	0.2	<0.1	<2	0.02	0.006	30	2	0.02	388	<0.001	1	0.25	0.011	0.32	<0.1	<0.01	0.7	<0.1	<0.05
1719418	Drill Core	0.2	0.1	<0.1	<2	0.33	0.006	31	1	0.02	326	0.001	<1	0.23	0.026	0.32	<0.1	<0.01	0.9	<0.1	<0.05
1719419	Drill Core	0.2	0.2	<0.1	<2	0.16	0.006	29	2	0.03	220	0.002	1	0.28	0.020	0.33	0.1	<0.01	0.9	<0.1	<0.05
1719420	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.006	33	2	0.02	281	0.001	1	0.27	0.018	0.33	0.1	0.02	0.9	<0.1	<0.05
1719421	Drill Core	<0.1	0.4	<0.1	<2	0.02	0.005	24	2	0.01	343	<0.001	<1	0.17	0.023	0.22	<0.1	0.05	0.9	<0.1	<0.05
1719422	Drill Core	<0.1	<0.1	<0.1	<2	0.01	0.006	23	1	0.03	294	<0.001	<1	0.28	0.014	0.33	<0.1	<0.01	1.1	<0.1	<0.05
1719423	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.007	27	2	0.02	314	0.002	<1	0.24	0.030	0.26	<0.1	0.02	1.6	<0.1	<0.05
1719424	Drill Core	0.2	0.2	<0.1	<2	0.21	0.008	36	2	0.08	238	0.012	<1	0.33	0.020	0.29	<0.1	<0.01	2.6	<0.1	<0.05
1719425	Drill Core	0.2	0.3	0.6	<2	0.06	0.006	34	2	0.03	247	<0.001	1	0.26	0.028	0.22	<0.1	0.12	1.5	<0.1	<0.05
1719426	Drill Core	0.5	0.2	0.7	<2	0.82	0.006	28	2	0.12	380	<0.001	2	0.41	0.015	0.29	<0.1	0.05	2.1	<0.1	0.07
1719427	Drill Core	0.2	0.2	<0.1	<2	1.24	0.006	24	1	0.11	371	<0.001	2	0.35	0.012	0.27	<0.1	0.04	2.0	<0.1	0.08
1719428	Drill Core	0.1	0.2	0.1	<2	0.94	0.005	22	1	0.15	518	<0.001	2	0.46	0.015	0.34	0.2	0.04	2.4	<0.1	0.09
1719429	Drill Core	0.1	0.2	<0.1	<2	0.50	0.006	22	1	0.01	216	0.001	1	0.19	0.028	0.18	0.1	0.05	1.5	<0.1	0.06
1719430	Rock Pulp	<0.1	0.1	0.1	80	0.70	0.051	6	10	0.66	91	0.073	2	1.24	0.135	0.18	1.4	<0.01	1.5	<0.1	<0.05
1719431	Rock Pulp	0.2	5.6	0.6	95	1.05	0.051	5	29	0.64	76	0.100	2	1.84	0.172	0.14	1.7	0.32	4.6	<0.1	<0.05
1719432	Drill Core	0.1	0.2	0.1	<2	0.32	0.008	31	1	0.03	671	<0.001	2	0.28	0.026	0.24	0.2	0.04	1.4	<0.1	<0.05
1719433	Drill Core	0.2	0.2	0.1	<2	0.58	0.006	25	1	0.16	494	<0.001	<1	0.43	0.007	0.30	<0.1	0.09	1.9	<0.1	<0.05
1719434	Drill Core	0.2	1.0	0.1	<2	0.82	0.005	17	1	0.22	356	<0.001	1	0.46	0.006	0.32	<0.1	0.04	1.5	0.3	0.22
1719435	Drill Core	0.2	2.3	<0.1	<2	0.42	0.007	30	2	0.02	283	<0.001	2	0.24	0.032	0.21	0.2	0.09	1.6	<0.1	0.11
1719436	Drill Core	0.2	0.2	<0.1	<2	0.23	0.007	27	1	0.01	696	<0.001	1	0.23	0.032	0.22	0.2	0.21	1.1	<0.1	<0.05
1719437	Drill Core	0.3	0.2	0.1	<2	0.77	0.005	27	1	0.04	253	<0.001	<1	0.27	0.023	0.24	0.2	0.10	1.7	<0.1	0.06
1719438	Drill Core	0.3	0.3	<0.1	<2	1.11	0.007	28	1	0.14	533	0.001	2	0.60	0.029	0.43	0.1	0.03	3.0	0.1	0.18
1719439	Drill Core	0.3	0.3	<0.1	<2	0.72	0.006	30	1	0.07	512	0.001	1	0.38	0.039	0.21	0.2	0.03	2.8	<0.1	0.14
1719440	Drill Core	0.4	0.4	<0.1	<2	0.62	0.005	23	<1	0.04	391	0.001	<1	0.31	0.037	0.25	0.2	0.02	1.9	<0.1	0.07
1719441	Drill Core	0.2	0.4	<0.1	<2	0.65	0.005	26	1	0.06	416	0.001	1	0.33	0.024	0.30	0.1	0.04	2.5	<0.1	0.09
1719442	Drill Core	0.1	0.4	<0.1	<2	0.19	0.006	23	2	0.03	271	0.002	1	0.27	0.024	0.27	0.1	0.03	2.1	<0.1	0.08
1719443	Drill Core	0.1	0.3	<0.1	<2	0.68	0.006	25	1	0.05	346	0.002	<1	0.34	0.028	0.28	0.1	0.04	2.3	<0.1	0.09
1719444	Drill Core	0.2	0.4	<0.1	<2	1.30	0.006	32	1	0.06	318	<0.001	1	0.28	0.024	0.28	0.2	0.03	1.5	<0.1	0.05
1719445	Drill Core	0.1	0.5	<0.1	<2	0.02	0.007	32	1	0.04	472	<0.001	2	0.39	0.018	0.32	<0.1	0.07	1.4	<0.1	<0.05
1719446	Drill Core	<0.1	0.4	<0.1	<2	0.03	0.006	26	1	0.04	341	<0.001	<1	0.32	0.022	0.25	<0.1	0.03	2.2	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 5 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	Analyte	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
1719417	Drill Core	<1	<0.5	<0.2																	
1719418	Drill Core	<1	<0.5	<0.2																	
1719419	Drill Core	<1	<0.5	<0.2																	
1719420	Drill Core	<1	<0.5	<0.2																	
1719421	Drill Core	<1	<0.5	<0.2																	
1719422	Drill Core	<1	<0.5	<0.2																	
1719423	Drill Core	<1	<0.5	<0.2																	
1719424	Drill Core	2	<0.5	<0.2																	
1719425	Drill Core	<1	<0.5	<0.2																	
1719426	Drill Core	1	<0.5	<0.2																	
1719427	Drill Core	1	<0.5	<0.2																	
1719428	Drill Core	1	<0.5	<0.2																	
1719429	Drill Core	<1	<0.5	<0.2																	
1719430	Rock Pulp	4	<0.5	<0.2																	
1719431	Rock Pulp	5	<0.5	0.3																	
1719432	Drill Core	1	<0.5	<0.2																	
1719433	Drill Core	2	<0.5	<0.2																	
1719434	Drill Core	1	<0.5	<0.2																	
1719435	Drill Core	1	<0.5	<0.2																	
1719436	Drill Core	<1	<0.5	<0.2																	
1719437	Drill Core	1	0.6	<0.2																	
1719438	Drill Core	2	<0.5	<0.2																	
1719439	Drill Core	2	<0.5	<0.2																	
1719440	Drill Core	2	<0.5	<0.2																	
1719441	Drill Core	1	<0.5	<0.2																	
1719442	Drill Core	1	<0.5	<0.2																	
1719443	Drill Core	1	<0.5	<0.2																	
1719444	Drill Core	1	<0.5	<0.2																	
1719445	Drill Core	1	<0.5	<0.2																	
1719446	Drill Core	1	<0.5	<0.2																	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 5 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1719417	Drill Core																			
1719418	Drill Core																			
1719419	Drill Core																			
1719420	Drill Core																			
1719421	Drill Core																			
1719422	Drill Core																			
1719423	Drill Core																			
1719424	Drill Core																			
1719425	Drill Core																			
1719426	Drill Core																			
1719427	Drill Core																			
1719428	Drill Core																			
1719429	Drill Core																			
1719430	Rock Pulp																			
1719431	Rock Pulp																			
1719432	Drill Core																			
1719433	Drill Core																			
1719434	Drill Core																			
1719435	Drill Core																			
1719436	Drill Core																			
1719437	Drill Core																			
1719438	Drill Core																			
1719439	Drill Core																			
1719440	Drill Core																			
1719441	Drill Core																			
1719442	Drill Core																			
1719443	Drill Core																			
1719444	Drill Core																			
1719445	Drill Core																			
1719446	Drill Core																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

Project: LS  
Report Date: October 27, 2015

Page: 6 of 6 Part: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	0.1	
1719447	Drill Core	3.21	421	<0.005	<0.01	<0.17	18.82	0.2	1.9	8.0	15	0.1	0.3	0.5	36	0.70	2.7	1.0	0.7	7.1	6
1719448	Drill Core	1.93	443	0.005	<0.01	<0.17	19.63	0.2	3.0	10.0	27	0.2	0.5	1.4	44	0.49	4.4	1.0	6.2	7.2	5
1719449	Drill Core	3.35	376	0.022	0.02	<0.17	21.83	0.3	2.0	17.0	23	0.3	0.6	1.0	43	0.55	6.8	1.4	11.0	7.2	4
1719450	Rock Pulp	0.12		0.012	I.S.	I.S.	I.S.	1.8	69.0	3.4	38	<0.1	5.4	8.3	339	2.46	0.7	0.7	1.2	2.4	59
1719451	Rock Pulp	0.12		6.806	I.S.	I.S.	I.S.	14.0	78.1	22.9	62	0.8	20.2	9.9	481	4.53	12.9	0.4	6521.6	1.2	53
1719452	Drill Core	2.59	538	0.022	0.02	<0.17	27.77	0.2	1.6	16.1	19	0.3	0.5	0.7	32	0.39	4.3	1.1	7.7	7.7	3
1719453	Drill Core	2.60	400	0.010	<0.01	<0.17	25.01	0.2	2.6	15.8	22	0.3	0.5	0.6	38	0.42	5.0	0.7	10.1	7.4	4
1719454	Drill Core	4.08	408	0.009	0.03	0.42	19.12	0.8	3.5	28.6	48	0.3	0.7	0.9	54	0.69	9.0	1.1	7.4	8.1	6
1719455	Drill Core	1.94	442	0.007	<0.01	<0.17	22.89	0.6	2.7	22.3	42	0.3	0.5	0.6	43	0.59	5.9	1.2	66.2	8.9	5
1719456	Drill Core	0.55	371	0.052	0.05	<0.17	20.43	0.4	1.9	18.4	31	0.3	0.4	0.3	45	0.69	2.5	0.4	36.8	6.6	4
1719457	Drill Core	2.01	477	0.233	0.35	2.33	27.00	0.7	0.7	8.7	24	0.2	0.3	0.5	93	0.43	2.5	1.6	288.0	7.6	51
1719458	Drill Core	0.65	453	<0.005	<0.01	<0.17	21.69	1.1	0.9	6.6	29	0.2	0.4	0.6	71	0.66	81.0	1.7	112.9	5.0	22
1719459	Drill Core	1.80	413	0.151	0.44	6.25	19.52	0.3	1.5	14.3	32	0.4	0.4	0.6	42	0.47	4.4	1.0	337.5	8.6	7
1719460	Drill Core	2.36	441	<0.005	<0.01	<0.17	19.55	0.6	1.0	14.0	36	0.1	0.5	0.7	47	0.50	3.3	1.1	1.0	7.7	7
1719461	Drill Core	2.60	509	<0.005	<0.01	<0.17	21.52	1.8	1.0	11.3	47	0.2	0.5	0.9	54	0.80	10.1	1.2	4.8	8.4	11
1719462	Drill Core	4.05	524	<0.005	<0.01	<0.17	29.37	8.5	0.8	10.0	37	0.1	0.3	1.0	96	0.77	26.8	1.3	1.2	8.7	27
1719463	Drill Core	3.55	389	<0.005	<0.01	<0.17	20.71	0.4	1.5	10.9	22	0.1	0.5	0.8	45	0.42	3.4	0.9	0.6	8.9	8
1719464	Drill Core	3.98	552	<0.005	<0.01	<0.17	20.88	0.5	0.5	8.5	21	<0.1	0.3	0.9	42	0.37	2.6	1.0	<0.5	6.3	37
1719465	Drill Core	2.82	453	<0.005	<0.01	<0.17	24.42	0.7	1.8	17.7	30	0.1	0.6	1.0	61	0.72	12.1	1.4	0.5	10.5	22
1719466	Drill Core	3.60	400	<0.005	<0.01	<0.17	23.68	1.0	1.0	13.7	32	0.2	0.5	0.4	44	0.58	12.4	1.2	<0.5	9.5	10
1719467	Drill Core	2.00	423	0.061	0.06	<0.17	22.84	0.6	4.0	15.8	39	0.5	0.5	1.2	92	0.38	2.5	1.7	26.2	8.6	16
1719468	Drill Core	2.58	404	0.012	0.01	<0.17	23.57	0.5	3.9	17.2	35	0.7	0.6	0.9	54	0.38	3.6	1.5	6.0	9.6	9
1719469	Drill Core	0.98	413	0.014	0.01	<0.17	24.88	0.5	3.8	21.0	41	0.5	0.6	0.5	79	0.51	6.3	1.1	9.5	8.2	10
1719470	Rock Pulp	0.12	486	0.007	I.S.	I.S.	I.S.	1.8	70.8	3.5	37	<0.1	5.3	8.2	346	2.45	0.7	0.8	0.8	2.4	56
1719471	Rock Pulp	0.12		6.815	I.S.	I.S.	I.S.	14.3	73.8	23.4	62	0.7	19.6	9.4	464	4.29	12.6	0.4	6517.5	1.3	57
1719472	Drill Core	0.62	486	0.005	<0.01	<0.17	18.26	2.4	2.4	9.0	27	0.3	0.4	0.2	46	0.40	3.0	0.9	5.4	7.8	4
1719473	Drill Core	1.65	332	<0.005	<0.01	<0.17	23.10	0.5	1.5	5.7	19	0.2	0.3	0.7	343	0.45	1.2	0.7	<0.5	8.8	67
1719474	Drill Core	0.39	380	0.014	0.01	<0.17	20.93	1.2	1.2	9.0	23	0.1	0.6	0.3	232	0.46	1.6	0.8	2.0	6.5	32
1719475	Drill Core	1.90	436	<0.005	<0.01	<0.17	28.65	1.0	1.9	9.5	13	0.2	0.2	0.5	363	0.38	1.2	1.1	1.5	9.3	85



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: October 27, 2015

Page: 6 of 6

Part: 2 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1719447	Drill Core	<0.1	0.5	<0.1	<2	0.03	0.006	22	1	0.02	228	0.001	<1	0.24	0.027	0.20	<0.1	0.02	2.8	<0.1	<0.05
1719448	Drill Core	<0.1	0.3	<0.1	<2	0.03	0.008	35	1	0.03	239	<0.001	<1	0.30	0.035	0.18	<0.1	0.05	2.1	<0.1	<0.05
1719449	Drill Core	<0.1	0.5	<0.1	<2	0.02	0.007	34	1	0.03	339	<0.001	<1	0.35	0.027	0.26	<0.1	0.08	1.5	<0.1	<0.05
1719450	Rock Pulp	<0.1	0.1	<0.1	84	0.76	0.053	6	10	0.68	96	0.084	<1	1.33	0.150	0.18	1.7	<0.01	1.7	<0.1	<0.05
1719451	Rock Pulp	0.1	6.0	0.5	101	1.14	0.051	6	33	0.67	85	0.118	2	1.97	0.187	0.15	1.4	0.29	4.4	<0.1	<0.05
1719452	Drill Core	0.1	0.4	<0.1	<2	0.02	0.006	36	1	0.02	236	<0.001	2	0.25	0.013	0.24	0.1	0.07	1.0	<0.1	<0.05
1719453	Drill Core	<0.1	0.3	<0.1	<2	0.02	0.006	30	1	0.02	202	<0.001	<1	0.25	0.019	0.25	<0.1	0.06	1.0	<0.1	<0.05
1719454	Drill Core	0.2	0.5	<0.1	<2	0.03	0.008	32	2	0.05	443	0.001	<1	0.41	0.016	0.31	<0.1	0.08	2.1	<0.1	<0.05
1719455	Drill Core	<0.1	0.4	<0.1	<2	0.02	0.008	28	1	0.04	409	0.001	<1	0.34	0.021	0.30	<0.1	0.05	1.9	<0.1	<0.05
1719456	Drill Core	<0.1	0.2	<0.1	<2	0.02	0.005	22	1	0.06	354	<0.001	<1	0.36	0.018	0.31	<0.1	0.07	1.4	<0.1	<0.05
1719457	Drill Core	0.2	0.2	<0.1	<2	0.47	0.005	32	1	0.03	412	0.001	<1	0.29	0.034	0.27	<0.1	0.07	1.8	<0.1	<0.05
1719458	Drill Core	0.3	0.4	<0.1	<2	0.14	0.007	25	1	0.06	269	0.010	<1	0.31	0.042	0.20	<0.1	0.01	2.6	<0.1	0.07
1719459	Drill Core	0.1	0.4	<0.1	<2	0.03	0.006	29	1	0.03	385	0.001	<1	0.31	0.037	0.25	<0.1	0.02	2.4	<0.1	<0.05
1719460	Drill Core	<0.1	0.2	<0.1	<2	0.03	0.006	28	1	0.04	318	0.001	<1	0.30	0.034	0.22	<0.1	0.03	2.0	<0.1	<0.05
1719461	Drill Core	0.4	0.3	<0.1	<2	0.11	0.006	28	1	0.17	304	0.002	<1	0.44	0.022	0.30	<0.1	0.02	3.4	<0.1	<0.05
1719462	Drill Core	0.4	0.3	<0.1	<2	0.79	0.008	40	1	0.16	417	0.002	<1	0.53	0.007	0.40	<0.1	0.02	3.4	<0.1	<0.05
1719463	Drill Core	0.1	0.2	<0.1	<2	0.05	0.008	29	1	0.04	201	0.004	<1	0.29	0.023	0.28	<0.1	0.01	2.3	<0.1	<0.05
1719464	Drill Core	0.1	0.2	<0.1	<2	0.39	0.008	21	1	0.04	216	0.009	<1	0.28	0.032	0.26	<0.1	<0.01	3.1	<0.1	<0.05
1719465	Drill Core	0.2	0.4	0.2	<2	0.23	0.008	33	1	0.09	307	<0.001	2	0.42	0.008	0.30	<0.1	0.01	4.2	<0.1	<0.05
1719466	Drill Core	<0.1	0.2	0.2	<2	0.03	0.007	34	1	0.16	664	<0.001	2	0.49	0.021	0.32	0.1	<0.01	3.3	<0.1	<0.05
1719467	Drill Core	0.3	0.2	<0.1	<2	0.18	0.008	31	1	0.02	203	0.001	1	0.24	0.018	0.28	<0.1	0.03	0.9	<0.1	<0.05
1719468	Drill Core	0.2	0.3	<0.1	<2	0.02	0.007	33	<1	0.02	287	0.001	2	0.26	0.020	0.27	<0.1	0.03	1.1	<0.1	<0.05
1719469	Drill Core	0.2	0.3	<0.1	<2	0.02	0.008	28	<1	0.02	212	<0.001	2	0.22	0.017	0.28	0.1	0.01	0.8	<0.1	<0.05
1719470	Rock Pulp	<0.1	<0.1	<0.1	84	0.75	0.057	6	10	0.68	105	0.092	2	1.34	0.141	0.18	1.9	<0.01	1.8	<0.1	<0.05
1719471	Rock Pulp	0.2	6.0	0.5	93	1.02	0.051	5	28	0.61	89	0.111	3	1.77	0.145	0.13	1.9	0.29	4.4	<0.1	<0.05
1719472	Drill Core	0.1	0.2	<0.1	<2	0.02	0.007	27	1	0.02	567	<0.001	<1	0.25	0.015	0.29	<0.1	0.03	0.7	<0.1	<0.05
1719473	Drill Core	0.3	<0.1	<0.1	<2	0.82	0.006	28	<1	0.06	315	0.001	1	0.38	0.010	0.46	<0.1	<0.01	0.7	<0.1	0.09
1719474	Drill Core	0.3	0.1	<0.1	<2	0.42	0.005	25	1	0.03	261	<0.001	<1	0.25	0.004	0.36	<0.1	<0.01	0.7	<0.1	0.06
1719475	Drill Core	0.2	0.2	<0.1	<2	0.94	0.006	33	<1	0.05	286	0.001	1	0.35	0.010	0.40	<0.1	<0.01	0.8	<0.1	0.07



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 6 of 6

Part: 3 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200																			
	Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
Analyte	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
1719447	Drill Core	1	<0.5	<0.2																
1719448	Drill Core	1	<0.5	<0.2																
1719449	Drill Core	1	<0.5	<0.2																
1719450	Rock Pulp	4	<0.5	<0.2																
1719451	Rock Pulp	5	<0.5	<0.2																
1719452	Drill Core	<1	<0.5	<0.2																
1719453	Drill Core	<1	<0.5	<0.2																
1719454	Drill Core	1	<0.5	<0.2																
1719455	Drill Core	1	<0.5	<0.2																
1719456	Drill Core	1	<0.5	<0.2																
1719457	Drill Core	1	<0.5	<0.2																
1719458	Drill Core	2	<0.5	<0.2																
1719459	Drill Core	1	<0.5	<0.2																
1719460	Drill Core	1	<0.5	<0.2																
1719461	Drill Core	2	<0.5	<0.2																
1719462	Drill Core	2	<0.5	<0.2																
1719463	Drill Core	2	<0.5	<0.2																
1719464	Drill Core	2	<0.5	<0.2																
1719465	Drill Core	2	<0.5	<0.2																
1719466	Drill Core	2	<0.5	<0.2																
1719467	Drill Core	<1	<0.5	<0.2																
1719468	Drill Core	1	<0.5	<0.2																
1719469	Drill Core	<1	<0.5	<0.2																
1719470	Rock Pulp	4	<0.5	<0.2																
1719471	Rock Pulp	5	<0.5	0.2																
1719472	Drill Core	<1	<0.5	<0.2																
1719473	Drill Core	1	<0.5	<0.2																
1719474	Drill Core	<1	<0.5	<0.2																
1719475	Drill Core	1	<0.5	<0.2																



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 6 of 6

Part: 4 of 4

# CERTIFICATE OF ANALYSIS

WHI15000214.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1719447	Drill Core																			
1719448	Drill Core																			
1719449	Drill Core																			
1719450	Rock Pulp																			
1719451	Rock Pulp																			
1719452	Drill Core																			
1719453	Drill Core																			
1719454	Drill Core																			
1719455	Drill Core																			
1719456	Drill Core																			
1719457	Drill Core																			
1719458	Drill Core																			
1719459	Drill Core																			
1719460	Drill Core																			
1719461	Drill Core																			
1719462	Drill Core																			
1719463	Drill Core																			
1719464	Drill Core																			
1719465	Drill Core																			
1719466	Drill Core																			
1719467	Drill Core																			
1719468	Drill Core																			
1719469	Drill Core																			
1719470	Rock Pulp																			
1719471	Rock Pulp																			
1719472	Drill Core																			
1719473	Drill Core																			
1719474	Drill Core																			
1719475	Drill Core																			



# QUALITY CONTROL REPORT

# WHI15000214.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																					
1719356	Drill Core	3.70	453	<0.005	<0.01	<0.17	20.37	1.6	3.6	22.0	63	0.4	0.4	0.9	92	0.69	5.8	1.7	<0.5	7.8	67
REP 1719356	QC							1.6	3.7	22.5	66	0.4	0.4	0.9	97	0.70	6.0	1.8	<0.5	8.2	70
1719368	Drill Core	3.85	359	<0.005	<0.01	<0.17	22.14	1.2	1.3	13.5	16	0.3	0.5	0.8	337	0.50	6.0	1.0	<0.5	9.3	66
REP 1719368	QC			<0.005																	
REP 1719373	QC			<0.005																	
1719389	Drill Core	2.80	527	0.012	0.01	<0.17	24.80	0.2	2.6	6.7	50	0.4	1.7	3.9	334	1.15	7.0	0.8	9.1	5.2	13
REP 1719389	QC							0.2	2.7	6.8	51	0.4	1.7	4.0	341	1.14	6.9	0.8	7.3	5.3	13
1719398	Drill Core	3.54	345	0.006	<0.01	<0.17	20.14	1.0	1.4	12.7	42	0.2	1.0	1.7	52	0.80	9.2	1.3	5.0	9.7	7
REP 1719398	QC							1.0	1.3	12.7	41	0.2	1.1	1.6	51	0.79	9.1	1.3	3.6	9.4	7
1719411	Rock Pulp	0.12		6.836	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP 1719411	QC																				
1719442	Drill Core	3.13	448	0.008	<0.01	<0.17	22.46	0.6	3.5	12.0	28	0.6	0.7	2.0	96	0.56	7.3	1.1	3.7	5.9	24
REP 1719442	QC			0.011																	
1719447	Drill Core	3.21	421	<0.005	<0.01	<0.17	18.82	0.2	1.9	8.0	15	0.1	0.3	0.5	36	0.70	2.7	1.0	0.7	7.1	6
REP 1719447	QC			<0.005																	
1719461	Drill Core	2.60	509	<0.005	<0.01	<0.17	21.52	1.8	1.0	11.3	47	0.2	0.5	0.9	54	0.80	10.1	1.2	4.8	8.4	11
REP 1719461	QC							2.1	1.0	11.6	48	0.2	0.5	0.9	56	0.80	10.0	1.3	5.1	8.5	11
REP 1719475	QC							0.8	1.7	8.6	12	0.2	0.3	0.5	366	0.39	0.8	0.8	7.8	8.9	73
Core Reject Duplicates																					
1719339	Drill Core	3.27	412	0.007	<0.01	<0.17	20.65	1.0	4.5	6.8	47	0.2	1.4	4.4	200	1.77	23.4	1.7	6.1	5.3	120
DUP 1719339	QC		338	0.006	<0.01	<0.17	23.41	1.0	4.6	6.8	47	0.2	1.5	4.5	205	1.82	23.5	1.7	4.1	5.3	121
1719373	Drill Core	3.27	399	<0.005	<0.01	<0.17	19.02	0.6	9.5	8.9	115	0.4	4.4	11.5	387	4.28	11.2	1.4	<0.5	6.5	29
DUP 1719373	QC		329	<0.005	<0.01	<0.17	22.95	0.5	9.8	8.6	116	0.4	4.5	11.7	382	4.25	11.3	1.3	<0.5	6.4	29
1719407	Drill Core	1.74	384	0.012	0.01	<0.17	21.95	0.3	1.4	14.6	16	0.2	0.4	0.9	47	0.39	4.0	1.0	7.8	8.8	7
DUP 1719407	QC		358	0.012	0.01	<0.17	20.69	0.3	1.5	14.9	18	0.2	0.4	1.0	43	0.39	3.9	1.1	6.6	9.0	7
1719441	Drill Core	3.86	381	0.015	0.01	<0.17	21.42	1.6	1.9	9.8	29	0.2	0.5	2.2	133	0.66	3.0	1.7	12.2	7.0	61
DUP 1719441	QC		382	0.030	0.03	<0.17	24.05	1.8	2.0	10.5	30	0.2	0.5	2.4	131	0.66	3.6	1.9	12.7	7.2	65
1719475	Drill Core	1.90	436	<0.005	<0.01	<0.17	28.65	1.0	1.9	9.5	13	0.2	0.2	0.5	363	0.38	1.2	1.1	1.5	9.3	85



# QUALITY CONTROL REPORT

## WHI15000214.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
Pulp Duplicates																					
1719356	Drill Core	0.3	0.7	<0.1	<2	0.77	0.005	22	<1	0.25	370	<0.001	2	0.40	0.023	0.30	<0.1	0.11	1.6	0.1	0.10
REP 1719356	QC	0.3	0.7	<0.1	<2	0.77	0.006	23	<1	0.25	385	<0.001	2	0.40	0.024	0.30	<0.1	0.11	1.5	0.1	0.10
1719368	Drill Core	0.1	0.3	<0.1	<2	0.79	0.006	31	1	0.05	281	0.001	1	0.36	0.029	0.45	<0.1	<0.01	1.0	<0.1	0.07
REP 1719368	QC																				
REP 1719373	QC																				
1719389	Drill Core	0.4	0.5	<0.1	6	0.14	0.046	18	2	0.14	523	0.004	2	0.65	0.039	0.32	<0.1	0.04	3.7	<0.1	<0.05
REP 1719389	QC	0.4	0.5	<0.1	6	0.14	0.047	19	3	0.13	526	0.004	1	0.67	0.042	0.31	<0.1	0.04	3.5	<0.1	<0.05
1719398	Drill Core	0.1	0.6	<0.1	<2	0.04	0.009	34	2	0.08	560	<0.001	2	0.45	0.011	0.30	0.1	0.04	5.4	<0.1	<0.05
REP 1719398	QC	0.2	0.5	<0.1	<2	0.04	0.009	33	2	0.08	542	<0.001	2	0.46	0.011	0.29	0.1	0.05	5.2	<0.1	<0.05
1719411	Rock Pulp	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP 1719411	QC																				
1719442	Drill Core	0.1	0.4	<0.1	<2	0.19	0.006	23	2	0.03	271	0.002	1	0.27	0.024	0.27	0.1	0.03	2.1	<0.1	0.08
REP 1719442	QC																				
1719447	Drill Core	<0.1	0.5	<0.1	<2	0.03	0.006	22	1	0.02	228	0.001	<1	0.24	0.027	0.20	<0.1	0.02	2.8	<0.1	<0.05
REP 1719447	QC																				
1719461	Drill Core	0.4	0.3	<0.1	<2	0.11	0.006	28	1	0.17	304	0.002	<1	0.44	0.022	0.30	<0.1	0.02	3.4	<0.1	<0.05
REP 1719461	QC	0.5	0.3	<0.1	<2	0.13	0.006	31	1	0.18	336	0.003	1	0.48	0.023	0.30	<0.1	0.02	3.8	<0.1	<0.05
REP 1719475	QC	0.2	0.2	<0.1	<2	0.95	0.005	28	<1	0.04	243	0.001	1	0.31	0.009	0.41	<0.1	<0.01	0.7	<0.1	0.07
Core Reject Duplicates																					
1719339	Drill Core	0.2	0.4	<0.1	5	1.39	0.054	16	2	0.38	334	0.003	2	0.81	0.015	0.31	<0.1	0.01	3.2	<0.1	<0.05
DUP 1719339	QC	0.2	0.4	<0.1	5	1.42	0.050	16	2	0.39	340	0.003	2	0.84	0.016	0.32	<0.1	0.01	3.3	<0.1	<0.05
1719373	Drill Core	0.6	0.6	0.1	16	0.26	0.055	21	5	1.03	511	0.008	2	2.17	0.049	0.39	<0.1	0.01	6.2	<0.1	<0.05
DUP 1719373	QC	0.7	0.6	0.1	16	0.26	0.055	20	5	1.01	502	0.008	1	2.13	0.046	0.40	<0.1	<0.01	5.8	<0.1	<0.05
1719407	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.007	33	1	0.02	490	<0.001	<1	0.23	0.023	0.32	0.1	0.03	0.8	<0.1	<0.05
DUP 1719407	QC	<0.1	0.2	<0.1	<2	0.07	0.007	34	1	0.02	495	<0.001	1	0.24	0.024	0.34	0.1	0.02	0.8	<0.1	<0.05
1719441	Drill Core	0.2	0.4	<0.1	<2	0.65	0.005	26	1	0.06	416	0.001	1	0.33	0.024	0.30	0.1	0.04	2.5	<0.1	0.09
DUP 1719441	QC	0.1	0.4	<0.1	<2	0.64	0.005	26	1	0.06	417	0.001	<1	0.35	0.024	0.31	0.1	0.05	2.9	<0.1	0.09
1719475	Drill Core	0.2	0.2	<0.1	<2	0.94	0.006	33	<1	0.05	286	0.001	1	0.35	0.010	0.40	<0.1	<0.01	0.8	<0.1	0.07



# QUALITY CONTROL REPORT

WHI15000214.1

Method	Analyte	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.5	0.2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1
Pulp Duplicates																					
1719356	Drill Core	1	<0.5	<0.2																	
REP 1719356	QC	1	<0.5	<0.2																	
1719368	Drill Core	1	<0.5	<0.2																	
REP 1719368	QC																				
REP 1719373	QC																				
1719389	Drill Core	2	<0.5	<0.2																	
REP 1719389	QC	2	<0.5	<0.2																	
1719398	Drill Core	2	<0.5	<0.2																	
REP 1719398	QC	2	<0.5	<0.2																	
1719411	Rock Pulp	I.S.	I.S.	I.S.	14.9	75.9	22.6	56	1.4	20.4	9.8	459	4.12	12.0	12895.8	1.3	51	0.1	4.5	0.5	90
REP 1719411	QC				14.3	74.1	22.2	58	0.7	19.9	9.6	454	4.12	11.8	6246.3	1.2	52	0.1	4.5	0.5	90
1719442	Drill Core	1	<0.5	<0.2																	
REP 1719442	QC																				
1719447	Drill Core	1	<0.5	<0.2																	
REP 1719447	QC																				
1719461	Drill Core	2	<0.5	<0.2																	
REP 1719461	QC	2	<0.5	<0.2																	
REP 1719475	QC	1	<0.5	<0.2																	
Core Reject Duplicates																					
1719339	Drill Core	2	<0.5	<0.2																	
DUP 1719339	QC	2	<0.5	<0.2																	
1719373	Drill Core	7	<0.5	<0.2																	
DUP 1719373	QC	7	<0.5	<0.2																	
1719407	Drill Core	1	<0.5	<0.2																	
DUP 1719407	QC	1	<0.5	<0.2																	
1719441	Drill Core	1	<0.5	<0.2																	
DUP 1719441	QC	2	<0.5	<0.2																	
1719475	Drill Core	1	<0.5	<0.2																	





# QUALITY CONTROL REPORT

WHI15000214.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																				
1719356	Drill Core																			
REP 1719356	QC																			
1719368	Drill Core																			
REP 1719368	QC																			
REP 1719373	QC																			
1719389	Drill Core																			
REP 1719389	QC																			
1719398	Drill Core																			
REP 1719398	QC																			
1719411	Rock Pulp	0.95	0.055	5	30	0.59	86	0.109	<20	1.72	0.140	0.13	1.7	0.35	3.9	<0.1	<0.05	4	<0.5	<0.2
REP 1719411	QC	0.94	0.052	5	30	0.59	83	0.111	<20	1.70	0.139	0.13	1.5	0.29	3.8	<0.1	<0.05	4	<0.5	<0.2
1719442	Drill Core																			
REP 1719442	QC																			
1719447	Drill Core																			
REP 1719447	QC																			
1719461	Drill Core																			
REP 1719461	QC																			
REP 1719475	QC																			
Core Reject Duplicates																				
1719339	Drill Core																			
DUP 1719339	QC																			
1719373	Drill Core																			
DUP 1719373	QC																			
1719407	Drill Core																			
DUP 1719407	QC																			
1719441	Drill Core																			
DUP 1719441	QC																			
1719475	Drill Core																			



# QUALITY CONTROL REPORT

WHI15000214.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.5	0.1	1
DUP 1719475	QC		450	0.009	<0.01	<0.17	23.27	0.9	2.0	9.6	15	0.2	0.4	0.6	363	0.38	1.3	0.9	1.0	8.7	80	
Reference Materials																						
STD DS10	Standard							15.7	150.2	156.8	360	2.0	75.1	13.2	919	2.84	48.3	3.1	77.6	8.9	71	
STD DS10	Standard							15.7	146.7	151.2	348	2.0	73.4	13.4	891	2.79	46.9	3.2	96.2	9.0	74	
STD DS10	Standard							15.9	156.5	142.1	375	2.0	76.4	13.5	904	2.83	46.2	2.7	53.4	7.4	68	
STD DS10	Standard							13.5	170.3	149.4	383	2.0	74.8	12.5	889	2.78	46.5	2.7	138.7	7.7	69	
STD DS10	Standard							14.1	160.8	152.2	378	1.9	75.9	12.7	878	2.77	46.5	2.8	65.3	8.1	69	
STD DS10	Standard							15.0	155.5	151.1	362	2.0	75.4	12.9	900	2.81	45.1	2.6	69.4	7.6	64	
STD DS10	Standard																					
STD OREAS45EA	Standard																					
STD OXC129	Standard							1.2	26.6	6.8	41	<0.1	75.7	20.5	412	3.02	0.7	0.7	184.4	2.0	193	
STD OXC129	Standard							1.3	27.7	7.1	42	<0.1	78.0	21.0	414	3.06	0.6	0.8	189.4	2.1	209	
STD OXC129	Standard							1.2	28.6	6.0	41	<0.1	78.5	20.9	417	3.09	<0.5	0.6	180.1	1.6	171	
STD OXC129	Standard							1.3	28.4	6.3	37	<0.1	78.5	20.5	418	3.04	0.7	0.7	184.7	1.8	182	
STD OXC129	Standard							1.3	32.6	7.3	50	<0.1	84.0	21.5	422	3.05	<0.5	0.8	197.3	2.3	197	
STD OXC129	Standard							1.4	26.8	6.0	42	<0.1	81.2	19.9	436	3.10	1.0	0.7	189.0	1.9	183	
STD OXD108	Standard			0.416																		
STD OXD108	Standard			0.429																		
STD OXD108	Standard			0.419																		
STD OXI121	Standard			1.832																		
STD OXI121	Standard			1.786																		
STD OXI121	Standard			1.836																		
STD OXN117	Standard			7.772																		
STD OXN117	Standard			7.503																		
STD OXN117	Standard			7.438																		
STD OXP91	Standard					14.99	30.08															
STD OXP91	Standard					14.49	29.89															
STD OXP91	Standard					15.04	30.06															
STD OXP91	Standard					14.99	30.03															



# QUALITY CONTROL REPORT

WHI15000214.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
DUP 1719475	QC	0.3	0.2	<0.1	<2	0.94	0.005	29	<1	0.04	261	0.001	1	0.31	0.010	0.41	<0.1	<0.01	0.7	<0.1	0.07
Reference Materials																					
STD DS10	Standard	2.9	10.4	14.3	43	1.13	0.079	20	58	0.80	372	0.081	8	1.17	0.075	0.36	3.3	0.30	3.3	5.6	0.29
STD DS10	Standard	2.8	9.8	14.2	43	1.12	0.077	21	56	0.80	377	0.086	8	1.18	0.077	0.36	3.3	0.30	3.4	5.4	0.28
STD DS10	Standard	2.7	8.5	12.2	44	1.12	0.067	19	60	0.82	331	0.094	7	1.14	0.076	0.36	3.1	0.29	3.1	5.1	0.29
STD DS10	Standard	2.7	8.7	12.2	42	1.08	0.077	18	52	0.78	330	0.079	6	1.09	0.070	0.34	3.1	0.28	2.9	4.8	0.27
STD DS10	Standard	2.2	10.2	12.7	44	1.09	0.068	19	55	0.78	361	0.082	6	1.07	0.071	0.34	3.4	0.27	3.0	5.3	0.27
STD DS10	Standard	2.7	8.8	11.5	46	1.09	0.082	18	54	0.79	356	0.077	8	1.06	0.067	0.35	3.4	0.31	2.9	5.3	0.27
STD DS10	Standard																				
STD OREAS45EA	Standard																				
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.77	0.096	13	52	1.55	54	0.368	1	1.68	0.623	0.38	<0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.84	0.098	14	54	1.56	55	0.396	1	1.75	0.637	0.38	<0.1	<0.01	1.1	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.74	0.095	12	55	1.57	44	0.377	<1	1.66	0.620	0.37	<0.1	<0.01	0.5	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.69	0.095	13	54	1.53	49	0.417	1	1.57	0.605	0.36	<0.1	<0.01	0.6	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.66	0.096	14	51	1.50	53	0.429	<1	1.56	0.586	0.38	0.1	<0.01	1.2	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.68	0.105	13	53	1.59	48	0.407	1	1.62	0.587	0.37	<0.1	<0.01	0.8	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				



# QUALITY CONTROL REPORT

WHI15000214.1

		AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
DUP 1719475	QC	1	<0.5	<0.2																	
Reference Materials																					
STD DS10	Standard	5	2.3	5.2																	
STD DS10	Standard	5	2.5	5.2																	
STD DS10	Standard	5	2.4	4.7																	
STD DS10	Standard	5	2.3	4.6																	
STD DS10	Standard	5	2.2	4.9																	
STD DS10	Standard	4	2.2	4.8																	
STD DS10	Standard				14.1	160.2	152.9	353	1.9	77.3	13.1	877	2.78	45.7	81.3	7.5	65	2.5	7.6	12.5	42
STD OREAS45EA	Standard				1.6	682.8	13.6	29	0.2	376.6	51.1	387	20.37	9.9	48.1	9.7	4	<0.1	0.3	0.3	295
STD OXC129	Standard	6	<0.5	<0.2																	
STD OXC129	Standard	6	<0.5	<0.2																	
STD OXC129	Standard	5	<0.5	<0.2																	
STD OXC129	Standard	5	<0.5	<0.2																	
STD OXC129	Standard	7	<0.5	<0.2																	
STD OXC129	Standard	6	<0.5	<0.2																	
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 2 of 4

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI15000214.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
DUP 1719475	QC																			
Reference Materials																				
STD DS10	Standard																			
STD DS10	Standard																			
STD DS10	Standard																			
STD DS10	Standard																			
STD DS10	Standard																			
STD DS10	Standard																			
STD DS10	Standard	1.07	0.075	17	54	0.77	409	0.081	<20	1.02	0.070	0.34	2.8	0.27	2.9	5.1	0.28	4	2.3	4.8
STD OREAS45EA	Standard	0.03	0.027	7	823	0.09	133	0.097	<20	3.13	0.024	0.05	<0.1	0.01	75.1	<0.1	<0.05	11	0.8	<0.2
STD OXC129	Standard																			
STD OXC129	Standard																			
STD OXC129	Standard																			
STD OXC129	Standard																			
STD OXC129	Standard																			
STD OXC129	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 3 of 4 Part: 1 of 4

# QUALITY CONTROL REPORT

## WHI15000214.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
STD OXP91	Standard					15.03	29.48															
STD OXP91	Standard					14.95	29.84															
STD OXP91	Standard					15.00	30.80															
STD OXP91	Standard					15.12	30.03															
STD OXP91	Standard					15.05	30.30															
STD OXP91 Expected						14.82																
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9		
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	
STD OREAS45EA Expected																						
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank			<0.005																		
BLK	Blank		</																			









Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 3 of 4

Part: 4 of 4

# QUALITY CONTROL REPORT

WHI15000214.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91	Standard																			
STD OXP91 Expected																				
STD OXC129 Expected																				
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.036	0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 4 of 4

Part: 1 of 4

# QUALITY CONTROL REPORT

WHI15000214.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		438	<0.005	<0.01	<0.17	31.83	0.6	1.8	1.4	29	<0.1	0.7	4.0	468	1.93	1.0	0.5	0.8	2.6	34
ROCK-WHI	Prep Blank		432	<0.005	<0.01	<0.17	20.51	0.7	5.2	2.0	35	<0.1	0.8	4.0	473	1.98	0.8	0.4	<0.5	2.4	28



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client: Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 4 of 4

Part: 2 of 4

# QUALITY CONTROL REPORT

WHI15000214.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.79	0.044	7	3	0.45	66	0.086	1	1.12	0.108	0.10	<0.1	<0.01	2.8	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.67	0.043	7	3	0.46	62	0.078	2	1.01	0.102	0.10	<0.1	<0.01	2.8	<0.1	<0.05



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: October 27, 2015

Page: 4 of 4

Part: 3 of 4

## QUALITY CONTROL REPORT

WHI15000214.1

		AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ga	Se	Te	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
BLK	Blank	<1	<0.5	<0.2																	
BLK	Blank				<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
ROCK-WHI	Prep Blank	4	<0.5	<0.2																	
ROCK-WHI	Prep Blank	4	<0.5	<0.2																	