

**SUMMARY REPORT OF THE 2017 EXPLORATION PROGRAMME**

ON THE

**CANADIAN CREEK PROPERTY**

WHITEHORSE MINING DISTRICT, YUKON TERRITORY

NTS: 115J/10,11,14,15

Latitude 62<sup>0</sup> 44'N, Longitude 138<sup>0</sup> 56'W

**Cariboo Rose Resources Ltd.**

**110-325 Howe St.**

**Vancouver, B.C.**

**V6C 1Z7**

By

**R.J. (Bob) Johnston, P.Geol.**

Mincord Exploration Consultants Ltd.

February 1, 2018

**Dates of Fieldwork; July 23-August, 2017**

## TABLE OF CONTENTS

	Page
1.) Summary	1
2.) Property Description and Location	5
3.) Accessibility, Climate, Local Resources, Infrastructure and Physiography	8
4.) History	9
5.) Geological Setting	16
6.) Deposit Types	21
6.1 Structurally Hosted Gold (Coffee Type)	21
6.2 Bulk Tonnage Intrusion Related Gold	22
6.3 Porphyry Copper-Gold-Molybdenum	22
7.) Mineralization	22
7.1 Kana Structurally Hosted Gold Target (Coffee Type)	22
7.2 Malt Structurally Hosted Gold Target (Coffee Type)	24
7.3 Linear A Gold Target	25
7.4 Ana Intrusion Related Gold Target	25
7.5 Casino "B" Intrusion Related Gold and Porphyry Copper-Gold-Molybdenum Target	26
7.6 Koffee Bowl Porphyry Copper-Molybdenum Target	27
8.) 2017 Exploration	28
8.1 2017 Soil Sampling	28
8.2 2017 Prospecting, Mapping and Rock Sampling	29
8.3 2017 Ground Magnetic Survey	31
8.4 2017 Reverse Circulation (RC) Drilling	31
9.) Drilling	48
10.) Sample Preparation, Analysis and Security	56
11.) Adjacent Properties	57
12.) Interpretation and Conclusions	57
13.) Recommendations	61
14.) Statement of Expenditures	61
19.) References	63
20.) Statement of Qualifications	66

## TABLES

	Page
1. Canadian Creek Claims List	5
2. Canadian Creek Summary of Exploration Work	15
3. Kana West 2017 Rock Sample Highlights	29
4. Canadian Creek Diamond Drilling Summary 1970-2009	52
5. Canadian Creek RC Drilling Summary 2017	53
6. Kana Zone Significant Drill Results	54
7. Malt East Significant Drill Results	55
8. Linear A Significant Drill Results	55
9. Ana Significant Drill Results	55

10. Casino “B” Option Significant Drill Results	55
11. Koffee Bowl Significant Drill Results	56
12. Expenditure Statement; Canadian Creek 2017	61

### **LIST OF FIGURES**

	Page
Figure 1	4
Figure 2	7
Figure 3	17
Figure 4	19
Figure 5	23
Figure 6	30
Figure 7	33
Figure 8	34
Figure 9	35
Figure 10	36
Figure 11	39
Figure 12	41
Figure 13	42
Figure 14	43
Figure 15	45
Figure 16	46
Figure 17	47
Figure 18	49
Figure 19	60

### **ATTACHMENTS**

Map 1	Au Soil Geochemistry	attachment
Map 2	As Soil Geochemistry	attachment
Map 3	Sb Soil Geochemistry	attachment
Map 4	Bi Soil Geochemistry	attachment
Map 5	Mo Soil Geochemistry	attachment
Map 6	Cu Soil Geochemistry	attachment
Map 7	Ba Soil Geochemistry	attachment
Map 9	Casino “B” Compilation	attachment
Database 1	2017 Soil Sample Database	attachment
Database 2	2017 Rock Sample Database	attachment

### **APPENDICES**

Appendix 1	RC Drill Logs
Appendix 2	2017 Canadian Creek Analytical Results

## SUMMARY

The Canadian Creek property is located in the Yukon Territory approximately 160 kilometres south of the City of Dawson. It abuts Western Copper and Gold Corp's Casino porphyry copper-gold-molybdenum property on the east and lies 25 kilometres southeast of the main gold mineralization on Goldcorp's Coffee property. The Canadian Creek property hosts gold mineralization in a number of areas and geological settings similar to Coffee, as well as copper-gold porphyry targets similar to Casino. It is situated within the Tintina Gold Province, an arcuate belt of precious and base metal deposits that extends from northern British Columbia across the Yukon into southwest Alaska. Significant gold deposits within this belt include Pogo and Fort Knox in Alaska, and the Dawson Goldfields and Brewery Creek in Yukon.

The Canadian Creek property consists of 311 claims that are owned 100% by Cariboo Rose Resources Ltd. The property area is approximately 5,971 hectares. The first claims of the current property were acquired by Eastfield Resources in 1993, though exploration had been carried out over the area by others prior to this. In 1997 Eastfield Resources Ltd. was reorganized into Eastfield Resources Ltd. and Wildrose Resources Ltd., with the Canadian Creek property going into Wildrose. In December of 2006 Wildrose Resources Ltd. was reorganized resulting in the Canadian Creek property being assigned to Cariboo Rose Resources Ltd.

Rocks belonging to the Paleozoic Yukon Metamorphic Complex, intrusives of the mid-Cretaceous Dawson Range batholith and late Cretaceous Casino Plutonic Suite intrusions underlie the Canadian Creek property. The Dawson Range rocks are the most widespread, are typically granodiorite in composition and intrude and are in fault contact with Yukon Metamorphic Complex rocks. Casino Plutonic Suite units consist of quartz diorite, a rhyodacite unit known as the Patton Porphyry, and several varieties of breccia. The Casino intrusions are generally recessive and not well exposed and are host to much of the Casino copper-gold-molybdenum mineralization.

Exploration on the area of the current Canadian Creek property dates back to the 1960's during the initial phase of exploration of the Casino porphyry deposit. Concerted efforts for the exploration of Goldcorp's Coffee type gold mineralization began in 2009. The property has been completely covered in grid soil samples to a maximum 200 metre lines spacing with a total of 10,129 samples collected to date. Rock sampling, mechanical trenching and ground geophysics have been conducted through the years as well. A total of 6069.24 metres of diamond drilling, in 40 holes, and 2151.27 metres of reverse circulation (RC) drilling, in 24 holes, have been completed over the current property area.

The current property owners started exploring the Canadian Creek property in 1993 with soil grids, trenching and drilling over the Ana and Koffee Bowl areas. This was followed by extensive field programs in 1996, 1997 and 1999 consisting of induced polarization (IP) surveying, road construction and trenching on the Ana, Koffee, Maya and Ice claims over what is now the central and western parts of the property. In 2000, another drill campaign was undertaken to on the Ana, Koffee Bowl, and the newly acquired Casino "B" claims on the eastern side of the existing property, adjoining the Casino property. The Casino "B" holes confirmed the existence of widespread gold mineralization which had first been discovered here in 1994 by Pacific Sentinel, who encountered 55.17 metres averaging 0.71g/t gold in hole 94-319.



Modest exploration programmes were conducted, mostly over the Casino “B” area, in 2003, 2004 and 2005. In 2007 a five hole diamond drill programme at Casino “B” targeted gold and copper in soil anomalies and ground magnetics highs. As with previous drilling in this area, intervals of strongly anomalous gold values were returned, including 3.5m metres of 1.91g/t gold from hole CC-DDH-07-03, and 135.0 metres averaging 0.31g/t gold from hole CC-DDH-07-04. In 2008 a program of satellite imagery “aster analysis” was completed on the claims.

The 2009 discovery of gold mineralization on Underworld Resources’ White Gold property sparked new interest in gold exploration the Yukon. This led to the implementation of a major exploration programme at Canadian Creek in that year, directed at the gold potential of the northern part of the property, away from the previous porphyry copper focused work. The work was directed at an arsenic in soil anomaly located in the north part of the 1993 Koffee Creek grid, which is now referred to as the Kana Zone. Exploration that year included grid emplacement, soil and rock sampling, prospecting, ground geophysics and diamond drilling. Also in 2009 the property was expanded with 45 claims and fractions staked on the north side.

The soil survey revealed large areas of strongly anomalous gold in soils, to a high of 2287ppb, which extended for over four kilometres in an east-northeast direction, associated with other anomalies in arsenic, bismuth and antimony. The geophysical survey revealed numerous strong chargeability highs, many of which coincided with the gold in soil anomalies.

Ten diamond drill holes were emplaced into the area of the new grid. Results included numerous anomalous gold intervals, generally associated with elevated arsenic, antimony and bismuth hosted in both gneiss and granodiorite, often in clay altered structures, sheeted pyrite veins or quartz-carbonate veins. Highlights include 7.25 metres of 683ppb gold; including 3.0 metres of 1099ppb gold from hole CC09-10, and 1.5 metres of 3458ppb gold from hole CC09-08, all located in the northeast part of the Kana Zone.

Resampling of old trenches in other parts of the property was undertaken in order to verify significant historical gold results. In trench Tr-2 of 1993, located in the Ana Pass area, a grab sample of a tourmaline-pyrite-quartz altered intrusive returned 2516ppb gold. In the Casino “B” area, trench 9076-C averaged 376ppb gold over 50 metres, including a 10 metre interval of 927ppb.

In 2010 more claims were staked on the northeast and northwest sides of the property and a short reconnaissance soil sampling programme was conducted as assessment work for these new claims.

Another major programme was undertaken in 2011 consisting of soil sampling, ground geophysics and trenching. The soil sampling completed coverage of the entire property and extended the existing Kana Zone gold and arsenic anomalies to the east and west. Two linear multi-element anomalies were discovered in the Malt zone area in the northwest part of the property. A ground magnetometer survey yielded useful structural information and a limited induced polarization survey near the mineralized 2009 drill holes discovered two zones of chargeability. The trenching programme, implemented mostly in the Kana Zone, discovered a number of areas with anomalous gold values, including high values of 2890 and 4400ppb, with trench CRTR-07 ending in an 825ppb gold sample.

In 2016 a modest programme of excavator trenching, prospecting and infill soil sampling was conducted by Cariboo Rose to follow up on results of the 2011 and earlier programmes. Trenching work conducted in three areas in the eastern part of the Kana Zone returned locally anomalous gold, widely spread anomalous arsenic, bismuth and antimony, and local high silver values to 66908 ppb. A trench in the Ana Pass area returned anomalous gold, arsenic, antimony and bismuth values along most of its 13 metre length and also encountered a 20 centimetre quartz vein which returned 2608ppb gold.

Limited prospecting in the Malt Zone area discovered silicified breccia and quartz vein float which contained more of the anomalous pathfinder elements (arsenic, antimony, bismuth and molybdenum), including over 1% arsenic in one sample. Gold values of 3346 and 2360 ppb were encountered in float samples from the east part of the Kana Zone, 1042ppb gold and 8360ppb silver were returned from historic trench material in the Ana Zone, and additional anomalous gold results were obtained from new areas south of Ana Pass and southeast of Koffee Bowl. The programme of infill soils in the Ana Pass strengthened and expanded the gold in soil anomaly there.

Cariboo Rose's 2017 exploration programme consisted of surface work directed at the Kana and Malt West gold targets and a reverse circulation (RC) drill programme that tested a variety of gold targets across the property. Infill soil sampling at Malt West revealed a geochemical zonation with a central gold anomaly surrounded by anomalous arsenic and antimony with barium forming an outer halo. Prospecting and pitting uncovered large areas of altered metasediments with gold values to 1867ppb, as well as high values in arsenic, antimony and barium. A ground magnetic survey over this area completed coverage of the entire property. Prospecting at the west end of the Malt Zone discovered massive stibnite and arsenopyrite which returned values up to 9145ppb gold and 3100g/t silver.

A total of 2151.27 metres of reverse circulation (RC) drilling was conducted in 24 holes. Hole CCRC17-23, located near the mineralized 2009 holes in the northeast part of the Kana Zone, returned 1.52 metres of 4457ppb gold. In the western part of the property broad zones of anomalous gold was encountered in the Linear A zone and Malt East zones, including 107.59 metres averaging 137ppb, from hole CCRC17-08.

The 2009-2017 work at Canadian Creek has discovered geology, geochemistry and alteration that is consistent with newly discovered gold mineralization at Coffee and other nearby properties. Previous work focused on Casino-type porphyry copper-gold-molybdenum mineralization for which Canadian Creek hosts two significant target areas, Koffee Bowl and Casino "B".

Future exploration for structurally hosted gold at Canadian Creek should focus on drill testing targets in the Kana, Ana and Malt Zones. The 2017 work has identified drill targets at Malt East and West, while detailed geophysics should be conducted at Kana and Ana in order to better define targets there. Further copper exploration should entail additional induced polarization (IP) at Casino "B" and Koffee Bowl as a precursor to diamond drilling there.



**Canadian Creek Property**

<b>Cariboo Rose Resources Ltd</b>		
<b>CANADIAN CREEK PROJECT</b>		
Whitehorse M.D., Yukon		
<b>LOCATION MAP</b>		

Date	October 2017	Scale	as shown	N.T.S.	1151
				Fig.	a

## 2. PROPERTY DESCRIPTION AND LOCATION

The Canadian Creek property is composed of a total of 311 contiguous full and fractional quartz claims, located in the Whitehorse Mining District, Yukon Territory, approximately 160 kilometres south of Dawson City. With the conclusion of a deal with Western Copper and Gold in late 2016, all of the claims are owned 100% by Cariboo Rose Resources Ltd. The surface area covered by the Canadian Creek claims is approximately 5791 hectares. A map of the Canadian Creek claims is shown in Figure 2 and list of the claims is given in Table 1.

The author has checked the status of these claims on the Yukon Mining Recorder website and have verified that the claims are valid. The holding of mineral claims in Yukon Territory does not entitle the holder to surface rights. All of the known zones of mineralization located within the boundaries of the Canadian Creek property claims. The author is not aware of any environmental problems or aboriginal issues specific to the Canadian Creek claims other than those that are general to the Yukon Territory and Canada.


**Table 1: Canadian Creek Claims List for Cariboo Rose Resources.**

Claim Name	Grant Number	Claim Owner	Claim Expiry Date
ANA 1-10	YA86735-744	Cariboo Rose Resources Ltd. - 100%	17 February 2020
ANA 15-26	YA86749-760	Cariboo Rose Resources Ltd. - 100%	17 February 2020
ANA 29-40	YA86763-774	Cariboo Rose Resources Ltd. - 100%	17 February 2020
ANA 43-54	YA86777-788	Cariboo Rose Resources Ltd. - 100%	17 February 2020
AZTEC 1-10	YB37540-549	Cariboo Rose Resources Ltd. - 100%	21 September 2018
BERG 3	YD08825	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 4	YD08824	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 5	YD08823	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 6	YD08822	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 7	YD08821	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 8	YD08820	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 9	YD08819	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 10	YD08818	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 11	YD08817	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 12	YD08816	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 13	YD08815	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 14	YD08814	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 15	YD08813	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 16	YD08812	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 17	YD08811	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 18	YD08810	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 19	YD08809	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 20	YD08808	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 21	YD08807	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 22	YD08806	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 27-42	YD08827-842	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 47-50	YD08847-850	Cariboo Rose Resources Ltd. - 100%	08 June 2019

BERG 53	YD08853	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 54-56	YD08854-856	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG 59	YD08802	Cariboo Rose Resources Ltd. - 100%	08 June 2019
BERG F 61-67	YD08861-867	Cariboo Rose Resources Ltd. - 100%	13 August 2019
ICE 1-5	YB37801-805	Cariboo Rose Resources Ltd. - 100%	27 January 2020
ICE 9-18	YB37809-818	Cariboo Rose Resources Ltd. - 100%	27 January 2020
ICE 25-29	YB37825-829	Cariboo Rose Resources Ltd. - 100%	27 January 2020
ICE 30-33	YB37830-833	Cariboo Rose Resources Ltd. - 100%	27 January 2019
ICE 41-47	YB37841 - 847	Cariboo Rose Resources Ltd. - 100%	27 January 2019
KANA 1-35	YC99879-913	Cariboo Rose Resources Ltd. - 100%	22 June 2019
KANA 36	YC99914	Cariboo Rose Resources Ltd. - 100%	29 September 2019
KANA 37-45	YC99915-923	Cariboo Rose Resources Ltd. - 100%	29 September 2018
KANA 46	YC99925	Cariboo Rose Resources Ltd. - 100%	08 June 2018
KANA 47	YC99926	Cariboo Rose Resources Ltd. - 100%	08 June 2018
KANA 48-57	YC99927-936	Cariboo Rose Resources Ltd. - 100%	08 June 2018
KANA 58	YC99924	Cariboo Rose Resources Ltd. - 100%	08 June 2018
KOFFEE 1-58	YB37482-539	Cariboo Rose Resources Ltd. - 100%	21 September 2018
MAYA 31-40	YB37622-631	Cariboo Rose Resources Ltd. - 100%	21 September 2018
CAS 31-36	YB36618-623	Cariboo Rose Resources Ltd. - 100%	25 March 2023
CAT 67	95744	Cariboo Rose Resources Ltd. - 100%	25 March 2023
CAT 69	95746	Cariboo Rose Resources Ltd. - 100%	25 March 2023
F 27-28	YB37278-279	Cariboo Rose Resources Ltd. - 100%	25 March 2023
E 23-25	YB37242-244	Cariboo Rose Resources Ltd. - 100%	25 March 2023
E 27-32	YB37246-251	Cariboo Rose Resources Ltd. - 100%	25 March 2023
I 1-4	YB37640-643	Cariboo Rose Resources Ltd. - 100%	25 March 2023
I 19-20	YB37658-659	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 3	Y 35194	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 5	Y 35196	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 7-16	Y 35198-207	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 89	Y 35483	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 97-98	Y 35491-492	Cariboo Rose Resources Ltd. - 100%	25 March 2023
MOUSE 123-128	Y 35517-522	Cariboo Rose Resources Ltd. - 100%	25 March 2023

The Ana and Casino “B (CAS, CAT, MOUSE, E, F, and I) claims are subject to a 5% net profits interest in favour of Western Copper and Gold Corporation. Western Copper also retains a right of first refusal on the Casino “B” claims.

A land-use permit issued by the Government of the Yukon is required to carry out exploration on the Canadian Creek property. Cariboo Rose currently holds a valid Class 3 Mining Land-use Permit, number LQ00320b, which was issued on March 17, 2016 and expires on July 11, 2021. This permit covers both the Canadian Creek and Casino “B” claims and allows for surface exploration, line cutting, trenching and drilling.



**Cariboo Rose Resources  
Canadian Creek Project  
Claim Map  
January 2017**

**1:50,000  
Fig 2**

**1000m**



An assessment work requirement in the Yukon Territory requires that exploration work in the amount of \$100 per claim per year be completed. A filing fee of \$5 per claim per year is also required. Excess expenditures incurred in any year can be filed up to an amount that moves the expiry date five years into the future.

### **3. ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY**

The Canadian Creek property consists of 311 contiguous claims in the Whitehorse Mining District, Yukon Territory and covers an area of approximately 5791 hectares. It is located approximately 300 kilometres northwest of Whitehorse and 160 kilometres south of Dawson City. The Canadian Creek claims vary in elevation from 1,000 metres in the lower reaches of Canadian Creek and 700 metres in the lower reaches of Coffee Creek to a maximum elevation of about 1,650 metres on Ana Peak, located in the centre of the property approximately two kilometres north of the Cariboo Rose camp.

Alpine grasses, moss and buck brush dominate vegetation at the higher elevations while sparse stands of spruce and poplar cover the lower elevations.

With the exception of the very highest elevations, topography is subdued, weathering has been extensive and outcrop is scarce. This area of the Yukon is one of the few regions in Canada not subjected to Pleistocene glaciation and as a result, it has undergone a long period of surface weathering, oxidation and surface leaching.

The claims are accessible via two overland routes. A barge-landing site at the mouth of Britannia Creek connects with a rough, all-season, dirt road to the Canadian Creek property. Also, a winter road runs from Mount Freegold approximately 90 kilometres to the southeast to the Casino property. This was most recently used by Western Copper and Gold Corp. in 2010 in order to service exploration work at Casino. In September of 2017 an announcement was made that the Federal and Territorial governments were to provide funding for the upgrading and completion of this road, which would greatly improve access and reduce exploration costs at Canadian Creek.

Air transport to the property is available by a landing strip on the adjacent Casino property. This strip is road accessible from the Canadian Creek property and is 6.5 road kilometres east of the Cariboo Rose camp, and has been used extensively by past programs with personnel and supplies flown in from Whitehorse. Significant improvements have been made to the strip in recent years and it is currently able to land Otter, Caravan and Navajo aircraft.

At the present time, the nearest power sources to the Canadian Creek property are diesel generating stations at Beaver Creek; (0.9MW; 100km southwest), and at Pelly Crossing (0.7MW; 120 km east). A 138kv transmission line passes through the village of Carmacks, 150km southeast. There is no excess electricity on the Yukon power grid at the present time.

Helicopters are available from company bases in Whitehorse, Carmacks and Dawson City. In recent years, with increased exploration activity in the area, helicopters have been sourced from exploration projects nearer to the Canadian Creek property.

The climate of this region is both semiarid and subarctic. The field season generally begins in May and extends until the end of September. Records indicate that precipitation for the closest

weather station, at the village of Carmacks 120 kilometres to the southeast of the property, averages 26.7 cm per year, predominantly falling in the summer.

The rolling nature of this landscape with its numerous broad, subsidiary valleys offers many options for the construction of surface facilities and tailings impoundment sites, and there are numerous sources of readily available water. The logistics of the Canadian Creek property would improve greatly with the possible construction of mines at the adjacent Casino property, or at Goldcorp's Coffee project, located 25 kilometres to the northwest.

#### **4. HISTORY**

The Klondike Gold Rush of 1898 prompted the first prospecting the area, leading to the staking of the "Discovery" placer claim on Canadian Creek in 1911, immediately north of the Casino B area of the current Canadian Creek property. The first recorded lode mineral claim in the area was staked in 1917. From the 1930's to the 1960's, the area was explored for placer gold, silver-lead-zinc veins and tungsten.

The "Bomber" silver-lead galena vein, two kilometres east of the Canadian Creek property near the Casino airstrip, was probably first staked in 1943. In the late 1960's development work was initiated and a total of nearly 400 tonnes of hand cobbled ore was shipped to the Trail smelter up to 1980.

In 1967 the porphyry potential of Patton Hill (located on the adjacent Casino property) was recognized and as a result the property holder, Casino Silver Mines Limited, was acquired by a syndicate which included Teck Corporation, the Brynelson Group and Quintana Minerals Corporation. Between 1967 and 1971 this group completed a major exploration program on the Casino deposit and a feasibility study was completed. A decline in metal prices led to a cessation in work in 1971. However, the discovery of the Casino deposit initiated a large amount of work to be carried out on adjacent areas, including that which is covered by the current Canadian Creek claims.

In 1985 and 1986 Nordac Mining Corporation, using the technical services of Archer, Cathro & Associates, explored the Casino deposit focusing on gold mineralization the leached cap. As part of this programme, soil geochemical surveys were conducted in the Canadian Creek watershed, largely in the area now within the Casino "B" claims.

In 1991 the Casino option was vended to Big Creek Resources Ltd. and in 1992 Pacific Sentinel Resources Ltd. was amalgamated with Big Creek and Casino Silver Mines Limited. Between 1991 and 1994 Big Creek and then Pacific Sentinel Gold Corp. expended approximately 20 million dollars on evaluating the Casino deposit. This work led to a pre-feasibility report that showed the deposit, while positive, would not return a satisfactory return on investment. During that time a small amount of work was directed at the Casino "B" claims, which are now included in the Canadian Creek property. This work included four diamond drill holes, including hole 93-319, which returned a 43.9 metre interval which averaged 0.73g/t gold.

Also in 1985 Archer, Cathro & Associates Ltd staked the Ana claims. Eastfield subsequently purchased these claims in 1992, and staked the Koffee, Aztec, Maya and Ice claim blocks. In 1993 Eastfield entered into three separate options concerning three of the claim blocks (with Breckenridge Resources Ltd., Rockwealth International Resources Corp. and Canadian Comstock



Explorations Ltd.). These options were responsible for approximately \$550,000 in exploration funding before they were terminated in 1994. Exploration funded by these options in 1993 consisted of establishing initial exploration grids and the drilling of six diamond drill holes on the Ana claims and one drill hole on the Koffee claims.

The 1993-94 work was followed by extensive field programs in 1996, 1997 and 1999 which consisting of induced polarization (IP) surveys, road construction and mechanical trenching on the Ana, Koffee, Maya and Ice claims.

In June of 1996 Eastfield consolidated the five claim blocks into the Canadian Creek property and entered into an option agreement with Alexis Resources Ltd. (now Alexis Minerals Ltd.). In 1996 and 1997 Alexis expended approximately \$450,000 completing surface surveys, trenching and road building. In 1997 Eastfield was reorganized into Eastfield Resources Ltd. and Wildrose Resources Ltd. with the Canadian Creek property going to Wildrose.

In May of 2000 the Canadian Creek property was expanded to the east with the acquisition of 55 claims, referred to as the Casino "B" group, from Great Basin Gold Ltd. (In 1997 Pacific Sentinel Gold Corp. (later Pacific Sentinel Resources Inc.) was reorganized and renamed Great Basin Gold Ltd.). Later in 2000 a 12 hole reconnaissance drill programme totaling 2,066 metres was completed on the Koffee, Ana and Casino "B" areas, at a cost of \$425,000.

As follow-up to the 1993 Pacific Sentinel drilling at Casino "B", four of these holes were replaced at Casino "B" which confirmed the earlier results, including hole CC2000-01 which returned a 50.4 metre interval which averaged 0.71g/t gold. Drilling at Koffee Bowl discovered large intervals of porphyry type alteration.

In July 2003, a soil grid was established over a 1.5 by 1.1 kilometre area on the Casino "B" claims and a total of 343 soil samples were collected and analyzed. A robust, 900 by 600 metre, copper-gold-molybdenum soil anomaly was outlined which indicated that the area was prospective for both intrusion related gold and copper-gold-molybdenum mineralization similar to the adjacent Casino deposit. Approximately \$45,000 was expended in the 2003 programme. Additional minor programmes were conducted in the Casino "B" area in 2005 and 2006.

In 2007 a diamond drill program consisting of five holes (880.57 metres total) was conducted in the Casino "B" area. The drilling encountered Paleozoic Yukon Metamorphic Complex gneiss, Cretaceous Dawson Range Batholith granodiorite as well as dacite ("Patton Porphyry"), feldspar porphyry and heterolithic breccia of the Casino Complex. Encouraging gold results were received from this work; including 3.5 metres of 1.91g/t gold from CC-DDH-07-3 and 135.0 metres of 0.31g/t gold, including 6.0 metres of 2.96g/t, from CC-DDH-07-04. The program was completed at a cost of \$448,000. (Note that intercept lengths described are core lengths and may not represent true widths.)

In 2008 a program of satellite imagery "aster analysis" was completed on the claims at a cost of \$8,783.

In 2009, the Canadian Creek property was optioned to Alder Resources Ltd. who funded a major exploration programme focusing on an arsenic in soil anomaly on the north side of the existing grids, in an area referred at the time as the Coffee Can zone, though this has since been renamed the Kana Zone. Additional claims were also staked in this area.

The 2009 program included grid emplacement, soil and rock sampling, prospecting, ground geophysics and diamond drilling. The soil survey revealed large areas of strongly anomalous gold in soils, as high as 2290ppb, which stretched for over four kilometres in an east-northeast direction, associated with other anomalies in arsenic, bismuth and antimony. The zone of anomalous gold remained open to the east and west. The geophysical survey revealed numerous strong chargeability highs, many of which coincided with the gold in soil anomalies.

Ten drill holes, totaling 1425.6 metres, were emplaced during September, targeting soil and chargeability anomalies in the 2009 grid. Results from the drilling revealed numerous anomalous gold intervals, generally associated with elevated arsenic, antimony and bismuth hosted in both gneiss and granodiorite, often in clay altered structures, sheeted pyrite veins or quartz-carbonate veins. Nineteen intervals of >100ppb gold were encountered. Highlights include 7.25 metres of 683ppb Gold; including 3.0 metres of 1099ppb gold from hole CC09-10, and 1.5 metres of 3458ppb gold from hole CC09-08. Both of these holes are near to the eastern end of the 2009 grid.

Resampling of old trenches in other parts of the property was undertaken in order to verify significant historical gold results. In trench Tr-2 of 1993, located in the Ana Pass area, a grab sample of a tourmaline-pyrite-quartz altered intrusive returned 2516ppb gold. Three trenches were resampled in the Casino "B" area near to the eastern claim boundary in Canadian Creek. Results included 493ppb gold over 35 metres, including a five metre interval of 1079ppb gold, from trench 9076-C. Expenditures for 2009 totaled \$938, 698.

In 2010 the property was greatly expanded with additional claims added onto the north and northwest parts of the property. A small soil sampling programme was conducted over these areas to serve as assessment work. A new area of anomalous gold-arsenic-antimony-barium was discovered in the western part of the new claims. This area is referred to as the Malt zone.

Castillian Resources Corp. acquired the Canadian Creek property option later in 2010 and conducted a major exploration programme in 2011, including soil sampling, ground geophysics and trenching.

The soil sampling completed coverage of the entire property at a minimum 200 metre line spacing, with a total of 5589 samples collected. As well as extending the existing grids to the north, east and west over the claims staked in 2010, lines were extended to the claim boundary on the south side of the property.

Results for 2011 confirmed and expanded the areas of anomalous gold and pathfinder elements on the Canadian Creek property. The existing Kana gold in soil geochemical anomaly was extended to the east to the property boundary line and also to the west, to a total east-west extent of over seven kilometres with a width ranging from one to two kilometres, roughly coinciding with an arsenic in soil anomaly. The widest and strongest part of this anomaly is at the east end, bounding the Casino property, with gold values to 2290ppb. The gold anomaly in this area extends south over the Casino "B" area, though anomalous arsenic does not. Strong silver and lead, weaker arsenic and scattered bismuth and antimony anomalies coincide with the high gold across the Kana Zone.

The 2011 gold results also defined two distinct anomalous areas in the Malt Zone in the northwest part of the property. The East Malt zone extends for almost two kilometres in a

north-northwest direction and is coincidental with anomalous arsenic, antimony, and scattered silver. The Malt West Zone, 1.5 kilometres west, trends in a west-northwest direction for nearly two kilometres. The gold anomaly here is coincident with anomalies in arsenic, barium and molybdenum and scattered silver, antimony, copper and zinc.

As mentioned above, anomalous arsenic in soils generally follows the anomalous gold, but is more widespread. Anomalous antimony occurs within the gold anomalies, with a large prominent zone occurring in the central part of the property on the north side of Ana Peak, which is coincidental with anomalies of lead, zinc and silver. Anomalous barium is scattered across the property, with no significant zones save for at Malt West, mentioned above.

A ground magnetometer survey was conducted over most of the eastern two-thirds of the property. The resulting map revealed much useful structural information; showing sharp breaks in magnetic intensity which are probably due to structural breaks, of which north-northwest and east-west are the most common directions. A zone of high magnetics run east-west across the property from the Casino "B" area west through the Ana Pass, (with the Casino hosting Patton Porphyry units) and further through to the porphyry mineralization at Koffee Bowl. The western end of the property, which includes the Malt Zones) was not surveyed.

Four lines of Induced Polarization (IP) were run in the eastern part of the Kana Zone, running south from the mineralization encountered in the 2009 drill holes CC09-08 and 10. Results from this showed one northwest trending chargeability anomaly immediately south of the aforementioned drill holes, and another zone at the south end of the lines which remains open to the south, such that neither of these have been drill tested.

A programme of mechanical trenching was also carried out to test the bedrock beneath significant gold in soil anomalies in the Kana Zone, with one additional trench emplaced near Ana Pass. Information from the Castilian reports is sketchy, but it appears that a total of 16 trenches were dug. Of these six reached bedrock and range from 45 to 90 metres in length. These are shown on maps with gold and anomalous pathfinder element values given but no descriptions or sample intervals provided. The locations of the other trenches is unknown, though during the 2016 work four backfilled trench sites were located.

The best results were from trench CR-TR07, where gold values of 4400, 2890 and 1490ppb were returned, and where the last sample at the southeast end of the trench ran 824ppb. Host rock was noted as orthogneiss and no notable pathfinder elements were noted. A value of 1115ppb gold was returned from CR-TR05, 160 metres to the northeast.

Trench CR-TR16 was emplaced on 328 knob in the eastern part of the Kana Zone and returned anomalous (>20ppb) gold in 39 of the 42 samples collected. Anomalous silver, arsenic and antimony as also common here. Two trenches, CR-TR-02 and 03, located on the northeast flank of Ana Peak, returned little of interest.

Trench CR-TR15 was located in the Ana Pass area at the 1993 trench 93-2, which encountered quartz-pyrite tourmaline veins and which returned 2516ppb gold from a grab sample in 2009. The 2011 trench was 21 metres long cutting across the old trench at right angles. It did not discover any further mineralized veins, but returned four samples >200ppb gold, to a high of 968ppb.

A modest surface exploration programme was undertaken by Cariboo Rose in 2016 which was conducted with the support of the Yukon Mineral Exploration Program Contribution Agreement 16-058. The exploration work focused mainly on excavator trenching, though prospecting, rock sampling and limited soil sampling was also carried out.

A total of five trenches, totaling 167 metres, were dug, along with 41 test pits, from which 108 samples were collected. Prospecting and rock was conducted over several areas of the property to follow up on historical geochemical anomalies, during which a total of 149 rock samples were collected. Six infill soil lines were emplaced in the Ana Pass and 309 samples were collected here. Samples were submitted to Bureau Veritas' prep facility in Whitehorse, with the geochemical analyses conducted in Vancouver. Total expenditures for this programme were \$296,541.

The trenching work was carried out using a Kubota KH-41 excavator under contract from Stewart Basin Exploration of Whitehorse. The maximum depth attainable by this machine was about 1.8 metres, which was sufficient to reach bedrock in some of the target areas. All of the trenches and pits were backfilled, with the exception of the final ones (CTR16-21 and TP16-41), due to the breakdown of the excavator. These though, have been modified to allow for animals to easily exit.

The first trench of the 2016 programme, CTR16-17, was emplaced in the eastern part of the Kana Zone, near drill hole 94-328 which encountered granodiorite and gneiss to 114.91m, and returned 9.14 metres averaging 316ppb gold, including 3.05 metres of 750ppb. In 2011, the 79m long trench CT-TR-15 was dug in the same area. Ten samples from the 2011 trench returned >100ppb gold, to a high of 518ppb, along with locally anomalous silver, arsenic and antimony. No descriptions or intervals are available for these results.

The knob area is underlain by strongly anomalous gold-silver-molybdenum-bismuth and moderate arsenic in soils. Bedrock is yellow weathering variably clay-jarosite altered granodiorite and orthogneiss. The granodiorite is locally strongly foliated and sometimes difficult to distinguish from the gneiss. Fine grained grey quartz veins are locally common, and tourmaline occurs as fracture fillings and with quartz in veins to 10 centimetres in width.

Along with the 64.5 metre long CTR16-17, a total of 21 test pits were dug on the knob. In all of these bedrock was only encountered for a three metre length in the trench and in six of the pits. Where no bedrock was encountered samples were collected of any prospective looking material that was found. A number of the pits, as well as the west end of CTR16-17, bottomed in permafrost. Along with the trench and pit sampling, prospecting was conducting across the area and a number of float samples were collected from surface.

Analytical results from the 328 Knob area showed locally anomalous gold, to a high of 2360ppb from float from the backfill of a 2011 trench to the northwest of the knob. Six of the trench samples and ten test pit samples returned gold values greater than 100ppb. High silver values were also encountered in this area, with six samples running greater than 10,000ppb, to a high of 66908ppb. Anomalous arsenic, antimony and bismuth were also returned from rock samples here.

Trench CTR16-18 was located 450 metres southwest of 328 Knob, traversing a north-south trending gold in soil anomaly. The trench was 58.7 metres long and was emplaced on an old access trail. Bedrock was encountered along most of the trench and in a number of nearby test

pits. The bedrock geology showed the gold in soil anomaly to coincide with strongly clay-pyrite (phyllic) altered granodiorite that was exposed in the trench.

The altered rock contains strong north-south trending fractures and local quartz +/- tourmaline veins and is fault bounded by unaltered granodiorite on the west side and by unaltered quartz diorite on the east. Sample results from the trench included two high silver values, to 5977ppb which coincided with anomalous arsenic and antimony. One trench sample returned anomalous gold, 110ppb, while two surface float samples returned values of 133 and 358ppb gold.

A significant effort was put into exploration in the area of the 2011 trenches CR-TR05 and 07, from which gold results up to 4400ppb were returned. This area is located on the ridgetop 900 metres west of 328 Knob. In 2016 a total of 11 test pits and two trenches were emplaced here. Bedrock was elusive in the CR-TR07 area and was only encountered in one test pit and the short trench CTR16-19.

Trench CTR16-19 was 9.5 metres long and encountered gneiss along its length; leucocratic at the west end and dark augen gneiss at the east end. The leucocratic gneiss was silicified with minor disseminated pyrite and was cut by north-south trending zone of strong soft clay altered zones which contained quartz veins and pyrite. A 1.9 metre long sample of the silicified gneiss returned 984ppb gold.

Trench CTR16-20 was emplaced 15 metres south of and parallel to the 2011 trench CR-TR05 from which gold results of 667 and 1115ppb were reported. The 2016 trench was 20 metres long and bottomed in leucocratic and mesocratic biotite-quartz-feldspar gneiss, which contained local silicified zones containing disseminated pyrite. The highest gold value obtained in this trench was 124ppb, though locally anomalous arsenic, antimony and bismuth were also noted

Trench CTR16-21 was emplaced in the Ana Pass target immediately north of the 1996 trench 96-59, from which a result of 1340ppb gold over six metres was reported. The 2016 trench was 15 metres long and encountered biotite granodiorite along its length. The granodiorite contained common jarosite-white altered fractures between local zones of pervasive alteration which contained common quartz veins and disseminated pyrite. Five trench samples returned gold results greater than 100ppb to a high of 2608ppb from a 20 centimetre quartz vein. Anomalous arsenic, antimony and bismuth were common from the trench samples.

Prospecting and rock sampling were conducted on a number of targets across the Canadian Creek property. Most notable of these targets was the Malt East and West Zones in the northwest corner of the property.

At Malt East limited prospecting in 2016 discovered no outcrop but rock sampling returned strongly anomalous silver, antimony and arsenic. A high gold value of 86ppb was returned, as well a high silver value of 10395ppb which also contained >1% arsenic.

Prospecting at Malt West encountered only minor outcrop but did discover float of brecciated and silicified rocks over a large area. Samples of these ran anomalous silver, bismuth, antimony, and molybdenum to a high of 161ppb Au, 5697ppb silver, 2399ppm arsenic, 129ppm antimony and 584ppm molybdenum. Both of the Malt Zones exhibit similar geochemical and linear expressions as do the mineralized zones at the nearby Coffee and Sunset properties.

Prospecting and rock sampling in the Ana Pass area returned numerous strongly anomalous geochemical values. A sample of the muck pile of trench 96-25 returned 1042ppb gold, along with 8705 ppb silver and strongly anomalous arsenic, antimony and bismuth. Nearby float samples returned high values of arsenic, antimony and especially high bismuth, to 106ppm.

The other 2016 rock results of note were from the Kana Zone. A sample of quartz vein float from backfilled 2011 trench material northwest of 328 Knob returned 2360ppb along with 8630ppb silver and strongly anomalous arsenic, antimony and bismuth. The highest gold result from the 2016 rock sampling was a silicified limonite-clay altered float sample from the Casino access road that assayed 3346ppb gold, again with anomalous arsenic, antimony and bismuth.

Limonitic rock float samples of returning 736 and 259ppb gold were discovered to the southeast of the Koffee Bowl porphyry zone as follow up to a gold in soil anomaly which coincides with a major north-northwest trending magnetic low identified in the ground magnetometer survey. The magnetic low also contains a series of chargeability highs. This area was drill tested in 2017 as part of the Linear A target.

Prospecting an east-northeast trending arsenic in soil anomaly south of Ana Pass again encountered no outcrop but did find quartz float which returned 825ppb gold.

A small programme of infill soil sampling was undertaken in 2016 in the Ana Pass area to increase the line spacing from 200 to 100 metres, where a total of 309 samples were collected. This work has served to better define a large and strong gold in soil anomaly, extending 1300 metres in a northwesterly direction and is 700 metres wide. Gold values within this zone range as high as 1939ppb. An arsenic in soil anomaly, which contains local anomalous gold, is located downhill to the south of the gold anomaly in the area of the 825ppb gold sample described above.

**Table 2: Summary of Work on the Canadian Creek Property by Eastfield, Wildrose, Cariboo Rose since 1993.**

Induced Polarization Survey	87 line kilometres
Ground Magnetic Surveys	586.8 line kilometres
Mechanical Trenching	170 trenches and pits (many did not reach bedrock)
Trench Samples	453 samples
Soil Samples	10129 samples
Rock Samples	835 samples
Road Construction	16 kilometres
Diamond Drilling	6069.24 metres in 40 holes (includes 1970 Bremada and 1993-94 Pacific Sentinel holes on the current Casino "B" area)
Reverse Circulation (RC) Drilling	2151.27 metres in 24 holes

In December of 2016 an agreement was concluded between Cariboo Rose and Western Copper and Gold for Western Copper to acquire nine of the Casino “B” claims which abut the Casino property. Also, the remaining 46 Casino “B” claims were transferred 100% to Cariboo Rose.

A summary of the exploration work to date conducted by the current owners and their previous incarnations (Eastfield, and Wildrose) on the Canadian Creek property since 1993 is given in Table 2. This includes soil samples collected conducted on claims that are no longer part of the current Canadian Creek property; on the former Aztec claims to the south, and the Casino “B” claims that were sold to Western Copper in 2016. These samples are maintained in the current maps and databases due to their relevance to the exploration of the Canadian Creek property.


## **5. GEOLOGICAL SETTING**

The Canadian Creek property is situated within what has been termed the Tintina Gold Province (TGP), an arcuate belt that extends from northern British Columbia to central Alaska. The TGP is bounded by the Tintina and Denali Faults and is composed of a number of different geologic terranes and various mineral districts which have been juxtaposed by tectonic activity. Along with its prolific gold endowment, which includes the Pogo, Fort Knox and Donlin Creek gold deposits in Alaska and the Dawson gold fields, Brewery Creek, Mount Freegold and Coffee gold deposits in the Yukon, the province also contains significant massive sulfide and porphyry deposits.

Tectonically, Canadian Creek is situated within the Yukon-Tanana Terrane (YTT) near its contacts with the Nisling Terrane and northernmost Stikine Terrane. The YTT is an accreted pericratonic terrane composed of a complex arrangement of metamorphosed and deformed rocks of the Yukon Metamorphic Complex which have been intruded by a series of Mesozoic intrusions. A terrane map of the west-central Yukon and the Canadian Creek property is shown in Figure 3.

The property area is underlain by pre-Devonian to Permian metamorphic rocks of the Snowcap, Finlayson, Klinkit and Klondike Assemblages which have been intruded by the mid-Cretaceous Dawson Range and Coffee Phases of the Whitehorse Intrusive suite. Most of the unit contacts are structural including both thrust and normal faults. Intrusives and breccias of the late Cretaceous Casino Intrusive Suite, host to the Casino porphyry deposit, occur in an east-west belt that runs across the central part of the Canadian Creek property. Minor exposures of Paleogene felsic to intermediate flows and dykes of the Rhyolite Creek Complex outcrop to the south of the Canadian Creek Property.

Outcrop exposure in the property area is generally limited to ridge tops and roadcuts. Extensive moss cover and large areas of felsenmeer also hinder mapping. A geological map of the property, compiled from current mapping, property and government maps, and trench and drill hole data, is shown in Figure 4.





The oldest rocks on the area of the Canadian Creek property belong to the Yukon Metamorphic Complex. These rocks are divided into the metasedimentary pre-Devonian Snowcap Assemblage consisting of quartzite and schist (paragneiss), and the Permian Sulfur Creek Suite, consisting of metamorphosed and foliated granitic rocks (orthogneiss). The orthogneiss is the most widespread of these metamorphic units, extending across the central part of the property in an east-west belt from just west of the eastern boundary. The Malt East zone and much of the Kana Zone is underlain by this unit. The metasedimentary unit occurs in the western part of the property south of the orthogneiss, and underlies the Malt West zone.

The most widespread rocks on the property are intrusive rocks of the mid-Cretaceous Dawson Range Phase of the Whitehorse Suite. The Coffee Creek Phase of the Whitehorse Suite outcrops just to the north of the Canadian Creek property. This are described in government reports as a monzogranite and hosts some of the Coffee gold mineralization as well as the Sugar showing which is located four kilometres north of the Canadian Creek property boundary.


On the Canadian Creek property the Dawson Range Phase is dominantly granodiorite, and includes local phases with dominant biotite or hornblende. Near to the contacts with the metamorphic rocks the granodiorites are strongly foliated, often making the distinction between this and Snowcap orthogneisses difficult.

The Koffee Bowl area in the western part of the property is underlain by a biotite quartz diorite intrusive referred to as the Koffee Bowl Stock. Eastfield mapping in the 1990's considered this to be younger than the Dawson Range granodiorite and possibly related to the younger Casino intrusions. The Koffee Creek Stock is in fault contact with metasediments and Dawson Range granodiorite on its east side, and is also host to the porphyry style alteration and mineralization.


The Casino Complex intrusions, which host the porphyry mineralization on the adjacent Casino property, are generally recessive and not well exposed. These rocks consist of quartz monzonite and minor quartz diorite, a rhyodacitic unit known as the Patton Porphyry, and several varieties of breccia. On the Canadian Creek property these rocks are best exposed in the Ana area, but are also known from local trenches and drill holes at Koffee Bowl and Casino "B". Alteration is common in these rocks, including clay-sericite-pyrite and quartz-tourmaline variants.

The quartz monzonite has historically been thought of as part of the Casino Complex, but Giroux and Casselman (2010) contradict this, stating that detailed work at Casino discovered field relationships demonstrates that the quartz monzonite bodies are strongly altered and recrystallized Dawson Range Batholith diorites. The dominant form of the quartz monzonite unit is a medium grained equigranular grey unit with less than 10% mafics, predominantly biotite, though locally is strongly brecciated.

Patton Porphyry is of rhyodacite to dacite in composition and consists of a fine grained to aphanitic groundmass with predominantly plagioclase phenocrysts, though quartz, potassium feldspar or biotite phenocrysts may also be present. Patton Porphyry occurs as dykes and is also common as a clasts with the younger breccias. At Casino it is poorly mineralized but strongly potassically altered, suggesting that it formed during after the main stage of mineralization.



## Legend for Figure 4 Geology Map



A number of breccia types make up a large part of the intrusive complex at Casino. These include an intrusion breccia that occurs on the north and east parts of the deposit there, and an explosion breccia/diatreme that occurs on the west side of the deposit, possibly extending onto the Canadian Creek property.

Regional government mapping indicates four major faults in the immediate area of the Canadian Creek property; a northwest trending structure in the western part of the property immediately west of the Koffee Creek Stock (Malt Fault), an arcuate structure running south from south of Ana, a northwest trending fault one kilometre east of Casino, and the regional northeast trending Dip Creek Fault, trending to the northeast, located five kilometres east of Casino. To the west and northwest of Canadian Creek, thrust faults separate the various units of the Yukon Metamorphic Complex as well as contacts with the Coffee Creek intrusive.

Within the property, numerous faults have been delineated both by mapping and from interpretation of the 2011 and 2017 ground magnetic surveys. The most prominent set of structures run east-west and separate the higher magnetic bodies to the south (location of the porphyry targets on the property) from the lesser magnetic bodies to the north (location of the structurally hosted gold targets on the property). This east-west alignment is in turn offset by numerous northwest and lesser northeast trending faults. The Malt East gold-arsenic-antimony in soil anomaly aligns well with a north-northwest trending linear derived from the ground

magnetics. The geochemical linear of Malt West is truncated on its southeast end by a structure indicated by a southwest flowing creek (Malt Fault).

Large zones of porphyry style phyllic and propylitic alteration occur across the Canadian Creek property, coinciding largely with the Casino Intrusions and porphyry style mineralization at Casino "B", Ana and Koffee Bowl, as well as at Kana East, where it was exposed in the 2016 trenching. Argillic, potassic and quartz-tourmaline alteration also occurs in these areas associated with the Casino breccias. Potassic alteration has been noted at Ana.

Quartz-tourmaline and jarosite are common in the northeast part of the property at Kana East. In the Malt Zones in the northwest part of the property, widespread limonite-clay altered and locally silicified quartz veined float has been encountered.

## **6. DEPOSIT TYPES**

Three significant target types exist on the Canadian Creek property including structurally hosted gold, bulk tonnage intrusion related gold, and copper-gold molybdenum porphyry mineralization. A brief synopsis of these target types is given below.

### **6.1 Structurally Hosted Gold (Coffee Type)**

This has been the target of the recent exploration programmes at Canadian Creek, directed mostly at the Kana and Malt Zones in the northern part of the property. At Kana work to date has revealed a zone of gold-arsenic+/-antimony-bismuth in soil anomalies that is over five kilometres in length and from one to two kilometres in width. This area is underlain largely by quartz-feldspar-biotite gneiss with lesser intrusions of granodiorite. Drilling in 2009 and 2017 has discovered widespread anomalous gold mineralization associated with clay altered shears, sheeted pyrite veins and quartz-carbonate veins hosted in both intrusive and metamorphic rocks. Significant gold in drill results to date include 3458ppb over 1.5m in CC09-08, 1099ppb over 3.0m in CC09-10 and 4457ppb over 1.52 metres in RC hole CCRC17-23. Float samples from this area have returned gold values up to 9145 and 6650ppb gold, and silver up to 3100g/t. Grab samples of regolith from trenching have returned gold values up to 4400ppb and silver to 66908ppb.

The other significant structurally hosted gold target is the Malt area in the northwest corner of the Canadian Creek property. This area contains two strongly linear northwesterly trending soil anomalies. The Malt East anomaly is defined by anomalous gold, arsenic and antimony, occurring immediately west of a strong magnetic break which is interpreted as a structure. Malt West hosts a more diverse range of anomalous elements including gold, arsenic, antimony, molybdenum, barium and copper. Though outcrop is rare in the area, prospecting has discovered widespread sericite altered brecciated and silicified float which has returned local anomalous gold values to a high of 1866ppb, along with silver to 10395ppb, arsenic to >1%, antimony to 0.967%, and barium to 6.95% .

The Linear A target is a magnetically defined structure on the east side of the Koffee Bowl and appears to be combination of the structural gold and porphyry styles of mineralization.

The geochemistry, geological setting and mineralization styles are similar to mineralization at the Coffee property of Goldcorp Inc., which abuts the Canadian Creek property on its north side. Prior to Goldcorp acquiring the Coffee property in mid-2016, the previous owner Kaminak

Resources, had reported a 43-101 compliant Probable Resource of 46.4 million tonnes averaging 1.45g/t gold.

## **6.2 Bulk Tonnage Intrusion Related Gold**

Bulk tonnage style gold mineralization was first identified at the Casino “B” target in 1993 when an excavator trench exposed 40 metres of mineralized rock grading 0.57g/t g/t gold including 10 metres grading 1.69 g/t. A diamond drill hole completed in 1993 (93-319) intersected 149.96 metres grading 0.49 g/t gold including 55.17 metres grading 0.72 g/t gold. In 2007 hole CC-DDH-07-04 intersected 135.0 metres grading 0.31 g/t gold. Gold mineralization occurs with pyrite and minor quartz veining in granodiorite and Casino Intrusive Complex latite intrusives.

## **6.3 Porphyry Copper-Gold-Molybdenum**

Two regions of the Canadian Creek claim group contain a number of features that suggest continuations of the style of mineralization which typifies the Casino deposit located immediately to the east. The areas of potential are the Casino “B” area on the east side of the property in Canadian Creek adjacent to the Casino property, and in the Koffee Bowl area located four kilometres to the west. Both are underlain by Dawson Range Phase granodiorite and later intrusions of Casino Suite Intrusive rocks and breccias, such as are host to the copper-gold-molybdenum mineralization at Casino. Phyllic and propylitic alteration has been noted at both of these target areas.

The Casino “B” target is characterized by strong copper, molybdenum, gold and silver in soil responses and its proximity to the Casino deposit located 700 metres to the east. The Koffee Bowl target is defined by a large induced polarization anomaly with a characteristic donut pattern; a changeability high with a characteristic pronounced low in its centre. This feature is centered on a magnetic high. Porphyry style alteration was encountered in first pass drilling in 1993 and 2000 which included short intervals of economic grades. In addition to mineralization encountered in drill core, copper values of 3.25% have been returned from float.


## **7. MINERALIZATION**

Mineralization occurs across the Canadian Creek property and can be grouped into six zones: 1) the Kana structural hosted gold target; 2) the Malt structural hosted gold target; 3) the Linear A structural hosted gold target; 4) the Ana intrusive breccia target; 5) the “Casino B” intrusion-related gold and porphyry copper-gold-molybdenum target; and 6); the Koffee Bowl Creek Zone porphyry copper-gold target.

### **7.1 Kana Structurally Hosted Gold Target (Coffee Type)**

The Kana Zone has been previously referred to as the “Coffee Can Zone”, (2009), and the “Canadian Creek Trend”, (2011). This area is located in the northeastern part of the Canadian Creek property extending from the eastern property boundary for five kilometres to the west. The area is largely underlain by metasedimentary schists and quartzites (Snowcap Assemblage) and paragneisses (Sulfur Creek Suite) of the Yukon Metamorphic Terrane with numerous intrusions of Dawson Range granodiorite. The eastern part of this zone (Kana East) contains large areas of sericite-limonite +/-pyrite/jarosite alteration with abundant quartz-tourmaline veining, probably related to the Casino hydrothermal system.





The zone is defined by strong gold and arsenic soil anomalies and contains internal zones of anomalous antimony, silver and lead at the west end; and bismuth, silver, lead and tellurium at the east end. The anomalous zone ranges from one to two kilometres in width with the strongest gold values near the eastern end, with values as high as 2290ppb.

Float samples from the eastern part of the Kana Zone have returned gold values up to 2360, 3346 and 6690ppb gold from pyrite +/- arsenopyrite bearing quartz veins. Trenching was conducted here in 2011, by Castillian, and 2016 by Cariboo Rose. There are many interesting results from the 2011 work, but poor reporting makes interpretation difficult. Trench CR-TR07, near drill holes CC09-05 and 06, contained samples as high as 4400, 2890 and 1490ppb gold, and ended with 824ppb from the final sample at its southeast end. An 1115ppb gold sample was collected from trench CR-TR05, located 160 metres to the northeast. The 2016 trenching had difficulty reaching bedrock, but numerous samples returned anomalous gold, to a high of 375ppb, along with high silver values, including 17182, 18381 and 66908ppb.

Prospecting in 2017 in the western part of the Kana Zone discovered massive stibnite and arsenopyrite in quartz, which also contained significant galena and sphalerite. Results returned gold values to 9145ppb and silver to 3100g/t. Quartz vein float discovered 750 metres west of the above samples returned gold to 462ppb and silver to 191ppm.

Drilling across the Kana Zone revealed the presence of anomalous gold values in clay altered shears, sheeted pyrite veins and quartz carbonate veins and in zones of strong sericite and clay alteration. Drill highlights include 3.0 metres of 1099ppb gold in CC09-10, 1.5 metres of 3458ppb gold in CC09-08 and 1.52 metres of 4457ppb gold in CCRC17-23. To date, over 40 intervals of >100ppb gold have been encountered.

## **7.2 Malt Structurally Hosted Gold Target (Coffee Type)**

The Malt target is located in the northwest corner of the Canadian Creek property. To date only minor exploration has been conducted here. It consists of two linear soil gold-arsenic +/- antimony, molybdenum and copper in soil anomalies, which exhibit similar geochemical and linear expressions as do the mineralized zones at the nearby Coffee and Sunset/Boulevard properties. The area is underlain by metasedimentary and meta-intrusive rocks of the Yukon Metamorphic Complex.

Malt East is a well-defined two kilometre long coincidental gold-arsenic-antimony-silver in soil anomaly that aligns well with a west-northwest structure shown on the 2011 ground magnetic survey. Little outcrop occurs in this area, but widespread float of limonite-clay +/- pyrite altered orthogneiss was discovered. These float samples returned anomalous gold, silver to 10395ppb, arsenic to >1% as well as strongly anomalous bismuth and antimony.

Drilling here in 2017 (holes CCRC17-10 to 15) revealed large intervals of sericite alteration as well as anomalous arsenic, barium and bismuth. A number of >100ppb gold intervals were intersected, including 7.62 of 200ppb in CCRC17-11.

Also of note are results from the bottom of drill hole CCRC17-10, the easternmost hole of the fence, which was drilled towards the magnetically defined structure. The last 6.1 metres of the hole returned anomalous gold values, to 184ppb, along with anomalous and increasing arsenic, antimony and molybdenum, possibly indicating proximity to mineralization in the structure.

Malt West is located two kilometres to the southwest and is a three by one kilometre northwest trending zone of anomalous gold, silver, arsenic antimony, molybdenum and copper in soils. Outcrop is sparse but float indicates the area to be underlain by quartzites and schistose metasediments including abundant limonite-clay+/- quartz altered breccia float. Alteration and mineralization appears to be preferentially hosted in darker carbonaceous rocks. The best gold results to date, 1867 and 1245ppb, are from within the highest gold in soils in the central part of the anomaly. These are an obvious drill target for a future programme. Other samples from Malt west have returned arsenic values to 4528ppm, antimony to 9670ppm and barium to 6.95%.

### **7.3 Linear A Target**

Linear A, located in the central part of the Canadian Creek immediately east of the Koffee Bowl porphyry target, is defined by a marked north-northwest trending linear magnetic low, which appears to be a significant structure. It contains a number of chargeability highs, resistivity lows and local gold in soil anomalies. Though the geometry of the zones suggests a structural designation, most of the mineralization and alteration noted appears to be more porphyry-related. The 2017 drilling encountered long intervals of sericite, chlorite and clay alteration with local epidote, and returned broad intervals of anomalous gold, most notably in CCRC17-08, where the entire 108.81m hole averaged 137ppb gold.

At its south end the structure is underlain by Dawson Range granodiorite, in its central area it separates the Koffee Bowl quartz diorite on the west side from Dawson Range granodiorite on the east, and in the north it separates Koffee intrusive on the west from orthogneiss on the east.

Though outcrop in this area is especially sparse, prospecting has discovered float running up to 736ppb gold and 3.25% copper. The 1997 trench 97-T5, in the central part of the zone, encountered strong limonite-clay alteration with anomalous arsenic, and gold values to 690ppb. Drill hole 2000-07 was collared near this trench and encountered long intervals of strongly clay altered granodiorite with a high gold value of 215ppb.

In 2017 a total of seven RC drill holes, from three sites, were emplaced in the Linear A target, encountering wide intervals of sericite+/-chlorite alteration in both granodiorites and orthogneisses. Broad zones of anomalous gold was encountered in most of the holes, including 107.59 metres of 137ppb in CCRC17-08, and 10.64 metres of 401ppb in CCRC17-03. The CCRC17-08 interval included 3.05 metres which averaged 765ppb gold. Anomalous arsenic, antimony, bismuth and tellurium also occur throughout the Linear A holes.

### **7.4 Ana Intrusion Related Gold Target**

The Ana area is located in the central part of the Canadian Creek property, roughly defined by a strong gold in soil anomaly that measures 1300 by 700 metres, with values as high as 1939ppb. The area is underlain by granodiorite which has been intruded by Patton Porphyry bodies and breccias of the Casino Suite that host the copper-gold porphyry mineralization at Casino, four kilometres to the east. Limonite, clay and sericite alteration is widespread throughout the Ana area with locally common quartz-tourmaline veins.

The Eastfield-Wildrose-Cariboo Rose exploration in this area dates from the start of their involvement at Canadian Creek in 1993, with the emplacement of soil grids, bulldozer trenches and diamond drilling. Mechanical trenching and pitting was conducted in 1996, discovering widespread alteration as well as local high gold values; including six metres of 1340ppb gold from trench 96-59, and a grab sample that ran 1397ppb gold from trench 96-25.



Resampling in 2009 of the 1993 bulldozer trench 93-2, located in the eastern part of the Ana Pass area, returned 2516ppb gold from a 0.5metre wide quartz-tourmaline-pyrite zone, while another sample across the zone of alteration returned 886ppb gold over three metres.

In 2016 a limited amount of excavator trenching was conducted. Trench 96-59 was located and trench CTR16-20 was emplaced on its north side. The 2016 trench returned anomalous gold, arsenic, antimony and bismuth along its length and a 20cm quartz vein running 2608ppb was discovered. The trench 96-25 muck piles were resampled and values of 1042 and 628ppb were returned, along with strongly anomalous arsenic, antimony and bismuth and a high silver value of 15795ppb.

Ground magnetics indicate a number of discrete structures in the Ana area, some coincident with strong gold in in soil values.

### **7.5 Casino “B” Intrusion-Related Gold and Porphyry Copper-Gold-Molybdenum Target**

Exploration work has been conducted over the Casino “B” area since the start of the Casino porphyry exploration rush in the 1960’s. Cariboo Rose has access to some of the later work, including trenching and drilling, but the original geophysical and geochemical survey data is unavailable. Since acquiring the Casino “B” in 2000, the current owners have covered the area with soil grids and a magnetometer survey, and also conducted three diamond drill programmes.

Bulk tonnage style gold mineralization was first identified at the Casino “B” target in 1993 when an excavator trench exposed 40 metres of mineralized rock grading 0.57 g/t gold including 10 metres grading 1.69 g/t in Trench 9076-C. Resampling of this trench in 2009 returned slightly lower, but still strongly anomalous results. Diamond drilling in this area intersected 149.96 metres grading 0.49 g/t gold, including 55.17 metres grading 0.72 g/t gold in hole 93-319, and in 2000, hole 2000-01 returned 0.71g/t over 50.43 metres. In the same area, hole CC-DDH-07-04 intersected 135.0 metres grading 0.31 g/t gold. Gold mineralization occurs with pyrite and minor quartz veining in granodiorite and latite intrusives. These drill holes are located within a >50ppb gold in soil anomaly that is over 1.5 kilometres long and up to 1 kilometre wide, and also hosts significant silver, molybdenum and copper in soil anomalies.

Outcrop is scarce in the area, but information from drilling indicates that area is underlain by Dawson granodiorite and lesser gneiss units which contain local intrusions and breccias of the Casino Suite, with widespread propylitic and phyllic alteration.

The northern part of the Casino “B” area is underlain by a very strong magnetic anomaly over which occur two smaller chargeability highs. A strong magnetic low embayment extends from the Casino property onto the area immediately southeast of the drill holes. A detailed ground magnetic survey was conducted at Canadian Creek in 2011, but the only available IP surveys at Casino “B” date from the 1960’s. It is recommended that any further work at Casino “B” be preceded by a modern IP survey.

Anomalous molybdenum occurs in many of the drill holes in this zone. Hole 1994-323, intersected highly altered Patton Porphyry well mineralized with molybdenum through most of its length with Individual sample intervals to a high of 1550 ppm.

The Casino “B” area lies adjacent to the Casino porphyry copper-gold-molybdenum deposit which is currently the subject of mine permitting by Western Copper and Gold Corp. A 2013 report noted a Total Measured + Indicated Resource of 1.057 billion tonnes averaging 0.20% copper, 0.23g/t gold, 0.022% molybdenum and 1.71g/t silver.

#### **7.6 Koffee Bowl Zone Porphyry Copper-Gold Target**

The Koffee Bowl area is underlain by a quartz diorite body referred to as the Koffee Bowl Intrusive. This body may be younger than the Dawson granodiorite that underlies most of the property and possibly related to the Casino Intrusions. The eastern contact is a major north-northwest trending fault that shows up a prominent magnetic low which contains a number of chargeability highs along its length. This is described above as the Linear A Zone. The quartz diorite body exhibits extensive phyllic and propylitic alteration and contains Casino Complex breccias and Patton Porphyry intrusions.

The soil geochemical signature of the Koffee Bowl Zone is limited to subtle and scattered anomalous copper and molybdenum. The northern part of the area, referred to as Koffee Bowl north, is defined by a large gold in soil anomaly, 1200 by 2500 metres, which contains values up to 368ppb.

An open ended, 3000 by 2500 metre, chargeability anomaly (>20millivolt/volt) occupies the heart of the Koffee Bowl target. A central zone of lower chargeability measuring 1200 by 900 metres occupies the centre of this feature creating a “donut” pattern. A strong total field magnetic anomaly occupies the centre of the donut and extends across to an area of higher chargeability response in a west southwesterly direction.

A 700 metre gap exists on the western side of the current IP grid. This should be infilled and the grid extended to the west as part of the next exploration there.

Six drill holes (five in 2000 and one in 1993) have so far been emplaced in the Koffee Bowl target. The year 2000 holes were drilled in an east-west fence along the northern edge of the chargeability donut. All holes predominantly encountered quartz diorite with Patton Porphyry was intersected in the centre of the drill fence and in the most westerly hole. Strong phyllic alteration (chlorite–sericite) with a strong quartz pyrite stockwork was encountered on the western edge of the drill fence while strong potassium-magnetite alteration and a quartz dominant vein stockwork was encountered in the centre and on the eastern side of the fence. Although no economic grade/intercepts were obtained, highly anomalous concentrations of copper and or molybdenum plus minor gold were encountered in the central holes such as CC2000-06 with 11.71 metres grading 0.30% copper and 0.02 g/t gold.

A prominent resistivity high exists on the northern edge of the “donut-hole”. A sample of silicified rubble sampled in 2001 from the northern region of this feature returned an analysis of 737ppb gold and 508ppm molybdenum, though the resistivity target remains undrilled.

A biotite altered mineralized microbreccia angular float was discovered in 2000 in the eastern part of Koffee Bowl in what is now termed the Linear A Zone. It contained a network of millimetre to centimetre scale malachite and chalcopyrite veinlets and returned an assay of 3.25 % copper with minor gold and molybdenum. Though limited follow up prospecting has so far failed to find either this boulder or any others, much of the Koffee Bowl target remains untested.

## **8. 2017 EXPLORATION**

The 2017 exploration programme at Canadian Creek was undertaken by Cariboo Rose from June 23 to August 27. The work was conducted out of the Cariboo Rose camp, located in the headwaters of Brynelson Creek. Alkan Air provided air support to the Casino airstrip, six kilometres from the east. A rough but serviceable road connects the camp with the airstrip. Helicopter support for the field work was provided by Fireweed Helicopters of Whitehorse.

The 2017 work included infill soil sampling, prospecting and rock sampling on the Malt West and Kana targets, a ground magnetic survey over the Malt West area, and a reverse circulation (RC) drill programme over a number of targets across the property. A total of 1570 soil and 257 rock samples were collected, 102.43 line kilometres of magnetic survey was done and a total of 2151.27 metres, in 24 holes, of drilling was conducted with 1400 drill samples collected. All samples were submitted to Bureau Veritas' prep facility in Whitehorse, with the geochemical analyses conducted in Vancouver.

### **8.1 2017 Soil Sampling**

Soil sampling was conducted in two target areas on the Canadian Creek property in 2017 to increase the sample spacing over areas of anomalous geochemistry. A total of 1570 samples were collected, mostly from the Malt West target. Permafrost and locally extensive boulder fields hampered the work in some areas, and many sample stations were missed. Results from this work better defined the anomalies in both areas which will aid in the targeting of future exploration.

The Malt West target consists of a northwest trending zone of anomalous multi-element soil geochemistry, including gold, arsenic and antimony that is over 2500 metres long and up to 400 metres wide. The 2017 soil sampling covered this zone, increasing sample spacing from 50 metre spaced samples on 200 metres spaced lines, to 25 metre samples on 100 metre spaced lines.

A distinct zonation is noted in the geochemistry of Malt West. The highest surface gold results, in both soil and rock, occur in the central part of the zone along with the strongest arsenic values. Antimony is the most widespread of the pathfinder elements though generally limited to the southeastern part of the zone, locally coincidental with arsenic in the extreme southeast end of the zone. Anomalous molybdenum occurs immediately southwest of the highest gold values, while barium occurs as a halo to the northwest and southeast of the central gold zone. The Malt West soil anomaly is truncated on its southeast end by a major northeast-southwest trending fault.

Though anomalous gold in soils are scattered along the length of the Malt West zone, the highest values cluster in an area in the central part of the anomaly, with values to 108ppb. Prospecting in the area has returned two gold in rock values over 1g/t; 1867 and 1244ppb.

In fill soil sampling was also conducted in the Kana Zone. The historical soil grids in this area had sampling spacings that ranged from 25 to 75 metre samples on 200 metre spaced lines. The 2017 lines increased this to 25 metre stations on 100 metre spaced lines in parts of the anomaly and better defined the gold and arsenic anomaly. A high value of 708ppb gold was returned from this work.

## 8.2 2017 Prospecting, Mapping and Rock Sampling

As with the soil sampling, a detailed prospecting programme was directed at the Malt West and Kana Zones during the latter part of the 2017 season. Both areas suffer from lack of outcrop so progress was slow as holes had to be dug through the moss in order to even find float. As well, hand pits were dug at Malt West. A total of 257 rocks were collected from this work.

Much of the Kana Zone prospecting was directed at its western end, to an antimony-silver-lead soil anomaly located to the north and northwest of Ana Peak. Prospecting here in 2017 discovered quartz vein float with massive stibnite-arsenopyrite with local galena, molybdenum and sphalerite, near the end of the drill hole CC09-01 access road. Gold values from these samples range ran as high as 9145ppb with silver up to 3100g/t. A chart of the significant results is given below.

**Table 3: Highlights of 2017 Kana West Rock Sampling**

Sample	Au ppb	Ag g/t	Pb %	Zn	As	Sb	Mo	Cu ppm
79430	9145	3100	5.07	2.53%	4.17%	4.74%	0.3ppm	7715.5
142795	4688	713	5.0	5613ppm	4.24%	16.67%	0.001ppm	816.4
79431	3332	1033	3.90	3.56%	2.66%	1.75%	0.7ppm	905.3
79432	3183	10	0.03	0.01%	71.3ppm	151ppm	0.53%	17.2
79409	1696	251	1.22	8347ppm	1.47%	1.10%	0.2ppm	505.6

An area with anomalous silver and gold in float extends from the above samples to the west for over a kilometer to the west to the area of RC drill hole CCRC17-24. The float samples here include quartz veins and strongly limonite-hematite stained gneiss, with gold values to 462ppb, silver to 51ppm, along with lead to 2646ppm, arsenic to 1.71%, and antimony to 1529ppm. The best results in this area form a cluster 900 metres west of the end of the road.

Concerted effort was put into prospecting and rock sampling over the Malt West target. As with most other parts of the Canadian Creek property outcrop is scarce in the area so a total of 22 hand pits were dug here. Pit depths ranged up to 1.6 metres but bedrock was reached in only a few of these. Samples were collected of whatever bedrock was encountered and float samples of any interesting float material were also taken. These pits were all backfilled at the end of the season.

Gold in rock values, from both and pit samples, range up to 1867ppb, arsenic to 4527ppm, antimony to 9670ppm, and local barium in rock values run as high as 6.95%. The highest gold values have little correlation with anomalous arsenic, antimony, molybdenum or barium, corresponding best with tellurium.

Two rock samples returned gold values of over 1g/t; 1867 and 1244ppb, both from the area of the highest gold in soils in the Malt West area. Both samples contain strong limonite alteration and quartz veins to one centimetre.



Alteration and mineralization at Malt West appears to be preferentially hosted in dark grey to black argillaceous/carbonaceous sections of the dominantly white-buff beige coloured metasediments. Limonite, hematite and jarosite are the main alteration minerals, occurring as fracture coatings and locally pervasively. Local silicification has been noted along with quartz veining. Minor pyrite occurs locally with the alteration, with minor molybdenite noted in bedrock in one pit.

### **8.3 Ground Magnetic Survey**

A ground magnetic survey was undertaken in July over the western part of the Canadian Creek property. With this, the entire property is now covered with 100 metre spaced ground magnetics. In addition, a number of east-west lines were emplaced over the Malt West Zone in order to search for structures capable of hosting the mineralization there.

The survey detected a number of lineaments, oriented mostly to the northwest, though none obviously align with the soil geochemical anomalies. A plot of the magnetics of the property is shown in Figure 6. It can be seen that the 2017 and 2011 survey data are not yet levelled.

### **8.4 2017 Reverse Circulation Drilling**

A 24 hole, 2151.27 metre reverse circulation (RC) drilling programme was implemented during the month of August. The programme was designed to test a number of target types across the property, exploring a range of geological, geophysical and geochemical targets in the Koffee Bowl South, Linear A, Malt East and Kana Zones.

The work was contracted to Midnight Sun Drilling of Whitehorse, who completed the job in an efficient and professional manner ending with an average of 143 metres/day, including drill moves and time lost to unflyable weather. The drilling was ably helicopter supported by Fireweed Helicopters, also of Whitehorse.

Multiple holes were sometimes drilled from the same site, with either the dip being changed or the drill rig turned 180°. Most holes were drilled at a dip of -50°. Extra holes, at steeper dips, were often drilled during night shift to make use of the hours before daylight when the rig could be moved, as the contract was based on a daily, rather than meterage rate. Maximum hole depth was relatively short (127 metres, the number of drill rods available), which was planned in advance in order to test as many targets as possible during the 2017 programme.

Samples were collected on 1.52 metre intervals; the length of each five foot long drill rod. A total of 1400 samples were collected.

Reject samples were collected in rice bags and stored on site and logged at a later date when time permitted. As part of the logging the material was washed and sieved to remove the fine clay and dust so that the chips could be properly observed. Note that any fine pyrite would also have been removed, such that pyrite contents noted in the drill logs are understated.

The best result from the programme was from CCRC17-23, in the northeast part of the Kana Zone, where a single 1.52 metre sample returned a gold value of 4457ppb. Other individual samples from this hole returned gold values of 589, 480, and 361ppb. These narrow discrete mineralized zones correspond better with the Coffee style mineralization than do the wider zones of anomalous gold encountered in the Linear A Zone, such as 105.79 metres of 136ppb gold in CCRC17-08.

The first two holes of the drilling were located in the Koffee Bowl South area, targeting a coincidental chargeability high, magnetic low and gold, copper and molybdenum in soils. Note that the soil sample intervals in this area are 75 metre spaced samples on 200 metres spaced lines.

CCRC17-01 was drilled into the target from the south at a dip of  $-50^{\circ}$ . It encountered problems with bad ground and permafrost and was abandoned at a depth of 18.29 metres. Only the last four samples were analyzed, which returned a high gold value of 27ppb.

From the same site, the drill was steepened to  $-75^{\circ}$  and hole CCRC17-02 was able to reach a depth of 61.57 metres before high water flow necessitated the stopping of the hole. The hole encountered granodiorite throughout its length with sericite alteration and abundant pyrite, locally to over 10%. Little of note was returned from the analytical results with 52ppb being the highest gold value. Hole CCRC17-01 and the top half of CCRC17-02 returned the highest vanadium values returned from the 2017 programme. A cross section of holes CCRC17-01 and 02 is shown in Figure 7.



A total of seven holes, (CCRC17-03 to 09), were drilled from three sites in the Linear A target, which is located on the east side of the Koffee Bowl porphyry copper-gold target area. Linear A is a strong north-northwest trending structure (break in the local magnetic high), which contains local strong chargeability highs and gold in soil anomalies. Granodiorite was encountered in the southern holes CCRC17-03 to 07, with orthogneiss intersected in CCRC17-08 and 09, near the north end of Linear A.

CCRC17-03 was oriented to the east at azimuth  $104^{\circ}$  at a dip of  $-50^{\circ}$ . It too encountered problems with water flow and was stopped at 78.33 metres. A 16.76 metre interval averaging 313ppb gold was encountered in the middle part of the hole from 41.76 to 58.52 metres, which included 10.64 metres averaging 401ppb and individual samples of 512 and 569ppb gold. These values occur with sericite-chlorite-limonite alteration within a larger zone of chlorite alteration. The 512ppb Au sample at the top of the interval is coincident with the highest silver value of the 2017 drilling (45.5ppm), along with high antimony (117ppm) and high copper (356ppm). Aside from these the gold interval contains locally anomalous thallium and mercury and local high silver, copper and bismuth.

A second anomalous interval was returned near the bottom of CCRC17-03; 6.1 metres of 112ppb gold from 67.67 to 73.76 metres, which occurs within a larger zone of anomalous gallium, tellurium and potassium. The last sample of CCRC17-03 contained 134ppb gold, along with the highest molybdenum result of the programme (266ppm) and high values of lead, zinc and arsenic. This mineralization occurs within a zone of chlorite alteration with local quartz veining.


CCRC17-04 was drilled from the same site at the same azimuth, steepened to  $-75^{\circ}$ , to a depth of 73.76 metres where it was again watered out. The gold values were more modest in this hole, with only one sample (124ppb) returning over 100ppb, though a number of anomalous copper values occurred near the bottom of the hole. A cross section of holes CCRC17-03 and 04 is shown in Figure 8.







Cariboo Rose Resources  
 Canadian Creek Project  
 Drill Section CCRC17-01, 02  
 Looking West  
 Au, As Results  
 25m grid lines

Fig 7








Cariboo Rose Resources  
 Canadian Creek Project  
 Linear A Zone  
 Drill Section CCRC17-03,04  
 Looking North  
 Au, As Results  
 Fig 8


25m grid


0.31g/t Au / 16.86m

EOH CCRC17-03  
 78.33m

EOH CCRC17-04  
 73,.76m







The next three holes, CCRC17-05, 06 and 07, were located 200 metres south-southeast of CCRC1-03 and 04, where a southwest trending magnetic low structure intersects the main Linear A lineament. CCRC17-05 was drilled to the east at azimuth 120° at a dip of -50° to a depth of 124.05 metres, the amount of drill rods on hand. No water was encountered in this or either of the other two holes from this pad. Two anomalous gold intercepts were encountered; 3.05 metres of 190ppb from 32.61-35.66m, and 6.08 metres averaging 163ppb from 99.67-105.77 metres. Both intervals are located within larger zones of limonite and sericite alteration. The upper interval occurs within a broad zone of weakly anomalous cobalt, iron, and selenium, while the lower interval has associated copper and bismuth.

CCRC17-06 was drilled from the same pad, in the opposite direction of CCRC17-05, at azimuth 300° and -50° and went to a depth of 123.75 metres. Two >100ppb gold samples returned here one of which occurred in the last sample of the hole (169ppb), coincident with anomalous selenium, molybdenum. Sericite alteration is common in the bottom half of the hole while limonite alteration common in the upper part.

The third hole drilled from this site, CCRC17-07 was drilled in a vertical orientation to a depth of 35.05 metres. It returned two anomalous gold intervals; a single 101ppb sample at 12.19 metres, and 3.05 metres of 115ppb from 27.43 to 30.48 metres. The upper interval occurs within a zone of high bismuth, tellurium and local molybdenum. The lower intercept occurs within a wider zone of sericite alteration and quartz veining which also contains anomalous silver, nickel, cobalt as well as anomalous copper, lead, zinc, arsenic, antimony, and thallium coincident with the high gold values.

The first five holes of the programme are noteworthy for high white pyrite contents throughout the lower sections, often averaging 5-10%.

The third Linear A drill site was located 1200 metres to the north, from which CCRC17-08 and were drilled. Both were drilled to the east-northeast at azimuth 068° at dips of -50° and -75°, respectively. CCRC17-08 ran into excessive water and was shut down at 108.81 metres. A cross section of holes CCRC17-05, 06 and 07 is shown in Figure 9.

CCRC17-08 returned the longest gold intersection of the 2017 drilling programme. The entire 107.59 metre length of the hole averaged 136ppb, and included 6.1 metres of 525ppb gold from 50.90-57.0 metres, which included 3.05 metres averaging 765ppb. Strongly anomalous arsenic, to 7561ppm, is coincident with the high gold values, as is silver, antimony and bismuth. Sericite alteration and disseminated pyrite was noted in various intervals throughout the hole, and quartz veins were noted in the zones of high gold values. Other intervals of note from CCRC17-08 were 3.05 metres of 328ppb gold from 75.29-78.33 metres and 10.06 metres averaging 129ppb gold from 1.22-11.28 metres at the top of the hole.

Hole CCRC17-09 was drilled to a depth of 31.09 metres and returned a best interval of 4.57 metres of 156ppb gold from near the top of the hole at 3.96-8.23 metres. A cross section of holes CCRC17-08 and 09 is shown in Figure 10.

Drill holes CCRC17-10 to 15 were drilled from two sites into the Malt East Zone in the northwest part of the property. This zone is one kilometre in length and trends north-northwest defined by a gold-arsenic-antimony in soil anomaly that is up to 450 metres in width. The soil anomaly occurs on the west side of a parallel strong break in the ground magnetics which is interpreted

to represent a fault or structure. Limited prospecting here in 2016 discovered no outcrop, but brecciated and sericite-clay altered float samples returned weak gold values but significant pathfinder results including >1% arsenic, silver to 104ppm, antimony to 1495ppm, and barium to 469ppm.

A total of six holes were drilled in an east-northeast trending fence (azimuth 070<sup>0</sup>) to test the width of the zone, encountering feldspar-quartz +/- biotite orthogneiss throughout. Locally strong sericite+/-chlorite alteration occurred through this zone, especially in the western holes. Of the eight Malt East gold intercepts discussed below, six are coincident with anomalous arsenic, while all of the intervals in the western holes (CCRC17-13, 14 and 15) were also coincident with high antimony. Though there was much more alteration in the western holes, the better gold values were all from the eastern ones, near to the magnetically defined structure. A cross section of holes CCRC17-10 to 15 is shown in Figure 11.


CCRC17-10 was the easternmost hole of the fence, drilled at -50<sup>0</sup> towards the interpreted structure. Minor pyrite occurred throughout the hole though alteration was scarce. Two anomalous intervals were encountered in the upper part of the hole; 257ppb gold over 1.52 metres at 12.19 metres depth, and 162ppb gold from one 1.52 metre sample at 41.45 metres, both of which were attended by anomalous copper, zinc and antimony. Anomalous tungsten, (0.06%), was returned from the top of the hole from 4.88 to 7.62 metres.

Gold, to a high of 183ppb, and other elements including molybdenum, silver, arsenic (to 2485ppm), antimony mercury, and thallium increase markedly in the last four samples of hole, possibly indicating mineralization in proximity of the interpreted structure. The final depth of this hole was 114.30 metres. A deeper hole into the structure is recommended for future programmes.

For hole CCRC17-11, the drill was rotated 180<sup>0</sup> to the west-southwest, at an azimuth of 250<sup>0</sup> and dip of -50<sup>0</sup>, and drilled to a depth of 124.97 metres. Sericite alteration occurred across large sections of the hole with minor pyrite occurring throughout. Two intervals of note were encountered in this hole. The first of these was 133ppb gold from a single (1.52 metre) sample at 91.44 metres, which had accompanying high lead, zinc, arsenic to 3483ppm, antimony, bismuth and barium. The second interval occurred near the bottom of the hole in a 7.62 metre section from 108.2-115.82 metres which averaged 200ppb gold and 9.3g/t silver, again accompanied by anomalous base metals and arsenic to 5670ppm. The bottom 30 metres of the hole contained sericite alteration with many >50ppb gold values.

The third hole of the first Malt East site was CCRC17-12, drilled vertically to a depth of 59.44 metres. The best gold value from this hole was 75ppb, but it appears that the hole was stopped above the zone of higher gold values encountered in holes CCRC17-10 and 11.

The second drill pad at Malt East was situated 160 metres west-southwest of the first where again, three holes were drilled from the site. CCRC17-13 was drilled at azimuth 070<sup>0</sup> back towards the previous holes, at a -50<sup>0</sup> dip, to a depth of 125.58 metres. Strong sericite alteration and pyrite occurred throughout most of the hole, along with common gold values of >50ppb. The two best intervals from this hole were single samples of 125ppb gold and 4ppm silver, and 112ppb gold and 12.9ppm silver, from 35.66 and 113.39 metres depths, respectively.



Hole CCRC17-14 was a vertical hole that ended at a depth of 67.36 metres. As with the previous hole it contained strong sericite alteration and pyrite throughout, though again with subdued gold values, to a high of 76ppb.

The final hole at Malt East, CCRC17-15, was drilled to the west-southwest at azimuth 250° and -50° dip to a depth of 72.25 metres where it was abandoned due to badly caving ground (probable fault) from 36 to 45 metres. Once again the hole encountered sericite alteration and pyrite. The best gold intercept here was 3.05 metres of 139ppb gold from 39.01-42.06 metres, which also contained high arsenic (to 1699ppm) and the highest antimony value encountered in the 2017 drilling (863ppm).

The remaining holes of the 2017 programme, CCRC17-16-24 were emplaced in the Malt Zone, a five kilometre long east west trending gold-arsenic in soil anomaly located in the eastern half of the property. All of the Kana Zone holes were collared in and extended into biotite-feldspar-quartz orthogneiss with the exception of hole CCRC17-23 which drilled entirely through granodiorite.


Hole CCRC17-16 targeted a sharp break in arsenic in soil values which was interpreted as occurring at the junction of two structures. The hole was situated on the northeast corner of resistivity and chargeability highs which coincided with the geochemical break and was drilled to the northeast at azimuth 048°, at -50° dip, to a depth of 126.49 metres. The 2009 drill holes CC09-03 to 05 are located 350 metres to the southwest. The 2017 hole contained widespread sericite and chlorite alteration and included a 3.05 metre interval, from 45.72 to 48.77 metres, which averaged 506ppb gold and 6.8g/t silver, accompanied by 2.94% arsenic and anomalous base metals, silver, antimony and bismuth. The 1.52 metre interval from 117.35 metres contained 0.019% tungsten though no other anomalous elements were noted. A cross section of CCRC17-16 is shown in Figure 12.

CCRC17-17 was located 600 metres east of CCRC17-16, designed to test a similar geochemical break, this time in gold in soil values. The hole was drilled to the northwest towards a chargeability high, at azimuth 048°, again at a -50° dip. Due to problems with the drill bit the hole was ended prematurely at 110.03 metres. The top of the hole contained extensive limonite alteration and returned 136ppb gold for the first 13.41 metres, along with anomalous tellurium and selenium. Variable sericite alteration occurred from 30 to 49 metres coincident with weakly anomalous mercury. The 3.05 metre interval from 47.55 metres ran 233ppb gold. Local chlorite alteration was noted in the lower part of the hole where a 1.52 metre sample returned 305ppb gold at 73.46 metres, associated with anomalies in copper, lead, zinc, silver, iron, arsenic and bismuth. The second to last sample of the hole, at 106.98 metres, ran 0.141% tungsten, coincident with a high cobalt value. A cross section of drill hole CCRC17-17 is shown in Figure 13.

Drill holes CCRC17-18-20 were set up to follow up on high gold values in the 2011 trench CR-TR07, a matter made difficult due to incorrect coordinates of the trench. The 2011 trench included gold values of 4400, 2890 and 1490ppb from the middle, and 828ppb from the last sample on the southeast end of the trench.








Cariboo Rose Resources  
 Canadian Creek Project  
 Kana Zone  
 Drill Section CCRC17-17  
 Looking Northeast  
 Au, As Results  
 Fig 13

25m grid



CCRC17-18 was oriented to the east at a  $-50^{\circ}$  dip and went to 125.27 metres. Pyrite, to 1%, occurred throughout the hole and zone of limonite alteration was noted from 57 to 89 metres. The top 27.13 metres of the hole averaged 205ppb gold with values to 622ppb coincident with weak to moderate sericite alteration. Anomalous copper silver, arsenic, antimony, mercury and tellurium also occur here. The interval from 39.93-47.55 metres averaged 150ppb, occurring with anomalous copper and selenium, while 273ppb gold was returned from the 3.05 metres from 56.69 to 59.74 metres. The final anomalous interval from this hole was 146ppb gold from the 3.05 metres from 81.08 to 84.12 metres attended by anomalous zinc, silver, iron, arsenic, antimony, bismuth, mercury, selenium and tellurium.

Hole CCRC17-19 was drilled at the same azimuth, steepened to  $-75^{\circ}$ . This hole went to a depth of 33.53 metres. The top 22.56 metres of the hole returned an average gold value of 170ppb, while an internal 10.67 metre interval from 4.57 to 15.24 metres returned 214ppb gold associated with elevated arsenic and silver.


The third hole from this site, CCRC17-20, was drilled to the west at azimuth  $280^{\circ}$ , again at a  $-50^{\circ}$  dip, to 96.62 metres and encountered numerous anomalous gold samples in the top 28 metres, including an interval of 15.24 metres averaging 130ppb gold from 14.33-29.57 metres, coincidental with anomalous tellurium and silver. Sericite alteration of the orthogneiss was common throughout this hole. A cross section of holes CCRC17-18, 19 and 20 is shown in Figure 14.


The 2011 trench CR-TR-5, located 230 metres northeast of CR-TR05, returned gold values of 1115 and 667 ppb, and was tested in 2017 with drill holes CCRC17-21 and 22. Hole CCRC17-21 was oriented to the east and reached a depth of 94.79 metres. A 1.52 metre 136ppb gold sample occurred at 36.88 metres, associated with a high copper value. A 16.76 metre intercept was returned from a zone of sericite alteration from 74.98 to 91.74 metres, averaging 161ppb gold, coincident with anomalous copper, arsenic, and a gallium and potassium low.

This hole also returned three samples with high tungsten values. The first of these occurred at 50.60 metres, 0.034%, while the other two ran from 3.05 metres from 84.12-87.17 metres, averaging 0.07%, coincident with high cobalt, anomalous tellurium and 163ppb gold.


The second hole from this site, CCRC17-22, was drilled to the west and went to 111.25 metres. Five intervals of  $>100$ ppb were returned here, all coincident with sericite alteration. The most notable of these was the top 10.06 metres which averaged 141ppb gold, associated with anomalous base metals, silver, arsenic, antimony, bismuth, and tellurium. The 3.05 metre interval from 54.86-57.91 averaged 283ppb gold, occurring with high values of copper, silver, bismuth, and tellurium. The lowermost anomalous gold intercept in the hole ran from 70.10-88.39 metres, averaging 140ppb over 18.29 metres, again occurring with high copper, silver and tellurium. This interval also included a single 389ppb sample. A cross section of drill holes CCRC17-21 and 022 is shown in Figure 15.

Hole CCRC17-23 was collared in the northeast part of the Kana Zone, in the area of the 2009 drill holes CC09-08 and CC09-10 which returned intercepts of 3458ppb gold over 1.5 metres and 1099ppb gold over 3.0 metres, respectively. The 2009 holes were drilled to the north, across a roughly east-west trending chargeability-gold in soil anomaly. The 2017 hole was oriented to the southwest to cut across a sharp northwest trending chargeability high noted in the detailed 2011 induced polarization (IP) survey here. The hole was oriented at  $235^{\circ}$  at a  $-50^{\circ}$  dip, and





Cariboo Rose Resources  
 Canadian Creek Project  
 Kana Zone NE  
 CC09-10, CCRC17-23 Au  
 Drill Section A-A'  
 Au, As results  
 Looking East  
 50m grid  
 Fig 16  
 Au in ppb



Cariboo Rose Resources  
 Canadian Creek Project  
 Kana Zone  
 Drill section CCRC7-24  
 Lokking Northeast  
 Au, As results  
 Fig 17

finished at a depth of 124.97 metres. This hole encountered granodiorite along its length, with only local weak sericite and limonite alteration noted.

This hole differed from the rest of the 2017 drill holes in having the anomalous gold intercepts occur as narrow and high grade, as opposed to the generally wider and lower grade intercepts of the other holes. A total of five significant gold intercepts were returned from hole CCRC17-23, all coincident with anomalous arsenic. The uppermost of the mineralized intervals was a single sample at 30.48 metres which contained 589ppb gold coincident with anomalous base metals and 1.53% arsenic, within a 12 metre wide zone of elevated molybdenum. A 3.05 metre interval from 80.77 to 83.82 metres ran 480ppb gold (anomalous arsenic, manganese, tellurium and selenium), and single samples at 99.06 and 121.92 metres ran 361 and 332ppb gold respectively, with the latter sample occurring in the second to last sample of the hole. The most significant sample of the 2017 drilling was a single sample at 89.92 metres which returned an assay of 4457ppb gold, associated with anomalous tellurium and bismuth. Anomalous arsenic, silver and base metals occur with the upper intercepts, within a broad zone of anomalous cobalt, manganese, copper, barium and potassium.


Of note in this hole is the very high barium background; with most samples containing >500ppm, even though there is no obvious alteration in the host granodiorite. These high values may be associated with the Casino porphyry hydrothermal system. All of the gold intervals are accompanied by barium lows, indicating that the gold mineralization was a later event that overprinted and depleted the barium. A similar pattern occurs in holes CCRC17-18 to 20. A cross section of drill hole CCRC17-23 is shown in Figure 16.

The final hole of the 2017 drill programme, CCRC17-24 was located at the west end of the Kana Zone, targeting a break in the broad arsenic in soil anomaly that occurs in that area. This hole drilled to the northwest at 330° to a depth of 109.73 metres, again at a -50° dip. Though only a single anomalous gold sample (164ppb, along with 2.3 g/t silver, at 54.86 metres) was encountered here, this hole is notable for having high background values of arsenic and manganese. Three samples returned >1% manganese; at 22.86 metres and in the 3.05 metre interval from 53.34 to 56.39 metres, all coincident with weak to moderate sericite alteration. These samples all also contain high arsenic and lead, while the latter interval also contained the high gold value of the hole. A cross section of hole CCRC17-24 is shown in Figure 17.

## **9. DRILLING**

The first drilling on the Canadian Creek property was carried out in 1970 on the current Casino “B” area by Brameda Resources Ltd. In 1993 Eastfield and its option partners drilled the Ana and Koffee areas. In 1994 (before Eastfield acquired these claims) Pacific Sentinel Gold Corp drilled four holes in the Casino “B” area. In 2000 the Ana, Koffee and Casino “B” areas were drill tested by Wildrose Resources and its option partners, and in 2007 on the Casino “B” claims were drilled by Eastfield’s successor company Cariboo Rose and its option partners. In 2009 a 10 hole, 1425.6 metre drill program was conducted in the Kana Zone by Cariboo Rose Resources.

A total of 40 diamond drill holes have been drilled in the Canadian Creek property since 1970 to a total of 6069.2 metres. Efforts have been made in recent programmes to locate and obtain GPS coordinates for all of the holes, though a few have yet to be definitively located.





In 2017 Cariboo Rose conducted a programme of RC (reverse circulation) drilling across the property drilling 2151.27 metres in 24 holes.

In 1969 and 1970 Bremada Resources Ltd. carried out a large exploration program in the Casino area. Two of the 49 diamond drill holes drilled by Brameda during this period, referred to as D1 and D2, were emplaced in the Casino "B" area of the current Canadian Creek Property. These two holes totaled 295.97 metres and were NQ size (47.6 millimetre diameter), and were drilled by E. Caron Diamond Drilling Ltd. of Whitehorse. The current location of this core is unknown.

The 1993 Eastfield drill programme at Ana and Koffee was also contracted to E. Caron Diamond Drilling Ltd. and consisted of 850.54 metres of NQ core in seven holes. Recoveries were generally very high, with local low recoveries associated with faults and shear zones. All of the core was logged and sampled with the exception of hole 93-A-3 where only 13 samples were taken. This core is stored at the Canadian Creek camp but is in poor condition.

The 1994 diamond-drilling on the Casino "B" option was part of a larger program on the Casino property by Pacific Sentinel Gold Corp. The work was again contracted to E. Caron Diamond Drilling Ltd. and 551.38 metres of HQ (63.65 millimetre) core was drilled in four holes (1994-319, 1994-323, 1994-325 and 1994-328). Recoveries are not stated in the drill summaries available to the author, but the core from each of these holes has been examined by the author and recoveries were high, usually 100%. The core was split, or in some cases sawn, in two with half returned to the core box and some portion of the remainder being sent to Chemex Labs Ltd. of North Vancouver for analysis (32-element ICP and copper/molybdenum/gold assay). This core is stored in a well-organized core-library at the Casino airstrip.

The 2000 diamond-drill program, funded by Alexis Resources Ltd., was contracted to Major Drilling Ltd. of Smithers, BC and a total of 1,985 metres of NQ (47.6 millimetre diameter) core was drilled in 11 holes (not including hole CC2000-8 which was lost and produced no core). This programme tested three areas. On the Koffee claims five holes (plus one lost) were drilled for a total of 1152.5 metres (not including the 81 metres lost in hole CC2000-8). On the Ana claims 300.2 metres were drilled in two holes, and on the Casino "B" Option 531.6 metres were drilled in four holes. Recoveries when solid bedrock was reached were very high, often 100%, but in the Koffee Bowl Zone deep overburden, combined with intense weathering, surface leaching and clay-alteration made for very difficult drilling. Casing in several holes exceeded 40 metres and an unknown thickness of altered bedrock was washed away before competent rock was reached and coring could begin. All core recovered was transported to camp where all core was split and logged, with the split fraction shipped to Acme Analytical Laboratories Ltd. where it was analyzed (30-element ICP and FA/ICP gold). The core is stored on site at the Canadian Creek camp.

The 2007 diamond drill program, funded by Veraz Petroleum Ltd., was completed by Beaudoin Diamond Drilling Ltd. The program consisted of five holes totaling 880.57 metres of BTW (42.0 millimetre diameter) drill core. All drilling was completed in the eastern area of the property on the Casino "B" claims. Overburden varied from 4.6 to 23.4 metres. This core was again processed at the Canadian Creek camp and the remaining portion is stored there. Sample analysis was done by Eco-Tech Labs, of Kamloops BC, with sample preparation done at their facility in Whitehorse.

The 2009 drilling in the Kana (formerly Coffee Can) area, funded by Alder Resources Ltd. was carried out by Kluane Drilling Ltd. of Whitehorse. A total of 1425.6 metres of NTW (57.1 millimetre diameter) core was drilled in 10 holes. The drilling went well, and recoveries were generally good. As with all of the previous Eastfield/Cariboo Rose drill programmes, the core was logged and sampled at the Canadian Creek camp, with the remaining split core stored there. Samples were sent to Acme Analytical Laboratories in Smithers BC, for preparation, who then forwarded the samples to their Vancouver facility. A 15 gramme sample was analyzed for 36 elements using the 1DX-15 package, which utilizes a 1:1:1 Aqua Regia digestion followed by ICP-MS analysis.

In 2017 a 24 hole helicopter supported reverse circulation (RC) drill programme was conducted at Canadian Creek as part of the Cariboo Rose exploration programme. The RC method was chosen due its lower costs which allowed for a greater number of holes being drilled and more targets tested. The drilling was performed by Midnight Sun Drilling of Whitehorse.

A total of 2151.27 metres was drilled in 24 holes ending with an average of 143 metres/day including drill moves and time lost to poor weather. Hole size was 8.9 centimetres, and maximum hole depth was 127 metres, the amount of rods on hand. Multiple holes were sometimes drilled from the same site, with either the dip being changed or the drill rig turned 180°. Most holes were drilled at a dip of -50°. Extra holes, at steeper dips, were often drilled during night shift to make use of the hours before daylight when the rig could be moved, as the contract was based on a daily, rather than meterage rate.

Sampling was done at the drill at 1.52 metre intervals, the length of each five foot drill rod. Rock chips were run through a cyclone and run through a three-tier splitter such that 12.5% of the total volume was collected into a numbered sample bag which was sealed and packed for shipment to the laboratory for analysis. The rest of the interval's rock chips were saved in a numbered rice sack and stored at the drill site where it was later logged by the project geologist with a small representative sample retained in a chip tray. Logging of the chips required the washing and sieving to remove the abundant fine powder and sand in order to properly see the chips. As part of this washing any fine pyrite would be removed, such that pyrite contents noted in the drill logs are understated.

Samples from the drilling were transported to Bureau Veritas' (formerly Acme Labs) sample preparation facility in Whitehorse, with analyses conducted at the Bureau Veritas laboratory in Vancouver. The analytical method used was AQ201; a 36 element (including gold) ICP-MS on a 15 gramme sample. Selected samples were rerun for FA-AA gold, and over-limit samples for arsenic and tungsten were assayed.

The 2000, 2007, 2009 diamond drill, and 2017 reverse circulation drill programmes managed by Mincord Exploration Consultants followed standard mining exploration procedures for logging, splitting, numbering samples for analysis, and shipping and for the storing of logged and split core. Bremada Resources and Pacific Sentinel Gold Corp. are believed to have done likewise. All analyses and assays have been carried out at laboratories using standard industry techniques, including check assays, repeat analysis and standards analysis, and have been supervised by certified BC assayers. The exploration drilling on the Canadian Creek property is and continues to be of an "early-stage" and as such the orientation of mineralization intersected in drill-holes is unknown.

The following tables summarize the drilling on the Canadian Creek property to date:

**Table 4: Canadian Creek Diamond Drill Holes 1970-2009**

Hole ID	Area	Year	UTM E (NAD 83 Z7)	UTM N (NAD 83 Z7)	Depth (m)	Azimuth	Dip	Geology
93-A-1	Ana	1993	606498	6958253	152.44		-90	Leached-cap with supergene and hypogene phyllic alt gneiss, quartzite, granodiorite, intrusive breccia
93-A-2	Ana	1993	606458	6958043	152.44		-90	Leached-cap with hypogene phyllic and propylitic alt granodiorite, intrusive breccia.
93-A-3	Ana	1993	606700	6957264	41.77		-90	Hypogene propylitic alt granodiorite.
93-A-4	Ana	1993	606604	6958383	152.44		-90	Leached-cap mafic gneiss, supergene phyllic alt intrusive breccia, hypogene propylitic alt granodiorite.
93-A-5	Ana	1993	606792	6958214	152.44		-90	Leached-cap, phyllic alt heterolithic, intrusive breccia, gneiss, granodiorite
93-A-6	Ana	1993	607040	6958162	152.44		-90	Phyllic-alt supergene and hypogene Patton Porphyry
CC2000-3	Ana	2000	606853	6957265	99.06	230	-45	Propylitic alt granodiorite
CC2000-10	Ana	2000	607800	9658071	201.17	180	-45	Propylitic alt quartz diorite
93-K-1	Koffee	1993	603905	6957384	46.5		-90	Limonitic regolith after Patton Porphyry
CC2000-4	Koffee	2000	602678	6957712	251.46	215	-45	Patton Porphyry, propylitic alt granodiorite
CC2000-5	Koffee	2000	602834	6957714	171.6	210	-60	Granodiorite
CC2000-6	Koffee	2000	603537	6957768	219.15		-90	Leached-cap granodiorite, Patton Porphyry, quartz diorite.
CC2000-7	Linear A	2000	604220	6957729	255.12	54	-80	Phyllic alt granodiorite.
CC2000-8	Koffee	2000	603164	6957817	81	no data	no data	Hole lost while setting casing.
CC2000-9	Koffee	2000	603867	6957805	255.12	45	-70	Leached-cap, granodiorite, potassic alt
D-1	Casino B	1970	608851	6958258	136.86		-90	Patton Porphyry, gneiss
D-2	Casino B	1970	608760	6957822	159.11		-90	granodiorite
1994-319	Casino B	1994	608568	6957739	152.4		-90	Brecciated latite dyke, propylitic alt granodiorite.
1994-323	Casino B	1994	608482	6958120	152.4		-90	Propylitic alt Patton Porphyry, weak potassic alt, magnetite rich toward bottom of hole.
1994-325	Casino B	1994	608911	6957970	131.67		-90	Weak propylitic alt Patton Porphyry.
CC2000-1	Casino B	2000	608576	6957766	118.87	200	-45	Propylitic alt granodiorite, plagioclase porphyry latite
CC2000-2	Casino B	2000	608625	6957966	152.4	200	-45	Patton Porphyry, propylitic alt granodiorite
CC2000-11	Casino B	2000	608405	6957735	157.58	200	-45	Weak propylitic alt granodiorite becoming fresh toward bottom
CC2000-12	Casino B	2000	608193	6957883	102.72	200	-45	Weak propylitic alt granodiorite becoming fresh toward bottom
CC-DDH-07-01	Casino B	2007	608784	6958202	166.12		-90	Gneiss with granodiorite dykes
CC-DDH-07-02	Casino B	2007	608973	6958400	152.4		-90	Granodiorite, gneiss and Patton Porphyry

CC-DDH-07-03	Casino B	2007	609013	6957573	208.48		-60	Latite, granodiorite
CC-DDH-07-04	Casino B	2007	608605	6957715	240.79		-90	Granodiorite, latite
CC-DDH-07-05	Casino B	2007	608377	6957715	112.78		-90	Granodiorite, latite, Patton Porphyry
1994-328	Casino B	1994	608516	6959232	114.91		-90	Weak propylitic alt foliated granodiorite and quartzite.
CC09-01	Kana	2009	605173	6958510	137.19	178	-44	variable sericite alt orthogneiss , granodiorite dykes
CC09-02	Kana	2009	606327	6959075	163.1	156	-44	orthogneiss , granodiorite dykes
CC09-03	Kana	2009	606546	6958859	152.43	175	-43	orthogneiss , granodiorite dykes
CC09-04	Kana	2009	606546	6958863	134.14	355	-45	orthogneiss , granodiorite dykes
CC09-05	Kana	2009	607121	6959090	126.52	330	-45	orthogneiss , granodiorite dykes
CC09-06	Kana	2009	607510	6959204	153.73	330	-60	orthogneiss , granodiorite dykes
CC09-07	Kana	2009	607511	6959200	170.73	150	-45	orthogneiss , granodiorite dykes
CC09-08	Kana	2009	607685	6959998	137.77		-68	granodiorite
CC09-09	Kana	2009	607668	6960222	128.04	180	-58	granodiorite
CC09-10	Kana	2009	607875	6960125	121.95		-59	granodiorite
			<b>Total Metres</b>		<b>6069.24</b>			

**Table 5: Canadian Creek Reverse Circulation (RC) Drill Holes**

Hole ID	Area	Year	UTM E NAD83 Z7	UTM NAD83 Z7	Depth (m)	Azimuth	Dip	Geology
CCRC17-01	Koffee	2017	603827	6957120	18.29	000	-50	granodiorite
CCRC17-02	Koffee	2017	603827	6957118	61.57	000	-75	ser-chl-py alt granodiorite
CCRC17-03	Linear A	2017	604512	6957013	78.33	104	-50	chl-ser-py alt granodiorite
CCRC17-04	Linear A	2017	604510	6957012	73.76	104	-75	chl-ser-py alt granodiorite
CCRC17-05	Linear A	2017	604437	6956824	124.05	120	-50	propylitic alt granodiorite
CCRC17-06	Linear A	2017	604432	6956826	123.75	300	-50	locally propylitic alt granodiorite
CCRC17-07	Linear A	2017	604434	6956825	35.05		-90	locally propylitic alt granodiorite
CCRC17-08	Linear A	2017	604056	6958116	108.81	068	-50	locally lim-ser alt orthogneiss
CCRC17-09	Linear A	2017	604054	6958116	31.09	068	-75	orthogneiss
CCRC17-10	Malt E	2017	601880	6960287	114.30	070	-50	lim alt orthogneiss
CCRC17-11	Malt E	2017	601875	6960286	124.97	250	-50	locally lim alt orthogneiss
CCRC17-12	Malt E	2017	601877	6960286	59.44		-90	locally lim alt orthogneiss
CCRC17-13	Malt E	2017	601739	6960221	125.58	070	-50	ser-lim alt orthogneiss
CCRC17-14	Malt E	2017	601737	6960220	67.36		-90	ser-lim alt orthogneiss
CCRC17-15	Malt E	2017	601735	6960219	72.24	250	-50	ser-lim alt orthogneiss
CCRC17-16	Kana	2017	606714	6959220	126.49	048	-50	orthogneiss
CCRC17-17	Kana	2017	607350	6959232	110.03	317	-50	chl alt orthogneiss
CCRC17-18	Kana	2017	607492	6959125	125.27	100	-50	ser-lim alt orthogneiss
CCRC17-19	Kana	2017	607490	6959125	33.53	100	-75	locally ser-lim alt orthogneiss
CCRC17-20	Kana	2017	607487	6959126	96.62	280	-50	locally ser-lim alt orthogneiss
CCRC17-21	Kana	2017	607674	6959264	94.79	100	-50	locally ser-lim alt orthogneiss
CCRC17-22	Kana	2017	607670	6959265	111.25	280	-50	locally ser-lim alt orthogneiss
CCRC17-23	Kana	2017	607903	6960254	124.97	235	-50	granodiorite
CCRC17-24	Kana	2017	604440	6958603	109.73	330	-50	local ser alt orthogneiss
			<b>Total Metres</b>		<b>2151.27</b>			

**Table 6: Kana Zone Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Au (ppb)
94-328	16.15	22.25	6.1	120
	72.24	81.38	9.14	316
includes	78.33	81.38	3.05	750
CC09-01	105.0	105.5	0.5	208
CC09-02	154.15	157.15	3.0	199
CC09-04	11.2	14.2	3.0	125
	20.2	23.2	3.0	132
CC09-05	63.97	71.24	7.4	159
includes	64.9	65.24	0.3	531
CC09-06	5.0	20.0	15.0	330
includes	11.0	17.0	6.0	569
	44.0	46.0	2.0	283
	81.5	87.5	6.0	171
	114.5	123.45	9.0	106
CC09-07	4.9	13.9	9.0	126
CC09-08	6.05	9.05	3.0	129
	77.8	79.3	1.5	3458
	111.5	118.5	7.0	100
CC09-10	20.85	29.85	9.0	100
	82.8	90.05	7.3	683
including	82.8	85.8	3.0	1099
	102.5	108.7	6.2	146
ccrc17-16	45.72	48.77	3.05	506
ccrc17-17	0.61	14.02	13.41	136
	47.55	50.60	3.05	233
incl	49.07	50.60	1.52	318
	73.46	74.98	1.52	305
ccrc17-18	2.13	29.26	27.13	205
incl	2.13	9.45	7.32	309
and	14.02	20.12	6.08	272
incl	18.59	20.12	1.52	622
	39.93	47.55	7.62	150
	56.69	59.74	3.05	273
	81.08	84.12	3.05	146
ccrc17-19	0.30	22.86	22.56	170
incl	4.57	15.24	10.67	214
ccrc17-20	14.33	29.57	15.24	130
ccrc17-21	74.98	91.74	16.76	161
ccrc17-22	0.61	10.67	10.06	141
	25.91	28.96	3.05	138
	42.67	48.77	6.10	121
	54.86	57.91	3.05	283
	70.10	88.39	18.29	140
incl	86.87	88.39	1.52	389
ccrc17-23	30.48	32.00	1.52	589
	80.77	83.82	3.05	480
	89.92	91.44	1.52	4457
	99.06	100.58	1.52	361
	121.92	123.44	1.52	332
ccrc17-24	54.86	56.39	1.52	164

**Table 7: Malt East Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Au (ppb)	
ccrc17-10	12.19	13.72	1.52	257	
	108.2	114.3	6.1	144	(to EOH)
ccrc17-11	108.2	115.82	7.62	200	
ccrc17-15	39.01	42.06	3.05	130	

**Table 8; Linear A Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Au (ppb)	
cc2000-7	26.52	32.31	5.79	150	
ccrc17-03	41.76	58.52	16.76	313	
incl	41.76	43.28	1.52	512	
and	46.33	47.85	1.52	569	
	67.67	73.76	6.1	112	
ccrc17-05	32.61	35.66	3.05	190	
	99.62	105.77	9.15	140	
ccrc17-07	12.19	13.72	1.52	101	
	27.43	30.48	3.05	115	
ccrc17-08	1.22	108.81	107.59	136	(entire hole)
incl	52.43	55.47	3.05	765	
incl	75.29	78.33	3.05	328	
and	90.53	92.05	1.52	244	
	104.24	105.77	1.52	227	
ccrc17-09	3.96	8.23	4.57	156	

**Table 9: Ana Area Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/t)
93-A-1	56.30	104.00	47.7	0.030	0.184
including:	89.02	92.07	3.05	0.030	1.920
93-A-5	2.44	65.40	62.96	0.013	0.108
including:	47.40	53.40	6.00	0.010	0.535
	131.40	152.44	21.04	0.025	0.120
CC2000-10	20.42	27.13	6.71	0.047	0.105

**Table 10; Casino B Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/t)
1994-319 (entire hole)	2.44	152.4	149.96	0.06	0.49
Including:	2.44	46.33	43.89	0.09	0.73
and	108.81	132.59	23.78	0.05	0.74
1994-323	33.83	36.27	2.44	0.05	0.38
Including	60.05	63.4	3.35	0.01	0.31
1994-325	5.49	8.23	2.74	0.02	0.34
Including	41.91	45.72	3.81	0.07	0.25
and	54.56	57.0	2.44	0.02	0.24
and	120.4	123.29	2.89	0.05	0.21
CC-2000-01	18.45	68.88	50.43	0.04	0.71
Including:	18.45	44.2	25.75	0.03	1.04
and	88.7	118.87	30.17	0.066	0.52

CC-2000-02	114.91	124.05	9.14	0.02	0.3
CC-2000-11	102.72	105.77	3.05	0.12	0.97
including	121.22	132.18	10.96	0.04	0.4
and	139.29	141.52	2.23	0.01	0.84
CC2000-12	57.0	60.05	3.05	0.2	0.36
including	78.33	81.38	3.05	0.05	0.43
CC-DDH-07-01	16.8	117.0	100.2	0.06	0.12
CC-DDH-07-02	45.0	108.0	63.0	0.05	0.14
CC-DDH-07-03 (entire hole)	4.6	208.5	203.9	0.03	0.17
Including	168.2	171.5	3.5	0.03	1.91
and 201.5	201.5	204.5	3.0	0.31	0.02
CC-DDH-07-04	9.1	145	135.9	0.05	0.31
Including	32.0	35.0	3.0	0.03	1.03
and	59.0	85.0	26.0	0.12	0.3
and	139.0	145.0	6.0	0.01	2.96
CC-DDH-07-05	7.9	112.8	104.9	0.07	0.14
includes	17.68	20.73	3.05	0.12	0.01
and	26.82	39.01	12.19	0.1	0.02

**Table 11: Koffee Bowl Area Significant Drill Results**

Hole No.	From (m)	To (m)	Interval (m)	Copper (%)	Gold (g/t)
CC2000-1	80.00	82.90	2.90	0.0507	0.105
	107.05	110.64	3.59	0.020	0.187
	122.22	125.27	3.05	0.046	0.345
CC-2000-06	49.86	61.57	11.71	0.298	0.020
Including:	49.86	52.73	2.87	0.483	0.017
	92.6	95.4	2.8	0.367	0.010
CC2000-9	127.11	130.15	3.04	0.120	0.046

## 10. SAMPLE PREPARATION, ANALYSIS AND SECURITY

As per “Standard Industry Procedures”, rock samples are collected in heavy plastic bags and closed with a zap-strap with sample numbers are written on the outside of the bag and a numbered sample tag inside. The geologist collecting the sample writes field descriptions on site. Locations are generally obtained using GPS though closely spaced samples are measured from a given GPS point.

In general, only the geologist takes rock samples so that the field relationships of the sample can be properly described. Often a duplicate sample is taken so that it can be referred to when assay results are received. All field geologists are encouraged to select representative samples, and when high assay results are received, the location is resampled. The duplicate sample is also used for the more detailed descriptions that may be written later in the camp, when the samples are tabulated in spreadsheets to be compiled with coordinates and analyses.

Soil samples are collected along grid lines which are emplaced using compass or GPS. Stations are marked in the field with numbered ribbons or pickets. Soil and silt samples are collected in Kraft paper bags. In camp it is usually necessary for them to be dried before shipment and they are sometimes strung on wires for this purpose. The reliability of soil sampling is greatly enhanced by training the field-crew to collect samples in a consistent and standardized way.

The 2017 soil samples were taken from either holes dug with a tree planting shovel or from auger holes from approximately 20 to 40 cm depth. In areas where soil horizons have developed, an attempt is made to always sample the “B” horizon.

The 2017 samples were analyzed by Bureau Veritas in Vancouver, having been prepped at their facility in Whitehorse. All of the soil, rock and RC drill samples were analyzed for 36 elements, including gold by ICP-ES/MS, with assays conducted on over-limit gold, silver, lead, zinc, molybdenum antimony, arsenic, barium and tungsten. No independent sample standards were submitted by Cariboo Rose, though such were inserted into the sample stream by the lab as part of their internal QA/QC procedures. The Bureau Veritas Vancouver and Whitehorse facilities hold current ISO 9001:2008 and CAN-4-PE ISO/ISE 17025:2005 certificates.

## **11. ADJACENT PROPERTIES**

There are two properties of significance that are immediately adjacent to the Canadian Creek property. Goldcorp’s Coffee property adjoins the north side of Canadian Creek claims. Goldcorp acquired the property in 2016 from Kaminak Resources, who had been exploring there since 2009. In January 2016 Kaminak reported a Probable Resource of 46.4 million tonnes averaging 1.45g/t gold. Gold mineralization at Coffee is hosted in silicified and brecciated structural zones marked by anomalous arsenic and antimony, similar to the Kana and Malt Zones at Canadian Creek. The area of the Probable Resource is 25 kilometres northwest of the Canadian Creek property.

The Casino deposit property of Western Copper and Gold Corp. adjoins the east side of the Canadian Creek property. A 2013 Technical Report Feasibility Study reported a Total Measured + Indicated Resource of 1.057 billion tonnes averaging 0.20% copper, 0.23g/t gold, 0.022% molybdenum and 1.71g/t silver.

## **12. INTERPRETATIONS AND CONCLUSIONS**

The Canadian Creek property is located in the Tintina Gold Province which extends across the Yukon and Alaska and hosts many significant gold deposits including Pogo and Fort Knox in the Alaska and the Brewery Creek, Coffee and Mount Freegold deposits in the Yukon. Goldcorp’s Coffee gold project is located 25 kilometres to the northwest, and Western Copper and Gold’s Casino porphyry copper-gold-molybdenum deposit is situated on the east side of the Canadian Creek property. The Canadian Creek property is host to both of these mineralization types.

Recent exploration programmes in the northern part of the Canadian Creek property have outlined the Kana and Malt zones, which share similar geological, and geochemical, (gold-arsenic +/- antimony-bismuth-molybdenum-barium), characteristics of the Coffee gold deposit. Earlier work at Canadian Creek focused on porphyry copper-gold-molybdenum mineralization at Casino B and Koffee Bowl in the southern part of the property.

Soil sampling has been completed across the entire property and plots of significant elements are shown in Maps 1-7. The most prominent gold in soil anomaly (Kana) occurs in the northeast quadrant of the property and runs east-west for five kilometres, defined by anomalous gold and arsenic in soils with local internal anomalies of antimony, bismuth and silver. The Ana Pass area shows as a prominent anomalous gold in soil high to the south of Kana. The Malt East and West



anomalies are of a lower magnitude, but show as distinct linear zones in the northwest part of the property. Koffee Bowl North contains another large area of anomalous gold in soil values.

Anomalous arsenic in soils roughly coincides with the Kana gold zone, though locally displaced to the north. The Malt Zones are well defined by arsenic, though it is largely absent in the Koffee Bowl area. The Ana Pass and Casino "B" zones show as distinct, though relatively weak, arsenic in soil.

A very strong and prominent antimony in soil anomaly occurs on the north side of Ana Peak in the central part of the property at the west end of the Kana gold and arsenic in soil anomaly. The anomaly measures 1.5 by 2 kilometres in size and is coincident with high silver, zinc and lead. Prospecting in 2017 discovered massive stibnite and arsenopyrite which returned gold values to 9145ppb and 3100g/t silver. Antimony is also strongly coincidental with the Malt East gold-arsenic anomaly and occurs as a halo to a central gold in soil anomaly at Malt West. It shows scattered anomalies at Kana East, though is absent from Ana Pass, Casino "B" and Koffee Bowl.

Bismuth in soil anomalies occur over Kana East, and locally over Ana Pass. Anomalous molybdenum in soils occur over Casino "B", Malt West and scattered across Koffee Bowl. Copper shows as strong anomalies over Casino "B", Kana East, Ana Pass, Malt West and sporadically over Koffee Bowl.

The Kana Zone is a five kilometre long east-west trending zone of anomalous gold in soils that runs across the eastern half of the northern part of the property, varying in width from one to two kilometres. The zone is roughly coincidental with anomalous arsenic and also hosts localized anomalies of antimony and bismuth and is underlain by both metamorphic and Dawson Phase granodiorite rocks.

Gold in soil values range as high as 2290ppb in the eastern part of the grid. Prospecting and trenching have discovered float samples with values up to 2360ppb gold and 66908ppb silver. Drilling in the northeast part of the Kana Zone has returned some of the highest gold intercepts on the property, including 3.0 metres of 1089ppb, 1.5 metres of 3458ppb and 1.52 metres of 4457ppb from drill holes CC09-10, CC09-08 and CCR17-23, respectively. Widespread phyllic alteration occurs in the eastern part of the Kana Zone along with locally strong quartz-tourmaline veining.

In the central part of the Kana Zone, gold values of 4400 and 2290ppb have been returned from trenching and sporadic prospecting across this area has discovered float samples returning 2359 and 3346ppb gold. Nearby drill results include 27.13 metres averaging 205ppb, and 15.0 metres averaging 330ppb in holes CCRC17-18 and CC09-06, respectively.

The western end of the Kana Zone hosts a large and strong antimony in soil anomaly which also contains anomalous silver and lead. Prospecting in this area has discovered massive stibnite and arsenopyrite in quartz, which has returned assays of 9145ppb gold, 3100g/t silver, 5.07% lead, 3.56% zinc and 16.67% antimony.

The Malt area in the northwest part of the Canadian Creek property is another target with strong similarities to the mineralization at Coffee. It consists of two linear gold-arsenic in soil

anomalies of which the western zone (Malt West) is also anomalous in antimony, bismuth, barium, molybdenum and copper.

The Malt East target was drilled in 2017. Large areas of sericite-limonite altered gneiss was encountered, containing anomalous gold, arsenic, barium and molybdenum. The highest gold interval was 7.62 metres averaging 200ppb in CCRC17-11. Hole CCRC17-10 was directed at an magnetically derived structure. The last 6.1 metres of the hole returned anomalous and increasing gold, arsenic, antimony and molybdenum values, possibly indicating proximity to mineralization in the structure.

Malt West, located two kilometres to the southwest hosts strong geochemical zoning. A central gold in soil anomaly is surrounded by outer zones of anomalous arsenic and antimony, with anomalous barium forming an outer anomaly. Abundant limonite-clay-quartz altered float occurs here with gold values to 1867ppb. Other high rock sample values include 4527ppm arsenic, 9670ppm antimony and 6.95% barium.



The Ana Pass area is an intrusive related gold target. It is host to a strong gold in soil anomaly that measures 1300 by 700 metres with values as high as 1939ppb in an area underlain by altered granodiorite and various Casino intrusions and breccias, which contain widespread limonite, clay and sericite alteration and locally common quartz-tourmaline veins. Coincident gold in soil anomalies and magnetic linears occur here as well.

Recent resampling of historical trenches at Ana have returned gold values of 1042 and 2516ppb gold along with strongly anomalous arsenic, antimony and bismuth, and trenching in 2016 discovered a 20 centimetre quartz vein which returned 2608ppb gold. Follow up to a linear gold-arsenic in soil anomaly to the south of the trenches discovered a float sample that returned 825ppb gold from an area of no outcrop.

The porphyry targets at Canadian Creek are associated with poorly exposed occurrences of Casino porphyries and breccias at Casino "B", Ana and Koffee Bowl. These areas all occur within a zone of high magnetics in the southern part of the property which extends eastward from the Casino deposit. These three targets all contain large zones of propylitic and phyllic alteration with stronger potassic alteration mapped in the (better exposed) Ana area.

Casino "B" is underlain by phyllic and propylitic altered granodiorite and lesser gneiss, which contain local bodies of Casino Intrusive Suite Patton Porphyry and various breccias. A strong copper-molybdenum-gold in soil anomaly covers the area. The majority of the drilling to date has been emplaced on the southern edge of a strong magnetic high which covers the northern part of the area. A magnetic low embayment which extends west from the Casino property occurs just to the south of this.

The Koffee Bowl area is underlain by the Koffee Bowl Intrusive; a quartz diorite body that appears to post-date the Dawson granodiorite and may be part of the Casino Intrusive Suite. Casino breccias and Patton Porphyry have also been noted here, on surface and in drill holes. IP surveys here have revealed a chargeability "donut"; a strong low within a larger chargeability high, which lies to the south and west of the current drilling.



### 13. RECOMMENDATIONS

There are two major exploration targets on the Canadian Creek property; “Coffee Style” structurally hosted gold mineralization, and” Casino Type” porphyry copper gold.

Future gold exploration should focus on the Kana, Malt and Ana Zones. The first step here should be detailed geophysics across the geochemical anomalies to look for the structures that may host mineralization. Excavator trenching may work as a follow up but would need to be conducted by large equipment as recent programmes at Kana and Ana with Can-Dig and small Kubota excavators had difficulty reaching bedrock. Such trenching would only be possible at Ana and parts of Kana.

The reverse circulation (RC) programme conducted in 2017 has shown that this an efficient and cost-effective exploration method and should be continued in further programmes. The flat terrain at Ana and parts of the Kana Zone will allow for track mounted RC drilling to be conducted, which would make it even cheaper than the 2017 helicopter supported work.

A number of drill targets exist even before the ground geophysics is completed. Of highest priority is the northeast part of the Kana Zone where three significant drill intersections have been returned to date; 1.52 metres of 4457ppb gold from CCRC17-23, 3.0 metres of 1089ppb gold from CC09-10 and 1.5 metres of 3458ppb gold in CC09-08. At Malt East the bottom six metres of hole CCRC17-10 showed a marked increase in gold, arsenic and antimony in the proximity of an interpreted fault, indicating that deeper drilling here is warranted. At Malt West gold values of 1867 and 1244 ppb were returned from rock samples in a well-defined gold in soil anomaly which makes this an obvious drill target.

There are two areas of porphyry copper-gold potential on the Canadian Creek property; the Casino “B” area, which abuts the Western Copper Casino property, and the Koffee Bowl target to the west. A first step here would be to extend the current Canadian Creek IP to the east to cover Casino “B” and to infill a 700 metre gap of the coverage at Koffee Bowl, and extend coverage to the west. Drilling would be undertaken afterwards to test the best targets.

### 14. STATEMENT OF EXPENDITURES

**Table 12: Expenditure Statement for 2017 Exploration**

<i>Professional Fees</i>		\$CAN
JW Morton	22 days x \$800/day	\$16,800
GL Garratt	40 days x \$800/day	\$32,000
RJ Johnston	128 days x \$800/day	\$101,600
B Laird	17 days x \$800/day	\$13,600
G Tittley	49 days x \$520/day	\$25,480
<i>Field Personnel Fees</i>		
S Perreault	71.5 days x \$480/day	\$34,320
J Perreault	72.5 days x \$480/day	\$34,800
R Cadorette	54 days x \$460/day	\$24,840
K Laidman	51 days x \$370/day	\$18,870
M Jackie	51 days x \$370/day	\$18,870

M Wijma	61 days x \$320/day	\$19,520
S Mulder	35.5 days x \$370/day	\$13,135
S Grimson	71 days x \$580/day	\$41,180
E Scott	69 days x \$345/day	\$23,805
<b>Rentals</b>		
2 Generators	62 days x \$50/day each	\$6,200
1 Sat Phone	62 days x \$10/day	\$620
1 GPS	62 days x \$10/day	\$620
1 Brush Saw	62 days x \$25/day	\$1,550
4 Radios x \$5 each	62 days x \$5/day each	\$1,240
2 ATVs x \$90 each	62 days X \$90/day each	\$11,160
Camp	62 days x \$600/day	\$37,200
Saw (S Perreault)	27 days x \$25/day	\$675
Saw (J Perreault)	15 days x \$25/day	\$375
Truck (S Perreault)	2 days x \$80/day	\$160
Trailer (J Perreault)	6 days x \$50/day	\$300
<b>Transportation</b>		
Helicopter Charter	Fireweed Helicopters	\$189,849
Fixed Wing Charter	Alkan Air	\$64,801
	Nomad Air	\$33,129
Scheduled Flights		\$6,426
Field Equipment Rental	H Coyne and Sons	\$21,370
Truck Rental	Enterprise	\$5,943
Vehicle Rental	Driving Force	\$179
Travel Expenses		\$3,045
Vehicle Expense		\$396
Barge	JDS	\$24,100
<b>Geophysics</b>	Scott Geophysics	\$24,388
<b>Communications</b>	Total North	\$9,484
<b>Expediting</b>	Smalls Expediting	\$12,785
<b>Fuel</b>	AFD	\$58,083
<b>Field Equipment</b>		\$13,988
<b>Lumber for drill pads</b>		\$5,284
<b>Food</b>		\$26,207
<b>Freight</b>		\$8,063
<b>Accommodation</b>		\$6,017
<b>Sample Analyses</b>	Bureau Veritas (3227 samples)	\$84,727
<b>Sample Storage</b>	Bureau Veritas	\$113
<b>Drilling</b>	Midnight Sun Drilling	\$191,648
	<b>TOTAL</b>	<b>\$1,268,945</b>

## 15. REFERENCES

- Archer, A.R. and C.A. Main, (1971): Casino, Geochemical Exploration; CIM Special Volume 11, pp.67-77.
- Bower, B., J. Payne, C. DeLong and C.M., Rebagliati, (1995): The Oxide-Gold, Supergene and Hypogene Zones at the Casino Deposit, West Central Yukon; CIM Special Volume 46, pp.352-366.
- Carne, R.C., (1987): Report on Geochemical survey on the Ana Property, Casino Area, Yukon; Assessment Report.
- Cathro, R.J.; (1981); Report on Geology and Geochemistry, Koffee 1-7, 9, 11 Claims; Assessment Report 900772
- Chapman, J. and G.L. Garratt, (1993): Geological, Geochemical and Diamond Drilling Report on the Ana Claims dated October, 1993. Vancouver Petrographics Ltd. Thin Section Report by John Payne dated October 1993; Assessment Report, 36 pages with attachments.
- Chapman, J. and G.L. Garratt, (1993): Geological, Geochemical and Diamond Drilling Report on the Koffee Claims dated October, 1993, inc. Volume 2 – Attachments, Assessment Report, 27 pages with attachments.
- Eaton, W.D., Gish, R.F., Payne, J.G. and Bower, B., 1994. 1993 Summary Report, Casino Property, West-Central Yukon Territory for Pacific Sentinel Gold Corp. Assessment report 93190
- Godwin, C.L., (1976): Casino, Porphyry Deposits of the Canadian Cordillera, CIM Special Volume 15, pp. 344 – 345.
- Geological Survey of Canada, (1994): Airborne Geologic Survey, Selwyn River / West, Yukon Territory, 115 J/10, 11, 14, and 15.
- JDS Energy and Mining Inc.; (February 18, 2016); NI 43-101 Feasibility Study for the Coffee Gold Project, Yukon Territory, Canada; prepared for Kaminak Gold Corp.
- Johnston, R.J, (2009); Summary Report on the 2009 Exploration Programme on the Canadian Creek Property; Assessment Report
- Johnston, R.J, (2016); Summary Report on the 2016 Exploration Programme on the Canadian Creek Property; Assessment Report
- Lindinger, J.E.L., (1996): Report on the Canadian Creek Property, Dawson Range, Yukon Territory; dated December 2, 1996, 42 pages with attachments.
- M3 Engineering and Technology Corp. (2013); Casino Project, Form 43-101F1 Technical Report Feasibility Study, Revision 1; prepared for Western Copper and Gold
- McMillan, W.J., Thompson J.F.H., Hart C.J.R. and Johnston S.T., (1995): Regional geological and tectonic setting of porphyry deposits in British Columbia and Yukon Territory; CIM Special Volume 46, pp. 40-57.

Morton, J.W., (1997): Report on Trenching, Road Rehabilitation and Road Construction on the Canadian Creek Property, dated January, 1997, incl. Vancouver Petrographics Ltd. Thin Section Reports by John Payne dated September 1996 and November, 1996; Assessment Report, 16 pages with attachments.

Morton, J.W., (1998): Summary Report, The Canadian Creek Property, dated March 6, 1998; Assessment Report, 16 pages with attachments.

Morton, J.W., (2000): Report on Rock and Soil Sampling and Road Reclamation the Canadian Creek Property, dated May, 2000; Assessment Report, 5 pages with attachments.

Morton, J.W., (2001): Report on the Year 2000 Diamond Drilling and Other Fieldwork completed on the Canadian Creek Property, dated January 23, 2001, Assessment Report, 14 pages with attachments.

Morton, J.W., (2002): 2001 Target Evaluation Program, Canadian Creek Property, dated February 1, 2002; Assessment Report, 19p.

Morton, J.W., (2002): Canadian Creek Property, dated October 15, 2002; unpublished report, 12p.

Morton, J.W., (Dec. 20, 2003): Exploration Report on the Canadian Creek Property, Whitehorse Mining District, Yukon Territory, for Sargold Resources Corp. and Wildrose Resources Ltd., filed for assessment work requirements.

Morton, J.W., (Jan 20, 2007): Summary Report of the 2006 field program on the Canadian Creek Property, filed for Assessment Work.

Morton, J.W., (Dec 5, 2008): Summary Report of the 2008 Aster Image program on the Canadian Creek Property, filed for Assessment Work.

Morton, J.W., Russell C.W.P.; (2009): Summary Report on the Canadian Creek Property, Whitehorse Mining District, Yukon Territory With Recommendations for Continuing Exploration; prepared for Alder Resources Ltd.; filed on SEDAR as a National Policy 43-101 report.

M3 Engineering and Technology, (August 5, 2008): Casino Project Pre-Feasibility Study, Yukon Territory Canada, Prepared for Western Copper Corporation, as a technical report on the Western Copper Corporation web site.

Page, Jay W, (2003): Compilation Report, A Summary of the Exploration Programs and Results, the Canadian Creek Property, Whitehorse Mining District, Yukon Territory, with Recommendations for Further Exploration, for Canley Developments Inc., filed on SEDAR as a National Policy 43-101 report.

Page, Jay W, and Morton J.W., (October 25, 2006): Summary Report on the Canadian Creek Property with Recommendations for Continuing Exploration for North American Vanadium Inc. and Wildrose Resources Ltd. filed on SEDAR as a National Policy 43-101 report.

Payne, J.G., R.A. Gonzalez, K. Akhurst and W.G Sisson, (1987): Geology of Colorado Creek, Selwyn River and Prospector Mountain Map Area; DIAND Open File 1987-3.

Richer, Caroline, and Gilman, Tony, (2011): Assessment Report Describing Soil Geochemistry, Trenching and Geophysical Surveys June-September 2011 on the Canadian Creek Property for Castillian Resources Corp.; filed for Assessment Work

Ryan, J.J., Zagorevski, A., Williams, S.P., Roots, C., Ciolkiewicz, W., Hayward, N., and Chapman, J.B., 2013. Stevenson Ridge northeast part), Yukon; Geological Survey of Canada, Canadian Geoscience Map 116 (preliminary), scale 1:100,000

Ryan, J.J., Zagorevski, A., Williams, S.P., Roots, C., Ciolkiewicz, W., Hayward, N., and Chapman, J.B., 2013. Stevenson Ridge northwest part), Yukon; Geological Survey of Canada, Canadian Geoscience Map 116 (2<sup>nd</sup> edition, preliminary), scale 1:100,000

Scott, Alan, (September 3, 1996): Logistical Report; Induced Polarization/Resistivity Survey and Total Field Magnetometer Survey; Canadian Creek Project, Casino Area, Yukon, on behalf of Eastfield Resources Ltd.

Scott, Alan, (August 31, 2009): Logistical Report; Induced Polarization and Magnetometer Surveys; Canadian Creek Project, Casino Area, Yukon, on behalf of Mincord Exploration Consultants Ltd.

Selby, D., R. Creser and E. Nesbitt, (1999): Major and trace element compositions and Sr-Nd-Pb systematics of crystalline rocks from the Dawson Range, Yukon, Canada, Canadian Journal of Earth Sciences, September 1999

Tempelman-Kluit, D.J. (1973): Geology, Snag Mapsheet; GSC Map 16-1973.

Tempelman-Kluit, D.J. (1974): Reconnaissance Geology at Aishihik Lake, Snag and part of Stewart River Map Areas; GSC Paper 73-41.

Thurston, B. (1994): Drill Summary in Pacific Sentinel Gold Corp information package, unpublished, 32p.



## **16. STATEMENT OF QUALIFICATIONS**

I, R.J. (Bob) Johnston, am a graduate of the University of Saskatchewan with a B.Sc. (Advanced) 1982, in Geological Science.

I, R.J. Johnston, am a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Ge.), registration number 19253.

I have practiced my profession since graduation in British Columbia, Yukon, Nunavut, Ontario, Cyprus, Mexico, Jamaica, Belize, Guatemala and Nicaragua.



I, R.J. Johnston, supervised the exploration programme outlined in this report and directed the trenching programme and conducted prospecting and rock sampling.

Dated this 1<sup>st</sup> day of February, 2018.

---

R.J. Johnston P.Ge.







Au in soils ppb	
250 to 2,250	(78)
100 to 250	(256)
50 to 100	(550)
15 to 50	(1812)
0 to 15	(7813)

Legend  
 black diamond = drill hole  
 black dash line = road

Cariboo Rose Resources  
 Canadian Creek Project  
 Gold in Soils  
 1:12,500  
 Map 1  
 1km grid lines








As. in soils ppm	
500 to 750	(167)
200 to 500	(458)
75 to 200	(1548)
0 to 75	(8136)

Legend  
 black diamond = drill hole  
 black dash line = road  
 red line = 15ppb Au contour

Cariboo Rose Resources  
 Canadian Creek Project  
 Arsenic in Soils  
 1:12,500  
 Map 2  
 1km grid lines

0 1,000  
 metres





Sb in soils ppm


●	50 to 390	(33)
●	10 to 50	(411)
●	5 to 10	(628)
●	0 to 5	(9237)

Legend  
 black diamond = drill hole  
 black dash line = road  
 red line = 15ppb Au contour

Cariboo Rose Resources  
 Canadian Creek Project  
 Antimony in Soils  
 1:12,500  
 Map 3  
 1km grid lines

0 1,000  
 metres








BIS in soils ppm	
● 10 to 188	(89)
● 5 to 10	(212)
● 3 to 5	(379)
● 0 to 3	(8629)

Legend  
 black diamond = drill hole  
 black dash line = road  
 red line = 15ppb Au contour

Cariboo Rose Resources  
 Canadian Creek Project  
 Bismuth in Soils  
 1:12,500  
 Map 4  
 1km grid lines








Mo in soils ppm	
30 to 119	(44)
15 to 30	(165)
5 to 15	(1063)
0 to 5	(9073)

Cariboo Rose Resources  
Canadian Creek Project  
Molybdenum in Soils  
1:12,500  
Map 5  
1km grid lines

Legend  
black diamond = drill hole  
black dash line = road  
red line = 15ppb Au contour

0 1,000  
metres









Ba in soils ppm	
●	1 000 to 2 740 (33)
●	500 to 1 000 (209)
●	300 to 500 (1355)
●	0 to 300 (8629)

Legend  
 black diamond = drill hole  
 black dash line = road  
 red line = 15ppb Au contour

Cariboo Rose Resources  
 Canadian Creek Project  
 Barium in Soils  
 1:12,500  
 Map 6  
 1km grid lines









Cu in soils ppm	
200 to 576	(42)
100 to 200	(216)
50 to 100	(1081)
4 to 50	(8968)

Legend  
 black diamond = drill hole  
 black dash line = road  
 red line = 15ppb Au contour

Cariboo Rose Resources  
 Canadian Creek Project  
 Copper in Soils  
 1:12,500  
 Map 7  
 1km grid lines





## Appendix 1 RC Drill Logs



HOLE #	CCRC17-02			datum; Nad 83 Zone 10	UTM E	603827				AZIMUTH		0												
PROJECT	Canadian Creek			note; hole abandoned due to	UTM N	6957118				DIP	-75													
AREA	Koffee Bowl South			high water flow	ELEVATION	1154				DATES	08-Aug-17													
DEPTH	61.57m				GRID E					Logged by	Johnston													
DRILLER	Midnight Sun				GRID N																			
CCRC17-02																								
analytical code										AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430		
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
967013	3.96	5.49	1.52	dk gy-gn gd; 20% py	gd	2						0.4	81.6	<0.1	0.9	11.7	<0.1	0.8	52	0.2	0.8	0.2		
967014	5.49	7.01	1.52	lt wh-gy-gn gd; chl mafics;	gd	5		mod				25.6	77.5	<0.1	4	13.1	0.1	0.5	62	0.5	0.7	0.3		
967015	7.01	8.53	1.52	mod gy-gn gd; chl mafics	gd	1		mod				37.7	108.7	<0.1	6.7	27.2	0.1	1.1	35	0.3	1.8	0.9		
967016	8.53	10.06	1.52	dk gy-gn gd; chl mafics; 10% eu py	gd	10		mod				3.1	52.8	<0.1	1	6.8	<0.1	0.3	97	0.3	0.8	<0.2		
967017	10.06	11.58	1.52	dk gy-gn biot-hb gd; wk chl alt; tr lim; 5% eu py	gd	5		wk				2.9	52.1	<0.1	1	8.1	<0.1	0.3	92	0.2	1.1	<0.2		
967018	11.58	13.11	1.52	dk gy-gn biot-hb gd; wk chl alt; tr lim; 5% eu py	gd	5		wk				4.2	102.4	<0.1	1.4	8.3	<0.1	0.4	56	0.2	1.2	<0.2		
967019	13.11	14.63	1.52	dk gy-gn biot-hb gd; wk chl alt; tr lim; 5% eu py	gd	5		wk				2.8	104.2	<0.1	1.7	9.4	0.2	0.2	85	0.3	1.5	<0.2		
967020	14.63	15.85	1.22	dk gy-gn biot-hb gd; wk chl alt; tr lim; 5% eu py	gd	5		wk				1.7	135.7	<0.1	2.1	13.8	0.2	0.3	121	1	0.8	<0.2		
967021	15.85	17.37	1.52	dk gy-gn biot-hb gd; str chl alt; tr lim; 10% eu py; local lt gy sil'd chips w/ 20% py	gd	10		str				1.7	99.6	0.1	1.7	49.8	0.2	1	85	0.5	<0.5	0.6		
967022	17.37	18.90	1.52	dk gn-gy biot-hb gd; 1% cg eu py; incl 1% lt gy qv? chips	gd	1						2.8	108.3	<0.1	1.9	13.1	0.3	0.4	40	0.4	2.2	<0.2		
967023	18.90	20.42	1.52	dk gn-gy chl'd gd; 10% gy ser-py chips; minor qv chips	gd	5	local	mod			minor	2.2	43.7	<0.1	6.4	26.9	0.6	1.1	43	0.6	1.4	0.9		
967024	20.42	21.95	1.52	dk gn-gy chl'd gd; 5% gy ser-py chips; minor qv chips	gd	5	local	mod			minor	45.4	36	<0.1	1.2	36.7	0.1	2	45	0.8	1.1	1.2		
967025	21.95	23.47	1.52	dk gn-gy chl'd gd; minor gy ser-py chips; minor qv chips	gd	5	minor	mod			minor	3	112	<0.1	1.4	13.3	0.1	0.3	50	0.5	1.6	0.2		
967026	23.47	24.99	1.52	dk gn-gy chl'd gd; tr gy ser-py chips; minor qv chips w/ py to 20%	gd	10	tr	mod			minor	2.4	59.9	<0.1	1.5	9.3	0.1	0.2	67	0.4	1.2	<0.2		
967027	24.99	26.52	1.52	dk gn-gy chl'd gd; tr gy ser-py chips	gd	3		mod				2.4	61.8	<0.1	1.5	7.7	<0.1	0.2	110	0.4	0.8	<0.2		
967028	26.52	28.04	1.52	gy ser gd; 3-5% diss y py; minor qv's	gd	5	str				minor	2.3	43.6	<0.1	4.9	18	0.1	1.5	41	0.4	2.1	1.1		
967029	28.04	29.57	1.52	80% gy ser gd w/ 3-5% diss y py chips and 20% dk-gn chl alt chips; tr pk-bn hem st chips	gd	5	str	str				2	133.8	<0.1	3.6	29.2	0.1	1.3	44	0.3	1.4	0.8		
967030	29.57	31.09	1.52	80% gy ser gd w/ 3-5% diss y py chips and 20% dk-gn chl alt chips; tr pk-bn hem st chips	gd	10	str	str				2.1	21.9	<0.1	5.5	20.9	0.3	0.8	40	0.5	1.9	0.5		
967031	31.09	32.61	1.52	gy ser alt gd w/ 10% py	gd	10						2.7	62.4	<0.1	4	11.3	<0.1	0.6	39	1.1	3.9	0.4		
967032	32.61	34.14	1.52	gy-gn wk ser-chl alt gd	gd	5						1.7	82.3	<0.1	6.7	18.1	0.1	0.3	56	0.4	1.6	<0.2		
967033	34.14	35.66	1.52	dk gy wk ser alt gd; no chl; minor gy chips w/ 20% py	gd	10					minor	1.5	218.4	0.1	4	37	<0.1	0.6	61	0.5	1.4	0.3		
967034	35.66	37.19	1.52	lt gy ser alt gd	gd	5						2.5	255	0.1	3	52.2	0.2	0.5	40	0.8	1.8	0.3		
967035	37.19	38.71	1.52	mod gy ser alt gd	gd	10						1.2	93.1	<0.1	3.2	19.8	0.2	0.4	61	0.4	1.7	<0.2		
967036	38.71	40.23	1.52	dk gy gd; local wh ser alt	gd	1	minor					40	69.9	<0.1	2.9	11.8	0.1	0.3	61	0.3	1.4	<0.2		
967037	40.23	41.76	1.52	lt gy ser lt gd; 1% or stained qtz chips	gd	3	str				minor	2.6	34.8	<0.1	1.7	7.4	0.1	0.3	69	0.8	1.2	<0.2		
967038	41.76	43.28	1.52	mod gy ser alt gd; minor chl alt	gd	3	str	minor				2.1	22.4	<0.1	1	5.4	<0.1	0.2	82	0.7	0.6	<0.2		
967039	43.28	44.81	1.52	lt-mod gy ser alt gd; tr pk qtz chips	gd	3	str				minor	3.1	142.6	0.2	1.5	44.5	0.3	1.1	75	0.7	<0.5	0.2		
967040	44.81	46.33	1.52	70% dk gy unalt gd chips; 30% gy ser alt chips; diss py in both	gd	5	minor					1.9	56.4	<0.1	0.9	40.1	0.2	0.7	85	0.7	<0.5	<0.2		
967041	46.33	47.85	1.52	50/50 dk gy unalt /lt gy ser alt gd; diss py in both	gd	10	str					1.5	19.1	<0.1	0.8	7.4	0.2	0.5	67	0.3	0.9	<0.2		
967042	47.85	49.38	1.52	50/50 dk gy unalt / lt gy ser alt gd; diss py in both	gd	5	str					3.4	25.4	<0.1	1.2	4.9	0.1	0.7	41	0.2	5.3	0.2		
967043	49.38	50.90	1.52	70/30 lt gy ser alt / unalt gy gd; cg py to 1cm; fracture zone (chips to 1cm)	gd	10	str					2.4	12.4	<0.1	<0.5	3.7	0.2	0.4	48	0.3	3.1	<0.2		
967044	50.90	52.43	1.52	90 / 10 ly gy ser alt / unalt gd; abund py	gd	10	str					1.8	12.4	<0.1	0.8	3.4	0.2	0.5	61	0.3	1	<0.2		
967045	52.43	53.95	1.52	90 / 10 ly gy ser alt / unalt gd; abund py; fractire zone (chips to 3m)	gd	5	str					2.5	18.6	<0.1	0.6	3.6	0.1	0.3	55	0.3	1.8	<0.2		







HOLE #	CCRC17-04		datum; NAD 83 Zone 10	UTM E	604510	AZIMUTH	104
PROJECT	Canadian Creek			UTM N	6957012	DIP	-75
AREA	Linear A		note; hole abandoned due to	ELEVATION	1310	DATES	09-Aug-17
DEPTH	73.76m		high water flow	GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-04	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967103	0.61	2.13	1.52	or surface weath biot gd	gd							1.3	40	0.2	32	66.3	2.7	1.4	137	0.3	0.6	0.7		
	967104	2.13	3.66	1.52	or surface weath biot gd	gd							1.3	29.2	0.1	16.7	35.2	1.9	1.2	155	0.1	<0.5	0.6		
	967105	3.66	5.18	1.52	or surface weath biot gd	gd							1.3	41.3	0.1	31.7	25.2	1.7	1.4	130	0.5	<0.5	0.7		
	967106	5.18	6.71	1.52	or surface weath biot gd	gd							0.8	54.7	0.2	37.6	49	2.5	1.5	111	0.6	<0.5	0.6		
	967107	6.71	8.23	1.52	gy biot gd; minor ep, minor py; 50% or surface weath	gd	minor			minor			1.2	73.7	<0.1	18.7	32	1.7	1	104	0.4	<0.5	0.4		
	967108	8.23	9.75	1.52	wk chl alt biot gd; 0.5% diss py	gd	0.5		wk				1.2	199.9	0.1	16	45.4	2.6	0.9	67	0.4	<0.5	0.4		
	967109	9.75	11.28	1.52	wk chl alt biot gd; minor ep; 0.5% diss py	gd	0.5		wk	minor			1.4	151	0.1	12.3	41.8	1.9	1.3	78	0.5	<0.5	0.6		
	967110	11.28	12.80	1.52	wk chl alt biot gd; minor ep; 0.5% diss py	gd	0.5		wk	minor			1.5	195.9	0.9	73.6	46.7	6.9	1.5	23	0.6	0.5	0.5		
	967111	12.80	14.33	1.52	chl alt biot gd; minor ep; 1% diss py; minor bk qtz-py chips; clayey sample	gd	1		mod	minor		minor	1.1	79.4	0.2	34.3	26.1	3.4	1.2	31	0.8	<0.5	0.5		
	967112	14.33	15.85	1.52	chl-ep alt bt gd; 2%py; local bk qtz-py chips	gd	2		mod	minor		minor	1.4	75.5	0.2	23.9	48.6	2.6	1.1	48	1.1	0.7	0.5		
	967113	15.85	17.37	1.52	lt gy-gn chl-ep alt biot gd; 1% ep; 2% py; minor bk qtz-py chips	gd	2		mod	1%		minor	1.4	57.9	<0.1	12.7	28.9	1.5	0.8	46	1.7	<0.5	0.3		
	967114	17.37	18.90	1.52	lt gy chl biot gd; 1% ep; 2% py; minor bk qtz-py chips	gd	2		wk	minor		minor	1.3	41.6	<0.1	14.7	16.9	1.5	0.7	52	0.9	0.5	0.3		
	967115	18.90	20.42	1.52	lt gy-gn biot-hb gd; minor ep; 1% py; minor bk qtz-py chips	gd	1	wk	wk	minor		minor	1.4	54	<0.1	8.4	20.2	1.3	0.7	115	1.4	<0.5	0.2		
	967116	20.42	21.95	1.52	gy-gn biot-hb gd; minor ep; 2% y py	gd	2	wk	wk	minor			1	132.2	0.1	25.8	48.6	2.3	1.6	42	0.9	<0.5	0.7		
	967117	21.95	23.47	1.52	lgy-gn chl-ep alt biot-hb gd; 3% y py; clayey sample	gd	3	wk	mod	mod			0.9	126.9	0.2	29.8	38.4	3.2	1.6	45	1.9	<0.5	0.6		
	967118	23.47	24.99	1.52	lt gy-gn chl-ser alt biot-hb gd; minor ep; 3% y py; minor dumortiorite; clayey sample	gd	3	mod	mod	minor			1	107	0.2	32.3	35.4	2.7	1.7	33	4.7	0.8	0.5		
	967119	24.99	26.52	1.52	gy-gn chl-ser alt biot-hb gd; 5% py	gd	5	mod	mod				1	83.6	0.5	83.2	73.3	3.3	3.1	22	1	0.9	1.1		
	967120	26.52	28.04	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; minor hem chips	gd	5	mod	mod				0.7	48.8	0.1	16.2	34	1.8	1.6	50	0.6	<0.5	0.5		
	967121	28.04	29.57	1.52	gy-gn chl-ep-ser alt biot-hb gd; 5% py; minor hem chips	gd	5	mod	mod	mod			0.5	94.6	0.1	25	32.1	2.9	1.9	29	0.3	0.8	0.8		
	967122	29.57	31.09	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; minor hem chips	gd	5	mod	mod				0.5	77.4	<0.1	18.6	21.3	3.5	1.2	40	0.2	1.2	0.5		
	967123	31.09	32.61	1.52	gy-gn chl-ep-ser alt biot-hb gd; 3% py; minor hem chips	gd	3	mod	mod	mod			0.5	131.8	<0.1	11.9	23.2	2.2	1.2	65	0.3	<0.5	0.6		
	967124	32.61	34.14	1.52	gy-gn chl-ser alt biot-hb gd; 3% py	gd	3	mod	mod				0.6	60.2	<0.1	16.5	57.4	2.7	1.1	43	0.2	1	0.4		
	967125	34.14	35.66	1.52	gy-gn chl-ser alt biot-hb gd; 3% py	gd	3	mod	mod				0.5	166.8	0.1	17.7	44.7	4.1	1.1	52	0.3	0.6	0.5		
	967126	35.66	37.19	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; minor hem st chips	gd	5	mod	mod				0.5	33.4	<0.1	31.6	16.7	2.7	0.9	50	0.2	0.6	0.3		
	967127	37.19	38.71	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; minor hem st chips	gd	5	mod	mod				0.6	67.9	<0.1	11.6	12.2	2.6	0.6	85	0.2	0.7	0.2		
	967128	38.71	40.23	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; 5% or-rd hem st chips	gd	5	mod	mod				1.1	64.4	<0.1	10.5	10.7	2.1	0.6	82	0.4	0.9	<0.2		
	967129	40.23	41.76	1.52	gy-gn chl-ser alt biot-hb gd; 5% py; 1% or-rd hem st chips	gd	5	mod	mod				0.4	105.3	0.1	32.3	29.4	1.3	1.5	40	0.2	1.3	0.6		
	967130	41.76	43.28	1.52	lt gn chl-ser alt biot-hb gd; 5% py; 1% or-rd hem st chips	gd	5	mod	mod				0.5	49.8	<0.1	16.7	22.5	1.6	1.1	44	0.2	1.1	0.5		
	967131	43.28	44.81	1.52	lt gn chl-ser alt biot-hb gd; 5% py; minor dumortiorite	gd	5	mod	mod				0.4	95.7	<0.1	15.6	26.3	1.4	1.3	62	0.3	<0.5	0.5		
	967132	44.81	46.33	1.52	lt gn chl-ser alt biot-hb gd; 2% py	gd	2	mod	mod				0.5	36.3	0.3	43.2	38.3	1.1	3.4	40	0.3	0.7	1.4		
	967133	46.33	47.85	1.52	lt gn chl-ep-ser alt biot-hb gd; 2% ep; 1% py	gd	1	wk	mod	mod			0.6	32.7	<0.1	20.1	32.7	0.4	1.4	57	0.2	0.9	0.7		
	967134	47.85	49.38	1.52	lt gy-gn chl-ser alt biot-hb gd; minor ep; 2% y py	gd	2	wk	mod	minor			0.5	69.7	0.1	24	78.3	0.7	2.5	45	<0.1	1	1.3		





HOLE #	CCRC17-05			datum; NAD 83 Zone 10			UTM E	603827			AZIMUTH		120												
PROJECT	Canadian Creek						UTM N	6956824			DIP	-50													
AREA	Linear A						ELEVATION	1308			DATES	10-Aug-17													
DEPTH	124.05m						GRID E				Logged by	Johnston													
DRILLER	Midnight Sun						GRID N																		
CCRC17-05																									
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t	
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967151	0.91	2.44	1.52	bt gd (abund biot); rd-or surface weath	gd							0.9	59.4	<0.1	9.2	23.7	0.8	2.2	448	0.5	0.7	0.7			
967152	2.44	3.96	1.52	bt gd (abund biot); rd-or surface weath	gd							0.9	62.1	0.1	9.2	21.5	0.7	2.5	550	0.4	0.6	1			
967153	3.96	5.49	1.52	bt gd (abund biot); rd-or surface weath	gd							1.2	64.7	<0.1	10.8	21.6	0.4	2.3	170	0.6	<0.5	1.1			
967154	5.49	6.71	1.22	bt gd (abund biot); rd-or surface weath	gd							0.9	54.4	<0.1	7.9	20	0.5	2.1	420	0.8	0.6	0.7			
967155	6.71	8.23	1.52	bt gd (abund biot); rd-or surface weath	gd							0.9	63.8	<0.1	5.7	10.9	0.4	1.5	552	0.6	<0.5	0.5			
967156	8.23	9.75	1.52	lt gy biot gd; coarse abund biot	gd							0.9	95.5	<0.1	7.7	16.1	0.5	1.4	71	0.9	<0.5	0.5			
967157	9.75	11.28	1.52	gy biot gd; coarse abund biot; tr py; minor hem-lim st chips	gd	minor						0.8	189	<0.1	31	14.6	1.6	1.4	44	0.5	0.7	0.4			
967158	11.28	12.80	1.52	gy biot gd; coarse abund biot; tr py; minor hem-lim st chips	gd	minor				minor		0.7	189.6	<0.1	21.2	18.2	0.8	1.9	45	0.4	0.9	0.4			
967159	12.80	14.33	1.52	gy biot gd; minor py; 2% hem-lim st chips; minor ep	gd	minor				minor	minor	0.9	203.9	0.1	6.1	50.4	0.4	2.1	61	0.6	0.5	0.7			
967160	14.33	15.85	1.52	gy biot gd; minor py; 1% hem-lim st chips	gd	minor				minor		0.8	169	0.1	6.9	34.2	0.3	2.1	67	0.4	0.9	0.7			
967161	15.85	17.37	1.52	gy biot gd; minor py; 1% hem-lim st chips	gd	minor				minor		0.9	104.3	0.1	14	41.1	0.5	2.5	37	0.3	0.8	0.8			
967162	17.37	18.90	1.52	gy biot gd; minor py; 1% hem-lim st chips	gd	minor				minor		0.5	115.6	<0.1	5.3	16.5	0.4	1.6	54	0.5	0.8	0.6			
967163	18.90	20.42	1.52	gy biot gd; minor py; tr hem-lim st chips; v clayey, fine sample	gd	minor				tr		0.5	105.4	<0.1	8.3	25.1	1	1.9	54	0.7	0.7	0.6			
967164	20.42	21.95	1.52	gy biot gd; 2% py; tr lim st chips; tr ep	gd	2				tr	tr	0.8	97.2	<0.1	13.5	35.9	0.8	2.2	32	0.8	1	0.6			
967165	21.95	23.47	1.52	gy biot gd; 1% py; tr lim st chips; minor ep	gd	1				minor	tr	0.9	44.3	0.1	20.3	38.6	0.6	3.2	38	0.5	1.2	1			
967166	23.47	24.99	1.52	gy biot gd; 1% py; 2% lim st chips; tr ep	gd	2				tr	minor	0.9	55.8	0.1	27	25.8	0.5	2.6	35	0.6	0.9	0.6			
967167	24.99	26.52	1.52	gy biot gd; 1% py; 1% lim st chips; minor ep	gd	1				minor	minor	1	98.8	<0.1	7	22.7	0.6	1.3	113	0.7	<0.5	0.5			
967168	26.52	28.04	1.52	gy biot gd; minor py; minor lim st chips	gd	minor				minor		1.2	50.5	<0.1	4.1	20.5	0.4	1.1	56	1	<0.5	0.4			
967169	28.04	29.57	1.52	gy biot gd; 1% py; minor lim st chips	gd	1				minor		1.3	68.1	<0.1	8.3	17.4	0.5	1.2	53	1.4	0.6	0.5			
967170	29.57	31.09	1.52	gy biot gd; 1% py; minor lim st chips	gd	1				minor		1.4	51.3	<0.1	4.8	19.8	0.4	1.2	62	1.4	<0.5	0.5			
967171	31.09	32.61	1.52	gy biot gd; 2% py; 1% lim st chips	gd	2				minor		0.9	66.4	<0.1	8	39	0.7	1.9	38	0.8	0.8	0.6			
967172	32.61	34.14	1.52	gy biot gd; 2% py; 1% lim st chips	gd	2				minor		1.1	97.5	<0.1	10.9	288.2	0.8	1.9	30	0.4	0.6	0.6			
967173	34.14	35.66	1.52	gy biot gd; 3% py; 2% lim st chips	gd	3				2%		1.3	75.2	<0.1	13.5	92	0.6	2.5	24	0.6	1.2	0.9			
967174	35.66	37.19	1.52	lt gy ser alt? gy biot gd; 1% py; 2% lim st chips	gd	1	mod			2%		1	86	<0.1	6.2	49.2	0.4	2.1	21	0.7	1.4	0.7			
967175	37.19	38.71	1.52	lt gy ser alt? gy biot gd; 1% py; 2% lim st chips	gd	1	mod			2%		1.8	100.1	<0.1	3.3	23.2	0.3	1.5	59	0.9	0.8	0.5			
967176	38.71	40.23	1.52	lt gy ser alt? gy biot gd; 1% py; tr lim st chips	gd	1	mod			tr		2	76.3	<0.1	4.2	20.1	0.3	1.4	59	0.9	0.9	0.5			
967177	40.23	41.76	1.52	gy biot gd; 1% py; tr lim st chips	gd	1				tr		2.3	72.6	<0.1	2.2	7.7	0.3	0.9	128	1.1	<0.5	0.3			
967178	41.76	43.28	1.52	gy biot gd; 1% py; tr lim st chips	gd	1				tr		2.1	93.7	<0.1	3.8	12.8	0.3	1.6	49	1.5	0.6	0.5			
967179	43.28	44.81	1.52	gy biot gd; 1% py	gd	1						1.7	46.6	<0.1	3.1	8.1	0.3	1.1	69	0.8	0.9	0.4			
967180	44.81	46.33	1.52	lt gy ser? Alt biot gd; 1% py	gd	1	mod					1.5	53.9	<0.1	2.7	13.6	0.4	1.6	51	1.1	0.7	0.3			
967181	46.33	47.85	1.52	lt gy ser? Alt biot gd; 1% py, incl py stringers	gd	1	mod					1.7	47.8	<0.1	2.3	10.7	0.4	1.1	81	0.7	<0.5	0.3			
967182	47.85	49.38	1.52	gy biot gd; 1% py	gd	1						1.6	40.5	<0.1	5.5	12.5	0.4	1.5	70	0.9	<0.5	0.4			
967183	49.38	50.90	1.52	gy biot gd; 1% py	gd	1						1.8	46.6	<0.1	2	5.6	0.3	1.1	67	0.9	<0.5	0.3			
967184	50.90	52.43	1.52	gy biot gd; minor py	gd	minor						2.2	46.4	<0.1	2.9	9.2	0.3	1.3	64	1.6	<0.5	0.3			
967185	52.43	53.95	1.52	gy biot gd; 2% py	gd	2						2.2	50.7	<0.1	3	8.5	0.3	1.3	79	1.6	<0.5	0.3			
967186	53.95	55.47	1.52	gy biot gd; 2% py; tr ep	gd	2				tr		1.4	51.9	<0.1	16.2	27.3	0.5	1.8	34	0.8	0.8	0.5			
967187	55.47	57.00	1.52	gy biot gd; 0.5% py; minor ep	gd	0.5				minor		1.6	35.5	<0.1	4.2	13.4	0.3	1.2	44	1.1	0.6	0.3			
967188	57.00	58.52	1.52	lt gn chl? alt biot gd; minor py; minor ep	gd	minor				wk	minor	1.8	69	<0.1	3.3	13.8	0.4	1.4	94	0.8	<0.5	0.4			
967189	58.52	60.05	1.52	gy biot gd; 1% py; wh qv chips	gd	1					minor	1.7	32.9	<0.1	9.4	16.8	0.3	1.4	49	0.9	0.8	0.4			
967190	60.05	61.57	1.52	gy biot gd; 1% py; wh qv chips	gd	1					minor	1.8	40.7	<0.1	4.8	16.7	0.5	1.8	53	1.2	<0.5	0.3			
967191	61.57	63.09	1.52	gy biot gd; minor py; wh qv chips	gd	minor					minor	1.9	52.5	<0.1	7.9	19.2	0.4	1.5	70	0.9	<0.5	0.3			
967192	63.09	64.62	1.52	gy biot gd; 2% py; wh qv chips	gd	2					minor	2.2	88.4	0.1	20.6	23.6	0.6	2.3	52	1.5	0.6	0.7			
967193	64.62	66.14	1.52	gy biot gd; 2% py; wh qv chips; py v rotten looking	gd	2					minor	2.3	78.3	0.1	22	37.4	0.5	2.1	62	1.4	<0.5	0.7			



HOLE #	CCRC17-06		datum; NAD 83 Zone 10	UTM E	604432	AZIMUTH	300
PROJECT	Canadian Creek			UTM N	6956826	DIP	-50
AREA	Linear A			ELEVATION	1308	DATES	11-Aug-17
DEPTH	123.75m			GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-06	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967232	0.61	2.13	1.52	or-bn weath gd; tr py	gd	tr						1.1	40	0.1	25.1	35.2	0.7	2.3	231	1.1	0.6	0.7		
	967233	2.13	3.66	1.52	or-bn weath lim alt? gd; tr py; local qv's?	gd	tr					tr?	1	54	0.1	24.8	64.4	0.5	2.2	172	0.7	0.6	0.7		
	967234	3.66	5.18	1.52	or-bn weath lt gy-gn lim-ser alt gd; tr py; local qv chips?	gd	tr					tr?	1.5	44.3	0.1	34.9	54.1	0.5	2.4	57	0.7	1.5	0.7		
	967235	5.18	6.71	1.52	or-bn weath lt gy-gn lim-ser alt gd; 1% wh py; local qv chips	gd	1					tr?	1.8	48.5	<0.1	23.3	46.6	0.5	2.1	85	0.7	0.7	0.6		
	967236	6.71	7.92	1.22	or-bn weath lt gy-gn lim-ser alt gd; 2% wh py; local qv chips	gd	2					tr?	1.5	52.1	<0.1	18.1	40.1	0.5	2.2	78	1	0.8	0.8		
	967237	7.92	9.45	1.52	gy ser alt gd; mod lim alt; 2% wh py; local qv chips	gd	2	mod				tr?	1	42.8	<0.1	14.7	27.9	0.4	1.8	55	0.8	<0.5	0.7		
	967238	9.45	10.97	1.52	gy ser alt biot gd; 2% py; local str lim chips; minor qv chips	gd	2	mod			minor	minor	0.9	50.6	<0.1	11	22.1	0.4	1.7	52	0.6	0.6	0.6		
	967239	10.97	12.50	1.52	gy biot gd; 1% py; tr lim chips; minor qv chips	gd	1				minor	minor	1.1	69	<0.1	12.8	35.6	0.7	2	56	0.8	0.6	0.9		
	967240	12.50	14.02	1.52	gy biot gd; 1% py; tr lim chips; minor qv chips	gd	1				minor	minor	1	75.3	<0.1	6.2	18.6	0.3	1.4	68	0.9	<0.5	0.5		
	967241	14.02	15.54	1.52	gy biot gd; 0.5% py; tr lim chips; tr ep	gd	0.5				tr	minor	1.2	110.3	<0.1	8.6	41.9	0.7	1.9	72	0.8	<0.5	0.8		
	967242	15.54	17.07	1.52	gy biot gd; 0.5% py; tr lim chips; tr ep	gd	0.5				tr	tr	1.1	96.1	<0.1	12.7	56.8	0.5	2.1	44	0.7	<0.5	0.9		
	967243	17.07	18.59	1.52	gy biot gd; minor py; tr lim chips; tr ep	gd	minor				tr	tr	0.9	118.1	<0.1	3.5	17.6	0.3	1.1	53	0.7	<0.5	0.5		
	967244	18.59	20.12	1.52	gy biot gd; minor py; tr lim chips	gd	minor				tr	tr	1.2	95.1	<0.1	3.2	19.3	0.3	1	52	0.5	0.9	0.4		
	967245	20.12	21.64	1.52	gy biot gd; tr py; tr lim chips; v clayey, fine sample	gd	tr				tr	tr	0.9	136.3	0.1	5.8	137.7	0.7	2.1	26	0.5	1.4	1		
	967246	21.64	23.16	1.52	gy biot gd; (abund eu biot); tr py	gd	tr						0.9	69.7	<0.1	3	29.8	0.3	1.5	39	0.3	0.5	0.6		
	967247	23.16	24.69	1.52	gy biot gd; (abund eu biot); tr py; local lim chips	gd	tr				minor		1	58.8	<0.1	4.2	23	0.3	1.2	65	0.3	<0.5	0.4		
	967248	24.69	26.21	1.52	gy biot gd; (abund eu biot); 0.5% py; 3% lim chips	gd	0.5				3%		0.8	73.9	<0.1	6.6	74.6	0.5	1.5	60	0.3	0.6	0.6		
	967249	26.21	27.74	1.52	gy biot gd; (abund eu biot); 0.5% py; 1% lim chips; local chips w 5% py	gd	0.5				1%		2.4	153.1	0.2	17.8	69.3	1.4	2.2	66	0.4	<0.5	0.9		
	967250	27.74	29.26	1.52	gy biot gd; (abund eu biot); 1% py; 1% lim chips; tr ep	gd	1				tr	1%	0.9	91.9	0.4	12.6	37	7.5	1.1	78	0.5	<0.5	0.4		
	967251	29.26	30.78	1.52	gy biot gd; (abund eu biot); 2% py; 1% lim chips; tr ep	gd	2				tr	1%	1.1	66.9	<0.1	5.3	24.2	0.7	0.9	52	0.5	<0.5	0.4		
	967252	30.78	32.31	1.52	gy biot gd; (abund eu biot); 2% py; minor lim chips	gd	2				minor		1	85.4	<0.1	9.6	17.6	0.7	1.1	58	0.6	<0.5	0.5		
	967253	32.31	33.83	1.52	gy biot gd; (abund eu biot); 2% py; 1% lim chips	gd	2				1%		1	54.9	<0.1	8	42	0.4	1.2	45	0.6	<0.5	0.5		
	967254	33.83	35.36	1.52	gy biot gd; (abund eu biot); 1% py; 1% lim chips	gd	1				1%		1.4	102.8	<0.1	6.4	19.5	0.4	1.5	42	0.6	0.9	0.5		
	967255	35.36	36.88	1.52	gy biot gd; (abund eu biot); 1% py; 3% lim chips	gd	1				3%		1.1	73.7	<0.1	3.4	17.3	0.2	1.3	42	0.6	0.8	0.4		
	967256	36.88	38.40	1.52	gy biot gd; (abund eu biot); 1% py; 3% lim chips	gd	1				3%		1.1	112.4	<0.1	3.7	53.3	0.2	1.1	79	0.8	<0.5	0.4		
	967257	38.40	39.93	1.52	gy biot gd; 2% py; 1% lim chips	gd	2				1%		1.1	101.3	<0.1	3.7	18	0.1	1.2	41	0.5	<0.5	0.4		
	967258	39.93	41.45	1.52	gy biot gd; 3% py; 1% lim chips; tr ep	gd	3				tr	1%	1.3	93.9	<0.1	3.3	19.2	0.2	1.3	38	0.5	0.8	0.5		
	967259	41.45	42.98	1.52	gy biot gd; 5% py; tr lim chips; minor ep	gd	5				minor	tr	0.9	81.1	<0.1	4.3	20	0.2	1.3	45	0.5	0.9	0.5		
	967260	42.98	44.50	1.52	gy wh ser alt? gd; 3% fine py	gd	3	wk					1.2	80.6	<0.1	20.7	23.5	0.2	1.6	48	0.7	0.9	0.7		
	967261	44.50	46.02	1.52	gy ser alt gd; minor biot; 3% fine py	gd	3	wk					2	174.1	<0.1	16.1	54.5	0.3	1.6	51	0.5	0.6	0.5		
	967262	46.02	47.55	1.52	lt gy-gn ser alt gd; minor biot; 3% fine py	gd	3	mod					2.1	74.6	<0.1	17.4	25.7	0.2	1.2	46	0.5	0.6	0.5		
	967263	47.55	49.07	1.52	lt gy-gn ser alt gd; minor biot; 3% fine py	gd	3	mod					1.6	30.2	<0.1	23.3	46.7	0.8	1.5	30	0.6	1.3	0.6		
	967264	49.07	50.60	1.52	lt gy-gn ser alt gd; minor biot; 3% fine py	gd	3	mod					1.3	23.3	<0.1	18.6	45.3	0.2	1.4	44	1	1.4	0.8		
	967265	50.60	52.12	1.52	lt gy-gn ser alt gd; minor biot; 3% fine py; minor lim chips	gd	3	mod			minor		1.5	78.5	<0.1	7.9	37.1	0.3	1.5	50	0.8	1.5	0.8		





HOLE #	CCRC17-08			UTM E	604056	AZIMUTH	68
PROJECT	Canadian Creek			UTM N	6958116	DIP	-50
AREA	Linear A			ELEVATION	1253	DATES	12-Aug-17
DEPTH	108.81m			GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-08	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967337	1.22	2.74	1.52	lt gy or-bn surface weath gnss; tr py	ogn	tr							1	16.5	0.2	120.7	107.2	2.3	1.8	211	0.5	<0.5	0.8		
967338	2.74	4.27	1.52	lt gy or-bn surface weath gnss; tr py	ogn	tr							1.7	28.6	0.1	71	133.1	1.6	2.6	177	0.5	0.7	1.8		
967339	4.27	5.18	0.91	lt gy or-bn surface weath gnss; tr wh weath/alt bt; tr py	ogn	tr							2.1	22.6	0.2	48.4	285.1	1.4	3.6	176	0.6	<0.5	2.9		
967340	5.18	6.71	1.52	lt gy or-bn surface weath gnss; tr wh weath/alt bt; tr eu py	ogn	tr							1	15.8	<0.1	20.1	66.4	0.5	1.2	96	0.6	<0.5	0.9		
967341	6.71	8.23	1.52	lt gy-beige gnss; minor bn surface weath; minor eu py	ogn	minor							0.9	33.2	0.1	23.6	39.9	0.4	1.7	49	0.8	<0.5	1.2		
967342	8.23	9.75	1.52	lt gy-beige gnss; minor bn surface weath; 1% eu py; local lim-py chips	ogn	1				minor			1.2	264.9	0.2	17.2	128.3	0.3	2.1	32	0.8	1	1.6		
967343	9.75	11.28	1.52	lt gy-beige gnss; minor bn surface weath; 1% eu py; local lim-py chips	ogn	1				minor			1	152	0.2	30.3	146	0.3	4.4	23	1.3	0.7	3.3		
967344	11.28	12.80	1.52	lt gy-beige gnss; minor bn surface weath; 2% eu py; local lim-py chips	ogn	2				minor			1.7	31.4	<0.1	6.9	79.5	0.2	1.7	32	1.1	0.7	1.2		
967345	12.80	14.33	1.52	lt gy gnss; minor bt; local chips w 10% py	ogn	1							1.2	85.6	<0.1	6.3	61.7	0.4	1.5	48	1.3	<0.5	0.8		
967346	14.33	15.85	1.52	lt gy gnss; minor bt; local chips w 10% py	ogn	1							1.1	126.7	0.1	5.7	75.2	0.2	1.2	42	1.1	<0.5	0.7		
967347	15.85	17.37	1.52	lt gy-beige gnss; wk ser-chl alt; fg-cg eu py	ogn	1	wk	wk					1.4	94.1	0.1	9	91.9	0.3	1.8	54	1.3	0.7	1.4		
967348	17.37	18.90	1.52	lt gy-beige gnss; wk chl alt?; fg-cg eu py	ogn	1		wk					2	219.1	0.2	12.1	310.9	0.1	2.9	32	1.8	1.2	2.2		
967349	18.90	20.42	1.52	ly gy ser alt gnss; v minor bt; tr lim st chips w/ py	ogn	1	wk						1.6	60.2	<0.1	4.2	126	0.2	1.9	50	1.2	0.6	1.1		
967350	20.42	21.95	1.52	ly gy ser alt gnss; v minor bt; tr lim st chips w/ py, local gn st chips (not chl)	ogn	1	wk						1.4	58.6	<0.1	4.5	61.2	0.5	1.3	68	1.1	<0.5	0.8		
967351	21.95	23.47	1.52	lt gy ser alt gnss; 0.5% eu py	ogn	0.5	wk						1.6	62.5	<0.1	4.4	108.2	0.4	1.9	68	1.9	<0.5	1.3		
967352	23.47	24.99	1.52	lt gy ser alt gnss; 1% eu py	ogn	1	wk						1.2	28.4	<0.1	3.9	46.2	0.3	1.3	28	1	0.6	0.8		
967353	24.99	26.52	1.52	lt gy-gn ser alt gnss; 1% py; tr ep	ogn	1	wk	wk					1.6	88.8	0.1	6.1	46	0.6	1.7	22	2.1	1	1.1		
967354	26.52	28.04	1.52	lt gy ser alt gss; 1% py	ogn	1	wk						1.1	108.8	0.1	5.6	68.2	0.6	1.7	53	1.1	<0.5	1		
967355	28.04	29.57	1.52	lt gy-beige gnss; local chips w/ py to 5%	ogn	0.5	wk						1.2	29.5	0.1	4.5	72.5	0.4	2.3	60	0.8	<0.5	1.3		
967356	29.57	31.09	1.52	lt gy-beige gnss; local chips w/ py to 5%	ogn	0.5	wk						0.9	30.2	<0.1	4.2	57.4	0.3	1.6	46	0.7	0.9	1		
967357	31.09	32.61	1.52	lt gy-beige gnss; minor chl alt mafics	ogn	1	wk	wk					1	49.4	<0.1	12.4	49.8	0.3	2.2	41	0.8	0.6	1.4		
967358	32.61	34.14	1.52	lt gy-beige gnss; minor chl alt mafics	ogn	0.5	wk	wk					1	132.3	0.2	11.1	105.7	0.5	2.5	53	0.7	<0.5	1.6		
967359	34.14	35.66	1.52	lt gy-beige gnss; minor chl alt mafics; tr qtz-lim chips	ogn	0.5	wk	wk		tr	tr		1.1	91.2	0.3	23.7	73	0.8	2.7	55	0.6	<0.5	1.7		
967360	35.66	37.19	1.52	lt gy-beige gnss; minor chl alt mafics; minor muddy gy chips w/ vfg py	ogn	1	wk	wk					1.4	101.4	0.2	26.5	194.9	1.5	6.1	41	1	1	4.5		
967361	37.19	38.71	1.52	lt gy-beige gnss; minor chl alt mafics	ogn	1	wk	wk					1	59.9	0.1	8	190	0.6	4.6	56	0.7	<0.5	2.9		
967362	38.71	40.23	1.52	mod gy ser alt gnss; minor chl alt mafics	ogn	1	wk	wk					1	59.9	0.1	16.7	60.9	0.5	2.3	60	0.7	1.3	1.1		
967363	40.23	41.76	1.52	gn-gy-beige ser alt gnss; tr mafics	ogn	1	wk						0.8	84.4	0.1	13.2	50.9	0.4	1.7	34	0.8	0.8	1		
967364	41.76	43.28	1.52	gn-gy ser alt gnss; minor mafics (chl alt); tr lim st chips	ogn	1	wk			tr			20.6	57.4	<0.1	5.7	119.4	0.4	3	62	0.3	0.6	1.8		
967365	43.28	44.81	1.52	gn-gy ser alt gdnss; minor mafics (chl alt); local lt gn (not chl) stained chips; tr hem st chips	ogn	1	wk						7.7	71.9	<0.1	6.8	58	0.5	2.5	62	0.5	<0.5	1.5		
967366	44.81	46.33	1.52	gn-gy ser alt gdnss; minor mafics (chl alt); local lt gn (not chl) stained chips; tr hem st chips; local bk qtz chips w/ py to 20%	ogn	1	wk				tr		7.4	64.4	0.1	8.1	75.4	0.4	3	49	0.3	<0.5	2		
967367	46.33	47.85	1.52	wh-beige-gy ser alt gnss; minor mafics alt to chl; local gn non-chl st chips; minor hem st chips	ogn	0.5	wk						4.2	93.7	0.1	13.9	88.8	0.6	3.2	59	0.2	<0.5	2		
967368	47.85	49.38	1.52	wh-beige-gy ser alt gnss; minor mafics alt to chl; local gn non-chl st chips; minor hem st chips	ogn	0.5	wk						3.4	83.7	<0.1	12.7	68.5	0.4	3	47	0.5	0.6	2		
967369	49.38	50.90	1.52	wh-beige-gy ser alt gnss; minor mafics alt to chl; local gn non-chl st chips	ogn	0.5	wk						6.4	97.9	0.2	39	96.6	0.7	7.6	66	0.4	<0.5	4.4		







HOLE #	CCRC17-10			datum; NAD 83 zone 10	UTM E	601880	AZIMUTH	70																
PROJECT	Canadian Creek				UTM N	6960287	DIP	-50																
AREA	Malt East				ELEVATION	1199m	DATES	13-Aug-17																
DEPTH	114.3m				GRID E		Logged by	Johnston																
DRILLER	Midnight Sun				GRID N																			
CCRC17-10																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967428	0.30	1.83	1.52	no reject	ogn							1.4	18.1	0.3	218.6	14.5	7.4	1.2	196	0.8	<0.5	<0.2		
967429	1.83	3.35	1.52	lt-dk gy bt-feld-qtz ognss; 50% or-bn st	ogn							2.1	10.4	0.3	230.5	20.7	6.7	0.4	247	0.8	<0.5	<0.2		
967430	3.35	4.88	1.52	lt-dk gy bt-feld-qtz ognss; 50% or-bn st	ogn							1.8	10.1	0.1	21.6	4.4	1.7	0.3	70	2.1	<0.5	<0.2		
967431	4.88	6.10	1.22	lt-dk gy bt-feld-qtz ognss; 50% or-bn st; minor py	ogn	minor				mod		1.9	6.9	0.2	71	15.2	3.4	0.2	79	720	<0.5	<0.2		
967432	6.10	7.62	1.52	lt-dk gy bt-feld-qtz ognss; 30% or-bn st; minor py; tr lt gn st	ogn	minor				mod		1.4	8.3	0.1	38.4	6.6	2	0.3	219	480	<0.5	<0.2		
967433	7.62	9.14	1.52	lt-dk gy bt-feld-qtz ognss; 50% or-bn lim alt; 2% fg y py	ogn	2				mod		2.1	5	<0.1	29.2	5.1	1.8	0.2	83	13.9	<0.5	<0.2		
967434	9.14	10.67	1.52	lt-dk gy bt-feld-qtz ognss; 20% or-bn lim alt; 1% fg y py	ogn	1				mod		2.1	8.5	0.4	100.2	15.4	4.2	0.4	94	6.7	<0.5	<0.2		
967435	10.67	12.19	1.52	lt-dk gy bt-feld-qtz ognss; bt as irreg "smears"; 20% or-bn lim alt; 1% fg y py	ogn	1				mod		1.8	4.8	0.2	39.6	5.8	2	3.1	182	6.3	<0.5	<0.2		
967436	12.19	13.72	1.52	lt-dk gy bt-feld-qtz ognss; bt as irreg "smears"; 40% or-bn lim alt; 1% fg y py	ogn	1				mod		2.1	4.1	0.4	66.9	256.7	18.2	0.2	189	4	<0.5	<0.2		
967437	13.72	15.24	1.52	lt-dk gy bt-feld-qtz ognss; bt as irreg "smears"; 60% or-bn lim alt; 2% fg y py; local lim chips w/ 50% py	ogn	2				mod		1.6	5.6	0.2	118.3	54.5	5.7	0.2	79	3.1	<0.5	<0.2		
967438	15.24	16.76	1.52	dk gy bt-feld-qtz gnss; 10% lim alt; local py	ogn	minor				minor		1.4	11.5	0.2	73.8	16.4	5.4	0.2	97	2.2	<0.5	<0.2		
967439	16.76	18.29	1.52	dk gy bt-feld-qtz gnss; 5% lim alt; local py; local gn alt	ogn	minor				minor		1.8	8.7	0.1	78.5	15.5	5.4	0.1	107	4.4	<0.5	<0.2		
967440	18.29	19.81	1.52	lt-dk gy bt-feld-qtz gnss; 50% lim alt; 1% py	ogn	1				mod		1.1	6	0.5	237.8	77.3	11.3	0.2	73	2.7	<0.5	<0.2		
967441	19.81	21.34	1.52	lt-dk gy bt-feld-qtz gnss; 30% lim alt w/ 1% fine mass py	ogn	1				mod		0.9	5.4	<0.1	110.9	39.9	2.7	0.1	66	1	<0.5	<0.2		
967442	21.34	22.86	1.52	lt-dk gy bt-feld-qtz gnss; 50% lim alt w/ 1% fine mass py	ogn	1				mod		1.2	5.5	0.1	144.8	13.3	3.6	0.1	46	2.8	<0.5	<0.2		
967443	22.86	24.38	1.52	lt gy feld-qtz gnss; 30% lim alt; py to 2%	ogn	2				mod		1.1	8.1	0.5	181.9	21.3	7.2	0.2	122	2.7	<0.5	<0.2		
967444	24.38	25.91	1.52	lt gy feld-qtz wk ser alt? gnss; tr gn st; 30% lim alt; py to 2%	ogn	2	wk			mod		1.1	9.8	0.2	52.8	5.6	5.2	0.2	101	1.9	<0.5	<0.2		
967445	25.91	27.43	1.52	lt-dk gy wk ser alt? gnss; 30% lim alt; minor py	ogn	minor	wk			mod		1.4	3.5	0.1	63.4	7.9	2.7	0.2	58	3.6	<0.5	<0.2		
967446	27.43	28.96	1.52	lt gy wk ser alt? gnss; 30% lim alt; minor py	ogn	minor	wk			mod		1.2	4.1	0.1	90.5	9.6	3.1	0.1	59	3.9	<0.5	<0.2		
967447	28.96	30.48	1.52	lt gy wk ser alt? gnss; local gn st; 30% lim alt; minor py	ogn	minor	wk			mod		0.7	3.8	0.1	119.3	10.5	3	0.1	36	1.2	<0.5	<0.2		
967448	30.48	32.00	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			tr		1.3	5.3	0.1	172.2	15	4.6	0.2	43	3.3	<0.5	<0.2		
967449	32.00	33.53	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			tr		0.8	7.1	0.2	111.6	10.4	4.9	0.2	41	1.7	<0.5	<0.2		
967450	33.53	35.05	1.52	mix lt gy-beige wk ser alt? and dk gy unalt gnss; 5% lim alt; local str gn st; minor py	ogn	minor	wk			tr		1	5.5	<0.1	19.4	3	3.6	0.1	62	1.9	<0.5	<0.2		
967451	35.05	36.58	1.52	mix lt gy-beige wk ser alt? and dk gy unalt gnss; 10% lim alt chips; local str gn st; minor py	ogn	minor	wk			minor		1.5	3.7	<0.1	11.5	2.2	1.9	0.2	51	3.7	<0.5	<0.2		
967452	36.58	38.10	1.52	mix lt gy-beige wk ser alt? and dk gy unalt gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor		1.5	11.4	0.1	87.1	8.7	3.4	0.2	47	2.5	<0.5	<0.2		
967453	38.10	39.62	1.52	lt gy-beige wk ser alt? gnss; minor dk gy unalt bt gnss; minor lim alt chips; minor py	ogn	minor	wk			minor		1	5.9	0.2	98.8	14.2	4.4	0.1	35	1.5	<0.5	<0.2		
967454	39.62	41.15	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor		1.5	4.1	0.2	238.8	60.3	5.6	0.2	41	2.8	<0.5	<0.2		
967455	41.15	42.67	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor		2	9.1	1.7	501	162.4	26.2	0.7	50	3.2	<0.5	<0.2		

CCRC17-10	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967456	42.67	44.20	1.52	lt gy-beige wk ser alt? gnss; minor lim alt chips; minor py	ogn	minor	wk			minor			1.6	10.8	0.4	346.8	42.7	11.4	0.3	64	1.3	<0.5	<0.2		
967457	44.20	45.72	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor			2	15.5	0.3	246.4	32.5	11.8	0.4	50	1.9	<0.5	<0.2		
967458	45.72	47.24	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor			2.4	9.2	0.2	180.8	25.1	6.8	0.3	39	1.7	<0.5	<0.2		
967459	47.24	48.77	1.52	lt gy-beige wk ser alt? gnss; 5% lim alt chips; minor py	ogn	minor	wk			minor			2.4	4.7	0.1	120.3	12.1	3.2	0.3	32	0.7	<0.5	<0.2		
967460	48.77	50.29	1.52	lt gy-beige wk ser alt? gnss; minor lim alt chips; minor py	ogn	minor	wk			minor			1.1	5.2	0.1	169.9	13.5	4.2	0.2	49	1.2	<0.5	<0.2		
967461	50.29	51.82	1.52	gy-beige wk ser alt? gnss; minor lim alt chips; minor py	ogn	minor	wk			minor			1	5.3	<0.1	88	10.7	2.9	0.2	37	1	<0.5	<0.2		
967462	51.82	53.34	1.52	gy-beige gnss; minor lim alt chips; minor py	ogn	minor				minor			0.6	6.7	0.1	163.1	17	3.8	0.2	37	0.6	<0.5	<0.2		
967463	53.34	54.86	1.52	gy-beige gnss; minor lim alt chips; minor py	ogn	minor				minor			1.4	8.5	<0.1	95.1	6	5.2	0.2	57	1.5	<0.5	<0.2		
967464	54.86	56.39	1.52	gy-beige and dk gy gnss; minor py	ogn	minor				minor			0.8	9.1	<0.1	28.2	4	3.8	0.1	149	0.6	<0.5	<0.2		
967465	56.39	57.91	1.52	gy-beige and dk gy gnss; 2% wh milky qv? chips; minor py	ogn	minor					2%		0.9	7.6	<0.1	9.8	2.1	2.6	0.2	197	0.4	<0.5	<0.2		
967466	57.91	59.44	1.52	gy-beige lt bn and dk gy gnss; minor gn st; minor py	ogn	minor							1.1	7.1	<0.1	9.9	1.1	3.3	0.1	232	0.7	<0.5	<0.2		
967467	59.44	60.96	1.52	gy-beige lt bn and dk gy gnss; minor py	ogn	minor							1.1	20.1	0.5	245.1	24.7	13.2	0.5	420	1.5	<0.5	<0.2		
967468	60.96	62.48	1.52	gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; tr py	ogn	tr					tr		1.2	13.3	0.2	61.1	6.5	6.8	1	134	1.3	<0.5	<0.2		
967469	62.48	64.01	1.52	gy-beige lt bn and dk gy gnss; 1% milky wh qtz chips; tr py	ogn	tr					1%		1.2	9.3	0.1	11.2	1.7	3.1	2.5	86	0.8	<0.5	<0.2		
967470	64.01	65.53	1.52	gy-beige lt bn and dk gy gnss; 1% milky wh qtz chips; minor eu py	ogn	minor					1%		0.9	38.8	0.5	248.6	30.7	17.4	0.4	75	0.5	<0.5	<0.2		
967471	65.53	67.06	1.52	mix of gy-beige lt bn and dk gy gnss; 1% milky wh qtz chips; minor eu py	ogn	minor					1%		1.1	11	0.2	164.2	18.6	4.3	0.2	115	1	0.5	<0.2		
967472	67.06	68.58	1.52	mix of gy-beige lt bn and dk gy gnss; 2% milky wh qtz chips; minor eu py	ogn	minor					2%		1	31.5	0.5	31.8	3.4	8.2	1.6	118	6.2	0.6	<0.2		
967473	68.58	70.10	1.52	gy-beige lt bn and dk gy gnss; 2% milky wh qtz chips; minor eu py	ogn	minor					2%		0.9	14.1	0.2	87.5	6.2	5.6	0.7	107	1.1	<0.5	<0.2		
967474	70.10	71.63	1.52	gy-beige lt bn gnss; minor milky wh qtz chips; minor eu py	ogn	minor					minor		1.1	10.3	<0.1	9.2	1.3	4.1	0.4	868	3.9	<0.5	<0.2		
967475	71.63	73.15	1.52	gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		0.7	2.3	<0.1	7.7	<0.5	1	0.2	79	0.9	<0.5	<0.2		
967476	73.15	74.68	1.52	mix of gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		1.2	3.8	<0.1	17.6	0.7	1.1	0.3	87	1.1	<0.5	<0.2		
967477	74.68	76.20	1.52	mix of gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; tr hem st; minor eu py	ogn	minor					tr		1	6.3	<0.1	3.4	2	1.6	0.7	88	4.4	<0.5	<0.2		
967478	76.20	77.72	1.52	mix of gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		0.9	4.2	<0.1	32.5	3.5	1.4	0.3	89	1.2	<0.5	<0.2		
967479	77.72	79.25	1.52	mix of gy-beige lt bn and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		1.4	6.7	0.2	37.6	3.3	2.5	1	51	0.7	<0.5	<0.2		
967480	79.25	80.77	1.52	gy-beige lt bn and minor dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		1.1	6.1	<0.1	158.9	17.6	2.3	0.2	113	1.5	<0.5	<0.2		
967481	80.77	82.30	1.52	mix of gy-beige lt bn and dk gy gnss; 2% milky wh qtz chips; minor eu py	ogn	minor					2%		0.8	6	<0.1	75.8	10.5	2.5	0.2	168	0.5	<0.5	<0.2		
967482	82.30	83.82	1.52	mix of gy-beige lt bn wk ser alt? and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor	wk				tr		0.5	5.8	<0.1	32.2	4.9	2.6	0.2	61	0.8	<0.5	<0.2		
967483	83.82	85.34	1.52	gy-beige wk ser alt? and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor	wk				tr		0.7	17.7	0.2	63.1	8.6	6.4	1.5	73	0.6	<0.5	<0.2		
967484	85.34	86.87	1.52	gy-beige wk ser alt? and dk gy gnss; tr milky wh qtz chips; minor eu py	ogn	minor	wk				tr		0.8	7	<0.1	5.9	1.9	2.7	0.3	94	0.5	<0.5	<0.2		
967485	86.87	88.39	1.52	lt-dk gy-gn and minor gy beige gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr		0.7	7.5	0.1	5.1	1	2.3	0.8	82	0.7	<0.5	<0.2		

CCRC17-10																										
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t		
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430		
967486	88.39	89.92	1.52	lt-dk gy-gn gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr	0.7	10.9	<0.1	12.5	1.2	1.3	0.2	139	0.7	<0.5	<0.2				
967487	89.92	91.44	1.52	lt-dk gy-gn gnss; tr milky wh qtz chips; minor eu py	ogn	minor					tr	1.6	16.7	0.1	3.4	1.7	2	0.3	277	16.8	<0.5	<0.2				
967488	91.44	92.96	1.52	lt-dk gy-gn gnss; local gn alt, incl ep; minor py	ogn	minor						0.9	14.5	<0.1	9.1	2.7	2.5	0.3	98	4.4	<0.5	<0.2				
967489	92.96	94.49	1.52	lt-dk gy-gn gnss; tr milky qtz; 1% py	ogn	1					tr	0.8	9.8	<0.1	6.2	<0.5	1.3	0.2	145	2.8	<0.5	<0.2				
967490	94.49	96.01	1.52	dk gy-bk gnss (inc bt); tr milky qtz; 1% py; tr lim-py chips	ogn	1					tr	0.9	6.1	<0.1	5.4	0.5	1.8	0.1	179	0.5	<0.5	<0.2				
967491	96.01	97.54	1.52	dk gy-bk gnss (inc bt); wk gn tinge; tr milky qtz; minor py; 1% lim-py chips	ogn	minor					minor	1.1	3.2	<0.1	3.7	1.3	1.2	0.1	89	0.9	<0.5	<0.2				
967492	97.54	99.06	1.52	lt gy-beige wk ser alt? gnss; minor lim chips; minor milky qtz chips; minor py	ogn	minor					minor	0.6	4.4	0.1	1253.9	48.3	6.2	0.1	202	0.6	<0.5	<0.2				
967493	99.06	100.58	1.52	lt gy-beige wk ser alt?and dk gy-bk bt gnss; 1% lim chips; tr milky qtz chips; minor py	ogn	minor					tr	0.9	5.3	<0.1	76.8	6.2	2	0.1	158	0.9	<0.5	<0.2				
967494	100.58	102.11	1.52	mix of lt gy-beige wk ser alt?and dk gy-bk bt gnss; tr milky qtz chips; minor py	ogn	minor					tr	0.8	10.6	0.3	203.3	24.5	6.2	0.3	64	0.4	<0.5	<0.2				
967495	102.11	103.63	1.52	lt gy-beige wk ser alt?and lesser dk gy-bk bt gnss; tr milky qtz chips; minor py	ogn	minor					tr	1.3	6.6	<0.1	9.5	2.8	1.2	0.2	125	1	<0.5	<0.2				
967496	103.63	105.16	1.52	dk gy-gn bt and minor gy-beige gnss; tr gn st; tr milky qtz; minor py incl fine stringers	ogn	minor					tr	0.8	246.2	1.2	7.8	9	3.2	10.1	90	0.7	<0.5	<0.2				
967497	105.16	106.68	1.52	dk gy-gn bt and minor gy-beige gnss; 5% gn st; tr milky qtz; 1% py	ogn	1					5%	1.1	285.8	1.3	6.2	18.3	4.6	4.4	82	0.7	<0.5	<0.2				
967498	106.68	108.20	1.52	lt gy-buff ser alt? gnss; 10% lim chips; 1% milky qtz vns; minor py	ogn	minor					1%	0.7	32	0.2	31.9	4.2	10.1	0.4	66	0.7	<0.5	<0.2				
967499	108.20	109.73	1.52	lt gy-buff ser alt? and 20:% gy unalt gnss; 10% lim chips; 1% milky qtz vns; minor py	ogn	minor					1%	4.3	8.2	0.7	2335.9	163.6	21.3	0.2	165	1.3	<0.5	<0.2				
967500	109.73	111.25	1.52	lt gy gnss; minor lim chips; tr py	ogn	tr						3.4	3.7	0.5	807.8	76.3	9.9	0.1	275	58	<0.5	<0.2				
967501	111.25	112.78	1.52	lt gy gnss; tr py	ogn	tr						1.6	3	0.3	1689.3	152.2	15.2	<0.1	79	13.6	<0.5	<0.2				
967502	112.78	114.30	1.52	lt gy gnss; local str lim frax; tr py	ogn	tr						4.4	5.1	1.5	2485	183.8	25.6	<0.1	105	10.8	<0.5	<0.2		0.17		

HOLE #	CCRC17-11			datum; NAD 83 Zone 10					UTM E		601875		AZIMUTH		250										
PROJECT	Canadian Creek								UTM N		6960286		DIP		-50										
AREA	Malt East								ELEVATION		1199m		DATES		14-Aug-17										
DEPTH	124.97m								GRID E				Logged by		Johnston										
DRILLER	Midnight Sun								GRID N																
CCRC17-11																									
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t	
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967503	0.30	1.83	1.52	no reject	ogn							1.4	9.3	0.3	237.8	18	5	0.3	118	0.8	<0.5	<0.2			
967504	1.83	3.35	1.52	bn-or weath bt-feld qtz ognss	ogn							1.4	8.7	0.1	141.5	11.6	3	0.2	72	1.3	<0.5	<0.2			
967505	3.35	4.88	1.52	bn-or weath bt-feld qtz ognss	ogn							1.2	10.5	0.1	36.8	1	1.4	0.2	57	2.2	<0.5	<0.2			
967506	4.88	6.40	1.52	or lim st bt-feld qtz ognss	ogn							0.9	10.5	0.1	45.2	2.1	1.6	0.3	45	1.7	<0.5	<0.2			
967507	6.40	7.62	1.22	no reject	ogn					mod		0.5	8.2	0.1	79.4	6.1	3.1	0.4	41	0.8	<0.5	<0.2			
967508	7.62	9.14	1.52	lt gy or lim st bt-feld qtz ognss; v clayey sample	ogn							1.3	20	0.3	211.5	16	10.3	0.4	221	2.2	<0.5	<0.2			
967509	9.14	10.67	1.52	lt gy wk ser alt? or lim st bt-feld qtz ognss; v clayey sample	ogn		wk			mod		0.7	15.2	0.2	241.4	22.8	8.4	0.1	212	2.6	<0.5	<0.2			
967510	10.67	12.19	1.52	lt gy wk ser alt? or lim st bt-feld qtz ognss; v clayey sample	ogn		wk			mod		0.7	9.1	0.2	65.7	6.2	5	0.4	62	1.2	<0.5	<0.2			
967511	12.19	13.72	1.52	lt gy wk ser alt? or lim st bt-feld qtz ognss	ogn		wk			mod		0.6	6.5	0.1	49.3	2	2.2	0.3	48	1.1	<0.5	<0.2			
967512	13.72	15.24	1.52	lt gy wk ser alt? or lim st bt-feld qtz ognss; tr py	ogn	tr	wk			mod		0.6	6.6	<0.1	10.7	<0.5	0.6	0.4	41	1.5	<0.5	<0.2			
967513	15.24	16.76	1.52	lt-dk gy ognss; minor lim st; tr py	ogn	tr				minor		0.8	7.4	<0.1	39.1	4.4	1.3	0.3	53	1.2	<0.5	<0.2			
967514	16.76	18.29	1.52	lt gy wk ser alt? or lim st bt-feld qtz ognss	ogn		wk			minor		0.9	6.6	0.1	196.7	42.3	3.6	0.2	49	1.4	0.8	<0.2			
967515	18.29	19.81	1.52	lt-dk gy lim st ognss; tr py	ogn					mod		0.8	16.1	0.1	63.3	9.4	3.2	0.7	41	1.3	<0.5	<0.2			
967516	19.81	21.34	1.52	lt-dk gy local lim st ognss	ogn					minor		0.5	3.6	<0.1	57.9	9.1	2.6	0.1	32	1.1	<0.5	<0.2			
967517	21.34	22.86	1.52	lt-dk gy local lim st ognss	ogn					minor		0.5	6.6	<0.1	36.5	5.2	1.5	0.2	35	1	<0.5	<0.2			
967518	22.86	24.38	1.52	lt-dk gy local lim st ognss; minor py; coarse frags to 2cm = fracture zone	ogn	minor				minor		1.2	8.7	0.1	57.2	14.5	2.9	0.3	72	1	<0.5	<0.2			
967519	24.38	25.91	1.52	lt-dk gy local lim st ognss	ogn					minor		1.8	15.6	0.5	191.9	8.3	14.7	0.5	328	0.7	<0.5	<0.2			
967520	25.91	27.43	1.52	lt-dk gy local lim st ognss	ogn					minor		0.4	3.6	0.3	240.6	9.1	4	1.5	45	0.5	<0.5	<0.2			
967521	27.43	28.96	1.52	lt-dk gy local lim st ognss	ogn					minor		0.6	6.1	0.3	118.7	16.5	5.5	0.4	42	0.6	<0.5	<0.2			
967522	28.96	30.48	1.52	lt-dk gy minor lim st ognss	ogn					tr		0.4	3.6	<0.1	36.9	1.6	3.2	0.4	43	0.6	<0.5	<0.2			
967523	30.48	32.00	1.52	beige-lt gy bleached ognss; no bt (gone to ser?); tr lim chips	ogn		wk			tr		0.4	3.6	<0.1	36.4	3.5	2.6	0.3	40	0.5	<0.5	<0.2			
967524	32.00	33.53	1.52	beige-lt gy bleached ognss; no bt (gone to ser?); tr lim chips	ogn		wk			tr		1	8.2	0.7	127.9	9.8	5.4	1.7	30	0.7	<0.5	<0.2			
967525	33.53	35.05	1.52	beige-lt gy bleached ognss; no bt (gone to ser?); minor lim chips	ogn		wk			tr		1.9	10	0.2	186.6	16.4	9.8	0.2	36	1.5	<0.5	<0.2			
967526	35.05	36.58	1.52	beige-lt gy bleached ognss; no bt (gone to ser?)	ogn		wk					0.7	4.7	0.3	460.3	25.5	7.1	0.2	30	1.1	<0.5	<0.2			
967527	36.58	38.10	1.52	lt-dk gy unalt bt-feld-qtz ognss	ogn							1.3	8.2	0.2	77.5	9	3.5	0.6	35	0.6	<0.5	<0.2			
967528	38.10	39.62	1.52	lt-dk gy unalt bt-feld-qtz ognss	ogn							0.7	16.4	0.2	20.4	<0.5	4	0.8	36	1	<0.5	<0.2			
967529	39.62	41.15	1.52	lt gy wk ser? alt ognss; local wk gn tinge	ogn		wk					0.6	12	0.4	254.4	20.5	7.4	0.4	40	0.8	<0.5	<0.2			
967530	41.15	42.67	1.52	lt gy wk ser? alt ognss; local wk gn tinge; minor gy unalt chips	ogn		wk					0.7	8.3	0.3	218.9	16.9	5.9	0.3	39	0.7	<0.5	<0.2			
967531	42.67	44.20	1.52	lt gy wk ser? alt ognss; local wk gn tinge; tr gy unalt chips; tr py	ogn	tr	wk			tr		0.5	3.4	0.2	286	18	4	0.2	40	0.4	<0.5	<0.2			
967532	44.20	45.72	1.52	lt gy wk ser? alt ognss; local wk gn tinge; tr py	ogn	tr	wk			tr		1.2	3.6	0.1	16.9	1.5	2.3	0.2	36	0.6	<0.5	<0.2			
967533	45.72	47.24	1.52	lt gy wk ser? alt ognss; local wk gn tinge; tr lim chips	ogn		wk			tr		0.5	3.2	0.1	35.3	0.6	2.2	0.2	35	0.6	0.5	<0.2			
967534	47.24	48.77	1.52	lt gy-gn wk ser? alt ognss; tr lim chips	ogn		wk			tr		1.1	7.4	0.2	399.4	68.7	8.4	0.8	51	0.5	<0.5	<0.2			
967535	48.77	50.29	1.52	lt gy-gn wk ser? alt ognss; tr lim chips; tr eu py	ogn	tr	wk			tr		0.5	8.7	0.3	514.4	76.4	7.1	0.7	62	0.5	<0.5	<0.2			
967536	50.29	51.82	1.52	lt gy wk ser? alt ognss; tr lim chips; minor eu py	ogn	minor	wk			tr		0.6	16.7	0.4	226.2	32.1	10	0.9	34	0.8	<0.5	<0.2			
967537	51.82	53.34	1.52	gy ognss; tr lim chips	ogn					tr		1.2	13.7	0.3	227.5	28.7	5.3	0.8	46	0.7	<0.5	<0.2			
967538	53.34	54.86	1.52	lt-dk gy ognss; tr lim chips	ogn					tr		1.5	8.1	0.2	194.1	42.3	5.2	0.8	60	0.7	<0.5	<0.2			
967539	54.86	56.39	1.52	dk-lt gy ognss; tr lim chips	ogn					tr		0.6	4.5	0.2	135	24.6	15	0.5	146	0.3	<0.5	<0.2			
967540	56.39	57.91	1.52	lt gy ser? alt ognss; tr lim chips	ogn		wk			tr		0.6	6.4	0.1	71	13	3.7	0.3	43	0.2	<0.5	<0.2			
967541	57.91	59.44	1.52	lt gy ser alt ognss; tr lim chips	ogn		wk			tr		0.7	3.1	0.1	224.2	22.2	2.8	0.2	58	0.3	<0.5	<0.2			

CCRC17-11																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967542	59.44	60.96	1.52	lt gy-gn ser alt ognss; tr lim chips; minor eu py	ogn	minor	wk			tr		0.7	4.2	0.2	504.1	31	4	0.4	44	0.4	<0.5	<0.2		
967543	60.96	62.48	1.52	lt gy ser? alt ognss	ogn		wk					0.7	4.9	0.1	50.2	8.3	2.6	0.4	46	0.3	<0.5	<0.2		
967544	62.48	64.01	1.52	lt gy-bn ognss	ogn							1.1	7.4	<0.1	39.8	8.6	3	0.2	84	0.3	<0.5	<0.2		
967545	64.01	65.53	1.52	lt gy-bn ognss; minor gy ser? alt chips	ogn		wk					0.4	15.8	0.3	95.9	23.5	6.7	0.3	278	0.6	<0.5	<0.2		
967546	65.53	67.06	1.52	lt gy wk ser alt ognss	ogn		wk					0.7	4.6	0.2	109.6	16.4	3.5	0.2	51	0.3	<0.5	<0.2		
967547	67.06	68.58	1.52	lt gy-beige wk ser alt ognss; tr py; tr lim	ogn	tr	wk			tr		0.4	4.4	0.1	71.4	13.7	3.3	0.2	41	0.7	<0.5	<0.2		
967548	68.58	70.10	1.52	wh-gy ognss	ogn							0.4	4.5	0.1	127.2	23.9	2.9	0.2	37	0.6	<0.5	<0.2		
967549	70.10	71.63	1.52	lt-dk gy gnss; no biot; minor eu py; minor hem st chips	ogn	minor						0.4	14.6	0.3	75.6	17.7	6.7	0.4	61	0.3	<0.5	<0.2		
967550	71.63	73.15	1.52	wh-lt gy gnss; no biot; minor eu py; minor hem st chips	ogn	minor						0.7	15.6	0.2	68.5	14.6	4.7	0.4	58	0.5	<0.5	<0.2		
967551	73.15	74.68	1.52	wh-lt gy gnss; no biot; minor hem st chips	ogn							0.4	5.2	0.2	53	11.7	2.9	0.3	37	0.8	<0.5	<0.2		
967552	74.68	76.20	1.52	wh-lt gy gnss; no biot; minor hem st chips; tr eu py	ogn	tr						0.5	7.3	0.2	69.2	14.6	3.7	0.2	245	1.1	<0.5	<0.2		
967553	76.20	77.72	1.52	wh-lt gy gnss; no biot; minor hem st chips	ogn							0.4	4.4	0.2	87.5	16.2	2.8	0.3	43	0.7	<0.5	<0.2		
967554	77.72	79.25	1.52	wh-lt gy gnss; no biot; tr hem st chips	ogn							1.1	12.5	0.3	191.1	29.8	8.6	0.4	54	0.5	<0.5	<0.2		
967555	79.25	80.77	1.52	lt gy gnss; no biot; tr hem st chips; tr eu py	ogn	tr						0.8	14.6	0.5	270.3	35.3	11.1	0.5	41	0.4	<0.5	<0.2		
967556	80.77	82.30	1.52	lt gy gnss; no biot; minor hem st chips; minor eu py	ogn	minor						0.6	5.5	0.4	337.4	34.4	9.5	0.7	41	0.4	<0.5	<0.2		
967557	82.30	83.82	1.52	lt gy gnss; no biot; minor hem st chips	ogn							0.8	4	0.6	405.9	34.8	11.7	0.7	43	0.6	<0.5	<0.2		
967558	83.82	85.34	1.52	lt gy gnss; no biot; 2% hem st chips	ogn							0.7	4.2	0.6	491.8	39.5	12.6	0.6	43	0.6	<0.5	<0.2		
967559	85.34	86.87	1.52	gy gnss; no biot; minor hem st chips; minor wh py	ogn	minor						1	5.5	0.9	288.4	32.2	16.2	0.9	56	0.5	<0.5	<0.2		
967560	86.87	88.39	1.52	gy gnss; no biot; minor hem st chips; minor wh py	ogn							1.3	3.8	0.7	287	29.7	9.6	1.3	40	0.3	<0.5	<0.2		
967561	88.39	89.92	1.52	lt gy wk ser alt? gnss; minor biot; minor hem st chips; minor wh py	ogn	minor	wk					1.2	5.5	0.5	238.6	23.6	8.4	1.4	36	0.6	<0.5	<0.2		
967562	89.92	91.44	1.52	wh-beige wk ser alt? gnss; 2% hem st chips; minor wh py	ogn	minor	wk					1	6.7	1.1	492.4	25.5	11	1.7	33	1.3	<0.5	<0.2		
967563	91.44	92.96	1.52	wh-beige-or wk ser alt? gnss; 20% hem-lim st chips; minor wh py	ogn	minor	wk			tr		1.3	10.9	4.5	3483.1	133.6	59.4	1.5	312	1.1	<0.5	<0.2		
967564	92.96	94.49	1.52	lt gy-beige wk ser alt? gnss; 5% hem-lim st chips; minor wh py	ogn	minor	wk			tr		1.8	3.7	0.8	1207.6	60.5	8.3	0.1	379	1.2	<0.5	<0.2		
967565	94.49	96.01	1.52	lt gy-beige wk ser alt? gnss; minor py	ogn	minor	wk					0.5	3.3	0.3	611.4	58.4	4.3	0.1	51	0.6	<0.5	<0.2		
967566	96.01	97.54	1.52	lt gy-beige wk ser alt? gnss; 0.5% py	ogn	0.5	wk					0.4	2.6	0.7	345.9	43.3	5.7	1.2	46	0.5	<0.5	<0.2		
967567	97.54	99.06	1.52	lt gy-beige wk ser alt? gnss; 0.5% py	ogn	0.5	wk					0.5	2.5	0.4	199.2	27.9	3.3	0.3	49	0.7	<0.5	<0.2		
967568	99.06	100.58	1.52	lt gy-beige wk ser alt? gnss; minor bt; tr lim st chips; minor wh py	ogn	minor	wk			tr		0.6	5.5	0.8	833.8	59.6	9.1	0.6	44	0.6	<0.5	<0.2		
967569	100.58	102.11	1.52	lt gy-beige wk ser alt? gnss; minor bt; tr lim st chips; minor eu py	ogn	minor	wk			tr		2.4	1.9	0.1	251.1	26.8	5.8	0.4	416	0.5	<0.5	<0.2		
967570	102.11	103.63	1.52	lt gy-beige wk ser alt? gnss; minor bt; minor lim st chips; 2% eu py	ogn		2 wk			tr		0.6	27.7	3.6	918.2	65.2	23.3	0.3	127	0.7	<0.5	<0.2		
967571	103.63	105.16	1.52	lt gy-beige wk ser alt? gnss; minor lim st chips; minor eu py; tr dk gy qtz-py chips	ogn	minor	wk			tr		0.7	15.4	3.5	1210.1	76.6	16.3	0.4	295	0.6	<0.5	<0.2		
967572	105.16	106.68	1.52	lt gy-beige wk ser alt? gnss; minor lim st chips; 1% eu py; clayey sample	ogn		1 wk			tr		0.4	5.5	0.9	708	45.7	10.4	0.2	270	1.2	<0.5	<0.2		
967573	106.68	108.20	1.52	lt gy-beige wk ser alt? gnss; 5% lim st chips; minor eu py	ogn	minor	wk			tr		0.3	3.7	0.3	512.7	41	9.3	0.2	115	0.8	0.6	<0.2		
967574	108.20	109.73	1.52	lt gy-beige wk ser alt? gnss; 1% lim st chips; 2% eu py	ogn		2 wk			tr		0.5	37.6	4.5	1041.6	90.8	29.7	0.3	151	0.8	<0.5	<0.2		
967575	109.73	111.25	1.52	lt gy-beige wk ser alt? gnss; 5% bk fg qtz chips; 1% lim st chips; 5% wh eu, vfg y py	ogn		1 wk			tr	tr	0.5	25.8	4.2	3132.5	259.3	32.3	0.3	174	0.9	0.6	<0.2		
967576	111.25	112.78	1.52	lt gy-gn-beige wk ser alt? gnss; 3% bk fg qtz chips; 1% py overall	ogn		1 wk			tr	tr	0.6	84.5	28	5670.4	337.7	383.3	0.8	217	0.3	<0.5	<0.2		
967577	112.78	114.30	1.52	lt gy-gn-beige wk ser alt? gnss; 1% bk fg qtz chips; minor py; tr fg bk sx?	ogn	minor	wk			tr		0.8	26	7.7	4921.2	193.6	86.6	0.5	124	0.4	<0.5	<0.2		
967578	114.30	115.82	1.52	lt gy-gn-beige wk ser alt? gnss; minor bk fg qtz chips; minor py; tr fg bk sx?	ogn	minor	wk			tr		0.5	8.2	2.1	2200.3	118.2	30.4	0.3	112	0.5	0.8	<0.2		



HOLE #	CCRC17-12			datum; NAD 83 Zone 10	UTM E	601877	AZIMUTH																	
PROJECT	Canadian Creek				UTM N	6960286	DIP	-90																
AREA	Malt East				ELEVATION	1199m	DATES	14-Aug-17																
DEPTH	59.44m				GRID E		Logged by	Johnston																
DRILLER	Midnight Sun				GRID N																			
CCRC17-12																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967585	0.30	1.83	1.52	bn surface weath bt ognss	ogn							2	11.5	0.8	398.4	44.5	11.6	0.1	136	1	<0.5	<0.2		
967586	1.83	3.35	1.52	bn surface weath bt ognss	ogn							2.6	4.8	0.3	256.6	33.9	5.5	0.1	215	1.1	<0.5	<0.2		
967587	3.35	4.57	1.22	bk bt-feld-qtz ognss	ogn							2	5.3	<0.1	10.9	1.2	0.5	<0.1	382	1.8	<0.5	<0.2		
967588	4.57	6.10	1.52	bk bt-feld-qtz ognss; tr hem st chips (poss boulder)	ogn							1.6	2.6	<0.1	8.8	2.4	0.4	<0.1	314	1.7	0.5	<0.2		
967589	6.10	7.62	1.52	bk bt-feld-qtz ognss (poss boulder)	ogn							1.7	3.3	<0.1	8.1	3.5	0.3	<0.1	353	1.7	<0.5	<0.2		
967590	7.62	9.14	1.52	bk bt-feld-qtz ognss; 20% hem st chips (poss boulder)	ogn							1.1	4	<0.1	6.5	3.6	0.3	0.2	44	1.8	<0.5	<0.2		
967591	9.14	10.67	1.52	gy feld-qtz ognss; 50% hem st chips	ogn							1.9	8.3	0.2	87.2	3.8	3.1	0.2	86	1.5	<0.5	<0.2		
967592	10.67	12.19	1.52	gy feld-qtz ognss; 50% hem st chips; minor py	ogn	minor						1.7	5.7	<0.1	8.3	4	0.4	0.2	39	2.1	<0.5	<0.2		
967593	12.19	13.72	1.52	gy-bk bt-feld-qtz ognss; 50% hem st chips; minor py	ogn	minor						2	9.7	<0.1	42.2	9.1	1.5	0.3	47	2.9	<0.5	<0.2		
967594	13.72	15.24	1.52	gy, bk bt-feld-qtz ognss; 50% hem st chips; minor py	ogn	minor						3.2	7.5	<0.1	12.8	4.1	0.4	0.2	113	2.3	<0.5	<0.2		
967595	15.24	16.76	1.52	gy, bk bt-feld-qtz ognss; 50% hem st chips; minor py	ogn	minor						1.1	4.8	<0.1	42	13.5	1.2	0.2	42	1.2	<0.5	<0.2		
967596	16.76	18.29	1.52	bk, gy bt-feld-qtz ognss; 50% hem st chips; minor py	ogn	minor						0.9	18.8	<0.1	8.1	1.7	0.7	<0.1	523	0.4	<0.5	<0.2		
967597	18.29	19.81	1.52	bk bt-feld-qtz ognss	ogn							0.5	24.5	<0.1	4.4	5.4	3.7	<0.1	453	0.3	<0.5	<0.2		
967598	19.81	21.34	1.52	no reject	ogn							0.5	8.6	0.1	224.1	37.4	4.8	<0.1	140	1.9	<0.5	<0.2		
967599	21.34	22.86	1.52	no reject	ogn							0.5	5.4	<0.1	88.4	14.3	3.4	0.2	44	1.8	<0.5	<0.2		
967600	22.86	24.38	1.52	no reject	ogn							0.7	4.6	0.2	224	28	4.1	0.2	35	2.6	0.6	<0.2		
967601	24.38	25.91	1.52	no reject	ogn							1	3.2	0.1	248.7	33.7	3.6	0.2	31	1.9	<0.5	<0.2		
967602	25.91	27.43	1.52	lt gy feld-qtz ognss?; tr bt; wh ser? alt: tr lim st chips	ogn					tr		1	2.9	<0.1	35.3	7.4	2.5	0.1	32	1.4	<0.5	<0.2		
967603	27.43	28.96	1.52	lt gy feld-qtz ognss?; tr bt; wh ser? alt: tr lim st chips	ogn					tr		0.7	5.4	0.1	118.6	14.9	3.9	0.2	33	1.3	0.8	<0.2		
967604	28.96	30.48	1.52	lt gy feld-qtz ognss?; tr bt; wh ser? alt: tr lim st chips; minor py	ogn	minor				tr		0.9	4.5	0.1	106.4	14.1	3.9	0.2	33	1.3	<0.5	<0.2		
967605	30.48	32.00	1.52	lt gy feld-qtz ognss?; tr bt; wh ser? alt: tr lim st chips; minor py	ogn	minor				tr		0.6	3	<0.1	20.1	3.5	2.6	0.2	31	1.2	<0.5	<0.2		
967606	32.00	33.53	1.52	no reject	ogn					tr		0.7	6.9	0.1	132.7	16	4.4	0.2	44	1	<0.5	<0.2		
967607	33.53	35.05	1.52	lt gy feld-qtz ognss?; local chips w/ bt; wh ser? alt: tr lim st chips; tr py	ogn	tr				tr		0.9	4.5	0.2	258.9	31.5	3.6	0.3	57	1.4	<0.5	<0.2		
967608	35.05	36.58	1.52	bk, gy lt gy feld-qtz ognss; tr lim st chips	ogn					tr		0.7	6.8	<0.1	13.2	1.1	1.4	0.1	73	1.1	<0.5	<0.2		
967609	36.58	38.10	1.52	bk, gy lt gy feld-qtz ognss; tr lim st chips	ogn					tr		0.8	6.7	<0.1	74.6	7.2	3.1	0.1	56	1.4	<0.5	<0.2		
967610	38.10	39.62	1.52	no reject	ogn					tr		1.1	7	<0.1	225.2	18.4	4	0.1	68	2.5	<0.5	<0.2		
967611	39.62	41.15	1.52	bk, gy lt gy feld-qtz ognss; tr gn tinge?; tr lim st chips; tr py	ogn	tr				tr		0.9	6.1	<0.1	598.2	75.2	4.3	0.1	65	1.2	<0.5	<0.2		
967612	41.15	42.67	1.52	bk, gy lt gy feld-qtz ognss; tr gn tinge?; tr lim st chips; tr py	ogn	tr				tr		1.5	6.1	<0.1	20.6	2.1	2.4	0.3	56	2	<0.5	<0.2		
967613	42.67	44.20	1.52	beige-wh feld-qtz ognss; tr lim st chips; tr py	ogn	tr				tr		1	11	0.2	20.1	4.2	5.5	0.4	29	2.6	<0.5	<0.2		
967614	44.20	45.72	1.52	beige-wh-lt gn feld-qtz ognss; tr lim st chips; minor py	ogn	minor				tr		0.9	10.1	<0.1	30.2	5.1	2.9	0.4	24	1	<0.5	<0.2		
967615	45.72	47.24	1.52	50/50 of bk bt-feld qtz ognss and feld-qtz ognss w/ minor gn tinge; minor py; tr lim st chips	ogn	minor				tr		0.8	6.4	<0.1	10.2	2.6	1.7	0.5	36	1.2	<0.5	<0.2		
967616	47.24	48.77	1.52	50/50 of bk bt-feld qtz ognss and feld-qtz ognss w/ minor gn tinge; minor py; tr lim st chips	ogn	minor				tr		1.6	8	0.1	73.1	8.1	3.4	0.3	55	1.6	<0.5	<0.2		





HOLE #	CCRC17-13		datum; NAD 83 Zone 10	UTM E	601735	AZIMUTH	70
PROJECT	Canadian Creek			UTM N	6960219	DIP	-50
AREA	Malt East			ELEVATION	1185m	DATES	15-Aug-17
DEPTH	125.58m			GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-13	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967624	0.00	0.91	0.91	no reject	ogn							1.7	9.2	0.3	247.7	10.4	21.9	0.5	98	0.5	<0.5	<0.2		
	967625	0.91	2.44	1.52	bn surface weath ognss	ogn							1.8	7	0.4	278.2	26	25	1.5	97	0.7	<0.5	<0.2		
	967626	2.44	3.96	1.52	or surface weath (lim?) st bt-feld qtz ognss	ogn							1.8	7.7	0.3	196.8	16	18	0.5	86	1.1	<0.5	<0.2		
	967627	3.96	5.49	1.52	or surface weath (lim?) st bt-feld qtz ognss	ogn							1.7	5.4	0.2	154.7	15.8	12.2	0.3	47	0.5	<0.5	<0.2		
	967628	5.49	6.71	1.22	or surface weath (lim?) st bt-feld qtz ognss	ogn							1.4	14.1	0.2	23.8	0.6	9.7	0.5	48	1	<0.5	<0.2		
	967629	6.71	8.23	1.52	or surface weath (lim?) st bt-feld qtz ognss	ogn							2.6	10.3	0.3	28.3	1.8	10.2	1	45	0.9	<0.5	<0.2		
	967630	8.23	9.75	1.52	or surface weath (lim?) st bt-feld qtz ognss	ogn							2.2	11.4	0.2	28.1	3.6	9.5	0.5	61	0.6	<0.5	<0.2		
	967631	9.75	11.28	1.52	or surface weath (lim?) st bt-feld qtz ognss; 30% gy-gn ser alt chips	ogn		str					1.7	3.9	0.3	12.4	1.3	6.1	0.6	37	0.7	<0.5	<0.2		
	967632	11.28	12.80	1.52	gy-gn ser alt feld-qtz ognss; tr mafics; 20% lim alt; minor py	ogn	minor	str			minor		1.3	5.7	0.3	7.6	1.3	4.6	0.6	35	0.5	<0.5	<0.2		
	967633	12.80	14.33	1.52	gy-gn ser alt feld-qtz ognss; tr mafics; 20% lim alt; minor py	ogn	minor	str			minor		1.6	7.5	0.3	183.1	18.9	11.3	0.5	44	0.6	<0.5	<0.2		
	967634	14.33	15.85	1.52	gy-gn ser alt feld-qtz ognss; tr mafics; 20% lim alt; tr py	ogn	tr	str			minor		0.9	3.8	0.2	284.6	22.8	9.9	0.3	37	0.8	<0.5	<0.2		
	967635	15.85	17.37	1.52	gy-gn ser alt feld-qtz ognss; tr mafics; 10% lim alt; tr py	ogn	tr	str			minor		1.2	5.6	0.3	227.7	21.2	12.2	0.5	49	0.6	<0.5	<0.2		
	967636	17.37	18.90	1.52	gy-beige-gn ser alt feld-qtz ognss; tr mafics; 5% lim alt; tr py	ogn	tr	str			minor		1	3.6	0.3	242.2	20.8	17.4	0.4	42	0.7	<0.5	<0.2		
	967637	18.90	20.42	1.52	gy-beige ser alt feld-qtz ognss; minor bt; tr py	ogn	tr	str					0.9	5.8	0.4	522	32	19.2	0.5	47	0.6	<0.5	<0.2		
	967638	20.42	21.95	1.52	gy-beige ser alt feld-qtz ognss; minor bt; tr py; tr chips w/ 10% fg py	ogn		1 str					1	14.8	3.1	229	27.5	40.6	0.5	150	0.6	<0.5	<0.2		
	967639	21.95	23.47	1.52	gy-beige ser alt feld-qtz ognss w/ minor bt; 10% lim alt; local chips w/ 10% py; 1% py overall	ogn		1 str			minor		1.6	4.3	0.9	467.2	38.6	32.8	0.7	66	0.5	<0.5	<0.2		
	967640	23.47	24.99	1.52	gy-beige ser alt feld-qtz ognss w/ minor bt; 40% lim alt chips; local chips w/ 10% py; 1% py overall	ogn		1 str			mod		0.9	9.4	0.7	677.5	33.5	67.6	0.4	76	0.4	<0.5	<0.2		
	967641	24.99	26.52	1.52	gy-beige ser alt feld-qtz ognss w/ minor bt; 40% lim alt chips; minor py	ogn	minor	str			mod		0.8	18.5	0.8	731.5	43.6	112.8	0.5	74	0.5	<0.5	<0.2		
	967642	26.52	28.04	1.52	gy-beige-gn ser alt feld-qtz ognss w/ minor bt; 40% lim alt chips; 1% py	ogn		1 str			mod		0.6	12.5	0.7	77.6	15.1	82.9	0.5	48	0.3	<0.5	<0.2		
	967643	28.04	29.57	1.52	gy-beige-gn ser alt feld-qtz ognss w/ minor bt; 10% lim alt chips; minor py	ogn	minor	str			minor		0.8	3.3	0.9	59	11.4	83.8	0.3	44	0.3	<0.5	<0.2		
	967644	29.57	31.09	1.52	gy-beige-gn ser alt feld-qtz ognss w/ minor bt; 5% lim alt chips; minor py	ogn	minor	str			tr		0.8	2.1	1.5	597.4	43	127.6	0.3	32	0.4	<0.5	<0.2		
	967645	31.09	32.61	1.52	gy-beige-gn ser alt feld-qtz ognss w/ minor bt; 5% lim alt chips; minor py	ogn	minor	str			tr		1	6.4	3.1	647.2	69.8	103.5	0.2	49	0.5	<0.5	<0.2		
	967646	32.61	34.14	1.52	gy-beige-gn ser alt feld-qtz ognss w/ minor bt; 5% lim alt chips; 1% py	ogn		1 str			tr		1.6	3.6	2	748.1	51.7	114.4	0.2	66	0.5	<0.5	<0.2		
	967647	34.14	35.66	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; minor qtz chips w/ str py; 1% py overall	ogn		1 str			tr		0.7	4.9	1.7	281.2	25.7	88.4	0.1	44	0.4	<0.5	<0.2		
	967648	35.66	37.19	1.52	gy-beige ser alt feld-qtz ognss; no mafics; 5% lim alt chips; minor qtz chips w/ str py; 1% py overall, local gy sx	ogn		1 str			tr		0.6	5.5	4	2122.6	125.1	368.3	0.6	39	0.4	<0.5	<0.2		

Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967649	37.19	38.71	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; minor qtz chips w/ str py; 1% py overall	ogn	1	str			tr	minor	0.5	1.7	1	225.2	32.5	56.6	0.1	84	0.1	<0.5	<0.2		
967650	38.71	40.23	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str			tr	minor	0.6	2.7	1.3	96.4	63	134	0.6	89	0.4	<0.5	<0.2		
967651	40.23	41.76	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str			tr	tr	0.4	2.1	0.8	284.5	27	68.7	0.3	62	0.4	<0.5	<0.2		
967652	41.76	43.28	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str			tr	tr	0.3	6.8	3.6	118.7	29.6	254.2	0.4	37	0.2	<0.5	<0.2		
967653	43.28	44.81	1.52	no reject	ogn							0.6	2.8	0.4	234	15.1	31.4	0.2	40	0.2	<0.5	<0.2		
967654	44.81	46.33	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 5% lim alt chips; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str			minor	tr	0.5	3.9	2	406	53.2	113.6	0.3	44	0.3	<0.5	<0.2		
967655	46.33	47.85	1.52	gy-beig-gn ser alt feld-qtz ognss; no mafics; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str				tr	0.5	2.9	1.9	349.5	30.2	133.6	0.4	48	0.2	<0.5	<0.2		
967656	47.85	49.38	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str				tr	0.4	6.1	3.6	940.9	59.7	264.4	0.3	38	0.2	<0.5	<0.2		
967657	49.38	50.90	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; tr bk qtz chips w/ str py; 1% py overall	ogn	1	str				tr	0.6	5.3	3.3	674	38.4	258.4	0.4	47	0.2	<0.5	<0.2		
967658	50.90	52.43	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; tr bk qtz chips w/ str py; 2% py overall	ogn	2	str				tr	1.3	6.6	1.8	1005.3	34.4	170.4	0.2	43	0.2	<0.5	<0.2		
967659	52.43	53.95	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; tr bk qtz chips w/ str py; 2% py overall	ogn	2	str				tr	0.5	2.3	0.3	137.9	10.9	31.1	0.1	42	0.2	<0.5	<0.2		
967660	53.95	55.47	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics	ogn		str					0.3	1.3	0.1	576.4	28.5	7.9	<0.1	37	0.2	<0.5	<0.2		
967661	55.47	57.00	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; tr lim chips; minor py	ogn	minor	str					1.2	1.1	0.1	61.2	8.6	13.6	<0.1	47	0.2	<0.5	<0.2		
967662	57.00	58.52	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 1% py	ogn	1	str					0.6	1.5	0.9	72.7	9.9	99	0.1	43	0.2	<0.5	<0.2		
967663	58.52	60.05	1.52	gy-beige-gn ser alt feld-qtz ognss; no mafics; 1% py	ogn	1	str					1.2	4	3.2	96.8	15.1	280.2	0.4	50	0.2	<0.5	<0.2		
967664	60.05	61.57	1.52	no reject	ogn							0.4	1.8	1.1	47.4	38.6	55.1	0.3	37	0.2	<0.5	<0.2		
967665	61.57	63.09	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; minor eu py	ogn	minor	str					1.5	2.1	0.5	190	20.3	37.5	0.3	118	0.5	<0.5	<0.2		
967666	63.09	64.62	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; minor eu py	ogn	minor	str					0.6	3.6	0.7	593.4	77.6	50.4	0.2	101	0.4	<0.5	<0.2		
967667	64.62	66.14	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py	ogn	1	str					0.9	19	2.4	804.3	62	51.2	<0.1	148	0.3	<0.5	<0.2		
967668	66.14	67.67	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py	ogn	1	str					0.7	43.6	12.9	1258.2	73.2	315.8	0.1	174	0.3	<0.5	<0.2		
967669	67.67	69.19	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py	ogn	1	str					0.4	3.2	1.6	148.3	48.8	131.6	0.2	102	0.4	<0.5	<0.2		
967670	69.19	70.71	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py	ogn	1	str					0.7	17.6	1.3	157.9	20.6	50.9	<0.1	131	0.3	<0.5	<0.2		
967671	70.71	72.24	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py; amethyst w/ py?	ogn	1	str					0.7	2	1.4	201	18.7	134.8	0.2	126	0.5	<0.5	<0.2		
967672	72.24	73.76	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py	ogn	1	str					0.8	2.7	0.7	202.7	17.2	51.5	0.1	51	0.2	<0.5	<0.2		
967673	73.76	75.29	1.52	gy-beige-gn ser alt feld-qtz ognss; minor eu py; minor bk qtz w/ py chips	ogn	minor	str				minor	0.7	1.7	0.3	103.1	9.6	12.4	0.2	40	0.3	<0.5	<0.2		

CCRC17-13																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967674	75.29	76.81	1.52	gy-beige-gn ser alt feld-qtz ognss; minor eu py; 3% gy qtz w/ py chips	ogn	minor	str				3%	0.4	2.6	0.9	248.8	12.2	65.5	0.2	47	0.2	<0.5	<0.2		
967675	76.81	78.33	1.52	gy-beige-gn ser alt feld-qtz ognss; 10% unalt bt-feld-qtz ognss; minor eu py; minor bk qtz chips w/ py	ogn	minor	str				minor	0.5	2.4	0.6	248.8	17.7	60.3	0.2	45	0.2	<0.5	<0.2		
967676	78.33	79.86	1.52	gy-beige-gn ser alt feld-qtz ognss; 0.5% eu py; minor bk qtz chips w/ py	ogn	0.5	str				minor	0.8	1.6	0.4	53.4	10.3	61.2	0.3	45	0.2	<0.5	<0.2		
967677	79.86	81.38	1.52	gy-beige-gn ser alt feld-qtz ognss; 1% eu py; minor bk qtz w/ py	ogn	1	str				minor	0.5	1.5	1	151.2	81.2	89.6	0.4	39	0.2	<0.5	<0.2		
967678	81.38	82.91	1.52	gy-beige-gn ser alt feld-qtz ognss; 1% eu py; minor bk qtz w/ py	ogn	1	str				minor	0.5	1.9	0.7	195.1	31.9	104.4	0.3	36	0.3	<0.5	<0.2		
967679	82.91	84.43	1.52	gy-beige-gn ser alt feld-qtz ognss; 1% eu py; tr bk qtz w/ py	ogn	1	str				tr	0.5	3.5	2.2	130.1	60.1	233.7	1	41	0.3	<0.5	<0.2		
967680	84.43	85.95	1.52	gy-beige-gn ser alt feld-qtz ognss; 1% eu py	ogn	1	str					0.8	5.5	3.1	356.6	57.7	251.3	0.9	44	0.3	<0.5	<0.2		
967681	85.95	87.48	1.52	gy-beige-gn ser alt feld-qtz ognss; 1% eu py	ogn	1	str					0.6	2.7	1.5	469	46.5	140.6	0.7	94	0.4	<0.5	<0.2		
967682	87.48	89.00	1.52	gy-beige-gn ser alt feld-qtz ognss; chl-ser alt bt; 1% eu py; tr bk qtz chips w/ vfg py	ogn	1	str				tr	0.7	4.9	2.4	965.1	54.9	215.3	0.3	57	0.3	<0.5	<0.2		
967683	89.00	90.53	1.52	gy-beige ser alt feld-qtz ognss; 0.5% eu py	ogn	0.5	str					0.4	3.5	0.7	591.4	27.9	59.7	0.1	53	0.2	<0.5	<0.2		
967684	90.53	92.05	1.52	gy-beige ser alt feld-qtz ognss; 0.5% eu py	ogn	0.5	str					0.5	3.7	0.8	476.9	30.2	66.9	0.2	91	0.2	<0.5	<0.2		
967685	92.05	93.57	1.52	gy-beige ser alt feld-qtz ognss; 0.5% eu py	ogn	0.5	str					0.3	2.6	0.3	344.1	26.4	14	0.1	38	0.2	<0.5	<0.2		
967686	93.57	95.10	1.52	gy-beige ser alt feld-qtz ognss; 0.5% eu py	ogn	0.5	str					0.4	1.7	0.2	283.1	16.4	8.4	0.1	37	0.2	<0.5	<0.2		
967687	95.10	96.62	1.52	gy-beige ser alt feld-qtz ognss; 0.5% eu py; minor dk gy qtz chips w/ 5-10% py	ogn	1	str				minor	1.6	18.7	4.2	530	29.6	95.8	0.4	73	0.6	<0.5	<0.2		
967688	96.62	98.15	1.52	gy-beige ser alt feld-qtz ognss; 1% eu py, tr gy sx?; tr dk gy qtz chips w/ 5-10% py	ogn	1	str				tr	1.5	18.5	0.7	1065.1	78.6	25	0.2	102	0.4	<0.5	<0.2		
967689	98.15	99.67	1.52	gy-beige ser alt feld-qtz ognss; tr hem st; 3% eu py, tr gy sx?; 5% dk gy qtz chips w/ 5-10% py	ogn	3	str				5%	0.5	9.1	1.2	2082.3	89	46.3	0.1	121	0.2	<0.5	<0.2		
967690	99.67	101.19	1.52	gy-beige ser alt feld-qtz ognss; tr hem st; 3% eu py; 5% chips w/ 5-10% py	ogn	3	str					0.7	10.1	0.5	533.1	47.8	41.1	0.2	136	0.4	<0.5	<0.2		
967691	101.19	102.72	1.52	gy-beige ser alt feld-qtz ognss; 2% eu py; 5% chips w/ 5-10% py	ogn	2	str					0.7	25	4.3	835.9	51.5	351.8	0.9	89	0.3	<0.5	<0.2		
967692	102.72	104.24	1.52	gy-beige ser alt feld-qtz ognss; 2% eu py; 5% chips w/ 5-10% py	ogn	2	str					0.6	4.1	1	464.2	38.7	81.1	0.2	80	0.2	<0.5	<0.2		
967693	104.24	105.77	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py	ogn	1	str					0.5	3.5	1	699	54.2	41.9	0.3	124	0.6	<0.5	<0.2		
967694	105.77	107.29	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py; minor dk gy chips w/ py	ogn	1	str					0.3	2.1	0.6	391.9	35.1	30.5	0.5	50	0.4	<0.5	<0.2		
967695	107.29	108.81	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py; minor dk gy chips w/ py	ogn	1	str					0.4	3.3	0.8	522.2	46.5	43.2	0.2	72	0.5	<0.5	<0.2		
967696	108.81	110.34	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py	ogn	1	str					0.4	5.1	1.1	654.8	48.4	52.2	0.3	54	0.4	<0.5	<0.2		
967697	110.34	111.86	1.52	gy-beige ser alt feld-qtz ognss; 20% rd-pk hem st; 1% eu py	ogn	1	str					0.4	7.4	1	594.3	55.1	29.5	0.3	61	0.5	<0.5	<0.2		
967698	111.86	113.39	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py; local dk gy chips w/ 5% py	ogn	1	str					0.7	33.1	1.4	514.7	43.3	58.1	0.3	198	0.4	<0.5	<0.2		
967699	113.39	114.91	1.52	gy-beige ser alt feld-qtz ognss; minor rd-pk hem st; 1% eu py; local dk gy chips w/ 5% py	ogn	1	str					0.8	26.5	3.4	1362	112.3	50	0.3	195	0.5	<0.5	<0.2		
967700	114.91	116.43	1.52	gy-pk feld-qtz ognss?; no mafics; minor dk gy chips w/ 5% py	ogn	1						0.6	3.2	0.9	633.1	52.8	25.6	0.3	85	0.7	<0.5	<0.2		
967701	116.43	117.96	1.52	gy-pk feld-qtz ognss?; no mafics; minor dk gy chips w/ 5% py	ogn	minor						0.4	4.5	1.2	826.7	43.6	30.9	0.3	83	0.7	<0.5	<0.2		



HOLE #	CCRC17-14			datum; NAD 83 Zone 10	UTM E	601737			AZIMUTH															
PROJECT	Canadian Creek				UTM N	6960220			DIP	-90														
AREA	Malt East				ELEVATION	1185m			DATES	15-Aug-17														
DEPTH	67.36m				GRID E				Logged by	Johnston														
DRILLER	Midnight Sun				GRID N																			
CCRC17-14																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967707	0.00	0.61	0.61	no reject	ogn							1.2	14.5	0.5	225.1	11.6	30.3	0.4	131	0.5	<0.5	<0.2		
967708	0.61	2.13	1.52	or-bn surface weath feld-qtz gnss; minor bt	ogn							1.5	12.1	0.3	260.7	33.4	17.6	0.3	70	0.6	<0.5	<0.2		
967709	2.13	3.35	1.22	or-bn surface weath feld-qtz gnss; minor bt	ogn							1.4	12.7	0.3	118.6	14.8	18.5	0.4	89	1.3	<0.5	<0.2		
967710	3.35	4.88	1.52	or-bn surface weath feld-qtz gnss; minor bt	ogn							1.8	7.5	0.2	40.6	5.4	11.7	0.4	79	0.9	<0.5	<0.2		
967711	4.88	6.40	1.52	lt gy-gn ser bt-feld-qtz gnss; 90% or-bn surface weath	ogn		str					1.6	3.6	0.1	23.6	3.1	8	0.3	65	0.8	<0.5	<0.2		
967712	6.40	7.92	1.52	lt gy-gn ser bt-feld-qtz gnss; 70% or-bn surface weath	ogn		str					1.6	3.5	0.1	22.2	3	8.2	0.2	57	1.1	<0.5	<0.2		
967713	7.92	9.45	1.52	lt gy-gn ser bt-feld-qtz gnss; 40% or-bn surface weath; local str gn chips	ogn		str					1.5	6.5	0.1	12.3	3	8.2	0.2	48	1.3	<0.5	<0.2		
967714	9.45	10.97	1.52	lt gy-gn ser bt-feld-qtz gnss; 10% or-bn lim st/surface weath; local str gn chips	ogn		str			minor		1.7	11.6	0.2	18.2	1.7	11.6	0.2	43	1.8	<0.5	<0.2		
967715	10.97	12.50	1.52	lt gy-gn ser bt-feld-qtz gnss; 50% or-bn lim st; local str gn chips; tr py	ogn	tr	str			minor		1.7	8.7	0.2	17.3	1.7	12.6	0.4	49	1.9	<0.5	<0.2		
967716	12.50	14.02	1.52	lt gy-gn ser bt-feld-qtz gnss; 30% or-bn lim st; local str gn chips; tr py	ogn	tr	str			minor		1.4	7.8	0.1	6.4	<0.5	8.3	0.3	87	1	<0.5	<0.2		
967717	14.02	15.54	1.52	lt gy-gn ser bt-feld-qtz gnss; 60% or-bn lim st; tr dk gy chips w/ 5-10% py; minor py overall	ogn	minor	str			minor		1.4	11.6	0.1	26.6	5.1	11.5	0.2	397	2.1	<0.5	<0.2		
967718	15.54	17.07	1.52	lt gy-gn ser bt-feld-qtz gnss; 60% or-bn lim st; 5% dk gy chips w/ 5-10% py; 2% py overall	ogn	2	str			minor		1.2	5.2	0.3	186	45.2	11.7	0.5	143	1.2	<0.5	<0.2		
967719	17.07	18.59	1.52	lt gy-gn ser bt-feld-qtz gnss; 60% or-bn lim st; tr dk gy chips w/ 5-10% py; minor py overall	ogn	minor	str			minor		0.9	8.5	0.1	43.7	5.4	15.8	0.3	102	1.3	<0.5	<0.2		
967720	18.59	20.12	1.52	buff-beige bt-feld-qtz ognss; 70% bn lim st; v clayey sample	ogn					minor		0.9	6.3	0.1	14.3	2.3	7.5	0.2	35	1.3	<0.5	<0.2		
967721	20.12	21.64	1.52	bn lim? st buff-beige bt-feld-qtz ognss; v clayey sample	ogn					minor		1.3	4.2	0.1	79.7	7.7	8.5	0.1	298	1.5	<0.5	<0.2		
967722	21.64	23.16	1.52	buff-beige bt-feld-qtz ognss; 70% bn lim st; minor py; v clayey sample	ogn	minor				minor		0.7	3.6	<0.1	346.2	46.6	7.3	<0.1	29	0.8	<0.5	<0.2		
967723	23.16	24.69	1.52	buff-beige bt-feld-qtz ognss; 50% bn lim st; minor py; local lt gy chips w/ silver py; v clayey sample	ogn	minor	wk			minor		1.3	5.2	0.1	364.4	33.8	12.8	<0.1	71	1.8	<0.5	<0.2		
967724	24.69	26.21	1.52	buff-beige bt-feld-qtz ognss; 50% bn lim st; minor py; local lt gy chips w/ silver py; v clayey sample	ogn	minor	wk			minor		1.2	4.3	0.1	449.3	59.4	14.9	0.3	53	1.3	<0.5	<0.2		
967725	26.21	27.74	1.52	gy bt-feld-qtz ognss; 30% lim st chips; local str gn alt chips; minor py; v clayey sample	ogn	minor	wk			minor		1.4	17.5	1.2	130.1	4.4	28.7	3.5	138	1.4	<0.5	<0.2		
967726	27.74	29.26	1.52	gy bt-feld-qtz ognss; 50% lim st chips; minor mod gn alt chips; minor py; v clayey sample	ogn	minor	wk			minor		1.1	8.4	1.1	55.1	3.1	16	3.7	724	1.4	<0.5	<0.2		
967727	29.26	30.78	1.52	gy feld-qtz ognss; 20% lim st chips; minor py	ogn	minor				minor		1.1	8.1	0.2	138.6	14.3	10.6	0.4	457	1	<0.5	<0.2		
967728	30.78	32.31	1.52	gy bt-feld-qtz ognss; 20% lim st chips; minor py	ogn	minor				minor		0.7	3.6	0.1	12	0.9	3.3	0.3	92	0.9	<0.5	<0.2		
967729	32.31	33.83	1.52	gy bt-feld-qtz ognss; 20% bk mafic schist chips w/ fg py; 10% lim st chips; 1% py overall	ogn	1				minor		0.8	4.2	<0.1	13.6	<0.5	4.7	0.2	100	1	<0.5	<0.2		



HOLE #	CCRC17-15		datum; NAD 83 Zone 10	UTM E	601739	AZIMUTH	250
PROJECT	Canadian Creek			UTM N	6960221	DIP	-50
AREA	Malt East		note; hole abandoned early due to	ELEVATION	1185m	DATES	16-Aug-17
DEPTH	72.24m		bad caving (prob fault) from 36 to 45m	GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-15	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967752	1.22	2.74	1.52	no reject	ogn							1.4	14.3	0.3	133.3	8.2	20	0.5	120	0.6	<0.5	<0.2		
	967753	2.74	4.27	1.52	or-bn weath bt orthognss	ogn							1.8	17.1	0.2	44.6	1.9	10	0.5	93	0.8	<0.5	<0.2		
	967754	4.27	5.49	1.22	or-bn weath bt orthognss	ogn							1.4	10	0.1	27.2	2.1	8.1	0.4	116	2	<0.5	<0.2		
	967755	5.49	7.01	1.52	or-bn weath bt orthognss	ogn							1.5	8.7	<0.1	8.6	0.5	3.5	0.2	57	1.1	<0.5	<0.2		
	967756	7.01	8.53	1.52	or-bn weath bt orthognss	ogn							8.4	8.2	<0.1	12.2	1.4	3.6	0.1	45	0.9	<0.5	<0.2		
	967757	8.53	10.06	1.52	or-bn weath bt orthognss; tr py	ogn	tr						2.3	3.7	<0.1	8	<0.5	2.4	0.2	57	1.4	<0.5	<0.2		
	967758	10.06	11.58	1.52	lt gy-beige feld-qtz gnss; minor bt; 80% or-bn surface weath; tr py	ogn	tr						1.7	3.9	<0.1	5.9	0.6	2.5	0.1	55	0.7	<0.5	<0.2		
	967759	11.58	13.11	1.52	no reject	ogn							1.7	3.5	<0.1	14.9	2.1	2.6	0.1	42	1.9	<0.5	<0.2		
	967760	13.11	14.63	1.52	no reject	ogn							1.4	2.8	<0.1	8.9	1.8	2.8	0.1	30	1.5	<0.5	<0.2		
	967761	14.63	16.15	1.52	lt gy-beige feld-qtz gnss; minor bt; 50% or-bn surface weath; tr py	ogn	tr						1.6	6.7	<0.1	126.3	18.8	16.2	0.1	29	1.7	<0.5	<0.2		
	967762	16.15	17.68	1.52	lt gy-beige feld-qtz gnss; minor bt; 30% or-bn surface weath; tr py	ogn	tr						2	11.2	<0.1	22.6	2	14	0.2	29	1.9	<0.5	<0.2		
	967763	17.68	19.20	1.52	lt gy-beige feld-qtz gnss; minor bt; 20% or-bn chips; local chips w/ 10% py; minor py overall	ogn	minor						6.3	12.1	0.2	62.4	2.3	2.2	0.7	28	2.2	<0.5	<0.2		
	967764	19.20	20.73	1.52	lt gy-beige feld-qtz gnss; minor bt; 60% or-bn chips; tr py	ogn	tr						2.2	10.3	0.3	66.8	2.2	3.2	0.7	28	0.4	<0.5	<0.2		
	967765	20.73	22.25	1.52	lt gy-beige feld-qtz gnss; minor bt; 30% or-bn chips; tr py	ogn	tr						1.3	8.1	<0.1	7.2	0.8	1.6	0.2	24	2.9	<0.5	<0.2		
	967766	22.25	23.77	1.52	lt gy-beige feld-qtz gnss; minor bt; 40% or-bn chips; tr py	ogn	tr						1.4	10.9	0.1	14.1	3.1	4.6	0.3	28	1.1	<0.5	<0.2		
	967767	23.77	25.30	1.52	lt gy-beige feld-qtz gnss; minor bt; 40% or-bn chips; tr py	ogn	tt						2.2	6.2	<0.1	18.9	7.7	17.8	0.5	27	1.7	<0.5	<0.2		
	967768	25.30	26.82	1.52	lt gy-beige bt-feld-qtz gnss; 50% or-bn chips; tr py	ogn	tr						1	5.2	<0.1	9.2	1.2	3	0.2	25	1	<0.5	<0.2		
	967769	26.82	28.35	1.52	lt gy-beige bt-feld-qtz gnss; 50% or-bn chips; tr py	ogn	tr						0.9	2.5	<0.1	84.2	10.3	5.3	0.2	50	1.1	<0.5	<0.2		
	967770	28.35	29.87	1.52	lt gy-beige bt-feld-qtz gnss; 50% or-bn chips; tr py	ogn	tr						0.9	1.7	<0.1	45.3	4.9	3.6	0.1	36	1.1	<0.5	<0.2		
	967771	29.87	31.39	1.52	lt gy-beige bt-feld-qtz gnss; 50% or-bn chips; tr py	ogn	tr						1.2	2	<0.1	112.8	15	6	0.2	32	0.6	<0.5	<0.2		
	967772	31.39	32.92	1.52	lt gy-beige bt-feld-qtz gnss; wk ser alt?; 50% or-bn chips; tr py	ogn	tr	wk					1.3	2.2	0.1	265.4	29.2	7.7	<0.1	27	2.6	<0.5	<0.2		
	967773	32.92	34.44	1.52	lt gy-beige bt-feld-qtz gnss; wk ser alt?; 50% or-bn chips; tr py	ogn	tr	wk					2.3	1.8	0.1	632.8	66.8	22.9	<0.1	43	1	<0.5	<0.2		
	967774	34.44	35.97	1.52	lt gy-beige bt-feld-qtz gnss; wk ser alt?; 40% or-bn chips; minor py	ogn	minor	wk					1.2	3.1	<0.1	397.2	36.5	50	<0.1	39	0.4	<0.5	<0.2		
	967775	35.97	37.49	1.52	lt gy-beige bt-feld-qtz gnss; wk ser alt; 30% or-bn chips; minor py	ogn	minor	wk					5.4	4.5	0.1	460.3	31.3	26.1	<0.1	23	0.7	<0.5	<0.2		
	967776	37.49	39.01	1.52	lt gy bt-feld-qtz gnss; 20% or-bn chips; minor py	ogn	minor						1.4	7	0.1	533.7	36.7	526.4	0.2	32	0.8	<0.5	<0.2		
	967777	39.01	40.54	1.52	lt gy-gn-beige wk ser alt bt-feld-qtz gnss; wk ser alt; minor or-bn chips; minor py	ogn	minor	wk					0.9	5.6	0.2	1233.2	133.4	863.7	0.2	76	0.9	<0.5	<0.2		
	967778	40.54	42.06	1.52	lt gy-gn-beige wk ser alt bt-feld-qtz gnss; wk ser alt; 30% or-bn chips; minor py	ogn	minor	wk					0.8	5.3	0.1	1699.3	143.7	786.8	0.1	34	0.5	<0.5	<0.2		
	967779	42.06	43.59	1.52	lt gy-gn-beige wk ser alt bt-feld-qtz gnss; wk ser alt; 40% or-bn chips; minor py	ogn	minor	wk					1.2	5.1	<0.1	93.6	9.3	22.9	<0.1	26	1.7	<0.5	<0.2		
	967780	43.59	45.11	1.52	lt gy-gn-beige wk ser alt bt-feld-qtz gnss; wk ser alt; 10% bk mafic schist chips; minor py	ogn	minor	wk					1.4	17.6	<0.1	14.2	2	4	0.1	199	1.4	<0.5	<0.2		
	967781	45.11	46.63	1.52	lt gy-beige bt-feld-qtz gnss; wk ser alt; 80% bk mafic schist chips; minor py	ogn	minor						1.1	2.8	<0.1	33.7	4.5	4.5	0.2	182	1.6	<0.5	<0.2		





HOLE #	CCRC17-16		datum; NAD 83 Zone 10	UTM E		606714		AZIMUTH	48
PROJECT	Canadian Creek			UTM N		6959220		DIP	-50
AREA	Kana West			ELEVATION		1644m		DATES	16-Aug-17
DEPTH	126.49m			GRID E				Logged by	Johnston
DRILLER	Midnight Sun			GRID N					

CCRC17-16	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967799	0.30	1.83	1.52	no reject	ogn							1.7	23.4	0.4	438	6.6	2.3	1.5	172	0.4	<0.5	<0.2		
	967800	1.83	3.35	1.52	lt gy-beige feld-qtz ognss; minor ser alt bt; 50% bn surface weath; tr py	ogn	tr	wk					1.3	46.1	1.4	2599.8	18.2	6.9	3.6	99	1.4	<0.5	<0.2		
	967801	3.35	4.57	1.22	lt gy-beige feld-qtz ognss; minor ser alt bt; 30% bn surface weath	ogn		wk					0.9	61.5	0.6	1204	5.6	2.3	1.5	82	1	<0.5	<0.2		
	967802	4.57	6.10	1.52	lt gy-beige ognss; minor ser alt bt; 30% bn surface weath; minor eu py	ogn	minor	wk					1.6	98.1	0.6	1536.9	9	5.7	2.2	111	1	<0.5	<0.2		
	967803	6.10	7.62	1.52	lt gy-beige ognss; minor bt; 30% bn surface weath; minor eu py	ogn	minor						0.9	91.7	0.5	1364.5	4	17.5	1	79	0.8	<0.5	<0.2		
	967804	7.62	9.14	1.52	lt gy-beige ognss; minor bt; 30% bn surface weath; minor eu py	ogn	minor						0.8	62.6	0.4	967.8	3.3	4.8	0.8	61	0.7	<0.5	<0.2		
	967805	9.14	10.67	1.52	lt gy-beige ognss; minor bt; 30% bn surface weath; tr py	ogn	tr						1.3	25.7	<0.1	295.7	0.8	2.4	0.2	324	0.7	<0.5	<0.2		
	967806	10.67	12.19	1.52	lt gy-bn bt-feld-qtz ognss; minor gn alt?; minor bn surface weath; tr py	ogn	tr	wk					1.7	22.5	<0.1	149.2	5.8	0.8	0.2	626	0.9	<0.5	<0.2		
	967807	12.19	13.72	1.52	lt gy-bn bt-feld-qtz ognss; wk gn alt; minor py	ogn	minor	wk					2.1	34.3	1.3	1740.7	19.4	2.9	4.1	113	1.1	<0.5	<0.2		
	967808	13.72	15.24	1.52	lt gy-bn bt-feld-qtz ognss; wk gn alt; minor py	ogn	minor	wk					2	8.6	0.2	151.4	5.3	0.7	0.4	379	0.6	<0.5	<0.2		
	967809	15.24	16.76	1.52	gy bt-feld-qtz ognss; tr py	ogn	tr						1.6	7	<0.1	101	2.8	0.4	0.1	240	1.2	<0.5	<0.2		
	967810	16.76	18.29	1.52	dk gy-bk bt-feld-qtz ognss	ogn							1.3	5.4	<0.1	58.6	2.4	0.6	<0.1	385	0.6	<0.5	<0.2		
	967811	18.29	19.81	1.52	dk gy-bk bt-feld-qtz ognss; 30% lt gy ser alt; minor lim; tr py	ogn	tr	wk		minor			0.9	2.5	<0.1	66.2	3.6	0.7	0.2	277	0.5	<0.5	<0.2		
	967812	19.81	21.34	1.52	dk gy-bk bt-feld-qtz ognss; minor lt gy ser alt; tr py	ogn	tr	wk					1.2	2.1	<0.1	14.8	<0.5	0.6	<0.1	202	0.3	<0.5	<0.2		
	967813	21.34	22.86	1.52	dk gy-bk bt-feld-qtz ognss; 25% lt gy ser alt; 1% fg py	ogn		1 mod					1.2	7.1	1.1	28.8	1.3	1.2	7.8	147	1.3	<0.5	<0.2		
	967814	22.86	24.38	1.52	dk gy bt-feld-qtz ognss; wk lt gy ser alt; minor py	ogn	minor	wk					1.8	12.4	0.6	131.8	1.8	0.7	1.6	59	0.6	<0.5	<0.2		
	967815	24.38	25.91	1.52	dk gy bt-feld-qtz ognss; wk lt gn chl alt	ogn			wk				2.1	1.7	<0.1	33.4	<0.5	0.6	0.4	53	1.3	<0.5	<0.2		
	967816	25.91	27.43	1.52	gy-gn chl alt ognss; 1% fg py	ogn		1	wk				1.3	5	<0.1	9.2	1	0.7	0.2	76	0.5	<0.5	<0.2		
	967817	27.43	28.96	1.52	gy-gn chl alt ognss; 1% fg py	ogn		1	wk				1.2	11.4	<0.1	5.2	1.5	0.6	0.1	278	0.2	<0.5	<0.2		
	967818	28.96	30.48	1.52	gy chl alt ognss; minor py	ogn	minor			ok			1.4	3.1	<0.1	2.7	<0.5	0.4	<0.1	430	0.2	<0.5	<0.2		
	967819	30.48	32.00	1.52	gy chl alt ognss; minor py	ogn	minor						1.2	4.1	0.2	7.7	0.5	0.4	0.7	255	0.2	<0.5	<0.2		
	967820	32.00	33.53	1.52	gy-gn chl alt bt ognss; 1% fg py	ogn		1	wk				1.3	2.6	0.2	4.2	0.5	0.5	0.9	243	0.5	<0.5	<0.2		
	967821	33.53	35.05	1.52	dk gy-gn chl alt bt ognss; 2% fg py	ogn		2	mod				0.7	4.3	0.1	9.8	<0.5	0.6	0.1	220	0.1	<0.5	<0.2		
	967822	35.05	36.58	1.52	dk gy-gn chl alt bt ognss;; 1% wh-beige qv? chips; 1% fg py	ogn		1	mod			1% qvs	0.9	2.4	0.1	24.4	<0.5	0.6	0.1	180	0.2	<0.5	<0.2		
	967823	36.58	38.10	1.52	dk gy-gn chl alt bt ognss; 2% fg py	ogn		2	mod				1	6.6	0.2	85.7	0.6	1	0.2	195	0.2	<0.5	<0.2		
	967824	38.10	39.62	1.52	beige-wh ser alt ognss; minor fg eu py	ogn	minor	mod					1.6	26.6	1.4	1215.1	19.6	1.7	1.8	95	1.5	<0.5	<0.2		
	967825	39.62	41.15	1.52	beige-wh-lt gn ser alt ognss; minor fg eu py	ogn	minor	mod					0.8	38	1.4	1130.3	20.2	1.7	2.4	41	0.3	<0.5	<0.2		
	967826	41.15	42.67	1.52	beige-wh-lt gn ser alt ognss; minor fg eu py	ogn	minor	mod					0.8	46.2	1.1	372.9	23.5	2.7	1.7	71	0.6	<0.5	<0.2		
	967827	42.67	44.20	1.52	beige-wh-bn ser alt ognss; 1% py	ogn		1 mod					1.2	35.3	1.1	1854.9	29.8	2.4	2.2	24	0.2	<0.5	<0.2		
	967828	44.20	45.72	1.52	beige-wh-bn ser alt ognss; minor lim; 2% py	ogn		2 mod		minor			3.8	24.9	1.2	1998.4	31.1	4.6	2.4	31	0.6	<0.5	<0.2		
	967829	45.72	47.24	1.52	gn-gy ser-chl? alt ognss; 3% qtz-py chips; 3% py, local aspy	ogn		3 mod	mod			3% qtz-p	1.8	230.4	9.3	35000	532.4	59.8	28.1	12	0.7	<0.5	<0.2	566	
	967830	47.24	48.77	1.52	gn-gy ser-chl? alt ognss; 5% qtz-py chips; 5% py, local aspy	ogn		5 mod	mod			5% qtz-p	1.6	75.6	4.4	23600	416.5	46.7	15.1	16	1.6	<0.5	<0.2	446	
	967831	48.77	50.29	1.52	beige-wh-bn lt ser alt ognss; minor gn-gy alt chips; minor lim; 2% py	ogn		2 wk					2.6	33.9	1.3	1653.9	28.5	4.8	2.5	82	0.3	<0.5	<0.2		

CCRC17-16																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967832	50.29	51.82	1.52	beige-wh-bn lt ser alt ognss; minor gn-gy alt chips; minor lim; 2% py	ogn	2	wk					2.5	23.5	0.5	130.7	5.7	2.3	0.7	140	0.9	<0.5	<0.2		
967833	51.82	53.34	1.52	beige-wh-bn lt ser alt ognss; minor gn-gy alt chips; minor lim; 2% py	ogn	2	wk					0.7	18.8	0.7	85.8	2.3	1.6	0.9	167	0.3	<0.5	<0.2		
967834	53.34	54.86	1.52	beige-wh lt ser alt ognss; minor lim; minor py	ogn	minor	wk			minor		2.2	25.3	0.8	59.2	1.3	2.7	1.1	74	0.5	<0.5	<0.2		
967835	54.86	56.39	1.52	gy-gn ognss; 10% bn chips; minor lim; 2% py	ogn	2	wk			minor		1.3	45	1.3	1313.7	15.8	4	2.8	34	0.4	<0.5	<0.2		
967836	56.39	57.91	1.52	gy-gn ognss; 10% bn chips; minor lim; 2% py	ogn	2	wk			minor		1.6	13.1	0.2	137.3	3.1	1.6	0.5	335	0.9	<0.5	<0.2		
967837	57.91	59.44	1.52	lt gy-gn ser alt ognss; minor py; minor bk qtz-py chips	ogn	minor	mod				tr qvs	1.3	8.5	0.1	61.8	<0.5	1.3	0.2	156	0.6	<0.5	<0.2		
967838	59.44	60.96	1.52	lt gy-gn ser alt ognss; 0.5% py	ogn	0.5	mod					3.8	7.4	0.1	73.7	<0.5	1	0.2	199	1.7	<0.5	<0.2		
967839	60.96	62.48	1.52	lt gy-gn-bn ser alt ognss; 0.5% py	ogn	0.5	mod					1.4	8.1	0.1	38.8	<0.5	1	0.1	205	0.4	<0.5	<0.2		
967840	62.48	64.01	1.52	lt gy-gn ser alt ognss; minor eu py	ogn	minor	mod					1.6	7.6	0.7	49.5	0.9	1.3	<0.1	232	1	<0.5	<0.2		
967841	64.01	65.53	1.52	lt gy-gn ser alt-chl bt ognss; minor eu py	ogn	minor	mod	mod				1.2	2.6	<0.1	4.2	2.4	0.1	<0.1	485	1.6	<0.5	<0.2		
967842	65.53	67.06	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				1.2	3.7	<0.1	8.3	1.6	0.2	<0.1	398	1	<0.5	<0.2		
967843	67.06	68.58	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				0.9	2.3	<0.1	7.4	<0.5	0.2	<0.1	406	0.7	<0.5	<0.2		
967844	68.58	70.10	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				2.8	4.3	<0.1	7.8	1.2	0.4	<0.1	444	0.4	<0.5	<0.2		
967845	70.10	71.63	1.52	lt gy-gn ser alt-chl bt ognss; minor py	ogn	minor	wk	wk				1.5	4.8	<0.1	3.7	1.2	0.2	<0.1	468	0.4	<0.5	<0.2		
967846	71.63	73.15	1.52	lt gy-gn ser alt-chl bt ognss; minor py	ogn	minor	wk	wk				2.1	4.4	<0.1	3.2	1	0.2	<0.1	532	0.6	<0.5	<0.2		
967847	73.15	74.68	1.52	lt gy-gn ser alt-chl bt ognss	ogn		wk	wk				1.4	3.6	<0.1	1.9	0.6	0.3	<0.1	425	0.5	<0.5	<0.2		
967848	74.68	76.20	1.52	lt gy-gn ser alt-chl bt ognss; inc bk bt; tr py	ogn	tr	wk	wk				2.6	13	<0.1	2.2	0.8	0.2	<0.1	417	1.1	<0.5	<0.2		
967849	76.20	77.72	1.52	lt gy-gn ser alt-chl bt ognss; inc bk bt; tr py	ogn	tr	wk	wk				2	8.4	<0.1	1.4	<0.5	0.2	<0.1	458	0.7	<0.5	<0.2		
967850	77.72	79.25	1.52	lt gy-gn ser alt-chl bt ognss; inc bk bt; tr py	ogn	tr	wk	wk				1.7	16.9	0.2	1.5	<0.5	0.3	<0.1	998	0.4	<0.5	<0.2		
967851	79.25	80.77	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				1.7	2.8	<0.1	1.9	<0.5	0.4	<0.1	274	0.4	<0.5	<0.2		
967852	80.77	82.30	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				2.1	5.5	<0.1	2	0.8	0.4	<0.1	259	0.6	<0.5	<0.2		
967853	82.30	83.82	1.52	lt gy-gn ser alt-chl bt ognss; abund bt	ogn		wk	wk				1.6	4.5	<0.1	1.5	<0.5	0.2	<0.1	435	0.6	<0.5	<0.2		
967854	83.82	85.34	1.52	lt gy-gn ser alt-chl bt ognss; abund bt	ogn		wk	wk				2	10.6	<0.1	2.5	0.6	0.3	<0.1	771	0.7	<0.5	<0.2		
967855	85.34	86.87	1.52	lt gy-gn ser alt-chl bt ognss; abund bt	ogn		wk	wk				1.3	14.1	<0.1	2.2	<0.5	0.1	<0.1	568	0.5	<0.5	<0.2		
967856	86.87	88.39	1.52	lt gy-gn ser alt-chl bt ognss; abund bt	ogn		wk	wk				2.6	12.5	<0.1	2.8	<0.5	0.1	<0.1	476	0.6	<0.5	<0.2		
967857	88.39	89.92	1.52	lt gy-gn ser alt-chl bt ognss; abund bt	ogn		wk	wk				2.5	12.6	<0.1	2.2	<0.5	0.2	<0.1	464	0.9	<0.5	<0.2		
967858	89.92	91.44	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.5	13.1	<0.1	1.2	1.4	0.1	<0.1	457	0.9	<0.5	<0.2		
967859	91.44	92.96	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.9	10	<0.1	1.9	0.9	0.1	<0.1	402	1	<0.5	<0.2		
967860	92.96	94.49	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.8	9.1	<0.1	3.5	1.3	0.2	<0.1	391	1.4	<0.5	<0.2		
967861	94.49	96.01	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; minor py	ogn	minor	wk	wk				1.5	7.9	<0.1	5.1	<0.5	0.1	<0.1	326	1.5	<0.5	<0.2		
967862	96.01	97.54	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; minor py	ogn	minor	wk	wk				1.8	6.6	<0.1	1.3	<0.5	0.1	<0.1	497	1	<0.5	<0.2		
967863	97.54	99.06	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				1.9	10.7	<0.1	3.2	1	0.2	<0.1	661	1.1	<0.5	<0.2		
967864	99.06	100.58	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.4	18.6	<0.1	3.2	1	0.2	<0.1	559	1.2	<0.5	<0.2		
967865	100.58	102.11	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.5	2.3	<0.1	2.6	0.8	0.2	<0.1	383	1.4	<0.5	<0.2		
967866	102.11	103.63	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.9	2.2	<0.1	2.5	0.8	0.3	<0.1	356	0.6	<0.5	<0.2		
967867	103.63	105.16	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.8	5.7	<0.1	3.3	0.6	0.4	<0.1	246	0.4	<0.5	<0.2		
967868	105.16	106.68	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.3	9.2	<0.1	2.4	<0.5	0.4	<0.1	400	0.7	<0.5	<0.2		
967869	106.68	108.20	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.2	9.2	<0.1	2.2	<0.5	0.4	<0.1	696	0.9	<0.5	<0.2		
967870	108.20	109.73	1.52	lt gy-gn ser alt-chl bt ognss; abund bt; tr py	ogn	tr	wk	wk				2.6	11.9	0.1	2.7	<0.5	0.7	0.3	644	0.5	<0.5	<0.2		
967871	109.73	111.25	1.52	lt gy-gn ser alt-chl bt ognss; tr py	ogn	tr	wk	wk				2.7	9.9	<0.1	3.2	0.6	0.8	0.2	365	0.5	<0.5	<0.2		



HOLE #	CCRC17-17		datum; NAD 83 Zone 10			UTM E	607350			AZIMUTH		317													
PROJECT	Canadian Creek					UTM N	6959232			DIP	-50														
AREA	Malt East	note; hole abandoned early due to			ELEVATION			1569m		DATES	17-Aug-17														
DEPTH	110.03m	problems with bit			GRID E					Logged by	Johnston														
DRILLER	Midnight Sun					GRID N																			
CCRC17-17	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
967882	0.61	2.13	1.52	lt gn-gy ser alt ognss; 40% bk mafics schist chips; bn surface weath	ogn		mod						2.3	60.3	0.6	156.1	99.9	3.4	6.7	237	7.4	0.8	0.3		
967883	2.13	3.66	1.52	lt gn-gy ser alt ognss; bn surface weath	ogn		mod						1.5	34.6	0.4	85	116.9	4.9	6	90	1.4	1.5	0.9		
967884	3.66	4.88	1.22	gy ser alt ognss; bn surface weath	ogn		mod						1.4	37.1	0.5	85	244.8	6	6.4	122	1.5	1.9	1.4		
967885	4.88	6.40	1.52	gy ser alt ognss; bn surface weath	ogn		mod						0.6	29.3	0.3	41.1	67.5	1.5	6.1	108	2.1	0.5	1.8		
967886	6.40	7.92	1.52	lt gn-gy ser alt ognss; bn surface weath; tr py	ogn	tr	mod						0.9	33.7	0.4	84.7	90.7	2	9.2	102	1.1	0.6	3.1		
967887	7.92	9.45	1.52	lt gn-gy ser alt ognss; bn surface weath; tr py	ogn	tr	mod						1.5	35.2	0.4	128.4	93	1.5	9	99	1.1	<0.5	3.4		
967888	9.45	10.97	1.52	lt gn-gy ser alt ognss; bn surface weath; tr py	ogn	tr	mod						1.1	27.4	0.5	109.9	156.4	5.1	4.9	115	1	<0.5	0.9		
967889	10.97	12.50	1.52	lt gn-gy ser alt ognss; bn surface weath; 2% py	ogn		2 mod						1.9	22.3	0.4	104.9	180.8	5.9	5.4	77	1.3	0.6	1.1		
967890	12.50	14.02	1.52	lt gn-gy ser alt ognss; bn surface weath; 1% py	ogn		1 mod						1.8	19.4	0.3	70.6	174.9	2.4	2.3	126	1.1	<0.5	0.3		
967891	14.02	15.54	1.52	lt gy beige ognss; bn surface weath; minor py	ogn	minor	wk						1.4	21.3	0.2	53.1	31.5	2.1	2.4	82	0.9	<0.5	<0.2		
967892	15.54	17.07	1.52	lt gy beige ognss; bn surface weath; tr py	ogn	tr							1	17.2	0.1	13.6	21.9	1.1	1.9	35	0.7	<0.5	0.2		
967893	17.07	18.59	1.52	lt gy-buff ognss ; minor bn surface weath	ogn								2.9	14.7	0.1	9.6	8.7	1.4	2.2	29	0.5	<0.5	<0.2		
967894	18.59	20.12	1.52	lt gy-buff ognss ; minor bn surface weath	ogn								1.8	17.7	0.1	13.1	21.5	1.7	1	32	0.4	<0.5	<0.2		
967895	20.12	21.64	1.52	lt gy-buff ognss ; minor bn surface weath	ogn								1	29.9	0.1	13.7	22.2	1.8	8.4	32	0.7	<0.5	3.4		
967896	21.64	23.16	1.52	lt gy-buff ognss ; minor bn surface weath; tr py	ogn	tr							0.9	81.5	0.2	7.6	66.9	1.4	2.3	24	0.6	<0.5	0.5		
967897	23.16	24.69	1.52	lt gy-gn ser alt ognss; bn surface weath; tr py	ogn	tr	mod						1.1	73.6	0.3	15.4	39.4	1.8	5.5	48	0.9	0.6	1.8		
967898	24.69	26.21	1.52	lt gy-gn ser alt ognss; bn surface weath; tr py	ogn	tr	mod						0.9	47.9	0.2	23.3	19.5	2.3	1.7	84	0.5	<0.5	0.3		
967899	26.21	27.74	1.52	lt gy-gn ser alt ognss; bn surface weath	ogn		wk						1.5	31	<0.1	35	20.3	1.4	1.7	57	0.6	<0.5	<0.2		
967900	27.74	29.26	1.52	lt gy ognss; minor eu py	ogn	minor							1.2	93.4	0.1	21.6	29.1	2.6	1.2	59	0.5	<0.5	<0.2		
967901	29.26	30.78	1.52	lt gy ognss; minor py	ogn	minor							1.3	100.8	0.1	14.2	14	3.1	1	33	0.8	<0.5	<0.2		
967902	30.78	32.31	1.52	lt gy ognss; wk gn tinge	ogn								1.1	152.7	0.1	24.2	45.9	5.3	1.7	25	1.2	<0.5	0.5		
967903	32.31	33.83	1.52	lt gy ognss; wk gn tinge; minor eu py	ogn	minor							1	92.7	<0.1	17.9	23.2	3	2.3	27	0.8	<0.5	0.6		
967904	33.83	35.36	1.52	lt gy ognss; wk gn tinge; minor dk gy qv-py chips; 1% py	ogn		1				minor q		1.5	27.6	0.4	123.6	65.3	3	4.8	56	1.3	0.7	0.8		
967905	35.36	36.88	1.52	lt gn-gy ser alt ognss; 1% eu, cruddy py	ogn		1 wk						1.5	41.2	0.2	68.4	55.3	1.9	2.8	68	1.2	<0.5	0.3		
967906	36.88	38.40	1.52	lt gn-gy ser alt ognss; tr py	ogn	tr	wk						1.5	17	<0.1	14.2	16.2	0.8	2.3	33	1.1	<0.5	0.3		
967907	38.40	39.93	1.52	lt gn-gy ser alt ognss; tr py	ogn	tr	wk						1.2	13.9	<0.1	8.6	14.9	0.8	2.6	28	1	<0.5	<0.2		
967908	39.93	41.45	1.52	lt gy ser alt ognss; tr py	ogn	tr	wk						1.5	86.9	0.2	21.9	11.5	1.4	1.6	31	1.1	<0.5	<0.2		
967909	41.45	42.98	1.52	lt gy ognss; minor eu py	ogn	minor							1.6	8.7	<0.1	6.1	1.9	0.6	1	45	2.8	<0.5	<0.2		
967910	42.98	44.50	1.52	lt gy ognss; minor eu py	ogn	minor							1.9	7.4	<0.1	7.7	2	0.8	1.2	75	1	<0.5	<0.2		
967911	44.50	46.02	1.52	lt gy ognss; minor eu py	ogn	minor							1.8	17.1	0.1	160.5	38.5	2.3	2.3	62	0.7	<0.5	<0.2		
967912	46.02	47.55	1.52	lt gy ognss; minor eu py	ogn	minor							1.5	7.3	<0.1	7.8	3.4	1	1	39	0.4	<0.5	<0.2		
967913	47.55	49.07	1.52	lt gy-gn ognss; minor eu py	ogn	minor	wk						1.4	60	0.5	98.3	147.9	18.2	3.1	54	0.7	<0.5	0.5		
967914	49.07	50.60	1.52	gy ognss; minor eu py	ogn	minor							2.1	23.1	0.4	268.9	317.8	5.8	5.1	55	0.9	0.8	0.7		
967915	50.60	52.12	1.52	gy ognss; minor eu py	ogn	minor							1.6	6.1	<0.1	17.1	5.4	0.5	0.3	148	1.1	<0.5	<0.2		
967916	52.12	53.64	1.52	gy ognss; tr py	ogn	tr							2.1	33.3	0.1	9.1	7.4	0.4	1.1	369	1.1	<0.5	<0.2		
967917	53.64	55.17	1.52	gy ognss; minor eu py	ogn	minor							2.9	18.6	<0.1	5.8	3.1	0.3	0.3	410	1.2	<0.5	<0.2		
967918	55.17	56.69	1.52	gy ognss; wk chl alt; minor eu py	ogn	minor		wk					2.2	7.7	<0.1	4.6	5.5	0.3	0.2	500	1.7	<0.5	<0.2		
967919	56.69	58.22	1.52	gy ognss; wk or hem? alt; tr py	ogn	tr							2.1	12.3	<0.1	4.1	4.9	0.2	0.2	346	1.4	<0.5	<0.2		
967920	58.22	59.74	1.52	gy ognss; wk or hem? alt; tr py	ogn	tr							2.1	13	<0.1	4.1	1.9	0.3	0.1	485	0.6	<0.5	<0.2		
967921	59.74	61.26	1.52	gy ognss; tr py	ogn	tr							2.1	8.9	<0.1	7.2	9.4	0.6	0.4	387	1.4	<0.5	<0.2		
967922	61.26	62.79	1.52	gy ognss;; minor ep; tr py	ogn	tr				tr			3.3	10.2	<0.1	9.4	2.6	0.9	0.3	240	1.7	<0.5	<0.2		
967923	62.79	64.31	1.52	gy ognss;; minor ep; tr py	ogn	tr				tr			2.1	6.9	<0.1	7.1	1.6	0.4	0.2	106	1.2	<0.5	<0.2		
967924	64.31	65.84	1.52	gy ognss;; minor ep; tr py	ogn	tr				tr			2.7	6.2	<0.1	4.2	1.6	0.5	0.1	47	2.7	<0.5	<0.2		



HOLE #	CCRC17-18		datum; NAD 83 Zone 10	UTM E	607492	AZIMUTH	100
PROJECT	Canadian Creek			UTM N	6959125	DIP	-50
AREA	Kana East			ELEVATION	1547m	DATES	18-Aug-17
DEPTH	125.27m			GRID E		Logged by	Johnston
DRILLER	Midnight Sun			GRID N			

CCRC17-18	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
	967954	2.13	3.66	1.52	y-or weath ognss; no biot; minor lim	ogn							1.7	22.4	0.4	14.6	256.7	6	2	100	0.9	1	<0.2		
	967955	3.66	4.88	1.22	wh-beige ognss; no biot; minor lim	ogn							1.3	21.5	0.4	22.8	234.6	2.9	1.2	84	1.6	1.1	<0.2		
	967956	4.88	6.40	1.52	wh-beige ognss; no biot; minor lim	ogn							1.7	19.2	2.9	73.2	346.3	113.5	1.6	97	1.6	1.1	0.8		
	967957	6.40	7.92	1.52	wh-beige ognss; no biot; minor lim	ogn							2	7.9	1.1	116.9	467.9	17.3	5	132	1.6	1.1	0.7		
	967958	7.92	9.45	1.52	lt gy-beige ognss; no biot; minor lim	ogn							1.7	16.5	1.2	72.8	239	61.8	2.9	121	1.8	0.8	0.5		
	967959	9.45	10.97	1.52	lt gy-beige ognss; no biot; minor lim	ogn							1.6	7.9	0.4	56.6	130.1	10.5	1.9	100	1.4	0.9	0.3		
	967960	10.97	12.50	1.52	lt gy-beige ognss; no biot; minor lim	ogn							1.7	16.8	0.6	131	139	29.1	4.8	81	1	<0.5	0.5		
	967961	12.50	14.02	1.52	lt gy-beige ognss; no biot; minor lim	ogn							1.9	23.3	0.2	29.6	123.6	10.4	1.7	68	0.9	<0.5	0.2		
	967962	14.02	15.54	1.52	lt gy-beige ognss; no biot; minor lim; tr py	ogn	tr						1.1	158.3	0.2	29.5	249	3.2	1.7	69	0.7	0.5	0.5		
	967963	15.54	17.07	1.52	gy-wh-beige ognss; no biot; minor lim; minor py	ogn	minor						1.5	91.2	0.3	32	109.8	2.5	2.1	70	0.7	1	0.3		
	967964	17.07	18.59	1.52	gy-wh-beige ognss; no biot; local y stain; minor py	ogn	minor						1.6	58.5	0.2	28	110	3.3	1.8	98	0.7	0.7	0.5		
	967965	18.59	20.12	1.52	y-or stained wh-beige ognss; no biot; local y stain; minor py	ogn	minor						1.5	185.5	0.2	19.2	821.6	1.5	1.3	82	0.5	<0.5	0.4	622	
	967966	20.12	21.64	1.52	y-or stained wh-beige ognss; no biot; local y stain; minor py	ogn	minor						1.1	159.6	0.3	38.9	38.2	7.5	1.9	76	0.7	0.8	0.3		
	967967	21.64	23.16	1.52	wh-gy ognss; no biot; 10% gy chips w/ py; 1% py overall	ogn	1						1.3	155.7	0.5	102.7	142.6	6.4	4	74	1.6	0.9	1.3		
	967968	23.16	24.69	1.52	wh-gy ognss; no biot; 10% gy chips w/ py; minor py	ogn	1						1.3	146	0.3	57	76.1	3	2.7	73	2.3	0.9	0.7		
	967969	24.69	26.21	1.52	wh-gy ognss; minor py	ogn	0.5						1.1	195	0.2	16.3	123.4	2.3	3	40	2.3	0.6	1		
	967970	26.21	27.74	1.52	bn-gy ognss; 1% py	ogn	1						1	154.5	0.1	13.3	86.2	1	1.3	79	1	0.5	0.5		
	967971	27.74	29.26	1.52	gy ognss; bn stain; ser alt biot; 1% py	ogn	1	wk					0.9	238.2	0.1	9.9	191.7	1.1	1.8	68	0.5	0.6	0.5		
	967972	29.26	30.78	1.52	gy ognss; bn stain; 0.5% py	ogn	0.5						1.2	102.2	<0.1	4.3	37.1	0.6	0.7	75	0.8	<0.5	<0.2		
	967973	30.78	32.31	1.52	gy ognss; minor y-bn stain; 0.5% py	ogn	0.5						1.3	63.3	<0.1	3.3	17.2	0.4	0.5	275	2.7	<0.5	<0.2		
	967974	32.31	33.83	1.52	gy ognss; minor y-bn stain; 0.5% py	ogn	0.5						1.6	61.4	<0.1	3.6	41.3	0.4	0.5	369	5.2	<0.5	<0.2		
	967975	33.83	35.36	1.52	gy ognss; minor y-bn stain; minor py	ogn	minor						1.2	59.5	0.1	13.5	57.8	2.2	0.9	191	3.2	0.5	0.2		
	967976	35.36	36.88	1.52	gy ognss; minor y-bn stain; minor py	ogn	minor						1.1	39.9	<0.1	3.4	26.2	0.4	0.4	345	1.8	<0.5	<0.2		
	967977	36.88	38.40	1.52	gy ognss; y-bn stain; minor py	ogn	minor						0.7	36.2	<0.1	2.9	25.2	0.5	0.4	260	1.3	<0.5	<0.2		
	967978	38.40	39.93	1.52	dk gy ognss; y-bn stain; minor py	ogn	minor						0.7	29	<0.1	2.8	45.3	0.4	0.4	169	1.4	0.7	<0.2		
	967979	39.93	41.45	1.52	dk gy ognss; y-bn stain; minor py	ogn	minor						1	74.6	<0.1	2.4	124	0.5	0.3	69	1.6	<0.5	<0.2		
	967980	41.45	42.98	1.52	dk gy ognss; y-bn stain; 10% lim-py chips; minor py overall	ogn	0.5						1.3	77.7	0.1	1.9	109	0.4	0.5	55	1.8	0.7	<0.2		
	967981	42.98	44.50	1.52	dk gy ognss; y-bn stain; 10% lim-py chips; minor py overall	ogn	0.5						0.8	130.8	0.1	1.7	203.5	0.4	0.6	58	1.3	<0.5	<0.2		
	967982	44.50	46.02	1.52	dk gy ognss; y-bn stain; 10% lim-py chips; 1% py	ogn	1						1.1	80.5	<0.1	4.3	182.4	0.4	0.9	55	1.9	0.7	<0.2		
	967983	46.02	47.55	1.52	dk gy ognss; y-bn stain w/ lim-py chips; 2% py	ogn	2						1.2	128.7	<0.1	3.2	130.7	0.4	0.9	51	1.6	0.7	<0.2		
	967984	47.55	49.07	1.52	dk gy ognss; y-bn stain; 1% py	ogn	1						1	86.4	<0.1	3.1	69.8	0.3	0.7	55	1.2	0.7	<0.2		
	967985	49.07	50.60	1.52	gy ognss; local y-bn stain; 0.5% py	ogn	0.5						0.7	88.1	<0.1	3.4	73.7	0.3	1.4	208	2.3	<0.5	0.3		
	967986	50.60	52.12	1.52	gy ognss; no biot; local y-bn stain; minor py	ogn	minor						0.9	44.6	<0.1	8.8	39.9	0.3	0.7	142	1.9	<0.5	<0.2		
	967987	52.12	53.64	1.52	dk gy ognss; no biot; local y-bn stain; 1% py	ogn	1						1.6	60.2	<0.1	5.7	81.3	0.4	1.1	302	1.4	<0.5	0.3		
	967988	53.64	55.17	1.52	gy-beige ognss; no biot; local y-bn stain; minor py	ogn	minor						0.7	31.5	<0.1	3.3	32.8	0.3	4.7	443	5.9	<0.5	<0.2		
	967989	55.17	56.69	1.52	gy-beige ognss; 10% lim stain chips; local chips w/ 10% py; 0.5% py overall	ogn	0.5				tr		0.5	28.9	<0.1	9.1	30.9	1	0.8	180	0.9	<0.5	<0.2		
	967990	56.69	58.22	1.52	gy-beige ognss; no biot; 10% lim stain chips; 1% py overall; v clayey sample	ogn	1				minor		0.7	62.3	<0.1	41.5	54.1	2.5	1.5	119	0.7	0.8	<0.2		
	967991	58.22	59.74	1.52	wh-beige ognss; no biot; minor lim st chips; 1% py	ogn	1				minor		0.7	102	0.2	86.9	213.4	1.5	2.6	54	1	1.5	0.6		

CCRC17-18																									
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t	
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430	
967992	59.74	61.26	1.52	wh-beige ognss; no biot; local lim st chips; local gy chips w/ 5% py; 1% py overall	ogn	1				minor		0.6	52.9	0.1	30.2	331.8	0.8	1.1	104	6.7	<0.5	0.2			
967993	61.26	62.79	1.52	wh-beige ognss; no biot; local lim st chips; local gy chips w/ 5% py; 2% py overall	ogn	2				tr		0.7	50.1	<0.1	16.8	40	0.5	0.9	137	4.6	0.8	<0.2			
967994	62.79	64.31	1.52	dk gy biot ognss; minor lim; minor py	ogn	minor				minor		0.8	80.2	<0.1	9.6	64.2	0.4	0.7	94	2	0.7	<0.2			
967995	64.31	65.84	1.52	dk gy biot ognss; minor lim chips; 0.5% py	ogn	0.5				minor		1	22.7	<0.1	4.8	15.6	0.3	0.5	63	1.2	0.6	<0.2			
967996	65.84	67.36	1.52	dk gy biot ognss; 30% lim chips; 0.5% py	ogn	0.5				mod		0.6	14.4	<0.1	3.5	12.8	0.2	0.4	49	0.8	<0.5	<0.2			
967997	67.36	68.88	1.52	dk gy biot ognss; lim staining; minor py	ogn	minor				mod		1	21.7	<0.1	4.2	5.8	0.5	0.4	76	0.9	<0.5	<0.2			
967998	68.88	70.41	1.52	dk gy biot ognss; minor lim staining; minor py	ogn	minor				minor		1	15.6	<0.1	2.4	4.6	0.3	0.3	54	1.2	<0.5	<0.2			
967999	70.41	71.93	1.52	dk gy biot ognss; minor lim staining; 1% lim chips w/ py; minor py overall	ogn	minor				minor		0.7	15.8	<0.1	2	5.5	0.3	0.2	194	0.8	0.5	<0.2			
968000	71.93	73.46	1.52	dk gy biot ognss; minor lim staining; minor lim chips w/ py; minor py overall	ogn	minor				minor		0.8	22.4	<0.1	2.5	6.2	0.5	0.4	55	0.7	0.6	<0.2			
968001	73.46	74.98	1.52	dk gy ognss w/ local lim stain; tr py	ogn	tr				minor		1.3	34.7	<0.1	2.9	6.6	0.8	0.4	91	0.8	<0.5	<0.2			
968002	74.98	76.50	1.52	dk gy ognss w/ local lim stain; minor py	ogn	minor				tr		1.2	23.1	<0.1	2.8	9.3	1.3	0.6	134	0.8	0.6	<0.2			
968003	76.50	78.03	1.52	dk gy ognss; 50% lim stain; chips; 0.5% py	ogn	0.5				strong		1.1	19.8	<0.1	9.8	11.4	1.7	0.7	94	1.2	0.6	<0.2			
968004	78.03	79.55	1.52	dk gy ognss; 20% lim stain; chips; 0.5% py	ogn	0.5				mod		1.2	31.1	<0.1	13.6	20.3	1.7	0.6	94	1.5	<0.5	<0.2			
968005	79.55	81.08	1.52	gy-bn ognss; local wh-buff ser alt chips; minor py	ogn	minor	wk					0.7	16.1	<0.1	10	20.9	2.7	0.5	46	0.7	<0.5	<0.2			
968006	81.08	82.60	1.52	gy-beige ser alt ognss; 1% cg eu py	ogn	1	mod					1.6	134.6	1.7	43.1	136.7	84.6	2.7	35	1	1.9	0.7			
968007	82.60	84.12	1.52	gy-beige ser alt ognss; 5% cg eu py	ogn	5	mod					2.1	117.4	1.2	91.7	156.9	77.3	27	32	0.9	5.5	2.1			
968008	84.12	85.65	1.52	gy ognss; 30% lim-py chips; 2% py overall	ogn	2				mod		1.4	99.4	0.3	40.5	63.1	17.6	2.8	43	0.8	2.3	0.4			
968009	85.65	87.17	1.52	gy-bn ognss; 5% lim-py chips; 1% py overall	ogn	1				minor		0.9	52.5	0.1	26	41.9	5.8	2.1	52	1.4	0.5	0.5			
968010	87.17	88.70	1.52	gy-bm ognss; minor lim st; 0.5% py	ogn	0.5				minor		0.9	16.1	<0.1	16.3	11.1	1.1	0.8	121	1.1	0.8	<0.2			
968011	88.70	90.22	1.52	dk gy biot ognss; minor diss py	ogn	0.5						0.9	14	<0.1	1.7	2.7	0.3	0.3	68	1.1	<0.5	<0.2			
968012	90.22	91.74	1.52	dk gy biot ognss; minor or-y ser alt chips; minor diss py	ogn	0.5						0.9	15.8	<0.1	1.1	17.3	0.1	0.3	72	1.1	<0.5	<0.2			
968013	91.74	93.27	1.52	dk gy biot ognss; minor diss py	ogn	minor						1.2	5.6	<0.1	3	2.9	0.2	0.4	71	1.1	<0.5	<0.2			
968014	93.27	94.79	1.52	dk gy biot ognss; minor lim st; 0.5% diss py	ogn	0.5						1.6	19.2	<0.1	4.7	5.4	0.2	0.6	95	1.5	<0.5	<0.2			
968015	94.79	96.32	1.52	gy biot ognss; 5% wh ser alt chips; minor py	ogn	minor	wk					1.3	15.7	<0.1	5.9	3.4	1.4	0.5	94	1.2	0.6	<0.2			
968016	96.32	97.84	1.52	gy biot ognss; 10% wh ser alt chips; minor py	ogn	minor	wk					0.8	7.2	<0.1	1.8	6.5	0.6	0.3	155	0.9	<0.5	<0.2			
968017	97.84	99.36	1.52	dk gy-bk biot ognss; 10% wh ser alt chips; 0.5% py	ogn	0.5	wk					1.2	15	<0.1	2.7	7.8	0.6	0.4	83	0.7	<0.5	<0.2			
968018	99.36	100.89	1.52	dk gy-bk biot ognss; 20% wh ser alt chips; 1% py	ogn	1	wk					3.6	31.3	<0.1	15.8	12	0.6	0.8	93	1.2	0.6	<0.2			
968019	100.89	102.41	1.52	dk gy-bk biot ognss; minor wh ser alt chips; minor py	ogn	minor						1	26.3	<0.1	3.2	4.7	1.3	0.4	69	0.6	0.7	<0.2			
968020	102.41	103.94	1.52	dk gy-bk biot ognss; minor wh ser alt chips; tr py	ogn	tr						0.9	48.8	<0.1	2.8	20.8	1.4	0.5	66	0.5	0.5	<0.2			
968021	103.94	105.46	1.52	dk gy-bk biot ognss; minor wh ser alt chips; tr py	ogn	tr						1	27.1	<0.1	3.4	11.3	1.2	0.4	71	0.6	<0.5	<0.2			
968022	105.46	106.98	1.52	dk gy-bk biot ognss; 20% wh ser alt chips; 0.5% py	ogn	0.5	wk					4.1	16	<0.1	6.4	5.9	0.8	0.3	66	0.7	<0.5	<0.2			
968023	106.98	108.51	1.52	dk gy-bk biot ognss; 5% wh ser alt chips; minor py	ogn	minor	wk					1.3	22.1	<0.1	2.3	8.5	0.6	0.3	150	0.5	<0.5	<0.2			
968024	108.51	110.03	1.52	dk gy-bk biot ognss; minor wh ser alt chips; tr py	ogn	tr						1.2	26.3	<0.1	4.6	13.8	0.4	0.4	128	0.8	<0.5	<0.2			
968025	110.03	111.56	1.52	dk gy-bk biot ognss; tr wh ser alt chips; tr py	ogn	tr						0.9	23.6	<0.1	3.8	19.6	0.2	0.4	98	0.9	<0.5	<0.2			
968026	111.56	113.08	1.52	dk gy-bk biot ognss; tr lim-py chips; minor py overall	ogn	tr						0.7	22.2	<0.1	5.9	11.4	0.7	0.5	48	0.5	0.9	<0.2			







HOLE #	CCRC17-20			UTM E	607487			AZIMUTH		280														
PROJECT	Canadian Creek			UTM N	6959126			DIP	-50															
AREA	Kana East			ELEVATION	1547m			DATES	19-Aug-17															
DEPTH	96.62m			GRID E				Logged by	Johnston															
Driller	Midnight Sun			GRID N																				
CCRC17-20	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
968101	0.00	0.61	0.61	gy ognss; str or-bn surface weath	ogn							1.2	58.7	<0.1	13.2	89.5	1.4	1.8	239	0.7	<0.5	0.3		
968102	0.61	2.13	1.52	gy ognss; str or-bn surface weath	ogn							1.9	51.1	<0.1	14.3	57.5	1.9	0.9	39	2.2	<0.5	<0.2		
968103	2.13	3.66	1.52	gy ognss; str or-bn surface weath	ogn							2.3	60.9	0.1	33.4	65.1	1.2	1.1	37	0.8	<0.5	0.2		
968104	3.66	5.18	1.52	gy ognss; str or-bn surface weath	ogn							2.2	53.6	0.1	66.3	80.6	1.1	1.3	73	2.3	<0.5	0.3		
968105	5.18	6.71	1.52	gy ognss; mod or-bn surface weath	ogn							1.7	48.1	0.1	18.9	119.7	0.9	1.8	186	0.9	<0.5	0.3		
968106	6.71	8.23	1.52	gy ognss; mod or-bn surface weath	ogn							0.9	53.5	<0.1	11.5	41.7	0.8	0.7	377	0.9	<0.5	<0.2		
968107	8.23	9.75	1.52	gy ognss; mod or-bn surface weath; tr py	ogn	tr						1	98.8	<0.1	18.9	111.7	1.3	1.4	95	0.6	<0.5	0.2		
968108	9.75	11.28	1.52	dk gy-bk biot ognss; minor py	ogn	minor						1.1	50.2	<0.1	3.8	14.7	0.2	0.3	85	1.4	<0.5	<0.2		
968109	11.28	12.80	1.52	dk gy-bk biot ognss; local chips w; 3-5% py; 0.5% py overall	ogn	0.5						1.3	56.3	<0.1	5.4	18.4	0.3	0.4	76	0.8	<0.5	<0.2		
968110	12.80	14.33	1.52	dk gy-bk biot ognss; wk gn chl alt; local chips w; 3-5% py; 0.5% py overall	ogn	0.5		wk				1.2	56.4	<0.1	5.1	46.8	0.3	0.6	164	1.4	<0.5	<0.2		
968111	14.33	15.85	1.52	ly gy ognss; 0.5% eu py	ogn	0.5						1	68.3	<0.1	12.2	150.8	0.8	1.1	101	0.5	0.6	0.3		
968112	15.85	17.37	1.52	mod-dk gy ognss; minor gy ser-py chips; 0.5% py overall	ogn	0.5	wk					1.2	55.2	<0.1	18.8	179.4	0.7	1.9	105	1.1	<0.5	0.4		
968113	17.37	18.90	1.52	dk gy ognss; 10% ser alt chips; tr lim chips; 0.5% py	ogn	0.5	wk			tr		1.4	73	<0.1	8.6	63.1	0.5	1.2	205	0.7	<0.5	0.5		
968114	18.90	20.42	1.52	lt gy-gn ser alt ognss; minor lim; 0.5% py	ogn	0.5	wk			minor		1.3	75.8	<0.1	7.7	47.6	0.6	1.1	135	1	<0.5	0.2		
968115	20.42	21.95	1.52	lt gy-gn ser alt ognss; minor gy qtz-py chips; 1% py	ogn	1	wk					1.2	93.5	0.2	59.5	277.1	0.8	4	61	0.6	1	1.2		
968116	21.95	23.47	1.52	lt gy-gn ser alt ognss; tr lim chips; 0.5% py	ogn	0.5	wk			tr		1.2	82.3	0.1	14.2	116.5	0.7	2	96	0.9	0.8	0.4		
968117	23.47	24.99	1.52	lt gy-gn ser alt ognss; local gy qtz-py chips; 1% py overall	ogn	1	wk					1.3	38.1	<0.1	15.5	34.2	0.5	0.8	143	0.8	<0.5	<0.2		
968118	24.99	26.52	1.52	lt gy-gn ser alt ognss; 5% gy qtz-py chips; 2% py overall	ogn	2	wk					1.6	162.9	0.1	15.2	82.7	0.7	1.3	117	2.4	<0.5	0.4		
968119	26.52	28.04	1.52	lt gy-gn ser alt ognss; local gy qtz-py chips; 1% py overall	ogn	1	wk					1	138.8	0.2	36.2	185.5	1.5	2.7	32	1.8	1.1	0.8		
968120	28.04	29.57	1.52	lt gy-gn wk ser alt ognss; local wh alt chips; local chips w/ 5% py; 1% py overall	ogn	1	wk					1.4	102.6	0.1	20.3	153.9	0.6	2.2	75	1.9	<0.5	0.5		
968121	29.57	31.09	1.52	lt gy-gn wk ser alt ognss; local chips w/ 5% py; 1% py overall	ogn	0.5	wk					1.5	90.2	<0.1	11.4	56.8	0.4	1.1	110	3.1	<0.5	0.3		
968122	31.09	32.61	1.52	gn-gy wk ser alt ognss; local chips w/ 5% py; 2% py overall	ogn	2	wk					1.4	48.8	<0.1	8.6	41.9	0.3	1	65	3.1	0.8	0.2		
968123	32.61	34.14	1.52	gn-gy wk ser alt ognss; local chips w/ 5% py; 1% py overall	ogn	1	wk					1.2	47.8	<0.1	5.7	27.1	0.3	0.9	58	6.7	0.8	<0.2		
968124	34.14	35.66	1.52	gn-gy wk ser-chl alt ognss; minor py	ogn	minor	wk	wk				1.5	36.9	<0.1	3.7	28.2	0.3	0.6	117	1.7	<0.5	<0.2		
968125	35.66	37.19	1.52	gn-gy wk ser-chl alt ognss; tr lim-py chips; minor py	ogn	minor	wk	wk		tr		0.9	44.3	<0.1	7.4	25.8	0.7	0.9	67	2.1	0.5	0.2		
968126	37.19	38.71	1.52	gy ognss; tr lim-py chips; 1% py	ogn	1				tr		1.1	28.8	<0.1	10.6	16.1	0.5	1.1	51	1.7	1	0.3		
968127	38.71	40.23	1.52	gy ognss; tr lim-py chips; 1% py	ogn	1				tr		1.2	34.1	<0.1	3.5	13	0.6	0.9	91	5.3	<0.5	<0.2		
968128	40.23	41.76	1.52	gy ognss; tr lim-py chips; local gn-gy ser alt chips w/ py; 0.5% py	ogn	0.5				tr		1.1	23.1	<0.1	2.6	12.3	0.8	0.6	80	4.5	1	<0.2		
968129	41.76	43.28	1.52	gn-gy wk ser alt ognss; local lim-qtz-py chips; 1% py overall	ogn	1	wk			tr	tr	1.3	41	<0.1	8.2	40.4	0.6	0.9	78	2	<0.5	<0.2		
968130	43.28	44.81	1.52	gn-gy wk ser alt ognss; tr lim chips; 1% py overall	ogn	1	wk			tr		1.2	47	<0.1	9.9	24.7	0.7	0.7	93	5.9	<0.5	<0.2		
968131	44.81	46.33	1.52	gn-gy wk ser alt ognss; tr lim-qtz chips; 1% py overall	ogn	1	wk			tr	tr	0.9	29.7	<0.1	9.1	15.1	1	0.7	107	7.3	0.7	<0.2		
968132	46.33	47.85	1.52	gn-gy ognss; minor lim-qtz chips; 1% py overall	ogn	1				minor	minor	1.7	32.5	<0.1	6.7	14.8	0.5	0.6	94	2.6	0.6	<0.2		
968133	47.85	49.38	1.52	gn-gy ognss; minor lim-qtz chips; 1% py overall	ogn	1				minor	minor	1.3	32.1	<0.1	3.6	20.6	0.7	0.8	75	1.2	<0.5	<0.2		
968134	49.38	50.90	1.52	gn-gy ognss; local chips w/ 5% py; minor lim qtz chips; 1% py overall	ogn	1				minor	minor	1	36.2	<0.1	7	17.1	0.6	1	39	4.4	1.6	0.2		



HOLE #	CCRC17-21			datum; NAD 83 Zone 10	UTM E	607674			AZIMUTH	100															
PROJECT	Canadian Creek				UTM N	6959264			DIP	-50															
AREA	Malt East				ELEVATION	1519m			DATES	20-Aug-17															
DEPTH	94.79m				GRID E				Logged by	Johnston															
DRILLER	Midnight Sun				GRID N																				
CCRC17-21	Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code													AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
968072	0.61	2.13	1.52	gy-beige ognss; str or-bn surface weath	ogn								3.7	28.9	0.2	28.9	25	2	4.1	103	1.3	<0.5	0.9		
968073	2.13	3.66	1.52	gy-beige ognss; str or-bn surface weath	ogn								1.9	27.5	0.1	29.3	12	1.8	1.8	44	0.9	<0.5	0.3		
968074	3.66	5.18	1.52	gy-beige ognss; local unweath biot ognss chips; str or-bn surface weath	ogn								93	45.7	0.1	26.7	17.2	2.7	5.3	58	0.9	<0.5	1		
968075	5.18	6.71	1.52	gy-beige ognss; local unweath biot ognss chips; str or-bn surface weath	ogn								3.6	34	0.1	30.4	22.1	4	5.5	97	0.7	<0.5	1.4		
968076	6.71	7.92	1.22	gy-beige ognss; local unweath biot ognss chips; str or-bn surface weath	ogn								2	28.2	<0.1	13.1	3.8	2.5	1.8	69	1.1	<0.5	0.3		
968077	7.92	9.45	1.52	gy-beige ognss; local unweath biot ognss chips; str or-bn surface weath	ogn								3.7	60.5	<0.1	26.3	9	2.5	2.8	81	0.8	<0.5	0.7		
968078	9.45	10.97	1.52	gy biot ognss; 30% or-bn surface weath chips	ogn								1.7	23.7	<0.1	5.2	3.5	1.3	1	54	1.1	<0.5	<0.2		
968079	10.97	12.50	1.52	gy biot ognss; minor or-bn surface weath chips	ogn								1.7	10.6	<0.1	4.1	2.9	0.7	0.7	41	2.3	<0.5	<0.2		
968080	12.50	14.02	1.52	gy biot ognss; minor or-bn surface weath chips	ogn								1.8	8.7	<0.1	3.1	2.1	0.4	0.4	36	2.3	<0.5	<0.2		
968081	14.02	15.54	1.52	gy biot ognss; minor or-bn alt chips	ogn								2.1	10.2	<0.1	3	3.1	0.6	1	41	3.1	0.6	<0.2		
968082	15.54	17.07	1.52	or-gn stained gy biot ognss	ogn		wk						1.7	24.2	<0.1	14.7	10.4	1.2	3.5	35	1.5	<0.5	<0.2		
968083	17.07	18.59	1.52	or-gn stained ser alt gy biot ognss	ogn	tr	wk						1.7	29	0.1	17.8	46.7	2.1	7.2	37	1.6	<0.5	0.3		
968084	18.59	20.12	1.52	or-gn stained ser alt gy biot ognss; tr eu py	ogn	tr	wk						1.8	22.8	<0.1	13.5	20.1	1.3	3.2	32	1.5	<0.5	<0.2		
968085	20.12	21.64	1.52	or-gn stained ser alt gy biot ognss; tr eu py	ogn	tr	wk						1.4	31	0.2	31.7	26.3	2.5	34.8	45	1.1	<0.5	1.6		
968086	21.64	23.16	1.52	gy biot ognss; 30% or-bn ser alt; tr py	ogn	tr	wk						1.6	53.8	<0.1	8.4	14.7	1.5	2.8	34	1.3	<0.5	<0.2		
968087	23.16	24.69	1.52	gy biot ognss; minor or-bn ser alt; minor wh qv chips; tr py	ogn	tr					minor q		1.8	8.3	<0.1	4.3	2.4	0.6	0.8	46	1.6	<0.5	<0.2		
968088	24.69	26.21	1.52	gy biot ognss; 50% or-bn ser alt chips; minor wh qv chips; tr py	ogn	tr	wk						2.1	33.6	0.1	27.2	31.8	1.4	3.7	79	1.6	<0.5	1.4		
968089	26.21	27.74	1.52	or-bn ser alt ognss; tr py	ogn	tr	mod						1.9	52.6	0.3	26.8	64.4	4.2	11.2	66	1.3	<0.5	2.7		
968090	27.74	29.26	1.52	or-bn ser alt ognss; 20% unalt chips; tr py	ogn	tr	mod						1.7	55.1	0.2	12.3	34.8	2.2	4.3	44	1.2	<0.5	0.9		
968091	29.26	30.78	1.52	gy biot ognss; local lim st	ogn								1.6	22.1	<0.1	3.4	6	0.9	1.4	49	1.3	<0.5	<0.2		
968092	30.78	32.31	1.52	lt gy ognss; 20% lim st chips	ogn						tr		1.9	35.8	<0.1	21.9	26.1	1.7	4.5	29	5.3	<0.5	1.3		
968093	32.31	33.83	1.52	lt gy ognss; minor lim st chips	ogn						mod		1.6	53.7	0.1	36.2	19.2	2	5.1	67	2.2	0.6	1.2		
968094	33.83	35.36	1.52	lt gy ognss; minor lim st qv chips	ogn						minor		1.7	32.4	<0.1	8.1	16.1	1.5	2.4	34	4	<0.5	0.2		
968095	35.36	36.88	1.52	lt gy wk ser alt ognss; 30% or lim-jar stained chips	ogn		wk				mod		1.3	82	0.2	41.4	42.2	2.5	3.4	39	1.5	0.7	0.8		
968096	36.88	38.40	1.52	lt gy wk ser alt ognss; 30% or lim-jar stained chips; tr py	ogn	tr	wk				mod		1.3	111.6	0.2	39.6	136.2	3.9	6.8	34	2.7	0.7	1.3		
968097	38.40	39.93	1.52	gy biot ognss; minor lim ser alt chips	ogn						minor		1.7	35.6	<0.1	4.7	25.3	0.8	2.2	39	3.2	<0.5	<0.2		
968098	39.93	41.45	1.52	gy biot ognss; tr ser alt chips	ogn		wk						1.6	24.1	<0.1	2.4	6.3	1	46.1	38	3.6	<0.5	<0.2		
968099	41.45	42.98	1.52	gy biot ognss; local lim alt frax	ogn						tr		1.7	28	<0.1	7.4	3.1	0.8	2.8	38	1.9	<0.5	<0.2		
968100	42.98	44.50	1.52	gy biot ognss; 10% lim alt frax	ogn						minor		2	12.3	<0.1	2.7	4	0.2	1.5	38	4.2	<0.5	<0.2		
968151	44.50	46.02	1.52	gy biot ognss; 10% lim alt frax; minor py	ogn	minor					minor		2.4	83.7	0.1	9.2	50.9	0.9	4.7	81	2	<0.5	<0.2		
968152	46.02	47.55	1.52	gy biot ognss; 30% ser-lim alt frax; minor py	ogn	minor	wk				minor		1.6	86.3	<0.1	6.5	35.5	1.3	5.8	47	1.7	<0.5	0.2		
968153	47.55	49.07	1.52	gy biot ognss	ogn								2.4	19.1	<0.1	3.1	8.2	0.5	1.7	49	3.8	<0.5	<0.2		
968154	49.07	50.60	1.52	gy biot ognss; tr py	ogn	tr							1.7	6.8	<0.1	1.4	2.3	0.2	1	38	3.3	<0.5	<0.2		
968155	50.60	52.12	1.52	gy biot ognss; tr py	ogn	tr							2.7	11.7	<0.1	4	5.7	0.1	0.8	40	340	<0.5	<0.2		
968156	52.12	53.64	1.52	gy biot ognss; tr py	ogn	tr							2.2	46.9	<0.1	7.6	7.1	0.4	0.6	118	80.6	<0.5	<0.2		
968157	53.64	55.17	1.52	gy biot ognss; tr lim st chips; tr py	ogn	tr							3.1	28.9	<0.1	4.3	6.1	0.4	0.8	39	7.7	<0.5	<0.2		
968158	55.17	56.69	1.52	dk gy biot ognss; tr lim st chips; tr py	ogn	tr							2	43.1	<0.1	7.7	54.1	1.2	1.6	290	10.8	<0.5	0.2		
968159	56.69	58.22	1.52	dk gy biot ognss; tr gy ser alt chips	ogn								1.8	15.4	<0.1	2.4	1.9	0.6	1.1	348	2.2	<0.5	<0.2		
968160	58.22	59.74	1.52	dk gy biot ognss	ogn								2.3	33	<0.1	4.3	23.6	0.3	0.9	187	5.9	<0.5	<0.2		
968161	59.74	61.26	1.52	dk gy biot ognss; tr gy ser alt chips	ogn								2.2	25.4	<0.1	5.1	4.8	0.2	0.8	71	3.2	<0.5	<0.2		



HOLE #	CCRC17-22		datum; NAD 83 Zone 10			UTM E	607670			AZIMUTH		280												
PROJECT	Canadian Creek					UTM N	6959265			DIP	-50													
AREA	Kana East					ELEVATION	1519m			DATES	20-Aug-17													
DEPTH	111.25m					GRID E				Logged by	Johnston													
DRILER	Midnight Sun					GRID N																		
CCRC17-22																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
968184	0.61	2.13	1.52	or-bn surface weath ognss	ogn							2	119.6	0.6	29.7	199.6	3.3	25	144	0.4	<0.5	2.6		
968185	2.13	3.66	1.52	dk gy ognss w/ mod or-bn surface ox	ogn							3.3	227	0.6	38.4	92.7	2.1	13	246	1	<0.5	1.1		
968186	3.66	4.57	0.91	or-bn surface weath ognss	ogn							1.5	106.8	0.3	50	76.4	1.7	8.8	59	0.8	<0.5	3.2		
968187	4.57	6.10	1.52	ly gy-beige ser alt ognss; mod or-bn surface ox	ogn		wk			mod		0.8	124.1	0.6	50.3	77.7	2.1	9.6	153	0.7	0.5	3.2		
968188	6.10	7.62	1.52	lt gy-beige ser alt ognss; mod or-bn surface ox	ogn		wk					1	49.5	0.6	158.9	274.7	4.8	31.3	58	1.1	1.4	4		
968189	7.62	9.14	1.52	lt gy-beige ser alt ognss; mod or-bn surface ox	ogn		wk			mod		1.3	86.5	0.5	54.1	124.7	3.5	15.5	60	0.9	0.7	4.6		
968190	9.14	10.67	1.52	lt gy-beige ser alt ognss; mod or-bn surface ox; 20% unalt chips	ogn		wk			mod		1.7	59.8	0.2	21.2	42.7	2.1	5	51	1.3	<0.5	1.1		
968191	10.67	12.19	1.52	lt gy ser alt ognss; 20% lim st chips	ogn		wk			mod		1.6	70	<0.1	8.1	22.2	1.7	1.2	38	1.6	<0.5	<0.2		
968192	12.19	13.72	1.52	gy ognss; 20% lim st chips	ogn							1.2	36.8	<0.1	5.1	56.3	1.3	0.9	32	1.2	<0.5	<0.2		
968193	13.72	15.24	1.52	gy ognss; minor lim st chips; minor py	ogn	minor	wk					1.8	43.4	0.1	7.6	13.1	1.9	1.3	36	1.8	<0.5	<0.2		
968194	15.24	16.76	1.52	lt gy ser alt ognss; 30% lim st chips; minor py	ogn	minor	wk			mod		1.3	60.4	0.1	11.4	13.9	2	0.8	41	0.9	<0.5	<0.2		
968195	16.76	18.29	1.52	lt gy ser alt ognss; 20% lim st chips; minor py	ogn	minor	wk			mod		1.1	49.1	<0.1	8	5.5	2.5	1.6	35	0.8	<0.5	<0.2		
968196	18.29	19.81	1.52	lt gy ser alt ognss; 20% lim st chips; minor py	ogn	minor	wk			wk		1.1	12.3	<0.1	3.8	6.5	1.4	0.4	31	1.6	<0.5	<0.2		
968197	19.81	21.34	1.52	lt gy ser alt ognss; 10% lim st chips; minor py	ogn	minor	wk			wk		1.2	27.5	0.1	6.9	28.4	2.3	1.2	30	2	<0.5	<0.2		
968198	21.34	22.86	1.52	or-bn st ser alt gy ognss; minor py	ogn	minor	mod			mod		1.5	80.2	0.2	45.3	46.2	2.2	1.1	42	0.8	<0.5	<0.2		
968199	22.86	24.38	1.52	ly gy-gn ser alt ognss; local lim st; local str hem frax; minor py	ogn	minor	mod			wk		1	161	0.4	47.6	96.4	2.6	1.9	32	15	<0.5	<0.2		
968200	24.38	25.91	1.52	dk gy biot ognss; 5% lim st chips; minor py	ogn	minor				tr		1.3	64.8	0.1	19.6	38.6	3	0.9	41	12.3	<0.5	<0.2		
968201	25.91	27.43	1.52	gn-gy ser alt ognss; local hem frax; minor py	ogn	minor	mod					1.4	159.8	0.4	73.6	169.5	2.2	7.5	42	9.6	0.8	0.4		
968202	27.43	28.96	1.52	gn-gy ser alt ognss; local hem frax; minor py	ogn	minor	mod					1.7	187.4	0.4	53.6	107.5	2.1	5.2	48	7.7	<0.5	0.3		
968203	28.96	30.48	1.52	gn-gy ser alt ognss; minor py	ogn	minor	mod					1.2	119.7	0.3	43.1	75.9	1.5	4	39	7.1	<0.5	<0.2		
968204	30.48	32.00	1.52	gy wk ser alt ognss; minor py; minor py	ogn	minor	wk					1.3	70.6	0.1	20.3	46.5	1.9	1.8	45	3.4	<0.5	<0.2		
968205	32.00	33.53	1.52	gy ognss; minor ser alt chips; minor py	ogn	minor						1.4	53.5	<0.1	18.4	22.5	2.2	0.8	32	4.3	<0.5	<0.2		
968206	33.53	35.05	1.52	gy-gn wk ser alt ognss; minor py	ogn	minor	wk					1.5	38.2	<0.1	15.1	37	1.6	1.1	38	4.5	<0.5	<0.2		
968207	35.05	36.58	1.52	gy-gn wk ser alt ognss; minor py	ogn	minor	wk					1	32.4	<0.1	24.3	29.8	1.3	1.7	35	4	<0.5	<0.2		
968208	36.58	38.10	1.52	gy-gn wk ser alt ognss; minor py	ogn	minor	wk					1.1	89.4	0.2	17.7	118.9	1.6	3.7	46	3.4	<0.5	0.6		
968209	38.10	39.62	1.52	gy-gn wk ser alt ognss; local lim chips; minor py	ogn	minor	wk			minor		1.2	62.5	0.1	7.1	25.7	1	1.4	48	4	<0.5	0.2		
968210	39.62	41.15	1.52	gy ognss; 30% ser alt chips; tr py	ogn	tr						1.7	118.6	0.2	10.8	89.2	1	7.1	45	3.6	<0.5	1.3		
968211	41.15	42.67	1.52	gy ognss; 40% ser alt chips; minor eu py	ogn	minor	wk					0.8	95.9	0.2	18.5	83.1	1	5.7	42	2.3	<0.5	2.7		
968212	42.67	44.20	1.52	gy ognss; minor ser alt chips; tr eu py	ogn	tr						1	40.1	<0.1	7.2	122	0.8	1	47	1.4	<0.5	0.3		
968213	44.20	45.72	1.52	gy ognss; 30% ser alt chips; tr py	ogn	tr	wk					0.9	31.4	<0.1	9.1	40.9	1.1	1.3	43	2.3	<0.5	0.3		
968214	45.72	47.24	1.52	gy ognss; 30% ser alt chips; tr py	ogn	tr	wk					1	46.8	0.1	10.5	49.2	1.1	1.6	29	2.2	<0.5	0.3		
968215	47.24	48.77	1.52	gy-gn wk ser alt ognss; 20% unalt chips; tr py	ogn	tr	wk					1.1	88.5	0.2	14.7	272.6	1.3	5.4	32	1.6	<0.5	0.7		
968216	48.77	50.29	1.52	gy-gn wk ser alt ognss; 20% unalt chips; tr py	ogn	tr	wk					0.9	18.9	<0.1	10.8	21.4	1.2	1	34	2.7	<0.5	<0.2		
968217	50.29	51.82	1.52	mix of gy unalt and gy-gn ser alt ognss; tr py	ogn	tr	wk					1.3	34.7	<0.1	17.4	42.9	1.4	1.1	29	1.8	<0.5	<0.2		
968218	51.82	53.34	1.52	lt gy wk ser alt ognss; tr py	ogn	tr	wk					0.9	39.5	<0.1	12.9	43.7	0.8	1.2	31	2	<0.5	<0.2		
968219	53.34	54.86	1.52	lt gy wk ser alt ognss; tr py	ogn	tr	wk					1.2	145.5	0.3	13.9	83.8	1	5.5	37	1.6	<0.5	1.1		
968220	54.86	56.39	1.52	lt gy-beige wk ser alt ognss; local str py chips; 1% py	ogn		1 wk					0.7	187.7	0.7	37.8	946.2	2	32.3	46	2.5	0.7	15.7	153	



HOLE #	CCRC17-23			datum; NAD 83 Zone 10	UTM E	607903			AZIMUTH		235													
PROJECT	Canadian Creek				UTM N	6960254			DIP	-50														
AREA	Kana East				ELEVATION		1366m		DATES	21-Aug-17														
DEPTH	124.97m				GRID E				Logged by		Johnston													
DRILLER	Midnight Sun				GRID N																			
CCRC17-23																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
968257	0.30	1.83	1.52	boulder								1.9	12	0.1	223.1	12.3	1.5	0.8	353	0.7	<0.5	<0.2		
968258	1.83	3.35	1.52	gy gd; mod surface ox; also lots of ognss rubble chips	gd							1.3	9.1	<0.1	102.5	9.1	1.3	0.4	319	0.4	<0.5	<0.2		
968259	3.35	4.57	1.22	gy gd; mod surface ox; also lots of ognss rubble chips	gd							1.5	24.7	0.6	175.7	25.6	6.8	2	199	0.5	<0.5	<0.2		
968260	4.57	6.10	1.52	gy gd; mod surface ox	gd							1.7	5.4	<0.1	11.3	1.1	1	0.2	541	0.6	<0.5	<0.2		
968261	6.10	7.62	1.52	gy gd; local surface ox	gd							2	7.5	<0.1	6.8	1.8	0.5	0.1	498	0.6	<0.5	<0.2		
968262	7.62	9.14	1.52	gy gd; local surface ox; tr py	gd	tr						1.2	10	<0.1	5.9	0.7	1	0.2	195	0.3	<0.5	<0.2		
968263	9.14	10.67	1.52	dk gy gd; minor or-bn chips	gd							2.1	10.2	<0.1	2.2	<0.5	0.4	<0.1	862	0.6	<0.5	<0.2		
968264	10.67	12.19	1.52	dk gy gd; minor or-bn chips; tr py	gd	tr						1.5	5.7	<0.1	2.5	0.7	0.2	<0.1	450	0.4	<0.5	<0.2		
968265	12.19	13.72	1.52	dk gy unalt and lt gy wk ser gd; 5% lim chips; abund wh clay	gd		wk			tr		0.6	4.5	<0.1	2.2	<0.5	0.3	0.2	209	<0.1	<0.5	<0.2		
968266	13.72	15.24	1.52	gy gd; 30% lim st chips	gd							1.4	7.5	<0.1	6.4	0.9	0.5	<0.1	671	0.7	<0.5	<0.2		
968267	15.24	16.76	1.52	gy gd; 10% lim st chips	gd							1.8	7.8	<0.1	2.2	1.3	0.3	<0.1	734	0.3	<0.5	<0.2		
968268	16.76	18.29	1.52	gy gd; 10% lim st chips	gd							1.7	5.7	<0.1	2.6	0.6	0.2	<0.1	850	0.2	<0.5	<0.2		
968269	18.29	19.81	1.52	mix of gy unalt and wh-beige ser alt chips; tr lim chips	gd		wk					1	8.8	0.3	20	2	0.5	0.4	620	0.1	<0.5	<0.2		
968270	19.81	21.34	1.52	wh-beige ser alt gd	gd		wk					2.2	28.9	0.4	10.7	2.7	1.1	0.5	343	0.3	<0.5	<0.2		
968271	21.34	22.86	1.52	mix of gy unalt and wh-beige ser alt chips; tr lim chips	gd		wk					4.2	44.1	0.6	7.7	2.4	0.8	0.9	179	0.9	<0.5	<0.2		
968272	22.86	24.38	1.52	mix of gy unalt and wh-beige ser alt chips; tr lim chips	gd		wk					2	26.2	0.2	4.5	2	0.3	0.5	208	0.6	<0.5	<0.2		
968273	24.38	25.91	1.52	boring lt gy gd	gd							2.3	18.3	<0.1	3.5	1.9	0.2	0.4	420	2.5	<0.5	<0.2		
968274	25.91	27.43	1.52	boring lt gy gd	gd							1.8	28.3	0.2	8.6	1.1	0.3	0.9	282	3.2	<0.5	<0.2		
968275	27.43	28.96	1.52	boring lt gy gd	gd							12.5	23.8	<0.1	2.4	1.6	0.3	0.9	458	3	<0.5	<0.2		
968276	28.96	30.48	1.52	boring lt gy gd	gd							9.7	37.1	0.1	2.7	0.6	0.4	0.8	363	1.3	<0.5	<0.2		
968277	30.48	32.00	1.52	boring lt gy gd; 30% wh-or ser-lim st chips; 0.5% py	gd	0.5				tr		11.7	75.2	1.6	15300	614.5	29	9.8	29	1.8	<0.5	<0.2	589	0.6
968278	32.00	33.53	1.52	boring lt gy gd; 5% wh-or ser-lim st chips; tr py	gd	tr						9.5	34.6	0.2	298.8	16.9	10.3	1.3	200	1.3	<0.5	<0.2		
968279	33.53	35.05	1.52	boring lt gy gd	gd							7.1	14.9	<0.1	15.3	<0.5	0.3	0.2	462	1.3	<0.5	<0.2		
968280	35.05	36.58	1.52	boring lt gy gd	gd							5.3	16.3	<0.1	8	<0.5	0.3	0.2	564	2.1	<0.5	<0.2		
968281	36.58	38.10	1.52	boring lt gy gd	gd							9.4	16	<0.1	4.5	0.8	0.3	0.2	486	1.4	<0.5	<0.2		
968282	38.10	39.62	1.52	boring lt gy gd	gd							3.2	7	<0.1	2.6	<0.5	0.4	0.2	329	1.4	<0.5	<0.2		
968283	39.62	41.15	1.52	boring lt gy gd	gd							5.4	4.5	<0.1	2.3	0.7	0.3	0.2	433	0.8	<0.5	<0.2		
968284	41.15	42.67	1.52	boring lt gy gd	gd							2.3	10.4	0.6	27.4	9.8	1	1	321	0.9	<0.5	<0.2		
968285	42.67	44.20	1.52	boring lt gy gd; tr py	gd	tr						7.7	6.5	<0.1	1.5	1.9	0.2	0.2	474	1.3	<0.5	<0.2		
968286	44.20	45.72	1.52	boring lt gy gd	gd							4.4	9.1	<0.1	1.9	1.6	0.1	0.2	468	1.5	<0.5	<0.2		
968287	45.72	47.24	1.52	boring lt gy gd	gd							2.2	8.8	<0.1	2.2	1.6	0.2	0.3	403	1.4	<0.5	<0.2		
968288	47.24	48.77	1.52	boring lt gy gd	gd							2	12.8	<0.1	1.9	2.4	0.2	0.2	574	1.5	<0.5	<0.2		
968289	48.77	50.29	1.52	boring lt gy gd; 10% gy-gn ser-lim st chips	gd					tr		2.7	23.4	<0.1	1.9	81.5	0.4	0.3	401	1.6	<0.5	<0.2		
968290	50.29	51.82	1.52	boring lt gy gd; minor gy-gn ser-lim st chips	gd							2.4	19.1	<0.1	2	<0.5	0.2	0.3	514	1.5	<0.5	<0.2		
968291	51.82	53.34	1.52	boring lt gy gd	gd							1.8	13	<0.1	1.1	2.5	0.1	0.2	482	1.4	<0.5	<0.2		
968292	53.34	54.86	1.52	boring lt gy gd	gd							2.1	16.2	<0.1	1.7	1.9	0.1	0.2	583	1.5	<0.5	<0.2		
968293	54.86	56.39	1.52	boring lt gy gd	gd							2.4	28.6	0.1	2.9	3.6	1	0.3	185	3.1	<0.5	<0.2		
968294	56.39	57.91	1.52	mix lt gy gd and wh-berige ser alt chips	gd		wk					2.5	17.5	<0.1	2.8	2.6	0.6	0.4	214	1.6	<0.5	<0.2		
968295	57.91	59.44	1.52	boring lt gy gd	gd							2.1	4.9	<0.1	1.1	1.6	0.2	<0.1	415	0.9	<0.5	<0.2		
968296	59.44	60.96	1.52	boring lt gy gd	gd							2.1	5.6	<0.1	1.5	1.9	0.2	0.1	439	1	<0.5	<0.2		
968297	60.96	62.48	1.52	boring lt gy gd; tr py	gd	tr						2.3	5.9	<0.1	7.9	3	0.3	0.1	377	1.8	<0.5	<0.2		
968298	62.48	64.01	1.52	boring lt gy gd	gd							2.1	7.7	<0.1	3.1	1.7	0.4	<0.1	346	1.2	<0.5	<0.2		
968299	64.01	65.53	1.52	boring dk gy gd; abund biot	gd							2.3	7.6	<0.1	2	<0.5	0.1	<0.1	598	1	<0.5	<0.2		
968300	65.53	67.06	1.52	boring d gy gd; abund biot	gd							1.9	10.9	<0.1	2	1.9	0.2	<0.1	576	0.9	<0.5	<0.2		
968301	67.06	68.58	1.52	boring dk gy gd; abund biot	gd							2	14.2	<0.1	1.1	1	0.1	<0.1	996	0.9	<0.5	<0.2		





HOLE #	CCRC17-24			Datum; NAD 83 Zone 10	UTM E	604440	AZIMUTH	330																
PROJECT	Canadian Creek			UTM N	6958603	DIP	-50																	
AREA	Kana West			ELEVATION	1375m	DATES	22-Aug-17																	
DEPTH	109.73m			GRID E		Logged by	Johnston																	
DRILLER	Midnight Sun			GRID N																				
CCRC17-24																								
Sample	from m	to m	interval	description	rock code	py %	ser alt	chl alt	ep	lim	qtz vns	Mo ppm	Cu ppm	Ag ppm	As ppm	Au ppb	Sb ppm	Bi ppm	Ba ppm	W ppm	Se ppm	Te ppm	Au ppb	Au g/t
analytical code												AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	FA430
968339	0.30	1.83	1.52	gy ognss; strong bn surface ox	ogn							1	13.3	0.8	321.3	11.2	19	0.6	94	0.5	<0.5	<0.2		
968340	1.83	3.35	1.52	gy ognss; strong bn surface ox	ogn							1	6.1	0.4	150.4	9.4	7.8	0.8	58	0.5	<0.5	<0.2		
968341	3.35	4.88	1.52	gy ognss; strong bn surface ox	ogn							1.5	7.5	0.3	102.4	7.2	6.9	0.7	39	0.7	<0.5	<0.2		
968342	4.88	6.10	1.22	gy ognss; strong bn surface ox	ogn							1.4	13	0.2	55.1	5.9	5	0.4	39	1.4	<0.5	<0.2		
968343	6.10	7.62	1.52	gy ognss; strong bn surface ox	ogn							1.3	6.3	0.2	16	2	5.6	0.5	36	1.6	<0.5	<0.2		
968344	7.62	9.14	1.52	gy ognss; strong bn surface ox	ogn							0.9	5.6	0.2	53.2	4.1	6.4	0.2	107	0.7	<0.5	<0.2		
968345	9.14	10.67	1.52	gy ognss; strong bn surface ox; minor py	ogn	minor						1.4	7.4	1.6	418.7	9.6	10.7	0.6	77	0.9	<0.5	<0.2		
968346	10.67	12.19	1.52	gy ser alt ognss; strong bn surface ox; minor py	ogn	minor	wk					1.6	6	1.5	713.8	20	8.9	0.8	109	0.8	<0.5	<0.2		
968347	12.19	13.72	1.52	gy ognss; strong bn surface ox; minor eu py	ogn	minor						1.1	3.2	1.1	653.9	14.4	11.9	0.5	78	0.5	<0.5	<0.2		
968348	13.72	15.24	1.52	beige-wh ognss; local bn surface ox; tr dk gy qtz-py chips; minor eu py overall	ogn	minor						0.8	3.2	1.3	438.5	6.3	5.9	0.3	49	0.5	<0.5	<0.2		
968349	15.24	16.76	1.52	beige-wh ognss; 10% bn surface st chips; minor fg eu py	ogn	minor	wk					1.5	3.6	1.1	393	18.9	5.6	0.3	79	1.1	<0.5	<0.2		
968350	16.76	18.29	1.52	beige-wh ognss; 10% bn surface st chips; local chips w/ 10% py; minor py overall	ogn	minor	wk					1.4	4.5	1	396.3	14.5	6.8	0.4	56	1	<0.5	<0.2		
968351	18.29	19.81	1.52	gy-gn wk ser alt ognss; 5% wh-beige chips; local lim st chips w/ 5% py; 0.5% py overall	ogn	0.5	wk					1.1	10.4	1.3	696.7	27	7.4	0.4	51	4.8	<0.5	<0.2		
968352	19.81	21.34	1.52	gy ognss; tr lim chips; minor py	ogn	minor						1.3	2.2	0.1	25.5	4	6.9	0.5	47	1.6	<0.5	<0.2		
968353	21.34	22.86	1.52	gy ognss; tr lim chips; 10% lim st chips; minor py	ogn							1.3	2.8	0.7	805.9	12.6	9.8	0.8	44	0.7	<0.5	<0.2		
968354	22.86	24.38	1.52	lt gy-gn ser alt ognss; tr lim chips; tr py	ogn	tr	mod					1.5	9.8	4.4	1190	9.9	11.5	0.5	46	0.7	<0.5	<0.2		
968355	24.38	25.91	1.52	lt gy-gn ser alt ognss; 30% gy unalt chips; 5% lim chips; tr py	ogn	tr	wk					1.2	4.7	2	1258.7	8.8	10	0.5	49	0.7	<0.5	<0.2		
968356	25.91	27.43	1.52	gy unalt ognss; 20% wh-beige alt chips;	ogn		wk					1.2	2.7	0.9	444.3	6.7	10.1	0.5	51	0.6	<0.5	<0.2		
968357	27.43	28.96	1.52	dk gy ognss; minor lim st chips	ogn							1.1	1.5	0.2	44.7	1.3	9	0.5	67	0.4	0.6	<0.2		
968358	28.96	30.48	1.52	wh-beige ognss; 10% gy unalt chips; 5% lim chips	ogn		mod					1.2	2.4	0.6	253.1	0.8	6.5	0.2	66	0.4	<0.5	<0.2		
968359	30.48	32.00	1.52	gy ognss; 30% lim st chips	ogn					minor		1.2	2.2	0.3	90.4	<0.5	6.4	0.2	37	0.5	<0.5	<0.2		
968360	32.00	33.53	1.52	dk gy unalt ognss; tr lim chips	ogn							1.3	1.1	<0.1	16.9	<0.5	3.6	0.1	37	0.3	<0.5	<0.2		
968361	33.53	35.05	1.52	gy ognss; 30% lim st chips w/ minor py	ogn	tr						1.7	1.9	0.4	123.2	2.4	5.8	0.2	30	0.4	<0.5	<0.2		
968362	35.05	36.58	1.52	mix dk gy, lt gy ser alt ognss; tr lim chips	ogn					tr		1.7	3.3	1.1	223.8	4.2	4.4	0.2	54	0.7	<0.5	<0.2		
968363	36.58	38.10	1.52	dk gy ognss w/ 20% lt gy ser alt chips; tr lim chips	ogn					tr		1.2	4	0.3	52.3	0.7	8.3	0.3	31	1.6	<0.5	<0.2		
968364	38.10	39.62	1.52	mix dk gy, lt gy ser alt ognss; tr lim chips	ogn					tr		1.6	5.2	0.3	38.7	2.1	9.3	1	25	1.7	<0.5	<0.2		
968365	39.62	41.15	1.52	bk biot ognss; 20% beige-gn ser alt chips	ogn							1.6	8.1	0.3	22.9	3.6	8.9	2.4	34	0.9	<0.5	<0.2		
968366	41.15	42.67	1.52	gn-beige ser alt ognss	ogn							1.8	6.2	1.6	210.1	1.8	11.5	1.9	53	0.5	<0.5	<0.2		
968367	42.67	44.20	1.52	gn-beige ser alt ognss; 20% bk unalt ognss; tr or, rd chips	ogn							1.6	6.2	1	544	40.4	16.6	1.7	119	0.9	<0.5	<0.2		
968368	44.20	45.72	1.52	gn-beige ser alt ognss; 20% bk unalt ognss; tr or, rd chips	ogn							2.4	10.1	1.5	282.7	5.6	13.3	4.9	53	0.6	<0.5	<0.2		
968369	45.72	47.24	1.52	dk gy unalt ognss	ogn							2.1	4.3	0.5	65.4	6.3	13.5	0.5	74	0.7	<0.5	<0.2		
968370	47.24	48.77	1.52	dk gy unalt ognss	ogn							1.5	10.6	0.2	10.5	1.4	7	0.3	44	1.3	<0.5	<0.2		
968371	48.77	50.29	1.52	dk gy unalt ognss	ogn							1.8	16.8	0.1	90.1	11.3	6	0.2	71	1.5	<0.5	<0.2		
968372	50.29	51.82	1.52	dk gy unalt ognss	ogn							1.9	4.5	<0.1	4.7	1.2	4.4	0.2	76	1.1	<0.5	<0.2		
968373	51.82	53.34	1.52	dk gy unalt ognss	ogn							1.5	6.5	0.2	65.2	2.8	13.8	0.2	83	1	<0.5	<0.2		
968374	53.34	54.86	1.52	lt gy ser wk alt ognss; 30% unalt chips	ogn		mod					1.5	9.2	4.3	3270.6	27.4	105.9	0.1	42	0.7	<0.5	<0.2		
968375	54.86	56.39	1.52	lt gy ser wk alt ognss; 10% unalt chips	ogn		mod					1.7	5.5	2.3	3569.6	164.4	67.8	0.2	45	0.7	0.5	<0.2		
968376	56.39	57.91	1.52	lt gy ser wk alt ognss; 40% unalt chips	ogn		mod					1.3	5.9	0.2	224.6	7.2	12.1	0.2	37	0.6	<0.5	<0.2		
968377	57.91	59.44	1.52	gy unalt ognss; 20% lt gy alt chips	ogn		wk					1.8	6	0.2	317.3	20.7	21.3	0.2	103	1	<0.5	<0.2		
968378	59.44	60.96	1.52	lt gy unalt gnss; minor py	ogn	minor						1.5	12.7	0.5	647.9	36.8	16	0.3	47	0.8	<0.5	<0.2		
968379	60.96	62.48	1.52	mix lt and dk gy unalt ognss; tr py	ogn	tr						1.6	7.7	0.4	371.3	18.5	6.6	0.3	91	1.7	<0.5	<0.2		
968380	62.48	64.01	1.52	mix lt and dk gy unalt ognss	ogn							1.9	4.7	<0.1	12.3	0.8	3.9	0.4	126	1.6	<0.5	<0.2		



## **Appendix 2 Analytical Results**



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 07, 2017  
Report Date: July 22, 2017  
Page: 1 of 12

# CERTIFICATE OF ANALYSIS

WHI17000251.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs16-001  
P.O. Number  
Number of Samples: 320

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte Unit MDL	AQ201 Mo ppm	AQ201 Cu ppm	AQ201 Pb ppm	AQ201 Zn ppm	AQ201 Ag ppm	AQ201 Ni ppm	AQ201 Co ppm	AQ201 Mn ppm	AQ201 Fe %	AQ201 As ppm	AQ201 Au ppb	AQ201 Th ppm	AQ201 Sr ppm	AQ201 Cd ppm	AQ201 Sb ppm	AQ201 Bi ppm	AQ201 V ppm	AQ201 Ca %	AQ201 P %	AQ201 La ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
L13550E/12100N	Soil	3.5	29.2	8.9	64	0.2	32.7	12.8	935	3.18	48.3	2.0	4.2	31	0.2	1.8	0.9	112	0.41	0.025	9
L13550E/12125N	Soil	3.7	58.3	11.4	69	0.2	31.8	13.9	516	4.69	85.3	6.8	10.8	35	<0.1	2.3	2.0	159	0.45	0.053	44
L13550E/12150N	Soil	2.6	15.6	15.3	58	0.4	20.5	10.7	1392	3.19	10.1	1.8	7.1	32	0.3	1.0	2.2	68	0.37	0.029	14
L13550E/12175N	Soil	4.0	15.5	16.2	59	0.3	17.1	10.5	444	3.49	12.7	1.9	14.0	12	0.1	1.1	1.1	69	0.09	0.018	20
L13550E/12200N	Soil	2.7	15.4	17.8	42	1.5	15.4	8.3	385	3.04	10.7	1.8	5.0	21	0.2	0.9	1.7	75	0.22	0.021	8
L13550E/12225N	Soil	2.6	16.3	16.6	83	0.2	16.9	10.8	591	3.70	32.7	0.5	16.2	25	0.3	1.9	1.0	64	0.36	0.047	16
L13550E/12250N	Soil	1.1	15.9	10.5	53	0.3	20.3	9.5	428	3.35	20.8	2.0	6.9	22	0.2	8.0	0.5	68	0.22	0.015	10
L13550E/12275N	Soil	1.4	13.4	11.4	53	0.3	18.7	12.5	570	3.23	45.8	2.1	5.0	25	0.4	47.3	0.8	73	0.26	0.020	8
L13550E/12300N	Soil	5.4	31.6	20.8	98	0.3	16.6	12.7	529	4.96	100.7	1.1	14.1	15	0.2	31.0	2.5	72	0.19	0.037	7
L13550E/12325N	Soil	1.6	13.7	13.3	81	0.3	19.7	11.9	422	4.02	30.4	1.5	4.7	19	0.2	1.7	0.6	82	0.22	0.030	8
L13550E/12350N	Soil	1.2	17.7	23.0	107	0.2	21.8	15.4	649	5.12	54.3	0.6	15.0	14	0.2	3.3	1.3	81	0.15	0.029	12
L13550E/12375N	Soil	1.6	13.7	13.1	55	0.5	14.5	7.4	300	3.05	47.0	1.1	4.9	20	0.4	1.6	0.4	78	0.23	0.039	8
L13550E/12400N	Soil	1.9	16.3	14.4	76	0.2	20.7	13.4	434	4.22	31.4	1.3	5.3	15	0.3	3.2	0.3	92	0.15	0.041	9
L13550E/12425N	Soil	1.3	21.7	18.7	76	0.1	24.2	9.9	425	3.70	352.7	7.3	10.4	20	0.4	19.4	0.3	68	0.23	0.076	14
L13550E/12450N	Soil	1.4	16.3	14.2	56	0.2	18.1	9.3	276	3.73	23.0	0.7	5.3	18	0.5	1.4	0.3	83	0.18	0.032	9
L13550E/12475N	Soil	1.7	15.7	31.0	126	0.4	17.0	9.8	482	4.65	50.1	<0.5	10.6	13	1.3	2.0	1.9	72	0.19	0.161	10
L13550E/12500N	Soil	1.3	12.7	11.0	52	0.2	14.1	7.0	392	2.23	9.2	1.6	4.3	23	0.3	0.6	0.4	61	0.27	0.030	13
L13550E/12525N	Soil	1.6	17.5	13.1	58	0.4	19.2	9.4	319	3.67	13.0	3.2	5.9	15	0.2	0.7	0.3	88	0.15	0.037	9
L13550E/12550N	Soil	1.1	21.6	11.0	61	<0.1	29.7	13.6	360	3.70	12.2	2.5	6.9	18	0.3	0.6	0.2	82	0.19	0.033	11
L13550E/12575N	Soil	1.7	15.9	17.1	82	<0.1	20.0	14.5	698	4.51	92.7	4.6	11.9	20	0.3	1.3	0.9	81	0.25	0.075	14
L13550E/12600N	Soil	1.7	24.6	9.7	64	<0.1	26.2	12.3	426	3.80	26.9	9.0	6.6	19	0.2	0.9	0.2	82	0.24	0.036	12
L13550E/12625N	Soil	2.2	16.7	17.1	57	0.2	17.1	10.5	651	3.03	72.3	2.6	10.0	22	0.2	2.3	0.5	69	0.27	0.045	29
L13550E/12650N	Soil	1.8	16.6	13.4	47	0.1	17.2	8.2	286	2.94	95.7	3.5	5.2	20	0.1	2.3	0.3	80	0.21	0.024	11
L13550E/12675N	Soil	1.4	10.2	11.4	45	0.2	9.9	4.3	202	2.45	56.5	3.8	2.6	13	0.1	1.5	0.3	74	0.14	0.021	9
L13550E/12700N	Soil	1.7	20.8	12.6	66	<0.1	22.6	9.7	317	3.84	73.1	4.6	3.5	17	0.3	1.1	0.3	89	0.17	0.036	10
L13550E/12725N	Soil	1.3	14.4	10.6	57	0.1	14.9	6.7	386	2.76	76.3	7.7	5.5	13	0.2	12.6	0.3	78	0.13	0.038	15
L13550E/12750N	Soil	1.5	13.0	14.1	65	0.3	12.4	9.1	496	2.88	67.5	1.5	6.0	17	0.6	2.0	0.4	64	0.17	0.045	9
L13550E/12775N	Soil	1.8	17.2	13.5	71	0.2	22.9	10.8	377	3.50	49.7	3.2	5.6	19	0.9	1.2	0.4	80	0.23	0.036	10
L13550E/12800N	Soil	1.5	19.4	20.3	57	0.2	23.6	10.7	412	3.34	104.7	5.8	10.0	21	0.9	2.4	0.6	64	0.25	0.033	14
L13550E/12825N	Soil	1.1	18.8	18.1	101	<0.1	25.1	10.5	653	3.32	137.6	5.1	6.7	29	1.4	3.8	0.8	68	0.41	0.031	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 2 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13550E/12100N	Soil			48	0.70	462	0.154	1	1.85	0.014	0.26	0.4	0.02	6.0	0.2	<0.05	6	<0.5	<0.2
L13550E/12125N	Soil			36	1.27	438	0.312	<1	3.40	0.039	0.74	1.2	0.03	13.7	0.8	<0.05	11	0.6	0.2
L13550E/12150N	Soil			31	0.48	391	0.075	2	1.94	0.010	0.15	0.3	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
L13550E/12175N	Soil			29	0.49	173	0.088	1	2.10	0.008	0.15	0.3	0.03	5.6	0.2	<0.05	8	<0.5	<0.2
L13550E/12200N	Soil			30	0.41	220	0.079	1	1.75	0.009	0.08	0.2	0.04	3.3	0.1	<0.05	7	<0.5	<0.2
L13550E/12225N	Soil			33	0.85	190	0.214	2	2.00	0.010	0.50	0.5	0.02	7.6	0.7	<0.05	9	<0.5	<0.2
L13550E/12250N	Soil			36	0.58	217	0.134	2	2.01	0.012	0.18	0.3	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
L13550E/12275N	Soil			34	0.56	218	0.099	2	1.99	0.010	0.10	0.4	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
L13550E/12300N	Soil			34	0.85	107	0.175	2	2.74	0.008	0.59	0.6	0.02	9.2	0.9	<0.05	13	<0.5	0.3
L13550E/12325N	Soil			35	0.68	157	0.172	1	2.32	0.010	0.14	0.3	0.02	5.0	0.3	<0.05	10	<0.5	<0.2
L13550E/12350N	Soil			43	1.23	163	0.304	1	3.42	0.010	0.63	1.1	0.02	9.8	1.2	<0.05	15	<0.5	<0.2
L13550E/12375N	Soil			27	0.45	162	0.139	<1	1.65	0.010	0.14	0.3	0.03	4.0	0.4	<0.05	9	<0.5	<0.2
L13550E/12400N	Soil			40	0.53	175	0.119	1	2.38	0.009	0.08	0.2	0.03	4.4	0.2	<0.05	9	<0.5	<0.2
L13550E/12425N	Soil			35	0.58	222	0.072	2	2.72	0.009	0.15	0.2	0.04	5.5	0.3	<0.05	8	<0.5	<0.2
L13550E/12450N	Soil			32	0.52	150	0.151	1	2.23	0.008	0.14	0.2	0.02	4.5	0.3	<0.05	9	<0.5	<0.2
L13550E/12475N	Soil			34	0.63	113	0.110	1	2.26	0.007	0.21	0.8	0.03	6.1	0.4	<0.05	10	<0.5	<0.2
L13550E/12500N	Soil			25	0.50	136	0.152	2	1.42	0.014	0.15	0.2	0.02	4.0	0.2	<0.05	8	<0.5	<0.2
L13550E/12525N	Soil			35	0.48	157	0.141	1	2.40	0.008	0.10	0.1	0.03	4.7	0.2	<0.05	10	<0.5	<0.2
L13550E/12550N	Soil			39	0.66	179	0.153	2	2.57	0.011	0.12	0.1	0.03	5.2	0.3	<0.05	8	<0.5	<0.2
L13550E/12575N	Soil			36	0.67	158	0.165	2	2.55	0.008	0.28	0.3	0.03	7.4	0.5	<0.05	10	<0.5	<0.2
L13550E/12600N	Soil			40	0.72	168	0.152	2	2.53	0.011	0.10	0.2	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
L13550E/12625N	Soil			31	0.59	159	0.125	1	2.23	0.013	0.13	0.3	0.03	5.1	0.3	<0.05	9	<0.5	<0.2
L13550E/12650N	Soil			29	0.39	178	0.077	2	1.94	0.011	0.06	0.2	0.03	3.5	0.3	<0.05	8	<0.5	<0.2
L13550E/12675N	Soil			22	0.27	164	0.085	<1	1.25	0.010	0.05	0.1	0.02	2.4	0.2	<0.05	8	<0.5	<0.2
L13550E/12700N	Soil			38	0.51	206	0.101	2	2.33	0.008	0.07	0.2	0.05	4.3	0.2	<0.05	9	<0.5	<0.2
L13550E/12725N	Soil			26	0.41	97	0.107	1	1.64	0.011	0.11	0.2	0.02	4.2	0.4	<0.05	8	<0.5	<0.2
L13550E/12750N	Soil			23	0.25	132	0.083	1	1.37	0.010	0.09	0.4	0.03	3.2	0.3	<0.05	8	<0.5	<0.2
L13550E/12775N	Soil			33	0.49	169	0.109	1	2.24	0.011	0.08	0.2	0.03	4.2	0.2	<0.05	8	<0.5	<0.2
L13550E/12800N	Soil			35	0.55	155	0.100	2	2.19	0.010	0.08	0.3	0.03	4.4	0.4	<0.05	6	<0.5	<0.2
L13550E/12825N	Soil			35	0.52	235	0.054	2	2.45	0.010	0.10	0.2	0.05	4.5	0.4	<0.05	7	<0.5	<0.2



# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13550E/12850N	Soil		1.6	12.8	21.6	84	<0.1	15.9	8.1	684	3.40	181.0	5.0	8.1	17	1.6	15.2	0.9	74	0.21	0.056	14
L13550E/12875N	Soil		1.6	13.9	19.6	73	0.1	14.6	7.5	432	3.81	68.6	4.5	5.7	11	1.3	2.1	0.9	74	0.12	0.045	9
L13550E/12900N	Soil		1.3	9.8	10.6	34	<0.1	8.8	3.3	163	1.60	89.8	1.8	2.1	18	0.1	1.4	0.3	42	0.18	0.024	10
L13550E/12925N	Soil		0.8	25.0	10.8	53	0.2	30.2	13.4	317	3.21	28.6	2.8	6.8	18	0.2	0.9	0.3	67	0.18	0.024	14
L13550E/12950N	Soil		1.0	20.6	12.1	55	0.2	26.5	13.1	340	3.60	28.3	5.8	11.0	18	0.5	1.1	0.4	71	0.20	0.033	17
L13550E/12975N	Soil		1.0	21.2	14.8	66	0.4	21.3	12.0	559	3.21	26.6	3.9	11.8	34	0.2	1.2	0.5	65	0.53	0.056	25
L13550E/13000N	Soil		1.2	24.7	12.6	58	0.2	22.7	11.5	481	3.36	41.3	6.3	11.0	30	0.2	1.9	0.5	66	0.44	0.048	27
L13550E/13025N	Soil		1.1	15.9	19.4	58	0.2	20.4	11.6	305	3.19	38.9	5.9	10.5	31	<0.1	1.9	0.4	62	0.52	0.037	22
L13550E/13050N	Soil		1.2	20.4	19.8	65	0.3	20.2	12.3	543	3.57	58.7	7.0	10.6	44	0.2	4.5	0.6	58	0.84	0.059	29
L13550E/13075N	Soil		0.9	23.6	17.0	67	0.3	23.2	11.1	548	3.34	47.1	7.1	11.5	38	0.3	3.4	0.5	64	0.57	0.056	54
L13550E/13100N	Soil		1.6	25.2	27.2	72	0.4	26.7	15.3	897	4.01	98.3	9.6	16.1	38	0.4	14.0	0.8	74	0.53	0.055	52
L13550E/13125N	Soil		1.0	20.9	17.5	64	0.3	22.1	13.3	543	3.44	54.9	6.7	11.3	27	0.3	2.9	0.6	70	0.40	0.039	30
L13550E/13150N	Soil		0.9	16.4	17.3	65	0.2	21.9	8.7	317	2.81	56.4	12.9	7.3	36	0.4	1.4	0.4	63	0.63	0.039	15
L13550E/13175N	Soil		0.9	20.6	17.6	62	0.2	23.4	10.1	425	3.00	41.0	4.2	9.1	31	0.5	1.1	0.5	65	0.52	0.039	24
L13550E/13200N	Soil		1.1	20.5	23.2	65	0.3	20.8	11.0	558	3.34	31.3	8.0	12.7	33	0.6	1.4	0.7	58	0.57	0.057	35
L13550E/13225N	Soil		1.2	12.9	27.3	65	0.4	16.5	11.6	731	2.90	32.2	1.5	8.8	27	1.2	1.7	1.2	55	0.47	0.041	21
L13550E/13250N	Soil		1.1	26.3	20.8	62	0.2	22.7	11.1	207	3.33	39.3	3.3	13.8	27	0.1	1.9	0.8	69	0.41	0.045	40
L13550E/13275N	Soil		1.2	25.4	22.1	68	0.2	24.5	14.9	688	3.62	40.5	6.3	16.6	29	0.3	1.2	0.9	67	0.49	0.060	42
L13550E/13300N	Soil		1.3	27.6	22.3	65	0.3	21.8	12.7	575	3.32	39.6	6.7	16.4	33	0.1	1.9	0.9	63	0.53	0.068	50
L13550E/13325N	Soil		0.9	24.2	17.8	76	0.1	20.1	9.6	489	3.23	29.8	3.6	14.7	27	0.3	1.5	1.1	62	0.42	0.064	43
L13550E/13350N	Soil		1.6	16.8	21.8	46	1.1	16.8	6.9	262	3.33	51.1	3.6	6.4	14	0.3	1.5	0.7	77	0.14	0.027	14
L13550E/13375N	Soil		2.2	15.0	16.4	40	0.3	11.6	5.2	222	3.56	29.3	3.5	4.0	18	0.2	1.4	0.4	113	0.16	0.025	11
L13550E/13400N	Soil		0.9	22.1	19.1	70	0.1	27.2	11.3	539	3.77	136.5	5.8	7.4	20	0.3	3.3	1.0	77	0.25	0.036	14
L13550E/13425N	Soil		0.9	18.6	14.2	59	<0.1	22.8	10.4	362	3.48	36.4	2.5	6.5	23	0.2	1.0	0.3	73	0.26	0.034	13
L13550E/13450N	Soil		0.7	24.1	15.4	57	0.1	27.4	11.5	273	3.40	37.0	3.1	9.4	22	0.1	1.3	0.4	63	0.30	0.051	23
L13550E/13475N	Soil		1.7	15.4	13.6	42	0.5	11.7	6.5	405	2.59	40.3	1.6	2.6	16	0.4	1.1	0.4	84	0.13	0.023	10
L13550E/13500N	Soil		1.1	26.2	15.6	67	0.2	28.1	11.9	362	3.63	36.0	2.9	6.9	18	0.2	1.6	0.4	81	0.19	0.019	12
L13550E/13525N	Soil		1.7	18.3	22.1	71	0.3	22.4	9.4	363	3.58	83.6	2.3	5.7	27	0.2	11.4	0.2	78	0.29	0.046	18
L13550E/13550N	Soil		1.8	13.7	20.8	46	<0.1	10.5	5.0	221	3.09	64.8	3.6	6.1	14	0.2	26.8	0.5	82	0.10	0.028	19
L13550E/13575N	Soil		0.5	18.7	19.9	74	<0.1	19.3	9.3	256	2.66	13.7	1.6	9.6	30	0.1	1.8	0.3	54	0.40	0.055	21





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 3 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13550E/12850N	Soil	32	0.38	158	0.107	1	1.48	0.008	0.07	1.8	0.04	3.8	0.5	<0.05	8	<0.5	<0.2
L13550E/12875N	Soil	31	0.37	67	0.119	1	1.58	0.008	0.07	0.5	0.04	3.4	0.4	<0.05	9	<0.5	<0.2
L13550E/12900N	Soil	19	0.27	85	0.078	3	1.00	0.009	0.06	0.3	0.05	2.5	0.4	<0.05	6	<0.5	<0.2
L13550E/12925N	Soil	38	0.61	158	0.112	2	2.91	0.012	0.07	0.3	0.05	5.4	0.3	<0.05	6	<0.5	<0.2
L13550E/12950N	Soil	38	0.61	163	0.114	2	2.82	0.010	0.10	0.3	0.03	5.1	0.3	<0.05	8	<0.5	<0.2
L13550E/12975N	Soil	37	0.73	291	0.125	2	2.15	0.015	0.09	0.3	0.06	6.7	0.3	<0.05	7	<0.5	<0.2
L13550E/13000N	Soil	37	0.67	413	0.112	1	2.23	0.013	0.08	0.4	0.08	7.1	0.4	<0.05	7	<0.5	<0.2
L13550E/13025N	Soil	35	0.61	211	0.108	1	1.91	0.014	0.07	0.3	0.05	5.6	0.3	<0.05	6	<0.5	<0.2
L13550E/13050N	Soil	33	0.59	216	0.099	2	1.79	0.015	0.09	0.5	0.08	7.3	0.3	<0.05	6	<0.5	<0.2
L13550E/13075N	Soil	36	0.67	224	0.114	2	2.26	0.015	0.10	0.3	0.08	8.2	0.3	<0.05	7	<0.5	<0.2
L13550E/13100N	Soil	43	0.63	254	0.097	1	2.61	0.012	0.10	0.3	0.12	9.0	0.4	<0.05	8	0.5	<0.2
L13550E/13125N	Soil	36	0.65	192	0.107	1	2.17	0.013	0.07	0.3	0.06	6.8	0.4	<0.05	7	<0.5	<0.2
L13550E/13150N	Soil	33	0.62	185	0.099	1	1.87	0.014	0.06	0.3	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
L13550E/13175N	Soil	35	0.64	175	0.099	1	2.01	0.015	0.07	0.3	0.03	5.8	0.2	<0.05	6	<0.5	<0.2
L13550E/13200N	Soil	34	0.60	171	0.095	1	1.91	0.014	0.07	0.3	0.07	7.3	0.2	<0.05	6	<0.5	<0.2
L13550E/13225N	Soil	31	0.53	146	0.077	<1	1.79	0.013	0.06	1.0	0.04	5.1	0.2	<0.05	6	<0.5	<0.2
L13550E/13250N	Soil	38	0.66	201	0.103	<1	2.19	0.013	0.07	0.3	0.05	7.8	0.2	<0.05	7	<0.5	<0.2
L13550E/13275N	Soil	40	0.72	180	0.145	1	2.27	0.014	0.15	0.6	0.04	8.2	0.3	<0.05	7	<0.5	<0.2
L13550E/13300N	Soil	37	0.67	188	0.120	2	2.17	0.013	0.10	0.4	0.07	9.1	0.3	<0.05	7	<0.5	<0.2
L13550E/13325N	Soil	35	0.61	110	0.145	2	1.85	0.019	0.23	0.5	0.04	7.6	0.4	<0.05	6	<0.5	<0.2
L13550E/13350N	Soil	28	0.32	107	0.105	<1	1.71	0.010	0.06	0.2	0.07	3.2	0.2	<0.05	8	<0.5	<0.2
L13550E/13375N	Soil	25	0.22	100	0.114	<1	1.33	0.005	0.06	0.2	0.02	2.7	0.1	<0.05	11	<0.5	<0.2
L13550E/13400N	Soil	35	0.60	156	0.122	2	2.12	0.014	0.09	0.4	0.03	5.0	0.3	<0.05	7	<0.5	<0.2
L13550E/13425N	Soil	34	0.66	125	0.124	2	2.12	0.011	0.08	0.2	0.03	4.9	0.2	<0.05	8	<0.5	<0.2
L13550E/13450N	Soil	33	0.72	160	0.123	1	2.58	0.011	0.09	0.2	0.05	5.8	0.3	<0.05	7	<0.5	<0.2
L13550E/13475N	Soil	21	0.22	80	0.095	<1	1.19	0.010	0.04	0.1	0.05	2.4	0.3	<0.05	8	<0.5	<0.2
L13550E/13500N	Soil	38	0.64	129	0.133	1	2.70	0.011	0.10	0.3	0.04	5.4	0.2	<0.05	8	<0.5	<0.2
L13550E/13525N	Soil	34	0.54	145	0.098	1	2.40	0.009	0.08	0.2	0.05	4.4	0.3	<0.05	8	<0.5	<0.2
L13550E/13550N	Soil	23	0.27	93	0.096	1	1.40	0.006	0.07	0.4	0.03	3.3	0.2	<0.05	9	<0.5	<0.2
L13550E/13575N	Soil	33	0.68	148	0.129	2	1.91	0.014	0.12	0.3	0.03	5.5	0.3	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 4 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.001	1		
L13550E/13600N	Soil		0.5	21.2	14.7	59	0.1	21.7	13.2	447	3.26	18.0	3.3	7.6	37	0.2	2.0	0.3	65	0.53	0.063	21
L13550E/13625N	Soil		0.5	32.3	18.3	69	0.2	22.0	10.2	364	2.92	140.7	12.1	10.6	30	0.1	5.7	0.4	52	0.41	0.062	26
L13550E/13650N	Soil		0.5	25.5	13.0	59	<0.1	25.8	10.2	342	3.08	22.4	3.3	8.4	29	<0.1	2.2	0.4	63	0.43	0.061	21
L13550E/13675N	Soil		0.7	19.9	17.1	69	0.2	27.5	10.0	268	3.39	29.3	4.4	11.3	31	0.1	2.4	0.5	65	0.44	0.055	19
L13550E/13700N	Soil		1.1	24.2	17.7	66	0.1	27.3	11.7	542	3.43	20.1	2.8	6.2	34	0.1	1.2	0.3	72	0.47	0.066	17
L13550E/13725N	Soil		0.7	19.7	14.5	54	<0.1	22.5	12.3	323	3.21	14.5	2.8	8.0	35	<0.1	0.9	0.4	63	0.52	0.065	20
L13550E/13750N	Soil		0.8	28.4	16.3	63	0.2	28.9	14.9	504	3.43	16.6	4.1	11.5	33	0.1	1.3	0.6	68	0.46	0.058	29
L13650E/12250N	Soil		5.6	15.0	19.0	106	0.2	13.6	12.2	885	5.23	17.5	<0.5	25.0	19	0.2	1.8	2.5	76	0.23	0.100	17
L13650E/12275N	Soil		2.9	14.6	16.3	37	0.3	7.7	6.3	791	2.29	73.5	0.9	9.3	18	0.1	1.7	0.5	41	0.12	0.053	21
L13650E/12300N	Soil		2.2	12.6	14.0	57	0.5	14.6	7.4	410	2.88	64.6	0.6	4.9	19	0.3	1.8	0.5	65	0.20	0.032	9
L13650E/12325N	Soil		2.5	14.9	15.0	86	<0.1	20.5	13.0	638	4.19	36.8	0.8	11.1	14	<0.1	1.5	0.6	61	0.12	0.022	10
L13650E/12350N	Soil		2.2	15.1	14.6	77	0.1	18.7	10.7	470	3.83	66.3	3.4	8.8	19	0.2	2.2	0.7	75	0.28	0.102	13
L13650E/12375N	Soil		1.0	21.4	9.2	71	<0.1	28.6	14.7	416	3.50	26.6	2.7	10.2	21	0.2	1.5	0.3	73	0.31	0.063	19
L13650E/12400N	Soil		1.2	13.5	12.6	54	<0.1	12.9	9.1	561	2.67	93.8	6.8	6.9	15	0.1	24.3	0.8	60	0.22	0.049	13
L13650E/12425N	Soil		2.6	20.5	15.7	73	0.1	21.2	12.9	612	3.76	167.8	2.9	10.7	21	0.1	14.0	0.4	74	0.29	0.057	17
L13650E/12450N	Soil		2.5	18.3	11.2	54	<0.1	19.1	10.5	465	3.15	77.6	2.9	7.9	23	<0.1	2.0	0.2	60	0.30	0.040	17
L13650E/12475N	Soil		1.8	22.2	8.3	61	<0.1	18.6	10.0	443	3.17	48.4	11.3	8.4	26	<0.1	1.3	0.2	70	0.40	0.046	29
L13650E/12500N	Soil		2.3	18.7	10.5	72	0.1	19.1	10.5	582	3.16	41.0	4.3	7.8	31	0.2	1.1	0.3	67	0.44	0.049	26
L13650E/12525N	Soil		2.9	18.0	11.1	62	<0.1	19.8	11.4	432	3.12	65.2	6.9	8.3	26	0.1	1.0	0.3	69	0.34	0.038	20
L13650E/12550N	Soil		1.9	12.9	9.5	63	<0.1	16.1	7.3	338	2.81	78.7	6.2	5.4	23	0.3	1.3	0.3	63	0.31	0.050	10
L13650E/12575N	Soil		1.4	18.3	8.6	60	<0.1	18.5	9.8	379	3.02	18.8	8.1	6.0	28	<0.1	1.0	0.3	66	0.41	0.050	14
L13650E/12600N	Soil		1.7	17.6	9.9	64	<0.1	18.4	11.6	419	3.11	30.7	4.1	7.3	30	0.1	1.5	0.5	67	0.43	0.043	18
L13650E/12625N	Soil		1.7	25.5	11.6	62	0.3	20.0	10.0	873	2.89	89.5	7.5	7.3	52	0.4	4.5	0.5	58	0.78	0.056	34
L13650E/12650N	Soil		1.5	27.1	13.7	70	0.2	21.9	12.3	598	3.52	129.0	7.4	11.3	43	0.3	19.0	0.6	68	0.71	0.050	47
L13650E/12675N	Soil		0.9	20.2	12.2	52	0.1	19.4	8.9	419	2.88	112.9	11.6	9.0	34	<0.1	2.1	0.4	62	0.57	0.038	32
L13650E/12700N	Soil		1.9	19.1	13.9	57	0.2	23.9	8.7	374	3.26	86.0	3.7	7.6	27	0.1	1.2	0.7	74	0.34	0.029	35
L13650E/12725N	Soil		1.4	20.6	12.6	58	0.1	21.1	10.0	524	3.25	56.3	5.4	10.7	32	0.2	1.1	0.6	71	0.43	0.043	26
L13650E/12750N	Soil		0.9	20.5	11.5	59	0.2	19.5	8.8	463	3.24	53.5	3.7	13.2	30	0.1	1.1	0.6	65	0.45	0.042	59
L13650E/12775N	Soil		1.8	27.5	16.1	65	0.2	34.6	13.0	500	4.57	64.8	3.4	14.5	29	0.1	1.1	0.5	91	0.37	0.038	34
L13650E/12800N	Soil		1.7	16.1	20.6	67	0.1	20.3	10.7	503	4.55	90.9	3.6	8.7	22	0.7	6.0	1.0	90	0.29	0.060	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 4 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13550E/13600N	Soil	39	0.58	201	0.086	1	2.09	0.015	0.06	0.2	0.06	6.5	0.2	<0.05	6	<0.5	<0.2
L13550E/13625N	Soil	34	0.55	158	0.090	2	1.68	0.017	0.08	0.2	0.17	6.9	0.5	<0.05	5	<0.5	<0.2
L13550E/13650N	Soil	40	0.69	210	0.112	2	2.25	0.012	0.08	0.3	0.05	7.0	0.2	<0.05	6	<0.5	<0.2
L13550E/13675N	Soil	45	0.69	189	0.108	2	2.50	0.012	0.10	0.3	0.07	6.8	0.3	<0.05	7	<0.5	<0.2
L13550E/13700N	Soil	47	0.70	190	0.104	<1	2.32	0.012	0.09	0.2	0.04	6.2	0.2	<0.05	7	<0.5	<0.2
L13550E/13725N	Soil	37	0.67	184	0.109	<1	2.05	0.014	0.07	0.3	0.05	6.5	0.2	<0.05	6	<0.5	<0.2
L13550E/13750N	Soil	47	0.72	201	0.124	1	2.10	0.017	0.09	0.3	0.05	8.4	0.2	<0.05	6	<0.5	<0.2
L13650E/12250N	Soil	35	0.77	138	0.214	<1	2.47	0.005	0.48	8.3	0.02	11.1	0.8	<0.05	12	<0.5	0.4
L13650E/12275N	Soil	15	0.18	155	0.014	<1	1.41	0.009	0.09	0.3	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
L13650E/12300N	Soil	26	0.35	177	0.049	<1	1.72	0.008	0.05	0.2	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
L13650E/12325N	Soil	35	0.94	442	0.211	1	2.81	0.008	0.48	0.3	0.01	9.3	1.0	<0.05	10	<0.5	<0.2
L13650E/12350N	Soil	35	0.75	169	0.158	<1	2.33	0.010	0.20	0.7	0.04	6.4	0.5	<0.05	9	<0.5	<0.2
L13650E/12375N	Soil	52	0.73	181	0.124	2	2.61	0.014	0.11	0.2	0.04	5.8	0.4	<0.05	6	0.8	<0.2
L13650E/12400N	Soil	28	0.48	95	0.125	2	1.39	0.010	0.16	0.3	0.02	4.3	0.4	<0.05	7	<0.5	<0.2
L13650E/12425N	Soil	43	0.68	194	0.118	2	2.32	0.011	0.14	0.2	0.03	5.5	0.4	<0.05	7	<0.5	<0.2
L13650E/12450N	Soil	31	0.59	210	0.099	<1	1.91	0.014	0.09	0.1	0.02	4.7	0.3	<0.05	6	<0.5	<0.2
L13650E/12475N	Soil	33	0.72	212	0.136	2	1.91	0.015	0.11	0.2	0.04	5.6	0.5	<0.05	5	<0.5	<0.2
L13650E/12500N	Soil	34	0.65	204	0.129	2	2.00	0.016	0.10	0.2	0.02	4.9	0.3	<0.05	6	<0.5	<0.2
L13650E/12525N	Soil	37	0.62	168	0.104	1	2.12	0.013	0.07	0.1	0.05	5.1	0.3	<0.05	7	0.8	<0.2
L13650E/12550N	Soil	29	0.60	110	0.124	<1	1.71	0.014	0.12	0.1	0.04	4.5	0.3	<0.05	7	<0.5	<0.2
L13650E/12575N	Soil	33	0.69	149	0.130	2	1.94	0.017	0.09	0.2	0.02	4.7	0.2	<0.05	6	<0.5	<0.2
L13650E/12600N	Soil	34	0.69	178	0.128	<1	1.99	0.017	0.09	0.2	0.03	5.5	0.3	<0.05	6	<0.5	<0.2
L13650E/12625N	Soil	32	0.58	255	0.089	<1	1.98	0.018	0.11	0.1	0.07	7.0	0.4	<0.05	6	0.9	<0.2
L13650E/12650N	Soil	36	0.70	224	0.122	<1	2.06	0.021	0.17	0.2	0.09	7.8	0.7	<0.05	6	<0.5	<0.2
L13650E/12675N	Soil	36	0.64	238	0.110	<1	1.86	0.019	0.09	0.1	0.06	5.9	0.4	<0.05	5	0.6	<0.2
L13650E/12700N	Soil	36	0.65	265	0.097	<1	2.41	0.015	0.11	0.2	0.05	5.3	0.4	<0.05	8	0.6	<0.2
L13650E/12725N	Soil	37	0.64	223	0.109	<1	2.12	0.015	0.09	0.2	0.03	5.8	0.3	<0.05	7	<0.5	<0.2
L13650E/12750N	Soil	35	0.63	210	0.152	<1	1.81	0.020	0.17	0.2	0.05	7.2	0.5	<0.05	7	<0.5	<0.2
L13650E/12775N	Soil	51	0.80	280	0.121	2	3.20	0.013	0.10	0.1	0.05	6.5	0.4	<0.05	9	<0.5	<0.2
L13650E/12800N	Soil	40	0.51	148	0.110	<1	2.07	0.010	0.08	0.2	0.03	4.3	0.3	<0.05	9	<0.5	<0.2



# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13650E/12825N	Soil	1.6	15.9	22.5	64	0.1	22.4	12.5	528	4.81	65.6	12.7	8.2	15	0.4	2.2	0.4	87	0.17	0.065	12
L13650E/12850N	Soil	1.1	20.2	15.2	60	0.2	21.6	9.0	379	3.29	75.4	2.9	9.4	23	0.2	13.6	0.4	72	0.28	0.048	29
L13650E/12875N	Soil	0.9	17.5	16.8	68	<0.1	21.6	15.6	1067	3.55	38.2	11.3	9.6	20	0.4	9.1	0.4	68	0.27	0.053	17
L13650E/12900N	Soil	1.0	17.7	13.2	43	0.2	15.7	7.7	317	2.62	17.0	6.8	6.3	25	0.2	1.0	0.3	63	0.34	0.029	40
L13650E/12925N	Soil	1.4	15.0	12.5	56	0.1	20.5	10.1	308	3.64	17.1	2.3	5.6	26	0.2	0.8	0.4	81	0.40	0.036	12
L13650E/12950N	Soil	0.8	22.5	11.1	59	0.1	21.1	10.0	432	3.42	23.8	4.0	13.5	27	<0.1	1.7	0.5	67	0.48	0.052	48
L13650E/12975N	Soil	1.5	16.4	13.5	63	<0.1	20.5	11.0	515	4.61	53.3	3.4	6.9	19	0.2	2.8	0.6	93	0.26	0.032	11
L13650E/13000N	Soil	1.0	20.7	17.3	83	<0.1	24.8	15.4	583	5.05	43.8	1.3	14.6	21	0.2	2.6	0.8	72	0.31	0.036	14
L13650E/13025N	Soil	1.3	21.4	13.4	67	0.2	25.6	13.4	403	4.53	39.1	0.6	7.6	15	0.2	1.7	0.7	78	0.15	0.023	11
L13650E/13050N	Soil	1.2	25.0	14.4	65	0.5	21.2	12.2	426	4.30	45.1	2.8	12.2	18	0.1	2.1	0.6	67	0.24	0.052	15
L13650E/13075N	Soil	1.4	22.9	15.5	64	0.5	28.2	12.5	372	4.19	55.6	8.0	7.4	15	0.5	3.5	0.3	83	0.17	0.043	13
L13650E/13100N	Soil	1.4	17.8	14.8	54	0.2	23.8	10.4	386	4.03	124.7	5.3	5.2	18	0.9	2.5	0.3	82	0.20	0.038	11
L13650E/13125N	Soil	1.6	21.5	29.8	76	0.3	26.2	13.1	483	4.57	85.1	14.0	11.7	17	0.4	3.6	0.7	78	0.18	0.035	20
L13650E/13150N	Soil	2.0	21.9	21.3	74	0.5	27.4	11.7	397	4.72	65.6	4.2	9.2	21	0.5	1.6	0.5	88	0.27	0.039	12
L13650E/13175N	Soil	1.2	21.6	14.5	66	0.2	27.3	11.7	340	3.93	63.0	9.3	8.3	18	0.5	2.3	0.2	75	0.23	0.031	13
L13650E/13200N	Soil	1.4	23.4	25.2	74	0.6	24.6	12.6	388	4.71	64.2	3.2	10.1	16	0.9	1.5	0.5	81	0.18	0.050	15
L13650E/13225N	Soil	1.1	19.5	30.6	84	0.4	24.2	11.5	533	3.84	70.2	5.3	11.3	17	0.5	2.6	0.8	61	0.23	0.035	20
L13650E/13250N	Soil	1.6	24.0	38.6	98	0.3	29.1	15.5	887	4.22	119.0	21.6	16.9	17	1.6	2.3	1.5	67	0.23	0.046	18
L13650E/13275N	Soil	1.5	29.7	31.9	88	0.4	32.0	13.7	459	4.51	35.4	8.0	14.7	18	3.5	1.5	1.1	92	0.21	0.031	27
L13650E/13300N	Soil	2.1	16.2	25.8	83	0.2	14.9	9.6	686	4.80	43.2	1.3	8.7	11	0.6	1.1	1.3	85	0.12	0.080	17
L13650E/13325N	Soil	1.3	19.3	14.1	60	0.1	24.3	10.7	307	3.67	12.5	3.6	7.7	15	0.3	0.6	0.3	77	0.14	0.034	11
L13650E/13350N	Soil	0.7	31.1	30.3	177	<0.1	18.6	10.7	414	4.17	93.2	1.2	22.4	17	0.3	1.4	0.8	43	0.18	0.024	30
L13650E/13375N	Soil	0.7	24.9	18.9	69	0.3	20.8	13.2	367	3.26	76.4	12.1	10.3	39	0.2	2.2	0.9	75	0.43	0.072	37
L13650E/13400N	Soil	0.7	21.2	17.6	58	0.2	22.2	10.4	383	2.97	42.3	5.4	8.5	27	0.2	1.4	0.4	61	0.40	0.068	27
L13650E/13425N	Soil	0.5	19.2	20.6	59	0.1	19.9	8.9	225	2.75	65.9	5.1	11.3	31	0.1	2.2	0.5	61	0.45	0.047	20
L13650E/13450N	Soil	0.9	30.1	18.5	61	0.3	28.3	13.0	717	3.73	113.9	10.8	9.8	31	0.1	8.4	0.4	66	0.41	0.073	44
L13650E/13475N	Soil	0.9	17.4	19.2	67	<0.1	23.4	11.6	475	3.26	102.9	4.8	10.9	24	<0.1	109.9	0.4	65	0.32	0.038	20
L13650E/13500N	Soil	1.3	28.6	24.4	73	0.4	27.4	11.7	673	3.71	86.0	7.3	9.0	35	0.2	4.5	0.6	66	0.43	0.058	41
L13650E/13525N	Soil	1.6	20.2	25.8	61	0.2	19.9	12.3	507	3.71	31.7	2.3	6.9	21	0.2	1.4	0.5	85	0.22	0.037	21
L13650E/13550N	Soil	0.9	15.2	16.6	68	0.2	18.7	8.3	334	2.98	58.9	2.4	7.1	23	0.5	1.5	0.5	62	0.26	0.043	22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 5 of 12

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13650E/12825N	Soil	44	0.62	120	0.114	<1	2.76	0.010	0.08	0.2	0.04	4.5	0.3	<0.05	9	<0.5	<0.2
L13650E/12850N	Soil	38	0.58	186	0.102	1	2.24	0.012	0.09	0.2	0.09	5.8	0.3	<0.05	8	<0.5	<0.2
L13650E/12875N	Soil	39	0.65	153	0.094	<1	2.15	0.012	0.08	0.2	0.03	4.6	0.3	<0.05	6	<0.5	<0.2
L13650E/12900N	Soil	27	0.47	222	0.081	<1	1.77	0.012	0.06	0.1	0.05	4.7	0.2	<0.05	7	<0.5	<0.2
L13650E/12925N	Soil	37	0.68	183	0.117	<1	2.30	0.012	0.07	0.2	0.03	4.4	0.2	<0.05	8	<0.5	<0.2
L13650E/12950N	Soil	37	0.75	260	0.126	<1	1.94	0.017	0.11	0.2	0.04	7.3	0.3	<0.05	6	<0.5	<0.2
L13650E/12975N	Soil	40	0.72	163	0.146	<1	2.20	0.010	0.13	0.2	0.02	5.5	0.5	<0.05	10	<0.5	<0.2
L13650E/13000N	Soil	39	0.77	207	0.129	1	2.83	0.010	0.19	0.4	0.02	7.5	0.6	<0.05	10	<0.5	<0.2
L13650E/13025N	Soil	40	0.74	172	0.142	<1	2.97	0.009	0.15	0.2	0.02	6.0	0.5	<0.05	10	<0.5	<0.2
L13650E/13050N	Soil	36	0.61	222	0.115	<1	2.52	0.009	0.17	0.3	0.09	6.3	0.8	<0.05	8	<0.5	<0.2
L13650E/13075N	Soil	44	0.66	206	0.109	<1	3.02	0.011	0.09	0.2	0.06	5.3	0.3	<0.05	9	<0.5	<0.2
L13650E/13100N	Soil	39	0.55	174	0.113	<1	2.42	0.011	0.09	0.2	0.14	4.4	0.2	<0.05	8	<0.5	<0.2
L13650E/13125N	Soil	41	0.70	163	0.135	<1	2.86	0.010	0.13	0.4	0.03	6.0	0.3	<0.05	9	<0.5	<0.2
L13650E/13150N	Soil	44	0.67	144	0.117	1	2.92	0.010	0.11	0.2	0.06	5.4	0.2	<0.05	10	<0.5	<0.2
L13650E/13175N	Soil	38	0.68	125	0.119	1	2.49	0.012	0.09	0.1	0.04	5.1	0.3	<0.05	7	0.7	<0.2
L13650E/13200N	Soil	40	0.50	114	0.085	<1	2.83	0.010	0.08	0.3	0.04	5.1	0.3	<0.05	8	<0.5	<0.2
L13650E/13225N	Soil	32	0.58	130	0.082	<1	2.06	0.012	0.09	0.4	0.04	4.9	0.2	<0.05	6	<0.5	<0.2
L13650E/13250N	Soil	38	0.63	143	0.095	1	2.54	0.012	0.10	0.3	0.04	5.2	0.3	<0.05	7	<0.5	<0.2
L13650E/13275N	Soil	47	0.79	161	0.131	2	3.08	0.011	0.10	0.3	0.05	6.7	0.3	<0.05	9	0.7	<0.2
L13650E/13300N	Soil	31	0.48	87	0.114	<1	1.87	0.008	0.14	0.3	0.02	5.0	0.5	<0.05	10	0.5	<0.2
L13650E/13325N	Soil	40	0.55	142	0.106	1	2.93	0.010	0.05	0.1	0.03	4.7	0.1	<0.05	8	<0.5	<0.2
L13650E/13350N	Soil	31	0.75	117	0.075	<1	4.01	0.004	0.25	0.2	0.03	6.5	0.5	<0.05	12	0.6	<0.2
L13650E/13375N	Soil	40	0.77	317	0.128	<1	2.50	0.016	0.10	0.2	0.05	8.5	0.4	<0.05	7	<0.5	<0.2
L13650E/13400N	Soil	36	0.63	162	0.115	1	2.20	0.014	0.10	0.2	0.04	6.2	0.2	<0.05	6	0.6	<0.2
L13650E/13425N	Soil	33	0.65	152	0.111	1	2.06	0.013	0.08	0.2	0.06	6.0	0.2	<0.05	7	<0.5	<0.2
L13650E/13450N	Soil	39	0.68	246	0.104	2	2.54	0.015	0.09	0.4	0.13	9.1	0.3	<0.05	7	0.9	<0.2
L13650E/13475N	Soil	38	0.70	119	0.133	1	2.24	0.012	0.11	0.2	0.04	5.1	0.3	<0.05	7	<0.5	<0.2
L13650E/13500N	Soil	43	0.59	214	0.096	2	2.61	0.012	0.14	0.4	0.08	7.2	0.3	<0.05	8	0.6	<0.2
L13650E/13525N	Soil	38	0.52	112	0.126	<1	2.31	0.011	0.12	0.1	0.03	4.4	0.2	<0.05	10	<0.5	<0.2
L13650E/13550N	Soil	30	0.54	86	0.123	1	1.73	0.011	0.11	0.4	0.03	3.9	0.2	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 6 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000251.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13650E/13575N	Soil		1.0	41.0	48.9	101	0.2	20.3	11.6	608	3.01	95.6	5.1	8.9	26	0.5	2.2	0.7	62	0.29	0.048	24
L13650E/13600N	Soil		0.9	17.3	24.0	42	0.5	8.6	3.4	142	1.78	66.3	2.5	3.7	14	0.3	2.0	0.5	53	0.13	0.033	15
L13650E/13625N	Soil		0.9	17.3	22.7	82	0.1	15.9	9.0	424	2.51	58.1	3.7	6.7	19	0.3	2.5	0.5	59	0.20	0.046	19
L13650E/13650N	Soil		0.7	21.3	13.3	79	0.2	22.7	10.5	540	2.69	21.2	4.3	6.8	55	0.3	1.4	0.4	57	0.79	0.068	33
L13650E/13700N	Soil		1.1	15.7	16.7	77	0.2	23.4	14.4	839	3.42	43.5	1.4	7.0	23	0.4	1.1	0.4	70	0.30	0.050	17
L13750E/11900N	Soil		2.1	30.5	8.9	86	0.3	33.2	14.8	1369	3.40	28.2	1.1	4.2	40	1.0	3.2	0.2	120	0.66	0.034	11
L13750E/11925N	Soil		5.1	31.9	10.6	110	0.4	39.1	13.3	558	3.92	50.6	<0.5	3.7	26	0.8	8.4	0.3	172	0.36	0.031	10
L13750E/11950N	Soil		6.7	66.8	9.3	149	0.3	69.6	14.9	444	4.60	85.3	1.1	4.5	34	0.7	5.2	0.4	258	0.31	0.049	11
L13750E/11975N	Soil		2.7	21.1	8.5	80	0.3	22.5	13.9	1183	3.60	6.8	1.6	6.1	35	0.6	0.9	0.2	98	0.40	0.019	11
L13750E/12000N	Soil		1.2	20.7	8.8	56	<0.1	24.8	10.9	350	3.24	15.4	0.8	7.9	27	0.1	1.0	0.2	88	0.31	0.014	14
L13750E/12025N	Soil		1.4	22.6	9.5	65	0.1	22.0	12.8	534	3.71	14.5	0.5	9.4	25	0.2	0.7	0.2	89	0.26	0.022	10
L13750E/12050N	Soil		2.4	25.7	9.6	62	0.2	32.6	13.6	506	3.55	23.3	0.5	3.8	31	0.2	1.7	0.2	109	0.40	0.024	10
L13750E/12075N	Soil		1.3	24.8	9.8	70	0.1	35.0	13.5	573	3.60	17.8	1.0	4.2	30	0.2	2.5	0.2	93	0.39	0.018	13
L13750E/12100N	Soil		2.0	27.8	10.0	84	0.2	35.9	16.7	733	3.91	13.2	0.9	4.1	34	0.3	1.3	0.2	114	0.42	0.029	11
L13750E/12125N	Soil		1.6	25.1	10.3	65	<0.1	28.9	10.3	344	3.17	25.2	3.0	4.0	26	0.1	3.8	0.3	94	0.34	0.038	11
L13750E/12150N	Soil		1.3	24.1	8.8	55	<0.1	27.2	10.3	351	3.01	15.9	3.3	4.8	28	0.2	1.1	0.2	77	0.33	0.039	14
L13750E/12175N	Soil		2.5	29.7	11.3	64	<0.1	32.7	12.0	378	3.44	29.9	3.4	4.7	23	0.2	1.7	0.6	95	0.27	0.051	12
L13750E/12200N	Soil		1.7	23.6	10.5	58	0.2	20.4	11.4	468	3.50	38.3	11.9	9.2	46	<0.1	2.4	0.8	90	0.54	0.046	22
L13750E/12225N	Soil		4.0	14.6	14.3	66	0.4	22.2	10.7	665	3.58	18.5	2.8	6.9	23	0.5	0.8	1.2	99	0.26	0.053	15
L13750E/12250N	Soil		2.6	17.5	13.0	50	0.3	16.2	7.7	278	2.80	46.9	5.5	10.1	29	<0.1	1.7	1.3	60	0.32	0.030	23
L13750E/12275N	Soil		2.2	17.4	12.9	50	0.4	16.2	12.0	727	3.00	25.4	3.9	9.1	31	0.1	1.8	0.8	67	0.36	0.034	31
L13750E/12300N	Soil		2.1	19.4	13.5	56	0.2	17.4	10.7	500	3.25	46.1	6.7	12.8	31	<0.1	2.3	0.9	67	0.41	0.050	34
L13750E/12325N	Soil		1.6	17.1	13.0	60	0.4	16.9	8.6	328	2.77	58.8	5.9	11.1	25	0.2	2.4	0.8	59	0.32	0.052	23
L13750E/12350N	Soil		4.0	20.7	19.1	67	0.5	14.6	9.1	515	3.05	130.2	4.1	10.3	30	0.5	12.9	1.9	57	0.39	0.046	18
L13750E/12375N	Soil		2.8	18.7	14.0	63	0.2	17.7	10.9	508	3.01	88.5	3.6	10.1	49	0.2	8.5	0.6	57	0.80	0.052	23
L13750E/12400N	Soil		2.3	19.7	9.9	52	0.1	17.9	10.2	517	2.54	52.8	2.9	6.5	51	0.3	2.0	0.3	54	0.85	0.055	22
L13750E/12425N	Soil		1.8	23.0	11.9	63	0.2	20.6	10.3	356	3.13	35.5	5.6	9.3	32	0.1	1.5	0.3	66	0.48	0.057	26
L13750E/12450N	Soil		3.1	26.4	14.7	70	0.3	24.2	18.5	985	3.86	98.7	12.0	11.3	37	0.3	9.1	0.5	76	0.55	0.052	30
L13750E/12475N	Soil		1.1	22.0	9.9	51	0.2	18.3	8.2	273	2.67	15.1	6.0	5.6	33	0.2	0.7	0.3	56	0.49	0.047	21
L13750E/12500N	Soil		1.2	15.0	9.8	57	0.1	17.1	9.1	298	2.86	24.8	2.3	5.8	28	0.1	1.2	0.4	64	0.45	0.043	13



# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L13650E/13575N	Soil	34	0.52	111	0.116	1	1.74	0.013	0.11	0.3	0.06	4.8	0.3	<0.05	7	0.7	<0.2
L13650E/13600N	Soil	19	0.21	52	0.096	<1	0.99	0.011	0.07	0.3	0.03	2.5	0.3	<0.05	7	<0.5	<0.2
L13650E/13625N	Soil	31	0.44	95	0.129	1	1.50	0.013	0.15	0.3	0.03	4.6	0.3	<0.05	7	<0.5	<0.2
L13650E/13650N	Soil	37	0.61	210	0.111	2	1.91	0.016	0.11	0.5	0.09	6.4	0.2	<0.05	6	<0.5	<0.2
L13650E/13700N	Soil	41	0.66	131	0.154	1	2.18	0.014	0.15	0.3	0.04	5.2	0.3	<0.05	8	0.5	<0.2
L13750E/11900N	Soil	43	0.56	757	0.133	1	2.19	0.021	0.25	0.1	0.02	7.2	0.2	<0.05	7	0.6	<0.2
L13750E/11925N	Soil	52	0.67	605	0.147	<1	2.40	0.014	0.24	0.2	0.02	6.8	0.5	<0.05	8	0.7	<0.2
L13750E/11950N	Soil	107	1.07	671	0.225	<1	2.77	0.015	0.36	0.2	0.02	9.9	1.0	<0.05	10	1.3	0.2
L13750E/11975N	Soil	43	0.69	679	0.174	<1	2.10	0.015	0.32	0.1	0.01	6.5	0.3	<0.05	7	<0.5	<0.2
L13750E/12000N	Soil	45	0.63	333	0.141	<1	2.18	0.016	0.17	0.2	0.02	6.9	0.1	<0.05	6	<0.5	<0.2
L13750E/12025N	Soil	37	0.73	449	0.168	1	2.20	0.016	0.29	0.3	0.01	5.5	0.3	<0.05	7	<0.5	<0.2
L13750E/12050N	Soil	49	0.65	599	0.111	1	2.33	0.012	0.15	0.2	0.02	5.9	0.2	<0.05	7	<0.5	<0.2
L13750E/12075N	Soil	54	0.68	380	0.144	1	2.24	0.014	0.21	0.2	0.02	7.4	0.2	<0.05	7	<0.5	<0.2
L13750E/12100N	Soil	55	0.83	450	0.142	1	2.67	0.014	0.17	0.3	0.01	6.8	0.2	<0.05	8	<0.5	<0.2
L13750E/12125N	Soil	45	0.70	437	0.126	<1	2.26	0.014	0.10	0.3	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
L13750E/12150N	Soil	40	0.62	340	0.100	<1	2.08	0.013	0.08	0.2	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
L13750E/12175N	Soil	43	0.64	248	0.112	<1	2.33	0.013	0.10	0.5	0.02	5.6	0.3	<0.05	7	<0.5	<0.2
L13750E/12200N	Soil	36	0.74	494	0.168	<1	2.49	0.031	0.21	0.4	0.01	7.2	0.3	<0.05	8	<0.5	<0.2
L13750E/12225N	Soil	38	0.56	187	0.129	1	1.85	0.010	0.11	1.1	0.03	5.2	0.2	<0.05	9	<0.5	<0.2
L13750E/12250N	Soil	27	0.46	233	0.050	<1	1.90	0.009	0.08	0.5	0.03	4.5	0.2	<0.05	6	<0.5	<0.2
L13750E/12275N	Soil	31	0.51	246	0.088	1	1.95	0.014	0.07	0.5	0.04	5.3	0.2	<0.05	7	<0.5	<0.2
L13750E/12300N	Soil	32	0.56	231	0.087	<1	2.13	0.013	0.07	0.5	0.03	6.3	0.3	<0.05	7	<0.5	<0.2
L13750E/12325N	Soil	30	0.53	217	0.096	1	1.90	0.012	0.09	0.4	0.04	5.1	0.3	<0.05	7	<0.5	<0.2
L13750E/12350N	Soil	26	0.48	213	0.056	1	1.84	0.012	0.11	0.4	0.04	4.8	0.5	<0.05	7	<0.5	<0.2
L13750E/12375N	Soil	30	0.65	278	0.103	3	1.72	0.015	0.10	0.3	0.07	5.9	0.3	<0.05	6	1.0	<0.2
L13750E/12400N	Soil	27	0.53	280	0.084	3	1.59	0.018	0.06	0.2	0.06	6.0	0.2	<0.05	5	<0.5	<0.2
L13750E/12425N	Soil	36	0.70	209	0.130	3	2.06	0.020	0.10	0.2	0.06	6.6	0.3	<0.05	7	0.7	<0.2
L13750E/12450N	Soil	39	0.64	280	0.103	2	2.55	0.015	0.11	0.2	0.06	7.4	0.3	<0.05	8	0.7	<0.2
L13750E/12475N	Soil	33	0.58	196	0.102	4	2.01	0.018	0.08	0.2	0.05	5.4	0.2	<0.05	6	<0.5	<0.2
L13750E/12500N	Soil	31	0.66	160	0.120	2	1.93	0.018	0.09	0.2	0.03	4.9	0.2	<0.05	6	<0.5	<0.2



# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13750E/12525N	Soil	1.3	24.2	14.3	58	0.2	20.2	11.1	599	2.94	47.0	3.6	8.0	43	0.2	7.4	0.5	59	0.70	0.060	37
L13750E/12550N	Soil	1.1	20.8	14.0	65	0.1	20.2	10.2	405	3.18	60.4	3.4	10.2	32	<0.1	1.7	0.4	63	0.49	0.051	23
L13750E/12575N	Soil	0.9	20.6	13.4	62	0.1	19.8	11.8	587	3.17	34.2	2.4	12.0	36	0.2	1.3	0.4	62	0.59	0.061	26
L13750E/12600N	Soil	1.3	23.0	10.4	45	0.2	18.7	14.0	1683	2.82	24.8	1.8	6.4	53	0.2	0.7	0.3	58	0.86	0.066	30
L13750E/12625N	Soil	1.0	20.9	14.6	61	0.2	20.3	9.3	339	2.83	31.0	3.1	11.0	44	0.2	0.9	0.4	59	0.74	0.051	27
L13750E/12650N	Soil	1.1	12.7	13.0	57	<0.1	17.0	10.6	492	3.15	29.5	1.7	8.2	41	0.2	1.7	0.5	63	0.65	0.038	15
L13750E/12675N	Soil	1.8	37.4	11.7	47	0.8	23.7	10.9	923	2.37	24.0	3.4	3.0	111	0.9	10.1	0.3	44	1.89	0.102	89
L13750E/12700N	Soil	1.5	17.4	15.5	63	0.2	20.0	10.3	443	3.43	41.6	5.8	11.6	34	0.2	11.2	0.5	67	0.52	0.040	36
L13750E/12725N	Soil	1.3	13.7	19.5	60	0.1	16.2	8.9	470	2.98	17.1	1.4	7.4	34	0.2	1.6	0.6	59	0.51	0.041	36
L13750E/12750N	Soil	1.1	13.0	14.9	60	0.2	16.8	10.8	477	3.26	25.1	1.6	8.5	23	<0.1	2.3	0.5	63	0.36	0.037	23
L13750E/12775N	Soil	1.1	14.0	15.2	66	<0.1	15.5	8.1	404	3.03	59.4	5.7	15.3	24	<0.1	3.7	0.4	50	0.40	0.051	27
L13750E/12800N	Soil	1.4	16.6	15.9	63	0.2	17.1	11.0	660	3.51	48.8	3.0	13.6	29	0.1	3.6	0.5	64	0.44	0.044	32
L13750E/12825N	Soil	1.0	14.3	15.7	63	0.1	15.8	9.6	484	3.21	39.7	4.3	14.8	25	<0.1	4.5	0.4	54	0.41	0.055	35
L13750E/12850N	Soil	0.9	15.6	14.9	62	0.1	15.7	8.9	434	3.03	35.4	3.2	14.0	25	0.1	10.1	0.4	51	0.40	0.043	41
L13750E/12875N	Soil	1.2	24.8	19.3	67	0.3	23.4	13.3	848	3.57	56.1	5.7	14.8	46	0.2	14.5	0.6	64	0.79	0.051	56
L13750E/12900N	Soil	1.2	16.9	16.4	68	0.1	18.9	9.5	558	3.23	49.8	3.5	14.2	28	0.1	10.7	0.4	55	0.42	0.047	43
L13750E/12925N	Soil	2.5	13.6	21.1	49	0.1	14.9	7.3	329	3.70	57.3	1.4	5.8	17	0.2	16.1	0.6	81	0.19	0.042	11
L13750E/12950N	Soil	2.5	16.4	22.0	63	0.2	21.1	11.6	636	3.70	113.3	7.3	7.7	21	0.4	16.7	0.5	69	0.28	0.053	16
L13750E/12975N	Soil	1.5	23.7	15.5	59	0.2	28.2	12.2	516	3.70	95.1	10.9	8.0	23	0.3	7.7	0.3	74	0.31	0.042	16
L13750E/13000N	Soil	2.6	16.6	18.8	60	0.2	16.5	8.1	638	3.34	57.9	3.0	7.1	17	0.2	4.9	0.5	69	0.20	0.050	23
L13750E/13025N	Soil	2.1	21.3	17.1	63	0.3	21.7	9.4	477	3.92	63.7	4.8	7.0	22	0.2	7.9	0.5	86	0.27	0.042	17
L13750E/13050N	Soil	2.1	22.7	21.2	71	0.4	24.2	13.2	769	3.80	60.0	4.9	9.7	22	0.4	7.3	0.8	77	0.26	0.034	41
L13750E/13075N	Soil	1.2	16.8	12.4	77	0.2	16.5	9.1	966	2.97	24.5	2.4	4.8	24	0.3	2.6	0.4	75	0.32	0.028	13
L13750E/13100N	Soil	1.2	16.9	20.5	79	0.3	20.0	10.9	536	3.17	58.6	8.2	8.9	25	0.4	6.6	0.7	65	0.38	0.044	19
L13750E/13125N	Soil	1.7	15.5	14.8	96	0.3	18.9	11.3	889	3.72	29.8	1.4	3.1	21	1.0	1.4	0.3	94	0.22	0.035	9
L13750E/13150N	Soil	1.5	16.9	14.4	62	0.1	26.9	13.6	435	3.60	39.1	4.7	4.0	16	0.3	2.6	0.3	84	0.17	0.031	10
L13750E/13175N	Soil	1.4	11.1	34.3	47	0.1	8.1	4.9	390	2.60	8.2	3.3	2.3	13	0.3	0.5	0.5	78	0.11	0.040	10
L13750E/13200N	Soil	1.3	18.3	17.6	66	0.3	23.7	10.7	456	4.15	27.3	1.2	5.2	15	0.4	1.0	0.4	91	0.16	0.038	11
L13750E/13225N	Soil	0.8	20.3	16.2	60	<0.1	25.0	11.4	323	4.25	29.9	3.8	5.6	16	0.3	1.0	0.2	85	0.18	0.035	11
L13750E/13250N	Soil	1.6	13.3	16.4	39	<0.1	12.7	6.6	322	4.04	52.0	4.3	3.9	10	0.1	12.9	0.2	98	0.10	0.040	10





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 7 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13750E/12525N	Soil			33	0.64	230	0.101	2	1.96	0.021	0.09	0.3	0.09	7.1	0.3	<0.05	6	0.6	<0.2
L13750E/12550N	Soil			35	0.70	187	0.118	2	1.95	0.026	0.10	0.2	0.08	6.6	0.3	<0.05	6	0.8	<0.2
L13750E/12575N	Soil			36	0.76	190	0.142	3	1.98	0.022	0.15	0.3	0.05	7.3	0.4	<0.05	7	<0.5	<0.2
L13750E/12600N	Soil			32	0.64	211	0.093	2	1.66	0.021	0.07	0.1	0.06	6.1	0.2	<0.05	5	<0.5	<0.2
L13750E/12625N	Soil			35	0.74	183	0.120	2	1.90	0.022	0.09	0.3	0.08	6.6	0.3	<0.05	6	0.6	<0.2
L13750E/12650N	Soil			31	0.66	177	0.137	3	1.61	0.019	0.12	0.3	0.03	5.0	0.3	<0.05	6	<0.5	<0.2
L13750E/12675N	Soil			28	0.53	542	0.044	3	1.92	0.021	0.06	0.2	0.24	7.5	0.3	0.09	5	0.6	<0.2
L13750E/12700N	Soil			36	0.62	326	0.083	2	2.36	0.015	0.08	0.2	0.07	6.8	0.3	<0.05	7	0.9	<0.2
L13750E/12725N	Soil			32	0.55	262	0.083	2	1.82	0.015	0.10	0.4	0.05	4.7	0.2	<0.05	7	0.7	<0.2
L13750E/12750N	Soil			32	0.62	197	0.108	<1	2.03	0.013	0.12	0.3	0.06	5.1	0.3	<0.05	8	<0.5	<0.2
L13750E/12775N	Soil			32	0.66	136	0.142	1	1.51	0.015	0.23	0.3	0.03	5.9	0.6	<0.05	6	<0.5	<0.2
L13750E/12800N	Soil			34	0.66	189	0.113	3	2.23	0.013	0.14	0.2	0.05	6.2	0.4	<0.05	8	<0.5	<0.2
L13750E/12825N	Soil			30	0.68	186	0.138	2	1.85	0.014	0.22	0.2	0.04	6.6	0.5	<0.05	7	<0.5	<0.2
L13750E/12850N	Soil			29	0.63	163	0.130	2	1.59	0.013	0.19	0.2	0.04	6.5	0.4	<0.05	7	<0.5	<0.2
L13750E/12875N	Soil			37	0.72	247	0.116	3	2.20	0.017	0.14	0.2	0.06	7.8	0.3	<0.05	7	<0.5	<0.2
L13750E/12900N	Soil			29	0.65	135	0.130	2	1.66	0.016	0.18	0.4	0.05	6.6	0.5	<0.05	6	<0.5	<0.2
L13750E/12925N	Soil			29	0.39	100	0.095	2	1.74	0.011	0.10	0.2	0.02	4.2	0.3	<0.05	9	<0.5	<0.2
L13750E/12950N	Soil			31	0.52	161	0.103	2	1.94	0.014	0.12	0.4	0.03	4.6	0.4	<0.05	7	<0.5	<0.2
L13750E/12975N	Soil			38	0.70	192	0.103	1	2.73	0.013	0.14	0.2	0.03	5.4	0.3	<0.05	8	0.6	<0.2
L13750E/13000N	Soil			28	0.44	152	0.087	<1	1.82	0.010	0.12	0.6	0.04	5.0	0.3	<0.05	8	<0.5	<0.2
L13750E/13025N	Soil			36	0.51	175	0.096	1	2.24	0.011	0.10	0.2	0.05	4.8	0.3	<0.05	9	<0.5	<0.2
L13750E/13050N	Soil			38	0.63	178	0.110	3	2.58	0.013	0.12	0.4	0.03	6.0	0.3	<0.05	9	0.7	<0.2
L13750E/13075N	Soil			29	0.46	185	0.108	<1	1.65	0.018	0.08	0.3	0.02	4.0	0.2	<0.05	7	<0.5	<0.2
L13750E/13100N	Soil			32	0.71	94	0.139	2	1.82	0.016	0.11	0.9	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
L13750E/13125N	Soil			33	0.42	184	0.099	1	2.03	0.014	0.10	0.1	0.03	3.8	0.2	<0.05	9	<0.5	<0.2
L13750E/13150N	Soil			38	0.56	146	0.109	2	2.61	0.014	0.06	0.1	0.03	4.2	0.1	<0.05	8	<0.5	<0.2
L13750E/13175N	Soil			22	0.28	91	0.115	<1	1.26	0.009	0.07	0.1	0.02	2.6	0.2	<0.05	9	<0.5	<0.2
L13750E/13200N	Soil			36	0.50	110	0.107	<1	2.30	0.011	0.06	0.2	0.03	4.5	0.2	<0.05	9	<0.5	<0.2
L13750E/13225N	Soil			42	0.70	107	0.133	<1	2.87	0.011	0.07	0.2	0.04	5.6	0.2	<0.05	9	<0.5	<0.2
L13750E/13250N	Soil			31	0.31	66	0.109	<1	2.00	0.008	0.05	<0.1	0.04	3.1	0.1	<0.05	10	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000251.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13750E/13275N	Soil	1.4	19.6	17.9	66	<0.1	20.4	9.7	391	4.49	20.6	3.8	4.7	14	0.3	6.0	0.4	93	0.15	0.036	8
L13750E/13300N	Soil	1.1	15.9	24.8	77	<0.1	22.6	10.9	535	3.40	56.0	8.7	7.8	17	0.4	29.4	0.4	58	0.20	0.051	13
L13750E/13325N	Soil	1.2	12.2	20.3	51	<0.1	10.1	5.9	334	3.00	51.3	2.9	4.4	12	<0.1	20.8	0.6	85	0.12	0.029	10
L13750E/13350N	Soil	1.1	13.4	22.0	90	0.1	17.9	10.2	607	3.80	50.8	4.2	8.5	16	0.6	5.4	0.9	73	0.22	0.054	15
L13750E/13375N	Soil	0.8	21.8	15.6	70	0.2	16.8	8.9	354	2.51	12.6	3.1	12.5	32	0.5	0.8	0.9	56	0.56	0.065	37
L13750E/13400N	Soil	0.6	13.5	14.3	67	0.2	16.5	9.0	334	2.67	39.9	4.9	8.1	31	0.3	1.5	0.6	54	0.49	0.062	17
L13750E/13425N	Soil	0.3	13.1	11.2	54	0.1	15.5	7.5	266	2.21	26.0	2.2	6.6	31	<0.1	1.2	0.4	49	0.50	0.056	17
L13750E/13450N	Soil	0.5	16.2	15.8	61	0.2	16.5	8.3	278	2.59	98.2	5.1	9.6	29	0.1	5.9	0.5	53	0.38	0.049	21
L13750E/13475N	Soil	0.8	20.4	18.2	72	0.2	18.8	11.5	490	3.19	87.0	5.3	12.4	31	<0.1	43.3	0.6	57	0.46	0.054	30
L13750E/13500N	Soil	0.5	18.1	16.6	61	0.2	15.8	9.3	383	2.77	115.9	8.5	13.9	33	<0.1	8.1	1.1	50	0.46	0.056	35
L13750E/13525N	Soil	0.7	20.7	14.4	71	0.2	21.4	10.3	533	2.78	36.7	4.8	7.1	46	0.3	1.7	0.4	54	0.79	0.063	33
L13750E/13550N	Soil	0.9	26.8	23.5	82	0.2	20.8	12.8	863	3.04	81.4	5.6	9.8	33	0.2	2.2	0.5	56	0.48	0.054	29
L13750E/13575N	Soil	0.9	23.8	18.9	89	0.3	22.0	14.4	1033	3.62	155.3	6.1	7.9	46	0.3	2.4	0.5	63	0.64	0.057	35
L13750E/13600N	Soil	0.9	23.1	12.6	73	0.2	20.8	7.1	414	2.24	35.0	5.8	4.9	64	0.2	2.0	0.4	48	0.94	0.065	45
L13750E/13625N	Soil	0.7	16.4	16.7	69	0.1	19.8	11.2	336	2.90	25.3	1.8	10.2	28	<0.1	1.1	0.4	60	0.35	0.050	23
L13750E/13650N	Soil	0.8	16.4	13.4	73	<0.1	21.1	11.6	595	2.92	25.6	2.4	7.5	43	0.2	0.8	0.3	59	0.62	0.056	23
L13750E/13675N	Soil	0.9	15.8	14.5	68	<0.1	21.7	9.2	331	3.04	35.2	3.1	6.8	41	0.3	0.8	0.4	66	0.54	0.035	23
L13750E/13700N	Soil	0.6	15.1	12.8	71	<0.1	19.6	10.8	508	2.84	25.2	3.1	7.9	38	0.2	0.9	0.4	60	0.51	0.055	22
L13850E/11900N	Soil	1.2	13.9	9.6	75	0.1	18.1	14.5	939	4.12	12.8	1.1	9.4	43	0.2	1.0	0.2	100	0.77	0.032	10
L13850E/11925N	Soil	1.5	17.5	7.5	74	0.2	21.1	15.7	593	4.24	12.2	1.9	4.7	34	0.2	0.9	0.2	113	0.55	0.025	9
L13850E/11950N	Soil	5.4	19.5	7.8	94	0.2	22.7	19.3	695	4.80	30.4	1.2	7.0	28	0.4	1.3	0.9	146	0.41	0.043	10
L13850E/11975N	Soil	3.0	33.9	9.1	144	0.3	37.1	14.8	595	4.11	26.5	0.7	3.6	31	0.8	2.3	0.2	132	0.36	0.034	10
L13850E/12000N	Soil	1.8	21.3	9.0	108	0.2	21.2	18.4	663	5.14	19.9	4.8	11.7	31	0.3	1.1	0.3	130	0.43	0.027	20
L13850E/12025N	Soil	3.7	23.0	9.9	97	0.2	16.0	13.3	643	4.33	45.7	3.6	5.4	25	0.2	3.3	1.0	119	0.32	0.039	13
L13850E/12050N	Soil	2.8	21.8	8.7	66	<0.1	26.1	10.4	349	3.51	42.2	4.4	4.5	27	0.2	3.3	0.2	93	0.37	0.044	12
L13850E/12075N	Soil	3.0	21.8	8.8	64	0.2	21.9	9.7	433	2.69	36.1	4.2	4.0	25	0.3	4.3	0.3	72	0.29	0.043	13
L13850E/12100N	Soil	3.4	28.6	10.6	85	0.3	23.9	11.3	1005	3.05	33.8	3.1	3.9	28	0.9	2.3	0.4	87	0.36	0.047	13
L13850E/12125N	Soil	2.2	10.9	11.4	58	0.2	11.5	6.2	308	2.06	27.4	1.4	2.7	17	0.3	3.7	0.5	54	0.18	0.035	10
L13850E/12150N	Soil	2.8	14.8	14.5	79	0.4	16.7	9.6	771	2.45	36.7	4.3	5.6	31	0.5	6.3	1.2	58	0.37	0.046	23
L13850E/12175N	Soil	3.8	23.8	19.8	109	0.5	19.8	10.7	766	2.86	60.4	5.9	11.4	56	1.0	5.2	2.1	60	0.75	0.056	41



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L13750E/13275N	Soil	35	0.52	86	0.140	2	2.25	0.010	0.07	0.2	0.03	4.4	0.2	<0.05	10	<0.5	<0.2
L13750E/13300N	Soil	31	0.50	97	0.087	2	2.52	0.012	0.07	0.4	0.04	4.6	0.2	<0.05	7	0.5	<0.2
L13750E/13325N	Soil	24	0.32	56	0.109	<1	1.45	0.008	0.05	0.2	0.02	3.1	0.2	<0.05	10	<0.5	<0.2
L13750E/13350N	Soil	31	0.55	85	0.112	<1	1.93	0.011	0.08	0.4	0.03	4.5	0.3	<0.05	9	<0.5	<0.2
L13750E/13375N	Soil	33	0.61	171	0.090	2	1.99	0.017	0.07	0.3	0.06	7.4	0.2	<0.05	7	<0.5	<0.2
L13750E/13400N	Soil	30	0.56	149	0.091	1	1.93	0.015	0.08	0.2	0.07	5.2	0.2	<0.05	6	<0.5	<0.2
L13750E/13425N	Soil	28	0.51	139	0.085	<1	1.77	0.016	0.07	0.2	0.05	4.4	0.2	<0.05	6	<0.5	<0.2
L13750E/13450N	Soil	30	0.54	132	0.093	<1	1.81	0.016	0.09	0.4	0.10	5.3	0.3	<0.05	6	<0.5	<0.2
L13750E/13475N	Soil	36	0.65	144	0.114	<1	2.05	0.016	0.14	0.4	0.07	6.8	0.4	<0.05	7	<0.5	<0.2
L13750E/13500N	Soil	30	0.57	124	0.109	<1	1.68	0.019	0.13	0.4	0.09	6.3	0.5	<0.05	6	<0.5	<0.2
L13750E/13525N	Soil	33	0.61	169	0.104	2	1.86	0.020	0.12	0.6	0.05	6.7	0.3	<0.05	6	<0.5	<0.2
L13750E/13550N	Soil	35	0.70	138	0.128	1	1.87	0.017	0.15	0.4	0.06	6.8	0.3	<0.05	7	<0.5	<0.2
L13750E/13575N	Soil	33	0.59	171	0.096	1	1.96	0.017	0.13	0.4	0.10	6.7	0.3	<0.05	6	<0.5	<0.2
L13750E/13600N	Soil	31	0.53	198	0.079	2	1.89	0.016	0.12	0.3	0.10	6.3	0.3	0.06	6	<0.5	<0.2
L13750E/13625N	Soil	37	0.64	131	0.130	<1	1.83	0.017	0.16	0.5	0.05	6.5	0.3	<0.05	7	<0.5	<0.2
L13750E/13650N	Soil	35	0.68	136	0.127	2	1.86	0.017	0.18	0.4	0.05	6.0	0.3	<0.05	7	<0.5	<0.2
L13750E/13675N	Soil	38	0.62	146	0.127	2	2.11	0.020	0.12	0.2	0.04	5.1	0.2	<0.05	8	<0.5	<0.2
L13750E/13700N	Soil	35	0.65	143	0.133	<1	1.73	0.018	0.15	0.5	0.05	5.8	0.3	<0.05	6	<0.5	<0.2
L13850E/11900N	Soil	29	0.84	591	0.199	2	2.70	0.019	0.47	<0.1	<0.01	6.2	0.4	<0.05	9	<0.5	<0.2
L13850E/11925N	Soil	36	0.94	640	0.204	<1	2.69	0.018	0.36	0.8	0.01	6.1	0.3	<0.05	8	<0.5	<0.2
L13850E/11950N	Soil	40	1.18	671	0.276	<1	2.88	0.020	0.74	0.4	0.02	8.6	0.5	<0.05	9	<0.5	<0.2
L13850E/11975N	Soil	55	0.79	603	0.153	<1	2.56	0.019	0.33	0.1	0.03	6.8	0.3	<0.05	8	<0.5	<0.2
L13850E/12000N	Soil	39	1.08	761	0.296	<1	2.88	0.017	0.63	0.2	0.02	7.6	0.5	<0.05	10	<0.5	<0.2
L13850E/12025N	Soil	28	0.80	362	0.189	<1	2.42	0.018	0.29	0.1	0.03	6.5	0.5	<0.05	10	<0.5	<0.2
L13850E/12050N	Soil	38	0.72	501	0.131	<1	2.30	0.019	0.17	0.3	0.03	5.5	0.4	<0.05	7	<0.5	<0.2
L13850E/12075N	Soil	28	0.47	738	0.089	1	1.65	0.018	0.12	0.2	0.04	4.0	0.4	<0.05	6	<0.5	<0.2
L13850E/12100N	Soil	32	0.47	748	0.079	<1	2.07	0.016	0.11	0.1	0.02	4.9	0.3	<0.05	7	<0.5	<0.2
L13850E/12125N	Soil	23	0.30	305	0.061	<1	1.21	0.013	0.11	0.2	0.02	3.0	0.3	<0.05	6	<0.5	<0.2
L13850E/12150N	Soil	29	0.47	636	0.073	1	1.65	0.017	0.11	0.7	0.05	4.7	0.2	<0.05	6	<0.5	<0.2
L13850E/12175N	Soil	32	0.54	788	0.071	<1	1.86	0.016	0.18	1.0	0.08	7.4	0.4	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 9 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L13850E/12200N	Soil	2.3	15.6	14.3	59	0.2	15.2	9.4	437	2.62	28.6	4.0	9.7	34	0.3	3.3	0.8	61	0.50	0.027	24
L13850E/12225N	Soil	2.7	25.8	19.4	76	0.5	20.9	11.8	852	3.03	63.7	8.5	14.6	45	0.4	7.2	0.7	56	0.56	0.056	88
L13850E/12250N	Soil	2.3	16.2	12.6	45	0.2	12.0	7.1	327	2.10	31.7	7.1	6.2	22	0.3	5.3	0.5	47	0.23	0.031	24
L13850E/12275N	Soil	3.7	19.7	14.1	60	0.6	17.8	8.2	368	2.80	75.1	12.5	9.5	51	0.4	18.3	0.8	58	0.66	0.043	28
L13850E/12300N	Soil	1.7	13.1	9.9	53	0.1	14.3	9.0	570	2.34	56.9	2.3	7.3	37	0.2	3.7	0.4	50	0.55	0.045	15
L13850E/12325N	Soil	1.7	11.9	11.1	62	0.1	15.2	9.5	338	2.60	38.9	4.1	6.7	28	0.3	1.7	0.4	54	0.36	0.050	15
L13850E/12350N	Soil	2.0	14.5	9.8	60	0.1	15.8	9.9	371	2.59	37.3	5.3	7.0	28	0.3	6.3	0.5	54	0.39	0.058	14
L13850E/12375N	Soil	1.4	15.7	9.6	56	0.2	15.9	10.0	358	2.52	27.3	3.4	5.3	30	<0.1	4.7	0.5	58	0.44	0.035	16
L13850E/12400N	Soil	1.3	12.8	10.4	55	0.1	14.9	9.2	339	2.58	38.4	2.0	5.6	30	0.1	8.4	0.5	60	0.41	0.036	14
L13850E/12425N	Soil	1.2	18.6	10.7	58	0.2	16.6	11.4	761	2.62	43.1	3.0	7.8	38	0.3	10.1	0.5	54	0.60	0.045	29
L13850E/12450N	Soil	1.1	12.6	12.7	61	<0.1	15.4	14.4	600	3.00	59.3	2.6	9.0	24	0.1	2.9	0.6	58	0.36	0.045	12
L13850E/12475N	Soil	0.9	13.0	11.1	59	0.1	15.2	9.8	412	2.65	26.2	2.9	6.4	22	0.2	0.9	0.4	57	0.32	0.035	12
L13850E/12500N	Soil	1.2	13.9	10.7	58	<0.1	17.0	10.1	324	2.94	28.5	1.8	7.1	24	0.2	1.6	0.5	61	0.32	0.035	15
L13850E/12525N	Soil	2.0	16.5	11.5	63	<0.1	14.3	10.3	582	2.20	43.7	2.0	7.6	46	0.3	5.9	0.6	48	0.81	0.048	15
L13850E/12550N	Soil	0.8	17.4	12.7	63	0.2	14.1	8.3	367	2.57	30.7	7.1	9.9	56	0.2	3.5	0.5	48	1.10	0.055	46
L13850E/12575N	Soil	0.8	11.5	12.9	58	<0.1	13.9	8.4	332	2.47	19.4	2.5	9.4	43	0.2	4.8	0.4	47	0.66	0.034	23
L13850E/12600N	Soil	0.8	12.9	11.5	61	<0.1	14.2	8.8	504	2.20	21.5	2.8	6.2	44	0.2	5.7	0.3	46	0.73	0.058	15
L13850E/12625N	Soil	1.0	15.4	15.6	66	0.1	17.3	10.1	468	2.74	33.9	4.2	9.3	34	<0.1	6.1	0.4	57	0.53	0.051	23
L13850E/12650N	Soil	0.9	28.4	16.3	68	0.2	22.3	7.8	260	2.75	40.3	6.7	12.7	42	0.2	5.7	0.5	51	0.65	0.056	55
L13850E/12675N	Soil	0.8	16.5	16.4	68	0.1	16.3	10.8	508	2.85	30.7	2.9	11.1	34	0.1	5.5	0.5	56	0.51	0.050	22
L13850E/12700N	Soil	0.8	21.3	11.6	58	0.2	16.3	10.1	745	2.30	22.7	4.7	5.3	74	0.3	5.7	0.4	44	1.41	0.065	30
L13850E/12725N	Soil	0.8	23.6	20.3	77	0.2	20.3	8.5	262	2.82	33.3	8.2	14.9	37	0.2	8.0	0.7	57	0.63	0.049	42
L13850E/12750N	Soil	0.9	23.1	16.4	70	0.3	19.7	10.7	575	3.03	49.1	10.9	12.2	46	0.2	11.6	0.5	54	0.79	0.056	52
L13850E/12775N	Soil	1.0	20.4	17.9	76	0.3	19.4	12.8	934	3.09	57.1	9.7	11.3	45	0.3	10.6	0.6	58	0.72	0.066	33
L13850E/12800N	Soil	0.9	20.1	16.9	67	0.3	19.1	10.2	452	3.04	55.9	7.5	12.6	31	<0.1	6.2	0.5	57	0.52	0.049	31
L13850E/12825N	Soil	1.2	25.1	22.2	66	0.4	22.5	16.6	587	3.52	61.5	8.0	13.2	32	0.2	6.5	0.6	70	0.45	0.044	34
L13850E/12850N	Soil	1.2	16.5	18.1	70	0.1	18.8	12.4	553	3.33	66.0	6.1	11.9	25	0.1	4.1	0.6	64	0.36	0.043	22
L13850E/12875N	Soil	0.9	22.7	20.1	71	0.3	18.5	9.7	524	3.17	74.0	7.7	14.5	28	0.2	4.5	0.5	58	0.44	0.042	41
L13850E/12900N	Soil	1.6	34.6	25.2	73	0.7	24.0	15.6	698	3.92	105.0	17.1	19.6	27	0.1	5.2	0.8	65	0.36	0.041	69
L13850E/12925N	Soil	0.7	18.8	17.3	68	0.2	18.7	10.2	420	3.11	54.0	7.7	10.4	23	<0.1	6.2	0.5	60	0.34	0.028	19



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 9 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L13850E/12200N	Soil			30	0.50	588	0.067	<1	1.96	0.012	0.10	0.2	0.04	5.4	0.3	<0.05	7	<0.5	<0.2
L13850E/12225N	Soil			26	0.41	1251	0.054	<1	2.09	0.014	0.17	0.4	0.15	11.1	0.5	<0.05	7	<0.5	<0.2
L13850E/12250N	Soil			22	0.33	507	0.063	<1	1.41	0.013	0.12	0.2	0.04	4.5	0.3	<0.05	6	<0.5	<0.2
L13850E/12275N	Soil			29	0.55	395	0.061	<1	2.09	0.013	0.15	0.2	0.06	6.1	0.5	<0.05	7	<0.5	<0.2
L13850E/12300N	Soil			27	0.52	166	0.091	<1	1.49	0.017	0.10	0.4	0.03	4.9	0.3	<0.05	5	<0.5	<0.2
L13850E/12325N	Soil			28	0.53	160	0.104	<1	1.76	0.015	0.08	0.2	0.04	4.5	0.3	<0.05	6	<0.5	<0.2
L13850E/12350N	Soil			30	0.53	145	0.105	1	1.57	0.013	0.09	0.3	0.04	5.0	0.2	<0.05	6	<0.5	<0.2
L13850E/12375N	Soil			28	0.60	196	0.109	2	1.81	0.014	0.08	0.2	0.04	4.8	0.2	<0.05	6	<0.5	<0.2
L13850E/12400N	Soil			30	0.57	153	0.118	1	1.61	0.014	0.08	0.3	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
L13850E/12425N	Soil			29	0.57	202	0.107	1	1.66	0.014	0.08	0.4	0.05	5.7	0.2	<0.05	6	<0.5	<0.2
L13850E/12450N	Soil			31	0.57	140	0.105	<1	1.78	0.011	0.08	0.3	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
L13850E/12475N	Soil			28	0.57	140	0.115	2	1.82	0.011	0.08	0.3	0.03	4.6	0.2	<0.05	7	<0.5	<0.2
L13850E/12500N	Soil			32	0.56	173	0.104	<1	1.94	0.011	0.08	0.3	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
L13850E/12525N	Soil			27	0.43	180	0.069	2	1.25	0.013	0.11	0.9	0.04	4.6	0.3	<0.05	4	<0.5	<0.2
L13850E/12550N	Soil			26	0.52	175	0.081	2	1.51	0.013	0.13	0.5	0.11	6.2	0.3	0.07	5	1.1	<0.2
L13850E/12575N	Soil			27	0.54	130	0.116	1	1.58	0.016	0.11	0.3	0.06	5.5	0.2	<0.05	6	0.5	<0.2
L13850E/12600N	Soil			27	0.55	137	0.091	2	1.36	0.015	0.10	0.4	0.05	4.8	0.2	<0.05	5	0.5	<0.2
L13850E/12625N	Soil			33	0.64	151	0.116	2	1.80	0.016	0.09	0.5	0.07	6.3	0.2	<0.05	6	<0.5	<0.2
L13850E/12650N	Soil			31	0.63	170	0.117	2	1.88	0.014	0.18	0.6	0.13	8.1	0.4	<0.05	6	0.6	<0.2
L13850E/12675N	Soil			32	0.68	151	0.139	<1	1.73	0.017	0.15	0.5	0.07	6.3	0.4	<0.05	6	<0.5	<0.2
L13850E/12700N	Soil			27	0.58	178	0.084	2	1.53	0.014	0.12	0.2	0.12	5.3	0.3	0.12	5	0.8	<0.2
L13850E/12725N	Soil			36	0.71	171	0.141	<1	2.15	0.013	0.18	0.5	0.14	8.0	0.5	<0.05	7	0.8	<0.2
L13850E/12750N	Soil			35	0.70	185	0.127	2	2.00	0.013	0.20	0.5	0.11	8.0	0.5	<0.05	7	0.5	<0.2
L13850E/12775N	Soil			34	0.70	201	0.132	1	2.10	0.014	0.20	0.4	0.09	7.4	0.5	<0.05	8	0.6	<0.2
L13850E/12800N	Soil			35	0.72	172	0.143	2	1.94	0.013	0.15	0.5	0.08	6.9	0.5	<0.05	7	<0.5	<0.2
L13850E/12825N	Soil			36	0.67	189	0.132	1	2.26	0.013	0.14	0.4	0.05	7.6	0.4	<0.05	8	<0.5	<0.2
L13850E/12850N	Soil			36	0.68	155	0.152	1	1.97	0.011	0.20	0.4	0.06	6.4	0.5	<0.05	8	<0.5	<0.2
L13850E/12875N	Soil			32	0.69	224	0.155	1	1.97	0.011	0.19	0.5	0.06	7.8	0.5	<0.05	8	<0.5	<0.2
L13850E/12900N	Soil			38	0.69	418	0.130	1	2.87	0.012	0.12	0.4	0.12	10.1	0.5	<0.05	9	<0.5	<0.2
L13850E/12925N	Soil			32	0.73	175	0.160	<1	1.99	0.012	0.13	0.5	0.04	6.1	0.4	<0.05	8	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 10 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13850E/12950N	Soil		1.2	20.5	20.2	69	0.2	20.2	11.1	506	3.55	71.0	6.3	13.0	24	<0.1	7.1	0.5	70	0.32	0.039	28
L13850E/12975N	Soil		0.9	17.6	18.2	68	0.2	19.3	9.0	359	3.26	53.6	4.1	8.1	25	0.1	9.2	0.4	66	0.31	0.029	17
L13850E/13000N	Soil		0.9	19.1	17.1	67	<0.1	19.8	9.5	401	3.13	39.2	3.2	7.2	22	0.2	4.9	0.5	64	0.30	0.029	14
L13850E/13025N	Soil		1.1	18.9	15.9	66	0.1	15.7	7.4	319	3.05	36.8	2.2	9.0	21	<0.1	2.3	0.6	64	0.27	0.032	23
L13850E/13050N	Soil		1.4	22.5	18.9	61	0.2	21.3	9.7	363	3.84	123.2	6.2	7.1	20	0.2	6.7	0.4	79	0.25	0.029	24
L13850E/13075N	Soil		0.7	30.9	22.4	83	0.2	24.0	13.4	497	4.10	145.9	8.1	16.3	17	0.1	9.2	0.3	61	0.23	0.024	22
L13850E/13100N	Soil		1.3	29.1	19.8	65	0.2	24.7	10.4	335	3.68	26.1	4.3	13.4	21	0.1	1.9	0.4	72	0.25	0.030	40
L13850E/13125N	Soil		1.1	26.8	19.6	77	0.3	31.4	15.4	484	4.11	24.0	3.4	13.1	17	0.3	0.9	0.3	72	0.24	0.054	17
L13850E/13150N	Soil		1.1	24.3	30.1	81	0.2	25.6	13.9	682	3.65	25.6	4.3	10.3	18	0.3	1.1	0.5	70	0.24	0.053	17
L13850E/13175N	Soil		1.3	20.6	27.1	67	0.3	16.3	7.9	320	2.92	41.4	3.1	8.3	19	0.2	2.4	0.6	64	0.30	0.039	20
L13850E/13200N	Soil		1.3	15.7	24.1	69	<0.1	16.7	8.2	417	4.07	46.8	0.8	4.7	16	0.1	1.7	0.4	85	0.18	0.040	9
L13850E/13225N	Soil		1.2	14.0	36.1	64	<0.1	15.5	9.0	449	4.30	51.1	6.7	6.5	15	0.3	1.6	0.4	91	0.16	0.040	11
L13850E/13275N	Soil		1.3	15.0	27.7	56	0.2	15.1	9.2	457	3.04	58.5	3.8	7.4	16	0.2	3.8	0.5	71	0.24	0.052	17
L13850E/13300N	Soil		1.1	16.8	21.5	66	0.3	16.0	9.0	302	2.55	81.1	11.0	8.3	35	0.3	2.4	0.4	53	0.56	0.047	46
L13850E/13325N	Soil		0.8	16.9	26.6	83	<0.1	21.3	12.9	746	3.32	48.7	12.8	12.9	17	0.3	4.9	0.5	57	0.26	0.057	20
L13850E/13350N	Soil		1.1	17.8	26.9	84	0.3	17.0	11.1	796	2.83	61.4	6.9	11.2	41	0.4	2.5	0.5	52	0.76	0.066	46
L13850E/13375N	Soil		1.0	18.2	18.8	76	0.2	17.7	11.6	949	2.32	29.9	5.0	7.0	42	0.5	2.1	0.3	48	0.79	0.077	45
L13850E/13400N	Soil		1.0	16.4	13.6	72	0.2	16.9	10.5	702	2.32	34.5	6.2	5.4	51	0.3	4.8	0.3	52	0.97	0.066	36
L13850E/13425N	Soil		0.9	14.5	18.2	95	0.2	17.0	13.4	983	3.02	24.5	7.9	10.7	36	0.3	5.0	0.5	59	0.68	0.075	25
L13850E/13450N	Soil		0.7	11.9	12.8	64	0.2	13.7	10.6	794	2.10	37.4	2.9	5.7	35	0.2	1.8	0.4	55	0.58	0.049	14
L13850E/13475N	Soil		0.7	11.7	14.7	60	0.1	14.6	10.9	592	2.33	36.6	2.5	5.4	39	0.1	14.1	0.4	55	0.64	0.044	15
L13850E/13500N	Soil		0.8	14.4	12.9	68	<0.1	16.9	11.8	708	2.69	26.1	3.9	7.0	36	0.2	1.5	0.3	57	0.66	0.055	19
L13850E/13525N	Soil		1.0	19.9	22.0	86	0.1	21.0	14.1	908	3.01	50.8	5.5	7.4	37	0.2	1.6	0.5	62	0.57	0.053	20
L13850E/13550N	Soil		1.1	26.0	15.7	75	0.3	21.1	12.1	819	2.58	49.5	4.1	3.7	77	0.4	2.8	0.4	49	1.30	0.086	51
L13850E/13575N	Soil		1.0	16.8	17.3	75	0.1	19.9	12.6	655	2.96	25.1	8.1	8.3	35	0.2	0.9	0.4	63	0.51	0.058	23
L13850E/13600N	Soil		1.0	21.5	14.0	67	0.2	20.9	12.5	675	2.88	20.8	2.5	6.3	42	0.2	0.7	0.4	61	0.64	0.065	30
L13950E/12025N	Soil		6.3	22.7	12.7	69	0.2	19.1	11.6	459	3.07	47.0	2.2	4.0	29	0.6	5.5	0.7	97	0.46	0.038	10
L13950E/12050N	Soil		4.4	23.9	11.9	78	0.2	19.8	10.3	438	2.83	77.3	4.2	5.5	32	0.4	16.0	0.8	74	0.55	0.033	12
L13950E/12075N	Soil		4.9	27.8	17.6	79	0.5	19.9	13.2	719	3.10	67.9	6.2	9.6	42	0.5	21.3	1.3	79	0.62	0.041	26
L13950E/12100N	Soil		3.2	20.2	11.9	67	0.1	18.6	12.5	579	2.68	30.8	2.4	6.5	28	0.3	2.9	0.8	69	0.38	0.042	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 10 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2
L13850E/12950N	Soil	36	0.74	202	0.147	1	2.46	0.010	0.15	0.4	0.05	6.7	0.4	<0.05	8	<0.5	<0.2
L13850E/12975N	Soil	33	0.71	168	0.139	2	1.96	0.010	0.11	0.3	0.03	5.2	0.3	<0.05	8	<0.5	<0.2
L13850E/13000N	Soil	31	0.74	145	0.140	<1	2.01	0.009	0.12	0.4	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
L13850E/13025N	Soil	30	0.67	133	0.155	1	1.93	0.009	0.14	0.7	0.02	5.7	0.4	<0.05	8	<0.5	<0.2
L13850E/13050N	Soil	35	0.59	148	0.106	1	2.26	0.009	0.10	0.3	0.04	4.9	0.3	<0.05	9	<0.5	<0.2
L13850E/13075N	Soil	35	0.90	157	0.188	1	2.63	0.009	0.22	0.3	0.04	8.1	0.9	<0.05	9	<0.5	<0.2
L13850E/13100N	Soil	37	0.72	163	0.138	1	2.73	0.011	0.09	0.4	0.04	6.3	0.3	<0.05	8	<0.5	<0.2
L13850E/13125N	Soil	41	0.77	118	0.165	<1	2.84	0.010	0.17	0.5	0.05	6.3	0.3	<0.05	8	<0.5	<0.2
L13850E/13150N	Soil	36	0.68	116	0.126	2	2.37	0.010	0.13	0.5	0.06	5.3	0.3	<0.05	8	<0.5	<0.2
L13850E/13175N	Soil	29	0.57	109	0.113	2	1.85	0.008	0.07	0.6	0.07	5.2	0.3	<0.05	8	<0.5	<0.2
L13850E/13200N	Soil	34	0.60	88	0.150	1	1.91	0.008	0.09	0.3	0.02	4.4	0.3	<0.05	10	<0.5	<0.2
L13850E/13225N	Soil	31	0.53	89	0.165	1	1.80	0.007	0.11	0.3	0.03	4.3	0.2	<0.05	11	<0.5	<0.2
L13850E/13275N	Soil	25	0.38	106	0.081	<1	1.45	0.009	0.06	0.3	0.05	3.4	0.2	<0.05	8	<0.5	<0.2
L13850E/13300N	Soil	28	0.49	146	0.084	2	1.45	0.015	0.07	0.2	0.06	4.7	0.2	<0.05	6	<0.5	<0.2
L13850E/13325N	Soil	30	0.57	124	0.109	1	1.86	0.011	0.09	0.5	0.03	4.5	0.3	<0.05	6	<0.5	<0.2
L13850E/13350N	Soil	27	0.56	164	0.077	2	1.69	0.015	0.12	0.2	0.08	5.5	0.3	<0.05	6	<0.5	<0.2
L13850E/13375N	Soil	29	0.51	183	0.067	2	1.45	0.012	0.09	0.3	0.10	5.3	0.3	<0.05	5	<0.5	<0.2
L13850E/13400N	Soil	27	0.51	177	0.072	1	1.49	0.013	0.08	0.2	0.08	4.9	0.2	<0.05	5	<0.5	<0.2
L13850E/13425N	Soil	32	0.68	169	0.101	2	1.82	0.013	0.11	0.4	0.05	7.0	0.3	<0.05	7	<0.5	<0.2
L13850E/13450N	Soil	26	0.47	157	0.077	2	1.44	0.013	0.06	0.3	0.05	4.2	0.2	<0.05	5	<0.5	<0.2
L13850E/13475N	Soil	28	0.55	155	0.095	2	1.57	0.013	0.06	0.3	0.05	4.4	0.2	<0.05	6	<0.5	<0.2
L13850E/13500N	Soil	31	0.60	147	0.114	2	1.51	0.014	0.11	0.5	0.04	5.4	0.2	<0.05	6	<0.5	<0.2
L13850E/13525N	Soil	37	0.64	170	0.110	2	1.85	0.013	0.13	0.4	0.05	6.2	0.2	<0.05	7	<0.5	<0.2
L13850E/13550N	Soil	31	0.60	230	0.069	3	1.99	0.013	0.10	0.3	0.13	6.2	0.2	0.09	6	<0.5	<0.2
L13850E/13575N	Soil	39	0.67	163	0.127	1	2.01	0.013	0.15	0.7	0.04	6.2	0.3	<0.05	7	<0.5	<0.2
L13850E/13600N	Soil	37	0.61	180	0.102	2	1.90	0.012	0.13	0.5	0.06	6.7	0.2	<0.05	7	<0.5	<0.2
L13950E/12025N	Soil	28	0.48	465	0.100	2	1.45	0.011	0.18	0.5	0.03	5.4	0.3	<0.05	6	<0.5	<0.2
L13950E/12050N	Soil	26	0.48	390	0.081	<1	1.40	0.011	0.18	0.9	0.03	4.8	0.4	<0.05	5	<0.5	<0.2
L13950E/12075N	Soil	30	0.59	608	0.097	2	1.76	0.013	0.16	0.9	0.06	7.5	0.3	<0.05	6	<0.5	<0.2
L13950E/12100N	Soil	31	0.56	292	0.102	<1	1.53	0.011	0.18	2.0	0.02	4.6	0.2	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 11 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000251.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13950E/12125N	Soil	2.9	21.8	15.9	58	0.2	17.9	9.7	529	2.53	32.2	3.0	7.9	34	0.2	3.4	0.7	64	0.51	0.037	18
L13950E/12150N	Soil	2.6	20.4	11.9	66	0.2	16.8	9.3	375	2.63	28.6	3.2	8.8	31	0.2	3.5	0.6	69	0.49	0.051	16
L13950E/12175N	Soil	3.3	27.0	20.0	75	0.3	21.0	9.1	493	2.67	53.3	4.5	7.4	45	0.7	7.5	0.7	67	0.66	0.047	22
L13950E/12200N	Soil	4.1	40.7	19.2	88	0.5	25.5	13.8	960	3.43	53.8	5.5	12.7	47	0.5	7.3	0.7	76	0.76	0.053	44
L13950E/12225N	Soil	3.1	14.9	17.3	62	0.2	13.9	9.1	310	2.39	53.4	7.4	5.5	18	0.3	11.3	0.8	57	0.21	0.026	15
L13950E/12250N	Soil	3.4	25.5	15.3	61	0.3	19.4	12.8	864	2.78	80.9	4.5	8.4	39	0.3	9.4	0.6	58	0.59	0.051	26
L13950E/12275N	Soil	2.1	21.3	15.2	67	0.2	18.9	12.2	668	2.73	54.0	3.9	6.8	29	0.3	2.5	0.5	61	0.43	0.054	18
L13950E/12300N	Soil	1.9	14.7	13.2	55	0.1	15.1	11.8	711	2.58	32.7	2.4	5.8	27	0.3	5.5	0.4	62	0.38	0.039	16
L13950E/12325N	Soil	1.8	14.1	12.3	59	0.2	15.3	9.2	426	2.25	27.1	6.1	4.2	25	0.3	6.2	0.4	56	0.33	0.038	13
L13950E/12350N	Soil	2.4	12.8	14.6	90	0.1	15.5	8.0	335	2.63	182.4	3.2	4.4	16	0.4	40.1	0.5	74	0.20	0.041	11
L13950E/12375N	Soil	2.4	31.2	16.5	83	0.8	25.3	10.5	451	2.90	64.2	19.8	5.5	27	0.4	19.6	1.0	59	0.45	0.058	22
L13950E/12400N	Soil	2.6	33.9	14.7	86	0.7	25.7	10.0	617	3.00	110.6	15.7	6.9	35	0.5	10.0	0.7	78	0.55	0.061	24
L13950E/12425N	Soil	0.8	13.5	11.7	55	0.2	11.7	7.7	485	2.03	37.8	8.1	8.1	58	0.2	6.2	0.4	40	0.74	0.054	26
L13950E/12450N	Soil	1.4	17.5	15.7	68	0.3	16.3	12.0	468	2.74	76.4	8.0	12.8	35	0.3	7.8	0.6	52	0.59	0.054	33
L13950E/12475N	Soil	16.7	59.2	19.6	123	0.8	41.3	9.4	439	3.38	192.2	25.7	7.1	28	0.7	19.1	0.8	85	0.30	0.063	20
L13950E/12500N	Soil	17.6	52.5	18.2	113	0.9	38.0	12.0	564	3.40	147.2	15.3	8.8	31	0.6	10.5	1.0	96	0.38	0.070	28
L13950E/12525N	Soil	3.0	25.5	17.6	88	0.5	23.2	11.4	740	3.56	154.5	7.8	13.4	36	0.3	5.2	0.8	66	0.56	0.055	44
L13950E/12550N	Soil	2.1	14.3	20.3	74	0.2	16.8	9.0	479	3.16	130.6	4.9	12.1	24	0.2	2.8	0.6	61	0.40	0.046	24
L13950E/12575N	Soil	1.3	12.7	15.7	61	0.2	13.5	9.1	404	2.60	96.4	5.4	11.1	26	0.2	4.3	0.6	51	0.33	0.043	31
L13950E/12600N	Soil	1.5	17.0	21.1	82	0.3	17.5	10.8	726	3.06	103.0	5.9	12.9	39	0.3	7.1	0.7	58	0.62	0.060	35
L13950E/12625N	Soil	1.2	14.3	18.2	75	0.2	15.6	10.5	519	3.17	107.0	3.8	15.3	30	0.1	4.6	0.7	56	0.46	0.059	32
L13950E/12650N	Soil	1.4	21.6	18.6	74	0.4	17.7	9.8	592	3.13	121.7	7.8	16.6	43	0.3	5.6	0.7	52	0.78	0.069	72
L13950E/12675N	Soil	1.0	15.4	16.9	78	0.2	14.4	8.0	370	2.99	102.1	9.3	15.8	27	0.2	8.4	0.7	52	0.43	0.065	32
L13950E/12700N	Soil	1.5	19.7	16.3	66	0.4	15.5	9.0	391	2.97	104.3	5.4	16.9	34	0.1	3.7	0.6	52	0.46	0.067	56
L13950E/12725N	Soil	1.4	23.5	22.7	75	0.3	18.6	12.5	840	3.17	118.1	7.3	13.0	43	0.3	6.5	0.7	61	0.65	0.059	30
L13950E/12750N	Soil	1.0	22.3	18.4	74	0.4	19.9	10.9	620	3.16	83.2	8.5	13.6	42	0.2	11.1	0.6	57	0.69	0.062	43
L13950E/12775N	Soil	1.1	20.1	20.1	76	0.2	18.5	10.3	566	3.47	129.8	7.5	16.9	33	0.1	10.4	0.6	60	0.53	0.054	34
L13950E/12800N	Soil	1.2	25.2	21.9	82	0.3	21.1	10.8	618	3.89	163.3	13.5	23.0	29	0.1	10.9	0.6	63	0.41	0.062	64
L13950E/12825N	Soil	1.0	19.8	21.7	80	0.3	17.1	10.1	597	3.59	189.3	8.6	21.6	31	<0.1	6.8	0.9	57	0.45	0.062	52
L13950E/12850N	Soil	1.5	26.3	27.9	79	0.7	23.5	12.9	858	3.88	214.8	14.1	25.2	35	0.2	7.3	0.8	62	0.56	0.058	89





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 11 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13950E/12125N	Soil			29	0.52	354	0.087	<1	1.49	0.012	0.08	1.0	0.04	5.0	0.2	<0.05	5	<0.5	<0.2
L13950E/12150N	Soil			27	0.55	303	0.099	1	1.48	0.011	0.18	1.4	0.05	5.6	0.3	<0.05	5	<0.5	<0.2
L13950E/12175N	Soil			32	0.53	629	0.081	2	1.55	0.011	0.15	1.0	0.07	5.7	0.4	<0.05	6	<0.5	<0.2
L13950E/12200N	Soil			41	0.66	640	0.102	2	2.07	0.014	0.18	0.5	0.11	9.9	0.5	<0.05	7	0.6	<0.2
L13950E/12225N	Soil			26	0.48	227	0.117	2	1.45	0.011	0.21	0.3	0.03	4.0	0.4	<0.05	7	<0.5	<0.2
L13950E/12250N	Soil			31	0.53	286	0.088	2	1.78	0.014	0.09	0.6	0.06	6.0	0.3	<0.05	6	<0.5	<0.2
L13950E/12275N	Soil			33	0.55	216	0.091	1	1.83	0.013	0.08	0.3	0.04	5.3	0.2	<0.05	6	<0.5	<0.2
L13950E/12300N	Soil			29	0.51	237	0.105	1	1.59	0.012	0.07	0.3	0.03	4.2	0.2	<0.05	6	<0.5	<0.2
L13950E/12325N	Soil			25	0.46	331	0.089	<1	1.59	0.011	0.09	0.3	0.04	3.9	0.3	<0.05	6	<0.5	<0.2
L13950E/12350N	Soil			25	0.46	437	0.095	2	1.40	0.008	0.09	0.6	0.03	3.7	0.5	<0.05	7	<0.5	<0.2
L13950E/12375N	Soil			30	0.45	361	0.072	1	1.49	0.011	0.09	0.5	0.08	6.0	0.4	<0.05	6	<0.5	0.2
L13950E/12400N	Soil			38	0.68	309	0.101	2	1.80	0.013	0.13	0.6	0.05	6.4	0.5	<0.05	6	<0.5	0.2
L13950E/12425N	Soil			21	0.50	136	0.091	2	1.22	0.012	0.15	1.3	0.07	4.7	0.3	<0.05	5	<0.5	<0.2
L13950E/12450N	Soil			28	0.70	187	0.131	1	1.92	0.013	0.20	2.3	0.09	6.2	0.6	<0.05	7	<0.5	<0.2
L13950E/12475N	Soil			44	0.62	312	0.115	<1	1.81	0.010	0.19	1.2	0.08	6.1	0.9	<0.05	7	<0.5	0.3
L13950E/12500N	Soil			51	0.81	336	0.145	2	2.33	0.011	0.32	1.1	0.09	7.5	0.8	<0.05	9	<0.5	0.3
L13950E/12525N	Soil			36	0.79	247	0.146	2	2.41	0.011	0.28	1.6	0.11	7.6	1.0	<0.05	10	<0.5	<0.2
L13950E/12550N	Soil			34	0.83	154	0.181	2	2.01	0.010	0.31	2.2	0.05	6.5	1.0	<0.05	9	<0.5	<0.2
L13950E/12575N	Soil			27	0.62	138	0.148	<1	1.72	0.009	0.26	1.7	0.10	6.1	0.7	<0.05	8	<0.5	<0.2
L13950E/12600N	Soil			33	0.74	192	0.155	2	1.98	0.012	0.31	2.1	0.10	7.4	1.0	<0.05	9	<0.5	<0.2
L13950E/12625N	Soil			31	0.80	170	0.180	2	1.97	0.012	0.32	2.1	0.10	7.7	1.2	<0.05	9	<0.5	<0.2
L13950E/12650N	Soil			30	0.65	218	0.131	2	2.17	0.011	0.28	2.6	0.21	8.8	0.9	<0.05	8	0.7	<0.2
L13950E/12675N	Soil			30	0.77	146	0.172	<1	1.89	0.011	0.37	3.9	0.10	7.4	1.2	<0.05	8	<0.5	<0.2
L13950E/12700N	Soil			31	0.66	180	0.150	2	1.89	0.013	0.19	0.8	0.14	8.5	0.8	<0.05	8	<0.5	<0.2
L13950E/12725N	Soil			32	0.66	199	0.140	2	1.94	0.014	0.21	1.6	0.10	7.6	0.7	<0.05	9	<0.5	<0.2
L13950E/12750N	Soil			33	0.68	221	0.134	1	2.04	0.014	0.23	0.7	0.16	8.4	0.8	<0.05	7	<0.5	<0.2
L13950E/12775N	Soil			35	0.75	178	0.172	1	2.02	0.011	0.31	0.8	0.09	8.1	1.1	<0.05	9	<0.5	<0.2
L13950E/12800N	Soil			40	0.85	189	0.175	1	2.37	0.012	0.35	1.1	0.17	11.4	1.4	<0.05	9	<0.5	<0.2
L13950E/12825N	Soil			33	0.85	178	0.177	1	2.04	0.011	0.35	3.8	0.09	8.6	1.6	<0.05	9	<0.5	<0.2
L13950E/12850N	Soil			39	0.75	223	0.132	2	2.55	0.011	0.21	2.0	0.19	10.9	1.1	<0.05	9	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 12 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L13950E/12875N	Soil	1.3	23.4	32.8	71	0.6	19.4	10.7	542	3.41	203.8	10.3	16.5	29	0.2	5.4	1.3	65	0.42	0.037	60
L13950E/12900N	Soil	1.2	21.4	30.1	77	0.3	18.1	9.2	437	3.45	187.1	21.6	12.1	24	0.2	7.2	1.4	64	0.29	0.030	25
L13950E/12925N	Soil	1.0	23.4	23.4	76	0.3	20.6	10.8	527	3.42	183.8	12.1	11.9	26	0.2	13.0	2.1	61	0.36	0.040	27
L13950E/12950N	Soil	1.4	21.9	28.5	76	0.2	21.0	8.3	436	3.16	243.2	15.6	11.1	24	0.2	14.9	1.7	57	0.31	0.034	26
L13950E/12975N	Soil	1.7	22.2	25.2	73	0.3	20.0	11.0	538	3.41	176.1	8.1	11.9	25	0.2	9.4	0.8	66	0.30	0.036	24
L13950E/13000N	Soil	1.4	19.1	28.5	83	0.2	18.6	10.5	556	3.59	94.8	3.4	12.0	22	0.2	4.4	0.7	64	0.29	0.033	25
L13950E/13025N	Soil	1.5	26.8	20.7	65	0.3	17.8	9.8	551	3.32	62.3	3.2	11.7	22	0.1	2.7	0.5	63	0.26	0.035	40
L13950E/13050N	Soil	1.2	24.3	16.7	60	0.4	17.3	7.6	303	2.97	30.8	1.5	6.6	19	0.2	1.0	0.4	71	0.22	0.034	24
L13950E/13075N	Soil	1.7	18.0	17.0	64	0.1	18.6	8.7	390	3.81	35.1	1.8	5.8	17	0.2	0.9	0.4	91	0.20	0.037	10
L13950E/13100N	Soil	1.7	19.4	21.3	66	0.1	16.2	8.3	429	4.20	57.2	2.7	5.9	15	0.2	2.2	0.4	93	0.14	0.045	10
L13950E/13125N	Soil	1.7	12.7	19.5	67	<0.1	12.4	8.9	617	3.39	51.1	1.6	4.4	17	0.3	1.7	0.4	77	0.17	0.078	9
L13950E/13150N	Soil	0.9	13.0	15.0	44	0.2	10.1	6.0	346	2.27	37.2	2.4	2.5	15	0.4	0.9	0.3	61	0.15	0.066	16
L13950E/13175N	Soil	0.9	14.7	23.1	66	<0.1	17.8	9.2	450	2.96	62.3	5.2	6.6	18	0.2	1.8	0.4	66	0.23	0.051	13
L13950E/13200N	Soil	0.9	16.0	21.3	58	0.1	16.7	7.7	293	2.73	29.2	2.5	7.0	15	0.1	1.2	0.4	66	0.16	0.031	26
L13950E/13225N	Soil	2.0	29.8	41.0	91	0.5	29.4	19.8	1333	4.69	85.9	8.9	24.0	28	0.5	2.6	0.7	87	0.27	0.041	62
L13950E/13250N	Soil	1.3	23.2	35.2	91	0.4	18.0	9.0	533	3.10	113.0	9.2	14.8	46	0.3	11.9	0.5	50	0.79	0.064	64
L13950E/13275N	Soil	0.8	19.6	20.3	64	0.2	18.7	10.8	521	2.77	51.6	6.4	10.8	41	0.1	6.6	0.3	52	0.73	0.060	57
L13950E/13300N	Soil	0.8	23.7	18.3	53	0.2	15.1	7.0	211	2.77	51.8	7.3	11.4	15	<0.1	2.6	0.3	53	0.16	0.029	54
L13950E/13325N	Soil	0.9	21.1	31.9	74	0.4	21.1	11.9	469	3.27	58.0	7.5	11.0	24	<0.1	3.2	0.5	59	0.35	0.055	39
L13950E/13350N	Soil	0.6	14.4	18.5	68	<0.1	20.4	12.6	453	2.90	32.0	3.9	9.0	15	0.2	2.2	0.3	58	0.23	0.056	15



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 12 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2
L13950E/12875N	Soil	35	0.64	192	0.120	<1	2.29	0.010	0.13	4.2	0.12	7.3	0.7	<0.05	8	0.6	<0.2
L13950E/12900N	Soil	32	0.68	157	0.131	1	2.12	0.010	0.14	14.0	0.04	6.2	0.6	<0.05	8	<0.5	<0.2
L13950E/12925N	Soil	32	0.75	169	0.134	<1	2.16	0.012	0.15	27.7	0.05	6.2	0.7	<0.05	7	<0.5	<0.2
L13950E/12950N	Soil	32	0.61	162	0.100	<1	1.95	0.009	0.13	16.2	0.08	5.6	0.8	<0.05	7	<0.5	<0.2
L13950E/12975N	Soil	34	0.62	168	0.113	<1	2.09	0.010	0.11	1.0	0.07	5.7	0.6	<0.05	8	<0.5	<0.2
L13950E/13000N	Soil	33	0.72	156	0.145	<1	1.96	0.009	0.16	0.5	0.06	6.6	0.7	<0.05	8	<0.5	<0.2
L13950E/13025N	Soil	31	0.64	196	0.141	<1	1.94	0.011	0.12	0.4	0.07	6.5	0.5	<0.05	8	<0.5	<0.2
L13950E/13050N	Soil	29	0.64	132	0.156	1	1.78	0.012	0.09	0.4	0.04	5.3	0.3	<0.05	9	<0.5	<0.2
L13950E/13075N	Soil	35	0.66	114	0.150	1	2.29	0.009	0.10	0.3	0.03	4.8	0.3	<0.05	9	<0.5	<0.2
L13950E/13100N	Soil	30	0.56	119	0.171	<1	1.94	0.007	0.09	0.4	0.03	4.5	0.4	<0.05	11	<0.5	<0.2
L13950E/13125N	Soil	27	0.41	127	0.103	<1	1.58	0.008	0.08	0.3	0.03	3.4	0.2	<0.05	9	<0.5	<0.2
L13950E/13150N	Soil	21	0.28	136	0.082	<1	1.21	0.009	0.07	0.2	0.05	2.8	0.2	<0.05	7	<0.5	<0.2
L13950E/13175N	Soil	28	0.57	111	0.120	<1	1.87	0.010	0.08	0.4	0.03	4.4	0.3	<0.05	7	<0.5	<0.2
L13950E/13200N	Soil	29	0.52	111	0.122	1	2.04	0.010	0.08	0.2	0.04	4.6	0.2	<0.05	8	<0.5	<0.2
L13950E/13225N	Soil	45	0.69	277	0.090	<1	3.12	0.014	0.08	0.3	0.08	8.6	0.6	<0.05	10	0.5	<0.2
L13950E/13250N	Soil	28	0.64	175	0.082	1	1.97	0.012	0.12	0.3	0.08	6.9	0.4	<0.05	7	<0.5	<0.2
L13950E/13275N	Soil	29	0.63	182	0.099	3	1.75	0.017	0.08	0.3	0.07	6.5	0.3	<0.05	6	0.5	<0.2
L13950E/13300N	Soil	28	0.43	109	0.085	2	2.01	0.011	0.05	0.2	0.06	5.4	0.2	<0.05	6	0.5	<0.2
L13950E/13325N	Soil	35	0.58	187	0.070	1	2.24	0.013	0.06	0.2	0.07	6.5	0.3	<0.05	7	<0.5	<0.2
L13950E/13350N	Soil	29	0.62	100	0.118	1	2.02	0.010	0.11	0.4	0.04	4.6	0.3	<0.05	5	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI17000251.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L13550E/12275N	Soil	1.4	13.4	11.4	53	0.3	18.7	12.5	570	3.23	45.8	2.1	5.0	25	0.4	47.3	0.8	73	0.26	0.020	8
REP L13550E/12275N	QC	1.4	12.8	11.5	54	0.3	19.0	12.8	545	3.17	46.1	<0.5	5.0	24	0.5	49.7	0.8	70	0.25	0.018	8
L13550E/13175N	Soil	0.9	20.6	17.6	62	0.2	23.4	10.1	425	3.00	41.0	4.2	9.1	31	0.5	1.1	0.5	65	0.52	0.039	24
REP L13550E/13175N	QC	0.9	20.1	17.3	61	0.2	22.9	9.9	406	2.92	39.3	10.7	8.9	31	0.5	1.1	0.4	63	0.51	0.036	24
L13650E/12550N	Soil	1.9	12.9	9.5	63	<0.1	16.1	7.3	338	2.81	78.7	6.2	5.4	23	0.3	1.3	0.3	63	0.31	0.050	10
REP L13650E/12550N	QC	2.3	13.1	9.3	64	<0.1	16.0	7.9	356	2.88	80.0	6.5	5.3	23	0.2	1.4	0.3	66	0.31	0.048	10
L13650E/13450N	Soil	0.9	30.1	18.5	61	0.3	28.3	13.0	717	3.73	113.9	10.8	9.8	31	0.1	8.4	0.4	66	0.41	0.073	44
REP L13650E/13450N	QC	0.9	29.9	18.6	59	0.3	27.6	13.2	725	3.80	113.2	8.1	9.7	31	<0.1	8.4	0.4	65	0.40	0.068	43
L13750E/12550N	Soil	1.1	20.8	14.0	65	0.1	20.2	10.2	405	3.18	60.4	3.4	10.2	32	<0.1	1.7	0.4	63	0.49	0.051	23
REP L13750E/12550N	QC	1.2	20.2	14.1	65	0.2	20.0	10.6	413	3.20	62.0	7.2	10.2	33	0.1	1.5	0.5	64	0.54	0.053	24
L13750E/13450N	Soil	0.5	16.2	15.8	61	0.2	16.5	8.3	278	2.59	98.2	5.1	9.6	29	0.1	5.9	0.5	53	0.38	0.049	21
REP L13750E/13450N	QC	0.5	15.9	15.6	59	0.2	16.3	7.8	273	2.61	98.1	10.8	9.5	28	0.1	5.5	0.5	52	0.37	0.054	21
L13850E/12525N	Soil	2.0	16.5	11.5	63	<0.1	14.3	10.3	582	2.20	43.7	2.0	7.6	46	0.3	5.9	0.6	48	0.81	0.048	15
REP L13850E/12525N	QC	2.0	16.5	11.4	62	<0.1	14.7	10.4	579	2.24	44.8	<0.5	7.8	46	0.3	6.2	0.6	48	0.78	0.046	15
L13850E/13450N	Soil	0.7	11.9	12.8	64	0.2	13.7	10.6	794	2.10	37.4	2.9	5.7	35	0.2	1.8	0.4	55	0.58	0.049	14
REP L13850E/13450N	QC	0.7	12.0	12.4	64	0.1	14.2	10.8	774	2.14	36.1	4.9	5.5	35	0.2	1.8	0.4	52	0.54	0.047	14
L13950E/12725N	Soil	1.4	23.5	22.7	75	0.3	18.6	12.5	840	3.17	118.1	7.3	13.0	43	0.3	6.5	0.7	61	0.65	0.059	30
REP L13950E/12725N	QC	1.4	23.2	22.6	76	0.3	17.7	12.0	819	3.07	118.1	6.5	13.3	43	0.3	6.7	0.7	59	0.66	0.062	30
Reference Materials																					
STD DS10	Standard	13.8	149.5	148.8	341	1.9	70.5	12.7	839	2.66	43.8	71.4	7.7	63	2.7	10.0	12.9	44	1.04	0.071	17
STD DS10	Standard	13.7	149.1	149.2	345	1.9	69.8	12.5	833	2.65	45.1	78.0	8.1	68	2.9	10.2	13.2	42	1.01	0.073	18
STD DS10	Standard	14.2	164.4	152.1	359	2.0	75.2	12.6	893	2.82	45.5	82.3	8.0	69	2.8	9.9	13.1	46	1.08	0.076	19
STD DS10	Standard	13.8	146.0	149.8	340	1.9	71.6	12.0	859	2.74	44.9	76.1	8.2	69	2.7	9.8	13.3	43	1.03	0.073	18
STD DS10	Standard	13.2	154.4	157.4	378	1.9	73.4	12.1	875	2.79	47.1	106.0	8.0	69	2.8	10.8	13.9	43	1.01	0.076	18
STD DS10	Standard	14.8	156.4	151.2	357	1.9	75.5	13.0	900	2.88	44.4	85.4	7.5	72	2.5	9.4	11.7	47	1.04	0.079	19
STD DS10	Standard	14.5	150.8	149.5	359	1.9	72.8	12.8	856	2.80	44.9	90.6	8.4	70	2.8	10.0	13.2	43	1.04	0.075	19
STD DS10	Standard	15.0	155.2	147.9	369	1.8	74.2	12.5	897	3.00	44.9	65.1	7.8	71	2.5	9.2	11.8	44	1.07	0.074	19
STD DS10	Standard	14.3	141.0	144.1	354	1.9	70.0	12.1	862	2.72	44.5	75.7	7.6	74	2.5	9.7	13.0	42	1.05	0.077	19



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: Canadian Creek  
Report Date: July 22, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000251.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
Pulp Duplicates																	
L13550E/12275N	Soil	34	0.56	218	0.099	2	1.99	0.010	0.10	0.4	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
REP L13550E/12275N	QC	33	0.54	220	0.099	2	1.97	0.010	0.11	0.3	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
L13550E/13175N	Soil	35	0.64	175	0.099	1	2.01	0.015	0.07	0.3	0.03	5.8	0.2	<0.05	6	<0.5	<0.2
REP L13550E/13175N	QC	33	0.62	176	0.096	2	1.91	0.017	0.07	0.3	0.03	5.7	0.2	<0.05	6	<0.5	<0.2
L13650E/12550N	Soil	29	0.60	110	0.124	<1	1.71	0.014	0.12	0.1	0.04	4.5	0.3	<0.05	7	<0.5	<0.2
REP L13650E/12550N	QC	31	0.60	102	0.127	1	1.69	0.014	0.11	0.2	0.03	4.5	0.3	<0.05	7	<0.5	<0.2
L13650E/13450N	Soil	39	0.68	246	0.104	2	2.54	0.015	0.09	0.4	0.13	9.1	0.3	<0.05	7	0.9	<0.2
REP L13650E/13450N	QC	40	0.65	245	0.101	1	2.48	0.015	0.09	0.3	0.13	9.0	0.3	<0.05	7	0.8	<0.2
L13750E/12550N	Soil	35	0.70	187	0.118	2	1.95	0.026	0.10	0.2	0.08	6.6	0.3	<0.05	6	0.8	<0.2
REP L13750E/12550N	QC	36	0.70	192	0.123	2	2.01	0.018	0.10	0.3	0.09	6.8	0.3	<0.05	6	<0.5	<0.2
L13750E/13450N	Soil	30	0.54	132	0.093	<1	1.81	0.016	0.09	0.4	0.10	5.3	0.3	<0.05	6	<0.5	<0.2
REP L13750E/13450N	QC	29	0.56	131	0.092	<1	1.87	0.017	0.09	0.4	0.09	5.7	0.3	<0.05	6	<0.5	<0.2
L13850E/12525N	Soil	27	0.43	180	0.069	2	1.25	0.013	0.11	0.9	0.04	4.6	0.3	<0.05	4	<0.5	<0.2
REP L13850E/12525N	QC	27	0.44	180	0.071	2	1.26	0.013	0.11	0.8	0.04	4.3	0.3	<0.05	4	<0.5	<0.2
L13850E/13450N	Soil	26	0.47	157	0.077	2	1.44	0.013	0.06	0.3	0.05	4.2	0.2	<0.05	5	<0.5	<0.2
REP L13850E/13450N	QC	25	0.46	152	0.077	2	1.41	0.013	0.06	0.3	0.06	4.1	0.2	<0.05	5	<0.5	<0.2
L13950E/12725N	Soil	32	0.66	199	0.140	2	1.94	0.014	0.21	1.6	0.10	7.6	0.7	<0.05	9	<0.5	<0.2
REP L13950E/12725N	QC	32	0.66	200	0.140	<1	1.99	0.014	0.23	1.6	0.10	7.6	0.8	<0.05	9	<0.5	<0.2
Reference Materials																	
STD DS10	Standard	54	0.75	357	0.077	7	1.01	0.064	0.32	3.5	0.31	2.8	5.2	0.22	4	2.1	5.2
STD DS10	Standard	53	0.75	361	0.080	7	1.02	0.070	0.34	3.6	0.30	3.1	5.2	0.25	4	1.6	4.9
STD DS10	Standard	56	0.80	355	0.088	8	1.10	0.074	0.36	3.4	0.29	3.1	5.1	0.26	4	1.9	5.3
STD DS10	Standard	54	0.76	361	0.081	7	0.96	0.066	0.32	3.4	0.26	2.9	5.1	0.26	4	2.1	4.7
STD DS10	Standard	54	0.76	353	0.079	7	0.98	0.064	0.32	3.5	0.28	2.9	5.1	0.26	4	2.1	5.2
STD DS10	Standard	57	0.83	374	0.083	7	1.09	0.068	0.34	3.0	0.27	3.0	5.1	0.26	4	1.9	4.2
STD DS10	Standard	54	0.78	364	0.088	6	1.05	0.072	0.34	3.3	0.28	3.3	5.2	0.28	4	2.6	4.9
STD DS10	Standard	56	0.81	340	0.083	6	1.06	0.064	0.35	3.0	0.28	3.1	5.2	0.26	4	2.6	4.9
STD DS10	Standard	52	0.78	366	0.079	6	1.08	0.070	0.35	3.3	0.30	2.9	5.0	0.23	5	1.6	5.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: July 22, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000251.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.2	27.7	6.1	41	<0.1	75.1	19.5	386	2.84	0.7	191.3	1.8	164	<0.1	<0.1	<0.1	52	0.59	0.096	12
STD OXC129	Standard	1.1	29.1	6.4	41	<0.1	79.2	20.2	409	3.04	0.6	209.8	1.9	186	<0.1	<0.1	<0.1	51	0.70	0.098	13
STD OXC129	Standard	1.3	30.4	6.3	45	<0.1	80.9	20.5	424	3.11	0.6	207.3	1.8	180	<0.1	<0.1	<0.1	54	0.67	0.097	13
STD OXC129	Standard	1.2	29.5	6.4	44	<0.1	78.6	19.8	416	3.14	0.6	201.1	1.9	179	<0.1	<0.1	<0.1	54	0.66	0.101	12
STD OXC129	Standard	1.2	28.3	6.0	41	<0.1	75.4	19.7	391	2.96	<0.5	202.6	1.5	177	<0.1	<0.1	<0.1	49	0.60	0.098	12
STD OXC129	Standard	1.2	26.9	6.3	38	<0.1	80.2	20.6	429	3.26	<0.5	205.1	1.8	198	<0.1	<0.1	<0.1	52	0.73	0.103	12
STD OXC129	Standard	1.2	28.7	6.3	42	<0.1	77.7	19.5	404	2.99	<0.5	196.6	1.9	185	<0.1	<0.1	<0.1	52	0.70	0.095	13
STD OXC129	Standard	1.3	26.7	6.1	38	<0.1	77.7	20.1	413	3.20	1.0	209.2	1.8	193	<0.1	<0.1	<0.1	53	0.76	0.098	12
STD OXC129	Standard	1.2	24.9	5.9	39	<0.1	76.2	19.3	421	3.02	0.6	199.9	1.8	205	<0.1	<0.1	<0.1	50	0.73	0.101	12
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



# QUALITY CONTROL REPORT

WHI17000251.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	48	1.41	48	0.376	<1	1.39	0.554	0.32	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.53	54	0.383	<1	1.57	0.563	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	54	1.49	50	0.407	1	1.44	0.581	0.36	0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.54	49	0.413	1	1.49	0.565	0.39	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.52	50	0.384	<1	1.44	0.557	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.56	52	0.405	1	1.59	0.595	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	52	1.60	53	0.390	<1	1.59	0.587	0.37	<0.1	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.58	49	0.418	<1	1.60	0.595	0.37	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	49	1.54	51	0.379	1	1.58	0.591	0.37	<0.1	<0.01	1.5	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 07, 2017  
Report Date: July 22, 2017  
Page: 1 of 12

## CERTIFICATE OF ANALYSIS

WHI17000252.1

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs16-001  
P.O. Number  
Number of Samples: 320

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 2 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13950E/13375N	Soil	0.8	8.6	12.8	57	<0.1	12.8	7.0	229	2.55	36.9	2.7	4.3	15	<0.1	1.4	0.5	64	0.18	0.021	8
L13950E/13400N	Soil	0.9	9.6	12.6	77	<0.1	15.1	10.0	616	2.69	29.9	3.1	8.0	23	0.2	1.3	0.3	54	0.39	0.066	15
L13950E/13425N	Soil	0.9	13.9	14.7	72	0.2	15.6	12.5	781	2.59	26.2	2.4	7.2	41	0.2	5.4	0.3	52	0.69	0.063	32
L13950E/13450N	Soil	0.6	12.7	13.4	78	0.2	14.7	11.4	783	2.39	23.6	3.0	6.7	37	0.3	1.6	0.5	51	0.60	0.057	19
L13950E/13475N	Soil	0.8	12.2	15.3	64	0.1	15.4	12.8	782	2.59	46.2	3.7	6.3	34	0.1	15.6	0.4	60	0.52	0.052	15
L13950E/13500N	Soil	0.7	14.5	13.6	71	0.1	17.1	12.1	608	2.74	32.5	3.4	9.6	32	0.2	3.9	0.3	56	0.56	0.061	25
L13950E/13525N	Soil	0.8	23.2	17.3	82	0.2	21.7	12.7	633	3.06	52.3	9.0	9.1	39	0.2	2.0	0.5	59	0.62	0.065	34
L13950E/13550N	Soil	0.8	13.3	17.7	78	0.1	18.5	12.3	632	2.91	49.9	3.2	8.5	33	0.1	2.1	0.3	58	0.48	0.052	19
L13950E/13575N	Soil	1.0	17.0	15.6	76	0.2	19.6	13.3	914	2.98	30.3	15.1	8.8	38	0.3	1.1	0.5	58	0.57	0.063	28
L13950E/13600N	Soil	0.7	20.2	14.1	72	0.2	18.8	9.7	569	2.55	20.3	2.6	7.1	55	0.2	0.9	0.4	50	0.84	0.059	33
L13600E/11900N	Soil	2.6	31.7	9.2	80	0.1	30.9	15.6	586	4.31	38.7	1.0	8.3	29	0.2	14.3	0.4	135	0.36	0.024	13
L13600E/11925N	Soil	1.6	18.5	9.0	68	0.1	23.4	14.0	589	4.05	15.0	0.7	8.8	29	0.2	2.4	0.3	105	0.35	0.022	12
L13600E/11950N	Soil	2.5	21.8	10.0	79	0.2	35.4	12.6	426	3.73	23.7	0.8	3.5	24	0.3	2.1	0.2	121	0.23	0.023	8
L13600E/11975N	Soil	4.1	38.9	11.0	101	0.3	62.5	15.8	456	3.80	34.0	1.6	5.4	26	0.7	3.0	0.4	213	0.21	0.042	10
L13600E/12000N	Soil	3.3	30.1	11.0	71	0.2	34.1	12.3	434	3.75	61.2	1.3	7.5	18	<0.1	3.5	0.8	99	0.18	0.020	12
L13600E/12025N	Soil	3.9	21.1	13.8	55	0.3	19.6	10.3	382	3.17	24.8	1.1	9.6	22	0.2	1.5	1.5	76	0.25	0.020	9
L13600E/12050N	Soil	3.2	18.9	12.9	54	0.3	18.5	9.8	417	3.08	15.9	0.5	9.5	23	0.2	1.0	1.3	74	0.29	0.017	8
L13600E/12075N	Soil	6.6	14.8	18.7	62	0.2	11.6	8.1	549	2.95	38.8	<0.5	20.2	21	0.3	2.2	1.1	59	0.24	0.025	7
L13600E/12100N	Soil	4.3	21.5	16.7	67	0.5	23.0	9.6	475	3.36	14.1	<0.5	11.2	19	0.2	1.0	1.7	72	0.18	0.023	9
L13600E/12125N	Soil	3.7	18.3	39.6	55	1.1	15.5	7.5	308	2.87	11.2	<0.5	11.9	25	0.2	1.9	8.6	67	0.26	0.020	7
L13600E/12150N	Soil	1.6	17.3	14.2	48	0.9	21.3	9.5	297	3.36	10.9	0.6	4.8	21	0.2	0.8	1.3	76	0.19	0.017	8
L13600E/12175N	Soil	5.3	18.6	17.1	51	0.5	10.6	7.6	397	3.21	84.2	1.9	10.0	23	0.1	2.7	2.1	60	0.18	0.038	21
L13600E/12200N	Soil	1.9	19.1	15.5	55	0.5	19.7	13.6	2079	3.12	75.6	<0.5	8.2	23	0.3	2.8	1.1	66	0.22	0.024	11
L13600E/12225N	Soil	2.5	16.5	20.5	94	0.7	16.7	12.7	734	4.15	65.4	<0.5	12.5	20	0.4	4.5	2.1	65	0.17	0.027	11
L13600E/12250N	Soil	1.4	17.9	12.6	62	0.4	21.3	13.4	895	3.37	30.3	<0.5	7.8	26	<0.1	1.8	0.6	74	0.30	0.017	11
L13600E/12275N	Soil	1.5	14.9	16.2	98	0.2	21.1	12.8	669	4.82	96.9	43.8	11.6	23	<0.1	3.9	0.7	78	0.25	0.031	9
L13600E/12300N	Soil	1.1	27.5	9.3	69	<0.1	26.6	13.1	430	3.54	19.1	2.3	7.3	29	<0.1	1.0	0.4	77	0.35	0.050	19
L13600E/12325N	Soil	2.3	20.5	12.9	98	0.3	20.9	13.5	594	3.92	37.9	1.7	9.0	17	0.4	4.0	0.8	79	0.21	0.084	12
L13600E/12350N	Soil	1.0	25.5	14.4	71	0.1	28.0	13.7	403	3.56	162.8	10.6	13.1	21	0.2	57.4	0.2	69	0.27	0.066	40
L13600E/12375N	Soil	1.8	21.4	20.1	98	0.1	20.9	17.3	497	4.68	780.7	11.0	12.2	13	0.4	189.9	3.3	70	0.12	0.067	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 2 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L13950E/13375N	Soil	24	0.55	62	0.142	1	1.44	0.010	0.07	0.4	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
L13950E/13400N	Soil	27	0.62	118	0.132	2	1.41	0.014	0.12	0.5	0.03	5.0	0.2	<0.05	6	<0.5	<0.2
L13950E/13425N	Soil	28	0.55	163	0.091	2	1.56	0.014	0.12	0.2	0.07	6.0	0.2	<0.05	6	<0.5	<0.2
L13950E/13450N	Soil	27	0.56	159	0.089	2	1.61	0.015	0.09	0.3	0.04	5.0	0.2	<0.05	5	<0.5	<0.2
L13950E/13475N	Soil	30	0.60	144	0.096	2	1.68	0.014	0.07	0.4	0.06	5.1	0.2	<0.05	6	<0.5	<0.2
L13950E/13500N	Soil	31	0.62	146	0.118	3	1.62	0.016	0.13	0.6	0.05	6.2	0.2	<0.05	6	<0.5	<0.2
L13950E/13525N	Soil	36	0.64	200	0.110	2	1.93	0.013	0.14	0.4	0.08	7.1	0.2	<0.05	7	0.5	<0.2
L13950E/13550N	Soil	34	0.62	153	0.119	<1	1.73	0.012	0.12	0.6	0.05	5.4	0.3	<0.05	6	<0.5	<0.2
L13950E/13575N	Soil	35	0.63	173	0.110	2	1.88	0.013	0.16	1.0	0.05	6.7	0.3	<0.05	7	<0.5	<0.2
L13950E/13600N	Soil	30	0.58	191	0.097	3	1.69	0.015	0.15	0.6	0.07	5.8	0.3	<0.05	6	<0.5	<0.2
L13600E/11900N	Soil	44	0.89	576	0.229	2	2.38	0.015	0.61	0.2	0.02	7.9	0.5	<0.05	8	<0.5	<0.2
L13600E/11925N	Soil	35	0.82	618	0.235	2	2.34	0.014	0.44	0.2	0.02	5.6	0.4	<0.05	8	<0.5	<0.2
L13600E/11950N	Soil	49	0.73	449	0.156	<1	2.65	0.013	0.22	0.2	0.01	6.1	0.3	<0.05	9	<0.5	<0.2
L13600E/11975N	Soil	66	0.67	675	0.114	<1	2.16	0.012	0.19	0.4	0.02	6.3	0.3	<0.05	8	<0.5	<0.2
L13600E/12000N	Soil	52	0.72	290	0.140	<1	1.96	0.009	0.39	0.6	0.01	7.6	0.5	<0.05	7	<0.5	<0.2
L13600E/12025N	Soil	31	0.51	290	0.078	1	1.87	0.009	0.11	0.3	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
L13600E/12050N	Soil	29	0.51	313	0.091	<1	1.83	0.011	0.16	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
L13600E/12075N	Soil	17	0.32	240	0.039	1	1.41	0.009	0.16	0.4	0.02	2.7	0.3	<0.05	5	<0.5	<0.2
L13600E/12100N	Soil	34	0.60	262	0.117	1	2.43	0.008	0.17	0.3	0.02	4.7	0.3	<0.05	7	<0.5	<0.2
L13600E/12125N	Soil	25	0.40	201	0.037	<1	1.86	0.007	0.07	1.1	0.02	2.7	0.2	<0.05	6	<0.5	0.2
L13600E/12150N	Soil	35	0.50	218	0.074	<1	2.16	0.009	0.05	0.2	0.03	3.8	0.1	<0.05	7	<0.5	<0.2
L13600E/12175N	Soil	23	0.36	222	0.027	<1	1.44	0.006	0.10	0.3	0.03	3.4	0.2	<0.05	6	<0.5	<0.2
L13600E/12200N	Soil	29	0.43	386	0.064	1	1.85	0.010	0.13	0.9	0.03	4.7	0.3	<0.05	6	<0.5	<0.2
L13600E/12225N	Soil	30	0.71	268	0.148	<1	2.35	0.009	0.52	1.0	0.03	7.2	0.7	<0.05	10	<0.5	<0.2
L13600E/12250N	Soil	35	0.66	309	0.143	1	2.16	0.011	0.20	0.3	0.02	5.4	0.3	<0.05	7	<0.5	<0.2
L13600E/12275N	Soil	43	1.05	199	0.292	1	2.78	0.009	0.72	0.4	0.01	10.0	1.2	<0.05	13	<0.5	<0.2
L13600E/12300N	Soil	41	0.81	251	0.147	2	2.40	0.013	0.15	0.2	0.03	8.1	0.3	<0.05	7	<0.5	<0.2
L13600E/12325N	Soil	37	0.60	176	0.107	1	2.65	0.007	0.20	0.3	0.04	6.0	0.5	<0.05	8	<0.5	<0.2
L13600E/12350N	Soil	40	0.62	212	0.100	3	2.61	0.011	0.11	0.2	0.05	6.7	0.3	<0.05	7	<0.5	<0.2
L13600E/12375N	Soil	37	0.37	109	0.020	1	2.49	0.005	0.11	0.4	0.04	7.8	0.7	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 3 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13600E/12400N	Soil	2.1	14.2	16.0	66	0.2	18.4	8.6	326	3.59	32.6	0.9	5.7	26	0.2	1.2	0.3	82	0.34	0.055	8
L13600E/12425N	Soil	2.5	11.7	13.9	81	0.1	12.9	8.2	859	3.39	15.1	2.7	1.8	24	0.4	1.1	0.3	93	0.31	0.062	7
L13600E/12450N	Soil	1.5	16.6	11.4	73	0.1	21.9	10.0	344	3.41	14.3	4.6	3.7	17	0.2	0.9	0.5	81	0.20	0.038	8
L13600E/12475N	Soil	2.1	15.5	14.3	81	0.2	19.1	9.6	427	3.87	21.2	5.4	4.5	13	0.4	1.2	0.7	91	0.13	0.031	8
L13600E/12500N	Soil	3.0	15.8	12.8	84	<0.1	16.6	8.9	547	3.42	56.1	1.7	6.2	18	0.3	1.5	0.4	79	0.19	0.056	9
L13600E/12525N	Soil	1.7	15.2	11.8	69	0.2	19.7	9.4	310	3.52	21.1	2.3	2.7	13	0.5	0.8	0.3	92	0.14	0.038	7
L13600E/12550N	Soil	3.2	13.4	12.0	69	0.1	13.0	7.6	364	4.21	27.2	2.4	4.6	16	0.5	1.0	0.5	111	0.17	0.050	9
L13600E/12575N	Soil	1.8	17.9	11.8	83	0.1	24.0	11.8	664	3.86	14.9	1.7	2.9	16	0.7	0.8	0.3	94	0.17	0.036	10
L13600E/12600N	Soil	2.2	19.5	13.7	115	0.2	26.7	15.1	890	3.92	64.2	4.2	5.5	33	0.7	1.6	0.6	84	0.39	0.108	14
L13600E/12625N	Soil	1.9	14.8	12.8	80	0.1	20.0	9.8	329	4.10	63.9	2.6	6.1	14	0.2	1.1	0.5	101	0.18	0.058	14
L13600E/12650N	Soil	0.8	25.8	10.0	58	<0.1	28.9	11.9	292	3.18	38.5	5.7	5.6	23	0.1	0.9	0.2	75	0.25	0.027	12
L13600E/12675N	Soil	1.8	11.8	17.4	50	0.1	11.0	7.0	354	3.19	48.2	1.4	3.8	13	0.3	1.3	0.4	79	0.13	0.050	9
L13600E/12700N	Soil	1.1	20.9	14.1	60	<0.1	23.6	11.0	380	3.17	39.9	6.0	7.3	19	0.3	1.0	0.9	62	0.21	0.046	13
L14050E/12100N	Soil	4.3	41.6	9.3	95	0.4	24.8	9.6	466	2.98	44.9	5.3	6.5	60	0.5	8.5	0.5	105	1.09	0.089	26
L14050E/12125N	Soil	4.6	31.9	14.3	108	0.5	22.4	9.6	418	2.98	51.2	6.6	9.4	57	0.4	13.0	0.8	98	0.90	0.076	23
L14050E/12150N	Soil	5.1	27.0	13.6	109	0.4	22.8	11.0	527	3.49	75.5	7.8	9.5	47	0.3	10.1	0.5	103	0.77	0.069	27
L14050E/12175N	Soil	2.7	29.3	9.3	86	0.3	24.0	7.9	431	2.36	72.0	7.8	5.5	35	0.5	10.9	0.2	66	0.51	0.066	18
L14050E/12200N	Soil	3.3	33.0	9.5	90	0.6	29.4	12.6	696	3.01	42.9	5.8	4.9	46	0.6	6.7	0.2	85	0.69	0.070	23
L14050E/12225N	Soil	4.1	58.8	12.9	109	0.7	39.3	14.0	1138	2.97	91.4	16.8	3.9	81	1.2	14.0	0.2	84	1.25	0.074	21
L14050E/12250N	Soil	3.9	70.6	13.3	107	1.2	44.0	13.4	751	3.49	111.9	18.8	3.2	54	1.2	18.6	0.3	96	0.72	0.071	23
L14050E/12275N	Soil	3.8	47.2	12.6	132	0.5	41.3	18.2	1379	3.71	106.4	11.3	4.9	47	0.8	14.3	0.3	103	0.57	0.062	24
L14050E/12300N	Soil	2.8	33.6	10.6	104	0.2	29.1	10.0	342	3.33	70.6	10.3	3.6	19	0.3	7.6	0.2	103	0.21	0.035	11
L14050E/12325N	Soil	3.2	40.7	11.6	110	0.5	30.3	12.5	458	3.24	80.1	5.1	3.5	31	0.7	14.6	0.3	93	0.36	0.058	17
L14050E/12350N	Soil	3.1	30.4	11.5	87	0.1	24.9	8.8	302	3.42	99.9	3.1	3.6	23	0.4	25.2	0.3	93	0.27	0.051	11
L14050E/12375N	Soil	4.4	34.5	13.8	86	0.6	24.1	9.6	415	3.02	109.5	8.2	4.0	28	0.4	45.8	0.4	91	0.31	0.058	14
L14050E/12400N	Soil	4.9	38.0	13.2	87	0.4	26.2	8.0	286	3.39	150.8	16.1	4.5	27	0.4	40.3	0.5	99	0.30	0.056	12
L14050E/12425N	Soil	4.3	44.8	13.8	92	0.6	29.5	8.8	298	3.15	109.8	14.8	4.9	34	0.6	40.6	0.5	79	0.36	0.062	14
L14050E/12450N	Soil	3.6	48.3	14.2	93	0.8	35.4	13.4	483	3.46	96.6	14.0	4.8	25	1.1	29.3	0.5	84	0.28	0.079	14
L14050E/12475N	Soil	4.1	32.6	13.7	91	0.3	29.9	14.4	771	3.55	94.1	13.3	3.9	30	0.3	21.6	0.6	95	0.36	0.075	13
L14050E/12500N	Soil	4.0	37.2	14.2	93	0.5	33.2	10.5	396	3.69	101.4	8.0	4.5	31	0.5	15.8	0.6	100	0.38	0.058	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 3 of 12

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	MDL	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2		
L13600E/12400N	Soil	28	0.50	161	0.122	1	2.07	0.007	0.14	0.2	0.02	4.1	0.3	<0.05	9	<0.5	<0.2		
L13600E/12425N	Soil	24	0.26	158	0.077	1	1.36	0.008	0.06	0.1	0.02	2.2	0.1	<0.05	9	<0.5	<0.2		
L13600E/12450N	Soil	32	0.53	138	0.103	<1	2.14	0.009	0.07	0.2	0.02	3.7	0.2	<0.05	8	<0.5	<0.2		
L13600E/12475N	Soil	32	0.39	116	0.074	<1	2.08	0.008	0.06	0.2	0.02	3.3	0.2	<0.05	9	<0.5	<0.2		
L13600E/12500N	Soil	29	0.37	198	0.082	2	1.96	0.008	0.07	0.2	0.02	3.5	0.3	<0.05	7	<0.5	<0.2		
L13600E/12525N	Soil	32	0.38	130	0.079	<1	2.13	0.007	0.04	0.1	0.03	3.1	0.1	<0.05	9	<0.5	<0.2		
L13600E/12550N	Soil	29	0.43	133	0.149	3	1.99	0.009	0.08	0.2	0.02	4.1	0.2	<0.05	13	<0.5	<0.2		
L13600E/12575N	Soil	37	0.51	149	0.082	2	2.57	0.011	0.05	0.1	0.02	3.7	0.2	<0.05	8	0.6	<0.2		
L13600E/12600N	Soil	39	0.62	401	0.079	3	2.61	0.011	0.09	0.1	0.05	4.8	0.3	<0.05	8	<0.5	<0.2		
L13600E/12625N	Soil	38	0.57	142	0.138	3	2.25	0.009	0.12	0.2	0.02	5.0	0.4	<0.05	11	<0.5	<0.2		
L13600E/12650N	Soil	41	0.70	213	0.113	3	2.73	0.014	0.06	<0.1	0.04	6.6	0.2	<0.05	7	<0.5	<0.2		
L13600E/12675N	Soil	25	0.26	124	0.081	3	1.61	0.008	0.05	0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2		
L13600E/12700N	Soil	33	0.58	132	0.099	3	2.50	0.012	0.08	0.2	0.03	4.6	0.3	<0.05	6	<0.5	<0.2		
L14050E/12100N	Soil	35	0.73	523	0.126	4	1.70	0.013	0.32	0.9	0.08	7.8	0.4	<0.05	6	1.1	<0.2		
L14050E/12125N	Soil	38	0.73	476	0.112	4	1.96	0.015	0.27	0.6	0.13	8.5	0.4	<0.05	7	1.2	<0.2		
L14050E/12150N	Soil	41	0.82	517	0.155	2	2.11	0.017	0.37	0.8	0.12	9.6	0.5	<0.05	8	0.5	<0.2		
L14050E/12175N	Soil	29	0.43	325	0.080	2	1.21	0.012	0.20	0.9	0.08	5.0	0.4	<0.05	4	1.0	<0.2		
L14050E/12200N	Soil	40	0.62	426	0.117	2	1.87	0.014	0.22	0.6	0.11	7.4	0.5	<0.05	6	1.2	<0.2		
L14050E/12225N	Soil	42	0.57	767	0.078	3	1.90	0.013	0.18	0.7	0.20	7.8	0.6	0.08	6	4.0	<0.2		
L14050E/12250N	Soil	46	0.58	815	0.082	2	2.42	0.014	0.19	0.4	0.20	8.1	0.5	<0.05	7	1.6	<0.2		
L14050E/12275N	Soil	54	0.66	795	0.116	3	2.35	0.014	0.25	0.4	0.09	8.5	0.6	<0.05	7	0.8	<0.2		
L14050E/12300N	Soil	54	0.70	262	0.144	2	2.02	0.011	0.20	0.4	0.03	5.6	0.5	<0.05	7	0.7	<0.2		
L14050E/12325N	Soil	47	0.64	629	0.134	2	2.17	0.012	0.19	0.4	0.05	5.7	0.5	<0.05	8	0.6	<0.2		
L14050E/12350N	Soil	44	0.58	281	0.138	2	1.88	0.010	0.21	0.7	0.03	4.8	0.5	<0.05	7	1.1	<0.2		
L14050E/12375N	Soil	44	0.64	505	0.136	2	2.03	0.010	0.19	0.7	0.08	5.7	0.7	<0.05	8	<0.5	<0.2		
L14050E/12400N	Soil	46	0.66	448	0.125	1	2.30	0.009	0.15	0.6	0.11	6.1	0.7	<0.05	9	1.1	<0.2		
L14050E/12425N	Soil	43	0.60	463	0.106	2	2.21	0.012	0.16	0.5	0.16	6.0	0.8	<0.05	8	<0.5	<0.2		
L14050E/12450N	Soil	46	0.64	433	0.110	1	2.51	0.012	0.15	0.4	0.09	6.5	0.5	<0.05	8	0.6	<0.2		
L14050E/12475N	Soil	48	0.71	274	0.123	2	2.41	0.010	0.16	0.9	0.06	5.8	0.4	<0.05	9	0.7	<0.2		
L14050E/12500N	Soil	52	0.72	307	0.133	2	2.65	0.011	0.17	0.4	0.07	6.4	0.4	<0.05	10	0.7	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 4 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14050E/12525N	Soil	4.1	36.5	14.6	87	0.5	31.3	11.2	510	3.26	81.5	7.0	3.9	33	0.4	7.3	0.7	92	0.43	0.054	15
L14050E/12550N	Soil	6.0	35.8	14.8	88	0.6	29.1	10.9	518	3.20	93.9	7.3	4.3	32	0.6	4.1	0.6	101	0.41	0.061	16
L14050E/12575N	Soil	6.8	35.3	19.4	95	0.4	28.8	12.9	694	3.49	107.5	5.0	4.7	30	0.5	3.2	0.8	109	0.42	0.078	14
L14050E/12600N	Soil	6.1	43.0	13.2	91	0.5	28.8	15.3	614	3.35	105.7	10.2	6.3	29	0.5	3.0	0.6	98	0.32	0.076	19
L14050E/12625N	Soil	9.7	39.1	15.4	78	0.9	21.6	6.5	313	3.15	103.4	10.4	3.1	22	0.4	2.4	0.9	101	0.24	0.092	12
L14050E/12650N	Soil	12.2	59.7	16.3	87	0.7	29.8	7.4	274	3.22	112.7	15.1	4.6	25	0.5	4.0	0.8	107	0.25	0.069	16
L14050E/12675N	Soil	22.3	102.1	16.3	98	1.0	34.8	9.4	447	4.05	171.0	49.1	5.3	33	0.7	3.8	0.8	129	0.29	0.085	19
L14050E/12700N	Soil	33.3	70.3	19.6	97	0.8	29.9	8.1	380	3.59	192.5	32.2	6.5	30	0.5	2.8	1.1	114	0.30	0.076	22
L14050E/12725N	Soil	38.3	71.9	20.4	95	1.3	34.1	8.4	307	3.79	209.4	38.9	5.2	28	0.7	2.8	1.2	126	0.30	0.075	17
L14050E/12750N	Soil	65.9	39.2	34.8	76	1.5	26.5	8.2	387	4.10	334.5	52.9	3.3	20	0.7	2.9	1.7	119	0.19	0.062	13
L14050E/12775N	Soil	46.3	39.3	10.9	68	0.7	24.8	8.1	342	3.59	267.9	21.6	4.5	24	0.6	3.6	0.7	120	0.24	0.076	15
L14050E/12800N	Soil	20.3	29.2	11.7	73	0.6	28.5	10.3	466	3.82	231.7	4.6	4.5	24	0.2	2.6	0.5	97	0.28	0.071	15
L14050E/12825N	Soil	2.3	17.6	12.6	54	0.1	19.7	9.5	375	3.98	53.4	2.7	7.7	24	0.1	0.9	0.3	79	0.26	0.028	17
L14050E/12850N	Soil	2.1	20.8	14.5	64	<0.1	27.7	12.7	489	3.84	94.0	1.9	5.4	20	0.3	1.2	0.4	83	0.22	0.040	12
L14050E/12875N	Soil	3.1	47.6	14.4	109	0.2	51.8	18.2	576	5.04	262.0	5.9	4.9	23	0.6	1.5	0.5	158	0.26	0.078	19
L14050E/12900N	Soil	1.4	38.2	11.4	85	<0.1	44.1	18.5	639	4.02	147.7	3.0	6.0	19	0.3	1.4	0.3	107	0.30	0.080	20
L14050E/12925N	Soil	1.7	20.1	12.2	61	0.2	20.5	7.2	351	3.07	171.7	1.8	4.9	20	0.2	1.8	0.4	103	0.22	0.042	18
L14050E/12950N	Soil	1.2	13.0	16.8	50	<0.1	12.6	6.4	254	3.05	30.4	2.3	5.9	15	0.2	0.8	0.4	77	0.15	0.038	14
L14050E/12975N	Soil	0.8	15.9	15.7	65	<0.1	17.4	11.0	583	3.27	49.1	2.2	6.9	16	0.2	1.0	0.5	61	0.19	0.045	15
L14050E/13000N	Soil	0.6	20.9	13.7	60	0.1	20.2	9.8	394	3.13	41.1	5.4	10.4	24	<0.1	1.1	0.4	61	0.33	0.047	23
L14050E/13025N	Soil	0.7	24.1	21.1	79	0.2	19.3	10.9	411	3.43	62.0	4.5	17.8	29	0.3	1.5	0.5	59	0.46	0.055	40
L14050E/13050N	Soil	1.1	21.7	21.4	95	0.3	20.8	13.7	721	3.29	93.0	4.3	14.6	40	0.3	2.0	0.5	60	0.70	0.060	44
L14050E/13075N	Soil	1.3	26.6	19.2	75	0.3	26.2	10.0	546	2.92	199.3	11.3	8.9	45	0.3	4.7	0.5	63	0.62	0.056	27
L14050E/13100N	Soil	1.5	50.4	10.5	62	0.6	60.9	13.8	482	3.16	416.2	31.0	5.6	73	0.3	4.2	0.3	69	1.38	0.061	44
L14050E/13125N	Soil	2.4	26.0	14.4	84	0.2	32.9	11.5	413	4.07	82.9	3.0	4.3	14	0.3	2.3	0.4	125	0.15	0.048	10
L14050E/13150N	Soil	2.8	31.9	19.1	73	0.3	29.3	9.8	300	3.53	99.0	4.5	4.1	23	0.4	1.8	0.4	100	0.18	0.031	14
L14050E/13175N	Soil	1.8	21.8	14.5	70	0.1	23.2	8.8	397	3.18	35.3	1.8	3.0	29	0.2	0.9	0.3	96	0.17	0.043	9
L14050E/13200N	Soil	1.8	31.7	11.1	96	0.2	43.7	12.4	365	3.72	28.7	7.8	3.3	45	0.2	0.7	0.3	100	0.32	0.061	9
L14050E/13225N	Soil	1.6	22.1	11.1	72	0.3	17.4	5.9	344	2.62	8.9	7.0	1.9	15	0.3	0.6	0.3	84	0.09	0.049	6
L14050E/13250N	Soil	1.6	19.8	24.1	61	0.2	19.6	7.5	259	3.19	29.5	2.9	4.5	15	0.2	0.7	0.3	93	0.15	0.028	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 4 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	MDL	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2			
L14050E/12525N	Soil	46	0.63	261	0.124	2	2.31	0.012	0.18	0.4	0.05	5.6	0.5	<0.05	9	<0.5	<0.2		
L14050E/12550N	Soil	46	0.67	294	0.139	2	2.09	0.010	0.22	0.5	0.05	5.9	0.5	<0.05	9	<0.5	<0.2		
L14050E/12575N	Soil	49	0.65	307	0.137	2	2.15	0.010	0.22	0.7	0.04	5.7	0.5	<0.05	9	<0.5	<0.2		
L14050E/12600N	Soil	49	0.78	302	0.151	2	2.05	0.011	0.36	0.6	0.05	6.6	0.9	<0.05	8	0.7	<0.2		
L14050E/12625N	Soil	43	0.56	223	0.121	2	1.91	0.011	0.19	0.5	0.07	4.8	0.5	<0.05	10	1.0	0.2		
L14050E/12650N	Soil	46	0.63	264	0.137	2	1.99	0.011	0.19	1.0	0.05	5.9	0.7	<0.05	10	1.3	0.4		
L14050E/12675N	Soil	62	0.89	294	0.140	<1	2.46	0.012	0.33	1.0	0.09	7.5	0.9	0.08	10	1.6	0.7		
L14050E/12700N	Soil	52	0.81	247	0.141	2	1.96	0.012	0.30	1.4	0.06	7.1	1.1	0.09	8	0.9	0.6		
L14050E/12725N	Soil	56	0.73	228	0.121	2	2.62	0.009	0.15	0.9	0.11	6.7	1.0	<0.05	10	1.4	0.4		
L14050E/12750N	Soil	47	0.58	163	0.107	2	2.26	0.009	0.11	0.5	0.07	5.1	1.0	<0.05	10	1.0	0.7		
L14050E/12775N	Soil	47	0.67	237	0.106	1	2.17	0.010	0.14	0.5	0.05	5.9	0.7	0.06	10	<0.5	0.4		
L14050E/12800N	Soil	41	0.47	212	0.061	1	2.19	0.006	0.10	0.2	0.04	4.6	0.6	<0.05	9	<0.5	<0.2		
L14050E/12825N	Soil	34	0.64	170	0.133	1	2.43	0.008	0.10	0.2	0.03	5.2	0.4	<0.05	10	<0.5	<0.2		
L14050E/12850N	Soil	40	0.67	169	0.109	2	2.46	0.009	0.08	0.3	0.02	4.6	0.4	<0.05	8	<0.5	<0.2		
L14050E/12875N	Soil	89	1.25	354	0.247	1	2.98	0.009	0.46	1.7	0.03	8.4	0.8	<0.05	11	<0.5	<0.2		
L14050E/12900N	Soil	71	1.36	399	0.242	1	2.46	0.013	0.61	0.7	0.03	7.8	0.7	<0.05	8	<0.5	<0.2		
L14050E/12925N	Soil	43	0.70	213	0.165	1	1.92	0.009	0.24	0.8	0.03	5.9	0.5	<0.05	10	<0.5	<0.2		
L14050E/12950N	Soil	27	0.45	121	0.154	2	1.71	0.008	0.10	0.7	0.02	4.2	0.2	<0.05	10	<0.5	<0.2		
L14050E/12975N	Soil	32	0.66	110	0.139	3	1.95	0.010	0.14	1.9	0.04	5.1	0.4	<0.05	8	<0.5	<0.2		
L14050E/13000N	Soil	35	0.71	140	0.151	1	2.08	0.012	0.15	0.9	0.05	5.8	0.4	<0.05	8	<0.5	<0.2		
L14050E/13025N	Soil	35	0.79	147	0.161	2	2.01	0.015	0.25	0.3	0.08	8.3	0.9	<0.05	8	<0.5	<0.2		
L14050E/13050N	Soil	37	0.72	215	0.138	2	2.15	0.014	0.18	0.3	0.14	8.2	0.6	<0.05	8	<0.5	<0.2		
L14050E/13075N	Soil	38	0.62	241	0.110	2	1.76	0.014	0.14	0.4	0.18	7.2	0.6	<0.05	6	<0.5	<0.2		
L14050E/13100N	Soil	98	1.18	392	0.118	3	2.03	0.016	0.16	0.3	0.16	10.5	0.6	0.06	6	1.6	<0.2		
L14050E/13125N	Soil	68	1.05	174	0.201	1	2.82	0.010	0.11	0.6	0.02	7.4	0.2	<0.05	12	<0.5	<0.2		
L14050E/13150N	Soil	56	0.70	175	0.156	2	2.35	0.013	0.12	0.2	0.03	5.4	0.3	<0.05	11	<0.5	<0.2		
L14050E/13175N	Soil	57	0.86	166	0.225	1	1.98	0.014	0.27	0.5	0.04	6.3	0.2	<0.05	11	<0.5	<0.2		
L14050E/13200N	Soil	59	1.05	123	0.193	1	2.13	0.017	0.16	2.1	0.03	5.6	0.2	<0.05	9	<0.5	<0.2		
L14050E/13225N	Soil	34	0.34	98	0.142	1	1.24	0.014	0.16	0.3	0.05	3.3	0.2	<0.05	9	<0.5	<0.2		
L14050E/13250N	Soil	39	0.54	117	0.134	2	2.08	0.012	0.08	0.2	0.03	4.8	0.2	<0.05	9	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 5 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14050E/13325N	Soil	0.9	23.9	25.8	111	0.4	15.4	11.3	1059	3.00	35.9	3.0	6.0	13	0.4	1.8	0.3	67	0.12	0.034	12
L14050E/13350N	Soil	1.5	15.4	23.2	57	0.2	11.8	5.8	250	3.10	35.0	3.6	4.2	14	0.1	1.8	0.5	75	0.15	0.025	9
L14050E/13400N	Soil	1.3	10.8	17.4	69	0.2	14.3	11.9	790	2.49	27.2	2.8	7.0	29	0.2	1.2	0.4	57	0.44	0.057	22
L14050E/13425N	Soil	0.7	9.7	16.7	74	0.1	13.6	10.2	686	2.38	37.0	3.5	8.0	31	0.2	2.5	0.3	50	0.51	0.066	19
L14050E/13450N	Soil	0.7	9.7	12.1	67	0.1	12.5	10.9	700	2.30	23.5	2.7	6.9	31	0.2	1.9	0.4	50	0.48	0.063	19
L14050E/13475N	Soil	0.7	11.9	16.6	69	0.2	15.4	14.6	986	2.57	39.1	5.1	6.5	33	0.2	7.3	0.4	58	0.43	0.055	18
L14050E/13500N	Soil	0.8	14.6	13.1	65	0.1	16.1	11.0	714	2.47	28.3	3.1	6.6	44	0.3	3.3	0.3	51	0.70	0.057	26
L14150E/12250N	Soil	3.4	48.3	10.5	109	0.8	35.9	11.1	503	3.35	23.7	4.0	6.0	49	1.1	1.3	0.2	100	0.72	0.051	26
L14150E/12275N	Soil	2.8	29.4	9.5	88	0.4	33.0	12.7	410	3.78	33.0	2.3	5.8	29	0.5	2.6	0.2	102	0.35	0.037	15
L14150E/12300N	Soil	3.9	32.6	9.9	96	0.3	32.4	19.7	751	4.15	42.7	2.5	7.3	29	0.3	5.6	0.3	126	0.33	0.041	22
L14150E/12325N	Soil	4.5	39.6	9.1	95	0.8	35.6	12.3	619	3.47	28.0	5.3	5.0	37	0.4	4.1	0.2	108	0.47	0.031	17
L14150E/12350N	Soil	3.8	51.5	12.2	126	0.8	40.5	18.3	623	4.51	33.0	3.8	5.9	31	0.6	2.5	0.3	135	0.47	0.087	16
L14150E/12375N	Soil	3.2	50.6	13.6	76	0.6	28.8	16.0	602	3.12	45.5	4.8	4.5	39	0.8	7.9	0.2	82	0.50	0.052	26
L14150E/12400N	Soil	3.1	37.9	15.9	95	0.4	28.2	9.3	380	3.31	87.2	6.7	5.7	31	0.6	17.8	0.2	90	0.42	0.055	15
L14150E/12425N	Soil	2.8	43.0	13.2	113	0.3	32.3	10.6	451	3.50	78.1	6.0	6.3	31	0.4	11.5	0.2	114	0.56	0.082	15
L14150E/12450N	Soil	3.7	37.9	12.6	83	0.5	26.2	7.9	211	3.17	95.0	14.0	3.8	26	0.5	23.8	0.2	82	0.26	0.048	11
L14150E/12475N	Soil	4.6	40.9	13.3	75	0.6	22.6	7.4	207	2.89	65.6	6.7	2.7	28	1.0	212.6	0.3	91	0.27	0.064	12
L14150E/12500N	Soil	5.8	59.5	13.1	78	0.9	28.0	8.2	213	3.26	100.7	13.5	2.5	40	1.3	31.2	0.3	73	0.36	0.106	13
L14150E/12525N	Soil	3.8	44.0	11.3	82	0.5	25.5	10.9	350	3.35	48.0	3.0	2.6	40	0.4	7.2	0.3	91	0.40	0.063	14
L14150E/12550N	Soil	3.5	35.4	11.0	96	0.3	25.1	11.0	624	3.28	52.9	<0.5	2.7	34	0.4	10.0	0.3	93	0.33	0.081	11
L14150E/12575N	Soil	3.2	47.0	10.7	108	0.2	31.7	9.4	414	3.43	61.3	2.6	2.9	27	0.4	12.5	0.2	120	0.22	0.050	11
L14150E/12600N	Soil	3.4	46.2	13.1	108	0.2	37.0	13.2	576	4.17	70.2	7.7	3.2	26	0.4	6.0	0.3	118	0.28	0.080	12
L14150E/12625N	Soil	3.1	44.2	12.5	108	0.3	35.2	11.5	450	3.86	53.9	6.0	3.1	28	0.4	7.0	0.3	125	0.26	0.062	11
L14150E/12650N	Soil	2.4	25.7	11.1	68	0.4	22.4	8.1	300	2.95	44.7	4.2	2.9	24	0.4	2.1	0.2	79	0.24	0.051	11
L14150E/12675N	Soil	4.7	32.9	12.8	77	0.6	26.4	9.6	515	3.13	132.6	10.8	3.3	30	0.2	1.7	0.4	90	0.28	0.045	14
L14150E/12700N	Soil	6.4	32.5	13.5	42	0.7	18.8	6.4	336	2.49	87.1	6.4	2.9	25	0.5	1.2	0.7	81	0.23	0.039	14
L14150E/12725N	Soil	10.5	40.0	13.9	54	0.7	25.2	7.7	254	2.89	101.6	13.4	3.4	29	0.5	1.4	0.7	73	0.23	0.042	17
L14150E/12750N	Soil	9.0	31.1	12.9	71	0.4	30.8	9.0	363	3.21	119.6	9.7	3.0	31	0.6	1.4	0.7	83	0.29	0.043	11
L14150E/12775N	Soil	4.4	21.7	16.3	55	0.1	23.9	6.8	275	2.96	106.9	6.1	3.0	25	0.3	1.3	0.6	79	0.26	0.052	11
L14150E/12800N	Soil	4.1	17.3	11.0	35	0.3	14.0	4.9	151	2.42	41.7	6.5	2.4	20	0.2	0.8	0.3	74	0.22	0.028	10



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 5 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L14050E/13325N	Soil	27	0.32	117	0.075	1	1.80	0.016	0.09	<0.1	0.05	2.9	0.3	<0.05	8	<0.5	<0.2
L14050E/13350N	Soil	26	0.43	61	0.136	1	1.55	0.010	0.08	0.2	0.03	3.7	0.2	<0.05	9	<0.5	<0.2
L14050E/13400N	Soil	28	0.57	119	0.112	2	1.58	0.017	0.09	0.2	0.05	4.8	0.2	<0.05	7	<0.5	<0.2
L14050E/13425N	Soil	25	0.54	111	0.108	1	1.35	0.016	0.15	0.3	0.04	5.1	0.3	<0.05	6	<0.5	<0.2
L14050E/13450N	Soil	24	0.52	124	0.111	2	1.41	0.015	0.10	0.5	0.05	4.4	0.2	<0.05	5	<0.5	<0.2
L14050E/13475N	Soil	30	0.53	146	0.096	2	1.72	0.017	0.07	0.3	0.06	5.0	0.2	<0.05	6	<0.5	<0.2
L14050E/13500N	Soil	30	0.55	173	0.099	1	1.51	0.015	0.11	0.5	0.05	5.5	0.2	<0.05	5	<0.5	<0.2
L14150E/12250N	Soil	43	0.73	451	0.159	2	2.37	0.016	0.27	0.5	0.06	7.0	0.4	<0.05	8	0.6	<0.2
L14150E/12275N	Soil	54	0.81	296	0.199	1	2.25	0.016	0.31	0.5	0.03	6.8	0.4	<0.05	8	<0.5	<0.2
L14150E/12300N	Soil	58	0.90	305	0.226	2	2.65	0.016	0.41	0.4	0.04	8.1	0.5	<0.05	9	<0.5	<0.2
L14150E/12325N	Soil	59	0.76	326	0.168	1	2.42	0.016	0.22	0.3	0.05	7.2	0.4	<0.05	9	<0.5	<0.2
L14150E/12350N	Soil	58	0.95	286	0.216	2	2.65	0.018	0.46	0.4	0.05	9.2	0.6	<0.05	9	1.0	<0.2
L14150E/12375N	Soil	42	0.55	305	0.116	2	2.11	0.014	0.22	0.2	0.08	7.3	0.4	<0.05	7	0.7	<0.2
L14150E/12400N	Soil	46	0.61	346	0.116	1	1.95	0.012	0.22	0.3	0.10	6.4	0.7	<0.05	6	0.9	<0.2
L14150E/12425N	Soil	62	0.87	453	0.158	1	2.01	0.014	0.38	0.4	0.07	7.4	0.8	<0.05	7	1.6	<0.2
L14150E/12450N	Soil	46	0.56	622	0.095	2	2.40	0.014	0.18	0.2	0.21	6.5	0.5	<0.05	7	1.1	<0.2
L14150E/12475N	Soil	45	0.52	774	0.092	1	2.12	0.011	0.13	0.2	0.12	5.4	0.5	<0.05	8	0.8	<0.2
L14150E/12500N	Soil	43	0.49	1283	0.072	1	2.61	0.013	0.13	0.2	0.39	6.4	0.4	<0.05	8	2.2	<0.2
L14150E/12525N	Soil	46	0.60	778	0.105	2	2.64	0.015	0.16	0.3	0.09	6.8	0.4	<0.05	9	<0.5	<0.2
L14150E/12550N	Soil	53	0.68	697	0.134	2	2.08	0.015	0.21	0.4	0.04	6.0	0.4	<0.05	9	<0.5	<0.2
L14150E/12575N	Soil	65	0.85	545	0.168	2	2.33	0.015	0.24	0.6	0.03	6.8	0.5	<0.05	9	<0.5	<0.2
L14150E/12600N	Soil	62	0.87	379	0.175	1	2.68	0.012	0.25	0.5	0.03	6.5	0.6	<0.05	10	0.5	<0.2
L14150E/12625N	Soil	64	0.88	354	0.173	2	2.57	0.014	0.22	0.7	0.03	6.9	0.6	<0.05	10	0.6	<0.2
L14150E/12650N	Soil	39	0.61	254	0.143	1	1.84	0.013	0.17	0.3	0.03	4.5	0.4	<0.05	8	<0.5	<0.2
L14150E/12675N	Soil	42	0.66	325	0.133	<1	2.15	0.014	0.16	1.1	0.05	5.6	0.7	<0.05	9	<0.5	0.3
L14150E/12700N	Soil	29	0.39	183	0.093	1	1.78	0.012	0.08	0.4	0.04	4.4	0.5	<0.05	9	<0.5	<0.2
L14150E/12725N	Soil	36	0.43	246	0.092	2	2.44	0.017	0.09	0.6	0.08	5.4	0.5	<0.05	9	<0.5	0.3
L14150E/12750N	Soil	39	0.60	235	0.098	1	2.39	0.014	0.10	0.3	0.05	4.7	0.4	<0.05	9	<0.5	<0.2
L14150E/12775N	Soil	31	0.49	148	0.106	1	2.01	0.010	0.08	0.2	0.02	3.9	0.4	<0.05	10	<0.5	<0.2
L14150E/12800N	Soil	27	0.39	131	0.099	1	1.56	0.013	0.06	0.1	0.03	3.7	0.2	<0.05	9	<0.5	<0.2





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 6 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14150E/12825N	Soil	4.9	69.2	15.7	75	0.3	42.1	7.3	267	3.29	291.8	9.4	5.7	30	0.2	3.3	0.6	82	0.28	0.030	14
L14150E/12850N	Soil	4.2	23.4	10.1	54	0.7	25.6	11.1	293	3.37	56.8	5.8	3.0	23	0.3	0.9	0.3	87	0.21	0.035	9
L14150E/12875N	Soil	4.4	22.1	12.6	54	0.6	17.0	6.9	233	4.04	109.4	5.2	3.2	17	0.3	1.3	0.4	103	0.14	0.044	11
L14150E/12900N	Soil	2.1	25.6	11.4	62	<0.1	26.3	8.8	313	3.84	390.1	3.3	4.4	17	0.2	0.9	0.4	122	0.18	0.059	17
L14150E/12925N	Soil	3.6	32.2	9.5	77	0.2	14.0	3.7	523	2.97	36.5	1.0	1.4	15	0.3	0.5	0.3	115	0.06	0.040	16
L14150E/12950N	Soil	5.1	38.4	9.5	110	0.2	27.0	6.7	342	3.75	88.6	2.2	2.9	23	0.4	0.9	0.2	226	0.19	0.062	14
L14150E/12975N	Soil	2.7	60.8	8.7	121	0.2	36.3	11.9	446	3.91	72.0	3.8	4.9	29	0.7	1.0	0.2	94	0.29	0.081	18
L14150E/13000N	Soil	1.8	48.5	10.0	103	0.2	45.6	18.1	893	4.13	121.4	4.2	3.0	28	0.6	1.6	0.3	113	0.32	0.091	18
L14150E/13050N	Soil	1.9	31.8	13.8	94	0.4	31.2	14.3	712	2.95	39.1	5.5	6.2	49	0.3	4.6	0.4	71	0.92	0.067	31
L14150E/13075N	Soil	0.5	8.9	10.6	50	0.1	11.1	4.4	168	1.86	20.2	0.7	3.2	27	0.2	0.8	0.3	29	0.36	0.059	14
L14150E/13100N	Soil	2.5	19.4	16.9	84	0.3	21.9	13.6	667	2.96	210.2	9.3	10.1	51	0.3	5.1	0.5	64	0.94	0.061	25
L14150E/13125N	Soil	1.8	30.8	9.0	58	0.4	25.1	12.0	1498	1.99	62.4	5.4	2.6	107	0.8	2.1	0.2	42	1.98	0.079	27
L14150E/13175N	Soil	2.5	36.8	11.7	97	0.5	34.8	15.2	564	2.71	44.4	2.8	3.0	54	0.4	0.9	0.4	82	1.24	0.064	14
L14150E/13200N	Soil	1.7	39.5	6.7	51	0.5	26.6	12.3	412	1.76	13.5	4.5	1.2	79	0.5	0.6	0.2	45	1.60	0.075	16
L14150E/13225N	Soil	2.7	42.0	10.1	75	0.6	38.2	16.2	676	2.82	43.3	5.8	3.3	60	0.4	0.9	0.3	74	1.23	0.066	20
L14150E/13275N	Soil	2.4	27.7	10.9	134	0.2	37.3	20.1	844	3.74	37.0	11.6	5.1	41	0.2	1.1	0.4	112	0.60	0.085	15
L14150E/13325N	Soil	1.4	19.4	16.1	89	0.4	24.0	12.2	732	3.14	61.4	4.3	6.1	28	0.4	2.7	0.5	79	0.39	0.069	18
L14150E/13350N	Soil	1.0	14.6	29.0	67	0.3	15.1	10.1	625	2.66	35.3	5.3	11.9	31	0.2	2.0	0.5	47	0.44	0.056	52
L14150E/13450N	Soil	0.7	10.4	13.4	73	0.1	15.1	10.7	722	2.76	29.2	1.6	6.5	34	0.2	3.0	0.4	60	0.45	0.044	21
L14250E/12450N	Soil	1.5	23.0	7.5	70	0.2	32.4	12.0	414	3.09	20.1	1.2	4.0	35	0.3	1.4	0.2	73	0.52	0.044	16
L14250E/12475N	Soil	2.6	34.3	10.3	128	0.5	42.2	19.7	1047	4.25	255.3	2.2	5.3	33	0.7	35.9	0.3	112	0.41	0.131	13
L14250E/12500N	Soil	4.0	67.9	10.0	123	0.7	46.7	24.4	1031	3.98	21.7	10.3	4.7	33	0.6	1.5	0.2	122	0.36	0.066	23
L14250E/12525N	Soil	1.8	27.8	10.1	75	0.1	33.9	10.7	346	3.54	25.6	5.6	3.6	23	0.3	2.1	0.2	90	0.28	0.049	11
L14250E/12550N	Soil	2.1	36.1	12.5	67	0.4	27.9	10.1	304	3.46	73.8	7.5	3.7	24	0.2	5.4	0.2	88	0.20	0.034	11
L14250E/12575N	Soil	3.3	36.5	14.1	68	0.4	26.9	9.4	317	4.58	118.5	5.1	2.8	27	0.2	7.0	0.3	112	0.25	0.045	8
L14250E/12600N	Soil	2.4	22.7	13.1	75	0.6	19.7	8.5	408	4.65	61.2	1.0	2.6	19	0.3	2.7	0.2	114	0.21	0.073	8
L14250E/12625N	Soil	1.6	23.0	9.2	65	0.3	29.0	10.2	260	3.56	46.6	8.5	2.6	17	0.4	2.3	0.2	91	0.17	0.036	9
L14250E/12650N	Soil	1.7	13.4	10.8	80	0.2	12.1	5.0	350	2.55	43.9	0.7	1.7	27	0.7	3.3	0.2	75	0.26	0.073	7
L14250E/12675N	Soil	2.3	17.5	13.6	70	0.2	21.7	8.3	273	3.83	89.7	4.6	2.4	18	0.4	3.5	0.2	99	0.20	0.063	9
L14250E/12700N	Soil	2.6	26.9	9.7	83	0.2	21.5	6.3	272	2.85	33.6	1.4	2.4	18	0.5	21.8	0.2	121	0.15	0.056	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 6 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	MDL	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.5	0.2		
L14150E/12825N	Soil	38	0.61	203	0.085	1	2.54	0.009	0.08	0.3	0.03	4.7	0.7	<0.05	9	<0.5	<0.2		
L14150E/12850N	Soil	41	0.54	213	0.103	1	2.66	0.013	0.07	0.1	0.06	4.6	0.3	<0.05	9	<0.5	<0.2		
L14150E/12875N	Soil	39	0.42	122	0.093	<1	2.32	0.009	0.06	0.2	0.05	4.0	0.6	<0.05	11	<0.5	0.2		
L14150E/12900N	Soil	54	0.75	169	0.132	2	2.64	0.011	0.14	0.3	0.03	5.1	0.7	<0.05	9	<0.5	<0.2		
L14150E/12925N	Soil	69	0.97	312	0.165	2	1.80	0.012	0.76	0.4	0.03	4.8	0.4	<0.05	12	1.3	<0.2		
L14150E/12950N	Soil	54	0.87	301	0.161	<1	2.00	0.018	0.26	0.2	0.03	5.3	0.4	0.09	10	1.2	<0.2		
L14150E/12975N	Soil	50	0.92	352	0.153	1	2.19	0.020	0.39	0.3	0.05	6.0	0.7	0.09	7	0.6	<0.2		
L14150E/13000N	Soil	59	1.04	403	0.160	<1	2.49	0.017	0.30	0.3	0.05	8.1	0.7	<0.05	9	0.5	<0.2		
L14150E/13050N	Soil	41	0.75	178	0.118	1	1.96	0.020	0.17	1.0	0.09	7.7	0.5	<0.05	8	1.3	<0.2		
L14150E/13075N	Soil	23	0.44	95	0.088	3	1.37	0.016	0.08	0.4	0.09	4.3	0.3	<0.05	6	<0.5	<0.2		
L14150E/13100N	Soil	40	0.75	219	0.118	3	1.74	0.021	0.18	2.0	0.26	8.0	0.8	<0.05	7	0.6	<0.2		
L14150E/13125N	Soil	35	0.72	371	0.067	3	1.34	0.020	0.08	0.3	0.14	6.2	0.3	0.08	4	0.9	<0.2		
L14150E/13175N	Soil	53	0.79	287	0.111	2	2.00	0.018	0.22	0.4	0.08	6.6	0.4	<0.05	8	1.3	<0.2		
L14150E/13200N	Soil	36	0.53	276	0.068	2	1.33	0.018	0.10	0.3	0.09	4.6	0.2	0.09	5	1.1	<0.2		
L14150E/13225N	Soil	51	0.75	241	0.108	3	1.90	0.019	0.13	0.8	0.10	6.9	0.3	<0.05	8	1.0	<0.2		
L14150E/13275N	Soil	75	1.32	182	0.171	2	2.29	0.023	0.35	0.9	0.03	8.7	0.4	<0.05	11	0.6	<0.2		
L14150E/13325N	Soil	45	0.72	201	0.116	<1	1.95	0.019	0.14	0.2	0.08	7.1	0.5	<0.05	8	0.5	<0.2		
L14150E/13350N	Soil	29	0.52	163	0.094	2	1.69	0.018	0.12	0.3	0.08	6.3	0.3	<0.05	7	0.6	<0.2		
L14150E/13450N	Soil	30	0.61	151	0.113	1	1.72	0.018	0.09	0.3	0.04	5.6	0.2	<0.05	7	0.7	<0.2		
L14250E/12450N	Soil	47	0.73	270	0.138	2	2.21	0.020	0.13	0.3	0.01	5.3	0.2	<0.05	7	<0.5	<0.2		
L14250E/12475N	Soil	61	0.83	302	0.129	2	2.86	0.013	0.27	0.5	0.03	7.9	0.5	<0.05	10	0.6	<0.2		
L14250E/12500N	Soil	70	0.92	375	0.168	<1	2.66	0.018	0.19	0.3	0.06	10.0	0.4	<0.05	9	1.1	<0.2		
L14250E/12525N	Soil	49	0.75	183	0.128	1	2.25	0.011	0.17	0.2	0.02	5.3	0.3	<0.05	8	<0.5	<0.2		
L14250E/12550N	Soil	42	0.56	211	0.091	1	2.40	0.014	0.13	0.2	0.05	5.4	0.7	<0.05	7	<0.5	<0.2		
L14250E/12575N	Soil	47	0.60	248	0.074	4	2.56	0.010	0.16	0.2	0.04	4.6	0.8	<0.05	9	<0.5	<0.2		
L14250E/12600N	Soil	39	0.49	200	0.087	2	2.11	0.009	0.09	0.1	0.03	3.8	0.5	<0.05	10	<0.5	<0.2		
L14250E/12625N	Soil	41	0.62	179	0.088	2	2.42	0.009	0.07	0.2	0.04	4.0	0.3	<0.05	7	<0.5	<0.2		
L14250E/12650N	Soil	23	0.20	668	0.064	3	0.97	0.011	0.06	0.1	0.03	1.9	0.5	<0.05	7	<0.5	<0.2		
L14250E/12675N	Soil	37	0.45	280	0.070	2	2.27	0.010	0.06	0.1	0.05	3.4	0.6	<0.05	9	<0.5	<0.2		
L14250E/12700N	Soil	51	0.68	235	0.148	2	1.69	0.011	0.24	0.6	0.02	4.8	0.4	<0.05	8	0.9	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 7 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14250E/12725N	Soil	2.1	42.5	9.0	80	0.2	29.9	9.7	254	3.54	28.8	4.9	3.2	18	0.6	8.3	0.2	107	0.19	0.048	9
L14250E/12750N	Soil	3.0	15.3	13.9	27	0.6	7.0	2.2	66	1.39	12.5	6.8	0.9	14	0.5	0.8	0.5	50	0.08	0.037	9
L14250E/12775N	Soil	3.4	33.4	11.6	82	0.3	36.4	13.6	419	3.68	38.8	55.1	4.3	22	0.8	0.6	0.4	98	0.24	0.060	12
L14250E/12800N	Soil	3.2	30.6	11.7	82	0.5	31.9	11.4	350	3.57	45.1	20.2	2.3	31	1.5	0.7	0.7	94	0.40	0.069	10
L14250E/12825N	Soil	3.0	21.7	11.0	76	0.3	23.4	7.7	482	3.19	40.0	3.3	2.6	25	0.8	0.8	0.4	96	0.28	0.059	9
L14250E/12850N	Soil	5.3	22.7	15.1	57	0.2	15.7	5.5	223	3.14	69.9	3.0	2.5	16	0.4	0.9	0.5	116	0.11	0.052	9
L14250E/12875N	Soil	6.7	21.2	12.7	49	0.4	14.4	4.1	247	2.94	50.5	16.8	2.9	20	0.2	0.9	0.6	104	0.08	0.048	12
L14250E/12900N	Soil	5.6	20.5	15.7	59	0.3	17.0	8.6	444	4.33	201.8	4.9	2.8	11	0.4	1.0	0.5	115	0.08	0.087	10
L14250E/12925N	Soil	15.2	28.4	17.3	71	0.2	23.9	9.7	373	4.13	243.8	9.4	4.9	18	0.4	1.4	0.7	100	0.18	0.067	13
L14250E/12950N	Soil	39.2	26.2	13.2	62	0.7	33.3	8.4	205	4.71	375.2	6.1	3.8	13	0.4	0.8	0.5	116	0.15	0.044	12
L14250E/12975N	Soil	5.9	26.3	12.6	82	0.3	24.5	7.8	277	4.10	165.4	1.3	2.8	14	0.3	1.3	0.5	135	0.11	0.037	10
L14250E/13000N	Soil	4.2	66.0	14.9	284	0.4	59.3	11.7	367	4.50	248.1	4.5	4.3	18	0.6	2.8	0.4	206	0.16	0.077	12
L14250E/13025N	Soil	5.7	43.4	10.3	118	0.5	29.3	6.6	211	2.49	108.5	5.5	1.5	22	0.7	1.0	0.5	101	0.22	0.060	12
L14250E/13075N	Soil	3.1	40.8	10.5	91	0.4	40.9	14.4	533	3.59	98.9	2.0	2.4	23	0.7	0.9	0.3	103	0.24	0.057	12
L14250E/13125N	Soil	1.9	22.2	14.6	81	0.2	21.2	13.8	1156	2.85	119.8	6.8	6.6	62	0.2	2.6	0.4	61	1.31	0.067	23
L14250E/13150N	Soil	2.2	16.4	12.6	65	0.2	17.8	9.9	609	2.36	83.1	4.8	5.2	47	0.1	1.9	0.3	57	0.90	0.053	18
L14250E/13175N	Soil	2.9	33.5	12.7	112	0.4	34.1	15.9	871	3.18	77.3	4.1	3.5	47	0.5	1.5	0.3	93	0.94	0.064	17
L14250E/13225N	Soil	2.5	29.3	12.6	78	0.4	32.7	13.6	432	2.96	23.6	4.7	2.7	38	0.2	0.5	0.3	78	0.65	0.080	11
L14250E/13250N	Soil	2.1	27.1	11.5	69	0.3	31.9	14.0	484	2.89	21.7	2.3	2.4	33	0.1	0.5	0.3	79	0.43	0.053	10
L14250E/13275N	Soil	2.2	45.1	12.1	109	0.4	45.5	19.8	691	4.36	27.6	3.0	3.0	59	0.3	0.5	0.3	120	0.46	0.074	12
L14250E/13325N	Soil	2.0	28.4	12.2	107	0.2	34.8	15.8	894	3.70	50.5	3.5	5.6	32	0.3	1.6	0.3	111	0.53	0.085	20
L14250E/13350N	Soil	0.8	9.4	11.8	48	<0.1	11.6	7.9	553	2.09	30.9	<0.5	7.8	24	0.2	2.2	0.4	39	0.40	0.046	23
L14350E/12650N	Soil	2.3	31.7	11.9	99	0.2	33.6	12.1	388	3.72	69.3	4.1	3.7	20	0.2	4.9	0.2	100	0.23	0.069	10
L14350E/12675N	Soil	2.2	19.8	15.6	59	0.2	23.6	11.1	225	4.07	80.4	3.8	2.6	17	0.5	3.9	0.2	95	0.16	0.048	8
L14350E/12700N	Soil	3.3	36.1	12.5	101	0.3	25.8	12.5	488	3.60	63.0	3.1	3.4	22	0.3	19.8	0.2	102	0.20	0.066	9
L14350E/12725N	Soil	5.3	33.5	13.2	91	0.4	27.5	9.9	303	4.40	79.8	3.0	2.5	20	0.7	7.9	0.3	134	0.16	0.083	9
L14350E/12750N	Soil	4.5	33.2	22.0	112	0.4	24.9	12.7	471	3.92	73.5	4.8	3.6	28	0.7	2.0	0.6	138	0.22	0.187	11
L14350E/12775N	Soil	4.4	39.3	16.2	137	0.4	35.7	15.4	664	4.64	96.8	12.4	3.6	25	1.2	1.4	0.9	124	0.18	0.165	11
L14350E/12800N	Soil	10.4	41.9	25.1	130	0.5	39.3	13.5	358	4.10	131.1	52.3	3.5	27	0.7	0.9	0.9	115	0.15	0.071	12
L14350E/12825N	Soil	5.9	63.8	16.8	159	0.6	54.9	19.8	454	4.89	135.1	61.3	3.6	31	0.7	1.0	0.6	127	0.21	0.096	12



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 7 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
			1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L14250E/12725N	Soil		44	0.67	201	0.109	3	2.34	0.012	0.08	0.3	0.05	4.6	0.3	<0.05	7	0.7	<0.2
L14250E/12750N	Soil		16	0.09	115	0.071	3	0.62	0.007	0.06	0.6	0.02	1.3	0.2	<0.05	5	<0.5	0.2
L14250E/12775N	Soil		48	0.76	165	0.134	2	2.26	0.013	0.15	0.9	0.03	5.0	0.3	<0.05	8	<0.5	0.2
L14250E/12800N	Soil		42	0.65	156	0.116	3	2.09	0.012	0.18	3.5	0.03	3.8	0.3	<0.05	8	<0.5	0.4
L14250E/12825N	Soil		36	0.51	225	0.119	2	1.62	0.012	0.13	0.5	0.02	3.5	0.2	<0.05	8	<0.5	<0.2
L14250E/12850N	Soil		34	0.43	163	0.140	2	1.44	0.012	0.13	0.7	0.01	3.1	0.4	<0.05	11	<0.5	0.2
L14250E/12875N	Soil		43	0.57	148	0.142	2	1.49	0.014	0.33	1.3	0.03	3.7	0.5	0.11	9	<0.5	0.5
L14250E/12900N	Soil		40	0.42	81	0.122	2	1.71	0.009	0.09	0.3	0.03	3.2	0.4	<0.05	10	0.7	<0.2
L14250E/12925N	Soil		43	0.56	133	0.129	2	2.03	0.010	0.12	0.6	0.05	4.0	0.8	0.05	9	1.1	0.3
L14250E/12950N	Soil		48	0.42	101	0.099	<1	2.75	0.010	0.13	0.4	0.07	4.0	1.1	<0.05	10	<0.5	<0.2
L14250E/12975N	Soil		42	0.49	140	0.148	1	1.74	0.010	0.12	0.3	0.04	3.6	1.0	<0.05	11	1.0	<0.2
L14250E/13000N	Soil		69	1.20	506	0.165	1	2.64	0.014	0.44	0.6	0.05	7.9	2.0	0.16	9	2.8	<0.2
L14250E/13025N	Soil		57	0.68	376	0.106	2	1.54	0.014	0.27	0.4	0.10	4.1	0.6	0.08	7	2.9	<0.2
L14250E/13075N	Soil		44	0.59	245	0.112	2	2.06	0.014	0.11	0.2	0.07	4.6	0.4	<0.05	8	1.0	<0.2
L14250E/13125N	Soil		36	0.72	229	0.100	4	1.52	0.021	0.14	0.4	0.15	6.4	0.5	0.08	6	0.7	<0.2
L14250E/13150N	Soil		34	0.65	174	0.096	4	1.39	0.020	0.10	0.8	0.13	5.2	0.4	<0.05	6	1.1	<0.2
L14250E/13175N	Soil		71	1.01	242	0.135	3	1.96	0.019	0.27	0.3	0.07	9.1	0.5	0.08	9	1.0	<0.2
L14250E/13225N	Soil		77	0.98	274	0.138	2	2.15	0.018	0.23	0.5	0.05	7.2	0.3	0.05	8	1.0	<0.2
L14250E/13250N	Soil		68	0.98	294	0.145	2	2.16	0.018	0.32	0.9	0.04	7.1	0.3	<0.05	9	1.1	<0.2
L14250E/13275N	Soil		103	1.43	458	0.225	2	3.18	0.018	0.45	0.5	0.03	12.5	0.4	<0.05	12	<0.5	<0.2
L14250E/13325N	Soil		75	1.07	290	0.172	2	2.11	0.023	0.29	1.0	0.03	8.4	0.4	<0.05	9	<0.5	<0.2
L14250E/13350N	Soil		19	0.37	113	0.068	2	1.15	0.010	0.12	0.7	0.02	3.3	0.2	<0.05	4	<0.5	<0.2
L14350E/12650N	Soil		50	0.70	245	0.116	1	1.96	0.010	0.13	0.2	0.05	4.3	0.6	<0.05	8	<0.5	<0.2
L14350E/12675N	Soil		40	0.49	211	0.089	<1	2.44	0.008	0.07	0.2	0.05	3.5	0.4	<0.05	9	<0.5	<0.2
L14350E/12700N	Soil		45	0.60	301	0.102	1	2.01	0.012	0.14	0.4	0.05	4.2	0.7	0.08	6	1.2	<0.2
L14350E/12725N	Soil		54	0.65	285	0.102	2	2.49	0.010	0.10	0.5	0.06	4.4	0.4	0.05	9	0.8	<0.2
L14350E/12750N	Soil		57	0.74	319	0.145	<1	2.17	0.021	0.26	1.1	0.03	5.3	0.6	0.11	10	1.4	0.2
L14350E/12775N	Soil		59	0.82	275	0.154	1	2.43	0.015	0.26	1.8	0.02	5.5	0.5	0.10	10	1.0	0.3
L14350E/12800N	Soil		53	0.81	209	0.154	<1	2.19	0.015	0.23	2.3	0.02	5.4	0.5	0.09	9	1.0	0.7
L14350E/12825N	Soil		62	0.87	333	0.159	2	2.62	0.019	0.35	1.3	0.03	5.7	0.6	0.15	10	1.7	0.4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.001	1		
L14350E/12850N	Soil		4.6	42.1	16.8	138	0.4	42.2	11.9	494	4.34	85.8	10.9	3.6	31	0.7	1.2	0.7	125	0.14	0.056	11
L14350E/12875N	Soil		7.9	24.4	19.4	69	0.3	20.9	6.2	258	4.02	189.3	8.1	4.3	19	0.2	1.4	0.7	150	0.09	0.060	13
L14350E/12925N	Soil		2.6	15.0	14.2	73	0.3	17.1	6.0	217	4.16	63.5	1.5	2.5	10	0.1	1.0	0.4	112	0.11	0.041	8
L14350E/12950N	Soil		3.5	35.1	14.1	165	0.2	51.7	14.3	562	3.77	50.5	5.1	3.5	22	0.8	0.6	0.4	82	0.24	0.046	9
L14350E/12975N	Soil		20.0	78.8	14.3	135	2.0	38.4	20.9	564	4.89	137.7	107.5	5.7	58	0.5	1.0	1.9	133	0.16	0.086	14
L14350E/13000N	Soil		12.0	36.5	13.5	81	0.4	26.7	12.4	418	4.86	210.9	20.0	4.1	22	0.4	0.7	0.9	122	0.16	0.064	11
L14350E/13025N	Soil		18.9	49.3	12.2	140	0.5	35.0	13.5	632	3.58	166.2	19.0	4.2	35	0.5	0.8	0.9	112	0.28	0.106	13
L14350E/13050N	Soil		4.5	22.4	14.1	68	0.5	15.7	4.6	170	2.38	155.9	6.8	3.5	16	0.3	0.7	0.4	87	0.15	0.035	11
L14350E/13100N	Soil		5.6	33.1	14.4	109	0.3	37.6	15.7	655	4.58	175.7	10.8	2.9	25	0.3	1.0	0.7	161	0.22	0.064	10
L14350E/13125N	Soil		3.5	29.8	9.8	121	0.4	40.9	19.8	799	3.72	51.0	4.4	2.7	31	0.3	0.5	0.3	126	0.32	0.060	10
L14350E/13150N	Soil		1.8	17.8	13.0	78	0.2	19.8	11.3	774	2.62	78.0	2.6	5.3	55	0.4	2.1	0.4	62	1.09	0.056	19
L14350E/13175N	Soil		1.9	11.1	10.0	67	0.2	16.6	8.8	505	2.17	46.6	4.9	4.1	40	0.1	1.2	0.3	59	0.79	0.046	13
L14350E/13200N	Soil		0.8	13.1	10.5	68	0.3	15.6	5.2	202	1.84	22.2	3.1	2.7	32	0.1	0.6	0.2	45	0.54	0.053	10
L14350E/13225N	Soil		1.3	18.2	10.1	79	0.2	26.0	10.0	269	2.93	81.7	5.6	3.9	32	0.1	1.1	0.3	78	0.48	0.074	12
L14350E/13250N	Soil		0.7	16.1	17.0	64	0.2	18.1	11.6	690	2.98	20.0	3.8	8.9	38	0.2	0.7	0.4	60	0.65	0.048	36
L8100W/12450N	Soil		2.2	22.7	9.8	59	0.2	17.7	10.4	764	3.12	42.5	10.1	2.1	34	0.3	0.8	1.3	62	0.36	0.087	17
L8100W/12475N	Soil		2.0	18.5	9.6	50	0.2	13.6	12.2	572	2.82	84.5	17.9	6.6	23	0.1	1.5	2.1	57	0.31	0.075	20
L8100W/12500N	Soil		2.1	22.0	13.8	62	0.2	15.1	7.2	643	2.99	114.8	16.9	1.9	27	0.2	1.5	2.7	55	0.25	0.083	24
L8100W/12525N	Soil		1.7	29.4	14.0	72	0.2	22.4	9.9	487	3.12	101.7	14.2	4.7	22	0.3	1.1	1.0	60	0.23	0.060	30
L8100W/12550N	Soil		2.7	35.1	22.5	69	1.4	22.1	7.7	332	3.31	290.1	17.5	4.6	29	0.2	1.9	1.9	61	0.30	0.114	65
L8100W/12575N	Soil		4.9	76.8	30.6	116	1.3	40.5	22.2	1130	5.00	295.4	25.4	10.3	32	0.3	3.2	3.0	74	0.39	0.090	88
L8100W/12600N	Soil		2.8	38.9	17.5	81	0.6	23.9	7.3	726	2.89	188.0	12.8	1.6	42	0.8	2.2	3.2	56	0.50	0.138	37
L8100W/12625N	Soil		1.9	41.2	23.6	77	0.5	19.1	6.2	211	3.82	691.8	49.0	5.8	32	0.3	4.6	5.5	60	0.30	0.070	37
L8100W/12650N	Soil		2.1	46.6	27.7	107	0.8	22.6	10.0	964	3.86	536.0	52.8	5.9	51	0.5	4.1	5.6	56	0.55	0.110	49
L8100W/12675N	Soil		2.5	34.7	24.3	69	0.9	15.6	14.4	1964	3.00	539.7	46.8	2.5	44	0.4	3.3	4.9	47	0.45	0.166	42
L8100W/12700N	Soil		2.3	62.1	31.2	119	1.5	32.1	16.5	1014	4.36	840.7	64.0	7.7	45	0.3	3.6	5.2	70	0.46	0.139	61
L8100W/12725N	Soil		1.9	34.4	23.6	118	0.6	21.5	9.0	680	3.60	596.9	23.7	4.4	33	0.5	2.9	3.3	58	0.32	0.095	30
L8100W/12750N	Soil		1.6	20.4	15.0	65	0.2	13.3	5.3	291	2.47	266.5	11.4	2.6	25	0.4	1.7	1.8	51	0.24	0.059	15
L8100W/12775N	Soil		1.5	34.0	36.2	68	0.7	9.9	4.8	353	2.91	645.6	34.4	23.5	23	0.3	3.0	3.3	31	0.21	0.057	55
L8100W/12800N	Soil		1.8	23.3	16.5	110	0.5	20.5	7.9	460	2.72	176.8	6.6	1.0	30	0.7	1.1	1.3	56	0.30	0.081	13





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L14350E/12850N	Soil	67	0.96	331	0.187	1	2.39	0.015	0.31	1.7	0.03	5.9	0.5	0.09	10	0.8	0.4
L14350E/12875N	Soil	43	0.54	139	0.172	1	1.77	0.010	0.12	1.2	0.03	3.8	0.7	<0.05	12	<0.5	0.3
L14350E/12925N	Soil	34	0.27	100	0.088	<1	1.97	0.006	0.04	0.4	0.03	2.8	0.3	<0.05	10	<0.5	<0.2
L14350E/12950N	Soil	41	0.56	227	0.106	<1	2.73	0.011	0.09	0.4	0.06	3.7	0.3	<0.05	8	<0.5	<0.2
L14350E/12975N	Soil	58	0.71	675	0.148	2	2.21	0.029	0.32	8.3	0.06	5.4	0.6	0.28	10	2.0	0.9
L14350E/13000N	Soil	47	0.64	245	0.159	2	2.27	0.020	0.17	0.9	0.05	4.5	0.6	0.08	11	0.8	0.6
L14350E/13025N	Soil	44	0.69	631	0.131	2	1.57	0.027	0.24	3.4	0.04	4.7	0.8	0.15	8	1.4	0.2
L14350E/13050N	Soil	33	0.43	125	0.100	<1	1.45	0.012	0.07	0.3	0.08	3.2	0.7	<0.05	8	0.9	<0.2
L14350E/13100N	Soil	69	0.95	215	0.207	2	2.45	0.016	0.28	0.5	0.04	7.7	0.5	<0.05	12	0.8	<0.2
L14350E/13125N	Soil	97	1.34	465	0.218	<1	2.74	0.027	0.48	0.3	0.02	9.6	0.5	0.05	12	<0.5	<0.2
L14350E/13150N	Soil	35	0.68	212	0.098	3	1.50	0.020	0.11	0.4	0.13	5.7	0.4	<0.05	6	0.5	<0.2
L14350E/13175N	Soil	35	0.67	190	0.106	<1	1.40	0.021	0.10	0.8	0.08	4.7	0.2	<0.05	6	<0.5	<0.2
L14350E/13200N	Soil	44	0.68	126	0.113	1	1.42	0.018	0.09	0.3	0.09	5.4	0.3	<0.05	7	<0.5	<0.2
L14350E/13225N	Soil	48	0.79	173	0.143	2	1.82	0.035	0.20	0.7	0.04	5.7	0.5	<0.05	7	<0.5	<0.2
L14350E/13250N	Soil	34	0.62	169	0.122	2	1.97	0.016	0.16	0.3	0.07	6.4	0.3	<0.05	7	<0.5	<0.2
L8100W/12450N	Soil	34	0.65	222	0.071	<1	2.22	0.016	0.07	0.4	0.04	3.9	0.2	<0.05	7	<0.5	<0.2
L8100W/12475N	Soil	25	0.61	193	0.090	1	1.91	0.013	0.08	1.4	0.03	4.3	0.3	<0.05	6	<0.5	<0.2
L8100W/12500N	Soil	29	0.52	166	0.048	1	2.02	0.012	0.07	0.3	0.04	3.1	0.2	<0.05	7	<0.5	0.3
L8100W/12525N	Soil	32	0.62	119	0.078	1	2.06	0.012	0.10	0.3	0.04	4.5	0.2	<0.05	7	<0.5	<0.2
L8100W/12550N	Soil	38	0.53	182	0.035	1	2.70	0.012	0.10	1.4	0.10	5.9	0.3	0.09	9	0.7	<0.2
L8100W/12575N	Soil	50	0.72	243	0.044	1	3.71	0.011	0.11	0.6	0.09	9.0	0.3	<0.05	10	<0.5	<0.2
L8100W/12600N	Soil	36	0.52	276	0.023	<1	2.49	0.012	0.08	0.3	0.09	3.4	0.3	0.09	8	<0.5	<0.2
L8100W/12625N	Soil	33	0.61	192	0.038	2	2.43	0.012	0.08	0.4	0.06	4.8	0.4	<0.05	9	<0.5	0.5
L8100W/12650N	Soil	34	0.58	274	0.026	1	2.97	0.011	0.10	0.4	0.09	5.5	0.3	0.07	9	<0.5	0.4
L8100W/12675N	Soil	30	0.48	233	0.017	1	2.15	0.011	0.08	0.3	0.11	3.9	0.4	0.12	7	<0.5	0.3
L8100W/12700N	Soil	43	0.66	312	0.030	<1	3.94	0.013	0.13	0.2	0.11	7.3	0.4	0.09	11	0.6	<0.2
L8100W/12725N	Soil	33	0.58	216	0.042	<1	2.28	0.014	0.13	0.3	0.07	4.0	0.2	0.07	8	<0.5	0.2
L8100W/12750N	Soil	23	0.39	112	0.056	<1	1.21	0.012	0.09	0.5	0.05	2.5	0.2	<0.05	6	0.5	<0.2
L8100W/12775N	Soil	15	0.35	130	0.027	<1	1.39	0.006	0.11	0.2	0.03	3.1	0.2	<0.05	4	<0.5	<0.2
L8100W/12800N	Soil	32	0.49	161	0.046	<1	1.58	0.018	0.08	0.2	0.05	2.6	0.2	0.08	7	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: July 22, 2017

Page: 9 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L8100W/12825N	Soil	1.3	24.2	34.4	128	0.4	16.7	8.4	412	3.04	331.8	14.4	7.9	23	0.8	2.4	2.4	49	0.23	0.053	24
L8100W/12850N	Soil	1.1	33.9	37.6	134	0.6	11.1	9.3	1144	2.25	437.6	20.2	6.3	25	1.2	4.2	2.2	26	0.30	0.074	33
L8100W/12875N	Soil	0.8	13.0	17.4	184	0.2	12.3	5.9	547	2.55	138.2	5.7	9.1	25	1.2	1.7	0.7	37	0.34	0.063	23
L8100W/12900N	Soil	0.7	14.8	27.0	153	0.3	14.9	7.0	288	2.26	157.2	12.0	13.1	23	1.0	2.0	0.7	46	0.32	0.052	28
L8100W/12925N	Soil	0.6	14.4	37.1	169	0.4	11.7	7.0	224	2.33	310.0	27.6	12.9	19	0.8	3.8	0.8	49	0.30	0.059	26
L8100W/12950N	Soil	0.4	9.7	40.0	190	0.2	11.7	7.3	232	2.45	42.7	4.0	11.3	22	0.5	1.7	0.3	51	0.35	0.055	26
L8100W/12975N	Soil	0.6	17.2	37.7	213	0.4	15.3	9.5	384	2.20	40.5	15.6	11.4	26	1.0	2.7	1.0	58	0.36	0.053	24
L8100W/13000N	Soil	0.7	16.9	78.6	214	0.8	11.6	10.5	285	3.25	231.8	9.0	14.0	19	0.8	2.5	0.8	57	0.25	0.058	35
L8100W/13025N	Soil	0.5	8.3	86.5	179	1.1	9.2	6.8	287	2.05	57.4	5.7	8.8	25	0.9	2.8	0.4	44	0.30	0.049	20
L8100W/13050N	Soil	0.9	10.0	50.1	94	1.3	7.8	14.0	2437	2.44	59.7	10.2	3.0	24	1.1	1.6	0.3	32	0.30	0.137	24
L8100W/13075N	Soil	0.6	8.8	82.8	359	0.6	11.6	11.2	1177	2.74	127.0	4.6	14.1	30	1.2	2.2	0.3	50	0.33	0.056	26
L8100W/13100N	Soil	0.5	12.7	37.9	178	0.3	13.1	7.5	249	2.42	7.8	2.3	13.5	45	0.8	1.3	0.2	49	0.38	0.063	31
L7700W/12525N	Soil	2.0	33.3	12.6	51	0.1	17.6	10.0	505	2.70	63.4	13.9	3.7	66	0.2	2.2	1.4	47	0.39	0.067	19
L7700W/12550N	Soil	1.2	26.6	10.5	49	0.2	17.6	9.5	456	2.54	57.3	12.9	2.2	82	0.3	1.4	1.5	50	0.41	0.070	17
L7700W/12575N	Soil	2.6	42.6	12.4	51	0.3	14.1	10.6	520	2.89	93.2	25.9	7.5	56	0.1	2.3	3.6	47	0.45	0.063	24
L7700W/12600N	Soil	0.7	26.0	9.4	53	0.1	16.4	10.0	432	2.66	35.4	19.3	4.8	208	0.2	1.2	0.9	51	0.39	0.060	17
L7700W/12625N	Soil	0.6	23.3	10.4	58	0.4	15.3	8.6	441	2.47	44.2	9.6	6.3	52	0.3	1.2	1.4	48	0.36	0.061	20
L7700W/12650N	Soil	0.8	25.1	13.5	61	0.1	16.0	7.4	370	2.84	105.1	29.5	4.5	25	0.2	1.4	5.9	58	0.24	0.049	13
L7700W/12675N	Soil	0.7	27.3	9.1	57	0.1	21.0	8.6	364	2.72	56.1	14.5	6.1	28	0.3	1.3	1.2	68	0.39	0.072	22
L7700W/12700N	Soil	0.9	25.2	22.5	103	0.1	19.1	9.8	640	2.98	141.2	10.2	9.0	37	0.3	1.3	2.2	53	0.23	0.065	21
L7700W/12725N	Soil	1.1	21.6	14.2	76	0.1	22.3	11.2	537	3.00	105.2	6.8	6.8	22	0.4	1.7	1.1	56	0.24	0.061	17
L7700W/12750N	Soil	1.1	21.0	13.1	70	0.1	18.7	8.7	543	2.84	115.0	5.6	4.8	30	0.1	1.1	1.3	57	0.26	0.081	23
L7700W/12775N	Soil	0.7	23.7	17.1	73	0.2	22.8	9.4	432	2.93	190.0	32.1	6.0	29	0.2	3.3	3.7	61	0.29	0.064	16
L7700W/12800N	Soil	1.0	25.9	30.2	89	0.2	22.3	10.0	491	2.96	106.4	6.4	5.6	23	0.3	1.4	1.7	62	0.28	0.087	24
L7700W/12825N	Soil	0.9	28.8	10.5	93	<0.1	18.0	8.6	405	2.62	145.0	4.2	4.2	20	0.3	1.0	1.2	50	0.20	0.064	14
L7700W/12850N	Soil	1.1	37.1	25.5	99	0.7	15.2	7.7	470	4.44	1565.8	54.7	9.4	55	0.3	4.7	5.1	39	0.21	0.060	40
L7700W/12875N	Soil	0.7	31.3	59.2	154	0.9	11.3	7.1	614	3.79	853.1	79.0	11.5	111	0.7	9.3	21.4	34	0.38	0.066	29
L7700W/12900N	Soil	1.4	49.0	31.4	78	1.1	15.3	6.9	467	3.58	1655.9	109.9	3.3	57	0.2	3.4	13.7	46	0.40	0.092	35
L7700W/12925N	Soil	0.6	25.8	13.8	75	0.3	21.9	8.8	453	2.89	592.7	17.1	8.2	28	0.2	1.6	2.0	62	0.34	0.068	20
L7700W/12950N	Soil	1.3	33.6	32.8	97	0.7	16.0	8.2	589	3.64	1520.2	42.7	6.2	40	0.3	4.2	5.8	49	0.24	0.067	30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 9 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2			
L8100W/12825N	Soil	31	0.48	121	0.042	2	1.79	0.010	0.08	0.3	0.05	3.1	0.3	<0.05	6	<0.5	<0.2		
L8100W/12850N	Soil	16	0.31	137	0.023	<1	1.26	0.012	0.10	0.4	0.08	2.4	0.3	0.06	4	<0.5	<0.2		
L8100W/12875N	Soil	22	0.49	138	0.049	1	1.63	0.011	0.09	0.3	0.04	3.3	0.2	<0.05	6	<0.5	<0.2		
L8100W/12900N	Soil	28	0.57	188	0.084	<1	2.04	0.013	0.10	0.2	0.05	5.3	0.4	<0.05	7	<0.5	<0.2		
L8100W/12925N	Soil	23	0.59	199	0.071	<1	2.18	0.013	0.13	0.2	0.07	4.9	0.5	<0.05	7	<0.5	<0.2		
L8100W/12950N	Soil	25	0.65	172	0.090	<1	2.06	0.013	0.08	0.2	0.03	4.6	0.3	<0.05	8	<0.5	<0.2		
L8100W/12975N	Soil	29	0.63	192	0.112	2	2.06	0.015	0.10	0.2	0.07	4.7	0.3	<0.05	7	<0.5	<0.2		
L8100W/13000N	Soil	25	0.55	169	0.062	2	2.22	0.012	0.10	0.2	0.07	5.6	0.4	<0.05	7	<0.5	<0.2		
L8100W/13025N	Soil	20	0.56	202	0.059	2	2.08	0.013	0.08	0.1	0.04	4.2	0.3	<0.05	7	<0.5	<0.2		
L8100W/13050N	Soil	33	0.29	221	0.014	2	1.67	0.009	0.05	0.1	0.16	3.6	0.7	0.06	6	<0.5	<0.2		
L8100W/13075N	Soil	26	0.60	174	0.087	2	2.12	0.011	0.11	0.1	0.04	4.3	0.4	<0.05	7	<0.5	<0.2		
L8100W/13100N	Soil	28	0.69	179	0.097	<1	2.27	0.013	0.12	0.2	0.04	5.6	0.3	<0.05	8	<0.5	<0.2		
L7700W/12525N	Soil	23	0.61	332	0.021	<1	2.59	0.018	0.07	0.2	0.06	3.4	0.2	<0.05	7	1.0	0.2		
L7700W/12550N	Soil	24	0.49	228	0.040	1	1.96	0.021	0.07	0.3	0.05	2.9	0.1	<0.05	6	0.6	<0.2		
L7700W/12575N	Soil	21	0.60	291	0.047	2	2.25	0.025	0.10	0.4	0.03	5.0	0.2	<0.05	7	<0.5	0.3		
L7700W/12600N	Soil	24	0.58	486	0.061	1	2.33	0.024	0.08	0.4	0.03	3.5	0.2	<0.05	7	<0.5	<0.2		
L7700W/12625N	Soil	23	0.55	209	0.071	<1	1.67	0.020	0.08	0.4	0.03	3.7	0.1	<0.05	6	<0.5	<0.2		
L7700W/12650N	Soil	27	0.47	95	0.087	2	1.38	0.014	0.08	0.6	0.03	3.1	0.2	<0.05	7	<0.5	0.3		
L7700W/12675N	Soil	31	0.57	112	0.110	2	1.65	0.021	0.07	0.4	0.04	4.0	0.1	<0.05	5	<0.5	<0.2		
L7700W/12700N	Soil	28	0.66	145	0.091	<1	2.24	0.011	0.12	0.2	0.03	4.5	0.3	<0.05	8	<0.5	<0.2		
L7700W/12725N	Soil	29	0.61	117	0.078	2	2.34	0.012	0.08	0.3	0.05	4.2	0.2	<0.05	7	<0.5	<0.2		
L7700W/12750N	Soil	27	0.56	118	0.075	2	1.74	0.017	0.11	0.5	0.04	3.7	0.2	<0.05	6	0.7	<0.2		
L7700W/12775N	Soil	30	0.55	121	0.092	1	1.84	0.017	0.10	0.5	0.05	3.8	0.2	<0.05	5	0.6	<0.2		
L7700W/12800N	Soil	30	0.55	124	0.088	2	1.95	0.014	0.09	0.6	0.04	4.1	0.2	<0.05	6	0.8	<0.2		
L7700W/12825N	Soil	25	0.52	114	0.082	2	1.76	0.019	0.09	0.2	0.04	3.4	0.2	<0.05	6	<0.5	<0.2		
L7700W/12850N	Soil	21	0.42	163	0.043	2	1.55	0.021	0.23	0.6	0.10	3.8	0.4	0.31	6	0.5	<0.2		
L7700W/12875N	Soil	18	0.58	334	0.041	1	2.20	0.050	0.41	0.4	0.08	3.9	0.5	0.56	8	<0.5	1.5		
L7700W/12900N	Soil	25	0.52	250	0.022	2	2.34	0.023	0.21	0.4	0.12	3.7	0.4	0.27	8	<0.5	0.7		
L7700W/12925N	Soil	29	0.65	137	0.102	2	1.82	0.018	0.13	0.4	0.04	4.2	0.2	<0.05	6	<0.5	<0.2		
L7700W/12950N	Soil	25	0.51	203	0.040	3	2.04	0.017	0.22	0.2	0.07	4.2	0.5	0.16	7	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 10 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L7700W/12975N	Soil	0.9	23.7	10.7	68	0.2	18.8	7.8	390	3.05	385.4	8.5	5.1	33	0.2	2.4	0.9	55	0.31	0.079	17
L7700W/13000N	Soil	2.3	40.3	90.7	166	2.5	14.5	7.5	690	4.35	2135.7	39.0	5.3	66	0.6	7.9	10.2	48	0.57	0.153	39
L7700W/13025N	Soil	1.0	26.9	47.5	105	1.2	14.3	7.4	452	3.34	1237.3	23.0	4.9	40	0.2	5.3	6.5	57	0.25	0.052	21
L7700W/13050N	Soil	0.7	23.8	18.6	89	0.3	20.0	9.1	485	2.77	323.5	10.6	6.6	49	0.5	1.4	1.0	59	0.35	0.078	18
L7500W/12525N	Soil	2.4	30.2	14.6	41	0.4	14.0	6.6	295	2.84	80.5	12.9	2.7	44	0.1	2.0	3.0	55	0.22	0.060	15
L7500W/12550N	Soil	2.9	34.4	18.0	61	0.2	20.2	9.6	431	3.79	83.2	15.4	6.1	26	0.3	1.6	3.2	74	0.20	0.055	21
L7500W/12575N	Soil	2.3	34.1	17.0	70	0.2	20.1	10.2	500	3.47	87.2	13.1	5.8	27	0.1	1.4	3.4	70	0.26	0.062	18
L7500W/12600N	Soil	2.4	42.8	28.6	70	0.6	20.9	9.2	465	3.92	213.7	36.0	6.7	41	0.4	2.4	17.3	61	0.23	0.074	38
L7500W/12625N	Soil	3.2	53.0	37.8	72	0.9	18.1	8.3	463	4.33	342.1	41.3	5.5	48	0.3	3.1	36.5	56	0.20	0.095	38
L7500W/12650N	Soil	2.6	42.3	23.4	58	0.5	15.7	7.7	400	3.60	182.7	89.1	7.7	37	0.1	2.3	22.4	57	0.18	0.060	29
L7500W/12675N	Soil	2.1	35.0	27.8	70	0.5	16.8	8.2	476	3.92	453.3	28.5	2.2	31	0.2	3.5	46.7	64	0.17	0.076	19
L7500W/12700N	Soil	1.8	57.8	30.8	70	1.6	17.8	8.4	512	3.76	1112.4	143.7	5.3	48	0.3	5.0	43.1	52	0.37	0.087	33
L7500W/12725N	Soil	2.5	26.7	9.9	60	0.2	25.1	10.5	455	2.93	40.1	5.8	5.3	25	0.3	0.7	1.8	66	0.30	0.045	16
L7500W/12750N	Soil	1.9	95.3	89.0	99	2.9	18.1	8.6	461	5.55	803.2	283.0	5.2	40	0.6	18.3	187.2	52	0.21	0.088	32
L7500W/12775N	Soil	1.0	62.7	29.7	79	0.6	20.7	9.1	411	4.07	789.4	57.2	8.5	39	0.2	3.6	21.1	57	0.28	0.059	27
L7500W/12800N	Soil	1.4	64.4	26.7	61	1.1	16.7	7.5	385	3.75	712.2	28.4	4.4	44	0.2	2.1	31.4	53	0.22	0.070	21
L7500W/12825N	Soil	0.9	57.9	11.1	64	0.4	21.8	8.3	304	2.58	433.1	23.0	5.6	26	0.2	1.4	7.0	55	0.31	0.084	17
L7500W/12850N	Soil	1.1	32.6	11.1	65	<0.1	21.2	8.9	464	3.11	245.2	6.8	2.2	20	0.2	1.0	4.2	69	0.18	0.051	14
L7500W/12875N	Soil	0.7	28.1	9.7	65	<0.1	31.8	11.1	436	2.97	154.6	4.1	3.4	21	0.1	0.7	1.8	66	0.22	0.047	12
L7500W/12900N	Soil	1.1	29.6	16.9	113	0.2	19.5	10.6	1013	3.03	176.8	6.6	6.0	21	0.4	1.2	1.5	57	0.22	0.079	74
L7500W/12925N	Soil	1.1	26.6	20.2	180	0.3	17.0	8.6	651	2.79	220.2	13.1	4.5	60	0.6	1.4	2.3	48	0.29	0.078	41
L7500W/12950N	Soil	1.1	14.5	147.7	232	0.3	9.6	7.0	645	2.16	78.1	4.0	8.0	31	1.0	1.0	0.3	32	0.38	0.063	19
L7500W/12975N	Soil	1.5	21.9	16.4	84	<0.1	19.8	10.8	539	2.99	17.3	2.8	5.3	28	0.4	0.7	0.3	71	0.26	0.069	18
L7500W/13000N	Soil	1.2	22.1	9.2	64	<0.1	21.5	10.6	515	2.97	15.9	1.4	5.5	41	0.2	0.6	0.4	68	0.36	0.074	19
L7500W/13025N	Soil	0.9	23.0	14.5	75	<0.1	20.8	11.1	554	2.97	40.8	3.5	6.9	38	0.2	0.7	0.5	61	0.38	0.080	23
L7500W/13050N	Soil	1.1	24.2	14.7	127	0.1	21.4	9.4	413	2.94	52.4	6.4	3.2	28	1.1	0.6	0.3	73	0.35	0.087	13
L7900W/12450N	Soil	2.7	38.6	10.0	67	0.2	22.8	10.9	428	3.27	59.6	17.0	2.8	34	0.3	1.0	2.7	73	0.36	0.074	18
L7900W/12475N	Soil	1.9	38.2	10.1	71	0.2	21.1	11.2	499	3.14	66.5	14.9	5.5	34	0.3	1.2	3.1	70	0.41	0.071	18
L7900W/12500N	Soil	1.7	35.9	11.3	71	0.2	17.0	14.2	680	3.75	158.3	13.6	3.5	33	0.4	1.6	3.5	88	0.31	0.087	23
L7900W/12525N	Soil	3.7	41.7	14.2	72	0.2	17.8	11.5	564	3.03	176.4	91.7	11.0	47	0.4	2.5	4.5	55	0.40	0.078	35



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 10 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L7700W/12975N	Soil			27	0.58	125	0.088	2	1.77	0.015	0.13	0.3	0.06	3.9	0.3	<0.05	6	<0.5	<0.2
L7700W/13000N	Soil			27	0.44	322	0.009	3	2.75	0.014	0.23	0.4	0.13	4.2	0.5	0.27	8	<0.5	<0.2
L7700W/13025N	Soil			26	0.51	232	0.046	1	2.08	0.016	0.17	0.2	0.06	4.0	0.4	0.09	7	<0.5	<0.2
L7700W/13050N	Soil			28	0.56	209	0.098	1	1.83	0.021	0.12	0.5	0.04	4.4	0.2	<0.05	5	<0.5	<0.2
L7500W/12525N	Soil			24	0.49	142	0.042	1	1.95	0.015	0.09	2.5	0.06	2.7	0.2	<0.05	7	<0.5	0.4
L7500W/12550N	Soil			34	0.56	113	0.081	2	2.26	0.013	0.11	0.6	0.05	3.8	0.2	<0.05	9	1.1	0.2
L7500W/12575N	Soil			32	0.59	115	0.089	2	2.07	0.013	0.11	0.7	0.05	3.8	0.2	<0.05	9	<0.5	0.4
L7500W/12600N	Soil			32	0.61	205	0.055	2	2.36	0.023	0.21	0.9	0.06	4.4	0.3	0.21	9	<0.5	1.1
L7500W/12625N	Soil			34	0.50	231	0.035	2	2.11	0.030	0.29	0.9	0.06	3.7	0.4	0.37	9	<0.5	1.6
L7500W/12650N	Soil			27	0.48	152	0.068	2	1.84	0.020	0.19	1.1	0.05	3.6	0.3	0.16	8	<0.5	1.0
L7500W/12675N	Soil			31	0.48	174	0.043	3	2.07	0.020	0.19	0.9	0.05	3.0	0.3	0.20	9	0.7	1.2
L7500W/12700N	Soil			27	0.49	241	0.041	2	2.14	0.034	0.25	0.9	0.07	3.9	0.3	0.31	7	1.6	2.2
L7500W/12725N	Soil			31	0.67	146	0.117	4	2.10	0.018	0.08	0.5	0.03	4.6	0.2	<0.05	7	0.8	<0.2
L7500W/12750N	Soil			30	0.41	259	0.022	3	2.15	0.029	0.51	1.3	0.14	3.5	0.7	0.82	8	1.2	3.3
L7500W/12775N	Soil			32	0.59	190	0.061	3	2.07	0.019	0.21	0.6	0.05	4.2	0.3	0.20	7	0.6	1.0
L7500W/12800N	Soil			26	0.41	163	0.046	2	1.75	0.022	0.21	0.6	0.07	3.2	0.3	0.27	6	0.5	0.4
L7500W/12825N	Soil			29	0.61	176	0.075	<1	2.20	0.015	0.08	0.8	0.05	4.6	0.1	<0.05	6	<0.5	<0.2
L7500W/12850N	Soil			33	0.57	99	0.088	1	2.03	0.012	0.09	0.2	0.05	3.6	0.2	<0.05	7	0.7	<0.2
L7500W/12875N	Soil			34	0.68	111	0.104	2	2.37	0.016	0.08	0.3	0.04	4.6	0.1	<0.05	6	<0.5	<0.2
L7500W/12900N	Soil			30	0.56	96	0.066	2	2.12	0.013	0.10	0.5	0.08	4.9	0.3	0.05	7	0.5	0.2
L7500W/12925N	Soil			25	0.40	125	0.046	2	1.76	0.019	0.12	0.4	0.06	3.9	0.3	0.14	6	0.8	0.2
L7500W/12950N	Soil			13	0.63	282	0.022	<1	2.11	0.018	0.09	<0.1	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
L7500W/12975N	Soil			29	0.65	154	0.074	2	2.20	0.014	0.07	0.2	0.07	4.0	0.2	<0.05	7	<0.5	<0.2
L7500W/13000N	Soil			30	0.67	206	0.115	2	2.09	0.019	0.11	0.2	0.05	4.3	0.2	<0.05	7	<0.5	<0.2
L7500W/13025N	Soil			29	0.72	186	0.115	2	2.13	0.020	0.13	0.2	0.04	4.7	0.3	<0.05	7	<0.5	<0.2
L7500W/13050N	Soil			30	0.62	141	0.114	1	1.85	0.016	0.09	0.2	0.04	3.9	0.2	<0.05	6	0.5	<0.2
L7900W/12450N	Soil			34	0.67	234	0.096	3	2.37	0.017	0.13	4.0	0.03	4.9	0.3	<0.05	7	<0.5	0.2
L7900W/12475N	Soil			32	0.71	232	0.116	3	2.33	0.020	0.13	2.0	0.03	5.2	0.2	<0.05	7	<0.5	<0.2
L7900W/12500N	Soil			33	0.82	248	0.112	2	2.50	0.015	0.11	0.5	0.04	5.0	0.4	0.06	8	1.3	0.3
L7900W/12525N	Soil			29	0.59	154	0.072	2	1.93	0.014	0.12	1.6	0.02	5.2	0.3	<0.05	6	<0.5	0.4





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 11 of 12

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000252.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L7900W/12550N	Soil	0.9	25.9	10.8	63	<0.1	23.4	11.0	410	3.15	99.8	35.4	5.8	22	0.3	1.0	1.6	62	0.22	0.043	14
L7900W/12575N	Soil	1.1	28.4	12.1	65	0.1	22.8	12.4	488	3.33	93.3	56.5	6.8	21	0.2	1.3	1.8	68	0.26	0.057	19
L7900W/12600N	Soil	1.1	40.7	15.3	68	0.1	25.5	12.7	446	3.33	369.9	20.2	8.4	23	0.2	2.4	1.9	62	0.26	0.063	23
L7900W/12625N	Soil	1.7	63.7	13.2	71	0.4	32.1	12.7	391	3.87	180.7	14.6	6.3	19	0.2	2.4	1.8	78	0.25	0.078	22
L7900W/12650N	Soil	2.5	70.9	17.1	111	0.3	46.7	23.2	820	4.28	476.8	19.5	6.6	41	0.5	4.4	5.4	81	0.38	0.079	23
L7900W/12675N	Soil	1.0	48.0	11.0	71	0.1	24.9	12.8	473	3.32	94.9	8.1	6.4	25	0.2	2.1	2.2	67	0.33	0.085	19
L7900W/12700N	Soil	0.8	38.7	20.0	60	0.3	17.4	6.5	325	2.37	98.7	39.1	8.2	26	0.2	3.0	3.8	51	0.32	0.074	21
L7900W/12725N	Soil	1.4	47.8	32.9	58	1.1	8.1	4.3	247	3.75	966.6	409.8	12.3	60	0.2	10.0	18.9	31	0.17	0.058	37
L7900W/12750N	Soil	1.2	29.3	23.4	70	0.8	16.7	8.5	249	3.26	512.3	94.3	11.5	31	0.2	4.3	10.2	57	0.32	0.074	31
L7900W/12775N	Soil	0.9	32.3	14.3	63	0.3	16.9	6.8	206	3.19	250.3	97.0	11.6	31	0.2	3.6	7.0	58	0.35	0.076	27
L7900W/12800N	Soil	1.9	44.1	24.5	65	0.9	15.8	6.4	362	3.65	747.3	113.9	7.9	41	0.1	5.4	13.6	52	0.31	0.068	22
L7900W/12825N	Soil	1.8	35.5	27.8	69	0.9	14.4	6.0	307	3.43	1034.0	91.1	9.4	43	0.2	6.2	12.1	43	0.28	0.071	26
L7900W/12850N	Soil	1.6	38.2	45.3	68	1.9	16.8	5.0	177	4.00	1223.2	125.2	5.2	31	0.2	6.1	17.1	54	0.29	0.108	34
L7900W/12875N	Soil	1.1	27.3	19.9	85	0.6	16.5	8.1	522	3.25	614.0	33.0	8.5	34	0.3	2.7	4.4	56	0.28	0.073	27
L7900W/12900N	Soil	1.1	44.4	25.6	89	1.4	21.0	8.8	442	3.48	625.7	107.3	8.3	33	0.4	4.7	10.2	64	0.35	0.076	25
L7900W/12925N	Soil	1.1	11.2	80.2	86	0.8	3.7	1.6	140	2.14	701.5	100.4	11.1	42	0.3	16.3	5.0	13	0.15	0.033	30
L7900W/12950N	Soil	1.7	31.8	56.0	140	1.4	16.8	8.5	481	3.83	1280.0	119.1	7.0	28	0.3	11.3	4.4	57	0.26	0.069	34
L7900W/12975N	Soil	1.6	26.1	83.4	286	1.0	14.6	8.8	795	3.61	761.8	42.8	6.5	31	0.9	8.3	1.8	50	0.39	0.076	33
L7900W/13000N	Soil	1.0	14.3	74.6	206	0.5	12.4	7.9	401	3.60	386.3	10.4	9.9	24	1.1	2.2	0.4	52	0.32	0.057	24
L7900W/13025N	Soil	2.3	23.6	23.2	109	0.3	16.5	25.3	2253	5.21	30.6	1.3	9.6	55	0.3	0.9	0.3	112	0.79	0.135	25
L6900W/12500N	Soil	0.7	51.1	10.6	29	<0.1	10.7	4.4	143	2.95	15.1	79.2	15.3	60	<0.1	1.3	0.9	28	0.16	0.055	33
L6900W/12525N	Soil	1.0	41.7	10.6	35	<0.1	12.8	6.4	197	2.86	13.5	47.3	15.4	33	0.2	1.6	0.8	45	0.18	0.067	27
L6900W/12575N	Soil	1.5	40.6	15.0	45	0.2	16.2	6.2	262	3.43	22.5	47.4	8.6	33	0.1	2.7	1.1	53	0.15	0.067	32
L6900W/12600N	Soil	2.0	39.1	20.3	38	0.2	12.9	4.7	229	2.81	24.9	27.6	9.1	58	0.2	2.6	1.4	52	0.16	0.056	31
L6900W/12625N	Soil	1.7	33.0	60.0	41	0.3	11.5	4.0	177	2.68	17.1	20.7	3.7	25	0.2	4.5	0.9	55	0.10	0.056	20
L6900W/12650N	Soil	1.3	22.9	38.4	38	0.3	10.6	4.8	199	2.38	11.3	23.2	6.1	16	0.2	2.5	0.8	59	0.10	0.046	16
L6900W/12675N	Soil	1.2	49.3	143.9	60	0.8	13.9	5.7	254	3.56	23.5	48.9	11.0	31	0.3	14.2	1.3	46	0.14	0.062	31
L6900W/12700N	Soil	1.9	28.4	112.4	46	0.4	11.0	4.8	179	3.99	27.4	26.4	11.1	17	0.1	8.8	1.0	77	0.07	0.039	17
L6900W/12725N	Soil	1.3	65.6	22.9	34	0.2	11.4	5.0	208	3.38	24.7	97.0	12.3	42	0.2	4.6	2.8	38	0.16	0.063	30
L6900W/12750N	Soil	0.9	40.1	104.9	56	0.2	13.3	6.3	344	3.30	26.0	51.4	8.2	28	0.3	30.2	2.1	52	0.18	0.066	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 11 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L7900W/12550N	Soil			34	0.63	105	0.102	2	2.25	0.013	0.08	0.4	0.04	4.3	0.2	<0.05	6	<0.5	<0.2
L7900W/12575N	Soil			34	0.65	106	0.106	1	2.20	0.011	0.10	0.4	0.04	4.6	0.2	<0.05	7	0.7	<0.2
L7900W/12600N	Soil			32	0.60	109	0.084	2	2.07	0.011	0.09	0.4	0.03	4.4	0.2	<0.05	6	<0.5	0.3
L7900W/12625N	Soil			46	0.76	126	0.077	2	2.69	0.009	0.09	0.3	0.05	5.5	0.2	<0.05	8	0.8	0.2
L7900W/12650N	Soil			48	0.82	212	0.079	1	2.66	0.013	0.12	0.5	0.03	5.6	0.3	<0.05	8	0.8	0.2
L7900W/12675N	Soil			35	0.64	102	0.108	2	2.01	0.013	0.12	0.8	0.03	4.4	0.2	<0.05	7	<0.5	<0.2
L7900W/12700N	Soil			30	0.60	118	0.094	2	1.86	0.013	0.09	0.5	0.06	4.7	0.2	<0.05	7	<0.5	0.2
L7900W/12725N	Soil			18	0.31	177	0.017	2	1.73	0.007	0.10	0.3	0.07	3.1	0.3	0.06	6	1.3	1.4
L7900W/12750N	Soil			29	0.54	177	0.057	2	2.17	0.010	0.10	0.5	0.07	5.5	0.4	<0.05	7	<0.5	0.4
L7900W/12775N	Soil			30	0.56	158	0.099	<1	1.76	0.016	0.09	0.5	0.04	5.4	0.2	<0.05	6	<0.5	0.4
L7900W/12800N	Soil			28	0.55	202	0.039	3	2.10	0.011	0.14	0.4	0.08	4.5	0.3	0.06	7	<0.5	0.7
L7900W/12825N	Soil			24	0.43	172	0.040	1	1.75	0.010	0.16	0.5	0.06	3.9	0.3	0.14	6	<0.5	0.5
L7900W/12850N	Soil			31	0.43	198	0.012	2	2.72	0.007	0.13	0.3	0.14	4.4	0.5	0.08	9	0.8	<0.2
L7900W/12875N	Soil			28	0.55	162	0.067	3	1.98	0.013	0.14	0.3	0.05	4.5	0.3	0.09	6	<0.5	<0.2
L7900W/12900N	Soil			32	0.62	164	0.067	2	2.37	0.013	0.13	0.4	0.10	5.4	0.3	0.06	7	<0.5	0.2
L7900W/12925N	Soil			7	0.10	129	0.008	<1	0.55	0.004	0.19	0.5	0.06	1.5	0.5	0.24	3	<0.5	<0.2
L7900W/12950N	Soil			30	0.64	154	0.043	<1	2.64	0.010	0.15	0.2	0.13	4.9	0.5	0.08	9	<0.5	<0.2
L7900W/12975N	Soil			28	0.60	168	0.032	<1	2.61	0.011	0.14	0.4	0.09	5.3	0.5	0.07	8	<0.5	<0.2
L7900W/13000N	Soil			27	0.57	238	0.059	2	1.88	0.010	0.10	0.2	0.03	5.2	0.3	<0.05	6	<0.5	<0.2
L7900W/13025N	Soil			37	0.88	384	0.124	2	2.33	0.014	0.11	0.1	0.05	5.7	0.3	0.06	8	<0.5	<0.2
L6900W/12500N	Soil			15	0.34	226	0.027	2	1.55	0.063	0.11	2.3	0.01	2.4	0.1	0.26	5	<0.5	0.2
L6900W/12525N	Soil			21	0.45	147	0.076	2	1.46	0.029	0.16	0.8	0.03	2.8	0.1	0.14	5	0.7	<0.2
L6900W/12575N	Soil			31	0.43	178	0.058	3	1.50	0.027	0.17	0.4	0.03	2.6	0.2	0.24	6	0.6	<0.2
L6900W/12600N	Soil			26	0.30	136	0.059	1	1.20	0.022	0.18	0.4	0.04	2.2	0.2	0.22	8	<0.5	0.4
L6900W/12625N	Soil			24	0.26	101	0.043	3	1.30	0.015	0.10	0.2	0.05	1.8	0.2	0.12	6	<0.5	0.2
L6900W/12650N	Soil			23	0.26	72	0.081	3	0.93	0.015	0.09	0.2	0.04	2.1	0.1	0.09	6	<0.5	<0.2
L6900W/12675N	Soil			23	0.43	136	0.054	<1	1.45	0.028	0.16	0.3	0.04	2.6	0.2	0.22	7	1.1	<0.2
L6900W/12700N	Soil			21	0.24	88	0.098	2	1.06	0.013	0.09	0.2	0.03	2.0	0.2	0.11	9	0.5	<0.2
L6900W/12725N	Soil			23	0.39	132	0.030	2	1.59	0.023	0.16	0.6	0.03	2.5	0.2	0.20	6	<0.5	0.4
L6900W/12750N	Soil			26	0.44	102	0.059	2	1.72	0.013	0.09	0.5	0.05	2.8	0.2	0.08	6	<0.5	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 12 of 12

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L6900W/12775N	Soil	1.0	57.4	12.9	28	0.2	9.2	4.4	170	2.97	30.6	78.6	7.3	57	0.1	2.6	2.7	36	0.24	0.064	35
L6900W/12800N	Soil	1.4	42.9	9.8	44	<0.1	14.8	6.6	365	2.86	16.2	46.8	3.8	28	0.2	1.0	1.8	53	0.18	0.053	14
L6900W/12825N	Soil	1.5	82.4	11.1	32	0.1	13.4	5.4	195	3.42	22.9	139.1	15.4	24	0.1	1.5	3.3	47	0.19	0.071	25
L6900W/12850N	Soil	1.0	39.2	11.5	19	0.2	6.3	5.4	259	2.77	50.4	52.2	14.5	26	<0.1	3.1	3.1	19	0.10	0.059	33
L6900W/12875N	Soil	1.4	40.2	19.0	59	0.4	18.9	9.8	557	3.92	90.4	48.9	10.3	63	0.2	3.7	3.3	47	0.32	0.089	38
L6900W/12900N	Soil	1.1	20.2	16.4	40	0.4	12.5	5.0	212	2.22	47.8	47.0	2.9	35	<0.1	2.0	3.0	43	0.21	0.072	22
L6900W/12925N	Soil	3.7	18.8	22.3	38	0.4	11.4	3.9	135	2.06	170.0	121.1	13.4	26	0.2	5.7	4.3	48	0.22	0.046	25
L6900W/12950N	Soil	6.1	19.6	17.6	45	0.4	13.1	4.2	187	2.36	140.6	79.4	6.8	22	0.1	4.2	4.0	67	0.23	0.067	21
L6900W/12975N	Soil	5.2	38.9	18.7	62	0.8	20.3	6.6	222	3.44	192.6	79.3	8.5	22	0.1	6.7	10.9	89	0.25	0.075	20
L6900W/13025N	Soil	2.4	62.7	26.1	66	0.9	17.2	8.4	277	3.43	272.5	87.3	7.2	24	0.3	3.3	15.2	72	0.26	0.070	19
L6900W/13050N	Soil	1.5	50.7	19.6	84	0.6	16.1	6.9	246	2.42	65.4	63.3	8.1	36	0.3	2.6	9.7	59	0.32	0.074	16
L6900W/13075N	Soil	1.5	85.4	13.7	55	0.3	15.1	6.7	202	3.06	179.1	54.8	22.1	20	0.1	2.3	2.3	40	0.23	0.072	33
L6900W/13100N	Soil	2.6	61.1	22.2	89	0.7	22.8	8.6	269	3.08	164.7	37.4	7.0	28	0.5	2.5	4.1	69	0.31	0.074	17
L6900W/13125N	Soil	1.3	32.1	9.8	132	0.2	25.7	15.2	883	3.97	164.9	14.2	7.0	25	0.4	0.9	1.0	79	0.28	0.086	16
L6900W/13150N	Soil	1.2	27.0	13.4	76	0.3	18.6	10.4	331	3.49	301.6	81.5	6.6	25	0.3	1.0	1.7	72	0.28	0.075	21
L6900W/13175N	Soil	1.3	22.7	12.2	62	0.3	16.6	9.7	645	2.89	187.2	16.6	4.2	26	0.1	1.0	1.4	67	0.27	0.087	17
L6900W/13225N	Soil	0.7	17.2	12.9	76	0.1	15.0	9.2	237	2.39	62.3	4.9	7.4	28	0.2	0.9	0.5	78	0.38	0.076	14
L6900W/13250N	Soil	1.0	22.2	8.8	66	<0.1	17.6	10.0	480	2.80	88.7	2.8	4.7	28	0.4	0.7	0.3	74	0.35	0.079	13
L6900W/13275N	Soil	0.7	22.4	9.5	68	<0.1	18.9	10.0	486	2.96	68.1	3.3	6.4	23	0.4	0.6	0.4	75	0.29	0.069	15
L6900W/13300N	Soil	0.8	21.7	9.0	73	<0.1	18.3	10.0	463	2.58	41.4	10.6	6.4	27	0.4	0.6	0.5	61	0.34	0.084	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 12 of 12

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000252.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6900W/12775N	Soil	16	0.40	339	0.021	2	1.72	0.025	0.12	0.8	0.05	2.8	0.2	0.14	6	<0.5	0.4
L6900W/12800N	Soil	26	0.50	186	0.055	2	1.57	0.023	0.11	0.7	0.04	2.3	0.2	0.09	7	1.1	<0.2
L6900W/12825N	Soil	25	0.51	175	0.066	1	1.69	0.016	0.15	0.5	0.02	3.4	0.2	0.09	6	1.5	0.6
L6900W/12850N	Soil	12	0.23	207	0.005	1	1.61	0.015	0.15	0.3	0.04	1.9	0.2	0.22	4	0.8	0.7
L6900W/12875N	Soil	30	0.56	343	0.029	2	2.33	0.030	0.27	1.1	0.07	4.0	0.4	0.35	7	<0.5	0.7
L6900W/12900N	Soil	28	0.44	176	0.034	2	1.64	0.009	0.08	1.3	0.08	2.6	0.2	0.07	7	<0.5	0.3
L6900W/12925N	Soil	24	0.43	192	0.042	2	1.53	0.008	0.14	0.8	0.10	3.7	0.3	<0.05	6	0.9	0.6
L6900W/12950N	Soil	32	0.53	208	0.064	2	1.72	0.009	0.13	1.5	0.08	3.8	0.3	<0.05	6	0.8	0.3
L6900W/12975N	Soil	41	0.69	240	0.093	2	2.17	0.009	0.15	1.1	0.08	4.8	0.3	<0.05	7	<0.5	0.6
L6900W/13025N	Soil	40	0.63	252	0.070	2	2.09	0.010	0.10	0.6	0.05	4.5	0.3	<0.05	6	0.7	0.3
L6900W/13050N	Soil	32	0.65	266	0.091	<1	2.02	0.013	0.13	0.5	0.03	4.1	0.3	<0.05	6	<0.5	0.3
L6900W/13075N	Soil	20	0.72	133	0.104	<1	2.42	0.010	0.41	0.4	0.07	6.6	0.6	<0.05	8	<0.5	<0.2
L6900W/13100N	Soil	30	0.62	207	0.087	1	2.02	0.015	0.09	1.5	0.04	4.2	0.2	<0.05	6	0.6	0.3
L6900W/13125N	Soil	29	0.75	345	0.131	1	2.27	0.017	0.14	0.6	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
L6900W/13150N	Soil	31	0.65	266	0.087	2	2.33	0.016	0.08	0.3	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
L6900W/13175N	Soil	30	0.61	268	0.075	2	2.33	0.016	0.06	0.3	0.05	4.2	0.2	<0.05	7	<0.5	<0.2
L6900W/13225N	Soil	29	0.74	255	0.138	2	2.04	0.027	0.12	0.3	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
L6900W/13250N	Soil	29	0.62	225	0.109	2	1.78	0.019	0.10	0.3	0.03	3.6	0.1	<0.05	5	<0.5	<0.2
L6900W/13275N	Soil	29	0.66	241	0.114	2	2.06	0.018	0.08	0.4	0.02	4.0	0.2	<0.05	5	<0.5	<0.2
L6900W/13300N	Soil	24	0.58	249	0.103	2	1.68	0.027	0.09	0.4	0.01	3.3	0.1	<0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000252.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L13950E/13375N	Soil	0.8	8.6	12.8	57	<0.1	12.8	7.0	229	2.55	36.9	2.7	4.3	15	<0.1	1.4	0.5	64	0.18	0.021	8
REP L13950E/13375N	QC	0.8	8.8	12.3	57	<0.1	12.9	6.8	217	2.51	35.7	1.5	4.2	16	0.1	1.3	0.5	62	0.18	0.019	8
L13600E/12550N	Soil	3.2	13.4	12.0	69	0.1	13.0	7.6	364	4.21	27.2	2.4	4.6	16	0.5	1.0	0.5	111	0.17	0.050	9
REP L13600E/12550N	QC	3.1	13.2	12.2	69	0.1	12.8	7.6	361	4.24	27.3	2.9	4.6	16	0.3	1.0	0.5	108	0.16	0.050	9
L14050E/12825N	Soil	2.3	17.6	12.6	54	0.1	19.7	9.5	375	3.98	53.4	2.7	7.7	24	0.1	0.9	0.3	79	0.26	0.028	17
REP L14050E/12825N	QC	2.2	17.0	12.4	53	0.1	20.2	9.7	364	4.02	54.1	1.8	8.0	24	<0.1	0.9	0.3	84	0.25	0.028	16
L14150E/12525N	Soil	3.8	44.0	11.3	82	0.5	25.5	10.9	350	3.35	48.0	3.0	2.6	40	0.4	7.2	0.3	91	0.40	0.063	14
REP L14150E/12525N	QC	3.5	41.6	10.9	79	0.5	25.0	10.0	334	3.21	44.6	5.7	2.6	38	0.6	7.7	0.3	86	0.35	0.062	13
L14250E/12575N	Soil	3.3	36.5	14.1	68	0.4	26.9	9.4	317	4.58	118.5	5.1	2.8	27	0.2	7.0	0.3	112	0.25	0.045	8
REP L14250E/12575N	QC	3.2	33.9	14.0	67	0.4	25.1	9.0	303	4.43	119.4	7.4	2.8	26	0.2	7.3	0.3	112	0.24	0.043	8
L14350E/12850N	Soil	4.6	42.1	16.8	138	0.4	42.2	11.9	494	4.34	85.8	10.9	3.6	31	0.7	1.2	0.7	125	0.14	0.056	11
REP L14350E/12850N	QC	4.4	40.9	15.8	133	0.4	39.5	11.0	478	4.20	86.8	14.8	3.5	30	0.8	1.3	0.7	127	0.15	0.055	11
L8100W/12975N	Soil	0.6	17.2	37.7	213	0.4	15.3	9.5	384	2.20	40.5	15.6	11.4	26	1.0	2.7	1.0	58	0.36	0.053	24
REP L8100W/12975N	QC	0.6	16.6	37.1	200	0.4	15.3	9.4	378	2.16	40.6	11.6	11.6	26	1.0	2.6	1.1	55	0.35	0.049	23
L7500W/12725N	Soil	2.5	26.7	9.9	60	0.2	25.1	10.5	455	2.93	40.1	5.8	5.3	25	0.3	0.7	1.8	66	0.30	0.045	16
REP L7500W/12725N	QC	2.3	26.2	9.7	61	0.2	24.8	10.1	430	2.94	38.1	5.9	5.3	24	0.3	0.8	1.7	63	0.28	0.043	16
L7900W/13000N	Soil	1.0	14.3	74.6	206	0.5	12.4	7.9	401	3.60	386.3	10.4	9.9	24	1.1	2.2	0.4	52	0.32	0.057	24
REP L7900W/13000N	QC	0.9	14.3	74.8	218	0.5	12.1	8.0	392	3.63	383.6	18.3	10.0	25	1.0	2.3	0.4	54	0.32	0.058	24
Reference Materials																					
STD DS10	Standard	13.9	153.5	155.5	364	2.0	69.9	12.7	881	2.74	47.4	94.2	8.1	69	3.0	10.2	13.3	43	1.07	0.075	17
STD DS10	Standard	14.1	153.6	159.0	362	1.9	71.9	12.3	889	2.82	46.2	68.5	8.2	71	2.9	10.3	13.6	44	1.03	0.076	19
STD DS10	Standard	13.1	146.0	150.8	340	1.8	72.6	12.3	860	2.87	42.7	73.5	7.3	65	2.6	8.7	12.3	43	1.01	0.077	17
STD DS10	Standard	13.7	143.3	143.5	357	1.8	70.2	12.1	883	2.77	46.0	62.9	7.5	74	2.8	9.9	13.0	42	1.06	0.076	19
STD DS10	Standard	14.3	149.4	151.4	376	1.9	72.5	12.4	844	2.85	44.8	102.4	7.6	71	3.1	9.4	12.5	43	1.05	0.075	17
STD DS10	Standard	14.2	147.6	148.1	356	1.8	71.7	12.6	873	2.73	46.6	93.3	7.9	74	2.5	10.1	12.8	45	1.06	0.078	19
STD DS10	Standard	14.2	151.5	141.7	368	1.9	73.9	12.8	898	2.87	45.8	80.3	7.9	74	2.8	10.3	13.4	43	1.09	0.080	20
STD DS10	Standard	15.2	148.8	147.2	347	1.8	72.5	12.3	853	2.82	43.4	67.4	7.5	68	2.3	8.6	11.7	43	1.03	0.070	19
STD DS10	Standard	15.0	152.2	147.4	374	2.0	73.9	12.7	899	2.89	47.4	63.6	8.2	76	2.6	9.8	13.2	46	1.12	0.079	20





# QUALITY CONTROL REPORT

WHI17000252.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L13950E/13375N	Soil	24	0.55	62	0.142	1	1.44	0.010	0.07	0.4	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
REP L13950E/13375N	QC	23	0.54	59	0.140	1	1.39	0.011	0.07	0.4	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
L13600E/12550N	Soil	29	0.43	133	0.149	3	1.99	0.009	0.08	0.2	0.02	4.1	0.2	<0.05	13	<0.5	<0.2
REP L13600E/12550N	QC	29	0.42	135	0.146	4	1.97	0.008	0.08	0.2	0.02	4.0	0.2	<0.05	13	<0.5	<0.2
L14050E/12825N	Soil	34	0.64	170	0.133	1	2.43	0.008	0.10	0.2	0.03	5.2	0.4	<0.05	10	<0.5	<0.2
REP L14050E/12825N	QC	35	0.61	166	0.132	2	2.39	0.007	0.10	0.2	0.03	5.0	0.4	<0.05	9	<0.5	<0.2
L14150E/12525N	Soil	46	0.60	778	0.105	2	2.64	0.015	0.16	0.3	0.09	6.8	0.4	<0.05	9	<0.5	<0.2
REP L14150E/12525N	QC	44	0.57	751	0.099	2	2.51	0.014	0.16	0.3	0.08	6.5	0.3	<0.05	9	0.8	<0.2
L14250E/12575N	Soil	47	0.60	248	0.074	4	2.56	0.010	0.16	0.2	0.04	4.6	0.8	<0.05	9	<0.5	<0.2
REP L14250E/12575N	QC	45	0.60	251	0.072	3	2.53	0.011	0.16	0.2	0.04	4.7	0.8	<0.05	9	<0.5	<0.2
L14350E/12850N	Soil	67	0.96	331	0.187	1	2.39	0.015	0.31	1.7	0.03	5.9	0.5	0.09	10	0.8	0.4
REP L14350E/12850N	QC	66	0.92	337	0.187	2	2.31	0.015	0.30	1.7	0.02	6.0	0.5	0.08	9	<0.5	0.4
L8100W/12975N	Soil	29	0.63	192	0.112	2	2.06	0.015	0.10	0.2	0.07	4.7	0.3	<0.05	7	<0.5	<0.2
REP L8100W/12975N	QC	27	0.62	190	0.106	2	2.02	0.015	0.10	0.2	0.05	4.2	0.3	<0.05	6	<0.5	<0.2
L7500W/12725N	Soil	31	0.67	146	0.117	4	2.10	0.018	0.08	0.5	0.03	4.6	0.2	<0.05	7	0.8	<0.2
REP L7500W/12725N	QC	31	0.66	144	0.110	4	2.09	0.016	0.08	0.7	0.03	4.4	0.2	<0.05	6	<0.5	<0.2
L7900W/13000N	Soil	27	0.57	238	0.059	2	1.88	0.010	0.10	0.2	0.03	5.2	0.3	<0.05	6	<0.5	<0.2
REP L7900W/13000N	QC	27	0.60	245	0.059	3	1.99	0.011	0.10	0.2	0.05	5.1	0.3	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS10	Standard	55	0.81	363	0.080	7	1.05	0.071	0.34	3.5	0.29	2.9	5.3	0.26	4	1.9	5.1
STD DS10	Standard	55	0.75	342	0.082	8	1.00	0.069	0.34	3.3	0.28	3.2	5.0	0.26	4	1.6	4.8
STD DS10	Standard	54	0.77	340	0.075	8	1.00	0.062	0.33	3.2	0.32	3.0	5.0	0.26	4	1.4	4.4
STD DS10	Standard	52	0.78	357	0.079	7	1.07	0.072	0.34	3.1	0.28	3.2	5.0	0.22	5	2.5	5.3
STD DS10	Standard	53	0.80	347	0.078	7	1.01	0.061	0.33	3.5	0.30	2.8	5.0	0.26	4	1.9	5.1
STD DS10	Standard	55	0.77	358	0.082	6	1.08	0.071	0.34	3.3	0.28	3.0	5.4	0.21	5	1.5	4.9
STD DS10	Standard	55	0.80	382	0.083	6	1.07	0.075	0.33	3.3	0.28	3.3	5.2	0.23	5	1.8	5.0
STD DS10	Standard	53	0.79	365	0.080	7	1.05	0.064	0.33	3.2	0.28	2.9	5.3	0.25	4	1.7	5.2
STD DS10	Standard	57	0.81	380	0.091	7	1.13	0.076	0.35	3.6	0.30	3.3	5.4	0.24	5	1.6	5.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: July 22, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000252.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.2	28.9	6.5	43	<0.1	79.0	20.6	429	3.13	0.6	204.2	1.9	184	<0.1	<0.1	<0.1	53	0.64	0.102	13
STD OXC129	Standard	1.2	27.4	6.2	41	<0.1	75.7	19.3	386	2.96	0.7	199.1	1.7	191	<0.1	<0.1	<0.1	51	0.70	0.098	13
STD OXC129	Standard	1.4	25.7	6.1	39	<0.1	79.1	21.0	427	3.25	0.7	194.5	1.7	183	<0.1	<0.1	<0.1	54	0.65	0.104	12
STD OXC129	Standard	1.3	27.4	6.3	42	<0.1	81.9	20.9	448	3.23	0.7	204.1	1.8	217	<0.1	<0.1	<0.1	53	0.74	0.107	13
STD OXC129	Standard	1.4	24.9	5.8	38	<0.1	76.1	19.8	419	3.20	<0.5	208.3	1.7	195	<0.1	<0.1	<0.1	53	0.66	0.098	13
STD OXC129	Standard	1.1	24.5	5.9	38	<0.1	77.0	19.0	411	2.94	0.6	207.4	1.8	199	<0.1	<0.1	<0.1	51	0.73	0.098	12
STD OXC129	Standard	1.3	26.6	6.3	43	<0.1	78.8	20.4	420	3.11	0.8	209.2	1.9	199	<0.1	<0.1	<0.1	52	0.75	0.106	13
STD OXC129	Standard	1.2	24.5	6.0	37	<0.1	74.1	19.6	402	3.11	<0.5	189.0	1.7	197	<0.1	<0.1	<0.1	48	0.72	0.098	12
STD OXC129	Standard	1.2	28.5	6.1	43	<0.1	80.1	20.7	430	3.22	0.9	199.2	1.8	203	<0.1	<0.1	<0.1	54	0.69	0.106	13
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



# QUALITY CONTROL REPORT

WHI17000252.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	51	1.61	53	0.410	<1	1.55	0.595	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.47	51	0.401	1	1.54	0.544	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.55	51	0.412	2	1.54	0.597	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	1.61	54	0.416	<1	1.65	0.611	0.37	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	51	1.52	52	0.399	<1	1.51	0.551	0.33	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.51	50	0.394	1	1.56	0.570	0.34	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	1.55	53	0.398	2	1.57	0.608	0.35	<0.1	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.48	52	0.389	2	1.54	0.549	0.33	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.58	52	0.417	<1	1.64	0.620	0.37	<0.1	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 07, 2017  
Report Date: July 22, 2017  
Page: 1 of 8

# CERTIFICATE OF ANALYSIS

WHI17000253.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs16-001  
P.O. Number  
Number of Samples: 201

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	201	Dry at 60C			WHI
SS80	201	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	201	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	201	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: July 22, 2017

Page: 2 of 8

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6900W/13325N	Soil	1.6	30.2	6.5	53	<0.1	18.0	6.5	231	2.22	11.1	4.9	0.7	20	<0.1	0.7	0.3	46	0.16	0.048	7
L6900W/13350N	Soil	0.7	27.9	17.0	71	0.1	22.7	11.3	513	2.98	27.6	2.7	6.1	27	0.4	0.6	0.4	68	0.37	0.086	18
L6900W/13375N	Soil	1.3	33.6	22.3	110	0.2	25.3	12.7	484	3.52	102.6	2.6	4.5	31	0.5	0.9	0.5	75	0.31	0.081	29
L14450E/12750N	Soil	3.5	34.7	17.1	117	0.9	32.4	9.7	402	3.91	97.0	5.4	2.6	22	1.1	3.5	0.5	100	0.21	0.049	9
L14450E/12775N	Soil	4.5	32.4	15.7	98	0.5	21.6	7.0	261	3.73	224.7	56.4	3.3	18	0.7	5.9	0.3	132	0.14	0.060	10
L14450E/12800N	Soil	2.6	21.1	13.5	73	1.3	11.2	3.5	161	2.18	35.9	5.0	1.3	14	0.6	1.4	0.3	72	0.12	0.075	7
L14450E/12850N	Soil	4.5	67.5	21.0	232	0.9	73.7	20.2	626	5.39	411.6	13.7	4.0	36	1.6	23.2	0.4	108	0.24	0.130	16
L14450E/12875N	Soil	5.4	48.8	16.0	110	0.5	28.8	8.4	346	4.29	67.4	4.1	3.0	28	0.8	1.4	0.4	137	0.18	0.088	13
L14450E/12900N	Soil	2.9	19.2	12.2	74	0.5	13.9	4.5	241	2.77	106.9	3.5	1.9	13	0.3	0.9	0.3	88	0.07	0.035	7
L14450E/12925N	Soil	2.0	19.9	10.8	116	0.3	20.0	10.2	838	3.34	40.0	1.5	2.0	17	0.5	0.8	0.3	92	0.17	0.056	9
L14450E/12950N	Soil	1.7	43.1	11.6	105	0.2	58.6	16.9	333	4.05	61.9	2.4	3.2	21	0.5	0.9	0.3	90	0.23	0.046	9
L14450E/12975N	Soil	2.3	29.0	14.7	109	0.3	34.9	11.9	380	4.29	68.9	5.3	3.0	17	0.3	1.3	0.5	103	0.17	0.037	9
L14450E/13000N	Soil	3.1	38.7	15.4	218	0.2	48.9	19.3	606	4.55	84.2	3.0	5.8	20	0.5	0.8	0.5	122	0.24	0.085	15
L14450E/13125N	Soil	2.9	26.8	10.6	91	0.4	30.6	16.9	776	3.37	84.0	4.1	2.8	33	0.2	1.2	0.3	91	0.54	0.064	13
L14450E/13150N	Soil	2.2	37.5	11.4	103	0.4	37.9	13.9	622	3.25	40.6	2.2	4.4	36	0.5	0.9	0.3	88	0.68	0.070	19
L14450E/13175N	Soil	2.1	47.5	12.8	127	0.3	49.6	16.1	500	5.12	89.2	4.0	4.1	13	0.4	1.8	0.6	154	0.20	0.037	11
L14450E/13200N	Soil	2.1	44.6	11.5	107	0.5	63.1	21.0	414	5.19	53.5	1.3	2.0	23	0.3	0.7	0.3	133	0.28	0.056	7
L14450E/13225N	Soil	1.7	66.6	8.4	122	0.3	69.2	22.5	516	5.20	78.2	2.4	2.7	19	0.3	0.6	0.1	151	0.30	0.043	9
L14450E/13250N	Soil	2.8	44.1	12.7	119	0.4	47.8	13.9	426	5.15	134.5	1.4	3.3	16	0.5	1.7	0.3	129	0.18	0.061	10
L14450E/13275N	Soil	1.6	33.5	13.8	103	0.2	39.4	14.3	558	4.35	46.7	3.0	3.9	24	0.6	0.7	0.3	115	0.25	0.043	10
L14450E/13300N	Soil	0.8	18.7	12.8	61	0.1	19.8	12.5	390	3.25	18.4	2.5	8.0	21	0.2	0.6	0.3	67	0.26	0.031	18
L14450E/13325N	Soil	1.0	13.9	14.7	63	0.1	18.5	11.3	415	3.21	16.7	4.4	6.8	23	0.2	0.5	0.4	66	0.34	0.031	17
L14450E/13350N	Soil	0.9	20.0	14.4	55	0.2	19.1	13.1	1017	2.91	12.1	2.3	8.1	42	0.3	0.6	0.4	57	0.65	0.052	36
L7100W/12625N	Soil	1.2	44.9	10.3	50	<0.1	24.9	10.8	338	3.86	16.6	108.9	7.3	31	0.2	0.9	1.8	66	0.23	0.050	20
L7100W/12650N	Soil	1.9	63.1	11.3	54	0.1	17.3	7.2	289	4.21	21.9	256.5	9.8	36	0.2	1.0	3.1	68	0.12	0.057	32
L7100W/12675N	Soil	2.1	233.3	9.5	56	0.3	56.5	10.6	357	5.00	35.8	707.6	11.0	51	0.2	1.1	13.5	63	0.17	0.075	42
L7100W/12700N	Soil	1.5	33.9	14.3	52	0.4	18.3	10.3	640	3.30	41.1	21.6	2.6	39	0.5	2.5	2.2	54	0.27	0.089	35
L7100W/12725N	Soil	1.5	34.3	15.5	58	0.2	17.5	8.8	472	3.34	35.7	35.3	10.4	55	0.2	2.5	2.8	49	0.22	0.057	31
L7100W/12750N	Soil	1.3	36.2	13.3	51	0.1	16.9	7.5	399	2.90	19.5	28.5	3.7	42	0.2	1.7	1.6	46	0.23	0.066	29
L7100W/12775N	Soil	0.9	26.2	11.4	60	0.2	21.5	9.1	335	3.15	18.2	310.9	7.2	22	0.3	1.2	1.1	56	0.19	0.054	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 2 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6900W/13325N	Soil			24	0.41	67	0.049	3	1.38	0.030	0.05	<0.1	0.05	2.1	0.1	0.07	5	1.2	<0.2
L6900W/13350N	Soil			30	0.66	234	0.103	2	1.97	0.022	0.09	0.4	0.04	4.5	0.2	<0.05	6	<0.5	<0.2
L6900W/13375N	Soil			35	0.70	334	0.077	3	2.71	0.026	0.07	0.3	0.06	5.2	0.3	<0.05	7	<0.5	<0.2
L14450E/12750N	Soil			43	0.58	446	0.102	3	2.24	0.013	0.20	0.5	0.07	3.9	0.7	<0.05	9	<0.5	<0.2
L14450E/12775N	Soil			48	0.59	226	0.099	2	2.03	0.011	0.15	0.8	0.04	4.2	1.3	0.12	8	1.1	0.2
L14450E/12800N	Soil			22	0.16	317	0.072	2	0.86	0.013	0.08	0.2	0.04	1.9	0.6	0.05	6	1.2	<0.2
L14450E/12850N	Soil			63	0.57	569	0.078	2	1.78	0.020	0.32	0.6	0.41	6.6	4.0	0.34	6	3.2	0.3
L14450E/12875N	Soil			47	0.62	399	0.152	2	1.80	0.024	0.33	0.8	0.03	4.3	0.4	0.24	9	1.3	0.3
L14450E/12900N	Soil			26	0.25	161	0.088	2	0.86	0.013	0.11	0.2	0.03	1.9	0.5	<0.05	7	<0.5	<0.2
L14450E/12925N	Soil			24	0.25	157	0.104	2	1.04	0.012	0.08	0.2	0.09	2.2	0.3	<0.05	8	<0.5	<0.2
L14450E/12950N	Soil			47	0.52	140	0.100	2	2.78	0.011	0.08	0.4	0.04	3.7	0.3	<0.05	8	0.5	<0.2
L14450E/12975N	Soil			44	0.47	168	0.110	2	2.53	0.010	0.08	0.3	0.05	3.4	0.3	<0.05	10	<0.5	<0.2
L14450E/13000N	Soil			67	0.95	276	0.174	2	2.72	0.015	0.24	1.1	0.04	6.3	0.4	<0.05	10	<0.5	<0.2
L14450E/13125N	Soil			58	0.89	244	0.139	2	2.11	0.020	0.15	0.4	0.06	7.4	0.5	<0.05	8	<0.5	<0.2
L14450E/13150N	Soil			52	0.81	399	0.129	1	2.12	0.015	0.21	0.6	0.08	7.7	0.4	<0.05	8	0.7	<0.2
L14450E/13175N	Soil			102	1.27	435	0.207	2	3.33	0.008	0.47	0.8	0.05	10.7	0.9	<0.05	12	<0.5	<0.2
L14450E/13200N	Soil			118	1.28	436	0.195	2	3.83	0.017	0.19	0.5	0.03	12.5	0.5	<0.05	12	<0.5	<0.2
L14450E/13225N	Soil			150	1.73	547	0.230	3	4.68	0.033	0.22	0.3	0.03	17.6	0.4	<0.05	12	<0.5	<0.2
L14450E/13250N	Soil			73	0.74	233	0.115	3	2.55	0.007	0.11	0.4	0.04	8.1	0.6	<0.05	10	<0.5	<0.2
L14450E/13275N	Soil			92	1.07	438	0.212	2	3.28	0.012	0.30	0.5	0.01	10.1	0.5	<0.05	12	<0.5	<0.2
L14450E/13300N	Soil			38	0.67	124	0.141	3	2.25	0.012	0.15	0.3	0.02	5.2	0.3	<0.05	8	<0.5	<0.2
L14450E/13325N	Soil			39	0.67	108	0.151	2	2.05	0.013	0.17	0.4	0.02	5.3	0.3	<0.05	8	<0.5	<0.2
L14450E/13350N	Soil			33	0.62	174	0.124	1	1.94	0.015	0.15	0.3	0.06	6.3	0.3	<0.05	7	<0.5	<0.2
L7100W/12625N	Soil			37	0.62	125	0.107	3	2.32	0.028	0.11	1.9	0.05	4.2	0.1	0.13	7	<0.5	0.4
L7100W/12650N	Soil			32	0.42	124	0.079	1	1.77	0.031	0.13	1.7	0.04	3.1	0.2	0.20	8	<0.5	0.9
L7100W/12675N	Soil			122	1.12	210	0.113	2	2.31	0.069	0.46	2.3	0.02	5.1	0.4	0.52	9	<0.5	3.5
L7100W/12700N	Soil			28	0.53	199	0.044	1	1.75	0.024	0.14	1.1	0.07	3.0	0.3	0.23	6	<0.5	0.5
L7100W/12725N	Soil			28	0.59	165	0.049	<1	1.91	0.016	0.18	0.8	0.03	3.7	0.2	0.13	7	<0.5	0.8
L7100W/12750N	Soil			26	0.63	120	0.032	<1	1.85	0.011	0.15	0.4	0.04	2.5	0.2	0.09	7	<0.5	0.5
L7100W/12775N	Soil			28	0.53	88	0.083	1	1.83	0.016	0.10	1.9	0.03	3.4	0.1	0.10	6	<0.5	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 3 of 8

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L7100W/12800N	Soil	1.9	20.0	15.5	40	0.3	13.0	5.3	169	3.12	90.8	52.0	11.3	30	<0.1	3.6	3.5	42	0.17	0.056	28
L7100W/12825N	Soil	1.6	18.0	19.1	36	0.3	10.5	4.3	209	2.93	134.2	62.8	11.1	34	<0.1	3.9	4.1	40	0.20	0.056	30
L7100W/12850N	Soil	1.1	28.4	26.4	36	0.5	12.8	4.5	123	2.07	77.4	109.7	22.6	50	0.2	3.6	4.9	39	0.19	0.054	44
L7100W/12875N	Soil	1.5	24.4	17.7	43	0.4	12.4	4.2	176	2.90	112.4	47.4	11.4	32	<0.1	3.2	4.0	47	0.18	0.069	30
L7100W/12900N	Soil	2.0	28.0	16.9	60	0.3	16.7	10.0	505	3.74	131.3	30.2	9.5	24	0.2	2.7	3.4	60	0.16	0.065	23
L7100W/12925N	Soil	2.6	26.2	15.7	67	0.4	20.5	7.3	259	3.09	118.2	38.0	7.1	23	0.2	2.9	2.9	74	0.27	0.075	18
L7100W/12950N	Soil	2.7	33.9	18.4	87	0.4	23.7	10.4	357	3.25	211.6	57.7	9.8	32	0.3	3.9	4.4	85	0.37	0.084	25
L7100W/12975N	Soil	2.4	41.5	18.1	82	0.5	25.8	8.3	273	3.14	171.9	48.9	7.5	26	0.3	3.8	5.0	79	0.33	0.084	20
L7100W/13000N	Soil	2.7	53.3	14.5	70	1.0	19.8	6.9	443	2.82	127.7	22.0	3.1	29	0.3	2.4	2.7	89	0.34	0.124	19
L7100W/13025N	Soil	2.4	118.4	27.1	83	0.5	25.6	10.0	383	4.48	346.7	11.0	5.8	27	0.5	12.7	4.1	71	0.16	0.107	19
L7100W/13050N	Soil	2.7	38.8	22.3	78	0.5	17.6	7.2	361	3.11	246.1	13.2	2.8	32	0.3	2.2	6.4	69	0.29	0.081	14
L7100W/13075N	Soil	1.2	22.9	15.2	75	0.4	14.0	7.8	300	2.75	135.0	12.2	7.8	67	0.1	1.7	4.9	61	0.42	0.071	18
L7100W/13100N	Soil	2.1	22.2	16.0	88	0.4	14.8	22.0	3952	3.31	222.8	17.5	3.7	36	0.6	1.8	3.3	69	0.32	0.077	18
L7100W/13125N	Soil	0.9	37.2	17.4	77	0.6	11.5	9.6	431	3.27	517.4	42.2	8.9	49	0.2	1.7	6.2	67	0.38	0.069	19
L7100W/13150N	Soil	1.0	19.6	8.7	63	0.2	11.7	6.7	390	2.35	104.4	6.3	1.8	26	0.8	0.7	1.2	57	0.24	0.087	11
L7100W/13175N	Soil	0.6	27.8	8.6	63	0.2	19.8	9.9	488	2.80	200.1	8.5	5.1	34	0.3	0.9	1.5	65	0.40	0.081	13
L7100W/13200N	Soil	0.9	25.8	11.3	68	0.2	15.1	10.8	559	2.99	290.8	32.1	6.0	46	0.3	1.1	1.8	69	0.41	0.080	17
L7100W/13225N	Soil	0.9	23.6	9.0	69	<0.1	21.2	10.0	463	2.93	73.1	2.3	4.7	32	0.2	0.8	0.3	73	0.37	0.068	13
L7100W/13250N	Soil	1.2	26.3	10.5	91	<0.1	18.7	13.4	955	3.43	71.5	3.7	5.2	38	0.7	0.9	0.4	83	0.40	0.071	17
L7100W/13275N	Soil	1.1	22.3	19.6	157	0.3	14.8	11.5	884	4.15	1350.3	9.3	7.0	28	0.8	2.8	1.7	71	0.32	0.082	18
L7100W/13300N	Soil	0.9	22.1	9.9	82	0.1	17.4	10.8	567	3.02	139.0	5.1	5.3	27	0.2	0.8	0.4	74	0.32	0.092	15
L7100W/13325N	Soil	1.2	21.1	10.9	56	0.2	13.6	9.1	454	2.61	76.4	3.1	3.8	31	0.3	0.8	0.4	72	0.36	0.101	14
L7100W/13350N	Soil	0.9	19.2	9.2	76	<0.1	16.2	9.9	437	2.89	84.6	1.9	5.9	30	0.3	0.8	0.5	71	0.29	0.069	12
L7100W/13375N	Soil	0.7	20.8	10.5	90	0.1	15.5	10.3	370	3.11	80.7	5.4	9.5	30	0.2	0.8	0.5	84	0.42	0.075	18
L7100W/13400N	Soil	0.8	23.5	8.3	80	<0.1	20.1	10.0	429	2.99	52.1	2.4	4.7	30	0.3	0.7	0.3	72	0.39	0.072	16
L7100W/13425N	Soil	0.9	25.9	8.8	80	<0.1	21.1	10.7	509	2.96	31.0	1.6	6.2	32	0.3	0.7	0.3	72	0.42	0.087	18
L7100W/13450N	Soil	1.2	27.3	9.8	96	0.1	20.3	11.1	523	2.96	47.3	2.8	4.1	26	0.5	0.6	0.3	70	0.30	0.076	16
L13450E/11950N	Soil	2.3	26.8	18.3	68	0.3	14.8	6.8	239	2.55	66.5	19.3	21.2	37	0.2	12.8	1.5	57	0.66	0.044	38
L13450E/11975N	Soil	3.1	21.4	16.7	57	0.5	12.7	7.8	475	2.93	62.0	10.6	21.3	44	0.1	9.5	1.5	50	0.71	0.050	52
L13450E/12000N	Soil	2.7	20.1	17.2	62	0.5	11.1	8.0	771	2.54	123.8	23.0	21.3	49	0.3	14.4	2.0	38	0.93	0.057	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 3 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L7100W/12800N	Soil			25	0.49	138	0.045	2	1.79	0.010	0.14	0.7	0.07	3.3	0.3	0.06	5	<0.5	0.8
L7100W/12825N	Soil			23	0.42	183	0.033	1	1.59	0.009	0.11	0.6	0.09	3.4	0.3	0.06	6	<0.5	1.0
L7100W/12850N	Soil			28	0.43	210	0.036	2	1.93	0.013	0.14	0.5	0.27	5.4	0.4	0.07	6	0.8	0.5
L7100W/12875N	Soil			26	0.48	149	0.046	2	1.85	0.009	0.13	1.3	0.10	4.2	0.3	0.08	6	0.8	0.8
L7100W/12900N	Soil			31	0.53	124	0.058	2	1.80	0.013	0.13	0.9	0.06	3.9	0.3	0.11	6	0.7	0.7
L7100W/12925N	Soil			38	0.63	162	0.081	3	1.94	0.012	0.12	1.5	0.07	5.0	0.2	<0.05	6	<0.5	0.4
L7100W/12950N	Soil			44	0.69	233	0.106	3	2.17	0.014	0.12	2.4	0.05	6.3	0.3	0.08	6	0.9	0.4
L7100W/12975N	Soil			44	0.65	215	0.103	2	2.18	0.012	0.10	1.5	0.05	5.5	0.3	0.08	7	0.8	0.3
L7100W/13000N	Soil			52	0.74	333	0.083	<1	2.12	0.012	0.16	0.3	0.07	5.7	0.3	0.05	7	0.9	<0.2
L7100W/13025N	Soil			40	0.58	254	0.072	2	1.92	0.015	0.23	0.4	0.02	4.5	0.7	0.20	6	1.2	0.2
L7100W/13050N	Soil			31	0.54	177	0.071	3	1.89	0.013	0.10	0.3	0.05	3.5	0.2	0.08	7	1.0	<0.2
L7100W/13075N	Soil			27	0.64	333	0.085	2	2.43	0.017	0.13	0.2	0.03	4.5	0.3	<0.05	6	<0.5	<0.2
L7100W/13100N	Soil			26	0.59	351	0.071	1	2.28	0.014	0.07	0.3	0.09	4.9	0.3	0.07	7	1.6	<0.2
L7100W/13125N	Soil			27	0.66	280	0.100	<1	2.20	0.017	0.15	0.2	0.03	5.4	0.3	<0.05	7	<0.5	0.4
L7100W/13150N	Soil			22	0.44	169	0.068	2	1.67	0.020	0.07	0.2	0.05	2.7	0.2	0.05	5	0.6	<0.2
L7100W/13175N	Soil			27	0.63	200	0.111	3	1.87	0.025	0.10	0.3	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
L7100W/13200N	Soil			27	0.62	320	0.102	2	2.13	0.025	0.12	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
L7100W/13225N	Soil			30	0.66	210	0.119	3	2.03	0.021	0.09	0.3	0.02	4.2	0.2	<0.05	6	0.6	<0.2
L7100W/13250N	Soil			33	0.80	311	0.124	2	2.41	0.023	0.09	0.1	0.04	5.8	0.3	<0.05	7	0.6	<0.2
L7100W/13275N	Soil			23	0.56	225	0.079	1	1.75	0.017	0.09	0.2	0.04	5.2	0.2	<0.05	5	0.6	<0.2
L7100W/13300N	Soil			28	0.64	240	0.123	3	2.14	0.024	0.12	0.2	0.05	4.5	0.2	<0.05	6	1.0	<0.2
L7100W/13325N	Soil			34	0.57	300	0.092	3	2.22	0.017	0.10	0.2	0.06	5.5	0.2	0.09	7	0.9	<0.2
L7100W/13350N	Soil			29	0.58	164	0.130	<1	2.36	0.016	0.11	0.2	0.02	4.4	0.2	<0.05	6	0.7	<0.2
L7100W/13375N	Soil			33	0.68	219	0.157	1	2.16	0.022	0.15	0.3	0.03	5.8	0.3	<0.05	6	<0.5	<0.2
L7100W/13400N	Soil			30	0.65	185	0.116	2	2.09	0.020	0.08	0.2	0.04	4.5	0.2	<0.05	6	0.6	<0.2
L7100W/13425N	Soil			30	0.65	194	0.122	1	1.82	0.028	0.11	0.3	0.04	4.8	0.2	<0.05	5	0.6	<0.2
L7100W/13450N	Soil			29	0.60	167	0.098	2	2.14	0.023	0.08	0.3	0.04	4.3	0.2	<0.05	6	1.1	<0.2
L13450E/11950N	Soil			25	0.53	344	0.077	3	1.66	0.018	0.20	0.9	0.09	7.4	0.3	<0.05	6	1.3	<0.2
L13450E/11975N	Soil			23	0.49	318	0.068	2	1.63	0.017	0.21	1.1	0.08	8.1	0.3	<0.05	6	1.3	<0.2
L13450E/12000N	Soil			17	0.37	365	0.043	2	1.23	0.016	0.19	0.9	0.06	6.9	0.3	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 4 of 8

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
L13450E/12025N	Soil	4.7	17.4	16.2	55	0.3	14.5	9.8	496	3.15	55.4	3.9	14.7	28	0.1	6.6	1.2	59	0.33	0.021	30
L13450E/12050N	Soil	3.8	16.5	16.6	54	0.5	11.9	6.4	361	3.02	59.3	6.9	15.2	38	0.1	13.3	1.7	53	0.59	0.025	38
L13450E/12075N	Soil	3.6	25.3	15.1	56	0.5	16.1	10.0	843	3.13	37.9	5.3	25.3	38	0.2	7.0	1.3	50	0.57	0.048	74
L13450E/12100N	Soil	3.3	23.8	14.4	52	0.3	20.0	11.2	433	3.32	41.5	10.7	17.0	30	0.1	8.7	2.1	60	0.40	0.021	40
L13450E/12125N	Soil	5.3	19.9	13.4	52	0.1	16.2	8.1	303	3.14	26.8	2.5	12.5	23	<0.1	2.8	0.4	56	0.25	0.017	19
L13450E/12150N	Soil	9.9	15.8	11.9	46	0.2	11.8	6.7	363	3.18	24.9	1.1	8.2	32	<0.1	2.6	0.4	57	0.34	0.018	11
L13450E/12175N	Soil	5.2	21.6	13.2	55	0.1	18.6	9.8	327	3.33	29.1	1.9	11.4	28	0.1	2.6	0.3	65	0.28	0.015	15
L13450E/12200N	Soil	5.0	23.7	13.3	60	0.1	20.4	9.2	338	3.39	33.3	1.8	14.8	27	<0.1	3.4	0.6	58	0.28	0.016	12
L13450E/12225N	Soil	1.7	20.1	9.8	52	<0.1	23.5	10.6	401	3.21	28.7	6.1	16.2	26	0.1	1.9	0.3	65	0.35	0.015	21
L13450E/12250N	Soil	3.8	25.2	16.7	70	0.3	18.4	9.1	392	3.71	82.5	1.1	9.0	23	<0.1	5.9	2.7	67	0.31	0.024	9
L13450E/12275N	Soil	4.0	23.1	17.6	68	0.4	19.1	7.9	373	3.67	64.0	5.5	13.2	28	0.2	5.7	1.6	74	0.33	0.032	48
L13450E/12300N	Soil	1.9	17.4	17.4	63	0.2	17.9	10.1	437	3.74	98.9	4.0	12.0	21	0.1	13.8	0.6	68	0.24	0.035	34
L13450E/12325N	Soil	1.6	14.6	18.4	62	0.3	14.4	8.1	360	3.30	181.7	8.1	8.5	19	0.2	20.3	0.6	67	0.23	0.028	19
L13450E/12350N	Soil	1.6	17.3	18.6	65	0.2	16.2	9.1	554	3.19	315.7	11.2	11.0	23	0.3	110.2	0.6	62	0.34	0.035	57
L13450E/12375N	Soil	1.6	12.9	19.1	72	0.3	14.9	10.6	552	3.39	398.4	8.3	10.5	18	0.3	125.9	1.4	56	0.29	0.051	18
L13450E/12400N	Soil	1.5	20.9	14.8	68	0.2	18.6	9.4	399	3.54	123.4	12.1	12.6	26	0.1	60.7	0.7	71	0.39	0.036	31
L13450E/12425N	Soil	2.0	22.5	18.2	66	0.4	19.3	9.9	478	3.58	32.2	1.9	17.9	23	0.2	7.7	1.5	74	0.27	0.035	54
L13450E/12450N	Soil	1.5	18.3	13.8	60	0.2	18.4	11.1	505	3.64	22.0	3.1	13.8	27	0.2	1.2	0.6	75	0.35	0.032	49
L13450E/12475N	Soil	1.6	19.0	12.1	69	0.1	18.0	9.5	503	3.60	41.3	6.3	13.7	22	<0.1	1.2	0.5	64	0.32	0.039	26
L13450E/12500N	Soil	1.2	19.7	11.7	62	0.2	19.1	9.7	459	3.23	39.0	4.9	13.2	20	0.2	1.3	0.6	57	0.29	0.039	28
L13450E/12525N	Soil	1.4	29.4	26.3	114	0.2	19.8	12.6	577	4.10	51.6	4.5	14.0	24	0.4	3.8	2.9	75	0.40	0.063	34
L13450E/12550N	Soil	1.8	15.2	11.6	59	0.2	17.4	8.2	355	3.05	63.0	2.8	7.4	21	0.2	2.2	0.5	64	0.26	0.027	14
L13450E/12575N	Soil	1.5	12.5	11.3	43	0.3	11.3	7.0	306	2.22	48.0	2.1	5.5	16	0.3	2.0	0.5	56	0.18	0.027	18
L13450E/12600N	Soil	1.6	19.3	15.4	90	0.4	15.5	9.9	608	2.60	85.0	3.5	5.6	31	0.5	6.6	0.6	59	0.43	0.040	17
L13450E/12625N	Soil	1.5	8.5	14.1	74	<0.1	7.1	2.8	137	1.63	94.2	2.2	6.2	14	0.2	21.0	0.9	50	0.16	0.026	14
L13450E/12650N	Soil	1.9	12.7	14.1	56	0.1	14.7	6.3	320	3.12	201.2	6.6	7.3	16	0.3	9.2	1.1	75	0.18	0.032	15
L13450E/12675N	Soil	1.3	22.0	14.8	52	0.2	21.4	8.3	338	2.80	134.9	17.7	11.8	37	0.1	15.6	0.8	59	0.53	0.032	49
L13450E/12700N	Soil	1.5	21.5	15.8	64	0.2	21.9	8.8	398	3.47	88.4	5.1	14.7	30	0.2	3.3	0.9	74	0.38	0.027	46
L13450E/12725N	Soil	0.7	16.9	14.7	60	0.1	18.7	9.2	456	3.13	57.3	5.6	13.6	24	0.1	2.6	0.8	56	0.33	0.030	25
L13450E/12750N	Soil	1.0	14.9	14.6	39	0.2	12.3	5.6	251	2.22	58.9	4.4	6.7	16	0.4	1.1	0.7	55	0.14	0.027	29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 4 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
MDL		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13450E/12025N	Soil	26	0.50	286	0.074	<1	1.81	0.015	0.19	0.5	0.03	5.7	0.3	<0.05	6	<0.5	<0.2
L13450E/12050N	Soil	24	0.46	312	0.072	2	1.73	0.011	0.24	0.6	0.05	6.0	0.3	<0.05	6	<0.5	<0.2
L13450E/12075N	Soil	24	0.45	322	0.070	2	1.62	0.016	0.23	0.7	0.10	8.8	0.3	<0.05	6	0.6	<0.2
L13450E/12100N	Soil	32	0.52	258	0.068	2	2.22	0.019	0.13	0.5	0.05	6.3	0.2	<0.05	7	<0.5	<0.2
L13450E/12125N	Soil	26	0.42	152	0.045	1	1.98	0.012	0.11	0.5	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
L13450E/12150N	Soil	19	0.45	224	0.055	<1	2.26	0.014	0.18	0.4	0.03	5.6	0.3	<0.05	8	<0.5	<0.2
L13450E/12175N	Soil	30	0.50	228	0.070	3	2.30	0.013	0.15	0.4	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
L13450E/12200N	Soil	30	0.52	220	0.055	<1	2.37	0.013	0.15	0.4	0.03	5.8	0.3	<0.05	7	<0.5	<0.2
L13450E/12225N	Soil	36	0.56	248	0.086	<1	2.19	0.014	0.10	0.2	0.02	5.5	0.1	<0.05	6	<0.5	<0.2
L13450E/12250N	Soil	30	0.60	164	0.129	<1	2.07	0.012	0.27	0.8	0.02	6.5	0.5	<0.05	7	<0.5	<0.2
L13450E/12275N	Soil	33	0.64	218	0.148	2	2.17	0.012	0.25	0.4	0.04	7.7	0.5	<0.05	9	<0.5	<0.2
L13450E/12300N	Soil	32	0.62	159	0.147	2	2.31	0.012	0.28	0.3	0.02	6.8	0.4	<0.05	9	<0.5	<0.2
L13450E/12325N	Soil	27	0.49	147	0.127	3	1.77	0.011	0.22	0.3	0.02	4.9	0.4	<0.05	8	<0.5	<0.2
L13450E/12350N	Soil	29	0.59	195	0.113	4	1.94	0.013	0.23	0.4	0.03	5.9	0.5	<0.05	8	<0.5	<0.2
L13450E/12375N	Soil	27	0.62	141	0.158	4	1.85	0.011	0.32	0.6	0.02	5.8	0.5	<0.05	8	<0.5	<0.2
L13450E/12400N	Soil	34	0.70	162	0.167	4	2.23	0.013	0.18	0.3	0.02	6.5	0.4	<0.05	9	<0.5	<0.2
L13450E/12425N	Soil	34	0.62	160	0.143	4	2.60	0.012	0.23	0.3	0.05	7.1	0.4	<0.05	9	<0.5	<0.2
L13450E/12450N	Soil	33	0.61	195	0.152	2	2.29	0.014	0.21	0.3	0.02	6.7	0.4	<0.05	9	<0.5	<0.2
L13450E/12475N	Soil	33	0.75	144	0.171	1	2.27	0.013	0.25	0.3	0.02	6.6	0.5	<0.05	8	<0.5	<0.2
L13450E/12500N	Soil	33	0.68	142	0.169	3	2.14	0.012	0.22	0.3	0.03	6.2	0.4	<0.05	7	<0.5	<0.2
L13450E/12525N	Soil	36	0.77	150	0.186	2	2.18	0.021	0.38	1.6	0.01	8.1	0.9	<0.05	9	<0.5	<0.2
L13450E/12550N	Soil	30	0.57	110	0.144	3	1.87	0.011	0.15	0.3	0.05	5.0	0.3	<0.05	8	<0.5	<0.2
L13450E/12575N	Soil	21	0.40	111	0.137	2	1.37	0.012	0.19	0.3	0.02	3.9	0.5	<0.05	8	<0.5	<0.2
L13450E/12600N	Soil	24	0.38	193	0.094	3	1.69	0.014	0.23	0.2	0.02	3.9	0.4	<0.05	8	<0.5	<0.2
L13450E/12625N	Soil	16	0.21	92	0.112	2	0.90	0.007	0.12	0.3	<0.01	2.6	0.9	<0.05	8	<0.5	<0.2
L13450E/12650N	Soil	26	0.41	145	0.116	2	1.63	0.008	0.13	0.4	0.02	4.2	0.4	<0.05	9	<0.5	<0.2
L13450E/12675N	Soil	33	0.51	227	0.087	3	2.02	0.013	0.09	0.3	0.05	5.4	0.4	<0.05	7	<0.5	<0.2
L13450E/12700N	Soil	37	0.64	213	0.121	2	2.37	0.012	0.12	0.4	0.03	6.4	0.4	<0.05	8	<0.5	<0.2
L13450E/12725N	Soil	29	0.62	155	0.152	2	1.92	0.012	0.17	0.6	0.02	5.8	0.6	<0.05	7	<0.5	<0.2
L13450E/12750N	Soil	23	0.31	135	0.094	2	1.54	0.012	0.10	0.2	0.02	4.0	0.3	<0.05	8	<0.5	<0.2





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 5 of 8

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L13450E/12775N	Soil	1.1	17.2	19.6	62	0.3	17.3	8.0	428	2.80	110.6	4.6	10.6	29	0.9	4.9	1.0	55	0.41	0.036	45
L13450E/12800N	Soil	1.2	18.5	16.2	63	0.3	20.2	9.3	442	3.17	119.6	7.1	9.5	29	0.4	6.8	0.6	66	0.38	0.032	30
L13450E/12825N	Soil	2.0	24.1	16.9	83	0.3	23.9	11.7	741	3.78	262.8	6.4	9.8	36	0.6	17.1	0.7	75	0.49	0.054	42
L13450E/12850N	Soil	0.9	17.5	15.0	69	0.3	17.6	10.1	563	3.22	102.5	7.5	14.6	29	0.3	2.1	0.7	59	0.42	0.052	41
L13450E/12875N	Soil	1.1	16.5	14.1	64	0.2	17.1	8.6	394	2.99	49.4	2.8	11.9	28	0.3	1.6	0.5	60	0.39	0.044	35
L13450E/12900N	Soil	0.9	22.3	14.1	64	0.2	20.7	11.5	450	3.05	49.6	5.9	13.0	37	0.1	1.5	0.5	62	0.54	0.047	56
L13450E/12925N	Soil	0.9	18.7	13.4	62	0.2	18.2	10.8	467	2.96	58.7	6.6	11.4	37	<0.1	1.5	0.4	60	0.57	0.048	52
L13450E/12950N	Soil	0.7	16.9	13.2	62	0.1	18.9	9.7	444	2.74	29.6	6.5	8.4	37	0.2	2.0	0.4	56	0.56	0.049	26
L13450E/12975N	Soil	0.9	19.7	13.4	61	0.1	18.0	11.4	708	2.72	29.8	4.4	7.4	49	<0.1	2.7	0.5	53	0.77	0.061	32
L13450E/13000N	Soil	0.6	18.6	14.8	63	0.2	18.2	11.0	596	2.96	36.6	4.1	11.1	39	0.2	2.2	0.6	55	0.61	0.056	27
L13450E/13025N	Soil	0.9	25.4	15.0	68	0.3	20.5	11.9	691	3.12	35.2	7.1	8.4	43	0.3	1.5	0.6	63	0.69	0.063	30
L13450E/13050N	Soil	0.9	21.8	16.3	73	0.3	18.7	10.1	663	2.80	45.4	4.6	6.2	52	0.8	1.2	0.6	55	0.91	0.070	30
L13550E/11900N	Soil	2.5	14.8	13.5	72	0.1	13.5	7.1	453	2.42	26.8	5.3	14.0	35	0.2	3.3	1.0	77	0.76	0.056	16
L13550E/11925N	Soil	5.1	33.6	11.7	64	0.2	23.9	15.5	941	3.88	70.4	7.9	14.4	33	0.2	5.5	0.6	106	0.65	0.076	28
L13550E/11950N	Soil	3.6	33.3	10.4	67	0.2	23.8	10.6	434	3.08	47.6	3.8	12.2	47	0.1	4.3	0.6	86	1.01	0.072	29
L13550E/11975N	Soil	5.7	35.7	11.0	59	0.3	34.2	12.0	875	3.47	80.3	3.6	9.4	43	0.2	5.6	0.7	109	0.86	0.050	19
L13550E/12000N	Soil	5.4	36.7	11.4	69	0.2	34.0	12.7	495	3.85	98.0	3.3	9.4	24	0.1	5.7	1.0	111	0.26	0.029	19
L13550E/12025N	Soil	4.7	30.3	9.5	82	0.1	24.4	16.6	794	5.07	22.6	0.6	14.9	32	0.2	2.2	0.3	127	0.43	0.033	21
L13550E/12050N	Soil	3.6	24.2	9.8	81	0.2	22.6	15.6	752	4.71	15.2	0.6	18.7	29	0.2	1.0	0.3	125	0.40	0.041	12
L13550E/12075N	Soil	3.8	19.5	12.6	56	0.2	30.2	13.8	1176	3.82	27.6	0.6	6.4	28	0.3	2.9	0.3	97	0.31	0.019	13
L13650E/11900N	Soil	2.0	19.3	8.1	82	0.2	15.9	18.8	740	4.64	12.5	<0.5	10.5	44	0.3	1.6	0.2	120	0.62	0.036	19
L13650E/11925N	Soil	2.0	21.8	9.0	70	0.1	24.3	12.2	657	3.51	16.8	0.7	6.8	34	0.4	1.8	0.3	99	0.45	0.019	13
L13650E/11950N	Soil	2.8	16.5	11.1	84	0.2	23.8	14.0	620	4.29	33.0	1.5	9.1	28	0.6	1.6	0.3	111	0.32	0.026	9
L13650E/11975N	Soil	2.2	29.0	8.6	76	0.3	30.6	14.5	1700	3.51	17.7	0.9	3.8	29	0.6	2.8	0.3	119	0.32	0.025	10
L13650E/12000N	Soil	3.2	42.8	9.5	76	0.5	44.1	13.4	534	3.22	101.4	1.1	4.3	32	0.4	4.8	0.3	145	0.31	0.021	11
L13650E/12025N	Soil	2.0	28.3	8.4	55	0.2	32.9	10.4	505	3.15	46.6	3.2	5.9	31	0.2	2.3	0.2	96	0.40	0.025	12
L13650E/12050N	Soil	4.0	35.9	10.2	92	0.4	53.8	13.4	415	3.79	51.3	8.1	5.0	22	0.3	2.9	0.4	163	0.16	0.026	10
L13650E/12075N	Soil	2.4	18.1	14.1	76	0.3	49.3	11.9	418	4.31	88.9	<0.5	6.8	15	0.2	8.7	0.2	115	0.13	0.028	21
L13650E/12100N	Soil	1.7	18.5	10.2	57	0.1	32.1	11.5	385	3.60	32.5	<0.5	5.3	22	0.1	2.0	0.3	94	0.23	0.018	14
L13650E/12125N	Soil	4.1	25.1	11.9	65	0.4	30.9	10.9	451	3.52	51.2	2.5	5.1	31	0.2	3.2	0.8	117	0.35	0.020	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L13450E/12775N	Soil			26	0.49	186	0.092	2	1.80	0.013	0.12	0.5	0.05	5.4	0.5	<0.05	7	<0.5	<0.2
L13450E/12800N	Soil			34	0.57	216	0.098	2	2.06	0.012	0.09	1.0	0.09	5.6	0.6	<0.05	7	<0.5	<0.2
L13450E/12825N	Soil			39	0.60	366	0.078	3	2.64	0.013	0.11	0.3	0.16	6.8	0.9	<0.05	10	<0.5	<0.2
L13450E/12850N	Soil			33	0.61	279	0.115	1	2.01	0.012	0.14	0.4	0.10	6.7	0.9	<0.05	7	0.6	<0.2
L13450E/12875N	Soil			31	0.56	235	0.115	3	2.00	0.013	0.15	0.7	0.05	5.5	0.5	<0.05	7	<0.5	<0.2
L13450E/12900N	Soil			35	0.63	301	0.108	2	2.09	0.015	0.09	0.3	0.12	7.1	0.4	<0.05	7	<0.5	<0.2
L13450E/12925N	Soil			33	0.58	262	0.097	2	1.99	0.015	0.10	0.4	0.10	7.0	0.5	<0.05	7	<0.5	<0.2
L13450E/12950N	Soil			32	0.62	201	0.104	2	1.89	0.016	0.08	0.2	0.05	5.7	0.3	<0.05	6	<0.5	<0.2
L13450E/12975N	Soil			30	0.54	199	0.086	3	1.77	0.017	0.08	0.3	0.07	6.1	0.3	<0.05	6	0.6	<0.2
L13450E/13000N	Soil			31	0.60	172	0.107	1	1.87	0.016	0.10	0.4	0.06	6.6	0.4	<0.05	7	<0.5	<0.2
L13450E/13025N	Soil			37	0.61	193	0.086	3	2.15	0.015	0.07	0.3	0.08	8.0	0.3	<0.05	7	<0.5	<0.2
L13450E/13050N	Soil			33	0.57	181	0.071	2	1.94	0.017	0.08	0.2	0.07	6.1	0.2	<0.05	6	<0.5	<0.2
L13550E/11900N	Soil			37	0.71	387	0.162	2	1.82	0.020	0.50	0.4	0.05	8.1	0.6	<0.05	7	<0.5	<0.2
L13550E/11925N	Soil			36	0.81	576	0.178	1	1.93	0.022	0.50	0.4	0.05	9.2	0.6	<0.05	7	1.0	<0.2
L13550E/11950N	Soil			35	0.70	568	0.147	2	1.62	0.024	0.41	0.4	0.05	8.5	0.5	<0.05	6	0.7	<0.2
L13550E/11975N	Soil			42	0.66	697	0.133	2	1.78	0.017	0.44	0.6	0.05	8.3	0.5	<0.05	7	0.6	<0.2
L13550E/12000N	Soil			50	0.68	400	0.131	<1	2.06	0.012	0.35	0.8	0.02	8.7	0.5	<0.05	7	<0.5	<0.2
L13550E/12025N	Soil			38	1.09	670	0.287	1	3.04	0.019	0.64	0.2	0.02	9.8	0.7	<0.05	11	<0.5	<0.2
L13550E/12050N	Soil			40	1.10	547	0.276	4	3.02	0.013	0.75	0.2	0.02	7.7	0.6	<0.05	10	<0.5	<0.2
L13550E/12075N	Soil			47	0.59	447	0.128	3	2.22	0.013	0.29	0.3	0.02	6.2	0.3	<0.05	9	<0.5	<0.2
L13650E/11900N	Soil			29	1.08	695	0.246	3	2.56	0.018	0.66	0.1	0.02	9.0	0.5	<0.05	9	<0.5	<0.2
L13650E/11925N	Soil			37	0.66	468	0.163	3	2.26	0.019	0.37	0.2	<0.01	6.5	0.3	<0.05	8	<0.5	<0.2
L13650E/11950N	Soil			37	0.88	545	0.209	3	3.12	0.016	0.30	0.2	0.03	6.2	0.4	<0.05	10	<0.5	<0.2
L13650E/11975N	Soil			47	0.62	881	0.151	3	2.10	0.020	0.34	0.2	0.02	6.1	0.4	<0.05	8	<0.5	<0.2
L13650E/12000N	Soil			54	0.52	541	0.104	1	1.86	0.016	0.23	0.3	0.01	5.6	0.4	<0.05	7	<0.5	<0.2
L13650E/12025N	Soil			52	0.71	466	0.147	2	2.05	0.015	0.35	0.4	0.01	6.4	0.3	<0.05	7	0.5	<0.2
L13650E/12050N	Soil			59	0.68	480	0.133	2	2.61	0.014	0.22	0.3	<0.01	5.7	0.4	<0.05	10	<0.5	0.3
L13650E/12075N	Soil			83	0.78	263	0.165	1	2.29	0.010	0.42	0.5	<0.01	6.4	0.6	<0.05	9	<0.5	<0.2
L13650E/12100N	Soil			53	0.71	273	0.165	2	2.22	0.013	0.41	0.4	0.01	7.0	0.4	<0.05	8	<0.5	<0.2
L13650E/12125N	Soil			47	0.71	324	0.126	2	2.34	0.012	0.16	0.5	0.02	6.0	0.3	<0.05	8	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 6 of 8

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.001	1		
L13650E/12150N	Soil		4.6	18.6	16.7	64	0.7	23.0	9.8	431	3.48	46.0	<0.5	6.3	24	0.4	3.6	1.6	92	0.24	0.027	8
L13650E/12175N	Soil		3.0	21.6	30.7	67	0.8	19.3	10.6	1062	3.47	10.6	<0.5	9.9	39	0.3	1.1	6.1	80	0.45	0.030	10
L13650E/12200N	Soil		2.5	14.1	16.8	54	0.7	16.2	7.3	290	2.90	8.0	0.6	7.3	27	0.1	0.9	2.9	74	0.28	0.018	9
L13650E/12225N	Soil		6.5	18.2	25.6	57	1.3	15.9	7.7	446	3.07	14.8	<0.5	11.4	21	0.2	2.0	24.5	70	0.20	0.019	8
L13400E/11950N	Soil		0.9	12.5	14.8	67	0.2	12.6	8.7	552	2.45	32.2	4.2	7.9	41	0.1	3.1	0.5	55	0.61	0.066	26
L13400E/11975N	Soil		2.1	28.7	16.4	67	0.2	16.0	9.2	369	2.76	54.3	8.5	20.0	43	0.2	14.1	1.4	52	0.81	0.051	38
L13400E/12000N	Soil		3.8	20.8	20.6	67	0.4	10.2	7.1	376	2.77	131.4	24.9	24.6	46	0.1	27.5	2.6	47	0.99	0.065	39
L13400E/12025N	Soil		7.8	26.4	22.4	83	0.3	14.3	9.5	429	3.28	83.2	25.3	38.1	34	0.2	28.9	1.8	40	0.78	0.075	83
L13400E/12050N	Soil		3.6	22.1	18.6	66	0.3	16.1	8.8	468	3.37	75.8	5.9	17.6	38	0.1	24.5	1.4	53	0.75	0.040	79
L13400E/12075N	Soil		2.6	20.0	16.1	77	0.2	17.5	10.0	462	3.76	111.3	4.3	15.6	24	0.2	25.2	1.0	60	0.35	0.033	17
L13400E/12100N	Soil		3.5	16.2	17.7	63	0.3	15.0	8.2	341	3.54	104.5	1.6	10.9	19	0.2	34.0	1.1	59	0.23	0.021	12
L13400E/12125N	Soil		3.7	15.8	16.5	60	0.2	16.3	11.5	879	3.19	122.2	1.4	10.4	30	0.2	62.9	0.9	56	0.39	0.027	15
L13400E/12150N	Soil		4.6	20.1	19.0	56	0.5	16.1	8.9	393	3.27	64.5	6.8	11.2	28	<0.1	6.8	1.3	58	0.35	0.028	22
L13400E/12175N	Soil		3.3	15.3	12.4	47	0.5	13.5	8.9	689	2.71	43.5	2.5	8.5	34	0.2	4.1	1.5	61	0.50	0.026	25
L13400E/12200N	Soil		3.0	17.7	13.4	55	0.6	11.8	9.9	1024	2.55	70.3	1.3	6.3	21	0.3	6.9	1.2	54	0.27	0.029	20
L13400E/12225N	Soil		4.0	21.1	18.8	59	0.7	15.6	7.3	536	3.01	146.0	11.2	10.7	35	0.2	10.9	2.0	58	0.48	0.036	39
L13400E/12250N	Soil		3.1	20.4	18.2	60	0.6	17.0	9.3	493	3.39	213.9	18.3	11.9	35	0.2	31.3	0.8	69	0.47	0.028	38
L13400E/12275N	Soil		2.4	19.9	16.6	62	0.3	15.4	7.0	365	2.81	258.3	9.5	8.7	33	0.4	67.9	1.0	58	0.41	0.036	30
L13400E/12300N	Soil		2.6	20.8	18.8	76	1.1	16.0	8.4	1017	3.06	395.5	15.6	10.4	36	0.4	362.0	1.9	58	0.41	0.042	44
L13400E/12325N	Soil		2.4	23.3	14.7	69	0.6	20.1	10.2	715	3.20	282.0	13.0	12.7	40	0.3	81.3	1.8	59	0.59	0.052	55
L13400E/12350N	Soil		2.3	20.9	17.3	82	0.2	17.8	9.8	498	3.20	115.5	4.4	15.5	31	0.4	33.1	0.9	63	0.44	0.048	25
L13400E/12375N	Soil		2.7	23.9	15.0	75	0.7	17.2	9.5	618	3.37	168.0	8.0	15.9	44	0.4	17.8	1.3	60	0.70	0.051	73
L13400E/12400N	Soil		1.9	20.9	14.7	66	0.4	17.3	11.1	587	3.31	37.4	1.7	14.9	35	0.2	3.2	0.7	62	0.47	0.034	43
L13400E/12425N	Soil		1.9	16.5	16.0	63	0.2	15.8	7.9	459	3.05	39.8	2.1	12.1	40	0.2	2.4	0.6	57	0.62	0.043	25
L13400E/12450N	Soil		2.6	29.8	16.4	80	0.7	21.9	14.3	809	3.62	44.7	6.5	17.1	58	0.3	2.0	1.2	66	0.74	0.061	82
L13400E/12475N	Soil		1.5	17.2	12.1	64	0.3	17.4	7.9	372	3.10	38.1	5.8	9.8	25	0.2	1.5	0.5	61	0.27	0.034	27
L13400E/12500N	Soil		1.5	18.0	11.6	68	0.1	19.5	10.7	551	3.02	47.0	3.8	11.3	43	0.1	1.8	0.4	62	0.61	0.048	25
L13400E/12525N	Soil		1.6	24.4	14.3	77	0.2	22.2	10.6	601	3.32	57.1	13.5	17.1	51	0.2	2.9	0.5	61	0.77	0.057	68
L13400E/12550N	Soil		2.1	31.3	19.7	98	0.4	25.2	9.9	431	3.40	119.7	11.8	17.7	45	0.1	12.7	1.0	65	0.70	0.047	68
L13400E/12575N	Soil		1.6	25.8	25.5	127	0.3	23.0	10.2	595	2.80	115.4	13.0	11.4	64	0.4	18.8	1.0	54	0.85	0.057	53



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 6 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13650E/12150N	Soil	34	0.52	250	0.093	<1	2.29	0.011	0.13	0.7	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
L13650E/12175N	Soil	32	0.57	594	0.116	2	2.26	0.013	0.17	4.6	0.03	5.0	0.3	<0.05	8	<0.5	<0.2
L13650E/12200N	Soil	31	0.45	220	0.082	1	2.08	0.011	0.07	0.3	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
L13650E/12225N	Soil	29	0.36	198	0.040	1	2.07	0.008	0.06	0.3	0.02	3.0	0.2	<0.05	8	<0.5	1.1
L13400E/11950N	Soil	22	0.54	208	0.088	2	1.59	0.019	0.11	0.6	0.03	5.2	0.2	<0.05	5	0.8	<0.2
L13400E/11975N	Soil	25	0.54	240	0.086	3	1.56	0.024	0.16	0.7	0.09	6.7	0.3	<0.05	5	<0.5	<0.2
L13400E/12000N	Soil	19	0.51	255	0.081	3	1.42	0.016	0.33	1.6	0.09	7.2	0.5	<0.05	6	<0.5	<0.2
L13400E/12025N	Soil	24	0.75	259	0.163	2	1.80	0.014	0.71	1.6	0.10	10.8	0.9	<0.05	10	<0.5	<0.2
L13400E/12050N	Soil	26	0.60	302	0.102	1	2.01	0.019	0.33	0.5	0.05	7.7	0.4	<0.05	9	0.9	<0.2
L13400E/12075N	Soil	32	0.74	160	0.152	2	2.13	0.014	0.43	0.6	0.03	7.5	0.6	<0.05	9	<0.5	<0.2
L13400E/12100N	Soil	26	0.51	161	0.108	2	2.01	0.013	0.30	0.5	<0.01	5.1	0.4	<0.05	8	<0.5	<0.2
L13400E/12125N	Soil	27	0.53	227	0.096	2	1.88	0.015	0.30	0.7	0.02	5.2	0.3	<0.05	7	<0.5	<0.2
L13400E/12150N	Soil	28	0.47	224	0.064	2	2.21	0.015	0.22	0.6	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
L13400E/12175N	Soil	24	0.46	252	0.111	1	1.64	0.017	0.21	0.5	0.03	5.3	0.3	<0.05	7	<0.5	<0.2
L13400E/12200N	Soil	20	0.33	213	0.080	1	1.34	0.018	0.21	0.4	<0.01	3.6	0.3	<0.05	7	<0.5	<0.2
L13400E/12225N	Soil	29	0.47	261	0.069	2	1.95	0.013	0.22	0.5	0.03	5.7	0.3	<0.05	8	<0.5	<0.2
L13400E/12250N	Soil	31	0.56	223	0.107	2	2.33	0.015	0.22	0.2	0.05	6.9	0.4	<0.05	9	<0.5	<0.2
L13400E/12275N	Soil	26	0.53	208	0.121	2	1.80	0.015	0.30	0.3	0.02	5.7	0.5	<0.05	8	<0.5	<0.2
L13400E/12300N	Soil	28	0.51	248	0.101	2	2.01	0.015	0.31	0.3	0.07	5.9	0.4	<0.05	8	<0.5	<0.2
L13400E/12325N	Soil	31	0.64	224	0.135	3	2.04	0.016	0.28	0.5	0.05	6.4	0.4	<0.05	8	<0.5	<0.2
L13400E/12350N	Soil	30	0.69	160	0.161	2	2.06	0.015	0.26	0.6	0.02	6.6	0.5	<0.05	8	<0.5	<0.2
L13400E/12375N	Soil	29	0.58	264	0.129	1	2.31	0.015	0.29	0.4	0.07	7.9	0.5	<0.05	9	<0.5	<0.2
L13400E/12400N	Soil	33	0.60	220	0.139	2	2.41	0.018	0.21	0.3	0.03	6.9	0.4	<0.05	10	<0.5	<0.2
L13400E/12425N	Soil	30	0.63	174	0.146	1	2.02	0.015	0.23	0.4	0.02	6.2	0.5	<0.05	8	<0.5	<0.2
L13400E/12450N	Soil	38	0.63	323	0.133	3	2.91	0.016	0.23	0.4	0.09	8.6	0.4	<0.05	10	0.9	<0.2
L13400E/12475N	Soil	31	0.63	97	0.168	3	2.07	0.018	0.25	0.3	0.03	6.4	0.4	<0.05	8	<0.5	<0.2
L13400E/12500N	Soil	35	0.71	154	0.153	2	1.92	0.018	0.24	0.3	0.02	6.4	0.4	<0.05	7	<0.5	<0.2
L13400E/12525N	Soil	37	0.74	202	0.166	2	2.17	0.022	0.30	0.4	0.05	8.9	0.6	<0.05	8	<0.5	<0.2
L13400E/12550N	Soil	39	0.65	275	0.133	2	2.52	0.020	0.20	0.6	0.06	8.5	0.8	<0.05	8	<0.5	<0.2
L13400E/12575N	Soil	37	0.57	513	0.095	4	2.03	0.021	0.13	0.5	0.11	7.8	0.9	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

Page: 7 of 8

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000253.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13400E/12600N	Soil		1.1	19.5	16.8	67	0.2	19.1	9.2	404	2.82	83.7	10.4	14.8	37	0.1	11.2	2.1	55	0.55	0.042	42
L13400E/12625N	Soil		1.0	15.3	11.4	55	<0.1	18.4	8.8	411	2.88	85.4	6.2	12.5	31	0.2	12.9	0.9	56	0.41	0.040	31
L13400E/12650N	Soil		1.0	14.4	12.0	59	<0.1	17.7	8.8	410	2.87	84.9	9.1	14.5	33	<0.1	5.8	0.7	57	0.47	0.044	27
L13400E/12675N	Soil		0.9	25.0	20.1	73	0.4	19.5	10.5	491	3.26	90.7	14.2	28.1	38	0.2	11.3	1.3	57	0.62	0.052	108
L13400E/12700N	Soil		1.0	21.9	15.1	63	0.3	17.6	9.6	484	3.02	89.9	10.2	20.1	32	0.3	4.4	0.9	55	0.45	0.052	55
L13400E/12725N	Soil		1.1	26.8	17.5	66	0.6	22.6	10.6	574	3.21	122.7	11.3	15.1	49	0.8	7.0	1.1	59	0.75	0.055	70
L13400E/12750N	Soil		1.1	26.0	16.9	73	0.5	25.5	9.0	372	3.33	89.9	7.2	9.9	43	1.2	10.3	0.9	66	0.55	0.049	37
L13400E/12775N	Soil		1.7	15.9	19.2	70	0.1	21.0	13.1	768	3.23	158.7	5.5	11.3	33	0.4	11.2	0.7	64	0.46	0.054	33
L13400E/12800N	Soil		0.8	11.1	12.9	59	0.1	14.3	9.5	438	2.63	70.2	3.7	7.7	30	0.2	3.4	0.5	58	0.41	0.047	24
L13400E/12825N	Soil		0.9	19.9	15.0	70	0.2	20.5	10.7	488	3.17	57.3	6.9	15.2	39	<0.1	1.4	0.5	66	0.60	0.050	48
L13400E/12850N	Soil		0.9	19.2	11.9	64	0.2	18.8	11.7	528	3.01	46.6	8.2	12.0	33	0.2	1.4	0.4	61	0.49	0.054	43
L13400E/12875N	Soil		1.0	22.4	13.1	63	0.2	19.6	9.6	501	2.87	47.7	4.8	9.0	39	0.2	1.4	0.5	59	0.56	0.061	45
L13400E/12900N	Soil		1.0	21.8	12.1	57	0.3	19.8	9.2	461	2.53	33.0	7.3	7.2	56	0.1	1.7	0.4	50	0.86	0.056	61
L13400E/12925N	Soil		0.9	20.2	12.8	67	0.4	17.6	9.7	544	2.67	42.1	6.7	7.6	57	0.3	2.4	0.5	52	0.90	0.064	63
L13400E/12950N	Soil		0.7	20.7	13.7	63	0.3	17.6	9.1	464	2.83	37.9	5.1	9.6	48	0.2	1.6	0.6	57	0.73	0.049	50
L7100W/12525N	Soil		0.9	60.4	12.4	46	0.2	18.0	7.7	269	3.64	31.0	160.1	15.7	48	0.1	2.1	3.2	55	0.25	0.073	36
L7100W/12550N	Soil		1.0	54.7	12.6	42	0.1	17.0	6.5	235	4.14	23.2	118.4	18.4	59	0.2	1.6	2.6	41	0.17	0.070	40
L7100W/12575N	Soil		2.0	46.4	10.6	63	<0.1	15.2	6.9	556	3.19	14.6	71.4	4.0	24	0.2	1.2	1.6	70	0.15	0.072	18
L7100W/12600N	Soil		1.8	39.3	12.1	46	<0.1	16.5	7.3	258	3.71	15.6	43.8	6.1	24	0.2	1.2	1.6	76	0.12	0.045	20
L6700W/12525N	Soil		0.9	43.2	12.2	46	0.1	16.0	8.1	339	2.95	14.3	29.6	8.6	30	0.2	2.5	0.7	52	0.25	0.062	22
L6700W/12550N	Soil		1.3	38.5	14.4	39	0.1	13.0	6.3	230	2.94	18.8	46.0	10.3	32	0.1	3.4	0.7	51	0.20	0.061	24
L6700W/12575N	Soil		1.5	42.2	24.3	42	0.3	14.0	6.8	263	3.14	27.4	33.1	10.4	35	0.2	4.9	1.1	49	0.17	0.078	31
L6700W/12600N	Soil		1.4	61.7	13.5	35	0.2	14.3	7.2	267	3.60	21.1	28.5	11.1	47	<0.1	3.0	1.3	61	0.19	0.082	35
L6700W/12625N	Soil		1.0	48.6	17.3	35	0.2	11.2	5.6	191	3.21	35.3	25.8	22.8	51	<0.1	5.9	0.9	42	0.22	0.056	44
L6700W/12650N	Soil		1.0	35.5	13.6	39	0.1	13.8	7.7	408	3.36	19.6	71.7	11.6	30	0.2	2.4	1.0	61	0.17	0.059	25
L6700W/12675N	Soil		1.3	59.0	14.0	41	0.2	13.4	7.0	320	3.26	24.9	52.7	6.7	44	0.2	3.1	1.7	52	0.24	0.075	28
L6700W/12700N	Soil		1.0	55.6	12.8	44	0.2	13.3	8.2	445	3.37	23.5	47.1	9.2	40	0.2	3.4	1.6	55	0.18	0.064	18
L6700W/12725N	Soil		1.4	69.0	17.8	39	0.2	14.5	6.4	230	4.06	30.0	35.2	11.9	44	0.1	4.7	2.0	63	0.14	0.069	21
L6700W/12750N	Soil		0.7	63.3	16.5	37	0.2	13.8	8.3	321	3.79	37.2	57.4	15.4	45	0.1	4.1	1.7	60	0.23	0.084	24
L6700W/12775N	Soil		1.5	68.7	17.6	45	0.3	14.4	5.7	234	3.17	31.7	53.9	4.5	51	0.3	5.7	3.0	45	0.25	0.087	39





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 7 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13400E/12600N	Soil			33	0.56	283	0.119	<1	1.89	0.020	0.12	3.0	0.05	7.0	0.6	<0.05	7	<0.5	<0.2
L13400E/12625N	Soil			35	0.65	154	0.145	1	1.77	0.020	0.16	0.3	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
L13400E/12650N	Soil			33	0.66	153	0.142	3	1.77	0.022	0.20	0.6	0.04	6.1	0.6	<0.05	7	<0.5	<0.2
L13400E/12675N	Soil			34	0.64	197	0.137	2	2.23	0.020	0.24	0.6	0.10	10.4	0.7	<0.05	8	<0.5	<0.2
L13400E/12700N	Soil			31	0.56	195	0.128	3	1.96	0.017	0.20	0.5	0.09	8.0	0.8	<0.05	7	<0.5	<0.2
L13400E/12725N	Soil			37	0.60	279	0.103	2	2.33	0.017	0.15	0.5	0.12	8.6	0.6	<0.05	7	<0.5	<0.2
L13400E/12750N	Soil			41	0.60	263	0.106	2	2.69	0.018	0.13	0.5	0.09	7.0	0.6	<0.05	9	0.8	<0.2
L13400E/12775N	Soil			40	0.58	274	0.110	2	2.27	0.016	0.14	0.6	0.10	6.0	0.6	<0.05	8	<0.5	<0.2
L13400E/12800N	Soil			30	0.55	171	0.118	3	1.65	0.016	0.11	0.5	0.05	4.9	0.5	<0.05	7	<0.5	<0.2
L13400E/12825N	Soil			38	0.67	288	0.110	3	2.33	0.018	0.10	0.3	0.13	7.9	0.4	<0.05	8	<0.5	<0.2
L13400E/12850N	Soil			35	0.63	266	0.100	1	2.12	0.015	0.09	0.3	0.14	7.0	0.4	<0.05	7	<0.5	<0.2
L13400E/12875N	Soil			34	0.56	269	0.091	3	2.07	0.016	0.12	0.3	0.12	7.3	0.4	<0.05	7	<0.5	<0.2
L13400E/12900N	Soil			31	0.52	284	0.079	2	1.94	0.017	0.09	0.2	0.13	6.9	0.3	<0.05	6	<0.5	<0.2
L13400E/12925N	Soil			31	0.52	216	0.081	2	1.91	0.019	0.09	0.2	0.14	7.2	0.3	<0.05	7	0.6	<0.2
L13400E/12950N	Soil			30	0.59	204	0.094	3	2.05	0.018	0.10	0.2	0.08	6.9	0.4	<0.05	7	<0.5	<0.2
L7100W/12525N	Soil			28	0.60	163	0.093	1	1.79	0.054	0.23	0.7	0.03	3.8	0.2	0.27	6	<0.5	0.9
L7100W/12550N	Soil			25	0.47	191	0.055	<1	1.70	0.103	0.29	0.5	0.03	3.0	0.2	0.60	6	<0.5	0.9
L7100W/12575N	Soil			26	0.41	107	0.080	2	1.65	0.024	0.15	<0.1	0.08	3.1	0.2	0.12	9	<0.5	0.5
L7100W/12600N	Soil			33	0.41	95	0.088	2	2.18	0.018	0.08	0.4	0.06	3.6	0.2	0.06	9	<0.5	0.5
L6700W/12525N	Soil			26	0.57	160	0.078	2	1.83	0.018	0.12	1.2	0.02	4.0	0.2	<0.05	6	<0.5	0.2
L6700W/12550N	Soil			22	0.50	169	0.074	<1	1.69	0.027	0.14	3.9	0.02	3.5	0.2	0.11	6	<0.5	<0.2
L6700W/12575N	Soil			25	0.47	192	0.057	<1	2.11	0.024	0.17	1.6	0.06	4.0	0.3	0.10	7	<0.5	0.3
L6700W/12600N	Soil			29	0.71	225	0.088	<1	2.23	0.041	0.36	2.8	0.03	5.2	0.4	0.21	9	<0.5	0.3
L6700W/12625N	Soil			21	0.57	210	0.074	<1	1.82	0.038	0.31	1.7	0.02	4.5	0.4	0.25	6	<0.5	0.2
L6700W/12650N	Soil			25	0.53	130	0.096	<1	1.72	0.025	0.16	1.6	0.03	3.6	0.2	0.12	8	<0.5	0.2
L6700W/12675N	Soil			24	0.53	260	0.043	<1	2.42	0.022	0.14	2.1	0.04	3.6	0.2	0.08	8	<0.5	0.3
L6700W/12700N	Soil			23	0.53	187	0.055	1	2.15	0.025	0.12	4.2	0.02	3.6	0.1	0.11	8	<0.5	0.4
L6700W/12725N	Soil			26	0.55	200	0.046	1	2.82	0.025	0.14	1.6	0.06	4.5	0.2	0.14	9	0.6	0.4
L6700W/12750N	Soil			23	0.57	197	0.062	<1	2.15	0.031	0.19	1.4	0.04	3.9	0.2	0.20	7	<0.5	0.4
L6700W/12775N	Soil			23	0.40	243	0.024	<1	2.14	0.026	0.14	1.1	0.06	3.1	0.2	0.18	8	0.6	0.6



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 8

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6700W/12800N	Soil	1.0	89.0	12.6	46	0.2	14.6	8.4	316	3.34	26.7	92.4	8.2	42	0.1	3.0	2.9	52	0.20	0.067	23
L6700W/12825N	Soil	1.8	71.3	14.7	53	0.2	18.0	7.7	331	3.79	31.1	44.1	4.9	36	0.2	2.4	4.1	59	0.16	0.085	23
L6700W/12850N	Soil	1.6	97.5	19.7	53	0.2	25.0	8.2	299	4.02	60.8	52.6	13.3	40	0.2	7.7	7.9	51	0.20	0.073	39
L6700W/12875N	Soil	0.9	75.9	14.7	48	<0.1	23.5	8.7	347	3.08	47.6	279.0	13.3	24	0.1	4.2	3.8	48	0.18	0.053	25
L6700W/12900N	Soil	0.7	73.6	10.2	49	0.1	24.1	9.6	334	3.13	30.6	76.5	12.9	24	<0.1	4.0	3.4	53	0.20	0.048	27
L6700W/12925N	Soil	1.0	59.2	10.3	46	0.1	21.9	7.1	244	3.37	43.4	116.8	14.9	28	0.2	3.2	3.6	43	0.18	0.068	25
L6700W/12950N	Soil	1.3	47.1	13.4	60	0.1	20.9	9.0	358	3.62	27.4	95.2	7.6	18	0.2	2.6	2.6	61	0.12	0.057	14
L6700W/12975N	Soil	0.7	67.4	10.9	28	0.2	13.0	4.3	174	2.81	27.3	231.9	19.4	31	0.1	5.8	4.9	28	0.25	0.050	31
L6700W/13000N	Soil	0.8	50.8	9.9	37	0.1	16.7	6.9	216	2.51	30.6	169.9	11.1	21	0.1	5.6	3.4	44	0.25	0.068	19
L6700W/13025N	Soil	1.0	82.9	11.1	51	0.2	20.4	8.1	300	3.22	29.9	193.3	11.0	20	0.3	3.7	3.8	55	0.23	0.061	23
L6700W/13050N	Soil	0.9	60.7	10.8	47	0.2	16.5	6.5	260	2.54	35.1	104.5	7.2	19	0.2	2.5	3.3	45	0.20	0.051	21
L6700W/13075N	Soil	1.8	85.9	21.5	45	0.7	18.2	7.1	344	3.68	64.6	126.5	5.9	30	0.2	7.8	9.0	47	0.29	0.112	35
L6700W/13100N	Soil	1.1	93.6	11.5	51	0.2	13.3	8.4	275	3.10	37.2	97.8	15.4	28	0.1	2.2	5.5	72	0.40	0.108	39
L6700W/13125N	Soil	1.1	64.3	15.2	39	0.3	8.4	4.4	196	2.62	44.2	95.9	12.4	24	0.1	2.9	5.9	39	0.25	0.075	24
L6700W/13150N	Soil	1.6	47.1	17.2	29	0.7	9.4	21.1	1597	1.81	35.6	50.3	0.7	27	0.3	4.6	4.8	37	0.18	0.138	28
L6700W/13175N	Soil	2.2	77.3	21.0	53	0.9	16.1	7.6	336	3.13	117.6	89.9	5.8	28	0.2	10.8	15.8	58	0.25	0.092	26
L6700W/13200N	Soil	1.2	97.5	10.7	68	0.3	13.9	13.7	590	3.05	74.5	35.6	11.2	26	0.4	1.7	5.4	52	0.31	0.071	27
L6700W/13225N	Soil	2.2	89.5	16.1	105	0.7	22.7	15.0	1150	3.53	139.5	30.6	5.0	43	0.7	1.9	4.2	64	0.44	0.105	36
L6700W/13250N	Soil	2.0	60.5	12.7	126	0.3	21.0	13.7	957	3.29	128.8	10.8	2.5	32	1.2	1.7	3.0	67	0.34	0.094	21
L6700W/13275N	Soil	1.7	48.3	12.2	122	0.2	22.7	16.0	992	3.17	108.2	10.8	3.0	28	0.5	1.5	2.1	68	0.28	0.086	16
L6700W/13300N	Soil	0.8	32.1	8.6	81	0.1	16.8	8.5	368	2.25	66.9	8.6	2.7	29	0.5	0.9	1.3	55	0.25	0.055	12



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 8 of 8

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000253.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6700W/12800N	Soil	22	0.57	212	0.046	2	2.09	0.021	0.15	3.7	0.04	3.6	0.2	0.13	7	1.3	0.4
L6700W/12825N	Soil	28	0.44	194	0.046	2	2.23	0.024	0.13	3.8	0.06	3.2	0.2	0.16	8	0.9	0.7
L6700W/12850N	Soil	36	0.67	240	0.052	1	2.64	0.024	0.20	2.3	0.04	4.5	0.4	0.18	8	1.1	1.3
L6700W/12875N	Soil	33	0.67	146	0.086	1	1.97	0.018	0.22	5.1	0.03	3.9	0.3	0.08	7	0.8	0.7
L6700W/12900N	Soil	32	0.73	124	0.112	3	1.97	0.016	0.24	5.2	0.02	4.7	0.3	0.06	6	1.1	1.1
L6700W/12925N	Soil	34	0.55	142	0.079	2	2.10	0.019	0.20	2.1	0.04	3.9	0.3	0.11	6	0.7	0.9
L6700W/12950N	Soil	29	0.45	116	0.074	3	2.29	0.011	0.10	0.9	0.05	3.4	0.2	<0.05	8	0.9	0.5
L6700W/12975N	Soil	21	0.49	158	0.035	<1	1.56	0.009	0.18	0.7	0.02	3.5	0.2	<0.05	5	0.6	1.0
L6700W/13000N	Soil	21	0.40	113	0.079	2	1.61	0.012	0.10	1.4	0.02	3.3	0.2	<0.05	4	<0.5	0.5
L6700W/13025N	Soil	28	0.68	150	0.108	3	2.06	0.013	0.24	1.7	0.02	4.7	0.3	<0.05	7	<0.5	0.4
L6700W/13050N	Soil	25	0.50	114	0.068	2	1.56	0.011	0.12	2.1	0.03	3.4	0.2	<0.05	5	<0.5	0.5
L6700W/13075N	Soil	31	0.43	212	0.028	1	2.12	0.010	0.12	2.3	0.08	3.4	0.3	0.10	7	1.1	1.0
L6700W/13100N	Soil	25	0.76	232	0.129	<1	1.88	0.014	0.38	9.3	<0.01	5.5	0.6	<0.05	6	<0.5	0.6
L6700W/13125N	Soil	18	0.49	215	0.080	<1	1.61	0.012	0.19	2.0	0.04	4.1	0.3	<0.05	6	0.7	0.6
L6700W/13150N	Soil	19	0.23	168	0.023	1	1.14	0.011	0.06	0.3	0.07	1.8	0.3	0.07	5	<0.5	0.5
L6700W/13175N	Soil	29	0.50	198	0.054	<1	1.78	0.009	0.11	0.7	0.08	4.2	0.2	<0.05	6	1.3	0.9
L6700W/13200N	Soil	22	0.66	275	0.109	<1	1.99	0.011	0.29	0.7	0.03	4.5	0.5	<0.05	7	0.7	0.6
L6700W/13225N	Soil	31	0.60	322	0.066	2	2.32	0.015	0.07	0.5	0.06	5.6	0.3	<0.05	7	1.5	0.4
L6700W/13250N	Soil	29	0.59	264	0.062	1	2.03	0.014	0.06	0.4	0.05	4.4	0.2	<0.05	6	0.9	<0.2
L6700W/13275N	Soil	30	0.62	233	0.077	<1	2.06	0.013	0.07	0.5	0.02	3.8	0.2	<0.05	6	1.2	<0.2
L6700W/13300N	Soil	25	0.57	200	0.078	1	1.59	0.015	0.06	0.4	0.02	3.2	0.1	<0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: July 22, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000253.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L14450E/13350N	Soil	0.9	20.0	14.4	55	0.2	19.1	13.1	1017	2.91	12.1	2.3	8.1	42	0.3	0.6	0.4	57	0.65	0.052	36
REP L14450E/13350N	QC	1.0	21.5	14.4	59	0.2	20.1	13.0	1064	3.00	12.0	3.7	7.6	41	0.2	0.7	0.3	62	0.66	0.055	39
L13450E/11975N	Soil	3.1	21.4	16.7	57	0.5	12.7	7.8	475	2.93	62.0	10.6	21.3	44	0.1	9.5	1.5	50	0.71	0.050	52
REP L13450E/11975N	QC	3.2	20.1	16.7	56	0.6	11.9	7.7	470	2.78	61.4	11.1	21.5	43	0.1	9.7	1.6	48	0.75	0.051	51
L13450E/12875N	Soil	1.1	16.5	14.1	64	0.2	17.1	8.6	394	2.99	49.4	2.8	11.9	28	0.3	1.6	0.5	60	0.39	0.044	35
REP L13450E/12875N	QC	1.1	16.6	13.9	65	0.2	16.6	8.5	394	2.97	48.5	3.4	11.5	27	0.2	1.4	0.5	55	0.38	0.040	34
L13400E/12100N	Soil	3.5	16.2	17.7	63	0.3	15.0	8.2	341	3.54	104.5	1.6	10.9	19	0.2	34.0	1.1	59	0.23	0.021	12
REP L13400E/12100N	QC	3.6	16.4	18.3	60	0.3	14.2	8.0	339	3.54	106.5	3.1	11.2	19	0.1	34.0	1.2	60	0.23	0.021	12
L7100W/12550N	Soil	1.0	54.7	12.6	42	0.1	17.0	6.5	235	4.14	23.2	118.4	18.4	59	0.2	1.6	2.6	41	0.17	0.070	40
REP L7100W/12550N	QC	0.9	56.3	12.6	41	0.1	17.2	6.8	241	4.22	24.1	144.6	18.3	60	<0.1	1.9	2.7	41	0.17	0.070	40
L6700W/13125N	Soil	1.1	64.3	15.2	39	0.3	8.4	4.4	196	2.62	44.2	95.9	12.4	24	0.1	2.9	5.9	39	0.25	0.075	24
REP L6700W/13125N	QC	1.0	65.2	14.9	40	0.3	8.5	4.4	194	2.64	43.8	159.3	12.7	23	0.1	3.0	5.4	40	0.26	0.077	23
Reference Materials																					
STD DS10	Standard	14.4	151.2	151.6	356	1.9	72.7	12.7	872	2.73	44.7	69.8	7.9	72	2.4	10.1	13.1	42	1.05	0.073	20
STD DS10	Standard	13.7	153.5	150.0	372	1.9	73.7	12.7	883	2.81	47.7	79.0	7.9	71	2.8	10.2	13.9	42	1.09	0.082	18
STD DS10	Standard	13.9	146.8	146.9	362	1.8	71.1	12.9	900	2.90	46.0	88.3	7.7	74	2.2	10.3	12.7	45	1.03	0.078	18
STD DS10	Standard	14.2	146.1	144.5	359	1.8	70.8	11.9	878	2.75	45.5	73.5	7.6	74	2.7	10.6	12.3	43	1.05	0.073	20
STD DS10	Standard	14.3	150.8	149.0	362	1.9	72.2	12.3	847	2.83	44.9	90.4	7.8	69	2.6	9.8	12.5	41	1.07	0.068	18
STD DS10	Standard	13.8	140.6	143.1	344	1.9	67.3	12.4	849	2.64	43.3	74.1	7.5	73	2.5	10.0	12.5	43	1.05	0.070	19
STD OXC129	Standard	1.0	26.6	6.0	39	<0.1	76.4	19.7	420	2.96	<0.5	218.9	1.8	190	<0.1	0.1	<0.1	50	0.68	0.098	13
STD OXC129	Standard	1.2	27.5	6.4	42	<0.1	78.0	20.6	423	3.10	<0.5	199.7	1.8	184	<0.1	<0.1	<0.1	51	0.66	0.111	13
STD OXC129	Standard	1.1	25.4	5.9	42	<0.1	75.5	19.6	431	3.13	<0.5	201.2	1.8	202	<0.1	<0.1	<0.1	51	0.70	0.102	12
STD OXC129	Standard	1.3	25.2	5.8	40	<0.1	74.2	19.4	424	2.99	0.7	195.7	1.7	208	<0.1	<0.1	<0.1	52	0.75	0.100	12
STD OXC129	Standard	1.1	24.9	5.6	37	<0.1	73.6	19.1	415	3.18	0.6	193.5	1.6	178	<0.1	<0.1	<0.1	50	0.64	0.090	12
STD OXC129	Standard	1.0	25.0	5.9	41	<0.1	74.6	19.2	437	3.01	0.9	197.9	1.8	201	<0.1	<0.1	<0.1	52	0.71	0.099	12
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 1 of 2

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI17000253.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L14450E/13350N	Soil	33	0.62	174	0.124	1	1.94	0.015	0.15	0.3	0.06	6.3	0.3	<0.05	7	<0.5	<0.2
REP L14450E/13350N	QC	35	0.67	180	0.143	3	2.06	0.017	0.17	0.3	0.07	6.8	0.3	<0.05	7	<0.5	<0.2
L13450E/11975N	Soil	23	0.49	318	0.068	2	1.63	0.017	0.21	1.1	0.08	8.1	0.3	<0.05	6	1.3	<0.2
REP L13450E/11975N	QC	23	0.49	318	0.068	1	1.59	0.017	0.22	1.2	0.08	8.1	0.3	<0.05	6	<0.5	<0.2
L13450E/12875N	Soil	31	0.56	235	0.115	3	2.00	0.013	0.15	0.7	0.05	5.5	0.5	<0.05	7	<0.5	<0.2
REP L13450E/12875N	QC	30	0.54	232	0.110	2	1.88	0.013	0.15	0.5	0.05	5.6	0.5	<0.05	7	<0.5	<0.2
L13400E/12100N	Soil	26	0.51	161	0.108	2	2.01	0.013	0.30	0.5	<0.01	5.1	0.4	<0.05	8	<0.5	<0.2
REP L13400E/12100N	QC	26	0.51	159	0.107	3	1.99	0.012	0.30	0.5	0.02	5.2	0.4	<0.05	8	<0.5	<0.2
L7100W/12550N	Soil	25	0.47	191	0.055	<1	1.70	0.103	0.29	0.5	0.03	3.0	0.2	0.60	6	<0.5	0.9
REP L7100W/12550N	QC	25	0.47	193	0.057	<1	1.71	0.102	0.29	0.5	0.02	3.2	0.2	0.58	6	0.7	0.9
L6700W/13125N	Soil	18	0.49	215	0.080	<1	1.61	0.012	0.19	2.0	0.04	4.1	0.3	<0.05	6	0.7	0.6
REP L6700W/13125N	QC	18	0.49	206	0.080	<1	1.59	0.012	0.19	1.8	0.03	4.0	0.3	<0.05	6	<0.5	0.5
Reference Materials																	
STD DS10	Standard	53	0.76	373	0.082	9	1.04	0.064	0.33	3.5	0.30	3.0	5.4	0.30	4	1.4	5.4
STD DS10	Standard	54	0.78	361	0.080	6	1.04	0.071	0.34	3.5	0.27	3.1	5.2	0.22	5	2.1	4.7
STD DS10	Standard	55	0.79	353	0.080	7	1.09	0.067	0.33	3.4	0.31	3.0	5.3	0.29	5	2.3	5.1
STD DS10	Standard	54	0.78	367	0.083	8	1.10	0.068	0.34	3.3	0.27	3.2	5.0	0.24	5	2.2	4.9
STD DS10	Standard	54	0.79	359	0.079	7	1.02	0.065	0.34	3.3	0.26	2.8	5.0	0.26	4	1.1	4.8
STD DS10	Standard	52	0.76	358	0.080	8	1.05	0.065	0.33	3.3	0.25	3.1	5.0	0.20	5	1.9	5.0
STD OXC129	Standard	50	1.50	49	0.391	3	1.49	0.562	0.34	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.56	52	0.398	1	1.50	0.582	0.35	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.51	50	0.384	<1	1.54	0.575	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	1.55	50	0.390	1	1.58	0.593	0.35	0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	51	1.51	48	0.389	1	1.49	0.563	0.34	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	50	1.52	51	0.392	1	1.53	0.578	0.35	0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 22, 2017

**Page:** 2 of 2

**Part:** 1 of 2

# QUALITY CONTROL REPORT

WHI17000253.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: July 22, 2017

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000253.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston

Receiving Lab: Canada-Whitehorse

Received: July 14, 2017

Report Date: July 26, 2017

Page: 1 of 11

## CERTIFICATE OF ANALYSIS

WHI17000294.1

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs17-002  
P.O. Number  
Number of Samples: 281

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	281	Dry at 60C			WHI
SS80	281	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	281	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	281	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
JEFFREY CANNON  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 2 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13350E/12050N	Soil	2.9	29.3	27.7	74	0.2	13.7	8.9	261	2.85	116.6	15.2	25.4	34	0.2	37.3	1.5	46	0.65	0.031	31
L13350E/12125N	Soil	2.8	22.1	36.5	93	0.3	10.9	7.8	482	3.43	208.9	20.4	28.9	18	0.2	36.9	4.2	36	0.41	0.074	36
L13350E/12150N	Soil	3.2	15.0	26.1	52	0.3	9.6	6.1	422	2.44	116.6	3.6	12.7	15	0.2	23.2	2.1	40	0.21	0.022	16
L13350E/12175N	Soil	3.1	14.1	16.3	55	0.2	12.5	7.2	296	2.95	103.1	3.6	5.0	18	0.2	18.2	1.1	61	0.22	0.023	8
L13350E/12200N	Soil	2.6	21.8	18.1	67	0.5	18.6	9.1	575	3.11	211.7	28.4	15.6	38	0.3	51.0	1.0	55	0.60	0.042	68
L13350E/12225N	Soil	3.5	19.4	17.6	63	0.7	15.9	11.3	568	3.22	237.5	12.9	9.6	27	0.3	117.3	1.5	66	0.44	0.032	34
L13350E/12250N	Soil	3.9	36.4	29.4	83	1.0	22.9	14.8	835	4.21	336.6	29.1	23.1	39	0.6	159.5	2.1	66	0.66	0.048	38
L13350E/12275N	Soil	3.1	18.1	16.1	52	0.8	13.1	16.3	808	2.67	129.6	10.9	7.3	35	0.4	46.9	1.1	53	0.54	0.055	40
L13350E/12300N	Soil	2.6	20.5	14.9	69	0.5	17.1	8.3	439	3.18	131.9	11.0	10.2	31	0.3	30.0	1.3	66	0.48	0.037	22
L13350E/12325N	Soil	3.6	24.0	19.6	69	1.1	18.1	9.1	614	3.35	141.2	8.3	11.6	40	0.6	19.2	1.8	67	0.58	0.054	43
L13350E/12350N	Soil	3.2	21.0	12.4	59	0.7	16.2	7.7	486	2.93	50.3	6.2	11.8	58	0.3	8.7	0.9	55	0.92	0.047	48
L13350E/12375N	Soil	1.8	16.8	12.8	54	0.4	13.2	8.1	412	2.77	34.1	5.2	8.2	27	0.2	2.7	0.6	57	0.40	0.040	28
L13350E/12400N	Soil	3.3	22.5	18.1	76	0.6	19.7	11.8	569	4.26	134.4	13.9	14.1	30	0.2	22.1	1.4	77	0.44	0.042	25
L13350E/12425N	Soil	3.0	36.3	16.1	75	1.0	22.9	11.1	652	3.76	80.1	13.2	13.3	50	0.4	24.8	1.2	67	0.67	0.060	56
L13350E/12450N	Soil	1.4	19.2	11.4	56	0.3	15.0	9.6	495	2.76	38.2	9.8	9.8	22	0.1	5.6	0.5	55	0.35	0.054	23
L13350E/12475N	Soil	1.5	19.2	12.7	58	0.3	15.1	8.7	452	2.67	36.9	5.1	7.9	27	0.2	1.9	0.5	54	0.39	0.059	24
L13350E/12500N	Soil	1.1	16.5	9.7	54	0.2	15.6	7.2	273	2.51	34.1	6.9	8.5	27	0.1	1.4	0.4	52	0.38	0.037	18
L13350E/12525N	Soil	1.7	24.3	14.4	63	0.3	21.6	10.4	528	3.01	50.2	6.8	11.0	37	0.2	2.3	0.4	59	0.50	0.058	41
L13350E/12550N	Soil	1.3	16.7	13.5	80	0.1	18.2	11.4	563	3.09	74.2	7.7	11.6	33	0.1	7.5	0.4	62	0.59	0.057	23
L13350E/12600N	Soil	1.4	18.2	19.6	90	0.3	19.6	10.1	522	2.90	84.8	13.4	11.3	41	0.2	10.0	1.3	55	0.69	0.053	25
L13350E/12625N	Soil	1.0	15.0	12.6	62	0.2	18.1	8.9	351	2.73	70.4	11.0	11.1	30	0.1	8.5	0.7	58	0.47	0.040	20
L13350E/12675N	Soil	1.0	17.8	15.8	66	0.2	16.3	9.0	447	3.08	65.1	8.0	16.4	34	0.1	4.4	0.7	57	0.57	0.054	40
L13350E/12700N	Soil	1.1	17.5	16.4	71	0.2	16.0	9.5	365	3.30	92.9	6.5	17.3	31	0.1	3.4	0.8	58	0.53	0.051	40
L13350E/12725N	Soil	1.1	21.8	16.9	68	0.4	18.8	9.0	355	3.16	94.5	8.8	15.4	43	0.3	4.7	1.0	56	0.76	0.050	59
L13350E/12750N	Soil	0.8	14.9	13.5	63	0.2	17.8	9.7	415	2.78	74.0	5.3	9.6	25	0.3	3.8	0.6	55	0.39	0.048	24
L13350E/12775N	Soil	1.4	19.6	16.6	73	0.3	20.8	11.4	617	3.34	152.7	8.2	9.4	29	0.3	9.7	0.6	66	0.41	0.057	36
L13350E/12800N	Soil	1.1	15.3	15.0	67	0.2	17.9	10.6	565	3.01	108.3	7.8	9.7	31	0.3	4.4	0.6	59	0.50	0.046	36
L13350E/12825N	Soil	0.8	17.0	16.6	61	0.3	17.2	10.4	403	2.96	74.4	4.3	10.7	32	0.3	2.0	0.5	59	0.54	0.047	34
L13350E/12850N	Soil	1.0	14.0	12.8	58	0.1	16.0	6.6	251	2.67	37.0	3.6	5.8	30	0.1	1.0	0.4	63	0.44	0.027	19
L13350E/12875N	Soil	1.0	16.3	14.7	68	0.2	18.6	9.8	484	3.20	53.9	9.2	9.9	36	0.2	2.0	0.5	64	0.63	0.046	27



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 2 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L13350E/12050N	Soil	23	0.51	166	0.088	3	1.44	0.015	0.27	0.7	0.07	6.6	0.4	<0.05	6	0.6	<0.2
L13350E/12125N	Soil	19	0.54	120	0.098	1	1.28	0.009	0.52	4.8	0.04	7.2	0.8	<0.05	6	<0.5	<0.2
L13350E/12150N	Soil	18	0.25	131	0.035	<1	1.22	0.010	0.15	1.5	0.04	3.0	0.2	<0.05	5	<0.5	<0.2
L13350E/12175N	Soil	21	0.31	180	0.072	3	1.43	0.011	0.18	0.5	0.02	3.4	0.3	<0.05	7	<0.5	<0.2
L13350E/12200N	Soil	29	0.58	310	0.095	2	1.97	0.013	0.29	0.4	0.06	7.6	0.4	<0.05	6	0.7	<0.2
L13350E/12225N	Soil	28	0.57	226	0.104	2	1.93	0.014	0.24	0.4	0.03	6.0	0.3	<0.05	8	<0.5	<0.2
L13350E/12250N	Soil	37	0.72	273	0.100	2	2.88	0.015	0.30	0.4	0.10	8.1	0.4	<0.05	8	<0.5	<0.2
L13350E/12275N	Soil	25	0.51	190	0.106	3	1.73	0.014	0.20	0.3	0.07	5.5	0.3	<0.05	7	<0.5	<0.2
L13350E/12300N	Soil	30	0.63	174	0.145	1	2.19	0.013	0.29	0.4	0.05	6.1	0.4	<0.05	8	<0.5	<0.2
L13350E/12325N	Soil	29	0.59	230	0.128	2	2.18	0.013	0.29	0.4	0.05	6.3	0.4	<0.05	9	<0.5	<0.2
L13350E/12350N	Soil	27	0.57	233	0.116	2	2.09	0.015	0.18	0.4	0.09	7.0	0.4	<0.05	8	<0.5	<0.2
L13350E/12375N	Soil	26	0.53	160	0.129	2	1.90	0.013	0.21	0.3	0.03	4.9	0.4	<0.05	8	<0.5	<0.2
L13350E/12400N	Soil	37	0.70	206	0.131	3	3.06	0.014	0.23	0.3	0.05	6.8	0.5	<0.05	10	<0.5	<0.2
L13350E/12425N	Soil	36	0.56	284	0.112	3	3.05	0.015	0.22	0.3	0.08	7.9	0.4	<0.05	10	0.8	<0.2
L13350E/12450N	Soil	30	0.58	135	0.140	2	1.74	0.014	0.23	0.5	0.03	5.2	0.4	<0.05	6	<0.5	<0.2
L13350E/12475N	Soil	29	0.53	156	0.126	2	1.87	0.012	0.21	0.2	0.04	5.2	0.3	<0.05	8	<0.5	<0.2
L13350E/12500N	Soil	27	0.56	141	0.141	2	1.82	0.014	0.19	0.3	0.04	5.4	0.3	<0.05	7	<0.5	<0.2
L13350E/12525N	Soil	36	0.65	206	0.137	2	2.09	0.017	0.17	0.3	0.05	7.3	0.4	<0.05	7	<0.5	<0.2
L13350E/12550N	Soil	34	0.68	247	0.157	2	1.88	0.017	0.19	0.4	0.04	6.8	0.6	<0.05	8	<0.5	<0.2
L13350E/12600N	Soil	34	0.67	333	0.114	2	1.92	0.017	0.14	1.7	0.07	6.5	0.7	<0.05	7	<0.5	<0.2
L13350E/12625N	Soil	32	0.63	152	0.130	1	1.67	0.016	0.16	0.4	0.03	5.2	0.4	<0.05	7	<0.5	<0.2
L13350E/12675N	Soil	31	0.62	194	0.131	2	1.92	0.016	0.20	0.4	0.07	7.4	0.5	<0.05	7	<0.5	<0.2
L13350E/12700N	Soil	31	0.68	159	0.141	<1	1.86	0.016	0.21	0.5	0.07	7.4	0.7	<0.05	7	<0.5	<0.2
L13350E/12725N	Soil	34	0.65	220	0.116	2	2.18	0.016	0.17	0.4	0.16	8.4	0.6	<0.05	8	<0.5	<0.2
L13350E/12750N	Soil	32	0.62	182	0.110	<1	1.94	0.015	0.12	0.6	0.09	6.0	0.4	<0.05	7	<0.5	<0.2
L13350E/12775N	Soil	39	0.58	296	0.086	2	2.44	0.013	0.10	0.4	0.16	7.0	0.6	<0.05	8	<0.5	<0.2
L13350E/12800N	Soil	34	0.57	262	0.093	2	1.92	0.014	0.12	0.4	0.13	6.4	0.6	<0.05	7	<0.5	<0.2
L13350E/12825N	Soil	31	0.57	264	0.091	2	1.94	0.014	0.08	0.4	0.15	6.5	0.4	<0.05	7	<0.5	<0.2
L13350E/12850N	Soil	30	0.58	245	0.110	1	1.83	0.013	0.08	0.2	0.06	4.7	0.3	<0.05	8	<0.5	<0.2
L13350E/12875N	Soil	36	0.69	250	0.108	3	2.11	0.016	0.13	0.3	0.09	7.0	0.4	<0.05	7	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 3 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13350E/12900N	Soil	0.8	14.2	13.3	66	0.2	15.9	9.3	388	2.74	31.7	8.4	8.4	29	0.2	1.5	0.4	54	0.48	0.052	17
L13350E/12925N	Soil	0.8	16.2	13.4	70	0.2	16.6	10.0	681	2.68	33.3	5.8	6.9	40	0.3	1.9	0.4	56	0.63	0.056	37
L13350E/12950N	Soil	0.9	14.2	17.8	74	0.2	16.0	11.4	592	3.12	58.9	10.9	14.7	34	0.2	2.6	0.6	55	0.60	0.054	36
L13200E/12050N	Soil	1.0	12.1	14.3	70	0.2	14.2	8.6	537	2.68	49.6	9.9	8.8	32	0.1	11.1	1.0	57	0.51	0.057	15
L13200E/12075N	Soil	1.3	16.8	16.4	73	0.2	15.3	8.1	252	2.94	77.9	13.7	13.6	27	0.2	20.3	1.3	57	0.43	0.049	25
L13200E/12100N	Soil	1.3	32.1	19.2	82	0.4	20.8	9.0	291	2.92	50.0	12.9	18.1	32	0.3	17.6	1.8	58	0.45	0.049	50
L13200E/12125N	Soil	1.6	31.3	20.9	75	0.3	17.6	9.9	371	3.14	53.3	10.8	21.3	24	0.3	15.0	1.8	57	0.36	0.036	60
L13200E/12200N	Soil	1.6	27.0	17.9	61	0.7	18.4	8.9	460	3.19	74.0	13.2	22.9	33	0.2	20.4	1.6	57	0.47	0.027	73
L13200E/12225N	Soil	1.7	18.3	13.5	66	0.2	15.4	11.9	681	3.12	56.9	5.3	7.1	24	0.2	8.3	0.8	64	0.36	0.033	20
L13200E/12250N	Soil	1.3	15.2	14.4	64	0.1	17.1	9.2	365	3.33	45.5	8.1	7.6	26	0.1	5.8	0.6	64	0.38	0.029	16
L13200E/12275N	Soil	1.6	17.4	12.6	64	1.0	17.6	11.7	549	3.20	71.5	7.4	9.4	30	0.2	8.5	0.7	63	0.44	0.040	22
L13200E/12300N	Soil	1.6	19.3	11.3	59	0.2	16.8	11.4	615	2.96	59.2	7.2	9.6	20	0.1	7.8	0.6	62	0.27	0.038	29
L13200E/12325N	Soil	1.9	19.5	17.8	91	0.4	21.2	22.3	1506	4.14	106.0	14.0	12.8	31	0.2	9.3	1.0	72	0.43	0.040	26
L13200E/12350N	Soil	1.6	11.9	13.3	74	0.1	14.7	12.4	787	3.01	83.7	1.6	5.7	20	0.2	13.0	1.0	65	0.28	0.047	15
L13200E/12375N	Soil	0.9	14.0	11.2	71	0.2	16.3	8.1	347	2.58	39.9	3.1	7.1	26	0.2	4.6	0.7	53	0.38	0.028	23
L13200E/12400N	Soil	1.4	23.1	17.1	66	0.4	18.0	8.7	410	2.71	47.6	5.6	9.1	33	0.4	4.4	0.9	51	0.49	0.041	35
L13200E/12425N	Soil	1.0	15.4	12.1	57	0.2	16.8	11.3	395	2.80	49.5	4.3	9.6	24	0.1	2.9	0.6	59	0.38	0.041	21
L13200E/12450N	Soil	1.0	22.9	12.8	59	0.4	17.7	10.0	510	2.83	34.5	5.5	7.6	35	0.3	1.9	0.6	58	0.52	0.051	43
L13200E/12475N	Soil	1.1	17.2	13.3	64	0.1	17.3	13.6	802	2.96	40.6	3.5	8.9	29	0.1	1.9	0.6	64	0.42	0.049	21
L13200E/12500N	Soil	0.7	15.9	11.2	66	0.2	13.6	8.8	920	2.35	31.6	3.1	7.1	31	0.4	1.5	0.5	49	0.48	0.048	17
L13200E/12525N	Soil	0.9	16.0	11.6	56	0.2	15.8	8.5	352	2.45	36.2	3.4	6.7	33	0.3	1.8	0.6	53	0.52	0.046	18
L13200E/12550N	Soil	0.7	14.1	12.8	52	0.2	14.7	7.3	256	2.38	37.1	2.4	7.5	28	0.3	1.9	0.6	50	0.42	0.046	19
L13200E/12575N	Soil	1.0	17.3	10.4	50	0.2	13.0	4.7	194	1.94	38.4	2.8	3.1	28	0.3	2.5	0.6	47	0.41	0.036	15
L13200E/12600N	Soil	1.0	15.9	12.9	59	0.2	16.6	9.6	387	2.56	69.8	3.6	6.9	34	0.2	4.4	0.5	57	0.52	0.040	20
L13200E/12625N	Soil	0.5	14.2	9.5	51	0.3	13.7	5.7	172	2.02	38.1	1.6	4.0	35	0.4	3.6	0.4	42	0.51	0.033	21
L13200E/12650N	Soil	0.7	9.5	12.6	65	<0.1	14.6	10.7	444	2.72	64.8	2.2	5.2	21	0.1	2.9	0.5	64	0.29	0.027	12
L13200E/12675N	Soil	0.8	11.9	11.9	57	<0.1	13.0	10.6	626	2.48	34.7	1.3	4.7	21	0.3	1.3	0.5	60	0.27	0.034	18
L13200E/12700N	Soil	1.1	15.5	12.9	63	0.1	17.3	10.8	488	3.20	43.3	1.0	7.8	27	0.2	1.9	0.5	75	0.43	0.037	23
L13200E/12725N	Soil	0.7	12.1	12.3	54	0.2	13.6	7.7	233	2.52	24.8	3.7	8.9	23	0.3	1.8	0.3	51	0.30	0.034	27
L13200E/12750N	Soil	1.2	16.4	15.1	60	0.2	15.9	9.2	412	2.58	34.4	4.5	6.0	39	0.4	2.9	0.5	55	0.56	0.050	33



# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L13350E/12900N	Soil			31	0.59	169	0.097	2	1.79	0.016	0.10	0.3	0.05	5.2	0.3	<0.05	6	<0.5	<0.2
L13350E/12925N	Soil			30	0.55	191	0.094	2	1.74	0.015	0.14	0.3	0.04	5.5	0.3	<0.05	6	<0.5	<0.2
L13350E/12950N	Soil			30	0.59	203	0.099	2	1.90	0.013	0.17	0.3	0.06	6.8	0.5	<0.05	7	<0.5	<0.2
L13200E/12050N	Soil			29	0.59	177	0.114	<1	1.71	0.015	0.17	0.8	0.04	5.3	0.3	<0.05	6	<0.5	<0.2
L13200E/12075N	Soil			29	0.59	180	0.115	<1	1.90	0.015	0.18	0.8	0.07	6.4	0.3	<0.05	6	<0.5	<0.2
L13200E/12100N	Soil			33	0.63	227	0.125	2	2.02	0.017	0.21	0.8	0.07	8.6	0.4	<0.05	7	<0.5	<0.2
L13200E/12125N	Soil			33	0.59	197	0.129	2	1.83	0.013	0.21	1.2	0.07	7.5	0.3	<0.05	6	<0.5	<0.2
L13200E/12200N	Soil			30	0.50	259	0.093	1	1.99	0.012	0.18	0.5	0.06	7.2	0.2	<0.05	6	<0.5	<0.2
L13200E/12225N	Soil			28	0.51	169	0.116	1	1.81	0.012	0.19	0.4	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
L13200E/12250N	Soil			32	0.61	145	0.128	2	1.95	0.010	0.12	0.4	0.01	4.7	0.2	<0.05	7	<0.5	<0.2
L13200E/12275N	Soil			34	0.59	164	0.128	2	1.98	0.011	0.13	0.3	0.05	5.2	0.3	<0.05	7	<0.5	<0.2
L13200E/12300N	Soil			30	0.49	161	0.118	<1	1.93	0.010	0.12	0.4	0.04	5.2	0.2	<0.05	7	<0.5	<0.2
L13200E/12325N	Soil			41	0.61	343	0.100	1	2.81	0.013	0.09	0.3	0.07	6.5	0.4	<0.05	8	<0.5	<0.2
L13200E/12350N	Soil			29	0.50	194	0.120	2	1.59	0.010	0.13	0.6	0.03	4.0	0.3	<0.05	7	<0.5	<0.2
L13200E/12375N	Soil			28	0.56	243	0.117	2	1.78	0.014	0.12	0.6	0.03	5.0	0.3	<0.05	6	<0.5	<0.2
L13200E/12400N	Soil			32	0.47	272	0.080	1	1.69	0.013	0.10	0.5	0.06	5.4	0.2	<0.05	6	<0.5	<0.2
L13200E/12425N	Soil			30	0.55	139	0.123	<1	1.66	0.012	0.11	0.4	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
L13200E/12450N	Soil			32	0.58	200	0.098	2	1.98	0.016	0.09	0.3	0.08	6.2	0.2	<0.05	7	<0.5	<0.2
L13200E/12475N	Soil			34	0.57	167	0.127	<1	1.85	0.015	0.09	0.3	0.04	5.4	0.3	<0.05	7	<0.5	<0.2
L13200E/12500N	Soil			25	0.48	136	0.123	<1	1.51	0.014	0.15	0.3	0.03	4.7	0.3	<0.05	5	<0.5	<0.2
L13200E/12525N	Soil			29	0.56	147	0.120	<1	1.63	0.014	0.11	0.3	0.06	4.9	0.3	0.06	6	<0.5	<0.2
L13200E/12550N	Soil			29	0.55	162	0.119	1	1.63	0.013	0.09	0.4	0.07	5.2	0.3	<0.05	6	<0.5	<0.2
L13200E/12575N	Soil			23	0.37	112	0.099	1	1.13	0.011	0.11	0.5	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
L13200E/12600N	Soil			31	0.56	188	0.109	1	1.80	0.014	0.08	0.5	0.10	4.8	0.3	<0.05	6	<0.5	<0.2
L13200E/12625N	Soil			26	0.42	188	0.084	2	1.52	0.015	0.06	0.2	0.09	4.3	0.3	<0.05	6	<0.5	<0.2
L13200E/12650N	Soil			30	0.55	127	0.115	<1	1.88	0.011	0.07	0.2	0.05	4.0	0.3	<0.05	7	<0.5	<0.2
L13200E/12675N	Soil			25	0.47	143	0.115	<1	1.52	0.010	0.15	0.3	0.03	3.8	0.3	<0.05	7	<0.5	<0.2
L13200E/12700N	Soil			32	0.61	192	0.117	<1	1.83	0.011	0.09	0.3	0.05	4.4	0.2	<0.05	7	<0.5	<0.2
L13200E/12725N	Soil			26	0.46	178	0.090	2	1.84	0.013	0.08	0.4	0.06	4.2	0.2	0.06	6	0.6	<0.2
L13200E/12750N	Soil			28	0.48	204	0.089	<1	1.73	0.013	0.10	0.3	0.06	5.1	0.2	<0.05	6	<0.5	<0.2



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 4 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13050E/12225N	Soil		1.1	15.7	13.9	62	0.2	18.1	14.2	814	2.86	34.7	3.6	8.6	30	0.1	3.1	0.6	60	0.47	0.076	26
L13050E/12250N	Soil		1.0	17.2	13.9	60	0.2	18.7	9.0	296	2.93	45.9	3.7	10.3	27	0.2	3.2	0.6	61	0.39	0.060	29
L13050E/12275N	Soil		1.1	21.1	12.4	59	0.2	19.7	16.4	1012	3.22	36.7	3.2	10.5	29	0.2	3.2	0.5	58	0.41	0.057	48
L13050E/12300N	Soil		1.1	21.8	15.1	63	0.2	20.7	10.2	369	3.22	42.6	3.9	10.5	32	0.2	2.6	0.8	64	0.46	0.048	37
L13050E/12325N	Soil		1.1	25.4	14.9	63	0.3	22.8	10.5	420	3.15	36.5	5.5	12.5	30	<0.1	2.4	0.7	64	0.43	0.041	42
L13050E/12350N	Soil		0.7	22.1	15.8	68	0.2	20.0	10.1	291	2.82	29.2	4.1	14.8	28	0.1	2.9	0.9	67	0.46	0.044	45
L13050E/12375N	Soil		0.8	21.3	12.5	65	0.2	19.6	10.9	496	3.07	31.0	9.8	12.4	24	0.2	2.6	0.6	61	0.36	0.046	32
L13050E/12400N	Soil		1.4	32.5	23.5	75	0.3	22.1	12.0	470	3.22	46.0	5.6	14.0	32	0.3	6.2	0.6	63	0.48	0.046	58
L13050E/12425N	Soil		1.5	22.8	15.0	68	0.2	18.8	9.6	428	3.50	33.8	3.0	16.2	28	<0.1	8.0	0.5	50	0.45	0.082	48
L13050E/12450N	Soil		1.4	16.4	14.3	83	0.3	16.4	9.9	687	2.92	41.2	1.3	5.2	30	0.3	4.1	0.5	66	0.38	0.051	17
L13050E/12475N	Soil		1.0	21.9	17.0	63	0.3	19.7	11.0	661	3.09	43.7	2.4	5.2	35	0.3	4.2	0.5	70	0.47	0.051	41
L13050E/12500N	Soil		1.3	13.2	16.6	55	0.2	16.9	8.0	293	3.08	58.0	0.9	5.8	21	0.2	6.0	0.4	76	0.28	0.028	16
L13050E/12525N	Soil		1.1	18.8	20.1	60	0.3	16.9	8.9	397	2.74	50.2	3.1	6.0	28	0.3	5.6	0.5	61	0.35	0.028	31
L13050E/12550N	Soil		1.2	19.8	14.2	44	0.2	13.0	7.0	308	2.12	41.8	1.0	3.2	21	0.4	3.6	0.4	51	0.21	0.033	43
L13050E/12575N	Soil		1.3	19.5	20.9	65	0.4	18.7	8.6	295	3.10	23.0	5.0	15.1	36	0.2	4.8	0.4	56	0.59	0.063	73
L13050E/12600N	Soil		1.3	25.2	19.0	62	0.4	21.6	11.7	810	3.26	20.0	5.4	12.5	45	0.3	5.0	0.4	58	0.69	0.074	99
L13050E/12625N	Soil		1.3	13.7	15.0	60	0.1	17.2	8.1	336	3.37	18.6	2.5	6.6	25	0.1	4.6	0.4	77	0.30	0.031	27
L13050E/12650N	Soil		1.0	19.4	14.5	52	0.4	16.9	8.7	385	2.71	12.7	2.7	9.1	31	0.3	3.7	0.3	52	0.37	0.062	75
L13150E/12100N	Soil		1.1	11.7	12.1	63	<0.1	16.3	10.5	348	2.80	43.1	6.2	7.4	23	0.1	6.4	0.6	53	0.32	0.040	12
L13150E/12125N	Soil		1.6	16.1	14.0	71	0.2	17.9	12.5	529	3.45	60.3	5.7	12.3	29	0.1	6.5	0.7	62	0.42	0.059	22
L13150E/12150N	Soil		1.3	19.8	16.2	63	0.3	16.0	7.4	268	2.76	66.6	10.3	12.2	30	0.2	8.5	0.9	52	0.46	0.045	37
L13150E/12175N	Soil		1.6	19.9	16.5	66	0.3	17.5	9.1	663	3.72	138.5	10.1	14.2	34	0.2	11.6	1.0	62	0.50	0.052	50
L13150E/12200N	Soil		1.7	22.7	14.8	68	0.4	18.5	10.7	403	3.17	86.4	11.1	12.6	34	0.2	11.7	0.7	56	0.51	0.050	59
L13150E/12225N	Soil		1.6	20.4	13.1	68	0.2	18.4	11.4	604	3.38	76.0	7.8	11.8	32	0.2	8.0	0.6	61	0.47	0.047	36
L13150E/12250N	Soil		2.1	33.1	22.7	90	0.6	23.8	9.5	553	3.20	93.1	16.2	12.9	58	0.4	18.0	1.1	50	0.86	0.074	77
L13150E/12300N	Soil		1.3	16.9	13.7	78	0.2	15.6	9.3	452	2.93	60.4	2.2	6.3	29	0.2	6.9	0.7	66	0.41	0.033	25
L13150E/12325N	Soil		1.1	15.2	14.6	74	0.2	17.1	10.4	566	3.03	66.0	5.4	8.2	31	0.2	8.3	0.8	65	0.44	0.037	25
L13150E/12350N	Soil		1.2	27.2	17.1	74	0.6	22.3	14.1	1399	3.16	69.4	5.7	10.8	35	0.5	7.5	0.8	58	0.47	0.109	50
L13150E/12375N	Soil		1.3	12.4	14.7	63	0.1	15.8	18.8	1637	3.29	68.0	5.6	9.4	24	0.3	4.6	0.7	66	0.36	0.052	21
L13150E/12400N	Soil		1.4	19.7	14.7	68	0.3	17.6	12.4	1008	3.22	52.7	8.9	11.8	32	0.2	3.5	0.6	62	0.45	0.060	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 4 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L13050E/12225N	Soil	39	0.67	189	0.117	2	1.96	0.013	0.16	0.6	0.06	6.0	0.3	0.08	7	<0.5	<0.2
L13050E/12250N	Soil	36	0.62	175	0.112	1	1.86	0.014	0.15	0.7	0.07	5.5	0.2	<0.05	6	<0.5	<0.2
L13050E/12275N	Soil	34	0.57	212	0.105	1	1.77	0.015	0.13	0.6	0.07	6.2	0.2	0.05	6	<0.5	<0.2
L13050E/12300N	Soil	39	0.60	212	0.111	2	2.00	0.013	0.13	0.4	0.06	6.6	0.2	<0.05	7	<0.5	<0.2
L13050E/12325N	Soil	40	0.61	215	0.118	1	2.22	0.014	0.13	0.5	0.06	6.7	0.3	<0.05	7	<0.5	<0.2
L13050E/12350N	Soil	41	0.68	188	0.129	1	2.11	0.015	0.16	0.7	0.09	7.2	0.3	<0.05	7	<0.5	<0.2
L13050E/12375N	Soil	38	0.70	171	0.150	1	1.77	0.015	0.23	1.1	0.04	5.7	0.3	<0.05	7	<0.5	<0.2
L13050E/12400N	Soil	37	0.55	235	0.102	<1	2.04	0.015	0.14	0.5	0.11	7.0	0.3	<0.05	7	<0.5	<0.2
L13050E/12425N	Soil	26	0.47	161	0.095	<1	1.44	0.012	0.26	1.2	0.09	7.6	0.4	<0.05	5	<0.5	<0.2
L13050E/12450N	Soil	27	0.45	380	0.106	<1	1.69	0.013	0.16	0.2	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
L13050E/12475N	Soil	34	0.53	299	0.089	2	2.16	0.014	0.10	0.2	0.04	5.3	0.2	<0.05	8	<0.5	<0.2
L13050E/12500N	Soil	32	0.47	176	0.105	1	1.88	0.010	0.09	0.2	0.04	4.2	0.2	<0.05	8	<0.5	<0.2
L13050E/12525N	Soil	30	0.48	269	0.071	2	2.17	0.010	0.10	0.3	0.07	6.5	0.3	<0.05	8	<0.5	<0.2
L13050E/12550N	Soil	22	0.33	212	0.078	<1	1.35	0.010	0.10	0.3	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
L13050E/12575N	Soil	32	0.51	284	0.082	1	1.93	0.013	0.17	0.6	0.14	8.3	0.3	<0.05	7	<0.5	<0.2
L13050E/12600N	Soil	32	0.52	319	0.077	<1	2.20	0.014	0.15	0.4	0.12	8.4	0.3	<0.05	7	<0.5	<0.2
L13050E/12625N	Soil	31	0.58	206	0.104	2	2.14	0.014	0.13	0.3	0.03	5.2	0.2	<0.05	9	<0.5	<0.2
L13050E/12650N	Soil	28	0.46	275	0.073	2	2.10	0.013	0.12	0.3	0.07	6.0	0.2	<0.05	8	<0.5	<0.2
L13150E/12100N	Soil	28	0.56	163	0.095	<1	1.93	0.012	0.12	0.5	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
L13150E/12125N	Soil	34	0.64	197	0.128	<1	2.00	0.015	0.15	0.4	0.05	6.3	0.3	<0.05	7	<0.5	<0.2
L13150E/12150N	Soil	30	0.56	199	0.103	1	1.96	0.016	0.15	0.6	0.07	7.0	0.3	<0.05	7	0.7	<0.2
L13150E/12175N	Soil	31	0.56	211	0.102	2	1.87	0.013	0.15	0.5	0.10	7.6	0.3	<0.05	6	0.7	<0.2
L13150E/12200N	Soil	31	0.59	238	0.108	1	1.98	0.015	0.15	0.4	0.10	8.0	0.3	<0.05	7	1.1	<0.2
L13150E/12225N	Soil	32	0.60	240	0.127	<1	1.93	0.017	0.14	0.4	0.05	6.7	0.3	<0.05	7	<0.5	<0.2
L13150E/12250N	Soil	31	0.41	413	0.048	<1	2.18	0.013	0.13	0.8	0.14	8.1	0.2	<0.05	7	0.7	<0.2
L13150E/12300N	Soil	28	0.45	256	0.090	1	1.88	0.013	0.12	0.4	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
L13150E/12325N	Soil	32	0.61	253	0.093	<1	2.10	0.014	0.10	0.6	0.03	5.3	0.3	<0.05	7	<0.5	<0.2
L13150E/12350N	Soil	32	0.54	304	0.077	<1	2.19	0.016	0.10	0.5	0.04	7.6	0.2	<0.05	7	<0.5	<0.2
L13150E/12375N	Soil	32	0.56	176	0.096	1	2.04	0.012	0.10	0.5	0.03	4.9	0.2	<0.05	7	<0.5	<0.2
L13150E/12400N	Soil	35	0.60	225	0.096	<1	2.29	0.014	0.10	0.4	0.07	7.0	0.2	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 5 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L13150E/12425N	Soil		1.0	20.0	13.0	61	0.2	17.4	11.2	865	2.94	40.5	5.1	6.8	33	0.4	2.3	0.5	62	0.45	0.062	27
L13150E/12450N	Soil		1.1	15.1	14.5	67	0.2	15.1	9.8	673	2.81	41.8	5.0	8.7	30	0.3	2.3	0.6	58	0.46	0.051	22
L13150E/12475N	Soil		1.0	11.7	14.9	68	0.1	14.7	10.9	762	2.81	42.0	3.7	7.1	30	0.3	2.1	0.6	57	0.44	0.042	16
L13150E/12500N	Soil		1.0	13.8	13.6	59	0.2	14.8	12.0	705	2.73	47.6	3.2	6.9	30	0.2	2.1	0.7	59	0.44	0.044	18
L13150E/12525N	Soil		0.8	11.2	12.1	60	0.1	15.3	8.6	351	2.86	50.0	3.7	6.3	27	0.2	2.0	0.6	63	0.39	0.041	14
L13150E/12550N	Soil		1.0	14.7	14.0	73	0.2	18.5	12.7	604	3.28	62.0	7.3	8.0	30	0.2	3.7	0.6	66	0.43	0.050	18
L13150E/12575N	Soil		0.9	12.8	14.8	68	0.1	13.8	9.5	704	2.88	69.1	5.4	9.2	25	0.2	7.2	0.4	50	0.38	0.058	23
L13150E/12600N	Soil		0.9	10.7	11.9	55	0.2	13.0	9.2	414	2.60	79.9	2.3	5.3	22	0.2	7.0	0.5	59	0.30	0.039	15
L13150E/12625N	Soil		0.7	14.6	12.2	53	0.3	13.8	7.5	302	2.43	56.1	6.5	5.5	30	0.3	3.8	0.4	49	0.41	0.042	25
L13150E/12650N	Soil		0.9	12.5	11.2	60	0.2	14.1	8.0	414	2.48	47.9	2.5	5.7	32	0.3	1.9	0.4	55	0.47	0.042	23
L13150E/12675N	Soil		0.7	9.4	11.0	63	<0.1	16.3	7.9	367	2.85	82.7	7.1	11.6	22	0.1	9.6	0.3	48	0.34	0.055	24
L13150E/12700N	Soil		1.1	10.5	11.1	53	<0.1	11.2	6.9	345	2.46	39.6	1.9	5.0	17	0.2	2.4	0.3	58	0.20	0.037	19
L14650E/12800N	Soil		2.3	33.2	14.1	107	0.7	23.6	7.4	255	2.58	73.1	17.6	2.7	28	0.4	5.8	0.2	83	0.30	0.056	12
L14650E/12825N	Soil		5.8	55.6	18.0	135	0.8	39.1	10.0	265	3.42	107.0	8.0	3.6	35	0.9	5.1	0.3	104	0.44	0.082	20
L14650E/12850N	Soil		4.4	41.2	18.8	99	0.4	27.5	6.5	146	2.85	129.3	4.1	2.8	28	0.6	8.9	0.3	73	0.43	0.075	13
L14650E/12950N	Soil		3.6	60.1	19.9	166	0.6	45.2	10.2	340	3.40	151.9	5.7	2.9	28	0.8	6.2	0.3	73	0.44	0.069	13
L14650E/12975N	Soil		3.1	60.4	14.2	143	0.5	36.3	9.8	253	3.10	129.4	3.6	3.8	27	0.6	5.8	0.2	69	0.29	0.057	14
L14650E/13000N	Soil		4.0	32.1	11.7	117	0.2	30.4	9.3	254	3.55	95.8	3.3	2.7	22	0.5	3.0	0.2	89	0.25	0.082	10
L14650E/13025N	Soil		3.4	34.1	12.1	114	0.5	32.4	8.8	201	3.13	90.0	3.2	2.7	26	0.7	2.2	0.3	87	0.23	0.037	12
L14650E/13050N	Soil		3.5	27.9	11.9	102	0.4	25.2	7.8	248	3.25	86.8	1.5	2.6	23	0.5	2.0	0.3	87	0.22	0.078	10
L14650E/13075N	Soil		4.6	56.2	16.8	140	0.7	40.0	9.7	257	3.62	122.4	7.7	3.1	35	0.8	2.3	0.4	88	0.31	0.072	12
L14650E/13100N	Soil		4.7	50.2	20.8	127	0.5	41.0	10.3	256	3.72	85.3	2.7	2.9	32	0.7	2.0	0.5	96	0.30	0.058	12
L14650E/13125N	Soil		3.1	45.7	13.9	119	0.4	40.3	11.6	290	3.53	57.0	5.2	3.6	28	0.5	1.6	0.3	90	0.27	0.047	11
L14650E/13150N	Soil		4.8	44.2	14.3	129	0.5	45.6	13.4	359	4.11	74.5	5.7	3.2	26	0.5	2.0	0.4	112	0.22	0.051	9
L14650E/13175N	Soil		4.7	62.3	18.2	143	1.0	51.6	11.0	299	3.85	69.3	10.9	3.1	33	0.6	2.1	0.5	129	0.29	0.073	12
L14650E/13200N	Soil		5.7	51.3	19.2	121	0.6	38.8	12.3	373	3.93	89.0	8.6	3.2	29	0.7	3.2	0.5	121	0.27	0.069	12
L14650E/13225N	Soil		4.1	62.3	14.9	117	0.5	45.8	15.1	487	4.12	76.1	7.7	3.6	27	0.8	2.7	0.4	110	0.26	0.064	13
L14650E/13250N	Soil		3.2	43.1	12.7	93	0.7	29.4	6.8	255	2.97	50.5	4.1	2.6	29	0.6	2.3	0.3	91	0.27	0.060	13
L14650E/13275N	Soil		3.6	51.2	10.9	139	0.4	41.6	9.8	381	3.36	59.5	1.9	2.7	25	0.7	2.4	0.4	93	0.26	0.081	12
L14650E/13300N	Soil		4.5	69.3	12.8	148	0.8	57.8	20.6	692	4.38	81.7	3.8	3.4	37	0.8	1.2	0.4	112	0.37	0.074	13





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

Page: 5 of 11

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
MDL		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13150E/12425N	Soil	33	0.56	202	0.094	2	2.01	0.015	0.09	0.3	0.05	5.7	0.2	<0.05	7	<0.5	<0.2
L13150E/12450N	Soil	30	0.56	179	0.106	1	1.85	0.014	0.12	0.4	0.05	5.8	0.3	<0.05	7	<0.5	<0.2
L13150E/12475N	Soil	28	0.60	158	0.122	1	1.79	0.014	0.16	0.4	0.04	4.9	0.3	<0.05	7	<0.5	<0.2
L13150E/12500N	Soil	29	0.56	163	0.109	2	1.87	0.014	0.09	0.3	0.04	5.1	0.3	<0.05	7	<0.5	<0.2
L13150E/12525N	Soil	28	0.58	157	0.122	<1	1.84	0.013	0.09	0.3	0.03	4.8	0.3	<0.05	7	<0.5	<0.2
L13150E/12550N	Soil	34	0.69	184	0.123	2	2.20	0.015	0.10	0.4	0.03	5.4	0.4	<0.05	7	<0.5	<0.2
L13150E/12575N	Soil	27	0.47	161	0.087	2	1.70	0.014	0.11	0.6	0.05	5.1	0.3	<0.05	6	<0.5	<0.2
L13150E/12600N	Soil	26	0.51	133	0.097	<1	1.70	0.015	0.10	0.4	0.06	4.5	0.3	<0.05	7	<0.5	<0.2
L13150E/12625N	Soil	27	0.43	196	0.075	2	1.92	0.015	0.07	0.2	0.11	4.9	0.3	<0.05	7	<0.5	<0.2
L13150E/12650N	Soil	28	0.53	188	0.090	<1	1.78	0.013	0.10	0.3	0.08	4.8	0.3	<0.05	7	<0.5	<0.2
L13150E/12675N	Soil	27	0.63	140	0.124	<1	1.69	0.012	0.30	0.6	0.02	5.4	0.4	<0.05	6	<0.5	<0.2
L13150E/12700N	Soil	22	0.37	134	0.096	2	1.48	0.011	0.12	0.4	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
L14650E/12800N	Soil	51	0.67	295	0.131	1	1.64	0.016	0.24	0.4	0.29	5.5	0.7	<0.05	8	1.7	<0.2
L14650E/12825N	Soil	51	0.64	528	0.107	1	2.04	0.013	0.15	1.2	0.21	6.3	0.9	<0.05	7	2.1	<0.2
L14650E/12850N	Soil	36	0.47	342	0.073	2	1.56	0.013	0.08	0.5	0.28	4.8	1.0	<0.05	5	3.1	<0.2
L14650E/12950N	Soil	40	0.61	469	0.093	1	1.96	0.015	0.13	0.7	0.30	5.8	1.7	<0.05	6	1.6	<0.2
L14650E/12975N	Soil	41	0.58	468	0.095	<1	1.58	0.013	0.12	0.8	0.27	5.3	1.4	<0.05	5	1.0	<0.2
L14650E/13000N	Soil	43	0.67	337	0.108	2	2.07	0.010	0.18	0.4	0.05	4.1	0.8	<0.05	7	0.6	<0.2
L14650E/13025N	Soil	41	0.66	862	0.128	2	1.92	0.009	0.21	0.3	0.07	4.4	0.7	0.05	8	<0.5	<0.2
L14650E/13050N	Soil	36	0.59	508	0.127	2	1.81	0.009	0.16	0.4	0.05	3.6	0.7	<0.05	8	<0.5	<0.2
L14650E/13075N	Soil	48	0.74	1093	0.123	4	2.30	0.010	0.26	0.7	0.11	5.4	0.9	<0.05	8	1.2	<0.2
L14650E/13100N	Soil	50	0.76	1384	0.109	3	2.45	0.012	0.17	0.7	0.06	5.3	0.5	<0.05	9	0.6	<0.2
L14650E/13125N	Soil	51	0.80	921	0.128	<1	2.32	0.013	0.20	0.7	0.05	5.5	0.6	<0.05	7	<0.5	<0.2
L14650E/13150N	Soil	57	0.82	1270	0.129	2	2.61	0.011	0.18	0.5	0.04	5.7	0.5	<0.05	8	0.7	<0.2
L14650E/13175N	Soil	71	0.88	1461	0.142	2	2.88	0.011	0.29	0.5	0.07	7.1	0.6	<0.05	10	0.9	<0.2
L14650E/13200N	Soil	58	0.72	892	0.113	1	2.44	0.011	0.19	0.5	0.06	5.4	0.6	<0.05	9	1.3	<0.2
L14650E/13225N	Soil	62	0.76	628	0.109	1	2.85	0.012	0.17	0.4	0.10	6.5	0.5	<0.05	9	0.8	<0.2
L14650E/13250N	Soil	44	0.65	464	0.105	2	1.94	0.010	0.17	0.3	0.05	4.7	0.3	<0.05	8	<0.5	<0.2
L14650E/13275N	Soil	52	0.76	516	0.113	<1	2.13	0.011	0.23	0.3	0.03	5.2	0.5	<0.05	8	0.6	<0.2
L14650E/13300N	Soil	58	0.78	700	0.097	2	3.27	0.012	0.18	0.2	0.13	6.8	0.4	<0.05	10	1.8	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 6 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
L14650E/13325N	Soil		2.6	42.4	9.3	110	0.5	41.1	12.1	469	3.87	60.3	3.5	2.9	31	0.5	1.1	0.3	116	0.33	0.068	10
L14650E/13350N	Soil		3.6	43.7	9.5	130	0.4	55.2	24.9	1050	3.62	64.8	1.9	2.9	32	0.8	1.0	0.3	113	0.39	0.069	11
L14650E/13375N	Soil		2.8	45.8	9.6	93	0.8	45.8	10.4	338	3.31	59.3	2.9	2.8	32	0.3	0.7	0.4	113	0.37	0.047	12
L14650E/13400N	Soil		6.0	43.9	9.4	126	0.5	42.8	13.0	447	3.47	61.4	3.9	2.6	27	0.6	0.8	0.4	126	0.31	0.055	10
L14650E/13425N	Soil		4.0	50.6	8.5	138	0.3	41.0	9.8	357	3.23	59.4	2.0	2.9	29	0.8	1.1	0.3	136	0.35	0.082	12
L14650E/13450N	Soil		4.9	42.0	7.3	135	0.4	45.3	10.3	406	2.98	51.7	5.2	2.5	27	0.7	0.9	0.3	118	0.36	0.077	12
L14650E/13475N	Soil		5.4	47.6	12.7	127	0.6	43.0	12.7	495	3.45	71.3	4.5	3.0	28	0.8	1.1	0.4	114	0.34	0.059	13
L14650E/13500N	Soil		4.6	55.9	12.0	149	0.7	46.1	12.2	430	3.37	62.0	4.2	2.5	28	0.9	0.9	0.3	110	0.33	0.070	11
L14650E/13550N	Soil		6.3	87.6	10.6	179	1.4	69.5	10.7	367	3.89	93.5	8.5	1.9	37	1.6	1.5	0.3	111	0.45	0.115	13
L14650E/13575N	Soil		4.6	44.6	10.1	115	0.6	36.0	8.9	308	2.97	52.4	2.4	1.9	30	1.0	0.9	0.2	92	0.31	0.056	11
L14650E/13600N	Soil		2.9	26.4	7.8	89	0.4	24.0	6.4	206	2.33	21.5	2.4	1.8	25	0.5	0.7	0.2	77	0.33	0.063	10
L14650E/13650N	Soil		2.2	37.5	16.4	124	0.5	32.6	9.5	424	3.10	22.3	7.2	6.7	36	0.7	1.4	0.4	74	0.70	0.109	23
L14650E/13675N	Soil		3.1	42.4	19.7	146	0.5	35.0	15.8	710	3.81	23.0	4.5	8.8	34	0.8	1.3	0.5	78	0.64	0.086	26
L14650E/13700N	Soil		1.6	24.9	19.8	108	0.3	22.7	13.7	804	3.33	18.5	2.5	11.1	32	0.5	0.9	0.4	64	0.64	0.085	27
L14650E/13725N	Soil		0.9	16.1	19.2	76	0.2	15.5	10.6	335	3.15	28.1	3.3	12.0	26	0.2	0.9	0.4	57	0.53	0.059	28
L14650E/13750N	Soil		0.7	18.4	20.4	74	0.2	19.1	10.7	462	3.17	22.7	3.1	12.6	32	0.2	1.1	0.5	57	0.64	0.050	40
L13250E/12000N	Soil		1.2	20.2	15.9	139	0.1	14.6	11.8	1107	2.69	29.2	2.0	6.7	66	1.5	1.8	0.4	60	0.89	0.061	22
L13250E/12050N	Soil		0.8	25.1	14.4	68	0.5	13.0	6.7	268	1.67	14.8	19.0	16.5	58	0.3	22.0	1.5	31	1.07	0.071	49
L13250E/12075N	Soil		2.1	20.3	19.9	77	0.3	12.1	7.1	229	2.94	123.1	15.5	20.2	20	0.3	36.7	2.5	51	0.32	0.040	42
L13250E/12100N	Soil		3.8	28.5	20.8	74	0.9	16.1	11.1	469	3.47	126.1	24.3	20.5	48	0.5	42.3	2.5	62	0.79	0.060	100
L13250E/12125N	Soil		2.6	21.7	17.7	70	0.5	12.9	9.6	405	3.25	141.5	17.4	19.0	34	0.3	38.2	2.1	53	0.55	0.059	48
L13250E/12150N	Soil		1.6	16.3	14.7	62	0.2	13.1	9.1	446	2.79	85.4	4.9	9.8	28	0.2	24.2	1.1	56	0.41	0.024	28
L13250E/12175N	Soil		2.1	22.2	15.4	68	0.5	15.3	11.2	639	3.18	73.7	5.4	10.2	27	0.3	22.6	1.1	60	0.40	0.033	37
L13250E/12200N	Soil		1.7	14.4	12.4	59	0.2	12.0	7.8	476	2.65	70.2	7.3	7.5	28	0.3	18.4	1.3	54	0.44	0.034	14
L13250E/12225N	Soil		1.9	22.6	11.0	65	0.3	17.2	13.3	782	3.03	66.3	7.8	8.7	37	0.2	18.9	0.9	62	0.51	0.043	46
L13250E/12250N	Soil		1.7	23.2	13.0	69	0.5	18.5	8.9	528	3.22	102.9	17.2	8.9	35	0.3	25.1	0.8	66	0.52	0.039	30
L13250E/12275N	Soil		1.6	18.7	12.3	65	0.2	17.2	9.7	521	3.10	62.0	11.7	10.5	31	0.2	22.7	0.6	62	0.46	0.043	27
L13250E/12300N	Soil		1.2	18.5	10.6	52	0.4	15.3	7.4	344	2.54	32.4	3.8	8.3	24	0.2	3.1	0.7	52	0.32	0.031	26
L13250E/12325N	Soil		1.4	15.3	11.1	62	0.2	16.5	10.9	611	3.12	60.8	5.2	8.8	27	0.2	3.6	0.6	65	0.40	0.040	17
L13250E/12350N	Soil		1.5	24.4	11.4	60	0.2	17.7	16.0	869	3.46	45.7	4.3	8.9	26	0.2	2.7	0.5	72	0.33	0.033	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 6 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L14650E/13325N	Soil	57	0.79	456	0.111	2	2.71	0.010	0.15	0.2	0.06	6.2	0.4	<0.05	9	<0.5	<0.2
L14650E/13350N	Soil	59	0.78	570	0.128	<1	2.46	0.014	0.20	0.4	0.04	6.8	0.4	<0.05	9	<0.5	<0.2
L14650E/13375N	Soil	56	0.72	588	0.124	<1	2.70	0.015	0.16	0.2	0.06	6.4	0.3	<0.05	9	0.6	<0.2
L14650E/13400N	Soil	57	0.86	480	0.131	<1	2.64	0.012	0.16	0.3	0.03	5.8	0.3	<0.05	9	0.5	<0.2
L14650E/13425N	Soil	60	0.93	561	0.145	<1	2.18	0.013	0.23	0.5	0.02	6.3	0.4	<0.05	8	0.9	<0.2
L14650E/13450N	Soil	53	0.79	632	0.124	1	2.08	0.013	0.19	0.5	0.04	5.7	0.3	<0.05	7	0.6	<0.2
L14650E/13475N	Soil	61	0.86	509	0.137	1	2.63	0.012	0.20	0.2	0.05	6.5	0.3	<0.05	9	1.0	<0.2
L14650E/13500N	Soil	58	0.88	569	0.126	2	2.53	0.012	0.20	0.2	0.07	6.3	0.3	<0.05	9	2.5	<0.2
L14650E/13550N	Soil	60	0.78	903	0.091	3	3.07	0.012	0.19	0.2	0.33	8.2	0.6	<0.05	9	3.6	<0.2
L14650E/13575N	Soil	46	0.72	454	0.101	2	2.06	0.012	0.14	0.2	0.11	5.7	0.4	<0.05	8	1.1	<0.2
L14650E/13600N	Soil	41	0.67	318	0.105	1	1.70	0.013	0.16	0.2	0.05	4.8	0.3	<0.05	7	0.8	<0.2
L14650E/13650N	Soil	59	0.91	325	0.123	1	2.09	0.012	0.32	0.3	0.08	8.5	0.5	<0.05	7	1.1	<0.2
L14650E/13675N	Soil	55	0.89	249	0.130	2	2.26	0.012	0.29	0.4	0.11	9.0	0.5	<0.05	7	1.3	<0.2
L14650E/13700N	Soil	40	0.81	189	0.128	2	2.03	0.013	0.24	0.5	0.05	7.9	0.5	<0.05	8	0.6	<0.2
L14650E/13725N	Soil	30	0.70	141	0.120	<1	1.83	0.012	0.23	0.3	0.03	7.1	0.4	<0.05	8	<0.5	<0.2
L14650E/13750N	Soil	34	0.71	166	0.115	1	2.15	0.013	0.22	0.3	0.06	7.9	0.3	<0.05	8	<0.5	<0.2
L13250E/12000N	Soil	26	0.58	297	0.088	2	1.48	0.020	0.15	0.4	0.04	5.2	0.2	<0.05	6	<0.5	<0.2
L13250E/12050N	Soil	26	0.55	185	0.103	<1	1.47	0.014	0.22	0.4	0.13	9.6	0.4	0.12	6	1.4	<0.2
L13250E/12075N	Soil	24	0.52	144	0.111	<1	1.50	0.013	0.27	0.9	0.05	7.1	0.5	<0.05	6	<0.5	<0.2
L13250E/12100N	Soil	30	0.59	255	0.101	<1	2.13	0.016	0.23	1.1	0.12	10.5	0.4	<0.05	7	1.1	<0.2
L13250E/12125N	Soil	25	0.58	183	0.107	1	1.85	0.017	0.24	1.6	0.06	7.8	0.4	<0.05	7	<0.5	<0.2
L13250E/12150N	Soil	28	0.57	170	0.126	<1	1.65	0.012	0.22	0.6	0.02	5.2	0.3	<0.05	6	<0.5	<0.2
L13250E/12175N	Soil	29	0.57	162	0.111	<1	2.00	0.013	0.22	0.4	0.03	5.6	0.3	<0.05	7	<0.5	<0.2
L13250E/12200N	Soil	28	0.48	136	0.117	<1	1.43	0.012	0.29	1.5	0.01	4.7	0.3	<0.05	6	<0.5	<0.2
L13250E/12225N	Soil	31	0.62	216	0.127	2	2.01	0.015	0.18	0.5	0.04	6.5	0.2	<0.05	7	<0.5	<0.2
L13250E/12250N	Soil	33	0.63	220	0.136	2	2.13	0.013	0.20	0.6	0.05	6.4	0.3	<0.05	8	<0.5	<0.2
L13250E/12275N	Soil	34	0.65	202	0.136	1	2.06	0.012	0.18	0.4	0.03	5.8	0.3	<0.05	7	<0.5	<0.2
L13250E/12300N	Soil	27	0.52	165	0.119	<1	1.75	0.013	0.16	0.2	0.02	4.9	0.3	<0.05	7	<0.5	<0.2
L13250E/12325N	Soil	34	0.66	146	0.138	<1	2.00	0.013	0.15	0.3	0.03	5.6	0.3	<0.05	7	<0.5	<0.2
L13250E/12350N	Soil	35	0.62	183	0.134	2	2.39	0.015	0.09	0.2	0.04	6.1	0.2	<0.05	8	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 7 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L13250E/12375N	Soil	1.1	17.2	10.6	59	0.2	16.4	10.2	423	2.96	44.6	5.3	9.0	29	0.1	2.8	0.4	65	0.39	0.041	23
L13250E/12400N	Soil	1.6	19.3	13.7	70	0.3	16.2	12.9	557	2.93	49.6	5.1	6.9	31	0.2	3.9	0.6	60	0.41	0.060	19
L13250E/12425N	Soil	1.3	11.1	12.5	79	0.1	14.5	9.6	460	2.70	64.7	7.9	6.8	27	<0.1	9.0	0.5	58	0.41	0.042	16
L13250E/12450N	Soil	1.2	12.5	10.5	59	0.1	15.2	8.3	371	2.71	57.5	5.8	7.4	26	0.2	4.8	0.6	60	0.41	0.042	19
L13250E/12475N	Soil	1.1	13.7	11.5	57	0.1	15.8	9.8	369	2.78	56.6	4.4	9.1	29	0.2	3.9	0.6	61	0.43	0.046	19
L13250E/12500N	Soil	0.9	15.7	12.0	64	0.2	17.5	10.8	419	3.02	46.4	3.5	10.6	31	0.2	2.4	0.6	60	0.44	0.055	20
L13250E/12525N	Soil	0.8	19.3	12.8	60	0.2	15.9	10.8	536	2.98	47.1	4.4	10.1	34	0.2	2.2	0.6	60	0.48	0.058	26
L13250E/12550N	Soil	0.7	16.0	12.9	62	0.2	14.8	9.0	376	2.82	52.9	3.2	11.1	29	0.3	2.0	0.6	56	0.43	0.050	21
L13250E/12575N	Soil	0.6	18.1	12.0	72	0.1	15.8	8.7	254	2.58	41.8	7.9	12.2	30	0.2	2.5	0.7	54	0.48	0.057	23
L13250E/12600N	Soil	0.6	10.4	10.0	57	<0.1	13.6	8.9	306	2.52	48.3	3.5	8.4	22	0.2	2.5	0.6	52	0.34	0.046	11
L13250E/12625N	Soil	0.7	11.9	8.8	51	0.1	13.6	8.7	347	2.35	71.3	3.0	5.9	33	0.3	4.4	0.4	53	0.48	0.040	18
L13250E/12650N	Soil	0.8	10.2	12.8	65	0.1	15.0	8.8	344	2.57	71.3	1.6	6.2	34	0.3	4.4	0.5	55	0.51	0.037	15
L13250E/12675N	Soil	0.8	10.8	12.4	68	<0.1	16.7	9.3	412	2.96	79.7	3.5	7.2	30	0.2	3.5	0.5	62	0.44	0.047	15
L13250E/12700N	Soil	0.9	15.9	11.9	60	0.2	14.7	11.5	613	2.85	47.0	5.4	8.9	34	0.2	1.4	0.5	57	0.49	0.053	33
L13250E/12725N	Soil	0.8	14.5	12.8	63	0.2	16.6	8.8	417	3.01	39.7	2.4	7.0	28	0.1	1.3	0.4	67	0.46	0.041	23
L13250E/12750N	Soil	0.8	12.6	13.8	60	<0.1	14.8	7.6	363	2.70	34.2	2.0	7.1	30	0.2	1.3	0.4	58	0.45	0.036	33
L13250E/12775N	Soil	1.0	16.0	12.8	60	0.2	15.7	12.0	1048	2.59	33.1	2.9	4.0	47	0.4	2.9	0.4	54	0.78	0.064	30
L13250E/12800N	Soil	0.7	14.8	11.8	56	0.2	14.6	8.4	479	2.40	23.2	2.4	6.0	46	0.3	2.5	0.4	49	0.67	0.042	36
L14700E/12825N	Soil	5.2	66.6	15.4	118	1.1	38.1	9.1	278	3.28	117.4	6.6	2.4	34	1.0	3.0	0.3	101	0.38	0.090	16
L14700E/12850N	Soil	5.4	34.1	15.8	118	0.5	29.6	16.0	532	2.90	121.7	3.1	2.8	31	0.5	3.9	0.3	101	0.35	0.080	14
L14700E/12875N	Soil	4.8	38.5	16.6	119	0.8	30.3	9.7	356	2.58	82.8	4.8	2.1	34	0.6	3.4	0.4	88	0.38	0.085	14
L14700E/12925N	Soil	5.2	57.6	20.7	105	0.7	34.3	6.5	144	3.09	136.2	8.0	2.5	32	0.9	7.5	0.4	79	0.32	0.096	14
L14700E/12950N	Soil	5.7	44.2	19.0	87	0.9	30.7	6.0	115	3.07	185.2	10.4	1.9	36	0.5	8.2	0.4	75	0.36	0.087	12
L14700E/12975N	Soil	4.7	44.1	16.0	74	0.6	24.5	5.9	127	2.70	198.0	8.4	2.5	32	0.3	11.4	0.4	64	0.31	0.082	13
L14700E/13000N	Soil	5.1	30.1	12.6	99	0.4	23.4	7.8	217	2.93	145.8	5.5	2.6	23	0.6	10.3	0.2	74	0.23	0.098	12
L14700E/13025N	Soil	5.2	46.6	12.3	110	1.3	32.0	10.6	419	3.13	99.2	2.6	1.2	23	0.8	5.0	0.3	68	0.24	0.094	11
L14700E/13050N	Soil	3.9	52.0	12.1	128	0.3	33.4	27.6	700	3.58	101.8	4.6	3.4	29	0.6	3.8	0.3	83	0.28	0.061	12
L14700E/13075N	Soil	3.1	31.4	12.1	98	0.3	29.1	9.5	256	3.71	103.3	1.9	3.0	29	0.3	2.7	0.3	96	0.32	0.054	10
L14700E/13100N	Soil	3.7	44.5	12.5	124	0.6	33.2	11.0	330	3.86	110.0	3.0	3.0	33	0.7	3.0	0.3	110	0.32	0.067	11
L14700E/13125N	Soil	3.5	51.4	14.2	131	0.8	37.9	9.9	280	3.89	115.0	4.2	3.2	31	0.7	2.4	0.3	106	0.29	0.063	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 7 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
			1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L13250E/12375N	Soil		33	0.63	181	0.143	<1	2.02	0.015	0.12	0.3	0.03	6.2	0.3	<0.05	7	<0.5	<0.2
L13250E/12400N	Soil		31	0.59	208	0.117	2	2.03	0.013	0.12	0.4	0.04	5.3	0.3	<0.05	8	<0.5	<0.2
L13250E/12425N	Soil		28	0.58	231	0.119	<1	1.74	0.015	0.09	0.4	0.02	4.6	0.3	<0.05	6	<0.5	<0.2
L13250E/12450N	Soil		28	0.61	175	0.118	1	1.65	0.015	0.10	0.6	0.03	4.5	0.2	<0.05	6	<0.5	<0.2
L13250E/12475N	Soil		30	0.62	160	0.120	2	1.79	0.015	0.10	0.5	0.03	4.9	0.2	<0.05	6	<0.5	<0.2
L13250E/12500N	Soil		32	0.66	164	0.132	2	1.97	0.016	0.14	0.5	0.04	5.9	0.3	<0.05	7	<0.5	<0.2
L13250E/12525N	Soil		31	0.60	179	0.123	2	1.94	0.015	0.14	1.5	0.04	6.4	0.3	<0.05	7	<0.5	<0.2
L13250E/12550N	Soil		29	0.60	148	0.140	<1	1.71	0.016	0.16	0.4	0.05	5.9	0.4	<0.05	6	<0.5	<0.2
L13250E/12575N	Soil		31	0.61	161	0.133	<1	1.69	0.018	0.19	0.4	0.07	7.2	0.5	<0.05	6	<0.5	<0.2
L13250E/12600N	Soil		26	0.59	105	0.119	<1	1.65	0.014	0.11	0.4	0.04	4.7	0.3	<0.05	6	<0.5	<0.2
L13250E/12625N	Soil		27	0.53	162	0.098	<1	1.62	0.012	0.10	0.4	0.08	5.1	0.3	<0.05	6	<0.5	<0.2
L13250E/12650N	Soil		31	0.63	213	0.114	<1	1.96	0.015	0.09	0.3	0.09	5.4	0.4	<0.05	8	<0.5	<0.2
L13250E/12675N	Soil		32	0.65	202	0.119	<1	1.92	0.015	0.10	0.4	0.07	5.0	0.4	<0.05	7	<0.5	<0.2
L13250E/12700N	Soil		33	0.60	247	0.098	1	2.05	0.013	0.11	0.4	0.07	6.3	0.3	<0.05	7	<0.5	<0.2
L13250E/12725N	Soil		32	0.65	241	0.108	<1	2.15	0.012	0.08	0.2	0.06	5.6	0.3	<0.05	8	<0.5	<0.2
L13250E/12750N	Soil		29	0.58	222	0.101	<1	1.81	0.012	0.08	0.3	0.04	4.6	0.2	<0.05	7	<0.5	<0.2
L13250E/12775N	Soil		27	0.57	226	0.073	<1	1.82	0.014	0.09	0.2	0.07	5.4	0.2	<0.05	6	<0.5	<0.2
L13250E/12800N	Soil		24	0.47	204	0.082	1	1.74	0.014	0.09	0.2	0.06	5.0	0.2	<0.05	6	<0.5	<0.2
L14700E/12825N	Soil		61	0.71	739	0.104	<1	2.25	0.014	0.17	0.5	0.31	8.2	0.7	<0.05	8	2.7	<0.2
L14700E/12850N	Soil		50	0.61	573	0.112	1	1.78	0.012	0.16	1.6	0.17	5.5	0.8	<0.05	7	1.5	<0.2
L14700E/12875N	Soil		51	0.64	563	0.102	<1	1.99	0.013	0.12	1.4	0.29	5.6	0.8	<0.05	7	1.5	<0.2
L14700E/12925N	Soil		40	0.50	451	0.072	<1	1.96	0.012	0.09	0.6	0.49	6.0	1.1	<0.05	6	5.1	<0.2
L14700E/12950N	Soil		40	0.45	437	0.064	<1	2.11	0.012	0.07	0.3	0.79	5.7	1.1	<0.05	7	5.5	<0.2
L14700E/12975N	Soil		33	0.38	418	0.070	<1	1.84	0.010	0.07	0.3	0.60	4.9	1.1	<0.05	6	2.2	<0.2
L14700E/13000N	Soil		30	0.37	385	0.086	<1	1.41	0.009	0.10	0.4	0.12	3.9	1.0	<0.05	7	0.7	<0.2
L14700E/13025N	Soil		35	0.41	574	0.065	<1	2.08	0.013	0.12	0.4	0.21	4.7	0.7	<0.05	7	1.0	<0.2
L14700E/13050N	Soil		45	0.63	660	0.103	<1	2.22	0.013	0.13	0.7	0.12	4.9	1.8	<0.05	6	0.6	<0.2
L14700E/13075N	Soil		43	0.66	480	0.106	<1	2.31	0.011	0.14	0.5	0.05	4.6	0.7	<0.05	7	<0.5	<0.2
L14700E/13100N	Soil		52	0.78	595	0.119	<1	2.44	0.011	0.20	0.4	0.07	4.8	1.1	<0.05	8	1.1	<0.2
L14700E/13125N	Soil		56	0.81	827	0.132	<1	2.82	0.012	0.32	0.4	0.09	6.1	0.9	<0.05	9	0.7	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 8 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L14700E/13150N	Soil		3.3	31.6	15.4	97	0.4	27.4	8.8	228	3.07	109.0	4.0	3.2	24	0.8	2.5	0.4	88	0.20	0.053	11
L14700E/13175N	Soil		4.4	50.3	18.7	98	0.9	35.3	9.9	245	2.93	79.5	3.8	2.2	28	0.6	1.9	0.6	85	0.26	0.037	11
L14700E/13200N	Soil		6.0	54.3	20.9	121	0.5	46.7	12.2	296	3.94	113.2	4.9	2.9	28	0.8	2.3	0.6	111	0.27	0.048	11
L14700E/13225N	Soil		6.6	39.9	20.9	113	0.7	42.4	11.3	367	3.67	103.2	3.1	2.1	26	0.9	1.9	0.6	115	0.24	0.062	9
L14700E/13250N	Soil		8.6	41.0	17.4	115	0.5	37.5	12.1	363	3.88	101.0	5.2	2.7	28	1.1	2.6	0.4	137	0.28	0.081	12
L14700E/13275N	Soil		5.4	55.3	17.1	138	0.5	43.9	9.6	292	3.84	76.2	2.3	3.5	27	0.7	3.2	0.4	135	0.24	0.073	14
L14700E/13300N	Soil		3.9	32.9	12.5	80	0.7	25.3	6.6	250	2.95	68.0	3.4	2.3	39	0.5	2.4	0.4	108	0.51	0.060	10
L14700E/13325N	Soil		3.9	49.3	12.7	91	0.6	30.2	7.9	268	3.52	64.5	4.5	2.9	26	0.7	2.5	0.3	107	0.23	0.051	12
L14700E/13350N	Soil		3.4	39.4	10.9	100	0.4	36.7	9.2	290	4.06	63.4	1.3	2.8	26	0.5	1.2	0.3	116	0.22	0.062	10
L14700E/13375N	Soil		1.9	40.6	8.5	99	0.3	38.5	11.3	318	3.45	49.8	1.2	3.3	27	0.4	1.3	0.2	101	0.27	0.047	12
L14700E/13400N	Soil		2.7	32.0	8.5	80	0.7	36.6	9.5	272	3.23	38.7	2.4	2.2	27	0.6	0.8	0.3	108	0.33	0.042	9
L14700E/13425N	Soil		2.7	40.0	6.8	91	0.2	45.1	12.0	428	3.12	63.5	2.7	3.3	20	0.4	1.3	0.3	118	0.29	0.058	11
L14700E/13450N	Soil		5.9	46.3	10.1	109	0.6	45.4	20.9	746	3.68	65.6	4.5	2.8	24	0.5	0.8	0.3	129	0.28	0.055	12
L14700E/13475N	Soil		4.0	37.0	8.6	99	0.2	35.6	11.0	366	3.35	32.0	1.6	2.8	25	0.7	0.7	0.2	118	0.29	0.066	11
L14700E/13500N	Soil		4.0	27.3	8.3	73	0.6	28.0	7.2	216	2.51	24.1	1.2	2.1	25	0.8	0.5	0.3	94	0.28	0.040	10
L14700E/13525N	Soil		5.2	45.3	16.6	132	0.3	45.3	13.7	592	3.70	76.1	4.9	3.1	27	1.0	1.4	0.4	121	0.32	0.081	13
L14700E/13550N	Soil		4.5	40.1	12.8	134	0.2	40.9	10.6	463	3.72	79.8	2.7	2.9	25	0.7	1.0	0.3	146	0.26	0.057	11
L14700E/13575N	Soil		4.1	50.3	9.3	138	0.6	44.0	11.6	423	3.30	76.6	3.0	2.7	25	0.7	1.5	0.3	113	0.28	0.065	10
L14700E/13600N	Soil		6.2	33.4	11.1	129	0.3	33.2	8.5	397	3.38	61.4	1.9	0.7	21	2.4	0.9	0.4	119	0.19	0.079	9
L14700E/13625N	Soil		5.8	74.3	10.5	156	0.5	52.9	12.3	603	3.93	74.9	3.0	2.8	31	1.7	1.5	0.2	116	0.31	0.073	12
L14700E/13650N	Soil		4.2	45.1	10.1	109	0.7	31.5	7.2	253	2.88	27.2	2.2	1.8	24	0.8	0.7	0.2	100	0.29	0.063	12
L14700E/13675N	Soil		2.4	42.4	11.1	118	0.6	37.8	15.2	590	3.58	33.1	3.1	2.5	32	0.6	1.3	0.3	97	0.49	0.072	13
L14700E/13700N	Soil		3.4	35.3	13.8	92	1.0	27.2	8.1	316	2.99	42.9	2.7	2.4	27	0.4	0.8	0.4	89	0.42	0.083	14
L14700E/13725N	Soil		2.3	50.9	16.2	129	0.9	36.7	13.5	619	3.35	20.2	3.6	6.2	33	0.6	0.9	0.5	69	0.57	0.076	27
L14700E/13750N	Soil		2.1	43.1	22.7	117	0.4	33.9	11.4	339	3.37	24.5	4.2	9.9	30	0.6	1.3	0.5	80	0.57	0.077	25
L14700E/13775N	Soil		3.0	40.0	26.8	118	0.5	24.0	12.1	587	3.35	26.9	8.1	13.2	34	0.6	1.5	0.8	64	0.71	0.073	44
L14700E/13800N	Soil		1.3	31.7	19.4	68	0.3	21.8	12.7	483	2.96	13.1	3.1	11.6	39	0.4	1.1	0.4	60	0.81	0.065	41
L14550E/12725N	Soil		3.9	67.8	15.8	118	1.1	45.2	11.7	367	3.49	58.5	10.1	3.6	51	1.0	5.2	0.3	113	0.70	0.069	18
L14550E/12850N	Soil		4.3	48.6	30.5	139	0.6	21.7	5.6	228	2.91	77.8	3.8	2.6	24	0.7	3.1	0.2	109	0.14	0.073	12
L14550E/12875N	Soil		6.8	99.5	13.4	181	1.2	60.8	13.1	419	3.94	117.9	19.0	3.2	35	1.6	3.9	0.4	131	0.36	0.097	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 8 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	MDL	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2			
L14700E/13150N	Soil	42	0.57	670	0.116	2	1.62	0.010	0.20	0.7	0.04	3.9	0.8	0.06	7	0.8	<0.2		
L14700E/13175N	Soil	41	0.53	1370	0.085	2	2.17	0.013	0.11	0.6	0.07	4.8	0.5	<0.05	8	0.6	<0.2		
L14700E/13200N	Soil	57	0.77	1352	0.104	2	2.72	0.011	0.13	0.8	0.07	5.4	0.6	<0.05	8	0.8	<0.2		
L14700E/13225N	Soil	50	0.64	1279	0.091	1	2.61	0.009	0.11	0.7	0.06	4.7	0.4	<0.05	8	1.0	<0.2		
L14700E/13250N	Soil	53	0.68	1786	0.111	2	2.38	0.010	0.14	0.5	0.05	5.2	0.4	<0.05	9	1.0	<0.2		
L14700E/13275N	Soil	62	0.84	938	0.152	2	2.16	0.010	0.30	0.6	0.03	6.2	0.7	0.07	9	1.1	<0.2		
L14700E/13300N	Soil	41	0.50	383	0.124	<1	1.54	0.008	0.14	0.3	0.03	3.6	0.3	<0.05	8	<0.5	<0.2		
L14700E/13325N	Soil	50	0.71	393	0.106	<1	2.27	0.012	0.18	0.3	0.06	5.2	0.4	<0.05	8	1.2	<0.2		
L14700E/13350N	Soil	52	0.73	322	0.128	<1	2.59	0.010	0.17	0.3	0.04	4.8	0.3	<0.05	9	<0.5	<0.2		
L14700E/13375N	Soil	52	0.80	369	0.127	<1	2.14	0.011	0.25	0.3	0.04	5.0	0.5	<0.05	7	0.6	<0.2		
L14700E/13400N	Soil	50	0.69	406	0.128	1	2.23	0.011	0.11	0.2	0.04	5.1	0.2	<0.05	9	<0.5	<0.2		
L14700E/13425N	Soil	59	0.82	448	0.142	<1	2.02	0.013	0.24	0.5	0.03	6.3	0.4	<0.05	7	0.6	<0.2		
L14700E/13450N	Soil	59	0.80	494	0.140	<1	2.65	0.012	0.18	0.3	0.04	6.0	0.3	<0.05	9	0.7	<0.2		
L14700E/13475N	Soil	50	0.79	406	0.134	1	2.31	0.012	0.14	0.2	0.02	5.3	0.2	<0.05	8	<0.5	<0.2		
L14700E/13500N	Soil	38	0.54	343	0.120	<1	1.77	0.012	0.11	0.2	0.03	4.1	0.2	<0.05	8	0.6	<0.2		
L14700E/13525N	Soil	59	0.89	445	0.134	1	2.52	0.012	0.22	0.3	0.04	6.2	0.3	<0.05	8	0.8	<0.2		
L14700E/13550N	Soil	61	0.97	538	0.163	<1	2.41	0.012	0.24	0.3	0.02	6.4	0.3	<0.05	10	<0.5	<0.2		
L14700E/13575N	Soil	53	0.77	508	0.129	<1	2.11	0.011	0.20	0.3	0.05	5.5	0.4	<0.05	7	1.1	<0.2		
L14700E/13600N	Soil	42	0.54	260	0.087	1	1.87	0.010	0.11	0.2	0.05	3.4	0.3	<0.05	9	<0.5	<0.2		
L14700E/13625N	Soil	53	0.75	512	0.115	1	2.36	0.012	0.22	0.2	0.09	6.4	0.6	<0.05	7	1.1	<0.2		
L14700E/13650N	Soil	51	0.75	391	0.123	1	2.11	0.012	0.21	0.2	0.09	5.6	0.4	<0.05	8	1.2	<0.2		
L14700E/13675N	Soil	66	0.85	394	0.117	<1	2.58	0.015	0.16	0.5	0.10	8.3	0.4	<0.05	8	1.5	<0.2		
L14700E/13700N	Soil	59	0.76	237	0.091	1	2.16	0.011	0.14	0.2	0.15	5.6	0.6	<0.05	8	1.6	<0.2		
L14700E/13725N	Soil	51	0.83	265	0.109	2	2.47	0.012	0.20	0.3	0.07	7.7	0.4	<0.05	8	0.8	<0.2		
L14700E/13750N	Soil	54	0.97	272	0.150	1	2.39	0.013	0.29	0.6	0.07	8.9	0.5	<0.05	8	1.2	<0.2		
L14700E/13775N	Soil	36	0.70	180	0.101	<1	1.84	0.012	0.21	0.5	0.08	7.8	0.6	<0.05	7	1.1	<0.2		
L14700E/13800N	Soil	33	0.66	173	0.107	2	1.88	0.014	0.16	0.4	0.05	7.5	0.3	<0.05	7	<0.5	<0.2		
L14550E/12725N	Soil	55	0.72	605	0.116	2	2.16	0.014	0.23	0.8	0.16	7.2	0.6	<0.05	8	3.1	<0.2		
L14550E/12850N	Soil	48	0.58	410	0.108	<1	1.39	0.016	0.39	0.6	0.10	4.3	1.2	0.16	6	1.5	<0.2		
L14550E/12875N	Soil	62	0.81	556	0.128	1	2.51	0.018	0.33	0.5	0.28	7.5	0.9	0.10	9	4.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

Page: 9 of 11

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L14550E/12900N	Soil	5.0	58.1	12.2	120	0.9	26.0	5.5	248	3.20	59.7	8.5	4.1	22	0.5	1.1	0.4	131	0.10	0.053	13
L14550E/12950N	Soil	2.4	32.6	11.3	104	0.6	27.0	7.2	239	2.22	49.8	6.7	2.8	24	0.3	0.8	0.3	70	0.22	0.045	12
L14550E/12975N	Soil	1.8	43.1	13.1	94	0.4	45.9	12.4	688	2.96	64.7	8.8	5.0	38	0.4	1.3	0.4	70	0.68	0.074	24
L14550E/13000N	Soil	4.6	73.8	22.0	161	1.1	65.1	14.4	462	3.79	110.6	12.5	4.2	43	0.9	2.3	0.4	106	0.68	0.079	18
L14550E/13025N	Soil	4.2	43.2	13.5	142	0.7	42.3	12.0	500	3.20	60.8	2.6	3.1	28	0.6	2.1	0.4	101	0.28	0.066	14
L14550E/13050N	Soil	3.7	48.5	13.2	152	0.5	51.7	11.6	399	3.47	79.9	27.1	4.6	30	0.6	2.1	0.4	96	0.37	0.071	16
L14550E/13075N	Soil	4.3	62.3	14.7	164	0.6	61.3	14.2	537	3.75	87.1	3.7	5.8	31	0.8	2.3	0.5	116	0.45	0.071	21
L14550E/13100N	Soil	3.6	42.6	10.6	128	0.7	40.2	10.0	371	3.28	76.6	2.6	3.8	26	0.4	1.6	0.5	114	0.31	0.061	14
L14550E/13125N	Soil	3.4	40.7	10.7	128	0.5	42.4	12.0	349	3.71	62.7	3.6	3.7	26	0.6	1.4	0.5	115	0.38	0.064	14
L14550E/13150N	Soil	3.0	49.2	9.3	143	0.4	52.0	14.8	365	3.62	76.5	3.7	3.8	25	0.4	2.1	0.3	115	0.34	0.065	13
L14550E/13175N	Soil	3.1	40.1	10.4	108	0.5	44.0	11.0	340	3.22	61.7	2.1	3.1	26	0.5	1.1	0.4	119	0.28	0.042	12
L14550E/13200N	Soil	3.9	60.9	11.9	119	1.1	55.3	16.7	544	3.63	74.7	5.7	3.8	32	0.5	0.9	0.4	132	0.36	0.054	15
L14550E/13225N	Soil	3.2	36.6	8.7	105	0.5	40.8	12.7	370	3.12	56.3	2.8	3.4	21	0.3	0.8	0.3	122	0.30	0.049	12
L14550E/13250N	Soil	3.6	34.9	9.6	120	0.5	42.1	12.7	398	3.38	48.1	3.1	3.5	23	0.3	0.9	0.3	135	0.27	0.058	12
L14550E/13275N	Soil	3.7	36.8	9.6	121	0.4	41.0	10.0	364	2.88	44.6	2.6	3.3	26	0.4	0.8	0.3	119	0.40	0.059	12
L14550E/13300N	Soil	4.1	34.0	9.9	119	0.4	39.2	12.1	340	3.60	51.9	2.1	3.0	22	0.3	0.9	0.3	145	0.28	0.053	12
L14550E/13325N	Soil	3.9	29.1	8.8	106	0.3	34.5	9.5	302	2.93	46.6	2.2	2.6	19	0.3	0.9	0.4	119	0.26	0.057	10
L14550E/13350N	Soil	3.7	35.0	10.4	113	0.4	36.3	17.7	655	2.90	51.9	1.5	2.6	22	0.6	0.9	0.3	118	0.26	0.059	12
L14550E/13375N	Soil	4.0	41.3	13.4	135	0.5	44.0	13.2	444	3.72	66.3	4.1	3.4	22	0.6	1.0	0.3	138	0.28	0.064	13
L14550E/13400N	Soil	4.0	43.3	11.6	136	0.5	40.0	11.7	416	3.42	55.6	3.0	3.1	23	0.5	0.9	0.3	121	0.28	0.063	12
L14550E/13425N	Soil	3.7	48.4	9.8	136	0.5	43.0	13.4	474	3.57	59.8	4.8	3.4	26	0.7	1.2	0.3	124	0.30	0.062	13
L14550E/13450N	Soil	3.5	37.4	12.3	129	0.5	36.1	17.3	882	3.46	37.3	1.5	4.0	35	0.5	1.2	0.3	99	0.61	0.079	17
L14550E/13475N	Soil	1.1	20.1	18.8	103	0.2	21.0	10.6	490	2.77	16.8	3.3	9.7	34	0.3	0.9	0.4	65	0.72	0.069	21
L14550E/13500N	Soil	0.6	24.9	12.7	73	0.2	19.0	10.5	1088	2.28	12.2	0.9	7.1	59	0.5	0.9	0.3	47	1.25	0.071	37
L14550E/13525N	Soil	0.7	19.6	15.0	66	0.2	19.6	10.6	529	2.60	12.3	2.1	8.5	51	0.2	0.8	0.4	54	1.12	0.059	38
L14550E/13550N	Soil	0.6	19.2	18.6	72	0.2	20.2	10.1	358	2.72	12.7	2.9	11.3	39	0.1	0.6	0.4	59	0.80	0.056	33
L14550E/13575N	Soil	0.8	24.6	16.6	69	0.3	23.2	11.0	535	3.09	17.1	3.2	11.3	42	0.2	0.6	0.5	67	0.97	0.060	45
L14550E/13600N	Soil	0.6	20.2	15.0	70	0.2	22.3	11.1	530	3.02	17.2	3.4	12.2	34	0.2	0.6	0.4	66	0.70	0.054	34
L14550E/13625N	Soil	0.9	22.2	15.9	71	0.2	23.3	12.2	608	2.87	17.1	2.9	8.7	47	0.3	0.6	0.4	63	0.94	0.063	39
L14550E/13650N	Soil	0.9	22.2	15.4	71	0.2	23.2	12.4	605	3.22	18.6	2.6	10.9	38	0.2	0.5	0.4	67	0.68	0.064	40



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 9 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201																
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L14550E/12900N	Soil	61	0.74	350	0.150	1	2.05	0.020	0.34	0.4	0.07	5.6	0.5	0.09	8	2.2	<0.2	
L14550E/12950N	Soil	43	0.62	178	0.115	2	1.56	0.016	0.23	0.4	0.09	4.1	0.5	<0.05	6	0.8	<0.2	
L14550E/12975N	Soil	37	0.68	287	0.107	1	2.13	0.016	0.16	0.8	0.09	6.3	0.4	<0.05	7	1.3	<0.2	
L14550E/13000N	Soil	58	0.86	1132	0.117	<1	2.71	0.014	0.22	0.6	0.23	8.7	0.7	<0.05	8	2.1	<0.2	
L14550E/13025N	Soil	53	0.72	451	0.124	<1	2.15	0.011	0.25	0.5	0.04	5.2	0.5	<0.05	8	0.6	<0.2	
L14550E/13050N	Soil	54	0.78	505	0.135	<1	2.13	0.011	0.31	0.7	0.05	5.9	0.6	<0.05	7	0.7	<0.2	
L14550E/13075N	Soil	64	0.69	517	0.165	3	2.07	0.012	0.28	0.7	0.08	6.3	0.6	0.07	7	1.9	<0.2	
L14550E/13100N	Soil	51	0.68	445	0.139	2	1.86	0.011	0.20	0.5	0.04	4.2	0.4	0.05	6	0.5	<0.2	
L14550E/13125N	Soil	55	0.76	424	0.138	2	2.12	0.011	0.17	0.4	0.06	4.6	0.4	0.05	6	0.8	<0.2	
L14550E/13150N	Soil	59	0.77	564	0.142	2	2.23	0.011	0.20	0.5	0.06	4.8	0.5	<0.05	6	0.9	<0.2	
L14550E/13175N	Soil	55	0.66	404	0.133	2	2.35	0.011	0.13	0.3	0.08	4.9	0.4	<0.05	8	1.1	<0.2	
L14550E/13200N	Soil	62	0.72	629	0.139	<1	3.03	0.013	0.13	0.3	0.15	7.5	0.3	<0.05	9	1.0	<0.2	
L14550E/13225N	Soil	58	0.85	398	0.160	<1	2.25	0.012	0.16	0.3	0.06	5.9	0.3	<0.05	8	0.7	<0.2	
L14550E/13250N	Soil	60	0.86	362	0.174	2	2.19	0.012	0.20	0.5	0.03	5.2	0.3	<0.05	8	0.8	<0.2	
L14550E/13275N	Soil	56	0.71	463	0.147	<1	2.20	0.012	0.16	0.3	0.05	5.3	0.3	<0.05	7	1.2	<0.2	
L14550E/13300N	Soil	60	0.79	342	0.167	1	2.31	0.011	0.15	0.3	0.04	5.2	0.3	<0.05	8	<0.5	<0.2	
L14550E/13325N	Soil	50	0.74	281	0.149	2	2.04	0.010	0.13	0.3	0.03	4.9	0.3	<0.05	8	0.9	<0.2	
L14550E/13350N	Soil	53	0.72	342	0.158	<1	2.17	0.011	0.20	0.2	0.05	5.2	0.3	<0.05	8	<0.5	<0.2	
L14550E/13375N	Soil	66	0.87	414	0.174	2	2.35	0.011	0.23	0.3	0.05	6.0	0.4	<0.05	8	1.5	<0.2	
L14550E/13400N	Soil	56	0.83	417	0.164	2	2.42	0.012	0.21	0.3	0.08	5.7	0.4	0.06	8	2.1	<0.2	
L14550E/13425N	Soil	60	0.81	454	0.163	1	2.33	0.012	0.19	0.2	0.07	5.6	0.4	0.05	7	1.3	<0.2	
L14550E/13450N	Soil	56	0.74	307	0.123	1	2.15	0.012	0.16	0.3	0.08	6.8	0.4	0.07	7	1.2	<0.2	
L14550E/13475N	Soil	40	0.70	164	0.134	2	1.86	0.013	0.20	0.4	0.06	6.3	0.3	0.07	7	<0.5	<0.2	
L14550E/13500N	Soil	28	0.56	274	0.101	3	1.56	0.013	0.17	0.3	0.06	5.6	0.3	0.12	6	0.9	<0.2	
L14550E/13525N	Soil	34	0.60	177	0.112	<1	1.91	0.014	0.15	0.3	0.06	6.5	0.3	0.05	6	<0.5	<0.2	
L14550E/13550N	Soil	39	0.68	156	0.132	2	2.17	0.015	0.18	0.4	0.05	7.5	0.3	<0.05	7	<0.5	<0.2	
L14550E/13575N	Soil	42	0.68	184	0.140	1	2.26	0.014	0.20	0.6	0.07	8.3	0.3	<0.05	7	<0.5	<0.2	
L14550E/13600N	Soil	40	0.69	155	0.157	<1	2.03	0.015	0.22	0.6	0.05	7.9	0.3	<0.05	7	<0.5	<0.2	
L14550E/13625N	Soil	38	0.65	180	0.125	2	2.29	0.015	0.20	0.5	0.06	7.2	0.3	0.08	7	<0.5	<0.2	
L14550E/13650N	Soil	41	0.71	179	0.148	<1	2.36	0.015	0.23	0.5	0.06	7.8	0.3	<0.05	8	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 10 of 11

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000294.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14750E/12800N	Soil	4.7	43.7	14.8	150	1.4	39.6	9.3	321	3.36	92.0	11.9	3.5	25	0.7	2.2	0.3	143	0.28	0.072	14
L14750E/12825N	Soil	3.9	56.1	10.7	167	0.6	41.9	10.5	334	3.12	65.4	6.1	5.0	20	0.8	2.5	0.2	134	0.31	0.096	15
L14750E/12850N	Soil	3.5	44.4	13.2	120	0.8	32.1	7.4	237	2.82	66.0	6.0	2.6	28	0.7	1.9	0.2	114	0.34	0.077	13
L14750E/12875N	Soil	4.2	37.2	13.6	106	0.7	30.5	5.7	191	2.29	55.1	4.7	2.5	24	0.6	2.3	0.2	94	0.32	0.073	13
L14750E/12950N	Soil	7.0	73.3	16.1	159	1.1	54.7	10.4	269	3.44	120.4	9.7	4.1	37	1.2	3.5	0.4	122	0.48	0.118	21
L14750E/12975N	Soil	8.2	79.4	19.6	178	1.0	56.4	16.2	478	4.40	152.1	11.9	4.8	41	1.2	5.6	0.3	117	0.44	0.108	23
L14750E/13000N	Soil	7.4	90.4	27.7	135	0.8	40.1	10.9	308	3.63	123.8	13.1	3.7	31	1.4	6.4	0.3	97	0.31	0.086	17
L14750E/13025N	Soil	8.4	79.4	33.9	121	0.4	34.8	8.1	228	3.21	139.4	7.0	4.0	26	1.5	7.4	0.3	86	0.22	0.069	16
L14750E/13050N	Soil	4.1	25.6	16.1	72	0.3	26.2	8.7	237	3.17	144.4	5.9	2.3	25	0.5	6.7	0.4	88	0.29	0.103	11
L14750E/13075N	Soil	4.1	28.5	22.0	100	0.5	27.3	9.1	301	3.83	230.3	2.5	2.5	29	0.7	11.5	0.5	81	0.32	0.270	12
L14750E/13100N	Soil	3.3	33.8	12.2	79	0.6	26.7	10.9	884	2.74	122.4	2.4	2.3	29	0.7	7.2	0.3	70	0.33	0.126	11
L14750E/13125N	Soil	2.2	24.1	12.4	73	0.3	22.3	13.0	775	3.06	58.0	<0.5	2.8	29	0.6	3.2	0.2	86	0.33	0.054	10
L14750E/13150N	Soil	2.0	35.3	13.8	89	0.5	29.8	9.9	242	3.37	82.5	3.1	2.7	29	0.7	4.6	0.3	88	0.32	0.070	11
L14750E/13175N	Soil	3.1	40.4	13.5	82	0.8	31.1	8.9	226	3.32	78.3	3.2	2.5	25	0.5	2.6	0.4	98	0.22	0.040	10
L14750E/13200N	Soil	2.8	31.9	13.1	86	0.5	25.6	8.1	204	2.91	77.5	1.8	3.1	22	0.5	2.4	0.3	89	0.20	0.043	12
L14750E/13225N	Soil	3.6	46.4	12.8	107	0.3	35.6	10.2	277	3.59	134.7	4.0	4.2	31	0.4	3.4	0.3	105	0.28	0.049	14
L14750E/13250N	Soil	7.1	57.8	36.2	144	0.7	47.2	11.6	295	3.92	98.2	6.6	3.4	34	0.7	3.2	1.1	118	0.29	0.080	12
L14750E/13275N	Soil	7.4	53.8	28.7	163	0.4	50.7	20.5	451	4.94	118.8	5.9	3.4	35	1.0	2.9	1.0	128	0.32	0.071	13
L14750E/13300N	Soil	10.7	66.6	16.4	128	0.8	45.5	13.1	390	3.98	108.9	4.6	2.7	35	2.2	3.4	0.4	124	0.32	0.095	15
L14750E/13325N	Soil	8.3	62.8	26.6	153	0.7	55.3	12.3	326	5.13	147.6	6.5	3.5	36	0.5	5.5	0.5	152	0.35	0.098	17
L14750E/13350N	Soil	4.6	60.4	14.7	124	1.5	45.4	13.4	425	4.52	81.0	3.8	2.8	31	1.0	3.4	0.4	133	0.27	0.086	13
L14750E/13375N	Soil	4.4	47.5	14.7	102	0.6	34.7	12.0	400	4.13	71.1	4.5	3.5	29	0.7	2.1	0.3	127	0.26	0.064	13
L14750E/13400N	Soil	2.8	50.2	11.0	113	0.4	38.5	12.8	343	4.19	54.4	3.5	3.9	28	0.6	1.2	0.3	122	0.27	0.057	14
L14750E/13425N	Soil	2.4	36.4	10.5	80	0.4	32.8	13.3	405	3.74	48.7	1.5	3.0	24	0.5	1.0	0.3	109	0.26	0.054	12
L14750E/13450N	Soil	2.1	46.4	9.0	82	0.5	43.9	15.2	376	3.56	26.7	3.0	3.6	27	0.5	0.6	0.2	120	0.35	0.050	12
L14750E/13475N	Soil	2.4	24.0	8.2	63	0.3	27.7	9.0	287	2.35	40.5	1.5	2.2	21	0.3	0.4	0.3	92	0.24	0.032	10
L14750E/13500N	Soil	3.4	43.3	9.0	87	0.3	42.0	13.6	376	3.34	35.2	3.0	2.9	22	0.6	0.6	0.3	108	0.28	0.048	12
L14750E/13525N	Soil	2.8	23.8	11.1	58	0.4	22.2	7.2	217	2.62	12.6	4.3	2.3	17	0.5	0.4	0.3	93	0.21	0.025	10
L14750E/13550N	Soil	3.4	45.8	10.6	109	0.3	49.1	13.6	460	4.08	82.7	6.3	3.7	25	0.4	1.5	0.4	121	0.33	0.062	13
L14750E/13575N	Soil	4.1	48.0	14.0	145	0.2	48.1	14.1	467	4.43	75.4	4.8	3.7	22	0.8	1.0	0.3	152	0.25	0.052	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

**Page:** 10 of 11

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L14750E/12800N	Soil	57	0.67	311	0.137	<1	2.39	0.010	0.16	0.3	0.16	5.7	0.5	<0.05	8	2.3	<0.2
L14750E/12825N	Soil	63	0.78	387	0.177	<1	1.91	0.011	0.44	0.5	0.07	7.8	0.8	<0.05	7	1.2	<0.2
L14750E/12850N	Soil	54	0.62	368	0.127	<1	1.85	0.011	0.14	0.3	0.13	5.7	0.5	0.06	6	2.2	<0.2
L14750E/12875N	Soil	44	0.52	324	0.109	<1	1.53	0.010	0.14	0.3	0.12	4.8	0.5	<0.05	6	2.5	<0.2
L14750E/12950N	Soil	73	0.79	791	0.137	1	2.86	0.011	0.31	1.7	0.34	9.3	1.1	<0.05	9	2.8	<0.2
L14750E/12975N	Soil	72	0.77	887	0.126	<1	2.99	0.013	0.26	0.7	0.43	9.0	1.2	0.05	8	5.1	<0.2
L14750E/13000N	Soil	51	0.59	658	0.108	<1	2.13	0.011	0.25	1.2	0.31	7.3	1.9	0.07	6	3.1	<0.2
L14750E/13025N	Soil	43	0.48	533	0.095	<1	1.80	0.010	0.15	0.7	0.23	5.8	1.7	<0.05	5	1.9	0.2
L14750E/13050N	Soil	41	0.48	358	0.084	<1	2.14	0.010	0.10	0.3	0.10	4.4	0.8	<0.05	7	<0.5	<0.2
L14750E/13075N	Soil	48	0.36	511	0.077	<1	2.15	0.009	0.13	0.3	0.13	4.9	1.3	<0.05	8	0.7	<0.2
L14750E/13100N	Soil	39	0.41	669	0.080	<1	1.88	0.012	0.12	0.3	0.12	4.7	0.8	<0.05	7	<0.5	<0.2
L14750E/13125N	Soil	37	0.47	575	0.096	<1	2.01	0.014	0.07	0.2	0.04	4.1	0.6	<0.05	7	<0.5	<0.2
L14750E/13150N	Soil	43	0.53	485	0.099	2	2.34	0.009	0.12	0.3	0.07	4.7	0.8	0.05	8	0.6	<0.2
L14750E/13175N	Soil	42	0.47	883	0.103	2	2.10	0.010	0.17	0.3	0.05	4.0	0.6	<0.05	9	<0.5	<0.2
L14750E/13200N	Soil	42	0.52	540	0.125	2	1.81	0.010	0.14	0.2	0.04	3.8	0.6	0.06	7	<0.5	<0.2
L14750E/13225N	Soil	58	0.71	1056	0.128	2	2.24	0.012	0.17	0.3	0.07	5.3	0.8	0.05	7	0.9	<0.2
L14750E/13250N	Soil	69	0.80	1261	0.123	1	2.62	0.012	0.17	1.1	0.08	5.5	0.7	0.08	8	1.3	<0.2
L14750E/13275N	Soil	68	0.78	1952	0.121	1	2.95	0.012	0.15	0.8	0.04	6.0	0.6	0.07	9	0.5	<0.2
L14750E/13300N	Soil	61	0.66	2737	0.115	1	2.74	0.013	0.13	0.5	0.09	5.1	0.5	0.07	9	1.0	<0.2
L14750E/13325N	Soil	85	0.88	1603	0.153	<1	2.93	0.011	0.18	0.6	0.05	6.4	0.7	0.14	10	1.6	<0.2
L14750E/13350N	Soil	71	0.81	520	0.138	2	2.80	0.012	0.21	0.4	0.05	5.6	0.4	0.08	11	1.0	<0.2
L14750E/13375N	Soil	62	0.80	430	0.144	2	2.88	0.012	0.18	0.4	0.04	5.6	0.4	0.09	10	1.0	<0.2
L14750E/13400N	Soil	61	0.74	316	0.155	1	2.66	0.010	0.20	0.3	0.04	5.2	0.4	<0.05	9	0.5	<0.2
L14750E/13425N	Soil	53	0.60	377	0.131	2	2.23	0.010	0.12	0.2	0.04	4.5	0.4	<0.05	9	<0.5	<0.2
L14750E/13450N	Soil	63	0.89	453	0.164	1	3.00	0.015	0.14	0.2	0.05	6.5	0.2	<0.05	9	1.0	<0.2
L14750E/13475N	Soil	43	0.60	329	0.140	1	1.86	0.014	0.11	0.2	0.03	4.2	0.2	<0.05	8	<0.5	<0.2
L14750E/13500N	Soil	57	0.74	409	0.153	<1	2.33	0.015	0.16	0.2	0.03	5.1	0.2	<0.05	9	<0.5	<0.2
L14750E/13525N	Soil	40	0.56	214	0.151	<1	1.92	0.012	0.11	0.1	0.03	3.9	0.2	<0.05	9	<0.5	<0.2
L14750E/13550N	Soil	67	0.88	397	0.154	<1	2.90	0.013	0.20	0.2	0.04	6.8	0.3	<0.05	9	<0.5	<0.2
L14750E/13575N	Soil	69	1.07	464	0.185	2	2.87	0.012	0.24	0.3	0.03	6.8	0.4	<0.05	10	0.8	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: July 26, 2017

Page: 11 of 11

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14750E/13600N	Soil	7.5	108.2	15.6	231	0.5	85.7	23.6	1010	5.26	140.3	5.1	3.8	33	1.1	1.7	0.4	168	0.32	0.076	14
L14750E/13625N	Soil	5.2	47.8	10.4	104	0.4	35.1	8.5	345	3.10	63.2	7.8	2.4	27	1.1	1.1	0.4	115	0.19	0.056	12
L14750E/13650N	Soil	5.7	65.7	10.4	144	0.4	55.0	14.1	550	4.34	79.0	5.9	3.3	25	0.9	1.4	0.3	116	0.22	0.071	13
L14750E/13675N	Soil	7.9	58.5	10.4	142	0.4	40.0	11.7	454	3.71	31.2	3.6	2.7	24	0.9	1.1	0.2	132	0.28	0.073	13
L14750E/13700N	Soil	3.7	51.1	10.9	114	0.6	34.3	8.0	273	3.54	47.9	4.7	2.9	29	0.5	1.5	0.3	108	0.38	0.073	15
L14750E/13725N	Soil	2.1	52.2	11.8	132	0.4	43.7	15.3	560	3.88	33.5	2.5	3.6	29	0.6	1.6	0.3	98	0.49	0.069	17
L14750E/13750N	Soil	1.6	45.8	10.8	72	1.1	28.7	5.9	181	2.47	21.4	3.1	1.3	30	0.6	0.8	0.3	52	0.44	0.089	19
L14750E/13775N	Soil	2.2	52.5	18.2	104	0.8	36.3	14.9	642	3.49	19.9	3.6	5.4	31	0.4	1.0	0.5	73	0.51	0.085	27
L14750E/13800N	Soil	2.2	35.7	21.8	129	0.2	31.6	12.6	495	3.79	26.5	5.8	8.0	25	0.3	1.2	0.5	78	0.47	0.067	18
L14750E/13825N	Soil	1.6	47.5	25.4	104	0.3	27.0	13.1	490	4.22	19.1	6.2	14.9	26	0.5	1.0	0.5	65	0.50	0.051	62
L14750E/13850N	Soil	4.3	62.3	30.4	149	0.5	50.3	18.4	559	4.54	43.4	6.5	11.9	31	1.1	1.8	0.6	102	0.59	0.075	36



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: July 26, 2017

Page: 11 of 11

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L14750E/13600N	Soil	87	0.99	774	0.179	<1	3.45	0.013	0.25	0.4	0.05	8.4	0.5	<0.05	11	1.7	<0.2
L14750E/13625N	Soil	52	0.66	515	0.147	<1	2.11	0.013	0.19	0.2	0.03	5.0	0.4	0.08	9	1.1	<0.2
L14750E/13650N	Soil	57	0.78	390	0.129	<1	2.35	0.012	0.18	0.3	0.05	5.4	0.6	0.08	8	1.3	<0.2
L14750E/13675N	Soil	59	0.83	379	0.155	1	2.17	0.013	0.26	0.2	0.03	5.6	0.4	0.05	8	1.3	<0.2
L14750E/13700N	Soil	60	0.79	375	0.127	<1	2.33	0.013	0.15	0.2	0.13	7.1	0.4	<0.05	8	3.1	<0.2
L14750E/13725N	Soil	75	0.93	389	0.149	1	2.44	0.018	0.21	0.2	0.04	9.1	0.4	<0.05	8	1.8	<0.2
L14750E/13750N	Soil	57	0.61	309	0.071	1	1.89	0.013	0.13	0.1	0.16	5.5	0.7	0.10	7	1.4	<0.2
L14750E/13775N	Soil	55	0.77	243	0.108	1	2.32	0.012	0.15	0.2	0.08	7.3	0.3	<0.05	8	0.8	<0.2
L14750E/13800N	Soil	61	0.97	188	0.159	2	2.25	0.011	0.25	0.3	0.03	6.6	0.4	<0.05	8	0.6	<0.2
L14750E/13825N	Soil	36	0.71	170	0.126	<1	2.14	0.014	0.16	0.4	0.06	8.3	0.4	<0.05	8	<0.5	<0.2
L14750E/13850N	Soil	76	1.11	366	0.198	1	2.68	0.014	0.44	0.4	0.06	10.2	0.8	<0.05	9	0.9	<0.2



# QUALITY CONTROL REPORT

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
L13350E/12600N	Soil	1.4	18.2	19.6	90	0.3	19.6	10.1	522	2.90	84.8	13.4	11.3	41	0.2	10.0	1.3	55	0.69	0.053	25
REP L13350E/12600N	QC	1.5	18.2	19.4	90	0.3	20.4	10.0	517	2.91	84.7	12.7	11.1	41	0.2	10.3	1.3	56	0.70	0.052	25
L13200E/12650N	Soil	0.7	9.5	12.6	65	<0.1	14.6	10.7	444	2.72	64.8	2.2	5.2	21	0.1	2.9	0.5	64	0.29	0.027	12
REP L13200E/12650N	QC	0.8	10.0	12.3	60	<0.1	15.2	11.1	458	2.81	62.8	3.1	5.1	21	0.1	2.6	0.5	65	0.30	0.026	12
L13150E/12450N	Soil	1.1	15.1	14.5	67	0.2	15.1	9.8	673	2.81	41.8	5.0	8.7	30	0.3	2.3	0.6	58	0.46	0.051	22
REP L13150E/12450N	QC	1.1	15.2	14.2	69	0.2	15.4	10.0	690	2.91	41.6	2.7	9.1	31	0.3	2.4	0.6	57	0.46	0.050	21
L14650E/13500N	Soil	4.6	55.9	12.0	149	0.7	46.1	12.2	430	3.37	62.0	4.2	2.5	28	0.9	0.9	0.3	110	0.33	0.070	11
REP L14650E/13500N	QC	4.2	51.8	11.7	145	0.7	45.9	11.9	435	3.34	60.8	4.9	2.5	27	0.8	0.8	0.3	108	0.33	0.069	11
L13250E/12700N	Soil	0.9	15.9	11.9	60	0.2	14.7	11.5	613	2.85	47.0	5.4	8.9	34	0.2	1.4	0.5	57	0.49	0.053	33
REP L13250E/12700N	QC	0.9	16.0	12.5	61	0.2	14.9	12.0	632	2.87	46.8	4.4	9.4	34	0.2	1.6	0.5	60	0.48	0.054	33
L14700E/13625N	Soil	5.8	74.3	10.5	156	0.5	52.9	12.3	603	3.93	74.9	3.0	2.8	31	1.7	1.5	0.2	116	0.31	0.073	12
REP L14700E/13625N	QC	5.8	74.3	10.3	153	0.5	53.1	12.8	602	3.87	74.7	4.0	2.6	30	1.6	1.7	0.2	115	0.30	0.069	12
L14750E/12825N	Soil	3.9	56.1	10.7	167	0.6	41.9	10.5	334	3.12	65.4	6.1	5.0	20	0.8	2.5	0.2	134	0.31	0.096	15
REP L14750E/12825N	QC	4.0	59.0	10.8	172	0.6	43.0	10.9	345	3.31	66.0	5.4	4.8	22	0.8	2.3	0.2	138	0.32	0.096	15
L14750E/13475N	Soil	2.4	24.0	8.2	63	0.3	27.7	9.0	287	2.35	40.5	1.5	2.2	21	0.3	0.4	0.3	92	0.24	0.032	10
REP L14750E/13475N	QC	2.3	25.0	8.4	63	0.2	27.0	9.7	310	2.48	40.4	4.3	2.2	21	0.3	0.5	0.3	95	0.25	0.034	10
Reference Materials																					
STD DS10	Standard	14.5	156.5	143.0	365	1.9	75.4	12.8	867	2.73	45.6	75.1	7.1	67	2.6	8.8	11.7	43	1.02	0.074	17
STD DS10	Standard	14.3	160.3	157.1	389	1.9	75.8	13.4	989	2.98	46.3	89.7	7.7	67	2.5	9.3	12.9	43	1.04	0.079	18
STD DS10	Standard	14.3	154.7	153.1	385	1.9	73.9	12.6	939	2.91	49.2	99.7	7.7	72	2.7	9.7	12.0	44	1.08	0.082	17
STD DS10	Standard	14.6	161.1	153.6	381	2.0	76.0	12.9	931	2.85	47.3	72.7	8.0	71	2.6	10.0	12.7	48	1.14	0.084	19
STD DS10	Standard	15.4	158.0	154.2	364	1.9	78.3	13.4	909	2.94	45.7	84.3	8.2	70	2.7	9.5	12.7	48	1.10	0.077	18
STD DS10	Standard	13.6	147.2	147.8	360	1.9	71.8	12.6	865	2.79	47.0	67.0	7.1	67	2.6	9.0	12.2	43	1.03	0.076	16
STD DS10	Standard	14.0	149.4	148.0	361	2.0	70.2	12.4	905	2.76	46.2	74.9	6.9	66	2.8	9.3	12.1	44	1.12	0.079	17
STD DS10	Standard	14.2	156.6	151.1	400	2.0	75.6	13.3	939	2.95	50.3	74.0	7.5	73	2.8	9.1	12.8	44	1.12	0.082	17
STD OXC129	Standard	1.1	25.7	5.9	40	<0.1	77.6	19.4	408	2.98	0.5	201.8	1.7	189	<0.1	<0.1	<0.1	53	0.68	0.099	12
STD OXC129	Standard	1.3	27.3	6.4	41	<0.1	82.3	21.0	439	3.17	<0.5	196.9	1.8	178	<0.1	<0.1	<0.1	54	0.68	0.105	13
STD OXC129	Standard	1.1	26.0	6.0	41	<0.1	74.0	19.4	420	3.01	0.7	208.4	1.7	183	<0.1	<0.1	<0.1	51	0.67	0.101	12



# QUALITY CONTROL REPORT

WHI17000294.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L13350E/12600N	Soil	34	0.67	333	0.114	2	1.92	0.017	0.14	1.7	0.07	6.5	0.7	<0.05	7	<0.5	<0.2
REP L13350E/12600N	QC	34	0.65	329	0.117	2	1.97	0.017	0.14	2.2	0.06	6.7	0.6	<0.05	7	<0.5	<0.2
L13200E/12650N	Soil	30	0.55	127	0.115	<1	1.88	0.011	0.07	0.2	0.05	4.0	0.3	<0.05	7	<0.5	<0.2
REP L13200E/12650N	QC	32	0.56	128	0.118	1	1.86	0.011	0.07	0.3	0.04	4.0	0.3	<0.05	7	<0.5	<0.2
L13150E/12450N	Soil	30	0.56	179	0.106	1	1.85	0.014	0.12	0.4	0.05	5.8	0.3	<0.05	7	<0.5	<0.2
REP L13150E/12450N	QC	30	0.57	176	0.104	1	1.89	0.014	0.12	0.5	0.05	5.3	0.3	<0.05	7	0.5	<0.2
L14650E/13500N	Soil	58	0.88	569	0.126	2	2.53	0.012	0.20	0.2	0.07	6.3	0.3	<0.05	9	2.5	<0.2
REP L14650E/13500N	QC	57	0.87	544	0.125	1	2.51	0.012	0.19	0.2	0.08	6.5	0.3	<0.05	8	1.9	<0.2
L13250E/12700N	Soil	33	0.60	247	0.098	1	2.05	0.013	0.11	0.4	0.07	6.3	0.3	<0.05	7	<0.5	<0.2
REP L13250E/12700N	QC	33	0.59	244	0.099	<1	1.99	0.012	0.11	0.3	0.07	6.4	0.3	<0.05	7	<0.5	<0.2
L14700E/13625N	Soil	53	0.75	512	0.115	1	2.36	0.012	0.22	0.2	0.09	6.4	0.6	<0.05	7	1.1	<0.2
REP L14700E/13625N	QC	52	0.73	513	0.113	1	2.30	0.012	0.22	0.2	0.08	6.3	0.6	<0.05	8	1.3	<0.2
L14750E/12825N	Soil	63	0.78	387	0.177	<1	1.91	0.011	0.44	0.5	0.07	7.8	0.8	<0.05	7	1.2	<0.2
REP L14750E/12825N	QC	68	0.84	384	0.180	<1	1.90	0.011	0.43	0.5	0.06	7.7	0.8	<0.05	7	1.7	<0.2
L14750E/13475N	Soil	43	0.60	329	0.140	1	1.86	0.014	0.11	0.2	0.03	4.2	0.2	<0.05	8	<0.5	<0.2
REP L14750E/13475N	QC	45	0.62	339	0.142	1	2.01	0.014	0.11	0.2	0.02	4.2	0.2	<0.05	9	<0.5	<0.2
Reference Materials																	
STD DS10	Standard	54	0.79	353	0.079	7	1.02	0.070	0.34	3.0	0.30	3.0	5.1	0.24	4	2.1	4.7
STD DS10	Standard	57	0.81	346	0.080	7	1.09	0.067	0.32	3.4	0.28	2.8	5.1	0.30	5	2.2	4.6
STD DS10	Standard	54	0.80	373	0.079	10	1.07	0.078	0.35	3.5	0.29	3.0	5.2	0.27	5	2.2	4.9
STD DS10	Standard	61	0.82	375	0.093	8	1.10	0.075	0.36	3.3	0.33	3.3	5.3	0.32	4	2.0	5.1
STD DS10	Standard	59	0.77	381	0.091	6	1.08	0.078	0.33	3.3	0.29	3.0	5.1	0.33	5	2.1	4.9
STD DS10	Standard	53	0.79	354	0.074	8	1.05	0.073	0.33	3.2	0.29	3.0	5.3	0.23	4	1.9	5.0
STD DS10	Standard	53	0.80	373	0.076	7	1.07	0.075	0.34	3.4	0.27	3.1	5.3	0.24	4	1.8	5.2
STD DS10	Standard	58	0.84	360	0.080	8	1.11	0.077	0.37	3.5	0.31	3.1	5.4	0.26	5	1.3	5.0
STD OXC129	Standard	52	1.52	51	0.397	<1	1.51	0.579	0.36	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	54	1.58	50	0.425	<1	1.52	0.603	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	49	1.54	51	0.388	1	1.49	0.582	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** July 26, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000294.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.2	30.9	6.1	44	<0.1	83.7	22.3	455	3.26	<0.5	207.5	1.8	192	<0.1	<0.1	<0.1	55	0.72	0.103	13
STD OXC129	Standard	1.3	27.9	6.5	40	<0.1	83.6	21.9	457	3.21	0.7	191.1	1.8	182	<0.1	<0.1	<0.1	57	0.65	0.102	13
STD OXC129	Standard	1.2	25.0	5.8	38	<0.1	71.9	19.5	407	2.92	0.5	201.8	1.6	180	<0.1	<0.1	<0.1	49	0.61	0.097	11
STD OXC129	Standard	1.2	26.2	5.6	39	<0.1	74.6	18.7	411	2.92	0.7	200.1	1.5	178	<0.1	<0.1	<0.1	48	0.61	0.093	11
STD OXC129	Standard	1.3	25.3	5.7	40	<0.1	75.1	19.8	423	3.06	0.8	211.3	1.6	196	<0.1	<0.1	<0.1	51	0.69	0.111	12
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: July 26, 2017

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000294.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	59	1.67	52	0.441	2	1.63	0.639	0.37	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.51	50	0.434	2	1.51	0.606	0.36	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	48	1.54	50	0.370	<1	1.43	0.581	0.35	0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	49	1.57	48	0.344	<1	1.46	0.621	0.35	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	49	1.62	52	0.397	<1	1.61	0.628	0.37	0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 21, 2017  
Report Date: August 02, 2017  
Page: 1 of 10

# CERTIFICATE OF ANALYSIS

WHI17000330.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs17-003  
P.O. Number  
Number of Samples: 247

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	209	Dry at 60C			WHI
SS80	209	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	209	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	209	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 2 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15050E/13300N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13325N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13350N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13375N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13400N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13425N	Soil	4.1	41.7	13.7	52	0.6	24.0	9.2	293	3.45	133.3	12.1	4.3	19	0.2	7.0	0.3	105	0.19	0.043	13
L15050E/13450N	Soil	2.5	26.3	10.3	57	0.7	28.3	13.0	317	4.83	68.1	10.7	3.1	14	0.4	2.1	0.2	110	0.17	0.083	10
L15050E/13475N	Soil	2.4	30.4	15.4	88	0.5	21.0	13.5	989	3.43	111.1	8.3	1.6	18	1.0	3.8	0.3	100	0.21	0.057	9
L15050E/13500N	Soil	1.8	18.5	10.4	76	0.4	20.0	13.8	563	3.63	38.9	2.4	2.6	17	0.3	0.9	0.2	109	0.17	0.077	10
L15050E/13525N	Soil	1.5	32.1	9.2	58	0.1	26.8	11.6	264	3.65	19.7	5.1	3.7	16	0.4	0.8	0.2	83	0.17	0.048	12
L15050E/13550N	Soil	2.1	13.2	11.4	46	0.1	11.0	5.7	151	2.48	8.9	4.6	2.6	14	0.2	0.7	0.3	84	0.12	0.020	10
L15050E/13575N	Soil	4.5	31.9	10.4	80	0.2	19.6	6.1	272	3.10	40.3	3.8	3.5	20	0.3	3.2	0.3	148	0.14	0.062	13
L15050E/13600N	Soil	2.8	25.9	10.8	68	0.3	29.4	15.1	323	4.07	29.9	3.5	3.2	16	0.8	2.0	0.2	86	0.14	0.059	10
L15050E/13625N	Soil	2.1	37.7	11.0	111	0.1	43.8	14.4	400	3.87	31.3	4.1	4.2	19	0.4	1.7	0.2	111	0.21	0.060	12
L15050E/13650N	Soil	1.8	35.7	10.0	83	0.1	36.3	14.7	486	3.73	34.8	4.6	4.3	21	0.3	0.7	0.3	95	0.26	0.075	18
L15050E/13675N	Soil	3.6	48.6	12.5	132	0.2	41.0	12.7	511	4.06	64.5	6.2	3.4	22	0.5	1.8	0.5	138	0.22	0.077	15
L15050E/13700N	Soil	6.1	50.9	10.4	134	0.2	45.9	13.6	438	3.87	30.9	6.7	4.2	21	0.8	2.6	0.3	137	0.27	0.063	12
L15050E/13725N	Soil	4.5	41.8	12.5	98	0.2	30.1	9.3	352	4.25	31.6	3.8	2.8	21	1.1	1.2	0.3	132	0.18	0.071	13
L15050E/13750N	Soil	3.9	46.8	9.0	105	0.2	32.0	11.6	400	3.19	22.7	2.6	4.0	24	0.5	1.0	0.2	121	0.32	0.069	13
L15050E/13775N	Soil	4.9	57.5	9.6	104	0.3	31.9	10.0	395	3.51	38.2	4.6	4.4	23	0.5	1.1	0.3	139	0.26	0.075	16
L15050E/13800N	Soil	6.1	46.0	11.1	87	0.3	36.7	10.7	335	4.18	19.8	4.9	3.1	24	0.7	0.8	0.2	104	0.25	0.052	13
L15050E/13825N	Soil	1.5	23.2	10.5	59	0.1	22.7	9.5	235	2.79	11.6	5.2	3.2	21	0.3	0.5	0.2	77	0.24	0.039	9
L15050E/13850N	Soil	1.0	29.0	7.6	56	0.1	26.2	11.6	358	2.79	11.9	3.4	4.5	18	0.3	0.5	0.1	77	0.23	0.039	13
L15050E/13875N	Soil	1.7	27.3	10.2	67	0.2	24.9	9.8	342	3.20	11.9	2.0	4.2	20	0.2	0.6	0.2	85	0.23	0.036	11
L15050E/13900N	Soil	1.8	40.6	8.4	79	0.2	31.7	9.3	396	3.16	17.9	4.5	4.1	24	0.1	0.9	0.2	105	0.32	0.050	19
L15050E/13925N	Soil	1.9	44.5	12.3	108	0.2	46.9	17.7	789	4.87	35.1	2.2	3.5	20	0.4	1.7	0.2	100	0.22	0.063	14
L15050E/13950N	Soil	2.8	31.9	22.4	98	0.5	30.6	11.4	454	4.42	109.8	8.8	8.7	24	0.4	3.8	0.5	80	0.20	0.056	17
L15050E/13975N	Soil	5.9	36.8	14.4	64	0.6	21.2	7.3	213	3.46	90.7	7.1	3.6	24	0.8	2.8	0.3	93	0.22	0.063	14
L15050E/14000N	Soil	2.4	41.3	19.6	74	1.5	29.8	10.7	375	4.06	39.9	11.8	8.3	17	0.3	2.5	0.4	82	0.14	0.043	29
L15050E/14025N	Soil	0.9	19.3	10.9	61	0.1	27.7	13.5	654	3.39	11.8	2.7	4.5	18	0.2	0.6	0.2	70	0.22	0.045	11



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 2 of 10

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L15050E/13300N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13325N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13350N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13375N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13400N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13425N	Soil	49	0.56	832	0.100	2	2.73	0.010	0.08	0.2	0.21	5.8	1.1	<0.05	8	1.3	<0.2
L15050E/13450N	Soil	51	0.62	373	0.107	2	2.98	0.010	0.06	0.2	0.09	4.4	0.4	<0.05	8	0.8	<0.2
L15050E/13475N	Soil	36	0.38	415	0.082	<1	1.90	0.011	0.07	0.2	0.06	3.7	0.8	<0.05	9	<0.5	<0.2
L15050E/13500N	Soil	48	0.54	603	0.097	2	2.62	0.011	0.05	0.2	0.05	3.9	0.6	<0.05	8	0.6	<0.2
L15050E/13525N	Soil	57	0.65	207	0.110	2	3.07	0.012	0.06	0.6	0.05	6.3	0.2	<0.05	7	1.2	<0.2
L15050E/13550N	Soil	27	0.28	130	0.081	2	1.70	0.007	0.05	0.1	0.02	2.9	0.1	<0.05	10	<0.5	<0.2
L15050E/13575N	Soil	69	0.78	439	0.186	1	1.91	0.012	0.40	0.4	0.02	5.4	0.3	0.05	10	1.1	<0.2
L15050E/13600N	Soil	49	0.55	204	0.104	1	3.45	0.011	0.07	0.2	0.06	4.3	0.2	<0.05	9	0.7	<0.2
L15050E/13625N	Soil	57	0.73	218	0.162	<1	2.61	0.011	0.15	0.2	0.03	5.8	0.2	<0.05	9	0.6	<0.2
L15050E/13650N	Soil	60	0.80	318	0.145	2	2.98	0.014	0.13	0.2	0.04	7.6	0.2	<0.05	8	0.8	<0.2
L15050E/13675N	Soil	56	0.83	298	0.154	1	2.41	0.012	0.23	0.4	0.02	5.6	0.4	0.07	10	1.5	<0.2
L15050E/13700N	Soil	60	0.87	446	0.159	1	3.06	0.011	0.20	0.2	0.05	8.1	0.4	<0.05	9	0.7	<0.2
L15050E/13725N	Soil	51	0.57	390	0.134	2	2.50	0.010	0.11	0.2	0.02	4.8	0.3	0.06	9	<0.5	<0.2
L15050E/13750N	Soil	56	0.82	475	0.165	<1	2.03	0.013	0.29	0.3	0.01	6.2	0.3	<0.05	8	0.9	<0.2
L15050E/13775N	Soil	64	0.90	453	0.166	2	2.30	0.013	0.24	0.2	0.03	7.2	0.5	0.05	8	0.7	<0.2
L15050E/13800N	Soil	48	0.70	335	0.102	<1	2.68	0.010	0.12	0.2	0.03	5.0	0.3	<0.05	9	0.8	<0.2
L15050E/13825N	Soil	38	0.55	150	0.112	1	2.39	0.010	0.07	0.2	0.04	4.7	0.2	<0.05	9	<0.5	<0.2
L15050E/13850N	Soil	44	0.70	240	0.128	<1	2.65	0.014	0.08	0.2	0.04	6.4	0.2	<0.05	6	0.7	<0.2
L15050E/13875N	Soil	43	0.68	204	0.129	1	2.39	0.010	0.09	0.2	0.03	5.9	0.2	<0.05	9	<0.5	<0.2
L15050E/13900N	Soil	59	0.74	309	0.129	2	2.06	0.012	0.10	0.1	0.04	7.1	0.2	<0.05	7	<0.5	<0.2
L15050E/13925N	Soil	68	0.67	228	0.120	<1	2.20	0.008	0.12	0.1	0.04	6.8	0.5	<0.05	8	0.6	<0.2
L15050E/13950N	Soil	42	0.58	197	0.056	<1	3.20	0.007	0.09	0.2	0.40	5.7	4.4	<0.05	9	0.6	<0.2
L15050E/13975N	Soil	39	0.43	302	0.081	2	2.30	0.010	0.09	0.2	0.21	5.0	2.0	<0.05	9	1.4	<0.2
L15050E/14000N	Soil	43	0.59	303	0.071	<1	3.25	0.009	0.07	0.2	0.38	5.6	2.3	<0.05	9	0.8	<0.2
L15050E/14025N	Soil	38	0.69	152	0.105	2	2.80	0.012	0.05	0.1	0.03	4.2	0.2	<0.05	6	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 3 of 10

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15050E/14050N	Soil	1.0	19.1	13.4	57	0.2	24.3	11.8	402	3.80	11.5	4.0	6.7	16	0.2	0.6	0.2	76	0.19	0.038	11
L15050E/14075N	Soil	0.6	27.1	38.4	99	0.3	20.6	13.4	825	3.90	24.7	5.1	17.8	20	0.3	1.8	1.2	50	0.30	0.070	39
L15050E/14100N	Soil	0.9	48.6	23.4	64	0.4	21.8	11.5	668	3.58	15.0	3.8	14.7	24	0.1	0.9	0.8	61	0.29	0.044	46
L15050E/14125N	Soil	0.9	20.2	44.4	96	0.2	17.2	10.5	546	3.58	116.3	3.4	16.7	27	0.7	1.6	0.9	50	0.32	0.049	31
L15050E/14200N	Soil	1.2	27.2	29.2	76	0.7	19.7	10.0	607	3.30	13.4	2.9	22.2	29	0.2	0.9	0.7	57	0.38	0.060	100
L15050E/14225N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14250N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L14900E/13025N	Soil	3.2	39.8	12.1	100	1.0	24.5	7.9	227	2.47	49.3	5.1	2.6	25	0.6	1.4	0.2	119	0.26	0.050	13
L14900E/13050N	Soil	4.0	47.1	13.5	132	0.6	37.3	12.0	505	3.23	56.9	7.0	3.3	24	0.7	2.4	0.2	106	0.28	0.081	13
L14900E/13075N	Soil	6.0	62.0	14.5	162	0.7	47.4	14.0	634	3.50	77.9	5.8	4.2	30	1.0	2.8	0.3	126	0.44	0.124	14
L14900E/13100N	Soil	7.6	30.2	20.6	71	0.7	21.7	6.7	237	3.07	101.4	2.8	3.1	29	0.5	3.6	0.3	95	0.27	0.071	12
L14900E/13125N	Soil	10.5	46.1	20.6	74	0.5	32.5	10.1	382	3.74	92.9	10.0	3.0	33	0.5	4.8	0.4	89	0.33	0.077	14
L14900E/13150N	Soil	8.7	40.4	23.4	69	0.4	26.4	7.7	293	2.60	83.0	2.7	3.2	32	1.0	4.8	0.4	76	0.31	0.077	11
L14900E/13175N	Soil	24.0	89.4	26.6	91	1.5	46.0	20.1	718	4.89	171.5	8.3	3.6	39	1.1	8.3	0.5	134	0.34	0.102	16
L14900E/13200N	Soil	6.9	49.1	16.6	103	0.4	37.6	11.7	330	3.31	99.1	4.5	3.2	37	0.9	7.3	0.4	96	0.40	0.071	14
L14900E/13225N	Soil	4.0	50.9	15.8	82	0.9	31.4	17.3	979	3.14	48.3	1.9	1.8	41	3.5	3.9	0.3	86	0.42	0.083	16
L14900E/13250N	Soil	2.3	41.3	14.2	85	0.4	35.1	13.1	382	3.63	84.7	1.9	1.9	31	1.1	4.7	0.3	102	0.41	0.125	11
L14900E/13275N	Soil	2.7	22.6	16.1	55	0.3	18.2	8.5	280	3.21	50.5	7.4	2.1	32	0.6	3.2	0.3	105	0.40	0.097	9
L14900E/13300N	Soil	2.2	30.9	14.9	65	0.3	26.6	10.9	278	3.32	52.1	2.3	2.6	45	0.3	4.0	0.2	106	0.53	0.036	11
L14900E/13325N	Soil	2.1	36.0	13.4	67	0.4	31.0	12.5	376	3.46	64.5	5.7	3.3	31	0.3	4.9	0.2	105	0.37	0.038	10
L14900E/13350N	Soil	2.1	21.3	13.9	63	0.6	18.3	8.7	196	3.23	36.4	1.5	2.2	21	0.7	3.0	0.3	104	0.21	0.040	10
L14900E/13375N	Soil	1.7	17.3	11.3	61	0.3	19.2	9.7	226	3.46	24.1	3.6	2.2	17	0.4	1.1	0.2	115	0.18	0.046	9
L14900E/13400N	Soil	2.6	30.7	13.3	102	0.5	27.6	14.8	432	3.80	50.4	2.3	2.6	23	0.7	2.3	0.3	119	0.21	0.061	12
L14900E/13425N	Soil	3.3	28.3	13.7	85	0.6	17.5	6.9	182	4.10	63.8	1.1	1.8	27	0.7	2.6	0.3	158	0.17	0.083	11
L14900E/13450N	Soil	3.2	44.0	14.6	73	0.7	33.7	9.7	261	3.20	54.7	4.4	3.0	22	0.7	1.9	0.3	103	0.24	0.068	11
L14900E/13475N	Soil	5.2	65.7	18.5	130	0.5	38.6	10.8	389	3.84	123.6	6.8	4.5	33	0.8	5.4	0.4	139	0.25	0.076	17
L14900E/13500N	Soil	2.6	28.3	12.3	66	0.8	16.1	6.5	182	3.12	53.5	4.7	4.0	23	1.2	1.7	0.3	95	0.17	0.063	13
L14900E/13525N	Soil	1.8	41.7	9.6	76	0.2	38.7	13.2	309	3.98	33.5	2.6	4.1	20	0.3	0.9	0.2	119	0.22	0.043	12
L14900E/13550N	Soil	1.2	35.9	8.5	72	0.2	44.5	16.3	319	3.68	25.3	2.7	3.3	18	0.3	0.5	0.2	124	0.27	0.041	10
L14900E/13575N	Soil	1.7	52.2	8.0	101	0.2	60.8	21.3	336	3.96	32.0	2.5	3.4	30	0.2	0.5	0.3	128	0.31	0.040	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 3 of 10

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15050E/14050N	Soil			40	0.60	131	0.100	2	2.95	0.011	0.05	0.2	0.03	4.3	0.2	<0.05	7	<0.5	<0.2
L15050E/14075N	Soil			26	0.62	157	0.075	<1	2.28	0.009	0.12	0.1	0.02	5.2	0.5	<0.05	7	<0.5	<0.2
L15050E/14100N	Soil			36	0.67	156	0.098	2	2.30	0.012	0.09	0.1	0.04	5.9	0.2	<0.05	6	<0.5	<0.2
L15050E/14125N	Soil			25	0.63	153	0.073	<1	2.42	0.008	0.14	0.1	0.03	5.3	0.4	<0.05	9	<0.5	<0.2
L15050E/14200N	Soil			30	0.59	148	0.082	1	2.50	0.010	0.13	0.2	0.08	8.7	0.3	<0.05	9	<0.5	<0.2
L15050E/14225N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14250N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L14900E/13025N	Soil			52	0.68	364	0.147	1	2.09	0.010	0.16	0.2	0.05	5.1	0.5	<0.05	8	1.5	<0.2
L14900E/13050N	Soil			57	0.72	389	0.124	1	2.09	0.011	0.21	0.3	0.07	5.4	0.6	<0.05	6	1.5	<0.2
L14900E/13075N	Soil			68	0.86	532	0.166	<1	2.31	0.012	0.37	0.3	0.04	7.4	0.9	<0.05	10	2.0	<0.2
L14900E/13100N	Soil			38	0.49	528	0.111	1	1.72	0.009	0.13	0.3	0.04	4.6	0.5	<0.05	8	<0.5	<0.2
L14900E/13125N	Soil			49	0.64	967	0.085	2	2.46	0.010	0.12	0.3	0.13	4.9	0.8	<0.05	7	1.3	<0.2
L14900E/13150N	Soil			40	0.52	815	0.094	1	1.72	0.010	0.14	0.6	0.06	4.3	1.0	<0.05	7	1.0	<0.2
L14900E/13175N	Soil			77	0.68	1283	0.091	2	3.31	0.010	0.15	0.4	0.22	6.6	1.2	0.05	9	1.8	<0.2
L14900E/13200N	Soil			53	0.62	1031	0.116	1	1.88	0.010	0.16	1.0	0.05	4.5	1.0	0.09	6	0.8	<0.2
L14900E/13225N	Soil			41	0.48	1840	0.082	3	2.13	0.014	0.10	0.3	0.10	5.2	0.6	0.05	8	<0.5	<0.2
L14900E/13250N	Soil			48	0.61	664	0.091	4	2.61	0.010	0.13	0.2	0.08	4.7	0.8	<0.05	7	0.7	<0.2
L14900E/13275N	Soil			33	0.39	675	0.096	3	1.54	0.010	0.10	0.2	0.04	3.4	0.5	<0.05	8	<0.5	<0.2
L14900E/13300N	Soil			45	0.55	810	0.103	1	2.37	0.011	0.08	0.2	0.05	4.7	0.7	0.06	7	<0.5	<0.2
L14900E/13325N	Soil			48	0.66	806	0.112	2	2.60	0.013	0.07	0.2	0.07	4.9	0.6	<0.05	7	0.8	<0.2
L14900E/13350N	Soil			36	0.33	560	0.090	1	1.93	0.010	0.05	0.1	0.04	3.4	0.5	<0.05	9	<0.5	<0.2
L14900E/13375N	Soil			37	0.42	495	0.109	2	2.01	0.010	0.04	0.1	0.03	3.5	0.3	<0.05	9	<0.5	<0.2
L14900E/13400N	Soil			52	0.49	706	0.115	2	2.17	0.009	0.09	0.2	0.03	3.8	0.4	0.06	8	<0.5	<0.2
L14900E/13425N	Soil			43	0.30	1078	0.088	1	1.52	0.010	0.10	0.2	0.04	3.1	1.1	0.13	9	1.3	<0.2
L14900E/13450N	Soil			44	0.48	622	0.106	1	2.07	0.009	0.10	0.3	0.06	4.0	0.3	0.06	8	0.7	<0.2
L14900E/13475N	Soil			69	0.82	549	0.143	2	2.26	0.013	0.33	0.6	0.05	5.9	0.8	0.24	7	2.1	0.2
L14900E/13500N	Soil			32	0.31	202	0.113	2	1.37	0.010	0.14	0.1	0.03	2.8	0.3	0.14	7	0.6	<0.2
L14900E/13525N	Soil			59	0.72	311	0.165	2	2.75	0.010	0.12	0.1	0.04	5.8	0.3	<0.05	9	<0.5	<0.2
L14900E/13550N	Soil			59	0.85	295	0.190	3	2.51	0.015	0.15	0.2	0.03	6.0	0.2	<0.05	9	<0.5	<0.2
L14900E/13575N	Soil			83	1.04	537	0.191	2	3.00	0.016	0.18	0.3	0.02	6.3	0.2	<0.05	8	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 4 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1		
L14900E/13600N	Soil	2.4	25.1	12.9	72	0.3	28.4	13.3	263	4.37	18.0	2.4	2.9	18	0.6	0.6	0.3	129	0.21	0.063	11	
L14900E/13625N	Soil	3.5	39.7	14.3	101	0.4	41.4	15.4	641	4.68	263.7	6.2	3.4	23	0.6	6.8	0.4	108	0.23	0.068	16	
L14900E/13650N	Soil	5.6	50.7	13.0	149	0.3	36.6	13.5	666	4.33	141.6	6.3	4.3	20	0.8	2.0	0.4	172	0.19	0.072	16	
L14900E/13675N	Soil	4.3	83.8	12.7	182	0.3	62.5	15.9	578	4.14	130.6	4.2	3.6	27	1.3	2.5	0.3	136	0.26	0.081	15	
L14900E/13700N	Soil	3.8	30.6	13.2	101	0.2	42.3	12.3	334	4.82	41.1	3.6	3.0	18	1.0	1.3	0.3	138	0.16	0.061	10	
L14900E/13725N	Soil	8.8	61.0	11.2	171	0.2	48.0	14.9	508	3.85	30.5	1.9	3.4	20	0.9	1.2	0.3	149	0.22	0.064	14	
L14900E/13750N	Soil	4.8	81.7	9.6	205	0.4	46.4	10.7	430	3.92	31.4	3.9	4.5	27	1.6	1.7	0.3	161	0.29	0.081	16	
L14900E/13775N	Soil	2.8	46.7	11.2	89	0.4	32.5	11.2	355	3.41	33.7	6.3	3.3	27	0.5	1.1	0.3	97	0.29	0.057	15	
L14900E/13800N	Soil	1.9	34.5	10.2	74	0.3	36.9	17.4	305	3.53	32.6	2.9	3.9	17	1.1	1.2	0.2	95	0.20	0.044	11	
L14900E/13825N	Soil	2.5	36.7	10.2	101	0.3	31.2	10.1	405	3.05	12.5	2.3	1.2	22	0.6	0.6	0.3	112	0.27	0.063	10	
L14900E/13850N	Soil	6.5	73.2	14.8	215	0.4	65.5	11.0	422	4.90	82.8	1.6	4.7	16	1.1	1.9	0.3	222	0.18	0.102	17	
L14900E/13875N	Soil	2.4	45.2	10.6	142	0.4	52.9	14.5	312	3.46	87.4	4.0	4.7	23	0.6	2.5	0.4	98	0.26	0.095	19	
L14900E/13900N	Soil	3.6	58.4	14.0	115	0.4	46.7	15.3	582	3.47	119.7	4.4	4.0	35	0.7	2.4	0.2	101	0.53	0.119	19	
L14900E/13925N	Soil	0.7	25.0	12.0	77	0.1	22.0	10.7	277	3.00	8.9	3.4	6.7	22	0.2	0.5	0.3	73	0.36	0.047	16	
L14900E/13950N	Soil	1.2	18.7	17.4	81	0.1	20.1	10.7	360	3.33	12.2	2.1	6.6	24	0.2	0.7	0.4	75	0.36	0.040	13	
L14900E/13975N	Soil	0.7	53.1	17.4	117	0.3	21.2	12.6	508	3.47	12.9	4.7	12.8	30	0.3	0.9	0.4	67	0.48	0.068	37	
L14900E/14000N	Soil	0.6	28.4	16.9	73	0.1	22.6	12.2	412	3.05	11.4	4.2	9.0	27	0.1	0.7	0.3	69	0.40	0.045	27	
L14900E/12950N	Soil	3.4	54.0	9.9	156	0.7	36.6	14.2	516	2.74	64.8	6.4	2.6	33	1.2	1.4	0.3	107	0.42	0.081	13	
L14900E/12975N	Soil	5.2	45.7	13.1	135	0.6	36.7	10.6	341	3.45	62.2	7.2	3.3	28	0.8	1.9	0.3	137	0.29	0.069	14	
L14900E/13000N	Soil	5.2	58.3	13.5	147	1.3	40.6	12.0	311	3.52	66.1	11.3	3.9	29	0.8	2.2	0.2	141	0.29	0.059	15	
L15250E/13350N	Soil	3.2	53.9	13.9	96	0.5	41.2	12.7	365	3.49	40.5	6.6	5.5	28	0.4	3.0	0.2	102	0.30	0.038	20	
L15250E/13375N	Soil	2.7	46.7	16.4	107	0.2	40.8	13.1	430	3.92	50.5	4.8	5.1	28	0.5	3.6	0.2	111	0.29	0.064	16	
L15250E/13400N	Soil	5.2	33.2	21.3	87	0.3	26.5	10.3	337	3.77	38.7	3.2	3.6	22	0.7	2.8	0.3	127	0.22	0.062	14	
L15250E/13425N	Soil	5.5	47.5	18.2	83	0.5	28.7	9.7	313	3.59	51.2	4.6	3.9	29	0.5	3.2	0.3	119	0.31	0.067	15	
L15250E/13450N	Soil	6.9	26.7	26.8	76	0.4	20.5	9.2	305	3.52	42.7	3.5	3.0	21	0.6	3.7	0.3	108	0.22	0.052	12	
L15250E/13475N	Soil	2.6	21.2	17.9	56	0.2	18.8	8.3	269	3.14	59.3	3.8	3.0	21	0.5	3.2	0.3	102	0.21	0.051	12	
L15250E/13500N	Soil	2.3	62.9	11.8	93	0.5	53.2	15.1	363	3.54	69.3	6.5	3.6	32	0.5	4.1	0.4	96	0.39	0.073	17	
L15250E/13525N	Soil	3.4	36.5	13.8	93	0.3	35.5	10.4	232	3.60	81.2	3.3	4.0	24	0.6	6.1	0.3	102	0.25	0.070	15	
L15250E/13550N	Soil	6.5	50.8	18.8	128	0.4	48.4	12.2	281	4.89	87.1	5.5	3.8	27	0.7	6.3	0.4	123	0.24	0.066	15	
L15250E/13575N	Soil	3.1	29.6	13.0	84	0.3	33.1	10.2	286	3.84	44.6	3.3	2.7	19	0.9	1.5	0.4	105	0.21	0.059	12	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 4 of 10

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L14900E/13600N	Soil	48	0.49	148	0.146	2	2.18	0.007	0.07	0.2	0.03	3.6	0.2	<0.05	11	<0.5	<0.2
L14900E/13625N	Soil	50	0.59	353	0.105	1	2.51	0.008	0.11	0.2	0.04	5.9	0.4	<0.05	8	<0.5	<0.2
L14900E/13650N	Soil	65	0.84	405	0.175	1	2.36	0.012	0.25	0.3	0.03	5.8	0.4	0.07	10	1.3	<0.2
L14900E/13675N	Soil	67	0.76	614	0.148	2	2.16	0.011	0.30	0.3	0.04	6.2	0.5	0.12	8	1.3	<0.2
L14900E/13700N	Soil	55	0.53	210	0.124	2	2.74	0.007	0.07	0.3	0.02	4.4	0.3	<0.05	8	<0.5	<0.2
L14900E/13725N	Soil	61	0.98	465	0.159	<1	2.26	0.010	0.28	0.2	0.02	5.5	0.4	0.10	8	0.7	<0.2
L14900E/13750N	Soil	67	0.98	725	0.177	<1	1.80	0.014	0.41	0.3	0.02	7.6	0.5	0.14	7	2.1	<0.2
L14900E/13775N	Soil	49	0.66	289	0.133	2	2.54	0.011	0.11	0.1	0.04	7.0	0.3	0.06	8	<0.5	<0.2
L14900E/13800N	Soil	48	0.57	203	0.109	2	3.15	0.010	0.07	0.2	0.09	5.5	0.3	<0.05	6	<0.5	<0.2
L14900E/13825N	Soil	68	0.85	225	0.142	1	2.27	0.010	0.12	0.2	0.02	6.1	0.2	<0.05	11	0.6	<0.2
L14900E/13850N	Soil	80	0.76	216	0.121	2	2.52	0.007	0.09	0.2	0.03	6.5	0.5	0.07	11	1.7	<0.2
L14900E/13875N	Soil	48	0.51	158	0.067	2	2.45	0.007	0.06	0.1	0.07	5.4	0.5	0.05	6	<0.5	<0.2
L14900E/13900N	Soil	73	0.75	267	0.119	2	2.24	0.012	0.15	0.2	0.13	8.3	1.4	0.06	7	1.0	<0.2
L14900E/13925N	Soil	35	0.73	126	0.156	2	2.20	0.012	0.10	0.1	0.03	6.0	0.2	<0.05	8	<0.5	<0.2
L14900E/13950N	Soil	36	0.75	113	0.167	1	2.14	0.011	0.13	0.1	0.03	5.8	0.2	<0.05	9	<0.5	<0.2
L14900E/13975N	Soil	39	0.81	180	0.150	3	2.65	0.011	0.18	0.1	0.03	8.2	0.4	<0.05	8	<0.5	<0.2
L14900E/14000N	Soil	38	0.86	162	0.163	2	1.96	0.015	0.11	0.1	0.03	7.2	0.3	<0.05	7	<0.5	<0.2
L14900E/12950N	Soil	52	0.81	354	0.132	2	2.23	0.012	0.16	0.6	0.06	6.0	0.4	<0.05	8	1.2	<0.2
L14900E/12975N	Soil	66	0.93	324	0.170	2	2.32	0.010	0.21	0.3	0.06	7.3	0.5	0.06	9	1.7	<0.2
L14900E/13000N	Soil	69	0.90	331	0.158	2	2.85	0.013	0.18	0.3	0.09	6.1	0.6	<0.05	8	1.5	<0.2
L15250E/13350N	Soil	60	0.81	362	0.144	2	2.53	0.014	0.13	0.1	0.07	6.4	0.6	0.08	6	<0.5	<0.2
L15250E/13375N	Soil	66	0.81	346	0.153	3	2.44	0.015	0.27	0.2	0.05	6.0	0.7	0.12	7	0.8	<0.2
L15250E/13400N	Soil	55	0.71	290	0.145	3	2.55	0.012	0.19	0.3	0.03	5.1	0.7	0.09	9	<0.5	<0.2
L15250E/13425N	Soil	48	0.61	433	0.134	3	2.11	0.013	0.16	0.2	0.08	5.5	0.6	0.07	8	1.1	<0.2
L15250E/13450N	Soil	39	0.40	311	0.123	2	2.17	0.012	0.09	0.2	0.05	4.2	1.0	0.07	8	<0.5	<0.2
L15250E/13475N	Soil	39	0.47	258	0.122	2	2.14	0.011	0.08	0.1	0.04	4.2	0.7	0.06	8	<0.5	<0.2
L15250E/13500N	Soil	71	0.78	435	0.137	3	2.43	0.013	0.17	0.5	0.10	7.1	0.9	0.06	7	0.8	<0.2
L15250E/13525N	Soil	61	0.73	289	0.152	3	2.15	0.013	0.19	0.6	0.04	4.9	1.1	0.13	7	0.7	<0.2
L15250E/13550N	Soil	72	0.92	709	0.147	3	3.66	0.013	0.16	0.3	0.09	7.0	1.1	0.10	10	1.1	<0.2
L15250E/13575N	Soil	49	0.57	229	0.142	4	2.47	0.010	0.12	0.2	0.04	4.3	0.3	0.06	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 5 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
L15250E/13600N	Soil	3.7	52.8	11.2	152	0.3	48.8	20.0	559	4.28	140.1	8.4	4.6	31	0.8	2.8	0.4	118	0.32	0.086	17	
L15250E/13625N	Soil	6.9	61.9	15.2	148	0.6	47.8	12.0	328	4.14	116.1	4.3	3.7	26	1.1	3.4	0.5	127	0.22	0.062	15	
L15250E/13650N	Soil	3.7	41.7	10.5	138	0.3	45.0	14.0	381	3.42	39.3	11.3	4.0	24	0.7	1.8	0.3	123	0.27	0.068	16	
L15250E/13675N	Soil	6.3	50.3	15.3	139	0.3	46.3	12.6	443	4.92	76.3	4.8	4.0	32	0.7	1.6	0.4	150	0.31	0.070	15	
L15250E/13700N	Soil	9.5	92.4	16.6	208	0.9	69.7	15.4	508	4.69	70.8	8.8	3.5	39	1.2	1.4	0.5	156	0.34	0.100	17	
L15250E/13725N	Soil	7.7	87.9	16.3	288	0.5	66.3	13.6	453	4.19	151.8	4.3	5.9	35	1.8	2.8	0.4	118	0.34	0.115	21	
L15250E/13750N	Soil	13.6	138.6	15.9	196	1.8	79.8	15.9	410	4.81	51.7	8.4	2.2	39	1.5	1.6	0.5	160	0.41	0.131	24	
L15250E/13775N	Soil	12.2	175.5	14.9	188	2.8	80.3	13.9	446	4.76	65.0	11.1	2.7	41	3.5	1.6	0.4	131	0.42	0.105	21	
L15250E/13800N	Soil	5.8	51.7	13.6	103	0.5	34.0	11.8	399	3.53	33.0	5.0	2.8	30	1.2	1.2	0.3	112	0.28	0.071	16	
L15250E/13825N	Soil	6.8	62.9	14.4	143	0.9	50.4	21.5	941	3.97	51.1	8.9	4.4	37	1.5	1.7	0.4	117	0.45	0.081	17	
L15250E/13850N	Soil	8.8	54.2	16.7	115	0.8	43.4	13.5	559	4.10	45.2	11.0	4.2	33	0.6	1.4	0.3	125	0.38	0.061	15	
L15250E/13875N	Soil	3.4	52.4	13.7	119	0.6	48.7	16.8	680	4.08	120.8	11.0	4.6	35	0.5	1.5	0.3	102	0.43	0.063	18	
L15250E/13900N	Soil	3.0	52.0	13.5	136	0.4	48.7	16.0	672	3.99	68.4	6.1	4.7	36	0.7	1.5	0.3	102	0.39	0.055	18	
L15250E/13925N	Soil	3.5	49.1	10.7	125	0.5	42.5	12.2	389	3.65	36.5	3.4	3.3	30	0.6	1.3	0.2	108	0.38	0.061	15	
L15250E/13950N	Soil	4.5	45.0	12.4	141	0.4	44.6	14.9	593	3.87	81.3	5.0	3.7	28	0.9	2.1	0.2	106	0.34	0.068	15	
L15250E/13975N	Soil	3.4	64.9	11.6	145	0.6	48.3	16.4	490	4.38	30.8	2.1	5.2	30	1.2	0.8	0.2	126	0.32	0.065	16	
L15250E/14000N	Soil	3.1	55.6	12.0	141	0.3	47.0	16.6	406	4.40	40.0	3.7	5.1	22	1.1	1.0	0.2	122	0.27	0.059	18	
L15250E/14025N	Soil	5.9	53.7	14.6	139	0.3	34.5	9.1	354	4.70	72.1	3.4	4.5	24	0.5	2.5	0.3	208	0.19	0.060	16	
L15250E/14050N	Soil	4.5	36.3	19.3	93	0.5	35.6	12.4	342	3.76	48.1	8.1	7.2	28	0.3	2.1	0.4	93	0.39	0.058	19	
L15250E/14075N	Soil	1.6	22.3	17.9	92	0.1	27.4	13.5	492	3.60	24.3	4.3	7.7	22	0.3	1.1	0.3	81	0.32	0.059	18	
L15250E/14100N	Soil	1.1	28.3	20.9	75	0.3	26.4	13.7	424	3.10	11.5	4.4	9.7	33	0.2	0.9	0.3	70	0.46	0.065	29	
L15250E/14125N	Soil	0.9	46.1	15.3	73	0.2	25.6	13.2	303	3.36	10.5	2.2	12.1	28	0.1	0.8	0.6	72	0.45	0.063	34	
L15250E/14150N	Soil	0.7	34.9	15.5	71	0.2	26.2	14.7	740	3.57	23.7	3.3	12.1	32	0.3	1.4	0.4	75	0.46	0.056	31	
L15250E/14175N	Soil	1.2	19.3	19.9	89	0.2	23.7	18.0	947	4.17	34.7	5.1	12.1	22	0.2	1.8	0.4	92	0.31	0.040	17	
L15250E/14200N	Soil	1.3	13.5	18.1	76	<0.1	14.1	9.1	675	3.16	22.7	2.6	4.4	18	<0.1	1.5	0.5	77	0.23	0.040	10	
L15250E/14225N	Soil	1.4	22.3	24.9	107	0.1	28.7	17.8	695	4.91	51.7	2.7	10.4	20	0.3	1.8	0.7	96	0.25	0.038	18	
L15250E/14250N	Soil	1.4	20.5	21.5	116	0.3	24.0	13.5	779	4.52	39.9	3.7	11.8	28	0.1	1.4	0.6	78	0.52	0.065	26	
L15250E/14275N	Soil	1.1	19.7	15.7	87	0.3	19.7	15.4	1226	3.21	22.8	3.6	12.3	35	0.2	0.9	0.4	66	0.67	0.079	47	
L15250E/14300N	Soil	0.6	22.0	17.8	85	0.2	18.5	12.8	536	3.21	24.6	6.2	12.0	29	0.1	1.3	0.4	61	0.43	0.080	37	
L15050E/13450N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 5 of 10

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L15250E/13600N	Soil	63	0.88	475	0.157	2	2.59	0.013	0.25	0.5	0.03	5.5	0.7	0.12	8	0.8	<0.2
L15250E/13625N	Soil	71	0.87	363	0.153	2	2.98	0.015	0.18	0.2	0.06	5.8	0.5	0.11	10	0.9	<0.2
L15250E/13650N	Soil	59	0.82	338	0.157	2	2.25	0.014	0.20	0.2	0.03	5.5	0.3	0.06	7	0.8	<0.2
L15250E/13675N	Soil	69	0.98	433	0.164	3	3.19	0.012	0.20	0.2	0.02	6.7	0.4	0.08	10	0.8	<0.2
L15250E/13700N	Soil	76	0.95	622	0.129	2	3.55	0.017	0.28	0.2	0.09	8.0	0.5	0.14	11	2.1	<0.2
L15250E/13725N	Soil	60	0.77	585	0.139	<1	1.97	0.013	0.45	0.3	0.03	7.1	0.8	0.18	7	2.1	<0.2
L15250E/13750N	Soil	74	0.95	699	0.105	3	4.29	0.013	0.24	0.2	0.12	10.5	0.4	0.19	11	6.1	<0.2
L15250E/13775N	Soil	79	0.76	611	0.085	2	3.90	0.014	0.21	0.2	0.21	9.9	0.8	0.14	10	3.7	<0.2
L15250E/13800N	Soil	58	0.74	460	0.147	2	2.32	0.013	0.19	0.2	0.04	5.3	0.8	0.15	9	0.7	<0.2
L15250E/13825N	Soil	71	0.78	392	0.137	2	2.64	0.012	0.19	0.2	0.06	7.1	0.8	0.11	8	1.2	<0.2
L15250E/13850N	Soil	69	0.91	349	0.135	2	3.11	0.014	0.14	0.2	0.06	6.9	0.6	0.12	8	0.7	<0.2
L15250E/13875N	Soil	72	0.82	338	0.140	2	3.01	0.012	0.15	0.2	0.05	8.3	0.6	0.08	9	1.2	<0.2
L15250E/13900N	Soil	72	0.80	283	0.132	2	2.70	0.015	0.12	0.2	0.06	7.8	0.8	0.06	8	0.9	<0.2
L15250E/13925N	Soil	89	0.82	277	0.150	<1	2.65	0.016	0.18	0.3	0.05	7.8	0.7	0.05	9	1.5	<0.2
L15250E/13950N	Soil	82	0.83	252	0.155	2	2.23	0.014	0.18	0.2	0.04	7.7	0.6	0.06	9	0.8	<0.2
L15250E/13975N	Soil	101	1.09	343	0.181	2	3.01	0.016	0.29	0.1	0.03	7.5	0.5	0.14	9	1.1	<0.2
L15250E/14000N	Soil	77	1.01	295	0.221	2	2.76	0.013	0.33	0.2	0.03	7.9	0.6	0.13	10	<0.5	<0.2
L15250E/14025N	Soil	79	0.82	286	0.149	2	2.38	0.013	0.32	0.2	0.04	5.7	2.1	0.23	9	1.6	<0.2
L15250E/14050N	Soil	55	0.84	170	0.151	2	2.81	0.012	0.13	0.2	0.06	6.2	0.4	<0.05	9	0.7	<0.2
L15250E/14075N	Soil	42	0.79	139	0.160	1	2.38	0.013	0.16	0.2	0.02	5.8	0.3	0.06	9	<0.5	<0.2
L15250E/14100N	Soil	41	0.78	176	0.129	2	2.29	0.015	0.09	0.5	0.05	7.3	0.3	0.08	8	<0.5	<0.2
L15250E/14125N	Soil	39	0.77	177	0.167	2	2.04	0.015	0.14	0.2	0.03	7.9	0.4	0.07	9	<0.5	<0.2
L15250E/14150N	Soil	40	0.70	203	0.158	3	2.15	0.016	0.12	0.2	0.05	8.5	0.3	0.07	7	0.5	<0.2
L15250E/14175N	Soil	45	0.84	103	0.191	3	2.78	0.012	0.15	0.3	0.04	6.3	0.4	<0.05	10	<0.5	<0.2
L15250E/14200N	Soil	28	0.54	74	0.153	2	1.78	0.010	0.10	0.2	0.03	4.6	0.2	<0.05	11	<0.5	<0.2
L15250E/14225N	Soil	47	0.88	159	0.137	3	3.63	0.011	0.13	0.2	0.02	6.9	0.4	<0.05	12	<0.5	<0.2
L15250E/14250N	Soil	39	0.76	140	0.136	3	2.53	0.013	0.18	0.4	0.07	6.9	0.4	<0.05	11	<0.5	<0.2
L15250E/14275N	Soil	33	0.65	170	0.114	4	2.03	0.015	0.17	0.3	0.09	8.4	0.4	0.06	8	<0.5	<0.2
L15250E/14300N	Soil	34	0.76	136	0.140	2	2.27	0.015	0.28	0.4	0.03	7.8	0.5	<0.05	8	<0.5	<0.2
L15050E/13450N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 6 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15050E/13475N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13500N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13525N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13550N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13575N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13600N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13625N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13650N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13675N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13700N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13725N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13750N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13775N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13800N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13825N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13850N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13875N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13900N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13925N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13950N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/13975N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14000N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14025N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14050N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14075N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14100N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14125N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14150N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L15050E/14175N	Soil	0.6	18.8	28.7	82	0.2	16.6	12.1	754	3.38	27.1	2.8	12.8	26	0.2	1.6	0.7	52	0.36	0.058	24
L15050E/14200N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 6 of 10

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
MDL		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
L15050E/13475N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13500N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13525N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13550N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13575N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13600N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13625N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13650N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13675N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13700N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13725N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13750N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13775N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13800N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13825N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13850N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13875N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13900N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13925N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13950N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/13975N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14000N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14025N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14050N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14075N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14100N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14125N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14150N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
L15050E/14175N	Soil	28	0.62	120	0.114	2	1.99	0.011	0.25	0.2	0.02	5.8	0.4	<0.05	7	<0.5	<0.2	
L15050E/14200N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 7 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15050E/13100N	Soil	3.4	47.3	10.0	126	0.5	38.0	9.1	410	3.43	121.1	5.0	3.4	26	0.3	2.0	0.4	133	0.32	0.074	13
L15050E/13125N	Soil	3.5	52.2	11.8	131	0.4	39.8	11.7	491	3.75	110.8	6.2	3.7	23	0.3	2.5	0.2	132	0.31	0.056	13
L15050E/13150N	Soil	3.6	56.0	12.9	114	0.3	41.9	13.4	442	4.00	77.0	6.0	4.1	27	0.3	2.7	0.2	118	0.29	0.052	13
L15050E/13175N	Soil	3.4	47.4	14.3	104	0.5	37.4	11.7	388	3.50	50.7	11.0	4.0	26	0.4	2.5	0.2	101	0.34	0.047	14
L15050E/13200N	Soil	4.8	61.5	16.3	110	0.5	37.0	15.0	490	3.54	59.1	8.2	3.7	27	0.5	3.1	0.2	104	0.30	0.054	15
L15050E/13225N	Soil	4.5	46.2	18.3	96	0.6	32.1	11.3	404	3.33	74.3	6.6	3.9	30	0.5	4.3	0.2	107	0.31	0.057	12
L15050E/13250N	Soil	3.8	45.6	18.7	72	0.6	31.0	9.7	336	3.51	63.5	6.2	3.4	28	0.3	3.5	0.2	108	0.32	0.055	12
L15050E/13275N	Soil	3.8	26.1	23.3	57	0.8	19.2	7.6	239	3.61	52.8	3.9	1.3	32	0.4	2.8	0.3	113	0.35	0.085	9
L15050E/13300N	Soil	3.1	36.0	20.3	71	0.5	24.2	8.6	228	3.47	70.4	2.0	3.1	24	0.3	4.7	0.2	113	0.22	0.047	12
L15050E/13325N	Soil	3.3	24.2	16.3	71	0.4	21.1	9.4	329	3.49	67.2	2.3	2.3	31	0.4	3.6	0.2	106	0.31	0.062	11
L15050E/13350N	Soil	3.5	31.1	15.0	64	0.8	24.7	9.5	246	3.64	43.9	4.9	3.4	22	0.3	2.9	0.2	100	0.21	0.067	11
L15050E/13375N	Soil	1.8	35.0	11.4	67	0.2	35.5	12.5	301	3.40	44.4	5.3	4.0	19	0.2	3.4	0.2	93	0.20	0.028	10
L15050E/13400N	Soil	2.9	38.6	13.5	67	0.3	33.1	12.4	358	3.56	73.8	8.4	3.6	27	0.3	5.2	0.2	100	0.32	0.033	11
L15050E/13425N	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L14950E/13000N	Soil	4.0	52.9	9.6	155	0.7	41.7	11.4	406	3.66	104.0	6.1	3.4	26	0.6	1.7	0.2	139	0.31	0.079	13
L14950E/13025N	Soil	4.2	49.0	12.4	126	0.7	37.6	9.6	396	3.35	76.6	6.4	3.3	29	0.6	2.1	0.2	122	0.36	0.055	13
L14950E/13050N	Soil	3.3	45.8	13.2	106	0.7	35.4	14.3	480	3.19	41.9	7.2	3.4	31	1.2	1.8	0.2	107	0.38	0.064	13
L14950E/13075N	Soil	4.3	48.2	14.7	114	0.8	36.6	14.1	454	3.32	67.1	10.0	3.1	27	0.5	2.1	0.2	115	0.31	0.057	13
L14950E/13100N	Soil	4.3	47.7	15.8	100	1.0	32.8	13.0	583	3.13	61.2	3.6	3.0	29	0.8	2.3	0.2	114	0.33	0.070	14
L14950E/13125N	Soil	6.1	64.0	18.4	127	0.6	44.3	15.7	509	3.92	67.0	11.7	3.9	29	0.5	3.4	0.5	135	0.31	0.077	15
L14950E/13150N	Soil	8.0	51.7	19.0	111	0.6	38.1	13.8	626	3.28	73.5	4.7	3.0	40	0.7	3.4	0.3	128	0.41	0.084	15
L14950E/13175N	Soil	16.1	50.6	29.2	72	0.8	33.2	11.1	349	3.58	93.4	5.6	3.1	36	0.3	4.6	0.4	100	0.35	0.061	13
L14950E/13200N	Soil	11.9	39.0	16.4	72	0.5	30.5	9.8	279	3.84	99.6	4.7	3.3	31	0.5	5.5	0.3	112	0.32	0.103	13
L14950E/13225N	Soil	9.8	45.0	16.0	73	0.5	33.6	14.4	481	3.72	107.6	7.2	3.4	39	0.3	6.4	0.3	106	0.43	0.072	13
L14950E/13250N	Soil	7.2	42.0	16.4	72	0.4	32.9	9.8	278	3.53	90.7	3.7	3.3	31	0.2	5.5	0.3	106	0.29	0.062	13
L14950E/13275N	Soil	6.0	40.9	15.3	75	0.4	33.8	12.1	367	3.80	89.0	3.4	3.0	27	0.5	4.4	0.2	121	0.27	0.063	13
L14950E/13300N	Soil	4.0	47.0	14.0	82	0.4	37.9	10.8	293	3.88	78.8	6.4	3.8	20	0.3	4.0	0.2	117	0.19	0.045	14
L14950E/13325N	Soil	2.4	32.0	11.8	85	0.3	34.5	14.0	325	3.85	42.1	6.7	2.6	20	0.6	2.7	0.3	110	0.22	0.041	9
L14950E/13350N	Soil	3.5	47.4	12.7	99	0.6	47.0	11.4	290	4.18	71.0	3.7	3.4	23	0.4	3.2	0.3	131	0.20	0.043	12
L14950E/13375N	Soil	2.5	23.8	12.3	66	0.5	24.2	11.0	334	3.50	33.9	1.9	2.3	39	0.6	1.7	0.2	108	0.45	0.032	9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 7 of 10

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15050E/13100N	Soil			70	0.86	338	0.157	<1	2.47	0.012	0.25	1.7	0.04	6.5	0.4	<0.05	9	1.0	<0.2
L15050E/13125N	Soil			70	0.90	349	0.149	<1	2.58	0.011	0.25	0.2	0.03	7.1	0.5	<0.05	8	0.9	<0.2
L15050E/13150N	Soil			72	0.82	318	0.144	1	2.67	0.011	0.17	0.2	0.05	6.8	0.6	<0.05	8	<0.5	<0.2
L15050E/13175N	Soil			61	0.81	392	0.134	<1	2.38	0.015	0.17	0.3	0.07	6.3	0.6	<0.05	7	0.6	<0.2
L15050E/13200N	Soil			55	0.69	438	0.113	2	2.39	0.013	0.14	0.2	0.07	6.8	0.6	<0.05	8	0.8	<0.2
L15050E/13225N	Soil			54	0.71	509	0.112	2	2.19	0.012	0.15	0.2	0.10	5.9	0.9	0.06	7	0.6	<0.2
L15050E/13250N	Soil			53	0.62	778	0.101	2	2.87	0.013	0.12	0.2	0.09	6.3	0.9	<0.05	8	0.9	<0.2
L15050E/13275N	Soil			39	0.39	470	0.083	1	1.98	0.008	0.10	0.1	0.06	3.8	0.8	<0.05	9	<0.5	<0.2
L15050E/13300N	Soil			50	0.46	761	0.094	<1	2.33	0.010	0.11	0.2	0.05	4.8	1.3	0.06	7	0.7	<0.2
L15050E/13325N	Soil			41	0.37	899	0.090	1	2.11	0.011	0.10	0.1	0.04	4.0	0.8	<0.05	9	0.5	<0.2
L15050E/13350N	Soil			47	0.47	461	0.099	1	2.80	0.010	0.09	0.2	0.11	4.7	0.8	<0.05	9	<0.5	<0.2
L15050E/13375N	Soil			50	0.68	438	0.116	<1	2.96	0.011	0.09	0.2	0.05	5.4	0.6	<0.05	7	<0.5	<0.2
L15050E/13400N	Soil			49	0.65	688	0.122	<1	2.54	0.013	0.10	0.2	0.05	5.4	0.9	<0.05	7	<0.5	<0.2
L15050E/13425N	Soil			L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
L14950E/13000N	Soil			70	0.97	300	0.158	1	2.71	0.012	0.25	0.8	0.04	6.6	0.5	0.06	9	1.2	<0.2
L14950E/13025N	Soil			64	0.80	383	0.142	<1	2.44	0.010	0.20	0.2	0.07	6.2	0.5	0.06	8	1.3	<0.2
L14950E/13050N	Soil			55	0.77	369	0.130	<1	2.42	0.012	0.13	0.2	0.06	5.6	0.4	<0.05	8	<0.5	<0.2
L14950E/13075N	Soil			56	0.75	359	0.132	<1	2.45	0.012	0.16	0.2	0.06	6.1	0.5	<0.05	8	0.8	<0.2
L14950E/13100N	Soil			61	0.73	464	0.133	<1	2.44	0.012	0.23	0.2	0.09	6.2	0.6	0.06	8	<0.5	<0.2
L14950E/13125N	Soil			70	0.86	495	0.147	<1	3.06	0.014	0.19	0.3	0.07	6.9	0.6	0.08	10	1.2	<0.2
L14950E/13150N	Soil			67	0.84	838	0.143	<1	2.51	0.016	0.29	0.3	0.07	7.1	0.6	0.08	9	1.0	<0.2
L14950E/13175N	Soil			54	0.54	952	0.092	<1	2.95	0.012	0.16	0.3	0.18	6.9	0.7	<0.05	10	1.3	<0.2
L14950E/13200N	Soil			53	0.50	632	0.115	<1	2.35	0.010	0.15	0.4	0.05	4.9	1.0	<0.05	8	0.9	<0.2
L14950E/13225N	Soil			57	0.62	879	0.107	<1	2.42	0.010	0.15	0.3	0.08	5.4	1.0	<0.05	8	0.9	<0.2
L14950E/13250N	Soil			59	0.66	921	0.109	1	2.40	0.010	0.15	0.3	0.06	5.2	1.0	0.06	7	0.7	<0.2
L14950E/13275N	Soil			61	0.63	966	0.114	<1	2.47	0.010	0.13	0.3	0.06	5.3	0.8	<0.05	9	<0.5	<0.2
L14950E/13300N	Soil			67	0.67	681	0.119	<1	2.59	0.009	0.15	0.3	0.06	5.6	0.9	<0.05	8	0.6	<0.2
L14950E/13325N	Soil			55	0.58	539	0.124	<1	2.74	0.010	0.11	0.2	0.02	4.5	0.6	<0.05	9	<0.5	<0.2
L14950E/13350N	Soil			73	0.75	1096	0.151	<1	2.74	0.010	0.16	0.4	0.05	5.3	0.6	0.11	9	0.6	<0.2
L14950E/13375N	Soil			41	0.38	951	0.111	<1	1.75	0.011	0.10	0.2	0.03	3.3	0.4	<0.05	9	<0.5	<0.2



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek

**Report Date:** August 02, 2017

**Page:** 8 of 10

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L14950E/13400N	Soil	3.5	49.7	12.9	122	0.4	48.9	14.9	389	4.19	65.2	4.2	3.4	24	0.8	2.8	0.2	133	0.20	0.045	13
L14950E/13425N	Soil	4.8	82.8	17.7	165	0.3	103.9	19.3	480	5.44	157.1	8.2	4.4	22	0.6	3.6	0.2	139	0.16	0.056	16
L14950E/13450N	Soil	3.5	37.8	23.7	88	1.0	26.9	8.8	303	3.18	53.9	3.7	2.6	21	1.2	1.4	0.5	90	0.20	0.045	11
L14950E/13475N	Soil	3.8	48.0	27.1	125	0.6	49.1	13.4	507	4.58	151.1	3.4	3.0	22	0.9	2.8	0.6	131	0.20	0.073	12
L14950E/13500N	Soil	4.6	48.4	23.8	117	0.4	32.2	11.9	494	5.24	80.6	4.5	2.5	21	0.9	3.9	0.4	153	0.20	0.092	11
L14950E/13525N	Soil	2.7	43.8	10.0	103	0.2	35.8	12.7	491	3.92	46.3	6.5	3.5	23	0.6	2.9	0.3	108	0.22	0.061	12
L14950E/13550N	Soil	2.9	24.5	12.3	76	0.4	15.1	5.9	277	4.19	29.7	3.0	1.7	18	1.2	2.4	0.3	112	0.14	0.063	10
L14950E/13575N	Soil	1.4	36.7	9.4	83	0.4	44.1	16.1	280	4.21	49.4	2.7	3.6	17	0.4	0.7	0.2	111	0.15	0.036	9
L14950E/13600N	Soil	2.0	26.7	11.3	92	0.5	27.3	11.0	273	4.35	16.4	2.6	2.7	14	0.9	0.9	0.2	134	0.12	0.040	10
L14950E/13625N	Soil	1.7	21.7	10.6	74	0.2	24.5	10.5	284	3.81	33.5	2.9	3.0	16	0.4	1.2	0.2	87	0.16	0.045	10
L14950E/13650N	Soil	2.5	50.6	9.0	121	0.2	56.8	16.8	678	3.94	131.0	6.3	4.0	26	0.8	1.8	0.4	120	0.33	0.075	15
L14950E/13675N	Soil	1.8	36.2	8.3	121	<0.1	52.2	17.2	489	3.89	27.1	2.4	3.4	18	0.6	1.9	0.2	104	0.21	0.027	9
L14950E/13700N	Soil	1.7	25.4	9.0	74	0.1	29.0	10.4	337	3.73	23.5	3.2	2.5	16	0.5	1.1	0.2	104	0.20	0.052	10
L14950E/13725N	Soil	4.1	57.1	10.9	131	0.3	45.3	12.9	497	3.48	37.3	3.3	2.8	24	0.9	1.5	0.2	115	0.25	0.077	13
L14950E/13750N	Soil	4.2	62.1	10.3	111	0.3	37.8	12.7	441	3.92	40.9	3.8	4.1	22	0.5	1.6	0.2	126	0.22	0.074	13
L14950E/13775N	Soil	3.8	45.5	10.9	121	0.3	34.0	11.5	492	4.01	32.0	3.9	3.1	20	0.8	1.2	0.3	122	0.20	0.076	12
L14950E/13800N	Soil	3.4	47.9	11.6	74	0.6	27.3	8.3	299	3.90	20.3	4.9	3.0	22	0.6	0.9	0.2	106	0.20	0.057	16
L14950E/13825N	Soil	1.3	23.4	8.9	57	0.2	25.4	10.1	256	3.49	62.1	3.2	3.0	19	0.4	1.2	0.2	87	0.23	0.034	10
L14950E/13850N	Soil	1.5	40.4	9.3	87	0.2	38.6	13.5	400	3.59	13.1	3.8	2.8	32	0.4	0.7	0.2	86	0.43	0.066	12
L14950E/13875N	Soil	2.3	45.3	9.7	90	0.4	35.2	12.1	367	3.85	19.6	3.0	3.9	23	0.3	0.8	0.2	125	0.25	0.060	13
L14950E/13900N	Soil	2.9	37.6	12.1	59	0.4	24.5	6.9	209	2.98	32.2	5.0	3.3	18	0.6	1.0	0.2	77	0.14	0.035	16
L14950E/13925N	Soil	1.9	47.6	17.5	130	0.2	45.7	14.0	462	3.93	83.9	5.7	5.8	21	0.6	2.8	0.3	85	0.25	0.055	17
L14950E/13950N	Soil	1.0	47.6	20.6	102	0.3	31.2	12.4	503	3.71	20.1	4.6	17.0	24	0.6	1.1	0.5	64	0.34	0.049	36
L14950E/13975N	Soil	0.6	47.2	20.5	139	0.1	19.5	12.0	634	4.33	16.5	2.0	17.8	26	0.2	1.4	0.6	65	0.33	0.062	51
L14950E/14000N	Soil	0.6	26.6	14.8	102	<0.1	19.8	9.8	407	3.33	13.0	2.8	9.5	21	0.2	1.0	0.4	65	0.31	0.053	29
L14950E/14025N	Soil	1.1	75.5	44.0	294	0.6	23.5	12.5	425	4.74	29.5	2.7	12.5	15	0.7	2.7	1.6	63	0.14	0.024	15
L14950E/14050N	Soil	1.9	16.9	20.1	62	0.2	16.7	7.6	226	4.19	13.6	2.2	4.4	13	0.3	1.0	0.7	101	0.12	0.027	9
L15250E/13300N	Soil	2.4	56.3	9.1	135	0.6	46.4	12.9	514	3.86	616.8	15.4	1.2	21	1.2	3.6	0.2	126	0.27	0.101	16
L15250E/13325N	Soil	2.8	52.1	10.0	119	0.2	43.2	13.0	633	3.99	85.2	5.1	2.4	27	0.6	1.6	0.2	141	0.33	0.072	11
L15150E/13300N	Soil	4.0	23.0	15.0	61	0.8	19.7	7.5	319	3.33	87.6	2.1	2.9	23	0.3	3.1	0.2	92	0.18	0.036	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 8 of 10

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L14950E/13400N	Soil			77	0.76	979	0.170	<1	2.60	0.013	0.18	0.4	0.03	5.7	0.6	0.14	10	0.7	<0.2
L14950E/13425N	Soil			133	1.06	595	0.193	<1	3.26	0.013	0.28	0.6	0.04	7.4	0.9	0.15	10	1.3	<0.2
L14950E/13450N	Soil			41	0.35	535	0.081	2	2.22	0.008	0.09	0.3	0.04	3.8	0.4	<0.05	9	<0.5	<0.2
L14950E/13475N	Soil			71	0.72	486	0.118	2	2.51	0.011	0.18	0.9	0.05	5.0	0.5	0.08	10	0.8	<0.2
L14950E/13500N	Soil			61	0.80	396	0.123	1	2.74	0.009	0.17	0.5	0.04	5.4	0.4	0.08	11	0.9	<0.2
L14950E/13525N	Soil			55	0.81	301	0.124	1	2.44	0.011	0.24	0.1	0.02	5.0	0.3	<0.05	8	0.9	<0.2
L14950E/13550N	Soil			32	0.32	155	0.091	<1	1.52	0.008	0.10	0.1	0.01	2.3	0.2	<0.05	9	<0.5	<0.2
L14950E/13575N	Soil			58	0.80	263	0.142	1	3.03	0.010	0.14	0.2	0.03	5.0	0.2	<0.05	9	<0.5	<0.2
L14950E/13600N	Soil			51	0.56	225	0.102	<1	2.79	0.009	0.06	0.1	0.02	4.5	0.2	<0.05	10	<0.5	<0.2
L14950E/13625N	Soil			40	0.48	139	0.086	2	2.56	0.008	0.05	0.1	0.04	4.0	0.2	<0.05	8	<0.5	<0.2
L14950E/13650N	Soil			62	0.95	408	0.149	2	2.13	0.015	0.32	0.3	0.02	7.7	0.5	<0.05	7	<0.5	<0.2
L14950E/13675N	Soil			50	0.82	317	0.135	<1	2.97	0.010	0.10	0.2	0.01	5.3	0.3	<0.05	8	<0.5	<0.2
L14950E/13700N	Soil			41	0.54	251	0.120	2	2.33	0.010	0.10	0.2	0.04	4.4	0.2	<0.05	8	<0.5	<0.2
L14950E/13725N	Soil			46	0.63	414	0.101	2	2.18	0.010	0.15	0.2	0.04	5.0	0.5	<0.05	7	0.6	<0.2
L14950E/13750N	Soil			58	0.89	439	0.131	1	2.53	0.011	0.31	0.2	0.04	6.7	0.4	0.06	8	1.1	<0.2
L14950E/13775N	Soil			53	0.72	393	0.111	2	2.49	0.010	0.20	0.2	0.03	5.5	0.4	<0.05	8	0.6	<0.2
L14950E/13800N	Soil			48	0.57	291	0.092	2	2.78	0.009	0.13	0.1	0.06	5.9	0.3	<0.05	9	<0.5	<0.2
L14950E/13825N	Soil			42	0.63	173	0.109	2	2.72	0.010	0.06	0.2	0.04	5.3	0.2	<0.05	8	<0.5	<0.2
L14950E/13850N	Soil			56	0.84	330	0.119	1	3.25	0.014	0.10	0.2	0.03	7.5	0.2	<0.05	8	<0.5	<0.2
L14950E/13875N	Soil			61	0.80	413	0.112	2	2.98	0.012	0.11	0.5	0.05	7.4	0.3	<0.05	8	1.0	<0.2
L14950E/13900N	Soil			43	0.32	286	0.066	<1	2.28	0.008	0.06	<0.1	0.07	4.9	0.7	<0.05	8	<0.5	<0.2
L14950E/13925N	Soil			64	0.72	254	0.102	1	2.29	0.009	0.23	0.2	0.17	7.1	5.3	<0.05	7	0.6	<0.2
L14950E/13950N	Soil			37	0.66	186	0.097	2	2.69	0.011	0.16	0.1	0.04	6.5	1.0	<0.05	8	<0.5	<0.2
L14950E/13975N	Soil			36	1.07	180	0.200	<1	2.52	0.012	0.52	0.3	0.02	9.3	0.8	<0.05	11	<0.5	<0.2
L14950E/14000N	Soil			35	0.81	126	0.159	1	2.27	0.014	0.20	0.2	0.02	7.0	0.4	<0.05	9	<0.5	<0.2
L14950E/14025N	Soil			37	0.80	102	0.120	2	3.67	0.008	0.20	0.1	0.03	7.5	0.5	<0.05	11	<0.5	<0.2
L14950E/14050N	Soil			32	0.44	92	0.116	1	2.34	0.007	0.07	0.1	0.03	4.0	0.3	<0.05	11	<0.5	<0.2
L15250E/13300N	Soil			56	0.74	450	0.081	1	2.85	0.010	0.23	0.2	0.07	5.9	0.3	<0.05	9	1.0	<0.2
L15250E/13325N	Soil			73	0.94	250	0.158	<1	2.24	0.012	0.25	0.2	0.02	6.6	0.3	<0.05	9	<0.5	<0.2
L15150E/13300N	Soil			33	0.35	252	0.079	<1	1.92	0.009	0.08	0.1	0.03	3.6	0.4	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 9 of 10

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000330.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	0.001	1
L15150E/13325N	Soil	3.8	27.1	12.8	79	0.8	26.9	8.8	252	3.90	95.3	2.8	2.8	26	0.4	3.3	0.2	91	0.20	0.046	12
L15150E/13350N	Soil	2.7	24.1	18.1	67	0.4	20.6	6.6	215	3.31	95.3	2.1	2.8	22	0.8	3.0	0.2	88	0.22	0.072	13
L15150E/13375N	Soil	2.0	18.5	11.9	71	0.9	17.4	9.5	507	3.23	58.4	3.3	1.8	20	0.5	1.4	0.2	92	0.20	0.047	8
L15150E/13400N	Soil	2.9	19.4	12.0	61	0.2	18.1	7.2	254	3.79	36.5	1.3	2.2	21	0.5	1.9	0.2	122	0.22	0.048	8
L15150E/13425N	Soil	2.6	28.0	15.5	76	0.2	24.8	9.2	318	4.31	73.6	1.8	3.1	17	0.3	10.7	0.2	112	0.18	0.071	10
L15150E/13450N	Soil	1.9	16.9	13.9	66	0.2	13.1	6.0	282	3.16	24.8	1.8	1.5	15	0.7	2.2	0.2	90	0.16	0.078	9
L15150E/13475N	Soil	3.7	20.9	12.8	65	0.3	22.4	8.7	272	4.32	88.9	2.3	2.7	21	0.5	9.7	0.2	104	0.21	0.062	9
L15150E/13500N	Soil	2.5	23.5	20.7	73	0.2	16.7	7.4	365	4.01	118.0	2.3	2.0	16	0.5	5.7	0.3	108	0.15	0.110	9
L15150E/13525N	Soil	2.1	19.4	12.3	69	0.2	21.9	9.0	272	4.60	53.4	4.1	2.3	17	0.7	2.3	0.3	122	0.18	0.061	10
L15150E/13550N	Soil	3.0	22.2	11.0	79	0.2	29.5	8.0	221	3.73	31.7	3.7	2.5	25	1.0	1.0	0.3	122	0.37	0.078	11
L15150E/13575N	Soil	3.1	34.4	9.6	91	0.2	41.3	10.2	317	3.30	29.7	3.0	1.9	24	0.7	2.4	0.2	97	0.27	0.067	14
L15150E/13600N	Soil	3.6	118.4	8.2	66	1.1	32.3	7.8	167	2.38	29.6	7.6	0.8	24	3.1	1.2	0.2	53	0.19	0.064	12
L15150E/13625N	Soil	2.9	41.7	10.8	86	0.4	29.8	9.9	361	3.40	31.3	3.2	2.3	22	0.6	0.9	0.3	113	0.21	0.094	15
L15150E/13650N	Soil	2.1	22.0	9.6	40	0.4	13.1	3.5	111	1.54	10.4	2.5	1.7	19	0.4	0.9	0.3	61	0.16	0.033	11
L15150E/13675N	Soil	3.4	32.9	9.7	87	0.1	28.3	8.9	341	3.25	28.1	3.2	2.4	23	0.5	1.0	0.2	105	0.26	0.049	11
L15150E/13700N	Soil	6.6	39.9	11.5	113	0.7	34.1	10.6	477	4.57	51.9	2.2	2.9	22	0.6	1.5	0.3	178	0.18	0.051	13
L15150E/13725N	Soil	6.5	61.8	10.7	151	0.3	47.3	14.6	596	4.39	66.8	5.9	4.1	28	0.8	1.6	0.2	150	0.30	0.084	16
L15150E/13750N	Soil	2.4	34.1	8.8	48	0.5	14.5	4.1	125	1.98	13.7	7.0	1.6	21	1.0	0.6	0.2	66	0.16	0.036	12
L15150E/13775N	Soil	5.8	42.9	13.9	113	0.3	28.6	7.8	389	3.09	30.9	4.4	2.6	28	1.2	1.0	0.3	131	0.26	0.071	14
L15150E/13800N	Soil	7.8	66.3	12.1	133	0.6	36.8	10.3	442	4.22	39.2	14.7	3.7	30	1.1	1.5	0.2	141	0.23	0.070	15
L15150E/13825N	Soil	6.8	30.0	10.6	74	0.4	20.9	6.7	355	2.97	26.0	3.0	2.1	22	0.6	1.0	0.3	115	0.20	0.056	14
L15150E/13850N	Soil	5.6	62.9	13.0	136	0.4	43.7	13.8	561	4.97	66.5	15.0	4.8	32	0.7	2.1	0.2	145	0.34	0.114	19
L15150E/13875N	Soil	1.9	37.4	9.5	87	0.2	39.8	16.0	537	3.84	37.0	7.8	3.9	25	0.4	1.2	0.2	94	0.36	0.065	15
L15150E/13900N	Soil	2.7	33.5	11.7	76	0.2	28.8	10.3	328	3.39	23.0	4.6	3.1	32	0.3	0.9	0.2	88	0.38	0.049	13
L15150E/13925N	Soil	3.2	37.5	10.3	91	0.3	33.7	11.5	362	3.59	28.8	4.6	3.8	28	0.4	1.0	0.2	94	0.36	0.060	13
L15150E/13950N	Soil	4.6	45.9	10.4	91	0.3	32.3	11.4	368	3.47	43.1	8.8	3.7	29	0.5	1.6	0.2	92	0.38	0.085	15
L15150E/13975N	Soil	8.1	41.7	18.2	95	0.8	37.4	11.2	455	3.55	121.7	27.9	8.1	30	0.4	4.1	0.6	75	0.38	0.084	20
L15150E/14000N	Soil	2.3	34.5	14.2	83	0.3	37.1	12.6	376	3.87	59.8	8.4	4.4	24	0.6	1.3	0.2	96	0.28	0.050	12
L15150E/14025N	Soil	3.0	36.3	14.6	96	0.8	33.6	12.6	368	4.27	152.2	7.9	4.0	22	1.5	1.8	0.2	98	0.19	0.063	13
L15150E/14050N	Soil	1.6	44.4	11.7	81	1.7	38.9	12.6	338	3.63	74.3	16.8	5.5	23	0.7	1.2	0.2	89	0.24	0.038	14





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 9 of 10

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15150E/13325N	Soil	41	0.49	359	0.088	1	2.22	0.010	0.09	0.1	0.03	4.4	0.4	<0.05	8	<0.5	<0.2
L15150E/13350N	Soil	36	0.33	245	0.110	<1	1.46	0.008	0.11	0.2	0.03	3.4	0.4	<0.05	8	<0.5	<0.2
L15150E/13375N	Soil	32	0.37	332	0.078	<1	1.76	0.011	0.06	0.2	0.03	3.1	0.3	<0.05	8	<0.5	<0.2
L15150E/13400N	Soil	35	0.47	276	0.084	<1	1.99	0.008	0.07	0.2	0.03	3.4	0.6	<0.05	9	<0.5	<0.2
L15150E/13425N	Soil	48	0.62	319	0.089	1	2.66	0.008	0.09	0.2	0.04	4.8	1.0	<0.05	9	<0.5	<0.2
L15150E/13450N	Soil	28	0.27	195	0.077	<1	1.56	0.007	0.07	0.2	0.01	2.8	0.5	<0.05	9	<0.5	<0.2
L15150E/13475N	Soil	39	0.51	331	0.105	2	2.16	0.008	0.08	0.2	0.04	4.1	0.9	<0.05	9	<0.5	<0.2
L15150E/13500N	Soil	35	0.31	325	0.086	2	1.62	0.007	0.08	0.2	0.04	3.5	1.1	<0.05	9	<0.5	<0.2
L15150E/13525N	Soil	47	0.51	166	0.133	2	2.57	0.009	0.07	0.2	0.05	4.2	0.6	<0.05	11	<0.5	<0.2
L15150E/13550N	Soil	50	0.65	180	0.156	3	2.03	0.013	0.11	0.3	0.03	4.3	0.2	<0.05	9	0.7	<0.2
L15150E/13575N	Soil	55	0.68	349	0.130	3	2.08	0.014	0.14	0.2	0.04	4.3	0.2	<0.05	8	0.8	<0.2
L15150E/13600N	Soil	31	0.31	310	0.060	2	1.92	0.021	0.08	0.2	0.10	3.8	0.4	<0.05	6	2.2	<0.2
L15150E/13625N	Soil	47	0.64	271	0.124	3	2.34	0.015	0.15	0.2	0.02	5.0	0.2	<0.05	9	0.7	<0.2
L15150E/13650N	Soil	25	0.28	200	0.120	2	1.25	0.014	0.10	0.1	0.03	3.0	0.2	<0.05	7	<0.5	<0.2
L15150E/13675N	Soil	44	0.60	243	0.127	1	2.08	0.015	0.13	0.2	0.03	4.8	0.2	<0.05	8	<0.5	<0.2
L15150E/13700N	Soil	62	0.75	290	0.179	1	2.44	0.011	0.18	0.2	0.02	5.6	0.3	<0.05	12	<0.5	<0.2
L15150E/13725N	Soil	65	0.99	485	0.158	2	2.80	0.014	0.29	0.4	0.04	7.0	0.6	0.05	9	1.2	<0.2
L15150E/13750N	Soil	26	0.26	293	0.085	2	1.31	0.016	0.10	<0.1	0.04	2.9	0.2	<0.05	6	<0.5	<0.2
L15150E/13775N	Soil	51	0.64	412	0.149	1	1.97	0.011	0.27	0.2	0.02	5.3	0.4	0.06	11	0.7	<0.2
L15150E/13800N	Soil	65	0.96	441	0.163	3	2.40	0.014	0.35	0.2	0.03	6.5	0.4	0.10	9	1.1	<0.2
L15150E/13825N	Soil	39	0.44	232	0.130	1	1.70	0.010	0.13	0.1	0.02	4.3	0.3	<0.05	11	<0.5	<0.2
L15150E/13850N	Soil	77	1.04	374	0.179	2	2.65	0.013	0.38	0.4	0.03	8.8	1.5	0.10	10	0.9	<0.2
L15150E/13875N	Soil	64	0.88	304	0.138	2	3.00	0.013	0.15	0.1	0.05	7.6	0.6	<0.05	8	<0.5	<0.2
L15150E/13900N	Soil	47	0.66	240	0.123	2	2.47	0.014	0.10	0.1	0.03	5.8	0.6	<0.05	8	<0.5	<0.2
L15150E/13925N	Soil	55	0.78	268	0.130	2	2.75	0.013	0.11	0.1	0.04	6.4	0.7	<0.05	8	<0.5	<0.2
L15150E/13950N	Soil	55	0.73	257	0.122	2	2.40	0.014	0.12	0.3	0.07	6.3	0.9	<0.05	7	1.5	<0.2
L15150E/13975N	Soil	39	0.65	260	0.080	1	2.43	0.013	0.09	0.2	0.16	5.8	1.2	<0.05	7	1.1	<0.2
L15150E/14000N	Soil	47	0.66	215	0.118	2	2.80	0.012	0.11	0.2	0.04	5.9	0.4	<0.05	9	<0.5	<0.2
L15150E/14025N	Soil	45	0.54	152	0.113	2	2.52	0.011	0.08	0.2	0.09	5.2	0.9	<0.05	8	0.5	<0.2
L15150E/14050N	Soil	48	0.73	184	0.106	4	3.23	0.013	0.09	0.1	0.14	6.3	0.4	<0.05	8	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 10 of 10

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
L15150E/14075N	Soil	1.9	12.8	18.3	39	0.2	10.7	4.8	173	2.68	12.6	4.2	4.0	20	0.1	0.9	0.4	103	0.20	0.016	14
L15150E/14100N	Soil	1.2	24.9	19.1	73	0.1	21.0	10.8	355	4.63	16.4	5.3	6.9	18	0.2	1.4	0.4	87	0.26	0.048	13
L15150E/14125N	Soil	1.8	22.3	25.3	63	0.2	18.3	9.7	466	3.48	11.9	5.0	8.4	17	0.4	0.8	0.3	88	0.20	0.059	18
L15150E/14150N	Soil	0.7	19.2	28.3	91	0.1	17.3	11.4	658	3.50	26.6	3.6	12.9	27	0.3	1.7	0.8	56	0.34	0.053	23
L15150E/14200N	Soil	0.7	24.8	25.0	102	0.4	25.4	12.0	641	3.94	51.4	14.9	18.3	34	0.2	2.9	0.6	68	0.58	0.088	57
L15150E/14225N	Soil	0.6	16.4	15.8	90	0.2	21.0	12.4	574	3.54	26.1	6.2	16.8	27	0.2	1.7	0.4	63	0.44	0.077	36
L15150E/14250N	Soil	0.8	15.5	17.1	83	0.2	20.4	12.3	707	3.19	36.1	6.5	13.4	38	0.1	1.5	0.4	59	0.69	0.067	38



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 10 of 10

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000330.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15150E/14075N	Soil	26	0.34	82	0.152	<1	1.65	0.008	0.08	0.1	0.02	3.6	0.3	<0.05	12	<0.5	<0.2
L15150E/14100N	Soil	34	0.67	109	0.161	2	2.57	0.011	0.19	0.1	0.02	6.6	0.3	<0.05	13	<0.5	<0.2
L15150E/14125N	Soil	32	0.41	97	0.115	2	2.15	0.011	0.07	0.2	0.05	3.7	0.2	<0.05	9	<0.5	<0.2
L15150E/14150N	Soil	28	0.70	137	0.131	1	2.04	0.013	0.22	0.2	0.03	5.3	0.3	<0.05	8	<0.5	<0.2
L15150E/14200N	Soil	33	0.65	198	0.113	2	2.21	0.023	0.16	0.3	0.11	7.6	0.4	<0.05	8	<0.5	<0.2
L15150E/14225N	Soil	32	0.64	133	0.119	1	1.92	0.019	0.15	0.3	0.06	7.1	0.5	<0.05	7	<0.5	<0.2
L15150E/14250N	Soil	31	0.70	173	0.108	2	1.99	0.021	0.13	0.2	0.10	7.6	0.4	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: August 02, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000330.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L14900E/13075N	Soil	6.0	62.0	14.5	162	0.7	47.4	14.0	634	3.50	77.9	5.8	4.2	30	1.0	2.8	0.3	126	0.44	0.124	14
REP L14900E/13075N	QC	6.5	55.6	13.5	159	0.7	45.1	13.8	620	3.40	85.7	5.1	4.5	30	0.9	2.7	0.3	129	0.46	0.118	14
L14900E/13975N	Soil	0.7	53.1	17.4	117	0.3	21.2	12.6	508	3.47	12.9	4.7	12.8	30	0.3	0.9	0.4	67	0.48	0.068	37
REP L14900E/13975N	QC	0.9	51.7	17.2	133	0.3	22.6	13.6	550	3.70	13.4	5.9	12.4	31	0.3	0.9	0.4	71	0.54	0.083	38
L15250E/14125N	Soil	0.9	46.1	15.3	73	0.2	25.6	13.2	303	3.36	10.5	2.2	12.1	28	0.1	0.8	0.6	72	0.45	0.063	34
REP L15250E/14125N	QC	1.0	47.0	15.3	76	0.2	26.0	14.5	312	3.58	11.0	6.7	12.5	28	0.2	0.8	0.6	71	0.44	0.061	35
L14950E/13350N	Soil	3.5	47.4	12.7	99	0.6	47.0	11.4	290	4.18	71.0	3.7	3.4	23	0.4	3.2	0.3	131	0.20	0.043	12
REP L14950E/13350N	QC	3.5	48.4	12.5	95	0.6	46.0	11.4	282	4.27	70.2	2.9	3.5	23	0.5	3.1	0.3	129	0.20	0.043	11
L15150E/13425N	Soil	2.6	28.0	15.5	76	0.2	24.8	9.2	318	4.31	73.6	1.8	3.1	17	0.3	10.7	0.2	112	0.18	0.071	10
REP L15150E/13425N	QC	2.6	27.5	15.7	77	0.2	23.7	8.8	311	4.34	71.3	2.2	3.0	17	0.3	10.7	0.2	110	0.19	0.074	10
L15150E/13725N	Soil	6.5	61.8	10.7	151	0.3	47.3	14.6	596	4.39	66.8	5.9	4.1	28	0.8	1.6	0.2	150	0.30	0.084	16
REP L15150E/13725N	QC	6.3	60.8	10.8	155	0.3	47.3	14.6	597	4.44	66.5	3.8	4.2	29	0.8	1.7	0.2	150	0.31	0.089	16
Reference Materials																					
STD DS10	Standard	13.7	145.0	156.5	359	1.8	67.1	10.9	805	2.53	42.7	66.6	8.5	71	2.7	9.3	13.1	38	1.05	0.068	17
STD DS10	Standard	13.7	145.4	145.0	362	2.0	68.7	12.4	883	2.80	44.4	85.2	7.3	67	2.7	9.8	11.5	42	1.04	0.075	17
STD DS10	Standard	15.1	155.2	151.7	371	1.9	71.2	12.8	918	2.93	46.9	65.2	7.8	72	2.6	9.7	11.9	46	1.08	0.077	19
STD DS10	Standard	15.4	166.9	156.8	376	2.0	72.3	13.6	880	2.84	45.7	82.5	8.2	69	2.7	10.4	13.1	49	1.01	0.090	20
STD DS10	Standard	14.3	156.9	148.9	362	1.9	72.7	13.3	838	2.64	41.9	81.1	7.4	67	2.5	9.0	11.4	43	1.03	0.074	17
STD DS10	Standard	15.8	165.1	148.7	346	1.9	72.9	14.2	860	2.87	43.4	77.6	8.7	71	2.9	10.3	12.4	47	1.06	0.078	21
STD OXC129	Standard	1.2	27.5	6.5	40	<0.1	79.1	18.8	448	3.06	0.8	208.0	1.8	180	<0.1	<0.1	<0.1	47	0.62	0.102	12
STD OXC129	Standard	1.3	25.5	5.8	39	<0.1	73.7	19.2	417	2.96	<0.5	196.2	1.6	180	<0.1	<0.1	<0.1	50	0.72	0.099	11
STD OXC129	Standard	1.3	27.5	6.1	41	<0.1	77.4	20.4	424	3.17	<0.5	211.0	1.7	198	<0.1	<0.1	<0.1	55	0.79	0.106	12
STD OXC129	Standard	1.3	29.8	6.4	42	<0.1	78.7	22.2	397	3.03	<0.5	201.9	2.0	187	<0.1	<0.1	<0.1	57	0.71	0.084	13
STD OXC129	Standard	1.2	25.8	6.0	39	<0.1	75.4	20.2	424	2.94	0.7	202.5	1.6	197	<0.1	<0.1	<0.1	51	0.76	0.101	12
STD OXC129	Standard	1.2	27.9	6.6	45	<0.1	81.5	21.5	424	3.08	0.6	199.0	2.1	199	<0.1	<0.1	<0.1	52	0.79	0.119	13
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000330.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L14900E/13075N	Soil	68	0.86	532	0.166	<1	2.31	0.012	0.37	0.3	0.04	7.4	0.9	<0.05	10	2.0	<0.2
REP L14900E/13075N	QC	67	0.83	509	0.172	<1	2.32	0.011	0.38	0.3	0.05	8.2	0.9	<0.05	9	1.2	<0.2
L14900E/13975N	Soil	39	0.81	180	0.150	3	2.65	0.011	0.18	0.1	0.03	8.2	0.4	<0.05	8	<0.5	<0.2
REP L14900E/13975N	QC	38	0.80	179	0.151	2	2.38	0.014	0.20	0.1	0.04	8.5	0.3	0.08	9	<0.5	<0.2
L15250E/14125N	Soil	39	0.77	177	0.167	2	2.04	0.015	0.14	0.2	0.03	7.9	0.4	0.07	9	<0.5	<0.2
REP L15250E/14125N	QC	42	0.80	179	0.176	1	2.27	0.016	0.15	0.2	0.04	8.3	0.3	0.06	9	0.5	<0.2
L14950E/13350N	Soil	73	0.75	1096	0.151	<1	2.74	0.010	0.16	0.4	0.05	5.3	0.6	0.11	9	0.6	<0.2
REP L14950E/13350N	QC	76	0.72	1081	0.150	<1	2.77	0.010	0.17	0.3	0.04	5.4	0.6	0.12	9	1.1	<0.2
L15150E/13425N	Soil	48	0.62	319	0.089	1	2.66	0.008	0.09	0.2	0.04	4.8	1.0	<0.05	9	<0.5	<0.2
REP L15150E/13425N	QC	47	0.64	314	0.092	<1	2.73	0.008	0.09	0.2	0.04	4.8	1.0	<0.05	9	<0.5	<0.2
L15150E/13725N	Soil	65	0.99	485	0.158	2	2.80	0.014	0.29	0.4	0.04	7.0	0.6	0.05	9	1.2	<0.2
REP L15150E/13725N	QC	66	0.99	481	0.159	2	2.81	0.014	0.30	0.2	0.03	7.1	0.6	0.06	9	1.4	<0.2
Reference Materials																	
STD DS10	Standard	47	0.74	320	0.077	5	0.95	0.056	0.32	3.4	0.28	2.8	4.6	0.25	5	1.5	5.0
STD DS10	Standard	52	0.77	360	0.079	7	1.05	0.069	0.33	3.3	0.30	2.8	5.0	0.26	4	1.7	4.8
STD DS10	Standard	56	0.80	363	0.091	6	1.14	0.072	0.35	3.5	0.30	3.2	5.4	0.26	5	2.3	5.4
STD DS10	Standard	59	0.73	365	0.090	8	0.98	0.068	0.33	3.5	0.28	3.0	4.8	0.35	4	2.7	5.1
STD DS10	Standard	56	0.74	345	0.084	7	1.03	0.068	0.34	3.3	0.29	2.9	5.2	0.29	4	2.2	4.9
STD DS10	Standard	55	0.86	372	0.093	5	1.17	0.077	0.32	3.5	0.29	3.3	5.3	0.29	4	2.3	4.8
STD OXC129	Standard	50	1.53	48	0.396	1	1.52	0.563	0.33	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	49	1.55	52	0.383	2	1.56	0.561	0.36	<0.1	<0.01	0.5	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	52	1.58	51	0.411	1	1.70	0.592	0.37	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.60	53	0.419	<1	1.44	0.566	0.33	<0.1	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.57	52	0.386	<1	1.61	0.578	0.36	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	54	1.60	51	0.434	1	1.65	0.674	0.37	<0.1	<0.01	1.0	<0.1	0.07	5	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000330.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 2 of 2

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI17000330.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 21, 2017  
Report Date: August 02, 2017  
Page: 1 of 9

# CERTIFICATE OF ANALYSIS

WHI17000333.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs17-004  
P.O. Number  
Number of Samples: 222

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	222	Dry at 60C			WHI
SS80	222	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	222	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	222	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 2 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15350E/13400N	Soil	3.5	38.2	15.2	80	0.3	30.7	9.0	331	3.81	76.2	4.7	3.3	17	0.8	4.0	0.3	96	0.16	0.050	14
L15350E/13425N	Soil	2.4	26.3	12.0	41	0.4	18.3	4.8	150	2.66	44.0	2.0	1.7	12	0.2	2.1	0.4	79	0.15	0.031	10
L15350E/13450N	Soil	2.1	35.6	10.1	64	0.6	28.5	5.7	126	2.27	29.3	4.3	1.7	28	0.7	2.9	0.3	48	0.34	0.061	11
L15350E/13475N	Soil	2.1	48.2	11.0	71	0.6	26.6	4.6	107	2.44	61.8	7.0	1.6	23	0.9	2.9	0.3	53	0.24	0.072	11
L15350E/13500N	Soil	2.4	42.4	11.1	92	0.6	29.1	5.9	128	2.57	81.2	10.8	2.2	23	0.8	3.5	0.4	69	0.27	0.080	12
L15350E/13525N	Soil	4.4	43.3	11.2	99	0.5	29.1	11.8	435	3.01	83.8	4.7	2.9	17	0.7	3.3	0.4	110	0.15	0.075	13
L15350E/13550N	Soil	4.0	35.6	10.0	109	0.6	30.2	8.0	250	3.09	46.6	3.5	3.0	20	0.5	1.6	0.3	105	0.24	0.070	13
L15350E/13575N	Soil	3.9	24.1	9.8	88	0.5	23.3	6.6	231	2.37	40.0	6.8	2.4	23	0.4	0.9	0.3	95	0.35	0.068	13
L15350E/13600N	Soil	3.0	32.5	9.0	95	0.7	27.5	5.6	163	2.39	25.8	5.5	1.8	23	0.6	0.5	0.3	92	0.24	0.074	13
L15350E/13625N	Soil	6.4	39.8	10.6	119	0.6	32.1	8.5	324	3.12	41.0	3.0	2.5	24	0.7	1.5	0.3	107	0.23	0.061	13
L15350E/13650N	Soil	7.3	37.5	12.0	139	0.5	31.6	9.6	374	2.97	63.8	6.7	3.1	27	0.8	1.4	0.3	112	0.26	0.063	13
L15350E/13675N	Soil	3.2	36.6	9.6	114	0.6	33.7	6.0	198	2.84	33.4	9.5	2.7	26	0.9	1.0	0.2	97	0.26	0.082	14
L15350E/13700N	Soil	2.1	32.6	10.2	103	0.8	29.2	5.3	150	2.22	18.8	7.9	1.4	34	0.8	0.6	0.2	49	0.36	0.069	12
L15350E/13725N	Soil	4.9	41.9	11.2	105	0.8	34.8	8.3	244	3.01	34.1	7.1	1.9	30	0.8	0.9	0.3	82	0.41	0.079	13
L15350E/13750N	Soil	6.5	49.1	13.1	160	0.9	49.1	14.1	507	4.17	58.6	14.9	4.5	30	1.0	1.5	0.3	91	0.40	0.103	18
L15350E/13775N	Soil	2.9	50.1	12.1	143	0.7	44.5	13.5	429	3.73	27.0	4.0	3.3	39	0.4	1.6	0.2	97	0.52	0.083	14
L15350E/13800N	Soil	2.5	41.9	9.8	134	0.4	40.5	13.4	541	3.44	61.6	4.4	3.5	36	0.7	1.6	0.2	92	0.45	0.073	13
L15350E/13825N	Soil	2.8	28.9	12.3	81	0.4	28.3	10.2	289	2.71	17.4	12.2	2.3	22	0.7	0.5	0.3	94	0.22	0.035	9
L15350E/13850N	Soil	3.6	69.9	9.8	110	0.6	49.4	14.4	592	3.96	18.1	4.5	3.4	32	1.1	0.6	0.2	123	0.30	0.057	20
L15350E/13875N	Soil	4.2	59.6	11.7	160	0.8	48.0	13.4	651	3.95	34.5	3.5	3.9	35	1.3	0.7	0.3	124	0.38	0.088	17
L15350E/13900N	Soil	4.7	54.4	10.4	111	0.5	34.3	8.9	436	4.07	34.7	2.4	3.5	24	1.1	1.0	0.2	132	0.21	0.075	13
L15350E/13925N	Soil	3.1	40.1	10.3	82	0.6	27.5	8.2	343	3.14	29.7	4.1	2.8	22	0.7	0.8	0.3	81	0.18	0.055	13
L15350E/13950N	Soil	3.3	68.9	15.1	90	1.4	26.6	19.6	1450	3.58	30.3	3.5	3.2	21	1.8	0.7	0.3	87	0.22	0.085	16
L15350E/13975N	Soil	3.3	27.3	14.8	104	0.6	29.6	9.7	360	3.81	33.7	1.5	4.0	26	0.9	0.9	0.4	105	0.31	0.057	13
L15350E/14000N	Soil	2.0	33.0	11.5	93	0.1	44.6	16.8	655	4.40	24.9	3.3	5.1	19	0.6	1.3	0.2	104	0.29	0.067	15
L15350E/14025N	Soil	1.5	34.1	12.2	95	0.3	47.6	15.4	519	3.80	44.6	3.9	4.7	19	0.3	2.1	0.2	86	0.35	0.090	16
L15350E/14050N	Soil	3.0	33.7	19.1	102	0.2	35.8	10.0	386	3.77	142.9	3.9	6.3	24	0.5	4.7	0.4	89	0.33	0.066	17
L15350E/14075N	Soil	2.9	16.0	17.6	57	0.8	14.0	11.6	621	4.19	31.2	2.9	3.0	20	0.3	1.3	0.4	110	0.21	0.038	12
L15350E/14100N	Soil	1.1	24.2	17.5	63	0.2	17.3	9.8	407	2.77	25.9	4.1	7.5	21	0.2	1.3	0.3	62	0.30	0.034	19
L15350E/14125N	Soil	0.6	23.5	15.1	58	0.1	25.0	11.8	509	3.36	70.5	36.2	10.5	18	0.2	1.9	0.2	64	0.23	0.045	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 2 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15350E/13400N	Soil			44	0.49	279	0.092	2	2.21	0.009	0.08	0.3	0.05	5.4	0.5	<0.05	9	0.6	<0.2
L15350E/13425N	Soil			35	0.29	148	0.107	2	1.25	0.013	0.06	0.2	0.02	2.2	0.5	<0.05	7	<0.5	<0.2
L15350E/13450N	Soil			40	0.50	330	0.075	2	1.58	0.010	0.11	0.4	0.17	3.9	0.5	<0.05	6	2.8	<0.2
L15350E/13475N	Soil			40	0.48	338	0.066	2	1.79	0.009	0.11	0.2	0.16	4.2	0.5	<0.05	7	3.3	<0.2
L15350E/13500N	Soil			41	0.54	381	0.079	3	2.03	0.008	0.14	0.3	0.15	4.8	0.6	<0.05	7	3.8	<0.2
L15350E/13525N	Soil			55	0.65	286	0.125	3	2.27	0.009	0.16	0.3	0.06	4.3	0.4	<0.05	7	1.2	<0.2
L15350E/13550N	Soil			54	0.76	312	0.122	2	2.19	0.010	0.15	0.3	0.05	4.6	0.3	<0.05	7	2.0	<0.2
L15350E/13575N	Soil			47	0.67	361	0.115	2	1.68	0.012	0.17	0.3	0.04	4.6	0.3	<0.05	7	1.8	<0.2
L15350E/13600N	Soil			50	0.65	396	0.099	2	1.94	0.011	0.14	0.2	0.07	4.6	0.3	<0.05	7	1.6	<0.2
L15350E/13625N	Soil			50	0.69	336	0.130	<1	1.85	0.011	0.19	0.2	0.04	4.4	0.3	<0.05	8	1.2	<0.2
L15350E/13650N	Soil			48	0.67	354	0.126	2	1.64	0.010	0.24	0.2	0.03	4.7	0.4	<0.05	8	0.7	<0.2
L15350E/13675N	Soil			58	0.78	434	0.120	2	2.01	0.012	0.20	0.2	0.09	5.2	0.7	<0.05	7	1.6	<0.2
L15350E/13700N	Soil			49	0.59	344	0.095	1	1.71	0.011	0.15	0.2	0.12	4.8	0.5	0.06	8	1.8	<0.2
L15350E/13725N	Soil			63	0.70	411	0.106	1	2.05	0.013	0.12	0.2	0.07	5.2	0.4	<0.05	7	3.5	<0.2
L15350E/13750N	Soil			69	0.88	376	0.121	<1	2.43	0.020	0.17	0.3	0.08	7.7	0.7	<0.05	7	3.7	<0.2
L15350E/13775N	Soil			82	0.99	305	0.153	2	2.35	0.022	0.21	0.3	0.05	8.1	0.6	<0.05	8	2.5	<0.2
L15350E/13800N	Soil			77	0.83	293	0.160	2	2.16	0.021	0.24	0.2	0.04	8.1	0.5	<0.05	8	0.6	<0.2
L15350E/13825N	Soil			58	0.62	199	0.158	2	2.43	0.014	0.15	0.1	0.03	5.7	0.2	<0.05	12	<0.5	<0.2
L15350E/13850N	Soil			98	1.07	440	0.185	2	3.12	0.020	0.23	0.2	0.02	8.3	0.3	<0.05	10	0.9	<0.2
L15350E/13875N	Soil			78	1.02	512	0.171	1	2.86	0.017	0.34	0.1	0.03	7.1	0.4	0.06	11	1.0	<0.2
L15350E/13900N	Soil			82	0.91	333	0.154	3	2.63	0.014	0.31	0.2	0.04	6.0	0.8	<0.05	9	1.2	<0.2
L15350E/13925N	Soil			59	0.68	253	0.116	2	2.30	0.015	0.18	0.1	0.05	4.9	0.4	<0.05	8	0.6	<0.2
L15350E/13950N	Soil			41	0.42	211	0.086	<1	1.99	0.015	0.10	0.1	0.04	3.6	0.2	<0.05	9	<0.5	<0.2
L15350E/13975N	Soil			48	0.75	200	0.152	1	2.30	0.009	0.17	0.2	0.03	5.4	0.2	<0.05	12	<0.5	<0.2
L15350E/14000N	Soil			88	1.16	429	0.261	<1	3.11	0.009	0.32	0.2	0.02	7.9	0.3	<0.05	11	<0.5	<0.2
L15350E/14025N	Soil			81	1.28	298	0.244	<1	2.54	0.012	0.43	0.2	0.04	8.0	0.6	<0.05	10	<0.5	<0.2
L15350E/14050N	Soil			52	0.66	159	0.119	2	2.33	0.009	0.12	0.2	0.04	5.8	1.0	<0.05	9	<0.5	<0.2
L15350E/14075N	Soil			35	0.38	177	0.089	<1	1.79	0.010	0.05	0.1	0.03	3.0	0.4	<0.05	10	<0.5	<0.2
L15350E/14100N	Soil			32	0.56	136	0.127	2	1.84	0.011	0.13	0.2	0.03	5.3	0.3	<0.05	9	<0.5	<0.2
L15350E/14125N	Soil			31	0.63	167	0.109	1	2.02	0.012	0.11	0.2	0.03	4.8	0.3	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 3 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000333.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L15350E/14150N	Soil	1.3	13.6	9.0	25	<0.1	7.1	2.9	69	1.51	10.2	7.7	1.6	9	0.1	0.9	0.3	54	0.06	0.015	6
L15350E/14175N	Soil	1.0	21.2	30.8	93	0.2	24.3	14.3	730	4.13	84.1	8.6	10.6	14	0.2	2.2	0.6	72	0.18	0.071	26
L15350E/14200N	Soil	0.7	22.1	21.8	91	0.2	25.4	15.2	484	3.58	43.3	6.6	11.6	18	0.1	2.0	0.5	64	0.26	0.048	28
L15350E/14225N	Soil	1.2	21.8	20.4	93	0.7	25.5	17.3	2988	3.15	54.9	9.9	12.2	42	0.5	1.6	0.4	55	0.91	0.085	61
L15350E/14250N	Soil	0.7	22.2	19.3	73	0.4	23.2	11.8	381	3.61	143.9	20.8	12.9	23	0.1	2.7	0.4	58	0.40	0.069	42
L15350E/14275N	Soil	2.0	24.5	32.3	122	0.3	23.9	13.9	1042	3.44	85.0	8.3	9.3	27	0.5	2.2	0.5	85	0.39	0.068	23
L15350E/14300N	Soil	1.5	31.2	33.0	135	0.2	34.7	16.0	818	4.33	109.2	16.6	12.8	20	0.4	2.5	0.5	88	0.25	0.058	23
L15350E/14325N	Soil	0.9	14.8	22.7	98	0.1	23.4	13.5	574	3.90	65.6	7.4	12.0	14	0.1	2.1	0.5	72	0.18	0.049	16
L15350E/14350N	Soil	1.1	15.0	17.5	71	0.3	14.7	8.9	462	2.48	84.8	25.7	5.8	30	0.2	1.3	0.4	53	0.50	0.067	23
L15350E/14375N	Soil	1.0	7.9	16.6	70	0.1	13.0	15.8	867	2.24	47.9	6.3	5.8	24	0.1	2.1	0.4	49	0.46	0.065	13
L15350E/14400N	Soil	0.7	12.1	13.5	68	0.3	16.0	7.8	321	2.27	27.1	3.4	6.6	34	0.2	0.6	0.3	48	0.58	0.042	29
L15450E/13550N	Soil	1.2	35.0	8.4	67	0.7	24.6	4.7	103	2.09	29.8	2.4	0.9	21	0.7	1.0	0.2	45	0.23	0.069	9
L15450E/13575N	Soil	2.3	19.2	8.2	67	0.4	17.9	4.0	115	1.73	23.7	2.4	1.6	15	0.4	0.8	0.2	56	0.16	0.046	9
L15450E/13600N	Soil	2.7	33.9	9.3	82	0.6	22.4	5.1	143	2.39	27.6	4.6	1.3	21	0.6	0.8	0.2	67	0.20	0.062	10
L15450E/13625N	Soil	2.6	47.9	8.8	87	0.7	26.7	5.9	154	2.47	30.6	5.1	1.1	23	0.7	0.9	0.2	67	0.21	0.068	10
L15450E/13650N	Soil	2.9	39.4	8.9	98	0.8	27.6	5.8	150	2.62	34.8	4.0	1.2	21	0.9	0.8	0.2	69	0.23	0.068	10
L15450E/13675N	Soil	1.8	30.3	9.8	91	0.7	27.4	5.5	142	2.60	32.6	4.6	1.4	24	0.8	0.7	0.2	65	0.30	0.070	10
L15450E/13700N	Soil	3.6	29.0	10.3	106	0.6	31.8	9.4	353	2.90	44.3	6.1	2.1	25	0.5	1.0	0.2	83	0.34	0.058	10
L15450E/13725N	Soil	2.7	27.0	9.7	96	0.4	26.5	9.9	268	3.17	36.7	3.5	2.7	20	0.4	1.0	0.2	90	0.25	0.059	10
L15450E/13750N	Soil	2.9	45.3	10.1	106	0.9	34.9	11.4	437	3.16	42.1	5.1	1.9	36	0.5	1.1	0.2	79	0.52	0.080	12
L15450E/13775N	Soil	2.4	29.6	8.7	109	0.4	30.3	12.8	464	3.05	23.7	2.2	2.5	28	0.3	0.8	0.1	91	0.43	0.071	10
L15450E/13800N	Soil	2.7	42.1	9.3	151	0.9	41.5	11.2	446	3.45	31.0	3.4	2.5	43	0.7	1.2	0.2	108	0.86	0.082	14
L15450E/13825N	Soil	2.8	46.7	10.7	205	1.1	52.3	16.5	853	3.45	27.0	4.8	2.6	44	0.9	1.0	0.3	99	0.82	0.065	13
L15450E/13850N	Soil	2.7	45.4	11.5	128	1.0	33.0	5.7	212	2.67	21.7	5.1	2.6	27	0.9	0.6	0.2	79	0.38	0.063	13
L15450E/13875N	Soil	4.5	43.2	12.3	161	0.9	37.2	8.3	314	3.05	28.1	3.6	3.3	26	1.1	1.1	0.2	94	0.36	0.077	14
L15450E/13900N	Soil	5.0	51.1	12.9	184	0.9	42.9	9.5	343	3.55	51.2	7.3	3.5	34	1.2	1.8	0.2	100	0.42	0.099	15
L15450E/13925N	Soil	8.3	59.8	15.6	175	1.1	58.2	28.1	1300	4.23	62.9	6.8	3.7	32	0.9	2.2	0.2	102	0.43	0.097	18
L15450E/13950N	Soil	5.6	182.5	16.3	212	1.6	81.3	15.1	522	4.26	57.5	10.5	3.8	30	1.7	2.4	0.3	87	0.41	0.124	21
L15450E/13975N	Soil	3.5	63.7	12.8	144	0.7	49.2	13.4	460	3.59	42.1	4.7	4.7	28	1.1	1.9	0.2	80	0.48	0.119	18
L15450E/14000N	Soil	2.4	54.1	8.8	99	0.4	35.5	11.0	318	3.11	29.5	4.8	3.1	26	0.6	1.1	0.1	73	0.41	0.089	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 3 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15350E/14150N	Soil	13	0.09	59	0.061	2	0.87	0.011	0.02	<0.1	0.03	1.6	<0.1	<0.05	6	<0.5	<0.2
L15350E/14175N	Soil	37	0.62	131	0.093	2	2.49	0.011	0.10	0.2	0.05	4.8	0.3	<0.05	8	0.5	<0.2
L15350E/14200N	Soil	34	0.71	136	0.127	<1	2.29	0.011	0.11	0.3	0.06	5.0	0.4	<0.05	9	<0.5	<0.2
L15350E/14225N	Soil	34	0.61	255	0.091	2	2.18	0.017	0.14	0.2	0.14	8.5	0.4	<0.05	8	0.5	<0.2
L15350E/14250N	Soil	38	0.69	171	0.095	<1	2.21	0.013	0.16	0.2	0.10	6.5	0.4	<0.05	8	0.5	<0.2
L15350E/14275N	Soil	43	0.68	203	0.116	1	2.07	0.012	0.17	0.2	0.04	5.7	0.3	<0.05	9	<0.5	<0.2
L15350E/14300N	Soil	49	0.81	210	0.113	2	2.81	0.011	0.19	0.2	0.03	6.8	0.3	<0.05	9	<0.5	<0.2
L15350E/14325N	Soil	54	0.98	96	0.149	<1	2.52	0.013	0.19	0.2	0.03	6.4	0.4	<0.05	10	<0.5	<0.2
L15350E/14350N	Soil	33	0.53	114	0.085	<1	1.52	0.014	0.12	0.1	0.07	4.7	0.2	<0.05	7	<0.5	<0.2
L15350E/14375N	Soil	35	0.59	101	0.097	2	1.43	0.013	0.15	0.3	0.03	4.5	0.3	<0.05	7	<0.5	<0.2
L15350E/14400N	Soil	28	0.56	139	0.092	1	1.62	0.017	0.09	0.2	0.05	5.1	0.2	<0.05	6	<0.5	<0.2
L15450E/13550N	Soil	36	0.43	282	0.062	2	1.56	0.009	0.09	0.2	0.10	4.0	0.4	0.05	5	1.2	<0.2
L15450E/13575N	Soil	30	0.45	228	0.070	<1	1.26	0.007	0.09	0.4	0.03	2.9	0.2	<0.05	5	<0.5	<0.2
L15450E/13600N	Soil	39	0.54	359	0.075	1	1.66	0.009	0.11	0.2	0.07	4.0	0.3	<0.05	6	1.0	<0.2
L15450E/13625N	Soil	40	0.55	337	0.070	<1	1.72	0.009	0.10	0.2	0.08	4.4	0.3	<0.05	6	0.9	<0.2
L15450E/13650N	Soil	43	0.58	260	0.074	1	1.78	0.010	0.12	0.2	0.11	4.3	0.6	<0.05	6	2.0	<0.2
L15450E/13675N	Soil	48	0.55	231	0.081	1	1.73	0.010	0.10	0.1	0.09	4.7	0.5	<0.05	7	1.6	<0.2
L15450E/13700N	Soil	55	0.68	210	0.099	1	2.01	0.013	0.10	0.2	0.07	5.7	0.5	<0.05	7	1.8	<0.2
L15450E/13725N	Soil	65	0.74	219	0.118	1	2.21	0.017	0.11	0.3	0.05	6.1	0.4	<0.05	7	0.7	<0.2
L15450E/13750N	Soil	66	0.71	301	0.094	1	2.56	0.017	0.13	0.2	0.10	8.0	0.4	<0.05	7	1.7	<0.2
L15450E/13775N	Soil	68	0.88	255	0.136	<1	2.24	0.021	0.20	0.2	0.04	6.6	0.4	<0.05	7	<0.5	<0.2
L15450E/13800N	Soil	79	1.04	398	0.148	2	2.57	0.024	0.38	0.2	0.06	9.1	0.5	0.08	8	6.4	<0.2
L15450E/13825N	Soil	77	1.02	484	0.132	1	2.72	0.017	0.33	0.2	0.06	9.0	0.5	0.08	9	5.9	<0.2
L15450E/13850N	Soil	63	0.81	368	0.112	<1	2.07	0.010	0.24	0.3	0.07	5.8	0.4	0.05	7	2.9	<0.2
L15450E/13875N	Soil	66	0.86	400	0.126	<1	2.12	0.012	0.32	0.3	0.08	6.5	0.5	<0.05	7	2.7	<0.2
L15450E/13900N	Soil	67	0.85	918	0.119	1	2.21	0.014	0.28	0.5	0.11	7.1	0.5	0.06	7	3.8	<0.2
L15450E/13925N	Soil	69	0.98	615	0.127	1	2.65	0.014	0.35	0.2	0.16	8.7	0.7	0.08	8	6.0	<0.2
L15450E/13950N	Soil	65	0.88	661	0.101	2	3.05	0.011	0.35	0.2	0.23	9.1	0.6	0.09	8	8.4	<0.2
L15450E/13975N	Soil	60	0.89	348	0.135	<1	2.29	0.012	0.44	0.2	0.10	7.2	0.5	0.06	7	1.5	<0.2
L15450E/14000N	Soil	46	0.76	334	0.115	<1	1.97	0.012	0.19	0.2	0.07	6.1	0.3	<0.05	6	0.8	<0.2





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 4 of 9

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15450E/14025N	Soil		3.8	65.7	11.6	86	1.8	38.3	6.4	127	2.30	40.0	5.2	0.8	33	0.7	1.0	0.2	54	0.39	0.082	11
L15450E/14050N	Soil		6.1	65.5	18.9	198	0.8	46.7	13.7	408	3.49	56.6	4.5	2.2	29	5.7	1.5	0.2	97	0.44	0.149	12
L15450E/14075N	Soil		8.2	125.4	13.6	245	0.5	61.4	16.3	379	4.21	41.0	4.9	3.1	27	1.6	1.5	0.1	99	0.47	0.188	14
L15450E/14100N	Soil		6.0	24.2	12.7	61	0.7	16.6	6.1	201	2.78	36.3	5.1	2.0	26	0.5	1.0	0.2	86	0.35	0.044	9
L15450E/14125N	Soil		5.9	30.2	16.5	105	0.5	23.9	7.5	261	3.83	80.5	3.3	2.7	18	1.0	2.0	0.2	118	0.14	0.064	9
L15450E/14150N	Soil		2.0	30.3	11.5	77	2.2	35.8	13.1	315	3.30	53.3	6.3	3.6	15	1.3	1.3	0.1	83	0.14	0.038	8
L15450E/14175N	Soil		3.0	27.4	22.9	121	1.4	27.7	12.9	393	4.24	40.6	1.9	2.6	18	1.0	1.4	0.2	106	0.15	0.054	9
L15450E/14200N	Soil		6.7	39.9	96.9	138	1.3	24.3	6.8	216	3.31	140.7	36.1	4.0	24	0.7	5.0	0.3	97	0.21	0.067	16
L15450E/14225N	Soil		1.9	17.9	14.3	57	0.2	19.8	6.1	197	2.72	16.4	0.9	4.9	11	0.3	0.6	0.3	84	0.09	0.023	14
L15450E/14250N	Soil		1.5	22.0	45.0	126	<0.1	21.4	11.8	631	5.06	121.5	1.5	11.0	9	0.4	1.9	0.8	65	0.13	0.059	13
L15450E/14275N	Soil		1.0	22.7	25.0	89	0.1	23.8	12.8	488	3.71	69.9	6.4	8.8	17	0.2	1.4	0.5	70	0.25	0.049	18
L15450E/14300N	Soil		1.9	21.0	22.3	99	0.3	22.3	10.1	406	3.55	58.8	15.4	6.5	17	0.4	1.5	0.4	76	0.20	0.045	13
L15450E/14325N	Soil		1.8	23.6	26.0	121	<0.1	32.2	13.0	382	4.32	55.4	3.3	7.3	13	0.6	1.3	0.5	77	0.16	0.041	14
L15450E/14350N	Soil		1.5	18.6	25.0	79	0.4	21.4	9.4	330	3.55	49.4	3.0	6.3	18	0.2	2.4	0.5	66	0.15	0.040	12
L15450E/14375N	Soil		1.3	20.3	19.3	93	0.2	21.5	11.5	492	2.84	35.6	6.0	7.8	29	0.3	1.0	0.3	57	0.43	0.069	31
L15450E/14400N	Soil		1.5	18.0	19.3	120	0.4	21.0	10.2	448	2.57	27.4	3.1	7.8	36	0.3	0.9	0.4	56	0.57	0.071	25
L15450E/14425N	Soil		1.7	13.8	18.3	92	0.3	18.4	11.5	529	2.48	23.1	4.1	4.8	28	0.3	0.8	0.4	59	0.43	0.061	15
L15450E/14450N	Soil		1.4	12.2	14.5	101	0.3	19.2	9.3	483	2.36	14.0	4.1	7.0	30	0.2	0.6	0.4	45	0.49	0.059	23
L15550E/13650N	Soil		3.3	30.1	10.8	127	0.7	31.5	16.4	645	3.05	26.4	2.8	1.9	35	0.4	0.8	0.2	98	0.57	0.064	10
L15550E/13675N	Soil		1.7	32.6	10.1	127	0.9	30.8	9.8	345	2.71	20.9	7.1	1.9	30	0.4	0.6	0.2	75	0.48	0.067	12
L15550E/13700N	Soil		2.2	31.0	11.0	108	0.6	26.1	6.1	177	2.55	24.8	3.6	1.8	25	0.7	0.6	0.2	64	0.31	0.069	11
L15550E/13725N	Soil		2.8	31.2	12.3	105	0.6	27.8	7.9	266	2.95	34.4	3.4	1.8	21	0.7	0.9	0.2	76	0.30	0.069	11
L15550E/13750N	Soil		3.3	25.6	15.4	94	0.6	25.0	5.0	141	1.99	28.0	3.4	1.5	22	0.8	0.7	0.2	57	0.30	0.073	10
L15550E/13800N	Soil		3.1	36.8	16.2	127	0.8	36.8	5.9	141	2.44	29.7	4.7	1.6	26	1.5	0.8	0.2	64	0.36	0.071	10
L15550E/13825N	Soil		3.1	35.6	16.0	90	0.9	29.8	4.5	121	2.02	20.5	3.8	1.1	28	1.2	0.8	0.2	54	0.37	0.069	10
L15550E/13850N	Soil		4.7	36.5	19.8	86	1.0	27.3	5.8	157	2.65	30.9	5.0	1.5	28	0.8	1.0	0.2	70	0.34	0.066	10
L15550E/13875N	Soil		5.3	44.4	20.0	115	1.0	31.9	10.9	356	3.55	39.6	8.6	2.7	28	0.6	1.2	0.2	88	0.33	0.080	12
L15550E/13900N	Soil		4.4	39.8	12.0	83	0.9	26.6	6.0	184	2.57	24.7	4.9	1.2	30	0.9	0.8	0.2	66	0.38	0.071	10
L15550E/13925N	Soil		5.6	51.9	11.5	119	0.7	34.5	10.2	343	3.78	37.1	5.5	2.7	30	0.6	1.2	0.2	86	0.39	0.091	13
L15550E/13950N	Soil		7.2	51.1	10.6	108	0.8	34.0	9.8	332	3.48	36.9	7.3	2.2	30	0.5	1.1	0.2	81	0.43	0.096	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 4 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15450E/14025N	Soil			37	0.48	384	0.054	<1	1.73	0.012	0.08	0.1	0.20	4.7	0.3	0.06	5	2.5	<0.2
L15450E/14050N	Soil			59	0.97	356	0.138	<1	2.09	0.013	0.42	0.2	0.07	5.6	0.4	0.07	7	2.0	<0.2
L15450E/14075N	Soil			61	1.14	365	0.191	1	2.67	0.013	0.40	0.2	0.05	6.9	0.5	0.05	8	1.7	<0.2
L15450E/14100N	Soil			29	0.40	178	0.086	1	1.74	0.008	0.07	0.2	0.03	3.6	0.2	<0.05	8	<0.5	<0.2
L15450E/14125N	Soil			37	0.49	155	0.100	<1	1.76	0.009	0.09	0.3	0.04	3.6	0.3	<0.05	8	0.5	<0.2
L15450E/14150N	Soil			44	0.65	141	0.091	<1	2.93	0.010	0.06	0.2	0.09	4.8	0.2	<0.05	6	<0.5	<0.2
L15450E/14175N	Soil			49	0.60	148	0.093	<1	2.65	0.010	0.07	0.3	0.04	4.9	0.3	<0.05	9	<0.5	<0.2
L15450E/14200N	Soil			45	0.55	228	0.091	<1	1.56	0.011	0.18	0.5	0.03	5.1	0.4	0.07	5	0.5	0.2
L15450E/14225N	Soil			35	0.48	99	0.161	<1	1.34	0.008	0.20	0.2	0.02	3.1	0.2	<0.05	9	<0.5	<0.2
L15450E/14250N	Soil			32	0.65	75	0.101	<1	2.32	0.006	0.22	0.3	0.02	6.0	0.4	<0.05	11	<0.5	<0.2
L15450E/14275N	Soil			32	0.77	109	0.136	1	2.04	0.011	0.21	0.5	0.01	5.3	0.4	<0.05	8	<0.5	<0.2
L15450E/14300N	Soil			33	0.60	108	0.121	<1	1.97	0.009	0.17	0.3	0.03	4.4	0.3	<0.05	9	<0.5	<0.2
L15450E/14325N	Soil			40	0.66	135	0.100	2	2.76	0.008	0.11	0.2	0.02	4.9	0.3	<0.05	9	<0.5	<0.2
L15450E/14350N	Soil			27	0.51	120	0.074	2	1.82	0.009	0.10	0.3	0.03	3.9	0.3	<0.05	8	<0.5	<0.2
L15450E/14375N	Soil			30	0.58	145	0.097	2	1.63	0.015	0.15	0.2	0.03	5.1	0.3	<0.05	6	<0.5	<0.2
L15450E/14400N	Soil			33	0.63	176	0.091	3	1.86	0.012	0.12	0.3	0.07	5.5	0.3	<0.05	7	0.7	<0.2
L15450E/14425N	Soil			30	0.54	129	0.075	3	1.68	0.013	0.07	0.2	0.05	4.5	0.2	<0.05	7	0.7	<0.2
L15450E/14450N	Soil			30	0.59	143	0.091	3	1.60	0.013	0.10	0.4	0.06	5.1	0.2	<0.05	6	<0.5	<0.2
L15550E/13650N	Soil			69	0.86	344	0.134	4	2.33	0.016	0.19	0.3	0.05	6.6	0.4	0.05	8	1.8	<0.2
L15550E/13675N	Soil			64	0.83	307	0.120	2	2.22	0.014	0.17	0.2	0.06	6.5	0.4	0.06	8	3.3	<0.2
L15550E/13700N	Soil			52	0.68	396	0.111	2	1.80	0.010	0.17	0.2	0.08	4.8	0.3	<0.05	7	2.0	<0.2
L15550E/13725N	Soil			50	0.71	296	0.112	2	1.94	0.010	0.15	0.2	0.11	5.0	0.4	<0.05	7	1.7	<0.2
L15550E/13750N	Soil			37	0.57	198	0.094	3	1.61	0.010	0.11	0.2	0.08	3.8	0.2	<0.05	6	2.9	<0.2
L15550E/13800N	Soil			43	0.63	239	0.098	3	1.85	0.011	0.12	0.2	0.09	4.9	0.3	<0.05	6	5.4	<0.2
L15550E/13825N	Soil			39	0.53	209	0.083	3	1.67	0.010	0.09	0.2	0.10	4.1	0.2	<0.05	6	4.5	<0.2
L15550E/13850N	Soil			47	0.61	241	0.097	3	1.89	0.011	0.12	0.3	0.09	4.8	0.2	0.05	6	2.0	<0.2
L15550E/13875N	Soil			58	0.79	290	0.120	2	2.25	0.012	0.20	0.3	0.08	6.1	0.3	<0.05	7	1.7	<0.2
L15550E/13900N	Soil			52	0.68	268	0.102	1	2.07	0.012	0.19	0.3	0.11	5.6	0.3	0.08	7	1.6	<0.2
L15550E/13925N	Soil			64	0.96	350	0.142	2	2.59	0.015	0.32	0.2	0.06	6.6	0.3	0.06	9	2.0	<0.2
L15550E/13950N	Soil			61	0.88	330	0.134	<1	2.48	0.013	0.30	0.2	0.08	6.5	0.3	0.08	8	2.4	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 5 of 9

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15550E/13975N	Soil		6.2	68.1	11.3	92	1.1	41.8	13.7	4.46	25.7	4.9	2.4	24	0.7	1.0	0.4	101	0.22	0.064	10	
L15550E/14000N	Soil		3.2	56.2	10.2	117	0.3	41.2	12.9	4.47	27.0	14.1	2.7	27	0.8	1.5	0.3	113	0.29	0.078	11	
L15550E/14025N	Soil		4.0	75.0	12.6	102	0.9	50.3	16.6	4.99	30.9	4.8	2.8	34	0.9	1.0	0.5	113	0.34	0.065	12	
L15550E/14050N	Soil		2.6	54.7	9.4	104	0.3	43.9	15.6	5.22	25.9	3.8	2.5	27	0.6	1.4	0.4	112	0.25	0.070	10	
L15550E/14075N	Soil		2.8	61.7	11.0	88	1.0	34.8	14.1	4.94	18.2	4.8	1.8	28	1.9	0.8	0.4	82	0.28	0.072	10	
L15550E/14100N	Soil		1.9	53.6	9.3	93	0.4	40.2	16.0	5.30	20.9	3.4	2.9	24	0.5	1.1	0.3	94	0.27	0.073	11	
L15550E/14125N	Soil		3.7	69.7	7.8	105	0.5	45.5	17.4	5.44	18.9	4.4	2.2	24	0.2	0.8	0.3	104	0.34	0.128	11	
L15550E/14150N	Soil		3.1	62.2	9.2	88	0.4	37.7	12.9	4.38	19.6	4.4	2.4	25	0.3	0.9	0.2	102	0.24	0.063	11	
L15550E/14175N	Soil		2.2	61.5	9.6	80	0.5	40.4	13.4	4.37	22.7	4.2	2.2	26	0.3	0.8	0.2	86	0.26	0.073	11	
L15550E/14200N	Soil		4.1	16.7	13.6	55	0.2	15.6	7.0	4.38	93.9	6.3	2.3	15	0.6	1.0	0.3	123	0.15	0.064	8	
L15550E/14225N	Soil		3.3	42.3	14.9	124	0.5	44.6	13.3	3.62	251.0	6.0	3.5	26	0.7	2.4	0.2	92	0.14	0.052	11	
L15550E/14250N	Soil		4.7	50.6	12.1	114	0.6	28.6	9.1	3.25	32.1	5.5	2.6	25	0.7	1.0	0.2	87	0.29	0.077	13	
L15550E/14275N	Soil		3.3	17.6	12.3	70	<0.1	20.1	9.5	3.32	16.7	2.6	2.6	13	1.0	0.9	0.2	98	0.11	0.035	9	
L15550E/14300N	Soil		2.9	25.9	24.8	164	0.3	34.4	10.1	3.64	30.0	8.7	6.9	20	0.9	1.5	0.7	86	0.22	0.055	18	
L15550E/14325N	Soil		2.1	32.9	26.6	168	0.5	34.8	10.9	4.88	61.3	15.3	6.9	22	0.6	3.1	0.4	61	0.24	0.056	27	
L15550E/14350N	Soil		2.5	19.2	25.1	113	0.2	25.6	8.6	2.98	79.1	27.0	4.9	14	0.3	3.0	0.4	72	0.13	0.034	11	
L15550E/14375N	Soil		2.2	27.3	23.5	138	0.4	36.2	15.5	3.66	49.8	12.3	11.9	24	0.4	2.0	0.4	76	0.29	0.058	24	
L15550E/14400N	Soil		1.6	16.6	11.5	55	0.2	11.6	4.9	2.60	1.92	19.3	3.5	2.1	12	0.3	0.8	0.2	47	0.11	0.035	13
L15550E/14425N	Soil		1.6	23.4	19.0	130	0.2	28.4	15.3	2.79	50.6	3.7	8.7	21	0.5	0.9	0.4	78	0.29	0.071	20	
L15600E/13700N	Soil		6.3	35.8	11.0	123	0.9	35.7	11.3	4.43	3.30	24.5	5.3	2.2	29	0.4	1.0	0.3	94	0.52	0.056	12
L15600E/13725N	Soil		6.4	42.3	11.0	140	0.8	39.5	12.2	4.23	3.41	24.3	4.7	2.5	31	0.6	1.1	0.3	104	0.52	0.068	13
L15600E/13750N	Soil		7.3	39.4	9.8	135	0.7	40.2	13.8	5.22	3.26	17.9	3.5	2.4	33	0.4	0.9	0.3	102	0.71	0.065	12
L15600E/13775N	Soil		6.7	40.7	10.0	143	0.6	40.0	15.7	5.35	3.32	14.0	6.7	2.5	36	0.6	0.7	0.3	104	0.83	0.054	12
L15600E/13800N	Soil		6.4	44.3	8.9	140	0.6	44.9	14.5	4.72	3.13	12.3	3.0	2.2	42	0.6	0.7	0.3	95	1.09	0.059	12
L15600E/13825N	Soil		5.9	54.4	9.9	146	0.7	47.3	16.0	6.00	3.34	14.6	5.5	2.9	41	0.7	0.7	0.3	100	1.08	0.070	14
L15600E/13850N	Soil		5.9	54.5	9.8	160	0.8	53.9	15.2	4.91	3.29	14.7	4.1	2.8	40	0.6	0.7	0.3	106	0.95	0.068	14
L15600E/13875N	Soil		5.9	57.3	10.7	160	0.9	51.9	12.8	3.93	3.78	16.5	4.6	2.8	41	0.7	0.6	0.2	110	1.02	0.059	13
L15600E/13900N	Soil		5.3	53.3	10.4	148	0.8	51.8	10.5	3.15	3.54	18.5	4.3	2.7	38	0.4	0.7	0.2	113	0.91	0.054	12
L15600E/13925N	Soil		4.7	57.5	11.4	167	0.8	58.5	11.4	3.38	3.27	15.4	5.5	2.9	39	0.5	0.8	0.2	117	0.85	0.053	12
L15600E/13950N	Soil		4.0	59.8	10.6	156	0.7	59.2	10.8	3.07	3.17	11.2	3.5	2.7	38	0.8	0.7	0.2	104	0.59	0.075	12



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 5 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
L15550E/13975N	Soil	58	0.81	339	0.155	2	3.32	0.013	0.24	0.2	0.05	6.0	0.2	<0.05	11	1.2	<0.2
L15550E/14000N	Soil	71	1.11	391	0.196	2	2.98	0.013	0.41	0.3	0.03	6.7	0.3	<0.05	10	0.8	<0.2
L15550E/14025N	Soil	70	1.00	484	0.182	3	3.63	0.011	0.33	0.2	0.07	7.0	0.2	<0.05	12	1.6	<0.2
L15550E/14050N	Soil	77	1.27	412	0.234	3	3.15	0.012	0.46	0.2	0.02	6.6	0.2	0.07	11	0.7	<0.2
L15550E/14075N	Soil	40	0.53	329	0.126	1	2.16	0.015	0.18	<0.1	0.03	4.1	0.2	<0.05	9	<0.5	<0.2
L15550E/14100N	Soil	61	1.07	392	0.206	3	2.88	0.012	0.39	0.2	0.03	6.4	0.3	<0.05	10	0.7	<0.2
L15550E/14125N	Soil	81	1.65	555	0.326	2	3.25	0.014	1.02	0.1	0.02	7.5	0.3	0.11	11	2.3	<0.2
L15550E/14150N	Soil	76	1.24	454	0.238	1	2.93	0.015	0.50	0.2	0.02	6.7	0.3	0.10	10	1.7	<0.2
L15550E/14175N	Soil	63	0.84	334	0.158	2	2.95	0.014	0.25	0.2	0.05	6.1	0.2	0.05	9	0.7	<0.2
L15550E/14200N	Soil	33	0.36	161	0.122	1	1.61	0.006	0.05	0.2	0.02	2.9	0.3	<0.05	11	<0.5	<0.2
L15550E/14225N	Soil	51	0.55	235	0.082	2	3.53	0.012	0.09	0.2	0.16	5.0	0.6	<0.05	6	1.5	<0.2
L15550E/14250N	Soil	49	0.77	346	0.104	2	2.38	0.012	0.15	0.2	0.11	7.0	0.3	<0.05	7	1.1	<0.2
L15550E/14275N	Soil	33	0.38	138	0.089	1	2.00	0.008	0.06	0.2	0.03	3.6	0.1	<0.05	9	<0.5	<0.2
L15550E/14300N	Soil	34	0.66	140	0.143	1	2.00	0.009	0.15	1.1	0.02	4.5	0.4	<0.05	10	<0.5	<0.2
L15550E/14325N	Soil	31	0.55	148	0.081	3	1.83	0.010	0.13	0.4	0.05	4.6	0.3	<0.05	7	0.5	<0.2
L15550E/14350N	Soil	29	0.42	107	0.085	2	1.80	0.009	0.08	0.3	0.04	3.5	0.3	<0.05	8	<0.5	<0.2
L15550E/14375N	Soil	40	0.68	209	0.107	<1	2.46	0.012	0.14	0.3	0.04	5.9	0.3	<0.05	7	0.5	<0.2
L15550E/14400N	Soil	19	0.22	79	0.058	<1	1.12	0.010	0.05	0.1	0.03	2.2	0.1	<0.05	5	<0.5	<0.2
L15550E/14425N	Soil	38	0.66	127	0.127	3	2.10	0.016	0.15	0.3	0.03	5.1	0.3	<0.05	7	1.0	<0.2
L15600E/13700N	Soil	66	0.89	404	0.160	2	2.39	0.015	0.20	0.2	0.07	6.7	0.3	0.09	8	2.9	<0.2
L15600E/13725N	Soil	72	0.98	452	0.171	3	2.58	0.017	0.24	0.3	0.07	7.2	0.3	0.07	9	3.2	<0.2
L15600E/13750N	Soil	69	0.95	412	0.164	3	2.44	0.018	0.24	0.3	0.06	6.9	0.3	0.09	8	3.1	<0.2
L15600E/13775N	Soil	67	0.98	404	0.171	2	2.44	0.020	0.24	0.3	0.05	7.1	0.3	0.07	9	3.3	<0.2
L15600E/13800N	Soil	67	0.98	455	0.165	3	2.42	0.020	0.25	0.3	0.06	7.5	0.3	0.14	8	4.0	<0.2
L15600E/13825N	Soil	65	0.97	486	0.159	3	2.47	0.021	0.31	0.2	0.06	7.9	0.3	0.11	8	3.9	<0.2
L15600E/13850N	Soil	67	1.01	473	0.166	2	2.59	0.022	0.31	0.3	0.05	8.0	0.3	0.10	9	4.7	<0.2
L15600E/13875N	Soil	69	1.04	441	0.163	2	2.78	0.021	0.28	0.4	0.07	8.3	0.3	0.12	9	3.7	<0.2
L15600E/13900N	Soil	69	1.04	395	0.162	2	2.79	0.021	0.26	0.5	0.07	8.1	0.3	0.14	9	3.1	<0.2
L15600E/13925N	Soil	75	1.09	395	0.174	2	2.97	0.025	0.31	0.5	0.06	8.8	0.3	0.13	9	3.4	<0.2
L15600E/13950N	Soil	71	1.01	449	0.164	<1	2.76	0.027	0.32	0.4	0.05	8.3	0.3	0.07	8	2.9	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 6 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15600E/13975N	Soil	5.3	70.4	14.7	178	0.6	59.9	17.4	555	3.69	17.1	6.6	3.8	32	0.8	1.0	0.2	130	0.37	0.072	14
L15600E/14000N	Soil	5.4	107.4	13.5	98	2.1	62.2	15.3	343	3.36	14.3	6.7	2.4	28	1.7	0.4	0.3	97	0.28	0.049	15
L15600E/14025N	Soil	5.5	76.3	10.2	86	1.1	43.1	17.2	984	2.70	7.8	4.9	2.4	33	0.9	0.4	0.2	84	0.38	0.037	15
L15600E/14050N	Soil	3.5	52.3	9.5	109	0.3	46.2	12.4	410	3.70	14.6	4.7	2.8	26	0.8	0.4	0.2	148	0.28	0.062	12
L15600E/14075N	Soil	3.3	46.8	11.2	106	0.4	45.2	13.3	430	4.36	17.8	14.2	3.2	29	0.5	0.5	0.2	129	0.29	0.055	11
L15600E/14100N	Soil	2.8	38.6	11.6	78	0.5	31.6	10.6	311	3.70	15.3	4.9	2.4	20	0.3	0.6	0.3	120	0.18	0.036	10
L15600E/14125N	Soil	2.0	53.3	12.7	158	0.9	33.8	20.1	1988	3.27	10.1	3.5	1.9	25	1.6	0.5	0.2	88	0.24	0.065	11
L15600E/14150N	Soil	1.7	60.3	9.9	96	0.3	40.0	15.0	446	5.30	35.2	6.3	2.4	23	0.3	0.8	0.3	123	0.31	0.062	11
L15600E/14175N	Soil	1.7	90.0	7.1	110	0.3	51.0	21.6	560	5.95	29.3	8.2	2.4	22	0.3	0.6	0.6	117	0.36	0.128	12
L15600E/14200N	Soil	1.6	41.5	8.6	82	0.2	25.5	12.9	519	4.80	16.0	3.9	2.4	27	0.4	0.7	0.2	101	0.35	0.130	12
L15600E/14225N	Soil	3.0	50.5	10.6	92	0.5	42.6	14.9	323	4.08	38.3	5.9	4.2	19	0.8	1.3	0.2	99	0.17	0.035	10
L15600E/14250N	Soil	8.1	46.5	14.0	91	0.5	33.7	14.0	473	3.97	61.3	6.6	3.4	26	0.6	1.3	0.2	97	0.31	0.082	13
L15600E/14275N	Soil	4.3	31.9	11.6	111	0.4	30.6	10.5	470	3.71	39.6	4.2	2.2	23	1.2	0.9	0.2	118	0.26	0.073	11
L15600E/14300N	Soil	5.8	30.5	14.6	102	0.3	25.3	8.6	297	3.32	45.4	3.7	1.7	24	0.6	1.4	0.3	97	0.24	0.069	12
L15600E/14325N	Soil	5.0	49.1	14.7	189	0.3	38.4	16.2	662	3.85	42.5	8.8	5.7	29	1.2	1.6	0.2	103	0.32	0.081	17
L15600E/14350N	Soil	3.6	22.2	24.2	129	0.1	24.3	9.6	520	3.06	40.7	6.2	4.2	17	0.8	1.5	0.4	92	0.16	0.046	13
L15600E/14375N	Soil	6.2	50.8	28.2	132	0.8	32.6	17.8	826	4.37	159.2	10.8	5.7	20	1.2	1.9	0.4	84	0.15	0.102	41
L15600E/14400N	Soil	2.1	25.5	26.0	152	0.2	32.0	13.9	1058	3.75	92.6	21.4	16.0	22	0.5	2.8	0.4	69	0.33	0.072	44
L15600E/14425N	Soil	3.0	21.2	16.9	122	0.2	24.4	11.1	491	3.19	40.0	10.2	5.7	17	0.5	1.2	0.4	73	0.22	0.049	14
L15600E/14450N	Soil	2.1	30.6	18.2	99	0.3	26.4	12.4	491	3.28	29.3	7.1	13.2	30	0.2	1.1	0.3	73	0.48	0.077	58
L15650E/13750N	Soil	4.4	41.1	11.6	110	0.8	37.9	13.5	466	3.37	27.3	5.7	2.6	34	0.6	1.9	0.4	100	0.41	0.076	13
L15650E/13775N	Soil	2.7	37.2	9.5	97	0.8	37.2	10.4	332	3.04	15.5	4.6	2.3	37	0.7	1.1	0.3	83	0.44	0.074	14
L15650E/13800N	Soil	3.8	39.8	10.2	102	0.8	36.1	10.0	332	3.29	18.4	4.7	2.8	32	0.3	1.1	0.4	100	0.40	0.067	13
L15650E/13825N	Soil	4.2	39.4	11.3	91	0.6	35.3	14.3	450	3.03	19.9	4.2	2.8	30	0.4	1.1	0.4	98	0.38	0.053	12
L15650E/13850N	Soil	4.0	50.2	9.3	102	0.8	42.8	12.2	334	3.32	19.8	3.7	2.7	36	0.4	1.2	0.4	108	0.51	0.072	13
L15650E/13875N	Soil	4.3	55.3	9.9	111	0.8	45.3	15.6	516	3.23	26.9	6.9	2.9	34	0.5	1.2	0.4	114	0.48	0.082	13
L15650E/13900N	Soil	4.3	66.9	10.4	118	0.8	50.1	16.0	491	3.67	26.6	4.3	3.3	34	0.5	1.8	0.4	128	0.54	0.085	15
L15650E/13925N	Soil	6.1	72.5	11.6	125	1.2	62.4	14.8	436	3.89	31.6	6.7	2.7	46	0.8	1.7	0.4	113	0.80	0.084	15
L15650E/13950N	Soil	4.7	71.5	10.6	132	0.8	59.4	16.4	535	3.74	38.3	8.7	3.6	34	0.6	1.9	0.4	111	0.54	0.090	16
L15650E/13975N	Soil	4.7	56.4	12.9	108	0.4	44.4	15.3	496	4.03	21.5	3.6	3.7	28	0.4	1.6	0.3	126	0.33	0.069	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 6 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L15600E/13975N	Soil	78	1.08	425	0.187	2	2.56	0.021	0.39	0.7	0.03	8.9	0.4	0.06	9	1.5	<0.2
L15600E/14000N	Soil	55	0.61	390	0.132	2	2.94	0.018	0.17	0.5	0.06	6.8	0.2	<0.05	11	1.9	<0.2
L15600E/14025N	Soil	48	0.62	284	0.147	<1	2.06	0.018	0.22	0.3	0.03	5.7	0.2	<0.05	8	0.9	<0.2
L15600E/14050N	Soil	80	1.13	359	0.203	<1	2.65	0.018	0.32	0.9	0.03	7.9	0.3	0.06	9	1.7	<0.2
L15600E/14075N	Soil	75	1.09	300	0.216	1	2.73	0.016	0.33	0.9	0.04	7.1	0.3	<0.05	10	0.9	0.3
L15600E/14100N	Soil	62	0.83	238	0.235	<1	2.18	0.015	0.29	1.1	0.03	5.7	0.3	0.05	11	0.6	<0.2
L15600E/14125N	Soil	45	0.58	337	0.131	2	1.99	0.020	0.17	0.4	0.04	4.5	0.2	<0.05	8	0.7	<0.2
L15600E/14150N	Soil	65	1.23	395	0.272	1	3.17	0.011	0.37	0.1	0.03	6.2	0.3	<0.05	12	0.8	<0.2
L15600E/14175N	Soil	69	1.57	504	0.331	<1	3.36	0.013	0.81	0.1	0.03	7.4	0.3	0.07	12	0.9	<0.2
L15600E/14200N	Soil	50	1.24	365	0.291	2	3.02	0.015	0.51	<0.1	0.02	6.2	0.2	0.15	11	0.8	<0.2
L15600E/14225N	Soil	53	0.73	272	0.122	2	3.33	0.011	0.09	0.2	0.08	6.1	0.3	<0.05	8	1.5	<0.2
L15600E/14250N	Soil	50	0.73	263	0.105	2	2.84	0.012	0.10	0.2	0.18	5.9	0.4	<0.05	7	1.8	<0.2
L15600E/14275N	Soil	41	0.50	147	0.107	2	2.13	0.011	0.07	0.2	0.07	3.9	0.2	<0.05	7	1.9	<0.2
L15600E/14300N	Soil	39	0.54	153	0.082	2	1.90	0.011	0.08	0.2	0.07	3.8	0.3	<0.05	7	1.7	<0.2
L15600E/14325N	Soil	51	0.79	264	0.121	2	2.57	0.013	0.16	0.2	0.05	6.4	0.4	<0.05	8	1.8	<0.2
L15600E/14350N	Soil	32	0.43	129	0.115	<1	1.69	0.009	0.10	0.2	0.03	3.6	0.3	<0.05	9	0.8	<0.2
L15600E/14375N	Soil	40	0.38	185	0.061	2	2.89	0.011	0.08	0.2	0.10	5.7	0.4	<0.05	9	1.5	<0.2
L15600E/14400N	Soil	32	0.56	162	0.086	<1	1.80	0.012	0.16	0.3	0.07	7.4	0.5	<0.05	6	0.9	<0.2
L15600E/14425N	Soil	31	0.52	119	0.107	1	1.89	0.012	0.10	0.4	0.03	4.2	0.2	<0.05	7	0.7	<0.2
L15600E/14450N	Soil	37	0.66	167	0.113	1	1.98	0.021	0.14	0.4	0.08	6.9	0.4	<0.05	6	0.7	<0.2
L15650E/13750N	Soil	59	0.92	406	0.159	2	2.49	0.016	0.29	0.3	0.07	6.7	0.5	0.05	8	1.4	<0.2
L15650E/13775N	Soil	56	0.85	515	0.150	1	2.52	0.016	0.26	0.3	0.09	6.8	0.3	0.07	8	1.7	<0.2
L15650E/13800N	Soil	60	0.96	420	0.177	2	2.77	0.016	0.33	0.3	0.08	7.0	0.3	<0.05	9	1.5	<0.2
L15650E/13825N	Soil	56	0.83	358	0.174	2	2.47	0.017	0.24	0.3	0.06	6.1	0.3	<0.05	9	1.3	<0.2
L15650E/13850N	Soil	68	0.92	465	0.168	3	2.50	0.017	0.31	0.2	0.08	7.6	0.4	0.06	8	2.2	<0.2
L15650E/13875N	Soil	68	0.85	446	0.174	2	2.47	0.017	0.30	0.3	0.06	6.8	0.4	0.06	8	2.1	<0.2
L15650E/13900N	Soil	73	0.94	488	0.171	2	2.58	0.018	0.36	0.3	0.08	8.0	0.4	0.06	9	2.1	<0.2
L15650E/13925N	Soil	71	1.04	640	0.149	4	3.27	0.015	0.37	0.3	0.14	9.0	0.5	0.10	9	4.5	<0.2
L15650E/13950N	Soil	64	0.93	597	0.163	3	2.64	0.017	0.35	0.3	0.07	8.3	0.5	<0.05	8	2.7	<0.2
L15650E/13975N	Soil	70	1.07	394	0.198	<1	2.71	0.015	0.40	0.3	0.02	7.3	0.4	0.06	8	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 7 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000333.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15650E/14000N	Soil	6.8	88.2	14.5	116	1.4	69.2	17.5	534	4.56	20.2	7.3	3.0	38	0.9	1.6	0.4	135	0.53	0.078	16
L15650E/14025N	Soil	4.8	56.1	12.3	105	0.5	46.4	14.6	481	4.40	19.8	4.4	3.5	25	0.4	2.1	0.3	135	0.33	0.057	13
L15650E/14050N	Soil	3.8	51.6	10.6	102	0.4	44.2	14.4	509	4.03	18.4	5.3	3.5	26	0.3	2.9	0.3	124	0.31	0.061	13
L15650E/14075N	Soil	3.2	44.9	12.6	85	0.8	36.0	15.7	579	3.66	13.0	3.6	2.7	26	0.5	1.3	0.2	112	0.29	0.051	12
L15650E/14100N	Soil	3.8	38.7	11.4	91	0.7	37.5	13.5	472	4.19	16.3	4.1	2.9	25	0.1	0.8	0.2	129	0.28	0.053	11
L15650E/14125N	Soil	3.3	55.8	11.5	110	0.5	49.9	16.1	450	4.79	20.4	4.4	2.9	22	0.4	0.9	0.3	141	0.26	0.065	10
L15650E/14150N	Soil	4.5	73.7	11.9	135	0.4	55.7	25.0	808	5.80	28.6	6.4	3.1	23	0.4	1.1	0.5	141	0.31	0.118	13
L15650E/14175N	Soil	2.1	30.9	10.1	90	0.3	27.6	10.8	386	4.00	15.0	1.5	2.2	17	0.8	0.6	0.3	111	0.20	0.088	9
L15650E/14200N	Soil	1.8	72.1	9.8	86	0.3	38.4	16.0	407	4.47	11.7	14.0	2.2	25	0.4	0.5	0.4	107	0.31	0.099	13
L15650E/14225N	Soil	1.6	61.5	8.1	107	0.3	32.3	15.3	507	4.79	13.4	3.9	2.6	29	0.3	0.6	0.2	111	0.34	0.133	13
L15650E/14250N	Soil	2.2	18.4	11.3	59	0.5	24.8	11.1	318	4.64	17.3	3.7	2.4	13	0.4	1.0	0.2	107	0.15	0.047	8
L15650E/14275N	Soil	2.8	20.0	12.5	55	<0.1	22.1	10.0	312	4.82	16.9	1.6	2.6	13	0.4	0.9	0.2	112	0.16	0.044	9
L15650E/14300N	Soil	12.3	84.7	10.7	257	0.6	40.4	9.8	319	2.96	35.3	5.8	3.6	33	2.9	2.2	0.2	117	0.40	0.108	13
L15650E/14325N	Soil	6.5	49.8	12.5	105	0.3	33.0	10.9	351	3.16	28.5	3.4	5.0	33	0.5	1.4	0.2	86	0.49	0.078	22
L15650E/14350N	Soil	5.5	31.6	10.7	81	0.3	27.0	11.4	340	2.89	18.1	4.4	4.7	30	0.4	1.0	0.2	77	0.45	0.077	17
L15650E/14375N	Soil	6.3	29.3	19.7	86	0.3	26.6	14.3	585	4.06	28.5	4.0	6.8	20	0.5	1.1	0.4	94	0.25	0.047	18
L15650E/14400N	Soil	6.0	30.6	20.8	123	0.3	27.7	14.1	632	4.45	32.4	2.9	6.8	18	0.3	1.3	0.4	103	0.22	0.062	18
L15650E/14425N	Soil	3.1	23.7	24.0	67	0.2	22.7	15.0	1061	3.60	17.6	2.5	7.1	20	0.3	0.8	0.3	80	0.26	0.055	42
L15650E/14450N	Soil	2.1	20.1	18.5	84	0.2	22.0	14.6	476	3.28	19.7	3.5	5.7	27	0.2	0.7	0.3	77	0.41	0.063	18
L15750E/13800N	Soil	5.7	65.9	18.0	175	1.2	54.0	17.4	631	4.26	55.7	3.9	3.4	34	1.3	3.5	0.3	122	0.39	0.102	16
L15750E/13825N	Soil	4.4	63.5	14.1	187	1.2	59.4	16.0	586	4.08	43.9	4.3	3.3	36	1.5	3.3	0.3	121	0.47	0.104	17
L15750E/13850N	Soil	4.8	89.0	15.7	214	1.4	72.3	17.0	596	4.54	51.2	4.2	2.7	36	2.0	2.9	0.3	121	0.67	0.098	17
L15750E/13875N	Soil	3.2	48.2	10.3	88	0.6	29.7	6.4	196	2.65	55.0	2.7	2.3	29	0.9	2.0	0.2	75	0.42	0.040	13
L15750E/13900N	Soil	3.2	37.3	11.3	87	0.6	26.3	8.6	292	3.72	36.8	1.7	2.4	19	0.7	2.1	0.3	110	0.21	0.055	10
L15750E/13925N	Soil	5.0	54.4	12.7	122	0.5	39.7	12.0	591	4.33	63.4	7.0	3.7	28	0.5	3.7	0.3	123	0.31	0.068	14
L15750E/13950N	Soil	4.9	79.9	15.3	117	0.9	46.1	11.5	447	4.13	51.1	4.7	2.9	36	0.6	2.4	0.3	122	0.41	0.063	13
L15750E/13975N	Soil	4.6	45.9	10.6	109	0.6	40.6	12.8	433	3.83	40.0	5.5	2.9	29	0.8	1.7	0.2	113	0.30	0.059	12
L15750E/14000N	Soil	6.0	54.2	11.4	129	0.3	45.3	14.0	520	3.81	60.1	4.1	3.1	34	1.3	1.9	0.2	107	0.39	0.062	13
L15750E/14025N	Soil	4.7	34.0	10.6	88	0.8	25.9	8.5	430	3.05	42.6	1.0	1.6	27	3.1	1.1	0.2	93	0.29	0.072	10
L15750E/14050N	Soil	4.1	43.4	11.8	137	0.3	43.0	13.3	498	4.57	97.5	1.5	2.8	20	1.0	1.8	0.3	138	0.22	0.066	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

**Page:** 7 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L15650E/14000N	Soil			72	1.00	547	0.179	2	3.45	0.015	0.35	0.3	0.05	7.9	0.3	0.06	11	1.9	<0.2
L15650E/14025N	Soil			75	1.16	335	0.198	2	2.93	0.012	0.29	3.2	0.03	7.1	0.3	<0.05	10	0.7	<0.2
L15650E/14050N	Soil			72	1.15	308	0.189	2	2.51	0.013	0.30	2.5	0.02	6.4	0.3	<0.05	9	0.6	0.2
L15650E/14075N	Soil			60	0.93	283	0.178	2	2.37	0.014	0.22	1.8	0.03	5.8	0.2	<0.05	10	0.6	<0.2
L15650E/14100N	Soil			69	0.99	267	0.197	2	2.74	0.012	0.19	1.0	0.02	6.5	0.2	<0.05	10	<0.5	<0.2
L15650E/14125N	Soil			74	1.14	262	0.215	2	3.12	0.011	0.28	2.7	0.03	7.0	0.3	<0.05	11	<0.5	<0.2
L15650E/14150N	Soil			82	1.43	382	0.281	3	3.47	0.014	0.61	1.7	0.04	8.0	0.4	0.10	11	0.8	<0.2
L15650E/14175N	Soil			44	0.62	205	0.134	2	2.36	0.010	0.11	0.1	0.03	4.3	0.1	<0.05	9	<0.5	<0.2
L15650E/14200N	Soil			55	1.15	418	0.198	<1	3.12	0.013	0.36	0.1	0.04	6.6	0.2	0.06	9	<0.5	<0.2
L15650E/14225N	Soil			69	1.38	384	0.243	<1	3.10	0.020	0.58	0.1	0.03	7.6	0.4	0.15	10	1.4	<0.2
L15650E/14250N	Soil			45	0.39	118	0.093	2	2.88	0.007	0.04	0.1	0.06	4.0	0.2	<0.05	10	<0.5	<0.2
L15650E/14275N	Soil			42	0.52	102	0.137	1	2.47	0.007	0.05	0.2	0.03	4.2	0.2	<0.05	10	<0.5	<0.2
L15650E/14300N	Soil			47	0.70	304	0.098	2	1.87	0.018	0.10	0.3	0.10	5.8	0.4	<0.05	5	2.2	<0.2
L15650E/14325N	Soil			49	0.78	248	0.125	2	2.01	0.021	0.20	0.3	0.06	7.3	0.3	<0.05	6	0.9	<0.2
L15650E/14350N	Soil			42	0.65	256	0.111	1	2.09	0.015	0.09	0.2	0.05	6.3	0.2	<0.05	6	0.5	<0.2
L15650E/14375N	Soil			46	0.73	171	0.139	2	2.76	0.010	0.13	0.3	0.04	5.6	0.3	<0.05	10	<0.5	<0.2
L15650E/14400N	Soil			49	0.64	156	0.125	2	2.80	0.009	0.14	0.2	0.05	5.6	0.3	<0.05	10	<0.5	<0.2
L15650E/14425N	Soil			35	0.53	156	0.119	2	2.24	0.016	0.09	0.2	0.06	4.9	0.3	<0.05	8	<0.5	<0.2
L15650E/14450N	Soil			38	0.67	154	0.135	2	1.93	0.017	0.15	0.2	0.05	5.3	0.3	<0.05	8	0.5	<0.2
L15750E/13800N	Soil			68	0.81	622	0.100	<1	3.42	0.011	0.22	0.2	0.08	7.8	0.5	0.06	9	2.3	<0.2
L15750E/13825N	Soil			69	0.90	666	0.111	3	3.09	0.012	0.22	0.2	0.09	8.2	0.4	0.08	9	2.6	<0.2
L15750E/13850N	Soil			63	0.88	693	0.097	2	3.58	0.013	0.24	0.2	0.09	7.6	0.4	0.07	10	1.4	<0.2
L15750E/13875N	Soil			41	0.47	505	0.093	2	1.89	0.015	0.13	0.1	0.05	5.0	0.4	<0.05	7	0.8	<0.2
L15750E/13900N	Soil			46	0.56	298	0.117	2	2.35	0.010	0.14	0.2	0.03	4.7	0.4	<0.05	10	<0.5	<0.2
L15750E/13925N	Soil			64	0.84	584	0.135	3	2.88	0.011	0.25	0.2	0.07	7.2	0.7	<0.05	9	0.9	<0.2
L15750E/13950N	Soil			66	0.86	612	0.136	2	3.57	0.013	0.23	0.2	0.09	7.8	0.5	0.05	11	1.2	<0.2
L15750E/13975N	Soil			68	0.98	480	0.158	2	3.23	0.014	0.22	0.3	0.04	7.0	0.4	0.09	11	0.5	<0.2
L15750E/14000N	Soil			64	0.91	552	0.146	2	2.98	0.017	0.26	0.2	0.04	7.1	0.5	0.06	10	<0.5	<0.2
L15750E/14025N	Soil			42	0.57	362	0.110	2	2.31	0.012	0.12	0.2	0.05	4.5	0.4	<0.05	9	<0.5	<0.2
L15750E/14050N	Soil			74	1.03	308	0.165	3	3.60	0.012	0.20	0.3	0.04	7.8	0.4	0.07	12	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 8 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000333.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L15750E/14075N	Soil	3.9	51.9	13.7	135	0.3	38.2	15.1	610	4.25	49.0	4.2	3.5	24	0.5	2.0	0.4	128	0.28	0.078	13
L15750E/14100N	Soil	4.8	79.1	17.0	141	0.9	43.6	16.0	611	5.01	48.3	4.7	2.9	29	0.7	1.8	0.4	152	0.28	0.077	13
L15750E/14125N	Soil	2.9	46.3	10.2	90	0.5	29.9	10.6	352	3.24	9.0	2.7	1.9	26	0.8	0.9	0.3	99	0.26	0.049	12
L15750E/14150N	Soil	5.0	48.4	13.2	114	0.5	34.2	31.1	1109	5.51	19.4	8.3	2.1	23	1.1	0.9	0.7	158	0.24	0.091	10
L15750E/14175N	Soil	1.6	17.6	11.3	61	0.5	12.0	7.8	456	2.32	6.5	3.2	1.4	16	1.2	0.4	0.5	81	0.17	0.062	8
L15750E/14200N	Soil	2.2	60.2	8.8	119	0.2	37.1	18.0	548	4.84	9.6	4.7	3.0	28	0.5	0.4	0.6	118	0.48	0.117	15
L15750E/14225N	Soil	4.5	90.4	10.9	119	1.0	47.7	13.3	349	4.20	16.5	9.2	1.6	28	2.5	0.6	0.9	95	0.33	0.110	14
L15750E/14250N	Soil	2.8	78.8	10.4	224	0.3	43.3	18.5	571	4.30	15.9	6.0	2.9	31	1.1	0.5	0.3	106	0.50	0.115	14
L15750E/14275N	Soil	4.3	23.2	14.9	74	0.4	23.2	8.9	212	4.77	17.9	2.9	2.5	21	1.2	0.8	0.2	168	0.21	0.047	10
L15750E/14300N	Soil	2.6	18.4	15.5	58	0.7	18.6	7.7	163	4.17	15.6	3.0	2.0	12	0.5	0.8	0.3	119	0.14	0.033	10
L15750E/14325N	Soil	12.1	40.5	36.5	92	0.6	28.7	10.2	251	3.32	51.9	6.8	1.7	25	0.7	1.5	0.3	91	0.35	0.094	15
L15750E/14350N	Soil	3.3	62.6	14.3	125	0.3	38.4	11.9	351	3.45	29.1	3.4	4.3	33	0.4	1.6	0.2	93	0.54	0.089	20
L15750E/14375N	Soil	2.9	34.5	16.5	100	0.1	30.2	12.8	434	3.18	29.4	3.5	4.5	25	1.0	1.3	0.2	81	0.31	0.058	21
L15750E/14400N	Soil	2.5	35.3	19.5	108	0.2	34.3	15.3	494	3.47	29.4	3.7	7.6	24	0.4	1.2	0.2	85	0.37	0.067	25
L15750E/14425N	Soil	2.4	25.3	18.7	97	<0.1	28.8	14.2	525	3.56	20.8	1.3	7.4	19	0.3	1.0	0.2	81	0.28	0.068	14
L15800E/13800N	Soil	3.2	39.0	12.6	105	0.7	33.5	10.4	440	3.60	39.7	4.4	2.7	31	0.9	2.8	0.3	103	0.32	0.069	16
L15800E/13825N	Soil	3.4	31.6	11.2	111	0.5	32.1	10.3	423	3.52	38.5	3.2	2.8	40	0.6	2.9	0.2	106	0.57	0.073	12
L15800E/13850N	Soil	4.6	57.8	17.7	119	0.7	42.9	9.4	368	3.49	68.0	2.9	4.1	32	1.0	3.9	0.3	108	0.32	0.079	16
L15800E/13875N	Soil	2.6	28.2	12.4	74	0.9	23.1	7.3	259	2.59	15.9	1.5	2.6	25	0.6	1.7	0.3	87	0.27	0.051	12
L15800E/13900N	Soil	5.0	66.2	14.7	186	1.0	58.6	15.3	668	4.18	33.5	4.0	3.4	33	1.3	2.2	0.3	140	0.38	0.112	15
L15800E/13925N	Soil	4.2	74.0	14.3	141	1.4	45.4	23.7	1539	3.42	19.1	1.4	2.0	29	2.0	1.3	0.3	110	0.32	0.090	17
L15800E/13950N	Soil	4.6	83.7	14.9	208	0.9	69.3	12.8	387	4.50	33.0	2.3	3.7	32	1.2	1.6	0.3	163	0.33	0.057	16
L15800E/13975N	Soil	3.5	75.9	14.6	128	1.2	49.6	10.0	326	3.28	23.9	1.3	2.5	30	1.7	1.0	0.3	106	0.30	0.053	12
L15800E/14000N	Soil	4.2	63.2	12.9	133	0.6	49.7	13.5	508	4.16	38.2	2.6	3.8	28	0.9	1.8	0.3	138	0.33	0.066	14
L15800E/14025N	Soil	3.2	49.8	11.6	99	0.8	30.3	9.7	357	3.58	31.1	1.5	3.0	24	0.9	1.8	0.3	115	0.26	0.059	12
L15800E/14050N	Soil	4.2	68.1	13.4	108	1.0	37.1	14.6	568	4.28	46.0	3.5	3.4	27	0.7	2.1	0.3	138	0.26	0.079	14
L15800E/14075N	Soil	4.6	56.2	12.5	126	0.3	41.4	11.6	441	4.50	66.6	12.4	3.9	26	0.4	4.9	0.3	126	0.27	0.086	14
L15800E/14100N	Soil	2.5	56.5	10.8	95	0.3	31.3	10.5	430	3.91	58.7	3.1	4.1	24	0.3	4.5	0.2	120	0.24	0.070	15
L15800E/14125N	Soil	2.9	47.8	14.6	96	0.2	32.0	14.1	582	4.03	90.8	4.3	3.7	27	0.4	3.8	0.2	133	0.27	0.085	14
L15800E/14150N	Soil	2.2	39.8	10.0	94	0.2	36.2	11.9	387	3.56	9.1	1.2	3.3	28	0.2	0.7	0.1	112	0.36	0.072	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
L15750E/14075N	Soil	66	1.11	310	0.183	3	2.85	0.012	0.36	0.3	0.03	6.5	0.4	0.05	11	1.3	<0.2
L15750E/14100N	Soil	71	0.99	427	0.178	2	3.82	0.012	0.30	0.3	0.09	7.9	0.4	<0.05	13	1.3	<0.2
L15750E/14125N	Soil	50	0.89	329	0.186	3	2.36	0.015	0.20	0.2	0.04	5.4	0.2	<0.05	10	0.6	<0.2
L15750E/14150N	Soil	59	1.03	391	0.241	2	2.71	0.012	0.30	0.2	0.03	6.0	0.2	0.06	14	1.3	<0.2
L15750E/14175N	Soil	25	0.27	258	0.129	3	1.10	0.013	0.13	0.1	0.02	2.6	0.1	<0.05	8	<0.5	<0.2
L15750E/14200N	Soil	62	1.55	553	0.295	2	3.26	0.019	0.76	0.2	0.02	8.2	0.3	<0.05	10	1.4	<0.2
L15750E/14225N	Soil	50	0.83	790	0.147	2	3.17	0.016	0.33	0.2	0.10	7.5	0.3	0.07	10	3.7	<0.2
L15750E/14250N	Soil	53	1.27	397	0.218	2	3.05	0.017	0.36	0.2	0.03	7.5	0.3	<0.05	9	1.2	<0.2
L15750E/14275N	Soil	45	0.60	203	0.146	1	2.07	0.009	0.08	0.2	0.02	3.9	0.2	<0.05	11	1.5	<0.2
L15750E/14300N	Soil	45	0.33	212	0.080	2	2.48	0.008	0.04	<0.1	0.08	4.0	0.3	<0.05	11	0.7	<0.2
L15750E/14325N	Soil	45	0.70	301	0.099	3	2.40	0.012	0.08	0.2	0.23	5.8	0.7	<0.05	7	2.1	<0.2
L15750E/14350N	Soil	54	0.88	344	0.138	2	2.26	0.018	0.21	0.2	0.08	7.4	0.5	<0.05	7	0.8	<0.2
L15750E/14375N	Soil	44	0.69	195	0.139	3	2.28	0.016	0.16	0.2	0.04	5.6	0.3	<0.05	8	0.7	<0.2
L15750E/14400N	Soil	49	0.80	200	0.155	2	2.53	0.014	0.18	0.2	0.04	6.7	0.4	<0.05	8	<0.5	<0.2
L15750E/14425N	Soil	39	0.67	146	0.134	3	2.11	0.014	0.15	0.3	0.03	4.8	0.3	<0.05	8	1.0	<0.2
L15800E/13800N	Soil	50	0.59	808	0.092	3	2.26	0.010	0.13	0.1	0.05	5.2	0.3	<0.05	8	1.7	<0.2
L15800E/13825N	Soil	48	0.70	461	0.099	1	2.32	0.010	0.12	0.2	0.04	4.5	0.3	<0.05	7	1.0	<0.2
L15800E/13850N	Soil	57	0.64	516	0.096	2	2.40	0.012	0.14	0.4	0.05	5.9	0.5	<0.05	8	1.3	<0.2
L15800E/13875N	Soil	38	0.41	491	0.105	2	1.82	0.014	0.11	0.1	0.03	4.2	0.3	<0.05	8	0.8	<0.2
L15800E/13900N	Soil	65	0.80	586	0.127	2	2.94	0.013	0.22	0.2	0.06	6.5	0.3	<0.05	10	1.6	<0.2
L15800E/13925N	Soil	45	0.55	454	0.104	2	2.41	0.014	0.17	0.1	0.05	5.0	0.2	<0.05	9	1.2	<0.2
L15800E/13950N	Soil	76	1.08	497	0.176	2	3.83	0.013	0.23	0.2	0.03	8.0	0.3	<0.05	13	2.1	<0.2
L15800E/13975N	Soil	52	0.63	406	0.122	2	2.72	0.015	0.19	0.2	0.05	5.3	0.2	<0.05	10	2.1	<0.2
L15800E/14000N	Soil	66	1.00	467	0.159	2	2.83	0.012	0.30	0.2	0.04	6.3	0.4	<0.05	9	1.3	<0.2
L15800E/14025N	Soil	52	0.76	399	0.137	3	2.41	0.012	0.22	0.1	0.04	5.2	0.4	<0.05	9	1.1	<0.2
L15800E/14050N	Soil	65	0.77	540	0.132	2	2.95	0.012	0.21	0.1	0.09	6.4	0.5	<0.05	11	1.4	<0.2
L15800E/14075N	Soil	60	0.73	464	0.128	2	2.47	0.010	0.19	0.2	0.06	6.7	0.8	<0.05	8	1.1	<0.2
L15800E/14100N	Soil	59	0.84	377	0.146	<1	2.20	0.011	0.32	0.2	0.07	7.3	1.0	0.06	7	1.6	<0.2
L15800E/14125N	Soil	67	0.90	338	0.183	2	2.53	0.014	0.32	0.3	0.09	6.5	0.7	0.09	10	1.1	<0.2
L15800E/14150N	Soil	72	1.04	333	0.184	<1	2.74	0.015	0.29	0.3	0.02	6.8	0.2	<0.05	9	0.7	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 9 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method Analyte Unit MDL	AQ201																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	0.001	1
L15800E/14175N	Soil	2.1	38.6	11.7	87	0.2	34.0	14.1	476	3.74	14.4	4.8	3.5	21	0.4	1.1	0.2	111	0.32	0.074	12
L15800E/14200N	Soil	2.4	53.8	14.5	95	0.4	34.4	12.8	420	3.85	14.2	2.5	3.5	25	0.4	1.1	0.2	110	0.35	0.081	15
L15800E/14225N	Soil	1.3	39.1	12.1	90	0.3	34.4	15.2	409	3.52	11.7	3.2	3.7	23	0.4	0.9	0.2	94	0.33	0.068	15
L15800E/14250N	Soil	1.0	50.8	12.2	98	0.2	41.6	14.2	472	3.79	12.9	3.4	4.0	29	0.4	1.4	0.2	102	0.41	0.065	17
L15800E/14275N	Soil	2.0	59.7	18.7	119	0.3	37.6	20.1	487	5.22	18.5	3.7	3.0	22	0.4	2.0	0.2	143	0.40	0.126	15
L15800E/14300N	Soil	2.2	45.3	11.3	71	0.3	31.0	12.3	338	3.41	18.6	2.7	3.8	23	0.3	0.8	0.2	97	0.31	0.066	16
L15800E/14325N	Soil	5.8	28.8	13.1	62	0.2	13.9	4.1	123	3.20	52.6	9.6	1.7	15	0.3	1.9	0.3	105	0.10	0.045	11
L15800E/14350N	Soil	9.8	47.3	12.2	94	0.8	25.3	6.7	172	3.16	53.5	8.5	2.4	23	1.1	2.4	0.2	86	0.29	0.112	14
L15800E/14375N	Soil	6.9	51.0	15.4	117	0.2	35.2	13.2	351	3.52	27.6	8.5	6.5	37	0.7	1.5	0.2	77	0.55	0.082	24
L15800E/14400N	Soil	6.4	44.8	16.7	97	0.3	28.3	14.3	476	3.31	32.9	9.1	7.0	27	0.2	1.1	0.3	94	0.37	0.076	32
L15800E/14425N	Soil	4.0	16.8	13.8	58	0.1	19.3	9.3	292	4.02	18.8	8.3	2.7	12	0.5	0.9	0.2	105	0.12	0.036	10
L15800E/14450N	Soil	2.5	23.1	16.9	108	0.1	25.3	14.0	399	3.22	21.4	10.5	7.2	28	0.3	1.2	0.3	75	0.36	0.084	21



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: August 02, 2017

Page: 9 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000333.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L15800E/14175N	Soil	60	0.99	219	0.189	2	2.56	0.011	0.27	0.2	0.04	5.8	0.2	<0.05	8	0.7	<0.2
L15800E/14200N	Soil	62	1.12	303	0.196	1	2.55	0.015	0.41	0.3	0.02	7.0	0.3	<0.05	8	0.7	<0.2
L15800E/14225N	Soil	60	0.99	256	0.186	2	2.63	0.012	0.26	0.2	0.03	6.5	0.2	<0.05	8	1.0	<0.2
L15800E/14250N	Soil	65	1.10	347	0.210	2	2.40	0.015	0.42	0.2	0.03	8.2	0.3	<0.05	9	<0.5	<0.2
L15800E/14275N	Soil	64	1.79	470	0.297	1	3.35	0.013	0.82	0.2	0.02	8.8	0.4	0.08	11	1.1	<0.2
L15800E/14300N	Soil	54	0.83	269	0.136	2	2.68	0.012	0.12	0.2	0.04	7.7	0.2	<0.05	8	0.9	<0.2
L15800E/14325N	Soil	29	0.18	129	0.099	<1	1.11	0.010	0.07	0.1	0.09	3.2	1.4	0.09	9	0.6	<0.2
L15800E/14350N	Soil	47	0.59	400	0.082	<1	2.36	0.013	0.08	0.2	0.52	6.3	1.2	<0.05	7	8.7	<0.2
L15800E/14375N	Soil	49	0.84	238	0.150	<1	2.04	0.026	0.26	0.2	0.10	8.2	0.5	<0.05	8	1.3	<0.2
L15800E/14400N	Soil	56	0.84	215	0.164	2	2.85	0.017	0.13	0.2	0.10	8.0	0.5	<0.05	8	1.6	<0.2
L15800E/14425N	Soil	37	0.38	113	0.117	<1	2.32	0.011	0.05	0.1	0.04	3.4	0.2	<0.05	10	<0.5	<0.2
L15800E/14450N	Soil	38	0.74	200	0.160	<1	2.23	0.019	0.16	0.4	0.05	5.6	0.4	<0.05	8	<0.5	<0.2





# QUALITY CONTROL REPORT

WHI17000333.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L15350E/14225N	Soil	1.2	21.8	20.4	93	0.7	25.5	17.3	2988	3.15	54.9	9.9	12.2	42	0.5	1.6	0.4	55	0.91	0.085	61
REP L15350E/14225N	QC	1.2	19.4	17.7	80	0.7	24.4	17.0	2891	2.93	50.8	11.6	10.5	39	0.5	1.5	0.4	58	0.78	0.088	71
L15450E/14250N	Soil	1.5	22.0	45.0	126	<0.1	21.4	11.8	631	5.06	121.5	1.5	11.0	9	0.4	1.9	0.8	65	0.13	0.059	13
REP L15450E/14250N	QC	1.5	21.1	45.0	121	<0.1	21.9	12.3	624	5.09	118.3	3.1	11.2	10	0.4	1.9	0.8	67	0.14	0.061	14
L15550E/14350N	Soil	2.5	19.2	25.1	113	0.2	25.6	8.6	298	3.53	79.1	27.0	4.9	14	0.3	3.0	0.4	72	0.13	0.034	11
REP L15550E/14350N	QC	2.4	19.5	26.0	114	0.2	26.0	8.6	303	3.49	81.8	17.1	5.0	14	0.3	2.8	0.4	73	0.14	0.033	11
L15650E/13775N	Soil	2.7	37.2	9.5	97	0.8	37.2	10.4	332	3.04	15.5	4.6	2.3	37	0.7	1.1	0.3	83	0.44	0.074	14
REP L15650E/13775N	QC	2.6	37.5	9.7	96	0.8	37.0	10.9	331	2.99	15.5	5.1	2.4	37	0.5	1.0	0.3	84	0.44	0.076	13
L15750E/14000N	Soil	6.0	54.2	11.4	129	0.3	45.3	14.0	520	3.81	60.1	4.1	3.1	34	1.3	1.9	0.2	107	0.39	0.062	13
REP L15750E/14000N	QC	5.6	53.6	11.2	128	0.3	47.3	14.2	551	3.69	58.8	2.1	3.1	36	1.3	1.8	0.2	116	0.40	0.060	13
L15800E/14250N	Soil	1.0	50.8	12.2	98	0.2	41.6	14.2	472	3.79	12.9	3.4	4.0	29	0.4	1.4	0.2	102	0.41	0.065	17
REP L15800E/14250N	QC	1.2	48.7	12.0	94	0.2	37.6	13.6	461	3.47	12.4	3.3	3.8	28	0.4	1.3	0.2	100	0.44	0.067	17
L15800E/14450N	Soil	2.5	23.1	16.9	108	0.1	25.3	14.0	399	3.22	21.4	10.5	7.2	28	0.3	1.2	0.3	75	0.36	0.084	21
REP L15800E/14450N	QC	2.5	21.5	15.2	96	0.1	22.1	12.2	388	2.99	21.0	6.7	6.7	25	0.3	1.1	0.3	81	0.35	0.079	21
Reference Materials																					
STD DS10	Standard	15.7	149.5	144.0	348	1.8	67.5	12.2	868	2.68	45.0	111.1	8.4	66	2.6	10.5	12.5	47	1.15	0.080	19
STD DS10	Standard	14.8	137.5	139.4	345	1.7	64.5	10.8	829	2.51	45.8	67.2	8.2	66	2.5	9.8	12.6	44	1.05	0.073	18
STD DS10	Standard	13.5	142.5	147.4	347	1.9	69.4	12.2	835	2.61	44.3	71.7	7.2	63	2.5	9.5	11.2	42	1.03	0.077	16
STD DS10	Standard	14.4	146.2	149.4	351	2.0	70.2	12.1	867	2.64	44.9	71.0	6.8	67	2.4	9.6	11.4	42	1.05	0.076	16
STD DS10	Standard	16.1	160.7	151.4	371	1.9	78.1	13.8	908	2.90	44.9	69.2	7.7	65	2.6	9.9	11.4	46	1.03	0.083	18
STD DS10	Standard	15.6	167.6	154.3	381	1.9	80.7	14.2	944	2.92	45.6	82.5	7.7	66	2.7	9.4	11.8	48	1.09	0.081	18
STD DS10	Standard	15.2	150.7	153.9	358	2.0	74.8	12.5	912	2.87	45.1	101.4	7.9	69	2.7	9.7	12.7	46	1.10	0.076	18
STD OXC129	Standard	1.1	23.4	5.2	34	<0.1	69.1	19.6	452	3.04	<0.5	206.1	1.7	162	<0.1	<0.1	<0.1	54	0.59	0.106	12
STD OXC129	Standard	1.3	25.4	6.0	39	<0.1	76.0	18.7	408	3.02	0.9	209.2	2.0	187	<0.1	<0.1	<0.1	54	0.73	0.096	12
STD OXC129	Standard	1.2	25.1	5.8	39	<0.1	72.8	19.1	395	2.88	<0.5	197.3	1.7	174	<0.1	<0.1	<0.1	49	0.63	0.098	11
STD OXC129	Standard	1.2	25.7	5.7	40	<0.1	75.1	19.4	412	2.96	0.6	197.6	1.7	182	<0.1	<0.1	<0.1	49	0.65	0.100	11
STD OXC129	Standard	1.3	26.6	6.0	42	<0.1	78.6	20.4	430	3.07	0.7	200.5	1.7	192	<0.1	<0.1	<0.1	52	0.71	0.104	12
STD OXC129	Standard	1.3	29.9	6.3	45	<0.1	85.6	22.0	435	3.32	0.6	223.7	1.8	193	<0.1	<0.1	<0.1	58	0.77	0.106	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 02, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000333.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
L15350E/14225N	Soil	34	0.61	255	0.091	2	2.18	0.017	0.14	0.2	0.14	8.5	0.4	<0.05	8	0.5	<0.2
REP L15350E/14225N	QC	35	0.64	275	0.090	3	2.16	0.018	0.12	0.2	0.15	7.7	0.4	<0.05	7	0.6	<0.2
L15450E/14250N	Soil	32	0.65	75	0.101	<1	2.32	0.006	0.22	0.3	0.02	6.0	0.4	<0.05	11	<0.5	<0.2
REP L15450E/14250N	QC	31	0.66	77	0.102	<1	2.33	0.006	0.21	0.3	0.02	5.8	0.4	<0.05	11	<0.5	<0.2
L15550E/14350N	Soil	29	0.42	107	0.085	2	1.80	0.009	0.08	0.3	0.04	3.5	0.3	<0.05	8	<0.5	<0.2
REP L15550E/14350N	QC	29	0.39	105	0.088	1	1.81	0.009	0.08	0.2	0.03	3.6	0.3	<0.05	8	<0.5	<0.2
L15650E/13775N	Soil	56	0.85	515	0.150	1	2.52	0.016	0.26	0.3	0.09	6.8	0.3	0.07	8	1.7	<0.2
REP L15650E/13775N	QC	56	0.90	521	0.156	2	2.57	0.016	0.27	0.3	0.08	7.0	0.4	0.06	8	1.6	<0.2
L15750E/14000N	Soil	64	0.91	552	0.146	2	2.98	0.017	0.26	0.2	0.04	7.1	0.5	0.06	10	<0.5	<0.2
REP L15750E/14000N	QC	69	0.93	549	0.151	2	3.09	0.017	0.25	0.2	0.04	7.3	0.5	<0.05	9	0.7	<0.2
L15800E/14250N	Soil	65	1.10	347	0.210	2	2.40	0.015	0.42	0.2	0.03	8.2	0.3	<0.05	9	<0.5	<0.2
REP L15800E/14250N	QC	65	1.04	341	0.210	2	2.36	0.015	0.42	0.2	0.02	8.6	0.3	<0.05	8	<0.5	<0.2
L15800E/14450N	Soil	38	0.74	200	0.160	<1	2.23	0.019	0.16	0.4	0.05	5.6	0.4	<0.05	8	<0.5	<0.2
REP L15800E/14450N	QC	41	0.72	204	0.164	<1	2.01	0.019	0.15	0.3	0.05	5.1	0.4	<0.05	7	0.6	<0.2
Reference Materials																	
STD DS10	Standard	57	0.77	369	0.097	8	1.03	0.063	0.35	3.7	0.30	3.1	5.0	0.23	4	2.3	5.4
STD DS10	Standard	53	0.80	349	0.086	7	1.04	0.074	0.30	3.3	0.27	2.8	4.7	0.23	4	2.4	5.6
STD DS10	Standard	52	0.76	315	0.072	5	1.01	0.067	0.32	3.4	0.28	2.7	4.9	0.25	4	1.7	4.8
STD DS10	Standard	51	0.76	350	0.072	7	1.03	0.069	0.32	3.4	0.29	2.7	5.1	0.29	4	2.1	4.9
STD DS10	Standard	59	0.76	361	0.081	7	1.16	0.066	0.32	3.3	0.28	3.0	5.1	0.31	4	2.2	5.1
STD DS10	Standard	59	0.81	367	0.085	7	1.15	0.077	0.32	3.3	0.28	3.2	5.3	0.30	5	2.4	5.1
STD DS10	Standard	56	0.78	361	0.083	8	1.09	0.071	0.34	3.4	0.30	3.1	5.2	0.28	4	2.0	5.0
STD OXC129	Standard	52	1.59	53	0.409	<1	1.54	0.601	0.30	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.52	52	0.454	1	1.48	0.601	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	47	1.50	49	0.347	<1	1.46	0.564	0.33	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	48	1.48	49	0.386	1	1.46	0.547	0.34	<0.1	<0.01	0.4	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	1.57	52	0.374	1	1.62	0.602	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.61	55	0.406	2	1.58	0.615	0.38	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: August 02, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000333.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.3	27.3	6.1	41	<0.1	78.7	19.5	422	3.10	0.7	203.2	1.7	196	<0.1	<0.1	<0.1	54	0.72	0.099	12
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9				51	0.665	0.102		13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



# QUALITY CONTROL REPORT

WHI17000333.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	52	1.54	50	0.411	1	1.57	0.584	0.36	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 07, 2017  
Report Date: September 01, 2017  
Page: 1 of 9

# CERTIFICATE OF ANALYSIS

WHI17000521.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccs17-005  
P.O. Number  
Number of Samples: 214

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	214	Dry at 60C			WHI
SS80	214	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	213	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	214	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 2 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6100W/12925N	Soil	1.4	22.0	20.9	47	0.2	12.3	5.5	280	3.56	13.9	11.7	3.5	14	0.3	0.9	0.5	74	0.12	0.036	10
L6100W/12950N	Soil	1.1	62.9	78.9	52	1.0	14.2	7.2	186	3.05	39.7	118.8	9.6	20	0.2	4.4	1.6	61	0.26	0.077	26
L6100W/12975N	Soil	1.2	74.3	39.6	72	1.0	14.1	7.3	248	3.03	40.3	104.5	11.4	20	0.3	2.6	4.4	55	0.23	0.058	18
L6100W/13000N	Soil	0.7	77.8	35.9	61	0.5	19.8	9.7	313	3.09	30.2	44.2	11.5	22	0.3	2.1	2.8	61	0.27	0.067	22
L6100W/13025N	Soil	1.7	113.8	57.4	89	1.3	19.3	13.2	546	4.01	47.2	48.0	11.4	30	0.6	4.2	3.9	64	0.30	0.084	41
L6100W/13050N	Soil	1.4	94.7	59.5	64	1.2	11.4	4.3	127	3.17	45.8	118.9	12.4	26	0.4	5.6	3.7	50	0.22	0.079	30
L6100W/13075N	Soil	1.3	82.6	48.7	76	1.1	12.1	7.1	240	3.36	52.5	217.4	8.0	19	0.5	5.2	2.6	50	0.20	0.066	22
L6100W/13100N	Soil	1.1	32.4	183.2	84	4.1	13.7	5.7	180	3.16	70.9	52.2	6.6	18	0.4	28.3	2.0	53	0.19	0.065	17
L6100W/13125N	Soil	0.9	35.8	21.3	89	0.1	23.6	11.9	395	3.13	20.0	26.6	6.4	20	0.6	1.9	0.7	67	0.27	0.064	13
L6100W/13150N	Soil	1.8	55.5	36.6	116	0.6	18.7	9.4	465	3.05	34.4	22.2	2.7	21	1.2	4.4	1.2	61	0.22	0.074	35
L6100W/13175N	Soil	2.0	34.4	38.8	85	0.3	16.1	8.9	300	3.50	33.1	14.5	5.6	16	0.6	3.2	1.5	74	0.12	0.045	15
L6100W/13200N	Soil	1.8	53.4	37.9	141	0.6	18.5	11.4	530	3.46	40.2	31.6	11.5	25	0.7	5.7	2.9	60	0.36	0.078	37
L6100W/13225N	Soil	1.2	45.6	30.3	114	0.5	15.0	13.5	649	3.19	34.2	35.4	11.9	23	0.6	4.5	2.5	54	0.32	0.075	28
L6100W/13250N	Soil	1.0	43.6	25.2	104	0.4	16.9	8.9	293	2.86	26.3	63.7	9.4	22	0.6	2.8	2.3	58	0.32	0.069	21
L6100W/13275N	Soil	1.1	41.9	25.1	81	0.5	14.2	7.1	263	2.55	20.3	68.6	4.9	21	0.8	2.4	2.2	52	0.28	0.086	24
L6100W/13300N	Soil	1.3	39.0	26.1	99	0.5	17.4	7.5	207	3.34	35.0	23.0	8.8	24	0.5	3.1	2.5	61	0.29	0.080	26
L6100W/13325N	Soil	1.1	29.8	20.3	74	0.3	12.5	8.6	405	2.74	35.8	22.9	6.5	22	0.4	2.6	2.1	57	0.26	0.072	21
L6100W/13350N	Soil	1.1	38.5	18.4	83	0.3	14.4	7.1	164	2.98	33.7	42.0	14.1	19	0.4	3.8	2.8	58	0.25	0.058	27
L6100W/13375N	Soil	1.1	30.7	24.0	87	0.4	15.3	6.7	167	2.68	44.0	45.0	10.5	20	0.4	4.3	4.0	56	0.22	0.055	26
L6100W/13400N	Soil	1.3	27.3	58.9	81	1.0	13.4	6.5	172	3.18	78.7	78.0	10.3	20	0.4	6.7	9.2	56	0.24	0.066	25
L6100W/13425N	Soil	1.1	32.3	61.0	79	1.1	13.4	6.5	163	2.78	85.5	113.4	12.4	19	0.4	9.1	11.5	51	0.22	0.062	27
L6100W/13450N	Soil	1.0	26.6	32.8	67	0.5	12.4	5.9	170	2.66	64.6	81.1	10.9	20	0.4	7.0	6.3	52	0.25	0.061	23
L6100W/13475N	Soil	0.9	27.5	32.0	65	0.5	12.1	5.5	145	2.49	59.0	38.6	10.8	20	0.4	7.0	6.8	49	0.25	0.061	26
L6100W/13500N	Soil	1.1	27.8	34.2	73	0.5	14.2	6.3	164	2.92	66.5	29.0	9.1	21	0.3	6.4	7.8	56	0.27	0.072	22
L6100W/13525N	Soil	1.1	18.3	27.5	46	0.5	10.1	4.6	150	1.99	35.0	18.0	1.1	17	0.2	3.1	5.9	44	0.19	0.081	16
L6100W/13550N	Soil	1.1	25.9	21.3	60	0.4	15.2	13.7	886	2.89	34.1	39.6	4.5	21	0.2	2.5	3.2	61	0.24	0.062	19
L6100W/13575N	Soil	1.4	34.8	20.7	55	0.6	15.5	13.8	534	4.09	42.4	25.9	5.8	20	0.1	3.1	3.4	62	0.21	0.075	20
L6100W/13600N	Soil	1.0	27.8	20.8	56	0.4	15.5	9.2	428	2.52	23.3	51.0	6.4	21	0.2	2.2	2.7	60	0.27	0.065	18
L6100W/13625N	Soil	1.2	30.1	20.6	57	0.5	14.8	12.5	512	2.75	31.8	229.6	4.1	18	0.1	2.5	2.9	59	0.20	0.068	14
L6100W/13650N	Soil	1.3	31.1	13.8	69	0.2	17.1	14.5	1298	3.19	56.3	43.3	3.8	22	0.1	1.8	2.7	66	0.21	0.059	17





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 01, 2017

Page: 2 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6100W/12925N	Soil	29	0.30	61	0.089	2	1.58	0.009	0.04	0.2	0.08	2.9	0.1	<0.05	9	<0.5	<0.2
L6100W/12950N	Soil	28	0.50	97	0.095	2	1.66	0.010	0.08	0.8	0.07	4.4	0.2	<0.05	6	0.8	0.3
L6100W/12975N	Soil	24	0.46	83	0.085	3	1.45	0.012	0.09	1.1	0.06	3.6	0.2	0.05	6	<0.5	0.6
L6100W/13000N	Soil	29	0.50	95	0.103	2	1.61	0.017	0.09	1.2	0.04	4.1	0.2	0.06	5	0.7	0.2
L6100W/13025N	Soil	34	0.52	145	0.071	2	2.16	0.014	0.10	0.5	0.08	5.5	0.2	0.13	7	0.8	0.4
L6100W/13050N	Soil	23	0.44	115	0.066	2	1.59	0.010	0.09	0.5	0.08	4.1	0.2	0.06	5	0.7	0.5
L6100W/13075N	Soil	23	0.40	95	0.061	1	1.40	0.010	0.09	0.5	0.06	3.3	0.2	0.07	5	0.6	0.5
L6100W/13100N	Soil	27	0.49	97	0.069	2	1.79	0.009	0.09	0.5	0.11	3.3	0.2	0.05	7	<0.5	0.2
L6100W/13125N	Soil	31	0.59	100	0.116	2	2.12	0.015	0.07	0.3	0.03	4.4	0.2	<0.05	6	<0.5	<0.2
L6100W/13150N	Soil	28	0.51	104	0.061	2	1.93	0.017	0.10	0.8	0.06	3.3	0.2	0.08	7	0.7	0.2
L6100W/13175N	Soil	28	0.37	75	0.091	2	1.67	0.012	0.06	0.2	0.06	3.2	0.2	<0.05	9	0.7	0.3
L6100W/13200N	Soil	31	0.52	95	0.090	1	1.79	0.018	0.14	0.4	0.06	5.9	0.3	0.09	6	0.6	0.4
L6100W/13225N	Soil	26	0.52	104	0.096	1	1.62	0.014	0.13	0.5	0.04	4.7	0.3	<0.05	6	0.6	0.3
L6100W/13250N	Soil	28	0.55	82	0.109	<1	1.64	0.013	0.11	0.5	0.04	4.3	0.2	0.05	5	<0.5	0.2
L6100W/13275N	Soil	29	0.46	107	0.075	2	1.63	0.013	0.08	0.4	0.08	4.4	0.2	0.13	5	<0.5	0.3
L6100W/13300N	Soil	31	0.57	130	0.079	1	1.92	0.014	0.09	0.3	0.05	4.9	0.2	0.07	7	<0.5	0.3
L6100W/13325N	Soil	25	0.49	110	0.072	1	1.48	0.014	0.08	0.2	0.04	4.1	0.2	0.10	6	<0.5	<0.2
L6100W/13350N	Soil	28	0.56	109	0.094	<1	1.93	0.010	0.09	0.5	0.04	5.0	0.3	<0.05	7	<0.5	0.2
L6100W/13375N	Soil	30	0.55	111	0.081	2	1.93	0.010	0.07	0.4	0.05	4.7	0.3	<0.05	7	<0.5	0.2
L6100W/13400N	Soil	28	0.51	116	0.072	2	1.91	0.010	0.09	0.3	0.08	4.5	0.4	0.05	7	0.5	<0.2
L6100W/13425N	Soil	27	0.54	115	0.075	<1	2.05	0.009	0.09	0.4	0.07	4.9	0.4	0.05	7	<0.5	0.3
L6100W/13450N	Soil	26	0.49	112	0.079	<1	1.83	0.010	0.08	0.4	0.05	4.6	0.3	<0.05	6	<0.5	<0.2
L6100W/13475N	Soil	25	0.49	123	0.070	<1	1.81	0.009	0.08	0.5	0.06	4.5	0.3	0.05	6	<0.5	<0.2
L6100W/13500N	Soil	28	0.55	118	0.076	<1	2.03	0.009	0.09	0.5	0.05	4.4	0.4	<0.05	7	<0.5	<0.2
L6100W/13525N	Soil	25	0.34	87	0.035	1	1.53	0.009	0.05	0.2	0.07	2.4	0.3	0.08	6	<0.5	<0.2
L6100W/13550N	Soil	30	0.54	129	0.077	1	1.77	0.013	0.07	0.3	0.05	3.8	0.2	<0.05	7	<0.5	0.3
L6100W/13575N	Soil	31	0.50	120	0.068	1	1.93	0.012	0.06	0.3	0.05	4.6	0.3	0.07	7	<0.5	0.5
L6100W/13600N	Soil	34	0.57	108	0.098	1	1.87	0.012	0.07	0.4	0.04	4.1	0.2	<0.05	6	<0.5	<0.2
L6100W/13625N	Soil	33	0.53	97	0.079	<1	1.91	0.011	0.06	0.3	0.04	3.3	0.2	0.06	7	<0.5	0.3
L6100W/13650N	Soil	33	0.52	133	0.076	2	2.01	0.011	0.07	0.5	0.03	3.9	0.2	0.06	7	0.6	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 3 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L6300W/12925N	Soil	2.0	25.0	13.1	45	<0.1	12.8	5.6	257	2.99	26.8	71.6	1.8	31	0.1	2.0	1.4	67	0.15	0.067	15
L6300W/12950N	Soil	1.4	25.4	10.8	55	<0.1	19.9	8.6	270	3.38	15.4	15.4	4.3	20	0.2	0.9	1.3	61	0.19	0.045	14
L6300W/12975N	Soil	1.3	21.9	10.0	57	<0.1	26.0	11.2	296	2.96	10.6	18.1	4.4	17	0.2	0.8	0.5	68	0.17	0.035	12
L6300W/13000N	Soil	0.8	22.4	8.5	48	<0.1	24.3	9.9	293	2.72	9.4	8.9	5.4	17	0.2	0.7	0.4	66	0.22	0.053	12
L6300W/13050N	Soil	1.4	51.3	18.7	84	0.4	24.9	12.7	621	4.29	60.8	293.0	18.2	36	0.4	2.1	7.8	61	0.29	0.109	41
L6300W/13075N	Soil	1.4	51.3	18.8	78	0.4	25.1	12.3	644	3.63	35.6	355.7	12.9	29	0.3	2.0	5.9	66	0.28	0.101	32
L6300W/13100N	Soil	1.4	87.7	61.7	169	1.2	23.9	14.0	636	3.76	62.5	169.1	13.8	27	0.9	7.5	8.0	55	0.25	0.090	36
L6300W/13125N	Soil	1.5	54.2	18.9	66	0.6	22.1	11.1	493	3.26	38.6	59.8	6.9	30	0.3	3.0	5.4	62	0.29	0.085	34
L6300W/13150N	Soil	0.8	35.1	27.2	70	0.7	23.3	10.3	412	3.02	52.1	45.6	9.9	23	0.3	4.4	2.7	61	0.25	0.074	20
L6300W/13175N	Soil	1.4	64.7	31.3	85	1.2	22.5	11.9	566	3.62	65.4	164.0	13.4	31	0.5	5.3	7.9	61	0.23	0.091	34
L6300W/13200N	Soil	1.4	33.6	35.3	67	1.5	17.5	6.4	319	2.80	69.9	31.1	3.2	26	0.4	5.9	4.0	56	0.24	0.094	21
L6300W/13225N	Soil	1.1	38.3	21.9	60	0.9	18.9	6.3	172	3.02	49.1	46.8	8.2	20	0.1	6.0	9.4	58	0.18	0.069	21
L6300W/13250N	Soil	1.8	51.2	24.4	73	1.3	22.5	9.3	524	3.57	78.4	71.7	4.7	28	0.3	10.3	14.7	69	0.22	0.111	22
L6300W/13275N	Soil	1.4	46.2	25.4	55	0.9	17.2	8.2	222	3.30	71.3	177.3	13.4	22	0.1	10.0	16.4	57	0.15	0.063	27
L6300W/13300N	Soil	1.1	31.2	19.3	50	0.6	15.7	5.4	148	2.66	49.2	113.4	11.6	21	0.1	6.7	13.2	48	0.16	0.048	24
L6300W/13325N	Soil	1.7	37.9	15.6	54	0.6	17.0	10.0	487	3.45	56.5	37.4	2.9	21	0.1	4.1	6.2	65	0.18	0.106	21
L6300W/13350N	Soil	1.2	32.0	13.5	60	0.3	17.9	9.6	497	2.79	23.5	17.7	2.4	26	0.1	2.2	3.0	55	0.29	0.086	22
L6300W/13375N	Soil	1.0	26.4	16.1	57	0.4	15.7	8.7	283	3.13	59.1	54.8	8.7	20	0.2	3.7	8.1	58	0.26	0.073	22
L6300W/13400N	Soil	1.0	24.5	13.9	56	0.2	17.8	9.4	499	2.69	33.1	21.6	6.5	22	0.2	2.3	4.4	55	0.25	0.068	20
L6300W/13425N	Soil	1.3	28.9	15.7	61	0.3	20.8	11.3	702	3.19	34.9	21.5	5.5	23	0.1	2.1	4.8	65	0.28	0.079	21
L6300W/13450N	Soil	1.3	32.7	12.3	73	0.2	20.6	10.9	612	3.08	51.0	22.7	3.3	26	0.3	1.3	2.4	68	0.27	0.073	19
L6300W/13475N	Soil	1.4	35.2	11.8	90	0.1	22.8	12.5	732	3.25	103.4	10.9	2.8	27	0.2	0.9	1.3	77	0.26	0.071	17
L6300W/13500N	Soil	0.9	26.2	8.4	58	<0.1	21.4	9.4	387	2.73	46.9	11.0	4.9	24	0.3	0.7	0.8	73	0.35	0.080	15
L6300W/13525N	Soil	1.2	20.0	11.0	71	<0.1	19.0	10.8	846	2.91	81.9	0.9	3.0	31	0.4	0.8	0.6	70	0.34	0.062	13
L6300W/13550N	Soil	1.3	23.8	17.2	111	0.2	22.9	10.4	499	2.99	145.6	4.3	2.6	34	0.4	1.2	0.8	73	0.38	0.077	19
L7300W/12500N	Soil	1.9	80.1	20.6	72	0.1	26.1	16.4	756	4.16	26.6	39.2	8.3	24	0.3	1.6	2.7	76	0.16	0.079	52
L7300W/12525N	Soil	0.9	61.5	17.5	56	0.2	20.5	10.1	362	3.19	21.0	213.1	8.3	28	0.2	1.7	2.4	59	0.24	0.064	26
L7300W/12550N	Soil	1.5	57.6	17.4	60	0.1	24.9	12.4	523	3.92	28.7	47.1	6.7	29	0.2	1.4	2.6	67	0.23	0.072	25
L7300W/12575N	Soil	1.2	48.3	21.8	46	0.2	19.4	8.9	317	3.60	33.6	179.4	10.1	32	0.1	1.2	2.8	55	0.24	0.068	25
L7300W/12600N	Soil	1.3	55.9	47.3	37	0.5	10.7	4.6	175	3.78	47.9	383.9	21.3	54	0.2	1.9	4.9	28	0.24	0.074	60



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 3 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
MDL		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
L6300W/12925N	Soil	23	0.23	168	0.046	<1	1.36	0.023	0.10	0.1	0.05	2.2	0.2	0.20	7	<0.5	<0.2	
L6300W/12950N	Soil	35	0.45	94	0.083	<1	2.42	0.012	0.06	0.2	0.07	3.6	0.1	0.07	7	<0.5	<0.2	
L6300W/12975N	Soil	33	0.48	103	0.088	1	2.42	0.012	0.05	0.2	0.06	4.1	0.1	<0.05	6	<0.5	<0.2	
L6300W/13000N	Soil	32	0.52	74	0.112	1	2.44	0.016	0.06	0.2	0.06	4.2	0.1	<0.05	6	<0.5	<0.2	
L6300W/13050N	Soil	32	0.58	166	0.097	2	2.07	0.051	0.29	3.3	0.07	5.6	0.3	0.49	7	0.7	1.3	
L6300W/13075N	Soil	33	0.54	148	0.099	2	1.93	0.030	0.16	5.1	0.05	4.9	0.2	0.21	6	0.6	1.1	
L6300W/13100N	Soil	28	0.57	113	0.054	3	2.09	0.022	0.11	0.9	0.06	4.3	0.2	0.09	6	<0.5	2.0	
L6300W/13125N	Soil	32	0.52	136	0.076	3	1.86	0.034	0.11	0.3	0.06	4.4	0.2	0.13	6	0.6	0.8	
L6300W/13150N	Soil	32	0.53	129	0.101	2	1.64	0.020	0.10	0.5	0.04	4.2	0.2	<0.05	5	<0.5	0.2	
L6300W/13175N	Soil	33	0.51	170	0.084	2	1.93	0.027	0.15	0.4	0.06	5.1	0.2	0.08	6	0.6	1.4	
L6300W/13200N	Soil	31	0.43	127	0.052	2	1.62	0.016	0.10	0.2	0.09	3.2	0.2	0.08	6	<0.5	0.3	
L6300W/13225N	Soil	34	0.54	118	0.075	2	1.93	0.012	0.10	0.3	0.06	4.5	0.2	<0.05	7	<0.5	0.3	
L6300W/13250N	Soil	42	0.45	163	0.060	2	1.73	0.017	0.14	0.3	0.09	4.4	0.3	0.17	7	0.6	0.7	
L6300W/13275N	Soil	34	0.50	133	0.079	2	1.92	0.011	0.12	0.4	0.05	4.3	0.3	<0.05	7	<0.5	0.9	
L6300W/13300N	Soil	30	0.51	117	0.087	2	1.74	0.010	0.11	0.4	0.05	3.7	0.3	<0.05	7	<0.5	0.7	
L6300W/13325N	Soil	33	0.47	137	0.052	2	1.81	0.015	0.06	0.2	0.08	3.9	0.3	<0.05	6	<0.5	0.8	
L6300W/13350N	Soil	33	0.57	159	0.075	2	1.93	0.016	0.06	0.2	0.07	4.3	0.3	<0.05	7	<0.5	0.2	
L6300W/13375N	Soil	31	0.56	128	0.096	2	1.82	0.011	0.09	1.0	0.05	4.6	0.3	<0.05	7	<0.5	0.3	
L6300W/13400N	Soil	32	0.55	129	0.095	2	1.75	0.015	0.08	0.6	0.04	4.2	0.2	<0.05	6	<0.5	<0.2	
L6300W/13425N	Soil	36	0.62	148	0.095	2	2.05	0.015	0.08	0.4	0.05	4.7	0.3	<0.05	7	<0.5	<0.2	
L6300W/13450N	Soil	35	0.61	165	0.082	2	2.07	0.014	0.08	0.7	0.04	3.8	0.2	<0.05	7	<0.5	<0.2	
L6300W/13475N	Soil	35	0.63	207	0.083	2	2.18	0.014	0.07	0.4	0.02	4.2	0.2	<0.05	8	<0.5	<0.2	
L6300W/13500N	Soil	32	0.57	170	0.114	2	1.96	0.018	0.09	0.6	0.03	4.2	0.2	<0.05	6	<0.5	<0.2	
L6300W/13525N	Soil	31	0.54	219	0.089	2	1.83	0.019	0.07	0.3	0.08	3.5	0.2	<0.05	6	<0.5	<0.2	
L6300W/13550N	Soil	35	0.59	249	0.065	2	2.32	0.017	0.06	0.3	0.04	4.2	0.2	<0.05	7	<0.5	<0.2	
L7300W/12500N	Soil	40	0.67	183	0.070	2	2.91	0.017	0.12	0.1	0.06	5.8	0.3	<0.05	9	0.6	0.6	
L7300W/12525N	Soil	30	0.66	164	0.092	1	1.83	0.024	0.15	0.2	0.03	4.1	0.2	0.08	6	0.5	0.7	
L7300W/12550N	Soil	38	0.66	158	0.074	1	2.48	0.015	0.14	0.2	0.06	4.3	0.2	0.09	8	<0.5	0.7	
L7300W/12575N	Soil	30	0.52	180	0.082	2	1.77	0.022	0.25	0.2	0.03	3.5	0.2	0.27	6	0.5	1.0	
L7300W/12600N	Soil	18	0.33	275	0.022	1	1.40	0.062	0.49	0.1	0.04	2.5	0.4	0.92	5	0.7	1.5	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 4 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L7300W/12625N	Soil	1.0	48.0	11.7	55	<0.1	27.0	12.5	442	3.28	22.7	26.3	10.1	27	0.1	1.1	1.7	61	0.29	0.058	24
L7300W/12650N	Soil	1.2	43.5	11.1	53	<0.1	24.5	9.9	388	3.23	23.9	25.8	7.4	25	<0.1	1.1	1.6	67	0.23	0.064	21
L7300W/12675N	Soil	1.2	38.9	9.7	54	<0.1	28.6	10.0	459	2.94	23.3	13.7	4.8	26	0.2	0.9	1.5	60	0.23	0.073	21
L7300W/12700N	Soil	1.7	57.5	21.6	58	0.2	18.7	12.1	496	3.73	38.4	447.3	6.5	47	0.3	2.2	2.2	69	0.20	0.089	40
L7300W/12725N	Soil	0.6	59.1	27.8	70	0.3	20.8	15.1	377	3.79	30.9	160.4	3.5	34	0.2	1.0	1.6	92	0.21	0.042	11
L7300W/12750N	Soil	0.8	21.9	14.9	47	<0.1	14.4	7.2	332	3.35	25.1	19.0	11.9	29	<0.1	1.3	1.0	43	0.23	0.055	35
L7300W/12775N	Soil	5.5	36.7	21.5	65	0.4	16.5	5.6	185	3.20	130.3	79.2	10.1	26	0.2	3.7	2.2	76	0.25	0.087	31
L7300W/12800N	Soil	1.8	24.2	35.9	152	0.3	17.7	10.0	656	3.06	188.4	32.4	10.0	26	0.3	6.0	4.7	60	0.28	0.076	17
L7300W/12825N	Soil	3.9	36.2	30.2	73	0.3	20.0	14.3	1387	3.40	288.3	23.4	1.5	33	0.6	2.9	4.6	61	0.28	0.116	23
L7300W/12850N	Soil	8.4	93.2	43.8	193	0.8	12.4	3.7	148	5.56	511.1	112.5	6.7	30	0.2	5.6	5.3	113	0.10	0.102	28
L7300W/12875N	Soil	6.4	89.6	38.3	188	1.4	61.4	19.8	740	6.12	555.6	424.3	5.5	37	0.9	4.1	8.5	122	0.25	0.147	28
L7300W/12900N	Soil	1.0	31.7	20.0	94	0.2	28.7	12.5	614	2.78	101.3	25.7	5.3	25	0.5	1.2	0.7	66	0.33	0.088	18
L7300W/12925N	Soil	1.0	31.1	23.6	103	0.2	30.1	11.7	492	2.90	67.8	14.0	4.5	20	0.4	8.6	1.6	67	0.26	0.076	14
L7300W/12950N	Soil	3.8	152.9	239.9	109	5.4	19.1	8.7	403	4.04	1040.6	99.5	3.2	36	0.6	389.8	100.6	52	0.15	0.065	16
L7300W/12975N	Soil	2.2	44.0	42.5	145	0.2	40.5	17.0	817	4.03	144.2	11.7	5.3	28	0.6	2.1	3.1	85	0.20	0.080	18
L7300W/13000N	Soil	2.1	36.6	28.9	133	0.2	31.7	21.7	1377	3.83	95.3	3.2	2.6	31	1.8	2.2	0.7	90	0.23	0.084	13
L7300W/13025N	Soil	0.8	19.4	12.8	91	<0.1	18.5	9.2	414	2.43	49.8	2.4	4.7	29	0.4	0.7	0.5	59	0.28	0.080	13
L7300W/13050N	Soil	1.8	23.5	21.2	125	0.3	18.2	12.4	1013	3.04	113.3	3.5	3.7	42	1.3	1.3	0.5	76	0.37	0.079	18
L7300W/13075N	Soil	2.0	33.3	42.8	182	0.2	24.1	15.6	813	3.81	57.8	5.9	4.9	26	0.7	1.0	0.7	89	0.27	0.071	22
L7300W/13100N	Soil	0.8	23.9	10.6	76	<0.1	16.8	11.1	511	2.67	53.7	3.8	6.2	56	0.3	0.8	0.4	73	0.42	0.090	17
L7300W/13125N	Soil	1.3	29.7	43.7	259	0.3	20.4	12.3	591	3.30	124.4	5.4	4.8	49	1.4	1.4	0.6	76	0.35	0.090	17
L7300W/13150N	Soil	0.7	21.6	17.4	115	0.1	12.7	9.2	474	2.21	65.2	18.3	6.9	129	0.4	1.1	1.5	55	0.44	0.068	20
L7300W/13175N	Soil	1.0	29.0	8.8	64	<0.1	20.1	10.8	396	2.87	22.0	3.1	3.8	49	0.2	0.6	0.3	78	0.28	0.080	14
L7300W/13200N	Soil	1.9	37.8	9.6	60	<0.1	20.4	7.6	223	2.82	13.7	5.7	0.9	20	0.2	0.8	0.3	71	0.17	0.083	11
L7300W/13225N	Soil	1.6	16.4	21.7	104	0.1	13.9	11.2	485	3.42	326.1	3.4	3.4	47	0.6	1.0	0.5	93	0.30	0.082	12
L7300W/13250N	Soil	1.0	25.2	10.9	88	0.1	15.6	12.1	476	3.29	113.9	7.1	8.7	48	0.2	1.1	0.3	90	0.43	0.087	18
L7300W/13275N	Soil	2.0	25.4	15.0	92	0.2	17.3	10.7	288	4.13	349.0	3.7	7.7	51	0.2	1.1	0.5	97	0.51	0.088	17
L7300W/13300N	Soil	2.3	20.8	13.6	104	<0.1	17.4	13.2	1174	3.70	194.7	5.3	5.9	31	0.6	2.2	0.6	94	0.30	0.069	11
L6500W/12525N	Soil	1.0	8.2	8.8	20	0.4	3.7	1.5	64	0.87	3.8	5.6	0.3	8	<0.1	0.6	0.2	36	0.05	0.036	6
L6500W/12550N	Soil	1.4	11.9	8.8	51	0.2	8.5	5.1	394	2.03	6.5	4.0	1.5	12	0.1	0.7	0.2	64	0.09	0.055	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

**Page:** 4 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L7300W/12625N	Soil	34	0.70	134	0.077	1	2.27	0.015	0.14	0.2	0.04	4.1	0.2	<0.05	7	<0.5	0.4
L7300W/12650N	Soil	38	0.66	120	0.101	2	2.12	0.014	0.11	0.2	0.04	4.6	0.2	<0.05	7	<0.5	0.6
L7300W/12675N	Soil	44	0.75	117	0.095	2	1.94	0.015	0.09	0.3	0.05	4.1	0.2	<0.05	7	<0.5	0.5
L7300W/12700N	Soil	27	0.60	175	0.046	1	2.17	0.029	0.14	0.4	0.06	3.5	0.3	0.25	7	<0.5	0.7
L7300W/12725N	Soil	25	0.99	256	0.123	2	2.50	0.032	0.18	0.3	0.04	5.1	0.3	0.11	7	<0.5	0.6
L7300W/12750N	Soil	23	0.63	108	0.028	<1	2.24	0.017	0.14	0.8	0.03	3.8	0.2	0.07	7	<0.5	0.3
L7300W/12775N	Soil	40	0.60	214	0.099	2	2.12	0.013	0.17	1.1	0.09	6.7	0.3	<0.05	7	1.0	0.5
L7300W/12800N	Soil	24	0.58	162	0.052	2	2.45	0.019	0.08	1.2	0.05	4.7	0.2	<0.05	6	<0.5	0.3
L7300W/12825N	Soil	30	0.38	190	0.022	3	1.69	0.019	0.15	1.1	0.09	2.3	0.3	0.22	7	0.6	0.8
L7300W/12850N	Soil	39	0.10	340	0.004	2	0.64	0.010	0.41	1.1	0.08	4.9	0.5	0.80	4	2.3	1.7
L7300W/12875N	Soil	68	0.89	452	0.074	3	2.23	0.030	0.44	1.2	0.09	6.8	0.4	0.52	8	2.2	1.7
L7300W/12900N	Soil	32	0.63	140	0.090	2	1.97	0.019	0.08	0.9	0.07	3.9	0.2	<0.05	6	<0.5	<0.2
L7300W/12925N	Soil	34	0.60	119	0.086	2	1.94	0.015	0.07	1.7	0.04	3.7	0.2	<0.05	5	<0.5	<0.2
L7300W/12950N	Soil	27	0.37	266	0.030	2	1.54	0.022	0.24	0.6	0.07	2.3	0.2	0.42	5	0.7	0.4
L7300W/12975N	Soil	46	0.70	187	0.067	2	2.72	0.015	0.11	0.8	0.05	4.8	0.2	<0.05	8	<0.5	<0.2
L7300W/13000N	Soil	45	0.69	245	0.072	3	2.36	0.014	0.08	0.3	0.07	4.4	0.3	<0.05	8	<0.5	<0.2
L7300W/13025N	Soil	25	0.58	187	0.100	1	1.82	0.021	0.13	0.7	0.03	3.3	0.2	<0.05	5	<0.5	<0.2
L7300W/13050N	Soil	31	0.69	354	0.077	2	2.18	0.023	0.07	0.3	0.07	5.0	0.3	<0.05	7	<0.5	<0.2
L7300W/13075N	Soil	36	0.81	269	0.085	2	2.65	0.017	0.10	0.3	0.05	6.2	0.3	<0.05	8	<0.5	<0.2
L7300W/13100N	Soil	26	0.65	564	0.112	2	1.88	0.024	0.13	0.3	0.03	3.8	0.2	<0.05	6	<0.5	<0.2
L7300W/13125N	Soil	30	0.72	282	0.099	1	2.12	0.028	0.13	0.2	0.05	4.3	0.3	0.08	6	<0.5	<0.2
L7300W/13150N	Soil	20	0.66	1277	0.043	<1	2.12	0.021	0.09	0.3	0.03	3.2	0.2	<0.05	5	<0.5	0.3
L7300W/13175N	Soil	31	0.73	205	0.103	1	2.18	0.028	0.09	0.2	0.03	3.6	0.2	<0.05	6	<0.5	<0.2
L7300W/13200N	Soil	33	0.52	86	0.062	2	2.03	0.025	0.06	<0.1	0.07	3.1	0.2	0.06	6	0.9	<0.2
L7300W/13225N	Soil	28	0.66	278	0.094	1	2.21	0.015	0.07	0.2	0.03	4.0	0.3	<0.05	7	<0.5	<0.2
L7300W/13250N	Soil	30	0.85	311	0.143	<1	2.20	0.018	0.15	0.2	0.02	5.6	0.3	<0.05	6	<0.5	<0.2
L7300W/13275N	Soil	33	0.85	276	0.129	1	2.52	0.022	0.12	0.2	0.05	6.0	0.3	<0.05	7	<0.5	<0.2
L7300W/13300N	Soil	33	0.69	221	0.105	2	2.38	0.014	0.09	0.2	0.04	4.6	0.3	<0.05	7	<0.5	<0.2
L6500W/12525N	Soil	12	0.09	31	0.037	1	0.52	0.012	0.04	<0.1	0.05	1.1	0.1	<0.05	4	<0.5	<0.2
L6500W/12550N	Soil	19	0.19	73	0.064	<1	1.03	0.012	0.05	<0.1	0.07	1.9	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 01, 2017

Page: 5 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6500W/12575N	Soil	1.2	14.6	11.6	41	0.3	8.0	3.0	135	1.51	5.6	4.0	1.5	12	0.1	1.1	0.3	51	0.08	0.054	8
L6500W/12600N	Soil	1.3	17.0	14.3	43	0.2	15.3	6.2	237	2.99	9.0	4.5	4.5	13	0.2	0.9	0.3	75	0.13	0.038	12
L6500W/12625N	Soil	1.2	34.5	18.2	52	0.2	15.2	9.7	317	3.49	11.7	32.0	13.5	28	0.2	3.1	0.5	66	0.18	0.069	22
L6500W/12650N	Soil	1.0	10.4	4.9	29	0.1	4.5	2.3	86	1.34	3.5	9.4	0.9	11	0.1	0.7	0.3	43	0.08	0.055	7
L6500W/12675N	Soil	1.2	28.0	13.4	63	0.1	25.6	10.5	344	3.26	11.3	7.2	8.4	18	0.2	1.5	0.3	69	0.18	0.042	16
L6500W/12700N	Soil	1.4	33.6	35.2	66	0.4	17.8	9.2	368	3.23	18.8	17.8	13.3	25	0.2	3.9	0.8	61	0.23	0.067	24
L6500W/12725N	Soil	1.0	20.4	31.0	43	0.3	14.3	6.5	222	2.77	19.5	14.9	5.6	18	0.1	3.4	1.2	67	0.20	0.050	18
L6500W/12750N	Soil	1.0	35.6	59.5	72	0.7	18.3	10.4	294	2.64	26.9	29.5	16.3	27	0.5	9.4	1.2	50	0.35	0.072	28
L6500W/12775N	Soil	0.8	15.3	22.3	50	0.4	12.2	5.6	188	2.39	32.2	14.1	7.6	17	0.2	3.5	1.0	53	0.25	0.066	19
L6500W/12800N	Soil	0.7	27.3	45.0	55	0.8	15.9	7.0	201	3.16	69.4	42.9	15.7	25	0.2	7.2	1.2	54	0.30	0.066	32
L6500W/12825N	Soil	1.1	29.1	45.1	54	0.7	15.6	8.5	216	3.01	71.7	42.5	17.6	23	0.1	8.0	1.1	53	0.29	0.063	30
L6500W/12850N	Soil	1.2	29.5	84.8	56	1.7	14.6	6.2	206	2.96	101.3	71.9	17.7	22	0.2	12.7	1.8	49	0.26	0.059	37
L6500W/12875N	Soil	1.6	29.0	71.3	54	0.9	14.8	6.5	195	2.77	144.1	75.5	16.2	26	0.2	10.4	1.4	51	0.28	0.063	34
L6500W/12900N	Soil	0.4	18.3	104.9	46	0.7	13.7	5.2	124	2.16	55.5	54.2	12.6	22	<0.1	8.6	1.3	52	0.24	0.047	27
L6500W/12925N	Soil	0.7	19.4	69.3	41	0.6	9.7	3.5	115	2.10	70.7	38.2	10.9	20	0.1	8.0	1.5	41	0.17	0.058	30
L6500W/12950N	Soil	0.2	14.9	22.5	30	0.2	10.2	3.3	105	1.55	9.9	22.3	7.3	15	0.2	3.7	1.4	38	0.15	0.044	19
L6500W/12975N	Soil	0.5	41.6	10.1	52	<0.1	25.4	12.2	271	3.54	10.1	28.6	13.9	21	0.1	2.8	1.5	61	0.29	0.058	29
L6500W/13000N	Soil	0.6	21.1	7.9	49	<0.1	22.0	8.1	317	2.69	7.9	16.3	7.1	15	0.1	1.2	0.8	56	0.23	0.067	13
L6500W/13025N	Soil	1.9	14.0	4.9	63	<0.1	36.8	8.1	253	2.25	3.4	8.8	6.0	8	<0.1	0.9	0.4	80	0.06	0.024	9
L6500W/13050N	Soil	1.6	20.4	11.9	75	<0.1	20.0	7.8	295	3.46	11.3	5.5	4.0	12	<0.1	1.0	0.7	95	0.12	0.030	10
L6500W/13075N	Soil	0.7	30.1	9.7	66	<0.1	24.3	10.3	386	3.02	19.0	24.8	7.0	19	0.2	1.6	1.9	64	0.29	0.070	17
L6500W/13100N	Soil	0.6	27.7	8.9	49	<0.1	17.8	6.9	179	2.67	14.1	26.8	11.0	20	0.2	2.3	1.8	57	0.28	0.062	21
L6500W/13125N	Soil	0.8	30.6	10.8	56	0.2	20.6	7.4	253	3.01	20.1	91.2	9.5	26	0.1	3.4	2.3	59	0.29	0.083	21
L6500W/13150N	Soil	1.0	34.2	10.4	75	<0.1	22.4	10.6	385	3.10	23.4	26.2	7.5	19	0.3	1.8	2.6	65	0.23	0.066	18
L6500W/13175N	Soil	1.1	34.5	16.5	60	0.2	19.2	7.8	258	3.12	39.2	31.3	6.1	24	0.2	3.1	2.5	63	0.25	0.080	33
L6500W/13200N	Soil	1.7	50.0	13.6	81	0.2	24.2	16.2	949	3.17	25.8	32.9	7.9	38	0.5	2.1	3.3	63	0.39	0.098	52
L6500W/13225N	Soil	0.9	36.5	9.9	63	0.1	20.5	10.2	423	2.65	18.7	86.5	9.5	21	0.2	1.9	2.3	60	0.25	0.071	24
L6500W/13250N	Soil	1.4	38.8	13.5	56	0.2	22.3	10.3	404	3.35	28.9	46.4	8.8	26	0.1	2.1	3.1	66	0.26	0.072	27
L6500W/13275N	Soil	1.0	34.6	11.1	61	0.2	22.0	10.9	501	2.91	18.3	113.7	8.3	22	0.2	1.8	2.6	66	0.30	0.081	23
L6500W/13300N	Soil	1.0	24.7	10.9	60	0.2	20.0	7.9	272	2.71	16.6	27.6	6.6	23	0.3	1.5	2.4	61	0.29	0.066	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 5 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6500W/12575N	Soil	15	0.18	65	0.058	1	0.73	0.010	0.06	<0.1	0.07	1.7	0.1	<0.05	5	<0.5	<0.2
L6500W/12600N	Soil	29	0.33	71	0.079	1	1.58	0.009	0.05	<0.1	0.07	2.9	0.1	<0.05	7	<0.5	<0.2
L6500W/12625N	Soil	22	0.56	170	0.097	1	2.26	0.026	0.16	0.2	0.05	4.4	0.2	0.10	6	<0.5	<0.2
L6500W/12650N	Soil	12	0.22	70	0.053	2	0.69	0.018	0.08	0.2	0.03	1.8	0.1	<0.05	4	<0.5	<0.2
L6500W/12675N	Soil	33	0.56	104	0.096	2	2.33	0.015	0.07	0.2	0.03	4.1	0.1	<0.05	6	<0.5	<0.2
L6500W/12700N	Soil	27	0.46	142	0.077	<1	1.83	0.021	0.14	0.6	0.05	3.7	0.2	0.08	5	<0.5	<0.2
L6500W/12725N	Soil	28	0.42	84	0.084	1	1.75	0.009	0.07	0.2	0.05	3.6	0.2	<0.05	7	<0.5	0.3
L6500W/12750N	Soil	28	0.45	117	0.083	1	1.33	0.019	0.13	0.3	0.08	5.3	0.2	<0.05	4	<0.5	0.2
L6500W/12775N	Soil	26	0.44	79	0.092	<1	1.50	0.010	0.10	0.3	0.05	3.5	0.2	<0.05	6	<0.5	<0.2
L6500W/12800N	Soil	31	0.46	119	0.095	<1	1.77	0.012	0.13	0.3	0.07	5.9	0.3	<0.05	6	<0.5	0.3
L6500W/12825N	Soil	32	0.52	116	0.098	<1	1.97	0.011	0.14	0.2	0.06	6.1	0.3	<0.05	6	<0.5	0.3
L6500W/12850N	Soil	29	0.48	108	0.082	1	1.77	0.010	0.15	0.2	0.12	5.1	0.3	<0.05	6	0.5	0.5
L6500W/12875N	Soil	29	0.48	123	0.078	1	1.74	0.013	0.15	0.3	0.09	5.4	0.4	<0.05	6	<0.5	0.3
L6500W/12900N	Soil	29	0.45	104	0.079	<1	1.96	0.009	0.08	0.2	0.09	4.8	0.3	<0.05	7	<0.5	0.3
L6500W/12925N	Soil	25	0.35	94	0.066	<1	1.48	0.008	0.13	0.2	0.09	4.5	0.3	<0.05	5	0.5	0.2
L6500W/12950N	Soil	26	0.34	85	0.073	<1	1.53	0.010	0.07	0.3	0.05	4.2	0.2	<0.05	5	<0.5	<0.2
L6500W/12975N	Soil	45	0.82	103	0.127	<1	2.12	0.012	0.21	0.5	0.02	5.5	0.3	<0.05	6	<0.5	0.3
L6500W/13000N	Soil	39	0.62	63	0.115	<1	2.03	0.010	0.12	0.4	0.04	4.1	0.2	<0.05	6	<0.5	<0.2
L6500W/13025N	Soil	62	0.86	65	0.227	2	1.35	0.013	0.47	<0.1	0.04	4.7	0.4	<0.05	12	<0.5	<0.2
L6500W/13050N	Soil	33	0.41	66	0.118	2	1.80	0.010	0.05	0.9	0.03	3.3	0.2	<0.05	9	<0.5	<0.2
L6500W/13075N	Soil	34	0.63	112	0.116	2	2.03	0.017	0.10	1.6	0.03	4.1	0.2	<0.05	5	<0.5	<0.2
L6500W/13100N	Soil	31	0.56	97	0.126	2	1.65	0.014	0.14	0.8	0.03	4.7	0.2	<0.05	6	<0.5	0.3
L6500W/13125N	Soil	37	0.61	103	0.111	2	1.71	0.018	0.19	1.1	0.04	4.7	0.2	<0.05	6	<0.5	0.4
L6500W/13150N	Soil	31	0.51	92	0.105	2	1.73	0.015	0.08	0.9	0.02	3.6	0.2	<0.05	6	<0.5	0.3
L6500W/13175N	Soil	34	0.54	113	0.088	2	1.98	0.017	0.09	0.6	0.05	4.1	0.3	0.05	6	<0.5	0.2
L6500W/13200N	Soil	33	0.55	168	0.089	2	2.13	0.018	0.11	0.6	0.07	5.0	0.3	<0.05	7	<0.5	0.4
L6500W/13225N	Soil	31	0.51	100	0.114	1	1.59	0.019	0.14	1.5	0.03	4.1	0.2	<0.05	5	<0.5	0.3
L6500W/13250N	Soil	36	0.53	133	0.100	2	2.00	0.014	0.09	0.9	0.04	4.6	0.3	<0.05	6	<0.5	0.3
L6500W/13275N	Soil	37	0.61	118	0.113	2	1.82	0.015	0.12	1.5	0.03	4.4	0.2	<0.05	6	<0.5	0.3
L6500W/13300N	Soil	35	0.60	100	0.114	2	1.73	0.015	0.11	0.9	0.03	3.9	0.2	<0.05	6	<0.5	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 6 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L6500W/13325N	Soil	0.8	40.1	9.2	52	0.2	19.1	17.2	1388	2.42	20.5	22.9	7.1	30	0.2	1.9	2.1	55	0.39	0.083	26
L6500W/13350N	Soil	1.1	50.6	10.8	59	0.3	19.0	10.6	774	2.91	33.7	97.9	6.7	28	0.2	1.7	2.8	61	0.28	0.080	25
L6500W/13375N	Soil	1.4	44.1	10.8	66	0.2	18.3	8.5	592	2.93	46.3	25.1	1.8	25	0.2	1.4	2.5	69	0.25	0.072	19
L6500W/13400N	Soil	1.2	36.8	9.9	91	0.1	19.6	10.6	592	2.76	89.4	21.3	2.9	24	0.3	0.9	1.4	69	0.27	0.066	16
L7900W/11450N	Soil	4.0	96.3	13.4	52	0.3	17.4	9.9	305	3.39	15.8	23.6	3.1	22	0.3	0.8	0.9	83	0.20	0.065	13
L7900W/11475N	Soil	5.1	114.6	14.6	57	0.2	16.8	9.0	285	3.34	15.2	18.8	2.4	22	0.2	0.7	1.3	81	0.17	0.069	14
L7900W/11500N	Soil	9.2	196.5	12.5	55	0.3	14.8	12.7	339	4.13	22.6	58.6	3.6	28	0.3	0.8	1.5	85	0.30	0.073	21
L7900W/11525N	Soil	1.9	24.8	6.7	38	0.2	11.2	4.3	130	1.99	5.4	2.6	0.3	16	0.2	0.5	0.3	53	0.15	0.071	5
L7900W/11550N	Soil	3.8	71.7	8.6	53	0.6	12.9	6.7	282	2.22	7.2	8.6	0.5	28	0.2	0.6	0.6	59	0.24	0.090	7
L7900W/11575N	Soil	10.7	177.3	10.3	49	0.3	18.3	12.1	327	3.71	12.6	39.2	5.0	28	0.2	0.7	1.9	80	0.26	0.066	17
L7900W/11600N	Soil	7.9	146.7	11.1	48	0.2	15.5	11.3	311	3.69	14.0	68.8	4.1	37	0.2	0.7	2.5	76	0.25	0.066	14
L7900W/11625N	Soil	55.2	220.7	11.0	39	0.2	11.0	10.9	261	4.88	12.6	101.7	5.8	68	0.1	0.6	4.1	73	0.18	0.084	26
L7900W/11650N	Soil	33.0	305.0	18.9	139	0.4	13.6	15.7	380	4.92	16.4	107.0	11.1	75	0.7	0.6	3.3	74	0.38	0.078	26
L7900W/11675N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L7900W/11700N	Soil	7.4	83.6	11.5	54	0.1	17.7	11.1	515	3.29	11.7	26.0	2.7	24	0.3	0.6	2.1	75	0.18	0.083	14
L7900W/11725N	Soil	9.5	127.6	10.2	42	0.3	10.8	8.4	264	3.50	10.2	48.2	2.4	29	0.1	0.6	3.2	70	0.15	0.081	13
L7900W/11750N	Soil	9.9	204.8	12.3	51	0.3	15.5	13.4	377	4.68	12.0	75.7	10.1	47	0.2	0.6	4.0	86	0.36	0.073	23
L7900W/11775N	Soil	15.0	341.1	11.2	49	0.5	20.9	16.2	398	5.55	14.8	199.5	13.5	61	0.1	0.5	4.6	103	0.38	0.105	32
L7900W/11800N	Soil	17.0	370.4	10.3	45	0.3	14.0	15.3	267	5.03	8.4	70.0	12.6	79	0.1	0.4	2.6	118	0.44	0.085	23
L7900W/11825N	Soil	14.9	273.2	15.6	40	0.4	10.6	8.6	219	4.88	10.4	97.0	25.8	73	0.1	0.5	1.8	89	0.31	0.075	38
L7900W/11850N	Soil	10.3	81.5	10.0	47	0.2	14.4	8.1	266	3.26	9.5	21.8	1.6	30	0.2	0.7	1.5	84	0.17	0.076	9
L7900W/11875N	Soil	19.7	171.8	13.8	41	1.1	13.0	15.5	399	4.06	10.7	32.8	3.0	105	0.1	0.5	3.5	77	0.47	0.111	20
L7900W/11900N	Soil	25.7	197.8	12.9	55	0.2	17.3	20.0	508	5.19	13.2	23.5	8.3	60	0.2	0.6	3.9	105	0.37	0.093	18
L7900W/11925N	Soil	18.1	184.9	9.1	45	0.3	12.8	14.3	311	5.16	10.3	57.4	13.8	71	0.1	0.5	2.5	98	0.38	0.088	28
L7900W/11950N	Soil	23.6	132.4	12.0	39	0.9	12.3	9.2	320	3.53	8.8	23.9	1.4	67	0.2	0.6	4.1	63	0.43	0.127	22
L7900W/11975N	Soil	14.2	173.8	9.9	56	0.3	18.8	16.1	419	4.81	15.2	66.8	5.3	82	0.2	0.7	3.5	100	0.32	0.101	17
L7900W/12000N	Soil	5.6	75.4	19.1	55	0.5	19.5	9.3	314	3.55	68.5	136.2	4.7	27	0.3	2.9	3.9	69	0.35	0.089	15
L7900W/12025N	Soil	3.3	33.0	11.2	36	0.3	13.1	4.8	235	3.30	53.8	543.8	1.7	15	0.2	1.1	2.2	94	0.13	0.056	11
L7900W/12050N	Soil	3.3	64.9	11.0	54	0.5	17.4	6.4	339	3.55	83.9	25.0	0.7	15	0.2	1.7	2.6	81	0.11	0.110	15
L7900W/12075N	Soil	2.6	111.9	13.4	50	0.3	21.4	7.8	310	4.33	96.2	60.9	5.2	33	0.2	2.0	3.3	77	0.12	0.067	18



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

**Page:** 6 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L6500W/13325N	Soil	30	0.52	139	0.099	2	1.51	0.023	0.12	0.9	0.03	4.7	0.2	<0.05	5	<0.5	0.3
L6500W/13350N	Soil	31	0.54	155	0.088	1	1.78	0.016	0.14	1.9	0.03	4.8	0.2	<0.05	6	<0.5	0.4
L6500W/13375N	Soil	34	0.57	160	0.069	2	1.96	0.014	0.09	0.7	0.03	3.2	0.2	<0.05	7	<0.5	0.3
L6500W/13400N	Soil	29	0.57	180	0.085	2	2.14	0.017	0.09	0.7	0.02	3.7	0.2	<0.05	6	<0.5	<0.2
L7900W/11450N	Soil	28	0.50	138	0.070	2	1.95	0.012	0.06	0.3	0.05	4.0	0.2	<0.05	8	<0.5	<0.2
L7900W/11475N	Soil	28	0.48	102	0.056	2	2.02	0.012	0.06	0.1	0.05	3.4	0.2	<0.05	7	<0.5	0.2
L7900W/11500N	Soil	25	0.59	133	0.066	2	1.84	0.012	0.07	0.2	0.04	4.5	0.2	<0.05	7	<0.5	0.3
L7900W/11525N	Soil	20	0.20	73	0.047	1	1.07	0.019	0.04	<0.1	0.06	1.6	0.1	0.07	5	<0.5	<0.2
L7900W/11550N	Soil	22	0.31	97	0.047	2	1.16	0.016	0.06	<0.1	0.10	1.9	0.1	0.06	6	<0.5	<0.2
L7900W/11575N	Soil	29	0.61	112	0.066	1	2.19	0.016	0.07	0.2	0.04	4.3	0.1	<0.05	7	<0.5	0.5
L7900W/11600N	Soil	24	0.51	120	0.042	1	2.00	0.021	0.08	0.1	0.05	3.0	0.1	0.10	7	<0.5	0.6
L7900W/11625N	Soil	21	0.53	180	0.032	<1	1.94	0.067	0.18	<0.1	0.05	3.3	0.2	0.43	6	0.7	1.5
L7900W/11650N	Soil	21	0.74	164	0.047	2	2.01	0.044	0.14	0.2	0.02	4.8	0.1	0.20	6	0.7	1.1
L7900W/11675N	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
L7900W/11700N	Soil	29	0.49	132	0.056	1	2.28	0.015	0.07	0.4	0.06	3.3	0.1	<0.05	7	<0.5	0.6
L7900W/11725N	Soil	21	0.46	124	0.036	1	1.74	0.018	0.09	0.1	0.06	3.2	0.2	0.08	7	<0.5	1.1
L7900W/11750N	Soil	23	0.80	204	0.075	1	2.21	0.029	0.14	0.1	0.04	5.7	0.2	0.12	7	<0.5	1.6
L7900W/11775N	Soil	27	1.10	295	0.123	<1	2.43	0.038	0.32	0.1	0.03	7.5	0.5	0.27	8	0.5	1.7
L7900W/11800N	Soil	26	1.29	338	0.109	<1	3.08	0.038	0.52	0.2	0.03	9.6	0.5	0.21	9	<0.5	1.1
L7900W/11825N	Soil	20	0.93	364	0.079	<1	2.25	0.075	0.35	<0.1	0.02	8.1	0.3	0.41	7	0.8	0.7
L7900W/11850N	Soil	26	0.48	131	0.069	2	2.13	0.016	0.08	0.1	0.10	3.4	0.2	0.06	8	<0.5	0.5
L7900W/11875N	Soil	23	0.90	277	0.070	<1	2.90	0.042	0.13	0.1	0.04	5.8	0.3	0.12	7	<0.5	1.3
L7900W/11900N	Soil	28	1.10	239	0.113	2	3.16	0.033	0.30	0.4	0.05	7.3	0.3	0.13	10	<0.5	1.4
L7900W/11925N	Soil	25	1.02	291	0.103	<1	2.39	0.071	0.31	0.3	0.03	7.3	0.3	0.29	8	<0.5	1.0
L7900W/11950N	Soil	21	0.60	204	0.034	2	2.24	0.030	0.11	0.1	0.06	3.2	0.2	0.19	7	<0.5	1.3
L7900W/11975N	Soil	32	1.01	303	0.124	2	2.96	0.045	0.28	0.2	0.07	6.8	0.3	0.21	9	0.7	1.1
L7900W/12000N	Soil	32	0.58	150	0.081	2	1.70	0.027	0.14	0.2	0.04	4.1	0.2	0.11	5	0.7	0.9
L7900W/12025N	Soil	34	0.24	80	0.093	1	1.06	0.008	0.07	0.2	0.05	2.2	0.2	<0.05	9	<0.5	0.6
L7900W/12050N	Soil	37	0.29	107	0.040	1	1.42	0.008	0.11	0.1	0.10	1.7	0.3	0.11	8	0.6	0.7
L7900W/12075N	Soil	34	0.41	163	0.074	1	1.75	0.028	0.14	0.2	0.05	2.9	0.4	0.22	9	0.8	0.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 7 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
L7900W/12100N	Soil	2.3	63.8	8.5	51	0.2	33.8	11.5	502	3.62	35.0	16.3	1.6	16	0.2	1.1	2.8	103	0.16	0.082	13
L7900W/12125N	Soil	2.5	142.0	6.5	61	0.3	52.3	15.9	430	3.92	77.9	47.8	4.4	22	0.3	1.3	5.0	99	0.26	0.101	18
L7900W/12150N	Soil	1.3	29.2	8.1	58	<0.1	16.9	7.9	337	2.91	34.1	20.5	3.0	23	0.3	0.8	1.0	57	0.21	0.074	10
L7900W/12175N	Soil	1.0	35.4	8.2	44	<0.1	14.9	7.7	298	2.84	20.5	18.8	3.0	25	<0.1	0.9	1.3	50	0.18	0.067	10
L7900W/12200N	Soil	1.1	42.8	9.7	46	0.1	16.3	13.3	384	3.58	40.8	63.2	9.4	21	0.1	1.6	1.8	56	0.23	0.059	19
L7900W/12225N	Soil	2.5	45.7	9.0	55	<0.1	24.6	12.3	364	3.71	29.6	38.7	4.9	26	0.2	0.7	2.5	72	0.19	0.055	15
L7900W/12250N	Soil	2.8	58.3	10.7	55	0.2	23.8	9.7	308	4.43	51.0	75.3	3.3	35	0.1	1.1	2.6	93	0.16	0.070	17
L7900W/12275N	Soil	1.9	59.8	9.1	35	0.4	17.5	6.5	182	5.28	68.8	194.5	3.9	58	0.1	1.3	4.7	60	0.11	0.080	30
L7900W/12300N	Soil	1.8	85.6	7.1	48	0.3	35.0	9.3	289	4.51	73.2	74.0	2.5	26	0.1	0.8	4.7	94	0.17	0.106	12
L7900W/12325N	Soil	1.8	57.4	9.9	55	0.3	28.2	10.8	414	4.30	96.5	76.9	4.1	25	0.1	1.6	8.3	77	0.16	0.055	18
L7900W/12350N	Soil	1.2	33.8	9.0	49	0.1	16.1	11.8	315	2.96	70.2	387.3	3.5	197	0.2	1.1	1.8	55	0.42	0.072	13
L8300W/11650N	Soil	4.2	76.6	19.4	65	<0.1	24.9	14.3	766	3.53	25.2	19.2	6.4	29	0.1	0.8	0.9	74	0.26	0.059	15
L8300W/11675N	Soil	5.2	75.4	14.7	64	0.1	23.7	13.9	614	3.36	29.4	14.1	3.6	23	0.2	0.8	0.9	72	0.25	0.067	14
L8300W/11700N	Soil	1.5	38.9	8.3	55	<0.1	25.8	12.0	449	3.01	10.8	8.8	2.7	28	<0.1	0.4	0.3	71	0.25	0.051	10
L8300W/11725N	Soil	1.9	43.0	8.5	67	<0.1	27.4	12.0	445	3.40	9.6	16.1	2.1	22	<0.1	0.5	0.5	80	0.23	0.054	10
L8300W/11750N	Soil	2.2	93.1	13.4	71	0.2	21.0	12.5	406	3.18	9.9	19.8	5.6	51	0.2	0.4	0.7	80	0.44	0.099	18
L8300W/11775N	Soil	4.3	100.6	13.2	62	0.4	14.4	10.6	547	3.84	27.5	225.3	8.5	52	0.2	0.8	2.5	71	0.30	0.074	25
L8300W/11800N	Soil	3.2	101.8	16.9	53	0.2	16.4	11.1	721	2.70	12.7	29.8	8.9	25	<0.1	0.8	1.2	58	0.34	0.071	33
L8300W/11825N	Soil	4.1	96.8	14.1	53	0.2	15.5	9.3	541	2.76	14.2	48.1	5.3	23	0.1	0.8	1.8	63	0.29	0.078	25
L8300W/11850N	Soil	4.9	104.6	13.3	56	0.2	17.6	11.5	584	2.97	13.2	63.7	5.9	26	<0.1	0.7	2.4	63	0.28	0.064	26
L8300W/11875N	Soil	6.8	121.5	12.8	58	0.3	18.7	11.5	547	2.99	13.6	18.7	4.0	38	0.1	0.7	1.8	64	0.36	0.083	26
L8300W/11900N	Soil	6.2	225.7	12.4	62	0.3	15.3	15.1	648	3.79	24.2	101.5	10.2	64	0.1	0.7	3.2	71	0.34	0.090	25
L8300W/11925N	Soil	7.3	94.4	9.5	51	0.2	16.5	10.2	440	2.84	10.5	76.4	6.5	38	0.1	0.6	1.5	67	0.40	0.087	23
L8300W/11950N	Soil	14.2	126.5	12.0	57	0.5	17.3	8.5	351	2.72	12.0	24.9	3.8	41	0.2	0.6	1.5	66	0.41	0.092	23
L8300W/11975N	Soil	15.8	170.1	13.0	64	0.6	22.0	12.1	556	3.35	16.6	55.2	4.3	58	0.1	0.8	2.8	71	0.43	0.095	25
L8300W/12000N	Soil	11.8	124.0	9.8	50	0.4	18.8	7.8	275	2.56	10.0	16.7	1.9	29	0.1	0.6	1.8	60	0.31	0.111	21
L8300W/12025N	Soil	15.7	170.9	10.4	59	0.4	24.4	14.9	535	3.10	17.4	33.1	4.1	48	0.2	0.7	1.6	67	0.49	0.094	21
L8300W/12050N	Soil	10.7	119.3	14.5	58	0.4	21.9	13.6	598	3.24	28.3	26.8	3.8	51	0.2	0.7	1.4	67	0.43	0.097	21
L8300W/12075N	Soil	6.4	105.6	7.4	54	0.2	20.6	12.0	476	3.42	11.7	151.0	7.1	51	0.1	0.6	1.8	77	0.37	0.084	18
L8300W/12100N	Soil	6.7	73.8	12.2	64	0.4	20.2	12.6	604	3.30	38.1	33.2	2.9	25	0.2	0.9	2.0	63	0.20	0.088	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

**Page:** 7 of 9

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te		
Unit	MDL	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm		
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L7900W/12100N	Soil	52	0.56	132	0.087	2	2.05	0.012	0.10	0.6	0.07	3.5	0.2	0.06	8	1.0	<0.2		
L7900W/12125N	Soil	56	0.71	224	0.102	1	2.03	0.016	0.20	0.3	0.05	4.9	0.4	0.08	7	1.7	0.3		
L7900W/12150N	Soil	24	0.50	224	0.079	1	2.62	0.020	0.12	0.2	0.06	4.0	0.2	0.06	7	<0.5	<0.2		
L7900W/12175N	Soil	20	0.56	270	0.067	1	2.90	0.019	0.13	2.8	0.06	3.9	0.2	<0.05	7	<0.5	<0.2		
L7900W/12200N	Soil	22	0.63	251	0.077	2	2.51	0.025	0.14	0.4	0.03	4.8	0.2	<0.05	6	0.6	0.5		
L7900W/12225N	Soil	34	0.65	169	0.100	1	2.78	0.018	0.08	0.3	0.05	3.8	0.2	<0.05	7	0.6	0.6		
L7900W/12250N	Soil	44	0.60	182	0.088	1	2.08	0.025	0.17	0.3	0.05	4.1	0.3	0.20	9	0.6	0.7		
L7900W/12275N	Soil	36	0.38	296	0.046	<1	1.42	0.031	0.38	0.3	0.04	2.8	0.3	0.76	6	1.8	1.1		
L7900W/12300N	Soil	80	0.86	248	0.109	1	2.65	0.019	0.34	0.7	0.07	6.0	0.6	0.22	10	1.4	0.4		
L7900W/12325N	Soil	43	0.53	124	0.079	2	2.09	0.012	0.15	0.2	0.05	3.9	0.3	0.14	7	0.7	1.0		
L7900W/12350N	Soil	26	0.57	286	0.071	<1	2.38	0.046	0.16	0.3	0.04	3.7	0.3	<0.05	6	<0.5	0.5		
L8300W/11650N	Soil	32	0.67	181	0.071	1	2.36	0.015	0.07	0.2	0.04	3.9	0.1	<0.05	6	<0.5	<0.2		
L8300W/11675N	Soil	32	0.67	141	0.078	2	2.15	0.015	0.07	0.2	0.05	3.7	<0.1	<0.05	6	<0.5	<0.2		
L8300W/11700N	Soil	34	0.63	153	0.102	2	2.31	0.016	0.06	0.1	0.06	4.1	0.1	<0.05	6	<0.5	<0.2		
L8300W/11725N	Soil	37	0.71	134	0.109	2	2.44	0.015	0.07	0.1	0.07	4.4	0.2	<0.05	7	<0.5	<0.2		
L8300W/11750N	Soil	33	0.78	192	0.124	<1	2.30	0.024	0.07	0.1	0.03	5.4	0.1	<0.05	6	<0.5	<0.2		
L8300W/11775N	Soil	24	0.58	218	0.079	<1	1.50	0.028	0.16	0.1	0.02	3.7	0.1	0.20	5	<0.5	<0.2		
L8300W/11800N	Soil	24	0.50	251	0.055	<1	1.69	0.016	0.08	<0.1	0.05	3.6	0.1	<0.05	4	<0.5	<0.2		
L8300W/11825N	Soil	26	0.41	188	0.048	1	1.42	0.014	0.07	0.2	0.04	2.8	0.1	<0.05	5	<0.5	<0.2		
L8300W/11850N	Soil	27	0.48	281	0.044	<1	1.73	0.014	0.08	0.1	0.04	3.2	0.2	<0.05	5	<0.5	<0.2		
L8300W/11875N	Soil	31	0.57	289	0.038	1	2.09	0.019	0.09	0.1	0.04	3.8	0.1	<0.05	6	<0.5	0.2		
L8300W/11900N	Soil	23	0.65	352	0.081	<1	2.18	0.036	0.20	0.2	0.03	5.5	0.2	0.15	6	<0.5	0.6		
L8300W/11925N	Soil	28	0.57	174	0.075	1	1.57	0.024	0.08	0.2	0.04	3.9	0.1	<0.05	5	<0.5	<0.2		
L8300W/11950N	Soil	34	0.60	268	0.047	2	1.84	0.016	0.08	0.1	0.05	3.9	0.1	<0.05	6	<0.5	<0.2		
L8300W/11975N	Soil	42	0.67	297	0.047	1	2.27	0.020	0.10	0.1	0.05	4.7	0.2	<0.05	6	<0.5	0.3		
L8300W/12000N	Soil	38	0.54	205	0.045	1	1.86	0.016	0.07	0.2	0.07	3.8	0.2	<0.05	6	<0.5	<0.2		
L8300W/12025N	Soil	39	0.65	225	0.072	1	1.94	0.024	0.09	0.2	0.05	4.4	0.2	<0.05	6	0.5	0.2		
L8300W/12050N	Soil	38	0.62	259	0.069	<1	1.96	0.026	0.13	0.2	0.07	4.3	0.2	0.14	6	<0.5	<0.2		
L8300W/12075N	Soil	34	0.65	249	0.085	<1	1.90	0.023	0.10	0.3	0.03	4.0	0.1	<0.05	5	<0.5	0.2		
L8300W/12100N	Soil	32	0.59	173	0.045	<1	2.28	0.013	0.08	0.2	0.05	3.4	0.1	<0.05	6	<0.5	0.5		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 01, 2017

Page: 8 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

## WHI17000521.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
L8300W/12125N	Soil	8.6	111.0	17.8	75	0.8	23.8	12.8	580	3.78	115.0	91.8	4.2	40	0.4	1.1	4.3	72	0.35	0.088	19
L8300W/12150N	Soil	11.8	107.7	13.5	64	0.7	22.2	13.7	714	3.55	78.0	51.5	2.9	41	0.2	1.0	4.8	73	0.38	0.098	19
L8300W/12175N	Soil	6.7	87.9	10.9	62	0.4	23.6	12.9	484	3.43	45.9	37.7	4.5	32	0.2	0.8	2.4	78	0.30	0.086	16
L8300W/12200N	Soil	5.5	54.9	10.8	39	0.7	15.1	6.2	257	2.35	45.8	25.3	0.4	28	0.2	0.6	2.1	56	0.26	0.110	13
L8300W/12225N	Soil	6.9	65.0	12.0	57	0.7	19.8	14.2	1005	3.14	59.2	25.2	0.9	34	0.3	0.8	2.1	72	0.28	0.106	18
L8300W/12250N	Soil	6.1	74.7	11.0	65	0.3	25.3	14.5	836	3.65	33.1	17.9	1.2	27	0.2	0.8	1.6	85	0.22	0.090	15
L8300W/12275N	Soil	2.8	59.0	11.4	86	0.2	29.8	17.5	939	3.91	53.1	25.4	4.4	30	0.2	1.1	1.9	98	0.28	0.096	16
L8300W/12300N	Soil	2.5	47.3	10.0	69	0.2	24.4	11.4	702	3.48	52.1	33.9	1.2	27	0.2	0.9	1.7	89	0.26	0.094	14
L8300W/12325N	Soil	3.3	45.1	11.1	56	0.5	24.8	9.2	235	2.93	49.6	36.5	1.4	24	0.2	1.1	1.7	82	0.23	0.104	15
L8100W/11650N	Soil	5.1	55.5	11.0	56	<0.1	25.9	11.6	530	3.09	20.3	60.4	4.6	25	<0.1	0.6	0.9	81	0.27	0.045	14
L8100W/11675N	Soil	3.6	47.7	10.0	63	<0.1	25.3	11.9	439	3.08	9.3	8.5	2.1	38	<0.1	0.5	0.6	79	0.28	0.048	11
L8100W/11700N	Soil	1.6	44.1	9.3	62	<0.1	23.0	10.0	373	3.27	9.1	6.3	1.7	19	0.1	0.6	0.4	75	0.25	0.045	10
L8100W/11725N	Soil	2.8	78.3	9.3	59	0.1	17.3	9.8	444	3.12	12.1	23.2	0.9	24	<0.1	0.6	2.0	71	0.23	0.076	9
L8100W/11750N	Soil	4.3	57.8	13.8	84	<0.1	19.3	8.7	448	3.37	12.3	66.4	2.8	18	0.4	1.0	1.4	72	0.17	0.056	17
L8100W/11775N	Soil	16.2	252.8	18.4	29	0.4	7.3	8.4	244	3.26	22.4	266.7	22.5	65	<0.1	0.7	5.5	24	0.11	0.030	39
L8100W/11800N	Soil	6.8	70.8	11.2	60	<0.1	17.7	10.3	519	3.71	12.9	17.4	1.8	19	<0.1	0.8	2.4	78	0.18	0.063	16
L8100W/11825N	Soil	3.7	109.0	11.2	62	<0.1	24.7	11.2	520	3.32	10.8	34.9	4.0	16	<0.1	0.8	1.4	71	0.16	0.051	17
L8100W/11850N	Soil	5.1	157.6	10.3	54	<0.1	26.4	14.8	448	3.77	10.3	47.7	5.5	29	0.1	0.5	2.9	86	0.23	0.035	12
L8100W/11875N	Soil	29.3	575.4	7.4	62	0.6	38.8	34.6	738	5.38	18.9	210.9	8.0	67	0.2	0.7	10.4	98	0.38	0.103	22
L8100W/11900N	Soil	13.1	283.8	9.3	56	0.5	24.1	19.2	540	4.02	14.0	62.4	6.1	60	0.1	0.7	9.3	82	0.36	0.090	20
L8100W/11925N	Soil	13.0	211.9	7.1	58	0.3	26.5	14.6	445	4.25	12.6	58.0	8.2	45	0.2	0.8	3.1	92	0.43	0.117	22
L8100W/12025N	Soil	6.9	81.6	7.4	46	0.3	18.6	8.3	245	2.71	10.7	37.7	1.3	31	<0.1	0.6	2.0	58	0.25	0.082	12
L8100W/12050N	Soil	11.4	132.7	11.5	80	0.4	41.7	16.3	464	4.17	35.0	47.2	4.8	44	0.3	1.1	3.8	85	0.33	0.114	19
L8100W/12075N	Soil	2.5	50.4	9.1	53	0.3	29.6	9.5	298	2.40	29.8	15.8	1.2	28	0.2	1.0	2.5	54	0.29	0.076	11
L8100W/12100N	Soil	0.8	17.3	3.2	20	0.2	7.3	2.9	64	0.99	5.7	4.7	0.2	10	<0.1	0.3	0.4	25	0.09	0.048	4
L8100W/12125N	Soil	0.8	16.4	3.1	20	0.2	7.5	2.7	62	0.99	5.4	3.4	0.2	9	<0.1	0.4	0.3	23	0.09	0.046	4
L8100W/12150N	Soil	1.1	22.4	3.0	26	0.2	11.3	5.3	187	1.37	13.3	5.8	0.9	11	<0.1	0.8	0.6	33	0.12	0.035	5
L8100W/12175N	Soil	2.2	64.6	8.8	65	0.3	35.8	17.2	434	3.98	59.0	64.4	6.4	29	0.1	1.7	3.3	90	0.31	0.090	19
L8100W/12200N	Soil	3.5	64.8	13.3	62	0.2	24.0	14.1	437	3.70	63.0	65.2	6.8	37	0.1	1.5	3.8	78	0.28	0.081	15
L8100W/12225N	Soil	1.8	69.8	12.3	63	0.7	32.2	15.7	457	3.90	74.7	73.9	6.2	32	0.2	2.0	4.3	73	0.25	0.099	43





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 8 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
L8300W/12125N	Soil	33	0.65	229	0.050	2	2.19	0.019	0.13	0.3	0.04	4.0	0.2	0.13	6	0.6	1.0
L8300W/12150N	Soil	35	0.65	219	0.054	3	2.17	0.017	0.09	0.2	0.06	4.3	0.2	0.06	6	0.8	1.2
L8300W/12175N	Soil	36	0.68	200	0.077	3	2.32	0.018	0.09	0.2	0.04	4.5	0.2	<0.05	6	<0.5	0.6
L8300W/12200N	Soil	30	0.40	155	0.032	2	1.63	0.017	0.07	0.1	0.07	2.0	0.2	0.10	6	<0.5	0.3
L8300W/12225N	Soil	34	0.50	210	0.048	2	2.01	0.016	0.08	0.1	0.06	3.2	0.2	0.07	6	0.6	0.3
L8300W/12250N	Soil	44	0.72	158	0.064	2	2.44	0.014	0.08	0.1	0.04	3.7	0.2	<0.05	7	0.8	0.2
L8300W/12275N	Soil	48	0.92	257	0.107	2	2.74	0.016	0.18	0.4	0.03	5.8	0.3	<0.05	8	0.7	0.2
L8300W/12300N	Soil	43	0.73	207	0.070	2	2.49	0.014	0.09	0.3	0.03	3.8	0.3	<0.05	8	<0.5	<0.2
L8300W/12325N	Soil	46	0.67	201	0.062	1	2.64	0.013	0.09	0.3	0.06	4.2	0.4	<0.05	8	1.9	<0.2
L8100W/11650N	Soil	34	0.63	140	0.096	2	2.19	0.018	0.06	0.2	0.04	4.2	0.1	<0.05	6	<0.5	<0.2
L8100W/11675N	Soil	34	0.58	118	0.090	2	2.25	0.015	0.06	0.1	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
L8100W/11700N	Soil	37	0.60	86	0.099	2	1.90	0.011	0.07	<0.1	0.05	3.5	<0.1	<0.05	7	<0.5	<0.2
L8100W/11725N	Soil	29	0.53	112	0.043	1	2.01	0.017	0.08	<0.1	0.07	2.7	0.2	0.07	6	<0.5	0.3
L8100W/11750N	Soil	30	0.46	136	0.054	2	1.76	0.009	0.07	<0.1	0.04	2.6	0.1	<0.05	7	<0.5	<0.2
L8100W/11775N	Soil	10	0.24	263	0.014	<1	1.38	0.040	0.31	<0.1	0.02	1.7	0.2	0.54	2	<0.5	1.6
L8100W/11800N	Soil	30	0.48	145	0.052	2	1.81	0.011	0.08	0.1	0.05	2.7	0.1	<0.05	7	<0.5	0.4
L8100W/11825N	Soil	33	0.55	115	0.062	3	2.08	0.013	0.08	<0.1	0.06	2.9	0.1	<0.05	6	<0.5	<0.2
L8100W/11850N	Soil	38	0.77	152	0.136	2	2.20	0.017	0.08	0.1	0.04	5.3	0.1	<0.05	6	<0.5	0.6
L8100W/11875N	Soil	50	1.02	244	0.155	1	2.33	0.045	0.21	0.2	0.02	5.9	0.2	0.13	7	0.7	2.0
L8100W/11900N	Soil	35	0.73	120	0.106	1	2.07	0.025	0.09	0.2	0.05	4.6	0.1	<0.05	6	<0.5	1.2
L8100W/11925N	Soil	38	0.74	195	0.116	2	1.92	0.035	0.14	0.3	0.02	4.5	0.2	0.08	6	0.5	0.6
L8100W/12025N	Soil	30	0.50	144	0.050	2	1.64	0.034	0.08	0.1	0.05	3.0	0.1	0.09	5	0.5	0.3
L8100W/12050N	Soil	53	0.83	257	0.099	1	2.37	0.029	0.20	0.5	0.03	5.3	0.3	0.09	7	1.3	0.4
L8100W/12075N	Soil	34	0.44	212	0.052	1	1.34	0.023	0.07	0.1	0.05	2.6	0.2	0.12	5	0.7	<0.2
L8100W/12100N	Soil	11	0.18	57	0.034	<1	0.71	0.025	0.03	0.1	0.03	1.0	<0.1	<0.05	3	<0.5	<0.2
L8100W/12125N	Soil	11	0.18	56	0.032	<1	0.65	0.018	0.02	<0.1	0.04	1.0	<0.1	<0.05	3	0.5	<0.2
L8100W/12150N	Soil	15	0.24	66	0.043	<1	0.74	0.022	0.05	0.1	0.03	1.6	<0.1	<0.05	3	<0.5	<0.2
L8100W/12175N	Soil	47	0.72	173	0.105	1	2.02	0.016	0.17	0.6	0.04	5.4	0.4	<0.05	6	1.3	0.3
L8100W/12200N	Soil	30	0.65	172	0.063	1	2.18	0.022	0.16	1.1	0.05	4.4	0.3	0.11	7	1.0	0.4
L8100W/12225N	Soil	37	0.58	164	0.062	2	1.99	0.016	0.11	1.2	0.07	6.2	0.4	0.05	6	1.1	0.5



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 01, 2017

Page: 9 of 9

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
L8100W/12250N	Soil	1.6	39.1	8.7	72	<0.1	38.1	18.6	471	3.60	48.5	39.1	4.8	20	0.2	1.1	0.6	80	0.25	0.047
L8100W/12275N	Soil	2.3	26.6	11.7	55	<0.1	21.7	7.3	239	3.22	65.5	8.3	2.0	15	0.1	1.3	0.5	107	0.15	0.062
L8100W/12300N	Soil	3.1	54.8	20.8	110	0.2	68.5	21.0	574	3.30	313.4	10.4	11.0	20	0.4	4.0	0.8	68	0.27	0.076
L8100W/12325N	Soil	2.8	33.0	16.5	62	0.2	17.9	13.5	469	2.42	152.1	9.0	8.7	92	0.2	2.1	6.9	52	0.77	0.054



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 01, 2017

Page: 9 of 9

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
L8100W/12250N	Soil	39	0.66	115	0.111	2	1.93	0.016	0.10	0.2	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
L8100W/12275N	Soil	41	0.40	104	0.107	2	1.41	0.009	0.07	0.2	0.06	3.1	0.2	<0.05	9	0.6	<0.2
L8100W/12300N	Soil	41	0.73	111	0.043	<1	2.18	0.011	0.12	0.3	0.03	3.8	0.2	<0.05	6	0.5	<0.2
L8100W/12325N	Soil	20	0.69	167	0.007	<1	2.60	0.013	0.12	0.3	0.02	3.5	0.4	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
L6300W/12950N	Soil	1.4	25.4	10.8	55	<0.1	19.9	8.6	270	3.38	15.4	15.4	4.3	20	0.2	0.9	1.3	61	0.19	0.045	14
REP L6300W/12950N	QC	1.3	26.8	11.2	56	<0.1	21.3	8.5	287	3.45	15.7	68.4	4.4	20	0.2	0.9	1.0	64	0.19	0.045	13
L7300W/12800N	Soil	1.8	24.2	35.9	152	0.3	17.7	10.0	656	3.06	188.4	32.4	10.0	26	0.3	6.0	4.7	60	0.28	0.076	17
REP L7300W/12800N	QC	1.9	24.1	35.6	154	0.3	17.5	10.1	637	2.99	188.9	22.1	9.6	25	0.3	6.0	4.6	59	0.28	0.080	18
L6500W/12875N	Soil	1.6	29.0	71.3	54	0.9	14.8	6.5	195	2.77	144.1	75.5	16.2	26	0.2	10.4	1.4	51	0.28	0.063	34
REP L6500W/12875N	QC	1.5	28.7	70.6	53	0.9	14.2	6.2	193	2.72	141.8	83.0	15.8	26	0.1	10.4	1.3	49	0.28	0.061	33
L7900W/11825N	Soil	14.9	273.2	15.6	40	0.4	10.6	8.6	219	4.88	10.4	97.0	25.8	73	0.1	0.5	1.8	89	0.31	0.075	38
REP L7900W/11825N	QC	15.0	280.3	16.0	40	0.4	10.8	9.0	221	5.19	10.6	71.1	26.6	74	0.1	0.5	1.8	88	0.32	0.071	41
L8300W/12000N	Soil	11.8	124.0	9.8	50	0.4	18.8	7.8	275	2.56	10.0	16.7	1.9	29	0.1	0.6	1.8	60	0.31	0.111	21
REP L8300W/12000N	QC	11.6	126.3	9.8	52	0.4	18.7	7.5	273	2.53	10.2	17.1	2.1	28	0.1	0.6	1.8	59	0.30	0.115	21
L8100W/12250N	Soil	1.6	39.1	8.7	72	<0.1	38.1	18.6	471	3.60	48.5	39.1	4.8	20	0.2	1.1	0.6	80	0.25	0.047	13
REP L8100W/12250N	QC	1.5	40.0	8.7	70	<0.1	37.3	17.3	486	3.39	49.4	9.3	4.9	20	0.2	1.1	0.6	78	0.26	0.046	13
Reference Materials																					
STD DS11	Standard	13.6	142.2	133.6	312	1.7	71.5	12.4	956	2.98	41.2	71.1	7.9	66	2.2	9.6	12.0	45	0.98	0.063	19
STD DS11	Standard	14.0	151.1	136.2	331	1.6	78.4	13.6	1000	3.07	41.9	77.3	7.4	64	2.2	8.3	11.5	52	1.04	0.071	18
STD DS11	Standard	14.3	152.5	136.5	329	1.7	78.3	13.8	1001	3.08	43.2	145.8	7.4	66	2.2	8.6	11.4	51	1.03	0.073	19
STD DS11	Standard	14.4	142.9	133.9	318	1.7	77.4	13.9	1023	3.17	41.9	68.2	7.1	63	2.1	8.2	11.4	54	1.02	0.074	18
STD DS11	Standard	14.2	144.7	134.0	332	1.6	75.1	13.2	957	3.05	42.1	90.6	7.5	63	2.4	8.5	11.0	52	0.99	0.068	18
STD DS11	Standard	14.8	154.2	139.2	349	1.7	77.6	14.6	999	3.22	42.7	72.1	8.0	68	2.3	8.4	11.3	52	1.05	0.074	19
STD DS11	Standard	13.5	141.7	131.7	331	1.7	76.9	13.2	953	2.98	40.4	81.6	7.2	61	2.3	8.3	10.1	47	0.98	0.071	17
STD OXC129	Standard	1.2	26.3	6.8	39	<0.1	76.5	19.9	418	2.95	0.6	189.6	1.9	181	<0.1	<0.1	<0.1	50	0.70	0.097	13
STD OXC129	Standard	1.2	26.4	6.9	43	<0.1	81.4	20.6	414	2.98	0.7	190.8	1.6	187	<0.1	<0.1	<0.1	57	0.70	0.104	12
STD OXC129	Standard	1.3	28.5	6.7	42	<0.1	81.1	20.8	431	3.06	0.8	190.7	1.7	189	<0.1	<0.1	<0.1	56	0.70	0.106	12
STD OXC129	Standard	1.2	28.4	6.7	44	<0.1	80.1	20.8	427	3.24	0.9	196.6	1.8	190	<0.1	<0.1	<0.1	57	0.73	0.109	13
STD OXC129	Standard	1.2	27.2	6.5	42	<0.1	78.0	20.2	409	3.06	0.8	198.7	1.9	192	<0.1	<0.1	<0.1	58	0.75	0.105	12
STD OXC129	Standard	1.3	27.4	6.9	43	<0.1	79.3	21.7	424	3.22	1.0	197.3	1.8	195	<0.1	<0.1	<0.1	59	0.70	0.111	13
STD OXC129	Standard	1.0	27.0	6.2	41	<0.1	75.9	20.4	407	2.95	<0.5	196.3	1.9	175	<0.1	<0.1	<0.1	50	0.65	0.100	12
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000521.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
L6300W/12950N	Soil	35	0.45	94	0.083	<1	2.42	0.012	0.06	0.2	0.07	3.6	0.1	0.07	7	<0.5	<0.2
REP L6300W/12950N	QC	37	0.45	93	0.080	1	2.39	0.012	0.06	0.2	0.08	3.7	0.1	<0.05	7	<0.5	<0.2
L7300W/12800N	Soil	24	0.58	162	0.052	2	2.45	0.019	0.08	1.2	0.05	4.7	0.2	<0.05	6	<0.5	0.3
REP L7300W/12800N	QC	24	0.57	166	0.053	1	2.42	0.018	0.08	1.0	0.04	4.7	0.3	<0.05	6	<0.5	0.4
L6500W/12875N	Soil	29	0.48	123	0.078	1	1.74	0.013	0.15	0.3	0.09	5.4	0.4	<0.05	6	<0.5	0.3
REP L6500W/12875N	QC	28	0.48	120	0.079	<1	1.71	0.013	0.16	0.2	0.08	5.2	0.4	<0.05	5	<0.5	0.3
L7900W/11825N	Soil	20	0.93	364	0.079	<1	2.25	0.075	0.35	<0.1	0.02	8.1	0.3	0.41	7	0.8	0.7
REP L7900W/11825N	QC	20	0.90	378	0.078	<1	2.10	0.075	0.35	0.1	0.02	8.2	0.3	0.39	7	<0.5	0.7
L8300W/12000N	Soil	38	0.54	205	0.045	1	1.86	0.016	0.07	0.2	0.07	3.8	0.2	<0.05	6	<0.5	<0.2
REP L8300W/12000N	QC	37	0.58	210	0.045	1	2.06	0.016	0.07	0.1	0.06	3.7	0.2	0.08	6	<0.5	<0.2
L8100W/12250N	Soil	39	0.66	115	0.111	2	1.93	0.016	0.10	0.2	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
REP L8100W/12250N	QC	38	0.68	116	0.114	2	2.05	0.017	0.09	0.3	0.04	5.0	0.3	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	53	0.82	356	0.090	8	1.10	0.070	0.36	3.0	0.27	3.1	4.6	0.27	5	2.5	4.6
STD DS11	Standard	60	0.82	374	0.093	7	1.15	0.067	0.39	2.9	0.24	3.1	4.9	0.25	4	1.9	4.5
STD DS11	Standard	61	0.81	358	0.092	7	1.16	0.074	0.40	3.1	0.24	3.4	4.8	0.25	4	2.2	4.5
STD DS11	Standard	61	0.82	348	0.095	7	1.15	0.075	0.39	3.0	0.24	3.6	4.7	0.26	5	2.1	4.4
STD DS11	Standard	59	0.77	354	0.090	7	1.14	0.067	0.38	3.1	0.28	3.1	4.7	0.25	5	2.4	4.5
STD DS11	Standard	60	0.81	384	0.098	7	1.19	0.083	0.42	3.1	0.28	3.7	4.8	0.25	5	2.1	5.0
STD DS11	Standard	57	0.78	366	0.085	7	1.05	0.068	0.38	3.0	0.27	3.3	4.9	0.28	5	1.9	4.5
STD OXC129	Standard	50	1.40	47	0.378	<1	1.42	0.563	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	54	1.49	47	0.411	<1	1.53	0.564	0.33	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	55	1.61	49	0.418	1	1.61	0.614	0.39	<0.1	<0.01	1.5	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	54	1.62	49	0.427	<1	1.65	0.614	0.38	<0.1	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.49	50	0.411	1	1.59	0.585	0.36	<0.1	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.59	51	0.427	1	1.62	0.622	0.42	<0.1	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.45	50	0.388	<1	1.49	0.579	0.35	0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000521.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	2	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 01, 2017

**Page:** 2 of 2

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI17000521.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 07, 2017  
Report Date: October 11, 2017  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000250.3

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr16-001  
P.O. Number  
Number of Samples: 34

## SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	31	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	31	Sort, label and box pulps			WHI
AQ201	31	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	31	Per sample shipping charges for branch shipments			VAN
LF300	1	LiBO2/LiB4O7 fusion ICP-ES analysis	0.2	Completed	VAN
GC320	1	Analysis by Na2CO3/K2CO3 fusion	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 3: GC320-Ba included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 2 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000250.3

Method Analyte	Unit	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
142997	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
142998	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
142999	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
142701	Rock	2.39	16.6	20.9	19.5	29	0.8	7.3	2.9	111	1.46	236.7	11.3	7.3	15	0.1	3.9	1.6	18	0.05	0.036
142702	Rock	1.95	102.5	18.4	16.3	44	0.7	7.0	1.8	98	1.40	193.7	18.1	9.9	14	0.2	6.2	2.5	17	0.02	0.026
142703	Rock	2.00	17.6	13.1	8.2	23	0.8	3.7	1.1	95	1.27	64.0	15.4	13.8	11	<0.1	2.3	1.3	24	0.03	0.029
142704	Rock	2.98	8.0	26.6	6.6	30	0.5	3.8	0.6	42	0.82	256.3	4.1	1.7	57	0.2	24.9	0.1	36	0.01	0.023
142705	Rock	2.66	1.2	7.4	17.5	10	0.2	1.5	0.3	42	1.10	66.6	0.7	2.1	6	<0.1	14.1	<0.1	23	<0.01	0.030
142706	Rock	3.00	1.1	15.7	24.5	2	0.1	1.3	0.3	41	0.54	107.7	2.1	2.6	22	<0.1	16.3	0.1	8	<0.01	0.012
142707	Rock	3.12	19.4	107.1	15.4	13	0.3	3.4	0.9	56	5.46	1576.1	4.1	3.5	31	0.6	61.3	0.2	117	0.01	0.129
142708	Rock	2.65	3.7	34.7	5.8	6	0.2	1.3	0.4	54	1.23	265.6	3.0	0.4	29	0.1	14.0	<0.1	15	<0.01	0.022
142709	Rock	2.56	14.2	15.8	27.9	14	0.9	1.3	0.4	46	1.44	44.2	1.7	6.3	15	0.2	2.6	0.1	29	0.01	0.030
142710	Rock	1.93	26.2	52.5	22.0	53	0.8	5.4	1.1	65	3.22	327.3	14.2	2.9	177	0.2	42.3	0.5	143	0.02	0.093
142711	Rock	2.67	6.5	12.0	23.3	7	0.5	1.6	0.4	50	1.81	160.8	2.6	3.1	12	0.1	30.9	0.2	56	<0.01	0.064
142712	Rock	3.01	3.8	26.6	13.9	5	0.3	0.7	0.2	39	1.35	120.2	4.3	1.1	55	<0.1	25.1	0.3	22	<0.01	0.038
142713	Rock	4.07	4.5	115.2	31.6	27	1.9	3.7	1.0	56	4.91	1287.9	3.1	1.7	56	1.0	172.7	0.3	24	<0.01	0.065
142714	Rock	1.94	0.3	78.5	24.3	148	1.0	211.8	36.0	378	3.25	119.7	4.8	2.1	176	1.7	1.0	1.1	69	3.59	0.242
142715	Rock	2.98	11.9	63.8	40.0	361	0.7	71.5	10.5	99	1.63	2.5	2.1	2.7	664	7.7	0.8	0.4	42	0.34	0.105
142716	Rock	2.72	14.6	17.9	6.8	98	0.4	7.4	1.2	63	2.30	61.7	1.4	3.4	11	0.5	2.9	0.4	66	0.02	0.053
142717	Rock	0.86	2.6	77.5	16.1	33	0.3	13.4	0.9	51	4.37	513.1	3.3	7.9	12	0.9	62.3	0.1	169	0.05	0.214
142718	Rock	2.97	7.6	28.8	9.2	4	0.2	2.5	0.6	67	1.02	95.5	0.5	1.5	19	0.1	11.0	0.2	18	0.01	0.018
142719	Rock	2.68	0.6	66.9	20.6	38	0.1	8.4	1.1	34	1.45	56.5	1.5	16.0	7	0.3	10.6	0.1	32	<0.01	0.038
142720	Rock	3.47	3.2	22.7	4.9	3	0.6	1.2	0.5	56	1.00	90.3	3.4	1.2	47	<0.1	20.5	<0.1	25	<0.01	0.017
142721	Rock	2.98	8.5	123.9	21.0	12	<0.1	3.8	0.8	41	5.41	300.8	1.7	2.1	11	0.4	16.8	0.1	119	<0.01	0.139
79351	Rock	2.18	1.0	2.9	5.2	13	<0.1	0.9	0.9	140	0.87	2.6	<0.5	18.6	8	<0.1	0.2	0.3	8	0.07	0.052
79352	Rock	1.51	2.4	13.2	42.1	10	0.1	3.1	0.3	50	2.44	215.1	1.0	14.3	14	0.2	14.6	<0.1	62	0.02	0.164
79353	Rock	1.86	1.6	17.8	8.0	14	0.3	5.1	1.1	48	1.49	289.7	1.1	4.3	8	0.3	20.3	0.1	36	0.03	0.063
79354	Rock	1.63	4.7	106.1	65.4	32	1.0	4.0	0.9	104	4.08	1574.3	2.3	3.0	13	1.4	141.5	0.2	46	0.04	0.039
79355	Rock	1.92	0.7	5.7	3.0	23	<0.1	6.4	2.8	148	1.56	3.3	1.1	5.0	4	<0.1	0.3	<0.1	43	0.09	0.037
79356	Rock	1.66	1.3	52.0	3.6	33	0.3	25.0	9.9	235	2.42	247.2	1.7	7.9	21	<0.1	0.7	0.2	112	0.30	0.066

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 2 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000250.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Ba
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	5	0.01	
142997	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.		
142998	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.		
142999	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.		
142701	Rock	13	13	0.02	100	0.004	3	0.25	0.007	0.13	1.3	0.07	2.4	1.0	0.10	1	<0.5	1.0		
142702	Rock	17	13	0.01	76	0.004	2	0.23	0.004	0.12	2.7	0.03	2.5	1.0	0.08	<1	<0.5	1.1		
142703	Rock	19	13	0.08	84	0.012	1	0.35	0.010	0.20	1.0	0.03	2.6	0.7	0.09	2	<0.5	0.7		
142704	Rock	6	11	<0.01	1117	<0.001	2	0.16	0.001	0.07	0.5	0.25	1.4	1.7	0.12	<1	1.9	<0.2		
142705	Rock	7	22	<0.01	1436	0.002	1	0.20	0.003	0.05	<0.1	0.14	1.8	1.1	0.07	<1	0.6	<0.2		
142706	Rock	6	10	<0.01	2032	0.001	<1	0.26	0.001	0.03	0.2	0.14	0.7	0.7	0.06	<1	<0.5	<0.2		
142707	Rock	8	35	0.02	758	0.002	2	0.39	0.002	0.12	1.0	1.81	5.3	4.1	0.05	3	5.7	<0.2		
142708	Rock	2	9	<0.01	300	<0.001	1	0.09	<0.001	0.03	0.8	1.99	0.5	2.7	<0.05	<1	4.1	<0.2		
142709	Rock	14	19	0.02	158	0.006	1	0.33	0.005	0.28	1.9	0.09	2.1	1.9	0.33	2	1.7	0.2		
142710	Rock	6	37	0.01	621	0.001	3	0.36	0.002	0.11	1.1	0.63	2.8	3.5	0.09	2	3.4	<0.2		
142711	Rock	9	21	0.01	143	0.002	<1	0.25	0.003	0.10	0.1	0.29	1.0	4.1	0.08	2	3.9	<0.2		
142712	Rock	5	14	<0.01	143	0.001	<1	0.14	<0.001	0.06	0.6	2.00	0.9	2.0	<0.05	<1	2.7	<0.2		
142713	Rock	6	21	0.01	407	0.002	2	0.32	0.002	0.09	0.1	2.13	1.7	0.4	<0.05	2	29.3	<0.2		
142714	Rock	13	96	1.01	216	0.326	5	2.51	0.232	0.17	0.3	0.04	3.9	<0.1	0.78	8	0.7	<0.2		
142715	Rock	7	24	0.05	267	0.059	1	0.53	0.010	0.08	0.9	0.01	1.6	<0.1	0.58	2	3.7	<0.2		
142716	Rock	12	15	0.03	497	0.004	<1	0.32	0.005	0.18	0.4	0.05	1.2	0.7	0.18	1	2.2	<0.2		
142717	Rock	14	39	0.03	402	0.003	1	0.72	0.004	0.14	0.2	0.09	5.7	5.6	0.05	2	3.6	<0.2		
142718	Rock	6	13	<0.01	85	<0.001	<1	0.33	<0.001	0.04	0.3	1.07	0.7	0.4	<0.05	1	2.9	<0.2		
142719	Rock	36	15	0.02	440	0.002	<1	0.74	0.002	0.11	0.1	0.06	3.8	0.7	<0.05	2	<0.5	<0.2		
142720	Rock	6	14	<0.01	2132	0.002	<1	0.23	<0.001	0.02	0.4	0.27	1.6	0.4	0.06	<1	4.2	<0.2		
142721	Rock	3	61	<0.01	1309	0.002	<1	0.28	<0.001	0.01	0.6	0.22	8.7	0.2	<0.05	2	9.4	<0.2		
79351	Rock	4	6	0.06	139	0.023	<1	0.40	0.045	0.17	<0.1	0.01	1.0	0.2	<0.05	1	<0.5	<0.2		
79352	Rock	8	19	<0.01	74	<0.001	<1	0.63	0.002	0.07	0.1	0.10	3.9	3.1	0.06	1	0.8	<0.2		
79353	Rock	13	29	0.03	804	0.004	1	0.50	0.004	0.11	0.2	0.36	2.7	1.2	0.12	2	<0.5	<0.2		
79354	Rock	9	22	0.03	1283	0.004	<1	0.32	0.005	0.09	0.1	4.84	1.3	2.2	0.11	4	15.1	<0.2		
79355	Rock	12	34	0.37	275	0.102	<1	0.81	0.026	0.50	0.1	0.02	3.3	0.2	<0.05	3	<0.5	<0.2		
79356	Rock	11	74	0.73	694	0.157	<1	1.43	0.082	0.65	0.2	0.02	8.5	0.3	0.25	6	0.8	<0.2		



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 3 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000250.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
79357	Rock	1.79	15.4	71.4	95.1	1114	2.0	62.1	7.8	58	1.58	10.0	1.2	2.8	77	20.9	7.1	3.5	272	0.30	0.159
142597	Rock	2.06	0.5	18.7	40.5	5	1.3	1.3	1.0	84	1.03	209.6	1.5	0.3	3	0.1	6.4	3.7	26	<0.01	<0.001
142598	Rock	2.19	0.3	77.0	7.3	58	0.2	84.9	26.4	259	3.69	7.6	5.7	0.8	273	0.2	0.3	0.4	80	3.34	0.081
142599	Rock	1.97	2.5	32.0	40.0	192	0.2	14.0	1.5	54	5.32	114.6	1.5	1.6	64	0.2	3.9	0.1	118	0.03	0.127



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 3 of 3

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000250.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Ba
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	5	0.01	
79357	Rock	9	46	0.02	>10000	0.058	3	2.82	0.009	0.18	3.6	0.01	4.4	0.3	<0.05	8	4.7	0.2	>50000	6.87
142597	Rock	<1	8	<0.01	40	0.002	<1	0.03	<0.001	<0.01	1.5	2.27	0.6	0.3	<0.05	<1	<0.5	<0.2		
142598	Rock	7	140	0.50	230	0.269	2	5.41	0.358	0.59	0.2	<0.01	6.2	0.2	0.44	14	<0.5	<0.2		
142599	Rock	5	24	0.03	243	0.004	3	0.62	0.015	0.24	<0.1	0.16	2.2	1.7	0.37	2	1.5	<0.2		





# QUALITY CONTROL REPORT

WHI17000250.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
142718	Rock	2.97	7.6	28.8	9.2	4	0.2	2.5	0.6	67	1.02	95.5	0.5	1.5	19	0.1	11.0	0.2	18	0.01	0.018
REP 142718	QC		7.6	28.5	9.2	4	0.2	2.4	0.5	67	1.02	95.2	<0.5	1.5	19	0.1	10.7	0.2	17	0.01	0.019
79357	Rock	1.79	15.4	71.4	95.1	1114	2.0	62.1	7.8	58	1.58	10.0	1.2	2.8	77	20.9	7.1	3.5	272	0.30	0.159
REP 79357	QC																				
Core Reject Duplicates																					
142715	Rock	2.98	11.9	63.8	40.0	361	0.7	71.5	10.5	99	1.63	2.5	2.1	2.7	664	7.7	0.8	0.4	42	0.34	0.105
DUP 142715	QC		13.2	67.9	43.6	404	0.8	79.3	11.6	108	1.77	2.5	2.1	3.0	721	8.1	0.8	0.4	48	0.34	0.115
Reference Materials																					
STD BASO4	Standard																				
STD DS10	Standard		15.3	153.4	154.1	361	1.9	74.4	13.1	903	2.87	46.3	73.2	8.0	71	2.8	9.4	12.6	45	1.10	0.082
STD OREAS27	Standard																				
STD OXC129	Standard		1.3	28.2	6.0	40	<0.1	82.3	21.7	424	3.13	0.9	204.8	1.8	199	<0.1	<0.1	<0.1	54	0.75	0.111
STD SO-19	Standard																				
STD SO-19	Standard																				
STD DS10 Expected			15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD SO-19 Expected																					
STD OREAS27 Expected																					
STD BASO4 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.9	4.1	1.1	36	<0.1	1.0	3.8	565	1.91	0.9	1.6	2.3	24	<0.1	<0.1	<0.1	24	0.62	0.043
ROCK-WHI	Prep Blank		0.8	2.2	1.7	32	<0.1	0.9	3.7	498	1.86	1.1	1.5	2.1	27	<0.1	<0.1	<0.1	24	0.60	0.042



# QUALITY CONTROL REPORT

WHI17000250.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Ba
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	5	0.01
Pulp Duplicates																				
142718	Rock	6	13	<0.01	85	<0.001	<1	0.33	<0.001	0.04	0.3	1.07	0.7	0.4	<0.05	1	2.9	<0.2		
REP 142718	QC	6	13	<0.01	86	<0.001	<1	0.34	<0.001	0.04	0.3	1.04	0.8	0.4	<0.05	1	3.3	<0.2		
79357	Rock	9	46	0.02	>10000	0.058	3	2.82	0.009	0.18	3.6	0.01	4.4	0.3	<0.05	8	4.7	0.2	>50000	6.87
REP 79357	QC																		>50000	6.92
Core Reject Duplicates																				
142715	Rock	7	24	0.05	267	0.059	1	0.53	0.010	0.08	0.9	0.01	1.6	<0.1	0.58	2	3.7	<0.2		
DUP 142715	QC	8	27	0.05	265	0.066	<1	0.53	0.009	0.09	1.1	0.01	1.6	<0.1	0.61	2	3.9	<0.2		
Reference Materials																				
STD BASO4	Standard																			>30
STD DS10	Standard	19	58	0.79	378	0.089	6	1.10	0.069	0.34	3.5	0.32	3.1	5.4	0.29	4	2.2	5.4		
STD OREAS27	Standard																			0.28
STD OXC129	Standard	12	55	1.59	54	0.421	1	1.61	0.590	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2		
STD SO-19	Standard																			464
STD SO-19	Standard																			460
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01		
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6				
STD SO-19 Expected																				486
STD OREAS27 Expected																				0.2988
STD BASO4 Expected																				58.84
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<5
BLK	Blank																			<0.01
Prep Wash																				
ROCK-WHI	Prep Blank	6	5	0.47	60	0.093	2	0.90	0.078	0.08	0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	6	4	0.44	56	0.088	2	0.84	0.062	0.07	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston

Receiving Lab: Canada-Whitehorse

Received: July 17, 2017

Report Date: August 15, 2017

Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI17000295.1

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-002  
P.O. Number  
Number of Samples: 20

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	19	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	19	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	19	Per sample shipping charges for branch shipments			VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

### ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

  
JEFFREY CANNON  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 15, 2017

**Page:** 2 of 2

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000295.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142722	Rock	2.07	0.4	4.3	8.7	20	<0.1	4.6	2.6	204	1.03	4.6	<0.5	28.5	5	<0.1	0.4	<0.1	6	0.04	0.013
142723	Rock	2.90	6.4	12.7	108.8	11	3.4	3.3	1.1	74	0.75	140.7	4.9	10.4	15	0.1	1.1	5.4	6	0.01	0.013
142724	Rock	3.38	15.4	23.8	23.0	99	0.4	15.1	1.4	34	0.71	414.7	12.0	2.5	130	1.2	69.7	0.2	50	0.03	0.036
142725	Rock	2.49	3.3	5.8	13.3	19	0.5	1.7	1.2	132	0.81	54.9	6.8	10.8	8	<0.1	1.5	2.6	4	0.06	0.014
142726	Rock	2.08	1.0	8.9	12.7	26	<0.1	2.0	1.2	214	1.11	43.2	0.9	16.8	9	<0.1	1.9	0.4	6	0.07	0.017
142727	Rock	3.71	61.8	106.6	16.0	87	3.7	58.4	17.3	203	1.34	34.0	206.4	3.1	49	1.1	1.1	3.9	20	0.37	0.112
142728	Rock	1.29	538.4	7.4	47.9	8	2.1	3.2	0.5	39	0.53	52.0	42.5	3.1	21	0.7	21.3	5.1	12	0.09	0.056
142729	Rock	1.77	26.7	3.0	1.9	3	0.1	1.7	0.4	29	0.33	29.4	0.9	0.3	3	<0.1	1.7	0.6	6	<0.01	0.005
142730	Rock	1.58	3.8	32.7	29.3	49	0.3	12.3	4.6	849	1.84	46.0	<0.5	8.2	22	0.6	23.5	2.6	20	0.12	0.014
142731	Rock	3.23	9.4	56.4	23.9	52	4.2	12.7	4.3	111	3.21	1213.0	19.6	6.4	107	1.3	20.3	1.4	44	0.03	0.034
79357	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
79358	Rock	2.39	49.9	31.1	32.1	11	0.8	4.7	0.9	57	1.20	48.7	13.9	3.2	20	0.3	8.8	0.6	53	0.02	0.044
79359	Rock	1.98	1.8	27.0	27.9	67	0.2	7.9	1.3	40	1.77	105.1	<0.5	5.9	7	0.2	10.8	0.1	38	0.02	0.045
79360	Rock	2.36	1.7	5.0	5.6	33	<0.1	6.7	1.8	148	0.74	16.9	1.0	32.6	6	0.2	1.2	0.1	7	0.06	0.006
79361	Rock	1.48	2.6	6.4	5.1	25	<0.1	7.6	1.8	153	0.85	13.4	1.7	24.7	8	<0.1	1.4	<0.1	10	0.08	0.010
79362	Rock	2.29	10.9	40.8	15.5	190	0.3	54.7	12.0	414	3.52	112.9	<0.5	4.8	4	0.3	10.9	0.2	78	0.01	0.042
79363	Rock	0.63	12.3	97.3	91.8	192	0.2	19.7	3.9	92	4.99	412.4	<0.5	60.3	82	1.5	23.8	0.2	140	0.03	0.157
79364	Rock	1.48	2.2	18.4	70.6	11	0.3	4.5	0.5	30	1.11	219.9	16.2	12.2	12	0.1	18.9	2.0	33	0.02	0.043
79365	Rock	2.49	3.1	13.3	55.5	11	0.3	3.6	0.7	37	0.60	106.7	<0.5	3.0	10	0.2	16.4	0.1	24	0.02	0.023
79366	Rock	1.32	10.7	31.8	19.0	90	1.1	5.7	0.9	52	2.96	423.0	5.1	2.6	41	0.3	17.0	0.3	68	0.02	0.055



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 15, 2017

**Page:** 2 of 2

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000295.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.2
142722	Rock	25	8	0.06	35	0.015	<1	0.38	0.042	0.16	0.1	0.01	1.4	<0.1	<0.05	2	<0.5	<0.2
142723	Rock	9	14	<0.01	105	0.001	<1	0.13	0.004	0.14	0.2	0.04	0.9	0.4	0.09	<1	0.8	1.1
142724	Rock	6	23	0.02	741	<0.001	2	0.25	0.002	0.14	0.5	0.29	0.8	0.6	0.18	<1	2.3	<0.2
142725	Rock	11	8	0.06	65	0.006	<1	0.30	0.035	0.11	0.4	0.08	1.0	0.1	<0.05	1	<0.5	<0.2
142726	Rock	19	9	0.11	89	0.026	<1	0.41	0.051	0.17	0.3	0.02	1.6	0.2	<0.05	2	<0.5	<0.2
142727	Rock	11	26	0.12	162	0.065	3	0.48	0.018	0.11	24.8	0.01	1.9	0.3	0.41	2	1.8	3.4
142728	Rock	8	19	<0.01	79	0.002	<1	0.13	0.002	0.06	2.9	0.02	0.7	0.2	<0.05	<1	<0.5	1.9
142729	Rock	<1	16	<0.01	20	0.002	<1	0.03	0.001	0.01	0.3	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
142730	Rock	14	13	0.05	305	<0.001	2	0.35	0.002	0.09	0.3	0.07	1.9	<0.1	<0.05	1	<0.5	0.5
142731	Rock	22	31	0.02	188	0.005	1	0.23	0.010	0.37	0.7	0.79	7.7	4.5	0.55	2	2.2	1.6
79357	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
79358	Rock	13	32	0.05	705	0.010	<1	0.33	0.007	0.20	2.7	0.26	3.4	2.1	0.23	2	1.9	0.6
79359	Rock	19	26	0.06	358	0.003	<1	0.66	0.005	0.22	0.2	0.14	3.1	0.9	<0.05	3	<0.5	<0.2
79360	Rock	9	8	0.08	60	0.024	1	0.43	0.040	0.19	0.2	0.01	0.9	0.2	<0.05	2	<0.5	<0.2
79361	Rock	9	8	0.11	88	0.029	2	0.50	0.045	0.18	0.1	0.02	1.1	0.2	<0.05	2	<0.5	<0.2
79362	Rock	17	18	0.03	75	0.005	<1	0.44	0.003	0.12	0.4	0.10	5.2	1.4	0.06	2	1.1	<0.2
79363	Rock	49	23	0.01	139	0.002	<1	0.92	0.017	0.62	0.7	0.27	9.0	6.6	1.07	3	1.6	<0.2
79364	Rock	13	14	0.01	806	0.002	1	0.55	0.004	0.10	0.2	1.28	1.7	1.3	0.17	2	1.3	0.4
79365	Rock	8	19	0.03	838	0.006	<1	0.26	0.003	0.02	0.3	0.58	1.2	0.7	<0.05	1	0.6	<0.2
79366	Rock	13	24	0.03	254	0.001	2	0.40	0.003	0.15	0.4	0.33	2.5	1.3	0.07	1	4.3	0.3



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** August 15, 2017

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000295.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
142731	Rock	3.23	9.4	56.4	23.9	52	4.2	12.7	4.3	111	3.21	1213.0	19.6	6.4	107	1.3	20.3	1.4	44	0.03	0.034
REP 142731	QC		9.4	52.8	23.4	54	4.2	13.0	4.0	110	3.20	1186.3	16.3	6.4	102	1.3	19.6	1.3	44	0.02	0.032
Core Reject Duplicates																					
142724	Rock	3.38	15.4	23.8	23.0	99	0.4	15.1	1.4	34	0.71	414.7	12.0	2.5	130	1.2	69.7	0.2	50	0.03	0.036
DUP 142724	QC		14.6	22.8	22.3	99	0.4	15.3	1.4	32	0.69	415.7	11.2	2.4	127	1.3	68.1	0.2	49	0.03	0.033
Reference Materials																					
STD DS10	Standard		14.9	159.7	146.6	367	1.9	75.4	12.8	894	2.88	46.0	77.9	7.4	67	2.7	9.2	12.8	45	1.10	0.082
STD DS11	Standard		14.8	160.2	136.0	358	1.8	80.4	14.0	1033	3.20	44.8	66.0	7.7	68	2.5	8.7	12.5	50	1.06	0.069
STD OXC129	Standard		1.5	27.6	6.0	38	<0.1	79.9	20.2	425	3.12	1.0	196.3	1.7	187	<0.1	<0.1	<0.1	54	0.70	0.103
STD DS10 Expected			15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.9	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.6	4.6	1.1	37	<0.1	1.4	4.2	564	1.83	1.3	<0.5	2.2	26	<0.1	<0.1	<0.1	25	0.64	0.040
ROCK-WHI	Prep Blank		0.6	2.4	1.0	31	<0.1	1.0	3.8	497	1.71	1.2	<0.5	2.3	21	<0.1	<0.1	<0.1	23	0.54	0.041





# QUALITY CONTROL REPORT

WHI17000295.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
142731	Rock	22	31	0.02	188	0.005	1	0.23	0.010	0.37	0.7	0.79	7.7	4.5	0.55	2	2.2	1.6
REP 142731	QC	21	30	0.02	190	0.005	<1	0.22	0.009	0.36	0.7	0.76	7.2	4.4	0.52	2	2.4	1.7
Core Reject Duplicates																		
142724	Rock	6	23	0.02	741	<0.001	2	0.25	0.002	0.14	0.5	0.29	0.8	0.6	0.18	<1	2.3	<0.2
DUP 142724	QC	6	22	0.02	853	<0.001	3	0.24	0.002	0.14	0.5	0.31	0.6	0.5	0.18	<1	1.8	<0.2
Reference Materials																		
STD DS10	Standard	19	58	0.79	358	0.085	6	1.08	0.072	0.35	3.4	0.29	2.9	5.1	0.27	4	1.7	5.0
STD DS11	Standard	19	61	0.85	381	0.097	8	1.16	0.072	0.39	3.1	0.28	3.1	4.9	0.27	5	2.1	4.9
STD OXC129	Standard	13	52	1.60	51	0.411	<1	1.63	0.598	0.36	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI	Prep Blank	6	7	0.51	55	0.085	2	1.02	0.097	0.10	0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	6	6	0.44	52	0.085	2	0.81	0.070	0.07	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: July 21, 2017  
Report Date: October 11, 2017  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000331.4

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-003  
P.O. Number  
Number of Samples: 56

## SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	56	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	56	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	56	Per sample shipping charges for branch shipments			VAN
LF300-X	2	LiBO2/LiB4O7 fusion ICP-ES analysis	0.2	Completed	VAN
FA330-Au	1	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	1	Environmental disposal charge-Fire assay lead waste			VAN
GC320	1	Analysis by Na2CO3/K2CO3 fusion	0.5	Completed	VAN
KP300-W	1	Phosphoric acid leach, ICP-ES analysis	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 4 : GC320-Ba & KP300-W included.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

Page: 2 of 3

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI17000331.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001		
142732	Rock	2.63	209.9	42.3	174.6	56	0.8	3.5	0.8	30	1.29	230.3	2.4	1.3	42	0.7	39.2	0.8	22	0.01	0.025	
142733	Rock	2.62	2.6	27.1	17.9	21	0.3	2.1	0.5	34	1.31	96.8	1.7	1.2	11	0.1	16.7	<0.1	12	<0.01	0.018	
142734	Rock	0.60	1.8	35.3	16.3	211	0.2	15.5	2.4	97	3.12	53.3	0.9	5.3	12	0.3	4.1	<0.1	78	0.17	0.182	
142735	Rock	2.54	2.8	33.3	9.3	13	0.3	2.3	0.7	44	1.51	131.8	<0.5	1.2	26	0.2	31.8	0.3	46	0.01	0.032	
142736	Rock	2.40	1.5	21.6	5.0	50	0.2	52.6	1.7	33	1.41	233.1	1.4	2.4	5	0.2	37.1	0.2	49	0.09	0.097	
142737	Rock	2.29	1.7	8.0	20.9	25	0.1	3.4	0.5	27	0.93	151.2	0.9	0.5	10	0.3	20.0	0.2	20	0.02	0.056	
142738	Rock	2.37	19.5	19.9	117.7	40	0.8	4.2	0.5	34	1.47	141.0	5.4	4.0	48	0.3	51.7	0.3	59	0.02	0.062	
142739	Rock	0.73	10.7	70.4	20.4	29	0.2	3.8	1.3	43	2.78	396.5	<0.5	3.1	17	0.3	30.7	0.1	103	<0.01	0.069	
142740	Rock	0.77	4.8	95.5	65.7	59	1.3	6.2	1.1	49	2.02	55.1	5.3	5.4	5	<0.1	9.3	0.4	94	0.01	0.038	
142741	Rock	2.54	1.7	17.8	6.2	36	<0.1	19.2	3.0	85	1.32	250.9	1.9	2.6	28	0.6	10.8	<0.1	10	0.01	0.013	
142742	Rock	2.20	13.9	53.6	9.1	16	0.8	4.9	1.0	51	1.15	131.1	8.8	2.4	185	0.2	26.4	0.2	53	0.02	0.107	
142743	Rock	2.03	0.4	82.1	4.5	58	0.2	3.8	11.1	637	3.95	135.5	142.4	6.4	22	<0.1	2.1	4.2	85	0.41	0.065	
142744	Rock	0.13	1.4	17.6	11.8	17	0.5	3.1	0.6	52	1.13	136.5	3.3	0.8	15	0.1	19.9	0.2	9	<0.01	0.013	
142745	Rock	2.70	0.8	6.2	5.6	6	1.1	1.6	0.5	23	0.83	186.0	0.6	0.9	47	0.1	14.8	0.1	15	<0.01	0.023	
142746	Rock	2.26	12.6	64.1	6.9	53	0.2	33.0	1.2	83	2.82	551.8	1.3	1.6	192	0.2	43.8	0.2	113	0.13	0.244	
142747	Rock	2.52	1.3	13.8	2.2	6	0.3	1.7	0.3	26	0.78	95.1	0.9	0.7	14	<0.1	19.2	<0.1	12	<0.01	0.012	
142748	Rock	2.70	23.1	55.0	34.0	344	0.4	59.3	8.2	62	2.04	6.3	1.7	2.5	94	7.3	3.7	0.4	116	0.54	0.282	
142749	Rock	3.57	5.9	153.9	65.7	20	1.7	2.5	0.6	51	4.53	1846.7	1.4	1.4	93	1.2	197.3	0.2	87	0.01	0.107	
142750	Rock	1.57	2.1	26.0	2.1	64	<0.1	15.4	5.6	519	2.51	5.9	2.0	3.5	9	<0.1	0.5	<0.1	85	0.14	0.041	
142751	Rock	0.13	0.5	59.2	9.5	79	0.2	63.4	21.1	302	2.38	21.1	3.9	<0.1	312	0.5	0.8	1.1	60	4.01	0.034	
142752	Rock	1.26	2.9	33.7	5.2	93	0.5	17.1	5.7	339	3.03	4.7	7.2	3.3	59	0.3	0.6	<0.1	146	0.97	0.097	
142753	Rock	1.58	5.8	60.9	1.7	28	0.2	33.8	7.6	148	1.66	3.5	1.6	3.7	39	<0.1	0.2	0.4	88	0.66	0.129	
142754	Rock	2.72	14.6	93.4	9.4	49	1.0	26.2	4.1	64	0.99	3.7	2.2	3.2	102	0.8	0.2	0.2	184	0.81	0.369	
142755	Rock	2.42	0.8	42.4	7.5	66	<0.1	28.3	9.2	179	2.78	117.6	1.8	8.3	5	<0.1	0.8	0.1	60	0.06	0.034	
142756	Rock	2.26	0.7	12.3	4.9	33	<0.1	7.4	1.1	63	0.83	12.5	<0.5	3.3	3	<0.1	0.2	<0.1	26	0.05	0.029	
142757	Rock	1.54	0.7	29.9	3.7	56	<0.1	22.2	4.4	123	2.36	6.9	1.3	7.2	6	<0.1	0.6	<0.1	77	0.05	0.025	
79367	Rock	1.76	8.5	51.9	17.8	30	1.1	14.7	4.0	423	1.20	28.0	20.0	3.8	44	0.3	0.6	0.7	110	0.14	0.089	
79368	Rock	1.96	5.3	49.6	20.3	129	3.6	16.3	5.4	1718	4.61	21.9	58.3	4.8	98	0.2	1.0	1.5	204	0.25	0.097	
79369	Rock	1.52	10.6	98.1	10.2	11	0.5	3.0	0.9	47	2.91	934.2	3.0	1.4	73	0.5	39.9	0.2	22	0.01	0.037	
79370	Rock	1.09	1.3	42.6	7.6	26	0.2	4.1	0.5	38	1.62	50.6	<0.5	1.7	27	<0.1	20.6	<0.1	64	0.02	0.048	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

Page: 2 of 3

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000331.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	FA330	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Ba	Au	Ba
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppb	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	5	2	0.01	
142732	Rock	3	9	<0.01	682	0.002	<1	0.32	0.002	0.03	7.6	1.23	0.8	5.2	0.19	2	3.4	0.2			
142733	Rock	4	8	<0.01	389	0.001	<1	0.16	0.002	0.05	0.1	0.26	1.0	1.4	<0.05	<1	3.9	<0.2			
142734	Rock	23	39	0.03	1691	0.006	<1	0.73	0.002	0.09	0.2	0.10	6.3	0.9	0.10	2	<0.5	<0.2			
142735	Rock	3	17	<0.01	421	0.002	<1	0.32	<0.001	0.03	0.8	0.18	1.6	0.1	<0.05	1	4.5	<0.2			
142736	Rock	11	53	<0.01	76	0.005	<1	0.56	<0.001	<0.01	0.5	0.39	4.5	0.9	<0.05	2	1.5	<0.2			
142737	Rock	2	9	<0.01	752	0.001	<1	0.18	<0.001	<0.01	0.3	0.13	0.4	1.7	<0.05	<1	<0.5	<0.2			
142738	Rock	15	14	0.02	966	0.001	<1	0.40	0.004	0.17	0.5	0.32	1.2	2.9	0.12	1	2.4	0.3			
142739	Rock	9	20	0.01	281	0.002	<1	0.34	0.002	0.07	0.2	0.21	1.3	0.8	<0.05	2	7.5	<0.2			
142740	Rock	12	26	0.05	300	0.006	<1	0.45	0.008	0.18	0.1	0.03	2.1	0.8	0.15	2	1.1	0.4			
142741	Rock	10	8	0.02	116	<0.001	<1	0.21	0.002	0.13	0.7	0.11	1.1	0.1	<0.05	<1	<0.5	<0.2			
142742	Rock	13	20	0.02	1794	0.002	2	0.48	0.002	0.13	0.4	1.33	3.1	0.3	<0.05	1	3.9	<0.2			
142743	Rock	7	11	1.43	105	0.126	1	1.98	0.070	0.14	0.3	0.02	5.4	0.1	1.54	7	<0.5	0.5			
142744	Rock	5	10	<0.01	113	0.002	<1	0.16	0.001	0.02	<0.1	0.71	0.6	0.1	<0.05	<1	2.7	<0.2			
142745	Rock	3	7	<0.01	140	0.001	<1	0.15	0.002	0.04	<0.1	0.72	0.8	11.5	<0.05	<1	1.6	<0.2			
142746	Rock	8	35	0.02	350	0.003	<1	0.96	0.002	0.08	0.4	0.31	2.2	2.8	<0.05	2	2.6	<0.2			
142747	Rock	3	7	<0.01	344	<0.001	1	0.12	<0.001	0.04	0.1	0.25	0.5	1.0	<0.05	<1	2.6	<0.2			
142748	Rock	6	33	<0.01	>10000	0.012	3	2.87	0.009	0.45	23.3	0.03	5.2	0.2	<0.05	6	4.4	<0.2	>50000	6.95	
142749	Rock	7	31	0.01	459	0.002	<1	0.30	0.002	0.08	0.8	3.20	1.7	2.6	<0.05	3	26.8	<0.2			
142750	Rock	9	56	0.82	1193	0.185	<1	1.59	0.048	0.98	0.3	0.01	7.3	0.3	<0.05	6	<0.5	<0.2			
142751	Rock	1	66	0.51	197	0.239	3	5.39	0.595	0.13	0.1	0.03	6.3	<0.1	0.55	8	0.8	<0.2			
142752	Rock	9	52	1.02	788	0.248	2	3.09	0.158	1.17	0.2	0.01	9.9	0.5	0.12	10	1.4	<0.2			
142753	Rock	12	34	0.30	568	0.086	<1	1.02	0.087	0.23	0.2	<0.01	2.2	<0.1	0.15	4	2.8	<0.2			
142754	Rock	10	45	0.14	>10000	0.051	<1	1.98	0.044	0.39	0.8	0.02	2.6	0.1	<0.05	3	7.9	<0.2	49591		
142755	Rock	24	39	0.18	105	0.037	2	0.76	0.005	0.37	<0.1	0.05	4.6	0.8	<0.05	3	<0.5	<0.2			
142756	Rock	10	16	0.13	152	0.002	1	0.40	0.004	0.12	<0.1	<0.01	1.0	<0.1	<0.05	1	<0.5	<0.2			
142757	Rock	21	52	0.34	148	0.078	<1	1.24	0.006	0.56	<0.1	<0.01	6.4	0.4	<0.05	4	<0.5	<0.2			
79367	Rock	19	54	0.60	240	0.080	<1	0.72	0.017	0.59	1.2	<0.01	5.7	0.4	0.10	4	1.8	0.8			
79368	Rock	15	164	2.74	480	0.352	2	2.70	0.040	2.22	3.5	<0.01	13.7	1.3	0.41	16	2.5	2.1			
79369	Rock	4	16	0.02	407	0.003	<1	0.36	<0.001	0.05	0.7	3.10	1.8	2.5	<0.05	2	5.2	<0.2			
79370	Rock	6	21	0.01	2550	0.002	<1	0.28	0.001	0.04	<0.1	0.16	1.8	0.5	0.07	1	3.6	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 2 of 3

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI17000331.4

Method	KP300
Analyte	W
Unit	%
MDL	0.005
142732	Rock
142733	Rock
142734	Rock
142735	Rock
142736	Rock
142737	Rock
142738	Rock
142739	Rock
142740	Rock
142741	Rock
142742	Rock
142743	Rock
142744	Rock
142745	Rock
142746	Rock
142747	Rock
142748	Rock
142749	Rock
142750	Rock
142751	Rock
142752	Rock
142753	Rock
142754	Rock
142755	Rock
142756	Rock
142757	Rock
79367	Rock
79368	Rock
79369	Rock
79370	Rock



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 3 of 3

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000331.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001		
79371	Rock	1.48	4.4	111.2	15.6	47	0.2	8.4	2.9	97	5.07	557.7	2.1	1.7	32	0.7	63.4	0.4	34	0.02	0.051	
79372	Rock	1.72	6.0	56.7	4.0	13	0.7	2.9	0.7	34	2.07	129.3	1.7	0.9	80	<0.1	48.5	0.1	58	<0.01	0.069	
79373	Rock	1.34	0.4	14.2	4.6	27	<0.1	3.0	3.3	441	2.06	2.6	1.5	15.1	9	<0.1	0.4	0.2	22	0.26	0.043	
79374	Rock	1.18	1.9	18.9	27.1	35	0.2	1.0	0.4	133	0.83	247.9	3.9	14.6	8	<0.1	1.1	0.2	<2	0.04	0.007	
79375	Rock	0.73	21.0	65.6	8.4	15	1.2	5.7	1.5	65	0.96	28.9	16.9	2.3	21	<0.1	1.2	0.4	32	0.06	0.032	
79376	Rock	1.16	60.0	33.4	12.8	5	1.8	1.9	0.6	57	0.56	9.4	44.9	1.2	6	<0.1	0.2	1.1	13	0.05	0.030	
79377	Rock	2.04	5.5	28.0	9.5	92	0.2	18.3	2.1	54	2.35	149.5	2.6	1.5	19	0.2	6.2	0.2	71	0.07	0.113	
79378	Rock	1.80	3.1	20.7	6.7	60	0.3	6.8	1.1	30	1.21	372.8	3.5	1.5	41	0.2	29.1	0.1	40	0.02	0.045	
79379	Rock	2.04	111.7	11.6	22.7	9	2.6	2.5	0.5	128	0.92	11.7	159.5	2.3	21	0.1	0.3	1.1	24	0.02	0.017	
79380	Rock	1.89	0.5	88.3	4.9	26	0.3	23.1	8.5	167	1.52	18.9	0.5	10.8	133	0.3	0.2	0.1	19	1.84	0.039	
79381	Rock	1.93	6.6	10.1	9.3	7	1.4	1.2	0.4	74	0.91	6.8	41.4	3.5	22	<0.1	0.2	0.6	43	<0.01	0.021	
79382	Rock	1.97	0.9	68.0	121.4	823	6.9	4.5	3.1	241	0.68	3.6	528.2	0.3	11	25.9	0.2	52.7	4	1.69	0.068	
214101	Rock	0.94	5.0	30.2	87.8	24	1.1	1.7	0.3	23	1.81	120.2	6.1	6.7	39	0.2	24.4	0.4	46	0.02	0.045	
214102	Rock	1.13	2.0	18.2	8.6	62	0.2	11.2	1.2	37	1.58	95.3	1.4	2.7	6	0.2	18.6	0.2	22	0.02	0.025	
214103	Rock	2.10	1.2	7.0	4.3	5	0.4	1.5	0.4	31	0.47	24.7	1.5	2.1	8	0.1	4.2	<0.1	14	0.01	0.017	
214104	Rock	1.84	0.3	7.2	4.7	37	<0.1	5.2	4.1	368	1.69	7.7	<0.5	19.6	6	0.1	0.5	0.1	19	0.20	0.038	
214105	Rock	2.28	3.3	35.8	14.1	28	0.6	2.2	0.7	59	2.51	1486.6	0.9	3.5	23	0.4	81.5	0.1	81	<0.01	0.114	
214106	Rock	1.62	3.9	47.2	23.3	84	0.4	7.6	1.4	73	3.44	314.2	<0.5	6.0	18	0.1	25.7	0.1	57	0.01	0.088	
214107	Rock	1.38	8.0	30.2	13.4	20	0.3	3.4	0.3	28	2.75	596.9	7.5	3.6	30	0.2	41.7	0.6	72	0.02	0.079	
214108	Rock	1.87	0.5	117.9	24.4	61	0.7	178.1	37.7	284	3.67	43.7	2.4	2.5	350	0.1	0.4	0.6	65	3.08	0.250	
214109	Rock	1.83	0.4	123.7	10.1	65	1.4	220.4	44.6	314	4.38	55.4	13.8	2.6	210	0.2	0.6	1.4	57	2.37	0.297	
214110	Rock	2.89	2.4	20.9	44.1	257	0.7	28.3	8.3	110	0.61	27.2	<0.5	6.4	77	3.2	0.5	1.2	22	1.41	0.091	
214111	Rock	2.41	0.3	30.2	2.9	29	0.1	24.6	16.4	296	1.89	10.1	2.6	<0.1	208	0.2	0.1	0.5	72	2.48	0.079	
214112	Rock	2.45	0.8	13.7	5.9	47	<0.1	27.1	6.1	274	1.87	96.0	<0.5	5.5	33	0.1	0.8	<0.1	40	0.05	0.024	
214113	Rock	1.99	0.8	34.1	6.0	53	<0.1	15.8	5.1	216	2.26	5.8	0.8	5.6	10	<0.1	0.4	0.1	66	0.04	0.026	
79379A	Rock	1.41	8.0	29.7	10.5	48	0.5	15.8	1.9	26	1.88	227.0	3.4	6.5	8	0.4	33.0	0.3	36	0.02	0.077	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 3 of 3

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

# WHI17000331.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	FA330	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Au	Ba
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
79371	Rock	7	15	0.03	143	0.003	1	0.40	0.002	0.12	0.4	0.83	1.1	0.3	<0.05	2	5.0	<0.2			
79372	Rock	8	17	<0.01	2140	0.001	1	0.19	0.001	0.04	0.2	0.27	1.3	0.8	0.07	<1	10.9	<0.2			
79373	Rock	22	12	0.48	62	0.124	2	0.96	0.055	0.34	0.2	<0.01	4.3	0.3	<0.05	5	<0.5	<0.2			
79374	Rock	21	2	0.03	91	0.003	2	0.24	0.041	0.12	0.3	0.54	0.6	<0.1	<0.05	<1	<0.5	<0.2			
79375	Rock	8	31	0.11	374	0.108	2	0.25	0.009	0.18	23.2	0.02	1.9	<0.1	0.21	2	4.1	0.9			
79376	Rock	4	17	0.09	64	0.044	1	0.10	0.003	0.13	8.6	<0.01	0.8	<0.1	0.14	<1	1.3	1.1			
79377	Rock	6	27	0.01	35	0.002	2	0.26	0.008	0.06	0.4	0.09	2.3	0.7	0.11	1	1.3	<0.2			
79378	Rock	5	18	<0.01	168	0.002	1	0.30	0.005	0.01	0.6	0.77	1.8	0.7	<0.05	1	<0.5	<0.2			
79379	Rock	10	26	0.21	398	0.023	2	0.40	0.024	0.27	10.8	<0.01	2.8	0.1	0.20	2	2.9	1.9			
79380	Rock	21	25	0.34	205	0.081	3	2.95	0.213	0.12	0.5	<0.01	2.6	<0.1	0.47	10	<0.5	<0.2			
79381	Rock	10	28	0.24	315	0.016	2	0.34	0.021	0.33	2.1	<0.01	2.8	0.2	0.23	2	2.4	1.3			
79382	Rock	2	2	1.01	98	0.003	2	0.12	0.003	0.01	>100	*	0.3	0.2	0.18	<1	2.7	3.1	441		
214101	Rock	17	17	0.01	96	0.001	1	0.36	<0.001	0.01	2.4	0.94	1.8	2.5	<0.05	2	1.5	0.5			
214102	Rock	9	10	0.02	203	0.001	1	0.23	0.002	0.07	0.7	0.06	1.1	0.7	<0.05	1	1.1	<0.2			
214103	Rock	8	7	<0.01	235	0.002	1	0.18	<0.001	0.03	0.2	0.74	1.7	1.0	<0.05	<1	0.5	<0.2			
214104	Rock	37	11	0.47	85	0.073	2	0.95	0.036	0.42	0.2	0.01	3.2	0.4	<0.05	6	<0.5	<0.2			
214105	Rock	6	34	0.02	959	0.003	<1	0.26	0.006	0.11	0.1	2.24	4.1	15.4	0.17	3	4.8	<0.2			
214106	Rock	6	21	<0.01	132	0.002	1	0.32	0.004	0.06	0.2	0.21	2.0	3.3	0.09	1	2.3	<0.2			
214107	Rock	12	22	0.03	391	0.001	1	0.41	0.007	0.23	0.2	0.89	1.9	3.6	0.31	3	4.9	<0.2			
214108	Rock	15	78	1.06	106	0.271	2	3.64	0.156	0.12	0.3	0.01	3.5	0.2	1.08	9	1.1	<0.2			
214109	Rock	12	69	0.96	92	0.228	2	2.73	0.092	0.07	24.0	0.01	2.6	<0.1	1.60	8	1.7	0.4			
214110	Rock	20	12	0.24	76	0.075	2	0.79	0.007	0.02	0.7	<0.01	1.3	<0.1	0.11	3	<0.5	<0.2			
214111	Rock	2	28	0.47	90	0.207	1	3.03	0.335	0.07	0.1	<0.01	7.7	<0.1	0.06	7	<0.5	<0.2			
214112	Rock	14	21	0.07	105	0.008	2	0.52	0.002	0.16	0.1	0.07	3.2	0.2	<0.05	2	<0.5	<0.2			
214113	Rock	16	51	0.40	132	0.067	2	1.22	0.012	0.61	0.1	<0.01	4.5	0.3	0.05	4	<0.5	<0.2			
79379A	Rock	15	15	<0.01	123	0.002	<1	0.33	0.012	0.03	0.5	0.22	1.4	4.5	0.10	1	4.3	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 3 of 3

**Part:** 3 of 3

## CERTIFICATE OF ANALYSIS

WHI17000331.4

Method	KP300
Analyte	W
Unit	%
MDL	0.005
79371	Rock
79372	Rock
79373	Rock
79374	Rock
79375	Rock
79376	Rock
79377	Rock
79378	Rock
79379	Rock
79380	Rock
79381	Rock
79382	Rock 0.051
214101	Rock
214102	Rock
214103	Rock
214104	Rock
214105	Rock
214106	Rock
214107	Rock
214108	Rock
214109	Rock
214110	Rock
214111	Rock
214112	Rock
214113	Rock
79379A	Rock



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

Page: 1 of 2

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI17000331.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142754	Rock	2.72	14.6	93.4	9.4	49	1.0	26.2	4.1	64	0.99	3.7	2.2	3.2	102	0.8	0.2	0.2	184	0.81	0.369
Pulp Duplicates																					
142755	Rock	2.42	0.8	42.4	7.5	66	<0.1	28.3	9.2	179	2.78	117.6	1.8	8.3	5	<0.1	0.8	0.1	60	0.06	0.034
REP 142755	QC		0.8	42.7	7.3	63	<0.1	28.1	9.4	181	2.78	111.3	1.1	8.0	4	<0.1	0.8	0.1	60	0.06	0.035
REP 79382	QC																				
214108	Rock	1.87	0.5	117.9	24.4	61	0.7	178.1	37.7	284	3.67	43.7	2.4	2.5	350	0.1	0.4	0.6	65	3.08	0.250
REP 214108	QC		0.5	117.5	24.6	63	0.7	177.4	37.5	278	3.70	44.2	0.8	2.8	354	0.1	0.5	0.6	66	3.20	0.254
Core Reject Duplicates																					
142739	Rock	0.73	10.7	70.4	20.4	29	0.2	3.8	1.3	43	2.78	396.5	<0.5	3.1	17	0.3	30.7	0.1	103	<0.01	0.069
DUP 142739	QC		10.2	73.4	22.0	25	0.2	4.5	1.4	44	2.84	402.3	1.4	3.1	19	0.3	31.5	0.1	106	<0.01	0.071
79382	Rock	1.97	0.9	68.0	121.4	823	6.9	4.5	3.1	241	0.68	3.6	528.2	0.3	11	25.9	0.2	52.7	4	1.69	0.068
DUP 79382	QC		0.9	70.0	135.2	859	6.9	4.5	3.3	241	0.70	3.3	376.5	0.2	11	29.5	0.2	57.3	4	1.78	0.068
Reference Materials																					
STD AMIS0140	Standard																				
STD BASO4	Standard																				
STD DS10	Standard		14.4	149.4	155.3	375	1.9	74.5	12.0	873	2.76	44.5	64.3	7.4	68	2.8	8.4	11.8	45	1.08	0.070
STD DS10	Standard		14.5	142.1	139.6	354	1.7	70.2	12.6	894	2.75	43.6	78.7	7.9	67	2.8	9.0	11.9	44	1.05	0.074
STD DS11	Standard		13.9	145.9	147.1	355	1.8	77.3	13.5	1029	3.11	42.7	70.9	7.9	67	2.7	7.8	12.2	51	1.06	0.068
STD DS11	Standard		14.1	145.6	133.4	347	1.6	75.2	13.1	1031	3.10	44.4	59.0	8.1	71	2.4	7.8	11.5	50	1.05	0.067
STD NBLG	Standard																				
STD OREAS27	Standard																				
STD OXC129	Standard		1.3	25.4	5.9	39	<0.1	75.2	19.8	422	3.07	<0.5	192.8	1.9	178	<0.1	<0.1	<0.1	54	0.67	0.099
STD OXC129	Standard		1.0	24.3	5.4	37	<0.1	72.8	19.2	404	2.99	0.8	186.5	1.7	176	<0.1	<0.1	<0.1	50	0.72	0.098
STD OXC145	Standard																				
STD OXH122	Standard																				
STD SO-19	Standard																				
STD SO-19	Standard																				
STD W107	Standard																				
STD DS10 Expected			15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765



# QUALITY CONTROL REPORT

WHI17000331.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	FA330	GC320
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Au	Ba
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb	ppb	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	5	2	0.01	
142754	Rock	10	45	0.14	>10000	0.051	<1	1.98	0.044	0.39	0.8	0.02	2.6	0.1	<0.05	3	7.9	<0.2	49591		
Pulp Duplicates																					
142755	Rock	24	39	0.18	105	0.037	2	0.76	0.005	0.37	<0.1	0.05	4.6	0.8	<0.05	3	<0.5	<0.2			
REP 142755	QC	24	38	0.19	111	0.035	2	0.76	0.005	0.37	<0.1	0.05	4.5	0.8	<0.05	2	<0.5	<0.2			
REP 79382	QC																				
214108	Rock	15	78	1.06	106	0.271	2	3.64	0.156	0.12	0.3	0.01	3.5	0.2	1.08	9	1.1	<0.2			
REP 214108	QC	16	83	1.08	105	0.281	3	3.56	0.157	0.13	0.3	0.02	3.7	0.1	1.08	10	1.7	<0.2			
Core Reject Duplicates																					
142739	Rock	9	20	0.01	281	0.002	<1	0.34	0.002	0.07	0.2	0.21	1.3	0.8	<0.05	2	7.5	<0.2			
DUP 142739	QC	10	20	0.01	296	0.003	<1	0.36	0.002	0.07	0.2	0.22	1.3	0.8	<0.05	2	7.8	<0.2			
79382	Rock	2	2	1.01	98	0.003	2	0.12	0.003	0.01	>100	*	0.3	0.2	0.18	<1	2.7	3.1		441	
DUP 79382	QC	1	2	1.07	93	0.003	2	0.12	0.003	0.01	>100	*	0.3	0.2	0.17	<1	1.8	2.6		485	
Reference Materials																					
STD AMIS0140	Standard																				
STD BASO4	Standard																				>30
STD DS10	Standard	17	53	0.78	343	0.079	7	1.05	0.070	0.34	3.3	0.30	3.0	5.1	0.29	5	3.1	5.1			
STD DS10	Standard	18	57	0.80	356	0.082	9	1.07	0.072	0.33	3.4	0.26	3.2	4.6	0.27	4	2.6	5.4			
STD DS11	Standard	17	57	0.83	352	0.092	8	1.14	0.071	0.40	3.2	0.27	3.3	4.9	0.29	5	2.0	4.8			
STD DS11	Standard	18	59	0.87	348	0.096	5	1.17	0.074	0.40	2.8	0.25	3.3	4.6	0.27	5	2.1	4.8			
STD NBLG	Standard																				
STD OREAS27	Standard																				0.28
STD OXC129	Standard	12	52	1.56	47	0.400	2	1.59	0.594	0.37	0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2			
STD OXC129	Standard	12	52	1.55	49	0.389	<1	1.58	0.579	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2			
STD OXC145	Standard																				203
STD OXH122	Standard																				1234
STD SO-19	Standard																				468
STD SO-19	Standard																				464
STD W107	Standard																				
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 1 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI17000331.4

Method	KP300	
Analyte	W	
Unit	%	
MDL	0.005	
142754	Rock	
Pulp Duplicates		
142755	Rock	
REP 142755	QC	
REP 79382	QC	0.052
214108	Rock	
REP 214108	QC	
Core Reject Duplicates		
142739	Rock	
DUP 142739	QC	
79382	Rock	0.051
DUP 79382	QC	0.047
Reference Materials		
STD AMIS0140	Standard	<0.005
STD BASO4	Standard	
STD DS10	Standard	
STD DS10	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD NBLG	Standard	<0.005
STD OREAS27	Standard	
STD OXC129	Standard	
STD OXC129	Standard	
STD OXC145	Standard	
STD OXH122	Standard	
STD SO-19	Standard	
STD SO-19	Standard	
STD W107	Standard	0.461
STD DS10 Expected		



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 2 of 2

Part: 1 of 3

# QUALITY CONTROL REPORT

WHI17000331.4

	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
STD SO-19 Expected																					
STD OXC145 Expected																					
STD OXH122 Expected																					
STD W107 Expected																					
STD OREAS27 Expected																					
STD BASO4 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.7	5.7	3.0	56	<0.1	1.3	3.8	537	1.79	2.8	1.8	2.2	22	<0.1	0.2	<0.1	21	0.56	0.039	
ROCK-WHI	Prep Blank	0.8	4.5	2.6	45	<0.1	1.2	3.2	512	1.73	1.5	0.6	2.2	21	<0.1	<0.1	<0.1	20	0.53	0.036	





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 2 of 2

Part: 2 of 3

# QUALITY CONTROL REPORT

WHI17000331.4

	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	LF300	FA330	GC320
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Ba	Au	Ba	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb	%	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	5	2	0.01	
STD OXC129 Expected	13	52	1.545	50	0.4	1	1.58	0.6	0.37				1.1		5.6						
STD DS11 Expected	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56				
STD SO-19 Expected																		486			
STD OXC145 Expected																				212	
STD OXH122 Expected																				1247	
STD W107 Expected																					
STD OREAS27 Expected																				0.2988	
STD BASO4 Expected																				58.84	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																			<5	
BLK	Blank																			<2	
BLK	Blank																			<2	
BLK	Blank																				
BLK	Blank																			<0.01	
Prep Wash																					
ROCK-WHI	Prep Blank	5	3	0.48	49	0.072	<1	0.90	0.093	0.09	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2			
ROCK-WHI	Prep Blank	6	3	0.48	55	0.069	<1	0.87	0.091	0.09	0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 2 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI17000331.4

		KP300 W % 0.005
STD OXC129	Expected	
STD DS11	Expected	
STD SO-19	Expected	
STD OXC145	Expected	
STD OXH122	Expected	
STD W107	Expected	0.4235
STD OREAS27	Expected	
STD BASO4	Expected	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.005
BLK	Blank	
Prep Wash		
ROCK-WHI	Prep Blank	
ROCK-WHI	Prep Blank	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 07, 2017  
Report Date: October 11, 2017  
Page: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI17000520.4

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-005  
P.O. Number  
Number of Samples: 75

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	75	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	75	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	75	Per sample shipping charges for branch shipments			VAN
AQ370-X	6	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN
FA330-Au	6	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	6	Environmental disposal charge-Fire assay lead waste			VAN
AR402	1	Aqua Regia Digestion 0.5g/100mL, AAS finish	0.5	Completed	VAN
BR405	1	Sb by Hydrobromic acid digestion	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 4 : AR402-Pb & BR405-Sb included.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI17000520.4

Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
142769	Rock	0.61	0.2	2.6	15.3	9	<0.1	1.5	1.4	132	0.80	2245.2	168.6	2.9	7	0.1	>2000	0.2	<2	0.06	0.005
142770	Rock	2.27	0.8	7.4	12.2	7	<0.1	1.0	1.0	68	0.92	26.7	<0.5	24.2	4	<0.1	6.3	0.3	3	0.03	0.009
142771	Rock	1.88	0.9	10.2	12.7	50	<0.1	3.7	3.4	275	1.78	27.5	<0.5	20.4	7	<0.1	30.7	0.2	19	0.07	0.032
142772	Rock	2.03	0.9	6.6	14.3	15	0.2	2.2	2.2	145	1.01	46.8	1.3	27.5	4	<0.1	2.2	0.6	5	0.03	0.012
142773	Rock	1.11	0.4	8.5	11.6	26	<0.1	2.5	2.4	196	1.15	24.3	<0.5	26.2	5	<0.1	18.8	0.2	8	0.07	0.017
142774	Rock	2.04	0.4	5.2	12.4	34	<0.1	3.8	3.9	250	1.53	10.2	<0.5	13.2	4	<0.1	12.5	0.4	10	0.05	0.033
142775	Rock	2.22	3.7	37.4	10.5	70	0.3	13.9	3.8	226	2.05	337.8	1.1	5.8	18	0.7	3.3	0.3	76	0.17	0.033
142776	Rock	0.64	60.3	16.6	8.8	8	4.2	2.5	0.8	71	1.73	27.6	1866.7	2.5	17	0.2	0.9	9.1	20	0.05	0.038
142777	Rock	2.69	74.5	14.1	17.9	5	2.1	2.3	0.6	43	0.86	740.0	165.1	2.6	16	0.3	3.9	2.1	30	0.06	0.059
142778	Rock	0.39	24.5	25.0	25.7	21	4.0	8.2	1.8	232	0.93	5.7	1244.8	3.0	12	0.1	0.3	1.4	58	0.15	0.071
142779	Rock	1.02	5.4	41.5	16.5	28	0.9	14.8	6.8	105	1.10	61.3	90.5	6.7	108	0.3	2.3	5.8	31	0.82	0.020
142780	Rock	0.30	0.6	52.8	6.0	154	0.6	72.8	19.8	314	2.34	40.5	23.4	8.1	209	1.1	0.9	0.4	30	3.15	0.106
142781	Rock	2.32	4.9	54.1	1.9	97	0.5	22.4	4.1	187	2.19	1.6	1.7	4.2	9	0.3	0.8	0.2	160	0.06	0.048
142782	Rock	2.00	7.0	54.3	9.7	82	0.8	19.4	2.5	98	1.71	48.6	3.8	6.1	8	0.2	2.3	0.3	72	0.01	0.057
142783	Rock	2.02	0.5	30.1	3.1	21	<0.1	10.9	11.6	300	2.11	5.2	3.0	<0.1	272	0.1	0.4	0.1	117	5.02	0.005
142784	Rock	0.69	0.7	66.9	4.6	23	<0.1	2.8	3.5	230	1.35	13.4	78.6	15.9	58	<0.1	0.8	0.5	25	0.64	0.026
142785	Rock	0.81	1.3	11.6	49.8	98	1.3	1.9	0.9	50	4.23	1654.9	31.4	2.6	14	0.9	12.7	2.7	2	0.05	0.010
142786	Rock	2.35	0.3	3.7	26.3	84	0.1	3.7	2.6	980	1.28	98.9	0.9	22.7	6	0.8	3.8	0.4	9	0.11	0.022
142787	Rock	0.60	0.5	12.4	192.2	144	1.7	1.8	2.7	506	2.70	>10000	123.5	14.5	6	1.3	40.9	9.5	5	0.05	0.030
142788	Rock	1.05	0.3	87.4	577.4	83	21.2	0.8	2.3	233	1.89	425.5	131.0	0.9	3	1.6	380.9	6.3	<2	<0.01	0.004
142789	Rock	2.66	0.3	3.4	65.7	14	0.5	0.8	0.3	24	1.00	262.6	86.5	0.5	2	<0.1	14.8	0.3	<2	<0.01	0.002
142790	Rock	3.16	0.6	13.5	2646.6	13	13.9	0.8	0.2	22	0.54	216.0	196.1	2.3	4	0.7	1529.9	4.0	<2	<0.01	0.002
142791	Rock	1.47	0.3	43.8	1235.3	15	51.2	0.7	2.0	18	1.96	730.9	426.2	2.1	6	0.6	711.8	20.6	<2	<0.01	0.007
142792	Rock	1.88	0.3	8.1	21.9	57	0.3	5.7	4.2	564	1.49	17.0	3.9	16.8	29	0.5	11.6	0.5	12	0.60	0.034
142793	Rock	2.67	2.5	386.4	18.2	29	0.7	13.8	18.6	706	6.92	6.1	9.7	11.9	225	<0.1	2.7	33.0	22	2.44	0.049
142794	Rock	2.91	0.3	198.0	153.1	21	22.8	1.3	1.5	25	0.86	309.9	81.8	2.5	4	0.6	235.5	9.8	<2	<0.01	0.003
142795	Rock	2.11	<0.1	816.4	>10000	5613	>100	0.5	0.3	96	2.67	3239.0	4501.7	<0.1	3	138.6	>2000	109.2	<2	0.03	<0.001
79385	Rock	2.81	9.5	15.3	46.1	54	1.5	4.9	0.6	32	0.96	116.3	4.4	3.5	8	0.6	166.0	0.3	121	0.02	0.103
79386	Rock	1.54	5.0	110.6	1494.5	209	19.8	8.9	2.2	67	3.41	594.2	67.8	3.0	6	3.6	>2000	3.6	92	<0.01	0.148
79387	Rock	1.87	3.5	28.7	44.7	60	0.5	7.3	1.6	58	2.07	109.2	3.5	10.6	14	0.1	19.0	0.9	36	0.01	0.052



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Pb	Ag	As
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	gm/t	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.01	2	0.01	
142769	Rock	6	2	0.01	107	<0.001	6	0.15	0.002	0.10	<0.1	0.27	0.6	0.2	0.35	<1	<0.5	6.0	<0.01	<2	0.22
142770	Rock	15	2	0.08	53	0.005	<1	0.31	0.039	0.21	0.2	0.01	1.3	<0.1	0.11	1	<0.5	<0.2			
142771	Rock	31	10	0.27	40	0.081	2	0.85	0.053	0.49	1.0	<0.01	4.4	0.5	<0.05	5	0.6	<0.2			
142772	Rock	30	2	0.07	25	0.010	1	0.37	0.071	0.15	0.2	<0.01	1.7	0.1	<0.05	2	<0.5	<0.2			
142773	Rock	27	4	0.16	40	0.036	3	0.57	0.052	0.30	0.2	<0.01	2.4	0.4	<0.05	3	<0.5	<0.2			
142774	Rock	15	4	0.08	31	0.006	2	0.43	0.033	0.18	0.1	0.01	2.1	0.1	<0.05	2	<0.5	<0.2			
142775	Rock	16	30	0.31	205	0.023	3	1.07	0.016	0.39	1.0	<0.01	3.3	0.8	0.08	3	1.9	<0.2			
142776	Rock	12	12	0.02	340	0.011	3	0.26	0.014	0.25	3.2	0.02	2.0	0.1	0.36	1	3.4	5.9			
142777	Rock	11	15	0.02	250	0.012	<1	0.23	0.006	0.13	8.5	0.23	3.2	0.9	0.11	1	3.6	1.7			
142778	Rock	11	42	0.32	93	0.039	1	0.50	0.011	0.30	4.7	<0.01	2.7	0.2	<0.05	3	0.7	6.0			
142779	Rock	15	21	0.13	216	0.039	2	1.50	0.061	0.18	2.8	0.08	4.0	0.2	0.27	5	1.4	1.7			
142780	Rock	9	59	0.17	233	0.260	3	3.64	0.148	0.05	0.5	<0.01	3.8	0.3	0.35	9	1.1	0.3			
142781	Rock	14	63	0.64	273	0.122	<1	1.60	0.023	0.71	<0.1	<0.01	5.8	0.4	0.25	7	2.4	<0.2			
142782	Rock	18	30	0.16	515	0.011	1	0.92	0.008	0.32	<0.1	0.02	2.7	0.5	0.18	3	6.1	<0.2			
142783	Rock	<1	77	0.71	28	0.039	1	6.45	0.213	0.03	<0.1	<0.01	8.3	<0.1	0.08	8	<0.5	<0.2			
142784	Rock	17	4	0.44	284	0.084	2	1.60	0.223	0.23	>100	<0.01	4.2	0.2	0.22	5	<0.5	<0.2			
142785	Rock	8	2	0.01	72	0.001	6	0.34	0.004	0.30	0.5	0.12	0.8	0.4	1.66	1	<0.5	<0.2			
142786	Rock	24	4	0.12	59	0.015	2	0.58	0.049	0.22	0.2	<0.01	2.4	0.2	<0.05	3	0.5	<0.2			
142787	Rock	20	3	0.03	156	0.001	1	0.28	0.018	0.13	0.2	<0.01	1.0	<0.1	<0.05	1	<0.5	0.2	0.02	<2	1.71
142788	Rock	1	2	<0.01	36	<0.001	<1	0.06	0.002	0.05	<0.1	0.01	0.3	<0.1	0.56	<1	<0.5	<0.2			
142789	Rock	2	2	<0.01	28	<0.001	1	0.08	0.002	0.08	<0.1	<0.01	0.3	<0.1	0.07	<1	<0.5	<0.2			
142790	Rock	3	1	<0.01	27	<0.001	2	0.11	0.004	0.10	<0.1	0.02	0.2	<0.1	0.18	<1	0.5	<0.2			
142791	Rock	2	1	<0.01	45	<0.001	2	0.05	0.004	0.09	<0.1	0.04	0.2	<0.1	0.99	<1	1.3	<0.2			
142792	Rock	31	7	0.15	58	0.024	2	0.64	0.040	0.31	0.2	<0.01	3.0	0.2	0.10	3	<0.5	<0.2			
142793	Rock	26	18	0.30	32	0.075	3	3.82	0.082	0.05	>100	*	2.1	0.2	1.78	19	4.0	1.6			
142794	Rock	3	1	<0.01	30	<0.001	2	0.11	0.002	0.09	1.6	<0.01	0.3	<0.1	0.47	<1	<0.5	<0.2			
142795	Rock	<1	<1	<0.01	44	<0.001	<1	0.03	<0.001	<0.01	<0.1	0.75	<0.1	0.9	4.28	<1	1.7	6.6	>4	713	4.24
79385	Rock	13	21	0.04	1110	0.005	<1	0.51	0.004	0.10	0.4	0.29	4.0	0.9	0.05	2	5.5	0.2			
79386	Rock	9	29	0.10	107	0.014	<1	0.54	0.005	0.16	1.3	0.08	4.0	1.8	0.34	2	5.1	5.2	0.15	21	0.06
79387	Rock	6	14	0.01	290	0.002	2	0.56	0.004	0.12	0.2	0.09	2.6	0.6	0.10	2	0.7	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 2 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	AQ370	FA330	AR402	BR405
Analyte	Sb	Au	Pb	Sb
Unit	%	ppb	%	%
MDL	0.001	2	0.01	0.01
142769	Rock	0.967		
142770	Rock			
142771	Rock			
142772	Rock			
142773	Rock			
142774	Rock			
142775	Rock			
142776	Rock	1521		
142777	Rock			
142778	Rock	1311		
142779	Rock			
142780	Rock			
142781	Rock			
142782	Rock			
142783	Rock			
142784	Rock			
142785	Rock			
142786	Rock			
142787	Rock	0.004		
142788	Rock			
142789	Rock			
142790	Rock			
142791	Rock	404		
142792	Rock			
142793	Rock			
142794	Rock			
142795	Rock	>5	4688	5.00 16.67
79385	Rock			
79386	Rock	0.464		
79387	Rock			





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

Page: 3 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

# WHI17000520.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
79388	Rock	2.19	3.0	13.8	53.6	51	0.5	3.5	1.6	76	1.49	71.5	1.9	6.8	23	0.2	92.6	0.4	17	0.01	0.018
79389	Rock	2.27	3.8	25.0	12.7	25	0.5	3.2	0.4	34	1.43	899.2	6.3	3.2	21	0.3	73.0	0.1	25	<0.01	0.041
79390	Rock	1.49	5.5	37.3	29.3	80	0.4	4.7	1.3	51	2.75	1036.8	6.1	1.9	24	1.4	116.3	0.2	35	0.02	0.030
79391	Rock	2.01	0.7	38.9	10.8	49	0.2	27.6	10.6	160	2.08	6.2	4.5	16.4	164	0.3	0.9	0.1	49	2.20	0.040
79392	Rock	2.07	4.5	57.4	18.7	17	0.5	1.5	0.4	53	2.59	1068.9	5.4	4.3	23	1.0	149.1	0.2	36	0.02	0.046
79393	Rock	1.23	1.9	10.7	43.6	44	0.2	4.9	0.8	39	1.22	75.8	1.6	8.1	10	0.2	4.9	1.3	21	0.03	0.033
79394	Rock	2.44	0.7	6.5	6.2	6	0.2	0.7	1.8	124	2.67	76.8	134.3	1.6	3	0.1	12.6	3.7	<2	0.01	0.003
79395	Rock	1.41	2.4	41.7	4.1	60	0.2	26.6	6.3	134	2.40	12.3	0.6	4.6	10	0.2	0.3	0.2	112	0.08	0.030
79396	Rock	2.27	1.0	19.5	10.6	11	0.2	1.7	1.5	61	1.12	23.7	12.9	19.7	9	<0.1	17.3	2.6	9	0.05	0.020
79397	Rock	1.91	0.4	22.1	6.7	12	<0.1	2.4	1.7	105	1.15	8.5	10.3	23.3	9	<0.1	4.6	0.5	8	0.09	0.029
79398	Rock	1.87	0.3	6.4	44.6	4	0.9	0.7	0.2	32	1.44	133.7	45.0	20.0	13	<0.1	7.8	2.7	<2	0.02	0.017
79399	Rock	2.21	1.9	5.3	25.7	119	1.9	4.5	5.2	3427	2.36	342.7	81.5	5.6	150	1.8	9.3	0.2	2	2.77	0.079
79400	Rock	1.42	0.3	5.9	9.2	33	<0.1	3.4	4.5	402	1.67	8.1	<0.5	18.3	13	0.1	8.8	0.3	17	0.16	0.024
79401	Rock	1.25	0.8	3.0	19.3	23	<0.1	5.5	3.1	446	1.14	8.2	3.4	22.0	23	0.1	2.7	0.3	5	0.07	0.027
79402	Rock	0.89	1.8	3.4	29.6	26	0.1	4.7	4.5	694	1.29	263.9	2.9	21.6	49	0.3	7.3	0.6	<2	0.10	0.040
79403	Rock	3.84	2.3	49.0	54.2	91	0.8	16.8	6.1	624	1.77	86.7	5.3	12.4	20	1.3	2.3	1.3	37	0.50	0.056
79404	Rock	2.23	1.9	55.8	8.5	25	0.8	14.2	12.4	263	2.64	17.3	73.5	13.6	8	0.4	4.2	1.2	10	0.22	0.018
79405	Rock	2.06	0.4	67.2	7.0	39	0.3	21.3	12.4	231	2.68	5.4	6.1	10.8	105	0.3	1.4	0.2	35	3.33	0.148
79406	Rock	1.55	0.3	5.2	9.3	71	<0.1	3.7	4.6	323	1.71	4.4	0.5	17.5	9	0.5	1.1	0.2	16	0.13	0.033
79407	Rock	1.40	0.2	3.8	5.5	60	<0.1	6.3	4.6	578	2.06	2.8	<0.5	21.1	15	0.1	3.3	0.2	23	0.29	0.049
79408	Rock	1.58	0.4	7.2	40.1	19	1.7	1.3	0.9	37	0.84	1358.2	44.1	18.8	16	0.3	15.8	0.3	<2	0.03	0.014
79409	Rock	2.50	0.2	505.6	>10000	8347	>100	1.4	1.5	292	2.00	>10000	1999.1	3.3	5	136.9	>2000	20.9	<2	0.06	0.006
79410	Rock	1.75	3.8	30.6	13.4	75	0.3	17.0	1.9	44	1.30	288.3	16.2	2.8	47	0.3	12.5	0.4	23	0.02	0.032
79411	Rock	1.47	1.9	41.3	29.5	173	0.6	36.8	13.5	315	2.29	13.9	2.1	1.3	120	0.8	16.0	0.1	95	1.50	0.069
79412	Rock	1.83	12.9	20.9	20.0	65	0.8	12.6	1.6	49	0.89	4.2	2.7	2.1	24	2.0	0.9	0.3	18	0.24	0.102
79413	Rock	2.16	13.2	10.4	14.3	154	0.3	12.8	0.8	39	2.00	124.7	2.3	1.8	95	<0.1	10.7	0.1	98	0.01	0.043
79414	Rock	1.74	2.8	61.7	11.9	201	0.2	25.9	2.6	67	2.35	506.6	2.0	2.2	65	0.5	5.2	0.2	81	<0.01	0.025
79415	Rock	1.20	2.7	26.7	13.7	44	0.1	3.4	4.1	258	1.54	3.8	<0.5	16.9	9	0.2	2.0	0.2	16	0.19	0.033
79416	Rock	2.36	1.9	78.3	149.0	255	1.6	89.9	21.1	810	3.31	1601.8	55.7	5.9	28	3.5	7.4	0.5	53	0.72	0.095
79417	Rock	1.16	0.5	50.3	1921.7	17	>100	1.0	0.5	35	0.47	52.4	100.5	0.5	1	0.8	705.2	411.9	<2	<0.01	0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 11, 2017

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Pb	Ag	As
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	gm/t	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
79388	Rock	8	5	0.01	63	<0.001	1	0.83	0.003	0.08	0.2	0.17	1.7	0.5	0.10	2	<0.5	<0.2			
79389	Rock	10	9	0.01	1419	0.001	<1	0.35	0.006	0.11	0.2	2.90	2.0	2.1	0.09	1	5.9	<0.2			
79390	Rock	6	10	0.01	1301	0.001	1	0.20	0.002	0.08	0.4	2.14	1.5	7.9	0.10	1	2.3	<0.2			
79391	Rock	44	45	0.61	310	0.123	3	3.93	0.322	0.49	0.2	<0.01	3.1	0.2	0.22	13	0.6	<0.2			
79392	Rock	13	18	0.02	757	0.003	3	0.42	0.004	0.10	0.5	4.07	1.8	3.0	0.07	3	8.6	<0.2			
79393	Rock	14	5	0.01	198	0.002	2	0.69	0.003	0.10	0.1	0.20	3.5	0.4	0.12	2	0.6	<0.2			
79394	Rock	2	2	0.02	20	0.003	127	0.17	0.006	0.03	0.1	0.08	0.3	<0.1	<0.05	<1	<0.5	4.0			
79395	Rock	12	53	0.70	327	0.071	2	1.49	0.024	0.54	0.3	0.02	6.3	0.4	0.48	6	2.2	<0.2			
79396	Rock	12	6	0.13	74	0.007	4	0.53	0.056	0.20	1.0	0.02	1.9	0.2	0.08	3	<0.5	<0.2			
79397	Rock	19	4	0.20	96	0.032	<1	0.81	0.058	0.16	<0.1	0.01	3.0	0.2	0.05	5	<0.5	<0.2			
79398	Rock	23	2	0.03	125	0.001	4	0.40	0.013	0.51	0.2	0.06	0.6	0.3	0.50	2	<0.5	0.3			
79399	Rock	12	2	0.33	86	<0.001	3	0.49	0.005	0.38	0.2	0.03	1.5	0.2	1.92	1	<0.5	<0.2			
79400	Rock	25	9	0.36	89	0.174	1	0.86	0.091	0.61	0.6	<0.01	5.4	0.4	<0.05	5	<0.5	<0.2			
79401	Rock	23	4	0.02	76	0.001	1	0.68	0.002	0.08	0.1	0.04	2.2	<0.1	<0.05	2	<0.5	<0.2			
79402	Rock	48	2	0.03	91	<0.001	4	0.50	0.003	0.29	0.6	0.11	0.9	0.1	<0.05	2	<0.5	<0.2			
79403	Rock	25	18	0.49	100	0.062	2	0.93	0.041	0.39	0.6	0.01	4.1	0.2	<0.05	5	<0.5	<0.2			
79404	Rock	12	12	0.24	61	0.064	3	0.47	0.064	0.19	17.5	<0.01	1.6	<0.1	1.18	2	2.4	0.8			
79405	Rock	32	34	0.53	115	0.176	4	4.84	0.124	0.40	1.7	<0.01	4.4	0.2	0.82	14	<0.5	<0.2			
79406	Rock	27	8	0.51	80	0.102	<1	0.96	0.067	0.53	1.2	<0.01	5.0	0.3	<0.05	5	<0.5	<0.2			
79407	Rock	33	11	0.55	182	0.149	<1	1.30	0.112	0.66	0.3	<0.01	6.6	0.4	0.05	7	<0.5	<0.2			
79408	Rock	30	1	0.02	265	<0.001	2	0.40	0.012	0.29	0.2	0.02	0.3	0.2	0.24	1	<0.5	<0.2			
79409	Rock	3	2	0.02	47	<0.001	2	0.16	0.003	0.13	0.1	0.44	0.2	0.4	2.05	<1	1.7	<0.2	1.22	251	1.47
79410	Rock	10	14	0.02	171	0.002	2	0.36	0.005	0.13	0.1	0.11	1.5	0.3	<0.05	1	1.1	<0.2			
79411	Rock	6	82	1.11	1219	0.221	2	3.83	0.280	1.19	0.1	<0.01	12.3	0.5	0.23	13	1.3	<0.2			
79412	Rock	6	18	0.06	136	0.049	<1	0.34	0.008	0.15	10.2	<0.01	1.0	<0.1	0.13	2	1.9	0.3			
79413	Rock	7	15	0.02	363	0.002	3	0.43	0.004	0.15	0.2	0.42	1.4	1.0	<0.05	2	4.2	<0.2			
79414	Rock	7	19	0.03	284	0.002	3	0.47	0.002	0.15	0.2	0.36	2.7	0.2	<0.05	2	2.3	<0.2			
79415	Rock	21	9	0.44	64	0.139	<1	0.94	0.073	0.58	0.1	0.01	3.5	0.4	<0.05	6	<0.5	<0.2			
79416	Rock	12	91	0.80	112	0.187	2	1.29	0.060	0.37	0.3	0.01	2.2	0.3	1.17	5	0.7	<0.2			
79417	Rock	<1	3	<0.01	39	0.001	<1	0.04	0.002	0.04	0.1	0.03	0.1	<0.1	0.10	<1	3.3	3.9	0.17	191	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 3 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	Analyte	AQ370	FA330	AR402	BR405
		Sb	Au	Pb	Sb
Unit		%	ppb	%	%
MDL		0.001	2	0.01	0.01
79388	Rock				
79389	Rock				
79390	Rock				
79391	Rock				
79392	Rock				
79393	Rock				
79394	Rock				
79395	Rock				
79396	Rock				
79397	Rock				
79398	Rock				
79399	Rock				
79400	Rock				
79401	Rock				
79402	Rock				
79403	Rock				
79404	Rock				
79405	Rock				
79406	Rock				
79407	Rock				
79408	Rock				
79409	Rock	1.098	1696		
79410	Rock				
79411	Rock				
79412	Rock				
79413	Rock				
79414	Rock				
79415	Rock				
79416	Rock				
79417	Rock	0.062			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 4 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
79418	Rock	1.40	0.4	29.8	2519.8	146	13.2	5.2	2.6	236	1.33	1745.8	141.2	14.3	14	4.8	652.4	3.0	<2	0.30	0.026
79419	Rock	1.46	0.3	10.2	68.1	34	0.9	1.2	1.1	43	0.71	1237.4	36.2	21.3	6	0.6	18.2	1.4	<2	0.04	0.020
79420	Rock	1.44	1.1	12.4	402.8	42	2.4	0.8	1.2	34	1.84	7869.8	327.8	7.3	9	0.8	221.5	3.1	<2	<0.01	0.008
79421	Rock	0.53	0.7	8.1	107.3	77	0.5	9.1	4.6	611	1.93	951.9	57.0	12.1	24	2.6	20.5	0.6	<2	0.39	0.039
214114	Rock	2.15	1.2	4.6	32.8	7	0.3	0.6	0.2	30	0.44	46.4	13.0	3.5	6	<0.1	2.5	3.8	<2	<0.01	0.004
214115	Rock	1.68	0.5	15.2	16.8	35	0.3	0.9	0.4	40	1.07	53.2	56.8	4.6	7	<0.1	2.9	2.7	<2	0.01	0.005
214116	Rock	2.21	0.3	8.8	16.3	9	3.7	0.7	0.3	30	0.65	72.7	219.2	2.2	3	<0.1	5.0	8.6	<2	<0.01	0.002
214117	Rock	0.45	2.4	18.9	6.9	7	0.4	1.7	0.6	37	1.05	223.1	6.4	6.3	8	0.2	49.6	0.3	22	0.01	0.015
214118	Rock	2.32	1.0	19.2	29.1	19	0.2	1.5	0.5	28	2.11	345.1	<0.5	4.5	7	0.3	27.2	0.1	31	0.02	0.028
214119	Rock	2.43	24.9	142.0	19.8	53	1.2	6.5	4.9	407	8.85	4527.5	3.3	4.7	24	3.0	442.8	0.1	77	0.05	0.146
214120	Rock	2.36	0.5	32.7	14.7	159	0.2	5.6	5.9	474	2.15	19.0	<0.5	13.1	21	0.6	2.3	0.5	20	0.68	0.043
214121	Rock	2.37	0.5	27.8	14.2	54	<0.1	21.3	8.7	470	2.65	4.4	1.9	10.1	9	0.2	0.4	0.4	41	0.20	0.027
214122	Rock	2.09	0.3	6.5	13.4	28	0.1	4.0	2.4	290	1.04	17.2	3.2	16.3	21	0.2	2.9	0.5	7	0.43	0.021
214123	Rock	0.22	7.7	7.1	751.5	120	5.6	2.6	6.4	1551	2.73	4450.5	53.7	26.1	4	5.7	25.0	0.1	<2	0.06	0.022
214124	Rock	1.24	3.3	32.5	14.3	105	0.3	20.3	1.9	85	1.53	60.1	<0.5	2.2	92	0.4	17.8	0.3	62	0.21	0.154



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 4 of 4

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Ag	As
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.01	2	0.01	
79418	Rock	20	2	0.07	117	<0.001	4	0.36	0.004	0.32	0.1	0.03	0.5	0.2	0.47	1	0.6	<0.2			
79419	Rock	25	2	0.02	135	<0.001	3	0.42	0.005	0.33	<0.1	<0.01	0.5	0.1	0.18	1	<0.5	<0.2			
79420	Rock	8	1	<0.01	120	<0.001	2	0.18	0.004	0.16	<0.1	0.05	0.2	0.1	0.79	<1	<0.5	<0.2			
79421	Rock	22	3	0.15	238	<0.001	4	0.42	0.005	0.33	0.2	<0.01	1.2	0.1	0.72	<1	<0.5	<0.2			
214114	Rock	3	1	0.01	19	0.003	158	0.08	0.014	0.06	0.2	<0.01	0.2	<0.1	0.10	<1	<0.5	<0.2			
214115	Rock	11	2	0.03	147	0.001	9	0.37	0.011	0.40	0.4	<0.01	0.5	0.3	0.32	2	<0.5	<0.2			
214116	Rock	<1	1	<0.01	76	<0.001	16	0.18	0.008	0.14	0.2	0.02	0.2	<0.1	0.15	<1	<0.5	0.4			
214117	Rock	19	10	0.03	370	0.002	2	0.45	0.010	0.15	0.1	1.31	1.2	0.6	0.08	3	2.3	<0.2			
214118	Rock	13	16	0.02	1607	0.002	2	0.41	0.003	0.07	0.4	0.59	1.4	1.2	0.06	2	1.1	<0.2			
214119	Rock	11	32	0.02	925	0.005	2	0.51	0.003	0.08	0.3	11.09	2.7	4.8	0.10	4	29.6	0.3			
214120	Rock	28	12	0.53	95	0.084	2	1.07	0.068	0.46	26.1	0.03	4.3	0.3	0.29	5	0.8	<0.2			
214121	Rock	24	41	0.78	92	0.144	<1	1.55	0.048	0.85	0.8	<0.01	5.7	0.5	0.15	8	<0.5	<0.2			
214122	Rock	23	6	0.24	47	0.009	2	0.62	0.056	0.24	0.3	0.03	1.6	0.1	0.07	3	<0.5	<0.2			
214123	Rock	14	1	0.02	71	<0.001	4	0.44	0.003	0.33	0.8	0.07	1.0	0.5	2.06	<1	<0.5	<0.2			
214124	Rock	8	26	0.02	1326	0.002	<1	0.39	0.003	0.11	0.2	0.02	3.1	0.1	0.06	2	1.6	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 11, 2017

Page: 4 of 4

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI17000520.4

Method	AQ370	FA330	AR402	BR405
Analyte	Sb	Au	Pb	Sb
Unit	%	ppb	%	%
MDL	0.001	2	0.01	0.01
79418	Rock			
79419	Rock			
79420	Rock	296		
79421	Rock			
214114	Rock			
214115	Rock			
214116	Rock			
214117	Rock			
214118	Rock			
214119	Rock			
214120	Rock			
214121	Rock			
214122	Rock			
214123	Rock			
214124	Rock			





# QUALITY CONTROL REPORT

WHI17000520.4

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
142778	Rock	0.39	24.5	25.0	25.7	21	4.0	8.2	1.8	232	0.93	5.7	1244.8	3.0	12	0.1	0.3	1.4	58	0.15	0.071
REP 142778	QC																				
142779	Rock	1.02	5.4	41.5	16.5	28	0.9	14.8	6.8	105	1.10	61.3	90.5	6.7	108	0.3	2.3	5.8	31	0.82	0.020
REP 142779	QC		5.4	42.5	16.3	30	0.9	14.7	6.9	108	1.11	63.5	135.3	6.8	108	0.3	2.4	5.7	30	0.83	0.020
142795	Rock	2.11	<0.1	816.4	>10000	5613	>100	0.5	0.3	96	2.67	3239.0	4501.7	<0.1	3	138.6	>2000	109.2	<2	0.03	<0.001
REP 142795	QC																				
79386	Rock	1.54	5.0	110.6	1494.5	209	19.8	8.9	2.2	67	3.41	594.2	67.8	3.0	6	3.6	>2000	3.6	92	<0.01	0.148
REP 79386	QC																				
79390	Rock	1.49	5.5	37.3	29.3	80	0.4	4.7	1.3	51	2.75	1036.8	6.1	1.9	24	1.4	116.3	0.2	35	0.02	0.030
REP 79390	QC		5.5	36.4	29.2	76	0.4	4.4	1.4	50	2.71	1026.9	5.3	1.8	23	1.3	120.7	0.2	35	0.02	0.032
214117	Rock	0.45	2.4	18.9	6.9	7	0.4	1.7	0.6	37	1.05	223.1	6.4	6.3	8	0.2	49.6	0.3	22	0.01	0.015
REP 214117	QC		2.3	19.5	6.8	7	0.4	1.6	0.6	38	1.06	223.1	3.4	6.2	8	0.2	45.1	0.3	22	0.01	0.015
214124	Rock	1.24	3.3	32.5	14.3	105	0.3	20.3	1.9	85	1.53	60.1	<0.5	2.2	92	0.4	17.8	0.3	62	0.21	0.154
REP 214124	QC		3.8	32.5	14.0	103	0.3	19.3	1.9	85	1.52	59.3	0.7	2.1	93	0.4	17.3	0.3	62	0.21	0.154
Core Reject Duplicates																					
142780	Rock	0.30	0.6	52.8	6.0	154	0.6	72.8	19.8	314	2.34	40.5	23.4	8.1	209	1.1	0.9	0.4	30	3.15	0.106
DUP 142780	QC		0.8	49.3	6.3	146	0.6	71.3	18.0	378	2.64	39.6	16.1	8.5	234	1.1	1.0	0.4	44	3.64	0.096
79403	Rock	3.84	2.3	49.0	54.2	91	0.8	16.8	6.1	624	1.77	86.7	5.3	12.4	20	1.3	2.3	1.3	37	0.50	0.056
DUP 79403	QC		2.5	51.7	55.5	91	0.8	17.8	6.2	628	1.78	88.4	7.7	12.2	21	1.1	2.2	1.3	38	0.50	0.058
Reference Materials																					
STD CD-1	Standard																				
STD CD-1	Standard																				
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard		13.4	145.5	131.1	338	1.7	75.3	12.9	1007	3.01	41.9	108.3	7.2	69	2.4	8.9	12.2	48	1.03	0.070
STD DS11	Standard		14.6	145.7	135.8	330	1.7	73.9	13.1	997	3.14	46.2	77.2	7.6	69	2.1	9.0	11.8	51	1.05	0.072
STD DS11	Standard		13.4	160.1	133.4	343	1.7	74.2	14.3	1047	3.17	46.2	78.4	8.0	67	2.8	8.6	12.7	49	1.07	0.068
STD DS11	Standard		14.2	162.0	136.3	344	1.8	77.3	14.4	1028	3.21	44.7	80.4	8.8	73	2.6	9.5	13.1	50	1.05	0.070



# QUALITY CONTROL REPORT

WHI17000520.4

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Ag	As
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	gm/t	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.01	2	0.01
Pulp Duplicates																					
142778	Rock	11	42	0.32	93	0.039	1	0.50	0.011	0.30	4.7	<0.01	2.7	0.2	<0.05	3	0.7	6.0			
REP 142778	QC																				
142779	Rock	15	21	0.13	216	0.039	2	1.50	0.061	0.18	2.8	0.08	4.0	0.2	0.27	5	1.4	1.7			
REP 142779	QC	15	21	0.13	202	0.040	3	1.43	0.059	0.15	2.6	0.10	3.6	0.2	0.27	5	1.7	1.4			
142795	Rock	<1	<1	<0.01	44	<0.001	<1	0.03	<0.001	<0.01	<0.1	0.75	<0.1	0.9	4.28	<1	1.7	6.6	>4	713	4.24
REP 142795	QC																				
79386	Rock	9	29	0.10	107	0.014	<1	0.54	0.005	0.16	1.3	0.08	4.0	1.8	0.34	2	5.1	5.2	0.15	21	0.06
REP 79386	QC																		0.15	20	0.06
79390	Rock	6	10	0.01	1301	0.001	1	0.20	0.002	0.08	0.4	2.14	1.5	7.9	0.10	1	2.3	<0.2			
REP 79390	QC	6	9	0.01	1356	0.001	<1	0.20	0.002	0.08	0.4	2.13	1.6	8.0	0.10	<1	2.7	<0.2			
214117	Rock	19	10	0.03	370	0.002	2	0.45	0.010	0.15	0.1	1.31	1.2	0.6	0.08	3	2.3	<0.2			
REP 214117	QC	19	10	0.03	354	0.002	<1	0.45	0.011	0.15	<0.1	1.29	1.1	0.6	0.08	3	2.6	<0.2			
214124	Rock	8	26	0.02	1326	0.002	<1	0.39	0.003	0.11	0.2	0.02	3.1	0.1	0.06	2	1.6	<0.2			
REP 214124	QC	8	26	0.02	1334	0.002	2	0.40	0.003	0.11	0.2	0.03	3.0	0.1	0.06	1	1.7	0.3			
Core Reject Duplicates																					
142780	Rock	9	59	0.17	233	0.260	3	3.64	0.148	0.05	0.5	<0.01	3.8	0.3	0.35	9	1.1	0.3			
DUP 142780	QC	12	83	0.20	266	0.393	4	3.91	0.168	0.08	0.7	<0.01	4.8	0.3	0.31	9	0.8	0.4			
79403	Rock	25	18	0.49	100	0.062	2	0.93	0.041	0.39	0.6	0.01	4.1	0.2	<0.05	5	<0.5	<0.2			
DUP 79403	QC	26	19	0.49	103	0.064	2	0.94	0.044	0.40	0.6	<0.01	4.3	0.3	<0.05	5	<0.5	<0.2			
Reference Materials																					
STD CD-1	Standard																				
STD CD-1	Standard																				
STD CDN-ME-9A	Standard																		<0.01	4	<0.01
STD CDN-ME-14A	Standard																		0.49	42	0.01
STD DS11	Standard	18	57	0.81	363	0.086	5	1.10	0.070	0.38	3.1	0.28	3.0	4.7	0.27	4	2.1	4.6			
STD DS11	Standard	19	56	0.85	376	0.091	8	1.17	0.071	0.40	2.9	0.24	3.5	4.8	0.28	5	3.4	4.7			
STD DS11	Standard	19	55	0.87	387	0.095	6	1.19	0.075	0.40	3.0	0.25	3.4	4.7	0.29	5	2.2	4.5			
STD DS11	Standard	21	58	0.85	395	0.100	6	1.17	0.072	0.40	3.1	0.28	3.2	4.8	0.28	5	1.9	4.9			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 1 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI17000520.4

Method	AQ370	FA330	AR402	BR405
Analyte	Sb	Au	Pb	Sb
Unit	%	ppb	%	%
MDL	0.001	2	0.01	0.01
Pulp Duplicates				
142778	Rock	1311		
REP 142778	QC	1359		
142779	Rock			
REP 142779	QC			
142795	Rock	>5	4688	5.00 16.67
REP 142795	QC		4.98	17.03
79386	Rock	0.464		
REP 79386	QC	0.507		
79390	Rock			
REP 79390	QC			
214117	Rock			
REP 214117	QC			
214124	Rock			
REP 214124	QC			
Core Reject Duplicates				
142780	Rock			
DUP 142780	QC			
79403	Rock			
DUP 79403	QC			
Reference Materials				
STD CD-1	Standard			3.48
STD CD-1	Standard			3.67
STD CDN-ME-9A	Standard	<0.001		
STD CDN-ME-14A	Standard	0.001		
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			
STD DS11	Standard			



# QUALITY CONTROL REPORT

WHI17000520.4

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard		1.1	26.6	6.1	41	<0.1	76.8	19.8	413	3.00	0.5	190.2	1.8	202	<0.1	<0.1	<0.1	51	0.66	0.104
STD OXC129	Standard		1.3	24.7	6.3	42	<0.1	72.7	19.0	416	3.00	1.1	199.8	2.0	193	<0.1	<0.1	<0.1	54	0.69	0.100
STD OXC129	Standard		1.3	30.0	7.5	41	<0.1	80.3	21.5	438	3.07	1.7	199.9	2.1	201	<0.1	1.2	<0.1	52	0.69	0.108
STD OXC129	Standard		1.2	28.5	6.7	41	<0.1	75.1	21.6	432	3.11	0.7	196.0	2.0	188	<0.1	<0.1	<0.1	53	0.68	0.104
STD OXC145	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
STD OXC145 Expected																					
STD OREAS132A Expected																					
STD OREAS134B Expected																					
STD CD-1 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	2	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	4.1	1.7	34	<0.1	1.1	3.8	555	1.76	1.7	<0.5	2.5	28	<0.1	<0.1	<0.1	26	0.66	0.041
ROCK-WHI	Prep Blank		0.9	5.0	1.8	34	<0.1	0.8	3.4	537	1.70	1.6	<0.5	2.4	24	<0.1	<0.1	<0.1	24	0.58	0.036



# QUALITY CONTROL REPORT

WHI17000520.4

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Pb	Ag	As	
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	gm/t	%	
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01	2	0.01	
STD OREAS132A	Standard																					
STD OREAS134B	Standard																					
STD OXC129	Standard	13	51	1.52	50	0.404	2	1.53	0.589	0.37	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	12	48	1.53	48	0.383	3	1.61	0.577	0.36	<0.1	<0.01	1.8	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	14	52	1.56	55	0.412	2	1.62	0.598	0.37	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2				
STD OXC129	Standard	14	52	1.53	53	0.405	<1	1.62	0.603	0.38	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2				
STD OXC145	Standard																					
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6						
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56				
STD CDN-ME-9A Expected																			0.003	3.3	0.00125	
STD CDN-ME-14A Expected																			0.488	42.3	0.0105	
STD OXC145 Expected																						
STD OREAS132A Expected																						
STD OREAS134B Expected																						
STD CD-1 Expected																						
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank																		<0.01	<2	<0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank	6	2	0.52	71	0.082	4	1.20	0.160	0.14	0.3	<0.01	4.4	<0.1	<0.05	4	<0.5	<0.2				
ROCK-WHI	Prep Blank	6	2	0.47	67	0.077	2	1.00	0.126	0.12	0.2	<0.01	3.5	<0.1	0.06	3	<0.5	<0.2				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 11, 2017

Page: 2 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI17000520.4

		AQ370	FA330	AR402	BR405
		Sb	Au	Pb	Sb
		%	ppb	%	%
		0.001	2	0.01	0.01
STD OREAS132A	Standard			3.70	
STD OREAS134B	Standard			>10	
STD OXC129	Standard				
STD OXC129	Standard				
STD OXC129	Standard				
STD OXC129	Standard				
STD OXC145	Standard		208		
STD OXC129 Expected					
STD DS11 Expected					
STD CDN-ME-9A Expected		0.00014			
STD CDN-ME-14A Expected		0.0024			
STD OXC145 Expected			212		
STD OREAS132A Expected				3.66	
STD OREAS134B Expected				13.31	
STD CD-1 Expected					3.57
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<0.001			
BLK	Blank		3		
BLK	Blank			<0.01	
BLK	Blank				<0.01
Prep Wash					
ROCK-WHI	Prep Blank				
ROCK-WHI	Prep Blank				





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 16, 2017  
Report Date: October 04, 2017  
Page: 1 of 4

# CERTIFICATE OF ANALYSIS

WHI17000617.3

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-006  
P.O. Number  
Number of Samples: 63

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	63	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	63	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	63	Per sample shipping charges for branch shipments			VAN
AQ370-X	6	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN
FA330-Au	6	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	6	Environmental disposal charge-Fire assay lead waste			VAN
FA530-Ag	2	Lead collection fire assay fusion - Grav finish	30	Completed	VAN
AR402	1	Aqua Regia Digestion 0.5g/100mL, AAS finish	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 3 : FA530-Ag & AR402-Pb included.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 04, 2017

Page: 2 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001		
142796	Rock	1.80	0.4	6.6	69.4	60	1.6	1.1	1.0	66	1.22	221.7	232.6	4.2	3	1.0	10.8	0.2	<2	0.01	0.005
142797	Rock	1.59	1.1	10.1	97.7	176	0.6	1.8	2.0	506	0.86	518.1	14.0	1.5	1	1.7	4.4	0.1	<2	0.01	0.002
142798	Rock	0.69	4.0	6.1	4.6	6	0.3	1.1	0.5	40	1.49	76.5	51.5	3.5	6	<0.1	1.2	6.4	2	0.01	0.005
142799	Rock	2.22	2.6	74.5	5.2	48	0.5	5.0	13.0	398	4.25	27.3	25.7	7.9	33	0.3	0.8	1.1	107	0.64	0.078
142800	Rock	0.96	0.9	22.2	3.2	43	0.1	5.3	14.9	458	4.56	57.5	15.8	4.8	40	0.2	0.5	1.8	132	0.96	0.078
79422	Rock	2.01	0.8	37.7	21.0	78	0.2	36.8	8.4	295	2.94	17.9	2.4	8.7	8	0.4	1.6	0.2	53	0.18	0.065
79423	Rock	1.02	0.8	30.1	7.6	44	0.3	25.7	6.3	215	3.01	3110.3	25.7	5.9	15	0.1	5.1	0.5	69	0.10	0.059
79424	Rock	1.47	1.9	1.2	33.9	80	0.2	24.1	5.4	837	2.52	41.9	1.9	6.4	172	0.6	3.0	<0.1	17	3.45	0.032
79425	Rock	0.61	1336.4	6.8	4.7	117	<0.1	7.6	14.8	1080	5.13	8.0	63.0	19.3	20	1.1	0.7	29.7	158	0.53	0.095
79426	Rock	1.90	1.3	9.4	15.1	10	0.4	1.1	0.5	32	0.57	3774.8	266.0	0.3	<1	0.2	10.0	<0.1	<2	<0.01	0.001
79427	Rock	1.83	3.0	19.4	167.9	89	5.9	1.6	1.0	141	3.04	1599.7	29.0	11.1	14	0.4	21.5	1.9	<2	0.12	0.038
79428	Rock	1.95	1.7	8.0	394.3	972	3.1	5.2	5.8	3576	2.04	1603.6	26.5	18.6	13	16.5	9.0	0.9	<2	0.23	0.038
79429	Rock	1.69	1.1	4.0	171.0	238	1.3	5.1	2.9	4284	1.07	885.9	21.2	5.9	8	4.8	5.1	0.1	<2	0.40	0.021
79430	Rock	3.00	0.3	7715.5	>10000	>10000	>100	1.0	0.6	196	4.16	>10000	8573.9	<0.1	3	363.4	>2000	15.0	<2	<0.01	0.003
79431	Rock	2.12	0.7	905.3	>10000	>10000	>100	1.4	0.8	895	2.92	>10000	3831.9	0.6	11	460.8	>2000	65.8	<2	0.07	0.003
79432	Rock	0.07	>2000	17.2	228.1	139	7.2	2.5	0.7	74	0.55	71.3	3352.4	2.5	3	5.0	151.0	975.0	<2	0.01	0.002
79433	Rock	0.82	13.5	101.2	232.8	161	5.6	22.9	5.1	164	1.98	62.1	13.9	4.5	5	2.6	104.3	1.1	129	0.09	0.049
79434	Rock	0.95	4.9	3.2	62.9	28	1.1	0.9	0.4	37	0.62	1116.6	92.3	20.2	5	0.4	18.3	2.2	<2	0.02	0.006
79435	Rock	0.43	0.5	6.3	177.6	43	3.5	1.6	1.4	46	2.37	4135.8	77.6	11.8	23	0.4	38.7	1.0	<2	0.06	0.033
79436	Rock	1.51	1.1	3.2	18.9	45	0.5	2.2	0.7	201	0.46	461.9	17.0	24.3	3	1.1	8.5	0.3	<2	0.03	0.005
79437	Rock	1.00	1.2	8.2	29.1	78	0.9	1.5	0.9	78	1.78	2651.1	114.6	22.3	22	0.5	14.1	1.4	<2	0.05	0.031
79438	Rock	1.80	0.4	17.3	3446.6	57	20.2	1.4	0.4	109	0.40	37.5	11.1	3.3	2	14.5	>2000	31.2	<2	0.05	0.002
79439	Rock	1.31	0.3	38.1	129.3	6	8.3	0.9	0.4	24	0.34	140.4	7.9	0.5	<1	0.2	188.6	4.2	<2	<0.01	<0.001
79440	Rock	0.63	0.4	43.9	>10000	1167	>100	1.7	1.5	92	0.43	<0.5	1.5	1.8	7	443.2	12.6	373.6	<2	0.13	0.002
79441	Rock	1.24	6.2	48.1	22.5	36	0.5	9.4	13.1	546	3.06	4.3	3.8	17.6	15	0.3	10.8	1.0	12	0.62	0.031
79442	Rock	1.08	18.7	110.4	181.0	39	9.2	6.4	6.8	274	3.05	0.9	64.8	12.4	34	1.6	2.5	200.9	27	0.41	0.037
79443	Rock	0.22	2.7	122.5	46.8	36	3.6	13.4	31.2	141	6.03	260.1	22.2	9.1	9	0.2	9.7	7.1	4	0.07	0.028
79444	Rock	1.32	8.7	136.1	7.7	76	0.6	27.5	6.9	478	2.80	6.1	261.3	4.6	5	<0.1	2.2	5.2	180	0.20	0.075
79445	Rock	2.12	25.0	138.2	7.1	62	0.5	31.5	8.2	450	3.13	3.1	8.3	5.0	11	0.2	1.5	1.4	229	0.53	0.157
79446	Rock	0.27	2.3	18.0	23.3	32	1.0	10.1	11.4	367	3.89	506.7	75.1	18.5	19	0.5	6.8	0.4	<2	0.26	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 04, 2017

**Page:** 2 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Pb	Zn
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.001	0.01	0.01	
142796	Rock	10	3	0.01	47	0.001	3	0.17	0.003	0.16	0.1	<0.01	0.2	0.2	0.05	<1	<0.5	<0.2			
142797	Rock	4	2	0.01	67	<0.001	2	0.12	0.002	0.08	0.2	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
142798	Rock	7	3	0.02	204	0.002	5	0.32	0.009	0.28	0.4	0.10	0.4	0.2	0.18	<1	0.9	1.7			
142799	Rock	11	19	1.38	121	0.117	2	2.16	0.107	0.54	0.1	<0.01	9.9	0.4	1.02	7	<0.5	<0.2			
142800	Rock	11	22	1.83	79	0.129	<1	2.55	0.110	0.59	0.2	<0.01	14.1	0.4	1.42	8	<0.5	0.2			
79422	Rock	15	45	0.89	161	0.004	2	1.91	0.008	0.34	<0.1	<0.01	3.5	0.1	0.28	5	<0.5	<0.2			
79423	Rock	12	58	0.80	249	0.010	3	1.87	0.007	0.49	0.1	<0.01	5.3	0.4	0.34	6	2.9	0.3			
79424	Rock	18	14	0.90	121	0.002	2	1.28	0.003	0.26	<0.1	<0.01	1.9	0.2	<0.05	4	<0.5	<0.2			
79425	Rock	42	15	1.69	1531	0.437	<1	2.82	0.080	1.89	2.3	<0.01	14.4	1.8	0.09	11	0.8	0.5			
79426	Rock	<1	3	<0.01	30	<0.001	<1	0.02	<0.001	<0.01	0.2	<0.01	0.2	<0.1	0.18	<1	<0.5	<0.2			
79427	Rock	21	4	0.03	114	<0.001	1	0.38	0.003	0.25	0.2	0.04	0.7	0.3	0.48	<1	<0.5	<0.2			
79428	Rock	17	3	0.04	80	<0.001	2	0.37	<0.001	0.26	0.4	0.04	0.9	0.3	1.41	<1	<0.5	<0.2			
79429	Rock	11	3	0.08	144	<0.001	2	0.27	0.002	0.18	0.2	0.02	0.7	0.4	0.54	<1	<0.5	<0.2			
79430	Rock	<1	2	<0.01	43	<0.001	1	0.02	<0.001	0.04	<0.1	1.46	<0.1	0.6	5.10	<1	6.2	<0.2	<0.001	>4	2.53
79431	Rock	<1	3	0.01	30	<0.001	<1	0.02	<0.001	0.05	<0.1	1.61	0.1	1.0	3.17	<1	4.5	<0.2	<0.001	3.90	3.56
79432	Rock	3	6	<0.01	43	<0.001	1	0.04	0.006	0.04	8.1	<0.01	0.1	<0.1	0.40	<1	3.8	14.9	0.527	0.03	0.01
79433	Rock	8	45	0.54	243	0.052	<1	0.64	0.016	0.43	0.7	0.02	4.9	0.3	0.46	4	2.5	0.6			
79434	Rock	30	2	0.02	178	<0.001	2	0.28	0.010	0.16	0.1	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
79435	Rock	16	3	0.01	132	<0.001	2	0.36	0.003	0.33	0.2	0.02	0.6	0.2	1.02	<1	<0.5	<0.2			
79436	Rock	16	2	0.02	143	<0.001	3	0.28	0.003	0.23	<0.1	<0.01	0.2	0.1	<0.05	<1	<0.5	<0.2			
79437	Rock	31	2	0.02	743	<0.001	3	0.39	0.003	0.31	0.5	0.02	0.7	0.1	0.21	<1	<0.5	<0.2			
79438	Rock	1	3	0.01	22	<0.001	<1	0.10	0.001	0.08	0.2	0.05	0.2	0.1	0.11	<1	9.0	0.5	<0.001	0.31	<0.01
79439	Rock	<1	3	<0.01	13	<0.001	<1	0.02	<0.001	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
79440	Rock	3	2	0.04	29	<0.001	<1	0.08	0.002	0.06	0.2	0.24	0.2	0.2	0.27	<1	>100	15.1	<0.001	1.85	0.11
79441	Rock	21	6	0.53	60	0.058	1	1.19	0.059	0.35	99.0	<0.01	2.5	0.5	0.25	6	0.7	<0.2			
79442	Rock	11	4	0.43	112	0.003	<1	1.49	0.143	0.11	<0.1	<0.01	2.8	<0.1	<0.05	5	1.7	2.3			
79443	Rock	9	4	0.03	20	<0.001	<1	0.35	0.014	0.20	2.9	<0.01	0.9	0.1	4.74	1	3.6	0.4			
79444	Rock	10	87	1.32	356	0.194	<1	1.60	0.041	1.02	8.3	<0.01	8.6	0.7	0.31	10	1.4	1.8			
79445	Rock	15	87	1.12	344	0.166	<1	1.32	0.045	0.62	6.0	<0.01	5.2	0.4	0.36	7	1.9	0.8			
79446	Rock	14	2	0.40	34	<0.001	3	0.86	0.003	0.26	0.3	<0.01	1.9	0.2	2.57	2	0.7	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 2 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	Analyte	AQ370	AQ370	AQ370	FA330	FA530	AR402
		Ag	As	Sb	Au	Ag	Pb
Unit		gm/t	%	%	ppb	gm/t	%
MDL		2	0.01	0.001	2	20	0.01
142796	Rock				464		
142797	Rock						
142798	Rock						
142799	Rock						
142800	Rock						
79422	Rock						
79423	Rock						
79424	Rock						
79425	Rock						
79426	Rock				254		
79427	Rock						
79428	Rock						
79429	Rock						
79430	Rock	>1000	4.17	4.741	9145	3100	5.07
79431	Rock	>1000	2.66	1.749	3332	1033	
79432	Rock	10	<0.01	0.014	3183		
79433	Rock						
79434	Rock						
79435	Rock						
79436	Rock						
79437	Rock						
79438	Rock	20	<0.01	0.209			
79439	Rock						
79440	Rock	177	<0.01	0.001			
79441	Rock						
79442	Rock						
79443	Rock						
79444	Rock						
79445	Rock						
79446	Rock						



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 04, 2017

Page: 3 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
79447	Rock	0.77	10.0	1.3	23.0	18	0.2	2.9	1.0	297	0.27	3.5	<0.5	38.8	98	0.3	3.6	0.5	<2	1.37	0.005
79448	Rock	0.55	0.3	5.1	6.0	4	0.3	1.0	0.4	29	0.29	4.7	<0.5	3.7	<1	<0.1	1.8	0.6	<2	<0.01	0.002
79449	Rock	2.05	2.0	2.2	78.8	79	0.3	2.3	2.2	447	0.99	7.1	3.0	19.7	79	0.6	1.6	0.4	2	1.66	0.022
79450	Rock	1.56	0.3	5.0	6.3	152	<0.1	46.3	35.0	2303	6.21	23.0	1.4	7.8	101	0.2	1.4	0.1	159	5.15	0.161
79651	Rock	0.82	0.4	12.2	27.7	67	0.3	3.5	4.0	332	1.75	29.5	7.7	14.2	121	0.5	1.2	0.8	13	1.32	0.033
79652	Rock	1.31	2.3	77.6	8.8	44	0.6	2.4	2.8	250	2.02	23.8	11.3	6.2	15	0.2	1.1	0.4	13	0.24	0.055
79653	Rock	0.76	0.8	13.4	5.9	17	0.1	1.3	2.0	106	2.10	25.2	22.3	7.3	52	<0.1	0.8	1.8	13	0.45	0.040
79655	Rock	1.46	0.9	48.0	7.1	32	0.2	4.9	8.0	341	2.14	18.9	17.6	9.2	71	0.2	0.6	1.2	38	0.75	0.038
79656	Rock	1.74	0.5	44.6	7.4	71	0.1	124.3	27.1	500	3.80	36.5	13.7	1.7	209	0.2	1.5	2.3	103	3.73	0.179
79657	Rock	0.66	65.7	72.1	61.6	23	1.2	5.1	2.2	169	6.75	912.9	458.7	2.3	4	0.2	4.3	40.2	36	0.13	0.036
79658	Rock	1.07	1.2	36.4	11.9	58	0.3	41.5	9.5	433	2.69	47.7	3.0	8.6	11	0.5	1.7	0.5	55	0.31	0.043
79659	Rock	1.58	0.9	40.5	20.6	92	0.3	18.6	9.9	465	2.87	64.6	5.7	14.7	35	0.7	1.7	0.9	41	0.70	0.034
79660	Rock	1.04	0.6	8.6	80.1	5	14.0	1.7	6.8	23	3.37	99.9	76.9	1.9	2	<0.1	15.4	4.4	3	<0.01	0.004
79661	Rock	0.58	0.5	10.0	25.1	18	0.5	0.8	0.4	23	1.15	64.4	1024.9	7.3	17	0.1	5.3	19.3	<2	0.01	0.008
79662	Rock	2.80	1.0	80.1	17.2	55	0.5	5.0	12.0	360	4.39	52.0	90.9	10.3	59	0.5	1.5	17.4	91	1.05	0.066
79663	Rock	1.17	0.9	40.4	7.6	91	0.1	7.0	18.5	867	6.71	27.8	23.5	4.8	51	0.4	1.0	1.4	161	1.22	0.088
79664	Rock	1.31	1.5	238.9	5.1	36	0.8	96.4	14.9	277	4.01	21.2	31.8	4.1	35	0.1	0.9	2.2	125	0.93	0.113
79665	Rock	1.08	1.0	11.1	8.2	70	0.1	7.3	16.6	731	4.70	60.1	19.5	12.1	73	0.2	0.9	1.2	125	1.28	0.090
79666	Rock	0.97	1.2	21.4	3.6	27	<0.1	4.5	6.8	410	3.41	14.0	3.3	14.3	61	<0.1	5.7	0.5	67	1.25	0.046
79667	Rock	0.94	9.0	38.8	4.1	27	0.1	3.4	8.8	224	3.64	7.9	14.2	12.4	24	<0.1	0.4	1.2	97	0.33	0.054
79668	Rock	1.47	1.3	48.3	5.6	39	<0.1	4.7	9.6	274	3.49	4.3	16.9	14.2	28	0.3	0.4	0.7	96	0.54	0.051
214151	Rock	0.91	0.3	3.2	5.1	32	<0.1	3.2	2.5	319	1.21	1.1	1.9	23.4	8	0.2	0.9	9.6	10	0.19	0.023
214152	Rock	0.84	0.4	121.9	9.1	42	0.2	354.6	49.2	285	3.72	35.0	27.2	1.3	179	0.3	0.9	3.2	53	2.94	0.138
214153	Rock	0.72	2.2	108.8	17.8	63	1.1	23.5	8.8	555	6.68	118.8	22.0	11.3	9	0.2	4.6	2.6	64	0.15	0.057
142998	Rock	0.20	0.5	6.4	6261.5	10	>100	2.6	0.8	109	0.50	13.0	39.0	9.9	3	4.5	586.1	306.8	3	0.03	0.004
142999	Rock	0.90	1.2	23.7	84.0	175	0.7	4.3	2.2	653	1.09	96.7	20.0	12.7	24	1.3	2.4	0.5	2	1.06	0.028
143000	Rock	1.78	0.2	2.0	28.1	30	0.3	1.6	1.5	504	0.80	4.4	<0.5	2.4	18	0.2	2.5	0.6	4	1.39	0.001
214125	Rock	0.35	0.7	37.9	33.0	22	0.1	2.2	2.7	179	0.72	4.1	<0.5	7.2	43	0.4	1.9	0.1	<2	0.70	0.004
214126	Rock	0.79	1606.1	9.7	182.2	5	11.8	1.5	0.7	39	0.42	45.6	63.4	0.4	3	1.3	63.3	197.6	<2	0.03	0.003
214127	Rock	0.68	5.9	12.6	4.7	80	0.1	5.4	8.1	576	3.17	9.8	1.6	10.0	43	0.2	0.8	0.8	38	0.94	0.082

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 04, 2017

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Mo %	Pb %	Zn %	
79447	Rock	5	1	0.03	121	<0.001	2	0.23	0.020	0.14	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
79448	Rock	2	2	<0.01	21	<0.001	1	0.08	0.002	0.05	0.3	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
79449	Rock	26	2	0.09	74	0.001	1	0.40	0.020	0.23	<0.1	0.03	1.3	0.1	<0.05	1	<0.5	<0.2			
79450	Rock	18	267	3.22	60	0.020	2	3.77	0.004	0.14	0.1	<0.01	18.1	<0.1	0.20	10	<0.5	<0.2			
79651	Rock	14	5	0.43	272	0.005	4	2.79	0.381	0.12	<0.1	<0.01	2.6	<0.1	0.32	7	<0.5	<0.2			
79652	Rock	12	3	0.48	297	0.051	<1	1.02	0.057	0.15	0.1	<0.01	3.3	<0.1	0.40	4	0.9	<0.2			
79653	Rock	4	4	0.41	223	0.042	2	1.45	0.196	0.21	0.1	<0.01	3.6	0.2	0.31	5	0.8	0.4			
79655	Rock	14	7	0.68	315	0.030	<1	2.32	0.254	0.12	0.5	<0.01	5.1	<0.1	0.16	7	0.7	<0.2			
79656	Rock	11	139	2.09	185	0.300	2	5.95	0.196	1.36	0.4	<0.01	5.8	1.2	0.93	11	1.3	<0.2			
79657	Rock	48	7	0.03	18	0.009	2	0.31	0.003	0.03	22.3	0.01	0.8	<0.1	<0.05	1	1.3	0.9			
79658	Rock	28	47	0.72	340	0.005	<1	1.53	0.005	0.31	<0.1	<0.01	2.7	0.2	0.21	4	1.0	<0.2			
79659	Rock	16	39	0.74	205	0.138	<1	1.64	0.075	0.14	0.7	<0.01	4.7	<0.1	0.56	6	<0.5	<0.2			
79660	Rock	3	2	0.03	37	0.002	<1	0.42	0.005	0.32	0.4	0.17	0.6	0.2	2.59	1	0.8	1.2			
79661	Rock	17	3	0.02	499	0.003	2	0.34	0.006	0.32	0.5	0.07	0.4	0.2	0.27	1	<0.5	3.9			
79662	Rock	23	18	1.52	130	0.073	<1	2.47	0.161	0.31	0.8	<0.01	11.7	0.3	1.07	9	<0.5	<0.2			
79663	Rock	13	26	2.05	409	0.256	2	3.62	0.155	1.09	1.1	<0.01	13.2	1.3	0.46	10	0.6	<0.2			
79664	Rock	10	110	1.41	107	0.178	<1	2.32	0.086	0.57	0.6	<0.01	8.4	0.5	0.99	9	1.0	0.6			
79665	Rock	22	21	1.72	87	0.018	1	2.26	0.076	0.13	0.1	<0.01	12.9	0.1	1.11	9	<0.5	<0.2			
79666	Rock	15	12	0.99	351	0.052	2	3.36	0.326	0.71	0.3	<0.01	7.0	0.9	0.17	9	<0.5	<0.2			
79667	Rock	11	16	1.31	177	0.093	<1	1.78	0.099	0.41	0.8	<0.01	9.0	0.3	0.81	7	<0.5	<0.2			
79668	Rock	15	16	1.34	158	0.139	<1	1.87	0.113	0.67	0.3	<0.01	10.1	0.7	0.96	7	0.6	<0.2			
214151	Rock	37	6	0.23	84	0.034	<1	0.48	0.056	0.26	0.4	<0.01	3.3	0.2	<0.05	3	<0.5	<0.2			
214152	Rock	8	111	0.98	98	0.244	5	3.74	0.149	0.24	12.0	<0.01	3.7	0.2	2.02	8	2.9	0.8			
214153	Rock	11	24	0.97	79	0.009	<1	2.14	0.030	0.12	<0.1	<0.01	5.4	0.2	1.65	8	6.2	0.4			
142998	Rock	7	3	0.02	33	0.001	<1	0.23	0.050	0.14	<0.1	0.02	0.3	0.1	0.14	<1	84.3	12.2	<0.001	0.63	<0.01
142999	Rock	20	2	0.04	82	<0.001	1	0.36	0.004	0.28	<0.1	0.01	0.9	0.1	<0.05	<1	<0.5	<0.2			
143000	Rock	4	2	0.06	33	<0.001	1	0.23	0.003	0.16	<0.1	<0.01	0.2	<0.1	<0.05	1	<0.5	<0.2			
214125	Rock	5	2	0.13	100	<0.001	<1	0.39	0.047	0.13	<0.1	<0.01	0.4	<0.1	0.06	<1	<0.5	<0.2			
214126	Rock	<1	2	<0.01	33	<0.001	<1	0.06	0.002	0.04	2.9	0.02	0.1	<0.1	0.11	<1	4.1	4.9			
214127	Rock	30	3	1.31	588	0.291	<1	2.17	0.205	1.12	0.4	<0.01	5.1	0.6	0.16	8	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 3 of 4

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	Analyte	AQ370	AQ370	AQ370	FA330	FA530	AR402
		Ag	As	Sb	Au	Ag	Pb
Unit		gm/t	%	%	ppb	gm/t	%
MDL		2	0.01	0.001	2	20	0.01
79447	Rock						
79448	Rock						
79449	Rock						
79450	Rock						
79651	Rock						
79652	Rock						
79653	Rock						
79655	Rock						
79656	Rock						
79657	Rock						
79658	Rock						
79659	Rock						
79660	Rock						
79661	Rock				1394		
79662	Rock						
79663	Rock						
79664	Rock						
79665	Rock						
79666	Rock						
79667	Rock						
79668	Rock						
214151	Rock						
214152	Rock						
214153	Rock						
142998	Rock	170	<0.01	0.063			
142999	Rock						
143000	Rock						
214125	Rock						
214126	Rock						
214127	Rock						



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 4 of 4

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
214128	Rock	1.80	1.8	6.2	10.8	23	<0.1	3.1	1.0	85	0.40	4.1	<0.5	36.2	3	0.4	3.0	0.2	<2	0.05	0.002
214129	Rock	0.66	1.6	4.9	5.9	53	<0.1	4.8	4.0	276	1.60	6.6	<0.5	18.2	6	0.1	0.6	0.8	16	0.15	0.032
214130	Rock	1.14	0.4	3.0	5.8	54	<0.1	3.8	3.1	346	1.36	3.1	<0.5	21.6	10	0.6	0.9	0.4	10	0.32	0.025



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 4 of 4

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI17000617.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Pb	Zn
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.001	0.01	0.01	
214128	Rock	11	2	0.03	37	<0.001	<1	0.24	0.033	0.11	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
214129	Rock	20	11	0.44	93	0.083	<1	0.77	0.048	0.38	0.4	<0.01	3.7	0.3	0.10	5	<0.5	<0.2			
214130	Rock	35	7	0.27	75	0.012	<1	0.62	0.042	0.20	0.1	<0.01	2.3	0.1	0.05	3	<0.5	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 4 of 4

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI17000617.3

	Method	AQ370 AQ370 AQ370 FA330 FA530 AR402					
		Ag	As	Sb	Au	Ag	Pb
	Analyte	gm/t	%	%	ppb	gm/t	%
	Unit						
	MDL	2	0.01	0.001	2	20	0.01
214128	Rock						
214129	Rock						
214130	Rock						



# QUALITY CONTROL REPORT

WHI17000617.3

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
79432	Rock	0.07	>2000	17.2	228.1	139	7.2	2.5	0.7	74	0.55	71.3	3352.4	2.5	3	5.0	151.0	975.0	<2	0.01	0.002
REP 79432	QC																				
REP 79442	QC		12.2	106.4	144.3	36	9.3	6.6	6.9	270	2.90	1.4	77.7	12.4	37	0.7	2.2	206.3	27	0.44	0.040
79449	Rock	2.05	2.0	2.2	78.8	79	0.3	2.3	2.2	447	0.99	7.1	3.0	19.7	79	0.6	1.6	0.4	2	1.66	0.022
REP 79449	QC		2.1	2.5	79.0	76	0.4	2.1	2.2	453	1.00	6.8	2.0	19.9	79	0.7	1.7	0.4	2	1.64	0.021
214130	Rock	1.14	0.4	3.0	5.8	54	<0.1	3.8	3.1	346	1.36	3.1	<0.5	21.6	10	0.6	0.9	0.4	10	0.32	0.025
REP 214130	QC		0.4	3.0	5.6	52	<0.1	3.7	3.0	344	1.33	3.3	<0.5	20.9	10	0.6	0.9	0.3	9	0.31	0.024
Core Reject Duplicates																					
79442	Rock	1.08	18.7	110.4	181.0	39	9.2	6.4	6.8	274	3.05	0.9	64.8	12.4	34	1.6	2.5	200.9	27	0.41	0.037
DUP 79442	QC		11.9	106.5	146.1	35	9.3	6.5	6.8	274	2.88	1.2	82.9	12.5	37	0.7	2.2	205.1	26	0.43	0.037
214127	Rock	0.68	5.9	12.6	4.7	80	0.1	5.4	8.1	576	3.17	9.8	1.6	10.0	43	0.2	0.8	0.8	38	0.94	0.082
DUP 214127	QC		6.9	10.8	6.0	87	0.2	5.8	8.3	614	3.16	10.5	7.6	11.4	47	0.3	0.9	1.1	37	1.02	0.086
Reference Materials																					
STD AGPROOF	Standard																				
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard		14.9	148.2	136.1	348	1.6	77.8	13.5	1041	3.08	42.8	70.2	7.6	68	2.2	8.2	11.4	49	1.06	0.074
STD DS11	Standard		13.7	140.4	136.6	336	1.7	76.3	12.9	1018	3.09	42.4	77.1	8.1	70	2.1	8.8	12.1	50	1.06	0.068
STD DS11	Standard		13.9	150.7	139.4	333	1.7	77.6	13.9	964	3.14	40.7	64.0	7.8	62	2.4	9.0	12.0	47	1.03	0.072
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard		1.2	26.4	6.4	39	<0.1	77.7	19.7	417	2.94	0.7	197.0	1.9	194	<0.1	<0.1	<0.1	51	0.72	0.104
STD OXC129	Standard		1.0	25.2	6.5	37	<0.1	73.9	19.2	410	3.00	0.8	213.0	1.9	196	<0.1	<0.1	<0.1	53	0.74	0.097
STD OXC129	Standard		1.1	27.9	6.8	39	<0.1	78.4	20.9	398	2.99	<0.5	193.7	1.9	175	<0.1	<0.1	<0.1	50	0.64	0.100
STD OXC145	Standard																				
STD OXC145	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				



# QUALITY CONTROL REPORT

WHI17000617.3

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Pb	Zn
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.001	0.01	0.01
Pulp Duplicates																					
79432	Rock	3	6	<0.01	43	<0.001	1	0.04	0.006	0.04	8.1	<0.01	0.1	<0.1	0.40	<1	3.8	14.9	0.527	0.03	0.01
REP 79432	QC																				
REP 79442	QC	12	4	0.42	114	0.003	<1	1.54	0.159	0.12	0.2	<0.01	2.7	<0.1	<0.05	5	1.6	2.2			
79449	Rock	26	2	0.09	74	0.001	1	0.40	0.020	0.23	<0.1	0.03	1.3	0.1	<0.05	1	<0.5	<0.2			
REP 79449	QC	26	3	0.09	75	0.001	1	0.40	0.020	0.24	<0.1	0.03	1.1	0.1	<0.05	1	<0.5	<0.2			
214130	Rock	35	7	0.27	75	0.012	<1	0.62	0.042	0.20	0.1	<0.01	2.3	0.1	0.05	3	<0.5	<0.2			
REP 214130	QC	34	6	0.27	73	0.012	<1	0.59	0.037	0.19	0.2	<0.01	1.9	0.1	0.05	3	<0.5	<0.2			
Core Reject Duplicates																					
79442	Rock	11	4	0.43	112	0.003	<1	1.49	0.143	0.11	<0.1	<0.01	2.8	<0.1	<0.05	5	1.7	2.3			
DUP 79442	QC	12	4	0.41	113	0.004	<1	1.51	0.152	0.11	0.2	<0.01	2.8	<0.1	<0.05	5	1.5	2.6			
214127	Rock	30	3	1.31	588	0.291	<1	2.17	0.205	1.12	0.4	<0.01	5.1	0.6	0.16	8	<0.5	<0.2			
DUP 214127	QC	35	3	1.33	590	0.284	<1	2.21	0.197	1.11	0.6	0.02	5.3	0.6	0.16	8	<0.5	<0.2			
Reference Materials																					
STD AGPROOF	Standard																				
STD CDN-ME-9A	Standard																		<0.001	<0.01	<0.01
STD CDN-ME-14A	Standard																		0.002	0.49	3.13
STD DS11	Standard	19	58	0.85	367	0.089	9	1.21	0.079	0.41	3.1	0.27	3.4	4.8	0.28	5	2.7	5.1			
STD DS11	Standard	19	57	0.86	376	0.093	8	1.19	0.075	0.41	3.0	0.27	3.4	5.0	0.28	5	2.0	5.0			
STD DS11	Standard	18	58	0.83	355	0.089	7	1.12	0.070	0.40	3.0	0.26	3.0	4.8	0.28	5	2.1	4.9			
STD OREAS132A	Standard																				
STD OREAS134B	Standard																				
STD OXC129	Standard	13	50	1.52	51	0.374	<1	1.63	0.599	0.36	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2			
STD OXC129	Standard	13	49	1.53	50	0.377	<1	1.62	0.601	0.36	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	12	51	1.50	50	0.401	<1	1.55	0.596	0.37	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2			
STD OXC145	Standard																				
STD OXC145	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 04, 2017

Page: 1 of 2

Part: 3 of 3

# QUALITY CONTROL REPORT

WHI17000617.3

Method	Analyte	AQ370	AQ370	AQ370	FA330	FA530	AR402
		Ag	As	Sb	Au	Ag	Pb
Unit		gm/t	%	%	ppb	gm/t	%
MDL		2	0.01	0.001	2	20	0.01
Pulp Duplicates							
79432	Rock	10	<0.01	0.014	3183		
REP 79432	QC				2756		
REP 79442	QC						
79449	Rock						
REP 79449	QC						
214130	Rock						
REP 214130	QC						
Core Reject Duplicates							
79442	Rock						
DUP 79442	QC						
214127	Rock						
DUP 214127	QC						
Reference Materials							
STD AGPROOF	Standard					99	
STD CDN-ME-9A	Standard	3	<0.01	<0.001			
STD CDN-ME-14A	Standard	44	0.01	0.002			
STD DS11	Standard						
STD DS11	Standard						
STD DS11	Standard						
STD OREAS132A	Standard						3.70
STD OREAS134B	Standard						>10
STD OXC129	Standard						
STD OXC129	Standard						
STD OXC129	Standard						
STD OXC145	Standard				209		
STD OXC145	Standard				211		
STD SP49	Standard					58	
STD SQ70	Standard					168	



# QUALITY CONTROL REPORT

WHI17000617.3

	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
STD OXC145 Expected																					
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
STD OREAS132A Expected																					
STD OREAS134B Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.6	2.5	1.0	32	<0.1	1.3	3.5	516	1.69	0.9	3.9	2.1	25	<0.1	<0.1	<0.1	22	0.60	0.042	
ROCK-WHI	Prep Blank	0.6	3.8	0.9	37	<0.1	1.0	3.5	560	1.67	0.9	1.2	2.1	21	<0.1	<0.1	<0.1	21	0.62	0.040	



# QUALITY CONTROL REPORT

WHI17000617.3

	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ370	AQ370	AQ370
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Pb	Zn
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	%	%
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.001	0.01	0.01
STD OXC129 Expected	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6					
STD DS11 Expected	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56			
STD OXC145 Expected																				
STD CDN-ME-9A Expected																		0.00033	0.003	0.0096
STD CDN-ME-14A Expected																		0.0015	0.488	2.97
STD AGPROOF Expected																				
STD SP49 Expected																				
STD SQ70 Expected																				
STD OREAS132A Expected																				
STD OREAS134B Expected																				
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																	<0.001	<0.01	<0.01
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	6	2	0.44	53	0.075	3	0.93	0.112	0.11	0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	6	2	0.48	51	0.069	3	0.97	0.103	0.10	0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 04, 2017

**Page:** 2 of 2

**Part:** 3 of 3

# QUALITY CONTROL REPORT

WHI17000617.3

	AQ370	AQ370	AQ370	FA330	FA530	AR402
	Ag	As	Sb	Au	Ag	Pb
	gm/t	%	%	ppb	gm/t	%
	2	0.01	0.001	2	20	0.01
STD OXC129 Expected						
STD DS11 Expected						
STD OXC145 Expected				212		
STD CDN-ME-9A Expected	3.3	0.00125	0.00014			
STD CDN-ME-14A Expected	42.3	0.0105	0.0024			
STD AGPROOF Expected					94	
STD SP49 Expected					60.2	
STD SQ70 Expected					159.5	
STD OREAS132A Expected						3.66
STD OREAS134B Expected						13.31
BLK	Blank					
BLK	Blank					
BLK	Blank					
BLK	Blank			3		
BLK	Blank			2		
BLK	Blank	<2	<0.01	<0.001		
BLK	Blank				<20	
BLK	Blank					<0.01
Prep Wash						
ROCK-WHI	Prep Blank					
ROCK-WHI	Prep Blank					



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 14, 2017  
Report Date: October 06, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000582.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-001  
P.O. Number  
Number of Samples: 121

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	110	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	110	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	110	Per sample shipping charges for branch shipments			VAN
FA330-Au	7	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	7	Environmental disposal charge-Fire assay lead waste			VAN

## ADDITIONAL COMMENTS

Version 2 : FA330-Au included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967008	Rock Chip	3.72	1.4	108.2	3.1	26	<0.1	25.8	33.5	204	4.02	1.3	9.3	3.6	57	<0.1	0.1	0.5	132	0.80	0.028
967009	Rock Chip	4.22	1.3	117.3	2.9	31	<0.1	28.8	31.8	250	3.98	1.7	19.8	5.6	76	<0.1	<0.1	0.4	137	1.08	0.042
967010	Rock Chip	4.29	1.1	108.8	2.2	21	<0.1	22.5	25.8	189	3.53	1.2	11.7	4.1	74	<0.1	<0.1	0.3	143	1.14	0.054
967011	Rock Chip	4.77	1.8	166.9	3.7	24	<0.1	24.7	38.5	201	4.80	1.8	27.9	3.2	90	0.2	0.1	1.0	193	1.05	0.040
967012	Rock Chip	2.68	2.7	87.1	4.8	31	<0.1	23.3	12.9	437	3.72	5.5	20.2	6.4	55	0.1	0.4	0.8	125	0.65	0.034
967013	Rock Chip	3.25	0.4	81.6	1.5	24	<0.1	29.5	34.5	228	4.51	0.9	11.7	1.8	24	0.2	<0.1	0.8	155	0.58	0.047
967014	Rock Chip	4.18	25.6	77.5	1.9	22	<0.1	16.0	28.2	188	4.39	4.0	13.1	4.0	27	0.1	0.1	0.5	173	0.65	0.051
967015	Rock Chip	5.12	37.7	108.7	2.9	26	<0.1	42.6	43.5	155	5.11	6.7	27.2	2.7	48	0.2	0.1	1.1	158	0.66	0.029
967016	Rock Chip	3.92	3.1	52.8	2.3	30	<0.1	13.1	28.4	243	4.14	1.0	6.8	3.3	80	0.3	<0.1	0.3	159	1.11	0.041
967017	Rock Chip	3.78	2.9	52.1	2.2	26	<0.1	12.3	30.1	232	4.38	1.0	8.1	3.1	125	0.3	<0.1	0.3	170	1.33	0.055
967018	Rock Chip	3.96	4.2	102.4	2.3	26	<0.1	12.8	30.6	247	4.76	1.4	8.3	4.6	97	0.2	<0.1	0.4	170	1.05	0.067
967019	Rock Chip	4.65	2.8	104.2	2.7	28	<0.1	15.9	31.1	234	4.22	1.7	9.4	3.2	129	0.3	0.2	0.2	166	1.23	0.054
967020	Rock Chip	3.44	1.7	135.7	2.7	26	<0.1	21.0	30.6	249	4.16	2.1	13.8	3.7	99	0.1	0.2	0.3	171	1.60	0.069
967021	Rock Chip	5.07	1.7	99.6	2.9	30	0.1	17.7	25.2	231	3.91	1.7	49.8	5.7	54	0.2	0.2	1.0	134	0.87	0.043
967022	Rock Chip	3.70	2.8	108.3	2.7	52	<0.1	32.8	40.7	210	5.69	1.9	13.1	4.8	70	0.3	0.3	0.4	181	0.79	0.022
967023	Rock Chip	5.59	2.2	43.7	5.1	45	<0.1	39.7	38.6	155	4.67	6.4	26.9	6.9	47	0.2	0.6	1.1	109	0.66	0.018
967024	Rock Chip	4.05	45.4	36.0	3.0	26	<0.1	35.9	27.2	165	5.16	1.2	36.7	7.9	18	<0.1	0.1	2.0	122	0.33	0.023
967025	Rock Chip	3.07	3.0	112.0	2.3	21	<0.1	39.6	25.4	217	4.90	1.4	13.3	5.6	23	<0.1	0.1	0.3	142	0.51	0.027
967026	Rock Chip	7.53	2.4	59.9	1.9	22	<0.1	42.0	26.9	240	4.55	1.5	9.3	3.0	45	<0.1	0.1	0.2	152	0.65	0.042
967027	Rock Chip	5.10	2.4	61.8	1.9	24	<0.1	45.3	25.5	271	4.02	1.5	7.7	2.5	40	<0.1	<0.1	0.2	156	0.76	0.048
967028	Rock Chip	4.29	2.3	43.6	3.1	19	<0.1	50.8	33.6	167	5.75	4.9	18.0	3.6	33	<0.1	0.1	1.5	145	0.47	0.040
967029	Rock Chip	3.66	2.0	133.8	3.1	40	<0.1	61.7	27.8	202	7.07	3.6	29.2	3.0	44	<0.1	0.1	1.3	156	0.59	0.024
967030	Rock Chip	4.14	2.1	21.9	4.2	25	<0.1	26.6	29.2	150	5.89	5.5	20.9	5.0	20	<0.1	0.3	0.8	106	0.42	0.038
967031	Rock Chip	7.48	2.7	62.4	3.3	17	<0.1	22.1	32.6	140	7.21	4.0	11.3	5.8	23	<0.1	<0.1	0.6	160	0.34	0.024
967032	Rock Chip	6.82	1.7	82.3	5.8	36	<0.1	23.6	26.6	178	4.71	6.7	18.1	5.9	51	<0.1	0.1	0.3	117	0.81	0.039
967033	Rock Chip	6.23	1.5	218.4	9.6	67	0.1	30.8	21.4	201	5.07	4.0	37.0	4.7	47	<0.1	<0.1	0.6	112	0.79	0.049
967034	Rock Chip	4.97	2.5	255.0	2.6	19	0.1	8.3	19.4	126	3.61	3.0	52.2	8.2	33	<0.1	0.2	0.5	50	0.45	0.046
967035	Rock Chip	5.76	1.2	93.1	2.8	21	<0.1	15.5	29.7	224	5.26	3.2	19.8	5.8	38	<0.1	0.2	0.4	146	0.89	0.041
967036	Rock Chip	5.96	40.0	69.9	2.5	21	<0.1	12.9	24.0	240	5.32	2.9	11.8	4.7	106	<0.1	0.1	0.3	181	2.01	0.031
967037	Rock Chip	5.23	2.6	34.8	3.1	16	<0.1	6.4	12.5	142	3.82	1.7	7.4	12.5	24	<0.1	0.1	0.3	61	0.59	0.029



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000582.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
967008	Rock Chip	5	76	1.75	51	0.116	1	3.61	0.172	0.38	0.3	<0.01	12.5	0.7	2.37	9	2.0	0.2	
967009	Rock Chip	11	64	1.58	94	0.179	1	3.79	0.238	0.52	0.6	<0.01	11.5	0.8	1.74	10	1.9	<0.2	
967010	Rock Chip	5	60	1.39	115	0.138	<1	3.35	0.268	0.39	0.5	0.01	9.8	0.7	1.63	8	1.7	<0.2	
967011	Rock Chip	5	42	1.50	52	0.144	<1	3.45	0.232	0.45	1.4	<0.01	10.9	1.2	3.10	10	2.4	0.9	
967012	Rock Chip	8	58	1.38	231	0.087	<1	3.26	0.147	0.22	0.8	<0.01	10.2	0.4	0.23	7	0.9	0.3	
967013	Rock Chip	5	62	1.51	52	0.081	<1	2.78	0.119	0.18	0.2	<0.01	13.4	0.4	2.84	6	0.8	0.2	
967014	Rock Chip	6	39	1.10	62	0.084	<1	2.29	0.157	0.20	0.5	<0.01	9.7	0.4	2.30	7	0.7	0.3	
967015	Rock Chip	6	75	1.34	35	0.073	<1	3.42	0.180	0.33	0.3	<0.01	14.0	0.5	4.20	8	1.8	0.9	
967016	Rock Chip	6	17	1.57	97	0.179	<1	3.79	0.333	0.53	0.3	<0.01	9.3	0.5	1.88	9	0.8	<0.2	
967017	Rock Chip	6	20	1.67	92	0.197	<1	4.02	0.378	0.62	0.2	<0.01	10.2	0.7	2.07	9	1.1	<0.2	
967018	Rock Chip	12	15	1.91	56	0.191	<1	3.95	0.279	0.67	0.2	<0.01	13.9	0.8	2.58	10	1.2	<0.2	
967019	Rock Chip	7	25	1.86	85	0.171	<1	4.27	0.318	0.60	0.3	<0.01	12.1	1.0	2.04	10	1.5	<0.2	
967020	Rock Chip	10	42	1.40	121	0.158	<1	4.11	0.323	0.47	1.0	<0.01	9.9	0.6	1.56	10	0.8	<0.2	
967021	Rock Chip	12	36	1.48	85	0.122	<1	3.19	0.187	0.45	0.5	<0.01	10.0	0.7	1.96	8	<0.5	0.6	
967022	Rock Chip	8	42	1.79	40	0.102	<1	3.92	0.160	0.41	0.4	<0.01	12.2	0.7	4.11	9	2.2	<0.2	
967023	Rock Chip	7	58	1.46	43	0.079	<1	3.07	0.149	0.40	0.6	<0.01	9.5	0.5	3.93	7	1.4	0.9	
967024	Rock Chip	9	57	1.94	45	0.099	<1	2.54	0.071	0.72	0.8	<0.01	13.9	0.9	4.14	8	1.1	1.2	
967025	Rock Chip	5	70	2.18	50	0.137	<1	2.81	0.115	0.70	0.5	<0.01	14.3	0.8	3.51	8	1.6	0.2	
967026	Rock Chip	4	76	2.29	67	0.150	<1	2.80	0.124	0.68	0.4	<0.01	15.4	0.9	2.97	8	1.2	<0.2	
967027	Rock Chip	4	80	2.25	110	0.180	<1	2.78	0.160	0.76	0.4	<0.01	14.4	0.9	1.91	8	0.8	<0.2	
967028	Rock Chip	7	71	2.65	41	0.058	<1	3.14	0.100	0.62	0.4	<0.01	16.8	0.9	5.23	10	2.1	1.1	
967029	Rock Chip	5	178	3.64	44	0.055	<1	4.17	0.111	0.74	0.3	<0.01	21.3	1.2	5.91	12	1.4	0.8	
967030	Rock Chip	8	42	2.33	40	0.005	<1	2.96	0.072	0.37	0.5	<0.01	13.8	0.5	6.05	8	1.9	0.5	
967031	Rock Chip	7	36	2.40	39	0.007	<1	3.08	0.046	0.32	1.1	<0.01	14.3	0.4	6.86	8	3.9	0.4	
967032	Rock Chip	7	102	2.24	56	0.069	<1	3.14	0.188	0.53	0.4	<0.01	14.8	0.7	3.59	9	1.6	<0.2	
967033	Rock Chip	6	115	2.19	61	0.046	<1	3.14	0.149	0.46	0.5	0.02	13.2	0.6	3.95	8	1.4	0.3	
967034	Rock Chip	10	14	1.19	40	0.003	<1	1.73	0.097	0.18	0.8	<0.01	5.1	0.2	3.20	5	1.8	0.3	
967035	Rock Chip	7	35	2.34	61	0.027	<1	3.33	0.124	0.39	0.4	<0.01	14.6	0.5	4.05	9	1.7	<0.2	
967036	Rock Chip	4	31	2.52	61	0.086	<1	5.05	0.367	0.56	0.3	<0.01	16.4	0.6	3.52	11	1.4	<0.2	
967037	Rock Chip	9	23	1.21	69	0.018	<1	2.00	0.103	0.38	0.8	<0.01	8.3	0.3	3.08	5	1.2	<0.2	





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967038	Rock Chip	5.51	2.1	22.4	1.8	20	<0.1	6.5	13.8	157	3.61	1.0	5.4	12.5	19	<0.1	<0.1	0.2	51	0.57	0.038
967039	Rock Chip	6.62	3.1	142.6	2.7	20	0.2	6.9	12.2	166	3.46	1.5	44.5	11.6	18	<0.1	0.3	1.1	46	0.40	0.037
967040	Rock Chip	4.97	1.9	56.4	1.8	20	<0.1	7.9	13.1	204	3.55	0.9	40.1	10.7	31	<0.1	0.2	0.7	61	0.56	0.038
967041	Rock Chip	9.16	1.5	19.1	1.7	14	<0.1	6.6	13.4	142	3.78	0.8	7.4	11.8	35	<0.1	0.2	0.5	42	0.40	0.032
967042	Rock Chip	11.76	3.4	25.4	2.2	10	<0.1	8.5	15.8	110	9.56	1.2	4.9	10.2	30	<0.1	0.1	0.7	36	0.40	0.028
967043	Rock Chip	11.53	2.4	12.4	2.3	9	<0.1	6.9	13.5	99	6.03	<0.5	3.7	11.6	26	<0.1	0.2	0.4	37	0.48	0.029
967044	Rock Chip	11.24	1.8	12.4	3.5	10	<0.1	6.5	12.8	112	3.86	0.8	3.4	12.3	39	<0.1	0.2	0.5	35	0.51	0.033
967045	Rock Chip	10.96	2.5	18.6	2.9	9	<0.1	6.5	12.5	90	4.51	0.6	3.6	11.8	37	<0.1	0.1	0.3	31	0.49	0.030
967046	Rock Chip	9.32	1.8	19.8	1.9	10	<0.1	6.0	13.0	104	5.00	0.9	1.6	11.8	34	<0.1	0.2	0.3	36	0.52	0.030
967047	Rock Chip	9.34	1.3	53.5	2.7	10	<0.1	7.8	14.7	96	5.73	4.7	17.2	11.4	25	<0.1	0.2	0.9	30	0.39	0.031
967048	Rock Chip	10.74	2.0	40.2	2.4	12	<0.1	6.5	12.9	116	4.61	3.3	18.0	12.0	32	<0.1	0.2	0.7	38	0.36	0.033
967049	Rock Chip	9.01	0.8	36.3	1.8	11	<0.1	5.9	11.6	132	3.38	0.8	3.9	11.7	50	<0.1	0.1	0.3	44	0.69	0.032
967050	Rock Chip	8.83	0.8	42.1	2.2	16	<0.1	6.8	12.8	215	3.59	1.6	4.3	8.9	46	<0.1	0.2	0.3	71	0.60	0.031
967051	Rock Chip	1.84	2.2	35.7	7.9	23	0.2	4.7	3.9	265	2.86	31.1	89.8	14.9	23	0.1	5.8	1.7	30	0.19	0.045
967052	Rock Chip	1.26	0.8	37.0	5.3	13	0.1	3.1	1.2	81	2.61	18.1	52.3	19.8	29	<0.1	2.2	1.1	41	0.17	0.046
967053	Rock Chip	1.47	0.6	37.9	6.0	10	0.1	2.7	0.6	58	2.68	25.2	34.0	18.9	22	<0.1	2.8	1.9	33	0.14	0.037
967054	Rock Chip	3.87	0.9	40.6	6.7	7	0.2	3.1	0.9	41	3.43	28.4	35.6	23.5	34	<0.1	3.2	1.8	30	0.10	0.030
967055	Rock Chip	2.80	0.8	54.7	6.2	10	0.1	2.0	2.6	47	2.58	22.9	30.9	23.1	32	<0.1	2.1	1.7	32	0.08	0.029
967056	Rock Chip	2.73	1.3	66.3	5.5	12	0.2	3.1	7.3	63	2.69	21.8	39.9	21.0	19	<0.1	4.0	1.9	32	0.05	0.021
967057	Rock Chip	4.52	0.9	103.7	4.2	10	0.1	2.4	7.8	42	2.89	12.2	67.2	24.4	6	<0.1	5.0	1.7	21	0.03	0.023
967058	Rock Chip	3.84	1.5	157.0	5.2	10	0.1	3.2	10.8	47	3.47	13.8	71.9	26.4	5	<0.1	7.0	2.1	19	0.03	0.035
967059	Rock Chip	4.19	1.1	183.9	4.8	17	0.1	3.1	11.1	66	3.29	41.7	48.8	18.5	7	0.1	6.5	1.8	22	0.08	0.041
967060	Rock Chip	5.04	1.1	61.7	4.3	24	0.1	3.6	11.6	102	3.31	39.1	151.0	18.2	30	0.2	4.7	1.9	26	0.46	0.049
967061	Rock Chip	2.61	1.0	63.3	4.0	24	<0.1	3.2	10.6	175	3.17	16.8	32.1	16.6	24	0.2	7.7	1.6	23	0.77	0.046
967062	Rock Chip	3.85	2.5	135.9	5.1	31	0.1	3.9	13.4	289	2.94	27.8	90.4	17.9	12	0.4	18.9	1.7	19	0.55	0.051
967063	Rock Chip	6.45	3.9	143.7	9.1	39	0.1	3.1	7.3	292	2.54	12.7	52.5	17.8	21	0.1	12.3	1.5	20	1.01	0.045
967064	Rock Chip	3.64	2.8	86.3	4.9	21	<0.1	2.8	10.3	275	2.58	9.4	37.7	17.5	30	0.1	7.1	1.2	22	1.01	0.045
967065	Rock Chip	4.01	1.8	123.1	6.1	19	0.1	3.2	9.8	252	2.96	15.5	67.5	19.6	30	0.2	7.9	1.5	21	1.40	0.047
967066	Rock Chip	4.21	1.3	169.4	5.3	13	0.1	2.6	8.8	250	2.58	56.6	41.7	17.0	39	<0.1	8.8	2.2	14	1.97	0.038
967067	Rock Chip	5.05	0.8	121.4	9.3	16	0.2	2.6	8.8	605	2.63	34.1	55.1	18.9	51	0.1	12.6	2.5	12	2.12	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000582.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	
967038	Rock Chip	15	13	1.11	82	0.021	<1	1.70	0.066	0.35	0.7	<0.01	5.8	0.2	2.61	5	0.6	<0.2	
967039	Rock Chip	17	12	0.97	75	0.020	<1	1.58	0.069	0.36	0.7	<0.01	5.0	0.2	2.33	4	<0.5	0.2	
967040	Rock Chip	15	18	1.18	85	0.051	<1	1.79	0.100	0.38	0.7	<0.01	7.0	0.2	1.87	5	<0.5	<0.2	
967041	Rock Chip	12	8	0.98	67	0.033	<1	1.53	0.069	0.34	0.3	<0.01	4.5	0.2	2.97	4	0.9	<0.2	
967042	Rock Chip	10	8	0.78	41	0.028	<1	1.34	0.069	0.30	0.2	<0.01	4.0	0.2	9.34	3	5.3	0.2	
967043	Rock Chip	10	6	0.85	48	0.039	<1	1.40	0.082	0.38	0.3	<0.01	4.0	0.3	6.12	4	3.1	<0.2	
967044	Rock Chip	14	7	0.91	61	0.015	1	1.41	0.070	0.31	0.3	<0.01	4.1	0.2	3.56	4	1.0	<0.2	
967045	Rock Chip	12	6	0.82	55	0.010	<1	1.33	0.062	0.32	0.3	<0.01	3.8	0.2	4.49	3	1.8	<0.2	
967046	Rock Chip	10	7	0.94	49	0.025	<1	1.42	0.089	0.32	0.7	<0.01	4.2	0.2	4.99	4	2.0	<0.2	
967047	Rock Chip	12	4	0.94	48	0.004	<1	1.44	0.051	0.29	0.3	<0.01	3.6	0.2	6.17	3	2.0	0.2	
967048	Rock Chip	13	8	0.95	54	0.019	<1	1.48	0.074	0.31	0.4	<0.01	4.2	0.2	4.33	4	1.5	<0.2	
967049	Rock Chip	14	7	0.94	84	0.033	<1	1.56	0.093	0.36	0.5	<0.01	5.2	0.3	2.72	4	1.2	<0.2	
967050	Rock Chip	11	12	1.10	70	0.163	<1	1.80	0.153	0.51	1.4	<0.01	6.7	0.3	2.10	5	<0.5	<0.2	
967051	Rock Chip	11	8	0.37	171	0.015	<1	1.08	0.031	0.24	0.7	0.01	2.5	0.3	0.12	3	<0.5	0.5	
967052	Rock Chip	16	7	0.61	151	0.010	<1	1.44	0.054	0.16	0.2	<0.01	4.2	0.2	0.12	5	<0.5	0.5	
967053	Rock Chip	12	6	0.53	108	0.005	<1	1.19	0.033	0.18	0.3	<0.01	3.2	0.2	0.07	5	0.5	0.7	
967054	Rock Chip	19	7	0.32	135	0.002	<1	0.90	0.068	0.20	0.5	0.01	2.9	0.2	0.32	5	0.7	0.6	
967055	Rock Chip	23	7	0.44	92	0.002	<1	1.17	0.054	0.19	0.6	<0.01	4.4	0.3	0.68	5	<0.5	0.7	
967056	Rock Chip	26	8	0.67	65	0.001	<1	1.20	0.039	0.19	0.5	<0.01	4.5	0.2	1.90	5	<0.5	0.6	
967057	Rock Chip	24	6	0.45	57	0.001	<1	1.03	0.022	0.19	0.6	0.01	5.3	0.2	2.37	4	0.6	0.7	
967058	Rock Chip	40	5	0.46	59	0.001	<1	1.16	0.019	0.28	0.6	0.02	4.2	0.3	3.43	3	0.7	0.6	
967059	Rock Chip	37	6	0.73	55	0.002	<1	1.39	0.021	0.22	0.5	<0.01	3.9	0.3	3.31	4	<0.5	0.5	
967060	Rock Chip	28	6	0.98	55	0.005	<1	2.02	0.083	0.31	0.4	<0.01	3.8	0.4	2.72	5	<0.5	0.5	
967061	Rock Chip	28	5	0.73	65	0.010	2	1.60	0.047	0.37	0.5	0.03	4.4	0.7	2.58	4	0.5	0.4	
967062	Rock Chip	38	4	0.28	48	0.004	<1	1.18	0.009	0.34	0.5	0.21	4.5	1.8	2.60	3	0.5	0.4	
967063	Rock Chip	30	4	0.50	100	0.007	<1	1.29	0.022	0.34	0.8	0.05	4.0	0.7	1.56	3	<0.5	0.3	
967064	Rock Chip	29	5	0.60	119	0.004	<1	1.38	0.060	0.29	0.7	0.01	3.8	0.4	1.34	4	<0.5	0.4	
967065	Rock Chip	34	6	0.64	56	0.004	<1	1.33	0.038	0.35	0.8	0.02	4.0	0.4	2.15	4	0.6	0.4	
967066	Rock Chip	27	4	0.48	54	0.002	1	0.86	0.017	0.31	0.7	0.01	2.8	0.4	2.18	2	<0.5	0.8	
967067	Rock Chip	22	4	0.43	36	0.001	1	0.84	0.016	0.34	0.7	0.01	2.3	0.4	2.35	2	<0.5	1.0	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967068	Rock Chip	5.92	0.8	168.3	41.4	81	0.7	2.5	6.0	2984	2.55	59.5	45.1	15.8	30	0.7	34.1	1.9	9	1.76	0.034
967069	Rock Chip	5.09	0.6	84.7	5.3	12	0.1	2.3	11.2	336	2.38	24.2	29.3	17.6	37	<0.1	5.7	1.8	8	1.70	0.037
967070	Rock Chip	6.86	0.7	98.7	4.5	14	0.1	1.9	6.6	358	2.04	22.4	27.3	17.4	56	<0.1	7.4	1.6	12	2.11	0.036
967071	Rock Chip	7.46	0.8	95.1	11.0	34	2.1	2.2	7.5	8471	2.56	133.0	57.5	16.0	45	0.2	32.6	2.1	14	2.49	0.036
967072	Rock Chip	5.51	5.7	129.3	6.6	22	0.2	2.2	7.2	486	2.33	18.4	40.5	17.5	34	0.1	21.9	2.1	18	1.82	0.035
967073	Rock Chip	9.19	0.7	99.2	14.7	29	0.3	2.2	5.1	742	1.98	49.3	43.0	18.3	38	0.2	12.4	1.5	10	2.18	0.034
967074	Rock Chip	6.68	0.4	83.3	6.6	13	<0.1	1.8	5.9	237	1.79	10.0	27.0	17.2	30	<0.1	5.6	1.1	8	1.82	0.029
967075	Rock Chip	3.73	1.0	116.3	6.9	13	0.2	2.3	7.2	181	2.47	26.3	61.6	20.4	26	<0.1	10.3	8.5	9	1.71	0.032
967076	Rock Chip	4.55	0.6	100.9	6.5	15	0.1	2.0	7.3	147	2.54	43.3	66.0	11.6	24	<0.1	8.9	2.0	15	1.62	0.036
967077	Rock Chip	5.00	0.8	122.0	8.9	13	0.2	1.7	3.5	129	1.83	23.5	64.4	15.1	15	0.1	7.6	1.6	6	1.12	0.029
967078	Rock Chip	4.68	3.1	140.7	6.4	16	0.3	2.2	7.1	176	2.34	36.1	97.4	19.5	17	<0.1	10.0	1.6	9	1.44	0.037
967079	Rock Chip	6.99	3.7	356.1	58.6	106	45.5	1.7	5.3	148	1.89	241.5	662.4	10.9	11	4.2	116.9	6.1	5	0.77	0.031
967080	Rock Chip	6.37	2.0	130.7	5.9	12	1.0	1.9	5.5	98	1.83	54.4	310.0	17.6	8	0.1	21.6	1.7	8	0.50	0.034
967081	Rock Chip	4.15	4.4	88.6	3.6	9	0.5	1.7	7.8	130	2.40	61.4	308.3	16.9	11	<0.1	20.3	2.0	8	0.88	0.030
967082	Rock Chip	4.03	6.3	84.1	5.4	11	0.4	1.9	7.8	150	2.49	66.1	560.0	16.7	14	<0.1	17.6	1.4	10	1.04	0.034
967083	Rock Chip	4.86	3.5	56.9	5.1	10	0.3	2.1	6.4	95	2.45	35.0	316.2	16.6	11	<0.1	9.8	1.1	12	0.98	0.040
967084	Rock Chip	5.02	1.9	128.5	13.9	47	0.8	1.8	5.0	164	2.12	38.8	368.4	15.4	15	0.5	13.3	1.5	11	1.24	0.037
967085	Rock Chip	5.60	2.7	20.5	7.8	11	2.5	1.7	7.9	112	2.81	53.8	379.2	17.3	12	<0.1	8.0	2.1	8	0.93	0.034
967086	Rock Chip	5.02	0.7	40.6	3.0	10	0.3	1.6	7.0	134	2.09	27.3	96.1	17.6	17	<0.1	6.6	1.1	14	1.10	0.036
967087	Rock Chip	3.48	0.8	76.6	4.7	10	0.1	1.8	6.6	123	1.88	28.7	128.5	19.0	17	0.2	7.8	1.5	9	1.15	0.033
967088	Rock Chip	5.43	5.0	114.5	64.5	103	0.6	1.8	5.9	108	1.97	37.0	172.2	15.5	17	1.0	13.8	1.4	8	1.01	0.034
967089	Rock Chip	4.58	1.7	47.5	4.7	11	0.2	1.8	8.3	131	2.41	37.8	241.3	14.4	22	0.1	4.6	1.1	17	1.22	0.040
967090	Rock Chip	5.10	0.4	39.2	4.7	10	0.2	1.8	4.9	181	2.68	33.5	67.5	14.1	30	0.1	5.2	1.0	17	1.45	0.043
967091	Rock Chip	5.10	0.3	24.1	4.1	10	0.2	2.0	10.8	120	2.96	61.0	69.7	13.8	30	<0.1	4.7	1.1	20	1.09	0.041
967092	Rock Chip	5.05	0.3	32.7	3.9	11	0.2	2.0	9.4	136	2.86	53.9	36.7	13.3	36	<0.1	5.3	0.7	18	1.13	0.042
967093	Rock Chip	4.24	0.3	34.5	3.6	12	<0.1	1.7	10.3	130	2.73	39.0	28.8	14.8	38	<0.1	4.6	0.8	18	0.98	0.042
967094	Rock Chip	5.44	0.4	95.3	3.4	14	0.1	2.1	7.5	191	2.72	31.5	73.6	12.6	44	0.1	8.0	1.2	23	1.45	0.040
967095	Rock Chip	5.74	0.4	62.5	5.4	14	0.2	2.9	8.6	207	2.81	29.8	97.5	10.7	52	<0.1	8.9	1.0	23	1.69	0.046
967096	Rock Chip	5.06	1.2	37.7	8.2	13	0.3	2.1	14.7	160	3.92	53.8	107.4	11.8	41	0.1	4.2	1.3	19	1.38	0.044
967097	Rock Chip	5.35	3.5	23.4	4.7	12	0.3	2.4	15.3	170	4.10	53.0	85.4	12.3	38	<0.1	4.1	1.5	19	1.42	0.044



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000582.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
967068	Rock Chip	20	3	0.51	42	0.001	<1	0.56	0.011	0.30	0.4	0.01	2.1	0.4	2.39	1	<0.5	0.5	
967069	Rock Chip	23	3	0.22	49	0.001	<1	0.56	0.013	0.31	0.3	0.01	1.8	0.3	2.30	1	<0.5	0.5	
967070	Rock Chip	21	3	0.31	56	0.001	2	0.73	0.022	0.30	0.2	<0.01	2.5	0.3	1.61	2	0.6	0.5	
967071	Rock Chip	17	2	0.42	51	<0.001	<1	0.52	0.009	0.30	0.2	<0.01	2.6	0.3	2.05	1	<0.5	0.6	
967072	Rock Chip	23	3	0.41	99	0.008	1	1.16	0.019	0.39	0.4	<0.01	3.7	0.5	1.57	3	<0.5	0.4	
967073	Rock Chip	22	2	0.22	89	<0.001	<1	0.53	0.014	0.28	0.4	<0.01	1.9	0.3	1.78	1	<0.5	0.6	
967074	Rock Chip	21	2	0.20	85	0.001	<1	0.56	0.018	0.28	0.2	0.01	1.7	0.2	1.56	1	<0.5	0.3	
967075	Rock Chip	27	2	0.27	72	0.001	<1	0.69	0.014	0.29	0.4	0.07	2.1	0.3	2.20	2	<0.5	4.1	
967076	Rock Chip	19	2	0.29	64	0.001	3	0.82	0.029	0.23	0.1	0.06	3.5	0.4	1.81	2	<0.5	0.8	
967077	Rock Chip	17	3	0.31	92	0.001	3	0.58	0.007	0.27	0.3	0.03	1.7	0.2	1.50	1	<0.5	0.4	
967078	Rock Chip	24	2	0.40	77	0.001	2	0.68	0.007	0.29	0.4	0.07	2.8	0.4	1.96	2	<0.5	0.5	
967079	Rock Chip	14	3	0.25	81	0.001	3	0.41	0.005	0.23	0.4	0.83	1.4	1.0	1.66	1	<0.5	0.9	512
967080	Rock Chip	28	2	0.18	93	0.002	5	0.73	0.007	0.39	0.3	0.69	2.3	1.3	1.70	2	<0.5	0.5	290
967081	Rock Chip	22	2	0.18	80	0.001	3	0.65	0.006	0.29	0.3	0.31	2.6	1.1	2.16	1	<0.5	0.5	397
967082	Rock Chip	21	2	0.19	81	0.001	4	0.78	0.004	0.28	0.2	0.18	3.5	0.8	2.03	2	<0.5	0.4	569
967083	Rock Chip	23	3	0.12	77	0.002	2	0.78	0.005	0.30	0.2	0.04	3.6	0.6	2.00	2	<0.5	0.3	341
967084	Rock Chip	22	2	0.17	101	0.001	2	0.83	0.006	0.33	0.3	0.09	2.9	0.8	1.56	2	<0.5	0.3	291
967085	Rock Chip	21	2	0.19	59	0.005	3	0.69	0.006	0.36	0.4	0.05	2.2	0.4	2.51	2	<0.5	0.5	410
967086	Rock Chip	20	2	0.31	115	0.013	2	1.01	0.006	0.48	0.2	0.04	3.5	0.6	1.33	2	<0.5	0.2	
967087	Rock Chip	22	2	0.12	98	0.002	3	0.75	0.005	0.33	0.3	0.03	2.7	0.3	1.59	2	<0.5	<0.2	
967088	Rock Chip	20	2	0.12	107	0.002	3	0.82	0.005	0.34	0.3	0.04	2.5	0.3	1.52	2	<0.5	<0.2	
967089	Rock Chip	21	3	0.25	92	0.006	2	1.03	0.005	0.37	0.2	0.03	4.3	0.4	1.64	3	<0.5	0.3	
967090	Rock Chip	20	3	0.29	69	0.003	1	1.02	0.005	0.34	0.3	0.03	4.4	0.3	2.16	3	<0.5	0.4	
967091	Rock Chip	20	3	0.57	73	0.012	2	1.49	0.006	0.50	0.2	0.04	4.2	0.5	2.27	3	<0.5	0.3	
967092	Rock Chip	20	3	0.57	81	0.010	2	1.40	0.006	0.46	0.3	0.04	3.7	0.6	2.18	3	<0.5	0.2	
967093	Rock Chip	18	3	0.72	91	0.005	1	1.49	0.006	0.37	0.2	0.04	3.6	0.4	1.96	4	<0.5	0.2	
967094	Rock Chip	13	3	0.80	108	0.019	2	1.67	0.006	0.52	0.3	0.09	3.1	0.6	1.76	4	<0.5	0.3	
967095	Rock Chip	10	5	0.91	95	0.014	1	1.61	0.006	0.45	0.3	0.11	2.7	0.5	1.84	4	<0.5	0.5	
967096	Rock Chip	10	3	0.84	53	0.005	2	1.47	0.006	0.37	0.3	0.03	2.5	0.4	3.56	4	<0.5	0.7	
967097	Rock Chip	9	3	0.84	53	0.006	2	1.40	0.007	0.45	0.4	0.02	2.5	0.4	3.78	4	0.5	0.6	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967098	Rock Chip	6.10	1.1	54.3	3.5	14	0.1	3.3	12.3	191	3.00	43.0	150.5	13.0	49	<0.1	7.7	1.3	26	1.39	0.046
967099	Rock Chip	4.99	1.6	63.2	3.3	14	0.2	2.2	5.7	192	2.72	20.0	106.1	12.7	49	<0.1	5.4	2.1	28	1.37	0.046
967100	Rock Chip	6.14	0.7	73.5	2.5	14	<0.1	2.3	6.5	243	2.73	35.8	88.9	13.5	52	<0.1	5.3	0.9	33	1.90	0.048
967101	Rock Chip	5.59	9.7	60.2	2.3	13	<0.1	3.1	6.3	240	2.78	18.9	62.8	10.6	43	<0.1	4.6	0.8	28	1.80	0.046
967102	Rock Chip	5.82	265.6	99.2	181.9	440	1.1	2.6	11.4	372	3.38	162.8	134.1	10.9	32	4.6	12.7	2.0	18	1.68	0.047
967103	Rock Chip	4.12	1.3	40.0	6.0	12	0.2	3.4	0.9	63	3.43	32.0	66.3	16.0	28	<0.1	2.7	1.4	48	0.17	0.057
967104	Rock Chip	2.44	1.3	29.2	6.1	16	0.1	5.0	1.7	101	3.17	16.7	35.2	22.0	25	<0.1	1.9	1.2	53	0.21	0.054
967105	Rock Chip	4.00	1.3	41.3	5.4	7	0.1	1.4	0.6	32	3.24	31.7	25.2	18.6	17	<0.1	1.7	1.4	21	0.11	0.027
967106	Rock Chip	5.21	0.8	54.7	7.4	10	0.2	2.2	2.5	39	2.79	37.6	49.0	21.3	22	<0.1	2.5	1.5	34	0.09	0.033
967107	Rock Chip	4.73	1.2	73.7	5.4	13	<0.1	3.9	6.1	78	2.92	18.7	32.0	18.7	11	<0.1	1.7	1.0	43	0.08	0.042
967108	Rock Chip	6.90	1.2	199.9	5.5	19	0.1	3.7	9.2	120	3.05	16.0	45.4	15.8	16	0.1	2.6	0.9	51	0.18	0.050
967109	Rock Chip	5.29	1.4	151.0	5.2	23	0.1	4.0	10.4	150	3.06	12.3	41.8	16.7	20	0.2	1.9	1.3	53	0.25	0.049
967110	Rock Chip	5.53	1.5	195.9	141.9	313	0.9	5.6	13.6	47	4.12	73.6	46.7	16.7	10	3.2	6.9	1.5	17	0.12	0.040
967111	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967112	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967113	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967114	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967115	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967116	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967117	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967118	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967119	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967120	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967121	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967122	Rock Chip	10.24	0.5	77.4	6.3	13	<0.1	2.9	9.4	117	3.42	18.6	21.3	12.3	29	0.1	3.5	1.2	26	1.64	0.044
967123	Rock Chip	9.85	0.5	131.8	3.7	16	<0.1	2.5	7.7	162	2.90	11.9	23.2	13.6	37	0.1	2.2	1.2	50	1.11	0.041
967124	Rock Chip	7.75	0.6	60.2	5.1	11	<0.1	3.9	10.2	144	3.77	16.5	57.4	13.4	29	<0.1	2.7	1.1	28	1.64	0.041
967125	Rock Chip	8.58	0.5	166.8	3.5	11	0.1	2.7	11.9	150	2.89	17.7	44.7	13.9	33	<0.1	4.1	1.1	29	1.77	0.040
967126	Rock Chip	6.23	0.5	33.4	26.7	67	<0.1	3.3	15.3	213	3.68	31.6	16.7	13.5	25	0.5	2.7	0.9	28	1.22	0.040
967127	Rock Chip	9.16	0.6	67.9	4.8	19	<0.1	4.0	10.7	205	3.06	11.6	12.2	14.5	37	<0.1	2.6	0.6	41	1.55	0.040



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	2	
967098	Rock Chip	10	5	0.96	82	0.016	<1	1.67	0.010	0.46	0.4	0.03	3.0	0.5	1.98	5	<0.5	0.7	
967099	Rock Chip	11	4	0.98	103	0.018	2	1.75	0.010	0.52	0.3	0.04	3.4	0.6	1.59	5	<0.5	1.3	
967100	Rock Chip	11	4	1.00	128	0.032	2	1.94	0.008	0.66	0.3	0.02	3.5	0.8	1.37	5	<0.5	0.3	
967101	Rock Chip	11	5	0.95	103	0.018	1	1.66	0.007	0.52	0.2	0.02	3.4	0.6	1.49	5	<0.5	0.3	
967102	Rock Chip	13	4	0.54	44	0.009	2	1.21	0.007	0.46	0.4	0.04	2.9	0.6	2.99	3	<0.5	0.6	
967103	Rock Chip	13	8	0.64	137	0.003	1	1.46	0.052	0.19	0.3	0.01	4.8	0.2	0.12	7	0.6	0.7	
967104	Rock Chip	17	10	0.75	155	0.018	<1	1.76	0.039	0.20	0.1	0.01	5.6	0.2	0.06	7	<0.5	0.6	
967105	Rock Chip	10	4	0.30	130	0.002	<1	0.97	0.025	0.24	0.5	<0.01	2.4	0.2	0.10	4	<0.5	0.7	
967106	Rock Chip	19	6	0.51	111	0.001	<1	1.19	0.048	0.20	0.6	0.01	4.4	0.3	0.55	5	<0.5	0.6	
967107	Rock Chip	17	11	0.70	104	0.007	<1	1.22	0.041	0.16	0.4	<0.01	5.3	0.2	1.04	5	<0.5	0.4	
967108	Rock Chip	30	9	0.88	67	0.014	<1	1.65	0.061	0.17	0.4	<0.01	5.6	0.2	1.83	6	<0.5	0.4	
967109	Rock Chip	33	10	0.92	78	0.023	1	1.56	0.072	0.22	0.5	<0.01	5.1	0.2	1.56	6	<0.5	0.6	
967110	Rock Chip	42	7	0.31	23	<0.001	<1	1.11	0.015	0.25	0.6	0.02	2.6	0.3	4.21	2	0.5	0.5	
967111	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967112	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967113	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967114	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967115	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967116	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967117	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967118	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967119	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967120	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967121	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967122	Rock Chip	23	4	0.69	40	0.001	2	1.06	0.040	0.24	0.2	<0.01	3.2	0.2	3.10	3	1.2	0.5	
967123	Rock Chip	24	6	0.93	65	0.018	2	1.39	0.107	0.17	0.3	<0.01	6.1	0.2	1.61	6	<0.5	0.6	
967124	Rock Chip	24	5	0.55	43	0.002	3	0.85	0.048	0.23	0.2	<0.01	4.2	0.2	3.43	3	1.0	0.4	
967125	Rock Chip	24	4	0.49	52	0.001	2	0.88	0.060	0.19	0.3	<0.01	4.7	0.2	2.41	3	0.6	0.5	
967126	Rock Chip	22	4	0.53	50	0.007	<1	1.12	0.041	0.33	0.2	0.02	4.5	0.3	3.04	4	0.6	0.3	
967127	Rock Chip	24	7	0.63	85	0.013	1	1.25	0.093	0.27	0.2	<0.01	5.3	0.3	1.82	4	0.7	0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 06, 2017

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967128	Rock Chip	8.12	1.1	64.4	4.2	12	<0.1	2.1	8.6	124	2.34	10.5	10.7	15.9	28	<0.1	2.1	0.6	24	1.40	0.036





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 06, 2017

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000582.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
967128	Rock Chip	23	3	0.34	82	0.008	1	0.86	0.068	0.24	0.4	<0.01	4.3	0.2	1.77	3	0.9	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000582.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967016	Rock Chip	3.92	3.1	52.8	2.3	30	<0.1	13.1	28.4	243	4.14	1.0	6.8	3.3	80	0.3	<0.1	0.3	159	1.11	0.041
REP 967016	QC		3.0	54.2	2.3	28	<0.1	12.3	28.7	235	4.08	0.9	5.2	3.5	77	0.2	<0.1	0.3	160	1.11	0.039
967049	Rock Chip	9.01	0.8	36.3	1.8	11	<0.1	5.9	11.6	132	3.38	0.8	3.9	11.7	50	<0.1	0.1	0.3	44	0.69	0.032
REP 967049	QC		0.8	34.9	1.7	11	<0.1	6.0	12.1	135	3.39	0.8	3.4	11.3	49	<0.1	0.1	0.3	45	0.70	0.033
967084	Rock Chip	5.02	1.9	128.5	13.9	47	0.8	1.8	5.0	164	2.12	38.8	368.4	15.4	15	0.5	13.3	1.5	11	1.24	0.037
REP 967084	QC		1.7	130.0	13.8	48	0.8	1.8	4.9	161	2.09	38.7	359.8	15.1	15	0.4	13.4	1.6	10	1.23	0.036
967123	Rock Chip	9.85	0.5	131.8	3.7	16	<0.1	2.5	7.7	162	2.90	11.9	23.2	13.6	37	0.1	2.2	1.2	50	1.11	0.041
REP 967123	QC		0.4	129.0	3.6	16	<0.1	2.6	7.9	157	2.84	11.4	29.4	13.4	37	<0.1	2.3	1.3	49	1.08	0.042
Core Reject Duplicates																					
967017	Rock Chip	3.78	2.9	52.1	2.2	26	<0.1	12.3	30.1	232	4.38	1.0	8.1	3.1	125	0.3	<0.1	0.3	170	1.33	0.055
DUP 967017	QC		2.7	50.4	2.2	24	<0.1	12.2	29.2	226	4.31	1.2	5.7	3.0	119	0.2	<0.1	0.3	166	1.27	0.056
967051	Rock Chip	1.84	2.2	35.7	7.9	23	0.2	4.7	3.9	265	2.86	31.1	89.8	14.9	23	0.1	5.8	1.7	30	0.19	0.045
DUP 967051	QC		2.3	36.8	8.1	24	0.2	4.9	3.9	262	2.83	31.7	70.3	15.1	24	0.1	5.9	1.7	30	0.19	0.047
967085	Rock Chip	5.60	2.7	20.5	7.8	11	2.5	1.7	7.9	112	2.81	53.8	379.2	17.3	12	<0.1	8.0	2.1	8	0.93	0.034
DUP 967085	QC		2.7	20.9	7.7	11	2.6	1.8	8.1	113	2.82	53.2	407.9	17.0	12	0.1	7.5	2.1	9	0.91	0.033
Reference Materials																					
STD DS11	Standard		14.3	148.0	143.0	336	1.8	76.7	13.3	1023	3.01	42.2	85.6	9.0	75	2.2	10.4	14.3	50	1.04	0.069
STD DS11	Standard		14.5	145.2	131.5	336	1.7	76.4	13.4	1018	3.16	41.5	72.4	7.7	70	2.3	9.0	10.9	51	1.08	0.070
STD DS11	Standard		13.9	143.9	140.4	352	1.8	77.3	13.5	1016	3.07	44.4	94.5	7.9	70	2.5	8.5	11.9	49	1.04	0.069
STD DS11	Standard		14.4	148.5	141.2	342	1.7	78.6	13.3	1055	3.07	41.8	76.9	7.8	66	2.3	8.5	12.0	47	1.03	0.068
STD OXC129	Standard		1.3	27.5	7.1	39	<0.1	78.3	20.7	418	3.01	0.8	205.3	2.2	202	<0.1	<0.1	<0.1	53	0.68	0.105
STD OXC129	Standard		1.3	26.2	6.2	40	<0.1	77.3	20.2	425	3.07	0.5	198.9	1.8	196	<0.1	<0.1	<0.1	52	0.75	0.103
STD OXC129	Standard		1.3	24.8	5.9	39	<0.1	72.6	18.9	403	2.89	0.8	190.3	1.7	172	<0.1	<0.1	<0.1	49	0.63	0.099
STD OXC129	Standard		1.3	27.2	6.6	40	<0.1	78.7	19.8	418	2.97	<0.5	201.6	1.9	191	<0.1	<0.1	<0.1	50	0.66	0.101
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701



# QUALITY CONTROL REPORT

WHI17000582.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
967016	Rock Chip	6	17	1.57	97	0.179	<1	3.79	0.333	0.53	0.3	<0.01	9.3	0.5	1.88	9	0.8	<0.2	
REP 967016	QC	6	17	1.53	96	0.175	<1	3.68	0.323	0.52	0.3	<0.01	9.2	0.5	1.87	9	<0.5	<0.2	
967049	Rock Chip	14	7	0.94	84	0.033	<1	1.56	0.093	0.36	0.5	<0.01	5.2	0.3	2.72	4	1.2	<0.2	
REP 967049	QC	14	7	0.95	76	0.033	<1	1.58	0.096	0.37	0.4	<0.01	5.0	0.2	2.72	4	<0.5	<0.2	
967084	Rock Chip	22	2	0.17	101	0.001	2	0.83	0.006	0.33	0.3	0.09	2.9	0.8	1.56	2	<0.5	0.3	291
REP 967084	QC	21	2	0.17	98	0.001	3	0.79	0.005	0.32	0.3	0.09	3.0	0.7	1.53	2	<0.5	0.3	
967123	Rock Chip	24	6	0.93	65	0.018	2	1.39	0.107	0.17	0.3	<0.01	6.1	0.2	1.61	6	<0.5	0.6	
REP 967123	QC	23	6	0.91	64	0.017	1	1.36	0.105	0.17	0.2	<0.01	5.8	0.2	1.62	6	<0.5	0.7	
Core Reject Duplicates																			
967017	Rock Chip	6	20	1.67	92	0.197	<1	4.02	0.378	0.62	0.2	<0.01	10.2	0.7	2.07	9	1.1	<0.2	
DUP 967017	QC	6	19	1.63	93	0.193	<1	3.95	0.365	0.61	0.3	<0.01	10.2	0.7	2.06	9	0.9	<0.2	
967051	Rock Chip	11	8	0.37	171	0.015	<1	1.08	0.031	0.24	0.7	0.01	2.5	0.3	0.12	3	<0.5	0.5	
DUP 967051	QC	12	9	0.37	171	0.015	<1	1.05	0.031	0.23	0.6	0.01	2.4	0.3	0.12	4	<0.5	0.7	
967085	Rock Chip	21	2	0.19	59	0.005	3	0.69	0.006	0.36	0.4	0.05	2.2	0.4	2.51	2	<0.5	0.5	410
DUP 967085	QC	21	3	0.19	64	0.005	3	0.78	0.006	0.41	0.4	0.05	2.3	0.5	2.52	2	<0.5	0.7	410
Reference Materials																			
STD DS11	Standard	20	58	0.84	373	0.099	6	1.15	0.069	0.39	3.2	0.28	3.1	5.2	0.27	5	1.5	4.8	
STD DS11	Standard	20	59	0.85	372	0.100	8	1.23	0.078	0.41	3.1	0.26	3.3	4.6	0.27	5	1.5	4.6	
STD DS11	Standard	19	57	0.83	390	0.087	5	1.15	0.073	0.40	3.1	0.27	3.2	4.9	0.27	5	2.3	4.7	
STD DS11	Standard	18	57	0.84	356	0.090	9	1.13	0.073	0.40	3.1	0.23	3.3	5.2	0.28	5	1.9	4.3	
STD OXC129	Standard	14	53	1.53	50	0.427	<1	1.57	0.576	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	52	1.54	50	0.407	<1	1.63	0.598	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	48	1.46	47	0.345	2	1.47	0.577	0.35	<0.1	0.01	0.9	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	13	50	1.51	50	0.385	1	1.54	0.591	0.36	<0.1	<0.01	1.3	0.1	<0.05	6	<0.5	<0.2	
STD OXC145	Standard																		207
STD OXH139	Standard																		1282
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	



# QUALITY CONTROL REPORT

WHI17000582.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD OXC145 Expected																						
STD OXH139 Expected																						
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-WHI	Prep Blank		0.8	5.4	1.0	35	<0.1	0.9	3.4	552	1.69	1.1	2.8	2.1	19	<0.1	<0.1	<0.1	20	0.59	0.038	
ROCK-WHI	Prep Blank		0.6	5.3	1.5	38	<0.1	1.6	4.2	580	1.82	1.3	2.2	2.3	27	<0.1	<0.1	<0.1	25	0.71	0.038	



# QUALITY CONTROL REPORT

WHI17000582.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD OXC145 Expected																			212
STD OXH139 Expected																			1312
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																		3
BLK	Blank																		3
Prep Wash																			
ROCK-WHI	Prep Blank	5	2	0.47	45	0.069	2	0.88	0.082	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	7	4	0.50	64	0.091	3	1.12	0.151	0.14	0.1	<0.01	4.1	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 21, 2017  
Report Date: October 09, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000648.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-004  
P.O. Number  
Number of Samples: 138

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	138	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN
KP300-W	2	Phosphoric acid leach, ICP-ES analysis	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 2 : KP300-W included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967401	Rock Chip	5.07	2.1	62.4	19.5	34	0.4	3.1	4.8	154	2.10	223.1	152.2	18.5	22	0.2	1.7	3.2	5	0.76	0.021
967402	Rock Chip	4.66	1.9	70.7	12.0	108	0.3	3.0	5.0	171	2.36	345.3	126.7	17.6	25	0.8	2.2	3.6	6	1.04	0.022
967403	Rock Chip	3.34	1.5	48.8	10.7	58	0.2	3.0	4.4	163	2.10	173.9	83.1	19.3	25	0.4	1.4	2.1	6	0.87	0.023
967404	Rock Chip	4.01	1.7	66.2	8.9	40	0.2	3.2	5.2	201	2.18	269.8	83.5	17.9	28	0.2	2.5	5.9	6	1.04	0.022
967405	Rock Chip	4.71	1.4	75.1	16.1	37	0.3	3.1	4.1	123	2.76	183.2	227.0	19.3	21	0.2	2.4	3.0	4	0.77	0.024
967406	Rock Chip	3.67	2.0	67.3	12.6	31	0.3	3.6	4.8	152	2.64	244.8	119.0	18.7	24	0.2	2.5	3.3	5	0.94	0.023
967407	Rock Chip	3.95	1.6	71.2	13.1	28	0.3	2.8	4.5	170	1.97	205.1	90.7	19.2	30	0.2	2.5	4.7	4	1.02	0.026
967408	Rock Chip	2.80	1.4	19.6	18.2	105	0.2	6.6	2.8	262	2.11	83.2	50.1	15.4	19	0.5	2.2	1.6	12	0.11	0.024
967409	Rock Chip	2.71	1.4	27.1	8.8	54	0.1	4.2	1.6	101	2.23	29.8	46.1	14.1	16	0.1	1.4	1.5	6	0.07	0.021
967410	Rock Chip	2.56	1.0	27.6	7.1	38	0.1	2.9	2.0	106	2.41	25.7	274.2	12.6	9	0.1	1.0	3.2	10	0.07	0.019
967411	Rock Chip	2.12	1.1	14.2	5.7	20	0.1	2.6	1.8	64	2.16	12.9	87.9	17.1	10	<0.1	0.8	1.7	8	0.05	0.014
967412	Rock Chip	3.37	2.2	37.2	6.6	18	0.2	2.6	2.0	60	2.34	20.6	106.9	9.2	4	<0.1	0.8	1.7	5	0.02	0.010
967413	Rock Chip	2.80	1.4	33.9	9.7	12	0.2	3.2	3.3	58	2.76	17.3	45.4	17.4	4	<0.1	0.5	1.5	5	0.01	0.013
967414	Rock Chip	2.63	1.3	94.9	8.2	31	0.3	3.9	6.5	81	4.71	20.8	56.7	26.3	3	0.3	0.6	2.8	7	0.05	0.038
967415	Rock Chip	2.92	1.4	149.0	5.8	29	0.2	3.5	7.2	215	4.49	10.1	50.8	22.7	4	0.1	0.4	2.1	5	0.11	0.033
967416	Rock Chip	3.07	1.0	49.9	5.8	32	<0.1	3.5	5.7	138	3.43	12.2	50.7	17.4	10	0.5	0.4	1.5	8	0.47	0.030
967417	Rock Chip	2.98	1.4	56.5	5.0	24	0.1	3.6	8.5	170	4.17	7.3	62.0	18.2	12	<0.1	0.3	2.2	10	0.40	0.026
967418	Rock Chip	3.30	1.1	54.9	5.0	29	<0.1	3.4	5.5	193	2.46	2.7	64.9	18.5	26	<0.1	0.5	1.3	28	0.73	0.034
967419	Rock Chip	3.07	3.6	13.4	5.7	24	<0.1	3.4	6.7	160	3.64	1.5	72.6	23.8	22	<0.1	0.3	2.4	12	0.81	0.025
967420	Rock Chip	3.22	1.6	37.1	4.5	17	0.1	3.1	7.8	112	3.41	5.7	99.6	15.3	14	<0.1	0.4	3.3	11	0.54	0.031
967421	Rock Chip	4.17	1.4	120.5	4.3	23	0.1	3.2	6.8	177	3.98	5.3	65.1	18.5	12	<0.1	0.2	2.4	7	0.41	0.027
967422	Rock Chip	5.44	1.8	99.6	5.1	18	0.1	3.5	8.8	147	4.48	17.1	81.0	17.6	14	<0.1	0.2	1.4	7	0.67	0.029
967423	Rock Chip	4.04	1.3	43.2	6.9	20	0.1	3.6	5.3	169	2.89	4.3	36.6	20.0	22	<0.1	0.6	1.4	19	0.96	0.030
967424	Rock Chip	6.67	1.6	34.8	7.7	27	0.1	3.7	3.9	180	3.03	2.6	79.7	21.0	20	<0.1	0.6	1.3	16	0.76	0.034
967425	Rock Chip	3.58	1.6	34.9	7.8	30	0.1	3.3	6.6	114	3.87	2.2	109.8	18.4	15	0.1	0.3	3.1	9	0.39	0.029
967426	Rock Chip	4.13	1.5	33.7	6.0	28	<0.1	4.0	6.6	86	4.32	1.7	42.1	21.8	16	0.3	0.2	1.6	11	0.33	0.031
967427	Rock Chip	4.49	0.8	34.5	4.2	18	<0.1	3.0	8.8	48	3.34	3.9	32.1	17.4	12	0.3	0.2	1.4	7	0.19	0.025
967428	Rock Chip	4.77	1.4	18.1	19.2	73	0.3	10.1	10.3	693	2.67	218.6	14.5	15.2	22	0.8	7.4	1.2	40	0.31	0.059
967429	Rock Chip	4.30	2.1	10.4	12.1	59	0.3	6.8	7.9	789	3.10	230.5	20.7	10.5	31	0.4	6.7	0.4	43	0.61	0.093
967430	Rock Chip	3.03	1.8	10.1	14.5	49	0.1	7.1	3.8	384	1.83	21.6	4.4	19.4	13	0.1	1.7	0.3	13	0.24	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000648.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	0.005		
967401	Rock Chip	18	10	0.26	57	0.002	2	0.65	0.034	0.19	1.2	<0.01	1.2	0.1	1.79	2	<0.5	0.7		
967402	Rock Chip	16	9	0.25	61	0.002	2	0.60	0.027	0.16	1.4	<0.01	1.0	0.1	2.08	2	0.6	1.3		
967403	Rock Chip	19	9	0.28	72	0.001	2	0.69	0.027	0.19	1.0	<0.01	1.2	0.1	1.73	2	0.6	0.8		
967404	Rock Chip	21	9	0.32	58	0.002	2	0.74	0.030	0.17	1.3	<0.01	1.3	0.1	1.74	3	<0.5	1.2		
967405	Rock Chip	29	7	0.15	62	0.001	2	0.48	0.019	0.20	0.7	0.02	0.8	0.1	2.61	1	0.8	0.8		
967406	Rock Chip	23	10	0.23	63	0.001	2	0.64	0.024	0.21	1.0	<0.01	1.1	0.2	2.36	2	<0.5	1.1		
967407	Rock Chip	24	9	0.25	60	0.001	1	0.71	0.033	0.18	1.1	<0.01	1.4	0.1	1.61	2	0.5	0.8		
967408	Rock Chip	27	9	0.14	251	0.010	2	0.74	0.039	0.30	0.6	<0.01	1.7	0.2	0.20	3	0.7	0.8		
967409	Rock Chip	28	6	0.07	161	0.002	<1	0.56	0.043	0.26	0.5	<0.01	0.8	0.2	0.23	2	0.7	0.8		
967410	Rock Chip	10	7	0.07	106	0.002	1	0.57	0.031	0.22	0.9	0.01	1.1	0.2	0.25	2	<0.5	2.2		
967411	Rock Chip	6	6	0.07	215	0.002	1	0.57	0.023	0.21	0.9	<0.01	1.0	0.2	0.60	2	0.9	0.9		
967412	Rock Chip	9	6	0.04	120	0.003	<1	0.50	0.015	0.28	1.0	<0.01	0.7	0.2	1.25	2	<0.5	1.0		
967413	Rock Chip	9	6	0.04	77	0.003	<1	0.54	0.019	0.31	0.9	<0.01	0.8	0.2	2.24	2	0.6	0.7		
967414	Rock Chip	14	6	0.06	48	0.002	<1	0.73	0.013	0.32	1.0	<0.01	1.2	0.2	4.20	2	1.0	1.7		
967415	Rock Chip	28	7	0.08	50	0.002	1	0.53	0.021	0.28	1.6	<0.01	0.8	0.2	4.07	1	0.9	1.3		
967416	Rock Chip	25	6	0.20	68	0.001	<1	0.75	0.020	0.22	0.8	<0.01	1.4	0.2	3.00	2	0.6	1.0		
967417	Rock Chip	25	8	0.21	58	0.002	1	0.66	0.035	0.27	1.6	<0.01	1.8	0.2	3.75	2	0.9	1.6		
967418	Rock Chip	21	9	0.49	91	0.005	1	1.13	0.084	0.16	1.2	<0.01	4.4	0.2	1.45	5	<0.5	0.9		
967419	Rock Chip	23	7	0.36	43	0.002	<1	0.80	0.042	0.23	1.7	<0.01	2.3	0.2	3.18	2	1.1	1.9		
967420	Rock Chip	17	7	0.31	43	0.002	<1	0.67	0.026	0.26	1.4	<0.01	2.1	0.2	3.01	2	1.0	3.2		
967421	Rock Chip	18	6	0.24	56	0.002	2	0.59	0.024	0.26	1.2	<0.01	1.2	0.2	3.57	2	1.3	2.3		
967422	Rock Chip	20	9	0.30	34	0.002	<1	0.66	0.026	0.34	2.2	<0.01	1.0	0.2	4.21	2	1.1	1.0		
967423	Rock Chip	21	9	0.37	61	0.002	<1	0.87	0.061	0.19	1.7	<0.01	3.5	0.1	2.47	3	<0.5	0.8		
967424	Rock Chip	22	11	0.45	75	0.002	1	0.87	0.046	0.24	1.9	<0.01	2.9	0.2	2.48	3	0.6	1.0		
967425	Rock Chip	23	8	0.28	58	0.002	<1	0.75	0.030	0.28	1.8	<0.01	1.7	0.2	3.77	2	1.1	2.2		
967426	Rock Chip	25	9	0.27	36	0.001	<1	0.86	0.046	0.25	2.0	<0.01	2.1	0.1	4.22	2	1.6	1.0		
967427	Rock Chip	17	4	0.24	50	0.002	<1	0.86	0.028	0.29	0.4	<0.01	1.2	0.2	3.26	2	1.0	1.5		
967428	Rock Chip	30	14	0.32	196	0.048	1	1.39	0.024	0.29	0.8	0.05	5.5	0.5	0.08	4	<0.5	<0.2		
967429	Rock Chip	22	9	0.38	247	0.073	2	1.15	0.065	0.45	0.8	0.04	5.0	0.4	0.06	4	<0.5	<0.2		
967430	Rock Chip	33	15	0.24	70	0.043	<1	0.56	0.054	0.33	2.1	<0.01	3.1	0.3	0.09	3	<0.5	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967431	Rock Chip	3.57	1.9	6.9	12.4	40	0.2	4.5	44.4	440	1.58	71.0	15.2	19.3	11	0.2	3.4	0.2	9	0.20	0.027
967432	Rock Chip	4.25	1.4	8.3	13.4	44	0.1	4.6	33.4	335	1.51	38.4	6.6	18.7	19	0.1	2.0	0.3	10	0.44	0.026
967433	Rock Chip	4.07	2.1	5.0	10.8	34	<0.1	4.5	5.4	296	1.55	29.2	5.1	19.4	11	0.1	1.8	0.2	10	0.25	0.026
967434	Rock Chip	4.03	2.1	8.5	33.9	31	0.4	3.9	3.7	345	1.35	100.2	15.4	20.1	12	0.3	4.2	0.4	7	0.24	0.020
967435	Rock Chip	4.60	1.8	4.8	11.1	28	0.2	2.9	3.2	398	1.35	39.6	5.8	22.0	21	0.1	2.0	3.1	12	0.46	0.022
967436	Rock Chip	3.19	2.1	4.1	138.6	130	0.4	3.5	3.3	569	1.51	66.9	256.7	21.3	23	3.7	18.2	0.2	12	0.49	0.023
967437	Rock Chip	4.16	1.6	5.6	23.1	96	0.2	4.1	4.0	365	1.64	118.3	54.5	19.7	33	2.2	5.7	0.2	9	0.84	0.033
967438	Rock Chip	3.02	1.4	11.5	24.7	35	0.2	5.3	4.9	373	1.89	73.8	16.4	20.4	29	0.3	5.4	0.2	14	0.80	0.037
967439	Rock Chip	2.73	1.8	8.7	11.6	44	0.1	5.5	5.0	370	1.99	78.5	15.5	20.3	38	0.3	5.4	0.1	15	0.78	0.040
967440	Rock Chip	1.20	1.1	6.0	75.5	98	0.5	4.5	4.5	329	1.88	237.8	77.3	19.5	34	2.2	11.3	0.2	8	0.89	0.035
967441	Rock Chip	2.15	0.9	5.4	12.1	30	<0.1	3.6	3.4	256	1.42	110.9	39.9	20.4	21	0.2	2.7	0.1	10	0.51	0.026
967442	Rock Chip	1.17	1.2	5.5	11.7	27	0.1	3.1	3.1	271	1.31	144.8	13.3	20.1	24	0.3	3.6	0.1	6	0.59	0.021
967443	Rock Chip	1.17	1.1	8.1	20.8	39	0.5	3.6	3.9	349	1.52	181.9	21.3	20.0	22	0.3	7.2	0.2	4	0.61	0.026
967444	Rock Chip	2.54	1.1	9.8	12.4	28	0.2	3.7	3.5	298	1.45	52.8	5.6	19.8	29	0.1	5.2	0.2	5	0.72	0.025
967445	Rock Chip	2.76	1.4	3.5	11.8	29	0.1	3.2	3.2	296	1.51	63.4	7.9	20.6	25	0.1	2.7	0.2	6	0.53	0.024
967446	Rock Chip	1.72	1.2	4.1	10.3	26	0.1	3.0	2.9	261	1.34	90.5	9.6	19.7	17	0.1	3.1	0.1	5	0.37	0.021
967447	Rock Chip	2.32	0.7	3.8	11.1	25	0.1	2.7	2.9	221	1.24	119.3	10.5	19.7	18	<0.1	3.0	0.1	4	0.46	0.020
967448	Rock Chip	2.42	1.3	5.3	14.5	26	0.1	3.6	3.5	297	1.52	172.2	15.0	20.4	31	0.1	4.6	0.2	3	0.89	0.024
967449	Rock Chip	0.83	0.8	7.1	18.7	19	0.2	3.2	3.8	313	1.40	111.6	10.4	18.6	38	0.1	4.9	0.2	3	1.28	0.023
967450	Rock Chip	3.19	1.0	5.5	11.3	22	<0.1	3.1	3.5	283	1.38	19.4	3.0	23.1	25	<0.1	3.6	0.1	8	0.77	0.026
967451	Rock Chip	1.28	1.5	3.7	7.7	29	<0.1	4.0	3.7	308	1.60	11.5	2.2	21.7	17	<0.1	1.9	0.2	11	0.43	0.025
967452	Rock Chip	2.12	1.5	11.4	11.6	26	0.1	3.6	3.3	333	1.56	87.1	8.7	19.9	23	<0.1	3.4	0.2	8	0.63	0.024
967453	Rock Chip	0.89	1.0	5.9	12.0	30	0.2	3.6	3.6	302	1.50	98.8	14.2	19.3	24	0.1	4.4	0.1	7	0.64	0.026
967454	Rock Chip	1.79	1.5	4.1	19.1	28	0.2	3.6	3.6	285	1.51	238.8	60.3	20.3	29	0.2	5.6	0.2	4	0.89	0.021
967455	Rock Chip	1.68	2.0	9.1	143.5	163	1.7	4.0	4.4	338	1.89	501.0	162.4	17.6	33	4.0	26.2	0.7	3	0.92	0.019
967456	Rock Chip	1.31	1.6	10.8	27.0	32	0.4	4.0	3.4	290	1.36	346.8	42.7	17.7	20	0.5	11.4	0.3	4	0.51	0.019
967457	Rock Chip	1.63	2.0	15.5	20.7	35	0.3	3.6	3.0	296	1.31	246.4	32.5	20.3	17	0.3	11.8	0.4	4	0.39	0.019
967458	Rock Chip	2.31	2.4	9.2	15.3	29	0.2	3.3	2.9	266	1.31	180.8	25.1	19.2	23	0.1	6.8	0.3	4	0.56	0.017
967459	Rock Chip	2.16	2.4	4.7	8.8	18	0.1	2.2	2.0	229	1.04	120.3	12.1	20.5	21	0.1	3.2	0.3	4	0.55	0.014
967460	Rock Chip	2.20	1.1	5.2	9.6	21	0.1	2.6	2.5	313	1.15	169.9	13.5	20.2	22	<0.1	4.2	0.2	4	0.55	0.015



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000648.2

Method Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.005	
967431	Rock Chip	31	11	0.16	79	0.022	1	0.46	0.036	0.25	>100	0.12	2.7	0.2	0.09	2	<0.5	<0.2	0.072
967432	Rock Chip	31	14	0.19	219	0.038	<1	0.47	0.047	0.23	>100	0.07	2.8	0.2	0.18	2	<0.5	<0.2	0.048
967433	Rock Chip	30	16	0.20	83	0.038	1	0.45	0.046	0.29	13.9	<0.01	2.6	0.2	0.07	2	<0.5	<0.2	
967434	Rock Chip	24	10	0.08	94	0.010	4	0.37	0.032	0.19	6.7	0.01	1.7	0.2	0.08	2	<0.5	<0.2	
967435	Rock Chip	25	9	0.19	182	0.038	2	0.49	0.049	0.27	6.3	<0.01	2.6	0.3	0.06	2	<0.5	<0.2	
967436	Rock Chip	26	11	0.19	189	0.031	3	0.50	0.051	0.26	4.0	0.01	2.4	0.3	0.15	2	<0.5	<0.2	
967437	Rock Chip	36	10	0.27	79	0.028	1	0.48	0.031	0.27	3.1	0.05	2.8	0.2	0.18	2	<0.5	<0.2	
967438	Rock Chip	45	14	0.34	97	0.066	1	0.57	0.041	0.41	2.2	<0.01	3.4	0.3	0.25	3	<0.5	<0.2	
967439	Rock Chip	48	14	0.39	107	0.073	3	0.62	0.053	0.44	4.4	<0.01	3.8	0.3	0.15	3	<0.5	<0.2	
967440	Rock Chip	35	8	0.24	73	0.013	2	0.42	0.028	0.26	2.7	0.02	2.4	0.2	0.38	2	<0.5	<0.2	
967441	Rock Chip	43	10	0.23	66	0.041	2	0.50	0.046	0.32	1.0	<0.01	2.6	0.3	0.15	2	<0.5	<0.2	
967442	Rock Chip	30	7	0.20	46	0.015	1	0.36	0.034	0.21	2.8	0.02	1.9	0.2	0.17	2	<0.5	<0.2	
967443	Rock Chip	28	8	0.18	122	0.002	<1	0.47	0.012	0.19	2.7	0.08	1.7	0.1	0.24	2	<0.5	<0.2	
967444	Rock Chip	29	10	0.20	101	0.006	2	0.38	0.031	0.20	1.9	0.03	1.6	0.1	0.15	1	<0.5	<0.2	
967445	Rock Chip	28	8	0.19	58	0.015	2	0.43	0.044	0.24	3.6	0.03	2.0	0.2	0.13	2	<0.5	<0.2	
967446	Rock Chip	28	8	0.14	59	0.009	<1	0.42	0.035	0.21	3.9	0.04	1.8	0.2	0.11	2	<0.5	<0.2	
967447	Rock Chip	26	7	0.14	36	0.002	2	0.35	0.026	0.15	1.2	0.10	1.6	0.1	0.18	1	<0.5	<0.2	
967448	Rock Chip	24	8	0.22	43	<0.001	1	0.37	0.026	0.18	3.3	0.08	1.6	0.1	0.30	1	<0.5	<0.2	
967449	Rock Chip	24	6	0.27	41	0.001	<1	0.38	0.016	0.16	1.7	0.05	1.4	0.1	0.35	1	<0.5	<0.2	
967450	Rock Chip	37	8	0.27	62	0.020	<1	0.60	0.024	0.23	1.9	0.04	2.6	0.3	0.14	3	<0.5	<0.2	
967451	Rock Chip	37	13	0.26	51	0.049	2	0.57	0.049	0.33	3.7	0.03	3.2	0.3	0.07	3	<0.5	<0.2	
967452	Rock Chip	33	11	0.27	47	0.029	1	0.50	0.036	0.27	2.5	0.02	2.5	0.3	0.23	2	<0.5	<0.2	
967453	Rock Chip	31	10	0.25	35	0.011	2	0.44	0.026	0.18	1.5	0.06	2.4	0.2	0.18	2	<0.5	<0.2	
967454	Rock Chip	25	8	0.21	41	0.001	2	0.47	0.014	0.18	2.8	0.09	1.6	0.1	0.37	1	<0.5	<0.2	
967455	Rock Chip	15	8	0.25	50	<0.001	4	0.39	0.006	0.21	3.2	0.08	1.1	0.1	0.92	1	<0.5	<0.2	
967456	Rock Chip	21	9	0.16	64	<0.001	2	0.35	0.005	0.14	1.3	0.08	1.7	0.1	0.44	<1	<0.5	<0.2	
967457	Rock Chip	25	7	0.14	50	0.002	1	0.40	0.009	0.15	1.9	0.06	1.8	0.1	0.29	1	<0.5	<0.2	
967458	Rock Chip	25	8	0.17	39	0.007	2	0.41	0.028	0.19	1.7	0.06	1.7	0.2	0.22	2	<0.5	<0.2	
967459	Rock Chip	26	7	0.15	32	0.006	1	0.32	0.032	0.16	0.7	0.07	1.7	0.1	0.10	1	<0.5	<0.2	
967460	Rock Chip	25	6	0.16	49	0.006	1	0.37	0.026	0.17	1.2	0.05	1.5	0.2	0.13	1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000648.2

Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
967461	Rock Chip	2.28	1.0	5.3	7.5	17	<0.1	2.7	2.2	243	1.13	88.0	10.7	20.5	23	<0.1	2.9	0.2	5	0.58	0.014
967462	Rock Chip	0.98	0.6	6.7	8.5	18	0.1	2.3	2.2	263	1.11	163.1	17.0	19.4	32	<0.1	3.8	0.2	3	0.94	0.014
967463	Rock Chip	1.94	1.4	8.5	9.0	20	<0.1	2.7	2.8	255	1.24	95.1	6.0	20.3	26	<0.1	5.2	0.2	5	0.66	0.018
967464	Rock Chip	1.66	0.8	9.1	8.0	22	<0.1	2.2	3.1	313	1.47	28.2	4.0	14.3	41	<0.1	3.8	0.1	8	1.22	0.024
967465	Rock Chip	1.98	0.9	7.6	6.3	25	<0.1	2.2	3.6	290	1.43	9.8	2.1	12.2	41	<0.1	2.6	0.2	11	0.81	0.026
967466	Rock Chip	2.84	1.1	7.1	7.3	34	<0.1	2.6	3.9	303	1.48	9.9	1.1	13.5	50	<0.1	3.3	0.1	11	0.44	0.028
967467	Rock Chip	2.86	1.1	20.1	16.2	35	0.5	3.9	3.7	305	1.36	245.1	24.7	13.9	16	0.3	13.2	0.5	5	0.13	0.021
967468	Rock Chip	4.16	1.2	13.3	12.3	29	0.2	3.5	3.6	306	1.42	61.1	6.5	16.7	38	<0.1	6.8	1.0	7	0.67	0.022
967469	Rock Chip	3.43	1.2	9.3	9.9	30	0.1	3.2	3.3	316	1.55	11.2	1.7	16.0	39	0.1	3.1	2.5	8	0.83	0.023
967470	Rock Chip	3.28	0.9	38.8	59.3	83	0.5	6.0	5.4	396	2.02	248.6	30.7	16.3	44	0.4	17.4	0.4	12	1.06	0.047
967471	Rock Chip	3.60	1.1	11.0	12.8	50	0.2	4.1	4.3	362	1.74	164.2	18.6	18.1	40	0.2	4.3	0.2	11	0.83	0.033
967472	Rock Chip	3.26	1.0	31.5	33.2	83	0.5	4.8	4.5	356	1.86	31.8	3.4	16.0	39	0.3	8.2	1.6	12	0.81	0.033
967473	Rock Chip	3.70	0.9	14.1	18.1	47	0.2	3.5	5.9	440	1.89	87.5	6.2	17.2	59	0.1	5.6	0.7	19	1.40	0.032
967474	Rock Chip	3.66	1.1	10.3	11.7	33	<0.1	2.8	3.9	362	1.56	9.2	1.3	17.9	50	<0.1	4.1	0.4	10	1.15	0.030
967475	Rock Chip	3.69	0.7	2.3	7.5	29	<0.1	2.9	3.1	302	1.38	7.7	<0.5	16.5	25	<0.1	1.0	0.2	10	0.57	0.021
967476	Rock Chip	4.76	1.2	3.8	10.7	34	<0.1	2.9	3.2	307	1.45	17.6	0.7	18.9	27	<0.1	1.1	0.3	11	0.63	0.023
967477	Rock Chip	5.22	1.0	6.3	7.6	34	<0.1	3.2	3.3	319	1.51	3.4	2.0	17.3	20	<0.1	1.6	0.7	13	0.45	0.024
967478	Rock Chip	5.25	0.9	4.2	11.4	38	<0.1	3.0	3.6	346	1.51	32.5	3.5	17.9	29	<0.1	1.4	0.3	11	0.62	0.024
967479	Rock Chip	4.67	1.4	6.7	14.6	37	0.2	1.9	2.4	276	1.08	37.6	3.3	19.0	27	0.1	2.5	1.0	6	0.54	0.015
967480	Rock Chip	4.00	1.1	6.1	11.3	48	<0.1	3.4	4.7	423	1.86	158.9	17.6	18.7	31	0.1	2.3	0.2	24	0.59	0.028
967481	Rock Chip	4.25	0.8	6.0	6.7	28	<0.1	2.2	3.7	296	1.47	75.8	10.5	16.2	32	<0.1	2.5	0.2	12	0.54	0.023
967482	Rock Chip	3.37	0.5	5.8	6.7	19	<0.1	2.5	2.9	319	1.33	32.2	4.9	16.1	35	<0.1	2.6	0.2	6	0.81	0.022
967483	Rock Chip	4.69	0.7	17.7	10.9	36	0.2	3.1	4.1	422	1.67	63.1	8.6	16.1	31	<0.1	6.4	1.5	9	1.01	0.029
967484	Rock Chip	4.91	0.8	7.0	9.2	25	<0.1	2.8	3.3	260	1.20	5.9	1.9	17.9	25	<0.1	2.7	0.3	6	0.56	0.022
967485	Rock Chip	4.76	0.7	7.5	6.7	19	0.1	2.7	2.9	265	1.32	5.1	1.0	16.9	32	<0.1	2.3	0.8	7	0.79	0.021
967486	Rock Chip	5.31	0.7	10.9	5.5	32	<0.1	3.3	4.3	281	1.59	12.5	1.2	17.4	22	<0.1	1.3	0.2	14	0.45	0.028
967487	Rock Chip	4.53	1.6	16.7	5.6	32	0.1	3.8	4.9	315	1.81	3.4	1.7	16.6	31	<0.1	2.0	0.3	17	0.66	0.032
967488	Rock Chip	3.62	0.9	14.5	7.9	38	<0.1	4.0	6.4	381	2.13	9.1	2.7	19.5	43	<0.1	2.5	0.3	33	1.19	0.039
967489	Rock Chip	4.10	0.8	9.8	6.8	32	<0.1	3.7	4.5	354	1.63	6.2	<0.5	15.2	41	<0.1	1.3	0.2	13	1.20	0.032
967490	Rock Chip	5.05	0.9	6.1	5.2	29	<0.1	3.1	4.0	319	1.59	5.4	0.5	15.8	26	<0.1	1.8	0.1	14	0.51	0.025



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.005	
967461	Rock Chip	28	7	0.18	37	0.013	1	0.37	0.044	0.20	1.0	0.02	2.0	0.2	0.09	2	<0.5	<0.2	
967462	Rock Chip	24	6	0.26	37	0.001	1	0.33	0.018	0.14	0.6	0.08	1.4	<0.1	0.20	1	<0.5	<0.2	
967463	Rock Chip	30	7	0.19	57	0.003	1	0.46	0.016	0.15	1.5	0.10	1.9	0.2	0.13	2	<0.5	<0.2	
967464	Rock Chip	30	5	0.30	149	0.004	2	0.55	0.026	0.19	0.6	0.09	2.5	0.2	0.07	2	<0.5	<0.2	
967465	Rock Chip	26	6	0.29	197	0.009	2	0.98	0.025	0.21	0.4	0.04	3.1	0.3	0.06	3	<0.5	<0.2	
967466	Rock Chip	25	6	0.33	232	0.006	<1	1.25	0.007	0.19	0.7	0.06	3.6	0.4	0.06	4	<0.5	<0.2	
967467	Rock Chip	21	6	0.09	420	0.002	2	0.53	0.004	0.16	1.5	0.18	2.2	0.1	0.28	2	<0.5	<0.2	
967468	Rock Chip	25	7	0.28	134	0.011	3	0.56	0.020	0.21	1.3	0.08	2.6	0.2	0.13	2	<0.5	<0.2	
967469	Rock Chip	27	6	0.31	86	0.018	<1	0.50	0.030	0.23	0.8	0.05	2.6	0.2	0.07	2	<0.5	<0.2	
967470	Rock Chip	37	9	0.39	75	0.022	2	0.53	0.027	0.27	0.5	0.05	3.9	0.2	0.27	2	<0.5	<0.2	
967471	Rock Chip	36	9	0.34	115	0.036	<1	0.60	0.031	0.30	1.0	0.05	3.6	0.3	0.18	2	0.5	<0.2	
967472	Rock Chip	35	8	0.35	118	0.030	<1	0.64	0.031	0.28	6.2	0.02	3.6	0.3	0.14	2	0.6	<0.2	
967473	Rock Chip	30	8	0.52	107	0.021	<1	0.52	0.027	0.24	1.1	0.04	4.3	0.2	0.15	2	<0.5	<0.2	
967474	Rock Chip	35	6	0.38	868	0.012	1	0.60	0.016	0.21	3.9	0.06	3.4	0.4	0.11	2	<0.5	<0.2	
967475	Rock Chip	32	7	0.29	79	0.038	<1	0.58	0.038	0.31	0.9	0.02	2.8	0.3	<0.05	2	<0.5	<0.2	
967476	Rock Chip	33	9	0.30	87	0.034	<1	0.55	0.038	0.28	1.1	<0.01	2.7	0.3	<0.05	2	<0.5	<0.2	
967477	Rock Chip	33	9	0.31	88	0.049	<1	0.66	0.039	0.34	4.4	<0.01	3.0	0.3	0.06	3	<0.5	<0.2	
967478	Rock Chip	32	8	0.30	89	0.035	1	0.62	0.041	0.30	1.2	<0.01	2.7	0.2	0.07	2	<0.5	<0.2	
967479	Rock Chip	23	6	0.21	51	0.013	<1	0.40	0.028	0.20	0.7	<0.01	1.8	0.1	0.06	1	<0.5	<0.2	
967480	Rock Chip	29	10	0.46	113	0.071	<1	0.78	0.044	0.45	1.5	<0.01	4.1	0.4	0.11	3	<0.5	<0.2	
967481	Rock Chip	30	5	0.33	168	0.026	<1	0.86	0.019	0.27	0.5	0.03	2.7	0.3	0.12	3	<0.5	<0.2	
967482	Rock Chip	29	6	0.27	61	0.006	<1	0.50	0.018	0.19	0.8	0.02	2.1	0.1	0.10	2	<0.5	<0.2	
967483	Rock Chip	27	5	0.34	73	0.006	1	0.52	0.005	0.19	0.6	0.09	2.0	0.2	0.13	2	<0.5	<0.2	
967484	Rock Chip	33	5	0.21	94	0.006	<1	0.44	0.015	0.15	0.5	0.02	1.8	0.1	0.11	1	<0.5	<0.2	
967485	Rock Chip	29	6	0.25	82	0.016	1	0.53	0.043	0.26	0.7	<0.01	1.8	0.2	0.08	2	<0.5	<0.2	
967486	Rock Chip	39	9	0.34	139	0.054	<1	0.75	0.029	0.35	0.7	0.01	3.3	0.4	0.12	3	<0.5	<0.2	
967487	Rock Chip	41	10	0.37	277	0.051	<1	0.80	0.036	0.31	16.8	<0.01	3.5	0.3	0.20	4	<0.5	<0.2	
967488	Rock Chip	38	11	0.45	98	0.043	<1	0.80	0.055	0.26	4.4	<0.01	4.3	0.2	0.16	4	<0.5	<0.2	
967489	Rock Chip	35	10	0.35	145	0.017	<1	0.67	0.033	0.24	2.8	0.01	2.4	0.3	0.10	3	<0.5	<0.2	
967490	Rock Chip	34	9	0.34	179	0.031	<1	1.18	0.032	0.28	0.5	0.02	2.8	0.4	0.07	4	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000648.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967491	Rock Chip	4.63	1.1	3.2	4.0	22	<0.1	2.6	3.0	269	1.45	3.7	1.3	16.7	18	<0.1	1.2	0.1	12	0.39	0.022
967492	Rock Chip	4.58	0.6	4.4	8.2	18	0.1	2.4	2.5	333	1.39	1253.9	48.3	15.5	39	<0.1	6.2	0.1	5	1.04	0.019
967493	Rock Chip	4.49	0.9	5.3	4.1	16	<0.1	2.9	3.1	229	1.37	76.8	6.2	15.6	22	<0.1	2.0	0.1	10	0.44	0.019
967494	Rock Chip	4.24	0.8	10.6	5.7	17	0.3	2.0	3.0	312	1.46	203.3	24.5	16.3	35	<0.1	6.2	0.3	7	1.06	0.027
967495	Rock Chip	3.49	1.3	6.6	3.6	17	<0.1	2.7	2.9	243	1.42	9.5	2.8	15.8	17	<0.1	1.2	0.2	12	0.41	0.021
967496	Rock Chip	4.28	0.8	246.2	4.1	22	1.2	2.8	5.1	255	1.69	7.8	9.0	13.8	20	0.3	3.2	10.1	13	0.44	0.033
967497	Rock Chip	3.90	1.1	285.8	4.2	18	1.3	2.8	3.0	217	1.42	6.2	18.3	15.2	18	0.2	4.6	4.4	12	0.29	0.025
967498	Rock Chip	3.79	0.7	32.0	6.3	12	0.2	2.3	2.7	290	1.13	31.9	4.2	13.3	29	<0.1	10.1	0.4	5	0.13	0.021
967499	Rock Chip	5.46	4.3	8.2	14.1	15	0.7	2.9	3.0	170	1.21	2335.9	163.6	6.6	20	<0.1	21.3	0.2	2	0.39	0.011
967500	Rock Chip	4.37	3.4	3.7	9.1	20	0.5	2.3	12.6	129	0.90	807.8	76.3	7.4	8	<0.1	9.9	0.1	3	0.08	0.010
967501	Rock Chip	5.26	1.6	3.0	6.8	19	0.3	2.4	3.4	201	1.06	1689.3	152.2	8.3	10	<0.1	15.2	<0.1	2	0.06	0.011
967502	Rock Chip	4.87	4.4	5.1	13.1	10	1.5	4.9	3.0	118	1.02	2485.0	183.8	8.2	15	<0.1	25.6	<0.1	<2	0.04	0.006
967503	Rock Chip	6.85	1.4	9.3	13.9	39	0.3	9.9	5.6	496	1.84	237.8	18.0	16.4	15	0.3	5.0	0.3	17	0.14	0.027
967504	Rock Chip	4.45	1.4	8.7	10.2	39	0.1	7.2	4.3	475	1.44	141.5	11.6	20.7	9	0.2	3.0	0.2	11	0.12	0.025
967505	Rock Chip	3.42	1.2	10.5	8.1	34	0.1	5.3	3.5	295	1.46	36.8	1.0	19.3	9	<0.1	1.4	0.2	11	0.14	0.026
967506	Rock Chip	2.07	0.9	10.5	8.8	36	0.1	4.4	3.1	243	1.38	45.2	2.1	18.2	6	0.1	1.6	0.3	9	0.09	0.025
967507	Rock Chip	3.29	0.5	8.2	9.0	26	0.1	2.2	1.4	92	1.14	79.4	6.1	16.3	7	<0.1	3.1	0.4	6	0.09	0.022
967508	Rock Chip	1.95	1.3	20.0	13.2	87	0.3	4.7	8.3	794	3.18	211.5	16.0	17.9	10	0.3	10.3	0.4	43	0.22	0.058
967509	Rock Chip	0.93	0.7	15.2	10.3	68	0.2	3.5	9.2	740	3.55	241.4	22.8	11.1	9	0.2	8.4	0.1	66	0.23	0.072
967510	Rock Chip	0.59	0.7	9.1	9.5	26	0.2	2.5	3.7	353	1.37	65.7	6.2	16.9	11	<0.1	5.0	0.4	11	0.28	0.028
967511	Rock Chip	0.83	0.6	6.5	7.0	23	0.1	2.3	2.8	281	1.13	49.3	2.0	15.7	9	<0.1	2.2	0.3	9	0.18	0.023
967512	Rock Chip	2.59	0.6	6.6	5.5	24	<0.1	2.2	2.7	295	1.12	10.7	<0.5	15.8	13	<0.1	0.6	0.4	9	0.35	0.019
967513	Rock Chip	0.88	0.8	7.4	8.3	35	<0.1	2.8	3.3	355	1.24	39.1	4.4	16.1	19	<0.1	1.3	0.3	8	0.48	0.022
967514	Rock Chip	1.96	0.9	6.6	16.4	43	0.1	3.2	3.5	460	1.53	196.7	42.3	19.0	14	0.2	3.6	0.2	7	0.33	0.026
967515	Rock Chip	1.14	0.8	16.1	10.9	33	0.1	3.1	3.4	369	1.44	63.3	9.4	22.3	13	0.2	3.2	0.7	8	0.29	0.028
967516	Rock Chip	0.85	0.5	3.6	8.6	15	<0.1	2.3	2.1	256	1.16	57.9	9.1	17.2	24	<0.1	2.6	0.1	5	0.64	0.020
967517	Rock Chip	1.30	0.5	6.6	6.3	30	<0.1	2.2	2.3	255	1.21	36.5	5.2	16.5	22	0.2	1.5	0.2	8	0.64	0.021
967518	Rock Chip	0.75	1.2	8.7	7.5	32	0.1	2.2	2.5	281	1.29	57.2	14.5	14.5	30	0.2	2.9	0.3	8	0.94	0.021
967519	Rock Chip	2.13	1.8	15.6	12.7	89	0.5	3.4	3.8	2476	1.34	191.9	8.3	13.9	38	1.8	14.7	0.5	3	0.86	0.022
967520	Rock Chip	1.02	0.4	3.6	9.1	28	0.3	1.9	2.2	431	1.08	240.6	9.1	13.5	24	0.2	4.0	1.5	5	0.67	0.021



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		KP300 W
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	TI ppm	S %	Ga ppm	Se ppm	Te ppm	0.005			
Unit MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	0.005			
967491	Rock Chip	33	8	0.28	89	0.053	<1	0.66	0.042	0.35	0.9	<0.01	2.7	0.4	<0.05	3	<0.5	<0.2			
967492	Rock Chip	24	6	0.36	202	0.007	4	0.49	0.009	0.23	0.6	0.14	1.6	0.2	0.29	2	<0.5	<0.2			
967493	Rock Chip	29	8	0.26	158	0.042	1	0.67	0.038	0.31	0.9	0.02	2.5	0.3	0.07	3	<0.5	<0.2			
967494	Rock Chip	30	6	0.34	64	0.015	1	0.49	0.024	0.20	0.4	0.03	2.0	0.2	0.27	2	<0.5	<0.2			
967495	Rock Chip	32	10	0.29	125	0.054	<1	0.65	0.041	0.34	1.0	<0.01	2.9	0.3	0.05	3	<0.5	<0.2			
967496	Rock Chip	34	7	0.30	90	0.063	<1	0.75	0.044	0.38	0.7	0.02	3.2	0.4	0.21	3	<0.5	<0.2			
967497	Rock Chip	31	8	0.28	82	0.055	<1	0.72	0.037	0.36	0.7	0.01	2.5	0.3	0.12	3	<0.5	<0.2			
967498	Rock Chip	23	5	0.08	66	0.003	2	0.49	0.003	0.12	0.7	0.22	2.0	0.1	0.15	1	<0.5	<0.2			
967499	Rock Chip	10	5	0.04	165	0.001	3	0.29	0.003	0.16	1.3	0.93	0.8	1.3	0.70	<1	<0.5	<0.2			
967500	Rock Chip	10	6	0.05	275	0.002	2	0.30	0.003	0.17	58.0	0.74	0.8	0.7	0.38	<1	<0.5	<0.2			
967501	Rock Chip	11	7	0.04	79	0.001	2	0.30	0.003	0.18	13.6	0.80	0.8	0.6	0.43	<1	<0.5	<0.2			
967502	Rock Chip	10	9	0.03	105	0.001	3	0.29	0.002	0.17	10.8	1.02	0.7	1.7	0.50	<1	<0.5	<0.2			
967503	Rock Chip	24	13	0.14	118	0.024	2	0.71	0.040	0.21	0.8	0.06	2.9	0.2	<0.05	2	<0.5	<0.2			
967504	Rock Chip	32	9	0.13	72	0.026	2	0.45	0.030	0.19	1.3	0.03	2.9	0.2	<0.05	2	<0.5	<0.2			
967505	Rock Chip	27	9	0.19	57	0.042	2	0.56	0.059	0.32	2.2	0.01	3.2	0.2	<0.05	2	<0.5	<0.2			
967506	Rock Chip	28	8	0.13	45	0.026	2	0.38	0.032	0.23	1.7	0.02	2.8	0.2	<0.05	2	<0.5	<0.2			
967507	Rock Chip	24	4	0.07	41	0.007	2	0.44	0.033	0.19	0.8	0.01	1.9	0.1	<0.05	2	<0.5	<0.2			
967508	Rock Chip	37	7	0.18	221	0.021	1	0.80	0.009	0.24	2.2	0.04	7.4	0.2	<0.05	2	<0.5	<0.2			
967509	Rock Chip	24	5	0.21	212	0.028	2	1.06	0.006	0.31	2.6	0.05	10.0	0.2	0.16	3	<0.5	<0.2			
967510	Rock Chip	23	4	0.13	62	0.013	1	0.41	0.017	0.18	1.2	0.04	2.6	0.1	0.06	1	<0.5	<0.2			
967511	Rock Chip	25	4	0.14	48	0.024	1	0.47	0.031	0.24	1.1	0.01	2.5	0.2	<0.05	2	<0.5	<0.2			
967512	Rock Chip	25	6	0.22	41	0.033	<1	0.38	0.034	0.26	1.5	<0.01	2.6	0.2	0.06	2	<0.5	<0.2			
967513	Rock Chip	26	5	0.23	53	0.020	1	0.42	0.034	0.24	1.2	0.02	2.5	0.1	0.08	2	<0.5	<0.2			
967514	Rock Chip	32	6	0.15	49	0.012	2	0.45	0.023	0.21	1.4	0.02	2.3	0.2	0.10	2	0.8	<0.2			
967515	Rock Chip	33	6	0.18	41	0.016	1	0.58	0.029	0.23	1.3	0.02	2.7	0.2	0.08	3	<0.5	<0.2			
967516	Rock Chip	24	5	0.20	32	0.008	<1	0.30	0.029	0.17	1.1	<0.01	1.7	0.1	0.13	1	<0.5	<0.2			
967517	Rock Chip	25	5	0.27	35	0.027	2	0.36	0.033	0.23	1.0	<0.01	2.4	0.2	0.08	2	<0.5	<0.2			
967518	Rock Chip	22	5	0.33	72	0.016	1	0.32	0.024	0.18	1.0	0.02	2.4	0.1	0.11	2	<0.5	<0.2			
967519	Rock Chip	26	4	0.22	328	0.008	1	0.37	0.029	0.21	0.7	0.02	1.6	0.3	0.22	2	<0.5	<0.2			
967520	Rock Chip	22	3	0.20	45	0.013	1	0.26	0.008	0.13	0.5	0.01	1.7	0.1	0.15	1	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967521	Rock Chip	1.65	0.6	6.1	12.2	27	0.3	2.4	2.9	273	1.16	118.7	16.5	16.4	23	0.2	5.5	0.4	5	0.51	0.022
967522	Rock Chip	1.34	0.4	3.6	7.6	22	<0.1	2.2	2.5	234	1.07	36.9	1.6	18.4	24	<0.1	3.2	0.4	6	0.61	0.018
967523	Rock Chip	1.12	0.4	3.6	9.6	27	<0.1	2.4	2.8	286	1.22	36.4	3.5	17.6	29	<0.1	2.6	0.3	7	0.70	0.023
967524	Rock Chip	1.84	1.0	8.2	17.8	38	0.7	2.5	2.6	376	1.36	127.9	9.8	17.2	18	0.2	5.4	1.7	5	0.39	0.025
967525	Rock Chip	1.35	1.9	10.0	13.9	26	0.2	2.7	3.5	329	1.51	186.6	16.4	17.5	6	0.1	9.8	0.2	4	0.13	0.028
967526	Rock Chip	1.97	0.7	4.7	12.9	33	0.3	2.4	3.1	265	1.25	460.3	25.5	15.0	7	0.3	7.1	0.2	3	0.10	0.025
967527	Rock Chip	1.15	1.3	8.2	8.2	21	0.2	2.0	2.8	252	1.24	77.5	9.0	16.1	20	<0.1	3.5	0.6	6	0.46	0.021
967528	Rock Chip	1.67	0.7	16.4	7.2	23	0.2	2.4	3.2	280	1.35	20.4	<0.5	16.9	33	<0.1	4.0	0.8	7	0.73	0.023
967529	Rock Chip	0.68	0.6	12.0	23.3	46	0.4	2.7	3.5	291	1.38	254.4	20.5	14.2	39	0.5	7.4	0.4	5	0.99	0.026
967530	Rock Chip	1.89	0.7	8.3	15.7	36	0.3	3.4	4.0	353	1.69	218.9	16.9	16.0	44	0.2	5.9	0.3	7	1.19	0.033
967531	Rock Chip	2.27	0.5	3.4	16.9	40	0.2	2.4	3.5	379	1.35	286.0	18.0	14.6	52	0.3	4.0	0.2	<2	1.42	0.025
967532	Rock Chip	1.43	1.2	3.6	13.3	35	0.1	2.3	3.7	393	1.50	16.9	1.5	15.5	48	0.2	2.3	0.2	<2	1.18	0.022
967533	Rock Chip	0.57	0.5	3.2	13.6	41	0.1	2.7	3.2	324	1.34	35.3	0.6	15.5	36	0.1	2.2	0.2	3	0.96	0.023
967534	Rock Chip	1.47	1.1	7.4	28.4	37	0.2	2.0	2.6	381	1.26	399.4	68.7	17.4	49	0.2	8.4	0.8	<2	1.59	0.019
967535	Rock Chip	1.61	0.5	8.7	13.2	31	0.3	2.0	2.7	361	1.36	514.4	76.4	14.5	47	0.2	7.1	0.7	<2	1.58	0.016
967536	Rock Chip	1.44	0.6	16.7	16.9	33	0.4	2.2	3.2	300	1.32	226.2	32.1	12.5	39	0.2	10.0	0.9	3	1.10	0.021
967537	Rock Chip	1.28	1.2	13.7	14.3	39	0.3	2.5	3.9	301	1.61	227.5	28.7	12.9	42	0.2	5.3	0.8	5	0.94	0.016
967538	Rock Chip	1.87	1.5	8.1	9.4	31	0.2	2.5	4.0	273	1.76	194.1	42.3	14.0	33	0.2	5.2	0.8	6	0.71	0.012



**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 09, 2017

Page: 6 of 6

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	W
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.005	
967521	Rock Chip	25	4	0.18	42	0.009	1	0.37	0.030	0.21	0.6	0.03	2.0	0.1	0.26	1	<0.5	<0.2	
967522	Rock Chip	28	4	0.20	43	0.010	1	0.33	0.027	0.16	0.6	0.06	2.2	0.2	0.10	1	<0.5	<0.2	
967523	Rock Chip	30	4	0.22	40	0.002	2	0.46	0.015	0.13	0.5	0.08	2.6	0.2	0.13	2	<0.5	<0.2	
967524	Rock Chip	26	4	0.15	30	<0.001	3	0.37	0.004	0.12	0.7	0.27	1.8	0.1	0.17	1	<0.5	<0.2	
967525	Rock Chip	29	4	0.08	36	<0.001	2	0.43	0.004	0.16	1.5	0.07	1.8	0.1	0.28	1	<0.5	<0.2	
967526	Rock Chip	19	2	0.05	30	<0.001	1	0.30	0.002	0.14	1.1	0.06	1.2	<0.1	0.40	<1	<0.5	<0.2	
967527	Rock Chip	26	4	0.22	35	0.022	1	0.46	0.024	0.24	0.6	0.01	2.1	0.2	0.17	2	<0.5	<0.2	
967528	Rock Chip	34	6	0.25	36	0.019	1	0.42	0.034	0.20	1.0	<0.01	2.1	0.1	0.12	2	<0.5	<0.2	
967529	Rock Chip	21	3	0.27	40	0.006	2	0.41	0.015	0.20	0.8	0.04	1.8	0.1	0.33	1	<0.5	<0.2	
967530	Rock Chip	27	5	0.32	39	0.008	2	0.45	0.018	0.19	0.7	0.02	2.1	0.1	0.28	2	<0.5	<0.2	
967531	Rock Chip	17	2	0.33	40	<0.001	1	0.33	0.019	0.21	0.4	0.02	0.9	<0.1	0.34	<1	<0.5	<0.2	
967532	Rock Chip	24	3	0.32	36	<0.001	1	0.31	0.023	0.19	0.6	0.03	0.9	<0.1	0.10	<1	<0.5	<0.2	
967533	Rock Chip	23	3	0.28	35	<0.001	2	0.38	0.018	0.19	0.6	0.05	1.2	0.1	0.07	1	0.5	<0.2	
967534	Rock Chip	14	2	0.32	51	<0.001	2	0.27	0.013	0.18	0.5	0.06	0.8	<0.1	0.19	<1	<0.5	<0.2	
967535	Rock Chip	13	2	0.32	62	<0.001	3	0.33	0.005	0.19	0.5	0.07	0.8	<0.1	0.43	<1	<0.5	<0.2	
967536	Rock Chip	14	2	0.24	34	<0.001	2	0.28	0.012	0.14	0.8	0.12	1.0	0.1	0.44	<1	<0.5	<0.2	
967537	Rock Chip	17	3	0.27	46	0.013	2	0.42	0.037	0.25	0.7	0.05	1.8	0.2	0.33	2	<0.5	<0.2	
967538	Rock Chip	19	4	0.26	60	0.029	2	0.43	0.033	0.27	0.7	0.03	2.3	0.2	0.19	2	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 09, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000648.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967432	Rock Chip	4.25	1.4	8.3	13.4	44	0.1	4.6	33.4	335	1.51	38.4	6.6	18.7	19	0.1	2.0	0.3	10	0.44	0.026
REP 967432	QC																				
967433	Rock Chip	4.07	2.1	5.0	10.8	34	<0.1	4.5	5.4	296	1.55	29.2	5.1	19.4	11	0.1	1.8	0.2	10	0.25	0.026
REP 967433	QC		2.1	5.1	10.6	33	<0.1	4.7	5.4	289	1.54	28.6	4.0	19.1	10	<0.1	1.7	0.2	10	0.25	0.026
967468	Rock Chip	4.16	1.2	13.3	12.3	29	0.2	3.5	3.6	306	1.42	61.1	6.5	16.7	38	<0.1	6.8	1.0	7	0.67	0.022
REP 967468	QC		1.1	14.1	12.3	31	0.2	3.7	3.3	307	1.44	61.9	8.0	16.3	38	<0.1	6.7	1.0	7	0.68	0.024
967503	Rock Chip	6.85	1.4	9.3	13.9	39	0.3	9.9	5.6	496	1.84	237.8	18.0	16.4	15	0.3	5.0	0.3	17	0.14	0.027
REP 967503	QC		1.3	9.3	14.1	39	0.3	9.2	5.7	501	1.86	239.6	20.1	16.4	15	0.3	5.2	0.3	17	0.14	0.027
967538	Rock Chip	1.87	1.5	8.1	9.4	31	0.2	2.5	4.0	273	1.76	194.1	42.3	14.0	33	0.2	5.2	0.8	6	0.71	0.012
REP 967538	QC		1.4	8.3	9.0	30	0.2	2.4	3.8	259	1.71	188.1	33.2	13.0	32	0.1	5.0	0.8	6	0.66	0.012
Core Reject Duplicates																					
967414	Rock Chip	2.63	1.3	94.9	8.2	31	0.3	3.9	6.5	81	4.71	20.8	56.7	26.3	3	0.3	0.6	2.8	7	0.05	0.038
DUP 967414	QC		1.2	88.9	8.1	32	0.3	3.7	6.3	80	4.61	19.8	58.5	25.7	3	0.3	0.6	2.8	6	0.05	0.033
967448	Rock Chip	2.42	1.3	5.3	14.5	26	0.1	3.6	3.5	297	1.52	172.2	15.0	20.4	31	0.1	4.6	0.2	3	0.89	0.024
DUP 967448	QC		1.2	5.3	14.4	26	0.1	4.0	3.5	296	1.53	172.7	16.1	20.7	31	0.2	4.6	0.2	3	0.87	0.024
967482	Rock Chip	3.37	0.5	5.8	6.7	19	<0.1	2.5	2.9	319	1.33	32.2	4.9	16.1	35	<0.1	2.6	0.2	6	0.81	0.022
DUP 967482	QC		0.6	5.4	6.8	19	<0.1	2.5	2.9	317	1.30	32.7	5.2	16.5	35	<0.1	2.8	0.2	6	0.80	0.022
967516	Rock Chip	0.85	0.5	3.6	8.6	15	<0.1	2.3	2.1	256	1.16	57.9	9.1	17.2	24	<0.1	2.6	0.1	5	0.64	0.020
DUP 967516	QC		0.6	3.6	8.7	16	<0.1	2.2	2.2	265	1.19	60.5	7.6	16.9	25	0.1	2.4	0.2	5	0.65	0.021
Reference Materials																					
STD AMIS0140	Standard																				
STD DS11	Standard		14.3	148.8	134.9	336	1.7	77.9	13.6	1054	3.15	40.9	84.5	8.2	68	2.4	9.4	12.0	50	1.05	0.068
STD DS11	Standard		14.2	155.1	138.5	354	1.8	81.6	13.9	1049	3.19	45.0	107.9	7.6	71	2.5	9.3	12.2	51	1.07	0.071
STD DS11	Standard		13.1	146.7	125.4	335	1.7	76.0	13.2	1008	3.04	42.2	66.1	7.0	68	2.3	8.8	11.0	47	1.01	0.071
STD DS11	Standard		13.3	143.4	129.8	334	1.7	76.2	13.2	990	3.03	41.7	66.6	7.2	70	2.4	8.5	12.1	48	1.01	0.065
STD NBLG	Standard																				
STD OXC129	Standard		1.3	27.4	6.6	40	<0.1	77.2	19.7	419	3.04	<0.5	202.7	2.0	193	<0.1	<0.1	<0.1	51	0.69	0.097
STD OXC129	Standard		1.7	29.1	7.1	48	<0.1	80.2	20.6	423	3.07	<0.5	190.4	2.4	192	<0.1	<0.1	<0.1	54	0.65	0.102



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000648.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	W	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
Pulp Duplicates																			
967432	Rock Chip	31	14	0.19	219	0.038	<1	0.47	0.047	0.23	>100	0.07	2.8	0.2	0.18	2	<0.5	<0.2	0.048
REP 967432	QC																		0.045
967433	Rock Chip	30	16	0.20	83	0.038	1	0.45	0.046	0.29	13.9	<0.01	2.6	0.2	0.07	2	<0.5	<0.2	
REP 967433	QC	29	17	0.20	81	0.038	<1	0.45	0.046	0.29	13.6	<0.01	2.6	0.2	0.07	2	<0.5	<0.2	
967468	Rock Chip	25	7	0.28	134	0.011	3	0.56	0.020	0.21	1.3	0.08	2.6	0.2	0.13	2	<0.5	<0.2	
REP 967468	QC	25	7	0.29	135	0.011	2	0.57	0.020	0.21	1.4	0.08	2.5	0.2	0.13	2	<0.5	<0.2	
967503	Rock Chip	24	13	0.14	118	0.024	2	0.71	0.040	0.21	0.8	0.06	2.9	0.2	<0.05	2	<0.5	<0.2	
REP 967503	QC	25	13	0.14	120	0.024	2	0.70	0.040	0.21	0.9	0.06	3.0	0.2	<0.05	2	<0.5	<0.2	
967538	Rock Chip	19	4	0.26	60	0.029	2	0.43	0.033	0.27	0.7	0.03	2.3	0.2	0.19	2	<0.5	<0.2	
REP 967538	QC	18	4	0.25	57	0.028	1	0.41	0.032	0.27	0.7	0.03	2.1	0.2	0.18	2	<0.5	<0.2	
Core Reject Duplicates																			
967414	Rock Chip	14	6	0.06	48	0.002	<1	0.73	0.013	0.32	1.0	<0.01	1.2	0.2	4.20	2	1.0	1.7	
DUP 967414	QC	14	7	0.06	50	0.002	<1	0.67	0.012	0.30	0.9	<0.01	1.3	0.2	4.14	2	1.4	1.7	
967448	Rock Chip	24	8	0.22	43	<0.001	1	0.37	0.026	0.18	3.3	0.08	1.6	0.1	0.30	1	<0.5	<0.2	
DUP 967448	QC	24	8	0.22	42	<0.001	2	0.37	0.025	0.17	2.9	0.09	1.6	0.1	0.32	1	<0.5	<0.2	
967482	Rock Chip	29	6	0.27	61	0.006	<1	0.50	0.018	0.19	0.8	0.02	2.1	0.1	0.10	2	<0.5	<0.2	
DUP 967482	QC	29	6	0.27	60	0.006	<1	0.48	0.017	0.18	0.9	0.02	2.2	0.1	0.10	2	<0.5	<0.2	
967516	Rock Chip	24	5	0.20	32	0.008	<1	0.30	0.029	0.17	1.1	<0.01	1.7	0.1	0.13	1	<0.5	<0.2	
DUP 967516	QC	25	5	0.20	33	0.008	2	0.33	0.031	0.18	0.9	<0.01	1.8	0.1	0.13	1	<0.5	<0.2	
Reference Materials																			
STD AMIS0140	Standard																		<0.005
STD DS11	Standard	20	60	0.83	374	0.098	7	1.18	0.071	0.40	2.9	0.28	3.1	5.0	0.28	5	2.2	4.8	
STD DS11	Standard	19	60	0.86	403	0.095	8	1.16	0.072	0.40	3.3	0.25	3.2	5.2	0.28	5	2.1	4.8	
STD DS11	Standard	18	58	0.82	348	0.088	7	1.11	0.071	0.39	2.9	0.24	3.1	4.6	0.26	5	2.1	4.1	
STD DS11	Standard	18	56	0.82	359	0.087	6	1.12	0.071	0.38	3.0	0.25	3.1	4.5	0.27	5	2.9	4.8	
STD NBLG	Standard																		<0.005
STD OXC129	Standard	12	52	1.52	48	0.394	2	1.54	0.593	0.37	<0.1	<0.01	1.4	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	13	52	1.57	50	0.413	<1	1.61	0.600	0.37	<0.1	<0.01	0.5	<0.1	<0.05	6	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 09, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000648.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC129	Standard		1.1	26.6	5.8	40	<0.1	75.6	19.3	404	2.92	0.7	172.7	1.7	188	<0.1	<0.1	<0.1	49	0.63	0.102
STD OXC129	Standard		1.2	26.7	5.9	40	<0.1	77.4	19.6	411	2.99	<0.5	187.0	1.8	190	<0.1	<0.1	<0.1	52	0.65	0.100
STD W107	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD W107 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.8	3.1	5.3	39	<0.1	1.2	3.6	547	1.74	<0.5	1.0	2.4	26	<0.1	0.1	<0.1	22	0.61	0.040
ROCK-WHI	Prep Blank		0.9	2.9	2.5	36	<0.1	1.2	3.6	534	1.74	<0.5	<0.5	2.2	23	<0.1	0.1	<0.1	22	0.58	0.038



# QUALITY CONTROL REPORT

WHI17000648.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
STD OXC129	Standard	12	50	1.53	47	0.392	2	1.53	0.593	0.35	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	12	50	1.53	49	0.394	<1	1.56	0.591	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD W107	Standard																		0.456
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	
STD W107 Expected																			0.4235
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																		<0.005
Prep Wash																			
ROCK-WHI	Prep Blank	6	3	0.46	63	0.079	2	0.95	0.098	0.11	0.4	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	6	3	0.44	62	0.083	2	0.90	0.101	0.11	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: December 13, 2017  
Report Date: January 15, 2018  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000648M.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-004  
P.O. Number  
Number of Samples: 1

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
FS631	1	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	1	Analysis sample split/packet			VAN
Split -150	1	Analysis sample split/packet			VAN
FS631	1	Metallics Fire Assay for Au	30	Completed	VAN
EN002	1	Environmental disposal charge-Fire assay lead waste			VAN
SHP02	1	Per sample shipping charges for large branch shipments			VAN

## ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: January 15, 2018

Page: 2 of 2

Part: 1 of 1

## CERTIFICATE OF ANALYSIS

WHI17000648M.1

Method	M150	FA430	FS600	FS600	FS600	
Analyte	TotWt	-Au	TotAu	+Au	+Wt	
Unit	g	gm/t	gm/t	gm/t	g	
MDL	1	0.005	0.05	0.05	0.01	
967502	Rock Chip	431	0.179	0.17	<0.05	23.52



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** January 15, 2018

**Page:** 1 of 1

**Part:** 1 of 1

# QUALITY CONTROL REPORT

WHI17000648M.1

Method	M150	FA430	FS600	FS600	FS600
Analyte	TotWt	-Au	TotAu	+Au	+Wt
Unit	g	gm/t	gm/t	gm/t	g
MDL	1	0.005	0.05	0.05	0.01
Reference Materials					
STD OXC145	Standard	0.218			
STD OXH139	Standard	1.320			
STD OXN134	Standard	7.881			
STD OXQ90	Standard			25.01	30.35
STD OXQ90 Expected				24.88	
BLK	Blank			<0.05	30.00
BLK	Blank	<0.005			
BLK	Blank	<0.005			
Prep Wash					
ROCK-WHI	Prep Blank	515	<0.005	<0.05	<0.05
					20.76



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston

Receiving Lab: Canada-Whitehorse

Received: August 21, 2017

Report Date: September 13, 2017

Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI17000650.1

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-004  
P.O. Number  
Number of Samples: 61

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	61	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	61	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	61	Per sample shipping charges for branch shipments			VAN

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

### ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 13, 2017

Page: 2 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000650.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967677	Rock Chip	6.22	0.5	1.5	117.6	33	1.0	2.6	3.6	306	1.30	151.2	81.2	16.7	53	0.9	89.6	0.4	<2	1.76	0.023
967678	Rock Chip	4.40	0.5	1.9	84.8	14	0.7	2.6	3.2	379	1.28	195.1	31.9	17.9	60	0.3	104.4	0.3	<2	1.44	0.021
967679	Rock Chip	4.39	0.5	3.5	242.5	65	2.2	6.3	5.0	356	1.82	130.1	60.1	14.7	68	1.9	233.7	1.0	<2	1.75	0.027
967680	Rock Chip	4.17	0.8	5.5	247.4	24	3.1	5.5	7.6	582	2.54	356.6	57.7	10.5	83	1.2	251.3	0.9	<2	2.54	0.036
967681	Rock Chip	5.04	0.6	2.7	156.2	38	1.5	5.9	7.1	549	2.23	469.0	46.5	11.9	76	1.1	140.6	0.7	<2	2.08	0.038
967682	Rock Chip	4.65	0.7	4.9	214.1	237	2.4	4.9	6.2	693	1.77	965.1	54.9	9.8	76	6.1	215.3	0.3	<2	1.82	0.039
967683	Rock Chip	4.56	0.4	3.5	34.5	36	0.7	2.8	3.2	435	1.30	591.4	27.9	15.4	47	0.9	59.7	0.1	<2	1.09	0.021
967684	Rock Chip	4.64	0.5	3.7	73.3	90	0.8	7.7	4.6	536	1.71	476.9	30.2	10.7	81	2.2	66.9	0.2	<2	1.63	0.034
967685	Rock Chip	4.86	0.3	2.6	23.3	30	0.3	2.6	2.9	228	1.12	344.1	26.4	17.9	38	0.6	14.0	0.1	<2	0.55	0.016
967686	Rock Chip	3.92	0.4	1.7	17.3	17	0.2	2.0	2.1	228	1.00	283.1	16.4	25.1	41	0.3	8.4	0.1	<2	0.62	0.017
967687	Rock Chip	3.14	1.6	18.7	112.7	225	4.2	5.3	3.4	743	1.71	530.0	29.6	14.0	111	5.7	95.8	0.4	<2	2.18	0.024
967688	Rock Chip	6.06	1.5	18.5	17.2	37	0.7	4.2	7.3	751	2.09	1065.1	78.6	8.9	147	0.4	25.0	0.2	20	2.80	0.074
967689	Rock Chip	3.70	0.5	9.1	44.9	36	1.2	1.5	4.4	596	1.42	2082.3	89.0	7.3	184	0.8	46.3	0.1	<2	5.36	0.040
967690	Rock Chip	4.16	0.7	10.1	50.3	51	0.5	1.6	3.5	429	1.07	533.1	47.8	7.5	153	1.1	41.1	0.2	<2	4.11	0.031
967691	Rock Chip	2.81	0.7	25.0	453.6	347	4.3	2.7	4.0	411	1.32	835.9	51.5	8.2	59	10.1	351.8	0.9	<2	1.37	0.026
967692	Rock Chip	3.51	0.6	4.1	94.8	188	1.0	2.4	1.9	342	0.98	464.2	38.7	9.9	35	4.9	81.1	0.2	<2	0.71	0.023
967693	Rock Chip	4.47	0.5	3.5	66.7	142	1.0	4.2	3.6	460	1.24	699.0	54.2	12.2	99	3.6	41.9	0.3	<2	2.13	0.030
967694	Rock Chip	4.39	0.3	2.1	51.8	18	0.6	4.7	5.7	571	1.60	391.9	35.1	12.4	75	0.4	30.5	0.5	<2	1.67	0.031
967695	Rock Chip	4.34	0.4	3.3	59.6	52	0.8	4.0	4.2	476	1.42	522.2	46.5	11.0	80	1.1	43.2	0.2	<2	1.44	0.030
967696	Rock Chip	5.06	0.4	5.1	68.9	23	1.1	4.0	3.5	560	1.52	654.8	48.4	13.0	73	0.4	52.2	0.3	<2	1.51	0.031
967697	Rock Chip	4.47	0.4	7.4	62.0	43	1.0	3.3	4.2	372	1.34	594.3	55.1	13.4	57	0.9	29.5	0.3	<2	0.99	0.023
967698	Rock Chip	3.50	0.7	33.1	56.2	45	1.4	2.4	4.1	419	1.40	514.7	43.3	10.7	29	0.9	58.1	0.3	4	0.66	0.031
967699	Rock Chip	3.58	0.8	26.5	57.2	42	3.4	1.9	3.7	203	1.33	1362.0	112.3	11.4	28	0.9	50.0	0.3	2	0.48	0.030
967700	Rock Chip	5.37	0.6	3.2	52.7	29	0.9	7.5	3.9	400	1.15	633.1	52.8	8.1	73	0.8	25.6	0.3	<2	1.00	0.026
967701	Rock Chip	4.54	0.4	4.5	51.3	47	1.2	8.5	4.6	640	1.76	826.7	43.6	7.3	98	1.0	30.9	0.3	<2	1.79	0.030
967702	Rock Chip	3.27	0.4	2.0	47.9	123	0.5	6.8	3.0	537	1.27	611.8	27.9	8.9	79	2.9	17.7	0.2	<2	1.31	0.030
967703	Rock Chip	3.67	0.7	11.5	54.8	95	0.9	12.9	8.7	279	2.93	762.1	43.8	12.5	45	1.9	28.8	1.0	3	0.20	0.038
967704	Rock Chip	3.98	0.9	13.4	41.6	24	0.5	3.8	3.5	214	1.19	173.9	14.4	12.4	29	0.5	23.1	0.8	<2	0.15	0.024
967705	Rock Chip	4.04	0.9	4.5	65.5	34	0.8	5.6	3.3	874	2.29	367.5	25.5	12.0	22	0.8	17.6	0.8	<2	0.16	0.031
967706	Rock Chip	5.05	0.6	3.6	25.3	102	0.3	7.4	4.4	285	1.53	343.8	37.7	11.1	32	2.7	12.4	0.2	2	0.16	0.030



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 13, 2017

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000650.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
MDL	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
967677	Rock Chip	9	2	0.19	39	<0.001	3	0.24	0.003	0.16	0.2	0.04	0.7	<0.1	0.88	<1	<0.5	<0.2
967678	Rock Chip	11	2	0.20	36	<0.001	5	0.26	0.003	0.18	0.3	0.06	0.8	0.2	0.88	<1	<0.5	<0.2
967679	Rock Chip	8	2	0.24	41	<0.001	5	0.28	0.003	0.20	0.3	0.06	0.8	0.1	1.51	<1	<0.5	<0.2
967680	Rock Chip	7	2	0.32	44	<0.001	2	0.28	0.003	0.21	0.3	0.05	1.2	0.1	2.24	<1	<0.5	<0.2
967681	Rock Chip	8	3	0.34	94	<0.001	5	0.31	0.003	0.24	0.4	0.05	1.3	0.1	1.59	<1	<0.5	<0.2
967682	Rock Chip	8	3	0.36	57	<0.001	5	0.28	0.003	0.23	0.3	0.10	1.2	0.1	1.16	<1	<0.5	<0.2
967683	Rock Chip	14	2	0.28	53	<0.001	4	0.22	0.002	0.16	0.2	0.06	0.7	0.1	0.59	<1	<0.5	<0.2
967684	Rock Chip	12	3	0.49	91	<0.001	7	0.34	0.003	0.21	0.2	0.09	1.1	0.1	0.77	<1	<0.5	<0.2
967685	Rock Chip	14	2	0.17	38	<0.001	4	0.27	0.003	0.15	0.2	0.08	0.7	<0.1	0.84	<1	<0.5	<0.2
967686	Rock Chip	16	2	0.19	37	<0.001	3	0.30	0.003	0.13	0.2	0.08	0.9	<0.1	0.68	<1	<0.5	<0.2
967687	Rock Chip	12	3	0.69	73	<0.001	6	0.38	0.003	0.22	0.6	0.15	1.3	0.1	0.53	<1	<0.5	<0.2
967688	Rock Chip	10	4	0.73	102	<0.001	4	0.47	0.006	0.24	0.4	0.24	4.3	0.2	0.73	<1	<0.5	<0.2
967689	Rock Chip	8	2	0.32	121	<0.001	3	0.38	0.004	0.25	0.2	0.10	1.8	0.2	0.87	<1	<0.5	<0.2
967690	Rock Chip	7	2	0.18	136	<0.001	3	0.37	0.004	0.28	0.4	0.08	1.0	0.2	0.75	<1	<0.5	<0.2
967691	Rock Chip	8	3	0.27	89	<0.001	3	0.27	0.003	0.20	0.3	0.15	1.1	0.1	0.76	<1	<0.5	<0.2
967692	Rock Chip	9	3	0.21	80	<0.001	4	0.28	0.003	0.20	0.2	0.09	1.0	0.1	0.54	<1	<0.5	<0.2
967693	Rock Chip	9	3	0.34	124	<0.001	4	0.31	0.003	0.19	0.6	0.11	1.4	0.1	0.78	<1	<0.5	<0.2
967694	Rock Chip	7	2	0.44	50	<0.001	3	0.25	0.002	0.18	0.4	0.05	1.3	0.1	1.01	<1	<0.5	<0.2
967695	Rock Chip	9	3	0.45	72	<0.001	4	0.29	0.003	0.18	0.5	0.08	1.7	0.1	0.71	<1	<0.5	<0.2
967696	Rock Chip	11	3	0.45	54	<0.001	3	0.27	0.003	0.18	0.4	0.08	1.6	0.1	0.72	<1	<0.5	<0.2
967697	Rock Chip	10	3	0.29	61	<0.001	4	0.28	0.003	0.18	0.5	0.14	1.3	0.1	0.80	<1	<0.5	<0.2
967698	Rock Chip	13	3	0.20	198	<0.001	4	0.38	0.003	0.21	0.4	0.25	2.3	0.4	0.58	<1	<0.5	<0.2
967699	Rock Chip	15	3	0.15	195	<0.001	4	0.36	0.003	0.25	0.5	0.18	1.5	0.2	0.98	<1	<0.5	<0.2
967700	Rock Chip	9	4	0.34	85	<0.001	8	0.33	0.002	0.17	0.7	0.13	1.0	0.1	0.64	<1	<0.5	<0.2
967701	Rock Chip	7	3	0.56	83	<0.001	5	0.24	0.002	0.18	0.7	0.16	1.2	0.2	0.72	<1	<0.5	<0.2
967702	Rock Chip	10	3	0.38	53	<0.001	5	0.28	0.002	0.18	0.5	0.15	1.0	0.1	0.47	<1	<0.5	<0.2
967703	Rock Chip	18	4	0.05	42	<0.001	7	0.45	<0.001	0.18	1.0	0.41	1.6	0.5	2.75	1	<0.5	<0.2
967704	Rock Chip	14	4	0.04	174	<0.001	3	0.35	0.001	0.10	1.2	0.19	0.7	0.2	0.94	<1	<0.5	<0.2
967705	Rock Chip	13	6	0.07	127	<0.001	8	0.28	0.002	0.17	3.9	0.10	2.1	0.2	1.04	<1	<0.5	<0.2
967706	Rock Chip	13	4	0.05	58	<0.001	5	0.32	0.002	0.12	1.2	0.19	1.3	0.2	1.16	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 13, 2017

Page: 3 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000650.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967707	Rock Chip	0.65	1.2	14.5	43.9	71	0.5	12.3	8.0	471	1.91	225.1	11.6	11.5	22	1.0	30.3	0.4	26	0.23	0.039
967708	Rock Chip	2.21	1.5	12.1	16.2	47	0.3	5.3	3.8	391	1.18	260.7	33.4	23.6	14	0.7	17.6	0.3	3	0.11	0.026
967709	Rock Chip	1.87	1.4	12.7	19.3	75	0.3	5.2	4.1	404	1.47	118.6	14.8	24.9	16	0.7	18.5	0.4	3	0.20	0.038
967710	Rock Chip	2.05	1.8	7.5	14.3	54	0.2	5.3	3.6	400	1.53	40.6	5.4	24.9	14	0.5	11.7	0.4	<2	0.17	0.037
967711	Rock Chip	2.93	1.6	3.6	15.7	36	0.1	3.8	3.0	213	0.94	23.6	3.1	24.3	9	0.3	8.0	0.3	<2	0.12	0.032
967712	Rock Chip	3.24	1.6	3.5	20.9	34	0.1	3.4	3.2	158	1.06	22.2	3.0	21.9	8	0.2	8.2	0.2	<2	0.08	0.032
967713	Rock Chip	3.99	1.5	6.5	22.4	27	0.1	3.4	3.3	147	1.00	12.3	3.0	21.8	8	<0.1	8.2	0.2	2	0.09	0.034
967714	Rock Chip	4.95	1.7	11.6	19.8	23	0.2	3.3	3.1	248	1.19	18.2	1.7	21.7	11	<0.1	11.6	0.2	2	0.10	0.030
967715	Rock Chip	4.12	1.7	8.7	21.4	25	0.2	3.6	3.8	209	1.31	17.3	1.7	21.2	14	0.1	12.6	0.4	2	0.08	0.030
967716	Rock Chip	3.58	1.4	7.8	15.5	23	0.1	3.1	4.2	243	1.55	6.4	<0.5	17.3	22	<0.1	8.3	0.3	7	0.10	0.039
967717	Rock Chip	3.72	1.4	11.6	10.3	80	0.1	6.3	13.7	1123	4.10	26.6	5.1	4.5	29	0.2	11.5	0.2	43	0.29	0.078
967718	Rock Chip	3.54	1.2	5.2	10.6	73	0.3	6.1	11.4	808	3.05	186.0	45.2	6.1	177	0.6	11.7	0.5	15	1.89	0.049
967719	Rock Chip	3.45	0.9	8.5	30.0	26	0.1	3.6	3.1	268	1.54	43.7	5.4	28.5	25	0.1	15.8	0.3	4	0.11	0.021
967720	Rock Chip	3.08	0.9	6.3	25.2	25	0.1	3.1	2.9	263	1.36	14.3	2.3	33.0	7	0.1	7.5	0.2	4	0.08	0.022
967721	Rock Chip	3.58	1.3	4.2	25.0	30	0.1	3.7	2.8	301	1.56	79.7	7.7	35.6	9	<0.1	8.5	0.1	4	0.14	0.023
967722	Rock Chip	2.45	0.7	3.6	16.2	25	<0.1	2.5	2.5	215	1.18	346.2	46.6	27.0	22	<0.1	7.3	<0.1	<2	0.60	0.016
967723	Rock Chip	2.74	1.3	5.2	21.2	24	0.1	4.1	3.2	261	1.21	364.4	33.8	30.1	21	<0.1	12.8	<0.1	<2	0.09	0.014
967724	Rock Chip	2.45	1.2	4.3	20.7	33	0.1	8.8	5.7	333	1.62	449.3	59.4	31.3	30	<0.1	14.9	0.3	9	0.52	0.022
967725	Rock Chip	2.69	1.4	17.5	92.0	159	1.2	63.5	21.6	1273	4.03	130.1	4.4	19.4	42	1.9	28.7	3.5	77	2.17	0.146
967726	Rock Chip	2.97	1.1	8.4	60.2	69	1.1	20.2	7.9	670	2.22	55.1	3.1	25.5	63	0.8	16.0	3.7	22	1.74	0.047
967727	Rock Chip	4.78	1.1	8.1	23.7	32	0.2	5.5	3.4	332	1.42	138.6	14.3	28.1	23	0.2	10.6	0.4	6	0.83	0.021
967728	Rock Chip	3.43	0.7	3.6	16.9	31	0.1	5.0	3.0	373	1.32	12.0	0.9	28.9	16	0.1	3.3	0.3	7	0.59	0.019
967729	Rock Chip	4.00	0.8	4.2	8.5	76	<0.1	28.4	9.1	796	3.25	13.6	<0.5	23.3	19	<0.1	4.7	0.2	31	0.72	0.086
967730	Rock Chip	4.70	1.1	4.4	8.4	28	<0.1	4.5	2.7	318	1.27	9.0	1.7	28.6	14	<0.1	4.2	0.1	7	0.48	0.018
967731	Rock Chip	4.12	1.7	4.6	8.4	26	<0.1	3.4	3.0	257	1.33	10.3	<0.5	26.8	10	<0.1	5.7	0.1	7	0.30	0.017
967732	Rock Chip	4.22	0.9	5.2	19.2	26	<0.1	3.2	2.8	319	1.31	184.4	21.2	28.6	29	<0.1	41.9	0.1	5	0.41	0.015
967733	Rock Chip	2.66	0.6	6.3	24.4	26	<0.1	2.8	2.4	297	1.27	477.5	76.1	26.8	17	<0.1	116.5	0.1	4	0.34	0.013
967734	Rock Chip	5.07	1.5	6.9	23.0	30	<0.1	3.8	2.8	315	1.38	168.3	23.5	32.2	19	<0.1	31.7	0.1	4	0.41	0.016
967735	Rock Chip	4.21	1.2	4.4	9.1	22	<0.1	3.3	2.1	238	1.10	22.4	3.9	32.0	13	<0.1	5.7	<0.1	6	0.43	0.011
967736	Rock Chip	4.06	4.0	9.4	8.7	23	<0.1	2.6	3.2	213	1.04	40.8	4.8	28.7	20	<0.1	9.3	0.2	4	0.46	0.013

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 13, 2017

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000650.1

Method Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
967707	Rock Chip	23	17	0.23	131	0.033	3	0.94	0.017	0.13	0.5	0.06	2.9	0.2	<0.05	3	<0.5	<0.2
967708	Rock Chip	37	4	0.05	70	0.002	2	0.41	0.004	0.17	0.6	0.06	1.1	0.1	<0.05	<1	<0.5	<0.2
967709	Rock Chip	39	4	0.08	89	0.001	2	0.54	0.011	0.18	1.3	0.06	1.3	0.2	<0.05	1	<0.5	<0.2
967710	Rock Chip	37	6	0.06	79	<0.001	2	0.48	0.020	0.18	0.9	0.05	1.2	0.1	<0.05	1	<0.5	<0.2
967711	Rock Chip	34	6	0.03	65	<0.001	2	0.38	0.004	0.20	0.8	0.08	0.9	0.1	0.08	<1	<0.5	<0.2
967712	Rock Chip	30	4	0.02	57	<0.001	1	0.40	0.003	0.20	1.1	0.14	1.1	0.1	0.13	1	<0.5	<0.2
967713	Rock Chip	31	7	0.04	48	<0.001	2	0.44	0.003	0.19	1.3	0.27	1.0	0.1	0.15	1	<0.5	<0.2
967714	Rock Chip	27	5	0.05	43	<0.001	2	0.35	0.002	0.17	1.8	0.24	1.2	0.1	0.11	<1	<0.5	<0.2
967715	Rock Chip	24	5	0.03	49	<0.001	1	0.36	0.002	0.16	1.9	0.16	1.2	<0.1	0.19	<1	<0.5	<0.2
967716	Rock Chip	23	5	0.06	87	<0.001	2	0.39	0.003	0.20	1.0	0.18	1.7	0.2	0.11	<1	<0.5	<0.2
967717	Rock Chip	10	13	0.27	397	<0.001	3	0.57	0.005	0.26	2.1	0.15	7.0	0.2	0.17	2	<0.5	<0.2
967718	Rock Chip	11	5	0.55	143	<0.001	6	0.44	0.004	0.27	1.2	0.16	5.7	0.3	0.84	1	<0.5	<0.2
967719	Rock Chip	40	5	0.04	102	<0.001	2	0.41	0.002	0.09	1.3	0.27	1.7	<0.1	0.16	1	<0.5	<0.2
967720	Rock Chip	40	6	0.05	35	<0.001	1	0.32	<0.001	0.08	1.3	0.08	1.3	<0.1	0.08	1	<0.5	<0.2
967721	Rock Chip	43	6	0.06	298	0.001	<1	0.42	0.002	0.09	1.5	0.15	1.4	0.1	0.06	2	<0.5	<0.2
967722	Rock Chip	27	4	0.16	29	<0.001	<1	0.29	0.016	0.09	0.8	0.12	0.8	<0.1	0.19	<1	<0.5	<0.2
967723	Rock Chip	31	5	0.06	71	<0.001	1	0.35	0.002	0.10	1.8	0.17	0.8	0.1	0.22	1	<0.5	<0.2
967724	Rock Chip	33	10	0.18	53	0.005	1	0.55	0.002	0.13	1.3	0.11	2.3	0.2	0.21	2	<0.5	<0.2
967725	Rock Chip	52	89	1.17	138	0.017	2	1.51	0.004	0.37	1.4	0.32	15.7	0.8	0.11	6	<0.5	<0.2
967726	Rock Chip	34	29	0.71	724	0.007	2	0.79	0.009	0.22	1.4	0.14	4.9	0.3	0.13	3	<0.5	<0.2
967727	Rock Chip	32	10	0.30	457	0.002	2	0.44	0.025	0.13	1.0	0.09	1.7	0.1	0.15	2	<0.5	<0.2
967728	Rock Chip	34	8	0.29	92	0.014	1	0.37	0.039	0.15	0.9	0.06	2.3	0.2	0.06	2	<0.5	<0.2
967729	Rock Chip	47	60	1.14	100	0.164	2	1.46	0.041	1.09	1.0	0.04	8.3	1.1	0.06	9	<0.5	<0.2
967730	Rock Chip	35	10	0.28	47	0.020	<1	0.39	0.046	0.17	0.9	0.12	2.2	0.2	0.08	2	<0.5	<0.2
967731	Rock Chip	31	8	0.22	47	0.024	1	0.46	0.039	0.19	0.9	0.10	2.2	0.3	0.12	3	<0.5	<0.2
967732	Rock Chip	32	6	0.19	50	0.001	1	0.38	0.007	0.08	1.2	0.17	2.2	0.2	0.15	2	<0.5	<0.2
967733	Rock Chip	31	4	0.15	55	<0.001	<1	0.32	0.003	0.07	0.6	0.17	1.7	0.1	0.13	1	<0.5	<0.2
967734	Rock Chip	33	9	0.18	77	<0.001	1	0.42	0.009	0.09	1.2	0.14	1.7	0.2	0.11	1	<0.5	<0.2
967735	Rock Chip	37	7	0.17	38	0.010	1	0.32	0.049	0.11	0.8	0.06	1.6	0.2	0.09	2	<0.5	<0.2
967736	Rock Chip	32	6	0.16	30	0.003	<1	0.23	0.054	0.08	1.0	0.13	1.4	0.2	0.15	1	<0.5	<0.2





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 13, 2017

Page: 4 of 4

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000650.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967737	Rock Chip	4.45	7.9	10.8	16.2	29	<0.1	2.4	2.8	225	1.04	277.7	38.7	29.6	35	<0.1	644.2	0.1	3	0.88	0.009



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 13, 2017

Page: 4 of 4

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000650.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
967737	Rock Chip	23	5	0.24	207	<0.001	1	0.27	0.041	0.08	1.0	0.14	0.9	0.2	0.21	<1	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI17000650.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967685	Rock Chip	4.86	0.3	2.6	23.3	30	0.3	2.6	2.9	228	1.12	344.1	26.4	17.9	38	0.6	14.0	0.1	<2	0.55	0.016
REP 967685	QC		0.4	2.8	25.1	33	0.4	2.7	2.8	226	1.12	342.5	29.0	18.2	40	0.7	15.1	0.1	<2	0.55	0.016
967716	Rock Chip	3.58	1.4	7.8	15.5	23	0.1	3.1	4.2	243	1.55	6.4	<0.5	17.3	22	<0.1	8.3	0.3	7	0.10	0.039
REP 967716	QC		1.3	7.6	15.3	24	0.1	3.1	4.0	235	1.53	6.7	1.0	17.8	23	<0.1	8.7	0.3	7	0.10	0.036
Core Reject Duplicates																					
967696	Rock Chip	5.06	0.4	5.1	68.9	23	1.1	4.0	3.5	560	1.52	654.8	48.4	13.0	73	0.4	52.2	0.3	<2	1.51	0.031
DUP 967696	QC		0.4	4.4	68.0	24	1.0	4.5	3.8	595	1.59	691.4	49.8	13.1	77	0.5	41.6	0.3	<2	1.56	0.033
967730	Rock Chip	4.70	1.1	4.4	8.4	28	<0.1	4.5	2.7	318	1.27	9.0	1.7	28.6	14	<0.1	4.2	0.1	7	0.48	0.018
DUP 967730	QC		1.2	3.6	9.3	28	<0.1	4.6	2.8	315	1.27	9.4	1.4	30.2	14	<0.1	4.4	0.1	7	0.48	0.020
Reference Materials																					
STD DS11	Standard		13.0	157.6	134.7	338	1.7	78.5	14.0	997	3.13	43.9	78.2	7.4	67	2.5	9.0	11.9	47	1.04	0.069
STD DS11	Standard		14.4	150.0	143.7	346	1.8	78.3	13.2	1006	3.11	43.7	102.2	8.6	69	2.6	9.6	12.5	48	1.02	0.072
STD OXC129	Standard		1.3	28.5	6.4	41	<0.1	79.7	20.4	421	3.07	0.5	203.2	1.9	185	<0.1	<0.1	<0.1	52	0.65	0.109
STD OXC129	Standard		1.2	28.2	6.9	41	<0.1	76.8	19.0	420	3.08	<0.5	198.8	2.1	196	<0.1	<0.1	<0.1	52	0.66	0.102
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	4.4	1.3	36	<0.1	1.0	3.7	533	1.72	1.0	<0.5	2.3	25	<0.1	<0.1	<0.1	22	0.59	0.042
ROCK-WHI	Prep Blank		0.6	3.3	1.2	36	<0.1	0.8	3.6	564	1.77	1.0	0.7	2.6	27	<0.1	<0.1	<0.1	22	0.60	0.041



# QUALITY CONTROL REPORT

WHI17000650.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
967685	Rock Chip	14	2	0.17	38	<0.001	4	0.27	0.003	0.15	0.2	0.08	0.7	<0.1	0.84	<1	<0.5	<0.2
REP 967685	QC	14	2	0.17	37	<0.001	4	0.26	0.002	0.15	0.3	0.08	0.7	<0.1	0.86	<1	<0.5	<0.2
967716	Rock Chip	23	5	0.06	87	<0.001	2	0.39	0.003	0.20	1.0	0.18	1.7	0.2	0.11	<1	<0.5	<0.2
REP 967716	QC	23	5	0.05	89	<0.001	2	0.39	0.003	0.20	1.0	0.20	1.7	0.1	0.11	1	<0.5	<0.2
Core Reject Duplicates																		
967696	Rock Chip	11	3	0.45	54	<0.001	3	0.27	0.003	0.18	0.4	0.08	1.6	0.1	0.72	<1	<0.5	<0.2
DUP 967696	QC	12	3	0.47	58	<0.001	4	0.31	0.003	0.19	0.4	0.08	1.7	0.1	0.75	<1	<0.5	<0.2
967730	Rock Chip	35	10	0.28	47	0.020	<1	0.39	0.046	0.17	0.9	0.12	2.2	0.2	0.08	2	<0.5	<0.2
DUP 967730	QC	36	11	0.29	49	0.020	1	0.39	0.044	0.17	1.0	0.12	2.4	0.3	0.09	2	<0.5	<0.2
Reference Materials																		
STD DS11	Standard	18	59	0.84	399	0.090	6	1.14	0.070	0.39	3.3	0.27	2.9	4.8	0.27	5	2.1	4.6
STD DS11	Standard	18	58	0.82	369	0.094	6	1.10	0.068	0.38	3.0	0.26	3.1	4.7	0.27	5	2.4	5.0
STD OXC129	Standard	12	53	1.55	51	0.415	1	1.61	0.605	0.37	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	13	52	1.57	52	0.413	1	1.57	0.587	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI	Prep Blank	6	3	0.45	59	0.082	<1	0.88	0.083	0.09	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	7	2	0.49	61	0.092	<1	0.93	0.079	0.09	0.1	<0.01	3.4	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 28, 2017  
Report Date: October 09, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000707.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-007  
P.O. Number  
Number of Samples: 138

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	138	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN
FA330-Au	3	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	3	Environmental disposal charge-Fire assay lead waste			VAN
AQ370-X	1	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN
KP300-W	3	Phosphoric acid leach, ICP-ES analysis	0.5	Completed	VAN

## ADDITIONAL COMMENTS

Version 2 : FA330-Au, AQ370-As & KP300-W included.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000707.2

Method Analyte	Unit	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
968146	Rock Chip	5.54	0.6	22.8	4.3	10	<0.1	2.4	4.6	155	2.66	13.8	6.0	15.4	52	<0.1	0.7	0.5	9	1.37	0.027
968147	Rock Chip	4.19	0.6	23.9	3.2	11	<0.1	2.0	4.3	214	2.77	2.0	12.6	16.2	49	<0.1	0.3	0.4	10	1.30	0.029
968148	Rock Chip	4.85	0.6	34.6	3.9	15	<0.1	4.2	5.0	217	2.34	2.4	10.5	16.0	49	<0.1	0.3	0.4	12	1.26	0.034
968149	Rock Chip	4.86	0.6	31.9	3.8	12	<0.1	2.3	3.8	204	2.57	4.2	15.0	17.1	56	<0.1	0.2	0.4	10	1.38	0.025
968150	Rock Chip	4.14	0.4	10.9	4.3	17	<0.1	2.0	4.4	223	2.64	4.2	3.1	14.0	51	<0.1	0.4	0.3	12	1.42	0.024
968151	Rock Chip	7.56	2.4	83.7	7.8	45	0.1	17.9	7.5	374	3.11	9.2	50.9	15.7	11	0.1	0.9	4.7	24	0.25	0.032
968152	Rock Chip	4.90	1.6	86.3	6.3	38	<0.1	8.3	5.6	255	1.98	6.5	35.5	19.8	6	0.2	1.3	5.8	13	0.14	0.027
968153	Rock Chip	6.47	2.4	19.1	5.0	32	<0.1	5.8	4.7	309	2.20	3.1	8.2	18.8	11	<0.1	0.5	1.7	15	0.42	0.027
968154	Rock Chip	5.09	1.7	6.8	4.0	33	<0.1	5.3	4.2	330	2.12	1.4	2.3	15.7	6	<0.1	0.2	1.0	16	0.32	0.024
968155	Rock Chip	6.14	2.7	11.7	4.2	25	<0.1	6.4	24.9	361	2.94	4.0	5.7	16.1	7	<0.1	0.1	0.8	14	0.37	0.028
968156	Rock Chip	7.51	2.2	46.9	4.0	35	<0.1	6.3	19.9	391	2.59	7.6	7.1	14.8	12	<0.1	0.4	0.6	19	0.40	0.038
968157	Rock Chip	6.52	3.1	28.9	5.5	28	<0.1	6.5	4.4	329	2.24	4.3	6.1	21.3	7	<0.1	0.4	0.8	13	0.30	0.022
968158	Rock Chip	5.42	2.0	43.1	4.5	43	<0.1	5.0	8.4	406	2.88	7.7	54.1	13.4	23	<0.1	1.2	1.6	45	0.64	0.055
968159	Rock Chip	5.87	1.8	15.4	4.1	61	<0.1	4.3	9.8	533	3.68	2.4	1.9	7.8	46	<0.1	0.6	1.1	82	1.00	0.085
968160	Rock Chip	5.67	2.3	33.0	3.7	41	<0.1	7.7	6.5	423	2.55	4.3	23.6	9.9	18	<0.1	0.3	0.9	35	0.51	0.056
968161	Rock Chip	5.11	2.2	25.4	4.5	41	<0.1	10.3	5.4	337	2.16	5.1	4.8	12.9	9	<0.1	0.2	0.8	22	0.33	0.023
968162	Rock Chip	6.07	2.2	9.1	3.8	36	<0.1	10.7	5.4	324	1.93	2.3	10.1	11.5	7	<0.1	0.2	0.9	23	0.25	0.019
968163	Rock Chip	5.08	2.5	19.0	3.0	37	<0.1	12.6	6.3	354	2.20	4.1	87.4	10.8	9	<0.1	0.2	0.7	24	0.29	0.024
968164	Rock Chip	6.93	1.9	8.2	3.8	43	<0.1	11.4	6.9	385	2.48	1.7	0.9	13.8	11	<0.1	0.1	0.4	29	0.36	0.029
968165	Rock Chip	6.72	2.0	12.8	3.1	35	0.1	11.3	7.6	351	2.54	17.6	77.2	14.0	10	<0.1	0.2	1.9	28	0.43	0.031
968166	Rock Chip	7.92	1.9	15.3	2.6	31	<0.1	12.2	6.8	329	2.66	4.2	6.2	15.2	12	<0.1	0.3	1.3	27	0.46	0.030
968167	Rock Chip	6.81	2.1	53.6	4.1	15	0.1	11.7	7.5	240	2.75	27.0	36.1	14.1	12	<0.1	1.2	4.7	17	0.61	0.037
968168	Rock Chip	5.81	1.7	32.0	5.0	14	<0.1	11.5	7.0	482	2.69	13.7	17.0	12.4	16	<0.1	1.9	2.9	14	0.89	0.036
968169	Rock Chip	6.78	1.9	28.5	3.9	21	<0.1	11.9	7.1	381	2.45	6.0	26.7	16.5	17	<0.1	1.6	1.1	21	0.71	0.034
968170	Rock Chip	5.62	1.7	46.6	8.6	20	<0.1	12.1	7.7	468	2.74	13.4	70.0	16.0	14	<0.1	2.4	2.4	12	0.37	0.032
968171	Rock Chip	5.69	1.8	85.9	7.8	10	0.2	9.3	9.0	819	3.26	67.7	183.0	18.9	7	<0.1	7.5	3.0	4	0.19	0.019
968172	Rock Chip	4.47	3.7	95.1	15.8	65	0.5	11.4	6.1	464	4.80	54.5	205.1	17.3	5	0.4	32.6	5.9	3	0.17	0.023
968173	Rock Chip	4.71	1.4	74.5	11.6	34	0.3	8.2	6.3	717	3.46	35.5	173.7	18.6	7	0.2	8.7	4.2	4	0.20	0.029
968174	Rock Chip	5.96	1.4	143.4	9.0	43	0.2	7.8	5.2	624	2.36	39.0	119.6	20.9	11	0.3	9.5	2.4	3	0.33	0.028
968175	Rock Chip	5.22	1.1	77.1	8.9	31	0.2	6.9	4.8	381	2.47	58.3	107.6	20.6	10	0.3	12.8	2.7	<2	0.11	0.021



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
968146	Rock Chip	18	4	0.20	51	0.013	2	1.05	0.142	0.24	1.4	<0.01	2.1	0.2	2.13	3	1.2	<0.2			
968147	Rock Chip	19	10	0.19	88	0.025	2	0.97	0.121	0.28	0.5	<0.01	2.6	0.2	1.86	3	1.2	<0.2			
968148	Rock Chip	19	6	0.28	131	0.032	2	1.10	0.114	0.34	0.6	<0.01	2.7	0.2	1.35	3	<0.5	<0.2			
968149	Rock Chip	20	11	0.23	126	0.027	2	1.19	0.157	0.29	0.6	<0.01	2.2	0.2	1.46	3	1.1	<0.2			
968150	Rock Chip	21	4	0.24	106	0.034	2	1.14	0.141	0.32	0.4	<0.01	2.7	0.2	1.65	3	1.1	<0.2			
968151	Rock Chip	28	61	0.68	81	0.097	1	1.25	0.104	0.69	2.0	<0.01	4.9	0.7	0.50	6	<0.5	<0.2			
968152	Rock Chip	29	14	0.30	47	0.062	<1	1.00	0.061	0.43	1.7	<0.01	3.6	0.3	0.46	4	<0.5	0.2			
968153	Rock Chip	30	24	0.37	49	0.076	2	0.88	0.091	0.43	3.8	<0.01	4.1	0.3	0.26	5	<0.5	<0.2			
968154	Rock Chip	28	18	0.39	38	0.087	<1	0.75	0.055	0.47	3.3	<0.01	3.7	0.3	0.12	4	<0.5	<0.2			
968155	Rock Chip	29	33	0.37	40	0.074	<1	0.75	0.055	0.41	>100	0.01	3.4	0.3	0.36	4	<0.5	<0.2			0.034
968156	Rock Chip	23	15	0.44	118	0.087	1	0.93	0.071	0.43	80.6	<0.01	3.7	0.4	0.40	5	<0.5	<0.2			
968157	Rock Chip	27	27	0.31	39	0.083	<1	0.71	0.061	0.40	7.7	<0.01	3.6	0.3	0.20	4	<0.5	<0.2			
968158	Rock Chip	24	15	0.75	290	0.158	<1	1.64	0.092	0.63	10.8	<0.01	4.7	0.4	0.33	6	<0.5	0.2			
968159	Rock Chip	11	14	1.10	348	0.211	<1	2.16	0.154	0.87	2.2	<0.01	4.9	0.7	0.38	6	<0.5	<0.2			
968160	Rock Chip	17	19	0.68	187	0.142	1	1.29	0.085	0.62	5.9	<0.01	4.2	0.4	0.24	5	<0.5	<0.2			
968161	Rock Chip	24	27	0.51	71	0.127	1	1.02	0.067	0.62	3.2	<0.01	4.5	0.4	0.17	6	<0.5	<0.2			
968162	Rock Chip	22	25	0.52	75	0.145	1	1.04	0.068	0.65	5.0	<0.01	4.6	0.4	0.08	6	<0.5	<0.2			
968163	Rock Chip	25	28	0.57	75	0.117	<1	1.10	0.077	0.65	5.3	<0.01	4.3	0.4	0.23	6	<0.5	<0.2			
968164	Rock Chip	30	30	0.59	78	0.136	<1	1.08	0.065	0.70	3.4	<0.01	5.5	0.4	0.10	7	<0.5	<0.2			
968165	Rock Chip	29	27	0.59	79	0.147	1	1.09	0.059	0.68	4.6	<0.01	5.6	0.4	0.40	5	<0.5	<0.2			
968166	Rock Chip	31	30	0.59	72	0.121	1	1.08	0.055	0.62	4.3	<0.01	5.2	0.4	0.32	7	<0.5	0.3			
968167	Rock Chip	31	26	0.45	68	0.051	2	0.99	0.041	0.39	3.1	<0.01	3.1	0.3	1.20	4	<0.5	0.6			
968168	Rock Chip	22	19	0.33	52	0.028	1	1.01	0.030	0.38	2.1	<0.01	2.5	0.3	1.46	3	<0.5	1.0			
968169	Rock Chip	30	24	0.48	64	0.070	<1	1.11	0.041	0.44	2.5	<0.01	4.0	0.3	0.50	5	<0.5	0.2			
968170	Rock Chip	30	20	0.33	46	0.011	<1	1.44	0.010	0.27	1.1	<0.01	3.5	0.3	0.82	5	<0.5	0.6			
968171	Rock Chip	21	9	0.10	43	<0.001	1	0.72	0.005	0.21	2.3	0.02	1.4	0.3	2.89	2	1.0	0.8			
968172	Rock Chip	10	26	0.11	35	0.004	1	0.48	0.011	0.22	2.4	0.02	0.9	0.2	3.94	2	0.6	1.3			
968173	Rock Chip	18	7	0.11	49	<0.001	1	0.63	0.005	0.23	3.0	0.01	1.0	0.2	3.10	2	<0.5	1.1			
968174	Rock Chip	20	14	0.14	42	<0.001	1	0.75	0.006	0.23	1.5	<0.01	1.2	0.2	1.42	2	<0.5	0.5			
968175	Rock Chip	14	5	0.07	54	0.001	2	0.69	0.005	0.31	2.8	<0.01	0.7	0.2	2.17	2	<0.5	0.5			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000707.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968176	Rock Chip	8.12	1.2	61.2	5.7	19	0.2	5.9	5.6	214	2.05	33.9	145.4	20.8	11	0.1	2.7	9.5	<2	0.26	0.014
968177	Rock Chip	7.93	2.0	94.0	9.6	60	0.3	7.4	36.2	275	2.37	41.5	188.0	18.9	13	0.4	10.7	5.5	<2	0.45	0.013
968178	Rock Chip	6.61	1.7	87.7	6.3	22	0.2	9.4	57.5	208	1.91	16.1	138.9	19.4	16	0.1	4.3	6.7	<2	0.41	0.012
968179	Rock Chip	6.54	1.2	135.8	5.1	20	0.3	13.5	5.4	164	2.44	51.7	199.9	15.4	8	0.1	1.4	8.4	2	0.44	0.026
968180	Rock Chip	5.99	1.0	40.9	6.2	23	0.2	28.3	7.3	202	1.91	31.5	81.6	14.2	21	<0.1	0.7	2.7	18	0.44	0.027
968181	Rock Chip	4.53	0.7	96.3	5.2	25	<0.1	27.7	6.2	134	1.87	10.0	228.4	13.6	12	0.2	1.8	4.1	18	0.24	0.029
968182	Rock Chip	4.87	1.9	16.9	4.6	25	<0.1	21.8	5.7	216	1.67	7.4	27.9	14.8	17	<0.1	0.5	1.2	19	0.38	0.025
968183	Rock Chip	5.31	2.5	14.0	4.0	18	<0.1	21.5	5.5	239	1.93	12.5	43.5	11.9	19	<0.1	0.6	0.9	18	0.58	0.027
968184	Rock Chip	1.66	2.0	119.6	16.2	124	0.6	27.0	4.5	175	4.52	29.7	199.6	16.6	25	0.2	3.3	25.0	41	0.12	0.100
968185	Rock Chip	2.34	3.3	227.0	16.2	199	0.6	99.5	23.1	911	6.67	38.4	92.7	5.5	41	1.4	2.1	13.0	153	0.79	0.219
968186	Rock Chip	1.24	1.5	106.8	12.1	101	0.3	9.2	3.0	111	2.97	50.0	76.4	18.9	7	0.2	1.7	8.8	12	0.07	0.032
968187	Rock Chip	2.23	0.8	124.1	13.9	114	0.6	13.0	4.4	133	4.26	50.3	77.7	11.6	20	0.2	2.1	9.6	38	0.23	0.040
968188	Rock Chip	1.81	1.0	49.5	20.6	67	0.6	4.9	2.0	93	2.62	158.9	274.7	6.5	5	0.2	4.8	31.3	6	0.03	0.020
968189	Rock Chip	1.75	1.3	86.5	51.3	86	0.5	3.9	2.0	83	2.71	54.1	124.7	11.2	5	0.3	3.5	15.5	2	0.01	0.026
968190	Rock Chip	1.61	1.7	59.8	20.0	63	0.2	6.5	3.1	112	1.88	21.2	42.7	18.9	5	0.4	2.1	5.0	8	0.06	0.020
968191	Rock Chip	0.91	1.6	70.0	24.0	105	<0.1	11.9	6.5	290	1.93	8.1	22.2	20.6	5	0.9	1.7	1.2	10	0.16	0.020
968192	Rock Chip	2.03	1.2	36.8	18.0	84	<0.1	8.3	5.1	295	1.78	5.1	56.3	20.7	5	0.7	1.3	0.9	11	0.16	0.019
968193	Rock Chip	2.74	1.8	43.4	24.6	50	0.1	8.3	4.9	281	1.79	7.6	13.1	20.7	9	0.1	1.9	1.3	12	0.29	0.025
968194	Rock Chip	2.38	1.3	60.4	16.7	75	0.1	12.7	3.6	152	1.91	11.4	13.9	12.8	5	0.3	2.0	0.8	11	0.17	0.035
968195	Rock Chip	3.98	1.1	49.1	9.5	66	<0.1	9.8	4.5	132	1.89	8.0	5.5	16.6	4	0.8	2.5	1.6	9	0.15	0.035
968196	Rock Chip	4.85	1.1	12.3	5.7	48	<0.1	7.4	4.6	290	1.51	3.8	6.5	19.1	8	0.2	1.4	0.4	12	0.50	0.026
968197	Rock Chip	5.23	1.2	27.5	8.2	69	0.1	8.0	6.0	239	1.26	6.9	28.4	22.7	10	<0.1	2.3	1.2	7	0.62	0.028
968198	Rock Chip	3.27	1.5	80.2	5.4	53	0.2	5.8	3.8	61	1.74	45.3	46.2	18.7	4	0.3	2.2	1.1	4	0.14	0.029
968199	Rock Chip	3.43	1.0	161.0	6.4	48	0.4	6.6	5.3	68	1.55	47.6	96.4	17.7	4	1.0	2.6	1.9	3	0.14	0.027
968200	Rock Chip	8.09	1.3	64.8	10.4	58	0.1	7.5	5.7	136	1.95	19.6	38.6	19.8	5	0.7	3.0	0.9	7	0.18	0.033
968201	Rock Chip	2.97	1.4	159.8	17.4	54	0.4	7.9	8.9	156	2.67	73.6	169.5	17.7	5	0.7	2.2	7.5	3	0.21	0.027
968202	Rock Chip	5.69	1.7	187.4	9.2	46	0.4	7.8	5.9	197	2.29	53.6	107.5	18.8	10	0.4	2.1	5.2	6	0.49	0.031
968203	Rock Chip	4.59	1.2	119.7	6.9	34	0.3	6.5	5.3	184	1.88	43.1	75.9	16.3	9	0.3	1.5	4.0	5	0.49	0.029
968204	Rock Chip	4.70	1.3	70.6	6.4	36	0.1	7.4	4.7	246	2.22	20.3	46.5	17.5	9	0.3	1.9	1.8	12	0.44	0.031
968205	Rock Chip	6.49	1.4	53.5	5.2	19	<0.1	6.5	3.1	167	1.99	18.4	22.5	17.4	10	<0.1	2.2	0.8	9	0.48	0.032

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

## WHI17000707.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As	W	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01	0.005
968176	Rock Chip	15	12	0.13	49	0.002	2	0.43	0.027	0.21	5.4	<0.01	0.8	0.1	1.47	1	<0.5	2.5			
968177	Rock Chip	14	9	0.15	45	0.002	2	0.44	0.021	0.22	>100	0.01	0.7	0.2	1.83	1	<0.5	1.2		0.054	
968178	Rock Chip	17	17	0.17	38	0.002	1	0.35	0.044	0.19	>100	<0.01	0.8	0.1	0.84	1	<0.5	0.5		0.086	
968179	Rock Chip	10	7	0.11	44	0.001	<1	0.52	0.021	0.25	2.6	<0.01	0.5	0.1	2.26	1	0.7	1.7			
968180	Rock Chip	19	32	0.58	60	0.062	2	0.77	0.041	0.44	3.5	<0.01	3.1	0.4	0.68	4	<0.5	0.8			
968181	Rock Chip	20	32	0.63	54	0.050	1	1.04	0.043	0.39	1.4	<0.01	3.0	0.3	0.69	4	<0.5	1.7			
968182	Rock Chip	23	37	0.57	55	0.093	<1	0.88	0.055	0.51	2.8	<0.01	4.1	0.3	0.31	5	<0.5	0.3			
968183	Rock Chip	20	39	0.55	67	0.083	2	0.87	0.051	0.49	6.5	<0.01	3.6	0.3	0.54	4	<0.5	<0.2			
968184	Rock Chip	29	40	1.17	144	0.081	2	1.97	0.060	0.75	0.4	<0.01	4.6	0.7	0.34	7	<0.5	2.6			
968185	Rock Chip	27	134	4.26	246	0.345	1	5.37	0.115	2.60	1.0	<0.01	15.7	1.9	0.45	15	<0.5	1.1			
968186	Rock Chip	22	15	0.29	59	0.014	2	0.72	0.036	0.33	0.8	<0.01	2.1	0.3	0.20	3	<0.5	3.2			
968187	Rock Chip	20	30	0.63	153	0.027	3	1.40	0.113	0.47	0.7	<0.01	4.3	0.4	0.77	5	0.5	3.2			
968188	Rock Chip	18	9	0.16	58	0.004	2	0.60	0.019	0.36	1.1	0.01	0.8	0.3	0.28	2	1.4	4.0			
968189	Rock Chip	21	6	0.07	60	0.001	2	0.51	0.014	0.31	0.9	<0.01	0.6	0.2	0.24	1	0.7	4.6			
968190	Rock Chip	25	11	0.18	51	0.007	2	0.59	0.032	0.26	1.3	<0.01	1.5	0.2	0.25	2	<0.5	1.1			
968191	Rock Chip	29	15	0.27	38	0.016	2	0.75	0.038	0.30	1.6	<0.01	1.8	0.3	0.29	3	<0.5	<0.2			
968192	Rock Chip	33	14	0.33	32	0.017	2	0.76	0.038	0.21	1.2	<0.01	2.2	0.2	0.15	4	<0.5	<0.2			
968193	Rock Chip	31	15	0.34	36	0.022	<1	0.75	0.042	0.26	1.8	<0.01	2.3	0.2	0.17	4	<0.5	<0.2			
968194	Rock Chip	19	17	0.34	41	0.006	2	0.86	0.032	0.27	0.9	<0.01	1.6	0.2	0.14	3	<0.5	<0.2			
968195	Rock Chip	26	14	0.32	35	0.006	2	0.88	0.032	0.28	0.8	<0.01	1.5	0.2	0.30	3	<0.5	<0.2			
968196	Rock Chip	32	15	0.33	31	0.026	2	0.70	0.031	0.25	1.6	<0.01	2.4	0.2	0.17	4	<0.5	<0.2			
968197	Rock Chip	31	9	0.23	30	0.003	2	0.62	0.029	0.22	2.0	<0.01	1.4	0.3	0.38	3	<0.5	<0.2			
968198	Rock Chip	24	10	0.13	42	0.002	2	0.71	0.025	0.28	0.8	<0.01	0.9	0.2	0.62	2	<0.5	<0.2			
968199	Rock Chip	21	5	0.11	32	<0.001	1	0.61	0.023	0.25	15.0	<0.01	0.7	0.2	0.79	2	<0.5	<0.2			
968200	Rock Chip	32	16	0.21	41	0.013	2	0.84	0.036	0.31	12.3	<0.01	1.5	0.4	0.41	3	<0.5	<0.2			
968201	Rock Chip	20	6	0.12	42	0.002	3	0.66	0.020	0.32	9.6	<0.01	0.8	0.3	1.99	2	0.8	0.4			
968202	Rock Chip	23	17	0.20	48	0.003	2	0.62	0.035	0.26	7.7	<0.01	1.5	0.2	1.01	2	<0.5	0.3			
968203	Rock Chip	23	9	0.19	39	0.002	2	0.53	0.030	0.22	7.1	<0.01	1.1	0.2	0.94	2	<0.5	<0.2			
968204	Rock Chip	30	19	0.30	45	0.028	2	0.84	0.045	0.30	3.4	<0.01	2.4	0.3	0.41	4	<0.5	<0.2			
968205	Rock Chip	24	12	0.26	32	0.007	2	0.72	0.042	0.27	4.3	<0.01	1.5	0.3	0.48	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968206	Rock Chip	3.00	1.5	38.2	5.1	19	<0.1	6.6	4.1	272	1.94	15.1	37.0	22.6	15	<0.1	1.6	1.1	10	0.64	0.031
968207	Rock Chip	4.43	1.0	32.4	4.1	13	<0.1	5.2	3.7	187	1.49	24.3	29.8	18.5	13	<0.1	1.3	1.7	8	0.55	0.031
968208	Rock Chip	5.02	1.1	89.4	4.8	25	0.2	9.8	5.1	222	1.83	17.7	118.9	17.0	19	<0.1	1.6	3.7	9	0.53	0.032
968209	Rock Chip	5.25	1.2	62.5	5.1	25	0.1	6.5	5.2	235	1.73	7.1	25.7	17.7	17	<0.1	1.0	1.4	15	0.54	0.027
968210	Rock Chip	9.30	1.7	118.6	6.4	26	0.2	7.1	4.8	261	2.10	10.8	89.2	18.8	12	0.1	1.0	7.1	17	0.50	0.030
968211	Rock Chip	8.73	0.8	95.9	4.7	14	0.2	5.8	5.0	155	1.57	18.5	83.1	15.7	11	<0.1	1.0	5.7	12	0.56	0.024
968212	Rock Chip	6.74	1.0	40.1	3.7	25	<0.1	7.9	5.4	275	2.31	7.2	122.0	11.5	9	<0.1	0.8	1.0	17	0.35	0.031
968213	Rock Chip	5.33	0.9	31.4	3.8	30	<0.1	8.3	5.5	298	1.86	9.1	40.9	12.9	10	<0.1	1.1	1.3	17	0.40	0.033
968214	Rock Chip	10.25	1.0	46.8	4.3	21	0.1	7.1	4.3	276	1.54	10.5	49.2	18.1	13	<0.1	1.1	1.6	9	0.50	0.030
968215	Rock Chip	6.24	1.1	88.5	6.0	20	0.2	7.9	4.8	270	1.88	14.7	272.6	20.4	11	<0.1	1.3	5.4	7	0.40	0.025
968216	Rock Chip	6.30	0.9	18.9	5.8	20	<0.1	5.7	4.5	283	1.76	10.8	21.4	21.1	11	<0.1	1.2	1.0	11	0.42	0.024
968217	Rock Chip	6.40	1.3	34.7	4.8	18	<0.1	6.3	3.8	268	1.98	17.4	42.9	19.4	12	<0.1	1.4	1.1	8	0.45	0.027
968218	Rock Chip	9.05	0.9	39.5	4.5	14	<0.1	5.4	3.2	252	1.60	12.9	43.7	20.0	16	<0.1	0.8	1.2	7	0.52	0.025
968219	Rock Chip	8.76	1.2	145.5	5.3	14	0.3	4.9	2.4	247	1.90	13.9	83.8	20.3	16	<0.1	1.0	5.5	5	0.44	0.026
968220	Rock Chip	7.05	0.7	187.7	3.3	11	0.7	4.6	5.0	187	2.60	37.8	946.2	20.0	6	<0.1	2.0	32.3	<2	0.16	0.025
968221	Rock Chip	5.01	1.0	306.4	4.6	16	0.8	6.0	5.8	241	3.02	49.2	636.3	20.1	9	0.1	1.3	27.8	2	0.21	0.027
968222	Rock Chip	7.62	0.8	47.4	4.7	15	0.1	5.2	4.8	231	1.74	11.1	50.4	19.1	13	<0.1	1.1	2.8	10	0.46	0.024
968223	Rock Chip	10.76	1.1	109.9	4.5	17	0.2	5.6	4.3	231	2.09	21.0	92.9	17.5	15	<0.1	1.2	8.0	9	0.47	0.025
968224	Rock Chip	7.74	0.8	22.9	3.7	21	<0.1	5.7	4.8	258	1.81	4.3	29.5	15.7	11	<0.1	0.5	1.4	16	0.48	0.026
968225	Rock Chip	8.67	1.5	17.7	4.6	26	<0.1	6.6	4.5	312	2.13	3.4	14.0	20.9	12	<0.1	0.5	1.1	17	0.47	0.030
968226	Rock Chip	6.87	1.4	17.2	4.4	18	<0.1	9.0	5.4	200	2.18	41.5	21.6	20.5	12	<0.1	0.9	1.0	19	0.57	0.030
968227	Rock Chip	7.60	1.2	31.0	4.2	16	<0.1	6.9	4.9	291	2.07	4.8	49.9	17.2	10	<0.1	0.7	1.7	15	0.42	0.028
968228	Rock Chip	7.66	1.0	33.4	3.9	15	<0.1	7.2	4.7	253	1.79	5.0	25.5	16.5	13	<0.1	0.6	1.4	16	0.59	0.029
968229	Rock Chip	7.95	1.6	37.7	3.9	13	<0.1	6.0	4.2	195	1.67	7.6	38.8	18.2	13	<0.1	0.8	1.5	9	0.65	0.026
968230	Rock Chip	7.56	0.9	55.9	3.9	13	0.1	5.5	3.8	165	1.64	30.2	120.7	17.6	12	<0.1	0.9	1.8	10	0.65	0.026
968231	Rock Chip	6.18	0.9	77.4	4.4	13	0.1	5.2	3.6	189	1.76	27.1	127.3	18.7	17	<0.1	0.8	1.8	8	0.68	0.029
968232	Rock Chip	5.48	1.3	37.6	5.2	16	<0.1	6.5	4.7	230	2.15	7.6	26.8	18.6	15	<0.1	1.2	1.2	11	0.59	0.031
968233	Rock Chip	4.16	1.3	26.0	6.3	18	<0.1	7.2	5.4	292	1.91	6.0	29.5	19.1	15	<0.1	1.8	1.0	13	0.61	0.031
968234	Rock Chip	3.26	1.2	84.0	6.6	14	0.2	6.3	4.4	291	1.79	17.0	135.7	20.7	18	<0.1	1.2	1.8	7	0.67	0.030
968235	Rock Chip	5.14	1.3	163.0	7.9	13	0.3	8.0	6.2	170	1.84	57.0	260.2	21.7	23	<0.1	2.5	3.7	4	0.49	0.030



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000707.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	2	0.01
968206	Rock Chip	30	18	0.31	38	0.012	2	0.57	0.050	0.26	4.5	<0.01	2.1	0.3	0.37	3	<0.5	<0.2			
968207	Rock Chip	26	10	0.24	35	0.004	2	0.55	0.043	0.24	4.0	<0.01	1.6	0.3	0.44	2	<0.5	<0.2			
968208	Rock Chip	25	17	0.27	46	0.008	2	0.58	0.044	0.26	3.4	<0.01	1.9	0.2	0.55	3	<0.5	0.6			
968209	Rock Chip	33	14	0.37	48	0.058	<1	0.73	0.050	0.39	4.0	<0.01	3.3	0.3	0.33	4	<0.5	0.2			
968210	Rock Chip	38	24	0.43	45	0.046	2	0.87	0.062	0.36	3.6	<0.01	3.5	0.4	0.33	5	<0.5	1.3			
968211	Rock Chip	29	12	0.27	42	0.027	2	0.63	0.051	0.29	2.3	<0.01	2.0	0.3	0.56	3	<0.5	2.7			
968212	Rock Chip	25	22	0.35	47	0.069	1	0.85	0.053	0.43	1.4	<0.01	3.3	0.4	0.49	4	<0.5	0.3			
968213	Rock Chip	27	15	0.35	43	0.056	1	0.80	0.047	0.37	2.3	<0.01	3.3	0.4	0.32	4	<0.5	0.3			
968214	Rock Chip	33	11	0.24	29	0.017	3	0.51	0.039	0.23	2.2	<0.01	1.9	0.2	0.39	3	<0.5	0.3			
968215	Rock Chip	27	17	0.16	32	0.006	3	0.47	0.039	0.22	1.6	<0.01	1.5	0.2	0.73	2	<0.5	0.7			
968216	Rock Chip	34	12	0.30	34	0.037	<1	0.67	0.045	0.30	2.7	<0.01	2.6	0.3	0.24	3	<0.5	<0.2			
968217	Rock Chip	29	18	0.25	29	0.011	<1	0.55	0.038	0.22	1.8	<0.01	1.6	0.3	0.52	2	<0.5	<0.2			
968218	Rock Chip	27	10	0.27	31	0.006	<1	0.43	0.034	0.21	2.0	<0.01	1.5	0.2	0.57	2	<0.5	<0.2			
968219	Rock Chip	23	16	0.19	37	0.003	3	0.42	0.032	0.24	1.6	<0.01	1.2	0.2	0.83	2	<0.5	1.1			
968220	Rock Chip	11	5	0.06	46	0.001	4	0.40	0.008	0.30	2.5	<0.01	0.5	0.2	2.40	1	0.7	15.7	153		
968221	Rock Chip	16	14	0.10	52	0.001	4	0.49	0.013	0.33	2.0	<0.01	0.7	0.2	2.40	2	<0.5	11.1	412		
968222	Rock Chip	31	10	0.26	33	0.018	<1	0.63	0.046	0.26	1.8	<0.01	2.2	0.2	0.48	3	<0.5	0.6			
968223	Rock Chip	26	17	0.24	41	0.020	<1	0.60	0.048	0.31	1.1	<0.01	2.1	0.2	0.76	3	<0.5	2.6			
968224	Rock Chip	27	13	0.37	42	0.071	<1	0.75	0.052	0.42	1.9	<0.01	3.1	0.3	0.33	4	<0.5	0.4			
968225	Rock Chip	33	25	0.38	49	0.080	<1	0.82	0.063	0.48	1.8	<0.01	3.4	0.4	0.17	5	<0.5	0.4			
968226	Rock Chip	39	21	0.39	41	0.054	2	0.92	0.045	0.39	1.9	<0.01	3.4	0.4	0.39	4	<0.5	<0.2			
968227	Rock Chip	29	21	0.33	40	0.057	2	0.73	0.058	0.39	1.4	<0.01	3.1	0.3	0.34	4	<0.5	0.4			
968228	Rock Chip	28	15	0.35	39	0.053	2	0.68	0.053	0.36	1.9	<0.01	3.2	0.3	0.36	4	<0.5	0.3			
968229	Rock Chip	27	20	0.23	29	0.018	<1	0.57	0.047	0.25	2.8	<0.01	1.8	0.2	0.39	3	<0.5	0.3			
968230	Rock Chip	28	11	0.17	33	0.017	2	0.60	0.049	0.28	1.7	<0.01	1.9	0.2	0.55	3	<0.5	0.3			
968231	Rock Chip	26	15	0.23	37	0.014	2	0.57	0.043	0.28	1.2	<0.01	1.8	0.2	0.69	2	<0.5	0.3			
968232	Rock Chip	31	21	0.25	43	0.035	<1	0.70	0.049	0.34	1.4	<0.01	2.7	0.3	0.56	3	<0.5	0.3			
968233	Rock Chip	32	15	0.28	34	0.036	<1	0.61	0.038	0.31	2.9	<0.01	2.7	0.3	0.41	3	<0.5	0.2			
968234	Rock Chip	29	18	0.22	30	0.008	1	0.57	0.037	0.23	1.3	<0.01	1.9	0.2	0.56	2	<0.5	0.6			
968235	Rock Chip	25	8	0.15	45	<0.001	1	0.78	0.014	0.19	2.1	0.01	0.9	0.3	1.06	2	<0.5	1.1			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707.2

Method Analyte Unit MDL	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
968236	Rock Chip	4.69	1.6	237.5	7.6	11	0.4	6.0	5.5	263	2.48	27.9	151.4	20.5	19	<0.1	1.0	4.7	4	0.58	0.029
968237	Rock Chip	5.88	0.8	134.2	6.4	11	0.2	5.3	3.7	200	1.49	23.3	93.5	17.7	13	<0.1	0.9	3.0	5	0.55	0.027
968238	Rock Chip	5.66	1.0	172.9	9.9	15	0.2	7.3	6.0	184	2.31	70.2	190.0	14.6	21	<0.1	1.4	4.9	5	0.40	0.031
968239	Rock Chip	7.27	0.9	51.7	7.0	16	<0.1	5.6	4.5	189	1.72	13.9	66.6	16.7	13	<0.1	0.8	1.8	12	0.44	0.027
968240	Rock Chip	7.38	1.0	102.8	6.7	13	0.1	4.9	4.1	217	1.97	8.0	93.0	16.1	13	<0.1	1.0	2.7	11	0.57	0.025
968241	Rock Chip	7.51	0.9	86.9	5.8	12	0.1	6.0	6.1	179	1.84	14.0	388.8	11.8	15	<0.1	1.2	3.2	9	0.69	0.028
968242	Rock Chip	8.13	1.3	56.0	4.5	18	<0.1	6.1	5.1	230	2.06	13.7	39.3	10.9	14	<0.1	1.2	1.5	14	0.51	0.029
968243	Rock Chip	7.63	0.9	26.7	2.8	21	<0.1	5.4	4.7	209	1.69	8.4	21.0	10.5	10	<0.1	0.8	0.8	15	0.32	0.022
968244	Rock Chip	7.52	1.4	52.8	6.1	15	<0.1	5.3	4.2	224	2.02	11.7	31.2	15.4	14	<0.1	0.7	1.3	10	0.50	0.023
968245	Rock Chip	5.59	0.8	45.1	6.8	16	<0.1	5.0	4.4	193	1.62	6.6	27.3	13.9	14	<0.1	0.9	0.7	12	0.51	0.021
968246	Rock Chip	9.68	1.0	57.3	5.9	10	0.1	5.3	4.1	235	1.99	4.9	29.0	14.6	18	<0.1	0.7	1.1	9	0.72	0.024
968247	Rock Chip	6.51	1.0	71.0	9.2	17	0.2	6.6	5.2	219	2.26	18.0	34.1	17.9	19	<0.1	1.2	1.1	12	0.62	0.024
968248	Rock Chip	6.31	1.2	49.0	7.7	15	0.1	5.4	4.2	212	2.10	10.6	30.3	16.6	21	<0.1	0.8	0.9	10	0.54	0.022
968249	Rock Chip	6.38	1.6	62.6	13.9	15	0.2	9.3	4.8	181	1.80	7.6	23.0	16.4	17	<0.1	0.9	1.0	8	0.55	0.022
968250	Rock Chip	7.11	1.1	35.0	11.4	17	<0.1	5.5	4.3	177	1.73	6.1	13.6	15.0	16	<0.1	0.7	0.8	10	0.47	0.019
968251	Rock Chip	6.60	1.6	43.1	11.8	14	<0.1	8.6	5.2	167	1.73	7.0	20.3	16.4	16	<0.1	0.7	1.6	9	0.58	0.023
968252	Rock Chip	5.37	1.0	43.4	8.0	13	<0.1	5.2	4.0	144	1.60	10.5	23.7	14.8	20	<0.1	0.4	1.9	7	0.53	0.022
968253	Rock Chip	6.90	1.4	37.1	7.0	15	<0.1	10.6	5.3	199	1.80	6.9	8.5	13.7	22	<0.1	0.5	1.1	12	0.60	0.024
968254	Rock Chip	6.89	1.2	28.1	4.5	18	<0.1	8.5	5.0	200	1.86	2.9	8.6	12.4	19	<0.1	0.7	0.7	16	0.55	0.023
968255	Rock Chip	4.62	1.6	29.1	5.0	14	<0.1	9.9	5.9	211	2.26	11.1	46.7	17.0	24	<0.1	0.5	1.2	15	0.63	0.031
968256	Rock Chip	5.05	3.6	33.6	4.8	20	<0.1	10.8	6.6	237	2.13	4.6	14.0	24.0	19	<0.1	0.5	1.4	22	0.50	0.027
968257	Rock Chip	2.17	1.9	12.0	17.6	51	0.1	9.4	5.8	373	1.81	223.1	12.3	9.4	51	0.2	1.5	0.8	30	0.54	0.036
968258	Rock Chip	2.34	1.3	9.1	7.0	94	<0.1	5.3	4.7	373	1.90	102.5	9.1	8.7	68	0.5	1.3	0.4	17	1.06	0.036
968259	Rock Chip	1.53	1.5	24.7	19.6	689	0.6	6.0	6.6	733	2.14	175.7	25.6	11.2	59	9.3	6.8	2.0	8	1.80	0.035
968260	Rock Chip	2.67	1.7	5.4	8.5	100	<0.1	2.8	4.2	374	1.63	11.3	1.1	10.1	84	0.6	1.0	0.2	15	1.56	0.030
968261	Rock Chip	2.71	2.0	7.5	4.6	41	<0.1	5.5	5.6	292	1.67	6.8	1.8	9.0	105	0.1	0.5	0.1	25	1.29	0.030
968262	Rock Chip	2.56	1.2	10.0	4.8	35	<0.1	2.3	5.1	462	1.83	5.9	0.7	8.7	100	<0.1	1.0	0.2	19	2.64	0.036
968263	Rock Chip	4.11	2.1	10.2	5.6	47	<0.1	6.0	8.8	443	2.84	2.2	<0.5	6.4	95	0.1	0.4	<0.1	52	1.35	0.050
968264	Rock Chip	3.14	1.5	5.7	2.9	27	<0.1	2.9	4.3	272	1.68	2.5	0.7	8.0	126	<0.1	0.2	<0.1	19	1.58	0.033
968265	Rock Chip	2.88	0.6	4.5	4.4	26	<0.1	1.7	3.9	399	1.41	2.2	<0.5	8.2	178	<0.1	0.3	0.2	9	3.64	0.032



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000707.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	0.01
968236	Rock Chip	22	20	0.17	69	0.001	2	0.67	0.036	0.23	2.6	<0.01	1.1	0.2	1.28	2	<0.5	1.9			
968237	Rock Chip	24	7	0.15	28	0.002	<1	0.53	0.036	0.22	1.4	<0.01	1.0	0.2	0.64	2	<0.5	0.9			
968238	Rock Chip	27	15	0.18	30	0.003	1	0.83	0.032	0.26	0.7	<0.01	1.3	0.3	0.92	3	<0.5	1.6			
968239	Rock Chip	29	13	0.29	36	0.050	<1	0.78	0.043	0.36	1.1	<0.01	2.6	0.3	0.25	4	<0.5	0.4			
968240	Rock Chip	30	19	0.29	35	0.036	1	0.70	0.052	0.32	0.9	<0.01	2.4	0.3	0.42	4	<0.5	1.1			
968241	Rock Chip	29	11	0.24	30	0.014	1	0.60	0.045	0.24	1.3	<0.01	1.8	0.2	0.86	3	<0.5	1.2			
968242	Rock Chip	26	21	0.31	48	0.071	<1	0.76	0.054	0.42	1.5	<0.01	3.1	0.3	0.44	4	<0.5	0.6			
968243	Rock Chip	22	14	0.31	48	0.098	<1	0.71	0.047	0.47	1.5	<0.01	3.3	0.4	0.32	3	<0.5	0.3			
968244	Rock Chip	26	20	0.25	39	0.054	1	0.65	0.045	0.38	1.2	<0.01	2.4	0.2	0.57	3	<0.5	0.5			
968245	Rock Chip	25	12	0.28	42	0.065	1	0.67	0.048	0.41	1.5	<0.01	2.7	0.3	0.42	3	<0.5	0.3			
968246	Rock Chip	23	17	0.27	39	0.036	1	0.66	0.045	0.33	0.9	<0.01	2.2	0.2	0.73	3	<0.5	0.5			
968247	Rock Chip	24	13	0.32	41	0.051	1	0.80	0.040	0.39	1.3	<0.01	2.6	0.2	1.12	3	<0.5	0.3			
968248	Rock Chip	23	17	0.28	39	0.037	<1	0.81	0.039	0.36	0.9	<0.01	2.2	0.2	0.83	3	<0.5	<0.2			
968249	Rock Chip	24	14	0.26	33	0.028	1	0.68	0.039	0.28	0.7	<0.01	2.0	0.2	0.73	3	<0.5	0.3			
968250	Rock Chip	23	13	0.30	35	0.049	<1	0.77	0.040	0.34	0.6	<0.01	2.6	0.2	0.62	4	<0.5	<0.2			
968251	Rock Chip	24	14	0.24	44	0.033	<1	0.67	0.051	0.31	0.7	<0.01	2.1	0.2	0.61	3	<0.5	0.2			
968252	Rock Chip	20	10	0.25	39	0.026	<1	0.69	0.038	0.28	0.8	<0.01	1.8	0.2	0.83	3	<0.5	0.7			
968253	Rock Chip	22	17	0.33	46	0.048	<1	0.84	0.049	0.37	0.5	<0.01	2.5	0.2	0.57	4	<0.5	0.3			
968254	Rock Chip	22	19	0.39	62	0.075	<1	0.88	0.051	0.45	0.8	<0.01	2.9	0.3	0.55	4	<0.5	<0.2			
968255	Rock Chip	25	18	0.39	61	0.061	<1	0.93	0.042	0.43	0.6	<0.01	3.3	0.3	1.01	4	<0.5	0.3			
968256	Rock Chip	35	34	0.44	65	0.112	<1	0.97	0.062	0.58	4.2	<0.01	4.4	0.4	0.28	5	<0.5	0.2			
968257	Rock Chip	14	17	0.32	353	0.067	1	1.35	0.161	0.31	0.7	<0.01	2.4	0.2	<0.05	4	<0.5	<0.2			
968258	Rock Chip	20	11	0.32	319	0.021	<1	1.47	0.176	0.18	0.4	<0.01	2.4	0.1	<0.05	4	<0.5	<0.2			
968259	Rock Chip	22	9	0.24	199	0.002	2	0.82	0.054	0.20	0.5	0.01	1.5	0.2	0.30	2	<0.5	<0.2			
968260	Rock Chip	18	9	0.30	541	0.049	1	1.50	0.199	0.25	0.6	<0.01	2.0	0.2	<0.05	4	<0.5	<0.2			
968261	Rock Chip	15	13	0.32	498	0.079	<1	1.72	0.290	0.23	0.6	<0.01	2.4	0.2	<0.05	5	<0.5	<0.2			
968262	Rock Chip	21	9	0.44	195	0.008	<1	1.30	0.103	0.16	0.3	<0.01	2.6	<0.1	0.06	4	<0.5	<0.2			
968263	Rock Chip	13	19	0.80	862	0.209	<1	1.93	0.262	0.63	0.6	<0.01	6.2	0.4	<0.05	6	<0.5	<0.2			
968264	Rock Chip	17	12	0.38	450	0.071	<1	1.64	0.234	0.24	0.4	<0.01	2.9	0.2	<0.05	5	<0.5	<0.2			
968265	Rock Chip	20	5	0.34	209	0.002	<1	1.26	0.050	0.12	<0.1	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968266	Rock Chip	6.48	1.4	7.5	4.8	46	<0.1	4.5	4.9	342	1.85	6.4	0.9	10.0	146	0.1	0.5	<0.1	17	2.16	0.035
968267	Rock Chip	5.54	1.8	7.8	3.3	30	<0.1	4.8	5.1	286	2.03	2.2	1.3	9.4	127	<0.1	0.3	<0.1	20	1.54	0.038
968268	Rock Chip	2.98	1.7	5.7	3.3	30	<0.1	4.2	4.7	274	2.07	2.6	0.6	9.9	123	<0.1	0.2	<0.1	23	1.31	0.035
968269	Rock Chip	6.00	1.0	8.8	26.6	56	0.3	1.1	4.1	382	1.77	20.0	2.0	8.8	129	0.3	0.5	0.4	15	3.55	0.032
968270	Rock Chip	6.76	2.2	28.9	7.9	32	0.4	3.6	5.0	516	1.53	10.7	2.7	10.9	151	<0.1	1.1	0.5	9	3.61	0.037
968271	Rock Chip	3.48	4.2	44.1	6.2	21	0.6	3.1	3.6	411	1.34	7.7	2.4	13.6	123	<0.1	0.8	0.9	7	2.84	0.029
968272	Rock Chip	6.06	2.0	26.2	4.8	22	0.2	2.3	3.4	258	1.56	4.5	2.0	11.2	105	<0.1	0.3	0.5	16	1.53	0.024
968273	Rock Chip	10.70	2.3	18.3	4.3	25	<0.1	4.1	4.5	269	1.76	3.5	1.9	12.8	111	<0.1	0.2	0.4	22	1.33	0.027
968274	Rock Chip	7.97	1.8	28.3	13.8	29	0.2	2.3	3.6	262	1.57	8.6	1.1	11.6	114	<0.1	0.3	0.9	19	1.45	0.025
968275	Rock Chip	5.15	12.5	23.8	4.1	20	<0.1	3.9	3.7	217	1.57	2.4	1.6	10.0	116	<0.1	0.3	0.9	19	1.24	0.025
968276	Rock Chip	3.36	9.7	37.1	3.8	20	0.1	1.7	3.5	262	1.47	2.7	0.6	12.4	104	<0.1	0.4	0.8	17	1.89	0.023
968277	Rock Chip	5.11	11.7	75.2	75.7	80	1.6	4.1	4.3	253	5.39	>10000	614.5	11.4	43	0.7	29.0	9.8	6	1.09	0.026
968278	Rock Chip	8.42	9.5	34.6	8.9	25	0.2	1.7	3.5	711	1.86	298.8	16.9	13.0	89	0.1	10.3	1.3	9	2.62	0.026
968279	Rock Chip	2.52	7.1	14.9	4.1	21	<0.1	4.0	3.5	206	1.54	15.3	<0.5	11.8	110	<0.1	0.3	0.2	17	1.16	0.021
968280	Rock Chip	3.35	5.3	16.3	4.3	20	<0.1	2.2	3.4	204	1.50	8.0	<0.5	14.2	116	<0.1	0.3	0.2	17	1.16	0.024
968281	Rock Chip	7.41	9.4	16.0	4.8	21	<0.1	4.3	3.8	213	1.56	4.5	0.8	12.3	111	<0.1	0.3	0.2	16	1.17	0.024
968282	Rock Chip	3.78	3.2	7.0	6.4	20	<0.1	2.4	2.8	352	1.39	2.6	<0.5	12.4	101	<0.1	0.4	0.2	11	2.16	0.024
968283	Rock Chip	4.80	5.4	4.5	4.2	21	<0.1	4.9	4.1	257	1.64	2.3	0.7	14.8	106	<0.1	0.3	0.2	17	1.40	0.022





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	As	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01
968266	Rock Chip	19	10	0.39	671	0.034	<1	1.77	0.125	0.23	0.7	<0.01	2.8	0.1	<0.05	5	<0.5	<0.2			
968267	Rock Chip	14	12	0.40	734	0.098	<1	1.96	0.303	0.33	0.3	<0.01	3.5	0.2	<0.05	6	<0.5	<0.2			
968268	Rock Chip	19	12	0.39	850	0.109	<1	1.91	0.301	0.34	0.2	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2			
968269	Rock Chip	19	5	0.34	620	0.047	<1	1.43	0.141	0.28	0.1	0.01	3.1	0.2	0.08	4	<0.5	<0.2			
968270	Rock Chip	19	9	0.24	343	0.006	<1	1.00	0.069	0.23	0.3	0.02	2.1	0.1	0.08	3	<0.5	<0.2			
968271	Rock Chip	16	7	0.18	179	<0.001	<1	1.02	0.072	0.19	0.9	<0.01	1.7	0.1	0.11	3	<0.5	<0.2			
968272	Rock Chip	17	12	0.29	208	0.024	<1	1.70	0.282	0.11	0.6	<0.01	2.4	<0.1	0.11	5	<0.5	<0.2			
968273	Rock Chip	21	13	0.37	420	0.109	<1	1.91	0.316	0.17	2.5	<0.01	3.0	0.1	0.08	5	<0.5	<0.2			
968274	Rock Chip	17	12	0.33	282	0.060	<1	1.84	0.318	0.13	3.2	<0.01	2.6	<0.1	0.11	5	<0.5	<0.2			
968275	Rock Chip	11	14	0.30	458	0.097	<1	1.94	0.358	0.23	3.0	<0.01	2.4	0.1	0.09	5	<0.5	<0.2			
968276	Rock Chip	18	10	0.29	363	0.043	<1	1.65	0.250	0.24	1.3	<0.01	2.2	0.1	0.11	4	<0.5	<0.2			
968277	Rock Chip	10	10	0.09	29	0.001	2	0.79	0.057	0.31	1.8	<0.01	1.1	0.3	4.28	2	<0.5	<0.2	589	1.53	
968278	Rock Chip	17	8	0.18	200	0.004	2	1.21	0.111	0.26	1.3	<0.01	1.5	0.2	0.61	3	<0.5	<0.2			
968279	Rock Chip	17	13	0.27	462	0.090	<1	1.84	0.337	0.23	1.3	<0.01	2.3	0.1	0.09	5	<0.5	<0.2			
968280	Rock Chip	22	15	0.27	564	0.102	<1	1.94	0.377	0.26	2.1	<0.01	2.4	0.2	0.10	5	<0.5	<0.2			
968281	Rock Chip	16	15	0.26	486	0.097	<1	1.83	0.354	0.22	1.4	<0.01	2.5	0.2	0.09	5	<0.5	<0.2			
968282	Rock Chip	18	12	0.21	329	0.026	2	1.32	0.180	0.23	1.4	<0.01	1.7	0.1	<0.05	3	<0.5	<0.2			
968283	Rock Chip	17	17	0.25	433	0.061	1	1.66	0.299	0.21	0.8	<0.01	2.2	0.1	<0.05	5	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 1 of 2 **Part:** 1 of 2

# QUALITY CONTROL REPORT

WHI17000707.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
968148	Rock Chip	4.85	0.6	34.6	3.9	15	<0.1	4.2	5.0	217	2.34	2.4	10.5	16.0	49	<0.1	0.3	0.4	12	1.26	0.034
REP 968148	QC		0.5	36.9	3.9	17	<0.1	3.7	4.6	207	2.36	2.5	14.2	16.6	51	<0.1	0.3	0.4	12	1.25	0.031
968181	Rock Chip	4.53	0.7	96.3	5.2	25	<0.1	27.7	6.2	134	1.87	10.0	228.4	13.6	12	0.2	1.8	4.1	18	0.24	0.029
REP 968181	QC		0.6	97.3	5.1	23	<0.1	29.0	6.6	141	1.84	9.0	93.9	12.5	12	0.1	1.8	3.9	18	0.24	0.030
968245	Rock Chip	5.59	0.8	45.1	6.8	16	<0.1	5.0	4.4	193	1.62	6.6	27.3	13.9	14	<0.1	0.9	0.7	12	0.51	0.021
REP 968245	QC		0.9	46.6	6.9	17	<0.1	5.0	4.3	205	1.63	6.8	25.8	14.1	15	<0.1	0.8	0.7	12	0.50	0.022
968277	Rock Chip	5.11	11.7	75.2	75.7	80	1.6	4.1	4.3	253	5.39	>10000	614.5	11.4	43	0.7	29.0	9.8	6	1.09	0.026
REP 968277	QC																				
968280	Rock Chip	3.35	5.3	16.3	4.3	20	<0.1	2.2	3.4	204	1.50	8.0	<0.5	14.2	116	<0.1	0.3	0.2	17	1.16	0.024
REP 968280	QC		5.4	16.4	4.2	21	<0.1	2.5	3.6	194	1.50	8.1	2.8	14.1	123	<0.1	0.3	0.2	18	1.18	0.023
Core Reject Duplicates																					
968162	Rock Chip	6.07	2.2	9.1	3.8	36	<0.1	10.7	5.4	324	1.93	2.3	10.1	11.5	7	<0.1	0.2	0.9	23	0.25	0.019
DUP 968162	QC		1.7	8.3	3.6	30	<0.1	10.2	5.6	337	1.91	2.0	3.8	11.4	6	<0.1	0.1	0.7	24	0.25	0.018
968196	Rock Chip	4.85	1.1	12.3	5.7	48	<0.1	7.4	4.6	290	1.51	3.8	6.5	19.1	8	0.2	1.4	0.4	12	0.50	0.026
DUP 968196	QC		1.2	13.9	6.0	53	<0.1	8.5	5.1	307	1.60	3.5	28.3	19.3	8	0.1	1.5	0.4	12	0.51	0.026
968230	Rock Chip	7.56	0.9	55.9	3.9	13	0.1	5.5	3.8	165	1.64	30.2	120.7	17.6	12	<0.1	0.9	1.8	10	0.65	0.026
DUP 968230	QC		0.8	56.6	4.0	12	0.1	5.7	3.6	169	1.65	32.2	46.9	18.0	12	<0.1	0.8	1.7	10	0.65	0.028
968264	Rock Chip	3.14	1.5	5.7	2.9	27	<0.1	2.9	4.3	272	1.68	2.5	0.7	8.0	126	<0.1	0.2	<0.1	19	1.58	0.033
DUP 968264	QC		1.6	5.8	2.8	27	<0.1	2.7	4.1	261	1.63	2.5	<0.5	7.9	125	<0.1	0.3	<0.1	18	1.55	0.031
Reference Materials																					
STD AMIS0140	Standard																				
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard		14.4	158.8	143.6	349	1.8	80.4	13.9	1035	3.10	43.7	77.5	7.7	65	2.4	8.6	11.8	53	1.04	0.072
STD DS11	Standard		14.7	153.5	134.3	341	1.7	78.5	13.9	989	3.09	42.7	87.4	7.4	62	2.2	8.4	11.3	49	1.03	0.072
STD DS11	Standard		13.4	146.7	130.1	339	1.8	82.0	14.6	1025	3.08	39.7	81.6	6.9	62	2.1	7.6	9.5	54	1.05	0.074
STD DS11	Standard		14.2	150.4	137.7	337	1.8	81.1	14.5	1044	3.12	38.1	64.4	7.5	62	2.2	7.8	10.1	48	1.04	0.072
STD NBLG	Standard																				



# QUALITY CONTROL REPORT

WHI17000707.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	As	W
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	2	0.01	0.005
Pulp Duplicates																					
968148	Rock Chip	19	6	0.28	131	0.032	2	1.10	0.114	0.34	0.6	<0.01	2.7	0.2	1.35	3	<0.5	<0.2			
REP 968148	QC	19	6	0.28	122	0.033	2	1.12	0.116	0.34	0.5	<0.01	2.9	0.3	1.35	3	<0.5	<0.2			
968181	Rock Chip	20	32	0.63	54	0.050	1	1.04	0.043	0.39	1.4	<0.01	3.0	0.3	0.69	4	<0.5	1.7			
REP 968181	QC	19	31	0.63	51	0.045	<1	1.06	0.043	0.39	1.3	<0.01	2.5	0.3	0.69	4	<0.5	1.2			
968245	Rock Chip	25	12	0.28	42	0.065	1	0.67	0.048	0.41	1.5	<0.01	2.7	0.3	0.42	3	<0.5	0.3			
REP 968245	QC	25	12	0.28	44	0.069	<1	0.66	0.047	0.41	1.4	<0.01	2.7	0.3	0.43	3	<0.5	0.3			
968277	Rock Chip	10	10	0.09	29	0.001	2	0.79	0.057	0.31	1.8	<0.01	1.1	0.3	4.28	2	<0.5	<0.2	589	1.53	
REP 968277	QC																				1.50
968280	Rock Chip	22	15	0.27	564	0.102	<1	1.94	0.377	0.26	2.1	<0.01	2.4	0.2	0.10	5	<0.5	<0.2			
REP 968280	QC	23	15	0.27	560	0.104	<1	2.01	0.385	0.26	2.0	<0.01	2.7	0.2	0.10	5	<0.5	<0.2			
Core Reject Duplicates																					
968162	Rock Chip	22	25	0.52	75	0.145	1	1.04	0.068	0.65	5.0	<0.01	4.6	0.4	0.08	6	<0.5	<0.2			
DUP 968162	QC	21	26	0.52	67	0.146	<1	1.03	0.070	0.65	4.7	<0.01	3.9	0.4	0.08	5	<0.5	<0.2			
968196	Rock Chip	32	15	0.33	31	0.026	2	0.70	0.031	0.25	1.6	<0.01	2.4	0.2	0.17	4	<0.5	<0.2			
DUP 968196	QC	33	15	0.34	33	0.023	2	0.74	0.035	0.27	1.6	<0.01	2.4	0.3	0.18	4	<0.5	<0.2			
968230	Rock Chip	28	11	0.17	33	0.017	2	0.60	0.049	0.28	1.7	<0.01	1.9	0.2	0.55	3	<0.5	0.3			
DUP 968230	QC	27	12	0.19	32	0.017	<1	0.61	0.048	0.27	1.9	<0.01	2.0	0.2	0.57	3	<0.5	0.3			
968264	Rock Chip	17	12	0.38	450	0.071	<1	1.64	0.234	0.24	0.4	<0.01	2.9	0.2	<0.05	5	<0.5	<0.2			
DUP 968264	QC	16	10	0.38	443	0.072	<1	1.58	0.221	0.23	0.5	<0.01	2.8	0.2	<0.05	5	<0.5	<0.2			
Reference Materials																					
STD AMIS0140	Standard																				<0.005
STD CDN-ME-9A	Standard																				<0.01
STD CDN-ME-14A	Standard																				0.01
STD DS11	Standard	18	62	0.85	378	0.091	9	1.15	0.072	0.40	3.2	0.28	3.2	5.1	0.30	5	2.0	4.6			
STD DS11	Standard	18	58	0.82	349	0.093	7	1.13	0.073	0.40	2.8	0.25	3.1	4.7	0.28	5	1.6	4.5			
STD DS11	Standard	17	62	0.85	368	0.088	7	1.18	0.073	0.40	2.8	0.23	3.1	4.9	0.29	5	2.5	4.5			
STD DS11	Standard	19	59	0.85	395	0.095	8	1.15	0.072	0.40	3.0	0.27	2.8	4.7	0.27	5	2.2	4.2			
STD NBLG	Standard																				<0.005



# QUALITY CONTROL REPORT

WHI17000707.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC129	Standard		1.2	27.6	6.1	39	<0.1	79.9	20.7	421	3.00	<0.5	191.2	1.8	178	<0.1	<0.1	<0.1	55	0.65	0.106
STD OXC129	Standard		1.2	26.8	5.8	38	<0.1	77.8	20.0	415	3.03	0.5	192.3	1.7	172	<0.1	<0.1	<0.1	51	0.65	0.102
STD OXC129	Standard		1.1	25.0	5.1	34	<0.1	79.9	20.3	408	2.94	<0.5	183.9	1.7	154	<0.1	<0.1	<0.1	54	0.65	0.102
STD OXC129	Standard		1.2	29.6	5.6	42	<0.1	83.6	20.6	434	3.09	0.6	184.2	1.7	168	<0.1	<0.1	<0.1	51	0.72	0.092
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD W107	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD W107 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	5.3	1.2	37	<0.1	2.7	4.3	582	1.95	1.1	1.7	2.4	28	<0.1	<0.1	<0.1	23	0.72	0.033
ROCK-WHI	Prep Blank		0.6	5.3	1.4	40	<0.1	1.7	4.4	581	2.06	0.8	<0.5	2.2	28	<0.1	<0.1	<0.1	25	0.72	0.037



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 09, 2017

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000707.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	As	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01	0.005
STD OXC129	Standard	12	53	1.56	49	0.402	2	1.56	0.571	0.37	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	12	52	1.53	45	0.399	<1	1.52	0.590	0.38	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	11	48	1.54	45	0.355	2	1.54	0.565	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	11	50	1.56	50	0.401	<1	1.60	0.597	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2			
STD OXC145	Standard																				207
STD OXC145	Standard																				217
STD OXH139	Standard																				1282
STD OXH139	Standard																				1381
STD W107	Standard																				0.463
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6					
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56			
STD CDN-ME-9A Expected																					0.00125
STD CDN-ME-14A Expected																					0.0105
STD OXC145 Expected																					212
STD OXH139 Expected																					1312
STD W107 Expected																					0.4235
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
BLK	Blank																				<0.01
BLK	Blank																				3
BLK	Blank																				3
BLK	Blank																				<2
BLK	Blank																				<2
BLK	Blank																				<0.005
Prep Wash																					
ROCK-WHI	Prep Blank	6	3	0.50	65	0.090	1	1.09	0.137	0.13	0.1	<0.01	3.6	<0.1	<0.05	4	<0.5	<0.2			
ROCK-WHI	Prep Blank	7	7	0.52	63	0.087	1	1.07	0.143	0.11	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: December 13, 2017  
Report Date: January 15, 2018  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000707M.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccr17-007  
P.O. Number  
Number of Samples: 1

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	1	Split samples by riffle splitter			WHI
PUL85	1	Pulverize to 85% passing 200 mesh			VAN
FS631	1	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	1	Analysis sample split/packet			VAN
Split -150	1	Analysis sample split/packet			VAN
FS631	1	Metallics Fire Assay for Au	30	Completed	VAN
EN002	1	Environmental disposal charge-Fire assay lead waste			VAN
SHP02	1	Per sample shipping charges for large branch shipments			VAN

## ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: January 15, 2018

Page: 2 of 2

Part: 1 of 1

## CERTIFICATE OF ANALYSIS

WHI17000707M.1

Method	M150	FA430	FS600	FS600	FS600	
Analyte	TotWt	-Au	TotAu	+Au	+Wt	
Unit	g	gm/t	gm/t	gm/t	g	
MDL	1	0.005	0.05	0.05	0.01	
968277	Rock Chip	487	0.592	0.60	0.71	18.31





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: January 15, 2018

Page: 1 of 1

Part: 1 of 1

## QUALITY CONTROL REPORT

WHI17000707M.1

Method	M150	FA430	FS600	FS600	FS600
Analyte	TotWt	-Au	TotAu	+Au	+Wt
Unit	g	gm/t	gm/t	gm/t	g
MDL	1	0.005	0.05	0.05	0.01
Reference Materials					
STD OXC145	Standard	0.218			
STD OXH139	Standard	1.320			
STD OXN134	Standard	7.881			
STD OXQ90	Standard			25.01	30.35
STD OXQ90 Expected				24.88	
BLK	Blank			<0.05	30.00
BLK	Blank	<0.005			
BLK	Blank	<0.005			
Prep Wash					
ROCK-WHI	Prep Blank	539	<0.005	<0.05	<0.05
					17.76



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 28, 2017  
Report Date: October 06, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000708.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-007  
P.O. Number  
Number of Samples: 127

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	127	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	127	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	127	Per sample shipping charges for branch shipments			VAN
FA330-Au	2	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	2	Environmental disposal charge-Fire assay lead waste			VAN

## ADDITIONAL COMMENTS

Version 2 : FA330-Au included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000708.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968284	Rock Chip	5.44	2.3	10.4	58.5	288	0.6	1.7	3.2	479	1.30	27.4	9.8	10.2	89	2.4	1.0	1.0	11	1.95	0.023
968285	Rock Chip	7.33	7.7	6.5	4.3	21	<0.1	2.1	3.4	207	1.39	1.5	1.9	12.8	94	<0.1	0.2	0.2	18	0.99	0.022
968286	Rock Chip	7.67	4.4	9.1	4.6	23	<0.1	1.7	3.2	180	1.30	1.9	1.6	11.3	94	<0.1	0.1	0.2	18	0.90	0.023
968287	Rock Chip	3.09	2.2	8.8	4.2	22	<0.1	1.9	3.2	188	1.44	2.2	1.6	15.2	81	<0.1	0.2	0.3	19	0.90	0.019
968288	Rock Chip	3.77	2.0	12.8	3.7	21	<0.1	1.9	3.4	202	1.42	1.9	2.4	11.6	93	<0.1	0.2	0.2	20	0.99	0.021
968289	Rock Chip	5.04	2.7	23.4	4.3	20	<0.1	2.1	3.5	232	1.56	1.9	81.5	14.1	95	<0.1	0.4	0.3	17	1.36	0.026
968290	Rock Chip	4.07	2.4	19.1	3.6	21	<0.1	1.9	3.6	199	1.40	2.0	<0.5	12.9	88	<0.1	0.2	0.3	18	1.03	0.022
968291	Rock Chip	4.39	1.8	13.0	3.4	17	<0.1	1.5	3.0	178	1.30	1.1	2.5	10.7	72	<0.1	0.1	0.2	18	0.78	0.022
968292	Rock Chip	4.52	2.1	16.2	3.7	21	<0.1	2.0	3.6	197	1.44	1.7	1.9	9.3	81	<0.1	0.1	0.2	20	0.90	0.023
968293	Rock Chip	3.42	2.4	28.6	4.7	22	0.1	2.3	4.0	238	1.32	2.9	3.6	13.5	113	<0.1	1.0	0.3	14	1.83	0.023
968294	Rock Chip	3.42	2.5	17.5	3.6	21	<0.1	2.3	4.0	207	1.35	2.8	2.6	17.4	82	<0.1	0.6	0.4	16	1.11	0.022
968295	Rock Chip	4.28	2.1	4.9	3.0	22	<0.1	2.2	3.8	224	1.49	1.1	1.6	14.7	71	<0.1	0.2	<0.1	23	0.94	0.025
968296	Rock Chip	4.06	2.1	5.6	3.2	24	<0.1	2.3	4.3	246	1.56	1.5	1.9	9.1	77	<0.1	0.2	0.1	22	1.11	0.027
968297	Rock Chip	1.45	2.3	5.9	4.6	25	<0.1	2.6	3.5	210	1.34	7.9	3.0	12.5	85	<0.1	0.3	0.1	17	1.02	0.024
968298	Rock Chip	4.08	2.1	7.7	4.1	19	<0.1	2.0	3.6	209	1.32	3.1	1.7	12.1	76	<0.1	0.4	<0.1	19	1.09	0.021
968299	Rock Chip	3.98	2.3	7.6	3.4	33	<0.1	3.2	7.3	284	1.92	2.0	<0.5	17.0	71	<0.1	0.1	<0.1	44	0.90	0.033
968300	Rock Chip	3.74	1.9	10.9	3.5	36	<0.1	3.0	7.5	329	2.12	2.0	1.9	13.6	65	<0.1	0.2	<0.1	56	0.96	0.038
968301	Rock Chip	3.80	2.0	14.2	2.8	41	<0.1	4.3	9.9	400	2.69	1.1	1.0	6.7	64	<0.1	0.1	<0.1	87	1.01	0.049
968302	Rock Chip	4.40	1.9	29.2	4.4	44	<0.1	4.8	12.4	527	3.34	8.3	8.6	7.4	72	0.1	1.8	0.6	98	1.91	0.054
968303	Rock Chip	3.71	1.9	11.7	2.7	36	<0.1	4.2	9.3	390	2.45	1.4	0.9	8.3	53	<0.1	0.1	<0.1	76	0.84	0.044
968304	Rock Chip	4.15	1.9	16.4	2.7	40	<0.1	4.2	10.1	417	2.80	0.9	1.5	14.4	60	<0.1	<0.1	<0.1	92	0.88	0.056
968305	Rock Chip	3.59	4.4	20.6	3.0	42	<0.1	4.7	12.4	429	2.99	3.9	4.1	7.8	64	<0.1	0.5	0.2	100	1.12	0.059
968306	Rock Chip	2.63	2.6	21.5	4.9	43	<0.1	5.4	12.0	458	2.98	8.9	<0.5	8.9	73	<0.1	0.2	<0.1	100	1.20	0.060
968307	Rock Chip	5.60	2.8	17.1	6.5	46	<0.1	4.3	10.0	454	2.80	16.0	1.8	10.5	65	<0.1	0.4	<0.1	89	1.20	0.056
968308	Rock Chip	3.92	1.8	21.3	2.9	43	<0.1	5.3	13.8	508	3.48	3.3	0.8	6.5	67	<0.1	0.4	0.1	126	1.22	0.059
968309	Rock Chip	5.63	1.2	25.3	3.3	44	<0.1	5.0	13.3	515	3.30	2.0	3.2	5.5	61	<0.1	0.6	0.8	111	1.30	0.058
968310	Rock Chip	3.46	1.8	71.6	40.2	61	0.8	5.5	16.9	1810	5.34	4933.3	557.9	10.3	52	0.2	65.3	5.1	54	1.85	0.057
968311	Rock Chip	6.22	1.7	33.8	27.3	52	0.5	5.8	17.4	1138	4.28	3095.5	390.9	7.2	53	0.2	28.4	3.3	85	1.42	0.068
968312	Rock Chip	7.52	3.8	29.1	6.4	68	0.1	6.3	14.1	585	3.51	310.5	51.0	10.2	60	0.2	3.9	0.5	112	1.25	0.074
968313	Rock Chip	5.35	2.2	36.3	3.5	39	<0.1	5.6	15.0	611	3.96	133.8	31.1	6.5	63	<0.1	2.0	0.9	119	1.72	0.074



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2
968284	Rock Chip	16	8	0.20	321	0.025	3	1.36	0.206	0.23	0.9	<0.01	1.5	0.1	0.30	3	<0.5	<0.2	
968285	Rock Chip	24	12	0.30	474	0.100	2	1.64	0.285	0.21	1.3	<0.01	1.9	0.1	0.06	4	<0.5	<0.2	
968286	Rock Chip	24	11	0.28	468	0.105	2	1.64	0.303	0.22	1.5	<0.01	1.9	0.1	<0.05	5	<0.5	<0.2	
968287	Rock Chip	23	11	0.28	403	0.101	2	1.53	0.269	0.24	1.4	<0.01	2.2	0.1	0.09	4	<0.5	<0.2	
968288	Rock Chip	23	12	0.30	574	0.113	2	1.77	0.322	0.26	1.5	<0.01	2.1	0.1	0.06	5	<0.5	<0.2	
968289	Rock Chip	24	13	0.28	401	0.059	2	1.57	0.263	0.23	1.6	<0.01	2.7	0.1	0.22	5	<0.5	<0.2	
968290	Rock Chip	20	13	0.28	514	0.088	1	1.55	0.277	0.25	1.5	<0.01	2.4	0.2	0.09	4	<0.5	<0.2	
968291	Rock Chip	19	12	0.29	482	0.100	2	1.50	0.272	0.25	1.4	<0.01	2.1	0.1	0.06	4	<0.5	<0.2	
968292	Rock Chip	19	13	0.31	583	0.109	2	1.65	0.293	0.26	1.5	<0.01	2.3	0.1	0.07	4	<0.5	<0.2	
968293	Rock Chip	25	14	0.34	185	0.014	2	1.53	0.165	0.13	3.1	<0.01	2.5	<0.1	0.11	5	<0.5	<0.2	
968294	Rock Chip	30	13	0.27	214	0.039	1	1.30	0.206	0.15	1.6	<0.01	2.9	<0.1	0.08	4	<0.5	<0.2	
968295	Rock Chip	21	15	0.34	415	0.101	1	1.48	0.257	0.23	0.9	<0.01	2.8	0.1	<0.05	4	<0.5	<0.2	
968296	Rock Chip	18	14	0.34	439	0.098	2	1.48	0.266	0.27	1.0	<0.01	3.0	0.2	0.05	4	<0.5	<0.2	
968297	Rock Chip	20	14	0.27	377	0.070	<1	1.36	0.249	0.19	1.8	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2	
968298	Rock Chip	20	13	0.27	346	0.059	2	1.33	0.233	0.21	1.2	<0.01	2.0	0.1	0.10	4	<0.5	<0.2	
968299	Rock Chip	21	16	0.54	598	0.152	2	1.54	0.234	0.44	1.0	<0.01	3.7	0.3	<0.05	5	<0.5	<0.2	
968300	Rock Chip	22	17	0.64	576	0.166	1	1.57	0.205	0.51	0.9	<0.01	4.7	0.3	<0.05	5	<0.5	<0.2	
968301	Rock Chip	10	25	0.87	996	0.253	1	1.95	0.258	0.76	0.9	<0.01	5.7	0.4	<0.05	6	<0.5	<0.2	
968302	Rock Chip	15	23	0.99	748	0.217	1	2.03	0.201	0.71	3.0	<0.01	8.0	0.5	0.32	7	<0.5	<0.2	
968303	Rock Chip	15	22	0.82	881	0.232	7	1.71	0.211	0.66	0.8	<0.01	3.9	0.4	<0.05	5	<0.5	<0.2	
968304	Rock Chip	23	25	0.92	1092	0.252	16	1.99	0.253	0.84	4.9	<0.01	4.4	0.5	<0.05	6	<0.5	<0.2	
968305	Rock Chip	13	26	1.02	919	0.262	2	2.05	0.250	0.84	0.7	<0.01	5.7	0.5	0.15	6	<0.5	<0.2	
968306	Rock Chip	15	31	1.01	888	0.262	2	2.14	0.288	0.82	1.4	<0.01	6.3	0.4	<0.05	6	<0.5	<0.2	
968307	Rock Chip	19	26	0.94	775	0.227	2	1.97	0.240	0.69	1.1	<0.01	6.3	0.4	<0.05	6	<0.5	<0.2	
968308	Rock Chip	11	27	1.19	1154	0.285	2	2.29	0.264	1.01	0.5	<0.01	7.5	0.6	0.07	7	<0.5	<0.2	
968309	Rock Chip	11	24	1.13	882	0.261	1	2.09	0.217	0.79	5.9	<0.01	7.2	0.5	0.22	6	<0.5	<0.2	
968310	Rock Chip	12	15	0.79	51	0.046	4	1.52	0.072	0.53	0.9	0.01	8.2	0.6	3.77	4	0.6	1.2	570
968311	Rock Chip	12	22	0.96	70	0.178	3	1.69	0.161	0.68	0.9	<0.01	6.0	0.5	2.03	5	0.6	0.8	
968312	Rock Chip	15	34	1.11	809	0.257	2	2.03	0.214	0.82	1.5	<0.01	7.4	0.5	0.27	6	<0.5	<0.2	
968313	Rock Chip	14	29	1.17	679	0.247	2	2.06	0.200	0.82	0.5	0.01	10.1	0.5	0.39	6	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000708.2

Method Analyte Unit MDL	WGHT	AQ201 Mo	AQ201 Cu	AQ201 Pb	AQ201 Zn	AQ201 Ag	AQ201 Ni	AQ201 Co	AQ201 Mn	AQ201 Fe	AQ201 As	AQ201 Au	AQ201 Th	AQ201 Sr	AQ201 Cd	AQ201 Sb	AQ201 Bi	AQ201 V	AQ201 Ca	AQ201 P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968314	Rock Chip	5.99	2.1	97.6	18.1	37	0.4	3.9	10.6	505	3.35	534.6	94.3	11.3	41	0.2	31.1	2.8	31	1.84	0.041
968315	Rock Chip	5.50	1.9	25.0	3.6	61	0.1	5.3	15.2	640	3.26	22.9	3.1	6.2	71	0.2	1.2	0.1	103	1.34	0.064
968316	Rock Chip	6.12	1.7	74.9	33.0	44	1.2	5.7	16.4	952	4.19	418.7	3917.3	10.3	45	0.1	25.7	41.5	80	1.95	0.069
968317	Rock Chip	5.58	1.8	32.2	4.1	55	<0.1	5.7	13.7	549	3.25	146.0	11.7	9.4	60	<0.1	1.9	0.2	109	1.21	0.059
968318	Rock Chip	4.76	2.0	24.2	3.3	48	<0.1	5.0	11.9	459	3.03	54.5	12.3	10.3	51	<0.1	0.7	0.2	101	0.98	0.057
968319	Rock Chip	7.02	1.5	26.6	2.9	46	<0.1	5.7	13.9	580	3.49	39.6	19.7	9.3	44	<0.1	0.7	0.4	119	1.31	0.072
968320	Rock Chip	4.17	2.1	34.0	2.9	53	<0.1	5.6	12.9	430	3.02	9.1	5.8	8.0	57	<0.1	0.2	<0.1	104	0.89	0.072
968321	Rock Chip	5.60	1.8	26.2	2.4	46	<0.1	5.0	11.6	396	2.83	4.0	1.1	7.1	46	<0.1	0.1	<0.1	94	0.81	0.061
968322	Rock Chip	5.75	2.0	80.9	87.6	80	2.2	5.2	14.7	1355	4.90	485.6	361.0	8.7	41	0.4	256.2	5.1	74	1.30	0.063
968323	Rock Chip	6.59	1.4	38.8	9.4	39	0.2	4.2	9.8	489	2.89	25.1	31.4	8.4	35	<0.1	21.1	0.8	70	1.05	0.045
968324	Rock Chip	6.41	1.6	16.2	3.5	37	<0.1	4.3	8.8	348	2.24	5.3	<0.5	9.8	42	<0.1	1.2	<0.1	58	0.86	0.044
968325	Rock Chip	6.97	1.8	20.0	2.9	44	<0.1	4.5	9.4	349	2.30	14.5	2.6	7.7	41	<0.1	0.5	<0.1	72	0.63	0.046
968326	Rock Chip	4.38	2.3	13.8	3.0	40	<0.1	4.3	8.6	341	2.31	46.6	6.6	18.5	37	<0.1	0.7	<0.1	66	0.63	0.041
968327	Rock Chip	3.28	1.3	16.1	3.6	40	<0.1	4.3	9.4	346	2.38	27.9	4.5	11.5	43	<0.1	0.9	<0.1	83	0.78	0.045
968328	Rock Chip	5.78	1.2	19.1	4.4	44	<0.1	4.4	10.7	490	2.93	217.1	33.1	9.6	51	<0.1	1.6	0.3	91	1.00	0.054
968329	Rock Chip	5.75	1.3	15.0	3.1	44	<0.1	4.7	9.7	400	2.62	12.7	2.3	12.9	51	<0.1	0.6	<0.1	82	0.85	0.045
968330	Rock Chip	5.58	1.5	11.0	3.2	36	<0.1	3.6	8.3	350	2.30	9.9	2.9	14.1	41	<0.1	0.7	<0.1	69	0.85	0.036
968331	Rock Chip	5.33	1.3	7.2	2.9	33	<0.1	3.4	7.7	315	2.08	6.2	<0.5	12.6	35	<0.1	0.4	<0.1	63	0.67	0.034
968332	Rock Chip	5.82	1.1	13.0	3.8	25	<0.1	3.4	8.0	301	2.24	4.7	6.8	13.1	29	<0.1	1.2	2.4	63	0.77	0.036
968333	Rock Chip	6.42	1.5	26.2	4.0	31	<0.1	3.8	9.6	292	2.71	6.3	28.1	15.3	33	<0.1	1.4	1.9	75	0.88	0.038
968334	Rock Chip	6.35	1.4	12.3	3.4	29	<0.1	3.5	8.3	312	2.44	4.6	4.3	13.7	37	<0.1	0.7	0.7	79	0.74	0.036
968335	Rock Chip	5.85	1.0	9.3	3.2	32	<0.1	3.7	8.4	331	2.39	2.4	0.7	13.6	32	<0.1	0.2	0.2	80	0.63	0.035
968336	Rock Chip	7.08	1.3	8.2	3.6	32	<0.1	3.4	7.9	316	2.15	1.6	<0.5	13.1	35	<0.1	0.1	<0.1	74	0.53	0.033
968337	Rock Chip	6.41	1.2	26.6	13.6	36	0.3	3.7	9.2	354	2.92	4170.3	332.4	12.3	39	<0.1	2.8	1.9	84	0.76	0.043
968338	Rock Chip	7.91	1.6	10.7	3.6	30	<0.1	3.1	7.5	319	2.21	62.9	5.1	15.0	35	<0.1	0.2	<0.1	74	0.63	0.037
968339	Rock Chip	0.92	1.0	13.3	111.4	252	0.8	10.4	4.8	902	1.47	321.3	11.2	13.0	10	1.8	19.0	0.6	17	0.17	0.028
968340	Rock Chip	0.56	1.0	6.1	40.8	78	0.4	8.4	4.7	652	1.21	150.4	9.4	15.7	6	0.5	7.8	0.8	8	0.16	0.026
968341	Rock Chip	3.31	1.5	7.5	30.5	60	0.3	7.4	4.6	585	1.28	102.4	7.2	17.4	7	0.3	6.9	0.7	6	0.21	0.029
968342	Rock Chip	2.40	1.4	13.0	18.9	38	0.2	5.3	4.0	439	1.11	55.1	5.9	15.4	8	0.1	5.0	0.4	6	0.27	0.027
968343	Rock Chip	3.67	1.3	6.3	26.0	38	0.2	5.1	3.9	516	1.15	16.0	2.0	15.6	9	0.2	5.6	0.5	3	0.45	0.030



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
968314	Rock Chip	10	10	0.66	128	0.011	3	0.97	0.040	0.41	0.7	0.09	4.6	0.8	1.78	2	<0.5	<0.2	
968315	Rock Chip	11	26	1.07	919	0.232	2	2.06	0.247	0.79	0.4	<0.01	7.7	0.6	0.10	6	<0.5	<0.2	
968316	Rock Chip	15	19	0.98	124	0.139	4	1.59	0.109	0.65	0.6	<0.01	6.9	0.6	1.50	4	<0.5	1.0	4457
968317	Rock Chip	15	25	1.08	953	0.236	1	1.81	0.145	0.80	0.5	<0.01	6.4	0.5	0.13	6	<0.5	<0.2	
968318	Rock Chip	17	26	1.01	856	0.266	1	1.73	0.155	0.72	0.5	<0.01	5.2	0.5	0.08	6	<0.5	<0.2	
968319	Rock Chip	16	27	1.17	921	0.263	<1	1.85	0.128	0.88	0.5	<0.01	5.9	0.6	0.16	6	<0.5	<0.2	
968320	Rock Chip	12	29	0.98	908	0.251	1	1.71	0.178	0.80	1.1	<0.01	5.2	0.6	<0.05	6	<0.5	<0.2	
968321	Rock Chip	12	26	0.95	772	0.245	<1	1.58	0.153	0.65	0.7	<0.01	4.2	0.4	<0.05	5	<0.5	<0.2	
968322	Rock Chip	11	22	0.91	95	0.135	2	1.28	0.099	0.28	0.8	0.02	4.7	0.4	2.67	4	0.8	<0.2	
968323	Rock Chip	13	19	0.83	354	0.154	1	1.23	0.080	0.38	0.6	<0.01	5.0	0.4	0.51	4	<0.5	<0.2	
968324	Rock Chip	13	19	0.70	394	0.153	1	1.08	0.077	0.27	0.8	<0.01	3.2	0.2	<0.05	4	<0.5	<0.2	
968325	Rock Chip	12	21	0.70	725	0.204	<1	1.28	0.131	0.63	1.0	<0.01	3.8	0.5	<0.05	5	<0.5	<0.2	
968326	Rock Chip	22	22	0.70	669	0.199	<1	1.28	0.116	0.68	1.0	<0.01	3.6	0.5	<0.05	5	<0.5	<0.2	
968327	Rock Chip	14	20	0.81	684	0.225	<1	1.37	0.116	0.72	0.9	<0.01	4.1	0.5	<0.05	5	<0.5	<0.2	
968328	Rock Chip	14	24	0.94	733	0.233	<1	1.71	0.147	0.70	0.6	<0.01	4.7	0.5	0.15	5	<0.5	<0.2	
968329	Rock Chip	15	20	0.83	711	0.219	<1	1.57	0.145	0.68	0.8	<0.01	4.1	0.5	<0.05	5	<0.5	<0.2	
968330	Rock Chip	20	19	0.72	498	0.200	1	1.35	0.125	0.59	0.7	<0.01	4.7	0.4	0.07	5	<0.5	<0.2	
968331	Rock Chip	22	19	0.69	446	0.197	<1	1.25	0.118	0.51	0.8	<0.01	3.5	0.3	<0.05	4	<0.5	<0.2	
968332	Rock Chip	20	16	0.74	273	0.158	1	1.29	0.097	0.40	0.6	<0.01	3.5	0.3	0.16	4	<0.5	<0.2	
968333	Rock Chip	17	18	0.86	207	0.156	1	1.39	0.098	0.48	0.9	<0.01	5.2	0.4	0.42	5	<0.5	<0.2	
968334	Rock Chip	14	20	0.75	276	0.196	2	1.45	0.153	0.59	0.8	<0.01	3.8	0.4	0.12	4	<0.5	<0.2	
968335	Rock Chip	14	16	0.74	245	0.189	<1	1.34	0.145	0.67	1.1	<0.01	3.7	0.5	0.05	4	<0.5	<0.2	
968336	Rock Chip	13	16	0.69	257	0.185	<1	1.26	0.144	0.58	0.9	<0.01	2.6	0.5	<0.05	4	<0.5	<0.2	
968337	Rock Chip	14	17	0.75	262	0.180	1	1.47	0.165	0.66	0.9	<0.01	3.8	0.6	0.46	4	<0.5	<0.2	
968338	Rock Chip	21	18	0.68	234	0.181	<1	1.35	0.164	0.62	0.8	<0.01	3.4	0.5	<0.05	4	<0.5	<0.2	
968339	Rock Chip	24	12	0.19	94	0.021	2	0.71	0.012	0.18	0.5	0.01	1.9	0.2	<0.05	2	<0.5	<0.2	
968340	Rock Chip	29	6	0.10	58	0.002	1	0.57	0.005	0.19	0.5	0.01	1.7	0.2	<0.05	2	<0.5	<0.2	
968341	Rock Chip	32	7	0.13	39	<0.001	1	0.71	0.003	0.18	0.7	<0.01	1.2	0.1	<0.05	2	<0.5	<0.2	
968342	Rock Chip	25	8	0.16	39	<0.001	<1	0.91	0.003	0.15	1.4	<0.01	1.3	0.2	<0.05	2	<0.5	<0.2	
968343	Rock Chip	26	5	0.16	36	<0.001	1	0.78	0.002	0.13	1.6	<0.01	1.0	0.1	<0.05	2	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968344	Rock Chip	4.25	0.9	5.6	28.6	90	0.2	4.7	4.0	346	2.01	53.2	4.1	15.8	24	0.3	6.4	0.2	4	0.44	0.024
968345	Rock Chip	4.91	1.4	7.4	174.9	355	1.6	4.7	4.5	1488	1.61	418.7	9.6	13.1	13	2.9	10.7	0.6	4	0.86	0.038
968346	Rock Chip	5.04	1.6	6.0	208.6	332	1.5	5.1	4.4	2115	1.85	713.8	20.0	14.8	35	2.7	8.9	0.8	5	1.51	0.031
968347	Rock Chip	3.27	1.1	3.2	152.5	327	1.1	3.6	3.7	2579	1.31	653.9	14.4	14.7	41	2.4	11.9	0.5	5	2.10	0.032
968348	Rock Chip	4.52	0.8	3.2	103.0	239	1.3	4.5	4.5	2441	1.44	438.5	6.3	16.0	32	2.0	5.9	0.3	5	1.57	0.037
968349	Rock Chip	6.91	1.5	3.6	118.6	221	1.1	3.5	3.7	2612	1.28	393.0	18.9	16.6	29	1.7	5.6	0.3	5	1.55	0.028
968350	Rock Chip	5.37	1.4	4.5	131.7	253	1.0	4.9	4.6	2260	1.44	396.3	14.5	19.4	34	2.0	6.8	0.4	5	1.52	0.036
968351	Rock Chip	6.49	1.1	10.4	131.9	290	1.3	5.7	5.5	2612	1.47	696.7	27.0	16.5	44	2.1	7.4	0.4	6	1.80	0.038
968352	Rock Chip	4.72	1.3	2.2	16.0	35	0.1	5.3	3.9	558	1.57	25.5	4.0	14.7	26	<0.1	6.9	0.5	12	0.80	0.028
968353	Rock Chip	5.79	1.3	2.8	81.1	148	0.7	5.5	4.7	2424	1.24	805.9	12.6	13.2	32	1.0	9.8	0.8	6	1.40	0.034
968354	Rock Chip	6.72	1.5	9.8	564.0	1195	4.4	6.0	4.3	>10000	1.61	1190.0	9.9	14.7	16	8.7	11.5	0.5	<2	1.86	0.028
968355	Rock Chip	6.93	1.2	4.7	272.0	333	2.0	4.8	3.6	6671	1.10	1258.7	8.8	14.1	36	2.5	10.0	0.5	2	1.95	0.026
968356	Rock Chip	7.64	1.2	2.7	138.4	248	0.9	4.8	3.9	3463	1.36	444.3	6.7	17.2	51	1.9	10.1	0.5	3	1.82	0.026
968357	Rock Chip	6.29	1.1	1.5	30.3	50	0.2	4.9	3.7	757	1.31	44.7	1.3	17.8	51	0.2	9.0	0.5	4	1.33	0.026
968358	Rock Chip	3.57	1.2	2.4	83.0	140	0.6	3.8	3.3	1949	1.15	253.1	0.8	17.5	40	1.0	6.5	0.2	<2	1.56	0.024
968359	Rock Chip	5.82	1.2	2.2	33.7	65	0.3	2.9	3.2	660	1.42	90.4	<0.5	16.6	37	0.5	6.4	0.2	2	1.09	0.020
968360	Rock Chip	6.70	1.3	1.1	12.2	35	<0.1	3.6	3.6	298	2.28	16.9	<0.5	18.3	26	<0.1	3.6	0.1	5	0.61	0.023
968361	Rock Chip	6.91	1.7	1.9	50.3	105	0.4	3.2	3.6	467	1.95	123.2	2.4	17.7	26	0.7	5.8	0.2	3	0.72	0.020
968362	Rock Chip	3.48	1.7	3.3	137.6	266	1.1	3.4	3.5	2305	1.50	223.8	4.2	16.3	27	2.1	4.4	0.2	5	1.34	0.025
968363	Rock Chip	6.09	1.2	4.0	44.1	95	0.3	3.3	3.2	645	1.29	52.3	0.7	16.4	29	0.7	8.3	0.3	5	0.76	0.023
968364	Rock Chip	4.95	1.6	5.2	36.5	66	0.3	4.4	3.0	513	0.99	38.7	2.1	16.2	32	0.5	9.3	1.0	3	0.68	0.012
968365	Rock Chip	4.99	1.6	8.1	17.7	41	0.3	6.6	5.9	920	1.80	22.9	3.6	16.6	27	0.2	8.9	2.4	9	0.88	0.018
968366	Rock Chip	5.03	1.8	6.2	212.1	479	1.6	8.5	7.4	2602	2.68	210.1	1.8	18.0	69	4.0	11.5	1.9	7	2.21	0.036
968367	Rock Chip	6.64	1.6	6.2	76.4	184	1.0	7.9	6.2	1910	2.04	544.0	40.4	17.5	33	1.3	16.6	1.7	9	1.20	0.018
968368	Rock Chip	5.28	2.4	10.1	185.2	472	1.5	10.5	6.2	1880	1.78	282.7	5.6	16.6	50	3.9	13.3	4.9	5	2.01	0.020
968369	Rock Chip	5.99	2.1	4.3	92.3	227	0.5	14.6	6.0	1010	2.04	65.4	6.3	11.1	33	1.8	13.5	0.5	18	1.04	0.033
968370	Rock Chip	5.08	1.5	10.6	25.0	55	0.2	5.9	3.3	412	1.36	10.5	1.4	15.8	24	0.3	7.0	0.3	10	0.69	0.015
968371	Rock Chip	4.39	1.8	16.8	13.5	34	0.1	10.2	5.8	469	1.81	90.1	11.3	14.8	28	<0.1	6.0	0.2	18	0.64	0.016
968372	Rock Chip	3.55	1.9	4.5	6.1	41	<0.1	23.8	7.1	503	2.08	4.7	1.2	11.6	33	<0.1	4.4	0.2	31	0.82	0.038
968373	Rock Chip	3.83	1.5	6.5	23.7	87	0.2	22.2	7.1	666	1.73	65.2	2.8	11.0	49	0.8	13.8	0.2	21	1.22	0.030





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
968344	Rock Chip	23	4	0.21	107	<0.001	<1	1.08	0.004	0.13	0.7	<0.01	1.1	0.1	0.07	2	<0.5	<0.2	
968345	Rock Chip	16	4	0.19	77	<0.001	1	0.47	0.003	0.22	0.9	0.01	1.1	0.3	0.73	<1	<0.5	<0.2	
968346	Rock Chip	13	4	0.36	109	<0.001	1	0.34	0.003	0.22	0.8	0.01	0.9	0.2	1.15	<1	<0.5	<0.2	
968347	Rock Chip	19	4	0.18	78	<0.001	2	0.33	0.003	0.21	0.5	<0.01	1.2	0.3	0.50	<1	<0.5	<0.2	
968348	Rock Chip	20	4	0.16	49	<0.001	2	0.32	0.003	0.23	0.5	0.01	1.2	0.3	0.56	<1	<0.5	<0.2	
968349	Rock Chip	20	6	0.24	79	<0.001	3	0.31	0.004	0.24	1.1	0.02	1.0	0.3	0.56	<1	<0.5	<0.2	
968350	Rock Chip	24	7	0.16	56	<0.001	1	0.50	0.003	0.24	1.0	0.02	1.1	0.3	0.59	1	<0.5	<0.2	
968351	Rock Chip	18	6	0.15	51	0.001	1	0.37	0.006	0.23	4.8	0.04	1.3	0.4	0.75	1	<0.5	<0.2	
968352	Rock Chip	27	14	0.32	47	0.065	2	0.61	0.033	0.35	1.6	<0.01	2.9	0.2	0.07	3	<0.5	<0.2	
968353	Rock Chip	22	7	0.24	44	0.002	1	0.62	0.007	0.21	0.7	<0.01	1.9	0.2	0.22	2	<0.5	<0.2	
968354	Rock Chip	14	5	0.28	46	<0.001	<1	0.28	0.003	0.20	0.7	0.01	1.0	0.3	0.86	<1	<0.5	<0.2	
968355	Rock Chip	19	6	0.40	49	<0.001	2	0.33	0.004	0.21	0.7	<0.01	1.1	0.2	0.34	<1	<0.5	<0.2	
968356	Rock Chip	22	6	0.31	51	<0.001	2	0.53	0.007	0.22	0.6	<0.01	1.1	0.2	0.22	1	<0.5	<0.2	
968357	Rock Chip	27	7	0.29	67	0.002	<1	0.77	0.017	0.17	0.4	<0.01	1.3	0.2	0.10	2	0.6	<0.2	
968358	Rock Chip	25	6	0.27	66	<0.001	1	0.60	0.008	0.22	0.4	<0.01	0.8	0.3	0.15	1	<0.5	<0.2	
968359	Rock Chip	23	5	0.26	37	<0.001	<1	0.74	0.007	0.17	0.5	<0.01	0.9	0.3	0.13	1	<0.5	<0.2	
968360	Rock Chip	29	6	0.45	37	0.006	<1	1.58	0.005	0.20	0.3	<0.01	1.6	0.2	<0.05	3	<0.5	<0.2	
968361	Rock Chip	25	5	0.33	30	<0.001	<1	1.11	0.003	0.16	0.4	<0.01	1.2	0.2	0.15	2	<0.5	<0.2	
968362	Rock Chip	24	8	0.24	54	0.008	1	0.69	0.010	0.25	0.7	<0.01	1.9	0.3	0.25	2	<0.5	<0.2	
968363	Rock Chip	26	7	0.18	31	0.016	<1	0.41	0.020	0.18	1.6	<0.01	1.6	0.2	0.08	2	<0.5	<0.2	
968364	Rock Chip	26	7	0.15	25	0.002	<1	0.31	0.024	0.12	1.7	<0.01	1.2	0.1	0.07	1	<0.5	<0.2	
968365	Rock Chip	31	11	0.32	34	0.011	<1	0.53	0.034	0.17	0.9	<0.01	2.1	0.2	0.09	2	<0.5	<0.2	
968366	Rock Chip	27	9	0.75	53	<0.001	<1	0.45	0.010	0.24	0.5	<0.01	1.8	0.3	0.15	1	<0.5	<0.2	
968367	Rock Chip	26	11	0.39	119	0.014	1	0.83	0.015	0.29	0.9	<0.01	2.2	0.2	0.30	3	<0.5	<0.2	
968368	Rock Chip	24	9	0.50	53	0.002	1	0.68	0.012	0.22	0.6	0.01	1.5	0.2	0.28	2	<0.5	<0.2	
968369	Rock Chip	21	26	0.61	74	0.062	1	1.15	0.020	0.51	0.7	0.01	3.3	0.3	0.20	4	<0.5	<0.2	
968370	Rock Chip	33	14	0.34	44	0.043	<1	0.74	0.036	0.31	1.3	<0.01	2.2	0.2	<0.05	3	<0.5	<0.2	
968371	Rock Chip	28	22	0.59	71	0.093	<1	1.03	0.044	0.54	1.5	<0.01	3.4	0.2	0.11	4	<0.5	<0.2	
968372	Rock Chip	24	44	0.96	76	0.105	<1	1.17	0.048	0.63	1.1	<0.01	5.3	0.2	<0.05	6	<0.5	<0.2	
968373	Rock Chip	21	33	0.64	83	0.066	1	0.96	0.023	0.46	1.0	<0.01	3.8	0.2	0.07	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968374	Rock Chip	4.28	1.5	9.2	463.7	689	4.3	16.1	4.7	>10000	2.43	3270.6	27.4	10.9	23	4.7	105.9	0.1	4	0.84	0.025
968375	Rock Chip	5.64	1.7	5.5	296.5	880	2.3	15.3	6.8	>10000	2.53	3569.6	164.4	9.8	26	6.9	67.8	0.2	4	1.15	0.037
968376	Rock Chip	5.01	1.3	5.9	32.9	109	0.2	13.0	6.4	1748	2.03	224.6	7.2	10.5	36	0.7	12.1	0.2	12	1.14	0.027
968377	Rock Chip	4.83	1.8	6.0	23.6	105	0.2	33.9	9.3	1688	2.76	317.3	20.7	10.3	57	0.4	21.3	0.2	20	1.71	0.036
968378	Rock Chip	3.82	1.5	12.7	68.6	174	0.5	18.5	7.7	2200	2.09	647.9	36.8	10.9	54	1.1	16.0	0.3	9	1.96	0.049
968379	Rock Chip	5.08	1.6	7.7	56.9	147	0.4	12.0	6.4	1457	2.11	371.3	18.5	9.5	28	0.9	6.6	0.3	20	0.94	0.038
968380	Rock Chip	4.30	1.9	4.7	8.5	37	<0.1	14.1	6.5	646	2.12	12.3	0.8	12.0	29	<0.1	3.9	0.4	25	0.89	0.030
968381	Rock Chip	4.66	1.6	2.2	6.7	25	<0.1	4.0	2.9	366	1.26	11.1	1.0	17.1	22	<0.1	1.5	0.3	6	0.78	0.012
968382	Rock Chip	4.22	1.8	3.0	13.2	25	<0.1	5.2	3.1	247	1.21	33.6	6.1	17.2	24	<0.1	1.4	0.3	8	0.60	0.012
968383	Rock Chip	3.61	2.4	3.2	29.7	46	0.1	3.4	2.3	262	1.09	58.4	9.6	20.0	19	0.2	5.0	0.4	3	0.62	0.006
968384	Rock Chip	3.99	1.8	3.4	67.3	139	0.4	6.8	4.4	4854	1.71	603.1	6.1	11.8	34	0.9	5.0	0.4	6	1.46	0.033
968385	Rock Chip	5.36	2.4	3.4	6.7	35	<0.1	6.1	3.9	384	1.68	14.4	1.1	17.1	16	<0.1	1.4	0.3	15	0.49	0.021
968386	Rock Chip	4.04	1.6	5.6	104.3	149	0.8	10.4	6.1	3404	2.00	405.9	18.6	9.4	48	1.0	4.9	0.9	10	1.93	0.036
968387	Rock Chip	4.82	1.6	4.2	41.4	126	0.1	8.9	5.1	780	1.86	33.3	2.9	16.6	27	0.4	2.7	0.8	19	0.78	0.026
968388	Rock Chip	5.72	1.8	6.7	36.6	83	0.2	8.1	4.9	896	1.54	18.4	0.9	14.6	62	0.4	6.9	0.5	11	1.83	0.032
968389	Rock Chip	4.73	1.7	11.0	247.1	349	0.9	8.1	5.4	1044	1.59	282.1	14.4	15.7	41	4.2	46.3	0.5	7	0.98	0.033
968390	Rock Chip	4.25	1.7	8.4	173.8	345	1.0	9.1	5.8	1745	1.77	103.9	4.6	16.3	46	3.1	14.3	0.4	6	1.43	0.033
968391	Rock Chip	4.36	1.2	5.9	152.1	185	0.8	12.2	7.2	1727	1.93	286.4	3.6	12.7	30	1.4	5.5	0.5	6	0.91	0.041
968392	Rock Chip	5.26	1.6	11.9	76.1	141	0.6	12.0	5.8	1381	1.81	177.0	13.3	12.2	50	0.9	11.1	0.5	7	1.78	0.038
968393	Rock Chip	5.91	1.3	6.8	18.2	53	0.1	13.1	6.1	435	1.94	32.5	3.4	13.2	48	0.3	2.9	0.3	18	1.01	0.033
968394	Rock Chip	4.64	0.8	13.2	22.1	58	0.2	11.3	5.2	481	1.75	158.4	12.6	11.8	40	0.1	8.3	0.4	15	0.92	0.031
968395	Rock Chip	6.31	1.8	17.5	69.8	132	0.7	9.7	5.8	858	1.84	655.6	33.2	11.3	45	0.8	20.1	0.5	7	1.54	0.041
968396	Rock Chip	3.30	1.3	4.8	85.7	48	0.3	2.8	2.4	320	1.13	144.2	13.1	24.0	25	0.3	4.5	0.3	3	0.64	0.013
968397	Rock Chip	8.21	1.0	10.3	191.7	123	1.3	7.5	6.6	747	1.99	409.9	24.2	13.6	83	0.9	13.7	1.0	10	1.88	0.072
968398	Rock Chip	8.35	1.2	16.3	68.2	96	0.4	9.3	5.5	523	1.64	200.5	14.4	11.7	78	1.1	25.5	0.4	6	1.64	0.032
968399	Rock Chip	6.39	4.5	14.6	106.6	161	0.8	9.5	4.7	479	1.48	325.1	21.0	12.1	62	2.8	24.7	0.4	3	1.96	0.031
968400	Rock Chip	4.60	0.8	12.6	71.4	85	0.3	9.3	5.1	450	1.49	46.9	2.6	13.6	85	1.2	30.6	0.4	8	1.82	0.035
968401	Rock Chip	8.24	0.6	14.8	26.3	46	0.2	11.2	5.2	390	1.60	132.8	14.4	12.6	69	0.2	9.4	0.4	8	1.30	0.031
968402	Rock Chip	7.07	0.8	10.9	56.1	43	0.4	9.6	4.7	484	1.51	90.8	4.3	11.3	69	0.3	12.6	0.4	8	1.47	0.030
968403	Rock Chip	5.87	0.6	8.8	7.7	34	<0.1	10.9	4.5	313	1.56	15.6	1.6	10.6	27	<0.1	1.9	0.5	20	0.52	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000708.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	2	
968374	Rock Chip	14	10	0.32	42	<0.001	2	0.52	0.008	0.21	0.7	0.03	1.5	0.4	1.28	2	<0.5	<0.2	
968375	Rock Chip	14	8	0.37	45	<0.001	2	0.45	0.004	0.19	0.7	0.15	1.7	0.5	1.64	1	0.5	<0.2	
968376	Rock Chip	16	14	0.46	37	0.014	2	0.74	0.006	0.21	0.6	0.14	3.2	0.4	0.85	3	<0.5	<0.2	
968377	Rock Chip	18	49	0.99	103	0.067	1	1.17	0.020	0.57	1.0	0.03	4.1	0.4	0.46	5	<0.5	<0.2	
968378	Rock Chip	20	17	0.51	47	0.001	2	0.55	0.011	0.23	0.8	0.01	1.8	0.2	0.51	2	<0.5	<0.2	
968379	Rock Chip	19	22	0.49	91	0.107	1	1.04	0.029	0.62	1.7	<0.01	3.8	0.4	0.30	5	<0.5	<0.2	
968380	Rock Chip	24	29	0.59	126	0.145	<1	1.18	0.035	0.67	1.6	<0.01	4.6	0.3	<0.05	6	<0.5	<0.2	
968381	Rock Chip	25	11	0.24	37	0.023	<1	0.59	0.031	0.21	1.6	<0.01	1.5	0.1	<0.05	3	<0.5	<0.2	
968382	Rock Chip	22	14	0.32	41	0.038	<1	0.64	0.030	0.28	1.6	<0.01	1.7	0.1	0.05	4	<0.5	<0.2	
968383	Rock Chip	22	13	0.22	34	0.017	<1	0.45	0.030	0.22	2.5	<0.01	1.4	0.1	0.08	2	<0.5	<0.2	
968384	Rock Chip	21	11	0.33	101	0.015	1	0.49	0.014	0.28	1.3	<0.01	2.1	0.3	0.19	2	<0.5	<0.2	
968385	Rock Chip	27	20	0.40	104	0.117	<1	0.79	0.037	0.54	3.0	<0.01	3.8	0.3	<0.05	4	<0.5	<0.2	
968386	Rock Chip	19	15	0.51	65	0.022	2	0.54	0.011	0.34	1.4	<0.01	2.4	0.2	0.28	2	<0.5	<0.2	
968387	Rock Chip	32	20	0.47	64	0.077	3	0.92	0.038	0.49	1.5	<0.01	3.6	0.3	0.07	5	<0.5	<0.2	
968388	Rock Chip	28	15	0.40	61	0.016	3	0.94	0.024	0.24	1.0	0.02	2.6	0.2	0.07	3	<0.5	<0.2	
968389	Rock Chip	23	9	0.38	73	0.004	3	0.81	0.006	0.30	0.8	0.01	1.9	0.3	0.53	3	<0.5	<0.2	
968390	Rock Chip	25	10	0.37	61	0.002	3	0.92	0.006	0.31	0.7	0.02	1.8	0.2	0.27	3	<0.5	<0.2	
968391	Rock Chip	23	9	0.28	65	<0.001	2	0.68	0.005	0.31	0.5	0.05	2.2	0.3	0.28	2	<0.5	<0.2	
968392	Rock Chip	20	12	0.42	80	0.002	3	0.69	0.014	0.33	0.9	0.01	2.3	0.3	0.43	2	<0.5	<0.2	
968393	Rock Chip	27	21	0.51	58	0.031	2	0.91	0.044	0.31	3.3	<0.01	2.9	0.2	0.12	5	<0.5	<0.2	
968394	Rock Chip	23	16	0.50	45	0.022	3	0.78	0.035	0.26	1.7	<0.01	2.9	0.2	0.28	4	<0.5	<0.2	
968395	Rock Chip	20	9	0.44	78	0.005	3	0.65	0.019	0.30	1.0	0.02	2.2	0.3	0.44	2	<0.5	<0.2	
968396	Rock Chip	35	6	0.22	46	0.002	1	0.57	0.024	0.20	1.1	0.02	1.0	0.2	0.16	2	<0.5	<0.2	
968397	Rock Chip	22	6	0.39	63	0.001	3	0.77	0.015	0.28	0.7	0.02	1.9	0.2	0.46	2	<0.5	<0.2	
968398	Rock Chip	20	8	0.36	69	0.003	3	0.76	0.016	0.30	0.6	<0.01	1.4	0.2	0.37	2	<0.5	<0.2	
968399	Rock Chip	18	5	0.43	103	<0.001	3	1.03	0.011	0.36	0.3	0.02	1.1	0.2	0.41	2	<0.5	<0.2	
968400	Rock Chip	25	11	0.50	63	0.006	1	1.10	0.020	0.32	0.6	<0.01	1.8	0.2	0.11	4	<0.5	<0.2	
968401	Rock Chip	24	10	0.45	65	0.003	1	1.15	0.013	0.26	0.3	<0.01	1.6	0.1	0.15	4	<0.5	<0.2	
968402	Rock Chip	22	9	0.49	65	0.002	2	0.86	0.016	0.24	0.6	<0.01	1.6	0.1	0.16	3	<0.5	<0.2	
968403	Rock Chip	23	19	0.49	52	0.091	<1	0.97	0.053	0.51	1.6	<0.01	3.5	0.3	<0.05	5	<0.5	<0.2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 06, 2017

Page: 6 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000708.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968404	Rock Chip	5.26	0.8	16.4	6.0	46	<0.1	14.5	7.1	389	2.12	6.8	1.4	10.6	17	<0.1	0.6	0.3	34	0.35	0.030
968405	Rock Chip	7.62	0.9	13.7	13.5	51	<0.1	12.0	5.9	437	1.88	63.8	4.3	10.8	21	0.2	1.9	0.2	29	0.37	0.028
968406	Rock Chip	6.70	1.4	19.0	42.7	68	0.2	12.7	5.6	435	1.83	7.6	1.3	12.3	83	0.2	6.9	0.8	15	1.44	0.035
968407	Rock Chip	4.97	1.4	16.3	18.6	52	0.1	12.0	5.3	363	1.72	5.1	0.9	12.0	50	0.1	4.0	0.4	17	1.03	0.030
968408	Rock Chip	4.40	1.6	11.4	27.6	48	0.2	12.5	5.6	488	1.79	91.6	5.9	11.9	78	0.2	5.5	0.3	10	1.96	0.034
968409	Rock Chip	4.86	1.7	12.2	15.2	46	0.1	12.8	5.7	451	1.85	28.9	3.2	10.7	47	<0.1	4.2	0.2	23	0.89	0.031
968410	Rock Chip	2.78	2.4	16.0	8.3	43	<0.1	12.9	5.9	399	1.94	13.7	2.3	11.1	31	<0.1	2.9	0.2	26	0.68	0.030



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000708.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.01	0.1	0.05	1	0.5	0.2	2		
968404	Rock Chip	24	32	0.64	88	0.195	<1	1.30	0.070	0.90	3.5	<0.01	5.9	0.5	0.08	7	<0.5	<0.2		
968405	Rock Chip	24	27	0.58	79	0.158	<1	1.16	0.075	0.75	2.1	<0.01	5.4	0.4	0.11	6	<0.5	<0.2		
968406	Rock Chip	26	20	0.58	61	0.027	2	1.25	0.035	0.33	1.8	<0.01	2.8	0.2	0.15	5	<0.5	<0.2		
968407	Rock Chip	25	20	0.52	43	0.033	1	1.14	0.041	0.32	0.9	<0.01	2.9	0.2	0.09	5	<0.5	<0.2		
968408	Rock Chip	22	15	0.59	85	0.004	2	1.26	0.017	0.33	1.4	<0.01	2.0	0.2	0.37	4	<0.5	<0.2		
968409	Rock Chip	22	26	0.62	94	0.098	<1	1.29	0.044	0.56	2.3	<0.01	3.9	0.3	0.13	6	<0.5	<0.2		
968410	Rock Chip	23	29	0.63	78	0.125	<1	1.25	0.049	0.66	3.1	<0.01	4.4	0.4	0.12	6	<0.5	<0.2		



# QUALITY CONTROL REPORT

WHI17000708.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
968287	Rock Chip	3.09	2.2	8.8	4.2	22	<0.1	1.9	3.2	188	1.44	2.2	1.6	15.2	81	<0.1	0.2	0.3	19	0.90	0.019
REP 968287	QC		2.3	8.1	4.1	23	<0.1	1.8	3.3	187	1.48	1.9	2.4	14.7	83	<0.1	0.2	0.3	19	0.92	0.021
968320	Rock Chip	4.17	2.1	34.0	2.9	53	<0.1	5.6	12.9	430	3.02	9.1	5.8	8.0	57	<0.1	0.2	<0.1	104	0.89	0.072
REP 968320	QC		2.2	31.6	2.7	46	<0.1	5.4	11.8	424	3.01	8.8	1.2	7.9	52	<0.1	0.2	<0.1	105	0.91	0.064
968355	Rock Chip	6.93	1.2	4.7	272.0	333	2.0	4.8	3.6	6671	1.10	1258.7	8.8	14.1	36	2.5	10.0	0.5	2	1.95	0.026
REP 968355	QC		1.1	5.1	283.1	354	2.1	5.3	3.9	6554	1.11	1260.7	7.9	13.5	39	2.8	9.5	0.5	2	1.93	0.026
968389	Rock Chip	4.73	1.7	11.0	247.1	349	0.9	8.1	5.4	1044	1.59	282.1	14.4	15.7	41	4.2	46.3	0.5	7	0.98	0.033
REP 968389	QC		1.7	11.5	242.6	350	0.9	8.6	5.1	961	1.56	273.9	16.8	16.1	41	4.2	48.5	0.5	7	0.95	0.033
Core Reject Duplicates																					
968304	Rock Chip	4.15	1.9	16.4	2.7	40	<0.1	4.2	10.1	417	2.80	0.9	1.5	14.4	60	<0.1	<0.1	<0.1	92	0.88	0.056
DUP 968304	QC		1.6	15.9	2.6	38	<0.1	4.1	10.3	413	2.75	0.9	1.7	12.8	60	<0.1	<0.1	<0.1	90	0.89	0.055
968338	Rock Chip	7.91	1.6	10.7	3.6	30	<0.1	3.1	7.5	319	2.21	62.9	5.1	15.0	35	<0.1	0.2	<0.1	74	0.63	0.037
DUP 968338	QC		1.3	10.4	3.7	33	<0.1	3.2	7.6	304	2.15	67.1	6.3	15.2	34	<0.1	0.2	<0.1	73	0.61	0.035
968372	Rock Chip	3.55	1.9	4.5	6.1	41	<0.1	23.8	7.1	503	2.08	4.7	1.2	11.6	33	<0.1	4.4	0.2	31	0.82	0.038
DUP 968372	QC		1.7	4.1	5.9	38	<0.1	23.1	7.4	467	2.04	4.4	1.2	10.8	32	<0.1	4.2	0.3	30	0.81	0.038
968406	Rock Chip	6.70	1.4	19.0	42.7	68	0.2	12.7	5.6	435	1.83	7.6	1.3	12.3	83	0.2	6.9	0.8	15	1.44	0.035
DUP 968406	QC		1.6	20.5	40.5	67	0.2	12.2	5.7	427	1.84	7.5	2.5	11.9	82	0.2	6.9	0.7	15	1.41	0.032
Reference Materials																					
STD DS11	Standard		14.0	159.7	128.2	337	1.8	80.4	14.0	965	3.09	41.4	77.1	6.9	64	2.1	7.4	10.6	54	1.06	0.069
STD DS11	Standard		14.0	139.7	124.1	307	1.6	79.3	14.2	1032	3.08	38.5	78.5	7.0	59	2.0	7.7	10.2	49	1.05	0.077
STD DS11	Standard		14.4	156.4	126.4	332	1.7	80.6	14.5	1035	3.10	40.9	122.7	6.9	67	2.2	8.5	10.4	53	1.09	0.073
STD DS11	Standard		15.0	160.5	136.7	358	1.7	78.8	14.2	1076	3.22	44.0	64.1	8.2	71	2.2	8.2	11.2	51	1.11	0.072
STD OXC129	Standard		1.2	28.7	5.7	42	<0.1	79.4	20.3	421	3.01	0.9	195.8	1.6	186	<0.1	<0.1	<0.1	57	0.69	0.092
STD OXC129	Standard		1.3	31.0	6.2	44	<0.1	82.2	21.6	408	3.04	0.9	200.0	1.8	194	<0.1	<0.1	<0.1	52	0.71	0.104
STD OXC129	Standard		1.3	29.0	6.1	43	<0.1	87.9	22.4	420	3.02	0.8	196.2	1.7	196	<0.1	<0.1	<0.1	55	0.78	0.102
STD OXC129	Standard		1.3	29.4	6.2	43	<0.1	82.0	21.9	434	3.14	0.9	217.3	1.9	211	<0.1	<0.1	<0.1	55	0.84	0.104
STD OXC145	Standard																				
STD OXH139	Standard																				



# QUALITY CONTROL REPORT

WHI17000708.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																			
968287	Rock Chip	23	11	0.28	403	0.101	2	1.53	0.269	0.24	1.4	<0.01	2.2	0.1	0.09	4	<0.5	<0.2	
REP 968287	QC	24	12	0.29	439	0.114	2	1.55	0.268	0.24	1.4	<0.01	2.2	0.1	0.08	4	<0.5	<0.2	
968320	Rock Chip	12	29	0.98	908	0.251	1	1.71	0.178	0.80	1.1	<0.01	5.2	0.6	<0.05	6	<0.5	<0.2	
REP 968320	QC	11	28	0.98	910	0.259	1	1.75	0.183	0.80	0.9	<0.01	5.4	0.5	<0.05	5	<0.5	<0.2	
968355	Rock Chip	19	6	0.40	49	<0.001	2	0.33	0.004	0.21	0.7	<0.01	1.1	0.2	0.34	<1	<0.5	<0.2	
REP 968355	QC	20	6	0.40	46	<0.001	<1	0.33	0.004	0.21	0.8	0.01	1.0	0.2	0.34	<1	0.5	<0.2	
968389	Rock Chip	23	9	0.38	73	0.004	3	0.81	0.006	0.30	0.8	0.01	1.9	0.3	0.53	3	<0.5	<0.2	
REP 968389	QC	24	10	0.37	75	0.004	3	0.83	0.007	0.31	0.8	0.02	2.1	0.3	0.51	3	<0.5	<0.2	
Core Reject Duplicates																			
968304	Rock Chip	23	25	0.92	1092	0.252	16	1.99	0.253	0.84	4.9	<0.01	4.4	0.5	<0.05	6	<0.5	<0.2	
DUP 968304	QC	22	24	0.92	1107	0.243	15	2.00	0.267	0.83	4.4	<0.01	4.4	0.5	<0.05	5	<0.5	<0.2	
968338	Rock Chip	21	18	0.68	234	0.181	<1	1.35	0.164	0.62	0.8	<0.01	3.4	0.5	<0.05	4	<0.5	<0.2	
DUP 968338	QC	18	15	0.66	231	0.176	<1	1.29	0.150	0.62	0.8	<0.01	3.1	0.5	<0.05	4	<0.5	<0.2	
968372	Rock Chip	24	44	0.96	76	0.105	<1	1.17	0.048	0.63	1.1	<0.01	5.3	0.2	<0.05	6	<0.5	<0.2	
DUP 968372	QC	25	46	0.97	77	0.116	<1	1.15	0.041	0.63	1.1	<0.01	5.2	0.2	<0.05	5	<0.5	<0.2	
968406	Rock Chip	26	20	0.58	61	0.027	2	1.25	0.035	0.33	1.8	<0.01	2.8	0.2	0.15	5	<0.5	<0.2	
DUP 968406	QC	25	19	0.58	63	0.026	2	1.33	0.040	0.35	1.7	<0.01	2.8	0.2	0.15	5	<0.5	<0.2	
Reference Materials																			
STD DS11	Standard	17	61	0.85	335	0.098	8	1.17	0.071	0.40	2.6	0.25	3.3	4.6	0.28	5	2.4	4.1	
STD DS11	Standard	18	66	0.84	377	0.095	6	1.16	0.070	0.40	2.7	0.25	3.1	4.8	0.27	5	2.5	4.3	
STD DS11	Standard	18	61	0.83	334	0.102	7	1.21	0.075	0.42	2.9	0.26	3.4	4.3	0.29	5	1.9	4.4	
STD DS11	Standard	21	61	0.87	391	0.103	7	1.26	0.079	0.42	3.0	0.26	3.5	4.8	0.28	5	2.4	4.9	
STD OXC129	Standard	11	52	1.51	45	0.409	<1	1.56	0.575	0.37	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	58	1.52	49	0.423	<1	1.56	0.579	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	58	1.54	52	0.427	<1	1.64	0.584	0.37	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	13	56	1.63	53	0.438	<1	1.75	0.634	0.39	<0.1	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2	
STD OXC145	Standard																		207
STD OXH139	Standard																		1282





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: October 06, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000708.2

	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
STD OXC145 Expected																					
STD OXH139 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.9	3.9	1.2	36	<0.1	0.8	3.9	550	1.71	1.7	2.2	2.2	27	<0.1	<0.1	<0.1	23	0.62	0.038	
ROCK-WHI	Prep Blank	0.8	4.7	1.1	31	<0.1	0.8	3.8	548	1.68	1.0	1.6	2.0	25	<0.1	<0.1	<0.1	25	0.63	0.036	



# QUALITY CONTROL REPORT

WHI17000708.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	
STD OXC145 Expected																			212
STD OXH139 Expected																			1312
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																		3
BLK	Blank																		3
Prep Wash																			
ROCK-WHI	Prep Blank	7	3	0.46	65	0.087	2	0.95	0.100	0.12	0.2	<0.01	3.0	<0.1	0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	7	3	0.47	67	0.082	2	0.95	0.099	0.12	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: December 13, 2017  
Report Date: January 15, 2018  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000708M.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-007  
P.O. Number  
Number of Samples: 3

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	3	Split samples by riffle splitter			WHI
PUL85	3	Pulverize to 85% passing 200 mesh			VAN
FS631	3	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	3	Analysis sample split/packet			VAN
Split -150	3	Analysis sample split/packet			VAN
FS631	3	Metallics Fire Assay for Au	30	Completed	VAN
EN002	3	Environmental disposal charge-Fire assay lead waste			VAN
SHP02	3	Per sample shipping charges for large branch shipments			VAN

## ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: January 15, 2018

Page: 2 of 2

Part: 1 of 1

## CERTIFICATE OF ANALYSIS

WHI17000708M.1

	Method	M150	FA430	FS600	FS600	FS600
		TotWt	-Au	TotAu	+Au	+Wt
	Analyte					
	Unit	g	gm/t	gm/t	gm/t	g
	MDL	1	0.005	0.05	0.05	0.01
968310	Rock Chip	466	0.640	0.63	0.43	21.13
968311	Rock Chip	566	0.417	0.40	<0.05	17.16
968316	Rock Chip	530	1.276	1.52	7.61	20.24



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: January 15, 2018

Page: 1 of 1

Part: 1 of 1

## QUALITY CONTROL REPORT

WHI17000708M.1

Method	M150	FA430	FS600	FS600	FS600
Analyte	TotWt	-Au	TotAu	+Au	+Wt
Unit	g	gm/t	gm/t	gm/t	g
MDL	1	0.005	0.05	0.05	0.01
Reference Materials					
STD OXC145	Standard	0.218			
STD OXH139	Standard	1.320			
STD OXN134	Standard	7.881			
STD OXQ90	Standard			25.01	30.35
STD OXQ90 Expected				24.88	
BLK	Blank			<0.05	30.00
BLK	Blank	<0.005			
BLK	Blank	<0.005			
Prep Wash					
ROCK-WHI	Prep Blank	491	0.005	<0.05	<0.05
				16.37	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: September 21, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000725.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-002  
P.O. Number  
Number of Samples: 141

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	141	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	141	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	141	Per sample shipping charges for branch shipments			VAN

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

## ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000725.1

Method Analyte	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	Wgt	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	kg	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
967111	Rock Chip	5.43	1.1	79.4	25.2	38	0.2	3.9	12.2	93	3.59	34.3	26.1	15.5	15	0.7	3.4	1.2	36	0.43	0.041
967112	Rock Chip	7.19	1.4	75.5	17.8	44	0.2	4.0	10.3	177	3.33	23.9	48.6	16.4	24	0.4	2.6	1.1	48	0.92	0.047
967113	Rock Chip	3.10	1.4	57.9	4.9	22	<0.1	3.3	9.1	206	3.40	12.7	28.9	15.1	26	<0.1	1.5	0.8	50	1.09	0.040
967114	Rock Chip	4.82	1.3	41.6	3.7	17	<0.1	3.3	10.0	199	3.39	14.7	16.9	14.8	21	<0.1	1.5	0.7	47	1.32	0.044
967115	Rock Chip	3.76	1.4	54.0	3.8	22	<0.1	3.5	9.3	234	3.25	8.4	20.2	16.3	28	<0.1	1.3	0.7	55	0.89	0.045
967116	Rock Chip	3.74	1.0	132.2	5.0	21	0.1	3.3	12.7	221	3.75	25.8	48.6	13.2	28	<0.1	2.3	1.6	58	1.30	0.055
967117	Rock Chip	2.70	0.9	126.9	6.2	18	0.2	3.2	10.4	148	3.13	29.8	38.4	17.2	31	<0.1	3.2	1.6	35	1.48	0.043
967118	Rock Chip	7.74	1.0	107.0	6.5	14	0.2	3.3	10.4	147	3.71	32.3	35.4	16.1	27	<0.1	2.7	1.7	28	1.51	0.046
967119	Rock Chip	6.18	1.0	83.6	15.2	26	0.5	3.8	12.8	199	5.19	83.2	73.3	15.2	27	0.1	3.3	3.1	21	1.97	0.041
967120	Rock Chip	9.02	0.7	48.8	5.4	16	0.1	2.5	7.3	134	2.95	16.2	34.0	16.9	28	<0.1	1.8	1.6	32	1.44	0.039
967121	Rock Chip	9.96	0.5	94.6	10.4	21	0.1	2.7	12.3	185	3.72	25.0	32.1	12.6	29	<0.1	2.9	1.9	17	1.76	0.041
967129	Rock Chip	8.30	0.4	105.3	4.9	9	0.1	3.5	12.6	90	3.76	32.3	29.4	13.0	25	<0.1	1.3	1.5	15	1.61	0.044
967130	Rock Chip	7.67	0.5	49.8	3.3	11	<0.1	2.9	10.1	112	3.92	16.7	22.5	16.5	26	<0.1	1.6	1.1	20	1.65	0.034
967131	Rock Chip	8.50	0.4	95.7	3.0	14	<0.1	3.0	10.0	115	3.23	15.6	26.3	15.6	24	<0.1	1.4	1.3	34	1.26	0.041
967132	Rock Chip	7.99	0.5	36.3	4.5	8	0.3	3.1	16.1	109	4.06	43.2	38.3	12.7	22	<0.1	1.1	3.4	13	2.13	0.037
967133	Rock Chip	7.20	0.6	32.7	3.7	7	<0.1	3.1	10.8	76	3.11	20.1	32.7	16.1	22	<0.1	0.4	1.4	9	1.73	0.041
967134	Rock Chip	7.53	0.5	69.7	5.5	10	0.1	3.0	10.9	83	4.07	24.0	78.3	13.3	32	<0.1	0.7	2.5	14	1.81	0.043
967135	Rock Chip	8.26	0.6	40.2	4.0	7	<0.1	2.1	3.3	74	2.50	9.1	25.0	16.1	43	<0.1	0.7	0.9	12	1.62	0.042
967136	Rock Chip	10.44	0.3	319.0	3.0	18	0.1	3.1	14.9	108	3.93	31.6	65.1	12.4	55	<0.1	1.1	2.2	35	1.26	0.043
967137	Rock Chip	9.18	0.5	148.0	4.9	18	<0.1	2.6	10.3	88	2.68	26.0	28.2	15.8	54	<0.1	1.1	1.0	26	1.09	0.041
967138	Rock Chip	9.11	0.6	47.4	5.4	13	<0.1	2.8	3.8	58	2.00	23.1	79.7	17.0	63	<0.1	0.7	0.7	13	1.07	0.043
967139	Rock Chip	9.01	0.6	60.3	6.8	17	<0.1	2.3	8.2	63	2.49	27.7	22.8	16.8	61	<0.1	0.8	1.1	19	1.11	0.039
967140	Rock Chip	7.08	0.6	249.4	8.4	35	0.2	2.7	10.6	91	2.84	42.8	67.3	12.5	54	0.2	1.3	1.4	29	1.14	0.042
967141	Rock Chip	9.73	0.8	51.5	6.0	24	0.3	3.4	14.0	118	3.76	74.6	52.6	13.5	47	0.1	1.7	2.0	28	1.53	0.040
967142	Rock Chip	7.00	0.6	325.7	13.9	70	0.3	2.7	12.1	102	2.85	49.0	84.6	13.1	47	0.5	2.4	2.3	29	1.43	0.039
967143	Rock Chip	7.80	0.8	291.8	16.3	92	0.2	3.0	8.2	124	2.90	42.4	45.2	14.3	67	0.6	2.1	1.9	38	1.54	0.043
967144	Rock Chip	7.42	0.6	185.9	7.1	17	0.1	3.1	9.9	93	3.66	40.9	35.2	12.8	49	0.1	1.1	3.2	22	1.78	0.042
967145	Rock Chip	7.82	0.8	220.2	21.1	114	0.3	3.4	12.0	108	3.18	58.7	52.3	13.4	50	1.0	1.6	4.1	35	1.77	0.043
967146	Rock Chip	8.20	0.9	195.8	5.3	20	0.1	3.1	9.7	107	3.29	49.3	44.7	13.2	54	<0.1	1.0	3.3	35	1.09	0.043
967147	Rock Chip	8.30	0.9	183.2	7.4	38	0.1	3.1	8.2	101	3.14	38.5	123.9	11.2	67	0.2	1.1	2.8	32	1.03	0.043





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
967111	Rock Chip	30	8	0.74	31	0.002	1	1.18	0.029	0.19	0.8	<0.01	3.1	0.2	3.17	4	<0.5	0.5
967112	Rock Chip	26	12	0.88	48	0.027	<1	1.23	0.046	0.26	1.1	<0.01	4.6	0.2	2.23	5	0.7	0.5
967113	Rock Chip	23	12	0.90	46	0.034	2	1.28	0.062	0.28	1.7	<0.01	4.9	0.2	2.09	5	<0.5	0.3
967114	Rock Chip	24	11	0.95	52	0.013	2	1.27	0.044	0.20	0.9	<0.01	4.1	0.2	2.27	4	0.5	0.3
967115	Rock Chip	23	13	0.95	115	0.058	1	1.28	0.073	0.27	1.4	<0.01	5.0	0.2	1.58	6	<0.5	0.2
967116	Rock Chip	22	9	1.06	42	0.019	1	1.43	0.063	0.28	0.9	<0.01	6.0	0.3	2.66	5	<0.5	0.7
967117	Rock Chip	27	8	0.77	45	0.002	<1	1.03	0.047	0.18	1.9	0.01	4.5	0.2	2.83	4	<0.5	0.6
967118	Rock Chip	27	8	0.66	33	0.002	2	0.88	0.037	0.18	4.7	0.01	3.2	0.2	3.44	3	0.8	0.5
967119	Rock Chip	26	8	0.73	22	0.002	1	0.94	0.023	0.26	1.0	0.01	2.7	0.3	4.99	3	0.9	1.1
967120	Rock Chip	24	6	0.72	50	0.006	2	0.96	0.035	0.19	0.6	<0.01	3.8	0.2	2.31	4	<0.5	0.5
967121	Rock Chip	21	5	0.55	29	<0.001	<1	0.72	0.015	0.20	0.3	<0.01	2.0	0.2	3.50	2	0.8	0.8
967129	Rock Chip	26	4	0.44	40	0.001	<1	0.58	0.026	0.18	0.2	<0.01	2.1	0.2	3.84	2	1.3	0.6
967130	Rock Chip	24	5	0.41	44	0.002	<1	0.69	0.034	0.19	0.2	<0.01	3.4	0.1	3.81	2	1.1	0.5
967131	Rock Chip	25	7	0.66	62	0.005	2	1.03	0.053	0.16	0.3	<0.01	5.0	0.2	2.65	4	<0.5	0.5
967132	Rock Chip	21	4	0.34	40	0.001	<1	0.67	0.019	0.20	0.3	<0.01	2.4	0.2	4.12	2	0.7	1.4
967133	Rock Chip	24	5	0.20	57	0.001	<1	0.65	0.021	0.24	0.2	<0.01	1.7	0.2	3.29	2	0.9	0.7
967134	Rock Chip	20	4	0.52	45	0.001	<1	1.04	0.017	0.22	<0.1	<0.01	1.8	0.2	4.28	2	1.0	1.3
967135	Rock Chip	24	4	0.43	70	0.001	<1	0.97	0.032	0.22	0.1	<0.01	1.7	0.2	2.57	3	<0.5	0.4
967136	Rock Chip	19	6	1.37	61	0.005	2	2.26	0.139	0.26	0.1	<0.01	3.6	0.4	3.51	6	0.9	0.8
967137	Rock Chip	17	6	0.89	54	0.002	1	1.61	0.089	0.18	0.2	<0.01	3.0	0.2	2.36	4	0.6	0.3
967138	Rock Chip	15	5	0.48	59	0.001	<1	1.00	0.057	0.18	0.2	<0.01	1.8	0.2	1.91	3	0.5	0.3
967139	Rock Chip	14	5	0.64	60	0.002	<1	1.25	0.089	0.18	0.3	<0.01	2.6	0.2	2.40	3	<0.5	0.3
967140	Rock Chip	10	6	0.95	53	0.007	2	1.60	0.114	0.18	0.3	<0.01	2.7	0.2	2.42	5	0.5	0.7
967141	Rock Chip	14	7	0.86	25	0.002	1	1.45	0.086	0.20	0.4	<0.01	3.1	0.2	3.42	4	0.5	0.5
967142	Rock Chip	13	6	0.96	59	0.002	1	1.53	0.076	0.20	0.3	<0.01	3.5	0.2	2.49	5	<0.5	0.9
967143	Rock Chip	12	7	1.11	63	0.012	1	2.01	0.149	0.19	0.3	0.01	3.8	0.3	2.18	6	<0.5	0.9
967144	Rock Chip	12	6	0.80	46	0.002	2	1.15	0.051	0.23	0.3	<0.01	2.5	0.2	3.55	3	0.6	1.5
967145	Rock Chip	11	7	1.01	52	0.014	2	1.61	0.098	0.21	0.4	<0.01	3.4	0.2	2.87	5	<0.5	2.0
967146	Rock Chip	8	6	1.10	47	0.030	1	1.72	0.115	0.20	0.5	<0.01	3.1	0.2	2.76	5	<0.5	1.7
967147	Rock Chip	7	7	1.06	50	0.017	1	1.75	0.098	0.20	0.4	<0.01	2.7	0.2	2.66	5	0.6	1.4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method Analyte Unit MDL	WGHT	AQ201 Mo	AQ201 Cu	AQ201 Pb	AQ201 Zn	AQ201 Ag	AQ201 Ni	AQ201 Co	AQ201 Mn	AQ201 Fe	AQ201 As	AQ201 Au	AQ201 Th	AQ201 Sr	AQ201 Cd	AQ201 Sb	AQ201 Bi	AQ201 V	AQ201 Ca	AQ201 P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967148	Rock Chip	9.98	0.8	228.5	8.2	32	0.2	3.2	8.9	103	3.34	65.1	43.8	13.4	65	0.2	2.0	3.5	30	1.18	0.042
967149	Rock Chip	7.39	1.3	88.8	15.3	53	0.2	3.5	10.0	73	3.52	62.0	34.5	12.7	57	0.5	1.7	2.5	21	1.12	0.042
967150	Rock Chip	8.75	0.9	116.6	9.8	36	0.2	3.3	10.3	98	2.87	68.7	33.4	13.0	59	0.3	1.6	1.8	32	1.23	0.045
967151	Rock Chip	3.31	0.9	59.4	5.4	33	<0.1	6.6	5.1	292	3.71	9.2	23.7	13.2	31	<0.1	0.8	2.2	75	0.28	0.056
967152	Rock Chip	2.96	0.9	62.1	5.2	37	0.1	5.8	6.1	356	3.64	9.2	21.5	11.9	30	<0.1	0.7	2.5	84	0.35	0.060
967153	Rock Chip	5.20	1.2	64.7	4.9	36	<0.1	6.8	10.6	365	4.17	10.8	21.6	10.0	24	<0.1	0.4	2.3	87	0.36	0.067
967154	Rock Chip	3.53	0.9	54.4	4.9	32	<0.1	4.2	6.6	282	3.69	7.9	20.0	11.4	31	<0.1	0.5	2.1	69	0.25	0.050
967155	Rock Chip	3.39	0.9	63.8	4.2	36	<0.1	4.2	7.0	337	3.64	5.7	10.9	10.0	27	<0.1	0.4	1.5	74	0.28	0.053
967156	Rock Chip	4.26	0.9	95.5	4.2	39	<0.1	5.3	12.4	395	3.95	7.7	16.1	7.9	25	<0.1	0.5	1.4	78	0.48	0.054
967157	Rock Chip	3.24	0.8	189.0	4.8	27	<0.1	5.3	12.6	233	3.83	31.0	14.6	11.2	22	<0.1	1.6	1.4	54	0.24	0.056
967158	Rock Chip	3.27	0.7	189.6	4.7	64	<0.1	8.3	18.4	413	5.06	21.2	18.2	10.4	30	<0.1	0.8	1.9	107	0.38	0.073
967159	Rock Chip	2.76	0.9	203.9	5.2	49	0.1	5.4	14.0	321	4.39	6.1	50.4	7.6	27	0.1	0.4	2.1	71	0.45	0.056
967160	Rock Chip	2.66	0.8	169.0	5.6	46	0.1	5.5	14.8	352	4.23	6.9	34.2	7.9	29	<0.1	0.3	2.1	75	0.55	0.057
967161	Rock Chip	3.55	0.9	104.3	5.0	37	0.1	5.2	15.0	328	4.51	14.0	41.1	7.0	23	<0.1	0.5	2.5	72	0.49	0.061
967162	Rock Chip	3.71	0.5	115.6	5.9	48	<0.1	5.9	14.8	414	4.37	5.3	16.5	7.4	30	<0.1	0.4	1.6	86	0.67	0.069
967163	Rock Chip	3.21	0.5	105.4	7.4	38	<0.1	5.4	13.4	304	4.14	8.3	25.1	7.4	38	0.2	1.0	1.9	61	0.81	0.051
967164	Rock Chip	5.58	0.8	97.2	5.7	35	<0.1	5.9	15.2	326	5.17	13.5	35.9	15.3	23	0.1	0.8	2.2	66	0.87	0.061
967165	Rock Chip	6.08	0.9	44.3	5.9	28	0.1	4.7	13.6	320	5.37	20.3	38.6	6.0	25	<0.1	0.6	3.2	50	1.34	0.052
967166	Rock Chip	4.05	0.9	55.8	5.3	28	0.1	5.0	13.8	288	4.54	27.0	25.8	6.8	22	<0.1	0.5	2.6	58	0.80	0.056
967167	Rock Chip	5.24	1.0	98.8	4.0	40	<0.1	5.4	12.3	429	3.51	7.0	22.7	7.4	28	<0.1	0.6	1.3	82	0.94	0.063
967168	Rock Chip	6.12	1.2	50.5	3.0	44	<0.1	5.9	14.2	470	4.18	4.1	20.5	7.4	31	<0.1	0.4	1.1	89	1.14	0.071
967169	Rock Chip	6.10	1.3	68.1	2.8	39	<0.1	5.4	13.9	414	4.18	8.3	17.4	8.1	28	<0.1	0.5	1.2	79	0.93	0.061
967170	Rock Chip	4.36	1.4	51.3	3.5	45	<0.1	6.0	14.0	445	4.06	4.8	19.8	16.5	31	<0.1	0.4	1.2	82	1.04	0.060
967171	Rock Chip	5.85	0.9	66.4	3.6	35	<0.1	5.4	14.1	337	4.41	8.0	39.0	5.6	20	<0.1	0.7	1.9	63	0.88	0.062
967172	Rock Chip	4.78	1.1	97.5	5.1	48	<0.1	5.0	16.8	360	5.12	10.9	288.2	8.5	17	0.2	0.8	1.9	81	0.46	0.058
967173	Rock Chip	4.16	1.3	75.2	5.1	38	<0.1	6.0	18.6	413	6.23	13.5	92.0	12.0	16	<0.1	0.6	2.5	74	1.05	0.060
967174	Rock Chip	4.79	1.0	86.0	4.5	38	<0.1	5.9	16.6	376	5.69	6.2	49.2	10.3	15	<0.1	0.4	2.1	70	0.75	0.065
967175	Rock Chip	3.49	1.8	100.1	2.7	44	<0.1	5.7	13.2	457	4.53	3.3	23.2	11.8	25	<0.1	0.3	1.5	90	0.98	0.056
967176	Rock Chip	3.82	2.0	76.3	2.9	45	<0.1	5.3	13.5	490	4.48	4.2	20.1	6.6	30	<0.1	0.3	1.4	89	1.03	0.064
967177	Rock Chip	5.37	2.3	72.6	2.7	41	<0.1	5.2	11.1	502	3.88	2.2	7.7	12.8	37	<0.1	0.3	0.9	86	0.99	0.058



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
967148	Rock Chip	9	7	0.98	50	0.006	<1	1.56	0.089	0.20	0.3	<0.01	3.2	0.2	2.79	5	0.7	1.5
967149	Rock Chip	11	7	0.70	47	0.002	<1	1.25	0.067	0.22	1.0	<0.01	2.6	0.2	3.43	3	<0.5	1.0
967150	Rock Chip	14	7	0.93	56	0.002	2	1.55	0.111	0.18	0.5	<0.01	3.3	0.2	2.50	4	<0.5	0.5
967151	Rock Chip	15	13	1.05	448	0.176	<1	1.70	0.050	0.41	0.5	<0.01	7.7	0.3	0.08	7	0.7	0.7
967152	Rock Chip	14	14	1.22	550	0.216	2	1.89	0.064	0.55	0.4	<0.01	8.0	0.3	0.07	7	0.6	1.0
967153	Rock Chip	11	15	1.22	170	0.212	1	1.84	0.081	0.65	0.6	<0.01	6.3	0.4	0.85	6	<0.5	1.1
967154	Rock Chip	12	11	0.94	420	0.187	<1	1.53	0.056	0.55	0.8	<0.01	5.4	0.3	0.42	6	0.6	0.7
967155	Rock Chip	12	13	1.04	552	0.186	<1	1.74	0.066	0.62	0.6	<0.01	5.9	0.3	0.24	6	<0.5	0.5
967156	Rock Chip	14	13	0.98	71	0.215	2	1.73	0.098	0.75	0.9	0.03	8.2	0.6	1.49	6	<0.5	0.5
967157	Rock Chip	23	9	0.64	44	0.111	2	1.45	0.047	0.54	0.5	0.07	6.8	1.0	2.48	4	0.7	0.4
967158	Rock Chip	30	14	1.30	45	0.184	2	2.51	0.036	0.85	0.4	0.03	12.4	0.6	2.12	7	0.9	0.4
967159	Rock Chip	24	12	1.36	61	0.087	1	2.20	0.031	0.57	0.6	<0.01	6.9	0.3	2.31	8	0.5	0.7
967160	Rock Chip	23	12	1.42	67	0.081	1	2.36	0.017	0.65	0.4	0.01	7.4	0.4	2.16	7	0.9	0.7
967161	Rock Chip	11	12	1.42	37	0.082	1	2.10	0.029	0.58	0.3	<0.01	7.1	0.3	3.02	7	0.8	0.8
967162	Rock Chip	13	12	1.54	54	0.093	1	2.52	0.023	0.72	0.5	<0.01	7.9	0.4	2.13	8	0.8	0.6
967163	Rock Chip	12	9	1.33	54	0.019	<1	2.42	0.006	0.46	0.7	<0.01	6.4	0.2	2.64	7	0.7	0.6
967164	Rock Chip	26	11	1.31	32	0.068	2	2.02	0.023	0.51	0.8	<0.01	8.1	0.3	3.93	7	1.0	0.6
967165	Rock Chip	18	10	1.17	38	0.027	2	1.81	0.014	0.37	0.5	<0.01	5.3	0.2	4.59	6	1.2	1.0
967166	Rock Chip	10	11	1.23	35	0.054	2	1.80	0.033	0.39	0.6	0.01	5.9	0.2	3.69	7	0.9	0.6
967167	Rock Chip	12	14	1.22	113	0.143	2	1.97	0.074	0.68	0.7	<0.01	7.3	0.4	1.33	6	<0.5	0.5
967168	Rock Chip	14	16	1.23	56	0.178	3	1.85	0.091	0.78	1.0	<0.01	8.7	0.4	1.94	7	<0.5	0.4
967169	Rock Chip	13	15	1.15	53	0.157	2	1.77	0.084	0.72	1.4	<0.01	7.9	0.4	2.17	6	0.6	0.5
967170	Rock Chip	30	16	1.14	62	0.182	1	1.81	0.103	0.79	1.4	<0.01	7.5	0.4	1.77	7	<0.5	0.5
967171	Rock Chip	11	12	1.10	38	0.110	2	1.60	0.043	0.57	0.8	<0.01	7.0	0.3	3.04	6	0.8	0.6
967172	Rock Chip	12	12	1.10	30	0.175	1	2.00	0.038	0.87	0.4	<0.01	9.6	0.5	3.08	7	0.6	0.6
967173	Rock Chip	23	14	1.19	24	0.125	2	1.79	0.021	0.69	0.6	<0.01	10.5	0.4	4.71	6	1.2	0.9
967174	Rock Chip	18	14	1.20	21	0.108	2	1.86	0.029	0.65	0.7	<0.01	7.4	0.4	4.22	6	1.4	0.7
967175	Rock Chip	20	17	1.32	59	0.199	<1	1.81	0.076	0.81	0.9	<0.01	9.5	0.4	2.17	7	0.8	0.5
967176	Rock Chip	12	17	1.16	59	0.256	<1	1.76	0.094	0.88	0.9	<0.01	9.8	0.4	1.93	7	0.9	0.5
967177	Rock Chip	28	22	1.07	128	0.231	<1	1.81	0.133	0.83	1.1	<0.01	7.1	0.5	1.07	6	<0.5	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000725.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967178	Rock Chip	4.08	2.1	93.7	2.7	39	<0.1	4.8	12.2	410	4.29	3.8	12.8	6.9	29	<0.1	0.3	1.6	78	0.95	0.056
967179	Rock Chip	4.53	1.7	46.6	2.8	38	<0.1	4.9	12.0	510	3.96	3.1	8.1	5.2	36	<0.1	0.3	1.1	71	1.17	0.053
967180	Rock Chip	4.09	1.5	53.9	2.8	39	<0.1	4.6	12.0	419	4.27	2.7	13.6	16.7	33	<0.1	0.4	1.6	67	1.09	0.052
967181	Rock Chip	5.02	1.7	47.8	2.6	41	<0.1	4.8	11.5	481	3.92	2.3	10.7	12.0	35	<0.1	0.4	1.1	77	1.18	0.056
967182	Rock Chip	6.17	1.6	40.5	13.0	76	<0.1	4.4	12.7	467	4.25	5.5	12.5	5.7	35	0.3	0.4	1.5	65	1.41	0.051
967183	Rock Chip	3.57	1.8	46.6	2.7	41	<0.1	4.5	11.3	495	4.01	2.0	5.6	5.4	33	<0.1	0.3	1.1	77	0.91	0.053
967184	Rock Chip	6.09	2.2	46.4	2.8	44	<0.1	5.5	13.0	504	4.20	2.9	9.2	6.3	39	<0.1	0.3	1.3	80	1.04	0.057
967185	Rock Chip	4.71	2.2	50.7	2.5	44	<0.1	4.9	12.4	506	4.19	3.0	8.5	6.5	48	<0.1	0.3	1.3	83	1.03	0.060
967186	Rock Chip	4.21	1.4	51.9	3.8	45	<0.1	5.1	11.8	453	4.54	16.2	27.3	8.3	46	<0.1	0.5	1.8	75	1.01	0.050
967187	Rock Chip	5.91	1.6	35.5	2.7	39	<0.1	4.6	11.6	511	4.16	4.2	13.4	8.2	41	<0.1	0.3	1.2	73	0.98	0.051
967188	Rock Chip	4.88	1.8	69.0	2.7	48	<0.1	4.6	11.7	570	3.85	3.3	13.8	8.0	58	<0.1	0.4	1.4	87	1.07	0.053
967189	Rock Chip	5.12	1.7	32.9	2.7	33	<0.1	4.6	13.1	516	3.86	9.4	16.8	9.8	52	<0.1	0.3	1.4	58	1.22	0.056
967190	Rock Chip	2.91	1.8	40.7	3.5	44	<0.1	6.1	14.1	741	4.42	4.8	16.7	11.3	63	<0.1	0.5	1.8	70	1.69	0.058
967191	Rock Chip	4.55	1.9	52.5	3.3	39	<0.1	4.1	11.0	554	3.72	7.9	19.2	9.6	52	<0.1	0.4	1.5	75	1.27	0.050
967192	Rock Chip	5.59	2.2	88.4	3.6	47	0.1	5.1	12.5	494	4.11	20.6	23.6	9.4	52	<0.1	0.6	2.3	83	1.05	0.054
967193	Rock Chip	6.77	2.3	78.3	5.0	45	0.1	5.0	12.8	510	4.10	22.0	37.4	9.2	46	<0.1	0.5	2.1	92	0.97	0.054
967194	Rock Chip	5.45	2.1	81.9	3.5	48	<0.1	5.5	13.7	576	4.12	12.7	53.4	11.4	45	<0.1	0.5	1.5	94	0.94	0.063
967195	Rock Chip	3.81	2.1	83.4	4.3	48	<0.1	4.8	12.3	467	3.93	15.7	23.6	12.0	48	<0.1	0.7	1.9	82	0.89	0.051
967196	Rock Chip	5.79	2.0	96.8	4.7	44	0.1	4.8	11.5	462	3.95	14.8	25.0	10.8	46	<0.1	0.7	2.2	77	0.90	0.051
967197	Rock Chip	3.15	2.2	78.8	4.4	42	0.1	5.7	12.2	494	4.17	25.2	24.9	11.0	50	<0.1	1.2	1.7	77	1.02	0.059
967198	Rock Chip	5.67	1.6	66.8	6.1	38	0.2	6.4	16.0	495	5.04	27.8	31.9	8.3	58	<0.1	1.4	3.5	59	1.61	0.058
967199	Rock Chip	7.42	1.2	120.1	6.1	48	0.2	5.2	12.5	471	4.53	31.3	36.3	8.5	58	<0.1	1.3	3.0	73	1.37	0.052
967200	Rock Chip	3.58	2.0	94.9	5.0	46	0.1	5.1	12.1	491	4.14	21.7	40.8	16.9	57	<0.1	0.9	2.1	82	1.27	0.053
967201	Rock Chip	4.55	2.2	144.4	4.4	42	0.1	4.4	10.5	481	3.50	8.2	17.7	6.7	48	<0.1	0.5	1.9	82	0.99	0.053
967202	Rock Chip	5.62	1.5	185.1	5.1	39	0.1	4.9	12.8	513	3.96	29.1	36.7	7.9	61	<0.1	0.9	3.4	83	1.29	0.060
967203	Rock Chip	4.30	1.4	75.4	4.8	37	0.1	4.5	13.1	464	3.98	46.3	34.2	8.9	63	<0.1	0.6	2.3	77	1.32	0.058
967204	Rock Chip	4.48	2.0	181.2	8.5	43	0.2	5.7	14.4	525	4.50	91.5	61.0	7.9	54	0.2	2.2	5.2	87	1.27	0.065
967205	Rock Chip	5.24	1.5	137.6	10.4	50	0.2	5.7	15.2	464	4.27	76.7	95.6	9.8	61	<0.1	1.3	3.3	94	1.08	0.066
967206	Rock Chip	5.18	1.8	119.4	6.6	50	0.1	5.2	12.6	484	5.59	67.9	91.1	7.0	61	<0.1	1.9	2.1	80	1.53	0.053
967207	Rock Chip	2.65	1.8	93.8	6.3	50	0.1	4.6	12.3	462	4.30	30.2	59.9	12.7	74	<0.1	0.8	2.4	89	1.14	0.054



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
967178	Rock Chip	10	16	1.15	49	0.173	<1	1.63	0.087	0.70	1.5	<0.01	9.1	0.3	2.19	6	0.6	0.5
967179	Rock Chip	8	16	1.02	69	0.163	2	1.55	0.095	0.67	0.8	<0.01	7.2	0.4	1.79	5	0.9	0.4
967180	Rock Chip	32	14	1.04	51	0.137	1	1.45	0.066	0.62	1.1	<0.01	8.2	0.3	2.38	5	0.7	0.3
967181	Rock Chip	27	16	1.11	81	0.179	1	1.57	0.080	0.70	0.7	<0.01	8.4	0.4	1.68	5	<0.5	0.3
967182	Rock Chip	9	14	1.00	70	0.141	1	1.34	0.061	0.62	0.9	<0.01	7.2	0.3	2.46	5	<0.5	0.4
967183	Rock Chip	7	18	1.14	67	0.202	1	1.60	0.092	0.74	0.9	<0.01	7.4	0.4	1.74	6	<0.5	0.3
967184	Rock Chip	8	18	1.14	64	0.191	1	1.70	0.101	0.76	1.6	<0.01	7.7	0.4	1.80	6	<0.5	0.3
967185	Rock Chip	9	17	1.14	79	0.218	2	1.70	0.100	0.76	1.6	<0.01	8.3	0.4	1.66	6	<0.5	0.3
967186	Rock Chip	11	14	1.23	34	0.145	3	1.61	0.062	0.64	0.8	<0.01	7.9	0.3	2.63	6	0.8	0.5
967187	Rock Chip	15	17	1.18	44	0.147	3	1.58	0.081	0.64	1.1	<0.01	7.0	0.3	2.09	5	0.6	0.3
967188	Rock Chip	12	15	1.13	94	0.224	2	1.68	0.093	0.86	0.8	<0.01	8.8	0.4	1.23	6	<0.5	0.4
967189	Rock Chip	18	15	1.08	49	0.102	3	1.34	0.050	0.53	0.9	<0.01	6.4	0.3	2.14	4	0.8	0.4
967190	Rock Chip	23	14	1.22	53	0.103	2	1.50	0.065	0.55	1.2	<0.01	8.9	0.3	2.18	5	<0.5	0.3
967191	Rock Chip	17	16	1.04	70	0.173	3	1.51	0.090	0.66	0.9	<0.01	7.4	0.4	1.55	5	<0.5	0.3
967192	Rock Chip	16	18	1.16	52	0.186	2	1.70	0.103	0.74	1.5	<0.01	7.7	0.5	1.98	7	0.6	0.7
967193	Rock Chip	15	20	1.29	62	0.225	2	1.83	0.117	0.78	1.4	<0.01	8.2	0.4	1.82	6	<0.5	0.7
967194	Rock Chip	22	21	1.33	75	0.235	2	1.88	0.121	0.88	1.2	<0.01	7.5	0.5	1.48	7	<0.5	0.6
967195	Rock Chip	19	19	1.17	65	0.187	2	1.73	0.108	0.72	1.5	<0.01	8.1	0.4	1.70	7	0.6	0.5
967196	Rock Chip	19	17	1.16	55	0.166	2	1.72	0.102	0.65	1.3	<0.01	8.3	0.4	1.85	6	0.7	0.8
967197	Rock Chip	22	19	1.09	60	0.178	3	1.68	0.097	0.72	1.4	<0.01	8.5	0.5	1.87	5	<0.5	0.5
967198	Rock Chip	18	13	0.82	30	0.106	2	1.39	0.057	0.55	0.5	<0.01	7.4	0.7	3.78	5	1.1	1.2
967199	Rock Chip	15	13	1.03	44	0.135	2	1.71	0.070	0.64	0.5	<0.01	9.2	0.7	2.41	6	0.6	0.9
967200	Rock Chip	29	16	1.09	63	0.189	3	1.71	0.085	0.75	1.1	<0.01	10.2	0.6	1.69	6	<0.5	0.7
967201	Rock Chip	12	19	1.06	106	0.211	1	1.73	0.139	0.81	1.3	<0.01	6.9	0.5	1.08	6	<0.5	1.0
967202	Rock Chip	16	17	1.27	46	0.139	2	1.97	0.073	0.64	0.3	0.01	7.2	0.4	2.07	7	0.7	1.4
967203	Rock Chip	19	16	1.12	41	0.108	2	1.78	0.073	0.56	0.5	0.02	8.7	0.4	2.40	7	<0.5	0.7
967204	Rock Chip	13	20	1.33	45	0.115	3	1.86	0.075	0.52	1.2	0.01	9.7	0.4	2.90	7	<0.5	2.3
967205	Rock Chip	17	16	1.30	31	0.131	2	1.99	0.071	0.66	0.5	<0.01	10.8	0.4	2.45	7	<0.5	1.1
967206	Rock Chip	15	16	1.03	26	0.154	2	1.74	0.069	0.77	0.4	<0.01	9.8	0.8	3.73	7	1.1	0.8
967207	Rock Chip	21	16	1.18	53	0.181	2	2.01	0.065	0.87	0.5	<0.01	11.6	0.6	1.86	7	<0.5	0.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000725.1

Method Analyte	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	Wgt	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	kg	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001		
967208	Rock Chip	4.02	2.2	67.6	6.4	50	0.1	5.0	12.1	499	3.86	29.5	48.1	7.9	53	<0.1	0.9	1.8	88	1.04	0.050
967209	Rock Chip	3.76	2.8	104.4	5.3	54	0.1	6.0	12.7	500	3.88	13.2	62.8	9.5	58	<0.1	0.7	1.5	92	1.04	0.055
967210	Rock Chip	6.55	2.2	77.0	5.9	51	0.1	5.6	13.0	534	3.97	23.2	40.8	7.4	53	<0.1	0.7	1.7	93	1.06	0.058
967211	Rock Chip	4.20	2.7	83.9	5.7	43	0.1	5.9	13.8	511	4.54	24.6	53.7	9.2	43	<0.1	0.8	2.2	83	1.03	0.065
967212	Rock Chip	3.58	1.7	134.0	8.1	54	0.2	4.4	11.5	541	3.84	22.9	53.7	13.6	60	<0.1	1.4	2.8	72	1.73	0.055
967213	Rock Chip	4.43	2.3	75.4	7.1	51	0.1	5.6	12.6	505	3.80	37.2	62.6	10.1	54	<0.1	1.4	2.2	78	1.40	0.052
967214	Rock Chip	5.03	2.4	66.5	8.8	38	0.2	4.5	10.0	960	3.39	222.4	96.7	10.9	35	0.1	8.3	3.1	14	2.22	0.040
967215	Rock Chip	4.84	1.4	134.3	8.3	27	0.2	4.4	10.3	486	2.69	79.0	92.6	12.5	70	0.1	12.3	2.6	23	2.32	0.048
967216	Rock Chip	4.54	1.6	167.5	10.2	25	0.2	4.4	9.2	480	2.94	36.5	115.1	13.1	118	0.1	6.4	3.4	26	2.45	0.050
967217	Rock Chip	7.03	1.9	102.5	8.4	32	0.2	5.9	12.8	436	3.61	32.1	138.9	12.7	77	<0.1	2.5	2.8	43	1.64	0.052
967218	Rock Chip	4.66	2.4	79.7	8.6	33	0.2	5.6	13.2	397	5.30	45.3	193.0	12.3	48	<0.1	2.6	3.6	44	1.50	0.051
967219	Rock Chip	4.20	1.9	70.4	9.4	21	0.2	4.3	9.6	238	4.33	45.5	206.2	14.3	46	<0.1	2.0	3.4	19	1.37	0.042
967220	Rock Chip	5.28	2.5	79.8	5.4	47	0.1	5.5	11.9	500	3.44	15.3	48.4	12.5	63	<0.1	1.1	1.6	69	1.17	0.057
967221	Rock Chip	4.90	2.7	60.0	3.5	45	<0.1	5.2	11.3	492	3.29	9.4	28.4	9.4	51	<0.1	0.6	1.2	77	0.90	0.060
967222	Rock Chip	5.00	2.8	50.7	3.1	45	<0.1	5.1	11.5	513	3.40	5.9	14.8	10.0	57	<0.1	0.4	1.2	82	0.96	0.060
967223	Rock Chip	3.75	3.0	34.6	2.7	44	<0.1	5.1	10.7	487	3.49	3.1	7.7	11.1	53	<0.1	0.2	0.8	82	0.86	0.056
967224	Rock Chip	3.89	3.0	70.4	3.3	46	<0.1	5.3	11.1	509	3.37	8.0	14.0	10.4	55	<0.1	0.3	1.4	84	0.88	0.058
967225	Rock Chip	3.97	2.8	45.3	3.0	43	<0.1	5.5	10.7	496	3.27	4.4	13.1	10.0	53	<0.1	0.3	0.7	82	0.86	0.063
967226	Rock Chip	5.89	2.8	33.8	2.6	48	<0.1	5.2	11.0	507	3.35	1.7	6.3	11.7	43	<0.1	0.2	0.8	86	0.71	0.058
967227	Rock Chip	4.31	3.2	25.2	2.9	46	<0.1	5.5	11.2	537	3.37	1.4	10.1	11.0	52	<0.1	0.1	0.5	88	0.75	0.054
967228	Rock Chip	4.72	3.3	65.1	3.0	44	<0.1	5.6	11.9	509	3.64	2.5	23.4	10.4	46	<0.1	0.3	1.5	87	0.82	0.059
967229	Rock Chip	4.86	3.1	84.1	3.6	43	<0.1	5.4	11.1	466	3.49	7.4	40.3	9.1	42	<0.1	0.6	2.2	84	0.83	0.058
967230	Rock Chip	4.74	2.9	39.7	3.1	43	<0.1	5.1	10.8	486	3.37	3.1	11.7	10.3	45	<0.1	0.3	1.0	85	0.72	0.055
967231	Rock Chip	3.77	2.9	39.7	3.2	44	<0.1	5.2	11.0	502	3.39	3.8	13.0	10.0	46	<0.1	0.3	1.0	87	0.75	0.055
967232	Rock Chip	3.56	1.1	40.0	7.2	30	0.1	7.5	4.2	234	3.50	25.1	35.2	10.5	67	<0.1	0.7	2.3	52	0.23	0.062
967233	Rock Chip	3.25	1.0	54.0	5.8	19	0.1	5.0	2.9	127	3.56	24.8	64.4	11.2	55	<0.1	0.5	2.2	39	0.14	0.061
967234	Rock Chip	3.85	1.5	44.3	10.9	12	0.1	6.1	7.1	89	4.37	34.9	54.1	10.2	27	<0.1	0.5	2.4	26	0.08	0.044
967235	Rock Chip	5.33	1.8	48.5	7.4	18	<0.1	6.1	5.0	129	3.53	23.3	46.6	10.4	29	<0.1	0.5	2.1	46	0.16	0.053
967236	Rock Chip	2.53	1.5	52.1	7.2	24	<0.1	4.3	9.0	174	4.14	18.1	40.1	12.5	20	<0.1	0.5	2.2	72	0.24	0.064
967237	Rock Chip	2.70	1.0	42.8	6.0	26	<0.1	4.3	11.3	208	3.91	14.7	27.9	7.7	20	<0.1	0.4	1.8	75	0.31	0.059



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201	
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	ppm	ppm	ppm
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2			
967208	Rock Chip	13	19	1.17	84	0.227	2	1.91	0.131	0.90	1.0	<0.01	8.6	0.5	1.23	7	<0.5	0.4		
967209	Rock Chip	17	22	1.21	87	0.241	<1	1.97	0.167	0.91	1.5	<0.01	7.9	0.5	1.12	8	<0.5	0.6		
967210	Rock Chip	13	21	1.22	72	0.225	<1	2.00	0.156	0.87	1.2	<0.01	8.2	0.6	1.32	7	<0.5	0.4		
967211	Rock Chip	17	25	1.19	41	0.161	<1	1.80	0.111	0.67	1.5	<0.01	7.2	0.4	2.43	6	<0.5	0.6		
967212	Rock Chip	31	17	1.02	78	0.129	1	1.68	0.069	0.57	0.8	<0.01	7.2	0.3	1.71	6	0.7	0.6		
967213	Rock Chip	17	19	1.17	85	0.153	1	1.74	0.089	0.53	1.6	<0.01	8.3	0.3	1.47	6	<0.5	0.6		
967214	Rock Chip	20	14	0.26	50	0.002	3	0.63	0.014	0.25	3.4	0.17	3.6	2.3	3.27	2	<0.5	1.0		
967215	Rock Chip	24	9	0.28	51	0.001	3	0.84	0.029	0.19	1.7	0.07	4.5	1.1	2.15	3	<0.5	0.7		
967216	Rock Chip	24	9	0.57	51	<0.001	1	1.27	0.015	0.14	0.7	0.02	3.8	0.3	2.01	4	<0.5	1.1		
967217	Rock Chip	22	15	0.95	42	0.003	2	1.51	0.042	0.16	1.2	<0.01	5.4	0.2	2.22	6	<0.5	0.8		
967218	Rock Chip	19	15	0.90	26	0.006	<1	1.27	0.033	0.16	1.2	<0.01	5.3	0.2	4.44	5	0.8	1.1		
967219	Rock Chip	19	12	0.55	38	0.008	<1	0.63	0.023	0.24	1.8	0.02	3.5	0.2	4.11	2	0.6	1.0		
967220	Rock Chip	21	21	0.86	163	0.147	1	1.40	0.099	0.56	1.4	<0.01	7.4	0.4	0.95	6	<0.5	0.5		
967221	Rock Chip	15	24	1.03	419	0.203	2	1.62	0.132	0.68	1.7	<0.01	5.5	0.4	0.41	6	<0.5	0.2		
967222	Rock Chip	16	25	1.05	352	0.222	1	1.74	0.154	0.83	2.1	<0.01	5.9	0.4	0.51	6	<0.5	<0.2		
967223	Rock Chip	20	24	1.03	225	0.230	1	1.81	0.183	0.92	2.2	<0.01	5.7	0.5	0.66	6	<0.5	0.2		
967224	Rock Chip	17	26	1.05	413	0.240	1	1.88	0.205	0.95	2.5	<0.01	5.4	0.5	0.45	6	<0.5	0.4		
967225	Rock Chip	16	26	0.99	552	0.229	<1	1.81	0.208	0.90	3.5	<0.01	5.1	0.4	0.32	6	<0.5	0.2		
967226	Rock Chip	21	26	1.04	562	0.239	<1	1.80	0.170	0.99	1.6	<0.01	4.8	0.5	0.35	6	<0.5	<0.2		
967227	Rock Chip	19	28	1.06	630	0.259	1	1.96	0.204	1.00	1.7	<0.01	5.2	0.4	0.19	6	<0.5	<0.2		
967228	Rock Chip	19	29	1.12	252	0.233	<1	1.84	0.172	0.89	2.4	<0.01	5.9	0.5	0.72	6	<0.5	0.5		
967229	Rock Chip	16	26	1.24	144	0.217	1	1.79	0.139	0.75	2.7	<0.01	5.8	0.5	0.90	7	<0.5	0.8		
967230	Rock Chip	18	27	1.14	367	0.241	<1	1.81	0.173	0.87	2.1	<0.01	5.2	0.4	0.50	6	<0.5	0.2		
967231	Rock Chip	19	26	1.15	330	0.246	<1	1.90	0.188	0.95	2.0	<0.01	5.4	0.5	0.53	6	<0.5	0.2		
967232	Rock Chip	20	14	0.86	231	0.053	<1	1.34	0.102	0.25	1.1	<0.01	4.4	0.2	0.38	5	0.6	0.7		
967233	Rock Chip	17	11	0.98	172	0.013	<1	1.22	0.063	0.21	0.7	<0.01	3.4	0.2	0.63	6	0.6	0.7		
967234	Rock Chip	9	10	0.88	57	0.006	<1	1.11	0.028	0.25	0.7	<0.01	2.3	0.2	2.39	5	1.5	0.7		
967235	Rock Chip	9	13	1.04	85	0.036	<1	1.30	0.037	0.17	0.7	<0.01	4.4	0.1	1.27	6	0.7	0.6		
967236	Rock Chip	9	15	1.07	78	0.089	<1	1.71	0.051	0.20	1.0	<0.01	7.2	0.2	1.98	7	0.8	0.8		
967237	Rock Chip	10	13	1.16	55	0.115	<1	1.76	0.066	0.30	0.8	<0.01	7.0	0.2	2.25	7	<0.5	0.7		





**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967238	Rock Chip	3.01	0.9	50.6	4.8	28	<0.1	4.0	11.7	238	4.37	11.0	22.1	7.9	19	<0.1	0.4	1.7	80	0.29	0.060
967239	Rock Chip	1.91	1.1	69.0	5.9	29	<0.1	4.9	11.3	235	4.11	12.8	35.6	9.8	26	<0.1	0.7	2.0	79	0.36	0.063
967240	Rock Chip	2.95	1.0	75.3	4.7	34	<0.1	4.5	11.2	333	3.95	6.2	18.6	9.8	28	<0.1	0.3	1.4	84	0.42	0.069
967241	Rock Chip	2.14	1.2	110.3	4.5	39	<0.1	5.5	13.4	420	4.19	8.6	41.9	8.2	39	<0.1	0.7	1.9	104	0.72	0.069
967242	Rock Chip	3.33	1.1	96.1	4.7	39	<0.1	4.6	16.1	389	4.64	12.7	56.8	6.6	31	<0.1	0.5	2.1	107	0.74	0.071
967243	Rock Chip	2.49	0.9	118.1	3.2	36	<0.1	4.9	12.5	351	3.90	3.5	17.6	6.2	32	<0.1	0.3	1.1	85	0.55	0.055
967244	Rock Chip	2.62	1.2	95.1	3.3	35	<0.1	5.8	12.6	248	3.66	3.2	19.3	6.7	26	0.2	0.3	1.0	65	0.33	0.056
967245	Rock Chip	2.79	0.9	136.3	7.4	35	0.1	6.4	16.1	192	5.27	5.8	137.7	8.8	52	0.2	0.7	2.1	79	0.28	0.069
967246	Rock Chip	3.62	0.9	69.7	3.2	53	<0.1	6.4	19.2	482	5.54	3.0	29.8	8.8	24	<0.1	0.3	1.5	129	0.49	0.085
967247	Rock Chip	2.72	1.0	58.8	3.5	57	<0.1	6.8	18.8	543	5.19	4.2	23.0	10.7	25	<0.1	0.3	1.2	141	0.55	0.089
967248	Rock Chip	2.57	0.8	73.9	4.7	66	<0.1	6.9	23.3	496	5.56	6.6	74.6	14.7	28	<0.1	0.5	1.5	131	0.50	0.081
967249	Rock Chip	2.15	2.4	153.1	19.2	61	0.2	6.8	22.6	460	5.20	17.8	69.3	17.4	36	0.1	1.4	2.2	126	0.59	0.083
967250	Rock Chip	3.53	0.9	91.9	39.5	84	0.4	4.4	12.6	590	3.46	12.6	37.0	10.7	36	0.5	7.5	1.1	66	1.07	0.053
967251	Rock Chip	2.11	1.1	66.9	5.8	39	<0.1	4.8	15.0	352	4.27	5.3	24.2	8.4	30	<0.1	0.7	0.9	85	0.78	0.058
967252	Rock Chip	3.57	1.0	85.4	6.4	28	<0.1	4.6	12.5	246	3.50	9.6	17.6	10.8	28	<0.1	0.7	1.1	63	0.70	0.056
967253	Rock Chip	1.65	1.0	54.9	6.4	26	<0.1	4.6	14.4	216	3.67	8.0	42.0	9.9	24	<0.1	0.4	1.2	56	0.68	0.057
967254	Rock Chip	3.91	1.4	102.8	6.7	25	<0.1	5.4	11.9	185	4.22	6.4	19.5	10.0	23	0.1	0.4	1.5	49	0.40	0.060
967255	Rock Chip	2.59	1.1	73.7	4.5	27	<0.1	5.5	12.8	207	4.28	3.4	17.3	11.9	23	0.1	0.2	1.3	50	0.35	0.064
967256	Rock Chip	3.49	1.1	112.4	3.4	31	<0.1	5.0	14.3	311	3.86	3.7	53.3	13.4	32	<0.1	0.2	1.1	77	0.91	0.056
967257	Rock Chip	4.42	1.1	101.3	3.2	40	<0.1	5.2	15.9	397	5.01	3.7	18.0	9.4	29	<0.1	0.1	1.2	104	0.84	0.064
967258	Rock Chip	5.09	1.3	93.9	2.8	25	<0.1	5.0	14.6	285	4.71	3.3	19.2	9.2	30	<0.1	0.2	1.3	77	1.11	0.062



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 21, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000725.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
967238	Rock Chip	9	13	1.24	52	0.162	<1	2.00	0.076	0.50	0.6	<0.01	7.4	0.4	2.05	7	0.6	0.6
967239	Rock Chip	15	14	1.43	56	0.138	<1	1.86	0.076	0.43	0.8	<0.01	7.7	0.4	2.59	8	0.6	0.9
967240	Rock Chip	21	15	1.27	68	0.198	<1	1.96	0.105	0.74	0.9	<0.01	7.2	0.6	1.57	7	<0.5	0.5
967241	Rock Chip	13	17	1.40	72	0.228	<1	2.18	0.152	0.94	0.8	<0.01	9.0	0.9	1.56	7	<0.5	0.8
967242	Rock Chip	12	13	1.73	44	0.208	<1	2.08	0.118	0.82	0.7	<0.01	8.4	0.9	2.51	9	<0.5	0.9
967243	Rock Chip	12	15	1.30	53	0.188	<1	1.99	0.136	0.81	0.7	<0.01	7.6	0.6	1.71	7	<0.5	0.5
967244	Rock Chip	11	13	1.06	52	0.116	<1	1.92	0.087	0.63	0.5	<0.01	6.6	0.5	1.99	6	0.9	0.4
967245	Rock Chip	23	12	1.11	26	0.062	<1	2.03	0.031	0.61	0.5	<0.01	12.1	0.7	3.99	7	1.4	1.0
967246	Rock Chip	18	18	1.77	39	0.242	<1	2.50	0.088	1.20	0.3	<0.01	13.5	0.9	2.30	9	0.5	0.6
967247	Rock Chip	20	19	1.80	65	0.293	<1	2.67	0.080	1.30	0.3	<0.01	15.4	0.9	1.39	9	<0.5	0.4
967248	Rock Chip	26	17	1.90	60	0.222	<1	2.88	0.040	1.35	0.3	<0.01	15.5	1.1	1.85	10	0.6	0.6
967249	Rock Chip	30	18	2.02	66	0.231	<1	2.86	0.059	1.28	0.4	<0.01	11.6	1.3	1.61	11	<0.5	0.9
967250	Rock Chip	18	13	1.12	78	0.084	1	1.68	0.094	0.55	0.5	<0.01	6.8	0.5	1.45	6	<0.5	0.4
967251	Rock Chip	15	15	1.36	52	0.151	<1	1.92	0.104	0.69	0.5	<0.01	8.0	0.6	2.05	7	<0.5	0.4
967252	Rock Chip	17	14	1.27	58	0.057	<1	1.61	0.072	0.30	0.6	<0.01	6.4	0.3	2.03	7	<0.5	0.5
967253	Rock Chip	14	12	1.24	45	0.020	<1	1.53	0.053	0.31	0.6	<0.01	6.1	0.3	2.75	6	<0.5	0.5
967254	Rock Chip	17	13	1.27	42	0.010	<1	1.79	0.039	0.33	0.6	<0.01	5.0	0.3	3.46	6	0.9	0.5
967255	Rock Chip	20	13	1.21	42	0.023	<1	1.67	0.044	0.31	0.6	<0.01	5.2	0.3	3.29	5	0.8	0.4
967256	Rock Chip	22	16	1.32	79	0.057	1	1.76	0.091	0.34	0.8	<0.01	6.6	0.3	2.21	7	<0.5	0.4
967257	Rock Chip	18	15	1.56	41	0.169	<1	2.16	0.100	0.77	0.5	<0.01	8.4	0.5	2.75	8	<0.5	0.4
967258	Rock Chip	14	13	1.44	38	0.074	<1	1.78	0.069	0.46	0.5	<0.01	6.6	0.4	3.52	7	0.8	0.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: September 21, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000725.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
REP 967112	QC	1.2	73.7	16.6	43	0.1	3.6	9.9	175	3.32	19.9	21.7	14.4	21	0.3	2.0	0.9	47	0.92	0.045	
967152	Rock Chip	2.96	0.9	62.1	5.2	37	0.1	5.8	6.1	356	3.64	9.2	21.5	11.9	30	<0.1	0.7	2.5	84	0.35	0.060
REP 967152	QC	0.9	62.8	4.8	37	<0.1	5.7	6.2	335	3.56	7.6	13.2	10.7	28	<0.1	0.5	2.1	83	0.33	0.060	
REP 967187	QC	1.7	37.7	2.9	40	<0.1	4.8	11.9	516	4.25	4.2	13.9	8.4	42	<0.1	0.4	1.4	74	0.99	0.053	
REP 967221	QC	2.6	59.9	3.4	43	<0.1	5.2	10.9	500	3.26	9.2	19.0	9.3	50	<0.1	0.6	1.2	78	0.90	0.060	
967256	Rock Chip	3.49	1.1	112.4	3.4	31	<0.1	5.0	14.3	311	3.86	3.7	53.3	13.4	32	<0.1	0.2	1.1	77	0.91	0.056
REP 967256	QC	1.3	105.9	3.2	30	<0.1	4.7	13.6	301	3.71	3.3	18.5	13.1	30	<0.1	0.2	1.0	72	0.86	0.054	
Core Reject Duplicates																					
967112	Rock Chip	7.19	1.4	75.5	17.8	44	0.2	4.0	10.3	177	3.33	23.9	48.6	16.4	24	0.4	2.6	1.1	48	0.92	0.047
DUP 967112	QC	1.1	82.5	17.9	48	0.2	4.1	11.0	176	3.35	21.6	26.1	14.8	22	0.4	2.2	1.0	47	0.91	0.044	
967153	Rock Chip	5.20	1.2	64.7	4.9	36	<0.1	6.8	10.6	365	4.17	10.8	21.6	10.0	24	<0.1	0.4	2.3	87	0.36	0.067
DUP 967153	QC	1.2	64.8	5.2	41	<0.1	6.5	9.9	354	4.04	11.7	24.6	10.4	26	<0.1	0.5	2.6	86	0.36	0.060	
967187	Rock Chip	5.91	1.6	35.5	2.7	39	<0.1	4.6	11.6	511	4.16	4.2	13.4	8.2	41	<0.1	0.3	1.2	73	0.98	0.051
DUP 967187	QC	1.7	38.5	3.0	42	<0.1	5.1	12.7	475	4.15	4.5	12.8	8.4	44	<0.1	0.3	1.3	72	0.97	0.051	
967221	Rock Chip	4.90	2.7	60.0	3.5	45	<0.1	5.2	11.3	492	3.29	9.4	28.4	9.4	51	<0.1	0.6	1.2	77	0.90	0.060
DUP 967221	QC	2.7	61.4	3.4	43	<0.1	5.1	11.3	477	3.25	8.7	21.3	9.3	52	<0.1	0.6	1.1	77	0.90	0.059	
967255	Rock Chip	2.59	1.1	73.7	4.5	27	<0.1	5.5	12.8	207	4.28	3.4	17.3	11.9	23	0.1	0.2	1.3	50	0.35	0.064
DUP 967255	QC	1.3	72.6	4.7	27	<0.1	5.6	13.3	204	4.22	3.3	9.6	12.6	23	0.2	0.3	1.5	52	0.36	0.061	
Reference Materials																					
STD DS11	Standard	13.3	156.0	129.5	338	1.7	77.6	13.6	1038	3.09	42.1	75.3	6.8	63	2.3	7.8	10.2	47	1.03	0.065	
STD DS11	Standard	13.8	148.8	130.2	331	1.8	77.3	13.2	1036	3.06	41.1	69.0	7.1	64	2.3	8.2	10.6	47	1.04	0.062	
STD DS11	Standard	15.3	144.1	137.7	329	1.7	76.0	13.1	991	3.09	42.3	70.9	8.1	65	2.4	8.2	11.7	53	1.06	0.061	
STD DS11	Standard	13.7	150.7	129.7	332	1.6	76.0	13.4	994	3.05	41.3	85.6	7.3	64	2.3	7.8	11.1	47	1.04	0.068	
STD DS11	Standard	14.2	151.0	137.6	343	1.7	79.5	13.6	1060	3.13	43.3	81.5	7.3	65	2.6	9.0	11.5	52	1.07	0.073	
STD OXC129	Standard	1.4	28.9	6.0	40	<0.1	83.6	20.7	414	3.01	0.6	204.1	1.9	180	<0.1	<0.1	<0.1	50	0.65	0.089	
STD OXC129	Standard	1.1	27.2	5.7	40	<0.1	78.0	20.0	417	2.99	0.8	177.9	1.6	171	<0.1	<0.1	<0.1	49	0.65	0.090	
STD OXC129	Standard	1.4	28.2	6.3	41	<0.1	81.1	19.6	420	3.00	0.6	190.9	1.9	194	<0.1	<0.1	<0.1	55	0.71	0.094	
STD OXC129	Standard	1.1	26.4	5.6	38	<0.1	76.1	20.2	402	2.95	0.5	183.9	1.6	180	<0.1	<0.1	<0.1	48	0.65	0.094	



# QUALITY CONTROL REPORT

WHI17000725.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
Pulp Duplicates																		
REP 967112 QC	25	11	0.87	42	0.023	<1	1.20	0.046	0.26	1.0	<0.01	4.1	0.2	2.21	4	0.5	0.4	
967152 Rock Chip	14	14	1.22	550	0.216	2	1.89	0.064	0.55	0.4	<0.01	8.0	0.3	0.07	7	0.6	1.0	
REP 967152 QC	14	14	1.20	537	0.191	2	1.82	0.062	0.54	0.4	<0.01	7.2	0.3	0.07	6	<0.5	0.9	
REP 967187 QC	15	17	1.21	46	0.154	3	1.62	0.082	0.65	1.1	<0.01	6.6	0.4	2.15	5	0.6	0.3	
REP 967221 QC	15	23	1.04	429	0.195	2	1.62	0.130	0.68	1.8	<0.01	5.4	0.4	0.41	6	<0.5	<0.2	
967256 Rock Chip	22	16	1.32	79	0.057	1	1.76	0.091	0.34	0.8	<0.01	6.6	0.3	2.21	7	<0.5	0.4	
REP 967256 QC	21	15	1.22	103	0.053	1	1.59	0.084	0.32	0.8	<0.01	6.2	0.3	2.11	6	<0.5	0.5	
Core Reject Duplicates																		
967112 Rock Chip	26	12	0.88	48	0.027	<1	1.23	0.046	0.26	1.1	<0.01	4.6	0.2	2.23	5	0.7	0.5	
DUP 967112 QC	24	11	0.87	40	0.023	<1	1.23	0.047	0.26	1.1	<0.01	4.5	0.2	2.27	5	0.5	0.6	
967153 Rock Chip	11	15	1.22	170	0.212	1	1.84	0.081	0.65	0.6	<0.01	6.3	0.4	0.85	6	<0.5	1.1	
DUP 967153 QC	11	15	1.23	188	0.218	1	1.83	0.077	0.63	0.7	<0.01	7.0	0.3	0.85	7	<0.5	1.1	
967187 Rock Chip	15	17	1.18	44	0.147	3	1.58	0.081	0.64	1.1	<0.01	7.0	0.3	2.09	5	0.6	0.3	
DUP 967187 QC	15	16	1.17	48	0.145	2	1.58	0.080	0.64	1.1	<0.01	7.0	0.4	2.11	5	0.6	0.3	
967221 Rock Chip	15	24	1.03	419	0.203	2	1.62	0.132	0.68	1.7	<0.01	5.5	0.4	0.41	6	<0.5	0.2	
DUP 967221 QC	14	23	1.05	432	0.196	1	1.62	0.130	0.67	1.8	<0.01	5.1	0.4	0.41	6	<0.5	<0.2	
967255 Rock Chip	20	13	1.21	42	0.023	<1	1.67	0.044	0.31	0.6	<0.01	5.2	0.3	3.29	5	0.8	0.4	
DUP 967255 QC	20	13	1.16	53	0.021	1	1.62	0.043	0.30	0.8	<0.01	4.8	0.2	3.32	5	0.7	0.4	
Reference Materials																		
STD DS11 Standard	17	58	0.84	360	0.092	6	1.14	0.073	0.40	2.7	0.25	3.0	4.7	0.27	5	2.3	4.4	
STD DS11 Standard	18	55	0.84	347	0.088	7	1.14	0.073	0.40	2.7	0.25	2.7	4.9	0.27	5	2.3	4.4	
STD DS11 Standard	20	60	0.82	415	0.100	8	1.14	0.073	0.40	3.0	0.28	3.3	5.0	0.28	5	2.1	4.7	
STD DS11 Standard	17	58	0.84	354	0.091	6	1.15	0.074	0.40	2.7	0.24	3.2	4.6	0.26	5	2.3	4.3	
STD DS11 Standard	18	60	0.83	358	0.089	7	1.16	0.072	0.41	3.2	0.27	3.1	4.7	0.29	5	2.0	5.1	
STD OXC129 Standard	13	54	1.55	51	0.454	1	1.54	0.607	0.38	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129 Standard	11	49	1.52	45	0.368	<1	1.51	0.598	0.38	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129 Standard	12	51	1.58	51	0.434	<1	1.63	0.576	0.36	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129 Standard	11	51	1.49	48	0.377	<1	1.51	0.596	0.38	<0.1	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2	



# QUALITY CONTROL REPORT

WHI17000725.1

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC129	Standard		1.1	27.8	6.1	40	<0.1	81.1	20.8	418	3.01	<0.5	190.5	1.7	188	<0.1	<0.1	<0.1	53	0.66	0.101
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	3.6	1.2	43	<0.1	1.2	4.3	657	1.87	0.6	<0.5	2.4	21	<0.1	<0.1	<0.1	27	0.58	0.039
ROCK-WHI	Prep Blank		0.7	3.1	1.0	32	<0.1	0.8	3.6	517	1.74	<0.5	<0.5	2.1	18	<0.1	<0.1	<0.1	22	0.65	0.038



**QUALITY CONTROL REPORT** WHI17000725.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	12	52	1.54	50	0.395	<1	1.56	0.578	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI	Prep Blank	5	7	0.53	60	0.084	<1	0.99	0.091	0.10	0.1	<0.01	3.6	<0.1	0.06	4	<0.5	<0.2
ROCK-WHI	Prep Blank	5	5	0.46	60	0.072	2	0.91	0.107	0.11	<0.1	<0.01	2.9	<0.1	0.13	3	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: October 09, 2017  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI17000726.2

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-003  
P.O. Number  
Number of Samples: 142

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	141	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	141	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	141	Per sample shipping charges for branch shipments			VAN
FA330-Au	4	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	4	Environmental disposal charge-Fire assay lead waste			VAN

### ADDITIONAL COMMENTS

Version 2 : FA330-Au included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 2 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967259	Rock Chip	3.42	0.9	81.1	2.9	31	<0.1	5.4	16.3	329	4.84	4.3	20.0	10.0	30	<0.1	0.2	1.3	96	1.02	0.070
967260	Rock Chip	3.24	1.2	80.6	5.0	15	<0.1	5.3	14.0	162	4.32	20.7	23.5	10.1	24	<0.1	0.2	1.6	38	1.01	0.060
967261	Rock Chip	2.37	2.0	174.1	2.8	15	<0.1	12.7	7.2	122	3.23	16.1	54.5	8.6	25	<0.1	0.3	1.6	14	1.21	0.069
967262	Rock Chip	2.29	2.1	74.6	3.2	16	<0.1	13.6	8.0	135	3.36	17.4	25.7	8.5	30	<0.1	0.2	1.2	11	1.46	0.068
967263	Rock Chip	2.95	1.6	30.2	4.9	12	<0.1	11.2	10.7	105	4.65	23.3	46.7	12.5	19	<0.1	0.8	1.5	11	1.06	0.059
967264	Rock Chip	2.18	1.3	23.3	6.5	13	<0.1	4.7	16.0	132	4.90	18.6	45.3	8.6	23	<0.1	0.2	1.4	15	1.14	0.056
967265	Rock Chip	1.53	1.5	78.5	5.2	22	<0.1	5.2	16.0	187	4.51	7.9	37.1	16.2	27	<0.1	0.3	1.5	37	0.80	0.060
967266	Rock Chip	2.90	1.3	111.9	3.1	29	<0.1	5.7	16.8	344	4.22	4.3	26.7	7.5	35	<0.1	0.2	1.0	82	1.08	0.067
967267	Rock Chip	3.83	1.3	46.6	3.8	24	<0.1	4.5	12.7	406	3.70	2.9	24.5	14.2	36	<0.1	0.3	0.7	56	1.19	0.057
967268	Rock Chip	3.97	1.4	41.2	3.4	28	<0.1	4.2	13.8	418	3.65	13.8	22.0	9.7	37	<0.1	0.6	0.7	69	1.14	0.056
967269	Rock Chip	3.24	1.2	57.7	3.7	36	<0.1	5.5	18.5	425	4.58	17.0	20.5	11.8	31	<0.1	0.5	0.9	68	1.25	0.068
967270	Rock Chip	3.99	1.3	45.1	3.0	25	<0.1	3.9	13.8	368	3.90	3.1	12.1	10.0	36	<0.1	0.2	0.7	66	1.75	0.062
967271	Rock Chip	4.57	1.2	31.7	3.4	25	<0.1	4.2	13.1	335	3.95	3.3	11.7	13.4	38	<0.1	0.2	0.7	69	1.88	0.057
967272	Rock Chip	2.23	1.8	43.3	3.5	27	<0.1	4.6	13.1	347	4.15	2.0	14.3	12.9	34	<0.1	0.1	0.8	82	1.27	0.063
967273	Rock Chip	3.68	1.7	41.5	3.5	31	<0.1	4.7	13.1	375	3.94	4.6	15.0	10.5	37	<0.1	0.1	0.9	93	0.97	0.058
967274	Rock Chip	1.58	1.7	35.3	3.2	28	<0.1	4.5	13.6	353	4.20	1.9	14.6	9.9	36	<0.1	0.1	0.8	92	1.03	0.062
967275	Rock Chip	2.03	1.7	82.5	3.7	31	<0.1	4.9	15.5	378	4.86	2.6	21.4	8.5	34	<0.1	<0.1	1.1	108	1.00	0.070
967276	Rock Chip	2.28	1.5	44.1	3.7	26	<0.1	4.4	13.2	321	4.12	1.4	9.2	11.9	36	<0.1	<0.1	0.7	87	1.11	0.062
967277	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
967278	Rock Chip	3.54	1.1	42.0	4.3	23	<0.1	4.3	13.1	310	4.19	1.9	8.8	10.8	38	<0.1	<0.1	0.7	85	1.40	0.064
967279	Rock Chip	2.16	1.4	39.4	3.0	34	<0.1	5.1	16.3	401	4.89	2.0	7.3	10.2	34	<0.1	0.1	0.7	125	1.08	0.076
967280	Rock Chip	2.49	1.5	36.3	2.8	28	<0.1	4.4	13.9	335	4.36	1.5	9.3	8.5	37	<0.1	<0.1	0.8	97	0.91	0.063
967281	Rock Chip	4.13	1.4	43.1	3.4	21	<0.1	4.0	13.9	259	4.26	2.2	9.2	8.4	31	<0.1	0.1	0.8	83	1.02	0.063
967282	Rock Chip	3.13	1.7	38.3	4.0	20	<0.1	4.1	12.7	244	4.07	2.8	11.0	9.4	31	<0.1	0.1	1.0	63	1.17	0.065
967283	Rock Chip	1.88	1.5	41.3	3.5	20	<0.1	4.0	12.4	233	4.09	2.3	16.8	10.2	32	<0.1	<0.1	0.9	63	1.18	0.056
967284	Rock Chip	2.35	1.3	51.9	5.0	14	<0.1	4.1	13.5	178	3.82	4.0	20.2	11.3	30	<0.1	0.1	0.8	38	1.38	0.058
967285	Rock Chip	2.83	0.9	57.6	5.8	14	<0.1	4.7	10.2	179	3.81	3.1	14.9	10.0	37	<0.1	0.2	0.9	40	1.61	0.057
967286	Rock Chip	2.96	1.1	61.5	5.1	14	<0.1	4.7	10.5	151	3.92	2.4	14.0	10.9	33	<0.1	0.2	1.0	40	1.38	0.061
967287	Rock Chip	3.25	1.5	60.7	8.9	29	<0.1	4.0	10.6	193	4.00	1.7	10.1	10.8	33	0.2	0.2	0.9	38	1.45	0.054
967288	Rock Chip	2.94	1.1	49.4	8.7	19	<0.1	3.7	9.7	173	3.95	3.0	12.5	10.8	35	0.2	0.3	1.2	24	1.68	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000726.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
967259	Rock Chip	17	15	1.58	45	0.108	<1	1.96	0.076	0.52	0.5	<0.01	9.6	0.5	3.00	7	0.9	0.5	
967260	Rock Chip	16	10	0.81	48	0.008	<1	1.02	0.034	0.29	0.7	<0.01	4.5	0.2	4.10	4	0.9	0.7	
967261	Rock Chip	23	14	0.71	51	0.001	1	0.85	0.026	0.22	0.5	<0.01	1.3	0.1	3.21	3	0.6	0.5	
967262	Rock Chip	21	11	0.75	46	0.001	<1	0.73	0.021	0.20	0.5	<0.01	1.0	0.1	3.43	2	0.6	0.5	
967263	Rock Chip	25	9	0.73	30	0.001	<1	0.71	0.018	0.23	0.6	<0.01	1.2	0.1	5.18	2	1.3	0.6	
967264	Rock Chip	14	9	0.80	44	<0.001	<1	0.69	0.021	0.19	1.0	<0.01	1.4	0.2	5.36	2	1.4	0.8	
967265	Rock Chip	25	11	0.86	50	0.004	<1	1.14	0.043	0.22	0.8	<0.01	3.8	0.2	4.29	4	1.5	0.8	
967266	Rock Chip	15	17	1.29	58	0.062	<1	1.74	0.092	0.43	0.4	<0.01	9.2	0.4	2.54	6	0.7	0.4	
967267	Rock Chip	24	12	0.84	62	0.067	<1	1.21	0.083	0.43	0.5	<0.01	7.1	0.3	2.28	4	0.6	0.3	
967268	Rock Chip	18	13	0.90	68	0.125	<1	1.47	0.098	0.66	0.4	<0.01	8.3	0.7	1.87	5	0.6	0.3	
967269	Rock Chip	23	13	0.95	48	0.068	<1	1.62	0.053	0.47	0.3	<0.01	9.5	0.6	3.05	5	0.7	0.3	
967270	Rock Chip	19	13	0.86	65	0.102	<1	1.35	0.075	0.55	0.3	<0.01	8.4	0.4	2.38	5	0.7	0.3	
967271	Rock Chip	25	12	0.89	57	0.114	<1	1.64	0.073	0.61	0.3	<0.01	7.7	0.4	2.43	5	<0.5	0.3	
967272	Rock Chip	21	17	1.25	76	0.136	<1	1.84	0.090	0.65	0.9	<0.01	8.0	0.4	2.40	6	<0.5	0.4	
967273	Rock Chip	18	18	1.41	82	0.161	<1	2.02	0.115	0.74	0.8	<0.01	8.0	0.5	1.73	7	<0.5	0.4	
967274	Rock Chip	16	17	1.40	66	0.148	<1	2.14	0.093	0.80	0.8	<0.01	8.9	0.6	2.15	7	0.6	0.3	
967275	Rock Chip	16	17	1.68	50	0.162	<1	2.42	0.115	0.82	0.8	<0.01	9.5	0.6	2.61	8	0.8	0.4	
967276	Rock Chip	22	15	1.42	54	0.136	<1	2.23	0.074	0.77	0.6	<0.01	8.6	0.5	2.20	7	0.5	0.3	
967277	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
967278	Rock Chip	18	14	1.61	60	0.112	<1	2.40	0.041	0.79	0.3	<0.01	7.8	0.5	2.64	7	1.1	0.3	
967279	Rock Chip	16	18	1.70	54	0.217	<1	2.47	0.088	1.07	0.5	<0.01	10.6	0.8	2.20	8	<0.5	0.2	
967280	Rock Chip	16	17	1.50	54	0.177	<1	2.32	0.108	0.94	0.6	<0.01	9.6	0.6	2.25	7	<0.5	0.3	
967281	Rock Chip	17	14	1.31	41	0.119	2	1.99	0.080	0.78	0.5	<0.01	8.7	0.6	2.87	6	0.8	0.3	
967282	Rock Chip	19	12	1.23	45	0.066	2	1.90	0.047	0.52	0.4	<0.01	6.8	0.4	2.89	6	1.0	0.3	
967283	Rock Chip	19	13	1.01	45	0.092	2	1.63	0.069	0.61	0.5	<0.01	7.2	0.4	2.77	5	0.6	0.3	
967284	Rock Chip	21	11	0.93	52	0.020	<1	1.44	0.036	0.33	0.6	<0.01	4.0	0.2	3.13	4	0.8	0.3	
967285	Rock Chip	19	10	0.94	50	0.011	<1	1.47	0.041	0.29	0.7	<0.01	4.2	0.2	3.15	4	0.8	0.4	
967286	Rock Chip	21	11	1.06	42	0.008	<1	1.38	0.041	0.27	0.6	<0.01	3.7	0.2	3.45	4	0.6	0.5	
967287	Rock Chip	21	13	0.98	53	0.011	<1	1.36	0.038	0.27	0.8	<0.01	3.4	0.2	3.35	4	1.1	0.4	
967288	Rock Chip	19	10	0.83	59	0.002	<1	1.13	0.024	0.22	0.5	<0.01	2.0	0.1	3.76	3	0.7	0.6	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000726.2

Method Analyte Unit MDL	WGHT	AQ201 Mo	AQ201 Cu	AQ201 Pb	AQ201 Zn	AQ201 Ag	AQ201 Ni	AQ201 Co	AQ201 Mn	AQ201 Fe	AQ201 As	AQ201 Au	AQ201 Th	AQ201 Sr	AQ201 Cd	AQ201 Sb	AQ201 Bi	AQ201 V	AQ201 Ca	AQ201 P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967289	Rock Chip	2.29	1.3	32.6	56.3	107	0.2	4.1	11.4	191	4.76	10.9	78.3	12.5	45	1.0	0.4	1.8	16	2.46	0.056
967290	Rock Chip	3.51	1.3	42.9	12.0	28	<0.1	3.6	11.8	183	4.51	3.4	33.5	10.0	45	0.3	0.2	1.0	37	1.98	0.051
967291	Rock Chip	2.04	0.9	36.6	8.6	16	<0.1	4.8	12.6	214	3.60	4.9	18.8	11.7	101	<0.1	0.4	0.7	32	2.97	0.056
967292	Rock Chip	2.52	0.9	30.8	5.6	24	<0.1	3.9	12.1	285	3.85	2.0	12.5	11.3	86	<0.1	0.2	0.6	52	2.64	0.057
967293	Rock Chip	1.98	1.6	29.1	2.8	27	<0.1	6.0	12.4	307	3.79	1.1	6.4	9.0	52	<0.1	0.1	0.4	78	1.59	0.057
967294	Rock Chip	2.91	1.6	18.8	3.1	26	<0.1	4.3	11.7	300	3.80	3.9	12.5	11.1	48	<0.1	0.1	0.5	71	1.20	0.055
967295	Rock Chip	3.45	1.8	28.7	2.9	31	<0.1	4.5	12.2	299	3.89	1.5	6.1	10.5	48	<0.1	0.1	0.5	69	0.92	0.051
967296	Rock Chip	2.70	1.8	13.1	4.3	36	<0.1	4.9	16.0	184	5.25	6.0	10.1	9.6	38	0.3	0.1	0.7	54	0.47	0.049
967297	Rock Chip	3.20	1.9	30.2	3.0	30	<0.1	4.8	13.6	188	4.19	1.8	8.4	10.4	38	0.1	0.2	0.5	68	0.49	0.053
967298	Rock Chip	2.53	1.8	18.0	2.4	28	<0.1	4.5	12.9	171	5.05	1.1	7.3	7.4	34	<0.1	0.2	0.6	60	0.44	0.053
967299	Rock Chip	3.43	2.0	20.3	3.7	45	<0.1	5.0	13.7	231	4.23	1.6	6.2	11.3	36	0.1	0.2	0.6	69	0.44	0.056
967300	Rock Chip	4.48	1.9	27.9	2.5	35	<0.1	4.6	13.3	277	4.14	1.5	5.0	8.6	36	<0.1	0.2	0.4	80	0.52	0.058
967301	Rock Chip	3.99	1.8	20.1	2.4	37	<0.1	5.5	14.7	211	4.78	2.1	8.4	7.7	38	<0.1	0.2	0.7	66	0.50	0.057
967302	Rock Chip	3.89	1.8	22.7	2.2	24	<0.1	4.7	14.1	218	4.26	1.5	7.2	12.0	40	<0.1	0.2	0.5	59	1.00	0.060
967303	Rock Chip	3.25	1.6	37.0	3.4	26	<0.1	4.6	13.6	244	3.97	1.6	6.1	11.3	45	<0.1	0.1	0.4	75	0.91	0.056
967304	Rock Chip	3.53	1.5	21.9	3.2	24	<0.1	4.5	13.5	189	4.12	1.1	7.7	10.4	41	<0.1	0.1	0.6	59	0.89	0.053
967305	Rock Chip	4.20	1.7	18.1	14.9	54	<0.1	4.4	13.5	307	4.05	2.4	5.8	11.7	45	0.2	0.2	0.5	55	1.24	0.054
967306	Rock Chip	3.96	1.3	36.4	3.5	23	<0.1	4.1	12.3	223	3.94	1.7	7.5	11.3	57	<0.1	<0.1	0.5	56	1.67	0.051
967307	Rock Chip	3.75	1.8	28.9	2.9	18	<0.1	4.4	12.0	218	3.81	1.4	4.4	11.5	51	<0.1	0.2	0.3	67	1.34	0.056
967308	Rock Chip	5.30	1.6	52.3	3.0	19	<0.1	4.1	12.3	202	3.68	2.1	5.6	11.2	49	<0.1	<0.1	0.4	67	1.23	0.050
967309	Rock Chip	2.80	1.6	31.5	3.1	14	<0.1	5.7	13.1	165	4.52	1.6	6.0	9.4	43	<0.1	0.1	0.5	59	1.35	0.055
967310	Rock Chip	3.17	1.6	32.6	3.9	13	<0.1	4.3	14.8	155	4.23	1.9	8.3	9.2	54	<0.1	<0.1	0.5	50	1.81	0.058
967311	Rock Chip	2.95	1.6	39.0	2.9	17	<0.1	4.2	11.8	185	4.19	1.0	9.4	11.8	42	<0.1	<0.1	0.6	60	1.05	0.052
967312	Rock Chip	2.67	1.6	32.7	4.5	15	<0.1	3.8	11.4	182	4.23	1.5	20.7	11.1	57	<0.1	0.1	0.4	56	1.48	0.050
967313	Rock Chip	3.86	1.9	11.5	6.0	9	<0.1	4.8	14.3	92	6.48	2.2	168.7	9.4	30	<0.1	0.1	0.8	37	0.77	0.056
967314	Rock Chip	3.70	0.7	30.9	4.5	18	<0.1	5.1	2.7	171	2.81	23.8	40.9	11.0	74	<0.1	0.4	2.4	46	0.20	0.052
967315	Rock Chip	2.85	1.0	41.1	7.8	12	0.1	4.7	1.4	83	4.41	22.9	41.6	8.4	87	<0.1	0.4	2.7	28	0.16	0.039
967316	Rock Chip	2.62	1.0	42.4	7.9	12	0.1	4.5	3.8	89	4.49	26.5	67.1	17.6	63	<0.1	0.6	3.0	37	0.09	0.037
967317	Rock Chip	1.91	1.1	38.5	7.7	16	<0.1	4.1	8.0	117	4.20	25.5	50.5	11.2	57	<0.1	0.4	2.2	42	0.09	0.038
967318	Rock Chip	2.37	1.0	77.7	7.5	14	<0.1	3.7	6.8	101	4.82	26.3	49.0	10.1	44	<0.1	0.4	2.8	41	0.07	0.059



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
967289	Rock Chip	23	9	0.51	55	0.002	2	1.11	0.014	0.23	0.7	<0.01	1.7	0.2	4.97	3	1.1	0.9	
967290	Rock Chip	20	11	0.72	35	0.020	1	1.42	0.033	0.31	0.4	<0.01	4.2	0.2	4.12	4	0.9	0.4	
967291	Rock Chip	21	8	0.61	66	0.013	1	1.69	0.006	0.31	0.6	<0.01	4.4	0.3	2.78	4	0.7	<0.2	
967292	Rock Chip	20	10	0.85	64	0.075	1	2.07	0.015	0.58	0.4	<0.01	7.0	0.4	2.07	6	0.8	0.3	
967293	Rock Chip	17	21	1.13	62	0.146	2	1.95	0.079	0.73	0.5	<0.01	8.7	0.4	1.67	6	<0.5	0.2	
967294	Rock Chip	19	14	1.13	54	0.140	1	1.87	0.069	0.71	0.6	<0.01	7.0	0.4	1.96	6	<0.5	<0.2	
967295	Rock Chip	19	16	1.21	45	0.122	<1	1.96	0.069	0.68	0.7	<0.01	6.5	0.4	2.11	6	0.5	<0.2	
967296	Rock Chip	15	14	1.14	26	0.099	1	1.90	0.049	0.70	0.7	<0.01	5.2	0.5	4.40	5	0.8	0.2	
967297	Rock Chip	15	15	1.25	37	0.149	2	1.91	0.071	0.70	1.3	<0.01	6.0	0.5	2.99	5	0.8	<0.2	
967298	Rock Chip	12	13	1.17	21	0.117	<1	1.74	0.058	0.56	0.7	<0.01	5.3	0.4	4.30	5	1.9	<0.2	
967299	Rock Chip	16	16	1.17	34	0.161	<1	1.86	0.083	0.67	1.1	<0.01	6.2	0.5	2.82	5	0.9	0.2	
967300	Rock Chip	14	15	1.32	37	0.183	<1	1.91	0.094	0.65	1.0	<0.01	6.4	0.4	2.42	6	0.9	<0.2	
967301	Rock Chip	13	15	1.20	27	0.110	<1	1.85	0.068	0.65	0.8	<0.01	7.0	0.4	3.67	5	0.9	0.2	
967302	Rock Chip	22	14	1.12	38	0.081	1	1.72	0.063	0.52	0.7	<0.01	6.4	0.4	3.15	5	0.8	<0.2	
967303	Rock Chip	19	15	1.18	50	0.109	1	1.90	0.102	0.61	0.6	<0.01	8.0	0.4	2.23	6	<0.5	<0.2	
967304	Rock Chip	17	13	1.06	34	0.075	1	1.64	0.073	0.58	0.7	<0.01	6.5	0.4	3.13	5	1.3	0.2	
967305	Rock Chip	21	14	0.92	38	0.087	1	1.56	0.069	0.56	0.7	<0.01	5.3	0.3	2.82	5	0.6	<0.2	
967306	Rock Chip	20	12	0.86	42	0.076	2	1.62	0.058	0.57	0.5	<0.01	6.9	0.4	2.80	5	0.8	<0.2	
967307	Rock Chip	20	15	1.04	53	0.100	1	1.68	0.103	0.52	0.8	<0.01	7.4	0.3	2.32	5	0.8	0.2	
967308	Rock Chip	20	15	1.04	56	0.089	1	1.67	0.092	0.49	0.5	<0.01	7.6	0.3	2.19	6	<0.5	<0.2	
967309	Rock Chip	19	15	1.04	30	0.058	<1	1.56	0.066	0.45	0.5	<0.01	6.7	0.3	3.73	5	1.3	<0.2	
967310	Rock Chip	17	11	0.63	42	0.060	1	1.27	0.055	0.45	0.5	<0.01	6.2	0.3	3.57	4	0.7	0.2	
967311	Rock Chip	22	14	0.94	39	0.092	1	1.59	0.074	0.64	0.6	<0.01	7.1	0.4	2.95	5	1.3	0.3	
967312	Rock Chip	20	11	0.99	33	0.067	<1	1.72	0.050	0.54	0.4	<0.01	6.2	0.4	3.25	5	1.0	<0.2	
967313	Rock Chip	14	14	0.91	17	0.035	<1	1.29	0.036	0.46	0.9	<0.01	3.7	0.3	6.73	3	2.8	0.3	
967314	Rock Chip	19	9	0.89	237	0.039	<1	1.26	0.087	0.25	0.7	<0.01	3.3	0.2	0.32	5	0.6	0.8	
967315	Rock Chip	16	8	0.75	164	0.002	<1	1.10	0.111	0.24	0.8	<0.01	2.1	0.1	0.61	4	1.4	0.8	
967316	Rock Chip	20	9	0.85	88	0.005	<1	1.12	0.066	0.18	0.7	<0.01	2.9	0.2	1.54	5	1.0	1.1	
967317	Rock Chip	18	11	1.04	72	0.003	<1	1.32	0.055	0.20	1.0	<0.01	3.4	0.2	2.41	5	0.9	0.8	
967318	Rock Chip	16	10	0.86	71	0.002	<1	1.19	0.037	0.20	0.8	<0.01	3.1	0.1	2.07	4	1.1	1.0	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967319	Rock Chip	2.63	0.9	119.6	6.8	14	<0.1	4.5	13.1	102	4.90	20.6	57.5	13.2	31	<0.1	0.3	2.3	34	0.07	0.045
967320	Rock Chip	2.04	0.9	121.3	5.7	23	<0.1	4.8	11.9	142	4.25	17.1	33.3	16.0	41	<0.1	0.3	2.7	47	0.23	0.052
967321	Rock Chip	2.87	1.0	136.4	4.4	26	<0.1	5.3	14.3	196	4.52	22.5	40.0	11.7	20	<0.1	0.3	3.8	57	0.31	0.064
967322	Rock Chip	3.33	1.1	60.6	4.0	21	<0.1	5.2	13.9	176	5.99	26.0	100.9	9.8	12	<0.1	0.3	4.5	43	0.24	0.062
967323	Rock Chip	3.41	1.6	76.2	4.1	27	<0.1	5.1	14.3	240	4.99	29.5	70.9	7.6	18	<0.1	0.3	3.9	61	0.47	0.057
967324	Rock Chip	4.45	1.2	75.6	4.1	30	<0.1	4.5	12.0	299	3.86	18.8	40.1	6.9	24	<0.1	0.4	2.1	80	0.67	0.054
967325	Rock Chip	4.36	1.2	73.8	3.7	35	<0.1	5.1	14.0	366	4.02	7.5	42.4	11.7	27	<0.1	0.3	1.6	83	0.65	0.064
967326	Rock Chip	3.33	1.3	95.5	3.6	28	<0.1	4.6	12.3	313	4.14	6.6	34.4	13.5	26	<0.1	0.3	1.4	71	0.81	0.056
967327	Rock Chip	2.97	1.4	92.0	4.6	36	<0.1	5.7	14.1	359	4.16	6.2	17.9	6.9	27	<0.1	0.4	1.4	83	0.78	0.065
967328	Rock Chip	4.40	1.2	88.1	4.2	37	<0.1	5.3	13.6	339	3.95	4.2	36.5	16.5	33	<0.1	0.3	1.0	84	0.90	0.057
967329	Rock Chip	3.41	1.2	112.8	4.7	29	<0.1	4.7	12.7	294	4.04	7.0	72.7	11.7	24	<0.1	0.4	1.6	75	0.72	0.055
967330	Rock Chip	2.71	1.3	83.4	5.9	35	<0.1	6.3	14.1	235	4.37	12.8	49.6	10.1	27	<0.1	0.5	1.7	69	0.32	0.059
967331	Rock Chip	2.00	1.0	215.2	7.4	43	0.1	6.3	15.6	280	4.37	17.6	81.2	10.8	26	<0.1	0.8	2.4	55	0.46	0.063
967332	Rock Chip	2.06	1.2	132.7	26.7	98	0.3	5.7	13.6	669	6.15	111.1	115.6	12.5	22	0.9	3.8	2.4	21	1.93	0.058
967333	Rock Chip	2.66	1.3	117.4	10.0	27	0.2	5.3	15.3	366	10.76	27.0	115.4	7.7	15	0.1	1.2	3.0	25	0.83	0.049
967334	Rock Chip	2.47	1.2	117.1	6.7	47	<0.1	6.1	15.4	327	4.50	14.5	39.9	7.6	28	0.1	1.0	1.3	67	0.72	0.065
967335	Rock Chip	2.38	1.4	72.2	6.7	30	<0.1	5.2	14.0	290	4.93	9.9	57.0	8.2	26	0.1	0.7	1.8	56	0.89	0.057
967336	Rock Chip	4.11	1.4	138.8	4.4	34	<0.1	4.8	14.1	376	4.48	6.5	26.1	6.1	34	<0.1	0.5	1.7	75	1.31	0.065
967337	Rock Chip	3.00	1.0	16.5	25.6	104	0.2	8.7	3.9	395	1.86	120.7	107.2	10.4	13	0.7	2.3	1.8	14	0.19	0.024
967338	Rock Chip	1.96	1.7	28.6	7.7	62	0.1	4.6	1.5	78	2.09	71.0	133.1	13.9	14	0.3	1.6	2.6	4	0.08	0.019
967339	Rock Chip	2.81	2.1	22.6	4.5	45	0.2	1.6	0.8	28	2.53	48.4	285.1	10.3	9	<0.1	1.4	3.6	3	0.04	0.015
967340	Rock Chip	2.88	1.0	15.8	5.7	13	<0.1	2.1	3.7	37	2.52	20.1	66.4	20.4	9	<0.1	0.5	1.2	4	0.02	0.021
967341	Rock Chip	2.02	0.9	33.2	3.8	8	0.1	3.0	4.4	30	2.86	23.6	39.9	20.4	3	<0.1	0.4	1.7	5	0.02	0.021
967342	Rock Chip	3.46	1.2	264.9	3.6	15	0.2	3.3	6.9	59	4.63	17.2	128.3	19.2	2	0.1	0.3	2.1	4	0.04	0.025
967343	Rock Chip	2.71	1.0	152.0	2.9	21	0.2	3.3	9.7	74	5.30	30.3	146.0	16.8	2	0.2	0.3	4.4	4	0.08	0.028
967344	Rock Chip	2.92	1.7	31.4	4.4	37	<0.1	3.3	9.4	140	3.50	6.9	79.5	22.8	10	0.2	0.2	1.7	9	0.27	0.031
967345	Rock Chip	2.75	1.2	85.6	3.1	25	<0.1	3.1	7.1	182	3.03	6.3	61.7	20.0	20	<0.1	0.4	1.5	19	0.65	0.031
967346	Rock Chip	2.94	1.1	126.7	2.4	20	0.1	3.3	7.4	164	3.31	5.7	75.2	19.7	16	<0.1	0.2	1.2	12	0.76	0.029
967347	Rock Chip	2.73	1.4	94.1	3.5	35	0.1	3.4	9.0	155	4.14	9.0	91.9	20.1	14	0.2	0.3	1.8	11	0.63	0.034
967348	Rock Chip	3.01	2.0	219.1	2.3	18	0.2	2.9	7.5	118	5.02	12.1	310.9	18.9	8	<0.1	0.1	2.9	4	0.37	0.029



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000726.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
967319	Rock Chip	25	8	0.90	36	<0.001	<1	1.34	0.022	0.20	0.8	<0.01	3.1	0.2	4.82	4	1.6	1.0
967320	Rock Chip	33	10	1.14	51	0.003	<1	1.72	0.030	0.19	0.8	<0.01	4.1	0.3	3.77	5	1.2	1.3
967321	Rock Chip	20	12	1.24	32	0.009	<1	1.61	0.044	0.20	1.0	<0.01	4.9	0.2	3.96	5	1.0	1.7
967322	Rock Chip	10	11	1.16	35	0.005	<1	1.33	0.024	0.19	1.1	<0.01	3.8	0.2	5.86	5	0.9	2.3
967323	Rock Chip	9	14	1.34	33	0.043	<1	1.52	0.051	0.23	1.8	<0.01	5.1	0.2	4.36	6	0.7	2.1
967324	Rock Chip	9	17	1.37	49	0.135	2	1.77	0.085	0.39	1.7	<0.01	6.5	0.3	2.20	6	0.6	1.0
967325	Rock Chip	21	16	1.37	60	0.158	2	1.80	0.089	0.55	1.2	<0.01	6.9	0.4	1.94	7	<0.5	0.7
967326	Rock Chip	25	16	1.33	49	0.107	2	1.72	0.083	0.38	1.5	<0.01	5.9	0.3	2.49	6	0.6	0.6
967327	Rock Chip	10	17	1.37	54	0.153	2	1.85	0.079	0.57	1.6	<0.01	7.5	0.4	2.08	6	<0.5	0.4
967328	Rock Chip	35	16	1.28	48	0.154	2	1.85	0.103	0.58	1.3	<0.01	7.5	0.4	1.90	7	<0.5	0.5
967329	Rock Chip	24	16	1.36	46	0.094	2	1.71	0.084	0.42	1.1	<0.01	7.2	0.3	2.74	7	0.8	0.7
967330	Rock Chip	20	14	1.26	33	0.054	1	1.82	0.064	0.36	0.7	<0.01	6.4	0.3	3.24	6	1.0	0.6
967331	Rock Chip	23	11	0.79	37	0.041	2	1.60	0.041	0.34	0.7	0.02	7.5	0.5	3.15	6	<0.5	1.0
967332	Rock Chip	28	7	0.20	27	0.002	5	0.84	0.009	0.19	0.7	0.14	5.2	1.3	6.31	3	1.2	0.9
967333	Rock Chip	17	9	0.27	7	0.022	4	0.78	0.023	0.30	0.6	0.08	4.2	1.0	>10	2	3.8	1.3
967334	Rock Chip	14	14	0.75	37	0.122	2	1.69	0.077	0.65	0.7	0.03	7.9	0.8	2.52	6	0.7	0.5
967335	Rock Chip	15	13	0.81	31	0.072	3	1.45	0.065	0.43	1.4	<0.01	7.0	0.4	3.96	5	1.0	0.7
967336	Rock Chip	10	17	1.07	44	0.155	2	1.71	0.102	0.66	1.1	<0.01	7.8	0.5	2.61	6	1.0	0.7
967337	Rock Chip	21	12	0.21	211	0.018	2	0.70	0.024	0.23	0.5	<0.01	1.7	0.2	0.15	2	<0.5	0.8
967338	Rock Chip	25	6	0.06	177	0.002	1	0.44	0.019	0.25	0.5	<0.01	0.6	0.2	0.22	2	0.7	1.8
967339	Rock Chip	16	4	0.03	176	<0.001	1	0.34	0.016	0.19	0.6	0.02	0.4	0.2	0.24	1	<0.5	2.9
967340	Rock Chip	17	5	0.06	96	<0.001	1	0.47	0.022	0.22	0.6	<0.01	0.7	0.1	1.28	2	<0.5	0.9
967341	Rock Chip	6	5	0.05	49	0.001	1	0.49	0.014	0.20	0.8	0.01	1.2	0.2	2.80	2	<0.5	1.2
967342	Rock Chip	14	6	0.07	32	0.002	1	0.59	0.010	0.25	0.8	<0.01	1.0	0.2	5.02	1	1.0	1.6
967343	Rock Chip	13	5	0.05	23	0.001	<1	0.40	0.009	0.23	1.3	<0.01	0.5	0.2	5.78	1	0.7	3.3
967344	Rock Chip	26	7	0.19	32	0.001	1	0.57	0.026	0.22	1.1	<0.01	1.8	0.2	3.28	2	0.7	1.2
967345	Rock Chip	22	8	0.40	48	0.002	<1	0.92	0.069	0.16	1.3	<0.01	3.5	0.1	2.46	4	<0.5	0.8
967346	Rock Chip	24	7	0.30	42	0.002	2	0.67	0.037	0.23	1.1	<0.01	2.3	0.2	2.82	2	<0.5	0.7
967347	Rock Chip	24	7	0.29	54	0.002	1	0.62	0.034	0.19	1.3	<0.01	2.2	0.2	3.81	2	0.7	1.4
967348	Rock Chip	19	7	0.18	32	0.002	1	0.47	0.016	0.25	1.8	<0.01	0.7	0.1	5.35	1	1.2	2.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

Page: 5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967349	Rock Chip	2.91	1.6	60.2	2.9	20	<0.1	2.8	6.1	104	3.15	4.2	126.0	17.1	13	<0.1	0.2	1.9	11	0.85	0.031
967350	Rock Chip	1.82	1.4	58.6	3.2	29	<0.1	3.1	7.1	91	2.60	4.5	61.2	20.8	23	0.2	0.5	1.3	21	0.72	0.034
967351	Rock Chip	1.89	1.6	62.5	3.7	22	<0.1	3.0	7.6	125	2.77	4.4	108.2	22.4	26	0.1	0.4	1.9	26	1.06	0.035
967352	Rock Chip	2.64	1.2	28.4	4.3	24	<0.1	2.9	6.8	94	2.71	3.9	46.2	16.8	37	0.2	0.3	1.3	16	1.09	0.030
967353	Rock Chip	1.99	1.6	88.8	6.2	30	0.1	3.5	7.7	136	3.24	6.1	46.0	21.8	44	0.2	0.6	1.7	26	1.39	0.040
967354	Rock Chip	2.39	1.1	108.8	4.1	20	0.1	3.7	8.8	157	3.01	5.6	68.2	21.1	45	<0.1	0.6	1.7	30	1.26	0.036
967355	Rock Chip	2.07	1.2	29.5	7.0	17	0.1	3.4	8.6	158	2.77	4.5	72.5	18.3	54	<0.1	0.4	2.3	17	1.44	0.033
967356	Rock Chip	2.65	0.9	30.2	5.4	16	<0.1	3.1	7.1	151	2.89	4.2	57.4	19.9	56	<0.1	0.3	1.6	17	1.14	0.036
967357	Rock Chip	2.90	1.0	49.4	4.8	12	<0.1	3.6	10.9	162	3.38	12.4	49.8	20.9	62	<0.1	0.3	2.2	14	1.44	0.036
967358	Rock Chip	2.19	1.0	132.3	5.2	17	0.2	2.8	9.4	190	4.01	11.1	105.7	20.4	42	<0.1	0.5	2.5	12	1.25	0.038
967359	Rock Chip	2.22	1.1	91.2	13.1	29	0.3	3.3	6.6	445	3.41	23.7	73.0	18.7	43	0.1	0.8	2.7	10	1.41	0.037
967360	Rock Chip	2.44	1.4	101.4	5.5	13	0.2	3.1	10.1	162	5.28	26.5	194.9	17.8	16	<0.1	1.5	6.1	4	1.11	0.037
967361	Rock Chip	2.27	1.0	59.9	6.6	10	0.1	2.6	8.2	135	3.81	8.0	190.0	24.1	30	<0.1	0.6	4.6	5	1.25	0.036
967362	Rock Chip	2.46	1.0	59.9	7.6	12	0.1	2.6	7.6	133	3.22	16.7	60.9	19.1	26	<0.1	0.5	2.3	4	1.37	0.034
967363	Rock Chip	2.27	0.8	84.4	6.1	17	0.1	3.7	8.4	212	3.02	13.2	50.9	14.1	36	<0.1	0.4	1.7	10	2.17	0.035
967364	Rock Chip	2.18	20.6	57.4	4.1	10	<0.1	2.3	6.4	157	3.00	5.7	119.4	17.7	32	<0.1	0.4	3.0	5	1.72	0.033
967365	Rock Chip	1.48	7.7	71.9	4.9	13	<0.1	3.0	6.6	162	2.65	6.8	58.0	18.5	49	<0.1	0.5	2.5	8	1.71	0.035
967366	Rock Chip	2.71	7.4	64.4	5.0	13	0.1	2.7	8.0	196	3.48	8.1	75.4	16.4	45	<0.1	0.4	3.0	9	1.82	0.038
967367	Rock Chip	1.49	4.2	93.7	4.5	15	0.1	3.1	7.8	252	3.09	13.9	88.8	15.8	48	<0.1	0.6	3.2	10	2.06	0.035
967368	Rock Chip	1.96	3.4	83.7	3.9	11	<0.1	2.6	6.6	175	3.20	12.7	68.5	16.9	42	<0.1	0.4	3.0	10	1.60	0.031
967369	Rock Chip	3.32	6.4	97.9	8.7	61	0.2	2.8	7.0	291	3.23	39.0	96.6	16.1	39	0.5	0.7	7.6	8	2.06	0.036
967370	Rock Chip	2.85	1.5	54.7	14.4	38	0.4	2.7	8.5	282	4.10	415.4	342.1	16.2	70	<0.1	9.6	5.8	30	1.61	0.042
967371	Rock Chip	1.68	1.9	104.4	17.6	21	0.7	3.0	5.8	257	3.40	7560.8	904.4	11.6	34	<0.1	25.0	14.4	11	1.48	0.030
967372	Rock Chip	1.96	3.2	84.0	37.5	54	0.8	3.0	4.7	134	2.43	6998.9	995.9	13.3	28	0.4	23.2	20.8	6	0.92	0.031
967373	Rock Chip	3.01	1.9	25.7	31.0	127	0.3	4.0	4.1	335	1.82	423.4	124.1	16.5	48	1.0	5.7	2.0	9	1.62	0.036
967374	Rock Chip	2.96	5.6	43.0	26.8	77	0.4	3.8	4.3	337	1.98	383.1	92.2	15.5	46	0.6	7.9	3.0	9	1.53	0.036
967375	Rock Chip	3.30	2.5	41.2	15.5	42	0.3	4.2	5.9	347	2.38	270.4	74.9	17.7	49	0.2	6.3	2.3	12	1.48	0.041
967376	Rock Chip	3.20	1.6	41.5	18.0	43	0.4	3.5	6.6	327	2.26	189.1	71.8	14.9	39	0.2	4.0	3.0	19	1.10	0.034
967377	Rock Chip	3.15	1.7	42.8	11.7	30	0.3	4.0	5.1	273	1.91	272.2	90.7	15.4	33	<0.1	3.4	1.7	11	0.91	0.036
967378	Rock Chip	4.24	0.9	55.0	7.7	26	0.2	4.5	4.3	207	2.23	136.7	105.3	14.8	16	<0.1	4.1	1.3	8	0.73	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	2	
967349	Rock Chip	24	7	0.36	50	0.001	1	0.80	0.032	0.21	1.2	<0.01	1.7	0.1	3.03	2	0.6	1.1	
967350	Rock Chip	24	7	0.52	68	0.004	<1	1.18	0.078	0.20	1.1	<0.01	3.3	0.2	2.25	4	<0.5	0.8	
967351	Rock Chip	25	9	0.60	68	0.003	2	1.21	0.078	0.15	1.9	<0.01	4.9	0.1	2.36	5	<0.5	1.3	
967352	Rock Chip	22	6	0.33	28	0.001	<1	1.00	0.058	0.18	1.0	<0.01	3.1	0.1	2.60	3	0.6	0.8	
967353	Rock Chip	27	9	0.60	22	0.002	1	1.32	0.069	0.16	2.1	<0.01	4.7	0.1	2.93	5	1.0	1.1	
967354	Rock Chip	16	9	0.86	53	0.003	<1	1.64	0.069	0.15	1.1	<0.01	3.7	0.2	2.35	6	<0.5	1.0	
967355	Rock Chip	17	7	0.76	60	<0.001	<1	1.42	0.018	0.14	0.8	<0.01	2.1	0.1	2.65	4	<0.5	1.3	
967356	Rock Chip	14	7	0.96	46	<0.001	<1	1.70	0.022	0.16	0.7	<0.01	2.1	0.1	2.76	4	0.9	1.0	
967357	Rock Chip	23	6	0.79	41	<0.001	<1	1.66	0.012	0.16	0.8	<0.01	1.7	0.1	3.29	4	0.6	1.4	
967358	Rock Chip	18	6	0.74	53	<0.001	<1	1.33	0.013	0.16	0.7	<0.01	1.5	0.1	3.98	3	<0.5	1.6	
967359	Rock Chip	19	6	0.61	55	<0.001	1	1.08	0.011	0.15	0.6	<0.01	1.1	0.1	3.31	3	<0.5	1.7	
967360	Rock Chip	19	6	0.15	41	0.001	<1	0.47	0.013	0.23	1.0	<0.01	0.6	0.1	6.02	1	1.0	4.5	
967361	Rock Chip	22	5	0.21	56	<0.001	1	0.82	0.015	0.21	0.7	<0.01	1.0	0.1	4.09	2	<0.5	2.9	
967362	Rock Chip	24	5	0.17	60	<0.001	<1	0.68	0.015	0.22	0.7	<0.01	0.9	0.1	3.48	1	1.3	1.1	
967363	Rock Chip	20	6	0.43	34	<0.001	<1	1.02	0.021	0.18	0.8	<0.01	1.5	0.1	2.96	3	0.8	1.0	
967364	Rock Chip	15	5	0.25	62	<0.001	<1	0.67	0.010	0.20	0.3	<0.01	0.7	0.1	3.22	2	0.6	1.8	
967365	Rock Chip	18	5	0.45	62	<0.001	<1	1.02	0.009	0.14	0.5	<0.01	1.0	0.1	2.58	2	<0.5	1.5	
967366	Rock Chip	18	5	0.50	49	<0.001	<1	1.04	0.009	0.15	0.3	<0.01	1.0	<0.1	3.58	3	<0.5	2.0	
967367	Rock Chip	19	6	0.49	59	<0.001	1	0.99	0.009	0.15	0.2	<0.01	1.2	0.1	3.04	3	<0.5	2.0	
967368	Rock Chip	18	6	0.47	47	<0.001	<1	0.90	0.010	0.14	0.5	<0.01	1.3	0.1	3.25	2	0.6	2.0	
967369	Rock Chip	18	5	0.31	66	0.001	<1	0.74	0.012	0.19	0.4	<0.01	1.0	0.2	3.28	2	<0.5	4.4	
967370	Rock Chip	20	6	0.77	74	0.008	<1	1.95	0.013	0.34	0.2	0.02	3.6	0.5	2.81	6	<0.5	1.2	454
967371	Rock Chip	16	6	0.26	58	0.001	1	0.84	0.006	0.19	0.5	0.02	1.5	0.6	2.67	3	<0.5	0.7	634
967372	Rock Chip	21	5	0.18	49	<0.001	<1	0.62	0.006	0.16	0.4	0.03	1.1	0.3	2.00	2	<0.5	1.0	895
967373	Rock Chip	27	9	0.41	78	0.003	1	1.38	0.013	0.22	0.2	<0.01	2.7	0.3	0.62	5	<0.5	0.5	117
967374	Rock Chip	21	8	0.46	64	0.002	<1	1.22	0.029	0.19	0.2	<0.01	2.1	0.4	0.91	4	<0.5	0.5	
967375	Rock Chip	22	12	0.58	65	0.010	2	1.54	0.116	0.19	0.5	<0.01	2.7	0.3	1.17	6	<0.5	0.4	
967376	Rock Chip	12	10	0.66	68	0.069	2	1.66	0.124	0.34	1.2	<0.01	2.3	0.4	0.87	5	<0.5	0.4	
967377	Rock Chip	14	11	0.55	70	0.057	1	1.38	0.098	0.30	1.6	<0.01	1.8	0.3	0.70	5	<0.5	0.2	
967378	Rock Chip	19	10	0.47	65	0.035	1	1.02	0.029	0.22	1.0	<0.01	1.5	0.2	1.01	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967379	Rock Chip	3.40	2.1	42.2	13.9	24	0.2	3.5	4.7	163	1.99	219.1	94.0	16.0	25	0.1	3.2	2.0	7	0.83	0.032
967380	Rock Chip	3.50	2.3	57.9	17.5	22	0.4	3.8	5.7	134	2.45	270.1	155.3	15.7	17	0.2	3.2	3.7	5	0.56	0.033
967381	Rock Chip	3.71	1.9	65.6	10.6	24	0.2	4.4	4.1	141	2.00	70.3	97.6	18.0	17	0.1	3.0	2.8	5	0.38	0.032
967382	Rock Chip	3.81	1.1	43.1	11.3	32	0.3	3.5	4.6	167	2.08	153.7	132.9	17.3	22	0.4	2.9	3.4	7	0.55	0.034
967383	Rock Chip	4.17	0.9	26.0	6.7	23	0.1	4.1	4.3	202	1.89	196.3	44.9	15.7	27	0.1	2.6	2.2	11	0.76	0.037
967384	Rock Chip	3.51	3.4	28.8	6.4	20	0.1	3.1	3.7	189	1.78	140.3	41.6	14.5	24	<0.1	2.1	1.8	9	0.88	0.032
967385	Rock Chip	2.92	2.6	43.5	15.2	25	0.3	2.6	4.5	133	1.92	265.3	120.7	18.7	15	0.1	2.3	2.5	5	0.76	0.027
967386	Rock Chip	2.50	3.0	42.0	27.4	21	0.6	2.9	6.2	95	2.69	283.7	279.2	20.4	9	0.1	2.6	4.6	<2	0.40	0.027
967387	Rock Chip	3.46	1.8	49.3	19.9	17	0.4	3.7	8.8	138	5.08	289.0	378.0	18.1	14	0.1	1.7	4.9	2	1.06	0.028
967388	Rock Chip	3.05	1.3	57.2	15.9	37	0.4	2.7	4.8	141	2.49	193.4	169.5	19.9	14	0.2	1.9	4.8	3	0.72	0.030
967389	Rock Chip	2.38	2.3	62.7	9.3	22	0.2	2.8	5.2	196	2.43	196.7	183.4	16.7	27	0.1	1.5	2.7	8	1.35	0.034
967390	Rock Chip	4.20	1.5	44.8	11.4	22	0.2	3.0	5.1	134	2.01	172.4	67.0	17.8	20	0.1	1.7	2.1	5	0.89	0.023
967391	Rock Chip	3.93	1.2	31.9	12.0	17	0.2	2.2	4.8	122	1.71	199.6	75.3	19.3	19	<0.1	1.8	1.8	4	0.79	0.017
967392	Rock Chip	4.43	4.0	27.1	20.2	35	0.4	2.8	5.0	201	3.56	119.3	159.2	15.0	13	0.3	1.9	3.3	<2	1.41	0.026
967393	Rock Chip	4.66	2.0	45.2	12.7	26	0.3	2.4	3.9	121	1.45	56.6	60.8	23.4	11	0.2	2.1	2.7	<2	0.60	0.023
967394	Rock Chip	3.68	2.3	51.3	12.6	27	0.3	3.6	3.6	201	1.82	177.3	55.7	17.6	20	0.1	2.8	3.7	6	0.92	0.031
967395	Rock Chip	3.81	1.7	43.7	11.0	29	0.3	2.9	4.0	155	2.10	193.2	87.5	15.5	15	0.2	2.8	2.9	4	0.71	0.021
967396	Rock Chip	3.82	1.7	38.5	26.2	29	0.6	2.7	4.9	161	2.31	203.7	244.5	14.4	19	0.3	1.8	3.1	5	0.87	0.024
967397	Rock Chip	3.29	1.8	75.9	8.7	31	0.3	2.7	3.6	165	1.58	168.6	151.1	15.5	21	0.1	1.6	3.8	5	0.83	0.026
967398	Rock Chip	3.26	2.1	59.2	7.1	22	0.2	2.7	4.6	158	2.21	209.1	107.2	20.7	23	<0.1	1.8	2.9	5	1.01	0.029
967399	Rock Chip	3.61	1.3	78.1	12.9	28	0.4	2.4	4.1	138	1.79	183.2	79.4	16.3	20	0.2	2.7	2.4	4	0.88	0.026
967400	Rock Chip	3.33	1.4	84.0	14.2	53	0.4	2.9	3.9	163	1.89	248.6	81.0	15.0	24	0.4	3.1	3.2	5	0.93	0.023



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	
967379	Rock Chip	13	8	0.38	65	0.044	1	1.11	0.073	0.24	2.0	<0.01	1.3	0.2	1.14	4	<0.5	0.3	
967380	Rock Chip	13	7	0.34	60	0.041	2	0.87	0.020	0.24	1.9	<0.01	1.0	0.2	1.80	3	<0.5	0.6	
967381	Rock Chip	14	8	0.39	67	0.048	2	1.01	0.038	0.27	1.7	<0.01	1.2	0.3	0.94	3	<0.5	<0.2	
967382	Rock Chip	13	9	0.46	61	0.067	1	1.09	0.051	0.25	2.1	<0.01	1.5	0.2	1.15	4	<0.5	0.3	
967383	Rock Chip	16	11	0.56	74	0.075	2	1.56	0.122	0.38	1.5	<0.01	1.8	0.4	0.57	5	<0.5	<0.2	
967384	Rock Chip	14	8	0.46	56	0.044	2	1.26	0.088	0.30	1.0	<0.01	1.5	0.3	0.68	5	<0.5	0.3	
967385	Rock Chip	22	6	0.25	66	0.005	<1	0.69	0.026	0.24	0.9	<0.01	1.1	0.2	1.45	2	<0.5	0.3	
967386	Rock Chip	27	8	0.17	56	0.004	1	0.48	0.016	0.21	2.3	<0.01	0.7	0.2	2.56	2	0.6	0.5	
967387	Rock Chip	22	8	0.15	34	0.001	<1	0.51	0.014	0.24	1.8	<0.01	0.7	0.2	5.57	1	1.0	0.8	
967388	Rock Chip	31	8	0.19	56	0.002	<1	0.53	0.018	0.20	1.5	<0.01	1.1	0.2	2.30	2	<0.5	0.4	
967389	Rock Chip	26	11	0.39	77	0.002	<1	0.87	0.021	0.23	1.9	<0.01	1.3	0.2	2.10	3	<0.5	0.7	
967390	Rock Chip	20	10	0.27	68	0.002	<1	0.69	0.028	0.22	2.7	<0.01	0.9	0.2	1.69	2	<0.5	0.6	
967391	Rock Chip	15	7	0.23	57	0.003	<1	0.57	0.023	0.17	1.5	<0.01	0.8	0.2	1.41	2	<0.5	0.6	
967392	Rock Chip	32	6	0.15	24	0.002	<1	0.45	0.019	0.18	1.2	<0.01	0.9	0.2	3.68	2	0.7	0.2	
967393	Rock Chip	23	5	0.17	71	0.008	<1	0.52	0.028	0.20	2.0	<0.01	1.0	0.2	0.90	2	<0.5	<0.2	
967394	Rock Chip	18	8	0.32	65	0.016	1	0.84	0.044	0.22	1.6	<0.01	1.4	0.2	0.74	3	<0.5	0.3	
967395	Rock Chip	16	6	0.25	51	0.004	1	0.59	0.025	0.16	1.4	<0.01	0.8	0.2	1.52	2	<0.5	0.3	
967396	Rock Chip	11	8	0.28	69	0.015	1	0.58	0.030	0.15	2.2	<0.01	0.9	0.1	1.98	2	0.5	0.8	
967397	Rock Chip	12	8	0.30	43	0.016	<1	0.58	0.028	0.14	2.1	<0.01	0.9	0.1	1.16	2	<0.5	0.6	
967398	Rock Chip	16	9	0.31	47	0.005	2	0.72	0.048	0.19	0.9	<0.01	1.0	0.1	1.96	2	<0.5	0.8	
967399	Rock Chip	16	7	0.25	46	0.002	1	0.51	0.022	0.15	0.9	<0.01	0.8	0.1	1.63	2	<0.5	0.8	
967400	Rock Chip	19	8	0.30	53	0.002	1	0.67	0.043	0.16	1.1	<0.01	1.6	0.1	1.59	3	<0.5	0.6	



# QUALITY CONTROL REPORT

WHI17000726.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967290	Rock Chip	3.51	1.3	42.9	12.0	28	<0.1	3.6	11.8	183	4.51	3.4	33.5	10.0	45	0.3	0.2	1.0	37	1.98	0.051
REP 967290	QC		1.2	43.8	12.1	29	<0.1	3.7	11.8	186	4.58	3.0	42.0	9.7	44	0.3	0.3	1.0	37	1.97	0.052
967325	Rock Chip	4.36	1.2	73.8	3.7	35	<0.1	5.1	14.0	366	4.02	7.5	42.4	11.7	27	<0.1	0.3	1.6	83	0.65	0.064
REP 967325	QC		1.3	77.9	3.8	37	<0.1	4.9	13.6	333	4.03	8.0	53.5	11.6	28	<0.1	0.3	1.7	83	0.66	0.056
967360	Rock Chip	2.44	1.4	101.4	5.5	13	0.2	3.1	10.1	162	5.28	26.5	194.9	17.8	16	<0.1	1.5	6.1	4	1.11	0.037
REP 967360	QC		1.3	105.0	5.9	13	0.2	3.6	10.5	163	5.30	25.7	194.2	17.6	17	<0.1	1.4	6.0	4	1.11	0.036
967394	Rock Chip	3.68	2.3	51.3	12.6	27	0.3	3.6	3.6	201	1.82	177.3	55.7	17.6	20	0.1	2.8	3.7	6	0.92	0.031
REP 967394	QC		2.1	49.1	12.3	24	0.3	3.7	3.8	207	1.80	179.3	77.9	16.6	19	0.1	2.6	3.4	6	0.91	0.030
Core Reject Duplicates																					
967287	Rock Chip	3.25	1.5	60.7	8.9	29	<0.1	4.0	10.6	193	4.00	1.7	10.1	10.8	33	0.2	0.2	0.9	38	1.45	0.054
DUP 967287	QC		1.5	62.5	9.3	29	<0.1	4.0	10.8	202	4.01	1.8	11.5	10.7	34	0.1	0.2	0.9	38	1.47	0.054
967321	Rock Chip	2.87	1.0	136.4	4.4	26	<0.1	5.3	14.3	196	4.52	22.5	40.0	11.7	20	<0.1	0.3	3.8	57	0.31	0.064
DUP 967321	QC		1.1	136.2	4.4	26	<0.1	5.2	14.5	189	4.49	23.1	41.3	13.0	20	<0.1	0.3	3.8	56	0.30	0.061
967355	Rock Chip	2.07	1.2	29.5	7.0	17	0.1	3.4	8.6	158	2.77	4.5	72.5	18.3	54	<0.1	0.4	2.3	17	1.44	0.033
DUP 967355	QC		1.1	25.2	6.8	15	<0.1	3.4	8.7	156	2.75	3.9	80.2	16.3	51	<0.1	0.4	2.4	17	1.40	0.032
967389	Rock Chip	2.38	2.3	62.7	9.3	22	0.2	2.8	5.2	196	2.43	196.7	183.4	16.7	27	0.1	1.5	2.7	8	1.35	0.034
DUP 967389	QC		2.2	64.2	10.3	24	0.2	2.7	5.5	183	2.37	182.0	136.9	18.3	30	<0.1	1.5	3.2	8	1.32	0.032
Reference Materials																					
STD DS11	Standard		13.5	150.7	137.1	342	1.9	81.9	14.4	1053	3.37	45.5	94.6	7.4	65	2.6	9.5	12.4	51	1.07	0.072
STD DS11	Standard		14.2	151.0	137.6	343	1.7	79.5	13.6	1060	3.13	43.3	81.5	7.3	65	2.6	9.0	11.5	52	1.07	0.073
STD DS11	Standard		14.2	146.8	134.3	327	1.6	76.9	13.3	993	2.94	40.6	83.5	7.5	63	2.4	8.2	11.0	49	1.02	0.065
STD DS11	Standard		14.5	151.3	139.4	331	1.7	79.5	12.9	1047	3.06	43.6	92.5	7.8	63	2.3	8.9	12.1	48	1.04	0.067
STD DS11	Standard		14.4	147.6	130.9	331	1.6	77.7	13.8	1048	3.08	40.5	68.4	7.1	61	2.2	7.9	10.4	48	1.05	0.066
STD OXC129	Standard		1.2	25.3	5.7	39	<0.1	75.4	19.4	434	3.15	0.7	206.9	1.6	164	<0.1	<0.1	<0.1	53	0.64	0.100
STD OXC129	Standard		1.1	27.8	6.1	40	<0.1	81.1	20.8	418	3.01	<0.5	190.5	1.7	188	<0.1	<0.1	<0.1	53	0.66	0.101
STD OXC129	Standard		1.2	27.9	6.0	39	<0.1	78.6	21.1	419	2.98	0.5	200.2	1.7	183	<0.1	<0.1	<0.1	53	0.66	0.097
STD OXC129	Standard		1.4	26.6	5.7	41	<0.1	74.7	20.0	411	3.06	0.6	202.7	1.8	181	<0.1	<0.1	<0.1	51	0.68	0.098
STD OXC129	Standard		1.2	26.8	6.0	37	<0.1	77.5	20.0	411	2.99	<0.5	205.6	1.6	178	<0.1	<0.1	<0.1	50	0.67	0.096



# QUALITY CONTROL REPORT

WHI17000726.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
Pulp Duplicates																		
967290	Rock Chip	20	11	0.72	35	0.020	1	1.42	0.033	0.31	0.4	<0.01	4.2	0.2	4.12	4	0.9	0.4
REP 967290	QC	20	11	0.72	41	0.020	1	1.39	0.034	0.32	0.4	<0.01	4.3	0.2	4.05	4	1.1	0.5
967325	Rock Chip	21	16	1.37	60	0.158	2	1.80	0.089	0.55	1.2	<0.01	6.9	0.4	1.94	7	<0.5	0.7
REP 967325	QC	22	17	1.36	58	0.174	2	1.82	0.090	0.55	1.3	<0.01	7.7	0.4	1.94	7	<0.5	0.9
967360	Rock Chip	19	6	0.15	41	0.001	<1	0.47	0.013	0.23	1.0	<0.01	0.6	0.1	6.02	1	1.0	4.5
REP 967360	QC	19	5	0.14	39	<0.001	1	0.47	0.013	0.23	1.1	<0.01	0.6	0.1	5.99	1	1.5	4.3
967394	Rock Chip	18	8	0.32	65	0.016	1	0.84	0.044	0.22	1.6	<0.01	1.4	0.2	0.74	3	<0.5	0.3
REP 967394	QC	17	8	0.32	60	0.015	1	0.84	0.044	0.23	1.6	<0.01	1.3	0.2	0.76	3	<0.5	0.3
Core Reject Duplicates																		
967287	Rock Chip	21	13	0.98	53	0.011	<1	1.36	0.038	0.27	0.8	<0.01	3.4	0.2	3.35	4	1.1	0.4
DUP 967287	QC	21	13	1.00	65	0.011	<1	1.39	0.041	0.27	0.8	<0.01	3.6	0.2	3.31	4	1.2	0.4
967321	Rock Chip	20	12	1.24	32	0.009	<1	1.61	0.044	0.20	1.0	<0.01	4.9	0.2	3.96	5	1.0	1.7
DUP 967321	QC	21	12	1.25	35	0.009	<1	1.59	0.039	0.19	1.1	<0.01	5.0	0.2	4.01	5	1.0	1.9
967355	Rock Chip	17	7	0.76	60	<0.001	<1	1.42	0.018	0.14	0.8	<0.01	2.1	0.1	2.65	4	<0.5	1.3
DUP 967355	QC	17	8	0.78	59	<0.001	1	1.54	0.018	0.14	0.6	<0.01	1.9	0.1	2.58	4	0.6	1.5
967389	Rock Chip	26	11	0.39	77	0.002	<1	0.87	0.021	0.23	1.9	<0.01	1.3	0.2	2.10	3	<0.5	0.7
DUP 967389	QC	26	10	0.40	70	0.002	<1	0.84	0.019	0.22	2.1	<0.01	1.2	0.2	2.07	3	<0.5	0.8
Reference Materials																		
STD DS11	Standard	18	71	0.87	411	0.097	7	1.12	0.070	0.41	3.2	0.28	3.1	5.2	0.28	5	2.8	4.9
STD DS11	Standard	18	60	0.83	358	0.089	7	1.16	0.072	0.41	3.2	0.27	3.1	4.7	0.29	5	2.0	5.1
STD DS11	Standard	18	58	0.80	344	0.086	7	1.12	0.069	0.39	2.9	0.23	2.9	4.6	0.27	5	2.1	4.5
STD DS11	Standard	18	62	0.83	361	0.091	8	1.11	0.069	0.39	3.3	0.27	3.6	4.9	0.27	5	1.8	4.4
STD DS11	Standard	19	63	0.84	369	0.103	8	1.15	0.071	0.40	2.9	0.25	3.3	4.6	0.27	5	1.8	4.5
STD OXC129	Standard	12	56	1.53	56	0.412	1	1.54	0.590	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	52	1.54	50	0.395	<1	1.56	0.578	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	51	1.53	48	0.378	<1	1.55	0.571	0.36	<0.1	<0.01	1.2	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	53	1.52	51	0.425	<1	1.57	0.594	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	12	55	1.51	51	0.414	1	1.57	0.581	0.37	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2



# QUALITY CONTROL REPORT

WHI17000726.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD OXC145 Expected																					
STD OXH139 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.8	4.6	1.0	34	<0.1	0.9	3.9	517	1.74	1.3	<0.5	2.2	20	<0.1	<0.1	<0.1	25	0.64	0.042
ROCK-WHI	Prep Blank		0.9	3.8	1.0	37	<0.1	1.1	4.0	553	1.75	0.9	<0.5	2.2	21	<0.1	<0.1	<0.1	25	0.66	0.040



# QUALITY CONTROL REPORT

WHI17000726.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD OXC145	Standard																		207
STD OXC145	Standard																		217
STD OXH139	Standard																		1282
STD OXH139	Standard																		1381
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		5.6				
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	
STD OXC145 Expected																			212
STD OXH139 Expected																			1312
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																		3
BLK	Blank																		3
BLK	Blank																		<2
BLK	Blank																		<2
Prep Wash																			
ROCK-WHI	Prep Blank	6	6	0.49	49	0.066	<1	0.93	0.085	0.11	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	5	6	0.49	55	0.073	1	0.96	0.095	0.12	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2	





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: December 13, 2017  
Report Date: January 15, 2018  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000726M.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-003  
P.O. Number  
Number of Samples: 2

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SPTRF	2	Split samples by riffle splitter			WHI
PUL85	2	Pulverize to 85% passing 200 mesh			VAN
FS631	2	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	2	Analysis sample split/packet			VAN
Split -150	2	Analysis sample split/packet			VAN
FS631	2	Metallics Fire Assay for Au	30	Completed	VAN
EN002	2	Environmental disposal charge-Fire assay lead waste			VAN
SHP02	2	Per sample shipping charges for large branch shipments			VAN

## ADDITIONAL COMMENTS

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. \*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: January 15, 2018

Page: 2 of 2

Part: 1 of 1

## CERTIFICATE OF ANALYSIS

WHI17000726M.1

	Method	M150	FA430	FS600	FS600	FS600
		TotWt	-Au	TotAu	+Au	+Wt
	Analyte					
	Unit	g	gm/t	gm/t	gm/t	g
	MDL	1	0.005	0.05	0.05	0.01
967371	Rock Chip	488	0.635	0.64	0.67	23.98
967372	Rock Chip	458	0.837	0.83	0.64	20.16



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** January 15, 2018

**Page:** 1 of 1

**Part:** 1 of 1

## QUALITY CONTROL REPORT

WHI17000726M.1

Method	M150	FA430	FS600	FS600	FS600
Analyte	TotWt	-Au	TotAu	+Au	+Wt
Unit	g	gm/t	gm/t	gm/t	g
MDL	1	0.005	0.05	0.05	0.01
Reference Materials					
STD OXC145	Standard	0.218			
STD OXH139	Standard	1.320			
STD OXN134	Standard	7.881			
STD OXQ90	Standard			25.01	30.35
STD OXQ90 Expected				24.88	
BLK	Blank			<0.05	30.00
BLK	Blank	<0.005			
BLK	Blank	<0.005			
Prep Wash					
ROCK-WHI	Prep Blank	498	<0.005	<0.05	<0.05
					18.76



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: October 06, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000727.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-005  
P.O. Number  
Number of Samples: 138

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	138	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	138	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN
FA330-Au	2	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	2	Environmental disposal charge-Fire assay lead waste			VAN
AQ370-X	2	1:1:1 Aqua Regia digestion ICP-ES analysis	1	Completed	VAN

## ADDITIONAL COMMENTS

Version 2 : FA330-Au, AQ370-As included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

Page: 2 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte	Unit	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
967738	Rock Chip	5.33	1.1	8.4	26.1	43	<0.1	2.3	2.4	253	1.12	16.8	1.1	31.8	21	0.1	25.2	0.1	4	0.66	0.013
967739	Rock Chip	4.99	0.9	3.3	13.8	22	<0.1	2.1	2.1	235	1.08	7.8	<0.5	27.8	10	<0.1	4.7	0.1	6	0.34	0.014
967740	Rock Chip	4.45	0.5	3.2	14.6	32	<0.1	3.0	2.2	225	1.03	6.1	1.2	30.6	13	<0.1	4.6	<0.1	5	0.32	0.012
967741	Rock Chip	3.70	0.3	12.8	20.8	22	<0.1	2.3	3.4	146	0.89	13.3	2.9	26.1	12	<0.1	12.4	0.2	4	0.22	0.012
967742	Rock Chip	4.62	0.6	17.3	28.5	65	0.3	7.1	4.3	271	1.06	16.6	0.7	25.8	31	1.2	18.8	0.8	5	0.43	0.015
967743	Rock Chip	3.67	0.4	7.3	15.7	20	<0.1	3.2	2.4	194	1.07	47.8	3.7	27.9	13	<0.1	5.7	0.2	4	0.45	0.015
967744	Rock Chip	5.10	0.7	9.5	12.2	26	<0.1	16.1	4.4	297	1.17	27.4	1.6	26.0	15	<0.1	4.6	0.2	7	0.67	0.018
967745	Rock Chip	3.68	0.6	4.2	11.3	16	<0.1	2.9	2.0	213	0.95	49.6	5.7	27.1	13	<0.1	3.6	<0.1	5	0.30	0.013
967746	Rock Chip	4.27	0.6	15.4	32.1	36	<0.1	4.7	3.2	403	1.44	6.5	<0.5	25.8	31	0.1	9.2	0.2	5	1.28	0.016
967747	Rock Chip	3.75	0.9	19.1	9.1	18	<0.1	8.6	4.1	226	1.09	9.2	<0.5	26.7	20	<0.1	2.5	<0.1	11	0.53	0.021
967748	Rock Chip	3.47	3.2	2.8	15.2	59	<0.1	66.8	12.7	761	2.49	166.9	13.8	20.4	115	<0.1	11.9	<0.1	32	2.80	0.052
967749	Rock Chip	3.96	1.1	24.5	11.2	73	<0.1	77.7	22.8	818	3.96	8.2	0.6	15.4	57	<0.1	2.9	0.1	105	2.09	0.125
967750	Rock Chip	5.05	0.5	9.9	13.9	26	<0.1	9.9	3.2	287	1.24	148.2	16.2	24.1	22	<0.1	6.6	<0.1	7	0.69	0.019
967751	Rock Chip	3.84	0.7	2.4	12.3	20	<0.1	2.5	2.4	278	1.19	38.4	5.1	23.7	19	<0.1	1.8	<0.1	6	0.47	0.013
967752	Rock Chip	3.37	1.4	14.3	32.8	56	0.3	9.0	6.1	344	1.48	133.3	8.2	19.9	20	0.6	20.0	0.5	15	0.18	0.030
967753	Rock Chip	3.92	1.8	17.1	20.0	34	0.2	17.3	4.1	255	1.13	44.6	1.9	33.9	9	0.2	10.0	0.5	7	0.11	0.017
967754	Rock Chip	2.08	1.4	10.0	15.6	45	0.1	60.1	8.3	675	1.75	27.2	2.1	27.4	10	0.2	8.1	0.4	15	0.21	0.028
967755	Rock Chip	2.12	1.5	8.7	12.4	29	<0.1	14.7	3.4	315	1.29	8.6	0.5	29.0	7	<0.1	3.5	0.2	7	0.13	0.019
967756	Rock Chip	1.52	8.4	8.2	10.2	27	<0.1	9.4	3.9	325	1.33	12.2	1.4	28.2	6	<0.1	3.6	0.1	8	0.12	0.020
967757	Rock Chip	2.54	2.3	3.7	9.2	35	<0.1	13.8	3.9	351	1.30	8.0	<0.5	27.2	7	<0.1	2.4	0.2	13	0.13	0.023
967758	Rock Chip	2.81	1.7	3.9	14.2	26	<0.1	4.6	2.5	291	1.28	5.9	0.6	24.5	6	<0.1	2.5	0.1	6	0.18	0.018
967759	Rock Chip	8.27	1.7	3.5	12.7	30	<0.1	22.3	4.2	324	1.32	14.9	2.1	23.2	7	<0.1	2.6	0.1	8	0.37	0.018
967760	Rock Chip	5.84	1.4	2.8	12.2	27	<0.1	4.0	2.3	223	1.14	8.9	1.8	26.7	7	<0.1	2.8	0.1	7	0.19	0.019
967761	Rock Chip	1.72	1.6	6.7	11.3	21	<0.1	3.5	2.4	229	1.16	126.3	18.8	24.7	11	<0.1	16.2	0.1	5	0.49	0.018
967762	Rock Chip	1.76	2.0	11.2	14.0	23	<0.1	3.9	3.1	202	1.12	22.6	2.0	29.0	8	<0.1	14.0	0.2	6	0.36	0.017
967763	Rock Chip	1.73	6.3	12.1	32.0	38	0.2	11.1	4.3	258	1.38	62.4	2.3	28.5	12	0.2	2.2	0.7	8	0.41	0.019
967764	Rock Chip	2.58	2.2	10.3	28.0	47	0.3	13.0	3.4	212	1.21	66.8	2.2	22.9	7	0.5	3.2	0.7	8	0.25	0.018
967765	Rock Chip	3.62	1.3	8.1	13.7	29	<0.1	4.7	2.6	229	1.18	7.2	0.8	26.9	7	0.2	1.6	0.2	7	0.26	0.017
967766	Rock Chip	3.06	1.4	10.9	21.8	29	0.1	5.3	2.9	222	1.17	14.1	3.1	25.9	7	0.3	4.6	0.3	6	0.25	0.016
967767	Rock Chip	2.45	2.2	6.2	19.5	25	<0.1	3.3	2.5	197	1.09	18.9	7.7	30.4	7	<0.1	17.8	0.5	4	0.19	0.015



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	2	0.01
967738	Rock Chip	34	5	0.18	82	<0.001	2	0.27	0.044	0.11	0.8	0.07	1.3	0.1	0.10	1	<0.5	<0.2		
967739	Rock Chip	38	6	0.12	43	0.006	2	0.30	0.054	0.14	0.8	0.05	1.7	0.1	0.07	2	<0.5	<0.2		
967740	Rock Chip	35	4	0.13	56	0.002	<1	0.30	0.045	0.11	0.7	0.07	1.7	0.2	0.06	2	<0.5	<0.2		
967741	Rock Chip	31	3	0.11	27	<0.001	2	0.40	0.020	0.09	0.7	0.11	1.2	<0.1	0.20	1	<0.5	<0.2		
967742	Rock Chip	30	5	0.15	72	<0.001	2	0.49	0.003	0.14	1.0	0.27	1.7	0.2	0.17	1	<0.5	<0.2		
967743	Rock Chip	35	4	0.19	28	0.003	<1	0.48	0.022	0.14	0.6	0.07	1.2	0.1	0.16	2	<0.5	<0.2		
967744	Rock Chip	37	13	0.28	34	0.009	1	0.42	0.040	0.18	0.7	0.04	2.3	0.2	0.14	2	<0.5	<0.2		
967745	Rock Chip	35	4	0.18	30	0.012	<1	0.39	0.021	0.15	0.4	0.05	1.7	0.2	0.09	2	<0.5	<0.2		
967746	Rock Chip	34	6	0.42	32	0.001	<1	0.41	0.023	0.14	0.3	0.05	1.7	0.1	0.08	1	<0.5	<0.2		
967747	Rock Chip	36	14	0.35	39	0.043	<1	0.43	0.054	0.22	0.8	<0.01	2.2	0.2	0.08	2	<0.5	<0.2		
967748	Rock Chip	30	69	1.41	87	0.020	2	0.74	0.025	0.29	0.4	0.27	7.9	0.5	0.08	3	<0.5	<0.2		
967749	Rock Chip	53	168	2.60	210	0.294	1	2.65	0.086	1.71	0.8	0.07	10.5	1.4	0.05	9	<0.5	<0.2		
967750	Rock Chip	32	11	0.31	473	0.008	1	0.41	0.044	0.19	0.5	0.03	1.6	0.1	0.11	2	<0.5	<0.2		
967751	Rock Chip	31	6	0.25	99	0.039	<1	0.43	0.047	0.28	0.9	0.02	2.3	0.2	<0.05	2	<0.5	<0.2		
967752	Rock Chip	29	10	0.14	120	0.022	<1	0.68	0.020	0.14	0.6	0.10	2.2	0.1	<0.05	2	<0.5	<0.2		
967753	Rock Chip	23	13	0.10	93	0.010	<1	0.46	0.026	0.14	0.8	0.07	1.7	0.2	<0.05	2	<0.5	<0.2		
967754	Rock Chip	49	70	0.42	116	0.022	<1	1.00	0.023	0.33	2.0	0.11	3.5	0.5	<0.05	3	<0.5	<0.2		
967755	Rock Chip	42	22	0.13	57	0.010	<1	0.43	0.028	0.15	1.1	0.02	2.2	0.2	<0.05	2	<0.5	<0.2		
967756	Rock Chip	42	15	0.11	45	0.010	<1	0.40	0.031	0.13	0.9	0.02	1.8	0.1	<0.05	2	<0.5	<0.2		
967757	Rock Chip	37	23	0.28	57	0.043	<1	0.58	0.042	0.36	1.4	0.04	2.9	0.4	<0.05	3	<0.5	<0.2		
967758	Rock Chip	39	10	0.08	55	0.008	<1	0.37	0.025	0.14	0.7	0.07	1.6	0.1	<0.05	1	<0.5	<0.2		
967759	Rock Chip	36	28	0.19	42	0.010	<1	0.42	0.033	0.20	1.9	0.03	2.0	0.2	<0.05	2	<0.5	<0.2		
967760	Rock Chip	40	9	0.11	30	0.022	1	0.32	0.039	0.18	1.5	0.04	2.3	0.2	0.05	2	<0.5	<0.2		
967761	Rock Chip	37	10	0.15	29	0.003	<1	0.26	0.035	0.11	1.7	0.04	1.4	0.1	0.11	1	<0.5	<0.2		
967762	Rock Chip	38	12	0.14	29	0.010	<1	0.32	0.039	0.13	1.9	0.02	1.5	0.2	0.12	2	<0.5	<0.2		
967763	Rock Chip	39	21	0.17	28	0.005	<1	0.31	0.034	0.14	2.2	0.10	2.1	0.3	0.15	2	<0.5	<0.2		
967764	Rock Chip	35	24	0.20	28	0.010	1	0.37	0.032	0.20	0.4	0.07	1.8	0.4	0.11	2	<0.5	<0.2		
967765	Rock Chip	36	10	0.18	24	0.014	<1	0.39	0.035	0.14	2.9	<0.01	1.8	0.2	0.13	3	<0.5	<0.2		
967766	Rock Chip	36	11	0.13	28	0.009	<1	0.36	0.037	0.16	1.1	0.03	1.6	0.2	0.16	2	<0.5	<0.2		
967767	Rock Chip	34	6	0.09	27	0.011	<1	0.33	0.028	0.14	1.7	0.11	1.7	0.2	0.14	2	<0.5	<0.2		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001		
967768	Rock Chip	3.47	1.0	5.2	12.1	17	<0.1	3.9	2.1	216	1.02	9.2	1.2	24.8	8	<0.1	3.0	0.2	4	0.34	0.015
967769	Rock Chip	1.99	0.9	2.5	14.7	27	<0.1	4.5	2.1	218	1.03	84.2	10.3	27.9	8	<0.1	5.3	0.2	4	0.20	0.015
967770	Rock Chip	1.88	0.9	1.7	12.0	25	<0.1	3.0	1.9	203	1.06	45.3	4.9	23.2	5	<0.1	3.6	0.1	5	0.12	0.014
967771	Rock Chip	2.14	1.2	2.0	12.4	26	<0.1	2.6	2.0	171	1.01	112.8	15.0	27.3	7	<0.1	6.0	0.2	3	0.16	0.015
967772	Rock Chip	2.95	1.3	2.2	19.1	32	0.1	3.1	2.4	254	1.11	265.4	29.2	31.8	14	<0.1	7.7	<0.1	3	0.42	0.017
967773	Rock Chip	3.90	2.3	1.8	12.7	45	0.1	1.8	1.7	229	0.92	632.8	66.8	25.2	12	0.3	22.9	<0.1	<2	0.39	0.015
967774	Rock Chip	6.32	1.2	3.1	11.7	24	<0.1	3.6	1.8	166	0.91	397.2	36.5	27.5	10	<0.1	50.0	<0.1	3	0.19	0.016
967775	Rock Chip	3.57	5.4	4.5	8.5	20	0.1	2.3	2.3	254	1.10	460.3	31.3	21.1	31	<0.1	26.1	<0.1	2	0.92	0.011
967776	Rock Chip	4.06	1.4	7.0	23.9	23	0.1	2.1	2.3	239	1.02	533.7	36.7	21.1	24	<0.1	526.4	0.2	3	0.50	0.011
967777	Rock Chip	3.13	0.9	5.6	16.7	23	0.2	2.0	2.2	368	1.48	1233.2	133.4	26.9	54	<0.1	863.7	0.2	<2	1.24	0.013
967778	Rock Chip	3.56	0.8	5.3	16.2	21	0.1	1.8	2.2	408	1.48	1699.3	143.7	31.0	61	<0.1	786.8	0.1	<2	1.10	0.011
967779	Rock Chip	4.99	1.2	5.1	8.9	18	<0.1	2.8	2.2	226	1.03	93.6	9.3	22.4	18	<0.1	22.9	<0.1	3	0.35	0.009
967780	Rock Chip	3.49	1.4	17.6	9.4	33	<0.1	34.2	13.1	412	2.40	14.2	2.0	19.7	74	<0.1	4.0	0.1	53	1.41	0.067
967781	Rock Chip	3.36	1.1	2.8	5.9	31	<0.1	25.4	8.4	334	1.73	33.7	4.5	14.6	45	<0.1	4.5	0.2	35	0.92	0.042
967782	Rock Chip	3.12	1.3	2.3	7.2	13	<0.1	4.3	2.0	165	0.73	64.6	11.0	14.4	17	<0.1	6.1	0.2	5	0.36	0.010
967783	Rock Chip	4.35	1.0	1.8	7.8	18	<0.1	2.6	1.8	218	0.89	121.0	25.1	19.5	12	<0.1	4.6	0.1	4	0.29	0.010
967784	Rock Chip	5.77	0.9	1.7	11.2	19	<0.1	2.0	1.8	240	0.92	310.9	49.1	24.1	19	<0.1	6.3	<0.1	<2	0.49	0.009
967785	Rock Chip	4.89	1.0	1.8	9.2	19	<0.1	1.9	1.8	191	0.87	240.4	62.6	25.0	14	<0.1	3.8	<0.1	3	0.23	0.009
967786	Rock Chip	3.49	1.1	2.8	8.7	19	<0.1	2.3	2.0	245	0.97	84.7	15.3	22.1	13	<0.1	3.2	0.1	3	0.30	0.006
967787	Rock Chip	3.54	1.4	3.3	10.5	24	<0.1	2.5	2.1	249	1.05	368.4	60.8	25.5	25	<0.1	5.7	<0.1	<2	0.47	0.007
967788	Rock Chip	4.11	1.8	3.0	15.9	25	<0.1	2.5	2.4	296	1.10	184.8	28.6	29.9	24	<0.1	6.5	0.2	<2	0.50	0.010
967789	Rock Chip	6.03	1.2	5.3	18.4	38	<0.1	2.0	2.2	408	0.99	41.7	7.1	22.7	23	<0.1	9.4	0.2	<2	0.57	0.011
967790	Rock Chip	4.50	0.7	4.2	11.7	77	<0.1	1.7	1.9	317	1.09	15.2	2.0	23.7	26	0.2	6.4	0.1	<2	0.74	0.010
967791	Rock Chip	4.13	0.8	2.1	12.0	85	<0.1	1.7	1.8	329	1.08	32.6	6.3	26.7	31	0.4	6.2	0.1	<2	0.81	0.008
967792	Rock Chip	4.13	0.8	6.5	19.0	37	<0.1	2.1	2.6	321	1.19	45.7	5.2	27.2	32	0.1	10.5	0.1	<2	0.69	0.007
967793	Rock Chip	3.01	0.8	3.4	11.3	22	<0.1	1.6	2.0	333	1.13	495.9	58.3	22.4	38	<0.1	7.0	0.1	<2	0.80	0.007
967794	Rock Chip	2.30	1.0	3.3	11.5	24	<0.1	1.8	2.2	272	1.09	428.7	54.5	25.6	37	<0.1	7.0	0.1	<2	0.59	0.006
967795	Rock Chip	4.09	0.9	2.2	13.1	22	<0.1	1.9	1.7	221	0.98	245.0	37.8	25.0	22	<0.1	5.3	<0.1	<2	0.36	0.006
967796	Rock Chip	3.95	0.7	1.6	6.1	9	<0.1	1.5	1.1	124	0.60	126.9	23.9	21.6	17	<0.1	2.3	<0.1	<2	0.58	0.004
967797	Rock Chip	4.74	1.0	1.7	6.0	16	<0.1	1.5	1.4	167	0.81	171.8	31.3	25.2	16	<0.1	2.2	<0.1	<2	0.26	0.002





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	2
967768	Rock Chip	33	7	0.11	25	0.003	<1	0.29	0.036	0.13	1.0	0.02	1.1	<0.1	0.08	2	<0.5	<0.2	
967769	Rock Chip	34	8	0.10	50	0.013	<1	0.32	0.035	0.17	1.1	0.03	1.9	0.1	0.06	2	<0.5	<0.2	
967770	Rock Chip	34	7	0.09	36	0.022	<1	0.34	0.034	0.20	1.1	0.03	1.8	0.2	<0.05	1	<0.5	<0.2	
967771	Rock Chip	35	9	0.07	32	0.007	2	0.25	0.032	0.12	0.6	0.04	1.2	0.1	0.06	1	<0.5	<0.2	
967772	Rock Chip	33	9	0.13	27	0.006	1	0.37	0.028	0.14	2.6	0.03	1.5	0.1	0.18	1	<0.5	<0.2	
967773	Rock Chip	25	7	0.11	43	0.002	2	0.25	0.025	0.14	1.0	0.04	0.7	<0.1	0.19	<1	<0.5	<0.2	
967774	Rock Chip	30	10	0.10	39	0.011	1	0.32	0.035	0.17	0.4	0.02	1.4	0.1	0.08	1	<0.5	<0.2	
967775	Rock Chip	22	5	0.29	23	0.002	1	0.28	0.036	0.09	0.7	<0.01	1.3	0.1	0.23	<1	<0.5	<0.2	
967776	Rock Chip	24	7	0.24	32	0.015	<1	0.28	0.046	0.11	0.8	0.02	1.5	0.1	0.15	<1	<0.5	<0.2	
967777	Rock Chip	22	5	0.46	76	0.001	2	0.36	0.035	0.13	0.9	0.06	1.0	0.2	0.62	1	<0.5	<0.2	
967778	Rock Chip	23	4	0.47	34	<0.001	<1	0.25	0.046	0.08	0.5	0.07	1.5	0.2	0.48	<1	<0.5	<0.2	
967779	Rock Chip	26	9	0.19	26	0.008	<1	0.30	0.056	0.11	1.7	0.01	1.5	<0.1	0.08	1	<0.5	<0.2	
967780	Rock Chip	44	70	1.22	199	0.197	<1	1.81	0.164	0.90	1.4	<0.01	5.2	0.6	0.12	5	<0.5	<0.2	
967781	Rock Chip	31	52	0.87	182	0.133	<1	1.17	0.098	0.66	1.6	0.01	4.8	0.4	<0.05	4	<0.5	<0.2	
967782	Rock Chip	17	15	0.19	60	0.020	<1	0.31	0.039	0.15	1.8	0.01	1.3	0.1	<0.05	1	<0.5	<0.2	
967783	Rock Chip	25	9	0.18	35	0.031	<1	0.36	0.046	0.22	1.1	<0.01	1.4	0.2	0.05	2	<0.5	<0.2	
967784	Rock Chip	26	6	0.20	25	0.004	1	0.24	0.040	0.12	0.8	<0.01	1.0	<0.1	0.12	<1	<0.5	<0.2	
967785	Rock Chip	29	7	0.18	29	0.015	<1	0.33	0.046	0.15	0.7	<0.01	1.6	0.1	0.09	1	<0.5	<0.2	
967786	Rock Chip	26	8	0.22	25	0.012	<1	0.31	0.029	0.14	1.0	0.03	1.3	0.1	0.08	1	<0.5	<0.2	
967787	Rock Chip	25	7	0.23	23	0.001	<1	0.34	0.017	0.08	1.7	0.05	0.9	<0.1	0.21	<1	<0.5	<0.2	
967788	Rock Chip	30	7	0.21	30	<0.001	1	0.35	0.029	0.10	2.7	0.06	1.1	<0.1	0.13	1	<0.5	<0.2	
967789	Rock Chip	26	5	0.22	54	<0.001	1	0.25	0.024	0.09	0.6	0.08	0.9	<0.1	0.12	<1	<0.5	<0.2	
967790	Rock Chip	29	6	0.28	90	<0.001	1	0.28	0.041	0.14	1.4	0.11	0.8	<0.1	0.07	<1	<0.5	<0.2	
967791	Rock Chip	26	5	0.29	322	<0.001	<1	0.21	0.036	0.11	0.6	0.10	1.0	<0.1	0.08	<1	<0.5	<0.2	
967792	Rock Chip	27	5	0.26	644	<0.001	1	0.27	0.037	0.14	0.7	0.09	1.0	0.1	0.15	1	<0.5	<0.2	
967793	Rock Chip	22	5	0.30	69	<0.001	1	0.24	0.027	0.10	0.6	0.05	0.8	<0.1	0.31	<1	<0.5	<0.2	
967794	Rock Chip	21	6	0.26	56	<0.001	<1	0.25	0.030	0.11	1.0	0.04	0.8	<0.1	0.29	<1	<0.5	<0.2	
967795	Rock Chip	26	6	0.23	34	0.001	<1	0.23	0.042	0.10	0.7	0.02	0.9	<0.1	0.12	<1	<0.5	<0.2	
967796	Rock Chip	18	6	0.14	24	0.001	<1	0.20	0.036	0.09	0.8	0.02	0.6	<0.1	0.07	<1	<0.5	<0.2	
967797	Rock Chip	14	6	0.24	21	<0.001	<1	0.23	0.045	0.10	1.4	0.01	0.7	<0.1	0.06	<1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	Wgt	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001		
967798	Rock Chip	3.85	1.2	1.4	5.1	12	<0.1	1.7	1.3	144	0.68	17.7	2.3	29.7	7	<0.1	2.2	<0.1	<2	0.11	0.002
967799	Rock Chip	2.06	1.7	23.4	36.4	117	0.4	8.1	5.6	475	2.10	438.0	6.6	10.2	30	0.7	2.3	1.5	19	0.26	0.037
967800	Rock Chip	3.08	1.3	46.1	62.2	99	1.4	5.9	2.8	414	3.06	2599.8	18.2	13.3	28	0.9	6.9	3.6	4	0.09	0.030
967801	Rock Chip	2.58	0.9	61.5	30.4	155	0.6	4.8	3.0	1042	3.83	1204.0	5.6	14.9	13	1.4	2.3	1.5	3	0.10	0.030
967802	Rock Chip	4.18	1.6	98.1	22.3	128	0.6	3.4	2.2	762	4.27	1536.9	9.0	14.5	21	0.6	5.7	2.2	2	0.12	0.034
967803	Rock Chip	3.82	0.9	91.7	28.7	131	0.5	6.2	3.6	537	3.60	1364.5	4.0	14.0	13	0.2	17.5	1.0	2	0.08	0.026
967804	Rock Chip	3.02	0.8	62.6	14.7	132	0.4	5.6	3.6	1241	4.53	967.8	3.3	14.4	10	0.6	4.8	0.8	3	0.10	0.031
967805	Rock Chip	2.96	1.3	25.7	6.1	48	<0.1	3.3	4.1	461	1.88	295.7	0.8	13.8	51	0.1	2.4	0.2	13	0.95	0.029
967806	Rock Chip	4.03	1.7	22.5	5.0	51	<0.1	5.7	5.7	479	2.32	149.2	5.8	11.8	65	<0.1	0.8	0.2	28	1.00	0.035
967807	Rock Chip	4.92	2.1	34.3	40.2	270	1.3	4.5	5.2	1495	5.12	1740.7	19.4	9.3	22	1.9	2.9	4.1	8	0.35	0.033
967808	Rock Chip	3.55	2.0	8.6	7.2	80	0.2	5.6	5.0	663	2.66	151.4	5.3	9.1	45	0.5	0.7	0.4	22	0.95	0.047
967809	Rock Chip	4.02	1.6	7.0	4.8	47	<0.1	6.8	5.5	413	2.15	101.0	2.8	11.7	23	<0.1	0.4	0.1	24	0.51	0.046
967810	Rock Chip	3.67	1.3	5.4	3.6	53	<0.1	7.8	7.4	520	2.55	58.6	2.4	8.7	65	<0.1	0.6	<0.1	35	1.25	0.062
967811	Rock Chip	4.26	0.9	2.5	10.7	82	<0.1	1.9	3.4	496	1.75	66.2	3.6	8.8	61	0.4	0.7	0.2	12	1.23	0.025
967812	Rock Chip	3.89	1.2	2.1	2.9	27	<0.1	2.1	3.0	283	1.49	14.8	<0.5	8.2	88	<0.1	0.6	<0.1	14	1.23	0.025
967813	Rock Chip	3.79	1.2	7.1	17.6	130	1.1	6.9	6.1	307	1.95	28.8	1.3	14.0	23	0.5	1.2	7.8	36	0.53	0.055
967814	Rock Chip	4.10	1.8	12.4	45.2	875	0.6	7.8	4.5	352	1.59	131.8	1.8	13.9	18	8.2	0.7	1.6	10	0.47	0.040
967815	Rock Chip	4.33	2.1	1.7	9.9	104	<0.1	8.1	4.8	259	1.83	33.4	<0.5	15.2	22	0.5	0.6	0.4	14	0.39	0.042
967816	Rock Chip	4.04	1.3	5.0	9.3	43	<0.1	6.8	3.6	609	1.40	9.2	1.0	14.5	23	<0.1	0.7	0.2	7	1.29	0.038
967817	Rock Chip	4.85	1.2	11.4	4.7	40	<0.1	5.4	5.6	408	1.93	5.2	1.5	7.6	99	<0.1	0.6	0.1	22	1.58	0.044
967818	Rock Chip	4.60	1.4	3.1	3.0	25	<0.1	2.3	4.0	272	1.71	2.7	<0.5	7.7	147	<0.1	0.4	<0.1	22	1.67	0.026
967819	Rock Chip	4.11	1.2	4.1	6.3	35	0.2	2.0	3.8	457	1.63	7.7	0.5	8.5	102	0.1	0.4	0.7	15	1.96	0.025
967820	Rock Chip	4.62	1.3	2.6	4.1	31	0.2	1.8	3.5	437	1.63	4.2	0.5	7.7	122	<0.1	0.5	0.9	15	1.96	0.027
967821	Rock Chip	3.56	0.7	4.3	26.4	59	0.1	1.5	3.6	299	1.27	9.8	<0.5	7.3	72	0.4	0.6	0.1	8	1.17	0.032
967822	Rock Chip	3.25	0.9	2.4	30.2	70	0.1	1.5	3.2	301	1.53	24.4	<0.5	7.4	85	0.8	0.6	0.1	7	1.50	0.027
967823	Rock Chip	2.90	1.0	6.6	32.8	309	0.2	2.0	3.6	590	1.38	85.7	0.6	7.8	104	3.7	1.0	0.2	5	2.63	0.029
967824	Rock Chip	3.21	1.6	26.6	155.6	2094	1.4	2.0	4.6	983	2.79	1215.1	19.6	4.2	38	22.1	1.7	1.8	4	1.99	0.020
967825	Rock Chip	4.50	0.8	38.0	78.8	1091	1.4	2.1	6.6	1196	4.43	1130.3	20.2	6.1	13	10.0	1.7	2.4	3	0.26	0.028
967826	Rock Chip	4.45	0.8	46.2	90.2	1732	1.1	1.7	3.9	3044	5.21	372.9	23.5	6.7	11	15.2	2.7	1.7	6	0.17	0.027
967827	Rock Chip	4.68	1.2	35.3	54.3	673	1.1	2.0	5.6	1905	7.44	1854.9	29.8	5.0	11	5.9	2.4	2.2	3	0.15	0.024



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
967798	Rock Chip	16	8	0.16	52	0.003	<1	0.20	0.053	0.09	2.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2	
967799	Rock Chip	20	12	0.22	172	0.028	2	1.02	0.048	0.22	0.4	0.02	2.7	0.2	0.11	3	<0.5	<0.2	
967800	Rock Chip	18	7	0.08	99	0.002	4	0.46	0.009	0.34	1.4	0.10	1.1	0.7	0.65	1	<0.5	<0.2	
967801	Rock Chip	15	6	0.14	82	<0.001	3	0.44	0.006	0.30	1.0	0.06	1.1	0.6	0.65	<1	<0.5	<0.2	
967802	Rock Chip	12	5	0.11	111	<0.001	4	0.42	0.005	0.30	1.0	0.05	1.2	0.5	0.88	<1	<0.5	<0.2	
967803	Rock Chip	20	5	0.05	79	<0.001	4	0.39	0.003	0.23	0.8	0.05	1.7	0.3	0.30	1	<0.5	<0.2	
967804	Rock Chip	20	7	0.12	61	<0.001	4	0.37	0.004	0.22	0.7	0.03	1.0	0.3	0.18	<1	<0.5	<0.2	
967805	Rock Chip	23	9	0.24	324	0.038	2	1.03	0.130	0.25	0.7	<0.01	2.9	0.2	<0.05	3	<0.5	<0.2	
967806	Rock Chip	28	16	0.47	626	0.125	1	1.48	0.189	0.53	0.9	<0.01	5.1	0.4	0.06	5	<0.5	<0.2	
967807	Rock Chip	12	8	0.20	113	<0.001	4	0.51	0.005	0.30	1.1	0.04	1.3	0.4	1.07	2	<0.5	<0.2	
967808	Rock Chip	22	18	0.48	379	0.129	<1	1.20	0.111	0.55	0.6	<0.01	3.7	0.4	0.06	4	<0.5	<0.2	
967809	Rock Chip	27	22	0.66	240	0.173	<1	1.15	0.101	0.75	1.2	<0.01	5.0	0.5	<0.05	5	<0.5	<0.2	
967810	Rock Chip	22	24	0.76	385	0.174	<1	1.74	0.197	0.76	0.6	<0.01	5.3	0.5	<0.05	6	<0.5	<0.2	
967811	Rock Chip	22	7	0.24	277	0.014	3	1.51	0.152	0.29	0.5	<0.01	2.0	0.2	<0.05	4	<0.5	<0.2	
967812	Rock Chip	19	8	0.29	202	0.019	2	1.58	0.254	0.15	0.3	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2	
967813	Rock Chip	27	19	0.58	147	0.101	<1	1.06	0.058	0.50	1.3	<0.01	3.6	0.3	0.12	5	<0.5	<0.2	
967814	Rock Chip	27	14	0.36	59	0.002	<1	0.92	0.030	0.22	0.6	<0.01	1.3	0.2	0.13	4	<0.5	<0.2	
967815	Rock Chip	29	17	0.49	53	0.024	<1	1.12	0.036	0.25	1.3	<0.01	2.1	0.3	0.09	5	<0.5	<0.2	
967816	Rock Chip	31	12	0.32	76	0.002	1	0.88	0.029	0.22	0.5	<0.01	1.1	0.2	<0.05	4	<0.5	<0.2	
967817	Rock Chip	18	14	0.51	278	0.034	<1	1.97	0.233	0.23	0.2	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2	
967818	Rock Chip	17	9	0.34	430	0.047	1	2.47	0.427	0.21	0.2	<0.01	3.7	0.1	<0.05	6	<0.5	<0.2	
967819	Rock Chip	21	8	0.30	255	0.013	1	1.72	0.215	0.16	0.2	<0.01	2.7	0.1	0.14	5	<0.5	<0.2	
967820	Rock Chip	18	9	0.30	243	0.012	<1	1.80	0.242	0.16	0.5	<0.01	2.6	<0.1	<0.05	5	<0.5	<0.2	
967821	Rock Chip	21	4	0.26	220	<0.001	<1	1.24	0.048	0.21	0.1	<0.01	1.3	0.1	0.06	3	<0.5	<0.2	
967822	Rock Chip	19	7	0.23	180	<0.001	<1	1.38	0.075	0.20	0.2	<0.01	1.2	0.1	<0.05	4	<0.5	<0.2	
967823	Rock Chip	19	6	0.13	195	<0.001	4	1.05	0.081	0.27	0.2	<0.01	1.1	0.2	0.12	2	<0.5	<0.2	
967824	Rock Chip	9	7	0.14	95	<0.001	<1	0.48	0.019	0.27	1.5	0.01	0.6	0.2	1.93	1	<0.5	<0.2	
967825	Rock Chip	7	5	0.18	41	<0.001	3	0.51	0.007	0.45	0.3	0.03	0.7	0.4	2.92	1	<0.5	<0.2	
967826	Rock Chip	7	5	0.27	71	<0.001	2	0.50	0.006	0.45	0.6	0.09	1.1	0.6	2.43	1	<0.5	<0.2	
967827	Rock Chip	4	4	0.19	24	<0.001	<1	0.44	0.006	0.35	0.2	0.06	1.0	0.4	5.40	<1	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte Unit MDL	WGHT	AQ201 Mo	AQ201 Cu	AQ201 Pb	AQ201 Zn	AQ201 Ag	AQ201 Ni	AQ201 Co	AQ201 Mn	AQ201 Fe	AQ201 As	AQ201 Au	AQ201 Th	AQ201 Sr	AQ201 Cd	AQ201 Sb	AQ201 Bi	AQ201 V	AQ201 Ca	AQ201 P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967828	Rock Chip	4.04	3.8	24.9	55.6	123	1.2	1.7	4.4	1863	6.40	1998.4	31.1	7.0	12	0.9	4.6	2.4	2	0.16	0.027
967829	Rock Chip	3.26	1.8	230.4	680.4	779	9.3	2.8	10.1	80	12.58	>10000	532.4	4.7	25	10.3	59.8	28.1	<2	0.14	0.016
967830	Rock Chip	4.07	1.6	75.6	123.8	206	4.4	2.9	6.1	520	10.26	>10000	416.5	4.5	12	2.1	46.7	15.1	<2	0.12	0.017
967831	Rock Chip	4.16	2.6	33.9	58.3	832	1.3	1.6	4.1	1896	5.24	1653.9	28.5	7.5	12	7.8	4.8	2.5	5	0.16	0.024
967832	Rock Chip	4.17	2.5	23.5	39.7	1559	0.5	1.9	3.5	1858	3.72	130.7	5.7	7.8	42	15.1	2.3	0.7	8	0.81	0.027
967833	Rock Chip	3.87	0.7	18.8	73.3	4095	0.7	1.8	4.0	2077	3.82	85.8	2.3	8.5	15	36.7	1.6	0.9	7	0.49	0.027
967834	Rock Chip	3.81	2.2	25.3	92.5	2647	0.8	1.7	3.7	970	2.48	59.2	1.3	8.4	39	22.1	2.7	1.1	6	1.14	0.029
967835	Rock Chip	4.00	1.3	45.0	43.1	463	1.3	1.5	2.9	753	4.49	1313.7	15.8	7.7	18	3.9	4.0	2.8	2	0.25	0.024
967836	Rock Chip	3.99	1.6	13.1	15.9	450	0.2	2.0	3.4	655	2.05	137.3	3.1	8.6	87	3.8	1.6	0.5	13	1.41	0.024
967837	Rock Chip	4.21	1.3	8.5	8.1	190	0.1	2.1	3.3	434	1.64	61.8	<0.5	8.7	101	1.5	1.3	0.2	10	2.06	0.026
967838	Rock Chip	4.61	3.8	7.4	9.4	236	0.1	1.6	3.2	456	1.54	73.7	<0.5	7.9	94	2.0	1.0	0.2	8	2.51	0.023
967839	Rock Chip	4.44	1.4	8.1	11.1	103	0.1	1.4	3.0	430	1.32	38.8	<0.5	8.4	109	0.8	1.0	0.1	5	3.23	0.024
967840	Rock Chip	4.99	1.6	7.6	181.4	300	0.7	2.2	3.6	580	1.62	49.5	0.9	8.5	114	2.4	1.3	<0.1	12	2.20	0.027
967841	Rock Chip	4.56	1.2	2.6	2.9	31	<0.1	2.1	3.8	252	1.55	4.2	2.4	7.3	119	<0.1	0.1	<0.1	19	1.32	0.025
967842	Rock Chip	3.83	1.2	3.7	2.7	31	<0.1	1.8	3.6	243	1.53	8.3	1.6	8.8	115	<0.1	0.2	<0.1	20	1.28	0.023
967843	Rock Chip	3.83	0.9	2.3	2.4	29	<0.1	1.7	3.6	243	1.54	7.4	<0.5	7.9	116	<0.1	0.2	<0.1	21	1.26	0.023
967844	Rock Chip	4.23	2.8	4.3	2.4	30	<0.1	2.0	4.3	287	1.71	7.8	1.2	9.0	126	<0.1	0.4	<0.1	22	1.43	0.026
967845	Rock Chip	3.99	1.5	4.8	2.4	29	<0.1	2.1	4.1	261	1.71	3.7	1.2	8.0	122	<0.1	0.2	<0.1	22	1.34	0.025
967846	Rock Chip	3.80	2.1	4.4	2.3	26	<0.1	1.9	4.2	251	1.67	3.2	1.0	7.1	105	<0.1	0.2	<0.1	22	1.20	0.025
967847	Rock Chip	2.98	1.4	3.6	2.4	24	<0.1	1.9	4.1	215	1.46	1.9	0.6	7.8	99	<0.1	0.3	<0.1	21	1.10	0.027
967848	Rock Chip	4.14	2.6	13.0	3.0	37	<0.1	5.5	9.2	407	2.60	2.2	0.8	13.0	54	<0.1	0.2	<0.1	73	0.93	0.059
967849	Rock Chip	4.31	2.0	8.4	2.9	37	<0.1	4.8	9.2	429	2.60	1.4	<0.5	11.0	48	<0.1	0.2	<0.1	77	0.90	0.058
967850	Rock Chip	5.09	1.7	16.9	40.8	143	0.2	5.5	11.4	611	3.05	1.5	<0.5	4.6	59	1.3	0.3	<0.1	94	1.22	0.060
967851	Rock Chip	4.32	1.7	2.8	3.3	34	<0.1	2.1	4.1	307	1.92	1.9	<0.5	9.7	99	<0.1	0.4	<0.1	22	1.30	0.027
967852	Rock Chip	4.11	2.1	5.5	3.0	32	<0.1	2.5	4.9	320	1.78	2.0	0.8	13.6	97	<0.1	0.4	<0.1	23	1.21	0.025
967853	Rock Chip	5.04	1.6	4.5	6.3	45	<0.1	3.9	7.9	406	2.29	1.5	<0.5	15.3	48	0.1	0.2	<0.1	58	0.86	0.034
967854	Rock Chip	4.07	2.0	10.6	4.3	46	<0.1	4.8	10.0	506	2.83	2.5	0.6	12.1	58	<0.1	0.3	<0.1	82	1.10	0.055
967855	Rock Chip	5.58	1.3	14.1	4.2	42	<0.1	4.5	10.4	469	2.79	2.2	<0.5	10.7	52	<0.1	0.1	<0.1	84	0.99	0.055
967856	Rock Chip	5.55	2.6	12.5	3.6	45	<0.1	4.9	10.1	446	2.82	2.8	<0.5	10.7	57	<0.1	0.1	<0.1	85	0.99	0.049
967857	Rock Chip	3.97	2.5	12.6	3.4	44	<0.1	5.0	9.9	428	2.73	2.2	<0.5	12.4	53	<0.1	0.2	<0.1	84	0.91	0.051



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	2
967828	Rock Chip	5	4	0.14	31	<0.001	1	0.35	0.005	0.25	0.6	0.09	1.0	0.5	4.97	<1	<0.5	<0.2	
967829	Rock Chip	3	7	0.02	12	<0.001	2	0.36	0.005	0.22	0.7	0.25	0.3	0.6	>10	<1	<0.5	<0.2	566 3.50
967830	Rock Chip	3	8	0.05	16	<0.001	1	0.34	0.005	0.24	1.6	0.07	0.3	0.3	8.87	<1	<0.5	<0.2	446 2.36
967831	Rock Chip	8	4	0.20	82	<0.001	4	0.51	0.006	0.43	0.3	0.11	0.9	0.6	2.29	1	<0.5	<0.2	
967832	Rock Chip	13	5	0.25	140	<0.001	4	0.96	0.041	0.32	0.9	0.06	1.6	0.4	1.01	2	<0.5	<0.2	
967833	Rock Chip	19	4	0.25	167	<0.001	2	0.52	0.006	0.39	0.3	0.18	1.2	0.9	0.97	1	<0.5	<0.2	
967834	Rock Chip	19	4	0.11	74	<0.001	4	0.82	0.005	0.33	0.5	0.18	1.4	0.9	1.71	2	<0.5	<0.2	
967835	Rock Chip	6	4	0.07	34	<0.001	4	0.56	0.006	0.38	0.4	0.49	0.8	2.0	4.12	1	<0.5	<0.2	
967836	Rock Chip	17	9	0.21	335	0.020	2	1.55	0.213	0.30	0.9	0.06	2.4	0.5	0.39	4	<0.5	<0.2	
967837	Rock Chip	18	8	0.18	156	0.003	2	1.45	0.221	0.22	0.6	0.01	2.1	0.3	0.16	4	<0.5	<0.2	
967838	Rock Chip	18	6	0.17	199	0.001	3	1.17	0.155	0.24	1.7	0.02	1.5	0.3	0.16	3	<0.5	<0.2	
967839	Rock Chip	17	5	0.13	205	<0.001	4	0.91	0.109	0.29	0.4	<0.01	1.4	0.2	0.09	2	<0.5	<0.2	
967840	Rock Chip	18	9	0.22	232	0.007	2	1.52	0.216	0.22	1.0	<0.01	2.5	0.2	0.13	4	<0.5	<0.2	
967841	Rock Chip	14	10	0.33	485	0.063	2	1.97	0.307	0.23	1.6	<0.01	3.1	0.2	<0.05	5	<0.5	<0.2	
967842	Rock Chip	20	10	0.34	398	0.080	2	2.02	0.319	0.18	1.0	<0.01	3.2	0.1	<0.05	5	<0.5	<0.2	
967843	Rock Chip	15	8	0.37	406	0.096	2	1.95	0.301	0.19	0.7	<0.01	3.9	0.1	<0.05	5	<0.5	<0.2	
967844	Rock Chip	17	9	0.39	444	0.086	1	2.00	0.291	0.21	0.4	<0.01	4.8	0.2	<0.05	5	<0.5	<0.2	
967845	Rock Chip	16	9	0.40	468	0.080	2	2.08	0.329	0.22	0.4	<0.01	4.4	0.2	<0.05	5	<0.5	<0.2	
967846	Rock Chip	17	12	0.39	532	0.101	2	1.97	0.299	0.24	0.6	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2	
967847	Rock Chip	13	10	0.34	425	0.087	1	1.65	0.242	0.22	0.5	<0.01	3.1	0.2	<0.05	4	<0.5	<0.2	
967848	Rock Chip	16	27	0.82	417	0.214	<1	1.57	0.163	0.69	1.1	<0.01	4.2	0.4	<0.05	5	<0.5	<0.2	
967849	Rock Chip	17	25	0.85	458	0.254	1	1.61	0.161	0.76	0.7	<0.01	4.2	0.5	<0.05	5	<0.5	<0.2	
967850	Rock Chip	11	25	1.01	998	0.251	1	1.93	0.181	0.82	0.4	<0.01	5.7	0.5	<0.05	6	<0.5	<0.2	
967851	Rock Chip	12	11	0.41	274	0.055	1	1.91	0.281	0.13	0.4	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2	
967852	Rock Chip	19	14	0.39	259	0.047	<1	1.71	0.245	0.16	0.6	<0.01	3.3	0.1	<0.05	5	<0.5	<0.2	
967853	Rock Chip	24	18	0.70	435	0.175	1	1.48	0.159	0.61	0.6	<0.01	5.1	0.5	<0.05	5	<0.5	<0.2	
967854	Rock Chip	17	24	0.89	771	0.243	1	1.81	0.181	0.75	0.7	<0.01	5.8	0.5	<0.05	5	<0.5	<0.2	
967855	Rock Chip	17	23	0.95	568	0.246	<1	1.89	0.185	0.85	0.5	<0.01	4.9	0.5	<0.05	5	<0.5	<0.2	
967856	Rock Chip	14	27	0.91	476	0.247	<1	1.88	0.191	0.81	0.6	<0.01	4.9	0.5	<0.05	6	<0.5	<0.2	
967857	Rock Chip	18	24	0.92	464	0.248	<1	1.84	0.182	0.83	0.9	<0.01	4.8	0.5	<0.05	6	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967858	Rock Chip	5.69	2.5	13.1	3.3	43	<0.1	5.3	10.1	448	2.82	1.2	1.4	11.1	58	<0.1	0.1	<0.1	85	0.92	0.052
967859	Rock Chip	5.80	2.9	10.0	3.1	39	<0.1	4.9	9.8	432	2.72	1.9	0.9	11.1	51	<0.1	0.1	<0.1	83	0.95	0.057
967860	Rock Chip	6.08	2.8	9.1	3.3	41	<0.1	4.7	9.9	425	2.76	3.5	1.3	12.3	51	<0.1	0.2	<0.1	84	1.01	0.056
967861	Rock Chip	3.20	1.5	7.9	3.8	41	<0.1	4.7	9.4	430	2.51	5.1	<0.5	11.1	54	<0.1	0.1	<0.1	73	1.05	0.055
967862	Rock Chip	3.66	1.8	6.6	2.9	41	<0.1	4.5	10.7	444	2.74	1.3	<0.5	8.6	53	<0.1	0.1	<0.1	83	1.02	0.056
967863	Rock Chip	2.99	1.9	10.7	3.2	46	<0.1	4.8	9.9	434	2.91	3.2	1.0	13.2	55	<0.1	0.2	<0.1	81	1.01	0.058
967864	Rock Chip	3.87	2.4	18.6	3.7	46	<0.1	4.6	11.0	489	3.05	3.2	1.0	11.0	55	<0.1	0.2	<0.1	87	1.21	0.072
967865	Rock Chip	2.21	2.5	2.3	3.5	39	<0.1	4.1	7.1	385	2.16	2.6	0.8	20.6	47	<0.1	0.2	<0.1	51	0.87	0.036
967866	Rock Chip	3.85	2.9	2.2	3.8	45	<0.1	4.3	7.9	466	2.42	2.5	0.8	18.6	53	<0.1	0.3	<0.1	53	1.03	0.038
967867	Rock Chip	3.69	2.8	5.7	4.2	47	<0.1	4.0	8.7	519	2.43	3.3	0.6	13.7	57	<0.1	0.4	<0.1	56	1.28	0.042
967868	Rock Chip	3.09	2.3	9.2	6.6	47	<0.1	4.9	10.0	469	2.71	2.4	<0.5	10.7	55	<0.1	0.4	<0.1	73	1.08	0.055
967869	Rock Chip	3.54	2.2	9.2	5.1	50	<0.1	4.8	10.5	457	2.85	2.2	<0.5	9.2	58	<0.1	0.4	<0.1	80	1.08	0.062
967870	Rock Chip	3.90	2.6	11.9	5.6	42	0.1	4.0	7.5	415	2.38	2.7	<0.5	12.2	76	<0.1	0.7	0.3	54	1.30	0.049
967871	Rock Chip	4.55	2.7	9.9	4.5	28	<0.1	2.0	3.9	319	1.67	3.2	0.6	13.8	84	<0.1	0.8	0.2	21	1.24	0.027
967872	Rock Chip	2.09	2.2	4.4	3.4	25	<0.1	2.4	4.2	269	1.62	2.7	1.0	14.0	91	<0.1	0.3	0.3	23	1.17	0.026
967873	Rock Chip	3.78	3.1	5.9	5.6	35	<0.1	2.4	4.9	292	1.80	2.5	1.3	12.3	102	<0.1	0.3	0.2	32	1.24	0.027
967874	Rock Chip	5.25	3.7	5.8	4.6	35	<0.1	2.6	4.7	321	1.90	1.8	1.3	11.8	94	<0.1	0.2	0.4	30	1.10	0.026
967875	Rock Chip	5.82	47.3	31.5	15.0	155	0.3	20.9	4.4	291	1.84	18.9	1.5	12.5	77	2.5	1.1	0.5	106	0.95	0.052



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000727.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	As
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	0.01	
967858	Rock Chip	17	27	0.92	457	0.242	<1	1.83	0.197	0.81	0.9	<0.01	4.8	0.5	<0.05	5	<0.5	<0.2		
967859	Rock Chip	17	28	0.87	402	0.237	<1	1.76	0.209	0.77	1.0	<0.01	4.8	0.5	<0.05	5	<0.5	<0.2		
967860	Rock Chip	15	27	0.88	391	0.248	1	1.75	0.196	0.72	1.4	<0.01	5.7	0.4	<0.05	5	<0.5	<0.2		
967861	Rock Chip	13	23	0.81	326	0.205	<1	1.63	0.179	0.58	1.5	<0.01	5.0	0.4	<0.05	5	<0.5	<0.2		
967862	Rock Chip	13	24	0.90	497	0.247	<1	1.87	0.206	0.77	1.0	<0.01	4.8	0.5	<0.05	5	<0.5	<0.2		
967863	Rock Chip	30	23	0.89	661	0.256	<1	1.81	0.186	0.71	1.1	<0.01	5.2	0.4	<0.05	6	<0.5	<0.2		
967864	Rock Chip	13	23	0.96	559	0.265	1	1.98	0.164	0.66	1.2	<0.01	5.5	0.4	<0.05	6	<0.5	<0.2		
967865	Rock Chip	24	23	0.63	383	0.176	<1	1.33	0.135	0.44	1.4	<0.01	5.0	0.4	<0.05	5	<0.5	<0.2		
967866	Rock Chip	25	24	0.69	356	0.149	1	1.53	0.151	0.41	0.6	<0.01	5.2	0.4	<0.05	5	<0.5	<0.2		
967867	Rock Chip	20	20	0.74	246	0.117	<1	1.60	0.133	0.33	0.4	<0.01	5.4	0.2	<0.05	5	<0.5	<0.2		
967868	Rock Chip	17	24	0.89	400	0.225	2	1.76	0.167	0.56	0.7	<0.01	5.2	0.3	<0.05	6	<0.5	<0.2		
967869	Rock Chip	12	25	1.00	696	0.276	<1	1.92	0.178	0.67	0.9	<0.01	5.4	0.4	<0.05	6	<0.5	<0.2		
967870	Rock Chip	15	18	0.77	644	0.159	1	1.92	0.179	0.38	0.5	<0.01	3.7	0.2	<0.05	6	<0.5	<0.2		
967871	Rock Chip	22	13	0.50	365	0.048	1	1.85	0.207	0.15	0.5	<0.01	3.1	0.1	<0.05	5	<0.5	<0.2		
967872	Rock Chip	17	13	0.43	349	0.090	<1	1.92	0.266	0.18	0.9	<0.01	3.8	0.1	<0.05	5	<0.5	<0.2		
967873	Rock Chip	17	13	0.50	526	0.115	1	2.14	0.313	0.31	1.4	<0.01	4.2	0.2	<0.05	6	<0.5	<0.2		
967874	Rock Chip	15	15	0.48	553	0.115	2	2.08	0.306	0.37	0.8	<0.01	4.3	0.3	<0.05	6	<0.5	<0.2		
967875	Rock Chip	18	31	0.44	288	0.061	1	1.56	0.189	0.26	2.2	<0.01	4.3	0.2	0.19	6	1.1	<0.2		





# QUALITY CONTROL REPORT

WHI17000727.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967744	Rock Chip	5.10	0.7	9.5	12.2	26	<0.1	16.1	4.4	297	1.17	27.4	1.6	26.0	15	<0.1	4.6	0.2	7	0.67	0.018
REP 967744	QC		0.7	9.5	11.6	25	<0.1	16.8	4.6	297	1.17	24.5	1.2	25.1	14	<0.1	4.4	0.2	7	0.67	0.019
967777	Rock Chip	3.13	0.9	5.6	16.7	23	0.2	2.0	2.2	368	1.48	1233.2	133.4	26.9	54	<0.1	863.7	0.2	<2	1.24	0.013
REP 967777	QC		0.8	5.9	16.5	21	0.2	2.1	2.5	388	1.48	1234.5	126.3	24.9	53	<0.1	872.1	0.2	<2	1.24	0.014
967812	Rock Chip	3.89	1.2	2.1	2.9	27	<0.1	2.1	3.0	283	1.49	14.8	<0.5	8.2	88	<0.1	0.6	<0.1	14	1.23	0.025
REP 967812	QC		1.2	2.3	3.0	28	<0.1	1.8	3.0	286	1.52	15.6	<0.5	8.7	91	<0.1	0.6	<0.1	15	1.26	0.024
967847	Rock Chip	2.98	1.4	3.6	2.4	24	<0.1	1.9	4.1	215	1.46	1.9	0.6	7.8	99	<0.1	0.3	<0.1	21	1.10	0.027
REP 967847	QC		1.5	3.6	2.3	22	<0.1	1.8	3.8	212	1.46	1.5	<0.5	7.6	95	<0.1	0.3	<0.1	21	1.14	0.029
Core Reject Duplicates																					
967749	Rock Chip	3.96	1.1	24.5	11.2	73	<0.1	77.7	22.8	818	3.96	8.2	0.6	15.4	57	<0.1	2.9	0.1	105	2.09	0.125
DUP 967749	QC		1.1	23.0	10.6	70	<0.1	73.2	21.1	838	3.96	8.4	<0.5	14.7	52	<0.1	2.9	0.1	104	2.11	0.124
967783	Rock Chip	4.35	1.0	1.8	7.8	18	<0.1	2.6	1.8	218	0.89	121.0	25.1	19.5	12	<0.1	4.6	0.1	4	0.29	0.010
DUP 967783	QC		1.1	1.8	7.7	18	<0.1	2.1	1.8	217	0.88	128.2	29.8	18.8	12	<0.1	4.4	<0.1	4	0.29	0.010
967817	Rock Chip	4.85	1.2	11.4	4.7	40	<0.1	5.4	5.6	408	1.93	5.2	1.5	7.6	99	<0.1	0.6	0.1	22	1.58	0.044
DUP 967817	QC		1.2	12.1	5.3	42	<0.1	6.2	5.7	437	2.10	5.8	1.0	7.9	121	<0.1	0.7	<0.1	23	1.76	0.042
967851	Rock Chip	4.32	1.7	2.8	3.3	34	<0.1	2.1	4.1	307	1.92	1.9	<0.5	9.7	99	<0.1	0.4	<0.1	22	1.30	0.027
DUP 967851	QC		1.4	2.8	3.5	35	<0.1	2.1	4.6	325	1.93	1.6	<0.5	9.7	107	<0.1	0.4	<0.1	22	1.37	0.027
Reference Materials																					
STD CDN-ME-9A	Standard																				
STD CDN-ME-14A	Standard																				
STD DS11	Standard		14.7	156.7	141.3	356	1.7	82.1	14.4	1107	3.21	44.1	97.8	7.8	68	2.4	9.1	11.9	52	1.09	0.071
STD DS11	Standard		14.2	149.5	133.3	332	1.7	80.4	13.9	999	3.07	42.2	116.2	7.5	58	2.1	8.0	10.9	50	1.03	0.066
STD DS11	Standard		14.3	160.9	144.3	349	1.7	84.7	14.9	1049	3.14	40.9	113.8	7.8	65	2.3	8.4	11.6	48	1.05	0.069
STD DS11	Standard		14.0	149.7	137.6	330	1.7	78.8	14.0	1036	3.17	43.7	85.5	7.9	70	2.7	8.4	12.2	52	1.07	0.074
STD DS11	Standard		13.8	144.7	126.8	317	1.7	76.1	13.0	1032	3.04	40.2	79.0	7.3	64	2.1	8.2	11.1	48	1.05	0.071
STD OXC129	Standard		1.4	29.4	6.4	44	<0.1	85.2	21.9	431	3.17	0.8	206.9	1.8	198	<0.1	<0.1	<0.1	55	0.69	0.108
STD OXC129	Standard		1.2	27.2	5.8	35	<0.1	81.5	21.1	426	3.05	0.7	177.2	1.6	166	<0.1	<0.1	<0.1	54	0.70	0.097
STD OXC129	Standard		1.3	29.0	6.6	44	<0.1	83.6	21.4	415	3.00	0.9	195.8	1.9	195	<0.1	<0.1	<0.1	49	0.66	0.098



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 06, 2017

Page: 1 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000727.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	As	
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	%	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	0.01
Pulp Duplicates																					
967744	Rock Chip	37	13	0.28	34	0.009	1	0.42	0.040	0.18	0.7	0.04	2.3	0.2	0.14	2	<0.5	<0.2			
REP 967744	QC	38	13	0.28	34	0.009	2	0.43	0.040	0.18	0.5	0.03	2.2	0.2	0.15	2	<0.5	<0.2			
967777	Rock Chip	22	5	0.46	76	0.001	2	0.36	0.035	0.13	0.9	0.06	1.0	0.2	0.62	1	<0.5	<0.2			
REP 967777	QC	22	5	0.46	78	<0.001	2	0.36	0.036	0.12	0.8	0.07	1.0	0.2	0.62	1	<0.5	<0.2			
967812	Rock Chip	19	8	0.29	202	0.019	2	1.58	0.254	0.15	0.3	<0.01	1.9	<0.1	<0.05	4	<0.5	<0.2			
REP 967812	QC	20	8	0.29	203	0.019	1	1.61	0.261	0.15	0.4	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2			
967847	Rock Chip	13	10	0.34	425	0.087	1	1.65	0.242	0.22	0.5	<0.01	3.1	0.2	<0.05	4	<0.5	<0.2			
REP 967847	QC	14	10	0.34	456	0.092	1	1.72	0.256	0.22	0.4	<0.01	2.9	0.2	<0.05	4	<0.5	<0.2			
Core Reject Duplicates																					
967749	Rock Chip	53	168	2.60	210	0.294	1	2.65	0.086	1.71	0.8	0.07	10.5	1.4	0.05	9	<0.5	<0.2			
DUP 967749	QC	52	177	2.57	211	0.304	1	2.68	0.084	1.71	0.9	0.08	10.3	1.3	0.05	9	<0.5	<0.2			
967783	Rock Chip	25	9	0.18	35	0.031	<1	0.36	0.046	0.22	1.1	<0.01	1.4	0.2	0.05	2	<0.5	<0.2			
DUP 967783	QC	24	9	0.17	40	0.032	1	0.37	0.049	0.23	1.1	<0.01	1.4	0.2	0.05	2	<0.5	<0.2			
967817	Rock Chip	18	14	0.51	278	0.034	<1	1.97	0.233	0.23	0.2	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2			
DUP 967817	QC	19	16	0.52	316	0.037	2	2.40	0.324	0.28	0.3	<0.01	3.8	0.2	<0.05	7	<0.5	<0.2			
967851	Rock Chip	12	11	0.41	274	0.055	1	1.91	0.281	0.13	0.4	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2			
DUP 967851	QC	12	11	0.42	268	0.054	<1	1.87	0.286	0.14	0.4	<0.01	2.8	<0.1	<0.05	5	<0.5	<0.2			
Reference Materials																					
STD CDN-ME-9A	Standard																			<0.01	
STD CDN-ME-14A	Standard																				0.01
STD DS11	Standard	19	61	0.87	376	0.097	3	1.18	0.072	0.41	3.0	0.28	3.4	4.9	0.29	5	2.3	5.1			
STD DS11	Standard	18	60	0.86	389	0.094	8	1.16	0.069	0.40	3.0	0.26	3.1	4.7	0.28	5	2.5	4.7			
STD DS11	Standard	18	58	0.84	380	0.092	6	1.16	0.072	0.40	3.2	0.28	3.0	5.0	0.26	5	1.9	4.7			
STD DS11	Standard	19	59	0.86	372	0.098	5	1.20	0.076	0.41	2.7	0.28	3.2	4.7	0.28	5	2.2	4.6			
STD DS11	Standard	18	58	0.83	373	0.092	8	1.14	0.069	0.39	2.8	0.24	2.8	4.7	0.26	4	2.1	4.2			
STD OXC129	Standard	13	54	1.65	53	0.441	1	1.57	0.612	0.39	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2			
STD OXC129	Standard	12	54	1.56	52	0.385	<1	1.58	0.576	0.37	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2			
STD OXC129	Standard	12	52	1.51	48	0.405	1	1.55	0.595	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2			



# QUALITY CONTROL REPORT

WHI17000727.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD OXC129	Standard		1.3	28.9	6.5	43	<0.1	84.3	21.5	413	3.09	0.9	202.2	1.8	194	<0.1	<0.1	<0.1	54	0.71	0.103
STD OXC129	Standard		1.2	27.4	6.2	41	<0.1	82.7	20.2	407	2.98	0.5	195.4	1.9	202	<0.1	<0.1	<0.1	49	0.68	0.103
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD CDN-ME-9A Expected																					
STD CDN-ME-14A Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	3.4	2.2	38	<0.1	1.0	4.0	538	1.69	1.1	0.9	2.4	19	<0.1	<0.1	<0.1	22	0.56	0.037
ROCK-WHI	Prep Blank		0.8	7.0	1.7	36	<0.1	2.2	4.7	567	1.83	1.3	1.1	2.2	24	<0.1	<0.1	<0.1	27	0.65	0.038



# QUALITY CONTROL REPORT

WHI17000727.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330	AQ370
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au	As
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	%
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	0.01
STD OXC129	Standard	13	54	1.58	55	0.412	<1	1.61	0.585	0.37	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2		
STD OXC129	Standard	12	51	1.52	48	0.414	1	1.58	0.595	0.37	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2		
STD OXC145	Standard																			207
STD OXH139	Standard																			1282
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6				
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56		
STD CDN-ME-9A Expected																				0.00125
STD CDN-ME-14A Expected																				0.0105
STD OXC145 Expected																				212
STD OXH139 Expected																				1312
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2		
BLK	Blank																			<0.01
BLK	Blank																			3
BLK	Blank																			3
Prep Wash																				
ROCK-WHI	Prep Blank	6	3	0.47	58	0.077	2	0.93	0.102	0.13	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2		
ROCK-WHI	Prep Blank	6	4	0.55	67	0.085	2	1.08	0.107	0.12	0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2		



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: October 09, 2017  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI17000728.2

### CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-005  
P.O. Number  
Number of Samples: 78

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	77	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	77	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	77	Per sample shipping charges for branch shipments			VAN
KP300-W	2	Phosphoric acid leach, ICP-ES analysis	0.5	Completed	VAN

### ADDITIONAL COMMENTS

Version 2 : KP300-W included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000728.2

Method Analyte Unit MDL	WGHT	AQ201 Mo	AQ201 Cu	AQ201 Pb	AQ201 Zn	AQ201 Ag	AQ201 Ni	AQ201 Co	AQ201 Mn	AQ201 Fe	AQ201 As	AQ201 Au	AQ201 Th	AQ201 Sr	AQ201 Cd	AQ201 Sb	AQ201 Bi	AQ201 V	AQ201 Ca	AQ201 P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967876	Rock Chip	3.93	29.5	77.6	4.9	113	0.2	54.0	9.2	281	2.66	46.7	10.2	4.4	28	1.0	2.5	1.4	111	0.40	0.045
967877	Rock Chip	4.10	6.8	60.1	7.6	85	0.2	37.1	8.6	264	2.86	50.0	<0.5	4.9	20	<0.1	2.0	0.2	127	0.16	0.035
967878	Rock Chip	3.61	108.9	55.2	9.6	156	0.3	50.1	8.9	339	2.64	179.8	10.1	5.4	16	1.4	4.1	0.4	121	0.24	0.082
967879	Rock Chip	2.70	17.6	68.6	6.8	117	0.2	58.6	8.8	297	2.72	226.6	16.0	3.4	17	1.0	17.6	0.3	145	0.39	0.147
967880	Rock Chip	3.75	11.7	56.8	13.0	133	0.4	55.2	6.7	348	2.23	149.7	13.2	3.8	13	1.0	6.7	0.8	123	0.38	0.151
967881	Rock Chip	4.33	6.0	43.0	22.2	125	0.3	37.5	6.9	404	2.22	81.8	7.9	6.8	12	1.0	3.9	0.8	67	0.21	0.080
967882	Rock Chip	3.54	2.3	60.3	14.4	33	0.6	16.0	3.8	181	2.21	156.1	99.9	12.9	25	0.2	3.4	6.7	28	0.19	0.048
967883	Rock Chip	2.57	1.5	34.6	7.0	8	0.4	3.4	0.6	36	2.94	85.0	116.9	5.3	11	<0.1	4.9	6.0	3	0.05	0.020
967884	Rock Chip	1.78	1.4	37.1	6.7	10	0.5	3.1	0.7	40	2.71	85.0	244.8	7.1	14	<0.1	6.0	6.4	3	0.05	0.020
967885	Rock Chip	2.45	0.6	29.3	5.6	5	0.3	1.8	0.5	31	2.03	41.1	67.5	6.4	8	<0.1	1.5	6.1	<2	0.04	0.017
967886	Rock Chip	3.21	0.9	33.7	9.0	7	0.4	2.2	0.9	33	2.19	84.7	90.7	7.0	10	<0.1	2.0	9.2	<2	0.03	0.016
967887	Rock Chip	2.55	1.5	35.2	8.2	6	0.4	2.5	0.8	40	2.33	128.4	93.0	11.0	23	<0.1	1.5	9.0	<2	0.02	0.019
967888	Rock Chip	2.80	1.1	27.4	12.8	5	0.5	1.9	0.5	29	2.23	109.9	156.4	10.4	24	<0.1	5.1	4.9	<2	0.02	0.018
967889	Rock Chip	2.47	1.9	22.3	7.4	6	0.4	2.2	1.2	31	1.54	104.9	180.8	4.9	10	<0.1	5.9	5.4	<2	0.01	0.010
967890	Rock Chip	2.39	1.8	19.4	8.4	7	0.3	2.8	0.7	26	1.38	70.6	174.9	21.3	91	<0.1	2.4	2.3	<2	0.02	0.030
967891	Rock Chip	2.44	1.4	21.3	8.7	7	0.2	3.4	0.6	25	1.42	53.1	31.5	30.4	46	<0.1	2.1	2.4	3	0.02	0.022
967892	Rock Chip	2.40	1.0	17.2	8.9	11	0.1	5.2	0.8	48	1.06	13.6	21.9	26.5	6	<0.1	1.1	1.9	8	0.02	0.022
967893	Rock Chip	2.82	2.9	14.7	8.1	13	0.1	5.3	0.8	81	1.05	9.6	8.7	27.7	5	<0.1	1.4	2.2	6	0.09	0.055
967894	Rock Chip	2.51	1.8	17.7	8.0	11	0.1	3.9	0.8	50	0.93	13.1	21.5	28.6	6	<0.1	1.7	1.0	5	0.05	0.033
967895	Rock Chip	2.97	1.0	29.9	7.6	10	0.1	3.0	1.0	46	1.06	13.7	22.2	21.4	3	<0.1	1.8	8.4	4	0.03	0.024
967896	Rock Chip	2.30	0.9	81.5	9.5	14	0.2	2.9	1.5	30	0.89	7.6	66.9	25.0	4	<0.1	1.4	2.3	2	0.03	0.023
967897	Rock Chip	2.53	1.1	73.6	12.8	19	0.3	4.5	2.2	28	1.40	15.4	39.4	23.2	3	0.5	1.8	5.5	<2	0.03	0.025
967898	Rock Chip	2.34	0.9	47.9	8.1	14	0.2	2.8	1.9	64	1.19	23.3	19.5	19.4	12	0.1	2.3	1.7	8	0.08	0.027
967899	Rock Chip	2.68	1.5	31.0	6.9	16	<0.1	2.5	1.3	75	1.35	35.0	20.3	22.7	5	<0.1	1.4	1.7	9	0.04	0.026
967900	Rock Chip	2.61	1.2	93.4	7.0	15	0.1	4.0	2.0	23	0.62	21.6	29.1	18.2	5	0.9	2.6	1.2	3	0.03	0.025
967901	Rock Chip	2.74	1.3	100.8	8.0	11	0.1	3.9	2.2	45	0.64	14.2	14.0	20.8	3	<0.1	3.1	1.0	4	0.03	0.019
967902	Rock Chip	2.49	1.1	152.7	6.3	7	0.1	3.5	3.0	26	1.12	24.2	45.9	25.9	3	<0.1	5.3	1.7	<2	0.01	0.010
967903	Rock Chip	2.53	1.0	92.7	10.7	12	<0.1	3.8	3.6	32	0.98	17.9	23.2	25.3	3	0.5	3.0	2.3	3	0.03	0.022
967904	Rock Chip	2.73	1.5	27.6	11.0	9	0.4	4.4	4.0	34	2.67	123.6	65.3	19.4	3	0.1	3.0	4.8	<2	0.02	0.014
967905	Rock Chip	2.57	1.5	41.2	10.5	22	0.2	5.3	3.9	78	1.80	68.4	55.3	24.6	5	0.3	1.9	2.8	3	0.15	0.035



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000728.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
967876	Rock Chip	13	86	0.93	272	0.148	<1	1.48	0.055	0.72	>100	0.03	7.0	0.4	0.76	8	2.3	<0.2	0.019
967877	Rock Chip	14	80	0.89	258	0.123	<1	1.67	0.019	0.63	60.7	0.03	7.2	0.3	0.55	8	1.4	<0.2	
967878	Rock Chip	12	53	0.71	231	0.046	1	1.41	0.009	0.45	5.4	0.01	5.6	0.3	0.71	6	2.5	<0.2	
967879	Rock Chip	10	70	0.69	87	0.073	<1	1.27	0.009	0.49	2.3	0.04	4.8	0.4	1.27	6	2.9	<0.2	
967880	Rock Chip	10	62	0.59	220	0.049	<1	1.01	0.008	0.36	2.3	0.02	4.2	0.3	0.76	4	3.0	<0.2	
967881	Rock Chip	14	46	0.50	234	0.011	2	1.10	0.006	0.30	1.3	0.02	2.7	0.2	0.46	4	1.7	<0.2	
967882	Rock Chip	18	19	0.25	237	0.019	1	1.27	0.029	0.21	7.4	0.02	2.8	0.2	0.06	4	0.8	0.3	
967883	Rock Chip	22	5	0.03	90	<0.001	2	0.40	0.006	0.23	1.4	0.03	0.4	0.2	0.07	<1	1.5	0.9	
967884	Rock Chip	32	6	0.03	122	<0.001	2	0.45	0.007	0.27	1.5	0.03	0.5	0.3	0.08	1	1.9	1.4	
967885	Rock Chip	14	4	0.03	108	<0.001	2	0.44	0.007	0.34	2.1	0.01	0.3	0.3	0.09	<1	0.5	1.8	
967886	Rock Chip	12	5	0.02	102	<0.001	1	0.35	0.005	0.27	1.1	0.01	0.4	0.2	0.31	<1	0.6	3.1	
967887	Rock Chip	19	6	0.02	99	<0.001	2	0.38	0.004	0.25	1.1	0.01	0.3	0.2	0.11	<1	<0.5	3.4	
967888	Rock Chip	23	5	0.02	115	<0.001	<1	0.37	0.004	0.23	1.0	0.02	0.3	0.2	0.11	<1	<0.5	0.9	
967889	Rock Chip	21	5	0.02	77	<0.001	2	0.31	0.004	0.24	1.3	0.01	0.3	0.2	0.38	<1	0.6	1.1	
967890	Rock Chip	41	5	0.02	126	<0.001	<1	0.47	0.004	0.24	1.1	0.02	0.5	0.2	0.19	1	<0.5	0.3	
967891	Rock Chip	29	5	0.04	82	<0.001	<1	0.73	0.007	0.16	0.9	0.01	1.1	0.1	<0.05	2	<0.5	<0.2	
967892	Rock Chip	25	9	0.12	35	0.017	<1	0.98	0.022	0.22	0.7	<0.01	2.2	0.2	<0.05	3	<0.5	0.2	
967893	Rock Chip	24	9	0.14	29	0.009	<1	0.93	0.028	0.16	0.5	<0.01	1.7	0.1	<0.05	3	<0.5	<0.2	
967894	Rock Chip	27	7	0.11	32	0.011	<1	0.95	0.023	0.18	0.4	<0.01	2.1	0.2	<0.05	3	<0.5	<0.2	
967895	Rock Chip	14	6	0.09	32	0.008	<1	0.73	0.017	0.19	0.7	<0.01	1.4	0.2	0.13	2	<0.5	3.4	
967896	Rock Chip	34	6	0.08	24	0.001	<1	0.79	0.018	0.14	0.6	0.01	1.2	0.1	0.13	2	<0.5	0.5	
967897	Rock Chip	34	6	0.05	48	0.001	<1	0.69	0.010	0.18	0.9	0.01	1.1	0.2	0.39	2	0.6	1.8	
967898	Rock Chip	16	6	0.14	84	0.005	<1	1.04	0.039	0.20	0.5	<0.01	1.5	0.2	0.22	2	<0.5	0.3	
967899	Rock Chip	9	8	0.19	57	0.014	<1	1.00	0.027	0.19	0.6	<0.01	2.1	0.2	<0.05	3	<0.5	<0.2	
967900	Rock Chip	23	6	0.06	59	0.001	1	0.77	0.029	0.14	0.5	<0.01	1.2	0.2	0.20	2	<0.5	<0.2	
967901	Rock Chip	15	8	0.09	33	0.009	<1	0.60	0.029	0.15	0.8	<0.01	1.9	0.1	0.15	2	<0.5	<0.2	
967902	Rock Chip	16	7	0.05	25	0.002	<1	0.54	0.015	0.12	1.2	0.03	1.8	0.2	0.98	3	<0.5	0.5	
967903	Rock Chip	20	6	0.11	27	0.002	<1	0.97	0.009	0.18	0.8	0.02	1.5	0.3	0.69	3	<0.5	0.6	
967904	Rock Chip	14	7	0.02	56	<0.001	2	0.37	0.004	0.25	1.3	0.09	0.3	0.3	2.79	<1	0.7	0.8	
967905	Rock Chip	26	8	0.13	68	0.001	<1	0.80	0.011	0.22	1.2	0.04	1.0	0.3	1.23	2	<0.5	0.3	





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728.2

Method Analyte	WGHT	AQ201																			
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967906	Rock Chip	3.02	1.5	17.0	6.9	22	<0.1	5.0	3.3	208	1.75	14.2	16.2	21.4	6	<0.1	0.8	2.3	9	0.23	0.027
967907	Rock Chip	2.79	1.2	13.9	6.7	19	<0.1	4.7	3.2	350	1.61	8.6	14.9	19.7	11	<0.1	0.8	2.6	7	0.58	0.027
967908	Rock Chip	3.23	1.5	86.9	8.1	25	0.2	4.5	3.9	279	1.67	21.9	11.5	20.3	12	<0.1	1.4	1.6	6	0.51	0.028
967909	Rock Chip	2.84	1.6	8.7	6.8	24	<0.1	4.6	3.5	200	1.44	6.1	1.9	17.6	8	<0.1	0.6	1.0	9	0.27	0.026
967910	Rock Chip	2.38	1.9	7.4	6.9	27	<0.1	7.9	4.3	236	1.54	7.7	2.0	21.0	8	<0.1	0.8	1.2	13	0.24	0.024
967911	Rock Chip	2.64	1.8	17.1	9.9	29	0.1	6.1	4.6	335	1.40	160.5	38.5	23.9	13	<0.1	2.3	2.3	5	0.36	0.025
967912	Rock Chip	2.23	1.5	7.3	9.5	28	<0.1	4.4	3.3	287	1.45	7.8	3.4	28.6	15	<0.1	1.0	1.0	9	0.57	0.056
967913	Rock Chip	2.07	1.4	60.0	12.3	27	0.5	4.4	3.5	184	1.90	98.3	147.9	22.5	7	0.2	18.2	3.1	2	0.26	0.026
967914	Rock Chip	2.18	2.1	23.1	13.6	75	0.4	15.0	8.4	325	3.38	268.9	317.8	18.1	11	0.3	5.8	5.1	14	0.24	0.038
967915	Rock Chip	2.62	1.6	6.1	5.3	64	<0.1	11.1	7.0	415	2.48	17.1	5.4	13.6	11	<0.1	0.5	0.3	27	0.25	0.043
967916	Rock Chip	2.18	2.1	33.3	6.9	77	0.1	10.2	8.0	504	2.68	9.1	7.4	10.9	31	<0.1	0.4	1.1	36	0.46	0.053
967917	Rock Chip	2.61	2.9	18.6	4.0	38	<0.1	5.8	4.5	319	1.98	5.8	3.1	12.6	61	<0.1	0.3	0.3	25	0.74	0.032
967918	Rock Chip	2.03	2.2	7.7	4.3	52	<0.1	9.0	6.9	400	2.49	4.6	5.5	13.7	25	<0.1	0.3	0.2	32	0.39	0.051
967919	Rock Chip	2.74	2.1	12.3	4.3	52	<0.1	7.8	6.0	395	2.41	4.1	4.9	11.0	44	<0.1	0.2	0.2	25	0.58	0.049
967920	Rock Chip	1.83	2.1	13.0	4.0	35	<0.1	6.1	4.3	301	1.84	4.1	1.9	9.8	46	<0.1	0.3	0.1	17	0.61	0.033
967921	Rock Chip	2.80	2.1	8.9	4.1	43	<0.1	7.3	5.8	407	2.47	7.2	9.4	10.4	32	<0.1	0.6	0.4	22	0.49	0.045
967922	Rock Chip	2.62	3.3	10.2	4.5	47	<0.1	8.8	6.2	368	2.28	9.4	2.6	11.7	30	<0.1	0.9	0.3	24	0.48	0.038
967923	Rock Chip	2.32	2.1	6.9	4.5	61	<0.1	10.1	6.6	421	2.24	7.1	1.6	14.0	16	<0.1	0.4	0.2	22	0.33	0.041
967924	Rock Chip	3.31	2.7	6.2	5.4	53	<0.1	9.5	5.2	314	1.71	4.2	1.6	21.7	9	<0.1	0.5	0.1	14	0.22	0.025
967925	Rock Chip	4.08	2.2	9.9	7.7	138	<0.1	20.1	10.7	745	2.79	61.2	1.0	17.1	8	0.4	1.4	0.2	17	0.20	0.037
967926	Rock Chip	3.86	2.3	11.4	7.3	161	<0.1	27.0	12.5	1043	3.34	26.6	3.5	17.4	7	0.2	2.5	0.4	17	0.21	0.045
967927	Rock Chip	4.78	2.1	7.8	5.6	68	<0.1	12.2	6.7	385	1.93	6.0	<0.5	25.2	11	<0.1	0.7	1.3	19	0.22	0.035
967928	Rock Chip	5.05	2.3	9.0	4.4	42	<0.1	8.0	5.3	349	1.97	7.5	<0.5	15.0	29	<0.1	0.4	0.2	19	0.46	0.034
967929	Rock Chip	5.72	2.8	17.0	4.9	47	<0.1	10.8	6.8	406	2.27	12.6	2.0	15.4	17	<0.1	0.6	3.5	19	0.37	0.038
967930	Rock Chip	3.57	1.9	111.0	41.5	122	1.5	14.3	13.5	431	7.92	543.3	305.4	9.3	11	0.3	3.8	78.1	9	0.33	0.056
967931	Rock Chip	5.21	2.0	13.3	6.8	40	0.1	7.0	5.0	288	1.89	35.5	11.6	16.6	12	<0.1	0.6	1.9	15	0.43	0.029
967932	Rock Chip	5.90	1.9	9.9	5.3	45	<0.1	8.3	5.4	370	1.92	13.6	5.6	12.4	14	<0.1	0.4	1.0	20	0.47	0.042
967933	Rock Chip	3.75	1.8	12.3	5.4	35	<0.1	6.5	4.9	314	1.85	22.3	2.9	22.0	13	<0.1	1.2	0.7	12	0.47	0.029
967934	Rock Chip	4.63	2.5	15.4	4.3	40	<0.1	6.1	5.9	305	2.09	4.9	1.3	17.2	23	<0.1	0.3	0.2	29	0.55	0.032
967935	Rock Chip	5.61	2.1	8.2	3.8	41	<0.1	6.0	5.9	348	2.36	2.7	1.0	17.2	11	<0.1	0.2	0.1	21	0.45	0.049



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728.2

Method Analyte	AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		AQ201		KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
967906	Rock Chip	32	11	0.30	33	0.018	1	0.97	0.028	0.26	1.1	0.01	2.5	0.3	0.29	4	<0.5	0.3	
967907	Rock Chip	35	11	0.28	28	0.006	<1	0.85	0.032	0.18	1.0	<0.01	1.9	0.2	0.18	4	<0.5	<0.2	
967908	Rock Chip	38	10	0.24	31	0.010	<1	0.84	0.025	0.20	1.1	<0.01	2.1	0.2	0.33	4	<0.5	<0.2	
967909	Rock Chip	32	11	0.23	45	0.035	<1	0.76	0.039	0.28	2.8	<0.01	2.9	0.3	0.08	4	<0.5	<0.2	
967910	Rock Chip	32	18	0.26	75	0.041	<1	0.82	0.033	0.32	1.0	0.02	3.1	0.4	0.12	4	<0.5	<0.2	
967911	Rock Chip	35	9	0.14	62	0.002	2	0.93	0.012	0.22	0.7	0.10	1.8	0.5	0.56	4	<0.5	<0.2	
967912	Rock Chip	48	12	0.25	39	0.025	1	1.03	0.024	0.27	0.4	0.02	2.5	0.3	0.08	5	<0.5	<0.2	
967913	Rock Chip	19	7	0.09	54	0.001	2	0.53	0.006	0.27	0.7	0.09	0.7	0.3	1.58	2	<0.5	0.5	
967914	Rock Chip	30	12	0.30	55	0.029	2	1.24	0.016	0.42	0.9	0.05	3.5	0.7	2.28	5	0.8	0.7	
967915	Rock Chip	34	24	0.65	148	0.184	<1	1.23	0.071	0.81	1.1	<0.01	5.6	0.5	0.15	6	<0.5	<0.2	
967916	Rock Chip	23	24	0.69	369	0.197	<1	1.53	0.115	0.72	1.1	<0.01	4.9	0.5	0.12	6	<0.5	<0.2	
967917	Rock Chip	24	17	0.48	410	0.133	1	1.75	0.227	0.46	1.2	<0.01	2.8	0.4	0.08	5	<0.5	<0.2	
967918	Rock Chip	34	27	0.77	500	0.230	<1	1.49	0.128	0.91	1.7	<0.01	5.3	0.6	<0.05	6	<0.5	<0.2	
967919	Rock Chip	26	24	0.70	346	0.189	<1	1.62	0.169	0.74	1.4	<0.01	4.0	0.5	<0.05	6	<0.5	<0.2	
967920	Rock Chip	20	15	0.51	485	0.114	1	1.56	0.161	0.39	0.6	<0.01	2.4	0.3	0.05	5	<0.5	<0.2	
967921	Rock Chip	25	23	0.67	387	0.192	2	1.40	0.123	0.66	1.4	<0.01	3.6	0.4	<0.05	5	<0.5	<0.2	
967922	Rock Chip	29	24	0.60	240	0.156	1	1.25	0.112	0.42	1.7	<0.01	4.1	0.3	0.09	6	<0.5	<0.2	
967923	Rock Chip	33	23	0.56	106	0.109	<1	1.13	0.086	0.50	1.2	<0.01	4.1	0.3	0.05	5	<0.5	<0.2	
967924	Rock Chip	38	22	0.37	47	0.083	<1	0.71	0.050	0.36	2.7	<0.01	3.5	0.3	<0.05	4	<0.5	<0.2	
967925	Rock Chip	38	22	0.53	67	0.020	<1	1.13	0.031	0.23	1.1	<0.01	2.7	0.2	0.09	5	<0.5	<0.2	
967926	Rock Chip	39	24	0.68	40	0.013	<1	1.26	0.035	0.21	0.5	<0.01	2.6	0.3	0.12	6	<0.5	<0.2	
967927	Rock Chip	39	23	0.50	48	0.080	<1	0.90	0.058	0.37	1.4	<0.01	3.9	0.3	0.06	5	<0.5	<0.2	
967928	Rock Chip	31	22	0.48	97	0.080	<1	1.15	0.130	0.36	2.4	<0.01	3.5	0.2	0.07	5	<0.5	<0.2	
967929	Rock Chip	31	26	0.53	89	0.066	<1	0.96	0.069	0.32	1.2	<0.01	4.0	0.2	0.14	5	<0.5	<0.2	
967930	Rock Chip	13	8	0.14	25	<0.001	2	0.77	0.015	0.27	0.7	0.02	1.8	0.3	6.70	2	1.1	3.3	
967931	Rock Chip	31	18	0.40	79	0.047	1	0.81	0.047	0.35	1.7	<0.01	3.2	0.2	0.37	4	<0.5	<0.2	
967932	Rock Chip	28	21	0.54	95	0.105	<1	0.88	0.082	0.50	1.2	<0.01	4.7	0.3	0.19	4	<0.5	<0.2	
967933	Rock Chip	47	18	0.39	39	0.034	<1	0.63	0.039	0.28	1.8	<0.01	3.6	0.3	0.21	3	<0.5	<0.2	
967934	Rock Chip	38	25	0.50	149	0.117	<1	0.89	0.089	0.46	2.4	<0.01	5.1	0.3	0.08	4	<0.5	<0.2	
967935	Rock Chip	43	22	0.53	68	0.131	<1	0.81	0.071	0.49	1.7	<0.01	7.6	0.3	0.08	5	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967936	Rock Chip	4.85	2.0	6.8	9.4	62	0.2	8.8	8.0	424	2.50	48.1	5.2	18.2	14	<0.1	1.6	29.7	22	0.51	0.039
967937	Rock Chip	3.98	2.2	12.3	7.3	41	<0.1	9.2	7.1	316	2.19	39.9	4.4	23.9	12	<0.1	0.5	1.1	17	0.55	0.032
967938	Rock Chip	3.85	2.2	6.2	6.4	44	<0.1	8.4	5.8	362	1.81	10.1	0.6	18.7	15	<0.1	0.3	0.2	15	0.54	0.033
967939	Rock Chip	4.58	2.1	7.7	7.3	53	<0.1	7.9	6.1	329	1.79	7.4	15.9	17.8	13	0.1	0.4	0.1	15	0.46	0.029
967940	Rock Chip	4.96	2.4	8.1	7.1	39	<0.1	6.8	5.2	269	1.82	3.3	2.0	19.5	12	<0.1	0.2	<0.1	19	0.37	0.033
967941	Rock Chip	6.41	3.0	15.4	8.5	20	<0.1	5.9	4.2	216	1.47	4.3	3.1	15.8	10	<0.1	0.3	0.1	14	0.63	0.039
967942	Rock Chip	6.74	2.9	11.4	7.6	41	<0.1	6.6	5.4	300	1.81	7.9	3.6	15.8	12	<0.1	0.4	0.2	20	0.53	0.038
967943	Rock Chip	6.54	2.4	10.4	6.9	44	<0.1	6.7	6.1	334	2.17	3.4	3.1	18.5	11	<0.1	0.2	0.3	25	0.41	0.040
967944	Rock Chip	6.74	2.6	11.4	7.0	47	<0.1	7.8	6.6	316	2.12	8.8	1.8	13.2	11	<0.1	0.2	<0.1	26	0.40	0.038
967945	Rock Chip	5.40	2.8	11.6	7.2	43	<0.1	7.3	6.3	300	1.97	4.2	2.2	16.4	9	<0.1	0.2	<0.1	23	0.32	0.036
967946	Rock Chip	8.01	2.2	12.1	9.0	48	<0.1	6.7	6.5	291	1.93	10.7	1.4	23.6	12	<0.1	0.7	0.1	20	0.60	0.034
967947	Rock Chip	8.02	2.1	19.6	7.3	41	<0.1	7.8	6.9	332	2.17	8.1	4.5	15.2	12	<0.1	0.5	0.2	23	0.56	0.045
967948	Rock Chip	6.03	2.7	17.7	2.7	27	<0.1	4.8	4.6	280	1.70	2.9	1.2	10.6	61	<0.1	0.4	<0.1	23	1.03	0.032
967949	Rock Chip																				
967950	Rock Chip	3.64	1.0	4.6	6.2	49	<0.1	5.1	4.1	297	1.55	3.0	1.0	18.4	21	<0.1	0.2	<0.1	17	0.29	0.019
967951	Rock Chip	4.29	1.7	15.2	5.0	43	<0.1	7.3	5.4	328	2.04	16.5	8.9	13.3	24	<0.1	0.4	1.1	19	0.41	0.031
967952	Rock Chip	4.06	1.4	8.5	3.6	35	<0.1	4.5	87.9	323	1.96	3.8	1.0	8.6	44	<0.1	0.2	<0.1	24	0.62	0.029
967953	Rock Chip	3.67	1.5	6.9	4.7	38	<0.1	5.8	6.3	327	2.22	4.6	1.6	13.6	28	<0.1	0.6	<0.1	27	0.58	0.033



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 09, 2017

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728.2

Method	AQ201																		KP300
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	W	
Analyte	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
Unit	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	ppm	ppm	0.05	ppm	ppm	ppm	0.005	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	ppm	ppm	0.05	ppm	ppm	ppm	0.005	
967936	Rock Chip	44	25	0.56	54	0.092	<1	0.80	0.063	0.39	1.1	<0.01	6.1	0.3	0.44	5	0.6	<0.2	
967937	Rock Chip	37	22	0.40	26	0.031	1	0.63	0.044	0.18	3.9	<0.01	4.0	0.1	0.54	4	<0.5	<0.2	
967938	Rock Chip	35	21	0.41	39	0.071	<1	0.70	0.049	0.41	2.0	<0.01	4.4	0.3	0.08	4	<0.5	<0.2	
967939	Rock Chip	34	21	0.41	40	0.053	<1	0.74	0.047	0.31	1.3	<0.01	4.0	0.3	0.09	5	<0.5	<0.2	
967940	Rock Chip	32	25	0.41	50	0.127	<1	0.72	0.070	0.49	7.8	<0.01	4.1	0.4	0.06	4	<0.5	<0.2	
967941	Rock Chip	29	23	0.23	31	0.081	2	0.43	0.062	0.20	7.2	<0.01	2.0	0.1	0.18	2	<0.5	<0.2	
967942	Rock Chip	32	26	0.47	56	0.138	2	0.78	0.060	0.48	4.6	<0.01	4.0	0.4	0.13	4	<0.5	<0.2	
967943	Rock Chip	36	26	0.65	73	0.168	2	1.03	0.067	0.67	4.1	<0.01	4.6	0.5	0.13	5	<0.5	<0.2	
967944	Rock Chip	36	28	0.59	87	0.170	<1	1.00	0.078	0.69	4.0	<0.01	4.8	0.5	0.10	5	<0.5	<0.2	
967945	Rock Chip	33	26	0.57	72	0.169	<1	0.95	0.065	0.68	4.1	<0.01	4.8	0.5	0.11	5	<0.5	<0.2	
967946	Rock Chip	33	21	0.51	57	0.134	<1	0.88	0.066	0.56	3.5	<0.01	4.5	0.4	0.18	5	<0.5	<0.2	
967947	Rock Chip	33	25	0.68	40	0.143	2	1.02	0.049	0.41	2.4	<0.01	4.2	0.3	0.21	5	<0.5	<0.2	
967948	Rock Chip	19	17	0.44	223	0.102	2	1.44	0.189	0.26	1.6	<0.01	2.3	0.2	0.06	4	<0.5	<0.2	
967949	Rock Chip																		
967950	Rock Chip	30	14	0.44	78	0.154	2	0.92	0.076	0.44	2.8	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2	
967951	Rock Chip	26	17	0.48	144	0.145	2	1.12	0.106	0.48	5.6	<0.01	3.5	0.3	0.24	4	<0.5	<0.2	
967952	Rock Chip	18	17	0.50	242	0.155	2	1.47	0.184	0.47	>100	*	2.8	0.3	<0.05	4	<0.5	<0.2	0.141
967953	Rock Chip	27	19	0.66	131	0.165	2	1.36	0.125	0.55	6.3	<0.01	4.5	0.4	0.06	6	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: Canadian Creek  
Report Date: October 09, 2017

Page: 1 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000728.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
967876	Rock Chip	3.93	29.5	77.6	4.9	113	0.2	54.0	9.2	281	2.66	46.7	10.2	4.4	28	1.0	2.5	1.4	111	0.40	0.045
REP 967876	QC																				
967894	Rock Chip	2.51	1.8	17.7	8.0	11	0.1	3.9	0.8	50	0.93	13.1	21.5	28.6	6	<0.1	1.7	1.0	5	0.05	0.033
REP 967894	QC		1.7	16.9	8.0	11	0.1	3.9	0.8	51	0.93	13.1	10.0	28.8	6	<0.1	1.7	1.0	5	0.05	0.033
967928	Rock Chip	5.05	2.3	9.0	4.4	42	<0.1	8.0	5.3	349	1.97	7.5	<0.5	15.0	29	<0.1	0.4	0.2	19	0.46	0.034
REP 967928	QC		2.7	9.2	4.6	45	<0.1	8.0	5.2	345	1.95	8.2	0.5	16.3	30	<0.1	0.4	0.2	19	0.45	0.034
Core Reject Duplicates																					
967887	Rock Chip	2.55	1.5	35.2	8.2	6	0.4	2.5	0.8	40	2.33	128.4	93.0	11.0	23	<0.1	1.5	9.0	<2	0.02	0.019
DUP 967887	QC		1.6	35.8	8.5	7	0.4	2.3	0.7	37	2.30	136.2	77.1	12.2	23	<0.1	1.5	9.6	<2	0.02	0.020
967921	Rock Chip	2.80	2.1	8.9	4.1	43	<0.1	7.3	5.8	407	2.47	7.2	9.4	10.4	32	<0.1	0.6	0.4	22	0.49	0.045
DUP 967921	QC		2.3	8.9	4.2	42	<0.1	7.5	5.8	409	2.50	7.7	9.4	11.1	32	<0.1	0.6	0.4	22	0.49	0.040
Reference Materials																					
STD AMIS0140	Standard																				
STD DS11	Standard		14.6	144.2	132.2	343	1.6	75.8	13.0	1042	3.04	43.3	117.3	7.7	67	2.4	8.7	11.3	50	1.04	0.069
STD DS11	Standard		14.0	153.3	132.5	330	1.7	76.8	13.6	1026	3.04	41.4	85.1	7.3	65	2.3	8.7	11.6	46	1.03	0.068
STD DS11	Standard		14.2	153.0	137.1	343	1.8	84.8	13.9	1039	3.23	43.0	94.9	7.4	67	2.8	8.1	11.2	52	1.09	0.071
STD NBLG	Standard																				
STD OXC129	Standard		1.4	25.9	5.9	40	<0.1	77.8	19.2	413	2.98	0.7	211.9	1.8	183	<0.1	<0.1	<0.1	53	0.66	0.092
STD OXC129	Standard		1.3	28.8	6.0	41	<0.1	78.4	21.0	411	2.96	0.6	185.1	1.8	171	<0.1	<0.1	<0.1	47	0.62	0.102
STD OXC129	Standard		1.2	28.2	6.1	40	<0.1	84.7	21.2	436	3.19	0.6	187.9	1.7	192	<0.1	<0.1	<0.1	56	0.72	0.105
STD W107	Standard																				
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD W107 Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				



# QUALITY CONTROL REPORT

WHI17000728.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	W	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005	
Pulp Duplicates																			
967876	Rock Chip	13	86	0.93	272	0.148	<1	1.48	0.055	0.72	>100	0.03	7.0	0.4	0.76	8	2.3	<0.2	0.019
REP 967876	QC																		0.019
967894	Rock Chip	27	7	0.11	32	0.011	<1	0.95	0.023	0.18	0.4	<0.01	2.1	0.2	<0.05	3	<0.5	<0.2	
REP 967894	QC	27	7	0.11	32	0.011	<1	0.94	0.023	0.18	0.5	<0.01	2.0	0.2	<0.05	3	<0.5	<0.2	
967928	Rock Chip	31	22	0.48	97	0.080	<1	1.15	0.130	0.36	2.4	<0.01	3.5	0.2	0.07	5	<0.5	<0.2	
REP 967928	QC	31	23	0.48	100	0.086	<1	1.15	0.129	0.36	2.5	<0.01	3.7	0.2	0.07	5	<0.5	<0.2	
Core Reject Duplicates																			
967887	Rock Chip	19	6	0.02	99	<0.001	2	0.38	0.004	0.25	1.1	0.01	0.3	0.2	0.11	<1	<0.5	3.4	
DUP 967887	QC	20	6	0.02	99	<0.001	1	0.35	0.004	0.23	1.1	0.01	0.2	0.2	0.10	<1	0.6	3.4	
967921	Rock Chip	25	23	0.67	387	0.192	2	1.40	0.123	0.66	1.4	<0.01	3.6	0.4	<0.05	5	<0.5	<0.2	
DUP 967921	QC	25	24	0.66	397	0.213	1	1.39	0.127	0.67	1.4	<0.01	3.9	0.5	<0.05	5	<0.5	<0.2	
Reference Materials																			
STD AMIS0140	Standard																		<0.005
STD DS11	Standard	17	59	0.83	342	0.097	8	1.15	0.072	0.40	3.4	0.26	3.2	4.5	0.28	5	2.1	4.5	
STD DS11	Standard	17	58	0.82	342	0.095	6	1.11	0.068	0.39	2.8	0.25	3.1	4.7	0.26	5	2.3	4.5	
STD DS11	Standard	19	60	0.86	381	0.096	8	1.20	0.076	0.41	2.7	0.25	3.1	4.9	0.29	5	2.3	4.3	
STD NBLG	Standard																		<0.005
STD OXC129	Standard	12	52	1.53	52	0.409	2	1.53	0.579	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	12	51	1.50	48	0.388	<1	1.46	0.568	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	12	54	1.61	51	0.417	<1	1.65	0.601	0.38	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2	
STD W107	Standard																		0.463
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	
STD W107 Expected																			0.4235
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																		<0.005



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 09, 2017

Page: 2 of 2

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000728.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.9	7.6	1.4	35	<0.1	1.5	3.8	558	1.79	0.7	1.9	2.3	21	<0.1	<0.1	<0.1	21	0.56	0.042
ROCK-WHI	Prep Blank		1.1	5.4	1.1	34	<0.1	1.4	3.7	538	1.71	0.9	1.9	2.3	28	<0.1	<0.1	<0.1	20	0.55	0.040





**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 09, 2017

Page: 2 of 2

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000728.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	KP300
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	W
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%
Prep Wash		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.005
ROCK-WHI	Prep Blank	5	4	0.47	55	0.080	<1	0.91	0.099	0.10	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	6	3	0.45	66	0.073	<1	0.86	0.086	0.09	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: September 11, 2017  
Report Date: September 29, 2017  
Page: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728A.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-005  
P.O. Number  
Number of Samples: 1

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	1	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	1	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	1	Per sample shipping charges for branch shipments			VAN

## ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 29, 2017

Page: 2 of 2

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728A.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967949	Rock Chip	4.61	1.7	12.9	14.1	160	<0.1	5.2	5.4	292	1.76	7.0	<0.5	10.2	44	0.6	0.7	0.1	29	0.82	0.031



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 29, 2017

Page: 2 of 2

Part: 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000728A.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
967949	Rock Chip	14	15	0.56	198	0.155	2	1.31	0.125	0.26	2.3	<0.01	2.8	0.2	0.08	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 29, 2017

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000728A.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Reference Materials																					
STD DS11	Standard	15.0	156.2	136.7	347	1.7	82.5	14.6	1088	3.20	42.9	81.9	8.1	67	2.3	8.4	11.2	50	1.08	0.075	
STD OXC129	Standard	1.3	28.6	6.4	41	<0.1	84.2	22.3	422	3.09	0.7	194.7	1.9	188	<0.1	<0.1	<0.1	54	0.74	0.113	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
Prep Wash																					
ROCK-WHI	Prep Blank	1.0	4.9	1.3	34	<0.1	1.3	4.2	529	1.74	1.3	2.4	2.5	21	<0.1	0.1	<0.1	24	0.58	0.044	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 29, 2017

**Page:** 1 of 1

**Part:** 2 of 2

# QUALITY CONTROL REPORT

WHI17000728A.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Reference Materials																		
STD DS11	Standard	19	64	0.85	364	0.097	8	1.19	0.073	0.41	3.0	0.26	3.4	4.8	0.28	5	2.3	4.8
STD OXC129	Standard	13	57	1.58	50	0.433	1	1.61	0.593	0.39	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI	Prep Blank	6	3	0.46	77	0.089	1	0.93	0.115	0.12	0.1	<0.01	3.4	<0.1	<0.05	4	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: October 27, 2017  
Page: 1 of 6

# CERTIFICATE OF ANALYSIS

WHI17000729.2

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: ccrc17-006  
P.O. Number  
Number of Samples: 138

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	137	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	137	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	137	Per sample shipping charges for branch shipments			VAN
FA330-Au	1	Fire assay fusion Au by ICP-ES	30	Completed	VAN
EN002	1	Environmental disposal charge-Fire assay lead waste			VAN

## ADDITIONAL COMMENTS

Version 2 : FA330-Au included. Revised AQ201 results for sample 967954 to 967960 from reprep to check Pb in Prep Blank.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.





**BUREAU VERITAS**  
MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 2 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000729.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
967954	Rock Chip	2.40	1.7	19.6	6.2	4	0.3	4.0	0.7	33	1.41	14.2	275.3	32.2	14	<0.1	5.4	2.3	<2	0.02	0.014
967955	Rock Chip	1.13	1.3	18.6	8.0	5	0.4	2.7	1.2	35	1.46	24.0	238.2	25.7	14	<0.1	3.1	1.5	<2	0.04	0.014
967956	Rock Chip	2.35	1.5	17.9	78.4	3	2.7	2.0	0.7	55	1.69	65.6	313.3	31.4	59	<0.1	98.3	1.8	<2	0.01	0.016
967957	Rock Chip	2.27	2.3	6.7	39.5	4	1.0	2.6	0.7	43	1.64	113.8	529.7	14.9	17	<0.1	15.7	5.5	<2	<0.01	0.009
967958	Rock Chip	2.92	1.7	14.7	27.7	3	1.3	2.6	1.1	35	1.78	69.2	272.0	36.3	45	<0.1	54.5	3.1	<2	<0.01	0.012
967959	Rock Chip	2.17	1.9	7.5	14.2	3	0.4	2.4	0.6	33	1.47	59.1	157.8	28.5	70	<0.1	10.4	2.4	<2	<0.01	0.014
967960	Rock Chip	2.47	1.6	17.2	15.5	3	0.6	1.8	0.7	40	1.57	130.7	131.0	26.1	61	<0.1	26.5	5.1	<2	<0.01	0.016
967961	Rock Chip	1.99	1.9	23.3	9.6	6	0.2	1.8	0.7	26	0.95	29.6	123.6	24.1	12	<0.1	10.4	1.7	<2	0.01	0.014
967962	Rock Chip	1.81	1.1	158.3	6.5	4	0.2	7.4	2.4	19	1.36	29.5	249.0	19.2	6	<0.1	3.2	1.7	<2	0.02	0.018
967963	Rock Chip	2.41	1.5	91.2	9.2	4	0.3	11.1	5.0	22	2.40	32.0	109.8	16.8	4	<0.1	2.5	2.1	2	<0.01	0.007
967964	Rock Chip	1.59	1.6	58.5	11.2	5	0.2	8.6	3.0	30	2.03	28.0	110.0	16.7	6	<0.1	3.3	1.8	3	0.03	0.022
967965	Rock Chip	1.77	1.5	185.5	13.5	14	0.2	7.0	4.0	201	1.92	19.2	821.6	16.6	8	<0.1	1.5	1.3	3	0.04	0.027
967966	Rock Chip	1.17	1.1	159.6	13.1	9	0.3	4.6	2.5	35	1.64	38.9	38.2	16.0	5	<0.1	7.5	1.9	<2	0.02	0.013
967967	Rock Chip	5.05	1.3	155.7	15.4	11	0.5	7.3	4.2	31	2.91	102.7	142.6	14.5	5	0.1	6.4	4.0	<2	0.03	0.009
967968	Rock Chip	4.20	1.3	146.0	12.5	13	0.3	11.2	5.5	66	2.75	57.0	76.1	19.7	8	<0.1	3.0	2.7	5	0.22	0.042
967969	Rock Chip	2.99	1.1	195.0	11.3	17	0.2	12.0	7.9	76	1.87	16.3	123.4	22.5	5	<0.1	2.3	3.0	23	0.21	0.050
967970	Rock Chip	3.47	1.0	154.5	6.3	16	0.1	9.9	6.2	91	1.82	13.3	86.2	15.5	10	<0.1	1.0	1.3	18	0.16	0.037
967971	Rock Chip	1.48	0.9	238.2	4.9	23	0.1	8.2	9.0	101	2.83	9.9	191.7	12.2	29	<0.1	1.1	1.8	34	0.31	0.045
967972	Rock Chip	3.45	1.2	102.2	5.0	19	<0.1	5.5	5.7	111	2.33	4.3	37.1	9.4	54	<0.1	0.6	0.7	15	0.63	0.029
967973	Rock Chip	4.53	1.3	63.3	5.3	22	<0.1	4.7	4.7	154	1.89	3.3	17.2	11.3	82	<0.1	0.4	0.5	20	0.81	0.028
967974	Rock Chip	3.27	1.6	61.4	6.0	21	<0.1	3.5	4.8	151	1.61	3.6	41.3	10.8	95	<0.1	0.4	0.5	21	0.90	0.028
967975	Rock Chip	5.93	1.2	59.5	8.5	23	0.1	4.7	4.8	143	2.00	13.5	57.8	13.0	63	<0.1	2.2	0.9	17	0.70	0.026
967976	Rock Chip	3.82	1.1	39.9	6.5	25	<0.1	3.4	4.9	182	1.74	3.4	26.2	12.4	131	<0.1	0.4	0.4	20	0.81	0.028
967977	Rock Chip	4.15	0.7	36.2	5.2	22	<0.1	3.1	4.6	166	1.75	2.9	25.2	11.5	86	<0.1	0.5	0.4	19	0.78	0.026
967978	Rock Chip	4.11	0.7	29.0	5.2	25	<0.1	6.8	5.9	167	2.35	2.8	45.3	11.2	68	<0.1	0.4	0.4	18	0.69	0.034
967979	Rock Chip	3.31	1.0	74.6	6.2	19	<0.1	19.6	5.4	145	1.78	2.4	124.0	19.0	23	<0.1	0.5	0.3	17	0.33	0.027
967980	Rock Chip	6.42	1.3	77.7	6.0	15	0.1	18.1	4.8	114	1.78	1.9	109.0	18.1	17	<0.1	0.4	0.5	13	0.32	0.026
967981	Rock Chip	4.07	0.8	130.8	5.8	15	0.1	17.4	4.3	106	1.54	1.7	203.5	19.6	13	<0.1	0.4	0.6	12	0.37	0.024
967982	Rock Chip	2.87	1.1	80.5	5.0	13	<0.1	18.7	5.1	86	2.49	4.3	182.4	20.6	11	<0.1	0.4	0.9	8	0.25	0.028
967983	Rock Chip	2.98	1.2	128.7	7.4	13	<0.1	10.0	4.1	83	2.14	3.2	130.7	18.2	11	<0.1	0.4	0.9	8	0.21	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 2 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000729.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.1	0.05	1	0.5	0.2	2	
967954	Rock Chip	26	6	0.05	92	<0.001	1	0.45	0.039	0.29	0.9	0.01	0.6	0.2	0.38	2	0.8	<0.2	
967955	Rock Chip	27	5	0.06	80	<0.001	<1	0.52	0.025	0.31	1.5	0.02	0.7	0.2	0.42	2	1.0	0.2	
967956	Rock Chip	36	6	0.03	97	<0.001	2	0.39	0.017	0.42	1.3	0.21	0.3	0.3	0.45	2	1.5	0.6	
967957	Rock Chip	15	7	0.02	142	0.003	4	0.37	0.009	0.47	1.6	0.04	0.3	0.3	0.50	3	1.1	0.5	
967958	Rock Chip	23	7	0.03	123	0.002	3	0.39	0.007	0.46	1.6	0.13	0.4	0.2	0.90	3	1.0	0.4	
967959	Rock Chip	23	8	0.03	106	0.002	2	0.35	0.008	0.43	1.5	0.06	0.4	0.2	0.47	2	1.3	0.4	
967960	Rock Chip	27	7	0.03	84	<0.001	3	0.40	0.011	0.33	1.0	0.13	0.4	0.3	0.57	2	0.8	0.4	
967961	Rock Chip	29	6	0.07	68	<0.001	2	0.52	0.023	0.25	0.9	0.03	0.5	0.2	0.23	2	<0.5	0.2	
967962	Rock Chip	25	5	0.10	69	<0.001	2	0.68	0.015	0.25	0.7	0.01	0.7	0.1	1.19	2	0.5	0.5	
967963	Rock Chip	19	6	0.06	70	0.001	2	0.58	0.008	0.30	0.7	<0.01	0.7	0.2	2.56	2	1.0	0.3	
967964	Rock Chip	24	8	0.17	98	<0.001	3	1.11	0.009	0.35	0.7	0.01	0.7	0.2	1.89	3	0.7	0.5	
967965	Rock Chip	31	7	0.16	82	<0.001	2	1.04	0.028	0.34	0.5	<0.01	0.9	0.2	0.89	2	<0.5	0.4	
967966	Rock Chip	17	4	0.07	76	<0.001	2	0.61	0.014	0.26	0.7	0.02	0.4	0.2	1.30	1	0.8	0.3	
967967	Rock Chip	15	5	0.04	74	<0.001	2	0.40	0.008	0.27	1.6	0.02	0.5	0.2	2.76	1	0.9	1.3	
967968	Rock Chip	26	10	0.08	73	0.002	2	0.61	0.027	0.26	2.3	0.01	1.1	0.1	2.32	2	0.9	0.7	
967969	Rock Chip	20	19	0.52	40	0.015	1	1.08	0.034	0.25	2.3	<0.01	4.0	0.2	0.97	5	0.6	1.0	
967970	Rock Chip	22	13	0.48	79	0.013	<1	1.20	0.043	0.25	1.0	<0.01	3.2	0.2	0.90	4	0.5	0.5	
967971	Rock Chip	18	16	0.89	68	0.037	<1	1.70	0.081	0.39	0.5	<0.01	4.8	0.3	1.65	7	0.6	0.5	
967972	Rock Chip	15	9	0.35	75	0.030	<1	1.37	0.159	0.22	0.8	<0.01	2.6	0.1	1.63	4	<0.5	<0.2	
967973	Rock Chip	18	9	0.40	275	0.094	2	1.76	0.253	0.26	2.7	<0.01	3.1	0.2	0.68	5	<0.5	<0.2	
967974	Rock Chip	16	11	0.42	369	0.101	2	1.84	0.295	0.25	5.2	<0.01	3.3	0.2	0.48	5	<0.5	<0.2	
967975	Rock Chip	17	11	0.36	191	0.062	1	1.51	0.196	0.26	3.2	<0.01	2.5	0.2	0.95	4	0.5	0.2	
967976	Rock Chip	19	9	0.46	345	0.071	2	1.90	0.207	0.27	1.8	<0.01	2.9	0.2	0.45	5	<0.5	<0.2	
967977	Rock Chip	16	7	0.44	260	0.058	1	1.72	0.182	0.26	1.3	<0.01	2.7	0.2	0.59	5	<0.5	<0.2	
967978	Rock Chip	16	11	0.46	169	0.089	<1	1.56	0.178	0.34	1.4	<0.01	2.9	0.2	1.19	5	0.7	<0.2	
967979	Rock Chip	24	26	0.58	69	0.078	<1	1.03	0.062	0.38	1.6	<0.01	3.5	0.3	0.56	5	<0.5	<0.2	
967980	Rock Chip	24	23	0.51	55	0.041	1	0.91	0.051	0.33	1.8	<0.01	2.7	0.2	0.81	4	0.7	<0.2	
967981	Rock Chip	28	20	0.51	58	0.033	<1	0.83	0.044	0.30	1.3	<0.01	3.1	0.2	0.71	4	<0.5	<0.2	
967982	Rock Chip	32	17	0.37	55	0.011	2	0.73	0.024	0.25	1.9	<0.01	1.8	0.1	1.80	3	0.7	<0.2	
967983	Rock Chip	29	12	0.27	51	0.011	2	0.62	0.026	0.23	1.6	<0.01	1.6	0.1	1.55	3	0.7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

Page: 3 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000729.2

Method Analyte	Unit	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	
967984	Rock Chip	4.40	1.0	86.4	5.4	16	<0.1	4.5	3.5	103	1.74	3.1	69.8	17.6	13	<0.1	0.3	0.7	8	0.24	0.028
967985	Rock Chip	4.96	0.7	88.1	4.6	17	<0.1	3.8	4.1	148	1.67	3.4	73.7	14.5	36	<0.1	0.3	1.4	14	0.53	0.026
967986	Rock Chip	6.17	0.9	44.6	4.4	18	<0.1	4.1	4.0	154	1.63	8.8	39.9	14.1	39	<0.1	0.3	0.7	15	0.52	0.028
967987	Rock Chip	5.32	1.6	60.2	4.6	19	<0.1	3.6	4.2	172	1.72	5.7	81.3	10.7	57	<0.1	0.4	1.1	17	0.78	0.030
967988	Rock Chip	5.37	0.7	31.5	4.3	26	<0.1	2.7	4.3	220	1.79	3.3	32.8	13.5	65	<0.1	0.3	4.7	20	0.76	0.023
967989	Rock Chip	5.28	0.5	28.9	14.7	14	<0.1	1.8	3.8	130	1.73	9.1	30.9	12.3	47	<0.1	1.0	0.8	12	1.07	0.026
967990	Rock Chip	4.58	0.7	62.3	6.0	8	<0.1	2.9	4.5	90	2.31	41.5	54.1	14.8	32	<0.1	2.5	1.5	3	1.22	0.044
967991	Rock Chip	3.15	0.7	102.0	5.8	9	0.2	7.2	6.6	56	4.23	86.9	213.4	13.9	20	<0.1	1.5	2.6	4	0.54	0.039
967992	Rock Chip	6.21	0.6	52.9	3.9	10	0.1	3.1	4.2	104	2.26	30.2	331.8	12.4	60	<0.1	0.8	1.1	8	1.13	0.024
967993	Rock Chip	6.19	0.7	50.1	4.3	19	<0.1	3.3	6.0	199	2.49	16.8	40.0	11.9	62	<0.1	0.5	0.9	29	1.07	0.031
967994	Rock Chip	5.77	0.8	80.2	4.7	35	<0.1	6.0	11.2	340	3.94	9.6	64.2	9.1	45	<0.1	0.4	0.7	95	1.07	0.115
967995	Rock Chip	5.72	1.0	22.7	6.1	16	<0.1	10.1	4.4	133	1.88	4.8	15.6	11.4	16	<0.1	0.3	0.5	14	0.43	0.031
967996	Rock Chip	5.49	0.6	14.4	5.0	22	<0.1	10.0	4.3	166	1.65	3.5	12.8	11.6	11	<0.1	0.2	0.4	13	0.34	0.022
967997	Rock Chip	4.60	1.0	21.7	5.4	21	<0.1	8.9	4.6	166	1.83	4.2	5.8	14.2	11	<0.1	0.5	0.4	13	0.33	0.028
967998	Rock Chip	4.45	1.0	15.6	5.1	27	<0.1	11.0	4.2	238	1.56	2.4	4.6	11.9	12	<0.1	0.3	0.3	19	0.30	0.027
967999	Rock Chip	5.72	0.7	15.8	4.1	21	<0.1	9.0	4.6	194	1.92	2.0	5.5	7.5	24	<0.1	0.3	0.2	18	0.50	0.025
968000	Rock Chip	4.97	0.8	22.4	4.8	18	<0.1	18.9	5.2	142	1.71	2.5	6.2	14.5	11	<0.1	0.5	0.4	14	0.31	0.027
968001	Rock Chip	6.36	1.3	34.7	4.0	25	<0.1	36.0	8.1	196	2.15	2.9	6.6	15.1	12	<0.1	0.8	0.4	21	0.42	0.049
968002	Rock Chip	4.78	1.2	23.1	5.0	20	<0.1	9.3	6.1	244	2.41	2.8	9.3	19.2	17	<0.1	1.3	0.6	13	0.57	0.052
968003	Rock Chip	4.34	1.1	19.8	9.3	21	<0.1	13.3	6.0	210	2.31	9.8	11.4	15.8	15	<0.1	1.7	0.7	9	0.51	0.035
968004	Rock Chip	3.57	1.2	31.1	7.8	23	<0.1	13.5	6.7	199	2.42	13.6	20.3	15.3	14	<0.1	1.7	0.6	17	0.38	0.038
968005	Rock Chip	4.37	0.7	16.1	6.6	16	<0.1	11.5	5.3	231	1.80	10.0	20.9	12.0	18	0.1	2.7	0.5	6	0.59	0.036
968006	Rock Chip	3.90	1.6	134.6	20.3	47	1.7	8.4	5.8	154	4.11	43.1	136.7	11.6	5	0.6	84.6	2.7	<2	0.06	0.015
968007	Rock Chip	4.14	2.1	117.4	33.7	23	1.2	6.0	5.2	30	7.32	91.7	156.9	11.6	5	0.3	77.3	27.0	<2	0.03	0.026
968008	Rock Chip	5.03	1.4	99.4	10.5	23	0.3	5.8	5.8	177	3.90	40.5	63.1	15.5	15	0.1	17.6	2.8	18	0.51	0.032
968009	Rock Chip	3.50	0.9	52.5	10.0	12	0.1	15.6	7.4	105	2.85	26.0	41.9	12.9	17	0.2	5.8	2.1	5	0.39	0.035
968010	Rock Chip	4.51	0.9	16.1	4.5	14	<0.1	16.7	5.6	153	2.16	16.3	11.1	14.8	17	<0.1	1.1	0.8	11	0.60	0.030
968011	Rock Chip	6.11	0.9	14.0	4.6	25	<0.1	9.8	5.3	265	1.79	1.7	2.7	14.4	14	<0.1	0.3	0.3	21	0.53	0.029
968012	Rock Chip	5.84	0.9	15.8	4.0	32	<0.1	13.3	5.9	299	1.92	1.1	17.3	12.4	13	<0.1	0.1	0.3	27	0.31	0.031
968013	Rock Chip	6.29	1.2	5.6	3.9	20	<0.1	6.3	4.5	207	1.81	3.0	2.9	15.0	10	<0.1	0.2	0.4	18	0.33	0.032

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 3 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000729.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.05	1	0.5	0.2	2	
967984	Rock Chip	32	7	0.28	55	0.021	2	0.64	0.037	0.23	1.2	<0.01	2.1	0.1	0.94	3	0.7	<0.2	
967985	Rock Chip	23	8	0.35	208	0.056	1	1.03	0.120	0.26	2.3	<0.01	2.9	0.2	0.60	4	<0.5	0.3	
967986	Rock Chip	24	8	0.35	142	0.050	2	1.14	0.125	0.27	1.9	<0.01	2.8	0.2	0.48	4	<0.5	<0.2	
967987	Rock Chip	18	8	0.41	302	0.066	1	1.34	0.188	0.27	1.4	<0.01	2.5	0.2	0.50	4	<0.5	0.3	
967988	Rock Chip	22	6	0.40	443	0.072	2	1.62	0.188	0.30	5.9	<0.01	2.7	0.2	0.34	5	<0.5	<0.2	
967989	Rock Chip	19	5	0.34	180	0.007	2	1.27	0.121	0.17	0.9	<0.01	1.9	0.1	0.93	4	<0.5	<0.2	
967990	Rock Chip	25	3	0.20	119	<0.001	2	1.30	0.028	0.30	0.7	<0.01	0.8	0.2	1.44	3	0.8	<0.2	
967991	Rock Chip	29	4	0.11	54	0.001	2	0.91	0.032	0.28	1.0	<0.01	0.9	0.2	3.91	2	1.5	0.6	
967992	Rock Chip	19	4	0.20	104	0.004	2	1.17	0.157	0.14	6.7	<0.01	1.8	0.1	1.73	3	<0.5	0.2	
967993	Rock Chip	20	8	0.42	137	0.064	2	1.43	0.187	0.33	4.6	<0.01	3.4	0.3	1.33	4	0.8	<0.2	
967994	Rock Chip	20	14	1.18	94	0.178	<1	1.86	0.124	0.73	2.0	<0.01	7.8	0.6	1.55	6	0.7	<0.2	
967995	Rock Chip	22	14	0.38	63	0.038	<1	0.83	0.033	0.35	1.2	<0.01	2.2	0.3	0.99	4	0.6	<0.2	
967996	Rock Chip	25	15	0.35	49	0.046	<1	0.77	0.034	0.35	0.8	<0.01	2.3	0.2	0.74	4	<0.5	<0.2	
967997	Rock Chip	28	14	0.36	76	0.042	<1	0.91	0.036	0.36	0.9	<0.01	2.5	0.2	0.78	4	<0.5	<0.2	
967998	Rock Chip	22	19	0.47	54	0.087	1	0.91	0.047	0.52	1.2	<0.01	3.3	0.3	0.25	5	<0.5	<0.2	
967999	Rock Chip	14	15	0.46	194	0.077	1	1.07	0.069	0.47	0.8	<0.01	3.1	0.3	0.79	4	0.5	<0.2	
968000	Rock Chip	24	17	0.49	55	0.056	1	0.87	0.038	0.44	0.7	<0.01	2.5	0.3	0.70	4	0.6	<0.2	
968001	Rock Chip	28	55	0.77	91	0.097	<1	1.20	0.037	0.57	0.8	<0.01	4.7	0.5	0.56	5	<0.5	<0.2	
968002	Rock Chip	43	12	0.37	134	0.058	<1	0.91	0.026	0.41	0.8	<0.01	3.6	0.3	1.22	3	0.6	<0.2	
968003	Rock Chip	27	12	0.27	94	0.021	1	0.70	0.022	0.30	1.2	<0.01	2.1	0.2	1.45	2	0.6	<0.2	
968004	Rock Chip	29	18	0.40	94	0.062	1	1.15	0.031	0.46	1.5	<0.01	3.3	0.3	0.79	4	<0.5	<0.2	
968005	Rock Chip	25	9	0.27	46	0.009	2	0.78	0.017	0.27	0.7	<0.01	1.4	0.2	0.91	2	<0.5	<0.2	
968006	Rock Chip	14	5	0.04	35	0.001	<1	0.34	0.005	0.23	1.0	0.11	0.4	0.2	4.46	1	1.9	0.7	
968007	Rock Chip	14	5	0.02	32	<0.001	2	0.29	0.004	0.23	0.9	0.09	0.4	0.2	7.93	<1	5.5	2.1	
968008	Rock Chip	26	10	0.42	43	0.044	2	0.89	0.032	0.38	0.8	0.02	3.7	0.4	3.08	3	2.3	0.4	
968009	Rock Chip	19	9	0.17	52	0.003	2	0.53	0.023	0.24	1.4	<0.01	0.8	0.2	2.40	2	0.5	0.5	
968010	Rock Chip	25	15	0.35	121	0.035	1	0.64	0.026	0.34	1.1	<0.01	2.3	0.2	1.33	3	0.8	<0.2	
968011	Rock Chip	28	21	0.50	68	0.097	1	0.90	0.050	0.47	1.1	<0.01	4.3	0.3	0.24	4	<0.5	<0.2	
968012	Rock Chip	24	25	0.56	72	0.143	<1	0.97	0.057	0.66	1.1	<0.01	5.0	0.4	0.25	4	<0.5	<0.2	
968013	Rock Chip	24	13	0.38	71	0.113	<1	0.79	0.047	0.51	1.1	<0.01	4.0	0.3	0.38	4	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 4 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000729.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968014	Rock Chip	4.82	1.6	19.2	2.8	27	<0.1	16.9	7.6	264	2.45	4.7	5.4	14.1	12	<0.1	0.2	0.6	37	0.49	0.036
968015	Rock Chip	6.01	1.3	15.7	3.3	25	<0.1	12.3	6.7	230	2.61	5.9	3.4	15.4	12	<0.1	1.4	0.5	26	0.39	0.035
968016	Rock Chip	6.98	0.8	7.2	3.1	17	<0.1	5.4	4.7	177	2.09	1.8	6.5	17.5	13	<0.1	0.6	0.3	14	0.46	0.033
968017	Rock Chip	6.44	1.2	15.0	3.5	23	<0.1	16.2	8.2	234	2.51	2.7	7.8	18.0	13	<0.1	0.6	0.4	31	0.59	0.035
968018	Rock Chip	7.14	3.6	31.3	5.4	24	<0.1	18.9	9.4	219	2.83	15.8	12.0	16.5	30	<0.1	0.6	0.8	31	0.64	0.037
968019	Rock Chip	6.20	1.0	26.3	5.3	27	<0.1	15.6	7.9	233	2.37	3.2	4.7	15.2	16	<0.1	1.3	0.4	31	0.59	0.035
968020	Rock Chip	6.20	0.9	48.8	4.7	28	<0.1	13.6	7.7	289	2.17	2.8	20.8	17.6	16	<0.1	1.4	0.5	31	0.89	0.035
968021	Rock Chip	6.09	1.0	27.1	4.0	31	<0.1	14.4	7.6	257	2.25	3.4	11.3	12.5	16	<0.1	1.2	0.4	30	0.70	0.041
968022	Rock Chip	7.23	4.1	16.0	4.1	21	<0.1	7.3	4.3	184	1.67	6.4	5.9	40.0	11	<0.1	0.8	0.3	18	0.37	0.021
968023	Rock Chip	6.64	1.3	22.1	3.8	24	<0.1	12.8	6.8	237	1.99	2.3	8.5	17.3	17	<0.1	0.6	0.3	34	0.55	0.035
968024	Rock Chip	7.01	1.2	26.3	2.8	18	<0.1	13.6	7.0	182	2.11	4.6	13.8	15.0	16	<0.1	0.4	0.4	28	0.49	0.037
968025	Rock Chip	5.19	0.9	23.6	3.7	19	<0.1	14.6	7.9	171	3.04	3.8	19.6	11.9	15	<0.1	0.2	0.4	26	0.42	0.032
968026	Rock Chip	10.38	0.7	22.2	4.0	13	<0.1	12.2	7.1	117	2.97	5.9	11.4	14.2	12	<0.1	0.7	0.5	22	0.52	0.031
968027	Rock Chip	6.79	0.9	55.4	5.5	13	0.1	8.7	6.2	119	1.97	21.3	28.9	16.8	11	<0.1	0.4	0.8	15	0.58	0.028
968028	Rock Chip	6.55	1.1	36.5	3.4	16	<0.1	11.6	6.4	156	2.08	10.2	13.9	16.9	11	<0.1	0.1	0.5	23	0.49	0.026
968029	Rock Chip	8.92	0.8	28.3	3.5	17	<0.1	5.3	4.1	135	1.47	5.2	13.0	16.0	11	<0.1	0.2	0.3	13	0.40	0.025
968030	Rock Chip	7.42	1.1	18.4	3.3	18	<0.1	9.0	5.6	180	2.04	8.8	45.1	14.8	12	<0.1	0.4	0.8	17	0.53	0.027
968031	Rock Chip	6.53	0.9	20.1	3.9	21	<0.1	9.1	6.0	183	2.03	13.0	12.6	13.3	11	<0.1	0.4	0.7	19	0.48	0.033
968032	Rock Chip	6.43	0.8	30.5	3.3	25	<0.1	9.3	6.4	247	2.02	8.7	9.8	12.3	12	<0.1	0.3	0.4	23	0.47	0.032
968033	Rock Chip	8.14	1.0	23.1	3.0	37	<0.1	10.0	6.5	371	2.06	2.4	4.7	15.1	14	<0.1	0.2	0.3	28	0.39	0.034
968034	Rock Chip	7.17	1.3	28.2	4.2	24	<0.1	13.2	6.6	230	2.27	4.4	16.2	17.9	13	<0.1	0.2	0.6	25	0.58	0.035
968035	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
968036	Rock Chip	2.79	1.2	21.7	71.5	10	0.2	5.5	1.5	67	1.95	44.1	93.2	11.6	22	<0.1	4.0	2.4	9	0.10	0.018
968037	Rock Chip	6.98	1.2	15.9	29.2	6	0.3	3.4	0.7	26	1.44	53.9	73.8	23.6	37	<0.1	17.2	1.0	3	0.03	0.014
968038	Rock Chip	4.40	1.8	12.8	16.0	4	0.3	1.7	0.5	23	1.18	24.3	132.7	16.5	18	<0.1	4.8	1.1	<2	0.02	0.010
968039	Rock Chip	7.25	1.4	10.2	14.7	3	0.3	2.1	0.5	22	1.47	38.3	210.3	13.7	15	<0.1	5.8	1.2	<2	0.02	0.010
968040	Rock Chip	8.93	1.7	10.6	4.8	3	0.3	1.6	0.3	19	1.09	21.7	238.7	13.5	10	<0.1	5.3	0.9	<2	0.01	0.010
968041	Rock Chip	9.07	1.5	13.7	7.4	4	0.2	2.0	0.4	26	0.88	25.4	262.1	15.7	13	<0.1	3.8	0.6	<2	0.02	0.010
968042	Rock Chip	8.81	1.3	18.1	9.6	3	0.3	1.4	0.3	18	1.34	36.4	179.9	18.7	39	<0.1	3.3	1.8	<2	0.01	0.017
968043	Rock Chip	8.08	1.4	19.2	19.6	4	0.3	2.1	0.5	30	1.59	38.3	109.2	27.9	35	<0.1	5.6	1.0	4	0.01	0.017



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 4 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000729.2

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
968014	Rock Chip	28	39	0.86	95	0.146	<1	1.24	0.054	0.76	1.5	<0.01	6.1	0.4	0.59	5	<0.5	<0.2
968015	Rock Chip	31	25	0.56	94	0.120	<1	1.03	0.046	0.63	1.2	<0.01	4.8	0.4	1.11	4	0.6	<0.2
968016	Rock Chip	35	10	0.33	155	0.080	1	0.71	0.037	0.44	0.9	<0.01	3.9	0.3	0.92	3	<0.5	<0.2
968017	Rock Chip	39	31	0.69	83	0.117	2	1.14	0.037	0.63	0.7	<0.01	5.2	0.3	0.91	5	<0.5	<0.2
968018	Rock Chip	33	32	0.77	93	0.111	<1	1.26	0.053	0.62	1.2	<0.01	5.7	0.3	1.49	6	0.6	<0.2
968019	Rock Chip	26	34	0.82	69	0.106	<1	1.27	0.037	0.64	0.6	<0.01	5.4	0.3	0.80	6	0.7	<0.2
968020	Rock Chip	31	34	0.83	66	0.124	<1	1.28	0.036	0.66	0.5	<0.01	5.8	0.3	0.50	6	0.5	<0.2
968021	Rock Chip	25	35	0.86	71	0.116	<1	1.29	0.039	0.64	0.6	<0.01	6.0	0.3	0.61	6	<0.5	<0.2
968022	Rock Chip	37	18	0.45	66	0.067	<1	0.79	0.032	0.42	0.7	<0.01	3.1	0.3	0.51	3	<0.5	<0.2
968023	Rock Chip	23	32	0.86	150	0.130	1	1.26	0.046	0.70	0.5	<0.01	5.7	0.4	0.35	5	<0.5	<0.2
968024	Rock Chip	27	31	0.76	128	0.112	2	1.08	0.045	0.59	0.8	<0.01	5.0	0.3	0.57	5	<0.5	<0.2
968025	Rock Chip	27	29	0.70	98	0.104	<1	0.99	0.056	0.57	0.9	<0.01	4.7	0.3	1.87	5	<0.5	<0.2
968026	Rock Chip	25	21	0.61	48	0.069	1	1.06	0.033	0.47	0.5	<0.01	3.5	0.3	2.19	4	0.9	<0.2
968027	Rock Chip	26	16	0.44	30	0.039	2	0.74	0.036	0.33	0.8	<0.01	2.7	0.2	1.22	3	<0.5	<0.2
968028	Rock Chip	27	22	0.55	54	0.093	2	0.85	0.038	0.49	1.3	<0.01	4.1	0.3	0.88	4	<0.5	<0.2
968029	Rock Chip	25	11	0.43	43	0.065	1	0.70	0.035	0.37	1.1	<0.01	3.1	0.2	0.37	4	<0.5	<0.2
968030	Rock Chip	24	18	0.50	46	0.070	2	0.85	0.032	0.44	1.1	<0.01	3.5	0.2	1.00	4	<0.5	<0.2
968031	Rock Chip	25	19	0.55	46	0.080	1	0.91	0.036	0.47	1.4	<0.01	3.8	0.3	0.79	4	<0.5	<0.2
968032	Rock Chip	26	21	0.63	59	0.106	<1	1.00	0.048	0.56	1.4	<0.01	4.7	0.3	0.53	5	<0.5	<0.2
968033	Rock Chip	31	29	0.69	81	0.141	1	1.16	0.068	0.72	3.6	<0.01	5.7	0.4	0.12	5	<0.5	<0.2
968034	Rock Chip	34	27	0.69	57	0.103	<1	1.02	0.044	0.58	7.8	<0.01	4.5	0.3	0.92	5	<0.5	<0.2
968035	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
968036	Rock Chip	15	8	0.13	119	0.016	3	0.58	0.021	0.38	1.3	<0.01	1.3	0.2	0.39	3	1.2	0.4
968037	Rock Chip	23	5	0.05	86	0.001	1	0.44	0.027	0.31	1.0	0.03	0.5	0.3	0.40	3	1.0	0.3
968038	Rock Chip	23	5	0.03	72	<0.001	<1	0.31	0.035	0.25	1.3	<0.01	0.4	0.1	0.33	3	0.6	0.2
968039	Rock Chip	21	6	0.03	76	<0.001	1	0.30	0.026	0.30	1.5	0.01	0.4	0.2	0.39	2	1.0	0.3
968040	Rock Chip	24	5	0.03	67	<0.001	<1	0.29	0.026	0.25	1.2	<0.01	0.3	0.1	0.27	2	0.5	<0.2
968041	Rock Chip	23	6	0.02	49	<0.001	<1	0.21	0.028	0.19	1.3	<0.01	0.3	<0.1	0.18	2	<0.5	<0.2
968042	Rock Chip	32	4	0.03	98	<0.001	2	0.28	0.028	0.30	0.9	0.01	0.3	0.2	0.35	2	0.7	0.3
968043	Rock Chip	25	8	0.04	111	0.011	2	0.33	0.039	0.33	1.2	<0.01	0.8	0.3	0.40	4	1.2	0.3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 5 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000729.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968044	Rock Chip	7.12	1.1	6.7	73.5	3	0.6	1.7	0.4	25	1.10	71.1	212.7	24.7	60	<0.1	11.8	4.0	<2	<0.01	0.012
968045	Rock Chip	7.67	0.8	6.6	9.7	3	0.6	5.2	1.5	28	1.96	48.6	283.2	2.5	4	<0.1	3.8	2.1	<2	0.01	0.002
968046	Rock Chip	8.67	0.9	8.8	15.9	3	0.4	8.2	2.2	23	1.09	13.4	131.1	36.0	71	<0.1	10.6	1.6	<2	0.01	0.018
968047	Rock Chip	9.68	0.8	141.7	7.7	19	0.2	16.7	4.4	104	1.44	31.2	98.6	22.5	30	<0.1	10.7	1.3	6	0.02	0.018
968048	Rock Chip	6.69	1.3	104.1	11.6	9	0.2	7.9	4.6	72	1.60	13.8	101.9	21.0	12	<0.1	2.3	2.4	4	0.07	0.015
968049	Rock Chip	9.91	1.2	457.1	12.1	10	0.2	6.8	5.2	57	2.05	16.2	225.6	21.1	20	<0.1	3.6	3.7	9	0.12	0.025
968050	Rock Chip	8.72	1.3	339.5	8.2	6	0.2	4.8	2.7	30	1.19	15.2	196.1	14.3	9	<0.1	2.1	3.4	3	0.03	0.015
968051	Rock Chip	7.25	1.3	210.7	9.4	5	0.1	4.6	3.0	32	1.33	11.4	64.4	19.0	9	<0.1	3.0	1.8	3	0.02	0.011
968052	Rock Chip	7.33	1.4	156.5	6.6	17	0.1	6.6	4.1	138	1.57	5.9	40.3	13.7	7	<0.1	1.2	1.2	11	0.10	0.026
968053	Rock Chip	4.01	1.1	110.0	6.8	24	0.1	6.1	5.8	181	2.29	9.3	81.5	10.1	34	<0.1	1.2	0.7	18	0.46	0.039
968054	Rock Chip	7.01	0.8	91.7	8.2	32	<0.1	5.2	5.8	184	2.33	8.4	32.4	13.9	40	0.2	1.5	0.5	18	0.82	0.032
968055	Rock Chip	4.43	0.9	57.8	6.5	30	<0.1	4.3	5.4	242	2.21	5.2	25.6	14.1	53	<0.1	1.0	0.4	20	0.83	0.034
968056	Rock Chip	6.21	0.5	57.7	4.1	19	<0.1	3.0	5.1	156	2.33	5.6	21.3	12.9	40	<0.1	0.5	0.5	15	0.70	0.025
968057	Rock Chip	6.40	0.5	45.3	4.1	22	<0.1	3.0	4.2	174	1.74	5.9	23.4	14.0	49	<0.1	0.4	0.4	18	0.64	0.026
968058	Rock Chip	5.48	0.4	11.6	2.8	15	<0.1	2.8	4.7	179	2.06	6.6	10.7	19.7	53	<0.1	0.3	0.4	12	1.28	0.025
968059	Rock Chip	4.49	0.8	25.6	3.8	15	<0.1	5.4	5.0	177	2.47	8.7	23.5	17.8	54	<0.1	0.4	0.6	12	1.28	0.028
968060	Rock Chip	2.99	0.8	14.8	3.7	7	<0.1	3.3	3.0	118	1.96	4.4	11.2	19.7	41	<0.1	0.9	0.6	5	1.17	0.019
968061	Rock Chip	2.99	1.2	17.3	5.6	6	<0.1	4.0	2.9	61	2.06	3.7	12.5	26.0	39	<0.1	2.5	0.9	3	0.52	0.015
968062	Rock Chip	2.48	1.1	16.2	6.5	8	<0.1	3.8	2.5	75	1.66	2.6	10.2	24.2	45	<0.1	5.1	0.7	4	0.45	0.016
968063	Rock Chip	4.06	1.0	14.3	6.6	11	<0.1	2.8	3.8	174	1.79	7.8	20.4	17.6	67	<0.1	2.4	0.7	8	1.06	0.023
968064	Rock Chip	2.68	1.1	19.3	6.9	16	<0.1	3.2	3.8	241	1.77	3.8	9.7	18.2	119	<0.1	1.7	0.5	14	1.22	0.023
968065	Rock Chip	4.36	0.9	15.9	5.3	13	<0.1	3.0	4.0	182	1.60	4.0	10.8	16.2	73	<0.1	1.2	0.5	11	0.88	0.026
968066	Rock Chip	4.20	1.5	13.1	4.5	14	<0.1	18.3	4.7	172	1.66	2.3	11.5	16.1	52	<0.1	1.7	0.4	14	0.79	0.032
968067	Rock Chip	4.60	2.6	11.6	6.3	14	<0.1	25.4	5.8	152	1.95	5.8	6.2	17.8	60	<0.1	1.6	0.8	13	0.74	0.036
968068	Rock Chip	2.57	2.3	12.9	4.2	10	<0.1	18.6	6.3	127	3.57	1.8	11.8	17.4	32	<0.1	1.4	1.0	13	0.66	0.036
968069	Rock Chip	4.33	0.8	20.3	5.9	20	<0.1	9.8	7.8	220	2.46	2.1	19.1	11.4	68	<0.1	1.6	0.6	38	1.08	0.061
968070	Rock Chip	3.41	0.9	41.2	9.9	19	<0.1	7.3	7.9	272	2.67	5.4	18.5	14.1	77	<0.1	5.7	0.7	24	1.22	0.059
968071	Rock Chip	2.77	1.3	19.8	6.1	22	<0.1	6.3	7.6	241	2.49	5.1	15.0	10.6	71	<0.1	2.3	0.6	38	1.26	0.076
968072	Rock Chip	1.67	3.7	28.9	7.0	24	0.2	8.2	3.1	112	2.09	28.9	25.0	19.4	12	<0.1	2.0	4.1	14	0.10	0.020
968073	Rock Chip	2.53	1.9	27.5	12.8	25	0.1	5.8	2.3	95	1.78	29.3	12.0	21.2	7	<0.1	1.8	1.8	11	0.04	0.020





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 5 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000729.2

Method Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au	
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2	
968044	Rock Chip	15	5	0.01	79	0.001	<1	0.22	0.009	0.31	1.5	0.06	0.2	0.2	0.39	2	1.2	0.6	
968045	Rock Chip	2	6	0.01	86	0.002	4	0.22	0.004	0.22	1.2	0.05	0.1	0.1	1.47	<1	0.8	0.4	
968046	Rock Chip	29	7	0.04	98	<0.001	2	0.41	0.007	0.23	1.3	0.02	0.7	0.2	0.80	3	0.7	0.3	
968047	Rock Chip	18	15	0.14	173	0.005	2	0.62	0.018	0.22	1.4	0.02	1.8	0.2	0.83	3	0.7	0.4	
968048	Rock Chip	14	9	0.07	107	0.003	<1	0.37	0.027	0.16	2.1	<0.01	0.9	0.1	1.31	2	<0.5	0.6	
968049	Rock Chip	7	10	0.18	74	0.006	<1	0.65	0.051	0.15	2.1	<0.01	1.7	0.1	1.69	3	2.2	1.2	
968050	Rock Chip	6	9	0.05	46	0.001	1	0.35	0.033	0.12	4.1	<0.01	1.1	<0.1	1.06	1	<0.5	1.4	
968051	Rock Chip	7	9	0.05	29	<0.001	<1	0.39	0.032	0.13	3.1	<0.01	1.3	<0.1	1.09	2	0.6	0.7	
968052	Rock Chip	17	14	0.30	37	0.028	<1	0.66	0.043	0.26	2.3	<0.01	2.5	0.1	0.36	4	<0.5	0.6	
968053	Rock Chip	19	11	0.49	178	0.039	<1	1.31	0.089	0.26	2.4	<0.01	2.8	0.2	0.87	4	0.6	0.2	
968054	Rock Chip	28	7	0.78	248	0.015	1	3.15	0.089	0.28	1.1	<0.01	2.2	0.2	0.84	8	<0.5	<0.2	
968055	Rock Chip	27	9	0.57	284	0.056	1	2.01	0.149	0.37	2.5	<0.01	2.6	0.3	0.67	6	<0.5	<0.2	
968056	Rock Chip	21	5	0.33	171	0.025	3	1.21	0.118	0.26	4.2	<0.01	2.3	0.2	1.46	4	0.6	<0.2	
968057	Rock Chip	23	8	0.34	277	0.048	1	1.26	0.150	0.26	2.5	<0.01	2.5	0.2	0.64	4	<0.5	<0.2	
968058	Rock Chip	23	7	0.27	125	0.031	2	1.00	0.122	0.26	0.3	<0.01	2.5	0.2	1.27	3	0.7	<0.2	
968059	Rock Chip	22	9	0.29	111	0.030	2	1.08	0.116	0.29	0.5	<0.01	2.3	0.2	1.69	3	0.9	<0.2	
968060	Rock Chip	23	6	0.13	116	0.005	<1	0.62	0.047	0.21	0.8	<0.01	1.1	<0.1	1.68	2	0.6	<0.2	
968061	Rock Chip	25	8	0.13	82	0.002	2	0.61	0.020	0.19	1.3	<0.01	0.8	0.1	1.93	2	1.0	<0.2	
968062	Rock Chip	26	8	0.17	54	0.003	<1	0.75	0.018	0.20	1.1	<0.01	1.2	0.1	1.35	2	<0.5	<0.2	
968063	Rock Chip	22	7	0.27	165	0.006	<1	1.14	0.056	0.23	0.5	<0.01	1.8	0.1	1.29	3	0.7	<0.2	
968064	Rock Chip	22	8	0.51	301	0.013	1	2.20	0.085	0.29	0.4	<0.01	2.9	0.2	0.75	6	<0.5	<0.2	
968065	Rock Chip	22	5	0.39	208	0.006	<1	1.35	0.060	0.23	0.3	<0.01	2.1	0.1	0.85	4	<0.5	<0.2	
968066	Rock Chip	27	23	0.57	153	0.025	<1	1.19	0.041	0.32	0.5	<0.01	2.5	0.2	0.78	4	<0.5	<0.2	
968067	Rock Chip	28	26	0.70	96	0.010	<1	1.75	0.023	0.33	0.9	<0.01	2.2	0.2	1.15	6	<0.5	<0.2	
968068	Rock Chip	25	13	0.43	87	0.007	<1	1.05	0.012	0.31	1.0	<0.01	1.7	0.1	3.41	3	2.1	<0.2	
968069	Rock Chip	18	14	0.80	193	0.040	1	1.84	0.070	0.40	0.4	<0.01	3.9	0.2	1.16	5	<0.5	<0.2	
968070	Rock Chip	25	9	0.64	156	0.025	2	2.37	0.027	0.46	0.6	<0.01	3.2	0.3	1.69	7	0.9	<0.2	
968071	Rock Chip	19	13	0.67	240	0.044	<1	1.61	0.058	0.42	0.5	<0.01	3.7	0.3	1.35	5	0.7	<0.2	
968072	Rock Chip	26	15	0.21	103	0.031	2	0.73	0.036	0.33	1.3	<0.01	2.1	0.2	0.18	3	<0.5	0.9	
968073	Rock Chip	25	13	0.20	44	0.022	1	0.67	0.037	0.25	0.9	<0.01	1.9	0.2	0.09	3	<0.5	0.3	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 6 of 6

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000729.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968074	Rock Chip	4.76	93.0	45.7	13.1	28	0.1	5.7	1.9	106	2.13	26.7	17.2	22.5	15	0.2	2.7	5.3	11	0.04	0.024
968075	Rock Chip	5.67	3.6	34.0	9.3	15	0.1	3.9	0.9	41	2.27	30.4	22.1	23.2	21	<0.1	4.0	5.5	6	0.03	0.028
968076	Rock Chip	2.69	2.0	28.2	5.8	38	<0.1	12.5	3.9	173	2.15	13.1	3.8	13.8	10	<0.1	2.5	1.8	24	0.04	0.028
968077	Rock Chip	5.89	3.7	60.5	9.1	26	<0.1	5.5	2.1	106	3.22	26.3	9.0	24.3	26	<0.1	2.5	2.8	14	0.04	0.042
968078	Rock Chip	6.79	1.7	23.7	5.7	34	<0.1	8.2	4.1	215	2.20	5.2	3.5	18.2	7	<0.1	1.3	1.0	20	0.08	0.032
968079	Rock Chip	6.45	1.7	10.6	5.2	30	<0.1	6.8	4.6	263	1.70	4.1	2.9	18.5	7	<0.1	0.7	0.7	16	0.19	0.022
968080	Rock Chip	6.68	1.8	8.7	4.8	32	<0.1	5.9	4.0	289	1.66	3.1	2.1	18.3	7	<0.1	0.4	0.4	15	0.26	0.023
968081	Rock Chip	6.54	2.1	10.2	5.5	29	<0.1	7.1	4.7	304	1.82	3.0	3.1	19.8	7	<0.1	0.6	1.0	16	0.31	0.026
968082	Rock Chip	5.02	1.7	24.2	6.5	19	<0.1	4.5	2.5	114	1.60	14.7	10.4	21.5	10	<0.1	1.2	3.5	8	0.06	0.024
968083	Rock Chip	5.92	1.7	29.0	6.7	12	0.1	4.5	2.7	75	1.39	17.8	46.7	19.3	10	<0.1	2.1	7.2	4	0.09	0.021
968084	Rock Chip	6.56	1.8	22.8	5.6	21	<0.1	5.7	3.7	148	1.55	13.5	20.1	18.4	8	<0.1	1.3	3.2	9	0.12	0.022
968085	Rock Chip	5.40	1.4	31.0	11.6	14	0.2	4.1	2.2	78	1.72	31.7	26.3	19.2	11	<0.1	2.5	34.8	6	0.03	0.023
968086	Rock Chip	5.53	1.6	53.8	4.7	26	<0.1	8.7	3.7	167	1.99	8.4	14.7	22.7	5	0.1	1.5	2.8	16	0.07	0.029
968087	Rock Chip	6.22	1.8	8.3	3.7	31	<0.1	6.2	4.8	414	1.87	4.3	2.4	21.4	9	<0.1	0.6	0.8	17	0.34	0.028
968088	Rock Chip	4.99	2.1	33.6	6.4	18	0.1	4.6	2.4	136	1.97	27.2	31.8	17.0	13	<0.1	1.4	3.7	7	0.09	0.025
968089	Rock Chip	6.42	1.9	52.6	7.1	19	0.3	4.0	1.9	56	1.58	26.8	64.4	18.6	11	<0.1	4.2	11.2	4	0.02	0.022
968090	Rock Chip	6.31	1.7	55.1	5.3	20	0.2	6.5	2.7	80	1.66	12.3	34.8	18.5	7	<0.1	2.2	4.3	9	0.05	0.027
968091	Rock Chip	8.28	1.6	22.1	3.9	26	<0.1	6.5	3.7	176	1.89	3.4	6.0	19.8	7	<0.1	0.9	1.4	14	0.17	0.031



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** October 27, 2017

**Page:** 6 of 6

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000729.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2	2	
968074	Rock Chip	33	13	0.26	58	0.035	1	0.85	0.047	0.32	0.9	<0.01	2.3	0.2	0.11	4	<0.5	1.0	
968075	Rock Chip	32	9	0.11	97	0.006	1	0.64	0.048	0.32	0.7	<0.01	1.4	0.2	0.28	3	<0.5	1.4	
968076	Rock Chip	17	23	0.45	69	0.084	1	1.02	0.044	0.50	1.1	<0.01	3.4	0.4	0.05	5	<0.5	0.3	
968077	Rock Chip	34	15	0.28	81	0.041	2	0.90	0.058	0.39	0.8	<0.01	2.6	0.3	0.25	5	<0.5	0.7	
968078	Rock Chip	21	21	0.42	54	0.100	1	0.99	0.047	0.54	1.1	<0.01	3.9	0.4	0.08	5	<0.5	<0.2	
968079	Rock Chip	35	17	0.35	41	0.087	<1	0.78	0.043	0.47	2.3	<0.01	3.5	0.3	0.18	4	<0.5	<0.2	
968080	Rock Chip	31	17	0.34	36	0.087	<1	0.73	0.043	0.45	2.3	<0.01	3.7	0.3	0.08	4	<0.5	<0.2	
968081	Rock Chip	39	19	0.37	41	0.084	<1	0.83	0.047	0.46	3.1	<0.01	3.7	0.3	0.16	5	0.6	<0.2	
968082	Rock Chip	29	11	0.14	35	0.020	2	0.55	0.031	0.28	1.5	<0.01	1.9	0.2	0.16	2	<0.5	<0.2	
968083	Rock Chip	29	10	0.07	37	0.003	2	0.45	0.038	0.22	1.6	<0.01	1.0	0.1	0.27	2	<0.5	0.3	
968084	Rock Chip	24	13	0.17	32	0.022	1	0.60	0.035	0.24	1.5	<0.01	2.0	0.2	0.19	3	<0.5	<0.2	
968085	Rock Chip	25	11	0.12	45	0.005	2	0.58	0.040	0.24	1.1	<0.01	1.3	0.2	0.24	2	<0.5	1.6	
968086	Rock Chip	17	18	0.37	34	0.039	1	1.01	0.037	0.29	1.3	<0.01	2.7	0.2	0.13	5	<0.5	<0.2	
968087	Rock Chip	37	18	0.39	46	0.070	<1	0.82	0.053	0.41	1.6	<0.01	3.7	0.3	0.05	5	<0.5	<0.2	
968088	Rock Chip	32	14	0.18	79	0.018	1	0.68	0.034	0.36	1.6	0.02	1.9	0.2	0.26	3	<0.5	1.4	
968089	Rock Chip	26	11	0.09	66	0.004	2	0.54	0.041	0.29	1.3	0.01	1.4	0.2	0.27	2	<0.5	2.7	
968090	Rock Chip	23	15	0.18	44	0.016	1	0.74	0.039	0.27	1.2	<0.01	2.3	0.2	0.27	3	<0.5	0.9	
968091	Rock Chip	31	18	0.37	49	0.049	<1	0.89	0.056	0.36	1.3	<0.01	3.9	0.3	0.11	5	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 1 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
REP 967954	QC	1.7	18.5	6.1	4	0.3	3.4	0.7	34	1.41	13.3	218.4	32.4	14	<0.1	5.4	2.3	<2	0.02	0.014	
967962	Rock Chip	1.81	1.1	158.3	6.5	4	0.2	7.4	2.4	19	1.36	29.5	249.0	19.2	6	<0.1	3.2	1.7	<2	0.02	0.018
REP 967962	QC	1.1	155.4	6.5	4	0.2	7.0	2.1	19	1.34	29.7	311.6	20.5	6	<0.1	3.0	1.8	<2	0.02	0.016	
967965	Rock Chip	1.77	1.5	185.5	13.5	14	0.2	7.0	4.0	201	1.92	19.2	821.6	16.6	8	<0.1	1.5	1.3	3	0.04	0.027
REP 967965	QC																				
967995	Rock Chip	5.72	1.0	22.7	6.1	16	<0.1	10.1	4.4	133	1.88	4.8	15.6	11.4	16	<0.1	0.3	0.5	14	0.43	0.031
REP 967995	QC	1.0	22.9	6.4	17	<0.1	10.2	4.4	130	1.88	5.2	9.0	11.6	15	<0.1	0.2	0.6	15	0.43	0.032	
968019	Rock Chip	6.20	1.0	26.3	5.3	27	<0.1	15.6	7.9	233	2.37	3.2	4.7	15.2	16	<0.1	1.3	0.4	31	0.59	0.035
REP 968019	QC	1.0	23.9	4.8	23	<0.1	16.3	7.6	226	2.38	2.8	5.3	14.2	14	<0.1	1.2	0.3	31	0.58	0.037	
968030	Rock Chip	7.42	1.1	18.4	3.3	18	<0.1	9.0	5.6	180	2.04	8.8	45.1	14.8	12	<0.1	0.4	0.8	17	0.53	0.027
REP 968030	QC	1.1	17.9	3.1	17	<0.1	8.4	5.8	179	2.01	8.3	46.1	15.0	12	<0.1	0.5	0.8	17	0.51	0.030	
968066	Rock Chip	4.20	1.5	13.1	4.5	14	<0.1	18.3	4.7	172	1.66	2.3	11.5	16.1	52	<0.1	1.7	0.4	14	0.79	0.032
REP 968066	QC	1.7	13.1	4.3	13	<0.1	17.4	4.8	162	1.60	2.1	5.1	15.5	48	<0.1	1.6	0.4	14	0.78	0.030	
REP 968090	QC	1.7	56.4	5.3	20	0.2	6.3	2.8	79	1.65	12.0	30.8	18.5	7	<0.1	2.4	4.2	9	0.05	0.025	
Core Reject Duplicates																					
967954	Rock Chip	2.40	1.7	19.6	6.2	4	0.3	4.0	0.7	33	1.41	14.2	275.3	32.2	14	<0.1	5.4	2.3	<2	0.02	0.014
DUP 967954	QC	1.6	19.0	6.1	4	0.3	3.6	0.7	30	1.37	13.4	173.3	31.0	13	<0.1	5.2	2.2	<2	0.02	0.014	
967988	Rock Chip	5.37	0.7	31.5	4.3	26	<0.1	2.7	4.3	220	1.79	3.3	32.8	13.5	65	<0.1	0.3	4.7	20	0.76	0.023
DUP 967988	QC	0.6	31.1	4.1	26	<0.1	2.7	4.4	213	1.78	3.1	19.3	12.3	58	<0.1	0.3	4.9	20	0.72	0.023	
968022	Rock Chip	7.23	4.1	16.0	4.1	21	<0.1	7.3	4.3	184	1.67	6.4	5.9	40.0	11	<0.1	0.8	0.3	18	0.37	0.021
DUP 968022	QC	4.2	15.3	3.9	19	<0.1	7.1	4.5	184	1.67	6.4	7.8	42.7	11	<0.1	0.9	0.3	18	0.37	0.022	
968056	Rock Chip	6.21	0.5	57.7	4.1	19	<0.1	3.0	5.1	156	2.33	5.6	21.3	12.9	40	<0.1	0.5	0.5	15	0.70	0.025
DUP 968056	QC	0.6	55.5	4.1	20	<0.1	3.0	5.5	161	2.35	5.8	20.4	13.2	41	<0.1	0.5	0.6	16	0.69	0.027	
968090	Rock Chip	6.31	1.7	55.1	5.3	20	0.2	6.5	2.7	80	1.66	12.3	34.8	18.5	7	<0.1	2.2	4.3	9	0.05	0.027
DUP 968090	QC	1.9	55.5	5.5	20	0.2	6.4	2.7	80	1.65	13.9	33.0	20.6	8	<0.1	2.6	4.7	9	0.05	0.025	
Reference Materials																					
STD DS11	Standard	15.8	153.1	134.0	353	1.6	82.4	14.2	1085	3.22	45.5	80.7	8.1	73	2.5	9.6	11.6	52	1.09	0.066	
STD DS11	Standard	14.7	155.7	143.4	371	1.9	82.1	13.4	1033	3.17	43.8	110.8	7.9	71	2.4	8.1	12.1	50	1.07	0.071	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 1 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb	
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	2	
Pulp Duplicates																			
REP 967954	QC	26	6	0.05	91	<0.001	1	0.46	0.039	0.30	0.8	0.01	0.6	0.2	0.38	2	0.8	0.2	
967962	Rock Chip	25	5	0.10	69	<0.001	2	0.68	0.015	0.25	0.7	0.01	0.7	0.1	1.19	2	0.5	0.5	
REP 967962	QC	25	5	0.09	67	<0.001	2	0.69	0.015	0.26	0.6	<0.01	0.6	0.2	1.16	2	<0.5	0.4	
967965	Rock Chip	31	7	0.16	82	<0.001	2	1.04	0.028	0.34	0.5	<0.01	0.9	0.2	0.89	2	<0.5	0.4	622
REP 967965	QC																		736
967995	Rock Chip	22	14	0.38	63	0.038	<1	0.83	0.033	0.35	1.2	<0.01	2.2	0.3	0.99	4	0.6	<0.2	
REP 967995	QC	22	14	0.38	65	0.038	<1	0.81	0.033	0.35	1.2	<0.01	2.1	0.2	1.01	4	0.7	<0.2	
968019	Rock Chip	26	34	0.82	69	0.106	<1	1.27	0.037	0.64	0.6	<0.01	5.4	0.3	0.80	6	0.7	<0.2	
REP 968019	QC	26	36	0.82	67	0.105	<1	1.27	0.037	0.64	0.5	<0.01	5.2	0.4	0.79	5	<0.5	<0.2	
968030	Rock Chip	24	18	0.50	46	0.070	2	0.85	0.032	0.44	1.1	<0.01	3.5	0.2	1.00	4	<0.5	<0.2	
REP 968030	QC	24	18	0.48	46	0.068	2	0.82	0.031	0.44	1.2	<0.01	3.4	0.3	0.99	4	<0.5	0.2	
968066	Rock Chip	27	23	0.57	153	0.025	<1	1.19	0.041	0.32	0.5	<0.01	2.5	0.2	0.78	4	<0.5	<0.2	
REP 968066	QC	27	22	0.56	153	0.023	<1	1.17	0.040	0.31	0.5	<0.01	2.4	0.2	0.77	4	<0.5	<0.2	
REP 968090	QC	20	14	0.18	43	0.016	1	0.72	0.038	0.26	1.3	<0.01	2.1	0.2	0.27	3	<0.5	1.0	
Core Reject Duplicates																			
967954	Rock Chip	26	6	0.05	92	<0.001	1	0.45	0.039	0.29	0.9	0.01	0.6	0.2	0.38	2	0.8	<0.2	
DUP 967954	QC	26	5	0.05	90	<0.001	2	0.47	0.039	0.30	0.8	<0.01	0.6	0.2	0.37	2	0.7	<0.2	
967988	Rock Chip	22	6	0.40	443	0.072	2	1.62	0.188	0.30	5.9	<0.01	2.7	0.2	0.34	5	<0.5	<0.2	
DUP 967988	QC	21	6	0.40	427	0.069	1	1.48	0.169	0.28	6.3	<0.01	2.7	0.2	0.37	4	<0.5	<0.2	
968022	Rock Chip	37	18	0.45	66	0.067	<1	0.79	0.032	0.42	0.7	<0.01	3.1	0.3	0.51	3	<0.5	<0.2	
DUP 968022	QC	38	18	0.45	66	0.070	2	0.78	0.031	0.42	0.7	<0.01	3.2	0.3	0.52	3	<0.5	<0.2	
968056	Rock Chip	21	5	0.33	171	0.025	3	1.21	0.118	0.26	4.2	<0.01	2.3	0.2	1.46	4	0.6	<0.2	
DUP 968056	QC	23	5	0.33	197	0.026	<1	1.22	0.118	0.25	3.7	<0.01	2.4	0.2	1.45	4	0.8	<0.2	
968090	Rock Chip	23	15	0.18	44	0.016	1	0.74	0.039	0.27	1.2	<0.01	2.3	0.2	0.27	3	<0.5	0.9	
DUP 968090	QC	21	15	0.19	45	0.017	<1	0.72	0.038	0.26	1.4	<0.01	2.6	0.2	0.26	3	<0.5	1.2	
Reference Materials																			
STD DS11	Standard	20	62	0.85	392	0.111	8	1.24	0.076	0.42	3.1	0.24	3.6	4.9	0.28	5	2.9	4.9	
STD DS11	Standard	18	60	0.85	379	0.097	7	1.19	0.075	0.41	3.1	0.28	3.4	4.8	0.28	5	2.0	5.0	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 2 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
STD DS11	Standard		15.0	153.1	142.9	360	1.8	78.6	13.9	1068	3.14	46.3	87.9	8.1	70	2.5	9.2	12.1	51	1.07	0.074
STD DS11	Standard		13.9	145.0	131.1	333	1.6	77.8	13.9	1014	3.09	42.9	147.1	7.3	65	2.3	9.0	11.4	50	1.04	0.072
STD DS11	Standard		14.3	154.6	142.7	348	1.8	78.9	14.2	1086	3.23	44.0	72.9	8.1	71	2.4	9.7	12.0	53	1.09	0.072
STD DS11	Standard		12.9	141.6	127.3	328	1.7	77.0	13.5	1068	3.13	41.3	74.3	7.4	63	2.2	8.7	11.5	49	1.05	0.075
STD DS11	Standard		12.7	147.0	125.6	323	1.7	76.1	15.0	951	3.03	39.2	122.9	7.2	60	2.3	8.0	10.6	47	1.02	0.071
STD DS11	Standard		13.7	150.2	135.6	327	1.7	79.0	14.1	996	3.08	42.2	90.6	8.2	69	2.1	8.8	13.3	47	1.04	0.071
STD OXC129	Standard		1.0	27.7	6.1	42	<0.1	85.6	21.3	412	3.09	0.6	197.9	1.7	191	<0.1	<0.1	<0.1	56	0.77	0.100
STD OXC129	Standard		1.4	29.0	6.5	41	<0.1	84.8	21.0	422	3.10	0.7	209.2	2.0	200	<0.1	<0.1	<0.1	52	0.70	0.107
STD OXC129	Standard		1.2	27.8	5.9	42	<0.1	77.0	20.2	416	3.00	0.7	185.1	1.7	181	<0.1	<0.1	<0.1	52	0.64	0.101
STD OXC129	Standard		1.3	26.2	6.0	41	<0.1	78.1	20.5	419	2.99	0.7	196.6	1.8	183	<0.1	<0.1	<0.1	52	0.68	0.104
STD OXC129	Standard		1.3	28.1	6.3	41	<0.1	79.5	21.0	434	3.11	1.0	195.4	1.9	193	<0.1	<0.1	<0.1	56	0.74	0.106
STD OXC129	Standard		1.1	26.8	5.5	39	<0.1	75.3	21.4	448	3.08	<0.5	173.9	1.6	171	<0.1	<0.1	<0.1	52	0.66	0.103
STD OXC129	Standard		1.3	30.4	6.8	47	<0.1	84.8	21.6	412	3.00	0.5	199.3	1.9	185	<0.1	<0.1	<0.1	50	0.65	0.112
STD OXC129	Standard		1.1	27.7	6.1	39	<0.1	80.3	20.8	417	3.03	<0.5	195.4	1.9	198	<0.1	<0.1	<0.1	50	0.69	0.105
STD OXC145	Standard																				
STD OXC145	Standard																				
STD OXH139	Standard																				
STD OXH139	Standard																				
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 2 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
STD DS11	Standard	19	60	0.85	398	0.099	7	1.17	0.072	0.41	3.1	0.27	3.3	5.2	0.28	5	2.3	4.5	
STD DS11	Standard	17	56	0.84	365	0.087	7	1.13	0.070	0.40	2.9	0.25	2.9	4.6	0.28	5	1.9	4.2	
STD DS11	Standard	19	60	0.86	394	0.099	9	1.20	0.073	0.43	3.1	0.27	3.0	4.7	0.28	5	2.7	4.9	
STD DS11	Standard	19	62	0.84	346	0.089	8	1.13	0.069	0.40	3.0	0.26	3.1	5.2	0.28	4	2.4	4.7	
STD DS11	Standard	18	57	0.83	360	0.082	7	1.13	0.072	0.40	2.8	0.24	3.0	4.5	0.27	4	1.8	4.6	
STD DS11	Standard	19	60	0.82	374	0.096	7	1.13	0.071	0.40	2.9	0.27	3.0	4.6	0.27	4	2.6	5.0	
STD OXC129	Standard	11	52	1.58	50	0.386	1	1.62	0.597	0.38	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	13	56	1.58	57	0.461	<1	1.61	0.592	0.37	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	51	1.54	50	0.395	2	1.48	0.577	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	12	51	1.55	51	0.402	1	1.56	0.571	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	13	53	1.59	54	0.429	2	1.60	0.603	0.38	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	12	53	1.57	46	0.359	<1	1.52	0.589	0.37	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2	
STD OXC129	Standard	13	49	1.51	51	0.368	1	1.59	0.590	0.40	<0.1	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	13	55	1.53	52	0.429	1	1.62	0.606	0.41	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2	
STD OXC145	Standard																		207
STD OXC145	Standard																		217
STD OXH139	Standard																		1282
STD OXH139	Standard																		1381
STD OXC145 Expected																			212
STD OXH139 Expected																			1312
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6			
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	3





Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 3 of 3

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

		WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.7	8.0	1.0	37	<0.1	2.6	5.5	652	2.00	1.0	<0.5	2.0	47	<0.1	<0.1	<0.1	29	0.83	0.042
ROCK-WHI	Prep Blank		0.7	4.6	0.9	34	<0.1	1.2	4.3	575	1.85	1.1	0.8	2.0	29	<0.1	<0.1	<0.1	23	0.69	0.043



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: October 27, 2017

Page: 3 of 3

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000729.2

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA330
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppb
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	2
BLK	Blank																		3
BLK	Blank																		<2
BLK	Blank																		<2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
	Prep Wash																		
ROCK-WHI	Prep Blank	6	6	0.67	79	0.083	2	1.56	0.250	0.19	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	6	4	0.52	60	0.076	2	1.29	0.227	0.18	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2	



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Submitted By: Bob Johnston  
Receiving Lab: Canada-Whitehorse  
Received: August 29, 2017  
Report Date: September 28, 2017  
Page: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI17000730.1

## CLIENT JOB INFORMATION

Project: Canadian Creek  
Shipment ID: cccr17-006  
P.O. Number  
Number of Samples: 54

## SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	54	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	54	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	54	Per sample shipping charges for branch shipments			VAN

## SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
DISP-RJT Dispose of Reject After 60 days

## ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7  
Canada

CC: Bill Morton  
Glen Garratt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Mincord Exploration Consultants Ltd.**

110 - 325 Howe St.

Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek

Report Date: September 28, 2017

Page: 2 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000730.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968092	Rock Chip	6.84	1.9	35.8	5.0	22	<0.1	6.8	5.4	170	2.05	21.9	26.1	19.6	6	0.1	1.7	4.5	9	0.22	0.029
968093	Rock Chip	7.45	1.6	53.7	4.9	18	0.1	6.8	4.9	137	2.21	36.2	19.2	20.0	6	0.1	2.0	5.1	7	0.17	0.029
968094	Rock Chip	7.70	1.7	32.4	4.4	24	<0.1	6.3	4.3	195	1.76	8.1	16.1	20.5	7	0.2	1.5	2.4	12	0.15	0.027
968095	Rock Chip	5.99	1.3	82.0	7.3	20	0.2	6.1	4.4	85	1.96	41.4	42.2	18.5	10	<0.1	2.5	3.4	7	0.05	0.027
968096	Rock Chip	7.81	1.3	111.6	7.4	19	0.2	6.6	3.9	69	1.80	39.6	136.2	19.5	5	0.4	3.9	6.8	5	0.09	0.027
968097	Rock Chip	6.26	1.7	35.6	6.2	28	<0.1	6.1	4.4	291	1.79	4.7	25.3	17.5	8	0.1	0.8	2.2	14	0.36	0.027
968098	Rock Chip	6.25	1.6	24.1	5.9	42	<0.1	5.7	4.2	278	1.78	2.4	6.3	15.2	6	<0.1	1.0	46.1	15	0.22	0.025
968099	Rock Chip	7.25	1.7	28.0	4.5	33	<0.1	7.8	4.4	239	1.86	7.4	3.1	14.6	4	<0.1	0.8	2.8	16	0.09	0.031
968100	Rock Chip	6.70	2.0	12.3	4.2	38	<0.1	6.5	4.6	308	1.82	2.7	4.0	14.8	6	<0.1	0.2	1.5	15	0.26	0.025
968101	Rock Chip	0.14	1.2	58.7	6.6	16	<0.1	6.0	3.1	113	2.10	13.2	89.5	12.4	24	<0.1	1.4	1.8	18	0.20	0.033
968102	Rock Chip	2.08	1.9	51.1	7.0	15	<0.1	6.0	2.3	84	1.41	14.3	57.5	18.3	9	<0.1	1.9	0.9	5	0.04	0.020
968103	Rock Chip	4.34	2.3	60.9	8.3	16	0.1	5.6	1.4	69	1.63	33.4	65.1	27.1	26	<0.1	1.2	1.1	3	0.02	0.034
968104	Rock Chip	1.34	2.2	53.6	8.9	14	0.1	4.1	1.3	38	2.12	66.3	80.6	35.8	90	<0.1	1.1	1.3	4	0.04	0.060
968105	Rock Chip	2.46	1.7	48.1	5.8	17	0.1	5.0	2.3	103	1.80	18.9	119.7	19.6	56	<0.1	0.9	1.8	8	0.05	0.037
968106	Rock Chip	2.98	0.9	53.5	3.9	23	<0.1	6.9	5.6	176	2.09	11.5	41.7	13.4	36	<0.1	0.8	0.7	21	0.41	0.038
968107	Rock Chip	3.01	1.0	98.8	5.7	16	<0.1	6.1	4.9	103	2.16	18.9	111.7	14.4	10	<0.1	1.3	1.4	7	0.18	0.036
968108	Rock Chip	3.30	1.1	50.2	3.5	32	<0.1	31.7	7.1	274	1.88	3.8	14.7	16.9	10	<0.1	0.2	0.3	27	0.22	0.037
968109	Rock Chip	3.53	1.3	56.3	3.8	33	<0.1	32.2	7.7	215	1.98	5.4	18.4	16.3	13	<0.1	0.3	0.4	22	0.19	0.037
968110	Rock Chip	3.41	1.2	56.4	3.5	31	<0.1	25.1	8.2	206	2.57	5.1	46.8	13.8	22	<0.1	0.3	0.6	23	0.40	0.040
968111	Rock Chip	2.02	1.0	68.3	3.5	12	<0.1	13.1	6.1	122	2.02	12.2	150.8	10.8	21	<0.1	0.8	1.1	6	0.83	0.032
968112	Rock Chip	3.02	1.2	55.2	3.7	29	<0.1	35.7	8.9	232	2.62	18.8	179.4	14.2	26	<0.1	0.7	1.9	22	0.71	0.045
968113	Rock Chip	2.57	1.4	73.0	3.5	26	<0.1	31.5	7.9	212	2.24	8.6	63.1	11.6	37	<0.1	0.5	1.2	23	0.66	0.045
968114	Rock Chip	3.02	1.3	75.8	3.3	15	<0.1	6.0	5.1	127	1.96	7.7	47.6	9.8	45	<0.1	0.6	1.1	14	0.89	0.030
968115	Rock Chip	1.99	1.2	93.5	4.5	10	0.2	3.8	5.5	96	3.10	59.5	277.1	11.9	27	<0.1	0.8	4.0	6	0.99	0.029
968116	Rock Chip	4.26	1.2	82.3	3.2	15	0.1	3.4	4.8	117	2.29	14.2	116.5	10.6	43	<0.1	0.7	2.0	11	0.92	0.027
968117	Rock Chip	2.80	1.3	38.1	3.8	19	<0.1	3.8	5.0	160	2.08	15.5	34.2	11.7	60	<0.1	0.5	0.8	17	1.15	0.031
968118	Rock Chip	2.91	1.6	162.9	3.0	18	0.1	4.7	7.6	157	2.10	15.2	82.7	12.0	53	<0.1	0.7	1.3	16	1.11	0.041
968119	Rock Chip	2.89	1.0	138.8	4.2	8	0.2	4.4	6.0	82	3.96	36.2	185.5	14.4	16	<0.1	1.5	2.7	4	0.73	0.025
968120	Rock Chip	2.67	1.4	102.6	3.3	10	0.1	3.2	4.6	112	2.14	20.3	153.9	13.3	37	<0.1	0.6	2.2	8	0.90	0.026
968121	Rock Chip	3.28	1.5	90.2	2.5	16	<0.1	3.6	5.9	149	2.01	11.4	56.8	11.0	49	<0.1	0.4	1.1	12	1.05	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 28, 2017

**Page:** 2 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

# WHI17000730.1

Method	AQ201																	
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
968092	Rock Chip	34	14	0.29	29	0.018	3	0.70	0.039	0.24	5.3	0.01	2.2	0.2	0.67	4	<0.5	1.3
968093	Rock Chip	30	12	0.18	67	0.009	3	0.72	0.035	0.23	2.2	0.01	1.9	0.2	1.32	3	0.6	1.2
968094	Rock Chip	33	15	0.30	34	0.032	2	0.75	0.046	0.28	4.0	<0.01	3.0	0.3	0.28	4	<0.5	0.2
968095	Rock Chip	22	12	0.14	39	0.012	3	0.72	0.033	0.24	1.5	<0.01	1.8	0.2	1.02	3	0.7	0.8
968096	Rock Chip	32	9	0.12	34	0.004	3	0.80	0.026	0.19	2.7	0.01	1.4	0.1	1.26	3	0.7	1.3
968097	Rock Chip	33	17	0.35	39	0.059	2	0.75	0.053	0.38	3.2	<0.01	3.4	0.3	0.21	5	<0.5	<0.2
968098	Rock Chip	26	17	0.37	38	0.077	<1	0.80	0.049	0.42	3.6	<0.01	3.7	0.3	0.16	5	<0.5	<0.2
968099	Rock Chip	20	18	0.38	38	0.071	1	0.91	0.050	0.43	1.9	<0.01	3.6	0.3	0.15	4	<0.5	<0.2
968100	Rock Chip	26	20	0.37	38	0.077	2	0.75	0.050	0.44	4.2	<0.01	3.5	0.3	0.23	4	<0.5	<0.2
968101	Rock Chip	19	15	0.31	239	0.030	3	1.19	0.056	0.32	0.7	<0.01	2.3	0.2	0.31	4	<0.5	0.3
968102	Rock Chip	20	10	0.08	39	0.007	2	0.48	0.027	0.18	2.2	<0.01	1.1	0.1	0.07	2	<0.5	<0.2
968103	Rock Chip	40	8	0.07	37	0.004	2	0.58	0.032	0.22	0.8	<0.01	1.5	0.1	0.16	2	<0.5	0.2
968104	Rock Chip	78	8	0.08	73	0.004	1	0.67	0.035	0.31	2.3	<0.01	1.4	0.2	0.42	3	<0.5	0.3
968105	Rock Chip	39	10	0.16	186	0.015	3	0.89	0.032	0.35	0.9	<0.01	1.6	0.2	0.30	3	<0.5	0.3
968106	Rock Chip	24	12	0.48	377	0.061	2	1.42	0.114	0.35	0.9	<0.01	2.7	0.2	0.41	4	<0.5	<0.2
968107	Rock Chip	24	8	0.19	95	0.010	3	0.95	0.022	0.26	0.6	<0.01	1.7	0.2	1.23	2	<0.5	0.2
968108	Rock Chip	28	49	0.74	85	0.116	<1	1.25	0.052	0.66	1.4	<0.01	4.6	0.4	0.14	5	<0.5	<0.2
968109	Rock Chip	29	41	0.65	76	0.092	<1	1.11	0.045	0.55	0.8	<0.01	3.8	0.3	0.39	4	<0.5	<0.2
968110	Rock Chip	23	33	0.60	164	0.090	2	1.20	0.066	0.53	1.4	<0.01	3.7	0.3	1.17	4	<0.5	<0.2
968111	Rock Chip	21	9	0.28	101	0.006	1	0.65	0.049	0.23	0.5	<0.01	1.3	0.1	1.58	2	0.6	0.3
968112	Rock Chip	23	38	0.69	105	0.064	1	1.07	0.046	0.49	1.1	<0.01	3.3	0.3	1.47	4	<0.5	0.4
968113	Rock Chip	23	44	0.94	205	0.061	1	1.70	0.059	0.49	0.7	<0.01	3.0	0.3	0.81	5	<0.5	0.5
968114	Rock Chip	20	11	0.43	135	0.020	2	1.33	0.117	0.26	1.0	<0.01	2.0	0.2	1.05	4	<0.5	0.2
968115	Rock Chip	17	6	0.19	61	0.003	4	0.84	0.048	0.24	0.6	<0.01	1.2	0.1	2.93	2	1.0	1.2
968116	Rock Chip	17	8	0.22	96	0.018	2	0.99	0.110	0.27	0.9	<0.01	1.8	0.1	1.64	3	0.8	0.4
968117	Rock Chip	20	11	0.28	143	0.038	2	1.20	0.161	0.30	0.8	<0.01	2.6	0.2	1.09	3	<0.5	<0.2
968118	Rock Chip	21	11	0.34	117	0.036	2	1.19	0.126	0.32	2.4	<0.01	2.5	0.2	1.02	3	<0.5	0.4
968119	Rock Chip	17	6	0.11	32	0.002	2	0.60	0.026	0.27	1.8	<0.01	0.9	0.1	3.90	1	1.1	0.8
968120	Rock Chip	16	8	0.17	75	0.009	2	0.76	0.083	0.25	1.9	<0.01	1.4	0.1	1.62	2	<0.5	0.5
968121	Rock Chip	22	10	0.26	110	0.025	2	0.99	0.129	0.25	3.1	<0.01	2.5	0.1	1.17	3	<0.5	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 28, 2017

Page: 3 of 3

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000730.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
968122	Rock Chip	2.78	1.4	48.8	3.2	11	<0.1	3.3	5.2	134	2.66	8.6	41.9	10.8	42	<0.1	0.3	1.0	8	1.39	0.028
968123	Rock Chip	3.39	1.2	47.8	3.5	12	<0.1	2.9	4.8	126	2.58	5.7	27.1	10.6	44	<0.1	0.3	0.9	8	1.21	0.028
968124	Rock Chip	3.11	1.5	36.9	2.8	17	<0.1	3.2	5.1	140	2.21	3.7	28.2	10.7	48	<0.1	0.3	0.6	13	0.98	0.030
968125	Rock Chip	3.15	0.9	44.3	3.1	15	<0.1	3.8	5.3	110	2.30	7.4	25.8	9.4	46	<0.1	0.7	0.9	12	0.94	0.028
968126	Rock Chip	2.61	1.1	28.8	3.2	16	<0.1	28.7	8.0	165	2.67	10.6	16.1	10.9	37	<0.1	0.5	1.1	13	1.11	0.037
968127	Rock Chip	2.57	1.2	34.1	2.8	22	<0.1	37.3	8.5	216	2.71	3.5	13.0	13.8	20	<0.1	0.6	0.9	16	1.12	0.038
968128	Rock Chip	4.13	1.1	23.1	3.1	28	<0.1	33.6	7.8	182	3.23	2.6	12.3	12.5	14	<0.1	0.8	0.6	19	0.53	0.038
968129	Rock Chip	1.94	1.3	41.0	3.2	14	<0.1	7.6	5.3	148	2.54	8.2	40.4	10.8	48	<0.1	0.6	0.9	11	1.06	0.030
968130	Rock Chip	3.20	1.2	47.0	3.2	13	<0.1	4.0	4.8	144	2.16	9.9	24.7	13.1	53	<0.1	0.7	0.7	11	1.12	0.026
968131	Rock Chip	2.24	0.9	29.7	3.3	12	<0.1	4.8	4.6	141	2.49	9.1	15.1	13.5	32	<0.1	1.0	0.7	9	0.96	0.029
968132	Rock Chip	2.85	1.7	32.5	2.8	17	<0.1	5.9	5.7	189	2.46	6.7	14.8	11.6	52	<0.1	0.5	0.6	11	1.11	0.042
968133	Rock Chip	2.70	1.3	32.1	4.4	9	<0.1	2.5	4.6	110	2.65	3.6	20.6	9.7	33	<0.1	0.7	0.8	7	1.12	0.027
968134	Rock Chip	2.30	1.0	36.2	3.8	8	<0.1	2.6	4.9	103	3.04	7.0	17.1	8.7	35	<0.1	0.6	1.0	6	1.33	0.025
968135	Rock Chip	3.06	1.0	21.2	3.6	20	<0.1	15.9	7.6	157	2.80	6.0	16.1	9.6	27	<0.1	0.9	0.8	14	1.06	0.049
968136	Rock Chip	1.83	0.8	11.9	3.1	21	<0.1	27.9	8.9	166	3.75	4.3	8.7	10.5	25	<0.1	0.6	1.6	15	1.36	0.055
968137	Rock Chip	5.21	0.8	41.8	3.9	16	<0.1	10.3	6.2	142	2.68	7.3	16.4	11.3	44	<0.1	0.4	0.9	13	1.12	0.039
968138	Rock Chip	6.06	0.9	374.4	9.6	9	0.2	6.3	6.6	135	2.73	8.0	47.3	9.8	35	<0.1	0.6	1.1	6	2.05	0.046
968139	Rock Chip	3.77	0.7	203.2	6.1	9	0.1	3.8	5.2	141	2.52	4.7	42.5	8.2	44	<0.1	0.4	0.8	7	2.09	0.031
968140	Rock Chip	3.38	1.4	124.5	5.0	19	<0.1	10.6	7.9	197	2.76	5.1	24.4	7.5	48	<0.1	0.3	0.8	28	1.58	0.051
968141	Rock Chip	5.36	2.5	49.0	3.8	18	<0.1	7.3	9.0	185	3.69	3.6	14.4	8.2	34	<0.1	0.3	0.9	25	1.41	0.042
968142	Rock Chip	3.21	0.7	26.7	4.2	18	<0.1	6.5	6.0	190	2.39	7.8	12.5	9.8	47	<0.1	0.3	0.5	17	1.32	0.037
968143	Rock Chip	4.18	0.6	18.5	3.5	13	<0.1	4.9	4.5	168	2.08	5.0	11.8	11.9	49	<0.1	0.3	0.5	12	1.32	0.032
968144	Rock Chip	4.78	0.5	20.5	2.9	18	<0.1	3.5	4.5	177	2.16	3.6	6.5	11.6	66	<0.1	0.3	0.4	15	1.04	0.022
968145	Rock Chip	5.27	0.9	29.0	2.6	9	<0.1	3.2	3.8	147	1.92	5.0	11.2	17.2	52	<0.1	0.4	0.5	8	1.44	0.026



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 28, 2017

**Page:** 3 of 3

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000730.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	TI	S	Ga	Se	Te	
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
968122	Rock Chip	18	8	0.16	65	0.009	1	0.75	0.089	0.24	3.1	<0.01	1.6	0.1	2.19	2	0.8	0.2
968123	Rock Chip	19	8	0.15	58	0.008	<1	0.82	0.104	0.22	6.7	<0.01	1.8	0.1	2.13	2	0.8	<0.2
968124	Rock Chip	21	9	0.22	117	0.021	<1	1.05	0.134	0.24	1.7	<0.01	2.4	0.1	1.40	3	<0.5	<0.2
968125	Rock Chip	24	7	0.26	67	0.011	1	1.06	0.113	0.21	2.1	<0.01	2.2	0.1	1.68	3	0.5	0.2
968126	Rock Chip	21	27	0.56	51	0.009	1	0.86	0.043	0.27	1.7	<0.01	1.9	0.1	2.05	3	1.0	0.3
968127	Rock Chip	24	36	0.56	91	0.024	<1	0.93	0.022	0.35	5.3	<0.01	2.7	0.2	1.74	3	<0.5	<0.2
968128	Rock Chip	28	40	0.61	80	0.051	<1	1.01	0.025	0.45	4.5	<0.01	2.9	0.3	2.13	4	1.0	<0.2
968129	Rock Chip	26	12	0.26	78	0.009	<1	0.99	0.117	0.21	2.0	<0.01	1.9	0.1	1.78	3	<0.5	<0.2
968130	Rock Chip	22	9	0.23	93	0.014	1	1.05	0.141	0.22	5.9	<0.01	1.8	0.1	1.39	3	<0.5	<0.2
968131	Rock Chip	20	7	0.25	107	0.011	<1	0.84	0.073	0.22	7.3	<0.01	1.5	0.1	1.83	2	0.7	<0.2
968132	Rock Chip	18	13	0.41	94	0.036	1	1.19	0.126	0.29	2.6	<0.01	2.6	0.2	1.35	3	0.6	<0.2
968133	Rock Chip	18	7	0.19	75	0.007	1	0.73	0.079	0.19	1.2	<0.01	1.7	0.1	2.25	2	<0.5	<0.2
968134	Rock Chip	23	6	0.20	39	0.002	1	0.76	0.062	0.20	4.4	<0.01	1.1	<0.1	2.83	2	1.6	0.2
968135	Rock Chip	30	19	0.56	89	0.011	1	1.32	0.044	0.28	1.7	<0.01	2.1	0.2	1.79	4	0.7	<0.2
968136	Rock Chip	29	24	0.53	55	0.011	<1	1.15	0.027	0.29	1.0	<0.01	2.3	0.1	2.90	4	1.6	<0.2
968137	Rock Chip	25	12	0.37	87	0.016	<1	1.17	0.113	0.25	1.3	<0.01	2.7	0.2	1.83	4	0.9	0.2
968138	Rock Chip	23	7	0.22	58	0.002	<1	0.89	0.038	0.22	1.0	<0.01	1.3	0.1	2.41	3	0.8	0.2
968139	Rock Chip	19	6	0.28	64	0.002	1	1.01	0.065	0.18	1.1	<0.01	1.9	0.1	2.00	3	1.0	<0.2
968140	Rock Chip	17	16	0.65	58	0.044	1	1.31	0.078	0.33	3.6	<0.01	3.2	0.2	1.63	4	0.9	<0.2
968141	Rock Chip	17	13	0.54	39	0.027	<1	1.06	0.058	0.30	0.6	<0.01	3.7	0.2	2.86	3	1.6	<0.2
968142	Rock Chip	22	12	0.42	154	0.042	<1	1.24	0.112	0.30	0.9	<0.01	2.8	0.2	1.17	4	<0.5	<0.2
968143	Rock Chip	23	9	0.28	136	0.024	<1	1.05	0.109	0.27	0.8	<0.01	2.0	0.2	1.15	3	<0.5	<0.2
968144	Rock Chip	19	7	0.29	124	0.048	<1	1.31	0.189	0.29	0.3	<0.01	2.3	0.2	1.12	4	0.7	<0.2
968145	Rock Chip	21	7	0.19	93	0.008	<1	0.87	0.113	0.21	6.3	<0.01	2.1	0.1	1.33	2	0.8	<0.2





Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** Mincord Exploration Consultants Ltd.  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

**Project:** Canadian Creek  
**Report Date:** September 28, 2017

Page: 1 of 1

Part: 1 of 2

# QUALITY CONTROL REPORT

WHI17000730.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
968093	Rock Chip	7.45	1.6	53.7	4.9	18	0.1	6.8	4.9	137	2.21	36.2	19.2	20.0	6	0.1	2.0	5.1	7	0.17	0.029
REP 968093	QC		1.6	53.8	5.1	20	0.1	7.1	5.0	135	2.21	36.6	22.8	20.7	6	0.2	2.1	5.5	7	0.17	0.029
968102	Rock Chip	2.08	1.9	51.1	7.0	15	<0.1	6.0	2.3	84	1.41	14.3	57.5	18.3	9	<0.1	1.9	0.9	5	0.04	0.020
REP 968102	QC		1.8	52.3	7.2	15	<0.1	5.8	2.4	88	1.42	14.1	63.2	18.6	9	<0.1	1.9	0.9	6	0.04	0.022
968134	Rock Chip	2.30	1.0	36.2	3.8	8	<0.1	2.6	4.9	103	3.04	7.0	17.1	8.7	35	<0.1	0.6	1.0	6	1.33	0.025
REP 968134	QC		1.0	36.8	3.7	8	<0.1	2.7	5.0	104	2.98	6.8	28.3	8.6	34	<0.1	0.6	1.0	6	1.31	0.025
Core Reject Duplicates																					
968123	Rock Chip	3.39	1.2	47.8	3.5	12	<0.1	2.9	4.8	126	2.58	5.7	27.1	10.6	44	<0.1	0.3	0.9	8	1.21	0.028
DUP 968123	QC		1.4	46.9	3.7	12	<0.1	3.1	4.7	131	2.57	5.2	36.7	10.8	44	<0.1	0.3	0.9	8	1.22	0.029
Reference Materials																					
STD DS11	Standard		14.6	144.2	132.2	343	1.6	75.8	13.0	1042	3.04	43.3	117.3	7.7	67	2.4	8.7	11.3	50	1.04	0.069
STD DS11	Standard		14.2	151.9	141.1	341	1.7	78.5	13.7	992	3.12	42.7	67.9	8.0	70	2.4	9.5	12.1	50	1.02	0.071
STD DS11	Standard		13.9	146.7	133.4	335	1.8	76.7	13.3	1000	3.15	44.9	84.0	7.5	74	2.4	9.7	11.8	47	1.04	0.071
STD OXC129	Standard		1.4	25.9	5.9	40	<0.1	77.8	19.2	413	2.98	0.7	211.9	1.8	183	<0.1	<0.1	<0.1	53	0.66	0.092
STD OXC129	Standard		1.3	27.2	6.1	38	<0.1	77.1	19.8	400	2.93	<0.5	185.5	1.8	182	<0.1	<0.1	<0.1	52	0.64	0.092
STD OXC129	Standard		1.3	26.3	6.3	44	<0.1	75.3	19.1	403	2.98	<0.5	196.0	1.8	200	<0.1	<0.1	<0.1	48	0.67	0.102
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD DS11 Expected			14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-WHI	Prep Blank		0.8	6.9	1.2	36	<0.1	1.6	4.3	545	1.78	1.5	1.5	2.4	24	<0.1	0.1	<0.1	22	0.57	0.041
ROCK-WHI	Prep Blank		0.6	3.8	1.0	40	<0.1	1.5	3.6	589	1.72	1.1	2.4	2.2	23	<0.1	<0.1	<0.1	21	0.73	0.040



Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client: Mincord Exploration Consultants Ltd.**  
110 - 325 Howe St.  
Vancouver British Columbia V6C 1Z7 Canada

Project: Canadian Creek  
Report Date: September 28, 2017

Page: 1 of 1

Part: 2 of 2

# QUALITY CONTROL REPORT

WHI17000730.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
968093	Rock Chip	30	12	0.18	67	0.009	3	0.72	0.035	0.23	2.2	0.01	1.9	0.2	1.32	3	0.6	1.2
REP 968093	QC	31	12	0.19	70	0.009	5	0.73	0.036	0.24	2.2	<0.01	2.1	0.2	1.33	3	0.8	1.5
968102	Rock Chip	20	10	0.08	39	0.007	2	0.48	0.027	0.18	2.2	<0.01	1.1	0.1	0.07	2	<0.5	<0.2
REP 968102	QC	20	10	0.07	40	0.007	2	0.47	0.027	0.18	2.0	<0.01	1.1	0.1	0.08	2	<0.5	<0.2
968134	Rock Chip	23	6	0.20	39	0.002	1	0.76	0.062	0.20	4.4	<0.01	1.1	<0.1	2.83	2	1.6	0.2
REP 968134	QC	22	6	0.19	45	0.002	<1	0.73	0.061	0.19	4.5	<0.01	1.0	<0.1	2.83	2	1.1	<0.2
Core Reject Duplicates																		
968123	Rock Chip	19	8	0.15	58	0.008	<1	0.82	0.104	0.22	6.7	<0.01	1.8	0.1	2.13	2	0.8	<0.2
DUP 968123	QC	20	8	0.16	66	0.009	1	0.83	0.105	0.22	7.6	<0.01	1.7	0.1	2.08	2	0.8	<0.2
Reference Materials																		
STD DS11	Standard	17	59	0.83	342	0.097	8	1.15	0.072	0.40	3.4	0.26	3.2	4.5	0.28	5	2.1	4.5
STD DS11	Standard	19	59	0.85	377	0.095	7	1.15	0.071	0.40	3.0	0.27	3.2	4.9	0.28	5	2.5	4.9
STD DS11	Standard	19	56	0.83	387	0.094	7	1.16	0.072	0.40	3.3	0.27	3.3	4.9	0.27	5	2.4	4.5
STD OXC129	Standard	12	52	1.53	52	0.409	2	1.53	0.579	0.37	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	51	1.49	48	0.383	1	1.49	0.566	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	48	1.47	50	0.373	2	1.50	0.583	0.36	0.1	<0.01	0.9	<0.1	<0.05	6	0.5	<0.2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI	Prep Blank	6	6	0.48	57	0.080	3	0.87	0.072	0.08	3.9	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	6	6	0.47	51	0.077	2	0.85	0.068	0.08	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2

LOGISTICAL REPORT  
MAGNETOMETER SURVEY  
CANADIAN CREEK PROPERTY, DAWSON CITY AREA, YT

on behalf of

CARIBOO ROSE RESOURCES LTD.  
Suite 110 – 325 Howe Street  
Vancouver, BC V6C 1Z7

Survey performed: July 8-28 2017

by

Brad Scott, Geologist (GIT)  
SCOTT GEOPHYSICS LTD.  
4013 West 14<sup>th</sup> Avenue  
Vancouver, BC V6R 2X3

September 7, 2017

## TABLE OF CONTENTS

1	Introduction	page 1
2	Survey coverage and procedures	1
3.	Personnel	2
4.	Instrumentation	2

### Appendix

Statement of Qualifications	rear of report
Accompanying Maps (1:5,000 scale)	CD-ROM
Total field magnetometer contour plan (UTM coordinates)	
Stacked magnetometer profiles (idealized grid coordinates)	

### Accompanying Data Files

One (1) CD-ROM with all survey data and plots in Surfer 13 and pdf formats	rear of report
--	----------------

## 1. INTRODUCTION

A Total field magnetometer (mag) survey was performed at the Canadian Creek property, Dawson City area, YT within the period July 8-28, 2017. In addition, non-differential GPS readings were taken at regular intervals, subject to satellite reception.

The survey was performed by Scott Geophysics Ltd. on behalf of Cariboo Rose Resources Inc. This report describes the instrumentation and procedures, and presents the results of the survey.

## 2. SURVEY COVERAGE AND PROCEDURES

Total field magnetometer readings were routinely taken at 12.5 metre intervals (reduced to 5 metre intervals in areas with a steep magnetic gradient) and corrected for diurnal variation against a fixed base station cycling at 10 second intervals.

A total of 102.4295 kilometres of mag survey were performed.

The survey results are presented on the accompanying profiles and plan maps. All survey data are archived to the accompanying CD-ROM.

### 3. PERSONNEL

Lise Gagnon was the representative on behalf of Scott Geophysics Ltd. Bob Johnston was the representative on behalf of Cariboo Rose Resources Inc.

### 4. INSTRUMENTATION

Scintrex ENVI proton precession magnetometer were used as the both the field and base units for the magnetometer survey.

GPS readings were taken with a Garmin GPSMap GPS receiver.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read 'Brad Scott', written in a cursive style.

Brad Scott, Geologist (GIT)

Statement of Qualifications

for

Brad Scott, Geologist (GIT)

of

1230 Harrison Way,  
Gabriola, BC V0R 1X2

I, Brad Scott, hereby certify the following statements regarding my qualifications and involvement in the program of work on behalf of Cariboo Rose Resources Inc. at the Canadian Creek property, Dawson City area, YT as presented in this report.

The work was performed by individuals trained and qualified for its performance.

I have no material interest in the property under consideration in this report.

I graduated from the University of British Columbia with a Bachelor of Science degree (Geology) in 2000.

I am a member-in-training of the Association of Professional Engineers and Geoscientists of the Province of British Columbia.

I have been practising my profession in the field of Mineral Exploration since 2000.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Brad Scott', with a stylized flourish at the end.

Brad Scott