

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND SOIL GEOCHEMICAL SAMPLING

Field work performed from June 9 to 15, 2018

at the

CONVERT PROPERTY

Convert 1-78 YF72891-YF72968

located at

NTS 105B/05

Latitude 60°18'N; Longitude 131°41'W

in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

K. Willms, B.Sc., GIT

February 2019

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
REGIONAL MINERALIZATION	7
MINERALIZATION	7
SOIL GEOCHEMISTRY	9
DIAMOND DRILLING	10
DISCUSSION AND CONCLUSIONS	11
REFERENCES	13

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3A	Historical Work Areas	1
3B	Historical Work Areas – Detailed	1
4	Tectonic Setting	3
5	Regional Geology	4
6	Property Geology	5
7	2018 Rock Sample Locations	7
8	Silver Rock Geochemistry	7
9	Lead Rock Geochemistry	7
10	Zinc Rock Geochemistry	7
11	Soil Sample Locations	9
12	Silver Geochemistry	9
13	Lead Geochemistry	9
14	Zinc Geochemistry	9
15	Copper Geochemistry	9
16	Nickel Geochemistry	9

TABLES

<u>No.</u>	<u>Description</u>	<u>Page</u>
I	Lithological Units	4
II	Soil Geochemical Thresholds and Peak Values	9

INTRODUCTION

The Convert property covers silver-lead-zinc±gold-bearing volcanogenic massive sulphide (VMS), vein and skarn prospects located in south-central Yukon Territory. It is wholly owned by Strategic Metals Ltd.

This report describes geological mapping, prospecting and soil geochemical sampling completed from June 9 to 15, 2018 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author participated in the program and interpreted all results from the work. The author's Statement of Qualifications is provided in Appendix I. A Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Convert property is located in southeastern Yukon at latitude 60°18' north and longitude 131°41' west on NTS map sheet 105B/05 (Figure 1). It comprises 78 contiguous quartz claims that cover an area of approximately 1630 hectares (16.3 km²). All of the claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Convert 1-78	YF72891-YF72968	March 21, 2024

* Expiry dates include 2018 work that has been filed for assessment credit.

The property is situated 54 km east of Teslin, a village that lies alongside the Alaska Highway approximately 183 km by road east-southeast of Whitehorse. The closest ground access to the Convert property is an old bulldozer trail that ends 14 km to the south. In 2018, the crew accessed the property using a Bell 206L Long Ranger helicopter operated by Capital Helicopters (1995) Inc. of Whitehorse from a gravel pit off the Alaska Highway near the Morley River.

The property is located in the traditional territory of the Teslin Tlingit Council, which has completed land agreements with Canada and Yukon. Neither the property nor access routes overlie first nation settlement lands.

HISTORY AND PREVIOUS WORK

Reconnaissance- and property-scale geochemical surveys conducted in the area of the claims, intermittently between 1970 and 1995, outlined strongly anomalous values for VMS indicator metals (copper, lead, zinc, silver, barium, cobalt, nickel, arsenic, bismuth, manganese and iron). Exploration has mainly focused on VMS potential; however, high-grade silver-lead-zinc±gold quartz veins and skarn mineralization have also been discovered. Historical work areas are found on Figures 3A and 3B.

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION


CONVERT PROPERTY




FILE: ../2018/CONVERT

DATE: DECEMBER 2018

- Major roads and highways
- Community
- Parks and protected areas



CONVERT PROPERTY



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W

STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


CLAIM LOCATIONS

CONVERT PROPERTY


UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W



Soil geochemical grid

Area of diamond drilling and ground geophysical surveys

Showing referred to in text

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


HISTORICAL WORK AREAS

CONVERT PROPERTY

0 UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m 2.8

kilometers

FILE: ...2018/CONVERT DATE: February 2019



- | | | |
|-------|----------------------------------|--|
| A | Zinc-in-soil geochemical anomaly | Rock Samples |
| ● | Ferrite kill zone | ★ ¹ 2.73% Pb, 0.70% Zn, 52.0 g/t Ag |
| ○ | 1997 diamond drill hole | ★ ² 12.30% Pb, 4.09% Zn, 411 g/t Ag |
| ○ | 2007 diamond drill hole | ★ ³ 0.92% Zn, 8.3 g/t Ag |
| ↘ | Foliation orientation | |
| ~ | Fault trace | |
| - - - | Geological contact, inferred | |
| — | Barite | |

STRATEGIC METALS LTD.

FIGURE 3B
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HISTORICAL WORK AREAS - DETAILED

CONVERT PROPERTY

0 500 1500 m

NAD 83 / UTM ZONE 9

FILE: 2018\Convert DATE: FEBRUARY 2019

In 1971, Archer Cathro conducted regional-scale exploration in the area of the Convert property on behalf of the Wolf Lake Joint Venture. This work identified soil geochemical anomalies and scattered mineralization; however, no claims were staked (Archer and Cathro, 1971).

In the late 1970s, reconnaissance-scale stream sediment sampling was conducted in the area by the Geological Survey of Canada (GSC) (Hornbrook, 1980). The sampling was done at an approximate density of one sample per 13 km² and samples were analyzed for 20 elements. No samples were taken from creeks draining the Convert claims.

In 1988 geologists from Archer Cathro revisited the area and discovered a prominent gossan that is naturally devoid of vegetation (a “kill zone”) (Target B on Figure 3A). Soil samples collected from the kill zone yielded strongly anomalous multi-element values, but again no claims were staked.

In 1995, Nordac Resources Ltd. (the predecessor to Strategic Metals) staked the historical Convert claims, which were centred on the gossan discovered in 1988, and carried out soil and stream sediment geochemical surveys along with minor geological mapping. The geochemical surveys outlined strongly anomalous values for copper, lead, zinc, silver, barium, cobalt, nickel, arsenic, bismuth, manganese and iron over a two kilometre long, northerly-trending area (Carne, 1996). The strongest values occurred immediately around ferricrete kill zones. A sample of ferricrete returned 3280 ppm zinc, 1585 ppm copper, 1780 ppm cobalt, 1100 ppm nickel, 1440 ppm barium and 345 ppm gold. Following this work, an additional 20 claims were staked to the southeast.

In 1996, Nordac Resources staked additional claims and conducted grid soil sampling, prospecting and geological mapping at four areas containing anomalous soil and silt values identified by previous reconnaissance sampling programs (Wengzynowski, 1997). Eight target areas (Targets A to H) were outlined during the program, four of which (A to D) are on the current property. At Target C, a sample of skarn float returned 4.83% zinc, 5.37% lead, 69 g/t silver and 20 ppb gold. Airborne and ground magnetic and electromagnetic geophysical surveys were also performed.

In 1997, Nordac Resources conducted a program of soil geochemical sampling, prospecting and diamond drilling. At Target B, a total of 933 m of diamond drilling was completed in six holes to test for VMS mineralization. The holes intersected interlayered metavolcanic and metasedimentary rocks that exhibited alteration indicative of a distal VMS setting. The best grades were from a 4.92 m interval of chloritized felsic tuff that averaged 1.71% zinc and 5.74 g/t silver, including a 0.60 m section that assayed 9.14% zinc and 25.6 g/t silver (Wengzynowski, 1998). Follow up prospecting near Target B also discovered three showings. A talus boulder from one of the showings returned 52 g/t silver, 2.73% lead and 0.70% zinc.

In 2005, Strategic Metals (formerly Nordac Resources) performed prospecting and hand pitting in the area of Targets A and B. At Target B, an exhalative sequence capped by multiple thin barite horizons was discovered. Prospecting at Target A exposed wispy foliaform galena and sphalerite in locally derived talus, which yielded 12.3% lead, 4.09% zinc, 411 g/t silver and 283 ppm copper across 10 cm. Nearby hand pits within a gossan exposed dark red stratified

ferricrete, sericitized schist and phyllite, which yielded up to 8.3 g/t silver, 0.92% zinc, 0.09% cobalt and 0.11% nickel. Two additional showings were discovered near Target A, which comprise semi-massive sphalerite, anglesite-coated galena and pyrrhotite within a calc-silicate altered band. A 10 cm chip sample across this band assayed 6.41% zinc, 3.5 g/t silver and 0.63 g/t gold (Wengzynowski, 2006).

In 2006, Strategic Metals conducted a helicopter-borne VTEM and magnetic survey, which were centred on Targets A and B. Details from this survey can be found in the 2007 Convert Assessment Report (Wengzynowski, 2007).

In 2007, the Convert property was purchased by Zinccorp Resources Inc. from Strategic Metals. Later that year, Zinccorp completed 479 m of diamond drilling in three holes at Targets A and B. Two holes were terminated before their target depths due to poor ground conditions. All holes returned low values for all elements of interest (Wengzynowski and Núñez, 2008). No further work was completed on the Convert property and the claims were allowed to lapse.

In 2018, Strategic Metals staked the current Convert 1-78 claims.

GEOMORPHOLOGY

The property lies along the northwestern flank of the Cassiar Mountains in southeastern Yukon. It is drained by south-flowing creeks that join the Morley River, which is part of the Yukon River watershed.

Terrain on the property is gentle to moderate with elevations ranging from 950 m in the southern part of the property to 1550 m in the northern part of the claim block. The property was covered by Pleistocene ice sheets and glacial features are common.

Treeline in the Convert area is at about 1450 m. Most of the property is densely vegetated. Lower elevations consist mainly of thick willow along creeks and in marshes, with black spruce, pine or alder on hillsides. Higher elevations are predominantly covered by buckbrush, grass and moss. Outcrop is largely limited to cliffs in forest and alpine settings. Felsenmeer and talus mantles slopes and localized upland plateaus.

REGIONAL GEOLOGY

The Convert property is located within the Yukon-Tanana Terrane (YTT), which represents a continental arc that developed along the ancient Pacific margin of North America from Late Devonian to Permian (Figure 4). The segment of YTT containing the property is bounded by the Tintina Fault, 100 km to the northeast, and the Teslin Fault, 50 km to the southwest. Both faults are steeply dipping transcurrent structures that have seen extensive dextral strike-slip offset (De Keizjer *et al.*, 2000).

Geology on the Wolf Lake map sheet was mapped at 1:250,000 scale in the 1950s and 1970s by the GSC (Poole *et al.*, 1960, and Tempelman-Kluit, *et al.*, 1976). In 2004, the area in the immediate vicinity of the property was remapped at 1:50,000 scale by the Yukon Geological

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING

CONVERT PROPERTY

FILE: P:/2018/CONVERT

DATE: FEBRUARY 2019

After Colpron, M. and Nelson, J.L., 2011




Survey (YGS) (Roots et al, 2004). Recent mapping by the YGS has updated the geological units and stratigraphy underlying the property (YGS, 2018). The main lithological units are described below in Table I, while regional geology is shown on Figure 5.

Table I: Lithological Units (*after YGS, 2018*)

Unit Name	Age	Map Name	Description
Seagull Suite	Cretaceous	mKqS	Fine to medium-grained equigranular biotite (\pm muscovite) leucogranite to monzogranite; variable textures and grain-sizes; locally partially developed rapakivi; minor stocks of lepidolite-albite-topaz leucogranite with fluorite. (Seagull Batholith).
Long Lake Suite	Early Jurassic	EJgL	Intermediate granitoid rocks; medium to coarse-grained, massive to weakly foliated biotite-hornblende granodiorite, with local K-feldspar megacrysts. (Dorsey Pluton).
Jones Lake Formation	Upper to Middle Triassic	TrJ1	Dark grey and brown fine-grained siliciclastic rocks; brown to buff weathering, calcareous siltstone, shale and fine sandstone, commonly finely cross-laminated and locally bioturbated.
Sulphur Creek Suite	Permian	PgS	Variably foliated granitoids of intermediate composition; granodiorite and quartz-monzonite. (Ram Stock).
Klinkit Group	Mississippian to Pennsylvanian	CK1	Mafic to intermediate metavolcanic and metavolcanic rocks; minor alkali metabasalt; marble; minor felsic metavolcanic rocks, quartz-muscovite schist.
Finlayson Group	Upper Devonian to Mississippian	DMF1	Assemblage of mafic metavolcanic rocks of arc and back-arc affinities; medium to dark green intermediate to mafic volcanic and volcanoclastic rocks; fine-grained amphibolite and greenstone.
Snowcap Assemblage	Devonian	PDS1	Assemblage of dominantly metasiliciclastic rocks; polydeformed and metamorphosed quartzite, psammite, pelite and marble; minor greenstone and amphibolite.
		PDS3	Assemblage of dominantly mafic metavolcanic rocks; medium to coarse-grained amphibolite, commonly garnet-bearing; greenstone; minor marble.

Regional mapping shows the Convert property is dominantly underlain by metavolcanic rocks belonging to the Finlayson Group. In the eastern corner of the property, metasiliciclastic and metavolcanic basement rocks of the Snowcap Assemblage are exposed. Snowcap Assemblage rocks are thrust to surface along the D'abbadie Thrust Fault, located roughly four kilometres to



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W

6,695,000
 6,690,000

- Mesozoic**
- mKqS: SEAGULL SUITE: Fine to medium-grained biotite leucogranite to monzogranite; variable textures and grain-sizes; locally partially developed rapakivi. (Seagull Bahtolith)
 - EJgL: LONG LAKE SUITE: massive to weakly foliated biotite-hornblende granodiorite, with local K-feldspar megacrysts. (Dorsey Pluton)
- Paleozoic**
- PgS: SULPHUR CREEK: Variably foliated hornblende-biotite-bearing granite; granodiorite and quartz-monzonite (Ram Stock).
 - CK1: KLINKIT: Mafic to intermediate metavolcaniclastic and metavolcanic rocks; minor alkali metabasalt; marble; felsic metavolcanics; quartz-muscovite schist.
 - DMF1: FINLAYSON: Medium to dark green intermediate to mafic volcanic and volcanoclastic rocks; fine-grained amphibolite and greenstone.
- Paleozoic to Neoproterozoic**
- PDS1: SNOWCAP: Polydeformed and metamorphosed quartzite, psammite, pelite and marble; minor greenstone and amphibolite.
 - PDS3: SNOWCAP: Medium to coarse grained amphibolite, commonly garnet-bearing; greenstone; minor marble.

STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

CONVERT PROPERTY

UTM ZONE 9, NAD 83, 105B/05

0 5
 kilometers

FILE: ...2018/CONVERT DATE: February 2019

the east, forming a north-trending belt within Finlayson Group rocks. To the west of the property, metavolcanic and metasedimentary rocks of the Klinkit Group are present.

All of the above units are intruded by plutons, stocks and plugs belonging to the Seagull, Sulphur Creek and Long Lake suites, respectively. The Dorsey Pluton (Long Lake) and Ram Stock (Sulphur Creek) lie to the east of the property.

PROPERTY GEOLOGY

Property-scale mapping has been conducted on the property since 1995. Geological mapping between 1995 and 1997 was conducted by Nordac Resources. Work in 2018 was focused in the western part of the property, in the area of Target C. The following geological descriptions are compiled from current and historical work programs. Property geology from this compilation is shown on Figure 6.

Eight lithological units have been identified by detailed mapping on and near the property. Lithologies and structural geology are described below.

Lithologies


Felsic metavolcanics

Quartz-feldspar-muscovite±biotite grit is found south of the Morley River. It is tan to yellow and weakly to moderately foliated. Quartz forms between 20 and 40% of the grit and it typically exhibits sucrosic textures. Pitting is common, likely resulting from feldspar weathering to clay. This unit is not been identified on the current Convert claims.

Quartz-muscovite±biotite±chlorite schist is abundant in the north-central and western parts of the property. This unit is common in drill core. The schist is well foliated and varies from tan to pale green to green with white bands. Quartz is the main mineral ($\geq 30\%$) and commonly forms eyes up to 2 mm across. Muscovite, biotite and chlorite define well developed foliation. Individual horizons within this unit vary from non-calcareous to moderately calcareous and occasionally contain minor graphite.

Silica Exhalite

Chert is most abundant in the north-central part of the property and locally found in the western part of the property. The chert is: interbedded with quartz-muscovite±biotite±chlorite; moderately banded; white, grey or tan; and, thickly to thinly laminated. Muscovite content varies from 0 to 20% and in places this unit grades to quartz-muscovite schist. Minor pyrite and hematite parallel foliation in several areas while magnetite and graphite laminae are observed in float boulders. This unit is interpreted to be a silica-rich exhalite.



PLUTONIC SUITES

- Biotite granite, granodiorite, leuco-quartz monzonite, alaskite.
- Non-foliated, K-feldspar porphyritic granodiorite and monzonite

UNDIFFERENTIATED FINLAYSON GROUP

- Felsic metavolcanic-metasedimentary; quartz-muscovite-sericite schist, muscovite phyllite, chert-quartzite.
- Felsic metavolcanic; quartz-muscovite-sericite schist, chlorite schist, muscovite phyllite.
- Silica exhalite; chert-rhyolite, muscovite-quartz phyllite
- Ferricrete zone
- Barite

DORSEY COMPLEX

- Hornblende schist and gneiss
- Biotite +/- garnet schist, quartz meta grit
- Mafic pyroxene(?)

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**PROPERTY GEOLOGY
CONVERT PROPERTY**

UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m



FILE: ...2018/CONVERT

DATE: February 2019

Other Stratified Units

Minor, localized exposures of limestone have been noted in the southeastern and western parts of the property. These units are grey to white, weathering to buff colour, and thinly bedded. Disseminated pyrite is present in minor quantities.

Andesite is found in the western part of the property. It is green, weathers to grey and orange, aphanitic and moderately foliated. It is generally strongly fractured and contains foliaform quartz-carbonate veins and crosscutting veinlets. Trace pyrite is present in some outcrops. This unit is either part of an andesitic intrusion, breccia and tuff unit or is a folded layer of volcanic fragmental belonging to the Klinkit Group.

Intrusive Rocks

Peridotite occurs in the southwest part of the property and also outcrops at one local in the north. It occurs as interbeds within quartz-muscovite±biotite±chlorite schist. The rocks are greenish black, moderately to strongly serpentinized and weakly to moderately magnetic. Narrow discontinuous bands of chrysotile ($\leq 1\text{mm}$) are present in some float boulders.

Greenstone has been mapped exclusively in the drill area. This unit is medium grained, olive green and strongly calcareous. It is dominantly composed of chlorite, quartz and carbonate with 2 to 3 mm wide carbonate veinlets, and appears to form roughly one-metre wide dykes with sharp, irregular contacts.

Granodiorite is tan, non-foliated and grey to white, generally blocky weathering. It locally weathers to fine, uniformly pebbly-sized rubble where feldspar is dominant. Composition is variable, ranging from granite to hornblende diorite. A granitic batholith has been mapped along the northwestern edge of the property, while an elongate stock of porphyritic granodiorite is situated along the eastern property boundary. Smaller dykes and sills outcrop to the southeast of the property.

Structure

Property-scale faults are observed both subparallel and parallel to foliation. Displacement on the faults is not known. Characteristic features include brecciation and slickensides at surface and gouge zones in drill core. At least some of the property-scale faults are likely related to the Hidden Creek Fault and the Ram Creek Fault, which are regional-scale thrusts that follow the same orientation as the D'abbadie thrust fault.

Outcrop-scale folds occur throughout the property. These are generally high amplitude structures. Deformation fabrics are well developed in outcrops and drill core. Phase 1 deformation is indicated by foliation, which strikes northwesterly and usually dips moderately to the southwest. Phase 2 deformation is defined by slaty cleavage that is only observed in drill core. Angles between the two planar features range from 0 to 40°. Relict bedding is rarely preserved but, where present, is roughly parallel to foliation. Quartz±carbonate veins, veins and veinlets are common in all units, except the granodiorite.

REGIONAL MINERALIZATION

A total of 109 mineral occurrences have been reported within the Yukon-Tanana Terrane and adjacent Cassiar Platform rocks, on NTS map sheet 105 B (YGS, 2018). Hydrothermal fluids related to the formation of silver-bearing mineral occurrences are often genetically associated with Mid-Cretaceous igneous activity. The distribution of the lead-zinc-silver occurrences, however, is largely controlled by structural features and proximity to chemically reactive or brittle lithologies.

The most significant discoveries in this region to date are vein and replacement-type mineralization at the Silvertip Mine and Logan and Silver Hart deposits. The Silvertip Mine is a manto-chimney style carbonate replacement deposit (CRD) of Devonian age located approximately 90 km to the southeast of the Convert property. It has a drill indicated resource of 2.59 million tonnes grading 291 g/t silver, 6.74% lead and 9.41% zinc (Couer Mining, 2017). At the Logan Deposit, vein and shear hosted mineralization occur within the Cretaceous Marker Lake Batholith. In 2004, Yukon Zinc Corporation released an inferred mineral resource of 13.1 million tonnes grading 5.10% zinc and 23.7 g/t silver (Hatch, 2004). The Silver Hart Deposit consists of several high grade silver-bearing veins cutting Cassiar Platform sediments and Cretaceous granitic rocks related to the Cassiar Batholith. These veins reportedly contain 1,240,000 ounces of silver (McCallum and Gorham, 2010).


The most noteworthy VMS deposits in southern Yukon (Kudz Ze Kayah and Wolverine deposits) lie approximately 110 km northeast of the Convert property, within the Finlayson Lake District. The Kudz Ze Kayah Deposit has an inferred resource of 19.2 Mt at 6.3% zinc, 1.9% lead, 0.9% copper, 148 g/t silver and 1.4 g/t gold (BMC Minerals, 2016). The Wolverine deposit has a measured and indicated resource of 4.46 Mt at 12.14% zinc, 1.16% copper, 1.58% lead, 354.8 g/t silver and 1.70 g/t gold (Yukon Zinc Corp., 2013).

MINERALIZATION


At the Convert property, VMS, vein and skarn mineralization have been discovered at Targets A, B and C. In 1997 and 2007, Targets A and B were partially tested by diamond drilling. Systematic prospecting has been conducted in various parts of the property, with a focus on Targets A and B.

In 2018, Strategic Metals collected 20 rock samples from western part of the property, around the area of Target C. Prospecting was designed to follow up high-grade soil geochemical results and locate historical soil pits that reportedly yielded high-grade zinc values. Rock sample locations are shown on Figure 7. Thematic results for silver, zinc and lead, where available, are shown on Figures 8 to 10, respectively.

The 2018 rock sample sites were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Sample preparation and multi-element analyses for 2018 rock samples were carried out at ALS Minerals' laboratories in Whitehorse, Yukon and North Vancouver, BC, respectively. Each sample was dried and fine crushed to better than 70% passing 2 mm, and then a 250 g split was pulverized to



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W



STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


2018 ROCK SAMPLE LOCATIONS

CONVERT PROPERTY


UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W



Silver-in-rock (ppm)

- 50 to 411
- 20 to 50
- 10 to 20
- 5 to 10
- 2 to 5
- 0 to 2

- 2018 rock sample
- ▲ Historical rock sample

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


SILVER ROCK GEOCHEMISTRY

CONVERT PROPERTY


UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W



Lead-in-rock (ppm)

■	1,000 to 123,000
■	500 to 1,000
■	200 to 500
■	100 to 200
■	50 to 100
■	0 to 50

■ 2018 rock sample
 ▲ Historical rock sample

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


LEAD ROCK GEOCHEMISTRY

CONVERT PROPERTY


UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019



True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W



Zinc-in-rock (ppm)

- 1,000 to 40,900
- 200 to 500
- 100 to 200
- 50 to 100
- 0 to 50
- all others

- 2018 rock sample
- ▲ Historical rock sample

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC ROCK GEOCHEMISTRY

CONVERT PROPERTY

UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019

better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). For all of the samples, an additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma and atomic emission spectroscopy finish (Au-ICP21). Further overlimit values for zinc were determined by inductively coupled plasma-atomic emission spectroscopy (Zn-OG46). Rock Sample Descriptions and Certificates of Analysis are provided in Appendices III and IV, respectively.

Rock sampling in 2018 was conducted during prospecting and geological mapping traverses. Mineralized showings on the Convert property are described in the following paragraphs.

Target A is located in the north-central part of the property. The area is well vegetated with sparse outcrop. Detailed prospecting and hand pitting exposed wispy foliaform galena and sphalerite in talus. A chip sample from the talus yielded 12.3% lead, 4.09% zinc and 411 g/t silver across 10 cm (Wengzynowski, 2006). Numerous blocks of silica exhalite containing clots and disseminations of sphalerite were found nearby and bands of massive barite were discovered about 75 m up-section. Two additional showings near Target A comprise semi-massive sphalerite, anglesite-coated galena and pyrrhotite within a calc-silicate altered band. A 10 cm chip sample across this band assayed 6.41% zinc, 3.5 g/t silver and 0.63 g/t gold. A ferricrete kill zone is located roughly 1000 m to the south. The ferricrete kill zone, which is located downhill and along strike from the showing, is enriched in iron, zinc, cobalt, nickel, manganese and barium. This area was the focus of the 2007 diamond drill program.

Target B lies 1000 m north of Target A, and is within the same stratigraphic section. It occurs within a section of metamorphosed felsic volcanic rocks that are capped by a thick silica exhalite horizon containing narrow, intermittent, bands of nearly massive barite. It is centred on the discovery kill zone, a 75 by 50 m unvegetated area covered by a thick layer of iron oxide. The area around the kill zone is heavily vegetated and outcrop is rare. Prospecting found scattered barite float and a 30 cm in diameter boulder of silica-muscovite exhalite that contains fine laminations of galena, honey brown sphalerite and lesser pyrite. A rock sample from this boulder returned 52 g/t silver, 2.73% lead and 0.70% zinc (Wengzynowski, 2005). This area was the focus of the 1997 diamond drill program.

Target C is located roughly 3500 m west of Target A. The area is densely vegetated and only sparse outcrop is present. The showing consists of calc-silicate skarn float with magnetite and sulphide minerals. A specimen of skarn, with up to 20% combined magnetite, sphalerite and galena, returned 69 g/t silver, 5.37% lead, 4.83% zinc (Wengzynowski, 1997). Fragments of strongly oxidized material collected from a soil pit in the area of Target C reportedly assayed 21.3% zinc (Archer, 1971). The location of this soil pit is unknown.

In 2018, prospecting identified two areas around Target C with anomalous elements of interest. Two samples taken from oxidized quartz veins (up to 25 cm wide), found 1000 m to the northeast of Target C, returned peak values of 25 g/t silver, 3580 ppm lead, 5150 ppm zinc and 2010 ppm copper. Approximately 300 m to the southeast of Target C, a sample taken from black, mafic outcrop hosting patchy magnetite returned 0.235 g/t gold, 10.25 g/t silver and 1.4% zinc.

Soil pits dug to follow up anomalous soil geochemical sites did not reach bedrock. However, sub-angular, cherty quartz float hosting blebby galena and pyrite was found within glacially transported overburden in a soil pit near a strong lead-in-soil site. A sample of this material returned 977 ppm lead and 4330 ppm barium.

SOIL GEOCHEMISTRY

In 1971, a regional-scale soil geochemical survey was conducted by the Wolf Lake Joint Venture. In the late 1970s, the GSC conducted a reconnaissance-scale stream sediment survey across the area. Since this work, soil geochemical sampling programs have been intermittently conducted on the property by Nordac Resources and Strategic Metals.



In 2018, a total of 66 grid soil samples were collected from the Convert property. The program was designed to extend coverage of the soil geochemical anomaly at Target A further to the south. Locations for 2018 soil samples are plotted on Figure 11. Thematic results from historical and 2018 programs for silver, lead, zinc, copper and nickel are plotted on Figures 12 to 16, respectively. Anomalous thresholds and peak values for metals of interest are listed in Table II.

The 2018 soil sample locations were recorded using hand-held GPS units. Grid soil samples were taken at 50 m intervals along lines spaced 100 m apart. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 50 cm wooden lath that were driven into the ground. Most of the soil samples were collected from 15 to 120 cm deep holes using hand-held augers. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver, where they were dissolved in a four acid solution and analyzed for 48 elements using inductively coupled plasma-mass spectroscopy and inductively coupled plasma-atomic emission spectroscopy techniques (ME-MS61). Certificates of Analysis are given in Appendix IV.

Table II – Soil Geochemical Thresholds and Peak Values

Element	Weak	Moderate	Strong	Historical Peak Values	2018 Peak Values
Lead (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200	3270	254
Silver (ppm)	≥ 0.5 < 1	≥ 1 < 2	≥ 2	139	3.27
Zinc (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	2580	4680
Copper (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200	1345	156.5
Nickel (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200	967	632

Target A is characterized by a 1000 by 300 m area of weak to strong lead-zinc soil geochemical response with sporadic copper and silver support. Peak soil geochemical values from this target include 682 ppm lead, 10.6 ppm silver, 1700 ppm zinc and 820 ppm nickel. The anomaly trends northwesterly approximately parallel to topography and stratigraphy. It contains a ferricrete kill zone at its southern end.





STRATEGIC METALS LTD.

FIGURE 11
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
2018 SOIL SAMPLE LOCATIONS
 CONVERT PROPERTY

UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m







True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W

Pb-in-soil (ppm)	
●	500 to 3,270
●	200 to 500
●	100 to 200
●	50 to 100
●	20 to 50
●	0 to 20

STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


LEAD SOIL GEOCHEMISTRY



CONVERT PROPERTY

UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m


0 2
 kilometers


FILE: ...2018/CONVERT DATE: February 2019





- Cu-in-soil (ppm)**
- 500 to 1,345
 - 200 to 500
 - 100 to 200
 - 50 to 100
 - 20 to 50
 - 0 to 20





True North
 2°25'
 Grid North
 Magnetic North
 21°36' E
 Annual change 20.1' W

- Ni-in-soil (ppm)
- 500 to 967
 - 200 to 500
 - 100 to 200
 - 50 to 100
 - 20 to 50
 - 0 to 20

STRATEGIC METALS LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

NICKEL SOIL GEOCHEMISTRY

CONVERT PROPERTY

UTM ZONE 9, NAD 83, 105B/05, contour intervals: 20 m

0 2
 kilometers

FILE: ...2018/CONVERT DATE: February 2019

Target B is a 900 by 250 m area exhibiting multi-element soil geochemical response. Soil sampling has returned up to 774 ppm lead, 10.6 ppm silver, 2740 ppm zinc, 1345 ppm copper and 708 ppm nickel. The highest zinc and copper values occur within and immediately downhill from the discovery kill zone, while lead and silver response transects the zinc trend and is best developed uphill from the kill zone.

Target C has a 2300 by 300 m anomalous soil geochemical response with a northerly trending cluster of coincidentally elevated lead-zinc values, within which are scattered high copper and silver values. Peak values from this target include 834 ppm lead, 21.8 ppm silver and 1970 ppm zinc. The anomalous trend roughly parallels foliation and is open to the south.

Target D is a 100 by 100 m area highlighted by a cluster of elevated silver, lead and zinc values. Peak results from this target include 1.8 ppm silver, 300 ppm lead and 754 ppm zinc. No follow up work was done in this area in 2018.

In 2018, soil sampling to the south of Target A identified clustered and isolated sites with strongly elevated values for elements of interest. Peak values include 2.12 ppm silver, 254 ppm lead, 4680 ppm zinc and 632 ppm nickel. Soil sampling in the western part of the property, to the north of Target C, identified a single elevated silver value. In general, 2018 results were subdued compared to historical results; however, this sampling was done in lower elevation areas where deep organic horizons and widespread marshes likely masked soil geochemical response.

DIAMOND DRILLING

Two diamond drilling programs have been conducted on the Convert property. In 1997, Nordac Resources completed a six hole, 993 m diamond drill program, which focused on the mineralized stratigraphy found at Target B, near the discovery kill zone. In 2007, Yukon Zinccorp conducted a three hole, 479 m diamond drill program. One 2007 hole was designed to complete a drill section across prospective stratigraphy at Target B, while the other holes tested the northwesterly trending geochemical anomaly and an EM conductor at Target A. Full details regarding these programs can be found in the 1997 and 2007 Convert Assessment Reports. The location of diamond drill holes from these programs is shown on Figure 3B.

The 1997 diamond drilling at Target B intersected interlayered metavolcanic and metasedimentary rocks that exhibited alteration consistent with a distal VMS setting and roughly corresponds to the lithologies of the Finlayson Group.

The most common sulphide mineral seen in the core was pyrite, which occurs as coarsely disseminated recrystallized grains and lesser fine grained foliaform wisps. Only minor base metal sulphides were reported. The best grades are from a 4.92 m interval of chloritized felsic tuff that averaged 1.71% zinc and 5.74 g/t silver, including a 0.60 m section that assayed 9.14% zinc and 25.6 g/t silver. Within this interval, sphalerite occurs as irregular bands, patches and disseminations. Sphalerite was also observed as thin wisps and bands in metarhyolite within narrow intervals. This mineralization is situated about 450 m stratigraphically above the barite horizon.

Drilling in 2007 at Target B was halted 30 m above target depth due to squeezing and loss of circulation. The target stratigraphy was a barite-silica exhalite horizon reported in CV-97-03. All samples from this hole returned low values.

At Target A, both 2007 holes intersected a sequence of metavolcanic quartz-sericite schist and graphitic phyllite. The first hole was terminated before reaching target depth due to squeezing and loss of circulation. No significant intervals of mineralization were identified. The surface trace of the EM conductor was found to correspond with metavolcanic quartz-augen schist. The location of the mineralized ferricrete at Target A corresponded to the surface projection of a weakly mineralized quartz-sericite chert horizon.

DISCUSSION AND CONCLUSIONS

The Convert property covers VMS, vein and skarn type silver-lead-zinc±gold±copper showings. Strongly anomalous rock and soil values have been collected from the areas around Targets A and B, which collectively form a 2500 by 300 m, northerly-trending band of strong lead, silver, zinc and nickel values. The area around Target C has yielded sporadic, yet strongly anomalous, soil and rock geochemical values for silver, lead, zinc, copper and gold.

Soil geochemical sampling in 2018 identified sporadic clusters of strongly elevated zinc, lead, silver and nickel values south of Target A. Thick organic horizons and marshy environments in this area restrict the effectiveness of soil sampling and likely contribute to the sporadic, subdued, nature of the soil geochemical response.

A soil pit near a strongly elevated lead-in-soil site in the western part of the property exposed sub-angular mineralized float within glacial overburden. The presence of mineralized float in overburden suggests the soil geochemical response around Target C may be attributed to glacially transported, mineralized float. Prospecting in the area also identified anomalous silver, lead, zinc, copper and gold values associated with quartz veining and magnetite-rich mafic rock in outcrop. Results from prospecting confirm the potential for skarn and vein mineralization in the area of Target C.

Further exploration is warranted on the Convert property to continue the systematic evaluation of Target C. Airphoto interpretation should be completed prior to the next field program and any linear features should be plotted on geochemical maps. Future field work should include: 1) systematic prospecting on hills where outcrop is present and 2) geological mapping to delineate intrusive and metavolcanic boundaries.

A thorough review of data pertaining to VMS style mineralization at Targets A and B should be undertaken to better assess potential for a buried deposit.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A handwritten signature in blue ink, appearing to be 'K. Willms', written in a cursive style.

K. Willms, B.Sc., GIT

REFERENCES

- Archer, A.R. and Cathro, R.J.P.
1971 Final Report, Wolf Lake Joint Venture, December 1971, p.59.
- BMC Minerals Ltd.
2016 http://kudzzekayah.com/wp-content/uploads/2016/11/03_Geology.pdf; Kudz Ze Kaya Project Zinc-Lead-Copper-Silver-Gold.
- Carne, R.C.
1996 Prospecting and Geochemical Summary Report on the Convert 1-30 Claims, Watson Lake Mining District, Yukon Territory, April 1996. Assessment report #093506.
- Couer Mining Inc.
2017 <https://www.coeur.com/operations/operations/reserves-resources/>
- Colpron, M. and Nelson, J. L.
2011 A digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and British Columbia Geology Survey, BCGS GeoFile 2011-11 http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf
- De Keijzer, M., Mihalynuk, M.G. and Johnston, S.T.
2000 Structural investigation of an exposure of the Teslin Fault, Northwestern British Columbia, Geological Survey of Canada, Current Research 2000-A5
- Hatch Associates Ltd.
2004 Logan Zinc-Silver Mineral Property Independent Technical Report; written for Expatriate Resources Ltd.
- Hornbrook, E.H.W.
1980 Regional Stream Sediment and Water Geochemical Reconnaissance Data, Yukon Territory 1978, GSC OF 563 (Rev. 80), NGR 43-1978, NTS 105B.
- McCallum, N. and Gorham, J.
2010 Technical Report on the Silver Hart Property; Report prepared for CMC Metals Ltd.
- Poole, W.H., Roddick, J.A. and Green, L.H.
1960 Geology of Wolf Lake (105B), Yukon Territory, Geological Survey of Canada, Map 10-1960.
- Roots, C. Nelson, J., and Stevens, R.
2004 Bedrock Geology, Morris Lake, Yukon Territory; Geological Survey of Canada, Open File 4631; Yukon Geological Survey, Open File 2004-3, scale 1:50,000

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106

Wengzynowski, W.A.

- 1997 Assessment Report describing Geological Mapping, Prospecting, Soil Geochemistry and Geophysical Surveys on the Convert Property for Nordac Resources Ltd. Assessment Report #093675
- 1998 Assessment Report describing Prospecting, Soil Geochemistry and Diamond Drilling on the Convert Property for Nordac Resources Ltd. Assessment Report #093866
- 2006 Assessment Report describing Prospecting and Handpitting on the Convert Property for Strategic Metals Ltd.
- 2007 Assessment Report describing Geophysical Surveys and Diamond Drilling on the Convert Property for Strategic Metals Ltd.

Wengzynowski, W.A. and Núñez, M.W.

- 2008 Assessment Report describing Geophysical Surveys and Diamond Drilling on the Convert Property for Zinccorp Resources Inc.

Yukon Geological Survey.

- 2018 Mining Map Viewer: <http://mapservices.gov.yk.ca/Mining/Load.htm>
- 2018 Yukon Bedrock Geology Map, 2018

Yukon Zinc Corp.

- 2013 <http://yukonzinc.com>

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Kelson Willms, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2016 with a B.Sc in Earth and Environmental Sciences.
2. From 2015 to present, I have been actively engaged in mineral exploration in the Yukon Territory, British Columbia, Nevada and Mexico.
3. I am registered and active as a geologist in training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia (APEGBC).
4. I have interpreted all data resulting from work described in this report.



K. Willms, B.Sc., GIT.

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
Convert Property
January 18, 2019

Labour

Employee	Job Description	Hours	Time Period	Rate/hr	Total
Doug Eaton	Sr. Geologist	4	March 22/18 to January 15/19	\$ 120.00	\$ 480.00
Heather Burrell	Sr. Geologist	24	March 22/18 to January 15/19	\$ 111.00	\$ 2,664.00
Jack Morton	Sr. Geologist	16	March 22/18 to January 15/19	\$ 96.00	\$ 1,536.00
Kelson Willms	Geologist	64	March 22/18 to January 15/19	\$ 71.00	\$ 4,544.00
Liz Smith	Logistics & Field Support	15	March 22/18 to January 15/19	\$ 83.00	\$ 1,245.00
Lorna Corbett	Logistics & Office	7	March 22/18 to January 15/19	\$ 83.00	\$ 581.00
Meggie Laverge	Field Labour	64	March 22/18 to January 15/19	\$ 55.00	\$ 3,520.00
Scott Newman	Office & Mapping	16	March 22/18 to January 15/19	\$ 69.00	\$ 1,104.00
Shawn Slipetz	Expediting	10	March 22/18 to January 15/19	\$ 69.00	\$ 690.00
Tom Lacey	Field Labour	56	March 22/18 to January 15/19	\$ 53.00	\$ 2,968.00
Virginia Cobbett	Support	8	March 22/18 to January 15/19	\$ 69.00	\$ 552.00
Wayne Schneider	Logistics & Support	12	March 22/18 to January 15/19	\$ 98.00	\$ 1,176.00
					\$ 21,060.00

Expenses

Field room and board	19 mandays	\$ 100.00 /per day	\$ 1,900.00
Whitehorse room and board	7 mandays	\$ 180.00 / per day	\$ 1,260.00
Capital Helicopters, as attached			\$ 11,793.64
AC Provided Jet Fuel, 410L/\$1.40L			\$ 572.33
ALS Chemex, as attached			\$ 4,250.12
			<u>\$ 19,776.09</u>

Total 2018 expenditures \$ 40,836.09

Cost per sample \$ 258.46

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions

Property: Convert

Sample Number: W591951 UTM: 343964 mE Nad83, Zone 9
Elevation: m UTM: 6691881 mN

Comments: Rusty and oxidized quartz with surficial Manganese staining. Quartz vein is found within quartz sericite schist.

Sample Number: W591952 UTM: 343951 mE Nad83, Zone 9
Elevation: m UTM: 6691879 mN

Comments: Oxidized and vuggy quartz / chert in proximity to quartz vein.

Sample Number: W591953 UTM: 343713 mE Nad83, Zone 9
Elevation: m UTM: 6691695 mN

Comments: Hydrothermal quartz breccia vein taken from talus slope abutting highly oxidized chert/quartz sericite schist. Quartz brx vein is sucrosic (fine and sugary) and displays vugs throughout. Ox and goethite present in cavities. Rep taken

Sample Number: W591954 UTM: 343715 mE Nad83, Zone 9
Elevation: m UTM: 6691695 mN

Comments: Composite sample of intensely oxidized and manganese stained chips found along talus slope in same area as sample 953. vibrant orange and goethite, along with bright red oxidized patches.

Sample Number: W591955 UTM: 343740 mE Nad83, Zone 9
Elevation: m UTM: 6691744 mN

Comments: Creamy white to tan, chert with brilliant manganese staining and red to yellow oxide and goethite weathering.

Sample Number: W591956 UTM: 343804 mE Nad83, Zone 9
Elevation: m UTM: 6691730 mN

Comments: 13cm chip sample across rusty oxidized creamy white quartz vein within chert to quartz-sericite. Vuggy, sugary and crystalline textures throughout, with strong manganese staining. Trace to minor gunmetal grey sulphide present within deep vugs (Galena or sulphosalt??) . Taken above main chip sample area

Rock Sample Descriptions		Property: Convert		
Sample Number:	W591957	UTM:	343804 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691730 mN	
Comments: 30 cm chip sample across pinching and swelling, white oxidized and rusty quartz vein. Quartz is vuggy and hosts sporadic voids filled with pyrite. Part of lower chip sample				
Sample Number:	W591958	UTM:	343804 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691730 mN	
Comments: 1.53 m chip sample across quartz-muscovite-phyllite-schist. Schist has dendritic white sulphide precipitate along fractures, and strong oxidation along surface.				
Sample Number:	W591959	UTM:	343804 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691730 mN	
Comments: 23 cm chip sample across creamy white oxidized and rusty quartz vein. Barren of sulphide or major oxidation (goethite, Mn, etc.)				
Sample Number:	W591960	UTM:	343804 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691730 mN	
Comments: Muscovite-phyllite schist with crustiform white precipitate built up on surface. Collected below vertical chip sample line.				
Sample Number:	W591961	UTM:	343718 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691710 mN	
Comments: 10 cm intensely oxidized chert horizon with immense Mn staining and vibrant pockets of pervasive red to orange oxidation and goethite. Fine sucrosic quartz with minor galena (?) grains (VFG) within. Sampled across 10cm vein.				
Sample Number:	W591962	UTM:	344030 mE	Nad83, Zone 9
Elevation:	m	UTM:	6691270 mN	
Comments: 25 cm quartz vein with foliaform whisps of biotite and muscovite schist. Quartz vein hosts blebs of magnetite.				

Rock Sample Descriptions		Property: Convert	
Sample Number:	W591963	UTM:	344027 mE Nad83, Zone 9
Elevation:	m	UTM:	6691264 mN
Comments: White (sericite?) altered quartz rhyolite(?) found along quartz veining from [962]. 2mm porphyritic quartz clasts within.			
Sample Number:	W591964	UTM:	343910 mE Nad83, Zone 9
Elevation:	m	UTM:	6691268 mN
Comments: Soil pit following up 1205 ppm Zn. Pit dug to 3 ft, but bedrock not reached. Angular chips of biotite-phyllite with rusty oxidized patches. Soil throughout pit is meidum to dark grey.			
Sample Number:	W591965	UTM:	343886 mE Nad83, Zone 9
Elevation:	m	UTM:	6691241 mN
Comments: Fine dark grey to black basalt (?) hosting massive patchy oxidized magnetite.			
Sample Number:	W591966	UTM:	344404 mE Nad83, Zone 9
Elevation:	m	UTM:	6992122 mN
Comments: 12-15 cm quartz verin hosting intensely vuggy goethite oxide throughout. Found 25 m downslop of intensely chlorite altered schist. Vein runs 120/30 (hard to tell)			
Sample Number:	W591967	UTM:	344399 mE Nad83, Zone 9
Elevation:	m	UTM:	6692124 mN
Comments: 10 cm coarsely crystalline quartz vein with intense goethite weathering and oxidation along selvedges and in localized patches. Chip sample taken across 20cm (10 cm of vein, 5 cm of oxidation on either side). Quartz hosted within deformed wavy chlorite-biotite schist. Quartz carries intensely vitreous lustre, and hosts whisps of disseminated galena.			
Sample Number:	W591968	UTM:	344122 mE Nad83, Zone 9
Elevation:	m	UTM:	6992344 mN
Comments: Green porphyritic rhyolite with deep red to purple surficial oxide. Minor sucrosic quartz present.			

Rock Sample Descriptions

Property: Convert

Sample Number: W591969 UTM: 343912 mE Nad83, Zone 9
Elevation: m UTM: 6691260 mN

Comments: Composite chip sample taken from bedrock within soil pit. Black phyllite with strong foliation. Rusty to bright orange flakes with yellow to green stain on surface. Chlorite alteration present. Soft black argillite clasts included.

Sample Number: W591970 UTM: 343834 mE Nad83, Zone 9
Elevation: m UTM: 6690841 mN

Comments: Chert exhalite (?) taken from rounded glacially transported boulders. Hosts blebby galena and pyrite.

APPENDIX IV
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 30- JUN- 2018
Account: MTT

CERTIFICATE WH18142146

Project: CONVERT

This report is for 139 Soil samples submitted to our lab in Whitehorse, YT, Canada on 16-JUN- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON
---------------------------------	--------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ80251		0.34	0.002	0.12	1.58	17.6	<0.02	<10	150	0.45	0.21	0.22	0.63	30.4	11.4	29
ZZ80252		0.39	<0.001	0.88	1.18	7.7	<0.02	<10	390	0.29	0.53	0.56	0.36	24.8	2.6	18
ZZ80253		0.33	<0.001	0.38	0.77	1.9	<0.02	<10	100	0.14	0.14	0.08	0.19	16.55	1.5	13
ZZ80254		0.39	0.002	0.08	1.34	13.7	<0.02	<10	150	0.31	0.16	0.28	0.15	22.9	8.4	30
ZZ80255		0.45	0.001	0.24	1.44	9.0	<0.02	<10	110	0.31	0.23	0.21	0.24	22.2	5.3	25
ZZ80256		0.47	<0.001	0.02	2.09	9.7	<0.02	<10	120	0.47	0.15	0.21	0.86	21.7	8.4	33
ZZ80257		0.50	0.001	0.13	1.33	8.5	<0.02	<10	180	0.39	0.16	0.50	0.25	27.8	8.5	37
ZZ80258		0.48	0.005	0.05	1.14	4.8	<0.02	<10	150	0.26	0.13	0.43	0.20	26.8	7.0	28
ZZ80259		0.30	0.003	3.27	4.18	161.0	<0.02	<10	850	6.69	1.24	1.56	1.31	83.1	11.4	53
ZZ80260		0.53	<0.001	0.15	1.76	85.4	<0.02	<10	290	0.63	1.13	0.25	0.59	25.6	8.4	30
ZZ80261		0.51	0.001	0.24	1.56	55.2	0.32	<10	190	0.55	0.82	0.19	0.30	33.7	6.2	26
ZZ80262		0.53	0.003	0.09	1.52	22.9	<0.02	<10	260	0.61	0.38	0.29	0.24	40.5	10.6	30
ZZ80263		0.37	0.001	0.40	1.95	34.3	<0.02	<10	420	1.10	0.60	0.42	0.36	40.9	7.6	29
ZZ80264		0.37	0.001	0.65	1.85	12.5	<0.02	<10	140	0.45	0.40	0.28	1.06	18.55	7.6	24
ZZ80265		0.46	0.001	0.11	1.74	17.5	<0.02	<10	130	0.42	0.26	0.13	0.76	24.7	6.5	24
ZZ80266		0.35	0.006	1.83	0.57	6.6	<0.02	<10	870	0.15	0.20	0.18	0.27	25.1	1.8	14
ZZ80267		0.40	0.006	0.43	0.70	5.0	<0.02	<10	220	0.17	0.26	0.31	0.54	20.8	5.2	23
ZZ80268		0.32	0.001	0.54	1.17	8.2	<0.02	<10	480	0.32	0.20	0.24	0.64	21.7	6.2	25
ZZ80269		0.29	0.009	0.67	0.21	2.5	<0.02	<10	80	0.05	0.05	0.06	0.10	11.35	0.6	6
ZZ80270		0.33	<0.001	0.73	0.98	8.6	<0.02	<10	250	0.16	0.24	0.11	0.14	25.9	2.8	17
ZZ80271		0.38	0.005	0.08	1.09	11.5	<0.02	<10	150	0.26	0.23	0.17	0.39	20.6	6.4	27
ZZ80272		0.30	0.002	0.41	0.64	10.0	<0.02	<10	110	0.20	0.14	0.03	0.33	8.87	3.1	13
ZZ80273		0.35	0.003	0.18	0.82	5.5	<0.02	<10	120	0.10	0.23	0.09	0.12	22.9	2.1	15
ZZ80274		0.41	<0.001	0.18	1.36	8.8	<0.02	<10	210	0.33	0.18	0.26	0.30	25.9	7.9	31
ZZ80275		0.36	0.004	0.70	1.27	18.1	<0.02	<10	260	0.32	0.28	0.09	0.34	35.9	10.3	23
ZZ80276		0.39	0.006	0.13	1.28	11.7	<0.02	<10	90	0.59	0.31	0.21	0.44	30.2	8.0	31
ZZ80277		0.46	0.001	0.27	1.92	19.6	<0.02	<10	110	0.62	0.42	0.17	0.31	29.6	6.9	34
ZZ80278		0.35	0.002	0.59	1.09	24.3	<0.02	<10	80	0.23	0.46	0.10	0.27	27.8	4.0	25
ZZ80279		0.35	<0.001	0.29	1.92	12.0	<0.02	<10	100	0.45	0.22	0.18	0.20	24.3	6.3	30
ZZ80280		0.42	0.008	0.04	1.84	31.4	<0.02	<10	150	1.32	0.63	0.13	0.21	39.0	8.6	40
ZZ80281		0.31	0.001	0.15	1.90	9.5	<0.02	<10	200	0.26	0.32	0.04	0.08	39.5	8.1	25
ZZ80282		0.35	<0.001	0.08	1.31	11.1	<0.02	<10	80	0.41	0.36	0.15	0.36	23.3	7.3	26
ZZ80283		0.38	0.001	0.34	1.44	14.7	<0.02	<10	190	0.44	0.36	0.19	0.46	28.2	9.0	31
ZZ80284		0.41	<0.001	0.56	0.94	3.6	<0.02	<10	340	0.46	0.31	0.31	0.32	22.7	3.5	23
ZZ80285		0.46	0.002	0.15	1.52	9.3	<0.02	<10	240	0.46	0.19	0.24	0.20	29.8	10.4	37
ZZ80286		0.37	0.005	0.27	1.22	14.7	<0.02	<10	230	0.50	0.22	0.53	0.38	25.5	7.9	32
ZZ80287		0.33	0.001	0.14	0.86	7.4	<0.02	<10	70	0.12	0.20	0.11	0.18	17.45	4.2	20
ZZ80288		0.29	0.002	0.20	1.27	6.6	<0.02	<10	90	0.13	0.16	0.17	0.28	15.95	7.2	23
ZZ80289		0.21	0.003	0.24	1.53	10.0	<0.02	<10	210	0.39	0.20	0.57	0.46	28.0	12.0	46
ZZ80290		0.40	0.003	0.09	2.28	19.8	<0.02	<10	190	0.59	0.30	0.18	0.48	26.8	14.4	39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ80251		1.16	22.7	2.45	3.97	<0.05	0.03	0.03	0.034	0.09	14.7	10.1	0.52	527	0.83	<0.01
ZZ80252		1.96	15.9	1.13	5.40	<0.05	<0.02	0.05	0.026	0.07	14.0	5.2	0.18	233	2.02	<0.01
ZZ80253		1.22	4.8	0.70	3.80	<0.05	<0.02	0.03	0.022	0.04	8.2	3.2	0.14	58	0.38	<0.01
ZZ80254		1.24	16.0	2.10	4.11	<0.05	0.02	0.02	0.039	0.07	10.5	10.0	0.51	319	0.61	<0.01
ZZ80255		1.39	12.8	1.95	4.87	<0.05	<0.02	0.03	0.039	0.07	10.3	10.3	0.42	220	0.71	<0.01
ZZ80256		1.64	14.8	2.48	4.72	<0.05	0.04	0.02	0.041	0.08	10.7	13.7	0.62	295	0.61	<0.01
ZZ80257		1.28	23.2	2.30	4.23	0.05	0.06	0.04	0.031	0.09	14.1	12.7	0.64	349	0.92	0.01
ZZ80258		1.14	13.9	1.94	3.70	0.05	0.03	0.02	0.026	0.06	13.2	10.7	0.59	312	0.52	0.01
ZZ80259		9.83	156.5	3.93	10.10	0.44	0.33	0.25	0.167	0.25	95.6	34.5	0.75	770	4.21	0.01
ZZ80260		3.44	31.6	2.73	5.86	<0.05	<0.02	0.02	0.107	0.12	12.4	18.5	0.59	558	1.54	<0.01
ZZ80261		3.68	19.4	2.56	4.93	<0.05	0.02	0.01	0.180	0.12	15.8	19.3	0.54	313	1.14	<0.01
ZZ80262		2.08	40.7	2.56	4.53	0.06	0.04	0.03	0.043	0.13	19.1	13.8	0.52	640	1.20	<0.01
ZZ80263		3.68	37.4	2.64	5.75	0.07	0.03	0.06	0.107	0.17	22.1	16.9	0.58	455	1.78	<0.01
ZZ80264		3.52	16.9	3.11	7.57	<0.05	0.02	0.03	0.107	0.08	9.2	17.7	0.62	281	2.00	<0.01
ZZ80265		2.10	16.9	2.46	6.57	<0.05	0.02	0.03	0.050	0.09	12.1	13.7	0.48	224	1.26	<0.01
ZZ80266		0.36	48.2	1.34	4.05	<0.05	<0.02	0.03	0.020	0.10	12.9	1.2	0.05	253	3.65	<0.01
ZZ80267		0.66	8.7	1.87	4.71	<0.05	<0.02	0.02	0.015	0.09	10.4	7.1	0.24	349	0.91	<0.01
ZZ80268		0.83	16.2	1.87	4.88	<0.05	<0.02	0.02	0.021	0.07	10.7	8.3	0.40	280	0.77	<0.01
ZZ80269		0.25	6.3	0.61	2.25	<0.05	<0.02	0.04	<0.005	0.04	5.8	0.4	0.02	36	0.53	<0.01
ZZ80270		0.57	10.9	1.32	6.88	<0.05	<0.02	0.02	0.016	0.04	12.4	5.1	0.16	149	1.07	<0.01
ZZ80271		1.29	14.1	2.71	5.95	<0.05	<0.02	0.01	0.022	0.06	10.3	9.4	0.33	388	1.01	<0.01
ZZ80272		0.63	74.5	32.3	4.48	0.11	<0.02	0.03	0.021	0.02	4.8	0.5	0.02	185	1.59	<0.01
ZZ80273		0.86	6.6	1.26	5.78	<0.05	<0.02	0.02	0.013	0.04	10.9	3.5	0.15	108	0.70	<0.01
ZZ80274		0.96	19.3	2.35	4.54	<0.05	0.02	0.02	0.024	0.08	12.7	9.9	0.47	314	0.87	<0.01
ZZ80275		1.33	33.6	2.37	4.90	<0.05	<0.02	0.06	0.024	0.10	17.2	6.1	0.29	687	1.48	<0.01
ZZ80276		2.45	12.3	2.97	6.21	0.05	0.06	0.02	0.037	0.10	13.8	21.1	0.41	334	0.93	<0.01
ZZ80277		3.13	13.4	3.49	7.19	<0.05	0.03	0.04	0.034	0.11	13.8	26.6	0.40	278	1.27	<0.01
ZZ80278		1.59	11.1	3.40	8.11	<0.05	0.05	0.03	0.027	0.05	13.4	8.8	0.23	174	1.17	<0.01
ZZ80279		1.59	12.6	2.63	5.95	<0.05	0.02	0.03	0.025	0.06	11.9	14.5	0.46	248	0.85	<0.01
ZZ80280		3.17	15.4	4.76	6.06	0.06	0.18	0.02	0.043	0.10	15.0	31.0	0.40	413	2.48	<0.01
ZZ80281		1.25	44.5	2.82	8.18	0.05	0.06	0.02	0.027	0.05	18.1	15.3	0.24	804	1.18	<0.01
ZZ80282		1.85	10.1	2.62	6.09	<0.05	0.07	0.02	0.028	0.08	11.0	14.9	0.27	386	0.79	<0.01
ZZ80283		1.39	18.1	3.19	5.54	<0.05	0.03	0.03	0.027	0.09	12.3	15.4	0.48	398	1.05	<0.01
ZZ80284		1.52	14.5	1.17	4.41	<0.05	<0.02	0.05	0.019	0.05	12.3	13.0	0.21	335	0.62	<0.01
ZZ80285		1.05	36.4	2.41	4.47	0.05	0.06	0.03	0.026	0.07	13.9	10.7	0.53	310	0.77	<0.01
ZZ80286		1.00	27.9	2.50	3.79	0.05	0.03	0.07	0.026	0.08	14.7	11.6	0.46	820	0.76	0.01
ZZ80287		2.56	10.8	1.64	5.63	<0.05	<0.02	0.01	0.028	0.09	8.4	5.3	0.31	198	0.79	<0.01
ZZ80288		1.69	11.1	2.71	7.34	<0.05	<0.02	0.01	0.028	0.07	7.8	8.6	0.72	286	0.61	<0.01
ZZ80289		1.75	33.2	2.77	4.95	0.06	0.07	0.03	0.036	0.14	14.2	12.9	0.79	513	2.04	0.02
ZZ80290		1.87	27.8	3.00	5.45	<0.05	0.09	0.03	0.072	0.10	11.4	12.5	0.76	497	0.96	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ80251		1.43	26.0	630	37.0	9.8	<0.001	0.05	0.88	2.9	0.5	0.7	14.7	<0.01	0.03	3.6
ZZ80252		0.90	9.2	330	43.0	17.4	<0.001	0.01	0.40	0.8	0.5	1.2	23.7	<0.01	0.04	<0.2
ZZ80253		0.50	4.8	240	18.9	6.8	<0.001	<0.01	0.19	0.6	<0.2	0.9	9.2	<0.01	0.01	<0.2
ZZ80254		1.81	21.9	520	20.9	9.4	<0.001	<0.01	0.49	2.5	0.2	0.8	17.4	<0.01	0.02	2.0
ZZ80255		1.89	16.7	470	25.6	10.3	<0.001	<0.01	0.54	2.1	0.2	1.2	14.0	<0.01	0.04	1.7
ZZ80256		2.33	22.3	440	16.6	10.5	<0.001	<0.01	0.48	3.2	<0.2	1.0	13.5	<0.01	0.02	3.2
ZZ80257		1.55	24.8	740	17.4	9.7	0.001	<0.01	0.50	3.9	0.2	0.8	25.7	<0.01	0.02	3.7
ZZ80258		1.49	17.5	800	13.8	7.8	<0.001	<0.01	0.34	3.0	0.2	0.7	21.7	<0.01	0.02	2.5
ZZ80259		2.31	55.4	1820	26.6	38.8	0.005	0.11	0.99	4.1	1.7	2.3	68.9	0.07	0.05	1.4
ZZ80260		1.55	18.0	500	28.1	27.9	<0.001	<0.01	0.95	2.7	0.2	2.1	20.3	<0.01	0.05	1.2
ZZ80261		1.77	18.4	460	26.9	23.4	<0.001	<0.01	0.98	2.6	0.3	2.5	14.4	<0.01	0.04	2.8
ZZ80262		1.23	27.2	620	39.0	14.4	<0.001	<0.01	1.21	3.2	0.3	1.1	19.2	<0.01	0.06	6.7
ZZ80263		1.17	24.1	720	39.1	23.1	0.001	0.01	0.95	2.6	0.3	1.9	27.1	0.01	0.06	0.9
ZZ80264		2.17	17.6	290	75.9	13.1	<0.001	0.01	0.53	3.4	0.4	2.0	20.0	<0.01	0.05	0.8
ZZ80265		2.06	16.6	300	23.7	13.3	<0.001	<0.01	0.67	2.7	0.4	1.4	15.0	<0.01	0.04	1.5
ZZ80266		0.14	9.0	670	116.0	7.7	<0.001	0.16	0.66	0.3	2.8	0.8	54.9	<0.01	0.30	<0.2
ZZ80267		1.67	10.5	460	14.5	19.1	<0.001	<0.01	0.53	1.3	<0.2	1.1	27.0	<0.01	0.03	0.6
ZZ80268		1.27	18.0	460	23.5	14.2	<0.001	<0.01	0.49	1.5	0.2	0.7	24.5	<0.01	0.02	0.3
ZZ80269		0.16	2.8	250	13.0	2.3	<0.001	<0.01	0.19	0.4	0.2	0.3	8.4	<0.01	0.03	0.8
ZZ80270		2.26	8.8	240	25.6	7.7	<0.001	<0.01	0.42	1.3	0.2	1.2	12.8	<0.01	0.04	1.3
ZZ80271		1.70	14.0	680	18.8	13.4	<0.001	<0.01	0.55	1.8	<0.2	0.8	14.3	<0.01	0.05	0.8
ZZ80272		2.02	4.4	1970	14.1	5.2	<0.001	0.10	0.63	1.0	0.7	0.9	5.1	0.06	0.04	1.2
ZZ80273		1.37	5.9	250	29.3	7.6	<0.001	<0.01	0.33	1.1	<0.2	0.9	9.3	<0.01	0.03	0.4
ZZ80274		1.97	19.8	500	19.9	11.1	<0.001	<0.01	0.61	2.8	0.2	0.6	17.3	<0.01	0.03	2.5
ZZ80275		0.48	16.1	500	35.6	14.6	<0.001	<0.01	1.04	1.0	0.2	0.6	13.2	<0.01	0.09	0.2
ZZ80276		7.48	22.6	640	14.7	30.0	0.001	<0.01	0.49	2.9	0.2	2.0	10.7	0.01	0.02	13.0
ZZ80277		7.00	19.7	1330	22.4	35.4	0.001	<0.01	0.54	3.0	0.3	2.1	11.3	0.04	0.04	10.0
ZZ80278		5.81	10.6	480	24.4	15.4	<0.001	<0.01	0.68	2.0	0.2	1.8	8.1	<0.01	0.04	11.2
ZZ80279		2.70	19.0	700	20.8	13.3	0.001	<0.01	0.78	2.8	0.3	0.9	12.5	0.01	0.04	3.4
ZZ80280		7.08	21.3	460	26.5	30.5	<0.001	<0.01	0.55	4.6	0.3	2.3	8.4	0.02	0.04	29.3
ZZ80281		2.54	18.9	290	16.1	11.0	<0.001	<0.01	0.49	2.5	0.2	1.1	7.0	0.01	0.06	7.2
ZZ80282		7.76	15.2	370	17.5	26.0	<0.001	<0.01	0.39	2.5	0.2	1.7	10.8	0.01	0.02	8.3
ZZ80283		3.89	26.7	520	32.7	20.2	<0.001	<0.01	0.53	2.7	0.2	1.1	12.2	<0.01	0.04	3.1
ZZ80284		2.56	23.8	360	16.1	15.5	0.001	0.01	0.24	1.9	0.4	1.2	35.2	<0.01	0.01	1.1
ZZ80285		2.11	39.0	580	20.6	9.4	<0.001	<0.01	0.57	3.5	0.3	0.7	18.1	<0.01	0.03	4.9
ZZ80286		1.70	63.4	720	29.5	12.9	0.004	0.02	0.50	3.4	1.0	0.6	49.7	<0.01	0.04	2.7
ZZ80287		1.67	9.8	210	18.6	15.0	<0.001	<0.01	0.55	2.0	<0.2	1.6	10.8	<0.01	0.03	0.6
ZZ80288		1.54	10.7	390	20.2	11.5	<0.001	0.01	0.53	3.5	0.2	1.1	15.9	<0.01	0.03	1.1
ZZ80289		1.50	30.7	670	18.0	15.2	<0.001	<0.01	0.64	5.5	0.3	0.8	29.6	<0.01	0.02	3.7
ZZ80290		1.10	31.7	470	25.7	12.0	<0.001	<0.01	0.64	4.5	0.5	1.3	15.5	<0.01	0.04	4.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ80251		0.082	0.09	0.61	42	0.27	4.71	123	1.4
ZZ80252		0.041	0.14	2.13	28	0.19	4.30	48	<0.5
ZZ80253		0.034	0.12	0.56	19	0.15	1.68	24	<0.5
ZZ80254		0.098	0.10	0.42	45	0.23	4.12	74	0.8
ZZ80255		0.085	0.10	0.50	43	0.27	2.99	69	0.5
ZZ80256		0.098	0.12	0.46	50	0.35	3.84	127	1.4
ZZ80257		0.108	0.12	0.64	48	0.24	7.66	84	2.3
ZZ80258		0.103	0.09	0.93	43	0.42	6.48	93	1.0
ZZ80259		0.040	0.20	120.5	53	1.06	>500	332	1.3
ZZ80260		0.077	0.21	1.26	54	0.61	6.86	163	0.5
ZZ80261		0.070	0.22	1.20	43	0.78	7.79	139	0.7
ZZ80262		0.091	0.16	2.90	43	0.39	15.75	95	1.9
ZZ80263		0.055	0.19	13.45	44	0.60	64.6	152	<0.5
ZZ80264		0.110	0.13	0.46	63	0.23	3.51	298	0.8
ZZ80265		0.090	0.15	0.66	51	0.33	3.51	141	0.7
ZZ80266		0.010	0.07	0.55	26	0.11	2.06	60	<0.5
ZZ80267		0.094	0.06	0.36	49	0.30	2.14	60	0.6
ZZ80268		0.069	0.07	0.59	39	0.58	3.13	105	0.5
ZZ80269		0.011	0.03	0.18	15	0.06	0.43	34	<0.5
ZZ80270		0.084	0.08	0.54	42	0.19	2.23	62	0.6
ZZ80271		0.090	0.07	0.46	61	0.40	2.52	91	0.6
ZZ80272		0.061	0.04	1.06	37	0.22	1.08	289	<0.5
ZZ80273		0.066	0.08	0.30	37	0.20	1.70	36	<0.5
ZZ80274		0.099	0.08	0.42	49	0.36	4.46	68	0.9
ZZ80275		0.025	0.08	0.79	36	0.22	3.92	68	<0.5
ZZ80276		0.125	0.15	5.34	66	0.83	10.00	75	2.5
ZZ80277		0.119	0.18	2.77	67	1.18	8.08	87	1.2
ZZ80278		0.137	0.10	1.28	83	0.61	3.68	77	2.0
ZZ80279		0.087	0.08	0.65	51	0.74	4.05	56	0.8
ZZ80280		0.116	0.22	5.04	76	0.84	13.00	79	8.7
ZZ80281		0.029	0.12	0.65	53	0.24	2.46	90	2.8
ZZ80282		0.132	0.12	1.22	60	0.62	4.70	135	2.9
ZZ80283		0.101	0.11	1.17	58	0.38	5.39	186	1.4
ZZ80284		0.061	0.10	2.83	26	0.33	10.20	285	<0.5
ZZ80285		0.110	0.08	0.79	47	0.30	6.79	80	2.9
ZZ80286		0.068	0.07	2.47	37	0.17	11.20	779	1.2
ZZ80287		0.089	0.14	0.33	49	0.27	1.99	67	0.6
ZZ80288		0.107	0.10	0.28	93	0.27	2.23	96	0.7
ZZ80289		0.114	0.17	0.61	57	0.24	8.73	117	2.9
ZZ80290		0.115	0.17	0.67	56	0.32	4.65	180	4.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ80291		0.26	0.006	0.29	2.84	12.6	<0.02	<10	140	0.48	0.25	0.16	0.47	24.2	10.2	38
ZZ80292		0.30	<0.001	0.08	1.95	13.3	<0.02	<10	120	0.44	0.18	0.23	0.80	20.4	7.4	30
ZZ80293		0.39	0.005	0.14	2.14	46.2	<0.02	<10	190	0.58	0.59	0.13	1.19	33.7	14.5	35
ZZ80294		0.23	<0.001	0.13	1.79	13.2	<0.02	<10	160	0.29	0.24	0.21	2.11	22.4	8.1	30
ZZ80295		0.44	<0.001	0.12	2.60	11.8	<0.02	<10	280	0.50	0.36	0.13	1.20	24.5	10.7	34
ZZ80296		0.64	0.001	0.08	2.22	6.6	<0.02	<10	320	0.49	0.14	0.14	0.35	27.7	13.0	31
ZZ80297		0.42	0.004	0.27	0.75	1.1	<0.02	<10	60	0.07	0.29	0.07	0.16	22.8	1.0	12
ZZ80298		0.29	<0.001	2.12	1.21	29.4	<0.02	<10	190	0.27	0.67	0.12	0.61	22.7	5.4	23
ZZ80299		0.40	0.029	0.16	0.91	12.0	<0.02	<10	50	0.32	0.39	0.16	0.49	25.0	4.3	26
ZZ80300		0.29	0.001	0.36	0.38	3.9	<0.02	<10	100	0.06	0.33	0.09	0.56	25.0	1.3	11
ZZ80301		0.36	0.003	0.41	1.73	29.6	<0.02	<10	210	0.50	0.23	0.25	0.24	24.7	9.0	35
ZZ80302		0.36	<0.001	0.41	1.57	21.9	<0.02	<10	110	0.24	0.41	0.08	0.30	25.6	6.3	25
ZZ80303		0.35	0.010	0.10	0.97	7.2	<0.02	<10	70	0.17	0.40	0.16	0.22	17.55	4.1	57
ZZ80304		0.29	0.007	0.26	1.48	19.2	<0.02	<10	230	0.28	0.25	0.21	0.39	29.4	9.5	31
ZZ80305		0.41	0.010	1.05	2.48	35.4	<0.02	<10	440	1.23	0.29	0.07	0.51	40.1	9.5	29
ZZ80306		0.36	<0.001	0.08	0.70	6.6	<0.02	<10	100	0.19	0.38	0.15	0.15	18.35	2.2	16
ZZ80307		0.42	<0.001	0.34	1.17	5.9	<0.02	<10	270	0.29	0.27	0.25	0.35	22.4	5.1	24
ZZ80308		0.46	0.009	0.18	1.08	11.4	<0.02	<10	170	0.35	0.23	0.43	0.21	29.8	6.8	31
ZZ80309		0.34	0.001	0.44	0.94	6.6	<0.02	<10	150	0.23	0.20	0.14	0.18	20.4	3.1	19
ZZ80310		0.54	<0.001	0.17	1.28	8.6	<0.02	<10	110	0.49	0.20	0.18	0.17	26.4	7.4	28
ZZ80311		0.44	0.001	0.26	1.27	13.3	<0.02	<10	370	0.32	0.25	0.41	0.27	31.2	8.9	26
ZZ80312		0.44	<0.001	0.15	1.11	11.7	<0.02	<10	690	1.51	0.19	0.18	4.08	23.2	69.5	28
ZZ80313		0.35	<0.001	0.20	1.13	8.7	<0.02	<10	470	1.07	0.19	0.22	2.04	20.3	79.0	23
ZZ80314		0.27	<0.001	0.01	<0.01	27.8	<0.02	<10	550	0.15	<0.01	0.15	0.06	0.30	157.0	<1
ZZ80315		0.37	0.004	0.46	1.90	14.7	<0.02	<10	200	0.83	0.33	0.12	0.34	34.2	9.7	32
ZZ80316		0.52	<0.001	0.07	1.01	9.5	<0.02	<10	120	0.56	0.21	0.16	0.17	30.6	8.1	25
ZZ80317		0.42	<0.001	0.18	1.89	22.5	<0.02	<10	190	0.42	0.28	0.17	0.53	24.9	8.3	30
ZZ80318		0.38	<0.001	0.26	0.94	18.0	<0.02	<10	410	0.95	0.36	0.31	0.60	39.2	9.9	52
ZZ80319		0.33	<0.001	0.62	1.03	16.8	<0.02	<10	580	0.31	0.22	0.38	0.35	37.8	10.3	23
ZZ80320		0.40	0.002	0.18	1.42	16.6	<0.02	<10	400	0.35	0.24	0.13	0.23	40.5	7.0	26
ZZ80321		0.36	0.001	0.18	1.64	12.2	<0.02	<10	200	0.35	0.23	0.07	0.17	41.2	4.8	20
ZZ80322		0.53	0.001	0.30	1.29	13.1	<0.02	<10	310	0.40	0.23	0.43	0.49	37.5	11.8	31
ZZ80323		0.36	0.004	0.43	1.35	14.3	<0.02	<10	520	0.42	0.25	0.53	0.42	25.4	9.5	31
ZZ80324		0.51	<0.001	0.12	1.43	9.2	<0.02	<10	260	0.38	0.17	0.41	0.12	33.0	9.0	35
ZZ80325		0.56	<0.001	0.16	1.23	8.8	<0.02	<10	190	0.30	0.13	0.38	0.20	30.3	8.2	29
ZZ80326		0.49	0.001	0.56	1.87	13.5	<0.02	<10	420	0.51	0.19	0.56	2.17	35.2	14.6	44
ZZ80327		0.56	0.001	0.15	1.74	11.6	<0.02	<10	510	0.50	0.16	0.36	0.08	34.4	9.8	38
ZZ80328		0.54	<0.001	0.04	1.78	8.6	<0.02	<10	290	0.45	0.14	0.40	0.15	32.3	10.9	41
ZZ80329		0.47	0.002	0.40	1.30	15.5	<0.02	<10	300	0.36	0.17	0.36	0.16	31.6	9.4	28
ZZ80330		0.46	0.001	0.16	1.61	10.7	<0.02	<10	340	0.34	0.16	0.43	0.20	37.1	8.8	31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ80291		2.31	21.2	3.46	6.11	<0.05	0.10	0.02	0.122	0.12	11.4	18.7	0.69	384	0.84	<0.01
ZZ80292		1.72	22.4	2.79	4.73	<0.05	0.05	0.02	0.205	0.08	8.1	12.5	0.61	292	1.34	<0.01
ZZ80293		1.78	36.1	3.02	4.85	<0.05	0.07	0.04	2.24	0.09	13.9	10.6	0.69	480	0.81	<0.01
ZZ80294		1.97	15.1	3.52	6.31	<0.05	0.03	0.03	0.063	0.09	10.7	14.3	0.72	305	1.39	<0.01
ZZ80295		2.15	15.6	3.11	6.18	<0.05	0.09	0.02	0.063	0.08	11.8	13.8	0.68	390	0.87	<0.01
ZZ80296		5.76	20.7	3.72	8.24	0.06	0.05	0.01	0.076	0.17	13.5	13.2	1.16	427	0.58	<0.01
ZZ80297		1.72	2.6	0.52	6.77	<0.05	<0.02	0.02	0.015	0.06	11.1	3.0	0.11	53	0.27	<0.01
ZZ80298		1.13	17.7	3.84	9.03	<0.05	0.04	0.04	0.032	0.09	11.1	9.4	0.28	229	1.40	<0.01
ZZ80299		2.00	9.8	2.79	7.93	<0.05	0.06	0.02	0.019	0.07	11.5	9.8	0.24	194	1.10	<0.01
ZZ80300		1.53	6.9	0.62	4.30	<0.05	<0.02	0.01	0.007	0.05	12.2	2.0	0.11	94	0.62	<0.01
ZZ80301		1.17	27.5	2.39	4.37	<0.05	0.05	0.04	0.028	0.07	12.3	11.5	0.54	248	0.73	<0.01
ZZ80302		1.59	13.4	3.56	7.01	<0.05	0.02	0.03	0.039	0.06	12.5	10.5	0.38	495	1.48	<0.01
ZZ80303		0.67	6.1	2.83	6.13	<0.05	0.02	0.02	0.017	0.06	8.5	4.0	0.30	223	0.71	<0.01
ZZ80304		1.66	39.9	3.03	5.06	<0.05	<0.02	0.03	0.026	0.12	14.3	7.8	0.50	470	1.21	<0.01
ZZ80305		1.38	73.0	3.96	4.72	0.06	0.05	0.42	0.035	0.08	20.1	15.0	0.32	784	2.92	<0.01
ZZ80306		1.47	7.7	1.50	6.20	<0.05	<0.02	0.02	0.015	0.07	8.8	5.8	0.13	115	0.69	<0.01
ZZ80307		2.36	11.8	1.73	4.73	<0.05	0.02	0.02	0.020	0.05	10.8	14.1	0.34	357	0.60	<0.01
ZZ80308		1.29	15.3	1.95	3.74	0.05	0.02	0.02	0.024	0.08	15.4	11.6	0.51	337	0.50	0.01
ZZ80309		1.07	11.4	1.56	3.92	<0.05	0.03	0.05	0.017	0.06	9.7	7.0	0.23	119	0.75	<0.01
ZZ80310		1.31	15.6	1.97	3.52	<0.05	0.10	0.02	0.021	0.06	12.1	10.8	0.40	236	0.67	<0.01
ZZ80311		1.25	34.9	2.29	3.78	<0.05	0.03	0.05	0.025	0.10	15.8	11.1	0.53	624	1.41	0.01
ZZ80312		1.17	43.3	9.73	3.84	0.09	0.03	0.11	0.019	0.06	14.6	8.1	0.29	15200	1.14	<0.01
ZZ80313		1.16	31.6	6.26	3.72	0.06	0.02	0.08	0.018	0.07	13.4	11.9	0.28	16650	0.87	<0.01
ZZ80314		<0.05	0.4	41.0	1.03	0.15	<0.02	0.01	<0.005	0.03	0.3	0.2	0.01	40100	3.88	<0.01
ZZ80315		1.78	26.6	2.75	4.78	<0.05	0.06	0.06	0.030	0.10	15.5	19.8	0.35	1040	1.27	<0.01
ZZ80316		1.64	14.0	1.97	3.46	<0.05	0.12	0.01	0.024	0.08	11.8	11.7	0.40	345	0.60	<0.01
ZZ80317		2.10	27.1	2.73	4.94	<0.05	0.05	0.04	0.043	0.08	11.3	11.7	0.53	342	1.01	<0.01
ZZ80318		1.56	21.2	0.98	3.73	0.05	0.04	0.08	0.030	0.05	17.3	13.4	0.24	226	1.08	<0.01
ZZ80319		0.70	38.3	2.70	3.32	0.05	<0.02	0.04	0.024	0.08	17.4	7.5	0.30	1850	2.45	<0.01
ZZ80320		0.98	44.2	2.60	3.84	0.05	0.04	0.07	0.026	0.10	19.6	9.9	0.37	510	1.33	<0.01
ZZ80321		1.01	29.3	2.35	4.66	0.05	0.09	0.05	0.025	0.07	19.1	8.9	0.23	219	1.67	<0.01
ZZ80322		1.34	41.7	2.49	4.01	0.05	0.13	0.07	0.028	0.14	18.5	10.5	0.58	721	1.02	0.01
ZZ80323		0.90	23.9	2.42	3.91	<0.05	0.04	0.10	0.027	0.09	13.3	11.9	0.46	2160	1.33	<0.01
ZZ80324		0.93	25.6	2.49	4.29	0.10	0.04	0.02	0.024	0.09	17.1	11.5	0.66	489	0.62	0.01
ZZ80325		0.81	17.0	2.30	3.86	0.09	0.03	0.02	0.018	0.07	15.5	11.3	0.63	404	0.54	0.01
ZZ80326		1.28	91.9	3.11	5.18	0.11	0.11	0.46	0.034	0.15	17.9	12.8	0.80	802	1.18	0.01
ZZ80327		0.82	40.7	2.97	4.55	0.10	0.06	0.05	0.027	0.09	18.4	11.0	0.69	614	0.69	0.01
ZZ80328		0.95	33.6	2.87	4.68	0.10	0.09	0.02	0.029	0.11	16.1	9.8	0.75	606	0.46	0.01
ZZ80329		0.90	57.2	2.55	3.88	0.10	0.02	0.03	0.037	0.07	18.7	13.4	0.53	629	0.79	<0.01
ZZ80330		0.76	38.2	2.68	4.17	0.10	0.12	0.05	0.025	0.10	19.3	12.8	0.64	586	0.66	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.01	0.01	0.2	
ZZ80291		2.28	28.9	390	35.4	14.0	<0.001	0.01	0.70	4.5	0.5	2.4	12.0	0.01	0.05	5.6
ZZ80292		2.29	20.9	300	20.6	9.9	<0.001	0.01	0.66	3.5	0.5	1.2	14.8	<0.01	0.03	2.5
ZZ80293		1.22	30.1	300	90.4	10.9	<0.001	<0.01	0.96	4.8	0.6	1.8	10.1	<0.01	0.05	4.7
ZZ80294		2.11	16.4	250	36.3	10.4	<0.001	0.01	0.65	3.8	0.6	1.0	12.7	<0.01	0.04	2.8
ZZ80295		1.83	20.5	170	44.1	14.4	<0.001	<0.01	0.55	4.4	0.3	1.2	12.0	<0.01	0.06	4.4
ZZ80296		0.62	15.9	240	12.7	18.2	<0.001	<0.01	0.44	9.9	0.2	1.5	17.5	<0.01	0.02	4.1
ZZ80297		1.31	2.9	170	29.3	15.8	<0.001	<0.01	0.17	0.9	<0.2	1.3	6.7	<0.01	<0.01	0.2
ZZ80298		6.13	13.6	270	34.4	17.8	<0.001	0.02	1.07	2.1	0.7	2.1	11.5	0.01	0.06	4.5
ZZ80299		7.86	9.9	880	14.9	29.0	<0.001	<0.01	0.53	2.3	0.3	2.1	8.5	<0.01	0.04	19.7
ZZ80300		1.84	3.3	130	20.1	9.8	<0.001	<0.01	0.26	0.9	<0.2	1.6	10.3	<0.01	0.03	1.9
ZZ80301		2.09	33.1	630	20.9	8.5	<0.001	0.01	0.86	2.8	0.4	0.7	16.3	<0.01	0.04	4.5
ZZ80302		2.43	12.6	470	49.9	17.7	<0.001	0.01	0.70	2.1	0.4	1.6	8.3	<0.01	0.06	2.5
ZZ80303		2.92	12.0	390	13.1	9.8	<0.001	0.01	0.48	1.8	0.2	0.9	12.2	<0.01	0.03	1.7
ZZ80304		1.01	21.0	540	27.0	11.9	<0.001	0.01	1.09	2.5	0.2	0.7	15.4	<0.01	0.09	1.0
ZZ80305		1.40	30.8	920	30.3	16.0	<0.001	0.05	1.41	2.9	1.4	0.6	14.2	<0.01	0.15	2.0
ZZ80306		3.01	5.9	320	9.2	20.4	<0.001	0.01	0.26	1.0	0.2	1.8	10.0	<0.01	0.02	0.7
ZZ80307		3.44	14.5	240	18.6	18.6	0.001	0.01	0.25	2.2	0.5	1.3	27.8	<0.01	0.02	3.4
ZZ80308		1.41	21.9	810	11.7	11.4	0.001	0.01	0.63	2.6	0.4	0.7	30.6	<0.01	0.02	3.7
ZZ80309		3.93	10.1	280	14.3	12.9	<0.001	<0.01	0.39	2.0	<0.2	0.9	9.2	<0.01	0.02	5.8
ZZ80310		2.69	19.5	360	13.6	13.1	<0.001	<0.01	0.40	2.7	0.3	0.9	9.5	0.01	0.03	10.4
ZZ80311		1.26	20.7	370	31.3	11.9	<0.001	<0.01	0.78	3.3	0.3	0.8	23.5	<0.01	0.05	4.2
ZZ80312		2.08	325	560	17.1	14.2	0.001	0.03	0.65	3.1	3.9	0.8	26.8	0.03	0.03	5.6
ZZ80313		1.89	331	440	14.0	14.9	0.001	0.02	0.60	3.0	1.1	0.8	32.1	0.02	0.03	5.0
ZZ80314		<0.05	632	80	<0.2	1.1	0.001	0.04	<0.05	0.3	0.3	<0.2	50.0	<0.01	0.01	<0.2
ZZ80315		3.98	33.4	380	31.5	24.5	<0.001	0.01	0.88	2.9	0.6	1.2	10.1	<0.01	0.05	9.9
ZZ80316		1.65	19.3	270	10.1	19.2	<0.001	<0.01	0.40	2.8	0.2	1.2	8.8	<0.01	0.02	18.4
ZZ80317		1.76	21.7	430	48.3	10.7	<0.001	0.01	1.00	3.0	0.6	1.0	12.1	<0.01	0.04	3.3
ZZ80318		4.13	46.6	410	17.7	11.9	0.016	0.11	0.48	3.1	3.4	1.1	29.1	0.01	0.01	4.1
ZZ80319		0.65	21.6	450	73.6	10.4	<0.001	0.01	1.13	1.9	0.5	0.4	35.0	<0.01	0.08	2.2
ZZ80320		0.82	22.8	370	55.8	11.7	<0.001	<0.01	0.88	2.6	0.6	0.6	13.2	<0.01	0.07	5.0
ZZ80321		1.24	16.0	360	48.5	15.4	<0.001	0.01	0.86	2.1	0.5	0.6	9.8	<0.01	0.07	5.4
ZZ80322		0.37	32.1	590	46.1	10.8	<0.001	<0.01	0.94	4.2	0.3	0.6	25.5	<0.01	0.06	7.1
ZZ80323		1.36	40.1	690	30.0	14.4	0.004	0.04	0.50	3.5	1.3	0.6	44.8	<0.01	0.04	2.3
ZZ80324		1.35	23.3	660	26.9	9.0	<0.001	0.01	0.57	3.6	0.3	0.6	21.5	<0.01	0.03	4.3
ZZ80325		1.48	20.6	470	21.0	7.9	<0.001	0.01	0.49	3.0	0.5	0.5	19.9	<0.01	0.02	3.3
ZZ80326		1.47	58.4	760	254	12.8	<0.001	0.01	4.34	6.4	1.1	0.6	29.8	<0.01	0.05	5.7
ZZ80327		0.62	33.9	450	29.4	7.1	<0.001	0.01	0.72	5.1	0.4	0.6	21.6	<0.01	0.03	4.6
ZZ80328		0.75	28.3	630	29.0	7.8	<0.001	<0.01	0.73	4.8	0.3	0.7	22.6	<0.01	0.02	4.4
ZZ80329		1.25	29.8	490	33.5	9.5	<0.001	0.01	0.68	3.7	0.6	0.5	20.8	<0.01	0.04	3.4
ZZ80330		0.64	30.8	580	25.2	7.3	<0.001	0.01	0.55	4.2	0.2	0.5	24.2	<0.01	0.03	6.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm
ZZ80291		0.095	0.14	0.56	56	0.46	4.21	196	4.6
ZZ80292		0.099	0.12	0.53	49	0.21	3.13	164	1.9
ZZ80293		0.091	0.16	0.79	49	0.25	5.53	390	3.3
ZZ80294		0.085	0.20	0.39	61	0.25	2.54	344	1.4
ZZ80295		0.081	0.20	0.42	58	0.26	2.65	289	4.6
ZZ80296		0.147	0.70	0.82	83	0.25	9.69	311	1.9
ZZ80297		0.081	0.11	0.32	20	0.06	1.57	26	<0.5
ZZ80298		0.161	0.11	0.89	81	0.61	2.58	170	2.3
ZZ80299		0.153	0.14	2.75	78	0.68	6.32	53	2.5
ZZ80300		0.059	0.07	0.65	25	0.38	2.03	36	<0.5
ZZ80301		0.084	0.08	0.73	44	0.47	4.86	58	1.9
ZZ80302		0.073	0.10	0.95	52	0.39	2.42	142	0.8
ZZ80303		0.138	0.04	0.37	70	0.81	1.71	32	1.1
ZZ80304		0.055	0.08	0.50	48	0.22	4.42	95	0.5
ZZ80305		0.024	0.10	2.59	39	0.27	8.23	145	1.7
ZZ80306		0.088	0.09	1.16	47	0.64	3.25	29	0.5
ZZ80307		0.085	0.11	1.42	40	0.40	4.65	191	0.7
ZZ80308		0.083	0.08	1.04	38	0.30	7.02	94	0.8
ZZ80309		0.087	0.08	1.26	35	0.59	3.94	34	1.2
ZZ80310		0.098	0.10	1.96	40	0.47	6.82	58	4.2
ZZ80311		0.067	0.11	1.82	37	0.23	6.66	101	1.7
ZZ80312		0.067	0.09	6.15	32	0.35	27.7	2550	0.9
ZZ80313		0.064	0.08	4.67	29	0.28	20.9	2360	0.7
ZZ80314		<0.005	0.03	0.84	2	<0.05	0.85	4680	<0.5
ZZ80315		0.061	0.14	2.10	41	0.48	6.46	242	2.6
ZZ80316		0.098	0.12	2.47	40	0.58	8.72	56	6.0
ZZ80317		0.070	0.12	0.53	43	0.26	3.21	145	1.6
ZZ80318		0.062	0.15	11.20	36	0.77	25.9	270	1.4
ZZ80319		0.025	0.06	1.43	26	0.56	3.94	129	<0.5
ZZ80320		0.039	0.08	0.82	32	0.18	3.86	130	2.5
ZZ80321		0.029	0.11	0.55	30	0.14	2.30	83	5.4
ZZ80322		0.090	0.10	0.65	41	0.24	8.63	141	8.1
ZZ80323		0.055	0.09	4.77	35	0.19	9.26	360	1.3
ZZ80324		0.112	0.10	0.89	46	0.18	7.27	83	2.2
ZZ80325		0.112	0.08	0.53	44	0.16	5.27	91	1.2
ZZ80326		0.120	0.13	4.58	55	0.22	10.40	914	5.2
ZZ80327		0.112	0.10	0.79	53	0.17	9.14	115	3.0
ZZ80328		0.156	0.11	0.60	60	0.23	7.78	95	4.7
ZZ80329		0.092	0.06	1.50	45	0.18	9.92	118	1.1
ZZ80330		0.093	0.09	1.15	41	0.15	8.52	105	5.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS	WH18142146
-------------------------	------------

Sample Description	Method Analyte Units LOD	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	
	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	
	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	
ZZ80331	0.49	<0.001	0.56	1.72	11.2	<0.02	<10	930	0.43	0.23	0.43	0.51	33.9	8.7	29	
ZZ80332	0.32	<0.001	0.87	1.73	11.7	<0.02	<10	580	0.47	0.21	1.21	2.05	28.0	13.8	36	
ZZ80333	0.42	0.002	0.61	1.99	13.2	<0.02	<10	440	0.57	0.28	0.70	1.02	28.7	10.7	43	
ZZ80334	0.51	0.001	0.55	1.38	11.2	<0.02	<10	460	0.37	0.23	0.38	0.35	31.4	6.6	29	
ZZ80335	0.48	0.006	0.17	1.16	21.6	<0.02	<10	350	0.30	0.25	0.15	0.32	50.0	10.3	22	
ZZ80336	0.38	<0.001	0.87	2.19	11.9	<0.02	<10	270	0.49	0.20	0.12	0.31	33.6	5.3	28	
ZZ80337	0.48	0.001	0.23	1.78	14.4	<0.02	<10	340	0.38	0.22	0.13	0.23	39.0	6.8	25	
ZZ80338	0.43	0.004	0.63	1.28	32.1	<0.02	<10	490	0.43	0.27	0.35	0.34	45.1	14.4	25	
ZZ80339	0.30	0.007	0.87	1.55	116.0	<0.02	<10	540	0.43	0.54	0.13	1.08	35.1	10.9	23	
ZZ80340	0.48	0.001	0.13	1.37	11.8	<0.02	<10	650	0.31	0.15	0.30	0.29	40.3	7.2	27	
ZZ80341	0.39	<0.001	0.10	1.19	5.9	<0.02	<10	250	0.20	0.13	0.18	0.10	28.7	4.4	24	
ZZ80342	0.49	0.003	0.29	2.43	12.9	<0.02	<10	450	0.59	0.18	0.17	0.40	30.8	11.4	38	
ZZ80343	0.37	<0.001	0.29	1.86	10.6	<0.02	<10	260	0.35	0.16	0.24	0.47	28.0	6.4	31	
ZZ80344	0.59	<0.001	0.40	1.73	12.0	<0.02	<10	350	0.55	0.23	0.74	0.77	32.6	13.6	47	
ZZ80345	0.73	<0.001	0.13	1.30	7.6	<0.02	<10	250	0.38	0.17	0.59	0.37	24.8	11.3	44	
ZZ80346	0.52	0.001	0.08	1.61	19.1	<0.02	<10	350	0.45	0.21	0.40	0.09	45.6	10.7	33	
ZZ80347	0.57	0.003	0.22	2.31	10.6	<0.02	<10	190	0.48	0.23	0.13	0.63	37.1	6.8	33	
ZZ80348	0.43	<0.001	0.66	1.76	16.9	<0.02	<10	290	0.36	0.35	0.11	0.47	38.5	5.1	23	
ZZ80349	0.48	<0.001	0.44	1.58	7.5	<0.02	<10	430	0.35	0.18	0.64	0.20	39.0	6.1	32	
ZZ80350	0.39	0.004	0.54	2.15	40.4	<0.02	<10	330	0.59	0.43	0.11	0.17	52.3	12.6	31	
ZZ80351	0.40	<0.001	0.36	2.11	23.7	<0.02	<10	400	0.55	0.27	0.07	0.19	52.4	7.2	35	
ZZ80352	0.33	<0.001	0.13	1.38	2.8	<0.02	<10	370	0.10	0.14	0.07	0.04	33.4	2.2	9	
ZZ80353	0.36	<0.001	0.05	1.31	10.7	<0.02	<10	380	0.12	0.25	0.22	0.07	49.0	3.1	15	
ZZ80354	0.45	<0.001	0.19	0.68	21.2	<0.02	<10	430	0.17	0.11	0.02	0.07	20.6	5.5	3	
ZZ80355	0.41	0.001	0.38	2.13	54.1	<0.02	<10	300	0.72	0.47	0.35	2.51	45.9	20.2	34	
ZZ80356	0.33	<0.001	0.08	1.52	11.3	<0.02	<10	220	0.57	0.13	0.29	0.26	22.7	8.0	35	
ZZ80357	0.42	0.006	0.15	2.11	22.8	<0.02	<10	630	0.55	0.27	0.16	0.09	48.0	12.9	31	
ZZ80358	Listed, NR															
ZZ80359	0.32	<0.001	0.60	1.48	10.1	<0.02	<10	330	0.30	0.20	0.23	0.26	29.0	6.2	26	
ZZ80360	0.68	0.001	0.25	1.23	11.3	<0.02	<10	280	0.32	0.16	0.35	0.21	31.5	7.2	26	
ZZ80361	0.61	0.009	0.17	1.20	9.8	<0.02	<10	220	0.29	0.16	0.29	0.20	23.6	6.1	26	
ZZ80362	0.49	<0.001	0.53	1.75	10.2	<0.02	<10	200	0.39	0.21	0.22	0.33	23.2	7.2	31	
ZZ80363	0.25	<0.001	0.26	0.99	12.7	<0.02	<10	140	0.16	0.20	0.18	0.43	17.10	3.9	22	
ZZ80364	0.43	<0.001	0.11	1.92	14.1	<0.02	<10	190	0.45	0.15	0.19	0.16	27.5	11.4	34	
ZZ80365	0.30	<0.001	0.88	1.59	11.7	<0.02	<10	150	0.35	0.23	0.18	0.60	20.5	6.4	28	
ZZ80366	0.26	<0.001	0.29	1.12	6.8	<0.02	<10	310	0.29	0.13	0.58	0.40	21.7	8.7	26	
ZZ80367	0.47	0.001	0.43	1.24	8.1	<0.02	<10	350	0.29	0.16	0.53	0.30	25.1	7.7	26	
ZZ80368	0.47	<0.001	0.13	1.33	8.8	<0.02	<10	240	0.32	0.14	0.40	0.12	28.4	9.6	32	
ZZ80369	0.42	0.001	0.09	1.17	13.3	<0.02	<10	230	0.22	0.20	0.18	0.17	50.5	6.6	28	
ZZ80370	0.35	0.003	0.17	1.81	30.4	<0.02	<10	250	0.40	0.22	0.11	0.20	40.6	9.8	32	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ80331		1.09	27.0	2.56	5.20	0.09	<0.02	0.04	0.025	0.11	17.4	12.0	0.56	382	0.92	<0.01
ZZ80332		1.23	49.8	2.59	4.51	0.09	0.04	0.16	0.027	0.13	13.7	11.7	0.67	1640	1.44	0.01
ZZ80333		1.28	38.9	2.98	4.64	0.09	0.03	0.10	0.032	0.13	14.6	14.1	0.63	747	0.75	0.01
ZZ80334		1.02	26.7	2.32	3.99	0.08	<0.02	0.06	0.024	0.11	16.6	13.1	0.46	479	1.06	<0.01
ZZ80335		0.79	45.1	2.53	3.19	0.11	0.03	0.05	0.021	0.11	24.5	7.6	0.33	804	1.19	<0.01
ZZ80336		1.33	14.2	2.77	5.48	0.09	<0.02	0.08	0.026	0.07	16.9	17.1	0.34	253	1.00	<0.01
ZZ80337		1.09	37.4	2.86	4.83	0.09	0.10	0.06	0.026	0.11	20.3	10.4	0.41	438	1.29	<0.01
ZZ80338		0.76	86.5	3.40	3.34	0.11	0.18	0.13	0.024	0.15	22.0	9.5	0.44	1100	2.46	0.01
ZZ80339		1.49	43.1	4.42	5.22	0.10	<0.02	0.08	0.038	0.10	17.5	10.5	0.24	808	3.75	<0.01
ZZ80340		0.79	31.8	2.39	3.69	0.10	0.05	0.06	0.024	0.10	20.8	9.8	0.54	518	0.62	<0.01
ZZ80341		0.70	16.7	1.60	4.12	0.08	0.02	0.05	0.014	0.06	14.7	6.1	0.35	235	0.46	<0.01
ZZ80342		1.25	28.3	2.89	4.73	0.09	0.07	0.04	0.032	0.10	15.0	12.1	0.60	365	0.86	<0.01
ZZ80343		0.94	18.6	2.89	4.83	0.08	0.02	0.03	0.026	0.11	14.2	14.0	0.56	323	0.80	<0.01
ZZ80344		0.99	36.2	3.16	4.79	0.10	0.10	0.05	0.040	0.10	17.0	12.0	0.71	686	1.04	0.01
ZZ80345		0.82	30.2	2.76	3.84	0.10	0.14	0.05	0.033	0.09	12.3	8.7	0.72	508	0.63	0.02
ZZ80346		0.94	40.5	2.92	4.43	0.11	0.10	0.07	0.024	0.10	23.2	14.2	0.64	638	0.86	0.01
ZZ80347		1.57	63.5	2.67	6.07	0.10	0.15	0.06	0.030	0.10	19.3	19.3	0.46	267	0.79	<0.01
ZZ80348		1.66	12.4	2.55	6.74	0.09	0.03	0.04	0.025	0.09	19.3	11.0	0.34	352	1.22	<0.01
ZZ80349		0.65	31.7	2.44	3.95	0.10	0.03	0.03	0.019	0.10	20.8	17.0	0.51	372	0.54	0.01
ZZ80350		1.53	85.1	4.28	4.54	0.11	0.06	0.06	0.031	0.11	25.8	20.9	0.56	514	1.90	<0.01
ZZ80351		1.51	22.6	3.31	4.40	0.11	0.09	0.03	0.023	0.10	26.7	22.8	0.53	286	1.21	<0.01
ZZ80352		1.18	2.1	1.13	4.70	0.08	0.04	0.01	0.008	0.07	17.4	9.9	0.26	152	0.34	<0.01
ZZ80353		0.96	6.0	1.78	3.71	0.10	0.07	0.01	0.009	0.08	25.0	11.6	0.31	188	1.83	<0.01
ZZ80354		0.55	12.7	5.10	0.85	0.09	0.03	0.09	0.017	0.07	12.5	1.6	0.07	2710	0.37	<0.01
ZZ80355		2.74	88.3	3.75	4.94	0.11	0.06	0.05	0.104	0.22	20.9	15.4	0.74	915	2.28	0.01
ZZ80356		1.05	21.3	2.04	3.03	0.08	0.03	0.02	0.025	0.09	11.2	10.6	0.44	255	0.55	0.01
ZZ80357		2.08	70.4	3.46	4.98	0.10	0.05	0.05	0.027	0.21	25.9	13.9	0.67	730	1.05	<0.01
ZZ80358																
ZZ80359		0.94	14.0	2.44	4.79	0.08	0.02	0.06	0.023	0.09	14.6	12.7	0.49	321	1.02	<0.01
ZZ80360		0.88	24.7	2.36	3.70	0.09	0.02	0.04	0.020	0.08	15.8	11.3	0.54	446	0.71	<0.01
ZZ80361		0.86	17.2	2.09	3.55	0.08	0.03	0.01	0.020	0.06	12.0	10.2	0.49	357	0.82	<0.01
ZZ80362		1.22	19.0	2.80	5.63	0.07	0.04	0.01	0.028	0.09	11.9	14.1	0.57	337	0.99	<0.01
ZZ80363		0.89	10.5	2.09	4.85	0.07	<0.02	0.02	0.017	0.08	8.9	5.9	0.32	224	0.98	<0.01
ZZ80364		1.01	58.7	2.62	4.45	0.08	0.07	0.02	0.029	0.09	13.1	9.4	0.62	626	0.53	<0.01
ZZ80365		1.09	15.9	2.60	5.02	0.07	0.02	0.02	0.032	0.09	10.6	11.9	0.51	480	0.82	<0.01
ZZ80366		0.82	25.0	1.91	3.28	0.10	0.03	0.04	0.019	0.06	10.2	9.1	0.54	636	0.43	<0.01
ZZ80367		0.84	20.4	2.15	3.42	0.09	0.03	0.05	0.020	0.08	13.1	9.8	0.52	510	1.03	<0.01
ZZ80368		0.93	23.5	2.45	3.86	0.10	0.04	0.02	0.017	0.09	14.2	9.4	0.64	503	0.67	0.01
ZZ80369		0.77	32.1	2.40	2.97	0.11	<0.02	0.01	0.012	0.08	25.8	12.2	0.54	445	0.91	<0.01
ZZ80370		0.99	32.1	3.09	4.05	0.09	0.07	0.04	0.024	0.08	19.1	14.2	0.62	511	1.10	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ80331		1.29	21.5	340	50.5	13.0	<0.001	0.01	0.58	2.8	0.2	0.6	30.8	<0.01	0.05	1.6
ZZ80332		1.18	32.5	980	39.5	11.6	0.002	0.07	0.74	3.3	1.2	0.5	100.0	<0.01	0.05	1.4
ZZ80333		1.40	34.2	860	34.9	13.3	<0.001	0.03	0.68	4.4	0.9	0.6	41.3	<0.01	0.04	2.1
ZZ80334		1.23	20.7	440	40.3	12.2	<0.001	0.01	0.66	2.8	0.5	0.6	23.1	<0.01	0.04	2.8
ZZ80335		0.91	21.8	440	63.9	9.4	<0.001	0.01	1.11	2.1	0.4	0.4	13.9	<0.01	0.09	5.0
ZZ80336		1.43	14.4	470	39.6	15.3	<0.001	0.02	0.74	2.5	0.4	0.7	11.5	0.01	0.05	3.3
ZZ80337		1.08	19.8	290	49.8	13.9	<0.001	0.01	0.95	3.3	0.5	0.6	13.6	<0.01	0.06	5.4
ZZ80338		0.24	43.9	600	70.4	8.6	<0.001	0.02	2.03	3.3	0.5	0.4	38.6	<0.01	0.14	6.9
ZZ80339		1.25	23.3	600	113.0	22.4	<0.001	0.02	1.71	1.9	0.9	0.7	16.0	<0.01	0.15	1.9
ZZ80340		0.73	20.3	410	57.4	7.3	<0.001	0.01	1.01	3.5	0.4	0.5	18.4	<0.01	0.05	5.3
ZZ80341		1.40	14.4	280	28.3	9.4	<0.001	0.01	0.41	2.3	<0.2	0.5	13.0	<0.01	0.02	2.3
ZZ80342		1.73	33.1	350	63.5	13.8	<0.001	0.01	0.84	3.4	0.4	0.6	12.3	<0.01	0.05	4.6
ZZ80343		1.82	20.3	480	44.4	14.2	<0.001	0.01	0.65	2.8	0.3	0.6	15.3	<0.01	0.04	3.0
ZZ80344		2.04	41.5	790	27.0	9.2	0.001	0.02	0.93	5.7	0.8	0.8	35.8	<0.01	0.03	4.4
ZZ80345		0.35	38.1	790	19.0	7.1	<0.001	<0.01	1.42	4.4	0.2	0.7	33.8	<0.01	0.02	3.7
ZZ80346		0.45	26.9	490	35.4	7.1	<0.001	0.01	0.90	4.6	0.2	0.6	22.2	<0.01	0.04	6.3
ZZ80347		1.16	45.2	220	190.0	18.1	<0.001	0.02	0.58	3.4	0.5	0.8	10.8	<0.01	0.04	5.6
ZZ80348		2.07	10.4	290	40.1	23.1	<0.001	0.01	0.40	2.4	0.3	1.0	10.2	<0.01	0.05	3.9
ZZ80349		1.10	22.6	520	16.6	10.9	<0.001	0.02	0.31	2.9	0.8	0.4	40.9	<0.01	0.05	3.4
ZZ80350		0.81	61.6	450	45.1	14.0	<0.001	0.01	0.96	3.1	0.9	0.4	11.2	<0.01	0.17	7.5
ZZ80351		0.76	31.4	260	26.6	18.0	<0.001	0.01	0.62	2.3	0.4	0.4	8.0	<0.01	0.07	6.7
ZZ80352		0.83	3.0	90	12.4	17.8	<0.001	<0.01	0.11	1.4	<0.2	0.4	6.0	<0.01	0.02	3.0
ZZ80353		0.89	7.9	130	21.6	12.2	<0.001	<0.01	0.24	1.2	<0.2	0.5	12.4	<0.01	0.03	5.1
ZZ80354		<0.05	2.9	490	6.3	9.1	<0.001	0.01	0.15	6.8	0.4	<0.2	1.6	<0.01	0.03	2.5
ZZ80355		0.97	73.7	750	126.5	14.6	<0.001	0.03	4.53	4.0	0.8	0.9	19.6	<0.01	0.09	6.6
ZZ80356		1.52	30.7	530	24.9	7.6	<0.001	0.01	0.59	2.6	0.4	0.4	14.7	<0.01	0.03	4.5
ZZ80357		0.40	34.4	420	47.5	14.0	<0.001	0.01	1.05	4.4	0.5	0.5	14.2	<0.01	0.08	7.2
ZZ80358																
ZZ80359		1.65	16.7	290	42.6	11.0	<0.001	0.01	0.54	2.4	0.3	0.6	14.3	<0.01	0.04	2.6
ZZ80360		1.31	20.6	560	25.8	8.0	<0.001	0.01	0.61	2.6	0.5	0.5	19.6	<0.01	0.04	2.4
ZZ80361		1.26	19.6	540	22.3	7.3	0.001	<0.01	0.49	2.4	0.3	0.5	15.3	<0.01	0.03	3.0
ZZ80362		1.93	21.3	340	25.3	11.6	<0.001	<0.01	0.55	2.9	0.4	0.7	12.7	<0.01	0.03	3.1
ZZ80363		1.55	11.6	330	20.1	9.8	<0.001	0.01	0.52	1.6	<0.2	0.7	12.4	<0.01	0.04	0.9
ZZ80364		1.22	44.2	350	28.3	7.6	<0.001	<0.01	0.79	3.7	0.3	0.7	12.5	<0.01	0.03	4.1
ZZ80365		1.73	21.1	560	20.9	13.0	<0.001	0.01	0.54	2.2	0.2	0.8	10.2	<0.01	0.03	2.1
ZZ80366		1.05	21.6	590	20.1	7.0	<0.001	0.03	0.46	2.3	0.9	0.4	37.6	<0.01	0.03	1.4
ZZ80367		0.96	19.8	770	24.9	7.1	0.001	0.02	0.54	2.4	1.0	0.4	36.9	<0.01	0.02	1.6
ZZ80368		1.22	22.8	600	17.9	7.2	<0.001	<0.01	0.63	3.3	0.2	0.4	22.0	<0.01	0.03	3.7
ZZ80369		0.47	25.0	520	24.4	6.5	<0.001	<0.01	0.48	1.7	0.4	0.2	11.3	<0.01	0.05	4.7
ZZ80370		0.76	29.3	360	38.1	8.6	<0.001	<0.01	0.73	2.8	0.8	0.4	8.5	<0.01	0.07	6.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ80331		0.050	0.09	0.88	43	0.22	3.89	213	<0.5
ZZ80332		0.054	0.11	7.02	42	0.17	9.13	177	1.5
ZZ80333		0.075	0.10	2.01	49	0.18	10.65	173	1.0
ZZ80334		0.070	0.08	1.68	40	0.22	5.80	120	0.6
ZZ80335		0.045	0.07	0.65	29	0.17	4.20	112	1.2
ZZ80336		0.039	0.11	0.44	39	0.22	2.67	95	0.6
ZZ80337		0.052	0.11	0.68	40	0.20	5.90	105	5.5
ZZ80338		0.038	0.08	0.73	29	0.16	6.83	163	12.0
ZZ80339		0.037	0.12	0.75	44	0.24	3.30	400	0.5
ZZ80340		0.082	0.08	0.69	39	0.17	7.36	161	2.7
ZZ80341		0.083	0.08	0.43	37	0.12	3.58	46	0.8
ZZ80342		0.083	0.11	0.60	47	0.22	3.67	107	3.2
ZZ80343		0.077	0.09	0.39	49	0.24	2.94	104	1.2
ZZ80344		0.122	0.11	2.01	61	0.23	12.90	123	4.4
ZZ80345		0.143	0.10	0.70	58	0.16	8.75	83	7.8
ZZ80346		0.107	0.09	0.83	48	0.37	10.90	98	5.7
ZZ80347		0.054	0.14	0.69	47	0.17	4.80	452	6.7
ZZ80348		0.058	0.15	0.48	53	0.23	2.61	130	1.5
ZZ80349		0.044	0.06	1.31	33	0.16	7.24	79	1.0
ZZ80350		0.016	0.10	0.92	35	0.16	5.12	138	3.5
ZZ80351		0.017	0.11	0.51	35	0.18	2.88	101	4.5
ZZ80352		0.018	0.10	0.21	22	0.09	1.42	34	1.6
ZZ80353		0.019	0.10	0.40	26	0.11	2.47	53	2.8
ZZ80354		<0.005	0.05	0.37	7	<0.05	10.00	50	1.6
ZZ80355		0.060	0.24	1.97	46	0.24	7.27	662	3.0
ZZ80356		0.075	0.08	0.76	35	0.27	5.76	114	1.3
ZZ80357		0.043	0.14	0.91	42	0.19	8.16	112	3.1
ZZ80358									
ZZ80359		0.076	0.09	0.48	47	0.19	3.09	96	0.7
ZZ80360		0.078	0.08	1.18	40	0.29	4.83	73	0.9
ZZ80361		0.075	0.07	0.72	38	0.19	4.10	84	1.2
ZZ80362		0.080	0.11	0.49	48	0.25	3.07	110	1.8
ZZ80363		0.083	0.07	0.23	49	0.26	1.53	72	0.6
ZZ80364		0.105	0.11	0.76	49	0.23	5.16	86	3.4
ZZ80365		0.092	0.08	0.56	48	0.30	2.96	115	0.7
ZZ80366		0.070	0.06	0.96	36	0.19	3.98	108	1.1
ZZ80367		0.059	0.08	3.28	35	0.43	6.75	94	1.0
ZZ80368		0.096	0.09	0.44	44	0.18	5.57	61	2.0
ZZ80369		0.020	0.05	0.50	24	0.10	4.47	99	0.6
ZZ80370		0.049	0.08	0.72	39	0.20	3.94	154	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ80371		0.33	0.003	0.35	1.78	23.7	<0.02	<10	480	0.51	0.31	0.07	0.13	57.4	13.0	40
ZZ80372		0.45	0.001	0.24	1.18	10.3	<0.02	<10	400	0.34	0.20	0.31	0.14	33.9	7.6	26
ZZ80373		0.36	0.002	0.17	1.48	14.2	<0.02	<10	500	0.50	0.23	0.14	0.06	46.8	11.1	27
ZZ80374		0.24	<0.001	0.55	0.98	4.1	<0.02	<10	610	0.26	0.35	0.54	0.83	18.00	6.1	14
ZZ80375		0.41	0.002	0.10	1.98	14.6	<0.02	<10	390	0.45	0.28	0.29	0.08	45.5	9.9	29
ZZ80376		0.38	<0.001	0.15	1.39	14.6	<0.02	<10	250	0.21	0.28	0.12	0.13	40.3	6.1	25
ZZ80377		0.59	0.001	0.23	1.48	13.0	<0.02	<10	260	0.23	0.21	0.31	0.22	44.1	6.8	21
ZZ80378		0.37	0.002	0.51	1.45	40.4	<0.02	<10	460	0.43	0.47	0.19	0.25	32.6	10.5	26
ZZ80379		0.43	<0.001	0.39	0.82	4.7	<0.02	<10	350	0.19	0.17	0.19	0.19	51.8	3.6	6
ZZ80380		0.34	<0.001	0.12	1.12	1.7	<0.02	<10	300	0.12	0.23	0.23	0.04	80.6	1.2	2
ZZ80381		0.44	0.004	0.29	1.29	12.0	<0.02	<10	110	0.21	0.25	0.12	0.36	21.0	4.4	26
ZZ80382		0.37	0.001	0.65	1.73	79.6	<0.02	<10	370	0.43	0.49	0.34	1.39	39.5	29.1	77
ZZ80383		0.25	<0.001	0.35	1.62	23.7	<0.02	<10	200	0.29	0.41	0.09	0.92	26.8	8.5	25
ZZ80384		0.38	<0.001	0.15	2.44	18.9	<0.02	<10	200	0.59	0.28	0.12	0.60	22.4	10.0	35
ZZ80385		0.46	0.004	0.11	1.50	9.9	<0.02	<10	180	0.40	0.30	0.27	0.29	30.2	10.1	32
ZZ80386		0.43	0.001	0.41	1.91	13.4	<0.02	<10	310	0.55	0.20	0.18	0.18	27.8	9.7	32
ZZ80387		0.44	<0.001	0.34	1.90	18.1	<0.02	<10	330	0.52	0.27	0.15	0.09	43.2	8.7	29
ZZ80388		0.43	0.001	0.21	1.26	10.6	<0.02	<10	240	0.31	0.20	0.27	0.09	45.3	6.8	20
ZZ80389		0.39	0.003	0.33	1.47	18.5	<0.02	<10	240	0.33	0.22	0.38	0.13	44.3	6.7	21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ80371		1.17	80.8	3.65	4.16	0.12	0.09	0.06	0.022	0.10	28.8	12.9	0.63	684	1.59	<0.01
ZZ80372		0.79	35.8	2.18	3.33	0.10	0.03	0.02	0.018	0.07	17.8	9.4	0.43	467	0.83	<0.01
ZZ80373		1.03	49.8	2.55	3.80	0.11	0.08	0.03	0.022	0.08	24.2	8.8	0.47	695	1.02	<0.01
ZZ80374		0.74	25.5	1.64	4.84	0.07	<0.02	0.02	0.018	0.08	9.5	12.0	0.16	568	1.00	0.01
ZZ80375		1.09	47.6	3.58	4.60	0.10	0.04	0.04	0.032	0.08	22.3	20.5	0.73	600	1.09	<0.01
ZZ80376		0.87	9.6	3.05	4.60	0.09	<0.02	0.01	0.015	0.07	20.3	14.4	0.42	487	1.39	<0.01
ZZ80377		0.75	24.6	2.97	3.57	0.10	0.05	0.01	0.013	0.08	22.5	17.3	0.61	417	0.81	<0.01
ZZ80378		0.98	23.4	4.59	4.69	0.09	0.04	0.03	0.030	0.08	16.9	19.3	0.37	393	2.32	<0.01
ZZ80379		1.77	10.2	1.25	2.13	0.09	<0.02	0.01	0.008	0.08	27.5	11.4	0.13	483	1.83	<0.01
ZZ80380		0.55	4.9	0.91	1.69	0.11	0.03	<0.01	<0.005	0.07	43.5	15.4	0.11	140	2.97	<0.01
ZZ80381		1.13	26.2	2.21	4.76	0.07	0.05	0.01	0.021	0.05	11.0	12.0	0.38	235	1.08	<0.01
ZZ80382		1.24	68.3	7.89	5.34	0.11	0.03	0.06	0.058	0.09	18.8	22.2	0.62	1640	2.05	<0.01
ZZ80383		1.37	18.1	4.51	8.38	0.08	0.03	0.03	0.027	0.07	13.2	10.5	0.39	349	1.79	<0.01
ZZ80384		1.61	23.0	3.55	5.90	0.08	0.09	0.04	0.033	0.07	11.3	17.7	0.46	357	1.18	<0.01
ZZ80385		1.40	31.7	2.55	4.47	0.10	0.05	<0.01	0.023	0.10	14.7	10.6	0.57	515	0.87	<0.01
ZZ80386		1.40	18.5	2.68	4.21	0.08	0.07	0.03	0.024	0.08	14.3	11.5	0.54	293	0.87	<0.01
ZZ80387		1.30	27.9	3.27	4.64	0.10	0.02	0.02	0.020	0.08	21.8	16.3	0.57	488	1.56	<0.01
ZZ80388		0.82	30.8	2.41	3.36	0.10	0.05	0.02	0.013	0.07	23.3	15.2	0.54	417	0.90	<0.01
ZZ80389		1.11	28.3	2.88	3.65	0.11	0.06	0.01	0.015	0.07	22.8	16.4	0.65	434	1.13	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Method Analyte Units LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ80371	0.39	53.6	360	43.9	8.8	<0.001	<0.01	1.31	4.0	0.8	0.4	8.4	<0.01	0.10	8.3
ZZ80372	0.79	21.9	390	32.9	7.0	<0.001	<0.01	0.67	2.9	0.3	0.4	20.3	<0.01	0.03	4.8
ZZ80373	0.39	23.6	260	39.7	9.2	<0.001	<0.01	0.89	3.6	0.4	0.5	12.8	<0.01	0.07	6.7
ZZ80374	1.46	10.4	230	172.0	16.3	<0.001	0.02	0.35	1.4	0.4	0.7	54.7	<0.01	0.02	2.1
ZZ80375	0.59	31.9	300	40.3	7.1	<0.001	0.01	0.62	2.6	0.9	0.4	25.6	<0.01	0.09	6.4
ZZ80376	1.14	16.2	190	40.5	11.8	<0.001	0.01	0.41	1.5	0.4	0.5	11.5	<0.01	0.08	3.8
ZZ80377	0.51	22.9	360	25.6	9.0	<0.001	0.01	0.36	1.6	0.4	0.2	21.6	<0.01	0.07	5.0
ZZ80378	1.41	21.6	390	40.5	16.6	<0.001	0.01	0.83	1.8	0.8	0.5	14.8	<0.01	0.14	4.2
ZZ80379	0.57	11.4	190	54.6	14.2	<0.001	0.01	0.12	0.7	0.3	0.2	14.8	<0.01	0.03	5.1
ZZ80380	0.78	2.0	100	22.9	9.0	<0.001	<0.01	0.06	0.3	0.2	<0.2	10.5	0.01	0.02	9.9
ZZ80381	2.08	15.6	140	31.7	10.0	<0.001	<0.01	0.51	2.0	0.2	0.8	8.1	<0.01	0.03	3.5
ZZ80382	1.69	90.1	660	92.0	12.0	<0.001	0.02	1.86	4.2	1.6	0.6	19.7	0.01	0.19	5.8
ZZ80383	2.54	16.8	440	38.0	16.5	<0.001	0.02	0.95	2.7	0.4	1.1	7.5	<0.01	0.12	2.9
ZZ80384	2.05	22.2	460	47.4	14.8	<0.001	0.01	0.92	3.3	0.4	0.7	9.1	0.01	0.06	3.6
ZZ80385	1.27	27.1	690	23.9	10.1	<0.001	<0.01	0.65	2.9	0.4	0.6	15.6	<0.01	0.03	4.7
ZZ80386	1.25	29.8	330	27.5	11.8	<0.001	<0.01	0.77	2.7	0.3	0.5	11.7	<0.01	0.05	4.8
ZZ80387	0.72	23.1	210	41.9	14.4	<0.001	0.01	0.74	2.7	0.7	0.4	11.7	<0.01	0.08	5.2
ZZ80388	0.61	19.6	160	29.3	6.9	<0.001	0.01	0.48	2.1	<0.2	0.3	17.5	<0.01	0.05	5.6
ZZ80389	0.58	22.1	610	31.3	6.2	<0.001	0.01	0.63	2.1	0.4	0.3	23.5	<0.01	0.09	5.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ80371		0.027	0.10	1.11	38	0.17	7.88	85	5.8
ZZ80372		0.060	0.06	0.76	33	0.21	6.09	79	2.0
ZZ80373		0.054	0.09	0.74	36	0.22	9.15	62	4.5
ZZ80374		0.032	0.06	1.00	29	0.12	1.92	232	0.8
ZZ80375		0.026	0.08	0.61	35	0.13	3.99	110	2.0
ZZ80376		0.025	0.07	0.35	35	0.14	2.04	98	0.8
ZZ80377		0.019	0.05	0.65	27	0.07	3.47	107	1.8
ZZ80378		0.034	0.06	0.53	40	0.22	3.22	126	1.3
ZZ80379		<0.005	0.08	0.67	10	0.05	2.93	98	<0.5
ZZ80380		<0.005	0.06	1.31	3	0.10	5.19	24	1.3
ZZ80381		0.090	0.07	0.52	47	0.40	2.47	181	2.2
ZZ80382		0.043	0.08	0.69	53	0.21	3.89	532	1.7
ZZ80383		0.111	0.11	0.37	86	0.35	1.49	134	1.4
ZZ80384		0.068	0.08	0.50	55	0.36	2.79	298	2.9
ZZ80385		0.090	0.10	0.51	47	0.46	4.45	69	2.3
ZZ80386		0.068	0.09	0.49	43	0.30	3.79	62	3.4
ZZ80387		0.024	0.09	0.66	39	0.26	4.33	67	1.2
ZZ80388		0.032	0.05	0.63	26	0.13	4.21	68	2.4
ZZ80389		0.024	0.06	0.71	28	0.12	4.77	69	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30- JUN- 2018
Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142146

CERTIFICATE COMMENTS	
	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g). ME- MS41</p>
	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada. LOG- 22 SCR- 41 WEI- 21</p> <p>Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au- ICP21 ME- MS41</p>



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30- JUN- 2018
Account: MTT

CERTIFICATE WH18142149

Project: CONVERT

This report is for 20 Rock samples submitted to our lab in Whitehorse, YT, Canada on 16-JUN- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL
SCOTT NEWMAN

ANDREW CARNE

JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 21	Sample logging - ClientBarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% <2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	ICP- AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142149

Sample Description	Method Analyte Units LOD	WEI- 21 Recvd Wt. kg	Au- ICP21 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
W591951		0.29	0.002	0.02	0.02	3.6	<0.02	<10	20	<0.05	0.04	0.01	0.05	0.37	0.3	16
W591952		1.03	0.004	3.48	0.87	11.6	<0.02	<10	9120	0.08	0.10	<0.01	6.08	3.08	4.1	27
W591953		1.37	<0.001	0.40	0.33	123.5	<0.02	<10	100	0.89	0.26	0.03	0.06	13.25	0.7	22
W591954		0.48	0.005	1.12	0.74	153.0	<0.02	<10	250	2.81	1.75	0.04	3.35	4.42	7.0	17
W591955		1.46	0.001	0.33	0.14	17.0	<0.02	<10	150	0.11	0.12	0.01	0.06	8.21	0.8	11
W591956		0.36	<0.001	1.56	3.24	2.6	<0.02	<10	50	0.99	1.48	0.09	0.75	3.17	32.9	49
W591957		1.05	0.223	2.05	0.15	5.8	0.28	<10	50	0.06	0.06	0.02	0.03	5.33	2.3	18
W591958		1.89	0.026	0.24	1.15	4.7	0.03	<10	160	0.29	0.05	0.03	0.25	18.40	7.1	20
W591959		1.09	<0.001	0.04	0.03	0.8	<0.02	<10	10	<0.05	0.01	<0.01	0.03	0.47	0.3	17
W591960		0.61	0.012	0.34	0.57	1.8	<0.02	<10	160	0.21	0.07	0.01	0.24	23.6	3.8	13
W591961		0.86	0.009	3.12	0.49	92.4	<0.02	<10	70	1.85	2.91	0.02	5.89	5.28	8.6	12
W591962		1.31	<0.001	0.61	0.65	0.8	<0.02	<10	50	0.07	0.11	0.31	0.94	6.22	5.1	17
W591963		1.07	<0.001	0.16	0.34	0.6	<0.02	<10	20	0.05	0.14	0.19	0.30	7.84	2.3	11
W591964		1.24	<0.001	0.29	0.85	8.9	<0.02	<10	1680	0.33	0.21	0.42	3.68	15.95	14.8	34
W591965		1.28	0.235	10.25	0.41	9.1	0.24	<10	90	0.41	12.20	1.50	48.8	5.89	41.4	9
W591966		0.61	0.024	25.2	1.20	107.5	0.02	<10	90	0.70	18.90	0.05	16.30	11.10	8.8	13
W591967		1.41	0.005	16.75	0.30	4.8	<0.02	<10	70	0.20	8.32	0.03	18.40	1.32	7.3	9
W591968		0.50	<0.001	1.08	2.18	2.9	<0.02	<10	8290	0.30	0.27	0.85	11.05	9.48	11.0	10
W591969		1.27	0.001	0.32	1.38	3.3	<0.02	<10	130	0.18	0.13	0.19	1.04	17.25	12.1	14
W591970		0.32	<0.001	1.78	0.29	3.0	<0.02	<10	4330	<0.05	0.44	0.02	0.13	5.44	4.7	23

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142149

Sample Description	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
W591951	0.11	8.4	1.38	0.21	<0.05	<0.02	0.01	0.030	0.01	0.2	0.1	<0.01	62	0.75	<0.01
W591952	0.10	26.8	0.94	1.77	<0.05	0.07	3.96	0.031	0.03	1.6	0.9	0.04	68	2.74	<0.01
W591953	0.61	17.0	0.89	0.83	<0.05	0.05	0.06	2.62	0.07	6.6	0.9	0.01	88	0.70	<0.01
W591954	3.85	392	13.25	1.51	0.05	0.07	0.17	22.6	0.31	1.9	2.7	0.01	3480	1.32	<0.01
W591955	0.48	6.4	1.04	0.67	<0.05	0.11	0.02	0.047	0.10	4.1	0.8	0.01	49	1.66	<0.01
W591956	1.01	86.3	8.10	8.52	0.07	0.10	0.01	0.939	0.07	1.4	48.9	0.49	3660	1.84	<0.01
W591957	0.38	18.3	1.62	0.93	<0.05	0.07	0.01	0.012	0.07	2.6	1.3	0.03	97	0.21	<0.01
W591958	1.34	42.0	2.65	3.03	<0.05	0.13	0.01	0.032	0.24	9.1	11.1	0.29	632	0.41	0.01
W591959	0.10	6.0	0.55	0.20	<0.05	<0.02	<0.01	0.006	0.01	0.2	0.4	0.01	57	0.57	<0.01
W591960	2.35	25.6	1.52	2.10	<0.05	0.19	<0.01	0.016	0.28	11.5	4.0	0.14	154	0.12	<0.01
W591961	2.17	78.5	13.65	1.47	0.05	0.06	0.16	21.1	0.17	2.0	1.3	0.01	9690	0.13	<0.01
W591962	0.49	20.7	2.65	2.27	<0.05	0.05	<0.01	0.121	0.09	2.5	2.7	0.23	459	0.22	0.04
W591963	0.19	6.5	1.33	1.19	<0.05	0.08	<0.01	0.104	0.05	3.0	1.1	0.10	208	0.12	0.07
W591964	0.58	45.0	2.09	2.84	<0.05	0.11	0.02	0.026	0.12	6.8	4.7	0.34	1160	0.87	0.01
W591965	0.63	191.5	10.90	2.24	0.12	0.04	1.83	37.2	0.02	2.8	1.2	1.00	1900	1.02	<0.01
W591966	1.03	954	8.64	5.11	0.08	0.06	0.77	10.30	0.07	8.2	21.5	0.28	3350	33.8	<0.01
W591967	0.25	2010	4.43	1.62	0.05	<0.02	0.24	7.21	0.02	1.0	5.9	0.07	2240	3.15	<0.01
W591968	1.63	20.8	2.90	5.74	0.06	0.09	0.01	7.90	0.06	4.3	9.2	0.59	766	0.88	<0.01
W591969	1.01	18.4	3.12	4.76	<0.05	0.08	0.02	0.070	0.23	8.3	14.4	1.03	469	0.50	0.01
W591970	<0.05	5.0	0.45	0.82	<0.05	0.04	<0.01	0.049	0.01	2.2	0.3	0.01	44	0.37	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142149

Sample Description	Method Analyte Units LOD	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
W591951		0.05	1.5	80	7.8	0.4	<0.001	<0.01	0.73	0.1	0.3	0.2	1.1	<0.01	0.02	<0.2
W591952		0.05	5.9	20	244	1.2	0.001	0.04	2.72	1.3	0.5	0.2	29.7	<0.01	0.11	1.0
W591953		<0.05	10.2	490	202	10.1	<0.001	0.02	8.01	1.7	0.5	8.0	119.0	<0.01	0.02	2.8
W591954		0.11	24.2	310	221	65.9	<0.001	0.07	14.00	5.3	1.4	36.8	5.6	<0.01	0.07	1.8
W591955		<0.05	1.4	130	24.7	8.4	<0.001	0.12	3.25	0.3	0.3	0.2	3.2	<0.01	0.07	1.9
W591956		<0.05	46.5	310	115.5	7.4	0.001	0.10	1.31	4.4	0.3	8.5	10.3	<0.01	0.04	3.7
W591957		0.13	2.2	120	2.1	3.0	<0.001	0.24	0.53	0.3	0.4	<0.2	2.9	<0.01	1.05	1.0
W591958		0.29	12.6	340	5.4	11.3	<0.001	0.12	1.09	1.7	0.2	0.5	8.6	<0.01	0.07	3.6
W591959		<0.05	0.9	30	1.4	0.5	<0.001	<0.01	0.62	0.2	<0.2	<0.2	0.6	<0.01	<0.01	0.2
W591960		0.25	7.7	210	3.2	13.4	<0.001	0.25	0.72	1.0	0.4	0.2	17.1	<0.01	0.07	3.9
W591961		<0.05	25.5	50	1095	34.7	<0.001	0.25	6.31	3.5	1.6	23.7	7.4	<0.01	0.10	1.2
W591962		0.06	5.6	900	18.6	3.4	<0.001	0.01	0.54	1.5	0.2	2.4	19.9	<0.01	<0.01	1.8
W591963		0.36	3.2	480	25.0	1.7	<0.001	0.01	0.39	2.0	0.5	2.9	10.6	<0.01	<0.01	3.0
W591964		0.17	29.3	370	24.6	5.6	<0.001	0.14	8.02	2.6	0.6	0.5	83.3	<0.01	0.06	2.4
W591965		0.22	28.7	1080	453	2.4	<0.001	0.10	14.15	0.8	12.2	44.3	20.2	<0.01	0.51	0.2
W591966		<0.05	47.8	90	2220	4.9	<0.001	0.04	6.47	4.5	11.8	61.5	3.8	<0.01	1.21	1.7
W591967		<0.05	9.0	40	3580	1.4	<0.001	0.05	1.43	1.4	16.5	4.9	3.3	<0.01	0.72	0.3
W591968		0.35	2.5	450	72.7	3.2	<0.001	0.01	0.86	9.1	0.9	89.8	39.6	<0.01	0.03	1.6
W591969		0.05	14.3	370	28.6	12.4	<0.001	0.03	2.16	3.9	0.7	0.3	11.8	<0.01	0.05	2.4
W591970		<0.05	6.2	100	977	0.5	<0.001	0.09	1.22	0.5	0.7	0.3	19.7	<0.01	0.47	0.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142149

Sample Description	Method Analyte Units LOD	ME- MS41 Ti %	ME- MS41 Ti ppm	ME- MS41 U ppm	ME- MS41 V ppm	ME- MS41 W ppm	ME- MS41 Y ppm	ME- MS41 Zn ppm	ME- MS41 Zr ppm	Zn- OG46 Zn %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001
W591951		<0.005	<0.02	0.06	2	<0.05	0.09	43	0.6	
W591952		<0.005	0.02	0.25	4	<0.05	0.89	1900	2.9	
W591953		<0.005	0.29	3.14	12	0.14	2.35	28	2.8	
W591954		<0.005	1.42	2.39	26	1.69	2.40	1700	3.4	
W591955		<0.005	0.45	0.20	5	0.05	0.75	20	5.2	
W591956		0.006	0.26	1.21	72	0.05	3.94	349	3.4	
W591957		0.010	0.07	0.11	5	0.06	0.36	9	3.0	
W591958		0.034	0.22	1.00	17	0.12	1.51	64	5.7	
W591959		<0.005	0.02	0.11	1	<0.05	0.07	5	<0.5	
W591960		0.020	0.29	0.52	10	0.05	1.18	33	9.1	
W591961		<0.005	1.00	1.44	26	0.81	7.26	1980	2.7	
W591962		0.031	0.12	0.11	18	0.12	6.02	484	1.6	
W591963		0.066	0.04	0.08	16	0.14	5.90	170	2.5	
W591964		0.028	0.18	0.65	18	0.16	3.76	243	5.0	
W591965		0.019	0.32	0.66	9	0.43	5.91	>10000	2.9	1.400
W591966		<0.005	0.16	2.34	51	0.05	4.14	5150	3.9	
W591967		<0.005	0.09	1.80	49	<0.05	0.62	4980	0.8	
W591968		0.109	0.11	0.41	62	1.65	11.45	3070	2.1	
W591969		0.025	0.17	0.36	35	<0.05	2.92	160	3.5	
W591970		<0.005	<0.02	0.24	1	<0.05	0.74	18	1.4	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/ O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016- 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 30- JUN- 2018
 Account: MTT

Project: CONVERT

CERTIFICATE OF ANALYSIS WH18142149

	CERTIFICATE COMMENTS								
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g). ME- MS41</p>								
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU- 31</td> <td style="width: 33%;">CRU- QC</td> <td style="width: 33%;">LOG- 21</td> <td style="width: 33%;">PUL- 31</td> </tr> <tr> <td>PUL- QC</td> <td>SPL- 21</td> <td>WEI- 21</td> <td></td> </tr> </table>	CRU- 31	CRU- QC	LOG- 21	PUL- 31	PUL- QC	SPL- 21	WEI- 21	
CRU- 31	CRU- QC	LOG- 21	PUL- 31						
PUL- QC	SPL- 21	WEI- 21							
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au- ICP21</td> <td style="width: 33%;">ME- MS41</td> <td style="width: 33%;">ME- OG46</td> <td style="width: 33%;">Zn- OG46</td> </tr> </table>	Au- ICP21	ME- MS41	ME- OG46	Zn- OG46				
Au- ICP21	ME- MS41	ME- OG46	Zn- OG46						