ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

HAND TRENCHING, PROSPECTING AND GEOCHEMICAL SAMPLING

at the

DABB PROPERTY

Dabb 1-42	YF49951-YF49992
Dabb 43-50	YE85807-YE85814
Dabb 51-68	YF56281-YF56298

NTS 105E/09 and 105F/12
Latitude 61°41′N; Longitude 134°01′W

Field work performed from June 7 to June 13 and August 15 to 17, 2018

in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., P.Geo.

April 2019

CONTENTS

APPENDICES

TABLES

FIGURES

INTRODUCTION

The Dabb property covers a large, polymetallic skarn prospect in southern Yukon. It lies near the boundary between Cassiar and Yukon-Tanana terranes – two geological provinces that each host a number of significant silver and base metal occurrences, such as the former Wolverine and Sa Dena Hes mines, Coeur Mining Inc.'s Silvertip mine and BMC Minerals (No. 1) Limited's Kudz ze Kayah deposit. The Dabb property is wholly owned by Strategic Metals Ltd.

This report describes a 2018 work program comprising hand trenching, prospecting and geochemical sampling, which were performed during two separate periods: June 7 to June 13 and August 15 to 17. Archer, Cathro & Associates (1981) Limited managed the program on behalf of Strategic Metals. The author supervised and participated in the exploration program and interpreted all resulting data. The author's Statement of Qualifications in provided in Appendix I, and a Statement of Expenditures appears in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Dabb property consist of 68 contiguous mineral claims, which are located on NTS map sheets 105E/09 and 105F/12 at latitude 61°41' north and longitude 134°01´ west (Figure 1). The property covers an area of approximately 1410 ha (14 km^2). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry*
Dabb 1-42	YF49951-YF49992	April 4, 2027
Dabb 43-50	YE85807-YE85814	April 4, 2027
Dabb 51-68	YF56281-YF56298	April 4, 2027

* Expiry dates include 2018 work which has been filed for assessment credit but has not yet been accepted.

The Dabb property is located 123 km northeast of Whitehorse and 65 km southwest of Faro, the nearest supply centre. It lies outside of the traditional territories of any Yukon First Nation.

The 2018 exploration program was conducted from two fly camps located on the property. Mobilization of camp gear and supplies was provided by a Bell 206B helicopter operated by Capital Helicopters (1995) Inc. from its base at the Whitehorse Airport. Transportation of personnel and gear also involved float-equipped fixed-wing aircraft utilizing Northern Lake, which is located 9.5 km east-northeast of the property.

HISTORY AND PREVIOUS WORK

The first recorded work in the Dabb area was performed in 1980 by Amoco Canada Petroleum Company Ltd. Reconnaissance stream sediment sampling returned anomalous lead and zinc values from creeks that drain the current property, as well as from drainages located about 1.5

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

DABB PROPERTY

0 200 km

FILE: ..2018\DABB | DATE: APRIL 2019





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

DABB PROPERTY

0 2

kilometres

UTM ZONE 8, NAD 83, NTS 105E09, 105F12

FILE: 2018/DABB | DATE: APRIL 2019

km to the southeast. As a result, in mid-1980 Amoco staked the Fog Mountain claims, which covered a portion of the current Dabb property. Later that year it performed soil geochemical sampling that outlined two strong lead-zinc soil anomalies on either side of a north-flowing creek, and identified skarn-type mineralization in outcrop (Brown, 1981). The claims were subsequently allowed to lapse.

In 1987, Cypress Gold (Canada) Ltd. staked the Helo 1-18 claims over the stream sediment anomalies to the southeast, and in 1988, it performed prospecting and rock geochemical sampling on that property. Prospecting identified skarn-type mineralization associated with high-level felsic dykes, and rock samples returned values of up to 460 g/t silver, 21.10% lead, 10.10% zinc and 1.26% copper (Cuttle, 1988). Further work was recommended, but the claims were allowed to lapse. The Helo occurrence lies within an area that is currently subject to a staking moratorium.

In 1991, Archer Cathro staked the Dab 1-8 claims over the Amoco soil anomalies. The following year, the company performed one day of prospecting and rock geochemical sampling on the property. This work identified widespread skarn-type mineralization in float, concentrated in areas of felsic, tuffaceous talus. Rock samples yielded values of up to 23.7 g/t silver, 1.96% lead, 3.33% zinc and 0.72% copper, as well as strongly elevated values for tungsten (Eaton, 1993). The claims were subsequently allowed to lapse.

In March 2017, Strategic Metals staked the Dabb 1-42 claims, and in July staked eight more claims, in conjunction with a work program consisting of geological mapping, prospecting and soil geochemical sampling. Soil sampling reconfirmed the size and tenor of the Amoco soil anomaly, while cursory prospecting within the anomaly identified a number of skarn occurrences. Rock samples assayed up to 83.1 g/t silver, 7.29% lead, 6.51% zinc and 1.57% copper (Morton, 2018). In November, 26 additional claims were staked.

GEOMORPHOLOGY

The Dabb property lies within the Big Salmon Range of the Pelly Mountains. It covers the headwaters of Teraktu and d'Abbadie creeks, which flow into the Big Salmon River and are part of the Yukon River watershed. There is abundant water for camp and diamond drilling purposes on the property.

The property covers a series of rugged peaks and saddles along an east trending ridge, with elevations ranging from 1420 to 2080 m. Drainages on the property originate from steep cirques blanketed by thick talus and rock glaciers. Further downstream, valley floors are vegetated by alpine grass and moss. Outcrop exposures are limited to higher elevations and are most common in north-facing cirques.

The climate at the Dabb property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Dabb property lies within a section of carbonate-rich stratigraphy near the boundary between Cassiar and Yukon-Tanana terranes (Figure 3).

The geology of the Dabb area, on NTS map sheets 105F and 105E, was published at 1:250,000 scale by the Geological Survey of Canada (GSC) in 1977 and 1984, respectively (Tempelman-Kluit, 1977, and Tempelman-Kluit, 1984). In 2008, the Yukon Geological Survey (YGS) performed 1:50,000 scale mapping in the immediate vicinity of the property (Westberg et al., 2009), on map sheets 105F/5 and 105E/8. The YGS maintains a website that updates Yukon geology as new data becomes available. The regional geology illustrated on Figure 4 and described below is based on mapping performed by the YGS.

Cassiar terrane rocks were mainly deposited as shallow water sediments during Paleozoic time along the margin of ancestral North America. They were deformed and metamorphosed by arc-continent collision in the early Mesozoic and were subsequently intruded by various plutonic suites.

Earlier mapping by the GSC defined the western limit of the Cassiar terrane as the d'Abbadie fault zone. Rocks west of this fault zone were assigned to Yukon-Tanana – a pericratonic terrane that records the evolution of a Late Devonian to Middle Permian continental arc and back-arc system (Piercey et al., 2006). More recent mapping in the Dabb area has revised the location of the terrane boundary, moving it east of the d'Abbadie fault zone. This work has reassigned the rocks underlying the Dabb property to Yukon-Tanana terrane (Westberg et al., 2009).

Yukon-Tanana terrane is defined by four tectonic assemblages of regional extent: a basal siliciclastic assemblage of contintental-margin affinity (Snowcap Assemblage), overlain by three unconformity-bounded, mid- to Late Paleozoic volcanic and volcaniclcastic successions of continental arc and back-arc character (Finlayson, Klinkit and Klondike assemblages). The four assemblages have been subjected to four, and locally five, episodes of deformation and are variably metamorphosed up to amphibolite facies (Simard et al., 2007 and Westberg et al., 2009).

The Dabb property is underlain by Snowcap assemblage schists, quartzites and calc-silicate rocks (PDS1) that are intruded to the north and northwest by the western limb of a Cretaceous-aged, arcuate, granitic pluton (mKgC). Six kilometres south of the property, a klippe of Slide Mountain Suite serpentinized ultramafic rocks structurally overlies Finlayson Assemblage metavolcanic rocks (DMF1), and forms a conspicuous, gossanous mountain referred to as Dunite Peak. West of the property, the north-trending d'Abbadie fault zone – a Late Cretaceous system of brittle-ductile, dextral strike-slip faults – cuts across the regional structural trends (Tempelman-Kluit, 2012 and Westberg et al., 2009).

The main lithological units are described in Table I below.

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

DABB PROPERTY

FILE: 2017\DABB | DATE: MARCH 2018

After Colpron, M. and Nelson, J.L., 2011



Legend

Outboard

- CG Chugach
- YA Yakutat

Insular

- WR Wrangellia
- AX Alexander
- KS Kluane schist

Arctic

- AA Arctic Alaska

Intermontane

- CC Cache Creek
- ST Stikinia
- QN Quesnellia
- YT Yukon-Tanana
- SM Slide Mountain

Ancestral North America

- CA Cassiar
- NAb basinal facies
- NAp shelf facies
- NAc craton & cover

520,000
540,000
560,000
6,860,000
6,840,000
6,820,000
6,800,000

T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west

PDS1
Jgd
uDMM1
DMF1
D'ABBADIE
FAULT
ZONE
DABB PROPERTY
mKgC
PCI4
mKqC
CPSM4
PCI1
ICR
CDRC2
SDA2
ODRC2
uCB2
DMF4
MgSR
DMF5
DMF3

CRETACEOUS

Cassiar Suite:
mKgC: Granodiorite, biotite-muscovite granodiorite, quartz diorite, biotite quartz monzonite, granite.
mKqC: Equigranular to poprhyrytic (K-feldspar) granite and biotite quartz monzonite; biorite-hornblende monzonite and granodiorite.

MISSISSIPPIAN TO PERMIAN

Slide Mountain Suite:
CPSM4: Ultramafic.
CPSM5: Diabase and gabbro.

PENNSYLVANIAN

Boswell Formation: Resistant, massive, altered basalt, volcanic breccia and greenstone.

MISSISSIPPIAN

Simpson Range Suite: Foliated meta-granite, quartz monzonite and granodiorite; augen granite.

DEVONIAN TO MISSISSIPPIAN

Moose Formation: Basalt, greenstone.

Finlayson Assemblage:
DMF1: Mafic volcanic rocks;
DMF3: carbonaceous phyllite, quartzite; chert;
DMF4: Siliciclastic and meta-volcaniclastic rocks, psammitic schist;
DMF5: Carbonate, marble.

SILURIAN TO UPPER DEVONIAN

Askin Formation: dolostone, silty and sandy dolostone and limestone; orthoquartzite; dolomitized mudstone.

ORDOVICIAN TO UPPER DEVONIAN

Road River Group: imey graphitic siltstone and fine grained quartzite, with interbedded silty shale.

NEOPROTEROZOIC TO UPPER DEVONIAN

Snowcap Assemblage: schists, quartzites and calc-silicate rocks, typically with amphibolite-grade metamorphic mineral assemblages.

CAMBRIAN

Rosella Formation: thick bedded to massive, fossiliferous, dolostone and limestone; marble, phyllite and minor schist.

NEOPROTEROZOIC TO CAMBRIAN

Ingenika Group:
PCI1: Calcareous sandstone, shale, quartz-eye grit, quartzite and minor limestone; schist, meta-sandstone and minor calc-silicate.
PCI4: Slate, siltstone, quartzite and minor limestone; local feldspathic sandstone to orthoquartzite; schist, minor amphibolite and marble.

Thrust fault
Normal fault
Undefined or strike-slip fault

STRATEGIC METALS LTD.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

DABB PROPERTY

0 10
kilometres

UTM ZONE 8, NAD 83, NTS 105E09, 105F12

FILE: 2018/DABB | DATE: APRIL 2019

Table I – Regional Lithological Units

Map Suite	Age	Map Unit	Description
Cassiar Suite	Cretaceous	mKgC	Granodiorite, biotite-muscovite granodiorite, quartz diorite, biotite quartz monzonite and granite.
	Cretaceous	mKqC	Medium to coarse grained, equigranular to porphyritic (K-feldspar) granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite.
Minto Suite	Upper Triassic to Lower Jurassic	LTrEJgM	Medium to coarse grained, variable foliated to massive, biotite-hornblende granodiorite; biotite-rich screens and gneissic schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts.
Slide Mountain Suite	Mississippian to Permian	CPSM4	Ultramafic.
		CPSM5	Diabase and gabbro.
Boswell Formation	Pennsylvanian	uCB2	Resistant, massive, dark green altered basalt, volcanic breccia and greenstone.
Moose Formation	Upper Devonian to Mississippian	udMM1	Basalt and greenstone.
Finlayson Assemblage	Devonian to Mississippian	DMF1	Mafic volcanic rocks.
		DMF3	Carbonaceous phyllite, quartzite and chert.
		DMF4	Light green, fine-grained siliciclastic and meta-volcaniclcastic rocks; quartzite and psammitic schist.

		DMF5	Carbonate and marble.
Askin Formation	Silurian to Upper Devonian	SDA2	Medium grey to buff weathering, medium to thick bedded dolostone, silty and sandy dolostone, limestone; medium to thick bedded, medium grained mature orthoquartzite; dolomitized, laminated mudstone and dolostone with vugs, birdseye and fenestral cavities.
Road River Group	Ordovician to Upper Devonian	ODRC2	Recessive, dark grey to black 'sooty', limy or dolomitic, thin bedded to platy, graphitic siltstone and fine grained impure quartzite with interbedded graphitic silty shale.
Snowcap Assemblage	Neoproterozoic to Upper Devonian	PDS1	Schists, quartzites and calc-silicate rocks, typically with amphibolite-grade metamorphic mineral assemblages; coarse-grained garnet amphibolites.
Rosella Formation	Cambrian	lCR	Resistant, thick bedded to massive limestone and argillaceous limestone; local archaeocyathid buildups, trilobite fragments, oolites and pisolites; pisolitic massive dolostone and limestone; marble, calc-silicate, calcareous phyllite and minor schist.
Ingenika Group	Neoproterozoic to Cambrian	PCI1	Calcareous sandstone, shale, quartz-eye grit, quartzite, micaceous quartzite and minor grey limestone, generally overlain by phyllite, quartzite and dolomitic marble; muscovite-chlorite schist, biotite schist, meta-sandstone and minor calc-silicate.
		PCI4	Thin bedded slate, siltstone, quartzite and minor limestone with local, medium to coarse grained, feldspathic sandstone to orthoquartzite; muscovite-biotite-garnet schist, micaceous quartzite, minor amphibolite and marble; rare granodiorite gneiss.

PROPERTY GEOLOGY

In 2017, Strategic Metals performed detailed geological mapping at 1:2500 scale in the eastern part of the property (Figure 5). The following is a summary based on this work, as well as observations made by other exploration geologists who have worked on the property at various times.


T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west
552,000
553,000
554,000
555,000
6,841,000
6,840,000
PROPERTY BOUNDARY
72
29
20
74
23
56
83
54
46
32
16
20
58
22
64
39
11
36
18
32
Outcrop
Normal fault
Talus fan
Late-stage, medium green, felsdpar-phyric andesite porphyry dyke
Buff to pink to white, pyrrhotite-bearing, granite pegmatite dyke
Dark brown weathering, buff to tan, variably tuffaceous to flow-banded rhyolite dyke
Medium grey weathering, white marble, and banded grey to pale green chlorite-epidote(-diopside) skarn
Brown to rusty weathering, dark green, biotite-quartz schist and lesser muscovite schist, with intercalated horizonz, generally <2m wide, of light grey-green marble
STRATEGIC METALS LTD.
FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
DABB PROPERTY
0
500
metres
UTM ZONE 8, NAD 83, NTS 105E09, 105F12
FILE: 2018/DABB
DATE: APRIL 2019

The property is predominantly underlain by Snowcap Assemblage, dark green biotite-quartz schist and lesser muscovite schist, with intercalated horizons of marble. Although the majority of the marble horizons are metre-scale, a few of the horizons have widths greater than ten metres. In the detailed mapping area, bedding, preserved as foliation, dips shallowly to moderately to the south-southeast.

In the western part of the map area, a recessive, north-trending, sub-vertical rhyolite dyke cuts Snowcap Assemblage stratigraphy. The dyke is about 90 m wide, buff to tan in colour and variably tuffaceous, and weathers to form conspicuous, dark brown talus. Unlike the schistose country rock, it does not exhibit a metamorphic fabric.

High-angle normal faults on the property strike northeast and exhibit a small sense of displacement where they cut a granite pegmatite dyke. A later-stage, porphyry andesite dyke occupies one of the fault planes.

In the northwestern part of the property, Snowcap Assemblage rocks are hornfelsed in proximity to a Cretaceous-aged granitic pluton. The hornfels is visible from afar as a rusty weathering halo surrounding the intrusion.

MINERALIZATION

The Dabb property covers widespread silver and base metal mineralization. Limited prospecting on the property has identified several recessive skarn horizons developed within the limey portions of Snowcap Assemblage. The horizons generally do not outcrop, but are marked by abundant mineralized talus, with a mineral assemblage comprising epidote, actinolite, diopside, magnetite, galena, sphalerite and chalcopyrite. Sulphide minerals are typically weathered to goethite and manganese oxides.

In 2018, Strategic Metals collected a total of 36 rock samples from the property, and completed two hand trenches (TR-18-01 and TR-18-02). Both hand trenches were continuously sampled where bedrock was exposed, resulting in an additional 15 chip samples. The 2018 trench and rock sample locations are plotted on Figure 6, with combined lead-zinc values illustrated thematically on Figure 7. Rock Sample Descriptions and Certificates of Analysis for the 2018 samples are provided in Appendices III and IV, respectively.

Rock sample sites were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals' laboratories in Whitehorse, Yukon and North Vancouver, BC, respectively. Each sample was dried and fine crushed to better than 70% passing 2 mm, and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). Overlimit values for lead and zinc were determined by inductively coupled plasma-atomic emission spectroscopy (Ag/Cu/Pb/Zn-OG46). An additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma and atomic emission spectroscopy finish (Au-ICP21).



STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

2018 ROCK SAMPLE LOCATIONS

DABB PROPERTY

0 100

metres

UTM ZONE 8, NAD 83, NTS 105E09, 105F12

FILE: 2018/DABB	DATE: APRIL 2019



Sample	Sample Type	Silver (g/t)	Copper (%)	Lead (%)	Zinc (%)
K291704*	Float grab	12.1	<0.01	0.53	1.30
K291705*	Float grab	14.0	0.19	3.86	4.49
K291706*	Float grab	84.1	1.51	2.19	0.11
K291707*	Float grab	5.4	<0.01	1.28	1.39
K291721*	Float grab	107.0	0.78	0.01	0.79
S053423	Outcrop grab	8.3	0.02	2.73	3.09
S053426	Subcrop grab	83.1	1.49	0.01	0.03
S053429	Float grab	66.4	1.57	0.34	1.10
S053430	Float grab	75.4	0.68	1.51	3.00
S053431	Float grab	40.5	0.14	3.43	2.65
W593063*	Subcrop grab	41.1	0.72	2.26	0.45
W593064*	Float grab	8.8	<0.01	3.88	3.67
W593066*	70 cm chip sample	11.3	0.01	1.84	3.28
W593068*	Subcrop grab	17.1	0.50	1.76	0.15
W593070*	70 cm chip sample	5.1	0.08	0.01	4.06
W593071*	280 cm chip sample	14.4	0.34	0.14	3.06
W593072*	70 cm chip sample	23.4	0.76	2.12	1.94

* Sample collected in 2018

2018 hand trench

Lead + Zinc (%)

- 10 to 13.8
- 5 to 10
- 2 to 5
- 1 to 2
- 0.5 to 1
- 0 to 0.5

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD AND ZINC ROCK GEOCHEMISTRY

DABB PROPERTY

0 200

meters

UTM ZONE 8, NAD 83, NTS 105E09, 105F12

FILE: 2018/DABB

DATE: APRIL 2019

Prospecting in the eastern part of the property has identified silver and base metal mineralization within an approximately 1.5 km by 2.0 km area. Rock samples in this area have yielded up to 107 g/t silver, 7.29% lead, 6.51% zinc and 1.57% copper. A rock sample, collected in 2018 and comprising clay-altered rhyolite with disseminated fine grained limonite, rare clots of chalcocite and secondary copper mineralization on outside surfaces, returned 41.1 g/t silver, 0.72% copper and 2.26% lead. In general, silver shows a stronger correlation with copper than lead, suggesting the presence of tetrahedrite or another sulphosalt.

Hand trenching in 2018 was performed within the detailed map area where bedrock was most likely to be exposed. Trench TR-18-01 was excavated along a north-northwest trending ridge and targeted the source of a small, mineralized float train. It exposed 4.25 m of poorly mineralized, dark green, epidote-diopside skarn, adjacent to a rhyolite dyke.

Trench TR-18-02 is located approximately 450 m north of TR-18-01, and was designed to identify the source of a small, ridge-top talus field comprising cobbles of rusty weathering, chalcopyrite-bearing rhyolite and galena-diopside skarn. It cut a wide interval of skarn mineralization, which returned a weighted average grade of 9.0 g/t silver, 492 ppm copper, 2.66% lead and 2.91% zinc over 9.7 m.

SOIL GEOCHEMISTRY

Soil samples collected in 1980 by Amoco were analysed for lead, zinc, copper and molybdenum, with some of them further analysed for gold, silver and tungsten. This work identified a broad lead-zinc anomaly, in the eastern part of the Dabb property, bisected by a north-flowing creek. Samples were collected along pace and compass traverses and the exact sample locations are poorly constrained. As a result, this information cannot reliably be plotted on the maps in this report.

In 2017, Strategic Metals collected 412 grid and contour soil samples from the property, with the majority covering the area previously sampled by Amoco. In 2018, an additional 126 grid and contour soil samples were collected in the south-central part of the property. The 2018 soil sample locations are plotted on Figure 8, while the 2017 and 2018 results for silver, lead, zinc and copper are illustrated thematically on Figures 9 to 12, respectively. Certificates of Analysis are provided on Appendix IV.

Soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 20 to 65 cm deep holes dug by handheld auger. The soil samples were sent to ALS Minerals in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma and atomic emission spectroscopy finish (Au-ICP21).



STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

2018 SOIL SAMPLE LOCATIONS

DABB PROPERTY

0 0.5

kilometres

UTM ZONE 8, NAD 83, NTS 105E09, 105F12

FILE: 2018/DABB	DATE: APRIL 2019


T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west
551,000
552,000
553,000
554,000
6,842,000
6,841,000
6,840,000
6,839,000
550,000
PROPERTY BOUNDARY
Silver-in-soil (ppm)
≥ 2 ≤ 4.21
≥ 1 < 2
≥ 0.5 < 1
≥ 0.2 < 0.5
≥ 0.1 < 0.2
≥ 0 < 0.1
STRATEGIC METALS LTD.
FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER SOIL GEOCHEMISTRY
DABB PROPERTY
0
1
kilometres
UTM ZONE 8, NAD 83, NTS 105E09, 105F12
FILE: 2018/DABB
DATE: JULY 2018


T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west
551,000
552,000
553,000
554,000
6,842,000
6,841,000
6,840,000
6,839,000
550,000
PROPERTY BOUNDARY
Lead-in-soil (ppm)
≥ 1,000 ≤ 5,750
≥ 500 < 1,000
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
≥ 0 < 50
STRATEGIC METALS LTD.
FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD SOIL GEOCHEMISTRY
DABB PROPERTY
0
1
kilometres
UTM ZONE 8, NAD 83, NTS 105E09, 105F12
FILE: 2018/DABB
DATE: APRIL 2019


T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west
550,000
551,000
552,000
553,000
554,000
6,842,000
6,841,000
6,840,000
6,839,000
PROPERTY BOUNDARY
Zinc-in-soil (ppm)
≥ 2,000 ≤ 4,570
≥ 1,000 < 2,000
≥ 500 < 1,000
≥ 200 < 500
≥ 100 < 200
≥ 0 < 100
STRATEGIC METALS LTD.
FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC SOIL GEOCHEMISTRY
DABB PROPERTY
0
1
kilometres
UTM ZONE 8, NAD 83, NTS 105E09, 105F12
FILE: 2018/DABB
DATE: APRIL 2019


T.N.
0°52'
19° 55' E
Grid north
Magnetic north
Annual change
decreasing 21.9' y west
551,000
552,000
553,000
554,000
6,842,000
6,841,000
6,840,000
6,839,000
550,000
PROPERTY BOUNDARY
Copper-in-soil (ppm)
≥ 500 ≤ 576
≥ 200 < 500
≥ 100 < 200
≥ 50 < 100
≥ 20 < 50
≥ 0 < 20
STRATEGIC METALS LTD.
FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER SOIL GEOCHEMISTRY
DABB PROPERTY
0
1
kilometres
UTM ZONE 8, NAD 83, NTS 105E09, 105F12
FILE: 2018/DABB
DATE: APRIL 2019

Table II below provides geochemical thresholds and peak values for the 2017 and 2018 soil samples.

Table II – Soil Geochemical Thresholds

Element	Anomalous Thresholds				
	Weak	**Moderate**	**Strong**	**Very Strong**	**Peak**
Silver (ppm)	≥ 0.2 < 0.5	≥ 0.5 < 1	≥ 1 < 2	≥ 2	4.21
Lead (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500 < 1000	≥ 1000	5750
Zinc (ppm)	≥ 200 < 500	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	4570
Copper (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	576

Soil sampling has confirmed the historical results, identifying a 750 m by 1900 m silver-lead-zinc-copper geochemical anomaly. The anomaly covers two opposing slopes on either side of a north-flowing drainage. Soil development on this part of the property is highly variable. This may explain why values are strongest on the western slope, which is underlain by rock debris shed from ridge-forming outcrop, and suppressed on the eastern slope, where the soil profile is better developed. Soil samples collected southwest of the anomaly, covering the headwaters of a south-flowing drainage, yielded only background to moderately elevated values for all elements of interest.

DISCUSSION AND CONCLUSIONS

The Dabb property is located in southern Yukon and covers a broad area of skarn-type silver and base metal mineralization. It lies near the boundary between Cassiar and Yukon-Tanana terranes – two geological provinces that each host a number significant silver and base metal occurrences.

Soil geochemical sampling has identified a large multi-element anomaly, located along both sides of a north-flowing drainage. Cursory prospecting within this anomaly has identified multiple horizons of skarn mineralization, with rocks assaying up to 107 g/t silver, 7.29% lead, 6.51% zinc and 1.57% copper. A rock sample collected nearby, comprising mineralized rhyolite, yielded 41.1 g/t silver, 0.72% copper and 2.26% lead. Preliminary geological mapping in conjunction with prospecting suggests that multiple, stacked, well mineralized skarn horizons are associated with a large, sub-vertical rhyolite dyke; however, silver and base metal mineralization have been identified as far as 1.5 km away from the dyke, implying the presence of a larger magmatic-hydrothermal system.

In 2018, two hand trenches (TR-18-01 and TR-18-02) were completed along a north-trending ridge, at the western edge of the soil anomaly. Both trenches exposed in-situ skarn mineralization, and a continuous chip sample from trench TR-18-02 returned a weighted average grade of 9.0 g/t silver, 492 ppm copper, 2.66% lead and 2.91% zinc over 9.7 m. Unfortunately, the mineralized skarn weathers recessively, and most areas with abundant mineralized talus are located in topographic settings where ahnd trenches are not likely to extend deep enough to expose bedrock.

Further work on the Dabb property should be designed to delineate the size and tenor of the skarn horizons and to expand the geochemical coverage to other parts of the property. Reconnaissance-scale soil geochemical coverage should be expanded to cover the entire property. Prospecting and hand trenching should be directed toward uncovering the source of mineralized float, and prospecting in conjunction with geological mapping should be extended outward from the 2017 mapping area. Mineral occurrences on the property should be systematically prioritized and potential diamond drill sites should be optimized to have the greatest chance of intersecting the down-dip extension of mineralized skarn horizons.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

J. Morton, B.Sc., P.Geo.

REFERENCES

Brown, P.

1981 Fog Mountain claim group: soil geochemistry, Whitehorse Mining Division; report prepared by Amoco Canada Petroleum Company Ltd.; Assessment Report 090804.

Cuttle, J.

1989 Geological and geochemical report on the HELO 1-18 mineral claims, Whitehorse Mining District; report prepared by Cyprus Gold (Canada) Ltd.; Assessment Report 092647.

Eaton, W.D.

1993 Assessment report describing prospecting done on July 23, 1992 on the DAB 1-8 claims, located in Whitehorse Mining District, Yukon Territory; report prepared by Archer, Cathro & Associates (1981) Limited; Assessment Report 093092.

Morton, J.

2018 Assessment report describing hand trenching, prospecting and geochemical sampling at the Dabb property; report prepared by Archer, Cathro & Associates (1981) Limited for Strategic Metals Ltd.

Piercy, S.J, Nelson, J.L., Colpron, M., Dusel-Bacon, C., Simard, R.-L., and Roots, C.F.

2006 Paleozoic magmatism and crustal recycling along the ancient Pacific margin of North America, northern Cordillera; *in* Paleozoic Evolution and Metallogeny of Pericratonic Terranes at the Ancient Pacific Margin of North America, Canadian and Alaskan Cordillera; Colpron, M. and Nelson, J.L. (eds.); Geological Association of Canada, Special Paper 45, p. 281-322.

Simard, R.-L., Dostal, J., and Colpron, M.

2007 Rifting of a Mississippian continental arc system: Little Salmon formation, Yukon-Tanana terrane, northern Canadian Cordillera; Canadian Journal of Earth Sciences, vol. 44(9), p. 1267-1289.

Tempelman-Kluit, D.J.

1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas, Yukon Territory; Geological Survey of Canada, Open File 486, 1:250,000 scale.

1984 Geology, Laberge (105E) and Carmacks (105I), Yukon Territory; Geological Survey of Canada, Open File 1101, 1:250,000 scale.

2012 Geology of Quiet Lake and Finlayson Lake map areas, south-central Yukon: An early interpretation of bedrock stratigraphy and structure; Geological Survey of Canada, Open File 5487.

Westberg, E., Colpron, M., and Gibson, D.
2009 Bedrock geology of western ‘Mendocina Creek’ (NTS 105F5) and eastern Livingstone Creek (NTS 105E/8) areas, south-central Yukon; *in* Yukon Exploration and Geology 2008; Weston, L.H., Blackburn, L.R., and Lewis, L.L (eds.); Yukon Geological Survey, p. 227-239.

APPENDIX I

STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.

2. From 2007 to present, I have been actively engaged in mineral exploration in Nevada, Yukon Territory, British Columbia, and Northwest Territories.

3. I am a Professional Geologist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (License Number 45807).

4. I supervised the field program and have interpreted all data resulting from this work.

J. Morton, B.Sc., P.Geo.

APPENDIX II

STATEMENT OF EXPENDITURES

Statment of Expenditures
Dabb Property
January 22, 2019

Labour

Employee	Job Description	Hours	Time Period	Rate/hr	Total
Doug Eaton	Sr. Geologist	5	April 5 - December 31	$ 120.00	$ 600.00
Heather Burrell	Sr. Geologist	20	April 5 - December 31	$ 111.00	$ 2,220.00
Hugh Fordyce-Fortune	Field Labour	72	April 5 - December 31	$ 47.00	$ 3,384.00
Jack Morton	Sr. Geologist	24	April 5 - December 31	$ 96.00	$ 2,304.00
Liz Smith	Logistics & Office & Field Labour	4	April 5 - December 31	$ 83.00	$ 332.00
Lorna Corbett	Logistics & Office	8	April 5 - December 31	$ 83.00	$ 664.00
Martin Kulla	Field Labour	80	April 5 - December 31	$ 62.00	$ 4,960.00
Matt Van Loon	Field Labour	48	April 5 - December 31	$ 80.00	$ 3,840.00
Scott Newman	Office & Mapping	4	April 5 - December 31	$ 69.00	$ 276.00
Shawn Slipetz	Expediting	8	April 5 - December 31	$ 69.00	$ 552.00
Steve Israel	Sr. Geologist	8	April 5 - December 31	$ 111.00	$ 888.00
Thomas Rozsypaleck	Field Labour	8	April 5 - December 31	$ 47.00	$ 376.00
Wayne Schneider	Logistics & Support	20	April 5 - December 31	$ 98.00	$ 1,960.00
					$ 22,356.00

Expenses

Field room and board	24 Mandays	$ 100.00	/per day	$ 2,400.00
Whitehorse room and board	8 Mandays	$ 180.00	/ per day	$ 1,440.00
Capital Helicopters, as attached				$ 15,921.20
Alpine Aviation, as attached				$ 1,445.00
ALS Chemex, as attached				$ 4,845.91
				$ 26,052.11

Total 2018 expenditures		$ 48,408.11

Cost per sample $ 261.62

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Dabb

Sample Number:	K291701	UTM:	552416	mE	Nad83, Zone 8
Elevation:	1820 m	UTM:	6841199	mN	

Comments: Dark brown-grey weathering with rough weathered surface. Light green-grey medium-grained interior of epidote and quartz, minor mg-oxide patches, small minor blebs of orange-brown oxide inside, and rare small galena blebs (<<1%). Collected from a 1x3m patch of talus on an east facing slope at 1820m, ~5% of material in the patch. Surrounded by light-pale green-grey talus and tan to buff dyke talus.

Sample Number:	K291702	UTM:	552335	mE	Nad83, Zone 8
Elevation:	1862 m	UTM:	6841040	mN	

Comments: Dark grey with mg-oxide coating. Fine-grained dark grey-green interior with rare small (<1mm) blebs of a brassy yellow (pyrrhotite?). Float collected from a 10x20m talus patch of tan to buff weathering dyke near the top of the east facing slope.

Sample Number:	K291703	UTM:	552301	mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840758	mN	

Comments: Light green-grey to dark rusty brown weathering cobbles and boulders in float train south of a large coarse grained carbonate vein/dyke (trends 135/35). Medium green-grey fine-grained interior with ~1-2% small blebs of orange oxide and trace galena blebs. ~10% of float train on west facing slope at 1879m. Reacts strongly to HCL

Sample Number:	K291704	UTM:	552412	mE	Nad83, Zone 8
Elevation:	1814 m	UTM:	6841209	mN	

Comments: Collected from base of snow patch on talus slope. Surrounding rock is brown-green weathering (possible epidote-chlorite skarn?), minor quartz-muscovite cobbles, with occassional cobbles of tan-buff rhyolite dyke. Brown-green boulders exhibit layering/banding as alternating light grey-green and dark green-brown. Sample has a brown, slightly pitted weathered surface. Interior is composed of fine-grained chlorite-quartz and minor epidote with minor orange oxidizied blebs, Fe-Mg oxide coatings/bands and what appears to be minor actinolite. ~1% fine-grained galena blebs. Approximately 5% of material in area on east facing slope near top of the ridge.

Sample Number:	K291705	UTM:	552400	mE	Nad83, Zone 8
Elevation:	1827 m	UTM:	6841208	mN	

Comments: Near the top of the ridge at the base of snow cover, so source is not identified but is nearby. Talus material composed of tan weathering feldspar-phyric andesite (?) and flow banded tan-buff weathering rhyolite dyke. Dark brown to dark grey weathering, slightly pitted exterior with mild Fe-oxide and Mg-oxide coatings. Interior is dark green (Diopside?) with minor quartz occurring as small veinlets or lenses. Galena occurs as approximately 2% fine blebs and stringers, trace very fine grained chalcopyrite.

Sample Number:	K291706	UTM:	552398	mE	Nad83, Zone 8
Elevation:	1827 m	UTM:	6841209	mN	

Comments: Near the top of the ridge at the base of snow cover, so source is not identified but is nearby. Talus material composed of tan weathering feldspar-phyric andesite (?) and flow banded tan-buff weathering rhyolite dyke. Tan to buff to brown weathering with pitted exterior, exhibits mild layer-like textures on one surface. Mild reaction to HCL. Interior is tan, fine-grained feldspar(?) and quartz. Feldspar may have been altered to clay as it is soft and scratches easily. Interior surfaces covered in patches/splotches of light to dark-orange oxide, rusty orange oxide filled pits, minor patches of green (malachite?), small pale blue-green (azurite?), and trace very fine-grained chalcopyrite surrounded by rust Fe-oxide.

Sample Number:	K291707	UTM:	552331	mE	Nad83, Zone 8
Elevation:	1815 m	UTM:	6840614	mN	

Comments: Multiple pieces collected from a large float train/talus slope of heavily oxidized skarn material. Dark brown, rusty weathering with faint traces of banding texures. <1% blebby galena and oxide blebs, and minor fine-grained epidote (?) crystals.

Sample Number:	K291708	UTM:	552274	mE	Nad83, Zone 8
Elevation:	1906 m	UTM:	6840825	mN	

Comments: Chip sample of a subvertical, dark brown rusty magnetite vein, 5m x 20cm. Trends 255 degrees. Mg-oxide coatings with rare patches of vivid green (malachite?). Bounded on both sides by light grey weathering coarse grained carbonate horizon.

Sample Number:	K291709	UTM:	552317	mE	Nad83, Zone 8
Elevation:	1877 m	UTM:	6840721	mN	

Comments: Chip sample of a 1.8m wide, 5m long, epidote skarn with magnetite and trace galena. Diopside, epidote and dark heavily oxide crust/pits. Bounded on both sides by biotite-schist (000/43). From above S053433.

Sample Number:	K291710	UTM:	552312	mE	Nad83, Zone 8
Elevation:	1880 m	UTM:	6840727	mN	

Comments: Grab sample from a small boulder 10m north of K291709 along the same trend (north 000). Possibly the northern extent of this skarn horizon. Epidote skarn with magnetite and trace chalcopyrite.

Sample Number:	K291711	UTM:	552188	mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840790	mN	

Comments: Buff to green weathering with vuggy exterior. Fine-grained buff interior with malachite staining surrounding oxide staining. Only piece observed on south facing skree slope of epidote-actinolite skarn slabs.

Sample Number:	K291712	UTM:	552188	mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840790	mN	

Comments: Collected from 1m up slope of K291711 on south facing epidote-actinolite skarn skree slope. Grey-brown to dark brown weathering with mildly porous/vuggy exterior. Large magnetite patches on exterior and interior. Interior is mostly dark brown to dark rusty orange magnetite, with a buff green "matrix" hosting vugs up to 1cm. Possible trace malachite on one fracture surface

Sample Number:	K291713	UTM:	552363	mE	Nad83, Zone 8
Elevation:	1836 m	UTM:	6841227	mN	

Comments: Fist sized float with white-grey to light green exterior. Trace galena blebs with orange oxide blebs and coatings inside. Collected from a small float train cutting 255 degrees across a 20m by 20m patch of tan to buff rhyolite dyke on the ridgetop.

Sample Number:	K291714	UTM:	552301	mE	Nad83, Zone 8
Elevation:	1877 m	UTM:	6840760	mN	

Comments: TR-01-18: 0-3.25m. Tan-green cobbles to blocks of coarse-grained granular to massive carbonate and tan to buff rhyolite skree fragments

Sample Number:	K291715	UTM:	552300	mE	Nad83, Zone 8
Elevation:	1877 m	UTM:	6840757	mN	

Comments: TR-01-18: 3.25-5m. Tan to buff to orange, tuffaceous rhyolite dyke skree underlain by dark green to brown weathering boulders of epidte-diopside skarn(?).

Rock Sample Descriptions Property: Dabb

Sample Number:	K291716	UTM:	552302 mE	Nad83, Zone 8
Elevation:	1878 m	UTM:	6840757 mN	

Comments: TR-01-18. 3.25-5m. Same lithology as K291715. Tan to buff to orange, tuffaceous rhyolite dyke skree underlain by dark green to brown weathering boulders of epidte-diopside skarn(?).

Sample Number:	K291717	UTM:	552304 mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840754 mN	

Comments: TR-01-18: 6.75-8m. Dark brown dirt with fragments of brown weathering dark green epidote-diopside skarn (?) Minor rhyolite dyke fragments present.

Sample Number:	K291718	UTM:	552305 mE	Nad83, Zone 8
Elevation:	1880 m	UTM:	6840755 mN	

Comments: TR-01-18: 8-9.5m. Dark brown to light brown dirt. Brown weathering epidote-diopside skarn(?) with minor biotite-quartz schist. Trace to minor galena disseminated as small blebs (<2%)

Sample Number:	K291719	UTM:	552305 mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840755 mN	

Comments: TR-01-18: 9.5-11m. Same lithology as K291718. Dark brown to light brown dirt. Brown weathering epidote-diopside skarn(?) with minor biotite-quartz schist. Trace to minor galena disseminated as small blebs (<2%)

Sample Number:	K291720	UTM:	552304 mE	Nad83, Zone 8
Elevation:	1879 m	UTM:	6840755 mN	

Comments: TR-01-18: 11-12m. Medium brown dirt with green weathering biotite-quartz schist and minor muscovite schist fragments and cobbles.

Rock Sample Descriptions Property: Dabb

Sample Number:	K291721	UTM:	552129	mE	Nad83, Zone 8
Elevation:	m	UTM:	6840780	mN	

Comments: Collected from skree slope of schist and epidote skarn slabs. Rusty orange to brown oxidized to green weathering surface with small dark brown veinlets cutting across in some places. Vuggy/porous external surface. Interior is orange-brown with bands of brown-black, lighter orange-brown. Green coating also observed on internal surfaces (malachite?). Weakly to moderately magnetic.

Sample Number:	K291722	UTM:	552402	mE	Nad83, Zone 8
Elevation:	1832 m	UTM:	6841210	mN	

Comments: TR-02-18: 0-1.5m. Dark brown to pale green weathering with dark brown-black oxide coatings/staining. Mild banding textures observed on weathered surfaces. Occasional light grey coatings (carbonate possibly?). Fresh surfaces are medium to dark-green epidote-diopside skarn (?) with up to 5% blebbly disseminated galena, and orange oxide coatings/bands. Also 30cm of orange weathering, medium-grained carbonate slabs with white-grey fresh surfaces. Loose rock and bedrock.

Sample Number:	K291723	UTM:	552403	mE	Nad83, Zone 8
Elevation:	1832 m	UTM:	6841209	mN	

Comments: TR-02-18: 1.5-3.0m. Dark brown weathering with white-grey carbonate(?) coatings and mild orange oxide coatings. Interior is dark green to grey epidote-diopside skarn(?) with up to 5% blebby disseminated galena. Bedrock and loose rock.

Sample Number:	K291724	UTM:	552404	mE	Nad83, Zone 8
Elevation:	1831 m	UTM:	6841207	mN	

Comments: TR-02-18: 3.0-4.5m. Similar lithology to K291723. Dark brown weathering with white-grey carbonate(?) coatings and mild orange oxide coatings. Interior is dark green to grey epidote-diopside skarn(?) with up to 5% blebby disseminated galena, rare biotite. Bedrock, boulders, and loose rock.

Sample Number:	K291725	UTM:	552402	mE	Nad83, Zone 8
Elevation:	1831 m	UTM:	6841205	mN	

Comments: TR-02-18: 4.5-6m. Bedrock and boulders of buff to grey to brown weathering slabs, exhibiting banding/layering. Oxidized interiors with bands of white, green, orange oxidation, oxidized blebs/cavities and disseminated/layered galena (<10%). Bedrock along bottom of trench.

Rock Sample Descriptions Property: Dabb

Sample Number:	K291726	UTM:	552404 mE	Nad83, Zone 8
Elevation:	1832 m	UTM:	6841206 mN	

Comments: TR-02-18: 6-7.5m. Cobbles and boulders of brown to rusty orange to black weathering with variably oxidized coatings. Green interior with bands of black-grey, Fe and Mg-oxide, orange oxidized layers and blebby disseminated to layered galena (<10%).

Sample Number:	K291727	UTM:	552402 mE	Nad83, Zone 8
Elevation:	1832 m	UTM:	6841205 mN	

Comments: TR-02-18: 7.5-8.5m. Similar lithology to K291726Dark brown weathering with white-grey carbonate(?) coatings and mild orange oxide coatings. Interior is dark green to grey epidote-diopside skarn(?) with up to 5% blebby disseminated galena. Bedrock and loose rock.

Sample Number:	K291728	UTM:	552404 mE	Nad83, Zone 8
Elevation:	1831 m	UTM:	6841205 mN	

Comments: TR-02-18: 8.5-9.7m. End of strongly mineralized brown to green weathering skarn (?) material. Cobbles of biotite-quartz schist are present over bedrock of medium green fine- to medium-grained skarn(?).

Sample Number:	K291729	UTM:	552404 mE	Nad83, Zone 8
Elevation:	1831 m	UTM:	6841203 mN	

Comments: TR-02-18: 9.7-10.2m. Start of tan to buff to orange weathering, tuffaceoeus to flow banded rhyolite dyke skree/talus mixed with biotite-quartz schist.

Sample Number:	W593062	UTM:	552402 mE	Nad83, Zone 8
Elevation:	6008 m	UTM:	6841211 mN	

Comments: Float sample of dark black-orange weathering, buff-tan, relatively un-altered rhyolite with trace very fine grained galena and dendridic manganese on outside surfaces collected in the talus immediately above trench TR-02-18.

Sample Number:	W593063	UTM:	552393 mE	Nad83, Zone 8
Elevation:	6033 m	UTM:	6841209 mN	

Comments: Subcrop sample of orange-black weathering, strongly (clay?) altered rhyolite, with abundant encrusting malachite, azurite and dendritic manganese on outside surfaces, fine grained disseminated limonite throughout, and sparse clots of very fine grained, prismatic, black (chalcocite?) mineralization. Collected above trench TR-02-18.

Sample Number:	W593064	UTM:	552450 mE	Nad83, Zone 8
Elevation:	5925 m	UTM:	6841156 mN	

Comments: Float sample of brown weathering, banded galena-sphalerite-diopside skarn, collected in a talus slope with no sign of the source.

Sample Number:	W593065	UTM:	552387 mE	Nad83, Zone 8
Elevation:	6029 m	UTM:	6841224 mN	

Comments: 70 cm chip sample, comprising rusty-black weathering, dark green diopside-epidote skarn, hosting sparse fine grained galena, moderate pyrite and fine grained sphalerite, as well as an encrusting blue-white precipitate (hydro-zincite?); collected in the 'footwall' of trench TR-02-18.

Sample Number:	W593066	UTM:	552393 mE	Nad83, Zone 8
Elevation:	6015 m	UTM:	6841204 mN	

Comments: 70 cm chip sample across dark, rusty weathering, light green, banded epidote-diopside skarn, in the 'hanging wall' of trench TR-02-18, hosting moderate banded fine grained galena, wth abundant encrustsing anglesite. Note: this outcrop has slumped but is essentially 'in situ'. No rep.

Sample Number:	W593067	UTM:	552393 mE	Nad83, Zone 8
Elevation:	5997 m	UTM:	6841194 mN	

Comments: ~35cm chip sample across rock with the same lithology as W593066, with less galena. This is across another recessive rhyolite float train, south of trench TR-02-18. No rep.

Sample Number:	W593068	UTM:	552343 mE	Nad83, Zone 8
Elevation:	6104 m	UTM:	6841122 mN	

Comments: Subcrop sample of rock with the same lithology as W593063.

Rock Sample Descriptions Property: Dabb

Sample Number:	W593069	UTM:	552290	mE	Nad83, Zone 8
Elevation:	6242 m	UTM:	6840992	mN	
Comments:	Outcrop sample of rock with the same lithology as W593063.				

Sample Number:	W593070	UTM:	552279	mE	Nad83, Zone 8
Elevation:	6257 m	UTM:	6841000	mN	
Comments:	70 cm chip sample across dark black, strongly oxidized, magnetite bearing schist, with an orientation of 120/49 SW.				

Sample Number:	W593071	UTM:	552279	mE	Nad83, Zone 8
Elevation:	6257 m	UTM:	6841005	mN	
Comments:	2.8 m chip sample across dark black and rusty weathering, banded epidote-diopside skarn, hosting sparse ribbons of fine grained galena and sphalerite, abundant disemminated to semi-massive magnetite, and trace clots of fine grained chalcopyrite. Note: there is a ~1m gap between sampe W593070 and W593071, where there is no outcrop.				

Sample Number:	W593072	UTM:	552466	mE	Nad83, Zone 8
Elevation:	5871 m	UTM:	6841112	mN	
Comments:	70 cm chip sample across a 80 cm by 80 cm by 50(?) cm boulder, far down a talus slope, of banded epidote-diopside skarn with abundant fine grained galena and lesser chalcopyrite throughout.				

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

CERTIFICATE WH18204875

Project: DABB

This report is for 95 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21- AUG- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY09725		0.42	<0.001	0.16	2.17	4.3	<0.02	<10	110	0.99	0.50	0.10	0.15	54.8	10.8	35
YY09726		0.38	<0.001	0.14	1.86	4.1	<0.02	<10	80	0.84	0.44	0.11	0.09	49.5	11.7	30
YY09727		0.35	<0.001	0.05	1.95	3.7	<0.02	<10	80	0.82	0.31	0.10	0.11	41.0	10.9	31
YY09728		0.35	0.003	0.10	1.89	4.2	<0.02	<10	80	0.59	0.36	0.10	0.09	32.5	7.4	30
YY09729		0.30	<0.001	0.09	1.88	4.2	<0.02	<10	60	0.64	0.27	0.09	0.11	32.4	9.0	32
YY09730		0.32	<0.001	0.05	1.55	5.6	<0.02	<10	60	0.53	0.25	0.13	0.13	31.7	7.7	32
YY09731		0.45	<0.001	0.05	1.53	2.9	<0.02	<10	60	0.57	0.24	0.08	0.09	39.0	9.8	26
YY09732		0.38	<0.001	0.22	2.06	3.5	<0.02	<10	90	0.84	0.45	0.10	0.07	39.2	8.3	33
YY09733		0.43	<0.001	0.36	2.03	4.3	<0.02	<10	90	1.21	0.57	0.23	0.42	40.1	13.7	33
YY09734		0.42	<0.001	0.11	1.95	4.8	<0.02	<10	80	0.66	0.36	0.11	0.15	33.0	7.8	31
YY09735		0.36	<0.001	0.20	2.17	5.7	<0.02	<10	80	1.12	0.75	0.09	0.13	41.9	9.1	33
YY09736		0.37	<0.001	0.14	2.26	6.3	<0.02	<10	90	1.24	0.93	0.09	0.19	51.3	10.6	36
YY09737		0.33	<0.001	0.16	1.84	5.4	<0.02	<10	90	1.21	0.56	0.10	0.14	41.8	10.3	28
YY09738		0.37	0.005	0.08	2.08	5.6	<0.02	<10	80	0.80	0.45	0.10	0.14	32.0	7.4	33
YY09739		0.26	<0.001	0.15	1.42	4.9	<0.02	<10	70	0.81	0.72	0.07	0.20	35.0	8.5	25
YY09740		0.35	<0.001	0.11	2.07	4.8	<0.02	<10	60	1.29	0.72	0.08	0.21	40.5	10.8	33
YY09741		0.31	<0.001	0.17	1.65	3.9	<0.02	<10	70	0.79	0.52	0.08	0.17	25.1	7.5	27
YY09742		0.32	<0.001	0.12	1.95	7.8	<0.02	<10	80	1.77	0.93	0.11	0.15	46.4	10.0	31
YY09743		0.39	<0.001	0.17	2.10	7.7	<0.02	<10	90	1.86	0.87	0.12	0.16	49.9	13.9	34
YY09744		0.30	<0.001	0.09	1.98	4.4	<0.02	<10	70	1.97	0.87	0.09	0.10	52.5	12.9	33
YY09745		0.29	<0.001	0.09	1.58	2.9	<0.02	<10	60	1.21	0.88	0.06	0.10	35.7	7.8	23
YY09746		0.43	0.007	0.16	1.82	4.5	<0.02	<10	110	0.85	0.24	0.25	0.20	45.2	11.3	32
YY09747		0.48	<0.001	0.15	1.87	3.9	<0.02	<10	100	0.86	0.26	0.36	0.22	48.2	12.0	35
YY09748		0.39	0.001	0.12	1.85	4.8	<0.02	<10	100	0.78	0.26	0.29	0.26	47.7	13.2	35
YY09749		0.44	<0.001	0.10	1.93	6.6	<0.02	<10	60	0.58	0.25	0.16	0.17	35.7	9.3	36
YY09750		0.52	<0.001	0.15	1.80	4.3	<0.02	<10	90	0.84	0.29	0.25	0.31	40.1	11.5	33
YY09751		0.45	<0.001	0.13	1.75	4.5	<0.02	<10	70	0.74	0.23	0.19	0.19	42.4	10.6	31
YY09752		0.48	<0.001	0.12	2.14	4.8	<0.02	<10	100	0.99	0.30	0.15	0.18	54.8	15.7	36
YY09753		0.41	0.001	0.08	2.01	5.7	<0.02	<10	70	0.79	0.33	0.12	0.13	33.5	9.6	33
YY09754		0.40	<0.001	0.05	1.71	5.2	<0.02	<10	60	0.54	0.24	0.13	0.12	27.3	7.9	28
YY09755		0.42	0.001	0.09	1.71	5.0	<0.02	<10	60	0.59	0.26	0.15	0.13	31.9	8.2	30
YY09756		0.41	<0.001	0.14	1.63	3.1	<0.02	<10	60	1.04	0.27	0.10	0.10	34.0	11.2	29
YY09757		0.44	<0.001	0.12	1.94	3.7	<0.02	<10	70	0.88	0.30	0.10	0.12	42.4	11.9	32
YY09758		0.45	<0.001	0.13	2.10	3.7	<0.02	<10	80	1.34	0.52	0.19	0.34	44.0	12.9	33
YY09759		0.36	<0.001	0.27	1.80	3.8	<0.02	<10	90	0.89	0.43	0.30	0.33	28.2	8.5	28
YY09760		0.43	<0.001	0.11	1.76	3.4	<0.02	<10	80	0.74	0.36	0.25	0.08	29.4	6.4	29
YY09761		0.36	<0.001	0.02	1.92	4.1	<0.02	<10	60	0.82	0.29	0.12	0.11	34.1	8.1	32
YY09762		0.33	<0.001	0.07	2.39	4.3	<0.02	<10	70	1.10	0.41	0.09	0.16	42.2	12.3	37
YY09763		0.60	<0.001	0.16	2.43	4.7	<0.02	<10	100	1.30	0.56	0.05	0.07	53.4	10.9	39
YY09764		0.42	<0.001	0.45	2.03	7.6	<0.02	<10	50	1.45	0.82	0.15	0.12	52.2	9.4	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method Analyte Units LOD	ME- MS41 Cs ppm 0.05	ME- MS41 Cu ppm 0.2	ME- MS41 Fe % 0.01	ME- MS41 Ga ppm 0.05	ME- MS41 Ge ppm 0.05	ME- MS41 Hf ppm 0.02	ME- MS41 Hg ppm 0.01	ME- MS41 In ppm 0.005	ME- MS41 K % 0.01	ME- MS41 La ppm 0.2	ME- MS41 Li ppm 0.1	ME- MS41 Mg % 0.01	ME- MS41 Mn ppm 5	ME- MS41 Mo ppm 0.05	ME- MS41 Na % 0.01
YY09725		7.35	48.3	4.38	7.33	0.06	<0.02	0.02	0.027	0.48	28.3	50.1	0.78	396	1.14	0.01
YY09726		6.05	51.3	3.75	6.48	0.06	<0.02	0.01	0.023	0.29	24.7	38.4	0.67	388	1.14	0.01
YY09727		5.13	37.3	3.31	6.49	0.05	<0.02	0.02	0.024	0.26	20.7	39.2	0.67	411	0.86	0.01
YY09728		5.42	35.2	3.28	6.63	<0.05	<0.02	0.02	0.023	0.20	17.1	29.0	0.59	244	1.17	0.01
YY09729		3.92	31.8	3.11	7.03	<0.05	<0.02	0.02	0.031	0.20	16.3	31.8	0.68	341	0.88	<0.01
YY09730		2.47	19.8	2.63	6.25	<0.05	<0.02	0.02	0.022	0.11	16.2	22.2	0.58	311	1.00	0.01
YY09731		3.48	33.1	2.91	5.70	0.05	<0.02	0.01	0.016	0.23	19.0	36.0	0.61	371	0.56	<0.01
YY09732		7.80	51.4	3.78	6.99	0.06	<0.02	0.02	0.023	0.35	20.4	50.3	0.76	296	1.19	0.01
YY09733		8.76	55.6	3.12	6.62	0.05	<0.02	0.02	0.024	0.18	19.9	42.7	0.68	483	0.98	0.01
YY09734		4.59	25.6	2.83	6.29	<0.05	<0.02	0.02	0.019	0.15	16.1	29.8	0.59	243	0.96	0.01
YY09735		14.70	34.2	3.90	7.42	0.05	<0.02	0.03	0.027	0.25	22.1	47.7	0.71	360	1.36	0.01
YY09736		10.75	30.2	3.77	7.58	0.05	<0.02	0.02	0.026	0.22	26.0	46.7	0.71	410	1.43	0.01
YY09737		9.58	37.3	3.34	6.60	0.05	<0.02	0.02	0.022	0.30	20.9	42.4	0.59	428	1.62	0.01
YY09738		4.50	22.6	2.82	7.05	<0.05	<0.02	0.03	0.024	0.10	15.3	26.6	0.55	267	1.12	0.01
YY09739		6.56	24.6	3.20	6.68	<0.05	<0.02	0.03	0.021	0.17	14.4	24.6	0.40	575	1.51	<0.01
YY09740		6.06	29.8	3.69	6.58	<0.05	<0.02	0.02	0.024	0.18	17.5	52.9	0.66	400	1.21	<0.01
YY09741		5.10	20.6	2.79	6.54	<0.05	<0.02	0.03	0.023	0.16	12.2	26.4	0.44	466	1.29	<0.01
YY09742		11.00	42.1	3.22	6.75	0.05	<0.02	0.02	0.022	0.21	22.0	50.0	0.67	353	0.96	<0.01
YY09743		12.20	47.4	3.54	7.44	0.06	<0.02	0.02	0.023	0.23	23.0	52.4	0.73	536	1.21	0.01
YY09744		11.80	36.3	3.24	7.26	0.05	<0.02	0.03	0.021	0.27	24.2	61.2	0.70	483	0.81	<0.01
YY09745		9.72	27.9	2.30	6.05	<0.05	<0.02	0.02	0.016	0.15	15.9	34.2	0.43	304	0.72	<0.01
YY09746		3.52	44.8	2.91	6.06	0.05	<0.02	0.01	0.026	0.14	24.5	30.4	0.66	426	0.77	<0.01
YY09747		3.83	44.4	3.08	6.13	0.06	<0.02	0.01	0.025	0.17	26.2	36.3	0.73	417	0.71	0.01
YY09748		3.99	43.5	3.05	6.11	0.06	<0.02	0.02	0.025	0.15	23.8	34.9	0.75	485	0.67	<0.01
YY09749		2.88	32.1	2.81	6.28	0.05	<0.02	0.02	0.023	0.11	18.4	23.2	0.64	336	0.91	<0.01
YY09750		4.83	59.6	3.01	6.11	0.06	<0.02	0.01	0.023	0.17	20.3	34.6	0.71	398	0.70	0.01
YY09751		3.23	40.3	2.69	5.87	0.05	<0.02	0.01	0.021	0.13	21.1	27.9	0.61	353	0.81	0.01
YY09752		5.26	57.2	3.69	6.82	0.07	<0.02	0.01	0.027	0.24	27.3	41.0	0.77	448	1.07	<0.01
YY09753		4.53	39.5	3.15	6.92	<0.05	<0.02	0.02	0.025	0.13	17.1	27.5	0.62	325	1.08	<0.01
YY09754		2.95	30.0	2.59	6.19	<0.05	<0.02	0.02	0.022	0.10	13.9	19.0	0.50	277	0.93	0.01
YY09755		2.84	28.7	2.57	5.81	<0.05	<0.02	0.02	0.019	0.13	16.2	23.7	0.60	316	0.88	<0.01
YY09756		10.65	46.5	2.95	5.74	<0.05	<0.02	0.01	0.021	0.17	17.3	37.7	0.59	338	0.77	0.01
YY09757		5.20	48.5	3.50	6.38	0.07	<0.02	0.01	0.020	0.31	21.5	47.3	0.77	454	0.66	<0.01
YY09758		6.54	44.3	3.74	6.72	<0.05	<0.02	0.01	0.024	0.28	19.7	56.1	0.80	563	0.93	<0.01
YY09759		11.05	33.9	2.61	6.13	<0.05	0.02	0.01	0.030	0.15	15.4	38.4	0.52	407	0.90	0.01
YY09760		4.55	17.5	2.62	7.61	<0.05	<0.02	0.01	0.021	0.10	15.3	27.8	0.52	291	0.87	<0.01
YY09761		3.64	22.6	2.97	6.22	<0.05	<0.02	0.01	0.023	0.12	17.3	34.5	0.63	276	0.68	<0.01
YY09762		5.89	35.4	3.87	7.60	0.05	<0.02	0.02	0.027	0.27	19.6	49.9	0.78	406	1.02	<0.01
YY09763		10.80	51.9	5.78	8.52	0.08	<0.02	<0.01	0.028	0.66	27.4	87.3	1.03	386	1.35	0.01
YY09764		27.9	42.9	4.75	7.11	0.07	<0.02	0.02	0.033	0.27	26.9	55.4	0.68	341	1.77	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
YY09725		2.30	25.2	640	14.1	58.4	<0.001	0.21	0.26	4.1	0.3	1.0	17.1	<0.01	0.03	6.5
YY09726		1.45	24.6	770	13.4	33.8	<0.001	0.07	0.24	3.2	0.5	0.7	16.8	<0.01	0.02	6.4
YY09727		1.69	23.4	590	11.7	32.7	<0.001	0.03	0.20	2.7	0.5	0.8	9.7	<0.01	0.02	3.4
YY09728		1.54	19.0	680	14.5	27.9	<0.001	0.08	0.30	2.3	0.6	0.8	13.6	<0.01	0.03	1.4
YY09729		1.67	23.0	540	12.3	25.5	<0.001	0.04	0.28	2.3	0.2	0.8	7.6	<0.01	0.03	1.9
YY09730		1.28	22.5	470	11.0	15.3	<0.001	0.04	0.38	2.0	0.3	0.7	10.7	<0.01	0.02	1.3
YY09731		1.48	21.4	420	11.1	26.4	<0.001	0.02	0.15	2.2	0.3	0.6	5.9	<0.01	0.02	4.3
YY09732		1.93	21.1	600	17.8	38.6	<0.001	0.07	0.28	3.1	0.5	1.0	14.3	<0.01	0.03	3.5
YY09733		1.60	28.8	770	111.5	29.0	<0.001	0.05	0.21	2.7	0.4	0.8	22.9	<0.01	0.02	1.4
YY09734		1.38	19.2	540	14.8	24.6	<0.001	0.03	0.27	2.2	0.4	0.7	12.3	<0.01	0.02	1.1
YY09735		1.79	22.0	580	23.0	42.9	<0.001	0.07	0.23	2.6	0.3	1.3	16.4	<0.01	0.02	2.0
YY09736		1.79	23.7	550	21.8	38.2	<0.001	0.08	0.27	2.6	0.2	1.3	15.8	<0.01	0.02	1.7
YY09737		1.77	21.1	620	17.3	41.3	<0.001	0.14	0.40	2.2	0.3	1.0	18.8	<0.01	0.03	1.3
YY09738		1.23	19.3	590	17.8	19.3	<0.001	0.03	0.34	1.7	0.4	0.8	11.6	<0.01	0.03	0.4
YY09739		1.30	16.7	690	18.5	31.3	<0.001	0.08	0.53	0.9	0.2	0.9	10.5	<0.01	0.03	0.3
YY09740		1.63	23.8	520	31.2	31.5	<0.001	0.05	0.30	2.0	0.4	0.8	11.2	<0.01	0.03	1.2
YY09741		1.38	16.5	670	21.1	33.5	<0.001	0.09	0.40	1.2	0.3	0.9	11.3	<0.01	0.03	0.3
YY09742		1.49	27.0	510	23.4	35.6	<0.001	0.04	0.27	2.3	0.2	1.2	15.2	<0.01	0.04	2.0
YY09743		1.58	31.1	550	24.6	39.9	<0.001	0.07	0.28	2.8	0.4	1.3	20.0	<0.01	0.05	2.2
YY09744		1.54	31.0	460	14.7	39.4	<0.001	0.04	0.31	2.4	<0.2	1.4	15.3	<0.01	0.04	2.9
YY09745		0.97	22.1	520	13.2	22.9	<0.001	0.05	0.20	1.0	<0.2	1.1	13.7	<0.01	0.03	0.5
YY09746		1.12	29.0	800	14.9	21.8	<0.001	0.01	0.26	3.2	0.2	0.6	18.3	<0.01	0.02	3.9
YY09747		1.18	32.8	810	15.8	24.8	<0.001	<0.01	0.24	3.6	<0.2	0.7	35.7	<0.01	0.02	5.8
YY09748		1.33	36.2	830	17.1	24.2	<0.001	<0.01	0.29	4.0	0.2	0.7	20.0	<0.01	0.02	5.0
YY09749		1.45	25.7	710	12.9	17.4	<0.001	0.01	0.36	2.8	0.4	0.7	10.9	<0.01	0.03	2.0
YY09750		1.19	30.2	820	37.2	24.6	<0.001	0.01	0.26	2.9	<0.2	0.6	16.2	<0.01	0.02	3.0
YY09751		1.42	28.4	760	18.6	19.7	<0.001	0.01	0.54	2.8	<0.2	0.6	11.6	<0.01	0.02	3.2
YY09752		1.75	38.1	660	15.1	30.6	<0.001	0.01	0.45	3.9	0.3	0.8	10.5	<0.01	0.03	7.1
YY09753		1.35	25.8	700	15.1	19.6	<0.001	0.03	0.42	2.2	0.4	0.7	10.6	<0.01	0.02	1.2
YY09754		1.11	20.3	680	10.9	14.4	<0.001	0.02	0.45	1.9	0.2	0.7	10.1	<0.01	0.03	1.0
YY09755		1.43	21.7	600	11.9	17.0	<0.001	0.02	0.33	2.3	0.3	0.6	9.5	<0.01	0.03	1.9
YY09756		1.29	30.5	430	13.5	21.8	<0.001	0.03	0.20	2.2	0.2	0.7	9.6	<0.01	0.03	2.4
YY09757		1.97	26.2	480	19.3	35.1	<0.001	0.02	0.58	2.9	<0.2	0.8	6.4	<0.01	0.03	5.7
YY09758		1.94	28.4	490	57.6	36.3	<0.001	0.04	0.23	2.8	0.2	1.0	22.6	<0.01	0.04	3.2
YY09759		1.50	20.4	840	30.0	31.3	<0.001	0.09	0.18	1.8	0.2	0.8	35.5	<0.01	0.02	0.6
YY09760		1.39	16.4	410	21.1	22.9	<0.001	0.02	0.19	1.3	<0.2	1.0	20.5	<0.01	0.02	0.4
YY09761		1.97	20.5	360	19.4	19.1	<0.001	0.02	0.18	2.3	0.2	0.8	8.8	<0.01	0.02	1.9
YY09762		2.78	27.9	390	24.8	40.2	<0.001	0.05	0.25	3.0	0.3	0.9	11.1	<0.01	0.02	2.9
YY09763		0.99	21.6	480	16.5	66.4	<0.001	0.15	0.20	4.4	0.3	1.1	20.4	<0.01	0.03	11.3
YY09764		1.45	24.0	540	18.3	38.1	<0.001	0.09	0.26	2.9	<0.2	1.5	28.3	<0.01	0.03	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY09725		0.130	0.49	2.88	42	0.21	7.50	85	<0.5
YY09726		0.101	0.32	2.07	43	0.17	7.22	73	<0.5
YY09727		0.098	0.31	1.52	37	0.21	5.87	71	<0.5
YY09728		0.089	0.30	1.49	44	0.21	5.38	60	<0.5
YY09729		0.092	0.27	1.29	41	0.26	4.98	70	<0.5
YY09730		0.085	0.19	1.03	47	0.36	4.22	59	<0.5
YY09731		0.089	0.22	1.40	32	0.16	5.19	65	<0.5
YY09732		0.108	0.34	1.82	40	0.19	5.50	71	<0.5
YY09733		0.094	0.27	2.54	43	0.53	9.37	160	<0.5
YY09734		0.080	0.26	1.43	41	0.26	5.24	64	<0.5
YY09735		0.091	0.41	2.40	42	0.24	7.70	80	<0.5
YY09736		0.092	0.36	2.45	45	0.68	8.57	81	<0.5
YY09737		0.086	0.33	1.95	38	0.29	7.10	70	<0.5
YY09738		0.063	0.21	1.34	46	0.34	4.81	66	<0.5
YY09739		0.053	0.22	1.55	39	0.36	3.95	67	<0.5
YY09740		0.074	0.25	1.53	39	0.39	4.73	82	<0.5
YY09741		0.064	0.25	1.32	43	0.39	3.42	65	<0.5
YY09742		0.080	0.33	2.51	37	0.36	7.70	76	<0.5
YY09743		0.084	0.36	2.91	41	0.39	9.16	84	<0.5
YY09744		0.067	0.33	3.54	34	0.19	7.59	69	<0.5
YY09745		0.039	0.25	3.01	27	0.17	4.35	46	<0.5
YY09746		0.090	0.22	1.83	44	0.30	10.60	76	<0.5
YY09747		0.104	0.22	1.80	42	0.46	11.60	82	<0.5
YY09748		0.106	0.25	1.89	44	0.57	11.40	87	<0.5
YY09749		0.091	0.19	1.52	47	0.38	7.14	76	<0.5
YY09750		0.093	0.22	1.56	42	0.59	8.51	104	<0.5
YY09751		0.088	0.22	1.42	42	0.48	7.47	74	<0.5
YY09752		0.112	0.32	2.12	46	0.26	9.63	88	0.5
YY09753		0.076	0.24	2.41	47	0.26	5.85	69	<0.5
YY09754		0.074	0.17	1.19	46	0.28	4.85	58	<0.5
YY09755		0.082	0.19	1.16	41	0.39	5.06	63	<0.5
YY09756		0.079	0.28	1.57	37	0.16	5.90	73	<0.5
YY09757		0.105	0.33	1.73	35	0.18	6.44	82	<0.5
YY09758		0.102	0.31	1.89	36	0.25	6.91	124	<0.5
YY09759		0.060	0.20	3.14	38	0.53	9.31	119	0.6
YY09760		0.067	0.31	0.95	42	0.36	3.55	60	<0.5
YY09761		0.083	0.28	1.18	36	0.36	5.40	62	<0.5
YY09762		0.112	0.38	1.53	42	0.65	6.03	83	<0.5
YY09763		0.132	0.53	3.29	40	0.14	10.55	98	<0.5
YY09764		0.065	0.33	4.10	32	0.12	14.40	84	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY09765		0.37	<0.001	0.26	1.71	7.1	<0.02	<10	90	1.24	0.76	0.09	0.21	54.3	9.8	29
YY09766		0.41	<0.001	0.13	2.18	30.6	<0.02	<10	80	2.00	0.71	0.06	0.16	94.2	14.6	29
YY09767		0.44	<0.001	0.08	1.73	4.3	<0.02	<10	70	0.76	0.41	0.10	0.14	35.4	7.6	30
YY09768		0.47	0.001	0.08	1.87	5.5	<0.02	<10	80	1.08	0.45	0.12	0.20	49.3	10.1	32
YY09769		0.37	<0.001	0.14	1.84	4.4	<0.02	<10	90	1.04	0.60	0.11	0.19	34.2	9.4	33
YY09770		0.36	<0.001	0.13	1.78	2.7	<0.02	<10	110	1.05	0.61	0.09	0.17	37.6	9.4	28
YY09771		0.34	<0.001	0.12	2.02	6.2	<0.02	<10	90	1.59	0.94	0.09	0.21	54.7	13.1	34
YY09772		0.41	<0.001	0.18	2.13	9.2	<0.02	<10	100	2.53	1.34	0.11	0.19	58.3	14.9	37
YY09773		0.48	<0.001	0.20	2.32	3.9	<0.02	<10	130	1.45	0.84	0.07	0.13	54.9	13.7	36
YY09774		0.41	<0.001	0.12	2.43	2.0	<0.02	<10	170	1.28	0.68	0.06	0.13	49.0	12.3	39
YY09775		0.51	<0.001	0.24	2.63	5.5	<0.02	<10	120	1.59	0.60	0.10	0.24	52.5	14.5	45
YY09776		0.49	<0.001	0.20	1.94	26.1	<0.02	<10	100	1.50	1.62	0.07	0.17	63.4	7.6	27
YY09777		0.45	<0.001	0.18	2.50	9.3	<0.02	<10	110	1.75	0.92	0.05	0.16	56.4	15.2	37
YY09778		0.39	<0.001	0.25	2.50	4.4	<0.02	<10	130	1.08	0.72	0.04	0.09	49.4	9.7	38
YY09779		0.43	<0.001	0.09	2.46	4.6	<0.02	<10	110	1.36	0.64	0.08	0.17	52.7	12.7	40
YY09780		0.39	<0.001	0.15	2.32	4.7	<0.02	<10	120	1.36	0.65	0.10	0.23	56.3	13.5	38
YY09781		0.46	<0.001	0.33	2.81	3.5	<0.02	<10	140	1.50	0.69	0.59	0.46	43.8	22.3	50
YY09782		0.43	<0.001	0.33	1.97	4.5	<0.02	<10	60	3.87	1.24	1.23	0.97	39.2	15.2	36
YY09783		0.45	<0.001	0.23	2.77	3.7	<0.02	<10	170	1.17	0.58	0.49	0.24	42.3	16.4	52
YY09784		0.47	<0.001	0.64	2.53	5.0	<0.02	<10	100	1.74	0.84	0.15	0.36	57.1	15.4	40
YY09785		0.37	<0.001	0.21	2.09	4.8	<0.02	<10	60	1.26	0.47	0.14	0.30	47.5	11.6	34
YY09786		0.39	<0.001	0.17	2.14	5.3	<0.02	<10	80	1.26	0.64	0.23	0.33	37.3	10.4	36
YY09787		0.47	<0.001	0.34	2.13	5.9	<0.02	<10	90	1.35	0.71	0.55	0.51	41.1	11.3	38
YY09788		0.37	<0.001	0.16	2.51	5.6	<0.02	<10	90	1.12	0.90	0.28	0.19	50.2	13.0	40
YY09789		0.39	<0.001	0.13	2.11	5.7	<0.02	<10	90	0.99	0.42	0.14	0.28	43.6	12.2	36
ZZ111451		0.46	<0.001	0.15	1.83	3.8	<0.02	<10	70	0.83	0.34	0.21	0.24	48.1	11.2	31
ZZ111452		0.50	<0.001	0.17	2.02	6.0	<0.02	<10	100	1.10	0.35	0.33	0.24	37.8	12.0	33
ZZ111453		0.41	<0.001	0.17	2.47	6.0	<0.02	<10	110	1.28	0.49	0.27	0.39	42.7	11.9	41
ZZ111454		0.38	<0.001	0.17	2.69	5.3	<0.02	<10	120	1.51	0.74	0.34	0.34	48.7	16.2	50
ZZ111455		0.37	<0.001	0.18	1.16	2.1	<0.02	<10	50	0.53	0.27	0.48	0.20	16.55	5.3	13
ZZ111456		0.41	<0.001	0.16	2.16	4.6	<0.02	<10	100	0.99	0.49	0.29	0.24	42.9	11.6	37
ZZ111457		0.28	<0.001	0.19	2.19	3.6	<0.02	<10	110	1.59	0.59	0.35	0.36	36.7	15.0	32
ZZ111458		0.33	<0.001	0.27	2.64	4.2	<0.02	<10	120	1.42	0.75	0.12	0.26	52.1	15.9	44
ZZ111459		0.35	<0.001	0.13	2.10	5.4	<0.02	<10	90	1.21	0.54	0.05	0.12	51.1	16.5	31
ZZ111460		0.37	<0.001	0.20	2.72	3.9	<0.02	<10	130	1.38	0.58	0.03	0.08	65.9	16.8	40
ZZ111461		0.34	<0.001	0.08	2.39	8.5	<0.02	<10	90	1.17	0.70	0.06	0.12	47.5	9.5	37
ZZ111462		0.39	<0.001	0.11	1.94	10.4	<0.02	<10	70	0.96	0.78	0.05	0.10	49.0	6.2	31
ZZ111463		0.32	<0.001	0.14	2.25	10.1	<0.02	<10	100	2.37	0.50	0.12	0.25	86.2	15.5	33
ZZ111464		0.36	<0.001	0.11	2.00	3.3	<0.02	<10	130	1.16	1.54	0.10	0.11	46.6	8.3	32
ZZ111465		0.42	<0.001	0.12	2.15	3.2	<0.02	<10	150	1.11	1.12	0.13	0.13	51.2	10.3	35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
YY09765		12.15	34.5	3.78	6.05	0.06	<0.02	0.01	0.034	0.26	24.7	41.8	0.56	358	1.31	0.01
YY09766		19.90	36.2	4.09	6.68	0.07	0.02	0.01	0.031	0.30	42.6	72.8	0.70	480	2.70	0.01
YY09767		4.89	23.3	2.82	7.05	0.05	<0.02	0.02	0.024	0.13	16.0	24.0	0.46	442	1.14	<0.01
YY09768		5.45	30.8	3.07	7.00	<0.05	<0.02	0.03	0.023	0.14	19.6	28.1	0.51	498	1.52	<0.01
YY09769		7.17	29.6	3.42	7.55	0.05	<0.02	0.04	0.026	0.23	16.1	33.9	0.57	518	1.20	0.01
YY09770		8.20	31.7	3.33	6.09	0.05	<0.02	0.04	0.023	0.39	18.5	45.8	0.61	439	1.25	0.02
YY09771		13.40	37.5	3.85	7.26	0.06	<0.02	0.02	0.026	0.26	23.9	50.0	0.69	438	1.36	0.01
YY09772		15.85	45.8	3.94	7.25	0.06	<0.02	0.02	0.026	0.20	24.3	49.6	0.70	560	1.39	0.01
YY09773		12.65	61.9	5.48	7.80	0.08	<0.02	0.01	0.030	0.67	27.5	86.0	0.93	413	2.26	0.02
YY09774		13.85	43.7	5.35	8.27	0.10	<0.02	0.01	0.028	0.99	24.0	105.0	0.99	394	1.46	0.03
YY09775		8.69	37.1	4.50	8.15	0.07	<0.02	0.03	0.032	0.45	20.9	81.5	0.92	450	1.14	0.01
YY09776		13.75	51.4	5.04	6.46	0.07	<0.02	0.01	0.039	0.49	35.2	68.2	0.65	307	2.37	0.02
YY09777		20.3	48.2	5.23	8.76	<0.05	<0.02	0.02	0.041	0.39	26.1	59.7	0.75	701	2.62	0.01
YY09778		13.85	49.2	5.51	8.56	0.06	<0.02	0.01	0.036	0.67	24.5	76.3	0.92	416	2.32	0.01
YY09779		12.45	47.6	5.01	8.65	0.07	<0.02	0.03	0.031	0.50	24.1	71.2	0.90	475	1.75	0.01
YY09780		11.50	48.9	5.09	7.97	0.07	<0.02	0.02	0.030	0.58	28.0	78.1	0.91	448	1.59	0.02
YY09781		13.55	51.1	5.82	9.34	0.10	<0.02	0.02	0.032	0.63	20.9	98.9	1.15	481	0.68	0.02
YY09782		9.90	27.8	3.13	7.88	<0.05	<0.02	0.04	0.025	0.10	14.6	44.3	0.96	769	0.77	0.01
YY09783		11.30	49.3	5.64	9.49	0.10	<0.02	0.01	0.037	0.73	21.8	92.6	1.04	408	0.78	0.04
YY09784		10.00	49.6	4.30	7.75	0.08	0.02	0.02	0.033	0.45	24.2	66.1	1.03	665	1.29	0.01
YY09785		5.56	37.4	3.36	7.00	0.06	<0.02	0.02	0.027	0.20	21.2	41.0	0.68	554	1.08	<0.01
YY09786		6.34	34.1	3.34	6.98	0.05	<0.02	0.02	0.032	0.14	17.2	38.0	0.80	635	1.03	0.01
YY09787		9.44	49.0	3.92	7.77	0.06	<0.02	0.02	0.031	0.19	23.4	49.4	0.80	756	1.54	0.01
YY09788		7.60	45.8	4.34	8.50	0.06	0.02	0.02	0.036	0.25	23.0	51.9	0.86	477	1.62	0.01
YY09789		8.18	39.8	3.07	7.02	0.05	<0.02	0.02	0.030	0.14	23.0	34.3	0.66	633	1.21	<0.01
ZZ111451		4.90	55.5	3.08	6.29	0.06	<0.02	0.01	0.022	0.20	23.0	38.8	0.72	433	0.73	0.01
ZZ111452		7.48	43.9	2.88	6.52	<0.05	<0.02	0.02	0.024	0.12	19.9	36.5	0.67	527	1.16	0.01
ZZ111453		6.37	36.2	3.49	7.79	0.05	<0.02	0.01	0.042	0.16	20.4	40.4	0.80	449	0.93	0.01
ZZ111454		12.45	47.8	5.02	9.45	0.06	<0.02	0.01	0.047	0.33	22.3	80.4	1.09	543	0.95	0.01
ZZ111455		3.51	18.7	1.53	3.87	<0.05	<0.02	0.01	0.012	0.09	7.5	13.7	0.26	455	0.62	0.02
ZZ111456		6.76	33.3	3.83	7.75	0.05	<0.02	0.01	0.026	0.29	20.6	46.1	0.68	456	1.02	0.02
ZZ111457		8.68	35.5	3.30	7.41	0.06	0.02	0.02	0.022	0.22	16.8	45.7	0.68	526	0.72	0.02
ZZ111458		13.40	47.1	5.00	9.11	0.06	<0.02	0.02	0.032	0.46	24.6	72.9	0.93	480	1.49	0.01
ZZ111459		11.70	43.5	4.61	7.24	0.07	<0.02	0.01	0.024	0.48	24.2	71.6	0.80	434	1.62	0.01
ZZ111460		15.55	58.8	5.55	8.58	0.08	<0.02	0.01	0.029	0.75	30.4	83.7	1.06	471	1.64	0.01
ZZ111461		11.90	31.7	4.52	8.11	0.05	<0.02	0.02	0.030	0.30	23.8	48.6	0.73	430	1.97	<0.01
ZZ111462		8.65	35.1	4.23	7.15	<0.05	<0.02	0.02	0.036	0.27	24.6	43.8	0.59	311	1.66	0.01
ZZ111463		11.45	35.0	3.64	7.54	0.07	<0.02	0.04	0.031	0.18	38.5	42.7	0.58	794	2.69	0.01
ZZ111464		10.20	41.6	4.30	6.69	0.07	<0.02	0.01	0.024	0.64	23.1	62.6	0.78	319	1.64	0.02
ZZ111465		11.95	49.0	4.68	7.12	0.09	<0.02	0.01	0.022	0.79	24.7	74.7	0.87	393	1.54	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
YY09765		1.47	21.8	530	23.3	33.9	<0.001	0.10	0.23	2.0	0.2	1.2	19.4	<0.01	0.03	2.4
YY09766		2.76	29.8	520	24.6	41.9	<0.001	0.09	0.32	3.1	0.2	1.8	21.6	<0.01	0.04	8.6
YY09767		1.16	17.0	630	19.0	31.2	<0.001	0.04	0.31	1.3	0.3	1.0	11.5	<0.01	0.03	0.5
YY09768		1.43	23.7	450	17.7	27.0	<0.001	0.04	0.43	1.6	0.3	1.0	12.5	<0.01	0.03	0.8
YY09769		1.59	19.6	720	20.0	47.4	<0.001	0.12	0.35	1.7	0.2	1.1	17.0	<0.01	0.04	0.6
YY09770		1.86	17.1	640	12.0	53.0	<0.001	0.20	0.26	2.2	0.3	1.0	24.9	<0.01	0.03	1.4
YY09771		1.84	30.6	610	20.3	43.9	<0.001	0.11	0.36	2.6	0.3	1.3	21.7	<0.01	0.04	2.2
YY09772		1.50	39.2	600	24.4	34.9	<0.001	0.07	0.51	2.5	<0.2	1.2	25.5	<0.01	0.05	2.2
YY09773		1.56	29.3	550	22.3	69.6	0.001	0.31	0.59	4.2	0.3	1.4	29.6	<0.01	0.04	9.6
YY09774		2.01	23.7	490	12.4	100.5	<0.001	0.41	0.15	4.9	0.3	1.5	31.5	<0.01	0.04	8.6
YY09775		2.97	36.6	450	36.9	55.6	<0.001	0.08	0.28	4.5	0.2	1.3	16.8	<0.01	0.03	4.3
YY09776		2.11	14.6	640	201	52.4	<0.001	0.30	0.28	3.0	0.5	1.9	33.8	<0.01	0.04	7.7
YY09777		2.12	29.1	620	23.4	57.0	<0.001	0.12	0.33	3.0	0.5	1.7	19.5	<0.01	0.04	2.6
YY09778		2.37	18.6	580	19.0	78.3	<0.001	0.21	0.19	4.1	0.4	1.1	19.3	<0.01	0.04	5.0
YY09779		2.87	28.5	510	24.6	66.4	<0.001	0.15	0.23	3.5	0.4	1.2	18.4	<0.01	0.03	3.4
YY09780		2.36	27.5	490	25.7	62.7	<0.001	0.19	0.19	4.1	0.3	1.2	27.3	<0.01	0.03	6.4
YY09781		4.26	46.7	860	75.2	80.4	<0.001	0.17	0.24	7.0	0.2	1.4	68.7	<0.01	0.03	4.7
YY09782		2.41	33.2	710	55.4	29.4	<0.001	0.06	0.42	2.6	0.2	1.7	90.5	0.01	0.03	1.8
YY09783		2.75	34.6	860	29.9	76.5	<0.001	0.29	0.25	7.7	0.3	1.6	83.5	<0.01	0.03	5.4
YY09784		2.77	36.2	590	209	58.4	<0.001	0.07	0.25	4.4	0.4	1.1	15.3	<0.01	0.08	8.6
YY09785		1.64	25.5	640	55.8	36.0	<0.001	0.05	0.28	2.1	0.3	1.0	12.4	<0.01	0.03	1.2
YY09786		1.56	24.8	560	81.2	29.2	<0.001	0.05	0.30	2.5	0.3	1.4	23.3	<0.01	0.03	1.3
YY09787		1.88	25.7	930	95.4	40.9	<0.001	0.12	0.32	2.8	0.6	1.4	50.7	<0.01	0.04	1.4
YY09788		2.85	28.7	420	40.3	38.6	<0.001	0.07	0.26	3.6	0.5	1.2	23.1	<0.01	0.04	3.5
YY09789		1.19	29.7	700	28.2	26.0	<0.001	0.03	0.29	2.6	0.3	0.9	14.8	<0.01	0.02	1.2
ZZ111451		1.19	27.4	840	47.0	25.7	<0.001	0.02	0.19	2.9	0.2	0.7	12.3	<0.01	0.03	3.7
ZZ111452		1.26	28.5	650	36.4	20.8	<0.001	0.04	0.25	2.5	0.5	0.7	25.3	<0.01	0.02	1.3
ZZ111453		1.73	29.8	680	55.0	31.4	<0.001	0.04	0.25	3.4	0.3	1.3	28.0	<0.01	0.03	1.5
ZZ111454		3.20	35.3	680	56.8	53.5	<0.001	0.12	0.15	5.8	<0.2	1.5	48.3	<0.01	0.03	3.2
ZZ111455		0.68	9.3	670	20.0	18.5	<0.001	0.08	0.15	0.6	0.3	0.5	39.7	<0.01	0.02	<0.2
ZZ111456		2.32	24.9	700	31.0	42.3	<0.001	0.15	0.24	3.2	0.3	1.1	37.4	<0.01	0.02	1.4
ZZ111457		2.11	30.6	670	60.7	42.7	<0.001	0.09	0.18	2.9	0.2	0.9	41.7	<0.01	0.03	1.0
ZZ111458		2.64	32.9	660	53.4	68.8	<0.001	0.11	0.19	4.4	0.3	1.2	23.5	<0.01	0.03	2.8
ZZ111459		1.79	31.5	510	12.9	52.7	<0.001	0.10	0.18	3.3	0.2	1.0	17.2	<0.01	0.02	6.0
ZZ111460		2.33	30.8	430	18.2	76.9	<0.001	0.13	0.15	4.8	0.4	1.2	14.8	<0.01	0.03	11.6
ZZ111461		2.04	21.1	530	23.5	48.8	<0.001	0.08	0.25	2.5	0.4	1.3	12.7	<0.01	0.03	1.7
ZZ111462		1.84	15.1	640	19.8	42.6	<0.001	0.13	0.25	2.2	0.3	2.1	16.4	<0.01	0.04	2.0
ZZ111463		1.45	32.0	860	20.9	33.5	<0.001	0.08	0.48	1.5	0.3	1.2	17.3	<0.01	0.04	0.7
ZZ111464		2.28	18.9	620	13.6	66.5	<0.001	0.31	0.25	3.6	0.4	1.3	25.4	<0.01	0.04	4.7
ZZ111465		1.99	21.7	730	13.9	82.1	<0.001	0.36	0.18	4.4	0.4	1.4	27.6	<0.01	0.05	7.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY09765		0.075	0.28	2.85	34	0.15	8.69	78	<0.5
YY09766		0.088	0.38	3.50	33	0.27	12.65	98	0.5
YY09767		0.066	0.26	1.12	47	0.38	3.91	60	<0.5
YY09768		0.074	0.25	1.35	49	0.37	5.77	71	<0.5
YY09769		0.084	0.32	1.91	49	0.30	6.64	69	<0.5
YY09770		0.097	0.38	1.92	35	0.45	4.81	61	<0.5
YY09771		0.091	0.37	3.23	44	0.73	7.68	79	<0.5
YY09772		0.074	0.38	4.10	45	0.90	9.38	93	<0.5
YY09773		0.137	0.55	2.68	39	0.28	6.09	100	<0.5
YY09774		0.184	0.73	2.06	42	0.19	4.32	89	<0.5
YY09775		0.142	0.43	1.87	51	0.46	5.48	108	<0.5
YY09776		0.105	0.42	2.93	35	0.17	7.97	116	<0.5
YY09777		0.093	0.51	3.89	46	0.17	7.52	100	<0.5
YY09778		0.151	0.61	3.20	45	0.15	5.44	91	<0.5
YY09779		0.132	0.49	2.19	46	0.27	5.49	103	<0.5
YY09780		0.136	0.48	2.57	42	0.27	7.80	106	<0.5
YY09781		0.184	0.53	1.95	55	2.74	13.15	139	<0.5
YY09782		0.086	0.25	1.21	39	2.90	9.59	142	<0.5
YY09783		0.199	0.49	1.27	58	1.59	10.35	91	<0.5
YY09784		0.134	0.53	1.97	43	0.70	8.05	274	0.5
YY09785		0.082	0.31	1.56	40	1.52	7.31	104	<0.5
YY09786		0.087	0.33	1.32	45	0.56	6.23	164	<0.5
YY09787		0.088	0.29	4.24	47	0.51	11.50	157	<0.5
YY09788		0.122	0.39	2.02	49	0.46	7.19	116	0.5
YY09789		0.083	0.25	2.57	46	0.31	12.20	109	<0.5
ZZ111451		0.094	0.25	1.80	40	0.38	8.58	104	<0.5
ZZ111452		0.081	0.25	3.60	41	0.52	8.91	110	<0.5
ZZ111453		0.091	0.31	1.46	50	0.60	8.44	136	<0.5
ZZ111454		0.147	0.43	2.22	55	0.77	11.20	143	<0.5
ZZ111455		0.037	0.14	0.93	23	0.31	3.73	45	<0.5
ZZ111456		0.103	0.32	1.48	47	0.71	7.95	89	<0.5
ZZ111457		0.088	0.28	1.53	40	1.06	10.85	111	0.6
ZZ111458		0.138	0.48	2.44	52	0.36	9.83	133	<0.5
ZZ111459		0.105	0.44	3.14	35	0.11	7.09	84	<0.5
ZZ111460		0.155	0.64	3.03	42	0.13	7.44	111	<0.5
ZZ111461		0.095	0.40	2.52	48	0.20	5.60	87	<0.5
ZZ111462		0.092	0.35	2.19	43	0.16	4.46	72	<0.5
ZZ111463		0.058	0.31	3.71	50	0.32	19.55	88	<0.5
ZZ111464		0.143	0.53	2.29	40	0.65	5.99	72	<0.5
ZZ111465		0.171	0.61	2.43	43	0.37	6.16	77	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ111466		0.30	<0.001	0.12	2.12	3.7	<0.02	<10	130	1.52	1.13	0.10	0.13	58.7	10.0	35
ZZ111467		0.37	0.002	0.12	2.11	3.8	<0.02	<10	130	1.00	0.65	0.06	0.12	48.8	7.7	36
ZZ111468		0.44	<0.001	0.15	2.25	11.7	<0.02	<10	110	1.61	1.07	0.08	0.21	60.4	13.0	37
ZZ111469		0.31	<0.001	0.11	2.23	4.1	<0.02	<10	120	1.02	0.61	0.05	0.11	38.8	8.3	36
ZZ111470		0.41	<0.001	0.16	2.52	4.6	<0.02	<10	140	1.42	0.78	0.04	0.08	54.9	9.1	38
ZZ111471		0.33	<0.001	0.17	2.55	4.3	<0.02	<10	130	1.28	0.85	0.06	0.10	51.7	12.5	40
ZZ111472		0.40	<0.001	0.20	2.39	3.5	<0.02	<10	150	1.31	0.71	0.46	0.34	52.4	16.7	41
ZZ111473		0.30	<0.001	0.42	3.17	7.6	<0.02	<10	100	1.89	0.71	1.51	0.45	48.2	21.5	55
ZZ111474		0.39	<0.001	0.97	2.50	7.9	<0.02	<10	70	2.47	1.56	0.51	2.71	74.8	29.6	48
ZZ111475		0.45	0.001	0.18	2.76	3.5	<0.02	<10	140	1.62	0.87	0.41	0.42	48.5	16.9	58
ZZ111476		0.31	<0.001	0.18	1.30	3.1	<0.02	<10	60	0.68	0.61	0.56	0.59	24.0	7.2	19
ZZ111477		0.35	<0.001	0.32	2.71	6.3	<0.02	<10	110	2.19	1.76	0.37	0.49	51.1	14.1	40
ZZ111478		0.44	0.004	0.14	2.10	4.3	<0.02	<10	100	0.98	0.35	0.17	0.17	39.0	11.3	34
ZZ111479		0.40	<0.001	0.22	2.31	5.0	<0.02	<10	120	1.29	0.47	0.24	0.23	48.5	15.0	39
ZZ111480		0.29	<0.001	0.15	0.93	1.7	<0.02	<10	40	0.36	0.26	0.07	0.09	15.75	3.0	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ111466		13.60	49.8	4.64	7.40	0.07	<0.02	0.01	0.024	0.63	28.8	77.5	0.84	402	2.00	0.02
ZZ111467		12.15	40.4	4.96	7.53	0.08	<0.02	0.03	0.031	0.59	23.7	65.0	0.75	321	1.65	0.02
ZZ111468		15.20	50.2	5.10	7.44	0.06	<0.02	0.01	0.044	0.50	30.1	74.3	0.84	408	1.53	0.02
ZZ111469		10.05	40.4	4.80	8.16	0.05	<0.02	0.02	0.028	0.53	18.7	59.9	0.77	342	1.57	0.01
ZZ111470		12.85	55.7	6.08	8.35	0.12	<0.02	0.01	0.051	0.95	27.0	93.7	0.99	356	1.78	0.03
ZZ111471		12.30	53.3	5.49	8.36	0.09	<0.02	0.02	0.035	0.65	25.9	76.7	1.00	423	1.64	0.01
ZZ111472		12.20	51.2	4.59	8.36	0.09	<0.02	0.02	0.030	0.47	21.6	77.0	0.93	476	0.96	0.01
ZZ111473		14.05	57.7	5.31	10.90	0.13	<0.02	0.02	0.037	0.44	24.1	85.1	1.26	511	0.65	0.08
ZZ111474		12.10	112.5	4.79	8.30	0.13	0.02	0.02	0.373	0.25	32.7	81.0	1.21	778	1.23	0.01
ZZ111475		11.50	54.2	5.28	9.55	0.13	<0.02	0.02	0.046	0.58	25.4	83.9	1.15	564	0.89	0.02
ZZ111476		5.15	22.5	2.31	4.66	0.05	<0.02	0.02	0.022	0.16	10.9	28.9	0.50	515	0.69	0.02
ZZ111477		18.65	54.0	5.23	9.32	0.10	<0.02	0.02	0.079	0.35	25.1	72.3	1.21	823	1.53	0.01
ZZ111478		5.11	43.5	3.16	6.79	0.06	<0.02	0.02	0.027	0.17	20.3	33.7	0.70	388	0.94	0.01
ZZ111479		7.59	58.6	3.70	7.38	0.07	<0.02	0.02	0.030	0.27	23.8	43.1	0.79	575	1.30	0.01
ZZ111480		2.95	15.1	1.39	4.70	<0.05	<0.02	0.05	0.014	0.08	8.5	7.7	0.16	148	0.77	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method Analyte Units LOD	ME- MS41 Nb ppm 0.05	ME- MS41 Ni ppm 0.2	ME- MS41 P ppm 10	ME- MS41 Pb ppm 0.2	ME- MS41 Rb ppm 0.1	ME- MS41 Re ppm 0.001	ME- MS41 S % 0.01	ME- MS41 Sb ppm 0.05	ME- MS41 Sc ppm 0.1	ME- MS41 Se ppm 0.2	ME- MS41 Sn ppm 0.2	ME- MS41 Sr ppm 0.2	ME- MS41 Ta ppm 0.01	ME- MS41 Te ppm 0.01	ME- MS41 Th ppm 0.2
ZZ111466		2.35	23.3	650	18.5	70.9	<0.001	0.33	0.22	3.7	0.3	1.4	35.3	<0.01	0.05	5.7
ZZ111467		2.81	18.0	580	15.1	63.2	<0.001	0.36	0.20	3.4	0.3	1.8	26.0	<0.01	0.04	3.8
ZZ111468		2.14	29.9	500	24.4	56.5	<0.001	0.24	0.23	3.8	0.2	2.4	31.9	<0.01	0.03	7.5
ZZ111469		3.08	18.2	510	23.1	64.8	<0.001	0.23	0.25	3.6	0.4	1.2	15.2	<0.01	0.03	3.1
ZZ111470		2.76	17.5	510	14.6	95.3	<0.001	0.42	0.21	4.9	0.4	1.3	28.8	<0.01	0.02	10.3
ZZ111471		2.57	24.9	490	21.0	70.0	<0.001	0.19	0.23	4.5	0.4	1.1	23.8	<0.01	0.02	7.2
ZZ111472		3.69	35.7	630	45.6	65.9	<0.001	0.13	0.23	5.5	0.3	1.1	44.4	<0.01	0.02	4.3
ZZ111473		4.16	49.4	740	53.5	65.5	<0.001	0.18	0.22	7.3	0.4	1.9	220	0.01	0.02	5.3
ZZ111474		2.20	72.1	920	130.5	35.7	<0.001	0.07	0.32	4.9	0.3	2.3	50.2	<0.01	0.03	7.8
ZZ111475		4.98	36.5	730	93.9	71.6	<0.001	0.14	0.22	7.8	0.3	1.7	53.3	<0.01	0.03	4.4
ZZ111476		1.37	11.7	570	62.0	31.5	<0.001	0.11	0.21	1.4	0.2	0.8	44.5	<0.01	0.01	0.5
ZZ111477		2.68	25.6	690	165.0	79.3	<0.001	0.12	0.28	4.3	0.7	2.2	46.6	<0.01	0.05	2.7
ZZ111478		1.45	27.9	660	20.9	26.7	<0.001	0.03	0.31	2.8	0.4	0.8	13.7	<0.01	0.01	1.8
ZZ111479		1.75	36.2	850	25.9	37.1	<0.001	0.04	0.36	3.6	0.4	1.0	20.1	<0.01	0.03	3.6
ZZ111480		0.64	7.3	670	13.0	15.4	<0.001	0.06	0.27	0.4	0.3	0.5	8.7	<0.01	0.01	<0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204875

Sample Description	Method Analyte Units LOD	ME- MS41 Ti % 0.005	ME- MS41 Tl ppm 0.02	ME- MS41 U ppm 0.05	ME- MS41 V ppm 1	ME- MS41 W ppm 0.05	ME- MS41 Y ppm 0.05	ME- MS41 Zn ppm 2	ME- MS41 Zr ppm 0.5
ZZ111466		0.146	0.55	2.78	42	0.87	6.03	80	<0.5
ZZ111467		0.140	0.46	2.05	44	0.26	4.14	79	<0.5
ZZ111468		0.122	0.47	2.67	41	1.03	6.29	99	<0.5
ZZ111469		0.145	0.51	2.14	46	0.23	3.97	81	<0.5
ZZ111470		0.178	0.74	3.46	42	0.12	5.45	99	<0.5
ZZ111471		0.149	0.58	2.44	45	0.24	7.82	104	<0.5
ZZ111472		0.157	0.45	2.66	50	0.55	11.40	124	0.5
ZZ111473		0.159	0.49	1.46	54	1.21	11.85	129	<0.5
ZZ111474		0.097	0.34	1.83	42	1.33	20.2	423	<0.5
ZZ111475		0.188	0.49	1.64	62	0.88	12.70	180	<0.5
ZZ111476		0.069	0.23	0.97	30	0.31	4.34	116	0.5
ZZ111477		0.114	0.65	3.23	46	0.48	12.25	289	<0.5
ZZ111478		0.089	0.28	1.98	46	0.26	8.97	85	<0.5
ZZ111479		0.108	0.36	2.70	47	0.34	11.65	105	<0.5
ZZ111480		0.036	0.14	0.90	28	0.18	3.17	26	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: DABB

Finalized Date: 12- SEP- 2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18204875

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG- 22 SCR- 41 WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au- ICP21 ME- MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2018
Account: MTT

CERTIFICATE WH18247677

Project: Dabb

This report is for 1 Rock sample submitted to our lab in Whitehorse, YT, Canada on 3- OCT- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 21	Sample logging - ClientBarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	
Zn- OG46	Ore Grade Zn - Aqua Regia	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18247677

Sample Description	Method Analyte Units LOD	WEI- 21 Recvd Wt. kg 0.02	Au- ICP21 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.02	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
S054739		1.64	0.001	11.00	2.25	4.1	<0.02	10	<10	52.3	1.74	10.35	374	23.3	18.7	14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18247677

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
S054739		1.88	83.5	3.17	6.81	1.27	0.15	0.07	0.026	0.02	9.7	38.5	1.64	15650	5.12	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18247677

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
S054739		0.88	11.3	210	>10000	3.1	0.002	2.94	4.66	2.3	43.5	3.9	162.0	<0.01	4.87	3.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 5- NOV- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18247677

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001
S054739		0.060	0.08	0.97	23	760	8.69	>10000	3.5	4.07	4.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Dabb

Finalized Date: 5- NOV- 2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18247677

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU- 31	CRU- QC	LOG- 21	PUL- 31
PUL- QC	SPL- 21	WEI- 21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au- ICP21	ME- MS41	ME- OG46	Pb- OG46
Zn- OG46			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUN- 2018
Account: MTT

CERTIFICATE WH18140406

Project: Dabb

This report is for 31 Soil samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUN- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18140406

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ109891		0.31	0.005	0.49	1.73	10.9	<0.02	<10	100	1.39	1.92	0.33	0.71	35.5	11.1	38
ZZ109892		0.26	<0.001	1.06	2.34	60.9	<0.02	<10	70	2.89	3.90	3.49	4.19	51.6	12.0	42
ZZ109893		0.46	<0.001	0.54	1.60	7.8	<0.02	<10	30	1.70	0.77	10.10	1.83	30.6	11.8	36
ZZ109894		0.39	<0.001	1.76	2.52	4.2	<0.02	<10	40	11.60	2.54	0.99	5.82	22.4	31.0	39
ZZ109895		0.29	<0.001	3.07	2.03	6.2	<0.02	<10	70	5.50	3.73	3.04	5.18	43.7	18.5	36
ZZ109896		0.27	<0.001	0.15	1.64	10.3	<0.02	<10	120	1.42	0.54	0.27	0.25	32.3	10.5	36
ZZ109897		0.23	<0.001	0.30	2.29	10.9	<0.02	<10	110	2.50	0.78	0.34	0.70	49.5	13.8	50
ZZ109898		0.28	<0.001	0.65	2.79	9.0	<0.02	<10	90	2.76	2.12	0.20	0.73	54.7	34.0	54
ZZ109899		0.39	<0.001	0.79	2.40	6.7	<0.02	<10	70	3.54	0.94	0.67	0.88	63.8	15.3	34
ZZ109900		0.37	<0.001	1.82	2.31	13.4	<0.02	<10	70	3.15	5.18	0.74	0.46	54.5	22.9	45
ZZ109901		0.41	0.021	0.93	2.00	13.0	<0.02	<10	80	2.72	1.49	1.38	1.69	44.9	14.8	40
ZZ109902		0.42	<0.001	0.93	1.95	10.0	<0.02	<10	50	2.67	1.49	2.35	2.63	31.0	17.1	35
ZZ109903		0.45	0.005	1.10	1.72	10.1	<0.02	<10	60	3.21	2.15	3.85	2.26	33.2	13.1	25
ZZ109904		0.27	0.002	0.31	1.62	11.6	<0.02	<10	40	1.45	0.86	13.65	0.83	34.2	9.1	26
ZZ109905		0.27	<0.001	1.56	0.99	9.7	<0.02	<10	30	3.18	2.95	18.20	12.85	19.70	10.0	18
ZZ109909		0.25	<0.001	1.71	2.40	7.7	<0.02	<10	100	7.69	3.09	1.20	6.81	51.0	15.3	37
ZZ109910		0.28	<0.001	0.88	2.31	10.7	<0.02	<10	100	2.69	2.19	1.23	1.73	49.8	12.0	36
ZZ109911		0.25	<0.001	0.65	2.19	6.5	<0.02	<10	80	2.23	1.01	1.01	0.71	34.1	15.4	42
ZZ109912		0.39	<0.001	0.51	2.41	7.9	<0.02	<10	100	2.03	1.20	0.51	0.68	47.2	15.5	46
ZZ109913		0.36	<0.001	0.67	2.51	7.6	<0.02	<10	90	2.33	1.12	0.60	0.77	57.2	24.8	51
ZZ109914		0.32	0.014	0.37	2.62	2.7	<0.02	<10	130	1.05	1.17	3.08	0.92	41.9	12.4	38
ZZ109915		0.35	<0.001	0.52	3.48	11.2	<0.02	<10	40	2.01	0.82	1.87	0.89	25.8	25.6	54
ZZ109916		0.32	<0.001	0.08	1.86	3.7	0.02	<10	110	0.84	0.44	0.15	0.35	27.5	9.6	34
ZZ109917		0.31	<0.001	0.46	3.09	6.8	<0.02	<10	140	1.50	0.65	0.22	0.22	55.4	20.0	57
ZZ109918		0.27	<0.001	0.26	2.58	3.5	<0.02	<10	160	1.40	0.68	0.44	0.35	52.3	16.5	45
ZZ109919		0.26	<0.001	0.19	2.54	4.9	<0.02	<10	120	1.49	0.71	0.06	0.17	49.2	13.7	41
ZZ109920		0.24	<0.001	0.22	2.47	5.1	<0.02	<10	120	1.38	0.78	0.06	0.16	45.9	10.1	40
ZZ109921		0.23	<0.001	0.21	2.33	22.2	<0.02	<10	100	2.25	1.04	0.07	0.12	62.9	11.1	33
ZZ109922		0.26	<0.001	0.22	2.14	15.7	<0.02	<10	90	2.74	0.98	0.13	0.17	89.6	15.4	31
ZZ109923		0.20	<0.001	0.23	1.52	3.8	<0.02	<10	70	1.09	0.54	0.06	0.19	36.9	8.1	24
ZZ109924		0.29	<0.001	0.10	1.92	4.5	<0.02	<10	90	0.86	0.52	0.12	0.12	43.1	17.1	32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUN- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18140406

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ109891		2.89	17.5	2.54	5.68	<0.05	0.02	0.05	0.037	0.05	12.8	23.8	0.68	753	1.79	0.01
ZZ109892		12.80	33.3	3.07	6.47	0.13	0.03	0.03	0.739	0.08	23.3	92.7	2.88	1560	0.88	0.02
ZZ109893		11.45	41.6	2.27	4.96	0.13	<0.02	0.03	0.043	0.14	13.9	56.0	5.57	1170	0.74	0.06
ZZ109894		2.43	62.9	2.71	6.95	0.19	0.04	0.04	0.033	0.03	13.2	108.0	2.65	4010	0.55	0.01
ZZ109895		14.25	358	2.55	5.73	0.09	0.04	0.05	0.081	0.08	23.0	77.1	1.41	4490	0.82	0.01
ZZ109896		4.17	25.1	2.72	5.97	<0.05	<0.02	0.02	0.030	0.06	11.5	31.3	0.78	695	1.09	0.01
ZZ109897		5.63	31.5	3.27	6.95	0.07	0.02	0.04	0.037	0.12	15.4	45.8	1.13	950	0.93	0.02
ZZ109898		19.50	48.2	4.83	8.85	0.07	<0.02	0.05	0.064	0.19	18.0	95.4	1.12	1590	1.09	0.01
ZZ109899		7.68	78.2	3.21	7.14	0.06	0.02	0.03	0.028	0.13	18.3	48.4	0.77	1020	0.92	0.03
ZZ109900		15.25	86.7	4.29	6.97	0.06	0.02	0.03	0.033	0.12	21.3	65.5	0.95	762	1.23	0.02
ZZ109901		8.88	75.7	3.09	5.79	0.11	0.04	0.03	0.067	0.12	23.5	46.4	1.63	1090	0.96	0.03
ZZ109902		9.78	89.9	2.61	5.47	0.11	0.02	0.05	0.059	0.10	15.4	41.2	1.32	1020	0.71	0.05
ZZ109903		11.70	78.4	2.96	4.99	0.14	0.04	0.03	0.120	0.10	16.8	54.7	2.74	853	0.82	0.03
ZZ109904		11.65	31.9	2.09	4.47	0.08	0.04	0.03	0.078	0.08	16.3	95.2	2.77	639	0.84	0.02
ZZ109905		5.37	87.5	1.28	2.66	0.12	0.03	0.04	3.13	0.05	9.5	43.9	1.41	2690	0.96	0.02
ZZ109909		15.60	100.0	3.81	7.68	0.10	0.03	0.03	0.054	0.21	24.4	99.3	2.00	4450	1.55	0.01
ZZ109910		12.70	66.6	2.98	7.09	0.10	0.04	0.03	0.092	0.09	27.1	82.6	1.91	1060	0.80	0.02
ZZ109911		8.06	80.0	3.27	7.25	0.10	0.02	0.02	0.056	0.19	18.7	50.6	1.09	566	0.57	0.03
ZZ109912		8.38	66.7	3.88	7.97	0.09	0.02	0.02	0.055	0.25	20.0	55.4	1.08	860	0.85	0.02
ZZ109913		12.10	79.5	4.65	7.78	0.09	<0.02	0.02	0.050	0.30	26.6	75.2	1.20	701	0.89	0.02
ZZ109914		13.55	60.0	5.35	7.77	0.11	<0.02	0.03	0.031	0.67	19.9	75.1	2.47	610	0.67	0.03
ZZ109915		11.80	65.1	3.92	10.75	0.12	<0.02	0.01	0.019	0.29	13.6	56.5	1.23	589	0.46	0.15
ZZ109916		6.53	25.6	3.47	6.39	<0.05	<0.02	0.03	0.024	0.25	11.4	43.0	0.59	451	0.88	0.02
ZZ109917		14.75	60.4	6.55	10.10	0.09	<0.02	0.02	0.041	0.64	24.2	92.8	1.13	506	0.86	0.04
ZZ109918		13.25	51.5	4.86	8.68	0.08	<0.02	0.02	0.029	0.48	23.1	81.1	1.01	555	0.99	0.02
ZZ109919		12.95	55.1	5.47	8.96	0.08	<0.02	0.02	0.039	0.60	24.6	76.2	0.95	474	1.89	0.02
ZZ109920		12.50	49.1	5.26	8.65	0.08	<0.02	0.03	0.059	0.50	22.8	57.8	0.86	433	1.81	0.01
ZZ109921		19.20	39.6	4.80	7.79	0.08	<0.02	0.03	0.045	0.23	33.9	57.9	0.69	493	3.46	0.01
ZZ109922		16.45	44.0	4.17	7.37	0.12	0.02	0.03	0.035	0.31	47.6	54.7	0.69	620	2.85	0.01
ZZ109923		11.30	32.5	2.97	5.75	0.06	<0.02	0.05	0.020	0.22	14.4	31.2	0.41	496	1.61	0.01
ZZ109924		7.86	42.2	3.83	6.47	0.07	<0.02	0.02	0.024	0.33	20.2	38.2	0.67	441	1.43	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUN- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18140406

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ109891		1.24	30.2	500	204	10.7	<0.001	0.02	0.64	2.6	0.3	0.8	20.2	<0.01	0.05	1.8
ZZ109892		1.28	31.1	700	282	20.8	<0.001	0.07	0.57	3.6	0.4	5.1	293	<0.01	0.05	3.0
ZZ109893		1.31	28.5	830	179.0	28.0	<0.001	0.04	0.33	3.0	0.5	1.9	309	<0.01	0.05	3.3
ZZ109894		1.34	66.8	710	488	4.4	<0.001	0.04	0.30	3.6	0.5	4.0	91.9	0.01	0.09	3.9
ZZ109895		0.67	42.7	630	617	22.8	<0.001	0.05	0.48	3.2	0.8	3.3	215	<0.01	0.08	3.6
ZZ109896		0.96	24.3	730	41.6	11.6	<0.001	0.05	0.60	2.1	<0.2	1.0	21.2	<0.01	0.05	0.8
ZZ109897		1.70	33.3	750	120.0	21.8	<0.001	0.08	0.49	3.4	0.2	1.2	43.1	<0.01	0.04	1.8
ZZ109898		1.96	66.4	900	256	36.7	<0.001	0.10	0.31	3.5	0.3	1.8	23.9	<0.01	0.07	1.9
ZZ109899		1.99	35.1	730	147.0	27.4	<0.001	0.06	0.27	2.8	0.3	1.1	87.9	<0.01	0.04	2.0
ZZ109900		1.59	51.0	900	52.2	23.4	<0.001	0.07	0.38	3.2	0.2	2.2	69.7	<0.01	0.05	2.9
ZZ109901		1.72	39.5	850	220	23.9	<0.001	0.04	0.48	4.2	0.6	1.8	98.4	<0.01	0.05	4.0
ZZ109902		1.55	42.6	940	231	20.1	<0.001	0.05	0.33	3.5	0.3	2.2	190.0	0.01	0.05	2.8
ZZ109903		1.84	28.1	660	212	23.3	<0.001	0.04	0.37	2.6	0.4	3.9	198.5	<0.01	0.08	3.0
ZZ109904		0.86	20.7	780	71.6	19.7	<0.001	0.07	0.26	2.5	0.5	3.9	795	<0.01	0.07	2.2
ZZ109905		0.78	19.8	960	307	10.2	<0.001	0.08	0.32	1.5	0.7	2.5	1375	<0.01	0.09	1.3
ZZ109909		2.06	30.9	820	1040	46.0	<0.001	0.12	0.37	4.0	0.8	3.4	78.3	0.01	0.14	3.8
ZZ109910		1.85	27.6	850	278	29.2	<0.001	0.06	0.36	3.2	0.7	2.9	96.3	0.01	0.06	2.2
ZZ109911		3.05	41.7	980	144.5	34.5	<0.001	0.07	0.25	5.1	0.2	1.7	103.5	0.01	0.04	3.2
ZZ109912		2.74	37.4	650	151.5	41.4	<0.001	0.08	0.30	4.7	0.3	1.6	52.2	<0.01	0.05	3.0
ZZ109913		2.12	54.2	1040	69.0	40.1	<0.001	0.07	0.21	5.6	0.5	1.6	55.4	<0.01	0.04	6.6
ZZ109914		2.98	30.6	660	64.0	85.0	<0.001	0.37	0.16	4.9	0.8	1.2	182.0	<0.01	0.07	4.8
ZZ109915		1.78	57.9	650	63.0	52.4	<0.001	0.02	0.13	5.3	0.4	1.7	328	0.01	0.04	4.2
ZZ109916		1.79	19.3	610	27.5	36.4	<0.001	0.10	0.26	2.4	0.4	0.8	19.4	<0.01	0.05	0.9
ZZ109917		3.40	39.3	690	42.0	61.1	<0.001	0.32	0.14	6.7	0.6	1.5	61.3	<0.01	0.05	3.5
ZZ109918		3.06	33.7	680	50.9	67.0	<0.001	0.14	0.16	5.3	0.5	1.1	42.9	<0.01	0.05	3.4
ZZ109919		3.51	29.4	510	20.2	69.5	<0.001	0.23	0.24	4.6	0.7	1.2	27.1	<0.01	0.05	5.1
ZZ109920		3.06	21.5	630	18.2	67.5	<0.001	0.20	0.27	3.6	0.4	1.2	18.7	<0.01	0.05	3.1
ZZ109921		1.87	25.5	660	44.4	36.9	<0.001	0.14	0.41	2.5	0.6	1.8	25.2	<0.01	0.05	2.2
ZZ109922		2.55	28.4	730	35.8	40.8	<0.001	0.15	0.31	3.0	0.5	1.4	23.9	<0.01	0.05	3.0
ZZ109923		1.30	17.5	650	14.0	34.6	<0.001	0.12	0.26	1.2	0.6	1.1	11.7	<0.01	0.05	0.5
ZZ109924		1.75	23.5	870	12.4	39.0	<0.001	0.11	0.26	3.4	0.5	1.1	20.2	<0.01	0.04	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 27- JUN- 2018
Account: MTT

Project: Dabb

CERTIFICATE OF ANALYSIS WH18140406

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ109891		0.067	0.16	0.80	51	0.97	4.55	318	0.6
ZZ109892		0.060	0.52	1.51	40	0.88	17.40	545	0.6
ZZ109893		0.070	0.25	1.47	24	0.58	11.05	275	<0.5
ZZ109894		0.060	0.12	0.79	29	2.71	18.85	776	1.0
ZZ109895		0.023	0.50	0.90	30	1.43	19.65	669	0.8
ZZ109896		0.058	0.17	1.08	51	0.90	4.35	117	<0.5
ZZ109897		0.092	0.27	1.22	52	0.89	9.09	182	0.5
ZZ109898		0.087	0.29	1.49	52	3.43	11.20	298	<0.5
ZZ109899		0.065	0.28	1.26	37	1.60	11.40	199	<0.5
ZZ109900		0.049	0.30	1.50	41	1.24	16.95	134	<0.5
ZZ109901		0.088	0.30	1.26	44	0.89	17.40	314	1.0
ZZ109902		0.081	0.25	0.87	34	1.36	13.10	398	0.6
ZZ109903		0.063	0.35	1.22	28	0.75	13.35	388	1.4
ZZ109904		0.032	0.42	1.31	21	0.34	14.30	172	1.0
ZZ109905		0.026	0.22	1.15	11	0.71	7.85	1450	0.8
ZZ109909		0.072	0.53	2.59	34	1.25	19.70	1120	0.7
ZZ109910		0.054	0.41	1.43	39	0.54	20.8	456	1.1
ZZ109911		0.117	0.31	1.16	43	2.81	14.80	226	0.8
ZZ109912		0.120	0.33	1.45	52	1.51	10.70	261	0.5
ZZ109913		0.140	0.36	1.57	48	2.00	19.95	193	<0.5
ZZ109914		0.162	0.73	1.44	40	0.29	10.70	175	<0.5
ZZ109915		0.148	0.47	0.78	40	1.35	8.99	158	<0.5
ZZ109916		0.105	0.24	1.07	48	0.44	3.57	88	<0.5
ZZ109917		0.169	0.42	1.24	66	0.83	9.93	120	<0.5
ZZ109918		0.158	0.47	2.83	54	0.67	12.00	147	<0.5
ZZ109919		0.142	0.56	2.62	45	0.25	6.36	111	<0.5
ZZ109920		0.132	0.54	2.34	48	0.24	5.70	103	<0.5
ZZ109921		0.055	0.45	3.84	42	0.21	10.10	105	<0.5
ZZ109922		0.086	0.38	4.53	42	0.26	20.6	102	0.5
ZZ109923		0.057	0.28	1.99	34	0.20	4.43	67	<0.5
ZZ109924		0.112	0.36	2.09	43	0.18	6.20	72	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Dabb

Finalized Date: 27- JUN- 2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18140406

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG- 22 SCR- 41 WEI- 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au- ICP21 ME- MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2018
Account: MTT

CERTIFICATE WH18140419

Project: DABB

This report is for 29 Rock samples submitted to our lab in Whitehorse, YT, Canada on 14- JUN- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 21	Sample logging - ClientBarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	
Ag- OG46	Ore Grade Ag - Aqua Regia	ICP- AES
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Cu- OG46	Ore Grade Cu - Aqua Regia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	ICP- AES
Zn- OG46	Ore Grade Zn - Aqua Regia	ICP- AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18140419

Sample Description	Method	WEI- 21	Au- ICP21	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
K291701		1.55	<0.001	3.12	2.29	0.9	<0.02	10	10	13.35	3.35	17.55	46.4	28.6	9.5	10
K291702		0.94	<0.001	0.34	1.76	1.5	<0.02	<10	40	6.30	0.94	2.85	8.15	80.0	10.8	43
K291703		1.70	<0.001	2.99	2.39	1.3	<0.02	<10	10	9.43	4.27	10.70	23.2	42.1	18.9	23
K291704		1.26	<0.001	12.10	3.39	1.5	<0.02	<10	<10	12.40	23.0	8.25	98.9	27.5	18.6	31
K291705		0.94	0.010	14.00	2.05	1.1	<0.02	<10	<10	15.60	0.24	6.18	363	12.05	23.7	20
K291706		0.95	0.003	84.1	3.98	5.8	<0.02	<10	60	3.04	0.16	6.87	2.06	23.3	0.2	2
K291707		1.07	<0.001	5.39	1.71	2.9	<0.02	<10	10	8.07	4.06	13.10	78.3	22.9	15.3	15
K291708		1.46	<0.001	8.13	0.67	143.0	<0.02	<10	10	2.09	4.34	9.66	6.03	6.77	27.1	1
K291709		1.97	<0.001	2.72	2.42	1.2	<0.02	<10	20	2.73	0.82	3.26	0.73	30.5	29.2	34
K291710		1.92	<0.001	16.15	1.98	3.1	<0.02	<10	10	4.96	20.8	3.26	12.70	26.2	74.4	20
K291711		1.26	<0.001	3.28	1.96	9.6	<0.02	<10	<10	3.26	0.52	8.53	0.34	16.20	45.4	13
K291712		0.86	<0.001	11.90	1.75	76.7	<0.02	<10	10	1.49	0.77	7.21	0.76	6.81	207	7
K291713		0.94	<0.001	19.80	0.89	1.1	<0.02	<10	10	1.39	35.7	0.68	22.7	20.4	10.1	11
K291714		2.86	<0.001	0.23	0.57	2.1	<0.02	<10	10	1.30	0.25	7.86	0.49	43.5	1.8	3
K291715		3.04	<0.001	0.36	0.81	3.5	<0.02	<10	10	1.78	0.48	0.50	0.60	60.2	2.9	10
K291716		2.47	<0.001	0.29	1.28	3.4	<0.02	<10	20	2.27	0.23	1.15	1.06	67.3	7.1	21
K291717		2.37	0.002	0.75	1.67	4.2	<0.02	<10	20	5.44	0.89	4.81	9.82	54.0	11.8	21
K291718		2.89	<0.001	0.65	2.29	6.3	<0.02	<10	30	3.98	0.76	4.63	2.54	50.4	17.2	43
K291719		2.79	<0.001	2.06	2.27	1.7	<0.02	<10	20	4.32	2.83	8.12	10.70	34.4	18.0	36
K291720		2.51	<0.001	0.50	2.09	2.5	<0.02	<10	30	2.45	0.42	5.90	3.71	40.9	16.4	42
K291721		0.96	0.006	>100	1.45	49.6	<0.02	<10	20	8.12	4.69	1.06	34.9	23.5	60.8	16
K291722		3.45	<0.001	6.00	3.11	4.6	<0.02	10	10	33.5	1.28	12.65	107.0	43.9	11.7	30
K291723		4.58	<0.001	10.85	2.14	3.5	<0.02	<10	<10	38.4	5.12	7.86	199.0	29.5	16.7	24
K291724		4.94	<0.001	7.51	2.30	3.0	<0.02	<10	<10	25.3	1.14	8.03	190.5	30.7	16.3	21
K291725		3.41	<0.001	5.28	1.61	4.8	<0.02	<10	20	75.6	0.75	8.06	181.0	18.25	12.5	9
K291726		4.45	<0.001	13.50	2.31	3.1	<0.02	<10	<10	74.8	2.96	7.73	356	30.9	23.9	20
K291727		4.05	<0.001	15.15	2.45	2.5	<0.02	<10	10	48.0	10.20	7.76	341	33.3	27.8	25
K291728		3.46	<0.001	6.33	2.55	1.5	<0.02	<10	60	20.3	1.21	3.74	198.5	49.0	21.1	42
K291729		3.14	<0.001	1.66	1.07	1.9	<0.02	<10	10	4.28	2.69	1.39	5.52	58.6	3.3	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18140419

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
K291701		5.34	3.2	2.07	9.12	0.40	0.09	0.05	0.025	0.13	10.4	63.1	1.60	11800	39.9	0.01
K291702		8.78	11.4	3.23	9.97	0.16	0.04	0.02	0.118	0.32	60.5	42.6	0.80	7200	11.65	0.02
K291703		14.75	1.9	2.32	6.11	0.12	0.10	0.01	0.030	0.33	22.3	60.2	1.20	11300	0.47	<0.01
K291704		9.19	1.7	3.28	10.60	0.66	0.17	0.16	0.021	0.12	14.2	98.9	2.49	9610	20.1	<0.01
K291705		1.68	1900	3.20	7.30	0.81	0.13	0.15	0.018	0.01	6.1	24.3	1.42	8520	8.11	<0.01
K291706		4.04	>10000	2.08	13.60	0.18	0.89	0.08	0.124	2.22	11.0	9.6	0.03	103	2.95	1.19
K291707		4.03	30.4	1.58	4.15	0.28	0.14	0.03	0.017	0.25	12.0	34.0	0.71	>50000	0.57	<0.01
K291708		0.98	1945	34.8	5.65	1.11	0.02	0.01	7.14	0.01	2.9	6.4	0.65	1200	0.16	0.01
K291709		2.11	785	7.54	8.18	0.23	0.10	0.01	0.067	0.09	15.6	52.4	1.59	1100	1.93	<0.01
K291710		1.25	1790	16.25	5.66	0.51	0.12	0.01	0.057	0.03	14.1	39.1	0.95	2210	0.86	<0.01
K291711		0.36	1115	3.58	5.58	0.57	0.12	0.01	0.044	0.01	8.0	8.0	0.73	1060	2.35	<0.01
K291712		0.39	2560	31.2	6.86	0.66	0.02	0.01	0.065	0.01	3.6	12.1	0.68	1180	8.40	<0.01
K291713		5.88	127.0	1.44	3.53	0.14	0.03	0.03	0.225	0.17	10.2	14.8	0.19	956	234	<0.01
K291714		1.71	22.9	0.64	1.98	<0.05	0.52	<0.01	0.014	0.12	18.2	6.9	0.44	249	1.01	0.03
K291715		2.81	45.8	1.05	3.04	0.08	0.51	0.01	0.042	0.15	26.4	11.4	0.27	834	1.63	0.04
K291716		3.65	33.9	1.76	4.75	0.09	0.47	0.01	0.018	0.18	31.7	23.0	0.48	1400	1.44	0.05
K291717		6.33	43.1	2.32	6.07	0.13	0.30	0.01	0.032	0.19	29.5	38.1	0.83	4680	1.99	0.01
K291718		5.35	86.7	2.97	7.88	0.14	0.19	0.01	0.025	0.20	23.2	56.4	1.26	4140	1.67	0.02
K291719		3.62	66.9	2.56	6.71	0.16	0.09	0.01	0.020	0.17	17.9	60.4	1.32	5500	1.49	0.01
K291720		2.68	62.5	2.98	7.72	0.12	0.06	0.01	0.023	0.16	19.7	58.5	1.17	2410	2.57	0.02
K291721		1.17	7800	32.2	5.33	0.94	0.07	0.04	22.1	0.01	12.0	6.2	0.37	682	2.46	<0.01
K291722		5.65	568	3.80	11.35	1.07	0.17	0.09	0.080	0.16	22.4	60.9	1.95	19750	16.10	0.01
K291723		2.10	1170	3.45	7.98	1.18	0.16	0.05	0.115	0.01	15.5	28.6	1.34	16800	31.5	<0.01
K291724		5.08	632	2.94	8.10	0.91	0.17	0.05	0.061	0.07	15.5	52.0	2.25	13850	4.69	<0.01
K291725		15.55	771	2.06	6.00	0.73	0.09	0.07	0.083	0.34	7.7	68.9	3.19	8190	6.00	0.01
K291726		1.79	25.5	2.58	7.86	1.12	0.22	0.02	0.037	0.02	13.3	35.2	1.80	12650	10.30	<0.01
K291727		3.84	15.9	2.82	8.33	0.89	0.16	0.04	0.038	0.08	16.2	45.2	1.84	10900	3.32	<0.01
K291728		15.90	9.4	2.77	9.92	0.45	0.15	0.03	0.038	0.61	24.4	67.5	2.18	5690	2.18	0.02
K291729		3.29	145.5	1.49	4.62	0.13	0.35	0.01	0.065	0.20	24.6	22.7	0.64	2700	91.0	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18140419

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
K291701		0.11	6.1	80	8730	15.0	0.003	0.30	1.17	3.7	11.0	1.5	178.0	<0.01	0.82	3.5
K291702		<0.05	28.8	320	277	49.0	0.001	0.27	0.33	4.2	0.3	4.6	49.5	<0.01	0.02	13.6
K291703		0.13	27.6	400	5500	39.8	<0.001	0.14	0.48	4.7	9.3	1.8	328	<0.01	0.30	7.7
K291704		2.67	23.4	440	5260	18.2	0.011	0.50	1.25	4.5	7.7	1.2	313	<0.01	0.88	5.2
K291705		1.96	15.8	360	>10000	2.4	0.007	2.88	4.37	2.9	44.0	1.6	288	0.01	5.19	2.2
K291706		13.90	0.2	30	>10000	183.5	<0.001	0.40	3.93	1.4	10.0	15.2	112.5	<0.01	1.13	13.0
K291707		2.08	11.1	310	>10000	28.3	<0.001	0.85	1.57	3.2	5.3	1.4	302	<0.01	0.24	3.3
K291708		0.07	4.1	80	74.6	1.0	<0.001	0.06	2.08	1.0	0.6	275	67.1	<0.01	0.09	0.7
K291709		0.65	82.2	400	29.7	11.1	<0.001	0.02	0.49	5.1	0.2	52.5	225	<0.01	0.01	6.6
K291710		0.72	29.4	350	2410	4.2	<0.001	0.09	0.57	3.6	7.4	22.2	250	0.01	0.32	5.6
K291711		1.23	139.0	350	30.6	1.8	0.002	0.06	0.62	2.4	1.6	4.1	488	0.02	0.02	6.3
K291712		0.25	830	100	79.9	1.1	0.008	0.26	0.99	2.7	3.2	3.0	161.5	<0.01	0.05	1.8
K291713		0.41	13.3	250	>10000	25.4	0.003	0.10	1.26	1.3	15.8	4.3	53.1	<0.01	2.35	4.0
K291714		1.03	4.5	50	35.3	11.6	<0.001	0.01	0.09	0.7	0.4	0.5	421	<0.01	0.01	12.0
K291715		1.08	6.2	110	53.3	14.5	<0.001	0.01	0.15	1.3	0.3	1.3	27.8	<0.01	0.02	14.7
K291716		0.78	15.7	280	39.1	17.6	<0.001	0.02	0.18	2.2	0.2	1.6	61.6	<0.01	<0.01	14.0
K291717		0.62	21.0	440	959	23.3	<0.001	0.04	0.41	3.1	1.7	3.5	214	<0.01	0.06	11.2
K291718		0.37	34.4	590	259	21.4	<0.001	0.01	0.38	4.8	0.6	2.6	228	<0.01	0.05	12.9
K291719		0.28	31.4	570	1635	17.2	<0.001	<0.01	0.38	4.0	1.5	2.5	346	<0.01	0.10	8.3
K291720		0.55	32.9	690	684	16.7	<0.001	<0.01	0.32	4.4	0.7	3.0	290	<0.01	0.05	10.5
K291721		1.06	57.3	510	91.4	1.9	<0.001	0.06	2.25	2.3	21.8	28.0	308	0.03	0.16	7.3
K291722		5.23	14.0	320	>10000	26.6	0.009	0.77	2.61	5.3	15.0	2.9	318	<0.01	1.80	7.7
K291723		2.08	13.0	340	>10000	2.4	0.005	1.67	3.34	4.1	21.9	2.3	218	<0.01	3.13	6.0
K291724		1.80	10.3	400	>10000	17.4	0.002	1.44	3.37	3.4	21.9	5.1	186.0	0.01	2.83	5.4
K291725		0.66	7.0	220	>10000	61.8	0.003	0.99	2.58	1.6	16.5	8.9	154.5	<0.01	1.94	2.4
K291726		1.19	12.8	220	>10000	4.6	0.001	2.73	5.93	3.4	57.8	8.8	164.0	<0.01	6.39	5.0
K291727		0.95	19.6	250	>10000	12.0	0.002	2.91	4.51	3.9	62.6	4.8	166.5	<0.01	5.81	6.3
K291728		0.66	23.2	400	>10000	73.4	0.001	1.68	2.65	5.8	32.1	5.5	123.0	<0.01	3.28	9.5
K291729		1.95	7.8	130	950	26.1	0.001	0.03	0.36	2.1	0.9	3.9	49.3	<0.01	0.14	10.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29- JUN- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18140419

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Ag- OG46	Cu- OG46	Pb- OG46	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001	0.001	0.001
K291701		0.007	0.26	1.45	25	1360	14.90	7460	2.9				
K291702		0.010	0.58	3.13	40	5.01	32.1	1160	1.2				
K291703		0.019	0.48	1.37	17	9.25	16.45	2930	3.4				
K291704		0.076	0.40	1.09	34	2090	10.30	>10000	4.5				1.300
K291705		0.069	0.14	0.53	21	1020	4.20	>10000	3.6			3.86	4.49
K291706		0.006	3.24	10.05	1	5.37	10.90	1090	21.2		1.510	2.19	
K291707		0.068	0.36	1.10	12	29.9	7.91	>10000	4.0			1.275	1.390
K291708		0.007	0.10	0.65	5	7.45	3.66	728	0.7				
K291709		0.134	0.20	1.01	28	7.55	10.70	172	3.1				
K291710		0.095	0.11	1.48	18	2.19	7.69	1620	3.7				
K291711		0.086	0.05	1.31	23	3.43	5.42	76	3.8				
K291712		0.035	0.10	0.78	36	3.38	5.46	202	0.8				
K291713		0.012	0.36	0.75	11	3.13	6.14	8440	1.0			1.270	
K291714		<0.005	0.18	1.67	2	0.28	13.70	111	15.0				
K291715		<0.005	0.21	1.92	6	0.38	18.65	131	14.6				
K291716		0.015	0.25	2.09	16	0.63	21.8	235	13.6				
K291717		0.021	0.30	1.55	21	1.01	23.1	1300	9.2				
K291718		0.038	0.30	1.33	35	0.84	18.45	771	6.3				
K291719		0.060	0.28	1.35	29	1.50	14.10	903	2.9				
K291720		0.094	0.28	1.37	34	1.55	13.05	299	2.1				
K291721		0.094	0.08	6.30	18	5.41	3.34	7940	2.1	107			
K291722		0.113	0.46	1.83	36	1460	11.50	>10000	4.5			1.405	1.350
K291723		0.106	0.09	1.37	25	470	6.27	>10000	4.2			2.32	2.71
K291724		0.107	0.32	1.47	26	430	8.49	>10000	4.2			2.39	2.47
K291725		0.040	0.80	1.06	15	730	6.39	>10000	2.2			1.740	2.27
K291726		0.111	0.11	1.33	24	330	11.10	>10000	5.5			4.68	4.76
K291727		0.089	0.22	1.26	27	310	9.39	>10000	3.9			4.25	4.69
K291728		0.129	0.94	1.67	35	177.5	13.80	>10000	3.3			2.32	2.65
K291729		0.036	0.38	4.45	12	26.4	14.95	1130	9.1				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: DABB

Finalized Date: 29- JUN- 2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18140419

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU- 31	CRU- QC	LOG- 21	PUL- 31
PUL- QC	SPL- 21	WEI- 21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag- OG46	Au- ICP21	Cu- OG46	ME- MS41
ME- OG46	Pb- OG46	Zn- OG46	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2018
Account: MTT

CERTIFICATE WH18204867

Project: DABB

This report is for 11 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21- AUG- 2018.

The following have access to data associated with this certificate:

HEATHER BURRELL SCOTT NEWMAN	ANDREW CARNE	JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 21	Sample logging - ClientBarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP21	Au 30g FA ICP- AES Finish	ICP- AES
ME- MS41	Ultra Trace Aqua Regia ICP- MS	
ME- OG46	Ore Grade Elements - AquaRegia	ICP- AES
Pb- OG46	Ore Grade Pb - Aqua Regia	
Zn- OG46	Ore Grade Zn - Aqua Regia	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204867

Sample Description	Method Analyte Units LOD	WEI- 21 Recvd Wt. kg 0.02	Au- ICP21 Au ppm 0.001	ME- MS41 Ag ppm 0.01	ME- MS41 Al % 0.01	ME- MS41 As ppm 0.1	ME- MS41 Au ppm 0.02	ME- MS41 B ppm 10	ME- MS41 Ba ppm 10	ME- MS41 Be ppm 0.05	ME- MS41 Bi ppm 0.01	ME- MS41 Ca % 0.01	ME- MS41 Cd ppm 0.01	ME- MS41 Ce ppm 0.02	ME- MS41 Co ppm 0.1	ME- MS41 Cr ppm 1
W593062		1.03	<0.001	11.05	1.40	5.4	<0.02	<10	20	2.16	0.59	1.41	68.4	65.8	0.5	7
W593063		1.31	0.001	41.1	2.94	19.9	<0.02	<10	20	3.14	1.16	3.25	18.40	64.0	0.4	2
W593064		1.45	<0.001	8.79	2.71	5.2	<0.02	10	10	26.1	0.53	10.10	278	15.10	22.6	29
W593065		1.44	<0.001	3.34	2.96	12.4	<0.02	<10	20	2.27	13.30	0.93	66.4	21.9	20.2	42
W593066		2.45	<0.001	11.30	3.32	2.5	<0.02	10	<10	12.85	15.55	8.32	221	51.0	25.0	40
W593067		3.12	<0.001	0.13	2.20	2.7	<0.02	<10	20	9.33	0.18	6.21	2.14	32.0	8.4	34
W593068		1.56	<0.001	17.05	1.45	26.9	<0.02	<10	30	1.28	0.72	1.41	6.17	51.9	0.2	5
W593069		1.31	0.005	26.5	0.65	73.5	<0.02	<10	10	5.46	1.39	1.44	96.0	80.2	1.3	2
W593070		3.73	<0.001	5.06	2.00	17.3	<0.02	<10	80	3.08	8.89	1.48	407	38.0	21.1	47
W593071		4.72	<0.001	14.35	2.06	30.8	<0.02	10	20	8.19	17.25	10.55	273	36.6	17.3	24
W593072		1.43	<0.001	23.4	4.94	3.1	<0.02	<10	20	185.5	0.84	11.40	107.0	62.6	20.3	40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204867

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOD	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
W593062		1.99	2940	1.65	8.38	0.11	0.75	0.03	0.126	0.26	32.0	26.6	0.42	2260	1.91	0.20
W593063		5.75	7220	2.66	13.00	0.19	1.09	0.07	0.167	1.59	30.6	21.0	0.02	660	5.17	0.44
W593064		7.23	25.1	3.39	8.01	0.29	0.12	0.04	0.038	0.23	8.0	76.9	1.76	8780	0.59	<0.01
W593065		5.49	323	11.05	13.05	0.19	0.10	0.01	25.7	0.15	11.4	60.7	1.23	1420	2.47	<0.01
W593066		3.42	86.7	3.22	13.85	0.87	0.23	0.18	0.132	0.11	25.2	68.5	1.66	7000	28.7	<0.01
W593067		1.36	3.4	1.96	6.84	0.56	0.15	<0.01	0.028	0.03	17.0	31.9	1.27	14050	1.57	<0.01
W593068		1.44	5040	1.38	4.17	0.10	0.65	0.03	0.303	0.95	24.7	2.2	0.01	185	2.99	0.35
W593069		4.48	4120	2.87	4.67	0.20	0.93	0.04	0.917	0.28	36.7	14.0	0.02	1900	4.20	0.01
W593070		14.60	779	12.15	9.65	0.21	0.07	0.01	54.3	0.44	19.5	38.6	1.41	936	0.88	0.02
W593071		17.55	3350	8.46	9.09	0.46	0.12	0.03	40.9	0.28	17.3	65.0	1.57	4130	4.17	0.01
W593072		20.6	7570	6.33	18.90	1.14	0.37	0.04	0.246	0.88	31.5	119.5	2.29	14150	1.12	<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204867

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
W593062		9.61	0.6	20	>10000	26.0	0.001	0.20	2.10	1.4	4.3	8.9	36.1	<0.01	0.52	12.7
W593063		16.45	0.4	20	>10000	155.5	0.001	0.60	3.60	1.6	4.4	9.7	37.5	<0.01	0.89	15.1
W593064		0.44	25.8	430	>10000	36.9	0.001	2.51	2.70	3.6	32.3	2.1	271	<0.01	3.02	3.0
W593065		0.23	30.1	550	214	24.7	0.001	3.72	0.25	4.4	0.8	35.7	71.8	<0.01	0.08	5.0
W593066		2.75	28.1	320	>10000	18.1	0.013	1.64	1.61	6.2	29.8	8.0	306	<0.01	2.70	9.2
W593067		1.02	19.6	490	255	4.3	0.001	0.03	0.74	5.0	0.2	5.5	214	0.01	0.02	5.5
W593068		14.00	0.6	20	>10000	75.3	<0.001	0.24	5.73	1.0	3.0	1.5	37.0	<0.01	0.20	10.6
W593069		3.73	0.5	10	>10000	33.0	<0.001	2.01	5.91	1.1	26.1	4.8	75.4	0.02	1.08	23.8
W593070		0.80	28.7	440	103.0	67.1	0.002	2.46	0.85	4.8	1.4	68.0	81.8	0.01	0.08	8.5
W593071		0.68	17.1	270	1430	65.8	0.002	1.87	1.43	4.2	4.0	33.0	239	0.01	0.27	6.2
W593072		5.18	23.4	340	>10000	162.5	0.001	1.36	0.81	6.4	1.3	15.6	241	<0.01	0.11	9.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 21- SEP- 2018
Account: MTT

Project: DABB

CERTIFICATE OF ANALYSIS WH18204867

Sample Description	Method	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46	Zn- OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.001
W593062		0.005	0.40	6.35	1	0.76	20.1	>10000	16.5	1.350	0.994
W593063		0.006	2.41	14.35	1	0.65	20.4	4480	28.7	2.26	
W593064		0.050	0.37	0.60	19	123.0	7.94	>10000	3.4	3.88	3.67
W593065		0.048	0.37	0.98	31	9.10	7.72	5590	1.8		
W593066		0.110	0.42	1.72	47	1930	15.65	>10000	4.5	1.835	3.28
W593067		0.203	0.09	1.02	26	64.8	10.65	367	3.9		
W593068		0.005	1.42	11.45	<1	1.29	14.65	1500	16.2	1.755	
W593069		<0.005	0.49	6.56	1	1.67	32.0	>10000	18.9	2.52	1.330
W593070		0.157	1.46	1.13	36	220	11.25	>10000	1.1		4.06
W593071		0.081	1.21	2.14	24	240	16.55	>10000	2.3		3.06
W593072		0.161	2.02	2.59	43	260	17.05	>10000	7.7	2.12	1.935

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **STRATEGIC METALS LTD.**
C/ O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016- 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: DABB

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21- SEP- 2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18204867

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).
ME- MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU- 31	CRU- QC	LOG- 21	SPL- 21
WEI- 21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au- ICP21	ME- MS41	ME- OG46	Pb- OG46
PUL- 31	PUL- QC	Zn- OG46	