

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND GEOCHEMICAL SAMPLING

at the

SAWBUCK PROPERTY

Ham 1-44 YC63724-YC63767

NTS 116A/04
Latitude 64°11'N; Longitude 137°34'W

Field work performed from June 27 to 29 and August 18 to 23, 2018

in the

Dawson Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., P.Geo.

February 2019

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY	4
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	6
GEOPHYSICS	6
REGIONAL MINERALIZATION	7
PROPERTY MINERALIZATION	8
SOIL GEOCHEMISTRY	10
DISCUSSION AND CONCLUSIONS	11
REFERENCES	13

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

TABLES

I	Regional Lithological Units	5
II	Soil Geochemical Thresholds	11

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	4
4	Regional Geology	4
5	Property Geology	6
6	Total Magnetic Intensity	6
7	VTEM B-Field Channel 25	6
8	Reduced Intrusion-Related Gold Systems Model	7
9	2018 Rock Sample Locations and Highlights	8
10	2018 Soil Sample Locations	In pocket
11	Silver Soil Geochemistry	10
12	Lead Soil Geochemistry	10
13	Gold Soil Geochemistry	10
14	Arsenic Soil Geochemistry	10
15	Copper Soil Geochemistry	10
16	Antimony Soil Geochemistry	10

PHOTOS

1	Looking east-northeast at the Indica showing	9
---	--	---

INTRODUCTION

The Sawbuck property covers two, brecciated, replacement-type gold and silver showings, located in central Yukon. It lies within the Tombstone Gold Belt, an important gold and silver district that hosts a number of significant precious metal deposits, such as the former Brewery Creek mine and Alexco Resource Corp.'s Keno Hill mines. The property is wholly owned by Strategic Metals Ltd.

This report describes geological mapping and geochemical sampling, which were conducted from June 27 to 29 and August 18 to 23, 2018. Archer, Cathro & Associates (1981) Limited managed the program on behalf of Strategic Metals. The author participated in the exploration program and interpreted all resulting data. The author's Statement of Qualifications is provided in Appendix I, and a Statement of Expenditures appears in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Sawbuck property consists of 44 contiguous mineral claims, which are located on NTS map sheet 116A/04 at latitude 64°11' north and longitude 137°34' west (Figure 1). The property covers an area of approximately 900 ha (9 km²). The claims are registered with the Dawson Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Ham 1-44	YC63724-YC63767	February 9, 2027*

* Expiry dates include 2018 work which has been filed for assessment credit but has not yet been accepted.

The Sawbuck property is located approximately 100 km northwest of Mayo and 90 km northeast of Dawson. It lies within the traditional territories of the Tr'ondëk Hwëch'in and Na-cho Nyak Dun first nations.

Field work in 2018 was conducted in two programs, in June and August. For both programs, access to the property was provided by a Bell 206B helicopter operated by Fireweed Helicopters Ltd. from a permanent base in Dawson. The first program involved daily set-outs from the Brewery Creek Mine, which is located on the North Klondike Road, 30 km west-southwest of the property. The second program also mobilized from the Brewery Creek Mine, but established a temporary camp on the property.

HISTORY AND PREVIOUS WORK

It is likely that following the Klondike gold rush of 1898, creeks draining the Sawbuck area were explored for placer gold, however no record of this work exists.

The first recorded work in the Sawbuck area was performed in 1976 and 1977 by the Geological Survey of Canada (GSC), which carried out a regional stream sediment sampling program over a large area of central Yukon (Goodfellow and Lynch, 1978). A stream sediment sample collected in the southern part of the Sawbuck property returned very strongly anomalous values for gold and silver, as well as a number of other metals (Friske et al., 1990).

Work on Adjoining Claims

Following the release of the GSC results, Rio Tinto Canadian Exploration Ltd. performed additional silt sampling over portions of the GSC survey area that had yielded anomalous mercury values. In 1979, Rio Tinto staked the Ida claims, located immediately west of the current Sawbuck property, in order to cover a mercury-arsenic-antimony silt anomaly. From 1979 to 1981, the company conducted geological mapping, rock and soil geochemical sampling and blast trenching. This work identified an 800 m by 300 m area of anomalous geochemistry where a large population of rock samples yielded an average grade of 0.5 g/t gold. Chip sampling from blast trenches in this area returned assays of 6.6 g/t gold and 10.6 g/t gold over 3.7 m and 2.5 m, respectively; while continuous chip sampling from a trench located one kilometre to the northwest, yielded 5.9 g/t gold over 8 m. Rock samples assayed up to 53.0 g/t silver (McClintock, 1981). Further work was recommended but, in 1986, the claims were allowed to expire.

The property was re-staked in 1987 as Ida-Oro by Noranda Exploration Company Ltd. That year, Noranda also staked claims in the Brewery Creek area, located 30 km to the southwest. Between 1987 and 1989, Noranda performed prospecting, hand trenching and geochemical sampling on the Ida-Oro property, which included re-sampling earlier trenches and outcrops. Highlights from this work included a rock sample that yielded 13.4 g/t gold, and a chip sample that returned 5 g/t gold over 3 m. Silver values were generally low (Copland, 1988 and MacKay, 1989). Due to the erratic gold distribution and remoteness of the property, no further work was recommended (Duke, 1990).

In early 1995, Noranda sold the Ida-Oro property to Hemlo Gold Mining Ltd., which subsequently optioned the property to Orinoco Gold Inc. Later that year, Orinoco Gold performed soil and rock geochemical sampling on the property, designed to evaluate the potential for intrusive-hosted gold. Rock samples returned encouraging results for gold and further work was recommended (Doherty, 1995).

In 1999, NovaGold Resources Inc. acquired a 100% interest in the property and, between 1999 and 2000, conducted geological mapping and rock geochemical sampling. Hand trenches were re-sampled and rock samples were collected from various area of the property; however, most samples failed to replicate the high gold values reported from previous exploration programs (Schulze and Johnson, 2000; Johnson et al., 2001).

In 2004, Shawn Ryan staked the Oreo 1 to 40 claims to the northwest of the Ida-Oro property. In 2006, he added the Oreo 41 to 180 and Oreox 1 to 140 claims (Doherty, 2010).

In 2005, Alexco Resource Corporation acquired the Ida-Oro property from NovaGold and, in 2006, conducted a one-day field examination. In 2009, Ryan Gold optioned the Oreo and Oreox properties from Shawn Ryan and the Ida-Oro property from Alexco (Doherty, 2010). The three properties were consolidated into the Ida Oro project.

Between 2011 and 2012, Ryan Gold performed geological mapping, rock and soil geochemical sampling and 6762 m of diamond drilling in 39 holes on the Ida Oro project. Highlights of this work include drill intercepts of 2.58 g/t gold over 24.5 m in hole IODD011, 1.07 g/t gold over 19.04 m in hole IODD004 and 1.70 g/t gold over 62.33 m, including 7.01 g/t gold over 8.77 m, in hole IO-12-26 (Lapp and Dorion, 2013). Mineralization encountered in drill holes was hosted within quartz-tourmaline veins and along fractures in both the intrusive rock and the adjacent hornfels country rock. Silver values in drill core were generally low (Lisson, 2012 and Lapp and Dorion, 2013).

In 2013, Ryan Gold spent five days on the property re-examining the drill core from the previous two years (Sillitoe, 2013).

In August 2015, Oban Mining Corporation acquired Ryan Gold, and in December 2015, Oban vended all of the Ryan Gold properties, including Ida Oro, to IDM Mining Ltd. as part of a larger corporate arrangement.

In 2017, IDM Mining sold the Ryan Gold properties to Strikepoint Gold Inc.

Work on the Sawbuck Property

In 2009, ATAC Resources Ltd. staked the Sawbuck property (then known as the Ham property) along the northeast edge of the Ida-Oro property. This area had not been previously staked and there is no record of earlier work, except for the GSC reconnaissance stream sediment survey. That year, ATAC conducted a helicopter-borne magnetic and variable time domain electromagnetic (VTEM) survey on the property (Gregory, 2009).

In May 2010, Strategic Metals purchased the Sawbuck property from ATAC Resources and, in April 2011, optioned the property Mill City Gold Corp. That year, Mill City Gold performed a small program of rock and soil geochemical sampling, which identified sporadic but encouraging gold-in-soil anomalies, supported by elevated values for arsenic, silver, copper and lead (Chung, 2011). Mill City Gold subsequently terminated the option agreement.

In August 2017, Strategic Metals performed contour soil sampling on the property. Four soil samples, collected along a 150 m interval, averaged 301 g/t silver, 1.06% lead and 2640 ppm antimony. In September, Strategic Metals performed three days of follow-up soil sampling, geological mapping, prospecting and rock geochemical sampling. This work identified the Indica showing – a bedding-parallel horizon of rusty, brecciated, silver-bearing hornfels. Two chip samples, collected 150 m apart and across orange-brown weathering breccia with abundant, dark fractures, returned 105 g/t silver over 1 m and 45 g/t silver over 1.2 m. The most significant result was from a float sample comprising angular, clast-supported hornfels breccia, which assayed 3160 g/t silver and 4.41% lead.

GEOMORPHOLOGY

The Sawbuck property is located in the O'Brien Range of the Ogilvie Mountains. It is drained by tributaries of Hamilton Creek, which ultimately connects to the Pacific Ocean via the Klondike and Yukon Rivers.

The property covers slopes on the western side of Hamilton Creek, with elevations ranging from 790 to 1280 m above sea level (asl). Near the Indica showings, outcrop is exposed along a cliffy, southeast-trending ridge. Elsewhere, slopes are composed of blocky talus covered by a thin layer of poorly-developed soil and vegetated with moss, lichen, and thickets of dwarf birch. Valley floors are densely vegetated with black spruce.

The climate at the Sawbuck property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Sawbuck property lies within the Tombstone Gold Belt, a 550 km long precious metal district extending from the Fairbanks District in Alaska through central Yukon (Figure 3). Mineral occurrences in the Tombstone Gold Belt, which cover a broad range of deposit types, are associated with mid-Cretaceous granitic intrusions of the Tombstone Plutonic Suite.

In 1971, the GSC published a geological map of the Larsen Creek area (NTS 116A) at 1:250,000 scale. In 1992, the Indian and Northern Affairs Canada (INAC) published 1:50,000 scale maps of NTS areas 116A/10 and 116A/11 (Abbott and Roots, 1992; Abbott, 1997), which are located northeast of the Sawbuck area. Also in 1992, the GSC published 1:50,000 scale maps of the Dawson map area (NTS 116B and 116C), which is located west of the Sawbuck area (Thompson et al., 1992). The Yukon Geological Survey (YGS) maintains a website that updates Yukon geology as new data becomes available. The regional geology illustrated on Figure 4 and described below is primarily based on the updated maps assembled by the YGS.

The Sawbuck property is located northeast of the Tintina Fault, which juxtaposes Selwyn Basin stratigraphy to the northeast against pericratonic rocks assigned to Yukon-Tanana Terrane to the southwest. It lies along the western margin of Selwyn Basin – a tectonic element composed of deep water clastic sediments, chert and minor carbonate accumulated along the North American continental margin during Late Precambrian to Mid Devonian time (Pigage, 2004).

In the Sawbuck area, Selwyn Basin stratigraphy has been displaced northward along several regional-scale thrust faults, as a result of large-scale plate convergence prior to emplacement of the Tombstone Plutonic Suite (Tempelman-Kluit, 1970 and Fingler, 2005). The largest of these thrust sheets is the Robert Service Thrust, the surface trace of which lies about 30 km north of the property. It juxtaposes Selwyn Basin, slope-facies siliciclastic rocks over Mississippian age, Keno Hill quartzite.

The Upper Proterozoic to Lower Cambrian Hyland Group forms the oldest stratigraphic sequence in the Sawbuck area. It consists of a thick package of maroon and green shale, calcareous sandstone, grit and quartz pebble conglomerate, which is regionally metamorphosed to lower greenschist facies. Hyland Group is overlain by Paleozoic, calcareous and non-calcareous, clastic sedimentary rocks of the Gull Lake Formation, Rabbitkettle Formation, Road River Group and Earn Group. In the Sawbuck area, Rabbitkettle Formation is described as silty-laminated limestone interbedded with phyllite, argillite, oolitic limestone and rare conglomerate breccia. It is conformably overlain by Road River Group grey to black shale, chert and minor limey siltstone. Siltstone and chert pebble conglomerate of the Devonian to Mississippian Earn Group overlie Road River Group sediments (Murphy et al., 1992).

Immediately southwest of the Sawbuck property, work by Rio Tinto identified a major east-southeast trending anticline, with a moderate southeast plunge. The limbs of the anticline are folded into a series of parallel, tight to isoclinal, upright, parasitic folds, with fold hinges that are commonly faulted and exhibit displacements of 10 m to 100 m (McClintock, 1981).

Granitic and syenitic stocks, plugs, dykes and sills of the Tombstone Plutonic Suite intrude the sedimentary package, including a 2.4 km² stock exposed immediately west of the property. The intrusions are metaluminous, subalkaline to locally alkaline, intermediate to felsic in composition (Mortensen et al, 2000), and are often associated with precious metal mineralization (Hart, 2007). They are typically rimmed by contact metamorphic aureoles up to several kilometres in diameter. Biotite hornfels is the most common alteration within the aureoles but skarn is also locally abundant. Hornfels are often pyrrhotite rich and are generally characterized by strong positive magnetic signatures. This, coupled with the low magnetic susceptibility of the related granitic rocks, often results in distinctive, donut-shaped magnetic anomalies centred on the intrusions.

The lithological units that occur in the immediate vicinity of the Sawbuck property are described in Table I.

Table I – Regional Lithological Units

Map Suite	Age	Map Unit	Description
Tombstone Plutonic Suite	Middle Cretaceous	mKyT	Biotite-hornblende-clinopyroxene syenite, quartz syenite.
Earn Group	Upper Devonian to Mississippian	DME	Laminated slate, fine to medium-grained chert-quartz arenite and wacke.
Road River Group	Lower Ordovician to Lower Devonian	ODR	Black shale and chert, dolomitic siltstone, calcareous shale, buff platy limestone.
Rabbitkettle Formation	Cambrian to Lower Ordovician	COR1	Thin-bedded, silty limestone and grey lustrous calcareous phyllite.

Gull Lake Formation	Cambrian	ICG1	Shale, siltstone and mudstone; minor quartz sandstone.
Hyland Group	Neoproterozoic to Cambrian	PCH3	Narchilla Formation: interbedded maroon and apple-green slate.
	Neoproterozoic	PCH1	Yusezyu Formation: brown to pale green shale, quartz-rich sandstone, grit, pebble conglomerate.

PROPERTY GEOLOGY

In 2017 and 2018, Strategic Metals performed detailed geological mapping at 1:500 scale, near the Indica showing in the southern part of the property (Figure 5). The following is a summary based on this work.

The 2017 and 2018 mapping area is predominantly underlain by cliffs of rusty weathering, fractured and brecciated hornfels, which is likely the metamorphic equivalent of Road River Group chert, quartzite and carbonaceous shale. Relict bedding observed in the hornfels dips moderately north to northeast, while vertical to sub-vertical fractures strike north to northeast. Distinct breccia zones, both bedding- and fracture-parallel, consist of angular to sub-rounded hornfels clasts, hosted within a fine-grained matrix of iron oxides. Two to five centimetre wide, rusty quartz veins are commonly within the breccia zones. Approximately midway between the ridge-top and an unnamed creek, a roughly ten metre wide, rusty, intensely altered and brecciated horizon forms a recessive topographic bench. The mineralized horizon is referred to as the Indica showing.

GEOPHYSICS

In 2008, ATAC Resources conducted helicopter-borne magnetometer and VTEM surveys over four properties in central Yukon, collectively referred to as the Lost Horses properties. A total of 180 line-km were flown over the Sawbuck property (Figure 6). This work identified a distinct magnetic low centred immediately southwest of the property, which is surrounded by a donut-shaped magnetic high. This anomaly is cored by outcropping granitic rocks and likely represents a hornfels aureole related to a largely buried Tombstone Plutonic Suite intrusion (Gregory, 2009). In the central part of the property, the magnetic survey highlighted a subtle northwest trending linear feature, which truncates the southwestern anomaly. Notably, a small, second-order magnetic high, within the southwestern anomaly, coincides with a single-line VTEM anomaly (Figure 7) and is located directly on the Indica showing.

A second, weaker, donut-shaped magnetic anomaly was outlined in the north-central part of the property. A strong magnetic high on the northeastern flank of this anomaly is paralleled by a group of moderate conductors that are described as broad and deep, while the magnetic lows in its core coincide with a band of discrete picks with a limited strike length (Witherly, 2009).

REGIONAL MINERALIZATION

A simplified model has been prepared to illustrate the variety of gold bearing mineral deposits associated with Tombstone Plutonic Suite intrusions (Hart, et al., 2000 and Hart and Burke, 2002). This model is illustrated on Figure 8. Mineralization occurs in four settings:

1. Intrusion-hosted deposits;
2. Proximal settings adjacent to intrusions and within contact aureoles;
3. Distal settings away from intrusions and their thermal aureoles; and,
4. Discrete quartz-sulphide veins within all settings.

Intrusion-hosted mineralization comprises arrays of sheeted, low sulphide, quartz ± carbonate veins or disseminations of gold and accompanying sulphide minerals in weakly altered zones within the intrusions. The veins may be pegmatitic in part and they are generally concentrated in the roof or margin zones of the pluton. The best example of intrusion-hosted sheeted vein mineralization is the Fort Knox Deposit in the Fairbanks District of Alaska. Noteworthy Yukon examples of the sheeted vein type mineralization are the Clear Creek occurrence and the Eagle Zone of the Dublin Gulch Deposit. The latter area contains 91.6 million tonnes of probable mineral reserves at a grade of 0.78 g/t gold (Moran et al., 2015). The best documented Yukon deposit of the disseminated intrusion-hosted type are some of the zones that comprise the recently decommissioned Brewery Creek Mine, located 25 km southwest of the Sawbuck property. A total of 9.46 million tonnes of ore, at an average grade of 1.53 g/t gold, were heap leached from 1996 to 2000 (Diment and Simpson, 2003). The aggregate pre-mining mineral resource was estimated at 40 million tonnes grading 1.4 g/t gold (Hart, et al., 2000). While the resource and reserve estimates for the Dublin Gulch deposit is documented in a NI-43-101 report, the pre-mining estimate for Brewery Creek is historical in nature and pre-dates the implementation of NI-43-101 reporting standards.

Proximal, country-rock hosted mineralization includes skarns, replacements and disseminations in thermally metamorphosed and metasomatized aureoles that surround Tombstone Suite plutons. Precious metal bearing skarns are locally developed within limy units and consist of coarse grained silicate assemblages dominated by pyroxene and garnet with lesser wollastonite, tremolite, and axinite. Sulphide assemblages are pyrrhotite and chalcopyrite with late pyrite, bismuthinite and gold or argentinian gold overprints. The Marn, Horn and Mike Lake copper-gold skarn occurrences are the best documented Yukon examples of proximal skarns. Respectively, they are located 66 km to the northwest, 56 km to the northwest and 17 km to the northwest of the Sawbuck property. Replacement and disseminated gold mineralization has been reported in reactive sedimentary rocks within hornfelsed aureoles of several intrusions but there are few well explored examples. Mineralogy within hornfels is typified by coarse grained pyrrhotite, arsenopyrite and pyrite as irregular blebs and replacements.

The most prolific quartz-sulphide vein occurrences in central Yukon are collectively referred to as the Keno Hill mining camp, which is located 111 km southeast of the Sawbuck property. The camp covers numerous silver-lead-zinc deposits that have a long history of exploration and production, dating back to the Klondike gold rush. Discrete, multi-phase, polymetallic veins occupy shear structures that cut Keno Hill Quartzite and lesser greenstone. Ore minerals include

native silver, argentiferous galena, freibergite, sphalerite, pyrite, pyrrhotite, arsenopyrite and chalcopyrite, as well silver sulphosalts, in a gangue of siderite, quartz and calcite. Mechanized production from the Hector-Calumet mine and other satellite deposits was virtually continuous from 1919 to 1989, with Treadwell Yukon Gold Corp. Ltd. and United Keno Hill Mines Ltd. (UKHM) producing the majority of the ore. During this time, the Keno Hill camp was the second largest, primary silver producer in Canada (Jensen et al., 2017).

In 2006, Alexco Resource Corp. purchased the UKHM claims, which covered a large portion of the district. In March 2017, Alexco published a new PEA stating indicated mineral resources of 58 million ounces of contained silver and inferred mineral resources of 17.9 million ounces of contained silver. The mine plan currently contains 1,021,000 tonnes with an average grade of 843 g/t silver, 0.4 g/t gold, 3.3% lead and 4.6% zinc (Jensen et al., 2017).

PROPERTY MINERALIZATION

The Sawbuck property hosts gold- and silver-bearing, replacement-type mineralization within brecciated and hornfelsed sedimentary rock. Two showings have been identified on the property: the Indica and Sativa. Mineralization at both showings is thought to be derived from hydrothermal fluids sourcing from a buried, Tombstone Plutonic Suite intrusion.

In 2017, Strategic Metals collected 17 rock and chip samples from the area of the Indica showing. In 2018, another 34 rock samples were collected from the property, which resulted in the discovery of the Sativa showing. The 2018 rock sample locations are plotted on Figure 9, along with the highlights from all rock sampling programs on the property. Rock Sample Descriptions and Certificates of Analysis for the 2018 samples are provided in Appendices III and IV, respectively.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals laboratories in Whitehorse, YT and North Vancouver, BC, respectively. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 52 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analyzed for gold by fire assay followed by inductively coupled plasma-atomic emissions spectroscopy (Au-ICP21). Rock Sample Certificates of Analysis for the 2018 samples are provided in Appendix IV, while rock sample descriptions are included in Appendix III.

The **Indica showing** is located in the southern part of the property and covers an exposure of rusty and brecciated hornfels. The showing has been traced along a strike length of 480 m, and is approximately 10 m wide. In 2017, a three metre long chip sample (W590589), across orange-brown weathering hornfels breccia with abundant, dark fractures, returned 105 g/t silver and 2590 ppm lead. Another chip sample of similar material (W590598), collected 150 m to the west, yielded 45 g/t silver and 1390 ppm lead over 1.2 m (Morton, 2018). In 2018, chip sampling was extended 30 m east of W590589, where fractured, rusty hornfels assayed 150 g/t

silver and 2970 ppm lead over 1.2 m. All of the chip samples are oriented parallel with the ridge, and were taken across outcrops located immediately downhill of the recessive topographic bench. The highest assays from the Indica Showing were obtained in 2017, from a float sample collected uphill of the chip samples, which comprised orange to rusty-brown weathering, angular, clast-supported hornfels breccia. This sample assayed 3160 g/t silver and 4.41% lead (Morton, 2018), and suggests that bedrock underlying talus on the recessive bench may be better mineralized than outcrops in the footwall. Gold-, copper-, arsenic- and bismuth-in-rock values from the showing are relatively low, but antimony-in-rock values are strongly elevated.



Photo 1 – Looking east-northeast at the Indica showing

The **Sativa showing** covers a 380 m long float train of boulder-sized (30 cm to 50 cm in diameter), rusty-orange weathering, silicified rudstone and carbonate breccia. It is located approximately 1.1 km northwest of the Indica Showing, on a steep north-northeast facing slope. In 2018, a float sample comprising rusty-orange weathering and scorodite-stained, dark grey, siliceous crackle breccia, returned 25.1 g/t gold, 1480 g/t silver, 1.19% lead, 2330 ppm copper and >10,000 ppm arsenic. Another sample, comprising similar material and collected 35 m uphill, assayed 8.43 g/t gold, 121 g/t silver, 5650 ppm lead, 2440 ppm copper and >10000 ppm arsenic. Antimony values are also strongly elevated (up to 6720 ppm) at the Sativa showing. The source of this float train has not been identified.

Rock samples from both showings have uncommonly high silver to lead ratios, indicating the presence of secondary silver-bearing minerals after sulphosalts. Gold values have a strong correlation with copper, bismuth and tellurium, while silver values demonstrate a strong correlation with lead and antimony.

SOIL GEOCHEMISTRY

In 1976 and 1977, the GSC carried out a regional stream sediment sampling program over a large area of central Yukon, including the area now covered by the Sawbuck property (Goodfellow and Lynch, 1978). In 1990, the GSC published the results of a re-analysis of these samples. A stream sediment sample collected at the confluence of two creeks in the southern part of the Sawbuck property was re-analyzed using atomic absorption spectroscopy (AAS). Values for gold, arsenic and antimony fell within the 98 percentile for the entire data set, while silver, lead, copper, tungsten and mercury values fell within the 95 percentile (Friske et al., 1990).

In 2011, Mill City Gold collected six stream sediment and 44 soil samples from the northwestern and west-central parts of the Sawbuck property. The soil samples yielded background to strongly anomalous values for gold (up to 0.163 g/t), arsenic (up to 1660 ppm), silver (up to 20.7 ppm), copper (up to 974 ppm), lead (up to 789 ppm) and antimony (up to 278 ppm).

In 2017, Strategic Metals collected 133 ridge and contour soil samples from the southern part of the property, and in 2018, an additional 223 grid soil samples were collected. The 2018 sample locations are shown on Figure 10, while results from all programs for silver, lead, gold, arsenic, copper and antimony are illustrated thematically, along with the total magnetic intensity, on Figures 11 to 16, respectively. Certificates of Analysis for the 2018 samples are provided in Appendix IV.

The 2018 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 75 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver where they were analysed for 52 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21).

Anomalous thresholds and peak values for all soil samples collected to date on the property are listed in Table II.

Table II – Soil Geochemical Thresholds

Element	Anomalous Thresholds.				
	Weak	Moderate	Strong	Very Strong	Peak
Silver (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	662
Lead (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	17,750
Gold (ppb)	$\geq 10 < 20$	$\geq 20 < 50$	$\geq 50 < 100$	≥ 100	163
Arsenic (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	1,660
Copper (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	$\geq 200 < 500$	≥ 500	974
Antimony (ppm)	$\geq 10 < 20$	$\geq 20 < 50$	$\geq 50 < 100$	≥ 100	5,440

In 2017, four soil samples collected at the Indica showing, taken over a span of 150 m, averaged 301 g/t silver, with a peak value of 662 g/t. Lead and antimony response was also very high (4950 to 17750 ppm lead and 881 to 4250 ppm antimony). In 2018, limited grid soil sampling, which mostly covered the overlying stratigraphy, confirmed the high silver tenor in the immediate area of the showing and expanded the size of the geochemical anomaly.

A second silver-in-soil anomaly is located approximately 800 m north of the Indica showing. This anomaly covers a small area on a heavily vegetated and talus covered, east-facing slope, where soil samples have returned values of up to 39.3 g/t silver, 719 ppm lead and 90.5 ppm antimony. No follow-up work has been done at this anomaly.

A small cluster of strongly elevated gold- and arsenic-in-soil values is situated at low elevation within a drainage 800 m east of the Indica showing. It may represent a transported geochemical anomaly from further upstream, but its geochemical signature is quite different from that of the Indica showing.

DISCUSSION AND CONCLUSIONS

The Sawbuck property is located in central Yukon and covers replacement-type gold and silver mineralization within the Tombstone Gold Belt. It lies between the past-producing Brewery Creek Mine and Alexco Resource Corp.’s Keno Hill mines, which were historically Canada’s second largest, primary silver producer.

Work in 2018 identified the Sativa showing, a 380 m long float train of gold- and silver-bearing, boulder-sized, silicified rudstone and carbonate breccia. Samples collected from the showing assayed up to 25.1 g/t gold and 1480 g/t silver.

At the Indica showing, which is located 1.1 km southeast of the Sativa showing, rock and soil sampling have defined a bedding-parallel horizon of rusty, brecciated, silver-bearing hornfels. Widely-spaced chip samples have returned 105 g/t silver over 3.0 m and 150 g/t silver over 1.2 m from outcrops in the footwall of a prominent recessive bench. A float sample collected on the bench assayed 3160 g/t silver.

The Indica showing lies on the eastern margin of a discrete magnetic low, which is coincident with nearby exposures of granitoid that are likely part of a buried, reduced intrusion. The

showing itself is marked by a secondary magnetic high and a discrete VTEM conductor. Another donut-shaped magnetic anomaly, coincident with VTEM conductors, is located low in a valley in the northeastern part of the property. The northeastern anomaly is located in an area that has not been covered by soil geochemical surveys.

Mineral deposits in the Tombstone Gold Belt include gold- and silver-bearing veins, stockworks, replacements and skarns that are associated with reduced plutons. These intrusions are characterized by donut-shaped magnetic anomalies. At Sawbuck, there is good potential for a replacement- and/or skarn-type ore body developed within reactive, hornfelsed horizons.

Further work on the Sawbuck property should be designed to delineate the size and tenor of the two known showings, and to expand the geochemical coverage to other parts of the property. Geological mapping in conjunction with prospecting should be performed at the Sativa showing and reconnaissance-scale soil geochemical coverage should be expanded to cover the entire property. Hand trenching and channel sampling should be performed at the Indica showing, in order to prioritize drill targets with the strongest silver grades. Following this work, diamond drilling should be performed to test the Sativa showing and to target the down-dip projection of the Indica horizon.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., P.Geo.

REFERENCES

- Abbott, J.G.
- 1997 Geology of NTS map area 116A/10, eastern Ogilvie Mountains, Yukon Territory; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada; Geoscience Map 1997-2, scale 1:50,000.
- Abbott, J.G. and Roots, C.F.
- 1992 Geological map of part of map sheets 116A/10 and 116A/11; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada; Open File 1992-2.
- Chung, C.
- 2011 Assessment report describing prospecting and geochemical sampling at the Ham Property, Dawson Mining District, Yukon Territory; report prepared for Mill City Gold Corp. and Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited; Assessment Report 095971.
- Copland, H.
- 1988 Geological and geochemical report on the Ida – Oro claims, Dawson Mining District, Yukon Territory; Prepared for Noranda Exploration Co. Ltd.; Assessment Report 092149.
- Diment, R.M. and Simpson, R.G.
- 2003 Brewery Creek Gold Project, Yukon Territory, Canada: private report for Viceroy Resources Corporation.
- Doherty, R.A.
- 1995 1995 Report on Geology, Geochemistry and Trenching on the Panorama and Ida Properties, Dawson Mining District, Yukon; Prepared for Orinoco Gold Inc.; Yukon Mining Incentive Program (YMIP) Report #95-71.
- 2013 A technical review of the 2011 and 2012 diamond drilling programs, Ida-Oro project, Dawson Mining District, Yukon Territory; Prepared by Aurum Geological Consultants Inc. for Ryan Gold Corp.
- Duke, J.L.
- 1990 Report on 1989 field activities on the Ida – Oro claims, Dawson Mining District, Yukon Territory; Prepared for Noranda Exploration Co. Ltd.; Assessment Report 092794.

- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
- 1990 National Geochemical Reconnaissance Stream Sediment and Water Geochemical Data, Central Yukon (116A and 116H South); Geological Survey of Canada, Open File 2176.
- Goodfellow, W.D. and Lynch, J.J.
- 1978 National geochemical reconnaissance release NGR 30- 1977, regional stream sediment and water geochemical reconnaissance data, central Yukon Territory; Geological Survey of Canada, Open File 519.
- Green, L.H.
- 1972 Geology of the Nash Creek, Larsen Creek and Dawson Map areas, Yukon Territory, Geological Survey of Canada, Memoir 364.
- Gregory, D.
- 2009 Assessment report describing VTEM and magnetic geophysical surveys at the Lost Horses Project: Black, Ham, Hobo and Ross properties; report prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited; Assessment Report 095099.
- Hart, C.J.R.
- 2007 Reduced Intrusion - Related Gold Systems; *in* Mineral Deposits of Canada; Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, pp 95-112.
- Hart, C.J.R., Baker, T. and Burke, M.
- 2000 New Exploration Concepts for Country-Rock-Hosted, Intrusion-Related Gold Systems: Tintina Gold Belt in Yukon; *in* the Tintina Gold Belt: Concepts, Exploration and Discoveries; British Columbia and Yukon Chamber of Mines, Special Volume 2, pp 145-171
- Hart, C.J.R., and Burke, M.
- 2002 The Tombstone Gold Belt; An emerging gold camp; poster display, Yukon Geology Program.
- Jensen, T., Arseneau, G., Austin, J.B., Bergen, R.D. and Farrow, D.
- 2017 Preliminary Economic Assessment of the Keno Hill Silver District Project, Yukon Territory, Canada; Prepared for Alexco Resource Corp. by Roscoe Postle Associates Inc.
- Johnson, G., Brownlee, D., and Schulze, C.
- 2001 2000 Geological and Geochemical Assessment Report on the Klondike Property, Dawson Mining District, Yukon Territory; Prepared for NovaGold Resources Inc; Assessment Report 094288.

- Lapp, J. and Dorion, S.
- 2013 Geological and geochemical report describing mapping, drilling and soil surveys on the Ida Oro Block; Report prepared for Ryan Gold Corp; Assessment Report 096416.
- Lisson, B.
- 2012 Assessment report describing geochemical sampling and diamond drilling on the Ida Oro Property; Report prepared for Ryan Gold Corp; Assessment Report 096274.
- Mackay, G.
- 1989 Geological and geochemical report on the Ida – Oro claims, Dawson Mining District, Yukon Territory; Prepared for Noranda Exploration Co. Ltd.; Assessment Report 092680.
- McClintock, J. A.
- 1981 Ida Claims, Yukon, Geology and Trenching; Prepared for Rio Tinto Canadian Exploration Limited; Assessment Report 090908.
- Moran, A.R., Marshall, B., Aurala, C., Kappes, D., Mosher, G., Newcomen, H.W., Ghaffari, H., Myers, J., Collins, J., Mach, L., Powell, R., Hafez, S.A., Billin, S., Meyer, T., Hantelmann, T., and Scott, W.
- 2015 Technical Report – Feasibility Study, Eagle Gold Project, Yukon; prepared by Tetra Tech Inc. for Victoria Gold Corp.
- Mortensen, J.K, Hart, C.J.R, Murphy, D.C and Heffernan, S.
- 2000 Temporal Evolution of Early and Mid-Cretaceous Magnetism in the Tintina Gold Belt; *in the Tintina Gold Belt: Concepts, Exploration and Discoveries*; British Columbia and Yukon Chamber of Mines, Special Volume 2, pp 49-58.
- Morton, J.
- 2018 Assessment report describing geological mapping, prospecting and geochemical sampling at the Sawbuck property; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.
- Pigage, L.C.
- 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.
- Sillitoe, R. H.
- 2013 Comments on geology and potential of the Ida Oro gold prospect, Yukon Territory; Internal report prepared for Ryan Gold Corp.

Schulze, C. and Johnson, G.

2000 1999 Geological and Geochemical Assessment Report on the Klondike Property, Dawson Mining District, Yukon Territory; Prepared for NovaGold Resources Inc; Assessment Report 094287.

Tempelman-Kluit, D.J.

1970 The stratigraphy and structure of the “Keno Hill” quartzite in the Tombstone River- Upper Klondike River map area, Yukon Territory; Geological Survey of Canada, Bulletin 180.

Thompson, R.I., Roots, C.F. and Mustard. P.S.

1992 Geology of Dawson map area (116B, 116C); Geological Survey of Canada, Open File 2849.

APPENDIX I
STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.
2. From 2007 to present, I have been actively engaged in mineral exploration in Nevada, Yukon Territory, British Columbia, and Northwest Territories.
3. I am a Professional Geologist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (License Number 45807).
4. I supervised the field program and have interpreted all data resulting from this work.

A handwritten signature in blue ink, appearing to read "J. Morton".

J. Morton, B.Sc., P.Geo.

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
Sawbuck Property
January 15, 2019

Labour

Employee	Job Description	Hours	Time Period	Rate/hr	Total
Doug Eaton	Sr. Geologist	12	February 10 - December 31	\$ 120.00	\$ 1,440.00
Heather Burrell	Sr. Geologist	20	February 10 - December 31	\$ 111.00	\$ 2,220.00
Hugh Fordyce-Fortune	Field Labour	56	February 10 - December 31	\$ 47.00	\$ 2,632.00
Jack Morton	Sr. Geologist	48	February 10 - December 31	\$ 96.00	\$ 4,608.00
Jason Brockman-Jack	Field Labour	48	February 10 - December 31	\$ 47.00	\$ 2,256.00
Jessie Thompson-Gladish	Field Labour	24	February 10 - December 31	\$ 64.00	\$ 1,536.00
Kirein McClenahan	Field Labour	24	February 10 - December 31	\$ 49.00	\$ 1,176.00
Liz Smith	Logistics & Office	10	February 10 - December 31	\$ 83.00	\$ 830.00
Steve Israel	Sr. Geologist	32	February 10 - December 31	\$ 111.00	\$ 3,552.00
Thomas Rozsypaleck	Field Labour	8	February 10 - December 31	\$ 47.00	\$ 376.00
					\$ 20,626.00

Expenses

Field room and board	23 mandays	\$ 80.00 /per day	\$ 1,840.00
Whitehorse room and board	6 mandays	\$ 180.00 / per day	\$ 1,080.00
Accomodations - Dawson City			\$ 270.90
Fireweed Helicopters, as attached			\$ 15,860.20
Archer Cathro provided Jet Fuel, 205L @ 1.40/L			\$ 286.17
ALS Chemex, as attached			\$ 7,192.82
			<u><u>\$ 26,530.09</u></u>

Total 2018 expenditures \$ 47,156.09

Cost per sample \$ 179.30

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions		Property: Ham		
Sample Number:	W591360	UTM:	375618 mE	Nad83, Zone 8
Elevation:	1112 m	UTM:	7118082 mN	
Comments:				
Sample Number:	W591361	UTM:	375540 mE	Nad83, Zone 8
Elevation:	1158 m	UTM:	7118047 mN	
Comments:				
Sample Number:	W591362	UTM:	375415 mE	Nad83, Zone 8
Elevation:	1211 m	UTM:	7118079 mN	
Comments:				
Sample Number:	W591363	UTM:	375417 mE	Nad83, Zone 8
Elevation:	1205 m	UTM:	7118066 mN	
Comments:				
Sample Number:	W591364	UTM:	375409 mE	Nad83, Zone 8
Elevation:	1210 m	UTM:	7118080 mN	
Comments:				
Sample Number:	W591365	UTM:	375411 mE	Nad83, Zone 8
Elevation:	1203 m	UTM:	7118067 mN	
Comments:				
Sample Number:	W591366	UTM:	374367 mE	Nad83, Zone 8
Elevation:	1447 m	UTM:	7118676 mN	
Comments:				

Rock Sample Descriptions		Property: Ham		
Sample Number:	W591369	UTM:	374748 mE	Nad83, Zone 8
Elevation:	1199 m	UTM:	7118873 mN	
Comments:				
Sample Number:	W591370	UTM:	374746 mE	Nad83, Zone 8
Elevation:	1199 m	UTM:	7118875 mN	
Comments:				
Sample Number:	W591371	UTM:	374736 mE	Nad83, Zone 8
Elevation:	1199 m	UTM:	7118865 mN	
Comments:				
Sample Number:	W591372	UTM:	374727 mE	Nad83, Zone 8
Elevation:	1206 m	UTM:	7118855 mN	
Comments:				
Sample Number:	W591373	UTM:	374802 mE	Nad83, Zone 8
Elevation:	1154 m	UTM:	7118918 mN	
Comments:				
Sample Number:	W591374	UTM:	374757 mE	Nad83, Zone 8
Elevation:	1172 m	UTM:	7118876 mN	
Comments:				
Sample Number:	W591375	UTM:	375030 mE	Nad83, Zone 8
Elevation:	1160 m	UTM:	7118829 mN	
Comments:				

Rock Sample Descriptions

Property: Ham

Sample Number: W591376 UTM: 375032 mE Nad83, Zone 8

Elevation: 1157 m UTM: 7118840 mN

Comments:

Sample Number: W591377 UTM: 374953 mE Nad83, Zone 8

Elevation: 1240 m UTM: 7118727 mN

Comments:

Sample Number: W591378 UTM: 374736 mE Nad83, Zone 8

Elevation: 1195 m UTM: 7118865 mN

Comments:

Sample Number: W591379 UTM: 374827 mE Nad83, Zone 8

Elevation: 1164 m UTM: 7119098 mN

Comments:

Sample Number: W591380 UTM: 374758 mE Nad83, Zone 8

Elevation: 1206 m UTM: 7118824 mN

Comments:

Sample Number: W591802 UTM: 375289 mE Nad83, Zone 8

Elevation: m UTM: 7118157 mN

Comments:

Sample Number: W591803 UTM: 375245 mE Nad83, Zone 8

Elevation: m UTM: 7117907 mN

Comments:

Rock Sample Descriptions		Property: Ham		
Sample Number:	W591804	UTM:	375245 mE	Nad83, Zone 8
Elevation:	m	UTM:	7117906 mN	
Comments:				
Sample Number:	W591805	UTM:	375244 mE	Nad83, Zone 8
Elevation:	m	UTM:	7117938 mN	
Comments:				
Sample Number:	W591806	UTM:	375285 mE	Nad83, Zone 8
Elevation:	m	UTM:	7118171 mN	
Comments:				
Sample Number:	W593074	UTM:	375448 mE	Nad83, Zone 8
Elevation:	3544 m	UTM:	7117878 mN	
Comments: Outcrop sample, high-grading <1cm wide dark grey bands, sub-parallel to bedding, in fractured and hornfelsed siltstone(?).				
Sample Number:	W593075	UTM:	375649 mE	Nad83, Zone 8
Elevation:	3563 m	UTM:	7117822 mN	
Comments: Subcrop sample of orange-brown weathering, angular siltstone breccia, with clasts of highly variable sizes healed within a goethite matrix.				
Sample Number:	W593076	UTM:	375686 mE	Nad83, Zone 8
Elevation:	3589 m	UTM:	7117822 mN	
Comments: Outcrop sample of rusty-orange weathering, angular siltstone breccia, with <2cm diameter sized clasts healed within a goethite matrix, removed from a sub-vertical fracture within a wider area of less iron-rich siltstone breccia. Fracture orientations are 124.				

Rock Sample DescriptionsProperty: Ham

Sample Number: W593077 UTM: 375691 mE Nad83, Zone 8
Elevation: 3583 m UTM: 7117817 mN

Comments: Outcrop sample of orange-weathering, dark grey siltstone, with numerous, cross-cutting, rusty-weathering hairline stringers throughout.

Sample Number: W593078 UTM: 375680 mE Nad83, Zone 8
Elevation: 3614 m UTM: 7117816 mN

Comments: 1.7m chip sample across bedding of rock with the same lithology as W593077. Bedding here is 304/19.

Sample Number: W593079 UTM: 375698 mE Nad83, Zone 8
Elevation: 3599 m UTM: 7117813 mN

Comments: Subcrop sample of chocolate brown weathering, clast-supported, dark grey siltstone breccia.

Sample Number: W593080 UTM: 375335 mE Nad83, Zone 8
Elevation: 3552 m UTM: 7117932 mN

Comments: Outcrop sample of intensly rusty-orange siltstone(?) with numerous rusty-weathering hairline stringers throughout.

Sample Number: W593081 UTM: 375323 mE Nad83, Zone 8
Elevation: 3566 m UTM: 7117938 mN

Comments: Subcrop sample of orange weathering, siliceous siltstone(?) with abundant clots and fractures filled with limonite, and big patches of banded, very fine grained, dark to steel grey sulphide. Removed from a ~1m deep pit filled with dark black and bright orange soil.

Sample Number: W593082 UTM: 375325 mE Nad83, Zone 8
Elevation: 3565 m UTM: 7117938 mN

Comments: Subcrop sample of orange weathering, pale white, fractured, siliceous siltstone(?), with abundant mm-scale bands of sugary, very fine grained, black mineralization (a weathering product?). Removed from a ~1m deep pit filled with dark black and bright orange soil.

Rock Sample Descriptions		Property: Ham		
Sample Number:	W593083	UTM:	375311 mE	Nad83, Zone 8
Elevation:	3541 m	UTM:	7117936 mN	
Comments: Outcrop sample of banded, rusty, dark orange siltstone, with manganese staining throughout.				
Sample Number:	W593084	UTM:	375321 mE	Nad83, Zone 8
Elevation:	3540 m	UTM:	7117938 mN	
Comments: 1.4m chip sample across rusty-orange weathering, pale grey, fractured siltstone, with numerous 'stylolite'-like, dark hairline stringers throughout. Sample cuts across a prominent fracture set with the orientation 126/50 SW.				
Sample Number:	W593085	UTM:	375243 mE	Nad83, Zone 8
Elevation:	3638 m	UTM:	7117972 mN	
Comments: Outcrop sample of deep orange and rusty weathering, manganeseiferous breccia with cm-scale angular clasts of pale grey siltstone(?) cemented in an iron-rich matrix. Exposed in a 50cm deep pit.				
Sample Number:	W593086	UTM:	375243 mE	Nad83, Zone 8
Elevation:	3654 m	UTM:	7117974 mN	
Comments: Subcrop sample of punky orange-brown weathering siltstone(?) breccia, with dark grey angular siltstone clasts and abundant limonite throughout. Removed from the very top of the pit where sample W593085 was collected.				
Sample Number:	W593087	UTM:	375365 mE	Nad83, Zone 8
Elevation:	3577 m	UTM:	7117944 mN	
Comments: Float grab of a single 12x4x4cm piece of siltstone(?) breccia, with a wide variety of angular clast sizes healed in an iron-rich matrix. Collected on a steep moss-covered slope. No rep and no rep on site.				
Sample Number:	W593088	UTM:	375583 mE	Nad83, Zone 8
Elevation:	3568 m	UTM:	7117836 mN	
Comments: 1.9 m chip sample across fractured, silicified siltstone(?), with numerous smokey grey hairline stringers at multiple orientations.				

Rock Sample DescriptionsProperty: Ham

Sample Number: W593089 UTM: 375453 mE Nad83, Zone 8
Elevation: 3558 m UTM: 7117889 mN

Comments: Subcrop sample, high-graded out of talus, of rock with the same lithology as W593087.

Sample Number: W593090 UTM: 375340 mE Nad83, Zone 8
Elevation: 3539 m UTM: 7117933 mN

Comments: 1.2m chip sample across orange weathering, fractured, silicified siltstone(?), with numerous cross-cutting dark grey hairline stringers. Sample is across a prominent fracture set of 197/78W.

APPENDIX IV
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

CERTIFICATE WH18157165

Project: SAWBUCK

This report is for 75 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2018.

The following have access to data associated with this certificate:

HEATHER BURRELL
SCOTT NEWMAN

ANDREW CARNE

JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG46	Ore Grade Ag - Aqua Regia	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY00502		0.32	0.006	0.09	1.83	12.3	<0.02	<10	390	0.75	0.20	0.13	0.39	35.5	11.6	30
YY00503		0.19	0.002	0.03	1.80	10.9	<0.02	<10	170	0.48	0.19	0.09	0.23	24.7	6.2	27
YY00504		0.14	0.010	0.11	1.18	8.8	<0.02	<10	100	0.15	0.21	0.09	0.13	17.90	3.4	26
YY00505		0.25	0.007	0.16	1.72	10.3	<0.02	<10	210	0.50	0.19	0.09	0.26	26.8	7.0	31
YY00506		0.18	0.001	0.16	1.64	10.0	<0.02	<10	140	0.29	0.21	0.07	0.16	20.8	5.5	30
YY00507		0.22	0.005	0.17	2.31	12.7	<0.02	<10	400	0.73	0.23	0.14	0.35	28.4	11.0	39
YY00508		0.21	0.012	0.28	2.25	10.9	<0.02	<10	420	0.77	0.23	0.12	0.34	38.8	7.9	34
YY00509		0.28	0.005	0.20	1.46	7.3	<0.02	<10	350	0.37	0.36	0.16	0.29	23.9	5.6	26
YY00510		0.22	0.005	0.14	1.32	5.1	<0.02	<10	190	0.26	0.19	0.07	0.17	22.4	2.4	21
YY00751		0.22	0.001	0.25	1.43	6.9	<0.02	<10	250	0.39	0.27	0.13	0.20	22.4	4.7	26
YY00752		0.23	0.005	0.24	1.00	8.5	<0.02	<10	120	0.14	0.26	0.05	0.15	22.6	1.8	19
YY00753		0.27	0.001	0.04	1.72	10.9	<0.02	<10	190	0.46	0.22	0.07	0.33	23.7	7.0	29
YY00754		0.31	<0.001	0.18	1.44	11.3	<0.02	<10	170	0.40	0.24	0.06	0.34	22.5	5.3	25
YY00755		0.25	<0.001	0.12	1.80	11.7	<0.02	<10	160	0.64	0.25	0.06	0.31	22.9	9.7	31
YY00756		0.23	0.004	0.18	2.12	12.8	<0.02	<10	250	1.08	0.23	0.08	0.66	27.1	21.7	37
YY00757		0.31	0.005	0.18	2.14	14.9	0.02	<10	200	1.11	0.29	0.08	0.51	25.8	17.4	35
YY00758		0.22	0.004	0.11	1.59	13.4	<0.02	<10	130	0.45	0.30	0.07	0.31	23.8	6.8	28
YY00759		0.19	0.010	0.12	1.01	9.8	<0.02	<10	80	0.18	0.26	0.05	0.30	22.0	3.3	19
YY00760		0.17	0.006	0.51	1.26	9.4	0.22	<10	120	0.60	0.21	0.09	0.66	21.9	8.8	26
YY00761		0.29	0.008	0.63	2.04	29.0	<0.02	<10	330	0.73	0.43	0.13	0.72	29.4	12.0	33
YY00762		0.22	0.002	1.70	1.13	20.2	<0.02	<10	130	0.28	0.58	0.06	0.68	19.45	3.5	23
YY00763		0.23	0.013	0.84	2.98	20.7	<0.02	<10	260	1.24	0.34	0.18	0.58	36.4	5.3	52
YY00764		0.20	0.014	1.26	2.39	24.3	<0.02	<10	170	1.01	0.96	0.15	1.11	26.5	19.2	38
YY00765		0.23	0.009	1.71	1.95	85.1	<0.02	<10	230	0.76	11.40	0.08	0.93	34.5	70.4	37
YY00766		0.24	0.018	1.42	2.60	73.8	<0.02	<10	210	0.87	8.63	0.05	0.50	54.3	113.5	36
YY00767		0.19	0.014	1.45	1.46	91.3	<0.02	<10	380	0.77	3.25	0.26	1.21	20.6	43.2	31
YY00768		0.32	0.021	1.57	2.49	63.4	0.02	<10	260	1.57	8.34	0.19	0.59	32.6	17.8	43
YY00769		0.24	0.009	1.33	1.68	57.8	<0.02	<10	400	0.69	8.17	0.13	1.48	21.7	15.5	37
YY00770		0.37	0.015	4.17	1.49	123.0	<0.02	<10	270	0.81	13.45	0.02	0.30	43.6	8.3	34
YY00771		0.38	0.008	0.12	3.94	11.0	<0.02	<10	960	1.91	0.13	0.10	0.16	14.40	8.4	37
YY00772		0.28	0.012	1.28	3.39	30.0	<0.02	<10	470	2.96	0.43	0.05	0.43	30.2	24.8	48
YY00773		0.25	0.012	0.56	2.66	31.1	<0.02	<10	610	1.71	0.44	0.08	0.48	39.3	32.1	50
YY00774		0.33	0.008	0.54	3.19	33.8	<0.02	<10	1180	1.30	0.67	0.06	0.62	34.1	25.3	60
YY00775		0.37	0.023	1.22	2.50	40.7	0.02	<10	690	1.39	0.48	0.02	0.12	33.3	5.7	56
YY00776		0.29	0.011	0.75	2.18	43.5	<0.02	<10	220	0.83	0.84	0.05	0.37	30.0	25.6	43
YY00777		0.39	0.022	20.2	2.10	56.8	<0.02	<10	320	0.94	24.7	0.03	0.60	34.9	10.3	48
YY00779		0.20	0.054	20.9	1.88	218	0.06	<10	550	0.63	16.65	0.12	0.95	24.0	5.7	89
YY00780		0.22	0.009	3.02	1.57	86.4	<0.02	<10	230	0.70	13.70	0.13	1.38	19.50	19.4	28
YY00781		0.32	0.010	2.03	1.93	82.2	<0.02	<10	380	0.64	14.45	0.08	1.98	25.0	12.9	41
YY00782		0.25	0.004	6.59	1.44	167.0	<0.02	<10	470	0.48	6.07	0.04	0.77	32.2	6.0	30

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
YY00502		1.61	30.6	2.96	5.58	0.07	0.02	0.03	0.029	0.07	17.5	19.6	0.42	426	1.13	0.02
YY00503		1.27	16.7	2.75	5.60	0.05	<0.02	0.03	0.024	0.04	12.5	15.1	0.29	202	0.92	0.02
YY00504		1.34	15.9	2.30	5.28	<0.05	<0.02	0.04	0.021	0.05	9.6	7.7	0.24	123	0.78	0.02
YY00505		1.72	26.3	2.87	5.70	0.06	0.02	0.05	0.030	0.09	14.0	16.4	0.39	234	1.29	0.02
YY00506		1.70	19.6	2.92	6.17	0.05	0.02	0.05	0.028	0.07	10.9	13.7	0.35	194	1.17	0.02
YY00507		2.11	36.0	3.61	6.49	0.07	<0.02	0.04	0.036	0.11	14.9	20.4	0.53	385	1.52	0.02
YY00508		1.84	37.3	3.12	5.87	0.08	0.02	0.05	0.032	0.09	19.3	16.8	0.46	240	1.36	0.02
YY00509		1.49	16.1	1.94	5.05	0.05	<0.02	0.04	0.021	0.07	12.6	14.3	0.41	153	0.94	0.02
YY00510		1.41	21.5	1.63	4.59	0.05	<0.02	0.06	0.020	0.04	11.5	7.8	0.20	55	0.68	0.02
YY00751		3.21	22.6	1.75	4.82	<0.05	<0.02	0.05	0.019	0.06	11.9	13.9	0.39	98	0.89	0.02
YY00752		1.23	12.6	1.61	7.05	0.05	<0.02	0.04	0.016	0.03	11.9	4.5	0.11	78	1.11	0.02
YY00753		1.67	21.1	2.79	5.85	0.05	<0.02	0.04	0.025	0.06	12.3	16.0	0.33	243	1.11	0.02
YY00754		1.81	26.8	3.18	6.35	0.05	<0.02	0.04	0.027	0.06	12.1	11.9	0.23	238	1.47	0.01
YY00755		1.92	26.6	3.58	6.26	0.05	<0.02	0.03	0.030	0.07	12.2	18.4	0.28	366	1.67	0.02
YY00756		1.89	34.2	3.69	5.68	0.05	0.02	0.04	0.037	0.09	14.2	23.3	0.40	661	1.73	0.02
YY00757		2.54	50.0	4.79	6.66	0.07	0.02	0.04	0.041	0.09	13.4	22.2	0.39	455	2.21	0.02
YY00758		1.74	22.4	3.67	8.77	0.05	0.02	0.03	0.028	0.06	12.4	13.2	0.27	304	1.85	0.02
YY00759		1.53	16.0	2.13	7.41	<0.05	0.02	0.04	0.015	0.05	11.6	6.1	0.19	171	1.43	0.02
YY00760		2.52	43.6	2.51	5.52	0.06	<0.02	0.03	0.021	0.07	11.6	10.7	0.29	573	2.82	0.02
YY00761		3.56	55.6	3.31	7.12	0.07	0.03	0.04	0.036	0.15	15.4	19.5	0.74	355	2.40	0.02
YY00762		2.06	39.4	2.19	6.27	0.05	0.02	0.06	0.020	0.06	10.5	5.6	0.25	114	1.76	0.02
YY00763		5.02	76.2	4.26	9.72	0.11	0.06	0.07	0.058	0.23	21.1	18.3	0.84	236	7.59	0.03
YY00764		6.57	156.5	3.74	7.77	0.08	0.03	0.06	0.043	0.16	14.2	24.0	0.79	434	6.50	0.02
YY00765		11.60	118.5	5.95	6.78	0.07	0.02	0.09	0.055	0.12	15.8	17.7	0.32	2600	2.96	0.02
YY00766		9.52	246	8.61	6.06	0.10	0.02	0.12	0.065	0.13	20.8	20.4	0.39	3180	3.25	0.02
YY00767		5.65	140.5	3.97	5.58	0.07	<0.02	0.05	0.062	0.14	10.8	13.5	0.38	1240	5.19	0.02
YY00768		7.40	190.5	5.50	8.78	0.09	0.03	0.05	0.056	0.28	17.2	40.4	0.98	367	10.15	<0.01
YY00769		3.86	76.3	3.53	7.37	<0.05	0.02	0.04	0.032	0.10	11.2	26.8	0.55	473	3.73	<0.01
YY00770		5.06	179.0	9.85	8.39	0.07	0.02	0.15	0.084	0.44	20.7	17.8	0.41	495	14.70	<0.01
YY00771		5.42	128.0	7.41	10.55	0.06	0.02	0.02	0.043	0.21	8.1	25.1	0.89	681	0.93	<0.01
YY00772		8.28	203	9.15	10.00	0.07	0.02	0.04	0.086	0.20	15.7	31.3	0.58	600	3.11	<0.01
YY00773		10.50	176.5	10.05	9.63	0.09	0.02	0.05	0.096	0.24	20.5	21.3	0.61	705	2.77	<0.01
YY00774		8.65	173.5	6.87	12.65	0.09	0.03	0.03	0.057	0.36	18.4	29.7	1.22	580	2.82	<0.01
YY00775		9.06	223	13.75	8.91	0.10	0.02	0.07	0.066	0.48	16.9	19.7	0.73	244	3.23	<0.01
YY00776		9.56	105.0	7.32	7.78	<0.05	0.02	0.04	0.044	0.11	14.7	24.9	0.49	867	3.29	<0.01
YY00777		7.17	169.0	8.29	7.55	0.06	0.12	2.36	0.119	0.19	17.6	23.5	0.51	296	10.65	0.01
YY00779		4.70	111.0	8.22	9.79	0.06	0.03	0.61	0.165	0.21	14.3	15.9	0.26	204	27.0	0.01
YY00780		5.45	68.2	3.36	7.48	<0.05	0.02	0.08	0.038	0.13	10.3	19.0	0.44	772	5.43	<0.01
YY00781		5.10	102.0	4.45	7.27	<0.05	<0.02	0.06	0.060	0.16	13.1	23.0	0.50	425	2.08	<0.01
YY00782		4.26	107.0	5.34	7.71	<0.05	<0.02	0.59	0.052	0.19	16.1	14.8	0.27	223	6.88	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
YY00502		1.65	24.6	550	11.0	11.7	<0.001	0.02	1.90	3.6	0.4	0.5	17.1	<0.01	0.04	1.9
YY00503		1.75	15.6	430	10.3	8.3	<0.001	0.01	0.93	2.5	0.4	1.6	11.2	<0.01	0.03	1.9
YY00504		1.52	13.3	410	9.5	7.8	<0.001	0.05	1.50	1.3	0.5	0.5	11.1	<0.01	0.04	0.2
YY00505		1.92	22.1	610	10.3	12.6	<0.001	0.03	2.18	3.1	0.4	0.5	13.0	<0.01	0.04	2.3
YY00506		1.82	18.6	450	10.2	9.8	<0.001	0.04	1.44	2.2	0.4	0.5	10.2	<0.01	0.04	0.8
YY00507		1.89	30.1	640	11.9	15.8	<0.001	0.04	2.03	3.9	0.4	0.6	19.6	<0.01	0.05	1.5
YY00508		1.61	26.2	690	11.4	13.0	<0.001	0.05	1.80	4.0	0.6	0.5	17.5	<0.01	0.04	0.7
YY00509		0.89	18.6	530	11.4	10.4	<0.001	0.03	1.94	1.9	0.3	0.5	20.3	<0.01	0.02	0.4
YY00510		0.60	10.3	500	8.9	6.9	<0.001	0.04	0.98	0.7	0.5	0.5	11.2	<0.01	0.03	<0.2
YY00751		0.80	19.0	450	12.7	10.3	<0.001	0.04	3.15	1.5	0.4	0.5	19.0	<0.01	0.02	0.2
YY00752		1.07	6.6	330	9.9	7.1	<0.001	0.02	0.70	0.7	0.3	0.8	7.7	<0.01	0.03	<0.2
YY00753		1.38	17.5	400	10.4	10.6	<0.001	0.02	1.68	1.9	0.5	0.6	11.6	<0.01	0.03	0.4
YY00754		1.95	16.3	540	16.3	11.7	<0.001	0.04	3.86	1.8	0.5	0.6	14.6	<0.01	0.05	0.9
YY00755		1.85	20.2	560	13.1	13.5	<0.001	0.04	3.31	2.2	0.7	0.6	13.7	<0.01	0.04	1.0
YY00756		1.84	34.0	660	12.4	13.9	<0.001	0.05	3.08	2.8	0.6	0.5	16.8	<0.01	0.04	1.5
YY00757		1.94	31.0	770	17.3	14.9	<0.001	0.08	4.61	3.0	1.0	0.5	19.5	<0.01	0.05	1.7
YY00758		1.88	15.4	680	14.8	11.4	<0.001	0.04	1.48	2.0	0.6	0.7	12.8	<0.01	0.06	0.7
YY00759		2.13	9.4	550	11.2	9.3	<0.001	0.03	0.95	1.4	0.4	0.7	9.6	<0.01	0.04	0.7
YY00760		1.20	23.1	630	10.8	15.0	<0.001	0.04	1.93	0.9	0.7	0.6	20.9	<0.01	0.05	0.2
YY00761		1.93	28.0	890	14.5	18.4	0.001	0.04	5.50	2.6	0.9	0.6	26.9	<0.01	0.05	1.0
YY00762		1.44	12.8	580	11.0	10.7	<0.001	0.06	3.76	0.8	0.5	0.7	13.1	<0.01	0.03	<0.2
YY00763		1.23	24.4	2000	16.2	22.7	0.001	0.21	3.30	1.0	2.9	0.9	51.3	<0.01	0.10	0.2
YY00764		1.83	52.0	1300	21.7	26.1	<0.001	0.14	8.74	1.4	2.2	0.7	31.1	<0.01	0.09	0.2
YY00765		1.25	38.3	1490	54.7	19.6	<0.001	0.10	27.6	1.7	1.7	0.8	14.1	<0.01	0.12	0.4
YY00766		1.27	97.1	2160	112.5	15.1	0.001	0.18	67.3	2.5	3.4	0.8	16.6	0.01	0.18	1.0
YY00767		1.74	43.4	1860	63.2	25.3	<0.001	0.17	29.4	1.0	1.7	0.9	38.5	<0.01	0.12	0.2
YY00768		2.10	54.9	1780	51.8	31.8	0.001	0.13	29.3	5.4	3.8	0.8	40.4	<0.01	0.09	2.9
YY00769		2.39	37.2	890	35.5	18.1	0.001	0.07	16.85	3.0	1.6	0.8	22.4	<0.01	0.07	1.0
YY00770		1.73	25.4	1450	274	35.8	0.001	0.75	291	4.7	3.8	6.4	27.4	<0.01	0.47	4.2
YY00771		1.13	22.8	840	20.9	17.4	0.001	0.03	4.37	6.1	1.8	0.8	41.2	<0.01	0.05	3.8
YY00772		2.75	60.6	1410	22.2	16.6	<0.001	0.19	10.40	6.3	3.4	0.7	52.7	<0.01	0.13	2.6
YY00773		2.47	35.1	1720	39.8	25.8	0.001	0.17	26.0	5.9	3.1	0.7	42.7	<0.01	0.15	1.8
YY00774		5.62	46.7	1110	17.5	32.3	0.001	0.09	11.90	6.4	1.7	0.7	27.2	<0.01	0.10	1.9
YY00775		3.94	20.9	2470	22.5	33.2	0.001	0.33	43.2	7.8	5.4	0.5	26.6	<0.01	0.10	4.3
YY00776		1.89	35.9	1320	34.8	18.6	<0.001	0.07	19.65	3.9	2.0	0.8	13.2	<0.01	0.05	2.2
YY00777		1.44	48.8	1440	1140	19.1	0.001	0.34	345	5.9	5.9	26.6	27.6	<0.01	0.23	6.1
YY00779		1.04	21.0	2470	555	18.2	0.001	0.44	226	3.5	15.1	8.0	49.4	<0.01	0.53	2.0
YY00780		1.71	21.1	1010	57.9	28.1	0.001	0.08	24.0	1.4	1.4	0.9	21.0	<0.01	0.08	0.3
YY00781		2.69	32.8	780	46.5	27.6	0.001	0.12	39.7	2.6	1.7	1.2	15.0	<0.01	0.08	0.6
YY00782		1.72	14.8	880	102.0	26.3	0.001	0.23	61.9	2.6	2.1	6.9	13.2	<0.01	0.21	1.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method	ME-MS41	Ag-OG46	Pb-OG46							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Ag	
	Units	%	ppm	Pb							
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
YY00502		0.062	0.12	1.04	56	0.29	8.00	74	0.5		
YY00503		0.054	0.10	0.71	56	0.23	2.75	55	0.5		
YY00504		0.046	0.11	0.58	54	0.35	1.99	48	0.5		
YY00505		0.066	0.12	0.83	58	0.30	3.78	67	0.6		
YY00506		0.062	0.12	0.55	61	0.28	2.37	60	0.6		
YY00507		0.071	0.16	1.04	67	0.27	5.46	96	0.6		
YY00508		0.055	0.16	1.72	55	0.30	12.15	79	0.5		
YY00509		0.040	0.12	0.69	41	0.30	4.12	63	<0.5		
YY00510		0.025	0.13	0.99	31	0.16	4.03	32	<0.5		
YY00751		0.037	0.19	0.94	38	0.19	3.81	61	<0.5		
YY00752		0.044	0.12	0.40	63	0.18	1.64	22	<0.5		
YY00753		0.052	0.13	0.57	59	0.20	2.81	55	<0.5		
YY00754		0.058	0.11	0.47	65	0.22	2.16	56	0.5		
YY00755		0.065	0.11	0.50	66	0.24	2.35	74	0.5		
YY00756		0.069	0.12	0.66	67	0.32	3.45	111	0.6		
YY00757		0.067	0.14	0.80	67	0.28	4.34	104	0.7		
YY00758		0.073	0.14	0.48	88	0.29	2.58	65	0.7		
YY00759		0.076	0.14	0.44	77	0.27	1.84	37	0.7		
YY00760		0.047	0.15	0.90	84	0.24	3.55	98	0.5		
YY00761		0.076	0.20	1.46	94	0.22	4.68	112	1.4		
YY00762		0.050	0.13	0.88	77	0.18	2.22	43	0.8		
YY00763		0.032	0.38	6.44	272	0.09	10.45	83	2.7		
YY00764		0.054	0.25	3.85	119	0.20	8.81	160	1.4		
YY00765		0.050	0.31	1.28	65	0.22	5.71	135	0.5		
YY00766		0.048	0.43	2.33	57	0.16	11.45	103	0.6		
YY00767		0.028	0.26	1.67	78	0.40	5.43	95	<0.5		
YY00768		0.093	0.46	4.45	120	0.89	10.50	118	2.0		
YY00769		0.075	0.26	1.44	99	0.46	4.22	106	1.0		
YY00770		0.062	1.00	2.05	79	1.24	6.12	151	1.1		
YY00771		0.057	0.16	0.81	78	0.13	4.77	114	1.3		
YY00772		0.099	0.34	1.56	81	0.13	10.30	176	1.2		
YY00773		0.085	0.40	2.07	87	0.13	15.00	174	0.6		
YY00774		0.155	0.43	1.60	124	0.16	8.40	185	1.4		
YY00775		0.099	0.45	1.76	90	0.14	9.82	74	0.6		
YY00776		0.074	0.32	1.32	79	0.23	6.32	124	0.7		
YY00777		0.077	0.83	2.56	84	0.20	7.45	117	7.5		
YY00779		0.045	0.98	7.59	277	1.43	8.45	126	1.7		
YY00780		0.057	0.28	1.85	104	0.75	3.39	100	1.0		
YY00781		0.074	0.37	1.56	75	0.55	4.20	103	<0.5		
YY00782		0.072	0.87	1.85	80	0.44	3.25	66	0.7		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY00783		0.26	0.020	2.07	2.12	125.0	0.02	<10	420	0.74	15.10	0.15	1.27	37.7	18.8	48
YY00784		0.42	0.125	>100	1.10	285	0.07	<10	200	0.65	419	0.04	3.18	38.9	8.8	26
YY00785		0.38	0.017	1.39	2.22	30.6	<0.02	<10	190	0.76	2.00	0.05	0.41	36.9	20.7	41
YY00786		0.31	0.005	1.04	2.15	22.6	<0.02	<10	160	0.67	0.95	0.08	0.36	28.9	14.3	33
YY00787		0.25	0.028	1.45	2.48	36.7	0.03	<10	230	1.15	1.64	0.09	0.31	42.3	33.1	45
YY00788		0.23	0.011	0.91	3.15	22.2	<0.02	<10	540	1.29	0.54	0.08	0.38	24.9	15.0	60
YY00789		0.21	0.019	2.17	2.95	38.2	0.02	<10	930	1.81	1.76	0.20	2.70	39.2	58.5	55
YY00790		0.24	0.001	0.26	2.68	20.0	<0.02	<10	220	1.24	0.31	0.10	0.93	28.1	8.3	41
YY05501		0.31	0.007	0.30	2.75	16.8	<0.02	<10	330	1.36	0.28	0.06	0.39	28.0	20.1	43
YY05502		0.20	0.001	0.57	1.02	11.8	<0.02	<10	180	0.22	0.26	0.11	0.25	18.95	4.3	22
YY05503		0.23	0.002	0.22	1.63	11.2	<0.02	<10	130	0.35	0.22	0.05	0.20	22.6	5.1	25
YY05504		0.25	0.003	0.25	1.02	9.7	<0.02	<10	120	0.22	0.28	0.06	0.25	23.0	3.1	20
YY05505		0.31	0.003	0.13	1.74	13.1	<0.02	<10	180	0.44	0.24	0.06	0.41	22.2	7.7	29
YY05506		0.28	0.001	0.11	1.85	12.7	<0.02	<10	190	0.65	0.30	0.07	0.49	23.2	9.1	29
YY05507		0.37	<0.001	0.09	1.84	11.9	<0.02	<10	200	0.76	0.22	0.06	0.38	22.3	6.4	26
YY05508		0.30	0.001	0.12	2.01	12.7	<0.02	<10	240	0.76	0.25	0.07	0.50	26.8	12.3	30
YY05509		0.21	0.001	0.19	1.31	13.1	<0.02	<10	160	0.34	0.25	0.05	0.18	21.4	3.7	22
YY05510		0.22	0.002	0.12	2.44	13.5	<0.02	<10	290	0.75	0.23	0.08	0.37	24.3	10.2	32
YY05511		0.23	0.004	0.10	2.11	13.4	<0.02	<10	250	0.56	0.21	0.08	0.27	24.2	8.7	33
YY05512		0.16	0.005	0.18	1.57	12.3	<0.02	<10	220	0.50	0.26	0.05	0.33	24.4	5.2	27
YY05513		0.25	0.003	0.13	1.07	12.6	<0.02	<10	140	0.20	0.27	0.04	0.22	23.9	3.5	20
YY05514		0.19	0.001	0.08	1.81	13.9	<0.02	<10	240	0.58	0.24	0.07	0.36	24.0	8.8	29
YY05515		0.23	0.005	0.14	1.96	14.0	<0.02	<10	220	0.66	0.22	0.07	0.26	20.9	7.9	33
YY05516		0.22	<0.001	0.16	1.30	12.1	<0.02	<10	170	0.34	0.28	0.05	0.36	23.2	5.2	23
YY05517		0.18	<0.001	0.26	1.52	12.2	<0.02	<10	130	0.27	0.22	0.06	0.26	20.8	4.7	25
YY05518		0.17	<0.001	0.25	1.26	11.6	<0.02	<10	130	0.25	0.23	0.05	0.27	20.1	4.6	22
YY05519		0.22	0.005	0.23	1.43	11.5	<0.02	<10	140	0.31	0.22	0.07	0.19	20.5	4.5	23
YY05520		0.14	0.004	0.47	2.42	19.2	<0.02	<10	320	1.15	0.26	0.08	0.45	22.9	11.0	37
YY05521		0.17	0.001	0.33	1.91	14.1	<0.02	<10	160	0.37	0.20	0.08	0.50	18.75	6.4	28
YY05522		0.17	<0.001	0.41	1.48	11.8	<0.02	<10	140	0.34	0.28	0.06	0.48	19.55	6.4	22
YY05523		0.18	0.002	0.31	1.18	12.2	<0.02	<10	200	0.24	0.24	0.06	0.56	19.65	6.0	22
YY05524		0.22	0.001	0.21	1.51	13.1	<0.02	<10	290	0.43	0.28	0.08	0.28	20.8	6.2	27
YY05525		0.25	0.002	0.15	2.01	14.9	<0.02	<10	190	0.56	0.23	0.06	0.33	20.9	8.8	33
YY05526		0.21	0.004	0.14	1.53	14.9	<0.02	<10	210	0.32	0.25	0.06	0.33	22.3	6.0	29
YY05527		0.22	0.008	0.20	1.60	12.2	<0.02	<10	290	0.50	0.23	0.08	0.62	26.7	9.9	28

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
YY00783		4.35	155.5	4.91	7.00	0.05	0.02	0.06	0.055	0.16	20.0	22.1	0.62	601	5.12	<0.01
YY00784		3.87	230	7.34	4.94	0.11	0.06	11.10	0.526	0.16	19.0	9.3	0.20	442	23.1	0.01
YY00785		16.70	197.5	8.28	7.50	0.05	0.02	0.05	0.047	0.15	17.4	28.0	0.55	544	4.03	<0.01
YY00786		5.23	58.7	4.14	6.50	<0.05	<0.02	0.08	0.033	0.08	13.5	21.7	0.44	471	2.19	<0.01
YY00787		10.65	247	8.61	8.09	0.06	0.02	0.09	0.078	0.20	19.9	23.4	0.69	1180	5.94	<0.01
YY00788		9.12	119.0	5.11	12.45	0.08	0.04	0.05	0.050	0.56	12.6	26.2	1.48	563	5.34	<0.01
YY00789		7.89	417	8.95	9.77	0.09	0.04	0.07	0.052	0.32	18.8	27.5	0.95	845	4.53	<0.01
YY00790		4.76	66.8	3.75	9.33	0.05	0.04	0.04	0.032	0.24	16.3	26.8	1.16	209	1.93	<0.01
YY05501		3.18	105.0	4.50	9.02	<0.05	0.02	0.03	0.039	0.09	13.8	28.8	0.52	488	1.89	<0.01
YY05502		1.38	13.8	2.90	7.33	<0.05	<0.02	0.04	0.015	0.07	9.6	7.6	0.18	239	1.50	<0.01
YY05503		1.58	18.6	2.73	6.79	<0.05	0.02	0.03	0.025	0.05	11.2	13.7	0.25	207	1.25	<0.01
YY05504		2.12	17.7	2.49	8.10	<0.05	<0.02	0.04	0.019	0.06	11.7	4.1	0.11	148	1.70	<0.01
YY05505		2.12	18.9	3.89	8.24	<0.05	0.02	0.04	0.031	0.06	11.0	22.4	0.33	274	1.68	<0.01
YY05506		2.11	30.8	3.95	7.40	<0.05	0.02	0.02	0.033	0.08	11.6	19.5	0.36	379	1.64	<0.01
YY05507		2.09	25.3	3.51	7.14	<0.05	0.02	0.06	0.035	0.07	11.3	22.3	0.31	230	1.52	<0.01
YY05508		2.19	34.0	3.57	7.09	<0.05	0.02	0.03	0.033	0.09	13.8	21.2	0.38	374	1.54	<0.01
YY05509		2.00	23.7	3.39	8.29	<0.05	0.02	0.04	0.028	0.06	11.1	7.8	0.18	145	1.62	<0.01
YY05510		2.25	29.7	3.83	7.44	<0.05	0.02	0.04	0.039	0.07	11.9	26.9	0.40	361	1.61	<0.01
YY05511		1.99	28.4	3.55	6.67	<0.05	0.02	0.03	0.032	0.06	12.2	23.7	0.42	275	1.46	<0.01
YY05512		1.86	24.1	3.38	8.58	<0.05	<0.02	0.03	0.029	0.06	12.9	13.3	0.19	183	2.15	<0.01
YY05513		1.31	14.8	3.26	9.28	<0.05	0.02	0.03	0.023	0.05	12.0	5.3	0.13	198	1.72	<0.01
YY05514		2.08	31.0	4.11	7.89	<0.05	0.02	0.03	0.035	0.08	12.0	20.9	0.32	277	1.91	<0.01
YY05515		2.33	29.7	4.33	7.10	<0.05	0.06	0.04	0.037	0.07	10.5	22.6	0.38	224	1.68	0.01
YY05516		1.82	17.1	3.15	8.87	<0.05	<0.02	0.02	0.026	0.06	11.6	11.8	0.17	198	1.94	<0.01
YY05517		1.80	12.7	3.15	7.51	<0.05	0.02	0.05	0.025	0.05	10.3	14.5	0.27	207	1.51	<0.01
YY05518		1.66	12.6	3.01	6.96	<0.05	<0.02	0.04	0.021	0.05	10.0	11.8	0.18	222	1.39	<0.01
YY05519		2.30	13.7	3.30	7.04	<0.05	0.02	0.03	0.024	0.05	10.2	11.0	0.25	173	1.43	<0.01
YY05520		5.42	59.0	5.39	7.59	<0.05	0.02	0.10	0.042	0.11	10.7	16.3	0.48	452	1.79	0.01
YY05521		1.56	23.8	3.06	5.62	<0.05	0.02	0.05	0.027	0.05	9.1	15.4	0.32	229	1.29	<0.01
YY05522		1.54	17.4	3.23	8.10	<0.05	<0.02	0.04	0.024	0.03	9.6	15.1	0.14	285	1.64	<0.01
YY05523		1.49	12.8	3.06	7.26	<0.05	<0.02	0.02	0.023	0.05	9.8	9.1	0.18	327	1.47	<0.01
YY05524		1.99	27.2	3.45	7.16	<0.05	<0.02	0.04	0.030	0.06	10.4	14.9	0.28	274	1.71	0.01
YY05525		2.19	23.2	3.83	7.28	<0.05	0.04	0.04	0.039	0.06	10.3	23.9	0.34	284	1.73	<0.01
YY05526		1.82	21.6	3.58	8.12	<0.05	0.02	0.05	0.027	0.06	11.3	15.5	0.27	261	1.91	0.01
YY05527		1.85	27.7	3.02	6.62	<0.05	<0.02	0.04	0.029	0.06	13.5	13.4	0.29	369	1.55	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method Analyte Units LOD	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
YY00783		2.06	45.7	1590	79.5	18.7	0.002	0.12	40.5	3.9	3.4	1.4	24.9	<0.01	0.11	2.1
YY00784		0.22	26.1	2450	>10000	13.6	0.001	0.63	5440	3.9	23.5	325	35.6	<0.01	0.36	6.9
YY00785		2.16	51.5	1630	60.1	21.5	0.001	0.12	32.3	4.6	2.9	1.2	14.0	<0.01	0.08	2.9
YY00786		1.26	35.2	730	27.6	13.9	<0.001	0.03	11.45	2.5	1.0	0.8	10.7	<0.01	0.05	1.1
YY00787		1.52	47.0	2380	45.3	25.1	<0.001	0.20	24.1	4.6	3.7	0.6	26.9	<0.01	0.14	2.0
YY00788		3.66	55.3	1010	16.3	51.1	0.001	0.09	8.31	4.9	2.1	0.8	27.2	<0.01	0.10	1.2
YY00789		2.90	91.7	1260	29.1	31.0	<0.001	0.08	27.4	6.7	2.6	0.7	35.1	<0.01	0.12	3.3
YY00790		1.60	38.2	750	10.8	27.6	<0.001	0.06	6.93	2.8	0.7	0.7	34.9	<0.01	0.06	0.7
YY05501		2.95	52.3	490	16.7	15.1	<0.001	0.02	4.51	4.3	0.9	0.7	14.3	<0.01	0.11	3.2
YY05502		2.11	11.4	360	10.5	11.8	<0.001	0.02	2.69	1.6	0.6	0.7	14.3	<0.01	0.05	1.4
YY05503		1.95	13.4	290	10.3	11.8	<0.001	0.01	1.67	2.5	0.5	0.6	8.8	<0.01	0.02	2.6
YY05504		2.19	9.7	360	10.8	13.4	<0.001	0.02	1.99	1.5	0.2	0.9	10.0	<0.01	0.03	1.2
YY05505		2.52	17.1	410	12.0	14.6	<0.001	0.01	1.59	2.7	0.4	0.7	10.8	<0.01	0.03	2.1
YY05506		2.16	21.2	560	13.4	15.7	<0.001	0.03	3.23	2.7	0.8	0.7	13.5	<0.01	0.04	1.7
YY05507		2.40	18.8	500	11.5	15.1	<0.001	0.03	2.88	2.6	0.7	0.6	12.4	<0.01	0.03	1.7
YY05508		2.00	27.5	580	13.1	14.9	<0.001	0.03	3.19	3.2	0.5	0.6	14.5	<0.01	0.04	1.7
YY05509		2.11	12.9	490	14.0	10.5	<0.001	0.05	4.06	1.6	0.7	0.7	13.7	<0.01	0.05	0.6
YY05510		2.28	22.9	630	12.3	14.5	<0.001	0.02	1.82	3.5	0.5	0.6	13.9	<0.01	0.03	2.1
YY05511		2.01	23.3	490	11.5	12.8	<0.001	0.02	1.79	3.3	0.5	0.5	11.5	<0.01	0.05	2.5
YY05512		1.86	14.3	530	12.1	12.6	<0.001	0.03	2.22	2.0	0.7	0.8	11.3	<0.01	0.05	0.8
YY05513		2.28	9.9	440	12.0	13.0	<0.001	0.02	2.27	1.6	0.4	0.8	9.0	<0.01	0.07	1.5
YY05514		2.28	20.6	560	13.2	14.7	<0.001	0.03	3.00	2.8	0.4	0.6	13.4	<0.01	0.06	2.2
YY05515		2.55	24.8	450	12.1	14.1	<0.001	0.06	3.75	3.3	0.7	0.6	14.4	<0.01	0.07	2.9
YY05516		2.37	12.2	410	9.7	19.0	<0.001	0.03	1.67	2.1	0.5	0.8	10.2	<0.01	0.07	1.4
YY05517		2.47	11.9	380	9.2	12.7	<0.001	0.02	1.26	2.3	0.5	0.6	8.3	<0.01	0.05	1.7
YY05518		2.33	11.8	380	9.4	11.3	<0.001	0.02	1.43	1.8	0.3	0.7	7.5	<0.01	0.05	1.1
YY05519		2.10	11.4	340	10.2	12.2	<0.001	0.03	1.53	2.1	0.5	0.6	10.8	<0.01	0.04	1.7
YY05520		2.31	30.3	960	14.1	15.7	0.001	0.12	8.86	3.3	1.0	0.7	29.8	<0.01	0.06	0.7
YY05521		1.69	17.3	380	11.5	10.0	<0.001	0.02	2.25	2.4	0.4	0.5	10.7	<0.01	0.04	1.6
YY05522		1.82	11.7	500	13.1	9.5	<0.001	0.02	2.13	1.5	0.5	0.8	8.3	<0.01	0.04	0.5
YY05523		2.06	11.2	400	14.5	16.8	<0.001	0.02	2.93	1.9	0.3	0.7	8.9	<0.01	0.07	1.4
YY05524		2.01	19.3	510	14.1	15.7	<0.001	0.04	3.10	2.4	0.5	0.6	14.7	<0.01	0.05	1.3
YY05525		2.45	22.3	560	13.0	16.8	<0.001	0.04	3.78	3.1	0.6	0.6	11.4	<0.01	0.05	2.5
YY05526		2.16	16.5	560	13.2	16.4	<0.001	0.04	3.20	2.4	0.3	0.7	11.9	<0.01	0.06	1.5
YY05527		1.56	21.1	550	12.4	13.5	<0.001	0.03	3.02	2.7	0.5	0.6	13.2	<0.01	0.04	1.0

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-JUL-2018
 Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157165

Sample Description	Method	ME-MS41	Ag-OG46	Pb-OG46							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr	Ag	
	Units	%	ppm	Pb							
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001
YY00783		0.073	0.40	4.47	97	2.88	8.74	130	0.9		
YY00784		0.033	7.97	6.76	59	0.05	6.06	178	3.9	308	1.655
YY00785		0.084	0.48	1.84	70	0.20	8.43	116	1.0		
YY00786		0.054	0.20	1.05	60	0.25	4.74	89	0.5		
YY00787		0.075	0.39	2.64	103	0.24	13.85	127	1.3		
YY00788		0.143	0.48	2.65	135	0.17	4.73	139	2.2		
YY00789		0.099	0.60	2.95	119	0.15	20.5	285	2.0		
YY00790		0.089	0.25	2.32	118	0.17	4.74	140	1.8		
YY05501		0.082	0.18	0.74	85	0.22	3.78	117	1.4		
YY05502		0.073	0.11	0.33	73	0.22	1.50	54	0.6		
YY05503		0.058	0.12	0.46	62	0.23	2.25	39	1.0		
YY05504		0.083	0.12	0.39	79	0.25	1.77	36	0.7		
YY05505		0.076	0.14	0.45	74	0.27	2.37	79	0.9		
YY05506		0.072	0.11	0.46	67	0.23	2.52	86	0.6		
YY05507		0.064	0.12	0.45	66	0.29	2.32	74	0.7		
YY05508		0.071	0.10	0.62	66	0.24	3.69	82	0.5		
YY05509		0.072	0.11	0.41	76	0.26	2.01	43	0.7		
YY05510		0.067	0.15	0.65	69	0.27	2.88	78	0.8		
YY05511		0.064	0.15	0.69	65	0.26	2.99	68	0.9		
YY05512		0.060	0.11	0.51	83	0.24	2.22	49	0.6		
YY05513		0.083	0.13	0.32	93	0.25	1.63	39	0.6		
YY05514		0.070	0.14	0.50	77	0.28	2.63	69	0.8		
YY05515		0.069	0.13	0.47	68	0.26	2.31	74	2.1		
YY05516		0.071	0.12	0.41	92	0.26	2.03	56	0.6		
YY05517		0.069	0.12	0.38	72	0.24	1.92	55	0.7		
YY05518		0.060	0.11	0.33	72	0.26	1.64	46	<0.5		
YY05519		0.063	0.12	0.43	65	0.23	1.90	41	0.6		
YY05520		0.069	0.18	0.72	75	0.25	4.56	109	0.6		
YY05521		0.044	0.12	0.47	57	0.28	1.99	58	0.6		
YY05522		0.044	0.13	0.38	81	0.28	1.62	52	<0.5		
YY05523		0.063	0.12	0.32	78	0.24	1.66	58	0.5		
YY05524		0.062	0.13	0.47	71	0.29	2.09	59	0.6		
YY05525		0.066	0.14	0.44	75	0.39	2.14	73	1.4		
YY05526		0.066	0.14	0.42	92	0.33	2.09	57	0.6		
YY05527		0.056	0.11	0.66	67	0.26	4.13	61	<0.5		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-JUL-2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18157165



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

CERTIFICATE WH18215033

Project: SAWBUCK

This report is for 148 Soil samples submitted to our lab in Whitehorse, YT, Canada on 31-AUG-2018.

The following have access to data associated with this certificate:

HEATHER BURRELL
SCOTT NEWMAN

ANDREW CARNE

JACK MORTON

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****


Signature: Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY09820		0.18	0.002	1.97	0.92	10.6	<0.02	<10	270	0.14	0.41	0.27	0.20	17.55	3.5	19
YY09821		0.24	0.006	1.93	1.44	39.4	<0.02	<10	380	0.37	1.43	0.37	0.47	26.0	6.6	26
YY09822		0.25	0.008	0.88	0.88	11.2	<0.02	<10	140	0.23	1.02	0.23	0.25	20.1	2.6	19
YY09823		0.25	0.006	0.98	0.97	14.0	<0.02	<10	160	0.25	0.93	0.23	0.24	18.80	2.9	21
YY09824		0.46	0.010	0.54	1.60	17.8	<0.02	<10	200	0.39	0.94	0.33	0.29	26.6	6.4	34
YY09825		0.37	0.009	3.77	1.97	139.0	<0.02	<10	160	0.43	1.00	0.07	0.27	20.6	8.2	36
YY09826		0.27	0.005	1.11	1.97	53.2	<0.02	<10	360	0.52	0.35	0.08	0.55	23.0	9.6	35
YY09827		0.28	0.004	5.71	1.69	33.3	<0.02	<10	200	0.38	0.38	0.06	0.17	17.30	6.0	30
YY09828		0.31	0.016	39.3	1.28	87.8	<0.02	<10	170	0.30	6.07	0.17	0.42	25.1	6.2	29
YY09829		0.32	0.004	7.17	1.60	31.3	<0.02	<10	110	0.20	0.56	0.06	0.26	20.9	6.0	32
YY09830		0.31	<0.001	5.81	1.66	27.5	<0.02	<10	360	0.31	0.48	0.07	0.37	18.40	6.0	27
YY14751		0.35	0.002	0.13	1.24	11.4	<0.02	<10	90	0.19	0.25	0.05	0.28	21.4	4.3	22
YY14752		0.25	0.001	0.98	1.46	14.6	<0.02	<10	120	0.20	0.32	0.06	0.18	18.55	4.3	24
YY14753		0.26	0.001	0.38	1.55	15.4	<0.02	<10	190	0.21	0.27	0.07	0.30	20.6	6.6	26
YY14754		0.23	0.002	0.24	0.72	7.4	<0.02	<10	180	0.17	0.24	0.06	0.56	17.20	2.1	16
YY14755		0.27	0.004	0.75	1.26	12.8	<0.02	<10	220	0.46	0.31	0.07	0.70	27.5	4.0	21
YY14756		0.25	0.009	0.41	1.09	44.5	<0.02	<10	170	0.28	0.47	0.08	1.02	26.6	4.2	20
YY14757		0.26	0.003	1.03	1.37	16.7	<0.02	<10	270	0.32	0.44	0.15	1.20	23.4	5.6	27
YY14758		0.29	0.004	0.20	1.77	16.5	<0.02	<10	160	0.42	0.28	0.14	0.53	21.5	6.0	28
YY14759		0.27	0.007	0.52	1.93	11.3	<0.02	<10	320	0.71	0.28	0.95	1.04	28.1	10.0	31
YY14760		0.23	0.005	0.49	1.73	7.8	<0.02	<10	260	0.49	0.22	0.62	0.93	22.2	8.6	28
YY14761		0.24	0.003	0.37	1.66	14.2	<0.02	<10	120	0.33	0.31	0.06	0.48	21.3	6.4	29
YY14762		0.20	0.005	0.24	1.55	14.3	<0.02	<10	180	0.37	0.31	0.07	0.50	20.9	7.2	29
YY14763		0.24	0.002	1.92	1.60	19.0	<0.02	<10	170	0.32	0.43	0.06	0.41	19.30	6.5	25
YY14764		0.28	0.034	1.33	1.69	79.7	0.03	<10	200	0.59	1.23	0.09	0.63	27.0	10.2	40
YY14765		0.23	0.003	3.01	1.15	26.7	<0.02	<10	120	0.19	0.60	0.06	0.49	20.1	5.1	23
YY14766		0.32	0.002	0.75	1.07	21.8	<0.02	<10	140	0.20	0.64	0.09	0.33	20.5	4.5	24
YY14767		0.21	0.009	2.07	1.44	16.2	<0.02	<10	550	0.41	0.64	0.30	1.32	23.8	11.7	24
YY14768		0.43	0.001	0.64	2.01	12.5	<0.02	<10	190	0.40	0.26	0.07	0.29	20.9	6.1	29
YY14769		0.35	0.006	1.19	1.20	18.6	<0.02	<10	120	0.22	0.80	0.09	0.22	23.9	6.0	26
YY14770		0.15	0.006	0.16	1.10	24.1	<0.02	<10	100	0.23	0.74	0.13	0.32	19.40	4.4	29
YY14771		0.09	<0.001	0.35	0.45	3.9	<0.02	<10	120	0.21	0.26	0.14	0.63	8.18	1.4	13
YY14772		0.19	0.008	0.85	1.66	43.4	<0.02	<10	290	0.51	1.83	0.55	0.44	30.9	9.9	28
YY14773		0.18	0.007	0.74	1.49	24.7	0.02	<10	260	0.57	1.16	0.44	0.18	33.7	7.9	28
YY14774		0.12	0.019	0.81	1.24	19.3	<0.02	<10	240	0.39	1.03	0.74	0.52	24.9	7.9	25
YY14775		0.24	0.007	0.70	1.12	9.2	<0.02	<10	160	0.23	1.22	0.41	0.24	20.2	2.8	24
YY14776		0.16	0.004	0.64	1.67	24.7	<0.02	<10	160	0.42	0.25	0.06	0.76	19.40	7.9	26
YY14777		0.12	0.015	1.03	0.49	8.9	<0.02	<10	640	0.22	0.18	0.45	2.72	8.34	12.1	17
YY14778		0.27	0.009	0.30	2.14	60.7	<0.02	<10	260	0.90	2.41	0.11	0.16	29.9	6.6	36
YY14779		0.30	0.006	0.30	1.36	35.1	0.03	<10	150	0.59	0.93	0.13	0.41	34.0	7.6	23

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm	ME-MS41 Cu ppm	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %
YY09820		1.36	27.7	1.27	3.82	<0.05	<0.02	0.10	0.016	0.04	8.9	10.2	0.32	89	1.01	<0.01
YY09821		4.14	23.4	2.04	4.86	<0.05	<0.02	0.11	0.021	0.04	14.6	13.0	0.49	172	1.20	<0.01
YY09822		3.28	14.6	1.11	4.47	<0.05	<0.02	0.09	0.016	0.04	11.1	6.6	0.23	64	0.64	<0.01
YY09823		3.26	15.9	1.40	4.18	<0.05	<0.02	0.08	0.014	0.05	10.0	7.2	0.29	96	0.76	<0.01
YY09824		3.87	27.8	2.00	5.47	0.05	0.03	0.04	0.023	0.16	13.8	20.6	0.85	208	1.55	0.01
YY09825		1.53	24.0	3.13	5.25	<0.05	<0.02	0.17	0.064	0.04	10.0	15.8	0.34	360	4.36	<0.01
YY09826		2.02	34.7	3.24	5.91	<0.05	0.02	0.06	0.038	0.06	10.4	18.4	0.46	425	2.25	<0.01
YY09827		1.53	15.0	3.18	6.59	<0.05	<0.02	0.19	0.035	0.04	8.5	19.4	0.28	396	2.56	<0.01
YY09828		1.94	72.5	3.54	5.17	<0.05	0.03	0.51	0.079	0.07	12.7	11.4	0.28	256	3.24	<0.01
YY09829		1.38	13.2	4.26	6.67	<0.05	<0.02	0.09	0.036	0.04	10.5	16.9	0.33	383	1.94	<0.01
YY09830		1.17	11.2	3.11	6.77	<0.05	<0.02	0.07	0.029	0.04	9.4	14.9	0.25	372	1.56	<0.01
YY14751		1.41	13.1	2.70	7.25	<0.05	<0.02	0.03	0.020	0.03	10.6	8.0	0.19	277	1.30	<0.01
YY14752		1.25	15.9	3.06	7.48	<0.05	<0.02	0.05	0.026	0.04	9.2	9.0	0.16	314	1.61	<0.01
YY14753		1.24	16.2	2.86	6.73	<0.05	<0.02	0.07	0.026	0.04	10.0	9.5	0.22	395	1.32	<0.01
YY14754		1.59	16.5	1.09	4.01	<0.05	<0.02	0.03	0.016	0.03	8.6	2.0	0.08	47	0.84	<0.01
YY14755		2.06	41.8	1.73	4.60	<0.05	<0.02	0.04	0.024	0.04	14.4	5.3	0.19	199	1.56	<0.01
YY14756		1.93	31.2	2.20	5.24	<0.05	<0.02	0.07	0.025	0.05	17.2	10.5	0.22	174	2.16	<0.01
YY14757		2.59	39.3	2.41	6.31	<0.05	0.02	0.05	0.032	0.06	12.5	9.0	0.40	223	2.54	<0.01
YY14758		2.11	14.4	2.83	8.05	<0.05	0.04	0.03	0.023	0.07	10.5	17.7	0.47	212	2.20	<0.01
YY14759		2.44	34.7	1.93	6.62	<0.05	0.05	0.06	0.031	0.09	13.7	16.5	0.76	457	1.93	0.01
YY14760		1.93	24.9	1.70	5.98	<0.05	0.02	0.05	0.024	0.08	10.8	13.6	0.57	563	1.82	<0.01
YY14761		2.23	22.4	3.07	6.32	<0.05	<0.02	0.07	0.028	0.04	10.2	13.1	0.29	389	1.48	<0.01
YY14762		3.00	23.0	3.00	6.60	<0.05	<0.02	0.05	0.028	0.05	10.2	12.0	0.26	356	1.69	<0.01
YY14763		1.67	23.1	3.20	7.44	<0.05	<0.02	0.06	0.028	0.05	9.6	14.9	0.19	390	1.62	<0.01
YY14764		3.53	102.5	4.16	5.85	<0.05	0.04	0.05	0.050	0.09	13.8	20.4	0.61	263	4.00	<0.01
YY14765		1.36	15.9	3.19	7.06	<0.05	<0.02	0.05	0.021	0.05	10.1	9.1	0.17	362	1.85	<0.01
YY14766		1.24	12.9	2.80	6.65	<0.05	<0.02	0.03	0.019	0.05	10.1	8.8	0.26	241	1.67	<0.01
YY14767		1.91	77.8	2.36	4.67	<0.05	0.02	0.09	0.039	0.04	11.4	14.6	0.29	360	2.30	<0.01
YY14768		1.20	12.9	3.03	6.58	<0.05	0.07	0.04	0.026	0.03	10.6	13.3	0.25	234	1.27	<0.01
YY14769		1.92	24.9	1.95	7.71	<0.05	<0.02	0.04	0.021	0.08	11.8	9.0	0.30	227	1.60	<0.01
YY14770		2.66	16.2	2.07	7.70	<0.05	0.02	0.17	0.019	0.08	9.6	8.0	0.36	171	1.11	<0.01
YY14771		1.47	12.6	0.76	1.56	<0.05	<0.02	0.09	0.010	0.06	5.3	1.7	0.08	47	0.88	<0.01
YY14772		5.89	27.7	1.98	5.88	0.05	0.02	0.06	0.027	0.05	18.1	18.4	0.62	322	2.44	0.01
YY14773		3.62	40.0	2.04	4.52	0.06	0.02	0.07	0.027	0.06	17.7	15.1	0.58	215	1.68	0.01
YY14774		3.45	31.3	1.56	4.33	0.05	0.02	0.09	0.022	0.05	13.7	12.8	0.51	344	1.74	0.01
YY14775		3.19	14.2	1.16	4.72	<0.05	<0.02	0.07	0.016	0.05	11.3	11.3	0.47	80	0.51	0.01
YY14776		1.36	28.5	2.61	4.88	<0.05	<0.02	0.10	0.027	0.04	9.4	15.5	0.30	301	1.39	<0.01
YY14777		2.85	34.9	1.10	2.98	<0.05	<0.02	0.06	0.015	0.05	4.2	2.9	0.17	1660	3.97	<0.01
YY14778		7.98	21.6	3.07	8.18	0.06	0.04	0.04	0.027	0.11	15.3	16.9	0.81	206	1.35	<0.01
YY14779		2.51	24.2	2.37	4.54	0.05	0.02	0.04	0.027	0.05	16.0	14.3	0.37	318	1.61	<0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
YY09820		0.60	11.8	620	29.5	6.2	0.002	0.04	3.99	1.1	1.1	0.4	21.8	<0.01	0.02	0.3
YY09821		1.53	16.5	760	30.9	11.2	0.001	0.07	4.48	2.2	1.8	0.6	36.2	<0.01	0.02	0.9
YY09822		1.04	8.2	530	20.4	10.7	<0.001	0.04	2.93	1.3	0.5	0.5	23.5	<0.01	0.02	0.4
YY09823		1.16	9.1	680	19.3	12.8	<0.001	0.05	2.84	1.3	0.7	0.4	22.5	<0.01	0.02	0.3
YY09824		2.53	20.0	900	17.9	18.9	0.001	0.02	5.28	3.4	0.7	0.5	23.7	<0.01	0.03	3.2
YY09825		0.89	18.8	930	135.0	7.1	<0.001	0.04	16.80	2.1	2.0	1.6	10.8	0.01	0.06	0.9
YY09826		1.41	22.8	650	33.3	11.1	<0.001	0.04	7.07	3.3	1.1	0.6	12.4	<0.01	0.07	2.1
YY09827		1.45	12.7	530	27.7	9.5	<0.001	0.03	4.77	2.0	1.0	0.6	8.4	<0.01	0.05	1.1
YY09828		1.21	19.2	1260	719	8.8	<0.001	0.09	90.5	2.6	2.2	3.7	18.3	<0.01	0.08	3.7
YY09829		1.62	13.4	500	80.5	9.9	<0.001	0.02	6.54	2.2	0.8	0.8	8.5	<0.01	0.07	1.3
YY09830		1.58	11.6	510	74.8	10.9	<0.001	0.02	3.41	2.1	0.6	0.7	9.6	<0.01	0.04	1.6
YY14751		1.78	8.9	380	15.8	8.3	<0.001	0.01	1.32	1.8	0.3	0.7	6.9	<0.01	0.05	1.1
YY14752		1.71	10.4	440	32.0	8.0	<0.001	0.02	4.43	1.7	0.4	0.7	7.4	<0.01	0.05	1.2
YY14753		1.37	12.0	600	28.2	8.0	<0.001	0.02	3.12	1.7	0.4	0.6	8.9	<0.01	0.04	0.8
YY14754		0.17	7.4	630	18.9	6.9	<0.001	0.03	2.23	0.1	0.3	0.5	12.1	<0.01	0.03	<0.2
YY14755		0.48	14.3	650	24.3	12.2	<0.001	0.05	3.71	0.4	0.4	0.5	11.0	<0.01	0.04	<0.2
YY14756		1.40	12.6	420	30.2	12.3	<0.001	0.03	6.26	2.1	0.5	0.6	11.1	<0.01	0.05	1.3
YY14757		1.87	18.3	480	42.2	14.7	<0.001	0.04	6.77	2.1	0.6	0.7	19.4	<0.01	0.05	1.2
YY14758		2.40	14.1	380	19.7	20.2	<0.001	0.02	1.78	2.5	0.3	0.6	18.6	<0.01	0.04	3.1
YY14759		2.14	19.6	720	31.0	16.7	<0.001	0.06	3.05	3.1	0.9	0.6	56.0	<0.01	0.03	2.1
YY14760		1.56	15.7	670	27.3	16.0	<0.001	0.06	1.95	2.2	0.9	0.5	38.1	<0.01	0.03	1.0
YY14761		0.99	15.3	530	23.5	9.0	<0.001	0.04	3.29	1.4	0.5	0.6	9.1	<0.01	0.04	0.3
YY14762		1.34	16.8	560	25.2	10.5	<0.001	0.05	3.58	1.7	0.5	0.6	11.3	<0.01	0.05	0.6
YY14763		1.51	12.1	510	26.1	11.2	<0.001	0.03	4.26	1.8	0.5	0.7	7.3	<0.01	0.06	0.8
YY14764		2.95	38.1	730	67.9	11.6	<0.001	0.04	28.4	3.5	1.6	0.6	19.1	<0.01	0.07	3.4
YY14765		1.72	10.2	510	48.1	12.4	<0.001	0.02	6.67	1.6	0.4	0.7	8.2	<0.01	0.05	1.0
YY14766		1.38	12.0	490	24.0	11.6	<0.001	0.03	4.52	1.5	0.4	0.6	11.5	<0.01	0.04	0.5
YY14767		1.09	21.7	720	47.4	9.6	0.002	0.05	6.14	2.2	1.5	0.5	28.6	<0.01	0.04	0.7
YY14768		1.62	13.5	320	19.4	8.0	<0.001	0.01	1.38	2.9	0.6	0.6	9.3	0.01	0.04	3.3
YY14769		1.20	13.9	600	54.4	9.9	<0.001	0.02	7.09	1.2	0.5	1.0	10.9	<0.01	0.03	0.3
YY14770		1.52	13.3	550	26.5	8.7	<0.001	0.03	5.03	1.2	0.4	0.7	15.0	<0.01	0.03	0.3
YY14771		0.38	7.0	720	6.3	5.8	<0.001	0.09	1.41	0.5	0.5	0.2	15.9	<0.01	0.03	<0.2
YY14772		1.77	18.8	700	25.9	14.1	0.001	0.05	5.45	2.9	1.0	0.6	53.7	<0.01	0.02	1.5
YY14773		1.39	19.1	890	26.0	11.5	<0.001	0.05	7.00	2.7	0.8	0.5	36.5	<0.01	0.03	1.4
YY14774		1.36	15.3	620	19.9	13.1	<0.001	0.06	4.86	2.2	1.0	0.5	47.3	<0.01	0.02	0.8
YY14775		1.17	11.1	620	17.4	12.4	<0.001	0.05	3.76	1.9	0.7	0.5	28.0	<0.01	0.01	0.7
YY14776		1.06	19.8	420	39.3	7.9	<0.001	0.03	3.23	2.4	0.6	0.5	8.0	<0.01	0.05	1.5
YY14777		0.97	23.0	800	17.6	11.2	<0.001	0.10	2.62	0.4	0.5	0.3	47.6	<0.01	0.04	<0.2
YY14778		2.97	14.3	360	18.1	18.6	<0.001	0.02	10.15	4.0	0.6	1.0	62.8	<0.01	0.04	5.5
YY14779		0.99	17.8	590	26.7	9.0	<0.001	0.01	5.95	2.3	0.5	0.5	13.1	<0.01	0.03	1.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016-510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-SEP-2018
 Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
	Units	%	ppm						
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY09820		0.032	0.17	0.89	30	0.20	3.47	43	<0.5
YY09821		0.055	0.27	2.68	48	0.30	6.73	70	0.5
YY09822		0.041	0.24	1.71	20	0.29	3.42	30	<0.5
YY09823		0.047	0.19	1.68	27	0.23	3.65	34	<0.5
YY09824		0.101	0.24	1.62	72	0.26	6.96	86	1.1
YY09825		0.038	0.21	1.84	111	0.27	3.70	60	0.6
YY09826		0.062	0.20	1.41	72	0.25	3.95	57	0.9
YY09827		0.054	0.17	0.84	66	0.24	2.21	53	0.5
YY09828		0.052	0.33	1.38	77	0.35	4.94	73	1.2
YY09829		0.060	0.16	0.58	72	0.26	2.41	52	0.5
YY09830		0.050	0.15	0.52	69	0.26	1.98	54	0.5
YY14751		0.065	0.14	0.45	68	0.24	1.93	38	0.5
YY14752		0.054	0.14	0.46	76	0.23	1.88	49	<0.5
YY14753		0.056	0.13	0.58	68	0.23	2.44	49	<0.5
YY14754		0.006	0.14	0.74	30	0.09	2.23	21	<0.5
YY14755		0.022	0.13	1.77	46	0.21	5.51	41	<0.5
YY14756		0.050	0.15	2.07	57	0.25	7.81	51	0.5
YY14757		0.073	0.14	1.54	83	0.30	3.63	52	1.0
YY14758		0.085	0.18	0.85	95	0.25	3.05	74	1.8
YY14759		0.075	0.22	3.62	69	0.22	8.63	108	1.9
YY14760		0.060	0.19	2.05	57	0.11	5.61	88	0.9
YY14761		0.055	0.17	0.76	64	0.18	2.92	61	<0.5
YY14762		0.057	0.14	0.86	64	0.30	2.67	56	<0.5
YY14763		0.055	0.18	0.58	74	0.20	2.19	69	<0.5
YY14764		0.085	0.34	1.47	94	0.34	5.89	107	2.0
YY14765		0.067	0.17	0.44	76	0.23	1.78	59	0.5
YY14766		0.060	0.12	0.39	65	0.20	1.86	44	<0.5
YY14767		0.043	0.23	3.62	51	0.19	7.56	65	0.5
YY14768		0.054	0.13	0.59	67	0.18	2.82	48	2.5
YY14769		0.062	0.20	0.87	76	0.28	3.18	48	<0.5
YY14770		0.079	0.14	0.76	80	0.35	3.06	59	0.6
YY14771		0.019	0.06	0.61	14	0.05	1.69	20	<0.5
YY14772		0.073	0.27	3.22	53	0.49	7.46	89	0.7
YY14773		0.068	0.21	2.69	52	0.31	8.71	72	0.8
YY14774		0.060	0.20	2.32	46	0.25	6.53	65	0.7
YY14775		0.058	0.19	1.35	31	0.26	3.90	49	<0.5
YY14776		0.045	0.16	0.73	51	0.23	2.74	59	0.5
YY14777		0.027	0.23	0.61	53	0.22	1.40	40	<0.5
YY14778		0.136	0.30	1.42	86	0.44	3.80	59	1.9
YY14779		0.047	0.20	1.25	47	0.38	5.19	59	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY14780		0.25	0.014	0.45	1.91	20.6	<0.02	<10	130	0.62	0.51	0.15	0.40	28.8	6.4	32
YY14781		0.19	0.011	0.79	1.65	20.9	<0.02	<10	160	0.52	0.76	0.20	0.47	25.7	5.9	38
YY14782		0.22	0.013	0.44	1.82	29.7	0.02	<10	160	0.63	1.16	0.24	0.36	28.9	7.0	35
YY14783		0.14	0.011	1.01	1.28	26.6	<0.02	<10	140	0.40	2.75	0.33	0.70	19.05	4.5	27
YY14784		0.14	0.005	1.13	1.81	43.2	<0.02	<10	200	0.49	3.29	0.32	0.98	23.2	13.5	37
YY14785		0.33	0.012	1.15	1.84	34.2	<0.02	<10	270	0.70	2.57	0.61	0.85	35.6	10.1	32
YY14786		0.20	0.016	1.26	1.92	39.5	<0.02	<10	290	0.73	3.35	0.47	0.62	35.2	14.7	33
YY14787		0.22	0.007	0.58	2.12	40.5	<0.02	<10	150	0.50	1.82	0.08	0.27	20.6	5.7	44
YY14788		0.20	0.004	0.23	1.13	17.0	<0.02	<10	90	0.22	0.48	0.05	0.13	20.5	2.9	25
YY14789		0.14	<0.001	0.45	1.35	20.9	<0.02	<10	80	0.28	0.34	0.05	0.14	17.80	4.4	25
YY14790		0.20	0.002	0.22	1.64	16.6	<0.02	<10	170	0.45	0.48	0.07	0.38	21.8	4.2	30
YY14791		0.10	0.008	0.62	0.94	12.2	<0.02	<10	370	0.41	0.83	1.38	0.87	26.5	4.1	19
YY14792		0.19	0.005	0.28	1.95	54.2	<0.02	<10	320	0.83	1.47	0.43	0.59	24.1	11.2	33
YY14793		0.18	0.002	2.20	1.10	111.5	<0.02	<10	110	0.54	5.61	0.17	0.54	37.7	5.1	20
YY14794		0.20	0.009	0.69	1.67	36.0	<0.02	<10	260	0.90	3.12	0.40	1.50	34.2	7.2	31
YY14795		0.12	0.006	0.67	1.27	11.4	<0.02	<10	330	0.21	0.56	0.28	0.73	20.4	5.6	34
YY14796		0.19	0.019	1.18	1.47	21.5	<0.02	<10	340	0.56	1.39	0.20	0.59	18.75	11.7	29
YY14797		0.22	0.004	0.24	1.42	16.1	<0.02	<10	150	0.33	0.68	0.29	0.35	23.4	4.0	29
YY14798		0.20	0.021	0.95	1.91	34.5	<0.02	<10	220	0.92	0.60	0.32	0.78	38.3	16.6	36
YY14799		0.32	0.003	0.26	1.46	12.1	<0.02	<10	130	0.40	0.30	0.06	0.27	24.9	5.2	27
YY14800		0.19	0.010	0.46	1.59	16.7	<0.02	<10	250	0.44	0.45	0.13	0.36	26.1	10.9	32
YY14801		0.16	0.007	0.97	1.25	19.8	<0.02	<10	210	0.51	1.80	0.23	0.61	31.8	4.7	24
YY14802		0.36	0.004	0.29	1.25	9.5	<0.02	<10	220	0.33	0.24	0.21	0.36	25.8	7.5	23
YY14803		0.38	0.001	0.19	1.22	8.9	<0.02	<10	220	0.37	0.31	0.19	0.25	26.9	6.5	23
YY14804		0.46	0.001	0.23	1.46	10.3	<0.02	<10	240	0.40	0.25	0.15	0.36	26.3	5.8	27
YY14805		0.38	0.002	0.26	1.37	11.8	<0.02	<10	240	0.32	0.24	0.16	0.28	27.3	7.7	27
YY14806		0.21	0.003	0.36	1.39	13.5	<0.02	<10	310	0.29	0.27	0.12	0.27	22.5	4.0	27
YY14807		0.32	0.003	0.67	1.24	13.0	<0.02	<10	510	0.25	0.26	0.13	0.52	21.4	4.1	22
YY14808		0.23	0.005	0.41	1.43	18.2	<0.02	<10	280	0.26	0.29	0.09	0.43	23.4	6.6	24
YY14809		0.31	0.006	0.66	1.54	21.6	<0.02	<10	340	0.35	0.30	0.11	0.60	23.4	6.9	25
YY14810		0.28	0.002	0.15	1.36	22.3	<0.02	<10	130	0.17	0.28	0.08	0.29	20.4	5.0	27
YY14811		0.25	0.003	0.35	1.33	25.2	<0.02	<10	140	0.21	0.43	0.05	0.25	20.4	3.1	23
YY14812		0.31	<0.001	0.23	1.29	42.3	<0.02	<10	130	1.02	2.77	0.19	0.64	37.9	5.3	22
YY14813		0.29	0.002	1.36	1.60	11.6	<0.02	<10	150	0.41	0.40	0.07	0.32	21.8	5.6	28
YY14814		0.23	<0.001	0.37	1.47	11.0	<0.02	<10	130	0.24	0.31	0.05	0.43	19.95	4.8	27
YY14815		0.27	<0.001	0.30	1.64	26.9	<0.02	<10	120	0.33	0.35	0.06	0.25	22.3	6.2	30
YY14816		0.25	<0.001	0.58	1.25	17.1	<0.02	<10	120	0.15	0.31	0.05	0.18	17.15	2.9	22
YY14817		0.24	<0.001	0.11	1.69	15.0	<0.02	<10	100	0.34	0.30	0.06	0.42	18.75	8.3	26
YY14818		0.35	<0.001	0.24	1.74	14.8	<0.02	<10	210	0.39	0.31	0.07	0.72	23.3	7.1	34
YY14819		0.37	<0.001	0.41	1.90	15.4	<0.02	<10	170	0.41	0.33	0.06	0.58	21.3	12.8	29

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
YY14780		4.61	19.5	2.75	7.07	0.05	0.03	0.09	0.030	0.09	13.0	21.1	0.61	283	1.56	<0.01
YY14781		4.56	23.7	2.05	6.74	0.06	0.02	0.04	0.025	0.21	12.5	22.3	0.90	244	1.35	0.01
YY14782		4.45	29.8	2.62	6.52	0.07	0.04	0.04	0.029	0.09	14.2	30.5	0.83	236	1.59	0.01
YY14783		2.66	35.2	1.54	5.38	<0.05	0.02	0.05	0.024	0.07	10.5	14.8	0.54	132	1.99	<0.01
YY14784		6.28	43.3	2.19	6.44	0.05	<0.02	0.06	0.032	0.07	12.7	28.5	0.86	577	4.04	0.01
YY14785		5.68	54.7	2.05	6.39	0.06	0.02	0.05	0.035	0.05	20.0	24.9	0.77	346	2.81	0.01
YY14786		5.47	51.6	2.24	6.47	0.06	0.02	0.06	0.039	0.05	18.9	25.3	0.82	896	4.56	0.01
YY14787		4.59	26.3	4.30	10.40	0.05	0.05	0.05	0.041	0.11	10.7	31.4	0.81	216	3.87	<0.01
YY14788		2.44	13.4	2.94	9.42	<0.05	0.02	0.02	0.020	0.06	10.6	9.3	0.30	156	2.81	<0.01
YY14789		2.04	11.5	4.47	8.41	<0.05	0.02	0.03	0.026	0.04	9.0	14.6	0.25	205	1.90	<0.01
YY14790		2.84	14.4	3.04	9.49	<0.05	0.03	0.03	0.027	0.06	11.5	29.9	0.37	190	4.02	<0.01
YY14791		1.26	71.9	1.28	3.05	0.06	0.02	0.06	0.018	0.05	16.1	10.3	0.41	125	2.17	0.01
YY14792		5.65	33.3	2.15	6.78	0.06	<0.02	0.09	0.051	0.13	12.5	30.5	1.11	766	1.06	0.01
YY14793		4.18	41.5	2.29	5.08	<0.05	<0.02	0.08	0.040	0.04	16.7	11.7	0.30	215	1.87	<0.01
YY14794		7.17	47.2	2.26	6.29	0.07	0.02	0.11	0.042	0.17	17.6	23.8	0.95	512	1.47	0.01
YY14795		4.51	24.4	2.33	6.29	0.05	<0.02	0.05	0.025	0.28	11.4	9.2	0.49	460	3.42	<0.01
YY14796		4.84	38.0	2.35	5.78	<0.05	<0.02	0.05	0.027	0.10	9.6	18.2	0.61	958	2.29	<0.01
YY14797		3.33	23.1	2.30	8.51	0.05	0.02	0.03	0.026	0.09	12.2	14.2	0.48	174	2.21	<0.01
YY14798		9.73	138.0	3.28	6.74	0.07	<0.02	0.06	0.053	0.14	21.1	23.3	0.71	634	5.98	<0.01
YY14799		2.52	20.3	2.89	6.30	<0.05	<0.02	0.03	0.025	0.07	12.9	16.2	0.34	256	2.46	<0.01
YY14800		2.99	42.9	3.33	6.19	0.05	0.02	0.10	0.033	0.12	13.7	18.5	0.49	444	3.66	<0.01
YY14801		2.35	50.2	1.86	4.43	0.05	0.02	0.05	0.029	0.04	18.2	12.9	0.38	144	2.78	<0.01
YY14802		1.19	21.5	1.96	3.94	<0.05	<0.02	0.04	0.021	0.05	12.8	13.5	0.39	241	0.97	<0.01
YY14803		1.07	21.8	1.91	4.06	<0.05	<0.02	0.03	0.021	0.05	13.7	12.8	0.36	166	0.89	<0.01
YY14804		1.14	34.2	2.26	4.35	<0.05	<0.02	0.05	0.023	0.05	13.2	13.5	0.40	166	0.96	<0.01
YY14805		1.13	33.3	2.23	4.11	0.05	0.02	0.07	0.023	0.05	13.8	13.3	0.41	214	1.01	<0.01
YY14806		1.33	27.2	2.12	4.21	<0.05	<0.02	0.16	0.026	0.05	11.4	11.4	0.33	102	1.07	<0.01
YY14807		1.50	26.0	1.86	3.92	<0.05	<0.02	0.18	0.021	0.04	10.6	10.4	0.27	95	1.14	<0.01
YY14808		2.16	31.6	2.01	4.94	<0.05	<0.02	0.13	0.026	0.05	12.2	14.5	0.33	151	1.73	<0.01
YY14809		2.15	35.8	2.16	5.00	<0.05	<0.02	0.13	0.023	0.05	12.0	16.0	0.36	168	1.74	0.01
YY14810		1.58	20.3	2.51	5.65	<0.05	<0.02	0.08	0.025	0.03	10.7	10.8	0.30	142	1.68	<0.01
YY14811		1.28	10.5	2.95	7.24	<0.05	<0.02	0.03	0.022	0.03	10.7	12.5	0.15	199	2.39	<0.01
YY14812		4.18	25.0	2.75	4.62	<0.05	<0.02	0.03	0.025	0.07	18.6	11.9	0.32	340	4.83	<0.01
YY14813		3.37	14.9	3.35	7.09	<0.05	<0.02	0.04	0.024	0.05	11.1	24.1	0.34	296	2.07	<0.01
YY14814		3.68	16.5	3.46	8.02	<0.05	<0.02	0.05	0.027	0.04	10.0	12.1	0.22	340	2.49	<0.01
YY14815		2.93	24.3	3.92	9.63	<0.05	0.02	0.04	0.031	0.05	11.4	19.8	0.27	254	2.39	0.01
YY14816		0.81	8.8	2.83	7.64	<0.05	<0.02	0.04	0.018	0.02	9.0	6.7	0.12	187	2.23	0.01
YY14817		1.98	21.7	3.23	6.29	<0.05	0.02	0.04	0.024	0.03	9.6	22.0	0.29	331	1.27	0.01
YY14818		3.08	28.6	3.71	7.77	0.05	<0.02	0.05	0.031	0.06	12.2	24.4	0.30	328	1.87	0.01
YY14819		2.35	19.4	3.60	7.95	<0.05	0.03	0.05	0.025	0.05	10.9	21.6	0.25	469	1.63	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41														
	Analyte Units LOD	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
YY14780		2.71	14.4	560	24.2	17.1	<0.001	0.02	2.82	2.9	0.7	0.6	14.7	0.01	0.04	3.4
YY14781		2.66	15.7	660	19.0	21.3	<0.001	0.02	4.62	2.7	0.4	0.5	18.3	<0.01	0.03	1.7
YY14782		2.83	20.0	760	26.9	14.4	<0.001	0.02	7.99	3.2	0.7	0.6	21.1	<0.01	0.03	4.0
YY14783		1.50	15.4	690	20.3	8.2	<0.001	0.06	7.58	1.5	0.4	0.7	25.5	<0.01	0.03	0.4
YY14784		1.74	23.5	800	22.6	10.6	<0.001	0.07	9.53	2.3	1.2	0.8	28.5	<0.01	0.04	0.7
YY14785		1.93	22.8	810	26.4	13.6	0.001	0.05	8.30	2.8	1.3	0.7	37.5	<0.01	0.03	1.2
YY14786		1.72	24.1	850	30.6	11.9	0.002	0.06	9.63	2.8	1.4	0.8	35.1	<0.01	0.03	1.2
YY14787		3.96	22.9	530	19.2	13.2	<0.001	0.02	7.51	3.8	0.8	1.0	10.3	<0.01	0.08	3.5
YY14788		2.26	10.4	460	10.9	9.2	<0.001	0.02	3.39	1.8	0.5	0.9	7.2	<0.01	0.06	0.9
YY14789		2.23	9.7	330	11.5	7.1	<0.001	0.02	1.43	1.9	0.4	0.6	7.8	<0.01	0.05	1.9
YY14790		2.74	17.0	390	14.2	11.4	<0.001	0.01	2.30	2.4	0.6	0.9	8.9	<0.01	0.06	2.5
YY14791		0.90	20.8	720	8.5	6.4	0.001	0.10	4.58	1.7	1.4	0.3	69.5	<0.01	0.02	0.6
YY14792		1.57	19.0	900	18.3	13.3	<0.001	0.04	17.00	2.7	0.7	0.5	53.4	<0.01	0.04	1.7
YY14793		0.77	12.2	550	35.9	10.3	<0.001	0.05	11.00	1.2	0.4	0.7	24.7	<0.01	0.03	0.5
YY14794		1.70	18.4	920	45.3	17.0	<0.001	0.06	20.7	2.4	0.7	0.9	34.4	<0.01	0.02	1.1
YY14795		0.63	17.1	1950	9.2	24.5	<0.001	0.06	5.22	0.3	0.8	0.9	16.9	<0.01	0.04	<0.2
YY14796		0.97	23.3	910	17.5	22.6	<0.001	0.08	7.46	0.7	0.8	1.0	22.0	<0.01	0.03	<0.2
YY14797		1.58	15.5	1870	14.0	16.6	0.001	0.03	3.94	1.3	0.7	1.0	22.7	<0.01	0.06	0.3
YY14798		1.50	51.3	1820	32.1	16.5	0.001	0.08	17.75	1.6	1.2	0.6	29.3	<0.01	0.06	0.3
YY14799		1.38	14.8	580	13.8	12.4	<0.001	0.03	3.18	1.7	0.5	0.6	9.8	<0.01	0.06	0.9
YY14800		1.13	22.3	1120	16.0	12.9	<0.001	0.06	5.47	1.6	1.1	0.5	19.9	<0.01	0.07	0.4
YY14801		1.17	20.3	770	15.5	8.0	<0.001	0.07	5.59	1.7	1.1	0.5	21.6	<0.01	0.03	0.5
YY14802		0.60	19.9	710	11.1	7.3	<0.001	0.01	2.32	2.0	0.7	0.3	19.2	<0.01	0.02	0.9
YY14803		0.56	17.5	630	11.0	7.1	<0.001	0.01	3.00	1.8	0.5	0.3	16.5	<0.01	0.03	0.7
YY14804		0.59	19.4	670	10.6	8.4	<0.001	0.02	3.33	2.1	0.7	0.4	16.2	<0.01	0.03	0.6
YY14805		0.67	21.0	680	10.8	7.6	<0.001	0.01	3.82	2.6	0.5	0.4	16.7	<0.01	0.03	1.3
YY14806		0.49	14.7	780	10.5	8.8	<0.001	0.03	3.74	1.4	1.1	0.4	15.2	<0.01	0.03	0.3
YY14807		0.43	15.1	690	10.1	9.5	<0.001	0.04	2.71	1.2	1.1	0.4	18.3	<0.01	0.03	0.2
YY14808		0.49	18.7	570	11.9	12.2	<0.001	0.04	3.04	1.2	0.8	0.6	12.7	<0.01	0.04	<0.2
YY14809		0.50	21.8	710	12.3	11.7	<0.001	0.04	3.32	1.2	0.7	0.5	14.1	<0.01	0.05	<0.2
YY14810		0.97	13.9	460	12.2	7.0	<0.001	0.04	3.06	1.4	0.6	0.5	11.1	<0.01	0.04	0.3
YY14811		1.51	7.9	460	11.7	9.8	<0.001	0.02	3.00	1.8	0.6	0.8	7.6	<0.01	0.05	1.7
YY14812		0.41	17.4	720	21.6	16.7	<0.001	0.06	14.65	0.9	0.3	0.7	20.8	<0.01	0.04	0.3
YY14813		1.64	14.4	350	11.4	13.4	<0.001	0.02	2.01	2.3	0.8	0.7	9.3	<0.01	0.05	2.1
YY14814		1.63	10.2	460	11.4	15.2	<0.001	0.04	1.68	1.9	0.5	0.8	7.6	<0.01	0.05	0.9
YY14815		2.17	13.9	500	13.2	11.5	<0.001	0.01	1.83	2.5	0.6	0.8	9.5	<0.01	0.08	2.1
YY14816		1.82	6.4	420	12.1	4.7	<0.001	0.02	1.85	1.5	0.7	0.8	7.0	<0.01	0.04	0.9
YY14817		1.63	14.4	420	9.8	8.2	0.001	0.01	1.71	2.2	0.4	0.5	8.0	<0.01	0.04	1.7
YY14818		2.14	17.0	570	14.1	12.6	<0.001	0.03	8.60	2.7	0.7	0.7	10.5	<0.01	0.06	2.2
YY14819		2.18	15.5	500	12.0	17.6	<0.001	0.01	2.66	2.7	0.3	0.8	8.4	0.01	0.05	2.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
	Units	%	ppm						
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY14780		0.110	0.16	0.99	72	0.50	4.75	67	1.4
YY14781		0.130	0.20	0.99	70	0.37	5.09	62	0.9
YY14782		0.116	0.19	1.10	80	0.63	5.63	91	1.8
YY14783		0.056	0.20	1.92	49	0.52	4.31	58	0.6
YY14784		0.073	0.25	2.57	76	0.40	6.06	114	0.8
YY14785		0.077	0.28	3.84	68	0.50	10.90	103	0.9
YY14786		0.073	0.31	3.83	71	0.44	10.55	108	0.7
YY14787		0.142	0.21	0.83	130	0.54	2.97	75	2.7
YY14788		0.108	0.19	0.62	128	0.34	2.11	42	0.7
YY14789		0.089	0.12	0.39	88	0.25	1.63	44	1.0
YY14790		0.098	0.22	0.84	165	0.36	3.83	151	1.4
YY14791		0.040	0.11	3.60	46	0.24	12.70	69	0.8
YY14792		0.090	0.12	1.02	54	0.24	5.89	122	0.6
YY14793		0.042	0.16	1.63	49	1.01	4.36	61	0.5
YY14794		0.078	0.19	1.78	53	0.20	7.48	187	0.7
YY14795		0.020	0.32	2.32	142	0.20	8.64	44	<0.5
YY14796		0.042	0.22	1.28	84	0.21	4.11	78	<0.5
YY14797		0.076	0.24	1.31	108	0.75	4.45	43	0.7
YY14798		0.058	0.23	3.69	135	0.30	10.55	107	0.8
YY14799		0.069	0.14	0.86	77	0.28	2.72	48	0.6
YY14800		0.056	0.17	1.48	85	0.33	4.78	60	0.7
YY14801		0.043	0.18	3.45	59	0.41	8.88	71	0.5
YY14802		0.038	0.11	0.63	38	0.33	4.90	66	<0.5
YY14803		0.038	0.10	0.72	38	0.20	4.53	59	<0.5
YY14804		0.041	0.12	0.98	44	0.26	5.85	64	<0.5
YY14805		0.043	0.12	1.02	45	0.38	5.40	65	0.5
YY14806		0.032	0.16	1.34	42	0.16	3.82	52	<0.5
YY14807		0.028	0.21	1.37	34	0.16	5.05	48	<0.5
YY14808		0.034	0.23	1.41	43	0.29	5.14	60	<0.5
YY14809		0.035	0.22	1.52	46	0.35	5.30	67	<0.5
YY14810		0.049	0.15	0.87	65	0.29	2.73	48	<0.5
YY14811		0.058	0.17	0.61	86	0.28	1.97	51	0.5
YY14812		0.028	0.19	2.62	92	0.23	5.40	80	<0.5
YY14813		0.079	0.18	0.76	73	0.26	2.51	71	0.6
YY14814		0.080	0.14	0.83	82	0.28	2.28	49	0.5
YY14815		0.080	0.18	0.77	85	0.34	2.39	78	0.9
YY14816		0.053	0.15	0.54	77	0.29	1.59	31	0.5
YY14817		0.057	0.13	0.54	56	0.23	2.22	55	0.7
YY14818		0.075	0.18	1.46	76	0.30	3.53	63	0.7
YY14819		0.073	0.19	0.66	76	0.27	2.47	75	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY14820		0.39	0.005	0.21	1.73	35.1	<0.02	<10	180	0.43	1.75	0.08	0.34	28.2	9.4	30
YY14821		0.35	<0.001	0.25	1.47	15.6	<0.02	<10	100	0.22	0.43	0.07	0.29	20.6	5.6	25
YY14822		0.31	0.004	0.20	1.90	19.1	<0.02	<10	170	0.65	0.26	0.15	0.45	24.5	10.8	35
YY14823		0.19	0.003	1.01	1.70	14.7	<0.02	<10	400	0.49	0.25	0.25	0.79	22.6	5.2	25
YY14824		0.28	0.004	0.46	1.55	7.7	<0.02	<10	190	0.36	0.25	0.14	0.39	21.0	4.7	26
YY14825		0.22	0.003	0.40	1.38	7.6	<0.02	<10	150	0.24	0.23	0.13	0.24	19.70	3.9	25
YY14826		0.28	0.003	0.40	1.44	7.5	<0.02	<10	170	0.30	0.23	0.13	0.29	21.5	4.0	26
YY14827		0.25	0.003	0.32	1.25	8.0	<0.02	<10	180	0.35	0.19	0.21	0.29	25.2	5.3	24
YY14828		0.38	0.006	0.34	1.48	7.7	<0.02	<10	200	0.46	0.24	0.26	0.25	32.9	8.0	26
YY14829		0.34	0.020	0.30	1.55	7.4	<0.02	<10	220	0.45	0.25	0.30	0.26	31.3	7.5	28
YY14830		0.36	0.051	0.58	1.77	434	0.03	<10	300	1.05	3.07	0.39	0.82	39.8	16.2	31
YY14831		0.26	0.004	0.20	1.56	18.7	<0.02	<10	130	0.46	0.26	0.12	0.68	21.4	10.0	27
YY14832		0.26	0.003	0.26	1.86	12.5	<0.02	<10	140	0.76	0.40	0.09	0.55	25.3	12.2	31
YY14833		0.18	0.003	0.23	1.46	15.2	<0.02	<10	210	0.67	0.29	0.24	0.98	30.4	12.0	31
YY14834		0.21	0.006	0.25	1.58	10.8	<0.02	<10	210	0.49	0.20	0.12	0.56	23.5	8.4	29
YY14835		0.22	<0.001	0.84	1.64	17.1	<0.02	<10	130	0.29	0.30	0.06	0.19	20.3	3.4	25
YY14836		0.22	0.004	0.59	2.35	23.5	<0.02	<10	230	0.45	0.28	0.08	0.26	22.9	9.2	35
YY14837		0.18	0.007	0.55	1.14	78.4	<0.02	<10	250	0.26	0.76	0.05	0.31	20.8	4.0	37
YY14838		0.09	0.015	0.90	0.58	12.6	<0.02	<10	950	0.16	0.11	0.34	0.88	9.28	2.1	8
YY14839		0.24	<0.001	0.40	1.29	14.6	<0.02	<10	240	0.22	0.31	0.17	0.33	21.7	5.6	26
YY14840		0.18	0.001	0.25	1.72	13.9	<0.02	<10	140	0.34	0.49	0.07	0.54	20.0	6.5	26
YY14841		0.32	0.019	1.08	0.94	67.0	<0.02	<10	270	0.23	5.44	0.04	0.42	30.4	4.8	25
YY14842		0.11	0.004	0.80	0.76	112.5	<0.02	<10	150	0.14	0.57	0.07	0.32	13.05	2.4	17
YY14843		0.28	0.003	0.16	2.20	22.4	<0.02	<10	280	0.48	0.35	0.10	0.94	26.8	11.9	34
YY14844		0.25	0.001	0.16	1.31	18.7	<0.02	<10	160	0.19	0.29	0.07	0.18	21.3	3.5	25
YY14845		0.26	<0.001	0.06	1.84	15.0	<0.02	<10	220	0.41	0.26	0.09	0.52	23.6	8.7	31
YY14846		0.33	0.003	0.19	2.03	16.6	<0.02	<10	180	0.48	0.28	0.07	0.45	23.6	10.4	33
YY14847		0.32	0.005	0.27	1.25	10.8	<0.02	<10	260	0.21	0.56	0.06	0.43	22.1	5.9	28
YY14848		0.18	<0.001	0.06	0.84	8.9	<0.02	<10	70	0.09	0.31	0.05	0.10	18.05	1.7	15
YY14849		0.23	0.001	0.48	1.45	10.8	<0.02	<10	560	0.40	0.27	0.20	0.52	30.5	8.5	23
YY14850		0.43	0.002	0.25	1.02	4.2	<0.02	<10	240	0.16	0.20	0.14	0.26	18.00	2.8	19
YY14861		0.34	0.002	0.16	1.75	12.4	<0.02	<10	140	0.51	0.19	0.10	0.29	25.8	7.9	29
YY14862		0.32	0.001	0.27	1.55	8.1	<0.02	<10	350	0.48	0.19	0.17	0.42	26.6	8.8	27
YY14863		0.35	0.004	0.36	1.51	5.6	<0.02	<10	380	0.41	0.17	0.16	0.37	23.5	5.2	24
YY14864		0.37	0.008	0.19	1.20	13.3	<0.02	<10	190	0.29	0.20	0.19	0.28	24.5	4.6	22
YY14865		0.33	0.001	0.13	1.18	13.6	<0.02	<10	150	0.23	0.18	0.18	0.16	22.4	4.3	21
YY14866		0.46	0.003	0.15	1.33	11.7	<0.02	<10	180	0.31	0.19	0.18	0.17	24.5	5.3	23
YY14867		0.34	0.001	0.21	1.40	8.6	<0.02	<10	220	0.30	0.19	0.18	0.19	22.7	7.1	23
YY14868		0.19	0.051	0.61	1.83	497	0.03	<10	310	0.96	3.99	0.40	0.72	40.5	14.0	30
YY14869		0.51	0.036	0.55	1.89	471	0.04	<10	220	0.92	3.79	0.28	0.60	40.5	13.5	30

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
YY14820		2.02	43.7	3.53	5.61	0.05	0.02	0.05	0.031	0.05	14.4	14.4	0.35	261	1.41	0.01
YY14821		1.42	11.9	3.23	7.70	<0.05	<0.02	0.04	0.023	0.04	10.6	14.3	0.24	392	1.59	0.01
YY14822		2.21	35.4	3.10	7.10	0.05	0.03	0.03	0.028	0.07	12.9	23.3	0.50	477	3.04	0.01
YY14823		1.71	36.6	2.10	7.30	0.05	<0.02	0.05	0.020	0.05	12.3	14.3	0.30	163	3.06	0.01
YY14824		2.02	32.7	1.79	5.56	<0.05	<0.02	0.07	0.022	0.06	11.3	13.5	0.44	100	1.18	0.01
YY14825		2.05	22.9	1.68	5.57	<0.05	<0.02	0.06	0.017	0.05	10.7	12.6	0.43	79	1.01	0.01
YY14826		1.92	26.2	1.78	5.47	<0.05	<0.02	0.06	0.020	0.05	11.6	12.7	0.42	80	0.94	0.01
YY14827		1.50	29.1	2.15	4.44	0.06	<0.02	0.04	0.020	0.06	13.4	11.0	0.41	129	1.84	0.01
YY14828		1.72	34.0	1.97	4.98	0.06	<0.02	0.05	0.022	0.07	16.9	14.2	0.51	192	1.26	0.01
YY14829		1.66	30.5	1.98	5.10	0.06	<0.02	0.04	0.022	0.07	16.2	15.2	0.56	155	1.20	0.01
YY14830		6.96	78.7	3.02	5.79	0.07	<0.02	0.15	0.044	0.08	20.4	29.2	0.57	1090	4.92	0.02
YY14831		1.99	41.6	2.59	5.80	<0.05	<0.02	0.05	0.025	0.05	11.2	13.7	0.33	350	2.63	0.01
YY14832		3.77	88.1	3.20	5.97	0.08	0.03	0.03	0.032	0.18	13.7	25.8	0.83	238	2.42	0.01
YY14833		2.53	64.4	3.23	5.98	0.08	0.02	0.03	0.031	0.14	16.5	14.5	0.51	452	4.20	0.02
YY14834		1.56	34.1	2.41	5.94	0.05	<0.02	0.07	0.024	0.07	12.4	15.2	0.43	283	1.87	0.01
YY14835		1.45	13.2	3.18	8.79	<0.05	<0.02	0.04	0.027	0.03	10.6	17.3	0.12	195	2.56	0.01
YY14836		1.28	26.3	2.98	6.04	<0.05	0.10	0.10	0.029	0.05	11.6	15.8	0.40	274	1.77	0.01
YY14837		1.60	29.9	2.75	6.80	<0.05	<0.02	0.05	0.028	0.08	11.6	6.8	0.24	158	5.81	0.01
YY14838		0.16	24.7	1.77	0.58	<0.05	<0.02	0.12	0.012	0.02	4.3	0.4	0.06	49	1.29	0.02
YY14839		1.40	21.7	2.19	4.56	<0.05	<0.02	0.10	0.022	0.05	11.7	11.4	0.40	134	1.65	0.01
YY14840		1.89	19.4	2.90	6.54	<0.05	<0.02	0.06	0.024	0.04	10.2	15.4	0.28	334	1.47	0.01
YY14841		2.59	38.0	3.53	4.46	0.05	<0.02	0.99	0.037	0.06	14.5	4.6	0.17	417	6.66	0.01
YY14842		2.05	18.1	1.59	3.94	<0.05	<0.02	0.12	0.017	0.03	7.2	2.1	0.08	66	2.97	0.01
YY14843		1.52	40.4	3.11	6.17	<0.05	0.02	0.06	0.028	0.05	13.4	16.3	0.41	428	2.13	0.01
YY14844		1.24	16.0	2.50	7.15	<0.05	<0.02	0.05	0.022	0.03	11.2	8.2	0.18	140	1.79	0.01
YY14845		1.42	17.1	3.22	6.39	<0.05	0.02	0.06	0.028	0.05	12.4	19.3	0.33	373	1.59	0.01
YY14846		1.51	20.9	3.47	6.56	0.05	<0.02	0.04	0.032	0.05	12.1	25.2	0.33	405	1.65	0.01
YY14847		1.48	22.3	2.11	5.98	<0.05	<0.02	0.03	0.023	0.05	11.6	8.9	0.24	221	1.42	0.01
YY14848		0.79	7.5	1.22	6.51	<0.05	<0.02	0.03	0.012	0.03	9.4	3.4	0.12	60	0.72	0.01
YY14849		1.13	26.9	2.10	4.47	0.05	<0.02	0.05	0.021	0.05	15.6	12.4	0.37	317	1.17	0.01
YY14850		1.04	12.8	1.09	4.24	<0.05	<0.02	0.05	0.012	0.04	9.5	8.4	0.26	68	0.32	0.01
YY14861		1.31	27.8	2.77	5.92	0.05	0.03	0.03	0.029	0.05	13.1	17.9	0.36	286	1.89	0.01
YY14862		1.39	26.4	2.06	5.38	0.05	<0.02	0.04	0.024	0.06	13.8	15.3	0.40	306	1.49	0.01
YY14863		1.29	21.1	1.66	4.65	<0.05	<0.02	0.06	0.021	0.05	12.5	13.3	0.36	129	0.75	0.01
YY14864		1.02	20.0	1.77	3.88	<0.05	<0.02	0.04	0.018	0.05	12.7	10.9	0.35	98	1.05	0.01
YY14865		1.04	16.2	1.66	4.21	<0.05	<0.02	0.04	0.017	0.04	11.8	10.4	0.32	88	0.86	0.01
YY14866		1.11	17.7	2.53	4.39	0.05	<0.02	0.04	0.019	0.05	12.8	11.5	0.36	100	1.19	0.01
YY14867		1.31	17.5	2.06	4.53	<0.05	<0.02	0.05	0.018	0.05	11.8	12.6	0.39	136	1.21	0.01
YY14868		8.59	76.3	2.88	6.22	0.07	<0.02	0.23	0.050	0.08	21.7	25.1	0.52	594	4.28	0.02
YY14869		7.26	61.9	3.19	6.19	0.07	0.02	0.14	0.052	0.08	21.9	27.8	0.53	480	4.33	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41														
	Analyte Units LOD	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
YY14820		1.44	22.9	600	23.5	9.9	<0.001	0.02	16.65	2.9	0.8	0.6	12.0	<0.01	0.05	2.5
YY14821		1.60	10.8	590	12.4	11.9	<0.001	0.01	1.69	2.0	0.5	0.7	8.2	<0.01	0.05	1.3
YY14822		2.52	27.5	790	13.6	12.9	<0.001	0.01	2.92	2.7	0.8	0.5	13.9	0.01	0.04	1.9
YY14823		1.70	17.7	690	11.4	11.6	0.001	0.03	1.61	1.9	1.0	0.6	28.5	<0.01	0.05	0.4
YY14824		1.03	19.3	740	9.6	13.4	<0.001	0.03	1.81	1.3	0.7	0.4	19.0	<0.01	0.04	0.2
YY14825		0.77	16.8	600	8.5	12.2	<0.001	0.03	1.91	1.0	0.7	0.4	17.8	<0.01	0.03	<0.2
YY14826		0.71	16.7	670	8.9	11.9	<0.001	0.03	1.86	1.1	0.5	0.4	17.2	<0.01	0.03	<0.2
YY14827		0.60	18.3	810	8.3	9.9	<0.001	0.02	2.38	1.4	0.6	0.3	20.0	<0.01	0.02	0.2
YY14828		0.77	21.6	910	11.7	11.2	<0.001	<0.01	2.75	2.5	0.2	0.4	21.3	<0.01	0.03	1.0
YY14829		1.00	23.7	980	11.5	11.7	<0.001	<0.01	3.85	3.0	0.3	0.4	23.1	<0.01	0.03	1.9
YY14830		1.28	58.7	990	36.7	14.2	0.002	0.04	17.75	3.4	1.5	1.6	41.9	<0.01	0.08	2.3
YY14831		0.93	25.7	720	13.1	9.6	<0.001	0.02	4.96	1.1	0.8	0.5	18.2	<0.01	0.03	0.2
YY14832		2.29	40.3	640	10.9	19.2	<0.001	0.04	6.90	2.8	0.8	0.4	21.1	<0.01	0.06	1.5
YY14833		0.70	32.0	1800	12.9	19.2	0.001	0.05	6.59	1.9	0.8	0.5	37.2	<0.01	0.04	0.7
YY14834		1.34	23.6	610	11.3	13.3	<0.001	0.02	1.93	1.8	0.7	0.5	19.4	<0.01	0.03	0.4
YY14835		1.92	9.5	470	13.4	11.3	<0.001	0.01	1.58	1.7	0.5	0.9	7.6	<0.01	0.06	0.9
YY14836		1.59	21.9	330	12.4	9.6	<0.001	0.01	3.11	3.4	0.5	0.6	10.2	0.01	0.04	4.6
YY14837		0.85	19.7	740	31.5	8.4	<0.001	0.05	11.20	1.2	1.1	0.9	12.6	<0.01	0.09	0.2
YY14838		0.27	10.1	1490	5.3	1.2	<0.001	0.18	2.72	1.1	1.1	<0.2	35.9	<0.01	0.05	0.2
YY14839		0.76	18.1	670	13.2	9.2	<0.001	0.02	3.93	1.9	0.7	0.5	18.1	<0.01	0.04	0.6
YY14840		1.20	14.9	430	16.8	11.8	<0.001	0.02	2.15	2.0	0.4	0.6	8.1	<0.01	0.04	0.7
YY14841		0.59	13.9	830	51.9	8.2	<0.001	0.08	36.4	1.3	1.6	1.0	9.8	<0.01	0.17	0.4
YY14842		0.21	8.9	780	17.2	5.8	<0.001	0.06	5.04	0.2	0.7	0.7	11.0	<0.01	0.05	<0.2
YY14843		1.29	25.5	630	12.6	12.1	<0.001	0.01	2.90	3.2	0.8	0.5	11.4	0.01	0.04	1.8
YY14844		1.21	10.2	430	11.5	6.5	<0.001	0.02	3.84	1.6	0.8	0.7	10.7	<0.01	0.04	0.7
YY14845		1.62	20.5	510	11.8	13.6	<0.001	0.01	3.02	2.7	0.5	0.6	11.2	<0.01	0.03	2.6
YY14846		1.71	19.9	650	11.3	12.7	<0.001	0.02	2.89	2.5	0.6	0.6	9.8	<0.01	0.04	1.6
YY14847		0.81	14.5	590	13.9	11.0	<0.001	0.01	3.25	1.0	0.3	0.6	9.8	<0.01	0.04	<0.2
YY14848		0.63	5.7	210	9.3	4.1	<0.001	0.01	0.87	0.7	0.3	0.6	7.9	<0.01	0.02	<0.2
YY14849		0.81	20.4	690	9.8	8.8	<0.001	0.02	2.10	2.7	0.5	0.4	21.6	<0.01	0.02	0.8
YY14850		0.55	11.0	410	7.9	7.3	<0.001	0.02	1.03	1.1	0.3	0.4	15.0	<0.01	0.01	0.2
YY14861		1.73	21.7	490	13.7	9.8	<0.001	0.02	1.44	2.8	0.5	0.5	12.6	<0.01	0.04	2.8
YY14862		0.77	21.9	620	10.3	12.0	<0.001	0.03	1.40	2.1	0.5	0.4	22.2	<0.01	0.03	0.4
YY14863		0.80	19.6	580	9.2	11.0	<0.001	0.05	1.46	2.2	0.8	0.4	20.8	<0.01	0.02	0.5
YY14864		0.92	17.5	660	9.1	7.6	0.001	0.02	1.94	2.1	1.0	0.3	16.3	<0.01	0.02	1.2
YY14865		0.79	15.0	550	9.0	7.0	<0.001	0.02	1.27	1.8	0.5	0.4	16.5	<0.01	0.02	0.6
YY14866		0.83	16.7	610	10.0	8.5	<0.001	0.02	1.41	2.1	0.5	0.4	16.8	<0.01	0.03	0.7
YY14867		0.84	18.0	620	10.3	9.1	<0.001	0.03	1.34	2.0	0.5	0.4	17.8	<0.01	0.03	0.7
YY14868		1.31	33.0	980	40.3	15.6	0.001	0.06	17.30	2.9	1.5	2.1	51.0	<0.01	0.08	1.6
YY14869		2.12	27.1	950	46.2	15.1	<0.001	0.04	19.05	3.4	1.4	2.1	40.3	<0.01	0.07	4.2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
	Units	%	ppm						
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY14820		0.061	0.18	0.97	59	0.28	3.83	63	0.7
YY14821		0.059	0.15	0.44	67	0.26	1.86	63	0.5
YY14822		0.078	0.17	0.95	98	0.36	4.38	119	1.4
YY14823		0.047	0.17	1.08	71	0.30	7.07	64	0.5
YY14824		0.040	0.18	1.39	47	0.26	4.31	65	<0.5
YY14825		0.035	0.18	1.15	44	0.15	3.20	56	<0.5
YY14826		0.035	0.20	1.36	51	0.23	4.09	56	<0.5
YY14827		0.039	0.14	1.28	52	0.18	5.34	58	<0.5
YY14828		0.049	0.15	1.26	50	0.26	7.32	72	<0.5
YY14829		0.059	0.16	1.20	53	0.53	6.94	75	<0.5
YY14830		0.059	0.33	5.01	68	0.85	11.20	180	0.6
YY14831		0.041	0.11	0.87	78	0.25	4.16	87	<0.5
YY14832		0.078	0.15	1.09	87	0.34	4.67	126	1.3
YY14833		0.060	0.19	2.55	98	0.28	7.17	108	0.8
YY14834		0.053	0.12	0.78	69	0.32	4.04	77	0.6
YY14835		0.051	0.15	0.62	93	0.28	1.97	56	<0.5
YY14836		0.064	0.15	1.34	74	0.28	3.14	61	4.3
YY14837		0.042	0.20	1.48	137	0.30	3.23	69	0.5
YY14838		0.012	0.07	1.84	10	0.07	5.50	21	<0.5
YY14839		0.043	0.17	0.94	49	0.26	3.91	61	<0.5
YY14840		0.054	0.16	0.70	61	0.27	2.42	68	<0.5
YY14841		0.038	0.66	1.22	55	0.46	3.55	52	<0.5
YY14842		0.008	0.14	0.94	43	0.18	2.14	25	<0.5
YY14843		0.058	0.17	1.57	64	0.24	4.75	82	0.8
YY14844		0.048	0.16	0.63	69	0.23	1.98	37	<0.5
YY14845		0.060	0.14	0.64	64	0.31	2.73	72	0.9
YY14846		0.058	0.14	0.66	65	0.28	2.66	70	0.6
YY14847		0.035	0.11	0.80	51	0.22	2.70	46	<0.5
YY14848		0.042	0.08	0.38	60	0.19	1.53	19	<0.5
YY14849		0.040	0.13	1.08	41	0.25	10.50	62	<0.5
YY14850		0.029	0.12	0.55	24	0.21	2.92	36	<0.5
YY14861		0.063	0.11	0.75	62	0.29	3.40	62	1.0
YY14862		0.044	0.12	0.99	47	0.23	6.62	68	<0.5
YY14863		0.037	0.12	0.95	34	0.44	5.64	56	<0.5
YY14864		0.041	0.11	0.67	40	0.34	4.49	56	<0.5
YY14865		0.038	0.11	0.62	41	0.23	3.76	49	<0.5
YY14866		0.040	0.11	0.71	50	0.30	4.31	56	<0.5
YY14867		0.036	0.13	0.67	48	0.20	4.36	64	<0.5
YY14868		0.059	0.35	6.14	66	0.73	9.80	112	0.5
YY14869		0.073	0.32	3.95	71	1.95	7.15	101	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
YY14870		0.21	0.038	0.81	1.69	434	0.02	<10	250	0.90	3.32	0.27	0.82	42.8	10.1	28
YY14871		0.22	0.061	0.84	1.85	531	0.06	<10	320	1.02	4.60	0.52	1.23	45.0	13.5	31
YY14872		0.25	0.046	0.57	1.74	418	0.03	<10	260	1.08	3.17	0.36	0.71	46.5	15.2	31
YY14873		0.52	0.002	0.19	1.75	15.9	<0.02	<10	310	0.64	0.27	0.28	0.15	39.4	12.2	32
YY14874		0.42	0.004	0.51	1.68	18.4	<0.02	<10	180	0.47	0.38	0.18	0.32	30.1	8.9	29
YY14875		0.11	0.007	0.73	1.47	19.5	<0.02	<10	250	0.28	0.85	0.16	0.29	22.5	5.7	26
YY14876		0.20	0.009	1.23	1.26	21.5	<0.02	<10	480	0.54	0.46	0.31	0.83	25.0	7.7	20
YY14877		0.22	0.003	0.41	1.18	16.2	<0.02	<10	120	0.20	0.77	0.10	0.14	20.9	3.5	24
ZZ111481		0.23	0.001	6.15	0.80	11.6	<0.02	<10	110	0.13	0.37	0.05	0.14	16.70	1.3	14
ZZ111482		0.22	0.001	0.24	0.78	7.2	<0.02	<10	60	0.11	0.76	0.04	0.18	20.8	0.9	12
ZZ111483		0.26	0.004	0.84	1.51	21.7	<0.02	<10	160	0.30	0.41	0.07	0.34	21.1	4.1	27
ZZ111484		0.28	0.010	0.56	1.76	67.8	<0.02	<10	320	0.65	2.31	0.49	0.48	33.5	6.7	27
ZZ111485		0.17	0.011	1.70	1.89	17.3	<0.02	<10	160	0.38	1.81	0.24	0.35	29.7	5.7	37
ZZ111486		0.25	0.001	0.05	1.01	13.4	<0.02	<10	80	0.17	0.22	0.07	0.12	20.4	3.4	20
ZZ111487		0.31	0.004	0.22	1.39	22.1	<0.02	<10	90	0.25	0.63	0.06	0.22	20.5	3.5	24
ZZ111488		0.21	0.007	0.66	1.19	19.3	<0.02	<10	220	0.47	1.38	0.59	0.47	25.5	4.2	23
ZZ111489		0.23	0.004	0.87	1.21	9.6	<0.02	<10	190	0.20	0.67	0.12	0.46	20.8	6.8	24
ZZ111490		0.30	0.005	0.34	1.33	13.3	<0.02	<10	340	0.44	0.41	0.12	1.42	29.7	6.0	21
ZZ111491		0.23	0.003	0.31	1.19	18.0	<0.02	<10	90	0.22	0.52	0.07	0.35	22.4	3.6	21
ZZ111492		0.24	0.006	0.46	1.20	13.0	<0.02	<10	300	0.32	0.57	0.08	0.64	24.3	4.0	21
ZZ111493		0.31	0.003	0.17	1.59	19.3	<0.02	<10	170	0.40	0.67	0.10	0.52	25.7	7.7	26
ZZ111494		0.20	0.011	1.23	1.76	13.9	<0.02	<10	380	0.43	0.55	0.22	0.30	26.5	6.8	30
ZZ111495		0.29	0.006	0.20	3.30	132.5	<0.02	<10	530	1.30	0.37	0.49	0.31	58.3	15.2	39
ZZ111496		0.28	0.005	0.33	1.78	41.5	<0.02	<10	240	0.60	0.80	0.16	0.21	37.3	7.1	24
ZZ111497		0.24	0.024	1.22	2.04	72.7	<0.02	<10	280	0.97	2.24	0.77	1.08	37.6	14.9	35
ZZ111498		0.20	0.010	0.54	2.45	11.2	<0.02	<10	290	0.75	0.40	0.83	0.72	28.5	15.8	41
ZZ111499		0.27	0.005	0.36	1.67	26.5	0.03	<10	140	0.49	1.40	0.09	0.32	24.1	5.2	25
ZZ111500		0.15	0.010	0.85	0.45	3.0	<0.02	<10	210	0.33	0.51	0.49	0.91	12.55	2.1	13



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41														
	Analyte Units LOD	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
YY14870		4.48	76.3	2.63	5.49	0.08	0.02	0.19	0.047	0.08	23.5	24.4	0.52	324	3.92	0.02
YY14871		9.30	85.0	2.98	6.22	0.08	0.02	0.21	0.051	0.09	25.4	28.2	0.57	543	4.81	0.02
YY14872		7.12	89.3	3.10	5.78	0.09	0.02	0.14	0.047	0.11	23.9	28.1	0.59	710	5.84	0.02
YY14873		1.42	34.4	2.66	5.44	0.07	0.07	0.05	0.026	0.06	20.0	15.4	0.55	370	1.26	0.01
YY14874		1.76	31.2	2.55	5.70	0.06	<0.02	0.05	0.029	0.08	15.6	14.8	0.49	235	1.64	0.01
YY14875		1.55	19.6	2.21	4.91	<0.05	<0.02	0.09	0.021	0.05	12.0	12.1	0.39	116	0.97	0.01
YY14876		1.19	35.3	2.61	2.85	0.05	<0.02	0.13	0.025	0.03	11.6	6.9	0.23	260	1.19	<0.01
YY14877		1.20	14.5	1.60	5.49	<0.05	<0.02	0.06	0.017	0.05	11.2	10.2	0.29	91	0.90	0.01
ZZ111481		0.85	9.7	1.19	5.68	<0.05	<0.02	0.07	0.015	0.02	8.6	1.6	0.06	48	0.91	0.01
ZZ111482		1.64	7.1	0.73	6.20	<0.05	<0.02	0.05	0.013	0.02	10.8	1.7	0.07	29	1.03	0.01
ZZ111483		3.32	13.2	2.94	11.50	<0.05	0.02	0.02	0.020	0.06	11.5	13.7	0.41	181	2.16	0.01
ZZ111484		4.49	27.4	2.18	6.86	0.05	0.02	0.05	0.031	0.05	19.8	14.8	0.56	196	2.06	0.01
ZZ111485		4.39	27.4	1.87	8.26	0.06	0.02	0.08	0.028	0.06	17.9	19.5	0.76	132	2.01	0.01
ZZ111486		1.52	12.1	2.01	7.58	<0.05	0.02	0.02	0.018	0.04	10.6	6.5	0.24	131	1.19	0.01
ZZ111487		3.05	11.2	3.44	8.51	<0.05	0.03	0.01	0.023	0.04	10.8	13.1	0.27	117	2.12	0.01
ZZ111488		2.81	44.7	1.64	4.49	0.05	0.02	0.05	0.026	0.07	15.7	9.8	0.44	109	1.65	0.02
ZZ111489		2.58	23.3	1.45	5.34	<0.05	<0.02	0.07	0.020	0.05	11.1	14.3	0.41	116	2.56	0.01
ZZ111490		1.44	50.3	1.78	5.23	0.05	<0.02	0.09	0.023	0.04	15.2	9.5	0.26	114	2.51	0.01
ZZ111491		1.35	18.4	2.07	6.14	<0.05	<0.02	0.03	0.017	0.03	11.8	8.6	0.20	88	1.67	0.01
ZZ111492		1.77	46.0	1.58	5.08	0.05	<0.02	0.13	0.022	0.03	12.6	7.8	0.21	80	1.80	0.01
ZZ111493		2.19	31.7	2.38	6.34	0.05	0.02	0.04	0.028	0.05	13.5	15.2	0.34	203	2.96	0.01
ZZ111494		3.23	38.2	2.44	5.95	<0.05	0.02	0.07	0.025	0.08	14.5	20.2	0.57	183	3.75	0.01
ZZ111495		9.01	28.4	3.49	9.42	0.09	0.02	0.04	0.044	0.22	26.6	22.5	1.09	467	1.22	0.02
ZZ111496		6.66	19.6	2.46	6.06	0.06	<0.02	0.05	0.031	0.06	17.0	13.4	0.47	327	1.36	0.01
ZZ111497		7.01	99.6	2.70	7.41	0.08	0.02	0.05	0.052	0.09	21.3	28.6	0.90	667	4.88	0.01
ZZ111498		6.47	53.9	2.65	9.48	0.08	0.04	0.04	0.040	0.12	15.5	34.7	1.44	494	2.32	0.03
ZZ111499		3.32	20.9	2.50	7.60	0.05	0.03	0.02	0.026	0.06	12.6	22.1	0.37	190	2.63	0.01
ZZ111500		1.27	65.0	0.64	1.28	<0.05	<0.02	0.05	0.016	0.03	7.2	1.4	0.09	46	1.84	0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41														
	Analyte Units LOD	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
YY14870		1.60	30.7	910	44.1	9.9	0.001	0.07	19.30	3.0	1.4	1.7	41.1	<0.01	0.08	2.4
YY14871		1.71	34.8	1010	49.1	16.9	0.002	0.07	21.7	3.6	2.2	2.1	59.1	<0.01	0.10	2.7
YY14872		1.55	51.8	1030	49.3	15.2	0.002	0.05	23.2	3.4	1.9	1.7	43.1	<0.01	0.09	3.4
YY14873		0.95	26.7	540	20.2	10.2	<0.001	0.01	5.85	5.3	0.4	0.6	25.4	<0.01	0.03	4.7
YY14874		0.94	25.1	730	26.5	12.9	<0.001	0.02	10.15	2.6	0.4	0.5	19.1	<0.01	0.04	1.0
YY14875		0.87	20.2	630	31.8	9.9	<0.001	0.04	12.95	2.0	0.6	0.5	20.3	<0.01	0.03	0.4
YY14876		0.71	21.2	1150	25.3	6.5	<0.001	0.09	13.45	2.1	1.1	0.3	39.6	<0.01	0.05	0.3
YY14877		0.69	13.7	390	35.8	8.2	<0.001	0.03	9.87	1.1	0.4	0.5	14.9	<0.01	0.03	0.2
ZZ111481		0.71	4.9	320	43.8	4.4	<0.001	0.03	1.56	0.5	0.4	0.8	7.5	<0.01	0.02	<0.2
ZZ111482		0.87	3.5	230	30.1	4.6	<0.001	0.03	3.20	0.6	0.2	0.8	7.6	<0.01	0.02	<0.2
ZZ111483		3.68	9.5	340	22.1	14.2	<0.001	0.02	2.37	2.7	0.3	1.2	10.0	<0.01	0.04	2.9
ZZ111484		2.01	15.4	670	24.8	14.0	<0.001	0.05	7.86	2.6	0.5	0.9	62.7	<0.01	0.03	1.3
ZZ111485		2.28	18.1	800	23.5	12.4	0.001	0.06	4.92	3.0	0.6	0.9	24.4	<0.01	0.01	1.2
ZZ111486		1.59	8.3	290	8.5	5.9	<0.001	0.03	1.21	1.6	0.4	0.5	9.7	<0.01	0.03	0.8
ZZ111487		2.50	9.7	370	13.1	13.2	<0.001	0.01	3.14	2.1	0.2	0.7	8.5	<0.01	0.05	2.6
ZZ111488		1.39	15.6	600	19.3	10.8	<0.001	0.06	6.57	1.9	0.4	0.5	34.7	<0.01	0.03	0.5
ZZ111489		0.66	19.0	390	14.9	11.1	<0.001	0.02	2.54	1.4	0.6	0.6	14.3	<0.01	0.02	0.3
ZZ111490		0.61	20.1	460	17.1	6.8	<0.001	0.03	2.36	0.9	0.8	0.5	15.1	<0.01	0.03	<0.2
ZZ111491		1.01	13.1	340	15.2	5.4	<0.001	0.01	2.43	1.4	0.5	0.6	8.1	<0.01	0.03	0.6
ZZ111492		0.53	16.3	470	22.9	6.6	0.001	0.03	2.01	0.7	0.9	0.6	12.3	<0.01	0.04	<0.2
ZZ111493		1.72	17.0	320	15.7	10.4	<0.001	0.01	3.83	2.4	0.8	0.6	13.4	<0.01	0.04	2.9
ZZ111494		1.32	23.7	910	16.1	13.4	0.001	0.06	3.03	2.5	1.2	0.5	28.2	<0.01	0.04	0.7
ZZ111495		2.67	20.7	720	20.8	30.6	<0.001	0.02	7.41	5.4	0.5	1.0	511	<0.01	0.03	6.5
ZZ111496		1.23	13.7	540	22.0	12.4	<0.001	0.04	22.5	1.9	0.5	0.8	62.5	<0.01	0.04	1.1
ZZ111497		2.03	38.3	1460	41.3	15.5	0.001	0.07	13.40	2.8	1.2	0.9	41.6	<0.01	0.05	0.8
ZZ111498		4.41	32.3	620	35.0	17.6	0.001	0.05	4.55	4.9	0.8	1.0	70.9	<0.01	0.04	4.3
ZZ111499		2.54	15.9	390	15.1	18.1	<0.001	0.02	3.99	2.3	0.2	0.8	12.6	<0.01	0.03	3.0
ZZ111500		0.58	15.2	690	10.1	3.5	0.001	0.13	2.82	0.5	0.6	0.2	38.8	<0.01	0.03	<0.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 27-SEP-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18215033

Sample Description	Method	ME-MS41							
	Analyte	Ti	Ti	U	V	W	Y	Zn	Zr
	Units	%	ppm						
	LOD	0.005	0.02	0.05	1	0.05	0.05	2	0.5
YY14870		0.060	0.36	5.60	65	0.91	10.50	103	0.8
YY14871		0.067	0.41	6.63	71	0.86	12.15	120	0.8
YY14872		0.070	0.38	5.31	74	0.56	11.25	148	0.7
YY14873		0.073	0.13	1.07	57	0.21	11.85	74	3.8
YY14874		0.054	0.17	0.91	57	0.25	4.80	89	<0.5
YY14875		0.040	0.15	0.72	43	0.21	4.25	66	<0.5
YY14876		0.022	0.11	1.86	28	0.13	9.58	58	<0.5
YY14877		0.038	0.13	0.54	41	0.19	2.27	43	<0.5
ZZ111481		0.036	0.09	0.40	49	0.16	1.37	16	<0.5
ZZ111482		0.048	0.13	0.50	41	0.12	1.54	9	<0.5
ZZ111483		0.151	0.26	0.64	130	0.43	2.01	51	1.1
ZZ111484		0.073	0.27	3.07	59	0.46	7.29	67	0.8
ZZ111485		0.093	0.30	2.25	68	0.37	5.14	85	0.9
ZZ111486		0.073	0.11	0.49	74	0.30	2.29	32	0.6
ZZ111487		0.088	0.16	0.40	104	0.31	2.12	40	1.4
ZZ111488		0.059	0.14	2.16	48	0.37	7.31	53	0.8
ZZ111489		0.042	0.24	1.19	46	0.27	2.94	82	<0.5
ZZ111490		0.035	0.13	2.05	50	0.22	7.84	59	<0.5
ZZ111491		0.048	0.10	0.55	74	0.25	2.12	38	<0.5
ZZ111492		0.030	0.18	2.07	45	0.23	5.22	45	<0.5
ZZ111493		0.070	0.19	1.25	81	0.32	3.32	70	1.1
ZZ111494		0.054	0.20	2.05	62	0.36	6.05	75	0.6
ZZ111495		0.137	0.49	2.39	95	0.27	9.61	90	0.6
ZZ111496		0.060	0.26	1.75	49	0.32	4.57	54	<0.5
ZZ111497		0.081	0.28	3.68	96	0.43	16.05	142	1.1
ZZ111498		0.149	0.26	2.06	84	0.46	7.97	170	2.4
ZZ111499		0.085	0.20	0.87	88	0.43	2.92	55	1.3
ZZ111500		0.019	0.05	2.63	12	0.08	6.67	26	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-SEP-2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18215033



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2018
Account: MTT

CERTIFICATE WH18208966

Project: SAWBUCK

This report is for 17 Rock samples submitted to our lab in Whitehorse, YT, Canada on 25-AUG-2018.

The following have access to data associated with this certificate:

HEATHER BURRELL
SCOTT NEWMAN

ANDREW CARNE

JACK MORTON

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	Ultra Trace Aqua Regia ICP-MS	
Aq-OG46	Ore Grade Ag - Aqua Regia	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****


Signature:
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18208966

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co	ME-MS41 Cr
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
W593074		0.74	<0.001	3.99	0.10	12.1	<0.02	60	30	0.07	0.97	0.01	0.05	7.11	0.3	15
W593075		1.67	0.001	0.05	0.87	22.9	<0.02	<10	600	0.68	0.13	0.01	0.21	9.76	2.2	18
W593076		0.82	<0.001	0.21	0.93	98.5	<0.02	<10	180	0.97	0.28	<0.01	0.17	22.4	4.5	13
W593077		1.10	<0.001	0.19	0.57	8.3	<0.02	<10	100	0.30	0.15	<0.01	0.04	14.25	4.5	11
W593078		2.56	0.001	1.14	0.27	14.3	<0.02	10	70	0.15	0.19	<0.01	0.04	13.75	2.4	20
W593079		1.16	<0.001	0.11	0.29	48.7	<0.02	<10	50	0.30	0.15	<0.01	0.08	8.62	4.2	14
W593080		1.41	<0.001	0.67	0.41	40.6	<0.02	10	220	0.28	1.66	0.01	0.09	25.8	0.5	10
W593081		1.49	0.001	0.44	1.18	13.9	<0.02	<10	360	0.54	0.37	0.02	3.61	65.2	11.9	24
W593082		1.31	0.001	0.43	0.64	8.8	<0.02	<10	910	0.39	0.48	0.01	0.17	52.5	0.7	13
W593083		1.44	0.005	10.65	0.12	1000	<0.02	30	190	0.34	117.5	0.01	0.21	24.9	0.2	7
W593084		2.53	<0.001	4.38	0.06	71.1	<0.02	20	80	0.05	5.54	<0.01	0.05	3.52	0.2	9
W593085		1.32	<0.001	0.63	1.50	64.7	<0.02	10	190	1.14	4.09	0.03	0.29	44.7	4.3	30
W593086		1.70	<0.001	0.85	0.46	136.0	<0.02	50	60	0.72	4.89	0.01	0.26	26.2	1.3	10
W593087		0.35	<0.001	0.09	0.66	478	<0.02	<10	50	0.46	0.24	0.01	0.59	3.78	1.5	14
W593088		4.26	0.034	>100	0.08	8.8	<0.02	10	50	0.07	243	0.01	1.05	2.68	0.6	31
W593089		1.12	0.004	19.85	0.29	59.7	<0.02	20	30	0.20	6.48	0.01	0.37	13.15	0.9	17
W593090		2.69	<0.001	0.82	0.07	194.5	<0.02	10	110	0.05	3.84	<0.01	0.08	4.70	0.2	8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18208966

Sample Description	Method Analyte Units LOD	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05	ME-MS41 Na % 0.01
W593074		0.32	8.4	1.05	0.48	<0.05	0.09	0.64	0.036	0.04	3.7	0.5	0.01	41	0.43	<0.01
W593075		1.56	135.0	18.55	4.32	0.09	0.05	<0.01	0.030	0.17	4.3	1.1	0.08	123	0.53	0.01
W593076		1.39	208	15.25	3.52	0.08	0.07	1.77	0.058	0.15	11.5	3.0	0.04	150	10.80	<0.01
W593077		0.92	27.3	1.82	1.17	<0.05	0.05	0.20	0.015	0.10	7.8	2.5	0.03	96	0.47	<0.01
W593078		0.99	28.6	2.01	1.09	<0.05	0.04	0.46	0.018	0.10	7.6	1.8	0.02	84	0.86	<0.01
W593079		0.68	48.8	5.28	1.25	<0.05	<0.02	0.15	0.019	0.05	4.1	1.0	0.01	140	1.33	<0.01
W593080		1.88	110.0	5.82	1.88	0.06	0.02	0.08	0.077	0.20	13.3	2.8	0.03	50	4.88	<0.01
W593081		2.59	203	2.49	6.37	0.11	0.10	0.01	0.093	0.43	27.1	21.1	0.72	2160	4.83	0.01
W593082		1.54	17.3	2.34	3.82	0.08	0.03	0.01	0.041	0.29	21.0	9.6	0.27	804	4.77	0.01
W593083		0.33	312	17.60	1.17	0.15	0.07	3.26	0.179	0.17	15.3	0.5	0.01	26	27.0	<0.01
W593084		0.23	11.6	1.06	0.32	<0.05	0.02	0.27	0.024	0.04	1.9	0.5	0.01	50	1.08	<0.01
W593085		1.51	138.0	10.70	8.18	0.12	0.06	5.06	0.026	0.25	19.0	5.6	0.10	39	1.14	0.01
W593086		0.88	126.5	7.77	2.88	0.08	0.06	2.75	0.025	0.06	12.4	1.2	0.02	33	4.48	0.01
W593087		0.50	813	20.4	1.23	0.10	0.02	0.04	0.049	0.04	1.8	1.4	0.01	28	2.82	<0.01
W593088		0.20	69.9	2.55	0.36	<0.05	0.02	1.26	0.137	0.04	1.4	0.3	0.01	61	0.91	0.01
W593089		0.59	64.0	10.85	1.48	0.06	0.04	2.08	0.043	0.04	6.5	0.9	0.01	49	1.64	<0.01
W593090		0.29	56.5	2.67	0.51	<0.05	0.02	0.04	0.047	0.04	2.4	0.4	0.01	49	1.58	<0.01



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18208966

Sample Description	Method	ME-MS41														
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm							
	LOD	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
W593074		0.05	1.3	120	216	3.3	0.001	0.03	35.8	0.3	0.3	6.2	8.9	<0.01	0.02	1.7
W593075		0.51	21.7	420	5.6	13.0	<0.001	0.16	27.8	1.9	1.3	0.3	5.7	<0.01	0.03	1.8
W593076		<0.05	50.0	1000	56.7	9.3	<0.001	0.04	558	2.4	0.8	0.4	2.6	<0.01	0.12	3.9
W593077		<0.05	42.5	100	6.4	7.2	<0.001	<0.01	15.55	1.8	0.4	0.3	2.1	<0.01	0.09	2.0
W593078		<0.05	11.7	110	41.1	7.1	<0.001	0.01	47.0	0.8	0.7	0.4	5.2	<0.01	0.12	1.5
W593079		<0.05	43.0	300	22.3	3.3	<0.001	0.01	125.0	0.7	0.2	0.3	1.2	<0.01	0.10	0.8
W593080		<0.05	3.6	580	279	15.6	<0.001	0.09	119.5	0.9	0.3	2.9	12.7	<0.01	0.20	2.8
W593081		0.10	19.1	250	30.7	28.7	0.008	0.64	28.5	3.0	2.0	0.4	8.9	<0.01	0.21	7.4
W593082		<0.05	3.0	270	20.6	17.4	0.001	0.23	15.85	2.1	0.7	0.2	7.9	<0.01	0.21	6.3
W593083		0.11	1.0	3480	1730	5.5	0.001	0.39	491	1.3	12.4	26.9	21.9	<0.01	0.20	3.6
W593084		<0.05	0.9	160	283	2.3	<0.001	0.04	34.5	0.2	0.7	3.0	3.3	<0.01	0.03	0.9
W593085		0.06	36.8	2350	46.5	17.5	<0.001	0.09	56.6	5.2	3.1	1.8	40.5	<0.01	0.35	5.9
W593086		0.06	13.4	1560	70.1	4.8	0.001	0.09	53.0	1.8	3.6	6.5	31.4	<0.01	0.13	5.9
W593087		0.10	13.8	800	92.0	2.6	0.001	0.07	173.0	2.3	3.6	0.3	2.5	<0.01	0.03	1.3
W593088		<0.05	3.2	400	2970	2.4	<0.001	0.10	2810	0.3	2.9	9.0	4.5	<0.01	0.10	0.8
W593089		0.07	10.0	780	1350	3.8	<0.001	0.09	369	0.7	2.0	16.0	4.0	<0.01	0.08	1.9
W593090		0.05	1.4	290	54.0	3.2	<0.001	0.01	50.5	0.3	1.2	2.4	1.3	<0.01	0.05	1.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-OCT-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18208966

Sample Description	Method Analyte Units LOD	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Ag-OG46 Ag ppm
W593074		<0.005	0.40	0.32	6	0.12	1.17	34	3.0	
W593075		0.023	0.06	0.35	24	0.07	2.33	196	1.9	
W593076		<0.005	0.20	0.81	43	0.31	3.68	288	3.8	
W593077		<0.005	0.12	0.37	17	0.07	3.61	93	2.3	
W593078		<0.005	0.28	0.18	13	0.12	1.34	51	1.9	
W593079		<0.005	0.08	0.40	13	0.32	3.76	207	0.6	
W593080		<0.005	0.36	0.65	17	0.32	3.01	45	0.9	
W593081		0.031	0.61	2.07	48	0.24	6.89	54	4.1	
W593082		0.010	0.30	0.46	22	0.33	4.60	31	1.3	
W593083		<0.005	0.96	3.58	73	1.37	2.54	16	5.2	
W593084		<0.005	0.12	0.23	3	0.17	0.43	2	1.0	
W593085		<0.005	1.37	7.07	150	0.20	15.20	178	2.5	
W593086		<0.005	0.58	5.71	62	0.19	6.79	107	2.9	
W593087		<0.005	0.07	1.66	29	0.66	1.69	100	0.9	
W593088		<0.005	0.20	1.08	6	<0.05	0.58	17	0.9	150
W593089		<0.005	0.62	0.79	55	0.23	1.95	451	2.1	
W593090		<0.005	0.06	0.29	5	0.18	0.53	11	1.0	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-OCT-2018
Account: MTT

CERTIFICATE OF ANALYSIS WH18208966



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2018
Account: MTT

CERTIFICATE WH18157173

Project: SAWBUCK

This report is for 25 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2018.

The following have access to data associated with this certificate:

HEATHER BURRELL
SCOTT NEWMAN

ANDREW CARNE

JACK MORTON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS41	Ultra Trace Aqua Regia ICP-MS	
Ag-OG46	Ore Grade Ag - Aqua Regia	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157173

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt.	Au-ICP21 Au	Au-GRA21 Au	ME-MS41 Ag	ME-MS41 Al	ME-MS41 As	ME-MS41 Au	ME-MS41 B	ME-MS41 Ba	ME-MS41 Be	ME-MS41 Bi	ME-MS41 Ca	ME-MS41 Cd	ME-MS41 Ce	ME-MS41 Co
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.05	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1
W591360		1.02	0.001		0.08	1.52	211	<0.02	<10	250	0.98	0.46	0.03	0.33	19.80	5.7
W591361		0.54	0.013		>100	0.21	31.3	0.02	10	20	0.07	2040	0.01	1.26	0.45	0.7
W591362		1.90	0.004		2.55	0.12	157.0	<0.02	20	90	0.19	3.92	0.01	0.15	3.90	0.2
W591363		1.56	0.002		0.64	1.28	590	<0.02	<10	230	0.97	0.60	0.01	0.58	22.4	2.3
W591364		2.08	0.011		2.75	0.60	929	<0.02	<10	320	1.18	4.75	0.01	0.46	22.4	0.6
W591365		1.67	0.003		2.08	0.90	348	<0.02	<10	540	1.66	1.21	0.01	0.91	35.9	3.9
W591366		1.71	0.004		0.30	0.86	135.0	<0.02	<10	1190	0.51	0.13	0.02	0.18	17.20	2.9
W591369		1.58	2.40		>100	0.31	>10000	2.47	10	40	0.29	1930	0.01	7.20	32.0	211
W591370		0.94	0.169		>100	0.22	3050	0.18	10	280	0.29	1290	0.04	1.39	45.2	9.0
W591371		0.36	0.077		74.4	0.40	3930	0.07	10	330	0.30	128.5	0.04	2.17	12.10	9.8
W591372		0.62	8.43		>100	0.04	>10000	8.13	20	10	0.06	904	0.01	3.28	2.30	887
W591373		0.53	1.185		97.8	0.21	8420	1.22	<10	190	0.27	1940	0.02	0.71	26.2	8.3
W591374		0.27	>10.0	25.1	>100	0.04	>10000	>25.0	<10	20	0.10	5930	0.01	9.56	1.94	677
W591375		1.78	0.055		27.8	0.25	543	0.06	30	360	0.25	56.7	<0.01	0.07	3.81	0.8
W591376		1.98	0.358		40.0	0.49	>10000	0.33	10	360	0.54	182.0	0.01	5.29	19.45	4.6
W591377		1.24	0.003		1.24	0.24	117.5	0.04	10	70	0.10	2.66	<0.01	0.11	10.35	0.9
W591378		0.71	4.09		>100	0.24	>10000	3.88	<10	20	0.17	2580	0.03	10.60	15.15	102.0
W591379		0.82	0.023		1.49	0.72	120.5	<0.02	<10	100	0.35	3.79	0.01	0.31	16.75	4.1
W591380		0.24	0.030		>100	0.14	>10000	0.03	<10	40	0.32	116.0	0.01	1.32	12.40	9.0
W591381		1.13	0.009		4.72	0.69	1065	<0.02	<10	280	1.43	7.17	<0.01	0.42	36.8	0.6
W591802		0.55	0.027		6.12	0.07	521	0.02	<10	30	<0.05	14.40	0.01	0.07	1.59	0.6
W591803		1.77	0.003		1.67	0.78	4270	<0.02	10	280	0.26	19.45	0.04	0.78	58.8	0.6
W591804		1.44	0.008		1.73	0.30	576	<0.02	<10	50	0.46	4.22	0.01	0.70	7.10	2.1
W591805		1.48	0.011		8.80	0.30	4240	<0.02	<10	180	0.16	107.0	0.04	1.40	93.1	0.2
W591806		0.39	0.016		0.40	1.79	30.6	<0.02	<10	290	0.32	1.84	<0.01	0.09	40.6	1.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157173

Sample Description	Method Analyte Units LOD	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05	ME-MS41 Cu ppm 0.2	ME-MS41 Fe % 0.01	ME-MS41 Ga ppm 0.05	ME-MS41 Ge ppm 0.05	ME-MS41 Hf ppm 0.02	ME-MS41 Hg ppm 0.01	ME-MS41 In ppm 0.005	ME-MS41 K % 0.01	ME-MS41 La ppm 0.2	ME-MS41 Li ppm 0.1	ME-MS41 Mg % 0.01	ME-MS41 Mn ppm 5	ME-MS41 Mo ppm 0.05
W591360		30	2.28	118.5	7.75	4.15	0.06	0.07	0.01	0.041	0.17	12.3	10.1	0.22	100	0.92
W591361		3	<0.05	2000	31.6	0.31	0.17	0.03	0.18	0.401	0.03	0.4	0.2	0.01	<5	0.13
W591362		26	0.07	141.5	12.00	0.59	0.10	0.08	0.20	0.017	0.03	3.0	0.3	0.01	5	7.55
W591363		43	1.19	198.5	7.46	3.97	0.10	0.04	0.04	0.045	0.08	9.8	9.1	0.31	478	1.97
W591364		81	1.13	518	32.6	2.59	0.15	0.07	0.15	0.055	0.14	15.4	0.9	0.01	<5	16.20
W591365		66	1.50	301	16.55	3.77	0.10	0.06	0.04	0.038	0.27	17.0	3.1	0.10	151	2.96
W591366		62	1.61	113.5	5.85	3.40	0.05	0.02	0.01	0.022	0.18	8.0	4.2	0.14	65	1.13
W591369		14	4.13	3410	11.80	1.39	0.12	0.11	2.76	11.30	0.21	17.5	2.7	0.02	166	1.58
W591370		5	0.99	723	16.50	0.97	0.22	0.05	6.39	1.480	0.04	23.4	2.0	0.01	220	1.34
W591371		8	2.11	2450	29.2	1.69	0.21	0.04	2.26	3.11	0.05	6.2	2.2	0.07	140	11.90
W591372		1	0.18	2330	18.00	0.23	0.19	0.04	0.98	1.020	0.01	1.4	0.3	0.01	58	2.24
W591373		3	1.10	1070	24.9	0.86	0.33	0.05	7.95	5.15	0.13	13.7	2.2	0.01	235	2.06
W591374		1	0.93	>10000	25.4	0.33	0.34	<0.02	2.39	24.5	0.05	1.2	0.3	<0.01	67	6.14
W591375		11	0.12	500	11.30	0.65	0.13	0.05	5.35	0.364	0.05	1.9	0.3	0.01	23	2.34
W591376		21	0.19	745	22.9	3.74	0.24	0.14	3.88	0.897	0.06	9.2	0.3	0.01	7	2.01
W591377		13	2.16	76.0	3.11	0.89	<0.05	0.02	0.13	0.306	0.07	4.9	2.0	0.02	41	0.99
W591378		9	1.28	>10000	15.25	1.07	0.17	0.07	2.98	23.7	0.08	8.1	3.4	0.01	99	3.28
W591379		33	1.51	104.5	4.37	3.16	0.05	0.12	0.12	0.038	0.09	8.8	4.7	0.19	99	0.71
W591380		11	0.21	1270	27.0	1.14	0.34	0.03	1.42	2.16	0.01	5.0	20.9	0.01	444	3.53
W591381		71	1.53	451	30.0	2.26	0.16	0.06	0.14	0.059	0.33	25.6	0.9	0.01	<5	15.05
W591802		9	0.29	66.9	2.23	0.42	<0.05	<0.02	1.37	0.070	0.02	0.8	0.6	0.01	39	0.70
W591803		150	1.53	120.5	7.31	12.05	0.13	0.07	0.19	1.780	0.13	26.3	1.1	0.05	25	12.20
W591804		16	1.36	226	11.25	2.36	0.05	0.02	1.68	0.042	0.05	3.5	1.1	0.02	37	2.98
W591805		54	2.26	198.0	7.98	12.60	0.20	0.04	0.77	2.18	0.45	42.2	1.4	0.02	22	42.8
W591806		54	1.20	48.0	2.11	7.39	0.06	0.08	0.01	0.022	0.30	19.2	23.9	0.93	148	3.58



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157173

Sample Description	Method Analyte Units LOD	ME-MS41 Na % 0.01	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01
W591360	<0.01	0.20	45.6	990	71.9	9.9	0.001	0.05	70.2	3.2	1.2	0.7	6.0	<0.01	0.03	
W591361	<0.01	0.07	1.8	660	6120	0.6	0.001	0.43	5190	0.3	7.0	17.0	3.1	<0.01	0.26	
W591362	<0.01	0.10	1.2	2740	96.6	0.5	0.002	0.11	204	0.5	24.3	1.1	11.5	<0.01	0.05	
W591363	<0.01	0.34	17.8	2090	28.0	4.8	0.001	0.06	124.0	5.7	3.4	0.3	18.6	<0.01	0.07	
W591364	0.01	0.08	7.0	6600	193.5	4.2	0.003	0.38	277	2.4	12.2	0.5	30.2	<0.01	0.11	
W591365	0.01	0.13	14.7	4580	72.6	9.0	<0.001	0.34	91.3	3.5	2.2	0.5	25.7	<0.01	0.04	
W591366	<0.01	0.31	16.0	2390	8.2	14.1	<0.001	0.13	8.02	3.4	2.1	0.2	10.8	<0.01	0.04	
W591369	0.01	0.08	22.4	430	3670	22.2	<0.001	1.91	1855	3.5	18.7	119.5	66.3	<0.01	2.81	
W591370	<0.01	0.09	5.4	260	2270	2.8	<0.001	0.51	539	1.7	18.3	50.0	16.5	<0.01	0.75	
W591371	0.01	0.16	26.5	210	493	5.1	<0.001	0.23	277	2.5	28.6	78.9	14.6	<0.01	0.23	
W591372	<0.01	0.11	61.5	150	5650	1.3	<0.001	7.02	1990	2.8	47.0	9.5	16.5	<0.01	8.68	
W591373	0.01	0.08	5.1	280	74.3	3.3	0.001	0.58	275	1.7	26.4	155.5	19.4	<0.01	3.19	
W591374	<0.01	0.11	141.0	30	>10000	3.1	0.001	4.87	6720	1.9	88.5	302	22.6	<0.01	12.15	
W591375	<0.01	0.13	6.9	1290	7850	0.6	0.001	0.41	296	1.9	27.7	38.1	4.3	<0.01	0.29	
W591376	<0.01	0.13	11.8	2100	5140	1.2	0.001	0.31	726	9.2	38.5	19.5	38.0	<0.01	3.55	
W591377	<0.01	0.14	4.2	320	355	4.7	<0.001	0.05	17.95	0.7	1.2	2.3	3.2	<0.01	0.06	
W591378	<0.01	0.11	10.9	440	>10000	6.0	0.003	3.61	3660	3.5	38.4	223	45.5	<0.01	6.17	
W591379	<0.01	0.11	15.9	240	77.4	6.7	0.001	0.03	31.2	3.2	1.5	1.0	1.7	<0.01	0.07	
W591380	0.02	0.09	49.0	3530	>10000	0.5	0.001	5.10	2300	2.7	93.9	64.5	16.2	<0.01	1.86	
W591381	0.01	0.08	9.3	6910	400	6.3	0.002	0.75	453	2.3	16.7	0.6	69.0	<0.01	0.22	
W591802	<0.01	0.07	1.1	160	1505	1.6	<0.001	0.07	46.5	0.2	2.0	1.4	1.5	<0.01	0.13	
W591803	0.01	0.08	11.1	7390	2380	9.5	0.001	0.30	512	14.0	3.9	7.0	72.5	<0.01	0.16	
W591804	<0.01	0.08	16.2	930	54.2	3.5	0.001	0.05	117.5	1.1	1.9	0.8	1.4	<0.01	0.24	
W591805	0.01	0.10	1.9	5440	5930	21.1	0.003	0.96	781	4.5	15.4	13.2	270	<0.01	0.28	
W591806	0.01	0.09	7.1	160	32.0	17.2	0.003	0.24	16.25	3.1	2.0	0.5	3.6	<0.01	0.07	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 17-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157173

Sample Description	Method Analyte Units LOD	ME-MS41 Th ppm 0.2	ME-MS41 Ti %	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Ag-OG46 Ag ppm 1	Cu-OG46 Cu % 0.001	Pb-OG46 Pb % 0.001
W591360		2.9	0.006	0.16	1.64	36	<0.05	3.84	95	2.9			
W591361		0.6	<0.005	0.06	2.23	7	<0.05	0.17	20	2.2	193		
W591362		1.4	<0.005	0.08	2.85	306	0.13	0.59	12	4.0			
W591363		2.0	0.012	0.16	19.50	175	0.06	4.30	58	1.4			
W591364		3.0	<0.005	0.29	16.65	835	0.14	3.03	73	3.7			
W591365		3.7	<0.005	0.23	18.20	214	<0.05	5.99	72	2.7			
W591366		2.9	0.013	0.22	2.68	107	0.09	2.79	28	0.7			
W591369		8.3	<0.005	5.38	6.67	19	4.44	4.60	259	3.5	492		
W591370		3.7	<0.005	1.32	2.83	8	32.1	9.24	185	1.7	178		
W591371		3.4	0.008	0.66	3.73	27	68.0	2.92	232	1.8			
W591372		2.1	<0.005	0.85	2.74	4	4.60	0.23	55	1.4	121		
W591373		4.5	<0.005	2.33	3.01	8	130.0	7.00	222	1.8			
W591374		0.7	<0.005	1.40	1.98	6	149.5	0.93	289	<0.5	1480	1.695	1.185
W591375		3.6	<0.005	0.62	2.75	14	0.74	1.51	22	2.8			
W591376		17.9	<0.005	0.52	7.29	64	1.52	6.60	74	6.2			
W591377		1.5	<0.005	0.43	1.58	15	0.23	1.11	33	1.4			
W591378		4.3	<0.005	2.20	6.63	16	480	2.05	170	2.2	606	1.645	1.100
W591379		2.2	<0.005	0.22	0.27	45	0.54	1.94	89	5.2			
W591380		4.8	<0.005	1.26	7.86	6	1.17	5.85	365	1.0	435		19.75
W591381		3.0	<0.005	0.64	18.65	764	0.51	3.57	82	3.8			
W591802		0.2	<0.005	0.08	0.19	15	0.92	0.33	9	<0.5			
W591803		11.3	<0.005	1.91	31.3	74	3.86	8.58	18	3.4			
W591804		2.0	<0.005	0.14	1.63	71	0.29	1.53	107	0.9			
W591805		29.4	<0.005	2.49	11.15	42	15.00	6.27	15	3.5			
W591806		6.4	<0.005	0.19	2.55	78	0.19	2.19	27	3.8			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 17-JUL-2018
Account: MTT

Project: SAWBUCK

CERTIFICATE OF ANALYSIS WH18157173



CERTIFICATE COMMENTS	
Applies to Method:	ANALYTICAL COMMENTS Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41
Applies to Method:	LABORATORY ADDRESSES Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada. CRU-31 CRU-QC LOG-21 PUL-31 PUL-QC SPL-21 WEI-21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Ag-OG46 Au-GRA21 Au-ICP21 Cu-OG46 ME-MS41 ME-OG46 Pb-OG46


STRATEGIC METALS LTD.FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**PROPERTY LOCATION****SAWBUCK PROPERTY**


0 200 km


FILE: .../2018/SAWBUCK


DATE: FEB 2019





















STRATEGIC METALS LTD.	
FIGURE 8 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED	
REDUCED INTRUSION-RELATED GOLD SYSTEMS MODEL	
SAWBUCK PROPERTY	
FILE: 2018\SAWBUCK	DATE: FEB 2019



STRATEGIC METALS LTD.FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**SOIL SAMPLE LOCATIONS**

SAWBUCK PROPERTY

0 500 metres
UTM Zone 8, NAD83, NTS 116A04
FILE: 2018SAWBUCK DATE: FEBRUARY 2019