

2018 SURFACE EXPLORATION REPORT ON THE HOT SPOT PROPERTY, NORTH LADUE RIVER AREA

LOCATION:

DAWSON MINING DISTRICT, YUKON TERRITORY

COORDINATES:

LATITUDE: 63° 27' 54 " N, LONGITUDE: 140° 58' 11" W

UTM: ZN 7 501547 E 7035547 N

NTS MAP SHEET:

115 N 07

WORK DONE:

JUNE 26TH TO SEPTEMBER 6TH

OWNER:

LUCKYSTRIKE RESOURCES LTD.

QUARTZ CLAIMS:

GRANT NUMBER	CLAIM NAMES
<i>YF06901 - YF06996</i>	<i>HS 1 - 96</i>
<i>YF05407 - YF05494</i>	<i>HS 97 - 184</i>

PREPARED ON BEHALF OF:

LUCKYSTRIKE RESOURCES LTD.

*750 - #802 West Pender Street W
Vancouver, British Columbia
Canada, V6C 2T7*

By

Clayton Jones, B.Sc. GIT

5407 Ronde Lane, Kamloops, BC, Canada, V2C 5H5

January 15, 2019

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	General	1
1.2	Units and Currency	2
2.0	PROPERTY LOCATION AND DESCRIPTION	2
2.1	Location and Access.....	2
2.2	Description of Mining Claims.....	3
3.0	PHYSIOGRAPHY, VEGETATION AND CLIMATE.....	7
4.0	PROPERTY HISTORY.....	8
5.0	GEOLOGICAL SETTING.....	10
5.1	Regional Geology.....	10
5.2	Property Geology	13
6.0	2017 EXPLORATION PROGRAM.....	17
7.0	DISCUSSION.....	22
7.1	Soil Sampling.....	22
7.2	Prospecting.....	27
7.3	Ground Magnetic Survey.....	30
7.4	Trenching.....	32
8.0	METHODOLOGY, QUALITY ASSURANCE AND QUALITY CONTROL.....	37
8.1	Geochemical Analysis	37
8.2	Soil Sampling.....	38
8.3	Prospecting	39
8.4	Trenching.....	39
8.5	Ground Magnetic Survey.....	40
8.6	Data Verification	41
9.0	CONCLUSION.....	41
10.0	RECOMMENDATIONS.....	43
11.0	REFERENCES	49
12.0	STATEMENT OF QUALIFICATIONS OF AUTHOR	50

TABLES

TABLE 1:	Recommend RC drill holes	44
----------	--------------------------------	----

FIGURES

FIGURE 1:	Property Location Map.....	4
FIGURE 2:	Claim Group Map.....	6
FIGURE 3:	Physiography	8
FIGURE 4:	Regional Bedrock Geology Map.....	11
FIGURE 5:	Regional Airborne Magnetic Survey (TMI).....	12
FIGURE 6:	Property Geology, Geochemistry, and Mineral Occurrence Map.....	16
FIGURE 7:	2018 Exploration Program.....	18
FIGURE 8:	Phase 1 trenching	20
FIGURE 9:	phase 2 camp	21

FIGURE 10:	Soil Geochemistry Map (Au)	23
FIGURE 11:	Sure Bet gold-in-soil anomaly.....	24
FIGURE 12:	Pathfinder Element Map 2017 / 2018	26
FIGURE 13:	Rock Grab Geochemistry Map.....	28
FIGURE 14:	Auriferous Rock grab samples.....	29
FIGURE 15:	Ground based magnetic survey	31
FIGURE 16:	Trench Geochemistry Map (Au)	34
FIGURE 17:	Trench Aerial View.....	35
FIGURE 18:	Trench Lithology	36
FIGURE 19:	Recommended Surface Exploration Program.....	46
FIGURE 20:	Recommended Drill Program.....	47

APPENDICES

APPENDIX 1:	2018 Program Costs
APPENDIX 2:	Quartz Claim Details
APPENDIX 3:	Soil Sample Location Map
APPENDIX 4:	Soil Sample Descriptions
APPENDIX 5:	Rock Sample Location Map
APPENDIX 6:	Rock Sample Descriptions
APPENDIX 7:	Trench Sample Location Map
APPENDIX 8:	Trench Sample Descriptions
APPENDIX 9:	Certificates of Analysis

1.0 INTRODUCTION

1.1 GENERAL

The Hot Spot Property is located in the Dawson Mining District, approximately 100 km south - west of Dawson City, Yukon Territory. The property is situated directly along the USA – Canada border and drains into the North Ladue River. The property is only accessible by helicopter based out of Dawson City; however, there is a 100 km long access road from Highway 9 (Top of the World) to Matson Creek airstrip, that is located only 12 km from the Hot Spot property.

The original Hot Spot property was staked in the spring of 2017 as a grassroots project with additional claims being added during the 2018 exploration season. The new claim block was added to the north end of the property covering the newly expanded gold in soil anomaly. The property consists of 204 mineral claims comprising approximately 40 square kilometers and is 100% owned by Luckystrike Resources Ltd (Luckystrike). The property was staked based primarily on elevated gold values in regional stream sediment samples, historic placer gold workings, and a single minfile occurrence named after Rodney Blakestad, the prospector who helped discover the 10-million-ounce Fort Knox gold deposit in Alaska. This minfile has no data available other than claims were staked between 1978 and 1979 and geological sampling and mapping was completed.

The property is unglaciated and overlies steeply incised placer gold bearing creeks, coincident with a major contact between a regionally mapped Eocene felsic volcanic plug (rhyolite) and older Permian to Proterozoic basement schists. The property encompasses an area of dense mature tree-covered hills with limited forest fire patches. The property is bisected by steeply incised east - west drainages that drain into the North Ladue River. There are several historic winter access trails along the North Laude River and its tributaries that drain the Hot Spot property.

The 2018 exploration program consisted of soil sampling, prospecting, mechanical trenching and a ground based magnetic survey. The primary focus of the program was to further expand and delineate the high-grade gold in soil anomaly discovered in late 2017; furthermore, determine the bedrock source causing the gold in soil anomaly. The work was completed in two phases during the 2018 summer exploration season, between the dates of June 26th – September 6th.

All exploration work was conducted by Druid Exploration Inc. (Druid) of Dawson City, Yukon Territory. A total of 585 soil samples, 80 rock grab samples, and 123 trench samples were acquired and sent for geochemical analysis during the 2018 program. A total of 246 m of trench was excavated over 4 separate trenches. The ground based magnetic survey consisted of 57-line km, covering approximately 2.8 square kilometers.

The program was successful in expanding the Sure Bet gold in soil anomaly to the north for a total length of 1200 m and identifying a significant NE trending magnetic low structure that parallels the length of the soil anomaly. The magnetic low is thought to represent a shear zone

hosted in a clastic volcanic tuff. Rock grab samples obtained from hand excavated pits within the gold in soil anomaly contained gold values up to 0.60 g/t and mechanical trenching uncovered mineralized volcanic tuff and breccia with best intercepts of 44 m of 0.42 g/t Au including 2.44 g/t Au over 2m. The gold mineralization discovered to date suggest a low sulphidation epithermal bulk tonnage gold deposit similar to that of the 10 M oz Round Mountain gold deposit in Nevada. A reverse circulation (RC) drill program is recommended to test the Sure Bet Zone mineralization to depth.

This technical report documents the mineral exploration work conducted on the quartz claims comprising the Hot Spot property, between the dates of June 26th – September 6th, 2018. The program was managed by Clayton Jones in the field and this report has been prepared by Clayton Jones from material data obtained from the 2018 program.

1.2 UNITS AND CURRENCY

Metric units are used throughout this report. Tonnages are shown as tonnes (1,000 kg), linear measurements as meters ("m"), or kilometers ("km"). Precious and base metal values are shown as grams per tonne ("g/t") and/or parts per billion ("ppb"). All gold values stated in this report for rock samples use the analytical fire assay analysis, except in the event a metallic screen fire assay analysis was completed, in which case this gold value will be reported instead.

Conversions: 31.1034 grams = 1 troy ounce
 1 gram per tonne = 0.0292 troy ounces per ton
 1 part per million ("ppm") = 1000 parts per billion ("ppb").
 1.0 metric ton (1,000 kg) = tonne ("t") = 1.10231 short tons ("T")
 1.0 metre ("m") = 3.28 feet
 1.0 hectare ("ha") = 2.47105 acres

Currency amounts are expressed in Canadian dollars ("CDN\$"), unless indicated otherwise.

2.0 PROPERTY LOCATION AND DESCRIPTION

2.1 LOCATION AND ACCESS

The Hot Spot property is located within the Dawson Mining District in 1:50 0000 NTS map sheet 115 N 07. The Sure Bet zone on the property is located at 63° 27' 54" N, 140° 58' 11" W or UTM 501547 E 7035547 N (NAD 83, Zone 7). Hot Spot is approximately 100 kilometers south-west of Dawson City (Figure 1). Currently the property is only accessible by helicopter chartered from

Dawson City; however, there is a 100 km long access road from Highway 9 (Top of the World Highway) to Matson Creek airstrip that is located only 12 km north – east of the Hot Spot property. This airstrip could provide an excellent staging area for getting supplies and crew in and out of the property and reduce the number of helicopter hours used to access and work the property.

The property is located in the North Ladue placer mining district and spans 12 km north – south, covering approximately 40 square kilometers and is contiguous with the USA – Canada border.

FIGURE 1: PROPERTY LOCATION MAP




FIGURE 1: PROPERTY LOCATION MAP
HOT SPOT PROPERTY

Legend


- HOT SPOT PROPERTY
- ACCESS ROAD
- Yukon/Alaska Border
- MAJOR ROAD
- SWAMP
- WATER BODY
- WINTER TRAIL (HISTORIC)
- COMMUNITY



CREATED BY: C. JONES
 DATE: JANUARY 15, 2019



NTS MAP SHEET: 1150 07, 08, 09, 10
 DATUM: UTM ZN 7 NAD 83



2.2 DESCRIPTION OF MINING CLAIMS

The Hot Spot property is comprised of 184 contiguous mineral tenures that were staked in 2017 by Luckystrike (Figure 2). The quartz claims that make up the property stretch 12 km long covering approximately 40 square kilometers of land within NTS 1:50 000 map sheet 115N 07. All of the Hot Spot property quartz claims are 100% owned by Luckystrike. During the 2018 exploration season, an additional 20 mineral claims (HS 184 – HS 204) were added to the north end of the property in order to cover the newly expanded Sure Bet gold in soil anomaly.

Soil sampling, prospecting, and ground magnetic survey traverses were conducted on 43 quartz claims; HS 37, 38, 74, 108 – 121, 125, 127 – 133, 136, 147, 149, 151, 152, 154 – 157, 163, 165, 169, 172, 174, 176, 180, 182. All trenching was completed on HS 114. A detailed summary of quartz claim information for the Hot Spot property can be found in Appendix 1.

FIGURE 2: CLAIM GROUP MAP




FIGURE 2: CLAIM GROUP MAP
HOT SPOT PROPERTY

Legend

- Hot Spot Property - Outline
- Original Claims - Hot Spot Property
- New Claim's Added - Hot Spot Property
- ROAD
- WINTER TRAIL (HISTORIC)



1:75,000



CREATED BY: C. JONES
 DATE: JANUARY 15, 2019

NTS MAP SHEET: 1150 07, 08, 09, 10
 DATUM: UTM ZN 7 NAD 83

3.0 PHYSIOGRAPHY, VEGETATION AND CLIMATE

The Hot Spot property is situated in a portion of the Yukon that is unglaciated with mature dendritic drainages that are characterized by smooth round topped hills with steeply incised drainages. Elevations on the property range from 480 m near the North Ladue River valley to a maximum height of 975 m along the ridge tops at the far west end of the property along the USA – Canada border.

Most of the property is covered by densely populated and mature birch and fir forests making helicopter landing very difficult. Bedrock exposure is moderate with many good exposures along steeply incised creek drainages, where rock cliffs are exposed. The upper ridge tops contain deeply weathered felsenmeer and thick soil cover with very limited outcrop. Lower elevations in the valley bottoms and north facing slopes contain thick loess deposits and permafrost.

The Yukon has a sub-arctic continental climate. Summer temperatures can reach up to 35° C but the mean temperature is 10° C. Winter temperatures can be very cold reaching down to - 55° C but with a mean winter temperature of -23° C.

FIGURE 3: PHYSIOGRAPHY

Looking north-east towards the saddle that hosts the Sure Bet zone on the Hot Spot property



4.0 PROPERTY HISTORY

The Hot Spot property area contained very limited documented exploration work prior to 2017. The property was staked by Luckystrike in 2017 for 3 reasons: elevated gold in stream sediment samples draining the property, proximity to historic placer gold exploration, and lastly a single minfile occurrence named after Rodney Blakestad, the prospector who helped discover the 10 million Oz Fort Knox gold deposit in Alaska. This minfile has no data available other than 40 claims (named Car) were staked by Ocean Home Exploration Company Ltd (Ocean Homes) between 1978 and 1979 and that mapping and geochemical sampling were conducted. No known report was filed for this work. The Deep, Bingham, and Rice minfiles, located just north, east and south of the Hot Spot property were all properties also staked by Ocean Homes in 1978 – 1979 that were all part of a regional scale reconnaissance exploration program designed to test the region’s potential for intrusion related gold deposits. There is no data available to the public for any of this work done by Ocean Homes.

Refer to Figure 6 showing placer gold bearing creeks, stream sediment sample gold geochemistry, and locations of nearby mineral occurrences (minfiles). The following minfiles below are located within a 15 km radius of the Hot Spot property and information is directly cited from the Yukon Geological Survey website, retrieved from <http://data.geology.gov.yk.ca/>

MINFILE 115N 101 (BLAKESTAD)

Located within a group of 40 Car claims, (staked non-sequentially, claim 903 = YA29826) in Jun/78 by Ocean Home Exploration Company Ltd (Inco Ltd & Kennco Explorations), which explored with mapping and geochem sampling later in 1978 and 1979 and enlarged the property in Jun/79.

MINFILE 115N 103 (DEEP)

Staked within a group of 19 CR claims (staked nonsequentially, claim 1000 = YA31043) in Jun/78 by Ocean Home Exploration Company Ltd (Inco Ltd & Kennco Explorations), which conducted mapping and geochem sampling later in the year.

MINFILE 115N 104 (BINGHAM)

Staked within a group of 84 Ram claims, (staked non-sequentially, claim 804 = YA31126) in Jun/78 by Ocean Home Exploration Company Ltd (Inco Ltd & Kennco Explorations), which conducted mapping and geochem sampling later in the year.
Restaked as Bud cl 1-8 (YA64799) in Dec/81 by R.G. Hilker.

MINFILE 115N 102 (BINGHAM)

Staked within a group of 36 RH claims (staked nonsequentially, claim 1001 = YA31008) in Jun/78 by Ocean Home Exploration Company Ltd (Inco Ltd & Kennco Explorations (Canada) Ltd), which conducted mapping and geochemical sampling later in the year.
Canadian United Minerals Inc staked Ladue cl 1-54 (YC09781) 8 km to the south (on the south side of the Ladue River) in Mar/99. The company carried out a soil and silt sampling program in Mar/2000. The Geological Survey of Canada carried out an airborne geophysical survey over the region in 2000 and 2001.

MINFILE 115N 026 (LADUE)

Staked as Lad cl 1-36 (Y57637) in Apr/70 by Canadian Occidental Petroleum Ltd, which conducted grid soil sampling and mapping.
Restaked as Glad cl 1-8 (YA10415) and 9-24 (YA10423) in Aug/77 by Cities Services Ltd

5.0 GEOLOGICAL SETTING


5.1 REGIONAL GEOLOGY

The property is underlain by a package of metamorphosed Paleozoic rocks of the Yukon Tanana terrane that is intruded by Eocene age (48 Ma) volcanics and Cretaceous age (85 Ma) intrusives. The Paleozoic rock package consists of quartz – muscovite – chlorite schists of the Klondike group. The Eocene volcanics belong to the Ross suite and consist primarily of a rhyolite porphyry with lesser amounts of tuffs, flows, and breccias. The Cretaceous intrusions are primarily granitic in composition and belong to the Whitehorse suite. Refer to Figure 4 showing the regional geology.

The property is located in close proximity to the north – west end of the Big Creek fault systems that hosts several significant gold deposits over a 250 km strike length. These deposits include the Coffee, Casino, Freegold, and Klaza gold deposits. Refer to Figure 4 showing the Big Creek fault system with relation to the Hot Spot property and major gold deposits. A coarse detail, magnetic survey completed in 2000 – 2001 by the Geological Survey of Canada (GSC) clearly highlights the Ross volcanic plug as a residual magnetic high. Refer to figure 5 showing the regional magnetic field (TMI).

FIGURE 4: REGIONAL BEDROCK GEOLOGY

FIGURE 4: REGIONAL GEOLOGY
HOT SPOT PROPERTY



- USA/Canada Border
- Big Creek - Fault System
- - Major Regional Scale Faults
- ★ Significant Gold Deposits
- Cretaceous Intrusions
- Terranes of the Northern Cordillera**
- Ancestral North America
- Insular
- Intermontane
- Intermontane-Insular arc overlap
- N Alaska
- Northern Alaska
- Outboard

Big Creek Fault System
(NW trending, arc-parallel structure)



<i>Deposit Name</i>	<i>Contained Au (oz.)</i>	<i>Grade Au (g/t)</i>
Casino	18,000,000	0.24
Fort Knox	10,000,000	0.4
Pogo	7,900,000	12.5
Coffee	5,100,000	1.45
Freegold Mountain	3,200,000	0.54
White	960,000	2.52
Klaza	500,000	2.8
Taurus	360,000	0.17

0 40 80 120 160 200 Kilometers


Gulf of Alaska

FIGURE 5: REGIONAL AIRBORNE MAGNETIC FIELD SURVEY (TMI)

**FIGURE 5: REGIONAL AIRBORNE MAGNETICS SURVEY (TMI)
HOT SPOT PROPERTY**



HOTSPOT PROPERTY - AIRBORNE TOTAL MAGNETIC INTENSITY



5.2 PROPERTY GEOLOGY

General

The southern portion of the claims are underlain by middle to late Permian Klondike Schists (PK1) made up primarily of quartz muscovite chlorite schists with occasional small scattered Eocene aged rhyolitic volcanic dykes of the Ross suite. The Klondike schist sub types are described in detail below by the Yukon Geological Society (YGS). These descriptions were taken from the 2017 Yukon Bedrock Geology legend, retrieved from <http://data.geology.gov.yk.ca/Compilation/DownloadProduct/114>.

KLONDIKE: *felsic metavolcanic rocks (1) intercalated with metaclastic rocks (2) and minor intermediate to mafic metavolcanic rocks (3)*

1, *tan to rusty and black weathering quartz-muscovite-chlorite schist; quartz and/or feldspar augen-bearing quartz-muscovite (chlorite) schist; locally includes augen gneiss (Klondike Schist) PK1*

2, *silvery grey muscovite chlorite quartz phyllite, muscovitic and/or chloritic micaceous quartzite (PK2)*

3, *light to medium green chlorite schist and phyllite; amphibolite (PK3)*

The northern portion of the property (Sure Bet Zone) consists of late Tertiary volcanic plug known as the Ross suite (ITR). These volcanics include basalt (ITR1), rhyolite (ITR2), terrestrial classics (ITR3), and rhyolitic lava and dikes (ITR4). These sub types are described in detail below by the Yukon Geological Society (YGS). These descriptions were taken from the 2017 Yukon Bedrock Geology legend, retrieved from <http://data.geology.gov.yk.ca/Compilation/DownloadProduct/114>.

ROSS: *mixed bimodal volcanic rocks (basalt (1), rhyolite (2)) and terrestrial clastics (3), dominantly along or near Tintina Fault; farther removed, scattered occurrences of rhyolitic lava and dikes (4) are also included*

1, locally amygdaloidal, dark grey-green olivine basalt necks and flows; subaerial and subaqueous (locally pillowed); volcaniclastic rocks; minor olivine gabbro; locally plagioclase-phyric basalt and diabase dikes; minor shale and conglomerate (ITR1)

2, rhyolite flows, tuff, ash-flow tuff and breccia, locally laminated; small stocks and necks of white weathering, flow-banded, quartz-sanidine porphyry to granite porphyry, locally obsidian bearing; local shale, sandstone and conglomerate (ITR2)

3, brown, thin-bedded, claystone, siltstone, shale and coal; arkosic or chert rich, thick-bedded micaceous sandstone; thick-bedded to massive pebble to boulder, chert-quartz conglomerate (ITR3)

4, light coloured felsic quartz feldspar porphyry and rhyolite; minor acid tuff breccia, crystal lithic tuff and ignimbrite; quartz-feldspar porphyry stocks and dikes (ITR 4)

5, gabbro (ITR5)

Refer to figure 6 showing the bedrock geology for the Hot Spot claims and surrounding area.

Sure Bet Zone

The Sure Bet zone that hosts the newly discovered gold in soil anomaly is underlain by Tertiary aged (48 Ma) rhyolite plug. The dominant rock types observed at the Sure Bert zone are felsic quartz feldspar rhyolitic porphyry, beige to light green clastic tuff, and volcanic flow breccia. A tightly spaced detail ground based magnetic survey completed entirely within the volcanic plug has revealed a strong NE magnetic low structure that parallels the 1.2 km long gold in soil anomaly at the Sure Bet zone. This magnetic low structure is believed to represent a shear zone hosted in a clay altered volcanic clastic tuff and breccia.

The gold mineralization at the Sure Bet zone is derived from a shear zone hosted in a light grey green bleached out (argillic / clay altered) clastic volcanic tuff, flow breccia, and minor rhyolite porphyry. Fault gouge, slicken slides, and breccia encounter in the 2018 trenches, in conjunction with the underlying NE magnetic low structure highlighted by the ground magnetic survey, have

provided strong evidence that the the gold mineralization is structurally controlled. The gold is believed to be hosted as free gold contained in fracture fill oxide minerals (limonite) in clay altered sheared volcanic porphyry, tuff, and breccia. The gold mineralization and geology at Hot Spot shares many characteristics to that of a low sulfidation epithermal gold deposit. In particular, the mineralization at Sue Bet Zone resembles the 10-million-ounce Round Mountain Gold deposit in Nevada. The Round Mountain Gold deposit contains low grade bulk tonnage gold hosted in sheared and altered tertiary clastic tuff containing oxide veinlets and stringers.

FIGURE 6: PROPERTY BEDROCK GEOLOGY MAP




FIGURE 6: BEDROCK GEOLOGY MAP
HOT SPOT PROPERTY

LEGEND

- Hot Spot Property
- Mineral Claims
- Yukon / Alaska Border
- Access Roads
- Major Structure
- Placer Gold Bearing Creeks

Mineral Occurrence

Deposit Type

- Coal
- Plutonic Related Au
- Porphyry Cu-Mo-Au
- Unknown
- Vein Polymetallic Ag-Pb-Zn+/-Au
- VMS Kuroko Cu-Pb-Zn

Stream Geochemistry

(AU PPB)

- 0.5 - 1.0
- 1.1 - 4.0
- 4.1 - 8.0
- 8.1 - 13.0
- 13.1 - 25.0

Yukon Bedrock Geology

LOWER TERTIARY, MOSTLY(?) EOCENE

ITR2: ROSS: rhyolite flows, tuffs, ash-flow tuffs and breccias, locally laminated; small stocks and necks of white weathering, flow-banded, quartz-sandine porphyry to granite porphyry, locally obsidian bearing; local shale, sandstone and conglomerate

MID-CRETACEOUS

mKqW: WHITEHORSE SUITE: biotite quartz-monzonite, biotite granite and leucogranite, pink granophyric quartz monzonite, porphyritic biotite leucogranite, locally porphyritic (K-feldspar) hornblende monzonite to syenite, and locally porphyritic leucocratic quartz monzonite (Mt. McIntyre Suite, Whitehorse Suite, Casino Intrusions, Mt. Ward Granite, Coffee Creek Granite)

UPPER CRETACEOUS

uKC1: CARMACKS: augite olivine basalt and breccia; hornblende feldspar porphyry andesite and dacite flows; vesicular, augite phyrlic andesite and trachyte; minor sandy tuff, granite boulder conglomerate, agglomerate and associated epiclastic rocks (Carmacks Gp., Little Ridge Volcanics, Casino Volcanics)

MIDDLE PERMIAN

PgS: SULPHUR CREEK:

CARBONIFEROUS AND PERMIAN


- PK3: KLONDIKE SCHIST: silvery grey muscovite chlorite quartz phyllite
- PK2: KLONDIKE SCHIST: clastic rocks
- PK1: KLONDIKE SCHIST: tan to rusty and black weathering muscovitic and/or chloritic quartzite and quartz-muscovite-chlorite schist; quartz and/or feldspar augen-bearing quartz-muscovite (chlorite) schist; includes augen gneiss and amphibolite (Klondike Schist)

DEVONIAN, MISSISSIPPIAN AND(?) OLDER

DMF1: FINLAYSON: mafic volcanic rocks

LATE PROTEROZOIC AND PALEOZOIC

PDS1: Snowcap clastic



1:110,000



CREATED BY: C. JONES
DATE: JANUARY 15, 2019

NTS MAP SHEET: 1150 07, 08, 09, 10
DATUM: UTM ZN 7 NAD 83

6.0 2018 EXPLORATION PROGRAM

The 2018 exploration program was split into two phases in order to allow for a follow up program. In total, 63-man days were spent on the property conducting the program. The program consisted of gridded soil sampling, prospecting, ground based magnetic survey, and mechanical trenching. The following was completed:

- 585 soil geochemical samples
- 80 rock grab geochemical samples
- 123 trench geochemical samples (2 m intervals)
- 246 m of trench (4 individual trenches)
- 57-line km of ground based magnetic survey

All of the work done on the property took place in the northern portion near the Sure Bet Zone. The primary focus of program was to determine what is causing the gold in soil anomaly previous outlined in 2017 and to further expand and delineate the anomaly.

Mechanical excavation determined the gold in soil anomaly is derived from a sheared strongly altered (bleached) volcanic clastic tuff and breccias containing oxide fracture fill and stringers. The magnetic survey clearly outlined a strong NE linear magnetic low that corresponds to the mineralized volcanic tuff and overlying gold in soil anomaly. The soil anomaly was expanded 1200 m to the north and parallel to the magnetic low structure and remains open to the NE. Prospecting within the gold in soil anomaly has discovered additional mineralized volcanic tuff and breccia with values up to 0.6 g/t Au.

Refer to Figure 7 showing a summary of work done in 2018. Appendix 2 contains the costs associated with the 2018 program. Details for the 2 phases of the program can be found below.

FIGURE 7: 2018 EXPLORATION PROGRAM




FIGURE 7: WORK DONE MAP
HOT SPOT PROPERTY

Legend

- ▬ trench
- ▲ rock grab sample
- soil sample
- ▬ ground mag traverse
- ▬ prospector traverse
- Hot Spot Property - Outline
- Yukon / Alaska Border



1:30,000



CREATED BY: C. JONES
 DATE: JANUARY 15, 2019

NTS MAP SHEET: 1150 07, 08, 09, 10
 DATUM: UTM ZN 7 NAD 83

Phase I

The phase 1 program was completed between the dates of June 26th to July 6th with a 4-man crew. The property was accessed via a Hugh 500 D helicopter based out of Luckystrike Resources' LUC camp located near the confluence of the Stuart and Yukon Rivers, approximately 90 km south east of the Hot Spot property (589539 m E 7012751 m N ZN 7). The helicopter was chartered from Ocean View Helicopters based out of Powell River BC. No camp was set up on the property during this program. A fixed wing aircraft chartered by Great River Air based out of Dawson City was also used to help mob and demob samples and gear from Dawson City to Matson Creek airstrip (12 km north east of the property).

The program consisted of mechanical trenching with a Candig Excavator, soil sampling, prospecting, and a ground based magnetic survey. The following was completed during the phase 1 program: collection of 420 soil samples, collection of 62 rock grab samples, excavation of 246 m of trench with 123 rock geochemical samples, and 27-line km of ground based magnetic survey. Refer to figure 7 showing excavation of trenches at the Hot Spot property.

The crew members for the phase 1 program included; Geologist; Chris Arseno, Sampler; Phil Severson, Excavator operator; Brad Osmond, and Project Geologist; Clayton Jones.

FIGURE 8 : PHASE 1 TRENCHING PHOTOGRAPH

Excavator operator Brad Osmond excavating HS-TR-01 at the Hot Spot Property during the 2018 phase 1 exploration program.



Phase II

The phase II program was completed between the dates of September 1st to September 6th 2018 with a 3-man crew. The Property was accessed from Dawson City with an Astar helicopter chartered by Trans North Helicopters (90 km flight). A small fly camp was set up with the crew spending 5 nights in the field. All work done on the property was accessed by foot with no heli support required during the program. The phase II program consisted of soil sampling, rock prospecting (rock grabs) and a ground based magnetic survey. Camp demob was done with an Astar chartered from Trans North Helicopters in Dawson City.

This program was designed to further expand the Sure Bet gold in soil anomaly to the north via additional gridded soil sampling and ground based magnetic survey. The following was completed during the phase 2 program: collection of 165 soil samples, collection of 18 rock grab samples, and 30-line km of ground based magnetic survey. Refer to Figure 8 showing base camp location.

The team consisted of Project Geologist; Clayton Jones, Junior Geologist; Ethan Beardy, and Sampler; Phil Severinsen.

FIGURE 9: PHASE 2 CAMP PHOTOGRAPH

Fly camp setup on the helicopter pad during the 2018 phase 2 exploration program at the Hot Spot property.



7.0 DISCUSSION

7.1 SOIL SAMPLING

Both gridded and ridge and spur sampling survey styles were used on the property for a total of 585 soil samples collected on the property.

The gridded sampling was designed to further delineate the north south gold in soil anomaly (Sure Bet Zone) that was discovered in 2017 and consisted of 310 samples. Samples were taken at 25 or 50 m spacing, along irregular spaced east-west lines. The line spacing varied between 50 – 200 m and covered a north – south extent of 2.5 km. The reconnaissance ridge and spur sampling were designed to test the areas surrounding the Sure Bet Zone for similar geochemical response. A total of 275 samples were collected at 50 m sample spacing. Refer to section *8.0 Methodology* for details on sample protocol and analytical procedures. Appendix 3 contains the soil sample location maps and Appendix 4 contains soil sample descriptions.

The reconnaissance exploration program was unsuccessful in finding new gold in soil anomalies along ridge and spurs neighboring the Sure Bet zone. Refer to Figure 10 for the 2018 gold in soil geochemistry map.

The gridded soil sample survey was successful in expanding the north – south trending Sure Bet gold in soil anomaly for a total length of 1200 m and remains open to the north. The soil anomaly contains samples with Au values up to 1.22 g/t Au and parallels a strong magnetic low structure outlined by the ground based magnetic survey. This low is believed to represent fault zone within the volcanic clastic tuff unit. Refer to figure 11 for an aerial view of the Sure Bet gold in soil anomaly on the Hot Spot property.

FIGURE 10: SOIL GEOCHEMISTRY MAP (Au)





FIGURE 11: HOT SPOT – SURE BET ZONE


Aerial view of the Sure Bet gold in soil anomaly at the Hot Spot property. Looking north – east.





The gold in soil anomaly contains several pathfinder elements that can be used to aid in future exploration efforts on the property. Correlation coefficients were calculated for gold in soils using all samples taken on the property to date (n=843). Silver has the strongest correlation to gold with a coefficient of 0.53 while arsenic, antimony and mercury are all moderately correlated with coefficients of 0.27, 0.24, and 0.21. Refer to figure 12 showing the pathfinder element map for the Sure Bet Zone in relation to the magnetic low structure.

The majority of the Sure Bet gold in soil anomaly is located along a north facing gulch and hillside resulting in abundant permafrost and deep organic overburden. Sample quality was reduced in these areas due to increase organics and permafrost. A total of 9 samples were unable to be analyzed at the laboratory as there was insufficient amount of mineral content (too much organic content). The northern portion of the Sure Bet gold in soil anomaly was derived from primarily poor (increase organic material) soil samples, and thus may mask the underlying bedrock geochemistry.

FIGURE 12: PATHFINDER ELEMENT MAP (Au)



**FIGURE 12: PATHFINDER ELEMENT MAP
HOTSPOT PROPERTY**



7.2 PROSPECTING

A total of 80 rock grab samples were collected from the Hot Spot property during the 2017 exploration program. The majority of grab samples were taken within or nearby the Sure Bet gold in soil anomaly. Refer to section *8.0 Methodology* for details on sample protocol and analytical procedures. Appendix 5 contains the rock grab sample location maps and Appendix 6 contains sample descriptions.

None of the grab samples taken along the nearby ridge and spurs contained elevated gold; however, several rock grab samples within the Sure Bet gold in soil anomaly contained anomalous gold values. Rock grab samples that were taken from hand excavated pits, at select soil sample sites, within the soil anomaly, contained gold values up to 0.6 g/t Au. Refer to Figure 13 showing the rock grab gold geochemistry map. The auriferous rock samples within the Sure Bet zone all resembled the rock samples observed from the auriferous trench intercepts. The auriferous samples all consisted of a bleached light grey green limonitic volcanic tuff and breccia. Refer to Figure 14 showing photographs of auriferous rock grab samples taken within the Sure Bet gold in soil anomaly.

FIGURE 13: ROCK GRAB GEOCHEMISTRY MAP




FIGURE 14: AURIFEROUS GRAB SAMPLES

A – tuffaceous breccia consisting of light greyish green volcanic tuff matrix with sub-rounded to angular white soft clasts (clays), limonite stained fractures, assayed 383 ppb Au B - beige to light grey volcanic tuff with fine < 1 mm discontinuous black oxide stringers, 595 ppb Au C – tuffaceous breccia, light green grey matrix with multi litho types of rounded to angular clasts, limonite stained fractures, 322 ppb Au D - light green cherty tuff with oxide staining, 298 ppb Au



7.3 Ground Magnetic Survey


A total of 57-line km of detailed ground based magnetic survey was conducted at the Sure Bet Zone. The survey was designed to overlap the gridded soil survey. The magnetic survey was conducted using a backpack mounted Gem Systems GSM-19 Overhauser ground magnetometer operated by Clayton Jones and Phil Severinsen. Refer to section 8.0 *Methodology* for detailed information on the ground based magnetic survey.

The irregular shaped grid covering approximately 2.8 square km was completed with 56 east west lines spaced approximately 50 m apart. Campbell and Walker Geophysics of Vancouver B.C., processed all the data collected in the field and created high resolution contoured geoTIFF files for total magnetic intensity. Refer to appendix 9 showing the 10 nT contour magnetic intensity map.

The survey was successful in delineating a strong NE trending magnetic low that parallels the 1.2 km Sure Bet gold in soil anomaly. Refer to Figure 15 showing the total magnetic intensity overlaid with gold in soil and trench locations. The magnetic low pinches out to the south, almost seamlessly reflecting the underlying gold in soil anomaly. Trenching and prospecting along the southern most part of the magnetic low has shown that the linear magnetic low feature represents a fault zone consisting of strongly bleached (argillic / clay altered) light green to grey clastic volcanic tuff and breccia. This tuffaceous unit host the gold mineralization at the Sure Bet zone. The magnetic high that flanks the magnetic low fault structure represents a maroon colored, strongly silicified, rhyolite porphyry. This silicified unit may represent a cap rock overtop of the mineralized clastic tuff; helping to preserve the gold deposit from weathering out.

This magnetic low structure remains open to the north- east and may have intersecting NW – SE magnetic low structures associated with it. The survey needs to be expanded in order to confirm this hypothesis.

FIGURE 15: GROUND MAGNETIC SURVEY – GOLD IN SOIL OVERLAY



**FIGURE 15: GROUND MAG (TMI)
HOT SPOT PROPERTY**

- 2018 TRENCH
- MAG LOW STRUCTURE

NTS MAP SHEET: 1150 07
 DATE: MARCH 19, 2019
 DATUM: UTM ZN 7 NAD 83
 CREATED BY: C. JONES



1:9,000



- 56997
- 56942
- 56902
- 56869
- 56842
- 56821
- 56805
- 56791
- 56781
- 56775
- 56769
- 56763
- 56757
- 56750
- 56741
- 56729
- 56711
- 56683
- 56643

cormagF
nT

Soil Geochemistry (2017 & 2018)

Au (ppb)

- 0.500 - 8.00
- 8.01 - 34.00
- 34.01 - 71.80
- 71.81 - 151.80
- 151.81 - 372.50
- 372.51 - 1021.50
- 1021.51 - 2002.00
- 2002.01 - 4110.60

7.4 Trench

A total of 4 trenches comprising 246 m were completed at the Sure Bet zone. A total of 123 geochemical samples were taken from the trenches, with large representative 2 m chip sample intervals weighing 6.6 kg on average. Refer to section *8.0 Methodology* for detailed trench sampling protocol and geochemical analysis and Appendix 7 for sample location maps.

Trenching was completed by using a small, helicopter portable, gas powered excavator (Candig). The trench depth was limited to the excavator's capabilities with a maximum depth of 1.75 m. Limited outcrop was encountered in the trenches with most samples representing frost shattered, in situ Felsenmeer. Significant permafrost was irregularly encountered throughout the trenches and seriously hampered the excavation depths and overall quality of certain sample intervals. A few localized sample intervals did not reach sub crop and represented the underlying rocky c horizon of the soil. The lithology, mineralization, and alteration were recorded for the trench sample intervals. No reliable structural information was gathered from the trenches as no competent bedrock was encountered. Refer to Appendix 8 for trench sample descriptions.

The 4 trenches were tightly spaced with an azimuth ranging from 84° – 121°, designed to cover a narrow north – south to north – east trending high grade gold in soil anomaly. All the trenches were designed to pass directly through the soil sample sites containing elevated gold.

The trenching was successful in finding auriferous clastic volcanic tuff, breccias and rhyolite porphyry responsible for the gold in soil anomaly. Only HS-TR-01 and HS-TR-02 contained significant gold intercepts:

- HS-TR-01 contained 0.42 g/t Au over 44 m including 2.44 g/t Au
- HS-TR-03 contained 1.92 g/t Au over 2m

Refer to Figure 16 showing the Trench Au geochemistry and Figure 17 showing an aerial photo of the trenching site.

The gold is primarily hosted in a bleached (clay altered) light grey green grey limonitic clastic tuff and breccia situated along a NE fault zone (outlined by strong magnetic low). Refer to Figure 18 showing mineralized samples from HS-TR-01. The mineralized portion of the trench is strongly oxidized and fractured with thick black plasticine like fault gouge mapped throughout.

Two grab samples were taken at meter 31 in HS-TR-01 to determine if the gold was isolated to the black fault gouge or limonitic tuff; however, both samples contained anomalous gold values with the fault gouge assaying 0.92 g/t Au and the limonitic tuff assaying 0.37 g/t Au.

Hand panning the soil from HS-TR-01 at 31 m contained very fine gold dust, consequently suggesting the gold mineralization is free / native and hosted in the oxide minerals. This free gold theory would further support the reason for observing stronger gold in soil values (up to 4.1 g/t Au) than actual gold values observed in the underlying rock. Furthermore, no presence of glaciation would have allowed the natural placer process to persist for a long time period, resulting in gold enrichment in the soil along the recessive ridge top.

The eastern most portion of all 4 trenches contained green altered coarse clastic tuff with rounded clastic fragments up to 10 mm and strange 1 – 10 cm rhyolite porphyry nodules hosted within the tuffs. All trenches, including the mineralized intervals, contained small (< 40 cm long, 20 cm high, and 10 cm wide) discontinuous tabular maroon color rhyolite porphyry dikes. The maroon porphyry dikes contained very fine glassy (silicified?) matrix with fine <5mm glassy phenocrysts and < 10mm feldspar phenocrysts. These dikes represent 10 % of the trench lithology and appeared to be striking approximately NW – SE, similar orientation to the ground magnetic low structure / shear zone. Refer to Figure 18 for photographs of the different trench lithology.


FIGURE 16: TRENCH GEOCHEMISTRY MAP (AU)

FIGURE 16: TRENCH GEOCHEM (AU)


HOT SPOT PROPERTY

NTS MAP SHEET: 1150 07, 08, 09, 10
 DATE: JANUARY 15, 2019
 DATUM: UTM ZN 7 NAD 83
 CREATED BY: C. JONES

SURE BET ZONE - GEOCHEMISTRY AND MAGNETICS



HOT SPOT PROPERTY - GEOLOGICAL SETTING



SURE BET ZONE - TRENCH RESULTS GOLD




FIGURE 17: TRENCH AERIAL PHOTO

Aerial view of the trenching completed on the Sure Bet Zone at the Hot Sot property. Looking South.





FIGURE 18: TRENCH LITHOLOGY AND MINERALIZATION

A – HS-TR-01, 31 – 32 m rep sample - 473 ppb Au, tuffaceous breccia consisting of light grey clastic tuff with rounded lithic grey clasts and sub rounded to angular white clasts, oxide fracture fill mineralization B - HS-TR-01, 14 – 16 m, 355 ppb Au, tuffaceous matrix supported breccia with fine maroon color matrix and beige rhyolite clasts C - HS-TR-01, 30 – 32 m, actual sample sent for assay (1780516), oxide fracture fill with light greenish grey clastic tuff and black shear gouge (left side of photo). D - HS-TR-02, 23 m, rep sample of rhyolite porphyry nodules hosted in clastic tuff E - HS-TR-01, 10 – 12 m, rep sample of rhyolite porphyry encountered in the trenches, beige matrix with fine dark grey to black glassy phenocrysts F - Rep sample of marron discontinues tabular dikes that were observed in all trenches and appeared to be oriented in a NW- SE direction, 1 – 10 mm feldspar phenocrysts, 1 - 5 mm dark black glassy phenocrysts G - HS-TR-01 – 68 m, rep sample of rhyolite porphyry nodules hosted in the clastic tuff, note the black minerals with radial growth?



8.0 METHODOLOGY, QUALITY ASSURANCE, AND QUALITY CONTROL

8.1 GEOCHEMICAL ANALYSIS

All the rock and soil samples collected during the 2018 program were selected, sealed and shipped to Bureau Veritas (Bureau Veritas) in Whitehorse, YT. Groups of rock and soil samples were placed in to sturdy, labelled, woven-polyethylene bags, sealed with a cable tie and stored at the secure Druid Exploration headquarters, before shipping. All geochemical samples were shipped from Dawson City to Bureau Veritas in Whitehorse via ground transportation operated by Kluane Freight Ltd. The assay certificates are located in appendix 10: Certificates of Analysis.

All rock grab samples were crushed and pulverized in the Bureau Veritas laboratory in Whitehorse, YT and the sample pulps were then analyzed by Bureau Veritas in Vancouver, BC. The samples were first dried at 60 degrees and then up to 1 kg were crushed to 70% passing a 10 mesh (2mm). A split of 250 g is then further pulverized to 85% passing 200 mesh (75um). The remaining coarse reject portions of the sample remains in storage at the Bureau Veritas storage facility in Vancouver, BC and are disposed after 3 months from the date of analytical completion.

The rock samples received the following analysis: Multi Acid ICP – ES/MS, 45 element analytical analysis (MA200), fire assay ICP – ES analytical analysis for gold only (FA-350 – Au), and lastly an Aqua Regia ICP - MS analytical analysis for Mercury only (AQ200HG). The Multi Acid ICP – ES/MS (MA200) analysis involves a 0.25 g split heated in HNO₃ - HClO₄ -HF to fuming and taken to dryness. The residue is dissolved in HCl. The fire assay ICP - ES (FA 350 - Au) analysis involves a 50-gram split being fully decomposed in lead-collection fire assay fusion procedure with inductively-coupled plasma [atomic] emission spectroscopy (ICP-ES) finish. The fire assay is used because refractory, massive sulphide and graphitic samples can limit Au solubility potentially yielding lower gold values in the standard Multi Acid ICP - MS procedure (MA200). The Aqua Regia ICP - MS analysis (AQ200HG) involves a 15 g split leached in hot (95°C) Aqua Regia solution with an inductively-coupled plasma mass spectroscopy (ICP-MS) finish.

All soil samples were dried and sieved at Bureau Veritas in Whitehorse and the sample pulps were analyzed by Bureau Veritas in Vancouver, BC. The soil was dried at 60 degrees and up to 100 g was sieved to 85% passing 80 mesh (180 um).

All samples received Aqua Regia ICP - MS, 36 element analytical analysis (AQ201) assay procedure that involves a 15 g split leached in hot (95°C) Aqua Regia solution with an inductively-coupled plasma mass spectroscopy (ICP-MS) finish.

Bureau Veritas performs their own QA/QC procedure and are ISO 9001 certified. Blanks, duplicates, and standard reference materials are inserted in sequence of client's samples to provide a measure of background noise, accuracy and precision.

8.2 SOIL SAMPLING

The proposed soil sampling locations are predefined and uploaded into a hand-held GPS (Global Positioning System) unit prior to sampling. The final sample site is chosen in the field by a trained employee based on soil availability and quality, within 10 m of the proposed sample location.

Soil samples are extracted using a 1.5 m Dutch Auger to collect material within the C horizon. Individual soil samples were placed in labelled Kraft paper sample bags, sealed with flagging. All sample sites are flagged with biodegradable flagging tape and marked with the sample number. The sample sites are recorded using hand-held GPS units (accuracy 1-10 m) and the following information is recorded on all-weather paper: sample ID, easting, northing, elevation, sample depth (cm), horizon sampled, sample colour, sample composition in percentage (organic, angular rock, gravel, sand, silt and clay), parent material, moisture content, vegetation cover and topographic position.

All geochemical statistics were calculated with Microsoft Excel 2016.

8.3 ROCK GRAB SAMPLES

Rock grab samples were taken by a geologist or a trained soil sampler with the average sample weighing approximately 0.9 kg. If no outcrop was present, hand pits were excavated using a small hand shovel and ranged from 0.5 – 1.0m deep. Mineralized bedrock and float grab samples were described and photographed in situ prior to sealing in sample bags. The location was marked using a hand-held GPS unit (accuracy 1-10 m) and flagged with biodegradable flagging tape with the sample label. The following information is recorded on all-weather paper: sample ID, easting, northing, type of sample (outcrop, subcrop, float), and a brief description.

8.4 TRENCHING

All trench samples were excavated using a 13 HP gas Mining CD21 excavator, manufactured by CanDig Mini Excavators Inc. The mini excavator weighs approximately 1200 pounds and can be transported in one piece using an A-Star helicopter. Trenches were designed to expose the bedrock at locations with strong gold in soil anomalies and auriferous float grab samples. The exact location and orientation were determined in the field based on surficial geology, proximity to anomalous samples, topography, and lastly vegetation density. The Candig was limited to excavating to a depth of approximately 1.75 meters and a width of approximately 0.5 m. The trenches were sampled at an average of 2 m intervals depending on geology and mineralization. If bedrock and/or sub crop were not encountered, a representative grab sample of soil and rock fragments were taken along the trench bottom over the sample interval. For bedrock samples, a large continuous representative chip sample across the outcrop was taken with average weights of 6.6 kg. Blanks and standards were inserted into the trench sample sequence every 35 samples in order to provide a measure of background noise, accuracy and precision.

All trench samples were described and photographed in situ prior to sealing in sample bags. Individual rock samples are placed in labelled plastic sample bags, sealed with flagging tape and stored on-site before transport to the analytical laboratory. Representative trench samples were preferentially selected for future reference and stored at Druid Exploration's office in Dawson City.

Trench locations are recorded using hand-held GPS units (accuracy 1-10 m). All Individual sample intervals are mapped and the following information is recorded on all-weather paper: trench ID, sample ID, easting, northing, type of sample (outcrop, subcrop, float), azimuth, to, from, width, depth, and a brief description. All trenches were reclaimed by backfilling and spreading vegetation perpendicular to the trenches.

8.5 GROUND-BASED MAGNETIC FIELD SURVEY

The ground based magnetic field survey was conducted using a backpack mounted Gem Systems GSM-19 Overhauser ground magnetometer. The GSM-19 Overhauser is a super charged proton magnetometer that has a resolution of 0.01 nT and absolute accuracy of 0.1 nT. The magnetometer contains an integrated Garmin GPS that records time and waypoint locations. A trained employee walked the predefined grid using the backpack mounted magnetometer and a time stamped magnetic field reading was continuously taken every 0.5 seconds.

A base station (GSM-19 Overhauser magnetometer) was set up 200 m from the basecamp on the property and was operated simultaneously with the magnetic survey. The base station would record the magnetic field every 5 seconds for the duration of the ground based magnetic field survey. Using both the raw data from the base station and the ground rover, a diurnal correction was done using GEMlink systems software. The diurnal correction removes the daily changes in the magnetic field caused by the solar outputs and helps to highlight only the changes in the magnetic field caused by changes in the underlying geology. The corrected and

raw data was then sent to Campbell and Walker Geophysics of Vancouver BC to be further analyzed and the production of a high resolution TMI contours.

8.6 DATA VERIFICATION

All GPS units are downloaded to a laptop and information is transferred into a spreadsheet at the end of each field day. The remaining sample information undergoes manual data entry and the database is checked both in the field and again in the office prior to writing the geological report on the property. No internal quality assurance/quality control (QA/QC) program was conducted for 2018 soil samples or rock grab samples.

An internal quality assurance/quality control (QA/QC) program was conducted for the trenching portion of the 2018 program. Blanks and standards were inserted into the trench sample sequence every 35 samples in order to provide a measure of background noise, accuracy and precision. All gold values for blanks and standards fell within 2 standard deviation of the average control values for the blanks and standards inserted into the trench sequence; which suggests good laboratory practice. Bureau Veritas also performs their own QA/QC procedure and are ISO 9001 certified. Blanks, duplicates, and standard reference materials are inserted in sequence of client's samples to provide a measure of background noise, accuracy and precision.

9.0 CONCLUSIONS

The Hot Spot property is a newly generated gold target that was staked in the spring of 2017. This property is a grassroots project that covers over 40 square kilometers in an area of the Yukon that has seen very limited exploration to date. An open-ended north - south gold in soil anomaly was discovered in 2017 and coined the Sure Bet zone. The property is underlain by Permian to Proterozoic basement schists of the Klondike suite and intruded by an Eocene felsic volcanic plug to the north. A total of 585 soil samples, 80 rock grab samples, and 123 trench geochemical samples were taken on the property during the 2018 program. Four trenches were

excavated for a total of 246 m and a 2.8 square km area received a tight spaced ground based magnetic survey.

The gridded soil sampling at the Sure Bet Zone was successful in expanding the gold in soil anomaly to the north for a total length of 1200 m, remaining open to the north. Trenching was successful in finding the source of the gold in soil anomaly with the best intercept of 0.42 g/t Au over 44 m in HS-TR-01. The gold is hosted in a clay altered clastic tuff and breccia containing oxide fracture fill and fault gouge. Prospecting was also successful in finding auriferous volcanic tuff within the Sure Bet gold in soil anomaly, with grab samples up to 0.6 g/t Au.

The ground based magnetic survey was effective in outlining a strong NE trending magnetic low that overlaps and parallels the Sure Bet gold in soil anomaly and is believed to represent a shear zone hosted in a clastic tuff unit.

The gold mineralization and geology discovered to date at Hot Spot suggests a low sulphidation epithermal bulk tonnage gold deposit model. The 10-million-ounce Round Mountain gold deposit in Nevada shares many similar characteristics to Hot Spot and is the best analogous deposit.

The 2018 exploration program was effective in preparing the property for a 2019 drilling campaign. The southern portion of the Sure Bet gold in soil anomaly is now drill ready and the north end remains open and warrants additional soil and magnetic surveys to trace out and expand the anomaly.

10.0 RECOMMENDATIONS

A robust, aggressive exploration program is recommended to follow up on the newly discovered Sure Bet high grade gold in soil anomaly at the Hot Spot property. The focus of program will be to:

- 1.) Further expand the Sure Bet gold in soil anomaly to the north.
- 2.) Continue reconnaissance ridge and spur soil sampling on the property
- 3.) RC drilling
- 4.) Continued Ground Magnetic Survey to the north and east
- 5.) Additional prospecting and geological mapping

The proposed exploration plan will include geochemical analysis for approximately 227 gridded soil samples, 332 reconnaissance ridge and spur samples, 50 rock grab samples, and 1200 m of reverse – circulation (RC) drilling. Additional trenching is not recommended for the property owing to wide spread permafrost and steep terrain. A track mounted RC drill rig is believed to represent the most effective way to test the surface mineralization to depth. Refer to Figure 19 for the proposed surface exploration plan and Figure 20 for the proposed drill plan.

Gridded Soil Sampling

The soil grid should be set up overlaying the inferred north – east trending structure and corresponding open-ended soil anomaly. East - west soil lines should be spaced 100 to 200 m apart with sample spacing of 50 meters. The proposed sample grid can be seen in Figure 19 and contains 227 soils. The survey has been designed to test a 1.5 km strike length of the inferred structure at the Sure Bet zone.

Reconnaissance Soil Sampling

Additional reconnaissance ridge and spur sampling should be completed on the property at 50 m sample spacing in areas of the property that have not yet received first pass soil sampling. In addition to the ridge and spur sampling technique; a few reconnaissance contour soil sample lines should be conducted east of the Sure Bet zone, covering the 3 north draining gulches that parallel the magnetic low structure associated with the gold in soil anomaly. The gulches may represent similar NE structures that host the gold mineralization at the Sure Bet zone. A total of 332 soil samples are recommended; refer to Figure 19 for the proposed sample locations.

Drilling

A total of 1200 m of RC drilling should be completed at the southern end of the Sure Bet zone. A total of eight, 150 m deep drill holes should test the surface mineralization to depth. The proposed drill program contains several different azimuths as it is designed to test the north trending gold in soil anomaly as well as the potential NE and NW intersecting magnetic low structures. The drill sites have been chosen partly based on topography as the majority of the gold in soil anomaly is located along steep terrain not suitable for a track mounted RC drill rig. Refer to figure 20 for the suggested drill hole locations and Table 1 for drill collar locations and orientations.

TABLE 1: RECOMMEND DRILL HOLES

Drill Hole	Coordinates		Azimuth	Dip	Depth
	Easting	Northing			
RC-HS-01	501576	7035517	300	45	150
RC-HS-02	501475	7035574	120	45	150
RC-HS-03	501501	7035496	360	45	150
RC-HS-04	501687	7035631	180	45	150
RC-HS-05	501687	7035631	180	45	150
RC-HS-06	501463	7035565	90	45	150
RC-HS-07	501463	7035565	90	45	150
RC-HS-08	501445	7035764	90	45	150

Ground Magnetic Survey

A tight spaced ground based magnetic survey should be continued at the Sure Bet zone to further trace out the magnetic low structure that correlates so well with the gold on soil anomaly. This survey will contain east - west lines with 50 m spacings. The survey grid should expand the previous survey (2018) an additional 500 m north. The recommended survey contains approximately 75 line km. Refer to Figure 19 showing the proposed ground magnetic survey lines.

Prospecting and Mapping

The newly expanded Sure Bet soil anomaly should be followed up with prospecting to confirm the underlying bedrock is auriferous in preparation for a second phase of drilling.

FIGURE 19: RECOMMENDED SURFACE EXPLORATION PROGRAM




FIGURE 19: RECOMMENDED SURFACE EXPLORATION PROGRAM
HOT SPOT PROPERTY

- 2019 proposed soils
- 2019 ground mag survey traverse
- soil completed (2017 - 2018)
- 2018 completed ground mag survey area
- trench
- - - Yukon / Alaska Border
- Hot Spot Property - Outline

0 500 1,000 1,500 2,000
 Meters


1:30,000



CREATED BY: C. JONES
 DATE: JANUARY 15, 2019

NTS MAP SHEET: 1150 07, 08, 09, 10
 DATUM: UTM ZN 7 NAD 83

FIGURE 20: RECOMMENDED DRILL PROGRAM



**FIGURE 20: RECOMMENDED DRILL PROGRAM
HOT SPOT PROPERTY**

2017 - 2018 soil geochemistry Au (ppb)		2018 trench geochemistry (2 m interval) Au (ppb)	
•	0.500000	■	0.00 - 50.00
●	0.51 - 5.00	■	50.01 - 100.00
●	5.01 - 10.00	■	100.01 - 200.00
●	10.01 - 25.00	■	200.01 - 400.00
●	25.01 - 50.00	■	400.01 - 600.00
●	50.01 - 2002.00	■	600.01 - 2444.00
●	2002.01 - 4110.60	—	proposed drill hole trace
		✱	proposed drill hole collar



1:3,000



CREATED BY: C. JONES
DATE: JANUARY 15, 2019

NTS MAP SHEET: 1150 07, 08, 09, 10
DATUM: UTM ZN 7 NAD 83

Respectfully submitted,

A handwritten signature in black ink that reads "Clayton Jones". The signature is written in a cursive style with a long, sweeping tail on the letter "s".

Clayton Jones
B.Sc., (Geology), GIT
January, 15 2019

11.0 REFERENCES

Bedrock Geology Legend, <http://data.geology.gov.yk.ca/Compilation/DownloadProduct/114>.

Blakstad, <http://data.geology.gov.yk.ca/Occurrence/14477>

Deep, <http://data.geology.gov.yk.ca/Occurrence/14479>

Ladue, <http://data.geology.gov.yk.ca/Occurrence/14461>

Bingham, <http://data.geology.gov.yk.ca/Occurrence/14480>

Rice, <http://data.geology.gov.yk.ca/Occurrence/14478>

12.0 STATEMENT OF QUALIFICATIONS OF AUTHOR

I, Clayton Jones, of:

5407 Ronde Lane
Kamloops B.C.,
V2C 5H5

Do hereby certify that:

1. I am a mineral exploration geologist with over 10 years of experience working in the Yukon and British Columbia.
2. I am a graduate of The University of British Columbia Okanagan (UBCO), with a degree in geology (B.Sc., 2011) and have been involved in geology and mineral exploration continuously since 2009.
3. I am a registered geologist in good standing with the Association of Professional Geologists and Engineers of British Columbia (APEGBC) and hold the title “geologist in training”
4. I am the author of this report on the Hot Spot property located in the Dawson Mining District, Yukon. The report is based on my personal examination of the ground between the dates of June 26th - September 6th, 2018.

Clayton Jones, B.Sc., GIT

January 15, 2019

APPENDIX 1

QUARTZ CLAIM INFORMATION


APPENDIX 2

2018 PROGRAM COSTS

Costs for HS claims 2018				
ITEM	UNIT	COST	COMPANY	TOTAL
Helicopter A-Star	2.1	\$ 1,937.00	Trans North	\$ 4,067.70
Helicopter 500D	19.3	\$ 1,450.00	Ocean View	\$ 27,985.00
Soil Samples	585	\$ 25.00	Bureau Veritas	\$ 14,625.00
Rock Samples	203	\$ 30.00	Bureau Veritas	\$ 6,090.00
Report	1	\$ 3,000.00	Druid Exploration	\$ 3,000.00
Wages	63 days		Druid Exploration	\$ 30,048.35
			TOTAL	\$ 85,816.05


APPENDIX 3

SOIL SAMPLE LOCATION MAP



APPENDIX X: SOIL SAMPLE LOCATION MAP HOT SPOT PROPERTY

- Legend**
- 2018 soil sample site
 - trench
 - ▭ Hot Spot Property - Outline
 - - - Yukon / Alaska Border



1:20,000



CREATED BY: C. JONES
DATE: MARCH 15, 2018

NTS MAP SHEET: 1150 07, 08, 09, 10
DATUM: UTM ZN 7 NAD 83

APPENDIX 4


SOIL SAMPLE DESCRIPTIONS

Sample ID	User	Year	Date	Zone	Easting	Northing	Altitude (m)	Area	Material	Sample Depth (cm)	Horizon Sampled	Depth within Sampled Horizon (cm)	Sample Colour	Orga nics	Ang. Rock	Grav el	Sand	Silt	Clay	Parent Material	Moisture Content	Vegetation Cover	Topo Position	Photo Taken	Station	Notes	Shipping ID	Rice Bag ID	Rice Bag Security Tag	Shipping overseer	Shipping date	Lab	Certificate
1878161	Clayton Jones	2018	1-Sep-18	7	501664.2687	7037046.8	763.40698	Hotspot	SOIL	50	c		light brown green		25	25	25	25		50	weathered bedrock	Moist	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878162	Clayton Jones	2018	1-Sep-18	7	501714.9091	7037051.179	751.39038	Hotspot	SOIL	80	b		brown	50						50	weathered bedrock	partially froze	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878163	Clayton Jones	2018	1-Sep-18	7	501764.1354	7037058.22	737.6919	Hotspot	SOIL	70	b		brown	50						50	weathered bedrock	partially froze	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878164	Clayton Jones	2018	1-Sep-18	7	501813.2253	7037062.6	727.83838	Hotspot	SOIL	60	b		Dark Brown	50			25			25	weathered bedrock	moist	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878165	Clayton Jones	2018	1-Sep-18	7	501867.3809	7037071.223	716.54297	Hotspot	SOIL	50	b/c		Dark Brown		25	25	25	25		50	weathered bedrock	moist	mix	Mid Slope		oxi brown tuff	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878166	Clayton Jones	2018	1-Sep-18	7	501920.415	7037075.112	706.44922	Hotspot	SOIL	20	b/c		Dark Brown	50	25	25				50	weathered bedrock	moist	mix	Mid Slope		orgnaic talus mix	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878167	Clayton Jones	2018	1-Sep-18	7	501961.4075	7037084.953	699.47974	Hotspot	SOIL	20	b/c		Dark Brown	50	25	25				50	weathered bedrock	moist	mix	Mid Slope		orgnaic talus mix	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878168	Clayton Jones	2018	2-Sep-18	7	501857.7393	7037412.286	728.55933	Hotspot	SOIL	70	b		grey				50			50	weathered bedrock	moist	Evergreen Fores	valley bottom			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878169	Clayton Jones	2018	2-Sep-18	7	501768.7195	7037382.06	722.07031	Hotspot	SOIL	70	b		grey				50			50	weathered bedrock	partial frozen	Evergreen Fores	valley bottom			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878170	Clayton Jones	2018	2-Sep-18	7	501690.7745	7037319.49	721.5896	Hotspot	SOIL	50	b		brown/grey	30	25	25	20			50	weathered bedrock	partial frozen	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878171	Clayton Jones	2018	2-Sep-18	7	501599.9236	7037274.772	747.7854	Hotspot	SOIL	50	b		brown				25			50	weathered bedrock	moist	mix	Mid Slope			HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878172	Clayton Jones	2018	2-Sep-18	7	501506.1036	7037238.873	785.75732	Hotspot	SOIL	50	b/c		brown		25	25				50	weathered bedrock	moist	mix	Mid Slope		talus covered by thic	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878173	Clayton Jones	2018	2-Sep-18	7	501415.3264	7037196.094	831.90039	Hotspot	SOIL	70	b/c		grey		25	25	25	25		50	weathered bedrock	moist	mix	Mid Slope		green clastic tuff roc	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878174	Clayton Jones	2018	2-Sep-18	7	501312.3463	7037163.193	867.70898	Hotspot	SOIL	70	b/c		grey		25	25	25	25		50	weathered bedrock	moist	mix	Mid Slope		green clastic tuff roc	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901
1878175	Clayton Jones	2018	2-Sep-18	7	501221.5867	7037116.479	903.7583	Hotspot	SOIL	10	b		brown	30	25	25	20			50	weathered bedrock	moist	mix	Mid Slope		talus covered by thic	HS-2018-SOIL-02	HS-2018-SOIL-02		Clayton Jones	7-Sep-18	Bureau Veritas	WHI18000901

Sample ID	Certificate Date	Method	Lab ID	Type	Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm	Ni_ppm	Co_ppm	Mn_ppm	Fe_pct	As_ppm	Au_ppb	Th_ppm	Sr_ppm	Cd_ppm	Sb_ppm	Bi_ppm	V_ppm	Ca_pct	P_pct	La_ppm	Cr_ppm	Mg_pct	Ba_ppm	Ti_pct	B_ppm	Al_pct	Na_pct	K_pct	W_ppm	Hg_ppm	Sc_ppm	Tl_ppm	S_pct	Ga_ppm	Se_ppm	Te_ppm	
1878161	04-Oct-18	AQ201	1878161	Soil	0.8	22.2	17.2	49	<0.1	18	8.1	204	1.97	8.3	5.4	8.8	32	0.1	1.4	0.3	53	0.42	0.035	17	29	0.45	107	0.089	2	1.48	0.046	0.06	0.2	0.03	4.4	0.2	<0.05	4	<0.5	<0.2	
1878162	04-Oct-18	AQ201	1878162	Soil	0.8	22.5	18.4	66	<0.1	17.1	8.2	201	2.09	9.2	2.6	7.8	34	0.2	1.3	0.4	52	0.45	0.035	16	29	0.39	110	0.067	2	2.11	0.04	0.07	0.2	0.04	4.5	0.2	<0.05	6	<0.5	<0.2	
1878163	04-Oct-18	AQ201	1878163	Soil	0.7	16.5	19.2	63	<0.1	13	8.7	229	1.92	8.8	7	8.1	28	0.1	1.2	0.3	52	0.33	0.035	14	26	0.35	89	0.075	1	1.6	0.037	0.06	0.2	0.03	3.5	0.2	<0.05	5	<0.5	<0.2	
1878164	04-Oct-18	AQ201	1878164	Soil	1.2	19.3	17.4	59	<0.1	15.4	10	372	1.95	12.4	1.9	6.6	30	0.2	1.5	0.3	56	0.43	0.037	14	26	0.35	91	0.075	1	1.53	0.034	0.06	0.2	0.06	3.9	0.2	<0.05	5	<0.5	<0.2	
1878165	04-Oct-18	AQ201	1878165	Soil	1.1	24.3	19.3	67	<0.1	20	10.7	390	2.16	15.6	3.4	8	38	0.2	2	0.3	56	0.54	0.051	18	32	0.43	133	0.088	2	1.68	0.038	0.07	0.2	0.05	5.1	0.2	<0.05	5	<0.5	<0.2	
1878166	04-Oct-18	AQ201	1878166	Soil	0.8	15.9	20.1	56	<0.1	14.1	10.6	561	1.84	18	1.6	8.4	35	0.2	2.4	0.3	53	0.43	0.042	15	25	0.33	116	0.077	2	1.31	0.042	0.08	0.2	0.06	3.6	0.2	<0.05	4	<0.5	<0.2	
1878167	04-Oct-18	AQ201	1878167	Soil	0.9	17.2	14.5	62	<0.1	14.3	6.5	194	1.98	21.1	5.4	6.7	34	0.2	4.1	0.3	54	0.45	0.044	17	27	0.38	109	0.059	1	1.5	0.034	0.08	0.2	0.09	4.3	0.2	<0.05	5	<0.5	<0.2	
1878168	04-Oct-18	AQ201	1878168	Soil	0.6	23.9	19.8	48	<0.1	15.9	7.4	185	1.97	9	4.1	12.1	38	0.2	0.9	0.3	52	0.44	0.032	33	32	0.3	172	0.077	1	1.96	0.017	0.08	0.1	0.05	6.3	0.2	<0.05	6	<0.5	<0.2	
1878169	04-Oct-18	AQ201	1878169	Soil	0.9	29.3	21.2	55	<0.1	19.6	11.6	305	2.63	13.1	2.8	11.3	49	0.2	0.9	0.3	68	0.47	0.039	36	35	0.37	235	0.091	2	2.59	0.021	0.08	0.2	0.07	7	0.2	<0.05	7	0.5	<0.2	
1878170	04-Oct-18	AQ201	1878170	Soil	1.4	17.1	19.8	54	<0.1	14.3	6.6	212	2.83	288.5	2.7	9.7	32	0.1	5.8	0.4	62	0.34	0.039	19	28	0.31	120	0.039	<1	2	2.19	0.026	0.09	0.2	0.1	4.6	0.4	<0.05	6	0.5	<0.2
1878171	04-Oct-18	AQ201	1878171	Soil	1.3	17	18.6	57	<0.1	16.4	8.5	271	2.28	99.6	5.4	9.5	29	<0.1	5.5	0.3	58	0.31	0.026	23	32	0.41	124	0.079	2	1.61	0.024	0.09	0.2	0.04	3.8	0.3	<0.05	5	<0.5	<0.2	
1878172	04-Oct-18	AQ201	1878172	Soil	0.9	10.1	16.3	53	<0.1	12.5	8.1	321	1.97	105	4.1	6.7	30	0.2	3.6	0.3	54	0.38	0.028	13	23	0.37	120	0.078	1	1.38	0.016	0.13	0.2	0.04	2.5	0.3	<0.05	5	<0.5	<0.2	
1878173	04-Oct-18	AQ201	1878173	Soil	0.7	9	21.9	35	<0.1	7.7	3.9	128	1.21	34.2	1.8	13.6	29	<0.1	2.2	0.4	36	0.26	0.016	20	17	0.23	78	0.058	<1	0.87	0.056	0.1	0.2	0.03	2	0.3	<0.05	3	<0.5	<0.2	
1878174	04-Oct-18	AQ201	1878174	Soil	1.1	13.9	16.8	43	<0.1	12.4	6.8	191	2.24	7.2	2.6	6.3	18	0.1	0.3	0.3	74	0.18	0.019	11	25	0.3	109	0.085	<1	2.04	0.013	0.07	0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2	
1878175	04-Oct-18	AQ201	1878175	Soil	1	13.2	11.4	41	<0.1	8.9	5.2	159	1.96	5.1	1.6	4.8	11	<0.1	0.4	0.2	48	0.08	0.02	7	15	0.16	57	0.072	<1	1.56	0.018	0.03	0.1	0.04	1.7	<0.1	<0.05	7	<0.5	<0.2	


APPENDIX 5

ROCK SAMPLE LOCATION MAP



**APPENDIX X: SOIL SAMPLE LOCATION MAP
HOT SPOT PROPERTY**

- Legend**
- ▲ 2018 rock grab sample
 - ▬ trench
 - ▭ Hot Spot Property - Outline
 - - - Yukon / Alaska Border



1:20,000



CREATED BY: C. JONES
DATE: MARCH 15, 2018




NTS MAP SHEET: 1150 07, 08, 09, 10
DATUM: UTM ZN 7 NAD 83

APPENDIX 6

ROCK SAMPLE DESCRIPTIONS

APPENDIX 7

TRENCH SAMPLE LOCATION MAP



APPENDIX 8

TRENCH SAMPLE DESCRIPTIONS


Trench ID	Sample ID	From (m)	To (m)	Length (m)	Azimuth	Year	Sample Easting	Sample Northing	Trench Start Easting	Trench Start Northing	Sample Type	Depth (m)	Logged by	Date	Competancy	Primary Lithology	Secondary Lithology
HS-TR-04	1780608	14.00	16.00	2.00	112.00	2018	501566	7035563	501553	7035567	trench	0.4	Clayton Jones	03-Jul-18	extra poor	tuff	rhyolite
HS-TR-04	1780609	16.00	18.00	2.00	112.00	2018	501568	7035562	501553	7035567	trench	0.5	Clayton Jones	04-Jul-18	poor	rhyolite	
HS-TR-04	1780610	18.00	20.00	2.00	118.00	2018	501570	7035562	501553	7035567	trench	0.8	Clayton Jones	04-Jul-18	poor	rhyolite	tuff
HS-TR-04	1780611	20.00	22.00	2.00	118.00	2018	501572	7035561	501553	7035567	trench	0.8	Clayton Jones	04-Jul-18	poor	tuff	rhyolite
HS-TR-04	1780612	22.00	24.00	2.00	118.00	2018	501574	7035560	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	poor	tuff	
HS-TR-04	1780613	24.00	26.00	2.00	118.00	2018	501575	7035559	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	poor	tuff	rhyolite
HS-TR-04	1780614	26.00	28.00	2.00	118.00	2018	501577	7035558	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	poor	tuff	rhyolite
HS-TR-04	1780615	28.00	30.00	2.00	118.00	2018	501579	7035557	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	poor	tuff	rhyolite
HS-TR-04	1780616	30.00	32.00	2.00	118.00	2018	501581	7035556	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	mod	tuff	rhyolite
HS-TR-04	1780617	32.00	34.00	2.00	118.00	2018	501582	7035555	501553	7035567	trench	1.5	Clayton Jones	04-Jul-18	good	tuff	rhyolite
HS-TR-04	1780618	34.00	36.00	2.00	118.00	2018	501584	7035554	501553	7035567	trench	1.5	Clayton Jones	04-Jul-18	good	tuff	rhyolite
HS-TR-04	1780619	36.00	38.00	2.00	118.00	2018	501586	7035553	501553	7035567	trench	1.2	Clayton Jones	04-Jul-18	good	tuff	
HS-TR-04	1780620	38.00	40.00	2.00	118.00	2018	501588	7035552	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	mod	tuff	
HS-TR-04	1780621	40.00	42.00	2.00	118.00	2018	501590	7035551	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	mod	tuff	
HS-TR-04	1780622	42.00	44.00	2.00	118.00	2018	501591	7035550	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	mod	tuff	
HS-TR-04	1780623	44.00	46.00	2.00	118.00	2018	501593	7035549	501553	7035567	trench	1.0	Clayton Jones	04-Jul-18	mod	tuff	

Trench ID	Sample ID	From (m)	To (m)	Length (m)	Azimuth	Certificate	Certificate Date	Method	Lab ID	Analyte	Wgt	Au_FA350_Mo_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Ag_ppm	Ni_ppm	Co_ppm	Mn_ppm	Fe_%	As_ppm	U_ppm	Th_ppm	Sr_ppm	Cd_ppm	Sb_ppm	Bi_ppm	V_ppm	Ca_%	P_%	La_ppm	Cr_ppm	Mg_%	Ba_ppm	Ti_%	Al_%	Na_%	K_%	W_ppm	
HS-TR-04	1780608	14.00	16.00	2.00	112.00	WHI18000326	31-Aug-18	MA200/FA350	1780608	Rock	5.34	86	3.8	13.9	28.8	34	0.4	11.2	5.7	299	1.9	49	6.1	18.8	124	<0.1	7.1	0.3	52	0.77	0.017	28.5	30	0.41	363	0.244	5.84	1.143	3.41	1.9
HS-TR-04	1780609	16.00	18.00	2.00	112.00	WHI18000326	31-Aug-18	MA200/FA350	1780609	Rock	6.53	87	3.6	12.5	26.9	35	0.4	9.7	4.4	255	1.81	45	5.8	20.7	90	0.2	6.4	0.4	38	0.54	0.015	32	23	0.29	282	0.178	5.84	0.994	4.12	2.2
HS-TR-04	1780610	18.00	20.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780610	Rock	9.39	84	1.9	8	41.7	42	0.7	4.1	1.8	183	1.5	45	7.7	28.6	51	<0.1	5.2	0.4	25	0.28	0.007	33.7	13	0.17	262	0.141	5.8	0.58	4.41	2.5
HS-TR-04	1780611	20.00	22.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780611	Rock	8.51	25	1.2	6.5	39.2	38	0.3	1.5	0.6	122	1.03	34	9	31.8	22	0.1	4.3	0.6	11	0.12	0.004	33.3	10	0.08	258	0.086	4.91	0.381	3.63	2.2
HS-TR-04	1780612	22.00	24.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780612	Rock	12.29	38	3.3	6.6	30.8	27	0.5	1.4	0.6	140	0.91	38	11.8	34.8	25	0.3	7	0.8	9	0.14	0.004	30.2	8	0.08	148	0.088	4.82	0.7	2.84	2.7
HS-TR-04	1780613	24.00	26.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780613	Rock	10.2	30	3.7	5.4	30.5	20	0.4	1.5	0.5	120	0.88	44	10.7	38.8	24	0.1	7.4	0.8	8	0.1	0.005	26.8	7	0.06	134	0.079	5.05	0.975	3.37	3
HS-TR-04	1780614	26.00	28.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780614	Rock	10.23	29	2	5.4	30.8	25	0.3	2.4	1.1	135	0.91	31	9	29.1	28	<0.1	4.5	0.5	11	0.15	0.005	25.3	8	0.09	231	0.089	4.76	0.693	3.78	2.5
HS-TR-04	1780615	28.00	30.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780615	Rock	6.93	71	2.9	5.6	27.1	26	0.3	2.6	1.5	173	1.09	37	9.5	30.3	43	0.2	5.8	0.5	14	0.21	0.007	24.9	9	0.11	180	0.099	5.46	1.112	3.84	2.7
HS-TR-04	1780616	30.00	32.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780616	Rock	8.59	32	2.4	5.1	32.7	34	0.3	2.6	1.5	147	1.04	32	8	27.5	37	<0.1	5.5	0.4	14	0.19	0.005	28.1	9	0.09	212	0.105	5.18	0.621	4.29	2.5
HS-TR-04	1780617	32.00	34.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780617	Rock	7.53	13	3	4	34.7	26	0.2	0.9	0.7	136	0.97	24	10.3	32.5	29	0.1	5	0.5	10	0.12	0.004	18.3	7	0.07	129	0.075	5.59	0.979	3.79	3
HS-TR-04	1780618	34.00	36.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780618	Rock	7.65	12	2.2	2.8	35.9	27	0.2	0.9	0.5	143	0.97	22	10	33.6	23	<0.1	4.6	0.6	9	0.09	0.003	16.1	6	0.06	104	0.07	5.73	0.916	3.97	3
HS-TR-04	1780619	36.00	38.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780619	Rock	6.18	18	1.9	3.2	26.5	26	0.2	1	0.5	149	0.95	21	10.3	35.9	27	0.2	4.7	0.6	10	0.11	0.003	22	7	0.08	130	0.077	5.87	0.994	4.08	3.8
HS-TR-04	1780620	38.00	40.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780620	Rock	5.91	11	2	3.7	30.2	22	0.1	1.2	0.7	149	0.95	18	9.2	32.4	26	<0.1	4.2	0.5	10	0.11	0.005	21.1	7	0.07	124	0.077	5.71	0.891	3.93	3.3
HS-TR-04	1780621	40.00	42.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780621	Rock	4.88	9	2.6	2.8	27.8	24	0.1	0.8	1.1	139	0.92	20	9.4	34.5	34	0.2	5.1	0.6	13	0.14	0.004	22.2	8	0.09	135	0.089	5.81	1.159	3.77	4.3
HS-TR-04	1780622	42.00	44.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780622	Rock	5.54	6	1.6	2.5	27	25	0.1	1.1	0.5	160	0.87	12	9.8	34.4	23	<0.1	4.7	0.6	10	0.1	0.003	17.6	7	0.08	111	0.076	5.43	0.764	3.81	3.6
HS-TR-04	1780623	44.00	46.00	2.00	118.00	WHI18000326	31-Aug-18	MA200/FA350	1780623	Rock	5.14	12	1.5	3.2	22.6	25	0.1	1.3	0.9	179	0.91	12	11.3	36	27	<0.1	4.9	0.7	9	0.13	0.004	17	7	0.07	108	0.079	5.71	0.809	3.91	3.6

Trench ID	Sample ID	From (m)	To (m)	Length (m)	Azimuth	Zr_ppm	_ppmCe	Sn_ppm	Y_ppm	Nb_ppm	Ta_ppm	Be_ppm	Sc_ppm	Li_ppm	S_%	Rb_ppm	Hf_ppm	In_ppm	Re_ppm	Se_ppm	Te_ppm	Tl_ppm	Hg_ppm	Au_FA550_gpt
HS-TR-04	1780608	14.00	16.00	2.00	112.00	147.9	60	4	31.1	31.5	2.2	3	6	22.9	<0.1	220.3	5.2	<0.05	<0.005	1	<0.5	1.9	0.03	
HS-TR-04	1780609	16.00	18.00	2.00	112.00	156.3	62	4.9	38.1	35.3	2.3	3	4	21.5	<0.1	252.9	6.2	<0.05	<0.005	1	<0.5	2.2	0.03	
HS-TR-04	1780610	18.00	20.00	2.00	118.00	143.3	72	5.5	50.3	40.4	2.8	2	3	21.2	0.2	271.8	6.3	<0.05	<0.005	<1	<0.5	2.4	0.02	
HS-TR-04	1780611	20.00	22.00	2.00	118.00	134.3	76	5.5	58.6	43	3.1	3	2	26.7	<0.1	237.8	5.8	0.1	<0.005	1	<0.5	1.9	0.02	
HS-TR-04	1780612	22.00	24.00	2.00	118.00	140.6	69	6.4	82.2	49.3	3.4	3	2	27.2	<0.1	214.2	6.3	0.06	<0.005	2	<0.5	1.8	0.02	
HS-TR-04	1780613	24.00	26.00	2.00	118.00	142.1	60	7.3	73	51.2	3.8	3	1	29.7	<0.1	237	6.9	0.07	<0.005	2	<0.5	2.3	0.01	
HS-TR-04	1780614	26.00	28.00	2.00	118.00	136.3	61	4.9	50.9	44.1	3.2	3	2	23.1	<0.1	223.4	6.2	<0.05	<0.005	<1	<0.5	2.2	0.02	
HS-TR-04	1780615	28.00	30.00	2.00	118.00	144.8	53	7	50.1	47.3	3.3	3	2	23.5	<0.1	228.5	5.9	<0.05	<0.005	2	<0.5	2.1	<0.01	
HS-TR-04	1780616	30.00	32.00	2.00	118.00	152.6	66	5	47.9	43.7	3.1	3	2	24.4	<0.1	260.3	6.2	0.06	<0.005	<1	<0.5	2.4	0.02	
HS-TR-04	1780617	32.00	34.00	2.00	118.00	126.8	46	7.1	52.1	48.9	3.5	3	2	22.8	<0.1	243.1	6.2	0.07	<0.005	2	<0.5	2.2	0.01	
HS-TR-04	1780618	34.00	36.00	2.00	118.00	124.1	41	7.6	46.6	47.5	3.4	3	1	22.2	<0.1	250.6	5.8	0.05	<0.005	1	<0.5	2.2	<0.01	
HS-TR-04	1780619	36.00	38.00	2.00	118.00	131.8	53	7.9	50.9	49.2	3.6	4	2	23.5	<0.1	279.6	6.3	<0.05	<0.005	1	<0.5	2.4	0.01	
HS-TR-04	1780620	38.00	40.00	2.00	118.00	126.2	49	6.8	44.1	43.1	3.3	3	2	22.7	<0.1	244.2	5.7	<0.05	<0.005	1	<0.5	2.1	0.01	
HS-TR-04	1780621	40.00	42.00	2.00	118.00	136.2	50	7.6	49.3	48.9	3.8	4	2	26.3	<0.1	264.6	5.9	0.07	<0.005	2	<0.5	2	0.01	
HS-TR-04	1780622	42.00	44.00	2.00	118.00	129.5	42	7.2	48.5	46.9	3.4	4	1	24.1	<0.1	264.5	6.2	<0.05	<0.005	<1	<0.5	2.3	<0.01	
HS-TR-04	1780623	44.00	46.00	2.00	118.00	134.3	44	8.9	49.1	53.3	3.6	5	2	25.2	<0.1	260.1	6.6	<0.05	<0.005	<1	<0.5	2.5	0.01	

APPENDIX 9

GROUND MAGNETIC SURVEY – TMI CONTOUR MAP



**APPENDIX X: GROUND MAG (TMI)
HOT SPOT PROPERTY**

- traverse line path
- 2018 TRENCH

NTS MAP SHEET: 1150 07
DATE: MARCH 19, 2019
DATUM: UTM ZN 7 NAD 83
CREATED BY: C. JONES



1:8,500



APPENDIX 10

CERTIFICATE OF ANALYSIS



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Dan Ferraro
Receiving Lab: Canada-Whitehorse
Received: July 11, 2018
Report Date: August 15, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS

WHI18000321.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-SOIL
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4
Canada

CC: Clayton Jones
Daithi Mac Gerailt

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	320	Save all or part of Soil Reject			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 2 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1474962	Soil		1.1	8.9	16.1	56	<0.1	9.8	4.0	160	2.15	5.9	4.6	13.8	12	0.2	0.3	0.3	50	0.16	0.011	10
1474963	Soil		0.4	8.9	4.4	17	<0.1	2.8	1.7	63	0.91	0.9	3.3	0.3	7	<0.1	0.2	0.2	27	0.06	0.012	3
1474964	Soil		0.6	9.6	5.5	23	<0.1	3.7	2.0	70	0.98	1.0	3.6	0.8	10	<0.1	0.2	0.2	30	0.08	0.016	4
1474965	Soil		0.9	16.3	22.5	64	0.1	14.0	6.7	227	2.07	4.5	1.8	40.7	18	0.3	0.4	0.3	46	0.20	0.025	127
1474966	Soil		0.6	5.4	5.4	16	<0.1	2.8	1.4	54	0.74	1.1	1.5	0.9	9	0.1	0.1	0.2	22	0.07	0.022	4
1474967	Soil		0.6	9.5	16.1	42	0.1	10.3	4.3	145	1.34	2.5	4.1	11.3	23	0.4	0.2	0.3	27	0.30	0.038	54
1474968	Soil		1.8	16.0	33.1	74	0.9	9.1	6.3	120	1.56	21.8	75.7	7.1	25	0.4	0.6	0.5	27	0.25	0.046	71
1474969	Soil		0.4	9.1	6.7	14	0.4	2.8	1.3	33	0.76	1.9	14.9	0.6	11	0.2	0.2	0.1	16	0.10	0.029	37
1474970	Soil		2.4	16.8	20.7	45	0.6	7.6	4.0	114	1.25	17.1	42.4	1.6	19	0.2	0.5	0.3	23	0.18	0.051	28
1474971	Soil		1.9	7.9	20.0	36	0.5	4.3	2.0	65	0.85	16.3	33.9	1.4	16	<0.1	0.5	0.3	19	0.13	0.032	16
1474972	Soil		1.7	11.3	20.5	38	0.3	6.7	3.3	66	1.12	16.1	13.8	1.8	19	<0.1	0.5	0.3	22	0.17	0.032	22
1474973	Soil		0.4	5.1	4.5	19	<0.1	2.1	2.1	90	1.11	4.1	1.6	0.6	8	<0.1	0.1	<0.1	28	0.07	0.012	3
1474974	Soil		2.6	14.6	26.5	39	0.6	7.4	3.7	154	1.58	33.1	49.0	4.5	18	0.1	0.9	0.3	31	0.17	0.052	38
1474975	Soil		2.2	11.6	22.0	57	0.7	6.8	2.0	55	1.26	30.2	182.7	3.9	12	0.2	1.5	0.6	19	0.12	0.038	28
1474976	Soil		1.6	21.5	19.5	78	0.2	16.9	8.8	441	2.24	22.9	21.7	9.9	36	0.2	1.2	0.4	54	0.59	0.055	23
1474977	Soil		1.7	17.2	16.7	60	0.3	16.8	6.5	261	2.41	63.5	27.8	8.6	37	0.2	1.1	0.3	61	0.50	0.030	22
1474978	Soil		1.2	22.6	10.0	102	0.2	13.7	6.3	1691	1.63	17.1	6.1	4.0	30	0.6	0.4	0.2	43	0.39	0.038	18
1474979	Soil		1.3	12.7	16.0	52	0.1	13.3	6.4	226	2.16	43.6	24.9	7.5	25	0.2	0.7	0.3	55	0.32	0.023	18
1474980	Soil		1.2	13.8	10.9	42	0.1	10.3	3.9	201	1.51	12.5	11.9	4.1	24	0.2	0.4	0.2	36	0.36	0.021	16
1474981	Soil		1.5	18.8	20.6	63	0.1	16.3	14.0	662	2.27	14.4	8.3	9.3	34	0.3	0.6	0.3	58	0.47	0.038	28
1474982	Soil		1.2	22.5	18.7	63	<0.1	16.4	8.3	326	2.28	12.0	2.5	12.1	37	0.2	0.6	0.3	61	0.55	0.049	28
1474983	Soil		1.3	21.3	30.6	71	<0.1	14.7	5.9	216	1.89	22.7	4.5	16.0	36	0.3	0.9	0.4	48	0.50	0.041	36
1474984	Soil		1.7	22.8	32.0	74	<0.1	16.7	7.3	277	2.22	48.8	4.5	15.6	34	0.2	1.2	0.5	58	0.52	0.044	23
1474985	Soil		2.3	14.9	54.7	77	0.1	13.8	6.6	278	1.81	35.6	7.2	21.0	24	0.1	1.5	0.7	41	0.42	0.041	35
1474986	Soil		1.1	13.7	26.9	43	<0.1	11.4	4.2	135	1.61	6.1	1.6	9.1	21	0.1	0.4	0.4	43	0.29	0.018	19
1474987	Soil		1.0	12.1	23.2	37	<0.1	10.6	4.4	159	1.55	4.5	0.9	8.0	20	<0.1	0.3	0.3	43	0.28	0.020	13
1474988	Soil		1.7	16.9	38.2	38	<0.1	10.0	6.3	414	1.57	5.7	1.2	12.9	21	0.2	0.3	0.4	43	0.24	0.023	48
1474989	Soil		0.8	7.5	18.9	30	<0.1	7.6	3.4	139	1.48	4.6	1.6	5.0	16	0.1	0.3	0.2	44	0.14	0.020	7
1474990	Soil		0.9	9.2	11.4	39	<0.1	10.2	5.6	286	1.84	3.6	1.8	2.7	18	<0.1	0.3	0.2	55	0.17	0.011	6
1474991	Soil		0.9	26.6	14.0	60	<0.1	25.9	10.6	343	3.23	7.9	2.2	15.6	30	0.1	0.5	0.1	86	0.27	0.011	24



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 2 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1474962	Soil	20	0.27	43	0.064	2	1.95	0.018	0.07	0.5	0.02	2.6	0.1	<0.05	7	<0.5	<0.2
1474963	Soil	7	0.06	30	0.038	2	0.40	0.030	0.04	<0.1	0.01	0.7	<0.1	<0.05	3	<0.5	<0.2
1474964	Soil	8	0.06	34	0.045	2	0.40	0.025	0.03	0.1	0.02	0.8	<0.1	<0.05	3	<0.5	<0.2
1474965	Soil	27	0.34	131	0.053	2	2.30	0.023	0.08	0.4	0.03	4.5	0.2	<0.05	8	1.4	<0.2
1474966	Soil	7	0.06	24	0.039	<1	0.37	0.024	0.03	0.1	0.04	0.6	<0.1	<0.05	3	<0.5	<0.2
1474967	Soil	20	0.27	96	0.061	2	1.49	0.023	0.07	0.3	0.04	3.0	0.1	<0.05	5	0.8	<0.2
1474968	Soil	18	0.21	84	0.031	3	1.57	0.020	0.18	0.2	0.11	2.8	0.6	<0.05	6	1.3	<0.2
1474969	Soil	6	0.03	25	0.022	1	0.45	0.023	0.04	<0.1	0.05	0.7	<0.1	<0.05	1	<0.5	<0.2
1474970	Soil	16	0.19	72	0.025	1	1.20	0.016	0.11	0.1	0.09	1.6	0.3	<0.05	5	<0.5	<0.2
1474971	Soil	13	0.12	50	0.026	1	0.86	0.016	0.14	<0.1	0.07	1.1	0.4	<0.05	5	<0.5	<0.2
1474972	Soil	15	0.16	65	0.026	1	1.15	0.015	0.11	0.2	0.05	1.5	0.3	<0.05	5	<0.5	<0.2
1474973	Soil	6	0.12	18	0.054	<1	0.49	0.027	0.03	<0.1	0.02	0.8	<0.1	<0.05	5	<0.5	<0.2
1474974	Soil	16	0.18	65	0.029	3	1.54	0.017	0.14	0.2	0.07	1.9	0.4	<0.05	5	0.8	<0.2
1474975	Soil	15	0.16	44	0.018	<1	1.44	0.012	0.14	0.2	0.11	1.8	0.5	<0.05	5	0.7	<0.2
1474976	Soil	29	0.41	130	0.057	2	2.09	0.031	0.15	0.3	0.08	4.9	0.3	<0.05	6	<0.5	<0.2
1474977	Soil	31	0.49	122	0.083	2	2.03	0.024	0.18	0.3	0.04	3.9	0.3	<0.05	7	<0.5	<0.2
1474978	Soil	18	0.26	207	0.070	2	1.25	0.036	0.10	0.2	0.02	2.7	0.1	<0.05	4	<0.5	<0.2
1474979	Soil	25	0.41	86	0.090	1	1.69	0.030	0.12	0.2	0.03	3.2	0.2	<0.05	6	<0.5	<0.2
1474980	Soil	19	0.25	96	0.058	<1	1.34	0.026	0.08	0.2	0.03	2.7	0.2	<0.05	5	<0.5	<0.2
1474981	Soil	30	0.43	141	0.080	2	2.00	0.030	0.10	0.3	0.03	4.6	0.2	<0.05	6	0.5	<0.2
1474982	Soil	31	0.49	138	0.098	3	1.84	0.040	0.11	0.3	0.05	4.8	0.2	<0.05	6	<0.5	<0.2
1474983	Soil	28	0.42	113	0.081	2	1.70	0.040	0.14	0.3	0.11	4.7	0.3	<0.05	5	0.9	<0.2
1474984	Soil	30	0.45	120	0.083	2	1.88	0.044	0.12	0.4	0.10	4.7	0.3	<0.05	6	0.7	<0.2
1474985	Soil	25	0.35	62	0.041	1	2.01	0.037	0.16	0.6	0.13	4.3	0.6	<0.05	7	0.9	<0.2
1474986	Soil	21	0.32	79	0.070	<1	1.59	0.031	0.09	0.3	0.03	2.6	0.2	<0.05	6	<0.5	<0.2
1474987	Soil	21	0.31	70	0.071	2	1.46	0.029	0.08	0.3	0.03	2.8	0.2	<0.05	5	<0.5	<0.2
1474988	Soil	20	0.24	66	0.065	1	1.62	0.026	0.11	0.4	0.02	2.8	0.2	<0.05	6	0.6	<0.2
1474989	Soil	15	0.20	65	0.077	<1	1.00	0.020	0.06	0.2	<0.01	1.7	<0.1	<0.05	5	<0.5	<0.2
1474990	Soil	18	0.27	120	0.083	<1	1.41	0.024	0.04	0.2	<0.01	2.0	0.1	<0.05	6	<0.5	<0.2
1474991	Soil	49	0.57	243	0.139	2	3.05	0.022	0.06	0.1	0.01	6.2	0.1	<0.05	8	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 3 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	
1474992	Soil	0.7	11.9	7.6	60	<0.1	13.2	7.6	991	1.82	2.9	1.6	2.2	20	0.2	0.2	0.1	47	0.19	0.018	6
1474993	Soil	0.9	13.8	11.1	42	<0.1	14.6	5.7	197	2.09	5.2	2.5	5.8	24	<0.1	0.4	0.1	67	0.25	0.020	19
1474994	Soil	0.7	19.3	15.6	52	<0.1	14.9	6.6	228	1.98	6.6	3.9	11.1	32	<0.1	0.3	0.2	53	0.40	0.034	30
1474995	Soil	2.0	16.2	11.9	65	<0.1	10.6	9.3	1088	1.75	5.3	<0.5	4.3	21	0.2	0.2	0.3	44	0.22	0.028	11
1474996	Soil	1.2	18.9	12.0	62	<0.1	15.9	7.2	467	2.17	60.5	6.9	8.2	33	0.2	0.9	0.2	58	0.45	0.040	22
1474997	Soil	1.9	23.4	22.8	65	0.2	16.8	7.8	439	2.35	65.8	13.6	10.1	29	0.2	1.3	0.4	58	0.40	0.030	23
1474998	Soil	0.9	12.1	11.2	44	0.1	14.2	7.0	288	1.92	12.7	29.2	4.5	27	0.1	0.6	0.3	53	0.37	0.031	12
1474999	Soil	0.9	17.0	11.5	49	<0.1	17.1	7.5	255	2.27	8.3	4.4	5.5	36	0.1	0.5	0.2	62	0.45	0.039	14
1475000	Soil	1.0	20.7	16.1	42	<0.1	15.9	6.1	249	1.92	11.4	5.8	8.2	42	0.2	0.6	0.3	47	0.42	0.025	16
1877001	Soil	0.9	17.8	20.3	51	0.1	16.5	7.8	236	2.07	13.5	95.6	8.4	28	<0.1	0.6	0.3	51	0.35	0.035	31
1877002	Soil	1.2	18.5	18.2	45	0.2	16.6	7.6	284	2.07	15.9	213.4	8.2	30	<0.1	1.1	0.3	56	0.38	0.022	26
1877003	Soil	0.9	22.1	15.2	47	0.2	18.9	7.4	234	2.27	11.8	213.1	7.7	34	<0.1	1.0	0.3	57	0.45	0.026	26
1877004	Soil	1.2	14.9	19.5	33	0.2	12.0	5.4	172	1.65	24.2	93.5	7.6	27	<0.1	2.1	0.3	45	0.30	0.017	21
1877005	Soil	2.1	15.2	28.3	35	0.2	13.0	6.0	179	1.99	20.1	78.5	6.1	27	<0.1	1.3	0.9	48	0.29	0.016	20
1877006	Soil	1.4	11.2	18.5	26	0.1	8.8	4.8	141	1.94	18.7	145.8	6.4	11	<0.1	1.6	0.5	49	0.10	0.012	11
1877007	Soil	1.9	6.9	24.2	15	0.2	3.5	1.6	71	0.96	17.9	52.8	5.5	9	<0.1	1.0	0.4	29	0.09	0.009	13
1877008	Soil	2.3	7.6	47.9	17	0.3	3.5	1.3	50	1.09	51.8	262.8	8.7	9	<0.1	2.0	0.6	16	0.08	0.012	19
1877009	Soil	3.7	9.4	45.3	22	0.7	5.7	3.7	162	1.50	64.8	1216.5	8.2	10	<0.1	3.0	0.6	25	0.10	0.014	16
1877010	Soil	1.3	12.4	21.0	33	0.1	9.3	4.4	124	1.46	8.6	3.4	9.2	19	<0.1	0.5	0.5	37	0.22	0.016	21
1877011	Soil	0.6	27.3	12.2	52	<0.1	18.1	6.1	180	2.01	3.5	3.2	19.1	30	0.1	0.4	0.3	50	0.39	0.018	33
1877012	Soil	0.6	19.5	14.5	50	<0.1	13.0	4.8	155	1.68	3.0	1.8	21.6	26	0.1	0.3	0.4	41	0.35	0.020	44
1877013	Soil	0.7	9.6	16.4	44	<0.1	7.5	3.0	121	1.44	2.7	1.6	13.4	15	<0.1	0.3	0.6	37	0.20	0.009	36
1877014	Soil	1.2	13.9	23.1	62	<0.1	11.5	5.7	270	1.74	3.1	<0.5	12.0	31	0.2	0.3	0.2	47	0.29	0.016	30
1877015	Soil	0.7	18.5	16.6	50	<0.1	16.9	7.2	235	2.21	4.6	1.9	11.0	37	<0.1	0.4	0.2	61	0.45	0.026	31
1877016	Soil	0.6	20.1	15.5	53	<0.1	17.2	6.3	223	2.24	4.8	3.2	10.6	38	<0.1	0.4	0.2	58	0.46	0.031	36
1877017	Soil	0.5	20.7	14.1	45	<0.1	15.0	5.8	226	2.04	5.7	8.4	9.9	37	<0.1	0.5	0.2	57	0.41	0.019	33
1877018	Soil	0.6	23.5	15.6	51	<0.1	17.7	7.1	255	2.29	11.1	24.4	9.4	41	<0.1	0.7	0.3	61	0.45	0.028	31
1877019	Soil	2.0	15.0	28.2	40	0.2	10.9	5.9	173	1.70	20.4	43.2	8.6	25	<0.1	0.9	0.4	39	0.27	0.015	18
1877020	Soil	3.0	7.9	57.8	26	0.3	4.5	2.2	83	0.98	38.4	741.8	9.4	13	<0.1	1.3	0.9	21	0.14	0.008	22
1877021	Soil	5.6	19.0	44.7	43	0.4	8.9	3.5	141	1.77	79.3	41.9	7.7	18	0.2	2.1	0.9	35	0.18	0.024	46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 3 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1474992	Soil	18	0.23	206	0.083	1	1.83	0.028	0.03	0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2
1474993	Soil	27	0.35	99	0.106	2	1.65	0.021	0.06	0.2	0.03	3.1	0.1	<0.05	6	<0.5	<0.2
1474994	Soil	27	0.40	104	0.112	<1	1.36	0.032	0.08	0.2	0.07	4.2	0.1	<0.05	5	0.6	<0.2
1474995	Soil	19	0.25	105	0.065	1	1.41	0.032	0.08	0.2	0.01	2.3	0.3	<0.05	6	<0.5	<0.2
1474996	Soil	28	0.44	151	0.103	1	1.41	0.033	0.09	0.3	0.04	4.1	0.2	<0.05	5	<0.5	<0.2
1474997	Soil	28	0.44	124	0.066	2	1.95	0.029	0.16	0.2	0.03	4.2	0.3	<0.05	6	<0.5	<0.2
1474998	Soil	23	0.44	105	0.096	5	1.35	0.032	0.10	0.2	0.02	2.9	0.1	<0.05	4	<0.5	<0.2
1474999	Soil	29	0.51	149	0.110	4	1.51	0.035	0.08	0.2	0.02	4.2	0.1	<0.05	5	<0.5	<0.2
1475000	Soil	26	0.37	156	0.104	6	1.45	0.056	0.09	0.4	0.04	4.2	0.2	<0.05	4	<0.5	<0.2
1877001	Soil	28	0.42	124	0.092	3	1.51	0.025	0.10	0.1	0.02	3.5	0.1	<0.05	5	<0.5	<0.2
1877002	Soil	28	0.45	145	0.101	3	1.44	0.030	0.10	0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
1877003	Soil	31	0.51	175	0.101	4	1.69	0.026	0.09	0.1	0.03	4.7	0.1	<0.05	5	<0.5	<0.2
1877004	Soil	23	0.37	110	0.095	3	1.23	0.021	0.09	0.1	0.02	3.1	0.2	<0.05	4	<0.5	<0.2
1877005	Soil	24	0.39	126	0.097	3	1.31	0.023	0.12	0.1	0.02	3.8	0.2	<0.05	4	<0.5	<0.2
1877006	Soil	17	0.23	78	0.036	2	1.51	0.014	0.10	0.3	0.01	1.7	0.2	<0.05	6	<0.5	<0.2
1877007	Soil	8	0.08	47	0.045	2	0.65	0.010	0.11	0.2	<0.01	1.0	0.2	0.05	4	<0.5	<0.2
1877008	Soil	7	0.10	41	0.021	2	0.41	0.007	0.18	0.6	0.02	0.8	0.2	0.10	2	<0.5	<0.2
1877009	Soil	12	0.15	45	0.026	2	0.77	0.008	0.20	0.6	0.03	1.1	0.3	0.10	3	<0.5	<0.2
1877010	Soil	18	0.31	82	0.074	2	1.12	0.016	0.07	0.2	0.02	2.6	0.2	<0.05	4	<0.5	<0.2
1877011	Soil	31	0.44	154	0.114	2	1.69	0.026	0.07	0.2	0.02	5.8	0.1	<0.05	5	0.7	<0.2
1877012	Soil	25	0.35	108	0.089	2	1.54	0.024	0.08	0.3	0.03	4.0	0.1	<0.05	5	0.9	<0.2
1877013	Soil	15	0.21	55	0.067	1	1.35	0.020	0.05	0.3	<0.01	2.2	0.1	<0.05	5	<0.5	<0.2
1877014	Soil	23	0.29	97	0.105	2	1.20	0.024	0.07	0.2	0.02	2.8	<0.1	<0.05	4	<0.5	<0.2
1877015	Soil	32	0.52	139	0.138	3	1.73	0.036	0.08	0.2	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1877016	Soil	31	0.51	150	0.137	2	1.65	0.038	0.08	0.2	0.02	5.3	0.1	<0.05	5	0.6	<0.2
1877017	Soil	29	0.45	168	0.125	2	1.60	0.034	0.07	0.1	0.02	5.0	0.1	<0.05	5	<0.5	<0.2
1877018	Soil	33	0.52	144	0.116	2	1.74	0.036	0.09	0.1	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
1877019	Soil	22	0.34	100	0.065	1	1.39	0.017	0.15	0.2	0.01	2.9	0.2	<0.05	4	<0.5	<0.2
1877020	Soil	9	0.15	48	0.043	1	0.57	0.012	0.17	0.2	0.02	1.3	0.2	0.08	2	<0.5	<0.2
1877021	Soil	18	0.27	78	0.035	<1	1.29	0.017	0.22	0.2	0.05	2.2	0.3	<0.05	5	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 4 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
1877022	Soil		0.8	9.6	12.4	42	<0.1	8.7	3.8	166	1.51	3.5	3.7	11.4	22	<0.1	0.3	0.1	39	0.21	0.007	23
1877023	Soil		0.9	7.6	12.0	51	<0.1	8.4	3.8	337	1.40	3.8	<0.5	11.1	16	<0.1	0.2	<0.1	28	0.16	0.007	16
1877024	Soil		1.3	12.0	11.1	53	<0.1	12.7	6.2	852	2.01	5.0	3.8	7.5	27	0.1	0.3	0.2	59	0.33	0.013	14
1877025	Soil		0.8	18.5	17.0	53	<0.1	17.8	7.0	209	2.72	7.3	1.6	31.8	21	0.1	0.4	0.2	69	0.19	0.009	37
1877026	Soil		1.1	11.6	13.7	48	<0.1	13.2	7.1	547	2.11	3.6	<0.5	5.3	26	0.1	0.3	0.2	59	0.27	0.009	17
1877027	Soil		1.1	16.1	15.1	48	<0.1	14.9	5.7	240	2.15	4.4	<0.5	7.4	31	<0.1	0.3	0.2	58	0.34	0.015	48
1877028	Soil		0.9	17.7	15.6	52	<0.1	16.4	6.7	258	2.38	5.1	<0.5	8.1	33	<0.1	0.4	0.4	68	0.36	0.012	28
1877029	Soil		0.7	25.8	15.1	57	<0.1	19.0	7.1	311	2.38	5.9	2.0	10.2	38	<0.1	0.4	0.3	65	0.53	0.023	32
1877030	Soil		0.6	14.0	16.3	53	<0.1	10.9	5.1	197	1.64	6.9	7.4	9.9	35	<0.1	0.4	0.3	42	0.40	0.020	27
1877031	Soil		0.7	26.1	14.2	57	0.1	18.9	7.9	322	2.48	8.1	17.1	10.5	41	<0.1	0.6	0.2	62	0.53	0.023	34
1877032	Soil		1.7	22.0	17.3	69	0.2	14.1	9.0	485	2.13	13.5	26.3	7.8	36	<0.1	0.8	0.4	51	0.40	0.019	32
1877033	Soil		3.6	15.3	34.8	53	0.4	7.4	3.7	149	1.51	51.5	52.3	9.1	24	0.2	1.6	0.9	29	0.21	0.022	38
1877034	Soil		0.6	12.2	11.2	41	<0.1	10.3	4.3	195	1.62	3.2	2.8	13.9	24	<0.1	0.3	0.2	43	0.26	0.009	23
1877035	Soil		0.6	8.6	11.4	38	<0.1	8.1	3.7	127	1.41	2.2	7.2	8.7	17	0.3	0.2	0.4	37	0.21	0.010	22
1877036	Soil		0.9	8.8	12.1	41	<0.1	8.3	3.6	153	1.59	3.3	2.4	8.6	20	0.1	0.2	0.4	44	0.16	0.006	10
1877037	Soil		1.2	10.4	8.3	46	<0.1	9.9	6.5	819	1.89	2.9	<0.5	2.4	19	0.2	0.3	0.2	57	0.20	0.012	7
1877038	Soil		1.6	9.8	27.4	65	<0.1	6.5	2.9	122	1.07	28.4	2.5	15.0	19	<0.1	0.9	0.6	24	0.27	0.020	21
1877039	Soil		1.1	12.9	11.9	56	<0.1	17.4	11.4	595	2.78	5.1	0.8	3.5	19	0.1	0.4	0.2	78	0.22	0.012	10
1877040	Soil		1.2	17.1	14.8	76	<0.1	23.4	10.0	310	3.35	8.7	<0.5	3.1	23	0.2	0.6	0.2	88	0.17	0.018	9
1877041	Soil		0.6	16.6	24.8	43	<0.1	17.2	6.5	194	2.51	9.0	0.9	12.9	20	<0.1	0.4	0.4	67	0.18	0.008	11
1877042	Soil		1.2	19.4	12.1	51	<0.1	22.1	11.2	554	3.03	8.8	4.2	4.9	26	<0.1	0.5	0.2	81	0.23	0.014	11
1877043	Soil		1.0	30.3	16.8	52	<0.1	26.8	8.8	253	2.97	8.1	6.2	17.4	28	<0.1	0.4	0.2	79	0.26	0.010	38
1877044	Soil		0.8	16.4	10.4	48	<0.1	16.6	7.0	251	2.33	4.7	<0.5	3.8	26	<0.1	0.3	0.1	67	0.22	0.011	12
1877045	Soil		1.0	18.3	14.0	57	<0.1	21.7	9.9	277	3.06	7.2	0.6	5.5	22	0.1	0.4	0.2	82	0.20	0.012	10
1877046	Soil		0.6	20.8	8.3	41	<0.1	13.8	7.4	230	2.08	3.8	<0.5	5.3	19	0.2	0.3	0.1	52	0.15	0.010	12
1877047	Soil		0.6	10.3	5.3	25	<0.1	3.6	2.5	93	1.17	2.1	0.7	1.4	9	0.2	0.2	0.1	33	0.07	0.012	3
1877048	Soil		0.9	25.9	13.7	52	<0.1	21.3	7.0	190	2.75	5.8	<0.5	15.9	25	0.2	0.3	0.1	73	0.25	0.009	46
1877049	Soil		1.7	21.0	14.8	53	<0.1	20.3	7.5	428	3.29	8.1	1.2	8.5	34	<0.1	0.4	0.2	89	0.30	0.014	29
1877050	Soil		0.9	20.8	11.4	46	<0.1	18.8	7.1	171	2.30	5.1	2.2	10.2	21	0.2	0.4	0.3	61	0.20	0.010	17
1877051	Soil		0.8	22.0	11.5	45	<0.1	18.9	7.0	294	2.54	6.0	1.5	11.3	33	<0.1	0.3	0.2	64	0.28	0.009	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 4 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1877022	Soil	19	0.28	88	0.082	<1	1.22	0.022	0.06	0.2	0.01	2.6	<0.1	<0.05	4	<0.5	<0.2	
1877023	Soil	16	0.21	82	0.039	<1	1.38	0.013	0.07	0.2	<0.01	2.1	0.1	<0.05	4	<0.5	<0.2	
1877024	Soil	24	0.36	147	0.092	2	1.36	0.019	0.10	0.2	0.02	2.5	0.1	<0.05	5	0.5	<0.2	
1877025	Soil	40	0.43	84	0.116	2	2.92	0.016	0.06	0.2	0.03	4.7	0.2	<0.05	8	<0.5	<0.2	
1877026	Soil	24	0.35	139	0.092	2	1.64	0.019	0.06	<0.1	<0.01	2.9	0.1	<0.05	6	<0.5	<0.2	
1877027	Soil	28	0.40	144	0.098	2	1.57	0.025	0.07	0.1	0.02	3.7	<0.1	<0.05	6	0.5	<0.2	
1877028	Soil	31	0.47	156	0.113	1	1.63	0.028	0.07	0.1	0.01	4.0	<0.1	<0.05	5	<0.5	<0.2	
1877029	Soil	33	0.53	191	0.117	<1	1.80	0.038	0.06	0.2	0.02	5.7	<0.1	<0.05	6	<0.5	<0.2	
1877030	Soil	22	0.37	112	0.104	1	1.25	0.033	0.07	0.1	0.02	3.5	0.1	<0.05	4	<0.5	<0.2	
1877031	Soil	35	0.52	207	0.105	1	1.98	0.034	0.09	0.2	0.03	6.4	0.1	<0.05	6	0.7	<0.2	
1877032	Soil	27	0.39	139	0.076	1	1.75	0.025	0.16	0.1	0.03	4.1	0.2	<0.05	6	<0.5	<0.2	
1877033	Soil	17	0.23	98	0.031	<1	1.30	0.016	0.25	0.2	0.05	2.0	0.4	<0.05	4	<0.5	<0.2	
1877034	Soil	22	0.37	116	0.086	<1	1.20	0.018	0.06	0.2	0.01	3.5	<0.1	<0.05	4	<0.5	<0.2	
1877035	Soil	17	0.23	67	0.085	<1	1.15	0.015	0.05	0.3	0.02	2.2	<0.1	<0.05	5	<0.5	<0.2	
1877036	Soil	17	0.25	72	0.080	<1	1.27	0.016	0.06	0.3	<0.01	2.2	0.1	<0.05	5	<0.5	<0.2	
1877037	Soil	17	0.23	162	0.076	<1	1.16	0.019	0.05	0.1	0.01	2.0	0.1	<0.05	5	<0.5	<0.2	
1877038	Soil	13	0.20	61	0.015	<1	0.89	0.018	0.16	0.2	0.05	2.1	0.3	<0.05	3	<0.5	<0.2	
1877039	Soil	31	0.41	176	0.092	<1	2.16	0.019	0.08	0.1	<0.01	3.1	0.2	<0.05	7	<0.5	<0.2	
1877040	Soil	34	0.42	191	0.095	<1	2.67	0.023	0.07	0.1	<0.01	3.0	0.2	<0.05	9	<0.5	<0.2	
1877041	Soil	38	0.45	130	0.084	<1	2.47	0.019	0.09	0.2	0.01	4.1	0.2	<0.05	7	<0.5	<0.2	
1877042	Soil	35	0.48	212	0.105	<1	2.43	0.019	0.05	0.1	0.02	3.9	0.1	<0.05	7	<0.5	<0.2	
1877043	Soil	48	0.54	181	0.117	<1	2.69	0.023	0.06	0.2	0.01	7.4	0.1	<0.05	8	<0.5	<0.2	
1877044	Soil	30	0.40	173	0.086	<1	1.89	0.023	0.04	0.1	0.01	3.3	<0.1	<0.05	6	<0.5	<0.2	
1877045	Soil	35	0.45	173	0.117	<1	2.79	0.015	0.05	0.2	<0.01	3.7	0.1	<0.05	9	<0.5	<0.2	
1877046	Soil	27	0.31	129	0.085	<1	1.85	0.022	0.03	<0.1	0.02	3.2	<0.1	<0.05	6	<0.5	<0.2	
1877047	Soil	8	0.09	42	0.052	<1	0.79	0.027	0.03	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2	
1877048	Soil	46	0.47	149	0.123	<1	2.84	0.016	0.05	0.1	0.02	6.6	0.1	<0.05	7	0.5	<0.2	
1877049	Soil	42	0.47	182	0.119	<1	2.70	0.017	0.06	0.1	0.02	5.4	0.1	<0.05	9	<0.5	<0.2	
1877050	Soil	30	0.32	158	0.096	<1	2.41	0.016	0.04	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2	
1877051	Soil	41	0.45	165	0.109	<1	2.37	0.018	0.06	0.1	0.01	5.4	0.1	<0.05	7	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 5 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm		
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1		
1877052	Soil		0.4	7.2	3.7	20	<0.1	3.7	1.9	65	0.85	1.6	0.7	0.6	9	0.1	0.1	0.1	27	0.08	0.013	3	
1877053	Soil		0.6	7.4	5.2	18	<0.1	4.6	2.5	67	1.08	1.8	<0.5	1.5	12	<0.1	0.2	<0.1	33	0.09	0.008	5	
1877054	Soil		0.4	3.4	3.4	11	<0.1	2.2	1.3	67	0.65	0.7	<0.5	0.8	9	<0.1	<0.1	<0.1	17	0.07	0.008	3	
1877055	Soil		0.6	12.2	6.6	24	<0.1	7.5	3.9	213	1.29	2.7	0.7	4.2	16	<0.1	0.2	0.1	35	0.16	0.014	23	
1877056	Soil		0.3	6.9	3.0	16	<0.1	2.6	1.4	49	0.75	1.0	<0.5	0.2	8	0.1	<0.1	<0.1	20	0.05	0.013	2	
1877057	Soil		1.0	22.4	12.3	48	<0.1	20.4	8.5	287	2.72	5.8	1.4	4.6	24	0.3	0.4	0.2	68	0.22	0.021	21	
1877058	Soil		0.7	19.2	10.4	41	<0.1	15.1	5.9	201	1.73	2.7	3.6	9.4	31	<0.1	0.2	<0.1	50	0.37	0.020	56	
1877059	Soil		0.7	12.8	7.2	26	<0.1	8.9	4.6	189	1.64	2.8	2.0	2.9	14	0.2	0.3	0.1	46	0.11	0.010	7	
1877060	Soil		0.6	10.7	5.7	19	<0.1	4.7	2.4	68	1.29	2.7	0.6	1.5	10	0.1	0.2	<0.1	38	0.08	0.014	5	
1877061	Soil		0.8	18.8	12.7	46	<0.1	18.1	8.8	239	2.44	5.1	<0.5	7.1	26	0.1	0.3	0.1	64	0.26	0.014	22	
1877062	Soil		1.1	13.5	11.9	45	<0.1	11.8	5.9	188	2.52	5.2	<0.5	2.5	20	0.1	0.3	0.2	72	0.18	0.017	8	
1877063	Soil		0.8	21.2	15.9	57	<0.1	22.7	10.2	314	2.82	6.2	2.4	9.1	38	<0.1	0.4	0.2	74	0.39	0.012	29	
1877064	Soil		0.8	11.1	13.3	35	<0.1	14.7	7.0	163	2.23	6.2	0.6	4.4	23	0.1	0.3	0.3	57	0.19	0.012	8	
1877065	Soil		0.8	11.9	17.4	39	<0.1	13.8	6.7	262	2.12	4.4	0.7	5.6	30	0.2	0.3	0.5	57	0.26	0.009	12	
1877066	Soil		0.8	18.0	15.3	35	<0.1	15.8	6.6	196	2.20	5.2	0.7	5.5	29	0.1	0.3	0.3	64	0.23	0.010	14	
1877067	Soil		0.8	18.3	16.8	39	<0.1	17.2	7.1	215	2.40	6.3	5.7	6.1	23	<0.1	0.3	0.3	66	0.30	0.013	14	
1877068	Soil		0.7	15.7	17.2	39	<0.1	17.9	7.6	182	2.48	6.3	<0.5	6.8	28	<0.1	0.3	0.3	71	0.31	0.008	15	
1877069	Soil		0.9	16.1	18.2	41	<0.1	17.5	7.0	188	2.39	5.8	<0.5	9.1	30	<0.1	0.3	0.3	66	0.26	0.008	19	
1877070	Soil		0.9	67.7	16.4	55	<0.1	32.5	14.1	525	3.28	9.7	4.0	7.8	41	<0.1	0.6	0.3	78	0.54	0.039	35	
1877071	Soil		0.8	22.9	16.1	45	<0.1	22.6	8.7	217	2.84	7.9	0.5	7.5	31	<0.1	0.4	0.3	72	0.33	0.011	14	
1877072	Soil		1.1	13.1	12.4	33	<0.1	7.9	5.0	186	2.10	4.0	<0.5	2.2	12	0.1	0.4	0.2	59	0.11	0.022	7	
1877073	Soil		1.1	38.2	22.8	57	<0.1	31.0	9.9	350	2.98	7.4	2.3	11.5	35	<0.1	0.5	0.2	67	0.47	0.013	29	
1877074	Soil		0.6	31.1	24.1	44	<0.1	19.3	7.3	286	2.34	5.0	1.6	15.3	40	<0.1	0.4	0.3	55	0.43	0.008	38	
1877075	Soil		0.5	7.6	14.4	24	<0.1	6.1	3.2	105	1.29	3.0	0.9	3.7	24	0.2	0.2	0.2	34	0.17	0.013	9	
1877076	Soil		0.6	11.2	20.3	31	<0.1	10.3	4.8	157	1.60	3.4	<0.5	10.8	31	0.1	0.3	0.2	43	0.28	0.009	19	
1877077	Soil		0.8	13.1	22.3	39	<0.1	16.3	6.6	200	2.27	6.9	<0.5	8.6	17	<0.1	0.5	0.4	63	0.15	0.006	8	
1877078	Soil		0.9	10.1	22.8	26	<0.1	9.1	6.1	349	1.54	6.1	<0.5	15.3	39	0.2	0.5	0.6	36	0.18	0.009	6	
1877079	Soil		0.9	12.9	17.0	36	<0.1	14.0	5.7	187	2.06	7.9	<0.5	5.4	21	0.1	0.4	0.3	59	0.20	0.010	7	
1877080	Soil		1.0	9.9	18.4	33	<0.1	10.2	5.3	417	1.90	8.1	<0.5	5.3	16	0.1	0.4	0.4	55	0.17	0.013	6	
1877081	Soil		0.5	9.8	31.9	16	<0.1	7.3	2.9	146	0.77	10.4	0.6	17.4	27	<0.1	0.3	0.6	22	0.33	0.013	32	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 5 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1877052	Soil	8	0.05	43	0.047	<1	0.40	0.022	0.02	<0.1	0.02	0.9	<0.1	<0.05	3	<0.5	<0.2	
1877053	Soil	10	0.11	55	0.059	<1	0.81	0.023	0.04	<0.1	<0.01	1.5	<0.1	<0.05	4	<0.5	<0.2	
1877054	Soil	6	0.05	34	0.042	<1	0.48	0.023	0.03	<0.1	0.01	0.8	<0.1	<0.05	3	<0.5	<0.2	
1877055	Soil	16	0.19	74	0.072	<1	0.98	0.023	0.03	0.1	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2	
1877056	Soil	6	0.05	40	0.035	<1	0.44	0.023	0.02	<0.1	<0.01	0.7	<0.1	<0.05	3	<0.5	<0.2	
1877057	Soil	34	0.39	161	0.100	<1	2.39	0.021	0.05	0.1	0.03	4.1	<0.1	<0.05	7	<0.5	<0.2	
1877058	Soil	30	0.40	147	0.133	<1	1.36	0.024	0.05	0.2	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2	
1877059	Soil	19	0.21	77	0.085	<1	1.56	0.022	0.03	<0.1	<0.01	2.6	<0.1	<0.05	5	<0.5	<0.2	
1877060	Soil	11	0.10	44	0.063	<1	1.03	0.023	0.03	<0.1	0.01	1.6	<0.1	<0.05	5	<0.5	<0.2	
1877061	Soil	34	0.42	162	0.112	<1	2.32	0.017	0.05	0.1	0.03	4.7	0.1	<0.05	7	<0.5	<0.2	
1877062	Soil	24	0.30	108	0.093	<1	1.99	0.017	0.04	0.1	<0.01	3.0	0.1	<0.05	8	<0.5	<0.2	
1877063	Soil	42	0.59	191	0.104	1	2.36	0.024	0.06	0.1	0.01	5.6	0.1	<0.05	7	<0.5	<0.2	
1877064	Soil	21	0.31	113	0.074	<1	2.26	0.026	0.06	<0.1	<0.01	2.2	0.1	<0.05	7	<0.5	<0.2	
1877065	Soil	27	0.36	117	0.077	<1	2.08	0.031	0.05	<0.1	0.01	2.7	0.2	<0.05	7	<0.5	<0.2	
1877066	Soil	31	0.39	144	0.088	<1	2.13	0.024	0.05	<0.1	0.02	3.8	0.1	<0.05	7	<0.5	<0.2	
1877067	Soil	35	0.44	128	0.097	<1	2.26	0.035	0.05	0.1	0.03	4.2	0.1	<0.05	7	<0.5	<0.2	
1877068	Soil	36	0.45	108	0.102	<1	2.32	0.024	0.05	<0.1	0.01	4.1	0.2	<0.05	7	<0.5	<0.2	
1877069	Soil	35	0.42	141	0.090	<1	2.43	0.018	0.04	<0.1	0.01	3.9	0.2	<0.05	7	<0.5	<0.2	
1877070	Soil	44	0.64	200	0.103	3	2.45	0.045	0.06	0.1	0.07	9.3	0.1	<0.05	7	<0.5	<0.2	
1877071	Soil	42	0.53	129	0.118	2	2.90	0.043	0.06	0.1	0.02	8.2	0.1	<0.05	7	<0.5	<0.2	
1877072	Soil	16	0.15	118	0.067	1	1.67	0.020	0.04	<0.1	0.02	2.0	0.1	<0.05	8	<0.5	<0.2	
1877073	Soil	44	0.56	174	0.124	2	2.21	0.060	0.07	0.2	0.04	7.7	0.1	<0.05	7	<0.5	<0.2	
1877074	Soil	33	0.46	115	0.073	2	1.77	0.077	0.09	0.1	0.03	6.5	0.2	<0.05	6	0.5	<0.2	
1877075	Soil	11	0.14	102	0.053	1	1.30	0.024	0.08	0.2	<0.01	1.2	0.1	<0.05	5	<0.5	<0.2	
1877076	Soil	19	0.26	114	0.082	2	1.33	0.051	0.07	0.2	0.01	2.7	0.2	<0.05	4	<0.5	<0.2	
1877077	Soil	27	0.36	109	0.061	<1	1.93	0.012	0.07	0.3	0.01	2.4	0.2	<0.05	6	<0.5	<0.2	
1877078	Soil	15	0.21	143	0.032	1	1.85	0.053	0.16	0.3	0.01	1.6	0.3	<0.05	5	<0.5	<0.2	
1877079	Soil	26	0.33	117	0.069	2	1.87	0.016	0.07	0.2	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2	
1877080	Soil	20	0.25	107	0.062	<1	1.57	0.012	0.07	0.3	<0.01	1.9	0.2	<0.05	6	<0.5	<0.2	
1877081	Soil	12	0.15	55	0.035	1	1.10	0.100	0.14	0.4	0.02	2.0	0.2	<0.05	3	1.1	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 6 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1877082	Soil	0.8	11.9	16.5	37	<0.1	11.8	5.8	172	2.10	4.8	<0.5	4.1	21	0.2	0.3	52	0.15	0.011	9	
1877083	Soil	0.9	33.7	20.1	49	<0.1	24.8	8.7	253	2.96	7.1	1.3	10.2	36	0.1	0.4	74	0.35	0.009	28	
1877084	Soil	0.9	17.4	21.8	43	<0.1	19.7	9.7	139	2.94	6.9	<0.5	6.3	17	0.2	0.3	70	0.18	0.013	11	
1877085	Soil	1.0	14.1	14.7	64	<0.1	10.3	4.9	406	1.96	5.1	0.8	4.1	24	0.3	0.3	55	0.20	0.017	9	
1877086	Soil	0.8	58.2	21.4	52	0.1	33.0	9.5	286	3.32	8.5	2.2	12.1	39	<0.1	0.5	83	0.46	0.017	40	
1877087	Soil	0.5	11.1	12.4	26	<0.1	8.8	3.5	107	1.48	2.7	<0.5	4.9	16	<0.1	0.2	38	0.17	0.011	14	
1877088	Soil	0.8	31.8	14.5	66	<0.1	29.8	12.0	270	3.32	10.1	0.8	8.1	28	0.1	0.4	95	0.28	0.012	11	
1877089	Soil	1.0	10.4	8.4	38	<0.1	7.1	8.0	318	1.60	2.3	<0.5	1.6	18	0.1	0.2	44	0.14	0.015	6	
1877090	Soil	0.7	43.4	12.4	54	<0.1	30.7	11.0	292	3.35	10.0	3.0	10.3	37	<0.1	0.5	83	0.37	0.015	39	
1877091	Soil	1.5	20.5	18.5	58	<0.1	21.7	8.7	218	3.09	8.8	5.1	4.8	16	0.2	0.5	81	0.16	0.014	11	
1877092	Soil	1.4	12.9	15.2	39	<0.1	10.3	5.8	324	2.35	6.2	<0.5	2.7	14	0.2	0.4	78	0.14	0.027	14	
1877093	Soil	2.9	6.9	19.7	43	<0.1	7.9	4.1	406	1.29	4.3	<0.5	5.4	43	<0.1	0.3	40	0.26	0.009	11	
1877094	Soil	1.4	39.3	29.9	63	<0.1	26.8	9.0	391	2.81	8.7	5.2	17.4	40	<0.1	0.6	73	0.56	0.027	45	
1877095	Soil	1.0	19.4	14.2	47	<0.1	20.1	10.9	372	2.65	6.5	<0.5	9.2	26	<0.1	0.4	77	0.28	0.012	20	
1877096	Soil	0.9	14.8	13.2	40	<0.1	13.0	6.5	406	1.97	4.0	<0.5	6.4	28	<0.1	0.3	58	0.32	0.011	22	
1877097	Soil	0.7	20.4	13.2	52	<0.1	18.6	8.5	384	2.43	6.0	2.3	7.6	42	0.3	0.4	62	0.48	0.022	23	
1877098	Soil	0.7	29.9	11.6	52	<0.1	23.9	9.4	366	3.00	8.8	1.5	6.6	42	<0.1	0.5	78	0.58	0.027	19	
1877099	Soil	0.9	23.4	14.0	78	0.1	18.2	7.9	436	2.32	4.8	3.8	7.4	42	0.3	0.4	63	0.53	0.030	29	
1877100	Soil	0.9	20.1	20.0	47	0.1	13.9	5.6	209	1.98	4.3	0.5	30.2	31	0.1	0.3	47	0.36	0.023	59	
1877101	Soil	0.9	14.3	14.4	39	<0.1	10.3	4.5	181	1.59	2.7	<0.5	18.4	26	<0.1	0.2	44	0.31	0.012	41	
1877102	Soil	1.0	12.2	11.6	34	<0.1	9.8	4.6	241	1.66	3.3	<0.5	9.6	22	<0.1	0.2	48	0.25	0.011	41	
1877103	Soil	0.9	7.7	11.7	45	<0.1	6.9	2.7	129	1.29	2.5	<0.5	14.8	17	<0.1	0.2	32	0.22	0.008	19	
1877104	Soil	1.2	13.1	10.3	52	<0.1	18.1	7.4	407	2.59	5.9	10.9	4.1	26	0.2	0.4	70	0.28	0.013	9	
1877105	Soil	1.1	9.2	12.8	30	<0.1	7.5	3.5	309	1.38	2.1	<0.5	9.7	26	0.1	0.3	46	0.25	0.010	46	
1877106	Soil	0.9	10.4	12.2	40	<0.1	9.9	4.2	157	1.50	3.6	<0.5	11.9	26	0.1	0.3	47	0.28	0.008	36	
1877107	Soil	0.8	14.9	14.2	48	<0.1	12.5	6.8	336	1.99	5.1	<0.5	10.1	34	0.3	0.3	59	0.36	0.015	22	
1877108	Soil	0.5	27.0	12.9	54	<0.1	19.9	7.5	277	2.22	5.2	2.3	7.6	44	<0.1	0.4	57	0.56	0.029	23	
1877109	Soil	0.8	23.5	14.6	50	<0.1	19.5	8.9	316	2.15	6.3	2.3	6.7	44	0.1	0.5	62	0.60	0.025	21	
1877110	Soil	0.5	8.5	15.2	32	<0.1	7.4	3.3	153	1.33	2.8	<0.5	7.8	22	<0.1	0.4	38	0.29	0.006	19	
1877111	Soil	0.8	10.5	11.7	36	<0.1	11.9	6.8	285	1.87	4.0	<0.5	4.4	28	<0.1	0.3	59	0.27	0.007	11	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 6 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1877082	Soil	20	0.26	122	0.071	<1	1.80	0.020	0.05	<0.1	<0.01	2.2	0.2	<0.05	6	<0.5	<0.2
1877083	Soil	48	0.57	202	0.140	2	2.66	0.035	0.06	0.2	0.02	8.7	0.2	<0.05	8	0.6	<0.2
1877084	Soil	31	0.35	176	0.083	1	3.50	0.012	0.08	0.1	<0.01	3.3	0.2	<0.05	9	<0.5	<0.2
1877085	Soil	19	0.22	144	0.075	2	2.13	0.029	0.06	0.1	0.01	2.3	0.1	<0.05	7	<0.5	<0.2
1877086	Soil	51	0.60	327	0.138	2	3.11	0.025	0.08	0.2	0.05	10.0	0.2	<0.05	9	<0.5	<0.2
1877087	Soil	17	0.23	64	0.076	1	1.17	0.022	0.05	0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
1877088	Soil	49	0.68	247	0.113	2	3.17	0.014	0.06	<0.1	0.01	4.9	0.1	<0.05	8	<0.5	<0.2
1877089	Soil	12	0.14	116	0.066	1	1.41	0.028	0.04	<0.1	<0.01	1.6	<0.1	<0.05	5	<0.5	<0.2
1877090	Soil	48	0.68	271	0.128	1	2.54	0.031	0.07	0.1	0.03	9.3	<0.1	<0.05	7	<0.5	<0.2
1877091	Soil	34	0.43	116	0.095	2	2.79	0.013	0.05	<0.1	<0.01	3.1	0.1	<0.05	8	<0.5	<0.2
1877092	Soil	22	0.25	125	0.082	1	1.55	0.014	0.06	<0.1	<0.01	2.4	0.1	<0.05	8	<0.5	<0.2
1877093	Soil	14	0.21	162	0.068	1	1.10	0.018	0.12	<0.1	<0.01	1.4	0.2	<0.05	4	<0.5	<0.2
1877094	Soil	42	0.53	168	0.132	2	2.19	0.036	0.09	0.2	0.03	7.5	<0.1	<0.05	7	<0.5	<0.2
1877095	Soil	38	0.45	155	0.116	<1	2.08	0.019	0.07	0.1	<0.01	4.5	<0.1	<0.05	6	<0.5	<0.2
1877096	Soil	25	0.38	158	0.101	1	1.44	0.024	0.04	0.1	<0.01	3.1	<0.1	<0.05	5	<0.5	<0.2
1877097	Soil	32	0.47	196	0.119	1	1.70	0.034	0.07	0.2	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1877098	Soil	37	0.63	229	0.127	<1	1.94	0.044	0.07	0.1	0.02	5.8	0.1	<0.05	5	<0.5	<0.2
1877099	Soil	31	0.45	211	0.099	1	1.80	0.038	0.07	0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1877100	Soil	29	0.31	133	0.089	1	1.97	0.018	0.07	0.4	0.03	4.3	0.1	<0.05	6	1.1	<0.2
1877101	Soil	22	0.30	89	0.092	<1	1.35	0.019	0.06	0.3	0.01	2.8	<0.1	<0.05	5	0.6	<0.2
1877102	Soil	20	0.23	95	0.089	<1	1.30	0.021	0.06	0.2	<0.01	2.2	<0.1	<0.05	5	<0.5	<0.2
1877103	Soil	16	0.19	64	0.076	<1	0.94	0.013	0.05	0.3	<0.01	1.7	<0.1	<0.05	4	<0.5	<0.2
1877104	Soil	34	0.43	133	0.098	1	1.78	0.014	0.08	<0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
1877105	Soil	16	0.18	91	0.081	1	1.11	0.018	0.05	0.2	<0.01	2.2	<0.1	<0.05	5	1.4	<0.2
1877106	Soil	19	0.28	89	0.083	2	1.14	0.020	0.06	0.2	0.01	2.5	<0.1	<0.05	4	0.7	<0.2
1877107	Soil	25	0.41	121	0.104	3	1.54	0.024	0.07	0.2	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
1877108	Soil	29	0.51	198	0.114	3	1.68	0.045	0.06	0.1	0.02	5.4	<0.1	<0.05	5	<0.5	<0.2
1877109	Soil	30	0.50	208	0.109	3	1.69	0.044	0.06	0.1	0.02	5.1	<0.1	<0.05	5	<0.5	<0.2
1877110	Soil	14	0.23	119	0.064	2	1.02	0.024	0.07	<0.1	0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
1877111	Soil	22	0.32	140	0.097	2	1.40	0.021	0.05	<0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 7 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1877112	Soil	1.1	13.7	11.8	49	<0.1	16.0	8.2	362	2.40	6.8	0.6	4.1	30	0.2	0.3	0.2	68	0.32	0.010	10
1877113	Soil	0.7	10.5	15.1	39	<0.1	9.3	4.0	213	1.71	4.0	<0.5	5.8	28	<0.1	0.3	0.2	55	0.30	0.008	14
1877114	Soil	0.6	13.2	11.9	45	<0.1	20.6	8.2	282	2.58	6.4	1.8	4.1	27	<0.1	0.3	0.2	68	0.23	0.009	10
1877115	Soil	0.4	3.9	5.9	15	<0.1	2.2	1.4	56	0.74	1.3	0.8	1.1	9	<0.1	<0.1	0.1	25	0.07	0.008	4
1877116	Soil	1.2	16.1	27.4	55	<0.1	16.6	6.8	222	2.54	8.6	<0.5	13.8	27	0.1	0.4	0.3	65	0.32	0.017	27
1877117	Soil	0.6	10.3	19.5	40	<0.1	10.2	4.3	158	1.59	5.0	<0.5	10.9	27	<0.1	1.3	0.2	43	0.34	0.012	21
1877118	Soil	1.1	19.2	25.3	50	<0.1	13.5	5.8	247	2.04	19.1	1.5	10.5	28	0.2	4.3	0.4	53	0.40	0.025	28
1877119	Soil	1.7	19.0	35.4	56	<0.1	11.2	4.8	162	1.79	90.4	5.9	14.2	28	0.2	16.6	0.5	38	0.36	0.029	30
1877120	Soil	1.4	13.8	14.1	48	<0.1	7.6	3.2	218	1.24	37.3	0.7	4.7	18	0.2	7.7	0.3	24	0.26	0.033	14
1877121	Soil	1.1	11.8	12.5	41	<0.1	8.5	3.7	134	1.55	34.1	<0.5	4.2	17	0.1	4.6	0.2	32	0.25	0.021	9
1877122	Soil	1.2	19.3	20.4	70	<0.1	12.7	6.8	208	2.21	46.8	1.8	8.5	44	0.3	6.9	0.4	50	0.48	0.025	19
1877123	Soil	1.1	11.4	12.4	36	<0.1	10.6	6.4	404	1.81	3.5	<0.5	5.0	26	0.1	0.3	0.1	62	0.28	0.012	37
1877124	Soil	2.0	5.3	20.6	59	<0.1	4.5	3.2	212	1.14	20.9	<0.5	8.1	10	0.2	0.6	0.1	28	0.09	0.013	10
1877125	Soil	0.9	11.6	22.7	71	<0.1	10.7	5.7	349	1.62	5.2	<0.5	9.3	19	0.1	0.3	0.3	35	0.20	0.015	30
1877126	Soil	1.2	11.4	20.4	51	<0.1	11.5	6.7	279	1.90	5.7	2.7	6.6	20	0.1	0.3	0.3	48	0.21	0.009	22
1877127	Soil	0.3	5.9	7.5	18	0.1	4.7	2.1	65	0.84	1.4	<0.5	0.9	14	<0.1	<0.1	<0.1	25	0.15	0.012	6
1877128	Soil	0.7	9.4	10.0	30	0.1	7.2	3.2	121	1.38	3.1	<0.5	2.2	18	<0.1	0.2	0.1	39	0.19	0.011	16
1877129	Soil	1.5	11.4	15.9	66	<0.1	11.4	7.3	382	2.27	5.4	<0.5	2.9	15	0.1	0.4	0.2	63	0.16	0.019	8
1877130	Soil	2.3	16.4	33.3	192	0.1	20.1	11.2	1112	3.42	8.4	<0.5	6.7	27	0.4	0.5	0.4	70	0.31	0.034	17
1877131	Soil	1.0	16.9	11.8	207	<0.1	20.7	10.7	1427	2.57	5.5	<0.5	3.4	33	0.6	0.4	0.1	63	0.38	0.061	13
1877132	Soil	1.7	17.1	40.5	369	<0.1	20.7	9.4	745	3.37	4.6	6.0	5.9	27	0.5	0.4	0.4	71	0.36	0.068	37
1877133	Soil	1.9	16.6	40.3	412	<0.1	20.6	9.5	898	3.50	4.4	0.6	6.2	30	0.6	0.4	0.4	71	0.38	0.073	37
1877134	Soil	1.1	17.5	15.5	120	<0.1	18.7	11.5	647	3.16	4.3	<0.5	5.2	36	0.2	0.3	0.2	69	0.53	0.046	18
1877135	Soil	0.9	19.7	13.2	62	0.1	22.4	11.6	531	2.80	6.8	1.8	5.6	41	0.1	0.4	0.2	72	0.48	0.025	17
1877136	Soil	1.3	22.9	17.0	47	<0.1	23.3	10.4	343	2.78	10.6	<0.5	7.4	37	<0.1	0.4	0.2	74	0.61	0.015	14
1877137	Soil	2.0	11.1	9.0	74	<0.1	11.2	7.7	675	1.80	3.5	<0.5	1.4	21	0.2	0.2	0.1	48	0.26	0.034	6
1877138	Soil	0.9	17.0	9.8	82	0.2	18.6	9.5	609	2.28	6.0	<0.5	3.0	52	0.2	0.4	0.1	55	0.46	0.037	11
1877139	Soil	1.7	11.5	11.0	54	0.2	12.7	6.8	323	2.24	5.9	0.9	1.9	24	0.2	0.3	0.1	63	0.28	0.029	11
1877140	Soil	1.0	12.6	9.6	39	0.2	12.4	6.9	322	1.78	5.8	0.6	2.1	28	0.1	0.2	0.1	46	0.40	0.016	9
1877141	Soil	0.8	17.7	20.4	45	<0.1	14.3	5.7	202	1.84	10.9	1.5	14.0	32	<0.1	0.6	0.2	30	0.52	0.054	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 7 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1877112	Soil	27	0.44	177	0.098	1	1.65	0.016	0.09	<0.1	<0.01	3.0	<0.1	<0.05	5	<0.5	<0.2	
1877113	Soil	19	0.29	112	0.100	1	1.20	0.025	0.05	0.1	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2	
1877114	Soil	34	0.52	159	0.100	2	2.55	0.018	0.05	<0.1	<0.01	3.1	0.1	<0.05	7	<0.5	<0.2	
1877115	Soil	5	0.05	31	0.046	2	0.40	0.021	0.03	<0.1	<0.01	0.7	<0.1	<0.05	3	<0.5	<0.2	
1877116	Soil	37	0.40	121	0.095	4	2.60	0.024	0.08	0.3	0.04	4.1	0.3	<0.05	8	<0.5	<0.2	
1877117	Soil	22	0.35	89	0.079	2	1.28	0.051	0.07	0.2	0.02	2.6	0.2	<0.05	4	<0.5	<0.2	
1877118	Soil	25	0.39	107	0.059	2	1.91	0.037	0.09	0.2	0.09	4.1	0.3	<0.05	6	1.1	<0.2	
1877119	Soil	23	0.26	87	0.029	3	2.13	0.044	0.17	0.4	0.19	3.9	0.6	<0.05	7	0.8	<0.2	
1877120	Soil	15	0.16	65	0.022	2	1.44	0.024	0.11	0.2	0.04	2.6	0.4	<0.05	6	<0.5	<0.2	
1877121	Soil	17	0.25	63	0.042	1	1.50	0.028	0.07	0.2	0.03	2.6	0.2	<0.05	5	<0.5	<0.2	
1877122	Soil	26	0.41	270	0.070	2	2.08	0.047	0.14	0.3	0.06	4.1	0.4	<0.05	7	1.1	<0.2	
1877123	Soil	19	0.32	157	0.091	2	1.37	0.023	0.05	0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2	
1877124	Soil	10	0.12	64	0.032	1	0.79	0.016	0.07	<0.1	0.02	1.2	<0.1	<0.05	4	<0.5	<0.2	
1877125	Soil	16	0.22	122	0.048	1	1.36	0.014	0.11	<0.1	0.01	2.1	0.2	<0.05	4	<0.5	<0.2	
1877126	Soil	19	0.25	117	0.065	1	1.38	0.013	0.08	0.1	0.02	2.0	0.1	<0.05	5	<0.5	<0.2	
1877127	Soil	8	0.11	66	0.053	1	0.80	0.024	0.04	<0.1	0.01	1.3	<0.1	<0.05	4	<0.5	<0.2	
1877128	Soil	15	0.21	101	0.070	2	1.09	0.021	0.04	<0.1	0.02	2.1	<0.1	<0.05	6	<0.5	<0.2	
1877129	Soil	20	0.25	134	0.073	1	1.60	0.017	0.05	0.1	0.02	2.0	<0.1	<0.05	7	<0.5	<0.2	
1877130	Soil	29	0.37	257	0.075	1	2.35	0.014	0.05	0.2	0.02	3.3	0.1	<0.05	7	<0.5	<0.2	
1877131	Soil	29	0.41	379	0.086	2	2.02	0.020	0.08	0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2	
1877132	Soil	32	0.44	176	0.071	1	2.48	0.020	0.05	0.2	0.01	3.8	0.1	<0.05	8	<0.5	<0.2	
1877133	Soil	32	0.44	177	0.080	2	2.69	0.017	0.05	0.2	0.01	3.9	0.1	<0.05	8	<0.5	<0.2	
1877134	Soil	36	0.44	315	0.092	2	2.59	0.022	0.08	0.1	0.02	6.1	0.1	<0.05	7	<0.5	<0.2	
1877135	Soil	35	0.49	307	0.109	2	2.13	0.025	0.13	0.1	0.02	6.5	<0.1	<0.05	6	<0.5	<0.2	
1877136	Soil	37	0.55	213	0.098	2	2.19	0.023	0.09	0.1	0.02	6.7	<0.1	<0.05	6	<0.5	<0.2	
1877137	Soil	18	0.29	180	0.071	2	1.42	0.022	0.07	0.1	0.01	2.2	<0.1	<0.05	5	0.5	<0.2	
1877138	Soil	27	0.48	205	0.090	3	1.90	0.025	0.12	<0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2	
1877139	Soil	22	0.36	132	0.062	1	1.57	0.015	0.07	<0.1	0.01	2.4	0.1	<0.05	5	<0.5	<0.2	
1877140	Soil	19	0.37	132	0.065	1	1.44	0.016	0.10	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2	
1877141	Soil	18	0.37	328	0.098	<1	1.37	0.010	0.13	0.1	0.02	3.5	0.1	<0.05	3	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 8 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1877142	Soil	1.4	18.5	10.6	37	1.1	13.5	5.6	162	2.27	5.5	2.3	2.4	15	0.1	0.4	0.3	63	0.13	0.015	12
1877143	Soil	1.7	40.1	15.9	76	0.3	45.0	14.9	477	3.84	13.6	1.2	5.5	19	0.1	0.5	0.2	92	0.21	0.026	20
1877144	Soil	1.3	16.0	8.7	118	0.5	17.0	10.2	1514	2.36	4.5	1.5	2.4	26	0.4	0.3	0.2	58	0.32	0.035	9
1877145	Soil	1.1	17.9	8.4	86	0.6	18.7	10.2	586	2.70	7.0	0.7	2.0	26	0.2	0.4	0.2	60	0.27	0.054	11
1877146	Soil	1.6	22.9	18.4	72	0.3	18.6	8.7	510	2.36	6.5	<0.5	6.0	53	0.2	0.4	0.3	49	0.34	0.056	17
1877147	Soil	1.4	35.0	13.5	161	0.6	31.4	13.0	866	2.94	12.4	0.6	3.3	50	1.0	0.4	0.2	56	0.79	0.072	16
1877148	Soil	1.3	23.3	19.0	94	0.2	21.3	11.7	789	3.03	7.4	<0.5	3.9	40	0.2	0.4	0.3	61	0.60	0.044	15
1877149	Soil	1.0	21.8	13.8	64	0.2	11.1	7.0	866	1.82	4.0	<0.5	6.1	20	0.1	0.2	0.3	40	0.24	0.024	13
1877150	Soil	1.9	18.5	12.3	47	0.1	14.9	9.9	1136	2.48	3.6	<0.5	3.3	31	0.1	0.2	0.3	51	0.49	0.024	10
1877151	Soil	0.7	17.7	21.6	47	0.1	12.9	5.4	192	1.63	10.9	90.4	11.7	29	<0.1	0.7	0.3	45	0.33	0.026	32
1877152	Soil	0.9	26.4	17.7	57	0.2	21.5	13.1	399	2.79	10.0	62.8	10.5	32	<0.1	0.8	0.2	74	0.34	0.017	37
1877153	Soil	1.8	29.3	23.4	57	0.6	20.6	7.6	233	2.57	27.5	523.7	10.0	37	0.2	3.4	0.3	56	0.46	0.037	33
1877154	Soil	2.0	19.4	19.3	47	0.5	15.0	8.0	275	2.09	24.4	421.3	6.8	30	<0.1	3.0	0.3	50	0.37	0.032	21
1877155	Soil	1.4	17.9	22.2	34	0.3	10.8	5.0	140	1.59	28.0	217.7	8.0	29	<0.1	3.1	0.3	35	0.30	0.017	22
1877156	Soil	2.2	17.0	16.3	52	2.6	19.3	9.2	364	2.96	20.0	32.9	3.6	18	<0.1	0.9	0.4	82	0.15	0.028	9
1877157	Soil	4.4	11.2	47.3	43	0.3	12.3	6.0	237	3.20	62.3	38.2	5.1	11	<0.1	2.2	0.8	61	0.09	0.021	13
1877158	Soil	1.1	13.5	26.1	31	1.8	5.5	1.5	35	1.39	52.6	890.3	13.1	23	0.1	3.6	1.3	14	0.26	0.037	31
1877159	Soil	0.5	26.1	11.7	53	<0.1	19.4	7.4	205	2.28	4.7	4.8	14.9	34	<0.1	0.4	0.4	54	0.41	0.026	27
1877160	Soil	0.6	24.2	14.4	52	<0.1	17.4	6.6	215	1.99	3.6	4.5	24.0	30	0.1	0.4	0.5	49	0.41	0.020	41
1877161	Soil	0.5	29.0	15.5	63	<0.1	18.6	8.1	229	2.19	3.7	5.1	28.0	30	0.2	0.4	0.5	56	0.38	0.031	39
1877162	Soil	0.8	26.0	18.4	59	0.1	17.8	7.6	290	2.17	3.7	4.6	34.8	24	0.2	0.3	0.4	55	0.34	0.032	64
1877163	Soil	1.4	17.5	28.5	48	<0.1	14.2	5.3	177	1.89	14.4	24.0	12.7	31	0.1	0.6	0.4	49	0.38	0.035	39
1877164	Soil	0.9	19.4	24.1	52	0.2	12.8	6.4	182	1.55	18.7	150.1	11.3	27	<0.1	1.0	0.4	39	0.28	0.019	26
1877165	Soil	1.5	18.9	24.5	69	0.3	13.6	7.0	215	1.99	20.4	106.2	13.5	28	0.1	1.6	0.4	49	0.35	0.029	26
1877166	Soil	1.5	25.6	21.0	53	0.7	16.7	10.7	337	2.33	23.4	409.4	12.0	33	0.2	2.8	0.4	56	0.37	0.030	36
1877167	Soil	0.8	25.2	15.4	50	0.3	18.5	9.7	305	2.39	9.8	148.3	7.7	33	<0.1	1.3	0.3	58	0.37	0.032	29
1877168	Soil	2.0	19.8	19.3	46	0.4	13.5	11.2	305	2.24	24.7	215.5	7.4	23	<0.1	2.7	0.4	59	0.24	0.022	16
1877169	Soil	5.3	30.5	35.8	70	2.1	8.2	2.6	61	2.57	99.1	645.6	8.5	10	0.4	5.0	1.1	29	0.07	0.055	85
1877170	Soil	0.9	22.3	14.3	55	0.2	17.7	11.7	459	2.47	12.2	48.7	16.4	28	0.1	1.0	0.5	62	0.32	0.028	22
1877171	Soil	0.9	20.3	14.7	54	0.1	16.2	8.7	257	2.45	6.3	7.0	18.9	24	0.1	0.5	0.3	61	0.33	0.027	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 8 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1877142	Soil	24	0.36	117	0.053	2	1.51	0.014	0.05	<0.1	0.01	2.7	0.1	<0.05	6	<0.5	<0.2
1877143	Soil	121	1.23	182	0.030	2	2.91	0.009	0.06	<0.1	0.01	8.2	0.2	<0.05	8	<0.5	<0.2
1877144	Soil	26	0.40	331	0.068	3	1.57	0.021	0.08	0.1	<0.01	2.8	<0.1	<0.05	6	<0.5	<0.2
1877145	Soil	38	0.49	235	0.044	2	1.91	0.018	0.06	<0.1	<0.01	3.5	0.1	<0.05	6	<0.5	<0.2
1877146	Soil	29	0.43	332	0.030	2	1.94	0.021	0.09	<0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
1877147	Soil	37	0.58	393	0.067	4	2.09	0.024	0.22	0.1	0.03	5.6	<0.1	<0.05	6	<0.5	<0.2
1877148	Soil	36	0.50	296	0.087	3	2.22	0.024	0.16	0.1	0.02	6.7	<0.1	<0.05	6	<0.5	<0.2
1877149	Soil	19	0.28	300	0.044	2	1.60	0.023	0.15	0.1	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
1877150	Soil	28	0.62	325	0.040	2	1.75	0.025	0.15	0.1	0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1877151	Soil	25	0.39	99	0.094	2	1.22	0.033	0.09	0.2	0.01	4.3	0.2	<0.05	4	<0.5	<0.2
1877152	Soil	38	0.52	200	0.091	2	2.36	0.025	0.06	0.1	0.03	6.2	0.1	<0.05	7	0.5	<0.2
1877153	Soil	35	0.41	179	0.082	2	1.92	0.028	0.09	0.2	0.09	6.2	0.3	<0.05	6	<0.5	<0.2
1877154	Soil	28	0.41	130	0.071	2	1.72	0.020	0.09	0.2	0.06	4.3	0.2	<0.05	6	<0.5	<0.2
1877155	Soil	20	0.29	104	0.073	1	1.22	0.021	0.10	0.1	0.05	3.6	0.2	<0.05	4	<0.5	<0.2
1877156	Soil	30	0.28	134	0.081	1	2.50	0.015	0.07	<0.1	0.04	3.0	0.3	<0.05	8	<0.5	<0.2
1877157	Soil	22	0.29	95	0.026	<1	2.09	0.013	0.18	0.2	0.03	2.3	0.3	0.16	7	<0.5	<0.2
1877158	Soil	14	0.13	67	0.004	1	1.62	0.008	0.26	0.4	0.34	2.2	0.9	<0.05	6	0.8	<0.2
1877159	Soil	34	0.51	178	0.108	<1	1.95	0.021	0.05	0.2	0.03	6.1	0.1	<0.05	6	0.8	<0.2
1877160	Soil	32	0.44	156	0.101	<1	2.00	0.024	0.06	0.3	0.03	5.7	0.1	<0.05	6	1.2	<0.2
1877161	Soil	34	0.46	157	0.098	<1	2.26	0.023	0.07	0.3	0.05	6.3	0.1	<0.05	7	1.3	<0.2
1877162	Soil	31	0.41	153	0.081	1	2.33	0.020	0.07	0.4	0.03	5.3	0.1	<0.05	7	2.5	<0.2
1877163	Soil	26	0.45	116	0.094	2	1.54	0.023	0.11	0.2	0.02	4.6	0.1	<0.05	5	<0.5	<0.2
1877164	Soil	24	0.34	114	0.080	1	1.31	0.024	0.10	0.2	0.04	4.1	0.2	<0.05	4	<0.5	<0.2
1877165	Soil	29	0.43	104	0.086	<1	1.71	0.023	0.12	0.2	0.05	4.4	0.3	<0.05	5	0.7	<0.2
1877166	Soil	30	0.39	166	0.062	<1	2.01	0.024	0.12	0.2	0.11	5.7	0.4	<0.05	6	0.7	<0.2
1877167	Soil	32	0.50	193	0.087	1	2.15	0.025	0.06	0.1	0.04	6.0	0.2	<0.05	6	0.7	<0.2
1877168	Soil	28	0.34	115	0.066	1	2.06	0.016	0.13	0.1	0.05	4.2	0.2	<0.05	7	<0.5	<0.2
1877169	Soil	20	0.17	98	0.008	1	2.25	0.012	0.24	0.3	0.35	3.5	1.1	0.13	7	1.9	<0.2
1877170	Soil	33	0.42	176	0.078	2	2.25	0.021	0.07	0.2	0.06	5.5	0.2	<0.05	7	0.9	<0.2
1877171	Soil	31	0.45	143	0.086	1	2.13	0.019	0.07	0.2	0.04	4.8	0.1	<0.05	6	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 9 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1877172	Soil		0.7	25.8	16.2	63	0.1	18.8	10.4	290	2.52	5.7	13.4	19.0	31	0.2	0.6	0.3	62	0.42	0.033	30
1877173	Soil		0.7	16.5	24.5	64	<0.1	14.2	6.9	292	1.81	4.2	7.1	23.2	26	0.2	0.3	0.4	45	0.37	0.031	30
1877174	Soil		0.4	6.8	4.4	16	<0.1	2.6	1.6	52	0.80	1.4	<0.5	1.3	7	0.1	0.1	<0.1	23	0.05	0.013	3
1877175	Soil		1.1	13.7	14.1	38	<0.1	11.2	4.4	142	2.41	6.2	0.8	4.7	11	0.3	0.4	0.3	72	0.11	0.027	7
1877176	Soil		0.9	32.7	19.1	61	<0.1	25.5	10.3	405	3.09	7.9	1.6	13.8	43	<0.1	0.5	0.7	78	0.51	0.017	56
1877177	Soil		0.9	33.8	17.2	57	<0.1	25.4	10.3	404	3.08	7.8	1.8	13.4	42	<0.1	0.5	0.4	80	0.51	0.020	56
1877178	Soil		0.7	33.1	14.1	57	<0.1	25.4	12.1	445	2.92	8.0	3.1	9.6	37	0.1	0.4	0.3	72	0.47	0.023	33
1877179	Soil		0.9	17.6	13.7	50	<0.1	16.3	7.6	346	2.18	5.4	3.6	7.6	31	0.1	0.3	0.2	58	0.37	0.029	16
1877180	Soil		0.7	34.9	15.2	55	0.1	23.7	8.3	284	2.52	10.3	15.4	10.3	39	0.1	0.6	0.3	59	0.48	0.024	30
1877181	Soil		0.8	22.4	14.7	56	0.1	16.0	6.8	236	1.83	10.6	26.8	9.7	34	<0.1	0.7	0.3	52	0.40	0.024	28
1877182	Soil		1.1	18.8	21.4	33	0.2	11.1	6.5	222	1.43	13.9	23.3	7.0	24	<0.1	0.8	0.4	34	0.26	0.015	20
1877183	Soil		2.8	18.1	36.7	37	0.3	8.2	4.3	155	1.21	42.4	41.6	4.9	22	0.1	1.4	0.8	25	0.18	0.020	51
1877184	Soil		0.5	17.4	15.2	50	<0.1	18.1	7.9	292	2.54	7.6	2.0	13.2	26	<0.1	0.4	0.2	70	0.28	0.013	24
1877185	Soil		1.0	15.7	12.3	47	<0.1	14.3	6.4	368	1.93	4.9	4.4	9.9	24	0.1	0.3	0.2	54	0.28	0.017	33
1877186	Soil		0.7	9.3	10.6	26	<0.1	5.6	2.8	152	1.12	2.2	1.2	4.0	14	0.1	0.2	0.2	35	0.14	0.012	12
1877187	Soil		1.0	9.7	8.6	49	<0.1	7.8	3.8	179	1.88	3.6	2.4	2.8	15	0.3	0.4	0.3	50	0.13	0.019	5
1877188	Soil		0.5	14.3	10.5	39	<0.1	9.8	3.1	118	1.20	1.7	1.4	12.2	25	<0.1	0.2	0.1	32	0.26	0.015	35
1877189	Soil		0.7	27.3	22.5	60	0.1	19.4	6.5	201	2.43	5.0	2.3	29.3	38	0.1	0.3	0.4	58	0.42	0.040	114
1877190	Soil		0.9	10.3	9.0	33	<0.1	6.8	3.4	140	1.45	2.5	1.2	2.1	13	0.1	0.3	0.2	50	0.11	0.010	6
1877191	Soil		0.8	22.1	11.0	45	<0.1	21.3	10.3	346	2.83	7.6	1.5	7.7	28	0.1	0.4	0.2	77	0.27	0.013	19
1877192	Soil		0.6	15.1	10.3	43	<0.1	12.4	5.1	188	1.61	3.0	1.5	11.4	24	<0.1	0.2	0.1	46	0.28	0.017	19
1877193	Soil		1.0	14.6	11.8	40	<0.1	15.1	6.9	185	2.26	6.3	2.0	11.2	18	<0.1	0.3	0.2	65	0.15	0.012	10
1877194	Soil		1.0	20.0	13.1	45	<0.1	16.6	6.5	221	2.30	6.4	1.4	19.6	21	0.1	0.3	0.2	64	0.20	0.011	18
1877195	Soil		1.2	14.4	13.9	47	<0.1	16.2	6.8	232	2.47	6.5	1.8	7.8	18	0.2	0.4	0.2	68	0.15	0.014	7
1877196	Soil		1.3	30.0	16.3	61	<0.1	24.8	9.2	280	3.38	8.4	2.1	11.8	28	0.1	0.5	0.2	87	0.29	0.015	22
1877197	Soil		1.0	26.4	12.1	53	<0.1	28.9	11.5	408	3.35	9.5	1.2	13.1	21	0.1	0.5	0.2	86	0.20	0.012	28
1877198	Soil		0.6	15.7	11.7	56	0.2	11.1	7.4	328	2.49	4.5	1.6	4.6	36	0.1	0.3	0.1	44	0.41	0.036	31
1877199	Soil		0.4	15.1	20.7	47	<0.1	11.0	5.3	235	1.54	4.3	6.3	14.9	54	0.1	0.3	0.3	37	0.63	0.024	24
1877200	Soil		0.4	32.0	9.7	54	<0.1	23.4	10.5	443	2.38	6.6	2.9	3.6	67	0.2	0.5	0.2	56	0.94	0.055	16
1877201	Soil		1.2	18.7	14.5	49	<0.1	22.5	10.2	205	3.42	9.4	1.2	5.1	21	0.1	0.4	0.3	84	0.24	0.010	7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 9 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1877172	Soil	35	0.50	182	0.099	1	2.12	0.025	0.07	0.2	0.05	5.8	0.1	<0.05	6	0.7	<0.2	
1877173	Soil	24	0.37	98	0.062	1	1.76	0.020	0.09	0.5	0.02	3.7	0.2	<0.05	6	0.6	<0.2	
1877174	Soil	6	0.05	19	0.041	<1	0.45	0.022	0.03	0.1	0.02	0.6	<0.1	<0.05	3	<0.5	<0.2	
1877175	Soil	22	0.22	56	0.083	1	1.77	0.014	0.05	0.3	0.04	2.4	0.1	<0.05	9	<0.5	<0.2	
1877176	Soil	46	0.63	211	0.126	2	2.39	0.039	0.07	0.1	0.02	9.4	<0.1	<0.05	7	<0.5	<0.2	
1877177	Soil	48	0.61	226	0.128	2	2.26	0.037	0.06	0.1	0.02	9.4	<0.1	<0.05	7	0.7	<0.2	
1877178	Soil	39	0.62	220	0.106	1	2.16	0.033	0.05	0.1	0.03	7.5	<0.1	<0.05	6	<0.5	<0.2	
1877179	Soil	29	0.46	135	0.098	2	1.52	0.032	0.05	0.2	0.01	3.6	<0.1	<0.05	5	0.6	<0.2	
1877180	Soil	35	0.50	212	0.098	1	1.84	0.035	0.06	0.2	0.04	6.4	0.1	<0.05	6	<0.5	<0.2	
1877181	Soil	27	0.43	132	0.090	2	1.37	0.029	0.09	0.1	0.02	4.9	0.1	<0.05	4	<0.5	<0.2	
1877182	Soil	18	0.30	96	0.072	<1	1.16	0.019	0.12	0.1	0.02	3.0	0.2	<0.05	4	<0.5	<0.2	
1877183	Soil	14	0.19	85	0.021	<1	1.10	0.017	0.18	0.2	0.04	1.8	0.3	0.05	4	<0.5	<0.2	
1877184	Soil	34	0.51	162	0.091	1	2.17	0.016	0.06	0.1	0.02	4.2	<0.1	<0.05	6	<0.5	<0.2	
1877185	Soil	24	0.37	122	0.085	<1	1.42	0.018	0.05	0.2	0.01	3.1	<0.1	<0.05	5	0.5	<0.2	
1877186	Soil	11	0.13	74	0.053	<1	0.93	0.020	0.05	0.1	<0.01	1.5	<0.1	<0.05	4	<0.5	<0.2	
1877187	Soil	13	0.18	68	0.069	1	1.14	0.016	0.04	0.2	0.03	1.5	0.1	<0.05	6	<0.5	<0.2	
1877188	Soil	19	0.24	112	0.100	<1	0.96	0.026	0.06	0.2	<0.01	3.3	<0.1	<0.05	3	<0.5	<0.2	
1877189	Soil	39	0.43	217	0.115	<1	2.52	0.020	0.09	0.5	0.05	7.7	0.2	<0.05	7	1.1	<0.2	
1877190	Soil	13	0.13	94	0.065	<1	0.93	0.018	0.03	<0.1	<0.01	1.5	<0.1	<0.05	6	<0.5	<0.2	
1877191	Soil	41	0.56	179	0.110	<1	2.37	0.020	0.05	0.1	0.02	6.4	0.1	<0.05	7	<0.5	<0.2	
1877192	Soil	22	0.33	121	0.112	<1	1.19	0.024	0.05	0.2	0.01	3.3	0.1	<0.05	4	<0.5	<0.2	
1877193	Soil	31	0.40	128	0.097	1	2.02	0.017	0.04	0.2	<0.01	3.2	0.1	<0.05	6	<0.5	<0.2	
1877194	Soil	31	0.38	144	0.096	1	1.91	0.016	0.05	0.2	0.02	4.0	0.1	<0.05	6	0.5	<0.2	
1877195	Soil	27	0.33	146	0.096	<1	2.17	0.016	0.05	0.2	0.02	2.6	0.2	<0.05	7	<0.5	<0.2	
1877196	Soil	41	0.50	206	0.115	<1	2.38	0.025	0.05	0.2	0.04	7.5	0.2	<0.05	8	0.8	<0.2	
1877197	Soil	48	0.57	226	0.109	<1	2.79	0.021	0.06	0.2	0.02	6.1	0.1	<0.05	7	0.5	<0.2	
1877198	Soil	19	0.50	184	0.012	<1	1.62	0.011	0.13	<0.1	0.02	4.1	<0.1	<0.05	5	0.5	<0.2	
1877199	Soil	22	0.30	128	0.070	<1	1.49	0.026	0.11	0.2	0.02	4.0	0.1	0.06	4	0.7	<0.2	
1877200	Soil	30	0.49	209	0.095	2	1.70	0.037	0.07	0.1	0.03	5.8	<0.1	<0.05	5	0.5	<0.2	
1877201	Soil	38	0.53	138	0.118	1	3.26	0.021	0.07	0.1	0.01	4.1	0.2	<0.05	9	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 10 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1877202	Soil	0.7	11.3	13.8	38	<0.1	13.7	6.5	188	2.04	4.5	1.7	4.5	22	<0.1	0.2	0.3	53	0.25	0.009	10
1877203	Soil	1.1	13.6	11.7	39	<0.1	13.3	9.2	835	1.90	4.6	1.9	2.9	19	0.2	0.3	0.2	57	0.16	0.013	7
1877204	Soil	0.4	14.7	16.1	40	<0.1	12.8	4.7	189	1.58	3.4	2.4	10.9	28	<0.1	0.2	0.2	45	0.32	0.009	17
1877205	Soil	0.9	12.9	13.6	36	<0.1	12.6	5.6	178	2.34	6.0	<0.5	3.2	25	0.1	0.3	0.3	65	0.17	0.008	7
1877206	Soil	0.3	12.6	19.0	32	<0.1	11.5	4.4	153	1.59	3.0	0.8	9.2	52	<0.1	0.3	0.3	45	0.34	0.008	19
1877207	Soil	0.7	7.6	13.0	27	<0.1	8.4	3.6	144	1.45	3.6	<0.5	4.7	42	0.1	0.2	0.4	43	0.21	0.009	9
1877208	Soil	0.7	7.8	13.2	24	<0.1	7.8	3.6	117	1.41	3.1	<0.5	4.9	41	0.1	0.2	0.6	38	0.26	0.011	10
1877209	Soil	0.6	10.5	15.9	28	<0.1	9.7	5.6	136	1.48	3.5	0.5	9.6	79	0.1	0.2	0.5	41	0.36	0.007	15
1877210	Soil	0.9	18.1	10.6	30	<0.1	14.7	7.5	323	2.45	6.3	1.1	2.4	20	0.1	0.3	0.2	70	0.15	0.017	8
1877211	Soil	0.6	28.2	28.6	52	<0.1	19.9	7.8	349	2.51	6.1	2.6	15.1	26	<0.1	0.4	0.4	68	0.48	0.024	48
1877212	Soil	0.6	18.2	16.7	42	<0.1	16.0	8.5	289	2.20	6.0	1.6	11.9	36	0.1	0.3	0.3	59	0.41	0.019	29
1877213	Soil	0.8	16.2	18.6	49	0.1	15.0	8.1	391	2.36	7.3	1.5	8.2	30	<0.1	0.4	0.3	60	0.37	0.017	19
1877214	Soil	0.7	14.4	19.2	39	<0.1	11.9	6.2	332	2.02	6.1	2.7	9.1	21	<0.1	0.3	0.3	51	0.34	0.018	15
1877215	Soil	0.4	8.5	11.7	27	<0.1	6.7	3.6	118	1.26	3.0	2.3	3.6	12	<0.1	0.2	0.2	29	0.16	0.011	10
1877216	Soil	0.6	12.4	20.1	45	<0.1	11.6	6.0	210	1.72	8.8	2.3	10.1	27	<0.1	0.4	0.3	49	0.36	0.022	16
1877217	Soil	1.1	8.9	19.4	40	<0.1	9.5	4.8	163	1.56	12.6	5.2	7.4	22	<0.1	0.4	0.3	43	0.29	0.017	14
1877218	Soil	0.7	11.9	13.1	46	<0.1	12.3	5.8	201	1.86	8.8	2.8	6.9	31	<0.1	0.3	0.2	49	0.35	0.024	12
1877219	Soil	0.8	7.8	10.4	35	<0.1	7.2	4.1	159	1.50	8.3	4.1	3.5	20	<0.1	0.3	0.2	39	0.27	0.022	9
1877220	Soil	0.9	12.1	14.2	46	0.1	12.5	5.9	170	1.97	9.3	35.3	7.1	34	<0.1	0.4	0.2	54	0.38	0.027	12
1877221	Soil	0.7	16.4	17.5	50	0.1	13.7	6.2	168	2.05	13.6	50.0	9.5	32	0.1	0.6	0.3	52	0.39	0.033	16
1877222	Soil	2.0	30.4	15.8	60	0.2	19.5	10.7	455	2.50	11.5	9.9	5.1	36	0.4	0.5	0.3	50	0.49	0.057	22
1877223	Soil	1.1	16.0	12.4	58	<0.1	14.5	8.8	417	2.31	8.6	16.9	5.6	38	0.2	0.5	0.2	56	0.51	0.058	14
1877224	Soil	1.1	36.0	18.4	74	0.2	25.9	12.2	572	2.96	15.1	17.7	7.4	45	0.4	0.8	0.3	69	0.59	0.061	20
1877225	Soil	0.8	17.1	10.9	97	<0.1	14.7	8.9	338	2.20	8.3	10.0	6.1	36	0.3	0.5	0.2	56	0.52	0.058	27
1877226	Soil	1.6	10.4	21.4	57	0.2	9.6	3.5	154	1.64	6.8	5.6	6.9	16	0.2	0.4	0.5	38	0.27	0.044	32
1877227	Soil	1.7	10.8	28.7	54	0.1	8.9	3.8	196	1.54	8.7	11.0	8.1	18	0.2	0.5	0.9	35	0.33	0.041	40
1877228	Soil	1.8	8.3	27.6	55	<0.1	6.9	6.8	571	1.39	12.4	9.8	10.6	17	<0.1	0.7	0.6	33	0.23	0.021	25
1877229	Soil	1.1	10.7	27.3	56	<0.1	8.1	4.5	227	1.27	6.5	10.7	14.7	24	0.2	0.5	0.7	29	0.45	0.021	45
1877230	Soil	0.3	4.8	3.6	15	<0.1	2.5	1.6	44	0.73	1.2	<0.5	0.3	9	<0.1	0.2	<0.1	24	0.08	0.013	3
1877231	Soil	0.4	8.6	4.0	17	<0.1	2.8	1.7	82	0.77	1.2	<0.5	0.4	9	0.1	0.1	<0.1	22	0.09	0.016	4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 10 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1877202	Soil	23	0.34	94	0.095	<1	1.63	0.030	0.07	0.1	<0.01	3.1	0.2	<0.05	5	<0.5	<0.2
1877203	Soil	21	0.27	142	0.072	<1	1.83	0.027	0.04	<0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
1877204	Soil	23	0.35	55	0.093	<1	1.15	0.065	0.12	0.2	0.01	3.6	0.2	<0.05	4	<0.5	<0.2
1877205	Soil	24	0.32	80	0.090	<1	1.93	0.016	0.07	0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2
1877206	Soil	23	0.37	152	0.094	1	1.24	0.049	0.08	0.1	<0.01	3.6	0.3	<0.05	4	<0.5	<0.2
1877207	Soil	16	0.26	150	0.066	<1	1.62	0.027	0.13	0.2	0.02	1.7	0.2	<0.05	5	<0.5	<0.2
1877208	Soil	16	0.25	103	0.063	1	1.80	0.037	0.15	0.2	<0.01	1.8	0.2	<0.05	5	<0.5	<0.2
1877209	Soil	18	0.28	180	0.063	<1	1.74	0.049	0.07	0.1	0.02	2.8	0.3	<0.05	5	<0.5	<0.2
1877210	Soil	22	0.23	156	0.086	<1	1.95	0.021	0.04	<0.1	<0.01	2.6	0.1	<0.05	7	<0.5	<0.2
1877211	Soil	37	0.50	78	0.112	1	2.21	0.070	0.08	0.1	0.02	7.7	0.2	<0.05	7	0.5	<0.2
1877212	Soil	33	0.47	130	0.094	1	1.80	0.068	0.06	0.1	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
1877213	Soil	30	0.45	95	0.087	<1	2.15	0.038	0.10	0.2	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
1877214	Soil	25	0.34	54	0.092	<1	1.45	0.046	0.08	0.2	0.03	3.1	0.1	<0.05	4	<0.5	<0.2
1877215	Soil	14	0.20	44	0.053	1	1.34	0.023	0.05	0.2	0.01	1.8	0.1	<0.05	4	<0.5	<0.2
1877216	Soil	23	0.40	90	0.091	2	1.32	0.044	0.07	0.2	0.03	3.1	0.2	<0.05	4	<0.5	<0.2
1877217	Soil	20	0.32	84	0.070	1	1.34	0.033	0.10	0.2	0.02	2.2	0.2	<0.05	4	<0.5	<0.2
1877218	Soil	22	0.39	108	0.088	1	1.55	0.036	0.09	0.2	0.02	2.8	0.2	<0.05	5	<0.5	<0.2
1877219	Soil	15	0.23	82	0.062	1	1.17	0.018	0.10	0.2	0.02	1.8	0.1	<0.05	4	<0.5	<0.2
1877220	Soil	26	0.41	110	0.089	1	1.68	0.034	0.10	0.2	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
1877221	Soil	26	0.37	113	0.084	<1	1.58	0.040	0.09	0.2	0.04	4.0	0.2	<0.05	5	<0.5	<0.2
1877222	Soil	27	0.33	155	0.054	2	2.12	0.027	0.14	0.2	0.05	4.7	0.2	<0.05	7	0.6	<0.2
1877223	Soil	29	0.45	145	0.089	2	1.87	0.042	0.09	0.2	0.04	4.0	0.1	<0.05	5	<0.5	<0.2
1877224	Soil	35	0.48	178	0.077	1	2.83	0.035	0.11	0.2	0.05	6.6	0.2	<0.05	7	1.2	<0.2
1877225	Soil	25	0.39	126	0.086	2	1.62	0.034	0.08	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
1877226	Soil	20	0.24	56	0.032	<1	1.89	0.021	0.14	0.2	0.05	2.5	0.3	<0.05	6	<0.5	<0.2
1877227	Soil	19	0.24	59	0.031	2	2.00	0.029	0.13	0.3	0.06	2.9	0.2	<0.05	7	0.9	<0.2
1877228	Soil	15	0.20	46	0.023	<1	1.69	0.042	0.16	0.3	0.02	1.9	0.3	<0.05	5	<0.5	<0.2
1877229	Soil	17	0.22	52	0.037	1	1.45	0.085	0.15	0.4	0.03	2.8	0.2	<0.05	5	0.8	<0.2
1877230	Soil	6	0.04	36	0.037	<1	0.35	0.019	0.02	<0.1	0.02	0.6	<0.1	<0.05	2	<0.5	<0.2
1877231	Soil	6	0.05	30	0.039	<1	0.48	0.022	0.03	<0.1	0.03	0.7	<0.1	<0.05	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 11 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1877232	Soil	0.9	12.0	21.7	55	<0.1	10.1	5.7	422	1.53	4.4	<0.5	20.5	25	0.4	0.3	0.2	38	0.42	0.030	144
1877233	Soil	0.7	7.6	21.1	38	<0.1	7.8	3.6	102	1.39	4.1	1.3	7.5	18	0.1	0.3	0.3	21	0.25	0.042	70
1877234	Soil	1.1	20.7	19.3	57	0.2	14.6	5.9	178	2.07	14.4	40.0	6.7	38	0.1	0.7	0.3	40	0.52	0.042	29
1877235	Soil	0.4	21.5	14.0	53	<0.1	16.1	6.8	221	2.16	6.9	10.5	7.5	39	0.1	0.4	0.2	59	0.50	0.045	17
1877236	Soil	1.0	11.1	13.1	47	<0.1	11.8	6.2	219	1.88	9.3	2.1	5.1	29	<0.1	0.4	0.2	59	0.28	0.017	13
1877237	Soil	0.9	15.0	15.5	50	<0.1	13.3	7.3	230	2.12	8.6	3.1	5.8	24	<0.1	0.4	0.3	59	0.34	0.024	13
1877238	Soil	1.0	11.1	11.6	51	<0.1	9.6	5.8	327	1.76	6.0	3.7	2.5	17	0.1	0.3	0.2	47	0.20	0.029	7
1877239	Soil	1.2	13.1	16.3	52	<0.1	13.0	5.8	261	2.08	10.0	3.3	4.9	26	0.2	0.4	0.3	62	0.45	0.029	15
1877240	Soil	0.5	9.3	15.7	43	<0.1	10.8	4.9	166	1.67	9.5	1.2	7.6	26	<0.1	0.4	0.2	46	0.34	0.024	12
1877241	Soil	2.0	19.8	11.3	83	0.2	9.2	5.2	1041	1.21	6.0	<0.5	1.2	16	0.7	0.3	0.2	30	0.29	0.057	9
1877242	Soil	0.8	15.5	15.6	64	<0.1	15.4	7.7	830	2.23	15.8	<0.5	6.8	24	0.5	0.6	0.2	67	0.31	0.028	14
1877243	Soil	1.4	13.7	10.3	43	<0.1	8.6	5.6	990	1.36	6.2	<0.5	1.8	19	0.3	0.3	0.2	33	0.28	0.041	10
1877244	Soil	0.6	13.8	18.3	42	<0.1	12.6	5.0	159	1.90	5.2	<0.5	11.9	25	0.2	0.3	0.2	56	0.29	0.019	41
1877245	Soil	0.6	24.9	13.2	55	<0.1	23.5	10.8	286	3.43	8.3	1.6	13.3	29	<0.1	0.4	0.2	94	0.27	0.009	30
1877246	Soil	0.8	15.5	9.4	51	<0.1	17.1	8.4	239	2.48	6.1	0.5	3.4	21	0.1	0.4	0.2	69	0.21	0.008	9
1877247	Soil	0.8	14.4	11.9	47	<0.1	15.9	7.6	215	2.48	6.7	<0.5	4.1	23	<0.1	0.4	0.3	70	0.24	0.008	10
1877248	Soil	0.7	8.5	20.9	50	<0.1	8.9	4.4	180	1.67	4.5	<0.5	9.7	66	0.1	0.2	0.3	41	0.33	0.009	19
1877249	Soil	0.8	12.9	9.5	39	<0.1	14.9	8.7	533	2.18	3.1	1.0	2.6	21	0.1	0.3	0.2	64	0.21	0.007	8
1877250	Soil	0.9	18.3	10.4	37	<0.1	17.8	7.0	147	2.47	6.6	2.0	2.8	18	0.1	0.4	0.3	71	0.20	0.011	9
1877251	Soil	0.9	19.6	10.3	46	<0.1	19.7	13.5	716	2.56	6.0	1.0	5.2	25	0.1	0.4	0.2	72	0.25	0.011	12
1877252	Soil	0.9	15.5	15.0	34	<0.1	20.4	8.1	172	2.59	7.2	3.4	4.8	42	0.1	0.3	0.3	79	0.30	0.011	12
1877253	Soil	0.4	10.5	17.4	40	<0.1	6.8	3.0	133	1.05	1.9	1.1	19.6	66	0.1	0.2	0.8	24	0.44	0.004	25
1877254	Soil	0.9	15.1	12.8	45	<0.1	18.0	6.8	170	2.39	7.0	<0.5	7.2	26	<0.1	0.3	0.2	68	0.25	0.010	7
1877255	Soil	0.6	14.9	12.3	40	<0.1	16.9	7.2	240	2.12	5.5	6.1	8.5	19	0.1	0.4	0.2	57	0.25	0.008	15
1877256	Soil	0.3	8.3	28.4	26	<0.1	7.8	3.2	95	1.23	2.9	0.6	10.2	75	0.3	0.2	0.4	29	0.82	0.006	12
1877257	Soil	1.3	17.9	15.8	47	<0.1	23.0	13.1	683	3.12	8.1	0.6	5.4	22	0.1	0.4	0.2	80	0.26	0.012	11
1877258	Soil	0.8	12.7	22.8	45	<0.1	18.9	8.2	272	2.50	5.9	1.0	7.7	22	0.1	0.3	0.2	69	0.28	0.011	17
1877259	Soil	0.5	16.0	22.6	44	<0.1	13.6	5.3	166	2.09	4.4	0.6	18.9	56	0.2	0.3	0.4	49	0.61	0.005	36
1877260	Soil	0.4	8.4	28.7	34	<0.1	6.9	3.2	118	1.25	3.1	<0.5	13.5	45	0.2	0.2	1.5	28	0.39	0.007	11
1877261	Soil	0.3	8.2	64.2	45	<0.1	3.8	1.9	132	0.80	1.3	0.8	42.2	67	0.2	0.2	2.5	13	1.74	0.003	32



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 11 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	
1877232	Soil	19	0.25	106	0.044	2	1.62	0.019	0.08	0.5	0.04	2.9	0.2	<0.05	6	1.8	<0.2
1877233	Soil	15	0.20	102	0.031	1	1.37	0.014	0.08	0.3	0.04	2.4	0.2	<0.05	5	1.2	<0.2
1877234	Soil	27	0.38	131	0.047	1	2.29	0.023	0.10	0.2	0.07	4.3	0.3	<0.05	7	0.8	<0.2
1877235	Soil	31	0.53	135	0.112	1	1.57	0.051	0.08	0.2	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
1877236	Soil	24	0.37	92	0.107	1	1.35	0.024	0.11	0.2	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
1877237	Soil	28	0.44	95	0.101	2	1.62	0.024	0.09	0.2	0.02	3.2	0.1	<0.05	5	0.7	<0.2
1877238	Soil	18	0.28	85	0.075	1	1.28	0.021	0.09	0.1	0.01	2.0	0.1	<0.05	5	<0.5	<0.2
1877239	Soil	24	0.41	101	0.099	2	1.73	0.019	0.14	0.3	0.01	3.0	0.1	<0.05	6	0.7	<0.2
1877240	Soil	21	0.37	71	0.089	<1	1.34	0.036	0.07	0.3	0.03	2.7	0.1	<0.05	4	<0.5	<0.2
1877241	Soil	15	0.16	80	0.035	<1	1.18	0.021	0.09	0.2	0.04	1.8	0.2	<0.05	5	0.5	<0.2
1877242	Soil	29	0.46	95	0.093	2	1.79	0.023	0.10	0.2	0.04	3.1	0.2	<0.05	5	<0.5	<0.2
1877243	Soil	16	0.17	115	0.050	2	1.22	0.020	0.07	0.1	0.05	2.5	0.2	<0.05	5	0.6	<0.2
1877244	Soil	25	0.34	115	0.109	<1	1.74	0.024	0.06	0.3	0.04	3.6	0.2	<0.05	6	<0.5	<0.2
1877245	Soil	51	0.53	169	0.124	1	2.99	0.017	0.05	0.1	0.03	8.7	0.1	<0.05	7	<0.5	<0.2
1877246	Soil	30	0.42	134	0.091	1	1.84	0.017	0.05	<0.1	0.01	2.8	0.1	<0.05	6	<0.5	<0.2
1877247	Soil	31	0.45	101	0.098	1	2.06	0.019	0.07	0.1	0.01	2.8	0.2	<0.05	6	<0.5	<0.2
1877248	Soil	17	0.25	136	0.045	<1	2.13	0.034	0.07	0.1	<0.01	1.9	0.2	<0.05	7	<0.5	<0.2
1877249	Soil	23	0.35	140	0.086	<1	1.62	0.020	0.04	<0.1	<0.01	2.6	0.1	<0.05	6	<0.5	<0.2
1877250	Soil	30	0.41	157	0.084	3	2.06	0.014	0.04	<0.1	<0.01	3.3	<0.1	<0.05	6	<0.5	<0.2
1877251	Soil	35	0.45	205	0.096	2	2.04	0.017	0.06	<0.1	0.01	5.1	0.1	<0.05	6	<0.5	<0.2
1877252	Soil	33	0.38	232	0.108	1	2.39	0.019	0.06	0.1	<0.01	4.1	0.1	<0.05	8	<0.5	<0.2
1877253	Soil	13	0.18	84	0.030	<1	1.63	0.118	0.08	0.1	0.01	3.8	0.7	<0.05	5	<0.5	<0.2
1877254	Soil	30	0.41	196	0.087	2	2.12	0.019	0.06	0.2	<0.01	3.6	0.2	<0.05	7	<0.5	<0.2
1877255	Soil	28	0.36	102	0.082	2	1.66	0.039	0.07	0.1	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
1877256	Soil	15	0.32	135	0.044	1	2.59	0.067	0.27	0.2	<0.01	1.9	0.8	<0.05	6	<0.5	<0.2
1877257	Soil	37	0.50	156	0.104	1	2.51	0.017	0.06	<0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
1877258	Soil	34	0.47	121	0.085	1	2.42	0.015	0.07	0.1	<0.01	4.2	0.2	<0.05	7	<0.5	<0.2
1877259	Soil	28	0.42	170	0.049	<1	2.21	0.154	0.08	0.1	0.01	4.1	0.3	<0.05	6	<0.5	<0.2
1877260	Soil	13	0.19	98	0.024	<1	1.94	0.052	0.12	0.2	<0.01	2.0	0.5	<0.05	6	<0.5	<0.2
1877261	Soil	8	0.27	30	0.002	<1	3.53	0.160	0.39	0.2	<0.01	2.7	0.9	<0.05	9	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 12 of 12

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1877262	Soil	0.3	7.3	43.4	27	<0.1	5.5	2.0	113	0.86	2.2	<0.5	18.4	29	0.2	0.1	2.3	23	0.62	0.008	23
1877263	Soil	0.7	13.0	42.4	54	<0.1	10.3	4.3	294	1.58	3.5	<0.5	18.6	56	0.2	0.2	1.6	35	0.56	0.009	16
1877264	Soil	0.7	11.7	18.6	38	<0.1	13.0	6.4	374	1.72	3.5	<0.5	6.7	82	0.3	0.2	0.5	44	0.37	0.011	15
1877265	Soil	1.2	19.6	10.8	44	<0.1	13.1	11.1	888	2.16	3.4	1.8	2.4	29	0.2	0.4	0.2	68	0.24	0.016	11
1877266	Soil	0.7	13.1	8.7	30	<0.1	10.4	5.8	146	1.63	3.7	0.5	4.0	16	0.1	0.2	0.1	43	0.13	0.016	13
1877267	Soil	0.4	5.3	3.3	16	<0.1	3.0	2.4	117	0.93	1.9	<0.5	0.6	8	<0.1	0.1	<0.1	25	0.07	0.008	2
1877268	Soil	1.2	17.5	10.4	46	<0.1	16.1	10.2	342	2.72	5.7	<0.5	2.8	20	0.1	0.4	0.2	72	0.18	0.014	8
1877269	Soil	0.3	6.8	27.2	26	<0.1	5.6	2.8	146	0.83	1.4	<0.5	20.5	25	<0.1	0.2	0.4	24	0.39	0.004	30
1877270	Soil	0.2	5.7	23.0	20	<0.1	3.5	2.1	118	0.65	1.4	<0.5	13.3	13	0.1	0.2	0.6	18	0.17	0.007	15
1877271	Soil	0.5	12.5	7.8	34	<0.1	6.5	5.3	129	1.40	1.9	<0.5	1.5	14	0.1	0.2	0.1	38	0.13	0.014	5
1877272	Soil	0.7	36.9	10.3	43	<0.1	27.7	10.9	358	2.80	7.1	1.2	6.9	32	<0.1	0.4	0.2	74	0.37	0.010	27
1877273	Soil	0.9	28.4	12.7	48	<0.1	32.8	13.4	292	3.21	8.6	1.5	5.8	35	0.1	0.4	0.2	88	0.30	0.020	18
1877274	Soil	0.6	17.1	9.2	44	<0.1	19.8	8.6	212	2.37	5.9	<0.5	4.7	26	<0.1	0.3	0.2	69	0.27	0.008	12
1877275	Soil	0.3	11.9	20.9	34	<0.1	12.7	5.6	139	1.61	3.4	1.1	8.9	25	<0.1	0.2	0.2	45	0.26	0.005	16
1877276	Soil	0.7	9.2	8.6	37	<0.1	9.1	5.2	408	1.39	2.0	<0.5	2.5	21	0.1	0.2	0.3	40	0.22	0.010	6
1877277	Soil	0.9	11.4	15.4	41	<0.1	11.6	4.9	205	1.82	3.2	<0.5	6.0	23	0.1	0.3	0.3	49	0.17	0.008	14
1877278	Soil	0.7	14.9	14.5	46	<0.1	13.6	6.4	636	1.84	3.3	<0.5	7.1	24	0.1	0.3	0.2	50	0.23	0.011	14
1877279	Soil	0.6	17.2	16.9	43	<0.1	16.8	6.8	154	2.25	5.2	1.3	11.1	47	<0.1	0.2	0.4	55	0.33	0.008	21
1877280	Soil	0.9	15.8	13.1	45	<0.1	20.7	9.2	281	2.42	4.0	0.6	5.3	32	0.2	0.3	0.4	67	0.25	0.010	24
1877281	Soil	0.6	8.1	21.4	33	<0.1	5.9	3.1	253	0.99	1.2	<0.5	13.6	40	0.2	0.2	1.5	24	0.26	0.007	39



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 12 of 12

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1877262	Soil	11	0.22	28	0.027	<1	1.43	0.202	0.38	0.3	0.01	1.6	0.9	<0.05	4	<0.5	<0.2	
1877263	Soil	17	0.25	114	0.015	<1	2.86	0.096	0.13	0.1	0.01	3.2	1.5	<0.05	9	0.6	<0.2	
1877264	Soil	19	0.26	153	0.040	<1	2.04	0.074	0.07	0.1	0.02	2.3	0.5	<0.05	6	<0.5	<0.2	
1877265	Soil	21	0.25	213	0.079	1	1.65	0.028	0.03	0.1	0.01	3.2	0.2	<0.05	7	<0.5	<0.2	
1877266	Soil	16	0.23	119	0.064	<1	1.44	0.030	0.03	0.1	<0.01	2.2	<0.1	<0.05	5	<0.5	<0.2	
1877267	Soil	6	0.07	46	0.045	<1	0.57	0.027	0.03	<0.1	<0.01	1.0	<0.1	<0.05	3	<0.5	<0.2	
1877268	Soil	27	0.33	157	0.093	<1	2.07	0.020	0.04	<0.1	0.01	3.2	0.1	<0.05	7	<0.5	<0.2	
1877269	Soil	11	0.16	28	0.050	<1	0.90	0.210	0.21	0.2	<0.01	1.9	0.3	<0.05	2	<0.5	<0.2	
1877270	Soil	8	0.10	17	0.044	1	0.75	0.114	0.22	0.2	<0.01	1.3	0.2	<0.05	2	<0.5	<0.2	
1877271	Soil	12	0.14	123	0.055	1	1.14	0.020	0.03	<0.1	<0.01	1.8	<0.1	<0.05	5	<0.5	<0.2	
1877272	Soil	40	0.55	145	0.131	1	2.01	0.031	0.06	<0.1	0.01	8.0	<0.1	<0.05	6	<0.5	<0.2	
1877273	Soil	45	0.60	234	0.129	2	2.85	0.021	0.06	0.1	0.03	7.1	0.1	<0.05	7	<0.5	<0.2	
1877274	Soil	35	0.51	124	0.098	1	2.02	0.028	0.04	<0.1	0.01	4.0	0.1	<0.05	5	<0.5	<0.2	
1877275	Soil	26	0.29	76	0.104	1	1.93	0.066	0.06	0.1	0.01	3.2	0.2	<0.05	5	<0.5	<0.2	
1877276	Soil	13	0.21	101	0.063	<1	1.23	0.035	0.06	<0.1	<0.01	1.8	0.1	<0.05	5	<0.5	<0.2	
1877277	Soil	18	0.26	119	0.066	1	1.60	0.023	0.06	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2	
1877278	Soil	21	0.28	128	0.067	<1	1.68	0.031	0.06	<0.1	0.01	2.9	0.2	<0.05	5	<0.5	<0.2	
1877279	Soil	31	0.43	126	0.071	<1	2.90	0.073	0.09	<0.1	0.01	3.9	0.3	<0.05	6	<0.5	<0.2	
1877280	Soil	30	0.38	147	0.092	<1	2.02	0.040	0.05	<0.1	0.01	4.2	0.1	<0.05	6	<0.5	<0.2	
1877281	Soil	9	0.13	85	0.057	1	0.88	0.041	0.07	0.3	<0.01	1.7	0.2	0.06	3	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000321.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1474992	Soil	0.7	11.9	7.6	60	<0.1	13.2	7.6	991	1.82	2.9	1.6	2.2	20	0.2	0.2	0.1	47	0.19	0.018	6
REP 1474992	QC	0.7	12.4	7.6	60	<0.1	13.6	8.1	991	1.93	3.3	0.7	2.2	20	0.2	0.2	0.1	48	0.20	0.017	6
1877028	Soil	0.9	17.7	15.6	52	<0.1	16.4	6.7	258	2.38	5.1	<0.5	8.1	33	<0.1	0.4	0.4	68	0.36	0.012	28
REP 1877028	QC	0.8	17.4	16.2	53	<0.1	16.5	6.9	247	2.37	5.3	<0.5	8.1	34	<0.1	0.5	0.3	67	0.37	0.012	29
1877064	Soil	0.8	11.1	13.3	35	<0.1	14.7	7.0	163	2.23	6.2	0.6	4.4	23	0.1	0.3	0.3	57	0.19	0.012	8
REP 1877064	QC	0.9	11.2	14.0	37	<0.1	15.9	7.5	181	2.36	6.6	<0.5	4.6	24	0.1	0.3	0.3	58	0.19	0.014	8
1877087	Soil	0.5	11.1	12.4	26	<0.1	8.8	3.5	107	1.48	2.7	<0.5	4.9	16	<0.1	0.2	0.2	38	0.17	0.011	14
REP 1877087	QC	0.5	12.0	12.8	25	<0.1	9.3	3.4	110	1.50	2.5	<0.5	5.0	18	<0.1	0.2	0.2	42	0.19	0.012	14
1877136	Soil	1.3	22.9	17.0	47	<0.1	23.3	10.4	343	2.78	10.6	<0.5	7.4	37	<0.1	0.4	0.2	74	0.61	0.015	14
REP 1877136	QC	1.2	23.5	17.3	52	<0.1	22.6	10.4	355	2.89	10.8	1.5	7.6	40	<0.1	0.5	0.2	71	0.63	0.018	13
1877172	Soil	0.7	25.8	16.2	63	0.1	18.8	10.4	290	2.52	5.7	13.4	19.0	31	0.2	0.6	0.3	62	0.42	0.033	30
REP 1877172	QC	0.6	26.4	15.5	63	0.1	18.6	10.2	280	2.39	5.7	9.6	18.1	31	0.2	0.5	0.3	61	0.41	0.031	29
1877208	Soil	0.7	7.8	13.2	24	<0.1	7.8	3.6	117	1.41	3.1	<0.5	4.9	41	0.1	0.2	0.6	38	0.26	0.011	10
REP 1877208	QC	0.6	7.3	12.6	23	<0.1	7.6	3.3	103	1.28	3.0	0.5	4.8	38	0.1	0.2	0.6	35	0.24	0.010	9
1877244	Soil	0.6	13.8	18.3	42	<0.1	12.6	5.0	159	1.90	5.2	<0.5	11.9	25	0.2	0.3	0.2	56	0.29	0.019	41
REP 1877244	QC	0.6	14.0	17.8	44	<0.1	12.9	5.4	147	2.02	5.2	<0.5	12.8	26	0.2	0.3	0.2	54	0.28	0.021	39
1877277	Soil	0.9	11.4	15.4	41	<0.1	11.6	4.9	205	1.82	3.2	<0.5	6.0	23	0.1	0.3	0.3	49	0.17	0.008	14
REP 1877277	QC	0.9	11.3	15.2	40	<0.1	11.5	5.0	204	1.80	3.2	<0.5	6.0	23	<0.1	0.3	0.3	50	0.17	0.008	14
Reference Materials																					
STD DS11	Standard	15.3	166.4	145.1	355	1.7	84.2	14.0	1075	3.26	44.4	74.2	8.2	73	2.5	8.7	11.5	54	1.12	0.072	21
STD DS11	Standard	15.6	156.8	144.6	364	1.7	80.9	14.2	1046	3.23	45.2	69.8	8.0	70	2.4	8.7	11.9	54	1.04	0.073	20
STD DS11	Standard	14.4	150.9	139.3	347	1.6	79.9	13.8	1026	3.28	42.1	81.7	8.0	73	2.4	8.8	11.8	52	1.04	0.072	19
STD DS11	Standard	14.5	159.4	144.6	350	1.7	83.8	14.5	1065	3.19	44.7	66.1	8.1	69	2.3	8.7	12.3	52	1.11	0.074	19
STD DS11	Standard	14.5	159.9	141.2	344	1.6	82.4	13.9	1063	3.18	42.7	83.1	7.8	67	2.4	8.2	11.6	51	1.04	0.072	18
STD DS11	Standard	15.4	150.2	146.1	328	1.8	77.9	14.4	1008	3.28	42.6	87.2	8.2	65	2.5	8.5	11.5	53	1.02	0.074	20
STD DS11	Standard	14.5	155.4	136.4	361	1.8	77.4	13.6	1036	3.29	46.2	73.3	7.6	72	2.6	8.7	12.0	53	1.06	0.067	19
STD DS11	Standard	15.1	145.0	138.5	351	1.8	77.2	13.4	983	3.00	42.0	69.0	8.3	70	2.4	8.3	12.4	51	1.04	0.074	19
STD DS11	Standard	15.3	156.7	143.7	357	1.7	81.7	14.6	1054	3.19	44.6	64.9	8.4	72	2.5	9.1	12.5	55	1.03	0.074	21



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: HS
Report Date: August 15, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000321.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1474992	Soil	18	0.23	206	0.083	1	1.83	0.028	0.03	0.1	0.03	2.1	<0.1	<0.05	6	<0.5	<0.2
REP 1474992	QC	18	0.23	204	0.084	<1	1.72	0.030	0.03	0.1	0.02	2.3	<0.1	<0.05	6	<0.5	<0.2
1877028	Soil	31	0.47	156	0.113	1	1.63	0.028	0.07	0.1	0.01	4.0	<0.1	<0.05	5	<0.5	<0.2
REP 1877028	QC	32	0.49	154	0.115	1	1.66	0.027	0.07	0.2	<0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
1877064	Soil	21	0.31	113	0.074	<1	2.26	0.026	0.06	<0.1	<0.01	2.2	0.1	<0.05	7	<0.5	<0.2
REP 1877064	QC	22	0.34	118	0.078	<1	2.25	0.027	0.07	0.1	<0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1877087	Soil	17	0.23	64	0.076	1	1.17	0.022	0.05	0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
REP 1877087	QC	18	0.23	66	0.083	<1	1.23	0.023	0.05	<0.1	0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
1877136	Soil	37	0.55	213	0.098	2	2.19	0.023	0.09	0.1	0.02	6.7	<0.1	<0.05	6	<0.5	<0.2
REP 1877136	QC	38	0.53	221	0.099	2	2.34	0.024	0.10	0.1	0.02	6.7	<0.1	<0.05	6	<0.5	<0.2
1877172	Soil	35	0.50	182	0.099	1	2.12	0.025	0.07	0.2	0.05	5.8	0.1	<0.05	6	0.7	<0.2
REP 1877172	QC	34	0.47	175	0.093	2	2.02	0.025	0.07	0.2	0.05	6.1	0.1	<0.05	6	0.9	<0.2
1877208	Soil	16	0.25	103	0.063	1	1.80	0.037	0.15	0.2	<0.01	1.8	0.2	<0.05	5	<0.5	<0.2
REP 1877208	QC	15	0.25	97	0.057	<1	1.67	0.034	0.12	0.1	0.01	1.6	0.2	0.07	5	<0.5	<0.2
1877244	Soil	25	0.34	115	0.109	<1	1.74	0.024	0.06	0.3	0.04	3.6	0.2	<0.05	6	<0.5	<0.2
REP 1877244	QC	25	0.35	106	0.107	1	1.85	0.026	0.05	0.2	0.04	3.5	0.1	<0.05	6	0.6	<0.2
1877277	Soil	18	0.26	119	0.066	1	1.60	0.023	0.06	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2
REP 1877277	QC	19	0.25	112	0.067	<1	1.59	0.024	0.06	<0.1	0.01	2.1	0.2	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	63	0.89	389	0.103	8	1.23	0.083	0.42	3.2	0.30	3.7	5.1	0.22	5	2.1	4.9
STD DS11	Standard	62	0.86	376	0.098	6	1.16	0.071	0.43	3.1	0.23	3.5	5.2	0.32	5	2.7	5.1
STD DS11	Standard	59	0.85	390	0.099	8	1.21	0.080	0.40	3.1	0.25	3.5	4.9	0.25	5	1.8	4.8
STD DS11	Standard	62	0.84	371	0.093	8	1.14	0.074	0.43	3.2	0.24	3.5	5.0	0.31	5	2.4	5.1
STD DS11	Standard	61	0.80	344	0.090	6	1.09	0.065	0.35	3.0	0.23	3.8	5.0	0.23	5	2.4	4.6
STD DS11	Standard	63	0.86	374	0.101	8	1.22	0.078	0.37	2.9	0.27	3.5	5.1	0.25	5	2.1	4.6
STD DS11	Standard	55	0.82	371	0.095	8	1.11	0.084	0.39	2.8	0.25	3.1	4.7	0.23	5	2.3	4.8
STD DS11	Standard	61	0.80	373	0.094	8	1.18	0.068	0.39	2.8	0.27	3.2	4.9	0.19	5	1.9	4.8
STD DS11	Standard	63	0.87	395	0.100	7	1.17	0.075	0.41	3.1	0.26	3.7	5.1	0.27	5	2.3	4.7



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000321.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.4	30.5	6.4	46	<0.1	84.1	21.4	451	3.27	0.9	209.6	1.9	205	<0.1	<0.1	<0.1	57	0.76	0.106	13
STD OXC129	Standard	1.5	28.3	6.1	45	<0.1	79.9	21.5	427	3.08	0.7	199.5	1.8	197	<0.1	<0.1	<0.1	54	0.74	0.101	13
STD OXC129	Standard	1.4	28.5	6.3	43	<0.1	82.8	20.7	447	3.15	0.8	190.1	1.8	198	<0.1	<0.1	<0.1	53	0.75	0.096	13
STD OXC129	Standard	1.3	29.0	6.6	45	<0.1	87.2	21.6	425	3.11	0.6	196.5	1.9	190	<0.1	<0.1	<0.1	57	0.71	0.105	13
STD OXC129	Standard	1.3	28.1	6.2	42	<0.1	84.1	21.8	418	2.94	0.7	192.8	1.8	186	<0.1	<0.1	<0.1	54	0.67	0.105	13
STD OXC129	Standard	1.4	27.8	6.6	41	<0.1	80.2	21.1	402	3.02	0.6	203.9	1.8	196	<0.1	<0.1	<0.1	53	0.69	0.102	12
STD OXC129	Standard	1.3	26.5	6.3	42	<0.1	75.1	21.2	393	3.03	0.5	200.5	1.8	184	<0.1	<0.1	<0.1	55	0.75	0.098	13
STD OXC129	Standard	1.3	29.6	6.7	44	<0.1	83.7	20.9	428	3.14	0.5	204.1	2.0	196	<0.1	<0.1	<0.1	57	0.66	0.098	13
STD OXC129	Standard	1.2	26.8	6.2	41	<0.1	78.0	21.3	421	3.10	<0.5	219.1	1.9	194	<0.1	<0.1	<0.1	56	0.74	0.105	13
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



QUALITY CONTROL REPORT

WHI18000321.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	55	1.63	52	0.428	2	1.68	0.611	0.35	<0.1	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.55	49	0.423	<1	1.57	0.612	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.48	52	0.408	1	1.59	0.580	0.37	<0.1	<0.01	1.3	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	57	1.53	53	0.419	2	1.48	0.560	0.40	<0.1	<0.01	1.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.54	51	0.401	1	1.56	0.563	0.35	<0.1	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	55	1.57	50	0.409	2	1.57	0.551	0.34	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	49	1.49	50	0.383	2	1.60	0.575	0.39	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	56	1.55	49	0.418	1	1.51	0.561	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.53	51	0.410	1	1.62	0.571	0.36	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Dan Ferraro
Receiving Lab: Canada-Whitehorse
Received: July 11, 2018
Report Date: August 15, 2018
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI18000323.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-SOIL
P.O. Number
Number of Samples: 100

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT-SOIL Store Soil Reject - RJSV Charges Apply

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4
Canada

CC: Clayton Jones
Daithi Mac Gerailt

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	100	Dry at 60C			WHI
SS80	100	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	100	Save all or part of Soil Reject			WHI
AQ201	100	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	100	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 2 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1877282	Soil		0.7	14.9	14.4	42	<0.1	15.3	6.8	335	2.08	4.4	3.2	7.6	30	<0.1	0.3	0.5	60	0.29	0.007	19
1877283	Soil		0.7	15.5	13.4	40	<0.1	17.5	7.8	256	2.39	5.8	2.2	9.7	30	<0.1	0.3	0.4	64	0.23	0.009	23
1877284	Soil		0.8	15.6	9.1	43	<0.1	18.3	8.1	294	2.43	4.7	3.2	3.6	25	<0.1	0.4	0.2	67	0.21	0.009	10
1877285	Soil		0.8	13.3	9.1	46	<0.1	16.5	7.5	272	2.32	3.8	2.0	2.9	19	0.1	0.3	0.2	61	0.18	0.011	8
1877286	Soil		0.8	18.2	8.8	42	<0.1	18.3	8.1	343	2.39	6.7	2.2	6.7	29	<0.1	0.4	0.2	65	0.28	0.009	21
1877287	Soil		0.6	10.8	8.0	37	<0.1	14.6	7.8	471	1.96	3.7	2.5	3.9	23	<0.1	0.2	0.2	58	0.21	0.008	12
1877288	Soil		0.6	10.5	7.5	36	<0.1	11.0	5.8	320	1.70	3.2	3.1	3.5	19	<0.1	0.2	0.1	44	0.17	0.009	8
1877289	Soil		0.5	10.0	13.3	33	<0.1	6.7	2.8	125	1.05	1.1	1.0	13.6	20	<0.1	0.2	0.2	31	0.26	0.018	35
1877290	Soil		1.3	38.7	22.3	48	0.1	20.4	8.9	555	2.87	8.3	1.1	42.3	47	0.1	0.4	0.4	82	0.53	0.029	206
1877291	Soil		0.9	10.9	7.7	39	0.1	12.5	5.9	271	1.91	2.9	2.4	2.9	23	<0.1	0.2	0.2	53	0.22	0.012	7
1877292	Soil		0.7	11.4	8.3	50	<0.1	15.0	7.4	426	2.09	3.4	1.1	3.8	34	<0.1	0.2	0.1	58	0.34	0.014	10
1877293	Soil		0.9	18.1	10.3	41	<0.1	16.9	9.2	518	2.25	4.4	3.0	7.1	27	<0.1	0.3	0.1	59	0.28	0.011	22
1877294	Soil		0.9	14.5	11.7	37	<0.1	11.7	6.4	419	1.98	4.8	1.0	12.6	26	<0.1	0.3	0.1	56	0.26	0.009	36
1877295	Soil		0.5	4.7	9.4	25	<0.1	3.3	1.5	68	0.73	0.8	<0.5	6.2	14	<0.1	<0.1	<0.1	19	0.16	0.006	17
1877296	Soil		0.6	28.8	26.5	47	0.1	11.7	3.7	199	1.85	0.8	2.6	30.9	42	0.2	0.3	0.2	43	0.74	0.025	212
1877297	Soil		0.9	19.2	17.8	39	<0.1	11.8	5.6	393	1.97	4.3	<0.5	17.8	29	0.1	0.3	0.2	60	0.31	0.013	68
1877298	Soil		0.7	15.9	12.5	29	<0.1	8.0	2.9	127	1.45	2.6	1.0	7.6	19	<0.1	0.2	0.2	37	0.19	0.009	24
1877299	Soil		0.8	10.0	13.4	33	<0.1	9.4	4.0	131	1.46	4.2	2.1	6.1	23	<0.1	0.2	0.2	53	0.24	0.007	14
1877300	Soil		0.7	9.6	13.9	36	<0.1	9.6	4.4	164	1.50	3.8	2.3	8.1	27	<0.1	0.2	0.2	44	0.30	0.015	18
1877301	Soil		0.9	32.5	14.6	66	0.1	23.4	10.2	279	2.56	17.0	15.3	7.6	46	0.2	0.7	0.2	64	0.63	0.057	19
1877302	Soil		0.9	7.3	17.2	43	<0.1	7.3	3.0	116	1.27	6.2	7.0	7.8	16	0.1	0.3	0.2	30	0.21	0.040	30
1877303	Soil		0.6	7.9	18.1	38	0.1	6.7	2.6	72	1.15	4.0	2.7	7.7	13	0.1	0.2	0.3	23	0.16	0.032	36
1877304	Soil		0.7	8.9	8.3	39	<0.1	4.1	2.7	169	1.24	2.9	<0.5	3.2	8	0.2	0.2	0.1	36	0.08	0.013	11
1877305	Soil		0.8	8.9	19.4	52	<0.1	8.8	4.3	190	1.49	3.4	<0.5	15.7	12	0.2	0.2	0.2	35	0.16	0.023	35
1877306	Soil		1.1	14.1	16.5	46	<0.1	14.6	6.3	182	2.54	6.2	2.2	25.9	14	0.1	0.3	0.2	64	0.13	0.010	75
1877307	Soil		1.1	14.7	14.1	43	<0.1	12.7	5.5	158	2.29	5.9	1.4	14.7	10	0.1	0.3	0.1	56	0.10	0.012	25
1877308	Soil		0.6	13.8	11.0	37	0.1	9.8	4.1	102	1.25	1.8	<0.5	6.6	20	0.3	0.2	0.3	28	0.31	0.052	33
1877309	Soil		0.5	10.2	16.9	50	<0.1	11.8	4.8	130	1.45	3.0	0.9	11.6	17	0.2	0.2	0.2	40	0.25	0.030	14
1877310	Soil		0.5	17.1	14.9	63	<0.1	16.5	8.1	189	2.25	6.1	5.6	9.2	22	0.2	0.4	0.2	54	0.27	0.036	21
1877311	Soil		2.7	10.0	22.0	43	0.1	11.9	9.2	448	2.09	19.0	7.4	5.2	22	0.1	0.7	0.3	64	0.22	0.024	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 2 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.01	0.05	1	0.5	0.2	
1877282	Soil	28	0.38	125	0.079	<1	1.70	0.043	0.05	<0.1	0.01	3.7	0.1	<0.05	5	<0.5	<0.2	
1877283	Soil	33	0.44	159	0.078	1	2.01	0.021	0.04	<0.1	0.01	3.4	0.1	<0.05	5	<0.5	<0.2	
1877284	Soil	32	0.44	211	0.079	<1	1.92	0.015	0.03	<0.1	<0.01	3.3	0.1	<0.05	5	<0.5	<0.2	
1877285	Soil	25	0.37	183	0.068	<1	1.74	0.015	0.03	<0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2	
1877286	Soil	34	0.46	192	0.079	<1	1.76	0.015	0.04	<0.1	<0.01	4.0	<0.1	<0.05	5	<0.5	<0.2	
1877287	Soil	25	0.37	213	0.084	<1	1.47	0.017	0.05	<0.1	<0.01	2.9	<0.1	<0.05	5	<0.5	<0.2	
1877288	Soil	17	0.25	150	0.060	<1	1.28	0.019	0.03	<0.1	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2	
1877289	Soil	15	0.18	68	0.092	<1	0.92	0.021	0.07	0.3	0.01	2.6	<0.1	<0.05	2	<0.5	<0.2	
1877290	Soil	38	0.44	230	0.101	1	2.67	0.025	0.13	0.3	0.05	6.9	0.1	<0.05	8	1.6	<0.2	
1877291	Soil	22	0.32	201	0.080	<1	1.43	0.019	0.04	<0.1	<0.01	2.3	<0.1	<0.05	5	<0.5	<0.2	
1877292	Soil	25	0.34	243	0.080	<1	1.65	0.018	0.08	<0.1	<0.01	2.7	<0.1	<0.05	5	<0.5	<0.2	
1877293	Soil	28	0.39	185	0.088	<1	1.65	0.021	0.04	0.1	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2	
1877294	Soil	25	0.32	193	0.089	<1	1.43	0.021	0.05	0.1	0.01	3.5	0.1	<0.05	5	<0.5	<0.2	
1877295	Soil	7	0.10	63	0.045	<1	0.72	0.020	0.04	0.1	<0.01	1.0	<0.1	<0.05	3	<0.5	<0.2	
1877296	Soil	25	0.26	73	0.088	<1	1.92	0.023	0.08	0.4	0.05	5.7	0.1	<0.05	6	3.9	<0.2	
1877297	Soil	26	0.33	96	0.101	<1	1.69	0.026	0.08	0.2	0.01	3.3	0.1	<0.05	6	0.6	<0.2	
1877298	Soil	17	0.18	81	0.063	<1	1.30	0.026	0.07	0.1	0.02	2.3	<0.1	<0.05	5	<0.5	<0.2	
1877299	Soil	20	0.30	93	0.103	<1	1.02	0.020	0.05	0.1	0.01	2.2	0.1	<0.05	3	<0.5	<0.2	
1877300	Soil	21	0.33	95	0.090	<1	1.17	0.022	0.06	0.2	<0.01	2.6	0.1	<0.05	4	<0.5	<0.2	
1877301	Soil	31	0.49	152	0.090	1	1.70	0.046	0.07	0.2	0.04	5.6	0.2	<0.05	5	<0.5	<0.2	
1877302	Soil	17	0.23	58	0.040	1	1.17	0.019	0.07	0.3	0.04	2.1	0.1	<0.05	4	<0.5	<0.2	
1877303	Soil	18	0.18	46	0.034	<1	1.24	0.016	0.06	0.3	0.04	2.0	0.2	<0.05	5	<0.5	<0.2	
1877304	Soil	9	0.09	37	0.051	<1	0.65	0.021	0.03	0.1	0.02	1.0	<0.1	<0.05	4	<0.5	<0.2	
1877305	Soil	19	0.23	64	0.044	<1	1.45	0.017	0.06	0.3	0.02	2.4	<0.1	<0.05	5	<0.5	<0.2	
1877306	Soil	37	0.36	78	0.095	<1	2.67	0.015	0.06	0.2	0.01	3.7	0.1	<0.05	7	<0.5	<0.2	
1877307	Soil	27	0.26	64	0.082	1	2.40	0.015	0.05	0.3	0.02	2.7	0.1	<0.05	6	<0.5	<0.2	
1877308	Soil	22	0.23	89	0.049	2	1.09	0.018	0.06	0.2	0.05	2.9	<0.1	<0.05	5	0.9	<0.2	
1877309	Soil	24	0.30	69	0.075	1	1.50	0.016	0.06	0.4	0.04	2.8	<0.1	<0.05	6	<0.5	<0.2	
1877310	Soil	29	0.41	115	0.057	<1	2.05	0.016	0.06	0.2	0.03	3.8	0.1	<0.05	6	<0.5	<0.2	
1877311	Soil	24	0.31	96	0.047	1	1.52	0.014	0.13	0.2	0.04	2.5	0.2	<0.05	6	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 3 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL	MDL
1877312	Soil	2.1	15.0	16.1	46	0.1	11.8	7.5	318	1.89	8.0	9.6	6.6	22	0.1	0.4	0.3	51	0.28	0.035	16
1877313	Soil	4.6	12.2	14.0	30	0.7	7.0	3.0	113	1.66	38.4	13.9	2.9	10	<0.1	2.2	0.3	52	0.09	0.018	9
1877314	Soil	2.9	20.7	19.7	50	0.8	13.6	6.9	242	2.37	33.7	240.4	4.8	25	0.1	2.7	0.4	56	0.27	0.039	19
1877315	Soil	1.6	26.9	22.0	65	0.5	15.3	6.5	208	2.28	21.5	216.2	7.3	32	0.2	1.6	0.5	44	0.40	0.062	37
1877316	Soil	1.1	9.4	22.3	42	0.2	8.0	4.2	123	1.17	34.4	50.5	8.2	18	<0.1	1.5	0.4	34	0.20	0.024	12
1877317	Soil	1.2	13.5	19.9	46	0.1	9.3	5.5	144	1.35	39.5	25.7	10.2	24	0.1	4.2	0.4	40	0.25	0.022	14
1877318	Soil	1.6	11.0	29.9	51	<0.1	7.2	3.5	116	1.15	76.4	5.7	9.3	18	<0.1	3.3	0.5	30	0.18	0.018	12
1877319	Soil	2.8	12.2	45.5	85	<0.1	11.6	5.9	265	2.31	34.8	1.7	17.7	15	0.1	0.8	0.8	66	0.18	0.013	12
1877320	Soil	0.9	8.5	17.3	34	<0.1	7.8	5.4	456	1.61	3.3	1.3	3.2	18	<0.1	0.3	0.3	47	0.16	0.011	6
1877321	Soil	0.4	14.7	9.3	34	<0.1	11.5	4.0	116	1.27	2.1	2.1	10.0	26	<0.1	0.2	0.1	37	0.27	0.013	25
1877322	Soil	0.4	14.3	8.0	35	<0.1	10.0	3.7	111	1.32	2.6	1.8	10.7	21	<0.1	0.2	0.1	38	0.25	0.018	24
1877323	Soil	1.2	8.4	10.0	37	<0.1	8.7	3.4	144	1.60	4.3	1.6	6.7	15	0.1	0.2	0.1	48	0.16	0.010	10
1877324	Soil	0.8	8.1	7.0	38	<0.1	7.0	2.9	147	1.04	2.0	1.1	11.9	15	<0.1	0.1	<0.1	28	0.21	0.010	21
1877325	Soil	0.6	7.8	6.9	30	<0.1	6.3	2.8	103	0.98	2.0	0.9	10.3	15	<0.1	0.2	<0.1	28	0.18	0.007	14
1877326	Soil	1.2	10.5	8.6	35	<0.1	5.2	2.4	139	1.20	1.9	1.0	2.6	17	0.1	0.2	0.1	41	0.15	0.010	12
1877327	Soil	1.3	13.7	9.5	40	<0.1	12.4	11.4	899	1.90	3.5	<0.5	3.4	19	<0.1	0.2	0.2	54	0.16	0.014	12
1877328	Soil	1.1	8.1	9.2	31	<0.1	7.9	4.2	153	1.58	3.2	<0.5	3.4	14	0.2	0.2	0.2	51	0.14	0.008	7
1877329	Soil	1.4	6.5	8.2	52	<0.1	5.0	1.6	213	0.96	1.9	<0.5	22.2	10	0.1	0.2	<0.1	16	0.12	0.008	23
1877330	Soil	1.1	34.5	12.5	32	<0.1	30.7	7.4	113	3.12	7.6	5.0	15.7	20	0.1	0.3	0.2	71	0.15	0.020	15
1877331	Soil	1.1	11.2	9.3	37	<0.1	10.7	4.2	111	1.89	5.1	1.5	10.3	12	<0.1	0.2	0.1	51	0.11	0.009	11
1877332	Soil	2.0	9.7	7.2	60	<0.1	5.8	3.5	255	1.32	3.2	1.4	26.6	13	<0.1	0.2	<0.1	24	0.13	0.005	41
1877333	Soil	2.1	3.0	5.1	65	<0.1	2.0	0.7	179	0.69	1.2	<0.5	16.4	9	<0.1	<0.1	<0.1	9	0.07	0.004	9
1877334	Soil	0.6	27.4	10.5	44	<0.1	20.2	7.5	233	2.38	4.7	1.6	11.5	31	<0.1	0.3	0.1	58	0.35	0.014	18
1877335	Soil	0.7	9.8	9.5	36	<0.1	9.6	4.2	133	1.37	3.0	<0.5	9.4	16	<0.1	0.2	<0.1	40	0.18	0.011	10
1877336	Soil	0.9	32.8	14.1	53	<0.1	25.0	9.3	258	2.87	7.8	2.3	14.1	33	<0.1	0.4	0.1	76	0.34	0.013	21
1877337	Soil	0.9	15.2	12.4	53	<0.1	19.3	7.1	195	2.42	5.3	2.0	8.7	25	<0.1	0.2	0.1	63	0.21	0.010	9
1877338	Soil	0.7	17.0	13.4	42	<0.1	17.1	6.8	171	2.54	6.4	0.9	8.6	24	0.1	0.2	0.1	69	0.23	0.010	9
1877339	Soil	1.0	20.0	14.6	50	<0.1	19.8	11.0	756	2.50	6.8	3.8	4.3	26	0.2	0.3	0.2	76	0.23	0.012	12
1877340	Soil	1.0	21.3	17.3	36	<0.1	18.6	7.5	211	2.61	6.6	1.3	5.4	29	<0.1	0.3	0.2	72	0.30	0.007	13
1877341	Soil	1.0	24.8	16.7	40	<0.1	24.2	12.4	928	2.54	6.5	1.8	6.8	31	<0.1	0.3	0.5	70	0.33	0.009	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1877312	Soil	23	0.30	100	0.049	1	1.56	0.015	0.07	0.2	0.05	2.9	0.2	<0.05	6	<0.5	<0.2
1877313	Soil	16	0.17	52	0.028	<1	1.23	0.015	0.05	0.1	0.04	1.5	0.2	<0.05	5	<0.5	<0.2
1877314	Soil	29	0.34	131	0.061	<1	2.12	0.015	0.08	0.1	0.09	3.9	0.4	<0.05	7	0.5	<0.2
1877315	Soil	27	0.27	146	0.028	2	1.97	0.014	0.23	0.3	0.10	5.0	0.6	<0.05	6	0.7	<0.2
1877316	Soil	18	0.24	64	0.056	<1	0.93	0.013	0.10	0.2	0.07	2.0	0.3	<0.05	3	<0.5	<0.2
1877317	Soil	20	0.26	51	0.062	<1	1.00	0.033	0.08	0.2	0.23	2.7	0.5	<0.05	3	<0.5	<0.2
1877318	Soil	16	0.20	37	0.028	2	0.92	0.039	0.10	0.2	0.18	1.7	0.4	<0.05	3	<0.5	<0.2
1877319	Soil	25	0.28	80	0.029	1	1.92	0.012	0.06	0.2	0.04	2.3	0.5	<0.05	7	<0.5	<0.2
1877320	Soil	14	0.17	103	0.041	1	1.25	0.020	0.06	0.2	0.01	1.4	0.2	<0.05	5	<0.5	<0.2
1877321	Soil	23	0.33	134	0.091	1	1.05	0.021	0.04	0.1	0.01	3.3	<0.1	<0.05	3	<0.5	<0.2
1877322	Soil	21	0.29	111	0.086	2	1.10	0.015	0.04	0.1	0.01	2.9	<0.1	<0.05	3	<0.5	<0.2
1877323	Soil	17	0.22	92	0.062	1	1.17	0.012	0.04	0.1	<0.01	2.0	<0.1	<0.05	5	<0.5	<0.2
1877324	Soil	15	0.20	67	0.068	1	0.87	0.016	0.03	0.1	0.01	1.9	<0.1	<0.05	2	<0.5	<0.2
1877325	Soil	13	0.17	74	0.062	1	0.89	0.017	0.03	0.1	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1877326	Soil	10	0.09	104	0.049	1	0.96	0.015	0.04	<0.1	0.02	1.3	<0.1	<0.05	5	<0.5	<0.2
1877327	Soil	16	0.18	181	0.065	1	1.45	0.021	0.03	<0.1	0.02	1.9	<0.1	<0.05	5	<0.5	<0.2
1877328	Soil	16	0.18	115	0.057	1	1.25	0.013	0.02	<0.1	0.01	1.5	0.2	<0.05	5	<0.5	<0.2
1877329	Soil	9	0.13	48	0.034	<1	0.46	0.009	0.04	0.2	<0.01	1.5	<0.1	<0.05	2	<0.5	<0.2
1877330	Soil	44	0.28	232	0.083	<1	3.18	0.015	0.05	<0.1	0.02	5.4	0.1	<0.05	8	<0.5	<0.2
1877331	Soil	19	0.24	87	0.073	<1	1.69	0.011	0.04	0.1	<0.01	2.1	<0.1	<0.05	6	<0.5	<0.2
1877332	Soil	13	0.15	80	0.044	1	0.73	0.011	0.03	0.2	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2
1877333	Soil	4	0.06	37	0.046	<1	0.28	0.010	0.04	0.2	<0.01	0.7	<0.1	<0.05	2	<0.5	<0.2
1877334	Soil	35	0.45	210	0.110	1	1.84	0.025	0.05	0.1	0.03	6.6	<0.1	<0.05	5	<0.5	<0.2
1877335	Soil	18	0.22	79	0.084	1	1.10	0.019	0.05	0.2	0.01	2.0	<0.1	<0.05	4	<0.5	<0.2
1877336	Soil	45	0.52	235	0.111	1	2.34	0.021	0.05	0.1	0.03	7.6	<0.1	<0.05	7	<0.5	<0.2
1877337	Soil	34	0.39	193	0.087	1	2.45	0.015	0.03	0.2	0.01	3.5	0.1	<0.05	7	<0.5	<0.2
1877338	Soil	40	0.42	174	0.093	1	2.44	0.013	0.04	<0.1	<0.01	4.7	0.1	<0.05	7	<0.5	<0.2
1877339	Soil	33	0.41	168	0.087	<1	1.96	0.015	0.05	<0.1	0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1877340	Soil	36	0.43	144	0.102	1	2.06	0.023	0.05	<0.1	0.01	4.9	0.3	<0.05	6	<0.5	<0.2
1877341	Soil	34	0.38	191	0.089	1	2.01	0.028	0.07	<0.1	0.02	5.2	0.2	<0.05	6	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 4 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm	
1877342	Soil		0.7	20.2	21.7	42	<0.1	16.9	7.6	284	2.28	5.1	2.7	9.6	31	<0.1	0.3	0.3	58	0.31	0.008	14
1877343	Soil		0.9	16.3	14.0	40	<0.1	17.7	7.9	308	2.30	5.5	2.5	4.8	27	<0.1	0.3	0.2	70	0.26	0.012	10
1877344	Soil		1.0	8.5	10.9	37	<0.1	8.8	3.5	116	1.20	2.7	<0.5	10.6	15	<0.1	0.2	0.1	30	0.16	0.007	6
1877345	Soil		0.7	10.9	11.3	29	<0.1	11.3	4.8	137	1.56	3.3	1.8	2.5	15	0.1	0.2	0.1	47	0.12	0.011	7
1877346	Soil		0.6	21.0	16.4	44	<0.1	16.8	6.7	257	2.05	5.2	3.7	11.6	29	<0.1	0.3	0.1	56	0.28	0.008	22
1877347	Soil		0.5	7.6	27.1	35	<0.1	5.5	3.2	107	1.25	3.0	<0.5	6.3	33	0.1	0.2	0.6	27	0.24	0.010	6
1877348	Soil		0.6	18.8	16.7	34	<0.1	14.8	7.5	259	1.91	4.6	2.2	6.6	34	<0.1	0.3	0.3	54	0.30	0.009	14
1877349	Soil		0.9	12.9	10.6	32	<0.1	10.8	9.1	322	1.65	3.8	0.6	2.4	17	0.2	0.2	0.2	42	0.14	0.019	6
1877350	Soil		0.6	26.0	13.9	45	<0.1	19.4	5.7	176	1.81	3.3	1.7	9.9	32	<0.1	0.3	0.2	43	0.36	0.024	16
1877351	Soil		0.5	13.3	11.6	36	<0.1	11.1	5.7	209	1.52	4.0	1.9	7.2	25	<0.1	0.2	0.1	46	0.31	0.019	16
1877352	Soil		0.7	15.8	13.7	42	<0.1	10.8	5.4	241	1.51	5.3	1.7	10.0	29	<0.1	0.3	0.2	46	0.36	0.022	20
1877353	Soil		0.9	12.5	13.0	37	<0.1	7.6	3.8	163	1.37	3.7	1.8	6.3	19	<0.1	0.2	0.2	36	0.20	0.011	17
1877354	Soil		2.4	42.0	27.1	65	0.2	21.2	12.9	1864	2.34	11.2	4.2	16.1	41	0.5	0.5	0.3	58	0.50	0.026	73
1877355	Soil		1.8	15.2	32.6	37	<0.1	7.8	3.0	208	1.58	24.0	4.0	14.0	23	0.2	0.6	0.2	31	0.26	0.019	44
1877356	Soil		0.5	25.7	10.3	56	<0.1	18.9	11.6	375	2.68	11.0	7.5	4.7	41	0.1	0.4	0.2	61	0.52	0.047	20
1877357	Soil		0.5	15.5	8.2	36	<0.1	11.5	6.1	195	1.80	10.7	3.5	2.6	24	<0.1	0.3	0.1	43	0.28	0.030	13
1877358	Soil		0.5	18.9	8.6	51	0.1	18.4	11.3	492	2.88	12.1	10.7	3.2	34	<0.1	0.3	0.1	57	0.49	0.027	12
1877359	Soil		1.8	11.8	10.7	49	0.1	12.5	11.7	592	2.66	7.9	1.6	1.3	21	0.1	0.3	0.1	55	0.29	0.033	9
1877360	Soil		0.5	20.2	8.7	49	0.2	18.0	9.6	489	2.42	6.9	3.9	3.9	41	<0.1	0.3	0.2	53	0.57	0.026	18
1877361	Soil		0.8	27.9	10.7	50	0.4	16.6	11.6	1199	2.53	4.9	3.1	1.7	50	0.2	0.3	0.1	52	0.56	0.068	34
1877362	Soil		0.6	15.5	8.6	39	0.2	13.0	6.5	198	2.19	5.0	1.9	1.1	50	<0.1	0.2	0.1	56	0.75	0.034	9
1877363	Soil		0.4	28.2	8.4	55	0.2	17.5	13.1	570	2.99	5.6	2.1	3.3	40	<0.1	0.3	0.1	63	0.69	0.040	19
1877364	Soil		0.8	15.8	8.4	40	0.2	9.4	5.2	197	2.19	11.1	1.2	1.8	30	0.1	0.3	0.1	53	0.37	0.022	13
1877365	Soil		0.6	14.1	9.1	45	<0.1	11.5	6.3	230	1.86	3.4	1.2	2.7	22	0.1	0.2	0.2	49	0.29	0.020	16
1877366	Soil		0.4	13.0	10.4	47	<0.1	16.2	8.2	283	2.26	4.8	9.6	3.5	24	<0.1	0.2	0.3	55	0.35	0.021	15
1877367	Soil		0.5	16.8	13.7	39	<0.1	12.4	6.2	198	1.72	5.4	8.2	6.5	30	<0.1	0.3	0.2	53	0.36	0.011	18
1877368	Soil		0.7	17.6	10.7	46	<0.1	14.6	7.9	327	2.08	4.6	3.3	4.0	36	0.1	0.3	0.2	56	0.51	0.022	13
1877369	Soil		0.6	23.9	9.2	93	<0.1	18.5	7.3	297	2.25	5.7	2.8	5.4	42	0.1	0.4	0.2	58	0.51	0.045	17
1877370	Soil		0.8	15.1	21.9	44	<0.1	10.1	4.6	195	1.54	4.1	2.2	21.2	31	0.1	0.3	0.2	39	0.35	0.017	61
1877371	Soil		0.5	12.7	16.5	38	<0.1	9.9	3.9	199	1.46	4.8	1.5	12.5	34	<0.1	0.3	0.2	41	0.32	0.021	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1877342	Soil	34	0.34	142	0.078	<1	2.18	0.030	0.05	<0.1	0.02	5.1	0.2	<0.05	7	<0.5	<0.2	
1877343	Soil	30	0.36	231	0.088	<1	1.78	0.018	0.04	<0.1	0.02	3.3	0.1	<0.05	7	<0.5	<0.2	
1877344	Soil	14	0.22	100	0.063	<1	1.02	0.015	0.04	0.2	<0.01	1.8	0.1	<0.05	4	<0.5	<0.2	
1877345	Soil	16	0.20	133	0.059	<1	1.30	0.021	0.05	<0.1	<0.01	1.7	0.1	<0.05	6	<0.5	<0.2	
1877346	Soil	33	0.41	168	0.089	<1	1.83	0.020	0.06	0.1	0.01	5.1	0.1	<0.05	5	<0.5	<0.2	
1877347	Soil	11	0.15	104	0.014	<1	1.66	0.025	0.07	0.1	0.01	1.2	0.3	<0.05	6	<0.5	<0.2	
1877348	Soil	28	0.36	140	0.087	1	1.53	0.030	0.06	<0.1	0.02	4.2	0.2	<0.05	5	<0.5	<0.2	
1877349	Soil	14	0.17	110	0.058	<1	1.44	0.019	0.05	<0.1	0.02	1.7	0.1	<0.05	5	<0.5	<0.2	
1877350	Soil	31	0.40	146	0.100	<1	1.44	0.029	0.06	0.1	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2	
1877351	Soil	22	0.35	111	0.097	<1	1.04	0.025	0.07	0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2	
1877352	Soil	22	0.32	114	0.081	1	1.16	0.022	0.08	0.1	0.02	2.9	0.1	<0.05	4	<0.5	<0.2	
1877353	Soil	16	0.22	93	0.053	<1	1.10	0.019	0.09	0.1	0.02	2.1	0.1	<0.05	4	<0.5	<0.2	
1877354	Soil	31	0.34	257	0.074	2	1.82	0.023	0.13	0.2	0.02	5.2	0.1	<0.05	6	0.8	<0.2	
1877355	Soil	14	0.19	106	0.042	1	0.93	0.019	0.13	0.2	0.01	1.9	0.1	<0.05	4	<0.5	<0.2	
1877356	Soil	34	0.47	271	0.087	<1	1.63	0.030	0.09	0.1	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2	
1877357	Soil	19	0.30	230	0.064	<1	1.01	0.023	0.06	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2	
1877358	Soil	30	0.57	502	0.081	1	1.84	0.028	0.13	0.1	<0.01	5.2	<0.1	<0.05	5	<0.5	<0.2	
1877359	Soil	24	0.43	190	0.034	2	1.35	0.011	0.09	<0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2	
1877360	Soil	30	0.56	335	0.063	<1	1.58	0.024	0.08	0.1	0.01	5.2	<0.1	<0.05	5	<0.5	<0.2	
1877361	Soil	24	0.37	404	0.019	2	2.02	0.029	0.15	<0.1	0.01	4.5	0.1	<0.05	6	<0.5	<0.2	
1877362	Soil	22	0.30	282	0.030	1	1.69	0.024	0.09	<0.1	0.01	3.0	0.1	<0.05	5	<0.5	<0.2	
1877363	Soil	27	0.61	603	0.032	<1	2.05	0.028	0.11	<0.1	<0.01	6.7	<0.1	<0.05	6	<0.5	<0.2	
1877364	Soil	20	0.37	139	0.053	<1	1.10	0.022	0.09	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2	
1877365	Soil	20	0.43	209	0.074	1	1.01	0.016	0.08	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2	
1877366	Soil	27	0.48	192	0.085	<1	1.20	0.020	0.08	0.1	0.01	2.7	0.1	<0.05	4	<0.5	<0.2	
1877367	Soil	24	0.35	150	0.093	<1	1.19	0.027	0.07	0.1	<0.01	2.9	0.1	<0.05	4	<0.5	<0.2	
1877368	Soil	26	0.35	169	0.091	<1	1.35	0.026	0.07	0.1	<0.01	3.3	<0.1	<0.05	5	<0.5	<0.2	
1877369	Soil	32	0.51	165	0.104	<1	1.77	0.047	0.07	0.1	0.02	4.6	<0.1	<0.05	5	<0.5	<0.2	
1877370	Soil	22	0.29	94	0.075	1	1.46	0.023	0.09	0.3	0.02	3.5	0.1	<0.05	4	<0.5	<0.2	
1877371	Soil	21	0.29	102	0.085	<1	1.10	0.038	0.08	0.2	<0.01	2.6	0.1	<0.05	3	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 5 of 5

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
1877372	Soil	1.0	16.1	11.5	40	<0.1	10.0	5.6	317	1.84	5.2	2.4	8.9	26	<0.1	0.3	0.2	51	0.31	0.015	21	
1877373	Soil	0.9	14.7	14.0	39	<0.1	9.1	4.5	270	1.41	3.5	5.6	16.3	24	<0.1	0.2	0.1	41	0.30	0.010	46	
1877374	Soil	0.7	13.1	9.0	30	<0.1	8.8	3.5	130	1.46	3.2	0.5	6.6	22	<0.1	0.2	0.1	44	0.22	0.011	27	
1877375	Soil	1.0	27.3	12.7	40	<0.1	14.1	5.7	458	2.03	3.8	0.9	13.1	31	<0.1	0.3	0.2	57	0.34	0.025	54	
1877376	Soil	0.8	12.6	9.8	38	<0.1	11.9	5.2	203	1.87	4.3	0.8	6.3	23	<0.1	0.3	0.1	55	0.23	0.010	10	
1877377	Soil	0.8	12.6	9.7	48	<0.1	13.8	6.4	342	2.04	4.5	0.9	5.1	28	<0.1	0.2	0.2	58	0.29	0.014	9	
1877378	Soil	0.8	12.9	10.8	34	<0.1	9.5	4.1	233	1.55	3.2	<0.5	6.5	25	<0.1	0.3	0.2	46	0.24	0.012	24	
1877379	Soil	1.0	13.5	10.4	36	<0.1	13.4	7.8	438	2.09	3.7	5.6	5.3	23	<0.1	0.3	0.1	57	0.25	0.013	21	
1877380	Soil	0.8	14.2	11.5	39	<0.1	13.5	6.1	302	2.05	4.4	0.8	7.9	30	<0.1	0.3	0.2	63	0.28	0.009	35	
1877381	Soil	1.1	15.2	13.1	36	<0.1	13.5	5.4	220	2.29	4.8	0.8	4.7	26	<0.1	0.3	0.2	69	0.23	0.011	33	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1877372	Soil	22	0.29	93	0.095	<1	1.40	0.027	0.06	0.1	0.01	3.1	<0.1	<0.05	5	<0.5	<0.2
1877373	Soil	19	0.22	72	0.100	<1	1.11	0.022	0.06	0.2	0.01	3.1	<0.1	<0.05	3	<0.5	<0.2
1877374	Soil	19	0.24	94	0.088	<1	1.10	0.024	0.05	0.2	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2
1877375	Soil	26	0.32	154	0.096	<1	1.73	0.027	0.08	0.2	0.02	3.7	<0.1	<0.05	5	0.5	<0.2
1877376	Soil	24	0.33	106	0.098	<1	1.26	0.020	0.05	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
1877377	Soil	26	0.39	143	0.096	<1	1.45	0.018	0.07	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
1877378	Soil	18	0.24	102	0.086	<1	1.16	0.023	0.07	0.2	<0.01	2.2	<0.1	<0.05	4	<0.5	<0.2
1877379	Soil	23	0.33	145	0.084	<1	1.59	0.023	0.06	0.1	<0.01	2.5	<0.1	<0.05	5	<0.5	<0.2
1877380	Soil	25	0.37	123	0.107	<1	1.41	0.023	0.06	0.1	<0.01	2.9	0.1	<0.05	4	<0.5	<0.2
1877381	Soil	24	0.30	155	0.088	<1	1.70	0.014	0.04	0.2	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 15, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000323.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1877303	Soil	0.6	7.9	18.1	38	0.1	6.7	2.6	72	1.15	4.0	2.7	7.7	13	0.1	0.2	0.3	23	0.16	0.032	36
REP 1877303	QC	0.7	7.9	18.4	37	<0.1	6.9	2.5	73	1.14	4.3	2.6	7.6	12	0.1	0.2	0.3	23	0.16	0.033	35
1877339	Soil	1.0	20.0	14.6	50	<0.1	19.8	11.0	756	2.50	6.8	3.8	4.3	26	0.2	0.3	0.2	76	0.23	0.012	12
REP 1877339	QC	1.0	18.9	14.6	49	<0.1	19.5	10.5	750	2.49	6.4	1.5	4.4	26	0.2	0.3	0.2	74	0.24	0.011	13
1877370	Soil	0.8	15.1	21.9	44	<0.1	10.1	4.6	195	1.54	4.1	2.2	21.2	31	0.1	0.3	0.2	39	0.35	0.017	61
REP 1877370	QC	0.7	14.4	22.0	45	<0.1	9.7	4.6	194	1.53	3.8	3.3	21.7	30	0.1	0.3	0.2	39	0.34	0.016	61
Reference Materials																					
STD DS11	Standard	15.2	161.2	140.9	350	1.7	81.8	14.1	1000	3.14	43.9	73.9	8.0	68	2.4	8.5	11.5	55	1.03	0.073	19
STD DS11	Standard	14.4	158.0	139.4	339	1.5	80.2	14.2	969	3.05	40.7	67.0	7.6	61	2.3	7.5	11.0	52	0.96	0.074	17
STD DS11	Standard	14.4	165.9	143.4	356	1.6	83.9	14.9	1079	3.33	44.4	76.3	8.1	65	2.3	8.4	11.8	54	0.96	0.074	19
STD OXC129	Standard	1.3	28.7	6.5	41	<0.1	81.1	21.1	431	3.17	0.6	211.2	1.8	192	<0.1	<0.1	<0.1	58	0.71	0.109	13
STD OXC129	Standard	1.3	29.7	6.3	41	<0.1	83.8	20.8	421	3.11	0.7	191.0	1.7	174	<0.1	<0.1	<0.1	58	0.63	0.097	13
STD OXC129	Standard	1.4	30.6	6.4	43	<0.1	86.3	21.7	440	3.15	1.0	187.0	1.9	192	<0.1	<0.1	<0.1	59	0.72	0.108	13
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



QUALITY CONTROL REPORT

WHI18000323.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1877303	Soil	18	0.18	46	0.034	<1	1.24	0.016	0.06	0.3	0.04	2.0	0.2	<0.05	5	<0.5	<0.2
REP 1877303	QC	18	0.18	46	0.035	<1	1.26	0.018	0.06	0.3	0.03	2.1	0.2	<0.05	5	<0.5	<0.2
1877339	Soil	33	0.41	168	0.087	<1	1.96	0.015	0.05	<0.1	0.01	3.3	0.1	<0.05	7	<0.5	<0.2
REP 1877339	QC	33	0.41	168	0.085	<1	1.96	0.016	0.06	<0.1	0.01	3.3	0.1	<0.05	6	<0.5	<0.2
1877370	Soil	22	0.29	94	0.075	1	1.46	0.023	0.09	0.3	0.02	3.5	0.1	<0.05	4	<0.5	<0.2
REP 1877370	QC	22	0.27	94	0.075	<1	1.38	0.022	0.09	0.3	0.02	3.5	0.1	<0.05	4	0.5	<0.2
Reference Materials																	
STD DS11	Standard	64	0.82	355	0.094	6	1.11	0.074	0.37	3.0	0.22	3.2	4.9	0.24	5	2.4	4.8
STD DS11	Standard	60	0.83	335	0.086	8	1.10	0.071	0.37	2.3	0.22	3.2	4.9	0.24	5	2.4	4.3
STD DS11	Standard	62	0.82	353	0.094	7	1.10	0.070	0.37	3.1	0.24	3.2	5.1	0.28	5	1.8	4.6
STD OXC129	Standard	57	1.53	53	0.424	<1	1.56	0.612	0.38	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.41	49	0.401	1	1.38	0.545	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	59	1.57	51	0.439	1	1.62	0.591	0.38	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Email Distribution
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 04, 2018
Page: 1 of 7

CERTIFICATE OF ANALYSIS

WHI18000901.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-SOIL_02
P.O. Number
Number of Samples: 165

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	164	Dry at 60C			WHI
SS80	164	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	164	Save all or part of Soil Reject			WHI
AQ201	154	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	164	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 2 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1878001	Soil		0.8	13.2	23.3	43	<0.1	12.7	5.4	168	2.02	18.2	7.9	10.6	20	<0.1	2.0	0.7	52	0.29	0.011	11
1878002	Soil		0.9	9.3	22.2	34	<0.1	8.5	3.6	103	1.25	45.5	4.4	8.7	21	0.1	4.2	0.5	34	0.22	0.009	9
1878003	Soil		1.0	11.9	24.9	46	<0.1	12.0	5.5	147	1.60	45.1	4.3	10.9	23	<0.1	4.2	0.5	42	0.35	0.022	13
1878004	Soil		0.9	18.4	19.2	49	<0.1	14.0	6.1	144	1.86	27.2	6.3	10.2	24	<0.1	2.8	0.4	43	0.34	0.028	16
1878005	Soil		2.0	15.6	30.0	64	<0.1	12.4	8.2	319	1.93	85.0	3.5	14.7	22	0.1	8.2	0.6	50	0.34	0.026	14
1878006	Soil		1.6	11.5	21.9	51	<0.1	12.7	6.7	222	1.99	45.3	2.4	7.8	20	<0.1	9.1	0.4	50	0.31	0.019	13
1878007	Soil		2.0	10.4	22.5	65	<0.1	8.3	6.0	259	1.65	59.8	7.6	5.9	19	<0.1	8.1	0.8	37	0.29	0.033	12
1878008	Soil		1.8	13.4	18.4	63	0.2	9.2	6.1	156	1.81	57.2	15.3	5.1	24	0.2	5.8	0.8	24	0.53	0.077	24
1878009	Soil		1.0	17.4	20.6	75	<0.1	12.3	5.8	172	2.16	40.9	7.6	8.2	26	0.1	10.5	0.5	41	0.43	0.038	16
1878010	Soil		0.7	13.8	16.7	62	<0.1	9.8	4.0	97	2.07	47.1	6.8	6.7	22	0.1	9.1	0.5	41	0.37	0.037	14
1878011	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878012	Soil		1.1	16.1	19.2	49	0.1	8.6	3.8	69	1.48	65.0	7.9	2.8	20	0.1	7.8	0.7	30	0.26	0.033	12
1878013	Soil		1.6	15.0	19.5	49	0.2	9.5	5.6	117	1.70	58.9	48.5	5.0	25	0.1	8.9	0.6	34	0.33	0.034	14
1878014	Soil		4.2	12.6	19.8	49	0.2	9.1	7.9	350	2.28	82.2	23.6	5.7	16	<0.1	5.2	0.3	62	0.16	0.017	10
1878015	Soil		3.4	15.1	30.3	41	0.2	12.4	6.3	161	1.74	28.3	67.8	11.5	25	<0.1	3.4	0.3	46	0.26	0.023	16
1878016	Soil		4.4	17.6	33.7	55	0.4	10.5	5.3	133	2.27	69.7	81.0	8.3	28	<0.1	5.3	0.4	48	0.32	0.036	15
1878017	Soil		1.9	12.5	21.9	36	0.3	9.9	3.4	53	1.62	38.5	39.7	3.5	28	<0.1	3.2	0.3	26	0.34	0.042	12
1878018	Soil		1.3	17.8	20.7	46	0.2	12.9	4.9	95	2.35	31.1	18.1	4.6	23	0.1	2.1	0.3	60	0.28	0.042	11
1878019	Soil		1.8	29.3	23.3	44	0.2	14.7	5.5	118	2.17	19.4	22.9	4.0	23	0.1	1.9	0.3	50	0.27	0.044	15
1878020	Soil		1.0	18.4	17.8	45	0.1	13.4	8.0	189	2.06	16.0	31.6	5.8	27	<0.1	1.8	0.2	51	0.32	0.033	13
1878021	Soil		1.0	14.2	18.7	44	0.2	10.1	4.3	80	1.67	21.1	20.7	3.1	26	<0.1	2.1	0.2	36	0.31	0.038	11
1878022	Soil		0.8	11.6	18.3	44	<0.1	12.8	6.5	235	1.97	10.4	3.0	5.3	25	<0.1	2.3	0.2	51	0.31	0.018	10
1878023	Soil		0.8	12.0	21.2	39	<0.1	13.2	6.0	208	1.86	6.0	2.8	10.1	26	<0.1	0.8	0.3	53	0.32	0.015	13
1878024	Soil		1.5	11.4	29.3	44	<0.1	10.4	5.3	232	1.73	9.5	1.7	9.9	22	<0.1	0.7	0.4	48	0.30	0.023	13
1878025	Soil		0.6	14.2	24.6	32	<0.1	11.2	4.0	113	1.38	6.3	2.3	11.6	23	<0.1	0.3	0.3	40	0.32	0.020	14
1878026	Soil		1.8	18.9	23.1	42	<0.1	10.6	4.6	90	1.75	14.1	2.2	11.1	20	<0.1	0.4	0.4	37	0.32	0.027	16
1878027	Soil		1.1	11.3	35.5	47	<0.1	9.2	4.4	146	1.36	17.1	2.9	15.0	16	0.2	0.4	0.5	35	0.31	0.028	22
1878028	Soil		0.8	11.3	18.3	47	<0.1	11.4	10.1	724	1.65	3.7	1.6	5.4	26	0.2	0.2	1.1	45	0.32	0.039	19
1878029	Soil		0.6	14.5	19.1	51	0.1	13.8	9.0	493	1.70	3.1	2.4	7.6	28	0.2	0.2	0.5	44	0.40	0.032	21
1878030	Soil		0.5	13.2	20.1	48	<0.1	13.4	8.3	300	1.87	4.2	1.9	9.1	25	0.1	0.2	0.4	50	0.30	0.031	16



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 2 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1878001	Soil	27	0.42	83	0.074	2	1.86	0.034	0.09	0.3	0.05	3.0	0.3	<0.05	5	<0.5	<0.2
1878002	Soil	18	0.26	58	0.048	1	1.03	0.059	0.09	0.3	0.07	1.8	0.5	<0.05	3	<0.5	<0.2
1878003	Soil	24	0.39	79	0.062	<1	1.23	0.046	0.10	0.3	0.07	3.1	0.2	<0.05	4	<0.5	<0.2
1878004	Soil	27	0.37	85	0.045	1	1.61	0.038	0.08	0.2	0.08	4.1	0.3	<0.05	5	<0.5	<0.2
1878005	Soil	27	0.36	71	0.041	<1	1.59	0.039	0.12	0.2	0.12	3.4	0.4	<0.05	5	<0.5	<0.2
1878006	Soil	27	0.39	81	0.046	2	1.53	0.024	0.10	0.2	0.06	3.1	0.3	<0.05	5	<0.5	<0.2
1878007	Soil	19	0.27	78	0.024	<1	1.40	0.019	0.12	0.2	0.09	2.4	0.5	<0.05	5	<0.5	<0.2
1878008	Soil	18	0.19	70	0.008	1	1.97	0.017	0.13	0.3	0.27	3.5	0.5	<0.05	6	<0.5	<0.2
1878009	Soil	25	0.33	95	0.024	<1	2.02	0.025	0.18	0.2	0.16	4.1	0.6	<0.05	7	1.1	<0.2
1878010	Soil	22	0.28	79	0.018	<1	1.97	0.023	0.13	0.2	0.12	3.5	0.5	<0.05	6	<0.5	<0.2
1878011	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878012	Soil	19	0.26	81	0.023	<1	1.41	0.019	0.11	0.2	0.15	2.2	0.4	<0.05	5	<0.5	<0.2
1878013	Soil	21	0.24	82	0.022	1	1.62	0.020	0.12	0.2	0.15	3.1	0.5	<0.05	6	<0.5	<0.2
1878014	Soil	22	0.26	101	0.034	<1	1.73	0.015	0.10	0.2	0.03	2.5	0.3	<0.05	7	<0.5	<0.2
1878015	Soil	22	0.31	68	0.071	<1	1.18	0.031	0.10	0.1	0.05	3.3	0.3	<0.05	4	<0.5	<0.2
1878016	Soil	25	0.27	105	0.023	<1	2.08	0.016	0.15	0.2	0.13	3.6	0.4	<0.05	7	<0.5	<0.2
1878017	Soil	21	0.23	88	0.025	<1	1.50	0.014	0.11	0.2	0.12	2.9	0.3	<0.05	5	<0.5	<0.2
1878018	Soil	26	0.36	103	0.066	<1	1.65	0.019	0.08	0.1	0.07	3.5	0.2	<0.05	5	1.0	<0.2
1878019	Soil	28	0.31	130	0.051	<1	1.81	0.018	0.08	<0.1	0.07	3.9	0.2	<0.05	6	<0.5	<0.2
1878020	Soil	26	0.38	119	0.072	<1	1.58	0.023	0.07	0.1	0.04	3.8	0.2	<0.05	5	<0.5	<0.2
1878021	Soil	22	0.27	98	0.045	1	1.49	0.020	0.10	<0.1	0.07	3.0	0.2	<0.05	5	0.8	<0.2
1878022	Soil	25	0.39	108	0.072	<1	1.81	0.035	0.09	0.2	0.04	3.1	0.2	<0.05	6	<0.5	<0.2
1878023	Soil	28	0.39	107	0.076	<1	1.53	0.053	0.06	0.2	0.03	3.3	0.2	<0.05	5	<0.5	<0.2
1878024	Soil	22	0.30	84	0.052	<1	1.40	0.048	0.16	0.4	0.04	2.8	0.3	<0.05	4	0.7	<0.2
1878025	Soil	22	0.31	55	0.065	<1	1.18	0.070	0.08	0.2	0.04	3.6	0.2	<0.05	4	<0.5	<0.2
1878026	Soil	19	0.23	63	0.021	1	2.04	0.036	0.11	0.2	0.04	3.1	0.5	<0.05	6	<0.5	<0.2
1878027	Soil	23	0.26	39	0.023	<1	1.61	0.088	0.09	0.2	0.08	3.4	0.4	<0.05	5	<0.5	<0.2
1878028	Soil	21	0.32	72	0.048	<1	1.60	0.060	0.09	0.1	0.04	3.1	0.2	<0.05	5	<0.5	<0.2
1878029	Soil	23	0.35	74	0.058	<1	1.73	0.057	0.09	0.1	0.03	3.9	0.2	<0.05	5	<0.5	<0.2
1878030	Soil	26	0.36	71	0.064	<1	2.13	0.055	0.08	0.1	0.05	3.3	0.2	<0.05	6	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 3 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1878031	Soil		0.3	12.7	15.7	44	<0.1	12.0	5.0	119	1.52	2.9	4.3	5.9	27	<0.1	0.3	0.3	41	0.31	0.027	14
1878032	Soil		0.5	12.1	15.0	45	<0.1	12.4	5.7	170	1.57	3.4	3.1	4.6	26	0.1	0.3	0.3	41	0.32	0.035	14
1878033	Soil		0.8	12.3	13.4	62	<0.1	14.6	9.5	330	2.25	12.8	16.6	6.2	29	<0.1	0.5	0.2	59	0.44	0.055	21
1878034	Soil		1.0	24.3	11.0	47	<0.1	18.2	8.7	321	2.08	13.4	6.4	3.6	45	<0.1	1.0	0.2	52	0.67	0.053	14
1878035	Soil		1.4	20.9	12.4	43	<0.1	16.7	9.1	270	2.26	19.6	9.1	4.4	32	0.1	1.0	0.2	63	0.42	0.049	15
1878036	Soil		1.0	19.5	14.0	45	0.1	14.3	6.9	183	2.02	15.6	15.5	5.5	35	<0.1	0.9	0.3	48	0.48	0.045	17
1878037	Soil		0.9	16.7	15.1	51	0.2	12.5	6.3	168	2.06	22.9	176.7	5.9	31	0.1	1.3	0.4	46	0.40	0.041	15
1878038	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878039	Soil		1.0	20.9	21.3	54	0.2	13.3	7.2	153	2.26	30.7	37.9	8.1	31	0.1	1.5	0.3	51	0.40	0.036	19
1878040	Soil		1.0	20.0	20.9	53	0.2	14.1	5.0	117	1.98	28.1	18.7	7.5	31	0.1	1.7	0.4	45	0.42	0.033	19
1878041	Soil		1.9	33.2	17.8	47	<0.1	19.4	8.6	759	1.97	7.9	3.1	5.6	80	<0.1	0.7	0.3	50	0.93	0.046	24
1878042	Soil		0.9	17.7	17.2	53	<0.1	14.0	7.9	383	1.80	6.1	2.5	5.4	44	0.1	0.6	0.2	48	0.59	0.051	17
1878043	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878044	Soil		0.7	37.9	7.6	61	0.1	27.6	11.3	339	2.77	8.3	3.8	2.3	46	0.2	0.6	0.1	67	0.90	0.071	12
1878045	Soil		0.6	19.2	7.7	52	<0.1	16.9	7.9	273	2.21	8.9	4.1	2.4	38	0.2	0.7	0.1	56	0.58	0.062	11
1878046	Soil		0.7	33.4	8.7	62	<0.1	25.2	11.4	390	2.67	11.7	3.7	3.3	48	0.2	0.7	0.2	64	0.88	0.066	13
1878047	Soil		0.9	42.9	9.0	63	0.1	31.0	12.5	517	2.91	11.0	5.4	2.9	56	0.2	0.8	0.2	69	0.95	0.072	14
1878048	Soil		0.9	26.9	8.6	53	<0.1	21.0	10.2	327	2.55	13.4	5.6	2.7	43	0.2	0.8	0.2	61	0.64	0.056	13
1878049	Soil		1.6	16.9	20.3	40	0.1	13.7	6.1	134	1.96	51.2	21.5	5.9	31	0.1	2.8	0.3	47	0.39	0.038	20
1878050	Soil		1.8	16.8	19.3	35	0.2	9.3	3.4	39	1.96	85.8	20.1	2.1	31	0.1	3.2	0.3	29	0.38	0.072	22
1878051	Soil		1.2	19.7	21.3	54	0.2	11.1	5.4	94	2.04	39.4	113.1	6.1	25	<0.1	3.2	0.4	42	0.31	0.032	17
1878052	Soil		2.6	19.3	25.7	48	0.3	8.9	3.9	65	1.83	51.4	32.7	5.0	25	0.1	4.2	0.3	34	0.29	0.038	17
1878053	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878054	Soil		1.2	9.7	15.8	56	<0.1	13.1	5.5	257	2.09	9.3	1.7	5.7	18	0.1	0.4	0.3	60	0.21	0.012	7
1878055	Soil		0.9	11.9	23.7	47	<0.1	11.8	5.3	168	1.70	35.6	4.0	16.4	34	0.1	1.2	0.5	46	0.33	0.007	11
1878056	Soil		1.2	8.2	16.1	28	0.1	7.4	3.8	112	1.67	41.9	15.7	3.2	10	<0.1	0.9	0.2	44	0.09	0.013	6
1878057	Soil		1.3	11.7	35.0	44	<0.1	10.8	6.4	238	1.53	46.4	46.7	10.1	20	0.1	0.9	0.4	38	0.18	0.008	13
1878058	Soil		1.4	14.8	40.4	69	0.4	8.1	3.9	132	1.37	45.4	363.2	8.3	17	0.2	1.1	0.3	31	0.18	0.019	29
1878059	Soil		0.9	8.0	25.7	41	<0.1	8.2	4.0	210	1.30	16.3	129.0	6.9	14	0.2	0.6	0.3	31	0.19	0.014	20
1878060	Soil		1.5	13.7	19.7	45	<0.1	15.1	6.1	365	2.57	7.9	3.5	8.2	15	0.2	0.3	0.2	65	0.17	0.018	21

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 3 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1878031	Soil	23	0.38	76	0.072	1	1.62	0.056	0.08	0.1	0.04	3.4	0.1	<0.05	5	0.6	<0.2
1878032	Soil	24	0.36	79	0.066	<1	1.61	0.055	0.09	0.1	0.05	3.1	0.1	<0.05	4	<0.5	<0.2
1878033	Soil	26	0.40	110	0.064	<1	1.58	0.025	0.09	0.3	0.05	3.7	0.2	0.06	5	<0.5	<0.2
1878034	Soil	27	0.44	168	0.074	<1	1.62	0.030	0.07	0.2	0.03	4.1	<0.1	<0.05	5	0.7	<0.2
1878035	Soil	27	0.37	148	0.065	<1	1.61	0.023	0.07	0.1	0.05	4.3	0.1	<0.05	5	0.8	<0.2
1878036	Soil	24	0.36	152	0.054	<1	1.60	0.025	0.07	0.1	0.06	3.8	0.2	<0.05	5	<0.5	<0.2
1878037	Soil	25	0.37	131	0.048	2	1.72	0.028	0.09	0.1	0.06	4.3	0.2	<0.05	5	<0.5	<0.2
1878038	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878039	Soil	28	0.40	147	0.049	1	1.85	0.024	0.12	0.2	0.06	4.5	0.2	<0.05	5	<0.5	<0.2
1878040	Soil	27	0.42	137	0.059	2	1.80	0.023	0.14	0.2	0.09	4.5	0.3	<0.05	5	<0.5	<0.2
1878041	Soil	26	0.39	199	0.066	2	1.69	0.030	0.09	0.3	0.05	5.3	0.1	<0.05	5	<0.5	<0.2
1878042	Soil	26	0.37	159	0.058	1	1.50	0.025	0.08	0.2	0.03	4.1	0.1	<0.05	4	<0.5	<0.2
1878043	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878044	Soil	32	0.74	203	0.084	3	1.53	0.046	0.07	0.2	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
1878045	Soil	26	0.46	157	0.072	2	1.49	0.028	0.06	0.2	0.04	4.0	<0.1	<0.05	4	<0.5	<0.2
1878046	Soil	31	0.63	197	0.087	2	1.53	0.045	0.06	0.2	0.04	5.0	<0.1	<0.05	5	<0.5	<0.2
1878047	Soil	35	0.72	224	0.075	3	1.62	0.045	0.05	0.2	0.04	5.2	<0.1	<0.05	4	<0.5	<0.2
1878048	Soil	29	0.55	180	0.077	2	1.54	0.036	0.06	0.2	0.06	4.5	<0.1	<0.05	4	<0.5	<0.2
1878049	Soil	25	0.31	120	0.036	<1	1.70	0.025	0.09	0.2	0.10	4.0	0.3	<0.05	5	<0.5	<0.2
1878050	Soil	18	0.17	102	0.012	<1	1.59	0.016	0.10	0.2	0.12	2.8	0.3	<0.05	5	<0.5	<0.2
1878051	Soil	26	0.35	93	0.046	<1	2.00	0.022	0.12	0.1	0.07	3.7	0.3	<0.05	6	<0.5	<0.2
1878052	Soil	20	0.23	85	0.027	<1	1.75	0.018	0.16	0.2	0.09	2.7	0.5	<0.05	6	0.7	<0.2
1878053	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878054	Soil	23	0.38	52	0.063	<1	1.62	0.027	0.09	0.2	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
1878055	Soil	24	0.32	65	0.053	<1	1.38	0.113	0.09	0.3	0.26	2.7	0.4	<0.05	4	<0.5	<0.2
1878056	Soil	17	0.20	52	0.034	<1	1.20	0.013	0.07	0.1	0.03	1.4	0.2	<0.05	5	<0.5	<0.2
1878057	Soil	21	0.29	91	0.050	<1	1.06	0.018	0.12	0.3	0.01	2.1	0.2	0.07	3	<0.5	<0.2
1878058	Soil	17	0.24	54	0.056	<1	0.87	0.015	0.10	0.3	0.03	2.5	0.3	<0.05	3	0.6	<0.2
1878059	Soil	16	0.22	63	0.034	<1	1.03	0.015	0.10	0.2	<0.01	1.4	0.2	<0.05	3	<0.5	<0.2
1878060	Soil	28	0.33	122	0.076	<1	1.70	0.014	0.05	0.1	0.02	3.1	<0.1	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 4 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
			ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
			0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1878061	Soil		1.0	26.3	17.7	51	<0.1	24.2	8.8	255	2.97	8.8	5.4	8.4	21	0.1	0.4	0.1	74	0.19	0.015	20
1878062	Soil		1.1	3.7	43.2	54	<0.1	2.8	1.1	113	0.86	18.9	5.1	18.1	10	<0.1	0.5	1.3	7	0.15	0.013	69
1878063	Soil		1.9	21.0	22.8	62	0.2	15.5	9.8	304	2.69	18.0	32.8	6.5	35	<0.1	0.8	0.3	67	0.47	0.040	22
1878064	Soil		0.8	19.0	19.0	59	0.1	14.4	6.4	177	2.04	12.8	19.1	6.7	33	0.2	0.6	0.5	47	0.46	0.034	17
1878065	Soil		0.6	9.3	15.1	42	<0.1	10.3	4.4	115	1.46	8.4	9.8	6.4	25	0.1	0.4	0.2	39	0.33	0.022	12
1878066	Soil		1.5	18.3	23.2	55	0.2	13.1	5.8	174	1.79	16.1	29.8	7.8	28	0.2	0.7	0.3	43	0.35	0.027	20
1878067	Soil		1.5	8.5	14.3	38	0.1	9.3	4.5	163	1.37	18.4	5.0	5.3	24	0.1	0.5	0.2	37	0.26	0.017	12
1878068	Soil		1.9	13.8	14.0	39	0.2	8.7	5.5	349	1.18	23.9	3.2	2.5	18	0.3	0.6	0.2	27	0.22	0.023	13
1878069	Soil		1.8	4.9	41.1	23	<0.1	4.0	1.8	46	0.70	64.6	8.6	9.7	12	<0.1	1.9	0.3	16	0.16	0.009	14
1878070	Soil		1.2	13.4	15.9	46	<0.1	11.5	7.1	386	1.85	52.2	3.4	3.8	25	<0.1	1.1	0.2	45	0.35	0.026	12
1878071	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878072	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878073	Soil		1.3	15.0	17.9	41	0.1	10.5	5.5	169	1.39	19.8	16.5	8.8	22	<0.1	1.5	0.4	36	0.29	0.023	17
1878074	Soil		2.1	7.7	16.4	36	0.1	7.0	4.8	462	1.18	16.5	20.9	2.8	14	0.1	0.8	0.3	32	0.15	0.012	9
1878075	Soil		2.9	8.1	22.6	40	<0.1	10.6	8.0	289	1.51	35.5	29.5	6.8	18	<0.1	2.0	0.4	41	0.22	0.015	11
1878076	Soil		2.5	12.9	26.3	48	0.1	11.5	6.7	146	1.84	44.6	7.9	8.2	23	<0.1	2.7	0.5	41	0.30	0.022	14
1878077	Soil		6.1	14.1	21.1	41	0.2	10.9	5.8	189	1.62	130.8	17.7	10.4	24	0.1	4.9	0.4	39	0.29	0.020	18
1878078	Soil		12.5	11.8	32.8	32	<0.1	7.9	3.9	115	1.71	194.8	5.5	10.7	23	<0.1	7.4	0.4	32	0.23	0.016	15
1878079	Soil		1.9	11.9	19.1	44	<0.1	14.6	6.5	466	2.00	84.2	2.4	7.1	27	<0.1	5.6	0.5	56	0.32	0.021	12
1878080	Soil		1.0	12.9	13.0	31	<0.1	8.8	5.3	222	1.42	24.8	1.3	6.0	16	<0.1	2.6	0.3	31	0.22	0.021	13
1878081	Soil		1.3	15.3	39.9	42	0.4	8.8	4.1	100	1.29	24.1	552.9	10.6	21	<0.1	3.0	0.4	31	0.22	0.019	27
1878082	Soil		2.7	9.5	14.4	38	0.3	5.7	3.0	241	1.72	21.4	8.2	2.5	10	<0.1	1.3	0.2	54	0.09	0.013	6
1878083	Soil		1.4	4.1	8.3	11	<0.1	1.7	1.3	54	0.73	11.0	5.5	1.7	6	<0.1	0.9	0.1	21	0.04	0.008	3
1878084	Soil		2.5	11.1	16.7	47	0.2	10.0	5.7	373	1.83	26.2	4.1	2.9	20	0.2	1.6	0.2	50	0.17	0.017	7
1878085	Soil		3.1	15.6	23.1	34	0.2	9.8	4.7	115	2.52	31.9	10.1	5.4	14	<0.1	2.1	0.3	69	0.13	0.015	9
1878086	Soil		5.3	12.0	19.4	41	<0.1	10.3	6.0	196	2.39	71.2	8.1	5.9	16	<0.1	4.1	0.3	64	0.12	0.012	8
1878087	Soil		2.0	18.1	22.9	54	0.2	11.3	4.4	104	1.84	115.8	14.3	12.7	24	<0.1	11.7	0.5	35	0.33	0.025	20
1878088	Soil		1.3	13.4	22.8	52	<0.1	9.8	5.3	128	1.53	74.5	10.1	11.2	21	0.1	10.2	0.7	35	0.25	0.021	13
1878089	Soil		1.2	11.9	19.5	49	<0.1	9.5	8.6	271	1.67	45.4	5.1	8.3	19	<0.1	6.0	0.4	43	0.27	0.018	12
1878090	Soil		1.1	7.2	24.4	40	<0.1	6.7	3.3	213	1.07	8.2	4.2	11.6	13	0.1	0.5	0.4	28	0.31	0.019	22



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 4 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
1878061	Soil	38	0.45	161	0.086	<1	2.73	0.018	0.05	0.1	<0.01	3.7	0.1	<0.05	6	<0.5	<0.2	
1878062	Soil	5	0.07	26	0.003	<1	0.55	0.017	0.21	0.2	0.01	0.9	0.2	0.15	2	<0.5	<0.2	
1878063	Soil	34	0.39	133	0.059	<1	2.54	0.032	0.13	0.4	0.07	5.6	0.2	<0.05	7	<0.5	<0.2	
1878064	Soil	29	0.41	126	0.057	<1	1.87	0.042	0.10	0.2	0.07	4.6	0.3	<0.05	5	<0.5	<0.2	
1878065	Soil	23	0.37	98	0.080	1	1.13	0.032	0.09	0.2	0.02	2.7	0.1	<0.05	3	<0.5	<0.2	
1878066	Soil	29	0.35	119	0.059	<1	1.76	0.032	0.16	0.2	0.04	3.7	0.3	<0.05	5	<0.5	<0.2	
1878067	Soil	18	0.28	94	0.056	<1	1.11	0.034	0.12	0.2	0.02	2.1	0.2	<0.05	4	<0.5	<0.2	
1878068	Soil	14	0.17	69	0.026	<1	1.09	0.022	0.08	0.1	0.03	1.7	0.2	<0.05	4	<0.5	<0.2	
1878069	Soil	9	0.12	43	0.019	<1	0.55	0.021	0.12	0.2	0.03	1.2	0.2	<0.05	2	<0.5	<0.2	
1878070	Soil	23	0.32	119	0.058	<1	1.53	0.017	0.12	0.3	0.03	2.7	0.2	<0.05	5	0.6	<0.2	
1878071	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878072	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878073	Soil	21	0.33	97	0.062	2	1.01	0.020	0.09	0.2	0.03	2.9	0.2	<0.05	3	0.5	<0.2	
1878074	Soil	13	0.21	83	0.034	1	0.97	0.013	0.08	0.2	0.02	1.4	0.2	<0.05	3	<0.5	<0.2	
1878075	Soil	20	0.33	84	0.051	1	1.14	0.019	0.11	0.2	0.02	2.0	0.2	<0.05	4	<0.5	<0.2	
1878076	Soil	23	0.35	95	0.044	3	1.64	0.022	0.14	0.3	0.05	2.9	0.3	<0.05	5	<0.5	<0.2	
1878077	Soil	22	0.33	97	0.044	2	1.23	0.022	0.12	0.3	0.12	2.9	0.4	<0.05	4	0.8	<0.2	
1878078	Soil	15	0.22	89	0.025	2	1.09	0.023	0.14	0.3	0.04	1.9	0.4	0.08	4	0.6	<0.2	
1878079	Soil	27	0.39	131	0.067	1	1.45	0.034	0.11	0.3	0.03	2.8	0.3	<0.05	5	0.7	<0.2	
1878080	Soil	17	0.20	68	0.028	<1	1.34	0.023	0.08	0.2	0.02	2.8	0.2	<0.05	5	<0.5	<0.2	
1878081	Soil	17	0.22	71	0.044	1	1.08	0.024	0.11	0.1	0.06	2.9	0.4	<0.05	3	0.5	<0.2	
1878082	Soil	12	0.12	56	0.036	<1	1.12	0.012	0.05	<0.1	<0.01	1.3	0.2	<0.05	7	0.6	<0.2	
1878083	Soil	4	0.05	33	0.024	<1	0.44	0.014	0.04	<0.1	0.01	0.5	<0.1	<0.05	3	<0.5	<0.2	
1878084	Soil	19	0.28	124	0.039	<1	1.34	0.015	0.07	0.1	0.02	1.7	0.2	<0.05	5	<0.5	<0.2	
1878085	Soil	24	0.23	110	0.041	<1	2.03	0.011	0.06	0.1	0.01	2.4	0.2	<0.05	7	<0.5	<0.2	
1878086	Soil	24	0.28	96	0.039	<1	1.96	0.013	0.07	0.2	0.01	2.6	0.3	<0.05	6	<0.5	<0.2	
1878087	Soil	24	0.32	89	0.024	<1	1.94	0.028	0.18	0.3	0.23	4.0	0.6	0.08	6	0.7	<0.2	
1878088	Soil	22	0.32	68	0.027	<1	1.47	0.039	0.15	0.2	0.09	2.7	0.5	0.08	5	<0.5	<0.2	
1878089	Soil	20	0.30	69	0.027	<1	1.47	0.032	0.11	0.3	0.06	2.8	0.3	<0.05	5	<0.5	<0.2	
1878090	Soil	13	0.19	37	0.029	<1	0.97	0.069	0.11	0.3	0.03	1.6	0.2	<0.05	3	0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 5 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1878091	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1878092	Soil	0.6	8.0	10.3	21	<0.1	5.7	2.9	73	1.21	3.1	<0.5	5.3	11	0.2	0.2	34	0.09	0.012	6	
1878093	Soil	0.6	6.2	9.8	22	<0.1	5.8	3.1	151	1.13	2.7	<0.5	3.5	12	<0.1	0.2	36	0.13	0.014	6	
1878094	Soil	0.9	16.4	14.0	42	<0.1	17.0	7.5	189	2.63	7.0	1.9	8.5	17	0.1	0.4	69	0.21	0.009	10	
1878095	Soil	0.8	8.9	8.7	30	<0.1	11.0	4.9	222	1.94	5.8	<0.5	2.6	13	<0.1	0.2	52	0.11	0.013	5	
1878096	Soil	0.7	8.1	17.2	28	<0.1	6.8	2.9	139	1.49	4.4	0.6	6.4	15	0.3	0.2	41	0.11	0.011	12	
1878097	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1878098	Soil	0.5	13.5	19.5	40	0.1	12.5	6.1	371	1.58	3.3	2.5	9.1	20	0.2	0.2	38	0.33	0.029	24	
1878099	Soil	0.4	9.0	19.6	38	<0.1	10.7	4.7	195	1.55	3.3	1.3	10.1	20	0.2	0.2	40	0.26	0.017	17	
1878100	Soil	0.6	11.5	18.9	40	0.1	12.0	6.0	234	1.36	2.6	2.4	5.3	17	0.2	0.2	32	0.29	0.039	15	
1878101	Soil	0.4	9.0	16.7	40	<0.1	11.1	8.2	315	1.37	2.7	<0.5	5.4	20	0.1	0.2	33	0.26	0.029	11	
1878102	Soil	0.4	10.2	17.4	39	<0.1	12.5	4.9	120	1.51	3.1	0.7	4.9	19	0.1	0.2	31	0.32	0.034	13	
1878103	Soil	0.5	10.0	14.2	34	<0.1	11.0	4.7	125	1.33	2.5	2.1	4.3	18	0.1	0.2	30	0.27	0.037	10	
1878104	Soil	0.7	10.6	14.7	41	<0.1	11.6	4.0	113	1.49	3.9	2.6	4.4	17	0.2	0.2	35	0.24	0.040	12	
1878105	Soil	0.7	16.0	11.4	46	<0.1	14.6	7.5	228	1.84	8.1	22.2	6.3	29	<0.1	0.6	49	0.42	0.051	20	
1878106	Soil	1.1	14.1	13.0	46	<0.1	13.3	7.6	319	1.85	11.4	12.8	4.7	28	<0.1	0.6	50	0.38	0.048	13	
1878107	Soil	1.0	16.5	13.5	47	0.1	13.7	6.7	251	1.84	7.2	25.3	3.8	30	0.1	0.4	51	0.38	0.041	12	
1878108	Soil	1.1	19.7	15.9	47	0.1	15.6	7.9	384	1.95	7.7	46.9	5.2	32	0.1	0.5	46	0.41	0.044	15	
1878109	Soil	0.8	19.9	17.2	55	<0.1	14.6	8.5	224	1.94	7.3	21.0	7.1	33	0.1	0.6	57	0.41	0.055	16	
1878110	Soil	1.6	8.4	24.8	35	<0.1	8.1	3.7	121	1.50	7.7	2.2	6.4	15	0.1	0.3	52	0.12	0.013	6	
1878111	Soil	0.8	28.0	20.7	86	<0.1	18.0	6.9	197	1.87	34.1	3.3	9.6	28	0.3	1.7	54	0.47	0.057	15	
1878112	Soil	1.5	18.5	17.9	69	<0.1	13.8	5.9	183	1.61	51.4	1.6	7.1	20	0.2	1.9	50	0.28	0.028	11	
1878113	Soil	1.8	17.5	22.6	67	0.2	11.4	6.4	158	1.85	38.7	55.5	10.1	20	0.1	3.8	45	0.21	0.024	13	
1878114	Soil	1.0	17.2	21.3	34	0.3	6.3	2.4	45	1.21	49.3	45.4	1.3	16	0.1	1.3	19	0.16	0.047	13	
1878115	Soil	0.9	11.9	9.8	24	0.5	4.9	2.5	49	0.96	12.8	109.0	0.7	16	<0.1	1.7	18	0.15	0.041	10	
1878116	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	
1878117	Soil	0.7	7.0	6.0	13	0.2	1.8	1.4	43	0.71	6.9	0.5	0.5	5	<0.1	0.2	19	0.04	0.010	3	
1878118	Soil	2.0	12.3	28.6	61	0.4	10.4	6.8	286	1.68	37.4	14.1	6.3	21	0.2	0.7	44	0.19	0.032	28	
1878119	Soil	2.4	12.6	22.1	61	0.3	10.0	10.0	358	1.67	20.0	15.5	6.3	17	0.1	0.6	49	0.18	0.031	16	
1878120	Soil	0.8	11.9	12.8	49	0.1	10.8	4.6	134	1.54	6.0	3.3	4.8	18	0.2	0.3	40	0.22	0.041	17	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 5 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1878091	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878092	Soil	11	0.11	36	0.043	<1	1.19	0.039	0.08	0.1	0.03	1.1	0.2	<0.05	4	<0.5	<0.2
1878093	Soil	11	0.12	41	0.046	<1	0.90	0.030	0.06	0.1	0.02	1.1	<0.1	<0.05	4	<0.5	<0.2
1878094	Soil	33	0.39	77	0.082	<1	2.43	0.023	0.05	0.1	0.01	2.9	0.1	<0.05	5	<0.5	<0.2
1878095	Soil	18	0.24	88	0.056	<1	1.65	0.014	0.05	0.1	0.02	1.5	<0.1	<0.05	5	<0.5	<0.2
1878096	Soil	13	0.15	57	0.042	<1	1.35	0.023	0.07	0.2	0.03	1.3	0.2	<0.05	5	<0.5	<0.2
1878097	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878098	Soil	22	0.31	67	0.033	<1	1.96	0.059	0.09	0.1	0.05	3.5	0.2	<0.05	6	0.6	<0.2
1878099	Soil	20	0.25	61	0.043	<1	1.81	0.068	0.10	0.1	0.03	2.3	0.2	<0.05	5	<0.5	<0.2
1878100	Soil	21	0.29	59	0.047	1	1.77	0.046	0.08	0.1	0.05	2.8	0.1	<0.05	5	<0.5	<0.2
1878101	Soil	21	0.31	57	0.061	<1	1.54	0.060	0.09	0.1	0.04	2.7	0.1	<0.05	5	<0.5	<0.2
1878102	Soil	22	0.31	54	0.063	<1	1.58	0.050	0.07	0.2	0.06	3.5	0.2	<0.05	5	<0.5	<0.2
1878103	Soil	20	0.28	49	0.057	<1	1.46	0.045	0.06	0.2	0.05	2.7	0.1	<0.05	4	<0.5	<0.2
1878104	Soil	22	0.29	55	0.056	<1	1.69	0.035	0.07	0.2	0.05	2.8	0.2	<0.05	5	<0.5	<0.2
1878105	Soil	23	0.38	108	0.061	<1	1.35	0.030	0.06	0.2	0.03	3.4	0.2	<0.05	4	<0.5	<0.2
1878106	Soil	26	0.34	116	0.057	<1	1.55	0.031	0.06	0.2	0.05	3.9	0.2	<0.05	5	<0.5	<0.2
1878107	Soil	25	0.35	124	0.066	<1	1.51	0.030	0.05	0.1	0.04	3.4	0.2	<0.05	5	<0.5	<0.2
1878108	Soil	27	0.36	124	0.060	<1	1.75	0.035	0.06	0.1	0.06	4.3	0.1	<0.05	5	<0.5	<0.2
1878109	Soil	29	0.46	114	0.079	2	1.38	0.041	0.05	0.2	0.05	4.0	0.1	<0.05	4	<0.5	<0.2
1878110	Soil	18	0.23	59	0.063	<1	1.31	0.012	0.08	0.3	0.01	1.6	0.2	<0.05	5	<0.5	<0.2
1878111	Soil	25	0.41	72	0.064	1	1.48	0.034	0.07	0.2	0.09	4.3	0.3	<0.05	4	0.8	<0.2
1878112	Soil	24	0.35	59	0.064	1	1.43	0.031	0.07	0.3	0.07	2.3	0.2	<0.05	5	<0.5	<0.2
1878113	Soil	25	0.30	68	0.038	<1	1.42	0.022	0.12	0.3	0.15	3.0	0.4	<0.05	5	<0.5	<0.2
1878114	Soil	15	0.13	65	0.019	1	0.98	0.010	0.08	0.2	0.07	1.3	0.3	<0.05	4	<0.5	<0.2
1878115	Soil	14	0.11	62	0.028	<1	0.74	0.014	0.05	<0.1	0.11	1.3	0.2	<0.05	4	<0.5	<0.2
1878116	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878117	Soil	5	0.05	19	0.028	<1	0.34	0.018	0.03	<0.1	0.02	0.3	<0.1	<0.05	3	<0.5	<0.2
1878118	Soil	20	0.28	90	0.033	<1	1.36	0.014	0.10	0.2	0.07	2.3	0.4	<0.05	6	<0.5	<0.2
1878119	Soil	22	0.30	75	0.036	1	1.43	0.013	0.08	0.2	0.06	2.3	0.3	<0.05	5	<0.5	<0.2
1878120	Soil	22	0.30	96	0.051	<1	1.30	0.015	0.05	0.2	0.05	2.6	0.1	<0.05	5	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 6 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1878121	Soil	0.6	9.3	14.1	44	<0.1	8.4	5.1	166	1.19	2.6	1.6	8.7	17	0.2	0.2	0.3	34	0.24	0.032	24
1878122	Soil	0.8	9.8	16.8	39	<0.1	11.4	5.8	170	1.79	3.2	<0.5	4.0	17	0.1	0.3	0.3	53	0.13	0.010	7
1878123	Soil	1.2	15.9	19.1	62	0.1	16.2	9.0	277	2.70	5.9	1.2	5.6	22	0.2	0.4	0.3	75	0.16	0.014	13
1878124	Soil	0.8	7.8	24.6	48	<0.1	6.9	3.2	118	0.92	11.9	4.9	13.1	19	0.2	0.5	0.5	27	0.16	0.019	19
1878125	Soil	0.7	9.3	19.4	38	<0.1	10.6	4.8	149	1.44	7.9	2.8	10.7	36	<0.1	0.5	0.4	42	0.27	0.018	15
1878126	Soil	1.0	11.8	24.5	41	<0.1	10.4	6.6	268	1.52	4.8	<0.5	9.4	20	0.1	0.3	0.7	47	0.26	0.018	18
1878127	Soil	0.6	8.7	25.3	28	<0.1	8.2	3.9	180	1.18	4.6	1.0	15.8	28	<0.1	0.3	0.6	35	0.29	0.010	15
1878128	Soil	0.8	13.2	24.0	35	<0.1	13.1	6.5	347	1.77	4.2	<0.5	9.3	29	<0.1	0.3	0.3	50	0.29	0.011	16
1878129	Soil	0.6	13.6	14.8	42	<0.1	14.7	9.2	238	1.83	4.7	3.4	9.6	27	<0.1	0.4	0.3	53	0.23	0.008	15
1878130	Soil	0.8	30.1	17.7	54	<0.1	21.8	10.6	211	2.95	9.0	2.0	20.2	22	<0.1	0.4	0.2	82	0.19	0.010	42
1878131	Soil	0.9	37.0	15.5	59	<0.1	28.1	11.3	431	3.15	11.3	1.0	15.3	39	<0.1	0.5	0.2	83	0.30	0.012	43
1878132	Soil	2.1	12.4	16.5	44	<0.1	12.4	5.9	164	1.91	31.9	2.5	5.7	19	<0.1	3.0	0.4	56	0.18	0.009	7
1878133	Soil	0.7	6.1	7.5	14	<0.1	2.2	1.1	36	0.54	6.6	3.3	2.2	7	<0.1	0.3	0.2	14	0.05	0.007	4
1878134	Soil	1.2	15.0	30.8	48	0.3	7.3	3.3	91	1.15	50.3	67.1	12.1	19	0.1	2.1	0.5	25	0.18	0.020	22
1878135	Soil	2.0	12.0	19.8	24	0.8	5.9	2.9	21	2.16	83.1	289.3	3.3	22	0.2	1.9	0.7	26	0.19	0.092	23
1878136	Soil	0.9	16.2	16.1	46	0.1	13.2	6.6	242	1.96	7.2	10.2	9.5	23	0.2	0.5	0.3	50	0.26	0.035	16
1878137	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878138	Soil	1.1	16.6	27.2	40	0.8	13.2	4.2	173	1.94	42.9	377.5	14.1	22	0.2	4.3	1.0	20	0.18	0.080	28
1878139	Soil	1.7	20.3	16.2	41	1.0	12.4	5.8	152	1.52	16.8	228.8	2.5	33	<0.1	2.2	0.4	27	0.32	0.064	21
1878140	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1878151	Soil	1.2	14.6	13.1	41	<0.1	15.0	6.8	187	2.14	6.2	0.8	4.7	22	0.1	0.4	0.2	61	0.17	0.011	8
1878152	Soil	0.5	7.7	12.1	26	<0.1	7.3	3.9	244	1.25	2.5	<0.5	6.0	18	<0.1	0.3	0.2	34	0.17	0.013	10
1878153	Soil	0.5	10.3	16.8	40	<0.1	10.4	4.8	146	1.34	3.5	<0.5	10.2	24	<0.1	0.4	0.3	42	0.25	0.025	16
1878154	Soil	0.8	18.1	12.2	45	<0.1	17.1	7.2	255	2.27	7.6	2.3	9.5	27	<0.1	0.6	0.2	64	0.31	0.013	23
1878155	Soil	1.3	8.9	24.8	73	<0.1	7.0	3.1	192	1.20	8.0	1.2	5.5	14	0.2	0.8	0.4	30	0.26	0.042	9
1878156	Soil	1.0	9.3	27.2	61	<0.1	10.5	4.6	157	1.44	11.3	1.6	10.2	19	0.1	1.6	0.5	42	0.27	0.017	14
1878157	Soil	0.7	12.8	22.2	51	<0.1	11.7	6.8	182	1.50	7.2	1.5	11.3	27	<0.1	1.3	0.3	51	0.31	0.019	15
1878158	Soil	1.6	19.7	15.1	43	<0.1	10.3	5.6	164	1.39	6.2	1.8	3.7	24	0.2	1.1	0.3	39	0.35	0.030	10
1878159	Soil	0.9	18.6	16.3	56	<0.1	15.7	9.0	221	2.09	7.3	1.4	8.2	31	0.2	1.5	0.3	59	0.37	0.033	17
1878160	Soil	1.0	18.9	16.5	62	<0.1	15.3	7.8	217	2.20	10.3	<0.5	9.6	30	0.1	1.5	0.4	55	0.36	0.026	15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 6 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1878121	Soil	17	0.25	77	0.054	<1	1.12	0.015	0.04	0.3	0.04	2.1	<0.1	<0.05	4	<0.5	<0.2
1878122	Soil	19	0.26	100	0.059	<1	1.42	0.018	0.03	0.1	0.02	1.5	0.1	<0.05	6	<0.5	<0.2
1878123	Soil	30	0.33	136	0.078	<1	2.05	0.013	0.03	<0.1	0.02	2.7	0.1	<0.05	8	<0.5	<0.2
1878124	Soil	13	0.18	53	0.042	<1	0.65	0.014	0.10	0.2	0.01	1.2	0.2	<0.05	2	<0.5	<0.2
1878125	Soil	20	0.34	86	0.062	<1	1.08	0.027	0.08	0.2	0.01	2.2	0.2	<0.05	3	<0.5	<0.2
1878126	Soil	19	0.25	53	0.040	<1	1.27	0.023	0.08	0.3	0.02	2.0	0.2	<0.05	4	<0.5	<0.2
1878127	Soil	16	0.24	49	0.041	<1	0.88	0.060	0.10	0.3	0.02	1.5	0.2	<0.05	3	<0.5	<0.2
1878128	Soil	22	0.32	81	0.080	<1	1.21	0.023	0.07	0.2	0.01	2.4	0.1	<0.05	4	<0.5	<0.2
1878129	Soil	27	0.39	120	0.069	<1	1.27	0.019	0.04	0.1	0.01	3.1	<0.1	<0.05	3	<0.5	<0.2
1878130	Soil	50	0.44	122	0.110	<1	2.34	0.018	0.04	0.1	0.03	8.4	<0.1	<0.05	6	<0.5	<0.2
1878131	Soil	47	0.58	232	0.101	<1	2.40	0.023	0.05	0.1	0.04	8.7	<0.1	<0.05	7	<0.5	<0.2
1878132	Soil	25	0.28	78	0.057	<1	1.65	0.018	0.06	0.1	0.04	1.9	0.3	<0.05	5	<0.5	<0.2
1878133	Soil	5	0.05	23	0.015	<1	0.53	0.021	0.05	<0.1	0.02	0.5	0.2	<0.05	3	<0.5	<0.2
1878134	Soil	15	0.21	58	0.039	<1	0.81	0.013	0.10	0.3	0.09	2.2	0.5	<0.05	3	<0.5	<0.2
1878135	Soil	10	0.07	73	0.010	<1	1.31	0.011	0.24	0.4	0.10	1.5	0.5	<0.05	4	<0.5	<0.2
1878136	Soil	24	0.34	104	0.051	1	1.57	0.014	0.07	0.2	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
1878137	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1878138	Soil	21	0.15	127	0.016	<1	2.06	0.025	0.19	<0.1	0.10	4.5	0.7	<0.05	8	<0.5	<0.2
1878139	Soil	25	0.26	133	0.049	<1	1.61	0.015	0.09	0.2	0.10	3.1	0.2	<0.05	6	<0.5	<0.2
1878140	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1878151	Soil	24	0.27	166	0.081	<1	1.75	0.017	0.03	0.1	0.01	2.5	0.1	<0.05	6	<0.5	<0.2
1878152	Soil	14	0.17	57	0.052	<1	1.08	0.039	0.05	0.2	0.02	1.3	<0.1	<0.05	3	<0.5	<0.2
1878153	Soil	20	0.29	57	0.062	<1	1.11	0.049	0.07	0.3	0.04	2.0	0.1	<0.05	3	<0.5	<0.2
1878154	Soil	32	0.49	164	0.088	<1	1.80	0.027	0.04	0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1878155	Soil	13	0.15	39	0.034	<1	0.96	0.024	0.10	0.3	0.03	1.3	0.2	<0.05	3	<0.5	<0.2
1878156	Soil	19	0.28	51	0.051	2	1.02	0.049	0.10	0.3	0.03	2.0	0.2	<0.05	4	<0.5	<0.2
1878157	Soil	25	0.31	77	0.079	1	1.18	0.045	0.07	0.2	0.06	3.2	0.2	<0.05	3	<0.5	<0.2
1878158	Soil	19	0.20	71	0.037	2	1.30	0.024	0.08	0.2	0.03	2.3	0.2	<0.05	5	<0.5	<0.2
1878159	Soil	27	0.37	104	0.071	2	1.64	0.033	0.08	0.2	0.03	3.4	0.2	<0.05	5	<0.5	<0.2
1878160	Soil	30	0.40	98	0.072	2	1.64	0.037	0.09	0.2	0.04	4.3	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 7 of 7

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
1878161	Soil	0.8	22.2	17.2	49	<0.1	18.0	8.1	204	1.97	8.3	5.4	8.8	32	0.1	1.4	0.3	53	0.42	0.035	17
1878162	Soil	0.8	22.5	18.4	66	<0.1	17.1	8.2	201	2.09	9.2	2.6	7.8	34	0.2	1.3	0.4	52	0.45	0.035	16
1878163	Soil	0.7	16.5	19.2	63	<0.1	13.0	8.7	229	1.92	8.8	7.0	8.1	28	0.1	1.2	0.3	52	0.33	0.035	14
1878164	Soil	1.2	19.3	17.4	59	<0.1	15.4	10.0	372	1.95	12.4	1.9	6.6	30	0.2	1.5	0.3	56	0.43	0.037	14
1878165	Soil	1.1	24.3	19.3	67	<0.1	20.0	10.7	390	2.16	15.6	3.4	8.0	38	0.2	2.0	0.3	56	0.54	0.051	18
1878166	Soil	0.8	15.9	20.1	56	<0.1	14.1	10.6	561	1.84	18.0	1.6	8.4	35	0.2	2.4	0.3	53	0.43	0.042	15
1878167	Soil	0.9	17.2	14.5	62	<0.1	14.3	6.5	194	1.98	21.1	5.4	6.7	34	0.2	4.1	0.3	54	0.45	0.044	17
1878168	Soil	0.6	23.9	19.8	48	<0.1	15.9	7.4	185	1.97	9.0	4.1	12.1	38	0.2	0.9	0.3	52	0.44	0.032	33
1878169	Soil	0.9	29.3	21.2	55	0.1	19.6	11.6	305	2.63	13.1	2.8	11.3	49	0.2	0.9	0.3	68	0.47	0.039	36
1878170	Soil	1.4	17.1	19.8	54	<0.1	14.3	6.6	212	2.83	288.5	2.7	9.7	32	0.1	5.8	0.4	62	0.34	0.039	19
1878171	Soil	1.3	17.0	18.6	57	<0.1	16.4	8.5	271	2.28	99.6	5.4	9.5	29	<0.1	5.5	0.3	58	0.31	0.026	23
1878172	Soil	0.9	10.1	16.3	53	<0.1	12.5	8.1	321	1.97	105.0	4.1	6.7	30	0.2	3.6	0.3	54	0.38	0.028	13
1878173	Soil	0.7	9.0	21.9	35	<0.1	7.7	3.9	128	1.21	34.2	1.8	13.6	29	<0.1	2.2	0.4	36	0.26	0.016	20
1878174	Soil	1.1	13.9	16.8	43	<0.1	12.4	6.8	191	2.24	7.2	2.6	6.3	18	0.1	0.3	0.3	74	0.18	0.019	11
1878175	Soil	1.0	13.2	11.4	41	<0.1	8.9	5.2	159	1.96	5.1	1.6	4.8	11	<0.1	0.4	0.2	48	0.08	0.020	7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 7 of 7

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
1878161	Soil	29	0.45	107	0.089	2	1.48	0.046	0.06	0.2	0.03	4.4	0.2	<0.05	4	<0.5	<0.2
1878162	Soil	29	0.39	110	0.067	2	2.11	0.040	0.07	0.2	0.04	4.5	0.2	<0.05	6	<0.5	<0.2
1878163	Soil	26	0.35	89	0.075	1	1.60	0.037	0.06	0.2	0.03	3.5	0.2	<0.05	5	<0.5	<0.2
1878164	Soil	26	0.35	91	0.075	1	1.53	0.034	0.06	0.2	0.06	3.9	0.2	<0.05	5	<0.5	<0.2
1878165	Soil	32	0.43	133	0.088	2	1.68	0.038	0.07	0.2	0.05	5.1	0.2	<0.05	5	<0.5	<0.2
1878166	Soil	25	0.33	116	0.077	2	1.31	0.042	0.08	0.2	0.06	3.6	0.2	<0.05	4	<0.5	<0.2
1878167	Soil	27	0.38	109	0.059	1	1.50	0.034	0.08	0.2	0.09	4.3	0.2	<0.05	5	<0.5	<0.2
1878168	Soil	32	0.30	172	0.077	1	1.96	0.017	0.08	0.1	0.05	6.3	0.2	<0.05	6	<0.5	<0.2
1878169	Soil	35	0.37	235	0.091	2	2.59	0.021	0.08	0.2	0.07	7.0	0.2	<0.05	7	0.5	<0.2
1878170	Soil	28	0.31	120	0.039	<1	2.19	0.026	0.09	0.2	0.10	4.6	0.4	<0.05	6	0.5	<0.2
1878171	Soil	32	0.41	124	0.079	2	1.61	0.024	0.09	0.2	0.04	3.8	0.3	<0.05	5	<0.5	<0.2
1878172	Soil	23	0.37	120	0.078	1	1.38	0.016	0.13	0.2	0.04	2.5	0.3	<0.05	5	<0.5	<0.2
1878173	Soil	17	0.23	78	0.058	<1	0.87	0.056	0.10	0.2	0.03	2.0	0.3	<0.05	3	<0.5	<0.2
1878174	Soil	25	0.30	109	0.085	<1	2.04	0.013	0.07	0.1	0.02	2.8	0.1	<0.05	8	<0.5	<0.2
1878175	Soil	15	0.16	57	0.072	<1	1.56	0.018	0.03	0.1	0.04	1.7	<0.1	<0.05	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: October 04, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
1878002	Soil	0.9	9.3	22.2	34	<0.1	8.5	3.6	103	1.25	45.5	4.4	8.7	21	0.1	4.2	0.5	34	0.22	0.009	9
REP 1878002	QC	1.0	9.0	22.7	37	<0.1	8.6	3.6	103	1.26	46.5	4.6	9.3	20	<0.1	4.2	0.5	36	0.21	0.009	9
1878037	Soil	0.9	16.7	15.1	51	0.2	12.5	6.3	168	2.06	22.9	176.7	5.9	31	0.1	1.3	0.4	46	0.40	0.041	15
REP 1878037	QC	0.9	16.2	15.4	53	0.1	12.5	6.6	161	2.10	23.1	9.6	6.6	32	<0.1	1.4	0.3	48	0.40	0.045	16
1878074	Soil	2.1	7.7	16.4	36	0.1	7.0	4.8	462	1.18	16.5	20.9	2.8	14	0.1	0.8	0.3	32	0.15	0.012	9
REP 1878074	QC	2.3	8.1	17.2	37	0.1	7.3	5.1	485	1.25	16.8	16.1	3.2	15	0.1	0.9	0.3	32	0.16	0.012	9
1878110	Soil	1.6	8.4	24.8	35	<0.1	8.1	3.7	121	1.50	7.7	2.2	6.4	15	0.1	0.3	0.5	52	0.12	0.013	6
REP 1878110	QC	1.5	8.6	25.1	36	<0.1	8.8	3.9	119	1.57	7.8	1.0	6.5	14	0.1	0.3	0.5	52	0.12	0.013	7
1878156	Soil	1.0	9.3	27.2	61	<0.1	10.5	4.6	157	1.44	11.3	1.6	10.2	19	0.1	1.6	0.5	42	0.27	0.017	14
REP 1878156	QC	1.1	10.0	26.1	65	<0.1	10.1	4.7	143	1.45	12.2	1.4	10.0	19	0.2	1.5	0.4	48	0.29	0.019	13
Reference Materials																					
STD DS11	Standard	13.1	159.3	140.9	358	1.7	72.2	15.7	957	3.05	45.2	119.5	9.2	59	2.8	8.9	12.5	53	1.01	0.075	19
STD DS11	Standard	13.0	163.2	140.5	337	1.7	82.6	15.2	919	2.88	46.5	64.6	7.6	66	2.6	8.5	12.4	52	0.92	0.076	17
STD DS11	Standard	13.8	157.9	139.2	350	1.7	85.3	15.2	1057	3.22	44.5	71.1	7.8	63	2.4	7.7	11.7	57	1.04	0.079	17
STD DS11	Standard	14.4	155.1	137.3	331	1.7	83.9	13.5	1073	3.09	42.5	74.8	7.7	62	2.4	7.2	10.8	51	1.02	0.071	16
STD DS11	Standard	13.2	147.5	134.1	342	1.7	82.8	14.3	1099	3.25	44.9	79.3	6.7	60	2.6	8.1	10.6	51	1.03	0.073	16
STD OXC129	Standard	1.1	29.2	6.7	40	<0.1	75.0	20.8	408	3.04	0.7	193.8	2.2	180	<0.1	<0.1	<0.1	54	0.63	0.099	12
STD OXC129	Standard	1.3	31.0	6.9	39	<0.1	80.4	20.9	436	3.09	<0.5	196.4	2.1	178	<0.1	<0.1	<0.1	58	0.63	0.113	13
STD OXC129	Standard	1.2	27.3	6.2	42	<0.1	79.7	21.0	417	3.13	0.8	216.3	1.9	191	<0.1	<0.1	<0.1	55	0.65	0.104	12
STD OXC129	Standard	1.4	27.2	6.4	42	<0.1	85.6	21.2	424	2.98	<0.5	196.2	1.9	178	<0.1	<0.1	<0.1	57	0.65	0.108	12
STD OXC129	Standard	1.3	27.4	6.2	42	<0.1	80.8	21.6	450	3.27	<0.5	201.2	1.7	187	<0.1	<0.1	<0.1	59	0.64	0.102	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	0.9	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: HS
Report Date: October 04, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000901.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
1878002	Soil	18	0.26	58	0.048	1	1.03	0.059	0.09	0.3	0.07	1.8	0.5	<0.05	3	<0.5	<0.2
REP 1878002	QC	18	0.25	58	0.047	<1	1.02	0.060	0.09	0.3	0.06	1.8	0.5	<0.05	3	<0.5	<0.2
1878037	Soil	25	0.37	131	0.048	2	1.72	0.028	0.09	0.1	0.06	4.3	0.2	<0.05	5	<0.5	<0.2
REP 1878037	QC	26	0.36	131	0.052	2	1.77	0.028	0.09	0.2	0.06	4.3	0.2	<0.05	5	<0.5	<0.2
1878074	Soil	13	0.21	83	0.034	1	0.97	0.013	0.08	0.2	0.02	1.4	0.2	<0.05	3	<0.5	<0.2
REP 1878074	QC	14	0.22	84	0.036	2	0.99	0.014	0.08	0.2	<0.01	1.5	0.2	<0.05	4	<0.5	<0.2
1878110	Soil	18	0.23	59	0.063	<1	1.31	0.012	0.08	0.3	0.01	1.6	0.2	<0.05	5	<0.5	<0.2
REP 1878110	QC	18	0.26	57	0.063	<1	1.44	0.012	0.07	0.3	0.02	1.6	0.2	<0.05	5	<0.5	<0.2
1878156	Soil	19	0.28	51	0.051	2	1.02	0.049	0.10	0.3	0.03	2.0	0.2	<0.05	4	<0.5	<0.2
REP 1878156	QC	20	0.29	50	0.061	4	1.07	0.051	0.10	0.3	0.02	2.0	0.3	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	57	0.76	344	0.090	9	1.08	0.064	0.38	3.0	0.27	3.1	4.8	0.23	5	2.2	4.6
STD DS11	Standard	58	0.79	326	0.085	7	1.00	0.064	0.36	2.6	0.25	2.9	5.1	0.16	5	2.5	4.6
STD DS11	Standard	65	0.91	352	0.089	7	1.17	0.072	0.41	3.2	0.27	3.3	4.8	0.31	5	2.8	4.6
STD DS11	Standard	60	0.83	354	0.086	6	1.08	0.068	0.36	2.8	0.26	3.1	4.7	0.29	5	2.2	4.6
STD DS11	Standard	63	0.85	349	0.082	7	1.10	0.068	0.39	3.0	0.28	3.1	5.1	0.34	5	2.3	4.6
STD OXC129	Standard	55	1.60	46	0.389	<1	1.50	0.588	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	52	1.43	44	0.412	<1	1.64	0.565	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.54	47	0.409	1	1.51	0.560	0.35	<0.1	0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.53	51	0.426	<1	1.50	0.548	0.34	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.70	48	0.430	<1	1.60	0.653	0.36	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Email Distribution
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: November 07, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000902.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-ROCK_02
P.O. Number
Number of Samples: 18

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	18	Sort, label and box pulps			WHI
FA350-Au	18	50g Fire assay fusion Au by ICP-ES	50	Completed	VAN
EN002	18	Environmental disposal charge-Fire assay lead waste			VAN
MA200	18	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
AQ200-HG	18	Hg by AR digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	18	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2 Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000902.1

Method	Analyte	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	0.1	
1878201	Rock	0.39	<2	0.2	2.4	27.7	63	<0.1	0.6	<0.2	82	0.56	3	12.4	40.9	46	<0.1	3.6	1.1	<1	0.32
1878202	Rock	0.69	<2	0.4	2.0	27.7	106	<0.1	1.0	1.6	169	1.61	12	11.8	41.0	152	<0.1	3.6	1.1	5	0.48
1878203	Rock	0.99	<2	1.0	1.6	28.8	72	<0.1	1.1	0.9	203	1.30	11	7.5	32.5	68	<0.1	2.0	1.4	2	0.43
1878204	Rock	1.16	<2	1.7	2.8	37.0	66	<0.1	1.3	1.1	126	1.59	5	5.3	25.9	17	<0.1	0.3	<0.1	12	0.15
1878205	Rock	0.77	5	3.4	1.4	16.9	30	<0.1	0.8	0.6	98	0.82	20	6.5	22.1	6	<0.1	3.8	0.8	1	0.05
1878206	Rock	0.90	6	3.4	1.4	37.7	65	<0.1	0.8	0.6	143	1.27	23	6.3	23.4	8	<0.1	4.6	1.1	<1	0.06
1878207	Rock	1.03	22	2.1	2.1	20.5	11	<0.1	0.7	1.2	132	0.79	34	7.8	24.7	11	<0.1	6.4	0.4	4	0.05
1878208	Rock	1.15	22	2.0	2.3	22.3	12	<0.1	0.7	1.0	119	0.71	32	7.7	23.8	11	<0.1	6.4	0.4	4	0.05
1878209	Rock	1.32	114	7.0	2.7	25.9	15	1.0	0.9	0.5	77	0.85	100	8.1	26.6	19	<0.1	27.3	0.5	5	0.06
1878210	Rock	1.02	298	1.5	3.7	14.6	25	0.2	2.0	2.3	207	1.00	22	5.9	22.9	20	<0.1	9.3	0.4	17	0.11
1878211	Rock	0.78	21	2.3	3.5	30.8	75	<0.1	2.1	1.3	222	1.46	6	5.2	21.5	23	<0.1	0.8	<0.1	10	0.16
1878212	Rock	0.35	595	1.5	4.9	12.2	10	0.2	3.0	1.6	150	1.12	27	6.5	27.1	24	<0.1	15.9	0.7	22	0.13
1878213	Rock	1.35	49	2.4	1.2	11.5	10	0.4	0.5	<0.2	110	0.67	22	9.3	30.7	8	<0.1	6.6	0.5	4	0.05
1878214	Rock	1.22	383	0.9	1.0	20.9	18	0.1	0.8	0.3	114	0.85	84	7.2	31.3	9	<0.1	5.3	0.4	6	0.03
1878215	Rock	1.32	26	1.9	1.7	13.7	16	<0.1	0.5	<0.2	108	0.87	51	7.8	29.5	8	<0.1	4.5	0.5	3	0.04
1878216	Rock	1.49	137	3.7	1.5	27.7	13	0.2	0.6	<0.2	79	0.82	45	6.6	26.2	12	<0.1	7.0	0.5	7	0.05
1878217	Rock	1.20	4	1.2	1.8	29.7	32	<0.1	0.5	0.2	59	1.00	18	7.8	27.5	4	<0.1	4.6	0.6	<1	0.12
1878218	Rock	1.05	<2	1.9	4.1	24.8	83	<0.1	2.3	1.0	403	1.71	<1	4.9	25.8	33	<0.1	0.1	0.1	2	0.15



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000902.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
1878201	Rock	0.003	8.9	1	0.04	89	0.030	5.77	0.804	4.17	1.7	109.9	19	12.2	66.9	71.3	5.2	7	<1	23.2	<0.1	
1878202	Rock	0.007	13.3	1	0.07	417	0.032	5.75	0.999	3.92	2.4	113.4	30	10.7	64.2	70.8	5.3	12	<1	20.0	<0.1	
1878203	Rock	0.007	24.5	1	0.03	258	0.042	5.45	1.125	3.91	1.9	109.7	46	9.9	36.5	43.2	3.4	7	1	30.8	<0.1	
1878204	Rock	0.011	33.9	2	0.02	115	0.062	5.57	2.195	3.74	2.1	111.5	57	4.9	34.4	37.2	2.7	4	1	52.4	<0.1	
1878205	Rock	0.003	14.9	1	0.05	40	0.056	4.60	0.130	3.79	1.5	213.6	38	4.7	40.0	37.5	2.3	2	<1	36.5	<0.1	
1878206	Rock	0.004	15.2	1	0.05	39	0.057	4.76	0.335	3.15	2.2	231.2	37	4.8	39.2	40.9	2.5	2	<1	36.0	<0.1	
1878207	Rock	0.005	18.5	4	0.05	79	0.063	5.21	0.639	3.60	3.4	166.2	44	5.2	34.1	45.2	2.9	4	<1	24.2	<0.1	
1878208	Rock	0.006	18.9	4	0.05	90	0.061	5.00	0.593	3.64	3.2	153.8	44	5.7	35.9	43.9	2.9	3	<1	24.1	<0.1	
1878209	Rock	0.004	31.9	2	0.03	86	0.061	5.69	0.720	4.20	3.0	192.7	72	6.0	37.0	45.8	2.9	4	<1	19.9	0.1	
1878210	Rock	0.006	16.7	6	0.09	206	0.079	4.96	0.691	3.73	1.4	91.3	39	6.4	36.1	35.8	2.6	4	2	28.7	<0.1	
1878211	Rock	0.005	17.0	3	0.04	125	0.071	5.86	2.397	3.93	1.8	111.8	41	5.8	26.6	36.7	2.6	4	1	26.5	<0.1	
1878212	Rock	0.008	18.8	8	0.13	216	0.085	5.10	0.153	3.60	1.3	100.4	44	7.6	48.9	43.1	3.0	5	2	27.8	<0.1	
1878213	Rock	0.004	19.1	4	0.06	84	0.056	4.90	0.464	3.26	3.4	123.0	45	7.0	60.4	43.7	3.0	3	1	27.0	<0.1	
1878214	Rock	0.003	34.5	3	0.07	97	0.064	5.16	0.318	3.79	2.2	139.1	73	9.5	39.1	46.1	3.1	4	2	19.3	<0.1	
1878215	Rock	0.003	29.4	2	0.05	87	0.057	5.29	0.374	3.57	2.5	141.9	66	6.2	38.2	46.0	3.2	3	<1	17.8	<0.1	
1878216	Rock	0.002	19.3	4	0.06	120	0.054	4.85	0.578	3.76	2.5	114.4	43	6.5	41.2	40.4	2.8	3	1	24.0	<0.1	
1878217	Rock	0.001	6.3	1	0.01	18	0.055	5.46	2.410	3.23	3.3	140.4	14	8.0	29.8	55.4	4.0	5	<1	26.8	<0.1	
1878218	Rock	0.009	74.0	1	0.04	255	0.101	6.23	2.265	4.22	1.2	147.5	177	2.6	30.0	28.3	1.7	3	2	27.9	<0.1	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000902.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
1878201	Rock	441.2	6.4	<0.05	<0.005	<1	<0.5	3.2	0.02
1878202	Rock	430.2	6.5	0.08	<0.005	<1	<0.5	2.5	0.05
1878203	Rock	301.4	5.2	0.08	<0.005	<1	<0.5	2.2	<0.01
1878204	Rock	232.0	4.7	<0.05	<0.005	<1	<0.5	1.5	<0.01
1878205	Rock	201.0	6.8	<0.05	<0.005	<1	<0.5	1.5	<0.01
1878206	Rock	187.6	7.9	<0.05	<0.005	<1	<0.5	1.6	<0.01
1878207	Rock	258.1	6.4	<0.05	<0.005	<1	<0.5	2.4	0.01
1878208	Rock	266.1	5.7	<0.05	<0.005	<1	<0.5	2.3	<0.01
1878209	Rock	274.9	6.9	<0.05	<0.005	<1	<0.5	3.3	0.14
1878210	Rock	252.1	4.1	<0.05	<0.005	<1	<0.5	2.0	<0.01
1878211	Rock	229.3	4.6	0.05	<0.005	<1	<0.5	1.6	<0.01
1878212	Rock	262.7	4.4	<0.05	<0.005	<1	<0.5	2.2	0.02
1878213	Rock	241.3	5.0	<0.05	<0.005	<1	<0.5	2.0	0.01
1878214	Rock	269.8	5.6	<0.05	<0.005	<1	<0.5	2.5	<0.01
1878215	Rock	233.4	5.9	<0.05	<0.005	<1	<0.5	2.2	<0.01
1878216	Rock	249.8	5.0	0.07	<0.005	<1	<0.5	2.5	0.02
1878217	Rock	249.2	6.3	0.10	<0.005	<1	<0.5	1.4	0.01
1878218	Rock	159.3	4.8	0.07	<0.005	<1	<0.5	1.1	<0.01



QUALITY CONTROL REPORT

WHI18000902.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
REP 1878206	QC																				
1878210	Rock	1.02	298	1.5	3.7	14.6	25	0.2	2.0	2.3	207	1.00	22	5.9	22.9	20	<0.1	9.3	0.4	17	0.11
REP 1878210	QC			1.6	3.6	14.5	24	0.2	2.2	2.3	207	0.99	23	5.8	22.6	20	<0.1	9.6	0.5	17	0.11
1878218	Rock	1.05	<2	1.9	4.1	24.8	83	<0.1	2.3	1.0	403	1.71	<1	4.9	25.8	33	<0.1	0.1	0.1	2	0.15
REP 1878218	QC		<2																		
Core Reject Duplicates																					
1878206	Rock	0.90	6	3.4	1.4	37.7	65	<0.1	0.8	0.6	143	1.27	23	6.3	23.4	8	<0.1	4.6	1.1	<1	0.06
DUP 1878206	QC		5	3.0	1.9	36.1	61	<0.1	0.8	0.5	132	1.21	21	6.1	22.8	7	<0.1	4.6	1.2	<1	0.05
Reference Materials																					
STD DS11	Standard																				
STD OREAS25A-4A	Standard			2.2	32.1	24.5	43	<0.1	44.7	7.4	498	6.51	10	2.8	15.1	47	<0.1	0.6	0.4	164	0.28
STD OREAS25A-4A	Standard			2.6	34.7	25.7	44	<0.1	45.0	8.1	534	6.75	10	3.0	16.1	54	<0.1	0.5	0.4	165	0.30
STD OREAS45EA	Standard																				
STD OREAS45E	Standard			2.5	797.7	19.5	48	0.3	483.3	59.0	584	24.20	16	2.7	13.6	17	<0.1	1.1	0.4	351	0.07
STD OREAS45E	Standard			2.5	783.1	19.3	46	0.3	472.3	59.2	604	25.12	16	2.6	13.9	17	<0.1	1.0	0.4	318	0.07
STD OXC145	Standard		208																		
STD OXH139	Standard		1349																		
STD DS11 Expected																					
STD OXC145 Expected			212																		
STD OXH139 Expected			1312																		
STD OREAS25A-4A Expected				2.55	33.9	25.2	44.4		45.8	8.2	470	6.6	9.94	2.94	15.8	48.5		0.67	0.35	157	0.309
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	0.06	1	0.28	322	0.065
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000902.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
Pulp Duplicates																					
REP 1878206	QC																				
1878210	Rock	0.006	16.7	6	0.09	206	0.079	4.96	0.691	3.73	1.4	91.3	39	6.4	36.1	35.8	2.6	4	2	28.7	<0.1
REP 1878210	QC	0.006	16.2	6	0.09	208	0.073	4.91	0.683	3.76	1.2	89.6	38	6.4	35.9	35.2	2.3	4	2	28.2	<0.1
1878218	Rock	0.009	74.0	1	0.04	255	0.101	6.23	2.265	4.22	1.2	147.5	177	2.6	30.0	28.3	1.7	3	2	27.9	<0.1
REP 1878218	QC																				
Core Reject Duplicates																					
1878206	Rock	0.004	15.2	1	0.05	39	0.057	4.76	0.335	3.15	2.2	231.2	37	4.8	39.2	40.9	2.5	2	<1	36.0	<0.1
DUP 1878206	QC	0.003	15.4	1	0.05	38	0.054	4.46	0.321	3.27	1.9	220.9	36	4.9	37.2	38.5	2.4	3	<1	37.6	<0.1
Reference Materials																					
STD DS11	Standard																				
STD OREAS25A-4A	Standard	0.046	20.7	107	0.30	147	0.901	9.07	0.116	0.47	1.7	146.1	46	3.8	10.0	19.0	1.3	<1	12	36.8	<0.1
STD OREAS25A-4A	Standard	0.046	23.2	111	0.32	156	0.938	9.47	0.118	0.49	1.9	156.4	51	3.8	10.5	19.6	1.4	<1	12	36.6	<0.1
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	0.033	11.7	977	0.15	253	0.536	7.19	0.054	0.33	1.1	98.3	25	1.3	7.9	6.4	0.5	<1	89	7.1	<0.1
STD OREAS45E	Standard	0.033	11.3	1047	0.16	260	0.549	7.01	0.053	0.34	1.0	97.9	25	1.4	7.8	6.3	0.6	1	91	7.0	<0.1
STD OXC145	Standard																				
STD OXH139	Standard																				
STD DS11 Expected																					
STD OXC145 Expected																					
STD OXH139 Expected																					
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.977	8.87	0.134	0.482	2	155	48.9	4.06	10.5	20.9	1.5	0.93	13.7	36.7	0.047
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	23.5	1.32	8.28	6.8	0.54		93	6.58	0.046
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	0.005	<0.01	<0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.001	<0.1	<1	<0.01	<1	<0.001	<0.01	0.001	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1
Prep Wash																					



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000902.1

Method Analyte	Unit	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
Pulp Duplicates									
REP 1878206	QC								<0.01
1878210	Rock	252.1	4.1	<0.05	<0.005	<1	<0.5	2.0	<0.01
REP 1878210	QC	248.8	4.0	<0.05	<0.005	<1	<0.5	1.9	
1878218	Rock	159.3	4.8	0.07	<0.005	<1	<0.5	1.1	<0.01
REP 1878218	QC								
Core Reject Duplicates									
1878206	Rock	187.6	7.9	<0.05	<0.005	<1	<0.5	1.6	<0.01
DUP 1878206	QC	189.4	7.8	<0.05	<0.005	<1	<0.5	1.7	<0.01
Reference Materials									
STD DS11	Standard								0.25
STD OREAS25A-4A	Standard	56.4	3.8	0.05	<0.005	1	<0.5	<0.5	
STD OREAS25A-4A	Standard	62.4	4.5	<0.05	<0.005	2	<0.5	<0.5	
STD OREAS45EA	Standard								0.01
STD OREAS45E	Standard	22.0	2.9	0.07	<0.005	3	<0.5	<0.5	
STD OREAS45E	Standard	21.9	3.1	<0.05	<0.005	2	<0.5	<0.5	
STD OXC145	Standard								
STD OXH139	Standard								
STD DS11 Expected									0.26
STD OXC145 Expected									
STD OXH139 Expected									
STD OREAS25A-4A Expected		61	4.28	0.09		2.5		0.35	
STD OREAS45E Expected		21.2	3.11	0.099		2.97	0.1	0.15	
BLK	Blank								<0.01
BLK	Blank	0.1	<0.1	<0.05	<0.005	<1	<0.5	<0.5	
BLK	Blank								
BLK	Blank								
BLK	Blank	<0.1	<0.1	<0.05	<0.005	<1	<0.5	<0.5	
Prep Wash									



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000902.1

WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
ROCK-WHI	Prep Blank	<2	0.9	3.2	2.7	35	<0.1	1.0	3.3	641	1.89	4	1.1	2.6	185	<0.1	0.2	<0.1	32	1.34
ROCK-WHI	Prep Blank	<2	1.2	2.9	3.1	39	<0.1	0.8	3.6	665	2.07	4	1.1	2.7	213	<0.1	0.2	<0.1	33	1.50



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Luckystrike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000902.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
ROCK-WHI	Prep Blank	0.037	11.4	2	0.45	696	0.192	6.27	3.313	1.50	0.3	48.3	24	0.6	14.3	5.0	0.3	1	5	2.0	<0.1
ROCK-WHI	Prep Blank	0.039	11.7	2	0.47	855	0.199	6.70	3.279	1.65	0.3	51.8	24	0.8	15.2	5.4	0.4	1	6	2.8	<0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Luckystrike Resources Ltd.**
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: November 07, 2018

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000902.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
ROCK-WHI	Prep Blank	30.3	1.4	<0.05	<0.005	2	<0.5	<0.5	<0.01
ROCK-WHI	Prep Blank	32.7	1.7	<0.05	<0.005	<1	<0.5	<0.5	<0.01



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Dan Ferraro
Receiving Lab: Canada-Whitehorse
Received: July 11, 2018
Report Date: August 28, 2018
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI18000326.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-TRENCH
P.O. Number
Number of Samples: 123

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	117	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	6	Sort, label and box pulps			WHI
FA350-Au	123	50g Fire assay fusion Au by ICP-ES	50	Completed	VAN
EN002	123	Environmental disposal charge-Fire assay lead waste			VAN
MA200	123	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
AQ200-HG	123	Hg by AR digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	123	Per sample shipping charges for branch shipments			VAN
FA550	2	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Lucky Strike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4
Canada

CC: Clayton Jones
Daithi Mac Gerailt



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 6 Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte	Unit	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
1780501	Rock	2.74	21	3.3	3.1	31.3	16	0.2	2.9	1.7	173	1.02	63	4.9	23.4	18	<0.1	6.3	0.1	6	0.15
1780502	Rock	2.73	39	10.9	3.1	31.6	40	0.3	2.2	1.7	203	1.34	68	6.3	25.0	27	<0.1	5.6	0.7	7	0.17
1780503	Rock	2.74	261	17.0	3.2	28.4	14	0.5	2.2	0.9	116	1.09	108	5.7	24.8	28	<0.1	5.9	0.9	8	0.15
1780504	Rock	3.00	161	69.7	3.6	30.4	18	0.7	2.3	1.0	127	1.20	123	6.1	26.3	27	<0.1	8.9	0.8	9	0.16
1780505	Rock	2.68	58	10.7	3.1	31.8	13	0.6	2.6	1.1	135	1.04	57	5.2	25.7	30	<0.1	11.6	0.4	10	0.19
1780506	Rock	3.48	24	2.9	2.4	25.3	13	0.2	1.0	0.5	79	0.86	52	4.9	24.8	15	<0.1	5.2	0.1	3	0.10
1780507	Rock	4.43	51	7.3	1.5	35.3	11	0.9	0.7	0.4	86	0.85	67	5.3	24.0	13	<0.1	7.2	0.2	3	0.09
1780508	Rock	4.77	355	8.9	2.7	32.3	16	1.0	1.6	0.9	115	0.84	71	8.1	27.6	21	<0.1	7.1	0.3	6	0.12
1780509	Rock	4.24	187	4.3	3.0	32.8	18	0.3	2.0	1.6	143	1.07	56	6.3	24.6	33	<0.1	5.7	0.3	10	0.19
1780510	Rock	3.39	118	4.3	2.0	31.1	11	0.4	1.4	1.1	117	0.93	83	5.7	23.3	23	<0.1	6.3	0.2	7	0.13
1780511	Rock	3.29	120	4.7	3.3	31.0	24	0.4	3.1	2.5	215	1.07	80	5.9	23.1	30	<0.1	7.2	0.2	11	0.17
1780512	Rock	3.31	113	8.5	4.6	27.1	19	0.4	2.9	2.5	188	1.26	140	5.6	21.8	34	<0.1	10.6	0.4	14	0.20
1780513	Rock	4.82	167	4.9	5.2	29.5	29	0.4	3.7	2.3	183	1.37	94	6.1	20.1	45	<0.1	7.1	0.4	18	0.29
1780514	Rock	4.48	677	5.9	8.3	31.2	28	0.5	6.3	3.8	223	1.52	113	5.9	21.6	68	<0.1	11.9	0.3	29	0.41
1780515	Rock	7.20	571	4.4	10.9	37.2	32	0.6	7.3	3.2	210	1.77	100	6.1	22.6	68	<0.1	9.9	0.4	31	0.41
1780516	Rock	7.87	473	3.2	7.6	40.4	24	0.5	5.0	2.0	179	1.57	70	7.7	27.6	42	<0.1	6.8	0.5	22	0.26
1780517	Rock	7.25	375	2.4	3.0	29.4	21	0.3	1.5	0.6	117	1.03	38	8.4	29.9	18	<0.1	4.7	0.8	8	0.10
1780518	Rock	8.37	271	2.0	5.7	39.3	28	0.2	3.7	1.6	172	1.26	37	8.0	29.5	32	<0.1	3.7	0.5	15	0.22
1780519	Rock	8.79	156	2.8	8.3	36.5	31	0.3	5.6	2.5	200	1.43	46	7.4	27.5	49	<0.1	4.6	0.7	22	0.33
1780520	Rock	7.38	165	1.6	3.6	35.1	18	0.4	2.1	0.8	131	1.01	39	7.1	26.8	19	<0.1	4.0	0.5	12	0.12
1780521	Rock	5.47	2444	2.7	16.5	29.7	41	0.4	12.1	4.8	302	2.09	88	6.7	22.4	91	<0.1	7.7	0.5	44	0.62
1780522	Rock	6.60	404	3.0	14.4	32.0	37	0.4	10.5	4.8	288	1.97	90	6.4	22.4	83	<0.1	7.7	0.4	41	0.54
1780523	Rock	6.04	221	2.4	14.8	24.7	38	0.5	10.3	4.6	294	1.87	57	6.7	23.0	75	<0.1	6.2	0.4	39	0.53
1780524	Rock	6.00	446	2.9	8.0	35.9	27	0.4	5.3	2.7	196	1.46	56	6.3	23.6	49	<0.1	6.5	0.5	24	0.30
1780525	Rock	6.57	297	2.5	7.2	40.9	34	0.3	5.0	2.4	181	1.48	64	6.2	24.5	47	<0.1	5.3	0.3	21	0.27
1780526	Rock	6.21	587	5.0	11.1	31.1	36	0.6	7.9	3.9	222	1.74	86	6.7	23.1	73	<0.1	10.1	0.6	32	0.44
1780527	Rock	5.53	422	3.5	13.5	33.2	43	0.3	10.7	4.4	249	1.97	71	7.1	27.0	82	<0.1	6.2	0.4	36	0.49
1780528	Rock	6.45	440	2.4	10.7	32.7	42	0.1	9.4	3.8	245	1.80	54	6.9	30.1	66	<0.1	4.8	0.4	30	0.43
1780529	Rock	6.05	131	3.4	10.8	38.1	35	0.4	8.0	2.8	203	1.75	58	8.1	30.8	58	<0.1	5.8	0.7	26	0.37
1780530	Rock	7.51	83	9.8	6.0	44.4	30	0.3	4.4	1.7	155	1.36	97	8.5	30.1	46	<0.1	5.1	0.8	18	0.24



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte Unit MDL	Sample ID	Matrix	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
			P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
			%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	1780501	Rock	0.005	26.8	5	0.06	69	0.081	5.60	1.809	3.74	4.3	233.7	59	4.4	33.6	48.7	3.0	4	<1	34.4	0.1
	1780502	Rock	0.007	48.2	5	0.06	145	0.084	5.38	1.465	4.46	3.5	195.6	95	5.2	39.1	42.2	2.6	4	2	27.5	0.2
	1780503	Rock	0.006	50.5	5	0.06	100	0.088	5.36	1.089	4.68	3.6	239.1	90	4.7	38.0	48.9	3.2	3	1	24.5	0.2
	1780504	Rock	0.007	50.3	6	0.07	103	0.089	5.38	1.303	4.44	3.9	227.9	100	4.9	38.4	47.7	2.9	3	1	31.2	0.2
	1780505	Rock	0.005	38.0	6	0.07	88	0.103	5.99	1.717	5.22	3.6	263.4	71	5.2	40.6	53.1	3.2	5	1	20.8	0.1
	1780506	Rock	0.004	35.7	3	0.03	46	0.077	5.72	1.989	4.36	4.1	240.0	77	5.1	31.8	50.9	3.1	4	<1	23.3	0.1
	1780507	Rock	0.004	38.2	3	0.02	47	0.075	5.84	1.864	4.80	3.8	248.0	81	4.8	35.3	52.2	3.2	5	<1	23.7	0.1
	1780508	Rock	0.006	45.6	4	0.05	75	0.076	5.43	1.481	4.02	4.1	234.2	102	5.6	41.8	49.7	3.1	3	<1	24.7	0.1
	1780509	Rock	0.007	42.5	6	0.09	100	0.095	5.60	1.478	4.13	3.7	224.4	92	5.6	42.2	46.7	2.9	3	1	25.0	0.1
	1780510	Rock	0.006	37.2	4	0.06	75	0.080	5.50	1.560	4.38	3.7	218.1	77	4.9	37.5	45.9	2.8	4	<1	25.1	0.2
	1780511	Rock	0.008	34.8	6	0.08	109	0.090	5.52	1.453	4.63	3.9	214.1	75	5.0	37.4	46.3	3.0	4	1	25.8	0.1
	1780512	Rock	0.008	38.3	8	0.10	134	0.100	5.46	1.330	4.74	3.3	198.8	73	4.2	33.4	42.1	2.7	3	1	27.0	0.2
	1780513	Rock	0.010	37.0	11	0.13	174	0.114	5.07	1.312	4.13	2.5	166.9	71	4.9	36.2	37.8	2.5	4	2	27.3	0.1
	1780514	Rock	0.012	38.2	14	0.22	233	0.158	5.34	1.368	4.65	3.5	194.0	82	4.4	40.4	42.4	2.7	4	3	26.5	0.1
	1780515	Rock	0.014	33.2	17	0.24	230	0.155	5.27	1.121	3.86	3.1	172.3	69	5.1	38.1	40.0	2.8	2	4	26.8	0.2
	1780516	Rock	0.011	23.9	13	0.17	157	0.111	4.84	0.545	3.59	2.1	136.0	54	6.2	44.1	41.6	3.0	3	3	34.7	0.2
	1780517	Rock	0.006	25.3	6	0.07	102	0.063	4.51	0.439	3.88	2.1	137.4	53	6.2	41.9	42.3	3.1	3	1	35.2	0.1
	1780518	Rock	0.008	19.2	9	0.13	136	0.083	4.84	0.728	3.50	1.8	134.3	46	5.8	42.4	41.9	3.0	4	2	32.1	0.1
	1780519	Rock	0.014	28.2	13	0.19	200	0.114	4.96	0.819	3.75	2.1	143.2	63	6.3	39.3	40.9	3.0	3	3	32.3	0.1
	1780520	Rock	0.005	15.5	8	0.08	128	0.076	4.75	0.349	3.87	1.8	128.6	38	6.3	42.2	42.9	3.1	3	2	29.4	0.1
	1780521	Rock	0.022	30.1	25	0.36	302	0.185	5.61	1.031	3.56	2.0	151.7	64	5.2	40.4	34.5	2.4	3	5	26.0	<0.1
	1780522	Rock	0.019	33.1	21	0.30	287	0.169	5.61	0.968	3.62	2.3	147.9	71	5.2	40.9	36.8	2.5	3	5	28.1	0.1
	1780523	Rock	0.016	31.2	18	0.29	273	0.161	5.71	1.035	3.78	2.1	151.1	68	5.4	37.6	35.7	2.4	3	5	25.9	<0.1
	1780524	Rock	0.011	26.3	11	0.16	200	0.120	4.70	0.981	4.00	2.6	157.4	58	4.9	34.3	38.9	2.8	3	3	28.7	0.1
	1780525	Rock	0.011	28.1	11	0.14	201	0.112	4.80	1.004	4.12	2.2	156.7	62	5.2	37.4	40.7	2.8	3	2	25.7	<0.1
	1780526	Rock	0.015	33.5	15	0.22	269	0.154	5.12	1.128	3.97	2.5	176.2	71	5.1	36.4	39.4	2.7	3	4	30.6	0.1
	1780527	Rock	0.017	33.6	21	0.27	279	0.163	5.84	1.034	3.13	2.2	157.6	72	5.9	43.3	39.8	2.8	3	4	30.1	<0.1
	1780528	Rock	0.013	31.0	18	0.24	254	0.146	5.81	0.968	3.50	2.3	159.5	64	6.1	42.2	44.5	3.1	3	4	29.4	<0.1
	1780529	Rock	0.013	32.4	18	0.22	234	0.132	5.44	0.762	3.32	2.0	150.7	69	6.2	46.3	43.6	3.2	3	4	30.5	<0.1
	1780530	Rock	0.007	38.0	11	0.13	205	0.110	5.34	0.666	3.83	2.1	154.4	68	5.2	40.9	44.1	3.2	3	3	32.5	0.1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
1780501	Rock	261.7	7.6	<0.05	<0.005	<1	<0.5	1.7	0.06	
1780502	Rock	301.6	6.8	0.05	<0.005	<1	<0.5	2.5	0.02	
1780503	Rock	331.1	8.5	0.06	<0.005	<1	<0.5	3.1	0.02	
1780504	Rock	317.5	7.9	0.05	<0.005	<1	<0.5	3.0	0.03	
1780505	Rock	324.0	9.0	0.05	<0.005	1	<0.5	2.7	0.02	
1780506	Rock	289.5	8.1	<0.05	<0.005	<1	<0.5	1.9	0.04	
1780507	Rock	306.9	8.5	0.06	<0.005	<1	<0.5	2.3	0.05	
1780508	Rock	297.3	8.4	<0.05	<0.005	<1	<0.5	2.2	0.03	
1780509	Rock	295.6	8.0	0.08	<0.005	<1	<0.5	2.1	0.05	
1780510	Rock	285.2	7.6	<0.05	<0.005	<1	<0.5	2.1	0.07	
1780511	Rock	294.6	7.5	<0.05	<0.005	<1	<0.5	2.1	0.05	
1780512	Rock	300.2	6.9	0.06	<0.005	<1	<0.5	2.7	0.04	
1780513	Rock	261.1	6.0	<0.05	<0.005	<1	<0.5	2.2	0.03	
1780514	Rock	290.0	6.8	<0.05	<0.005	<1	<0.5	2.8	0.03	
1780515	Rock	255.6	6.5	0.12	<0.005	<1	<0.5	2.0	0.06	
1780516	Rock	264.0	5.4	0.09	<0.005	1	<0.5	2.2	0.05	
1780517	Rock	284.6	6.0	0.07	<0.005	<1	<0.5	2.5	0.04	
1780518	Rock	248.2	5.8	0.06	<0.005	<1	<0.5	2.0	0.03	
1780519	Rock	261.7	5.8	0.08	<0.005	<1	<0.5	2.2	0.02	
1780520	Rock	295.5	5.5	<0.05	<0.005	<1	<0.5	2.4	0.03	
1780521	Rock	230.0	5.7	0.09	<0.005	<1	<0.5	1.9	0.06	
1780522	Rock	249.5	5.8	0.09	<0.005	<1	<0.5	2.0	0.06	
1780523	Rock	255.4	5.9	0.06	<0.005	<1	<0.5	2.2	0.05	
1780524	Rock	264.4	6.0	0.08	<0.005	<1	<0.5	2.3	0.04	
1780525	Rock	276.6	6.0	0.08	<0.005	<1	<0.5	2.3	0.02	
1780526	Rock	265.8	6.2	0.07	<0.005	1	<0.5	2.3	0.04	
1780527	Rock	248.0	6.1	0.12	<0.005	1	<0.5	2.0	0.04	
1780528	Rock	259.4	6.4	0.11	<0.005	1	<0.5	2.0	0.03	
1780529	Rock	245.9	5.9	<0.05	<0.005	<1	<0.5	2.2	0.03	
1780530	Rock	279.9	6.6	0.10	<0.005	<1	<0.5	2.6	0.03	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte	Unit	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
1780531	Rock	5.94	96	2.2	8.3	41.4	39	0.1	5.5	2.2	170	1.42	48	7.8	31.5	54	<0.1	4.8	0.5	20	0.32
1780532	Rock	5.87	72	1.9	6.6	40.7	29	0.1	4.6	1.6	152	1.28	52	7.2	29.6	40	<0.1	4.2	0.4	19	0.23
1780533	Rock	6.25	43	1.4	5.9	46.8	35	<0.1	3.5	0.8	108	1.25	40	7.7	30.9	31	<0.1	3.1	0.3	16	0.13
1780534	Rock	6.91	43	1.1	7.7	42.4	45	<0.1	4.3	1.1	126	1.57	58	7.9	32.1	43	<0.1	4.0	0.4	24	0.17
1780535	Rock Pulp	0.05	>10000	13.1	64.7	22.3	70	1.2	24.8	4.1	470	3.38	1210	3.4	3.1	41	0.7	163.5	0.6	111	14.41
1780536	Rock Pulp	0.06	5	3.2	22.5	4.6	42	0.4	23.6	11.8	487	2.56	4	0.8	2.0	251	0.1	0.9	<0.1	82	1.81
1780537	Rock	7.88	33	1.3	7.5	49.4	42	<0.1	4.0	1.0	108	1.23	68	8.5	36.5	45	<0.1	3.1	0.4	18	0.19
1780538	Rock	6.89	28	1.0	6.3	49.9	37	<0.1	2.3	0.8	97	1.07	69	8.4	36.3	40	<0.1	3.1	0.5	12	0.15
1780539	Rock	5.86	32	1.2	6.0	39.9	32	0.1	2.2	0.8	90	1.08	43	7.7	32.2	38	<0.1	2.7	0.5	14	0.11
1780540	Rock	6.02	16	1.0	6.0	35.4	49	<0.1	2.7	0.7	114	1.34	49	8.9	33.8	43	<0.1	3.7	0.6	22	0.13
1780541	Rock	5.28	18	1.9	5.3	35.3	41	<0.1	2.9	1.1	131	1.07	38	8.3	29.5	35	<0.1	4.0	0.4	14	0.16
1780542	Rock	5.93	17	1.3	5.7	38.2	38	<0.1	3.2	1.2	135	1.15	31	7.8	30.3	41	<0.1	3.5	0.5	18	0.18
1780543	Rock	7.13	19	1.9	7.7	33.3	36	<0.1	4.8	1.6	136	1.20	30	7.5	27.9	38	<0.1	4.4	0.5	18	0.18
1780544	Rock	6.07	19	1.1	4.8	32.9	37	<0.1	2.6	0.9	121	1.10	29	7.6	30.0	37	<0.1	3.9	0.5	15	0.14
1780545	Rock	4.18	18	1.2	4.5	33.9	36	<0.1	3.0	1.4	130	1.11	37	7.7	29.8	38	<0.1	4.9	0.5	18	0.15
1780546	Rock	3.88	36	2.7	15.2	33.0	58	0.1	11.4	4.2	231	2.15	42	7.4	26.5	77	<0.1	4.7	0.5	42	0.49
1780547	Rock	5.29	12	3.2	4.1	35.0	25	<0.1	2.1	1.0	129	1.32	36	9.4	26.2	26	<0.1	4.8	0.5	14	0.15
1780548	Rock	6.14	29	6.2	10.1	40.6	37	0.1	6.8	2.6	174	1.61	40	7.5	29.1	58	<0.1	5.5	0.5	29	0.34
1780549	Rock	4.79	18	2.0	10.6	36.0	45	<0.1	8.0	3.3	206	1.71	36	6.9	26.5	66	<0.1	4.4	0.5	32	0.39
1780550	Rock	4.96	5	10.2	2.2	24.5	21	0.2	1.9	0.8	150	0.96	25	8.5	25.6	23	<0.1	5.0	0.6	9	0.13
1780551	Rock	4.75	17	4.2	1.8	41.7	39	<0.1	0.9	0.4	142	1.37	34	8.0	28.5	9	<0.1	3.7	0.8	3	0.06
1780552	Rock	6.78	71	1.9	4.9	48.7	42	0.1	2.8	1.0	153	1.17	23	8.4	31.2	30	<0.1	3.3	0.7	12	0.17
1780553	Rock	5.67	27	1.2	5.1	48.8	44	<0.1	2.3	0.7	123	1.20	26	9.4	36.4	26	<0.1	2.6	0.6	11	0.14
1780554	Rock	5.83	31	2.1	4.4	50.2	38	0.2	3.6	0.7	127	1.11	29	10.8	38.7	25	<0.1	3.1	0.7	11	0.13
1780555	Rock	6.86	34	2.2	4.5	45.2	43	0.2	2.3	0.8	126	1.17	28	10.3	37.4	28	<0.1	3.2	0.6	10	0.16
1780556	Rock	6.94	41	1.2	5.6	44.8	42	0.1	3.3	1.1	133	1.25	33	9.1	33.2	39	<0.1	3.2	0.6	16	0.21
1780557	Rock	7.42	26	1.4	4.6	40.3	43	<0.1	3.0	1.1	138	1.19	30	8.6	33.0	29	<0.1	3.3	0.5	13	0.16
1780558	Rock	6.58	71	7.2	9.3	41.2	69	0.2	7.6	2.4	239	1.61	32	9.9	34.8	48	<0.1	3.8	0.6	24	0.35
1780559	Rock	7.40	36	11.3	4.6	52.2	48	0.2	2.5	0.8	115	1.22	34	8.4	35.3	18	<0.1	3.3	0.5	12	0.08
1780560	Rock	5.71	19	12.4	3.0	57.8	37	0.2	1.8	0.5	97	1.09	40	8.6	36.1	17	<0.1	4.2	0.7	9	0.07



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada PHONE (604) 253-3158

Client: Goldstrike Resources Ltd. 1010 - 1130 West Pender St. Vancouver British Columbia V6E 4A4 Canada

Project: HS Report Date: August 28, 2018

CERTIFICATE OF ANALYSIS

WHI18000326.1

Table with columns: Method Analyte Unit MDL, MA200 P %, MA200 La ppm, MA200 Cr ppm, MA200 Mg %, MA200 Ba ppm, MA200 Ti %, MA200 Al %, MA200 Na %, MA200 K %, MA200 W ppm, MA200 Zr ppm, MA200 Ce ppm, MA200 Sn ppm, MA200 Y ppm, MA200 Nb ppm, MA200 Ta ppm, MA200 Be ppm, MA200 Sc ppm, MA200 Li ppm, MA200 S %.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
1780531	Rock	260.2	5.9	0.07	<0.005	2	<0.5	2.1	0.02	
1780532	Rock	268.9	6.0	0.12	0.006	<1	<0.5	2.1	0.02	
1780533	Rock	315.5	6.0	0.09	<0.005	1	<0.5	2.4	0.02	
1780534	Rock	316.2	6.2	0.10	<0.005	1	<0.5	2.4	0.01	
1780535	Rock Pulp	23.6	0.6	0.07	0.006	2	4.0	3.9	6.22	15.7
1780536	Rock Pulp	23.6	1.1	<0.05	<0.005	1	<0.5	<0.5	0.01	
1780537	Rock	307.3	6.7	0.10	<0.005	1	<0.5	2.5	0.01	
1780538	Rock	285.7	6.8	0.10	<0.005	<1	<0.5	2.3	<0.01	
1780539	Rock	268.5	6.2	0.08	<0.005	2	<0.5	2.1	0.01	
1780540	Rock	245.4	5.8	0.07	<0.005	1	<0.5	1.9	<0.01	
1780541	Rock	235.5	6.0	0.05	<0.005	<1	<0.5	1.9	0.01	
1780542	Rock	226.3	5.7	0.11	<0.005	<1	<0.5	1.7	<0.01	
1780543	Rock	235.8	6.1	<0.05	<0.005	2	<0.5	2.0	0.02	
1780544	Rock	261.9	6.1	0.07	<0.005	1	<0.5	1.9	<0.01	
1780545	Rock	270.7	6.2	<0.05	<0.005	1	<0.5	2.1	<0.01	
1780546	Rock	258.6	6.3	0.08	<0.005	<1	<0.5	1.9	0.04	
1780547	Rock	175.7	7.1	<0.05	<0.005	<1	<0.5	1.4	0.04	
1780548	Rock	253.7	6.5	0.08	<0.005	1	<0.5	2.1	0.03	
1780549	Rock	263.2	6.2	0.09	<0.005	<1	<0.5	1.9	0.03	
1780550	Rock	193.1	7.7	<0.05	<0.005	<1	<0.5	1.7	<0.01	
1780551	Rock	216.2	9.4	0.07	<0.005	1	<0.5	1.8	<0.01	
1780552	Rock	264.5	6.4	0.12	<0.005	1	<0.5	2.3	0.01	
1780553	Rock	289.9	6.2	0.08	<0.005	<1	<0.5	2.2	<0.01	
1780554	Rock	303.4	6.9	0.08	<0.005	<1	<0.5	2.4	<0.01	
1780555	Rock	304.4	7.0	0.07	<0.005	<1	<0.5	2.3	<0.01	
1780556	Rock	293.6	6.3	0.11	<0.005	<1	<0.5	2.2	0.02	
1780557	Rock	301.1	6.8	0.10	<0.005	<1	<0.5	2.3	<0.01	
1780558	Rock	275.6	6.2	0.15	<0.005	<1	<0.5	2.1	0.02	
1780559	Rock	279.0	5.8	0.11	<0.005	<1	<0.5	2.3	0.01	
1780560	Rock	309.5	6.1	0.09	<0.005	1	<0.5	2.5	<0.01	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte	Unit	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
1780561	Rock	6.99	20	1.4	2.7	43.3	43	0.1	1.7	0.5	99	1.02	27	9.0	34.9	15	<0.1	3.2	0.6	10	0.07
1780562	Rock	8.21	23	1.0	4.2	48.5	57	<0.1	2.4	0.7	115	1.38	49	9.3	37.8	17	<0.1	3.7	0.6	13	0.09
1780563	Rock	7.88	44	1.2	4.3	57.9	41	0.2	2.5	1.0	92	1.50	56	8.5	33.3	22	<0.1	4.9	0.5	16	0.10
1780564	Rock	7.57	18	0.9	3.7	28.8	35	<0.1	2.5	1.5	136	1.02	29	8.1	31.1	32	<0.1	3.2	0.5	12	0.19
1780565	Rock	9.96	35	1.4	8.3	41.8	53	<0.1	4.9	2.4	184	1.44	32	8.4	34.1	47	<0.1	3.5	0.4	23	0.31
1780566	Rock	7.49	46	1.0	9.1	42.0	46	<0.1	5.9	2.3	177	1.56	50	8.2	33.2	46	<0.1	4.2	0.5	23	0.30
1780567	Rock	8.05	24	1.1	8.1	42.8	63	<0.1	5.4	2.5	206	1.47	31	9.3	38.1	47	<0.1	3.7	0.7	20	0.29
1780568	Rock	7.90	30	2.1	11.2	36.3	52	0.1	6.9	3.3	242	1.58	37	8.8	31.6	54	<0.1	4.0	0.5	26	0.35
1780569	Rock	7.78	21	2.5	9.1	31.2	36	0.1	5.8	3.1	202	1.48	38	7.0	25.1	65	<0.1	3.9	0.5	30	0.40
1780570	Rock Pulp	0.06	239	185.2	1886.5	43.1	282	0.6	36.8	14.3	750	4.17	16	0.8	2.0	281	1.0	1.7	0.3	118	2.57
1780571	Rock Pulp	0.06	4	3.3	20.1	4.5	42	0.4	23.2	11.2	482	2.53	4	0.9	2.0	243	0.2	0.7	<0.1	81	1.79
1780572	Rock	7.78	22	3.3	6.4	31.1	33	0.1	3.4	1.7	160	1.32	33	6.8	24.9	42	<0.1	4.1	0.4	19	0.23
1780573	Rock	7.64	26	3.7	4.7	42.7	32	<0.1	3.2	1.7	151	1.36	37	7.1	25.1	41	<0.1	3.5	0.5	18	0.22
1780574	Rock	7.04	128	2.6	6.0	51.1	35	<0.1	3.9	1.4	155	1.24	19	7.9	30.8	56	<0.1	3.1	0.5	16	0.28
1780575	Rock	6.65	90	2.5	9.8	43.0	52	<0.1	8.2	3.6	265	1.62	21	7.3	29.9	89	<0.1	2.9	0.6	28	0.57
1780576	Rock	7.53	53	2.5	7.7	36.1	38	0.1	5.8	2.4	197	1.30	27	7.5	27.8	42	<0.1	3.6	0.5	20	0.26
1780577	Rock	7.82	22	1.9	7.0	53.7	37	<0.1	3.4	1.0	137	1.34	30	8.1	33.7	21	<0.1	3.3	0.8	14	0.14
1780578	Rock	7.53	31	0.7	6.7	56.5	44	0.3	3.5	0.7	128	1.32	31	9.1	37.0	22	<0.1	2.5	0.7	15	0.12
1780579	Rock	7.36	32	1.8	13.0	46.7	58	0.2	10.2	3.7	275	1.84	26	8.9	36.1	66	<0.1	2.6	0.6	35	0.46
1780580	Rock	8.01	26	2.7	5.1	35.9	42	<0.1	2.6	0.7	146	1.20	19	10.2	40.4	25	<0.1	2.4	0.7	11	0.15
1780581	Rock	7.60	72	1.2	5.6	39.1	47	<0.1	3.6	1.4	168	1.27	17	9.1	36.1	42	<0.1	2.3	0.5	14	0.25
1780582	Rock	8.74	92	2.4	9.2	36.8	38	0.1	7.6	2.8	210	1.38	29	7.3	28.2	57	<0.1	3.4	0.6	24	0.36
1780583	Rock	9.08	74	2.5	11.6	32.1	44	0.1	9.9	4.8	293	1.67	30	6.4	26.3	70	<0.1	3.2	0.4	34	0.47
1780584	Rock	8.51	63	1.8	10.9	35.4	42	0.2	9.3	3.3	231	1.52	23	6.7	27.1	63	<0.1	3.4	0.5	27	0.42
1780585	Rock	7.10	34	1.4	4.9	35.1	48	0.1	2.7	0.9	149	1.23	24	8.9	35.1	23	<0.1	2.4	0.5	10	0.14
1780586	Rock	6.56	39	1.5	5.2	41.6	45	0.1	2.7	0.7	130	1.30	38	9.0	36.0	25	<0.1	3.2	0.5	13	0.12
1780587	Rock	7.79	51	1.1	4.1	41.7	45	0.2	2.2	0.5	128	1.20	33	9.5	36.9	20	<0.1	3.4	0.7	11	0.10
1780588	Rock	8.51	30	1.4	4.4	42.7	54	<0.1	2.8	0.7	132	1.33	35	9.5	37.1	22	<0.1	3.0	0.5	11	0.13
1780589	Rock	7.99	44	0.9	3.8	36.0	52	<0.1	2.5	0.7	130	1.19	26	7.8	33.6	20	<0.1	2.6	0.5	12	0.12
1780590	Rock	7.40	36	1.3	3.1	38.5	43	0.1	1.6	0.4	123	1.08	33	8.2	34.7	83	<0.1	2.8	0.4	6	0.19



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte Unit MDL	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	%	
	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
1780561	Rock	0.003	26.0	6	0.08	159	0.073	4.59	0.151	3.03	2.4	133.1	61	5.3	44.3	44.8	3.4	3	2	27.3	<0.1	
1780562	Rock	0.004	29.6	9	0.10	185	0.087	4.68	0.171	3.44	3.0	144.9	68	6.3	45.7	49.1	3.4	2	2	28.2	<0.1	
1780563	Rock	0.006	38.4	12	0.11	296	0.113	5.15	0.433	4.14	3.3	148.1	81	6.2	42.6	50.1	3.7	2	2	24.3	0.2	
1780564	Rock	0.005	25.7	8	0.10	193	0.096	5.46	0.834	3.89	2.0	144.3	59	5.5	38.5	44.2	3.3	3	2	23.9	<0.1	
1780565	Rock	0.008	28.4	13	0.17	212	0.129	5.48	0.772	3.48	2.2	153.8	63	5.7	46.4	45.2	3.2	3	3	26.7	<0.1	
1780566	Rock	0.010	28.4	13	0.17	236	0.125	5.51	0.603	3.48	2.0	149.7	62	5.9	39.9	43.9	3.2	3	3	24.6	0.1	
1780567	Rock	0.007	31.4	11	0.16	184	0.122	5.47	0.701	3.24	2.3	161.8	70	5.9	49.6	46.6	3.4	3	3	25.6	<0.1	
1780568	Rock	0.010	35.4	16	0.19	219	0.138	5.64	0.731	3.49	2.1	181.3	71	5.5	48.4	43.8	3.0	3	3	24.5	<0.1	
1780569	Rock	0.008	33.0	16	0.20	231	0.160	5.15	0.771	3.25	2.5	166.2	71	4.4	39.6	37.4	2.6	3	3	27.5	<0.1	
1780570	Rock Pulp	0.059	11.9	57	1.32	587	0.379	6.37	2.253	0.86	9.4	31.9	23	2.1	15.1	4.3	0.3	<1	15	15.4	0.3	
1780571	Rock Pulp	0.052	9.6	35	0.78	490	0.291	5.18	2.057	0.86	28.6	36.8	19	0.7	12.6	3.4	0.2	<1	11	11.6	<0.1	
1780572	Rock	0.006	25.7	10	0.14	167	0.116	4.73	0.574	3.17	1.7	177.1	56	4.2	36.6	36.0	2.6	2	2	30.7	<0.1	
1780573	Rock	0.006	24.6	9	0.14	173	0.114	4.75	0.604	3.26	1.8	186.6	51	4.5	36.8	38.0	2.7	3	2	31.5	<0.1	
1780574	Rock	0.007	30.6	9	0.11	201	0.100	5.01	0.595	3.63	2.0	141.1	63	5.4	41.5	40.6	3.0	3	2	36.0	<0.1	
1780575	Rock	0.013	37.3	14	0.21	336	0.149	5.73	1.069	3.55	2.0	148.8	75	6.2	41.7	38.2	2.8	5	4	30.3	<0.1	
1780576	Rock	0.008	33.9	10	0.13	187	0.112	5.60	0.873	4.09	2.7	151.5	72	5.6	42.2	40.2	3.0	3	3	27.6	<0.1	
1780577	Rock	0.006	27.6	8	0.09	132	0.079	4.90	0.460	3.71	2.6	154.9	59	5.5	43.5	44.2	3.3	3	2	32.8	0.1	
1780578	Rock	0.006	24.2	9	0.10	136	0.088	5.41	0.489	3.67	3.1	140.7	57	7.0	52.5	49.4	3.7	4	2	27.9	0.1	
1780579	Rock	0.014	26.7	19	0.28	257	0.156	6.12	0.869	3.35	2.7	154.8	63	7.5	52.5	49.1	3.6	4	5	29.8	<0.1	
1780580	Rock	0.004	21.7	8	0.09	134	0.080	5.90	0.791	3.98	2.7	159.2	55	8.5	52.8	54.2	4.0	4	2	28.6	<0.1	
1780581	Rock	0.006	27.7	9	0.13	172	0.097	5.72	0.827	3.68	2.4	153.8	61	7.3	50.1	49.0	3.4	4	2	27.4	<0.1	
1780582	Rock	0.011	34.6	13	0.17	228	0.133	5.37	0.962	3.63	2.4	146.0	68	5.1	42.7	41.1	2.9	3	3	29.7	<0.1	
1780583	Rock	0.013	35.3	17	0.23	284	0.158	5.88	1.287	3.83	2.4	149.7	71	4.7	38.6	38.2	2.6	2	4	25.3	<0.1	
1780584	Rock	0.013	32.5	15	0.21	250	0.140	5.58	1.015	3.64	2.4	153.2	66	5.0	39.9	37.1	2.8	3	4	28.5	<0.1	
1780585	Rock	0.004	23.3	7	0.10	134	0.076	5.59	0.670	4.00	2.8	146.2	52	7.2	44.9	48.6	3.5	4	2	27.6	<0.1	
1780586	Rock	0.005	17.3	8	0.10	133	0.082	5.41	0.610	3.77	3.3	141.6	43	7.3	44.9	49.5	3.4	4	2	29.4	<0.1	
1780587	Rock	0.004	20.2	7	0.09	119	0.076	5.56	0.527	3.95	3.3	163.4	48	8.1	45.2	51.4	3.6	4	2	26.3	<0.1	
1780588	Rock	0.003	25.7	7	0.09	148	0.083	5.69	0.844	3.83	3.1	157.6	55	7.2	43.8	49.6	3.6	3	2	30.4	<0.1	
1780589	Rock	0.003	18.2	8	0.10	151	0.081	5.27	0.484	3.72	3.0	139.2	42	6.8	39.1	47.4	3.5	4	2	30.5	<0.1	
1780590	Rock	0.004	25.9	6	0.08	167	0.070	5.30	0.512	4.00	2.5	155.2	55	6.8	44.8	47.7	3.4	3	1	27.8	<0.1	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
1780561	Rock	294.0	5.5	0.10	<0.005	1	<0.5	2.1	<0.01	
1780562	Rock	290.7	6.4	0.12	<0.005	<1	<0.5	2.2	0.01	
1780563	Rock	298.1	6.8	0.12	<0.005	<1	<0.5	2.3	<0.01	
1780564	Rock	253.7	6.0	0.11	<0.005	<1	<0.5	1.8	<0.01	
1780565	Rock	261.0	6.0	0.09	<0.005	<1	<0.5	2.0	0.01	
1780566	Rock	252.9	6.1	0.09	<0.005	<1	<0.5	1.9	0.01	
1780567	Rock	260.8	6.5	0.10	<0.005	<1	<0.5	1.9	0.01	
1780568	Rock	250.3	6.9	0.07	<0.005	<1	<0.5	1.9	0.03	
1780569	Rock	217.4	6.0	0.06	<0.005	1	<0.5	1.7	0.02	
1780570	Rock Pulp	23.9	1.0	0.09	0.088	<1	0.6	<0.5	0.09	
1780571	Rock Pulp	24.3	1.1	<0.05	<0.005	<1	<0.5	<0.5	0.02	
1780572	Rock	202.5	6.6	0.05	<0.005	1	<0.5	1.7	<0.01	
1780573	Rock	207.3	6.6	0.09	<0.005	<1	<0.5	1.7	<0.01	
1780574	Rock	239.1	5.9	0.09	<0.005	1	<0.5	2.0	0.01	
1780575	Rock	229.9	6.1	0.12	<0.005	<1	<0.5	1.9	0.01	
1780576	Rock	261.7	6.3	0.11	<0.005	<1	<0.5	2.5	0.01	
1780577	Rock	266.1	6.1	0.10	<0.005	<1	<0.5	2.1	<0.01	
1780578	Rock	292.3	6.2	0.07	<0.005	1	<0.5	2.4	<0.01	
1780579	Rock	265.8	6.2	0.10	<0.005	<1	<0.5	2.1	0.01	
1780580	Rock	304.0	7.1	0.08	<0.005	<1	<0.5	2.1	<0.01	
1780581	Rock	282.6	6.0	0.08	<0.005	<1	<0.5	2.2	<0.01	
1780582	Rock	255.4	5.8	0.08	<0.005	<1	<0.5	2.1	0.01	
1780583	Rock	234.8	5.5	0.08	<0.005	<1	<0.5	2.0	0.02	
1780584	Rock	239.9	5.6	0.09	<0.005	<1	<0.5	2.0	0.01	
1780585	Rock	307.8	6.3	0.10	<0.005	2	<0.5	2.2	<0.01	
1780586	Rock	291.8	6.4	0.08	<0.005	2	<0.5	2.1	0.01	
1780587	Rock	325.4	7.1	<0.05	<0.005	2	<0.5	2.4	<0.01	
1780588	Rock	296.9	6.4	0.05	<0.005	1	<0.5	2.2	0.01	
1780589	Rock	285.7	5.8	0.07	<0.005	<1	<0.5	2.0	<0.01	
1780590	Rock	281.6	6.2	0.07	<0.005	<1	<0.5	2.3	<0.01	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method Analyte	Unit	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
			Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
1780591	Rock	6.35	68	1.5	3.9	42.0	36	0.1	2.6	0.7	126	1.18	37	8.1	33.2	21	<0.1	2.9	0.4	11	0.14
1780592	Rock	6.66	48	1.1	3.8	37.0	37	0.1	1.9	0.6	110	1.06	36	10.1	39.3	21	<0.1	3.0	0.6	10	0.10
1780593	Rock	7.69	32	1.0	3.9	51.8	37	0.1	1.7	0.6	86	1.01	37	9.6	38.6	26	<0.1	3.0	0.5	12	0.10
1780594	Rock	7.48	46	1.0	6.5	42.7	62	0.2	3.2	1.0	130	1.48	47	9.2	37.0	45	<0.1	3.7	0.5	24	0.16
1780595	Rock	7.68	35	0.7	8.4	39.5	66	0.1	3.6	1.2	120	1.66	52	8.7	32.9	47	<0.1	3.8	0.5	30	0.18
1780596	Rock	7.31	20	1.3	4.0	41.6	47	0.2	2.1	0.8	128	1.32	44	8.2	34.0	21	<0.1	4.3	0.5	14	0.10
1780597	Rock	5.07	1921	1.0	6.3	43.8	56	0.3	2.7	1.0	118	1.39	47	9.2	35.7	29	<0.1	4.8	0.7	17	0.10
1780598	Rock	6.05	11	0.9	4.2	31.4	44	<0.1	1.4	0.7	143	1.12	21	9.5	33.2	20	<0.1	3.6	0.7	9	0.08
1780599	Rock	5.47	305	3.5	10.7	35.2	30	0.5	8.2	3.6	232	1.63	53	7.2	23.1	89	<0.1	8.0	0.5	34	0.49
1780600	Rock	7.45	73	3.2	16.8	29.4	39	0.6	13.0	5.2	291	2.14	51	6.6	21.0	119	<0.1	7.2	0.5	46	0.75
1780601	Rock	6.14	133	2.7	12.1	34.1	31	0.4	9.1	4.2	243	1.68	52	7.1	22.7	91	0.1	7.8	0.4	36	0.50
1780602	Rock	5.47	98	5.1	15.7	27.6	39	0.6	10.7	5.7	278	2.00	51	5.5	16.4	130	<0.1	7.3	0.3	49	0.73
1780603	Rock	7.45	101	5.0	10.6	30.4	34	0.7	6.9	3.7	249	1.70	53	6.7	19.8	106	0.1	8.3	0.3	40	0.55
1780604	Rock	7.27	97	3.8	11.4	35.4	28	0.5	8.0	3.3	217	1.60	54	6.3	20.7	97	<0.1	7.4	0.3	35	0.53
1780605	Rock Pulp	0.08	>10000	11.9	67.5	22.4	78	1.1	25.3	5.3	518	3.52	1128	3.6	3.3	48	0.8	169.1	0.6	113	15.28
1780606	Rock Pulp	0.08	5	3.5	25.9	4.4	48	0.3	22.1	12.0	508	2.62	4	0.9	2.0	253	0.3	0.8	<0.1	86	1.82
1780607	Rock	7.80	73	3.6	12.2	32.9	31	0.5	8.9	4.8	275	1.77	53	6.2	19.9	114	<0.1	7.7	0.3	42	0.65
1780608	Rock	5.34	86	3.8	13.9	28.8	34	0.4	11.2	5.7	299	1.90	49	6.1	18.8	124	<0.1	7.1	0.3	52	0.77
1780609	Rock	6.53	87	3.6	12.5	26.9	35	0.4	9.7	4.4	255	1.81	45	5.8	20.7	90	0.2	6.4	0.4	38	0.54
1780610	Rock	9.39	84	1.9	8.0	41.7	42	0.7	4.1	1.8	183	1.50	45	7.7	28.6	51	<0.1	5.2	0.4	25	0.28
1780611	Rock	8.51	25	1.2	6.5	39.2	38	0.3	1.5	0.6	122	1.03	34	9.0	31.8	22	0.1	4.3	0.6	11	0.12
1780612	Rock	12.29	38	3.3	6.6	30.8	27	0.5	1.4	0.6	140	0.91	38	11.8	34.8	25	0.3	7.0	0.8	9	0.14
1780613	Rock	10.20	30	3.7	5.4	30.5	20	0.4	1.5	0.5	120	0.88	44	10.7	38.8	24	0.1	7.4	0.8	8	0.10
1780614	Rock	10.23	29	2.0	5.4	30.8	25	0.3	2.4	1.1	135	0.91	31	9.0	29.1	28	<0.1	4.5	0.5	11	0.15
1780615	Rock	6.93	71	2.9	5.6	27.1	26	0.3	2.6	1.5	173	1.09	37	9.5	30.3	43	0.2	5.8	0.5	14	0.21
1780616	Rock	8.59	32	2.4	5.1	32.7	34	0.3	2.6	1.5	147	1.04	32	8.0	27.5	37	<0.1	5.5	0.4	14	0.19
1780617	Rock	7.53	13	3.0	4.0	34.7	26	0.2	0.9	0.7	136	0.97	24	10.3	32.5	29	0.1	5.0	0.5	10	0.12
1780618	Rock	7.65	12	2.2	2.8	35.9	27	0.2	0.9	0.5	143	0.97	22	10.0	33.6	23	<0.1	4.6	0.6	9	0.09
1780619	Rock	6.18	18	1.9	3.2	26.5	26	0.2	1.0	0.5	149	0.95	21	10.3	35.9	27	0.2	4.7	0.6	10	0.11
1780620	Rock	5.91	11	2.0	3.7	30.2	22	0.1	1.2	0.7	149	0.95	18	9.2	32.4	26	<0.1	4.2	0.5	10	0.11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
Unit		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	1	0.1	1	1	0.1	0.1
1780591	Rock	0.005	20.6	8	0.10	137	0.077	5.19	0.466	3.84	2.3	134.8	50	6.8	41.8	45.8	3.2	3	2	29.2	<0.1
1780592	Rock	0.004	20.2	8	0.09	138	0.082	5.48	0.522	3.97	2.5	156.5	53	7.1	50.1	54.8	3.8	3	2	29.0	<0.1
1780593	Rock	0.005	25.1	9	0.09	173	0.093	5.44	0.645	4.00	2.4	158.0	67	6.7	53.6	52.8	3.8	4	2	25.7	<0.1
1780594	Rock	0.005	24.4	16	0.14	258	0.145	5.78	1.066	3.53	2.6	149.7	66	5.7	58.0	47.8	3.4	3	3	25.3	<0.1
1780595	Rock	0.007	28.7	23	0.16	335	0.177	5.43	0.888	3.38	3.5	137.4	74	4.8	59.5	45.4	3.3	3	4	28.7	<0.1
1780596	Rock	0.005	26.9	8	0.08	183	0.099	5.10	0.707	3.77	2.8	151.2	64	5.5	42.6	45.6	3.5	4	2	28.0	<0.1
1780597	Rock	0.005	28.4	11	0.11	250	0.116	5.33	0.677	3.69	2.8	149.5	70	6.6	61.5	49.6	3.6	3	2	28.3	<0.1
1780598	Rock	0.003	21.7	6	0.08	157	0.080	5.51	0.493	3.86	1.8	150.0	53	8.1	45.0	51.2	3.3	4	2	23.0	<0.1
1780599	Rock	0.014	24.6	21	0.27	256	0.168	5.56	0.762	3.49	1.6	155.8	54	4.8	41.3	39.6	2.8	3	4	25.2	<0.1
1780600	Rock	0.021	27.0	32	0.39	333	0.215	6.67	0.870	3.25	1.5	144.5	60	6.1	36.2	34.0	2.2	3	6	19.8	<0.1
1780601	Rock	0.017	25.8	23	0.29	302	0.182	5.82	0.731	3.72	2.1	152.2	55	5.4	42.7	40.4	2.9	3	4	25.9	<0.1
1780602	Rock	0.024	28.3	31	0.38	338	0.227	5.92	1.144	3.35	1.7	148.2	56	4.0	32.3	31.1	2.0	2	6	19.7	<0.1
1780603	Rock	0.019	28.6	21	0.30	281	0.197	5.61	1.116	4.00	1.9	153.7	60	4.4	37.0	39.2	2.4	2	4	21.1	<0.1
1780604	Rock	0.015	26.8	21	0.28	272	0.192	5.51	0.919	3.72	2.1	162.8	58	4.6	36.1	38.4	2.5	3	4	25.9	<0.1
1780605	Rock Pulp	0.062	15.5	40	0.70	33	0.121	1.99	0.017	0.42	194.1	27.6	29	2.0	16.8	3.2	0.2	<1	4	42.1	1.8
1780606	Rock Pulp	0.053	9.7	30	0.83	497	0.293	5.33	2.180	0.89	26.8	36.6	19	0.8	14.6	3.4	0.2	<1	10	12.5	<0.1
1780607	Rock	0.019	28.3	29	0.35	308	0.211	5.80	1.110	3.54	2.0	153.9	61	3.9	35.4	34.3	2.2	3	4	23.5	<0.1
1780608	Rock	0.017	28.5	30	0.41	363	0.244	5.84	1.143	3.41	1.9	147.9	60	4.0	31.1	31.5	2.2	3	6	22.9	<0.1
1780609	Rock	0.015	32.0	23	0.29	282	0.178	5.84	0.994	4.12	2.2	156.3	62	4.9	38.1	35.3	2.3	3	4	21.5	<0.1
1780610	Rock	0.007	33.7	13	0.17	262	0.141	5.80	0.580	4.41	2.5	143.3	72	5.5	50.3	40.4	2.8	2	3	21.2	0.2
1780611	Rock	0.004	33.3	10	0.08	258	0.086	4.91	0.381	3.63	2.2	134.3	76	5.5	58.6	43.0	3.1	3	2	26.7	<0.1
1780612	Rock	0.004	30.2	8	0.08	148	0.088	4.82	0.700	2.84	2.7	140.6	69	6.4	82.2	49.3	3.4	3	2	27.2	<0.1
1780613	Rock	0.005	26.8	7	0.06	134	0.079	5.05	0.975	3.37	3.0	142.1	60	7.3	73.0	51.2	3.8	3	1	29.7	<0.1
1780614	Rock	0.005	25.3	8	0.09	231	0.089	4.76	0.693	3.78	2.5	136.3	61	4.9	50.9	44.1	3.2	3	2	23.1	<0.1
1780615	Rock	0.007	24.9	9	0.11	180	0.099	5.46	1.112	3.84	2.7	144.8	53	7.0	50.1	47.3	3.3	3	2	23.5	<0.1
1780616	Rock	0.005	28.1	9	0.09	212	0.105	5.18	0.621	4.29	2.5	152.6	66	5.0	47.9	43.7	3.1	3	2	24.4	<0.1
1780617	Rock	0.004	18.3	7	0.07	129	0.075	5.59	0.979	3.79	3.0	126.8	46	7.1	52.1	48.9	3.5	3	2	22.8	<0.1
1780618	Rock	0.003	16.1	6	0.06	104	0.070	5.73	0.916	3.97	3.0	124.1	41	7.6	46.6	47.5	3.4	3	1	22.2	<0.1
1780619	Rock	0.003	22.0	7	0.08	130	0.077	5.87	0.994	4.08	3.8	131.8	53	7.9	50.9	49.2	3.6	4	2	23.5	<0.1
1780620	Rock	0.005	21.1	7	0.07	124	0.077	5.71	0.891	3.93	3.3	126.2	49	6.8	44.1	43.1	3.3	3	2	22.7	<0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
1780591	Rock	270.2	6.2	<0.05	<0.005	<1	<0.5	2.3	<0.01	
1780592	Rock	308.1	6.4	0.09	<0.005	<1	<0.5	2.4	<0.01	
1780593	Rock	309.1	6.6	0.06	<0.005	<1	<0.5	2.4	<0.01	
1780594	Rock	280.6	6.0	0.09	<0.005	2	<0.5	2.2	0.02	
1780595	Rock	273.4	5.9	0.05	<0.005	1	<0.5	1.9	0.01	
1780596	Rock	270.3	6.3	0.12	<0.005	2	<0.5	2.1	0.01	
1780597	Rock	295.6	6.8	0.07	<0.005	2	<0.5	2.4	<0.01	
1780598	Rock	262.4	6.8	0.09	<0.005	2	<0.5	2.2	<0.01	
1780599	Rock	242.4	5.4	0.06	<0.005	<1	<0.5	2.4	0.06	
1780600	Rock	226.8	5.1	0.07	<0.005	<1	<0.5	2.1	0.06	
1780601	Rock	264.6	5.8	0.07	<0.005	<1	<0.5	2.4	0.03	
1780602	Rock	215.7	5.8	<0.05	<0.005	2	<0.5	1.8	0.03	
1780603	Rock	252.2	5.9	0.05	<0.005	2	<0.5	2.0	0.05	
1780604	Rock	241.8	6.5	0.07	<0.005	<1	<0.5	2.1	0.03	
1780605	Rock Pulp	23.6	0.8	0.07	0.006	2	3.0	3.9	5.96	16.8
1780606	Rock Pulp	22.4	1.2	<0.05	<0.005	<1	<0.5	<0.5	0.02	
1780607	Rock	225.5	5.9	<0.05	<0.005	<1	<0.5	2.1	0.04	
1780608	Rock	220.3	5.2	<0.05	<0.005	1	<0.5	1.9	0.03	
1780609	Rock	252.9	6.2	<0.05	<0.005	1	<0.5	2.2	0.03	
1780610	Rock	271.8	6.3	<0.05	<0.005	<1	<0.5	2.4	0.02	
1780611	Rock	237.8	5.8	0.10	<0.005	1	<0.5	1.9	0.02	
1780612	Rock	214.2	6.3	0.06	<0.005	2	<0.5	1.8	0.02	
1780613	Rock	237.0	6.9	0.07	<0.005	2	<0.5	2.3	0.01	
1780614	Rock	223.4	6.2	<0.05	<0.005	<1	<0.5	2.2	0.02	
1780615	Rock	228.5	5.9	<0.05	<0.005	2	<0.5	2.1	<0.01	
1780616	Rock	260.3	6.2	0.06	<0.005	<1	<0.5	2.4	0.02	
1780617	Rock	243.1	6.2	0.07	<0.005	2	<0.5	2.2	0.01	
1780618	Rock	250.6	5.8	0.05	<0.005	1	<0.5	2.2	<0.01	
1780619	Rock	279.6	6.3	<0.05	<0.005	1	<0.5	2.4	0.01	
1780620	Rock	244.2	5.7	<0.05	<0.005	1	<0.5	2.1	0.01	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
1780621	Rock	4.88	9	2.6	2.8	27.8	24	0.1	0.8	1.1	139	0.92	20	9.4	34.5	34	0.2	5.1	0.6	13	0.14
1780622	Rock	5.54	6	1.6	2.5	27.0	25	0.1	1.1	0.5	160	0.87	12	9.8	34.4	23	<0.1	4.7	0.6	10	0.10
1780623	Rock	5.14	12	1.5	3.2	22.6	25	0.1	1.3	0.9	179	0.91	12	11.3	36.0	27	<0.1	4.9	0.7	9	0.13



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
1780621	Rock	0.004	22.2	8	0.09	135	0.089	5.81	1.159	3.77	4.3	136.2	50	7.6	49.3	48.9	3.8	4	2	26.3	<0.1
1780622	Rock	0.003	17.6	7	0.08	111	0.076	5.43	0.764	3.81	3.6	129.5	42	7.2	48.5	46.9	3.4	4	1	24.1	<0.1
1780623	Rock	0.004	17.0	7	0.07	108	0.079	5.71	0.809	3.91	3.6	134.3	44	8.9	49.1	53.3	3.6	5	2	25.2	<0.1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000326.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
Analyte	Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
MDL	0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
1780621	Rock	264.6	5.9	0.07	<0.005	2	<0.5	2.0	0.01
1780622	Rock	264.5	6.2	<0.05	<0.005	<1	<0.5	2.3	<0.01
1780623	Rock	260.1	6.6	<0.05	<0.005	<1	<0.5	2.5	0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 1 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000326.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1780510	Rock	3.39	118	4.3	2.0	31.1	11	0.4	1.4	1.1	117	0.93	83	5.7	23.3	23	<0.1	6.3	0.2	7	0.13
REP 1780510	QC		91																		
1780529	Rock	6.05	131	3.4	10.8	38.1	35	0.4	8.0	2.8	203	1.75	58	8.1	30.8	58	<0.1	5.8	0.7	26	0.37
REP 1780529	QC																				
1780530	Rock	7.51	83	9.8	6.0	44.4	30	0.3	4.4	1.7	155	1.36	97	8.5	30.1	46	<0.1	5.1	0.8	18	0.24
REP 1780530	QC			10.5	6.4	41.6	31	0.3	4.5	1.7	143	1.32	98	8.1	28.9	45	<0.1	5.2	0.9	18	0.26
1780544	Rock	6.07	19	1.1	4.8	32.9	37	<0.1	2.6	0.9	121	1.10	29	7.6	30.0	37	<0.1	3.9	0.5	15	0.14
REP 1780544	QC		16																		
1780564	Rock	7.57	18	0.9	3.7	28.8	35	<0.1	2.5	1.5	136	1.02	29	8.1	31.1	32	<0.1	3.2	0.5	12	0.19
REP 1780564	QC																				
1780565	Rock	9.96	35	1.4	8.3	41.8	53	<0.1	4.9	2.4	184	1.44	32	8.4	34.1	47	<0.1	3.5	0.4	23	0.31
REP 1780565	QC			1.2	9.8	43.5	54	<0.1	5.3	2.2	184	1.44	33	8.7	35.8	47	<0.1	3.4	0.5	23	0.29
1780578	Rock	7.53	31	0.7	6.7	56.5	44	0.3	3.5	0.7	128	1.32	31	9.1	37.0	22	<0.1	2.5	0.7	15	0.12
REP 1780578	QC		28																		
1780598	Rock	6.05	11	0.9	4.2	31.4	44	<0.1	1.4	0.7	143	1.12	21	9.5	33.2	20	<0.1	3.6	0.7	9	0.08
REP 1780598	QC																				
1780599	Rock	5.47	305	3.5	10.7	35.2	30	0.5	8.2	3.6	232	1.63	53	7.2	23.1	89	<0.1	8.0	0.5	34	0.49
REP 1780599	QC			3.2	11.2	36.8	35	0.5	8.9	3.8	239	1.69	52	7.4	22.8	85	<0.1	8.3	0.5	35	0.50
1780609	Rock	6.53	87	3.6	12.5	26.9	35	0.4	9.7	4.4	255	1.81	45	5.8	20.7	90	0.2	6.4	0.4	38	0.54
REP 1780609	QC		73																		
Core Reject Duplicates																					
1780509	Rock	4.24	187	4.3	3.0	32.8	18	0.3	2.0	1.6	143	1.07	56	6.3	24.6	33	<0.1	5.7	0.3	10	0.19
DUP 1780509	QC		176	4.5	3.4	33.4	21	0.3	2.3	1.7	158	1.10	56	6.6	25.8	35	<0.1	5.7	0.3	11	0.22
1780543	Rock	7.13	19	1.9	7.7	33.3	36	<0.1	4.8	1.6	136	1.20	30	7.5	27.9	38	<0.1	4.4	0.5	18	0.18
DUP 1780543	QC		19	2.1	7.4	35.4	38	<0.1	4.4	1.4	134	1.17	31	7.4	29.6	41	<0.1	4.4	0.5	18	0.19
1780577	Rock	7.82	22	1.9	7.0	53.7	37	<0.1	3.4	1.0	137	1.34	30	8.1	33.7	21	<0.1	3.3	0.8	14	0.14
DUP 1780577	QC		27	1.8	6.7	56.3	36	<0.1	3.2	0.9	128	1.33	29	8.2	34.2	21	<0.1	3.2	0.7	14	0.13
1780611	Rock	8.51	25	1.2	6.5	39.2	38	0.3	1.5	0.6	122	1.03	34	9.0	31.8	22	0.1	4.3	0.6	11	0.12



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 1 of 4 Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000326.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200		
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S		
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%		
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1		
Pulp Duplicates																						
1780510	Rock	0.006	37.2	4	0.06	75	0.080	5.50	1.560	4.38	3.7	218.1	77	4.9	37.5	45.9	2.8	4	<1	25.1	0.2	
REP 1780510	QC																					
1780529	Rock	0.013	32.4	18	0.22	234	0.132	5.44	0.762	3.32	2.0	150.7	69	6.2	46.3	43.6	3.2	3	4	30.5	<0.1	
REP 1780529	QC																					
1780530	Rock	0.007	38.0	11	0.13	205	0.110	5.34	0.666	3.83	2.1	154.4	68	5.2	40.9	44.1	3.2	3	3	32.5	0.1	
REP 1780530	QC	0.008	37.5	10	0.13	200	0.108	5.19	0.680	3.77	2.3	154.8	66	4.7	39.3	43.1	3.0	2	2	30.1	0.1	
1780544	Rock	0.005	27.9	10	0.09	259	0.103	5.28	1.013	3.65	2.7	145.1	62	5.2	44.2	46.6	3.3	4	2	24.9	<0.1	
REP 1780544	QC																					
1780564	Rock	0.005	25.7	8	0.10	193	0.096	5.46	0.834	3.89	2.0	144.3	59	5.5	38.5	44.2	3.3	3	2	23.9	<0.1	
REP 1780564	QC																					
1780565	Rock	0.008	28.4	13	0.17	212	0.129	5.48	0.772	3.48	2.2	153.8	63	5.7	46.4	45.2	3.2	3	3	26.7	<0.1	
REP 1780565	QC	0.007	29.8	12	0.17	220	0.128	5.50	0.723	3.49	2.4	155.7	67	5.6	47.1	45.5	3.5	4	3	24.3	<0.1	
1780578	Rock	0.006	24.2	9	0.10	136	0.088	5.41	0.489	3.67	3.1	140.7	57	7.0	52.5	49.4	3.7	4	2	27.9	0.1	
REP 1780578	QC																					
1780598	Rock	0.003	21.7	6	0.08	157	0.080	5.51	0.493	3.86	1.8	150.0	53	8.1	45.0	51.2	3.3	4	2	23.0	<0.1	
REP 1780598	QC																					
1780599	Rock	0.014	24.6	21	0.27	256	0.168	5.56	0.762	3.49	1.6	155.8	54	4.8	41.3	39.6	2.8	3	4	25.2	<0.1	
REP 1780599	QC	0.014	24.8	19	0.26	268	0.171	5.69	0.709	3.61	1.8	153.9	55	5.0	40.1	36.7	2.6	3	4	23.2	<0.1	
1780609	Rock	0.015	32.0	23	0.29	282	0.178	5.84	0.994	4.12	2.2	156.3	62	4.9	38.1	35.3	2.3	3	4	21.5	<0.1	
REP 1780609	QC																					
Core Reject Duplicates																						
1780509	Rock	0.007	42.5	6	0.09	100	0.095	5.60	1.478	4.13	3.7	224.4	92	5.6	42.2	46.7	2.9	3	1	25.0	0.1	
DUP 1780509	QC	0.007	43.0	7	0.10	110	0.100	5.69	1.500	4.40	3.7	220.9	91	5.4	42.6	47.2	3.0	4	1	26.2	0.1	
1780543	Rock	0.005	28.8	12	0.11	247	0.113	5.16	0.890	3.40	2.6	143.1	65	4.8	42.8	42.0	3.0	3	2	27.0	<0.1	
DUP 1780543	QC	0.005	28.7	10	0.11	238	0.113	5.13	0.909	3.43	2.6	146.0	62	4.8	44.8	43.3	3.2	3	2	27.1	<0.1	
1780577	Rock	0.006	27.6	8	0.09	132	0.079	4.90	0.460	3.71	2.6	154.9	59	5.5	43.5	44.2	3.3	3	2	32.8	0.1	
DUP 1780577	QC	0.006	26.4	8	0.09	133	0.081	4.80	0.411	3.72	2.6	150.3	60	5.8	45.4	44.5	3.3	3	2	33.5	0.1	
1780611	Rock	0.004	33.3	10	0.08	258	0.086	4.91	0.381	3.63	2.2	134.3	76	5.5	58.6	43.0	3.1	3	2	26.7	<0.1	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 1 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000326.1

Method Analyte	Unit	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
Pulp Duplicates										
1780510	Rock	285.2	7.6	<0.05	<0.005	<1	<0.5	2.1	0.07	
REP 1780510	QC									
1780529	Rock	245.9	5.9	<0.05	<0.005	<1	<0.5	2.2	0.03	
REP 1780529	QC								0.03	
1780530	Rock	279.9	6.6	0.10	<0.005	<1	<0.5	2.6	0.03	
REP 1780530	QC	274.0	6.1	0.07	<0.005	<1	<0.5	2.7		
1780544	Rock	261.9	6.1	0.07	<0.005	1	<0.5	1.9	<0.01	
REP 1780544	QC									
1780564	Rock	253.7	6.0	0.11	<0.005	<1	<0.5	1.8	<0.01	
REP 1780564	QC								<0.01	
1780565	Rock	261.0	6.0	0.09	<0.005	<1	<0.5	2.0	0.01	
REP 1780565	QC	266.3	6.2	0.06	<0.005	<1	<0.5	2.1		
1780578	Rock	292.3	6.2	0.07	<0.005	1	<0.5	2.4	<0.01	
REP 1780578	QC									
1780598	Rock	262.4	6.8	0.09	<0.005	2	<0.5	2.2	<0.01	
REP 1780598	QC								<0.01	
1780599	Rock	242.4	5.4	0.06	<0.005	<1	<0.5	2.4	0.06	
REP 1780599	QC	242.8	5.6	0.05	<0.005	1	<0.5	2.3		
1780609	Rock	252.9	6.2	<0.05	<0.005	1	<0.5	2.2	0.03	
REP 1780609	QC									
Core Reject Duplicates										
1780509	Rock	295.6	8.0	0.08	<0.005	<1	<0.5	2.1	0.05	
DUP 1780509	QC	293.3	7.6	0.05	<0.005	<1	<0.5	2.1	0.05	
1780543	Rock	235.8	6.1	<0.05	<0.005	2	<0.5	2.0	0.02	
DUP 1780543	QC	259.4	6.0	0.06	<0.005	<1	<0.5	1.9	0.02	
1780577	Rock	266.1	6.1	0.10	<0.005	<1	<0.5	2.1	<0.01	
DUP 1780577	QC	262.0	6.5	0.07	<0.005	1	<0.5	2.2	<0.01	
1780611	Rock	237.8	5.8	0.10	<0.005	1	<0.5	1.9	0.02	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
DUP 1780611	QC		24	1.2	6.8	40.4	38	0.3	1.8	0.7	124	1.06	33	9.1	31.2	25	0.2	4.3	0.5	10	0.12
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD DS11	Standard																				
STD DS11	Standard																				
STD DS11	Standard																				
STD DS11	Standard																				
STD OREAS25A-4A	Standard			2.3	31.9	22.5	40	<0.1	40.7	7.2	480	6.34	9	2.6	15.0	44	<0.1	0.5	0.3	154	0.28
STD OREAS25A-4A	Standard			2.2	31.4	24.0	40	<0.1	44.1	7.3	467	6.19	10	2.8	15.6	47	<0.1	0.5	0.3	149	0.30
STD OREAS25A-4A	Standard			2.8	34.9	26.1	45	<0.1	51.6	7.6	500	6.74	11	3.1	17.4	49	<0.1	0.6	0.3	154	0.31
STD OREAS25A-4A	Standard			2.7	37.7	26.5	49	<0.1	51.9	8.7	487	7.05	11	3.3	18.5	58	0.1	0.8	0.4	176	0.30
STD OREAS45E	Standard			2.5	732.2	16.8	43	0.3	450.3	53.8	517	22.74	15	2.2	12.2	15	<0.1	1.0	0.2	314	0.06
STD OREAS45E	Standard			2.0	788.5	19.2	44	0.3	495.3	58.2	532	24.01	16	2.6	14.0	16	<0.1	0.9	0.3	331	0.07
STD OREAS45E	Standard			2.3	783.4	19.8	46	0.3	486.9	59.4	594	25.40	17	2.8	14.7	17	<0.1	1.1	0.3	338	0.07
STD OREAS45E	Standard			2.5	800.4	19.7	52	0.4	502.5	65.0	584	25.17	18	2.7	14.9	19	<0.1	1.2	0.3	355	0.07
STD OREAS45EA	Standard																				
STD OREAS45EA	Standard																				
STD OREAS45EA	Standard																				
STD OREAS45EA	Standard																				
STD OXC145	Standard		205																		
STD OXC145	Standard		217																		
STD OXC145	Standard		220																		
STD OXC145	Standard		208																		
STD OXC145	Standard		221																		
STD OXH139	Standard		1284																		
STD OXH139	Standard		1377																		
STD OXH139	Standard		1375																		
STD OXH139	Standard		1283																		



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200		
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
DUP 1780611	QC	0.005	33.0	8	0.09	259	0.087	4.93	0.387	3.55	2.4	134.2	74	5.3	60.4	43.2	2.9	3	2	24.5	<0.1	
Reference Materials																						
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD DS11	Standard																					
STD DS11	Standard																					
STD DS11	Standard																					
STD DS11	Standard																					
STD OREAS25A-4A	Standard	0.043	21.1	111	0.32	142	0.935	8.39	0.143	0.45	1.9	138.6	46	3.5	9.6	18.4	1.3	<1	12	36.9	<0.1	
STD OREAS25A-4A	Standard	0.050	23.6	108	0.32	143	0.841	8.68	0.123	0.48	1.8	147.7	48	3.9	10.1	18.3	1.4	<1	12	38.2	<0.1	
STD OREAS25A-4A	Standard	0.049	25.4	127	0.33	158	0.925	9.42	0.138	0.50	2.0	157.2	54	4.0	10.8	19.6	1.5	<1	13	36.8	<0.1	
STD OREAS25A-4A	Standard	0.052	25.7	129	0.35	165	0.995	9.60	0.147	0.53	1.8	171.4	53	4.6	11.9	20.5	1.4	<1	13	42.8	<0.1	
STD OREAS45E	Standard	0.034	10.3	976	0.15	251	0.493	6.43	0.051	0.30	1.1	92.5	22	1.1	7.1	5.7	0.5	<1	86	6.4	<0.1	
STD OREAS45E	Standard	0.032	12.4	987	0.16	262	0.522	7.01	0.053	0.34	1.0	95.0	24	1.2	7.7	6.0	0.5	<1	94	6.8	<0.1	
STD OREAS45E	Standard	0.034	12.6	1041	0.16	266	0.553	7.18	0.054	0.34	1.2	100.3	26	1.5	7.7	6.2	0.6	<1	95	5.9	<0.1	
STD OREAS45E	Standard	0.034	12.1	887	0.18	270	0.555	7.24	0.057	0.37	0.9	98.8	25	1.4	8.3	6.1	0.5	<1	95	7.1	<0.1	
STD OREAS45EA	Standard																					
STD OREAS45EA	Standard																					
STD OREAS45EA	Standard																					
STD OREAS45EA	Standard																					
STD OXC145	Standard																					
STD OXC145	Standard																					
STD OXC145	Standard																					
STD OXC145	Standard																					
STD OXC145	Standard																					
STD OXH139	Standard																					
STD OXH139	Standard																					
STD OXH139	Standard																					
STD OXH139	Standard																					



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
DUP 1780611	QC	244.8	6.1	0.09	<0.005	2	<0.5	1.7	0.02	
Reference Materials										
STD AGPROOF	Standard									<0.9
STD AGPROOF	Standard									<0.9
STD DS11	Standard								0.24	
STD DS11	Standard								0.27	
STD DS11	Standard								0.26	
STD DS11	Standard								0.24	
STD OREAS25A-4A	Standard	57.4	4.0	0.09	<0.005	1	<0.5	<0.5		
STD OREAS25A-4A	Standard	58.4	3.9	0.07	<0.005	3	<0.5	<0.5		
STD OREAS25A-4A	Standard	65.9	4.5	0.12	<0.005	2	<0.5	<0.5		
STD OREAS25A-4A	Standard	65.5	4.3	0.08	<0.005	3	<0.5	<0.5		
STD OREAS45E	Standard	20.2	2.8	0.08	<0.005	2	<0.5	<0.5		
STD OREAS45E	Standard	21.9	2.9	0.15	<0.005	2	<0.5	<0.5		
STD OREAS45E	Standard	22.1	3.0	0.11	<0.005	2	<0.5	<0.5		
STD OREAS45E	Standard	21.7	3.1	0.11	<0.005	3	<0.5	<0.5		
STD OREAS45EA	Standard								0.02	
STD OREAS45EA	Standard								0.01	
STD OREAS45EA	Standard								<0.01	
STD OREAS45EA	Standard								<0.01	
STD OXC145	Standard									
STD OXC145	Standard									
STD OXC145	Standard									
STD OXC145	Standard									
STD OXC145	Standard									
STD OXC145	Standard									
STD OXH139	Standard									
STD OXH139	Standard									
STD OXH139	Standard									
STD OXH139	Standard									



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OXH139 Expected			1312																		
STD OXC145 Expected			212																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OXQ114 Expected																					
STD OREAS25A-4A Expected				2.55	33.9	25.2	44.4		45.8	8.2	470	6.6	9.94	2.94	15.8	48.5		0.67	0.35	157	0.309
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	0.06	1	0.28	322	0.065
STD DS11 Expected																					
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	0.2	<1	<0.1	0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank			<0.1	0.1	0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	0.01
BLK	Blank																				
BLK	Blank																				



QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200		
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD OXH139	Expected																					
STD OXC145	Expected																					
STD AGPROOF	Expected																					
STD SP49	Expected																					
STD OXQ114	Expected																					
STD OREAS25A-4A	Expected	0.048	21.8	115	0.327	147	0.977	8.87	0.134	0.482	2	155	48.9	4.06	10.5	20.9	1.5	0.93	13.7	36.7	0.047	
STD OREAS45E	Expected	0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	23.5	1.32	8.28	6.8	0.54		93	6.58	0.046	
STD DS11	Expected																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	<0.001	<0.01	0.5	0.3	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	0.004	<0.01	<0.1	0.3	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	0.004	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	0.004	<0.01	0.2	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank																					



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
STD OXQ114	Standard									35.3
STD OXQ114	Standard									35.2
STD SP49	Standard									18.5
STD SP49	Standard									18.6
STD OXH139	Expected									
STD OXC145	Expected									
STD AGPROOF	Expected									0
STD SP49	Expected									18.34
STD OXQ114	Expected									35.2
STD OREAS25A-4A	Expected	61	4.28	0.09		2.5		0.35		
STD OREAS45E	Expected	21.2	3.11	0.099		2.97	0.1	0.15		
STD DS11	Expected								0.26	
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank	0.2	<0.1	<0.05	<0.005	<1	<0.5	<0.5		
BLK	Blank									
BLK	Blank									
BLK	Blank									
BLK	Blank	0.7	<0.1	<0.05	<0.005	<1	<0.5	<0.5		
BLK	Blank	0.4	<0.1	<0.05	<0.005	<1	<0.5	<0.5		
BLK	Blank									<0.9
BLK	Blank									<0.9
BLK	Blank	0.3	<0.1	<0.05	<0.005	2	<0.5	<0.5		
BLK	Blank								<0.01	
BLK	Blank								<0.01	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		<2	1.2	3.7	2.4	35	<0.1	1.2	3.6	615	1.93	2	1.2	2.7	164	<0.1	0.2	<0.1	31	1.25
ROCK-WHI	Prep Blank		<2	1.2	4.4	2.3	37	<0.1	0.9	3.5	649	2.04	2	1.1	2.7	174	<0.1	0.1	<0.1	35	1.43



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
BLK	Blank	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	0.037	12.6	4	0.51	840	0.178	6.27	3.349	1.58	0.3	53.3	24	0.7	14.6	5.1	0.4	<1	6	2.0	<0.1
ROCK-WHI	Prep Blank	0.040	11.5	5	0.53	784	0.181	6.34	3.332	1.55	0.3	50.1	22	0.7	14.1	4.9	0.4	<1	7	2.2	<0.1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000326.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	FA550
		Rb	Hf	In	Re	Se	Te	Tl	Hg	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	gm/t
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	0.9
BLK	Blank								<0.01	
BLK	Blank								<0.01	
Prep Wash										
ROCK-WHI	Prep Blank	33.2	1.7	<0.05	<0.005	<1	<0.5	<0.5	<0.01	
ROCK-WHI	Prep Blank	32.2	1.5	<0.05	<0.005	<1	<0.5	<0.5	<0.01	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Submitted By: Dan Ferraro
Receiving Lab: Canada-Whitehorse
Received: July 11, 2018
Report Date: August 28, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000327.1

CLIENT JOB INFORMATION

Project: HS
Shipment ID: HS-2018-ROCK
P.O. Number
Number of Samples: 62

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Lucky Strike Resources Ltd.
1010 – 1130 West Pender Street
Vancouver British Columbia V6E 4A4
Canada

CC: Clayton Jones
Daithi Mac Gerailt

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	62	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA350-Au	62	50g Fire assay fusion Au by ICP-ES	50	Completed	VAN
EN002	62	Environmental disposal charge-Fire assay lead waste			VAN
MA200	62	4 Acid digestion ICP-MS analysis	0.25	Completed	VAN
AQ200-HG	62	Hg by AR digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	62	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
1780851	Rock	2.37	369	2.9	4.1	50.1	18	1.0	1.7	1.1	126	1.14	48	8.0	27.0	26	<0.1	5.2	0.6	10	0.14
1780852	Rock	0.76	916	4.9	34.1	31.6	51	0.8	17.8	9.0	643	2.59	142	7.0	23.8	62	0.2	15.3	0.8	49	0.57
1780853	Rock	0.54	69	1.6	4.0	38.4	77	<0.1	2.7	3.3	229	1.23	24	7.1	29.2	27	0.3	1.2	0.2	4	0.22
1780854	Rock	1.06	16	0.7	3.8	57.8	52	<0.1	1.7	0.6	118	1.38	39	8.0	31.8	11	0.1	3.4	0.6	9	0.06
1780855	Rock	1.23	44	1.7	9.1	59.4	63	0.4	3.6	1.4	165	1.33	34	12.7	32.0	27	0.2	4.7	0.6	16	0.21
1780856	Rock	1.06	78	1.5	3.0	32.7	23	0.2	0.6	0.3	47	0.88	32	7.4	30.6	13	0.1	4.4	0.3	5	0.07
1780857	Rock	0.47	15	2.6	1.8	28.9	9	0.1	1.1	0.4	74	0.63	24	5.0	23.0	12	<0.1	4.0	0.7	3	0.07
1780858	Rock	0.14	5	1.3	2.9	21.4	85	<0.1	2.1	0.7	117	1.87	18	6.7	28.9	35	<0.1	1.5	0.3	5	0.18
1780859	Rock	0.39	13	2.5	2.2	68.6	10	0.2	1.0	0.2	38	0.74	26	7.5	24.8	13	<0.1	4.1	2.2	5	0.05
1780860	Rock	0.91	2	1.7	1.8	33.9	70	<0.1	0.7	0.3	104	1.02	4	7.4	26.6	21	<0.1	0.7	0.2	1	0.18
1780861	Rock	0.91	89	3.3	1.8	31.8	20	0.6	1.2	0.8	107	0.95	76	6.6	24.1	20	<0.1	11.6	0.1	4	0.10
1780862	Rock	1.35	40	3.5	2.6	25.0	9	0.5	1.7	1.1	110	0.95	48	6.2	24.0	25	<0.1	7.6	0.1	7	0.12
1780863	Rock	0.84	59	7.2	7.1	22.6	19	1.1	0.4	<0.2	116	0.98	88	13.1	45.1	20	<0.1	10.7	1.0	2	0.10
1780864	Rock	0.52	<2	1.1	1.5	38.2	62	<0.1	0.6	0.6	271	1.04	2	7.1	30.6	11	<0.1	0.8	<0.1	<1	0.16
1780865	Rock	0.76	2	0.8	4.5	25.6	40	<0.1	1.1	1.4	201	1.71	15	8.4	30.3	13	<0.1	0.9	<0.1	7	0.07
1780866	Rock	0.73	5	1.0	1.4	21.5	19	<0.1	0.7	0.3	45	0.56	4	7.3	26.5	17	<0.1	1.1	<0.1	<1	0.07
1780867	Rock	0.42	<2	2.1	1.9	37.8	16	<0.1	0.6	0.3	37	0.64	18	7.3	22.8	23	<0.1	1.0	0.2	1	0.08
1780868	Rock	1.04	3	0.5	19.4	17.1	64	<0.1	15.4	18.1	1060	5.07	5	2.7	7.5	424	<0.1	0.9	0.1	152	0.44
1780869	Rock	0.82	5	0.5	19.5	23.4	84	<0.1	28.0	14.6	1206	4.52	19	3.3	8.7	470	0.5	1.0	0.3	114	2.17
1780951	Rock	1.23	<2	1.6	2.0	33.9	98	<0.1	0.4	0.4	180	1.02	<1	7.5	27.7	14	<0.1	0.4	<0.1	<1	0.08
1780952	Rock	0.99	<2	1.9	1.5	35.2	50	<0.1	0.8	0.7	157	1.06	2	4.6	28.5	17	<0.1	0.3	<0.1	5	0.16
1780953	Rock	1.37	<2	0.8	1.0	35.4	54	<0.1	0.5	0.8	97	0.86	3	8.6	31.3	17	<0.1	0.6	0.3	1	0.14
1780954	Rock	0.80	6	1.2	0.8	32.5	68	<0.1	0.9	1.0	288	0.82	3	9.0	33.4	136	<0.1	0.3	0.5	<1	1.18
1780955	Rock	0.61	<2	1.5	3.0	39.1	71	<0.1	1.7	1.4	221	0.92	1	6.2	27.7	28	<0.1	0.2	0.1	1	0.41
1780956	Rock	1.32	<2	3.6	1.7	34.1	56	<0.1	0.8	0.3	142	1.48	5	9.5	31.4	10	<0.1	0.9	1.0	1	0.04
1780957	Rock	1.17	<2	0.6	1.6	35.7	63	<0.1	0.5	0.4	110	0.75	2	8.6	32.1	24	<0.1	0.4	0.4	<1	0.12
1780958	Rock	0.84	<2	0.3	3.1	44.3	92	<0.1	0.8	0.3	178	0.89	2	15.7	41.5	41	<0.1	0.6	0.9	3	0.62
1780959	Rock	0.63	<2	2.1	2.7	30.0	86	<0.1	0.4	<0.2	200	1.00	<1	7.8	27.9	13	<0.1	0.2	<0.1	<1	0.10
1780960	Rock	0.46	<2	1.6	4.1	46.9	109	<0.1	0.5	1.2	228	0.98	1	9.0	33.9	4	<0.1	0.2	0.1	<1	0.24
1780961	Rock	0.57	<2	2.5	1.9	44.0	99	<0.1	0.3	0.4	146	0.94	1	9.4	33.0	4	<0.1	0.2	<0.1	<1	0.17



CERTIFICATE OF ANALYSIS WHI18000327.1

Method Analyte	Unit MDL	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S		
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
1780851	Rock	0.005	16.1	8	0.09	101	0.069	3.99	0.271	3.07	1.6	110.1	38	4.7	40.0	37.2	3.0	3	1	35.6	0.2		
1780852	Rock	0.030	46.1	33	0.30	279	0.183	6.64	0.966	3.59	1.9	162.9	93	5.9	51.3	34.3	2.2	3	7	21.3	<0.1		
1780853	Rock	0.005	30.8	6	0.04	177	0.073	5.81	2.220	4.20	1.2	137.7	65	6.9	26.7	33.6	2.5	3	1	21.7	<0.1		
1780854	Rock	0.005	26.6	8	0.08	202	0.065	4.63	0.276	3.69	2.0	120.5	62	6.2	40.1	44.5	3.2	3	2	25.7	0.2		
1780855	Rock	0.008	37.9	18	0.15	208	0.124	5.08	0.300	3.07	3.5	143.7	72	6.2	107.1	40.1	2.8	4	4	37.5	<0.1		
1780856	Rock	0.005	40.1	4	0.07	490	0.062	6.32	0.578	5.25	2.9	156.2	77	5.1	24.8	62.6	4.3	3	1	14.4	<0.1		
1780857	Rock	0.005	35.3	3	0.02	59	0.069	4.60	0.612	5.91	4.2	175.1	76	4.5	30.0	41.4	2.5	3	<1	30.6	0.1		
1780858	Rock	0.006	55.7	5	0.04	303	0.095	5.88	1.076	6.32	2.0	154.6	65	6.6	46.3	38.1	2.3	5	2	61.4	<0.1		
1780859	Rock	0.009	72.9	3	0.03	107	0.064	5.05	0.593	5.97	4.4	241.2	149	10.2	48.2	48.9	2.6	2	<1	24.0	0.2		
1780860	Rock	0.003	43.1	4	0.02	164	0.062	5.73	2.180	5.09	1.9	134.0	79	5.8	39.5	36.1	2.4	5	1	24.2	<0.1		
1780861	Rock	0.006	33.8	4	0.04	100	0.072	5.59	0.848	6.58	2.9	211.9	82	4.7	38.0	45.7	2.7	3	<1	22.9	0.2		
1780862	Rock	0.006	27.3	5	0.06	133	0.082	5.82	0.774	6.98	2.7	246.5	58	5.5	40.4	49.7	3.0	3	<1	18.1	0.1		
1780863	Rock	0.002	17.1	3	0.03	82	0.042	5.53	1.744	3.12	3.2	164.7	44	10.1	70.0	67.5	4.8	5	1	26.1	<0.1		
1780864	Rock	0.002	55.1	3	0.03	64	0.057	5.93	1.953	4.58	2.5	132.4	94	6.3	36.9	39.6	2.8	4	1	29.4	<0.1		
1780865	Rock	0.005	25.4	4	0.02	90	0.063	5.56	1.030	4.51	2.0	159.2	55	3.9	30.2	42.0	3.0	4	1	28.7	<0.1		
1780866	Rock	0.004	57.0	3	0.06	114	0.068	5.55	1.280	4.31	4.0	269.3	114	6.6	54.8	50.8	2.8	3	<1	8.0	<0.1		
1780867	Rock	0.003	27.3	3	0.07	107	0.076	5.60	1.191	4.34	4.3	270.5	54	7.3	43.5	55.4	3.0	2	<1	7.8	<0.1		
1780868	Rock	0.099	24.8	43	1.07	946	0.358	7.87	2.391	1.80	0.8	72.9	48	0.9	14.8	7.7	0.5	2	15	36.9	<0.1		
1780869	Rock	0.094	37.2	56	1.35	2592	0.316	8.08	1.674	2.80	0.9	94.4	69	1.9	24.4	8.2	0.5	2	14	47.7	<0.1		
1780951	Rock	0.003	23.0	3	0.01	83	0.061	6.07	2.279	4.88	2.0	134.5	67	7.7	41.8	40.3	2.7	3	2	22.8	<0.1		
1780952	Rock	0.008	12.3	4	0.03	102	0.053	5.97	2.497	4.80	2.2	86.8	29	2.6	30.2	36.3	2.8	6	2	33.6	<0.1		
1780953	Rock	0.004	18.9	4	0.02	103	0.047	5.42	1.511	4.45	3.9	111.7	52	8.2	43.8	34.5	2.6	6	2	59.3	<0.1		
1780954	Rock	0.003	41.9	3	0.08	205	0.053	5.51	1.123	4.11	2.3	119.8	86	9.4	41.1	36.1	2.7	7	1	50.9	<0.1		
1780955	Rock	0.006	41.6	5	0.02	77	0.056	5.81	2.065	4.67	2.1	96.6	96	4.1	35.8	37.3	2.7	6	1	36.7	<0.1		
1780956	Rock	0.004	26.1	6	0.02	71	0.049	5.33	0.725	6.75	7.9	106.6	77	15.5	30.7	33.0	2.6	3	2	76.7	<0.1		
1780957	Rock	0.003	20.8	4	0.01	109	0.051	5.48	1.320	5.78	1.6	113.9	49	9.0	48.4	33.8	2.6	6	1	90.7	<0.1		
1780958	Rock	0.003	15.8	4	0.04	74	0.037	6.25	1.440	5.19	2.3	123.8	30	12.3	96.1	75.8	5.1	8	1	25.8	<0.1		
1780959	Rock	0.003	26.5	3	0.02	72	0.060	6.01	2.398	4.77	1.6	133.3	76	6.5	40.2	44.1	2.9	5	1	26.5	<0.1		
1780960	Rock	0.002	12.1	3	0.01	10	0.038	6.12	2.358	4.68	2.5	142.8	37	11.3	36.5	62.0	4.0	8	<1	59.1	<0.1		
1780961	Rock	0.003	11.3	5	0.01	20	0.042	6.04	2.534	4.96	3.4	152.8	24	10.8	18.2	64.5	4.1	7	1	63.5	<0.1		



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
1780851	Rock	198.7	5.1	0.10	<0.005	<1	<0.5	1.9	0.03
1780852	Rock	222.8	5.7	0.08	<0.005	<1	<0.5	2.1	0.15
1780853	Rock	216.5	5.6	0.11	<0.005	<1	<0.5	1.5	<0.01
1780854	Rock	259.6	5.4	0.09	<0.005	<1	<0.5	1.9	<0.01
1780855	Rock	274.3	6.2	<0.05	<0.005	<1	<0.5	2.0	<0.01
1780856	Rock	329.1	7.3	0.06	<0.005	1	<0.5	2.9	<0.01
1780857	Rock	322.2	5.9	0.07	<0.005	1	<0.5	2.7	<0.01
1780858	Rock	278.7	5.5	0.07	<0.005	<1	<0.5	1.5	<0.01
1780859	Rock	309.8	7.7	0.14	<0.005	<1	<0.5	4.3	<0.01
1780860	Rock	223.1	5.4	0.07	<0.005	<1	<0.5	1.3	<0.01
1780861	Rock	358.7	7.2	0.07	<0.005	<1	<0.5	2.4	0.01
1780862	Rock	376.9	8.0	<0.05	<0.005	<1	<0.5	2.7	0.03
1780863	Rock	217.0	7.4	0.05	<0.005	2	<0.5	1.8	0.01
1780864	Rock	277.2	5.5	0.07	<0.005	<1	<0.5	1.6	<0.01
1780865	Rock	280.6	6.3	0.06	<0.005	1	<0.5	1.2	<0.01
1780866	Rock	210.7	8.7	0.06	<0.005	1	<0.5	1.3	0.14
1780867	Rock	228.9	8.3	0.09	<0.005	<1	<0.5	1.8	0.75
1780868	Rock	63.3	2.1	<0.05	<0.005	1	<0.5	<0.5	<0.01
1780869	Rock	99.5	2.4	0.06	<0.005	<1	<0.5	0.7	<0.01
1780951	Rock	258.6	5.3	0.08	<0.005	<1	<0.5	1.5	<0.01
1780952	Rock	280.6	3.3	<0.05	<0.005	<1	<0.5	1.5	<0.01
1780953	Rock	315.1	4.4	<0.05	<0.005	1	<0.5	2.0	<0.01
1780954	Rock	220.9	4.8	0.06	<0.005	1	<0.5	1.4	<0.01
1780955	Rock	277.6	3.9	0.05	<0.005	1	<0.5	1.6	<0.01
1780956	Rock	332.4	4.6	0.13	<0.005	1	<0.5	3.4	<0.01
1780957	Rock	343.2	4.6	0.08	<0.005	<1	<0.5	2.5	<0.01
1780958	Rock	405.4	6.6	0.07	<0.005	2	<0.5	2.5	<0.01
1780959	Rock	270.4	5.4	0.07	<0.005	1	<0.5	1.6	<0.01
1780960	Rock	353.9	7.0	0.13	<0.005	<1	<0.5	2.2	<0.01
1780961	Rock	363.1	7.2	0.08	<0.005	<1	<0.5	2.1	<0.01



CERTIFICATE OF ANALYSIS

WHI18000327.1

Table with columns: Method, Analyte, Unit, MDL, WGHT, FA350, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200, MA200. Rows include sample IDs 1780962 through 1780991 and their respective analyte concentrations.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method Analyte Unit MDL	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Ce ppm	Sn ppm	Y ppm	Nb ppm	Ta ppm	Be ppm	Sc ppm	Li ppm	S %	
1780962	Rock	0.002	31.9	3	0.02	79	0.056	6.08	2.074	4.84	2.1	131.9	55	6.3	58.2	41.8	2.8	6	1	40.8	<0.1
1780963	Rock	0.004	8.8	4	0.02	23	0.043	6.02	2.414	4.46	2.9	135.1	16	9.7	19.9	62.6	3.9	8	<1	51.8	<0.1
1780964	Rock	0.002	16.9	4	0.01	67	0.056	5.93	2.178	4.53	2.4	135.1	34	6.7	30.0	50.6	3.3	6	<1	43.6	<0.1
1780965	Rock	0.004	20.3	3	0.02	81	0.060	5.80	1.974	4.67	2.4	131.3	48	4.4	39.9	43.6	2.7	7	1	29.2	<0.1
1780966	Rock	0.005	20.6	3	0.01	39	0.061	6.01	1.593	4.89	1.3	162.2	41	2.1	17.4	57.7	3.4	4	1	15.1	<0.1
1780967	Rock	0.004	17.9	3	0.04	65	0.041	5.52	0.580	4.50	2.0	145.5	42	10.6	51.7	65.4	4.3	5	<1	27.4	0.1
1780968	Rock	0.006	31.3	4	0.02	169	0.071	5.99	2.385	4.67	1.7	120.4	61	6.2	23.8	39.1	2.5	4	2	23.9	<0.1
1780969	Rock	0.002	17.4	3	<0.01	226	0.045	5.36	2.064	4.34	1.9	120.0	38	7.0	28.1	51.3	2.9	5	<1	40.4	<0.1
1780970	Rock	0.005	34.6	4	0.03	67	0.073	5.76	0.704	5.38	3.4	245.2	72	5.3	35.5	53.6	2.9	3	<1	24.2	0.2
1780971	Rock	0.003	26.1	2	0.01	41	0.065	5.42	0.420	6.05	4.6	225.2	51	3.9	27.8	49.8	2.8	2	<1	20.9	<0.1
1780972	Rock	0.002	5.9	3	0.02	40	0.036	6.02	1.252	4.28	3.0	146.0	17	11.4	51.6	70.9	4.7	6	<1	34.1	<0.1
1780973	Rock	0.002	5.3	3	0.04	55	0.034	6.00	1.914	3.54	2.1	102.7	16	11.1	51.8	69.3	5.4	7	<1	38.4	<0.1
1780974	Rock	<0.001	35.0	3	<0.01	82	0.046	4.95	1.032	4.78	11.0	98.0	84	9.9	29.4	36.8	2.5	5	2	47.8	<0.1
1780975	Rock	<0.001	43.4	3	0.05	102	0.054	5.41	1.352	3.47	1.8	122.0	94	11.2	52.0	39.2	3.2	6	2	61.8	<0.1
1780976	Rock	0.003	29.6	3	<0.01	34	0.054	5.64	1.724	3.85	2.2	165.5	71	12.6	26.8	58.3	4.2	4	<1	24.9	<0.1
1780977	Rock	0.003	13.0	3	<0.01	26	0.059	5.68	1.731	3.92	2.4	183.4	41	9.1	23.9	67.1	4.4	4	<1	30.7	0.2
1780978	Rock	0.002	52.0	4	<0.01	71	0.059	4.83	0.302	5.77	5.8	196.6	92	3.1	38.5	42.9	2.8	2	<1	23.1	0.4
1780979	Rock	0.004	66.0	3	0.01	54	0.069	5.46	0.523	5.51	5.6	247.5	71	5.1	34.2	54.9	3.3	2	<1	16.0	0.3
1780980	Rock	0.001	24.4	3	0.02	77	0.062	6.06	1.658	3.74	6.6	141.1	101	7.0	45.8	47.5	3.6	5	1	36.0	<0.1
1780981	Rock	<0.001	10.0	3	0.01	20	0.040	5.90	2.535	3.66	4.4	162.9	18	10.9	10.4	74.2	5.6	8	<1	55.3	<0.1
1780982	Rock	<0.001	30.0	4	0.02	95	0.059	5.65	1.712	4.05	9.5	140.2	112	8.9	57.8	56.1	3.4	7	1	26.2	<0.1
1780983	Rock	<0.001	24.9	4	0.02	78	0.068	6.19	2.452	4.28	4.8	138.9	44	4.4	23.7	51.6	3.8	7	1	28.9	<0.1
1780984	Rock	0.002	30.9	3	0.04	98	0.063	5.51	1.778	3.53	2.6	146.0	113	9.5	33.0	70.0	3.4	6	<1	33.6	<0.1
1780985	Rock	0.003	29.8	4	0.02	82	0.057	5.34	1.729	3.33	5.0	141.0	74	9.7	38.8	54.8	3.0	5	<1	42.4	<0.1
1780986	Rock	<0.001	14.0	2	<0.01	51	0.034	5.14	2.105	3.31	3.4	138.1	36	10.3	55.2	82.9	4.4	7	<1	59.0	<0.1
1780987	Rock	0.003	13.8	3	0.01	90	0.065	6.13	2.490	3.65	1.9	126.9	57	2.2	60.2	42.7	3.4	5	<1	37.6	<0.1
1780988	Rock	0.005	30.3	4	0.02	206	0.084	6.45	2.495	4.05	3.4	146.4	52	5.2	30.3	49.3	4.0	5	1	39.0	<0.1
1780989	Rock	0.005	49.6	3	0.01	89	0.070	5.84	2.420	3.21	4.9	140.4	182	11.5	105.3	57.7	3.9	6	1	47.8	<0.1
1780990	Rock	0.001	18.5	3	0.01	29	0.054	5.64	2.378	3.18	2.9	111.1	66	4.2	16.5	56.4	4.2	5	<1	49.0	<0.1
1780991	Rock	0.002	18.9	4	0.01	19	0.059	5.89	2.739	3.70	2.9	108.5	25	7.9	13.3	57.7	4.3	7	<1	45.5	<0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	Analyte	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
1780962	Rock	291.5	5.3	<0.05	<0.005	1	<0.5	1.3	<0.01
1780963	Rock	356.5	6.3	0.10	<0.005	<1	<0.5	2.3	<0.01
1780964	Rock	307.3	5.5	<0.05	<0.005	<1	<0.5	1.7	<0.01
1780965	Rock	268.0	5.1	<0.05	<0.005	<1	<0.5	1.6	<0.01
1780966	Rock	335.4	6.6	<0.05	<0.005	<1	<0.5	2.4	<0.01
1780967	Rock	324.6	6.8	0.06	<0.005	<1	<0.5	2.5	0.03
1780968	Rock	246.6	4.6	0.06	<0.005	<1	<0.5	1.5	<0.01
1780969	Rock	274.7	5.0	0.06	<0.005	<1	<0.5	1.8	<0.01
1780970	Rock	351.3	8.1	<0.05	<0.005	1	<0.5	3.3	0.07
1780971	Rock	365.0	7.4	<0.05	<0.005	1	<0.5	3.7	0.04
1780972	Rock	421.3	6.6	0.07	<0.005	2	<0.5	2.5	<0.01
1780973	Rock	360.1	6.3	0.11	<0.005	<1	<0.5	2.6	0.32
1780974	Rock	298.1	4.8	0.07	<0.005	<1	<0.5	2.2	<0.01
1780975	Rock	217.2	5.5	0.05	<0.005	1	<0.5	1.4	<0.01
1780976	Rock	318.5	8.6	0.16	<0.005	<1	<0.5	3.2	<0.01
1780977	Rock	348.2	9.0	0.16	<0.005	<1	<0.5	2.2	<0.01
1780978	Rock	366.2	8.1	0.05	<0.005	<1	<0.5	6.2	0.28
1780979	Rock	371.5	8.9	0.11	<0.005	<1	<0.5	6.3	0.24
1780980	Rock	283.6	7.4	0.08	<0.005	<1	<0.5	1.9	<0.01
1780981	Rock	361.8	8.7	0.09	<0.005	<1	<0.5	3.2	<0.01
1780982	Rock	251.5	7.3	0.34	<0.005	<1	<0.5	2.5	<0.01
1780983	Rock	326.8	6.4	0.17	<0.005	<1	<0.5	2.2	<0.01
1780984	Rock	399.8	7.0	0.11	<0.005	<1	<0.5	2.3	<0.01
1780985	Rock	305.3	6.3	0.31	<0.005	<1	<0.5	2.4	<0.01
1780986	Rock	348.5	7.9	0.06	<0.005	<1	<0.5	2.6	<0.01
1780987	Rock	302.7	6.5	0.32	<0.005	<1	<0.5	2.0	<0.01
1780988	Rock	337.5	7.3	0.10	<0.005	<1	<0.5	1.9	<0.01
1780989	Rock	257.4	7.0	0.12	<0.005	<1	<0.5	1.8	<0.01
1780990	Rock	287.9	5.6	<0.05	<0.005	<1	<0.5	2.0	<0.01
1780991	Rock	325.1	5.8	0.06	<0.005	1	<0.5	2.4	<0.01



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	
1780992	Rock	0.72	<2	2.3	3.9	44.6	135	<0.1	0.6	<0.2	109	1.33	<1	10.1	39.2	4	0.1	0.1	0.3	<1	0.11
1780993	Rock	1.15	<2	1.2	6.8	4.0	42	0.1	11.9	2.4	74	1.09	6	1.2	3.6	27	<0.1	0.4	<0.1	35	0.03



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	1	0.1	0.1
1780992	Rock	0.008	85.0	3	0.01	37	0.084	6.12	2.627	3.41	1.6	213.8	165	8.3	62.1	60.5	3.6	3	<1	10.8	<0.1
1780993	Rock	0.030	17.4	13	0.27	532	0.046	1.46	0.034	0.80	0.3	8.1	30	0.7	9.2	2.2	<0.1	<1	2	66.0	<0.1



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Goldstrike Resources Ltd.**
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI18000327.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200	
Analyte	Rb	Hf	In	Re	Se	Te	Tl	Hg	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.1	0.1	0.05	0.005	1	0.5	0.5	0.01	
1780992	Rock	255.1	9.0	0.09	<0.005	1	<0.5	1.8	0.04
1780993	Rock	45.8	0.3	<0.05	<0.005	3	<0.5	<0.5	<0.01



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: HS
Report Date: August 28, 2018

Page: 1 of 2 Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000327.1

Method	WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	0.1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																					
1780856	Rock	1.06	78	1.5	3.0	32.7	23	0.2	0.6	0.3	47	0.88	32	7.4	30.6	13	0.1	4.4	0.3	5	0.07
REP 1780856	QC	77																			
1780860	Rock	0.91	2	1.7	1.8	33.9	70	<0.1	0.7	0.3	104	1.02	4	7.4	26.6	21	<0.1	0.7	0.2	1	0.18
REP 1780860	QC	1.8 2.0 35.6 73 <0.1 0.9 0.3 103 1.03 4 7.8 27.9 21 <0.1 0.8 0.2 1 0.19																			
1780959	Rock	0.63	<2	2.1	2.7	30.0	86	<0.1	0.4	<0.2	200	1.00	<1	7.8	27.9	13	<0.1	0.2	<0.1	<1	0.10
REP 1780959	QC																				
1780974	Rock	1.01	<2	1.7	2.9	50.0	54	<0.1	0.5	2.8	104	1.12	3	7.1	28.5	11	<0.1	1.0	0.2	<1	0.07
REP 1780974	QC	1.8 2.6 52.0 56 <0.1 0.3 2.6 100 1.18 4 7.7 29.9 11 0.1 1.0 0.2 <1 0.08																			
1780984	Rock	1.04	<2	0.7	2.1	59.7	88	<0.1	<0.1	<0.2	266	1.85	<1	175.7	33.9	16	0.9	0.5	1.2	<1	0.22
REP 1780984	QC	<2																			
Core Reject Duplicates																					
1780867	Rock	0.42	<2	2.1	1.9	37.8	16	<0.1	0.6	0.3	37	0.64	18	7.3	22.8	23	<0.1	1.0	0.2	1	0.08
DUP 1780867	QC	<2 1.8 1.8 37.6 18 <0.1 0.8 0.3 46 0.74 17 7.3 21.7 22 <0.1 1.0 0.2 1 0.07																			
1780982	Rock	0.67	<2	4.5	3.2	55.8	110	0.2	0.2	0.5	227	2.51	8	9.4	36.3	13	0.3	1.4	2.5	<1	0.16
DUP 1780982	QC	<2 4.8 2.8 55.1 109 0.1 0.3 0.5 219 2.52 8 8.7 36.0 12 0.4 1.7 2.4 <1 0.15																			
Reference Materials																					
STD DS11	Standard																				
STD DS11	Standard																				
STD OREAS25A-4A	Standard	2.3 32.2 27.8 42 <0.1 46.7 8.0 464 6.31 9 3.2 17.3 47 <0.1 0.7 0.4 158 0.29																			
STD OREAS25A-4A	Standard	2.7 37.7 26.5 49 <0.1 51.9 8.7 487 7.05 11 3.3 18.5 58 0.1 0.8 0.4 176 0.30																			
STD OREAS25A-4A	Standard	2.5 32.4 25.1 42 <0.1 45.2 8.0 501 6.94 10 2.8 16.0 49 <0.1 0.6 0.3 176 0.31																			
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	2.2 781.9 18.0 41 0.3 465.9 56.5 547 23.80 15 2.6 13.3 16 <0.1 0.8 0.3 320 0.06																			
STD OREAS45E	Standard	2.5 800.4 19.7 52 0.4 502.5 65.0 584 25.17 18 2.7 14.9 19 <0.1 1.2 0.3 355 0.07																			
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	2.6 786.1 18.5 45 0.3 461.8 58.0 560 25.48 17 2.5 13.5 17 <0.1 1.0 0.3 327 0.07																			
STD OXC145	Standard	213																			
STD OXC145	Standard	213																			



QUALITY CONTROL REPORT

WHI18000327.1

Method	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
Analyte	P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
Unit	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
Pulp Duplicates																					
1780856	Rock	0.005	40.1	4	0.07	490	0.062	6.32	0.578	5.25	2.9	156.2	77	5.1	24.8	62.6	4.3	3	1	14.4	<0.1
REP 1780856	QC																				
1780860	Rock	0.003	43.1	4	0.02	164	0.062	5.73	2.180	5.09	1.9	134.0	79	5.8	39.5	36.1	2.4	5	1	24.2	<0.1
REP 1780860	QC	0.004	43.1	4	0.02	170	0.065	5.80	2.188	5.09	2.0	132.9	79	6.2	38.9	37.1	2.4	5	1	26.3	<0.1
1780959	Rock	0.003	26.5	3	0.02	72	0.060	6.01	2.398	4.77	1.6	133.3	76	6.5	40.2	44.1	2.9	5	1	26.5	<0.1
REP 1780959	QC																				
1780974	Rock	<0.001	35.0	3	<0.01	82	0.046	4.95	1.032	4.78	11.0	98.0	84	9.9	29.4	36.8	2.5	5	2	47.8	<0.1
REP 1780974	QC	<0.001	33.3	4	<0.01	82	0.046	5.12	1.080	4.56	11.5	97.2	83	10.2	29.1	36.7	2.6	4	1	47.1	<0.1
1780984	Rock	0.002	30.9	3	0.04	98	0.063	5.51	1.778	3.53	2.6	146.0	113	9.5	33.0	70.0	3.4	6	<1	33.6	<0.1
REP 1780984	QC																				
Core Reject Duplicates																					
1780867	Rock	0.003	27.3	3	0.07	107	0.076	5.60	1.191	4.34	4.3	270.5	54	7.3	43.5	55.4	3.0	2	<1	7.8	<0.1
DUP 1780867	QC	0.004	27.2	4	0.08	104	0.075	5.76	1.214	4.45	4.2	249.7	56	7.5	38.7	50.4	2.9	3	<1	8.5	<0.1
1780982	Rock	<0.001	30.0	4	0.02	95	0.059	5.65	1.712	4.05	9.5	140.2	112	8.9	57.8	56.1	3.4	7	1	26.2	<0.1
DUP 1780982	QC	0.002	30.0	4	0.02	92	0.061	5.63	1.697	4.16	10.2	140.9	110	9.0	54.9	56.9	3.3	6	1	25.5	<0.1
Reference Materials																					
STD DS11	Standard																				
STD DS11	Standard																				
STD OREAS25A-4A	Standard	0.045	24.9	102	0.33	150	0.940	8.71	0.115	0.49	1.9	148.9	51	4.4	10.8	19.8	1.5	<1	13	33.6	<0.1
STD OREAS25A-4A	Standard	0.052	25.7	129	0.35	165	0.995	9.60	0.147	0.53	1.8	171.4	53	4.6	11.9	20.5	1.4	<1	13	42.8	<0.1
STD OREAS25A-4A	Standard	0.048	25.6	111	0.35	157	0.944	9.15	0.138	0.53	1.9	157.1	52	4.2	11.0	20.5	1.4	<1	13	36.7	<0.1
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	0.030	11.1	907	0.17	257	0.549	6.70	0.057	0.34	1.1	89.7	25	1.2	8.2	6.3	0.5	<1	86	6.6	<0.1
STD OREAS45E	Standard	0.034	12.1	887	0.18	270	0.555	7.24	0.057	0.37	0.9	98.8	25	1.4	8.3	6.1	0.5	<1	95	7.1	<0.1
STD OREAS45EA	Standard																				
STD OREAS45E	Standard	0.035	12.0	983	0.16	278	0.529	6.88	0.059	0.36	1.0	99.2	25	1.5	7.9	6.3	0.5	<1	93	5.9	<0.1
STD OXC145	Standard																				
STD OXC145	Standard																				



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000327.1

Method Analyte	Unit	MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
Pulp Duplicates									
1780856	Rock	329.1	7.3	0.06	<0.005	1	<0.5	2.9	<0.01
REP 1780856	QC								
1780860	Rock	223.1	5.4	0.07	<0.005	<1	<0.5	1.3	<0.01
REP 1780860	QC	233.4	5.4	0.09	<0.005	1	<0.5	1.5	
1780959	Rock	270.4	5.4	0.07	<0.005	1	<0.5	1.6	<0.01
REP 1780959	QC								<0.01
1780974	Rock	298.1	4.8	0.07	<0.005	<1	<0.5	2.2	<0.01
REP 1780974	QC	270.0	4.8	0.10	<0.005	<1	<0.5	2.3	
1780984	Rock	399.8	7.0	0.11	<0.005	<1	<0.5	2.3	<0.01
REP 1780984	QC								
Core Reject Duplicates									
1780867	Rock	228.9	8.3	0.09	<0.005	<1	<0.5	1.8	0.75
DUP 1780867	QC	221.5	8.0	0.10	<0.005	<1	<0.5	1.8	0.68
1780982	Rock	251.5	7.3	0.34	<0.005	<1	<0.5	2.5	<0.01
DUP 1780982	QC	255.2	6.9	0.31	<0.005	<1	<0.5	2.7	<0.01
Reference Materials									
STD DS11	Standard								0.26
STD DS11	Standard								0.28
STD OREAS25A-4A	Standard	61.0	4.2	0.07	<0.005	2	<0.5	<0.5	
STD OREAS25A-4A	Standard	65.5	4.3	0.08	<0.005	3	<0.5	<0.5	
STD OREAS25A-4A	Standard	63.5	4.1	0.08	<0.005	4	<0.5	<0.5	
STD OREAS45EA	Standard								0.02
STD OREAS45E	Standard	21.0	2.9	0.13	<0.005	2	<0.5	<0.5	
STD OREAS45E	Standard	21.7	3.1	0.11	<0.005	3	<0.5	<0.5	
STD OREAS45EA	Standard								0.02
STD OREAS45E	Standard	23.1	2.8	0.13	<0.005	2	<0.5	<0.5	
STD OXC145	Standard								
STD OXC145	Standard								



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI18000327.1

		WGHT	FA350	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.2	1	0.01	1	0.1	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139	Standard		1312																		
STD OXH139	Standard		1342																		
STD OXC145 Expected			212																		
STD OXH139 Expected			1312																		
STD DS11 Expected																					
STD OREAS25A-4A Expected				2.55	33.9	25.2	44.4		45.8	8.2	470	6.6	9.94	2.94	15.8	48.5		0.67	0.35	157	0.309
STD OREAS45E Expected				2.4	780	18.2	46.7	0.311	454	57	570	24.12	16.3	2.41	12.9	15.9	0.06	1	0.28	322	0.065
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank																				
BLK	Blank			<0.1	0.5	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	0.1	0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	0.01
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.2	<1	<0.01	<1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<2	1.4	4.5	2.6	44	<0.1	0.9	4.2	657	2.00	2	1.3	3.0	192	0.1	0.1	<0.1	36	1.43
ROCK-WHI	Prep Blank		<2	1.0	8.9	2.6	41	<0.1	2.2	4.7	779	2.22	2	1.3	2.8	198	<0.1	0.1	<0.1	40	1.51



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI18000327.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	MA200	
		P	La	Cr	Mg	Ba	Ti	Al	Na	K	W	Zr	Ce	Sn	Y	Nb	Ta	Be	Sc	Li	S	
		%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.001	0.1	1	0.01	1	0.001	0.01	0.001	0.01	0.1	0.1	1	0.1	0.1	0.1	0.1	1	1	0.1	0.1	
STD OXH139	Standard																					
STD OXH139	Standard																					
STD OXC145 Expected																						
STD OXH139 Expected																						
STD DS11 Expected																						
STD OREAS25A-4A Expected		0.048	21.8	115	0.327	147	0.977	8.87	0.134	0.482	2	155	48.9	4.06	10.5	20.9	1.5	0.93	13.7	36.7	0.047	
STD OREAS45E Expected		0.034	11	979	0.156	252	0.559	6.78	0.059	0.324	1.07	97	23.5	1.32	8.28	6.8	0.54		93	6.58	0.046	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	0.005	<0.01	<0.1	0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank	<0.001	<0.1	2	<0.01	<1	<0.001	<0.01	0.004	<0.01	0.2	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
BLK	Blank																					
BLK	Blank	<0.001	<0.1	1	<0.01	<1	<0.001	<0.01	0.004	<0.01	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<0.1	<1	<1	<0.1	<0.1	
Prep Wash																						
ROCK-WHI	Prep Blank	0.035	13.2	5	0.55	815	0.199	6.99	3.518	1.67	0.3	50.1	24	0.7	14.1	4.8	0.4	<1	7	2.1	<0.1	
ROCK-WHI	Prep Blank	0.039	14.0	8	0.67	802	0.198	7.09	3.559	1.80	0.3	48.1	26	0.8	15.7	4.8	0.3	<1	7	2.3	<0.1	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Goldstrike Resources Ltd.
1010 - 1130 West Pender St.
Vancouver British Columbia V6E 4A4 Canada

Project: HS
Report Date: August 28, 2018

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI18000327.1

		MA200	MA200	MA200	MA200	MA200	MA200	MA200	AQ200
		Rb	Hf	In	Re	Se	Te	Tl	Hg
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	0.05	0.005	1	0.5	0.5	0.01
STD OXH139	Standard								
STD OXH139	Standard								
STD OXC145 Expected									
STD OXH139 Expected									
STD DS11 Expected									0.26
STD OREAS25A-4A Expected		61	4.28	0.09		2.5		0.35	
STD OREAS45E Expected		21.2	3.11	0.099		2.97	0.1	0.15	
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								
BLK	Blank								<0.01
BLK	Blank	<0.1	<0.1	<0.05	<0.005	2	<0.5	<0.5	
BLK	Blank	0.3	<0.1	<0.05	<0.005	2	<0.5	<0.5	
BLK	Blank								<0.01
BLK	Blank	<0.1	<0.1	<0.05	<0.005	1	<0.5	<0.5	
Prep Wash									
ROCK-WHI	Prep Blank	29.9	1.6	<0.05	<0.005	1	<0.5	<0.5	<0.01
ROCK-WHI	Prep Blank	28.4	1.6	<0.05	<0.005	<1	<0.5	<0.5	<0.01