Assessment Report on the 2018 Hawk Property Exploration Geological Mapping and Geochemical Soil Sampling Work Programs

Between May 1st 2018 and September 30th 2018

Mayo Mining District, Yukon Territory

7129516N, 467100E (NAD 83, UTM Zone 8N)

NTS Map: 106D05

Claim Name	Claim Numbers (Grant Number)
Dace	1-833 (YE91941 - YE92773)

Prepared for:

StrataGold Corporation

1000 - 1050 West Pender Street

Vancouver, BC

Canada V6E 3S7

Prepared by:

Paul D. Gray, P.Geo., V.P. Exploration, Victoria Gold Corp.

Helena Kuikka, P.Geo., Project Geologist, Victoria Gold Corp.

Steven Wozniak, Geology, Victoria Gold Corp.

October 2019

Work carried out on the following claims

Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping
YE92071	Dace	131	A	YE92065	Dace	125	A	YE92652	Dace	712	A
YE92073	Dace	133	A	YE92088	Dace	148	A	YE92691	Dace	751	A
YE92131	Dace	191	A	YE92267	Dace	327	A	YE92709	Dace	769	A
YE92130	Dace	190	A	YE92336	Dace	396	A	YE92737	Dace	797	A
YE92132	Dace	192	A	YE92371	Dace	431	A	YE92647	Dace	707	A
YE92133	Dace	193	A	YE92422	Dace	482	A	YE91966	Dace	26	A
YE92014	Dace	74	A	YE92455	Dace	515	A	YE92016	Dace	76	A
YE92367	Dace	427	A	YE92475	Dace	535	A	YE92066	Dace	126	A
YE92012	Dace	72	A	YE92482	Dace	542	A	YE92085	Dace	145	A
YE92081	Dace	141	A	YE92623	Dace	683	A	YE92126	Dace	186	A
YE92648	Dace	708	A	YE92412	Dace	472	A	YE92137	Dace	197	A
YE92703	Dace	763	A	YE91960	Dace	20	A	YE92196	Dace	256	A
YE92408	Dace	468	A	YE92069	Dace	129	A	YE92368	Dace	428	A
YE92258	Dace	318	A	YE92078	Dace	138	A	YE92442	Dace	502	A
YE92135	Dace	195	A	YE92127	Dace	187	A	YE92443	Dace	503	A
YE91961	Dace	21	A	YE92184	Dace	244	A	YE92453	Dace	513	A
YE92138	Dace	198	A	YE92202	Dace	262	A	YE92528	Dace	588	A
YE91962	Dace	22	A	YE92257	Dace	317	A	YE92624	Dace	684	A
YE91968	Dace	28	A	YE92323	Dace	383	A	YE91958	Dace	18	A
YE92063	Dace	123	A	YE92369	Dace	429	A	YE92198	Dace	258	A
YE92199	Dace	259	A	YE92373	Dace	433	A	YE92260	Dace	320	A
YE92568	Dace	628	A	YE92375	Dace	435	A	YE92265	Dace	325	A
YE91963	Dace	23	A	YE92387	Dace	447	A	YE92363	Dace	423	A

Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping
YE92365	Dace	425	A	YE92067	Dace	127	A	YE92625	Dace	685	A
YE92415	Dace	475	A	YE92124	Dace	184	A	YE92649	Dace	709	A
YE92444	Dace	504	A	YE92321	Dace	381	A	YE92656	Dace	716	A
YE92458	Dace	518	A	YE92327	Dace	387	A	YE92664	Dace	724	A
YE92460	Dace	520	A	YE92334	Dace	394	A	YE92739	Dace	799	A
YE92549	Dace	609	A	YE92514	Dace	574	A	YE91965	Dace	25	A
YE92559	Dace	619	A	YE92570	Dace	630	A	YE92062	Dace	122	A
YE92584	Dace	644	A	YE92674	Dace	734	A	YE92090	Dace	150	A
YE92719	Dace	779	A	YE92684	Dace	744	A	YE92140	Dace	200	A
YE91970	Dace	30	A	YE92693	Dace	753	A	YE92377	Dace	437	A
YE92136	Dace	196	A	YE92701	Dace	761	A	YE92424	Dace	484	A
YE92204	Dace	264	A	YE92084	Dace	144	A	YE92498	Dace	558	A
YE92418	Dace	478	A	YE92269	Dace	329	A	YE92508	Dace	568	A
YE92419	Dace	479	A	YE92310	Dace	370	A	YE92536	Dace	596	A
YE92457	Dace	517	A	YE92312	Dace	372	A	YE92604	Dace	664	A
YE92463	Dace	523	A	YE92366	Dace	426	A	YE92315	Dace	375	A
YE92476	Dace	536	A	YE92414	Dace	474	A	YE92079	Dace	139	A
YE92477	Dace	537	A	YE92473	Dace	533	A	YE92087	Dace	147	A
YE92488	Dace	548	A	YE92501	Dace	561	A	YE92186	Dace	246	A
YE92502	Dace	562	A	YE92529	Dace	589	A	YE92337	Dace	397	A
YE92578	Dace	638	A	YE92543	Dace	603	A	YE92361	Dace	421	A
YE92603	Dace	663	A	YE92558	Dace	618	A	YE92449	Dace	509	A
YE92025	Dace	85	A	YE92619	Dace	679	A				

Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping
YE92042	Dace	102	B	YE92112	Dace	172	B	YE92172	Dace	232	B
YE92044	Dace	104	B	YE92113	Dace	173	B	YE92173	Dace	233	B
YE92046	Dace	106	B	YE92114	Dace	174	B	YE92174	Dace	234	B
YE92048	Dace	108	B	YE92115	Dace	175	B	YE92175	Dace	235	B
YE92050	Dace	110	B	YE92116	Dace	176	B	YE92176	Dace	236	B
YE92052	Dace	112	B	YE92117	Dace	177	B	YE92177	Dace	237	B
YE92054	Dace	114	B	YE92118	Dace	178	B	YE92178	Dace	238	B
YE92056	Dace	116	B	YE92119	Dace	179	B	YE92179	Dace	239	B
YE92058	Dace	118	B	YE92120	Dace	180	B	YE92180	Dace	240	B
YE92060	Dace	120	B	YE92121	Dace	181	B	YE92181	Dace	241	B
YE92098	Dace	158	B	YE92158	Dace	218	B	YE92218	Dace	278	B
YE92099	Dace	159	B	YE92159	Dace	219	B	YE92219	Dace	279	B
YE92100	Dace	160	B	YE92160	Dace	220	B	YE92220	Dace	280	B
YE92101	Dace	161	B	YE92161	Dace	221	B	YE92221	Dace	281	B
YE92102	Dace	162	B	YE92162	Dace	222	B	YE92222	Dace	282	B
YE92103	Dace	163	B	YE92163	Dace	223	B	YE92223	Dace	283	B
YE92104	Dace	164	B	YE92164	Dace	224	B	YE92224	Dace	284	B
YE92105	Dace	165	B	YE92165	Dace	225	B	YE92225	Dace	285	B
YE92106	Dace	166	B	YE92166	Dace	226	B	YE92226	Dace	286	B
YE92107	Dace	167	B	YE92167	Dace	227	B	YE92227	Dace	287	B
YE92108	Dace	168	B	YE92168	Dace	228	B	YE92228	Dace	288	B
YE92109	Dace	169	B	YE92169	Dace	229	B	YE92229	Dace	289	B
YE92110	Dace	170	B	YE92170	Dace	230	B	YE92230	Dace	290	B
YE92111	Dace	171	B	YE92171	Dace	231	B	YE92231	Dace	291	B

Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping	Grant Number	Claim Name	Claim Number	Grouping
YE92232	Dace	292	B	YE92292	Dace	352	B	YE92352	Dace	412	B
YE92233	Dace	293	B	YE92293	Dace	353	B	YE92353	Dace	413	B
YE92234	Dace	294	B	YE92294	Dace	354	B	YE92354	Dace	414	B
YE92235	Dace	295	B	YE92295	Dace	355	B	YE92391	Dace	451	B
YE92236	Dace	296	B	YE92296	Dace	356	B	YE92392	Dace	452	B
YE92237	Dace	297	B	YE92297	Dace	357	B	YE92393	Dace	453	B
YE92238	Dace	298	B	YE92298	Dace	358	B	YE92394	Dace	454	B
YE92239	Dace	299	B	YE92299	Dace	359	B	YE92395	Dace	455	B
YE92240	Dace	300	B	YE92300	Dace	360	B	YE92396	Dace	456	B
YE92241	Dace	301	B	YE92301	Dace	361	B	YE92397	Dace	457	B
YE92278	Dace	338	B	YE92338	Dace	398	B	YE92434	Dace	494	B
YE92279	Dace	339	B	YE92339	Dace	399	B	YE92435	Dace	495	B
YE92280	Dace	340	B	YE92340	Dace	400	B	YE92436	Dace	496	B
YE92281	Dace	341	B	YE92341	Dace	401	B				
YE92282	Dace	342	B	YE92342	Dace	402	B				
YE92283	Dace	343	B	YE92343	Dace	403	B				
YE92284	Dace	344	B	YE92344	Dace	404	B				
YE92285	Dace	345	B	YE92345	Dace	405	B				
YE92286	Dace	346	B	YE92346	Dace	406	B				
YE92287	Dace	347	B	YE92347	Dace	407	B				
YE92288	Dace	348	B	YE92348	Dace	408	B				
YE92289	Dace	349	B	YE92349	Dace	409	B				
YE92290	Dace	350	B	YE92350	Dace	410	B				
YE92291	Dace	351	B	YE92351	Dace	411	B				

Table of Contents

List of Figures

List of Tables

List of Appendices

1. INTRODUCTION

The No Name (Hawk) prospect is located in the Mayo Mining District, Yukon Territory, south of the Beaver River and approximately 30km north of Victoria Gold Corp.'s Dublin Gulch claim block, NTS map 106D05 (Figure 1).

The Hawk property consists of 833 claims (Appendix I) covering 172km^2 centred approximately 30km north of the Dublin Gulch claim block. The claims were staked by Victoria Gold Corp. in May 2018 and recorded in the name of StrataGold Corporation (Figure 2). The area has no other current or recently lapsed claims nearby and is situated south of the Wernecke Mountains on Crown land, on the traditional Territory of the Na-Cho Nyak Dun First Nation.

StrataGold Corporation, a wholly-owned, directly-held subsidiary of Victoria Gold Corp. is the registered owner and operator for all claims. This assessment report details phase 1 reconnaissance exploration work carried out on the Hawk property between May 1st, 2018 and September 30th, 2018 of which only activities conducted between August 1st, 2018 and August 20th, 2018 were used for qualified expenditures for the renewal of the quartz claims.



Figure 1 – Property location map from YGS Mapmaker



Figure 2 – Location of the Hawk claims

1.1 Access

The Hawk prospect is located 30km north of Eagle Gold and accessible via helicopter from Victoria Gold's Bluto Camp on the Dublin Gulch claims. A small pup tent camp was set up on the claims to support the soil program. Access to the ridges in Hawk for mapping and soil sampling was via helicopter or hiking from the pup tent camp.

1.2 Target Rationale

The Hawk area was targeted due to the identification of a large number of gossanous outcrops that lie along a 12 kilometer north westerly trend across the Property. Regional Geochemical Stream Sample (RGS) data indicate elevated gold and base metal responses in the creeks that drain the general area. The current property has seen extremely limited exploration activity lacks detailed geologic mapping/control.

Based on similar nearby mineral occurrences and their geology and structure, there exists the potential for gold-bearing stratabound, structurally-controlled Carbonate Replacement (Tiger Deposit), Manto Style (Ocelot Showing), or structurally hosted vein-fault (McKay Hill) mineralization, as well as high potential of replacement-style sulphide shales or breccias proximal to the gossanous outcrops which could host gold, silver, and/or base metals.

2. PROPERTY HISTORY

The Dace and Steamboat MINFILE occurrences are reported within the vicinity but the target area each of which seen only limited exploration activity.

The Dace occurrence was investigated in the 1960s and covers a transported limonite gossan reportedly anomalous in lead and zinc (MINFILE# 106D035). The occurrence area is located northwest of Steamboat Mountain approximately 25 km northwest of McQuesten Lake. The area was regionally mapped by L. Green of the Geological Survey of Canada in 1961 as part of a helicopter-supported party known as Operation Ogilvie. Although the area has not yet been remapped by the Yukon Geological Survey, C. Roots of the Geological Survey of Canada under contract with the Exploration and Geological Services Division (now part of the Yukon Geological Survey) remapped topographic map sheet 105M located directly to the south in the mid-1990's. In 2003, Gordey and Makepeace released a geological compilation of the Yukon which covered this area.

The Steamboat occurrence is located on the eastern branch of an unnamed creek located on the western side of Steamboat Mountain, approximately 23km northwest of McQuesten Lake. It was last explored in 1965 by United Keno Hill Mines (UKHM) following the release of the regional stream sediment sample data collected by the GSC during Operation Keno in 1964. Field notes recorded by UKHM noted large transported limonite gossans in the vicinity that appear to be derived from metal-rich shales. Grid soil sampling and prospecting by UKHM failed to reproduce the anomaly or uncover mineralization. No drilling or other documented work has been done in the vicinity (MINFILE# 106D034).

StrataGold Corp. staked the Hawk area (formerly referred to as No Name) in May of 2018 in preparation for a large-scale ridge and spur soil sampling program and smaller prospecting program to identify permissible host rocks and structures.

3. GEOLOGICAL SETTING

3.1 Regional Geology

The Hawk area resides within Mississippian Keno Hill Quartzite, Devonian Earn Group, and upper Proterozoic Hyland Group rocks, which are part of the western Selwyn Basin, an epicratonic basin developed in a divergent margin setting established as the result of neo-Proterozoic rifting along the North American margin (Ross, 1991; Colpron et al., 2002). Jurassic convergence between the North American and Farallon plates led to the collision of outboard terranes with the continental margin, which resulted in northward thrusting and low-grade metamorphism of Selwyn Basin strata (Monger, 1993). In the Mayo region, the Jurassic-Cretaceous Dawson, Tombstone and Robert Service thrusts (Murphy and Héon, 1995), juxtapose Hyland Group rocks against Mississippian shelf units and Devonian to Jurassic clastic units. With waning deformation across the orogen by the mid-Cretaceous, emplacement of a series of northwardly-younging, orogen-parallel, felsic to intermediate plutonic suites occurred between 112 and 90 Ma (Mortensen, 2000). The Tombstone Plutonic Suite (TPS) is the most craton-ward and youngest of the mid-Cretaceous plutonic belts emplaced into deformed Selwyn Basin strata. It extends in excess of 500 kilometers in an east-west direction, from the Yukon-Northwest Territory border to Dawson City, where it is truncated by the Tintina Fault Zone, a Cretaceous-Tertiary strike-slip fault with an estimated 450 kilometers of displacement. The TPS intrusions are typically <5 km in diameter and occur as composite plutons or as isolated pluton and dyke clusters. Compositionally they are predominantly monzogranite to quartz monzonite, with smaller volumes of later monzonite to quartz monzodiorite (Mortensen et al., 2000; Hart et al., 2004). They are weakly reduced to weakly oxidized and metaluminous to weakly peraluminous. Minor porphyritic, aplitic and calc-alkaline lamprophyre dykes (Mair et al., 2003) cross-cut and intrude the main stocks.

3.2 Property Geology

The Hawk area is located North West of Steamboat Mountain in the Ogilvie Range. The area is mapped as underlain by Mississippian Keno Hill Quartzite, Devonian Earn Group, and Proterozoic to Middle Cambrian Hyland Group siliciclastic units of the Yusezyu Formation (Figure 3). The Keno Hill Quartzite unit has been thrust to the northeast by the Robert Service Thrust Fault, onto the younger (Upper Proterozoic to Lower Cambrian) Hyland Group clastic rocks. The Tombstone Thrust Fault occurs to the North of the No Name area. A number of carbonate-like outcrops are not included in the regional mapping and it is likely some of what is mapped as quartzite is Earn group carbonate. The Keno Hill Quartzite and the Earn Group units are intruded by a North West trending package of Triassic Galena Suite greenstone bodies.

The 2018 mapping program focused on prospecting around several of the gossanous areas, and was subsequently followed by prospecting any outcrops upstream. Ridge mapping was limited by poor weather and low cloud ceilings on many days. In general mapping found an abundance of quartz veined (stockwork-style) quartzite, oxidized breccias, coarse grained gabbros, and pyritic shales (Figure 4). Rock-chip samples were assayed with no significant values of gold or silver were uncovered.

3.3 Deposit Type and Mineralization

A number of gossanous outcrops occur in the target area along a 12km trend with a north westerly orientation. The gossans are anomalous in lead and zinc. RGS data indicates anomalous gold draining from the streams in the target area. The gossans could be similar to ATAC's Ocelot showing located to the east in a similar NW trending thrust fault package. This area is marked by much smaller spring gossan formed by the precipitation of iron oxides containing silver, lead and zinc from solutions traveling along fractures. The gossan is predominately dolomite rubble cemented by iron oxides and is surrounded by buff to orange weathering dolomite and limestone. The 2010 drill program intersected 4.23m of 552 g/t silver, 14.5% lead, and 34.3% zinc. Best results of the 2011 drill program include 15m of 400 g/t silver, 20% lead, and 9% zinc.

In the Yukon-wide airborne magnetic data (200m spaced grid) the Hawk area is located in a magnetic low with no discernible structures at this scale (Figures 5 and 6).



Figure 3 – Property geology map of the Hawk area from regional mapping available on YGS Mapmaker



Figure 4 – 2018 Hawk Property geology map with 2018 air photos as basemap



Figure 5 – Magnetic residual total field geophysics map



Figure 6 – First Vertical Derivative geophysics map

4. 2018 EXPLORATION PROGRAM

A 172 square kilometer claim block consisting of 833 quartz claims was staked in the target area in May 2018 by a contracted crew from Pika Exploration (Figure 2). Subsequently an 11-day soil and prospecting program was conducted in mid to late August. Pika Exploration provided five (5) soil samplers with geologists from Victoria Gold imbedded with the soils crew. Fireweed Helicopters was used to set up the soil camp and move samplers and geologists. Hi-resolution orthophotography was flown over the entire property in September by Eagle Mapping.

2,033 soil samples were collected from ridges and spurs covering the entire property (Figure 7), as well as 20 select rock-chip samples (Figure 8). Appendices II, III and IV present soils and rock assays certificates as well as compiled collection data and results, respectively.



Figure 7 - 2018 Soil Sample locations



Figure 8 – 2018 Rock Sample Locations

4.1 Sample Method

For the 2018 field program, soil geochemical samples were collected from the B horizon wherever possible. Soil data and location information was recorded using handheld GPS units. Samples were collected into Kraft paper soil bags with sample number tags inserted and associated sample numbers written on the bags. Soil samples were sent to the Bureau Veritas prep facility in Whitehorse and dried at 60 degrees C, 100g soil sieved to 80 mesh. They were then shipped to Bureau Veritas' Vancouver Laboratories where they were analyzed using a 15g – 36 element ICP MS, detection limits are shown in Table 1.

Rock-chip samples were collected from subcrop, outcrop and float. They were sent to the Bureau Veritas prep facility in Whitehorse, crushed, split and pulverized 250g rock to 200 mesh. The samples were then sent to the Vancouver assay lab and analyzed with 50g lead collection fire assay fusion – AAS Finish, and a 1:1:1 Aqua Regia digestion ICP-MS analysis for 36 elements. ICP detection limits are the same as for the soil samples. Detailed soil and rock assay tables can be found in Appendix IV along with multi-element soil maps presented in Figures 9 -20 below.

Table 1 – Soil sample ICP detection limits

Analyte	Symbol	Unit	Lower Limit	Upper Limit
Silver	Ag	ppm	0.1	100
Aluminum	Al	%	0.01	10
Arsenic	As	ppm	0.5	10000
Gold	Au	ppb	0.5	100000
Boron	B	ppm	20	2000
Barium	Ba	ppm	1	10000
Bismuth	Bi	ppm	0.1	2000
Calcium	Ca	%	0.01	40
Cadmium	Cd	ppm	0.1	2000
Cobalt	Co	ppm	0.1	2000
Chromium	Cr	ppm	1	10000
Copper	Cu	ppm	0.1	10000
Iron	Fe	%	0.01	40
Gallium	Ga	ppm	1	1000
Mercury	Hg	ppm	0.1	5000
Potassium	K	%	0.01	10
Lanthanum	La	ppm	1	10000
Magnesium	Mg	%	0.01	30
Manganese	Mn	ppm	1	10000
Molybdenum	Mo	ppm	0.1	2000

Analyte	Symbol	Unit	Lower Limit	Upper Limit
Sodium	Na	%	0.001	5
Nickel	Ni	ppm	0.1	10000
Phosphorus	P	%	0.001	5
Lead	Pb	ppm	0.1	10000
Sulfur	S	%	0.05	10
Antimony	Sb	ppm	0.1	2000
Scandium	Sc	ppm	0.1	100
Selenium	Se	ppm	0.5	100
Strontium	Sr	ppm	1	2000
Tellurium	Te	ppm	0.2	1000
Thorium	Th	ppm	0.1	2000
Titanium	Ti	%	0.001	5
Thallium	Tl	ppm	0.1	1000
Vanadium	V	Ppm	2	10000
Tungsten	W	Ppm	0.1	100
Zinc	Zn	Ppm	1	10000

4.2 Geochemical Results

In rock-chip sampling, anomalous copper values occurred in two gabbro samples (141ppm Cu and 144 ppm Cu), and in two dark green massive greenstone units (230ppm Cu and 348ppm Cu), as well as in an oxidised fault breccia (135ppm Cu). No significant values of gold or silver were found.

The soil program at Hawk focused on 50m spaced ridge and spurs throughout the property as well as a small grid 100m x 50m spaced on the western portion of claims. Low level values of gold occur with highly anomalous results between 25-71ppb Au. A slight trend can be seen in gold values in a roughly WNW striking orientation over multiple ridges in the Earn Group limey sediment unit. Although elevated gold values also occur in the Keno Hill Quartzite and Hyland Group Metasediments to the south and north, they are not highly anomalous. Copper, antimony, arsenic tellurium, mercury, molybdenum, and thallium (zinc to a lesser extent) all follow the same WNW striking orientation but are quite well confined to the Earn Group sediments. Table 2 shows a statistical overview of the significant elements, and Table 3 presents a correlation matrix between these elements. These results are shown in Figures 9 through 20.

Table 2 – Soil sampling statistics of significant elements

	Au_ppm	*Ag_ppm*	*As_ppm*	*Bi_ppm*	*Cu_ppm*	*Pb_ppm*	*Sb_ppm*	*Tl_ppm*	*Zn_ppm*	*Hg_ppm*	*Te_ppm*
Mean	0.004036	0.545671	16.16016	0.29609	43.01082	20.5426	1.390138	0.178037	96.97295	0.154179	0.107919
Median	0.0032	0.3	13.6	0.3	29.5	17.8	0.8	0.1	72	0.08	0.1
Mode	0.00025	0.05	13	0.3	22.3	12.3	0.7	0.1	56	0.04	0.1
Standard Deviation	0.003572	0.874448	9.296747	0.187308	47.7327	10.71953	2.675622	0.218708	77.23986	0.238599	0.039575
Sample Variance	1.28E-05	0.764659	86.4295	0.035084	2278.411	114.9084	7.158954	0.047833	5965.996	0.05693	0.001566
Range	0.07055	11.35	108.95	6.65	1329.1	151.5	60.65	3.15	977	3.575	0.5
Minimum	0.00025	0.05	0.25	0.05	4.8	2.2	0.05	0.05	5	0.005	0.1
Maximum	0.0708	11.4	109.2	6.7	1333.9	153.7	60.7	3.2	982	3.58	0.6
95 Percentile	0.01024	2	30.98	0.5	113.14	38.5	4.1	0.54	248	0.55	0.1
90 Percentile	0.0076	1.2	25.1	0.4	83.9	32.38	2.4	0.4	170	0.32	0.1

Table 3 – Soil sample correlation matrix of significant elements

	Au_ppm	*Ag_ppm*	*As_ppm*	*Bi_ppm*	*Cu_ppm*	*Pb_ppm*	*Sb_ppm*	*Tl_ppm*	*Zn_ppm*	*Hg_ppm*	*Te_ppm*
Au_ppm	1	0.401686	0.084519	0.051824	0.568253	0.09684	0.212086	0.260091	0.312187	0.285273	0.326452
Ag_ppm	0.401686	1	0.43996	0.170302	0.411961	0.300689	0.677272	0.585993	0.616494	0.623008	0.424696
As_ppm	0.084519	0.43996	1	0.27521	0.151956	0.498345	0.584805	0.438875	0.249131	0.474702	0.290741
Bi_ppm	0.051824	0.170302	0.27521	1	0.1743	0.404527	0.134852	0.180712	0.144607	0.196868	0.206003
Cu_ppm	0.568253	0.411961	0.151956	0.1743	1	0.242568	0.2573	0.32229	0.54746	0.326718	0.326881
Pb_ppm	0.09684	0.300689	0.498345	0.404527	0.242568	1	0.29115	0.257912	0.241435	0.388554	0.232375
Sb_ppm	0.212086	0.677272	0.584805	0.134852	0.2573	0.29115	1	0.580961	0.468875	0.500723	0.368735
Tl_ppm	0.260091	0.585993	0.438875	0.180712	0.32229	0.257912	0.580961	1	0.560608	0.637352	0.359261
Zn_ppm	0.312187	0.616494	0.249131	0.144607	0.54746	0.241435	0.468875	0.560608	1	0.512797	0.355032
Hg_ppm	0.285273	0.623008	0.474702	0.196868	0.326718	0.388554	0.500723	0.637352	0.512797	1	0.391807
Te_ppm	0.326452	0.424696	0.290741	0.206003	0.326881	0.232375	0.368735	0.359261	0.355032	0.391807	1



Figure 9 – Soil Gold Assays PPB



Figure 10 – Soil Zinc Assays PPB



Figure 11 – Soil Thallium Assays PPM



Figure 12 - Soil Tellurium Assays PPM



Figure 13 – Soil Antimony Assays PPM



Figure 14 – Soil Lead Assays PPM



Figure 15 – Soil Molybdenum Assays PPM



Figure 16 – Soil Mercury Assays PPM



Figure 17 – Soil Copper Assays PPM



Figure 18 – Soil Bismuth Assays PPM



Figure 19 – Soil Arsenic Assays PPM



Figure 20 – Soil Silver Assays PPM

5. INTERPRETATION AND CONCLUSIONS

The Hawk target north of Dublin Gulch was staked by StrataGold Corp. in May of 2018 to follow up on targets identified in newly publicly available satellite imagery. A number of oxidized spring gossans occur on the property draining off of coarsely mapped Earn Group limey sediments. The 2018 exploration program consisted of 2,033 soil samples covering most of the ridges on the property as well as a smaller 20 sample rock-chip/prospecting program. Subsequently, orthophotos were flown over the entirety of property in September, 2018.

Gold mineralization associated with silver, arsenic, thallium, and mercury (lesser extent antimony) in the limey sediments suggest Carlin gold type signatures potentially similar to deposits at the nearby Rackla belt. Additional on the ground work is needed to better map the structure and lithology in the area of the soil anomaly and follow up on highly anomalous soils samples.

5.1 Recommendations

Further work is recommended in the Hawk claim block, including:

- Detailed lithologic and structural mapping in the Earn Group Sediments, focused on the central portion of the ridge over the WNW trending soil anomaly.
- Prospecting and following up on soil sampling in the Hyland Group sediments to the north.
- Additional soil sampling in the form of 50m spaced grid and contour sampling in the central portions of the claim block.
- Detailed air photo interpretation using the recently 2018 hi-resolution airphotos.

6. 2018 STATEMENT OF EXPENDITURES

2018 HAWK PROJECT TARGET EVALUATION EXPLORATION EXPENDITURES					
Wages	**#**	**days**	**$/unit**		
Geologist	2	6	$350	$4,200	
Pika Soil Crew Leader	1	13	$450	$5,850	
Pika Soil Samplers	4	13	$350	$18,200	
				Subtotal	$28,250
Camp & Logistics	**#**	**days**	**$/unit**		
Camp/Living Costs	5	13		$9,100	
Field Expenses	1	13	$195	$2,535	
				Subtotal	$11,635
Assay & Geochem	**#**		**$/sample**		
Soil Samples	2033		$14.34	$ 29,153.22	
Rock Samples	20		$16.86	$ 337.20	
				Subtotal	$29,490.42
Air Support	**#**	**Hours**	**$/unit**		
Helicopter travel to/from Camp-Worksites August	31.3	31.3 hrs + fuel	$1,350	$47,916.33	
				Subtotal	$47,916.33
				Total	**$117,291.75**

7. REFERENCES

Colpron, M., Logan, J., and Mortensen, J.K., 2002, U-Pb zircon age constraint for late Neoproterozoic rifting and initiation of the lower Paleozoic passive margin of western Laurentia: Canadian Journal of Earth Sciences, v. 39, p. 133–143

Doherty, R.A, 2007, Technical report on the Scheelite Dome property, Mayo area, Yukon, Riverside Resources Inc., 70 pp.

Hart, C.J.R., Goldfarb, R.J., Lewis, L.L., and Mair, J.L., 2004, The Northern Cordillera Mid-Cretaceous Plutonic Province: Ilmenite/magnetite-series granitoids and intrusion-related mineralization: Resource Geology, v. 54, p. 253–280.

Hunt, J., & Murphy, D. (1996). Geological Map of Mt. Haldane Area Yukon (NTS 105 M/14). *Geoscience Map 1996-4*. Canada/Yukon Mineral Development Agreement Geoscience Office.

Mair, J.L., 2004, Tectonic Setting, Magmatism and Magmatic-Hydrothermal Systems at Scheelite Dome, Tombstone Gold Belt, Yukon: Critical Constraints on Intrusion-Related Gold Systems, Unpublished PhD thesis, University of Western Australia, Crawley, Australia

Mair, J.L., Hart, C.J.R., Groves, D.I., and Goldfarb, R.J., 2003, The nature of Tombstone plutonic suite rocks at Scheelite Dome, Tintina gold province: Evidence for an enriched mantle contribution, in Blevin, P.L., Jones, M., and Chappell, B.W., eds., Magmas to mineralization: The Ishihara Symposium, GEMOC Macquarie University, Sydney, Proceedings, p. 93–96.

Mair, J.L., Goldfarb, R.J., Johnson, C.A., Hart, C.J.R., Marsh, E.F., 2006a, Geochemical constraints on the genesis of the Scheelite Dome Intrusion-Related Gold Deposit, Tombstone Gold Belt, Yukon, Canada: Economic Geology., v. 101, p. 23-553.

Mair, J.L., Hart, C.J.R. and Stephens, J.R., 2006b, Deformation history of the northwestern Selwyn Basin, Yukon, Canada: Implications for orogen evolution and mid-Cretaceous magmatism, GSA Bulletin, v. 118, p. 304-323

Monger, J.W.H., 1993, Canadian Cordilleran tectonics: From geosynclines to crustal collage: Canadian Journal of Earth Sciences, v. 30, p. 209–231.

Mortensen, J.K., Hart, C.J.R., Murphy, D.C., and Heffernan, S., 2000, Temporal evolution of early and mid-Cretaceous magmatism in the Tintina gold belt, *in* Tucker, T.L. and Smith, M.T. eds., The Tintina gold belt: Concepts, exploration, and discoveries: Vancouver, British Columbia and Yukon Chamber of Mines Special Volume 2, p. 49–57.

Murphy, D.C. and Héon, D., 1995, Geology and Mineral Occurrences of Seattle Creek Map Area (NTS 115P/16), Western Selwyn Basin; *in* Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 59-71.

Ross, G.M., 1991, Tectonic setting of the Windermere Supergroup revisited: Geology, v. 19, p. 1125–1128

8. STATEMENT OF QUALIFICATIONS

I, Paul D. Gray, P. Geo., do hereby certify:

THAT I am a Professional Geoscientist with offices at Suite 250 - 2237 2nd Avenue, Whitehorse, YT Y1A 0K7

THAT I am an author of the Report "

Assessment Report on the 2018 Hawk Property Exploration Geological Mapping and Geochemical Soil Sampling Work Programs, MAYO MINING DISTRICT, YUKON"

THAT I am a member in good standing (#29833) of the Association of Professional Engineers and Geoscientists of British Columbia.

THAT I am a graduate of Dalhousie University, Halifax, in the Province of Nova Scotia, with a Bachelor of Science degree (Honours) in Earth Sciences

THAT I have practiced my profession as an exploration geologist in the mineral exploration industry continuously since 1997. I have worked on base, precious and industrial metals exploration projects as a geologist in Canada, the United States of America, Asia, and South and Central America.

THAT I am employed as V.P. Exploration with Victoria Gold Corp.

THAT I have read the definition of "qualified person" set out in National Instrument 43-101 ("NI 43-101") and certify that by reason of my education, affiliation with a professional association (as defined in NI 43-101) and past relevant work experience, I fulfill the requirements to be a "qualified person" for the purposes of NI 43-101.

Dated at Vancouver, British Columbia, this ___ day of October, 2019.

_____

Paul D. Gray, P.Geo.

V.P. Exploration

Victoria Gold Corp.

I, Helena Kuikka am a geologist in the mineral exploration industry employed by Victoria Gold Corp.

I am an author of the Report titled "

Assessment Report on the 2018 Hawk Property Exploration Geological Mapping and Geochemical Soil Sampling Work Programs, MAYO MINING DISTRICT, YUKON" and I personally oversaw the program in the field.

I am a member in good standing (#47650) of the Engineers and Geoscientists of British Columbia.

I am a graduate of Simon Fraser University, Canada, with a Bachelor of Science Degree in Earth Sciences-Geology.

I have actively engaged in the mineral exploration industry since 2008.

Dated this ___ day of October, 2019

_____

Helena Kuikka BSc. P.Geo

I, Steven Wozniak am employed the mineral exploration industry by Victoria Gold Corp.

I am an author of the Report titled “

Assessment Report on the 2018 Hawk Property Exploration Geological Mapping and Geochemical Soil Sampling Work Programs, MAYO MINING DISTRICT, YUKON”

I am a graduate of Mount Royal University, Canada, with a Bachelor of Science Degree in Earth Sciences-Geology.

I have actively engaged in the mineral exploration industry since 2011.

Dated this ___ day of October, 2019

_____

Steven Wozniak BSc.

Appendix I

Claim List

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE91941	Dace	1	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91942	Dace	2	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91943	Dace	3	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91944	Dace	4	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91945	Dace	5	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91946	Dace	6	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91947	Dace	7	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91948	Dace	8	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91949	Dace	9	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91950	Dace	10	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91951	Dace	11	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91952	Dace	12	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91953	Dace	13	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91954	Dace	14	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91955	Dace	15	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91956	Dace	16	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91957	Dace	17	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91958	Dace	18	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91959	Dace	19	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91960	Dace	20	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91961	Dace	21	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91962	Dace	22	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91963	Dace	23	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91964	Dace	24	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91965	Dace	25	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91966	Dace	26	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91967	Dace	27	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91968	Dace	28	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91969	Dace	29	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91970	Dace	30	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91971	Dace	31	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91972	Dace	32	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91973	Dace	33	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91974	Dace	34	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91975	Dace	35	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91976	Dace	36	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91977	Dace	37	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91978	Dace	38	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE91979	Dace	39	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91980	Dace	40	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91981	Dace	41	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91982	Dace	42	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91983	Dace	43	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91984	Dace	44	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91985	Dace	45	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91986	Dace	46	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91987	Dace	47	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91988	Dace	48	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91989	Dace	49	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91990	Dace	50	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91991	Dace	51	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91992	Dace	52	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91993	Dace	53	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91994	Dace	54	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91995	Dace	55	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91996	Dace	56	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91997	Dace	57	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91998	Dace	58	STRATAGOLD CORPORATION - 100%	2020-05-24
YE91999	Dace	59	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92000	Dace	60	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92001	Dace	61	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92002	Dace	62	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92003	Dace	63	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92004	Dace	64	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92005	Dace	65	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92006	Dace	66	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92007	Dace	67	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92008	Dace	68	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92009	Dace	69	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92010	Dace	70	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92011	Dace	71	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92012	Dace	72	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92013	Dace	73	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92014	Dace	74	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92015	Dace	75	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92016	Dace	76	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92017	Dace	77	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92018	Dace	78	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92019	Dace	79	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92020	Dace	80	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92021	Dace	81	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92022	Dace	82	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92023	Dace	83	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92024	Dace	84	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92025	Dace	85	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92026	Dace	86	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92027	Dace	87	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92028	Dace	88	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92029	Dace	89	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92030	Dace	90	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92031	Dace	91	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92032	Dace	92	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92033	Dace	93	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92034	Dace	94	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92035	Dace	95	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92036	Dace	96	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92037	Dace	97	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92038	Dace	98	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92039	Dace	99	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92040	Dace	100	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92041	Dace	101	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92042	Dace	102	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92043	Dace	103	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92044	Dace	104	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92045	Dace	105	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92046	Dace	106	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92047	Dace	107	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92048	Dace	108	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92049	Dace	109	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92050	Dace	110	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92051	Dace	111	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92052	Dace	112	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92053	Dace	113	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92054	Dace	114	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92055	Dace	115	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92056	Dace	116	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92057	Dace	117	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92058	Dace	118	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92059	Dace	119	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92060	Dace	120	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92061	Dace	121	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92062	Dace	122	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92063	Dace	123	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92064	Dace	124	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92065	Dace	125	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92066	Dace	126	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92067	Dace	127	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92068	Dace	128	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92069	Dace	129	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92070	Dace	130	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92071	Dace	131	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92072	Dace	132	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92073	Dace	133	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92074	Dace	134	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92075	Dace	135	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92076	Dace	136	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92077	Dace	137	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92078	Dace	138	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92079	Dace	139	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92080	Dace	140	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92081	Dace	141	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92082	Dace	142	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92083	Dace	143	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92084	Dace	144	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92085	Dace	145	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92086	Dace	146	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92087	Dace	147	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92088	Dace	148	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92089	Dace	149	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92090	Dace	150	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92091	Dace	151	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92092	Dace	152	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92093	Dace	153	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92094	Dace	154	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92095	Dace	155	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92096	Dace	156	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92097	Dace	157	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92098	Dace	158	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92099	Dace	159	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92100	Dace	160	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92101	Dace	161	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92102	Dace	162	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92103	Dace	163	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92104	Dace	164	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92105	Dace	165	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92106	Dace	166	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92107	Dace	167	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92108	Dace	168	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92109	Dace	169	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92110	Dace	170	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92111	Dace	171	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92112	Dace	172	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92113	Dace	173	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92114	Dace	174	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92115	Dace	175	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92116	Dace	176	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92117	Dace	177	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92118	Dace	178	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92119	Dace	179	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92120	Dace	180	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92121	Dace	181	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92122	Dace	182	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92123	Dace	183	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92124	Dace	184	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92125	Dace	185	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92126	Dace	186	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92127	Dace	187	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92128	Dace	188	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92129	Dace	189	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92130	Dace	190	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92131	Dace	191	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92132	Dace	192	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92133	Dace	193	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92134	Dace	194	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92135	Dace	195	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92136	Dace	196	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92137	Dace	197	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92138	Dace	198	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92139	Dace	199	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92140	Dace	200	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92141	Dace	201	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92142	Dace	202	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92143	Dace	203	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92144	Dace	204	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92145	Dace	205	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92146	Dace	206	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92147	Dace	207	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92148	Dace	208	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92149	Dace	209	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92150	Dace	210	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92151	Dace	211	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92152	Dace	212	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92153	Dace	213	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92154	Dace	214	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92155	Dace	215	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92156	Dace	216	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92157	Dace	217	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92158	Dace	218	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92159	Dace	219	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92160	Dace	220	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92161	Dace	221	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92162	Dace	222	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92163	Dace	223	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92164	Dace	224	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92165	Dace	225	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92166	Dace	226	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92167	Dace	227	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92168	Dace	228	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92169	Dace	229	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92170	Dace	230	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92171	Dace	231	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92172	Dace	232	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92173	Dace	233	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92174	Dace	234	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92175	Dace	235	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92176	Dace	236	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92177	Dace	237	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92178	Dace	238	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92179	Dace	239	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92180	Dace	240	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92181	Dace	241	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92182	Dace	242	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92183	Dace	243	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92184	Dace	244	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92185	Dace	245	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92186	Dace	246	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92187	Dace	247	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92188	Dace	248	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92189	Dace	249	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92190	Dace	250	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92191	Dace	251	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92192	Dace	252	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92193	Dace	253	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92194	Dace	254	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92195	Dace	255	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92196	Dace	256	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92197	Dace	257	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92198	Dace	258	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92199	Dace	259	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92200	Dace	260	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92201	Dace	261	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92202	Dace	262	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92203	Dace	263	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92204	Dace	264	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92205	Dace	265	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92206	Dace	266	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92207	Dace	267	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92208	Dace	268	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92209	Dace	269	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92210	Dace	270	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92211	Dace	271	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92212	Dace	272	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92213	Dace	273	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92214	Dace	274	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92215	Dace	275	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92216	Dace	276	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92217	Dace	277	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92218	Dace	278	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92219	Dace	279	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92220	Dace	280	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92221	Dace	281	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92222	Dace	282	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92223	Dace	283	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92224	Dace	284	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92225	Dace	285	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92226	Dace	286	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92227	Dace	287	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92228	Dace	288	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92229	Dace	289	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92230	Dace	290	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92231	Dace	291	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92232	Dace	292	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92233	Dace	293	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92234	Dace	294	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92235	Dace	295	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92236	Dace	296	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92237	Dace	297	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92238	Dace	298	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92239	Dace	299	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92240	Dace	300	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92241	Dace	301	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92242	Dace	302	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92243	Dace	303	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92244	Dace	304	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92245	Dace	305	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92246	Dace	306	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92247	Dace	307	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92248	Dace	308	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92249	Dace	309	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92250	Dace	310	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92251	Dace	311	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92252	Dace	312	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92253	Dace	313	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92254	Dace	314	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92255	Dace	315	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92256	Dace	316	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92257	Dace	317	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92258	Dace	318	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92259	Dace	319	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92260	Dace	320	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92261	Dace	321	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92262	Dace	322	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92263	Dace	323	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92264	Dace	324	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92265	Dace	325	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92266	Dace	326	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92267	Dace	327	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92268	Dace	328	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92269	Dace	329	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92270	Dace	330	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92271	Dace	331	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92272	Dace	332	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92273	Dace	333	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92274	Dace	334	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92275	Dace	335	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92276	Dace	336	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92277	Dace	337	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92278	Dace	338	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92279	Dace	339	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92280	Dace	340	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92281	Dace	341	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92282	Dace	342	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92283	Dace	343	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92284	Dace	344	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92285	Dace	345	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92286	Dace	346	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92287	Dace	347	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92288	Dace	348	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92289	Dace	349	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92290	Dace	350	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92291	Dace	351	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92292	Dace	352	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92293	Dace	353	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92294	Dace	354	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92295	Dace	355	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92296	Dace	356	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92297	Dace	357	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92298	Dace	358	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92299	Dace	359	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92300	Dace	360	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92301	Dace	361	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92302	Dace	362	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92303	Dace	363	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92304	Dace	364	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92305	Dace	365	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92306	Dace	366	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92307	Dace	367	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92308	Dace	368	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92309	Dace	369	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92310	Dace	370	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92311	Dace	371	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92312	Dace	372	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92313	Dace	373	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92314	Dace	374	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92315	Dace	375	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92316	Dace	376	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92317	Dace	377	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92318	Dace	378	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92319	Dace	379	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92320	Dace	380	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92321	Dace	381	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92322	Dace	382	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92323	Dace	383	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92324	Dace	384	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92325	Dace	385	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92326	Dace	386	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92327	Dace	387	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92328	Dace	388	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92329	Dace	389	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92330	Dace	390	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92331	Dace	391	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92332	Dace	392	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92333	Dace	393	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92334	Dace	394	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92335	Dace	395	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92336	Dace	396	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92337	Dace	397	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92338	Dace	398	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92339	Dace	399	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92340	Dace	400	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92341	Dace	401	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92342	Dace	402	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92343	Dace	403	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92344	Dace	404	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92345	Dace	405	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92346	Dace	406	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92347	Dace	407	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92348	Dace	408	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92349	Dace	409	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92350	Dace	410	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92351	Dace	411	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92352	Dace	412	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92353	Dace	413	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92354	Dace	414	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92355	Dace	415	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92356	Dace	416	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92357	Dace	417	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92358	Dace	418	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92359	Dace	419	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92360	Dace	420	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92361	Dace	421	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92362	Dace	422	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92363	Dace	423	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92364	Dace	424	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92365	Dace	425	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92366	Dace	426	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92367	Dace	427	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92368	Dace	428	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92369	Dace	429	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92370	Dace	430	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92371	Dace	431	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92372	Dace	432	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92373	Dace	433	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92374	Dace	434	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92375	Dace	435	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92376	Dace	436	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92377	Dace	437	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92378	Dace	438	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92379	Dace	439	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92380	Dace	440	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92381	Dace	441	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92382	Dace	442	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92383	Dace	443	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92384	Dace	444	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92385	Dace	445	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92386	Dace	446	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92387	Dace	447	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92388	Dace	448	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92389	Dace	449	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92390	Dace	450	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92391	Dace	451	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92392	Dace	452	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92393	Dace	453	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92394	Dace	454	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92395	Dace	455	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92396	Dace	456	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92397	Dace	457	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92398	Dace	458	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92399	Dace	459	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92400	Dace	460	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92401	Dace	461	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92402	Dace	462	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92403	Dace	463	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92404	Dace	464	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92405	Dace	465	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92406	Dace	466	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92407	Dace	467	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92408	Dace	468	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92409	Dace	469	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92410	Dace	470	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92411	Dace	471	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92412	Dace	472	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92413	Dace	473	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92414	Dace	474	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92415	Dace	475	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92416	Dace	476	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92417	Dace	477	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92418	Dace	478	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92419	Dace	479	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92420	Dace	480	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92421	Dace	481	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92422	Dace	482	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92423	Dace	483	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92424	Dace	484	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92425	Dace	485	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92426	Dace	486	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92427	Dace	487	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92428	Dace	488	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92429	Dace	489	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92430	Dace	490	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92431	Dace	491	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92432	Dace	492	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92433	Dace	493	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92434	Dace	494	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92435	Dace	495	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92436	Dace	496	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92437	Dace	497	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92438	Dace	498	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92439	Dace	499	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92440	Dace	500	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92441	Dace	501	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92442	Dace	502	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92443	Dace	503	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92444	Dace	504	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92445	Dace	505	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92446	Dace	506	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92447	Dace	507	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92448	Dace	508	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92449	Dace	509	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92450	Dace	510	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92451	Dace	511	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92452	Dace	512	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92453	Dace	513	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92454	Dace	514	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92455	Dace	515	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92456	Dace	516	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92457	Dace	517	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92458	Dace	518	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92459	Dace	519	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92460	Dace	520	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92461	Dace	521	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92462	Dace	522	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92463	Dace	523	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92464	Dace	524	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92465	Dace	525	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92466	Dace	526	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92467	Dace	527	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92468	Dace	528	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92469	Dace	529	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92470	Dace	530	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92471	Dace	531	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92472	Dace	532	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92473	Dace	533	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92474	Dace	534	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92475	Dace	535	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92476	Dace	536	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92477	Dace	537	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92478	Dace	538	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92479	Dace	539	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92480	Dace	540	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92481	Dace	541	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92482	Dace	542	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92483	Dace	543	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92484	Dace	544	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92485	Dace	545	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92486	Dace	546	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92487	Dace	547	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92488	Dace	548	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92489	Dace	549	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92490	Dace	550	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92491	Dace	551	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92492	Dace	552	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92493	Dace	553	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92494	Dace	554	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92495	Dace	555	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92496	Dace	556	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92497	Dace	557	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92498	Dace	558	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92499	Dace	559	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92500	Dace	560	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92501	Dace	561	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92502	Dace	562	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92503	Dace	563	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92504	Dace	564	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92505	Dace	565	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92506	Dace	566	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92507	Dace	567	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92508	Dace	568	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92509	Dace	569	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92510	Dace	570	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92511	Dace	571	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92512	Dace	572	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92513	Dace	573	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92514	Dace	574	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92515	Dace	575	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92516	Dace	576	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92517	Dace	577	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92518	Dace	578	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92519	Dace	579	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92520	Dace	580	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92521	Dace	581	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92522	Dace	582	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92523	Dace	583	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92524	Dace	584	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92525	Dace	585	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92526	Dace	586	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92527	Dace	587	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92528	Dace	588	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92529	Dace	589	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92530	Dace	590	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92531	Dace	591	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92532	Dace	592	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92533	Dace	593	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92534	Dace	594	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92535	Dace	595	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92536	Dace	596	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92537	Dace	597	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92538	Dace	598	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92539	Dace	599	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92540	Dace	600	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92541	Dace	601	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92542	Dace	602	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92543	Dace	603	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92544	Dace	604	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92545	Dace	605	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92546	Dace	606	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92547	Dace	607	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92548	Dace	608	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92549	Dace	609	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92550	Dace	610	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92551	Dace	611	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92552	Dace	612	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92553	Dace	613	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92554	Dace	614	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92555	Dace	615	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92556	Dace	616	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92557	Dace	617	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92558	Dace	618	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92559	Dace	619	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92560	Dace	620	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92561	Dace	621	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92562	Dace	622	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92563	Dace	623	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92564	Dace	624	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92565	Dace	625	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92566	Dace	626	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92567	Dace	627	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92568	Dace	628	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92569	Dace	629	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92570	Dace	630	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92571	Dace	631	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92572	Dace	632	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92573	Dace	633	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92574	Dace	634	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92575	Dace	635	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92576	Dace	636	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92577	Dace	637	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92578	Dace	638	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92579	Dace	639	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92580	Dace	640	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92581	Dace	641	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92582	Dace	642	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92583	Dace	643	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92584	Dace	644	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92585	Dace	645	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92586	Dace	646	STRATAGOLD CORPORATION - 100%	2021-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92587	Dace	647	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92588	Dace	648	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92589	Dace	649	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92590	Dace	650	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92591	Dace	651	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92592	Dace	652	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92593	Dace	653	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92594	Dace	654	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92595	Dace	655	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92596	Dace	656	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92597	Dace	657	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92598	Dace	658	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92599	Dace	659	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92600	Dace	660	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92601	Dace	661	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92602	Dace	662	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92603	Dace	663	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92604	Dace	664	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92605	Dace	665	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92606	Dace	666	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92607	Dace	667	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92608	Dace	668	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92609	Dace	669	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92610	Dace	670	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92611	Dace	671	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92612	Dace	672	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92613	Dace	673	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92614	Dace	674	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92615	Dace	675	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92616	Dace	676	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92617	Dace	677	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92618	Dace	678	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92619	Dace	679	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92620	Dace	680	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92621	Dace	681	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92622	Dace	682	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92623	Dace	683	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92624	Dace	684	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92625	Dace	685	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92626	Dace	686	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92627	Dace	687	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92628	Dace	688	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92629	Dace	689	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92630	Dace	690	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92631	Dace	691	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92632	Dace	692	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92633	Dace	693	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92634	Dace	694	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92635	Dace	695	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92636	Dace	696	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92637	Dace	697	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92638	Dace	698	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92639	Dace	699	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92640	Dace	700	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92641	Dace	701	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92642	Dace	702	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92643	Dace	703	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92644	Dace	704	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92645	Dace	705	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92646	Dace	706	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92647	Dace	707	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92648	Dace	708	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92649	Dace	709	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92650	Dace	710	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92651	Dace	711	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92652	Dace	712	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92653	Dace	713	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92654	Dace	714	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92655	Dace	715	STRATAGOLD CORPORATION - 100%	2021-05-24
YE92656	Dace	716	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92657	Dace	717	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92658	Dace	718	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92659	Dace	719	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92660	Dace	720	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92661	Dace	721	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92662	Dace	722	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92663	Dace	723	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92664	Dace	724	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92665	Dace	725	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92666	Dace	726	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92667	Dace	727	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92668	Dace	728	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92669	Dace	729	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92670	Dace	730	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92671	Dace	731	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92672	Dace	732	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92673	Dace	733	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92674	Dace	734	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92675	Dace	735	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92676	Dace	736	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92677	Dace	737	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92678	Dace	738	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92679	Dace	739	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92680	Dace	740	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92681	Dace	741	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92682	Dace	742	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92683	Dace	743	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92684	Dace	744	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92685	Dace	745	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92686	Dace	746	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92687	Dace	747	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92688	Dace	748	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92689	Dace	749	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92690	Dace	750	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92691	Dace	751	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92692	Dace	752	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92693	Dace	753	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92694	Dace	754	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92695	Dace	755	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92696	Dace	756	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92697	Dace	757	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92698	Dace	758	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92699	Dace	759	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92700	Dace	760	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92701	Dace	761	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92702	Dace	762	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92703	Dace	763	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92704	Dace	764	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92705	Dace	765	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92706	Dace	766	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92707	Dace	767	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92708	Dace	768	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92709	Dace	769	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92710	Dace	770	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92711	Dace	771	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92712	Dace	772	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92713	Dace	773	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92714	Dace	774	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92715	Dace	775	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92716	Dace	776	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92717	Dace	777	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92718	Dace	778	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92719	Dace	779	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92720	Dace	780	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92721	Dace	781	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92722	Dace	782	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92723	Dace	783	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92724	Dace	784	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92725	Dace	785	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92726	Dace	786	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92727	Dace	787	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92728	Dace	788	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92729	Dace	789	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92730	Dace	790	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92731	Dace	791	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92732	Dace	792	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92733	Dace	793	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92734	Dace	794	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92735	Dace	795	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92736	Dace	796	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92737	Dace	797	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92738	Dace	798	STRATAGOLD CORPORATION - 100%	2020-05-24

GRANT NUMBER	CLAIM NAME	CLAIM NBR	CLAIM OWNER	EXPIRY DATE
YE92739	Dace	799	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92740	Dace	800	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92741	Dace	801	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92742	Dace	802	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92743	Dace	803	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92744	Dace	804	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92745	Dace	805	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92746	Dace	806	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92747	Dace	807	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92748	Dace	808	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92749	Dace	809	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92750	Dace	810	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92751	Dace	811	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92752	Dace	812	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92753	Dace	813	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92754	Dace	814	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92755	Dace	815	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92756	Dace	816	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92757	Dace	817	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92758	Dace	818	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92759	Dace	819	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92760	Dace	820	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92761	Dace	821	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92762	Dace	822	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92763	Dace	823	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92764	Dace	824	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92765	Dace	825	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92766	Dace	826	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92767	Dace	827	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92768	Dace	828	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92769	Dace	829	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92770	Dace	830	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92771	Dace	831	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92772	Dace	832	STRATAGOLD CORPORATION - 100%	2020-05-24
YE92773	Dace	833	STRATAGOLD CORPORATION - 100%	2020-05-24

Appendix II

Soil Certificates

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: September 28, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000889.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	320

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	320	Save all or part of Soil Reject			WHI
SLBHP	320	Sort, label and box pulps			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057079	Soil	1.7	97.1	28.0	144	0.5	42.4	21.3	1722	2.56	8.3	9.1	0.7	24	0.5	1.1	0.3	24	0.19	0.084	14
2057080	Soil	2.3	169.7	49.6	206	1.5	73.7	46.2	3914	3.13	14.4	24.9	3.3	49	0.8	1.7	0.3	20	0.26	0.066	22
2057081	Soil	1.6	70.7	21.4	93	0.4	27.8	22.4	832	3.14	13.3	3.5	0.3	10	0.2	1.1	0.2	46	0.06	0.092	13
2057082	Soil	1.1	89.3	16.1	85	<0.1	30.8	9.6	483	2.86	5.7	11.0	3.8	13	0.1	0.5	0.3	28	0.02	0.040	22
2057083	Soil	1.2	43.7	15.9	71	<0.1	22.4	7.7	432	3.30	10.6	4.0	1.0	12	<0.1	0.7	0.3	45	0.05	0.064	16
2057084	Soil	1.0	26.8	11.4	60	0.1	23.7	8.1	642	2.94	10.6	2.7	3.4	6	<0.1	0.6	0.3	31	0.04	0.031	19
2057085	Soil	1.1	71.4	20.5	105	0.1	43.4	17.4	2003	3.45	7.6	3.7	3.0	11	0.2	0.6	0.3	32	0.06	0.068	20
2057086	Soil	1.1	45.1	13.3	74	0.4	27.9	8.2	589	3.03	7.1	3.0	2.0	19	<0.1	0.5	0.2	35	0.21	0.059	18
2057087	Soil	1.6	66.9	17.2	99	0.3	29.1	11.6	680	3.10	11.6	4.0	0.8	11	0.2	0.9	0.3	44	0.07	0.053	15
2057088	Soil	1.3	67.9	23.5	105	0.4	31.9	11.9	766	2.78	9.3	3.3	0.9	9	0.1	0.8	0.3	32	0.04	0.073	19
2057089	Soil	1.9	110.2	26.4	136	0.6	44.1	22.9	1176	3.08	11.8	10.5	1.6	13	0.2	1.1	0.3	28	0.07	0.072	19
2057090	Soil	1.6	70.4	17.1	108	0.2	36.8	13.0	632	3.27	11.4	4.6	5.5	24	0.3	1.1	0.3	38	0.08	0.053	26
2057091	Soil	1.5	40.0	15.0	74	0.2	24.6	12.9	719	2.96	12.8	2.3	3.8	13	0.2	0.8	0.2	49	0.12	0.063	17
2057092	Soil	2.3	82.4	21.3	203	0.3	58.1	16.4	477	3.55	11.8	3.6	5.3	11	0.2	1.3	0.3	36	0.06	0.086	36
2057093	Soil	1.6	38.7	15.2	92	0.4	32.7	11.9	640	3.09	13.7	3.7	4.6	15	0.3	1.5	0.2	41	0.11	0.076	20
2057094	Soil	1.6	46.1	20.0	114	0.3	43.1	19.7	1071	3.03	12.3	1.2	5.6	20	0.4	1.8	0.2	35	0.10	0.078	23
2057095	Soil	3.2	90.7	20.2	214	0.8	76.9	14.2	1385	3.93	15.1	3.7	7.6	25	0.6	1.4	0.3	31	0.21	0.086	37
2057096	Soil	3.0	51.1	19.1	181	1.1	56.5	12.1	431	2.95	21.0	2.9	3.6	24	0.9	2.7	0.3	18	0.21	0.087	7
2057097	Soil	2.3	65.1	21.5	170	0.7	68.3	16.3	996	3.77	11.8	5.7	5.7	33	0.7	1.8	0.3	28	0.23	0.083	19
2057098	Soil	2.2	46.6	22.7	163	0.1	53.5	25.1	589	4.18	17.4	2.9	1.8	14	0.4	1.6	0.3	34	0.07	0.088	13
2057099	Soil	2.0	60.7	14.2	130	0.4	48.5	12.8	520	3.09	11.3	4.1	2.9	20	0.3	1.2	0.2	35	0.08	0.062	20
2057100	Soil	5.9	64.5	12.5	191	0.6	59.4	10.3	484	2.91	17.2	4.9	4.0	19	1.4	1.5	0.2	32	0.14	0.089	18
2057127	Soil	1.1	21.7	17.5	64	<0.1	22.3	10.0	376	2.81	12.7	3.3	1.0	16	0.1	0.8	0.2	41	0.10	0.051	11
2057128	Soil	1.0	18.8	13.1	62	<0.1	25.4	8.6	2038	2.46	12.7	6.0	1.2	15	0.2	0.8	0.2	43	0.12	0.051	14
2057129	Soil	0.4	7.1	11.7	27	<0.1	15.2	5.0	425	0.93	5.9	<0.5	0.9	17	<0.1	0.4	<0.1	14	0.20	0.029	6
2057130	Soil	0.8	71.0	45.1	80	<0.1	34.5	22.5	1527	4.29	12.3	<0.5	2.9	40	0.1	0.3	0.6	20	0.22	0.057	7
2057131	Soil	0.6	33.2	33.4	78	<0.1	29.5	15.9	858	4.93	10.3	1.4	2.2	13	0.2	0.4	0.5	26	0.02	0.072	6
2057132	Soil	1.3	23.8	17.8	76	<0.1	27.9	13.7	476	3.42	13.7	1.5	2.1	15	0.1	0.9	0.3	50	0.16	0.069	12
2057133	Soil	0.9	25.1	14.2	74	<0.1	27.8	10.8	586	3.47	12.5	1.6	4.0	15	<0.1	0.6	0.2	37	0.17	0.070	13
2057134	Soil	0.9	35.5	25.0	90	<0.1	37.1	18.4	1231	4.89	15.6	<0.5	2.3	13	<0.1	0.5	0.4	37	0.09	0.068	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057079	Soil	22	0.30	680	0.005	3	0.99	0.005	0.05	<0.1	0.12	1.3	0.1	<0.05	3	1.0	<0.2
2057080	Soil	21	0.31	1582	0.005	2	0.97	0.005	0.04	<0.1	0.23	3.6	0.3	<0.05	3	1.3	<0.2
2057081	Soil	29	0.29	123	0.009	1	1.62	0.004	0.04	0.1	0.09	0.2	0.2	<0.05	5	0.5	<0.2
2057082	Soil	32	0.49	100	0.002	<1	1.37	0.004	0.03	<0.1	0.03	0.8	<0.1	<0.05	4	0.6	<0.2
2057083	Soil	27	0.33	81	0.007	<1	1.36	0.004	0.04	0.1	0.06	0.8	0.1	<0.05	5	0.6	<0.2
2057084	Soil	24	0.32	131	0.006	<1	1.25	0.003	0.03	<0.1	0.05	1.0	<0.1	<0.05	5	<0.5	<0.2
2057085	Soil	29	0.65	107	0.006	<1	1.59	0.003	0.04	<0.1	0.05	1.4	<0.1	<0.05	5	<0.5	<0.2
2057086	Soil	23	0.38	390	0.003	<1	1.25	0.004	0.03	<0.1	0.06	1.2	0.1	<0.05	4	<0.5	<0.2
2057087	Soil	26	0.35	97	0.013	<1	1.44	0.004	0.05	0.1	0.06	0.8	0.1	<0.05	5	0.6	<0.2
2057088	Soil	25	0.29	117	0.004	1	1.13	0.002	0.04	<0.1	0.08	0.2	<0.1	<0.05	4	<0.5	<0.2
2057089	Soil	23	0.32	113	0.004	<1	1.13	0.003	0.04	<0.1	0.08	0.8	<0.1	<0.05	4	0.5	<0.2
2057090	Soil	29	0.42	192	0.007	1	1.42	0.008	0.06	<0.1	0.08	1.6	0.2	<0.05	4	1.1	<0.2
2057091	Soil	30	0.44	151	0.026	<1	1.64	0.005	0.06	0.2	0.05	2.5	0.1	<0.05	5	0.7	<0.2
2057092	Soil	24	0.33	78	0.002	<1	1.32	0.003	0.08	<0.1	0.06	0.9	0.1	<0.05	4	1.7	<0.2
2057093	Soil	25	0.41	103	0.023	<1	1.36	0.005	0.07	0.1	0.08	2.0	0.1	<0.05	4	1.4	<0.2
2057094	Soil	27	0.40	107	0.011	<1	1.57	0.005	0.07	<0.1	0.10	2.0	0.1	<0.05	4	1.2	<0.2
2057095	Soil	22	0.39	404	0.002	<1	1.19	0.003	0.07	<0.1	0.17	2.1	0.1	<0.05	4	3.0	<0.2
2057096	Soil	8	0.06	361	0.001	<1	0.47	0.003	0.06	<0.1	0.35	3.2	0.2	<0.05	<1	1.4	<0.2
2057097	Soil	20	0.26	452	0.003	<1	0.92	0.001	0.07	<0.1	0.89	3.8	0.2	<0.05	3	1.8	<0.2
2057098	Soil	25	0.32	87	0.008	<1	1.25	0.003	0.05	<0.1	0.06	1.7	0.1	<0.05	4	1.9	<0.2
2057099	Soil	23	0.28	150	0.023	<1	1.20	0.007	0.05	0.1	0.16	2.0	0.1	<0.05	4	1.3	<0.2
2057100	Soil	19	0.26	191	0.023	<1	0.99	0.004	0.04	0.1	0.26	3.0	0.1	<0.05	3	2.6	<0.2
2057127	Soil	23	0.33	88	0.020	<1	1.19	0.008	0.05	0.2	0.05	1.5	0.1	<0.05	5	0.8	<0.2
2057128	Soil	23	0.28	122	0.025	<1	1.24	0.005	0.05	0.3	0.06	1.6	0.1	<0.05	4	0.6	<0.2
2057129	Soil	7	0.09	133	0.007	<1	0.44	0.004	0.04	<0.1	0.03	0.6	<0.1	<0.05	1	<0.5	<0.2
2057130	Soil	22	0.46	116	0.005	1	1.36	0.004	0.05	<0.1	0.03	3.0	<0.1	<0.05	4	0.6	<0.2
2057131	Soil	30	0.76	33	0.004	<1	2.36	0.004	0.05	<0.1	0.03	1.9	<0.1	<0.05	8	<0.5	<0.2
2057132	Soil	31	0.62	82	0.030	<1	1.77	0.006	0.06	0.2	0.04	2.7	0.1	<0.05	5	0.7	<0.2
2057133	Soil	29	0.61	61	0.030	<1	1.52	0.005	0.04	0.2	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
2057134	Soil	33	0.78	75	0.007	<1	2.34	0.005	0.04	<0.1	0.03	3.0	<0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057135	Soil	0.6	35.2	44.5	82	<0.1	36.0	21.8	1965	4.65	7.4	<0.5	2.3	10	<0.1	0.3	0.5	27	0.04	0.071	4
2057136	Soil	0.6	59.9	28.8	71	<0.1	33.6	19.1	1327	4.38	3.4	3.3	1.0	10	<0.1	0.5	0.4	30	0.06	0.070	5
2057137	Soil	1.1	21.1	15.3	47	<0.1	15.4	6.7	274	2.95	11.0	3.2	0.3	8	<0.1	0.7	0.4	50	0.09	0.053	10
2057138	Soil	1.1	24.2	23.3	69	<0.1	18.7	16.5	1090	3.32	7.3	2.3	0.3	7	0.1	0.7	0.4	51	0.06	0.079	9
2057139	Soil	1.1	24.0	23.2	60	<0.1	18.4	9.7	901	2.94	10.3	3.4	0.2	11	0.2	0.7	0.4	35	0.06	0.069	7
2057140	Soil	1.7	38.9	38.8	72	<0.1	23.3	17.1	2091	3.60	10.8	3.6	0.6	10	0.1	0.5	0.5	34	0.06	0.098	9
2057141	Soil	0.9	27.4	25.5	72	<0.1	18.2	11.8	1948	3.39	5.8	1.7	0.2	16	0.3	0.5	0.4	29	0.15	0.116	6
2057142	Soil	0.9	27.8	23.8	66	<0.1	25.5	11.8	533	3.04	10.1	2.0	1.2	19	0.1	0.7	0.3	34	0.09	0.051	12
2057143	Soil	0.9	32.9	23.8	58	<0.1	25.4	11.0	528	2.63	7.3	0.9	1.7	15	0.1	0.6	0.3	34	0.15	0.069	16
2057144	Soil	1.0	21.6	17.1	61	<0.1	22.8	9.6	391	3.24	9.4	3.5	0.5	9	0.2	0.7	0.4	45	0.07	0.052	10
2057145	Soil	1.3	117.3	9.4	109	<0.1	264.8	58.5	1265	8.14	4.1	0.9	2.3	53	0.2	0.3	<0.1	133	1.02	0.081	16
2057146	Soil	1.4	60.2	49.4	63	<0.1	32.7	29.0	1095	3.19	24.8	5.0	0.7	16	0.1	0.9	0.5	44	0.08	0.051	22
2057147	Soil	1.4	18.9	15.0	61	<0.1	26.9	14.7	644	3.41	11.2	5.3	0.7	14	0.1	0.9	0.3	74	0.14	0.042	13
2057148	Soil	1.7	65.5	11.3	92	0.1	89.4	29.7	1658	6.10	76.1	5.1	2.5	57	0.3	1.0	0.2	63	0.84	0.150	29
2057149	Soil	1.5	29.2	9.6	65	<0.1	46.1	15.3	822	4.06	29.9	2.4	1.0	42	0.2	0.6	0.2	72	0.60	0.118	17
2057150	Soil	1.3	63.8	7.9	78	<0.1	102.7	25.8	983	5.15	19.9	1.5	1.4	38	0.2	0.5	0.1	106	0.60	0.078	19
2057182	Soil	1.1	39.1	44.9	53	<0.1	18.1	8.5	308	2.68	12.5	7.7	0.5	8	<0.1	0.7	0.2	42	0.10	0.054	12
2057183	Soil	0.8	19.9	29.4	56	<0.1	19.3	10.6	503	2.39	11.6	2.5	1.3	13	<0.1	0.6	0.2	35	0.14	0.066	12
2057184	Soil	0.7	28.6	35.1	56	<0.1	24.0	14.8	678	2.43	11.7	2.0	3.3	17	<0.1	0.6	0.2	29	0.18	0.091	12
2057185	Soil	0.9	27.4	51.6	68	<0.1	25.6	30.4	479	2.88	25.5	4.8	0.8	11	<0.1	0.6	0.5	37	0.10	0.047	11
2057186	Soil	0.9	29.2	43.8	61	<0.1	24.5	22.2	478	2.80	20.4	2.8	2.0	13	<0.1	0.7	0.3	36	0.16	0.073	13
2057187	Soil	0.3	112.2	20.5	118	<0.1	42.5	24.6	1360	4.91	1.5	<0.5	5.8	21	<0.1	0.1	0.3	28	0.10	0.044	3
2057188	Soil	1.1	19.9	30.0	56	<0.1	19.1	11.7	446	2.66	16.6	3.2	1.2	10	0.1	0.7	0.3	40	0.10	0.048	11
2057189	Soil	0.9	22.6	21.2	58	<0.1	23.0	12.2	428	2.61	11.3	3.6	1.4	12	0.1	0.7	0.2	42	0.14	0.055	12
2057190	Soil	1.1	23.3	26.0	57	<0.1	21.1	12.8	576	2.71	11.0	1.4	0.7	11	0.1	0.7	0.2	42	0.10	0.062	11
2057191	Soil	0.9	26.4	32.1	59	<0.1	24.1	13.3	602	2.41	16.4	3.2	2.2	15	0.1	0.7	0.3	34	0.17	0.073	13
2057192	Soil	1.0	19.6	18.5	72	<0.1	21.9	10.5	411	2.74	13.2	2.6	1.2	13	0.2	0.8	0.2	51	0.13	0.058	15
2057193	Soil	1.1	21.3	24.3	60	<0.1	20.6	14.4	717	3.02	13.4	1.1	0.3	9	<0.1	0.6	0.3	38	0.06	0.059	9
2057194	Soil	1.1	26.0	31.8	67	<0.1	22.5	14.6	404	2.91	14.9	1.8	0.8	10	<0.1	0.8	0.3	44	0.09	0.055	11
2057195	Soil	0.7	33.6	32.1	67	<0.1	27.6	17.6	381	3.35	13.3	1.1	2.4	13	<0.1	0.5	0.3	28	0.10	0.046	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057135	Soil	30	0.70	38	0.004	<1	1.92	0.004	0.05	<0.1	0.04	2.1	<0.1	<0.05	8	<0.5	<0.2
2057136	Soil	30	0.57	58	0.010	<1	1.38	0.004	0.05	<0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
2057137	Soil	22	0.29	53	0.017	1	1.24	0.005	0.03	0.1	0.05	0.9	<0.1	0.06	5	<0.5	<0.2
2057138	Soil	23	0.30	82	0.013	2	1.48	0.005	0.04	0.1	0.04	0.8	<0.1	0.06	5	<0.5	<0.2
2057139	Soil	18	0.21	54	0.008	1	0.79	0.005	0.05	<0.1	0.07	0.5	<0.1	0.06	4	<0.5	<0.2
2057140	Soil	22	0.42	99	0.007	2	1.76	0.007	0.05	<0.1	0.05	1.0	<0.1	0.06	5	<0.5	<0.2
2057141	Soil	18	0.20	142	0.004	1	1.07	0.006	0.06	<0.1	0.07	0.5	0.1	0.11	4	<0.5	<0.2
2057142	Soil	19	0.38	96	0.011	<1	1.30	0.005	0.05	<0.1	0.05	1.6	<0.1	<0.05	4	<0.5	<0.2
2057143	Soil	20	0.37	66	0.019	1	1.13	0.005	0.05	0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
2057144	Soil	25	0.42	54	0.016	<1	1.48	0.005	0.04	0.1	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
2057145	Soil	215	3.27	101	0.301	4	3.56	0.013	0.02	<0.1	0.02	12.5	<0.1	<0.05	15	<0.5	<0.2
2057146	Soil	28	0.38	59	0.015	1	1.51	0.004	0.09	0.1	0.04	1.3	0.1	<0.05	5	<0.5	<0.2
2057147	Soil	37	0.43	108	0.034	<1	1.40	0.005	0.06	0.1	0.02	2.0	0.1	0.06	7	0.6	<0.2
2057148	Soil	51	0.63	186	0.011	3	1.50	0.009	0.12	<0.1	0.08	11.4	0.1	<0.05	5	0.7	<0.2
2057149	Soil	48	0.42	248	0.008	1	1.89	0.006	0.07	0.1	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
2057150	Soil	280	1.96	137	0.078	2	2.39	0.008	0.08	<0.1	0.03	10.1	0.1	<0.05	9	<0.5	<0.2
2057182	Soil	22	0.34	56	0.022	<1	1.25	0.006	0.04	0.2	0.05	1.6	<0.1	<0.05	4	<0.5	<0.2
2057183	Soil	20	0.38	57	0.021	<1	1.11	0.004	0.04	0.1	0.03	1.4	<0.1	<0.05	4	<0.5	<0.2
2057184	Soil	20	0.38	72	0.026	<1	1.08	0.004	0.04	<0.1	0.02	1.8	<0.1	<0.05	3	<0.5	<0.2
2057185	Soil	22	0.43	74	0.013	1	1.42	0.005	0.05	0.1	0.03	1.5	0.1	<0.05	4	<0.5	<0.2
2057186	Soil	21	0.42	55	0.024	<1	1.33	0.005	0.04	0.2	0.03	1.8	<0.1	<0.05	4	<0.5	<0.2
2057187	Soil	33	1.19	46	0.003	<1	2.12	0.006	0.06	<0.1	<0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
2057188	Soil	21	0.38	73	0.021	<1	1.43	0.005	0.04	0.2	0.04	2.0	<0.1	<0.05	4	<0.5	<0.2
2057189	Soil	22	0.41	71	0.026	<1	1.33	0.006	0.05	0.1	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
2057190	Soil	22	0.37	88	0.022	<1	1.27	0.006	0.04	0.1	0.03	1.5	<0.1	0.05	4	<0.5	<0.2
2057191	Soil	21	0.42	76	0.027	<1	1.25	0.007	0.05	0.1	0.03	2.1	<0.1	<0.05	3	<0.5	<0.2
2057192	Soil	27	0.47	87	0.027	<1	1.55	0.007	0.05	0.2	0.04	2.0	<0.1	<0.05	5	<0.5	<0.2
2057193	Soil	22	0.38	82	0.010	<1	1.39	0.005	0.05	<0.1	0.04	1.0	<0.1	<0.05	5	<0.5	<0.2
2057194	Soil	25	0.44	82	0.019	<1	1.54	0.006	0.06	0.1	0.04	1.6	0.1	<0.05	5	<0.5	<0.2
2057195	Soil	24	0.54	72	0.012	<1	1.40	0.005	0.06	<0.1	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057196	Soil	1.0	24.4	29.7	60	<0.1	22.1	14.5	470	2.61	12.6	1.3	1.2	13	<0.1	0.6	0.2	31	0.13	0.075	11
2057197	Soil	0.9	36.7	51.6	72	<0.1	29.0	29.2	1417	4.00	11.1	0.5	1.0	10	<0.1	0.5	0.4	28	0.04	0.088	5
2057198	Soil	0.9	24.3	24.3	70	<0.1	23.9	13.2	507	2.74	13.8	1.5	1.6	14	0.1	0.7	0.2	39	0.14	0.071	13
2057199	Soil	1.0	19.8	17.4	58	<0.1	17.8	8.2	315	2.51	12.7	1.7	0.5	11	0.1	0.7	0.2	41	0.11	0.058	12
2057200	Soil	0.8	20.5	19.7	55	<0.1	20.0	9.5	387	2.52	11.2	5.3	0.7	12	<0.1	0.7	0.2	36	0.12	0.063	12
2057226	Soil	1.5	27.3	140.4	235	0.3	19.1	6.8	624	2.60	11.5	5.0	1.0	8	0.5	1.4	0.2	49	0.07	0.039	15
2057227	Soil	0.9	94.1	22.1	119	0.4	40.5	15.3	984	2.32	9.7	6.5	2.5	17	0.2	1.5	0.2	26	0.15	0.066	22
2057228	Soil	1.1	38.8	18.6	72	0.2	18.1	9.7	1083	2.09	10.1	5.9	0.2	8	0.2	0.9	0.2	36	0.08	0.074	11
2057229	Soil	1.2	40.4	15.0	71	<0.1	17.6	5.5	415	2.32	10.0	6.0	0.3	8	0.2	1.1	0.4	46	0.07	0.068	18
2057230	Soil	1.4	28.6	14.1	59	0.5	13.4	5.1	374	2.52	10.8	3.6	0.2	7	0.2	1.0	0.6	47	0.06	0.067	14
2057231	Soil	1.2	36.0	17.2	84	0.2	19.9	7.5	398	3.19	21.4	7.3	1.1	12	0.3	1.4	0.4	48	0.10	0.060	16
2057232	Soil	1.1	22.3	23.4	135	0.3	13.9	6.7	527	2.04	30.2	5.5	0.2	15	0.5	2.1	0.3	47	0.15	0.074	14
2057233	Soil	1.1	26.5	16.5	88	0.2	20.7	10.3	741	2.57	21.9	7.9	0.5	12	0.5	1.1	0.3	42	0.13	0.080	17
2057234	Soil	0.9	18.1	11.1	48	<0.1	16.0	6.1	178	2.26	13.0	3.5	2.3	12	<0.1	0.7	0.2	43	0.13	0.044	15
2057235	Soil	1.2	27.7	14.7	56	<0.1	22.3	9.9	276	2.77	10.9	4.5	4.0	10	0.1	0.7	0.3	54	0.07	0.031	13
2057236	Soil	0.9	52.3	11.1	58	<0.1	29.6	10.4	447	2.46	10.7	3.7	3.3	12	0.1	0.7	0.2	42	0.12	0.047	13
2057237	Soil	1.2	36.8	12.9	61	<0.1	20.3	7.7	309	2.81	9.8	3.2	1.9	8	0.1	0.7	0.3	50	0.06	0.034	13
2057238	Soil	1.3	18.5	11.9	45	<0.1	12.4	4.6	146	2.24	9.2	1.3	0.5	9	<0.1	0.6	0.3	51	0.06	0.045	14
2057239	Soil	1.1	76.2	13.2	87	0.1	34.9	14.5	418	2.76	10.8	7.5	4.4	11	0.2	0.7	0.3	41	0.09	0.046	17
2057240	Soil	1.5	26.8	11.6	48	0.1	14.0	5.1	199	2.59	9.5	3.4	0.3	9	0.1	0.7	0.3	52	0.07	0.058	15
2057241	Soil	1.4	33.7	10.9	54	<0.1	15.6	4.7	188	2.33	8.4	2.6	0.9	9	0.1	0.6	0.3	48	0.06	0.041	19
2057242	Soil	1.5	119.5	16.7	91	0.1	33.6	13.8	602	3.04	13.0	9.0	4.8	11	0.2	0.9	0.3	51	0.08	0.052	17
2057243	Soil	3.1	87.1	28.2	101	0.1	30.2	16.5	715	4.14	16.4	3.8	2.1	18	<0.1	1.2	0.5	47	0.03	0.056	5
2057244	Soil	1.5	52.3	20.6	73	<0.1	26.2	10.8	351	3.39	10.6	5.3	4.7	9	0.1	0.8	0.4	50	0.07	0.036	14
2057245	Soil	1.9	50.1	17.6	65	<0.1	18.8	6.9	210	3.09	12.6	3.6	0.7	11	<0.1	0.8	0.3	56	0.06	0.061	13
2057246	Soil	2.7	63.7	16.2	96	<0.1	29.4	6.9	184	3.64	11.6	5.7	2.9	11	<0.1	1.1	0.3	46	0.04	0.032	9
2057247	Soil	3.2	26.9	16.3	55	<0.1	15.5	5.6	151	3.19	12.3	2.7	3.5	13	<0.1	0.8	0.3	53	0.05	0.044	11
2057248	Soil	1.8	15.3	14.1	59	<0.1	18.0	6.7	169	2.96	10.9	2.0	2.0	11	<0.1	0.7	0.2	50	0.06	0.054	13
2057249	Soil	1.8	41.5	21.1	76	0.1	17.9	5.0	90	3.16	15.4	1.8	1.4	12	<0.1	0.8	0.3	29	0.03	0.057	7
2057250	Soil	2.5	49.7	17.6	77	0.1	16.4	4.2	118	4.89	18.8	1.7	3.4	15	<0.1	0.9	0.4	37	0.02	0.078	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057196	Soil	21	0.39	66	0.022	1	1.26	0.005	0.06	0.1	0.03	1.8	<0.1	<0.05	4	<0.5	<0.2
2057197	Soil	27	0.54	83	0.005	1	2.00	0.004	0.07	<0.1	0.06	1.3	0.1	<0.05	5	<0.5	<0.2
2057198	Soil	23	0.44	80	0.022	<1	1.35	0.005	0.04	0.2	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
2057199	Soil	21	0.34	59	0.018	<1	1.26	0.004	0.03	0.1	0.04	1.2	<0.1	<0.05	4	<0.5	<0.2
2057200	Soil	20	0.39	66	0.020	<1	1.34	0.005	0.03	0.1	0.03	1.5	<0.1	<0.05	4	<0.5	<0.2
2057226	Soil	26	0.34	113	0.018	1	1.51	0.005	0.04	0.1	0.17	1.9	0.1	<0.05	4	0.6	<0.2
2057227	Soil	22	0.34	538	0.012	1	0.91	0.003	0.05	<0.1	0.06	2.5	0.1	<0.05	3	<0.5	<0.2
2057228	Soil	22	0.21	262	0.008	2	0.83	0.004	0.04	0.1	0.04	0.6	<0.1	<0.05	3	<0.5	<0.2
2057229	Soil	24	0.31	351	0.009	2	1.37	0.005	0.04	<0.1	0.05	0.7	0.2	<0.05	5	<0.5	<0.2
2057230	Soil	23	0.20	129	0.013	2	1.02	0.005	0.04	0.1	0.06	0.6	0.2	<0.05	5	0.6	<0.2
2057231	Soil	29	0.30	214	0.032	2	1.26	0.005	0.06	0.2	0.08	1.7	0.1	<0.05	5	0.6	<0.2
2057232	Soil	22	0.20	268	0.013	1	0.98	0.006	0.05	0.1	0.07	0.8	0.1	<0.05	4	<0.5	<0.2
2057233	Soil	28	0.36	194	0.020	2	1.36	0.007	0.06	0.1	0.05	1.4	<0.1	<0.05	4	0.5	<0.2
2057234	Soil	22	0.32	161	0.027	1	1.36	0.006	0.04	0.2	0.03	2.2	0.1	<0.05	4	<0.5	<0.2
2057235	Soil	34	0.40	112	0.032	2	1.89	0.007	0.05	0.1	0.04	2.9	0.1	<0.05	6	<0.5	<0.2
2057236	Soil	27	0.44	185	0.028	2	1.60	0.007	0.05	0.1	0.03	3.1	0.1	<0.05	4	<0.5	<0.2
2057237	Soil	29	0.35	93	0.027	<1	1.55	0.005	0.04	0.1	0.03	2.3	0.1	<0.05	5	<0.5	<0.2
2057238	Soil	27	0.29	106	0.020	<1	1.47	0.005	0.03	0.1	0.04	1.5	0.2	<0.05	6	<0.5	<0.2
2057239	Soil	28	0.47	142	0.025	1	1.54	0.006	0.04	0.1	0.04	2.9	<0.1	<0.05	4	<0.5	<0.2
2057240	Soil	28	0.27	107	0.017	1	1.36	0.006	0.04	0.1	0.04	1.1	0.1	<0.05	5	<0.5	<0.2
2057241	Soil	26	0.23	110	0.018	2	1.11	0.004	0.04	<0.1	0.04	1.4	0.1	<0.05	5	<0.5	<0.2
2057242	Soil	36	0.54	198	0.033	2	1.94	0.008	0.06	0.1	0.08	5.0	0.1	<0.05	5	<0.5	<0.2
2057243	Soil	49	0.39	111	0.013	<1	1.30	0.007	0.04	<0.1	0.03	2.1	0.1	<0.05	6	0.8	<0.2
2057244	Soil	39	0.48	139	0.027	2	1.98	0.006	0.05	0.1	0.05	3.1	0.1	<0.05	6	0.7	<0.2
2057245	Soil	36	0.35	131	0.016	1	1.57	0.006	0.05	0.1	0.04	1.7	0.1	<0.05	6	<0.5	<0.2
2057246	Soil	44	0.50	136	0.011	<1	1.55	0.006	0.05	<0.1	0.07	2.5	0.1	<0.05	5	0.7	<0.2
2057247	Soil	33	0.32	116	0.009	<1	1.70	0.006	0.06	<0.1	0.05	2.5	0.2	<0.05	6	0.7	<0.2
2057248	Soil	30	0.33	117	0.015	<1	1.79	0.007	0.05	0.2	0.06	2.5	0.2	<0.05	6	0.6	<0.2
2057249	Soil	18	0.11	88	0.003	<1	0.70	0.007	0.07	<0.1	0.07	2.0	0.1	0.07	3	0.8	<0.2
2057250	Soil	34	0.33	64	0.005	<1	1.60	0.007	0.06	<0.1	0.03	2.7	0.2	0.06	5	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057262	Soil	0.4	41.3	24.6	109	<0.1	44.5	25.4	1206	4.91	1.1	<0.5	8.3	48	<0.1	0.1	0.4	29	0.13	0.045	4
2057263	Soil	0.6	49.4	37.5	97	<0.1	44.3	30.4	1004	4.77	11.4	2.6	5.5	23	<0.1	0.2	0.5	22	0.07	0.036	4
2057264	Soil	0.9	57.0	46.5	96	<0.1	40.8	27.0	1073	4.26	5.0	2.2	4.8	13	0.1	0.2	0.5	28	0.06	0.073	6
2057265	Soil	1.0	37.6	54.0	79	<0.1	34.5	24.8	1672	3.95	12.5	2.4	2.9	16	0.1	0.5	0.5	32	0.06	0.083	11
2057266	Soil	0.8	58.1	68.6	103	0.1	40.3	35.2	1725	4.20	9.1	1.0	5.9	20	0.1	0.5	0.5	24	0.09	0.087	8
2057267	Soil	1.5	27.2	39.1	81	<0.1	22.3	11.6	547	3.15	9.4	4.3	0.5	10	0.2	0.7	0.4	47	0.07	0.070	12
2057268	Soil	1.3	38.1	42.5	91	<0.1	28.1	17.5	1098	3.51	9.3	0.8	2.8	21	0.2	0.6	0.5	28	0.07	0.079	12
2057269	Soil	1.2	58.2	52.7	101	<0.1	33.8	28.7	857	3.66	10.5	1.3	1.8	11	0.1	0.7	0.5	36	0.06	0.089	11
2057270	Soil	1.0	53.4	58.9	93	<0.1	40.7	32.3	1684	3.89	10.8	1.5	5.6	25	0.1	0.5	0.4	26	0.09	0.071	12
2057271	Soil	0.4	94.1	51.6	101	<0.1	61.4	36.0	974	4.88	15.7	<0.5	7.2	35	<0.1	0.2	0.5	22	0.18	0.048	3
2057272	Soil	0.7	44.8	36.4	100	<0.1	43.3	23.8	1515	3.84	8.1	1.3	7.8	30	<0.1	0.4	0.4	21	0.12	0.057	11
2057273	Soil	0.9	74.7	62.8	71	<0.1	30.6	14.7	1811	2.92	6.4	2.9	2.9	22	<0.1	0.6	0.4	36	0.13	0.063	24
2057274	Soil	0.7	54.2	44.7	91	<0.1	64.2	42.0	3782	4.05	12.7	4.0	9.2	50	0.2	1.0	0.4	17	0.38	0.111	44
2057275	Soil	0.8	27.4	18.8	83	0.1	34.3	13.4	776	2.93	10.9	2.3	1.6	75	0.3	0.6	0.2	30	1.90	0.092	34
2057276	Soil	1.0	44.2	47.0	67	<0.1	26.0	12.7	357	3.05	9.1	3.5	2.4	15	0.1	0.7	0.5	39	0.17	0.076	15
2057277	Soil	0.9	24.1	25.9	59	<0.1	22.3	11.4	442	2.63	10.4	4.5	2.0	16	0.1	0.7	0.3	37	0.18	0.081	16
2057278	Soil	1.1	34.7	42.7	75	<0.1	26.7	20.5	1453	2.98	11.7	9.9	1.3	16	0.2	0.7	0.3	43	0.17	0.089	18
2057279	Soil	1.3	28.4	46.2	57	<0.1	22.5	14.2	425	3.04	12.5	15.0	0.7	10	0.1	0.9	0.4	53	0.11	0.072	15
2057280	Soil	0.8	31.4	29.9	105	<0.1	29.0	19.7	2062	3.06	9.0	2.5	1.8	77	0.4	0.6	0.4	22	1.95	0.140	9
2057281	Soil	0.8	29.8	28.9	91	<0.1	26.8	17.8	1963	2.92	8.0	2.9	1.6	88	0.4	0.5	0.4	21	2.36	0.138	9
2057282	Soil	0.8	19.9	10.7	93	0.2	23.1	5.9	357	1.10	8.3	1.1	0.3	588	0.4	1.1	0.2	14	11.47	0.258	11
2057283	Soil	0.7	18.3	9.1	54	0.1	22.5	6.9	220	1.35	11.2	0.8	2.8	1076	0.3	1.3	0.1	18	20.45	0.140	9
2057284	Soil	1.5	53.3	29.0	86	0.2	35.1	20.2	1153	2.82	9.5	2.6	8.0	424	0.5	1.0	0.3	23	11.01	0.105	13
2057285	Soil	1.9	65.0	29.2	106	0.2	44.9	20.0	1280	3.47	11.8	3.3	7.7	121	0.4	1.0	0.5	28	2.50	0.102	17
2057286	Soil	15.1	64.0	39.5	69	0.4	20.5	7.7	579	3.76	29.8	3.8	3.5	26	0.1	1.8	0.7	32	0.17	0.057	8
2057287	Soil	1.8	38.9	37.2	81	<0.1	23.5	8.8	479	4.55	11.9	<0.5	1.4	18	0.2	0.7	0.7	37	0.05	0.063	8
2057288	Soil	1.2	47.6	47.2	91	<0.1	30.3	10.6	468	4.65	10.8	2.8	3.3	20	<0.1	0.6	0.7	27	0.06	0.067	7
2057289	Soil	1.2	66.3	35.3	92	<0.1	29.2	11.9	419	4.60	14.3	1.3	3.8	17	0.1	0.7	0.5	37	0.06	0.056	10
2057290	Soil	0.7	44.4	33.3	113	<0.1	47.9	18.1	597	4.87	16.7	<0.5	5.1	23	<0.1	0.3	0.7	24	0.04	0.061	9
2057291	Soil	0.3	29.6	12.5	92	<0.1	35.7	19.8	662	5.06	0.9	1.5	6.0	23	<0.1	0.2	0.3	31	0.09	0.037	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057262	Soil	36	0.89	72	0.008	<1	1.35	0.007	0.06	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
2057263	Soil	34	0.91	109	0.005	1	1.98	0.005	0.06	<0.1	0.04	3.6	<0.1	<0.05	6	<0.5	<0.2
2057264	Soil	32	0.68	111	0.009	1	1.84	0.005	0.06	<0.1	0.01	2.9	<0.1	<0.05	5	<0.5	<0.2
2057265	Soil	31	0.58	69	0.009	2	1.73	0.005	0.07	<0.1	0.03	2.2	<0.1	<0.05	6	<0.5	<0.2
2057266	Soil	29	0.69	87	0.009	2	1.91	0.007	0.08	<0.1	0.08	4.3	0.1	<0.05	5	<0.5	<0.2
2057267	Soil	30	0.38	81	0.014	2	1.57	0.005	0.08	0.1	0.06	1.2	0.2	<0.05	5	<0.5	<0.2
2057268	Soil	26	0.50	61	0.009	2	1.54	0.007	0.09	<0.1	0.03	2.0	0.1	<0.05	5	<0.5	<0.2
2057269	Soil	26	0.48	65	0.010	2	1.86	0.005	0.07	<0.1	0.04	2.5	0.1	<0.05	5	<0.5	<0.2
2057270	Soil	25	0.59	78	0.010	1	1.66	0.006	0.06	<0.1	0.03	2.6	<0.1	<0.05	5	<0.5	<0.2
2057271	Soil	33	0.67	55	0.001	1	2.15	0.004	0.07	<0.1	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
2057272	Soil	26	0.57	68	0.007	2	1.49	0.005	0.07	<0.1	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
2057273	Soil	25	0.53	88	0.021	2	1.51	0.006	0.06	0.1	0.04	2.2	<0.1	<0.05	4	<0.5	<0.2
2057274	Soil	20	0.73	105	0.007	2	1.46	0.007	0.10	<0.1	0.07	7.0	<0.1	<0.05	4	<0.5	<0.2
2057275	Soil	17	0.28	120	0.011	3	0.95	0.009	0.06	0.1	0.09	2.8	<0.1	0.07	2	<0.5	<0.2
2057276	Soil	26	0.43	60	0.025	2	1.45	0.005	0.06	0.2	0.05	1.9	<0.1	<0.05	4	0.6	<0.2
2057277	Soil	22	0.40	54	0.027	2	1.19	0.005	0.04	0.2	0.04	1.6	<0.1	<0.05	4	0.6	<0.2
2057278	Soil	26	0.40	95	0.022	2	1.40	0.006	0.05	0.3	0.08	1.7	0.1	<0.05	4	0.7	<0.2
2057279	Soil	28	0.41	74	0.022	2	1.53	0.006	0.06	0.2	0.10	1.5	0.2	0.07	6	0.7	<0.2
2057280	Soil	18	0.55	141	0.006	5	1.35	0.010	0.08	<0.1	0.07	2.5	<0.1	0.15	3	0.8	<0.2
2057281	Soil	16	0.55	138	0.006	4	1.27	0.010	0.08	<0.1	0.06	2.6	0.1	0.16	3	0.8	<0.2
2057282	Soil	13	0.17	59	0.006	8	0.57	0.012	0.05	0.1	0.21	0.9	0.1	0.15	1	1.1	<0.2
2057283	Soil	11	0.21	48	0.018	3	0.41	0.009	0.04	0.2	0.14	2.0	<0.1	<0.05	1	0.7	<0.2
2057284	Soil	18	0.72	68	0.007	2	1.14	0.007	0.06	<0.1	0.12	5.1	<0.1	<0.05	3	<0.5	<0.2
2057285	Soil	23	0.78	82	0.010	2	1.34	0.008	0.07	<0.1	0.10	6.1	<0.1	<0.05	4	0.6	<0.2
2057286	Soil	23	0.46	96	0.006	2	1.37	0.011	0.08	<0.1	0.16	3.1	0.2	0.07	5	1.1	<0.2
2057287	Soil	32	0.55	41	0.011	<1	1.91	0.006	0.06	<0.1	0.03	1.8	<0.1	<0.05	7	<0.5	<0.2
2057288	Soil	32	0.69	38	0.010	1	2.15	0.007	0.06	<0.1	0.06	3.0	<0.1	<0.05	7	<0.5	<0.2
2057289	Soil	28	0.54	49	0.020	1	1.86	0.007	0.06	<0.1	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
2057290	Soil	34	0.96	34	0.002	<1	2.80	0.006	0.06	<0.1	0.03	4.4	<0.1	<0.05	8	<0.5	<0.2
2057291	Soil	34	0.55	56	0.006	<1	1.53	0.006	0.05	<0.1	<0.01	3.9	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057292	Soil	0.2	9.8	13.8	88	<0.1	42.0	23.0	788	5.71	<0.5	<0.5	6.6	13	<0.1	0.2	0.3	30	0.06	0.042	5
2057293	Soil	1.3	27.5	20.9	68	<0.1	23.4	13.7	974	3.34	14.1	2.0	1.2	11	0.2	0.7	0.4	53	0.09	0.065	13
2057294	Soil	0.5	45.4	24.1	89	<0.1	36.4	21.8	861	4.27	5.7	2.1	6.0	23	<0.1	0.4	0.4	35	0.13	0.052	10
2057295	Soil	1.3	24.4	20.8	73	<0.1	24.2	13.1	559	3.40	15.1	1.8	1.4	11	0.1	0.8	0.3	58	0.09	0.061	13
2057296	Soil	1.2	27.3	26.6	80	<0.1	28.4	16.5	737	3.37	15.1	2.0	2.4	12	0.1	0.7	0.3	49	0.10	0.054	12
2057297	Soil	1.2	25.3	25.4	88	<0.1	23.7	13.7	735	3.61	13.7	1.3	2.2	10	0.2	0.7	0.3	45	0.07	0.045	11
2057298	Soil	1.1	35.0	51.9	66	<0.1	24.1	14.0	703	3.69	7.0	1.2	1.7	13	0.1	0.5	0.8	38	0.11	0.072	11
2057299	Soil	1.1	37.9	24.5	54	<0.1	18.8	13.2	1045	3.51	8.0	3.1	1.7	8	0.1	0.6	0.4	44	0.06	0.049	10
2057300	Soil	1.2	31.6	33.4	56	<0.1	17.0	13.6	1483	4.03	9.2	1.8	0.4	9	0.1	0.5	0.5	43	0.05	0.090	7
2057301	Soil	0.9	28.6	30.9	66	<0.1	24.1	13.4	454	2.76	11.0	3.0	1.7	14	0.1	0.6	0.2	40	0.13	0.067	14
2057302	Soil	0.9	26.7	25.1	72	<0.1	23.3	13.1	306	2.72	11.3	1.6	1.8	16	0.2	0.7	0.2	38	0.21	0.069	14
2057303	Soil	1.1	27.5	35.6	68	<0.1	22.6	12.0	371	3.03	10.3	3.5	1.5	13	0.2	0.7	0.3	44	0.14	0.068	15
2057304	Soil	0.9	22.9	38.4	62	<0.1	22.0	22.7	526	2.53	13.0	5.7	2.3	16	<0.1	0.7	0.2	36	0.18	0.059	16
2057305	Soil	0.9	28.3	22.7	73	<0.1	22.9	9.0	267	3.53	10.2	1.2	0.5	24	0.1	0.8	0.5	33	0.04	0.063	7
2057306	Soil	1.5	23.0	17.8	69	<0.1	18.9	10.8	332	3.36	11.0	1.9	0.7	12	0.2	0.9	0.3	64	0.10	0.056	14
2057307	Soil	1.0	22.2	21.7	67	<0.1	22.1	12.2	415	2.74	13.8	2.0	1.4	12	0.1	0.7	0.2	42	0.13	0.057	16
2057308	Soil	0.2	51.5	18.8	102	<0.1	43.4	24.8	417	4.69	<0.5	<0.5	9.1	23	<0.1	0.4	0.4	23	0.11	0.049	4
2057309	Soil	1.0	30.6	19.2	61	<0.1	26.3	14.8	744	2.83	13.1	3.3	2.5	15	0.1	0.7	0.2	42	0.18	0.056	17
2057310	Soil	1.1	24.7	25.2	71	<0.1	23.7	17.3	902	3.07	21.3	1.5	1.1	18	0.2	0.6	0.3	47	0.15	0.077	13
2057311	Soil	0.4	72.7	19.1	112	<0.1	52.3	27.0	732	4.70	1.0	0.5	6.6	18	<0.1	0.3	0.3	28	0.10	0.056	8
2057312	Soil	1.1	25.6	36.7	62	<0.1	22.4	13.8	710	3.07	13.3	3.5	0.8	11	<0.1	0.5	0.4	35	0.09	0.057	9
2057313	Soil	1.8	32.0	39.2	68	<0.1	26.8	25.4	559	3.15	18.6	1.6	1.5	12	<0.1	0.5	0.5	30	0.08	0.044	8
2057314	Soil	0.8	26.9	31.5	65	<0.1	23.8	14.7	698	3.21	11.2	6.6	0.7	10	<0.1	0.5	0.4	35	0.08	0.061	8
2057315	Soil	0.8	24.0	23.4	65	<0.1	24.1	15.0	634	3.05	16.6	2.0	1.2	12	<0.1	0.5	0.3	33	0.11	0.059	9
2057316	Soil	0.8	25.7	25.1	61	<0.1	24.2	15.1	545	2.72	16.9	1.5	1.5	12	<0.1	0.6	0.3	37	0.11	0.057	10
2057317	Soil	1.0	31.7	37.4	66	<0.1	24.2	13.7	628	3.57	9.0	2.1	0.6	11	0.1	0.5	0.4	41	0.09	0.077	8
2057318	Soil	0.6	25.2	26.5	61	<0.1	22.3	15.0	480	2.58	11.8	1.6	2.7	15	<0.1	0.6	0.2	35	0.18	0.070	11
2057319	Soil	0.8	23.6	20.6	59	<0.1	22.1	12.0	440	2.48	15.8	3.8	2.4	11	0.1	0.7	0.2	41	0.12	0.042	13
2057320	Soil	0.7	25.4	27.6	66	<0.1	26.9	17.1	1037	3.27	12.1	1.1	3.4	8	<0.1	0.4	0.3	25	0.05	0.024	7
2057321	Soil	0.7	37.0	33.5	87	<0.1	33.8	20.8	579	3.98	18.8	2.3	4.3	19	<0.1	0.5	0.4	29	0.14	0.063	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057292	Soil	36	0.56	31	0.005	<1	1.60	0.006	0.05	<0.1	0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
2057293	Soil	31	0.42	102	0.017	<1	1.79	0.006	0.06	0.1	0.05	2.1	0.1	<0.05	6	<0.5	<0.2
2057294	Soil	32	0.53	100	0.012	<1	1.30	0.005	0.04	<0.1	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
2057295	Soil	35	0.45	86	0.023	2	1.81	0.005	0.05	0.2	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
2057296	Soil	33	0.56	96	0.019	2	1.86	0.006	0.06	0.2	0.04	2.4	0.1	<0.05	6	<0.5	<0.2
2057297	Soil	28	0.46	70	0.020	<1	1.75	0.006	0.05	0.1	0.04	2.3	0.1	<0.05	6	<0.5	<0.2
2057298	Soil	26	0.43	54	0.015	1	1.54	0.005	0.06	<0.1	0.03	1.7	0.1	<0.05	6	<0.5	<0.2
2057299	Soil	24	0.37	59	0.020	1	1.50	0.005	0.05	0.1	0.04	2.0	0.1	<0.05	6	<0.5	<0.2
2057300	Soil	26	0.31	75	0.012	1	1.39	0.006	0.07	<0.1	0.08	1.1	0.1	<0.05	7	<0.5	<0.2
2057301	Soil	26	0.47	80	0.026	2	1.48	0.006	0.06	0.1	0.03	1.8	<0.1	<0.05	5	<0.5	<0.2
2057302	Soil	26	0.48	78	0.028	1	1.51	0.006	0.05	0.1	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
2057303	Soil	26	0.41	78	0.026	2	1.38	0.005	0.06	0.1	0.03	1.9	0.1	<0.05	4	<0.5	<0.2
2057304	Soil	22	0.40	73	0.032	1	1.27	0.006	0.04	0.2	0.03	1.9	<0.1	<0.05	3	<0.5	<0.2
2057305	Soil	27	0.51	45	0.010	1	1.59	0.004	0.08	<0.1	0.05	1.2	<0.1	<0.05	6	<0.5	<0.2
2057306	Soil	30	0.38	85	0.031	1	1.74	0.005	0.05	0.1	0.04	1.9	0.2	<0.05	7	0.6	<0.2
2057307	Soil	24	0.44	69	0.028	<1	1.38	0.006	0.05	0.2	0.03	1.8	<0.1	<0.05	4	<0.5	<0.2
2057308	Soil	28	0.67	149	0.012	1	1.01	0.003	0.08	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2
2057309	Soil	28	0.47	140	0.040	1	1.63	0.008	0.05	0.2	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
2057310	Soil	31	0.53	89	0.027	1	1.81	0.006	0.05	0.1	0.03	2.0	0.1	<0.05	6	<0.5	<0.2
2057311	Soil	37	0.75	108	0.011	1	1.65	0.003	0.05	<0.1	<0.01	2.4	<0.1	<0.05	5	<0.5	<0.2
2057312	Soil	24	0.43	73	0.011	2	1.40	0.005	0.05	0.1	0.04	1.2	<0.1	<0.05	5	<0.5	<0.2
2057313	Soil	20	0.30	82	0.009	2	1.15	0.006	0.05	<0.1	0.05	2.2	<0.1	<0.05	3	<0.5	<0.2
2057314	Soil	26	0.47	62	0.010	2	1.61	0.005	0.04	<0.1	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
2057315	Soil	27	0.52	52	0.015	2	1.38	0.004	0.04	0.1	0.03	1.6	<0.1	<0.05	5	<0.5	<0.2
2057316	Soil	25	0.48	67	0.017	2	1.46	0.005	0.04	0.1	0.03	1.7	<0.1	<0.05	4	<0.5	<0.2
2057317	Soil	28	0.47	65	0.012	2	1.60	0.006	0.06	<0.1	0.06	1.1	<0.1	<0.05	5	<0.5	<0.2
2057318	Soil	22	0.49	69	0.026	2	1.23	0.005	0.04	0.1	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
2057319	Soil	26	0.42	77	0.030	1	1.29	0.006	0.04	0.2	0.04	2.3	<0.1	<0.05	4	<0.5	<0.2
2057320	Soil	26	0.52	76	0.010	1	1.47	0.004	0.04	<0.1	0.03	1.7	<0.1	<0.05	5	<0.5	<0.2
2057321	Soil	28	0.71	91	0.013	1	1.90	0.004	0.05	<0.1	0.03	2.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057322	Soil	1.1	29.7	27.1	68	<0.1	26.9	14.6	252	2.81	24.2	1.8	2.1	16	0.2	0.7	0.4	38	0.09	0.055	11
2057323	Soil	0.9	18.3	21.6	58	<0.1	19.3	10.8	472	2.60	11.3	1.3	1.1	11	0.1	0.7	0.2	46	0.12	0.048	12
2057324	Soil	0.8	25.1	26.9	68	<0.1	23.7	13.4	479	2.68	14.7	2.4	2.4	15	<0.1	0.7	0.2	39	0.15	0.073	13
2057325	Soil	0.9	23.3	31.4	59	<0.1	20.3	10.4	379	2.97	13.2	3.5	0.6	8	0.1	0.6	0.5	41	0.08	0.057	11
2057326	Soil	1.0	22.4	27.4	65	<0.1	22.1	12.6	664	3.19	15.8	3.0	0.7	12	0.1	0.7	0.3	41	0.10	0.056	11
2057327	Soil	0.9	31.1	23.3	64	<0.1	25.8	13.1	543	2.92	15.7	2.5	3.5	17	0.1	0.7	0.3	35	0.19	0.069	13
2057328	Soil	1.1	27.2	25.5	67	<0.1	22.5	12.3	493	3.47	14.1	1.7	0.5	12	0.2	0.6	0.4	38	0.09	0.072	9
2057329	Soil	0.9	21.0	19.6	55	<0.1	20.8	12.6	428	2.53	11.2	4.5	1.8	14	<0.1	0.7	0.2	41	0.18	0.067	13
2057330	Soil	5.3	53.3	31.2	266	0.8	58.0	18.9	598	4.41	21.4	1.0	7.8	93	2.8	4.6	0.4	55	0.50	0.233	27
2057331	Soil	1.9	29.2	14.4	74	<0.1	24.9	8.9	263	3.38	12.9	3.9	0.8	14	0.2	0.9	0.3	55	0.14	0.069	16
2057332	Soil	15.9	95.4	38.6	217	1.2	71.1	15.4	383	4.38	28.3	6.9	1.1	35	0.8	5.9	0.5	33	0.24	0.215	25
2057333	Soil	10.7	99.8	34.4	206	0.8	70.3	20.4	560	4.19	25.7	5.5	7.4	41	1.2	5.0	0.4	36	0.46	0.220	29
2057334	Soil	5.9	104.6	24.4	176	0.5	49.2	16.2	376	3.71	16.6	3.7	6.0	75	0.5	1.6	0.3	34	0.94	0.389	29
2057335	Soil	5.3	62.7	32.8	130	0.5	53.4	18.5	369	4.12	16.5	3.1	7.4	37	0.4	1.1	0.3	22	0.57	0.229	38
2057336	Soil	6.5	76.6	30.1	147	0.8	50.5	15.9	371	4.39	15.0	4.1	6.2	51	0.6	1.2	0.3	27	0.63	0.245	32
2057337	Soil	8.8	72.3	26.5	151	1.2	56.2	14.7	322	3.85	15.2	5.3	5.5	42	1.0	1.6	0.3	28	0.56	0.224	29
2057338	Soil	8.9	78.6	25.7	164	1.1	53.2	12.1	374	4.00	15.6	5.4	5.4	66	1.2	1.6	0.3	31	0.61	0.253	26
2057339	Soil	9.3	80.4	24.8	164	1.1	51.1	10.7	269	3.94	15.2	5.3	4.6	60	0.9	1.8	0.3	32	0.55	0.260	24
2057340	Soil	8.7	63.1	20.5	156	0.8	46.3	10.7	308	3.31	14.4	5.1	2.4	39	1.1	2.1	0.3	35	0.46	0.212	24
2057341	Soil	8.9	63.1	19.2	176	1.3	59.0	13.2	472	2.87	14.6	7.1	1.6	30	1.7	2.4	0.3	34	0.42	0.206	21
2057342	Soil	17.8	99.6	49.6	311	1.7	70.1	32.8	1278	5.31	32.5	6.8	5.0	42	2.1	8.6	0.5	23	0.13	0.257	28
2057343	Soil	12.6	71.7	31.9	255	1.1	90.3	20.3	491	4.07	20.5	2.5	6.4	39	3.6	3.7	0.3	35	0.80	0.221	38
2057344	Soil	11.0	60.8	19.8	293	1.2	101.1	26.7	518	3.96	16.8	3.3	6.3	29	6.9	3.4	0.3	27	0.39	0.217	32
2057345	Soil	6.5	60.3	28.7	170	0.5	83.2	35.2	766	4.67	16.3	2.8	8.9	41	2.3	1.5	0.3	20	0.38	0.242	41
2057346	Soil	4.3	52.1	24.6	110	0.5	49.2	18.1	394	4.02	13.5	2.9	6.1	35	0.8	1.0	0.3	32	0.24	0.212	24
2057347	Soil	7.4	61.6	29.9	162	0.2	67.1	19.3	314	4.47	22.2	1.9	5.2	33	0.7	1.0	0.4	22	0.23	0.216	33
2057348	Soil	9.9	92.4	21.2	131	1.5	39.1	8.8	211	3.36	13.9	9.7	5.0	110	1.0	1.9	0.4	42	0.39	0.289	31
2057349	Soil	5.7	54.4	17.9	120	0.6	43.3	10.8	322	2.87	11.8	5.8	1.8	35	1.1	1.6	0.3	53	0.27	0.167	18
2057350	Soil	2.4	29.3	15.5	96	0.3	35.4	13.5	351	2.88	13.8	3.3	4.3	27	0.5	1.1	0.3	49	0.28	0.172	20
2057351	Soil	0.5	59.4	5.4	89	<0.1	184.8	46.9	787	6.35	2.4	<0.5	1.3	56	<0.1	0.1	0.1	165	1.00	0.113	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057322	Soil	23	0.45	74	0.015	<1	1.69	0.004	0.05	0.1	0.03	1.8	<0.1	<0.05	5	<0.5	<0.2
2057323	Soil	25	0.36	75	0.026	2	1.33	0.005	0.04	0.2	0.03	1.6	0.1	<0.05	5	<0.5	<0.2
2057324	Soil	25	0.46	79	0.026	1	1.42	0.005	0.04	0.2	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
2057325	Soil	26	0.41	57	0.014	2	1.48	0.005	0.05	0.1	0.05	1.3	0.1	<0.05	5	<0.5	<0.2
2057326	Soil	28	0.46	83	0.017	2	1.63	0.006	0.05	0.1	0.04	1.6	0.1	<0.05	5	<0.5	<0.2
2057327	Soil	26	0.50	82	0.028	2	1.36	0.005	0.06	0.1	0.02	2.3	<0.1	<0.05	4	<0.5	<0.2
2057328	Soil	27	0.43	79	0.011	1	1.70	0.006	0.06	0.1	0.05	0.9	0.1	<0.05	6	<0.5	<0.2
2057329	Soil	24	0.41	75	0.029	1	1.29	0.006	0.05	0.2	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
2057330	Soil	23	0.67	219	0.002	2	1.15	0.016	0.10	<0.1	0.16	2.4	0.2	0.18	3	2.5	<0.2
2057331	Soil	30	0.45	81	0.024	1	1.54	0.007	0.06	0.1	0.05	1.8	0.1	<0.05	5	<0.5	<0.2
2057332	Soil	19	0.19	166	0.002	2	0.86	0.009	0.06	<0.1	0.27	1.3	0.3	<0.05	2	5.8	<0.2
2057333	Soil	24	0.54	155	0.009	1	1.14	0.009	0.06	<0.1	0.27	3.7	0.1	<0.05	3	2.2	<0.2
2057334	Soil	25	0.68	125	0.016	2	1.38	0.012	0.09	<0.1	0.23	4.3	0.2	<0.05	4	1.4	<0.2
2057335	Soil	30	0.79	96	0.005	2	1.32	0.008	0.07	<0.1	0.21	3.0	0.1	<0.05	3	0.5	<0.2
2057336	Soil	23	0.70	150	0.007	2	1.31	0.010	0.08	<0.1	0.30	3.5	0.2	<0.05	4	1.1	<0.2
2057337	Soil	26	0.64	149	0.006	2	1.36	0.007	0.08	<0.1	0.45	3.0	0.2	<0.05	3	2.5	<0.2
2057338	Soil	27	0.60	197	0.005	1	1.32	0.007	0.07	<0.1	0.39	2.9	0.2	<0.05	4	2.5	<0.2
2057339	Soil	28	0.64	189	0.004	2	1.39	0.008	0.08	<0.1	0.41	3.0	0.2	<0.05	4	2.5	<0.2
2057340	Soil	24	0.51	195	0.005	1	1.23	0.006	0.05	<0.1	0.26	2.0	0.3	<0.05	4	2.9	<0.2
2057341	Soil	27	0.44	216	0.006	1	1.29	0.005	0.05	<0.1	0.46	2.1	0.4	<0.05	3	3.7	<0.2
2057342	Soil	24	0.33	230	<0.001	<1	1.07	0.031	0.07	<0.1	0.79	3.4	1.1	0.30	2	8.3	0.3
2057343	Soil	36	0.49	327	<0.001	2	1.15	0.004	0.09	<0.1	0.54	5.0	0.5	<0.05	3	4.2	<0.2
2057344	Soil	37	0.55	85	<0.001	2	1.13	0.005	0.06	<0.1	0.36	2.9	0.6	<0.05	2	5.4	<0.2
2057345	Soil	26	1.06	82	0.001	1	1.71	0.007	0.06	<0.1	0.29	2.8	0.2	<0.05	4	0.8	<0.2
2057346	Soil	32	0.75	136	0.004	1	2.00	0.012	0.09	<0.1	0.21	2.9	0.3	0.10	5	1.8	<0.2
2057347	Soil	29	1.06	80	<0.001	<1	1.87	0.010	0.06	<0.1	0.17	1.8	0.2	<0.05	4	1.1	<0.2
2057348	Soil	26	0.39	225	0.023	2	1.47	0.032	0.11	0.1	0.35	2.8	0.5	0.25	4	6.3	<0.2
2057349	Soil	32	0.41	140	0.016	2	1.56	0.009	0.07	0.1	0.18	1.9	0.3	<0.05	4	3.5	<0.2
2057350	Soil	30	0.45	137	0.030	3	1.87	0.007	0.07	0.2	0.09	3.0	0.2	<0.05	5	1.4	<0.2
2057351	Soil	581	4.77	96	0.324	2	3.51	0.010	0.20	<0.1	0.02	15.2	0.1	<0.05	12	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057352	Soil	0.7	36.8	9.6	76	<0.1	91.6	25.4	723	4.06	7.3	5.6	2.5	53	0.3	0.4	0.2	100	0.87	0.127	28
2057353	Soil	0.6	47.8	12.3	94	<0.1	134.9	37.3	1256	5.18	6.1	3.5	2.7	50	0.4	0.4	0.1	156	0.80	0.143	40
2057354	Soil	0.9	35.8	9.6	77	<0.1	80.9	24.5	868	3.58	8.5	6.0	2.4	41	0.2	0.6	0.2	95	0.67	0.122	27
2057355	Soil	1.0	35.4	11.2	81	<0.1	78.2	24.5	967	4.06	8.5	1.7	2.5	43	0.3	0.5	0.2	97	0.69	0.090	36
2057356	Soil	1.0	28.3	11.5	73	<0.1	64.1	21.3	896	3.95	7.8	1.0	1.1	43	0.2	0.5	0.4	99	0.69	0.110	27
2057357	Soil	1.1	25.9	11.9	70	<0.1	68.0	21.8	858	4.58	6.2	2.2	0.4	34	0.2	0.4	0.2	123	0.50	0.109	16
2057358	Soil	0.9	51.9	10.5	96	<0.1	120.4	38.3	1021	5.50	10.1	3.4	3.9	46	0.3	0.5	0.1	116	0.63	0.134	36
2057359	Soil	1.1	36.2	12.3	86	<0.1	96.7	28.8	1170	5.02	11.8	2.7	1.3	26	0.2	0.6	0.2	105	0.31	0.107	36
2057360	Soil	0.8	15.4	11.2	63	<0.1	29.0	9.1	495	2.94	9.9	1.8	0.6	30	0.3	0.5	0.2	66	0.30	0.065	17
2057361	Soil	2.4	74.2	39.9	173	0.6	28.9	8.8	916	2.15	10.0	7.8	0.7	39	0.7	1.5	0.2	32	0.76	0.094	19
2057362	Soil	1.5	72.7	23.8	138	0.6	30.9	8.1	1355	1.98	7.6	7.7	1.1	51	0.8	1.3	0.2	24	0.84	0.080	19
2057363	Soil	2.4	170.8	91.4	311	1.1	70.6	25.2	2026	3.00	18.8	13.4	4.1	33	1.1	2.6	0.3	21	0.33	0.063	29
2057364	Soil	1.6	73.9	29.3	141	0.4	32.3	8.7	669	2.14	9.6	6.4	0.9	17	0.3	1.3	0.2	31	0.19	0.066	17
2057365	Soil	1.8	91.7	25.9	114	0.9	44.7	15.9	1325	2.30	7.3	10.6	1.8	49	0.3	1.0	0.2	27	0.59	0.067	18
2057366	Soil	1.4	61.4	19.4	92	0.1	23.4	9.2	730	2.93	10.6	4.4	3.1	7	0.1	0.9	0.3	41	0.04	0.048	21
2057367	Soil	1.5	61.7	19.2	68	0.1	26.5	9.7	404	3.07	9.9	3.9	3.7	14	<0.1	0.8	0.3	45	0.05	0.053	21
2057368	Soil	2.9	151.7	20.1	129	0.3	58.8	27.1	3210	3.06	9.3	9.4	4.4	43	0.2	1.2	0.3	35	0.17	0.092	23
2057369	Soil	1.4	63.6	21.1	97	0.2	43.6	17.6	1341	2.86	10.8	6.1	4.9	16	0.2	0.8	0.3	31	0.11	0.053	25
2057370	Soil	1.4	32.2	17.1	68	0.1	27.7	13.0	449	2.97	11.5	1.7	5.5	12	0.2	0.9	0.2	58	0.10	0.032	18
2057371	Soil	1.2	50.6	16.7	61	0.2	22.8	7.9	342	2.75	9.3	4.4	1.6	7	<0.1	0.7	0.3	53	0.05	0.039	20
2057372	Soil	1.0	49.5	15.6	63	0.2	29.3	10.1	598	3.34	8.7	4.7	4.3	9	0.2	0.7	0.2	45	0.06	0.030	21
2057373	Soil	1.0	42.0	15.1	69	0.2	33.5	15.4	293	2.91	12.2	4.0	5.4	9	0.2	0.8	0.2	48	0.08	0.034	17
2057374	Soil	1.0	50.2	13.6	84	<0.1	35.0	15.1	627	3.01	12.8	4.1	6.1	15	0.2	0.8	0.2	45	0.14	0.058	22
2057375	Soil	1.4	55.6	14.9	79	<0.1	26.3	11.5	393	3.19	13.2	6.6	3.6	11	0.1	0.8	0.3	63	0.09	0.048	18
2057376	Soil	2.2	47.4	16.9	90	0.2	27.5	14.2	626	3.13	12.6	4.0	3.4	14	0.2	0.9	0.3	58	0.09	0.050	19
2057377	Soil	1.2	64.4	17.9	73	0.3	30.5	13.3	325	2.93	11.1	5.9	4.8	9	0.2	0.8	0.2	43	0.09	0.042	17
2057378	Soil	1.2	37.7	15.2	85	0.2	22.6	11.7	328	2.48	9.1	7.7	3.6	8	0.1	0.7	0.2	48	0.07	0.032	17
2057379	Soil	1.3	70.3	20.1	80	0.2	26.3	17.4	785	2.81	9.0	3.4	4.1	13	0.1	0.8	0.3	39	0.10	0.045	20
2057380	Soil	1.3	107.3	27.4	142	0.6	54.1	21.3	1041	3.82	13.7	6.5	8.3	36	0.2	1.3	0.3	35	0.25	0.073	33
2057381	Soil	1.9	48.3	19.6	95	0.2	28.9	13.3	818	3.79	13.9	2.5	5.6	13	0.2	1.0	0.3	49	0.09	0.068	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057352	Soil	90	1.34	224	0.127	3	2.06	0.009	0.12	0.2	0.03	5.6	<0.1	<0.05	9	<0.5	<0.2
2057353	Soil	134	1.52	231	0.099	5	2.65	0.008	0.21	0.1	0.03	9.0	0.1	<0.05	11	<0.5	<0.2
2057354	Soil	93	1.10	188	0.044	2	1.73	0.009	0.09	0.2	0.03	6.2	<0.1	<0.05	7	<0.5	<0.2
2057355	Soil	92	1.24	219	0.093	2	1.98	0.010	0.08	0.2	0.04	6.2	0.1	<0.05	8	<0.5	<0.2
2057356	Soil	80	1.07	237	0.094	2	1.91	0.009	0.08	0.2	0.04	4.0	0.2	<0.05	8	<0.5	<0.2
2057357	Soil	87	1.04	186	0.056	2	1.95	0.006	0.07	0.1	0.03	2.3	0.1	<0.05	9	<0.5	<0.2
2057358	Soil	89	1.64	230	0.150	2	2.29	0.011	0.12	0.1	0.06	8.2	0.2	<0.05	8	<0.5	<0.2
2057359	Soil	90	1.13	238	0.047	3	2.45	0.007	0.11	0.1	0.03	4.8	0.1	<0.05	8	<0.5	<0.2
2057360	Soil	41	0.46	158	0.033	1	2.13	0.006	0.05	0.1	0.23	2.5	0.2	<0.05	6	<0.5	<0.2
2057361	Soil	20	0.14	720	0.008	3	0.71	0.008	0.06	<0.1	0.13	1.9	0.1	0.07	3	0.7	<0.2
2057362	Soil	19	0.22	902	0.009	4	0.75	0.006	0.05	<0.1	0.13	2.2	0.1	<0.05	2	0.7	<0.2
2057363	Soil	23	0.24	439	0.003	2	0.76	0.006	0.07	<0.1	0.19	2.9	0.4	<0.05	2	1.5	<0.2
2057364	Soil	24	0.22	340	0.007	2	0.84	0.006	0.06	<0.1	0.10	1.6	0.1	<0.05	3	0.6	<0.2
2057365	Soil	27	0.35	285	0.006	2	1.00	0.006	0.05	<0.1	0.17	2.4	0.1	<0.05	3	0.7	<0.2
2057366	Soil	29	0.27	153	0.005	2	1.28	0.003	0.05	<0.1	0.05	1.3	0.1	<0.05	5	<0.5	<0.2
2057367	Soil	31	0.44	105	0.009	1	1.58	0.005	0.05	<0.1	0.05	1.5	0.1	<0.05	4	0.5	<0.2
2057368	Soil	30	0.51	194	0.016	2	1.38	0.006	0.05	<0.1	0.14	2.9	<0.1	<0.05	4	<0.5	<0.2
2057369	Soil	29	0.52	184	0.013	2	1.45	0.004	0.04	<0.1	0.06	2.8	<0.1	<0.05	4	<0.5	<0.2
2057370	Soil	33	0.51	260	0.044	1	2.02	0.007	0.05	0.2	0.04	3.7	0.2	<0.05	6	<0.5	<0.2
2057371	Soil	29	0.35	200	0.010	1	1.49	0.005	0.04	<0.1	0.04	1.9	0.2	<0.05	6	<0.5	<0.2
2057372	Soil	28	0.37	295	0.012	2	1.55	0.004	0.05	0.1	0.05	2.6	0.1	<0.05	5	<0.5	<0.2
2057373	Soil	31	0.41	126	0.028	<1	1.85	0.006	0.05	0.2	0.05	3.2	0.1	<0.05	5	<0.5	<0.2
2057374	Soil	29	0.49	184	0.039	<1	1.48	0.007	0.05	0.2	0.05	3.8	<0.1	<0.05	4	<0.5	<0.2
2057375	Soil	35	0.42	190	0.025	<1	1.89	0.006	0.05	0.2	0.05	3.1	0.2	<0.05	5	0.6	<0.2
2057376	Soil	31	0.42	149	0.025	2	1.76	0.007	0.05	0.2	0.05	2.4	0.1	<0.05	5	0.5	<0.2
2057377	Soil	28	0.37	157	0.015	3	1.67	0.006	0.04	0.1	0.06	2.4	<0.1	<0.05	4	<0.5	<0.2
2057378	Soil	23	0.26	165	0.016	1	1.33	0.005	0.04	0.1	0.04	1.8	0.1	<0.05	5	<0.5	<0.2
2057379	Soil	26	0.30	182	0.006	2	1.25	0.005	0.05	<0.1	0.05	1.8	<0.1	<0.05	4	<0.5	<0.2
2057380	Soil	30	0.41	272	0.003	2	1.38	0.004	0.09	<0.1	0.14	2.3	<0.1	<0.05	4	0.5	<0.2
2057381	Soil	34	0.42	154	0.013	2	1.79	0.005	0.06	0.1	0.08	2.5	0.1	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057382	Soil	2.3	107.4	25.0	131	0.7	37.4	19.6	974	4.06	15.3	5.1	3.8	17	0.4	1.4	0.3	63	0.17	0.067	24
2057383	Soil	1.3	106.1	9.7	78	0.4	23.0	15.4	421	4.95	10.9	<0.5	2.7	17	0.2	0.6	0.2	114	0.34	0.038	12
2057384	Soil	2.1	61.7	18.6	102	0.5	32.9	9.9	667	3.56	12.5	5.4	4.2	15	0.2	1.0	0.3	47	0.07	0.059	25
2057385	Soil	1.3	256.9	6.8	99	0.4	41.5	26.9	913	8.41	21.5	1.0	0.9	43	0.2	0.4	0.1	205	0.67	0.065	8
2057386	Soil	1.8	53.6	20.7	132	0.3	41.6	12.8	609	3.17	13.7	4.5	4.5	11	0.3	0.7	0.2	46	0.15	0.059	18
2057387	Soil	1.5	22.3	14.7	66	0.3	27.4	7.2	278	2.67	13.0	4.4	1.7	14	0.3	0.6	0.2	39	0.10	0.073	13
2057388	Soil	1.6	23.0	18.4	61	0.4	26.4	7.8	386	2.76	13.3	2.8	1.2	17	0.3	0.6	0.2	34	0.07	0.066	12
2057389	Soil	1.5	21.5	12.8	62	0.2	21.3	5.3	180	2.61	14.2	7.1	0.6	15	0.3	0.7	0.2	43	0.13	0.089	13
2057390	Soil	1.5	33.5	14.6	84	0.3	32.8	11.0	509	4.07	14.1	3.4	1.7	10	0.2	0.7	0.2	44	0.05	0.078	12
2057391	Soil	1.3	36.1	14.4	187	0.4	102.5	35.0	1774	5.37	14.5	2.1	2.4	13	0.7	0.6	0.2	43	0.07	0.077	13
2057392	Soil	1.9	22.2	21.5	148	0.5	20.9	13.7	864	10.61	14.5	3.8	1.8	17	0.1	0.6	0.3	35	0.05	0.076	9
2057393	Soil	1.9	27.9	21.7	72	0.6	25.8	9.0	391	3.52	14.8	3.0	1.2	17	0.2	0.7	0.3	39	0.06	0.078	12
2057394	Soil	1.6	18.1	19.8	37	0.3	10.5	2.1	94	2.30	13.3	5.9	0.3	23	0.1	0.5	0.2	33	0.04	0.069	8
2057395	Soil	1.8	25.9	19.3	72	0.4	23.4	9.4	439	2.84	15.3	3.0	1.3	17	0.2	0.7	0.3	44	0.07	0.068	12
2057396	Soil	1.9	13.8	16.0	66	<0.1	17.5	7.7	408	3.40	12.7	2.5	0.9	10	0.2	0.8	0.3	67	0.08	0.050	13
2057397	Soil	1.6	10.2	12.4	32	<0.1	9.3	3.2	112	2.21	9.9	2.0	0.1	7	<0.1	0.7	0.3	64	0.05	0.047	12
2057398	Soil	1.6	13.1	12.1	56	<0.1	16.3	6.7	355	2.82	11.1	1.8	0.5	9	0.1	0.7	0.2	60	0.09	0.047	13
2057399	Soil	1.9	21.8	23.9	54	0.4	19.3	6.6	242	2.43	14.9	2.7	0.4	24	0.2	0.6	0.3	36	0.08	0.078	10
2057400	Soil	1.5	23.1	14.7	121	0.5	51.5	13.0	623	2.98	13.4	3.0	1.8	19	0.3	0.6	0.2	48	0.19	0.077	16
2057401	Soil	24.4	95.0	27.7	253	2.6	89.8	16.5	550	3.93	17.0	9.0	2.1	48	4.2	3.7	0.3	35	0.34	0.256	33
2057402	Soil	17.0	82.8	22.7	263	5.5	84.3	12.3	306	3.42	11.8	7.2	1.4	47	8.9	3.7	0.3	28	0.71	0.189	24
2057403	Soil	35.7	176.2	60.1	558	2.7	143.5	23.5	576	5.97	58.0	4.7	6.0	100	6.7	9.6	0.6	28	0.57	0.280	17
2057404	Soil	27.0	129.3	24.3	346	2.1	111.3	18.3	564	4.31	27.6	5.2	5.3	76	6.8	4.5	0.3	31	0.82	0.362	24
2057405	Soil	5.5	37.0	13.5	70	0.5	14.2	3.4	89	2.42	7.7	1.6	0.3	42	0.1	1.0	0.3	54	0.04	0.113	21
2057406	Soil	13.5	48.8	25.0	180	0.8	56.6	11.7	238	3.03	18.5	1.7	1.0	25	2.4	3.3	0.3	33	0.26	0.186	28
2057407	Soil	5.8	49.8	14.7	132	0.7	33.0	7.6	135	2.22	7.8	3.9	0.5	7	0.8	1.7	0.2	34	0.05	0.096	16
2057408	Soil	13.1	61.4	20.2	116	1.7	25.3	4.2	164	3.05	19.3	7.5	<0.1	73	0.7	2.0	0.3	32	0.23	0.408	13
2057409	Soil	5.2	50.1	24.0	118	0.3	49.2	15.8	300	3.62	14.0	1.9	1.6	22	0.6	0.9	0.3	20	0.18	0.190	25
2057410	Soil	13.8	49.7	31.6	123	0.5	58.2	22.6	1333	4.78	28.5	1.7	4.7	42	0.7	1.1	0.4	21	0.27	0.212	26
2057411	Soil	4.6	32.8	32.4	88	0.2	45.2	15.3	374	4.68	14.9	0.7	5.1	31	0.4	0.8	0.4	13	0.19	0.137	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057382	Soil	30	0.47	165	0.023	2	1.51	0.006	0.09	<0.1	0.06	3.4	0.1	<0.05	5	1.0	<0.2
2057383	Soil	33	0.60	202	0.059	2	2.13	0.008	0.05	0.1	0.04	5.0	0.1	<0.05	7	<0.5	<0.2
2057384	Soil	29	0.38	206	0.005	3	1.61	0.005	0.06	<0.1	0.11	2.1	0.2	<0.05	4	1.2	<0.2
2057385	Soil	30	1.41	676	0.063	2	3.01	0.008	0.03	<0.1	0.06	14.1	<0.1	<0.05	12	0.6	<0.2
2057386	Soil	30	0.40	136	0.021	2	1.43	0.005	0.05	0.1	0.03	2.6	0.1	<0.05	4	1.5	<0.2
2057387	Soil	24	0.30	115	0.019	1	1.15	0.006	0.04	0.1	0.07	2.4	<0.1	<0.05	4	0.7	<0.2
2057388	Soil	23	0.22	128	0.013	1	1.04	0.005	0.04	0.1	0.09	2.2	<0.1	<0.05	3	1.1	<0.2
2057389	Soil	26	0.34	84	0.021	<1	1.31	0.007	0.04	0.1	0.05	1.6	0.1	<0.05	4	0.7	<0.2
2057390	Soil	27	0.32	85	0.030	2	1.44	0.005	0.04	0.1	0.06	2.8	0.1	<0.05	4	1.4	<0.2
2057391	Soil	26	0.32	145	0.034	<1	1.48	0.005	0.04	0.1	0.07	3.2	0.1	<0.05	4	1.6	<0.2
2057392	Soil	22	0.19	140	0.013	<1	1.17	0.006	0.04	0.1	0.10	2.4	0.2	<0.05	4	1.5	<0.2
2057393	Soil	25	0.29	140	0.015	1	1.42	0.006	0.04	0.1	0.08	2.4	0.2	<0.05	4	1.4	<0.2
2057394	Soil	19	0.10	107	0.006	<1	0.74	0.004	0.03	<0.1	0.04	0.8	<0.1	<0.05	3	1.1	<0.2
2057395	Soil	30	0.35	108	0.021	1	1.51	0.006	0.05	0.1	0.10	2.3	0.1	<0.05	5	0.9	<0.2
2057396	Soil	34	0.39	74	0.043	2	1.85	0.005	0.05	0.2	0.04	1.9	0.2	<0.05	8	0.9	<0.2
2057397	Soil	20	0.11	60	0.023	<1	0.87	0.004	0.03	0.1	0.04	0.6	0.2	<0.05	7	0.7	<0.2
2057398	Soil	28	0.32	78	0.034	<1	1.42	0.006	0.05	0.1	0.04	1.4	0.2	<0.05	6	0.7	<0.2
2057399	Soil	25	0.24	127	0.009	1	1.17	0.007	0.05	0.1	0.07	1.1	0.1	<0.05	4	1.3	<0.2
2057400	Soil	32	0.51	171	0.030	<1	1.84	0.008	0.05	0.1	0.11	3.5	0.1	<0.05	5	0.7	<0.2
2057401	Soil	28	0.56	119	0.002	<1	1.19	0.007	0.09	<0.1	0.89	1.6	0.6	<0.05	3	9.9	<0.2
2057402	Soil	29	0.42	208	0.002	2	1.00	0.008	0.07	<0.1	1.29	1.6	0.6	<0.05	2	14.7	<0.2
2057403	Soil	20	0.31	218	<0.001	2	0.81	0.020	0.08	<0.1	1.02	4.0	1.0	0.25	2	9.0	0.4
2057404	Soil	26	0.43	295	0.001	2	0.96	0.015	0.11	<0.1	0.95	4.2	0.7	0.07	2	7.0	<0.2
2057405	Soil	26	0.14	154	0.005	<1	0.96	0.022	0.06	<0.1	0.08	0.8	0.3	<0.05	6	3.1	<0.2
2057406	Soil	23	0.30	111	0.002	<1	0.92	0.008	0.06	<0.1	0.20	0.7	0.4	<0.05	3	4.9	<0.2
2057407	Soil	21	0.16	70	0.003	1	0.84	0.005	0.07	<0.1	0.13	0.3	0.3	<0.05	4	4.2	<0.2
2057408	Soil	24	0.23	96	<0.001	2	0.88	0.035	0.09	<0.1	0.31	0.1	0.5	0.11	3	6.3	<0.2
2057409	Soil	21	0.51	61	<0.001	1	1.18	0.008	0.06	<0.1	0.26	0.7	0.2	<0.05	3	1.3	<0.2
2057410	Soil	26	0.74	66	<0.001	<1	1.53	0.013	0.07	<0.1	0.29	2.5	0.4	<0.05	4	1.7	<0.2
2057411	Soil	20	0.60	62	<0.001	<1	1.25	0.007	0.05	<0.1	0.13	2.3	0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057412	Soil	48.6	193.0	26.8	359	6.1	119.2	11.9	210	4.24	24.5	14.2	3.7	94	4.4	3.8	0.4	152	0.50	0.497	27
2057413	Soil	31.4	147.5	24.3	417	7.0	116.5	24.9	479	3.51	17.1	13.9	1.8	26	9.6	6.4	0.4	22	0.37	0.253	32
2057414	Soil	13.1	73.7	19.4	144	2.3	43.4	7.8	203	3.35	14.8	11.6	1.3	55	2.0	1.8	0.3	41	0.19	0.258	25
2057415	Soil	28.1	105.7	27.2	284	2.5	96.4	20.6	303	4.36	20.3	8.4	6.9	42	2.2	3.2	0.4	30	0.41	0.222	34
2057416	Soil	4.0	62.2	27.6	117	0.6	53.9	23.3	523	4.55	19.5	8.1	6.2	29	0.3	1.0	0.4	28	0.34	0.224	41
2057417	Soil	51.6	54.1	30.9	168	0.9	70.0	18.4	321	5.57	33.6	2.8	7.8	34	2.2	2.5	0.4	67	0.17	0.175	41
2057418	Soil	2.0	22.9	30.2	84	0.3	32.7	6.2	156	3.93	15.7	1.3	6.9	22	0.4	0.6	0.4	19	0.07	0.118	39
2057419	Soil	3.3	45.2	23.0	111	0.5	41.1	14.1	268	4.09	14.5	2.5	4.3	33	0.4	0.8	0.3	34	0.16	0.161	28
2057420	Soil	2.2	33.4	21.6	106	<0.1	43.5	20.7	631	4.02	13.4	3.4	6.4	22	0.4	0.7	0.4	30	0.09	0.093	33
2057421	Soil	4.6	23.2	19.6	78	0.1	30.6	11.5	349	3.56	14.3	2.4	1.5	17	0.3	0.9	0.3	46	0.09	0.092	21
2057422	Soil	1.8	20.8	17.2	72	<0.1	25.6	9.2	216	3.31	10.8	1.6	2.7	16	0.2	0.6	0.3	33	0.06	0.065	25
2057423	Soil	3.5	21.0	17.0	74	<0.1	26.9	10.3	205	3.21	13.1	2.7	1.4	21	0.2	0.7	0.3	45	0.08	0.113	31
2057424	Soil	3.7	21.7	15.3	77	0.2	24.0	10.2	344	3.41	12.7	1.3	0.6	12	0.3	0.8	0.3	50	0.07	0.076	20
2057425	Soil	3.1	32.3	12.3	91	0.3	32.4	11.7	322	3.02	11.6	3.3	4.3	21	0.5	1.0	0.2	48	0.23	0.097	24
2057426	Soil	2.0	25.5	13.2	76	<0.1	35.8	20.1	917	3.05	11.8	2.9	2.3	15	0.2	0.8	0.2	46	0.11	0.079	21
2057427	Soil	3.4	22.4	11.9	68	<0.1	24.1	8.9	293	2.81	14.2	2.5	4.0	17	0.3	0.7	0.2	40	0.18	0.090	20
2057428	Soil	4.8	20.1	16.3	63	<0.1	22.2	9.6	302	3.39	19.1	1.2	3.8	17	0.2	0.8	0.3	43	0.08	0.072	22
2057429	Soil	1.6	22.6	14.0	71	<0.1	28.2	11.4	323	2.94	13.8	0.8	4.4	14	0.2	0.7	0.2	41	0.11	0.062	18
2057430	Soil	1.7	26.5	17.2	75	<0.1	25.5	11.6	359	3.93	14.0	0.6	4.2	13	0.2	0.7	0.3	38	0.06	0.073	14
2057431	Soil	2.7	23.6	15.2	62	<0.1	22.1	6.5	193	3.93	18.0	0.9	6.4	9	0.1	0.7	0.3	38	0.04	0.059	22
2057432	Soil	1.5	12.0	14.2	43	<0.1	14.1	4.6	124	2.69	11.3	1.1	5.5	9	0.1	0.7	0.3	60	0.05	0.028	21
2057433	Soil	1.6	19.7	14.2	64	<0.1	24.9	12.3	340	3.06	14.0	1.7	5.9	15	0.3	0.7	0.2	45	0.09	0.064	18
2057434	Soil	3.4	26.5	26.9	56	<0.1	19.1	2.9	64	3.90	18.5	1.0	7.6	18	<0.1	0.5	0.4	40	0.02	0.061	21
2057435	Soil	1.2	26.6	19.9	85	<0.1	39.1	12.2	159	3.71	14.2	0.7	5.4	13	0.1	0.7	0.3	35	0.02	0.038	14
2057436	Soil	1.4	17.8	16.2	66	<0.1	23.0	7.7	219	3.37	12.3	1.1	5.1	9	0.2	0.7	0.3	49	0.06	0.044	18
2057437	Soil	1.3	15.1	15.5	56	<0.1	21.7	4.7	152	3.42	10.3	1.3	4.4	9	0.1	0.5	0.3	44	0.03	0.056	31
2057438	Soil	1.4	17.1	16.3	50	<0.1	16.2	3.8	135	3.32	13.7	0.9	5.3	9	<0.1	0.7	0.3	51	0.04	0.036	21
2057439	Soil	1.3	38.1	23.9	94	<0.1	30.5	2.7	138	4.95	17.6	1.3	5.6	13	<0.1	0.4	0.3	34	0.01	0.066	10
2057440	Soil	0.7	23.7	19.5	76	<0.1	38.7	12.1	351	4.70	9.7	1.4	4.1	7	0.2	0.3	0.4	35	0.02	0.046	7
2057441	Soil	1.7	22.3	16.2	51	0.2	17.9	5.5	185	2.92	17.9	7.0	1.6	11	0.2	0.8	0.2	40	0.08	0.066	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057412	Soil	50	0.46	200	0.001	2	1.52	0.012	0.14	<0.1	0.80	2.8	1.2	<0.05	4	9.5	<0.2
2057413	Soil	36	0.35	95	<0.001	2	0.81	0.006	0.06	<0.1	0.83	2.1	0.5	<0.05	2	11.4	<0.2
2057414	Soil	29	0.35	220	0.004	<1	1.07	0.027	0.12	<0.1	0.40	1.1	0.6	0.15	3	7.2	<0.2
2057415	Soil	24	0.43	137	<0.001	2	1.01	0.009	0.07	<0.1	0.37	2.4	0.5	<0.05	2	7.4	<0.2
2057416	Soil	29	0.98	78	0.001	<1	1.95	0.006	0.07	<0.1	0.35	2.0	0.2	<0.05	5	1.2	<0.2
2057417	Soil	26	0.72	75	<0.001	<1	1.55	0.009	0.07	<0.1	0.32	2.6	1.1	<0.05	5	3.4	<0.2
2057418	Soil	24	0.72	56	0.001	<1	1.43	0.010	0.05	<0.1	0.09	1.6	0.2	<0.05	5	1.0	<0.2
2057419	Soil	30	0.76	124	0.004	1	2.01	0.009	0.07	<0.1	0.20	1.9	0.2	<0.05	5	1.4	<0.2
2057420	Soil	26	0.59	139	0.006	1	1.69	0.008	0.06	<0.1	0.11	2.7	0.1	<0.05	4	0.5	<0.2
2057421	Soil	31	0.52	75	0.016	2	1.81	0.008	0.05	0.1	0.07	1.9	0.2	<0.05	5	0.9	<0.2
2057422	Soil	25	0.53	81	0.008	1	1.62	0.007	0.05	<0.1	0.08	1.7	0.2	<0.05	4	0.5	<0.2
2057423	Soil	27	0.48	68	0.012	1	1.66	0.006	0.04	<0.1	0.04	1.5	0.2	<0.05	6	0.9	<0.2
2057424	Soil	29	0.45	75	0.015	<1	1.73	0.007	0.06	0.1	0.07	1.2	0.2	<0.05	6	1.0	<0.2
2057425	Soil	29	0.59	119	0.045	1	1.48	0.009	0.05	0.2	0.11	3.3	0.2	<0.05	4	0.9	<0.2
2057426	Soil	29	0.49	139	0.030	1	1.77	0.008	0.05	0.1	0.06	3.3	0.2	<0.05	5	0.8	<0.2
2057427	Soil	27	0.48	109	0.030	1	1.45	0.008	0.06	0.1	0.04	2.6	0.1	<0.05	4	0.7	<0.2
2057428	Soil	29	0.44	90	0.022	1	1.61	0.009	0.05	0.1	0.07	2.3	0.2	<0.05	5	0.9	<0.2
2057429	Soil	29	0.48	89	0.026	1	1.62	0.007	0.06	0.1	0.04	2.9	0.2	<0.05	5	<0.5	<0.2
2057430	Soil	34	0.41	69	0.016	<1	1.88	0.007	0.06	<0.1	0.04	2.6	0.1	<0.05	5	0.5	<0.2
2057431	Soil	30	0.43	62	0.014	2	1.47	0.006	0.05	0.1	0.03	2.4	0.2	<0.05	5	<0.5	<0.2
2057432	Soil	23	0.25	68	0.033	<1	1.20	0.005	0.04	0.1	0.03	2.3	0.2	<0.05	7	<0.5	<0.2
2057433	Soil	30	0.49	118	0.033	1	1.92	0.010	0.06	0.1	0.04	3.5	0.1	<0.05	4	<0.5	<0.2
2057434	Soil	24	0.37	62	0.004	<1	1.34	0.007	0.06	<0.1	0.02	1.7	0.2	<0.05	7	<0.5	<0.2
2057435	Soil	27	0.53	57	0.005	<1	1.71	0.007	0.06	<0.1	0.01	2.4	0.1	<0.05	6	<0.5	<0.2
2057436	Soil	29	0.39	74	0.029	1	1.81	0.006	0.05	0.1	0.04	2.6	0.1	<0.05	6	<0.5	<0.2
2057437	Soil	24	0.34	43	0.007	<1	1.35	0.005	0.05	<0.1	0.02	1.8	0.1	<0.05	6	<0.5	<0.2
2057438	Soil	25	0.33	57	0.020	1	1.42	0.006	0.05	<0.1	0.03	2.0	0.2	<0.05	7	<0.5	<0.2
2057439	Soil	37	0.79	88	<0.001	<1	2.22	0.010	0.08	<0.1	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
2057440	Soil	34	0.67	46	0.002	<1	2.10	0.008	0.06	<0.1	0.03	2.3	0.1	<0.05	6	<0.5	<0.2
2057441	Soil	23	0.27	78	0.022	1	1.19	0.005	0.04	0.1	0.08	2.0	0.1	<0.05	4	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057442	Soil	1.3	12.8	13.1	51	<0.1	15.6	5.8	202	3.12	12.9	2.3	0.9	8	0.1	0.7	0.2	54	0.07	0.047	14
2057443	Soil	1.8	22.3	15.1	65	0.2	21.4	7.6	339	2.81	13.6	2.5	1.0	13	0.2	0.7	0.3	49	0.10	0.065	14
2057444	Soil	1.2	22.5	12.1	70	0.1	21.2	7.1	283	2.69	12.6	7.2	1.8	12	0.3	0.8	0.2	45	0.10	0.069	15
2057445	Soil	1.3	19.3	10.0	58	<0.1	16.6	5.6	278	2.58	12.4	12.1	1.2	9	0.1	0.7	0.2	49	0.11	0.060	18
2057446	Soil	2.7	21.7	24.1	52	0.4	15.6	6.1	318	2.66	15.0	4.4	0.6	15	0.2	0.8	0.3	50	0.07	0.080	12
2057447	Soil	2.0	25.1	19.1	48	0.3	15.9	4.0	163	2.58	16.7	2.9	2.3	16	0.1	0.6	0.2	42	0.08	0.074	13
2057448	Soil	1.8	18.3	16.4	54	0.2	16.0	7.7	489	2.77	14.5	2.7	0.2	11	0.1	0.7	0.3	51	0.06	0.115	13
2057449	Soil	1.9	24.1	19.1	65	0.4	20.1	6.2	277	3.24	20.3	4.5	2.0	13	0.2	0.8	0.3	50	0.09	0.082	15
2057450	Soil	1.2	20.4	12.9	51	0.1	17.3	6.2	197	2.44	11.9	10.9	1.0	11	0.2	0.7	0.2	42	0.10	0.074	14
2057451	Soil	16.5	124.1	27.8	272	1.0	80.3	26.9	495	5.13	28.3	5.5	2.7	82	2.7	2.0	0.4	33	0.89	0.629	32
2057452	Soil	24.3	54.2	26.4	223	0.4	67.0	26.0	592	4.31	20.6	3.4	12.3	42	1.3	1.7	0.3	40	0.85	0.393	45
2057453	Soil	6.2	28.0	19.1	97	0.2	36.9	13.9	270	4.03	17.6	1.6	4.8	36	0.3	0.8	0.3	43	0.15	0.138	29
2057454	Soil	7.1	22.1	16.6	66	<0.1	25.1	9.4	135	2.22	12.0	0.9	0.4	13	0.2	0.7	0.3	29	0.06	0.117	26
2057455	Soil	12.4	34.2	21.7	113	0.1	37.1	11.9	164	3.72	21.4	1.2	5.3	12	0.2	1.1	0.3	29	0.03	0.069	37
2057456	Soil	1.3	13.1	16.3	52	<0.1	17.4	6.6	214	3.43	10.3	2.3	4.7	8	0.1	0.7	0.3	54	0.06	0.042	22
2057457	Soil	2.4	36.0	25.1	75	0.3	32.3	16.0	594	3.41	9.9	4.6	1.4	10	0.2	0.8	0.3	32	0.08	0.130	28
2057458	Soil	2.0	14.9	18.2	43	0.1	14.9	7.7	223	3.28	12.8	1.6	4.4	8	0.1	0.7	0.3	59	0.06	0.038	22
2057459	Soil	6.4	29.2	28.9	86	<0.1	36.3	16.6	544	3.93	15.6	1.6	1.6	24	0.1	0.6	0.4	32	0.14	0.183	36
2057460	Soil	9.5	42.2	19.0	98	0.2	36.7	10.2	206	3.47	16.6	4.8	6.1	100	0.4	1.2	0.3	43	0.86	0.448	38
2057461	Soil	10.5	51.7	29.9	126	0.2	63.9	27.3	726	5.46	27.0	4.0	12.3	37	0.6	0.9	0.5	26	0.41	0.259	50
2057462	Soil	1.3	15.5	14.4	56	<0.1	22.9	10.4	214	3.09	10.0	1.1	6.4	11	0.2	0.7	0.3	49	0.11	0.049	23
2057463	Soil	1.5	22.8	17.2	56	<0.1	18.6	5.5	230	3.81	11.4	1.0	3.7	11	<0.1	0.5	0.3	34	0.04	0.069	24
2057464	Soil	1.8	18.5	12.5	62	<0.1	22.4	10.7	394	3.18	10.6	4.5	4.2	13	0.1	0.6	0.2	44	0.15	0.099	20
2057465	Soil	3.8	44.4	15.2	96	<0.1	55.3	16.0	1480	3.58	13.0	2.8	8.2	17	0.4	0.9	0.2	29	0.20	0.117	30
2057466	Soil	1.8	23.8	14.0	79	<0.1	36.0	18.2	482	3.12	10.4	1.7	5.7	15	0.3	0.6	0.2	44	0.14	0.082	19
2057467	Soil	1.1	15.1	12.8	60	<0.1	19.8	8.3	284	2.90	12.4	3.1	1.3	10	0.1	0.6	0.2	47	0.10	0.055	13
2057468	Soil	1.5	18.6	13.7	73	0.1	20.1	8.5	332	3.10	12.4	2.3	0.9	12	<0.1	0.6	0.3	61	0.10	0.046	14
2057469	Soil	2.2	22.9	19.2	52	0.2	15.9	5.9	259	2.83	16.1	6.5	0.8	14	0.1	0.8	0.3	50	0.06	0.063	13
2057470	Soil	1.3	17.5	11.5	66	<0.1	20.1	8.5	388	2.53	10.9	5.6	1.1	11	0.2	0.7	0.2	53	0.11	0.054	16
2057471	Soil	1.3	18.2	11.7	73	<0.1	22.6	9.4	324	2.90	12.0	2.1	1.7	13	0.2	0.7	0.2	63	0.13	0.054	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057442	Soil	27	0.31	52	0.039	<1	1.35	0.004	0.04	0.1	0.04	1.6	0.1	<0.05	6	<0.5	<0.2
2057443	Soil	29	0.40	107	0.032	2	1.61	0.007	0.05	0.1	0.07	2.5	0.2	<0.05	6	0.9	<0.2
2057444	Soil	24	0.30	74	0.033	1	1.16	0.005	0.04	0.2	0.04	2.2	0.1	<0.05	4	0.6	<0.2
2057445	Soil	26	0.25	54	0.041	<1	0.98	0.007	0.04	0.3	0.06	1.6	0.1	<0.05	4	0.6	<0.2
2057446	Soil	27	0.26	125	0.015	2	1.38	0.006	0.06	0.1	0.11	1.6	0.1	<0.05	6	1.4	<0.2
2057447	Soil	25	0.21	113	0.013	1	1.13	0.004	0.04	<0.1	0.11	2.8	<0.1	<0.05	4	0.9	<0.2
2057448	Soil	28	0.26	84	0.010	<1	1.34	0.006	0.05	0.1	0.05	0.7	0.1	<0.05	5	0.7	<0.2
2057449	Soil	30	0.33	101	0.025	<1	1.42	0.005	0.05	0.1	0.11	3.0	0.1	<0.05	5	1.4	<0.2
2057450	Soil	23	0.24	57	0.021	<1	1.15	0.006	0.04	0.2	0.07	1.7	0.1	<0.05	4	0.7	<0.2
2057451	Soil	28	0.43	112	0.004	2	1.39	0.015	0.09	<0.1	0.28	2.2	0.4	<0.05	3	3.6	<0.2
2057452	Soil	27	0.97	83	<0.001	<1	1.63	0.004	0.08	<0.1	0.28	3.3	0.3	<0.05	4	1.9	<0.2
2057453	Soil	29	0.66	112	0.010	<1	2.04	0.010	0.08	<0.1	0.08	2.6	0.3	<0.05	6	0.9	<0.2
2057454	Soil	16	0.23	50	0.004	<1	0.84	0.005	0.05	<0.1	0.09	0.5	0.2	<0.05	4	<0.5	<0.2
2057455	Soil	11	0.10	74	0.002	<1	0.90	0.006	0.05	<0.1	0.09	2.1	0.2	<0.05	3	<0.5	<0.2
2057456	Soil	23	0.33	56	0.023	2	1.43	0.005	0.04	0.1	0.03	1.9	0.1	<0.05	6	<0.5	<0.2
2057457	Soil	26	0.59	45	0.004	2	1.45	0.006	0.05	<0.1	0.09	0.7	0.2	<0.05	4	0.5	<0.2
2057458	Soil	23	0.30	65	0.025	2	1.34	0.004	0.04	0.2	0.05	2.0	0.2	<0.05	6	<0.5	<0.2
2057459	Soil	26	0.60	60	0.004	2	1.45	0.007	0.06	<0.1	0.06	0.7	0.2	<0.05	4	0.6	<0.2
2057460	Soil	28	0.74	168	0.006	3	1.85	0.010	0.10	<0.1	0.27	2.6	0.5	<0.05	4	1.4	<0.2
2057461	Soil	31	1.05	79	0.002	2	2.10	0.012	0.06	<0.1	0.30	3.4	0.4	<0.05	4	1.3	<0.2
2057462	Soil	27	0.41	55	0.034	2	1.62	0.006	0.05	0.2	0.05	2.4	0.1	<0.05	5	<0.5	<0.2
2057463	Soil	26	0.43	55	0.011	1	1.30	0.008	0.05	<0.1	0.04	1.6	0.1	<0.05	4	<0.5	<0.2
2057464	Soil	27	0.40	63	0.024	2	1.73	0.007	0.05	0.2	0.06	2.5	0.2	<0.05	5	0.5	<0.2
2057465	Soil	23	0.57	166	0.017	<1	1.50	0.007	0.05	<0.1	0.18	4.2	0.1	<0.05	3	0.6	<0.2
2057466	Soil	31	0.53	116	0.029	2	2.11	0.008	0.06	0.1	0.07	3.1	0.2	<0.05	4	0.7	<0.2
2057467	Soil	28	0.36	69	0.035	2	1.52	0.005	0.04	0.1	0.04	2.0	0.1	<0.05	5	0.6	<0.2
2057468	Soil	33	0.50	114	0.037	<1	1.97	0.006	0.06	0.1	0.08	2.4	0.2	<0.05	6	<0.5	<0.2
2057469	Soil	27	0.25	106	0.020	2	1.35	0.005	0.05	0.2	0.08	1.9	0.2	<0.05	5	1.1	<0.2
2057470	Soil	27	0.37	76	0.040	2	1.33	0.007	0.06	0.2	0.05	1.7	0.1	<0.05	4	0.6	<0.2
2057471	Soil	33	0.44	115	0.047	2	1.88	0.007	0.05	0.3	0.04	2.6	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057472	Soil	1.0	13.5	12.0	56	<0.1	17.2	7.7	326	2.66	9.9	1.9	3.0	10	0.2	0.7	0.2	48	0.11	0.043	13
2057473	Soil	2.1	27.3	22.3	53	0.6	16.3	4.7	169	2.71	26.9	4.3	1.5	14	0.1	0.8	0.3	47	0.09	0.084	14
2057474	Soil	2.1	25.2	25.5	59	0.5	19.5	5.8	251	2.74	21.0	6.7	1.3	15	0.2	0.8	0.4	52	0.09	0.086	14
2057475	Soil	1.6	18.4	13.6	58	<0.1	16.8	6.7	300	3.10	13.2	2.6	0.6	11	0.2	0.8	0.3	64	0.09	0.061	14
2057476	Soil	2.3	20.6	14.4	40	0.3	12.4	3.6	149	2.16	17.2	5.4	0.4	11	0.1	0.7	0.2	42	0.07	0.070	11
2057477	Soil	1.4	24.6	11.2	54	0.2	18.8	6.0	230	2.52	12.9	2.6	4.2	17	0.2	0.7	0.2	48	0.20	0.086	20
2057478	Soil	1.4	17.0	10.4	53	0.1	15.5	6.5	336	2.48	10.7	5.7	0.4	10	0.2	0.7	0.2	50	0.08	0.059	15
2057479	Soil	1.0	18.7	8.8	57	<0.1	18.7	6.2	231	2.41	10.4	6.0	2.7	12	0.2	0.7	0.2	43	0.15	0.059	17
2057480	Soil	1.1	15.7	10.3	50	<0.1	14.4	5.3	216	2.48	10.8	3.7	1.3	10	0.2	0.7	0.2	50	0.09	0.052	16
2057481	Soil	1.2	25.9	11.5	61	0.1	17.8	5.6	235	3.59	12.5	8.3	1.6	11	0.2	0.8	0.2	45	0.08	0.071	13
2057482	Soil	1.2	23.2	11.9	67	0.1	17.7	6.4	254	3.26	12.1	5.7	1.9	14	0.3	0.8	0.2	43	0.08	0.068	14
2057483	Soil	2.3	27.8	23.4	41	0.5	17.1	2.9	118	3.05	22.0	3.3	0.4	27	0.2	0.8	0.3	40	0.05	0.134	11
2057484	Soil	1.2	56.5	13.8	95	0.2	19.6	14.2	784	7.26	12.1	3.1	3.7	8	0.2	0.7	0.2	46	0.04	0.079	10
2057485	Soil	1.2	26.9	12.5	78	0.3	31.8	14.0	730	3.01	12.4	5.0	4.4	13	0.4	0.7	0.2	40	0.10	0.068	15
2057486	Soil	1.3	26.9	13.9	89	0.2	27.3	13.2	441	2.91	13.8	4.5	2.3	16	0.2	0.7	0.2	55	0.12	0.055	17
2057487	Soil	1.4	15.1	13.4	66	<0.1	18.3	10.7	478	3.20	13.1	2.6	2.1	11	0.2	0.7	0.2	58	0.10	0.047	15
2057488	Soil	1.2	21.6	12.0	67	0.1	19.4	7.6	259	2.76	13.2	4.2	2.1	11	0.1	0.8	0.2	51	0.10	0.057	18
2057489	Soil	2.0	24.2	14.9	101	0.4	30.2	16.8	829	5.89	14.1	5.0	1.9	20	0.1	0.7	0.2	39	0.08	0.061	12
2057490	Soil	1.4	36.3	19.5	111	0.7	38.0	13.5	733	3.83	11.5	3.1	2.1	16	0.1	0.7	0.3	43	0.07	0.079	15
2057491	Soil	1.4	20.2	27.2	313	0.4	216.0	253.1	>10000	21.73	23.9	1.3	3.6	14	2.1	0.7	0.2	18	0.06	0.138	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

CERTIFICATE OF ANALYSIS WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057472	Soil	28	0.35	78	0.046	2	1.65	0.006	0.05	0.2	0.05	2.5	0.1	<0.05	4	<0.5	<0.2
2057473	Soil	28	0.28	106	0.015	1	1.30	0.006	0.05	0.1	0.16	2.6	<0.1	<0.05	5	2.1	<0.2
2057474	Soil	29	0.32	119	0.016	1	1.54	0.005	0.06	0.1	0.14	2.4	0.1	<0.05	5	1.4	<0.2
2057475	Soil	31	0.36	71	0.037	2	1.50	0.007	0.05	0.1	0.04	1.7	0.2	<0.05	6	0.8	<0.2
2057476	Soil	24	0.22	87	0.016	2	0.99	0.006	0.04	0.1	0.08	1.3	<0.1	<0.05	4	1.3	<0.2
2057477	Soil	26	0.35	81	0.044	<1	1.17	0.006	0.04	0.3	0.07	2.8	0.1	<0.05	4	0.6	<0.2
2057478	Soil	25	0.29	64	0.027	1	1.23	0.006	0.04	0.1	0.03	1.1	<0.1	<0.05	5	<0.5	<0.2
2057479	Soil	23	0.33	65	0.045	<1	1.03	0.006	0.04	0.2	0.04	2.1	<0.1	<0.05	4	<0.5	<0.2
2057480	Soil	22	0.25	61	0.041	2	1.05	0.005	0.04	0.2	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
2057481	Soil	24	0.26	60	0.030	2	1.13	0.006	0.04	0.2	0.04	2.0	<0.1	<0.05	4	0.6	<0.2
2057482	Soil	22	0.27	73	0.030	<1	1.13	0.005	0.04	0.1	0.06	2.1	<0.1	<0.05	4	0.8	<0.2
2057483	Soil	21	0.16	84	0.006	<1	1.02	0.006	0.04	<0.1	0.08	1.4	0.1	<0.05	3	2.2	<0.2
2057484	Soil	21	0.18	70	0.053	<1	0.86	0.003	0.04	0.2	0.06	4.0	0.1	<0.05	4	0.7	<0.2
2057485	Soil	22	0.28	103	0.034	1	1.08	0.005	0.04	0.1	0.04	3.0	0.1	<0.05	3	0.8	<0.2
2057486	Soil	31	0.49	118	0.041	2	1.97	0.008	0.06	0.2	0.11	3.5	0.2	<0.05	5	1.3	<0.2
2057487	Soil	29	0.45	111	0.042	2	1.72	0.006	0.06	0.1	0.04	2.6	0.1	<0.05	6	0.5	<0.2
2057488	Soil	29	0.46	87	0.044	1	1.83	0.006	0.05	0.2	0.06	3.0	0.2	<0.05	5	1.0	<0.2
2057489	Soil	23	0.30	123	0.023	2	1.27	0.005	0.04	<0.1	0.33	3.1	0.1	<0.05	4	1.1	<0.2
2057490	Soil	27	0.34	132	0.027	1	1.69	0.006	0.05	0.1	0.12	3.8	0.1	<0.05	5	1.3	<0.2
2057491	Soil	11	0.07	265	0.007	1	0.70	0.005	0.05	<0.1	0.27	1.9	0.3	<0.05	1	2.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

QUALITY CONTROL REPORT WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2057128	Soil	1.0	18.8	13.1	62	<0.1	25.4	8.6	2038	2.46	12.7	6.0	1.2	15	0.2	0.8	0.2	43	0.12	0.051	14
REP 2057128	QC	0.9	19.0	13.4	58	<0.1	24.0	8.9	1936	2.73	12.6	13.5	1.1	15	0.1	0.8	0.2	43	0.11	0.050	14
2057195	Soil	0.7	33.6	32.1	67	<0.1	27.6	17.6	381	3.35	13.3	1.1	2.4	13	<0.1	0.5	0.3	28	0.10	0.046	9
REP 2057195	QC	0.8	34.2	33.7	74	<0.1	29.8	18.8	336	3.20	13.5	1.2	2.7	14	<0.1	0.5	0.3	30	0.11	0.055	9
2057267	Soil	1.5	27.2	39.1	81	<0.1	22.3	11.6	547	3.15	9.4	4.3	0.5	10	0.2	0.7	0.4	47	0.07	0.070	12
REP 2057267	QC	1.4	29.8	38.8	79	<0.1	23.7	12.7	589	3.40	10.0	4.2	0.5	10	0.2	0.8	0.4	49	0.07	0.075	12
2057303	Soil	1.1	27.5	35.6	68	<0.1	22.6	12.0	371	3.03	10.3	3.5	1.5	13	0.2	0.7	0.3	44	0.14	0.068	15
REP 2057303	QC	1.2	27.4	35.8	73	<0.1	23.5	12.2	367	3.14	10.1	2.1	1.6	13	0.1	0.7	0.3	45	0.13	0.067	15
2057339	Soil	9.3	80.4	24.8	164	1.1	51.1	10.7	269	3.94	15.2	5.3	4.6	60	0.9	1.8	0.3	32	0.55	0.260	24
REP 2057339	QC	9.3	75.1	25.1	155	1.1	54.5	11.3	289	4.02	15.3	6.5	4.6	62	0.9	1.6	0.3	32	0.59	0.245	26
2057375	Soil	1.4	55.6	14.9	79	<0.1	26.3	11.5	393	3.19	13.2	6.6	3.6	11	0.1	0.8	0.3	63	0.09	0.048	18
REP 2057375	QC	1.6	53.1	15.1	84	<0.1	25.6	11.2	372	3.14	12.9	3.7	3.7	11	0.2	0.8	0.2	60	0.09	0.050	17
2057411	Soil	4.6	32.8	32.4	88	0.2	45.2	15.3	374	4.68	14.9	0.7	5.1	31	0.4	0.8	0.4	13	0.19	0.137	31
REP 2057411	QC	4.5	33.1	32.8	92	0.2	44.6	16.1	375	4.90	15.2	0.8	5.4	30	0.3	0.8	0.4	14	0.18	0.131	37
2057447	Soil	2.0	25.1	19.1	48	0.3	15.9	4.0	163	2.58	16.7	2.9	2.3	16	0.1	0.6	0.2	42	0.08	0.074	13
REP 2057447	QC	2.1	23.9	19.1	47	0.3	16.3	4.2	162	2.56	16.5	3.9	2.3	16	0.2	0.7	0.3	41	0.08	0.078	13
2057483	Soil	2.3	27.8	23.4	41	0.5	17.1	2.9	118	3.05	22.0	3.3	0.4	27	0.2	0.8	0.3	40	0.05	0.134	11
REP 2057483	QC	2.5	26.8	23.3	42	0.5	16.5	3.1	119	3.09	22.2	3.7	0.4	27	0.2	0.8	0.3	41	0.06	0.128	11
Reference Materials																					
STD DS11	Standard	13.0	149.7	140.2	350	1.8	81.5	14.5	1089	3.14	44.9	162.9	7.6	70	2.3	8.0	11.8	49	1.04	0.068	16
STD DS11	Standard	13.9	149.0	137.6	362	1.8	79.4	15.0	956	3.12	44.9	83.6	7.9	68	2.5	8.2	11.0	50	0.95	0.076	19
STD DS11	Standard	14.3	154.2	138.4	349	1.7	78.8	13.5	936	2.99	42.1	64.6	7.7	62	2.2	8.7	10.2	53	0.96	0.071	17
STD DS11	Standard	15.1	162.5	137.3	342	1.7	81.4	15.3	988	3.15	44.2	66.8	8.2	71	2.5	8.7	10.8	53	1.02	0.073	20
STD DS11	Standard	14.1	155.8	139.8	337	1.7	82.0	14.6	1019	3.40	44.5	78.4	8.6	65	2.4	8.5	11.6	51	1.16	0.072	18
STD DS11	Standard	13.6	147.3	134.5	354	1.7	79.9	14.3	911	3.01	42.6	67.8	7.5	61	2.4	9.0	11.2	51	0.94	0.070	17
STD DS11	Standard	14.3	145.2	136.3	331	1.7	73.6	13.5	978	3.16	41.5	84.1	7.8	66	2.2	7.8	11.0	51	0.97	0.064	20
STD DS11	Standard	15.3	142.0	139.0	331	1.7	83.1	14.2	1045	3.23	43.3	65.6	7.7	66	2.2	8.2	11.5	52	1.02	0.074	20
STD DS11	Standard	14.8	146.8	137.5	332	1.7	77.5	13.8	997	3.03	41.8	62.1	7.8	64	2.4	7.6	11.3	52	1.01	0.067	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

QUALITY CONTROL REPORT WHI18000889.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2057128	Soil	23	0.28	122	0.025	<1	1.24	0.005	0.05	0.3	0.06	1.6	0.1	<0.05	4	0.6	<0.2
REP 2057128	QC	23	0.30	125	0.026	<1	1.22	0.005	0.04	0.3	0.07	1.9	<0.1	<0.05	4	0.8	<0.2
2057195	Soil	24	0.54	72	0.012	<1	1.40	0.005	0.06	<0.1	0.02	2.1	<0.1	<0.05	4	<0.5	<0.2
REP 2057195	QC	25	0.53	67	0.012	<1	1.61	0.004	0.05	<0.1	0.02	2.2	<0.1	<0.05	4	<0.5	<0.2
2057267	Soil	30	0.38	81	0.014	2	1.57	0.005	0.08	0.1	0.06	1.2	0.2	<0.05	5	<0.5	<0.2
REP 2057267	QC	30	0.36	79	0.014	2	1.47	0.005	0.07	0.1	0.05	1.3	0.1	<0.05	5	<0.5	<0.2
2057303	Soil	26	0.41	78	0.026	2	1.38	0.005	0.06	0.1	0.03	1.9	0.1	<0.05	4	<0.5	<0.2
REP 2057303	QC	27	0.37	72	0.027	<1	1.31	0.005	0.06	0.2	0.03	1.8	<0.1	<0.05	5	0.5	<0.2
2057339	Soil	28	0.64	189	0.004	2	1.39	0.008	0.08	<0.1	0.41	3.0	0.2	<0.05	4	2.5	<0.2
REP 2057339	QC	29	0.62	194	0.004	1	1.34	0.008	0.08	<0.1	0.38	2.9	0.2	<0.05	4	2.3	<0.2
2057375	Soil	35	0.42	190	0.025	<1	1.89	0.006	0.05	0.2	0.05	3.1	0.2	<0.05	5	0.6	<0.2
REP 2057375	QC	34	0.42	183	0.027	1	1.95	0.006	0.05	0.2	0.06	2.9	0.2	<0.05	6	<0.5	<0.2
2057411	Soil	20	0.60	62	<0.001	<1	1.25	0.007	0.05	<0.1	0.13	2.3	0.1	<0.05	3	<0.5	<0.2
REP 2057411	QC	20	0.65	62	<0.001	1	1.28	0.008	0.06	<0.1	0.14	2.3	0.1	<0.05	3	<0.5	<0.2
2057447	Soil	25	0.21	113	0.013	1	1.13	0.004	0.04	<0.1	0.11	2.8	<0.1	<0.05	4	0.9	<0.2
REP 2057447	QC	25	0.20	112	0.013	<1	1.17	0.004	0.04	<0.1	0.09	2.9	<0.1	<0.05	4	1.3	<0.2
2057483	Soil	21	0.16	84	0.006	<1	1.02	0.006	0.04	<0.1	0.08	1.4	0.1	<0.05	3	2.2	<0.2
REP 2057483	QC	21	0.15	83	0.006	<1	1.01	0.006	0.04	<0.1	0.08	1.4	0.1	<0.05	3	2.3	<0.2
Reference Materials																	
STD DS11	Standard	56	0.90	350	0.088	6	1.09	0.069	0.40	3.1	0.25	2.8	5.3	0.27	6	2.6	4.6
STD DS11	Standard	62	0.84	371	0.090	8	1.20	0.074	0.37	2.8	0.26	3.3	4.9	0.24	5	2.3	4.3
STD DS11	Standard	59	0.75	354	0.091	7	1.09	0.062	0.39	2.8	0.27	3.2	4.6	0.23	5	2.1	4.5
STD DS11	Standard	61	0.91	412	0.093	8	1.31	0.070	0.38	2.9	0.26	3.2	5.1	0.24	5	2.2	4.7
STD DS11	Standard	63	0.85	351	0.087	8	1.21	0.072	0.46	2.8	0.28	3.2	4.8	0.27	5	2.2	4.6
STD DS11	Standard	55	0.84	358	0.086	6	1.13	0.072	0.37	2.9	0.25	3.3	4.8	0.21	5	2.0	4.8
STD DS11	Standard	60	0.78	380	0.097	5	1.11	0.069	0.37	3.0	0.25	3.4	4.9	0.21	5	1.6	4.7
STD DS11	Standard	64	0.81	377	0.097	7	1.12	0.068	0.38	2.8	0.23	3.3	4.9	0.22	5	2.3	4.3
STD DS11	Standard	60	0.80	357	0.090	8	1.12	0.068	0.37	2.8	0.24	3.1	4.9	0.21	5	3.0	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: September 28, 2018

QUALITY CONTROL REPORT WHI18000889.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.3	24.8	5.9	40	<0.1	81.3	19.8	421	3.23	0.8	201.3	1.8	198	<0.1	<0.1	<0.1	51	0.69	0.100	12
STD OXC129	Standard	1.3	27.2	6.3	42	<0.1	87.3	22.5	402	2.98	0.7	218.7	1.8	198	<0.1	<0.1	<0.1	54	0.72	0.099	12
STD OXC129	Standard	1.2	28.0	6.4	43	<0.1	88.6	22.6	406	3.01	0.7	202.6	1.8	196	<0.1	<0.1	<0.1	57	0.70	0.099	12
STD OXC129	Standard	1.2	28.5	6.3	40	<0.1	79.8	21.7	416	3.09	0.5	205.5	1.9	196	<0.1	<0.1	<0.1	56	0.73	0.099	13
STD OXC129	Standard	1.2	27.3	6.3	40	<0.1	82.4	23.9	408	3.15	0.6	201.0	1.8	186	<0.1	<0.1	<0.1	58	0.74	0.103	12
STD OXC129	Standard	1.3	26.9	6.3	46	<0.1	82.5	22.4	391	3.08	1.6	201.5	1.8	192	<0.1	<0.1	0.3	58	0.63	0.116	12
STD OXC129	Standard	1.2	27.9	6.0	43	<0.1	81.5	22.7	422	3.27	<0.5	200.0	1.8	200	<0.1	<0.1	<0.1	58	0.79	0.103	13
STD OXC129	Standard	1.2	26.3	6.0	42	<0.1	84.1	21.4	423	3.18	0.7	195.5	1.8	192	<0.1	<0.1	<0.1	55	0.75	0.104	12
STD OXC129	Standard	1.4	26.5	6.0	41	<0.1	84.0	21.5	424	3.06	<0.5	210.2	1.8	188	<0.1	<0.1	<0.1	56	0.71	0.104	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.1	0.1	<1	<0.1	0.2	<0.1	3	0.03	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: Dublin Gulch
Report Date: September 28, 2018

QUALITY CONTROL REPORT WHI18000889.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	51	1.59	51	0.379	<1	1.45	0.615	0.34	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.64	59	0.407	2	1.65	0.604	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.59	52	0.424	2	1.46	0.578	0.37	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.56	53	0.389	1	1.51	0.536	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	57	1.52	47	0.398	2	1.50	0.532	0.39	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.68	53	0.399	<1	1.59	0.659	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.61	52	0.427	1	1.66	0.616	0.35	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	58	1.54	48	0.431	<1	1.61	0.580	0.34	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.55	51	0.409	<1	1.62	0.581	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 01, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000890.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	320

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	320	Save all or part of Soil Reject			WHI
SLBHP	320	Sort, label and box pulps			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2057492	Soil	1.1	20.7	9.4	94	0.1	29.9	10.0	1728	5.04	11.5	16.8	1.2	10	0.1	0.7	0.3	48	0.09	0.086	13
2057493	Soil	1.6	24.0	15.0	48	0.3	21.9	6.6	147	2.48	14.0	8.3	0.9	10	0.1	0.6	0.3	36	0.09	0.074	13
2057494	Soil	1.6	42.1	12.6	114	0.5	39.7	13.7	859	17.27	10.1	4.6	3.2	14	0.2	0.6	0.2	35	0.16	0.109	10
2057495	Soil	1.8	26.3	20.0	87	0.4	29.2	15.7	741	4.03	13.7	4.9	0.9	16	0.3	0.6	0.4	30	0.07	0.080	9
2057496	Soil	1.4	18.7	17.1	61	<0.1	22.4	7.2	248	2.85	18.2	3.1	1.1	11	0.2	0.7	0.3	44	0.10	0.065	13
2057497	Soil	1.7	20.5	19.5	57	0.3	25.2	8.7	234	3.10	17.4	2.2	0.4	32	0.2	0.6	0.3	40	0.08	0.100	14
2057498	Soil	0.3	4.9	4.0	21	<0.1	5.6	1.5	34	0.85	12.5	1.2	0.3	8	<0.1	0.4	<0.1	6	0.01	0.033	2
2057499	Soil	1.6	22.2	20.3	60	0.2	18.1	5.2	165	2.48	16.8	2.1	0.8	17	0.1	1.0	0.2	40	0.11	0.075	9
2057500	Soil	1.3	20.3	19.8	50	0.2	15.8	4.7	153	2.01	22.3	1.5	1.7	22	0.2	0.9	0.2	33	0.10	0.069	11
2059701	Soil	1.3	27.4	16.4	115	0.4	51.8	14.1	608	3.03	14.2	2.6	1.9	19	0.2	0.7	0.3	47	0.19	0.072	15
2059702	Soil	1.3	48.0	14.3	81	1.6	37.9	10.2	256	2.46	12.9	3.4	1.9	13	0.1	0.6	0.2	43	0.10	0.085	14
2059703	Soil	2.0	26.8	25.1	68	0.5	24.3	9.8	411	2.88	15.2	5.6	0.8	24	0.3	0.6	0.3	38	0.07	0.075	12
2059704	Soil	1.4	12.8	16.0	55	<0.1	15.9	6.9	330	3.34	12.4	1.3	0.7	9	0.2	0.8	0.3	62	0.08	0.049	12
2059705	Soil	2.0	25.6	27.3	56	0.6	22.6	6.0	213	2.66	14.6	2.7	0.6	25	0.2	0.6	0.4	32	0.06	0.087	8
2059706	Soil	1.4	11.9	12.0	40	<0.1	12.4	4.5	166	2.32	10.8	1.2	0.8	7	0.1	0.7	0.2	56	0.06	0.041	11
2059707	Soil	2.4	24.5	28.1	49	0.7	16.4	4.3	159	2.59	17.1	4.1	0.3	22	0.2	0.6	0.4	41	0.05	0.090	9
2059708	Soil	2.4	32.1	21.4	57	0.3	29.3	8.0	138	2.38	12.4	2.0	1.6	21	0.3	0.5	0.3	21	0.08	0.062	7
2059709	Soil	1.5	17.6	14.4	50	0.1	16.0	5.4	212	2.77	13.8	4.0	1.0	9	0.1	0.7	0.2	46	0.07	0.052	12
2059710	Soil	1.2	18.9	11.0	61	0.2	19.9	6.1	251	2.62	11.5	2.6	0.6	11	0.2	0.6	0.2	48	0.12	0.059	13
2059711	Soil	1.3	26.4	13.8	72	0.6	27.6	7.8	328	2.50	10.6	1.8	0.5	15	0.2	0.6	0.2	43	0.12	0.070	12
2059712	Soil	1.3	16.2	12.3	60	<0.1	18.2	7.3	288	2.83	13.3	2.9	1.4	10	0.1	0.7	0.2	52	0.09	0.048	14
2059713	Soil	1.6	15.8	17.9	53	0.2	17.9	5.3	209	2.60	13.0	2.4	0.4	15	0.2	0.6	0.3	38	0.06	0.077	10
2059714	Soil	4.6	33.6	23.4	60	0.3	23.8	6.3	205	2.96	21.0	6.5	0.8	33	0.3	0.8	0.2	44	0.14	0.088	14
2059715	Soil	2.1	15.3	36.2	25	1.1	4.4	0.7	36	1.31	15.1	1.1	0.9	27	<0.1	0.5	0.4	26	0.02	0.045	4
2059716	Soil	1.6	22.8	28.5	53	0.3	22.8	7.1	142	2.30	20.7	2.4	0.4	29	0.1	0.7	0.4	35	0.08	0.091	12
2059717	Soil	1.4	26.4	12.8	72	0.2	23.7	8.1	301	3.08	23.1	4.2	0.8	20	0.4	0.8	0.2	43	0.14	0.110	14
2059718	Soil	1.1	21.1	12.5	67	0.1	22.7	7.3	305	2.48	12.8	7.2	1.0	14	0.3	0.7	0.2	40	0.11	0.070	15
2059719	Soil	1.0	9.9	9.4	40	<0.1	12.1	3.9	155	2.08	7.4	2.1	0.7	7	0.2	0.6	0.1	48	0.06	0.033	10
2059720	Soil	1.4	26.6	17.9	72	0.3	24.0	7.9	251	2.50	27.2	3.1	5.2	34	0.4	0.7	0.3	42	0.18	0.108	17
2059721	Soil	1.0	9.5	12.3	30	0.3	8.2	2.3	57	1.30	8.2	2.1	<0.1	10	0.2	0.4	0.2	33	0.05	0.098	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2057492	Soil	30	0.44	111	0.030	1	1.68	0.006	0.05	0.1	0.06	2.9	0.1	<0.05	5	0.8	<0.2
2057493	Soil	23	0.34	73	0.022	2	1.41	0.005	0.04	0.1	0.09	1.9	0.1	<0.05	4	0.6	<0.2
2057494	Soil	25	0.15	205	0.026	2	1.27	0.004	0.02	0.1	0.12	5.5	<0.1	<0.05	4	0.8	<0.2
2057495	Soil	21	0.19	138	0.006	2	1.24	0.006	0.04	<0.1	0.09	2.1	0.2	<0.05	4	0.9	<0.2
2057496	Soil	25	0.36	72	0.024	2	1.49	0.005	0.04	0.2	0.06	1.9	0.1	<0.05	5	0.9	<0.2
2057497	Soil	27	0.29	102	0.010	1	1.28	0.005	0.04	0.1	0.09	1.0	0.1	<0.05	5	1.0	<0.2
2057498	Soil	5	0.03	11	0.005	2	0.21	0.002	<0.01	<0.1	0.04	0.3	<0.1	<0.05	<1	<0.5	<0.2
2057499	Soil	23	0.29	84	0.023	2	0.96	0.006	0.04	0.1	0.09	1.5	<0.1	<0.05	4	0.9	<0.2
2057500	Soil	18	0.23	78	0.021	1	0.75	0.005	0.03	<0.1	0.08	1.7	0.1	<0.05	3	<0.5	<0.2
2059701	Soil	32	0.48	174	0.025	2	1.72	0.007	0.05	0.1	0.09	3.5	0.1	<0.05	5	0.6	<0.2
2059702	Soil	32	0.45	139	0.033	2	2.08	0.006	0.05	0.2	0.12	3.9	0.2	<0.05	5	0.9	<0.2
2059703	Soil	25	0.26	151	0.011	<1	1.40	0.006	0.05	0.1	0.12	2.0	0.2	<0.05	4	1.6	<0.2
2059704	Soil	29	0.34	61	0.039	2	1.34	0.005	0.04	0.1	0.05	1.7	0.1	<0.05	7	0.5	<0.2
2059705	Soil	23	0.20	140	0.005	1	1.22	0.006	0.05	<0.1	0.09	1.4	0.1	<0.05	4	1.1	<0.2
2059706	Soil	22	0.20	48	0.030	<1	1.12	0.004	0.03	0.2	0.04	1.4	0.1	<0.05	6	<0.5	<0.2
2059707	Soil	25	0.22	133	0.008	1	1.22	0.007	0.05	0.1	0.10	1.1	0.2	<0.05	5	1.1	<0.2
2059708	Soil	18	0.11	84	0.001	<1	0.94	0.005	0.03	<0.1	0.08	2.2	<0.1	<0.05	3	1.0	<0.2
2059709	Soil	25	0.30	64	0.025	1	1.38	0.005	0.04	0.2	0.08	1.8	0.1	<0.05	5	0.9	<0.2
2059710	Soil	28	0.44	94	0.025	<1	1.63	0.006	0.05	0.2	0.06	1.8	0.2	<0.05	5	0.8	<0.2
2059711	Soil	27	0.38	139	0.020	<1	1.65	0.008	0.05	0.2	0.08	1.6	0.2	<0.05	5	1.9	<0.2
2059712	Soil	28	0.43	77	0.039	1	1.63	0.005	0.04	0.2	0.05	2.4	0.1	<0.05	6	0.7	<0.2
2059713	Soil	25	0.23	89	0.011	<1	1.19	0.004	0.04	<0.1	0.06	1.1	0.1	<0.05	5	1.1	<0.2
2059714	Soil	29	0.25	156	0.017	1	1.01	0.013	0.06	0.2	0.11	1.5	0.1	0.07	4	1.4	<0.2
2059715	Soil	16	0.06	127	<0.001	<1	0.69	0.005	0.03	<0.1	0.18	1.0	0.1	<0.05	3	1.4	<0.2
2059716	Soil	22	0.14	78	0.008	1	0.82	0.005	0.05	<0.1	0.08	1.1	0.1	<0.05	4	0.7	<0.2
2059717	Soil	28	0.34	85	0.023	2	1.26	0.006	0.05	0.2	0.11	1.9	0.1	<0.05	4	1.7	<0.2
2059718	Soil	24	0.27	87	0.025	<1	0.97	0.006	0.04	0.2	0.07	1.8	0.1	<0.05	3	<0.5	<0.2
2059719	Soil	20	0.18	41	0.039	<1	0.84	0.004	0.02	0.2	0.04	1.5	0.1	<0.05	5	<0.5	<0.2
2059720	Soil	24	0.35	146	0.032	<1	1.21	0.006	0.05	0.2	0.20	3.9	0.1	<0.05	4	1.0	<0.2
2059721	Soil	15	0.07	56	0.015	<1	0.67	0.008	0.04	<0.1	0.07	0.6	<0.1	<0.05	3	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059722	Soil	1.8	18.3	23.7	61	0.2	18.6	5.6	182	3.60	26.5	3.5	0.9	14	0.2	0.9	0.3	52	0.08	0.079	11
2059723	Soil	1.9	22.7	14.4	53	0.1	16.2	5.7	186	3.02	15.1	1.8	0.8	20	0.3	0.7	0.2	45	0.08	0.066	12
2059724	Soil	2.7	23.7	32.8	28	0.6	6.7	1.6	56	1.84	17.2	3.0	0.5	33	0.1	0.5	0.4	23	0.04	0.088	7
2059725	Soil	1.2	12.5	10.6	26	0.3	8.5	2.0	36	1.24	6.0	0.7	<0.1	12	0.2	0.5	0.2	24	0.06	0.157	5
2059726	Soil	1.7	13.4	11.6	37	0.1	9.2	2.8	82	1.53	12.0	0.7	0.1	14	0.2	0.7	0.3	57	0.07	0.081	10
2059727	Soil	0.7	6.4	15.8	13	0.1	4.1	1.0	35	1.06	10.1	2.9	0.3	8	0.2	0.4	0.2	31	0.04	0.055	10
2059728	Soil	1.8	17.0	13.7	52	0.1	13.9	4.4	200	2.92	13.4	1.2	0.2	12	0.1	0.8	0.4	57	0.04	0.092	8
2059729	Soil	1.2	15.0	12.3	40	<0.1	13.9	5.0	196	2.28	12.7	2.1	0.4	10	0.1	0.8	0.3	54	0.09	0.067	11
2059730	Soil	1.3	17.2	12.5	47	<0.1	14.8	5.1	196	2.55	14.3	4.2	0.3	11	0.1	0.8	0.3	55	0.07	0.068	10
2059731	Soil	1.0	21.9	14.2	54	0.2	23.3	7.8	267	2.36	24.2	7.1	3.0	16	0.2	0.8	0.2	39	0.16	0.082	12
2059732	Soil	1.9	36.3	15.4	62	0.2	17.5	6.1	254	3.50	14.5	1.5	0.5	14	0.2	0.9	0.3	45	0.10	0.172	9
2059733	Soil	1.4	27.0	13.9	77	0.2	21.7	7.0	268	2.97	18.9	3.1	2.8	13	0.2	1.0	0.2	44	0.14	0.082	10
2059734	Soil	2.4	57.9	19.3	140	0.4	27.4	10.3	351	8.53	23.8	10.7	4.2	10	0.3	1.1	0.2	50	0.08	0.134	12
2059735	Soil	1.5	19.2	13.8	70	<0.1	20.5	9.1	458	2.86	12.8	3.9	0.6	9	0.2	1.0	0.3	53	0.09	0.071	12
2059736	Soil	1.1	18.4	11.8	68	<0.1	17.5	6.0	223	3.07	13.0	5.5	0.4	9	0.1	0.8	0.2	48	0.09	0.064	11
2059737	Soil	8.7	21.3	72.2	62	1.1	10.1	3.3	108	3.62	52.7	11.6	1.9	28	<0.1	4.9	0.4	52	0.03	0.109	9
2059738	Soil	2.9	27.7	20.8	77	0.6	29.4	9.3	270	4.57	52.9	3.9	0.9	48	0.4	2.5	0.2	39	0.03	0.192	6
2059739	Soil	1.7	25.8	23.9	78	1.0	32.6	9.6	113	2.58	16.7	2.5	1.2	17	0.4	0.8	0.3	27	0.15	0.129	8
2059740	Soil	1.2	17.2	16.1	79	0.1	27.5	9.0	184	2.51	12.3	1.7	1.3	9	0.3	0.7	0.2	34	0.11	0.051	14
2059741	Soil	1.3	16.4	14.4	71	<0.1	20.0	6.7	145	2.30	11.7	1.4	0.9	7	0.3	0.8	0.2	35	0.06	0.038	12
2059742	Soil	21.6	80.9	31.0	110	0.2	38.3	9.5	251	3.80	24.1	2.7	3.1	101	0.2	2.3	0.4	25	0.02	0.084	30
2059743	Soil	2.5	46.5	14.1	62	<0.1	19.3	6.4	302	2.97	14.2	6.0	1.5	10	0.2	1.2	0.3	52	0.04	0.038	13
2059744	Soil	1.0	22.3	17.6	64	0.2	28.0	8.0	154	2.28	13.5	3.2	1.4	14	0.2	0.9	0.2	29	0.09	0.046	8
2059745	Soil	1.4	38.6	20.6	81	0.5	31.7	10.6	462	2.25	14.8	5.9	0.3	17	0.2	1.0	0.3	31	0.04	0.089	6
2059746	Soil	1.3	90.8	22.1	107	0.5	49.5	15.3	359	2.78	20.5	7.5	1.7	26	0.4	1.4	0.4	29	0.08	0.073	9
2059747	Soil	1.9	133.5	18.5	104	<0.1	61.1	16.6	721	3.20	2.4	3.5	5.4	30	0.2	0.3	0.4	20	0.06	0.054	25
2059748	Soil	9.0	126.2	24.8	101	0.2	45.4	16.3	1719	3.79	19.7	1.3	6.1	82	0.3	1.2	0.4	19	0.19	0.062	18
2059749	Soil	2.8	30.5	23.3	83	1.3	34.3	7.5	128	2.29	16.4	2.0	3.0	135	0.3	0.9	0.3	21	0.18	0.083	3
2059750	Soil	3.8	24.8	24.3	44	1.0	18.9	5.8	114	1.32	14.1	1.0	2.1	80	0.4	0.8	0.3	15	0.04	0.041	3
2059751	Soil	4.4	39.2	23.3	55	0.2	13.1	3.0	81	4.17	18.7	2.3	4.2	13	0.1	1.1	0.3	34	0.02	0.048	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059722	Soil	31	0.22	67	0.033	2	1.09	0.006	0.03	0.2	0.07	1.8	0.1	<0.05	6	1.3	<0.2
2059723	Soil	25	0.25	105	0.026	<1	1.05	0.006	0.04	0.1	0.07	1.7	0.1	<0.05	5	1.0	<0.2
2059724	Soil	13	0.10	227	0.003	2	0.67	0.008	0.07	<0.1	0.14	1.0	0.1	0.13	3	1.5	<0.2
2059725	Soil	16	0.04	68	0.007	<1	0.62	0.009	0.04	<0.1	0.15	0.5	<0.1	0.06	3	1.5	<0.2
2059726	Soil	18	0.07	69	0.018	<1	0.72	0.005	0.04	0.1	0.07	0.7	0.1	<0.05	6	0.9	<0.2
2059727	Soil	18	0.07	38	0.018	1	0.61	0.004	0.02	<0.1	0.07	0.6	0.1	<0.05	5	0.6	<0.2
2059728	Soil	27	0.23	70	0.010	2	1.20	0.004	0.04	0.1	0.07	0.8	0.1	<0.05	6	0.7	<0.2
2059729	Soil	24	0.29	62	0.020	<1	1.18	0.004	0.04	0.1	0.04	1.3	0.1	<0.05	6	0.5	<0.2
2059730	Soil	23	0.27	69	0.017	1	1.18	0.005	0.03	0.1	0.06	0.9	0.1	<0.05	5	<0.5	<0.2
2059731	Soil	22	0.34	75	0.032	1	0.99	0.005	0.03	0.2	0.06	2.1	0.1	<0.05	3	1.6	<0.2
2059732	Soil	27	0.22	52	0.033	2	1.01	0.016	0.06	0.2	0.17	2.1	0.2	<0.05	4	2.3	<0.2
2059733	Soil	23	0.32	70	0.035	2	1.13	0.006	0.04	0.2	0.14	2.4	0.1	<0.05	3	1.6	<0.2
2059734	Soil	31	0.30	62	0.032	<1	1.38	0.006	0.04	0.2	0.19	4.6	<0.1	<0.05	4	1.4	<0.2
2059735	Soil	28	0.37	78	0.025	<1	1.58	0.006	0.05	0.2	0.08	1.5	0.2	<0.05	5	0.8	<0.2
2059736	Soil	24	0.28	65	0.021	<1	1.06	0.005	0.03	0.2	0.07	1.1	0.1	<0.05	4	0.9	<0.2
2059737	Soil	22	0.09	933	0.005	2	0.57	0.011	0.07	<0.1	1.88	2.8	0.2	0.12	4	5.9	<0.2
2059738	Soil	32	0.06	327	0.003	1	0.75	0.005	0.04	<0.1	0.39	2.6	0.2	<0.05	4	1.5	<0.2
2059739	Soil	23	0.15	112	0.002	<1	1.08	0.007	0.03	<0.1	0.17	1.8	<0.1	<0.05	3	0.8	<0.2
2059740	Soil	18	0.18	78	0.009	<1	0.91	0.004	0.03	0.1	0.05	1.7	<0.1	<0.05	3	<0.5	<0.2
2059741	Soil	16	0.16	74	0.010	<1	0.81	0.005	0.03	<0.1	0.03	1.2	<0.1	<0.05	3	<0.5	<0.2
2059742	Soil	19	0.35	224	0.002	<1	1.11	0.009	0.05	<0.1	0.12	1.5	0.4	<0.05	3	2.5	<0.2
2059743	Soil	17	0.15	64	0.021	<1	0.92	0.004	0.04	0.1	0.05	1.4	0.1	<0.05	5	0.5	<0.2
2059744	Soil	17	0.24	63	0.012	<1	0.74	0.005	0.03	<0.1	0.04	1.3	<0.1	<0.05	3	0.7	<0.2
2059745	Soil	16	0.10	90	0.004	<1	0.69	0.007	0.04	<0.1	0.08	0.5	<0.1	<0.05	3	0.7	<0.2
2059746	Soil	15	0.09	84	0.003	<1	0.59	0.007	0.03	<0.1	0.16	1.6	<0.1	<0.05	2	0.7	0.2
2059747	Soil	21	0.82	516	<0.001	<1	1.67	0.003	0.06	<0.1	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2
2059748	Soil	17	0.36	326	<0.001	<1	0.85	0.007	0.05	<0.1	0.44	2.2	0.3	<0.05	3	1.2	<0.2
2059749	Soil	18	0.05	270	<0.001	<1	0.59	0.005	0.03	<0.1	0.83	2.8	<0.1	<0.05	2	1.3	<0.2
2059750	Soil	13	0.06	104	<0.001	<1	0.40	0.004	0.03	<0.1	0.45	1.8	<0.1	<0.05	1	1.2	<0.2
2059751	Soil	28	0.33	76	0.003	<1	1.49	0.005	0.05	<0.1	0.06	2.1	0.2	<0.05	5	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059752	Soil	4.0	32.2	18.7	54	0.2	12.8	1.7	64	3.82	16.4	0.9	2.7	12	<0.1	0.9	0.3	32	0.02	0.043	5
2059753	Soil	2.1	16.9	16.1	49	0.1	15.0	5.6	208	3.06	12.5	2.0	0.7	11	<0.1	0.7	0.3	59	0.08	0.055	12
2059754	Soil	1.7	13.5	13.3	42	<0.1	13.6	4.9	192	2.54	11.1	1.3	1.8	10	<0.1	0.6	0.2	49	0.08	0.059	12
2059755	Soil	2.3	18.4	18.2	51	<0.1	16.6	5.4	197	3.26	13.1	<0.5	2.2	13	<0.1	0.8	0.4	52	0.06	0.049	12
2059756	Soil	1.7	25.7	15.7	48	<0.1	19.3	6.6	214	3.02	13.2	3.4	2.9	12	0.2	0.9	0.3	37	0.06	0.052	10
2059757	Soil	1.6	9.7	14.9	22	<0.1	7.0	2.1	60	1.91	7.6	1.8	<0.1	9	<0.1	0.4	0.3	47	0.04	0.067	11
2059758	Soil	2.0	11.9	17.0	26	<0.1	9.1	2.5	67	2.67	10.2	1.3	0.1	11	<0.1	0.4	0.3	53	0.05	0.115	11
2059759	Soil	0.8	18.3	7.9	49	<0.1	17.2	5.1	166	2.11	7.9	1.6	2.4	12	<0.1	0.5	0.1	30	0.12	0.059	14
2059760	Soil	1.7	10.8	11.5	32	<0.1	9.3	3.4	132	2.18	9.6	1.3	0.2	9	<0.1	0.5	0.3	43	0.06	0.067	13
2059761	Soil	1.2	27.7	13.6	67	<0.1	23.0	8.5	311	2.86	12.5	7.0	3.2	12	<0.1	0.7	0.2	39	0.10	0.063	12
2059762	Soil	1.8	12.4	12.1	49	<0.1	14.2	5.3	196	2.72	10.4	2.2	1.1	9	<0.1	0.7	0.3	55	0.08	0.043	13
2059763	Soil	1.3	18.3	13.3	52	<0.1	18.1	7.0	238	2.74	11.7	1.5	1.6	10	<0.1	0.7	0.2	44	0.08	0.050	13
2059764	Soil	1.5	15.5	15.6	52	<0.1	16.4	6.4	243	2.85	11.4	1.1	1.1	11	<0.1	0.6	0.4	54	0.07	0.055	13
2059765	Soil	1.4	19.3	16.9	71	<0.1	21.8	9.1	372	3.45	12.7	2.5	1.9	11	0.1	0.8	0.3	51	0.07	0.062	13
2059766	Soil	1.4	23.8	13.6	67	<0.1	22.6	9.9	360	3.15	12.4	2.0	2.8	13	0.1	0.7	0.3	56	0.11	0.060	15
2059767	Soil	1.3	29.2	24.2	89	<0.1	29.9	4.7	143	4.45	14.0	1.4	5.7	17	<0.1	0.6	0.4	30	0.02	0.059	12
2059768	Soil	1.2	34.7	14.8	114	0.6	45.5	16.1	551	3.41	12.9	2.2	1.3	14	0.2	0.6	0.3	43	0.11	0.073	14
2059769	Soil	1.4	16.4	13.7	57	0.4	17.1	6.9	291	2.66	11.9	3.1	0.4	13	0.2	0.7	0.2	44	0.09	0.086	12
2059770	Soil	2.3	28.5	21.5	68	0.3	21.3	10.0	460	3.30	18.8	4.3	1.3	16	0.2	0.8	0.3	54	0.08	0.097	14
2059771	Soil	1.1	21.0	12.2	68	0.1	21.8	7.6	338	2.73	12.3	10.3	1.2	11	0.2	0.8	0.2	46	0.09	0.061	14
2059772	Soil	1.9	30.9	21.9	77	0.3	24.9	8.7	413	3.29	16.7	3.1	1.7	15	0.3	1.0	0.3	56	0.09	0.110	15
2059773	Soil	2.4	30.2	20.2	56	0.4	17.6	5.7	286	2.77	19.4	5.2	1.2	16	0.2	0.8	0.3	42	0.08	0.093	12
2059774	Soil	1.4	23.2	18.1	56	0.5	19.4	4.7	199	2.63	21.1	4.7	3.7	13	0.2	0.7	0.3	42	0.11	0.103	13
2059775	Soil	1.7	25.0	16.6	59	0.3	21.7	6.8	254	2.79	18.9	4.0	1.5	14	0.2	0.9	0.3	51	0.13	0.087	16
2059776	Soil	1.1	16.6	12.4	49	<0.1	19.3	6.8	266	2.62	13.2	2.2	2.9	10	0.2	0.9	0.2	49	0.09	0.044	13
2059777	Soil	2.3	23.4	16.9	63	0.3	19.3	6.7	286	2.66	16.4	7.8	2.6	14	0.2	0.9	0.2	48	0.13	0.078	15
2059778	Soil	1.5	15.2	13.0	57	<0.1	17.0	6.9	315	2.96	12.2	2.0	0.6	10	0.2	0.8	0.3	60	0.09	0.057	13
2059779	Soil	1.9	16.3	23.0	43	0.2	13.9	4.8	237	2.52	16.7	1.2	0.4	13	0.2	0.8	0.4	50	0.06	0.073	13
2059780	Soil	1.6	16.2	15.7	42	0.3	14.0	3.9	148	2.20	14.1	2.5	0.4	11	0.2	0.7	0.2	40	0.06	0.066	13
2059781	Soil	1.6	14.7	14.7	41	0.2	13.4	4.0	168	2.05	13.4	4.8	0.5	11	0.2	0.7	0.2	37	0.07	0.062	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059752	Soil	27	0.33	52	0.003	<1	1.24	0.005	0.06	<0.1	0.04	1.5	0.1	<0.05	5	<0.5	<0.2
2059753	Soil	33	0.40	85	0.016	1	1.79	0.006	0.05	0.1	0.06	1.9	0.2	<0.05	7	0.7	<0.2
2059754	Soil	28	0.34	96	0.017	1	1.66	0.006	0.05	0.2	0.04	2.4	0.2	<0.05	6	0.5	<0.2
2059755	Soil	31	0.40	113	0.010	2	1.83	0.006	0.05	0.2	0.05	2.8	0.2	<0.05	6	0.8	<0.2
2059756	Soil	26	0.38	116	0.010	1	1.53	0.006	0.05	0.1	0.05	2.5	0.2	<0.05	4	0.7	<0.2
2059757	Soil	20	0.11	90	0.006	<1	1.31	0.005	0.04	0.1	0.04	0.4	0.3	<0.05	7	<0.5	<0.2
2059758	Soil	28	0.19	94	0.005	<1	1.58	0.006	0.04	0.1	0.05	0.6	0.2	<0.05	7	0.8	<0.2
2059759	Soil	22	0.43	84	0.020	<1	1.21	0.005	0.03	0.1	0.04	2.0	<0.1	<0.05	3	<0.5	<0.2
2059760	Soil	24	0.23	61	0.009	<1	1.29	0.005	0.04	0.1	0.04	0.6	0.2	<0.05	6	0.6	<0.2
2059761	Soil	27	0.47	101	0.020	<1	1.71	0.007	0.05	0.1	0.05	2.9	0.1	<0.05	4	0.7	<0.2
2059762	Soil	32	0.38	86	0.021	<1	1.73	0.006	0.04	0.2	0.04	2.3	0.2	<0.05	6	0.5	<0.2
2059763	Soil	28	0.42	106	0.017	1	1.63	0.006	0.04	0.1	0.04	2.8	0.2	<0.05	5	0.6	<0.2
2059764	Soil	30	0.39	112	0.013	1	1.84	0.007	0.05	0.2	0.03	2.0	0.2	<0.05	6	<0.5	<0.2
2059765	Soil	33	0.50	80	0.023	<1	1.87	0.007	0.05	0.1	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
2059766	Soil	35	0.54	155	0.031	1	2.22	0.009	0.06	0.2	0.06	3.9	0.1	<0.05	6	0.6	<0.2
2059767	Soil	30	0.66	101	0.002	<1	1.79	0.011	0.06	<0.1	0.04	2.4	0.2	<0.05	5	<0.5	<0.2
2059768	Soil	27	0.41	143	0.024	<1	1.82	0.007	0.05	0.1	0.12	3.1	0.2	<0.05	4	1.3	<0.2
2059769	Soil	24	0.28	74	0.019	<1	1.16	0.005	0.05	<0.1	0.05	1.0	<0.1	<0.05	4	<0.5	<0.2
2059770	Soil	30	0.41	137	0.024	1	1.73	0.006	0.06	0.2	0.13	2.9	0.2	<0.05	6	1.4	<0.2
2059771	Soil	25	0.30	81	0.029	2	1.25	0.005	0.04	0.2	0.04	1.7	<0.1	<0.05	4	0.7	<0.2
2059772	Soil	32	0.38	119	0.031	1	1.82	0.007	0.06	0.2	0.08	3.3	0.2	<0.05	6	0.8	<0.2
2059773	Soil	26	0.26	103	0.016	<1	1.13	0.005	0.05	0.1	0.12	2.2	<0.1	<0.05	4	1.4	<0.2
2059774	Soil	26	0.28	126	0.015	<1	1.33	0.004	0.04	<0.1	0.11	3.7	<0.1	<0.05	4	0.7	<0.2
2059775	Soil	30	0.39	117	0.023	<1	1.50	0.006	0.04	0.2	0.09	2.7	0.1	<0.05	5	1.2	<0.2
2059776	Soil	26	0.31	74	0.034	<1	1.49	0.005	0.04	0.2	0.04	2.5	<0.1	<0.05	4	0.5	<0.2
2059777	Soil	27	0.36	110	0.028	<1	1.32	0.006	0.05	0.2	0.12	2.7	0.1	<0.05	4	0.7	<0.2
2059778	Soil	31	0.35	72	0.031	<1	1.60	0.006	0.05	0.2	0.05	1.6	0.2	<0.05	6	0.6	<0.2
2059779	Soil	28	0.23	108	0.013	<1	1.39	0.005	0.05	<0.1	0.05	1.0	0.2	<0.05	5	<0.5	<0.2
2059780	Soil	25	0.23	85	0.013	<1	1.17	0.005	0.04	0.1	0.07	1.2	0.1	<0.05	4	<0.5	<0.2
2059781	Soil	24	0.21	77	0.013	<1	0.95	0.005	0.04	0.1	0.04	1.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059782	Soil	1.6	15.0	14.3	48	0.2	14.2	6.1	338	2.34	12.4	4.4	0.4	12	0.1	0.7	0.2	44	0.07	0.066	13
2059783	Soil	1.6	18.7	19.1	50	0.5	14.9	5.6	256	2.17	12.7	2.8	1.2	25	0.2	0.7	0.2	39	0.08	0.070	14
2059784	Soil	1.8	16.0	17.8	44	0.4	12.2	4.3	188	2.50	12.6	2.5	0.5	20	0.2	0.6	0.2	43	0.05	0.057	11
2059785	Soil	1.3	22.4	15.5	59	0.2	17.3	6.4	264	3.05	13.0	2.4	2.0	17	0.1	0.7	0.2	43	0.07	0.071	15
2059786	Soil	1.5	24.7	16.1	59	0.5	19.5	5.9	207	3.16	13.5	2.1	0.8	15	0.2	0.7	0.3	49	0.08	0.091	14
2059787	Soil	1.2	21.6	12.1	57	0.1	19.9	6.8	261	2.64	13.0	3.7	2.8	15	0.1	0.7	0.2	41	0.12	0.068	15
2059788	Soil	1.1	14.6	10.0	54	0.2	19.4	4.7	180	2.30	9.7	3.7	0.9	11	0.2	0.5	0.2	41	0.07	0.039	13
2059789	Soil	2.8	21.5	26.3	161	0.7	19.3	27.8	858	15.15	41.9	<0.5	4.3	17	0.3	0.9	0.3	31	0.03	0.251	9
2059790	Soil	1.8	25.8	16.5	167	0.5	41.2	14.4	1073	8.57	14.0	2.6	1.3	15	0.1	0.7	0.2	40	0.05	0.092	11
2059791	Soil	1.3	17.0	13.3	55	<0.1	17.6	7.1	255	2.65	13.8	1.0	1.0	12	0.1	0.7	0.2	46	0.11	0.062	14
2059792	Soil	1.5	26.3	17.1	54	0.3	18.1	7.9	289	2.50	15.3	3.0	2.4	14	<0.1	0.8	0.2	40	0.10	0.064	16
2059793	Soil	1.2	29.9	11.7	66	0.2	26.7	9.7	370	2.53	15.3	2.7	3.4	14	0.1	0.9	0.2	40	0.16	0.080	17
2059794	Soil	15.4	84.6	29.0	614	6.0	48.5	6.9	549	8.15	96.7	5.5	0.7	348	7.5	25.9	0.2	391	0.37	0.537	25
2059795	Soil	33.6	122.2	33.6	177	0.1	66.5	21.3	475	4.85	25.9	<0.5	8.6	104	0.2	2.4	0.5	21	0.02	0.077	28
2059796	Soil	18.3	46.7	31.6	64	4.2	12.0	1.8	88	2.62	49.6	1.2	1.1	93	0.6	27.9	0.3	125	0.08	0.209	28
2059797	Soil	3.1	28.3	11.6	64	0.3	18.1	6.0	196	3.01	16.9	1.1	0.6	19	0.3	2.5	0.2	72	0.18	0.084	13
2059798	Soil	6.2	45.8	30.5	118	0.6	56.0	27.0	473	4.40	20.5	<0.5	10.9	34	0.4	1.0	0.3	16	0.91	0.339	32
2059799	Soil	6.9	41.6	31.5	103	0.3	55.1	23.0	334	3.94	22.1	<0.5	11.7	30	0.3	0.9	0.4	11	0.69	0.262	36
2059800	Soil	6.6	38.5	22.7	94	0.4	43.2	15.9	373	3.60	15.4	1.3	4.6	27	0.3	0.7	0.4	17	0.58	0.176	25
2059801	Soil	1.2	25.2	10.3	62	0.1	23.8	7.5	278	2.46	10.3	1.7	3.3	10	0.2	0.9	0.2	42	0.10	0.052	13
2059802	Soil	1.4	33.8	12.3	70	0.2	31.4	9.6	377	2.82	11.7	4.1	3.7	11	0.3	0.9	0.2	48	0.10	0.053	14
2059803	Soil	1.5	42.0	11.8	86	0.5	35.4	11.1	336	2.89	11.6	3.9	3.6	10	0.2	0.8	0.2	50	0.08	0.046	14
2059804	Soil	1.2	21.1	13.2	51	0.2	20.0	8.3	278	2.80	11.2	2.3	3.2	9	<0.1	0.7	0.2	55	0.08	0.035	14
2059805	Soil	1.4	15.7	13.0	50	0.1	17.1	6.5	245	2.73	10.9	0.7	3.1	8	0.2	0.8	0.3	58	0.07	0.032	13
2059806	Soil	1.4	22.3	13.4	60	0.2	17.4	7.4	342	2.76	11.5	4.1	1.3	7	0.2	0.7	0.3	55	0.07	0.062	12
2059807	Soil	1.2	20.0	13.1	58	<0.1	25.0	10.2	282	2.95	12.0	2.9	3.8	9	0.2	0.7	0.2	54	0.08	0.033	13
2059808	Soil	0.9	26.3	9.2	60	<0.1	21.3	7.2	232	2.25	8.2	3.2	2.8	13	0.1	0.6	0.2	42	0.14	0.064	19
2059809	Soil	1.0	28.5	9.7	51	<0.1	17.4	6.7	288	2.39	7.6	1.3	0.8	16	0.4	0.5	0.1	57	0.18	0.039	11
2059810	Soil	1.0	212.4	8.0	87	<0.1	34.6	26.8	833	4.10	9.0	3.4	3.3	20	0.1	0.7	0.1	95	0.45	0.037	12
2059811	Soil	1.0	73.6	9.7	60	<0.1	28.9	13.3	271	3.23	10.4	2.6	3.6	11	0.3	0.7	0.2	58	0.14	0.050	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059782	Soil	26	0.25	82	0.019	<1	1.15	0.005	0.04	0.1	0.04	1.2	0.1	<0.05	5	<0.5	<0.2
2059783	Soil	23	0.27	113	0.019	<1	1.12	0.005	0.04	0.1	0.23	2.1	0.1	<0.05	4	0.7	<0.2
2059784	Soil	25	0.19	79	0.013	<1	1.11	0.005	0.04	0.1	0.13	1.4	0.1	<0.05	4	1.1	<0.2
2059785	Soil	25	0.34	86	0.029	<1	1.35	0.005	0.05	0.1	0.08	3.0	0.1	<0.05	4	<0.5	<0.2
2059786	Soil	31	0.40	95	0.023	<1	1.67	0.006	0.06	0.1	0.08	2.3	0.2	<0.05	5	1.5	<0.2
2059787	Soil	24	0.34	81	0.032	<1	1.28	0.005	0.04	0.2	0.10	2.7	0.1	<0.05	4	0.8	<0.2
2059788	Soil	26	0.34	84	0.026	<1	1.41	0.005	0.04	0.1	0.09	2.1	0.2	<0.05	5	0.6	<0.2
2059789	Soil	19	0.10	98	0.004	<1	1.02	0.003	0.04	<0.1	0.30	3.7	0.1	<0.05	3	2.6	<0.2
2059790	Soil	26	0.23	151	0.018	<1	1.40	0.004	0.04	0.1	0.14	3.2	0.1	<0.05	5	1.8	<0.2
2059791	Soil	25	0.36	72	0.026	<1	1.33	0.005	0.04	0.1	0.06	1.8	0.1	<0.05	5	<0.5	<0.2
2059792	Soil	24	0.37	104	0.027	<1	1.32	0.005	0.04	0.1	0.12	3.0	0.1	<0.05	4	0.7	<0.2
2059793	Soil	24	0.43	92	0.044	<1	1.43	0.006	0.05	0.2	0.05	2.8	0.1	<0.05	4	<0.5	<0.2
2059794	Soil	63	0.14	801	0.006	1	0.92	0.008	0.16	0.2	0.45	2.0	0.8	0.34	4	17.1	0.2
2059795	Soil	16	0.23	254	0.001	<1	0.98	0.007	0.04	<0.1	0.20	2.8	0.4	<0.05	2	2.9	0.3
2059796	Soil	25	0.19	397	0.003	<1	0.80	0.015	0.12	0.2	0.35	1.1	0.9	0.27	3	10.9	<0.2
2059797	Soil	31	0.30	121	0.030	1	1.24	0.007	0.05	0.1	0.07	1.7	0.2	<0.05	4	1.5	<0.2
2059798	Soil	17	0.70	39	0.001	<1	1.10	0.005	0.07	<0.1	0.22	2.9	0.2	<0.05	3	1.1	<0.2
2059799	Soil	11	0.31	52	<0.001	<1	0.76	0.006	0.08	<0.1	0.15	3.0	0.1	<0.05	2	<0.5	<0.2
2059800	Soil	17	0.38	152	<0.001	<1	0.86	0.007	0.06	<0.1	0.19	3.5	0.1	<0.05	2	<0.5	<0.2
2059801	Soil	24	0.37	75	0.037	2	1.33	0.005	0.03	0.2	0.04	2.2	<0.1	<0.05	4	0.6	<0.2
2059802	Soil	27	0.43	272	0.034	<1	1.67	0.006	0.04	0.2	0.04	2.9	0.1	<0.05	4	1.0	<0.2
2059803	Soil	31	0.32	153	0.026	2	2.17	0.006	0.03	0.2	0.09	3.0	0.1	<0.05	4	1.0	<0.2
2059804	Soil	30	0.40	132	0.031	1	1.97	0.006	0.04	0.2	0.05	2.8	0.2	<0.05	5	0.9	<0.2
2059805	Soil	27	0.33	128	0.033	1	1.57	0.005	0.04	0.2	0.04	2.3	0.2	<0.05	6	0.7	<0.2
2059806	Soil	24	0.27	111	0.031	<1	1.34	0.006	0.05	0.2	0.04	1.8	0.1	<0.05	5	0.6	<0.2
2059807	Soil	28	0.39	266	0.034	<1	1.85	0.006	0.04	0.2	0.03	2.6	0.1	<0.05	5	0.6	<0.2
2059808	Soil	25	0.46	232	0.039	<1	1.45	0.006	0.04	0.2	0.04	3.5	<0.1	<0.05	4	<0.5	<0.2
2059809	Soil	23	0.36	183	0.037	<1	1.25	0.007	0.03	0.2	<0.01	1.8	0.1	<0.05	5	<0.5	<0.2
2059810	Soil	37	1.02	364	0.077	<1	2.04	0.009	0.04	0.1	0.02	10.2	<0.1	<0.05	6	<0.5	<0.2
2059811	Soil	30	0.46	152	0.046	1	2.06	0.008	0.04	0.3	0.04	3.9	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059812	Soil	0.8	29.1	7.3	60	<0.1	19.0	7.7	267	2.21	6.6	3.7	0.9	15	0.1	0.5	0.1	49	0.18	0.054	15
2059813	Soil	2.2	26.7	19.9	50	0.4	14.5	4.3	234	2.38	14.6	3.4	0.5	22	0.1	0.7	0.3	38	0.06	0.084	10
2059814	Soil	1.2	25.5	12.1	63	0.2	20.4	7.4	326	2.46	13.2	4.1	3.0	13	0.2	0.7	0.2	40	0.11	0.077	14
2059815	Soil	2.1	24.0	21.5	45	0.4	15.2	4.5	177	2.44	14.9	3.4	0.3	20	0.1	0.7	0.3	42	0.05	0.085	10
2059816	Soil	2.1	15.2	14.1	52	<0.1	14.1	4.6	226	2.62	10.1	1.6	0.1	9	<0.1	0.8	0.3	73	0.07	0.076	10
2059817	Soil	0.7	13.0	12.5	41	0.1	13.7	4.9	160	1.64	7.3	1.7	1.0	10	0.1	0.4	0.2	26	0.06	0.049	8
2059818	Soil	1.4	16.9	42.1	54	0.4	19.9	7.6	284	2.19	14.6	3.3	1.2	12	0.2	0.9	0.2	33	0.08	0.071	11
2059819	Soil	2.4	16.0	21.2	52	0.3	16.8	4.6	200	2.42	14.2	3.2	0.4	17	0.2	0.6	0.3	36	0.05	0.079	8
2059820	Soil	2.1	13.0	17.5	41	0.2	12.8	3.2	139	1.89	11.6	2.1	0.2	12	0.2	0.6	0.3	37	0.04	0.071	7
2059821	Soil	1.8	20.4	22.1	54	0.4	22.9	6.7	360	2.49	13.1	3.3	0.2	23	0.3	0.6	0.3	36	0.19	0.076	9
2059822	Soil	1.5	29.0	14.9	67	0.3	24.7	7.1	314	2.44	12.7	3.2	3.0	17	0.2	0.7	0.2	36	0.13	0.092	12
2059823	Soil	2.3	26.3	29.6	42	0.7	14.9	3.5	144	2.32	18.4	3.3	1.0	28	0.2	0.7	0.3	28	0.04	0.095	7
2059824	Soil	2.0	26.5	28.1	51	0.7	19.2	5.2	168	2.28	16.3	2.2	0.8	30	0.3	0.6	0.3	25	0.06	0.088	7
2059825	Soil	2.2	29.5	24.7	55	0.5	21.3	5.1	165	2.49	17.0	5.6	0.9	22	0.2	0.7	0.3	30	0.05	0.085	8
2059826	Soil	1.7	15.8	13.8	71	0.1	19.5	8.2	361	2.89	13.0	3.0	0.7	10	0.2	0.7	0.2	54	0.09	0.056	12
2059827	Soil	1.0	28.0	26.5	74	0.2	35.0	6.9	146	2.30	13.4	1.2	2.6	19	0.4	0.6	0.3	33	0.15	0.081	15
2059828	Soil	1.5	28.9	18.3	71	0.4	36.7	15.0	1264	2.63	13.4	1.9	0.7	14	0.2	0.6	0.2	31	0.14	0.087	9
2059829	Soil	1.4	24.5	20.4	63	0.4	20.6	7.3	262	2.69	15.1	2.0	0.5	22	0.2	0.7	0.3	46	0.10	0.086	11
2059830	Soil	1.3	20.0	13.9	50	0.1	21.5	7.0	230	2.27	14.0	1.8	1.8	11	0.1	0.7	0.2	32	0.10	0.070	10
2059831	Soil	2.6	31.4	19.6	58	0.5	18.2	5.7	185	3.16	19.5	6.2	1.2	17	0.1	0.9	0.2	44	0.06	0.072	11
2059832	Soil	2.0	34.0	27.3	59	0.5	18.9	5.4	220	3.12	16.9	4.0	0.6	24	0.2	0.8	0.3	44	0.05	0.103	11
2059833	Soil	1.8	36.1	21.4	68	0.4	21.2	7.6	358	3.41	17.1	1.7	1.3	19	0.2	0.9	0.3	48	0.06	0.098	13
2059834	Soil	1.5	26.5	16.3	64	0.3	28.3	10.3	386	2.48	14.6	1.9	3.3	38	0.2	0.8	0.2	35	0.14	0.102	15
2059835	Soil	1.5	19.8	16.8	65	0.2	27.5	10.1	394	3.42	16.4	2.2	1.2	24	<0.1	0.6	0.2	44	0.15	0.066	13
2059836	Soil	1.4	16.7	17.8	84	0.3	37.8	11.8	837	3.41	13.8	3.7	0.4	24	0.5	0.7	0.4	43	0.19	0.081	11
2059837	Soil	2.0	24.6	18.5	241	0.5	86.9	42.7	2316	9.54	14.4	10.0	2.1	22	0.5	0.7	0.3	43	0.14	0.084	12
2059838	Soil	13.4	89.6	36.1	458	2.8	30.1	5.2	141	2.71	42.4	2.0	10.5	137	2.4	26.5	0.4	99	0.03	0.099	25
2059839	Soil	19.7	70.0	33.6	155	4.6	14.3	1.5	36	1.91	36.8	2.2	8.7	151	0.6	29.9	0.4	106	0.03	0.113	46
2059840	Soil	6.7	71.4	30.9	231	1.0	33.8	4.4	69	3.18	23.9	2.6	9.0	34	0.5	13.6	0.5	42	0.02	0.066	39
2059841	Soil	7.6	46.4	31.0	161	0.5	67.0	32.2	607	4.63	22.9	3.1	10.7	48	0.2	1.1	0.4	17	1.30	0.365	24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059812	Soil	27	0.46	253	0.034	<1	1.47	0.007	0.04	0.2	0.02	2.7	0.1	<0.05	4	<0.5	<0.2
2059813	Soil	24	0.25	104	0.015	<1	1.03	0.008	0.05	0.1	0.07	1.4	0.1	<0.05	4	1.0	<0.2
2059814	Soil	23	0.37	122	0.033	<1	1.22	0.006	0.04	0.2	0.07	3.2	<0.1	<0.05	4	0.6	<0.2
2059815	Soil	26	0.23	115	0.011	<1	1.25	0.005	0.04	0.1	0.11	1.1	0.1	<0.05	5	1.2	<0.2
2059816	Soil	27	0.18	60	0.031	<1	1.06	0.005	0.05	0.2	0.03	0.8	0.2	<0.05	8	0.6	<0.2
2059817	Soil	18	0.22	61	0.014	<1	1.02	0.003	0.02	<0.1	0.05	1.5	<0.1	<0.05	3	<0.5	<0.2
2059818	Soil	21	0.30	97	0.018	<1	1.14	0.005	0.04	0.1	0.08	1.9	<0.1	<0.05	3	0.7	<0.2
2059819	Soil	25	0.25	93	0.009	<1	1.09	0.005	0.04	0.1	0.05	0.6	0.1	<0.05	4	0.8	<0.2
2059820	Soil	20	0.15	75	0.009	<1	0.81	0.005	0.04	<0.1	0.04	0.4	<0.1	<0.05	4	0.6	<0.2
2059821	Soil	22	0.26	177	0.008	<1	1.18	0.008	0.04	0.1	0.08	0.9	0.1	<0.05	4	1.9	<0.2
2059822	Soil	22	0.32	99	0.026	<1	1.08	0.005	0.05	0.1	0.08	3.2	<0.1	<0.05	3	<0.5	<0.2
2059823	Soil	20	0.12	127	0.003	<1	0.90	0.005	0.04	<0.1	0.08	1.2	<0.1	<0.05	4	1.4	<0.2
2059824	Soil	20	0.12	130	0.003	<1	0.90	0.005	0.05	<0.1	0.09	1.4	<0.1	<0.05	3	1.0	<0.2
2059825	Soil	22	0.13	100	0.005	<1	0.96	0.004	0.04	<0.1	0.08	1.3	<0.1	<0.05	3	1.5	<0.2
2059826	Soil	31	0.45	84	0.033	<1	1.87	0.006	0.04	0.2	0.05	1.8	0.2	<0.05	6	0.8	<0.2
2059827	Soil	27	0.27	75	0.011	<1	1.46	0.004	0.02	<0.1	0.06	3.0	<0.1	<0.05	4	<0.5	<0.2
2059828	Soil	23	0.27	117	0.010	<1	1.15	0.005	0.03	<0.1	0.05	1.3	<0.1	<0.05	3	<0.5	<0.2
2059829	Soil	28	0.37	91	0.020	<1	1.46	0.005	0.05	0.1	0.07	1.5	0.1	<0.05	5	0.7	<0.2
2059830	Soil	20	0.26	63	0.020	<1	1.07	0.005	0.03	0.1	0.03	1.8	<0.1	<0.05	3	0.6	<0.2
2059831	Soil	24	0.28	99	0.023	<1	1.17	0.004	0.04	0.2	0.35	2.2	0.1	<0.05	4	1.7	<0.2
2059832	Soil	28	0.30	159	0.014	<1	1.49	0.006	0.05	0.2	0.12	2.0	0.1	<0.05	5	1.2	<0.2
2059833	Soil	30	0.38	121	0.026	<1	1.56	0.005	0.05	0.2	0.07	2.7	0.1	<0.05	5	0.8	<0.2
2059834	Soil	21	0.29	130	0.025	<1	1.14	0.004	0.04	0.1	0.25	2.9	0.1	<0.05	3	0.8	<0.2
2059835	Soil	27	0.36	148	0.024	<1	1.35	0.005	0.04	0.2	0.15	2.7	0.1	<0.05	4	<0.5	<0.2
2059836	Soil	25	0.32	194	0.014	6	1.35	0.008	0.05	0.2	0.10	1.4	0.1	0.06	5	0.7	<0.2
2059837	Soil	27	0.29	252	0.021	4	1.47	0.006	0.05	0.2	0.17	4.4	0.2	<0.05	5	3.7	<0.2
2059838	Soil	10	0.02	616	<0.001	4	0.37	0.007	0.08	<0.1	0.35	4.0	0.7	0.18	1	14.9	<0.2
2059839	Soil	14	0.09	394	<0.001	3	0.53	0.008	0.09	<0.1	0.33	3.1	0.6	0.22	2	9.8	<0.2
2059840	Soil	17	0.26	184	<0.001	2	0.88	0.007	0.07	<0.1	0.16	2.8	0.3	0.09	3	8.0	<0.2
2059841	Soil	19	0.98	119	0.002	3	1.58	0.005	0.07	<0.1	0.20	2.4	0.3	0.13	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059842	Soil	5.9	36.5	24.9	125	0.4	51.2	21.8	539	3.92	18.0	2.7	11.1	40	0.5	1.1	0.3	18	0.87	0.331	39
2059843	Soil	16.3	46.9	34.0	277	3.6	29.2	5.3	198	3.16	43.2	4.7	4.1	168	1.9	26.2	0.4	136	0.36	0.276	24
2059844	Soil	24.0	55.2	38.5	56	3.2	7.0	0.6	24	4.64	69.5	3.0	0.5	113	0.2	27.3	0.4	166	0.04	0.453	21
2059845	Soil	4.9	89.3	27.8	131	1.5	36.4	4.7	250	4.34	42.1	8.0	1.5	277	1.3	5.6	0.4	191	0.11	0.299	27
2059846	Soil	13.2	45.1	22.4	31	4.1	9.6	0.5	74	3.82	38.2	2.3	0.9	120	0.5	15.9	0.3	128	0.10	0.363	20
2059847	Soil	8.0	70.3	28.5	110	1.4	35.7	2.4	68	3.62	33.2	5.3	3.1	59	1.0	4.2	0.4	77	0.03	0.201	32
2059848	Soil	4.1	39.8	18.2	68	0.2	14.5	3.7	98	3.54	18.9	3.8	0.6	15	0.3	1.6	0.4	84	0.05	0.080	23
2059849	Soil	4.8	156.6	22.1	174	0.2	88.8	22.1	453	3.80	5.0	3.3	11.8	127	1.3	0.7	0.6	27	0.06	0.104	45
2059850	Soil	4.1	68.0	26.9	274	0.6	51.7	11.3	221	3.96	17.9	5.8	5.1	68	0.9	1.3	0.5	45	0.04	0.078	45
2059851	Soil	1.3	17.7	14.5	57	0.1	18.3	7.1	317	2.86	13.8	4.8	1.0	12	0.2	0.8	0.2	55	0.10	0.060	15
2059852	Soil	2.2	20.2	15.4	54	0.3	16.3	5.8	267	2.54	15.5	7.3	1.0	12	0.2	0.7	0.3	49	0.08	0.066	15
2059853	Soil	1.6	20.9	15.2	56	0.2	18.6	6.5	292	2.47	15.4	5.4	2.7	18	0.2	0.8	0.2	45	0.15	0.094	17
2059854	Soil	1.3	17.6	11.9	60	<0.1	19.6	7.1	279	2.80	12.8	5.6	2.2	11	0.2	0.6	0.2	55	0.10	0.056	16
2059855	Soil	1.5	18.5	14.1	65	0.1	18.0	7.0	397	2.80	14.3	5.4	1.0	12	0.3	0.9	0.3	54	0.09	0.073	14
2059856	Soil	1.0	16.1	11.9	40	0.2	12.3	4.0	193	2.04	12.2	5.7	0.6	14	0.2	0.8	0.2	33	0.09	0.069	11
2059857	Soil	1.3	22.8	13.7	70	0.1	21.8	7.9	340	2.70	13.0	3.7	1.7	13	0.4	0.8	0.2	46	0.11	0.060	15
2059858	Soil	1.4	22.4	17.8	65	0.2	21.1	9.0	386	2.77	15.7	4.2	1.5	18	0.2	0.7	0.3	50	0.10	0.077	17
2059859	Soil	1.7	14.4	17.1	47	0.2	13.3	4.1	167	3.43	13.5	3.3	0.9	16	<0.1	0.7	0.2	42	0.06	0.061	12
2059860	Soil	1.1	23.5	14.5	62	0.2	20.2	11.3	488	2.87	17.6	4.9	1.6	15	0.1	0.8	0.2	44	0.12	0.080	16
2059861	Soil	1.1	42.2	13.1	67	0.5	25.1	10.4	348	2.62	16.6	4.0	3.8	16	<0.1	0.9	0.2	41	0.15	0.086	16
2059862	Soil	1.3	47.0	14.5	76	0.2	23.7	15.9	495	2.77	15.4	4.7	2.5	16	0.2	0.8	0.2	47	0.13	0.084	16
2059863	Soil	1.1	29.6	11.5	75	0.3	24.8	15.2	437	2.73	15.2	5.3	2.7	14	0.1	0.8	0.3	48	0.12	0.075	18
2059864	Soil	1.0	39.6	11.2	88	0.2	37.3	12.2	469	2.59	15.8	3.1	4.2	17	0.2	0.9	0.2	41	0.16	0.087	16
2059865	Soil	1.5	22.3	15.0	86	0.1	24.8	14.0	630	3.35	15.5	3.0	1.1	12	0.3	0.6	0.3	52	0.07	0.059	14
2059866	Soil	7.3	21.5	21.8	46	0.3	11.7	5.4	252	2.83	23.5	7.1	2.2	35	<0.1	1.1	0.3	38	0.05	0.064	10
2059867	Soil	1.3	29.7	13.5	77	<0.1	30.0	13.3	483	3.00	16.2	4.4	2.4	15	0.1	0.9	0.2	51	0.13	0.068	16
2059868	Soil	1.7	15.6	14.9	64	<0.1	17.8	8.1	412	3.06	16.7	4.7	1.2	15	<0.1	0.8	0.2	57	0.13	0.053	14
2059869	Soil	1.5	21.5	13.6	72	0.1	23.9	10.3	404	2.74	14.9	5.7	1.5	13	0.2	0.8	0.2	44	0.11	0.063	14
2059870	Soil	1.2	24.5	11.9	74	0.1	27.4	9.9	455	2.57	13.0	5.0	3.3	25	0.3	0.8	0.2	47	0.23	0.099	17
2059871	Soil	5.6	31.2	25.9	90	1.2	42.2	9.6	219	2.49	24.0	7.8	4.5	59	0.3	1.0	0.3	20	0.04	0.070	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059842	Soil	18	0.79	68	0.002	4	1.46	0.005	0.08	<0.1	0.17	4.1	0.2	<0.05	4	1.8	<0.2
2059843	Soil	20	0.18	582	0.003	2	0.80	0.011	0.12	<0.1	0.31	1.9	0.7	0.22	3	11.5	<0.2
2059844	Soil	33	0.07	419	0.004	4	0.49	0.030	0.15	<0.1	0.35	0.7	0.5	0.67	3	18.7	0.2
2059845	Soil	46	0.34	347	0.007	4	1.92	0.009	0.07	0.1	0.12	1.6	0.2	0.13	5	3.4	<0.2
2059846	Soil	21	0.17	365	0.005	3	0.59	0.032	0.19	<0.1	0.64	0.7	0.4	0.75	3	13.4	<0.2
2059847	Soil	26	0.29	168	0.002	2	1.36	0.020	0.07	<0.1	0.22	2.2	0.2	0.23	3	3.0	<0.2
2059848	Soil	25	0.16	136	0.009	2	1.32	0.006	0.04	0.1	0.08	1.2	0.2	0.09	6	2.5	<0.2
2059849	Soil	31	1.11	769	0.001	3	2.28	0.007	0.09	<0.1	0.05	2.9	<0.1	0.11	5	0.7	<0.2
2059850	Soil	24	0.26	164	0.008	3	1.39	0.007	0.06	<0.1	0.07	2.2	0.2	0.07	5	2.3	<0.2
2059851	Soil	29	0.37	86	0.028	3	1.66	0.006	0.05	0.2	0.05	1.8	0.1	0.06	6	0.9	<0.2
2059852	Soil	27	0.31	95	0.024	2	1.31	0.006	0.05	0.3	0.11	2.1	0.1	0.06	4	0.9	<0.2
2059853	Soil	26	0.32	100	0.033	2	1.22	0.006	0.05	0.2	0.06	3.1	<0.1	<0.05	4	0.6	<0.2
2059854	Soil	28	0.30	57	0.041	4	1.49	0.007	0.04	0.3	0.10	2.2	0.1	0.06	5	0.7	<0.2
2059855	Soil	30	0.34	71	0.031	<1	1.59	0.007	0.05	0.2	0.06	2.1	0.1	0.06	5	1.1	<0.2
2059856	Soil	19	0.21	53	0.017	1	0.73	0.006	0.04	0.1	0.05	1.3	<0.1	0.05	3	1.3	<0.2
2059857	Soil	27	0.41	85	0.033	2	1.56	0.007	0.05	0.1	0.04	3.0	0.1	<0.05	5	<0.5	<0.2
2059858	Soil	29	0.38	131	0.026	1	1.65	0.007	0.05	0.1	0.08	2.8	0.1	<0.05	5	1.6	<0.2
2059859	Soil	24	0.25	82	0.020	1	1.24	0.005	0.05	0.1	0.09	1.9	0.1	<0.05	5	<0.5	<0.2
2059860	Soil	26	0.40	81	0.030	2	1.32	0.006	0.05	0.1	0.07	2.2	<0.1	<0.05	4	0.8	<0.2
2059861	Soil	24	0.42	87	0.033	2	1.56	0.006	0.05	0.2	0.12	3.4	0.1	<0.05	4	1.3	<0.2
2059862	Soil	27	0.46	93	0.038	<1	1.76	0.007	0.05	0.2	0.14	3.3	0.1	<0.05	4	<0.5	<0.2
2059863	Soil	28	0.49	91	0.046	<1	1.77	0.007	0.05	0.2	0.08	3.8	0.1	<0.05	5	0.7	<0.2
2059864	Soil	25	0.42	82	0.041	<1	1.37	0.006	0.05	0.2	0.06	3.1	0.1	<0.05	4	<0.5	<0.2
2059865	Soil	30	0.43	91	0.033	<1	1.54	0.007	0.06	0.2	0.04	1.9	0.1	<0.05	5	0.9	<0.2
2059866	Soil	19	0.18	74	0.019	<1	0.76	0.004	0.04	<0.1	0.56	1.5	0.1	<0.05	3	1.9	<0.2
2059867	Soil	30	0.50	116	0.038	<1	1.76	0.007	0.06	0.2	0.06	3.4	0.2	<0.05	5	1.0	<0.2
2059868	Soil	31	0.43	95	0.034	<1	1.59	0.007	0.05	0.2	0.05	2.1	0.2	<0.05	6	0.5	<0.2
2059869	Soil	25	0.36	93	0.027	2	1.51	0.006	0.04	0.1	0.04	2.2	0.1	<0.05	4	1.4	<0.2
2059870	Soil	26	0.41	107	0.045	3	1.49	0.008	0.05	0.2	0.09	3.0	<0.1	<0.05	4	0.8	<0.2
2059871	Soil	11	0.07	207	0.004	<1	0.36	0.006	0.06	<0.1	2.13	2.5	0.2	0.10	1	2.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059872	Soil	1.5	44.9	27.0	69	0.6	26.2	5.6	117	4.81	32.5	1.0	7.4	44	0.1	0.8	0.4	35	0.03	0.167	6
2059873	Soil	3.2	31.4	29.9	48	1.0	13.7	3.2	75	2.11	22.5	4.4	0.9	25	<0.1	0.9	0.4	27	0.02	0.059	6
2059874	Soil	2.4	40.4	78.2	52	2.1	20.0	4.8	119	2.90	36.8	1.8	4.5	58	<0.1	1.0	0.6	33	0.01	0.109	13
2059875	Soil	1.9	44.9	21.7	118	0.6	44.9	15.5	159	3.55	23.4	2.7	2.4	20	<0.1	0.7	0.3	35	0.04	0.084	7
2059876	Soil	3.1	55.5	33.5	85	1.2	26.5	7.0	222	4.82	37.9	2.2	3.0	27	<0.1	1.5	0.4	43	0.04	0.135	9
2059877	Soil	1.9	46.0	23.9	94	0.7	36.0	8.4	218	3.71	34.7	3.7	2.4	31	0.2	1.1	0.3	51	0.17	0.150	15
2059878	Soil	2.9	61.1	32.3	118	0.6	37.1	9.8	219	4.13	36.2	4.4	1.0	29	0.1	1.2	0.5	55	0.04	0.131	12
2059879	Soil	2.6	56.6	29.3	132	1.0	49.6	13.3	230	3.93	21.3	6.4	4.4	18	0.2	1.2	0.4	48	0.11	0.097	12
2059880	Soil	6.3	64.7	41.7	68	1.5	12.1	3.0	123	3.14	63.1	7.9	2.0	26	<0.1	2.1	0.4	48	0.02	0.101	9
2059881	Soil	2.8	55.8	24.2	258	1.1	100.6	27.3	343	4.40	19.6	3.4	4.1	26	0.4	0.8	0.3	30	0.06	0.079	4
2059882	Soil	2.3	56.1	37.0	178	1.2	72.1	21.9	192	4.00	18.6	1.7	6.3	48	0.2	0.9	0.5	42	0.03	0.060	6
2059883	Soil	1.5	38.6	27.0	141	0.7	55.6	29.5	658	3.88	24.2	3.4	4.0	35	0.2	0.7	0.3	50	0.07	0.096	9
2059884	Soil	2.2	38.8	45.9	109	0.9	37.6	6.9	125	3.47	31.6	2.0	4.8	74	<0.1	0.5	0.4	52	0.05	0.125	10
2059885	Soil	1.5	28.2	20.3	85	0.3	29.1	8.5	207	3.06	20.3	3.0	0.7	19	<0.1	0.6	0.3	56	0.05	0.098	11
2059886	Soil	1.6	25.3	17.7	81	0.1	29.8	8.6	292	3.79	16.4	3.6	1.6	17	0.3	0.9	0.3	65	0.11	0.057	14
2059887	Soil	1.5	40.7	19.0	92	0.2	28.7	7.1	135	3.56	18.8	1.9	1.0	19	0.1	0.6	0.4	50	0.04	0.148	10
2059888	Soil	1.6	46.4	21.2	147	0.7	54.9	13.6	407	3.41	14.8	4.0	3.0	31	0.3	0.6	0.4	35	0.04	0.062	5
2059889	Soil	1.2	28.2	33.1	49	0.6	18.4	3.2	116	2.53	19.6	2.0	2.9	106	<0.1	0.6	0.4	39	0.03	0.061	12
2059890	Soil	1.7	13.3	33.3	28	0.4	7.3	1.8	46	1.83	18.2	1.1	0.3	33	0.1	0.7	0.4	31	0.05	0.076	10
2059891	Soil	5.8	35.9	24.5	56	0.5	17.0	5.0	140	2.72	20.9	10.7	1.8	29	0.2	0.8	0.3	44	0.07	0.045	12
2059892	Soil	1.1	27.3	16.2	99	0.2	29.0	10.4	225	2.87	19.9	3.2	2.2	24	0.2	0.8	0.3	39	0.13	0.086	14
2059893	Soil	1.9	40.1	49.3	91	0.9	51.7	15.4	142	3.10	30.2	1.7	4.2	70	0.1	0.7	0.5	32	0.02	0.109	13
2059894	Soil	4.4	61.1	27.4	108	1.1	57.6	12.2	237	3.18	15.7	4.2	6.6	23	0.4	0.9	0.3	24	0.14	0.064	2
2059895	Soil	4.8	33.1	19.4	95	0.3	34.6	10.2	334	3.22	15.1	4.8	1.1	18	0.4	1.0	0.3	44	0.12	0.080	11
2059896	Soil	3.4	22.8	16.3	66	0.2	17.0	5.6	228	3.01	18.2	4.5	0.5	16	0.1	1.3	0.3	60	0.11	0.156	13
2059897	Soil	1.4	132.3	7.8	85	0.1	42.4	27.6	1040	4.91	11.1	3.7	2.2	26	0.1	0.6	0.2	142	0.49	0.064	12
2059898	Soil	1.5	26.4	24.8	82	0.3	37.8	9.4	91	2.63	30.4	1.8	1.2	38	0.3	0.4	0.4	23	0.05	0.072	8
2059899	Soil	1.6	29.8	21.4	121	0.8	53.2	13.8	181	4.00	20.3	1.8	8.5	41	0.6	2.2	0.4	38	0.55	0.265	6
2059900	Soil	1.3	29.1	22.5	114	0.8	51.9	14.1	192	3.72	20.5	1.5	7.9	36	0.4	1.9	0.4	35	0.50	0.224	7
2059901	Soil	5.1	172.6	16.2	236	0.9	81.4	23.8	1134	3.71	5.9	10.8	6.0	26	1.3	2.2	0.5	26	0.25	0.134	55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059872	Soil	20	0.07	90	0.004	<1	0.79	0.003	0.04	<0.1	1.28	3.0	<0.1	<0.05	3	2.3	<0.2
2059873	Soil	11	0.02	81	0.001	<1	0.36	0.004	0.05	<0.1	0.32	1.5	<0.1	0.06	2	4.2	0.3
2059874	Soil	20	0.04	270	<0.001	<1	1.04	0.005	0.05	<0.1	0.52	4.2	0.1	0.13	4	3.0	0.3
2059875	Soil	17	0.11	143	0.002	<1	0.83	0.004	0.04	<0.1	0.11	3.2	<0.1	0.07	3	3.0	<0.2
2059876	Soil	29	0.18	116	0.005	<1	1.28	0.007	0.05	<0.1	0.22	2.8	<0.1	0.11	5	7.1	<0.2
2059877	Soil	31	0.29	99	0.014	<1	1.57	0.006	0.04	<0.1	0.15	2.8	<0.1	0.07	5	2.3	<0.2
2059878	Soil	31	0.34	100	0.007	<1	1.71	0.008	0.05	<0.1	0.10	1.9	<0.1	0.10	5	2.0	0.2
2059879	Soil	33	0.49	124	0.014	<1	1.65	0.006	0.05	<0.1	0.17	3.8	0.1	0.06	4	2.7	0.3
2059880	Soil	26	0.16	104	0.003	<1	1.17	0.005	0.04	<0.1	0.31	2.1	<0.1	0.09	5	6.6	<0.2
2059881	Soil	20	0.23	229	<0.001	<1	1.08	0.004	0.04	<0.1	0.23	5.0	<0.1	0.07	2	4.5	<0.2
2059882	Soil	35	0.37	192	<0.001	<1	1.81	0.004	0.06	<0.1	0.28	5.9	0.1	0.09	5	2.2	0.2
2059883	Soil	36	0.34	76	0.002	<1	2.07	0.004	0.04	<0.1	0.10	2.9	<0.1	0.09	6	1.3	<0.2
2059884	Soil	34	0.55	137	0.002	<1	2.27	0.005	0.07	<0.1	0.12	4.1	0.1	0.15	6	1.6	<0.2
2059885	Soil	32	0.35	92	0.007	<1	1.98	0.006	0.05	0.1	0.07	1.6	0.1	0.10	6	1.0	<0.2
2059886	Soil	35	0.45	79	0.031	<1	1.93	0.005	0.05	0.1	0.05	2.6	0.1	0.07	7	1.8	<0.2
2059887	Soil	37	0.33	76	0.004	<1	1.87	0.006	0.04	<0.1	0.14	1.3	<0.1	0.16	6	1.6	<0.2
2059888	Soil	27	0.48	197	0.001	<1	1.53	0.007	0.05	<0.1	0.09	2.7	<0.1	0.11	3	1.7	<0.2
2059889	Soil	24	0.10	199	<0.001	<1	1.44	0.005	0.06	<0.1	0.20	2.8	<0.1	0.17	6	1.5	<0.2
2059890	Soil	15	0.04	116	0.004	<1	0.56	0.006	0.05	<0.1	0.08	0.3	0.1	0.14	4	0.6	<0.2
2059891	Soil	24	0.21	144	0.018	<1	0.98	0.008	0.12	<0.1	0.09	2.5	0.1	0.24	5	2.4	<0.2
2059892	Soil	23	0.24	72	0.028	<1	1.05	0.006	0.04	<0.1	0.12	2.8	<0.1	0.06	3	0.7	<0.2
2059893	Soil	21	0.08	224	<0.001	<1	1.26	0.005	0.05	<0.1	0.37	4.9	0.1	0.10	4	1.1	<0.2
2059894	Soil	24	0.18	110	<0.001	<1	1.09	0.004	0.03	<0.1	0.17	3.2	<0.1	0.06	3	1.6	<0.2
2059895	Soil	27	0.27	81	0.016	<1	1.37	0.005	0.05	<0.1	0.06	2.5	0.1	0.06	4	1.8	<0.2
2059896	Soil	28	0.28	86	0.011	<1	1.45	0.005	0.05	<0.1	0.09	0.6	0.2	0.07	6	1.6	<0.2
2059897	Soil	68	0.96	426	0.121	2	2.32	0.007	0.06	0.1	0.05	9.6	0.1	0.05	7	<0.5	<0.2
2059898	Soil	15	0.02	83	<0.001	<1	0.50	0.004	0.06	<0.1	0.22	2.9	<0.1	0.06	2	1.9	<0.2
2059899	Soil	36	0.14	79	0.002	<1	1.70	0.003	0.03	<0.1	0.11	6.1	<0.1	<0.05	5	1.8	<0.2
2059900	Soil	35	0.14	82	0.002	<1	1.67	0.004	0.03	<0.1	0.13	5.3	<0.1	<0.05	5	1.3	<0.2
2059901	Soil	27	0.51	237	0.001	2	1.19	0.004	0.11	<0.1	0.14	4.2	0.1	<0.05	3	7.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059902	Soil	33.5	187.1	16.9	451	2.0	118.4	20.0	744	4.34	26.7	7.2	4.5	70	4.2	6.4	0.3	40	0.20	0.161	25
2059903	Soil	79.0	251.2	19.5	982	6.4	234.6	29.0	1468	6.09	25.1	9.3	4.4	88	40.2	11.5	0.4	67	1.32	0.235	24
2059904	Soil	21.9	112.0	25.2	317	2.3	113.2	22.1	558	4.05	23.2	5.1	7.9	75	5.6	5.4	0.4	29	0.72	0.305	38
2059905	Soil	28.4	122.7	22.3	327	0.9	98.8	12.1	223	4.17	36.6	5.8	6.7	45	2.2	5.1	0.3	37	0.65	0.269	40
2059906	Soil	10.4	58.8	21.0	133	0.6	41.9	11.2	255	4.13	16.9	5.8	3.0	45	0.7	2.4	0.3	47	0.19	0.146	43
2059907	Soil	2.6	14.5	8.5	19	<0.1	6.4	2.1	45	0.98	5.8	2.1	1.0	8	<0.1	0.8	0.3	64	0.06	0.023	17
2059908	Soil	9.3	58.9	34.9	126	0.2	57.1	38.5	1278	4.39	19.8	3.9	9.0	41	0.6	1.6	0.4	21	0.21	0.213	35
2059909	Soil	5.3	200.1	86.2	159	1.1	92.4	66.8	1531	5.91	45.0	6.0	8.9	29	0.4	19.6	0.4	36	0.61	0.173	34
2059910	Soil	2.2	36.8	34.0	96	0.4	41.6	9.1	205	4.09	22.7	1.1	7.0	27	0.3	0.8	0.5	41	0.08	0.080	13
2059911	Soil	13.3	49.9	25.8	65	1.9	14.0	3.0	107	4.10	33.8	0.9	1.6	33	0.3	10.8	0.3	115	0.04	0.142	10
2059912	Soil	3.9	63.7	32.8	102	0.3	26.2	5.5	143	4.82	45.6	0.8	8.3	27	0.2	2.3	0.4	53	0.03	0.104	23
2059913	Soil	3.1	64.5	35.3	120	0.6	46.4	9.2	219	5.15	44.5	2.2	6.0	51	0.2	1.8	0.8	32	0.04	0.125	23
2059914	Soil	12.4	35.0	33.0	102	0.2	35.0	11.8	174	4.52	25.1	1.2	4.0	55	0.2	0.9	0.5	19	0.03	0.133	27
2059915	Soil	7.9	74.0	61.2	133	0.3	51.8	32.8	1607	7.10	30.8	1.8	10.9	61	0.5	2.2	0.7	18	0.20	0.218	36
2059916	Soil	13.5	38.6	22.3	102	0.2	46.2	17.1	213	3.67	16.9	2.0	7.1	29	0.2	0.7	0.3	14	0.44	0.215	52
2059917	Soil	3.2	98.7	29.5	140	0.4	56.0	25.5	523	4.43	15.8	1.3	10.8	30	0.5	1.5	0.4	18	0.46	0.201	37
2059918	Soil	43.0	228.8	30.2	524	4.8	150.1	24.3	755	6.46	27.2	8.6	8.2	136	9.8	5.6	0.4	48	0.99	0.584	24
2059919	Soil	2.6	41.8	28.8	82	0.3	52.7	19.5	509	4.20	1.6	1.4	14.6	18	0.6	0.4	0.4	22	0.26	0.071	41
2059920	Soil	2.8	105.7	19.2	148	3.5	59.7	18.3	1190	3.97	9.0	13.1	0.5	43	0.7	1.5	0.3	44	0.50	0.149	18
2059921	Soil	15.0	75.2	32.0	246	1.5	86.9	18.4	419	4.34	23.3	6.5	8.9	46	3.7	4.1	0.4	29	0.60	0.355	35
2059922	Soil	27.4	162.9	20.8	218	1.8	88.2	31.4	982	4.26	12.1	12.2	1.9	36	2.2	3.8	0.4	47	0.06	0.114	22
2059923	Soil	11.2	56.7	31.4	180	0.8	81.6	38.0	1067	6.17	20.1	4.0	13.3	27	1.2	1.8	0.4	17	0.33	0.239	50
2059924	Soil	5.9	38.7	35.8	145	1.0	66.6	22.3	529	5.18	18.4	3.5	10.7	53	0.9	1.4	0.4	34	0.27	0.181	46
2059925	Soil	2.0	40.3	42.5	96	0.2	41.3	11.5	273	5.69	20.6	0.7	9.8	47	0.2	1.5	0.4	18	0.10	0.145	42
2059926	Soil	33.2	84.9	31.9	178	0.5	107.1	49.2	3869	5.84	37.5	2.8	10.6	56	2.5	1.9	0.3	24	0.15	0.210	39
2059927	Soil	4.9	32.4	28.0	109	0.1	39.8	10.6	233	5.53	25.4	0.8	5.3	62	0.2	1.0	0.4	36	0.09	0.133	12
2059928	Soil	7.5	52.9	40.2	113	0.4	54.5	28.7	943	5.01	22.7	4.9	8.4	28	0.6	1.3	0.5	25	0.17	0.183	38
2059929	Soil	5.1	38.3	27.7	99	0.3	43.8	14.4	359	4.13	15.2	2.9	6.5	30	0.2	1.2	0.3	28	0.09	0.121	42
2059930	Soil	78.1	68.7	43.7	196	1.5	67.1	22.4	394	6.77	43.2	3.3	6.3	91	1.0	3.2	0.4	77	0.18	0.277	27
2059931	Soil	1.6	15.8	17.6	76	<0.1	27.2	12.4	171	3.34	9.6	1.4	2.2	14	0.1	0.7	0.3	60	0.07	0.055	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059902	Soil	25	0.52	306	0.002	<1	1.03	0.014	0.10	<0.1	0.45	3.5	0.6	0.31	3	9.0	0.3
2059903	Soil	28	0.70	557	0.005	2	0.85	0.009	0.19	<0.1	0.74	6.1	0.9	0.10	3	28.2	0.3
2059904	Soil	25	0.52	267	0.002	3	1.02	0.008	0.12	<0.1	0.70	4.2	0.5	0.07	2	8.6	0.3
2059905	Soil	18	0.55	290	0.003	<1	1.10	0.004	0.10	<0.1	0.75	3.7	0.4	<0.05	3	7.8	0.3
2059906	Soil	27	0.45	198	0.010	2	1.43	0.035	0.07	<0.1	0.20	2.4	0.3	0.22	4	12.2	<0.2
2059907	Soil	15	0.08	67	0.050	<1	0.76	0.004	0.04	<0.1	0.03	1.5	0.2	<0.05	6	0.7	<0.2
2059908	Soil	25	0.91	83	0.058	1	1.81	0.012	0.05	<0.1	0.07	2.1	0.1	0.06	4	2.9	<0.2
2059909	Soil	29	0.98	200	0.074	2	1.91	0.013	0.08	0.2	0.13	4.9	0.1	<0.05	5	1.4	<0.2
2059910	Soil	42	0.57	124	0.007	1	2.39	0.007	0.06	<0.1	0.07	2.8	0.1	<0.05	6	1.2	<0.2
2059911	Soil	26	0.19	434	0.004	<1	1.41	0.016	0.14	<0.1	0.19	2.1	0.4	0.26	6	7.0	<0.2
2059912	Soil	33	0.23	287	0.002	<1	1.58	0.024	0.11	<0.1	0.18	3.7	0.2	0.18	7	2.0	<0.2
2059913	Soil	34	0.66	183	<0.001	<1	2.00	0.010	0.06	<0.1	0.09	2.8	0.1	<0.05	5	2.5	0.2
2059914	Soil	19	0.43	294	0.001	<1	1.21	0.013	0.09	<0.1	0.09	1.7	0.2	0.13	4	0.9	<0.2
2059915	Soil	25	0.79	140	<0.001	<1	1.67	0.023	0.08	<0.1	0.18	3.0	0.1	0.14	4	1.3	<0.2
2059916	Soil	13	0.38	123	<0.001	<1	1.07	0.005	0.07	<0.1	0.33	2.4	0.1	<0.05	3	0.6	<0.2
2059917	Soil	16	0.55	78	0.006	<1	1.10	0.007	0.08	<0.1	0.23	3.9	0.2	<0.05	3	1.0	<0.2
2059918	Soil	32	0.61	140	0.002	1	1.21	0.017	0.13	<0.1	1.74	3.8	0.7	0.14	3	9.9	<0.2
2059919	Soil	34	1.38	157	0.001	1	2.32	0.004	0.07	<0.1	0.07	2.9	<0.1	<0.05	5	<0.5	<0.2
2059920	Soil	38	0.55	186	0.004	1	1.71	0.007	0.06	<0.1	0.15	1.5	0.2	<0.05	5	3.1	<0.2
2059921	Soil	29	0.48	135	<0.001	1	1.13	0.011	0.09	<0.1	0.84	3.3	0.7	0.05	3	4.8	<0.2
2059922	Soil	29	0.48	243	0.002	<1	1.32	0.020	0.09	<0.1	0.19	2.5	0.4	0.10	4	5.2	0.4
2059923	Soil	22	0.90	46	<0.001	<1	1.76	0.004	0.06	<0.1	0.30	5.4	0.2	<0.05	4	1.2	<0.2
2059924	Soil	34	1.21	126	0.001	1	2.25	0.010	0.11	<0.1	0.22	2.5	0.3	0.06	6	1.3	<0.2
2059925	Soil	27	0.96	54	<0.001	<1	1.77	0.008	0.07	<0.1	0.17	2.5	0.1	<0.05	5	<0.5	<0.2
2059926	Soil	29	1.03	94	<0.001	<1	1.81	0.014	0.08	<0.1	0.46	3.8	0.6	<0.05	5	1.5	<0.2
2059927	Soil	32	0.66	177	0.002	<1	2.43	0.014	0.10	<0.1	0.09	2.8	0.2	0.21	6	1.0	<0.2
2059928	Soil	27	0.81	76	0.001	<1	1.81	0.009	0.10	<0.1	0.23	3.1	0.4	0.06	5	1.5	<0.2
2059929	Soil	27	0.91	93	0.002	<1	1.82	0.009	0.09	<0.1	0.39	2.0	0.3	0.10	5	0.6	<0.2
2059930	Soil	28	0.85	147	0.002	<1	1.71	0.023	0.13	<0.1	0.40	2.3	1.1	0.65	5	4.0	<0.2
2059931	Soil	32	0.52	73	0.017	<1	2.12	0.006	0.05	0.1	0.04	2.4	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059932	Soil	1.4	57.3	32.3	121	<0.1	53.6	4.5	128	4.77	11.0	<0.5	5.0	38	0.1	0.6	0.4	27	0.02	0.075	7
2059933	Soil	1.5	40.8	21.4	137	<0.1	66.2	34.7	673	5.92	17.7	<0.5	5.0	25	0.2	0.6	0.4	33	0.10	0.107	6
2059934	Soil	1.0	33.9	26.1	162	<0.1	82.1	31.2	292	5.27	13.4	<0.5	4.9	23	0.5	0.4	0.4	37	0.12	0.088	7
2059935	Soil	1.6	43.7	31.2	124	<0.1	53.7	6.9	209	5.65	17.0	<0.5	6.4	32	0.1	0.7	0.4	31	0.04	0.087	8
2059936	Soil	1.2	28.3	20.2	111	<0.1	44.1	23.4	470	4.24	11.3	0.9	8.5	11	<0.1	0.6	0.3	30	0.02	0.037	22
2059937	Soil	1.6	41.7	38.8	143	0.1	63.2	16.3	247	5.19	11.6	0.8	9.3	25	0.4	0.6	0.5	28	0.04	0.077	17
2059938	Soil	2.5	37.6	24.0	150	0.1	67.8	31.9	522	4.45	20.6	<0.5	9.4	20	0.2	0.7	0.4	17	0.03	0.087	35
2059939	Soil	15.1	60.4	32.3	189	0.7	76.7	33.5	1496	6.93	38.2	4.1	6.7	51	1.5	1.6	0.4	30	0.15	0.252	19
2059940	Soil	1.9	35.4	25.9	129	<0.1	53.8	20.2	247	4.77	14.4	0.5	8.2	14	0.3	0.6	0.4	27	0.07	0.113	32
2059941	Soil	2.0	41.2	28.3	114	<0.1	48.3	15.1	225	5.27	14.4	0.7	9.0	14	0.2	0.7	0.4	32	0.05	0.103	33
2059942	Soil	1.0	17.8	13.9	104	0.4	41.7	13.6	218	2.63	9.7	2.2	1.0	17	0.3	0.5	0.2	36	0.17	0.067	12
2059943	Soil	1.3	16.3	13.2	58	0.1	16.6	7.8	245	2.65	13.9	6.1	1.0	12	0.1	0.6	0.2	43	0.11	0.077	14
2059944	Soil	1.5	19.6	14.2	83	<0.1	23.2	13.5	500	3.01	15.4	1.6	0.7	10	0.2	0.7	0.3	48	0.07	0.057	13
2059945	Soil	1.2	26.9	12.6	74	0.1	24.4	10.6	369	2.60	14.4	4.2	2.7	12	0.2	0.8	0.3	38	0.10	0.073	13
2059946	Soil	1.2	30.9	12.3	60	0.5	20.2	9.1	343	2.84	14.6	2.0	0.8	9	0.1	0.8	0.2	43	0.09	0.082	12
2059947	Soil	1.5	17.1	14.0	45	0.3	14.7	5.0	191	2.86	15.2	5.0	0.5	9	0.1	0.7	0.3	47	0.06	0.070	12
2059948	Soil	1.3	19.8	13.8	65	0.1	19.5	7.7	353	2.51	14.0	2.2	0.9	9	0.2	0.7	0.2	44	0.08	0.074	13
2059949	Soil	1.5	17.9	14.1	49	0.1	17.4	5.7	270	2.68	14.9	4.7	0.5	10	0.2	0.7	0.3	49	0.07	0.074	12
2059950	Soil	2.6	20.0	17.6	54	0.4	15.8	5.2	224	2.48	19.9	5.3	2.0	9	0.1	0.8	0.3	42	0.07	0.057	11
2059951	Soil	2.8	33.5	37.9	58	0.7	18.2	6.0	99	3.86	29.7	2.8	1.7	44	<0.1	0.7	0.5	36	0.02	0.087	8
2059952	Soil	1.3	28.1	26.1	98	0.7	52.6	15.4	165	2.36	25.5	0.8	6.6	33	0.9	0.7	0.4	18	0.26	0.109	6
2059953	Soil	2.7	41.1	32.0	90	0.8	45.6	13.1	164	2.97	18.0	1.1	6.3	47	0.3	0.9	0.5	22	0.25	0.107	14
2059954	Soil	2.1	45.0	29.1	65	0.6	23.9	4.8	108	2.56	18.9	2.5	1.9	38	<0.1	1.1	0.5	37	0.06	0.071	14
2059955	Soil	1.8	34.1	33.8	101	0.9	45.1	11.5	91	3.67	23.9	1.5	6.9	62	0.4	0.8	0.5	29	0.27	0.180	20
2059956	Soil	1.8	29.2	21.8	92	0.8	42.3	10.6	139	3.53	20.6	2.4	1.3	9	0.4	0.8	0.3	25	0.05	0.138	7
2059957	Soil	1.3	56.5	26.9	100	0.8	57.2	9.4	65	3.55	20.1	0.6	3.4	26	0.2	0.6	0.4	31	0.12	0.093	17
2059958	Soil	1.1	17.3	15.2	58	0.3	25.5	8.0	198	2.63	12.9	1.6	2.0	13	0.2	0.6	0.2	35	0.16	0.065	9
2059959	Soil	2.1	27.2	23.8	91	1.1	42.8	9.7	99	2.89	14.7	<0.5	7.8	106	0.3	0.6	0.4	24	0.28	0.074	5
2059960	Soil	3.6	30.6	21.6	104	1.7	43.4	7.9	116	2.79	17.1	3.5	3.1	43	0.6	0.9	0.3	18	0.65	0.109	6
2059961	Soil	2.6	30.7	22.0	95	0.1	44.3	11.1	126	3.30	15.2	1.5	2.2	13	0.2	0.7	0.3	23	0.09	0.075	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059932	Soil	36	0.88	126	<0.001	<1	2.71	0.018	0.11	<0.1	0.04	4.2	0.2	0.15	6	<0.5	<0.2
2059933	Soil	39	1.07	37	<0.001	<1	2.58	0.007	0.05	<0.1	0.02	2.7	0.1	<0.05	7	<0.5	<0.2
2059934	Soil	40	1.03	43	0.001	<1	2.36	0.009	0.07	<0.1	0.02	2.3	<0.1	<0.05	6	0.7	<0.2
2059935	Soil	42	0.98	99	<0.001	<1	2.43	0.012	0.10	<0.1	0.05	2.8	<0.1	0.12	7	<0.5	<0.2
2059936	Soil	13	0.10	57	0.003	<1	0.85	0.006	0.05	<0.1	0.06	2.7	0.1	<0.05	4	<0.5	<0.2
2059937	Soil	31	0.75	104	<0.001	<1	1.95	0.012	0.09	<0.1	0.22	4.2	0.2	0.05	5	0.7	<0.2
2059938	Soil	12	0.26	60	<0.001	<1	0.77	0.009	0.06	<0.1	0.14	3.7	<0.1	<0.05	2	0.5	<0.2
2059939	Soil	26	0.45	108	<0.001	<1	1.75	0.014	0.08	<0.1	0.28	5.6	0.3	0.13	4	2.8	<0.2
2059940	Soil	32	0.79	48	0.002	<1	1.97	0.007	0.05	<0.1	0.04	2.2	<0.1	<0.05	6	<0.5	<0.2
2059941	Soil	32	0.78	51	0.004	<1	2.26	0.008	0.05	<0.1	0.04	2.6	<0.1	<0.05	7	0.5	<0.2
2059942	Soil	23	0.32	165	0.013	<1	1.47	0.006	0.05	<0.1	0.09	2.0	0.1	<0.05	4	0.7	<0.2
2059943	Soil	25	0.33	81	0.024	<1	1.58	0.005	0.05	0.1	0.07	1.9	0.1	<0.05	5	<0.5	<0.2
2059944	Soil	30	0.41	80	0.027	2	1.68	0.005	0.05	0.1	0.08	1.8	0.1	<0.05	5	1.3	<0.2
2059945	Soil	24	0.38	82	0.025	2	1.48	0.006	0.04	0.1	0.15	2.6	0.1	<0.05	4	1.1	<0.2
2059946	Soil	26	0.41	72	0.023	2	1.46	0.006	0.04	0.1	0.10	2.0	0.1	<0.05	5	1.0	<0.2
2059947	Soil	26	0.30	64	0.022	<1	1.36	0.005	0.04	0.1	0.08	1.7	0.1	<0.05	5	1.1	<0.2
2059948	Soil	26	0.36	75	0.024	2	1.47	0.005	0.04	0.1	0.04	2.0	0.1	<0.05	5	0.5	<0.2
2059949	Soil	27	0.28	74	0.015	1	1.46	0.005	0.04	0.1	0.05	1.2	0.1	<0.05	5	1.1	<0.2
2059950	Soil	25	0.28	86	0.019	1	1.08	0.004	0.04	0.1	0.13	2.2	0.1	<0.05	4	1.5	<0.2
2059951	Soil	18	0.07	255	<0.001	1	0.71	0.008	0.07	<0.1	0.26	2.9	0.1	0.12	4	2.0	<0.2
2059952	Soil	15	0.07	111	<0.001	<1	0.72	0.011	0.08	<0.1	0.14	3.1	<0.1	0.10	2	0.9	<0.2
2059953	Soil	18	0.11	100	<0.001	1	0.89	0.005	0.04	<0.1	0.16	4.3	<0.1	<0.05	3	1.5	<0.2
2059954	Soil	22	0.16	186	<0.001	<1	1.05	0.006	0.05	<0.1	0.16	2.7	0.1	<0.05	4	1.8	<0.2
2059955	Soil	27	0.18	147	<0.001	<1	1.45	0.004	0.03	<0.1	0.19	4.1	<0.1	<0.05	5	5.0	<0.2
2059956	Soil	24	0.10	38	<0.001	<1	1.03	0.005	0.03	<0.1	0.09	1.9	<0.1	<0.05	3	1.4	<0.2
2059957	Soil	40	0.41	123	<0.001	<1	1.93	0.004	0.03	<0.1	0.12	2.8	<0.1	<0.05	5	1.0	<0.2
2059958	Soil	24	0.29	64	0.029	<1	1.12	0.005	0.03	0.1	0.06	2.4	<0.1	<0.05	4	0.9	<0.2
2059959	Soil	15	0.03	329	<0.001	2	0.59	0.006	0.09	<0.1	0.30	4.8	0.1	<0.05	2	<0.5	<0.2
2059960	Soil	16	0.10	103	<0.001	1	0.48	0.009	0.04	<0.1	0.31	3.3	<0.1	<0.05	1	1.7	<0.2
2059961	Soil	19	0.17	52	<0.001	<1	1.06	0.004	0.02	<0.1	0.05	2.4	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059962	Soil	9.1	38.4	29.4	101	0.4	35.6	7.7	196	5.61	30.7	1.3	7.5	50	0.3	1.3	0.5	25	0.11	0.186	32
2059963	Soil	2.8	25.0	11.0	44	<0.1	16.7	5.8	255	1.90	9.2	2.1	0.7	16	0.1	0.7	0.2	22	0.03	0.041	12
2059964	Soil	7.7	38.0	18.6	182	1.5	55.2	14.4	783	3.06	10.0	2.6	1.5	26	1.4	1.0	0.2	22	0.18	0.094	5
2059965	Soil	18.3	52.9	31.4	363	5.2	33.4	2.8	146	6.25	83.4	4.2	2.5	287	2.4	27.9	0.2	386	0.39	0.384	18
2059966	Soil	15.2	56.7	25.1	138	0.8	66.5	14.6	269	3.88	22.8	1.2	8.8	45	1.2	3.4	0.3	15	0.74	0.224	25
2059967	Soil	14.0	127.5	21.5	401	4.3	112.0	23.9	507	4.42	17.1	6.9	9.5	37	10.1	4.5	0.3	22	0.61	0.277	35
2059968	Soil	5.2	263.1	16.8	127	0.6	73.8	43.1	727	9.34	32.6	8.1	2.7	12	1.3	4.1	2.8	92	0.17	0.133	14
2059969	Soil	2.2	42.3	18.6	83	0.2	31.8	14.0	394	3.50	12.8	2.5	2.6	18	0.3	0.5	0.3	36	0.21	0.123	22
2059970	Soil	1.8	72.5	8.9	88	<0.1	40.7	19.7	643	4.02	8.8	3.1	1.3	12	0.3	0.6	0.2	86	0.16	0.075	15
2059971	Soil	1.5	47.1	11.9	71	0.1	26.3	9.5	313	3.49	8.9	2.3	1.4	14	0.2	0.5	0.2	51	0.10	0.079	19
2059972	Soil	2.3	97.2	7.6	70	0.1	41.6	23.4	406	3.69	9.2	4.0	3.0	14	0.2	0.7	0.1	80	0.21	0.059	15
2059973	Soil	2.5	46.3	23.1	101	0.1	46.5	17.6	653	4.06	12.8	0.7	9.8	64	0.3	0.6	0.3	25	0.62	0.245	27
2059974	Soil	4.2	38.4	24.6	136	0.1	56.9	20.6	392	4.38	15.5	1.1	2.2	25	0.4	1.0	0.3	23	0.25	0.143	34
2059975	Soil	1.6	30.4	22.9	74	0.6	32.5	10.8	301	2.82	12.1	2.9	1.4	22	0.2	0.5	0.3	23	0.14	0.064	7
2059976	Soil	1.0	12.4	15.5	66	0.4	20.7	6.9	231	2.47	10.9	1.3	0.8	15	<0.1	0.5	0.2	40	0.20	0.085	10
2059977	Soil	2.4	30.2	22.8	106	0.6	36.4	19.9	1410	5.87	16.4	4.6	1.5	18	0.2	0.7	0.3	38	0.08	0.078	10
2059978	Soil	1.0	15.6	11.0	54	0.2	15.7	6.5	239	2.38	12.5	2.8	0.6	9	0.1	0.6	0.2	43	0.07	0.050	13
2059979	Soil	1.3	18.8	11.7	60	0.1	20.6	7.3	266	2.46	12.6	3.3	1.5	11	0.1	0.6	0.2	44	0.09	0.050	12
2059980	Soil	1.2	17.4	11.8	138	0.4	28.0	12.8	738	10.58	9.4	2.6	1.5	9	0.2	0.5	0.3	34	0.06	0.059	8
2059981	Soil	1.1	14.9	11.4	115	0.4	20.9	8.9	529	10.89	8.5	2.9	1.3	7	0.2	0.5	0.3	34	0.05	0.059	8
2059982	Soil	1.0	26.3	10.5	69	0.2	24.3	16.7	555	2.26	12.0	3.1	3.7	11	0.1	0.7	0.2	35	0.10	0.081	11
2059983	Soil	1.6	17.5	14.0	55	0.3	15.1	5.8	267	2.65	11.9	1.2	0.3	9	0.1	0.7	0.3	53	0.06	0.068	10
2059984	Soil	1.2	20.8	10.3	49	0.2	15.8	5.8	215	3.06	10.8	1.2	0.5	8	0.2	0.9	0.2	45	0.07	0.074	10
2059985	Soil	1.7	17.4	17.5	48	0.2	14.5	5.0	224	2.36	14.1	2.4	0.9	9	0.2	0.7	0.3	44	0.06	0.054	10
2059986	Soil	55.0	155.8	25.3	372	6.7	100.5	7.7	266	4.27	20.9	6.2	7.1	175	9.3	7.8	0.4	76	1.00	0.476	17
2059987	Soil	1.4	24.5	21.8	53	<0.1	16.3	2.8	102	4.08	14.5	0.5	6.1	8	<0.1	0.7	0.4	45	0.02	0.047	15
2059988	Soil	1.3	44.5	25.9	90	<0.1	21.1	1.6	80	4.76	21.3	<0.5	9.2	10	<0.1	0.9	0.4	21	0.01	0.076	15
2059989	Soil	1.4	24.0	16.4	62	0.1	20.6	5.6	204	3.72	14.2	<0.5	4.3	9	0.1	0.7	0.3	49	0.04	0.039	11
2059990	Soil	1.8	23.3	26.2	45	0.3	15.0	4.7	160	2.52	20.7	2.7	1.0	17	0.2	0.8	0.4	41	0.09	0.088	11
2059991	Soil	1.6	20.4	17.7	52	0.3	15.3	4.6	210	2.71	16.1	2.2	0.3	10	0.1	0.6	0.3	44	0.06	0.079	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059962	Soil	28	0.80	116	<0.001	<1	1.61	0.010	0.06	<0.1	0.21	2.1	0.3	0.05	5	2.7	<0.2
2059963	Soil	13	0.15	65	0.009	<1	0.63	0.007	0.02	<0.1	0.05	0.8	0.1	<0.05	2	0.6	<0.2
2059964	Soil	16	0.16	247	0.001	<1	0.79	0.007	0.04	<0.1	0.17	1.6	<0.1	<0.05	2	1.0	<0.2
2059965	Soil	46	0.10	372	0.002	2	0.56	0.008	0.15	<0.1	1.01	1.7	0.8	0.48	3	18.9	0.3
2059966	Soil	16	0.59	120	0.001	2	0.87	0.005	0.08	<0.1	0.45	2.0	0.3	0.14	2	2.6	0.2
2059967	Soil	36	0.72	108	0.001	2	1.09	0.003	0.06	<0.1	0.69	3.0	0.2	<0.05	2	10.5	<0.2
2059968	Soil	54	1.85	164	0.010	<1	2.96	0.004	0.04	<0.1	0.29	6.9	0.2	<0.05	9	5.8	<0.2
2059969	Soil	27	0.90	115	0.057	1	1.66	0.009	0.05	<0.1	0.03	1.9	<0.1	<0.05	5	0.7	<0.2
2059970	Soil	32	0.66	123	0.060	<1	1.80	0.007	0.05	0.1	0.05	3.8	0.1	<0.05	6	1.0	<0.2
2059971	Soil	25	0.67	93	0.049	1	1.40	0.009	0.05	0.1	0.04	2.1	<0.1	<0.05	5	0.6	<0.2
2059972	Soil	25	0.50	166	0.059	1	1.46	0.006	0.04	0.2	0.05	3.5	0.1	<0.05	5	0.5	<0.2
2059973	Soil	31	1.05	160	0.109	1	1.67	0.014	0.08	0.2	0.16	3.1	0.1	0.22	4	<0.5	<0.2
2059974	Soil	21	0.54	163	0.012	1	1.16	0.008	0.08	<0.1	0.07	1.8	0.2	<0.05	3	1.1	<0.2
2059975	Soil	18	0.12	135	0.002	<1	0.93	0.005	0.03	<0.1	0.10	2.3	<0.1	<0.05	3	1.3	<0.2
2059976	Soil	25	0.40	175	0.013	<1	1.47	0.006	0.04	0.1	0.09	1.9	0.2	<0.05	5	1.3	<0.2
2059977	Soil	23	0.22	150	0.010	1	1.24	0.005	0.04	<0.1	0.19	2.7	0.1	<0.05	4	1.7	<0.2
2059978	Soil	25	0.37	66	0.024	1	1.34	0.005	0.04	0.1	0.06	1.6	0.1	<0.05	5	0.7	<0.2
2059979	Soil	25	0.37	94	0.026	1	1.47	0.005	0.04	0.1	0.08	2.4	0.1	<0.05	5	<0.5	<0.2
2059980	Soil	16	0.16	133	0.016	1	0.97	0.004	0.02	0.1	0.07	2.3	<0.1	<0.05	4	0.8	<0.2
2059981	Soil	15	0.13	102	0.017	<1	0.93	0.004	0.03	0.1	0.06	2.1	0.1	<0.05	4	0.8	<0.2
2059982	Soil	21	0.37	68	0.036	1	1.31	0.004	0.04	0.2	0.08	3.3	<0.1	<0.05	3	0.9	<0.2
2059983	Soil	26	0.33	73	0.022	<1	1.57	0.006	0.04	0.2	0.06	1.4	0.2	<0.05	6	0.9	<0.2
2059984	Soil	24	0.28	54	0.022	<1	1.34	0.004	0.03	0.1	0.05	1.4	<0.1	<0.05	4	1.0	<0.2
2059985	Soil	23	0.28	96	0.016	<1	1.31	0.005	0.04	0.2	0.05	1.7	0.1	<0.05	5	1.3	<0.2
2059986	Soil	36	0.56	186	0.001	<1	0.85	0.016	0.16	<0.1	1.26	2.6	1.0	0.80	2	18.2	0.2
2059987	Soil	26	0.38	65	0.003	<1	1.51	0.005	0.05	<0.1	0.04	2.1	0.2	<0.05	7	0.6	<0.2
2059988	Soil	29	0.59	49	<0.001	<1	1.48	0.007	0.07	<0.1	0.07	3.1	0.1	0.05	5	<0.5	<0.2
2059989	Soil	30	0.45	78	0.016	<1	1.71	0.005	0.06	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
2059990	Soil	23	0.20	106	0.008	<1	1.20	0.004	0.04	0.2	0.09	1.5	0.2	<0.05	4	1.8	<0.2
2059991	Soil	25	0.27	103	0.010	<1	1.33	0.005	0.03	0.1	0.07	1.1	0.1	<0.05	5	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2059992	Soil	1.4	23.8	38.3	57	0.6	25.7	3.9	126	3.27	19.2	2.5	1.8	26	<0.1	0.6	0.5	36	0.04	0.072	10
2059993	Soil	0.8	19.7	8.1	90	<0.1	51.1	24.7	546	3.03	9.8	1.8	2.3	11	0.3	0.6	0.1	36	0.13	0.060	12
2059994	Soil	1.3	14.3	10.8	56	<0.1	18.8	6.1	197	2.66	11.0	3.1	0.5	8	0.1	0.6	0.2	48	0.06	0.055	11
2059995	Soil	1.0	20.4	11.4	59	0.2	22.7	6.7	242	2.71	10.8	2.9	2.0	11	0.1	0.6	0.2	39	0.09	0.059	11
2059996	Soil	1.0	20.3	16.8	157	1.0	63.6	33.7	1092	5.80	11.6	2.9	1.4	19	0.2	0.5	0.3	36	0.14	0.079	9
2059997	Soil	1.1	18.4	14.0	82	0.8	36.1	17.5	939	3.79	13.2	4.3	1.1	13	0.3	0.6	0.2	38	0.12	0.073	12
2059998	Soil	1.1	22.9	12.3	57	0.7	17.3	5.2	204	2.65	13.2	2.6	0.5	11	0.1	0.7	0.2	46	0.10	0.063	12
2059999	Soil	1.4	26.9	15.1	59	0.3	18.6	9.7	405	2.86	14.5	2.4	0.7	11	0.2	0.7	0.2	44	0.08	0.075	12
2060000	Soil	1.3	23.5	13.8	57	0.8	18.0	6.5	231	3.18	15.2	5.2	2.8	10	<0.1	0.8	0.2	43	0.10	0.062	12
2060501	Soil	7.9	58.8	20.2	72	<0.1	23.0	6.3	221	3.44	16.2	2.0	4.7	33	0.3	1.3	0.3	47	0.03	0.037	25
2060502	Soil	5.5	59.1	17.2	69	<0.1	19.3	5.3	216	2.97	11.2	1.4	2.3	15	0.3	1.1	0.3	49	0.04	0.045	20
2060503	Soil	2.5	47.4	10.8	64	<0.1	15.5	6.2	236	2.89	9.8	2.5	2.0	11	0.1	0.8	0.2	73	0.15	0.026	16
2060504	Soil	5.9	106.6	20.2	196	1.2	58.3	12.7	238	3.49	10.8	15.0	2.3	11	0.6	2.7	0.3	24	0.08	0.078	23
2060505	Soil	2.6	17.0	9.6	33	<0.1	11.4	3.6	131	1.91	8.4	0.9	2.4	8	<0.1	0.5	0.2	66	0.07	0.022	16
2060506	Soil	1.0	35.5	11.8	59	<0.1	30.0	14.3	309	2.90	13.1	2.0	3.5	9	0.5	0.8	0.2	54	0.10	0.030	11
2060507	Soil	28.6	168.4	18.6	622	2.2	121.9	23.0	768	4.57	22.1	4.0	2.9	71	10.4	5.2	0.4	35	0.98	0.171	16
2060508	Soil	21.5	157.4	29.0	354	1.7	99.2	20.1	445	4.78	25.2	6.6	6.3	86	2.9	4.9	0.4	34	0.89	0.352	26
2060509	Soil	5.3	32.7	17.5	165	1.3	41.3	9.3	281	3.12	29.4	4.6	0.9	99	1.0	2.9	0.2	59	0.32	0.190	13
2060510	Soil	6.0	54.5	18.1	152	0.6	33.1	8.3	250	3.68	25.2	3.2	4.2	22	0.6	3.4	0.3	61	0.09	0.104	16
2060511	Soil	17.5	68.7	49.9	168	4.2	48.3	1.7	67	3.94	44.0	1.1	5.0	133	0.6	14.0	0.4	226	1.23	0.847	26

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2059992	Soil	24	0.17	159	<0.001	<1	1.33	0.004	0.03	<0.1	0.11	2.1	<0.1	<0.05	5	0.9	<0.2
2059993	Soil	20	0.33	65	0.033	<1	1.14	0.005	0.03	0.2	0.04	1.9	<0.1	<0.05	3	0.5	<0.2
2059994	Soil	22	0.23	47	0.028	<1	1.00	0.005	0.03	0.2	0.04	1.3	0.1	<0.05	5	<0.5	<0.2
2059995	Soil	23	0.35	75	0.021	<1	1.34	0.004	0.03	0.2	0.05	2.4	<0.1	<0.05	4	1.0	<0.2
2059996	Soil	23	0.26	429	0.010	<1	1.23	0.005	0.03	0.1	0.12	2.7	0.1	<0.05	4	2.1	<0.2
2059997	Soil	24	0.30	236	0.014	<1	1.31	0.004	0.03	0.1	0.07	2.1	<0.1	<0.05	4	1.8	<0.2
2059998	Soil	25	0.36	126	0.018	<1	1.52	0.005	0.04	0.1	0.08	1.6	0.1	<0.05	5	1.4	<0.2
2059999	Soil	26	0.34	95	0.018	<1	1.46	0.005	0.04	0.1	0.08	1.6	0.1	<0.05	4	0.9	<0.2
2060000	Soil	27	0.40	72	0.032	<1	1.29	0.004	0.04	0.2	0.07	2.4	0.1	<0.05	4	1.9	<0.2
2060501	Soil	22	0.35	121	0.011	<1	1.38	0.009	0.03	<0.1	0.04	1.7	0.2	<0.05	5	0.9	<0.2
2060502	Soil	23	0.25	122	0.015	<1	1.43	0.005	0.03	0.1	0.03	1.5	0.2	<0.05	6	0.8	<0.2
2060503	Soil	26	0.28	118	0.040	<1	1.30	0.006	0.04	0.1	0.03	2.5	0.1	<0.05	6	<0.5	<0.2
2060504	Soil	28	0.66	63	0.002	<1	1.21	0.005	0.07	<0.1	0.18	1.0	0.1	<0.05	3	4.6	0.2
2060505	Soil	22	0.27	75	0.036	<1	1.37	0.005	0.04	0.2	0.02	1.9	0.1	<0.05	7	0.6	<0.2
2060506	Soil	28	0.43	118	0.044	<1	1.82	0.007	0.04	0.2	0.04	3.5	0.1	<0.05	4	<0.5	<0.2
2060507	Soil	23	0.51	284	0.002	<1	0.92	0.012	0.08	<0.1	0.47	4.4	0.3	0.25	2	7.5	0.2
2060508	Soil	26	0.71	159	0.001	<1	1.19	0.009	0.08	<0.1	0.83	3.6	0.4	0.07	3	6.8	<0.2
2060509	Soil	22	0.25	518	0.008	2	1.19	0.009	0.09	0.1	0.35	1.9	0.2	0.15	3	3.1	<0.2
2060510	Soil	27	0.27	199	0.009	<1	1.62	0.008	0.05	0.1	0.18	2.9	0.2	<0.05	4	2.9	<0.2
2060511	Soil	60	0.79	681	0.003	<1	1.80	0.019	0.19	<0.1	0.80	4.5	0.3	0.16	5	8.9	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2059702	Soil	1.3	48.0	14.3	81	1.6	37.9	10.2	256	2.46	12.9	3.4	1.9	13	0.1	0.6	0.2	43	0.10	0.085	14
REP 2059702	QC	1.2	47.7	14.3	85	1.6	37.2	10.5	255	2.47	13.0	8.0	1.9	13	0.1	0.5	0.2	43	0.09	0.085	14
2059738	Soil	2.9	27.7	20.8	77	0.6	29.4	9.3	270	4.57	52.9	3.9	0.9	48	0.4	2.5	0.2	39	0.03	0.192	6
REP 2059738	QC	2.8	28.2	20.6	77	0.6	28.3	9.6	264	4.72	53.8	2.2	0.9	47	0.4	2.5	0.2	39	0.03	0.190	6
2059774	Soil	1.4	23.2	18.1	56	0.5	19.4	4.7	199	2.63	21.1	4.7	3.7	13	0.2	0.7	0.3	42	0.11	0.103	13
REP 2059774	QC	1.6	24.6	18.8	58	0.5	20.2	5.0	203	2.75	21.6	5.2	3.8	14	0.2	0.8	0.3	42	0.12	0.101	13
2059810	Soil	1.0	212.4	8.0	87	<0.1	34.6	26.8	833	4.10	9.0	3.4	3.3	20	0.1	0.7	0.1	95	0.45	0.037	12
REP 2059810	QC	1.1	210.4	7.9	86	<0.1	34.6	27.3	855	4.08	8.8	3.3	3.3	20	0.1	0.7	0.1	99	0.45	0.037	13
2059846	Soil	13.2	45.1	22.4	31	4.1	9.6	0.5	74	3.82	38.2	2.3	0.9	120	0.5	15.9	0.3	128	0.10	0.363	20
REP 2059846	QC	12.7	47.1	23.0	31	4.1	9.3	0.4	78	3.95	38.3	1.4	1.0	121	0.4	16.2	0.3	129	0.11	0.373	20
2059882	Soil	2.3	56.1	37.0	178	1.2	72.1	21.9	192	4.00	18.6	1.7	6.3	48	0.2	0.9	0.5	42	0.03	0.060	6
REP 2059882	QC	2.3	57.3	37.1	177	1.1	73.5	22.2	187	4.06	18.4	1.0	6.3	48	0.2	0.9	0.4	43	0.03	0.061	6
2059918	Soil	43.0	228.8	30.2	524	4.8	150.1	24.3	755	6.46	27.2	8.6	8.2	136	9.8	5.6	0.4	48	0.99	0.584	24
REP 2059918	QC	40.0	229.0	30.0	541	4.7	154.7	26.0	758	6.06	26.7	7.7	8.2	137	9.7	5.5	0.4	52	1.01	0.532	25
2059954	Soil	2.1	45.0	29.1	65	0.6	23.9	4.8	108	2.56	18.9	2.5	1.9	38	<0.1	1.1	0.5	37	0.06	0.071	14
REP 2059954	QC	2.2	47.3	29.8	66	0.6	24.6	5.0	113	2.70	20.1	1.2	1.9	42	<0.1	1.1	0.5	38	0.07	0.069	14
2059989	Soil	1.4	24.0	16.4	62	0.1	20.6	5.6	204	3.72	14.2	<0.5	4.3	9	0.1	0.7	0.3	49	0.04	0.039	11
REP 2059989	QC	1.4	23.7	16.4	60	0.1	21.0	5.5	207	3.67	14.5	2.0	4.2	9	<0.1	0.8	0.3	50	0.05	0.037	11
Reference Materials																					
STD DS11	Standard	14.6	146.7	134.3	330	1.6	78.6	13.0	1008	3.01	42.3	67.2	7.6	62	2.3	8.7	11.6	50	0.97	0.064	17
STD DS11	Standard	15.0	150.6	137.4	340	1.7	77.9	13.3	1024	3.11	42.2	64.5	7.5	63	2.1	8.5	11.3	52	0.98	0.064	18
STD DS11	Standard	13.4	148.4	134.0	340	1.7	76.8	13.4	997	3.02	41.9	72.5	7.1	62	2.1	8.0	11.2	50	1.02	0.065	16
STD DS11	Standard	14.4	148.9	135.9	328	1.7	79.7	13.6	1035	3.18	43.5	80.8	7.5	67	2.4	8.5	11.6	51	1.05	0.069	19
STD DS11	Standard	14.1	146.6	134.5	336	1.7	77.9	13.3	995	3.06	42.3	103.6	7.3	63	2.0	8.3	11.6	50	1.01	0.067	18
STD DS11	Standard	13.8	150.0	136.5	340	1.7	79.8	13.6	1007	3.12	43.4	64.3	7.4	65	2.2	8.2	11.5	51	1.05	0.072	17
STD DS11	Standard	15.3	151.3	138.6	351	1.7	81.8	13.9	1055	3.22	45.4	84.6	7.6	77	2.1	8.7	12.0	53	1.08	0.073	20
STD DS11	Standard	15.6	149.8	136.5	339	1.7	79.9	13.7	1056	3.19	43.6	72.7	7.5	75	2.4	8.3	11.8	52	1.02	0.069	19
STD DS11	Standard	16.0	147.7	140.0	376	1.8	79.1	14.8	1047	3.35	43.4	91.0	8.2	71	2.4	8.5	11.0	57	1.00	0.078	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000890.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2059702	Soil	32	0.45	139	0.033	2	2.08	0.006	0.05	0.2	0.12	3.9	0.2	<0.05	5	0.9	<0.2
REP 2059702	QC	32	0.44	138	0.034	1	2.02	0.006	0.05	0.2	0.12	3.7	0.2	<0.05	5	0.9	<0.2
2059738	Soil	32	0.06	327	0.003	1	0.75	0.005	0.04	<0.1	0.39	2.6	0.2	<0.05	4	1.5	<0.2
REP 2059738	QC	30	0.06	327	0.003	<1	0.72	0.005	0.04	<0.1	0.40	2.5	0.2	<0.05	4	1.3	<0.2
2059774	Soil	26	0.28	126	0.015	<1	1.33	0.004	0.04	<0.1	0.11	3.7	<0.1	<0.05	4	0.7	<0.2
REP 2059774	QC	27	0.28	135	0.016	<1	1.36	0.004	0.04	<0.1	0.13	3.9	<0.1	<0.05	5	<0.5	<0.2
2059810	Soil	37	1.02	364	0.077	<1	2.04	0.009	0.04	0.1	0.02	10.2	<0.1	<0.05	6	<0.5	<0.2
REP 2059810	QC	38	1.02	368	0.077	<1	2.02	0.009	0.04	0.1	0.01	10.3	<0.1	<0.05	6	<0.5	<0.2
2059846	Soil	21	0.17	365	0.005	3	0.59	0.032	0.19	<0.1	0.64	0.7	0.4	0.75	3	13.4	<0.2
REP 2059846	QC	22	0.18	347	0.004	2	0.59	0.032	0.20	<0.1	0.68	0.8	0.4	0.77	3	11.6	<0.2
2059882	Soil	35	0.37	192	<0.001	<1	1.81	0.004	0.06	<0.1	0.28	5.9	0.1	0.09	5	2.2	0.2
REP 2059882	QC	35	0.37	194	<0.001	<1	1.80	0.004	0.06	<0.1	0.31	5.6	0.1	0.09	5	2.9	0.2
2059918	Soil	32	0.61	140	0.002	1	1.21	0.017	0.13	<0.1	1.74	3.8	0.7	0.14	3	9.9	<0.2
REP 2059918	QC	34	0.64	142	0.002	1	1.17	0.018	0.14	<0.1	1.84	3.6	0.7	0.14	3	9.4	<0.2
2059954	Soil	22	0.16	186	<0.001	<1	1.05	0.006	0.05	<0.1	0.16	2.7	0.1	<0.05	4	1.8	<0.2
REP 2059954	QC	23	0.17	189	<0.001	<1	1.13	0.006	0.05	<0.1	0.17	2.9	0.1	<0.05	4	1.6	<0.2
2059989	Soil	30	0.45	78	0.016	<1	1.71	0.005	0.06	<0.1	0.03	2.6	0.1	<0.05	6	<0.5	<0.2
REP 2059989	QC	30	0.45	77	0.017	<1	1.67	0.005	0.06	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	59	0.79	358	0.086	6	1.06	0.065	0.36	3.0	0.25	3.1	4.9	0.26	5	2.3	4.6
STD DS11	Standard	60	0.78	356	0.088	7	1.07	0.067	0.37	2.8	0.26	3.1	4.8	0.24	5	2.5	4.3
STD DS11	Standard	58	0.79	325	0.084	6	1.04	0.067	0.37	3.1	0.25	3.2	4.8	0.25	5	2.3	4.5
STD DS11	Standard	60	0.83	375	0.091	7	1.15	0.075	0.39	3.1	0.26	3.3	4.8	0.26	5	2.3	4.5
STD DS11	Standard	59	0.79	365	0.090	9	1.07	0.068	0.38	2.9	0.26	3.2	4.8	0.26	5	1.8	4.5
STD DS11	Standard	59	0.83	328	0.089	7	1.10	0.074	0.39	3.2	0.24	3.3	4.9	0.25	5	1.8	4.7
STD DS11	Standard	62	0.86	377	0.099	5	1.20	0.071	0.41	2.9	0.25	3.3	4.9	0.30	5	2.0	4.4
STD DS11	Standard	60	0.86	378	0.095	8	1.16	0.069	0.40	3.0	0.29	3.2	4.8	0.28	5	2.7	4.6
STD DS11	Standard	60	0.87	416	0.103	7	1.22	0.076	0.38	3.1	0.30	3.3	4.8	0.28	6	2.6	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000890.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.2	25.7	6.0	40	<0.1	79.3	20.6	423	3.17	0.5	207.4	1.7	175	<0.1	<0.1	<0.1	55	0.61	0.099	12
STD OXC129	Standard	1.4	26.9	5.9	41	<0.1	82.3	20.3	417	3.03	0.7	200.3	1.6	179	<0.1	<0.1	<0.1	54	0.66	0.092	12
STD OXC129	Standard	1.3	26.9	5.9	41	<0.1	80.8	20.8	434	3.13	0.8	204.8	1.8	194	<0.1	<0.1	<0.1	57	0.69	0.094	12
STD OXC129	Standard	1.3	27.3	6.1	44	<0.1	83.2	21.1	452	3.26	1.1	209.4	1.8	200	<0.1	<0.1	<0.1	57	0.69	0.104	12
STD OXC129	Standard	1.3	26.5	5.9	41	<0.1	78.4	20.6	401	3.04	<0.5	197.3	1.8	186	<0.1	<0.1	<0.1	53	0.67	0.097	12
STD OXC129	Standard	1.2	27.3	5.9	41	<0.1	81.9	20.6	403	3.04	0.9	193.4	1.8	179	<0.1	<0.1	<0.1	55	0.68	0.102	12
STD OXC129	Standard	1.6	27.2	6.2	41	<0.1	84.6	21.4	446	3.18	0.9	201.9	1.8	221	<0.1	<0.1	<0.1	57	0.75	0.104	13
STD OXC129	Standard	1.4	28.6	6.2	43	<0.1	86.7	22.2	457	3.32	0.9	210.6	1.8	222	<0.1	<0.1	<0.1	58	0.74	0.104	13
STD OXC129	Standard	1.4	26.5	6.1	46	<0.1	81.7	21.5	458	3.14	0.5	199.5	1.8	205	<0.1	<0.1	<0.1	59	0.74	0.104	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000890.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	51	1.50	49	0.388	2	1.45	0.572	0.36	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.52	48	0.380	<1	1.50	0.559	0.34	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.51	50	0.410	<1	1.52	0.579	0.35	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.61	51	0.420	2	1.64	0.608	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.50	49	0.401	1	1.48	0.558	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.51	49	0.417	<1	1.55	0.574	0.35	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.61	52	0.418	2	1.64	0.600	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.66	54	0.430	3	1.66	0.628	0.38	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	57	1.59	52	0.426	<1	1.66	0.643	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 02, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000891.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	320

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	320	Save all or part of Soil Reject			WHI
SLBHP	320	Sort, label and box pulps			WHI
AQ201	318	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060512	Soil	3.0	209.0	42.9	248	0.5	82.9	19.2	1137	5.62	24.2	5.5	7.3	61	1.7	1.5	0.7	29	0.05	0.163	29
2060513	Soil	3.1	69.9	35.4	107	0.1	37.5	5.0	195	5.34	19.4	1.1	7.5	42	0.2	0.9	0.5	23	0.01	0.116	28
2060514	Soil	1.7	81.1	29.0	144	0.1	58.7	18.7	533	4.61	11.6	1.6	9.1	42	0.4	0.7	0.4	32	0.08	0.101	26
2060515	Soil	6.9	55.7	30.6	113	0.2	54.0	28.8	1050	5.00	25.2	<0.5	6.7	52	0.5	0.9	0.6	25	0.31	0.175	26
2060516	Soil	7.3	49.4	29.4	122	0.3	62.5	25.2	810	4.55	21.4	<0.5	9.7	52	0.6	0.9	0.4	21	0.44	0.203	24
2060517	Soil	12.6	72.7	26.1	203	1.1	66.2	14.3	293	3.59	18.5	5.6	6.3	35	2.5	3.9	0.4	26	0.44	0.197	34
2060518	Soil	13.3	97.9	13.9	194	1.1	61.6	14.0	489	3.55	10.6	11.9	2.3	19	1.6	2.1	0.3	38	0.07	0.093	14
2060519	Soil	14.6	64.5	29.8	191	0.4	66.8	17.4	407	4.51	27.8	6.3	2.8	42	1.1	3.1	0.4	29	0.37	0.255	28
2060520	Soil	10.3	23.9	12.4	78	0.3	26.4	4.2	59	2.21	12.5	2.5	2.1	15	0.2	1.3	0.2	40	0.18	0.129	24
2060521	Soil	10.2	35.6	14.7	110	0.5	38.3	6.9	111	2.84	14.5	4.1	4.0	33	0.3	1.5	0.3	50	0.36	0.215	22
2060522	Soil	12.7	63.4	38.5	207	1.1	63.9	15.2	408	4.05	28.3	5.0	6.8	95	2.2	4.1	0.4	24	0.74	0.303	23
2060523	Soil	13.0	64.9	29.3	183	0.9	69.2	14.3	309	3.65	20.2	4.4	5.5	68	1.9	3.0	0.4	24	0.65	0.255	24
2060524	Soil	12.6	64.9	25.7	192	1.2	68.7	14.2	287	3.70	16.7	5.7	5.3	55	1.5	2.9	0.4	31	0.64	0.273	23
2060525	Soil	5.9	43.3	31.2	132	0.2	66.0	23.2	279	5.40	24.0	0.6	8.6	45	0.3	0.7	0.4	32	0.08	0.144	21
2060526	Soil	3.4	24.6	19.8	66	<0.1	25.3	5.5	118	3.69	15.3	1.0	3.5	13	0.1	0.5	0.3	38	0.04	0.074	17
2060527	Soil	1.4	18.2	13.5	52	<0.1	20.2	6.7	197	3.27	12.2	1.4	4.5	9	0.1	0.6	0.2	53	0.06	0.039	15
2060528	Soil	1.7	21.5	18.3	162	0.4	36.0	14.9	677	6.71	15.2	1.5	1.4	18	0.1	0.4	0.4	36	0.13	0.106	9
2060529	Soil	1.4	24.6	12.8	76	0.2	29.1	11.1	261	2.75	12.9	2.0	2.1	11	0.1	0.6	0.2	39	0.11	0.066	14
2060530	Soil	1.5	11.4	26.6	174	0.4	37.6	18.2	1109	12.21	19.8	1.2	1.9	20	<0.1	0.5	0.3	30	0.04	0.125	8
2060531	Soil	1.0	32.9	11.4	77	0.5	43.7	9.9	435	3.23	12.7	3.3	1.3	15	0.1	0.5	0.2	41	0.16	0.059	13
2060532	Soil	0.8	10.7	7.0	317	0.2	147.7	264.6	>10000	32.37	6.6	2.0	1.9	6	1.3	0.3	<0.1	24	0.04	0.046	3
2060533	Soil	1.3	11.3	13.0	48	<0.1	12.2	5.9	243	2.66	11.5	2.2	0.5	8	0.1	0.5	0.2	49	0.06	0.047	11
2060534	Soil	1.4	15.8	17.4	45	0.3	14.0	4.7	178	2.16	12.1	2.4	0.2	11	0.1	0.5	0.2	41	0.06	0.081	11
2060535	Soil	1.2	6.8	11.0	24	0.2	5.2	1.8	50	1.09	7.4	<0.5	0.2	7	<0.1	0.3	0.3	52	0.04	0.047	11
2060536	Soil	2.0	36.5	28.8	51	0.5	18.4	4.5	223	3.02	18.1	2.9	2.5	15	<0.1	0.6	0.4	42	0.06	0.092	11
2060537	Soil	1.4	22.3	17.2	60	0.2	19.7	6.1	211	2.83	16.5	1.1	1.3	12	0.2	0.6	0.2	43	0.07	0.068	12
2060538	Soil	1.3	21.9	25.0	90	0.8	42.0	17.0	365	2.62	15.7	2.6	2.5	24	0.2	0.5	0.3	34	0.02	0.058	8
2060539	Soil	1.5	26.5	20.5	79	0.4	27.9	7.2	243	3.00	14.4	3.2	0.5	15	0.2	0.4	0.3	36	0.03	0.083	9
2060540	Soil	1.0	19.5	12.0	69	0.1	36.6	9.8	283	2.51	11.1	3.6	1.4	10	0.1	0.5	0.2	47	0.09	0.061	15
2060541	Soil	0.8	17.1	12.7	74	<0.1	34.6	17.8	683	2.57	11.8	4.6	0.9	11	0.2	0.5	0.2	42	0.11	0.055	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060512	Soil	28	0.65	208	0.002	2	2.08	0.011	0.04	<0.1	0.11	3.9	0.1	<0.05	4	2.2	<0.2
2060513	Soil	27	0.66	191	<0.001	<1	1.48	0.013	0.05	<0.1	0.09	1.9	<0.1	0.07	4	0.8	<0.2
2060514	Soil	32	0.90	231	0.004	2	2.05	0.010	0.05	<0.1	0.07	2.6	<0.1	0.07	5	<0.5	<0.2
2060515	Soil	28	0.87	82	0.001	2	1.65	0.014	0.05	<0.1	0.06	2.4	0.1	0.09	4	1.0	<0.2
2060516	Soil	21	0.78	114	0.002	1	1.35	0.016	0.06	<0.1	0.27	3.2	0.2	0.11	3	1.1	<0.2
2060517	Soil	29	0.47	117	0.004	1	1.12	0.006	0.05	<0.1	0.77	2.7	0.3	<0.05	3	3.2	<0.2
2060518	Soil	22	0.19	191	0.009	1	1.31	0.010	0.06	<0.1	0.32	3.2	0.3	<0.05	3	4.9	<0.2
2060519	Soil	21	0.30	139	0.003	2	1.13	0.016	0.06	<0.1	0.69	1.7	0.5	0.10	3	3.5	<0.2
2060520	Soil	15	0.20	126	0.006	<1	1.02	0.003	0.04	<0.1	0.16	1.4	0.4	<0.05	4	1.9	<0.2
2060521	Soil	23	0.30	157	0.008	1	1.32	0.005	0.05	<0.1	0.34	2.3	0.4	<0.05	4	2.2	<0.2
2060522	Soil	28	0.50	156	0.001	2	1.05	0.017	0.09	<0.1	1.52	3.0	0.8	0.26	2	2.2	<0.2
2060523	Soil	28	0.49	196	0.001	2	1.10	0.008	0.08	<0.1	1.02	2.9	0.5	0.19	3	2.7	<0.2
2060524	Soil	36	0.67	191	0.001	2	1.37	0.007	0.07	<0.1	0.52	2.7	0.4	0.09	3	2.9	<0.2
2060525	Soil	32	0.82	196	0.004	1	2.39	0.012	0.08	<0.1	0.16	3.3	0.2	0.18	5	1.4	<0.2
2060526	Soil	25	0.46	67	0.006	<1	1.54	0.006	0.04	<0.1	0.05	1.8	0.1	<0.05	5	<0.5	<0.2
2060527	Soil	30	0.40	68	0.033	2	1.67	0.005	0.04	0.1	0.05	2.6	0.1	<0.05	5	0.5	<0.2
2060528	Soil	25	0.22	195	0.008	1	1.51	0.006	0.04	<0.1	0.10	2.7	0.2	<0.05	4	2.2	<0.2
2060529	Soil	24	0.31	73	0.031	<1	1.33	0.005	0.04	0.2	0.07	2.4	0.1	<0.05	4	0.8	<0.2
2060530	Soil	22	0.08	133	0.004	<1	1.21	0.003	0.02	<0.1	0.68	3.0	0.1	<0.05	4	1.5	<0.2
2060531	Soil	26	0.40	194	0.027	2	1.52	0.006	0.04	0.1	0.12	2.9	0.1	<0.05	4	0.6	<0.2
2060532	Soil	11	0.04	369	0.028	<1	0.58	0.002	0.03	<0.1	0.05	2.2	0.2	0.16	2	0.6	<0.2
2060533	Soil	24	0.25	55	0.026	<1	1.50	0.004	0.04	0.2	0.08	1.3	0.1	<0.05	5	0.9	<0.2
2060534	Soil	24	0.24	86	0.012	<1	1.26	0.006	0.04	0.1	0.06	0.8	0.1	<0.05	5	0.6	<0.2
2060535	Soil	13	0.06	47	0.016	1	0.59	0.004	0.03	0.1	0.06	0.6	0.1	<0.05	6	<0.5	<0.2
2060536	Soil	29	0.26	118	0.008	<1	1.69	0.004	0.04	<0.1	0.19	3.5	0.1	<0.05	5	1.6	<0.2
2060537	Soil	25	0.31	98	0.019	<1	1.37	0.005	0.04	0.1	0.06	2.4	0.1	<0.05	4	1.1	<0.2
2060538	Soil	22	0.21	150	0.002	<1	1.35	0.003	0.03	<0.1	0.16	2.5	<0.1	<0.05	4	0.7	<0.2
2060539	Soil	22	0.19	111	0.004	1	1.23	0.004	0.03	<0.1	0.08	1.5	<0.1	<0.05	4	1.1	<0.2
2060540	Soil	29	0.40	137	0.029	2	1.63	0.005	0.04	0.2	0.07	2.7	0.1	<0.05	5	0.5	<0.2
2060541	Soil	26	0.31	164	0.023	1	1.34	0.005	0.04	0.1	0.05	1.8	<0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060542	Soil	1.1	23.3	12.0	63	0.2	21.4	6.2	194	2.37	11.9	5.0	1.6	11	0.1	0.5	0.2	41	0.10	0.059	14
2060543	Soil	1.6	49.8	15.8	61	0.9	21.1	10.6	336	2.95	14.3	3.0	0.6	10	0.1	0.7	0.3	47	0.07	0.078	13
2060544	Soil	1.3	20.9	12.9	57	0.3	18.1	6.6	212	2.39	11.1	1.2	0.5	9	0.1	0.5	0.2	42	0.08	0.067	10
2060545	Soil	1.7	14.6	13.3	45	0.2	12.9	6.6	230	2.50	10.5	1.2	0.2	10	0.1	0.5	0.2	53	0.07	0.070	10
2060546	Soil	1.4	33.1	14.0	77	0.4	26.3	9.6	291	3.08	13.4	3.5	2.9	13	0.1	0.7	0.2	51	0.11	0.070	14
2060547	Soil	1.5	13.6	12.0	47	0.2	14.1	4.8	183	2.18	10.9	3.3	0.8	9	<0.1	0.5	0.2	39	0.06	0.047	10
2060548	Soil	1.3	15.2	12.0	57	0.1	14.4	6.8	301	2.59	12.6	6.0	0.4	10	0.2	0.5	0.3	49	0.07	0.071	13
2060549	Soil	1.4	13.7	13.7	57	0.4	14.1	8.1	426	7.87	11.8	10.2	3.2	11	<0.1	0.7	0.3	37	0.03	0.058	8
2060550	Soil	1.1	11.7	12.1	122	0.5	30.4	10.6	480	7.95	9.3	3.9	1.5	10	0.1	0.5	0.2	36	0.08	0.056	10
2060551	Soil	0.9	21.7	23.8	85	0.6	26.9	7.2	145	3.10	13.0	2.6	4.6	19	0.1	0.3	0.4	43	0.01	0.067	9
2060552	Soil	1.0	19.2	12.5	87	0.2	38.9	13.4	511	2.65	10.9	4.9	1.5	16	0.1	0.6	0.3	42	0.10	0.064	14
2060553	Soil	2.1	19.6	25.2	41	0.2	12.4	2.9	137	2.48	17.2	2.7	0.4	13	<0.1	0.8	0.4	51	0.03	0.056	11
2060554	Soil	1.3	34.3	28.6	81	0.7	31.0	4.5	141	3.10	15.6	2.8	3.4	39	0.1	0.5	0.4	39	0.07	0.077	9
2060555	Soil	2.0	55.8	13.1	161	0.6	69.8	34.8	270	2.08	15.4	0.8	5.4	7	0.2	0.4	0.3	27	0.02	0.038	4
2060556	Soil	1.5	13.4	12.3	58	0.1	14.8	6.7	378	2.50	11.8	3.5	0.4	9	0.2	0.6	0.2	54	0.09	0.069	14
2060557	Soil	1.3	46.8	22.2	81	0.3	30.2	8.7	343	3.38	14.9	2.3	0.7	16	0.2	0.6	0.3	38	0.07	0.108	13
2060558	Soil	1.1	21.2	21.1	84	0.5	43.5	11.2	268	3.27	13.4	4.8	0.5	33	<0.1	0.4	0.3	36	0.12	0.095	12
2060559	Soil	1.0	20.6	13.6	208	0.3	107.1	34.5	913	7.84	12.4	2.3	1.9	19	0.2	0.5	0.2	36	0.14	0.068	10
2060560	Soil	1.2	30.3	16.6	95	1.0	61.6	29.7	2102	4.32	17.0	5.9	2.9	17	0.2	0.6	0.3	39	0.10	0.061	12
2060561	Soil	1.0	21.9	11.3	75	0.4	26.9	5.8	255	3.58	10.5	4.4	1.0	14	0.1	0.5	0.2	43	0.11	0.082	13
2060562	Soil	0.9	11.6	10.5	51	0.2	14.6	4.3	225	2.24	10.2	2.4	0.4	13	0.3	0.4	0.2	42	0.12	0.051	12
2060563	Soil	0.7	12.7	6.7	181	0.2	49.3	187.3	6797	26.63	7.3	1.8	2.0	8	0.2	0.3	<0.1	22	0.06	0.040	5
2060564	Soil	1.0	16.2	11.9	62	0.3	17.3	6.5	123	5.67	10.9	7.4	1.5	10	<0.1	0.6	0.2	37	0.07	0.057	12
2060565	Soil	1.4	21.2	12.3	52	0.2	16.9	6.5	235	2.53	10.7	3.9	1.4	10	0.2	0.6	0.2	37	0.06	0.049	12
2060566	Soil	0.8	12.9	8.5	125	0.3	15.4	29.3	680	19.19	9.5	4.2	3.1	7	<0.1	0.4	0.1	27	0.03	0.049	6
2060567	Soil	0.7	11.0	7.2	190	0.6	57.9	6.9	341	16.17	7.0	3.5	2.9	9	0.5	0.4	0.2	29	0.08	0.054	8
2060568	Soil	2.3	25.6	18.8	91	0.3	35.9	9.0	420	3.09	7.7	1.1	3.4	24	0.1	0.3	0.3	17	0.32	0.115	19
2060569	Soil	0.9	19.1	13.5	56	0.2	24.5	5.6	153	1.96	8.3	2.8	2.1	19	0.2	0.5	0.2	29	0.12	0.076	11
2060570	Soil	1.2	23.9	19.3	76	0.2	40.7	9.5	173	2.43	11.7	2.6	3.7	16	0.4	0.7	0.2	22	0.09	0.083	8
2060571	Soil	1.2	29.1	9.5	88	<0.1	29.3	10.0	337	2.44	10.0	2.2	4.5	21	0.3	0.8	0.1	46	0.25	0.096	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060542	Soil	25	0.32	90	0.025	<1	1.37	0.005	0.04	0.2	0.07	2.5	<0.1	<0.05	4	0.7	<0.2
2060543	Soil	29	0.39	97	0.020	<1	1.87	0.006	0.04	0.2	0.12	2.1	0.2	<0.05	5	2.1	<0.2
2060544	Soil	23	0.32	94	0.021	2	1.34	0.005	0.04	0.1	0.07	1.6	0.1	<0.05	4	0.8	<0.2
2060545	Soil	26	0.25	78	0.022	<1	1.18	0.005	0.04	0.1	0.07	0.8	0.2	<0.05	6	1.0	<0.2
2060546	Soil	33	0.47	102	0.048	2	1.75	0.007	0.05	0.2	0.10	3.4	0.1	<0.05	5	2.7	<0.2
2060547	Soil	22	0.25	72	0.025	1	0.99	0.004	0.04	0.2	0.06	1.5	<0.1	<0.05	4	0.9	<0.2
2060548	Soil	25	0.37	73	0.023	3	1.50	0.006	0.05	0.1	0.05	1.4	0.1	<0.05	5	<0.5	<0.2
2060549	Soil	18	0.15	140	0.041	<1	0.72	0.004	0.05	0.1	0.11	2.1	<0.1	<0.05	4	0.7	<0.2
2060550	Soil	19	0.19	149	0.019	<1	1.13	0.004	0.03	0.1	0.09	2.6	0.1	<0.05	5	1.0	<0.2
2060551	Soil	27	0.16	155	<0.001	1	1.74	0.004	0.07	<0.1	0.12	3.8	<0.1	<0.05	5	0.8	<0.2
2060552	Soil	27	0.40	161	0.019	<1	1.66	0.005	0.04	0.1	0.05	2.6	0.1	<0.05	5	<0.5	<0.2
2060553	Soil	23	0.19	56	0.010	<1	1.10	0.004	0.03	0.1	0.05	0.7	0.1	<0.05	6	1.2	<0.2
2060554	Soil	26	0.29	251	0.002	<1	1.68	0.005	0.05	<0.1	0.11	3.8	<0.1	<0.05	5	1.4	<0.2
2060555	Soil	18	0.09	86	<0.001	<1	1.22	0.003	0.03	<0.1	0.17	3.4	<0.1	<0.05	3	2.3	<0.2
2060556	Soil	23	0.27	64	0.027	1	1.35	0.007	0.04	0.2	0.05	1.1	0.1	<0.05	6	0.6	<0.2
2060557	Soil	24	0.27	86	0.010	<1	1.45	0.005	0.05	<0.1	0.04	1.6	<0.1	<0.05	4	1.1	<0.2
2060558	Soil	23	0.27	156	0.006	<1	1.45	0.005	0.04	<0.1	0.10	1.5	0.1	<0.05	5	0.9	<0.2
2060559	Soil	21	0.25	262	0.011	<1	1.32	0.005	0.03	<0.1	0.08	3.3	0.1	<0.05	4	1.0	<0.2
2060560	Soil	24	0.31	218	0.019	<1	1.39	0.005	0.04	0.1	0.09	3.4	0.1	<0.05	4	0.5	<0.2
2060561	Soil	26	0.40	189	0.019	1	1.73	0.005	0.04	0.1	0.05	2.2	0.1	<0.05	5	1.5	<0.2
2060562	Soil	20	0.30	145	0.021	<1	1.12	0.006	0.05	0.1	0.04	1.0	0.1	<0.05	5	<0.5	<0.2
2060563	Soil	12	0.11	186	0.018	<1	0.70	0.004	0.03	<0.1	0.05	2.1	0.2	0.15	2	0.8	<0.2
2060564	Soil	22	0.29	107	0.021	<1	1.35	0.005	0.03	0.1	0.10	2.8	0.1	<0.05	4	1.0	<0.2
2060565	Soil	22	0.29	51	0.026	<1	1.14	0.005	0.04	0.1	0.06	2.0	0.1	<0.05	4	1.0	<0.2
2060566	Soil	15	0.11	52	0.033	1	0.74	0.003	0.03	<0.1	0.06	3.0	<0.1	0.06	3	0.6	<0.2
2060567	Soil	15	0.07	113	0.025	<1	0.63	0.003	0.03	<0.1	0.05	3.1	<0.1	<0.05	4	0.5	<0.2
2060568	Soil	20	0.64	292	0.002	<1	1.38	0.005	0.05	<0.1	0.10	1.8	0.1	<0.05	3	0.7	<0.2
2060569	Soil	19	0.24	70	0.018	<1	1.16	0.005	0.03	<0.1	0.04	2.2	<0.1	<0.05	3	0.8	<0.2
2060570	Soil	18	0.17	61	0.014	<1	1.08	0.004	0.03	<0.1	0.04	2.2	<0.1	<0.05	3	0.8	<0.2
2060571	Soil	25	0.47	94	0.057	1	1.39	0.008	0.06	0.2	0.03	3.2	0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060572	Soil	2.3	26.3	30.5	55	0.8	21.1	6.5	221	2.73	24.1	6.8	4.3	50	0.3	1.0	0.3	38	0.15	0.104	13
2060573	Soil	1.3	19.8	13.8	57	0.2	19.7	7.2	285	2.47	12.7	2.9	0.5	14	0.3	0.7	0.2	41	0.11	0.079	14
2060574	Soil	0.9	26.6	28.4	99	0.3	66.5	22.0	461	2.85	7.5	0.6	5.0	29	0.3	0.4	0.4	28	0.26	0.123	9
2060575	Soil	0.8	16.4	15.1	45	0.1	15.8	5.5	222	2.22	11.7	2.6	0.4	11	0.3	0.6	0.2	36	0.06	0.055	13
2060576	Soil	1.3	18.9	11.7	58	0.1	19.8	7.9	305	2.71	13.9	1.9	1.2	18	0.1	0.8	0.2	46	0.18	0.081	15
2060577	Soil	1.3	25.0	30.9	49	0.5	15.8	4.9	167	2.61	21.1	1.7	5.8	37	0.2	0.7	0.4	35	0.11	0.122	12
2060578	Soil	1.5	24.6	20.2	53	0.3	16.8	5.4	238	2.89	18.9	2.4	1.3	23	0.3	0.8	0.3	43	0.09	0.089	13
2060579	Soil	2.0	30.3	33.4	48	0.7	19.5	3.8	172	2.83	30.8	2.7	5.2	34	0.3	0.8	0.4	42	0.11	0.172	11
2060580	Soil	5.5	23.6	31.2	32	1.2	7.8	1.4	59	2.36	26.4	8.0	1.1	29	<0.1	1.2	0.3	31	0.02	0.090	7
2060581	Soil	2.6	45.7	25.8	54	0.7	21.5	6.0	359	3.31	26.6	3.5	2.5	27	0.2	1.2	0.3	49	0.11	0.217	14
2060582	Soil	<0.1	7.2	2.2	5	<0.1	2.2	0.3	20	0.79	0.9	0.6	1.0	10	<0.1	<0.1	<0.1	4	<0.01	0.026	1
2060583	Soil	1.4	28.1	15.4	32	0.4	11.2	2.9	119	2.20	17.1	2.5	1.4	16	0.2	1.1	0.2	32	0.07	0.101	9
2060584	Soil	2.8	54.9	28.9	43	1.3	12.9	3.6	133	4.18	38.5	2.7	8.5	24	0.1	1.3	0.4	49	0.07	0.130	7
2060585	Soil	1.8	29.2	33.5	41	0.7	13.3	4.7	226	2.07	18.9	2.6	6.5	63	0.2	0.9	0.4	35	0.11	0.103	15
2060586	Soil	3.6	39.5	24.1	7	0.9	2.6	0.3	5	1.68	18.2	6.1	8.0	203	<0.1	1.5	0.4	34	0.03	0.072	3
2060587	Soil	1.1	10.2	23.2	8	0.6	4.9	0.3	6	2.07	14.6	2.9	5.3	54	<0.1	0.5	0.3	20	0.01	0.100	5
2060588	Soil	1.4	26.8	11.1	83	0.1	26.0	8.0	388	2.67	13.3	13.1	3.3	25	0.4	0.8	0.2	46	0.21	0.118	16
2060589	Soil	5.1	25.6	29.1	50	1.7	10.1	2.2	57	1.77	20.3	6.1	0.7	19	<0.1	0.9	0.3	14	0.01	0.077	3
2060590	Soil	1.7	28.7	21.7	59	0.4	20.3	6.7	327	2.57	16.0	4.3	5.8	23	0.2	1.0	0.3	42	0.15	0.109	16
2060591	Soil	2.3	38.0	38.8	61	0.9	20.8	4.9	210	3.14	27.1	2.8	3.1	47	0.2	0.8	0.4	36	0.07	0.199	14
2060592	Soil	1.8	22.5	23.8	38	0.4	12.7	2.5	101	2.93	18.0	3.2	0.7	37	0.1	0.7	0.3	39	0.05	0.121	10
2060593	Soil	1.8	18.8	15.4	50	0.3	17.0	4.4	213	2.82	20.0	5.5	1.4	16	0.1	0.8	0.3	46	0.12	0.079	14
2060594	Soil	2.7	32.1	14.6	64	0.2	26.1	7.8	319	2.71	13.2	5.6	1.7	16	0.2	0.8	0.2	40	0.09	0.057	12
2060595	Soil	11.8	30.2	32.1	25	0.7	7.0	1.2	48	2.14	19.3	3.8	3.8	23	<0.1	1.0	0.3	16	0.05	0.041	2
2060596	Soil	6.4	24.8	17.0	28	0.5	8.3	2.0	91	1.74	10.5	5.8	1.5	17	<0.1	0.7	0.2	22	0.04	0.036	5
2060597	Soil	3.1	30.2	16.3	66	0.5	25.1	6.4	171	2.09	10.8	3.5	1.8	20	0.5	0.7	0.2	25	0.12	0.095	8
2060598	Soil	6.4	36.0	17.4	51	0.8	19.1	3.3	105	1.82	10.1	8.1	2.3	21	0.3	0.6	0.2	20	0.08	0.050	4
2060599	Soil	8.2	40.1	13.7	60	1.0	24.7	4.2	157	1.82	7.0	9.2	2.1	18	0.4	0.6	0.2	16	0.12	0.047	4
2060600	Soil	3.4	31.5	17.3	67	0.7	29.6	5.0	120	2.06	10.4	3.0	4.5	18	0.3	0.5	0.2	18	0.13	0.064	4
2060601	Soil	1.1	89.8	14.6	80	0.3	36.2	18.1	1410	2.25	7.4	3.6	8.3	37	<0.1	0.2	0.3	17	0.05	0.033	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060572	Soil	22	0.30	239	0.023	<1	1.06	0.013	0.10	0.2	0.27	3.2	0.2	0.14	4	1.1	<0.2
2060573	Soil	24	0.33	75	0.019	<1	1.28	0.006	0.04	<0.1	0.06	1.4	0.1	<0.05	3	1.2	<0.2
2060574	Soil	26	0.17	45	0.001	<1	1.67	0.004	0.03	<0.1	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
2060575	Soil	21	0.24	62	0.014	<1	1.14	0.005	0.04	0.1	0.04	1.0	<0.1	<0.05	4	0.6	<0.2
2060576	Soil	27	0.42	96	0.033	1	1.42	0.008	0.04	0.2	0.05	2.1	0.1	<0.05	5	0.7	<0.2
2060577	Soil	19	0.16	191	0.009	<1	0.83	0.005	0.06	<0.1	0.13	3.9	0.1	<0.05	3	0.8	<0.2
2060578	Soil	23	0.21	129	0.015	<1	1.05	0.006	0.05	0.1	0.08	2.1	0.1	<0.05	4	1.1	<0.2
2060579	Soil	29	0.23	122	0.009	<1	1.45	0.005	0.06	<0.1	0.14	3.5	0.1	<0.05	5	1.5	<0.2
2060580	Soil	20	0.07	149	0.003	<1	0.65	0.007	0.06	<0.1	0.10	2.1	0.1	0.06	3	3.7	<0.2
2060581	Soil	31	0.27	96	0.020	<1	1.27	0.007	0.07	0.1	0.16	4.2	0.2	<0.05	4	2.2	<0.2
2060582	Soil	4	<0.01	34	0.002	<1	0.16	<0.001	<0.01	<0.1	0.02	1.1	<0.1	<0.05	<1	<0.5	<0.2
2060583	Soil	19	0.16	51	0.014	<1	0.78	0.004	0.03	<0.1	0.05	2.2	<0.1	<0.05	3	1.4	<0.2
2060584	Soil	33	0.13	119	0.010	2	0.87	0.003	0.05	<0.1	0.35	4.5	0.1	<0.05	7	3.3	<0.2
2060585	Soil	22	0.19	250	0.019	3	0.92	0.007	0.08	<0.1	0.39	3.8	0.1	0.10	5	1.9	<0.2
2060586	Soil	38	<0.01	256	0.002	1	0.45	0.001	0.01	<0.1	2.46	2.4	<0.1	<0.05	5	6.9	<0.2
2060587	Soil	17	<0.01	89	<0.001	1	0.25	0.002	0.01	<0.1	0.26	1.3	<0.1	<0.05	3	1.0	<0.2
2060588	Soil	25	0.33	104	0.034	2	1.23	0.007	0.05	0.3	0.07	2.6	0.1	<0.05	4	1.1	<0.2
2060589	Soil	14	0.02	102	<0.001	1	0.35	0.005	0.06	<0.1	0.29	1.9	0.1	<0.05	2	4.8	<0.2
2060590	Soil	22	0.28	125	0.032	2	1.13	0.007	0.06	0.1	0.11	3.2	0.1	<0.05	4	1.4	<0.2
2060591	Soil	28	0.16	121	0.007	1	1.30	0.008	0.06	<0.1	0.10	3.6	0.2	<0.05	5	2.3	<0.2
2060592	Soil	23	0.13	130	0.005	<1	1.14	0.004	0.04	<0.1	0.09	1.1	0.1	<0.05	5	1.6	<0.2
2060593	Soil	28	0.30	93	0.021	1	1.47	0.005	0.04	0.1	0.08	2.4	0.1	<0.05	5	1.5	<0.2
2060594	Soil	25	0.33	120	0.017	1	1.51	0.009	0.05	0.1	0.08	2.1	0.1	<0.05	5	1.0	<0.2
2060595	Soil	17	0.04	79	<0.001	<1	0.35	0.011	0.05	<0.1	0.24	1.0	<0.1	0.07	2	2.3	<0.2
2060596	Soil	15	0.09	98	0.004	<1	0.54	0.009	0.04	<0.1	0.14	1.0	<0.1	<0.05	2	1.0	<0.2
2060597	Soil	19	0.16	78	0.007	<1	0.94	0.006	0.04	<0.1	0.08	1.6	<0.1	<0.05	3	0.8	<0.2
2060598	Soil	16	0.09	104	0.003	<1	0.59	0.007	0.05	<0.1	0.22	1.5	<0.1	<0.05	2	0.9	<0.2
2060599	Soil	13	0.08	86	0.004	<1	0.42	0.006	0.03	<0.1	0.22	1.9	<0.1	<0.05	2	1.4	<0.2
2060600	Soil	18	0.13	86	0.001	<1	0.73	0.005	0.03	<0.1	0.16	2.4	<0.1	<0.05	3	1.5	<0.2
2060601	Soil	7	0.06	1049	<0.001	1	0.35	0.002	0.07	<0.1	0.26	2.7	<0.1	<0.05	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060602	Soil	16.0	49.5	39.5	115	0.3	36.4	10.6	139	6.18	42.7	0.9	10.9	72	0.2	2.3	0.4	35	0.04	0.135	37
2060603	Soil	11.2	44.6	30.3	151	0.3	78.8	27.2	682	5.10	28.7	1.7	6.4	62	0.9	1.0	0.4	30	0.22	0.205	35
2060604	Soil	10.8	47.7	37.1	131	0.3	57.4	9.5	389	5.63	32.9	<0.5	10.9	74	0.2	0.8	0.4	32	0.56	0.313	32
2060605	Soil	15.5	33.6	28.7	112	0.3	35.4	10.5	259	4.57	30.1	1.0	4.1	50	0.3	1.0	0.4	32	0.11	0.190	33
2060606	Soil	11.4	29.0	33.3	41	<0.1	9.1	1.5	43	8.75	72.1	1.3	7.9	19	0.1	2.6	0.5	29	<0.01	0.124	36
2060607	Soil	3.1	113.6	38.0	189	2.5	81.4	14.3	76	5.06	24.8	4.5	11.5	71	0.3	1.3	0.5	33	0.16	0.082	3
2060608	Soil	3.8	75.8	27.4	116	1.4	43.8	7.2	477	3.28	23.0	8.9	1.3	41	0.2	1.4	0.4	24	0.07	0.077	5
2060609	Soil	7.0	51.4	29.1	120	1.2	58.5	22.8	356	4.08	19.2	1.3	11.2	27	0.4	0.8	0.3	23	0.67	0.227	56
2060610	Soil	4.8	36.3	21.9	85	0.2	44.0	18.9	435	3.94	16.4	2.4	5.9	20	0.3	0.6	0.3	19	0.49	0.293	49
2060611	Soil	6.9	30.4	25.7	76	0.2	38.2	17.8	367	3.36	15.6	1.1	4.7	21	0.5	0.7	0.3	16	0.42	0.247	45
2060612	Soil	3.6	39.5	29.0	98	0.1	48.2	23.0	612	4.89	16.9	1.6	6.8	14	0.4	0.6	0.4	20	0.39	0.245	41
2060613	Soil	1.2	23.5	10.4	80	<0.1	38.0	7.8	224	2.51	13.3	2.1	1.7	13	0.2	0.6	0.2	41	0.14	0.071	17
2060614	Soil	2.0	30.0	18.4	128	0.7	40.4	11.9	412	3.91	12.0	4.2	1.1	18	0.2	0.5	0.3	34	0.12	0.086	9
2060615	Soil	1.0	17.9	13.2	77	1.0	30.7	8.5	196	2.53	8.2	2.9	1.0	20	0.1	0.4	0.2	39	0.23	0.079	13
2060616	Soil	1.6	18.1	16.0	51	0.2	15.9	5.6	261	2.93	15.2	2.9	0.8	10	0.2	0.8	0.2	50	0.08	0.063	14
2060617	Soil	2.0	17.8	19.6	56	0.5	15.1	6.0	283	2.95	22.7	5.2	0.7	12	0.2	0.9	0.4	49	0.08	0.077	14
2060618	Soil	1.2	21.0	12.3	85	0.1	24.9	11.9	457	3.02	14.5	3.1	1.4	14	0.1	0.7	0.2	51	0.14	0.063	15
2060619	Soil	1.3	23.5	10.3	79	0.6	24.7	8.8	511	4.15	12.8	16.4	1.4	13	0.1	0.6	0.2	47	0.13	0.069	13
2060620	Soil	1.2	19.6	11.5	57	0.2	18.6	6.8	343	5.18	14.4	3.1	3.5	8	<0.1	0.8	0.3	39	0.05	0.060	11
2060621	Soil	0.9	14.7	9.8	353	0.3	113.8	75.6	4415	27.97	7.0	4.4	2.5	6	1.6	0.3	0.2	23	0.05	0.070	4
2060622	Soil	0.9	12.1	10.8	254	0.2	133.7	124.2	6612	16.56	10.0	3.4	2.5	9	0.8	0.4	0.2	27	0.08	0.054	7
2060623	Soil	1.3	11.8	16.9	42	0.8	12.1	3.0	105	4.69	9.7	3.2	1.3	8	<0.1	0.5	0.3	39	0.05	0.051	10
2060624	Soil	1.3	19.9	13.2	60	0.1	19.3	6.9	255	2.72	12.3	3.3	1.7	11	0.2	0.6	0.2	45	0.10	0.062	14
2060625	Soil	1.3	18.1	12.3	52	0.3	16.5	7.0	272	2.24	12.3	4.7	2.6	11	0.2	0.7	0.2	38	0.12	0.077	14
2060626	Soil	1.6	12.4	14.0	36	0.2	10.9	3.3	131	1.80	10.4	4.4	0.4	8	<0.1	0.5	0.2	39	0.06	0.047	11
2060627	Soil	2.0	12.5	16.8	41	<0.1	12.4	4.1	176	2.45	13.8	4.7	0.6	9	<0.1	0.6	0.3	51	0.06	0.045	11
2060628	Soil	1.8	14.8	16.3	43	0.1	12.9	4.6	193	2.64	12.1	2.9	0.3	8	<0.1	0.7	0.3	50	0.06	0.067	10
2060629	Soil	1.9	49.3	23.5	59	0.4	21.2	8.1	250	2.87	19.8	4.3	2.3	14	0.2	0.8	0.3	45	0.08	0.090	13
2060630	Soil	1.7	30.4	19.3	53	0.4	17.3	5.5	207	2.77	16.1	5.5	0.5	10	0.1	0.6	0.3	42	0.06	0.078	11
2060631	Soil	1.4	30.1	15.4	73	0.3	21.7	14.8	439	2.64	14.6	5.8	1.4	11	0.2	0.8	0.3	43	0.10	0.086	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060602	Soil	29	0.81	156	<0.001	<1	1.76	0.018	0.10	<0.1	0.36	3.3	0.4	0.23	6	2.7	<0.2
2060603	Soil	31	1.06	108	<0.001	1	2.64	0.015	0.09	<0.1	0.13	2.5	0.7	0.06	5	2.1	<0.2
2060604	Soil	36	1.36	101	<0.001	<1	2.31	0.019	0.10	<0.1	0.14	2.7	0.4	0.18	7	1.5	<0.2
2060605	Soil	26	0.68	82	0.002	<1	1.75	0.008	0.09	<0.1	0.08	1.3	0.4	0.06	6	1.5	<0.2
2060606	Soil	22	0.20	57	<0.001	<1	0.91	0.006	0.05	<0.1	0.31	1.2	0.5	<0.05	6	4.2	<0.2
2060607	Soil	32	0.09	310	<0.001	<1	1.25	0.008	0.06	<0.1	0.44	5.0	0.1	<0.05	3	4.2	<0.2
2060608	Soil	19	0.11	156	0.002	<1	0.68	0.007	0.06	<0.1	0.25	1.5	0.1	<0.05	2	3.7	<0.2
2060609	Soil	25	0.51	222	<0.001	3	1.83	0.007	0.19	<0.1	0.24	4.4	0.3	<0.05	5	0.9	<0.2
2060610	Soil	19	0.77	36	0.004	1	1.54	0.004	0.07	<0.1	0.13	1.9	0.1	<0.05	4	0.7	<0.2
2060611	Soil	20	0.71	53	0.001	1	1.42	0.007	0.07	<0.1	0.06	1.7	0.2	<0.05	4	0.7	<0.2
2060612	Soil	26	0.94	31	0.001	<1	1.66	0.004	0.06	<0.1	0.08	1.9	0.1	<0.05	5	0.7	<0.2
2060613	Soil	24	0.40	95	0.030	<1	1.61	0.006	0.04	0.2	0.06	2.5	0.1	<0.05	5	1.0	<0.2
2060614	Soil	25	0.21	187	0.005	<1	1.46	0.008	0.04	<0.1	0.13	2.5	0.2	<0.05	4	1.9	<0.2
2060615	Soil	28	0.40	264	0.016	1	1.55	0.007	0.04	<0.1	0.11	2.6	0.2	<0.05	5	0.5	<0.2
2060616	Soil	24	0.26	81	0.024	<1	1.41	0.005	0.04	0.1	0.08	1.7	0.1	<0.05	5	0.8	<0.2
2060617	Soil	28	0.32	90	0.021	1	1.40	0.006	0.05	<0.1	0.15	1.9	0.2	<0.05	5	1.3	<0.2
2060618	Soil	27	0.43	170	0.030	2	1.43	0.006	0.06	0.1	0.04	2.2	0.1	<0.05	5	0.9	<0.2
2060619	Soil	28	0.36	124	0.031	2	1.49	0.006	0.05	0.1	0.06	2.7	0.2	<0.05	5	1.2	<0.2
2060620	Soil	23	0.29	57	0.058	2	0.95	0.003	0.03	0.2	0.05	2.7	<0.1	<0.05	5	1.5	<0.2
2060621	Soil	12	0.06	214	0.023	1	0.84	0.005	0.03	<0.1	0.06	3.0	0.2	0.09	2	1.0	<0.2
2060622	Soil	15	0.18	345	0.024	6	0.83	0.004	0.03	<0.1	0.09	2.7	0.2	<0.05	3	1.0	<0.2
2060623	Soil	21	0.25	74	0.025	1	1.08	0.004	0.03	0.2	0.09	2.0	0.1	<0.05	5	<0.5	<0.2
2060624	Soil	27	0.41	82	0.032	2	1.57	0.005	0.04	0.2	0.07	2.5	0.1	<0.05	5	0.6	<0.2
2060625	Soil	24	0.34	84	0.028	<1	1.37	0.004	0.03	0.2	0.08	2.5	<0.1	<0.05	4	0.7	<0.2
2060626	Soil	21	0.21	69	0.019	1	1.02	0.005	0.03	0.2	0.06	1.0	0.1	<0.05	4	0.6	<0.2
2060627	Soil	24	0.25	87	0.025	2	1.24	0.005	0.04	0.1	0.05	1.4	0.2	<0.05	6	<0.5	<0.2
2060628	Soil	26	0.28	73	0.021	2	1.42	0.006	0.04	0.1	0.07	1.0	0.1	<0.05	6	0.8	<0.2
2060629	Soil	27	0.33	116	0.020	2	1.64	0.005	0.05	0.2	0.17	3.7	0.1	<0.05	4	2.5	<0.2
2060630	Soil	25	0.30	95	0.014	2	1.47	0.005	0.04	0.2	0.10	1.6	0.1	<0.05	4	1.3	<0.2
2060631	Soil	27	0.40	106	0.022	2	1.77	0.005	0.05	0.2	0.10	2.8	0.1	<0.05	5	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060632	Soil	1.1	28.9	12.1	68	0.2	21.3	7.6	248	2.63	13.5	1.6	2.6	12	0.3	0.7	0.2	39	0.10	0.078	13
2060633	Soil	1.2	38.5	10.1	366	0.3	235.5	205.1	9045	8.07	10.8	2.8	2.4	11	1.9	0.7	0.1	30	0.04	0.060	10
2060634	Soil	0.9	15.7	9.8	120	0.2	61.6	42.1	2497	2.96	7.1	4.0	1.1	26	0.7	0.4	0.2	35	0.27	0.085	10
2060635	Soil	2.1	26.0	26.2	50	0.3	18.0	5.8	226	2.88	22.4	2.6	0.4	13	0.2	0.9	0.3	45	0.05	0.082	10
2060636	Soil	1.2	21.1	14.5	53	0.2	18.6	5.1	185	2.39	15.6	4.2	2.1	16	<0.1	0.7	0.2	37	0.10	0.072	12
2060637	Soil	1.4	26.8	16.6	86	0.3	28.6	8.3	240	2.83	12.7	4.1	0.9	14	0.2	0.6	0.3	45	0.07	0.071	11
2060638	Soil	0.8	12.6	10.9	32	0.3	16.8	3.7	87	1.46	6.1	2.2	0.2	21	<0.1	0.4	0.2	30	0.23	0.087	9
2060639	Soil	1.2	24.0	12.3	155	0.2	82.2	23.9	387	4.69	13.5	5.2	3.6	19	0.1	0.5	0.2	35	0.20	0.067	14
2060640	Soil	1.1	22.3	11.7	133	0.3	72.4	21.9	382	4.06	12.7	3.1	3.2	19	<0.1	0.5	0.2	35	0.20	0.067	14
2060641	Soil	1.4	14.0	7.9	60	<0.1	53.5	20.9	975	4.98	13.0	2.4	1.0	23	<0.1	0.4	0.2	37	0.26	0.077	10
2060642	Soil	1.2	17.7	12.7	216	0.2	130.0	120.3	943	7.29	13.8	5.3	4.0	12	0.6	0.7	0.2	36	0.12	0.070	11
2060643	Soil	1.2	21.1	14.2	225	0.4	124.1	45.7	1210	7.45	12.1	3.5	2.1	22	0.2	0.5	0.3	36	0.19	0.077	10
2060644	Soil	0.8	25.3	9.7	97	0.3	56.1	12.8	501	2.53	11.4	7.8	2.7	13	<0.1	0.6	0.2	35	0.16	0.077	13
2060645	Soil	0.9	20.0	9.8	124	0.6	39.9	13.0	506	4.07	10.6	3.0	0.9	13	0.1	0.5	0.2	38	0.11	0.078	11
2060646	Soil	0.7	15.4	9.8	54	0.2	16.8	5.7	163	2.30	9.1	2.3	2.4	9	<0.1	0.6	0.2	38	0.08	0.041	13
2060647	Soil	1.1	16.3	13.4	85	0.6	18.4	11.5	520	5.91	10.8	3.7	1.3	10	<0.1	0.5	0.2	39	0.07	0.060	11
2060648	Soil	1.2	20.0	12.4	83	0.4	18.2	21.6	942	6.70	11.2	4.0	1.6	8	0.1	0.6	0.2	37	0.05	0.057	11
2060649	Soil	1.0	16.4	10.9	211	0.4	88.0	95.1	3871	14.30	9.6	2.5	2.2	10	0.7	0.5	0.2	33	0.09	0.061	9
2060650	Soil	1.1	7.0	11.3	42	0.6	11.3	4.7	183	5.74	9.7	4.2	2.2	8	<0.1	0.5	0.2	33	0.04	0.042	11
2060651	Soil	1.9	140.1	58.4	158	1.0	59.9	29.6	1106	4.36	22.9	2.4	4.7	37	0.8	1.0	0.3	44	0.39	0.132	6
2060652	Soil	0.7	220.3	19.9	141	0.3	90.3	45.0	1146	8.07	11.1	4.2	1.7	19	0.5	0.2	<0.1	164	0.65	0.089	8
2060653	Soil	2.0	30.1	24.7	222	0.6	73.3	32.0	316	5.50	14.8	3.4	2.3	19	0.7	0.6	0.3	31	0.15	0.076	8
2060654	Soil	1.4	17.3	14.9	56	0.1	24.0	10.2	310	2.34	14.5	8.1	2.5	14	0.1	0.7	0.2	30	0.13	0.063	13
2060655	Soil	2.3	25.2	27.2	143	0.7	63.3	14.0	753	4.79	14.7	3.7	0.8	26	0.5	0.6	0.3	32	0.19	0.089	9
2060656	Soil	1.7	30.2	16.6	78	0.4	25.6	17.1	639	3.97	14.4	4.5	1.2	10	0.1	0.8	0.3	46	0.07	0.077	11
2060657	Soil	1.4	23.9	12.1	61	0.2	18.6	8.7	252	2.36	13.2	3.5	1.1	11	0.1	0.7	0.3	46	0.09	0.062	12
2060658	Soil	1.2	20.0	12.9	56	0.3	16.7	9.7	392	2.67	15.1	3.1	0.6	9	0.1	0.6	0.3	45	0.07	0.063	12
2060659	Soil	1.5	15.7	15.2	55	0.1	14.9	5.5	191	2.73	13.3	2.6	0.5	9	<0.1	0.7	0.3	48	0.08	0.059	11
2060660	Soil	1.2	21.8	10.2	55	<0.1	18.6	6.1	203	2.19	13.2	2.3	1.5	11	0.2	0.7	0.2	35	0.13	0.076	12
2060661	Soil	2.1	19.9	21.5	51	0.5	14.6	5.1	230	2.54	18.2	4.7	0.4	11	0.2	0.8	0.3	47	0.07	0.104	11

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060632	Soil	23	0.35	95	0.031	1	1.33	0.005	0.04	0.1	0.07	3.0	<0.1	<0.05	4	<0.5	<0.2
2060633	Soil	16	0.22	602	0.037	2	1.33	0.004	0.03	0.1	0.07	3.5	0.1	<0.05	2	1.3	<0.2
2060634	Soil	27	0.36	344	0.013	2	1.42	0.006	0.03	0.1	0.05	2.5	0.1	<0.05	4	0.8	<0.2
2060635	Soil	23	0.24	70	0.011	2	1.17	0.005	0.04	0.1	0.06	1.0	0.1	<0.05	4	1.2	<0.2
2060636	Soil	21	0.33	72	0.020	2	1.19	0.004	0.03	0.1	0.06	1.9	<0.1	<0.05	4	0.9	<0.2
2060637	Soil	27	0.40	155	0.011	1	1.63	0.005	0.04	0.1	0.07	2.0	0.1	<0.05	5	<0.5	<0.2
2060638	Soil	19	0.26	157	0.007	1	1.16	0.008	0.03	0.1	0.08	0.5	0.1	<0.05	4	1.1	<0.2
2060639	Soil	24	0.35	187	0.024	2	1.23	0.005	0.03	0.1	0.08	3.7	<0.1	<0.05	4	0.9	<0.2
2060640	Soil	25	0.36	204	0.020	1	1.27	0.005	0.03	0.1	0.05	3.6	<0.1	<0.05	4	<0.5	<0.2
2060641	Soil	22	0.26	233	0.016	1	1.21	0.005	0.03	0.1	0.04	2.2	<0.1	<0.05	4	1.1	<0.2
2060642	Soil	20	0.27	242	0.038	2	0.96	0.004	0.03	0.2	0.07	3.2	<0.1	<0.05	3	1.4	<0.2
2060643	Soil	23	0.29	259	0.014	1	1.34	0.006	0.03	<0.1	0.08	3.4	0.1	<0.05	4	1.2	<0.2
2060644	Soil	22	0.39	99	0.032	2	1.31	0.005	0.04	0.2	0.07	2.8	0.1	<0.05	4	<0.5	<0.2
2060645	Soil	25	0.37	210	0.017	2	1.55	0.005	0.04	0.1	0.07	2.3	0.1	<0.05	4	1.2	<0.2
2060646	Soil	23	0.37	92	0.038	1	1.07	0.004	0.04	0.1	0.04	2.6	<0.1	<0.05	4	<0.5	<0.2
2060647	Soil	23	0.27	147	0.021	1	1.31	0.005	0.03	0.2	0.11	2.5	0.1	<0.05	4	1.4	<0.2
2060648	Soil	23	0.25	113	0.022	<1	1.31	0.004	0.03	0.2	0.09	2.9	0.1	<0.05	4	1.1	<0.2
2060649	Soil	20	0.22	230	0.024	2	1.20	0.005	0.03	0.1	0.10	3.4	0.2	<0.05	3	0.9	<0.2
2060650	Soil	16	0.15	65	0.024	1	0.72	0.002	0.02	0.1	0.08	2.0	<0.1	<0.05	4	0.7	<0.2
2060651	Soil	34	0.58	125	0.001	1	1.59	0.006	0.04	<0.1	0.18	8.6	<0.1	<0.05	4	1.3	<0.2
2060652	Soil	114	2.38	59	0.002	<1	3.58	0.005	0.01	<0.1	0.07	17.4	<0.1	<0.05	9	<0.5	<0.2
2060653	Soil	22	0.19	156	0.005	1	1.24	0.005	0.03	<0.1	0.12	3.1	0.1	<0.05	4	0.5	<0.2
2060654	Soil	19	0.31	104	0.017	1	1.22	0.004	0.03	0.1	0.07	2.1	<0.1	<0.05	3	<0.5	<0.2
2060655	Soil	21	0.21	204	0.007	2	1.12	0.007	0.04	<0.1	0.34	2.0	0.2	<0.05	4	2.6	<0.2
2060656	Soil	27	0.33	114	0.025	2	1.50	0.005	0.04	0.2	0.09	2.7	0.2	0.05	5	2.1	<0.2
2060657	Soil	23	0.30	81	0.023	2	1.45	0.004	0.04	0.1	0.10	2.0	0.1	<0.05	5	1.0	<0.2
2060658	Soil	27	0.30	75	0.017	1	1.31	0.004	0.04	0.1	0.06	1.5	0.1	<0.05	5	0.8	<0.2
2060659	Soil	28	0.33	65	0.021	1	1.24	0.006	0.04	0.1	0.05	1.4	0.1	<0.05	6	0.6	<0.2
2060660	Soil	21	0.24	62	0.022	<1	1.10	0.004	0.03	0.1	0.04	1.9	<0.1	<0.05	3	0.9	<0.2
2060661	Soil	27	0.26	111	0.010	1	1.44	0.005	0.04	0.1	0.12	1.2	0.1	<0.05	5	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060662	Soil	1.1	19.1	11.0	55	<0.1	22.3	8.2	230	2.31	11.7	1.4	3.4	16	0.4	0.7	0.2	37	0.22	0.098	13
2060663	Soil	1.7	23.9	18.2	53	0.5	14.0	2.8	92	2.88	20.0	5.8	0.3	9	0.1	0.6	0.3	34	0.04	0.080	8
2060664	Soil	0.8	16.1	11.5	78	0.2	35.3	7.2	208	2.32	9.0	1.8	1.8	15	<0.1	0.4	0.2	42	0.12	0.059	12
2060665	Soil	1.9	24.8	33.4	56	0.6	24.9	3.8	103	3.21	19.8	2.2	0.5	33	<0.1	0.6	0.5	51	0.10	0.112	11
2060666	Soil	3.3	43.6	37.5	172	1.1	56.5	22.1	358	8.97	36.1	1.2	3.0	23	0.3	1.2	0.4	29	0.04	0.157	8
2060667	Soil	1.1	24.7	15.6	326	0.5	147.9	43.0	695	8.13	11.1	2.5	2.6	24	0.5	0.6	0.3	30	0.16	0.065	11
2060668	Soil	1.9	27.1	21.8	114	0.4	77.2	42.0	904	5.46	17.6	2.8	2.3	15	0.3	0.6	0.3	32	0.10	0.110	11
2060669	Soil	1.1	21.5	18.0	177	0.4	98.9	30.9	954	5.17	10.2	2.5	1.8	21	0.4	0.4	0.3	31	0.19	0.062	10
2060670	Soil	1.1	13.6	11.7	129	0.3	34.5	15.2	683	6.36	12.0	1.9	0.6	16	0.4	0.4	0.2	33	0.18	0.089	8
2060671	Soil	1.3	29.0	12.4	71	0.4	20.5	10.6	583	3.56	13.5	3.0	0.6	11	<0.1	0.7	0.2	45	0.09	0.075	12
2060672	Soil	1.4	34.8	17.0	90	0.7	24.6	17.8	1232	4.37	18.4	3.6	1.6	20	0.2	0.6	0.3	32	0.06	0.083	9
2060673	Soil	1.3	25.7	14.0	59	0.6	17.4	6.2	297	2.81	14.4	1.8	0.4	9	0.1	0.6	0.2	44	0.08	0.077	11
2060674	Soil	1.1	19.5	10.8	68	0.7	42.8	33.0	189	3.20	11.0	3.2	0.3	12	0.4	0.4	0.2	32	0.16	0.062	8
2060675	Soil	0.8	11.9	12.4	49	0.4	17.0	3.3	106	1.47	3.3	2.2	0.4	12	0.2	0.4	0.2	38	0.10	0.054	10
2060676	Soil	1.4	19.2	13.3	50	0.1	16.3	6.5	254	2.91	13.6	2.0	1.0	10	0.1	0.6	0.2	47	0.07	0.065	12
2060677	Soil	1.2	21.9	11.5	68	0.2	21.4	11.3	542	2.55	12.1	3.5	1.1	10	0.2	0.6	0.2	40	0.09	0.059	12
2060678	Soil	0.8	15.3	7.6	210	0.3	111.8	50.1	1207	19.44	12.1	2.6	2.2	9	0.8	0.5	0.1	27	0.12	0.055	8
2060679	Soil	1.2	10.3	7.4	30	2.4	12.2	18.4	1209	2.91	8.4	6.8	0.6	8	<0.1	0.4	0.2	37	0.07	0.055	10
2060680	Soil	1.1	21.8	11.0	58	0.2	19.8	8.4	344	2.62	12.7	2.8	0.6	11	0.1	0.6	0.2	39	0.12	0.080	12
2060681	Soil	1.1	18.9	10.0	57	0.1	16.5	7.3	247	2.58	12.8	6.0	1.6	11	<0.1	0.7	0.2	37	0.12	0.065	14
2060682	Soil	1.0	18.4	10.2	53	<0.1	18.0	7.6	302	2.27	12.1	2.1	1.2	11	0.2	0.6	0.2	43	0.12	0.073	14
2060683	Soil	1.6	18.5	19.3	50	0.3	17.1	6.8	313	2.49	14.5	3.2	0.9	16	0.1	0.6	0.3	41	0.13	0.072	12
2060684	Soil	1.4	21.0	11.1	44	<0.1	14.5	4.2	130	2.29	8.7	2.5	0.5	9	0.1	0.6	0.2	32	0.05	0.038	8
2060685	Soil	7.3	90.2	13.1	85	0.6	37.1	5.4	555	2.30	7.4	9.5	3.7	9	0.2	1.1	0.2	16	0.02	0.034	10
2060686	Soil	4.9	69.2	21.8	82	0.5	34.9	6.9	192	2.21	12.9	5.7	2.6	11	0.3	1.2	0.3	17	0.03	0.036	3
2060687	Soil	8.0	42.4	10.4	48	0.7	20.1	3.3	60	1.91	8.0	5.7	0.2	9	0.1	0.9	0.2	26	0.03	0.065	4
2060688	Soil	3.8	56.9	20.0	73	0.9	44.0	9.4	471	2.13	13.0	9.7	1.1	35	0.4	1.1	0.2	21	0.09	0.067	6
2060689	Soil	7.1	47.1	20.3	65	0.4	30.9	6.1	213	2.18	14.0	10.9	0.4	17	0.2	1.1	0.2	25	0.07	0.053	6
2060690	Soil	1.0	25.7	27.3	78	0.2	36.0	14.1	137	2.21	23.8	0.6	1.0	21	0.2	0.7	0.4	20	0.12	0.088	12
2060691	Soil	1.1	23.1	21.3	58	0.3	23.3	8.7	152	1.88	15.4	0.6	0.5	16	0.2	0.6	0.3	21	0.09	0.106	9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060662	Soil	24	0.30	78	0.032	1	1.32	0.007	0.04	0.2	0.04	2.4	<0.1	<0.05	3	0.8	<0.2
2060663	Soil	22	0.17	91	0.004	<1	1.13	0.005	0.03	<0.1	0.09	1.0	<0.1	<0.05	4	1.6	<0.2
2060664	Soil	27	0.43	163	0.008	<1	1.51	0.004	0.03	<0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
2060665	Soil	28	0.19	302	0.005	2	1.87	0.009	0.07	0.1	0.14	1.6	0.2	<0.05	7	2.5	<0.2
2060666	Soil	23	0.23	146	0.004	<1	1.48	0.004	0.03	<0.1	0.26	2.7	<0.1	<0.05	4	5.2	<0.2
2060667	Soil	18	0.24	164	0.009	<1	1.22	0.004	0.03	<0.1	0.11	4.2	<0.1	<0.05	3	1.6	<0.2
2060668	Soil	22	0.27	127	0.008	<1	1.19	0.004	0.03	<0.1	0.11	2.9	<0.1	<0.05	4	0.7	<0.2
2060669	Soil	21	0.24	195	0.005	<1	1.13	0.005	0.03	<0.1	0.08	3.0	<0.1	<0.05	4	0.8	<0.2
2060670	Soil	21	0.19	251	0.012	<1	1.17	0.008	0.04	<0.1	0.06	1.4	<0.1	0.05	4	1.2	<0.2
2060671	Soil	24	0.38	151	0.018	<1	1.75	0.006	0.04	0.1	0.06	2.0	0.2	<0.05	5	2.3	<0.2
2060672	Soil	21	0.26	134	0.011	<1	1.36	0.004	0.03	<0.1	0.12	2.9	0.1	<0.05	4	2.8	<0.2
2060673	Soil	24	0.30	112	0.011	<1	1.47	0.005	0.04	0.1	0.08	1.2	0.1	<0.05	5	1.7	<0.2
2060674	Soil	21	0.28	137	0.013	<1	1.36	0.007	0.04	<0.1	0.10	1.2	0.2	1.03	4	1.3	<0.2
2060675	Soil	23	0.31	193	0.015	1	1.39	0.005	0.03	0.1	0.09	1.6	0.2	<0.05	5	1.1	<0.2
2060676	Soil	22	0.26	76	0.020	<1	1.44	0.004	0.04	0.2	0.04	1.9	0.1	<0.05	5	0.8	<0.2
2060677	Soil	21	0.31	76	0.023	<1	1.15	0.005	0.04	0.1	0.05	2.0	0.1	<0.05	4	0.6	<0.2
2060678	Soil	18	0.17	273	0.018	<1	0.92	0.005	0.03	<0.1	0.08	3.3	0.2	0.07	3	0.9	<0.2
2060679	Soil	26	0.21	102	0.020	<1	1.07	0.004	0.03	0.1	0.08	1.9	0.2	<0.05	6	1.1	<0.2
2060680	Soil	25	0.37	64	0.020	<1	1.44	0.005	0.04	0.1	0.06	1.5	0.1	<0.05	5	0.8	<0.2
2060681	Soil	24	0.39	79	0.030	<1	1.49	0.005	0.04	0.2	0.04	2.2	0.1	<0.05	5	0.5	<0.2
2060682	Soil	24	0.37	79	0.029	<1	1.54	0.005	0.04	0.1	0.04	2.2	0.1	<0.05	4	0.5	<0.2
2060683	Soil	24	0.36	145	0.014	<1	1.58	0.007	0.05	0.1	0.09	1.9	0.2	<0.05	5	1.2	<0.2
2060684	Soil	17	0.17	52	0.015	<1	0.76	0.004	0.02	0.1	0.04	1.0	0.1	<0.05	4	<0.5	<0.2
2060685	Soil	18	0.12	103	0.004	<1	0.48	0.002	0.02	<0.1	0.17	2.2	<0.1	<0.05	2	1.8	<0.2
2060686	Soil	13	0.10	84	<0.001	<1	0.49	0.003	0.02	<0.1	0.14	1.9	<0.1	<0.05	2	1.3	<0.2
2060687	Soil	13	0.06	40	0.004	<1	0.46	0.004	0.02	<0.1	0.10	0.6	<0.1	<0.05	2	1.7	<0.2
2060688	Soil	14	0.13	169	0.005	<1	0.77	0.016	0.06	<0.1	0.12	1.6	0.1	0.10	2	1.7	<0.2
2060689	Soil	13	0.09	85	0.004	<1	0.65	0.006	0.04	<0.1	0.08	1.0	0.1	<0.05	2	1.1	<0.2
2060690	Soil	14	0.09	80	0.001	<1	0.71	0.004	0.02	<0.1	0.07	1.4	<0.1	<0.05	3	0.6	<0.2
2060691	Soil	15	0.11	66	0.002	<1	0.73	0.005	0.03	<0.1	0.06	0.5	<0.1	<0.05	3	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060692	Soil	1.2	22.3	30.4	46	0.7	22.2	5.3	68	2.20	18.2	4.5	1.1	26	0.2	0.5	0.4	14	0.04	0.073	5
2060693	Soil	1.5	50.0	24.1	53	0.5	43.6	8.3	188	1.70	12.9	14.9	2.2	21	0.3	0.8	0.4	20	0.07	0.054	8
2060694	Soil	1.2	35.1	27.9	96	0.6	51.9	16.9	392	2.24	11.2	3.3	1.7	22	0.4	0.6	0.3	21	0.16	0.106	9
2060695	Soil	1.8	34.6	18.2	67	0.2	28.5	8.7	273	2.54	12.6	6.3	0.2	14	0.2	0.9	0.3	35	0.08	0.104	9
2060696	Soil	1.0	20.4	24.5	53	0.2	25.1	8.3	196	2.25	13.4	1.3	1.9	31	0.2	0.6	0.3	18	0.08	0.060	6
2060697	Soil	13.0	235.1	22.8	606	1.1	609.0	45.1	7973	12.91	13.7	4.5	5.9	107	2.9	2.7	0.3	50	0.29	0.101	20
2060698	Soil	17.9	584.5	10.6	398	0.6	240.1	39.8	3195	6.94	7.7	7.5	5.9	17	1.6	1.1	0.2	54	0.10	0.026	7
2060699	Soil	1.7	90.8	19.8	87	0.2	46.7	25.5	957	1.63	6.8	4.4	3.1	22	0.3	0.7	0.2	13	0.50	0.182	21
2060700	Soil	1.7	38.5	31.4	80	0.2	43.8	23.1	1305	3.04	10.6	2.2	4.1	40	0.3	0.7	0.2	12	0.68	0.171	24
2060701	Soil	1.4	21.3	15.4	63	0.1	20.4	8.7	326	2.76	13.6	3.7	1.6	12	0.1	0.7	0.2	48	0.10	0.070	12
2060702	Soil	1.1	21.3	13.2	61	0.3	20.9	8.4	277	2.68	12.5	4.0	2.9	9	0.1	0.8	0.2	43	0.08	0.065	12
2060703	Soil	1.4	11.8	15.1	55	0.4	18.0	5.9	150	3.96	10.8	2.7	1.1	9	<0.1	0.5	0.2	42	0.05	0.052	10
2060704	Soil	0.8	18.0	8.2	317	0.7	60.9	295.0	>10000	37.73	6.7	3.2	1.9	4	0.9	0.4	<0.1	20	0.03	0.059	3
2060705	Soil	1.1	19.7	7.7	581	0.5	371.6	173.7	>10000	26.74	10.8	3.1	2.1	9	3.1	0.3	<0.1	22	0.09	0.061	5
2060706	Soil	0.8	9.3	10.1	45	0.9	29.9	5.4	194	2.16	5.9	2.6	0.3	13	<0.1	0.4	0.2	31	0.16	0.055	8
2060707	Soil	1.2	15.5	12.0	57	0.1	18.3	9.1	365	2.58	12.5	6.5	1.2	9	0.2	0.6	0.2	47	0.09	0.063	11
2060708	Soil	1.3	11.0	25.1	37	0.5	10.7	4.6	210	1.78	12.0	3.2	0.4	9	<0.1	0.6	0.4	28	0.04	0.041	10
2060709	Soil	1.2	17.5	10.4	43	<0.1	15.9	5.4	154	1.91	9.2	3.7	0.9	9	<0.1	0.5	0.2	31	0.08	0.050	12
2060710	Soil	1.1	27.4	15.1	69	0.2	26.0	7.6	313	2.41	13.9	3.5	3.8	12	0.1	0.7	0.3	31	0.09	0.071	13
2060711	Soil	1.1	32.4	10.8	77	0.2	29.2	9.5	388	2.30	12.1	5.3	4.2	15	0.3	0.8	0.2	34	0.19	0.094	14
2060712	Soil	2.2	26.4	37.4	46	0.6	21.2	4.6	154	2.00	23.1	2.5	3.4	35	0.2	0.9	0.4	24	0.19	0.114	13
2060713	Soil	1.3	23.3	15.7	54	0.1	20.4	8.5	297	2.42	12.9	3.6	1.4	11	0.1	0.7	0.2	36	0.08	0.062	10
2060714	Soil	2.6	23.5	14.4	103	0.2	43.2	11.9	690	2.88	6.5	2.2	2.7	20	0.4	0.4	0.3	17	0.28	0.116	14
2060715	Soil	3.8	33.8	16.8	91	0.2	38.5	10.8	544	3.34	9.1	1.8	3.0	23	0.2	0.5	0.3	18	0.27	0.133	18
2060716	Soil	3.9	39.9	22.2	103	0.4	46.6	15.8	597	3.46	12.2	3.8	2.8	24	0.3	0.7	0.3	20	0.29	0.131	16
2060717	Soil	1.5	22.9	13.9	63	0.2	22.5	7.9	323	2.57	14.4	2.9	1.8	12	0.1	0.7	0.2	34	0.11	0.084	12
2060718	Soil	1.8	19.3	18.5	50	0.4	15.8	6.0	297	2.51	15.7	2.8	0.8	17	0.2	0.6	0.2	28	0.04	0.075	7
2060719	Soil	1.3	12.8	12.7	152	0.5	73.5	27.5	1792	11.40	10.6	3.5	1.3	10	0.3	0.4	0.2	31	0.10	0.072	7
2060720	Soil	1.4	13.0	13.1	157	0.5	76.6	31.7	2053	12.37	11.0	4.3	1.3	10	0.4	0.4	0.2	30	0.09	0.070	7
2060721	Soil	2.2	24.6	17.7	83	0.2	37.7	9.5	577	2.67	5.8	2.4	2.6	21	0.3	0.4	0.3	15	0.32	0.115	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060692	Soil	12	0.10	111	<0.001	1	0.52	0.004	0.03	<0.1	0.11	1.3	<0.1	0.08	2	1.4	<0.2
2060693	Soil	11	0.09	71	0.004	1	0.52	0.004	0.03	<0.1	0.16	2.1	<0.1	<0.05	1	1.0	<0.2
2060694	Soil	14	0.11	74	0.004	<1	0.73	0.005	0.03	<0.1	0.07	2.3	<0.1	<0.05	2	0.7	<0.2
2060695	Soil	20	0.18	49	0.005	1	0.90	0.006	0.03	0.1	0.10	0.5	<0.1	<0.05	3	1.2	<0.2
2060696	Soil	13	0.09	81	0.001	<1	0.62	0.006	0.04	<0.1	0.06	2.2	<0.1	<0.05	2	<0.5	<0.2
2060697	Soil	31	0.50	2224	0.001	<1	1.99	0.004	0.03	<0.1	0.30	20.9	0.2	<0.05	2	3.3	<0.2
2060698	Soil	30	0.25	398	0.001	<1	2.89	0.004	0.02	<0.1	0.17	15.9	<0.1	<0.05	2	2.7	<0.2
2060699	Soil	21	0.42	154	0.004	2	0.75	0.005	0.06	<0.1	0.07	1.5	<0.1	<0.05	2	0.9	<0.2
2060700	Soil	18	0.56	181	0.002	2	1.06	0.008	0.08	<0.1	0.08	1.7	<0.1	0.06	3	1.1	<0.2
2060701	Soil	29	0.38	76	0.029	1	1.58	0.005	0.04	0.1	0.07	2.4	0.1	<0.05	5	1.3	<0.2
2060702	Soil	28	0.39	79	0.034	1	1.47	0.005	0.04	0.1	0.08	3.5	0.1	<0.05	5	0.9	<0.2
2060703	Soil	25	0.28	104	0.016	1	1.32	0.004	0.03	0.1	0.09	1.9	0.2	<0.05	5	2.1	<0.2
2060704	Soil	14	0.05	443	0.021	<1	0.82	0.003	0.02	<0.1	0.09	2.8	0.3	0.13	2	3.0	<0.2
2060705	Soil	14	0.07	839	0.021	<1	0.73	0.003	0.02	<0.1	0.09	3.1	0.2	<0.05	2	1.0	<0.2
2060706	Soil	20	0.22	217	0.012	<1	0.90	0.005	0.03	<0.1	0.06	1.0	0.1	<0.05	4	2.1	<0.2
2060707	Soil	27	0.36	73	0.026	1	1.50	0.005	0.04	0.1	0.07	2.0	0.1	<0.05	5	0.8	<0.2
2060708	Soil	17	0.20	67	0.009	<1	0.97	0.005	0.03	<0.1	0.08	0.9	0.1	<0.05	3	1.1	<0.2
2060709	Soil	20	0.26	52	0.015	<1	1.03	0.003	0.02	0.1	0.05	1.3	0.1	<0.05	3	<0.5	<0.2
2060710	Soil	20	0.32	93	0.022	<1	1.05	0.003	0.03	0.1	0.10	3.0	<0.1	<0.05	3	0.5	<0.2
2060711	Soil	22	0.39	72	0.037	1	1.19	0.006	0.04	0.2	0.04	2.5	<0.1	<0.05	3	<0.5	<0.2
2060712	Soil	15	0.19	168	0.004	<1	0.92	0.004	0.04	<0.1	0.21	3.0	0.1	<0.05	3	1.1	<0.2
2060713	Soil	23	0.30	77	0.018	1	1.41	0.004	0.03	0.1	0.08	2.0	<0.1	<0.05	4	0.8	<0.2
2060714	Soil	21	0.60	242	0.002	<1	1.27	0.004	0.04	<0.1	0.10	1.7	<0.1	<0.05	3	0.5	<0.2
2060715	Soil	22	0.69	251	<0.001	<1	1.38	0.004	0.03	<0.1	0.08	1.6	0.1	<0.05	3	0.7	<0.2
2060716	Soil	21	0.53	136	0.002	<1	1.25	0.005	0.03	<0.1	0.13	1.9	0.1	<0.05	3	0.9	<0.2
2060717	Soil	22	0.31	81	0.019	<1	1.23	0.005	0.03	0.1	0.08	2.1	<0.1	<0.05	3	0.9	<0.2
2060718	Soil	18	0.16	114	0.006	<1	0.91	0.005	0.04	<0.1	0.14	1.5	<0.1	<0.05	3	1.0	<0.2
2060719	Soil	18	0.14	223	0.011	<1	0.91	0.003	0.03	0.1	0.11	2.5	0.1	<0.05	4	1.8	<0.2
2060720	Soil	18	0.12	218	0.010	<1	0.86	0.004	0.03	<0.1	0.11	2.5	0.1	<0.05	3	1.6	<0.2
2060721	Soil	20	0.57	251	0.001	<1	1.16	0.004	0.04	<0.1	0.09	1.4	0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060722	Soil	2.3	19.3	17.8	58	<0.1	16.4	5.9	335	2.97	10.5	3.2	0.8	9	0.2	1.0	0.3	49	0.06	0.049	9
2060723	Soil	2.2	29.3	14.8	50	0.1	15.2	5.2	224	2.53	8.4	5.2	0.5	7	0.1	1.1	0.3	50	0.04	0.048	10
2060724	Soil	3.8	41.3	24.3	49	0.6	19.1	3.7	129	2.53	10.9	2.9	2.1	22	<0.1	1.1	0.3	18	0.07	0.058	6
2060725	Soil	2.4	33.6	21.3	64	0.2	29.4	6.3	144	2.07	8.4	2.7	0.9	12	0.2	0.6	0.3	21	0.04	0.053	5
2060726	Soil	1.7	43.5	21.8	47	0.3	25.8	5.4	149	1.99	10.9	5.9	0.4	13	0.2	1.0	0.3	27	0.13	0.059	6
2060727	Soil	2.0	34.2	14.2	58	0.2	24.2	5.6	180	2.22	9.7	4.8	1.1	12	0.1	1.0	0.2	35	0.10	0.048	8
2060728	Soil	1.4	20.0	21.9	75	0.4	29.2	6.8	172	2.10	12.1	1.7	2.4	27	0.2	0.8	0.3	14	0.12	0.066	6
2060729	Soil	5.9	31.6	21.6	33	0.4	8.8	2.4	78	1.65	20.0	13.5	0.3	21	0.1	1.0	0.4	31	0.04	0.054	6
2060730	Soil	1.3	32.6	13.8	76	0.1	36.2	11.2	346	2.42	12.5	5.0	3.2	20	0.3	0.8	0.2	36	0.21	0.093	14
2060731	Soil	1.2	36.9	15.4	77	0.2	32.9	11.2	314	2.02	10.9	5.1	3.3	16	0.3	0.6	0.2	29	0.11	0.071	12
2060732	Soil	1.4	44.3	22.8	71	0.2	33.7	11.5	241	2.29	15.9	6.6	1.1	21	0.2	0.8	0.3	22	0.09	0.085	10
2060733	Soil	2.1	48.1	23.5	80	0.5	35.1	10.1	305	2.67	16.9	7.1	1.7	25	0.3	1.1	0.3	28	0.13	0.090	10
2060734	Soil	1.4	41.4	13.1	83	0.4	43.3	8.6	163	2.12	9.5	4.4	2.5	22	0.2	0.7	0.2	19	0.09	0.063	8
2060735	Soil	2.3	44.2	18.4	73	0.5	34.4	8.9	225	2.06	14.7	4.3	2.5	28	0.3	1.0	0.4	29	0.17	0.082	12
2060736	Soil	3.4	54.6	23.8	76	0.7	34.7	8.2	219	2.38	17.1	11.9	1.8	27	0.3	1.2	0.3	31	0.11	0.075	10
2060737	Soil	2.8	40.6	19.6	65	0.4	31.9	7.9	165	2.35	15.0	4.9	2.4	23	0.3	1.0	0.2	32	0.14	0.070	12
2060738	Soil	1.5	49.6	14.4	72	0.2	24.3	6.5	226	2.65	10.0	5.2	2.2	14	0.2	1.0	0.2	41	0.14	0.062	14
2060739	Soil	1.8	29.6	16.9	66	0.1	22.2	5.7	145	2.35	13.3	12.8	0.3	11	0.2	0.9	0.3	58	0.08	0.059	11
2060740	Soil	1.3	18.3	12.1	58	<0.1	20.1	7.2	309	2.74	10.5	3.3	1.4	9	0.2	0.7	0.2	34	0.08	0.042	10
2060741	Soil	1.0	18.4	18.1	64	<0.1	25.3	8.2	260	2.43	14.2	2.9	1.7	20	0.3	0.7	0.2	39	0.17	0.079	13
2060742	Soil	1.3	13.4	15.0	55	<0.1	16.3	7.2	333	3.10	12.3	2.5	0.7	9	0.2	0.8	0.2	50	0.09	0.061	11
2060743	Soil	1.7	28.7	28.2	20	0.7	7.3	1.8	63	2.37	23.5	21.9	0.8	43	<0.1	0.9	0.3	37	0.04	0.062	6
2060744	Soil	2.7	108.0	33.0	58	1.1	18.5	4.2	75	2.80	30.7	13.8	0.9	38	0.2	1.5	0.5	27	0.06	0.146	10
2060745	Soil	2.0	23.2	14.4	62	0.1	17.2	6.9	245	3.06	13.3	2.6	1.0	17	0.3	1.4	0.3	60	0.10	0.062	13
2060746	Soil	1.4	36.6	21.8	63	0.5	20.3	6.5	257	2.41	15.7	13.7	4.2	26	0.2	1.4	0.3	35	0.20	0.085	13
2060747	Soil	1.6	29.9	23.5	83	0.2	31.6	12.0	274	2.85	15.3	2.5	1.2	21	0.3	0.7	0.3	40	0.17	0.096	12
2060748	Soil	2.9	143.7	44.5	139	2.2	51.2	5.7	56	3.22	24.0	10.4	4.0	61	0.2	1.9	0.4	46	0.08	0.075	6
2060749	Soil	1.7	16.0	12.4	70	<0.1	18.9	7.5	300	2.72	11.3	1.4	2.2	10	0.2	0.8	0.2	48	0.10	0.049	12
2060750	Soil	2.2	26.7	20.6	61	<0.1	29.4	12.7	714	3.00	11.8	<0.5	1.5	17	0.2	0.8	0.2	31	0.10	0.090	23
2060751	Soil	2.6	28.7	21.9	66	0.7	30.7	6.5	120	2.42	11.4	2.3	2.1	18	0.3	0.5	0.3	23	0.12	0.071	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060722	Soil	25	0.24	73	0.032	<1	0.94	0.004	0.05	0.2	0.05	1.4	0.1	<0.05	5	0.8	<0.2
2060723	Soil	23	0.18	67	0.020	<1	0.87	0.004	0.03	0.1	0.07	1.0	0.1	<0.05	5	0.8	<0.2
2060724	Soil	16	0.09	240	<0.001	<1	0.52	0.006	0.03	<0.1	0.22	1.7	<0.1	<0.05	2	1.8	<0.2
2060725	Soil	15	0.13	139	0.002	<1	0.78	0.005	0.03	<0.1	0.05	1.2	<0.1	<0.05	2	0.9	<0.2
2060726	Soil	17	0.16	183	0.006	<1	0.86	0.007	0.03	<0.1	0.06	1.0	<0.1	<0.05	3	1.0	<0.2
2060727	Soil	22	0.28	93	0.016	2	0.96	0.005	0.03	0.1	0.08	1.7	0.1	<0.05	4	0.8	<0.2
2060728	Soil	9	0.07	158	0.003	2	0.50	0.005	0.03	<0.1	0.08	2.2	<0.1	<0.05	2	1.2	<0.2
2060729	Soil	17	0.07	117	0.004	2	0.50	0.013	0.08	<0.1	0.09	1.0	0.1	0.13	3	1.7	<0.2
2060730	Soil	21	0.35	101	0.029	2	1.09	0.007	0.04	0.2	0.05	2.8	<0.1	<0.05	3	0.6	<0.2
2060731	Soil	15	0.17	88	0.017	2	0.75	0.004	0.03	0.1	0.05	2.1	<0.1	<0.05	2	<0.5	<0.2
2060732	Soil	15	0.16	98	0.006	1	0.83	0.005	0.04	<0.1	0.04	1.9	<0.1	<0.05	3	0.6	<0.2
2060733	Soil	18	0.18	122	0.012	3	0.81	0.010	0.06	<0.1	0.06	2.2	<0.1	<0.05	3	1.3	<0.2
2060734	Soil	16	0.20	84	0.004	2	0.92	0.004	0.03	<0.1	0.07	2.4	<0.1	<0.05	3	0.9	<0.2
2060735	Soil	17	0.19	133	0.014	2	0.85	0.006	0.05	0.1	0.11	2.6	0.1	<0.05	3	0.9	<0.2
2060736	Soil	17	0.18	145	0.010	2	0.92	0.007	0.05	<0.1	0.12	2.4	0.1	<0.05	3	1.6	<0.2
2060737	Soil	18	0.20	136	0.012	2	0.85	0.005	0.04	<0.1	0.09	2.3	<0.1	<0.05	3	1.1	<0.2
2060738	Soil	25	0.32	75	0.036	2	1.08	0.006	0.04	0.2	0.07	2.1	<0.1	<0.05	4	1.1	<0.2
2060739	Soil	20	0.12	64	0.020	2	0.74	0.004	0.03	<0.1	0.03	0.9	0.1	<0.05	6	0.9	<0.2
2060740	Soil	23	0.33	61	0.031	2	1.05	0.005	0.04	0.1	0.04	1.8	<0.1	<0.05	4	0.7	<0.2
2060741	Soil	23	0.34	69	0.024	1	1.25	0.005	0.04	0.1	0.04	2.1	0.1	<0.05	5	0.5	<0.2
2060742	Soil	29	0.37	68	0.026	1	1.47	0.006	0.04	0.2	0.06	1.8	0.1	<0.05	6	0.7	<0.2
2060743	Soil	21	0.08	186	0.004	1	0.59	0.015	0.12	<0.1	0.23	1.0	0.1	0.24	4	3.2	0.2
2060744	Soil	14	0.09	135	0.002	<1	0.74	0.008	0.07	<0.1	0.16	1.5	0.1	0.10	2	1.7	0.2
2060745	Soil	25	0.30	89	0.031	1	1.32	0.006	0.05	0.2	0.05	2.2	0.2	<0.05	6	1.0	<0.2
2060746	Soil	20	0.28	140	0.029	1	1.06	0.011	0.07	0.2	0.21	2.4	<0.1	0.06	3	0.6	<0.2
2060747	Soil	24	0.28	95	0.014	1	1.22	0.007	0.05	<0.1	0.04	2.1	<0.1	<0.05	4	0.7	<0.2
2060748	Soil	29	0.06	150	0.002	<1	0.59	0.044	0.15	<0.1	0.27	2.5	0.2	0.34	4	6.6	<0.2
2060749	Soil	20	0.22	60	0.035	1	1.02	0.005	0.04	0.2	0.04	2.0	0.1	<0.05	5	<0.5	<0.2
2060750	Soil	22	0.37	117	0.005	<1	1.50	0.005	0.05	<0.1	0.04	1.1	0.1	<0.05	5	<0.5	<0.2
2060751	Soil	19	0.19	129	0.001	<1	1.07	0.005	0.05	<0.1	0.14	2.0	<0.1	<0.05	3	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060752	Soil	1.4	22.7	13.9	54	0.1	19.6	6.2	219	2.64	14.1	3.1	0.6	12	0.3	0.7	0.2	32	0.06	0.057	12
2060753	Soil	1.5	16.3	14.6	40	<0.1	10.5	3.5	106	2.50	15.0	3.1	0.2	11	0.1	0.7	0.2	40	0.04	0.077	9
2060754	Soil	1.1	17.9	12.4	56	<0.1	19.1	7.2	234	2.66	11.5	1.0	1.2	13	0.2	0.7	0.2	42	0.12	0.058	12
2060755	Soil	1.3	22.2	16.1	63	0.2	19.8	7.3	292	2.39	12.0	3.2	1.3	17	0.2	0.8	0.2	35	0.12	0.072	13
2060756	Soil	1.4	17.8	14.9	55	0.1	17.3	5.4	183	2.60	13.4	2.6	0.4	13	0.2	0.7	0.2	43	0.06	0.055	11
2060757	Soil	1.6	22.4	19.6	65	0.2	23.6	9.2	456	3.42	16.3	<0.5	0.5	14	0.3	0.7	0.2	42	0.07	0.086	11
2060758	Soil	1.2	22.3	13.1	72	0.1	21.8	10.2	356	2.78	13.9	3.9	0.9	10	0.3	0.8	0.2	41	0.08	0.063	13
2060759	Soil	1.4	19.2	12.9	61	0.2	17.2	6.3	253	2.84	12.3	1.3	0.4	10	0.3	0.7	0.2	41	0.06	0.069	9
2060760	Soil	1.2	18.7	11.3	59	0.2	18.6	6.0	233	2.60	11.1	0.7	0.4	9	0.3	0.7	0.2	38	0.05	0.066	11
2060761	Soil	1.4	17.1	11.6	54	0.2	17.3	5.4	165	2.45	9.9	2.4	0.3	10	0.2	0.6	0.2	40	0.06	0.062	11
2060762	Soil	1.2	26.9	11.0	72	0.2	23.8	7.5	283	2.66	12.4	2.9	3.3	14	0.5	0.7	0.2	36	0.15	0.086	13
2060763	Soil	1.1	21.2	10.3	57	<0.1	19.3	5.7	202	2.43	10.3	1.0	1.1	11	0.2	0.6	0.2	32	0.10	0.060	12
2060764	Soil	1.2	23.7	10.0	68	0.1	21.1	6.9	273	2.40	10.0	15.1	2.4	12	0.3	0.8	0.2	38	0.13	0.079	15
2060765	Soil	1.1	23.5	10.0	68	0.1	20.8	7.1	202	2.46	10.3	8.2	2.7	11	0.2	0.7	0.2	40	0.13	0.076	16
2060766	Soil	1.3	28.7	11.5	84	0.2	30.4	11.1	359	2.67	11.7	4.7	4.5	19	0.4	0.9	0.2	45	0.23	0.083	13
2060767	Soil	1.3	20.7	11.7	75	0.2	22.0	8.4	344	2.66	9.6	4.7	0.7	13	0.2	0.6	0.2	42	0.11	0.073	11
2060768	Soil	2.1	37.3	34.1	67	0.8	24.5	5.3	187	3.09	20.3	5.1	0.6	25	0.2	0.8	0.5	45	0.05	0.116	10
2060769	Soil	2.0	40.0	24.9	91	0.6	35.2	5.5	180	3.10	25.4	4.8	4.8	31	<0.1	0.9	0.4	37	0.06	0.087	10
2060770	Soil	2.0	45.7	25.2	87	0.5	39.4	10.9	286	3.00	29.6	3.7	3.3	29	0.2	0.9	0.4	36	0.03	0.084	9
2060771	Soil	2.1	78.0	29.0	93	0.7	36.0	12.1	383	3.62	26.8	6.0	2.3	21	0.2	0.9	0.4	44	0.08	0.118	10
2060772	Soil	2.0	36.2	19.2	48	0.5	13.8	3.1	95	2.85	22.8	4.8	0.2	13	<0.1	0.9	0.3	40	0.02	0.127	7
2060773	Soil	1.4	28.8	17.2	83	0.2	28.8	9.9	325	3.10	18.0	5.1	2.0	22	0.2	0.9	0.3	35	0.10	0.072	13
2060774	Soil	1.9	42.4	31.0	89	1.0	35.1	9.6	152	3.42	30.7	3.4	2.8	27	0.2	1.0	0.4	33	0.08	0.138	11
2060775	Soil	3.2	45.1	47.2	90	1.4	44.1	14.5	365	4.00	36.1	1.5	6.1	36	0.2	0.7	0.8	28	0.01	0.082	17
2060776	Soil	2.5	48.7	29.0	105	0.9	38.3	8.3	139	3.47	28.6	3.6	3.6	40	0.5	1.1	0.4	28	0.07	0.106	8
2060777	Soil	2.2	43.6	22.1	111	0.8	37.0	10.0	228	3.89	25.1	0.9	3.5	35	0.2	0.9	0.4	32	0.07	0.098	9
2060778	Soil	2.1	35.1	22.7	69	0.4	21.0	5.9	101	2.82	30.7	2.7	0.3	16	<0.1	0.9	0.3	37	0.02	0.086	7
2060779	Soil	1.6	29.3	26.5	63	0.4	24.9	5.9	295	2.97	23.2	1.1	1.2	15	0.2	0.9	0.3	32	0.06	0.105	11
2060780	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060781	Soil	2.5	30.3	24.9	50	0.3	12.3	3.2	112	3.26	36.3	1.3	0.2	11	<0.1	1.1	0.4	48	0.03	0.105	7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060752	Soil	20	0.24	62	0.015	<1	1.00	0.004	0.04	0.1	0.06	1.5	<0.1	<0.05	3	0.5	<0.2
2060753	Soil	19	0.12	60	0.010	<1	0.81	0.003	0.03	0.1	0.06	0.7	0.1	<0.05	5	<0.5	<0.2
2060754	Soil	22	0.30	90	0.025	1	1.24	0.005	0.04	0.2	0.04	2.1	0.1	<0.05	5	<0.5	<0.2
2060755	Soil	19	0.26	112	0.020	1	1.10	0.005	0.05	0.1	0.07	2.1	0.1	<0.05	4	<0.5	<0.2
2060756	Soil	21	0.22	89	0.013	1	1.19	0.004	0.04	<0.1	0.06	1.3	0.1	<0.05	4	0.8	<0.2
2060757	Soil	25	0.25	96	0.016	2	1.25	0.006	0.05	0.1	0.05	1.7	0.1	<0.05	5	0.9	<0.2
2060758	Soil	22	0.33	84	0.021	<1	1.34	0.006	0.04	0.2	0.04	1.8	<0.1	<0.05	4	<0.5	<0.2
2060759	Soil	21	0.22	87	0.016	<1	1.08	0.006	0.04	0.1	0.05	1.3	<0.1	<0.05	4	0.8	<0.2
2060760	Soil	22	0.26	77	0.016	<1	1.24	0.005	0.03	0.1	0.05	1.4	0.1	<0.05	4	<0.5	<0.2
2060761	Soil	21	0.24	76	0.015	<1	1.09	0.006	0.03	<0.1	0.03	1.2	0.1	<0.05	5	<0.5	<0.2
2060762	Soil	21	0.30	102	0.032	<1	1.11	0.005	0.04	0.2	0.04	3.3	<0.1	<0.05	4	0.6	<0.2
2060763	Soil	19	0.28	72	0.022	<1	1.10	0.005	0.04	0.1	0.05	2.2	<0.1	<0.05	4	0.6	<0.2
2060764	Soil	24	0.35	88	0.038	1	1.20	0.004	0.03	0.3	0.04	2.8	<0.1	<0.05	4	<0.5	<0.2
2060765	Soil	23	0.38	91	0.042	<1	1.37	0.004	0.03	0.3	0.05	3.2	<0.1	<0.05	4	<0.5	<0.2
2060766	Soil	25	0.47	207	0.054	<1	1.24	0.005	0.06	0.2	0.06	3.4	0.1	<0.05	4	<0.5	<0.2
2060767	Soil	28	0.42	128	0.018	<1	1.62	0.005	0.03	0.1	0.04	1.8	<0.1	<0.05	5	0.7	<0.2
2060768	Soil	28	0.27	182	0.004	<1	1.70	0.005	0.04	<0.1	0.18	1.2	0.1	<0.05	5	1.3	<0.2
2060769	Soil	25	0.37	175	0.002	<1	1.49	0.003	0.03	<0.1	0.17	2.7	<0.1	<0.05	4	1.7	<0.2
2060770	Soil	26	0.35	180	<0.001	<1	1.53	0.003	0.04	<0.1	0.11	2.5	<0.1	<0.05	4	1.4	<0.2
2060771	Soil	29	0.36	145	0.006	<1	1.52	0.004	0.03	<0.1	0.09	2.9	<0.1	<0.05	5	2.3	<0.2
2060772	Soil	21	0.13	72	0.007	<1	0.95	0.004	0.03	<0.1	0.12	0.6	<0.1	<0.05	4	2.9	<0.2
2060773	Soil	23	0.34	91	0.016	<1	1.32	0.005	0.04	0.1	0.07	2.1	<0.1	<0.05	4	1.0	<0.2
2060774	Soil	23	0.17	120	0.004	<1	1.17	0.004	0.03	<0.1	0.22	2.4	<0.1	<0.05	4	3.0	<0.2
2060775	Soil	20	0.10	197	<0.001	<1	1.23	0.005	0.04	<0.1	0.33	3.0	0.1	<0.05	3	3.1	<0.2
2060776	Soil	17	0.13	192	<0.001	<1	0.95	0.004	0.04	<0.1	0.19	2.7	<0.1	<0.05	3	1.1	0.2
2060777	Soil	19	0.18	262	0.006	<1	0.99	0.004	0.04	<0.1	0.15	2.5	<0.1	<0.05	3	2.5	0.2
2060778	Soil	19	0.09	79	0.003	<1	0.95	0.004	0.03	<0.1	0.08	0.8	<0.1	<0.05	4	1.5	<0.2
2060779	Soil	25	0.28	83	0.011	<1	1.17	0.004	0.05	<0.1	0.08	1.9	<0.1	<0.05	4	0.5	<0.2
2060780	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060781	Soil	21	0.07	70	0.005	<1	0.92	0.004	0.03	<0.1	0.08	0.4	<0.1	0.05	4	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060782	Soil	1.6	32.1	20.3	68	0.2	19.4	6.2	260	2.89	22.5	3.4	1.1	12	0.2	1.0	0.3	44	0.07	0.070	11
2060783	Soil	1.4	24.2	20.1	38	0.5	17.4	2.9	96	2.03	19.4	2.3	2.9	14	<0.1	0.8	0.3	28	0.09	0.074	12
2060784	Soil	1.4	21.4	41.4	28	0.6	8.8	1.9	78	1.31	22.0	1.2	1.2	12	<0.1	0.7	0.5	20	0.02	0.041	9
2060785	Soil	1.2	18.9	32.7	46	0.5	22.8	1.6	123	2.62	18.4	<0.5	7.5	34	0.2	0.6	0.3	30	0.07	0.125	6
2060786	Soil	2.4	36.8	21.3	47	0.3	17.1	5.7	300	3.06	22.1	6.3	1.3	39	0.2	1.2	0.3	41	0.11	0.126	14
2060787	Soil	1.3	18.2	34.8	28	0.7	8.1	2.2	95	1.98	15.7	2.7	0.6	32	<0.1	0.6	0.3	21	0.04	0.079	9
2060788	Soil	3.7	31.9	44.7	21	1.0	4.6	1.4	81	3.69	26.9	0.7	6.0	47	<0.1	1.6	0.6	45	0.01	0.109	8
2060789	Soil	2.0	44.4	41.3	40	0.7	14.4	2.5	125	3.45	22.0	<0.5	4.8	46	0.2	0.7	0.5	35	0.02	0.155	8
2060790	Soil	1.6	19.2	16.7	46	<0.1	13.1	4.6	178	2.43	12.5	0.8	0.5	11	0.1	1.1	0.3	52	0.07	0.081	11
2060791	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060792	Soil	5.4	66.1	57.0	29	1.5	4.9	0.8	43	3.22	35.5	2.3	7.0	25	<0.1	1.4	0.6	52	0.01	0.069	8
2060793	Soil	3.2	12.1	49.6	17	0.6	5.3	1.3	59	1.37	13.0	<0.5	4.7	21	<0.1	1.3	0.5	13	0.02	0.047	7
2060794	Soil	23.7	10.9	44.9	7	1.2	1.4	0.4	18	2.08	16.1	<0.5	7.6	22	<0.1	1.9	0.5	18	0.02	0.038	4
2060795	Soil	1.5	19.8	19.9	37	0.6	11.1	5.0	137	1.32	23.2	<0.5	1.0	21	0.2	0.6	0.3	13	0.03	0.054	3
2060796	Soil	3.3	29.2	15.6	41	0.2	10.4	3.0	128	2.21	11.4	1.2	0.2	9	<0.1	1.1	0.3	47	0.03	0.072	6
2060797	Soil	2.0	22.0	21.7	54	0.2	16.5	6.0	239	3.09	16.5	<0.5	0.7	16	0.1	1.0	0.2	30	0.09	0.111	10
2060798	Soil	1.1	16.6	10.6	50	<0.1	14.9	5.4	207	2.08	10.2	0.6	0.3	11	0.1	0.7	0.1	32	0.11	0.072	10
2060799	Soil	1.3	15.1	16.1	23	0.3	6.6	1.6	57	1.57	11.4	1.7	1.1	22	<0.1	0.5	0.2	16	0.03	0.077	5
2060800	Soil	1.4	17.8	17.0	29	0.3	9.4	2.3	70	1.75	12.3	3.7	0.4	15	0.1	0.6	0.2	21	0.04	0.089	6
2060801	Soil	1.0	13.6	9.4	52	0.1	15.2	9.4	429	2.94	11.5	15.9	2.9	6	<0.1	0.7	0.2	35	0.06	0.058	10
2060802	Soil	1.0	15.5	12.4	52	0.1	19.7	7.5	311	3.07	13.5	4.1	3.3	7	<0.1	0.8	0.2	37	0.08	0.052	10
2060803	Soil	1.2	20.2	11.1	66	0.2	24.2	7.8	331	4.22	12.1	5.9	1.5	10	0.1	0.8	0.3	43	0.12	0.051	10
2060804	Soil	1.1	18.1	15.5	94	0.4	28.8	10.1	431	3.39	11.2	4.5	1.5	11	0.2	0.7	0.2	27	0.10	0.044	9
2060805	Soil	2.0	33.9	18.3	94	0.3	46.6	21.8	517	2.56	14.8	4.0	3.0	13	0.2	0.8	0.3	26	0.09	0.083	9
2060806	Soil	1.2	17.8	13.5	55	0.2	18.4	7.5	296	2.44	13.6	4.4	1.6	10	0.2	0.7	0.2	35	0.09	0.065	10
2060807	Soil	1.4	22.6	11.0	58	0.2	19.1	8.1	334	2.43	11.3	5.0	0.3	10	0.2	0.6	0.3	37	0.12	0.134	13
2060808	Soil	1.3	32.3	14.5	114	0.5	44.2	9.6	266	2.13	8.4	4.5	0.7	19	0.2	0.5	0.3	32	0.27	0.108	9
2060809	Soil	1.0	26.8	11.6	68	0.2	23.4	9.9	351	2.34	13.2	5.8	3.0	14	0.2	0.7	0.2	36	0.19	0.081	14
2060810	Soil	3.3	29.2	15.3	90	0.2	35.4	10.0	562	3.30	8.3	2.4	3.6	21	0.2	0.4	0.3	17	0.28	0.146	22
2060811	Soil	1.9	11.6	23.9	95	0.6	35.2	9.4	444	4.17	16.3	2.5	1.4	14	0.1	0.3	0.3	25	0.11	0.090	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060782	Soil	24	0.28	85	0.016	<1	1.42	0.004	0.04	0.1	0.08	1.7	0.1	<0.05	5	1.1	<0.2
2060783	Soil	17	0.21	156	0.007	<1	0.99	0.003	0.03	<0.1	0.10	2.4	<0.1	<0.05	3	1.2	<0.2
2060784	Soil	12	0.06	134	0.001	<1	0.93	0.003	0.03	<0.1	0.09	0.9	<0.1	<0.05	3	1.1	<0.2
2060785	Soil	25	0.18	98	0.003	<1	1.40	0.002	0.03	<0.1	0.10	3.6	<0.1	<0.05	5	<0.5	<0.2
2060786	Soil	24	0.24	109	0.020	<1	0.81	0.008	0.06	0.1	0.07	1.5	0.1	0.08	4	1.6	<0.2
2060787	Soil	15	0.11	154	0.004	<1	0.71	0.007	0.06	<0.1	0.07	0.7	0.1	0.11	3	<0.5	<0.2
2060788	Soil	18	0.06	353	0.003	<1	0.57	0.012	0.11	<0.1	0.48	3.7	0.2	0.26	5	3.1	0.2
2060789	Soil	26	0.11	155	0.004	<1	1.11	0.006	0.08	<0.1	0.09	3.9	0.1	0.12	5	1.3	<0.2
2060790	Soil	23	0.23	54	0.021	<1	1.05	0.005	0.04	0.1	0.06	1.4	0.1	0.05	5	<0.5	<0.2
2060791	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060792	Soil	23	0.04	127	0.001	<1	0.60	0.006	0.12	<0.1	0.53	4.8	0.1	0.22	6	4.1	<0.2
2060793	Soil	10	0.06	162	0.002	<1	0.40	0.006	0.06	<0.1	0.29	3.5	<0.1	0.13	2	<0.5	<0.2
2060794	Soil	10	0.02	205	<0.001	<1	0.27	0.007	0.05	<0.1	0.73	2.3	<0.1	0.08	3	1.9	<0.2
2060795	Soil	9	0.04	48	0.001	<1	0.33	0.003	0.03	<0.1	0.23	1.2	<0.1	<0.05	1	<0.5	<0.2
2060796	Soil	18	0.06	37	0.012	<1	0.70	0.004	0.03	<0.1	0.16	0.6	0.1	0.06	4	1.3	<0.2
2060797	Soil	19	0.23	61	0.011	<1	0.87	0.004	0.04	<0.1	0.05	1.3	<0.1	0.07	3	0.6	<0.2
2060798	Soil	18	0.25	39	0.017	<1	0.78	0.005	0.03	0.1	0.04	0.6	<0.1	<0.05	3	<0.5	<0.2
2060799	Soil	12	0.06	70	0.004	<1	0.40	0.004	0.03	<0.1	0.06	1.2	<0.1	0.07	2	0.6	<0.2
2060800	Soil	20	0.10	59	0.004	<1	0.51	0.005	0.03	<0.1	0.08	1.1	<0.1	<0.05	2	0.9	<0.2
2060801	Soil	20	0.31	39	0.037	<1	0.97	0.003	0.03	0.2	0.05	2.1	<0.1	<0.05	4	<0.5	<0.2
2060802	Soil	23	0.35	52	0.040	<1	0.99	0.004	0.03	0.2	0.04	2.2	0.1	<0.05	4	<0.5	<0.2
2060803	Soil	26	0.36	108	0.028	<1	1.19	0.004	0.04	0.2	0.05	2.4	0.1	<0.05	5	1.3	<0.2
2060804	Soil	19	0.27	135	0.016	<1	0.87	0.003	0.03	0.1	0.05	2.2	<0.1	<0.05	3	1.0	<0.2
2060805	Soil	17	0.23	88	0.010	<1	1.14	0.004	0.03	0.1	0.08	2.2	0.1	<0.05	3	1.4	<0.2
2060806	Soil	21	0.32	86	0.016	<1	1.37	0.004	0.03	0.1	0.06	1.7	<0.1	<0.05	4	0.6	<0.2
2060807	Soil	22	0.37	56	0.009	<1	1.21	0.005	0.04	0.1	0.05	0.6	0.2	<0.05	4	0.7	<0.2
2060808	Soil	23	0.36	210	0.007	<1	1.42	0.006	0.04	<0.1	0.08	1.4	0.2	<0.05	4	1.0	<0.2
2060809	Soil	21	0.39	92	0.029	1	1.49	0.006	0.03	0.1	0.07	2.7	0.1	<0.05	3	0.9	<0.2
2060810	Soil	20	0.70	194	0.001	<1	1.40	0.004	0.03	<0.1	0.06	1.4	0.1	<0.05	3	0.5	<0.2
2060811	Soil	18	0.18	208	0.002	<1	1.08	0.004	0.02	<0.1	0.13	1.7	0.1	<0.05	3	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060812	Soil	31.2	52.4	19.5	127	0.4	52.9	14.9	402	3.14	22.0	3.3	7.3	44	1.1	2.3	0.3	21	0.40	0.154	17
2060813	Soil	1.7	27.1	30.9	87	0.2	51.7	24.9	1175	3.32	10.4	1.8	7.5	32	0.2	0.5	0.3	15	0.43	0.156	26
2060814	Soil	5.0	31.5	28.1	110	0.1	91.6	35.9	1106	3.48	16.0	2.2	3.0	76	0.3	0.8	0.3	20	0.24	0.160	18
2060815	Soil	2.9	45.0	29.8	123	0.2	84.4	41.5	1990	4.53	12.4	1.7	7.3	79	0.4	0.7	0.3	18	1.89	0.168	18
2060816	Soil	1.8	34.4	31.0	103	<0.1	57.3	28.1	2173	4.45	12.1	2.1	3.9	48	0.2	0.5	0.4	18	0.24	0.153	21
2060817	Soil	1.9	33.5	38.1	104	0.1	54.6	25.3	1331	4.66	10.8	2.0	6.6	63	0.2	0.5	0.4	20	0.31	0.151	19
2060818	Soil	28.2	57.4	21.5	156	0.9	81.5	27.8	1059	4.97	27.7	5.0	8.6	87	2.2	2.2	0.3	22	1.91	0.305	15
2060819	Soil	8.6	265.4	36.4	75	<0.1	35.2	40.1	3541	1.71	18.6	2.6	5.0	33	<0.1	0.5	0.4	9	0.05	0.024	30
2060820	Soil	2.0	37.8	14.2	106	0.2	52.3	15.0	524	2.86	12.3	6.3	2.0	22	0.3	0.8	0.2	39	0.48	0.144	19
2060821	Soil	2.8	55.5	10.4	58	0.1	21.2	6.9	300	2.08	7.5	3.0	0.2	16	0.1	0.8	0.2	23	0.04	0.059	10
2060822	Soil	3.1	48.5	16.2	71	0.3	23.2	5.9	388	2.65	9.2	5.9	0.2	12	<0.1	1.0	0.2	37	0.04	0.070	7
2060823	Soil	1.3	16.1	13.3	60	<0.1	17.9	6.9	276	2.89	10.6	1.8	0.7	9	0.2	0.8	0.2	54	0.09	0.054	11
2060824	Soil	1.2	19.5	15.1	63	0.2	20.8	6.3	148	1.66	8.9	1.9	0.6	10	0.3	0.7	0.2	25	0.06	0.048	6
2060825	Soil	0.9	10.9	8.6	41	<0.1	12.0	3.9	44	1.00	5.9	1.8	0.2	4	<0.1	0.3	0.1	16	0.01	0.052	2
2060826	Soil	1.1	20.5	16.0	64	0.2	29.0	10.2	229	2.35	10.5	1.9	1.1	10	0.4	0.5	0.2	25	0.10	0.062	7
2060827	Soil	1.2	19.7	18.0	65	0.3	23.5	6.5	71	2.06	10.7	1.4	2.2	22	0.1	0.5	0.3	22	0.08	0.063	5
2060828	Soil	1.5	38.6	12.2	66	<0.1	25.0	7.3	403	2.70	8.5	6.0	0.9	10	0.1	1.0	0.2	46	0.05	0.046	11
2060829	Soil	1.4	23.1	12.5	70	0.2	23.6	8.9	233	2.57	15.7	3.1	1.6	15	0.3	0.9	0.2	36	0.14	0.074	11
2060830	Soil	1.0	18.1	10.3	61	<0.1	22.0	7.8	252	2.44	9.8	2.6	1.3	10	0.2	0.8	0.2	41	0.12	0.055	12
2060831	Soil	2.2	50.4	20.2	53	0.7	22.5	6.0	136	1.88	12.3	6.7	1.8	28	0.2	0.9	0.2	20	0.04	0.044	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000891.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060812	Soil	19	0.84	48	<0.001	<1	1.13	0.004	0.04	<0.1	0.31	1.5	0.4	<0.05	3	3.2	<0.2
2060813	Soil	22	0.82	146	<0.001	<1	1.51	0.004	0.04	<0.1	0.08	2.6	<0.1	<0.05	4	<0.5	<0.2
2060814	Soil	21	0.50	170	0.002	<1	1.96	0.015	0.05	<0.1	0.05	1.7	0.2	0.08	3	1.1	<0.2
2060815	Soil	24	1.08	179	<0.001	<1	1.86	0.007	0.06	<0.1	0.07	2.3	0.1	<0.05	4	0.7	<0.2
2060816	Soil	22	0.77	106	0.001	<1	1.53	0.011	0.05	<0.1	0.07	1.8	0.1	0.06	4	<0.5	<0.2
2060817	Soil	27	1.11	121	<0.001	<1	1.91	0.013	0.04	<0.1	0.11	3.1	0.1	<0.05	5	0.7	<0.2
2060818	Soil	18	0.68	120	<0.001	<1	1.24	0.004	0.05	<0.1	0.52	3.1	0.4	<0.05	3	3.8	<0.2
2060819	Soil	7	0.29	797	<0.001	<1	0.63	0.002	0.02	<0.1	0.02	1.4	0.2	<0.05	2	<0.5	<0.2
2060820	Soil	30	0.33	198	0.017	2	1.13	0.006	0.04	0.2	0.05	2.2	0.1	<0.05	3	0.7	<0.2
2060821	Soil	14	0.17	139	0.004	1	0.79	0.003	0.04	<0.1	0.04	0.4	<0.1	<0.05	3	0.7	<0.2
2060822	Soil	19	0.11	75	0.007	<1	0.77	0.007	0.03	<0.1	0.09	0.8	<0.1	0.06	4	1.5	<0.2
2060823	Soil	28	0.39	61	0.024	<1	1.63	0.005	0.04	0.1	0.06	1.7	0.1	<0.05	6	<0.5	<0.2
2060824	Soil	14	0.14	56	0.005	<1	0.69	0.004	0.03	<0.1	0.07	1.0	<0.1	<0.05	3	<0.5	<0.2
2060825	Soil	8	0.02	21	<0.001	<1	0.27	0.003	0.01	<0.1	0.04	0.2	<0.1	<0.05	2	<0.5	<0.2
2060826	Soil	16	0.17	56	0.007	<1	0.81	0.003	0.02	<0.1	0.05	1.8	<0.1	<0.05	3	0.6	<0.2
2060827	Soil	13	0.07	94	0.001	<1	0.52	0.011	0.04	<0.1	0.09	2.2	<0.1	0.08	2	<0.5	<0.2
2060828	Soil	24	0.29	65	0.021	<1	1.31	0.004	0.03	0.1	0.05	1.6	0.1	<0.05	5	0.5	<0.2
2060829	Soil	23	0.32	70	0.021	<1	1.07	0.006	0.03	0.1	0.04	1.9	<0.1	<0.05	3	0.8	<0.2
2060830	Soil	22	0.33	75	0.026	<1	1.17	0.005	0.03	0.1	0.04	2.0	<0.1	<0.05	4	0.5	<0.2
2060831	Soil	15	0.12	91	0.004	<1	0.50	0.007	0.04	<0.1	0.10	1.6	<0.1	0.08	2	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2060533	Soil	1.3	11.3	13.0	48	<0.1	12.2	5.9	243	2.66	11.5	2.2	0.5	8	0.1	0.5	0.2	49	0.06	0.047	11
REP 2060533	QC	1.3	11.2	12.5	45	<0.1	11.9	5.7	236	2.52	10.7	8.0	0.5	7	0.1	0.5	0.2	47	0.06	0.044	11
2060569	Soil	0.9	19.1	13.5	56	0.2	24.5	5.6	153	1.96	8.3	2.8	2.1	19	0.2	0.5	0.2	29	0.12	0.076	11
REP 2060569	QC	0.8	19.1	13.6	56	0.2	24.7	5.8	158	2.04	8.4	2.2	2.3	20	0.2	0.5	0.2	29	0.12	0.077	11
2060605	Soil	15.5	33.6	28.7	112	0.3	35.4	10.5	259	4.57	30.1	1.0	4.1	50	0.3	1.0	0.4	32	0.11	0.190	33
REP 2060605	QC	15.5	33.6	27.9	94	0.3	36.2	10.0	297	4.51	30.1	1.4	4.3	50	0.3	0.9	0.4	31	0.11	0.189	33
2060641	Soil	1.4	14.0	7.9	60	<0.1	53.5	20.9	975	4.98	13.0	2.4	1.0	23	<0.1	0.4	0.2	37	0.26	0.077	10
REP 2060641	QC	1.5	13.5	7.9	60	<0.1	52.3	20.7	932	4.73	12.9	2.1	1.0	22	<0.1	0.4	0.2	34	0.24	0.074	9
2060677	Soil	1.2	21.9	11.5	68	0.2	21.4	11.3	542	2.55	12.1	3.5	1.1	10	0.2	0.6	0.2	40	0.09	0.059	12
REP 2060677	QC	1.2	23.2	11.5	65	0.2	21.1	12.2	530	2.50	12.4	1.9	1.1	10	0.2	0.6	0.2	40	0.10	0.069	12
2060713	Soil	1.3	23.3	15.7	54	0.1	20.4	8.5	297	2.42	12.9	3.6	1.4	11	0.1	0.7	0.2	36	0.08	0.062	10
REP 2060713	QC	1.3	22.8	16.3	52	0.1	20.0	8.3	299	2.38	13.0	3.8	1.4	10	0.2	0.7	0.2	37	0.08	0.063	11
2060749	Soil	1.7	16.0	12.4	70	<0.1	18.9	7.5	300	2.72	11.3	1.4	2.2	10	0.2	0.8	0.2	48	0.10	0.049	12
REP 2060749	QC	1.6	15.8	12.5	68	<0.1	19.6	7.5	288	2.59	10.5	2.4	2.2	10	0.3	0.8	0.2	48	0.11	0.051	13
2060785	Soil	1.2	18.9	32.7	46	0.5	22.8	1.6	123	2.62	18.4	<0.5	7.5	34	0.2	0.6	0.3	30	0.07	0.125	6
REP 2060785	QC	1.2	19.0	31.7	43	0.4	22.6	1.5	116	2.60	18.4	2.1	7.7	34	0.1	0.6	0.4	30	0.07	0.119	6
2060819	Soil	8.6	265.4	36.4	75	<0.1	35.2	40.1	3541	1.71	18.6	2.6	5.0	33	<0.1	0.5	0.4	9	0.05	0.024	30
REP 2060819	QC	8.5	255.9	35.1	73	<0.1	34.6	40.1	3342	1.66	18.3	1.9	4.5	32	<0.1	0.5	0.4	9	0.04	0.021	29
Reference Materials																					
STD DS11	Standard	14.4	146.1	136.7	334	1.7	78.2	13.5	1015	3.08	41.5	72.0	7.6	63	2.2	7.9	11.4	48	0.98	0.067	18
STD DS11	Standard	14.8	147.1	134.1	333	1.6	78.2	13.3	985	3.06	41.9	76.7	7.5	68	2.2	8.4	11.2	50	1.03	0.066	18
STD DS11	Standard	16.8	155.9	130.7	332	1.7	79.3	13.3	1101	3.13	45.3	77.8	7.2	69	2.3	8.4	12.3	55	1.09	0.071	19
STD DS11	Standard	14.1	149.2	137.4	343	1.8	76.6	13.5	1016	3.22	43.8	132.3	7.5	65	2.5	8.3	11.2	50	1.03	0.070	18
STD DS11	Standard	13.9	153.3	140.1	348	1.8	79.0	13.6	1089	3.29	43.7	78.4	7.7	64	2.5	8.6	11.8	52	1.05	0.073	18
STD DS11	Standard	13.0	147.1	134.9	328	1.7	78.1	13.9	997	3.10	41.2	79.4	7.1	58	2.3	8.0	11.6	51	1.00	0.067	16
STD DS11	Standard	13.9	156.9	140.1	356	1.7	79.3	15.1	1099	3.20	44.9	94.9	7.7	68	2.3	9.6	13.6	47	1.09	0.073	19
STD DS11	Standard	15.1	155.6	135.4	344	1.7	81.2	14.7	1035	3.16	42.0	63.5	7.0	63	2.3	7.4	10.8	53	1.04	0.069	18
STD DS11	Standard	13.9	151.8	135.7	338	1.7	84.0	14.3	993	2.99	40.5	88.0	7.2	61	2.3	8.4	11.2	52	0.98	0.066	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000891.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2060533	Soil	24	0.25	55	0.026	<1	1.50	0.004	0.04	0.2	0.08	1.3	0.1	<0.05	5	0.9	<0.2
REP 2060533	QC	24	0.24	55	0.025	<1	1.43	0.004	0.04	0.1	0.07	1.2	0.1	<0.05	5	0.6	<0.2
2060569	Soil	19	0.24	70	0.018	<1	1.16	0.005	0.03	<0.1	0.04	2.2	<0.1	<0.05	3	0.8	<0.2
REP 2060569	QC	19	0.24	72	0.018	<1	1.13	0.005	0.03	<0.1	0.04	2.4	<0.1	<0.05	3	<0.5	<0.2
2060605	Soil	26	0.68	82	0.002	<1	1.75	0.008	0.09	<0.1	0.08	1.3	0.4	0.06	6	1.5	<0.2
REP 2060605	QC	27	0.71	82	0.002	<1	1.71	0.009	0.08	<0.1	0.09	1.4	0.3	0.08	6	1.1	<0.2
2060641	Soil	22	0.26	233	0.016	1	1.21	0.005	0.03	0.1	0.04	2.2	<0.1	<0.05	4	1.1	<0.2
REP 2060641	QC	21	0.26	223	0.015	2	1.15	0.005	0.03	0.1	0.03	2.1	<0.1	<0.05	4	0.8	<0.2
2060677	Soil	21	0.31	76	0.023	<1	1.15	0.005	0.04	0.1	0.05	2.0	0.1	<0.05	4	0.6	<0.2
REP 2060677	QC	23	0.31	69	0.022	<1	1.30	0.005	0.04	0.1	0.06	2.0	0.1	<0.05	4	0.6	<0.2
2060713	Soil	23	0.30	77	0.018	1	1.41	0.004	0.03	0.1	0.08	2.0	<0.1	<0.05	4	0.8	<0.2
REP 2060713	QC	23	0.30	81	0.018	<1	1.41	0.004	0.03	0.1	0.06	2.1	0.1	<0.05	4	0.8	<0.2
2060749	Soil	20	0.22	60	0.035	1	1.02	0.005	0.04	0.2	0.04	2.0	0.1	<0.05	5	<0.5	<0.2
REP 2060749	QC	19	0.22	57	0.036	1	0.99	0.005	0.04	0.2	0.03	2.1	0.1	<0.05	5	<0.5	<0.2
2060785	Soil	25	0.18	98	0.003	<1	1.40	0.002	0.03	<0.1	0.10	3.6	<0.1	<0.05	5	<0.5	<0.2
REP 2060785	QC	23	0.17	98	0.003	<1	1.38	0.002	0.03	<0.1	0.10	3.5	<0.1	<0.05	5	<0.5	<0.2
2060819	Soil	7	0.29	797	<0.001	<1	0.63	0.002	0.02	<0.1	0.02	1.4	0.2	<0.05	2	<0.5	<0.2
REP 2060819	QC	7	0.30	795	<0.001	<1	0.61	0.002	0.02	<0.1	0.01	1.3	0.2	<0.05	2	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	58	0.78	356	0.087	7	1.05	0.065	0.37	3.0	0.25	3.3	4.9	0.24	5	2.3	4.5
STD DS11	Standard	57	0.83	363	0.094	6	1.15	0.073	0.37	2.8	0.26	3.3	4.8	0.25	5	2.3	4.3
STD DS11	Standard	57	0.81	403	0.102	7	1.14	0.075	0.41	3.0	0.27	3.3	5.2	0.27	5	2.4	4.9
STD DS11	Standard	56	0.82	377	0.090	8	1.06	0.070	0.41	2.9	0.28	3.2	5.0	0.27	5	2.1	4.6
STD DS11	Standard	60	0.84	403	0.089	6	1.15	0.070	0.41	2.9	0.25	3.2	5.2	0.26	5	2.1	4.9
STD DS11	Standard	58	0.84	354	0.081	7	1.07	0.069	0.36	3.0	0.25	3.0	5.1	0.30	5	2.5	4.6
STD DS11	Standard	57	0.84	341	0.097	8	1.13	0.070	0.39	3.0	0.26	3.0	4.9	0.26	5	2.0	4.6
STD DS11	Standard	62	0.82	367	0.091	8	1.13	0.068	0.38	2.9	0.27	3.3	4.7	0.32	5	2.4	4.7
STD DS11	Standard	61	0.79	340	0.086	7	1.03	0.067	0.36	3.0	0.27	3.1	5.2	0.26	5	2.8	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS
MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000891.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.2	27.2	5.8	41	<0.1	81.4	20.3	413	3.02	0.6	193.4	1.6	186	<0.1	<0.1	<0.1	52	0.65	0.096	12
STD OXC129	Standard	1.3	26.4	6.1	39	<0.1	74.1	19.4	400	2.97	0.8	205.1	1.8	193	<0.1	<0.1	<0.1	52	0.69	0.102	12
STD OXC129	Standard	1.3	28.9	6.2	43	<0.1	79.5	20.3	453	3.30	0.6	203.5	1.7	223	<0.1	<0.1	<0.1	57	0.77	0.113	13
STD OXC129	Standard	1.3	27.7	6.4	42	<0.1	78.1	19.7	416	3.29	0.5	186.9	2.0	192	<0.1	<0.1	<0.1	58	0.70	0.116	13
STD OXC129	Standard	1.2	25.9	5.8	39	<0.1	75.9	19.5	384	2.83	0.5	191.6	1.6	177	<0.1	<0.1	<0.1	54	0.63	0.104	12
STD OXC129	Standard	1.4	28.4	5.8	45	<0.1	85.7	22.7	443	3.24	<0.5	209.6	1.8	178	<0.1	<0.1	<0.1	58	0.63	0.100	13
STD OXC129	Standard	1.4	25.5	6.2	38	<0.1	78.0	21.1	419	3.21	0.7	198.0	1.9	177	<0.1	<0.1	<0.1	50	0.66	0.103	13
STD OXC129	Standard	1.3	28.8	6.3	42	<0.1	87.9	22.6	439	3.18	0.8	202.2	1.7	199	<0.1	<0.1	<0.1	59	0.71	0.104	13
STD OXC129	Standard	1.3	26.6	6.6	40	<0.1	81.7	20.9	416	2.97	0.7	190.8	1.7	178	<0.1	<0.1	<0.1	54	0.60	0.097	11
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	2	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.2	<0.1	3	0.02	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000891.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	51	1.48	49	0.394	2	1.49	0.546	0.34	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	51	1.46	49	0.397	<1	1.56	0.565	0.34	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	57	1.52	56	0.408	2	1.61	0.588	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	51	1.49	53	0.404	2	1.59	0.523	0.36	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	48	1.45	53	0.379	2	1.51	0.572	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	56	1.53	52	0.411	<1	1.56	0.563	0.35	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.57	51	0.422	<1	1.46	0.582	0.38	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	58	1.54	50	0.435	1	1.59	0.588	0.35	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.50	48	0.404	4	1.48	0.552	0.33	<0.1	<0.01	1.0	0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 01, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000892.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	319

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	319	Dry at 60C			WHI
SS80	319	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	319	Save all or part of Soil Reject			WHI
SLBHP	319	Sort, label and box pulps			WHI
AQ201	317	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	319	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060832	Soil	1.2	21.3	17.4	53	0.5	19.0	5.4	219	1.97	11.4	5.2	3.7	27	0.2	0.7	0.2	24	0.21	0.089	7
2060833	Soil	1.2	26.3	18.3	60	0.3	28.6	8.5	198	1.99	14.0	5.5	3.0	16	0.3	0.7	0.2	30	0.14	0.077	9
2060834	Soil	2.5	27.0	24.0	80	1.1	29.2	5.4	150	2.27	14.4	7.5	4.8	27	0.5	0.9	0.3	14	0.07	0.070	2
2060835	Soil	1.8	18.9	30.8	51	0.9	16.6	2.9	68	2.71	16.7	6.3	0.8	35	0.2	0.6	0.3	21	0.03	0.135	4
2060836	Soil	1.6	28.5	42.2	71	0.8	25.0	6.9	110	2.47	15.6	7.1	0.7	32	0.3	1.0	0.2	24	0.05	0.111	5
2060837	Soil	1.6	21.4	14.1	58	0.2	18.3	6.2	263	2.80	13.7	4.6	0.3	13	0.2	0.9	0.2	47	0.09	0.083	10
2060838	Soil	1.1	17.4	11.3	56	0.1	17.3	5.2	176	2.24	10.3	14.1	0.4	13	0.2	0.7	0.2	37	0.10	0.068	10
2060839	Soil	1.2	26.6	14.5	67	0.2	21.7	7.0	243	2.47	12.5	4.9	2.7	20	0.2	0.9	0.2	34	0.16	0.096	11
2060840	Soil	1.4	26.1	15.2	57	0.2	19.3	6.1	252	2.59	13.1	5.3	1.8	21	0.2	0.9	0.2	36	0.15	0.102	9
2060841	Soil	2.4	44.0	17.3	67	0.4	22.1	7.0	251	3.39	16.8	5.8	0.6	18	0.2	1.2	0.3	46	0.11	0.236	12
2060842	Soil	13.1	75.1	35.7	71	2.7	17.2	4.0	101	4.73	37.0	19.1	4.5	27	0.1	2.6	0.5	55	0.02	0.088	6
2060843	Soil	1.5	24.5	15.8	93	0.3	42.7	11.9	188	2.34	12.0	3.2	0.3	14	0.4	0.7	0.2	27	0.09	0.112	6
2060844	Soil	0.5	12.5	32.2	71	0.3	33.2	9.1	155	1.84	9.6	2.1	2.6	12	0.4	0.5	0.2	13	0.08	0.053	7
2060845	Soil	1.0	25.8	22.9	64	0.2	37.2	10.2	164	2.35	10.5	1.3	1.6	19	0.2	0.4	0.4	22	0.11	0.077	9
2060846	Soil	1.8	15.4	17.4	66	<0.1	18.9	7.2	372	2.99	13.0	3.5	0.7	9	0.2	1.0	0.3	58	0.08	0.050	10
2060847	Soil	2.2	19.5	13.3	49	0.1	15.5	5.2	193	2.16	11.8	8.2	0.9	8	0.1	0.9	0.2	37	0.07	0.037	9
2060848	Soil	1.1	22.2	13.4	91	0.4	45.0	11.3	111	1.95	9.5	1.3	2.7	16	0.4	0.3	0.2	14	0.17	0.054	6
2060849	Soil	1.4	31.7	20.1	49	0.7	31.8	7.5	96	1.52	10.1	2.4	2.8	18	0.3	0.5	0.3	12	0.15	0.043	4
2060850	Soil	1.9	39.3	17.8	50	0.3	15.5	3.3	157	1.89	11.2	9.1	0.3	14	<0.1	1.0	0.3	22	0.09	0.064	4
2060851	Soil	1.9	25.9	21.2	125	0.7	51.5	20.6	1776	5.59	16.9	3.8	1.0	18	0.3	0.7	0.3	31	0.13	0.096	8
2060852	Soil	3.1	30.3	21.1	124	0.5	50.8	16.7	677	3.67	12.5	3.1	2.4	16	0.6	0.5	0.3	20	0.16	0.100	14
2060853	Soil	1.5	20.8	15.0	119	0.1	40.8	18.2	147	2.93	9.5	2.9	1.3	11	0.2	0.6	0.2	25	0.11	0.068	12
2060854	Soil	1.1	25.4	17.7	63	0.4	25.0	7.6	242	2.44	12.8	3.1	4.2	24	0.4	0.7	0.2	36	0.21	0.109	13
2060855	Soil	1.9	18.8	16.8	53	0.2	14.9	5.0	271	2.88	16.0	5.2	0.3	12	0.1	0.9	0.3	53	0.06	0.095	10
2060856	Soil	3.6	68.4	25.7	86	0.9	30.7	5.1	618	6.41	28.5	7.0	1.9	27	0.2	1.1	0.4	55	0.03	0.093	8
2060857	Soil	2.8	34.7	18.2	119	0.6	58.7	9.3	393	3.04	18.0	2.6	0.9	26	0.3	1.3	0.2	16	0.02	0.066	3
2060858	Soil	1.3	23.7	12.3	63	0.2	19.6	6.0	271	2.52	13.2	6.3	1.1	17	0.2	0.9	0.2	36	0.15	0.129	13
2060859	Soil	0.7	15.1	8.0	44	<0.1	17.1	4.8	185	1.52	8.2	1.5	1.9	14	0.2	0.6	0.1	25	0.16	0.083	10
2060860	Soil	2.1	32.8	17.7	64	0.3	18.9	6.9	382	3.37	18.3	5.5	0.4	16	0.2	1.0	0.3	48	0.15	0.202	12
2060861	Soil	3.5	24.7	17.8	32	0.5	16.4	2.5	136	2.35	16.9	4.9	4.7	10	0.2	0.7	0.2	35	0.03	0.136	6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060832	Soil	17	0.20	170	0.017	1	0.67	0.008	0.06	<0.1	0.12	2.3	<0.1	0.09	3	0.9	<0.2
2060833	Soil	22	0.27	121	0.014	<1	1.14	0.005	0.04	<0.1	0.05	2.3	<0.1	<0.05	3	0.7	<0.2
2060834	Soil	11	0.04	108	<0.001	<1	0.45	0.004	0.03	<0.1	0.28	1.8	<0.1	<0.05	2	1.9	<0.2
2060835	Soil	16	0.05	131	<0.001	<1	0.57	0.010	0.07	<0.1	0.13	0.8	0.2	0.14	3	1.1	<0.2
2060836	Soil	16	0.10	128	0.003	<1	0.70	0.013	0.06	<0.1	0.10	0.6	0.1	0.14	3	1.3	<0.2
2060837	Soil	26	0.26	75	0.015	<1	1.31	0.005	0.04	0.2	0.09	0.8	0.1	<0.05	5	0.9	<0.2
2060838	Soil	20	0.26	86	0.024	<1	1.04	0.006	0.03	0.2	0.07	1.0	<0.1	<0.05	4	0.6	<0.2
2060839	Soil	23	0.32	97	0.029	1	0.96	0.010	0.05	0.1	0.09	2.3	0.1	<0.05	4	0.9	<0.2
2060840	Soil	22	0.27	91	0.024	<1	0.94	0.009	0.05	0.1	0.07	1.9	<0.1	<0.05	4	1.0	<0.2
2060841	Soil	29	0.32	72	0.017	<1	1.26	0.006	0.06	0.2	0.05	1.5	0.1	<0.05	5	1.8	<0.2
2060842	Soil	27	0.10	190	0.005	<1	0.65	0.007	0.10	<0.1	0.42	2.6	0.2	0.10	5	10.3	<0.2
2060843	Soil	18	0.10	48	0.003	<1	0.81	0.004	0.02	<0.1	0.10	0.4	<0.1	<0.05	3	1.0	<0.2
2060844	Soil	15	0.09	49	0.002	<1	0.73	0.002	0.02	<0.1	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
2060845	Soil	19	0.19	55	0.003	<1	1.14	0.007	0.04	<0.1	0.03	2.3	<0.1	<0.05	3	0.6	<0.2
2060846	Soil	32	0.36	74	0.034	1	1.55	0.006	0.04	0.2	0.06	1.9	0.2	<0.05	7	0.7	<0.2
2060847	Soil	20	0.21	52	0.020	<1	0.89	0.004	0.03	0.2	0.03	1.4	<0.1	<0.05	4	0.6	<0.2
2060848	Soil	17	0.16	64	<0.001	<1	0.68	0.003	0.02	<0.1	0.05	3.1	<0.1	<0.05	2	<0.5	<0.2
2060849	Soil	14	0.07	108	0.001	<1	0.65	0.004	0.03	<0.1	0.09	1.9	<0.1	<0.05	2	0.8	<0.2
2060850	Soil	17	0.07	81	0.004	<1	0.43	0.006	0.03	<0.1	0.08	0.8	<0.1	<0.05	3	1.4	<0.2
2060851	Soil	21	0.20	202	0.009	<1	1.12	0.005	0.04	<0.1	0.16	2.1	0.1	<0.05	4	1.8	<0.2
2060852	Soil	21	0.39	198	0.003	<1	1.25	0.004	0.04	<0.1	0.12	2.2	0.1	<0.05	3	0.6	<0.2
2060853	Soil	19	0.27	74	0.008	<1	1.06	0.004	0.03	0.1	0.04	1.5	<0.1	<0.05	3	<0.5	<0.2
2060854	Soil	23	0.35	147	0.029	<1	1.05	0.008	0.04	0.1	0.07	3.2	<0.1	<0.05	3	0.8	<0.2
2060855	Soil	25	0.17	72	0.016	<1	0.96	0.005	0.05	0.1	0.08	0.9	0.1	<0.05	5	0.9	<0.2
2060856	Soil	28	0.22	174	0.007	<1	1.18	0.010	0.07	<0.1	0.13	3.4	0.1	0.10	5	2.0	<0.2
2060857	Soil	15	0.06	87	0.002	<1	0.49	0.004	0.03	<0.1	0.09	1.5	<0.1	<0.05	1	1.9	<0.2
2060858	Soil	22	0.27	66	0.020	<1	1.12	0.005	0.04	0.2	0.05	1.6	0.1	<0.05	3	0.7	<0.2
2060859	Soil	17	0.23	48	0.023	<1	0.71	0.004	0.03	0.2	0.04	1.5	<0.1	<0.05	2	<0.5	<0.2
2060860	Soil	29	0.32	70	0.012	1	1.46	0.007	0.06	0.1	0.09	0.7	0.2	<0.05	5	1.8	<0.2
2060861	Soil	20	0.10	58	0.015	<1	1.06	0.003	0.03	<0.1	0.16	7.1	<0.1	<0.05	3	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060862	Soil	1.2	20.7	11.1	60	0.1	19.7	5.9	226	2.29	13.1	5.5	3.9	15	0.4	0.7	0.2	32	0.15	0.096	10
2060863	Soil	12.4	29.9	26.8	39	0.5	11.7	3.6	152	3.18	35.8	17.8	4.2	18	0.2	1.2	0.3	40	0.09	0.125	9
2060864	Soil	2.4	20.1	24.6	36	0.9	10.2	1.9	94	2.63	17.1	3.4	1.7	40	0.1	0.7	0.3	24	0.04	0.087	7
2060865	Soil	2.1	37.6	31.4	50	0.8	15.4	4.1	168	3.42	21.0	2.3	5.3	31	0.1	1.4	0.4	43	0.07	0.145	10
2060866	Soil	1.8	32.2	16.7	59	0.3	19.4	6.3	314	2.97	25.8	3.8	2.7	27	0.2	1.3	0.2	45	0.13	0.160	12
2060867	Soil	1.8	31.5	19.9	52	0.6	16.4	4.9	194	2.98	21.6	4.3	3.2	15	0.2	1.0	0.3	34	0.08	0.156	9
2060868	Soil	1.5	26.1	44.8	46	1.4	14.5	2.6	104	3.24	16.3	<0.5	8.5	89	0.7	0.5	0.6	20	0.05	0.138	4
2060869	Soil	1.2	16.1	11.3	64	<0.1	18.7	7.5	330	2.46	10.8	5.6	0.7	13	0.2	0.9	0.2	43	0.11	0.075	11
2060870	Soil	1.5	20.0	19.9	21	0.4	5.7	1.7	56	1.30	14.7	3.0	2.0	37	<0.1	0.7	0.3	24	0.04	0.056	6
2060871	Soil	2.6	52.9	26.6	67	0.3	21.3	7.4	626	4.14	25.8	5.8	0.8	20	0.3	1.2	0.4	53	0.10	0.236	11
2060872	Soil	3.0	30.1	38.1	23	1.2	4.5	1.2	36	2.01	20.7	4.0	2.1	20	<0.1	1.1	0.4	23	0.02	0.067	5
2060873	Soil	1.6	28.6	19.1	44	0.4	13.8	4.2	221	2.30	16.2	9.4	0.4	13	0.2	0.9	0.3	34	0.07	0.100	10
2060874	Soil	2.3	30.9	21.3	49	0.5	16.1	5.9	293	2.48	19.4	5.1	1.4	14	0.2	1.0	0.3	37	0.08	0.088	11
2060875	Soil	3.6	35.6	46.1	32	0.9	8.8	2.6	106	3.36	30.2	9.1	3.2	22	0.1	1.7	0.5	38	0.05	0.081	7
2060876	Soil	2.9	29.6	29.2	32	0.5	10.6	2.4	120	2.42	20.0	4.9	2.1	22	0.1	1.0	0.4	30	0.05	0.095	7
2060877	Soil	2.9	24.3	27.2	39	0.6	11.9	2.4	109	2.71	25.0	3.8	2.4	19	0.1	0.9	0.3	28	0.05	0.109	9
2060878	Soil	2.6	24.0	14.3	60	0.4	22.8	6.2	218	2.54	11.6	5.5	2.1	18	0.2	0.8	0.2	34	0.14	0.058	10
2060879	Soil	3.2	23.4	16.9	68	0.2	17.6	8.3	375	2.91	12.7	3.0	0.7	10	0.3	0.9	0.3	47	0.07	0.061	8
2060880	Soil	0.8	12.3	22.1	50	0.9	17.6	3.8	49	1.66	7.4	<0.5	3.5	38	0.2	0.3	0.3	10	0.08	0.051	2
2060881	Soil	0.8	11.9	21.8	45	0.9	17.3	3.9	42	1.67	7.0	<0.5	3.1	36	0.2	0.3	0.3	9	0.07	0.049	1
2060882	Soil	3.8	37.5	15.7	69	0.3	23.2	6.9	201	2.61	10.0	5.3	0.8	13	0.3	0.8	0.2	29	0.06	0.065	7
2060883	Soil	1.1	18.5	16.8	67	0.3	31.4	9.5	283	2.36	13.4	2.7	2.8	15	0.5	0.6	0.2	26	0.17	0.081	10
2060884	Soil	2.6	39.1	25.9	144	1.6	56.3	11.6	154	3.06	22.2	2.9	5.8	30	0.7	1.4	0.4	23	0.09	0.077	1
2060885	Soil	1.8	31.2	19.0	102	1.0	30.8	5.4	97	2.98	15.3	2.5	1.3	13	0.3	0.8	0.3	28	0.05	0.091	3
2060886	Soil	1.5	34.4	28.5	106	1.0	39.4	14.5	307	3.09	20.6	1.2	1.4	33	0.5	0.8	0.4	27	0.20	0.129	8
2060887	Soil	7.5	29.1	85.2	17	3.8	4.7	1.3	24	4.13	41.1	4.9	5.3	116	0.1	1.9	0.6	37	0.06	0.091	9
2060888	Soil	3.8	49.9	36.0	67	0.7	29.1	5.0	122	3.49	26.5	3.9	3.4	44	0.4	0.8	0.5	36	0.03	0.130	11
2060889	Soil	1.5	34.6	13.2	56	0.1	19.1	7.0	243	2.93	13.8	0.7	1.2	13	0.3	0.9	0.2	40	0.16	0.127	11
2060890	Soil	1.5	18.3	18.3	54	0.2	16.9	7.0	361	3.05	15.3	2.9	0.5	12	0.2	1.0	0.3	45	0.06	0.080	12
2060891	Soil	1.2	15.8	14.4	49	0.1	15.7	6.8	256	2.53	13.8	8.7	0.7	15	0.2	0.9	0.2	35	0.11	0.090	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060862	Soil	21	0.25	76	0.027	<1	0.93	0.004	0.04	0.1	0.04	2.6	<0.1	<0.05	3	0.6	<0.2
2060863	Soil	25	0.16	108	0.010	<1	0.88	0.005	0.05	<0.1	0.16	3.1	<0.1	<0.05	4	2.4	<0.2
2060864	Soil	19	0.12	174	0.003	<1	0.69	0.006	0.06	<0.1	0.14	2.3	0.1	0.10	3	2.1	<0.2
2060865	Soil	25	0.20	150	0.015	<1	1.03	0.012	0.09	<0.1	0.19	4.4	0.1	0.15	4	3.1	<0.2
2060866	Soil	27	0.32	90	0.029	<1	1.11	0.006	0.05	0.2	0.06	3.4	0.1	<0.05	4	1.4	<0.2
2060867	Soil	24	0.21	72	0.021	<1	0.99	0.005	0.05	0.1	0.11	4.0	0.1	<0.05	3	1.5	<0.2
2060868	Soil	23	0.07	164	<0.001	1	0.88	0.006	0.08	<0.1	0.22	4.3	0.2	0.27	3	1.4	<0.2
2060869	Soil	24	0.32	70	0.025	2	1.22	0.005	0.04	0.2	0.08	1.4	0.1	<0.05	5	0.5	<0.2
2060870	Soil	17	0.08	67	0.008	1	0.44	0.003	0.02	<0.1	0.77	2.2	<0.1	<0.05	2	1.4	<0.2
2060871	Soil	34	0.28	91	0.021	3	1.23	0.007	0.07	0.2	0.16	3.0	0.2	0.08	5	2.1	<0.2
2060872	Soil	20	0.04	91	0.001	1	0.47	0.005	0.05	<0.1	0.19	2.4	0.1	<0.05	3	3.9	<0.2
2060873	Soil	22	0.19	59	0.009	2	0.91	0.006	0.04	0.2	0.08	1.0	<0.1	<0.05	3	1.2	<0.2
2060874	Soil	24	0.23	80	0.013	1	1.03	0.005	0.04	0.2	0.13	2.0	0.1	<0.05	4	1.7	<0.2
2060875	Soil	25	0.11	214	0.005	1	0.69	0.007	0.09	<0.1	0.53	2.7	0.1	0.14	6	4.1	<0.2
2060876	Soil	22	0.12	114	0.005	<1	0.77	0.005	0.05	<0.1	0.12	2.0	0.1	<0.05	4	1.9	<0.2
2060877	Soil	20	0.12	100	0.005	<1	0.83	0.004	0.04	<0.1	0.18	2.8	<0.1	<0.05	4	2.2	<0.2
2060878	Soil	21	0.31	119	0.018	1	1.11	0.011	0.05	0.2	0.10	1.9	<0.1	<0.05	3	0.8	<0.2
2060879	Soil	28	0.30	82	0.024	1	1.41	0.006	0.05	0.2	0.13	1.4	0.1	<0.05	5	1.0	<0.2
2060880	Soil	10	0.06	110	<0.001	<1	0.39	0.016	0.06	<0.1	0.23	1.7	0.1	0.05	2	<0.5	<0.2
2060881	Soil	9	0.06	108	<0.001	<1	0.34	0.015	0.06	<0.1	0.20	1.6	0.1	0.06	2	0.7	<0.2
2060882	Soil	22	0.24	64	0.011	<1	0.89	0.004	0.03	<0.1	0.07	1.4	0.1	<0.05	3	1.3	<0.2
2060883	Soil	21	0.29	94	0.014	<1	1.24	0.006	0.03	<0.1	0.05	2.4	<0.1	<0.05	3	0.5	<0.2
2060884	Soil	25	0.28	69	<0.001	<1	0.86	0.005	0.05	<0.1	0.29	2.7	0.2	0.09	3	2.6	<0.2
2060885	Soil	23	0.26	58	0.003	<1	0.96	0.005	0.04	<0.1	0.10	1.6	0.1	0.05	3	2.3	<0.2
2060886	Soil	19	0.19	117	0.004	<1	0.87	0.007	0.05	<0.1	0.11	2.4	0.1	<0.05	3	1.3	<0.2
2060887	Soil	23	0.02	176	0.001	<1	0.32	0.084	0.44	<0.1	0.52	2.7	0.4	1.30	5	4.2	<0.2
2060888	Soil	25	0.15	174	0.002	<1	1.48	0.007	0.04	<0.1	0.09	3.7	0.1	0.09	5	2.2	<0.2
2060889	Soil	26	0.31	54	0.024	1	1.22	0.004	0.03	0.1	0.08	2.1	0.1	<0.05	4	2.1	<0.2
2060890	Soil	28	0.28	75	0.019	<1	1.28	0.005	0.05	0.2	0.09	1.2	0.2	<0.05	5	1.5	<0.2
2060891	Soil	23	0.28	79	0.019	1	1.04	0.005	0.04	0.1	0.07	1.3	0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060892	Soil	1.8	18.3	16.1	54	0.2	14.2	5.2	190	2.89	13.7	1.7	0.1	10	0.2	0.9	0.3	56	0.06	0.104	11
2060893	Soil	2.5	53.3	29.9	43	0.8	15.2	2.2	45	3.32	22.7	0.7	3.3	27	<0.1	0.6	0.4	28	0.02	0.062	10
2060894	Soil	1.8	11.7	10.8	34	<0.1	8.1	2.6	61	1.24	11.5	<0.5	0.1	7	0.1	0.7	0.3	50	0.05	0.061	10
2060895	Soil	1.0	22.0	14.5	59	0.3	20.8	7.2	183	2.48	20.2	0.8	0.3	26	0.2	0.7	0.2	34	0.09	0.097	11
2060896	Soil	13.2	70.2	31.1	82	0.9	31.2	8.3	223	4.30	32.5	8.2	4.2	42	0.5	1.2	0.4	25	0.05	0.082	8
2060897	Soil	4.2	11.6	27.3	23	0.5	7.2	2.3	59	2.33	19.6	5.3	1.6	39	<0.1	0.7	0.3	27	0.05	0.044	9
2060898	Soil	1.6	30.2	25.9	81	0.4	32.2	10.3	283	3.40	22.8	2.5	2.7	25	0.3	0.8	0.3	38	0.12	0.120	13
2060899	Soil	1.3	37.1	17.9	101	0.2	36.4	13.7	256	3.49	14.4	3.9	3.1	28	0.4	0.7	0.3	37	0.15	0.102	12
2060900	Soil	1.2	16.5	11.4	64	<0.1	20.5	7.7	270	2.46	11.6	2.2	1.2	11	0.2	0.7	0.2	44	0.12	0.063	12
2060901	Soil	1.2	26.2	13.4	65	0.2	21.2	6.5	195	2.26	12.7	4.2	2.3	17	0.3	0.7	0.2	34	0.17	0.087	13
2060902	Soil	1.0	19.0	13.8	65	<0.1	23.3	8.4	188	2.29	9.4	2.2	2.3	16	0.2	0.6	0.2	33	0.15	0.065	14
2060903	Soil	1.2	14.2	13.7	58	<0.1	17.1	7.2	281	2.95	12.5	2.4	0.9	8	0.3	0.7	0.2	47	0.06	0.054	11
2060904	Soil	0.9	17.1	16.9	73	0.1	34.3	12.2	188	2.87	8.3	1.3	3.8	18	0.2	0.5	0.3	26	0.20	0.097	10
2060905	Soil	1.4	14.6	15.3	62	<0.1	20.9	8.5	382	3.08	12.2	3.1	1.1	7	0.2	0.9	0.2	41	0.04	0.043	9
2060906	Soil	1.5	30.9	15.0	85	0.5	32.2	9.6	251	2.76	16.2	3.4	3.3	18	0.3	0.7	0.2	32	0.10	0.078	11
2060907	Soil	1.5	31.3	17.9	83	0.5	34.3	8.6	163	2.95	18.9	4.4	2.0	27	0.3	0.7	0.3	30	0.11	0.079	8
2060908	Soil	2.3	42.1	18.1	110	0.7	54.2	9.8	138	2.84	19.7	2.9	1.7	25	0.4	0.7	0.3	26	0.09	0.083	7
2060909	Soil	1.8	28.3	17.9	62	0.4	24.7	6.3	167	2.57	16.7	2.8	0.6	18	0.2	0.7	0.3	37	0.06	0.070	9
2060910	Soil	1.7	28.6	21.2	70	0.6	27.6	6.2	183	2.89	19.3	2.5	0.4	20	0.2	0.7	0.3	40	0.04	0.073	8
2060911	Soil	1.9	33.1	26.5	79	0.7	30.2	6.5	139	2.98	21.3	6.9	0.9	26	0.2	0.7	0.4	29	0.05	0.085	8
2060912	Soil	1.5	21.5	12.9	82	0.3	19.3	6.4	483	2.75	9.9	1.4	<0.1	13	0.4	0.7	0.2	49	0.14	0.164	7
2060913	Soil	1.2	25.0	23.6	95	0.3	40.9	12.4	137	2.93	7.8	0.8	3.0	9	0.2	0.5	0.3	21	0.04	0.051	7
2060914	Soil	1.0	25.6	9.5	78	<0.1	28.2	9.3	352	2.33	10.2	3.2	1.4	11	0.3	0.7	0.2	41	0.12	0.053	12
2060915	Soil	1.0	9.9	10.0	33	<0.1	10.5	3.6	126	1.99	7.6	2.2	0.6	7	<0.1	0.7	0.1	54	0.06	0.035	10
2060916	Soil	0.9	19.6	8.8	57	<0.1	20.5	7.7	283	1.99	8.0	2.9	2.0	11	0.2	0.6	0.1	37	0.16	0.066	14
2060917	Soil	1.8	15.3	16.4	53	<0.1	15.3	5.5	266	2.58	11.1	3.1	0.9	7	0.1	0.8	0.2	61	0.06	0.057	10
2060918	Soil	0.9	19.7	9.3	67	<0.1	21.9	8.4	288	2.40	9.8	2.0	1.3	9	0.2	0.7	0.1	40	0.12	0.056	12
2060919	Soil	1.4	14.0	16.7	62	<0.1	18.6	8.1	394	2.80	11.6	2.8	1.9	8	0.2	0.8	0.2	52	0.08	0.055	11
2060920	Soil	1.4	14.2	15.0	61	<0.1	18.4	8.5	410	2.94	11.4	2.4	1.9	8	0.3	0.8	0.2	52	0.08	0.054	11
2060921	Soil	1.8	20.0	19.9	117	<0.1	22.3	6.4	215	3.21	12.1	9.1	1.5	10	0.2	0.9	0.2	52	0.08	0.070	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060892	Soil	28	0.25	71	0.014	<1	1.56	0.007	0.04	0.1	0.09	0.6	0.2	<0.05	7	0.8	<0.2
2060893	Soil	38	0.09	83	0.002	<1	0.66	0.003	0.02	<0.1	0.12	2.5	0.2	<0.05	7	2.0	<0.2
2060894	Soil	16	0.06	57	0.011	<1	0.65	0.005	0.03	0.2	0.09	0.3	0.2	<0.05	6	<0.5	<0.2
2060895	Soil	21	0.23	62	0.007	<1	1.01	0.004	0.03	0.2	0.07	0.6	0.1	<0.05	4	0.9	<0.2
2060896	Soil	18	0.06	267	0.004	<1	0.47	0.009	0.09	<0.1	0.18	2.6	0.2	0.14	3	2.2	<0.2
2060897	Soil	15	0.10	287	0.005	<1	0.46	0.013	0.09	<0.1	0.15	1.9	0.1	0.13	4	0.9	<0.2
2060898	Soil	27	0.29	76	0.020	<1	1.29	0.004	0.04	0.1	0.08	2.9	0.1	<0.05	5	1.5	<0.2
2060899	Soil	20	0.24	126	0.016	<1	1.07	0.004	0.03	<0.1	0.06	3.1	<0.1	<0.05	3	1.1	<0.2
2060900	Soil	24	0.31	71	0.031	<1	1.46	0.005	0.03	0.2	0.06	1.8	<0.1	<0.05	5	0.6	<0.2
2060901	Soil	21	0.26	66	0.026	<1	0.93	0.005	0.03	0.2	0.07	2.3	<0.1	<0.05	3	0.7	<0.2
2060902	Soil	20	0.27	103	0.021	<1	1.00	0.004	0.03	0.1	0.05	2.9	<0.1	<0.05	4	<0.5	<0.2
2060903	Soil	27	0.32	56	0.029	<1	1.42	0.004	0.03	0.2	0.05	1.6	0.1	<0.05	5	0.6	<0.2
2060904	Soil	16	0.19	69	0.010	<1	0.78	0.002	0.02	<0.1	0.05	2.9	<0.1	<0.05	3	<0.5	<0.2
2060905	Soil	21	0.26	55	0.026	2	0.97	0.004	0.02	0.2	0.06	1.4	<0.1	<0.05	5	<0.5	<0.2
2060906	Soil	18	0.29	114	0.022	1	1.00	0.004	0.03	0.1	0.11	2.6	<0.1	<0.05	3	1.0	<0.2
2060907	Soil	18	0.24	109	0.007	<1	0.94	0.003	0.03	<0.1	0.09	1.9	<0.1	<0.05	3	0.7	<0.2
2060908	Soil	16	0.14	126	0.005	<1	1.00	0.004	0.02	<0.1	0.13	2.2	<0.1	<0.05	2	1.8	<0.2
2060909	Soil	19	0.22	86	0.010	<1	1.09	0.004	0.03	0.1	0.06	1.2	<0.1	<0.05	4	0.8	<0.2
2060910	Soil	19	0.19	97	0.009	<1	1.09	0.004	0.03	<0.1	0.10	1.0	0.1	<0.05	4	1.4	<0.2
2060911	Soil	17	0.13	123	0.003	<1	0.89	0.004	0.03	<0.1	0.10	1.5	<0.1	<0.05	3	1.7	<0.2
2060912	Soil	20	0.14	106	0.011	<1	0.80	0.007	0.05	<0.1	0.09	0.5	0.1	0.10	5	1.0	<0.2
2060913	Soil	16	0.12	115	<0.001	<1	1.00	0.002	0.02	<0.1	0.09	3.6	<0.1	<0.05	3	<0.5	<0.2
2060914	Soil	24	0.41	84	0.035	1	1.38	0.006	0.04	0.2	0.04	2.1	<0.1	<0.05	3	<0.5	<0.2
2060915	Soil	18	0.18	44	0.040	<1	0.79	0.004	0.02	0.2	0.05	1.2	0.1	<0.05	5	<0.5	<0.2
2060916	Soil	20	0.32	68	0.034	1	1.10	0.005	0.03	0.2	0.03	2.2	<0.1	<0.05	3	<0.5	<0.2
2060917	Soil	25	0.22	62	0.040	<1	1.14	0.005	0.04	0.2	0.08	1.5	0.1	<0.05	6	<0.5	<0.2
2060918	Soil	22	0.36	68	0.031	1	1.44	0.005	0.03	0.2	0.04	1.7	0.1	<0.05	4	<0.5	<0.2
2060919	Soil	31	0.43	86	0.028	<1	2.01	0.010	0.04	0.2	0.06	2.5	0.1	<0.05	5	0.5	<0.2
2060920	Soil	30	0.44	88	0.028	<1	2.05	0.006	0.04	0.2	0.05	2.5	0.1	<0.05	5	0.5	<0.2
2060921	Soil	25	0.23	50	0.029	<1	0.95	0.004	0.03	0.2	0.07	2.1	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060922	Soil	2.2	36.9	31.1	142	0.9	28.9	6.4	194	1.70	11.5	0.6	2.2	18	0.8	0.7	0.1	15	0.32	0.095	5
2060923	Soil	1.3	28.5	29.8	105	1.4	48.0	10.8	177	3.74	28.6	1.9	1.7	23	0.4	1.1	0.3	15	0.15	0.096	5
2060924	Soil	1.5	28.3	22.6	99	0.7	44.6	11.3	128	3.00	16.6	1.0	2.6	19	0.5	0.9	0.3	20	0.19	0.086	5
2060925	Soil	1.8	37.8	14.3	90	0.4	35.5	10.3	253	2.56	15.0	1.8	4.0	20	0.5	0.7	0.2	30	0.25	0.098	9
2060926	Soil	1.1	29.6	9.1	68	0.2	25.0	7.3	229	2.10	11.4	5.0	3.1	16	0.4	0.7	0.1	28	0.22	0.090	11
2060927	Soil	1.8	33.1	15.4	86	0.2	35.8	10.1	342	2.66	19.3	6.2	2.8	25	0.6	0.9	0.2	37	0.22	0.091	13
2060928	Soil	2.4	31.8	23.2	69	0.2	19.6	3.4	77	1.53	14.1	<0.5	<0.1	22	0.1	0.8	0.1	24	0.04	0.057	5
2060929	Soil	1.8	57.6	13.6	102	1.8	33.4	11.8	439	2.90	11.1	2.6	1.6	24	0.8	0.8	0.2	53	0.54	0.092	22
2060930	Soil	2.6	21.6	18.1	69	0.8	32.3	8.1	94	1.60	22.9	1.4	3.1	20	0.3	0.8	0.2	18	0.28	0.057	3
2060931	Soil	0.8	27.8	24.2	115	1.5	50.0	14.0	152	3.30	30.2	<0.5	2.6	27	0.5	0.7	0.3	22	0.19	0.083	3
2060932	Soil	1.1	21.0	23.7	69	0.4	32.4	10.4	251	2.44	16.2	1.2	0.7	15	0.4	0.8	0.4	31	0.14	0.075	11
2060933	Soil	1.8	27.4	20.7	86	0.7	53.5	15.7	327	2.54	33.4	1.5	3.7	26	0.4	0.9	0.3	25	0.22	0.096	9
2060934	Soil	3.8	43.2	33.8	51	0.6	19.7	3.9	55	3.70	27.0	<0.5	2.4	23	<0.1	0.6	0.4	26	0.01	0.092	11
2060935	Soil	0.5	12.4	14.8	81	0.3	30.0	11.3	181	1.62	13.5	0.7	2.7	9	0.2	0.3	0.2	10	0.08	0.045	3
2060936	Soil	0.5	12.1	12.0	37	0.3	19.4	6.3	63	1.10	14.0	1.0	2.1	6	0.2	0.2	0.1	10	0.06	0.029	2
2060937	Soil	1.9	32.8	14.3	74	0.3	33.1	8.1	192	2.58	13.5	3.1	3.8	18	0.1	0.8	0.2	31	0.14	0.061	9
2060938	Soil	1.3	21.9	18.0	55	0.2	24.8	8.3	179	2.53	13.8	1.3	0.5	13	0.3	0.7	0.2	34	0.12	0.070	8
2060939	Soil	0.9	19.8	12.7	58	0.1	26.4	9.0	236	2.35	13.7	5.8	2.2	13	0.2	0.6	0.2	34	0.17	0.072	12
2060940	Soil	1.0	22.9	22.5	86	0.2	36.3	13.6	383	2.82	21.2	4.0	3.4	16	0.2	0.8	0.2	44	0.19	0.085	16
2060941	Soil	2.3	25.8	28.1	88	0.2	32.4	11.6	302	3.08	23.5	1.5	0.3	10	0.5	0.9	0.3	56	0.08	0.095	10
2060942	Soil	2.0	34.3	16.6	99	0.7	38.6	9.0	177	2.65	14.5	4.7	4.3	14	0.3	0.8	0.2	29	0.10	0.065	7
2060943	Soil	2.4	44.6	16.4	81	0.6	39.0	7.2	170	2.35	9.2	4.6	3.2	13	0.2	0.6	0.2	23	0.08	0.047	5
2060944	Soil	1.4	26.3	14.8	71	0.3	32.3	11.1	208	2.24	10.9	1.7	5.2	15	0.3	0.6	0.2	29	0.19	0.088	9
2060945	Soil	1.2	20.3	16.2	77	0.1	27.0	11.1	312	2.76	13.0	2.6	2.0	15	0.3	0.8	0.2	44	0.14	0.078	14
2060946	Soil	1.6	16.5	19.1	71	0.2	23.6	9.7	311	2.89	12.7	1.1	0.9	12	0.3	0.8	0.2	48	0.11	0.090	13
2060947	Soil	1.9	50.9	20.4	105	1.0	63.9	14.5	774	2.91	15.0	1.7	0.7	19	0.4	0.6	0.3	32	0.15	0.137	8
2060948	Soil	1.6	18.7	16.8	78	0.2	21.8	10.2	504	3.57	17.5	4.1	0.8	15	0.3	0.9	0.3	52	0.10	0.068	13
2060949	Soil	4.9	19.1	28.2	39	0.4	12.6	3.6	136	2.03	16.1	7.0	1.2	26	0.1	0.8	0.3	31	0.07	0.058	12
2060950	Soil	1.3	18.5	17.3	70	0.3	20.5	7.2	233	2.71	16.6	1.8	3.0	29	0.3	0.7	0.2	39	0.17	0.090	13
2060951	Soil	2.4	43.5	38.8	124	0.1	107.3	65.8	3872	4.76	16.9	<0.5	5.4	58	0.4	0.9	0.3	17	0.34	0.213	29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060922	Soil	10	0.12	57	0.005	<1	0.37	0.003	0.02	<0.1	0.24	2.4	<0.1	<0.05	1	<0.5	<0.2
2060923	Soil	9	0.05	64	0.002	<1	0.29	0.003	0.02	<0.1	0.36	2.4	<0.1	<0.05	<1	0.6	<0.2
2060924	Soil	15	0.10	95	<0.001	<1	0.68	0.004	0.03	<0.1	0.16	3.0	<0.1	<0.05	2	<0.5	<0.2
2060925	Soil	19	0.28	76	0.013	<1	0.76	0.005	0.02	<0.1	0.12	3.3	<0.1	<0.05	2	<0.5	<0.2
2060926	Soil	16	0.25	104	0.024	<1	0.65	0.005	0.03	0.1	0.04	2.5	<0.1	<0.05	2	<0.5	<0.2
2060927	Soil	22	0.28	94	0.018	<1	0.87	0.006	0.04	0.2	0.16	3.0	<0.1	<0.05	2	<0.5	<0.2
2060928	Soil	18	0.07	42	0.007	<1	0.33	0.004	0.02	<0.1	0.05	0.6	<0.1	<0.05	2	<0.5	<0.2
2060929	Soil	32	0.49	123	0.018	<1	1.34	0.007	0.03	0.2	0.18	3.6	<0.1	<0.05	3	0.9	<0.2
2060930	Soil	15	0.04	96	<0.001	<1	0.41	0.003	0.02	<0.1	0.31	2.5	<0.1	<0.05	1	<0.5	<0.2
2060931	Soil	13	0.03	64	<0.001	<1	0.24	0.003	0.03	<0.1	0.20	4.0	<0.1	<0.05	<1	<0.5	<0.2
2060932	Soil	19	0.26	71	0.010	<1	0.90	0.005	0.03	0.1	0.08	1.2	0.1	<0.05	3	<0.5	<0.2
2060933	Soil	16	0.11	192	0.009	<1	0.43	0.004	0.02	<0.1	0.19	3.7	<0.1	<0.05	1	0.5	<0.2
2060934	Soil	20	0.15	201	<0.001	<1	0.85	0.006	0.04	<0.1	0.28	2.2	<0.1	<0.05	4	1.7	<0.2
2060935	Soil	9	0.03	57	0.002	<1	0.23	0.002	0.02	<0.1	0.05	1.8	<0.1	<0.05	<1	<0.5	<0.2
2060936	Soil	8	0.01	57	<0.001	<1	0.20	0.002	0.01	<0.1	0.06	1.7	<0.1	<0.05	<1	0.5	<0.2
2060937	Soil	19	0.26	101	0.019	<1	0.82	0.006	0.03	<0.1	0.11	2.6	<0.1	<0.05	2	0.6	<0.2
2060938	Soil	21	0.19	75	0.010	<1	0.87	0.004	0.03	0.1	0.04	1.1	<0.1	<0.05	3	<0.5	<0.2
2060939	Soil	20	0.33	79	0.021	6	1.10	0.005	0.03	0.1	0.03	2.4	<0.1	<0.05	3	<0.5	<0.2
2060940	Soil	25	0.37	100	0.029	1	1.17	0.007	0.04	0.2	0.06	2.6	<0.1	<0.05	4	0.6	<0.2
2060941	Soil	28	0.20	70	0.015	2	1.27	0.005	0.04	0.1	0.08	1.1	0.2	<0.05	5	1.0	<0.2
2060942	Soil	23	0.21	106	0.007	<1	1.01	0.004	0.03	<0.1	0.10	2.5	<0.1	<0.05	3	1.8	<0.2
2060943	Soil	18	0.18	104	0.003	<1	0.94	0.004	0.03	<0.1	0.15	2.2	<0.1	<0.05	3	0.9	<0.2
2060944	Soil	24	0.20	75	0.017	<1	1.02	0.004	0.03	<0.1	0.05	3.0	<0.1	<0.05	3	<0.5	<0.2
2060945	Soil	26	0.37	98	0.026	1	1.40	0.007	0.04	0.2	0.04	2.2	<0.1	<0.05	5	<0.5	<0.2
2060946	Soil	27	0.34	79	0.020	1	1.36	0.006	0.05	0.1	0.06	1.8	0.1	<0.05	5	0.7	<0.2
2060947	Soil	23	0.19	143	0.003	<1	1.52	0.006	0.04	<0.1	0.11	1.7	0.1	<0.05	4	1.2	<0.2
2060948	Soil	30	0.40	96	0.024	2	1.60	0.006	0.06	0.1	0.06	1.9	0.1	<0.05	6	0.7	<0.2
2060949	Soil	19	0.19	151	0.011	<1	0.93	0.006	0.05	<0.1	0.13	1.7	<0.1	<0.05	4	1.0	<0.2
2060950	Soil	27	0.34	158	0.026	<1	1.35	0.005	0.04	0.1	0.09	3.0	<0.1	<0.05	5	0.6	<0.2
2060951	Soil	23	0.68	234	0.002	<1	1.69	0.015	0.07	<0.1	0.06	2.6	0.1	<0.05	3	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060952	Soil	1.7	36.4	28.6	107	<0.1	70.9	37.1	3256	4.53	14.6	0.8	5.0	13	0.7	1.0	0.3	28	0.11	0.107	21
2060953	Soil	1.4	12.0	15.9	41	<0.1	15.9	7.1	518	2.33	8.2	2.6	1.1	12	0.1	0.6	0.2	48	0.12	0.063	21
2060954	Soil	9.2	67.6	38.0	110	0.2	51.5	21.0	815	4.58	23.6	2.1	3.8	61	0.8	1.4	0.4	14	0.04	0.138	26
2060955	Soil	2.2	21.2	12.1	63	<0.1	21.4	7.4	251	3.04	11.3	1.1	0.5	11	0.1	0.8	0.2	42	0.10	0.065	15
2060956	Soil	1.8	78.3	12.4	70	<0.1	30.5	11.8	422	2.71	7.6	1.9	1.7	12	0.1	0.5	0.4	34	0.05	0.051	23
2060957	Soil	4.0	16.7	16.9	56	<0.1	19.1	7.5	266	3.10	12.9	2.1	1.3	12	0.1	0.9	0.3	49	0.07	0.053	18
2060958	Soil	3.3	16.7	11.8	52	<0.1	17.9	6.3	260	3.32	14.3	2.3	4.7	11	<0.1	0.8	0.3	48	0.05	0.038	18
2060959	Soil	1.7	19.2	14.0	64	0.1	27.0	9.6	768	2.78	10.1	3.1	1.8	36	0.3	0.6	0.2	57	0.64	0.108	20
2060960	Soil	2.0	22.3	14.8	66	0.2	26.5	10.7	1081	2.33	10.8	2.3	1.6	32	0.3	0.7	0.2	42	0.61	0.121	22
2060961	Soil	1.6	18.7	13.7	52	<0.1	21.2	8.0	302	2.91	12.0	2.5	2.8	9	0.2	0.7	0.2	44	0.09	0.054	15
2060962	Soil	2.6	41.5	35.9	117	2.1	54.9	6.5	109	3.46	17.4	1.9	5.4	76	0.6	0.8	0.3	34	0.76	0.354	3
2060963	Soil	1.1	32.9	32.8	97	0.7	47.6	13.5	167	3.10	13.9	1.6	5.4	22	0.4	0.7	0.3	31	0.17	0.076	8
2060964	Soil	2.1	27.1	19.0	78	0.4	33.1	9.8	322	3.02	15.3	5.1	1.1	16	0.4	0.9	0.3	43	0.10	0.069	11
2060965	Soil	1.5	26.6	20.3	78	0.3	45.3	12.3	328	3.49	16.0	0.5	3.1	26	0.3	0.7	0.2	26	0.17	0.096	8
2060966	Soil	1.1	17.5	18.9	99	0.5	75.2	52.1	1123	2.87	13.8	0.7	4.2	45	0.7	0.8	0.2	22	0.22	0.110	10
2060967	Soil	2.6	45.2	38.5	57	1.2	26.5	6.2	88	3.03	45.0	6.7	2.1	48	0.1	1.1	0.4	33	0.03	0.125	10
2060968	Soil	2.0	45.4	33.0	127	1.1	68.0	20.8	272	3.45	23.5	1.8	2.0	27	0.6	0.9	0.4	27	0.10	0.102	11
2060969	Soil	1.8	29.5	39.8	69	1.1	30.3	7.5	125	3.18	21.3	<0.5	2.4	59	0.2	0.7	0.4	27	0.03	0.100	11
2060970	Soil	1.6	37.2	27.7	117	1.0	64.7	16.6	218	3.60	18.5	<0.5	7.1	29	0.5	0.7	0.4	33	0.49	0.114	7
2060971	Soil	0.9	27.5	25.0	89	0.3	67.6	16.2	95	3.03	14.2	<0.5	6.9	30	0.2	0.5	0.5	32	0.34	0.129	17
2060972	Soil	2.9	21.7	33.0	65	0.7	25.4	5.0	116	3.16	16.6	<0.5	5.2	20	0.1	0.8	0.4	26	0.21	0.068	9
2060973	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060974	Soil	1.9	34.2	26.5	115	0.8	57.3	15.6	201	3.50	22.2	<0.5	7.6	26	0.6	0.9	0.4	25	0.41	0.146	7
2060975	Soil	2.0	18.3	17.0	66	0.3	28.9	6.7	156	2.29	14.8	5.7	0.5	20	0.3	0.7	0.2	27	0.13	0.058	8
2060976	Soil	0.7	7.7	10.2	34	0.2	16.2	4.9	173	1.23	10.3	<0.5	0.4	8	0.2	0.4	0.2	13	0.02	0.045	2
2060977	Soil	1.8	21.1	30.0	65	1.2	23.4	5.6	236	2.48	29.0	6.4	1.1	43	0.3	1.0	0.5	27	0.31	0.092	4
2060978	Soil	1.1	14.8	11.1	80	<0.1	25.0	9.5	375	2.40	11.6	6.3	1.3	15	0.3	0.8	0.2	39	0.11	0.051	13
2060979	Soil	6.7	32.5	17.9	48	1.1	15.0	2.8	104	2.48	10.1	6.3	3.3	19	0.1	1.2	0.3	13	0.08	0.043	2
2060980	Soil	21.6	29.8	24.6	33	0.2	5.9	1.2	68	2.59	54.3	0.6	6.8	395	<0.1	2.1	0.4	18	0.01	0.046	13
2060981	Soil	27.3	48.1	46.0	524	11.4	29.5	6.2	209	4.08	103.1	10.3	3.7	161	5.4	60.7	0.3	233	0.21	0.327	52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060952	Soil	30	0.67	153	0.006	<1	2.16	0.004	0.05	<0.1	0.08	2.4	0.2	<0.05	4	0.6	<0.2
2060953	Soil	19	0.22	102	0.023	<1	1.12	0.005	0.05	0.1	0.04	1.1	0.1	<0.05	6	<0.5	<0.2
2060954	Soil	15	0.20	206	0.001	<1	1.10	0.023	0.09	<0.1	0.26	1.7	0.5	0.24	2	1.5	<0.2
2060955	Soil	28	0.31	67	0.017	1	1.36	0.005	0.04	0.1	0.05	1.3	0.1	<0.05	5	0.8	<0.2
2060956	Soil	22	0.32	259	0.014	<1	1.30	0.003	0.04	<0.1	0.03	2.1	0.2	<0.05	4	<0.5	<0.2
2060957	Soil	27	0.41	141	0.011	<1	1.66	0.007	0.06	0.1	0.07	1.7	0.3	<0.05	6	0.7	<0.2
2060958	Soil	24	0.34	106	0.023	<1	1.45	0.006	0.05	0.1	0.03	2.1	0.2	<0.05	6	0.6	<0.2
2060959	Soil	32	0.41	207	0.027	1	2.03	0.008	0.05	0.2	0.05	3.1	0.2	<0.05	5	0.5	<0.2
2060960	Soil	32	0.39	208	0.021	1	1.44	0.008	0.06	0.1	0.05	3.2	0.1	<0.05	4	<0.5	<0.2
2060961	Soil	25	0.31	86	0.024	<1	1.42	0.004	0.04	0.1	0.04	2.1	0.1	<0.05	5	0.7	<0.2
2060962	Soil	47	0.37	126	<0.001	<1	1.47	0.008	0.05	<0.1	0.22	3.6	0.1	<0.05	4	2.4	<0.2
2060963	Soil	36	0.17	49	0.002	<1	1.56	0.004	0.03	<0.1	0.10	3.9	<0.1	<0.05	5	1.0	<0.2
2060964	Soil	31	0.35	102	0.016	<1	1.51	0.007	0.06	0.1	0.07	2.0	0.2	<0.05	5	0.9	<0.2
2060965	Soil	21	0.17	92	0.008	<1	0.94	0.005	0.03	<0.1	0.05	3.1	<0.1	<0.05	3	0.8	<0.2
2060966	Soil	14	0.17	110	0.018	<1	0.56	0.009	0.05	<0.1	0.13	2.3	0.1	<0.05	2	0.6	<0.2
2060967	Soil	25	0.07	120	0.001	<1	1.10	0.005	0.06	<0.1	0.31	2.9	<0.1	0.07	6	3.5	0.2
2060968	Soil	24	0.17	90	<0.001	<1	1.22	0.004	0.04	<0.1	0.14	2.9	<0.1	<0.05	4	1.8	<0.2
2060969	Soil	22	0.13	144	<0.001	<1	1.12	0.004	0.05	<0.1	0.25	3.0	0.1	<0.05	5	1.7	<0.2
2060970	Soil	34	0.22	98	<0.001	<1	1.72	0.005	0.05	<0.1	0.21	4.4	<0.1	<0.05	5	1.0	<0.2
2060971	Soil	37	0.22	81	<0.001	2	2.07	0.003	0.03	<0.1	0.06	5.2	<0.1	<0.05	8	<0.5	<0.2
2060972	Soil	26	0.21	111	<0.001	<1	1.24	0.004	0.03	<0.1	0.20	2.9	<0.1	<0.05	5	1.1	<0.2
2060973	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2060974	Soil	27	0.17	166	<0.001	<1	1.43	0.004	0.05	<0.1	0.22	4.7	<0.1	<0.05	4	0.9	<0.2
2060975	Soil	22	0.15	95	0.006	<1	1.01	0.005	0.03	<0.1	0.09	0.9	<0.1	<0.05	3	<0.5	<0.2
2060976	Soil	11	0.06	31	0.003	2	0.44	0.003	0.02	<0.1	0.02	0.6	<0.1	0.05	1	<0.5	<0.2
2060977	Soil	17	0.06	192	0.004	2	0.60	0.007	0.05	<0.1	0.35	2.4	0.1	0.11	2	0.9	<0.2
2060978	Soil	22	0.32	125	0.023	<1	1.19	0.005	0.04	0.2	0.05	2.1	<0.1	0.06	4	<0.5	<0.2
2060979	Soil	9	0.02	90	<0.001	<1	0.18	0.010	0.04	<0.1	0.46	1.3	0.1	0.12	1	1.4	0.2
2060980	Soil	15	0.24	203	0.001	<1	0.49	0.009	0.09	<0.1	0.30	2.0	0.9	0.54	2	2.2	<0.2
2060981	Soil	28	0.18	510	0.047	3	0.79	0.018	0.20	0.5	0.85	3.5	1.4	0.50	4	35.2	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2060982	Soil	8.5	113.7	46.4	139	2.2	30.7	2.0	122	5.04	39.7	5.7	6.0	235	0.2	8.2	0.5	85	0.02	0.176	25
2060983	Soil	11.1	43.4	33.2	88	4.7	12.4	1.2	70	2.05	28.8	15.1	5.0	242	1.4	9.9	0.3	49	0.17	0.311	20
2060984	Soil	6.1	83.9	5.4	192	0.5	82.8	23.5	960	5.01	52.1	0.6	2.9	68	2.2	1.3	0.1	118	2.41	0.235	21
2060985	Soil	10.6	152.9	92.3	257	2.5	60.6	17.3	711	5.58	55.9	4.5	4.8	169	2.3	14.1	0.8	26	0.47	0.208	16
2060986	Soil	5.2	118.0	17.8	198	1.1	87.6	22.1	754	3.86	8.4	4.9	5.5	56	1.8	1.6	0.4	31	0.30	0.151	26
2060987	Soil	10.6	21.9	22.9	49	0.8	12.8	3.6	146	3.64	23.0	5.8	1.8	30	0.3	3.8	0.5	44	0.05	0.068	20
2060988	Soil	5.1	48.1	13.9	91	0.4	30.4	9.2	359	3.21	14.5	4.7	1.2	29	0.6	1.6	0.3	51	0.11	0.089	18
2060989	Soil	3.6	46.6	13.3	90	0.3	29.8	8.8	346	3.10	11.7	5.8	0.6	19	0.6	1.2	0.2	43	0.09	0.080	17
2060990	Soil	5.3	40.3	14.4	78	0.1	23.9	6.9	305	3.45	12.0	3.9	0.5	16	0.3	1.2	0.4	60	0.06	0.076	15
2060991	Soil	3.1	35.2	14.9	85	0.2	26.1	9.6	451	3.20	12.2	6.8	1.5	15	0.3	1.3	0.3	55	0.11	0.082	15
2060992	Soil	10.1	90.1	17.3	138	0.7	47.9	12.3	592	3.19	11.7	6.7	0.2	15	1.1	2.4	0.3	56	0.09	0.110	16
2060993	Soil	20.1	46.0	21.8	29	1.1	5.0	0.6	27	2.39	37.5	<0.5	4.3	45	0.2	5.4	0.5	30	0.02	0.109	37
2060994	Soil	32.6	195.7	76.4	613	2.2	158.4	41.1	1413	5.09	31.1	24.0	2.3	133	10.1	11.2	0.7	22	0.10	0.148	12
2060995	Soil	29.5	101.9	29.8	284	1.9	106.4	20.8	820	4.52	26.2	6.3	5.9	67	4.5	5.2	0.4	40	0.77	0.345	21
2060996	Soil	25.3	111.4	50.6	285	2.4	96.8	17.9	798	5.01	32.1	11.7	3.7	61	3.7	7.5	0.6	30	0.57	0.258	21
2060997	Soil	26.2	89.8	40.6	251	2.3	81.6	13.7	509	4.07	26.4	11.2	1.0	51	2.5	6.3	0.4	46	0.54	0.238	21
2060998	Soil	12.3	136.7	18.3	196	1.4	87.5	22.5	1187	4.29	13.7	10.1	1.9	50	1.3	3.0	0.4	29	0.24	0.245	17
2060999	Soil	19.1	92.5	14.9	122	2.8	39.1	9.6	495	3.81	15.7	13.9	0.4	26	0.7	3.2	0.3	33	0.04	0.108	11
2061000	Soil	37.1	155.1	153.7	418	3.8	74.9	17.1	329	5.99	56.8	17.5	4.4	54	2.5	15.9	1.2	23	0.13	0.164	16
2061001	Soil	2.1	34.2	23.4	114	0.6	48.9	14.2	287	3.41	16.6	2.4	2.0	17	0.5	0.8	0.3	31	0.07	0.090	7
2061002	Soil	1.7	35.6	24.7	139	0.8	58.1	18.3	347	3.18	24.9	2.6	2.5	20	1.2	0.9	0.4	22	0.14	0.097	6
2061003	Soil	2.3	35.0	21.5	93	0.8	36.5	9.9	178	2.89	17.0	5.7	2.2	17	0.9	0.9	0.3	23	0.09	0.075	5
2061004	Soil	2.5	34.3	24.2	73	0.9	28.2	5.1	125	2.69	15.1	3.5	2.9	18	0.3	0.7	0.4	25	0.12	0.055	2
2061005	Soil	3.1	19.0	43.7	43	1.1	14.1	3.6	48	1.80	18.7	8.6	1.0	21	<0.1	1.1	0.5	18	0.01	0.050	9
2061006	Soil	1.9	29.0	19.5	75	0.5	28.7	7.1	172	2.72	17.9	1.8	1.6	19	0.5	0.7	0.3	33	0.11	0.082	10
2061007	Soil	1.7	29.9	27.0	73	0.5	30.7	7.0	156	2.77	18.7	0.6	2.8	33	0.5	0.8	0.3	31	0.12	0.102	12
2061008	Soil	9.0	33.3	19.8	75	1.4	33.0	7.7	200	3.52	25.0	1.8	3.5	17	0.5	1.2	0.3	23	0.15	0.095	5
2061009	Soil	1.2	16.4	6.0	14	0.2	16.7	3.2	76	0.56	72.9	0.8	1.4	23	<0.1	2.0	<0.1	8	0.20	0.048	4
2061010	Soil	12.7	64.3	21.8	106	0.8	45.1	13.4	410	5.06	15.2	1.7	4.5	40	0.6	1.0	0.3	35	0.31	0.085	26
2061011	Soil	3.2	42.1	21.2	103	0.7	49.4	13.4	240	3.50	22.8	<0.5	6.8	36	0.5	0.7	0.3	29	0.32	0.128	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2060982	Soil	28	0.30	375	0.003	2	1.09	0.037	0.17	<0.1	0.30	3.3	0.4	0.55	3	11.6	0.2
2060983	Soil	13	0.08	568	0.003	4	0.44	0.018	0.11	<0.1	1.09	1.3	0.5	0.27	2	8.4	<0.2
2060984	Soil	106	3.00	274	0.058	5	2.72	0.011	0.16	<0.1	0.05	5.3	0.5	0.20	11	7.6	<0.2
2060985	Soil	28	0.41	253	0.004	2	0.87	0.034	0.12	<0.1	3.58	3.4	1.3	0.52	3	4.4	0.3
2060986	Soil	37	0.91	294	0.002	4	1.64	0.015	0.10	<0.1	0.29	3.4	0.2	0.14	4	4.9	<0.2
2060987	Soil	28	0.26	138	0.010	1	1.23	0.012	0.05	<0.1	0.18	1.6	0.6	0.17	5	6.7	<0.2
2060988	Soil	31	0.44	185	0.012	<1	1.67	0.009	0.06	0.1	0.13	2.1	0.3	0.13	5	3.7	<0.2
2060989	Soil	29	0.41	127	0.013	3	1.33	0.008	0.05	<0.1	0.05	1.4	0.2	0.11	4	3.7	<0.2
2060990	Soil	34	0.32	146	0.010	1	1.68	0.008	0.06	0.1	0.08	1.7	0.3	0.11	6	3.1	<0.2
2060991	Soil	35	0.47	136	0.023	2	1.91	0.008	0.06	0.1	0.05	2.8	0.2	0.11	5	2.1	<0.2
2060992	Soil	30	0.26	181	0.010	3	1.26	0.006	0.07	0.1	0.12	1.4	0.4	0.09	5	6.5	<0.2
2060993	Soil	18	0.14	315	0.017	2	0.62	0.035	0.09	<0.1	0.29	2.5	1.5	0.32	3	11.0	<0.2
2060994	Soil	32	0.23	281	0.003	3	1.14	0.052	0.11	<0.1	0.91	5.0	1.4	0.45	2	5.9	<0.2
2060995	Soil	24	0.35	244	0.004	2	0.79	0.019	0.11	<0.1	0.82	4.7	0.8	0.13	2	9.1	0.2
2060996	Soil	24	0.29	284	0.005	6	0.92	0.063	0.13	<0.1	1.18	4.4	1.2	0.47	2	9.1	0.3
2060997	Soil	28	0.34	349	0.006	6	1.01	0.030	0.13	<0.1	1.01	3.2	1.1	0.25	3	7.0	0.2
2060998	Soil	34	0.52	203	0.003	3	1.18	0.021	0.09	<0.1	0.29	3.1	0.4	0.19	3	7.1	0.4
2060999	Soil	19	0.17	187	0.005	4	0.93	0.051	0.09	<0.1	0.40	1.3	0.5	0.31	3	10.6	0.4
2061000	Soil	16	0.03	303	0.001	4	0.50	0.094	0.09	<0.1	1.95	4.5	2.8	0.63	1	8.1	0.4
2061001	Soil	24	0.18	96	0.003	3	1.20	0.004	0.04	<0.1	0.11	2.8	0.1	0.07	4	1.8	<0.2
2061002	Soil	16	0.08	73	0.001	2	0.67	0.004	0.04	<0.1	0.11	2.9	0.1	0.09	2	2.0	<0.2
2061003	Soil	18	0.13	72	0.002	2	0.76	0.004	0.04	<0.1	0.13	2.0	<0.1	0.09	2	0.8	<0.2
2061004	Soil	21	0.15	93	<0.001	2	0.89	0.004	0.04	<0.1	0.18	2.3	<0.1	0.08	3	1.6	<0.2
2061005	Soil	9	0.01	69	<0.001	2	0.30	0.004	0.04	<0.1	0.19	1.4	0.1	0.12	2	0.5	<0.2
2061006	Soil	23	0.23	90	0.009	2	1.13	0.004	0.04	0.1	0.11	2.7	<0.1	0.06	4	1.1	<0.2
2061007	Soil	23	0.21	108	0.007	3	1.26	0.003	0.04	<0.1	0.09	3.1	<0.1	0.07	4	1.5	<0.2
2061008	Soil	19	0.15	141	0.003	3	0.79	0.004	0.04	<0.1	0.77	3.1	0.2	<0.05	3	1.8	<0.2
2061009	Soil	11	0.01	38	<0.001	2	0.12	0.001	0.01	<0.1	0.54	1.1	<0.1	<0.05	<1	<0.5	<0.2
2061010	Soil	24	0.39	393	0.003	4	1.06	0.008	0.05	<0.1	0.23	4.0	0.1	0.11	3	1.6	<0.2
2061011	Soil	24	0.14	368	0.001	2	1.16	0.003	0.04	<0.1	0.20	5.7	<0.1	<0.05	4	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061012	Soil	5.0	47.0	24.5	108	0.2	60.5	18.7	821	4.95	24.8	6.0	7.5	70	0.2	0.6	0.4	28	0.45	0.239	24
2061013	Soil	20.3	50.6	25.6	113	0.2	55.2	23.0	1295	5.39	31.8	5.8	5.0	25	0.2	1.3	0.4	22	0.13	0.145	33
2061014	Soil	17.1	42.7	21.7	121	0.2	48.1	15.0	1158	4.58	22.1	5.5	4.1	24	0.3	0.9	0.3	27	0.13	0.152	33
2061015	Soil	12.0	36.3	22.8	99	<0.1	48.7	25.0	755	4.10	25.1	4.1	2.4	12	0.4	0.9	0.3	34	0.11	0.129	29
2061016	Soil	3.5	22.9	15.4	62	<0.1	29.2	11.0	433	3.26	17.5	4.4	2.1	16	0.2	1.0	0.2	41	0.15	0.115	20
2061017	Soil	1.8	20.9	12.6	64	0.1	22.1	8.2	260	2.69	14.5	6.6	1.1	11	0.2	1.2	0.2	56	0.10	0.067	17
2061018	Soil	2.0	29.9	15.8	78	0.4	29.5	6.2	126	2.50	20.4	6.6	1.2	13	0.3	2.0	0.2	36	0.04	0.056	10
2061019	Soil	8.3	47.8	19.8	95	2.0	15.1	3.2	101	1.90	19.8	9.5	0.9	30	0.3	7.5	0.2	52	0.05	0.071	26
2061020	Soil	24.8	89.0	79.3	38	6.6	24.0	1.2	62	4.71	75.0	22.4	1.6	289	0.4	14.1	0.6	205	0.31	0.431	23
2061021	Soil	7.4	79.8	25.2	271	1.2	59.2	17.4	320	4.18	19.4	8.4	5.5	58	1.0	4.7	0.3	27	0.16	0.181	28
2061022	Soil	11.8	54.7	22.5	105	0.3	34.6	8.7	263	2.94	16.7	6.2	3.5	42	0.5	2.3	0.4	22	0.29	0.111	25
2061023	Soil	43.4	138.8	19.3	471	2.7	125.6	15.2	657	4.09	26.2	7.5	5.9	55	12.1	7.0	0.3	32	0.82	0.280	24
2061024	Soil	4.9	25.3	20.6	75	<0.1	31.6	8.3	150	3.73	13.5	2.3	3.3	12	0.1	0.7	0.3	25	0.03	0.094	26
2061025	Soil	14.5	46.0	24.7	105	<0.1	51.1	20.1	324	4.93	17.9	5.9	6.9	17	0.2	0.8	0.4	20	0.20	0.146	38
2061026	Soil	3.6	56.3	28.1	129	0.4	62.2	20.8	374	4.64	15.9	4.0	12.1	34	0.3	1.3	0.4	16	0.56	0.227	37
2061027	Soil	23.2	74.6	20.1	170	1.6	57.9	9.0	177	3.33	13.4	12.0	0.6	16	1.8	2.9	0.3	60	0.13	0.190	20
2061028	Soil	8.9	1333.9	46.2	186	2.0	91.0	60.2	1084	6.51	14.7	70.8	3.4	30	1.0	1.4	0.1	95	1.04	0.464	46
2061029	Soil	13.9	49.8	16.4	138	1.4	43.3	8.2	211	2.93	14.4	4.9	0.4	13	1.4	2.5	0.3	41	0.11	0.156	16
2061030	Soil	3.2	19.6	9.8	53	0.2	17.4	7.0	300	2.64	13.5	4.8	0.7	13	0.2	1.1	0.2	46	0.08	0.077	13
2061031	Soil	2.7	21.9	11.5	46	0.1	14.8	4.4	185	2.80	11.8	4.2	2.1	9	0.2	0.9	0.3	62	0.05	0.044	16
2061032	Soil	13.2	45.0	11.8	71	1.2	20.0	3.7	111	2.72	15.8	8.0	2.2	40	0.2	2.5	0.3	37	0.12	0.123	29
2061033	Soil	3.5	20.8	10.9	54	0.1	16.4	6.0	263	3.27	15.3	5.5	0.9	16	0.1	1.3	0.3	60	0.08	0.062	16
2061034	Soil	2.9	42.9	21.4	64	0.3	18.6	5.9	162	2.78	9.6	3.9	6.1	21	0.2	1.0	0.4	44	0.03	0.046	31
2061035	Soil	17.2	36.3	11.5	77	0.7	16.9	3.1	82	2.70	20.8	6.2	1.0	31	0.1	3.2	0.4	98	0.03	0.069	19
2061036	Soil	6.3	26.7	10.5	49	0.6	11.8	2.8	80	2.17	11.5	5.8	0.2	21	0.2	1.4	0.3	44	0.04	0.091	14
2061037	Soil	18.8	99.7	18.4	151	1.8	44.6	10.1	170	5.40	27.4	6.5	3.0	99	0.6	4.9	0.4	52	0.15	0.284	22
2061038	Soil	8.7	19.8	11.6	105	<0.1	24.4	5.5	54	1.81	11.5	3.5	0.6	6	0.3	1.9	0.2	56	0.02	0.065	30
2061039	Soil	10.2	74.5	15.2	209	4.1	79.9	12.5	156	3.78	10.0	11.0	6.4	10	2.6	2.3	0.3	27	0.14	0.111	26
2061040	Soil	6.8	67.4	14.6	164	1.5	59.4	10.5	168	3.23	9.9	8.4	4.4	9	1.7	2.0	0.3	29	0.09	0.092	23
2061041	Soil	14.5	35.8	21.1	168	0.5	63.2	11.7	187	5.04	21.5	4.1	7.6	18	1.5	2.6	0.4	51	0.23	0.210	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061012	Soil	29	1.26	234	0.003	2	2.26	0.011	0.08	<0.1	0.28	3.4	0.2	<0.05	6	1.0	<0.2
2061013	Soil	30	1.31	75	0.001	2	2.41	0.006	0.04	<0.1	0.43	1.6	0.2	<0.05	5	1.4	<0.2
2061014	Soil	29	1.06	97	0.002	2	2.11	0.006	0.05	<0.1	0.31	2.1	0.3	<0.05	5	1.3	<0.2
2061015	Soil	26	0.78	75	0.007	2	2.10	0.005	0.04	<0.1	0.06	1.4	0.3	<0.05	5	1.6	<0.2
2061016	Soil	28	0.57	95	0.020	2	1.77	0.007	0.05	0.2	0.05	1.9	0.2	<0.05	5	1.2	<0.2
2061017	Soil	29	0.39	108	0.031	2	1.58	0.006	0.04	0.2	0.06	2.2	0.2	<0.05	5	1.0	<0.2
2061018	Soil	20	0.20	111	0.008	1	1.10	0.004	0.03	<0.1	0.12	1.9	<0.1	<0.05	3	1.4	<0.2
2061019	Soil	16	0.16	210	0.008	2	0.84	0.006	0.05	<0.1	0.27	0.9	0.3	<0.05	3	5.1	<0.2
2061020	Soil	35	0.15	236	0.003	2	0.99	0.029	0.21	<0.1	2.27	1.3	0.6	0.71	5	32.8	0.4
2061021	Soil	25	0.58	325	0.004	2	1.56	0.010	0.07	<0.1	0.21	2.5	0.2	<0.05	4	3.3	<0.2
2061022	Soil	20	0.53	430	0.002	2	1.23	0.011	0.06	<0.1	0.11	1.9	0.3	<0.05	4	1.7	<0.2
2061023	Soil	22	0.65	195	0.001	1	0.99	0.005	0.07	<0.1	0.82	3.8	0.4	<0.05	3	8.7	<0.2
2061024	Soil	23	0.65	93	0.002	1	1.54	0.007	0.04	<0.1	0.13	1.3	0.2	<0.05	5	0.7	<0.2
2061025	Soil	22	0.86	93	<0.001	<1	1.77	0.005	0.05	<0.1	0.25	2.4	0.2	<0.05	4	0.9	<0.2
2061026	Soil	17	0.69	128	0.001	2	1.22	0.004	0.11	<0.1	0.43	3.2	0.1	<0.05	3	0.7	<0.2
2061027	Soil	28	0.25	122	0.002	<1	1.40	0.006	0.06	<0.1	0.43	0.6	0.6	<0.05	4	6.6	<0.2
2061028	Soil	67	1.16	156	0.034	2	2.25	0.007	0.04	0.2	0.16	9.5	0.1	<0.05	7	3.2	<0.2
2061029	Soil	26	0.29	111	0.005	<1	1.12	0.006	0.04	<0.1	0.44	0.5	0.5	<0.05	5	3.5	<0.2
2061030	Soil	29	0.35	86	0.020	2	1.62	0.005	0.04	0.1	0.08	1.5	0.2	<0.05	5	3.0	<0.2
2061031	Soil	26	0.20	64	0.030	1	1.10	0.004	0.04	0.2	0.05	2.2	0.2	<0.05	7	0.9	<0.2
2061032	Soil	25	0.29	173	0.015	1	1.03	0.041	0.05	<0.1	0.15	1.8	0.7	0.21	3	10.0	<0.2
2061033	Soil	33	0.40	100	0.025	1	1.85	0.008	0.05	0.2	0.06	2.0	0.3	<0.05	7	2.2	<0.2
2061034	Soil	19	0.34	86	0.008	1	1.72	0.006	0.06	<0.1	0.06	2.0	0.2	<0.05	7	1.3	<0.2
2061035	Soil	30	0.15	139	0.014	1	1.32	0.009	0.04	0.1	0.10	2.2	0.7	<0.05	7	5.8	<0.2
2061036	Soil	23	0.15	113	0.006	2	0.99	0.006	0.04	<0.1	0.10	0.5	0.3	<0.05	5	3.8	<0.2
2061037	Soil	44	0.38	306	0.001	2	1.51	0.019	0.09	<0.1	0.58	2.4	0.8	0.22	4	12.2	<0.2
2061038	Soil	17	0.06	117	0.007	2	0.86	0.003	0.05	<0.1	0.05	0.7	0.6	<0.05	5	1.3	<0.2
2061039	Soil	44	0.54	156	0.002	1	1.75	0.003	0.05	<0.1	0.33	3.1	0.4	<0.05	3	6.2	<0.2
2061040	Soil	36	0.46	84	0.003	1	1.31	0.004	0.04	<0.1	0.13	2.0	0.3	<0.05	4	4.7	<0.2
2061041	Soil	38	0.44	104	0.004	2	1.74	0.004	0.06	<0.1	0.07	2.4	0.5	<0.05	5	3.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061042	Soil	5.5	126.0	12.5	210	1.2	84.2	25.9	724	3.44	8.2	16.8	2.2	20	1.0	1.8	0.3	38	0.07	0.114	20
2061043	Soil	13.0	85.5	12.4	119	0.6	41.5	9.6	402	3.27	9.5	11.4	0.6	16	0.6	2.2	0.3	54	0.03	0.146	13
2061044	Soil	9.5	69.9	14.3	202	1.2	66.3	12.6	268	3.37	12.2	8.1	1.5	12	1.9	2.5	0.3	37	0.13	0.164	24
2061045	Soil	24.7	26.2	15.9	172	0.5	57.8	11.8	231	3.35	16.9	3.7	5.8	17	2.3	2.4	0.2	36	0.24	0.140	30
2061046	Soil	37.4	284.3	13.7	483	3.0	121.7	10.2	123	6.62	24.9	4.9	5.3	110	2.4	6.6	0.5	130	0.23	0.292	20
2061047	Soil	20.5	86.5	21.1	324	0.4	146.0	24.1	567	4.46	30.9	4.5	4.5	169	3.1	3.0	0.3	15	0.63	0.309	10
2061048	Soil	8.1	72.2	17.8	186	5.9	59.3	10.2	134	4.35	10.1	11.0	6.6	13	1.7	2.3	0.3	34	0.03	0.074	28
2061049	Soil	4.6	15.1	12.7	58	<0.1	16.5	4.4	76	2.36	12.9	3.2	2.7	6	0.3	1.2	0.3	58	0.04	0.052	28
2061050	Soil	14.3	81.8	20.0	285	3.7	96.1	16.2	501	3.80	14.5	7.1	3.6	48	8.0	3.7	0.3	27	0.62	0.219	23
2061051	Soil	1.9	24.1	11.5	68	0.2	23.4	7.6	218	2.58	12.9	2.5	2.2	15	0.2	0.8	0.2	38	0.14	0.081	13
2061052	Soil	2.4	26.5	16.6	79	0.2	23.3	9.4	420	2.96	14.7	2.8	1.0	13	0.2	0.9	0.3	52	0.09	0.092	12
2061053	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2061054	Soil	2.2	22.2	16.0	35	<0.1	13.6	4.2	126	2.54	16.6	1.2	1.0	8	0.1	0.8	0.2	39	0.05	0.067	11
2061055	Soil	2.4	69.6	21.5	85	0.6	36.9	13.5	312	3.37	14.7	3.0	3.4	22	0.2	0.8	0.3	38	0.06	0.074	12
2061056	Soil	5.5	15.0	48.8	81	0.9	20.4	4.7	83	3.29	40.8	3.5	2.2	12	<0.1	2.5	0.5	33	0.04	0.059	9
2061057	Soil	1.0	15.7	17.0	98	0.4	31.0	7.5	162	3.04	10.5	2.1	2.9	16	<0.1	0.3	0.2	44	0.17	0.053	7
2061058	Soil	1.4	34.5	18.7	123	0.4	45.4	11.6	234	3.36	16.4	3.8	3.0	13	0.2	0.6	0.3	42	0.07	0.067	8
2061059	Soil	2.0	29.5	17.5	121	0.3	40.6	8.4	248	3.97	24.3	4.1	2.9	11	0.2	0.8	0.3	43	0.07	0.085	6
2061060	Soil	2.3	48.3	26.9	126	0.3	43.1	9.6	199	3.70	25.0	4.2	3.2	10	0.1	0.8	0.4	39	0.02	0.062	7
2061061	Soil	1.6	42.8	21.1	131	0.6	51.0	10.4	192	3.48	13.2	3.3	3.4	16	0.2	0.5	0.3	38	0.02	0.047	6
2061062	Soil	2.4	53.3	28.8	148	1.2	55.6	9.5	267	4.13	19.3	1.1	5.5	21	0.3	0.8	0.3	36	0.12	0.088	5
2061063	Soil	1.7	33.8	22.4	108	0.5	40.7	8.5	202	3.13	16.5	4.4	1.1	13	0.3	0.7	0.3	39	0.04	0.081	8
2061064	Soil	1.3	24.2	15.0	80	0.2	27.7	7.3	255	3.03	12.1	2.4	1.2	11	<0.1	0.7	0.3	47	0.05	0.051	10
2061065	Soil	0.9	29.6	17.8	77	0.5	29.6	7.6	160	2.24	16.0	2.3	2.8	14	0.1	0.6	0.2	29	0.06	0.043	7
2061066	Soil	0.8	20.2	25.0	72	0.4	33.0	9.2	139	2.80	10.6	<0.5	1.0	21	0.2	0.4	0.4	42	0.07	0.084	14
2061067	Soil	1.1	23.9	13.2	66	0.2	22.3	7.4	294	2.25	12.1	3.4	2.3	23	0.2	0.7	0.2	39	0.19	0.099	15
2061068	Soil	1.1	27.4	10.8	82	0.1	27.2	9.5	312	2.44	12.8	4.9	3.9	19	0.3	0.8	0.2	40	0.23	0.099	15
2061069	Soil	7.7	36.8	18.6	113	0.4	50.1	13.3	285	3.19	15.5	2.0	3.1	19	0.2	0.7	0.3	21	0.18	0.078	9
2061070	Soil	1.2	22.0	21.3	67	0.3	30.9	10.4	156	2.17	21.0	2.0	0.9	12	0.3	0.5	0.3	24	0.10	0.076	7
2061071	Soil	3.1	55.9	26.0	88	0.8	38.0	10.1	294	3.26	15.0	4.6	3.3	20	0.4	0.8	0.3	25	0.12	0.080	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061042	Soil	42	0.61	272	0.005	2	1.75	0.006	0.13	<0.1	0.19	3.8	0.3	<0.05	5	4.3	0.2
2061043	Soil	35	0.25	243	0.004	3	1.40	0.008	0.11	<0.1	0.10	1.3	0.4	<0.05	5	4.5	0.2
2061044	Soil	39	0.40	101	0.004	1	1.44	0.004	0.05	<0.1	0.26	1.8	0.4	<0.05	4	5.6	<0.2
2061045	Soil	33	0.35	197	<0.001	1	1.57	0.004	0.05	<0.1	0.18	3.0	0.6	<0.05	3	2.5	<0.2
2061046	Soil	74	0.70	333	0.001	2	1.83	0.067	0.15	<0.1	0.89	7.5	1.4	0.49	5	27.8	0.2
2061047	Soil	15	0.21	168	<0.001	2	0.78	0.017	0.16	<0.1	1.63	3.1	1.2	0.90	2	3.8	0.2
2061048	Soil	44	0.43	111	0.001	1	1.89	0.005	0.07	<0.1	0.25	2.2	0.4	<0.05	4	5.7	<0.2
2061049	Soil	16	0.12	64	0.019	<1	0.78	0.002	0.04	0.1	0.03	1.0	0.2	<0.05	5	<0.5	<0.2
2061050	Soil	37	0.49	168	0.001	2	0.95	0.008	0.08	<0.1	0.57	3.0	0.7	0.09	2	8.3	<0.2
2061051	Soil	22	0.32	76	0.025	<1	1.11	0.005	0.04	0.1	0.09	2.5	<0.1	<0.05	3	<0.5	<0.2
2061052	Soil	29	0.41	92	0.025	1	1.46	0.007	0.07	0.1	0.07	2.4	0.1	<0.05	5	1.0	<0.2
2061053	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
2061054	Soil	18	0.18	51	0.021	<1	0.82	0.004	0.03	0.2	0.06	1.3	<0.1	<0.05	3	0.9	<0.2
2061055	Soil	25	0.36	146	0.023	<1	1.40	0.005	0.05	0.1	0.17	4.8	<0.1	<0.05	4	<0.5	<0.2
2061056	Soil	18	0.19	79	0.002	<1	0.98	0.005	0.04	<0.1	0.23	1.7	<0.1	<0.05	4	5.2	0.3
2061057	Soil	30	0.49	302	0.003	<1	1.77	0.005	0.03	<0.1	0.06	2.8	<0.1	<0.05	5	1.1	<0.2
2061058	Soil	31	0.47	99	0.002	<1	1.82	0.004	0.03	<0.1	0.12	2.6	<0.1	<0.05	5	0.7	<0.2
2061059	Soil	31	0.41	65	0.002	<1	1.64	0.003	0.02	<0.1	0.05	2.4	<0.1	<0.05	5	1.7	<0.2
2061060	Soil	29	0.36	107	0.001	<1	1.63	0.004	0.04	<0.1	0.11	2.5	<0.1	<0.05	4	1.9	<0.2
2061061	Soil	30	0.51	190	0.001	<1	1.77	0.005	0.04	<0.1	0.16	2.7	<0.1	<0.05	4	1.5	<0.2
2061062	Soil	31	0.54	232	<0.001	<1	1.51	0.003	0.03	<0.1	0.19	3.6	<0.1	<0.05	4	3.5	<0.2
2061063	Soil	28	0.38	113	0.008	<1	1.45	0.005	0.05	<0.1	0.07	1.4	<0.1	<0.05	4	1.2	<0.2
2061064	Soil	26	0.39	77	0.013	<1	1.46	0.004	0.04	<0.1	0.07	1.6	0.1	<0.05	5	0.7	<0.2
2061065	Soil	18	0.25	127	0.004	<1	1.01	0.004	0.03	<0.1	0.11	2.0	<0.1	<0.05	3	0.7	<0.2
2061066	Soil	29	0.22	152	0.004	<1	2.01	0.003	0.03	<0.1	0.11	2.5	0.1	<0.05	6	<0.5	<0.2
2061067	Soil	20	0.33	101	0.028	<1	1.05	0.006	0.05	0.2	0.06	2.4	<0.1	<0.05	3	<0.5	<0.2
2061068	Soil	22	0.38	82	0.041	<1	1.18	0.006	0.04	0.2	0.05	2.5	<0.1	<0.05	3	0.5	<0.2
2061069	Soil	17	0.20	75	0.005	<1	0.83	0.004	0.03	<0.1	0.09	3.3	<0.1	<0.05	2	0.9	<0.2
2061070	Soil	16	0.07	39	0.004	<1	0.60	0.004	0.03	<0.1	0.05	1.4	<0.1	<0.05	2	<0.5	<0.2
2061071	Soil	22	0.17	69	0.004	1	0.96	0.010	0.04	<0.1	0.14	2.3	<0.1	<0.05	3	1.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061072	Soil	1.6	33.9	23.1	78	0.6	38.7	8.4	111	2.49	15.1	4.1	3.7	24	0.3	0.8	0.3	19	0.14	0.067	4
2061073	Soil	2.0	30.0	30.2	76	1.0	33.1	7.8	119	2.54	18.9	3.1	3.3	21	0.6	0.7	0.4	21	0.11	0.073	9
2061074	Soil	3.0	23.6	30.4	72	0.6	24.0	7.8	166	2.89	22.4	1.1	4.6	33	0.2	1.7	0.3	41	0.16	0.101	14
2061075	Soil	3.6	38.0	15.0	68	0.2	21.9	7.6	244	2.69	11.1	7.0	2.0	23	0.3	1.7	0.2	45	0.14	0.062	14
2061076	Soil	0.9	23.4	23.6	57	0.7	25.1	5.9	102	2.04	12.0	1.5	2.6	33	0.2	0.6	0.3	27	0.09	0.044	8
2061077	Soil	1.0	24.9	23.0	58	0.5	25.8	6.9	124	2.26	17.2	4.1	1.2	20	0.3	0.6	0.3	24	0.04	0.060	8
2061078	Soil	3.1	40.9	25.6	72	0.6	31.6	6.9	163	2.79	12.4	3.2	3.2	22	0.2	0.7	0.3	23	0.09	0.055	2
2061079	Soil	1.2	22.8	23.3	75	0.6	36.3	11.9	289	1.96	27.4	1.0	4.2	21	0.7	0.5	0.3	20	0.16	0.074	7
2061080	Soil	1.2	27.6	21.5	91	0.4	47.0	13.7	275	3.27	16.0	1.5	4.9	26	0.3	0.6	0.3	37	0.32	0.149	13
2061081	Soil	1.3	21.7	15.6	65	0.2	24.9	7.9	183	2.62	12.1	1.8	0.4	14	0.2	0.7	0.2	42	0.14	0.092	13
2061082	Soil	0.9	12.3	10.2	60	<0.1	20.5	7.4	233	2.13	8.4	3.9	2.1	10	0.2	0.6	<0.1	30	0.12	0.052	10
2061083	Soil	2.1	33.3	40.0	85	0.6	38.0	10.0	171	4.09	28.7	1.5	3.3	36	0.2	0.9	0.4	38	0.06	0.134	14
2061084	Soil	3.1	53.5	67.5	64	1.8	41.9	20.8	412	4.25	103.9	4.1	7.4	50	0.6	3.5	0.7	31	0.05	0.295	16
2061085	Soil	2.4	80.5	48.8	137	1.1	90.2	22.0	153	4.77	32.5	3.2	3.6	20	0.2	1.1	0.5	28	0.14	0.179	12
2061086	Soil	1.2	30.7	20.3	101	0.8	43.7	14.1	255	3.19	15.6	1.4	6.6	20	0.3	0.8	0.3	17	0.37	0.131	2
2061087	Soil	2.0	31.4	45.0	90	0.8	46.1	18.3	438	3.93	32.6	0.6	2.4	22	0.7	0.8	0.4	35	0.21	0.133	14
2061088	Soil	2.8	22.9	21.7	91	0.5	38.7	10.7	349	2.92	25.6	1.7	1.0	28	0.6	1.2	0.2	22	0.40	0.122	4
2061089	Soil	4.5	28.0	18.0	80	1.2	36.0	6.3	99	2.33	10.3	5.4	3.3	31	0.3	0.6	0.3	18	0.46	0.104	4
2061090	Soil	2.6	45.5	49.9	305	1.4	46.3	16.4	580	4.05	26.2	3.7	4.5	70	0.7	1.8	0.5	20	0.03	0.099	22
2061091	Soil	3.8	93.8	28.5	141	0.6	50.1	6.8	165	4.16	22.1	3.3	4.0	48	0.2	1.9	0.6	46	0.05	0.045	22
2061092	Soil	10.9	198.0	51.7	107	0.3	51.6	38.0	932	5.14	19.0	5.5	8.8	31	0.7	1.0	<0.1	65	0.86	0.205	23
2061093	Soil	6.7	137.8	35.7	97	0.4	46.2	27.7	852	6.10	12.3	3.9	5.5	62	0.4	0.8	0.3	44	0.46	0.181	32
2061094	Soil	68.9	66.3	40.1	195	4.7	17.3	1.3	91	7.32	109.2	3.3	12.9	117	0.5	20.6	0.6	117	0.03	0.331	73
2061095	Soil	14.2	121.0	21.4	242	1.2	35.0	8.9	397	4.66	36.2	4.2	7.8	68	1.0	4.2	0.4	41	0.08	0.137	21
2061096	Soil	4.8	37.5	10.5	75	0.6	21.1	5.5	214	2.85	9.6	5.5	0.7	10	0.4	1.0	0.2	61	0.05	0.049	16
2061097	Soil	34.5	166.4	46.0	357	1.7	107.7	14.6	349	4.08	47.0	5.8	5.8	227	3.8	9.0	0.4	29	0.89	0.411	17
2061098	Soil	10.9	125.8	16.3	211	3.0	80.8	25.9	1807	3.60	13.1	13.7	1.6	34	3.1	3.3	0.3	31	0.09	0.122	20
2061099	Soil	6.5	60.5	14.7	131	0.7	46.0	10.8	384	3.47	10.7	10.0	2.0	21	0.6	1.9	0.3	43	0.09	0.070	17
2061100	Soil	16.0	121.7	15.9	248	4.0	62.4	16.0	517	4.45	14.2	13.0	2.1	23	2.3	3.3	0.4	43	0.04	0.109	20
2061101	Soil	14.6	46.2	16.5	133	0.7	48.4	13.3	528	3.45	15.5	6.1	6.3	33	0.6	1.4	0.2	23	0.60	0.224	27

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061072	Soil	18	0.09	64	<0.001	<1	0.87	0.004	0.03	<0.1	0.12	2.5	<0.1	<0.05	3	<0.5	<0.2
2061073	Soil	19	0.09	91	<0.001	<1	0.87	0.004	0.03	<0.1	0.14	2.3	<0.1	<0.05	3	1.2	<0.2
2061074	Soil	21	0.29	182	0.021	<1	0.97	0.005	0.05	<0.1	0.13	3.3	0.2	<0.05	4	1.7	<0.2
2061075	Soil	24	0.42	136	0.037	<1	1.37	0.007	0.06	0.2	0.07	2.6	0.1	<0.05	4	0.7	<0.2
2061076	Soil	28	0.12	99	<0.001	<1	1.27	0.004	0.05	<0.1	0.10	2.6	<0.1	<0.05	4	0.6	<0.2
2061077	Soil	20	0.10	70	0.002	<1	0.82	0.005	0.04	<0.1	0.11	1.5	<0.1	<0.05	3	<0.5	<0.2
2061078	Soil	20	0.17	82	0.001	<1	1.00	0.006	0.05	<0.1	0.19	2.0	<0.1	<0.05	3	0.9	<0.2
2061079	Soil	17	0.11	83	0.004	<1	0.68	0.004	0.04	<0.1	0.09	2.6	<0.1	<0.05	2	<0.5	<0.2
2061080	Soil	30	0.25	76	0.011	<1	1.60	0.003	0.02	<0.1	0.06	4.1	<0.1	<0.05	5	<0.5	<0.2
2061081	Soil	25	0.32	72	0.013	<1	1.45	0.005	0.04	0.1	0.07	1.2	<0.1	<0.05	4	<0.5	<0.2
2061082	Soil	19	0.27	45	0.033	<1	1.05	0.004	0.03	0.2	0.04	1.8	<0.1	<0.05	3	<0.5	<0.2
2061083	Soil	27	0.25	129	0.009	<1	1.50	0.006	0.05	<0.1	0.17	3.3	<0.1	0.05	5	1.7	<0.2
2061084	Soil	29	0.13	161	0.002	4	1.94	0.012	0.05	<0.1	0.18	6.9	0.3	0.14	4	3.0	<0.2
2061085	Soil	28	0.34	84	0.002	<1	1.96	0.003	0.04	<0.1	0.17	4.4	<0.1	<0.05	4	3.3	<0.2
2061086	Soil	21	0.21	95	0.001	<1	1.03	0.004	0.03	<0.1	0.10	3.6	<0.1	<0.05	3	1.1	<0.2
2061087	Soil	32	0.21	58	0.007	2	1.34	0.004	0.04	<0.1	0.09	3.6	<0.1	<0.05	4	<0.5	<0.2
2061088	Soil	23	0.07	79	0.003	3	0.58	0.006	0.04	<0.1	0.23	2.5	<0.1	0.08	2	1.6	<0.2
2061089	Soil	18	0.15	145	0.002	<1	0.83	0.005	0.03	<0.1	0.27	3.1	<0.1	<0.05	2	0.8	<0.2
2061090	Soil	15	0.07	230	0.003	1	0.60	0.023	0.10	<0.1	0.14	1.9	0.2	0.24	2	1.3	<0.2
2061091	Soil	25	0.22	424	<0.001	2	1.04	0.014	0.08	<0.1	0.20	3.6	0.1	0.09	3	2.1	0.3
2061092	Soil	53	1.19	231	0.145	1	2.18	0.019	0.07	0.5	0.08	5.9	0.2	0.08	6	1.7	<0.2
2061093	Soil	36	1.29	135	0.042	3	1.86	0.069	0.08	<0.1	0.10	4.3	0.2	0.37	6	1.6	<0.2
2061094	Soil	44	0.38	162	0.003	4	1.16	0.031	0.14	<0.1	2.25	2.8	3.2	0.30	7	56.9	0.2
2061095	Soil	28	0.44	206	0.009	1	1.52	0.031	0.07	<0.1	0.30	3.3	0.6	0.21	4	8.5	<0.2
2061096	Soil	26	0.26	126	0.023	<1	1.39	0.004	0.05	0.2	0.12	1.9	0.3	<0.05	6	1.4	<0.2
2061097	Soil	16	0.49	266	0.002	2	0.89	0.026	0.13	<0.1	1.22	2.9	1.3	0.30	2	7.3	0.3
2061098	Soil	23	0.32	239	0.011	3	1.47	0.017	0.08	<0.1	0.49	2.7	0.6	0.13	3	5.6	0.3
2061099	Soil	30	0.44	105	0.018	1	1.57	0.005	0.06	0.1	0.10	2.4	0.2	<0.05	5	2.1	0.3
2061100	Soil	27	0.37	148	0.007	<1	1.79	0.011	0.07	<0.1	0.47	2.4	0.4	0.09	5	4.8	0.3
2061101	Soil	20	0.82	83	0.002	<1	1.22	0.003	0.05	<0.1	0.30	2.3	0.2	<0.05	3	3.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061102	Soil	1.7	29.0	28.0	92	0.1	42.0	18.5	1560	3.76	10.8	3.1	1.9	40	<0.1	0.6	0.3	20	0.37	0.182	27
2061103	Soil	2.0	22.7	22.3	76	<0.1	35.2	19.3	931	3.76	13.2	3.0	1.7	24	0.3	0.7	0.3	44	0.20	0.112	17
2061104	Soil	1.7	29.2	34.3	86	0.1	48.2	23.3	2569	3.53	10.2	1.6	2.3	27	0.2	0.5	0.3	21	0.25	0.199	28
2061105	Soil	12.2	59.2	17.3	113	0.2	50.8	11.8	219	3.38	13.5	1.8	7.8	55	0.7	1.1	0.2	11	0.79	0.381	32
2061106	Soil	34.1	111.3	20.7	198	1.1	79.9	27.6	1352	4.86	26.7	3.0	7.8	59	2.9	2.2	0.2	20	0.50	0.245	18
2061107	Soil	26.9	56.2	26.0	150	0.4	64.6	22.4	1732	4.35	24.1	4.6	2.3	31	1.6	1.9	0.3	25	0.20	0.184	23
2061108	Soil	2.2	30.9	26.6	97	<0.1	48.7	17.4	1061	3.86	9.2	1.2	8.9	47	0.3	0.3	0.3	18	0.52	0.159	26
2061109	Soil	2.2	29.5	22.9	86	<0.1	42.0	21.6	1223	3.93	13.6	1.7	3.4	19	0.2	0.8	0.3	31	0.17	0.138	26
2061110	Soil	2.9	78.9	13.0	61	<0.1	20.2	10.0	1282	2.77	8.5	3.3	0.4	9	<0.1	0.7	0.3	43	0.04	0.059	13
2061111	Soil	5.1	75.5	18.8	63	<0.1	21.9	10.7	1221	3.08	12.7	1.4	0.5	23	<0.1	1.1	0.3	44	0.05	0.073	15
2061112	Soil	21.0	129.2	26.2	69	<0.1	32.2	14.5	1148	2.88	17.2	3.1	2.9	51	0.1	1.6	0.3	23	0.04	0.043	15
2061113	Soil	1.7	52.6	15.6	64	<0.1	21.7	8.0	424	2.38	8.2	3.1	0.4	14	0.1	0.7	0.2	42	0.15	0.090	17
2061114	Soil	2.0	113.6	42.7	153	0.3	74.7	25.5	1465	3.14	12.5	3.3	7.9	34	0.2	1.0	0.4	27	0.26	0.092	33
2061115	Soil	2.1	45.3	32.2	114	0.2	65.3	32.1	2372	4.69	12.5	1.5	9.4	62	0.2	0.8	0.3	15	0.61	0.245	25
2061116	Soil	2.7	40.7	25.9	86	0.1	46.0	17.1	1039	3.79	10.4	2.3	2.7	47	0.1	0.7	0.4	22	0.27	0.177	22
2061117	Soil	2.8	90.2	19.7	102	0.2	49.8	14.5	803	2.51	8.5	1.5	2.7	41	0.2	0.6	0.3	15	0.78	0.153	20
2061118	Soil	6.5	59.4	40.1	101	0.2	50.1	20.6	970	4.21	20.4	<0.5	6.6	87	0.3	1.0	0.3	16	0.25	0.138	24
2061119	Soil	4.5	46.1	31.7	92	0.2	57.7	25.7	1450	3.53	13.8	1.8	2.0	70	0.6	0.7	0.3	15	0.37	0.193	17
2061120	Soil	4.5	50.5	33.3	105	<0.1	54.2	25.9	1676	4.01	15.5	1.4	3.3	75	0.5	1.0	0.4	17	0.18	0.143	19
2061121	Soil	4.0	44.3	37.6	112	0.2	62.3	26.4	1634	4.18	15.5	<0.5	6.7	83	0.6	0.8	0.4	16	0.30	0.156	22
2061122	Soil	1.1	20.5	19.4	71	0.9	36.2	10.4	224	2.18	16.6	2.0	2.0	25	0.4	1.0	0.4	25	0.24	0.074	9
2061123	Soil	1.3	15.6	15.6	55	0.1	21.1	7.0	238	2.45	16.7	2.1	0.5	12	0.2	0.8	0.2	43	0.18	0.076	9
2061124	Soil	1.6	102.4	8.7	83	0.8	42.9	20.3	801	3.04	11.4	3.6	0.8	33	0.5	0.5	0.1	47	0.95	0.158	11
2061125	Soil	19.2	74.8	21.0	133	1.2	52.3	12.9	310	3.37	12.2	2.6	5.9	60	0.7	0.9	0.3	31	0.33	0.087	16
2061126	Soil	7.7	58.2	23.8	101	1.6	42.4	9.4	164	3.03	11.9	1.3	5.2	55	0.6	0.9	0.3	24	0.36	0.104	20
2061127	Soil	1.2	30.1	18.0	95	0.3	55.9	15.0	93	2.11	17.9	<0.5	7.6	42	0.2	0.6	0.5	23	0.34	0.138	20
2061128	Soil	1.9	36.5	24.3	96	1.1	48.7	11.0	103	2.90	17.7	1.7	5.8	31	0.3	0.8	0.4	25	0.25	0.084	8
2061129	Soil	5.9	103.9	20.9	103	<0.1	51.1	14.3	611	3.17	4.2	3.5	5.6	41	<0.1	0.4	0.4	22	0.03	0.048	29
2061130	Soil	11.6	121.9	24.8	103	0.1	46.3	12.6	832	4.31	15.7	1.8	7.7	36	<0.1	1.1	0.4	22	0.02	0.078	22
2061131	Soil	8.3	33.3	30.4	97	0.3	32.6	6.4	126	4.39	24.3	1.2	4.3	41	0.3	1.1	0.4	28	0.08	0.168	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061102	Soil	18	0.23	142	0.007	<1	1.00	0.006	0.07	<0.1	0.07	1.6	<0.1	0.07	3	2.1	<0.2
2061103	Soil	29	0.49	98	0.026	2	1.82	0.008	0.05	0.1	0.06	2.1	0.1	0.06	5	0.7	<0.2
2061104	Soil	27	0.61	102	0.009	1	1.40	0.009	0.07	<0.1	0.05	1.7	0.1	0.12	4	<0.5	<0.2
2061105	Soil	12	0.57	62	0.002	<1	0.92	0.004	0.07	<0.1	0.26	1.8	0.1	<0.05	2	0.9	<0.2
2061106	Soil	17	0.49	87	0.005	2	1.31	0.009	0.05	<0.1	0.68	2.9	0.5	<0.05	2	2.6	<0.2
2061107	Soil	23	0.62	89	0.003	1	1.25	0.007	0.05	<0.1	0.15	1.4	0.7	0.05	3	2.8	<0.2
2061108	Soil	27	1.01	159	0.001	<1	1.81	0.007	0.09	<0.1	0.05	3.1	<0.1	<0.05	4	0.6	<0.2
2061109	Soil	26	0.71	141	0.009	<1	1.87	0.005	0.06	0.1	0.04	2.4	0.1	<0.05	5	<0.5	<0.2
2061110	Soil	22	0.35	189	0.018	2	1.39	0.004	0.06	<0.1	0.05	1.3	0.2	0.06	5	0.6	<0.2
2061111	Soil	23	0.34	155	0.019	3	1.43	0.007	0.05	0.1	0.04	1.4	0.2	0.07	6	1.1	<0.2
2061112	Soil	18	0.38	212	0.013	<1	1.09	0.021	0.04	<0.1	0.04	1.8	0.6	0.10	3	0.5	<0.2
2061113	Soil	25	0.29	230	0.014	<1	1.03	0.005	0.05	0.1	0.03	1.0	0.2	0.06	4	<0.5	<0.2
2061114	Soil	22	0.36	265	0.014	4	1.04	0.004	0.07	0.1	0.06	3.4	0.2	<0.05	2	1.0	<0.2
2061115	Soil	23	1.00	194	0.002	1	1.62	0.005	0.06	<0.1	0.04	2.5	<0.1	<0.05	4	<0.5	<0.2
2061116	Soil	24	0.61	318	0.004	2	1.65	0.007	0.06	<0.1	0.07	2.1	0.1	0.08	4	<0.5	<0.2
2061117	Soil	26	0.37	392	0.004	2	0.91	0.007	0.09	<0.1	0.10	2.5	0.1	0.08	2	0.6	<0.2
2061118	Soil	27	0.54	351	0.003	5	1.29	0.024	0.09	<0.1	0.08	2.0	0.2	0.18	3	0.6	<0.2
2061119	Soil	22	0.53	374	0.003	2	1.35	0.014	0.07	<0.1	0.08	1.6	0.1	0.12	3	<0.5	<0.2
2061120	Soil	21	0.64	247	0.003	<1	1.43	0.015	0.05	<0.1	0.04	1.6	0.2	0.06	3	0.6	<0.2
2061121	Soil	22	0.73	180	0.003	2	1.55	0.013	0.06	<0.1	0.05	2.1	0.1	<0.05	3	<0.5	<0.2
2061122	Soil	18	0.18	132	0.007	1	0.73	0.006	0.04	0.1	0.21	2.1	0.1	<0.05	2	<0.5	<0.2
2061123	Soil	20	0.20	90	0.019	1	0.76	0.006	0.03	0.1	0.06	1.5	0.1	<0.05	4	<0.5	<0.2
2061124	Soil	30	0.49	179	0.015	4	1.17	0.007	0.05	<0.1	0.12	3.9	<0.1	0.11	3	0.8	<0.2
2061125	Soil	23	0.37	293	0.029	2	0.87	0.022	0.07	<0.1	0.21	3.9	0.1	0.24	2	4.2	<0.2
2061126	Soil	21	0.26	347	0.004	1	0.82	0.013	0.05	<0.1	0.35	3.6	<0.1	0.08	2	2.1	<0.2
2061127	Soil	22	0.15	57	<0.001	<1	1.25	0.003	0.03	<0.1	0.08	3.7	<0.1	<0.05	4	<0.5	<0.2
2061128	Soil	22	0.14	151	<0.001	<1	1.06	0.004	0.03	<0.1	0.28	4.6	<0.1	<0.05	3	0.8	<0.2
2061129	Soil	22	0.71	1244	0.003	1	1.61	0.005	0.05	<0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
2061130	Soil	23	0.64	561	<0.001	1	1.28	0.011	0.05	<0.1	0.07	2.7	0.2	0.06	4	1.1	<0.2
2061131	Soil	27	0.71	105	<0.001	<1	1.62	0.013	0.08	<0.1	0.13	1.5	0.3	0.14	5	1.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061132	Soil	9.9	49.1	29.7	135	0.3	69.9	30.9	1599	5.47	29.7	2.5	9.8	61	0.6	1.1	0.4	21	0.46	0.281	41
2061133	Soil	13.3	47.2	31.1	120	0.3	69.7	30.9	1522	5.06	30.1	<0.5	9.6	68	0.9	0.9	0.3	21	0.44	0.237	26
2061134	Soil	19.9	40.0	37.1	124	0.3	63.7	15.3	293	5.66	44.4	<0.5	6.6	112	0.3	1.1	0.5	21	0.07	0.153	27
2061135	Soil	1.1	23.4	14.0	67	0.1	26.1	10.3	337	2.80	13.9	4.3	2.1	13	0.2	0.8	0.2	42	0.13	0.064	15
2061136	Soil	1.5	20.1	16.2	63	<0.1	19.5	6.6	207	3.98	13.5	8.2	1.6	11	0.2	1.0	0.2	61	0.11	0.065	12
2061137	Soil	2.2	41.5	49.7	123	0.8	56.3	19.8	417	4.86	20.1	2.2	3.8	35	0.3	1.1	0.4	34	0.46	0.178	11
2061138	Soil	57.6	89.5	33.6	77	0.2	30.6	4.1	380	4.71	29.3	2.5	7.7	29	<0.1	1.7	0.7	24	0.07	0.056	29
2061139	Soil	9.6	89.3	24.1	147	0.9	60.7	20.6	703	4.17	18.5	6.4	4.7	32	1.3	2.6	0.3	24	0.17	0.132	24
2061140	Soil	18.9	88.2	13.7	193	0.8	52.4	9.4	367	3.13	14.1	6.6	0.7	19	1.2	3.2	0.3	54	0.12	0.149	22
2061141	Soil	0.7	151.6	17.8	97	0.1	42.4	13.0	154	4.21	1.3	1.7	6.6	36	<0.1	0.3	0.5	20	<0.01	0.053	12
2061142	Soil	3.1	61.7	30.7	112	0.5	44.8	14.7	463	4.15	22.1	3.4	2.6	37	0.2	1.1	0.4	31	0.04	0.125	28
2061143	Soil	4.3	45.2	35.2	121	0.2	61.8	25.6	600	4.82	20.6	1.2	11.3	19	0.5	1.1	0.4	16	0.44	0.222	43
2061144	Soil	12.4	83.2	22.0	135	0.4	52.5	20.3	495	3.66	20.5	1.6	1.6	32	0.7	2.2	0.3	25	0.67	0.357	25
2061145	Soil	16.1	95.3	27.0	155	0.9	54.3	13.0	489	4.64	22.1	2.7	4.3	129	0.7	1.7	0.3	36	0.77	0.457	24
2061146	Soil	20.6	114.9	62.4	375	1.5	101.8	35.8	1183	6.34	40.2	12.6	4.4	82	2.9	12.8	0.6	25	0.24	0.244	31
2061147	Soil	15.3	56.6	17.1	163	0.5	63.0	8.3	87	3.79	14.2	2.9	5.4	67	1.4	1.8	0.3	21	0.54	0.341	26
2061148	Soil	15.2	109.5	13.4	223	0.8	87.7	15.2	315	3.97	14.0	11.8	1.2	28	0.8	2.5	0.3	49	0.23	0.238	18
2061149	Soil	28.3	172.2	19.2	358	1.8	171.5	28.6	1159	5.44	19.9	12.5	4.2	86	3.6	5.0	0.4	40	0.25	0.214	21
2061150	Soil	7.3	219.8	28.1	190	2.0	81.3	26.2	1027	5.19	11.4	14.9	3.0	33	1.3	3.0	0.5	42	0.11	0.166	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

CERTIFICATE OF ANALYSIS WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061132	Soil	28	1.15	69	<0.001	<1	2.02	0.008	0.05	<0.1	0.12	2.8	0.2	<0.05	5	0.6	<0.2
2061133	Soil	27	1.09	119	<0.001	<1	1.83	0.017	0.07	<0.1	0.28	2.8	0.4	0.11	4	<0.5	<0.2
2061134	Soil	30	0.97	89	<0.001	<1	2.24	0.023	0.13	<0.1	0.20	2.6	0.5	0.42	5	0.7	<0.2
2061135	Soil	24	0.40	119	0.026	<1	1.52	0.006	0.04	0.2	0.05	2.5	0.1	<0.05	4	<0.5	<0.2
2061136	Soil	32	0.36	73	0.044	2	1.63	0.007	0.04	0.3	0.06	2.3	0.1	<0.05	6	<0.5	<0.2
2061137	Soil	34	0.20	125	0.001	1	1.69	0.007	0.04	<0.1	0.13	6.1	0.1	<0.05	5	0.9	<0.2
2061138	Soil	28	0.51	802	<0.001	<1	1.06	0.008	0.05	<0.1	0.10	1.9	0.7	0.05	4	0.9	0.2
2061139	Soil	20	0.65	814	0.002	<1	1.48	0.011	0.07	<0.1	0.17	2.4	0.2	0.08	4	2.1	<0.2
2061140	Soil	22	0.32	163	0.005	<1	1.33	0.007	0.05	<0.1	0.22	1.1	0.3	<0.05	4	5.9	<0.2
2061141	Soil	19	0.67	923	<0.001	<1	1.22	0.016	0.07	<0.1	0.05	2.8	<0.1	0.11	3	<0.5	<0.2
2061142	Soil	32	0.60	88	0.006	<1	1.59	0.008	0.05	<0.1	0.07	1.3	0.1	<0.05	4	0.9	<0.2
2061143	Soil	26	0.91	58	0.003	<1	1.63	0.004	0.04	<0.1	0.13	3.2	0.1	<0.05	4	0.8	<0.2
2061144	Soil	18	0.67	182	0.003	<1	1.35	0.012	0.07	<0.1	0.17	1.5	0.3	0.06	3	1.0	<0.2
2061145	Soil	20	0.63	262	0.002	1	1.36	0.016	0.12	<0.1	0.61	2.7	0.5	0.40	3	2.3	<0.2
2061146	Soil	28	0.34	117	0.001	<1	1.08	0.011	0.06	<0.1	0.95	3.0	0.8	0.09	2	3.7	0.3
2061147	Soil	20	0.66	162	0.002	<1	1.08	0.014	0.07	<0.1	0.61	2.5	0.5	<0.05	2	11.3	<0.2
2061148	Soil	34	0.51	302	0.003	1	1.76	0.007	0.08	<0.1	0.33	2.3	0.6	<0.05	5	7.1	<0.2
2061149	Soil	29	0.56	316	0.001	<1	1.25	0.025	0.08	<0.1	0.81	4.6	0.5	0.10	3	7.9	0.2
2061150	Soil	41	0.75	124	0.005	<1	1.68	0.011	0.06	<0.1	0.16	4.3	0.2	<0.05	4	5.8	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2060843	Soil	1.5	24.5	15.8	93	0.3	42.7	11.9	188	2.34	12.0	3.2	0.3	14	0.4	0.7	0.2	27	0.09	0.112	6
REP 2060843	QC	1.4	25.7	16.5	100	0.3	43.3	11.7	192	2.49	11.7	3.6	0.4	14	0.4	0.7	0.2	26	0.08	0.121	6
2060879	Soil	3.2	23.4	16.9	68	0.2	17.6	8.3	375	2.91	12.7	3.0	0.7	10	0.3	0.9	0.3	47	0.07	0.061	8
REP 2060879	QC	3.1	24.2	17.0	63	0.2	18.1	7.7	382	2.81	12.8	2.7	0.6	9	0.2	0.9	0.3	50	0.07	0.058	8
2060915	Soil	1.0	9.9	10.0	33	<0.1	10.5	3.6	126	1.99	7.6	2.2	0.6	7	<0.1	0.7	0.1	54	0.06	0.035	10
REP 2060915	QC	1.0	10.0	10.2	32	<0.1	10.5	3.7	126	1.99	7.6	2.8	0.6	7	<0.1	0.6	0.1	51	0.06	0.033	11
2060951	Soil	2.4	43.5	38.8	124	0.1	107.3	65.8	3872	4.76	16.9	<0.5	5.4	58	0.4	0.9	0.3	17	0.34	0.213	29
REP 2060951	QC	2.5	42.4	38.3	122	0.1	111.0	64.2	3703	4.46	16.8	<0.5	5.2	55	0.4	0.9	0.3	15	0.36	0.206	28
2060987	Soil	10.6	21.9	22.9	49	0.8	12.8	3.6	146	3.64	23.0	5.8	1.8	30	0.3	3.8	0.5	44	0.05	0.068	20
REP 2060987	QC	10.6	22.1	23.1	47	0.9	13.0	3.7	146	3.63	22.7	4.2	1.8	29	0.2	3.6	0.4	46	0.05	0.064	20
2061023	Soil	43.4	138.8	19.3	471	2.7	125.6	15.2	657	4.09	26.2	7.5	5.9	55	12.1	7.0	0.3	32	0.82	0.280	24
REP 2061023	QC	43.1	134.0	19.7	497	2.7	130.2	14.4	637	3.98	26.0	7.4	6.2	59	11.5	6.9	0.3	30	0.74	0.279	24
2061059	Soil	2.0	29.5	17.5	121	0.3	40.6	8.4	248	3.97	24.3	4.1	2.9	11	0.2	0.8	0.3	43	0.07	0.085	6
REP 2061059	QC	1.8	28.0	17.1	116	0.3	40.4	8.2	236	3.85	23.7	3.6	2.8	11	0.2	0.8	0.2	42	0.06	0.082	6
2061095	Soil	14.2	121.0	21.4	242	1.2	35.0	8.9	397	4.66	36.2	4.2	7.8	68	1.0	4.2	0.4	41	0.08	0.137	21
REP 2061095	QC	14.0	120.0	21.2	234	1.2	34.6	8.8	390	4.58	36.3	4.8	7.4	67	1.1	4.4	0.4	43	0.08	0.141	21
2061129	Soil	5.9	103.9	20.9	103	<0.1	51.1	14.3	611	3.17	4.2	3.5	5.6	41	<0.1	0.4	0.4	22	0.03	0.048	29
REP 2061129	QC	5.1	102.0	19.6	101	<0.1	51.2	14.3	642	3.29	4.3	2.6	5.7	41	0.2	0.4	0.3	23	0.02	0.044	28
Reference Materials																					
STD DS11	Standard	13.4	155.2	137.6	336	1.7	77.8	13.4	1020	3.19	42.8	73.5	7.3	63	2.3	8.1	11.3	51	0.98	0.068	17
STD DS11	Standard	14.2	141.7	136.3	369	1.8	80.5	14.0	1033	3.39	43.8	116.0	7.4	65	2.5	8.6	11.8	50	1.05	0.072	17
STD DS11	Standard	13.6	141.2	139.0	352	1.7	75.0	15.5	1018	3.17	46.6	82.5	7.6	65	2.6	8.1	11.2	54	1.09	0.069	17
STD DS11	Standard	14.5	144.5	134.6	317	1.7	79.4	13.8	1036	3.11	45.0	72.8	8.0	70	2.2	8.7	11.0	51	1.09	0.071	20
STD DS11	Standard	15.5	165.7	142.3	372	1.8	85.5	14.8	1129	3.38	49.1	104.9	7.9	81	2.8	8.7	13.8	54	1.12	0.076	19
STD DS11	Standard	14.2	148.8	137.7	351	1.8	79.1	14.1	1022	3.16	43.8	64.1	7.7	64	2.6	8.4	11.5	49	1.04	0.069	18
STD DS11	Standard	14.7	147.6	133.8	325	1.8	79.6	13.3	1021	3.09	43.6	89.0	7.5	67	2.4	8.5	11.2	45	1.08	0.071	19
STD DS11	Standard	14.1	147.5	133.2	348	1.7	79.7	13.8	1038	3.17	44.1	70.9	7.2	75	2.1	8.3	11.6	49	1.05	0.074	19
STD DS11	Standard	14.8	152.9	136.4	345	1.7	79.9	13.2	980	3.01	43.5	64.6	7.7	66	2.4	7.9	11.1	49	1.02	0.067	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000892.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2060843	Soil	18	0.10	48	0.003	<1	0.81	0.004	0.02	<0.1	0.10	0.4	<0.1	<0.05	3	1.0	<0.2
REP 2060843	QC	18	0.10	46	0.004	<1	0.87	0.004	0.02	<0.1	0.10	0.4	<0.1	<0.05	3	1.1	<0.2
2060879	Soil	28	0.30	82	0.024	1	1.41	0.006	0.05	0.2	0.13	1.4	0.1	<0.05	5	1.0	<0.2
REP 2060879	QC	28	0.29	77	0.023	<1	1.25	0.006	0.05	0.2	0.11	1.4	0.1	<0.05	5	0.9	<0.2
2060915	Soil	18	0.18	44	0.040	<1	0.79	0.004	0.02	0.2	0.05	1.2	0.1	<0.05	5	<0.5	<0.2
REP 2060915	QC	18	0.18	45	0.038	<1	0.77	0.004	0.02	0.2	0.06	1.1	0.1	<0.05	5	<0.5	<0.2
2060951	Soil	23	0.68	234	0.002	<1	1.69	0.015	0.07	<0.1	0.06	2.6	0.1	<0.05	3	0.6	<0.2
REP 2060951	QC	22	0.69	249	0.002	<1	1.66	0.015	0.06	<0.1	0.05	2.5	0.1	<0.05	3	0.8	<0.2
2060987	Soil	28	0.26	138	0.010	1	1.23	0.012	0.05	<0.1	0.18	1.6	0.6	0.17	5	6.7	<0.2
REP 2060987	QC	29	0.25	141	0.011	3	1.22	0.011	0.05	<0.1	0.21	1.4	0.8	0.16	5	5.7	<0.2
2061023	Soil	22	0.65	195	0.001	1	0.99	0.005	0.07	<0.1	0.82	3.8	0.4	<0.05	3	8.7	<0.2
REP 2061023	QC	22	0.65	191	0.001	<1	0.94	0.005	0.07	<0.1	0.86	3.6	0.4	<0.05	3	8.9	0.2
2061059	Soil	31	0.41	65	0.002	<1	1.64	0.003	0.02	<0.1	0.05	2.4	<0.1	<0.05	5	1.7	<0.2
REP 2061059	QC	30	0.39	65	0.002	<1	1.60	0.002	0.02	<0.1	0.05	2.3	<0.1	<0.05	4	1.8	<0.2
2061095	Soil	28	0.44	206	0.009	1	1.52	0.031	0.07	<0.1	0.30	3.3	0.6	0.21	4	8.5	<0.2
REP 2061095	QC	28	0.44	206	0.009	<1	1.51	0.030	0.07	<0.1	0.31	3.3	0.5	0.24	4	8.8	0.2
2061129	Soil	22	0.71	1244	0.003	1	1.61	0.005	0.05	<0.1	0.03	2.1	<0.1	<0.05	5	<0.5	<0.2
REP 2061129	QC	21	0.74	1294	0.004	1	1.52	0.005	0.05	<0.1	0.03	2.0	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	58	0.80	339	0.086	5	1.05	0.067	0.36	2.9	0.26	3.2	5.0	0.21	5	2.3	4.5
STD DS11	Standard	59	0.81	359	0.084	5	1.09	0.066	0.42	2.8	0.27	3.1	5.2	0.25	5	2.3	5.0
STD DS11	Standard	61	0.77	361	0.088	7	1.10	0.067	0.44	3.1	0.26	3.2	5.0	0.22	5	2.4	4.6
STD DS11	Standard	60	0.80	378	0.093	6	1.02	0.075	0.40	2.8	0.31	3.2	4.7	0.24	5	2.0	4.6
STD DS11	Standard	65	0.89	389	0.099	8	1.21	0.071	0.43	3.3	0.26	3.5	5.2	0.35	5	2.3	4.4
STD DS11	Standard	59	0.80	354	0.090	8	1.08	0.066	0.38	3.0	0.25	3.4	5.0	0.25	5	1.9	4.7
STD DS11	Standard	57	0.83	333	0.086	8	1.05	0.072	0.39	2.8	0.28	3.2	5.0	0.25	5	2.3	4.9
STD DS11	Standard	60	0.85	376	0.094	8	1.15	0.068	0.41	2.9	0.24	3.2	4.7	0.26	5	2.8	4.7
STD DS11	Standard	57	0.80	367	0.090	7	1.11	0.067	0.39	3.1	0.26	3.2	4.9	0.25	5	2.1	4.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch

Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000892.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.3	27.3	5.8	40	<0.1	79.7	20.3	423	3.09	<0.5	194.2	1.6	173	<0.1	<0.1	<0.1	52	0.62	0.094	12
STD OXC129	Standard	1.3	28.2	6.1	42	<0.1	85.9	19.9	447	3.27	0.7	215.9	1.8	187	<0.1	<0.1	<0.1	57	0.64	0.104	12
STD OXC129	Standard	1.2	27.6	6.1	40	<0.1	80.1	22.5	454	3.13	0.6	206.3	1.7	180	<0.1	<0.1	<0.1	55	0.77	0.100	12
STD OXC129	Standard	1.3	25.3	6.0	40	<0.1	81.6	23.7	427	3.14	0.8	202.5	1.8	202	<0.1	<0.1	<0.1	55	0.79	0.095	12
STD OXC129	Standard	1.4	27.0	6.4	41	<0.1	79.6	20.7	433	3.06	<0.5	200.7	1.9	216	<0.1	<0.1	<0.1	54	0.69	0.101	13
STD OXC129	Standard	1.2	26.5	6.2	42	<0.1	81.5	21.1	417	3.09	0.6	197.3	1.9	193	<0.1	<0.1	<0.1	55	0.68	0.103	12
STD OXC129	Standard	1.3	27.3	6.1	40	<0.1	78.2	19.0	427	3.25	0.7	204.4	1.7	196	<0.1	<0.1	<0.1	50	0.72	0.110	13
STD OXC129	Standard	1.1	25.7	6.2	39	<0.1	79.3	20.1	438	3.10	0.6	196.2	1.9	208	<0.1	<0.1	<0.1	54	0.73	0.106	12
STD OXC129	Standard	1.3	26.9	6.4	41	<0.1	81.1	20.4	410	3.04	0.6	192.9	1.9	193	<0.1	<0.1	<0.1	56	0.73	0.104	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 01, 2018

QUALITY CONTROL REPORT WHI18000892.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	51	1.44	49	0.392	<1	1.42	0.534	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	53	1.64	55	0.393	<1	1.62	0.636	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	56	1.57	50	0.412	<1	1.67	0.564	0.42	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.51	55	0.400	<1	1.47	0.598	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	52	1.51	50	0.406	2	1.56	0.573	0.38	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.51	49	0.407	<1	1.61	0.566	0.36	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.45	46	0.399	1	1.53	0.507	0.38	<0.1	0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.60	49	0.411	1	1.58	0.596	0.37	0.1	<0.01	1.0	<0.1	<0.05	6	0.7	<0.2
STD OXC129	Standard	53	1.53	49	0.418	<1	1.59	0.584	0.36	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.06	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 02, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000893.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	320

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	320	Save all or part of Soil Reject			WHI
SLBHP	320	Sort, label and box pulps			WHI
AQ201	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	320	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061151	Soil	21.2	67.7	60.1	191	1.8	47.5	10.1	268	3.98	41.5	11.4	1.2	33	1.1	8.1	0.6	22	0.08	0.154	24
2061152	Soil	19.5	46.1	22.3	346	0.1	77.3	15.0	289	3.79	30.5	2.3	7.5	14	1.8	5.5	0.4	56	0.15	0.138	43
2061153	Soil	17.1	102.8	23.5	403	1.3	246.1	65.0	969	4.26	24.0	2.2	6.8	52	10.5	3.6	0.3	32	0.36	0.231	26
2061154	Soil	17.8	91.7	27.4	283	2.9	124.6	27.4	563	4.52	20.4	3.9	6.9	42	5.0	5.7	0.4	40	0.59	0.261	34
2061155	Soil	25.7	144.5	27.9	502	4.4	169.1	26.2	650	4.43	13.4	13.4	7.5	38	12.7	5.2	0.5	35	0.27	0.173	22
2061156	Soil	10.1	81.5	15.5	198	2.2	59.4	12.4	243	3.11	10.4	6.2	3.9	18	2.6	2.3	0.3	40	0.13	0.097	24
2061157	Soil	2.6	16.7	11.9	54	0.2	16.6	4.9	156	2.37	9.4	2.8	0.4	9	0.4	0.7	0.3	45	0.07	0.086	20
2061158	Soil	3.6	36.1	29.8	92	0.5	24.8	9.5	363	3.48	20.0	8.8	0.7	23	0.6	2.8	0.4	44	0.11	0.101	18
2061159	Soil	4.7	21.5	14.0	76	0.2	21.6	6.7	219	3.11	12.8	2.4	1.5	14	0.3	0.9	0.3	54	0.13	0.082	21
2061160	Soil	7.6	83.7	15.1	151	0.8	47.9	13.9	432	3.52	13.8	6.6	1.9	20	1.2	1.5	0.3	43	0.15	0.153	25
2061161	Soil	6.8	59.9	12.6	108	0.5	27.8	6.5	240	3.19	10.6	2.9	0.5	13	0.7	1.3	0.3	47	0.07	0.093	22
2061162	Soil	3.3	31.7	13.1	68	0.2	23.0	5.8	183	2.45	7.8	8.2	0.8	10	0.4	1.0	0.2	41	0.08	0.063	20
2061163	Soil	2.1	18.5	13.4	64	0.4	19.6	7.1	257	2.77	11.1	3.7	2.2	12	0.6	1.1	0.3	44	0.09	0.061	16
2061164	Soil	4.2	30.3	14.0	88	0.9	22.3	4.3	129	2.81	9.8	3.7	0.5	9	0.7	1.3	0.2	43	0.08	0.104	18
2061165	Soil	10.5	31.1	17.9	135	0.3	37.4	10.7	365	3.33	16.5	4.3	0.6	13	1.1	2.3	0.3	41	0.13	0.140	22
2061166	Soil	6.1	53.2	13.3	117	0.8	32.5	9.0	284	3.14	12.6	7.5	0.4	20	0.6	1.6	0.3	42	0.06	0.111	17
2061167	Soil	5.6	36.9	12.7	74	0.7	22.8	4.5	132	2.05	9.1	7.5	0.3	26	0.5	1.0	0.3	43	0.11	0.112	16
2061168	Soil	4.3	40.3	17.1	93	0.3	36.5	10.9	303	3.45	17.8	3.8	6.1	21	0.6	1.6	0.3	43	0.07	0.056	19
2061169	Soil	9.4	68.8	23.8	154	0.4	38.3	7.8	175	2.72	18.0	6.6	2.6	62	0.9	3.7	0.4	28	0.39	0.272	32
2061170	Soil	6.5	49.4	16.7	116	0.3	38.9	12.0	442	3.39	15.0	7.9	3.6	24	0.8	1.8	0.3	41	0.13	0.120	20
2061171	Soil	3.8	24.5	13.1	69	0.4	21.0	6.1	176	2.92	12.5	3.2	1.9	12	0.3	1.1	0.3	64	0.07	0.078	17
2061172	Soil	6.6	70.5	23.1	153	1.3	47.3	11.1	246	4.03	12.6	5.0	3.9	43	1.2	2.0	0.4	52	0.22	0.169	27
2061173	Soil	4.2	170.1	12.6	114	1.3	25.2	9.4	273	6.90	5.5	23.5	2.2	69	0.5	2.1	0.2	37	0.02	0.100	21
2061174	Soil	5.3	75.2	18.6	117	1.5	43.3	11.5	366	2.88	8.1	9.9	4.1	18	0.7	1.9	0.3	33	0.07	0.067	18
2061175	Soil	27.5	160.0	22.3	150	7.0	57.0	11.5	505	8.25	17.1	25.1	2.3	144	0.9	4.1	0.5	56	0.06	0.246	15
2061176	Soil	15.6	41.1	18.1	203	0.5	92.0	16.5	456	3.62	19.3	3.4	4.0	131	3.2	3.8	0.2	19	2.34	0.479	16
2061177	Soil	15.6	71.3	33.1	259	2.1	88.9	20.5	342	4.42	26.8	2.6	8.7	39	4.2	6.5	0.4	29	0.38	0.229	41
2061178	Soil	10.8	72.9	17.7	117	1.8	32.0	8.6	268	4.22	12.8	7.6	3.4	17	0.6	2.1	0.4	59	0.03	0.073	24
2061179	Soil	9.4	58.9	28.7	238	1.1	79.1	19.5	338	4.09	26.1	2.5	9.2	71	2.9	4.8	0.4	33	1.28	0.311	42
2061180	Soil	9.6	50.7	24.9	201	1.4	71.1	18.6	474	3.67	21.9	3.0	7.0	66	3.3	3.6	0.4	35	0.76	0.278	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061151	Soil	11	0.03	227	0.003	2	0.54	0.033	0.08	<0.1	0.88	1.7	1.3	0.24	2	4.1	0.3
2061152	Soil	35	0.39	76	0.008	2	1.27	0.005	0.06	<0.1	0.10	2.4	0.6	<0.05	4	3.8	<0.2
2061153	Soil	38	0.54	183	0.003	3	1.99	0.017	0.09	<0.1	0.33	3.8	0.9	0.13	3	5.3	<0.2
2061154	Soil	73	0.70	145	0.003	2	1.38	0.013	0.09	<0.1	0.56	5.3	0.6	0.07	3	5.1	<0.2
2061155	Soil	36	0.67	77	0.002	1	1.50	0.011	0.09	<0.1	0.93	3.0	0.7	0.07	3	7.1	<0.2
2061156	Soil	35	0.50	111	0.006	1	1.44	0.005	0.07	<0.1	0.45	2.5	0.5	<0.05	4	5.3	<0.2
2061157	Soil	27	0.31	105	0.009	2	1.59	0.005	0.04	<0.1	0.26	0.9	0.3	<0.05	5	<0.5	<0.2
2061158	Soil	28	0.40	114	0.018	2	1.57	0.021	0.05	0.1	0.75	1.6	0.5	0.09	5	1.6	<0.2
2061159	Soil	32	0.51	105	0.033	1	2.00	0.006	0.05	0.2	0.17	2.7	0.3	<0.05	6	1.0	<0.2
2061160	Soil	31	0.55	119	0.014	2	2.10	0.006	0.06	<0.1	0.29	2.8	0.3	<0.05	5	3.9	<0.2
2061161	Soil	30	0.34	104	0.011	2	1.70	0.005	0.06	0.1	0.21	1.2	0.4	<0.05	6	3.0	<0.2
2061162	Soil	26	0.33	88	0.010	2	1.55	0.004	0.04	<0.1	0.19	1.3	0.3	<0.05	5	1.2	<0.2
2061163	Soil	26	0.36	83	0.028	1	1.70	0.005	0.05	0.2	0.13	2.3	0.3	<0.05	5	1.2	<0.2
2061164	Soil	31	0.35	81	0.008	<1	1.53	0.004	0.05	<0.1	0.20	0.9	0.4	<0.05	5	2.1	<0.2
2061165	Soil	31	0.35	74	0.009	1	1.36	0.004	0.05	<0.1	0.17	0.6	0.4	<0.05	4	2.1	<0.2
2061166	Soil	23	0.26	152	0.010	1	1.64	0.011	0.06	0.1	0.24	1.1	0.3	0.07	4	3.9	<0.2
2061167	Soil	25	0.27	140	0.009	1	1.53	0.009	0.05	<0.1	0.24	0.8	0.3	0.06	5	2.0	<0.2
2061168	Soil	29	0.45	125	0.023	2	1.95	0.009	0.07	0.1	0.08	3.4	0.3	<0.05	5	2.4	<0.2
2061169	Soil	20	0.45	196	0.010	<1	1.22	0.007	0.06	<0.1	0.80	2.1	0.6	0.06	3	5.4	<0.2
2061170	Soil	27	0.40	154	0.018	2	1.82	0.008	0.06	0.1	0.17	3.2	0.3	<0.05	4	3.1	<0.2
2061171	Soil	33	0.32	119	0.025	1	1.79	0.005	0.05	0.2	0.08	2.8	0.3	<0.05	6	1.4	<0.2
2061172	Soil	40	0.46	193	0.018	2	1.91	0.011	0.09	0.1	0.19	3.7	0.4	0.05	5	5.7	<0.2
2061173	Soil	17	0.79	377	0.005	4	2.11	0.022	0.15	<0.1	0.15	5.5	<0.1	0.27	7	6.2	0.5
2061174	Soil	27	0.32	225	0.014	2	1.29	0.010	0.06	<0.1	0.20	3.1	0.2	<0.05	3	3.6	<0.2
2061175	Soil	54	0.19	71	0.003	3	1.49	0.147	0.32	<0.1	0.87	3.7	0.6	1.23	5	24.5	0.6
2061176	Soil	15	0.24	208	0.004	3	0.67	0.012	0.10	<0.1	0.64	3.4	0.8	0.11	2	3.3	<0.2
2061177	Soil	34	0.59	99	0.002	2	1.23	0.006	0.08	<0.1	0.45	2.7	0.5	<0.05	3	3.2	<0.2
2061178	Soil	29	0.23	261	0.009	2	1.61	0.012	0.09	<0.1	0.14	2.9	0.4	0.07	7	5.6	0.2
2061179	Soil	34	0.52	105	0.003	2	1.06	0.005	0.08	<0.1	0.35	3.4	0.4	<0.05	3	2.4	<0.2
2061180	Soil	33	0.49	188	0.002	1	1.25	0.007	0.11	<0.1	0.23	3.9	0.5	0.06	3	2.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061181	Soil	10.2	51.9	24.2	240	1.0	75.2	21.6	332	3.62	22.4	3.2	11.4	39	3.6	3.8	0.5	34	0.43	0.250	54
2061182	Soil	12.4	78.6	18.5	138	0.9	37.0	7.4	204	4.80	17.3	4.1	4.4	26	0.5	3.3	0.4	49	0.02	0.104	29
2061183	Soil	12.5	110.0	15.3	171	2.2	58.3	13.9	520	3.32	9.6	7.7	1.7	10	1.1	2.6	0.4	38	0.12	0.096	22
2061184	Soil	18.6	63.4	44.3	154	0.9	37.5	8.5	203	3.86	26.0	10.8	2.3	36	0.6	6.0	0.5	36	0.05	0.098	21
2061185	Soil	8.2	33.7	26.9	185	2.0	70.2	15.9	488	3.48	21.0	4.0	6.7	56	3.5	2.7	0.3	38	0.92	0.347	42
2061186	Soil	25.3	87.9	20.0	288	1.7	99.3	13.8	261	3.69	25.0	7.1	9.0	32	7.7	6.0	0.3	39	0.38	0.150	33
2061187	Soil	11.2	83.9	26.0	327	5.1	99.8	17.3	709	4.46	13.0	6.9	4.2	104	12.8	3.9	0.4	22	1.08	0.316	22
2061188	Soil	25.6	71.7	24.3	236	2.2	84.4	12.0	122	3.34	14.3	18.4	8.2	60	1.5	3.8	0.4	63	0.49	0.375	24
2061189	Soil	30.8	143.0	22.4	309	2.8	103.8	21.2	550	4.44	17.6	14.3	4.8	40	5.2	4.3	0.4	50	0.46	0.366	35
2061190	Soil	90.8	159.5	24.7	443	4.4	132.0	18.1	413	4.93	28.8	16.9	7.9	186	9.3	6.6	0.4	210	1.34	0.786	26
2061191	Soil	4.8	47.5	22.3	144	0.6	57.7	22.9	465	4.79	15.3	3.3	9.9	31	1.8	0.8	0.4	24	0.29	0.207	41
2061192	Soil	6.3	44.6	30.2	118	0.2	59.0	28.1	997	5.21	18.6	4.6	8.7	31	0.3	0.9	0.5	20	0.21	0.193	39
2061193	Soil	5.9	57.9	33.4	144	0.3	55.2	15.0	242	6.51	19.9	5.4	10.7	25	0.3	1.0	0.5	36	0.14	0.189	39
2061194	Soil	4.4	69.4	33.6	180	0.6	65.5	29.8	365	6.04	23.4	5.1	10.0	56	0.8	0.8	0.4	32	0.33	0.329	46
2061195	Soil	7.0	48.0	31.2	108	1.3	34.3	8.6	263	5.65	49.6	5.5	6.8	55	0.2	1.9	0.4	33	0.32	0.478	43
2061196	Soil	1.8	23.8	14.3	63	<0.1	23.3	8.1	232	2.89	11.6	3.6	3.6	14	0.1	0.8	0.3	43	0.11	0.066	24
2061197	Soil	2.3	21.9	18.7	73	<0.1	24.6	9.1	317	3.51	12.1	1.9	5.9	21	0.2	0.8	0.3	43	0.11	0.088	24
2061198	Soil	2.4	26.0	20.6	74	<0.1	29.9	7.9	241	3.59	13.9	1.3	7.7	17	0.2	0.8	0.3	31	0.04	0.063	24
2061199	Soil	2.2	42.1	46.4	78	0.1	29.9	2.1	114	4.01	13.8	2.0	9.0	22	<0.1	2.0	0.4	30	0.01	0.066	19
2061200	Soil	0.7	23.3	18.6	68	<0.1	26.4	1.5	106	3.06	5.8	1.4	7.7	8	<0.1	0.5	0.4	18	<0.01	0.022	27
2061201	Soil	5.1	335.7	37.8	351	0.7	111.6	29.0	713	5.15	10.9	16.5	4.9	44	3.3	1.7	0.7	23	0.06	0.118	24
2061202	Soil	25.7	90.4	14.3	196	0.3	50.6	9.4	233	2.80	14.3	3.7	1.1	6	0.5	4.0	0.3	73	0.02	0.086	20
2061203	Soil	16.9	201.8	22.0	248	2.5	71.4	15.6	798	4.71	18.0	10.8	2.2	85	1.8	5.6	0.5	54	0.26	0.263	23
2061204	Soil	16.2	122.6	11.5	201	1.7	51.5	7.7	190	6.14	20.3	2.1	2.6	91	1.0	5.1	0.3	63	0.16	0.352	13
2061205	Soil	4.0	93.1	12.9	235	1.8	70.1	14.9	654	2.89	6.2	9.9	0.9	10	0.8	2.6	0.3	23	0.05	0.120	13
2061206	Soil	29.6	31.5	26.2	46	4.5	9.6	1.7	66	6.56	33.4	4.8	9.8	26	0.2	7.8	0.6	74	0.02	0.103	30
2061207	Soil	19.8	56.6	21.2	84	1.2	13.0	1.9	75	7.61	50.1	3.3	8.0	38	0.2	4.4	0.5	44	<0.01	0.166	15
2061208	Soil	23.5	98.1	18.5	147	1.8	20.0	2.3	96	5.77	26.5	3.9	3.9	54	0.5	6.2	0.4	61	0.06	0.230	17
2061209	Soil	6.7	204.9	25.8	229	2.2	98.0	24.1	319	3.91	10.1	16.3	4.8	28	1.6	4.1	0.5	30	0.25	0.182	40
2061210	Soil	12.3	198.8	18.7	301	2.4	97.9	17.9	807	3.77	10.8	10.1	3.6	45	2.8	4.0	0.4	26	0.26	0.174	24

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061181	Soil	37	0.60	97	0.002	2	1.51	0.005	0.07	<0.1	0.11	2.6	0.5	<0.05	3	2.5	<0.2
2061182	Soil	27	0.43	350	0.005	3	1.73	0.009	0.13	<0.1	0.08	2.9	0.5	0.06	6	4.0	0.3
2061183	Soil	35	0.35	307	0.004	2	1.41	0.006	0.10	<0.1	0.15	2.5	0.4	<0.05	4	4.2	0.2
2061184	Soil	28	0.35	296	0.003	1	1.33	0.009	0.07	<0.1	1.19	2.3	1.2	0.13	4	2.7	0.2
2061185	Soil	43	0.43	172	0.002	2	1.41	0.004	0.07	<0.1	0.48	6.9	0.4	<0.05	3	2.1	<0.2
2061186	Soil	40	0.58	365	0.001	2	1.22	0.003	0.08	<0.1	0.62	3.5	0.5	<0.05	3	6.5	<0.2
2061187	Soil	34	0.49	241	0.002	3	1.01	0.011	0.12	<0.1	0.54	4.0	0.9	0.40	2	8.7	<0.2
2061188	Soil	42	0.59	173	0.002	2	1.66	0.004	0.12	<0.1	0.33	2.4	1.0	<0.05	3	7.5	<0.2
2061189	Soil	36	0.54	149	0.004	2	1.37	0.009	0.11	<0.1	0.63	3.2	0.8	<0.05	3	7.5	<0.2
2061190	Soil	35	0.50	220	0.006	4	1.13	0.021	0.16	<0.1	1.05	3.6	2.0	0.23	2	8.6	<0.2
2061191	Soil	31	1.20	49	0.002	2	2.36	0.006	0.04	<0.1	0.14	2.6	0.3	<0.05	5	0.7	<0.2
2061192	Soil	31	0.99	60	0.002	2	2.08	0.008	0.06	<0.1	0.20	3.2	0.4	<0.05	5	0.8	<0.2
2061193	Soil	43	1.24	78	0.002	2	2.69	0.008	0.05	<0.1	0.32	2.3	0.3	<0.05	7	0.7	<0.2
2061194	Soil	42	1.04	68	0.004	2	2.47	0.010	0.06	<0.1	0.28	2.7	0.3	<0.05	6	<0.5	<0.2
2061195	Soil	41	0.84	76	0.003	4	1.88	0.014	0.07	<0.1	0.48	3.0	0.4	<0.05	6	1.6	<0.2
2061196	Soil	28	0.53	105	0.021	1	1.86	0.006	0.04	0.1	0.05	2.7	0.2	<0.05	5	<0.5	<0.2
2061197	Soil	32	0.66	147	0.018	1	2.07	0.008	0.05	0.2	0.05	3.0	0.2	<0.05	5	<0.5	<0.2
2061198	Soil	27	0.63	114	0.007	1	1.71	0.006	0.05	<0.1	0.07	2.4	0.2	<0.05	5	<0.5	<0.2
2061199	Soil	29	0.57	53	0.002	<1	1.73	0.006	0.04	<0.1	0.05	2.0	0.2	<0.05	5	2.3	<0.2
2061200	Soil	24	0.64	32	0.002	<1	1.67	0.003	0.03	<0.1	0.02	1.4	<0.1	<0.05	5	<0.5	<0.2
2061201	Soil	20	0.29	167	0.001	<1	1.33	0.012	0.08	<0.1	0.07	4.3	0.2	0.10	2	2.2	0.3
2061202	Soil	21	0.12	136	0.010	1	1.11	0.003	0.06	0.1	0.15	1.9	0.9	<0.05	5	2.2	<0.2
2061203	Soil	45	0.59	190	0.004	1	1.45	0.025	0.09	<0.1	0.31	3.2	0.5	0.13	4	13.7	0.3
2061204	Soil	54	1.05	248	0.005	1	2.15	0.016	0.07	<0.1	0.38	5.4	0.4	0.22	5	20.7	0.2
2061205	Soil	31	0.18	255	0.004	2	0.87	0.003	0.09	<0.1	0.19	1.9	0.2	<0.05	3	4.6	<0.2
2061206	Soil	52	0.12	282	0.016	2	1.45	0.050	0.19	<0.1	0.41	2.8	2.0	0.62	6	51.1	<0.2
2061207	Soil	28	0.47	267	0.001	2	1.44	0.028	0.13	<0.1	0.40	3.1	1.3	0.47	5	11.5	<0.2
2061208	Soil	45	0.61	312	0.002	2	1.47	0.032	0.12	<0.1	0.28	2.5	0.8	0.46	5	12.7	<0.2
2061209	Soil	48	0.65	173	0.002	2	1.19	0.005	0.10	<0.1	0.25	4.0	0.2	<0.05	3	5.7	0.2
2061210	Soil	30	0.50	243	0.004	3	1.05	0.009	0.12	<0.1	0.45	4.2	0.3	<0.05	3	7.1	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061211	Soil	10.0	53.5	17.3	161	1.6	42.4	8.4	153	3.40	11.7	5.2	6.9	19	1.5	2.5	0.3	37	0.03	0.080	31
2061212	Soil	23.7	80.6	20.2	289	3.1	89.2	19.9	863	3.38	13.0	8.4	2.3	28	19.0	5.0	0.3	34	0.18	0.119	29
2061213	Soil	5.3	26.3	17.2	116	0.2	29.6	6.8	133	2.87	11.8	1.3	4.5	9	0.9	1.5	0.3	56	0.07	0.052	31
2061214	Soil	7.0	32.0	15.2	134	0.6	36.7	9.7	273	2.81	12.7	6.1	1.3	14	1.1	1.8	0.2	37	0.12	0.133	21
2061215	Soil	1.8	34.2	32.8	111	1.1	49.2	14.5	213	2.48	21.4	0.9	3.6	28	1.1	0.8	0.4	20	0.29	0.110	6
2061216	Soil	2.3	51.0	26.3	107	0.9	48.9	12.1	245	3.36	19.6	3.8	6.4	29	0.3	0.9	0.3	27	0.13	0.084	5
2061217	Soil	8.9	41.1	27.4	66	1.2	25.3	6.8	125	2.51	14.5	5.8	1.5	24	0.3	0.9	0.3	17	0.05	0.060	4
2061218	Soil	1.3	23.1	17.2	75	0.2	27.8	9.3	318	2.57	12.2	1.8	1.6	18	0.5	0.7	0.2	34	0.18	0.088	13
2061219	Soil	1.0	20.9	22.0	59	0.5	27.5	7.8	113	1.84	14.7	2.5	4.0	14	0.3	0.5	0.3	19	0.16	0.059	3
2061220	Soil	1.2	28.9	26.5	92	0.4	47.2	13.2	158	3.38	14.8	2.4	4.9	24	0.3	0.6	0.4	31	0.22	0.135	13
2061221	Soil	1.9	30.4	28.1	72	0.6	28.4	8.7	215	3.10	17.8	2.0	2.7	43	0.3	0.7	0.4	34	0.13	0.121	16
2061222	Soil	1.4	24.0	24.8	57	0.4	18.3	4.1	172	2.43	20.2	2.7	1.4	24	0.1	0.7	0.3	35	0.08	0.087	14
2061223	Soil	1.9	29.7	35.4	82	0.7	37.4	11.3	210	3.34	18.6	2.5	3.0	29	0.3	0.8	0.5	38	0.09	0.114	14
2061224	Soil	3.2	44.0	29.7	110	0.6	42.2	11.0	317	3.32	18.8	3.5	5.8	27	0.5	1.4	0.5	27	0.21	0.091	10
2061225	Soil	1.0	24.2	18.4	78	0.2	37.5	11.5	224	2.70	11.7	1.8	3.5	21	0.2	0.6	0.3	38	0.23	0.084	15
2061226	Soil	0.9	18.9	19.3	77	0.1	27.1	9.6	177	1.89	18.5	2.7	0.8	14	0.6	0.6	0.2	31	0.18	0.062	6
2061227	Soil	1.1	19.9	23.0	77	0.9	37.0	9.4	163	2.46	15.2	1.2	2.8	20	0.5	0.6	0.3	17	0.24	0.072	3
2061228	Soil	16.0	41.5	28.5	123	0.3	58.6	22.2	807	4.66	30.8	1.6	6.8	44	0.5	0.9	0.4	24	0.30	0.206	37
2061229	Soil	12.8	35.0	28.8	114	0.4	40.9	9.9	254	5.03	28.5	1.2	6.3	49	0.4	0.9	0.5	25	0.05	0.127	37
2061230	Soil	9.4	36.5	35.1	110	0.6	59.1	18.2	397	4.60	27.2	0.5	11.2	47	0.7	1.3	0.5	21	0.14	0.128	21
2061231	Soil	11.4	82.8	32.1	192	1.1	76.2	26.0	771	5.19	23.4	1.9	9.2	41	1.6	3.7	0.4	27	0.89	0.243	20
2061232	Soil	5.4	41.5	21.8	116	0.4	56.5	17.9	409	4.17	13.9	3.3	8.5	28	0.3	1.1	0.4	22	0.41	0.196	40
2061233	Soil	24.7	55.1	29.7	169	0.6	65.2	21.4	513	5.13	21.1	2.7	4.8	47	1.6	1.6	0.4	44	0.28	0.183	35
2061234	Soil	35.1	137.3	23.7	345	4.6	115.8	17.6	368	4.53	25.3	10.3	3.2	99	9.2	7.6	0.4	33	0.50	0.303	15
2061235	Soil	17.5	94.4	20.8	303	3.2	92.2	18.9	451	3.71	20.6	7.7	3.5	56	10.4	5.1	0.3	32	1.22	0.259	27
2061236	Soil	2.7	97.9	9.1	86	0.2	43.1	16.9	358	2.94	11.5	3.6	1.8	15	0.5	0.9	0.2	58	0.22	0.086	16
2061237	Soil	19.2	110.8	31.9	188	0.4	94.0	53.3	1879	5.99	29.3	1.0	4.3	37	1.9	1.5	0.2	39	0.51	0.229	27
2061238	Soil	3.3	47.7	31.1	104	0.2	51.9	18.3	648	5.19	15.1	0.5	9.5	91	0.2	0.7	0.5	12	0.49	0.235	18
2061239	Soil	22.9	113.1	26.5	259	0.7	98.5	23.5	760	5.35	23.6	3.3	8.5	80	1.6	2.0	0.4	24	0.77	0.369	22
2061240	Soil	28.0	136.3	20.0	336	2.2	96.8	19.8	625	4.22	20.6	8.9	2.2	106	3.0	3.0	0.3	48	1.00	0.700	25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061211	Soil	31	0.34	181	0.002	1	1.47	0.005	0.08	<0.1	0.15	2.6	0.7	<0.05	4	3.1	<0.2
2061212	Soil	26	0.27	223	0.001	2	0.90	0.008	0.08	<0.1	0.32	1.6	0.7	<0.05	3	6.0	<0.2
2061213	Soil	30	0.29	149	0.004	1	1.45	0.004	0.05	<0.1	0.07	2.0	0.4	<0.05	5	0.9	<0.2
2061214	Soil	28	0.34	101	0.008	<1	1.40	0.006	0.05	0.1	0.13	1.4	0.4	<0.05	4	2.2	<0.2
2061215	Soil	18	0.09	86	0.002	<1	0.83	0.007	0.04	<0.1	0.15	2.7	0.1	<0.05	2	1.0	<0.2
2061216	Soil	26	0.14	67	0.002	<1	1.30	0.004	0.03	<0.1	0.11	3.8	<0.1	<0.05	4	1.3	<0.2
2061217	Soil	17	0.09	61	0.001	<1	0.73	0.004	0.03	<0.1	0.19	1.5	<0.1	<0.05	2	0.8	<0.2
2061218	Soil	23	0.27	71	0.023	1	1.30	0.006	0.04	0.1	0.04	2.4	<0.1	<0.05	4	<0.5	<0.2
2061219	Soil	18	0.08	53	<0.001	<1	0.83	0.003	0.03	<0.1	0.08	2.5	<0.1	<0.05	3	<0.5	<0.2
2061220	Soil	33	0.25	63	0.001	2	2.05	0.003	0.03	<0.1	0.06	4.3	<0.1	<0.05	6	<0.5	<0.2
2061221	Soil	27	0.20	95	0.006	<1	1.54	0.004	0.03	<0.1	0.09	3.4	<0.1	<0.05	6	1.1	<0.2
2061222	Soil	23	0.21	99	0.010	<1	1.28	0.004	0.03	<0.1	0.11	2.5	<0.1	<0.05	5	1.4	<0.2
2061223	Soil	30	0.21	87	0.003	1	1.65	0.003	0.03	<0.1	0.18	3.7	<0.1	<0.05	5	1.6	<0.2
2061224	Soil	18	0.10	127	<0.001	1	0.85	0.004	0.03	<0.1	0.20	3.9	<0.1	<0.05	3	2.0	<0.2
2061225	Soil	25	0.37	150	0.017	2	1.39	0.005	0.03	<0.1	0.06	3.5	<0.1	<0.05	4	<0.5	<0.2
2061226	Soil	20	0.15	95	0.005	2	0.78	0.005	0.03	<0.1	0.10	1.3	0.1	<0.05	3	0.5	<0.2
2061227	Soil	19	0.09	62	<0.001	2	0.65	0.004	0.03	<0.1	0.20	3.1	<0.1	<0.05	2	0.9	<0.2
2061228	Soil	30	1.13	93	0.001	2	1.88	0.014	0.07	<0.1	0.18	2.5	0.3	0.12	5	0.8	<0.2
2061229	Soil	28	0.90	120	<0.001	2	1.82	0.010	0.08	<0.1	0.15	2.0	0.3	0.19	5	1.5	<0.2
2061230	Soil	18	0.29	145	<0.001	1	0.91	0.014	0.08	<0.1	0.24	3.3	0.2	0.16	3	1.7	<0.2
2061231	Soil	25	0.97	214	0.001	2	1.51	0.007	0.09	<0.1	0.52	3.6	0.3	0.24	4	4.6	<0.2
2061232	Soil	23	0.79	104	<0.001	2	1.59	0.006	0.06	<0.1	0.23	2.6	0.1	<0.05	4	<0.5	<0.2
2061233	Soil	28	0.84	135	0.002	1	1.72	0.013	0.07	<0.1	0.23	2.4	0.4	0.11	4	1.6	<0.2
2061234	Soil	40	0.44	204	0.002	2	0.97	0.011	0.11	<0.1	0.75	2.2	1.0	0.45	2	14.1	<0.2
2061235	Soil	28	0.45	250	0.008	3	0.85	0.007	0.11	<0.1	0.42	3.4	0.8	0.05	2	8.2	<0.2
2061236	Soil	28	0.44	136	0.044	1	1.56	0.006	0.04	0.2	0.06	3.1	0.2	<0.05	4	1.1	<0.2
2061237	Soil	31	1.02	172	0.018	2	1.54	0.013	0.06	<0.1	0.34	5.4	0.4	0.09	4	8.5	<0.2
2061238	Soil	18	0.53	69	<0.001	2	1.13	0.011	0.09	<0.1	0.32	2.6	0.1	0.41	3	0.7	<0.2
2061239	Soil	17	0.61	164	0.001	2	1.02	0.011	0.09	<0.1	0.82	3.7	0.3	0.13	2	2.9	<0.2
2061240	Soil	29	0.62	119	0.002	2	1.07	0.011	0.12	<0.1	0.81	1.5	0.6	0.11	3	6.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061241	Soil	33.9	133.9	21.7	371	2.8	109.5	23.8	933	4.67	22.6	9.5	2.9	107	3.3	3.8	0.3	50	0.95	0.683	26
2061242	Soil	44.0	196.9	35.1	528	6.8	175.4	21.9	448	5.79	24.9	10.5	11.7	52	14.1	7.7	0.5	36	0.57	0.308	45
2061243	Soil	13.7	96.3	34.5	354	3.1	89.5	22.4	730	4.91	18.7	8.2	6.1	26	6.7	5.5	0.4	23	0.42	0.248	37
2061244	Soil	20.2	70.5	37.6	183	0.7	55.0	15.3	362	4.11	23.8	9.5	1.0	18	0.6	5.9	0.4	44	0.04	0.124	24
2061245	Soil	5.3	13.9	13.1	23	0.2	4.6	1.3	29	1.18	8.9	1.2	2.3	14	<0.1	0.8	0.3	50	0.01	0.028	29
2061246	Soil	2.7	39.2	15.2	79	0.3	40.0	15.7	458	3.78	10.5	3.5	6.2	10	0.6	0.8	0.3	52	0.06	0.046	20
2061247	Soil	22.2	131.3	15.1	211	2.4	76.8	12.7	360	3.39	11.0	13.6	1.6	11	1.4	3.6	0.3	54	0.10	0.102	16
2061248	Soil	20.1	109.8	13.7	292	1.2	97.3	14.5	512	3.63	19.1	5.1	4.1	122	3.5	2.7	0.3	38	1.30	0.584	13
2061249	Soil	8.4	128.1	22.6	293	3.3	94.1	20.1	399	4.57	13.7	19.6	6.6	24	3.9	3.4	0.4	21	0.24	0.184	31
2061250	Soil	6.4	67.0	19.7	105	0.9	46.7	18.1	634	4.16	20.1	7.9	4.9	16	0.6	1.4	0.3	51	0.05	0.066	19
2061251	Soil	2.0	16.2	14.6	55	0.1	16.5	5.9	253	2.69	15.0	2.7	0.5	12	0.2	0.7	0.3	58	0.06	0.078	13
2061252	Soil	2.2	48.0	21.6	98	0.8	49.9	11.2	217	2.88	11.1	3.1	6.8	26	0.4	0.6	0.3	21	0.24	0.079	3
2061253	Soil	1.9	31.9	17.9	92	0.5	39.4	12.8	281	2.81	15.8	2.1	2.2	17	0.6	0.8	0.3	37	0.14	0.081	13
2061254	Soil	5.2	37.0	16.8	52	0.4	21.3	4.4	87	2.17	13.6	5.7	1.3	11	0.1	0.7	0.2	24	0.04	0.051	5
2061255	Soil	2.0	33.6	17.5	76	0.4	36.3	9.9	243	2.79	12.9	3.6	1.2	19	0.4	0.8	0.3	31	0.12	0.086	10
2061256	Soil	1.3	33.0	16.9	74	0.4	38.9	12.2	214	2.57	13.7	3.6	3.9	20	0.4	0.7	0.2	34	0.18	0.081	13
2061257	Soil	1.6	39.1	29.9	102	0.8	55.0	16.4	220	2.68	46.5	1.1	7.5	22	0.8	0.6	0.4	22	0.32	0.143	6
2061258	Soil	1.8	34.7	19.7	88	0.5	50.9	11.9	239	2.97	16.1	3.0	3.6	20	0.3	0.6	0.3	32	0.21	0.068	11
2061259	Soil	1.8	37.9	30.1	80	0.3	42.1	9.7	141	3.05	18.5	3.6	1.8	17	0.2	0.7	0.5	29	0.07	0.077	10
2061260	Soil	6.6	40.1	39.4	58	1.2	24.1	4.9	154	3.66	29.8	1.9	5.8	38	0.2	1.0	0.6	25	0.18	0.074	10
2061261	Soil	1.1	14.1	18.9	52	0.6	23.1	6.1	143	1.68	12.3	1.3	5.0	20	0.4	0.4	0.3	24	0.22	0.082	9
2061262	Soil	0.8	11.2	9.5	69	0.2	14.9	5.9	693	3.32	6.6	1.5	0.6	25	0.4	0.4	0.2	18	1.16	0.107	4
2061263	Soil	1.1	49.1	21.1	100	0.7	46.0	12.4	192	2.17	12.6	3.9	2.9	10	0.3	0.5	0.3	14	0.18	0.066	4
2061264	Soil	5.5	35.5	31.9	32	0.9	8.6	2.8	88	2.80	25.7	9.4	0.9	41	0.1	1.1	0.4	41	0.04	0.069	11
2061265	Soil	1.1	22.6	13.3	49	<0.1	18.6	7.1	230	2.63	14.8	2.8	0.4	18	0.2	0.7	0.2	42	0.11	0.082	13
2061266	Soil	40.0	61.1	26.6	33	1.5	7.4	2.2	72	3.46	59.5	10.9	1.0	24	0.1	1.7	0.3	54	0.04	0.073	11
2061267	Soil	1.3	24.0	12.4	82	<0.1	22.8	8.8	344	2.56	11.9	9.8	1.9	15	0.2	0.8	0.2	46	0.16	0.093	16
2061268	Soil	1.9	23.6	15.5	59	0.1	17.8	6.3	290	3.23	14.8	6.8	0.5	10	0.2	1.0	0.3	63	0.08	0.088	14
2061269	Soil	1.4	23.0	18.8	57	0.3	19.6	6.1	220	2.54	20.4	7.3	1.1	18	0.2	0.8	0.2	43	0.12	0.102	15
2061270	Soil	1.5	28.9	22.9	50	0.4	16.8	4.9	182	2.07	21.7	2.9	1.1	22	0.2	1.1	0.2	39	0.09	0.062	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061241	Soil	30	0.60	111	0.002	1	1.08	0.012	0.12	<0.1	0.76	1.9	0.6	0.12	3	7.1	<0.2
2061242	Soil	40	0.54	137	<0.001	1	1.05	0.004	0.08	<0.1	0.94	4.2	0.5	<0.05	2	15.9	0.3
2061243	Soil	25	0.24	105	0.004	1	1.02	0.004	0.06	<0.1	0.97	4.0	0.5	<0.05	2	12.6	<0.2
2061244	Soil	33	0.24	84	0.006	<1	1.48	0.005	0.04	<0.1	1.11	1.3	0.7	<0.05	4	2.2	<0.2
2061245	Soil	16	0.06	153	0.007	1	0.92	0.005	0.05	<0.1	0.08	1.2	0.4	<0.05	6	1.8	<0.2
2061246	Soil	38	0.59	173	0.017	2	2.29	0.006	0.07	0.1	0.07	3.6	0.2	<0.05	6	1.0	<0.2
2061247	Soil	35	0.56	117	0.004	2	1.30	0.007	0.07	<0.1	0.37	2.7	0.5	<0.05	4	9.5	<0.2
2061248	Soil	23	0.48	289	0.003	4	0.90	0.018	0.17	<0.1	0.77	3.4	0.7	0.48	3	5.1	0.2
2061249	Soil	34	0.44	53	0.001	2	0.98	0.003	0.06	<0.1	0.67	3.6	0.3	<0.05	2	9.0	<0.2
2061250	Soil	47	0.51	168	0.009	2	2.38	0.008	0.07	<0.1	0.15	4.0	0.2	<0.05	5	2.9	<0.2
2061251	Soil	27	0.27	75	0.021	1	1.31	0.006	0.05	0.1	0.07	1.5	0.2	<0.05	7	0.8	<0.2
2061252	Soil	20	0.18	119	0.002	<1	0.90	0.005	0.04	<0.1	0.13	3.0	<0.1	<0.05	3	1.5	<0.2
2061253	Soil	27	0.29	77	0.015	1	1.24	0.005	0.04	0.1	0.10	2.3	0.1	<0.05	4	0.8	<0.2
2061254	Soil	16	0.10	59	0.005	<1	0.64	0.007	0.03	<0.1	0.10	1.3	<0.1	<0.05	2	0.9	<0.2
2061255	Soil	21	0.22	67	0.012	1	1.00	0.006	0.04	0.1	0.12	1.9	<0.1	<0.05	3	1.0	<0.2
2061256	Soil	24	0.29	99	0.015	<1	1.20	0.006	0.03	<0.1	0.06	2.7	<0.1	<0.05	3	1.0	<0.2
2061257	Soil	18	0.05	49	<0.001	<1	0.83	0.004	0.04	<0.1	0.12	3.6	<0.1	<0.05	2	1.2	<0.2
2061258	Soil	25	0.23	112	0.002	<1	1.27	0.005	0.04	<0.1	0.12	3.5	<0.1	<0.05	4	0.9	<0.2
2061259	Soil	25	0.28	91	0.002	2	1.29	0.004	0.04	<0.1	0.05	2.1	<0.1	<0.05	4	1.1	<0.2
2061260	Soil	17	0.15	175	<0.001	2	0.65	0.012	0.09	<0.1	0.22	2.4	0.1	0.25	3	1.7	<0.2
2061261	Soil	18	0.20	105	0.006	<1	0.70	0.005	0.04	<0.1	0.09	2.5	<0.1	<0.05	3	<0.5	<0.2
2061262	Soil	11	0.24	106	0.010	3	0.51	0.009	0.04	<0.1	0.06	1.4	<0.1	0.08	1	<0.5	<0.2
2061263	Soil	11	0.05	60	<0.001	1	0.56	0.004	0.03	<0.1	0.12	2.3	<0.1	<0.05	2	<0.5	<0.2
2061264	Soil	19	0.12	212	0.007	1	0.63	0.009	0.08	<0.1	0.16	1.1	0.2	0.15	4	2.3	<0.2
2061265	Soil	25	0.29	71	0.018	1	1.13	0.004	0.03	0.2	0.05	1.3	0.1	<0.05	4	1.1	<0.2
2061266	Soil	20	0.08	164	0.006	1	0.42	0.004	0.06	<0.1	0.26	1.4	0.1	0.08	4	8.3	<0.2
2061267	Soil	25	0.35	68	0.035	2	1.13	0.006	0.04	0.2	0.07	2.0	0.1	<0.05	4	0.6	<0.2
2061268	Soil	29	0.26	53	0.031	1	1.27	0.005	0.05	0.1	0.06	1.5	0.2	<0.05	6	1.0	<0.2
2061269	Soil	25	0.28	87	0.019	1	1.12	0.005	0.04	0.2	0.10	2.2	<0.1	<0.05	4	1.1	<0.2
2061270	Soil	20	0.20	167	0.017	1	0.89	0.007	0.05	0.1	0.09	2.3	<0.1	0.07	3	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061271	Soil	2.3	28.0	34.3	55	0.7	18.7	5.6	198	3.12	22.9	2.5	1.5	67	0.1	0.8	0.4	39	0.11	0.119	14
2061272	Soil	2.0	23.9	14.2	74	0.2	23.0	8.4	288	2.77	13.7	2.4	1.7	20	0.2	0.7	0.2	48	0.13	0.090	14
2061273	Soil	1.1	22.2	15.3	69	<0.1	26.8	9.8	254	2.19	11.1	2.7	3.4	16	0.4	0.6	0.2	37	0.20	0.085	14
2061274	Soil	1.8	23.0	19.6	71	0.4	27.5	10.3	356	3.02	14.5	2.9	1.8	16	0.2	0.8	0.3	56	0.14	0.095	14
2061275	Soil	0.9	18.1	14.2	60	0.2	25.9	9.9	259	2.24	11.0	2.5	3.7	18	0.2	0.6	0.1	38	0.22	0.089	14
2061276	Soil	0.7	26.0	16.2	100	0.3	52.2	15.3	139	2.54	8.4	<0.5	4.3	24	0.4	0.4	0.4	37	0.18	0.078	9
2061277	Soil	2.3	46.3	48.3	94	1.0	45.7	9.6	140	4.56	25.8	1.9	5.9	61	0.3	0.9	0.7	36	0.02	0.093	11
2061278	Soil	1.9	39.3	42.8	31	0.8	7.3	1.8	30	3.96	33.3	0.7	1.6	27	<0.1	0.9	0.5	35	0.01	0.071	8
2061279	Soil	1.5	27.3	12.9	71	<0.1	25.5	8.4	256	3.12	17.2	4.4	1.2	13	0.3	1.0	0.2	56	0.13	0.108	13
2061280	Soil	1.4	17.5	13.2	67	<0.1	21.3	8.9	309	2.95	11.1	3.8	1.2	11	0.3	0.8	0.2	59	0.11	0.046	12
2061281	Soil	1.3	16.1	12.6	64	<0.1	19.6	7.7	275	2.72	9.9	1.4	1.1	11	0.2	0.8	0.2	60	0.09	0.042	13
2061282	Soil	1.3	18.6	10.8	64	<0.1	19.8	8.0	320	2.48	9.7	3.1	1.4	14	0.3	0.8	0.1	52	0.17	0.072	14
2061283	Soil	0.8	20.2	25.7	54	0.4	30.3	6.8	58	2.36	12.5	0.6	4.1	29	<0.1	0.3	0.3	27	0.01	0.077	9
2061284	Soil	2.0	24.0	27.0	71	0.6	25.3	5.4	102	3.14	19.3	1.0	4.2	59	0.2	0.7	0.2	29	0.18	0.160	12
2061285	Soil	0.9	26.6	16.5	82	0.3	32.0	9.7	174	2.46	12.8	1.1	4.0	30	0.2	0.6	0.2	32	0.19	0.104	13
2061286	Soil	32.5	40.0	21.2	85	0.1	33.9	7.7	133	2.78	13.3	1.4	7.3	43	0.4	0.8	0.2	16	0.51	0.251	28
2061287	Soil	3.6	24.5	15.3	64	0.1	23.9	8.6	177	3.39	14.2	3.4	5.0	18	0.3	0.8	0.2	52	0.13	0.088	23
2061288	Soil	18.5	97.9	16.5	136	1.0	43.2	7.4	169	2.75	16.1	7.2	3.1	172	0.7	1.8	0.2	27	0.55	0.382	17
2061289	Soil	9.0	58.5	23.7	155	0.3	44.5	13.7	203	3.83	17.9	3.2	7.9	77	1.6	1.6	0.3	18	0.30	0.229	28
2061290	Soil	4.1	25.9	26.4	77	0.1	31.8	12.7	334	6.57	21.4	3.1	6.5	18	0.2	0.7	0.4	51	0.12	0.253	28
2061291	Soil	3.6	64.5	22.8	119	0.3	50.9	11.1	143	4.59	13.2	3.6	10.1	11	0.3	0.6	0.4	28	0.02	0.073	49
2061292	Soil	3.5	28.6	22.5	74	0.4	33.5	20.2	553	3.88	14.0	2.3	4.7	11	0.2	0.7	0.3	42	0.12	0.133	31
2061293	Soil	4.0	42.0	20.0	143	0.3	42.0	9.3	165	2.97	12.0	4.5	3.6	149	0.4	1.0	0.3	29	1.40	0.731	40
2061294	Soil	3.1	35.4	18.4	87	1.1	48.8	24.1	489	3.44	13.8	3.1	6.0	15	0.8	0.9	0.2	39	0.09	0.073	24
2061295	Soil	7.9	30.9	28.6	105	0.2	41.5	14.0	285	3.83	21.0	4.4	6.3	20	0.6	1.4	0.4	32	0.07	0.100	44
2061296	Soil	4.2	35.8	22.7	105	0.2	50.3	21.6	593	4.27	15.2	6.0	7.2	41	0.2	0.5	0.3	21	0.20	0.164	32
2061297	Soil	1.5	18.2	31.1	77	<0.1	30.1	22.5	670	3.44	11.6	3.6	1.0	11	0.2	0.7	0.3	37	0.10	0.108	20
2061298	Soil	7.7	35.4	18.1	80	0.2	36.2	17.3	385	3.81	22.0	5.5	6.9	22	0.2	0.8	0.3	36	0.05	0.074	25
2061299	Soil	1.4	19.5	18.3	69	<0.1	33.4	18.7	471	3.37	13.4	3.0	6.8	11	0.2	0.7	0.3	47	0.08	0.047	22
2061300	Soil	3.9	22.0	16.5	62	0.2	20.3	5.5	220	3.43	17.8	3.9	5.0	14	0.2	0.6	0.3	47	0.04	0.058	23

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061271	Soil	26	0.19	202	0.009	<1	1.02	0.007	0.05	<0.1	0.13	3.0	<0.1	0.11	5	1.4	<0.2
2061272	Soil	29	0.36	107	0.026	2	1.52	0.006	0.05	0.1	0.06	2.5	0.1	<0.05	5	0.7	<0.2
2061273	Soil	23	0.33	65	0.032	<1	1.12	0.006	0.04	0.1	0.04	2.5	<0.1	<0.05	3	<0.5	<0.2
2061274	Soil	31	0.41	122	0.024	1	1.70	0.006	0.07	0.2	0.10	3.0	0.2	<0.05	5	1.0	<0.2
2061275	Soil	22	0.33	72	0.033	<1	1.15	0.006	0.04	0.1	0.07	2.6	<0.1	<0.05	3	<0.5	<0.2
2061276	Soil	32	0.21	80	0.005	<1	1.47	0.002	0.03	<0.1	0.07	4.5	0.1	<0.05	5	<0.5	<0.2
2061277	Soil	31	0.15	144	<0.001	<1	1.51	0.009	0.08	<0.1	0.23	4.6	0.1	0.23	5	1.7	<0.2
2061278	Soil	27	0.03	182	<0.001	<1	0.65	0.005	0.06	<0.1	0.53	2.5	<0.1	0.13	7	3.7	<0.2
2061279	Soil	31	0.30	84	0.034	<1	1.41	0.006	0.04	0.2	0.08	2.1	0.1	<0.05	4	0.8	<0.2
2061280	Soil	32	0.38	75	0.042	<1	1.56	0.005	0.05	0.2	0.04	2.5	0.2	<0.05	5	<0.5	<0.2
2061281	Soil	31	0.35	76	0.038	<1	1.49	0.005	0.04	0.2	0.04	2.2	0.2	<0.05	5	<0.5	<0.2
2061282	Soil	27	0.36	70	0.048	<1	1.27	0.006	0.04	0.3	0.04	2.1	0.1	<0.05	5	<0.5	<0.2
2061283	Soil	16	0.05	45	0.002	<1	0.88	0.001	0.02	<0.1	0.13	4.7	<0.1	<0.05	3	<0.5	<0.2
2061284	Soil	24	0.16	76	0.004	<1	1.03	0.003	0.03	<0.1	0.13	4.0	<0.1	<0.05	4	1.2	<0.2
2061285	Soil	21	0.25	120	0.019	<1	0.98	0.005	0.03	<0.1	0.07	3.3	<0.1	<0.05	3	0.5	<0.2
2061286	Soil	15	0.55	92	0.001	<1	1.09	0.007	0.08	<0.1	0.13	2.0	0.5	0.14	3	<0.5	<0.2
2061287	Soil	27	0.39	103	0.024	<1	1.68	0.008	0.05	0.1	0.08	2.9	0.2	<0.05	5	2.1	<0.2
2061288	Soil	17	0.38	153	0.006	<1	1.09	0.034	0.08	<0.1	0.29	2.0	0.5	0.19	2	3.0	<0.2
2061289	Soil	15	0.45	99	0.001	<1	1.02	0.012	0.08	<0.1	0.17	2.2	0.4	0.31	2	1.1	<0.2
2061290	Soil	34	0.48	72	0.015	<1	1.72	0.006	0.05	0.1	0.07	2.4	0.3	<0.05	6	0.8	<0.2
2061291	Soil	37	1.00	111	<0.001	<1	2.39	0.004	0.05	<0.1	0.16	2.4	0.2	<0.05	5	1.1	<0.2
2061292	Soil	28	0.54	69	0.007	<1	1.74	0.005	0.05	<0.1	0.06	2.2	0.3	<0.05	5	<0.5	<0.2
2061293	Soil	27	0.69	102	0.006	1	1.46	0.007	0.09	<0.1	0.11	2.2	0.3	0.07	3	1.5	<0.2
2061294	Soil	33	0.66	119	0.014	<1	2.08	0.006	0.06	<0.1	0.11	3.2	0.2	<0.05	4	0.8	<0.2
2061295	Soil	26	0.71	56	0.003	<1	1.67	0.004	0.04	<0.1	0.11	1.8	0.4	<0.05	5	1.7	<0.2
2061296	Soil	29	1.08	77	<0.001	<1	1.97	0.008	0.06	<0.1	0.20	2.0	0.4	<0.05	5	0.6	<0.2
2061297	Soil	27	0.52	119	0.008	<1	1.84	0.004	0.05	<0.1	0.05	1.2	0.2	<0.05	5	<0.5	<0.2
2061298	Soil	31	0.64	137	0.010	<1	2.23	0.009	0.05	<0.1	0.18	3.5	0.3	<0.05	5	1.1	<0.2
2061299	Soil	31	0.53	187	0.020	<1	2.08	0.005	0.05	0.1	0.05	4.2	0.1	<0.05	6	<0.5	<0.2
2061300	Soil	27	0.49	102	0.014	<1	1.76	0.007	0.05	0.1	0.06	2.4	0.3	<0.05	6	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061301	Soil	2.8	47.9	58.6	41	1.4	17.6	2.3	59	4.43	40.1	1.9	7.1	136	0.1	0.9	0.5	42	0.02	0.324	13
2061302	Soil	2.0	38.9	24.3	40	0.6	12.6	3.3	140	3.53	31.7	3.9	2.2	30	0.2	1.0	0.3	43	0.05	0.178	11
2061303	Soil	1.4	44.9	15.5	74	0.4	27.4	8.5	319	2.78	13.9	6.0	2.4	27	0.3	0.8	0.2	42	0.22	0.169	18
2061304	Soil	7.2	53.0	54.4	15	1.6	3.7	1.4	58	3.60	47.9	5.1	8.6	89	<0.1	1.7	0.7	52	0.01	0.109	10
2061305	Soil	2.2	27.8	35.3	35	0.9	13.4	2.5	94	3.15	28.2	1.7	8.6	32	<0.1	0.9	0.5	38	0.03	0.124	5
2061306	Soil	0.7	25.0	38.3	66	0.3	55.9	24.5	372	2.62	10.7	1.3	5.4	45	0.3	0.3	0.3	26	0.26	0.160	15
2061307	Soil	5.1	73.4	31.3	49	1.0	11.1	2.0	85	3.54	16.1	12.9	2.5	18	<0.1	1.2	0.4	30	0.03	0.099	5
2061308	Soil	1.2	15.0	14.0	26	0.4	7.4	2.2	56	1.11	18.4	2.1	3.6	31	<0.1	0.5	0.2	14	0.02	0.031	4
2061309	Soil	2.2	4.8	38.1	10	1.4	6.7	0.6	14	0.35	5.5	4.4	5.0	17	0.1	1.0	0.3	9	0.03	0.011	5
2061310	Soil	1.5	16.6	11.8	60	<0.1	18.8	7.8	314	2.56	13.6	3.4	0.7	11	0.2	0.7	0.2	48	0.08	0.054	13
2061311	Soil	1.6	26.7	20.7	40	0.3	12.7	3.7	126	2.48	17.8	3.0	3.1	14	0.2	0.8	0.2	34	0.05	0.059	10
2061312	Soil	2.0	26.2	14.3	75	0.3	25.2	8.5	282	2.72	14.6	6.2	3.4	18	0.4	0.9	0.2	45	0.15	0.090	15
2061313	Soil	2.2	26.5	13.2	72	0.2	24.8	8.0	264	2.48	12.2	3.6	2.3	15	0.4	0.8	0.2	37	0.13	0.080	13
2061314	Soil	1.7	21.6	13.1	66	0.2	21.0	7.4	259	2.69	12.1	3.3	1.2	14	0.3	0.7	0.2	48	0.10	0.068	13
2061315	Soil	1.8	22.6	37.5	61	1.0	21.0	4.1	122	3.70	28.4	1.6	2.8	21	<0.1	0.7	0.5	31	0.04	0.090	7
2061316	Soil	3.8	95.1	32.5	93	0.9	47.6	16.6	418	4.50	19.4	6.4	1.1	23	0.2	1.0	0.4	48	0.05	0.109	12
2061317	Soil	1.5	17.4	13.5	69	0.1	19.8	8.1	268	3.00	11.8	3.8	1.0	12	0.2	0.6	0.3	62	0.10	0.057	14
2061318	Soil	1.5	18.9	20.6	53	0.3	18.3	3.6	138	3.48	33.6	4.0	2.2	30	0.1	1.0	0.3	36	0.03	0.079	9
2061319	Soil	1.3	22.0	16.0	88	0.5	30.5	6.3	163	2.81	11.1	5.0	1.0	10	0.1	0.4	0.3	49	0.06	0.064	9
2061320	Soil	1.6	24.6	20.0	76	0.2	25.3	8.0	208	3.03	13.0	4.7	0.7	10	0.1	0.5	0.3	53	0.06	0.062	10
2061321	Soil	1.7	31.2	18.4	99	0.2	34.1	7.0	154	3.26	13.5	4.6	2.2	10	<0.1	0.6	0.3	44	0.03	0.048	7
2061322	Soil	1.5	44.2	21.2	130	0.7	50.5	9.4	206	3.49	14.0	1.8	4.5	15	0.1	0.4	0.3	39	0.07	0.054	5
2061323	Soil	1.5	19.2	15.8	67	0.2	21.3	6.0	155	2.87	12.1	4.0	1.6	8	0.2	0.5	0.3	52	0.04	0.043	10
2061324	Soil	1.3	20.1	12.7	69	0.2	23.5	6.9	125	2.23	8.7	3.0	0.2	9	0.1	0.5	0.2	43	0.05	0.077	8
2061325	Soil	1.2	27.1	15.4	85	0.4	34.7	11.5	275	2.71	12.4	4.2	2.5	12	0.2	0.6	0.2	36	0.07	0.049	10
2061326	Soil	0.9	14.8	14.2	50	0.2	18.7	6.5	194	2.46	10.5	2.8	0.4	10	0.2	0.5	0.2	38	0.05	0.053	10
2061327	Soil	1.8	35.0	15.3	77	0.2	26.4	10.1	469	2.90	15.0	13.9	0.6	16	0.3	0.9	0.2	53	0.21	0.173	16
2061328	Soil	0.9	20.9	11.7	59	0.3	25.7	8.2	198	2.01	9.3	3.6	3.5	19	0.3	0.6	0.1	31	0.24	0.088	12
2061329	Soil	1.5	16.9	18.3	56	<0.1	20.8	7.5	180	2.71	14.1	2.9	0.7	11	0.2	0.6	0.2	35	0.05	0.047	9
2061330	Soil	4.9	21.4	21.3	34	0.7	7.7	1.7	55	1.69	7.7	7.4	3.8	35	<0.1	0.7	0.3	13	0.06	0.039	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061301	Soil	27	0.09	361	0.001	<1	1.04	0.018	0.13	<0.1	0.32	5.5	0.2	0.39	5	3.5	<0.2
2061302	Soil	27	0.16	108	0.008	<1	0.94	0.006	0.05	<0.1	0.11	3.4	0.2	0.07	4	1.6	<0.2
2061303	Soil	25	0.34	89	0.029	<1	1.18	0.006	0.06	0.2	0.09	2.7	0.1	<0.05	4	0.8	<0.2
2061304	Soil	23	0.04	496	0.001	4	0.57	0.015	0.17	<0.1	0.76	3.9	0.3	0.36	5	4.5	0.3
2061305	Soil	25	0.11	135	0.003	<1	1.14	0.004	0.06	<0.1	0.25	4.5	0.2	<0.05	5	1.8	<0.2
2061306	Soil	21	0.17	60	<0.001	<1	1.13	0.002	0.03	<0.1	0.05	5.4	<0.1	<0.05	4	<0.5	<0.2
2061307	Soil	20	0.09	80	0.003	<1	0.68	0.007	0.05	<0.1	0.18	3.7	0.1	0.08	3	2.5	<0.2
2061308	Soil	9	0.04	53	0.002	<1	0.27	0.002	0.02	<0.1	1.23	1.9	<0.1	<0.05	1	<0.5	<0.2
2061309	Soil	10	0.02	91	<0.001	<1	0.34	0.003	0.03	<0.1	0.40	3.0	0.1	<0.05	4	1.9	<0.2
2061310	Soil	24	0.32	62	0.028	<1	1.23	0.004	0.04	0.1	0.06	1.6	0.1	<0.05	5	<0.5	<0.2
2061311	Soil	22	0.17	76	0.014	<1	0.67	0.004	0.04	<0.1	0.10	3.7	<0.1	<0.05	3	0.9	<0.2
2061312	Soil	26	0.39	136	0.034	<1	1.25	0.005	0.05	0.1	0.09	3.6	0.1	<0.05	4	0.6	<0.2
2061313	Soil	22	0.29	98	0.026	<1	1.09	0.004	0.05	0.1	0.09	3.2	<0.1	<0.05	3	0.6	<0.2
2061314	Soil	26	0.36	90	0.025	<1	1.33	0.005	0.05	0.2	0.06	2.4	0.1	<0.05	5	0.5	<0.2
2061315	Soil	18	0.13	145	<0.001	<1	0.90	0.003	0.04	<0.1	0.28	3.4	<0.1	<0.05	4	2.6	<0.2
2061316	Soil	33	0.34	137	0.014	<1	2.18	0.005	0.06	0.1	0.22	3.6	0.2	0.05	5	3.4	<0.2
2061317	Soil	35	0.53	100	0.038	<1	1.97	0.006	0.05	0.2	0.05	2.8	0.2	<0.05	7	0.6	<0.2
2061318	Soil	26	0.28	131	0.006	<1	1.17	0.003	0.03	<0.1	0.12	1.6	0.1	<0.05	4	1.3	<0.2
2061319	Soil	32	0.41	124	0.008	<1	1.79	0.003	0.03	<0.1	0.09	2.0	0.1	<0.05	5	1.0	<0.2
2061320	Soil	34	0.39	142	0.010	<1	1.95	0.004	0.04	0.1	0.11	1.6	0.2	<0.05	6	1.0	<0.2
2061321	Soil	31	0.40	114	0.003	<1	1.65	0.003	0.03	<0.1	0.08	2.2	<0.1	<0.05	5	1.1	<0.2
2061322	Soil	30	0.58	232	<0.001	<1	1.74	0.004	0.04	<0.1	0.21	3.3	<0.1	<0.05	4	1.7	<0.2
2061323	Soil	23	0.21	70	0.010	<1	1.25	0.003	0.03	<0.1	0.05	1.7	0.1	<0.05	5	0.7	<0.2
2061324	Soil	23	0.23	79	0.006	<1	1.21	0.004	0.03	<0.1	0.07	0.7	<0.1	<0.05	5	0.8	<0.2
2061325	Soil	23	0.34	124	0.011	<1	1.21	0.004	0.03	<0.1	0.12	2.5	<0.1	<0.05	3	1.2	<0.2
2061326	Soil	22	0.25	61	0.013	<1	1.23	0.003	0.03	0.1	0.06	1.3	0.1	<0.05	4	0.7	<0.2
2061327	Soil	30	0.40	72	0.024	1	1.48	0.006	0.06	0.3	0.10	1.7	0.1	<0.05	4	1.2	<0.2
2061328	Soil	19	0.28	97	0.025	<1	0.84	0.004	0.03	<0.1	0.05	2.3	<0.1	<0.05	3	<0.5	<0.2
2061329	Soil	22	0.21	49	0.013	<1	1.09	0.003	0.03	<0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
2061330	Soil	11	0.06	105	0.002	<1	0.30	0.009	0.05	<0.1	0.16	1.1	<0.1	0.19	2	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061331	Soil	2.0	38.7	31.0	90	1.0	41.9	11.6	192	2.81	21.8	4.9	5.2	46	1.1	0.7	0.4	20	0.16	0.129	4
2061332	Soil	1.1	26.4	20.6	71	0.4	28.4	11.4	221	2.07	14.4	5.3	0.4	24	0.3	0.7	0.3	30	0.17	0.109	10
2061333	Soil	2.7	24.7	16.2	56	0.1	15.6	4.9	138	2.36	15.3	6.9	0.3	9	0.2	1.1	0.3	47	0.06	0.061	10
2061334	Soil	1.7	26.3	13.8	75	0.2	21.8	7.2	240	2.81	14.2	5.1	1.1	12	0.2	1.2	0.2	50	0.09	0.063	12
2061335	Soil	1.8	32.1	15.3	71	0.2	21.7	7.3	205	2.51	16.1	6.2	0.8	17	0.2	1.2	0.2	48	0.12	0.079	15
2061336	Soil	1.8	25.5	19.8	50	0.5	14.9	4.0	152	3.20	17.4	8.0	2.0	14	<0.1	0.9	0.3	57	0.05	0.049	10
2061337	Soil	1.5	21.8	16.3	46	0.4	15.3	4.2	106	2.74	16.6	3.7	1.8	10	<0.1	0.6	0.3	49	0.04	0.048	10
2061338	Soil	1.6	19.0	13.4	45	0.2	14.4	4.4	145	2.52	11.9	4.7	2.0	11	0.1	0.8	0.3	65	0.07	0.041	12
2061339	Soil	1.5	25.7	18.3	52	0.3	18.6	4.7	141	2.19	16.3	4.5	1.4	16	<0.1	0.6	0.3	38	0.04	0.052	10
2061340	Soil	1.5	40.5	32.6	90	0.6	31.3	2.5	116	3.11	15.6	5.4	3.1	17	<0.1	0.6	0.4	45	0.02	0.049	9
2061341	Soil	1.4	26.5	14.0	58	0.3	20.0	5.7	160	2.34	13.9	6.2	3.2	18	<0.1	0.8	0.2	30	0.17	0.093	11
2061342	Soil	1.3	20.0	13.6	57	0.2	20.3	6.9	212	2.58	14.0	4.4	2.0	11	0.1	0.7	0.2	49	0.07	0.041	12
2061343	Soil	1.2	19.6	15.6	46	0.2	15.4	4.3	144	2.58	12.2	4.9	0.9	11	0.1	0.6	0.3	46	0.05	0.039	10
2061344	Soil	1.5	16.7	16.0	45	0.2	14.3	4.0	142	2.83	12.8	3.9	1.9	10	<0.1	0.7	0.3	58	0.04	0.036	11
2061345	Soil	1.3	14.1	13.5	43	0.2	11.9	3.4	118	2.07	10.2	3.4	1.6	9	<0.1	0.6	0.2	45	0.05	0.028	11
2061346	Soil	1.3	17.2	16.5	40	0.1	12.6	4.0	142	2.97	13.9	5.3	2.1	10	<0.1	0.7	0.3	54	0.05	0.041	11
2061347	Soil	0.9	27.9	23.2	96	0.4	37.2	5.8	100	2.57	12.2	3.3	2.5	27	<0.1	0.5	0.4	40	0.11	0.069	11
2061348	Soil	1.2	24.0	13.2	65	0.4	21.2	5.7	121	2.27	11.0	5.0	0.4	13	0.2	0.5	0.2	37	0.07	0.072	10
2061349	Soil	1.1	23.4	13.7	69	0.1	24.3	6.2	144	2.36	11.5	3.2	0.8	14	0.1	0.6	0.2	42	0.10	0.067	10
2061350	Soil	1.2	32.5	20.6	93	0.4	29.2	5.4	138	2.78	12.1	3.9	2.0	16	0.1	0.6	0.3	45	0.05	0.055	8
2061351	Soil	15.1	88.6	13.9	149	1.1	47.9	10.6	417	3.08	10.7	8.7	0.7	12	0.8	2.0	0.3	49	0.06	0.097	13
2061375	Soil	1.2	18.2	12.4	58	<0.1	17.4	5.8	204	2.54	12.0	2.9	2.3	10	0.1	0.7	0.2	55	0.08	0.040	14
2061376	Soil	2.0	42.6	32.0	87	0.9	26.4	5.9	140	3.20	21.8	6.2	1.9	31	<0.1	0.9	0.4	44	0.07	0.099	6
2061377	Soil	1.5	16.2	17.6	60	0.3	17.3	6.6	235	2.86	13.6	3.2	2.4	11	<0.1	0.7	0.3	64	0.08	0.040	13
2061378	Soil	1.6	26.1	20.4	35	0.1	7.0	2.1	98	2.58	17.0	3.0	0.7	8	<0.1	0.9	0.3	51	0.03	0.053	9
2061379	Soil	1.3	21.0	16.6	60	0.3	18.1	6.0	202	2.54	14.6	4.8	1.1	9	0.1	0.7	0.3	53	0.05	0.046	11
2061380	Soil	1.8	68.4	27.1	131	0.7	42.1	10.3	207	3.87	20.7	5.1	1.7	19	0.3	0.8	0.4	47	0.08	0.132	9
2061381	Soil	1.9	21.0	19.0	50	0.4	13.0	3.0	73	1.83	12.4	6.3	0.3	12	<0.1	0.6	0.3	41	0.04	0.076	9
2061382	Soil	1.9	36.2	22.4	84	0.4	25.3	7.5	226	3.12	21.1	4.7	0.6	17	0.2	0.9	0.3	49	0.10	0.098	12
2061383	Soil	1.1	32.2	20.0	78	0.5	27.6	4.8	108	2.35	11.7	6.2	1.0	18	0.1	0.5	0.3	38	0.07	0.069	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061331	Soil	18	0.08	80	0.004	2	0.97	0.011	0.06	<0.1	0.17	2.8	0.1	0.09	3	0.9	<0.2
2061332	Soil	21	0.18	94	0.005	1	0.94	0.006	0.04	0.1	0.09	0.7	<0.1	<0.05	3	0.8	<0.2
2061333	Soil	19	0.16	71	0.016	1	0.88	0.005	0.03	0.2	0.07	1.1	0.1	<0.05	4	0.9	<0.2
2061334	Soil	26	0.36	96	0.022	2	1.52	0.006	0.03	0.2	0.07	2.1	0.1	<0.05	4	1.1	<0.2
2061335	Soil	22	0.33	98	0.021	1	1.31	0.005	0.03	0.2	0.07	2.0	0.1	<0.05	4	1.4	<0.2
2061336	Soil	23	0.24	79	0.026	1	1.18	0.004	0.04	0.2	0.07	1.7	<0.1	<0.05	6	1.8	<0.2
2061337	Soil	22	0.18	72	0.014	1	1.39	0.004	0.03	0.1	0.06	1.8	0.1	<0.05	6	1.0	<0.2
2061338	Soil	24	0.23	104	0.021	<1	1.58	0.004	0.03	0.2	0.05	2.3	0.1	<0.05	6	<0.5	<0.2
2061339	Soil	20	0.21	100	0.012	1	1.12	0.004	0.04	0.1	0.06	1.5	<0.1	<0.05	4	0.7	<0.2
2061340	Soil	28	0.63	334	0.002	<1	1.90	0.004	0.04	<0.1	0.09	2.4	<0.1	<0.05	5	0.9	<0.2
2061341	Soil	20	0.26	67	0.022	<1	1.07	0.004	0.03	0.1	0.09	2.2	<0.1	<0.05	3	0.7	<0.2
2061342	Soil	25	0.32	85	0.023	<1	1.58	0.005	0.04	0.2	0.07	2.4	0.1	<0.05	5	0.8	<0.2
2061343	Soil	23	0.25	70	0.016	1	1.31	0.004	0.03	0.1	0.05	1.5	<0.1	<0.05	5	<0.5	<0.2
2061344	Soil	22	0.20	61	0.024	1	1.04	0.004	0.03	0.1	0.04	1.5	0.1	<0.05	6	<0.5	<0.2
2061345	Soil	18	0.17	64	0.015	1	1.07	0.004	0.03	0.1	0.05	1.4	0.1	<0.05	5	<0.5	<0.2
2061346	Soil	23	0.24	56	0.023	1	1.21	0.004	0.03	0.2	0.05	1.7	0.1	<0.05	6	0.6	<0.2
2061347	Soil	28	0.38	185	0.004	<1	1.65	0.004	0.03	<0.1	0.06	2.4	<0.1	<0.05	4	<0.5	<0.2
2061348	Soil	21	0.26	96	0.011	1	1.36	0.005	0.03	0.1	0.07	0.9	<0.1	<0.05	4	0.7	<0.2
2061349	Soil	23	0.32	136	0.011	<1	1.26	0.005	0.03	0.1	0.07	1.7	<0.1	<0.05	4	0.7	<0.2
2061350	Soil	27	0.42	153	0.007	<1	1.64	0.004	0.04	<0.1	0.11	2.2	<0.1	<0.05	4	0.8	<0.2
2061351	Soil	26	0.20	151	0.007	<1	1.38	0.006	0.05	<0.1	0.18	1.7	0.4	<0.05	4	3.8	<0.2
2061375	Soil	25	0.34	72	0.027	1	1.45	0.005	0.04	0.2	0.05	2.1	0.1	<0.05	5	<0.5	<0.2
2061376	Soil	27	0.32	107	0.006	<1	1.45	0.005	0.03	<0.1	0.19	1.8	<0.1	<0.05	4	1.5	<0.2
2061377	Soil	29	0.36	84	0.032	2	1.72	0.006	0.04	0.2	0.06	2.6	0.2	<0.05	7	0.6	<0.2
2061378	Soil	18	0.10	55	0.012	1	0.91	0.004	0.03	0.1	0.05	0.8	0.1	<0.05	5	0.9	<0.2
2061379	Soil	24	0.25	86	0.021	1	1.38	0.005	0.04	0.1	0.06	1.7	0.1	<0.05	5	0.7	<0.2
2061380	Soil	29	0.38	116	0.004	<1	1.63	0.005	0.04	<0.1	0.10	2.2	<0.1	<0.05	4	1.7	<0.2
2061381	Soil	21	0.12	78	0.012	2	0.86	0.007	0.03	0.1	0.06	0.8	<0.1	<0.05	4	<0.5	<0.2
2061382	Soil	28	0.39	77	0.016	2	1.38	0.006	0.04	0.1	0.09	1.4	0.1	<0.05	5	1.0	<0.2
2061383	Soil	27	0.34	369	0.005	<1	1.62	0.005	0.03	<0.1	0.13	2.0	0.1	<0.05	5	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061384	Soil	0.8	14.8	15.3	53	0.3	18.2	3.0	80	1.83	7.8	3.4	0.5	10	<0.1	0.3	0.3	38	0.06	0.051	10
2061385	Soil	0.8	19.3	11.8	54	0.1	18.7	3.7	100	1.90	8.7	4.2	1.1	13	<0.1	0.4	0.2	36	0.10	0.053	10
2061386	Soil	1.4	19.9	17.4	52	0.2	16.8	3.4	92	2.68	13.7	9.0	0.5	10	<0.1	0.4	0.3	39	0.03	0.072	9
2061387	Soil	0.8	13.4	10.7	44	0.1	13.9	3.0	86	1.76	8.0	4.1	0.9	9	<0.1	0.4	0.2	31	0.06	0.041	9
2061388	Soil	1.3	16.4	15.3	51	0.3	15.4	3.9	130	2.17	12.6	5.0	0.3	10	<0.1	0.4	0.3	44	0.04	0.058	9
2061389	Soil	1.0	15.3	12.4	48	0.2	15.1	3.8	111	2.08	10.0	4.1	0.3	9	<0.1	0.4	0.2	38	0.05	0.059	10
2061390	Soil	2.1	21.9	18.1	67	0.2	19.1	5.2	221	3.02	18.1	3.6	0.8	10	<0.1	0.8	0.3	50	0.04	0.063	12
2061391	Soil	1.7	18.0	22.3	43	0.3	12.4	3.3	98	2.81	18.3	2.9	0.4	15	<0.1	0.5	0.4	59	0.03	0.100	9
2061392	Soil	1.3	29.0	25.7	78	0.4	23.0	6.9	314	2.77	19.3	4.5	2.6	14	0.2	0.7	0.4	40	0.06	0.082	12
2061393	Soil	1.7	17.6	13.9	54	0.3	12.8	4.8	247	2.75	13.6	3.7	0.1	10	0.2	0.8	0.3	56	0.06	0.076	11
2061394	Soil	1.4	19.6	16.8	61	0.2	20.6	7.1	202	3.52	15.7	2.9	2.9	10	0.2	0.8	0.3	55	0.06	0.048	11
2061395	Soil	1.1	15.5	12.5	53	0.1	20.1	6.1	194	2.31	10.3	3.9	1.1	13	0.2	0.6	0.2	39	0.11	0.063	13
2061396	Soil	1.2	16.3	16.2	56	<0.1	18.5	3.5	105	2.54	16.5	3.3	1.6	12	0.1	0.7	0.3	42	0.04	0.040	10
2061397	Soil	1.0	19.3	12.1	55	0.2	21.2	6.0	190	2.23	9.5	4.9	2.2	16	0.2	0.6	0.2	35	0.16	0.073	14
2061398	Soil	1.9	15.8	21.6	47	0.5	14.6	4.2	90	2.09	13.1	2.8	0.1	20	0.1	0.5	0.4	38	0.08	0.083	9
2061399	Soil	1.0	41.4	13.2	56	<0.1	17.6	5.7	193	2.25	10.5	2.2	0.5	11	<0.1	0.7	0.2	48	0.10	0.047	14
2061400	Soil	1.1	13.6	11.5	37	<0.1	10.5	4.4	220	2.02	11.1	3.8	0.3	10	<0.1	0.7	0.3	58	0.08	0.037	14
2061401	Soil	1.7	45.8	28.9	83	<0.1	20.5	1.2	96	4.59	16.6	1.7	7.2	13	<0.1	0.3	0.4	27	<0.01	0.076	4
2061402	Soil	1.8	20.5	20.0	72	<0.1	23.7	8.8	280	3.65	12.5	1.9	5.8	13	0.2	0.7	0.3	35	0.09	0.074	16
2061403	Soil	1.7	23.1	18.5	64	0.1	23.8	6.7	180	3.55	11.9	2.0	6.3	11	0.2	0.8	0.3	46	0.07	0.044	12
2061404	Soil	1.8	27.6	21.9	72	<0.1	27.6	10.2	283	3.52	15.1	2.1	7.0	13	0.2	0.8	0.3	39	0.06	0.042	14
2061405	Soil	1.8	15.6	20.6	61	<0.1	17.9	5.3	235	3.64	12.5	2.4	6.3	9	0.2	0.7	0.4	43	0.05	0.045	16
2061406	Soil	1.4	16.1	14.2	27	0.1	10.5	2.4	57	2.27	9.3	3.1	0.3	8	<0.1	0.4	0.3	29	0.04	0.083	7
2061407	Soil	1.5	17.9	19.3	68	<0.1	24.3	8.2	177	3.38	11.2	1.9	4.3	12	<0.1	0.6	0.3	41	0.05	0.047	10
2061408	Soil	1.8	13.7	15.1	45	<0.1	16.4	4.1	144	2.93	13.2	1.2	3.4	12	0.1	0.6	0.3	41	0.07	0.046	11
2061409	Soil	3.2	31.0	28.4	40	0.7	12.7	3.6	155	2.48	18.5	4.8	0.7	30	0.2	0.9	0.4	36	0.07	0.088	11
2061410	Soil	1.6	19.5	28.4	37	0.6	9.9	3.1	129	2.47	17.3	3.1	0.5	30	0.1	0.8	0.3	28	0.08	0.123	10
2061411	Soil	1.2	16.4	17.2	45	0.2	14.5	4.3	148	2.32	14.1	5.2	0.8	18	0.1	0.7	0.3	39	0.10	0.078	12
2061412	Soil	2.7	21.8	26.1	48	0.4	14.3	4.3	180	2.40	21.5	7.0	3.0	20	0.2	0.8	0.3	39	0.11	0.086	11
2061413	Soil	1.3	29.6	13.5	60	0.2	21.9	6.4	186	2.43	13.7	6.0	1.2	15	0.2	0.8	0.2	39	0.11	0.072	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061384	Soil	24	0.32	103	0.008	<1	1.42	0.004	0.02	<0.1	0.06	1.2	<0.1	<0.05	4	<0.5	<0.2
2061385	Soil	22	0.32	129	0.013	<1	1.13	0.004	0.02	<0.1	0.06	1.9	<0.1	<0.05	4	<0.5	<0.2
2061386	Soil	22	0.20	78	0.004	<1	1.52	0.003	0.02	<0.1	0.06	1.2	<0.1	<0.05	4	0.7	<0.2
2061387	Soil	19	0.23	59	0.011	<1	1.19	0.003	0.02	0.1	0.07	1.3	<0.1	<0.05	4	<0.5	<0.2
2061388	Soil	23	0.24	81	0.008	1	1.20	0.004	0.03	<0.1	0.09	0.8	<0.1	<0.05	5	<0.5	<0.2
2061389	Soil	23	0.25	70	0.007	1	1.29	0.004	0.03	<0.1	0.07	0.7	<0.1	<0.05	4	<0.5	<0.2
2061390	Soil	27	0.29	81	0.017	<1	1.49	0.003	0.03	0.1	0.08	1.4	0.1	<0.05	6	0.8	<0.2
2061391	Soil	23	0.15	98	0.005	<1	1.24	0.003	0.03	<0.1	0.06	0.7	0.1	<0.05	6	0.9	<0.2
2061392	Soil	26	0.40	189	0.010	1	1.60	0.005	0.04	0.1	0.12	2.5	0.1	<0.05	4	0.5	<0.2
2061393	Soil	25	0.23	73	0.016	1	1.52	0.004	0.04	0.1	0.07	0.6	0.2	<0.05	7	0.5	<0.2
2061394	Soil	24	0.29	68	0.025	1	1.51	0.004	0.03	0.2	0.05	2.1	<0.1	<0.05	6	0.8	<0.2
2061395	Soil	21	0.37	90	0.022	1	1.45	0.005	0.03	0.1	0.05	1.6	<0.1	<0.05	4	0.6	<0.2
2061396	Soil	22	0.30	84	0.009	<1	1.24	0.004	0.02	<0.1	0.04	1.5	<0.1	<0.05	4	<0.5	<0.2
2061397	Soil	21	0.32	82	0.024	1	1.25	0.004	0.03	0.1	0.06	2.3	<0.1	<0.05	4	<0.5	<0.2
2061398	Soil	18	0.12	139	0.005	1	0.95	0.003	0.03	<0.1	0.09	0.6	0.1	0.06	4	0.8	<0.2
2061399	Soil	22	0.32	121	0.026	<1	1.15	0.004	0.03	0.2	0.02	1.2	0.1	<0.05	4	<0.5	<0.2
2061400	Soil	20	0.27	155	0.026	1	1.22	0.004	0.03	0.1	0.03	1.0	0.2	<0.05	6	<0.5	<0.2
2061401	Soil	33	0.58	101	<0.001	<1	1.72	0.008	0.08	<0.1	0.04	3.7	0.2	0.06	6	<0.5	<0.2
2061402	Soil	30	0.50	94	0.012	1	1.90	0.005	0.05	<0.1	0.05	2.5	0.1	<0.05	5	<0.5	<0.2
2061403	Soil	33	0.47	96	0.014	1	2.40	0.005	0.05	0.1	0.04	3.2	0.2	<0.05	5	<0.5	<0.2
2061404	Soil	31	0.53	149	0.013	2	2.06	0.007	0.06	<0.1	0.05	3.6	0.2	<0.05	5	<0.5	<0.2
2061405	Soil	29	0.40	80	0.012	1	1.78	0.005	0.05	0.1	0.04	2.4	0.2	<0.05	6	<0.5	<0.2
2061406	Soil	19	0.21	59	0.005	1	1.15	0.009	0.03	<0.1	0.05	0.5	0.1	<0.05	4	0.7	<0.2
2061407	Soil	24	0.42	82	0.010	<1	1.61	0.004	0.04	<0.1	0.02	2.3	0.1	<0.05	6	<0.5	<0.2
2061408	Soil	25	0.35	102	0.013	<1	1.54	0.005	0.04	0.1	0.01	2.0	0.1	<0.05	5	<0.5	<0.2
2061409	Soil	21	0.16	111	0.011	<1	0.96	0.007	0.07	<0.1	0.12	1.2	0.1	0.11	4	0.6	<0.2
2061410	Soil	17	0.14	114	0.008	1	0.77	0.005	0.04	<0.1	0.10	0.9	0.1	<0.05	3	0.6	<0.2
2061411	Soil	21	0.22	69	0.022	<1	0.99	0.004	0.03	0.1	0.04	1.3	0.1	<0.05	5	0.7	<0.2
2061412	Soil	21	0.23	138	0.023	2	0.92	0.007	0.08	0.1	0.16	2.4	0.1	0.10	4	0.9	<0.2
2061413	Soil	23	0.33	92	0.021	<1	1.24	0.006	0.03	0.1	0.06	2.2	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061414	Soil	1.9	30.0	22.6	64	0.4	23.1	7.2	183	2.67	17.4	1.7	0.5	17	0.1	0.9	0.3	43	0.09	0.111	13
2061415	Soil	1.5	22.9	18.8	41	0.3	12.3	3.2	100	2.04	13.4	3.5	0.1	10	0.1	0.6	0.4	34	0.04	0.092	10
2061416	Soil	1.0	24.4	14.4	58	0.1	23.4	6.9	238	2.27	14.3	2.5	3.1	17	0.2	0.8	0.2	35	0.15	0.082	16
2061417	Soil	1.2	28.1	22.3	57	0.5	26.7	6.2	127	2.19	13.0	3.1	4.4	30	0.2	0.6	0.3	25	0.04	0.064	9
2061418	Soil	1.8	32.9	30.1	70	0.6	31.4	8.3	203	2.67	18.0	2.7	2.6	38	0.2	0.9	0.4	33	0.06	0.078	9
2061419	Soil	2.2	50.2	34.9	64	0.7	23.0	4.9	173	3.42	26.3	1.8	2.0	26	0.2	0.7	0.4	27	0.04	0.104	7
2061420	Soil	1.3	29.5	39.4	49	0.9	22.3	4.5	116	2.43	19.2	0.5	5.4	72	0.1	0.5	0.6	29	0.10	0.065	13
2061421	Soil	2.4	40.0	35.5	64	0.7	20.1	9.9	94	2.36	16.7	1.5	1.4	36	0.1	0.7	0.5	24	0.01	0.123	16
2061422	Soil	1.9	48.1	29.4	86	0.8	37.0	5.2	67	2.28	18.9	<0.5	4.2	112	<0.1	0.5	0.5	31	0.02	0.062	14
2061423	Soil	1.4	38.5	28.9	130	0.8	43.2	8.8	183	3.24	13.0	1.1	7.5	70	0.3	0.4	0.4	36	0.10	0.072	4
2061424	Soil	1.6	31.2	26.6	67	0.4	20.8	4.8	118	2.32	16.3	2.8	0.6	21	0.1	0.6	0.4	38	0.02	0.100	7
2061425	Soil	1.6	31.4	23.1	73	0.3	23.6	6.5	164	2.75	20.9	3.2	0.7	15	0.2	0.6	0.4	47	0.05	0.086	7
2061426	Soil	1.8	35.6	21.0	75	0.3	25.6	7.3	150	2.86	19.1	4.8	0.6	13	<0.1	0.8	0.4	49	0.02	0.101	6
2061427	Soil	1.8	30.5	20.9	72	0.5	26.5	5.7	142	2.76	18.0	3.7	0.9	14	<0.1	0.7	0.4	48	0.03	0.093	6
2061428	Soil	1.8	31.9	27.7	94	0.6	36.2	11.1	254	2.59	22.8	8.3	1.9	19	0.2	0.9	0.4	37	0.02	0.064	7
2061429	Soil	1.7	21.7	18.8	79	0.1	25.6	9.0	327	3.29	15.2	4.0	0.5	13	0.2	0.9	0.4	60	0.06	0.066	10
2061430	Soil	1.4	15.3	13.1	62	<0.1	16.9	6.4	256	2.82	14.5	3.6	0.5	9	0.1	0.8	0.3	59	0.06	0.058	11
2061431	Soil	0.9	33.7	22.7	102	0.2	43.9	12.4	127	2.51	12.3	3.7	1.7	15	0.3	0.6	0.3	39	0.10	0.080	11
2061432	Soil	1.6	22.0	16.9	61	0.4	16.7	4.7	157	2.68	25.0	3.1	0.3	12	0.2	0.9	0.3	51	0.05	0.101	8
2061433	Soil	1.3	45.4	24.3	122	0.4	45.2	15.9	173	2.94	20.7	3.6	3.5	29	0.2	0.7	0.4	42	0.11	0.084	8
2061434	Soil	1.5	12.5	13.8	36	<0.1	10.2	3.2	89	2.14	9.2	2.6	0.3	9	<0.1	0.8	0.3	58	0.05	0.061	11
2061435	Soil	1.6	17.1	13.4	49	0.1	12.9	4.6	185	2.55	11.5	2.6	0.3	9	0.2	0.8	0.3	61	0.05	0.059	11
2061436	Soil	1.3	17.2	20.5	55	0.2	16.5	5.8	273	2.63	16.3	5.0	0.7	11	0.1	0.8	0.3	49	0.05	0.051	9
2061437	Soil	2.1	21.9	18.4	54	0.2	15.2	4.5	138	2.38	16.2	6.7	0.3	10	<0.1	1.0	0.3	56	0.05	0.068	9
2061438	Soil	3.2	61.0	29.2	145	1.3	54.6	13.9	152	3.47	40.0	6.3	4.5	21	0.2	1.3	0.3	33	0.02	0.082	3
2061439	Soil	1.4	48.8	24.3	144	0.7	54.2	14.7	257	3.27	18.4	2.8	5.0	28	0.2	0.6	0.3	34	0.11	0.079	3
2061440	Soil	1.4	42.8	31.2	137	0.8	53.0	13.9	235	3.40	16.6	2.8	3.5	28	0.2	0.7	0.5	41	0.06	0.076	5
2061441	Soil	1.5	43.1	24.9	127	0.6	47.5	14.7	248	3.12	15.3	4.4	3.2	24	0.2	0.7	0.4	38	0.05	0.070	4
2061442	Soil	1.9	42.7	37.9	124	0.8	49.3	10.8	184	3.33	18.9	4.0	3.0	33	0.2	0.8	0.4	42	0.04	0.076	7
2061443	Soil	2.0	37.9	33.1	88	0.9	35.2	5.7	109	2.95	17.4	4.0	1.4	26	0.2	0.6	0.4	41	0.02	0.103	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061414	Soil	22	0.21	99	0.012	<1	1.32	0.004	0.04	<0.1	0.08	1.4	<0.1	<0.05	4	<0.5	<0.2
2061415	Soil	18	0.14	71	0.006	<1	1.01	0.005	0.03	<0.1	0.09	0.6	<0.1	0.08	4	0.9	<0.2
2061416	Soil	21	0.33	78	0.029	1	1.12	0.005	0.03	0.1	0.04	2.1	<0.1	<0.05	3	<0.5	<0.2
2061417	Soil	15	0.16	147	0.007	1	1.04	0.005	0.05	<0.1	0.10	3.1	<0.1	<0.05	3	2.0	<0.2
2061418	Soil	19	0.18	204	0.010	2	1.05	0.013	0.09	<0.1	0.23	2.4	0.2	0.13	4	1.7	<0.2
2061419	Soil	20	0.10	304	<0.001	<1	0.96	0.007	0.06	<0.1	0.17	1.9	0.1	0.14	3	2.7	<0.2
2061420	Soil	18	0.10	152	<0.001	<1	1.19	0.005	0.07	<0.1	0.18	3.0	0.1	0.14	4	1.2	<0.2
2061421	Soil	19	0.09	64	0.001	1	1.17	0.005	0.04	<0.1	0.12	1.7	<0.1	<0.05	3	1.8	<0.2
2061422	Soil	22	0.29	174	<0.001	<1	1.39	0.004	0.06	<0.1	0.18	3.0	<0.1	<0.05	4	1.2	<0.2
2061423	Soil	30	0.56	388	<0.001	<1	1.97	0.004	0.04	<0.1	0.16	3.1	<0.1	<0.05	5	0.6	<0.2
2061424	Soil	22	0.15	73	0.003	<1	1.05	0.004	0.03	<0.1	0.08	0.7	<0.1	<0.05	4	0.9	<0.2
2061425	Soil	25	0.20	64	0.006	<1	1.34	0.004	0.03	<0.1	0.07	0.9	<0.1	<0.05	5	1.1	<0.2
2061426	Soil	25	0.19	69	0.004	2	1.33	0.003	0.03	<0.1	0.09	0.9	0.1	<0.05	5	0.8	<0.2
2061427	Soil	28	0.25	76	0.005	2	1.43	0.003	0.03	<0.1	0.08	0.9	<0.1	<0.05	5	<0.5	<0.2
2061428	Soil	27	0.21	97	0.002	<1	1.35	0.004	0.03	<0.1	0.09	1.9	<0.1	<0.05	4	1.9	<0.2
2061429	Soil	30	0.31	71	0.014	1	1.59	0.004	0.04	0.1	0.05	1.3	0.1	<0.05	6	0.6	<0.2
2061430	Soil	28	0.30	67	0.020	<1	1.72	0.004	0.04	0.1	0.06	1.3	0.2	<0.05	6	<0.5	<0.2
2061431	Soil	24	0.27	61	0.004	<1	1.38	0.003	0.03	<0.1	0.06	2.0	<0.1	<0.05	4	<0.5	<0.2
2061432	Soil	27	0.25	62	0.007	<1	1.51	0.004	0.04	0.1	0.10	0.7	0.1	<0.05	5	0.7	<0.2
2061433	Soil	28	0.36	67	0.001	<1	1.67	0.003	0.03	<0.1	0.08	3.3	<0.1	<0.05	4	1.7	<0.2
2061434	Soil	24	0.18	52	0.019	<1	1.22	0.004	0.03	0.2	0.05	0.9	0.2	<0.05	7	0.7	<0.2
2061435	Soil	26	0.22	68	0.018	<1	1.40	0.004	0.04	0.1	0.06	1.1	0.2	<0.05	6	0.7	<0.2
2061436	Soil	27	0.30	83	0.017	1	1.24	0.004	0.04	0.1	0.04	1.4	<0.1	<0.05	5	<0.5	<0.2
2061437	Soil	25	0.20	58	0.018	1	1.12	0.005	0.03	0.1	0.04	1.2	0.1	<0.05	5	0.7	<0.2
2061438	Soil	24	0.24	117	<0.001	<1	1.01	0.003	0.03	<0.1	0.32	3.1	<0.1	<0.05	3	4.1	0.2
2061439	Soil	26	0.42	186	<0.001	<1	1.51	0.003	0.03	<0.1	0.12	2.8	<0.1	<0.05	4	0.9	<0.2
2061440	Soil	29	0.48	181	<0.001	<1	1.77	0.004	0.04	<0.1	0.13	2.8	0.1	<0.05	4	1.2	<0.2
2061441	Soil	27	0.47	119	0.001	<1	1.56	0.005	0.04	<0.1	0.06	2.6	<0.1	<0.05	4	1.0	<0.2
2061442	Soil	31	0.45	237	<0.001	<1	1.71	0.005	0.04	<0.1	0.14	2.6	0.1	<0.05	5	0.8	<0.2
2061443	Soil	28	0.33	152	0.001	1	1.65	0.005	0.04	<0.1	0.15	1.7	0.1	<0.05	5	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061444	Soil	1.7	22.3	20.4	77	0.5	33.2	7.9	142	3.04	12.9	2.8	1.3	19	0.2	0.9	0.3	41	0.16	0.080	10
2061445	Soil	3.5	62.5	23.0	84	0.3	40.2	11.5	199	3.23	16.1	5.3	4.6	18	0.2	1.3	0.3	35	0.04	0.037	10
2061446	Soil	26.6	96.2	28.3	61	0.1	22.4	6.4	423	4.84	32.3	3.6	8.2	17	<0.1	1.9	0.5	24	<0.01	0.050	33
2061447	Soil	1.4	31.8	10.8	64	<0.1	24.3	8.2	282	2.55	10.4	3.7	2.0	13	0.2	0.7	0.2	42	0.09	0.053	17
2061448	Soil	1.8	27.8	12.9	60	0.2	20.9	5.3	187	2.36	12.1	6.4	0.3	8	0.2	0.9	0.2	47	0.04	0.044	9
2061449	Soil	1.6	35.3	15.5	57	<0.1	22.2	5.1	157	2.70	12.0	8.0	0.4	8	<0.1	0.9	0.3	48	0.05	0.043	10
2061450	Soil	1.2	19.1	11.2	47	0.1	17.7	5.4	156	2.22	11.7	7.1	1.3	8	<0.1	0.6	0.2	43	0.07	0.035	11
2061451	Soil	31.5	234.0	20.2	428	3.6	153.1	29.9	1039	5.05	22.6	14.3	2.2	103	4.7	7.9	0.4	28	0.49	0.227	18
2061452	Soil	12.6	67.4	31.7	134	0.6	49.2	8.7	196	3.84	28.8	3.1	6.2	138	0.9	4.0	0.4	16	0.37	0.161	15
2061453	Soil	16.6	65.0	29.0	218	1.1	94.7	18.2	441	4.36	27.4	7.2	8.0	69	1.9	5.3	0.4	23	1.19	0.493	30
2061454	Soil	16.2	91.6	14.2	332	4.3	101.0	14.1	334	3.40	14.3	9.5	7.0	26	11.1	4.2	0.2	20	0.41	0.228	31
2061455	Soil	17.9	121.7	22.5	371	4.2	112.8	19.3	384	4.36	14.2	12.8	6.9	33	9.9	4.8	0.3	25	0.39	0.184	26
2061456	Soil	12.3	38.1	14.7	127	0.3	40.7	7.7	116	3.02	14.7	4.5	1.7	7	0.9	2.4	0.2	52	0.05	0.101	22
2061457	Soil	7.7	55.4	21.8	154	0.6	53.2	14.5	466	3.10	12.9	6.1	4.1	21	2.9	2.9	0.2	34	0.26	0.140	24
2061458	Soil	2.6	24.7	17.6	85	0.3	39.4	12.1	320	2.70	12.7	3.2	4.3	13	0.8	1.3	0.2	44	0.17	0.065	17
2061459	Soil	13.4	87.6	11.7	190	0.7	59.5	10.3	475	3.03	16.4	9.5	1.2	45	1.2	2.8	0.2	37	0.48	0.271	19
2061460	Soil	9.8	51.7	20.3	159	0.6	62.6	19.0	576	3.27	18.4	4.5	4.8	22	1.9	2.9	0.2	39	0.31	0.156	23
2061461	Soil	1.7	25.9	13.7	62	0.2	23.6	8.6	433	2.96	11.4	3.0	3.8	9	0.2	0.9	0.2	48	0.08	0.038	14
2061462	Soil	23.1	100.8	13.6	310	1.7	97.3	16.5	532	3.56	17.8	8.0	5.2	60	3.2	5.3	0.4	26	1.19	0.630	19
2061463	Soil	13.3	109.7	19.1	196	2.5	74.1	21.1	666	4.09	12.5	8.5	5.4	14	1.1	2.3	0.4	33	0.09	0.102	20
2061464	Soil	2.9	93.7	15.9	125	0.4	48.5	8.0	178	4.01	10.0	3.6	3.0	6	0.2	1.3	0.4	43	0.03	0.046	18
2061465	Soil	18.1	107.3	16.6	167	0.4	51.9	8.6	320	3.41	12.7	5.3	3.2	14	0.6	3.2	0.3	54	0.03	0.067	15
2061466	Soil	2.9	119.1	18.3	105	1.8	51.7	19.9	783	3.65	8.4	6.7	3.9	10	0.6	1.1	0.3	40	0.07	0.076	18
2061467	Soil	17.7	87.6	46.1	166	0.6	44.4	9.0	209	3.15	23.4	19.1	3.9	28	0.6	6.5	0.5	28	0.11	0.088	35
2061468	Soil	5.2	44.9	12.6	112	0.9	34.0	11.5	433	3.40	11.0	7.6	1.6	30	0.7	1.5	0.3	58	0.12	0.122	16
2061469	Soil	2.9	17.2	11.6	58	0.8	15.7	5.7	305	2.79	10.8	2.2	1.8	8	0.6	0.9	0.2	53	0.05	0.045	14
2061470	Soil	2.9	20.7	14.8	63	0.7	20.0	7.0	231	3.10	12.4	3.1	4.4	9	0.6	0.9	0.3	60	0.06	0.039	16
2061471	Soil	3.0	25.1	11.6	50	0.5	16.4	4.7	179	2.60	10.0	2.4	3.4	7	0.2	0.9	0.2	57	0.04	0.030	16
2061472	Soil	10.2	59.6	22.4	173	0.4	55.6	12.6	363	3.32	18.1	7.0	1.0	22	1.0	3.4	0.3	37	0.11	0.113	21
2061473	Soil	3.7	17.5	13.8	64	0.1	19.8	5.6	168	2.64	12.1	3.5	0.4	8	0.2	0.9	0.2	59	0.05	0.072	16

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061444	Soil	30	0.34	191	0.008	<1	1.59	0.005	0.04	<0.1	0.13	2.4	0.1	<0.05	5	0.7	<0.2
2061445	Soil	24	0.23	129	0.005	<1	1.23	0.006	0.03	<0.1	0.09	4.4	<0.1	<0.05	4	<0.5	<0.2
2061446	Soil	25	0.33	190	0.003	<1	1.02	0.007	0.04	<0.1	0.13	1.7	0.4	<0.05	4	3.1	0.2
2061447	Soil	26	0.49	295	0.028	<1	1.45	0.006	0.04	0.2	0.04	3.1	0.1	<0.05	4	<0.5	<0.2
2061448	Soil	21	0.15	62	0.013	<1	0.98	0.004	0.03	0.1	0.04	1.0	0.1	<0.05	4	0.7	<0.2
2061449	Soil	25	0.25	65	0.016	<1	1.47	0.003	0.03	<0.1	0.05	1.2	0.1	<0.05	5	1.1	<0.2
2061450	Soil	20	0.23	75	0.020	<1	1.10	0.004	0.03	0.2	0.05	1.6	0.1	<0.05	4	0.7	<0.2
2061451	Soil	20	0.38	293	0.002	2	0.89	0.021	0.10	<0.1	0.67	4.8	0.6	0.16	2	9.7	0.4
2061452	Soil	16	0.39	233	0.002	1	0.71	0.032	0.11	<0.1	1.87	1.9	1.1	0.43	2	2.8	0.2
2061453	Soil	24	0.50	200	0.001	2	1.00	0.005	0.09	<0.1	1.19	4.5	0.5	<0.05	2	3.3	<0.2
2061454	Soil	30	0.47	76	0.002	<1	0.83	0.002	0.04	<0.1	0.89	2.8	0.4	<0.05	2	9.0	<0.2
2061455	Soil	23	0.24	117	<0.001	<1	0.71	0.003	0.06	<0.1	0.72	3.7	0.6	<0.05	1	12.6	<0.2
2061456	Soil	33	0.35	183	0.004	<1	1.67	0.003	0.05	<0.1	0.21	1.5	0.6	<0.05	4	2.5	<0.2
2061457	Soil	30	0.45	123	0.011	<1	1.31	0.005	0.04	<0.1	0.31	3.0	0.4	<0.05	3	5.9	<0.2
2061458	Soil	28	0.42	156	0.020	<1	1.68	0.006	0.05	0.2	0.08	3.0	0.2	<0.05	4	0.8	<0.2
2061459	Soil	23	0.53	203	0.008	<1	1.24	0.007	0.06	<0.1	0.42	2.3	0.5	<0.05	3	4.3	0.2
2061460	Soil	32	0.47	139	0.017	2	1.47	0.007	0.05	<0.1	0.22	3.0	0.4	<0.05	3	2.9	<0.2
2061461	Soil	27	0.40	82	0.026	<1	1.52	0.006	0.05	0.2	0.03	2.5	0.1	<0.05	5	0.7	<0.2
2061462	Soil	16	0.20	291	0.005	6	0.60	0.004	0.15	<0.1	0.97	5.0	0.5	<0.05	1	14.9	<0.2
2061463	Soil	34	0.34	112	0.015	4	1.52	0.005	0.06	<0.1	0.17	3.6	0.2	<0.05	3	11.0	<0.2
2061464	Soil	28	0.47	155	0.008	3	1.62	0.004	0.05	<0.1	0.05	2.2	0.2	<0.05	6	1.6	<0.2
2061465	Soil	22	0.21	116	0.012	3	0.92	0.008	0.05	<0.1	0.07	2.2	0.4	<0.05	4	3.8	<0.2
2061466	Soil	43	0.39	123	0.009	2	1.74	0.004	0.05	<0.1	0.14	3.5	0.2	<0.05	4	3.1	<0.2
2061467	Soil	26	0.36	131	0.003	2	1.03	0.004	0.03	<0.1	0.46	2.1	0.5	<0.05	3	3.1	<0.2
2061468	Soil	36	0.43	159	0.019	2	1.92	0.007	0.05	0.2	0.13	2.6	0.3	<0.05	6	4.1	<0.2
2061469	Soil	26	0.21	67	0.022	2	1.45	0.004	0.04	0.1	0.11	2.0	0.3	<0.05	6	1.9	<0.2
2061470	Soil	29	0.28	70	0.027	3	1.61	0.004	0.05	0.1	0.07	2.3	0.3	<0.05	6	1.3	<0.2
2061471	Soil	23	0.21	112	0.029	3	1.17	0.004	0.05	0.1	0.07	2.4	0.3	<0.05	6	0.9	<0.2
2061472	Soil	33	0.37	161	0.009	2	1.35	0.005	0.05	<0.1	0.35	1.7	0.5	<0.05	4	1.9	<0.2
2061473	Soil	28	0.26	80	0.012	1	1.51	0.004	0.04	<0.1	0.06	0.9	0.3	<0.05	6	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061474	Soil	4.1	34.1	13.1	86	1.0	33.0	10.1	414	3.70	11.0	3.6	1.4	12	1.2	1.3	0.2	47	0.10	0.097	17
2061475	Soil	6.4	27.2	12.3	118	0.5	37.4	7.9	130	2.52	12.0	2.7	1.3	19	1.3	1.7	0.2	32	0.21	0.142	24
2061476	Soil	14.8	125.3	22.4	362	5.2	114.2	23.0	519	4.44	9.7	8.8	6.7	33	16.1	5.0	0.3	26	0.46	0.255	29
2061477	Soil	6.1	60.2	13.6	145	2.0	42.9	8.0	127	2.38	7.8	9.2	0.4	8	1.1	2.1	0.2	30	0.06	0.112	16
2061478	Soil	39.0	146.3	22.4	358	3.5	117.8	21.2	539	3.50	17.4	14.0	6.4	46	7.2	5.6	0.3	38	0.46	0.267	31
2061479	Soil	36.4	85.6	29.8	576	0.7	110.5	31.8	757	7.14	38.2	2.1	5.9	27	5.7	6.8	0.3	37	0.38	0.266	48
2061480	Soil	5.8	22.5	15.7	104	0.2	28.6	7.1	154	2.78	14.1	2.0	2.8	17	1.2	1.6	0.2	47	0.29	0.095	24
2061481	Soil	6.7	27.1	19.0	124	0.3	37.8	9.5	176	3.05	16.1	0.9	2.1	23	1.0	2.1	0.3	44	0.39	0.128	25
2061482	Soil	13.9	57.4	25.8	262	1.0	80.8	17.6	269	3.77	24.6	0.7	5.8	66	3.9	5.3	0.3	30	1.18	0.283	32
2061483	Soil	18.4	96.4	16.9	233	5.4	83.8	9.4	195	3.13	11.5	9.3	4.2	68	7.9	3.7	0.3	20	0.47	0.163	11
2061484	Soil	14.3	148.9	23.2	312	5.1	153.0	22.0	326	4.95	22.9	7.2	4.3	144	10.2	6.1	0.3	23	0.40	0.313	15
2061485	Soil	23.9	137.6	28.1	644	5.5	172.9	36.6	732	4.94	21.2	7.9	7.9	120	22.8	7.1	0.4	28	0.54	0.338	23
2061486	Soil	10.8	163.4	32.6	249	3.5	109.2	28.6	1235	5.24	11.5	19.3	6.2	21	3.3	3.2	0.4	20	0.27	0.123	23
2061487	Soil	10.0	37.0	24.2	128	0.3	45.5	11.6	284	4.15	14.6	3.1	5.1	41	0.4	0.9	0.3	30	0.12	0.153	32
2061488	Soil	6.0	24.6	14.8	53	0.2	15.9	4.0	59	2.35	10.7	0.6	4.7	7	0.1	0.8	0.2	38	0.02	0.043	28
2061489	Soil	7.2	34.2	21.5	91	0.1	38.5	14.6	287	3.94	19.0	1.6	3.6	31	0.5	1.1	0.3	30	0.15	0.162	25
2061490	Soil	3.7	34.0	20.9	99	0.2	57.1	21.4	288	4.42	14.8	<0.5	2.4	12	0.6	0.7	0.3	27	0.03	0.177	23
2061491	Soil	2.0	22.8	20.8	67	0.1	26.2	7.2	150	3.48	10.9	2.6	5.8	13	0.2	0.6	0.2	24	0.05	0.085	26
2061492	Soil	2.2	30.0	23.3	90	0.1	52.9	32.2	1615	4.16	12.3	1.2	7.4	17	0.4	0.7	0.3	26	0.11	0.110	24
2061493	Soil	20.6	39.6	31.5	85	0.2	26.6	7.0	291	5.27	61.4	1.6	8.5	40	0.4	1.8	0.4	35	0.04	0.138	30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061474	Soil	35	0.40	192	0.015	2	1.91	0.005	0.05	0.2	0.15	2.8	0.3	<0.05	5	4.6	<0.2
2061475	Soil	25	0.36	109	0.008	2	1.07	0.004	0.05	<0.1	0.08	1.1	0.3	<0.05	3	5.4	<0.2
2061476	Soil	40	0.59	132	0.002	3	1.11	0.004	0.07	<0.1	0.56	3.9	1.0	<0.05	3	34.0	<0.2
2061477	Soil	23	0.16	80	0.005	2	0.82	0.004	0.07	<0.1	0.20	0.6	0.2	<0.05	3	8.7	<0.2
2061478	Soil	27	0.45	161	0.002	2	0.93	0.008	0.08	<0.1	0.88	2.4	0.6	<0.05	2	9.5	0.2
2061479	Soil	35	0.29	151	0.004	4	1.31	0.003	0.07	<0.1	0.46	3.2	0.5	<0.05	3	3.9	<0.2
2061480	Soil	22	0.21	210	0.010	2	1.02	0.003	0.05	<0.1	0.09	1.6	0.3	<0.05	4	2.4	<0.2
2061481	Soil	28	0.27	178	0.007	2	1.06	0.004	0.04	<0.1	0.08	1.5	0.4	<0.05	4	2.9	<0.2
2061482	Soil	30	0.54	146	0.003	4	0.97	0.004	0.09	<0.1	0.25	2.7	0.5	<0.05	2	4.3	<0.2
2061483	Soil	42	0.51	189	0.001	2	0.83	0.007	0.07	<0.1	0.45	2.5	0.4	0.21	2	7.1	<0.2
2061484	Soil	34	0.31	120	0.002	3	1.39	0.015	0.10	<0.1	0.78	2.8	1.1	0.29	2	9.0	<0.2
2061485	Soil	38	0.45	205	0.002	2	1.09	0.011	0.10	<0.1	0.71	4.5	1.6	0.09	3	11.1	<0.2
2061486	Soil	25	0.56	170	0.002	2	1.07	0.002	0.08	<0.1	0.68	3.3	0.5	<0.05	2	8.6	0.3
2061487	Soil	29	0.92	78	0.002	2	1.86	0.007	0.07	<0.1	0.15	1.8	0.4	<0.05	5	1.4	<0.2
2061488	Soil	16	0.15	54	0.009	1	1.09	0.004	0.04	0.1	0.10	1.4	0.2	<0.05	5	2.0	<0.2
2061489	Soil	27	0.50	76	0.008	2	1.50	0.010	0.05	<0.1	0.10	1.8	0.3	<0.05	4	1.0	<0.2
2061490	Soil	24	0.51	56	0.004	1	1.62	0.006	0.04	<0.1	0.09	1.7	0.2	<0.05	5	<0.5	<0.2
2061491	Soil	23	0.54	70	0.008	2	1.46	0.010	0.05	<0.1	0.08	1.7	0.2	<0.05	4	<0.5	<0.2
2061492	Soil	25	0.65	97	0.010	1	1.54	0.006	0.04	<0.1	0.06	3.2	0.1	<0.05	5	<0.5	<0.2
2061493	Soil	34	0.67	84	0.007	1	1.78	0.010	0.05	<0.1	0.09	2.5	0.6	<0.05	5	2.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2061159	Soil	4.7	21.5	14.0	76	0.2	21.6	6.7	219	3.11	12.8	2.4	1.5	14	0.3	0.9	0.3	54	0.13	0.082	21
REP 2061159	QC	4.2	21.7	13.9	76	0.2	21.7	6.5	206	2.93	12.7	2.8	1.4	14	0.3	0.8	0.3	52	0.14	0.076	21
2061193	Soil	5.9	57.9	33.4	144	0.3	55.2	15.0	242	6.51	19.9	5.4	10.7	25	0.3	1.0	0.5	36	0.14	0.189	39
REP 2061193	QC	5.9	55.7	33.0	145	0.3	52.6	15.2	237	6.19	19.2	5.1	10.2	25	0.4	0.9	0.5	35	0.14	0.171	38
2061230	Soil	9.4	36.5	35.1	110	0.6	59.1	18.2	397	4.60	27.2	0.5	11.2	47	0.7	1.3	0.5	21	0.14	0.128	21
REP 2061230	QC	9.5	34.7	35.1	110	0.6	58.1	17.8	371	4.35	26.9	1.2	11.3	45	0.7	1.3	0.4	22	0.14	0.131	21
2061267	Soil	1.3	24.0	12.4	82	<0.1	22.8	8.8	344	2.56	11.9	9.8	1.9	15	0.2	0.8	0.2	46	0.16	0.093	16
REP 2061267	QC	1.4	24.2	12.5	77	<0.1	23.1	8.5	352	2.57	11.3	3.7	1.9	14	0.3	0.8	0.2	46	0.17	0.098	16
2061303	Soil	1.4	44.9	15.5	74	0.4	27.4	8.5	319	2.78	13.9	6.0	2.4	27	0.3	0.8	0.2	42	0.22	0.169	18
REP 2061303	QC	1.4	45.4	15.6	73	0.4	26.7	8.6	322	2.80	13.3	7.5	2.3	25	0.3	0.8	0.2	43	0.21	0.162	17
2061339	Soil	1.5	25.7	18.3	52	0.3	18.6	4.7	141	2.19	16.3	4.5	1.4	16	<0.1	0.6	0.3	38	0.04	0.052	10
REP 2061339	QC	1.4	23.8	18.2	52	0.3	17.8	4.7	141	2.34	16.5	5.0	1.4	16	<0.1	0.6	0.3	39	0.05	0.053	10
2061397	Soil	1.0	19.3	12.1	55	0.2	21.2	6.0	190	2.23	9.5	4.9	2.2	16	0.2	0.6	0.2	35	0.16	0.073	14
REP 2061397	QC	1.0	18.5	12.2	57	0.2	20.0	6.2	185	2.15	9.4	4.2	2.1	16	0.2	0.6	0.2	34	0.14	0.076	14
2061434	Soil	1.5	12.5	13.8	36	<0.1	10.2	3.2	89	2.14	9.2	2.6	0.3	9	<0.1	0.8	0.3	58	0.05	0.061	11
REP 2061434	QC	1.5	12.7	13.8	36	<0.1	10.1	3.1	87	2.01	8.9	2.8	0.3	8	<0.1	0.8	0.3	57	0.05	0.061	11
2061487	Soil	10.0	37.0	24.2	128	0.3	45.5	11.6	284	4.15	14.6	3.1	5.1	41	0.4	0.9	0.3	30	0.12	0.153	32
REP 2061487	QC	9.7	38.1	24.8	135	0.3	45.0	12.2	280	4.29	15.0	3.1	5.0	42	0.4	0.9	0.4	30	0.12	0.163	33
Reference Materials																					
STD DS11	Standard	14.6	148.5	137.6	342	1.7	78.2	13.2	1022	3.03	42.3	68.1	7.4	66	2.5	8.8	11.6	50	1.00	0.067	18
STD DS11	Standard	15.4	152.7	141.2	357	1.8	83.8	14.8	1054	3.20	46.0	98.4	7.5	70	2.4	9.0	11.8	50	1.03	0.077	18
STD DS11	Standard	13.5	151.4	141.8	341	1.7	76.4	13.6	957	2.94	42.0	64.9	8.0	63	2.6	8.2	12.4	48	0.92	0.070	18
STD DS11	Standard	14.2	141.8	138.2	335	1.7	76.1	13.0	1003	3.10	45.3	76.3	7.4	65	2.4	8.1	12.1	51	1.00	0.072	18
STD DS11	Standard	13.8	150.0	142.7	345	1.7	74.5	13.5	1050	3.20	42.8	78.1	8.4	70	2.5	8.6	12.7	49	1.01	0.070	20
STD DS11	Standard	15.3	154.8	138.2	343	1.8	83.5	14.5	1017	3.23	41.4	72.5	7.7	68	2.5	8.4	12.6	55	1.05	0.071	18
STD DS11	Standard	14.1	147.3	141.5	338	1.7	77.3	13.5	977	3.15	43.5	62.9	8.7	74	2.3	9.0	13.1	50	1.01	0.068	21
STD DS11	Standard	14.9	151.2	139.8	360	1.8	76.6	13.7	1144	3.39	42.8	63.9	8.1	74	2.3	8.7	13.2	49	1.06	0.077	20
STD DS11	Standard	15.1	156.6	131.9	352	1.7	86.3	14.8	1054	3.27	41.3	69.0	7.4	70	2.1	7.8	11.6	56	0.99	0.071	18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000893.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2061159	Soil	32	0.51	105	0.033	1	2.00	0.006	0.05	0.2	0.17	2.7	0.3	<0.05	6	1.0	<0.2
REP 2061159	QC	30	0.52	105	0.031	2	1.98	0.006	0.05	0.2	0.16	2.6	0.3	<0.05	6	0.8	<0.2
2061193	Soil	43	1.24	78	0.002	2	2.69	0.008	0.05	<0.1	0.32	2.3	0.3	<0.05	7	0.7	<0.2
REP 2061193	QC	41	1.19	72	0.002	<1	2.52	0.007	0.05	<0.1	0.31	2.3	0.3	<0.05	7	0.8	<0.2
2061230	Soil	18	0.29	145	<0.001	1	0.91	0.014	0.08	<0.1	0.24	3.3	0.2	0.16	3	1.7	<0.2
REP 2061230	QC	18	0.30	145	<0.001	1	0.96	0.014	0.08	<0.1	0.26	3.3	0.2	0.17	3	1.3	<0.2
2061267	Soil	25	0.35	68	0.035	2	1.13	0.006	0.04	0.2	0.07	2.0	0.1	<0.05	4	0.6	<0.2
REP 2061267	QC	24	0.35	74	0.037	1	1.14	0.006	0.04	0.2	0.06	2.1	0.1	<0.05	4	0.6	<0.2
2061303	Soil	25	0.34	89	0.029	<1	1.18	0.006	0.06	0.2	0.09	2.7	0.1	<0.05	4	0.8	<0.2
REP 2061303	QC	24	0.33	87	0.028	<1	1.10	0.005	0.05	0.2	0.09	2.6	0.1	<0.05	4	1.0	<0.2
2061339	Soil	20	0.21	100	0.012	1	1.12	0.004	0.04	0.1	0.06	1.5	<0.1	<0.05	4	0.7	<0.2
REP 2061339	QC	19	0.20	96	0.012	<1	1.01	0.004	0.04	<0.1	0.06	1.5	<0.1	<0.05	4	<0.5	<0.2
2061397	Soil	21	0.32	82	0.024	1	1.25	0.004	0.03	0.1	0.06	2.3	<0.1	<0.05	4	<0.5	<0.2
REP 2061397	QC	21	0.31	80	0.023	2	1.23	0.004	0.03	0.1	0.06	2.2	<0.1	<0.05	4	<0.5	<0.2
2061434	Soil	24	0.18	52	0.019	<1	1.22	0.004	0.03	0.2	0.05	0.9	0.2	<0.05	7	0.7	<0.2
REP 2061434	QC	24	0.18	53	0.019	1	1.19	0.004	0.03	0.1	0.06	0.9	0.2	<0.05	6	0.6	<0.2
2061487	Soil	29	0.92	78	0.002	2	1.86	0.007	0.07	<0.1	0.15	1.8	0.4	<0.05	5	1.4	<0.2
REP 2061487	QC	29	0.93	80	0.002	2	1.84	0.007	0.07	<0.1	0.16	1.9	0.4	<0.05	5	1.7	<0.2
Reference Materials																	
STD DS11	Standard	58	0.83	367	0.085	4	1.10	0.072	0.39	3.0	0.26	3.2	5.0	0.24	5	2.1	4.6
STD DS11	Standard	58	0.85	385	0.094	8	1.17	0.074	0.40	3.1	0.27	3.1	5.1	0.23	5	2.4	5.0
STD DS11	Standard	55	0.82	370	0.087	5	1.10	0.076	0.37	3.0	0.25	3.2	4.8	0.23	5	1.4	4.3
STD DS11	Standard	57	0.82	374	0.083	6	1.08	0.068	0.39	3.0	0.24	3.2	5.2	0.23	5	1.9	4.6
STD DS11	Standard	58	0.83	376	0.099	8	1.08	0.063	0.38	2.7	0.27	3.0	5.2	0.27	5	1.4	5.2
STD DS11	Standard	64	0.89	357	0.097	7	1.20	0.077	0.37	3.1	0.27	3.7	5.2	0.29	5	2.8	5.0
STD DS11	Standard	57	0.78	377	0.096	7	1.08	0.065	0.36	2.9	0.26	3.1	5.0	0.25	5	1.5	4.5
STD DS11	Standard	59	0.89	359	0.101	7	1.17	0.072	0.39	3.1	0.28	3.4	5.0	0.26	5	1.4	4.7
STD DS11	Standard	64	0.84	355	0.095	6	1.16	0.071	0.38	2.9	0.27	3.3	5.0	0.31	5	2.0	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000893.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.1	26.0	6.0	40	<0.1	78.5	20.0	417	3.05	0.7	207.3	1.7	182	<0.1	<0.1	<0.1	55	0.65	0.096	12
STD OXC129	Standard	1.2	28.1	6.3	42	<0.1	82.3	20.9	425	3.16	0.6	199.3	1.8	189	<0.1	<0.1	<0.1	54	0.70	0.108	12
STD OXC129	Standard	1.3	30.9	6.5	42	<0.1	82.2	21.3	414	3.04	<0.5	216.8	1.9	181	<0.1	<0.1	<0.1	50	0.65	0.099	12
STD OXC129	Standard	1.2	27.8	6.2	44	<0.1	83.3	21.5	448	3.31	1.1	193.4	1.8	201	<0.1	<0.1	<0.1	59	0.75	0.110	12
STD OXC129	Standard	1.3	25.4	6.6	43	<0.1	77.7	20.8	422	3.15	1.2	201.7	2.1	197	<0.1	<0.1	<0.1	54	0.65	0.100	14
STD OXC129	Standard	1.2	27.2	6.1	43	<0.1	83.2	21.9	415	3.11	<0.5	191.9	1.6	196	<0.1	<0.1	<0.1	57	0.75	0.098	13
STD OXC129	Standard	1.4	26.1	6.1	42	<0.1	75.2	20.2	428	3.15	1.1	197.0	1.9	215	<0.1	<0.1	<0.1	50	0.72	0.103	13
STD OXC129	Standard	1.2	26.1	6.2	40	<0.1	72.6	19.1	440	2.99	0.6	197.9	1.9	205	<0.1	<0.1	<0.1	51	0.72	0.109	13
STD OXC129	Standard	1.4	28.9	6.0	43	<0.1	86.2	22.2	424	3.13	0.9	195.0	1.8	198	<0.1	<0.1	<0.1	61	0.72	0.099	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000893.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	54	1.50	48	0.393	<1	1.52	0.575	0.36	<0.1	0.02	1.3	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.49	50	0.400	1	1.58	0.594	0.35	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	50	1.54	53	0.379	1	1.53	0.567	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	56	1.60	53	0.430	<1	1.66	0.622	0.41	<0.1	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	51	1.54	52	0.432	<1	1.56	0.568	0.33	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.55	55	0.423	2	1.58	0.555	0.33	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	49	1.52	49	0.417	1	1.57	0.576	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	50	1.50	48	0.426	1	1.58	0.571	0.36	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	59	1.55	52	0.434	<1	1.58	0.593	0.35	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 02, 2018
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI18000894.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	318

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	318	Dry at 60C			WHI
SS80	318	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	318	Save all or part of Soil Reject			WHI
SLBHP	318	Sort, label and box pulps			WHI
AQ201	318	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	318	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061494	Soil	18.6	67.8	32.1	136	0.3	50.3	11.3	378	5.61	31.2	<0.5	8.2	30	0.2	1.1	0.5	23	0.13	0.205	17
2061495	Soil	2.4	11.1	12.6	31	<0.1	9.9	3.0	93	2.04	12.8	2.5	4.5	7	<0.1	0.8	0.3	52	0.03	0.027	21
2061496	Soil	2.0	11.4	14.7	41	<0.1	13.9	3.9	128	3.29	10.2	1.0	4.7	7	<0.1	0.8	0.3	50	0.03	0.030	16
2061497	Soil	1.6	25.8	16.2	81	<0.1	35.1	8.4	222	3.21	13.4	2.8	4.1	17	0.2	0.8	0.3	31	0.07	0.057	9
2061498	Soil	1.5	27.7	28.9	112	<0.1	48.6	13.3	239	4.06	13.2	0.9	3.9	29	<0.1	1.0	0.3	33	0.07	0.072	7
2061499	Soil	1.6	13.2	13.5	48	<0.1	18.6	6.8	175	2.85	11.6	2.3	4.0	12	<0.1	0.7	0.2	47	0.09	0.047	14
2061500	Soil	2.1	27.4	33.3	72	<0.1	17.9	1.5	89	4.55	27.0	<0.5	7.2	8	<0.1	0.8	0.5	25	0.01	0.059	11
2061501	Soil	1.0	21.2	11.2	59	<0.1	24.0	8.8	321	2.51	13.3	2.6	3.0	11	0.2	1.0	0.2	47	0.10	0.046	14
2061502	Soil	1.0	25.3	7.5	72	<0.1	25.4	8.2	303	2.05	11.5	1.2	3.8	19	0.2	0.8	0.1	35	0.24	0.095	14
2061503	Soil	1.5	35.3	23.4	98	0.4	47.5	10.4	173	2.91	13.0	2.3	1.9	17	0.4	1.2	0.3	18	0.07	0.067	27
2061504	Soil	2.0	42.9	13.1	62	<0.1	21.7	9.3	622	2.45	10.4	3.3	1.1	15	0.2	0.8	0.2	43	0.09	0.066	15
2061505	Soil	26.5	63.8	35.1	17	5.1	2.7	0.2	7	2.47	74.1	<0.5	8.7	148	0.4	29.2	0.3	107	0.07	0.605	32
2061506	Soil	23.2	78.4	32.7	43	5.6	10.8	0.4	30	6.11	88.4	<0.5	1.5	124	0.3	21.8	0.2	397	0.04	0.564	23
2061507	Soil	4.5	41.8	26.8	87	0.5	46.5	22.0	587	3.83	18.2	2.1	7.5	25	0.2	0.8	0.3	13	0.67	0.306	37
2061508	Soil	8.4	144.7	18.2	208	0.9	62.2	18.3	286	4.79	10.9	8.4	2.3	66	0.6	3.0	0.4	45	0.04	0.099	23
2061509	Soil	20.5	50.0	23.8	209	0.3	99.4	22.9	418	4.46	32.2	3.1	4.5	43	2.0	5.5	0.4	15	0.49	0.257	46
2061510	Soil	15.0	87.6	18.0	197	0.4	66.9	21.1	599	4.15	14.1	3.2	0.5	23	2.1	2.0	0.2	84	0.26	0.157	24
2061511	Soil	2.8	70.9	12.4	82	0.2	48.1	18.2	527	4.06	9.6	0.8	0.7	18	0.5	0.6	0.1	106	0.42	0.081	9
2061512	Soil	3.3	46.4	10.7	66	0.2	23.8	11.4	544	2.73	3.6	<0.5	0.4	17	0.3	0.2	0.1	79	0.33	0.116	10
2061513	Soil	5.4	54.6	9.3	51	0.2	19.2	8.5	315	2.43	2.5	<0.5	0.4	16	0.4	0.2	<0.1	65	0.17	0.103	11
2061514	Soil	3.5	128.9	22.5	132	0.1	119.7	71.3	1111	4.81	16.2	3.4	5.7	21	0.6	0.8	0.2	106	0.42	0.142	21
2061515	Soil	42.5	289.0	44.7	438	1.9	202.0	41.5	1009	6.84	17.8	5.0	5.9	121	4.1	3.7	0.5	146	2.04	1.030	45
2061516	Soil	3.4	97.0	20.7	95	0.5	56.6	14.6	368	5.83	25.2	4.7	7.3	127	0.3	2.2	6.7	37	0.26	0.138	31
2061517	Soil	31.4	184.7	21.0	288	3.2	79.4	14.0	750	4.05	23.7	10.6	3.3	244	5.7	5.5	0.5	37	0.20	0.164	26
2061518	Soil	10.6	170.6	11.3	159	0.4	66.4	23.5	336	3.86	16.4	4.5	2.2	154	1.3	2.8	0.2	22	0.65	0.213	7
2061519	Soil	19.4	47.8	10.6	102	1.6	28.1	4.8	157	3.14	12.1	7.4	0.3	31	0.8	2.5	0.3	75	0.08	0.100	12
2061520	Soil	14.7	89.6	12.6	169	1.8	55.8	11.7	504	3.31	9.7	16.9	0.4	44	1.3	2.3	0.3	40	0.13	0.186	14
2061521	Soil	17.9	108.4	13.2	197	2.1	65.1	13.6	524	3.47	10.3	11.5	0.6	55	1.6	2.7	0.2	33	0.18	0.188	14
2061522	Soil	16.6	214.5	21.8	283	2.6	89.6	19.4	682	4.22	13.2	11.9	1.8	113	3.0	4.4	0.5	36	0.26	0.218	15
2061523	Soil	18.0	49.1	17.4	56	1.0	10.4	2.1	101	3.45	35.0	5.0	1.9	41	0.3	4.1	0.4	50	0.04	0.146	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061494	Soil	33	1.09	95	0.001	2	2.12	0.020	0.12	<0.1	0.48	3.9	0.4	0.42	6	3.0	<0.2
2061495	Soil	14	0.13	62	0.014	3	0.82	0.002	0.03	0.1	0.02	1.1	0.2	<0.05	6	0.6	<0.2
2061496	Soil	21	0.26	60	0.009	1	1.34	0.003	0.03	0.2	0.02	1.7	0.1	<0.05	6	<0.5	<0.2
2061497	Soil	27	0.61	110	0.011	3	1.64	0.006	0.05	<0.1	0.03	2.6	0.1	<0.05	4	0.8	<0.2
2061498	Soil	32	0.75	75	0.010	<1	1.80	0.007	0.04	<0.1	<0.01	2.6	0.1	<0.05	5	0.6	<0.2
2061499	Soil	25	0.33	84	0.016	2	1.48	0.004	0.04	0.2	0.02	2.1	0.1	<0.05	5	1.3	<0.2
2061500	Soil	32	0.53	57	0.001	<1	1.28	0.004	0.05	<0.1	0.03	2.0	0.1	<0.05	5	1.0	<0.2
2061501	Soil	24	0.34	82	0.038	2	1.44	0.005	0.04	0.3	0.03	2.5	0.1	<0.05	4	0.7	<0.2
2061502	Soil	20	0.34	76	0.045	2	1.04	0.006	0.04	0.2	0.02	2.2	<0.1	<0.05	3	0.5	<0.2
2061503	Soil	10	0.04	91	0.001	<1	0.40	0.004	0.05	<0.1	0.08	1.6	<0.1	<0.05	1	<0.5	<0.2
2061504	Soil	23	0.38	217	0.025	2	1.49	0.005	0.04	0.2	0.03	1.8	0.2	<0.05	4	1.0	<0.2
2061505	Soil	21	0.03	407	0.003	2	0.57	0.010	0.22	<0.1	1.64	4.5	0.8	0.58	3	16.7	0.2
2061506	Soil	43	0.13	244	0.005	2	0.73	0.032	0.22	<0.1	0.82	1.3	0.6	1.00	4	25.7	<0.2
2061507	Soil	18	1.01	46	0.002	<1	1.51	0.002	0.06	<0.1	0.29	3.0	0.2	<0.05	4	1.1	<0.2
2061508	Soil	30	0.55	303	0.004	<1	2.09	0.020	0.11	<0.1	0.25	3.2	0.3	0.23	5	8.3	0.5
2061509	Soil	15	0.44	160	0.002	<1	0.80	0.006	0.06	<0.1	0.85	2.1	0.4	0.05	2	2.8	0.3
2061510	Soil	45	0.82	200	0.028	<1	1.90	0.012	0.09	<0.1	0.10	1.9	0.3	0.08	6	3.6	<0.2
2061511	Soil	86	1.12	148	0.064	1	1.95	0.007	0.05	0.1	0.05	4.3	0.1	0.08	8	<0.5	<0.2
2061512	Soil	58	1.09	273	0.059	2	1.87	0.011	0.10	0.1	0.05	2.1	0.1	0.12	9	1.2	<0.2
2061513	Soil	49	1.17	237	0.064	3	2.00	0.011	0.10	0.2	0.07	2.0	0.2	0.13	8	1.2	<0.2
2061514	Soil	65	1.50	275	0.126	2	2.35	0.008	0.12	0.2	0.03	7.0	0.2	<0.05	9	1.3	<0.2
2061515	Soil	69	1.45	536	0.062	3	1.81	0.028	0.25	0.5	0.38	7.2	0.7	0.33	7	12.9	<0.2
2061516	Soil	27	0.43	312	0.003	1	1.09	0.016	0.11	<0.1	0.10	3.1	0.1	0.29	4	3.1	0.2
2061517	Soil	31	0.48	404	0.002	2	1.12	0.062	0.10	<0.1	0.37	2.4	1.1	0.50	3	10.4	0.3
2061518	Soil	20	0.46	228	0.003	2	0.72	0.071	0.08	<0.1	0.46	2.5	0.5	0.44	2	2.7	<0.2
2061519	Soil	39	0.29	184	0.013	<1	1.66	0.015	0.04	0.1	0.23	1.3	0.4	0.09	6	7.4	<0.2
2061520	Soil	27	0.25	159	0.008	<1	1.24	0.018	0.06	0.1	0.33	1.0	0.3	0.13	4	9.7	<0.2
2061521	Soil	25	0.27	174	0.007	2	1.11	0.028	0.06	<0.1	0.31	1.2	0.4	0.16	3	13.0	<0.2
2061522	Soil	35	0.65	175	0.003	3	1.38	0.023	0.06	<0.1	0.30	3.5	0.4	0.14	3	12.3	0.2
2061523	Soil	39	0.23	177	0.008	1	1.09	0.026	0.06	<0.1	0.21	1.6	0.8	0.22	4	12.3	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061524	Soil	6.2	56.4	15.0	78	0.6	25.6	8.0	212	2.99	11.9	5.0	3.5	12	0.6	1.5	0.3	48	0.04	0.047	21
2061525	Soil	14.0	208.0	25.9	397	3.8	118.3	56.0	2152	4.91	13.1	19.5	2.0	31	3.8	3.6	0.3	29	0.10	0.172	20
2061526	Soil	13.6	67.7	28.4	257	1.0	90.6	21.0	449	4.21	22.8	3.3	11.3	44	4.1	4.6	0.5	30	0.76	0.356	41
2061527	Soil	12.4	74.7	23.5	212	1.2	64.7	17.0	553	3.83	18.7	9.2	2.1	28	1.9	4.2	0.4	37	0.22	0.157	21
2061528	Soil	19.2	87.7	20.5	245	1.1	87.6	14.8	417	4.43	24.2	8.4	3.7	62	2.0	3.9	0.3	34	0.96	0.509	21
2061529	Soil	10.8	52.8	17.4	136	0.3	45.3	9.4	168	3.43	17.6	6.2	1.9	17	0.6	2.5	0.3	33	0.11	0.146	20
2061530	Soil	6.5	39.3	13.9	104	0.6	33.3	6.9	151	2.73	11.9	7.0	0.6	33	0.4	1.2	0.3	50	0.21	0.174	17
2061531	Soil	7.4	48.1	21.9	162	0.5	50.6	10.3	283	4.09	13.4	7.0	3.6	13	0.7	2.0	0.4	48	0.06	0.065	19
2061532	Soil	2.4	31.2	12.3	78	0.4	25.2	9.9	330	2.78	12.1	7.0	1.7	15	0.4	1.1	0.2	41	0.14	0.074	18
2061533	Soil	4.4	48.3	13.8	141	1.0	52.2	10.5	256	2.77	8.5	5.9	4.1	16	1.1	1.6	0.2	33	0.17	0.103	31
2061534	Soil	2.0	30.7	11.3	68	0.3	26.1	6.3	180	2.28	9.8	4.8	2.0	13	0.3	0.9	0.2	39	0.13	0.068	21
2061535	Soil	10.0	41.6	21.2	184	0.3	51.6	15.6	375	3.81	15.1	6.1	6.2	75	0.8	1.8	0.3	38	0.55	0.328	37
2061536	Soil	3.2	23.6	13.2	72	0.3	23.1	6.2	160	3.24	13.4	5.4	3.7	23	0.3	1.0	0.3	51	0.22	0.199	18
2061537	Soil	2.4	12.0	13.5	38	0.2	11.9	4.6	163	2.57	10.1	2.4	0.9	13	0.2	0.6	0.3	59	0.10	0.068	18
2061538	Soil	3.5	21.7	14.0	60	0.9	20.1	9.1	286	3.07	12.9	4.5	5.6	20	0.3	1.0	0.3	55	0.15	0.100	16
2061539	Soil	4.2	31.6	14.7	65	1.4	19.9	4.7	171	3.18	15.9	5.8	3.6	27	0.4	1.1	0.3	60	0.14	0.158	19
2061540	Soil	5.8	40.0	13.6	111	1.2	36.5	11.8	290	2.91	12.2	6.8	4.1	39	0.7	1.2	0.3	56	0.25	0.142	20
2061541	Soil	3.2	24.4	14.8	84	0.3	28.4	10.4	269	3.33	14.0	3.0	5.6	25	0.4	0.9	0.3	55	0.15	0.126	20
2061542	Soil	6.7	41.3	21.7	157	0.9	51.2	17.4	502	3.21	15.7	3.6	7.9	26	2.5	2.7	0.3	40	0.26	0.130	36
2061543	Soil	6.3	24.6	20.7	120	0.3	34.8	11.2	578	2.89	14.4	3.5	1.1	20	1.3	1.7	0.2	36	0.20	0.166	24
2061544	Soil	4.5	29.2	14.0	106	0.3	41.4	11.4	302	2.57	12.7	7.6	3.2	22	1.3	1.3	0.2	35	0.26	0.112	25
2061545	Soil	4.8	29.1	15.8	87	1.2	26.8	5.5	215	3.04	12.4	6.5	3.5	63	0.8	1.3	0.3	43	0.14	0.120	17
2061546	Soil	3.9	26.9	16.6	78	2.1	24.4	6.3	165	2.98	11.5	3.8	5.7	9	0.7	1.2	0.3	57	0.05	0.035	19
2061547	Soil	7.3	103.6	25.8	184	1.7	55.0	10.5	261	4.32	15.5	13.1	6.6	7	2.7	3.6	0.6	31	0.06	0.102	24
2061548	Soil	2.1	12.0	13.5	55	<0.1	14.9	6.7	280	2.49	9.7	2.5	1.1	12	0.3	0.7	0.2	49	0.11	0.080	18
2061549	Soil	6.3	30.9	17.7	133	0.3	33.2	8.6	211	3.23	17.8	3.4	2.6	70	0.9	1.4	0.3	28	0.57	0.388	23
2061550	Soil	6.1	38.7	12.2	105	1.3	33.6	7.9	213	2.61	12.4	5.2	2.2	19	1.2	1.2	0.3	60	0.16	0.132	22
2061551	Soil	1.0	15.7	17.0	63	0.3	21.3	5.4	169	2.35	12.6	7.9	2.2	20	0.1	0.6	0.3	35	0.11	0.067	14
2061552	Soil	1.1	21.4	17.5	67	0.3	21.5	5.7	154	2.31	12.3	1.8	1.1	28	0.2	0.6	0.3	33	0.10	0.071	14
2061553	Soil	1.1	20.4	19.2	68	0.3	23.5	6.9	156	2.53	13.0	1.9	1.2	31	0.3	0.6	0.3	37	0.10	0.078	14

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061524	Soil	26	0.27	108	0.010	2	1.35	0.005	0.05	0.1	0.05	2.3	0.3	0.05	5	3.0	<0.2
2061525	Soil	27	0.55	192	0.006	<1	1.59	0.012	0.08	<0.1	0.25	3.5	0.4	0.11	4	8.4	0.3
2061526	Soil	36	0.66	102	0.002	<1	1.15	0.004	0.06	<0.1	0.52	3.8	0.4	<0.05	3	4.6	<0.2
2061527	Soil	32	0.43	149	0.009	<1	1.44	0.010	0.06	0.1	0.51	2.3	0.5	0.08	4	5.0	0.3
2061528	Soil	29	0.37	175	0.007	2	1.06	0.012	0.08	<0.1	0.78	3.9	0.5	0.08	3	3.8	<0.2
2061529	Soil	23	0.18	129	0.003	<1	1.21	0.005	0.04	<0.1	0.38	2.2	0.5	<0.05	3	3.0	<0.2
2061530	Soil	27	0.36	109	0.011	2	1.64	0.006	0.05	0.2	0.22	0.9	0.3	<0.05	5	1.8	<0.2
2061531	Soil	39	0.54	80	0.015	2	2.04	0.004	0.06	0.1	0.18	2.5	0.4	<0.05	6	5.8	<0.2
2061532	Soil	26	0.44	115	0.028	1	1.69	0.005	0.04	0.2	0.09	2.6	0.2	<0.05	5	1.7	<0.2
2061533	Soil	29	0.56	119	0.014	2	1.43	0.004	0.05	<0.1	0.20	2.6	0.2	<0.05	4	4.9	<0.2
2061534	Soil	25	0.41	95	0.028	1	1.59	0.004	0.04	0.2	0.08	2.6	0.2	<0.05	4	0.7	<0.2
2061535	Soil	24	0.61	123	0.017	<1	1.82	0.005	0.08	0.1	0.17	2.5	0.3	<0.05	5	1.8	<0.2
2061536	Soil	29	0.33	80	0.031	1	1.70	0.006	0.05	0.2	0.07	2.5	0.2	<0.05	6	0.7	<0.2
2061537	Soil	26	0.28	90	0.030	2	1.85	0.005	0.04	0.2	0.06	1.8	0.2	<0.05	7	<0.5	<0.2
2061538	Soil	29	0.39	130	0.034	2	2.07	0.007	0.05	0.2	0.16	3.2	0.2	<0.05	6	1.6	<0.2
2061539	Soil	25	0.29	90	0.031	2	1.52	0.007	0.05	0.2	0.20	2.3	0.3	<0.05	6	2.3	<0.2
2061540	Soil	29	0.40	143	0.025	2	1.95	0.006	0.06	0.2	0.25	2.8	0.3	<0.05	5	0.7	<0.2
2061541	Soil	30	0.42	145	0.030	1	2.18	0.007	0.05	0.3	0.09	3.6	0.3	<0.05	6	0.8	<0.2
2061542	Soil	30	0.48	130	0.024	1	1.54	0.006	0.06	<0.1	0.16	3.6	0.4	<0.05	4	2.1	<0.2
2061543	Soil	24	0.28	68	0.016	2	1.30	0.005	0.04	<0.1	0.08	1.7	0.4	<0.05	4	1.3	<0.2
2061544	Soil	26	0.41	154	0.020	1	1.35	0.005	0.05	0.1	0.11	2.3	0.2	<0.05	3	1.0	<0.2
2061545	Soil	26	0.35	112	0.022	<1	1.40	0.015	0.05	0.1	0.18	2.2	0.3	0.10	4	2.7	<0.2
2061546	Soil	27	0.27	79	0.025	<1	1.66	0.004	0.04	0.2	0.14	2.4	0.3	<0.05	6	1.8	<0.2
2061547	Soil	28	0.27	76	0.007	1	1.15	0.002	0.06	<0.1	0.16	2.3	0.6	<0.05	3	20.1	<0.2
2061548	Soil	25	0.34	96	0.027	1	1.75	0.005	0.05	0.2	0.07	1.9	0.2	<0.05	6	<0.5	<0.2
2061549	Soil	19	0.42	109	0.015	<1	1.22	0.020	0.07	<0.1	0.26	2.0	0.4	0.09	3	2.1	<0.2
2061550	Soil	31	0.37	121	0.029	1	1.75	0.005	0.05	0.2	0.19	2.6	0.3	<0.05	5	1.6	<0.2
2061551	Soil	22	0.30	72	0.020	<1	1.21	0.004	0.03	0.1	0.06	1.7	<0.1	<0.05	4	<0.5	<0.2
2061552	Soil	20	0.26	89	0.014	1	1.19	0.004	0.03	<0.1	0.08	1.6	<0.1	<0.05	4	<0.5	<0.2
2061553	Soil	20	0.25	111	0.014	<1	1.28	0.004	0.03	<0.1	0.08	2.2	0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061554	Soil	1.0	20.9	21.8	76	0.3	29.4	9.4	173	2.44	13.0	3.0	1.0	34	0.2	0.6	0.3	32	0.09	0.079	15
2061555	Soil	0.7	23.6	21.8	74	0.4	33.3	10.1	179	2.41	12.0	1.5	1.2	35	0.3	0.6	0.3	32	0.10	0.089	16
2061556	Soil	1.4	26.9	23.7	62	0.4	22.2	6.5	184	2.78	17.0	1.8	0.3	35	0.2	0.7	0.3	35	0.06	0.080	14
2061557	Soil	1.7	25.1	18.1	59	0.4	18.7	6.1	307	2.88	16.3	4.6	0.1	18	0.2	0.8	0.3	43	0.05	0.122	13
2061558	Soil	2.7	18.8	21.0	54	0.2	21.1	6.3	239	2.58	14.1	3.1	1.1	28	0.2	0.7	0.3	32	0.09	0.077	13
2061559	Soil	2.7	21.9	25.4	69	0.5	26.9	7.2	178	3.02	18.2	3.1	1.3	31	0.3	0.7	0.3	26	0.08	0.104	9
2061560	Soil	1.8	29.9	26.4	79	0.5	33.2	9.7	211	3.40	19.0	1.7	3.1	27	0.3	0.7	0.4	25	0.08	0.090	8
2061561	Soil	2.4	24.2	29.4	58	0.6	21.3	5.6	142	2.94	19.4	1.7	1.5	44	0.1	0.7	0.4	28	0.07	0.090	9
2061562	Soil	13.6	34.1	28.7	100	0.2	49.3	28.0	560	4.57	35.4	1.3	5.4	56	0.4	0.9	0.4	30	0.10	0.145	31
2061563	Soil	11.1	46.2	27.4	112	0.5	52.0	17.6	422	4.46	26.1	2.5	4.9	51	0.5	1.4	0.4	25	0.11	0.120	27
2061564	Soil	6.9	40.1	26.9	108	0.8	39.2	12.2	293	3.52	22.5	2.1	2.5	46	0.6	2.8	0.4	40	0.06	0.132	18
2061565	Soil	8.1	50.0	29.1	104	1.0	27.1	6.7	201	2.88	23.8	14.6	0.7	40	0.4	9.3	0.4	55	0.05	0.104	23
2061566	Soil	6.4	41.9	22.1	121	0.7	35.6	10.6	278	3.57	19.5	4.1	1.1	21	0.6	3.8	0.3	48	0.15	0.159	25
2061567	Soil	4.7	32.9	15.5	121	0.5	29.0	8.7	412	3.06	13.8	2.2	0.6	25	0.5	2.1	0.3	49	0.33	0.157	18
2061568	Soil	5.5	41.7	20.1	115	0.4	41.4	15.7	470	4.04	15.2	0.7	1.0	12	0.8	1.2	0.3	39	0.10	0.151	26
2061569	Soil	10.3	89.8	24.1	199	0.8	73.7	37.2	1165	4.87	19.0	4.2	1.8	22	1.4	2.4	0.3	57	0.37	0.219	31
2061570	Soil	4.9	79.8	26.8	128	0.4	57.5	26.6	853	4.94	19.0	1.8	2.1	25	0.6	1.1	0.3	44	0.33	0.196	33
2061571	Soil	9.3	56.3	14.1	181	2.8	48.5	6.6	175	2.84	10.3	8.6	0.8	41	3.2	2.9	0.3	32	0.73	0.126	21
2061572	Soil	17.9	52.2	18.9	154	0.5	47.8	10.0	273	4.13	19.8	5.3	1.9	12	1.5	3.2	0.3	48	0.14	0.108	26
2061573	Soil	1.4	13.7	11.0	50	<0.1	12.8	5.5	229	2.51	11.2	3.7	1.3	10	0.2	0.7	0.2	65	0.10	0.034	15
2061574	Soil	0.9	93.0	7.6	79	<0.1	36.1	19.1	486	3.18	8.3	4.5	2.6	27	0.2	0.7	0.1	78	0.33	0.062	14
2061575	Soil	1.1	104.3	8.2	76	0.2	28.9	20.3	860	4.12	9.5	2.4	1.3	39	0.1	0.6	0.2	106	0.36	0.069	13
2061576	Soil	1.3	13.7	16.1	38	0.2	13.5	3.7	142	2.25	13.0	3.2	4.0	15	<0.1	0.6	0.2	63	0.07	0.017	16
2061577	Soil	1.3	33.5	10.0	71	0.2	23.8	7.4	260	2.17	8.9	1.7	3.5	19	0.2	0.9	0.2	41	0.18	0.063	20
2061578	Soil	2.5	76.5	13.9	140	1.5	56.0	11.4	400	2.97	12.3	12.1	5.0	45	0.6	2.2	0.2	53	0.07	0.050	25
2061579	Soil	1.7	24.8	13.9	70	0.2	19.9	5.7	234	2.55	8.9	3.3	1.1	12	0.2	0.8	0.2	46	0.10	0.067	19
2061580	Soil	1.5	16.1	13.5	58	0.5	16.1	6.7	303	2.96	11.0	1.6	3.6	9	0.2	0.7	0.2	52	0.08	0.038	16
2061581	Soil	2.4	47.7	17.1	99	0.5	31.0	10.4	648	3.08	12.7	3.4	4.7	11	0.1	1.3	0.3	49	0.04	0.047	26
2061582	Soil	2.8	63.8	22.3	141	1.2	42.2	18.1	884	3.29	14.5	7.2	5.9	19	0.4	1.9	0.3	40	0.11	0.085	30
2061583	Soil	2.4	114.4	17.3	111	0.6	27.5	11.8	558	2.99	10.0	4.1	2.2	14	0.2	0.7	0.2	58	0.06	0.047	22

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061554	Soil	19	0.19	88	0.011	<1	1.14	0.003	0.03	<0.1	0.10	2.1	<0.1	<0.05	4	<0.5	<0.2
2061555	Soil	20	0.21	90	0.011	<1	1.22	0.003	0.04	<0.1	0.11	2.6	0.1	<0.05	4	<0.5	<0.2
2061556	Soil	22	0.20	100	0.010	<1	1.25	0.004	0.03	0.1	0.09	1.0	0.1	0.05	4	0.6	<0.2
2061557	Soil	24	0.21	81	0.011	<1	1.42	0.004	0.04	0.2	0.07	0.6	0.1	0.07	5	1.2	<0.2
2061558	Soil	21	0.24	114	0.017	<1	1.11	0.004	0.04	0.1	0.08	1.7	<0.1	<0.05	3	1.0	<0.2
2061559	Soil	19	0.14	110	0.006	<1	0.99	0.005	0.04	<0.1	0.10	1.7	<0.1	0.08	3	1.3	<0.2
2061560	Soil	21	0.12	77	0.002	<1	1.07	0.004	0.03	<0.1	0.09	2.8	<0.1	0.06	4	1.4	<0.2
2061561	Soil	19	0.13	142	0.004	<1	0.88	0.009	0.05	<0.1	0.16	1.9	<0.1	0.13	3	0.8	<0.2
2061562	Soil	26	0.74	119	0.006	<1	1.92	0.009	0.07	<0.1	0.11	2.0	0.3	0.16	4	1.5	<0.2
2061563	Soil	21	0.56	191	0.002	<1	1.48	0.007	0.06	<0.1	0.22	2.5	0.2	0.09	4	1.7	<0.2
2061564	Soil	22	0.32	129	0.002	<1	1.33	0.006	0.05	<0.1	0.17	1.9	0.2	0.07	4	2.1	<0.2
2061565	Soil	21	0.26	182	0.006	1	1.16	0.005	0.05	<0.1	0.17	0.9	0.3	0.06	4	4.6	<0.2
2061566	Soil	26	0.57	117	0.006	1	1.59	0.007	0.07	<0.1	0.12	0.9	0.2	0.06	4	2.0	<0.2
2061567	Soil	29	0.59	241	0.006	1	1.78	0.006	0.07	<0.1	0.11	1.0	0.2	0.07	5	1.5	<0.2
2061568	Soil	32	0.67	79	0.007	1	1.62	0.005	0.05	<0.1	0.08	0.8	0.2	<0.05	4	1.2	<0.2
2061569	Soil	50	1.29	118	0.013	2	2.27	0.008	0.09	<0.1	0.14	2.3	0.3	<0.05	5	2.4	<0.2
2061570	Soil	40	1.14	95	0.013	2	1.93	0.011	0.07	<0.1	0.09	2.8	0.2	0.05	5	1.4	<0.2
2061571	Soil	25	0.35	219	0.003	1	1.11	0.006	0.05	<0.1	0.65	1.0	0.6	0.09	3	4.3	<0.2
2061572	Soil	34	0.43	108	0.008	1	1.65	0.004	0.05	<0.1	0.93	2.0	0.6	<0.05	4	3.6	<0.2
2061573	Soil	24	0.29	121	0.036	2	1.52	0.005	0.05	0.2	0.05	1.9	0.2	<0.05	6	0.6	<0.2
2061574	Soil	26	0.62	184	0.072	1	2.07	0.008	0.05	0.2	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
2061575	Soil	42	0.74	177	0.061	<1	1.95	0.008	0.06	0.2	0.06	6.0	0.1	<0.05	6	0.6	<0.2
2061576	Soil	27	0.28	130	0.025	2	1.54	0.005	0.04	0.1	0.04	2.5	0.1	<0.05	6	0.9	<0.2
2061577	Soil	24	0.40	138	0.040	<1	1.10	0.007	0.05	<0.1	0.05	3.1	<0.1	<0.05	3	0.7	<0.2
2061578	Soil	32	0.48	458	0.017	2	1.57	0.009	0.07	<0.1	0.30	4.1	0.2	<0.05	4	2.3	<0.2
2061579	Soil	23	0.23	147	0.014	<1	1.21	0.004	0.06	<0.1	0.07	1.6	0.1	<0.05	4	0.8	<0.2
2061580	Soil	28	0.33	111	0.026	2	1.63	0.005	0.06	0.1	0.07	2.4	0.1	<0.05	5	<0.5	<0.2
2061581	Soil	26	0.25	161	0.009	<1	1.51	0.005	0.08	<0.1	0.05	2.6	0.2	<0.05	4	1.4	<0.2
2061582	Soil	27	0.34	158	0.006	2	1.39	0.004	0.09	<0.1	0.20	2.5	0.2	<0.05	3	2.3	<0.2
2061583	Soil	32	0.42	208	0.011	2	1.79	0.006	0.07	0.1	0.09	2.4	0.2	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061584	Soil	1.6	29.4	14.5	56	0.3	20.5	9.0	369	2.90	11.5	2.0	4.5	11	<0.1	0.9	0.2	61	0.08	0.033	18
2061585	Soil	1.1	19.3	13.2	73	0.2	20.9	10.3	439	2.83	11.4	2.3	5.8	13	<0.1	0.7	0.2	56	0.10	0.043	20
2061586	Soil	1.1	53.3	14.5	80	0.1	31.7	12.8	481	2.76	11.8	4.3	5.4	13	0.1	0.8	0.2	44	0.11	0.037	23
2061587	Soil	1.3	37.7	15.4	55	0.1	18.3	6.9	393	2.70	9.4	4.5	1.5	10	0.1	0.7	0.2	48	0.06	0.047	21
2061588	Soil	1.5	27.2	13.5	66	<0.1	24.7	10.0	375	2.98	11.0	2.8	4.5	12	<0.1	0.7	0.2	55	0.09	0.036	19
2061589	Soil	1.4	41.7	15.9	81	<0.1	30.6	15.1	703	2.91	10.5	4.2	2.8	12	0.2	0.8	0.3	48	0.08	0.043	22
2061590	Soil	1.1	59.2	13.8	79	<0.1	36.7	14.1	818	2.76	10.0	5.8	5.2	13	0.1	0.8	0.3	39	0.09	0.035	26
2061591	Soil	1.4	52.9	16.4	99	<0.1	39.9	20.2	1204	2.97	11.2	7.2	5.6	14	0.2	0.8	0.3	36	0.10	0.052	24
2061592	Soil	1.4	59.1	19.8	107	0.5	62.8	28.2	1291	2.97	25.9	8.1	4.5	19	0.2	1.4	0.3	23	0.13	0.047	27
2061593	Soil	1.3	47.7	14.5	78	<0.1	31.0	15.0	883	2.84	6.3	5.4	4.3	8	<0.1	0.6	0.3	32	0.04	0.028	23
2061594	Soil	1.4	52.4	18.8	77	<0.1	41.0	10.5	430	3.31	34.9	9.1	6.1	11	<0.1	1.6	0.3	43	0.04	0.032	30
2061595	Soil	1.3	40.6	14.9	63	0.2	25.8	10.8	328	2.85	10.3	3.9	5.8	11	0.1	0.7	0.3	49	0.07	0.030	21
2061596	Soil	2.2	58.0	18.5	86	0.5	45.9	20.2	950	3.29	15.4	15.0	3.6	10	0.3	1.4	0.2	40	0.08	0.045	18
2061597	Soil	1.5	19.9	13.0	56	0.1	20.4	7.1	254	2.77	10.7	2.4	3.0	11	0.1	0.7	0.2	62	0.10	0.039	18
2061598	Soil	1.4	14.0	9.8	46	0.1	10.9	4.2	420	2.10	8.0	1.5	0.2	9	<0.1	0.7	0.2	58	0.08	0.058	14
2061599	Soil	1.1	30.3	12.8	51	<0.1	17.9	7.9	296	2.64	10.1	7.1	1.6	9	<0.1	0.6	0.2	46	0.08	0.044	12
2061600	Soil	1.2	24.6	12.9	54	<0.1	17.8	7.5	276	2.63	10.7	2.4	2.3	10	<0.1	0.7	0.2	52	0.08	0.039	14
2061601	Soil	1.2	15.5	11.5	42	<0.1	13.7	4.8	145	2.47	11.4	3.1	0.9	10	0.1	0.8	0.2	59	0.10	0.030	15
2061602	Soil	1.1	18.7	13.8	68	0.2	23.5	9.2	309	2.81	13.0	2.7	2.0	15	0.2	0.7	0.2	51	0.20	0.047	15
2061603	Soil	1.3	17.2	14.5	113	0.4	18.8	8.6	1213	3.30	11.9	1.8	1.1	13	0.6	0.9	0.2	64	0.18	0.052	15
2061604	Soil	1.2	19.3	16.1	135	0.1	18.4	9.9	1447	2.92	10.1	0.9	0.7	13	0.2	0.9	0.2	62	0.22	0.078	13
2061605	Soil	1.1	24.3	12.8	66	<0.1	23.1	10.2	342	2.66	12.6	3.0	3.3	12	0.2	0.8	0.2	53	0.11	0.041	17
2061606	Soil	1.2	27.9	12.1	61	<0.1	19.1	6.9	236	2.43	9.8	5.6	1.0	10	0.2	0.6	0.2	51	0.08	0.042	13
2061607	Soil	0.9	40.0	12.5	83	<0.1	31.0	11.8	505	2.50	10.9	4.1	4.0	17	0.3	0.7	0.2	43	0.19	0.061	15
2061608	Soil	0.8	52.7	11.5	75	<0.1	31.3	12.5	440	2.50	11.6	3.7	4.2	15	0.3	0.7	0.2	39	0.18	0.066	17
2061609	Soil	1.2	55.3	15.3	99	<0.1	30.1	11.4	404	2.70	11.6	6.8	2.6	13	0.4	1.0	0.2	47	0.14	0.045	20
2061610	Soil	0.8	39.6	15.2	96	<0.1	29.4	10.9	445	2.46	11.6	5.2	4.8	16	0.3	0.7	0.2	41	0.19	0.068	16
2061611	Soil	1.1	47.3	10.1	69	<0.1	29.3	10.4	511	2.50	11.7	14.6	3.8	16	0.2	0.7	0.2	47	0.19	0.065	17
2061612	Soil	1.0	18.4	14.6	59	0.1	20.2	7.9	306	3.01	13.0	2.2	2.1	15	0.2	0.6	0.2	59	0.28	0.035	14
2061613	Soil	1.2	28.8	12.3	60	<0.1	22.1	9.6	347	2.74	11.2	3.9	3.0	11	0.2	0.7	0.2	50	0.10	0.041	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061584	Soil	31	0.38	175	0.031	2	1.83	0.007	0.06	0.2	0.04	2.9	0.2	<0.05	6	<0.5	<0.2
2061585	Soil	34	0.53	206	0.043	2	1.94	0.007	0.06	0.1	0.02	4.6	0.2	<0.05	5	<0.5	<0.2
2061586	Soil	29	0.49	244	0.023	2	1.56	0.005	0.06	<0.1	0.04	3.2	0.1	<0.05	4	<0.5	<0.2
2061587	Soil	26	0.31	185	0.011	3	1.29	0.005	0.06	<0.1	0.05	1.4	0.1	<0.05	5	<0.5	<0.2
2061588	Soil	35	0.56	134	0.030	<1	2.06	0.008	0.06	0.1	0.04	3.3	0.2	<0.05	6	<0.5	<0.2
2061589	Soil	33	0.51	148	0.020	1	1.88	0.007	0.06	0.1	0.03	2.4	0.1	<0.05	5	0.8	<0.2
2061590	Soil	30	0.63	246	0.026	<1	1.58	0.006	0.05	<0.1	0.06	4.5	<0.1	<0.05	4	<0.5	<0.2
2061591	Soil	33	0.63	126	0.021	<1	1.80	0.006	0.06	<0.1	0.04	2.6	0.1	<0.05	4	<0.5	<0.2
2061592	Soil	30	0.65	179	0.002	1	1.23	0.003	0.04	<0.1	0.06	2.6	<0.1	<0.05	3	0.6	<0.2
2061593	Soil	32	0.60	144	0.006	2	1.55	0.004	0.05	<0.1	0.03	1.9	<0.1	<0.05	4	<0.5	<0.2
2061594	Soil	39	0.56	140	0.005	<1	1.91	0.004	0.05	<0.1	0.04	2.0	0.2	<0.05	5	0.8	<0.2
2061595	Soil	35	0.50	145	0.022	<1	2.11	0.005	0.06	<0.1	0.06	3.1	0.2	<0.05	5	<0.5	<0.2
2061596	Soil	30	0.27	248	0.015	2	2.16	0.004	0.05	0.1	0.12	3.4	0.1	<0.05	3	0.7	<0.2
2061597	Soil	34	0.39	268	0.034	1	2.06	0.005	0.05	0.2	0.06	3.2	0.2	<0.05	7	0.9	<0.2
2061598	Soil	22	0.19	107	0.022	1	1.13	0.004	0.04	0.1	0.04	1.0	0.2	<0.05	6	<0.5	<0.2
2061599	Soil	29	0.40	106	0.023	<1	1.62	0.006	0.04	0.2	0.04	2.1	0.1	<0.05	5	<0.5	<0.2
2061600	Soil	32	0.44	128	0.031	1	1.84	0.006	0.05	0.1	0.04	2.8	0.2	<0.05	5	0.7	<0.2
2061601	Soil	26	0.33	103	0.035	1	1.52	0.005	0.03	0.2	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
2061602	Soil	28	0.44	171	0.032	3	1.57	0.006	0.04	0.2	0.05	2.3	0.1	<0.05	5	<0.5	<0.2
2061603	Soil	31	0.37	195	0.028	3	1.62	0.006	0.05	0.1	0.05	3.1	0.2	<0.05	6	<0.5	<0.2
2061604	Soil	31	0.36	277	0.023	2	1.68	0.006	0.04	0.1	0.03	2.2	0.2	<0.05	6	<0.5	<0.2
2061605	Soil	32	0.48	176	0.038	2	1.79	0.006	0.05	0.1	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
2061606	Soil	31	0.41	94	0.029	2	1.57	0.008	0.04	0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
2061607	Soil	28	0.49	146	0.041	2	1.51	0.007	0.05	0.2	0.04	3.0	0.1	<0.05	4	<0.5	<0.2
2061608	Soil	26	0.50	135	0.042	2	1.36	0.007	0.04	0.2	0.03	2.9	0.1	<0.05	4	<0.5	<0.2
2061609	Soil	31	0.49	130	0.035	2	1.55	0.006	0.05	0.1	0.04	2.8	0.1	<0.05	4	<0.5	<0.2
2061610	Soil	27	0.49	167	0.045	2	1.30	0.008	0.05	0.2	0.03	3.2	<0.1	<0.05	3	<0.5	<0.2
2061611	Soil	29	0.48	122	0.044	2	1.46	0.008	0.05	0.2	0.04	3.0	0.1	<0.05	4	<0.5	<0.2
2061612	Soil	30	0.46	312	0.028	5	1.64	0.006	0.05	0.2	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
2061613	Soil	32	0.45	101	0.039	2	1.56	0.005	0.04	0.2	0.04	2.7	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061614	Soil	1.8	22.0	13.4	56	<0.1	17.3	6.8	239	2.89	9.9	2.9	1.4	10	0.1	0.8	0.3	72	0.08	0.028	15
2061615	Soil	1.6	43.6	14.6	70	<0.1	23.6	10.3	359	2.89	10.8	5.4	1.7	11	0.1	0.8	0.3	56	0.10	0.045	14
2061616	Soil	1.2	25.9	14.0	57	<0.1	19.6	6.9	201	2.82	10.5	3.4	4.0	9	0.2	0.8	0.3	58	0.06	0.026	15
2061617	Soil	1.3	23.7	11.8	57	<0.1	18.8	6.5	263	2.70	9.9	1.4	1.0	10	<0.1	0.6	0.2	57	0.08	0.035	14
2061618	Soil	0.9	68.1	18.9	98	<0.1	31.4	13.0	391	3.04	10.5	4.9	2.1	9	0.3	0.7	0.3	42	0.06	0.035	12
2061619	Soil	1.8	16.5	11.1	36	<0.1	10.0	3.1	160	2.23	7.0	1.3	0.7	8	<0.1	0.6	0.3	57	0.05	0.054	13
2061620	Soil	1.6	64.8	16.0	77	<0.1	25.4	9.7	412	3.48	8.0	4.4	1.7	9	0.2	0.7	0.3	53	0.05	0.037	10
2061621	Soil	1.6	57.7	13.7	72	0.1	26.5	8.0	246	3.21	8.2	3.2	3.2	10	0.2	0.6	0.4	49	0.05	0.039	10
2061622	Soil	1.7	60.5	16.3	81	0.2	29.2	7.6	267	3.99	8.2	6.7	3.2	10	0.1	0.7	0.4	52	0.05	0.050	8
2061623	Soil	2.1	23.9	14.3	56	0.1	18.0	6.6	291	3.27	11.6	1.9	4.0	10	0.2	0.8	0.3	59	0.07	0.034	13
2061624	Soil	1.6	19.5	14.1	55	0.1	19.1	8.0	232	2.78	11.6	4.1	5.5	17	<0.1	0.8	0.2	49	0.06	0.034	15
2061625	Soil	2.0	20.9	20.6	36	0.2	8.8	3.0	93	2.88	14.2	0.6	3.7	11	<0.1	0.7	0.3	37	0.03	0.032	10
2061626	Soil	1.5	17.8	14.9	53	0.1	18.5	7.1	251	3.11	11.2	1.2	5.0	11	<0.1	0.7	0.2	60	0.10	0.037	14
2061627	Soil	2.3	20.0	15.9	50	<0.1	14.7	3.8	119	3.03	12.3	2.4	1.6	13	<0.1	0.6	0.3	49	0.06	0.058	11
2061628	Soil	1.6	18.5	15.3	64	0.6	22.2	7.3	210	3.11	12.7	1.6	5.2	14	0.2	0.7	0.2	53	0.08	0.032	14
2061629	Soil	1.6	25.4	17.2	45	0.2	18.0	3.9	89	3.08	11.2	0.6	4.6	10	0.1	0.6	0.3	43	0.04	0.036	11
2061630	Soil	1.1	21.6	13.1	59	0.2	25.7	8.9	243	2.82	11.9	2.3	3.6	15	0.2	0.7	0.2	43	0.12	0.045	17
2061631	Soil	1.5	18.8	16.9	59	0.3	21.9	6.5	172	3.39	12.4	1.7	4.5	12	0.2	0.7	0.3	50	0.06	0.042	11
2061632	Soil	2.3	32.0	27.5	46	<0.1	15.2	2.1	93	3.80	15.6	1.4	3.1	18	<0.1	0.7	0.4	47	0.03	0.064	10
2061633	Soil	1.7	15.1	19.7	48	0.2	12.5	4.3	211	4.83	14.9	<0.5	5.0	9	0.1	0.8	0.3	65	0.06	0.040	14
2061634	Soil	1.4	13.3	15.0	36	<0.1	11.8	3.0	85	2.64	12.6	1.3	2.0	13	<0.1	0.5	0.2	43	0.08	0.044	15
2061635	Soil	1.7	16.7	15.5	57	0.2	19.6	7.4	290	3.34	13.9	<0.5	5.1	11	0.2	0.8	0.2	55	0.06	0.034	15
2061636	Soil	1.3	22.4	14.4	56	0.2	24.0	7.9	165	3.21	13.3	3.0	5.2	11	0.2	0.8	0.3	47	0.06	0.040	15
2061637	Soil	1.3	16.8	13.6	47	<0.1	17.1	5.8	143	2.88	11.6	1.5	3.6	11	0.1	0.7	0.2	48	0.07	0.035	16
2061638	Soil	1.5	36.4	25.5	98	<0.1	37.4	22.3	402	3.72	15.2	1.6	2.6	14	0.1	0.8	0.4	39	0.05	0.073	7
2061639	Soil	1.2	20.3	12.0	58	<0.1	24.2	9.7	284	2.77	13.6	3.6	4.5	12	0.2	0.8	0.2	43	0.12	0.049	16
2061640	Soil	1.3	13.2	12.5	45	0.2	12.3	4.3	199	2.39	9.3	2.2	0.5	9	0.1	0.7	0.2	48	0.07	0.044	13
2061641	Soil	1.8	17.1	12.9	56	<0.1	15.0	4.9	184	2.47	10.7	0.8	0.4	9	0.1	0.9	0.3	59	0.06	0.050	12
2061642	Soil	1.0	28.1	9.5	74	0.1	24.0	8.2	297	2.43	11.3	4.5	1.4	12	0.2	0.8	0.2	43	0.12	0.057	16
2061643	Soil	0.7	35.5	8.7	66	0.1	24.4	9.8	346	2.45	11.3	4.6	4.1	17	0.2	0.6	0.2	42	0.23	0.072	20

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061614	Soil	34	0.37	96	0.039	2	1.83	0.005	0.04	0.2	0.04	2.5	0.2	<0.05	7	0.8	<0.2
2061615	Soil	35	0.50	123	0.031	2	1.89	0.008	0.06	0.1	0.03	2.8	0.1	<0.05	5	<0.5	<0.2
2061616	Soil	29	0.37	104	0.037	1	1.62	0.006	0.05	0.1	0.03	2.5	0.1	<0.05	6	<0.5	<0.2
2061617	Soil	32	0.43	101	0.031	1	1.72	0.005	0.05	0.1	0.04	2.1	0.1	<0.05	6	<0.5	<0.2
2061618	Soil	37	0.52	120	0.019	1	1.72	0.006	0.05	0.1	0.52	2.3	<0.1	<0.05	5	<0.5	<0.2
2061619	Soil	25	0.15	73	0.023	2	0.97	0.004	0.05	0.1	0.04	1.1	0.1	<0.05	7	<0.5	<0.2
2061620	Soil	48	0.39	135	0.017	2	1.79	0.005	0.06	0.1	0.05	2.4	0.1	<0.05	6	<0.5	<0.2
2061621	Soil	53	0.42	150	0.014	2	1.72	0.005	0.04	<0.1	0.05	2.8	0.1	<0.05	6	<0.5	<0.2
2061622	Soil	63	0.49	126	0.013	2	1.89	0.005	0.05	<0.1	0.05	2.6	0.1	<0.05	6	<0.5	<0.2
2061623	Soil	41	0.44	98	0.030	1	1.92	0.005	0.05	0.2	0.09	3.1	0.2	<0.05	6	0.6	<0.2
2061624	Soil	33	0.43	139	0.029	1	1.95	0.006	0.06	0.1	0.04	4.2	0.2	<0.05	5	<0.5	<0.2
2061625	Soil	24	0.22	86	0.006	<1	1.19	0.005	0.05	<0.1	0.03	2.1	0.1	<0.05	5	0.7	<0.2
2061626	Soil	37	0.45	126	0.032	1	2.39	0.008	0.05	0.2	0.05	3.6	0.2	<0.05	6	<0.5	<0.2
2061627	Soil	27	0.33	86	0.011	2	1.53	0.006	0.06	0.1	0.02	1.9	0.2	<0.05	5	<0.5	<0.2
2061628	Soil	34	0.52	148	0.028	2	2.15	0.008	0.06	0.1	0.05	3.8	0.2	<0.05	6	<0.5	<0.2
2061629	Soil	24	0.28	61	0.009	1	1.62	0.005	0.04	<0.1	0.02	2.3	0.2	<0.05	5	<0.5	<0.2
2061630	Soil	28	0.49	181	0.027	2	1.65	0.007	0.05	0.1	0.04	3.2	0.1	<0.05	4	<0.5	<0.2
2061631	Soil	33	0.47	97	0.013	<1	2.25	0.007	0.06	0.1	0.09	3.4	0.2	<0.05	6	<0.5	<0.2
2061632	Soil	27	0.32	88	0.004	1	1.55	0.009	0.07	<0.1	0.02	2.3	0.2	<0.05	7	<0.5	<0.2
2061633	Soil	31	0.35	69	0.028	<1	1.56	0.006	0.05	0.1	0.03	2.7	0.2	<0.05	7	<0.5	<0.2
2061634	Soil	19	0.22	94	0.011	1	0.97	0.006	0.05	0.1	0.03	1.3	<0.1	<0.05	5	<0.5	<0.2
2061635	Soil	32	0.49	138	0.026	<1	2.11	0.007	0.06	0.1	0.05	3.2	0.2	<0.05	6	<0.5	<0.2
2061636	Soil	30	0.41	73	0.017	2	2.08	0.006	0.05	0.1	0.06	3.1	0.1	<0.05	5	0.6	<0.2
2061637	Soil	26	0.33	137	0.020	<1	1.58	0.006	0.05	0.2	0.03	2.4	0.1	<0.05	5	<0.5	<0.2
2061638	Soil	29	0.61	59	0.009	2	1.71	0.008	0.05	0.1	0.05	2.1	0.1	0.07	5	0.5	<0.2
2061639	Soil	27	0.46	120	0.028	2	1.79	0.007	0.04	0.2	0.03	3.0	0.1	<0.05	4	<0.5	<0.2
2061640	Soil	23	0.20	84	0.015	1	1.24	0.004	0.04	0.1	0.07	1.2	0.2	<0.05	5	0.9	<0.2
2061641	Soil	23	0.20	81	0.016	1	1.14	0.004	0.04	0.2	0.03	1.1	0.2	<0.05	5	<0.5	<0.2
2061642	Soil	25	0.42	148	0.028	1	1.39	0.005	0.04	0.2	0.04	2.5	0.1	<0.05	4	<0.5	<0.2
2061643	Soil	25	0.50	194	0.041	2	1.39	0.007	0.04	0.2	0.03	3.3	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061644	Soil	1.4	23.8	11.4	50	<0.1	16.3	6.5	233	2.75	12.2	1.2	1.4	10	<0.1	0.7	0.2	62	0.09	0.037	14
2061645	Soil	1.1	35.2	10.0	61	<0.1	19.4	8.3	380	2.88	10.7	1.2	0.8	13	<0.1	0.7	0.2	59	0.14	0.036	15
2061646	Soil	2.0	33.6	13.1	87	0.1	28.6	8.6	376	2.84	19.6	4.1	1.1	11	0.3	1.4	0.2	52	0.09	0.049	14
2061647	Soil	1.4	20.2	11.9	60	0.4	19.1	8.3	341	2.78	12.0	3.5	2.1	11	0.2	0.8	0.2	49	0.11	0.052	14
2061648	Soil	1.5	26.1	12.3	73	0.3	26.4	9.3	402	2.73	10.9	5.1	2.3	11	0.2	0.9	0.2	45	0.10	0.056	17
2061649	Soil	1.7	22.4	12.2	70	0.2	21.4	8.0	269	2.74	12.4	2.2	2.7	13	0.2	1.0	0.2	57	0.10	0.047	17
2061650	Soil	1.7	16.5	13.8	60	<0.1	17.1	7.8	356	2.73	11.5	3.5	0.9	10	0.2	0.8	0.2	55	0.09	0.061	15
2061651	Soil	0.9	17.9	12.9	63	0.2	24.3	7.8	226	2.37	11.3	4.4	2.4	17	0.3	0.6	0.2	36	0.14	0.063	15
2061652	Soil	1.2	18.7	27.3	85	0.5	29.8	9.7	107	2.45	17.8	1.8	1.5	14	0.9	0.6	0.3	28	0.08	0.096	8
2061653	Soil	1.7	20.4	17.7	80	0.5	35.7	10.4	272	2.47	13.3	3.5	3.9	23	0.5	0.8	0.2	36	0.23	0.080	12
2061654	Soil	1.5	29.4	11.9	93	0.6	37.9	11.6	248	2.84	11.2	1.9	4.3	22	0.6	0.8	0.2	32	0.17	0.065	8
2061655	Soil	1.0	17.6	18.2	60	<0.1	22.0	8.4	262	2.43	17.4	1.4	1.6	11	0.3	0.7	0.2	42	0.11	0.052	14
2061656	Soil	1.2	19.7	19.8	55	0.3	22.8	8.4	265	2.10	10.3	2.2	0.5	19	0.3	0.6	0.3	32	0.33	0.111	8
2061657	Soil	0.8	23.8	19.9	72	0.7	38.9	11.1	251	2.45	18.0	3.5	3.9	27	0.3	0.7	0.2	33	0.22	0.085	13
2061658	Soil	0.7	18.0	13.4	50	0.2	23.8	6.3	78	1.77	15.2	1.7	0.9	11	0.2	0.5	0.2	21	0.05	0.045	5
2061659	Soil	0.8	19.0	18.8	62	0.3	25.4	8.1	141	2.14	15.4	1.6	0.9	20	0.2	0.7	0.2	26	0.12	0.070	10
2061660	Soil	2.0	24.5	15.6	48	0.2	16.4	5.5	167	2.48	12.0	8.2	1.0	12	0.2	0.9	0.2	46	0.08	0.044	14
2061661	Soil	3.5	45.7	30.8	78	1.1	38.7	9.4	271	2.65	19.0	7.6	1.7	28	0.3	1.1	0.3	22	0.16	0.062	3
2061662	Soil	2.1	34.9	28.5	87	1.6	38.7	7.9	171	2.50	16.2	6.2	2.9	27	0.5	1.0	0.3	27	0.21	0.065	5
2061663	Soil	1.7	29.5	17.0	71	0.5	30.2	6.7	150	2.32	12.5	3.4	2.5	18	0.3	0.7	0.2	26	0.15	0.058	8
2061664	Soil	1.3	25.0	16.6	70	0.4	30.3	8.2	204	2.47	12.9	3.6	1.6	16	0.2	0.6	0.2	35	0.14	0.065	13
2061665	Soil	1.3	23.9	16.1	66	0.3	28.2	7.6	173	2.51	12.7	2.7	1.7	15	0.2	0.6	0.2	33	0.13	0.070	13
2061666	Soil	1.5	19.6	17.2	56	0.2	21.2	6.7	214	2.33	12.1	2.8	0.5	14	0.1	0.6	0.2	35	0.09	0.072	11
2061667	Soil	2.1	17.6	20.2	49	0.3	17.3	5.1	153	2.57	14.5	3.4	0.4	14	0.2	0.7	0.3	43	0.07	0.063	13
2061668	Soil	1.6	16.7	16.8	49	0.3	14.9	4.6	108	2.41	12.3	2.2	0.2	14	<0.1	0.6	0.3	38	0.04	0.074	10
2061669	Soil	4.8	17.2	18.5	39	0.2	20.8	9.7	567	2.34	13.3	1.1	5.8	31	0.2	0.5	0.2	7	1.06	0.293	31
2061670	Soil	2.7	83.7	25.5	208	1.1	74.8	27.2	546	4.00	13.8	15.3	5.3	11	1.1	2.3	0.3	32	0.12	0.090	28
2061671	Soil	19.0	34.0	18.5	90	2.1	19.1	4.5	139	3.24	38.2	6.0	5.2	32	0.2	4.7	0.4	62	0.05	0.074	29
2061672	Soil	25.1	75.0	30.8	90	2.9	22.4	2.6	109	4.39	33.4	7.8	6.5	156	0.5	5.6	0.6	53	0.05	0.121	48
2061673	Soil	9.5	123.4	25.8	296	3.9	105.3	20.5	323	4.72	16.3	11.9	8.1	29	5.6	3.2	0.4	31	0.41	0.212	45

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061644	Soil	27	0.36	116	0.029	1	1.65	0.005	0.04	0.2	0.03	2.5	0.2	<0.05	6	<0.5	<0.2
2061645	Soil	28	0.46	243	0.026	<1	1.67	0.006	0.04	0.1	0.02	2.5	0.2	<0.05	5	<0.5	<0.2
2061646	Soil	26	0.37	126	0.021	1	1.55	0.005	0.04	0.2	0.06	2.6	0.1	<0.05	4	1.4	<0.2
2061647	Soil	32	0.44	124	0.028	1	1.99	0.007	0.05	0.1	0.06	2.9	0.1	<0.05	5	0.9	<0.2
2061648	Soil	26	0.34	174	0.022	1	1.57	0.005	0.04	0.2	0.06	2.5	0.1	<0.05	4	1.0	<0.2
2061649	Soil	29	0.40	162	0.028	1	1.70	0.006	0.04	0.2	0.05	2.9	0.2	<0.05	5	0.9	<0.2
2061650	Soil	29	0.37	103	0.020	<1	1.76	0.006	0.05	0.1	0.06	1.6	0.2	<0.05	5	0.8	<0.2
2061651	Soil	22	0.32	80	0.023	<1	1.16	0.005	0.04	0.1	0.05	2.3	0.1	<0.05	4	0.7	<0.2
2061652	Soil	28	0.09	46	0.003	<1	1.03	0.003	0.03	<0.1	0.05	1.5	<0.1	0.05	4	0.7	<0.2
2061653	Soil	25	0.29	133	0.019	1	1.08	0.009	0.05	0.1	0.10	3.1	0.1	<0.05	3	<0.5	<0.2
2061654	Soil	21	0.28	124	0.016	<1	0.88	0.005	0.03	<0.1	0.07	2.7	<0.1	<0.05	3	0.9	<0.2
2061655	Soil	23	0.27	59	0.026	1	1.01	0.005	0.04	0.2	0.06	1.9	<0.1	<0.05	4	<0.5	<0.2
2061656	Soil	26	0.16	131	0.005	1	1.15	0.007	0.04	<0.1	0.07	1.4	0.1	0.08	4	<0.5	<0.2
2061657	Soil	23	0.23	138	0.011	<1	1.05	0.006	0.04	<0.1	0.11	3.3	0.1	<0.05	3	<0.5	<0.2
2061658	Soil	16	0.07	41	0.002	<1	0.66	0.002	0.02	<0.1	0.08	1.6	<0.1	<0.05	2	0.6	<0.2
2061659	Soil	16	0.16	91	0.004	<1	0.70	0.005	0.03	<0.1	0.04	1.1	<0.1	<0.05	2	<0.5	<0.2
2061660	Soil	22	0.19	56	0.018	<1	0.89	0.005	0.04	0.2	0.05	1.3	0.1	<0.05	4	0.7	<0.2
2061661	Soil	16	0.11	100	0.002	<1	0.81	0.008	0.06	<0.1	0.15	2.0	0.1	0.08	2	1.6	<0.2
2061662	Soil	22	0.16	172	0.001	<1	1.06	0.007	0.08	<0.1	0.34	2.7	0.1	<0.05	3	0.9	<0.2
2061663	Soil	19	0.16	99	0.004	<1	0.83	0.004	0.03	<0.1	0.13	2.1	<0.1	<0.05	3	1.0	<0.2
2061664	Soil	23	0.29	119	0.007	<1	1.24	0.004	0.04	<0.1	0.09	2.1	<0.1	<0.05	4	1.0	<0.2
2061665	Soil	23	0.29	113	0.008	<1	1.23	0.004	0.04	0.1	0.08	2.1	<0.1	<0.05	4	0.7	<0.2
2061666	Soil	21	0.23	110	0.006	<1	1.14	0.004	0.04	<0.1	0.06	0.9	<0.1	<0.05	4	<0.5	<0.2
2061667	Soil	25	0.25	103	0.009	<1	1.34	0.004	0.04	<0.1	0.06	1.1	0.1	<0.05	5	0.7	<0.2
2061668	Soil	20	0.12	64	0.004	<1	0.91	0.003	0.03	<0.1	0.04	0.4	0.1	<0.05	4	0.6	<0.2
2061669	Soil	8	0.28	60	0.002	2	0.58	0.003	0.08	<0.1	0.12	3.0	0.1	<0.05	1	<0.5	<0.2
2061670	Soil	39	0.72	102	0.002	1	1.94	0.005	0.07	<0.1	0.69	2.3	0.3	<0.05	4	2.1	<0.2
2061671	Soil	32	0.26	172	0.129	<1	1.55	0.013	0.08	0.2	0.25	2.9	1.2	0.09	4	10.8	<0.2
2061672	Soil	34	0.32	179	0.003	<1	0.87	0.108	0.14	<0.1	0.55	2.4	1.2	0.91	4	22.4	<0.2
2061673	Soil	43	0.83	117	<0.001	2	1.47	0.004	0.11	<0.1	0.59	2.7	0.4	<0.05	3	5.3	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061674	Soil	5.4	69.4	22.3	125	0.5	105.6	87.1	831	5.47	19.7	3.5	10.7	51	0.9	0.7	0.4	41	0.33	0.212	52
2061675	Soil	14.8	89.2	30.3	169	0.6	67.2	23.6	1452	5.19	29.4	3.3	4.9	50	0.8	2.0	0.3	31	0.52	0.251	38
2061676	Soil	4.0	172.4	62.1	116	0.9	60.1	10.9	314	4.79	47.1	27.4	6.7	24	0.3	7.8	0.7	54	0.10	0.236	53
2061677	Soil	45.1	193.5	29.3	566	3.1	144.1	30.7	708	4.74	27.0	9.3	6.2	114	4.1	4.2	0.4	72	1.23	0.668	34
2061678	Soil	8.7	38.3	14.5	130	0.9	31.9	7.3	178	3.09	12.5	3.9	0.8	9	0.9	2.1	0.3	54	0.08	0.070	23
2061679	Soil	8.0	45.0	12.3	88	0.5	29.2	5.9	153	2.94	11.4	5.1	0.8	16	0.3	1.5	0.3	54	0.15	0.102	19
2061680	Soil	4.3	40.2	13.0	85	0.5	29.0	9.7	366	3.01	11.7	5.3	1.6	15	0.4	1.2	0.3	54	0.12	0.076	19
2061681	Soil	5.6	61.1	12.0	168	0.4	45.5	12.7	511	3.18	8.5	4.3	0.3	19	0.6	1.8	0.3	48	0.09	0.098	15
2061682	Soil	4.5	38.1	12.3	55	0.5	15.5	5.5	200	3.78	11.5	4.7	2.1	16	0.3	1.3	0.3	62	0.06	0.052	18
2061683	Soil	1.9	16.0	12.5	45	0.4	14.7	4.2	137	2.47	10.6	1.6	1.3	11	0.2	0.7	0.2	59	0.07	0.038	16
2061684	Soil	25.9	114.4	24.1	297	1.7	98.7	14.4	170	4.04	30.9	5.6	4.0	106	3.3	5.9	0.3	34	0.82	0.487	22
2061685	Soil	8.2	111.9	20.2	259	2.7	78.8	19.6	313	4.06	12.9	7.7	3.1	24	0.9	2.8	0.3	61	0.04	0.081	23
2061686	Soil	23.8	109.4	16.4	285	0.4	88.2	14.0	394	3.46	25.5	2.5	4.8	159	4.2	3.5	0.3	36	2.96	0.537	12
2061687	Soil	10.2	92.2	19.9	295	2.9	84.4	17.4	317	4.00	13.4	7.7	7.2	21	3.3	4.0	0.3	24	0.26	0.175	44
2061688	Soil	6.1	31.8	16.0	98	0.1	37.6	11.3	256	3.33	15.3	2.4	2.4	14	0.8	1.6	0.2	54	0.18	0.102	28
2061689	Soil	3.5	30.1	14.6	87	0.1	29.9	9.3	284	3.16	14.2	2.3	2.4	13	0.3	1.2	0.2	53	0.11	0.068	18
2061690	Soil	3.3	38.7	14.4	97	0.4	36.0	11.1	241	3.14	14.8	2.3	5.9	17	0.5	1.3	0.2	48	0.14	0.074	18
2061691	Soil	5.4	67.8	21.0	151	1.1	52.2	9.6	134	3.22	13.1	5.6	6.1	140	0.9	1.4	0.3	49	0.95	0.515	35
2061692	Soil	3.2	38.4	14.1	100	0.2	37.3	11.3	303	3.11	14.4	4.0	3.8	20	0.7	1.2	0.2	46	0.18	0.089	17
2061693	Soil	5.3	54.6	15.4	123	1.1	49.0	16.6	413	3.47	16.3	4.5	6.3	20	0.9	1.6	0.2	47	0.20	0.112	20
2061694	Soil	15.5	168.9	20.9	267	2.1	80.6	16.2	677	4.55	18.5	8.6	3.3	181	1.9	2.7	0.3	55	0.91	0.735	32
2061695	Soil	3.4	30.9	13.7	74	0.9	26.5	7.5	233	2.98	10.8	6.8	3.7	13	0.6	1.2	0.2	60	0.12	0.061	22
2061696	Soil	1.9	11.8	12.2	40	0.2	13.3	3.9	122	2.51	10.5	1.3	0.9	10	0.2	0.7	0.2	57	0.09	0.043	16
2061697	Soil	2.7	24.2	13.6	81	0.1	27.1	8.7	302	3.37	13.5	2.6	3.7	15	0.5	1.0	0.2	48	0.15	0.074	16
2061698	Soil	2.2	20.6	13.3	62	0.3	21.1	7.6	264	3.06	13.1	1.0	4.2	11	0.2	0.8	0.2	57	0.11	0.057	17
2061699	Soil	4.0	23.7	13.4	66	0.1	21.0	4.8	113	2.92	11.6	2.5	0.5	10	0.4	1.0	0.2	49	0.08	0.086	21
2061700	Soil	3.4	48.0	12.6	90	0.3	38.6	12.8	266	3.15	13.3	3.9	4.6	15	0.6	1.3	0.2	49	0.14	0.080	18
2061701	Soil	1.4	36.8	21.1	77	0.2	23.2	3.7	103	4.33	14.5	<0.5	7.7	11	0.2	0.8	0.3	25	0.01	0.077	21
2061702	Soil	1.3	30.9	24.7	80	<0.1	24.9	3.8	129	4.01	15.1	<0.5	3.3	18	0.1	0.7	0.3	29	0.02	0.067	7
2061703	Soil	1.5	23.7	17.2	67	0.1	21.0	4.1	170	3.01	11.9	1.0	3.4	11	<0.1	0.7	0.3	37	0.04	0.040	12

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061674	Soil	32	1.00	110	0.181	2	1.95	0.011	0.09	0.2	0.04	3.5	0.1	0.06	5	0.8	<0.2
2061675	Soil	20	0.70	102	0.006	2	1.11	0.008	0.08	<0.1	0.47	2.8	0.3	0.07	2	1.7	<0.2
2061676	Soil	34	0.62	214	0.002	1	1.94	0.020	0.06	<0.1	0.10	3.4	0.4	0.10	5	3.7	<0.2
2061677	Soil	43	1.13	245	0.002	2	1.65	0.010	0.16	<0.1	1.11	3.1	0.5	0.16	4	9.1	0.2
2061678	Soil	30	0.28	73	0.011	<1	1.46	0.004	0.05	0.1	0.54	1.1	0.4	<0.05	5	5.4	<0.2
2061679	Soil	31	0.44	176	0.011	1	1.78	0.007	0.07	<0.1	0.24	2.0	0.4	<0.05	5	3.2	<0.2
2061680	Soil	33	0.51	162	0.025	1	1.94	0.008	0.07	0.1	0.15	3.2	0.2	<0.05	5	3.3	<0.2
2061681	Soil	28	0.33	117	0.015	2	1.32	0.008	0.06	0.1	0.10	1.2	0.3	<0.05	5	7.4	<0.2
2061682	Soil	29	0.37	200	0.026	2	1.79	0.008	0.08	0.2	0.10	2.9	0.2	<0.05	7	3.3	<0.2
2061683	Soil	27	0.28	85	0.031	<1	1.42	0.004	0.04	0.2	0.06	2.2	0.2	<0.05	6	<0.5	<0.2
2061684	Soil	21	0.49	279	0.002	2	0.98	0.038	0.16	<0.1	0.66	2.7	1.0	0.35	2	19.4	0.3
2061685	Soil	42	0.46	93	0.011	<1	1.80	0.004	0.06	<0.1	0.20	3.2	0.3	<0.05	6	3.4	<0.2
2061686	Soil	20	0.57	257	0.002	3	0.90	0.019	0.20	<0.1	1.57	3.3	1.1	0.47	2	4.4	<0.2
2061687	Soil	33	0.41	78	<0.001	<1	1.25	0.003	0.08	<0.1	0.73	2.6	0.6	<0.05	2	11.3	<0.2
2061688	Soil	35	0.45	125	0.014	<1	1.97	0.005	0.06	0.1	0.13	2.6	0.4	<0.05	5	1.5	<0.2
2061689	Soil	31	0.45	96	0.022	<1	1.84	0.005	0.04	0.1	0.11	2.7	0.2	<0.05	5	1.4	<0.2
2061690	Soil	32	0.52	129	0.028	2	1.87	0.006	0.05	0.1	0.15	3.4	0.1	<0.05	4	1.1	<0.2
2061691	Soil	34	0.53	216	0.007	3	1.96	0.012	0.16	<0.1	0.38	3.1	0.4	<0.05	4	3.6	<0.2
2061692	Soil	30	0.48	106	0.024	<1	1.74	0.006	0.05	0.1	0.11	3.0	0.1	<0.05	4	1.3	<0.2
2061693	Soil	32	0.50	106	0.024	2	1.77	0.006	0.06	0.2	0.33	3.4	0.2	<0.05	4	2.0	<0.2
2061694	Soil	35	0.72	207	0.004	3	1.53	0.054	0.18	<0.1	0.76	3.6	0.6	0.30	4	7.5	<0.2
2061695	Soil	30	0.35	97	0.029	<1	1.75	0.005	0.05	0.2	0.16	2.4	0.3	<0.05	6	1.7	<0.2
2061696	Soil	28	0.32	91	0.026	1	1.61	0.005	0.04	0.1	0.05	1.9	0.2	<0.05	6	<0.5	<0.2
2061697	Soil	31	0.44	91	0.030	<1	1.69	0.006	0.05	0.2	0.15	2.8	0.1	<0.05	4	0.9	<0.2
2061698	Soil	30	0.39	104	0.034	<1	1.78	0.004	0.04	0.2	0.11	3.0	0.2	<0.05	6	0.7	<0.2
2061699	Soil	27	0.34	109	0.007	<1	1.53	0.005	0.04	<0.1	0.14	0.9	0.3	<0.05	6	0.8	<0.2
2061700	Soil	32	0.47	171	0.024	<1	1.99	0.006	0.06	0.1	0.14	3.2	0.2	<0.05	5	1.0	<0.2
2061701	Soil	28	0.48	62	0.001	<1	1.48	0.010	0.08	<0.1	0.02	3.2	0.2	<0.05	4	<0.5	<0.2
2061702	Soil	29	0.51	64	0.002	<1	1.59	0.008	0.07	<0.1	0.02	2.4	0.1	<0.05	5	<0.5	<0.2
2061703	Soil	29	0.55	73	0.011	<1	1.59	0.006	0.06	<0.1	0.03	2.5	0.1	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061704	Soil	1.8	34.0	26.1	77	0.1	27.9	2.5	117	4.28	21.3	<0.5	3.8	21	<0.1	1.1	0.3	28	0.02	0.085	5
2061705	Soil	1.9	28.6	18.1	66	<0.1	24.1	4.2	139	3.44	12.7	0.9	3.2	22	<0.1	0.5	0.3	38	0.08	0.067	11
2061706	Soil	2.9	18.8	16.6	57	0.1	19.4	5.2	208	3.02	13.4	<0.5	5.1	15	0.1	0.8	0.3	49	0.06	0.040	15
2061707	Soil	2.3	14.8	16.0	44	0.1	12.4	4.0	153	3.28	13.5	0.9	4.1	10	<0.1	0.8	0.2	59	0.05	0.032	15
2061708	Soil	5.5	34.7	26.4	82	<0.1	21.9	1.7	77	4.82	23.4	<0.5	4.1	23	<0.1	0.9	0.4	32	0.02	0.076	6
2061709	Soil	5.7	37.2	36.7	67	<0.1	19.3	2.5	114	4.17	19.2	0.5	4.0	27	<0.1	0.9	0.5	34	0.03	0.070	7
2061710	Soil	2.1	23.5	16.0	56	0.1	17.2	4.3	156	3.69	17.3	1.7	4.0	14	0.1	0.8	0.4	50	0.05	0.047	12
2061711	Soil	2.9	20.1	18.1	65	0.1	19.7	5.4	159	3.50	17.4	1.0	4.5	14	0.2	0.9	0.3	46	0.06	0.037	12
2061712	Soil	2.0	38.5	15.7	68	<0.1	25.4	11.6	1956	3.57	12.0	4.4	5.0	11	0.3	0.7	0.3	59	0.10	0.067	14
2061713	Soil	1.5	17.5	13.1	53	<0.1	19.8	8.8	352	2.67	9.9	2.5	2.8	12	<0.1	0.5	0.2	62	0.11	0.034	18
2061714	Soil	0.8	38.0	10.4	66	<0.1	22.3	7.8	264	2.90	8.3	2.8	1.5	10	<0.1	0.6	0.2	41	0.10	0.039	13
2061715	Soil	1.2	27.9	12.2	55	<0.1	20.7	8.5	314	2.54	12.4	3.3	2.9	12	<0.1	0.7	0.2	49	0.10	0.052	19
2061716	Soil	1.3	48.7	13.8	67	<0.1	25.1	10.4	377	3.01	10.3	3.6	2.7	13	0.2	0.7	0.2	52	0.11	0.055	17
2061717	Soil	2.9	66.5	14.2	63	<0.1	21.8	5.7	215	3.04	20.1	6.6	3.2	9	<0.1	1.0	0.2	52	0.06	0.028	11
2061718	Soil	1.7	29.3	13.5	56	0.3	22.7	8.5	317	2.96	14.2	2.8	2.0	10	0.2	0.8	0.2	59	0.08	0.048	14
2061719	Soil	1.1	24.0	11.3	60	<0.1	21.7	10.5	368	2.83	11.5	<0.5	2.8	15	0.2	0.7	0.2	68	0.14	0.031	17
2061720	Soil	1.2	82.0	8.5	79	<0.1	31.2	17.2	615	3.42	9.8	3.8	3.7	39	<0.1	0.7	0.1	95	0.42	0.069	17
2061721	Soil	1.0	105.8	7.6	78	0.1	33.5	24.3	822	3.79	9.7	2.0	2.7	59	0.2	0.7	0.1	98	0.44	0.060	14
2061722	Soil	2.5	68.6	13.8	153	0.9	55.4	9.6	703	2.71	8.4	5.9	2.5	26	0.7	1.1	0.2	45	0.22	0.074	29
2061723	Soil	1.4	19.0	12.7	52	0.3	19.7	6.8	228	2.82	17.1	2.3	4.7	15	0.2	0.8	0.3	57	0.08	0.037	18
2061724	Soil	1.8	24.9	19.1	51	0.2	15.4	4.6	167	3.26	24.2	1.6	2.9	14	0.1	1.0	0.3	58	0.07	0.039	13
2061725	Soil	1.6	28.1	15.2	59	0.2	19.4	5.8	240	2.90	18.5	1.2	1.0	21	0.2	0.9	0.2	46	0.08	0.070	13
2061726	Soil	1.2	19.8	14.4	61	0.1	24.8	9.6	302	2.95	14.4	2.3	4.0	14	0.2	0.7	0.2	51	0.10	0.053	16
2061727	Soil	1.0	23.5	15.7	48	0.4	23.1	7.3	187	2.58	18.1	5.8	4.6	19	<0.1	1.0	0.2	46	0.14	0.054	15
2061728	Soil	2.3	70.6	47.6	58	2.2	31.1	2.8	66	4.12	59.8	3.6	5.7	48	<0.1	1.8	0.9	53	0.02	0.123	16
2061729	Soil	2.1	58.6	24.5	87	0.9	21.9	5.8	214	4.81	49.7	5.2	0.7	34	0.2	1.4	0.4	63	0.07	0.147	15
2061730	Soil	10.3	74.7	13.3	291	1.9	91.8	9.6	233	3.01	21.6	5.3	4.0	50	2.2	2.3	0.2	34	0.28	0.127	25
2061731	Soil	2.0	16.3	13.8	41	0.2	13.3	3.6	128	2.47	13.1	2.3	3.6	14	0.1	0.6	0.2	63	0.08	0.040	17
2061732	Soil	2.8	17.0	15.8	58	0.2	16.5	4.4	167	2.89	16.8	3.0	4.5	11	0.1	0.8	0.3	76	0.07	0.033	18
2061733	Soil	1.6	19.4	14.1	50	0.2	16.6	5.4	218	2.99	17.4	1.3	4.3	12	0.1	0.9	0.2	65	0.08	0.033	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061704	Soil	29	0.57	85	0.002	<1	1.45	0.011	0.09	<0.1	0.03	2.1	0.1	0.24	4	<0.5	<0.2
2061705	Soil	30	0.54	146	0.005	<1	1.63	0.008	0.08	<0.1	0.04	2.6	0.1	0.07	5	<0.5	<0.2
2061706	Soil	30	0.47	86	0.025	<1	1.64	0.007	0.06	0.1	0.03	2.5	0.2	<0.05	5	<0.5	<0.2
2061707	Soil	25	0.30	62	0.021	<1	1.38	0.005	0.06	0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
2061708	Soil	31	0.55	104	0.001	<1	1.52	0.008	0.08	<0.1	0.05	2.5	0.1	<0.05	5	0.6	<0.2
2061709	Soil	28	0.47	81	0.003	<1	1.47	0.009	0.08	<0.1	0.05	2.3	0.4	<0.05	5	1.4	<0.2
2061710	Soil	31	0.39	81	0.017	2	1.68	0.006	0.07	0.1	0.04	2.6	0.2	<0.05	6	<0.5	<0.2
2061711	Soil	29	0.39	103	0.020	2	1.74	0.006	0.06	<0.1	0.07	2.3	0.1	<0.05	5	<0.5	<0.2
2061712	Soil	38	0.34	1703	0.039	2	2.42	0.006	0.05	0.1	0.06	3.8	0.1	<0.05	6	<0.5	<0.2
2061713	Soil	34	0.37	339	0.037	2	1.92	0.005	0.05	0.1	0.04	3.6	0.2	<0.05	6	<0.5	<0.2
2061714	Soil	29	0.40	83	0.028	2	1.45	0.005	0.04	0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
2061715	Soil	29	0.41	119	0.040	<1	1.63	0.005	0.05	0.2	0.03	3.5	0.1	<0.05	5	<0.5	<0.2
2061716	Soil	33	0.48	218	0.035	1	1.86	0.006	0.06	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
2061717	Soil	33	0.32	72	0.036	1	1.14	0.004	0.04	0.1	0.03	2.3	0.1	<0.05	5	<0.5	<0.2
2061718	Soil	35	0.38	152	0.031	2	2.23	0.006	0.06	0.2	0.06	2.8	0.2	<0.05	6	0.5	<0.2
2061719	Soil	28	0.41	169	0.053	2	1.94	0.006	0.06	0.2	0.03	3.3	0.1	<0.05	6	<0.5	<0.2
2061720	Soil	33	0.79	212	0.091	1	1.96	0.010	0.06	0.2	0.02	7.1	0.1	<0.05	6	<0.5	<0.2
2061721	Soil	31	0.88	220	0.085	2	2.01	0.009	0.05	0.1	0.04	7.5	0.1	<0.05	6	<0.5	<0.2
2061722	Soil	25	0.30	607	0.007	2	1.42	0.003	0.07	<0.1	0.24	2.7	0.1	<0.05	4	3.1	<0.2
2061723	Soil	25	0.35	117	0.039	2	1.77	0.005	0.05	0.2	0.07	2.9	0.1	<0.05	5	<0.5	<0.2
2061724	Soil	25	0.26	114	0.028	2	1.37	0.006	0.05	0.1	0.05	2.8	0.1	<0.05	6	0.6	<0.2
2061725	Soil	24	0.34	139	0.021	1	1.53	0.005	0.05	0.1	0.05	1.9	0.1	<0.05	5	0.8	<0.2
2061726	Soil	28	0.38	127	0.035	2	1.88	0.007	0.06	0.2	0.05	3.3	0.1	<0.05	5	<0.5	<0.2
2061727	Soil	26	0.33	125	0.041	<1	1.39	0.007	0.05	0.1	0.05	2.4	<0.1	<0.05	4	0.8	<0.2
2061728	Soil	33	0.21	293	0.003	<1	1.15	0.010	0.10	<0.1	0.10	3.8	<0.1	0.14	4	5.4	0.3
2061729	Soil	36	0.21	140	0.013	1	1.26	0.007	0.07	<0.1	0.07	1.6	0.1	<0.05	5	4.7	<0.2
2061730	Soil	20	0.21	257	0.012	1	0.98	0.007	0.05	0.1	0.26	3.3	0.1	<0.05	2	5.8	<0.2
2061731	Soil	28	0.25	112	0.030	1	1.72	0.005	0.04	0.1	0.04	2.8	0.2	<0.05	7	0.9	<0.2
2061732	Soil	25	0.21	93	0.041	1	1.38	0.004	0.05	0.1	0.05	2.6	0.2	<0.05	7	<0.5	<0.2
2061733	Soil	26	0.28	108	0.036	1	1.63	0.005	0.05	0.1	0.06	2.9	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061734	Soil	1.8	17.2	13.9	48	0.1	15.3	5.3	195	2.92	14.6	1.3	5.2	14	0.1	0.7	0.2	71	0.10	0.034	17
2061735	Soil	1.6	18.6	15.1	44	0.3	16.3	5.6	210	3.21	17.3	2.9	4.5	14	<0.1	0.8	0.2	67	0.08	0.031	16
2061736	Soil	1.2	32.2	16.8	52	0.5	21.4	6.1	204	2.45	18.6	3.8	3.6	19	0.1	0.9	0.2	42	0.08	0.053	11
2061737	Soil	1.4	22.4	14.9	56	0.3	20.6	8.9	335	2.74	16.8	3.0	2.9	18	0.2	0.8	0.2	49	0.14	0.071	16
2061738	Soil	1.1	20.0	11.7	61	<0.1	22.6	9.2	313	2.70	12.8	6.0	3.6	17	0.1	0.7	0.2	51	0.17	0.066	17
2061739	Soil	1.4	24.4	13.0	59	0.1	19.8	7.7	216	3.03	13.9	1.0	4.3	12	0.1	0.7	0.2	74	0.10	0.033	18
2061740	Soil	1.2	169.9	10.4	67	0.2	24.7	10.5	379	2.83	12.2	1.9	3.1	19	0.3	0.7	0.2	54	0.21	0.059	17
2061741	Soil	1.6	34.9	14.5	64	0.1	18.9	8.7	325	3.01	13.3	3.9	4.8	12	0.2	0.7	0.2	64	0.11	0.032	16
2061742	Soil	1.5	67.3	12.2	70	0.2	30.4	12.3	387	3.03	14.9	3.2	3.7	19	0.3	0.9	0.2	58	0.18	0.054	18
2061743	Soil	1.5	60.7	11.1	98	0.1	32.5	10.6	312	3.44	15.6	2.8	3.3	19	0.2	1.0	0.2	55	0.14	0.066	19
2061744	Soil	1.4	30.5	10.1	65	<0.1	27.2	12.0	242	2.88	13.0	4.9	4.2	13	0.2	0.8	0.2	63	0.11	0.035	16
2061745	Soil	1.1	57.8	10.1	77	<0.1	26.5	11.1	310	2.78	11.7	3.1	2.6	18	0.1	0.7	0.2	59	0.19	0.056	21
2061746	Soil	1.0	137.0	7.8	82	0.1	23.8	11.0	367	3.04	8.3	6.9	3.4	18	0.1	0.6	0.2	50	0.23	0.057	19
2061747	Soil	2.7	109.5	19.7	128	0.9	41.7	11.7	299	6.18	32.7	25.4	2.3	39	0.3	3.5	0.3	65	0.17	0.152	21
2061748	Soil	1.3	28.5	12.3	60	0.2	24.9	7.5	281	2.74	14.2	5.3	4.2	14	0.2	0.9	0.2	46	0.11	0.049	14
2061749	Soil	1.6	66.1	30.6	80	0.4	47.6	4.3	188	4.19	33.6	6.9	3.3	43	0.4	0.9	0.4	59	0.03	0.085	7
2061750	Soil	1.1	24.5	12.8	59	0.4	24.0	8.3	274	2.67	16.4	7.5	4.9	12	0.2	1.0	0.2	43	0.08	0.040	15
2061751	Soil	14.4	60.7	18.0	137	1.8	47.8	5.9	308	4.12	15.3	16.0	1.6	30	1.4	1.9	0.3	76	0.10	0.303	29
2061752	Soil	11.5	62.0	12.5	119	1.9	46.3	10.4	306	2.82	10.7	8.3	5.2	29	1.9	1.8	0.2	69	0.22	0.131	25
2061753	Soil	10.3	29.2	16.8	89	0.6	31.2	10.4	346	3.58	13.8	6.6	6.3	17	0.7	1.6	0.3	82	0.13	0.080	23
2061754	Soil	8.3	32.7	12.6	77	0.3	29.1	6.4	155	2.60	10.6	7.9	1.6	18	0.4	1.2	0.2	73	0.14	0.087	22
2061755	Soil	4.9	30.4	12.8	74	0.2	27.2	9.4	281	2.78	11.8	3.9	2.5	20	0.3	1.0	0.2	57	0.16	0.098	21
2061756	Soil	7.7	40.5	15.3	103	0.4	42.2	14.3	326	3.04	11.9	4.5	1.5	33	0.7	0.9	0.2	50	0.20	0.160	28
2061757	Soil	3.2	17.1	14.4	58	<0.1	21.3	7.9	231	2.80	10.9	2.0	0.7	15	0.2	0.6	0.3	69	0.13	0.080	21
2061758	Soil	2.9	12.7	12.1	50	<0.1	14.4	4.6	142	2.54	10.1	1.3	3.8	12	<0.1	0.7	0.2	69	0.09	0.071	23
2061759	Soil	6.7	54.7	23.9	149	0.1	121.7	60.8	4018	4.36	16.8	1.3	9.3	42	0.5	0.8	0.4	35	0.12	0.129	34
2061760	Soil	3.5	37.8	21.6	95	0.1	52.4	24.8	890	4.05	13.6	3.0	7.3	33	0.2	0.7	0.3	39	0.11	0.103	35
2061761	Soil	1.0	25.3	11.1	59	<0.1	20.4	9.3	351	2.55	11.5	2.1	4.0	12	<0.1	0.7	0.2	49	0.09	0.034	19
2061762	Soil	1.0	39.4	13.0	66	<0.1	30.3	13.0	538	2.68	13.3	5.0	4.7	15	0.1	0.8	0.2	46	0.14	0.049	23
2061763	Soil	1.6	51.2	14.4	80	0.2	41.6	14.4	1309	3.03	13.0	8.2	5.3	17	0.2	1.4	0.2	47	0.20	0.053	30

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061734	Soil	31	0.31	123	0.040	1	1.90	0.006	0.05	0.1	0.05	3.5	0.2	<0.05	7	<0.5	<0.2
2061735	Soil	27	0.29	118	0.039	2	1.83	0.006	0.06	0.1	0.05	2.9	0.2	<0.05	7	0.5	<0.2
2061736	Soil	24	0.32	163	0.021	1	1.41	0.006	0.06	<0.1	0.15	2.7	0.1	<0.05	4	0.7	<0.2
2061737	Soil	26	0.40	133	0.032	1	1.70	0.006	0.05	0.2	0.07	2.9	0.1	<0.05	5	<0.5	<0.2
2061738	Soil	26	0.42	158	0.041	2	1.76	0.007	0.05	0.2	0.04	3.0	0.1	<0.05	5	<0.5	<0.2
2061739	Soil	29	0.32	105	0.050	1	1.91	0.005	0.06	0.2	0.03	3.2	0.2	<0.05	6	<0.5	<0.2
2061740	Soil	25	0.38	145	0.043	2	1.79	0.007	0.05	0.2	0.04	3.4	0.1	<0.05	5	<0.5	<0.2
2061741	Soil	33	0.39	105	0.058	1	2.64	0.006	0.05	0.2	0.08	3.7	0.2	<0.05	6	0.9	<0.2
2061742	Soil	27	0.37	199	0.043	1	1.95	0.007	0.05	0.2	0.04	3.7	0.2	<0.05	5	<0.5	<0.2
2061743	Soil	29	0.42	193	0.041	1	1.83	0.008	0.05	0.1	0.05	3.9	0.1	<0.05	5	<0.5	<0.2
2061744	Soil	28	0.36	139	0.046	1	1.81	0.005	0.05	0.1	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
2061745	Soil	29	0.46	193	0.050	1	1.80	0.007	0.05	0.2	0.04	4.2	0.2	<0.05	5	<0.5	<0.2
2061746	Soil	25	0.52	150	0.058	2	1.62	0.008	0.05	0.2	0.03	4.9	<0.1	<0.05	5	0.8	<0.2
2061747	Soil	35	0.42	230	0.026	2	1.63	0.048	0.06	0.1	0.05	3.7	<0.1	0.18	5	5.2	0.3
2061748	Soil	27	0.42	118	0.033	2	1.49	0.007	0.06	0.1	0.04	2.9	0.1	<0.05	4	1.4	<0.2
2061749	Soil	38	0.48	195	0.001	<1	2.03	0.009	0.06	<0.1	0.07	3.6	0.1	<0.05	6	1.6	0.2
2061750	Soil	26	0.42	127	0.030	2	1.68	0.006	0.06	0.2	0.06	2.8	0.1	<0.05	4	0.9	<0.2
2061751	Soil	32	0.33	122	0.010	2	1.21	0.009	0.09	<0.1	0.45	2.2	0.5	<0.05	4	6.2	<0.2
2061752	Soil	35	0.41	161	0.022	2	1.58	0.009	0.08	0.1	0.28	3.2	0.4	<0.05	5	5.6	<0.2
2061753	Soil	42	0.53	136	0.029	2	2.15	0.007	0.08	0.1	0.20	3.9	0.4	<0.05	6	2.3	<0.2
2061754	Soil	36	0.42	170	0.018	2	1.72	0.006	0.07	0.1	0.15	2.4	0.5	<0.05	5	2.0	<0.2
2061755	Soil	32	0.48	181	0.021	2	1.84	0.008	0.07	0.1	0.13	3.0	0.3	<0.05	5	1.3	<0.2
2061756	Soil	31	0.56	175	0.012	2	1.77	0.010	0.08	0.1	0.20	1.8	0.4	<0.05	5	1.9	<0.2
2061757	Soil	35	0.47	143	0.019	2	2.04	0.007	0.07	0.1	0.10	1.6	0.3	<0.05	7	1.2	<0.2
2061758	Soil	28	0.30	78	0.029	<1	1.82	0.005	0.06	0.1	0.03	2.7	0.3	<0.05	7	0.9	<0.2
2061759	Soil	32	0.79	231	0.009	2	2.40	0.013	0.10	<0.1	0.25	4.0	0.2	0.06	5	1.2	<0.2
2061760	Soil	31	0.68	144	0.010	1	2.07	0.010	0.08	<0.1	0.16	3.1	0.2	0.06	6	1.1	<0.2
2061761	Soil	31	0.46	229	0.037	1	1.64	0.006	0.05	0.2	0.03	4.1	0.1	<0.05	5	<0.5	<0.2
2061762	Soil	28	0.49	215	0.041	2	1.52	0.006	0.06	0.2	0.04	3.6	<0.1	<0.05	4	<0.5	<0.2
2061763	Soil	29	0.44	297	0.026	<1	1.62	0.007	0.06	0.1	0.10	5.3	0.1	<0.05	4	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061764	Soil	1.2	22.5	12.5	60	<0.1	23.1	10.0	360	2.69	13.5	3.0	4.2	14	0.1	0.7	0.2	53	0.14	0.046	19
2061765	Soil	1.7	44.4	14.9	72	<0.1	31.5	11.8	347	2.70	19.2	6.5	5.3	16	0.1	1.1	0.3	49	0.13	0.054	21
2061766	Soil	1.1	34.2	12.7	69	<0.1	27.9	11.2	441	2.80	12.8	4.8	5.4	18	<0.1	0.8	0.2	52	0.15	0.043	23
2061767	Soil	1.2	56.5	16.8	80	0.1	31.7	16.7	751	2.84	11.3	11.1	4.5	11	0.2	0.9	0.2	45	0.09	0.039	22
2061768	Soil	1.0	15.7	12.8	48	<0.1	17.0	7.0	231	2.72	12.8	2.2	3.6	12	<0.1	0.8	0.2	66	0.11	0.036	19
2061769	Soil	1.6	47.7	16.5	83	<0.1	37.8	16.6	1119	2.66	10.4	4.4	5.5	15	0.2	1.0	0.2	42	0.12	0.041	23
2061770	Soil	1.2	32.4	15.3	63	<0.1	23.4	13.7	412	2.62	10.5	4.5	3.6	11	0.2	0.8	0.2	51	0.08	0.036	17
2061771	Soil	1.4	75.6	14.9	112	0.2	38.1	12.7	228	2.78	19.3	5.6	2.8	7	0.1	0.9	0.3	41	0.01	0.030	11
2061772	Soil	1.5	28.9	13.6	68	0.2	23.9	10.8	433	2.84	12.1	3.4	5.2	11	0.1	0.9	0.2	61	0.08	0.043	20
2061773	Soil	2.8	62.8	29.0	154	0.5	47.6	24.9	2054	2.83	11.1	6.5	4.8	6	0.7	1.9	0.2	28	0.03	0.052	30
2061774	Soil	2.5	99.6	19.2	91	1.3	29.8	9.1	358	3.35	10.9	6.8	1.4	85	<0.1	1.6	0.2	47	0.05	0.087	20
2061775	Soil	0.9	29.1	13.7	73	<0.1	27.4	11.3	520	2.73	13.3	3.2	5.9	14	0.1	0.9	0.2	45	0.11	0.032	25
2061776	Soil	2.1	69.2	16.7	111	<0.1	38.0	10.8	230	2.88	11.4	6.2	5.6	8	0.3	1.4	0.2	37	0.05	0.044	31
2061777	Soil	1.8	40.0	14.1	69	0.4	20.7	9.1	319	2.78	13.1	4.2	1.7	8	0.1	1.2	0.2	50	0.05	0.054	18
2061778	Soil	1.6	30.9	14.7	79	0.4	25.3	10.6	331	2.91	12.6	2.6	6.0	17	0.2	1.9	0.2	51	0.07	0.042	23
2061779	Soil	1.5	15.4	12.0	52	<0.1	15.5	6.4	236	2.65	11.0	2.1	2.5	12	0.1	0.7	0.2	65	0.09	0.051	20
2061780	Soil	1.8	24.2	13.6	85	<0.1	27.8	10.3	458	3.16	11.7	2.5	1.6	12	0.1	1.0	0.2	49	0.08	0.055	21
2061781	Soil	1.7	31.2	14.6	97	0.5	32.9	11.6	539	2.83	11.5	2.9	2.9	12	0.3	1.1	0.2	44	0.09	0.059	20
2061782	Soil	0.8	113.2	33.2	93	0.2	30.0	24.8	1562	3.96	11.6	5.5	1.0	35	0.4	0.6	0.4	96	0.90	0.095	13
2061783	Soil	1.9	36.0	12.3	98	0.5	28.5	7.8	379	2.75	11.4	6.2	2.3	14	0.4	0.9	0.3	47	0.11	0.074	21
2061784	Soil	1.4	20.5	13.6	49	0.1	19.2	6.9	231	2.80	16.6	7.9	4.4	12	0.1	0.8	0.3	54	0.09	0.040	16
2061785	Soil	1.0	21.1	11.2	64	<0.1	22.4	10.1	293	2.61	12.7	2.3	2.8	11	0.2	0.7	0.2	49	0.12	0.037	16
2061786	Soil	1.2	21.9	9.2	98	<0.1	21.4	8.4	302	2.79	9.4	3.3	0.8	12	0.3	0.6	0.2	69	0.13	0.043	14
2061787	Soil	1.5	29.0	17.8	61	0.3	19.9	5.4	183	3.28	17.9	5.2	0.5	22	0.1	0.8	0.4	56	0.08	0.083	14
2061788	Soil	1.5	15.7	13.1	48	0.3	15.4	6.6	240	2.88	11.8	4.7	4.4	12	0.1	0.7	0.2	64	0.09	0.034	15
2061789	Soil	1.3	20.8	12.6	61	<0.1	19.6	9.5	379	2.82	12.7	5.2	2.0	15	0.1	0.7	0.2	59	0.13	0.058	17
2061790	Soil	0.9	25.1	11.6	57	<0.1	21.7	7.8	267	2.36	13.2	6.5	2.8	16	0.1	0.7	0.2	45	0.14	0.064	18
2061791	Soil	1.3	31.6	14.3	70	0.3	25.3	7.9	198	2.67	18.1	5.5	4.3	19	0.1	0.8	0.3	46	0.10	0.050	14
2061792	Soil	1.6	11.5	12.7	37	0.2	10.6	4.0	134	2.93	13.3	0.9	2.9	11	<0.1	0.7	0.3	75	0.08	0.032	16
2061793	Soil	1.2	23.0	13.4	63	<0.1	22.8	9.9	319	2.82	14.3	2.8	3.5	16	0.2	0.7	0.2	50	0.15	0.068	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061764	Soil	29	0.42	140	0.047	<1	1.55	0.007	0.05	0.2	0.01	3.0	0.1	<0.05	5	0.5	<0.2
2061765	Soil	30	0.50	126	0.035	<1	1.73	0.005	0.05	0.2	0.03	3.2	0.2	<0.05	5	<0.5	<0.2
2061766	Soil	32	0.51	286	0.049	2	1.71	0.008	0.06	0.2	0.04	4.2	0.1	<0.05	5	<0.5	<0.2
2061767	Soil	29	0.46	143	0.025	2	1.69	0.005	0.06	0.1	0.04	2.9	0.1	<0.05	4	0.6	<0.2
2061768	Soil	33	0.43	130	0.048	1	1.77	0.006	0.05	0.2	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
2061769	Soil	25	0.44	254	0.037	<1	1.32	0.006	0.06	0.1	0.04	3.7	0.1	<0.05	4	<0.5	<0.2
2061770	Soil	29	0.38	102	0.032	<1	1.62	0.005	0.05	0.1	0.02	2.6	0.1	<0.05	5	<0.5	<0.2
2061771	Soil	25	0.18	173	0.001	<1	1.52	0.002	0.06	<0.1	0.05	2.6	0.1	<0.05	3	0.6	<0.2
2061772	Soil	34	0.43	255	0.033	1	2.08	0.006	0.06	0.1	0.04	4.1	0.2	<0.05	6	<0.5	<0.2
2061773	Soil	21	0.25	350	0.003	1	1.54	0.003	0.06	<0.1	0.06	2.5	0.1	<0.05	2	<0.5	<0.2
2061774	Soil	29	0.35	303	0.007	2	1.31	0.035	0.09	<0.1	0.07	1.7	0.2	0.17	4	2.1	<0.2
2061775	Soil	27	0.48	232	0.037	1	1.52	0.006	0.07	0.2	0.04	4.6	0.1	<0.05	4	<0.5	<0.2
2061776	Soil	23	0.29	154	0.005	1	1.43	0.004	0.08	<0.1	0.06	2.7	0.1	<0.05	3	1.5	<0.2
2061777	Soil	23	0.22	133	0.011	1	1.31	0.004	0.06	<0.1	0.05	2.0	0.1	<0.05	4	0.7	<0.2
2061778	Soil	30	0.41	181	0.025	2	1.80	0.007	0.06	0.1	0.08	4.3	0.2	<0.05	5	2.3	<0.2
2061779	Soil	32	0.34	138	0.028	2	1.75	0.005	0.05	0.2	0.05	3.1	0.2	<0.05	6	0.8	<0.2
2061780	Soil	29	0.36	112	0.021	2	1.55	0.005	0.06	<0.1	0.05	2.3	0.2	<0.05	5	1.1	<0.2
2061781	Soil	25	0.33	163	0.022	1	1.49	0.005	0.06	0.1	0.20	2.9	0.2	<0.05	4	1.6	<0.2
2061782	Soil	23	0.91	204	0.040	3	2.36	0.009	0.04	0.1	0.06	8.5	0.1	<0.05	7	0.5	<0.2
2061783	Soil	25	0.32	143	0.019	2	1.43	0.005	0.05	0.1	0.08	2.4	0.1	<0.05	4	1.2	<0.2
2061784	Soil	26	0.35	102	0.034	3	1.57	0.006	0.05	0.1	0.03	2.8	0.2	<0.05	5	0.6	<0.2
2061785	Soil	25	0.36	141	0.039	2	1.71	0.005	0.04	0.1	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
2061786	Soil	34	0.41	157	0.040	3	2.04	0.006	0.05	0.2	0.03	2.7	0.2	<0.05	6	<0.5	<0.2
2061787	Soil	30	0.34	190	0.019	6	1.72	0.007	0.07	0.2	0.07	1.7	0.2	<0.05	6	1.2	<0.2
2061788	Soil	31	0.34	126	0.042	3	2.10	0.006	0.05	0.1	0.07	3.5	0.2	<0.05	6	0.5	<0.2
2061789	Soil	31	0.49	165	0.041	2	2.04	0.008	0.05	0.1	0.05	3.5	0.2	<0.05	6	0.6	<0.2
2061790	Soil	25	0.38	197	0.036	2	1.39	0.006	0.05	0.1	0.04	3.0	0.1	<0.05	4	<0.5	<0.2
2061791	Soil	26	0.36	227	0.032	2	1.60	0.006	0.05	0.1	0.07	3.3	0.1	<0.05	4	0.9	<0.2
2061792	Soil	25	0.25	102	0.047	1	1.44	0.005	0.04	0.2	0.03	2.4	0.2	<0.05	7	<0.5	<0.2
2061793	Soil	30	0.45	185	0.033	2	1.74	0.007	0.06	0.2	0.03	3.5	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061794	Soil	0.9	24.2	10.6	59	0.1	20.6	7.3	229	2.35	10.7	4.3	3.7	19	<0.1	0.7	0.1	43	0.18	0.067	18
2061801	Soil	7.2	44.0	11.9	174	1.8	51.5	6.5	162	2.59	16.3	3.0	2.1	33	2.0	1.2	0.2	52	0.40	0.174	19
2061802	Soil	1.7	26.0	13.8	76	0.7	23.7	7.9	255	2.85	18.7	2.9	3.4	21	0.3	0.9	0.2	48	0.08	0.045	14
2061803	Soil	1.7	41.7	19.5	59	0.4	22.2	4.4	158	2.74	23.0	3.5	2.1	17	0.2	1.1	0.3	41	0.04	0.068	8
2061804	Soil	1.6	21.0	12.2	53	0.3	19.6	8.8	307	2.94	12.9	3.3	5.9	13	0.2	0.8	0.2	62	0.11	0.057	17
2061805	Soil	3.6	63.3	11.9	139	1.4	43.0	7.9	704	2.19	8.5	6.6	0.5	44	0.7	1.4	0.3	29	0.22	0.152	19
2061806	Soil	1.8	39.5	10.5	91	0.4	31.9	8.5	295	2.70	12.0	3.2	1.5	13	0.3	0.8	0.2	48	0.12	0.062	20
2061807	Soil	2.9	23.0	37.3	54	1.0	22.8	5.9	152	5.83	33.9	7.8	5.7	32	0.3	1.2	0.4	111	0.06	0.095	17
2061808	Soil	1.2	44.9	9.0	94	<0.1	36.5	15.7	492	3.19	11.8	12.0	2.6	19	0.2	0.8	0.2	68	0.29	0.084	19
2061809	Soil	1.2	17.1	11.3	54	0.1	16.4	6.3	197	2.49	12.4	1.1	1.0	15	<0.1	0.6	0.2	51	0.11	0.061	15
2061810	Soil	1.0	25.1	11.9	58	<0.1	21.9	8.5	298	2.55	14.2	2.1	2.5	16	0.1	0.8	0.2	48	0.14	0.060	18
2061811	Soil	1.6	19.2	12.3	51	<0.1	17.7	6.6	234	2.76	13.3	2.5	1.3	12	<0.1	0.7	0.2	63	0.09	0.041	16
2061812	Soil	1.4	15.5	11.9	47	0.1	16.7	7.0	204	2.77	13.3	2.0	2.9	12	0.1	0.7	0.2	60	0.10	0.042	15
2061813	Soil	1.2	21.8	12.5	50	<0.1	19.6	8.2	247	2.86	14.7	2.3	4.5	12	<0.1	0.7	0.2	54	0.10	0.042	16
2061814	Soil	1.4	27.3	13.1	63	0.1	21.8	7.4	201	2.76	13.7	3.6	2.4	17	0.1	0.7	0.2	57	0.17	0.059	16
2061815	Soil	1.5	20.1	14.6	57	0.2	23.0	10.2	327	3.12	15.3	2.0	5.2	14	0.1	0.7	0.2	62	0.10	0.054	16
2061816	Soil	1.1	17.9	11.5	57	<0.1	18.7	9.4	313	2.63	12.2	3.1	1.3	14	0.2	0.6	0.2	56	0.13	0.053	17
2061817	Soil	1.7	11.1	14.2	45	<0.1	14.4	6.3	217	2.93	11.0	1.6	4.2	12	0.1	0.6	0.2	79	0.10	0.027	17

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

CERTIFICATE OF ANALYSIS WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061794	Soil	24	0.37	196	0.033	3	1.27	0.006	0.05	0.1	0.03	2.8	0.1	<0.05	4	<0.5	<0.2
2061801	Soil	26	0.17	315	0.023	2	1.39	0.004	0.05	0.2	0.27	3.0	0.3	<0.05	5	1.4	<0.2
2061802	Soil	25	0.32	165	0.024	2	1.43	0.008	0.06	0.1	0.07	2.8	0.1	0.06	4	2.0	<0.2
2061803	Soil	25	0.26	152	0.008	1	1.34	0.005	0.06	<0.1	0.06	2.1	0.2	<0.05	4	2.2	<0.2
2061804	Soil	38	0.43	165	0.047	2	2.32	0.007	0.06	0.2	0.06	4.8	0.2	<0.05	6	0.6	<0.2
2061805	Soil	19	0.16	409	0.004	5	0.70	0.007	0.07	<0.1	0.14	1.3	0.3	0.09	2	1.5	<0.2
2061806	Soil	25	0.37	187	0.024	2	1.50	0.006	0.05	0.1	0.09	2.7	0.2	<0.05	4	1.2	<0.2
2061807	Soil	46	0.31	213	0.031	2	2.30	0.006	0.05	0.1	0.06	3.6	0.2	<0.05	12	3.3	<0.2
2061808	Soil	35	0.55	201	0.058	3	1.76	0.008	0.05	0.3	0.04	4.0	0.1	<0.05	5	0.5	<0.2
2061809	Soil	26	0.33	125	0.020	3	1.53	0.005	0.05	0.1	0.05	2.2	0.2	<0.05	5	0.7	<0.2
2061810	Soil	27	0.40	173	0.040	3	1.52	0.006	0.05	0.2	0.04	3.1	0.1	<0.05	5	0.5	<0.2
2061811	Soil	32	0.38	129	0.035	2	1.83	0.006	0.04	0.1	0.05	2.8	0.2	<0.05	6	0.7	<0.2
2061812	Soil	29	0.33	142	0.040	2	1.82	0.006	0.04	0.2	0.04	2.8	0.1	<0.05	6	<0.5	<0.2
2061813	Soil	31	0.37	149	0.037	2	1.89	0.005	0.05	0.2	0.04	3.4	0.1	<0.05	5	0.5	<0.2
2061814	Soil	30	0.40	162	0.037	2	1.56	0.006	0.05	0.1	0.05	2.8	0.1	<0.05	5	0.6	<0.2
2061815	Soil	36	0.44	174	0.041	2	2.27	0.007	0.06	0.1	0.04	3.9	0.1	<0.05	6	0.6	<0.2
2061816	Soil	33	0.44	158	0.032	1	1.77	0.006	0.05	0.1	0.05	2.9	0.1	<0.05	5	0.5	<0.2
2061817	Soil	34	0.32	183	0.051	3	1.94	0.006	0.05	0.2	0.02	3.6	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2061506	Soil	23.2	78.4	32.7	43	5.6	10.8	0.4	30	6.11	88.4	<0.5	1.5	124	0.3	21.8	0.2	397	0.04	0.564	23
REP 2061506	QC	23.2	79.0	32.6	44	5.6	10.8	0.4	30	6.26	89.5	<0.5	1.5	125	0.3	22.3	0.3	393	0.03	0.559	24
2061542	Soil	6.7	41.3	21.7	157	0.9	51.2	17.4	502	3.21	15.7	3.6	7.9	26	2.5	2.7	0.3	40	0.26	0.130	36
REP 2061542	QC	6.6	42.4	21.0	155	0.9	49.0	17.0	501	3.15	15.1	3.9	7.6	25	2.6	2.6	0.3	38	0.22	0.129	33
2061578	Soil	2.5	76.5	13.9	140	1.5	56.0	11.4	400	2.97	12.3	12.1	5.0	45	0.6	2.2	0.2	53	0.07	0.050	25
REP 2061578	QC	2.6	76.2	13.8	138	1.6	57.2	11.7	406	2.94	12.8	9.8	5.1	45	0.5	2.1	0.2	53	0.08	0.053	26
2061614	Soil	1.8	22.0	13.4	56	<0.1	17.3	6.8	239	2.89	9.9	2.9	1.4	10	0.1	0.8	0.3	72	0.08	0.028	15
REP 2061614	QC	1.6	22.3	13.1	55	<0.1	16.3	6.3	231	2.85	9.7	1.5	1.5	10	0.1	0.8	0.3	72	0.09	0.030	15
2061650	Soil	1.7	16.5	13.8	60	<0.1	17.1	7.8	356	2.73	11.5	3.5	0.9	10	0.2	0.8	0.2	55	0.09	0.061	15
REP 2061650	QC	1.7	16.7	13.4	60	<0.1	16.3	7.3	345	2.65	11.5	2.7	0.8	10	0.2	0.8	0.2	54	0.09	0.056	15
2061686	Soil	23.8	109.4	16.4	285	0.4	88.2	14.0	394	3.46	25.5	2.5	4.8	159	4.2	3.5	0.3	36	2.96	0.537	12
REP 2061686	QC	23.3	110.9	16.6	291	0.4	85.7	13.6	380	3.46	26.5	2.3	4.8	158	4.2	3.7	0.3	36	2.97	0.515	12
2061722	Soil	2.5	68.6	13.8	153	0.9	55.4	9.6	703	2.71	8.4	5.9	2.5	26	0.7	1.1	0.2	45	0.22	0.074	29
REP 2061722	QC	2.6	69.9	13.5	153	0.9	54.6	9.3	696	2.70	8.8	6.3	2.5	25	0.5	1.1	0.2	44	0.22	0.071	28
2061758	Soil	2.9	12.7	12.1	50	<0.1	14.4	4.6	142	2.54	10.1	1.3	3.8	12	<0.1	0.7	0.2	69	0.09	0.071	23
REP 2061758	QC	2.8	12.6	12.2	50	<0.1	13.6	4.7	140	2.50	10.0	2.1	3.9	12	<0.1	0.6	0.3	69	0.10	0.068	22
2061792	Soil	1.6	11.5	12.7	37	0.2	10.6	4.0	134	2.93	13.3	0.9	2.9	11	<0.1	0.7	0.3	75	0.08	0.032	16
REP 2061792	QC	1.5	11.7	12.7	37	0.2	10.7	4.1	137	2.96	13.4	2.7	2.9	10	<0.1	0.7	0.3	75	0.07	0.035	15
Reference Materials																					
STD DS11	Standard	14.5	147.5	135.6	344	1.7	78.9	13.9	1032	3.13	44.1	70.6	7.5	72	2.1	8.9	12.5	51	1.04	0.070	18
STD DS11	Standard	16.3	149.4	141.5	343	1.7	82.7	14.2	1048	3.22	43.1	65.0	8.5	72	2.4	8.5	11.2	54	1.13	0.068	21
STD DS11	Standard	15.4	148.0	137.6	336	1.6	78.8	13.4	1016	3.12	42.7	63.9	7.8	69	2.3	8.5	11.3	52	1.02	0.067	20
STD DS11	Standard	14.8	149.0	136.7	333	1.7	77.7	13.5	998	3.12	42.8	85.8	7.8	69	2.3	8.7	11.3	52	1.03	0.063	19
STD DS11	Standard	14.9	147.4	133.0	337	1.7	75.1	13.1	1007	3.04	41.5	65.8	7.7	68	2.4	8.2	11.2	51	1.04	0.066	20
STD DS11	Standard	15.3	150.5	138.4	342	1.7	79.0	13.8	1035	3.16	44.3	81.4	8.0	69	2.3	8.3	11.4	52	1.09	0.067	19
STD DS11	Standard	14.3	142.7	139.5	331	1.7	79.2	13.4	1059	3.33	44.1	63.0	8.5	76	2.3	8.5	11.6	55	1.14	0.072	21
STD DS11	Standard	13.9	146.6	143.2	334	1.7	77.6	13.6	1075	3.15	42.4	87.0	8.2	73	2.3	8.6	12.2	49	1.05	0.069	20
STD DS11	Standard	16.0	155.6	133.6	364	1.8	84.6	15.1	1070	3.35	44.3	75.4	7.8	74	2.5	8.1	12.1	56	1.14	0.077	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000894.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2061506	Soil	43	0.13	244	0.005	2	0.73	0.032	0.22	<0.1	0.82	1.3	0.6	1.00	4	25.7	<0.2
REP 2061506	QC	43	0.13	237	0.005	<1	0.74	0.032	0.21	<0.1	0.87	1.2	0.6	1.02	4	29.0	<0.2
2061542	Soil	30	0.48	130	0.024	1	1.54	0.006	0.06	<0.1	0.16	3.6	0.4	<0.05	4	2.1	<0.2
REP 2061542	QC	29	0.47	123	0.022	2	1.51	0.006	0.06	<0.1	0.16	3.3	0.4	<0.05	4	2.2	<0.2
2061578	Soil	32	0.48	458	0.017	2	1.57	0.009	0.07	<0.1	0.30	4.1	0.2	<0.05	4	2.3	<0.2
REP 2061578	QC	33	0.48	462	0.017	3	1.59	0.010	0.08	0.1	0.30	4.3	0.2	<0.05	4	1.5	<0.2
2061614	Soil	34	0.37	96	0.039	2	1.83	0.005	0.04	0.2	0.04	2.5	0.2	<0.05	7	0.8	<0.2
REP 2061614	QC	34	0.37	100	0.041	2	1.84	0.005	0.05	0.2	0.04	2.5	0.2	<0.05	7	<0.5	<0.2
2061650	Soil	29	0.37	103	0.020	<1	1.76	0.006	0.05	0.1	0.06	1.6	0.2	<0.05	5	0.8	<0.2
REP 2061650	QC	29	0.36	106	0.020	<1	1.72	0.005	0.05	0.1	0.04	1.6	0.2	<0.05	5	1.0	<0.2
2061686	Soil	20	0.57	257	0.002	3	0.90	0.019	0.20	<0.1	1.57	3.3	1.1	0.47	2	4.4	<0.2
REP 2061686	QC	20	0.54	260	0.002	3	0.86	0.018	0.20	<0.1	1.57	3.3	1.1	0.47	2	4.1	<0.2
2061722	Soil	25	0.30	607	0.007	2	1.42	0.003	0.07	<0.1	0.24	2.7	0.1	<0.05	4	3.1	<0.2
REP 2061722	QC	25	0.32	598	0.007	3	1.44	0.003	0.07	<0.1	0.24	2.7	0.1	<0.05	4	2.5	<0.2
2061758	Soil	28	0.30	78	0.029	<1	1.82	0.005	0.06	0.1	0.03	2.7	0.3	<0.05	7	0.9	<0.2
REP 2061758	QC	29	0.30	79	0.029	1	1.79	0.005	0.06	0.1	0.04	2.7	0.3	<0.05	7	1.0	<0.2
2061792	Soil	25	0.25	102	0.047	1	1.44	0.005	0.04	0.2	0.03	2.4	0.2	<0.05	7	<0.5	<0.2
REP 2061792	QC	25	0.24	98	0.044	2	1.39	0.004	0.04	0.2	0.03	2.4	0.2	<0.05	7	<0.5	<0.2
Reference Materials																	
STD DS11	Standard	60	0.83	369	0.091	7	1.12	0.067	0.39	3.2	0.31	3.2	4.7	0.29	5	3.0	4.7
STD DS11	Standard	64	0.84	388	0.103	8	1.24	0.076	0.42	2.8	0.26	3.6	5.0	0.28	5	2.3	4.7
STD DS11	Standard	60	0.83	389	0.097	7	1.19	0.078	0.39	2.8	0.23	3.4	4.9	0.27	5	2.0	4.7
STD DS11	Standard	59	0.83	374	0.097	8	1.15	0.070	0.39	3.1	0.27	3.2	4.9	0.27	5	2.9	5.2
STD DS11	Standard	60	0.78	372	0.097	7	1.15	0.071	0.40	2.8	0.25	3.4	4.9	0.29	5	2.4	4.8
STD DS11	Standard	61	0.83	356	0.093	7	1.16	0.079	0.41	2.9	0.25	3.4	4.9	0.29	5	2.5	4.2
STD DS11	Standard	60	0.85	385	0.107	6	1.25	0.080	0.40	2.9	0.26	3.6	4.9	0.24	5	1.7	4.5
STD DS11	Standard	57	0.83	338	0.102	9	1.17	0.073	0.38	3.2	0.28	3.1	4.8	0.28	5	2.0	4.8
STD DS11	Standard	66	0.87	377	0.102	9	1.31	0.073	0.43	2.8	0.26	3.8	5.2	0.32	5	2.4	5.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000894.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
STD OXC129	Standard	1.3	25.8	5.9	40	<0.1	79.4	20.0	421	3.03	0.7	193.6	1.8	199	<0.1	<0.1	<0.1	51	0.65	0.102	12
STD OXC129	Standard	1.4	26.8	6.1	41	<0.1	83.8	21.4	423	3.16	0.6	193.9	1.8	204	<0.1	<0.1	<0.1	57	0.82	0.097	12
STD OXC129	Standard	1.2	26.9	6.0	40	<0.1	82.7	20.5	409	3.03	0.8	194.2	1.7	198	<0.1	<0.1	<0.1	54	0.75	0.092	12
STD OXC129	Standard	1.2	26.3	6.1	41	<0.1	79.5	20.0	438	3.11	0.5	195.4	1.8	203	<0.1	<0.1	<0.1	54	0.77	0.094	12
STD OXC129	Standard	1.2	26.7	5.9	41	<0.1	78.6	20.5	424	3.08	<0.5	201.4	1.7	199	<0.1	<0.1	<0.1	56	0.78	0.096	12
STD OXC129	Standard	1.1	26.8	5.9	41	<0.1	78.1	20.6	416	3.05	0.6	194.9	1.7	187	<0.1	<0.1	<0.1	54	0.69	0.092	12
STD OXC129	Standard	1.3	26.8	6.4	43	<0.1	82.4	22.5	460	3.26	0.5	201.0	1.9	219	<0.1	<0.1	<0.1	59	0.82	0.103	12
STD OXC129	Standard	1.2	26.0	6.7	42	<0.1	77.9	20.1	403	3.07	7.4	195.8	2.0	201	<0.1	<0.1	<0.1	50	0.71	0.102	13
STD OXC129	Standard	1.4	29.0	5.9	46	<0.1	89.5	23.8	456	3.29	0.8	195.3	1.8	208	<0.1	<0.1	<0.1	64	0.82	0.117	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 02, 2018

QUALITY CONTROL REPORT WHI18000894.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXC129	Standard	52	1.54	49	0.395	3	1.54	0.574	0.36	0.1	<0.01	1.3	<0.1	<0.05	5	0.7	<0.2
STD OXC129	Standard	57	1.54	49	0.422	2	1.68	0.582	0.36	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.54	49	0.391	1	1.62	0.582	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	55	1.54	50	0.408	<1	1.62	0.584	0.34	<0.1	0.02	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.56	50	0.408	<1	1.64	0.592	0.37	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	53	1.48	49	0.392	<1	1.54	0.573	0.37	<0.1	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	55	1.66	53	0.433	<1	1.80	0.668	0.35	<0.1	<0.01	1.0	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	49	1.57	51	0.426	1	1.56	0.644	0.34	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	63	1.67	53	0.459	2	1.77	0.588	0.38	<0.1	<0.01	1.2	0.1	<0.05	6	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: September 11, 2018
Report Date: October 03, 2018
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI18000895.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-40
P.O. Number	VAN2018-068
Number of Samples:	129

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	120	Dry at 60C			WHI
SS80	120	Dry at 60C sieve 100g to -80 mesh			WHI
SVRJT	120	Save all or part of Soil Reject			WHI
SLBHP	120	Sort, label and box pulps			WHI
AQ201	120	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	120	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061851	Soil	1.8	39.2	15.4	66	<0.1	21.2	12.1	471	3.16	10.7	2.9	1.8	12	0.2	0.8	0.4	68	0.10	0.048	15
2061852	Soil	1.0	65.9	15.8	81	<0.1	33.3	13.7	397	2.78	9.3	4.7	2.3	9	0.2	0.7	0.3	41	0.06	0.035	11
2061853	Soil	1.4	18.7	13.3	51	<0.1	16.1	4.8	126	2.68	9.9	3.2	3.2	10	0.1	0.6	0.3	39	0.07	0.031	12
2061854	Soil	1.6	22.4	15.3	53	0.4	20.2	6.1	168	3.05	11.3	2.3	3.6	12	0.1	0.7	0.2	35	0.07	0.043	10
2061855	Soil	1.3	19.9	13.2	59	<0.1	26.2	10.2	281	2.79	12.2	2.5	4.5	15	0.1	0.7	0.2	43	0.11	0.052	15
2061856	Soil	1.6	23.2	14.1	61	<0.1	26.2	8.1	244	2.83	11.4	2.0	4.9	19	0.1	0.6	0.2	43	0.11	0.044	14
2061857	Soil	1.8	16.3	16.5	50	0.2	15.9	3.1	95	3.08	10.7	1.6	2.3	10	<0.1	0.6	0.3	40	0.03	0.046	8
2061858	Soil	1.1	17.6	12.8	52	<0.1	23.0	7.6	210	2.92	10.6	1.2	4.2	12	0.1	0.6	0.2	47	0.07	0.036	12
2061859	Soil	1.5	21.9	18.2	36	0.1	11.9	3.0	76	2.88	11.1	1.9	1.8	18	0.1	0.5	0.3	40	0.03	0.052	10
2061860	Soil	2.9	24.8	29.2	67	0.2	23.0	3.3	154	4.20	23.7	0.9	7.2	17	0.1	0.8	0.4	37	0.04	0.083	16
2061861	Soil	6.6	37.0	38.9	131	0.2	45.5	11.6	135	5.66	26.4	<0.5	9.9	44	0.3	0.8	0.7	29	0.10	0.166	27
2061862	Soil	4.3	85.1	16.2	207	2.0	70.4	9.3	562	2.69	15.3	5.8	2.3	45	0.9	1.7	0.3	37	0.39	0.092	22
2061863	Soil	2.3	38.0	12.1	87	0.4	33.0	9.9	413	2.68	10.0	4.8	3.6	26	0.4	1.0	0.2	50	0.17	0.052	23
2061864	Soil	3.8	61.1	13.6	124	0.9	54.2	11.9	347	3.32	13.8	4.5	3.7	27	0.6	1.5	0.2	47	0.09	0.069	20
2061865	Soil	2.8	65.7	12.7	56	0.5	16.5	3.7	100	2.76	57.5	17.0	2.3	9	0.1	1.4	0.2	47	0.03	0.036	8
2061866	Soil	2.4	32.0	20.1	46	0.4	16.2	4.4	152	3.36	19.1	1.5	0.3	16	0.2	0.7	0.3	53	0.06	0.149	8
2061867	Soil	1.6	22.1	14.0	49	0.2	18.0	7.6	291	2.89	13.2	3.6	2.0	14	0.1	0.7	0.2	54	0.11	0.081	12
2061868	Soil	1.6	21.1	15.3	56	0.2	22.4	9.0	336	2.82	13.8	5.1	2.8	14	0.1	0.7	0.2	58	0.10	0.065	15
2061869	Soil	1.8	34.2	18.4	61	0.6	21.8	7.8	185	3.11	22.6	3.8	4.2	17	0.2	1.4	0.2	51	0.07	0.047	12
2061870	Soil	1.4	24.0	12.2	57	0.2	22.7	7.7	202	2.68	15.3	1.8	4.7	13	0.1	0.8	0.2	47	0.10	0.057	14
2061871	Soil	1.3	17.7	12.3	49	0.2	18.2	7.0	253	2.81	13.6	1.5	4.3	11	0.1	0.8	0.2	53	0.09	0.033	15
2061872	Soil	1.5	22.9	15.3	44	0.2	28.0	5.3	164	2.81	17.3	4.5	4.0	19	0.1	0.7	0.2	38	0.13	0.073	10
2061873	Soil	1.1	18.8	11.6	52	0.1	20.2	8.2	260	2.57	13.5	4.6	4.0	14	0.2	0.7	0.2	50	0.14	0.058	15
2061874	Soil	1.4	18.1	12.8	50	0.2	19.3	7.5	264	2.67	15.0	2.1	4.1	10	0.2	0.7	0.2	55	0.08	0.033	16
2061875	Soil	1.3	22.0	11.6	64	<0.1	26.4	11.7	359	2.99	13.7	4.1	4.9	12	0.1	0.8	0.2	52	0.13	0.044	15
2061876	Soil	1.3	133.8	7.6	85	0.1	23.6	10.9	368	2.99	8.5	4.8	2.1	14	0.2	0.6	0.1	52	0.19	0.053	13
2061877	Soil	1.2	21.3	11.6	49	<0.1	17.3	6.4	207	2.51	12.8	3.6	1.3	12	<0.1	0.7	0.2	52	0.11	0.052	15
2061878	Soil	1.7	23.1	14.5	41	0.2	15.3	5.0	207	2.88	13.7	5.0	3.4	12	0.2	0.7	0.2	54	0.08	0.042	14
2061879	Soil	1.9	14.4	14.9	41	0.2	15.0	5.7	190	2.64	12.4	3.7	4.0	12	0.2	0.6	0.2	60	0.08	0.038	16
2061880	Soil	1.9	40.4	22.9	61	0.3	23.2	3.1	135	2.77	11.9	6.0	2.1	48	0.3	0.7	0.3	44	0.05	0.058	8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061851	Soil	37	0.50	201	0.038	3	2.08	0.007	0.05	0.2	0.06	3.0	0.2	<0.05	6	<0.5	<0.2
2061852	Soil	31	0.40	143	0.019	3	1.56	0.005	0.05	0.1	0.03	2.5	<0.1	<0.05	4	<0.5	<0.2
2061853	Soil	25	0.34	93	0.016	1	1.24	0.005	0.04	0.1	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
2061854	Soil	28	0.35	80	0.014	1	1.52	0.005	0.04	<0.1	0.06	2.3	0.1	<0.05	4	<0.5	<0.2
2061855	Soil	27	0.43	127	0.027	2	1.62	0.006	0.05	0.1	0.03	2.8	0.1	<0.05	4	<0.5	<0.2
2061856	Soil	28	0.42	154	0.026	2	1.35	0.007	0.05	<0.1	0.03	3.4	0.1	<0.05	4	<0.5	<0.2
2061857	Soil	24	0.32	69	0.005	<1	1.33	0.005	0.05	<0.1	0.02	1.9	0.1	<0.05	5	0.5	<0.2
2061858	Soil	30	0.42	105	0.026	1	1.81	0.006	0.05	0.1	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
2061859	Soil	24	0.21	67	0.006	1	1.29	0.006	0.05	<0.1	0.04	1.7	0.1	<0.05	5	<0.5	<0.2
2061860	Soil	34	0.54	92	0.005	2	1.74	0.010	0.08	<0.1	0.05	3.3	0.2	0.06	6	<0.5	<0.2
2061861	Soil	34	0.81	179	<0.001	<1	2.02	0.023	0.12	<0.1	0.04	3.3	0.4	0.43	5	1.4	<0.2
2061862	Soil	19	0.14	383	0.002	2	0.86	0.003	0.06	<0.1	0.54	3.8	0.2	<0.05	2	3.6	<0.2
2061863	Soil	25	0.33	361	0.021	2	1.47	0.006	0.06	0.1	0.09	3.0	0.1	<0.05	4	0.7	<0.2
2061864	Soil	25	0.31	277	0.019	2	1.53	0.012	0.05	0.1	0.16	3.6	0.2	<0.05	4	3.3	<0.2
2061865	Soil	20	0.14	190	0.010	1	0.97	0.003	0.03	<0.1	0.24	3.3	<0.1	<0.05	3	2.0	<0.2
2061866	Soil	30	0.20	117	0.006	1	1.36	0.006	0.05	<0.1	0.11	0.7	0.1	0.08	5	1.6	<0.2
2061867	Soil	32	0.36	149	0.022	1	1.85	0.006	0.05	0.2	0.06	2.9	0.1	<0.05	5	1.1	<0.2
2061868	Soil	31	0.42	172	0.025	<1	1.85	0.007	0.05	0.1	0.07	3.6	0.1	<0.05	5	<0.5	<0.2
2061869	Soil	25	0.29	141	0.022	1	1.48	0.006	0.05	0.1	0.10	2.8	<0.1	<0.05	4	1.2	<0.2
2061870	Soil	26	0.33	126	0.028	<1	1.38	0.006	0.05	0.1	0.05	2.8	0.1	<0.05	4	<0.5	<0.2
2061871	Soil	28	0.35	96	0.033	<1	1.59	0.006	0.04	0.2	0.04	2.9	0.1	<0.05	5	<0.5	<0.2
2061872	Soil	22	0.28	209	0.012	<1	1.14	0.007	0.05	<0.1	0.06	2.3	<0.1	<0.05	4	0.6	<0.2
2061873	Soil	26	0.37	109	0.035	<1	1.45	0.006	0.05	0.2	0.04	2.7	0.1	<0.05	4	<0.5	<0.2
2061874	Soil	28	0.35	116	0.037	1	1.58	0.006	0.05	0.2	0.04	3.1	0.1	<0.05	5	<0.5	<0.2
2061875	Soil	32	0.44	148	0.039	1	1.97	0.007	0.05	0.1	0.04	3.7	0.1	<0.05	4	0.6	<0.2
2061876	Soil	25	0.44	103	0.048	<1	1.52	0.007	0.05	0.2	0.04	3.5	0.1	<0.05	5	<0.5	<0.2
2061877	Soil	27	0.35	119	0.025	2	1.49	0.006	0.04	0.2	0.04	2.2	0.1	<0.05	5	0.6	<0.2
2061878	Soil	28	0.28	117	0.025	1	1.42	0.005	0.05	0.2	0.06	2.6	0.1	<0.05	5	0.7	<0.2
2061879	Soil	30	0.29	114	0.028	2	1.56	0.005	0.05	0.2	0.06	2.8	0.1	<0.05	6	0.5	<0.2
2061880	Soil	26	0.31	268	0.005	<1	1.53	0.005	0.04	<0.1	0.07	2.6	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061881	Soil	3.4	24.9	16.5	47	0.3	18.9	5.0	133	2.46	14.1	4.2	2.9	13	0.1	1.7	0.2	49	0.07	0.035	13
2061882	Soil	2.9	26.9	17.9	53	2.7	20.1	6.1	183	2.29	11.0	3.0	1.6	18	0.2	2.3	0.3	82	0.13	0.079	15
2061883	Soil	1.7	15.3	8.2	36	0.4	14.5	4.5	136	1.64	7.6	2.3	1.5	14	<0.1	2.3	0.1	45	0.12	0.040	15
2061884	Soil	1.7	12.8	9.9	31	<0.1	10.1	4.5	209	2.03	10.6	2.7	0.2	9	<0.1	0.5	0.2	53	0.07	0.047	12
2061885	Soil	1.2	21.2	9.7	49	0.1	17.8	5.9	163	2.11	9.7	3.6	0.8	13	<0.1	0.6	0.1	47	0.13	0.057	15
2061886	Soil	0.8	25.8	8.4	46	<0.1	21.2	4.9	199	1.94	8.8	3.5	2.5	12	<0.1	0.5	0.1	38	0.10	0.036	14
2061887	Soil	1.0	33.6	10.6	45	0.3	18.5	3.1	88	1.99	10.4	10.3	1.3	16	<0.1	0.7	0.2	38	0.07	0.042	8
2061888	Soil	3.1	18.5	14.0	37	0.3	18.3	4.7	181	2.19	10.7	5.8	1.4	14	0.1	3.5	0.2	52	0.07	0.038	12
2061889	Soil	1.3	19.7	10.6	45	0.2	18.5	6.1	176	2.13	10.3	4.4	2.2	20	0.1	0.9	0.2	46	0.13	0.064	13
2061890	Soil	1.2	13.9	8.5	33	0.2	12.3	3.2	80	1.57	6.7	5.0	0.4	12	<0.1	1.2	0.2	40	0.10	0.041	14
2061891	Soil	1.3	14.8	6.9	39	0.3	13.8	4.1	111	1.59	6.1	4.3	1.0	11	<0.1	1.4	0.1	39	0.11	0.043	16
2061892	Soil	1.0	17.5	11.4	43	0.2	16.6	7.2	202	2.55	11.9	4.8	4.5	12	0.1	0.8	0.2	46	0.12	0.042	16
2061893	Soil	1.9	18.9	7.9	47	0.2	17.7	5.7	159	1.73	6.8	2.9	1.4	10	0.1	1.9	0.1	41	0.10	0.042	20
2061901	Soil	23.2	38.2	25.0	89	0.2	31.0	7.6	144	4.60	29.9	0.6	8.8	22	0.2	0.7	0.3	26	<0.01	0.106	28
2061902	Soil	1.5	51.3	20.6	140	0.1	58.0	9.6	201	5.48	19.0	<0.5	10.3	34	0.3	0.2	0.4	34	0.13	0.241	15
2061903	Soil	1.3	35.2	24.6	98	<0.1	40.8	6.4	146	4.18	10.6	2.0	7.5	18	0.2	0.5	0.3	28	0.03	0.075	17
2061904	Soil	1.4	51.6	33.2	191	0.1	86.4	24.4	225	5.49	11.9	1.3	9.5	15	0.1	0.6	0.4	30	0.02	0.078	15
2061905	Soil	1.4	21.1	13.0	68	<0.1	29.1	10.6	234	2.93	11.9	2.5	5.6	12	0.2	0.8	0.2	41	0.08	0.046	14
2061906	Soil	1.7	28.9	16.5	77	0.3	36.4	11.2	198	3.22	13.4	1.4	6.9	11	0.2	0.7	0.3	42	0.05	0.044	19
2061907	Soil	3.1	18.7	15.2	56	<0.1	18.7	5.6	170	3.23	14.7	1.3	6.0	10	0.1	0.6	0.3	45	0.05	0.048	22
2061908	Soil	1.1	22.3	11.8	67	<0.1	24.1	10.1	429	2.47	12.1	3.8	4.0	12	0.2	0.9	0.2	45	0.12	0.056	18
2061909	Soil	1.4	22.4	13.3	72	0.1	29.4	11.3	441	2.65	10.6	2.3	1.9	14	0.3	0.8	0.2	44	0.14	0.067	17
2061910	Soil	1.1	28.0	10.0	65	0.1	22.4	8.4	288	2.63	11.6	3.4	1.2	12	0.1	0.7	0.2	53	0.11	0.053	18
2061911	Soil	1.0	37.3	9.3	62	<0.1	28.2	12.4	443	2.70	12.7	2.2	3.2	12	0.2	0.7	0.1	54	0.13	0.033	15
2061912	Soil	1.3	19.7	11.0	67	<0.1	21.1	10.4	433	3.01	11.0	1.0	0.8	13	0.1	0.7	0.2	64	0.14	0.056	14
2061913	Soil	1.1	62.7	10.0	69	<0.1	31.9	18.5	789	3.01	14.0	2.2	2.2	13	0.1	0.7	0.1	65	0.18	0.042	14
2061914	Soil	2.0	32.1	11.7	84	0.2	27.8	5.7	240	2.67	18.6	2.7	0.3	8	0.2	1.1	0.2	60	0.08	0.054	13
2061915	Soil	1.5	26.0	11.8	75	0.1	23.5	7.9	327	2.57	12.5	3.8	0.6	10	0.2	0.8	0.2	54	0.10	0.050	15
2061916	Soil	1.3	99.8	9.9	97	<0.1	43.5	16.5	552	3.45	12.3	8.0	2.1	19	0.2	0.7	0.2	76	0.31	0.082	18
2061917	Soil	1.2	50.5	10.1	90	<0.1	28.9	12.8	446	3.18	10.2	7.6	1.2	15	0.2	0.7	0.2	69	0.24	0.052	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061881	Soil	22	0.32	175	0.010	<1	1.30	0.005	0.05	<0.1	0.11	2.5	0.3	<0.05	4	0.8	<0.2
2061882	Soil	34	0.41	234	0.013	1	2.00	0.007	0.07	0.1	0.19	2.8	0.3	<0.05	6	2.1	<0.2
2061883	Soil	23	0.32	156	0.027	1	1.07	0.006	0.04	0.1	0.07	2.1	0.1	<0.05	3	<0.5	<0.2
2061884	Soil	23	0.23	81	0.016	<1	1.25	0.004	0.04	0.1	0.04	0.9	0.1	<0.05	5	<0.5	<0.2
2061885	Soil	26	0.37	132	0.022	<1	1.48	0.005	0.04	0.1	0.06	1.9	0.1	<0.05	4	<0.5	<0.2
2061886	Soil	24	0.36	186	0.025	<1	1.20	0.005	0.03	<0.1	0.09	2.5	<0.1	<0.05	3	<0.5	<0.2
2061887	Soil	22	0.29	191	0.010	2	1.07	0.005	0.04	0.1	0.10	1.6	<0.1	<0.05	3	<0.5	<0.2
2061888	Soil	23	0.30	279	0.014	2	1.15	0.005	0.04	0.1	0.11	2.0	0.2	<0.05	4	1.0	<0.2
2061889	Soil	26	0.37	184	0.023	2	1.51	0.005	0.04	0.1	0.07	2.3	0.1	<0.05	4	<0.5	<0.2
2061890	Soil	21	0.30	104	0.015	1	1.15	0.004	0.03	0.1	0.04	1.1	0.1	<0.05	4	<0.5	<0.2
2061891	Soil	20	0.30	109	0.025	2	1.03	0.005	0.03	0.1	0.04	1.7	<0.1	<0.05	3	<0.5	<0.2
2061892	Soil	28	0.39	104	0.037	2	1.58	0.006	0.05	0.2	0.06	2.7	0.1	<0.05	4	0.6	<0.2
2061893	Soil	21	0.34	202	0.027	1	1.14	0.005	0.04	0.2	0.07	2.6	0.1	<0.05	3	<0.5	<0.2
2061901	Soil	29	0.68	83	<0.001	1	1.77	0.015	0.12	<0.1	0.12	3.8	0.3	0.20	5	1.1	<0.2
2061902	Soil	42	1.22	106	<0.001	<1	3.02	0.017	0.20	<0.1	0.08	4.8	0.2	0.24	7	0.5	<0.2
2061903	Soil	31	0.66	84	<0.001	1	1.82	0.008	0.07	<0.1	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
2061904	Soil	36	0.78	75	<0.001	<1	2.27	0.008	0.07	<0.1	0.05	3.9	<0.1	<0.05	5	<0.5	<0.2
2061905	Soil	28	0.44	85	0.024	2	1.69	0.006	0.06	<0.1	0.03	2.9	0.1	<0.05	4	<0.5	<0.2
2061906	Soil	30	0.56	82	0.015	1	1.83	0.006	0.06	0.1	0.05	3.2	0.2	<0.05	5	<0.5	<0.2
2061907	Soil	28	0.40	84	0.013	1	1.78	0.006	0.05	0.1	0.04	2.4	0.2	<0.05	5	<0.5	<0.2
2061908	Soil	26	0.40	151	0.033	2	1.43	0.006	0.05	0.2	0.04	3.0	<0.1	<0.05	4	<0.5	<0.2
2061909	Soil	26	0.35	183	0.023	2	1.46	0.005	0.05	0.1	0.07	2.6	0.1	<0.05	4	<0.5	<0.2
2061910	Soil	29	0.42	164	0.033	2	1.76	0.006	0.05	0.1	0.05	2.9	0.2	<0.05	5	<0.5	<0.2
2061911	Soil	28	0.51	180	0.048	1	1.62	0.007	0.05	0.2	0.02	3.7	0.1	<0.05	4	<0.5	<0.2
2061912	Soil	35	0.50	191	0.035	3	2.05	0.007	0.06	0.2	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
2061913	Soil	33	0.55	261	0.040	2	1.80	0.006	0.05	0.2	0.03	4.7	0.1	<0.05	5	0.5	<0.2
2061914	Soil	29	0.32	187	0.023	2	1.38	0.005	0.05	0.2	0.05	1.5	0.2	<0.05	5	0.8	<0.2
2061915	Soil	28	0.36	129	0.027	2	1.53	0.005	0.05	0.1	0.04	1.8	0.1	<0.05	5	0.6	<0.2
2061916	Soil	38	0.73	230	0.052	3	2.17	0.011	0.06	0.3	0.06	5.1	0.1	<0.05	6	<0.5	<0.2
2061917	Soil	27	0.50	188	0.042	2	1.62	0.006	0.05	0.3	0.04	2.7	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061918	Soil	1.3	60.3	10.0	81	<0.1	30.4	14.4	593	3.23	11.2	5.2	2.1	16	0.2	0.8	0.2	88	0.25	0.053	16
2061919	Soil	1.3	21.5	11.6	68	<0.1	24.6	12.1	375	2.63	12.1	2.2	3.3	12	0.3	0.7	0.2	54	0.13	0.035	15
2061920	Soil	1.2	21.2	11.6	67	<0.1	21.6	9.3	325	2.74	11.5	1.8	2.6	11	0.2	0.7	0.2	63	0.12	0.036	16
2061921	Soil	1.3	88.6	8.8	91	0.1	34.9	17.7	613	3.20	8.5	18.8	3.4	19	0.4	0.8	0.1	87	0.31	0.079	19
2061922	Soil	1.2	40.4	18.3	74	0.1	30.0	16.7	429	2.68	14.9	2.6	3.1	12	0.3	0.7	0.1	54	0.15	0.039	14
2061923	Soil	1.3	107.0	9.0	84	<0.1	32.7	18.7	539	3.46	10.5	9.5	2.7	13	0.2	0.8	0.2	90	0.19	0.050	16
2061924	Soil	3.5	66.6	17.4	148	0.6	46.1	12.0	1281	3.12	13.8	8.6	0.4	15	0.4	1.6	0.2	59	0.05	0.094	15
2061925	Soil	3.5	52.2	13.1	118	0.5	39.1	8.2	454	2.51	22.8	4.8	0.4	21	0.5	1.3	0.3	40	0.10	0.079	14
2061926	Soil	1.3	17.3	12.0	49	<0.1	19.1	7.1	236	2.70	13.0	2.6	1.9	10	<0.1	0.7	0.2	52	0.11	0.053	16
2061927	Soil	1.5	28.9	16.1	48	0.3	22.8	9.0	288	3.15	19.9	2.7	3.4	16	0.2	0.9	0.2	48	0.08	0.060	12
2061928	Soil	1.2	70.9	9.8	156	<0.1	51.5	23.8	664	3.38	11.5	2.8	1.5	15	0.2	0.7	0.2	72	0.24	0.074	15
2061929	Soil	1.1	27.2	10.9	67	<0.1	25.0	11.1	300	2.80	12.6	2.4	2.0	17	<0.1	0.7	0.2	55	0.21	0.080	16
2061930	Soil	1.6	32.6	17.8	50	0.3	22.0	3.3	122	2.97	18.8	1.5	2.2	11	<0.1	0.7	0.3	49	0.03	0.057	5
2061931	Soil	1.4	24.5	13.7	59	0.2	21.2	8.1	244	2.82	17.7	2.0	3.6	12	0.1	0.9	0.2	51	0.10	0.049	12
2061932	Soil	1.2	24.4	13.9	60	0.1	23.0	9.0	305	2.67	16.7	2.1	3.6	11	0.1	0.8	0.2	44	0.08	0.045	14
2061933	Soil	1.5	21.5	13.3	48	0.2	18.0	7.3	233	2.81	14.8	4.0	3.0	10	0.1	0.8	0.2	57	0.08	0.047	13
2061934	Soil	1.3	20.1	12.2	49	0.3	18.4	6.8	213	2.76	14.2	1.6	2.6	8	0.1	0.7	0.2	55	0.07	0.035	13
2061935	Soil	1.1	26.2	12.3	56	0.3	25.8	10.4	276	2.94	14.4	3.7	5.2	9	0.1	0.8	0.2	42	0.08	0.040	15
2061936	Soil	1.3	18.5	13.0	46	<0.1	16.6	5.6	149	2.60	12.6	5.7	0.4	10	<0.1	0.7	0.2	60	0.09	0.049	14
2061937	Soil	1.0	23.9	12.8	53	<0.1	20.7	8.4	155	2.53	11.1	4.3	2.1	14	<0.1	0.7	0.2	54	0.17	0.068	18
2061938	Soil	1.3	23.7	12.8	56	<0.1	24.7	9.8	306	2.83	13.7	1.3	4.4	12	0.1	0.7	0.2	48	0.10	0.049	13
2061939	Soil	1.2	19.7	12.0	53	<0.1	20.7	8.9	294	2.64	12.7	4.1	2.6	12	<0.1	0.7	0.2	54	0.12	0.051	15
2061940	Soil	1.1	21.0	10.8	50	<0.1	20.5	8.1	243	2.44	11.3	2.9	2.6	12	0.1	0.6	0.2	49	0.10	0.039	13
2061941	Soil	1.3	27.4	12.2	56	<0.1	23.8	9.1	286	2.63	13.9	3.4	3.6	12	0.2	0.7	0.2	46	0.12	0.053	13
2061942	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061943	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061944	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061945	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061946	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061947	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061918	Soil	32	0.57	205	0.066	2	1.99	0.008	0.05	0.2	0.04	3.9	0.1	<0.05	6	<0.5	<0.2
2061919	Soil	29	0.45	194	0.044	1	1.76	0.007	0.05	0.2	0.03	3.4	0.2	<0.05	5	0.7	<0.2
2061920	Soil	31	0.43	216	0.048	2	1.81	0.007	0.05	0.2	0.03	3.2	0.2	<0.05	6	<0.5	<0.2
2061921	Soil	33	0.54	185	0.072	2	1.71	0.010	0.06	0.2	0.04	7.3	<0.1	<0.05	5	0.7	<0.2
2061922	Soil	28	0.44	159	0.046	2	1.80	0.007	0.04	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
2061923	Soil	28	0.48	149	0.057	2	1.85	0.007	0.05	0.2	0.03	4.5	0.1	<0.05	5	0.7	<0.2
2061924	Soil	26	0.23	219	0.030	3	1.13	0.005	0.08	<0.1	0.05	1.6	0.1	0.06	4	1.5	<0.2
2061925	Soil	21	0.20	190	0.009	2	0.94	0.004	0.05	0.1	0.15	1.4	0.2	<0.05	3	2.3	<0.2
2061926	Soil	28	0.37	105	0.029	2	1.60	0.005	0.04	0.2	0.04	2.5	0.2	<0.05	5	0.7	<0.2
2061927	Soil	29	0.39	182	0.022	2	1.63	0.008	0.07	0.1	0.07	2.9	0.1	0.10	4	1.3	<0.2
2061928	Soil	31	0.58	184	0.046	2	2.13	0.008	0.05	0.1	0.04	4.4	0.1	0.06	6	<0.5	<0.2
2061929	Soil	32	0.51	182	0.039	2	1.93	0.008	0.05	0.2	0.04	2.8	0.2	<0.05	5	0.6	<0.2
2061930	Soil	28	0.29	173	0.009	<1	1.43	0.005	0.05	<0.1	0.05	1.8	0.1	0.07	4	1.9	<0.2
2061931	Soil	29	0.37	105	0.034	2	1.60	0.005	0.05	0.2	0.05	2.7	0.1	<0.05	5	0.9	<0.2
2061932	Soil	26	0.41	168	0.025	1	1.37	0.006	0.04	0.1	0.04	2.9	0.1	<0.05	4	1.1	<0.2
2061933	Soil	28	0.34	91	0.034	1	1.64	0.005	0.04	0.2	0.06	2.6	0.1	<0.05	5	1.1	<0.2
2061934	Soil	27	0.34	98	0.031	<1	1.72	0.004	0.03	0.2	0.06	2.5	0.1	<0.05	5	0.8	<0.2
2061935	Soil	28	0.37	110	0.035	3	1.69	0.005	0.05	0.2	0.07	3.2	0.1	<0.05	4	1.0	<0.2
2061936	Soil	31	0.36	127	0.023	<1	1.54	0.005	0.04	0.2	0.05	1.8	0.2	<0.05	6	0.9	<0.2
2061937	Soil	32	0.46	214	0.031	1	1.81	0.007	0.05	0.2	0.06	3.5	0.1	<0.05	5	0.9	<0.2
2061938	Soil	28	0.43	147	0.031	<1	1.71	0.006	0.05	0.2	0.03	3.2	<0.1	<0.05	4	1.1	<0.2
2061939	Soil	28	0.41	156	0.032	<1	1.56	0.005	0.04	0.2	0.03	2.9	0.1	<0.05	5	0.7	<0.2
2061940	Soil	28	0.40	198	0.026	1	1.55	0.006	0.04	0.2	0.04	2.8	0.1	<0.05	5	<0.5	<0.2
2061941	Soil	28	0.40	150	0.030	1	1.56	0.006	0.04	0.2	0.04	3.0	0.1	<0.05	4	0.9	<0.2
2061942	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061943	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061944	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061945	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061946	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061947	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061948	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061949	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061950	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061951	Soil	8.4	41.3	12.6	27	<0.1	10.4	2.2	52	1.77	27.8	1.1	2.0	8	<0.1	2.3	0.2	35	0.04	0.017	8
2061952	Soil	0.8	24.2	10.7	43	<0.1	15.8	3.9	87	1.64	6.8	6.0	0.8	11	<0.1	0.5	0.2	36	0.10	0.036	13
2061953	Soil	1.3	32.1	10.3	46	0.1	19.4	4.5	135	2.18	12.0	2.4	0.9	13	0.3	0.7	0.2	51	0.11	0.050	12
2061954	Soil	1.1	19.8	10.2	40	<0.1	14.5	3.8	120	1.96	8.7	2.3	0.3	9	<0.1	0.4	0.2	45	0.08	0.047	12
2061955	Soil	1.4	18.4	11.8	42	0.1	15.9	4.6	148	2.42	11.6	3.2	0.6	11	<0.1	0.6	0.2	54	0.08	0.052	14
2061956	Soil	1.1	28.2	10.1	56	0.1	24.1	7.5	180	2.32	10.8	3.4	1.9	14	0.1	0.7	0.2	44	0.14	0.067	14
2061957	Soil	1.7	18.0	12.7	52	0.1	17.2	6.2	223	2.38	11.8	4.9	1.9	12	<0.1	0.9	0.2	54	0.10	0.058	13
2061958	Soil	4.2	13.5	14.9	20	0.3	10.7	2.0	78	1.49	10.1	1.0	0.6	10	<0.1	2.8	0.2	56	0.04	0.035	8
2061959	Soil	1.5	25.3	12.3	53	0.2	21.9	6.2	202	2.53	12.3	4.7	1.1	16	0.2	1.1	0.2	53	0.09	0.057	12
2061960	Soil	1.3	21.3	8.9	49	0.1	18.8	6.6	162	2.07	8.6	1.6	2.1	15	0.1	1.1	0.2	47	0.16	0.061	16
2061961	Soil	1.1	16.8	8.4	46	<0.1	15.7	5.3	139	1.97	8.0	2.9	1.0	13	<0.1	0.9	0.1	42	0.14	0.057	13
2061962	Soil	1.7	16.4	9.4	36	0.3	14.6	4.5	142	1.53	6.7	2.8	1.5	12	<0.1	4.1	0.1	45	0.12	0.032	16
2061963	Soil	0.9	24.2	8.0	47	<0.1	18.7	5.2	136	1.99	8.0	0.9	1.9	12	0.1	0.6	0.1	42	0.15	0.052	13
2061352	Soil	4.7	79.0	18.1	56	<0.1	20.9	12.5	1230	2.74	9.2	1.5	0.5	13	<0.1	0.7	0.3	49	0.05	0.058	14
2061353	Soil	5.1	37.9	13.3	78	1.0	28.4	8.9	227	3.23	12.4	4.8	3.6	15	0.6	1.3	0.2	57	0.07	0.058	13
2061354	Soil	30.7	50.1	26.4	142	0.7	49.5	13.2	176	3.95	44.6	14.6	9.1	104	0.5	6.0	0.5	20	0.03	0.064	18
2061355	Soil	5.4	71.0	11.5	83	1.4	31.9	8.0	265	2.98	8.0	4.2	2.3	9	0.3	1.2	0.3	57	0.04	0.051	17
2061356	Soil	8.7	99.5	15.5	145	1.7	42.1	6.8	178	4.66	9.6	7.6	2.6	16	0.3	1.9	0.4	68	0.02	0.095	21
2061357	Soil	16.6	252.6	15.6	293	2.4	113.4	20.2	285	5.82	10.9	11.9	2.8	24	0.8	4.4	0.3	30	0.02	0.118	24
2061358	Soil	3.2	84.4	11.8	98	1.2	41.3	9.9	167	2.99	8.5	4.6	1.4	36	0.8	1.1	0.2	36	0.28	0.225	20
2061359	Soil	1.8	34.3	37.6	66	0.9	26.8	6.6	108	2.64	19.5	0.5	4.5	37	0.1	0.5	0.4	34	0.03	0.084	9
2061360	Soil	2.7	50.6	36.4	78	1.0	29.0	8.5	167	3.74	27.9	<0.5	5.5	34	0.1	0.8	0.3	40	0.02	0.099	6
2061361	Soil	3.0	51.4	35.2	81	1.0	36.3	10.6	169	4.14	26.3	1.0	5.7	33	0.2	0.6	0.4	39	0.02	0.099	5
2061362	Soil	3.0	54.5	43.4	68	1.5	29.9	5.9	117	3.74	34.5	0.5	4.0	25	0.2	0.8	0.4	41	0.02	0.132	7
2061363	Soil	1.9	49.8	33.6	89	1.2	40.2	9.7	360	3.46	28.9	5.6	2.3	40	0.3	0.9	0.5	30	0.04	0.078	7
2061364	Soil	2.0	33.2	28.9	70	0.5	23.5	5.0	164	2.89	25.0	3.3	1.4	34	<0.1	0.7	0.4	36	0.03	0.091	8
2061365	Soil	2.3	34.0	31.8	57	0.6	20.4	5.6	161	2.62	22.0	3.3	2.4	35	<0.1	0.8	0.4	34	0.05	0.096	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061948	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061949	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061950	Soil	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2061951	Soil	14	0.14	135	0.007	<1	0.49	0.003	0.03	<0.1	0.11	2.0	0.3	<0.05	2	1.9	<0.2
2061952	Soil	21	0.33	106	0.022	<1	1.14	0.005	0.03	0.1	0.04	1.8	<0.1	<0.05	3	0.6	<0.2
2061953	Soil	26	0.37	143	0.021	<1	1.38	0.005	0.04	0.1	0.07	2.0	0.1	<0.05	4	0.7	<0.2
2061954	Soil	26	0.35	122	0.013	<1	1.46	0.004	0.03	0.1	0.06	1.2	0.1	<0.05	5	0.6	<0.2
2061955	Soil	28	0.34	122	0.018	<1	1.61	0.005	0.04	0.2	0.06	1.5	0.1	<0.05	5	1.0	<0.2
2061956	Soil	25	0.39	154	0.024	<1	1.44	0.005	0.04	0.1	0.11	2.2	0.1	<0.05	4	0.7	<0.2
2061957	Soil	28	0.37	153	0.022	2	1.58	0.005	0.05	0.2	0.05	2.6	0.1	<0.05	5	0.9	<0.2
2061958	Soil	19	0.18	183	0.005	<1	0.93	0.006	0.04	<0.1	0.07	1.5	0.3	<0.05	4	1.2	<0.2
2061959	Soil	30	0.43	145	0.020	<1	1.64	0.005	0.05	0.1	0.08	2.1	0.1	<0.05	5	1.0	<0.2
2061960	Soil	26	0.41	154	0.030	<1	1.37	0.005	0.04	0.2	0.04	2.5	0.2	<0.05	4	0.8	<0.2
2061961	Soil	23	0.38	111	0.024	<1	1.34	0.005	0.03	0.1	0.04	1.7	0.1	<0.05	4	0.9	<0.2
2061962	Soil	20	0.30	291	0.028	<1	0.93	0.006	0.03	0.1	0.09	2.1	0.1	<0.05	3	0.5	<0.2
2061963	Soil	25	0.40	88	0.032	<1	1.38	0.005	0.04	0.1	0.04	2.1	<0.1	<0.05	4	0.7	<0.2
2061352	Soil	24	0.38	176	0.021	1	1.49	0.006	0.05	0.1	0.03	1.6	0.2	<0.05	6	<0.5	<0.2
2061353	Soil	32	0.34	198	0.025	1	1.85	0.011	0.06	0.1	0.09	3.4	0.3	<0.05	5	3.1	<0.2
2061354	Soil	15	0.10	325	0.004	<1	0.68	0.080	0.09	<0.1	0.57	4.7	1.1	0.42	3	4.8	0.4
2061355	Soil	32	0.31	247	0.013	1	1.59	0.004	0.07	<0.1	0.07	3.2	0.3	<0.05	6	3.2	<0.2
2061356	Soil	37	0.34	424	0.007	2	2.17	0.008	0.12	<0.1	0.15	4.4	0.3	0.08	9	6.2	0.3
2061357	Soil	25	0.40	329	0.004	2	2.03	0.023	0.12	<0.1	0.55	3.2	0.4	0.12	4	13.3	0.3
2061358	Soil	35	0.34	167	0.007	1	1.50	0.008	0.06	<0.1	0.15	1.8	0.2	0.09	3	3.3	<0.2
2061359	Soil	23	0.16	180	0.002	<1	1.15	0.008	0.07	<0.1	0.12	3.5	0.1	0.14	4	3.4	<0.2
2061360	Soil	24	0.11	206	0.002	<1	1.09	0.016	0.12	<0.1	0.11	3.4	0.1	0.32	4	3.1	<0.2
2061361	Soil	24	0.10	178	0.001	<1	1.12	0.014	0.12	<0.1	0.14	3.3	0.1	0.30	4	3.1	<0.2
2061362	Soil	26	0.15	169	<0.001	<1	1.35	0.007	0.06	<0.1	0.22	3.3	0.1	0.12	5	4.5	<0.2
2061363	Soil	21	0.08	160	0.001	1	1.00	0.005	0.05	<0.1	0.50	2.8	<0.1	0.10	3	3.8	0.2
2061364	Soil	23	0.12	99	0.003	<1	1.07	0.006	0.06	<0.1	0.16	1.8	<0.1	<0.05	4	2.1	<0.2
2061365	Soil	21	0.13	112	0.005	<1	1.10	0.004	0.04	<0.1	0.21	2.4	<0.1	<0.05	4	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
2061366	Soil	1.3	26.1	26.5	49	0.5	20.1	4.8	154	2.00	16.8	5.6	3.1	38	0.2	0.7	0.4	29	0.08	0.090	10
2061367	Soil	1.9	30.4	28.7	59	0.6	20.8	4.5	139	2.40	19.3	3.6	2.0	30	0.1	0.6	0.4	33	0.04	0.075	9
2061368	Soil	2.0	27.6	20.3	59	0.4	19.8	4.1	132	2.51	18.8	6.8	2.5	23	0.2	0.6	0.2	33	0.04	0.069	8
2061369	Soil	1.9	26.8	31.6	45	0.5	17.4	3.2	84	2.18	16.0	3.7	0.7	25	<0.1	0.5	0.5	32	0.04	0.100	9
2061370	Soil	1.9	36.6	22.2	78	0.6	25.3	5.4	202	3.33	27.2	2.9	2.8	19	0.1	0.9	0.3	48	0.11	0.117	13
2061371	Soil	2.3	41.7	21.6	82	0.8	22.0	4.1	86	2.86	23.1	3.5	1.8	9	0.1	1.0	0.3	36	0.03	0.072	6
2061372	Soil	2.4	31.6	28.4	65	0.8	20.2	2.8	114	3.24	21.7	3.5	1.9	18	<0.1	0.9	0.4	43	0.03	0.089	9
2061373	Soil	1.5	19.9	18.6	51	0.1	17.9	4.7	158	3.03	18.3	5.2	0.7	10	<0.1	0.8	0.3	58	0.06	0.059	11
2061374	Soil	1.4	15.6	12.8	61	<0.1	16.2	5.7	212	2.44	12.6	3.8	1.6	11	0.1	0.8	0.2	58	0.09	0.043	15

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

CERTIFICATE OF ANALYSIS WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2061366	Soil	18	0.14	130	0.009	<1	1.00	0.004	0.04	<0.1	0.27	2.5	<0.1	<0.05	3	1.1	<0.2
2061367	Soil	21	0.14	146	0.002	<1	1.11	0.004	0.04	<0.1	0.22	2.1	<0.1	<0.05	4	1.2	<0.2
2061368	Soil	19	0.12	93	0.004	<1	0.92	0.004	0.03	<0.1	0.19	2.2	<0.1	<0.05	3	1.6	<0.2
2061369	Soil	19	0.13	152	0.003	<1	1.21	0.006	0.05	<0.1	0.18	1.2	0.1	<0.05	4	1.3	<0.2
2061370	Soil	29	0.31	94	0.013	<1	1.62	0.004	0.04	0.1	0.15	2.4	<0.1	<0.05	5	2.2	<0.2
2061371	Soil	23	0.20	82	0.004	<1	1.10	0.004	0.03	<0.1	0.15	1.9	<0.1	<0.05	4	2.3	<0.2
2061372	Soil	26	0.29	165	0.004	<1	1.49	0.006	0.04	<0.1	0.16	1.7	<0.1	<0.05	5	2.2	<0.2
2061373	Soil	27	0.24	72	0.025	<1	1.21	0.005	0.04	0.2	0.07	1.4	0.1	<0.05	6	1.0	<0.2
2061374	Soil	25	0.28	66	0.028	<1	1.50	0.004	0.05	0.2	0.05	1.8	0.2	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

QUALITY CONTROL REPORT WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1
Pulp Duplicates																					
2061866	Soil	2.4	32.0	20.1	46	0.4	16.2	4.4	152	3.36	19.1	1.5	0.3	16	0.2	0.7	0.3	53	0.06	0.149	8
REP 2061866	QC	2.4	29.6	19.6	46	0.4	15.8	4.3	151	3.27	18.5	2.2	0.4	15	0.2	0.8	0.3	53	0.06	0.146	8
2061909	Soil	1.4	22.4	13.3	72	0.1	29.4	11.3	441	2.65	10.6	2.3	1.9	14	0.3	0.8	0.2	44	0.14	0.067	17
REP 2061909	QC	1.3	22.4	12.6	74	0.1	29.9	11.0	441	2.63	10.3	2.8	1.9	13	0.3	0.8	0.2	46	0.15	0.070	17
2061954	Soil	1.1	19.8	10.2	40	<0.1	14.5	3.8	120	1.96	8.7	2.3	0.3	9	<0.1	0.4	0.2	45	0.08	0.047	12
REP 2061954	QC	1.1	20.4	10.4	40	<0.1	14.5	3.8	120	1.94	8.6	5.4	0.3	10	<0.1	0.4	0.2	46	0.08	0.045	12
2061368	Soil	2.0	27.6	20.3	59	0.4	19.8	4.1	132	2.51	18.8	6.8	2.5	23	0.2	0.6	0.2	33	0.04	0.069	8
REP 2061368	QC	2.3	30.2	20.5	62	0.4	19.6	4.3	139	2.54	19.3	4.2	2.6	24	0.1	0.6	0.3	34	0.05	0.067	8
Reference Materials																					
STD DS11	Standard	14.2	153.1	141.6	357	1.8	80.1	14.0	1026	3.18	44.5	86.5	8.0	71	2.4	8.5	11.7	52	1.04	0.075	19
STD DS11	Standard	15.3	149.5	135.4	334	1.7	81.3	14.3	1041	3.18	41.6	73.5	7.5	69	2.4	7.8	10.8	54	1.02	0.069	18
STD DS11	Standard	16.4	154.8	140.7	343	1.7	85.9	15.0	1018	3.28	43.6	76.6	7.5	65	2.1	8.1	11.3	55	1.08	0.070	19
STD DS11	Standard	14.8	148.5	136.9	333	1.6	80.5	13.8	1007	3.11	41.2	67.5	7.3	61	2.2	7.5	10.7	55	1.00	0.068	18
STD OXC129	Standard	1.4	28.4	6.3	41	<0.1	82.9	21.3	443	3.21	0.7	201.8	1.8	200	<0.1	<0.1	<0.1	58	0.73	0.110	12
STD OXC129	Standard	1.4	27.4	6.1	42	<0.1	84.7	21.9	436	3.15	0.9	206.6	1.7	203	<0.1	<0.1	<0.1	57	0.76	0.105	13
STD OXC129	Standard	1.3	28.6	6.5	43	<0.1	85.5	22.4	437	3.18	1.0	192.2	1.9	191	<0.1	<0.1	0.1	59	0.78	0.098	12
STD OXC129	Standard	1.3	27.6	6.1	43	<0.1	85.0	21.9	422	3.12	0.5	204.8	1.7	186	<0.1	<0.1	<0.1	58	0.73	0.093	12
STD OXC129 Expected		1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684	0.102	12.5
STD DS11 Expected		14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	18.6
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: October 03, 2018

QUALITY CONTROL REPORT WHI18000895.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																	
2061866	Soil	30	0.20	117	0.006	1	1.36	0.006	0.05	<0.1	0.11	0.7	0.1	0.08	5	1.6	<0.2
REP 2061866	QC	31	0.19	113	0.006	2	1.30	0.006	0.05	<0.1	0.10	0.7	0.1	0.06	5	1.4	<0.2
2061909	Soil	26	0.35	183	0.023	2	1.46	0.005	0.05	0.1	0.07	2.6	0.1	<0.05	4	<0.5	<0.2
REP 2061909	QC	26	0.35	171	0.024	2	1.52	0.006	0.05	0.1	0.07	2.6	0.1	<0.05	4	<0.5	<0.2
2061954	Soil	26	0.35	122	0.013	<1	1.46	0.004	0.03	0.1	0.06	1.2	0.1	<0.05	5	0.6	<0.2
REP 2061954	QC	26	0.35	120	0.014	<1	1.37	0.005	0.03	0.1	0.06	1.2	0.1	<0.05	5	<0.5	<0.2
2061368	Soil	19	0.12	93	0.004	<1	0.92	0.004	0.03	<0.1	0.19	2.2	<0.1	<0.05	3	1.6	<0.2
REP 2061368	QC	20	0.13	97	0.003	<1	0.96	0.004	0.03	<0.1	0.21	2.4	<0.1	<0.05	3	1.0	<0.2
Reference Materials																	
STD DS11	Standard	63	0.81	378	0.098	7	1.17	0.082	0.40	2.9	0.29	3.2	5.1	0.21	5	1.5	4.5
STD DS11	Standard	61	0.84	359	0.098	6	1.18	0.078	0.39	3.2	0.26	3.4	4.5	0.30	5	1.9	4.5
STD DS11	Standard	65	0.88	369	0.102	7	1.23	0.080	0.42	2.9	0.26	3.7	5.1	0.34	5	2.6	4.5
STD DS11	Standard	62	0.82	366	0.094	7	1.14	0.076	0.38	2.7	0.25	3.3	4.8	0.32	5	2.4	4.5
STD OXC129	Standard	55	1.56	51	0.424	<1	1.64	0.636	0.37	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	57	1.55	54	0.434	1	1.73	0.621	0.35	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	58	1.55	49	0.452	2	1.67	0.621	0.37	0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	56	1.54	52	0.432	<1	1.60	0.598	0.36	<0.1	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5		
STD DS11 Expected		61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Appendix III

Rock Certificates

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Submitted By: Helena Kuikka
Receiving Lab: Canada-Whitehorse
Received: October 10, 2018
Report Date: December 04, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI18001078.1

CLIENT JOB INFORMATION

Project:	Dublin Gulch
Shipment ID:	EGP18-77
P.O. Number	VAN2018-068
Number of Samples:	38

SAMPLE DISPOSAL

RTRN-PLP	Return After 90 days
PICKUP-RJT	Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	38	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA450	38	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
EN002	38	Environmental disposal charge-Fire assay lead waste			VAN
AQ201	38	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	38	Per sample shipping charges for branch shipments			VAN
PULSW	38	Extra Wash with Silica between each sample			WHI
FA550	3	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: StrataGold Corporation
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7
Canada

CC: Paul Gray
Steven Wozniak

BRITISH COLUMBIA CERTIFIED ASSAYER
MARCUS LAU
Production Manager

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

CERTIFICATE OF ANALYSIS WHI18001078.1

	Method	WGHT	FA450	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
2057001	Rock	1.65	0.026	1.2	40.0	5.4	55	0.1	10.3	9.0	308	2.69	19.3	18.5	14.2	173	<0.1	<0.1	1.0	54	2.05
2057002	Rock	2.28	0.257	0.3	111.1	1367.0	33	2.3	2.7	1.6	169	2.03	7827.1	258.2	0.9	6	0.5	555.2	48.2	1	0.02
2057003	Rock	1.80	0.094	0.2	28.6	4.0	9	<0.1	9.3	6.4	702	1.23	10.0	78.1	7.9	377	<0.1	0.3	1.6	14	13.11
2057004	Rock	1.35	0.062	0.8	13.2	7.6	11	<0.1	3.5	1.9	206	1.03	929.1	53.8	6.9	14	<0.1	4.7	1.3	3	0.17
2057005	Rock	1.50	<0.005	4.2	0.8	5.5	11	<0.1	3.5	2.2	140	0.82	58.9	<0.5	16.9	65	<0.1	0.5	<0.1	14	1.63
2057006	Rock	3.98	>10	1.9	1556.0	626.7	186	20.2	2.3	6.8	97	20.63	>10000	19717.6	7.1	36	2.6	591.6	619.5	8	0.02
2057007	Rock	1.26	>10	5.4	213.6	70.6	423	16.8	2.6	0.9	117	12.64	>10000	20349.8	3.7	13	2.9	317.4	710.3	4	0.07
2057008	Rock	1.77	0.055	5.9	36.5	5.6	110	0.2	26.4	7.1	306	3.05	267.1	44.6	8.7	33	0.2	3.0	2.6	92	0.87
2057009	Rock	0.71	0.019	26.0	114.2	5.3	45	0.2	51.4	12.5	631	2.54	92.1	14.9	3.1	19	<0.1	0.4	1.0	110	0.42
2057010	Rock	2.34	1.543	3.4	176.5	1760.7	1704	7.8	15.5	5.2	3364	10.25	>10000	1649.0	3.6	30	10.6	697.3	26.1	10	0.12
2057011	Rock	0.99	0.044	0.7	24.9	7.1	162	0.1	30.2	5.9	111	2.64	387.1	25.9	3.0	202	0.5	160.2	0.6	19	0.07
2057012	Rock	0.49	0.008	0.2	141.8	3.4	110	0.1	88.4	39.3	1037	6.27	111.0	4.8	0.3	41	0.5	0.9	0.2	176	2.18
2057013	Rock	2.86	0.008	0.2	5.9	1.6	54	<0.1	14.3	3.2	29	1.44	24.8	<0.5	0.6	5	0.1	0.7	0.1	3	0.01
2057014	Rock	2.61	<0.005	0.2	1.2	3.0	6	<0.1	1.5	0.4	25	0.38	27.5	<0.5	0.5	2	<0.1	0.5	0.1	<1	<0.01
2057015	Rock	2.83	<0.005	0.4	6.5	3.4	222	<0.1	68.3	39.7	739	9.77	7.4	<0.5	0.6	6	0.3	0.1	<0.1	4	0.02
2057016	Rock	1.15	<0.005	0.2	1.6	3.1	4	<0.1	1.8	0.9	39	0.52	10.6	2.0	1.0	7	<0.1	0.2	<0.1	1	<0.01
2057017	Rock	1.96	<0.005	0.1	144.3	0.4	51	<0.1	40.9	27.0	360	3.81	4.8	2.4	0.2	35	<0.1	<0.1	<0.1	109	0.91
2057018	Rock	2.84	<0.005	0.1	230.9	0.9	87	0.1	46.9	34.7	638	5.78	2.4	1.7	0.3	36	0.2	<0.1	<0.1	154	1.56
2057019	Rock	0.57	0.018	0.7	348.4	0.6	95	<0.1	19.0	26.3	590	6.43	1.6	20.0	0.6	31	<0.1	<0.1	<0.1	158	1.22
2057020	Rock	0.31	<0.005	<0.1	1.4	0.3	1	<0.1	0.2	0.4	99	0.10	1.6	<0.5	0.2	1075	<0.1	<0.1	<0.1	1	34.89
2057021	Rock	1.55	<0.005	0.2	8.6	17.7	28	<0.1	7.3	3.8	217	1.29	5.3	<0.5	2.7	7	<0.1	<0.1	<0.1	8	0.10
2057022	Rock	1.75	<0.005	1.1	58.0	3.1	78	<0.1	74.3	29.7	456	4.59	2.6	0.8	3.7	47	0.1	<0.1	<0.1	68	1.60
2057023	Rock	0.63	<0.005	<0.1	6.9	9.0	85	<0.1	29.1	15.8	195	4.17	0.6	0.7	8.4	10	<0.1	<0.1	0.4	15	0.07
2057024	Rock	0.98	<0.005	0.2	11.8	1.2	11	<0.1	2.7	0.6	27	1.11	3.9	1.0	0.5	<1	<0.1	<0.1	<0.1	3	<0.01
2057025	Rock	1.64	0.006	1.5	21.8	7.8	304	0.3	55.6	10.6	222	9.10	9.6	<0.5	1.4	7	0.7	0.3	0.1	10	0.02
2057026	Rock	1.26	<0.005	0.2	0.3	1.2	1026	<0.1	36.1	14.6	747	>40	4.7	<0.5	<0.1	2	<0.1	<0.1	<0.1	5	<0.01
2057027	Rock	2.74	<0.005	0.3	7.5	7.0	17	<0.1	1.3	0.3	27	1.04	7.2	<0.5	1.6	10	<0.1	0.2	<0.1	11	0.01
2057028	Rock	2.25	<0.005	0.2	12.8	2.0	19	<0.1	0.6	0.3	21	3.73	2.4	<0.5	0.5	<1	<0.1	<0.1	<0.1	3	<0.01
2057029	Rock	1.30	0.007	1.3	31.4	20.2	87	0.5	27.9	6.1	197	8.77	42.5	2.6	4.1	31	<0.1	2.0	<0.1	109	0.78
2057030	Rock	1.22	<0.005	1.1	135.2	7.0	301	0.2	9.9	3.9	43	9.13	40.3	<0.5	1.1	4	<0.1	1.1	<0.1	30	<0.01

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

CERTIFICATE OF ANALYSIS WHI18001078.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA550
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
2057001	Rock	0.058	30	29	0.85	129	0.118	2	4.14	0.368	0.60	0.1	0.01	7.4	0.3	0.49	13	0.8	<0.2	
2057002	Rock	0.006	2	2	<0.01	55	<0.001	1	0.06	0.002	0.02	<0.1	<0.01	0.5	<0.1	0.09	<1	1.0	0.4	
2057003	Rock	0.024	15	16	0.19	38	0.056	1	1.64	0.159	0.16	0.2	<0.01	2.1	<0.1	0.18	5	<0.5	<0.2	
2057004	Rock	0.025	17	3	0.03	74	0.002	2	0.23	0.027	0.08	39.4	0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2	
2057005	Rock	0.049	39	5	0.35	72	0.061	2	0.52	0.062	0.04	0.3	<0.01	4.3	<0.1	<0.05	2	<0.5	<0.2	
2057006	Rock	0.036	19	4	0.03	21	0.005	2	0.27	0.007	0.14	2.7	0.16	1.7	0.1	5.57	1	6.2	<0.2	15.1
2057007	Rock	0.058	3	2	<0.01	162	<0.001	<1	0.17	0.014	0.07	22.3	0.13	4.2	<0.1	0.08	1	28.6	<0.2	17.2
2057008	Rock	0.143	19	64	1.37	77	0.158	2	2.60	0.143	0.64	0.6	<0.01	7.4	0.4	0.06	10	0.9	<0.2	
2057009	Rock	0.024	7	79	0.90	128	0.137	<1	1.73	0.075	0.76	0.2	<0.01	10.2	0.5	0.80	8	1.9	<0.2	
2057010	Rock	0.090	10	6	0.04	56	0.002	3	0.36	0.007	0.25	0.4	0.13	2.8	0.2	0.67	1	2.1	<0.2	
2057011	Rock	0.099	22	39	0.02	104	0.004	<1	0.64	0.002	0.02	1.1	3.56	1.2	0.6	<0.05	2	0.9	<0.2	
2057012	Rock	0.052	3	175	3.47	69	0.212	<1	4.51	0.001	0.01	<0.1	0.01	9.5	<0.1	<0.05	7	<0.5	<0.2	
2057013	Rock	0.007	<1	4	0.01	280	0.002	<1	0.53	0.002	0.01	<0.1	0.05	0.7	<0.1	<0.05	<1	0.7	<0.2	
2057014	Rock	0.004	<1	2	<0.01	14	<0.001	<1	0.04	<0.001	<0.01	<0.1	0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2	
2057015	Rock	0.012	2	3	0.02	92	0.001	<1	0.13	0.001	0.01	<0.1	0.03	0.6	<0.1	<0.05	<1	<0.5	<0.2	
2057016	Rock	0.013	2	3	<0.01	29	<0.001	<1	0.09	0.001	0.01	<0.1	0.03	0.3	<0.1	<0.05	<1	<0.5	<0.2	
2057017	Rock	0.046	3	6	1.39	128	0.202	3	2.11	0.031	0.07	<0.1	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2	
2057018	Rock	0.071	5	48	1.87	192	0.266	3	3.03	0.024	0.11	<0.1	<0.01	8.5	<0.1	<0.05	10	<0.5	<0.2	
2057019	Rock	0.136	10	5	0.93	297	0.316	3	2.35	0.032	0.19	<0.1	0.01	4.0	<0.1	<0.05	11	<0.5	<0.2	
2057020	Rock	0.014	2	<1	0.11	6	0.002	<1	0.03	0.004	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
2057021	Rock	0.021	3	7	0.13	26	0.023	2	0.49	0.016	0.09	<0.1	0.03	0.8	<0.1	<0.05	2	<0.5	<0.2	
2057022	Rock	0.117	17	64	1.54	115	0.368	4	2.00	0.048	0.03	0.3	<0.01	2.0	<0.1	<0.05	13	<0.5	<0.2	
2057023	Rock	0.029	13	21	0.66	45	0.002	4	2.10	0.008	0.24	<0.1	<0.01	2.0	<0.1	<0.05	6	<0.5	<0.2	
2057024	Rock	0.015	<1	3	0.01	4	0.003	<1	0.10	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
2057025	Rock	0.021	2	6	0.04	71	<0.001	<1	0.30	0.003	0.03	<0.1	0.05	0.7	<0.1	<0.05	<1	1.2	<0.2	
2057026	Rock	0.004	<1	<1	<0.01	35	<0.001	<1	0.02	<0.001	<0.01	<0.1	0.02	0.5	<0.1	<0.05	<1	<0.5	<0.2	
2057027	Rock	0.033	2	7	<0.01	82	<0.001	<1	0.24	0.002	0.03	<0.1	0.07	1.2	<0.1	<0.05	<1	<0.5	<0.2	
2057028	Rock	0.008	<1	3	<0.01	3	0.001	<1	0.07	<0.001	<0.01	<0.1	0.02	0.2	<0.1	<0.05	<1	<0.5	<0.2	
2057029	Rock	0.419	14	46	0.66	104	0.006	2	3.06	0.021	0.11	<0.1	0.02	4.1	<0.1	1.65	9	5.6	<0.2	
2057030	Rock	0.173	<1	13	0.04	87	0.002	<1	0.70	0.001	0.01	<0.1	0.07	3.9	<0.1	0.13	2	7.3	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

CERTIFICATE OF ANALYSIS WHI18001078.1

	Method	WGHT	FA450	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
2057031	Rock	1.90	<0.005	1.1	14.8	5.8	6	0.1	6.0	0.3	23	2.64	43.3	<0.5	0.7	2	<0.1	1.3	<0.1	67	<0.01
2057032	Rock	1.17	2.006	17.2	5.6	266.7	42	1.5	14.8	235.1	33	23.91	>10000	2436.9	2.3	25	0.3	94.3	4.2	8	0.06
2057033	Rock	3.28	0.560	3.4	2.5	67.2	45	0.3	3.3	18.2	84	3.38	>10000	527.5	9.6	41	0.3	14.4	0.9	3	0.19
2057034	Rock	3.92	0.110	3.0	>10000	>10000	>10000	>100	6.3	1.9	6871	6.09	1428.7	111.8	<0.1	35	858.9	>2000	8.4	3	0.07
2057035	Rock	2.27	0.607	1.0	241.9	>10000	>10000	36.7	27.0	12.3	4403	14.83	>10000	554.2	0.4	19	619.9	>2000	1.1	2	0.09
2057036	Rock	5.97	0.053	39.0	272.2	>10000	4534	>100	0.7	0.2	233	2.17	1830.2	38.5	0.4	39	61.8	>2000	53.1	<1	<0.01
2057037	Rock	3.51	>10	1.3	1810.8	1632.6	189	27.3	2.0	10.5	100	30.32	>10000	28847.5	3.6	24	2.2	492.9	1800.1	11	0.01
1567101	Rock	1.70	5.796	0.8	180.3	969.3	147	7.0	50.5	191.7	214	10.69	>10000	5101.9	5.3	21	3.2	115.8	32.4	4	0.18

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

CERTIFICATE OF ANALYSIS WHI18001078.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA550
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
MDL		0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
2057031	Rock	0.203	2	10	0.01	30	<0.001	<1	0.74	0.001	0.01	<0.1	0.02	2.3	<0.1	0.06	<1	1.1	<0.2	
2057032	Rock	0.009	3	5	0.02	3	0.003	<1	0.12	0.005	0.04	6.1	0.02	0.5	<0.1	6.95	<1	63.8	6.1	
2057033	Rock	0.026	9	2	0.02	133	0.002	2	0.30	0.059	0.14	78.2	0.01	0.7	<0.1	0.91	<1	4.0	0.5	
2057034	Rock	0.005	<1	2	0.09	26	<0.001	<1	<0.01	0.001	0.01	<0.1	5.06	3.9	1.5	6.11	<1	97.0	<0.2	
2057035	Rock	0.017	<1	2	0.10	23	<0.001	<1	0.09	0.003	0.07	<0.1	4.75	1.4	0.5	5.24	<1	1.7	<0.2	
2057036	Rock	0.010	<1	<1	<0.01	24	<0.001	<1	0.02	0.002	0.01	0.9	2.42	0.2	1.7	>10	<1	15.9	<0.2	
2057037	Rock	0.018	28	<1	<0.01	20	<0.001	<1	0.08	0.004	0.05	2.7	0.17	0.6	0.1	9.90	<1	8.1	<0.2	22.7
1567101	Rock	0.006	7	2	0.02	20	<0.001	<1	0.13	0.003	0.10	0.4	0.09	0.9	0.5	2.11	<1	30.1	3.7	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

QUALITY CONTROL REPORT WHI18001078.1

	Method	WGHT	FA450	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
2057015	Rock	2.83	<0.005	0.4	6.5	3.4	222	<0.1	68.3	39.7	739	9.77	7.4	<0.5	0.6	6	0.3	0.1	<0.1	4	0.02
REP 2057015	QC			0.3	6.2	3.5	229	<0.1	65.6	39.9	723	9.65	7.6	<0.5	0.6	5	0.3	0.1	<0.1	4	0.01
2057020	Rock	0.31	<0.005	<0.1	1.4	0.3	1	<0.1	0.2	0.4	99	0.10	1.6	<0.5	0.2	1075	<0.1	<0.1	<0.1	1	34.89
REP 2057020	QC			<0.1	1.1	0.2	<1	<0.1	0.1	0.4	92	0.09	0.8	0.5	0.1	1020	<0.1	<0.1	<0.1	<1	33.39
2057024	Rock	0.98	<0.005	0.2	11.8	1.2	11	<0.1	2.7	0.6	27	1.11	3.9	1.0	0.5	<1	<0.1	<0.1	<0.1	3	<0.01
REP 2057024	QC		<0.005																		
2057032	Rock	1.17	2.006	17.2	5.6	266.7	42	1.5	14.8	235.1	33	23.91	>10000	2436.9	2.3	25	0.3	94.3	4.2	8	0.06
REP 2057032	QC		2.103																		
2057033	Rock	3.28	0.560	3.4	2.5	67.2	45	0.3	3.3	18.2	84	3.38	>10000	527.5	9.6	41	0.3	14.4	0.9	3	0.19
REP 2057033	QC		0.590																		
2057035	Rock	2.27	0.607	1.0	241.9	>10000	>10000	36.7	27.0	12.3	4403	14.83	>10000	554.2	0.4	19	619.9	>2000	1.1	2	0.09
REP 2057035	QC			1.0	243.1	>10000	>10000	37.4	27.3	13.1	4580	15.12	>10000	557.5	0.4	19	670.9	>2000	1.2	2	0.09
Core Reject Duplicates																					
2057021	Rock	1.55	<0.005	0.2	8.6	17.7	28	<0.1	7.3	3.8	217	1.29	5.3	<0.5	2.7	7	<0.1	<0.1	<0.1	8	0.10
DUP 2057021	QC		<0.005	0.2	8.0	16.8	28	<0.1	7.1	3.4	213	1.22	4.8	<0.5	2.6	10	<0.1	<0.1	<0.1	6	0.20
Reference Materials																					
STD DS11	Standard			13.5	156.4	137.1	345	1.7	80.7	13.8	1023	3.30	44.1	64.7	7.4	65	2.4	8.9	11.8	47	1.07
STD DS11	Standard			14.4	154.4	136.5	341	1.6	79.1	14.3	975	3.09	52.1	70.1	7.8	63	2.3	8.5	12.4	49	1.03
STD DS11	Standard			14.8	156.0	129.4	356	1.8	80.6	14.3	1056	3.13	43.9	99.7	8.3	68	2.7	8.6	12.1	49	1.06
STD DS11	Standard			14.9	155.8	139.8	346	1.7	82.0	13.5	1035	3.21	42.5	67.9	7.9	71	2.5	8.4	12.3	49	1.05
STD OREAS262	Standard			0.6	111.0	53.9	144	0.4	61.0	26.0	506	3.13	35.5	60.4	8.5	32	0.7	4.6	1.0	21	2.91
STD OREAS262	Standard			0.5	124.6	58.5	148	0.4	61.7	26.7	558	3.21	38.7	62.4	9.6	34	0.6	4.7	1.1	22	3.00
STD OREAS262	Standard			0.7	115.9	56.4	145	0.5	63.6	28.4	554	3.28	37.0	53.9	9.5	37	0.7	5.0	1.0	22	2.96
STD OREAS262	Standard			0.7	119.8	55.0	149	0.5	67.0	28.2	529	3.32	35.4	49.2	9.1	38	0.6	4.7	1.0	21	2.92
STD OXC129	Standard			1.5	28.3	7.3	38	<0.1	86.1	22.0	407	3.28	1.1	201.2	1.9	191	<0.1	1.9	<0.1	51	0.63
STD OXC129	Standard			1.2	28.5	6.0	41	<0.1	78.9	21.3	413	3.02	1.3	192.6	1.8	179	<0.1	<0.1	<0.1	52	0.71
STD OXC129	Standard			1.3	27.7	6.3	41	<0.1	83.9	21.6	416	3.05	1.6	202.4	2.0	187	<0.1	<0.1	<0.1	52	0.67
STD OXC129	Standard			1.3	28.6	6.3	41	<0.1	77.2	20.8	415	3.06	0.8	191.8	2.0	190	<0.1	<0.1	<0.1	51	0.69

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

QUALITY CONTROL REPORT WHI18001078.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	FA550
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	gm/t
	MDL	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.9
Pulp Duplicates																				
2057015	Rock	0.012	2	3	0.02	92	0.001	<1	0.13	0.001	0.01	<0.1	0.03	0.6	<0.1	<0.05	<1	<0.5	<0.2	
REP 2057015	QC	0.012	2	3	0.02	89	0.002	<1	0.14	0.001	0.01	<0.1	0.02	0.7	<0.1	<0.05	<1	<0.5	<0.2	
2057020	Rock	0.014	2	<1	0.11	6	0.002	<1	0.03	0.004	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
REP 2057020	QC	0.014	2	<1	0.12	5	0.002	<1	0.02	0.004	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
2057024	Rock	0.015	<1	3	0.01	4	0.003	<1	0.10	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
REP 2057024	QC																			
2057032	Rock	0.009	3	5	0.02	3	0.003	<1	0.12	0.005	0.04	6.1	0.02	0.5	<0.1	6.95	<1	63.8	6.1	
REP 2057032	QC																			
2057033	Rock	0.026	9	2	0.02	133	0.002	2	0.30	0.059	0.14	78.2	0.01	0.7	<0.1	0.91	<1	4.0	0.5	
REP 2057033	QC																			
2057035	Rock	0.017	<1	2	0.10	23	<0.001	<1	0.09	0.003	0.07	<0.1	4.75	1.4	0.5	5.24	<1	1.7	<0.2	
REP 2057035	QC	0.018	<1	2	0.11	25	<0.001	<1	0.09	0.003	0.07	<0.1	5.13	1.4	0.5	5.19	<1	1.5	<0.2	
Core Reject Duplicates																				
2057021	Rock	0.021	3	7	0.13	26	0.023	2	0.49	0.016	0.09	<0.1	0.03	0.8	<0.1	<0.05	2	<0.5	<0.2	
DUP 2057021	QC	0.020	2	7	0.13	22	0.017	1	0.46	0.013	0.08	<0.1	0.04	0.8	<0.1	<0.05	1	<0.5	<0.2	
Reference Materials																				
STD DS11	Standard	0.070	17	60	0.84	355	0.089	7	1.12	0.071	0.40	3.0	0.27	3.0	4.7	0.28	5	2.1	4.6	
STD DS11	Standard	0.070	19	60	0.83	369	0.093	7	1.19	0.070	0.40	2.9	0.23	3.2	4.7	0.28	5	2.3	4.3	
STD DS11	Standard	0.074	19	59	0.84	345	0.094	7	1.18	0.075	0.41	2.9	0.27	3.2	4.8	0.28	5	2.2	4.4	
STD DS11	Standard	0.073	19	60	0.84	366	0.093	7	1.17	0.074	0.41	2.9	0.27	3.3	4.8	0.27	5	1.8	4.6	
STD OREAS262	Standard	0.036	13	40	1.09	228	0.003	3	1.13	0.063	0.25	0.2	0.17	2.8	0.4	0.25	4	<0.5	0.2	
STD OREAS262	Standard	0.040	18	43	1.18	247	0.003	4	1.33	0.067	0.32	0.2	0.15	3.2	0.4	0.25	4	<0.5	0.3	
STD OREAS262	Standard	0.042	17	44	1.17	245	0.003	3	1.37	0.068	0.31	0.2	0.15	3.3	0.4	0.26	4	0.6	<0.2	
STD OREAS262	Standard	0.037	16	41	1.16	235	0.003	4	1.32	0.068	0.31	0.2	0.15	3.3	0.4	0.25	4	0.5	0.3	
STD OXC129	Standard	0.106	13	56	1.63	53	0.422	<1	1.63	0.626	0.38	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.101	13	53	1.54	51	0.406	1	1.63	0.594	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.103	13	56	1.53	49	0.403	<1	1.62	0.586	0.37	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2	
STD OXC129	Standard	0.103	13	51	1.50	50	0.396	1	1.61	0.598	0.38	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

QUALITY CONTROL REPORT WHI18001078.1

		WGHT Wgt kg 0.01	FA450 Au ppm 0.005	AQ201 Mo ppm 0.1	AQ201 Cu ppm 0.1	AQ201 Pb ppm 0.1	AQ201 Zn ppm 1	AQ201 Ag ppm 0.1	AQ201 Ni ppm 0.1	AQ201 Co ppm 0.1	AQ201 Mn ppm 1	AQ201 Fe % 0.01	AQ201 As ppm 0.5	AQ201 Au ppb 0.5	AQ201 Th ppm 0.1	AQ201 Sr ppm 1	AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 1	AQ201 Ca % 0.01
STD OXC145	Standard		0.211																		
STD OXC145	Standard		0.212																		
STD OXH139	Standard		1.303																		
STD OXH139	Standard		1.261																		
STD OXN134	Standard		7.898																		
STD OXN134	Standard		7.412																		
STD SP49	Standard																				
STD SP49 Expected																					
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OXC129 Expected				1.3	28	6.2	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.684
STD DS11 Expected				14.6	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD OREAS262 Expected				0.68	118	56	154	0.45	62	26.9	530	3.284	35.8	72	9.33	36	0.61	5.06	0.98	22.5	2.98
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank																				
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	3.5	0.8	29	<0.1	0.6	3.8	400	1.63	1.2	1.3	2.1	15	<0.1	<0.1	<0.1	22	0.48
ROCK-WHI	Prep Blank		<0.005	0.7	4.3	0.9	29	<0.1	0.7	3.6	472	1.72	1.2	0.8	2.1	20	<0.1	<0.1	<0.1	23	0.65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

BUREAU VERITAS MINERAL LABORATORIES Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **StrataGold Corporation**
Suite 1000 - 1050 W. Pender St.
Vancouver British Columbia V6E 3S7 Canada

Project: Dublin Gulch
Report Date: December 04, 2018

QUALITY CONTROL REPORT WHI18001078.1

		AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05	AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	FA550 Au gm/t 0.9
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD SP49	Standard																			18.1
STD SP49 Expected																				18.34
STD OXN134 Expected																				
STD OXC145 Expected																				
STD OXH139 Expected																				
STD OXC129 Expected		0.102	12.5	52	1.545	50	0.4	1	1.58	0.59	0.3655			1.1			5.5			
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.295	0.2	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			<0.9
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																				
ROCK-WHI	Prep Blank	0.039	5	1	0.42	35	0.052	2	0.67	0.031	0.03	<0.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.040	5	2	0.46	67	0.064	2	0.84	0.042	0.05	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Appendix IV
Compiled Soils and Rock Results

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2057079	474294	7131311	1657.5	B	10	Grey	S	Damp	J. Roddick	WHI18000889	0.0091	0.5	0.99	8.3	680	0.3	0.19	0.5	21.3	22	97.1	2.56	3	0.05	14	0.3	1722	1.7	0.005	42.4	84	28	0.025	1.1	1.3	24	0.7	0.005	0.1	24	0.05	144	3	0.12	1	0.1
2057080	474293	7131311	1657.2	B	10	Grey	S	Damp	J. Roddick	WHI18000889	0.0249	1.5	0.97	14.4	1582	0.3	0.26	0.8	46.2	21	169.7	3.13	3	0.04	22	0.31	3914	2.3	0.005	73.7	66	49.6	0.025	1.7	3.6	49	3.3	0.005	0.3	20	0.05	206	2	0.23	1.3	0.1
2057081	474288	7131368	1639	B	10	Brown	S	Damp	J. Roddick	WHI18000889	0.0035	0.4	1.62	13.3	123	0.2	0.06	0.2	22.4	29	70.7	3.14	5	0.04	13	0.29	832	1.6	0.004	27.8	92	21.4	0.025	1.1	0.2	10	0.3	0.009	0.2	46	0.1	93	1	0.09	0.5	0.1
2057082	474287	7131417	1621.8	C	20	Grey	S	Damp	J. Roddick	WHI18000889	0.011	0.05	1.37	5.7	100	0.3	0.02	0.1	9.6	32	89.3	2.86	4	0.03	22	0.49	483	1.1	0.004	30.8	40	16.1	0.025	0.5	0.8	13	3.8	0.002	0.05	28	0.05	85	0.5	0.03	0.6	0.1
2057083	474313	7131459	1604.6	B	10	Brown	S	Damp	J. Roddick	WHI18000889	0.004	0.05	1.36	10.6	81	0.3	0.05	0.05	7.7	27	43.7	3.3	5	0.04	16	0.33	432	1.2	0.004	22.4	64	15.9	0.025	0.7	0.8	12	1	0.007	0.1	45	0.1	71	0.5	0.06	0.6	0.1
2057084	474345	7131500	1597.2	B	20	Brown	S	Damp	J. Roddick	WHI18000889	0.0027	0.1	1.25	10.6	131	0.3	0.04	0.05	8.1	24	26.8	2.94	5	0.03	19	0.32	642	1	0.003	23.7	31	11.4	0.025	0.6	1	6	3.4	0.006	0.05	31	0.05	60	0.5	0.05	0.25	0.1
2057085	474362	7131547	1581.7	B	20	Grey	S	Damp	J. Roddick	WHI18000889	0.0037	0.1	1.59	7.6	107	0.3	0.06	0.2	17.4	29	71.4	3.45	5	0.04	20	0.65	2003	1.1	0.003	43.4	68	20.5	0.025	0.6	1.4	11	3	0.006	0.05	32	0.05	105	0.5	0.05	0.25	0.1
2057086	474399	7131586	1557.9	C	10	Grey	S	Damp	J. Roddick	WHI18000889	0.003	0.4	1.25	7.1	390	0.2	0.21	0.05	8.2	23	45.1	3.03	4	0.03	18	0.38	589	1.1	0.004	27.9	59	13.3	0.025	0.5	1.2	19	2	0.003	0.1	35	0.05	74	0.5	0.06	0.25	0.1
2057087	474427	7131641	1541.2	B	10	Brown	S	Damp	J. Roddick	WHI18000889	0.004	0.3	1.44	11.6	97	0.3	0.07	0.2	11.6	26	66.9	3.1	5	0.05	15	0.35	680	1.6	0.004	29.1	53	17.2	0.025	0.9	0.8	11	0.8	0.013	0.1	44	0.1	99	0.5	0.06	0.6	0.1
2057088	474446	7131691	1506.3	C	10	Grey	S	Damp	J. Roddick	WHI18000889	0.0033	0.4	1.13	9.3	117	0.3	0.04	0.1	11.9	25	67.9	2.78	4	0.04	19	0.29	766	1.3	0.002	31.9	73	23.5	0.025	0.8	0.2	9	0.9	0.004	0.05	32	0.05	105	1	0.08	0.25	0.1
2057089	474461	7131743	1480.2	B	10	Brown	S	Damp	J. Roddick	WHI18000889	0.0105	0.6	1.13	11.8	113	0.3	0.07	0.2	22.9	23	110.2	3.08	4	0.04	19	0.32	1176	1.9	0.003	44.1	72	26.4	0.025	1.1	0.8	13	1.6	0.004	0.05	28	0.05	136	0.5	0.08	0.5	0.1
2057090	474481	7131797	1472.5	C	30	Grey	S	Damp	J. Roddick	WHI18000889	0.0046	0.2	1.42	11.4	192	0.3	0.08	0.3	13	29	70.4	3.27	4	0.06	26	0.42	632	1.6	0.008	36.8	53	17.1	0.025	1.1	1.6	24	5.5	0.007	0.2	38	0.05	108	1	0.08	1.1	0.1
2057091	474497	7131849	1455.3	C	50	Grey	S	Damp	J. Roddick	WHI18000889	0.0023	0.2	1.64	12.8	151	0.2	0.12	0.2	12.9	30	40	2.96	5	0.06	17	0.44	719	1.5	0.005	24.6	63	15	0.025	0.8	2.5	13	3.8	0.026	0.1	49	0.2	74	0.5	0.05	0.7	0.1
2057092	474509	7131904	1443.2	Frostboil	10	Grey	S	Damp	J. Roddick	WHI18000889	0.0036	0.3	1.32	11.8	78	0.3	0.06	0.2	16.4	24	82.4	3.55	4	0.08	36	0.33	477	2.3	0.003	58.1	86	21.3	0.025	1.3	0.9	11	5.3	0.002	0.1	36	0.05	203	0.5	0.06	1.7	0.1
2057093	474526	7131954	1434.3	C	30	Grey	S	Damp	J. Roddick	WHI18000889	0.0037	0.4	1.36	13.7	103	0.2	0.11	0.3	11.9	25	38.7	3.09	4	0.07	20	0.41	640	1.6	0.005	32.7	76	15.2	0.025	1.5	2	15	4.6	0.023	0.1	41	0.1	92	0.5	0.08	1.4	0.1
2057094	474554	7131998	1417	Frostboil	10	Grey	S	Damp	J. Roddick	WHI18000889	0.0012	0.3	1.57	12.3	107	0.2	0.1	0.4	19.7	27	46.1	3.03	4	0.07	23	0.4	1071	1.6	0.005	43.1	78	20	0.025	1.8	2	20	5.6	0.011	0.1	35	0.05	114	0.5	0.1	1.2	0.1
2057095	474557	7132045	1402.1	C	20	Grey	S	Damp	J. Roddick	WHI18000889	0.0037	0.8	1.19	15.1	404	0.3	0.21	0.6	14.2	22	90.7	3.93	4	0.07	37	0.39	1385	3.2	0.003	76.9	86	20.2	0.025	1.4	2.1	25	7.6	0.002	0.1	31	0.05	214	0.5	0.17	3	0.1
2057096	474560	7132104	1401.9	C	80	Grey	S	Damp	J. Roddick	WHI18000889	0.0029	1.1	0.47	21	361	0.3	0.21	0.9	12.1	8	51.1	2.95	0.5	0.06	7	0.06	431	3	0.003	56.5	87	19.1	0.025	2.7	3.2	24	3.6	0.001	0.2	18	0.05	181	0.5	0.35	1.4	0.1
2057097	474583	7132155	1408.3	C	50	Grey	N	Damp	J. Roddick	WHI18000889	0.0057	0.7	0.92	11.8	452	0.3	0.23	0.7	16.3	20	65.1	3.77	3	0.07	19	0.26	996	2.3	0.001	68.3	83	21.5	0.025	1.8	3.8	33	5.7	0.003	0.2	28	0.05	170	0.5	0.89	1.8	0.1
2057098	474598	7132212	1424.8	B	20	Grey	N	Damp	J. Roddick	WHI18000889	0.0029	0.1	1.25	17.4	87	0.3	0.07	0.4	25.1	25	46.6	4.18	4	0.05	13	0.32	589	2.2	0.003	53.5	88	22.7	0.025	1.6	1.7	14	1.8	0.008	0.1	34	0.05	163	0.5	0.06	1.9	0.1
2057099	474599	7132268	1423.4	C	30	Grey	N	Damp	J. Roddick	WHI18000889	0.0041	0.4	1.2	11.3	150	0.2	0.08	0.3	12.8	23	60.7	3.09	4	0.05	20	0.28	520	2	0.007	48.5	62	14.2	0.025	1.2	2	20	2.9	0.023	0.1	35	0.1	130	0.5	0.16	1.3	0.1
2057100	474576	7132316	1421.4	C	30	Grey	N	Damp	J. Roddick	WHI18000889	0.0049	0.6	0.99	17.2	191	0.2	0.14	1.4	10.3	19	64.5	2.91	3	0.04	18	0.26	484	5.9	0.004	59.4	89	12.5	0.025	1.5	3	19	4	0.023	0.1	32	0.1	191	0.5	0.26	2.6	0.1
2057127	462905	7138925	1909.8	A	20	Brown	N	Dry	N. Hamlyn	WHI18000889	0.0033	0.05	1.19	12.7	88	0.2	0.1	0.1	10	23	21.7	2.81	5	0.05	11	0.33	376	1.1	0.008	22.3	51	17.5	0.025	0.8	1.5	16	1	0.02	0.1	41	0.2	64	0.5	0.05	0.8	0.1
2057128	462913	7138869	1911.1	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.006	0.05	1.24	12.7	122	0.2	0.12	0.2	8.6	23	18.8	2.46	4	0.05	14	0.28	2038	1	0.005	25.4	51	13.1	0.025	0.8	1.6	15	1.2	0.025	0.1	43	0.3	62	0.5	0.06	0.6	0.1
2057129	462900	7138793	1860.8	C	25	Brown	S	Dry	N. Hamlyn	WHI18000889	0.00025	0.05	0.44	5.9	133	0.05	0.2	0.05	5	7	7.1	0.93	1	0.04	6	0.09	425	0.4	0.004	15.2	29	11.7	0.025	0.4	0.6	17	0.9	0.007	0.05	14	0.05	27	0.5	0.03	0.25	0.1
2057130	462899	7138721	1823.7	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.00025	0.05	1.36	12.3	116	0.6	0.22	0.1	22.5	22	71	4.29	4	0.05	7	0.46	1527	0.8	0.004	34.5	57	45.1	0.025	0.3	3	40	2.9	0.005	0.05	20	0.05	80	1	0.03	0.6	0.1
2057131	462897	7138676	1820.9	C	35	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0014	0.05	2.36	10.3	33	0.5	0.02	0.2	15.9	30	33.2	4.93	8	0.05	6	0.76	858	0.6	0.004	29.5	72	33.4	0.025	0.4	1.9	13	2.2	0.004	0.05	26	0.05	78	0.5	0.03	0.25	0.1
2057132	462903	7138622	1816.5	B	35	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0015	0.05	1.77	13.7	82	0.3	0.16	0.1	13.7	31	23.8	3.42	5	0.06	12	0.62	476	1.3	0.006	27.9	69	17.8	0.025	0.9	2.7	15	2.1	0.03	0.1	50	0.2	76	0.5	0.04	0.7	0.1
2057133	462905	7138568	1811.9	B	30	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0016	0.05	1.52	12.5	61	0.2	0.17	0.05	10.8	29	25.1	3.47	5	0.04	13	0.61	586	0.9	0.005	27.8	70	14.2	0.025	0.6	2.6	15	4	0.03	0.05	37	0.2	74	0.5	0.03	0.25	0.1
2057134	462892	7138521	1813	B	30	Brown	S	Dry	N. Hamlyn	WHI18000889	0.00025	0.05	2.34	15.6	75	0.4	0.09	0.05	18.4	33	35.5	4.89	8	0.04	9	0.78	1231	0.9	0.005	37.1	68	25	0.025	0.5	3	13	2.3	0.007	0.05	37	0.05	90	0.5	0.03	0.25	0.1
2057135	462884	7138476	1817.1	B	20	Brown	W	Dry	N. Hamlyn	WHI18000889	0.00025	0.05	1.92	7.4	38	0.5	0.04	0.05	21.8	30	35.2	4.65	8	0.05	4	0.7	1965	0.6	0.004	36	71	44.5	0.025	0.3	2.1	10	2.3	0.004	0.05	27	0.05	82	0.5	0.04	0.25	0.1
2057136	462896	7138413	1830	B	25	Brown	W	Dry	N. Hamlyn	WHI18000889	0.0033	0.05	1.38	3.4	58	0.4	0.06	0.05	19.1	30	59.9	4.38	5	0.05	5	0.57	1327	0.6	0.004	33.6	70	28.8	0.025	0.5	1.7	10	1	0.01	0.05	30	0.05	71	0.5	0.03	0.25	0.1
2057137	462920	7138375	1836.1	B	20	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0032	0.05	1.24	11	53	0.4	0.09	0.05	6.7	22	21.1	2.95	5	0.03	10	0.29	274	1.1	0.005	15.4	53	15.3	0.06	0.7	0.9	8	0.3	0.017	0.05	50	0.1	47	1	0.05	0.25	0.1
2057138	462935	7138325	1827.8	B	30	Brown	W	Dry	N. Hamlyn	WHI18000889	0.0023	0.05	1.48	7.3	82	0.4	0.06	0.1	16.5	23	24.2	3.32	5	0.04	9	0.3	1090	1.1	0.005	18.7	79	23.3	0.06	0.7	0.8	7	0.3	0.013	0.05	51	0.1	69	2	0.04	0.25	0.1
2057139	462939	7138275	1817.4	B	20	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0034	0.05	0.79	10.3	54	0.4	0.06	0.2	9.7	18	24	2.94	4	0.05	7	0.21	901	1.1	0.005	18.4	69	23.2	0.06	0.7	0.5	11	0.2	0.008	0.05	35	0.05	60	1	0.07	0.25	0.1
2057140	462921	7138224	1792.5	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0036	0.05	1.76	10.8	99	0.5	0.06	0.1	17.1	22	38.9	3.6	5	0.05	9	0.42	2091	1.7	0.007	23.3	98	38.8	0.06	0.5	1	10	0.6	0.007	0.05	34	0.05	72	2	0.05	0.25	0.1
2057141	462909	7138169	1762.5	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0017	0.05	1.07	5.8	142	0.4	0.15	0.3	11.8	18	27.4	3.39	4	0.06	6	0.2	1948	0.9	0.006	18.2	116	25.5	0.11	0.5	0.5	16	0.2	0.004	0.1	29	0.05	72	1	0.07	0.25	0.1
2057142	462925	7138117	1733.1	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.002	0.05	1.3	10.1	96	0.3	0.09	0.1	11.8	19	27.8	3.04	4	0.05	12	0.38	533	0.9	0.005	25.5	51	23.8	0.025	0.7	1.6	19	1.2	0.011	0.05	34	0.05	66	0.5	0.05	0.25	0.1
2057143	462919	7138066	1705.2	B	20	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0009	0.05	1.13	7.3	66	0.3	0.15	0.1	11	20	32.9	2.63	3	0.05	16	0.37	528	0.9	0.005	25.4	69	23.8	0.025	0.6	1.8	15	1.7	0.019	0.05	34	0.1	58	1	0.02	0.25	0.1
2057144	462880	7138024	1703.8	B	30	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0035	0.05	1.48	9.4	54	0.4	0.07	0.2	9.6	25	21.6	3.24	5	0.04	10	0.42	391	1	0.005	22.8	52	17.1	0.025	0.7	1.1	9	0.5	0.016	0.05	45	0.1	61	0.5	0.03	0.25	0.1
2057145	462872	7137978	1708.4	B	20	Brown	N	Dry	N. Hamlyn	WHI18000889	0.0009	0.05	3.56	4.1	101	0.05	1.02	0.2	58.5	215	117.3	8.14	15	0.02	16	3.27	1265	1.3	0.013	264.8	81	9.4	0.025	0.3	12.5	53	2.3	0.301	0.05	133	0.05	109	4	0.02	0.25	0.1
2057146	462843	7137930	1729.1	B	15	Brown	W	Dry	N. Hamlyn	WHI18000889	0.005	0.05	1.51	24.8	59	0.5	0.08	0.1	29	28	60.2	3.19	5	0.09	22	0.38	1095	1.4	0.004	32.7	51	49.4	0.025	0.9	1.3	16	0.7	0.015	0.1	44	0.1	63	1	0.04	0.25	0.1
2057147	462801	7137902	1732.5	B	15	Brown	W	Dry	N. Hamlyn	WHI18000889	0.0053	0.05	1.4	11.2	108	0.3	0.14	0.1	14.7	37	18.9	3.41	7	0.06	13	0.43	644	1.4	0.005	26.9	42	15	0.06	0.9	2	14	0.7	0.034	0.1	74	0.1	61	0.5	0.02	0.6	0.1
2057148	462790	7137855	1710.5	B	30	Brown	S	Dry	N. Hamlyn	WHI18000889	0.0051	0.1	1.5	76.1	186	0.2	0.84	0.3	29.7	51	65.5	6.1	5	0.12	29	0.63	1658	1.7	0.009	89.4	150	11.3	0.025	1	11.4	57	2.5	0.011	0.1	63	0.05	92	3	0.08	0.7	0.1
2057149	462757	7137816	1687.9	B	35	Brown	SW	Damp	N. Hamlyn	WHI18000889	0.0024	0.05	1.89	29.9	248	0.2	0.6	0.2	15.3	48	29.2	4.06	6	0.07	17	0.42	822	1.5	0.006	46.1	118	9.6	0.025	0.6	3.9	42	1	0.008	0.1	72	0.1	65	1	0.03	0.25	0.1
2057150	462734	7137770	1674.5	B	35	Brown	SW	Damp	N. Hamlyn	WHI18000889	0.0015	0.05	2.39	19.9	137	0.1	0.6	0.2	25.8	280	63.8	5.15	9	0.08	19	1.96	983	1.3	0.008	102.7	78	7.9	0.025	0.5	10.1	38	1.4	0.078	0.1	106	0.05	78	2	0.03	0.25	0.1
2057182	465533	7136901	1830.2	C	20	Brown	N	Moist	S. Orban	WHI18000889	0.0077	0.05	1.25	12.5	56	0.2	0.1	0.05	8.5	22	39.1	2.68	4	0.04	12	0.34	308	1.1	0.006	18.1	54	44.9	0.025	0.7	1.6	8	0.5	0.022	0.05	42	0.2	53	0.5	0.05	0.25	0.1
2057183	465513	7136857	1815	B	30	Brown	SW	Moist	S. Orban	WHI18000889	0.0025	0.05	1.11	11.6	57	0.2	0.14	0.05	10.6	20	19.9	2.39	4	0.04	12	0.38	503	0.8	0.004	19.3	66	29.4	0.025	0.6	1.4	13	1.3	0.021	0.05	35	0.1	56	0.5	0.03	0.25	0.1
2057184	465488	7136816	1791.9	C	40	Brown	SE	Damp	S. Orban	WHI18000889	0.002	0.05	1.08	11.7	72	0.2	0.18	0.05	14.8	20	28.6	2.43	3	0.04	12	0.38	678	0.7	0.004	24	91	35.1	0.025	0.6	1.8	17	3.3	0.026	0.05	29	0.05	56	0.5	0.02	0.25	0.1
2057185	465470	7136773	1781.3	C	30	Brown	SW	Damp	S. Orban	WHI18000889	0.0048	0.05	1.42	25.5	74	0.5	0.1	0.05	30.4	22	27.4	2.88	4	0.05	11	0.43	479	0.9	0.005	25.6	47	51.6	0.025	0.6	1.5	11	0.8	0.013	0.1	37	0.1	68	1	0.03	0.25	0.1
2057186	465441	7136726	1767.8	C	30	Brown	SW	Damp	S. Orban	WHI18000889	0.0028	0.05	1.33	20.4	55	0.3	0.16	0.05	22.2	21	29.2	2.8	4	0.04	13	0.42	478	0.9	0.005	24.5	73	43.8	0.025	0.7	1.8	13	2	0.024	0.05	36	0.2	61	0.5	0.03	0.25	0.1
2057187	465423	7136678	1749.7	C	40	Grey	S	Damp	S. Orban	WHI18000889	0.00025	0.05	2.12	1.5	46	0.3	0.1	0.05	24.6	33	112.2	4.91	6	0.06	3	1.19	1360	0.3	0.006	42.5	44	20.5	0.025	0.1	3.6	21	5.8	0.003	0.05	28	0.05	118	0.5	0.005	0.25	0.1
2057188	465399	7136625	1757.3	B	30	Brown	E	Damp	S. Orban	WHI18000889	0.0032	0.05	1.43	16.6	73	0.3	0.1	0.1	11.7	21	19.9	2.66	4	0.04	11	0.38	446	1.1	0.005	19.1	48	30	0.025	0.7	2	10	1.2	0.021	0.05	40	0.2	56	0.5	0.04	0.25	0.1
2057189	465363	7136595	1765.9	C	40	Brown	NW	Damp	S. Orban	WHI18000889	0.0036	0.05	1.33	11.3	71	0.2	0.14	0.1	12.2	22	22.6	2.61	4	0.05	12	0.41	428	0.9	0.006	23	55	21.2	0.025	0.7	2	12	1.4	0.026	0.05	42	0.1	58	0.5	0.03	0.25	0.1
2057190	465323	7136563	1762.2	C	40	Brown	SW	Moist	S. Orban	WHI18000889	0.0014	0.05	1.27	11	88	0.2	0.1	0.1	12.8	22	23.3	2.71	4	0.04	11	0.37	576	1.1	0.006	21.1	62	26	0.05	0.7	1.5	11	0.7	0.022	0.05	42	0.1	57	0.5	0.03	0.25	0.1
2057191	465305	7136517	1765.6	C	30	Brown	NW	Damp	S. Orban	WHI18000889	0.0032	0.05	1.25	16.4	76	0.3	0.17	0.1	13.3	21	26.4	2.41	3	0.05	13	0.42	602	0.9	0.007	24.1	73	32.1	0.025	0.7	2.1	15	2.2	0.027	0.05	34	0.1	59	0.5	0.03	0.25	0.1
2057192	465279	7136469	1767.4	B	30	Brown	SE	Damp	S. Orban	WHI18000889	0.0026	0.05	1.55	13.2	87	0.2	0.13	0.2	10.5	27	19.6	2.74	5	0.05	15	0.47	411	1	0.007	21.9	58	18.5	0.025	0.8	2	13	1.2	0.027	0.05	51	0.2	72	0.5	0.04	0.25	0.1
2057193	465236	7136445	1759.2	C	30	Brown	SW	Damp	S. Orban	WHI18000889	0.0011	0.05	1.39	13.4	82	0.3	0.06	0.05	14.4	22	21.3	3.02	5	0.05	9	0.38	717	1.1	0.005	20.6	59	24.3	0.025	0.6	1	9	0.3	0.01	0.05	38	0.05	60	0.5	0.04	0.25	0.1
2057194	465192	7136425	1751.1	C	40	Brown	SE	Damp	S. Orban	WHI18000889	0.0018	0.05	1.54	14.9	82	0.3	0.09	0.05	14.6	25	26	2.91	5	0.06	11	0.44	404	1.1	0.006	22.5	55	31.8	0.025	0.8	1.6	10	0.8	0.019	0.1	44	0.1	67	0.5	0.04	0.25	0.1
2057195	465145	7136408	1732.1	C	40	Brown	W	Damp	S. Orban	WHI18000889	0.0011	0.05	1.4	13.3	72	0.3	0.1	0.05	17.6	24	33.6	3.35	4	0.06	9	0.54	381	0.7	0.005	27.6	46	32.1	0.025	0.5	2.1	13	2.4	0.012	0.05	28	0.05	67	0.5	0.02	0.25	0.1
2057196	465096	7136396	1724	C	30	Brown	W	Damp	S. Orban	WHI18000889	0.0013	0.05	1.26	12.6	66	0.2	0.13	0.05	14.5	21	24.4	2.61	4	0.06	11	0.39	470	1	0.005	22.1	75	29.7	0.025	0.6	1.8	13	1.2	0.022	0.05	31	0.1	60	1	0.03	0.25	0.1
2057197	465052	7136390	1711.1	C	30	Brown	W	Damp	S. Orban	WHI18000889	0.0005	0.05	2	11.1	83	0.4	0.04	0.05	29.2	27	36.7	4	5	0.07	5	0.54	1417	0.9	0.004	29	88	51.6	0.025	0.5	1.3	10	1	0.005	0.1	28	0.05	72	1	0.06	0.25	0.1
2057198	465002	7136380	1697.9	C	40	Brown	W	Damp	S. Orban	WHI18000889	0.0015	0.05	1.35	13.8	80	0.2	0.14	0.1	13.2	23	24.3	2.74	4	0.04	13	0.44	507	0.9	0.005	23.9	71	24.3	0.025	0.7	1.8	14	1.6	0.022	0.05	39	0.2	70	0.5	0.04	0.25	0.1
2057199	464952	7136368	1683.5	B	40	Brown	W	Damp	S. Orban	WHI18000889	0.0017	0.05	1.26	12.7	59	0.2	0.11	0.1	8.2	21	19.8	2.51	4	0.03	12	0.34	315	1	0.004	17.8	58	17.4	0.025	0.7	1.2	11	0.5	0.018	0.05	41	0.1	58	0.5	0.04	0.25	0.1
2057200	464952	7136368	1682	B	40	Brown	W	Damp	S. Orban	WHI18000889	0.0053	0.05	1.34	11.2	66	0.2	0.12	0.05	9.5	20	20.5	2.52	4	0.03	12	0.39	387	0.8	0.005	20	63	19.7	0.025	0.7	1.5	12	0.7	0.02	0.05	36	0.1	55	0.5	0.03	0.25	0.1
2057226	474312	7131250	1673.1	B	20	Brown	SW	Damp	R. Rigal	WHI18000889	0.005	0.3	1.51	11.5	113	0.2	0.07	0.5	6.8	26	27.3	2.6	4	0.04	15	0.34	624	1.5	0.005	19.1	39	140.4	0.025	1.4	1.9	8	1	0.018	0.1	49	0.1	235	1	0.17	0.6	0.1
2057227	474293	7131206	1656.4	B	20	Grey	NE	Damp	R. Rigal	WHI18000889	0.0065	0.4	0.91	9.7	538	0.2	0.15	0.2	15.3	22	94.1	2.32	3	0.05	22	0.34	984	0.9	0.003	40.5	66	22.1	0.025	1.5	2.5	17	2.5	0.012	0.1	26	0.05	119	1	0.06	0.25	0.1
2057228	474279	7131159	1640.8	B	20	Brown	N	Damp	R. Rigal	WHI18000889	0.0059	0.2	0.83	10.1	262	0.2	0.08	0.2	9.7	22	38.8	2.09	3	0.04	11	0.21	1083	1.1	0.004	18.1	74	18.6	0.025	0.9	0.6	8	0.2	0.008	0.05	36	0.1	72	2	0.04	0.25	0.1
2057229	474282	7131106	1625.8	B	20	Brown	N	Damp	R. Rigal	WHI18000889	0.006	0.05	1.37	10	351	0.4	0.07	0.2	5.5	24	40.4	2.32	5	0.04	18	0.31	415	1.2	0.005	17.6	68	15	0.025	1.1	0.7	8	0.3	0.009	0.2	46	0.05	71	2	0.05	0.25	0.1
2057230	474288	7131058	1606.2	B	20	Brown	N	Damp	R. Rigal	WHI18000889	0.0036	0.5	1.02	10.8	129	0.6	0.06	0.2	5.1	23	28.6	2.52	5	0.04	14	0.2	374	1.4	0.005	13.4	67	14.1	0.025	1	0.6	7	0.2	0.013	0.2	47	0.1	59	2	0.06	0.6	0.1
2057231	474295	7131010	1590.7	B	20	Brown	N	Damp	R. Rigal	WHI18000889	0.0073	0.2	1.26	21.4	214	0.4	0.1	0.3	7.5	29	36	3.19	5	0.06	16	0.3	398	1.2	0.005	19.9	60	17.2	0.025	1.4	1.7	12	1.1	0.032	0.1	48	0.2	84	2	0.08	0.6	0.1
2057232	474306	7130961	1568.9	B	30	Brown	N	Damp	R. Rigal	WHI18000889	0.0055	0.3	0.98	30.2	268	0.3	0.15	0.5	6.7	22	22.3	2.04	4	0.05	14	0.2	527	1.1	0.006	13.9	74	23.4	0.025	2.1	0.8	15	0.2	0.013	0.1	47	0.1	135	1	0.07	0.25	0.1
2057233	474263	7130927	1545.6	B	30	Brown	NE	Damp	R. Rigal	WHI18000889	0.0079	0.2	1.36	21.9	194	0.3	0.13	0.5	10.3	28	26.5	2.57	4	0.06	17	0.36	741	1.1	0.007	20.7	80	16.5	0.025	1.1	1.4	12	0.5	0.02	0.05	42	0.1	88	2	0.05	0.5	0.1
2057234	474248	7130878	1536.3	B	30	Brown	NE	Damp	R. Rigal	WHI18000889	0.0035	0.05	1.36	13	161	0.2	0.13	0.05	6.1	22	18.1	2.26	4	0.04	15	0.32	178	0.9	0.006	16	44	11.1	0.025	0.7	2.2	12	2.3	0.027	0.1	43	0.2	48	1	0.03	0.25	0.1
2057235	474240	7130826	1532.4	B	10	Brown	NE	Damp	R. Rigal	WHI18000889	0.0045	0.05	1.89	10.9	112	0.3	0.07	0.1	9.9	34	27.7	2.77	6	0.05	13	0.4	276	1.2	0.007	22.3	31	14.7	0.025	0.7	2.9	10	4	0.032	0.1	54	0.1	56	2	0.04	0.25	0.1
2057236	474212	7130782	1518.5	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0037	0.05	1.6	10.7	185	0.2	0.12	0.1	10.4	27	52.3	2.46	4	0.05	13	0.44	447	0.9	0.007	29.6	47	11.1	0.025	0.7	3.1	12	3.3	0.028	0.1	42	0.1	58	2	0.03	0.25	0.1
2057237	474182	7130740	1506.2	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0032	0.05	1.55	9.8	93	0.3	0.06	0.1	7.7	29	36.8	2.81	5	0.04	13	0.35	309	1.2	0.005	20.3	34	12.9	0.025	0.7	2.3	8	1.9	0.027	0.1	50	0.1	61	0.5	0.03	0.25	0.1
2057238	474145	7130704	1492.1	B	10	Brown	NE	Damp	R. Rigal	WHI18000889	0.0013	0.05	1.47	9.2	106	0.3	0.06	0.05	4.6	27	18.5	2.24	6	0.03	14	0.29	146	1.3	0.005	12.4	45	11.9	0.025	0.6	1.5	9	0.5	0.02	0.2	51	0.1	45	0.5	0.04	0.25	0.1
2057239	474112	7130667	1484.8	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0075	0.1	1.54	10.8	142	0.3	0.09	0.2	14.5	28	76.2	2.76	4	0.04	17	0.47	418	1.1	0.006	34.9	46	13.2	0.025	0.7	2.9	11	4.4	0.025	0.05	41	0.1	87	1	0.04	0.25	0.1
2057240	474065	7130648	1468.8	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0034	0.1	1.36	9.5	107	0.3	0.07	0.1	5.1	28	26.8	2.59	5	0.04	15	0.27	199	1.5	0.006	14	58	11.6	0.025	0.7	1.1	9	0.3	0.017	0.1	52	0.1	48	1	0.04	0.25	0.1
2057241	474065	7130646	1472.7	B	20	Mottle	NE	Damp	R. Rigal	WHI18000889	0.0026	0.05	1.11	8.4	110	0.3	0.06	0.1	4.7	26	33.7	2.33	5	0.04	19	0.23	188	1.4	0.004	15.6	41	10.9	0.025	0.6	1.4	9	0.9	0.018	0.1	48	0.05	54	2	0.04	0.25	0.1
2057242	474023	7130620	1452.7	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.009	0.1	1.94	13	198	0.3	0.08	0.2	13.8	36	119.5	3.04	5	0.06	17	0.54	602	1.5	0.008	33.6	52	16.7	0.025	0.9	5	11	4.8	0.033	0.1	51	0.1	91	2	0.08	0.25	0.1
2057243	473983	7130591	1439.4	C	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0038	0.1	1.3	16.4	111	0.5	0.03	0.05	16.5	49	87.1	4.14	6	0.04	5	0.39	715	3.1	0.007	30.2	56	28.2	0.025	1.2	2.1	18	2.1	0.013	0.1	47	0.05	101	0.5	0.03	0.8	0.1
2057244	473945	7130555	1425.9	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0053	0.05	1.98	10.6	139	0.4	0.07	0.1	10.8	39	52.3	3.39	6	0.05	14	0.48	351	1.5	0.006	26.2	36	20.6	0.025	0.8	3.1	9	4.7	0.027	0.1	50	0.1	73	2	0.05	0.7	0.1
2057245	473901	7130529	1414.3	B	20	Mottle	NE	Damp	R. Rigal	WHI18000889	0.0036	0.05	1.57	12.6	131	0.3	0.06	0.05	6.9	36	50.1	3.09	6	0.05	13	0.35	210	1.9	0.006	18.8	61	17.6	0.025	0.8	1.7	11	0.7	0.016	0.1	56	0.1	65	1	0.04	0.25	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2057246	473861	7130496	1405.9	B	20	Grey	NE	Damp	R. Rigal	WHI18000889	0.0057	0.05	1.55	11.6	136	0.3	0.04	0.05	6.9	44	63.7	3.64	5	0.05	9	0.5	184	2.7	0.006	29.4	32	16.2	0.025	1.1	2.5	11	2.9	0.011	0.1	46	0.05	96	0.5	0.07	0.7	0.1
2057247	473823	7130461	1396.1	B	20	Brown	NE	Damp	R. Rigal	WHI18000889	0.0027	0.05	1.7	12.3	116	0.3	0.05	0.05	5.6	33	26.9	3.19	6	0.06	11	0.32	151	3.2	0.006	15.5	44	16.3	0.025	0.8	2.5	13	3.5	0.009	0.2	53	0.05	55	0.5	0.05	0.7	0.1
2057248	473798	7130418	1390.5	B	30	Mottled	NE	Damp	R. Rigal	WHI18000889	0.002	0.05	1.79	10.9	117	0.2	0.06	0.05	6.7	30	15.3	2.96	6	0.05	13	0.33	169	1.8	0.007	18	54	14.1	0.025	0.7	2.5	11	2	0.015	0.2	50	0.2	59	0.5	0.06	0.6	0.1
2057249	473755	7130389	1387.9	B	30	Grey	NE	Damp	R. Rigal	WHI18000889	0.0018	0.1	0.7	15.4	88	0.3	0.03	0.05	5	18	41.5	3.16	3	0.07	7	0.11	90	1.8	0.007	17.9	57	21.1	0.07	0.8	2	12	1.4	0.003	0.1	29	0.05	76	0.5	0.07	0.8	0.1
2057250	473703	7130387	1391.1	C	10	Brown	NE	Damp	R. Rigal	WHI18000889	0.0017	0.1	1.6	18.8	64	0.4	0.02	0.05	4.2	34	49.7	4.89	5	0.06	5	0.33	118	2.5	0.007	16.4	78	17.6	0.06	0.9	2.7	15	3.4	0.005	0.2	37	0.05	77	0.5	0.03	0.9	0.1
2057262	465512	7137005	1788.9	Frostboil	20	Red		Damp	C. Studer	WHI18000889	0.00025	0.05	1.35	1.1	72	0.4	0.13	0.05	25.4	36	41.3	4.91	4	0.06	4	0.89	1206	0.4	0.007	44.5	45	24.6	0.025	0.1	2.7	48	8.3	0.008	0.05	29	0.05	109	0.5	0.005	0.25	0.1
2057263	465520	7137071	1802.8	C	10	Grey	S	Damp	C. Studer	WHI18000889	0.0026	0.05	1.98	11.4	109	0.5	0.07	0.05	30.4	34	49.4	4.77	6	0.06	4	0.91	1004	0.6	0.005	44.3	36	37.5	0.025	0.2	3.6	23	5.5	0.005	0.05	22	0.05	97	1	0.04	0.25	0.1
2057264	465523	7137119	1839.6	C	10	Grey	S	Moist	C. Studer	WHI18000889	0.0022	0.05	1.84	5	111	0.5	0.06	0.1	27	32	57	4.26	5	0.06	6	0.68	1073	0.9	0.005	40.8	73	46.5	0.025	0.2	2.9	13	4.8	0.009	0.05	28	0.05	96	1	0.01	0.25	0.1
2057265	465528	7137172	1872.1	C	20	Grey	S	Damp	C. Studer	WHI18000889	0.0024	0.05	1.73	12.5	69	0.5	0.06	0.1	24.8	31	37.6	3.95	6	0.07	11	0.58	1672	1	0.005	34.5	83	54	0.025	0.5	2.2	16	2.9	0.009	0.05	32	0.05	79	2	0.03	0.25	0.1
2057266	465541	7137224	1892.6	C	10	Grey	S	Damp	C. Studer	WHI18000889	0.001	0.1	1.91	9.1	87	0.5	0.09	0.1	35.2	29	58.1	4.2	5	0.08	8	0.69	1725	0.8	0.007	40.3	87	68.6	0.025	0.5	4.3	20	5.9	0.009	0.1	24	0.05	103	2	0.08	0.25	0.1
2057267	465540	7137269	1922.7	B	20	Brown		Damp	C. Studer	WHI18000889	0.0043	0.05	1.57	9.4	81	0.4	0.07	0.2	11.6	30	27.2	3.15	5	0.08	12	0.38	547	1.5	0.005	22.3	70	39.1	0.025	0.7	1.2	10	0.5	0.014	0.2	47	0.1	81	2	0.06	0.25	0.1
2057268	465499	7137300	1912	C	10	Grey	W	Damp	C. Studer	WHI18000889	0.0008	0.05	1.54	9.3	61	0.5	0.07	0.2	17.5	26	38.1	3.51	5	0.09	12	0.5	1098	1.3	0.007	28.1	79	42.5	0.025	0.6	2	21	2.8	0.009	0.1	28	0.05	91	2	0.03	0.25	0.1
2057269	465457	7137326	1918.8	C	10	Grey		Damp	C. Studer	WHI18000889	0.0013	0.05	1.86	10.5	65	0.5	0.06	0.1	28.7	26	58.2	3.66	5	0.07	11	0.48	857	1.2	0.005	33.8	89	52.7	0.025	0.7	2.5	11	1.8	0.01	0.1	36	0.05	101	2	0.04	0.25	0.1
2057270	465447	7137374	1889.8	C	10	Grey	W	Damp	C. Studer	WHI18000889	0.0015	0.05	1.66	10.8	78	0.4	0.09	0.1	32.3	25	53.4	3.89	5	0.06	12	0.59	1684	1	0.006	40.7	71	58.9	0.025	0.5	2.6	25	5.6	0.01	0.05	26	0.05	93	1	0.03	0.25	0.1
2057271	465441	7137430	1858.1	C	20	Grey	W	Damp	C. Studer	WHI18000889	0.00025	0.05	2.15	15.7	55	0.5	0.18	0.05	36	33	94.1	4.88	6	0.07	3	0.67	974	0.4	0.004	61.4	48	51.6	0.025	0.2	3.3	35	7.2	0.001	0.05	22	0.05	101	1	0.02	0.25	0.1
2057272	465420	7137475	1841.2	C	30	Grey		Damp	C. Studer	WHI18000889	0.0013	0.05	1.49	8.1	68	0.4	0.12	0.05	23.8	26	44.8	3.84	5	0.07	11	0.57	1515	0.7	0.005	43.3	57	36.4	0.025	0.4	3.3	30	7.8	0.007	0.05	21	0.05	100	2	0.02	0.25	0.1
2057273	465393	7137521	1839.3	B	30	Brown	W	Damp	C. Studer	WHI18000889	0.0029	0.05	1.51	6.4	88	0.4	0.13	0.05	14.7	25	74.7	2.92	4	0.06	24	0.53	1811	0.9	0.006	30.6	63	62.8	0.025	0.6	2.2	22	2.9	0.021	0.05	36	0.1	71	2	0.04	0.25	0.1
2057274	465358	7137559	1826.9	C	20	Brown	W	Damp	C. Studer	WHI18000889	0.004	0.05	1.46	12.7	105	0.4	0.38	0.2	42	20	54.2	4.05	4	0.1	44	0.73	3782	0.7	0.007	64.2	111	44.7	0.025	1	7	50	9.2	0.007	0.05	17	0.05	91	2	0.07	0.25	0.1
2057275	465330	7137599	1809.3	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0023	0.1	0.95	10.9	120	0.2	1.9	0.3	13.4	17	27.4	2.93	2	0.06	34	0.28	776	0.8	0.009	34.3	92	18.8	0.07	0.6	2.8	75	1.6	0.011	0.05	30	0.1	83	3	0.09	0.25	0.1
2057276	465302	7137643	1821.9	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0035	0.05	1.45	9.1	60	0.5	0.17	0.1	12.7	26	44.2	3.05	4	0.06	15	0.43	357	1	0.005	26	76	47	0.025	0.7	1.9	15	2.4	0.025	0.05	39	0.2	67	2	0.05	0.6	0.1
2057277	465257	7137671	1812	B	20	Brown		Damp	C. Studer	WHI18000889	0.0045	0.05	1.19	10.4	54	0.3	0.18	0.1	11.4	22	24.1	2.63	4	0.04	16	0.4	442	0.9	0.005	22.3	81	25.9	0.025	0.7	1.6	16	2	0.027	0.05	37	0.2	59	2	0.04	0.6	0.1
2057278	465216	7137704	1813.2	B	10	Brown	NW	Damp	C. Studer	WHI18000889	0.0099	0.05	1.4	11.7	95	0.3	0.17	0.2	20.5	26	34.7	2.98	4	0.05	18	0.4	1453	1.1	0.006	26.7	89	42.7	0.025	0.7	1.7	16	1.3	0.022	0.1	43	0.3	75	2	0.08	0.7	0.1
2057279	465173	7137729	1804.5	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.015	0.05	1.53	12.5	74	0.4	0.11	0.1	14.2	28	28.4	3.04	6	0.06	15	0.41	425	1.3	0.006	22.5	72	46.2	0.07	0.9	1.5	10	0.7	0.022	0.2	53	0.2	57	2	0.1	0.7	0.1
2057280	465111	7137740	1772	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0025	0.05	1.35	9	141	0.4	1.95	0.4	19.7	18	31.4	3.06	3	0.08	9	0.55	2062	0.8	0.01	29	140	29.9	0.15	0.6	2.5	77	1.8	0.006	0.05	22	0.05	105	5	0.07	0.8	0.1
2057281	465110	7137741	1775.2	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0029	0.05	1.27	8	138	0.4	2.36	0.4	17.8	16	29.8	2.92	3	0.08	9	0.55	1963	0.8	0.01	26.8	138	28.9	0.16	0.5	2.6	88	1.6	0.006	0.1	21	0.05	91	4	0.06	0.8	0.1
2057282	465076	7137754	1759.9	B	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0011	0.2	0.57	8.3	59	0.2	11.47	0.4	5.9	13	19.9	1.1	1	0.05	11	0.17	357	0.8	0.012	23.1	258	10.7	0.15	1.1	0.9	588	0.3	0.006	0.1	14	0.1	93	8	0.21	1.1	0.1
2057283	465033	7137790	1720.5	C	20	Grey	NW	Damp	C. Studer	WHI18000889	0.0008	0.1	0.41	11.2	48	0.1	20.45	0.3	6.9	11	18.3	1.35	1	0.04	9	0.21	220	0.7	0.009	22.5	140	9.1	0.025	1.3	2	1076	2.8	0.018	0.05	18	0.2	54	3	0.14	0.7	0.1
2057284	464988	7137810	1699.9	Frostboil	20	Grey	NW	Damp	C. Studer	WHI18000889	0.0026	0.2	1.14	9.5	68	0.3	11.01	0.5	20.2	18	53.3	2.82	3	0.06	13	0.72	1153	1.5	0.007	35.1	105	29	0.025	1	5.1	424	8	0.007	0.05	23	0.05	86	2	0.12	0.25	0.1
2057285	464943	7137833	1688	Frostboil	20	Grey	NW	Damp	C. Studer	WHI18000889	0.0033	0.2	1.34	11.8	82	0.5	2.5	0.4	20	23	65	3.47	4	0.07	17	0.78	1280	1.9	0.008	44.9	102	29.2	0.025	1	6.1	121	7.7	0.01	0.05	28	0.05	106	2	0.1	0.6	0.1
2057286	464893	7137848	1678.7	Frostboil	20	Brown	NW	Damp	C. Studer	WHI18000889	0.0038	0.4	1.37	29.8	96	0.7	0.17	0.1	7.7	23	64	3.76	5	0.08	8	0.46	579	15.1	0.011	20.5	57	39.5	0.07	1.8	3.1	26	3.5	0.006	0.2	32	0.05	69	2	0.16	1.1	0.1
2057287	464847	7137865	1665.8	C	20	Grey	NW	Damp	C. Studer	WHI18000889	0.00025	0.05	1.91	11.9	41	0.7	0.05	0.2	8.8	32	38.9	4.55	7	0.06	8	0.55	479	1.8	0.006	23.5	63	37.2	0.025	0.7	1.8	18	1.4	0.011	0.05	37	0.05	81	0.5	0.03	0.25	0.1
2057288	464801	7137884	1651.8	C	10	Grey	NW	Damp	C. Studer	WHI18000889	0.0028	0.05	2.15	10.8	38	0.7	0.06	0.05	10.6	32	47.6	4.65	7	0.06	7	0.69	468	1.2	0.007	30.3	67	47.2	0.025	0.6	3	20	3.3	0.01	0.05	27	0.05	91	1	0.06	0.25	0.1
2057289	464755	7137909	1645.4	C	10	Brown	NW	Damp	C. Studer	WHI18000889	0.0013	0.05	1.86	14.3	49	0.5	0.06	0.1	11.9	28	66.3	4.6	6	0.06	10	0.54	419	1.2	0.007	29.2	56	35.3	0.025	0.7	3.3	17	3.8	0.02	0.1	37	0.05	92	1	0.03	0.25	0.1
2057290	464711	7137927	1662.9	C	10	Grey	NW	Damp	C. Studer	WHI18000889	0.00025	0.05	2.8	16.7	34	0.7	0.04	0.05	18.1	34	44.4	4.87	8	0.06	9	0.96	597	0.7	0.006	47.9	61	33.3	0.025	0.3	4.4	23	5.1	0.002	0.05	24	0.05	113	0.5	0.03	0.25	0.1
2057291	464673	7137955	1612.9	Frostboil	20	Red		Damp	C. Studer	WHI18000889	0.0015	0.05	1.53	0.9	56	0.3	0.09	0.05	19.8	34	29.6	5.06	5	0.05	9	0.55	662	0.3	0.006	35.7	37	12.5	0.025	0.2	3.9	23	6	0.006	0.05	31	0.05	92	0.5	0.005	0.25	0.1
2057292	464635	7137988	1601.4	Frostboil	20	Red	NW	Damp	C. Studer	WHI18000889	0.00025	0.05	1.6	0.25	31	0.3	0.06	0.05	23	36	9.8	5.71	5	0.05	5	0.56	788	0.2	0.006	42	42	13.8	0.025	0.2	3.9	13	6.6	0.005	0.05	30	0.05	88	0.5	0.01	0.25	0.1
2057293	464590	7138013	1603.2	B	20	Brown	SE	Damp	C. Studer	WHI18000889	0.002	0.05	1.79	14.1	102	0.4	0.09	0.2	13.7	31	27.5	3.34	6	0.06	13	0.42	974	1.3	0.006	23.4	65	20.9	0.025	0.7	2.1	11	1.2	0.017	0.1	53	0.1	68	0.5	0.05	0.25	0.1
2057294	464544	7138034	1613.3	Frostboil	20	Red	SE	Damp	C. Studer	WHI18000889	0.0021	0.05	1.3	5.7	100	0.4	0.13	0.05	21.8	32	45.4	4.27	4	0.04	10	0.53	861	0.5	0.005	36.4	52	24.1	0.025	0.4	3.9	23	6	0.012	0.05	35	0.05	89	0.5	0.02	0.25	0.1
2057295	464498	7138056	1622.1	B	30	Brown	SE	Damp	C. Studer	WHI18000889	0.0018	0.05	1.81	15.1	86	0.3	0.09	0.1	13.1	35	24.4	3.4	6	0.05	13	0.45	559	1.3	0.005	24.2	61	20.8	0.025	0.8	2	11	1.4	0.023	0.1	58	0.2	73	2	0.03	0.25	0.1
2057296	464453	7138074	1621.6	Frostboil	20	Brown		Damp	C. Studer	WHI18000889	0.002	0.05	1.86	15.1	96	0.3	0.1	0.1	16.5	33	27.3	3.37	6	0.06	12	0.56	737	1.2	0.006	28.4	54	26.6	0.025	0.7	2.4	12	2.4	0.019	0.1	49	0.2	80	2	0.04	0.25	0.1
2057297	464405	7138095	1620.3	Frostboil	20	Brown		Damp	C. Studer	WHI18000889	0.0013	0.05	1.75	13.7	70	0.3	0.07	0.2	13.7	28	25.3	3.61	6	0.05	11	0.46	735	1.2	0.006	23.7	45	25.4	0.025	0.7	2.3	10	2.2	0.02	0.1	45	0.1	88	0.5	0.04	0.25	0.1
2057298	464358	7138099	1618.3	Frostboil	20	Brown	W	Damp	C. Studer	WHI18000889	0.0012	0.05	1.54	7	54	0.8	0.11	0.1	14	26	35	3.69	6	0.06	11	0.43	703	1.1	0.005	24.1	72	51.9	0.025	0.5	1.7	13	1.7	0.015	0.1	38	0.05	66	1	0.03	0.25	0.1
2057299	464310	7138097	1600.8	C	30	Grey	W	Damp	C. Studer	WHI18000889	0.0031	0.05	1.5	8	59	0.4	0.06	0.1	13.2	24	37.9	3.51	6	0.05	10	0.37	1045	1.1	0.005	18.8	49	24.5	0.025	0.6	2	8	1.7	0.02	0.1	44	0.1	54	1	0.04	0.25	0.1
2057300	464255	7138106	1576.1	B	20	Brown	W	Damp	C. Studer	WHI18000889	0.0018	0.05	1.39	9.2	75	0.5	0.05	0.1	13.6	26	31.6	4.03	7	0.07	7	0.31	1483	1.2	0.006	17	90	33.4	0.025	0.5	1.1	9	0.4	0.012	0.1	43	0.05	56	1	0.08	0.25	0.1
2057301	464902	7136367	1673.7	C	40	Brown	W	Damp	S. Orban	WHI18000889	0.003	0.05	1.48	11	80	0.2	0.13	0.1	13.4	26	28.6	2.76	5	0.06	14	0.47	454	0.9	0.006	24.1	67	30.9	0.025	0.6	1.8	14	1.7	0.026	0.05	40	0.1	66	2	0.03	0.25	0.1
2057302	464852	7136360	1666	B	40	Brown	E	Moist	S. Orban	WHI18000889	0.0016	0.05	1.51	11.3	78	0.2	0.21	0.2	13.1	26	26.7	2.72	4	0.05	14	0.48	306	0.9	0.006	23.3	69	25.1	0.025	0.7	2	16	1.8	0.028	0.05	38	0.1	72	1	0.03	0.25	0.1
2057303	464802	7136352	1676.4	C	30	Brown	E	Damp	S. Orban	WHI18000889	0.0035	0.05	1.38	10.3	78	0.3	0.14	0.2	12	26	27.5	3.03	4	0.06	15	0.41	371	1.1	0.005	22.6	68	35.6	0.025	0.7	1.9	13	1.5	0.026	0.1	44	0.1	68	2	0.03	0.25	0.1
2057304	464752	7136349	1688.8	B	30	Brown	E	Moist	S. Orban	WHI18000889	0.0057	0.05	1.27	13	73	0.2	0.18	0.05	22.7	22	22.9	2.53	3	0.04	16	0.4	526	0.9	0.006	22	59	38.4	0.025	0.7	1.9	16	2.3	0.032	0.05	36	0.2	62	1	0.03	0.25	0.1
2057305	464703	7136342	1701	C	30	Brown	E	Damp	S. Orban	WHI18000889	0.0012	0.05	1.59	10.2	45	0.5	0.04	0.1	9	27	28.3	3.53	6	0.08	7	0.51	267	0.9	0.004	22.9	63	22.7	0.025	0.8	1.2	24	0.5	0.01	0.05	33	0.05	73	1	0.05	0.25	0.1
2057306	464655	7136356	1706.2	B	30	Brown	E	Damp	S. Orban	WHI18000889	0.0019	0.05	1.74	11	85	0.3	0.1	0.2	10.8	30	23	3.36	7	0.05	14	0.38	332	1.5	0.005	18.9	56	17.8	0.025	0.9	1.9	12	0.7	0.031	0.2	64	0.1	69	1	0.04	0.6	0.1
2057307	464618	7136388	1711.2	C	30	Brown	E	Damp	S. Orban	WHI18000889	0.002	0.05	1.38	13.8	69	0.2	0.13	0.1	12.2	24	22.2	2.74	4	0.05	16	0.44	415	1	0.006	22.1	57	21.7	0.025	0.7	1.8	12	1.4	0.028	0.05	42	0.2	67	0.5	0.03	0.25	0.1
2057308	464578	7136418	1703.7	C	30	Red	E	Dry	S. Orban	WHI18000889	0.00025	0.05	1.01	0.25	149	0.4	0.11	0.05	24.8	28	51.5	4.69	3	0.08	4	0.67	417	0.2	0.003	43.4	49	18.8	0.025	0.4	2.4	23	9.1	0.012	0.05	23	0.05	102	1	0.005	0.25	0.1
2057309	464530	7136437	1707.5	C	60	Brown	E	Damp	S. Orban	WHI18000889	0.0033	0.05	1.63	13.1	140	0.2	0.18	0.1	14.8	28	30.6	2.83	4	0.05	17	0.47	744	1	0.008	26.3	56	19.2	0.025	0.7	2.8	15	2.5	0.04	0.1	42	0.2	61	1	0.02	0.25	0.1
2057310	464482	7136459	1720.3	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.0015	0.05	1.81	21.3	89	0.3	0.15	0.2	17.3	31	24.7	3.07	6	0.05	13	0.53	902	1.1	0.006	23.7	77	25.2	0.025	0.6	2	18	1.1	0.027	0.1	47	0.1	71	1	0.03	0.25	0.1
2057311	464449	7136498	1726.7	C	30	Red	SE	Damp	S. Orban	WHI18000889	0.0005	0.05	1.65	1	108	0.3	0.1	0.05	27	37	72.7	4.7	5	0.05	8	0.75	732	0.4	0.003	52.3	56	19.1	0.025	0.3	2.4	18	6.6	0.011	0.05	28	0.05	112	1	0.005	0.25	0.1
2057312	464402	7136518	1764.5	C	40	Brown	SE	Damp	S. Orban	WHI18000889	0.0035	0.05	1.4	13.3	73	0.4	0.09	0.05	13.8	24	25.6	3.07	5	0.05	9	0.43	710	1.1	0.005	22.4	57	36.7	0.025	0.5	1.2	11	0.8	0.011	0.05	35	0.1	62	2	0.04	0.25	0.1
2057313	464353	7136533	1765.8	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.0016	0.05	1.15	18.6	82	0.5	0.08	0.05	25.4	20	32	3.15	3	0.05	8	0.3	559	1.8	0.006	26.8	44	39.2	0.025	0.5	2.2	12	1.5	0.009	0.05	30	0.05	68	2	0.05	0.25	0.1
2057314	464301	7136533	1764.4	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.0066	0.05	1.61	11.2	62	0.4	0.08	0.05	14.7	26	26.9	3.21	5	0.04	8	0.47	698	0.8	0.005	23.8	61	31.5	0.025	0.5	1.1	10	0.7	0.01	0.05	35	0.05	65	2	0.03	0.25	0.1
2057315	464252	7136524	1767.7	C	30	Brown	S	Damp	S. Orban	WHI18000889	0.002	0.05	1.38	16.6	52	0.3	0.11	0.05	15	27	24	3.05	5	0.04	9	0.52	634	0.8	0.004	24.1	59	23.4	0.025	0.5	1.6	12	1.2	0.015	0.05	33	0.1	65	2	0.03	0.25	0.1
2057316	464219	7136485	1749.8	B	40	Brown	W	Moist	S. Orban	WHI18000889	0.0015	0.05	1.46	16.9	67	0.3	0.11	0.05	15.1	25	25.7	2.72	4	0.04	10	0.48	545	0.8	0.005	24.2	57	25.1	0.025	0.6	1.7	12	1.5	0.017	0.05	37	0.1	61	2	0.03	0.25	0.1
2057317	464188	7136451	1750	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.0021	0.05	1.6	9	65	0.4	0.09	0.1	13.7	28	31.7	3.57	5	0.06	8	0.47	628	1	0.006	24.2	77	37.4	0.025	0.5	1.1	11	0.6	0.012	0.05	41	0.05	66	2	0.06	0.25	0.1
2057318	464145	7136424	1725.6	C	30	Brown	E	Damp	S. Orban	WHI18000889	0.0016	0.05	1.23	11.8	69	0.2	0.18	0.05	15	22	25.2	2.58	4	0.04	11	0.49	480	0.6	0.005	22.3	70	26.5	0.025	0.6	2	15	2.7	0.026	0.05	35	0.1	61	2	0.03	0.25	0.1
2057319	464101	7136398	1710.9	B	30	Brown	W	Damp	S. Orban	WHI18000889	0.0038	0.05	1.29	15.8	77	0.2	0.12	0.1	12	26	23.6	2.48	4	0.04	13	0.42	440	0.8	0.006	22.1	42	20.6	0.025	0.7	2.3	11	2.4	0.03	0.05	41	0.2	59	1	0.04	0.25	0.1
2057320	464060	7136369	1701.3	C	30	Brown	E	Damp	S. Orban	WHI18000889	0.0011	0.05	1.47	12.1	76	0.3	0.05	0.05	17.1	26	25.4	3.27	5	0.04	7	0.52	1037	0.7	0.004	26.9	24	27.6	0.025	0.4	1.7	8	3.4	0.01	0.05	25	0.05	66	1	0.03	0.25	0.1
2057321	464060	7136369	1702.8	C	40	Grey	E	Damp	S. Orban	WHI18000889	0.0023	0.05	1.9	18.8	91	0.4	0.14	0.05	20.8	28	37	3.98	5	0.05	10	0.71	579	0.7	0.004	33.8	63	33.5	0.025	0.5	2.3	19	4.3	0.013	0.05	29	0.05	87	1	0.03	0.25	0.1
2057322	464013	7136352	1694.6	C	40	Brown	W	Damp	S. Orban	WHI18000889	0.0018	0.05	1.69	24.2	74	0.4	0.09	0.2	14.6	23	29.7	2.81	5	0.05	11	0.45	252	1.1	0.004	26.9	55	27.1	0.025	0.7	1.8	16	2.1	0.015	0.05	38	0.1	68	0.5	0.03	0.25	0.1
2057323	463964	7136331	1695.6	B	30	Brown	W	Damp	S. Orban	WHI18000889	0.0013	0.05	1.33	11.3	75	0.2	0.12	0.1	10.8	25	18.3	2.6	5	0.04	12	0.36	472	0.9	0.005	19.3	48	21.6	0.025	0.7	1.6	11	1.1	0.026	0.1	46	0.2	58	2	0.03	0.25	0.1
2057324	463915	7136315	1690.9	B	30	Brown	E	Damp	S. Orban	WHI18000889	0.0024	0.05	1.42	14.7	79	0.2	0.15	0.05	13.4	25	25.1	2.68	4	0.04	13	0.46	479	0.8	0.005	23.7	73	26.9	0.025	0.7	2.4	15	2.4	0.026	0.05	39	0.2	68	1	0.02	0.25	0.1
2057325	463864	7136310	1691.2	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.0035	0.05	1.48	13.2	57	0.5	0.08	0.1	10.4	26	23.3	2.97	5	0.05	11	0.41	379	0.9	0.005	20.3	57	31.4	0.025	0.6	1.3	8	0.6	0.014	0.1	41	0.1	59	2	0.05	0.25	0.1
2057326	463813	7136303	1688.7	C	40	Brown	E	Damp	S. Orban	WHI18000889	0.003	0.05	1.63	15.8	83	0.3	0.1	0.1	12.6	28	22.4	3.19	5	0.05	11	0.46	664	1	0.006	22.1	56	27.4	0.025	0.7	1.6	12	0.7	0.017	0.1	41	0.1	65	2	0.04	0.25	0.1
2057327	463764	7136311	1700.2	C	50	Brown	E	Damp	S. Orban	WHI18000889	0.0025	0.05	1.36	15.7	82	0.3	0.19	0.1	13.1	26	31.1	2.92	4	0.06	13	0.5	543	0.9	0.005	25.8	69	23.3	0.025	0.7	2.3	17	3.5	0.028	0.05	35	0.1	64	2	0.02	0.25	0.1
2057328	463713	7136319	1695.5	C	40	Brown	W	Damp	S. Orban	WHI18000889	0.0017	0.05	1.7	14.1	79	0.4	0.09	0.2	12.3	27	27.2	3.47	6	0.06	9	0.43	493	1.1	0.006	22.5	72	25.5	0.025	0.6	0.9	12	0.5	0.011	0.1	38	0.1	67	1	0.05	0.25	0.1
2057329	463668	7136296	1685	B	30	Brown	E	Damp	S. Orban	WHI18000889	0.0045	0.05	1.29	11.2	75	0.2	0.18	0.05	12.6	24	21	2.53	4	0.05	13	0.41	428	0.9	0.006	20.8	67	19.6	0.025	0.7	1.8	14	1.8	0.029	0.05	41	0.2	55	1	0.04	0.25	0.1
2057330	472520	7127811	1788.2	C	30	Grey	NW	Moist	S. Orban	WHI18000889	0.001	0.8	1.15	21.4	219	0.4	0.5	2.8	18.9	23	53.3	4.41	3	0.1	27	0.67	598	5.3	0.016	58	233	31.2	0.18	4.6	2.4	93	7.8	0.002	0.2	55	0.05	266	2	0.16	2.5	0.1
2057331	472523	7127887	1781.6	C	20	Brown	NW	Damp	S. Orban	WHI18000889	0.0039	0.05	1.54	12.9	81	0.3	0.14	0.2	8.9	30	29.2	3.38	5	0.06	16	0.45	263	1.9	0.007	24.9	69	14.4	0.025	0.9	1.8	14	0.8	0.024	0.1	55	0.1	74	1	0.05	0.25	0.1
2057332	472471	7127938	1752.8	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0069	1.2	0.86	28.3	166	0.5	0.24	0.8	15.4	19	95.4	4.38	2	0.06	25	0.19	383	15.9	0.009	71.1	215	38.6	0.025	5.9	1.3	35	1.1	0.002	0.3	33	0.05	217	2	0.27	5.8	0.1
2057333	472476	7127988	1720.8	C	20	Grey	N	Moist	S. Orban	WHI18000889	0.0055	0.8	1.14	25.7	155	0.4	0.46	1.2	20.4	24	99.8	4.19	3	0.06	29	0.54	560	10.7	0.009	70.3	220	34.4	0.025	5	3.7	41	7.4	0.009	0.1	36	0.05	206	1	0.27	2.2	0.1
2057334	472481	7128046	1691.8	C	20	Brown	N	Moist	S. Orban	WHI18000889	0.0037	0.5	1.38	16.6	125	0.3	0.94	0.5	16.2	25	104.6	3.71	4	0.09	29	0.68	376	5.9	0.012	49.2	389	24.4	0.025	1.6	4.3	75	6	0.016	0.2	34	0.05	176	2	0.23	1.4	0.1
2057335	472459	7128090	1671.2	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0031	0.5	1.32	16.5	96	0.3	0.57	0.4	18.5	30	62.7	4.12	3	0.07	38	0.79	369	5.3	0.008	53.4	229	32.8	0.025	1.1	3	37	7.4	0.005	0.1	22	0.05	130	2	0.21	0.5	0.1
2057336	472437	7128134	1652.2	C	30	Brown	N	Damp	S. Orban	WHI18000889	0.0041	0.8	1.31	15	150	0.3	0.63	0.6	15.9	23	76.6	4.39	4	0.08	32	0.7	371	6.5	0.01	50.5	245	30.1	0.025	1.2	3.5	51	6.2	0.007	0.2	27	0.05	147	2	0.3	1.1	0.1
2057337	472415	7128179	1635.1	C	30	Grey	N	Damp	S. Orban	WHI18000889	0.0053	1.2	1.36	15.2	149	0.3	0.56	1	14.7	26	72.3	3.85	3	0.08	29	0.64	322	8.8	0.007	56.2	224	26.5	0.025	1.6	3	42	5.5	0.006	0.2	28	0.05	151	2	0.45	2.5	0.1
2057338	472402	7128226	1615.3	C	30	Grey	NW	Moist	S. Orban	WHI18000889	0.0054	1.1	1.32	15.6	197	0.3	0.61	1.2	12.1	27	78.6	4	4	0.07	26	0.6	374	8.9	0.007	53.2	253	25.7	0.025	1.6	2.9	66	5.4	0.005	0.2	31	0.05	164	1	0.39	2.5	0.1
2057339	472372	7128267	1588.6	C	30	Grey	NW	Moist	S. Orban	WHI18000889	0.0053	1.1	1.39	15.2	189	0.3	0.55	0.9	10.7	28	80.4	3.94	4	0.08	24	0.64	269	9.3	0.008	51.1	260	24.8	0.025	1.8	3	60	4.6	0.004	0.2	32	0.05	164	2	0.41	2.5	0.1
2057340	472349	7128311	1572.6	C	30	Grey	NW	Moist	S. Orban	WHI18000889	0.0051	0.8	1.23	14.4	195	0.3	0.46	1.1	10.7	24	63.1	3.31	4	0.05	24	0.51	308	8.7	0.006	46.3	212	20.5	0.025	2.1	2	39	2.4	0.005	0.3	35	0.05	156	1	0.26	2.9	0.1
2057341	472323	7128356	1556.2	C	30	Grey	NW	Moist	S. Orban	WHI18000889	0.0071	1.3	1.29	14.6	216	0.3	0.42	1.7	13.2	27	63.1	2.87	3	0.05	21	0.44	472	8.9	0.005	59	206	19.2	0.025	2.4	2.1	30	1.6	0.006	0.4	34	0.05	176	1	0.46	3.7	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2057342	472292	7128396	1535.8	C	30	Grey	NW	Damp	S. Orban	WHI18000889	0.0068	1.7	1.07	32.5	230	0.5	0.13	2.1	32.8	24	99.6	5.31	2	0.07	28	0.33	1278	17.8	0.031	70.1	257	49.6	0.3	8.6	3.4	42	5	0.0005	1.1	23	0.05	311	0.5	0.79	8.3	0.3
2057343	472255	7128431	1524	C	40	Grey	NW	Damp	S. Orban	WHI18000889	0.0025	1.1	1.15	20.5	327	0.3	0.8	3.6	20.3	36	71.7	4.07	3	0.09	38	0.49	491	12.6	0.004	90.3	221	31.9	0.025	3.7	5	39	6.4	0.0005	0.5	35	0.05	255	2	0.54	4.2	0.1
2057344	472227	7128473	1514	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0033	1.2	1.13	16.8	85	0.3	0.39	6.9	26.7	37	60.8	3.96	2	0.06	32	0.55	518	11	0.005	101.1	217	19.8	0.025	3.4	2.9	29	6.3	0.0005	0.6	27	0.05	293	2	0.36	5.4	0.1
2057345	472203	7128518	1514.8	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0028	0.5	1.71	16.3	82	0.3	0.38	2.3	35.2	26	60.3	4.67	4	0.06	41	1.06	766	6.5	0.007	83.2	242	28.7	0.025	1.5	2.8	41	8.9	0.001	0.2	20	0.05	170	1	0.29	0.8	0.1
2057346	472194	7128567	1503.2	C	30	Grey	NW	Damp	S. Orban	WHI18000889	0.0029	0.5	2	13.5	136	0.3	0.24	0.8	18.1	32	52.1	4.02	5	0.09	24	0.75	394	4.3	0.012	49.2	212	24.6	0.1	1	2.9	35	6.1	0.004	0.3	32	0.05	110	1	0.21	1.8	0.1
2057347	472168	7128611	1489.9	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0019	0.2	1.87	22.2	80	0.4	0.23	0.7	19.3	29	61.6	4.47	4	0.06	33	1.06	314	7.4	0.01	67.1	216	29.9	0.025	1	1.8	33	5.2	0.0005	0.2	22	0.05	162	0.5	0.17	1.1	0.1
2057348	472123	7128637	1495.4	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0097	1.5	1.47	13.9	225	0.4	0.39	1	8.8	26	92.4	3.36	4	0.11	31	0.39	211	9.9	0.032	39.1	289	21.2	0.25	1.9	2.8	110	5	0.023	0.5	42	0.1	131	2	0.35	6.3	0.1
2057349	472123	7128689	1476.7	C	30	Brown	NW	Damp	S. Orban	WHI18000889	0.0058	0.6	1.56	11.8	140	0.3	0.27	1.1	10.8	32	54.4	2.87	4	0.07	18	0.41	322	5.7	0.009	43.3	167	17.9	0.025	1.6	1.9	35	1.8	0.016	0.3	53	0.1	120	2	0.18	3.5	0.1
2057350	472109	7128738	1474.2	C	20	Brown	NW	Damp	S. Orban	WHI18000889	0.0033	0.3	1.87	13.8	137	0.3	0.28	0.5	13.5	30	29.3	2.88	5	0.07	20	0.45	351	2.4	0.007	35.4	172	15.5	0.025	1.1	3	27	4.3	0.03	0.2	49	0.2	96	3	0.09	1.4	0.1
2057351	462707	7137727	1666	B	50	Brown	SW	Damp	N. Hamlyn	WHI18000889	0.00025	0.05	3.51	2.4	96	0.1	1	0.05	46.9	581	59.4	6.35	12	0.2	20	4.77	787	0.5	0.01	184.8	113	5.4	0.025	0.1	15.2	56	1.3	0.324	0.1	165	0.05	89	2	0.02	0.25	0.1
2057352	462670	7137686	1651	B	45	Brown	SE	Damp	N. Hamlyn	WHI18000889	0.0056	0.05	2.06	7.3	224	0.2	0.87	0.3	25.4	90	36.8	4.06	9	0.12	28	1.34	723	0.7	0.009	91.6	127	9.6	0.025	0.4	5.6	53	2.5	0.127	0.05	100	0.2	76	3	0.03	0.25	0.1
2057353	462641	7137643	1632	B	40	Brown	SE	Damp	N. Hamlyn	WHI18000889	0.0035	0.05	2.65	6.1	231	0.1	0.8	0.4	37.3	134	47.8	5.18	11	0.21	40	1.52	1256	0.6	0.008	134.9	143	12.3	0.025	0.4	9	50	2.7	0.099	0.1	156	0.1	94	5	0.03	0.25	0.1
2057354	462593	7137612	1615.8	B	40	Brown	SE	Damp	N. Hamlyn	WHI18000889	0.006	0.05	1.73	8.5	188	0.2	0.67	0.2	24.5	93	35.8	3.58	7	0.09	27	1.1	868	0.9	0.009	80.9	122	9.6	0.025	0.6	6.2	41	2.4	0.044	0.05	95	0.2	77	2	0.03	0.25	0.1
2057355	462571	7137568	1593.9	B	40	Brown	SE	Damp	N. Hamlyn	WHI18000889	0.0017	0.05	1.98	8.5	219	0.2	0.69	0.3	24.5	92	35.4	4.06	8	0.08	36	1.24	967	1	0.01	78.2	90	11.2	0.025	0.5	6.2	43	2.5	0.093	0.1	97	0.2	81	2	0.04	0.25	0.1
2057356	462544	7137525	1567.9	B	20	Brown	S	Damp	N. Hamlyn	WHI18000889	0.001	0.05	1.91	7.8	237	0.4	0.69	0.2	21.3	80	28.3	3.95	8	0.08	27	1.07	896	1	0.009	64.1	110	11.5	0.025	0.5	4	43	1.1	0.094	0.2	99	0.2	73	2	0.04	0.25	0.1
2057357	462514	7137486	1545.9	B	15	Brown	SE	Damp	N. Hamlyn	WHI18000889	0.0022	0.05	1.95	6.2	186	0.2	0.5	0.2	21.8	87	25.9	4.58	9	0.07	16	1.04	858	1.1	0.006	68	109	11.9	0.025	0.4	2.3	34	0.4	0.056	0.1	123	0.1	70	2	0.03	0.25	0.1
2057358	462495	7137464	1528.6	C	45	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0034	0.05	2.29	10.1	230	0.1	0.63	0.3	38.3	89	51.9	5.5	8	0.12	36	1.64	1021	0.9	0.011	120.4	134	10.5	0.025	0.5	8.2	46	3.9	0.15	0.2	116	0.1	96	2	0.06	0.25	0.1
2057359	462461	7137422	1512.6	B	30	Brown	SW	Damp	N. Hamlyn	WHI18000889	0.0027	0.05	2.45	11.8	238	0.2	0.31	0.2	28.8	90	36.2	5.02	8	0.11	36	1.13	1170	1.1	0.007	96.7	107	12.3	0.025	0.6	4.8	26	1.3	0.047	0.1	105	0.1	86	3	0.03	0.25	0.1
2057360	462427	7137381	1492	B	25	Brown	SW	Damp	N. Hamlyn	WHI18000889	0.0018	0.05	2.13	9.9	158	0.2	0.3	0.3	9.1	41	15.4	2.94	6	0.05	17	0.46	495	0.8	0.006	29	65	11.2	0.025	0.5	2.5	30	0.6	0.033	0.2	66	0.1	63	1	0.23	0.25	0.1
2057361	474362	7131239	1653.6	B	20	Brown	N	Dry	N. Hamlyn	WHI18000889	0.0078	0.6	0.71	10	720	0.2	0.76	0.7	8.8	20	74.2	2.15	3	0.06	19	0.14	916	2.4	0.008	28.9	94	39.9	0.07	1.5	1.9	39	0.7	0.008	0.1	32	0.05	173	3	0.13	0.7	0.1
2057362	474413	7131228	1619.7	B	25	Brown	S	Damp	N. Hamlyn	WHI18000889	0.0077	0.6	0.75	7.6	902	0.2	0.84	0.8	8.1	19	72.7	1.98	2	0.05	19	0.22	1355	1.5	0.006	30.9	80	23.8	0.025	1.3	2.2	51	1.1	0.009	0.1	24	0.05	138	4	0.13	0.7	0.1
2057363	474455	7131201	1597.5	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000889	0.0134	1.1	0.76	18.8	439	0.3	0.33	1.1	25.2	23	170.8	3	2	0.07	29	0.24	2026	2.4	0.006	70.6	63	91.4	0.025	2.6	2.9	33	4.1	0.003	0.4	21	0.05	311	2	0.19	1.5	0.1
2057364	474504	7131183	1585.9	C	20	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0064	0.4	0.84	9.6	340	0.2	0.19	0.3	8.7	24	73.9	2.14	3	0.06	17	0.22	669	1.6	0.006	32.3	66	29.3	0.025	1.3	1.6	17	0.9	0.007	0.1	31	0.05	141	2	0.1	0.6	0.1
2057365	474553	7131165	1562.7	C	30	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0106	0.9	1	7.3	285	0.2	0.59	0.3	15.9	27	91.7	2.3	3	0.05	18	0.35	1325	1.8	0.006	44.7	67	25.9	0.025	1	2.4	49	1.8	0.006	0.1	27	0.05	114	2	0.17	0.7	0.1
2057366	474602	7131160	1533.8	C	45	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0044	0.1	1.28	10.6	153	0.3	0.04	0.1	9.2	29	61.4	2.93	5	0.05	21	0.27	730	1.4	0.003	23.4	48	19.4	0.025	0.9	1.3	7	3.1	0.005	0.1	41	0.05	92	2	0.05	0.25	0.1
2057367	474658	7131171	1503.9	B	32	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0039	0.1	1.58	9.9	105	0.3	0.05	0.05	9.7	31	61.7	3.07	4	0.05	21	0.44	404	1.5	0.005	26.5	53	19.2	0.025	0.8	1.5	14	3.7	0.009	0.1	45	0.05	68	1	0.05	0.5	0.1
2057368	474710	7131176	1489.4	C	45	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0094	0.3	1.38	9.3	194	0.3	0.17	0.2	27.1	30	151.7	3.06	4	0.05	23	0.51	3210	2.9	0.006	58.8	92	20.1	0.025	1.2	2.9	43	4.4	0.016	0.05	35	0.05	129	2	0.14	0.25	0.1
2057369	474760	7131173	1478.2	C	45	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0061	0.2	1.45	10.8	184	0.3	0.11	0.2	17.6	29	63.6	2.86	4	0.04	25	0.52	1341	1.4	0.004	43.6	53	21.1	0.025	0.8	2.8	16	4.9	0.013	0.05	31	0.05	97	2	0.06	0.25	0.1
2057370	474813	7131176	1467.2	C	60	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0017	0.1	2.02	11.5	260	0.2	0.1	0.2	13	33	32.2	2.97	6	0.05	18	0.51	449	1.4	0.007	27.7	32	17.1	0.025	0.9	3.7	12	5.5	0.044	0.2	58	0.2	68	1	0.04	0.25	0.1
2057371	474864	7131172	1453.8	B	30	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0044	0.2	1.49	9.3	200	0.3	0.05	0.05	7.9	29	50.6	2.75	6	0.04	20	0.35	342	1.2	0.005	22.8	39	16.7	0.025	0.7	1.9	7	1.6	0.01	0.2	53	0.05	61	1	0.04	0.25	0.1
2057372	474914	7131161	1453.1	C	30	Brown	E	Dry	N. Hamlyn	WHI18000889	0.0047	0.2	1.55	8.7	295	0.2	0.06	0.2	10.1	28	49.5	3.34	5	0.05	21	0.37	598	1	0.004	29.3	30	15.6	0.025	0.7	2.6	9	4.3	0.012	0.1	45	0.1	63	2	0.05	0.25	0.1
2057373	474963	7131162	1449.5	C	30	Brown	E	Dry	N. Hamlyn	WHI18000889	0.004	0.2	1.85	12.2	126	0.2	0.08	0.2	15.4	31	42	2.91	5	0.05	17	0.41	293	1	0.006	33.5	34	15.1	0.025	0.8	3.2	9	5.4	0.028	0.1	48	0.2	69	0.5	0.05	0.25	0.1
2057374	475013	7131181	1445.9	C	40	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0041	0.05	1.48	12.8	184	0.2	0.14	0.2	15.1	29	50.2	3.01	4	0.05	22	0.49	627	1	0.007	35	58	13.6	0.025	0.8	3.8	15	6.1	0.039	0.05	45	0.2	84	0.5	0.05	0.25	0.1
2057375	475068	7131180	1443.9	C	60	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0066	0.05	1.89	13.2	190	0.3	0.09	0.1	11.5	35	55.6	3.19	5	0.05	18	0.42	393	1.4	0.006	26.3	48	14.9	0.025	0.8	3.1	11	3.6	0.025	0.2	63	0.2	79	0.5	0.05	0.6	0.1
2057376	475115	7131198	1429.5	C	40	Brown	E	Damp	N. Hamlyn	WHI18000889	0.004	0.2	1.76	12.6	149	0.3	0.09	0.2	14.2	31	47.4	3.13	5	0.05	19	0.42	626	2.2	0.007	27.5	50	16.9	0.025	0.9	2.4	14	3.4	0.025	0.1	58	0.2	90	2	0.05	0.5	0.1
2057377	475161	7131221	1412.3	C	30	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0059	0.3	1.67	11.1	157	0.2	0.09	0.2	13.3	28	64.4	2.93	4	0.04	17	0.37	325	1.2	0.006	30.5	42	17.9	0.025	0.8	2.4	9	4.8	0.015	0.05	43	0.1	73	3	0.06	0.25	0.1
2057378	475200	7131253	1393.5	C	30	Brown	NE	Dry	N. Hamlyn	WHI18000889	0.0077	0.2	1.33	9.1	165	0.2	0.07	0.1	11.7	23	37.7	2.48	5	0.04	17	0.26	328	1.2	0.005	22.6	32	15.2	0.025	0.7	1.8	8	3.6	0.016	0.1	48	0.1	85	1	0.04	0.25	0.1
2057379	475240	7131281	1364.6	C	60	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0034	0.2	1.25	9	182	0.3	0.1	0.1	17.4	26	70.3	2.81	4	0.05	20	0.3	785	1.3	0.005	26.3	45	20.1	0.025	0.8	1.8	13	4.1	0.006	0.05	39	0.05	80	2	0.05	0.25	0.1
2057380	475278	7131311	1344.9	C	60	Grey	E	Damp	N. Hamlyn	WHI18000889	0.0065	0.6	1.38	13.7	272	0.3	0.25	0.2	21.3	30	107.3	3.82	4	0.09	33	0.41	1041	1.3	0.004	54.1	73	27.4	0.025	1.3	2.3	36	8.3	0.003	0.05	35	0.05	142	2	0.14	0.5	0.1
2057381	475314	7131348	1336.1	B	40	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0025	0.2	1.79	13.9	154	0.3	0.09	0.2	13.3	34	48.3	3.79	5	0.06	19	0.42	818	1.9	0.005	28.9	68	19.6	0.025	1	2.5	13	5.6	0.013	0.1	49	0.1	95	2	0.08	0.6	0.1
2057382	475356	7131382	1316.3	C	100	Grey	E	Damp	N. Hamlyn	WHI18000889	0.0051	0.7	1.51	15.3	165	0.3	0.17	0.4	19.6	30	107.4	4.06	5	0.09	24	0.47	974	2.3	0.006	37.4	67	25	0.025	1.4	3.4	17	3.8	0.023	0.1	63	0.05	131	2	0.06	1	0.1
2057383	475405	7131402	1301.3	B	25	Brown	E	Damp	N. Hamlyn	WHI18000889	0.00025	0.4	2.13	10.9	202	0.2	0.34	0.2	15.4	33	106.1	4.95	7	0.05	12	0.6	421	1.3	0.008	23	38	9.7	0.025	0.6	5	17	2.7	0.059	0.1	114	0.1	78	2	0.04	0.25	0.1
2057384	475453	7131427	1267	C	45	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0054	0.5	1.61	12.5	206	0.3	0.07	0.2	9.9	29	61.7	3.56	4	0.06	25	0.38	667	2.1	0.005	32.9	59	18.6	0.025	1	2.1	15	4.2	0.005	0.2	47	0.05	102	3	0.11	1.2	0.1
2057385	475490	7131457	1258.7	C	25	Brown	E	Moist	N. Hamlyn	WHI18000889	0.001	0.4	3.01	21.5	676	0.1	0.67	0.2	26.9	30	256.9	8.41	12	0.03	8	1.41	913	1.3	0.008	41.5	65	6.8	0.025	0.4	14.1	43	0.9	0.063	0.05	205	0.05	99	2	0.06	0.6	0.1
2057386	475543	7131476	1267.1	B	30	Brown	E	Damp	N. Hamlyn	WHI18000889	0.0045	0.3	1.43	13.7	136	0.2	0.15	0.3	12.8	30	53.6	3.17	4	0.05	18	0.4	609	1.8	0.005	41.6	59	20.7	0.025	0.7	2.6	11	4.5	0.021	0.1	46	0.1	132	2	0.03	1.5	0.1
2057387	461447	7127625	1546.7	C	50	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0044	0.3	1.15	13	115	0.2	0.1	0.3	7.2	24	22.3	2.67	4	0.04	13	0.3	278	1.5	0.006	27.4	73	14.7	0.025	0.6	2.4	14	1.7	0.019	0.05	39	0.1	66	1	0.07	0.7	0.1
2057388	461550	7127627	1532.5	C	60	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0028	0.4	1.04	13.3	128	0.2	0.07	0.3	7.8	23	23	2.76	3	0.04	12	0.22	386	1.6	0.005	26.4	66	18.4	0.025	0.6	2.2	17	1.2	0.013	0.05	34	0.1	61	1	0.09	1.1	0.1
2057389	461549	7127574	1521.5	C	25	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0071	0.2	1.31	14.2	84	0.2	0.13	0.3	5.3	26	21.5	2.61	4	0.04	13	0.34	180	1.5	0.007	21.3	89	12.8	0.025	0.7	1.6	15	0.6	0.021	0.1	43	0.1	62	0.5	0.05	0.7	0.1
2057390	461448	7127576	1547.1	C	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0034	0.3	1.44	14.1	85	0.2	0.05	0.2	11	27	33.5	4.07	4	0.04	12	0.32	509	1.5	0.005	32.8	78	14.6	0.025	0.7	2.8	10	1.7	0.03	0.1	44	0.1	84	2	0.06	1.4	0.1
2057391	461442	7127525	1522.2	C	30	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0021	0.4	1.48	14.5	145	0.2	0.07	0.7	35	26	36.1	5.37	4	0.04	13	0.32	1774	1.3	0.005	102.5	77	14.4	0.025	0.6	3.2	13	2.4	0.034	0.1	43	0.1	187	0.5	0.07	1.6	0.1
2057392	461550	7127525	1512.3	C	60	Red	W	Damp	N. Hamlyn	WHI18000889	0.0038	0.5	1.17	14.5	140	0.3	0.05	0.1	13.7	22	22.2	10.61	4	0.04	9	0.19	864	1.9	0.006	20.9	76	21.5	0.025	0.6	2.4	17	1.8	0.013	0.2	35	0.1	148	0.5	0.1	1.5	0.1
2057393	461549	7127478	1511.5	C	75	Brown	W	Damp	N. Hamlyn	WHI18000889	0.003	0.6	1.42	14.8	140	0.3	0.06	0.2	9	25	27.9	3.52	4	0.04	12	0.29	391	1.9	0.006	25.8	78	21.7	0.025	0.7	2.4	17	1.2	0.015	0.2	39	0.1	72	1	0.08	1.4	0.1
2057394	461450	7127477	1531	C	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0059	0.3	0.74	13.3	107	0.2	0.04	0.1	2.1	19	18.1	2.3	3	0.03	8	0.1	94	1.6	0.004	10.5	69	19.8	0.025	0.5	0.8	23	0.3	0.006	0.05	33	0.05	37	0.5	0.04	1.1	0.1
2057395	461452	7127425	1521.5	C	65	Brown	W	Damp	N. Hamlyn	WHI18000889	0.003	0.4	1.51	15.3	108	0.3	0.07	0.2	9.4	30	25.9	2.84	5	0.05	12	0.35	439	1.8	0.006	23.4	68	19.3	0.025	0.7	2.3	17	1.3	0.021	0.1	44	0.1	72	1	0.1	0.9	0.1
2057396	461549	7127424	1511.6	C	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0025	0.05	1.85	12.7	74	0.3	0.08	0.2	7.7	34	13.8	3.4	8	0.05	13	0.39	408	1.9	0.005	17.5	50	16	0.025	0.8	1.9	10	0.9	0.043	0.2	67	0.2	66	2	0.04	0.9	0.1
2057397	461548	7127376	1506.3	B	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.002	0.05	0.87	9.9	60	0.3	0.05	0.05	3.2	20	10.2	2.21	7	0.03	12	0.11	112	1.6	0.004	9.3	47	12.4	0.025	0.7	0.6	7	0.1	0.023	0.2	64	0.1	32	0.5	0.04	0.7	0.1
2057398	461449	7127326	1499.3	C	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0018	0.05	1.42	11.1	78	0.2	0.09	0.1	6.7	28	13.1	2.82	6	0.05	13	0.32	355	1.6	0.006	16.3	47	12.1	0.025	0.7	1.4	9	0.5	0.034	0.2	60	0.1	56	0.5	0.04	0.7	0.1
2057399	461454	7127375	1503.7	C	20	Brown	W	Damp	N. Hamlyn	WHI18000889	0.0027	0.4	1.17	14.9	127	0.3	0.08	0.2	6.6	25	21.8	2.43	4	0.05	10	0.24	242	1.9	0.007	19.3	78	23.9	0.025	0.6	1.1	24	0.4	0.009	0.1	36	0.1	54	1	0.07	1.3	0.1
2057400	461452	7127276	1488.2	Frostboil	60	Brown	W	Damp	N. Hamlyn	WHI18000889	0.003	0.5	1.84	13.4	171	0.2	0.19	0.3	13	32	23.1	2.98	5	0.05	16	0.51	623	1.5	0.008	51.5	77	14.7	0.025	0.6	3.5	19	1.8	0.03	0.1	48	0.1	121	0.5	0.11	0.7	0.1
2057401	472618	7128195	1657.1	B	20	Grey	N	Damp	C. Studer	WHI18000889	0.009	2.6	1.19	17	119	0.3	0.34	4.2	16.5	28	95	3.93	3	0.09	33	0.56	550	24.4	0.007	89.8	256	27.7	0.025	3.7	1.6	48	2.1	0.002	0.6	35	0.05	253	0.5	0.89	9.9	0.1
2057402	472651	7128231	1643.3	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0072	5.5	1	11.8	208	0.3	0.71	8.9	12.3	29	82.8	3.42	2	0.07	24	0.42	306	17	0.008	84.3	189	22.7	0.025	3.7	1.6	47	1.4	0.002	0.6	28	0.05	263	2	1.29	14.7	0.1
2057403	472675	7128274	1622.9	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0047	2.7	0.81	58	218	0.6	0.57	6.7	23.5	20	176.2	5.97	2	0.08	17	0.31	576	35.7	0.02	143.5	280	60.1	0.25	9.6	4	100	6	0.0005	1	28	0.05	558	2	1.02	9	0.4
2057404	472705	7128319	1615	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0052	2.1	0.96	27.6	295	0.3	0.82	6.8	18.3	26	129.3	4.31	2	0.11	24	0.43	564	27	0.015	111.3	362	24.3	0.07	4.5	4.2	76	5.3	0.001	0.7	31	0.05	346	2	0.95	7	0.1
2057405	472726	7128365	1609.6	C	20	Green	N	Damp	C. Studer	WHI18000889	0.0016	0.5	0.96	7.7	154	0.3	0.04	0.1	3.4	26	37	2.42	6	0.06	21	0.14	89	5.5	0.022	14.2	113	13.5	0.025	1	0.8	42	0.3	0.005	0.3	54	0.05	70	0.5	0.08	3.1	0.1
2057406	472734	7128418	1602.5	C	10	Grey	N	Damp	C. Studer	WHI18000889	0.0017	0.8	0.92	18.5	111	0.3	0.26	2.4	11.7	23	48.8	3.03	3	0.06	28	0.3	238	13.5	0.008	56.6	186	25	0.025	3.3	0.7	25	1	0.002	0.4	33	0.05	180	0.5	0.2	4.9	0.1
2057407	472752	7128466	1598	C	10	Grey	N	Damp	C. Studer	WHI18000889	0.0039	0.7	0.84	7.8	70	0.2	0.05	0.8	7.6	21	49.8	2.22	4	0.07	16	0.16	135	5.8	0.005	33	96	14.7	0.025	1.7	0.3	7	0.5	0.003	0.3	34	0.05	132	1	0.13	4.2	0.1
2057408	472760	7128517	1587.9	B	10	Brown	N	Damp	C. Studer	WHI18000889	0.0075	1.7	0.88	19.3	96	0.3	0.23	0.7	4.2	24	61.4	3.05	3	0.09	13	0.23	164	13.1	0.035	25.3	408	20.2	0.11	2	0.1	73	0.05	0.0005	0.5	32	0.05	116	2	0.31	6.3	0.1
2057409	472783	7128570	1569.2	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0019	0.3	1.18	14	61	0.3	0.18	0.6	15.8	21	50.1	3.62	3	0.06	25	0.51	300	5.2	0.008	49.2	190	24	0.025	0.9	0.7	22	1.6	0.0005	0.2	20	0.05	118	1	0.26	1.3	0.1
2057410	472805	7128614	1552.6	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0017	0.5	1.53	28.5	66	0.4	0.27	0.7	22.6	26	49.7	4.78	4	0.07	26	0.74	1333	13.8	0.013	58.2	212	31.6	0.025	1.1	2.5	42	4.7	0.0005	0.4	21	0.05	123	0.5	0.29	1.7	0.1
2057411	472811	7128661	1546.5	C	10	Grey	N	Damp	C. Studer	WHI18000889	0.0007	0.2	1.25	14.9	62	0.4	0.19	0.4	15.3	20	32.8	4.68	3	0.05	31	0.6	374	4.6	0.007	45.2	137	32.4	0.025	0.8	2.3	31	5.1	0.0005	0.1	13	0.05	88	0.5	0.13	0.25	0.1
2057412	472815	7128713	1538.2	C	20	Grey		Damp	C. Studer	WHI18000889	0.0142	6.1	1.52	24.5	200	0.4	0.5	4.4	11.9	50	193	4.24	4	0.14	27	0.46	210	48.6	0.012	119.2	497	26.8	0.025	3.8	2.8	94	3.7	0.001	1.2	152	0.05	359	2	0.8	9.5	0.1
2057413	472825	7128764	1537.9	C	10	Grey	N	Damp	C. Studer	WHI18000889	0.0139	7	0.81	17.1	95	0.4	0.37	9.6	24.9	36	147.5	3.51	2	0.06	32	0.35	479	31.4	0.006	116.5	253	24.3	0.025	6.4	2.1	26	1.8	0.0005	0.5	22	0.05	417	2	0.83	11.4	0.1
2057414	472835	7128820	1520	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0116	2.3	1.07	14.8	220	0.3	0.19	2	7.8	29	73.7	3.35	3	0.12	25	0.35	203	13.1	0.027	43.4	258	19.4	0.15	1.8	1.1	55	1.3	0.004	0.6	41	0.05	144	0.5	0.4	7.2	0.1
2057415	472868	7128861	1499.9	C	20	Grey	N	Damp	C. Studer	WHI18000889	0.0084	2.5	1.01	20.3	137	0.4	0.41	2.2	20.6	24	105.7	4.36	2	0.07	34	0.43	303	28.1	0.009	96.4	222	27.2	0.025	3.2	2.4	42	6.9	0.0005	0.5	30	0.05	284	2	0.37	7.4	0.1
2057416	472902	7128900	1499.4	C	20	Grey		Damp	C. Studer	WHI18000889	0.0081	0.6	1.95	19.5	78	0.4	0.34	0.3	23.3	29	62.2	4.55	5	0.07	41	0.98	523	4	0.006	53.9	224	27.6	0.025	1	2	29	6.2	0.001	0.2	28	0.05	117	0.5	0.35	1.2	0.1
2057417	472944	7128929	1500.6	C	10	Grey		Damp	C. Studer	WHI18000889	0.0028	0.9	1.55	33.6	75	0.4	0.17	2.2	18.4	26	54.1	5.57	5	0.07	41	0.72	321	51.6	0.009	70	175	30.9	0.025	2.5	2.6	34	7.8	0.0005	1.1	67	0.05	168	0.5	0.32	3.4	0.1
2057418	472971	7128974	1488.1	C	10	Grey	NE	Damp	C. Studer	WHI18000889	0.0013	0.3	1.43	15.7	56	0.4	0.07	0.4	6.2	24	22.9	3.93	5	0.05	39	0.72	156	2	0.01	32.7	118	30.2	0.025	0.6	1.6	22	6.9	0.001	0.2	19	0.05	84	0.5	0.09	1	0.1
2057419	473004	7129014	1480.2	C	20	Grey	NE	Damp	C. Studer	WHI18000889	0.0025	0.5	2.01	14.5	124	0.3	0.16	0.4	14.1	30	45.2	4.09	5	0.07	28	0.76	268	3.3	0.009	41.1	161	23	0.025	0.8	1.9	33	4.3	0.004	0.2	34	0.05	111	1	0.2	1.4	0.1
2057420	473034	7129055	1469.2	C	40	Brown	NE	Moist	C. Studer	WHI18000889	0.0034	0.05	1.69	13.4	139	0.4	0.09	0.4	20.7	26	33.4	4.02	4	0.06	33	0.59	631	2.2	0.008	43.5	93	21.6	0.025	0.7	2.7	22	6.4	0.006	0.1	30	0.05	106	1	0.11	0.5	0.1
2057421	473066	7129097	1464.8	C	30	Grey	NE	Damp	C. Studer	WHI18000889	0.0024	0.1	1.81	14.3	75	0.3	0.09	0.3	11.5	31	23.2	3.56	5	0.05	21	0.52	349	4.6	0.008	30.6	92	19.6	0.025	0.9	1.9	17	1.5	0.016	0.2	46	0.1	78	2	0.07	0.9	0.1
2057422	473103	7129132	1456.9	C	20	Grey	NE	Damp	C. Studer	WHI18000889	0.0016	0.05	1.62	10.8	81	0.3	0.06	0.2	9.2	25	20.8	3.31	4	0.05	25	0.53	216	1.8	0.007	25.6	65	17.2	0.025	0.6	1.7	16	2.7	0.008	0.2	33	0.05	72	1	0.08	0.5	0.1
2057423	473141	7129167	1445	Frostboil	10	Brown	NE	Damp	C. Studer	WHI18000889	0.0027	0.05	1.66	13.1	68	0.3	0.08	0.2	10.3	27	21	3.21	6	0.04	31	0.48	205	3.5	0.006	26.9	113	17	0.025	0.7	1.5	21	1.4	0.012	0.2	45	0.05	74	1	0.04	0.9	0.1
2057424	473186	7129198	1432.1	B	20	Brown	E	Damp	C. Studer	WHI18000889	0.0013	0.2	1.73	12.7	75	0.3	0.07	0.3	10.2	29	21.7	3.41	6	0.06	20	0.45	344	3.7	0.007	24	76	15.3	0.025	0.8	1.2	12	0.6	0.015	0.2	50	0.1	77	0.5	0.07	1	0.1
2057425	473186	7129248	1423.6	C	30	Grey	NE	Damp	C. Studer	WHI18000889	0.0033	0.3	1.48	11.6	119	0.2	0.23	0.5	11.7	29	32.3	3.02	4	0.05	24	0.59	322	3.1	0.009	32.4	97	12.3	0.025	1	3.3	21	4.3	0.045	0.2	48	0.2	91	1	0.11	0.9	0.1
2057426	473175	7129297	1415.5	C	30	Brown	NE	Moist	C. Studer	WHI18000889	0.0029	0.05	1.77	11.8	139	0.2	0.11	0.2	20.1	29	25.5	3.05	5	0.05	21	0.49	917	2	0.008	35.8	79	13.2	0.025	0.8	3.3	15	2.3	0.03	0.2	46	0.1	76	1	0.06	0.8	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2057427	473166	7129349	1417.8	C	30	Grey		Damp	C. Studer	WHI18000889	0.0025	0.05	1.45	14.2	109	0.2	0.18	0.3	8.9	27	22.4	2.81	4	0.06	20	0.48	293	3.4	0.008	24.1	90	11.9	0.025	0.7	2.6	17	4	0.03	0.1	40	0.1	68	1	0.04	0.7	0.1
2057428	473158	7129400	1420.9	B	20	Brown	S	Damp	C. Studer	WHI18000889	0.0012	0.05	1.61	19.1	90	0.3	0.08	0.2	9.6	29	20.1	3.39	5	0.05	22	0.44	302	4.8	0.009	22.2	72	16.3	0.025	0.8	2.3	17	3.8	0.022	0.2	43	0.1	63	1	0.07	0.9	0.1
2057429	473152	7129451	1430.2	C	30	Grey	S	Damp	C. Studer	WHI18000889	0.0008	0.05	1.62	13.8	89	0.2	0.11	0.2	11.4	29	22.6	2.94	5	0.06	18	0.48	323	1.6	0.007	28.2	62	14	0.025	0.7	2.9	14	4.4	0.026	0.2	41	0.1	71	1	0.04	0.25	0.1
2057430	473140	7129500	1436.1	C	20	Brown	S	Damp	C. Studer	WHI18000889	0.0006	0.05	1.88	14	69	0.3	0.06	0.2	11.6	34	26.5	3.93	5	0.06	14	0.41	359	1.7	0.007	25.5	73	17.2	0.025	0.7	2.6	13	4.2	0.016	0.1	38	0.05	75	0.5	0.04	0.5	0.1
2057431	473133	7129553	1442.2	B	10	Brown	S	Damp	C. Studer	WHI18000889	0.0009	0.05	1.47	18	62	0.3	0.04	0.1	6.5	30	23.6	3.93	5	0.05	22	0.43	193	2.7	0.006	22.1	59	15.2	0.025	0.7	2.4	9	6.4	0.014	0.2	38	0.1	62	2	0.03	0.25	0.1
2057432	473104	7129596	1452.1	C	20	Mottled	S	Moist	C. Studer	WHI18000889	0.0011	0.05	1.2	11.3	68	0.3	0.05	0.1	4.6	23	12	2.69	7	0.04	21	0.25	124	1.5	0.005	14.1	28	14.2	0.025	0.7	2.3	9	5.5	0.033	0.2	60	0.1	43	0.5	0.03	0.25	0.1
2057433	473070	7129637	1456.3	B	20	Brown	S	Damp	C. Studer	WHI18000889	0.0017	0.05	1.92	14	118	0.2	0.09	0.3	12.3	30	19.7	3.06	4	0.06	18	0.49	340	1.6	0.01	24.9	64	14.2	0.025	0.7	3.5	15	5.9	0.033	0.1	45	0.1	64	1	0.04	0.25	0.1
2057434	473033	7129673	1460	C	10	Grey		Damp	C. Studer	WHI18000889	0.001	0.05	1.34	18.5	62	0.4	0.02	0.05	2.9	24	26.5	3.9	7	0.06	21	0.37	64	3.4	0.007	19.1	61	26.9	0.025	0.5	1.7	18	7.6	0.004	0.2	40	0.05	56	0.5	0.02	0.25	0.1
2057435	473007	7129717	1463.2	C	10	Grey	S	Damp	C. Studer	WHI18000889	0.0007	0.05	1.71	14.2	57	0.3	0.02	0.1	12.2	27	26.6	3.71	6	0.06	14	0.53	159	1.2	0.007	39.1	38	19.9	0.025	0.7	2.4	13	5.4	0.005	0.1	35	0.05	85	0.5	0.01	0.25	0.1
2057436	472979	7129758	1466.5	B	10	Brown	S	Damp	C. Studer	WHI18000889	0.0011	0.05	1.81	12.3	74	0.3	0.06	0.2	7.7	29	17.8	3.37	6	0.05	18	0.39	219	1.4	0.006	23	44	16.2	0.025	0.7	2.6	9	5.1	0.029	0.1	49	0.1	66	1	0.04	0.25	0.1
2057437	472957	7129805	1462.3	C	10	Grey	N	Damp	C. Studer	WHI18000889	0.0013	0.05	1.35	10.3	43	0.3	0.03	0.1	4.7	24	15.1	3.42	6	0.05	31	0.34	152	1.3	0.005	21.7	56	15.5	0.025	0.5	1.8	9	4.4	0.007	0.1	44	0.05	56	0.5	0.02	0.25	0.1
2057438	472964	7129853	1458.2	C	20	Brown	N	Damp	C. Studer	WHI18000889	0.0009	0.05	1.42	13.7	57	0.3	0.04	0.05	3.8	25	17.1	3.32	7	0.05	21	0.33	135	1.4	0.006	16.2	36	16.3	0.025	0.7	2	9	5.3	0.02	0.2	51	0.05	50	1	0.03	0.25	0.1
2057439	472971	7129906	1447	C	20	Grey		Moist	C. Studer	WHI18000889	0.0013	0.05	2.22	17.6	88	0.3	0.01	0.05	2.7	37	38.1	4.95	6	0.08	10	0.79	138	1.3	0.01	30.5	66	23.9	0.025	0.4	3.4	13	5.6	0.0005	0.1	34	0.05	94	0.5	0.03	0.25	0.1
2057440	472967	7129955	1453.8	C	20	Brown		Damp	C. Studer	WHI18000889	0.0014	0.05	2.1	9.7	46	0.4	0.02	0.2	12.1	34	23.7	4.7	6	0.06	7	0.67	351	0.7	0.008	38.7	46	19.5	0.025	0.3	2.3	7	4.1	0.002	0.1	35	0.05	76	0.5	0.03	0.25	0.1
2057441	461747	7127273	1465.4	C	30	Brown	N	Moist	C. Studer	WHI18000889	0.007	0.2	1.19	17.9	78	0.2	0.08	0.2	5.5	23	22.3	2.92	4	0.04	13	0.27	185	1.7	0.005	17.9	66	16.2	0.025	0.8	2	11	1.6	0.022	0.1	40	0.1	51	1	0.08	1	0.1
2057442	461760	7127417	1479.8	B	20	Brown	E	Moist	C. Studer	WHI18000889	0.0023	0.05	1.35	12.9	52	0.2	0.07	0.1	5.8	27	12.8	3.12	6	0.04	14	0.31	202	1.3	0.004	15.6	47	13.1	0.025	0.7	1.6	8	0.9	0.039	0.1	54	0.1	51	0.5	0.04	0.25	0.1
2057443	461751	7127575	1495.8	B	30	Brown		Damp	C. Studer	WHI18000889	0.0025	0.2	1.61	13.6	107	0.3	0.1	0.2	7.6	29	22.3	2.81	6	0.05	14	0.4	339	1.8	0.007	21.4	65	15.1	0.025	0.7	2.5	13	1	0.032	0.2	49	0.1	65	2	0.07	0.9	0.1
2057444	461755	7127775	1547.8	B	10	Brown	SE	Moist	C. Studer	WHI18000889	0.0072	0.1	1.16	12.6	74	0.2	0.1	0.3	7.1	24	22.5	2.69	4	0.04	15	0.3	283	1.2	0.005	21.2	69	12.1	0.025	0.8	2.2	12	1.8	0.033	0.1	45	0.2	70	1	0.04	0.6	0.1
2057445	461750	7127926	1637.1	B	10	Brown	S	Damp	C. Studer	WHI18000889	0.0121	0.05	0.98	12.4	54	0.2	0.11	0.1	5.6	26	19.3	2.58	4	0.04	18	0.25	278	1.3	0.007	16.6	60	10	0.025	0.7	1.6	9	1.2	0.041	0.1	49	0.3	58	0.5	0.06	0.6	0.1
2057446	461745	7128122	1669.5	C	40	Grey	E	Damp	C. Studer	WHI18000889	0.0044	0.4	1.38	15	125	0.3	0.07	0.2	6.1	27	21.7	2.66	6	0.06	12	0.26	318	2.7	0.006	15.6	80	24.1	0.025	0.8	1.6	15	0.6	0.015	0.1	50	0.1	52	2	0.11	1.4	0.1
2057447	461747	7128225	1675.6	Frostboil	10	Grey	E	Moist	C. Studer	WHI18000889	0.0029	0.3	1.13	16.7	113	0.2	0.08	0.1	4	25	25.1	2.58	4	0.04	13	0.21	163	2	0.004	15.9	74	19.1	0.025	0.6	2.8	16	2.3	0.013	0.05	42	0.05	48	1	0.11	0.9	0.1
2057448	462049	7128228	1597.5	B	80	Brown	E	Damp	C. Studer	WHI18000889	0.0027	0.2	1.34	14.5	84	0.3	0.06	0.1	7.7	28	18.3	2.77	5	0.05	13	0.26	489	1.8	0.006	16	115	16.4	0.025	0.7	0.7	11	0.2	0.01	0.1	51	0.1	54	0.5	0.05	0.7	0.1
2057449	462049	7128175	1584.5	C	40	Grey	E	Damp	C. Studer	WHI18000889	0.0045	0.4	1.42	20.3	101	0.3	0.09	0.2	6.2	30	24.1	3.24	5	0.05	15	0.33	277	1.9	0.005	20.1	82	19.1	0.025	0.8	3	13	2	0.025	0.1	50	0.1	65	0.5	0.11	1.4	0.1
2057450	462048	7128119	1600.7	C	20	Grey	E	Damp	C. Studer	WHI18000889	0.0109	0.1	1.15	11.9	57	0.2	0.1	0.2	6.2	23	20.4	2.44	4	0.04	14	0.24	197	1.2	0.006	17.3	74	12.9	0.025	0.7	1.7	11	1	0.021	0.1	42	0.2	51	0.5	0.07	0.7	0.1
2057451	472095	7128787	1475.8	C	20	Grey	NW	Damp	S. Orban	WHI18000889	0.0055	1	1.39	28.3	112	0.4	0.89	2.7	26.9	28	124.1	5.13	3	0.09	32	0.43	495	16.5	0.015	80.3	629	27.8	0.025	2	2.2	82	2.7	0.004	0.4	33	0.05	272	2	0.28	3.6	0.1
2057452	472085	7128835	1473.6	C	20	Grey	N	Damp	S. Orban	WHI18000889	0.0034	0.4	1.63	20.6	83	0.3	0.85	1.3	26	27	54.2	4.31	4	0.08	45	0.97	592	24.3	0.004	67	393	26.4	0.025	1.7	3.3	42	12.3	0.0005	0.3	40	0.05	223	0.5	0.28	1.9	0.1
2057453	472061	7128880	1465.1	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0016	0.2	2.04	17.6	112	0.3	0.15	0.3	13.9	29	28	4.03	6	0.08	29	0.66	270	6.2	0.01	36.9	138	19.1	0.025	0.8	2.6	36	4.8	0.01	0.3	43	0.05	97	0.5	0.08	0.9	0.1
2057454	472032	7128921	1460.6	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0009	0.05	0.84	12	50	0.3	0.06	0.2	9.4	16	22.1	2.22	4	0.05	26	0.23	135	7.1	0.005	25.1	117	16.6	0.025	0.7	0.5	13	0.4	0.004	0.2	29	0.05	66	0.5	0.09	0.25	0.1
2057455	472013	7128968	1448.8	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0012	0.1	0.9	21.4	74	0.3	0.03	0.2	11.9	11	34.2	3.72	3	0.05	37	0.1	164	12.4	0.006	37.1	69	21.7	0.025	1.1	2.1	12	5.3	0.002	0.2	29	0.05	113	0.5	0.09	0.25	0.1
2057456	472009	7129019	1437.1	C	30	Grey	N	Damp	S. Orban	WHI18000889	0.0023	0.05	1.43	10.3	56	0.3	0.06	0.1	6.6	23	13.1	3.43	6	0.04	22	0.33	214	1.3	0.005	17.4	42	16.3	0.025	0.7	1.9	8	4.7	0.023	0.1	54	0.1	52	2	0.03	0.25	0.1
2057457	472020	7129068	1424.4	C	30	Brown	N	Damp	S. Orban	WHI18000889	0.0046	0.3	1.45	9.9	45	0.3	0.08	0.2	16	26	36	3.41	4	0.05	28	0.59	594	2.4	0.006	32.3	130	25.1	0.025	0.8	0.7	10	1.4	0.004	0.2	32	0.05	75	2	0.09	0.5	0.1
2057458	472025	7129117	1421.5	C	20	Brown	N	Moist	S. Orban	WHI18000889	0.0016	0.1	1.34	12.8	65	0.3	0.06	0.1	7.7	23	14.9	3.28	6	0.04	22	0.3	223	2	0.004	14.9	38	18.2	0.025	0.7	2	8	4.4	0.025	0.2	59	0.2	43	2	0.05	0.25	0.1
2057459	472013	7129167	1411.9	C	40	Brown	N	Moist	S. Orban	WHI18000889	0.0016	0.05	1.45	15.6	60	0.4	0.14	0.1	16.6	26	29.2	3.93	4	0.06	36	0.6	544	6.4	0.007	36.3	183	28.9	0.025	0.6	0.7	24	1.6	0.004	0.2	32	0.05	86	2	0.06	0.6	0.1
2057460	472008	7129216	1392.3	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0048	0.2	1.85	16.6	168	0.3	0.86	0.4	10.2	28	42.2	3.47	4	0.1	38	0.74	206	9.5	0.01	36.7	448	19	0.025	1.2	2.6	100	6.1	0.006	0.5	43	0.05	98	3	0.27	1.4	0.1
2057461	472013	7129267	1386.4	C	20	Grey	N	Damp	S. Orban	WHI18000889	0.004	0.2	2.1	27	79	0.5	0.41	0.6	27.3	31	51.7	5.46	4	0.06	50	1.05	726	10.5	0.012	63.9	259	29.9	0.025	0.9	3.4	37	12.3	0.002	0.4	26	0.05	126	2	0.3	1.3	0.1
2057462	472029	7129313	1379.5	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0011	0.05	1.62	10	55	0.3	0.11	0.2	10.4	27	15.5	3.09	5	0.05	23	0.41	214	1.3	0.006	22.9	49	14.4	0.025	0.7	2.4	11	6.4	0.034	0.1	49	0.2	56	2	0.05	0.25	0.1
2057463	472049	7129360	1378.5	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.001	0.05	1.3	11.4	55	0.3	0.04	0.05	5.5	26	22.8	3.81	4	0.05	24	0.43	230	1.5	0.008	18.6	69	17.2	0.025	0.5	1.6	11	3.7	0.011	0.1	34	0.05	56	1	0.04	0.25	0.1
2057464	472061	7129409	1370.9	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0045	0.05	1.73	10.6	63	0.2	0.15	0.1	10.7	27	18.5	3.18	5	0.05	20	0.4	394	1.8	0.007	22.4	99	12.5	0.025	0.6	2.5	13	4.2	0.024	0.2	44	0.2	62	2	0.06	0.5	0.1
2057465	472074	7129457	1365.4	C	20	Brown	N	Moist	S. Orban	WHI18000889	0.0028	0.05	1.5	13	166	0.2	0.2	0.4	16	23	44.4	3.58	3	0.05	30	0.57	1480	3.8	0.007	55.3	117	15.2	0.025	0.9	4.2	17	8.2	0.017	0.1	29	0.05	96	0.5	0.18	0.6	0.1
2057466	472095	7129502	1360.6	C	20	Brown	N	Damp	S. Orban	WHI18000889	0.0017	0.05	2.11	10.4	116	0.2	0.14	0.3	18.2	31	23.8	3.12	4	0.06	19	0.53	482	1.8	0.008	36	82	14	0.025	0.6	3.1	15	5.7	0.029	0.2	44	0.1	79	2	0.07	0.7	0.1
2057467	461751	7127374	1475.6	B	30	Brown	E	Moist	S. Orban	WHI18000889	0.0031	0.05	1.52	12.4	69	0.2	0.1	0.1	8.3	28	15.1	2.9	5	0.04	13	0.36	284	1.1	0.005	19.8	55	12.8	0.025	0.6	2	10	1.3	0.035	0.1	47	0.1	60	2	0.04	0.6	0.1
2057468	461750	7127525	1496.8	B	30	Brown	S	Moist	S. Orban	WHI18000889	0.0023	0.1	1.97	12.4	114	0.3	0.1	0.05	8.5	33	18.6	3.1	6	0.06	14	0.5	332	1.5	0.006	20.1	46	13.7	0.025	0.6	2.4	12	0.9	0.037	0.2	61	0.1	73	0.5	0.08	0.25	0.1
2057469	461754	7127671	1517.9	B	40	Brown	S	Moist	S. Orban	WHI18000889	0.0065	0.2	1.35	16.1	106	0.3	0.06	0.1	5.9	27	22.9	2.83	5	0.05	13	0.25	259	2.2	0.005	15.9	63	19.2	0.025	0.8	1.9	14	0.8	0.02	0.2	50	0.2	52	2	0.08	1.1	0.1
2057470	461745	7127876	1622.2	C	20	Brown	S	Moist	S. Orban	WHI18000889	0.0056	0.05	1.33	10.9	76	0.2	0.11	0.2	8.5	27	17.5	2.53	4	0.06	16	0.37	388	1.3	0.007	20.1	54	11.5	0.025	0.7	1.7	11	1.1	0.04	0.1	53	0.2	66	2	0.05	0.6	0.1
2057471	461750	7128028	1658.8	B	20	Brown	SE	Moist	S. Orban	WHI18000889	0.0021	0.05	1.88	12	115	0.2	0.13	0.2	9.4	33	18.2	2.9	5	0.05	18	0.44	324	1.3	0.007	22.6	54	11.7	0.025	0.7	2.6	13	1.7	0.047	0.2	63	0.3	73	2	0.04	0.25	0.1
2057472	461749	7128173	1680.4	B	20	Brown	E	Moist	S. Orban	WHI18000889	0.0019	0.05	1.65	9.9	78	0.2	0.11	0.2	7.7	28	13.5	2.66	4	0.05	13	0.35	326	1	0.006	17.2	43	12	0.025	0.7	2.5	10	3	0.046	0.1	48	0.2	56	2	0.05	0.25	0.1
2057473	461849	7128224	1646.1	C	40	Brown	E	Moist	S. Orban	WHI18000889	0.0043	0.6	1.3	26.9	106	0.3	0.09	0.1	4.7	28	27.3	2.71	5	0.05	14	0.28	169	2.1	0.006	16.3	84	22.3	0.025	0.8	2.6	14	1.5	0.015	0.05	47	0.1	53	1	0.16	2.1	0.1
2057474	461850	7128176	1649.3	C	30	Brown	E	Moist	S. Orban	WHI18000889	0.0067	0.5	1.54	21	119	0.4	0.09	0.2	5.8	29	25.2	2.74	5	0.06	14	0.32	251	2.1	0.005	19.5	86	25.5	0.025	0.8	2.4	15	1.3	0.016	0.1	52	0.1	59	1	0.14	1.4	0.1
2057475	461850	7128127	1638.4	C	30	Brown	SE	Moist	S. Orban	WHI18000889	0.0026	0.05	1.5	13.2	71	0.3	0.09	0.2	6.7	31	18.4	3.1	6	0.05	14	0.36	300	1.6	0.007	16.8	61	13.6	0.025	0.8	1.7	11	0.6	0.037	0.2	64	0.1	58	2	0.04	0.8	0.1
2057476	461849	7128074	1633.4	C	30	Brown	E	Moist	S. Orban	WHI18000889	0.0054	0.3	0.99	17.2	87	0.2	0.07	0.1	3.6	24	20.6	2.16	4	0.04	11	0.22	149	2.3	0.006	12.4	70	14.4	0.025	0.7	1.3	11	0.4	0.016	0.05	42	0.1	40	2	0.08	1.3	0.1
2057477	461850	7128025	1631.6	C	30	Brown	SE	Moist	S. Orban	WHI18000889	0.0026	0.2	1.17	12.9	81	0.2	0.2	0.2	6	26	24.6	2.52	4	0.04	20	0.35	230	1.4	0.006	18.8	86	11.2	0.025	0.7	2.8	17	4.2	0.044	0.1	48	0.3	54	0.5	0.07	0.6	0.1
2057478	461851	7127976	1623.3	C	50	Brown	S	Moist	S. Orban	WHI18000889	0.0057	0.1	1.23	10.7	64	0.2	0.08	0.2	6.5	25	17	2.48	5	0.04	15	0.29	336	1.4	0.006	15.5	59	10.4	0.025	0.7	1.1	10	0.4	0.027	0.05	50	0.1	53	1	0.03	0.25	0.1
2057479	461850	7127927	1622.5	C	30	Brown	SE	Moist	S. Orban	WHI18000889	0.006	0.05	1.03	10.4	65	0.2	0.15	0.2	6.2	23	18.7	2.41	4	0.04	17	0.33	231	1	0.006	18.7	59	8.8	0.025	0.7	2.1	12	2.7	0.045	0.05	43	0.2	57	0.5	0.04	0.25	0.1
2057480	461850	7127927	1622.3	C	30	Brown	SE	Damp	S. Orban	WHI18000889	0.0037	0.05	1.05	10.8	61	0.2	0.09	0.2	5.3	22	15.7	2.48	4	0.04	16	0.25	216	1.1	0.005	14.4	52	10.3	0.025	0.7	1.6	10	1.3	0.041	0.05	50	0.2	50	2	0.03	0.25	0.1
2057481	461853	7127829	1561.4	C	20	Brown	S	Moist	S. Orban	WHI18000889	0.0083	0.1	1.13	12.5	60	0.2	0.08	0.2	5.6	24	25.9	3.59	4	0.04	13	0.26	235	1.2	0.006	17.8	71	11.5	0.025	0.8	2	11	1.6	0.03	0.05	45	0.2	61	2	0.04	0.6	0.1
2057482	461858	7127780	1530.6	C	20	Brown	S	Moist	S. Orban	WHI18000889	0.0057	0.1	1.13	12.1	73	0.2	0.08	0.3	6.4	22	23.2	3.26	4	0.04	14	0.27	254	1.2	0.005	17.7	68	11.9	0.025	0.8	2.1	14	1.9	0.03	0.05	43	0.1	67	0.5	0.06	0.8	0.1
2057483	461854	7127724	1509.6	C	20	Grey	S	Moist	S. Orban	WHI18000889	0.0033	0.5	1.02	22	84	0.3	0.05	0.2	2.9	21	27.8	3.05	3	0.04	11	0.16	118	2.3	0.006	17.1	134	23.4	0.025	0.8	1.4	27	0.4	0.006	0.1	40	0.05	41	0.5	0.08	2.2	0.1
2057484	461850	7127681	1502.1	C	30	Brown	S	Moist	S. Orban	WHI18000889	0.0031	0.2	0.86	12.1	70	0.2	0.04	0.2	14.2	21	56.5	7.26	4	0.04	10	0.18	784	1.2	0.003	19.6	79	13.8	0.025	0.7	4	8	3.7	0.053	0.1	46	0.2	95	0.5	0.06	0.7	0.1
2057485	461845	7127630	1499.9	C	30	Grey	S	Moist	S. Orban	WHI18000889	0.005	0.3	1.08	12.4	103	0.2	0.1	0.4	14	22	26.9	3.01	3	0.04	15	0.28	730	1.2	0.005	31.8	68	12.5	0.025	0.7	3	13	4.4	0.034	0.1	40	0.1	78	1	0.04	0.8	0.1
2057486	461849	7127573	1486	B	40	Brown	SE	Moist	S. Orban	WHI18000889	0.0045	0.2	1.97	13.8	118	0.2	0.12	0.2	13.2	31	26.9	2.91	5	0.06	17	0.49	441	1.3	0.008	27.3	55	13.9	0.025	0.7	3.5	16	2.3	0.041	0.2	55	0.2	89	2	0.11	1.3	0.1
2057487	461849	7127527	1465.1	B	40	Brown	SE	Moist	S. Orban	WHI18000889	0.0026	0.05	1.72	13.1	111	0.2	0.1	0.2	10.7	29	15.1	3.2	6	0.06	15	0.45	478	1.4	0.006	18.3	47	13.4	0.025	0.7	2.6	11	2.1	0.042	0.1	58	0.1	66	2	0.04	0.5	0.1
2057488	461853	7127476	1466.8	B	30	Brown	S	Moist	S. Orban	WHI18000889	0.0042	0.1	1.83	13.2	87	0.2	0.1	0.1	7.6	29	21.6	2.76	5	0.05	18	0.46	259	1.2	0.006	19.4	57	12	0.025	0.8	3	11	2.1	0.044	0.2	51	0.2	67	1	0.06	1	0.1
2057489	461850	7127426	1462.9	B	30	Brown	SE	Moist	S. Orban	WHI18000889	0.005	0.4	1.27	14.1	123	0.2	0.08	0.1	16.8	23	24.2	5.89	4	0.04	12	0.3	829	2	0.005	30.2	61	14.9	0.025	0.7	3.1	20	1.9	0.023	0.1	39	0.05	101	2	0.33	1.1	0.1
2057490	461852	7127376	1459.5	B	40	Brown	SE	Moist	S. Orban	WHI18000889	0.0031	0.7	1.69	11.5	132	0.3	0.07	0.1	13.5	27	36.3	3.83	5	0.05	15	0.34	733	1.4	0.006	38	79	19.5	0.025	0.7	3.8	16	2.1	0.027	0.1	43	0.1	111	1	0.12	1.3	0.1
2057491	461855	7127326	1451.1	C	30	Brown	E	Saturated	S. Orban	WHI18000889	0.0013	0.4	0.7	23.9	265	0.2	0.06	2.1	253.1	11	20.2	21.73	1	0.05	8	0.07	10001	1.4	0.005	216	138	27.2	0.025	0.7	1.9	14	3.6	0.007	0.3	18	0.05	313	1	0.27	2.1	0.1
2057492	461849	7127274	1464.2	B	20	Brown	NE	Moist	S. Orban	WHI18000890	0.0168	0.1	1.68	11.5	111	0.3	0.09	0.1	10	30	20.7	5.04	5	0.05	13	0.44	1728	1.1	0.006	29.9	86	9.4	0.025	0.7	2.9	10	1.2	0.03	0.1	48	0.1	94	1	0.06	0.8	0.1
2057493	461852	7127227	1472.9	C	40	Brown	N	Saturated	S. Orban	WHI18000890	0.0083	0.3	1.41	14	73	0.3	0.09	0.1	6.6	23	24	2.48	4	0.04	13	0.34	147	1.6	0.005	21.9	74	15	0.025	0.6	1.9	10	0.9	0.022	0.1	36	0.1	48	2	0.09	0.6	0.1
2057494	461852	7127177	1469.1	C	50	Brown	E	Dry	S. Orban	WHI18000890	0.0046	0.5	1.27	10.1	205	0.2	0.16	0.2	13.7	25	42.1	17.27	4	0.02	10	0.15	859	1.6	0.004	39.7	109	12.6	0.025	0.6	5.5	14	3.2	0.026	0.05	35	0.1	114	2	0.12	0.8	0.1
2057495	461948	7127178	1469	B	30	Grey	E	Moist	S. Orban	WHI18000890	0.0049	0.4	1.24	13.7	138	0.4	0.07	0.3	15.7	21	26.3	4.03	4	0.04	9	0.19	741	1.8	0.006	29.2	80	20	0.025	0.6	2.1	16	0.9	0.006	0.2	30	0.05	87	2	0.09	0.9	0.1
2057496	462049	7127166	1446.4	B	20	Brown	NE	Moist	S. Orban	WHI18000890	0.0031	0.05	1.49	18.2	72	0.3	0.1	0.2	7.2	25	18.7	2.85	5	0.04	13	0.36	248	1.4	0.005	22.4	65	17.1	0.025	0.7	1.9	11	1.1	0.024	0.1	44	0.2	61	2	0.06	0.9	0.1
2057497	472172	7126338	1846.4	C	20	Brown	N	Moist	S. Orban	WHI18000890	0.0022	0.3	1.28	17.4	102	0.3	0.08	0.2	8.7	27	20.5	3.1	5	0.04	14	0.29	234	1.7	0.005	25.2	100	19.5	0.025	0.6	1	32	0.4	0.01	0.1	40	0.1	57	1	0.09	1	0.1
2057498	472130	7126380	1839	C	20	Brown	W	Moist	S. Orban	WHI18000890	0.0012	0.05	0.21	12.5	11	0.05	0.01	0.05	1.5	5	4.9	0.85	0.5	0.005	2	0.03	34	0.3	0.002	5.6	33	4	0.025	0.4	0.3	8	0.3	0.005	0.05	6	0.05	21	2	0.04	0.25	0.1
2057499	472107	7126438	1838.5	C	20	Grey	W	Moist	S. Orban	WHI18000890	0.0021	0.2	0.96	16.8	84	0.2	0.11	0.1	5.2	23	22.2	2.48	4	0.04	9	0.29	165	1.6	0.006	18.1	75	20.3	0.025	1	1.5	17	0.8	0.023	0.05	40	0.1	60	2	0.09	0.9	0.1
2057500	472104	7126491	1807.6	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0015	0.2	0.75	22.3	78	0.2	0.1	0.2	4.7	18	20.3	2.01	3	0.03	11	0.23	153	1.3	0.005	15.8	69	19.8	0.025	0.9	1.7	22	1.7	0.021	0.1	33	0.05	50	1	0.08	0.25	0.1
2059701	461453	7127271	1497.4	Frostboil	45	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0026	0.4	1.72	14.2	174	0.3	0.19	0.2	14.1	32	27.4	3.03	5	0.05	15	0.48	608	1.3	0.007	51.8	72	16.4	0.025	0.7	3.5	19	1.9	0.025	0.1	47	0.1	115	2	0.09	0.6	0.1
2059702	461548	7127325	1481.7	Frostboil	65	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0034	1.6	2.08	12.9	139	0.2	0.1	0.1	10.2	32	48	2.46	5	0.05	14	0.45	256	1.3	0.006	37.9	85	14.3	0.025	0.6	3.9	13	1.9	0.033	0.2	43	0.2	81	2	0.12	0.9	0.1
2059703	461550	7127274	1492.2	C	60	Grey	W	Wet	N. Hamlyn	WHI18000890	0.0056	0.5	1.4	15.2	151	0.3	0.07	0.3	9.8	25	26.8	2.88	4	0.05	12	0.26	411	2	0.006	24.3	75	25.1	0.025	0.6	2	24	0.8	0.011	0.2	38	0.1	68	0.5	0.12	1.6	0.1
2059704	461551	7127226	1509.5	B	20	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0013	0.05	1.34	12.4	61	0.3	0.08	0.2	6.9	29	12.8	3.34	7	0.04	12	0.34	330	1.4	0.005	15.9	49	16	0.025	0.8	1.7	9	0.7	0.039	0.1	62	0.1	55	2	0.05	0.5	0.1
2059705	461549	7127178	1488.4	C	60	Grey	W	Damp	N. Hamlyn	WHI18000890	0.0027	0.6	1.22	14.6	140	0.4	0.06	0.2	6	23	25.6	2.66	4	0.05	8	0.2	213	2	0.006	22.6	87	27.3	0.025	0.6	1.4	25	0.6	0.005	0.1	32	0.05	56	1	0.09	1.1	0.1
2059706	461450	7127223	1507.6	B	20	Black	W	Damp	N. Hamlyn	WHI18000890	0.0012	0.05	1.12	10.8	48	0.2	0.06	0.1	4.5	22	11.9	2.32	6	0.03	11	0.2	166	1.4	0.004	12.4	41	12	0.025	0.7	1.4	7	0.8	0.03	0.1	56	0.2	40	0.5	0.04	0.25	0.1
2059707	461452	7127176	1511.4	Frostboil	45	Grey	W	Damp	N. Hamlyn	WHI18000890	0.0041	0.7	1.22	17.1	133	0.4	0.05	0.2	4.3	25	24.5	2.59	5	0.05	9	0.22	159	2.4	0.007	16.4	90	28.1	0.025	0.6	1.1	22	0.3	0.008	0.2	41	0.1	49	1	0.1	1.1	0.1
2059708	461651	7127175	1479.4	C	40	Grey	W	Damp	N. Hamlyn	WHI18000890	0.002	0.3	0.94	12.4	84	0.3	0.08	0.3	8	18	32.1	2.38	3	0.03	7	0.11	138	2.4	0.005	29.3	62	21.4	0.025	0.5	2.2	21	1.6	0.001	0.05	21	0.05	57	0.5	0.08	1	0.1
2059709	461650	7127227	1480.8	C	25	Brown	W	Damp	N. Hamlyn	WHI18000890	0.004	0.1	1.38	13.8	64	0.2	0.07	0.1	5.4	25	17.6	2.77	5	0.04	12	0.3	212	1.5	0.005	16	52	14.4	0.025	0.7	1.8	9	1	0.025	0.1	46	0.2	50	1	0.08	0.9	0.1
2059710	461652	7127276	1475.9	C	30	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0026	0.2	1.63	11.5	94	0.2	0.12	0.2	6.1	28	18.9	2.62	5	0.05	13	0.44	251	1.2	0.006	19.9	59	11	0.025	0.6	1.8	11	0.6	0.025	0.2	48	0.2	61	0.5	0.06	0.8	0.1
2059711	461650	7127324	1484.3	C	30	Brown	W	Wet	N. Hamlyn	WHI18000890	0.0018	0.6	1.65	10.6	139	0.2	0.12	0.2	7.8	27	26.4	2.5	5	0.05	12	0.38	328	1.3	0.008	27.6	70	13.8	0.025	0.6	1.6	15	0.5	0.02	0.2	43	0.2	72	0.5	0.08	1.9	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2059712	461648	7127377	1487.7	C	30	Brown	W	Dry	N. Hamlyn	WHI18000890	0.0029	0.05	1.63	13.3	77	0.2	0.09	0.1	7.3	28	16.2	2.83	6	0.04	14	0.43	288	1.3	0.005	18.2	48	12.3	0.025	0.7	2.4	10	1.4	0.039	0.1	52	0.2	60	1	0.05	0.7	0.1
2059713	461649	7127425	1493	C	30	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0024	0.2	1.19	13	89	0.3	0.06	0.2	5.3	25	15.8	2.6	5	0.04	10	0.23	209	1.6	0.004	17.9	77	17.9	0.025	0.6	1.1	15	0.4	0.011	0.1	38	0.05	53	0.5	0.06	1.1	0.1
2059714	472220	7126282	1842.6	C	20	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0065	0.3	1.01	21	156	0.2	0.14	0.3	6.3	29	33.6	2.96	4	0.06	14	0.25	205	4.6	0.013	23.8	88	23.4	0.07	0.8	1.5	33	0.8	0.017	0.1	44	0.2	60	1	0.11	1.4	0.1
2059715	472270	7126272	1825.9	C	20	Grey	E	Dry	N. Hamlyn	WHI18000890	0.0011	1.1	0.69	15.1	127	0.4	0.02	0.05	0.7	16	15.3	1.31	3	0.03	4	0.06	36	2.1	0.005	4.4	45	36.2	0.025	0.5	1	27	0.9	0.0005	0.1	26	0.05	25	0.5	0.18	1.4	0.1
2059716	472320	7126264	1817.6	C	20	Grey	E	Dry	N. Hamlyn	WHI18000890	0.0024	0.3	0.82	20.7	78	0.4	0.08	0.1	7.1	22	22.8	2.3	4	0.05	12	0.14	142	1.6	0.005	22.8	91	28.5	0.025	0.7	1.1	29	0.4	0.008	0.1	35	0.05	53	1	0.08	0.7	0.1
2059717	472367	7126264	1802.2	C	20	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0042	0.2	1.26	23.1	85	0.2	0.14	0.4	8.1	28	26.4	3.08	4	0.05	14	0.34	301	1.4	0.006	23.7	110	12.8	0.025	0.8	1.9	20	0.8	0.023	0.1	43	0.2	72	2	0.11	1.7	0.1
2059718	472411	7126289	1796.6	C	30	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0072	0.1	0.97	12.8	87	0.2	0.11	0.3	7.3	24	21.1	2.48	3	0.04	15	0.27	305	1.1	0.006	22.7	70	12.5	0.025	0.7	1.8	14	1	0.025	0.1	40	0.2	67	0.5	0.07	0.25	0.1
2059719	472458	7126292	1794.4	C	30	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0021	0.05	0.84	7.4	41	0.1	0.06	0.2	3.9	20	9.9	2.08	5	0.02	10	0.18	155	1	0.004	12.1	33	9.4	0.025	0.6	1.5	7	0.7	0.039	0.1	48	0.2	40	0.5	0.04	0.25	0.1
2059720	472511	7126287	1771.2	C	45	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0031	0.3	1.21	27.2	146	0.3	0.18	0.4	7.9	24	26.6	2.5	4	0.05	17	0.35	251	1.4	0.006	24	108	17.9	0.025	0.7	3.9	34	5.2	0.032	0.1	42	0.2	72	0.5	0.2	1	0.1
2059721	472559	7126279	1769.6	C	40	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0021	0.3	0.67	8.2	56	0.2	0.05	0.2	2.3	15	9.5	1.3	3	0.04	8	0.07	57	1	0.008	8.2	98	12.3	0.025	0.4	0.6	10	0.05	0.015	0.05	33	0.05	30	0.5	0.07	0.8	0.1
2059722	472605	7126269	1762.5	C	40	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0035	0.2	1.09	26.5	67	0.3	0.08	0.2	5.6	31	18.3	3.6	6	0.03	11	0.22	182	1.8	0.006	18.6	79	23.7	0.025	0.9	1.8	14	0.9	0.033	0.1	52	0.2	61	2	0.07	1.3	0.1
2059723	472659	7126272	1755.1	C	30	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0018	0.1	1.05	15.1	105	0.2	0.08	0.3	5.7	25	22.7	3.02	5	0.04	12	0.25	186	1.9	0.006	16.2	66	14.4	0.025	0.7	1.7	20	0.8	0.026	0.1	45	0.1	53	0.5	0.07	1	0.1
2059724	472711	7126279	1753.6	C	30	Grey	E	Damp	N. Hamlyn	WHI18000890	0.003	0.6	0.67	17.2	227	0.4	0.04	0.1	1.6	13	23.7	1.84	3	0.07	7	0.1	56	2.7	0.008	6.7	88	32.8	0.13	0.5	1	33	0.5	0.003	0.1	23	0.05	28	2	0.14	1.5	0.1
2059725	472760	7126286	1756.6	C	25	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0007	0.3	0.62	6	68	0.2	0.06	0.2	2	16	12.5	1.24	3	0.04	5	0.04	36	1.2	0.009	8.5	157	10.6	0.06	0.5	0.5	12	0.05	0.007	0.05	24	0.05	26	0.5	0.15	1.5	0.1
2059726	472810	7126292	1750.9	C	25	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0007	0.1	0.72	12	69	0.3	0.07	0.2	2.8	18	13.4	1.53	6	0.04	10	0.07	82	1.7	0.005	9.2	81	11.6	0.025	0.7	0.7	14	0.1	0.018	0.1	57	0.1	37	0.5	0.07	0.9	0.1
2059727	472860	7126289	1755.5	C	40	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0029	0.1	0.61	10.1	38	0.2	0.04	0.2	1	18	6.4	1.06	5	0.02	10	0.07	35	0.7	0.004	4.1	55	15.8	0.025	0.4	0.6	8	0.3	0.018	0.1	31	0.05	13	1	0.07	0.6	0.1
2059728	472907	7126306	1767.7	C	30	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0012	0.1	1.2	13.4	70	0.4	0.04	0.1	4.4	27	17	2.92	6	0.04	8	0.23	200	1.8	0.004	13.9	92	13.7	0.025	0.8	0.8	12	0.2	0.01	0.1	57	0.1	52	2	0.07	0.7	0.1
2059729	472957	7126300	1768.5	C	30	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0021	0.05	1.18	12.7	62	0.3	0.09	0.1	5	24	15	2.28	6	0.04	11	0.29	196	1.2	0.004	13.9	67	12.3	0.025	0.8	1.3	10	0.4	0.02	0.1	54	0.1	40	0.5	0.04	0.5	0.1
2059730	473006	7126295	1762.6	C	42	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0042	0.05	1.18	14.3	69	0.3	0.07	0.1	5.1	23	17.2	2.55	5	0.03	10	0.27	196	1.3	0.005	14.8	68	12.5	0.025	0.8	0.9	11	0.3	0.017	0.1	55	0.1	47	1	0.06	0.25	0.1
2059731	473056	7126295	1762.7	C	35	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0071	0.2	0.99	24.2	75	0.2	0.16	0.2	7.8	22	21.9	2.36	3	0.03	12	0.34	267	1	0.005	23.3	82	14.2	0.025	0.8	2.1	16	3	0.032	0.1	39	0.2	54	1	0.06	1.6	0.1
2059732	473122	7126286	1760.8	C	15	Grey	E	Dry	N. Hamlyn	WHI18000890	0.0015	0.2	1.01	14.5	52	0.3	0.1	0.2	6.1	27	36.3	3.5	4	0.06	9	0.22	254	1.9	0.016	17.5	172	15.4	0.025	0.9	2.1	14	0.5	0.033	0.2	45	0.2	62	2	0.17	2.3	0.1
2059733	473186	7126283	1769.2	C	25	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0031	0.2	1.13	18.9	70	0.2	0.14	0.2	7	23	27	2.97	3	0.04	10	0.32	268	1.4	0.006	21.7	82	13.9	0.025	1	2.4	13	2.8	0.035	0.1	44	0.2	77	2	0.14	1.6	0.1
2059734	473237	7126277	1781.5	C	20	Brown	E	Dry	N. Hamlyn	WHI18000890	0.0107	0.4	1.38	23.8	62	0.2	0.08	0.3	10.3	31	57.9	8.53	4	0.04	12	0.3	351	2.4	0.006	27.4	134	19.3	0.025	1.1	4.6	10	4.2	0.032	0.05	50	0.2	140	0.5	0.19	1.4	0.1
2059735	473297	7126275	1785.6	C	20	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0039	0.05	1.58	12.8	78	0.3	0.09	0.2	9.1	28	19.2	2.86	5	0.05	12	0.37	458	1.5	0.006	20.5	71	13.8	0.025	1	1.5	9	0.6	0.025	0.2	53	0.2	70	0.5	0.08	0.8	0.1
2059736	473346	7126263	1777.2	C	20	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0055	0.05	1.06	13	65	0.2	0.09	0.1	6	24	18.4	3.07	4	0.03	11	0.28	223	1.1	0.005	17.5	64	11.8	0.025	0.8	1.1	9	0.4	0.021	0.1	48	0.2	68	0.5	0.07	0.9	0.1
2059737	473450	7126234	1740.5	C	20	Grey	E	Damp	N. Hamlyn	WHI18000890	0.0116	1.1	0.57	52.7	933	0.4	0.03	0.05	3.3	22	21.3	3.62	4	0.07	9	0.09	108	8.7	0.011	10.1	109	72.2	0.12	4.9	2.8	28	1.9	0.005	0.2	52	0.05	62	2	1.88	5.9	0.1
2059738	473488	7126264	1732.3	C	20	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0039	0.6	0.75	52.9	327	0.2	0.03	0.4	9.3	32	27.7	4.57	4	0.04	6	0.06	270	2.9	0.005	29.4	192	20.8	0.025	2.5	2.6	48	0.9	0.003	0.2	39	0.05	77	1	0.39	1.5	0.1
2059739	473523	7126299	1720.8	C	20	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0025	1	1.08	16.7	112	0.3	0.15	0.4	9.6	23	25.8	2.58	3	0.03	8	0.15	113	1.7	0.007	32.6	129	23.9	0.025	0.8	1.8	17	1.2	0.002	0.05	27	0.05	78	0.5	0.17	0.8	0.1
2059740	473574	7126304	1726.5	C	30	Brown	E	Damp	N. Hamlyn	WHI18000890	0.0017	0.1	0.91	12.3	78	0.2	0.11	0.3	9	18	17.2	2.51	3	0.03	14	0.18	184	1.2	0.004	27.5	51	16.1	0.025	0.7	1.7	9	1.3	0.009	0.05	34	0.1	79	0.5	0.05	0.25	0.1
2059741	473573	7126303	1723.1	C	20	Brown	E	Wet	N. Hamlyn	WHI18000890	0.0014	0.05	0.81	11.7	74	0.2	0.06	0.3	6.7	16	16.4	2.3	3	0.03	12	0.16	145	1.3	0.005	20	38	14.4	0.025	0.8	1.2	7	0.9	0.01	0.05	35	0.05	71	0.5	0.03	0.25	0.1
2059742	474074	7126543	1676.3	C	30	Grey	W	Damp	N. Hamlyn	WHI18000890	0.0027	0.2	1.11	24.1	224	0.4	0.02	0.2	9.5	19	80.9	3.8	3	0.05	30	0.35	251	21.6	0.009	38.3	84	31	0.025	2.3	1.5	101	3.1	0.002	0.4	25	0.05	110	0.5	0.12	2.5	0.1
2059743	474036	7126506	1688.7	C	20	Brown	W	Damp	N. Hamlyn	WHI18000890	0.006	0.05	0.92	14.2	64	0.3	0.04	0.2	6.4	17	46.5	2.97	5	0.04	13	0.15	302	2.5	0.004	19.3	38	14.1	0.025	1.2	1.4	10	1.5	0.021	0.1	52	0.1	62	0.5	0.05	0.5	0.1
2059744	473989	7126490	1683.5	C	25	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0032	0.2	0.74	13.5	63	0.2	0.09	0.2	8	17	22.3	2.28	3	0.03	8	0.24	154	1	0.005	28	46	17.6	0.025	0.9	1.3	14	1.4	0.012	0.05	29	0.05	64	0.5	0.04	0.7	0.1
2059745	473954	7126473	1665.4	C	30	Brown	W	Damp	N. Hamlyn	WHI18000890	0.0059	0.5	0.69	14.8	90	0.3	0.04	0.2	10.6	16	38.6	2.25	3	0.04	6	0.1	462	1.4	0.007	31.7	89	20.6	0.025	1	0.5	17	0.3	0.004	0.05	31	0.05	81	0.5	0.08	0.7	0.1
2059746	473893	7126463	1634.3	C	25	Brown	W	Dry	N. Hamlyn	WHI18000890	0.0075	0.5	0.59	20.5	84	0.4	0.08	0.4	15.3	15	90.8	2.78	2	0.03	9	0.09	359	1.3	0.007	49.5	73	22.1	0.025	1.4	1.6	26	1.7	0.003	0.05	29	0.05	107	0.5	0.16	0.7	0.2
2059747	473843	7126447	1635.7	Frostboil	50	Grey	E	Damp	N. Hamlyn	WHI18000890	0.0035	0.05	1.67	2.4	516	0.4	0.06	0.2	16.6	21	133.5	3.2	5	0.06	25	0.82	721	1.9	0.003	61.1	54	18.5	0.025	0.3	1.6	30	5.4	0.0005	0.05	20	0.05	104	0.5	0.02	0.25	0.1
2059748	473799	7126416	1643.7	Frostboil	25	Grey	E	Dry	N. Hamlyn	WHI18000890	0.0013	0.2	0.85	19.7	326	0.4	0.19	0.3	16.3	17	126.2	3.79	3	0.05	18	0.36	1719	9	0.007	45.4	62	24.8	0.025	1.2	2.2	82	6.1	0.0005	0.3	19	0.05	101	0.5	0.44	1.2	0.1
2059749	473749	7126397	1659.7	C	30	Grey	E	Damp	N. Hamlyn	WHI18000890	0.002	1.3	0.59	16.4	270	0.3	0.18	0.3	7.5	18	30.5	2.29	2	0.03	3	0.05	128	2.8	0.005	34.3	83	23.3	0.025	0.9	2.8	135	3	0.0005	0.05	21	0.05	83	0.5	0.83	1.3	0.1
2059750	473704	7126373	1677.1	C	30	Grey	E	Damp	N. Hamlyn	WHI18000890	0.001	1	0.4	14.1	104	0.3	0.04	0.4	5.8	13	24.8	1.32	1	0.03	3	0.06	114	3.8	0.004	18.9	41	24.3	0.025	0.8	1.8	80	2.1	0.0005	0.05	15	0.05	44	0.5	0.45	1.2	0.1
2059751	473653	7130387	1392.3	B	20	Grey	NE	Damp	R. Rigal	WHI18000890	0.0023	0.2	1.49	18.7	76	0.3	0.02	0.1	3	28	39.2	4.17	5	0.05	7	0.33	81	4.4	0.005	13.1	48	23.3	0.025	1.1	2.1	13	4.2	0.003	0.2	34	0.05	55	0.5	0.06	1.2	0.1
2059752	473605	7130400	1389.7	B	20	Brown	NE	Damp	R. Rigal	WHI18000890	0.0009	0.2	1.24	16.4	52	0.3	0.02	0.05	1.7	27	32.2	3.82	5	0.06	5	0.33	64	4	0.005	12.8	43	18.7	0.025	0.9	1.5	12	2.7	0.003	0.1	32	0.05	54	0.5	0.04	0.25	0.1
2059753	473556	7130411	1384.3	B	20	Mottle	NE	Damp	R. Rigal	WHI18000890	0.002	0.1	1.79	12.5	85	0.3	0.08	0.05	5.6	33	16.9	3.06	7	0.05	12	0.4	208	2.1	0.006	15	55	16.1	0.025	0.7	1.9	11	0.7	0.016	0.2	59	0.1	49	1	0.06	0.7	0.1
2059754	473504	7130411	1377.7	B	30	Mottle	NE	Damp	R. Rigal	WHI18000890	0.0013	0.05	1.66	11.1	96	0.2	0.08	0.05	4.9	28	13.5	2.54	6	0.05	12	0.34	192	1.7	0.006	13.6	59	13.3	0.025	0.6	2.4	10	1.8	0.017	0.2	49	0.2	42	1	0.04	0.5	0.1
2059755	473458	7130390	1369.5	B	30	Brown	NE	Damp	R. Rigal	WHI18000890	0.00025	0.05	1.83	13.1	113	0.4	0.06	0.05	5.4	31	18.4	3.26	6	0.05	12	0.4	197	2.3	0.006	16.6	49	18.2	0.025	0.8	2.8	13	2.2	0.01	0.2	52	0.2	51	2	0.05	0.8	0.1
2059756	473407	7130388	1364.8	B	30	Mottle	NE	Damp	R. Rigal	WHI18000890	0.0034	0.05	1.53	13.2	116	0.3	0.06	0.2	6.6	26	25.7	3.02	4	0.05	10	0.38	214	1.7	0.006	19.3	52	15.7	0.025	0.9	2.5	12	2.9	0.01	0.2	37	0.1	48	1	0.05	0.7	0.1
2059757	473371	7130354	1358.4	B	30	Brown	NE	Damp	R. Rigal	WHI18000890	0.0018	0.05	1.31	7.6	90	0.3	0.04	0.05	2.1	20	9.7	1.91	7	0.04	11	0.11	60	1.6	0.005	7	67	14.9	0.025	0.4	0.4	9	0.05	0.006	0.3	47	0.1	22	0.5	0.04	0.25	0.1
2059758	473337	7130315	1355.3	B	30	Brown	NE	Moist	R. Rigal	WHI18000890	0.0013	0.05	1.58	10.2	94	0.3	0.05	0.05	2.5	28	11.9	2.67	7	0.04	11	0.19	67	2	0.006	9.1	115	17	0.025	0.4	0.6	11	0.1	0.005	0.2	53	0.1	26	0.5	0.05	0.8	0.1
2059759	473295	7130290	1362	B	20	Brown	NE	Moist	R. Rigal	WHI18000890	0.0016	0.05	1.21	7.9	84	0.1	0.12	0.05	5.1	22	18.3	2.11	3	0.03	14	0.43	166	0.8	0.005	17.2	59	7.9	0.025	0.5	2	12	2.4	0.02	0.05	30	0.1	49	0.5	0.04	0.25	0.1
2059760	473252	7130263	1372.4	B	40	Brown	NE	Moist	R. Rigal	WHI18000890	0.0013	0.05	1.29	9.6	61	0.3	0.06	0.05	3.4	24	10.8	2.18	6	0.04	13	0.23	132	1.7	0.005	9.3	67	11.5	0.025	0.5	0.6	9	0.2	0.009	0.2	43	0.1	32	0.5	0.04	0.6	0.1
2059761	473216	7130228	1390.3	B	30	Brown	NE	Damp	R. Rigal	WHI18000890	0.007	0.05	1.71	12.5	101	0.2	0.1	0.05	8.5	27	27.7	2.86	4	0.05	12	0.47	311	1.2	0.007	23	63	13.6	0.025	0.7	2.9	12	3.2	0.02	0.1	39	0.1	67	0.5	0.05	0.7	0.1
2059762	473167	7130217	1401.3	B	30	Brown	NE	Moist	R. Rigal	WHI18000890	0.0022	0.05	1.73	10.4	86	0.3	0.08	0.05	5.3	32	12.4	2.72	6	0.04	13	0.38	196	1.8	0.006	14.2	43	12.1	0.025	0.7	2.3	9	1.1	0.021	0.2	55	0.2	49	0.5	0.04	0.5	0.1
2059763	473116	7130212	1393.8	B	40	Brown	NE	Moist	R. Rigal	WHI18000890	0.0015	0.05	1.63	11.7	106	0.2	0.08	0.05	7	28	18.3	2.74	5	0.04	13	0.42	238	1.3	0.006	18.1	50	13.3	0.025	0.7	2.8	10	1.6	0.017	0.2	44	0.1	52	1	0.04	0.6	0.1
2059764	473069	7130198	1419.2	B	40	Brown	NE	Moist	R. Rigal	WHI18000890	0.0011	0.05	1.84	11.4	112	0.4	0.07	0.05	6.4	30	15.5	2.85	6	0.05	13	0.39	243	1.5	0.007	16.4	55	15.6	0.025	0.6	2	11	1.1	0.013	0.2	54	0.2	52	1	0.03	0.25	0.1
2059765	473021	7130186	1431.3	B	40	Brown	NE	Damp	R. Rigal	WHI18000890	0.0025	0.05	1.87	12.7	80	0.3	0.07	0.1	9.1	33	19.3	3.45	5	0.05	13	0.5	372	1.4	0.007	21.8	62	16.9	0.025	0.8	2.4	11	1.9	0.023	0.1	51	0.1	71	0.5	0.04	0.25	0.1
2059766	472969	7130183	1445.2	B	50	Brown	NE	Damp	R. Rigal	WHI18000890	0.002	0.05	2.22	12.4	155	0.3	0.11	0.1	9.9	35	23.8	3.15	6	0.06	15	0.54	360	1.4	0.009	22.6	60	13.6	0.025	0.7	3.9	13	2.8	0.031	0.1	56	0.2	67	1	0.06	0.6	0.1
2059767	472920	7130186	1452.9	C	20	Grey	E	Damp	R. Rigal	WHI18000890	0.0014	0.05	1.79	14	101	0.4	0.02	0.05	4.7	30	29.2	4.45	5	0.06	12	0.66	143	1.3	0.011	29.9	59	24.2	0.025	0.6	2.4	17	5.7	0.002	0.2	30	0.05	89	0.5	0.04	0.25	0.1
2059768	461748	7127325	1463.7	B	60	Brown	E	Moist	R. Rigal	WHI18000890	0.0022	0.6	1.82	12.9	143	0.3	0.11	0.2	16.1	27	34.7	3.41	4	0.05	14	0.41	551	1.2	0.007	45.5	73	14.8	0.025	0.6	3.1	14	1.3	0.024	0.2	43	0.1	114	0.5	0.12	1.3	0.1
2059769	461749	7127472	1486.5	B	40	Brown	E	Moist	R. Rigal	WHI18000890	0.0031	0.4	1.16	11.9	74	0.2	0.09	0.2	6.9	24	16.4	2.66	4	0.05	12	0.28	291	1.4	0.005	17.1	86	13.7	0.025	0.7	1	13	0.4	0.019	0.05	44	0.05	57	0.5	0.05	0.25	0.1
2059770	461750	7127622	1502.3	B	50	Brown	E	Moist	R. Rigal	WHI18000890	0.0043	0.3	1.73	18.8	137	0.3	0.08	0.2	10	30	28.5	3.3	6	0.06	14	0.41	460	2.3	0.006	21.3	97	21.5	0.025	0.8	2.9	16	1.3	0.024	0.2	54	0.2	68	1	0.13	1.4	0.1
2059771	461746	7127821	1584.1	B	20	Brown	E	Moist	R. Rigal	WHI18000890	0.0103	0.1	1.25	12.3	81	0.2	0.09	0.2	7.6	25	21	2.73	4	0.04	14	0.3	338	1.1	0.005	21.8	61	12.2	0.025	0.8	1.7	11	1.2	0.029	0.05	46	0.2	68	2	0.04	0.7	0.1
2059772	461753	7127970	1645.2	B	20	Brown	NW	Moist	R. Rigal	WHI18000890	0.0031	0.3	1.82	16.7	119	0.3	0.09	0.3	8.7	32	30.9	3.29	6	0.06	15	0.38	413	1.9	0.007	24.9	110	21.9	0.025	1	3.3	15	1.7	0.031	0.2	56	0.2	77	1	0.08	0.8	0.1
2059773	461749	7128070	1663.9	B	30	Grey	NW	Moist	R. Rigal	WHI18000890	0.0052	0.4	1.13	19.4	103	0.3	0.08	0.2	5.7	26	30.2	2.77	4	0.05	12	0.26	286	2.4	0.005	17.6	93	20.2	0.025	0.8	2.2	16	1.2	0.016	0.05	42	0.1	56	0.5	0.12	1.4	0.1
2059774	461949	7128219	1623.9	B	30	Grey	N	Moist	R. Rigal	WHI18000890	0.0047	0.5	1.33	21.1	126	0.3	0.11	0.2	4.7	26	23.2	2.63	4	0.04	13	0.28	199	1.4	0.004	19.4	103	18.1	0.025	0.7	3.7	13	3.7	0.015	0.05	42	0.05	56	0.5	0.11	0.7	0.1
2059775	461954	7128171	1621.7	B	30	Grey	N	Moist	R. Rigal	WHI18000890	0.004	0.3	1.5	18.9	117	0.3	0.13	0.2	6.8	30	25	2.79	5	0.04	16	0.39	254	1.7	0.006	21.7	87	16.6	0.025	0.9	2.7	14	1.5	0.023	0.1	51	0.2	59	0.5	0.09	1.2	0.1
2059776	461949	7128128	1627	B	30	Brown	S	Moist	R. Rigal	WHI18000890	0.0022	0.05	1.49	13.2	74	0.2	0.09	0.2	6.8	26	16.6	2.62	4	0.04	13	0.31	266	1.1	0.005	19.3	44	12.4	0.025	0.9	2.5	10	2.9	0.034	0.05	49	0.2	49	0.5	0.04	0.5	0.1
2059777	461948	7128071	1606	B	50	Grey	S	Moist	R. Rigal	WHI18000890	0.0078	0.3	1.32	16.4	110	0.2	0.13	0.2	6.7	27	23.4	2.66	4	0.05	15	0.36	286	2.3	0.006	19.3	78	16.9	0.025	0.9	2.7	14	2.6	0.028	0.1	48	0.2	63	0.5	0.12	0.7	0.1
2059778	461947	7128026	1609	B	30	Brown	S	Moist	R. Rigal	WHI18000890	0.002	0.05	1.6	12.2	72	0.3	0.09	0.2	6.9	31	15.2	2.96	6	0.05	13	0.35	315	1.5	0.006	17	57	13	0.025	0.8	1.6	10	0.6	0.031	0.2	60	0.2	57	0.5	0.05	0.6	0.1
2059779	461947	7127971	1603.9	B	20	Grey	S	Moist	R. Rigal	WHI18000890	0.0012	0.2	1.39	16.7	108	0.4	0.06	0.2	4.8	28	16.3	2.52	5	0.05	13	0.23	237	1.9	0.005	13.9	73	23	0.025	0.8	1	13	0.4	0.013	0.2	50	0.05	43	0.5	0.05	0.25	0.1
2059780	461951	7127924	1584.4	B	30	Brown	N	Moist	R. Rigal	WHI18000890	0.0025	0.3	1.17	14.1	85	0.2	0.06	0.2	3.9	25	16.2	2.2	4	0.04	13	0.23	148	1.6	0.005	14	66	15.7	0.025	0.7	1.2	11	0.4	0.013	0.1	40	0.1	42	0.5	0.07	0.25	0.1
2059781	461948	7127923	1588.8	B	30	Brown	S	Moist	R. Rigal	WHI18000890	0.0048	0.2	0.95	13.4	77	0.2	0.07	0.2	4	24	14.7	2.05	4	0.04	12	0.21	168	1.6	0.005	13.4	62	14.7	0.025	0.7	1.1	11	0.5	0.013	0.05	37	0.1	41	0.5	0.04	0.25	0.1
2059782	461959	7127876	1566.9	B	60	Brown	S	Moist	R. Rigal	WHI18000890	0.0044	0.2	1.15	12.4	82	0.2	0.07	0.1	6.1	26	15	2.34	5	0.04	13	0.25	338	1.6	0.005	14.2	66	14.3	0.025	0.7	1.2	12	0.4	0.019	0.1	44	0.1	48	0.5	0.04	0.25	0.1
2059783	461951	7127823	1542.9	B	60	Grey	S	Moist	R. Rigal	WHI18000890	0.0028	0.5	1.12	12.7	113	0.2	0.08	0.2	5.6	23	18.7	2.17	4	0.04	14	0.27	256	1.6	0.005	14.9	70	19.1	0.025	0.7	2.1	25	1.2	0.019	0.1	39	0.1	50	0.5	0.23	0.7	0.1
2059784	461950	7127776	1517.8	B	50	Brown	S	Moist	R. Rigal	WHI18000890	0.0025	0.4	1.11	12.6	79	0.2	0.05	0.2	4.3	25	16	2.5	4	0.04	11	0.19	188	1.8	0.005	12.2	57	17.8	0.025	0.6	1.4	20	0.5	0.013	0.1	43	0.1	44	0.5	0.13	1.1	0.1
2059785	461956	7127675	1472.2	B	30	Brown	S	Moist	R. Rigal	WHI18000890	0.0024	0.2	1.35	13	86	0.2	0.07	0.1	6.4	25	22.4	3.05	4	0.05	15	0.34	264	1.3	0.005	17.3	71	15.5	0.025	0.7	3	17	2	0.029	0.1	43	0.1	59	0.5	0.08	0.25	0.1
2059786	461951	7127578	1476.5	B	50	Brown	S	Moist	R. Rigal	WHI18000890	0.0021	0.5	1.67	13.5	95	0.3	0.08	0.2	5.9	31	24.7	3.16	5	0.06	14	0.4	207	1.5	0.006	19.5	91	16.1	0.025	0.7	2.3	15	0.8	0.023	0.2	49	0.1	59	0.5	0.08	1.5	0.1
2059787	461951	7127526	1491.7	B	50	Grey	S	Moist	R. Rigal	WHI18000890	0.0037	0.1	1.28	13	81	0.2	0.12	0.1	6.8	24	21.6	2.64	4	0.04	15	0.34	261	1.2	0.005	19.9	68	12.1	0.025	0.7	2.7	15	2.8	0.032	0.1	41	0.2	57	0.5	0.1	0.8	0.1
2059788	461952	7127477	1455.1	B	50	Brown	S	Moist	R. Rigal	WHI18000890	0.0037	0.2	1.41	9.7	84	0.2	0.07	0.2	4.7	26	14.6	2.3	5	0.04	13	0.34	180	1.1	0.005	19.4	39	10	0.025	0.5	2.1	11	0.9	0.026	0.2	41	0.1	54	0.5	0.09	0.6	0.1
2059789	461953	7127426	1448.1	B	30	Mottle	S	Moist	R. Rigal	WHI18000890	0.00025	0.7	1.02	41.9	98	0.3	0.03	0.3	27.8	19	21.5	15.15	3	0.04	9	0.1	858	2.8	0.003	19.3	251	26.3	0.025	0.9	3.7	17	4.3	0.004	0.1	31	0.05	161	0.5	0.3	2.6	0.1
2059790	461954	7127377	1444	B	30	Orange	S	Moist	R. Rigal	WHI18000890	0.0026	0.5	1.4	14	151	0.2	0.05	0.1	14.4	26	25.8	8.57	5	0.04	11	0.23	1073	1.8	0.004	41.2	92	16.5	0.025	0.7	3.2	15	1.3	0.018	0.1	40	0.1	167	0.5	0.14	1.8	0.1
2059791	461949	7127326	1453.6	B	30	Brown	S	Moist	R. Rigal	WHI18000890	0.001	0.05	1.33	13.8	72	0.2	0.11	0.1	7.1	25	17	2.65	5	0.04	14	0.36	255	1.3	0.005	17.6	62	13.3	0.025	0.7	1.8	12	1	0.026	0.1	46	0.1	55	0.5	0.06	0.25	0.1
2059792	461951	7127275	1456	B	30	Mottle	S	Moist	R. Rigal	WHI18000890	0.003	0.3	1.32	15.3	104	0.2	0.1	0.05	7.9	24	26.3	2.5	4	0.04	16	0.37	289	1.5	0.005	18.1	64	17.1	0.025	0.8	3	14	2.4	0.027	0.1	40	0.1	54	0.5	0.12	0.7	0.1
2059793	461950	7127223	1462.1	B	30	Mottle	S	Moist	R. Rigal	WHI18000890	0.0027	0.2	1.43	15.3	92	0.2	0.16	0.1	9.7	24	29.9	2.53	4	0.05	17	0.43	370	1.2	0.006	26.7	80	11.7	0.025	0.9	2.8	14	3.4	0.044	0.1	40	0.2	66	0.5	0.05	0.25	0.1
2059794	474085	7126590	1672.1	B	20	Grey	NE	Moist	R. Rigal	WHI18000890	0.0055	6	0.92	96.7	801	0.2	0.37	7.5	6.9	63	84.6	8.15	4	0.16	25	0.14	549	15.4	0.008	48.5	537	29	0.34	25.9	2	348	0.7	0.006	0.8	391	0.2	614	1	0.45	17.1	0.2
2059795	474057	7126547	1679.6	C	30	Grey	NE	Damp	R. Rigal	WHI18000890	0.00025	0.1	0.98	25.9	254	0.5	0.02	0.2	21.3	16	122.2	4.85	2	0.04	28	0.23	475	33.6	0.007	66.5	77	33.6	0.025	2.4	2.8	104	8.6	0.001	0.4	21	0.05	177	0.5	0.2	2.9	0.3
2059796	474128	7126679	1661.7	C	10	Grey	S	Damp	R. Rigal	WHI18000890	0.0012	4.2	0.8	49.6	397	0.3	0.08	0.6	1.8	25	46.7	2.62	3	0.12	28	0.19	88	18.3	0.015	12	209	31.6	0.27	27.9	1.1	93	1.1	0.003	0.9	125	0.2	64	0.5	0.35	10.9	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2059797	474110	7126725	1658.6	A	10	Brown	S	Damp	R. Rigal	WHI18000890	0.0011	0.3	1.24	16.9	121	0.2	0.18	0.3	6	31	28.3	3.01	4	0.05	13	0.3	196	3.1	0.007	18.1	84	11.6	0.025	2.5	1.7	19	0.6	0.03	0.2	72	0.1	64	1	0.07	1.5	0.1
2059798	474121	7126773	1634	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.00025	0.6	1.1	20.5	39	0.3	0.91	0.4	27	17	45.8	4.4	3	0.07	32	0.7	473	6.2	0.005	56	339	30.5	0.025	1	2.9	34	10.9	0.001	0.2	16	0.05	118	0.5	0.22	1.1	0.1
2059799	474142	7126819	1612.6	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.00025	0.3	0.76	22.1	52	0.4	0.69	0.3	23	11	41.6	3.94	2	0.08	36	0.31	334	6.9	0.006	55.1	262	31.5	0.025	0.9	3	30	11.7	0.0005	0.1	11	0.05	103	0.5	0.15	0.25	0.1
2059800	474154	7126867	1607	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0013	0.4	0.86	15.4	152	0.4	0.58	0.3	15.9	17	38.5	3.6	2	0.06	25	0.38	373	6.6	0.007	43.2	176	22.7	0.025	0.7	3.5	27	4.6	0.0005	0.1	17	0.05	94	0.5	0.19	0.25	0.1
2059801	474539	7132351	1419.9	Frostboil	10	Brown	S	Damp	J. Roddick	WHI18000890	0.0017	0.1	1.33	10.3	75	0.2	0.1	0.2	7.5	24	25.2	2.46	4	0.03	13	0.37	278	1.2	0.005	23.8	52	10.3	0.025	0.9	2.2	10	3.3	0.037	0.05	42	0.2	62	2	0.04	0.6	0.1
2059802	474491	7132385	1421.8	B	20	Brown	S	Damp	J. Roddick	WHI18000890	0.0041	0.2	1.67	11.7	272	0.2	0.1	0.3	9.6	27	33.8	2.82	4	0.04	14	0.43	377	1.4	0.006	31.4	53	12.3	0.025	0.9	2.9	11	3.7	0.034	0.1	48	0.2	70	0.5	0.04	1	0.1
2059803	474461	7132428	1414.3	Frostboil	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0039	0.5	2.17	11.6	153	0.2	0.08	0.2	11.1	31	42	2.89	4	0.03	14	0.32	336	1.5	0.006	35.4	46	11.8	0.025	0.8	3	10	3.6	0.026	0.1	50	0.2	86	2	0.09	1	0.1
2059804	474410	7132446	1410.2	Frostboil	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0023	0.2	1.97	11.2	132	0.2	0.08	0.05	8.3	30	21.1	2.8	5	0.04	14	0.4	278	1.2	0.006	20	35	13.2	0.025	0.7	2.8	9	3.2	0.031	0.2	55	0.2	51	1	0.05	0.9	0.1
2059805	474358	7132462	1416.8	B	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0007	0.1	1.57	10.9	128	0.3	0.07	0.2	6.5	27	15.7	2.73	6	0.04	13	0.33	245	1.4	0.005	17.1	32	13	0.025	0.8	2.3	8	3.1	0.033	0.2	58	0.2	50	1	0.04	0.7	0.1
2059806	474307	7132479	1390.2	Frostboil	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0041	0.2	1.34	11.5	111	0.3	0.07	0.2	7.4	24	22.3	2.76	5	0.05	12	0.27	342	1.4	0.006	17.4	62	13.4	0.025	0.7	1.8	7	1.3	0.031	0.1	55	0.2	60	0.5	0.04	0.6	0.1
2059807	474251	7132479	1381.2	B	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0029	0.05	1.85	12	266	0.2	0.08	0.2	10.2	28	20	2.95	5	0.04	13	0.39	282	1.2	0.006	25	33	13.1	0.025	0.7	2.6	9	3.8	0.034	0.1	54	0.2	58	0.5	0.03	0.6	0.1
2059808	474202	7132502	1368.7	B	30	Brown	W	Damp	J. Roddick	WHI18000890	0.0032	0.05	1.45	8.2	232	0.2	0.14	0.1	7.2	25	26.3	2.25	4	0.04	19	0.46	232	0.9	0.006	21.3	64	9.2	0.025	0.6	3.5	13	2.8	0.039	0.05	42	0.2	60	0.5	0.04	0.25	0.1
2059809	474156	7132527	1361	B	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0013	0.05	1.25	7.6	183	0.1	0.18	0.4	6.7	23	28.5	2.39	5	0.03	11	0.36	288	1	0.007	17.4	39	9.7	0.025	0.5	1.8	16	0.8	0.037	0.1	57	0.2	51	0.5	0.005	0.25	0.1
2059810	474108	7132540	1372.1	C	10	Grey	W	Damp	J. Roddick	WHI18000890	0.0034	0.05	2.04	9	364	0.1	0.45	0.1	26.8	37	212.4	4.1	6	0.04	12	1.02	833	1	0.009	34.6	37	8	0.025	0.7	10.2	20	3.3	0.077	0.05	95	0.1	87	0.5	0.02	0.25	0.1
2059811	474052	7132558	1355.3	B	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0026	0.05	2.06	10.4	152	0.2	0.14	0.3	13.3	30	73.6	3.23	5	0.04	13	0.46	271	1	0.008	28.9	50	9.7	0.025	0.7	3.9	11	3.6	0.046	0.1	58	0.3	60	1	0.04	0.25	0.1
2059812	473998	7132575	1351.3	B	10	Brown	W	Damp	J. Roddick	WHI18000890	0.0037	0.05	1.47	6.6	253	0.1	0.18	0.1	7.7	27	29.1	2.21	4	0.04	15	0.46	267	0.8	0.007	19	54	7.3	0.025	0.5	2.7	15	0.9	0.034	0.1	49	0.2	60	0.5	0.02	0.25	0.1
2059813	461247	7127626	1569.1	C	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0034	0.4	1.03	14.6	104	0.3	0.06	0.1	4.3	24	26.7	2.38	4	0.05	10	0.25	234	2.2	0.008	14.5	84	19.9	0.025	0.7	1.4	22	0.5	0.015	0.1	38	0.1	50	0.5	0.07	1	0.1
2059814	461248	7127575	1558.7	C	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0041	0.2	1.22	13.2	122	0.2	0.11	0.2	7.4	23	25.5	2.46	4	0.04	14	0.37	326	1.2	0.006	20.4	77	12.1	0.025	0.7	3.2	13	3	0.033	0.05	40	0.2	63	0.5	0.07	0.6	0.1
2059815	461249	7127525	1556.6	C	30	Grey	S	Damp	J. Roddick	WHI18000890	0.0034	0.4	1.25	14.9	115	0.3	0.05	0.1	4.5	26	24	2.44	5	0.04	10	0.23	177	2.1	0.005	15.2	85	21.5	0.025	0.7	1.1	20	0.3	0.011	0.1	42	0.1	45	0.5	0.11	1.2	0.1
2059816	461249	7127476	1553.4	B	10	Brown	S	Damp	J. Roddick	WHI18000890	0.0016	0.05	1.06	10.1	60	0.3	0.07	0.05	4.6	27	15.2	2.62	8	0.05	10	0.18	226	2.1	0.005	14.1	76	14.1	0.025	0.8	0.8	9	0.1	0.031	0.2	73	0.2	52	0.5	0.03	0.6	0.1
2059817	461252	7127426	1559.6	C	20	Grey	N	Damp	J. Roddick	WHI18000890	0.0017	0.1	1.02	7.3	61	0.2	0.06	0.1	4.9	18	13	1.64	3	0.02	8	0.22	160	0.7	0.003	13.7	49	12.5	0.025	0.4	1.5	10	1	0.014	0.05	26	0.05	41	0.5	0.05	0.25	0.1
2059818	461252	7127376	1551.1	C	30	Grey	S	Damp	J. Roddick	WHI18000890	0.0033	0.4	1.14	14.6	97	0.2	0.08	0.2	7.6	21	16.9	2.19	3	0.04	11	0.3	284	1.4	0.005	19.9	71	42.1	0.025	0.9	1.9	12	1.2	0.018	0.05	33	0.1	54	0.5	0.08	0.7	0.1
2059819	461251	7127325	1538.1	B	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0032	0.3	1.09	14.2	93	0.3	0.05	0.2	4.6	25	16	2.42	4	0.04	8	0.25	200	2.4	0.005	16.8	79	21.2	0.025	0.6	0.6	17	0.4	0.009	0.1	36	0.1	52	0.5	0.05	0.8	0.1
2059820	461251	7127325	1556.3	B	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0021	0.2	0.81	11.6	75	0.3	0.04	0.2	3.2	20	13	1.89	4	0.04	7	0.15	139	2.1	0.005	12.8	71	17.5	0.025	0.6	0.4	12	0.2	0.009	0.05	37	0.05	41	0.5	0.04	0.6	0.1
2059821	461252	7127274	1523.1	B	10	Grey	E	Moist	J. Roddick	WHI18000890	0.0033	0.4	1.18	13.1	177	0.3	0.19	0.3	6.7	22	20.4	2.49	4	0.04	9	0.26	360	1.8	0.008	22.9	76	22.1	0.025	0.6	0.9	23	0.2	0.008	0.1	36	0.1	54	0.5	0.08	1.9	0.1
2059822	461253	7127224	1521.7	C	10	Grey	N	Moist	J. Roddick	WHI18000890	0.0032	0.3	1.08	12.7	99	0.2	0.13	0.2	7.1	22	29	2.44	3	0.05	12	0.32	314	1.5	0.005	24.7	92	14.9	0.025	0.7	3.2	17	3	0.026	0.05	36	0.1	67	0.5	0.08	0.25	0.1
2059823	461255	7127172	1538.6	C	20	Grey	N	Moist	J. Roddick	WHI18000890	0.0033	0.7	0.9	18.4	127	0.3	0.04	0.2	3.5	20	26.3	2.32	4	0.04	7	0.12	144	2.3	0.005	14.9	95	29.6	0.025	0.7	1.2	28	1	0.003	0.05	28	0.05	42	0.5	0.08	1.4	0.1
2059824	461352	7127173	1516.3	C	20	Grey	N	Damp	J. Roddick	WHI18000890	0.0022	0.7	0.9	16.3	130	0.3	0.06	0.3	5.2	20	26.5	2.28	3	0.05	7	0.12	168	2	0.005	19.2	88	28.1	0.025	0.6	1.4	30	0.8	0.003	0.05	25	0.05	51	0.5	0.09	1	0.1
2059825	461348	7127224	1507.1	C	10	Grey	N	Damp	J. Roddick	WHI18000890	0.0056	0.5	0.96	17	100	0.3	0.05	0.2	5.1	22	29.5	2.49	3	0.04	8	0.13	165	2.2	0.004	21.3	85	24.7	0.025	0.7	1.3	22	0.9	0.005	0.05	30	0.05	55	0.5	0.08	1.5	0.1
2059826	461348	7127274	1504.8	B	20	Brown	S	Damp	J. Roddick	WHI18000890	0.003	0.1	1.87	13	84	0.2	0.09	0.2	8.2	31	15.8	2.89	6	0.04	12	0.45	361	1.7	0.006	19.5	56	13.8	0.025	0.7	1.8	10	0.7	0.033	0.2	54	0.2	71	0.5	0.05	0.8	0.1
2059827	461384	7127325	1507.6	C	120	Grey	S	Damp	J. Roddick	WHI18000890	0.0012	0.2	1.46	13.4	75	0.3	0.15	0.4	6.9	27	28	2.3	4	0.02	15	0.27	146	1	0.004	35	81	26.5	0.025	0.6	3	19	2.6	0.011	0.05	33	0.05	74	0.5	0.06	0.25	0.1
2059828	461349	7127380	1534.9	B	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0019	0.4	1.15	13.4	117	0.2	0.14	0.2	15	23	28.9	2.63	3	0.03	9	0.27	1264	1.5	0.005	36.7	87	18.3	0.025	0.6	1.3	14	0.7	0.01	0.05	31	0.05	71	0.5	0.05	0.25	0.1
2059829	461348	7127428	1540.5	C	30	Grey	E	Damp	J. Roddick	WHI18000890	0.002	0.4	1.46	15.1	91	0.3	0.1	0.2	7.3	28	24.5	2.69	5	0.05	11	0.37	262	1.4	0.005	20.6	86	20.4	0.025	0.7	1.5	22	0.5	0.02	0.1	46	0.1	63	0.5	0.07	0.7	0.1
2059830	461349	7127473	1539.5	C	20	Grey	S	Moist	J. Roddick	WHI18000890	0.0018	0.1	1.07	14	63	0.2	0.1	0.1	7	20	20	2.27	3	0.03	10	0.26	230	1.3	0.005	21.5	70	13.9	0.025	0.7	1.8	11	1.8	0.02	0.05	32	0.1	50	0.5	0.03	0.6	0.1
2059831	461345	7127523	1528.4	C	20	Grey	S	Damp	J. Roddick	WHI18000890	0.0062	0.5	1.17	19.5	99	0.2	0.06	0.1	5.7	24	31.4	3.16	4	0.04	11	0.28	185	2.6	0.004	18.2	72	19.6	0.025	0.9	2.2	17	1.2	0.023	0.1	44	0.2	58	0.5	0.35	1.7	0.1
2059832	461351	7127577	1549.1	C	30	Grey	N	Damp	J. Roddick	WHI18000890	0.004	0.5	1.49	16.9	159	0.3	0.05	0.2	5.4	28	34	3.12	5	0.05	11	0.3	220	2	0.006	18.9	103	27.3	0.025	0.8	2	24	0.6	0.014	0.1	44	0.2	59	0.5	0.12	1.2	0.1
2059833	461343	7127627	1559.5	C	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0017	0.4	1.56	17.1	121	0.3	0.06	0.2	7.6	30	36.1	3.41	5	0.05	13	0.38	358	1.8	0.005	21.2	98	21.4	0.025	0.9	2.7	19	1.3	0.026	0.1	48	0.2	68	0.5	0.07	0.8	0.1
2059834	461649	7127624	1521.1	C	10	Grey	S	Damp	J. Roddick	WHI18000890	0.0019	0.3	1.14	14.6	130	0.2	0.14	0.2	10.3	21	26.5	2.48	3	0.04	15	0.29	386	1.5	0.004	28.3	102	16.3	0.025	0.8	2.9	38	3.3	0.025	0.1	35	0.1	64	0.5	0.25	0.8	0.1
2059835	461651	7127579	1510	C	100	Grey	S	Moist	J. Roddick	WHI18000890	0.0022	0.2	1.35	16.4	148	0.2	0.15	0.05	10.1	27	19.8	3.42	4	0.04	13	0.36	394	1.5	0.005	27.5	66	16.8	0.025	0.6	2.7	24	1.2	0.024	0.1	44	0.2	65	0.5	0.15	0.25	0.1
2059836	461653	7127527	1497.5	B	10	Brown	S	Damp	J. Roddick	WHI18000890	0.0037	0.3	1.35	13.8	194	0.4	0.19	0.5	11.8	25	16.7	3.41	5	0.05	11	0.32	837	1.4	0.008	37.8	81	17.8	0.06	0.7	1.4	24	0.4	0.014	0.1	43	0.2	84	6	0.1	0.7	0.1
2059837	461657	7127473	1489.6	B	40	Brown	S	Saturated	J. Roddick	WHI18000890	0.01	0.5	1.47	14.4	252	0.3	0.14	0.5	42.7	27	24.6	9.54	5	0.05	12	0.29	2316	2	0.006	86.9	84	18.5	0.025	0.7	4.4	22	2.1	0.021	0.2	43	0.2	241	4	0.17	3.7	0.1
2059838	474119	7126628	1664.9	Frostboil	10	Grey	E	Damp	J. Roddick	WHI18000890	0.002	2.8	0.37	42.4	616	0.4	0.03	2.4	5.2	10	89.6	2.71	1	0.08	25	0.02	141	13.4	0.007	30.1	99	36.1	0.18	26.5	4	137	10.5	0.0005	0.7	99	0.05	458	4	0.35	14.9	0.1
2059839	474162	7126606	1663.4	Frostboil	10	Grey	E	Damp	J. Roddick	WHI18000890	0.0022	4.6	0.53	36.8	394	0.4	0.03	0.6	1.5	14	70	1.91	2	0.09	46	0.09	36	19.7	0.008	14.3	113	33.6	0.22	29.9	3.1	151	8.7	0.0005	0.6	106	0.05	155	3	0.33	9.8	0.1
2059840	474199	7126562	1656.8	Frostboil	10	Grey	E	Damp	J. Roddick	WHI18000890	0.0026	1	0.88	23.9	184	0.5	0.02	0.5	4.4	17	71.4	3.18	3	0.07	39	0.26	69	6.7	0.007	33.8	66	30.9	0.09	13.6	2.8	34	9	0.0005	0.3	42	0.05	231	2	0.16	8	0.1
2059841	474248	7126555	1641	B	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0031	0.5	1.58	22.9	119	0.4	1.3	0.2	32.2	19	46.4	4.63	4	0.07	24	0.98	607	7.6	0.005	67	365	31	0.13	1.1	2.4	48	10.7	0.002	0.3	17	0.05	161	3	0.2	0.6	0.1
2059842	474297	7126547	1627.2	Frostboil	10	Grey	E	Damp	J. Roddick	WHI18000890	0.0027	0.4	1.46	18	68	0.3	0.87	0.5	21.8	18	36.5	3.92	4	0.08	39	0.79	539	5.9	0.005	51.2	331	24.9	0.025	1.1	4.1	40	11.1	0.002	0.2	18	0.05	125	4	0.17	1.8	0.1
2059843	474345	7126560	1613.4	B	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0047	3.6	0.8	43.2	582	0.4	0.36	1.9	5.3	20	46.9	3.16	3	0.12	24	0.18	198	16.3	0.011	29.2	276	34	0.22	26.2	1.9	168	4.1	0.003	0.7	136	0.05	277	2	0.31	11.5	0.1
2059844	474396	7126566	1602.4	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.003	3.2	0.49	69.5	419	0.4	0.04	0.2	0.6	33	55.2	4.64	3	0.15	21	0.07	24	24	0.03	7	453	38.5	0.67	27.3	0.7	113	0.5	0.004	0.5	166	0.05	56	4	0.35	18.7	0.2
2059845	474447	7126572	1592.7	B	10	Grey	E	Damp	J. Roddick	WHI18000890	0.008	1.5	1.92	42.1	347	0.4	0.11	1.3	4.7	46	89.3	4.34	5	0.07	27	0.34	250	4.9	0.009	36.4	299	27.8	0.13	5.6	1.6	277	1.5	0.007	0.2	191	0.1	131	4	0.12	3.4	0.1
2059846	474500	7126557	1586.9	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0023	4.1	0.59	38.2	365	0.3	0.1	0.5	0.5	21	45.1	3.82	3	0.19	20	0.17	74	13.2	0.032	9.6	363	22.4	0.75	15.9	0.7	120	0.9	0.005	0.4	128	0.05	31	3	0.64	13.4	0.1
2059847	474549	7126542	1589.5	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0053	1.4	1.36	33.2	168	0.4	0.03	1	2.4	26	70.3	3.62	3	0.07	32	0.29	68	8	0.02	35.7	201	28.5	0.23	4.2	2.2	59	3.1	0.002	0.2	77	0.05	110	2	0.22	3	0.1
2059848	474605	7126516	1592.8	B	20	Brown	E	Damp	J. Roddick	WHI18000890	0.0038	0.2	1.32	18.9	136	0.4	0.05	0.3	3.7	25	39.8	3.54	6	0.04	23	0.16	98	4.1	0.006	14.5	80	18.2	0.09	1.6	1.2	15	0.6	0.009	0.2	84	0.1	68	2	0.08	2.5	0.1
2059849	474656	7126500	1583.9	Frostboil	10	Grey	E	Moist	J. Roddick	WHI18000890	0.0033	0.2	2.28	5	769	0.6	0.06	1.3	22.1	31	156.6	3.8	5	0.09	45	1.11	453	4.8	0.007	88.8	104	22.1	0.11	0.7	2.9	127	11.8	0.001	0.05	27	0.05	174	3	0.05	0.7	0.1
2059850	474708	7126499	1586.1	C	10	Grey	E	Damp	J. Roddick	WHI18000890	0.0058	0.6	1.39	17.9	164	0.5	0.04	0.9	11.3	24	68	3.96	5	0.06	45	0.26	221	4.1	0.007	51.7	78	26.9	0.07	1.3	2.2	68	5.1	0.008	0.2	45	0.05	274	3	0.07	2.3	0.1
2059851	462053	7128080	1591.5	C	60	Brown	SE	Damp	C. Studer	WHI18000890	0.0048	0.1	1.66	13.8	86	0.2	0.1	0.2	7.1	29	17.7	2.86	6	0.05	15	0.37	317	1.3	0.006	18.3	60	14.5	0.06	0.8	1.8	12	1	0.028	0.1	55	0.2	57	3	0.05	0.9	0.1
2059852	462055	7128025	1580.2	Frostboil	20	Grey	SE	Damp	C. Studer	WHI18000890	0.0073	0.3	1.31	15.5	95	0.3	0.08	0.2	5.8	27	20.2	2.54	4	0.05	15	0.31	267	2.2	0.006	16.3	66	15.4	0.06	0.7	2.1	12	1	0.024	0.1	49	0.3	54	2	0.11	0.9	0.1
2059853	462053	7127976	1567.2	C	30	Grey	NE	Moist	C. Studer	WHI18000890	0.0054	0.2	1.22	15.4	100	0.2	0.15	0.2	6.5	26	20.9	2.47	4	0.05	17	0.32	292	1.6	0.006	18.6	94	15.2	0.025	0.8	3.1	18	2.7	0.033	0.05	45	0.2	56	2	0.06	0.6	0.1
2059854	462051	7127928	1571.4	C	10	Grey	SE	Damp	C. Studer	WHI18000890	0.0056	0.05	1.49	12.8	57	0.2	0.1	0.2	7.1	28	17.6	2.8	5	0.04	16	0.3	279	1.3	0.007	19.6	56	11.9	0.06	0.6	2.2	11	2.2	0.041	0.1	55	0.3	60	4	0.1	0.7	0.1
2059855	462055	7127878	1553.5	C	10	Grey	SE	Moist	C. Studer	WHI18000890	0.0054	0.1	1.59	14.3	71	0.3	0.09	0.3	7	30	18.5	2.8	5	0.05	14	0.34	397	1.5	0.007	18	73	14.1	0.06	0.9	2.1	12	1	0.031	0.1	54	0.2	65	0.5	0.06	1.1	0.1
2059856	462051	7127831	1520.8	C	10	Grey	SE	Damp	C. Studer	WHI18000890	0.0057	0.2	0.73	12.2	53	0.2	0.09	0.2	4	19	16.1	2.04	3	0.04	11	0.21	193	1	0.006	12.3	69	11.9	0.05	0.8	1.3	14	0.6	0.017	0.05	33	0.1	40	1	0.05	1.3	0.1
2059857	462054	7127776	1501.3	C	30	Grey	SE	Damp	C. Studer	WHI18000890	0.0037	0.1	1.56	13	85	0.2	0.11	0.4	7.9	27	22.8	2.7	5	0.05	15	0.41	340	1.3	0.007	21.8	60	13.7	0.025	0.8	3	13	1.7	0.033	0.1	46	0.1	70	2	0.04	0.25	0.1
2059858	462050	7127728	1495	C	60	Brown	SE	Moist	C. Studer	WHI18000890	0.0042	0.2	1.65	15.7	131	0.3	0.1	0.2	9	29	22.4	2.77	5	0.05	17	0.38	386	1.4	0.007	21.1	77	17.8	0.025	0.7	2.8	18	1.5	0.026	0.1	50	0.1	65	1	0.08	1.6	0.1
2059859	462050	7127675	1482.6	B	40	Brown	SE	Damp	C. Studer	WHI18000890	0.0033	0.2	1.24	13.5	82	0.2	0.06	0.05	4.1	24	14.4	3.43	5	0.05	12	0.25	167	1.7	0.005	13.3	61	17.1	0.025	0.7	1.9	16	0.9	0.02	0.1	42	0.1	47	1	0.09	0.25	0.1
2059860	462055	7127625	1477.6	C	50	Grey	SE	Damp	C. Studer	WHI18000890	0.0049	0.2	1.32	17.6	81	0.2	0.12	0.1	11.3	26	23.5	2.87	4	0.05	16	0.4	488	1.1	0.006	20.2	80	14.5	0.025	0.8	2.2	15	1.6	0.03	0.05	44	0.1	62	2	0.07	0.8	0.1
2059861	462056	7127626	1473.5	C	60	Grey	SE	Damp	C. Studer	WHI18000890	0.004	0.5	1.56	16.6	87	0.2	0.15	0.05	10.4	24	42.2	2.62	4	0.05	16	0.42	348	1.1	0.006	25.1	86	13.1	0.025	0.9	3.4	16	3.8	0.033	0.1	41	0.2	67	2	0.12	1.3	0.1
2059862	462050	7127574	1475.6	B	40	Brown	SE	Damp	C. Studer	WHI18000890	0.0047	0.2	1.76	15.4	93	0.2	0.13	0.2	15.9	27	47	2.77	4	0.05	16	0.46	495	1.3	0.007	23.7	84	14.5	0.025	0.8	3.3	16	2.5	0.038	0.1	47	0.2	76	0.5	0.14	0.25	0.1
2059863	462052	7127526	1468.6	B	60	Brown	SE	Moist	C. Studer	WHI18000890	0.0053	0.3	1.77	15.2	91	0.3	0.12	0.1	15.2	28	29.6	2.73	5	0.05	18	0.49	437	1.1	0.007	24.8	75	11.5	0.025	0.8	3.8	14	2.7	0.046	0.1	48	0.2	75	0.5	0.08	0.7	0.1
2059864	462053	7127474	1472.5	C	110	Grey	E	Damp	C. Studer	WHI18000890	0.0031	0.2	1.37	15.8	82	0.2	0.16	0.2	12.2	25	39.6	2.59	4	0.05	16	0.42	469	1	0.006	37.3	87	11.2	0.025	0.9	3.1	17	4.2	0.041	0.1	41	0.2	88	0.5	0.06	0.25	0.1
2059865	462055	7127428	1452.6	B	40	Brown	S	Damp	C. Studer	WHI18000890	0.003	0.1	1.54	15.5	91	0.3	0.07	0.3	14	30	22.3	3.35	5	0.06	14	0.43	630	1.5	0.007	24.8	59	15	0.025	0.6	1.9	12	1.1	0.033	0.1	52	0.2	86	0.5	0.04	0.9	0.1
2059866	462051	7127373	1434.7	C	30	Grey	N	Moist	C. Studer	WHI18000890	0.0071	0.3	0.76	23.5	74	0.3	0.05	0.05	5.4	19	21.5	2.83	3	0.04	10	0.18	252	7.3	0.004	11.7	64	21.8	0.025	1.1	1.5	35	2.2	0.019	0.1	38	0.05	46	0.5	0.56	1.9	0.1
2059867	462049	7127327	1447.8	B	60	Grey	NE	Moist	C. Studer	WHI18000890	0.0044	0.05	1.76	16.2	116	0.2	0.13	0.1	13.3	30	29.7	3	5	0.06	16	0.5	483	1.3	0.007	30	68	13.5	0.025	0.9	3.4	15	2.4	0.038	0.2	51	0.2	77	0.5	0.06	1	0.1
2059868	462049	7127276	1449.5	B	50	Brown	NE	Damp	C. Studer	WHI18000890	0.0047	0.05	1.59	16.7	95	0.2	0.13	0.05	8.1	31	15.6	3.06	6	0.05	14	0.43	412	1.7	0.007	17.8	53	14.9	0.025	0.8	2.1	15	1.2	0.034	0.2	57	0.2	64	0.5	0.05	0.5	0.1
2059869	462046	7127225	1451.5	B	40	Brown	E	Damp	C. Studer	WHI18000890	0.0057	0.1	1.51	14.9	93	0.2	0.11	0.2	10.3	25	21.5	2.74	4	0.04	14	0.36	404	1.5	0.006	23.9	63	13.6	0.025	0.8	2.2	13	1.5	0.027	0.1	44	0.1	72	2	0.04	1.4	0.1
2059870	470675	7125669	1822	C	10	Grey		Damp	C. Studer	WHI18000890	0.005	0.1	1.49	13	107	0.2	0.23	0.3	9.9	26	24.5	2.57	4	0.05	17	0.41	455	1.2	0.008	27.4	99	11.9	0.025	0.8	3	25	3.3	0.045	0.05	47	0.2	74	3	0.09	0.8	0.1
2059871	470636	7125713	1820.3	C	10	Grey		Damp	C. Studer	WHI18000890	0.0078	1.2	0.36	24	207	0.3	0.04	0.3	9.6	11	31.2	2.49	1	0.06	6	0.07	219	5.6	0.006	42.2	70	25.9	0.1	1	2.5	59	4.5	0.004	0.2	20	0.05	90	0.5	2.13	2.3	0.1
2059872	470612	7125764	1831.1	C	20	Grey	N	Moist	C. Studer	WHI18000890	0.001	0.6	0.79	32.5	90	0.4	0.03	0.1	5.6	20	44.9	4.81	3	0.04	6	0.07	117	1.5	0.003	26.2	167	27	0.025	0.8	3	44	7.4	0.004	0.05	35	0.05	69	0.5	1.28	2.3	0.1
2059873	470578	7125810	1811.8	C	10	Grey		Damp	C. Studer	WHI18000890	0.0044	1	0.36	22.5	81	0.4	0.02	0.05	3.2	11	31.4	2.11	2	0.05	6	0.02	75	3.2	0.004	13.7	59	29.9	0.06	0.9	1.5	25	0.9	0.001	0.05	27	0.05	48	0.5	0.32	4.2	0.3
2059874	470581	7125860	1784.9	C	10	Grey	N	Moist	C. Studer	WHI18000890	0.0018	2.1	1.04	36.8	270	0.6	0.01	0.05	4.8	20	40.4	2.9	4	0.05	13	0.04	119	2.4	0.005	20	109	78.2	0.13	1	4.2	58	4.5	0.0005	0.1	33	0.05	52	0.5	0.52	3	0.3
2059875	470590	7125915	1786.2	C	10	Grey		Damp	C. Studer	WHI18000890	0.0027	0.6	0.83	23.4	143	0.3	0.04	0.05	15.5	17	44.9	3.55	3	0.04	7	0.11	159	1.9	0.004	44.9	84	21.7	0.07	0.7	3.2	20	2.4	0.002	0.05	35	0.05	118	0.5	0.11	3	0.1
2059876	470545	7125982	1783.5	C	10	Grey	N	Moist	C. Studer	WHI18000890	0.0022	1.2	1.28	37.9	116	0.4	0.04	0.05	7	29	55.5	4.82	5	0.05	9	0.18	222	3.1	0.007	26.5	135	33.5	0.11	1.5	2.8	27	3	0.005	0.05	43	0.05	85	0.5	0.22	7.1	0.1
2059877	470516	7126023	1773.2	C	20	Grey	NW	Moist	C. Studer	WHI18000890	0.0037	0.7	1.57	34.7	99	0.3	0.17	0.2	8.4	31	46	3.71	5	0.04	15	0.29	218	1.9	0.006	36	150	23.9	0.07	1.1	2.8	31	2.4	0.014	0.05	51	0.05	94	0.5	0.15	2.3	0.1
2059878	470497	7126070	1766.4	C	10	Grey	N	Moist	C. Studer	WHI18000890	0.0044	0.6	1.71	36.2	100	0.5	0.04	0.1	9.8	31	61.1	4.13	5	0.05	12	0.34	219	2.9	0.008	37.1	131	32.3	0.1	1.2	1.9	29	1	0.007	0.05	55	0.05	118	0.5	0.1	2	0.2
2059879	470488	7126120	1759.5	C	10	Grey		Damp	C. Studer	WHI18000890	0.0064	1	1.65	21.3	124	0.4	0.11	0.2	13.3	33	56.6	3.93	4	0.05	12	0.49	230	2.6	0.006	49.6	97	29.3	0.06	1.2	3.8	18	4.4	0.014	0.1	48	0.05	132	0.5	0.17	2.7	0.3
2059880	470481	7126173	1752.8	C	10	Grey	N	Damp	C. Studer	WHI18000890	0.0079	1.5	1.17	63.1	104	0.4	0.02	0.05	3	26	64.7	3.14	5	0.04	9	0.16	123	6.3	0.005	12.1	101	41.7	0.09	2.1	2.1	26	2	0.003	0.05	48	0.05	68	0.5	0.31	6.6	0.1
2059881	470477	7126224	1725.2	C	10	Grey	N	Damp	C. Studer	WHI18000890	0.0034	1.1	1.08	19.6	229	0.3	0.06	0.4	27.3	20	55.8	4.4	2	0.04	4	0.23	343	2.8	0.004	100.6	79	24.2	0.07	0.8	5	26	4.1	0.0005	0.05	30	0.05	258	0.5	0.23	4.5	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2059882	470481	7126275	1705.4	C	10	Grey		Moist	C. Studer	WHI18000890	0.0017	1.2	1.81	18.6	192	0.5	0.03	0.2	21.9	35	56.1	4	5	0.06	6	0.37	192	2.3	0.004	72.1	60	37	0.09	0.9	5.9	48	6.3	0.0005	0.1	42	0.05	178	0.5	0.28	2.2	0.2
2059883	470484	7126325	1704	C	20	Grey	N	Damp	C. Studer	WHI18000890	0.0034	0.7	2.07	24.2	76	0.3	0.07	0.2	29.5	36	38.6	3.88	6	0.04	9	0.34	658	1.5	0.004	55.6	96	27	0.09	0.7	2.9	35	4	0.002	0.05	50	0.05	141	0.5	0.1	1.3	0.1
2059884	470498	7126373	1705.9	C	10	Grey	S	Damp	C. Studer	WHI18000890	0.002	0.9	2.27	31.6	137	0.4	0.05	0.05	6.9	34	38.8	3.47	6	0.07	10	0.55	125	2.2	0.005	37.6	125	45.9	0.15	0.5	4.1	74	4.8	0.002	0.1	52	0.05	109	0.5	0.12	1.6	0.1
2059885	470513	7126423	1718.1	C	10	Grey	S	Damp	C. Studer	WHI18000890	0.003	0.3	1.98	20.3	92	0.3	0.05	0.05	8.5	32	28.2	3.06	6	0.05	11	0.35	207	1.5	0.006	29.1	98	20.3	0.1	0.6	1.6	19	0.7	0.007	0.1	56	0.1	85	0.5	0.07	1	0.1
2059886	470515	7126473	1731.5	B	20	Brown	S	Damp	C. Studer	WHI18000890	0.0036	0.1	1.93	16.4	79	0.3	0.11	0.3	8.6	35	25.3	3.79	7	0.05	14	0.45	292	1.6	0.005	29.8	57	17.7	0.07	0.9	2.6	17	1.6	0.031	0.1	65	0.1	81	0.5	0.05	1.8	0.1
2059887	470519	7126521	1731.6	C	20	Grey	N	Damp	C. Studer	WHI18000890	0.0019	0.2	1.87	18.8	76	0.4	0.04	0.1	7.1	37	40.7	3.56	6	0.04	10	0.33	135	1.5	0.006	28.7	148	19	0.16	0.6	1.3	19	1	0.004	0.05	50	0.05	92	0.5	0.14	1.6	0.1
2059888	470538	7126571	1724.7	C	20	Grey	N	Damp	C. Studer	WHI18000890	0.004	0.7	1.53	14.8	197	0.4	0.04	0.3	13.6	27	46.4	3.41	3	0.05	5	0.48	407	1.6	0.007	54.9	62	21.2	0.11	0.6	2.7	31	3	0.001	0.05	35	0.05	147	0.5	0.09	1.7	0.1
2059889	470554	7126617	1720.3	C	20	Grey		Damp	C. Studer	WHI18000890	0.002	0.6	1.44	19.6	199	0.4	0.03	0.05	3.2	24	28.2	2.53	6	0.06	12	0.1	116	1.2	0.005	18.4	61	33.1	0.17	0.6	2.8	106	2.9	0.0005	0.05	39	0.05	49	0.5	0.2	1.5	0.1
2059890	470571	7126666	1724.5	B	20	Brown		Damp	C. Studer	WHI18000890	0.0011	0.4	0.56	18.2	116	0.4	0.05	0.1	1.8	15	13.3	1.83	4	0.05	10	0.04	46	1.7	0.006	7.3	76	33.3	0.14	0.7	0.3	33	0.3	0.004	0.1	31	0.05	28	0.5	0.08	0.6	0.1
2059891	470553	7126715	1729.2	Frostboil	10	Grey		Moist	C. Studer	WHI18000890	0.0107	0.5	0.98	20.9	144	0.3	0.07	0.2	5	24	35.9	2.72	5	0.12	12	0.21	140	5.8	0.008	17	45	24.5	0.24	0.8	2.5	29	1.8	0.018	0.1	44	0.05	56	0.5	0.09	2.4	0.1
2059892	470535	7126758	1722.7	B	10	Brown	W	Damp	C. Studer	WHI18000890	0.0032	0.2	1.05	19.9	72	0.3	0.13	0.2	10.4	23	27.3	2.87	3	0.04	14	0.24	225	1.1	0.006	29	86	16.2	0.06	0.8	2.8	24	2.2	0.028	0.05	39	0.05	99	0.5	0.12	0.7	0.1
2059893	470540	7126814	1665.2	C	10	Grey	N	Damp	C. Studer	WHI18000890	0.0017	0.9	1.26	30.2	224	0.5	0.02	0.1	15.4	21	40.1	3.1	4	0.05	13	0.08	142	1.9	0.005	51.7	109	49.3	0.1	0.7	4.9	70	4.2	0.0005	0.1	32	0.05	91	0.5	0.37	1.1	0.1
2059894	470534	7126864	1650.8	C	20	Grey	N	Moist	C. Studer	WHI18000890	0.0042	1.1	1.09	15.7	110	0.3	0.14	0.4	12.2	24	61.1	3.18	3	0.03	2	0.18	237	4.4	0.004	57.6	64	27.4	0.06	0.9	3.2	23	6.6	0.0005	0.05	24	0.05	108	0.5	0.17	1.6	0.1
2059895	470543	7126914	1636.2	C	20	Grey	N	Moist	C. Studer	WHI18000890	0.0048	0.3	1.37	15.1	81	0.3	0.12	0.4	10.2	27	33.1	3.22	4	0.05	11	0.27	334	4.8	0.005	34.6	80	19.4	0.06	1	2.5	18	1.1	0.016	0.1	44	0.05	95	0.5	0.06	1.8	0.1
2059896	470557	7126963	1625.9	C	20	Grey		Moist	C. Studer	WHI18000890	0.0045	0.2	1.45	18.2	86	0.3	0.11	0.1	5.6	28	22.8	3.01	6	0.05	13	0.28	228	3.4	0.005	17	156	16.3	0.07	1.3	0.6	16	0.5	0.011	0.2	60	0.05	66	0.5	0.09	1.6	0.1
2059897	470585	7127004	1639.5	B	10	Brown	S	Damp	C. Studer	WHI18000890	0.0037	0.1	2.32	11.1	426	0.2	0.49	0.1	27.6	68	132.3	4.91	7	0.06	12	0.96	1040	1.4	0.007	42.4	64	7.8	0.05	0.6	9.6	26	2.2	0.121	0.1	142	0.1	85	2	0.05	0.25	0.1
2059898	470590	7127056	1637.1	C	20	Grey	N	Moist	C. Studer	WHI18000890	0.0018	0.3	0.5	30.4	83	0.4	0.05	0.3	9.4	15	26.4	2.63	2	0.06	8	0.02	91	1.5	0.004	37.8	72	24.8	0.06	0.4	2.9	38	1.2	0.0005	0.05	23	0.05	82	0.5	0.22	1.9	0.1
2059899	470611	7127103	1621.4	Frostboil	10	Grey		Moist	C. Studer	WHI18000890	0.0018	0.8	1.7	20.3	79	0.4	0.55	0.6	13.8	36	29.8	4	5	0.03	6	0.14	181	1.6	0.003	53.2	265	21.4	0.025	2.2	6.1	41	8.5	0.002	0.05	38	0.05	121	0.5	0.11	1.8	0.1
2059900	470612	7127103	1622.7	Frostboil	10	Grey		Moist	C. Studer	WHI18000890	0.0015	0.8	1.67	20.5	82	0.4	0.5	0.4	14.1	35	29.1	3.72	5	0.03	7	0.14	192	1.3	0.004	51.9	224	22.5	0.025	1.9	5.3	36	7.9	0.002	0.05	35	0.05	114	0.5	0.13	1.3	0.1
2059901	474166	7126918	1599.5	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0108	0.9	1.19	5.9	237	0.5	0.25	1.3	23.8	27	172.6	3.71	3	0.11	55	0.51	1134	5.1	0.004	81.4	134	16.2	0.025	2.2	4.2	26	6	0.001	0.1	26	0.05	236	2	0.14	7.5	0.1
2059902	474180	7126970	1594.7	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.0072	2	1.03	26.7	306	0.3	0.2	4.2	20	25	187.1	4.34	3	0.1	25	0.52	744	33.5	0.014	118.4	161	16.9	0.31	6.4	3.5	70	4.5	0.002	0.6	40	0.05	451	0.5	0.45	9	0.3
2059903	474197	7127020	1593.8	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0093	6.4	0.85	25.1	557	0.4	1.32	40.2	29	28	251.2	6.09	3	0.19	24	0.7	1468	79	0.009	234.6	235	19.5	0.1	11.5	6.1	88	4.4	0.005	0.9	67	0.05	982	2	0.74	28.2	0.3
2059904	474209	7127072	1593.3	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0051	2.3	1.02	23.2	267	0.4	0.72	5.6	22.1	25	112	4.05	2	0.12	38	0.52	558	21.9	0.008	113.2	305	25.2	0.07	5.4	4.2	75	7.9	0.002	0.5	29	0.05	317	3	0.7	8.6	0.3
2059905	474216	7127123	1589.5	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0058	0.9	1.1	36.6	290	0.3	0.65	2.2	12.1	18	122.7	4.17	3	0.1	40	0.55	223	28.4	0.004	98.8	269	22.3	0.025	5.1	3.7	45	6.7	0.003	0.4	37	0.05	327	0.5	0.75	7.8	0.3
2059906	474211	7127175	1594.9	B	30	Brown	S	Damp	R. Rigal	WHI18000890	0.0058	0.6	1.43	16.9	198	0.3	0.19	0.7	11.2	27	58.8	4.13	4	0.07	43	0.45	255	10.4	0.035	41.9	146	21	0.22	2.4	2.4	45	3	0.01	0.3	47	0.05	133	2	0.2	12.2	0.1
2059907	474194	7127224	1594.5	B	20	Brown	S	Damp	R. Rigal	WHI18000890	0.0021	0.05	0.76	5.8	67	0.3	0.06	0.05	2.1	15	14.5	0.98	6	0.04	17	0.08	45	2.6	0.004	6.4	23	8.5	0.025	0.8	1.5	8	1	0.05	0.2	64	0.05	19	0.5	0.03	0.7	0.1
2059908	474208	7127272	1583.7	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.0039	0.2	1.81	19.8	83	0.4	0.21	0.6	38.5	25	58.9	4.39	4	0.05	35	0.91	1278	9.3	0.012	57.1	213	34.9	0.06	1.6	2.1	41	9	0.058	0.1	21	0.05	126	1	0.07	2.9	0.1
2059909	474205	7127323	1558.2	B	10	Grey	S	Damp	R. Rigal	WHI18000890	0.006	1.1	1.91	45	200	0.4	0.61	0.4	66.8	29	200.1	5.91	5	0.08	34	0.98	1531	5.3	0.013	92.4	173	86.2	0.025	19.6	4.9	29	8.9	0.074	0.1	36	0.2	159	2	0.13	1.4	0.1
2059910	474196	7127371	1559.6	B	20	Mottled	S	Damp	R. Rigal	WHI18000890	0.0011	0.4	2.39	22.7	124	0.5	0.08	0.3	9.1	42	36.8	4.09	6	0.06	13	0.57	205	2.2	0.007	41.6	80	34	0.025	0.8	2.8	27	7	0.007	0.1	41	0.05	96	1	0.07	1.2	0.1
2059911	474185	7127221	1554.2	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0009	1.9	1.41	33.8	434	0.3	0.04	0.3	3	26	49.9	4.1	6	0.14	10	0.19	107	13.3	0.016	14	142	25.8	0.26	10.8	2.1	33	1.6	0.004	0.4	115	0.05	65	0.5	0.19	7	0.1
2059912	474165	7127460	1560.4	B	10	Grey	S	Damp	R. Rigal	WHI18000890	0.0008	0.3	1.58	45.6	287	0.4	0.03	0.2	5.5	33	63.7	4.82	7	0.11	23	0.23	143	3.9	0.024	26.2	104	32.8	0.18	2.3	3.7	27	8.3	0.002	0.2	53	0.05	102	0.5	0.18	2	0.1
2059913	474176	7127519	1550.1	B	10	Grey	S	Damp	R. Rigal	WHI18000890	0.0022	0.6	2	44.5	183	0.8	0.04	0.2	9.2	34	64.5	5.15	5	0.06	23	0.66	219	3.1	0.01	46.4	125	35.3	0.025	1.8	2.8	51	6	0.0005	0.1	32	0.05	120	0.5	0.09	2.5	0.2
2059914	474163	7127569	1536.2	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0012	0.2	1.21	25.1	294	0.5	0.03	0.2	11.8	19	35	4.52	4	0.09	27	0.43	174	12.4	0.013	35	133	33	0.13	0.9	1.7	55	4	0.001	0.2	19	0.05	102	0.5	0.09	0.9	0.1
2059915	474175	7127619	1516.2	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.0018	0.3	1.67	30.8	140	0.7	0.2	0.5	32.8	25	74	7.1	4	0.08	36	0.79	1607	7.9	0.023	51.8	218	61.2	0.14	2.2	3	61	10.9	0.0005	0.1	18	0.05	133	0.5	0.18	1.3	0.1
2059916	474176	7127670	1509	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.002	0.2	1.07	16.9	123	0.3	0.44	0.2	17.1	13	38.6	3.67	3	0.07	52	0.38	213	13.5	0.005	46.2	215	22.3	0.025	0.7	2.4	29	7.1	0.0005	0.1	14	0.05	102	0.5	0.33	0.6	0.1
2059917	474197	7127717	1495.1	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.0013	0.4	1.1	15.8	78	0.4	0.46	0.5	25.5	16	98.7	4.43	3	0.08	37	0.55	523	3.2	0.007	56	201	29.5	0.025	1.5	3.9	30	10.8	0.006	0.2	18	0.05	140	0.5	0.23	1	0.1
2059918	474208	7127770	1478.4	B	40	Grey	S	Damp	R. Rigal	WHI18000890	0.0086	4.8	1.21	27.2	140	0.4	0.99	9.8	24.3	32	228.8	6.46	3	0.13	24	0.61	755	43	0.017	150.1	584	30.2	0.14	5.6	3.8	136	8.2	0.002	0.7	48	0.05	524	1	1.74	9.9	0.1
2059919	474191	7127819	1462.8	B	10	Grey	S	Damp	R. Rigal	WHI18000890	0.0014	0.3	2.32	1.6	157	0.4	0.26	0.6	19.5	34	41.8	4.2	5	0.07	41	1.38	509	2.6	0.004	52.7	71	28.8	0.025	0.4	2.9	18	14.6	0.001	0.05	22	0.05	82	1	0.07	0.25	0.1
2059920	474197	7127869	1451.2	B	30	Brown	S	Damp	R. Rigal	WHI18000890	0.0131	3.5	1.71	9	186	0.3	0.5	0.7	18.3	38	105.7	3.97	5	0.06	18	0.55	1190	2.8	0.007	59.7	149	19.2	0.025	1.5	1.5	43	0.5	0.004	0.2	44	0.05	148	1	0.15	3.1	0.1
2059921	474216	7127919	1441.2	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0065	1.5	1.13	23.3	135	0.4	0.6	3.7	18.4	29	75.2	4.34	3	0.09	35	0.48	419	15	0.011	86.9	355	32	0.05	4.1	3.3	46	8.9	0.0005	0.7	29	0.05	246	1	0.84	4.8	0.1
2059922	474191	7127965	1426.1	B	30	Brown	S	Damp	R. Rigal	WHI18000890	0.0122	1.8	1.32	12.1	243	0.4	0.06	2.2	31.4	29	162.9	4.26	4	0.09	22	0.48	982	27.4	0.02	88.2	114	20.8	0.1	3.8	2.5	36	1.9	0.002	0.4	47	0.05	218	0.5	0.19	5.2	0.4
2059923	474185	7128018	1418.8	B	30	Brown	S	Damp	R. Rigal	WHI18000890	0.004	0.8	1.76	20.1	46	0.4	0.33	1.2	38	22	56.7	6.17	4	0.06	50	0.9	1067	11.2	0.004	81.6	239	31.4	0.025	1.8	5.4	27	13.3	0.0005	0.2	17	0.05	180	0.5	0.3	1.2	0.1
2059924	474181	7128066	1415.1	B	30	Grey	S	Damp	R. Rigal	WHI18000890	0.0035	1	2.25	18.4	126	0.4	0.27	0.9	22.3	34	38.7	5.18	6	0.11	46	1.21	529	5.9	0.01	66.6	181	35.8	0.06	1.4	2.5	53	10.7	0.001	0.3	34	0.05	145	1	0.22	1.3	0.1
2059925	474195	7128115	1420.8	B	10	Mottled	S	Damp	R. Rigal	WHI18000890	0.0007	0.2	1.77	20.6	54	0.4	0.1	0.2	11.5	27	40.3	5.69	5	0.07	42	0.96	273	2	0.008	41.3	145	42.5	0.025	1.5	2.5	47	9.8	0.0005	0.1	18	0.05	96	0.5	0.17	0.25	0.1
2059926	474187	7128168	1395.2	B	20	Brown	S	Damp	R. Rigal	WHI18000890	0.0028	0.5	1.81	37.5	94	0.3	0.15	2.5	49.2	29	84.9	5.84	5	0.08	39	1.03	3869	33.2	0.014	107.1	210	31.9	0.025	1.9	3.8	56	10.6	0.0005	0.6	24	0.05	178	0.5	0.46	1.5	0.1
2059927	474171	7128216	1396.8	B	20	Mottled	S	Damp	R. Rigal	WHI18000890	0.0008	0.1	2.43	25.4	177	0.4	0.09	0.2	10.6	32	32.4	5.53	6	0.1	12	0.66	233	4.9	0.014	39.8	133	28	0.21	1	2.8	62	5.3	0.002	0.2	36	0.05	109	0.5	0.09	1	0.1
2059928	474162	7128267	1403.5	B	10	Brown	S	Damp	R. Rigal	WHI18000890	0.0049	0.4	1.81	22.7	76	0.5	0.17	0.6	28.7	27	52.9	5.01	5	0.1	38	0.81	943	7.5	0.009	54.5	183	40.2	0.06	1.3	3.1	28	8.4	0.001	0.4	25	0.05	113	0.5	0.23	1.5	0.1
2059929	474183	7128317	1402.2	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0029	0.3	1.82	15.2	93	0.3	0.09	0.2	14.4	27	38.3	4.13	5	0.09	42	0.91	359	5.1	0.009	43.8	121	27.7	0.1	1.2	2	30	6.5	0.002	0.3	28	0.05	99	0.5	0.39	0.6	0.1
2059930	474211	7128363	1402.3	B	20	Grey	S	Damp	R. Rigal	WHI18000890	0.0033	1.5	1.71	43.2	147	0.4	0.18	1	22.4	28	68.7	6.77	5	0.13	27	0.85	394	78.1	0.023	67.1	277	43.7	0.65	3.2	2.3	91	6.3	0.002	1.1	77	0.05	196	0.5	0.4	4	0.1
2059931	474255	7128396	1399.6	B	30	Mottled	S	Damp	R. Rigal	WHI18000890	0.0014	0.05	2.12	9.6	73	0.3	0.07	0.1	12.4	32	15.8	3.34	8	0.05	12	0.52	171	1.6	0.006	27.2	55	17.6	0.025	0.7	2.4	14	2.2	0.017	0.2	60	0.1	76	0.5	0.04	0.25	0.1
2059932	474294	7128431	1404.2	B	20	Grey	SW	Damp	R. Rigal	WHI18000890	0.00025	0.05	2.71	11	126	0.4	0.02	0.1	4.5	36	57.3	4.77	6	0.11	7	0.88	128	1.4	0.018	53.6	75	32.3	0.15	0.6	4.2	38	5	0.0005	0.2	27	0.05	121	0.5	0.04	0.25	0.1
2059933	474339	7128457	1416.8	B	20	Mottled	NW	Damp	R. Rigal	WHI18000890	0.00025	0.05	2.58	17.7	37	0.4	0.1	0.2	34.7	39	40.8	5.92	7	0.05	6	1.07	673	1.5	0.007	66.2	107	21.4	0.025	0.6	2.7	25	5	0.0005	0.1	33	0.05	137	0.5	0.02	0.25	0.1
2059934	474365	7128500	1414.5	B	20	Grey	SW	Moist	R. Rigal	WHI18000890	0.00025	0.05	2.36	13.4	43	0.4	0.12	0.5	31.2	40	33.9	5.27	6	0.07	7	1.03	292	1	0.009	82.1	88	26.1	0.025	0.4	2.3	23	4.9	0.001	0.05	37	0.05	162	0.5	0.02	0.7	0.1
2059935	474390	7128544	1415.7	B	10	Grey	NW	Moist	R. Rigal	WHI18000890	0.00025	0.05	2.43	17	99	0.4	0.04	0.1	6.9	42	43.7	5.65	7	0.1	8	0.98	209	1.6	0.012	53.7	87	31.2	0.12	0.7	2.8	32	6.4	0.0005	0.05	31	0.05	124	0.5	0.05	0.25	0.1
2059936	474389	7128603	1418	B	20	Brown	NW	Damp	R. Rigal	WHI18000890	0.0009	0.05	0.85	11.3	57	0.3	0.02	0.05	23.4	13	28.3	4.24	4	0.05	22	0.1	470	1.2	0.006	44.1	37	20.2	0.025	0.6	2.7	11	8.5	0.003	0.1	30	0.05	111	0.5	0.06	0.25	0.1
2059937	474400	7128655	1419	B	10	Grey	SW	Moist	R. Rigal	WHI18000890	0.0008	0.1	1.95	11.6	104	0.5	0.04	0.4	16.3	31	41.7	5.19	5	0.09	17	0.75	247	1.6	0.012	63.2	77	38.8	0.05	0.6	4.2	25	9.3	0.0005	0.2	28	0.05	143	0.5	0.22	0.7	0.1
2059938	474393	7128703	1408.2	B	10	Grey	SW	Damp	R. Rigal	WHI18000890	0.00025	0.1	0.77	20.6	60	0.4	0.03	0.2	31.9	12	37.6	4.45	2	0.06	35	0.26	522	2.5	0.009	67.8	87	24	0.025	0.7	3.7	20	9.4	0.0005	0.05	17	0.05	150	0.5	0.14	0.5	0.1
2059939	474397	7128755	1399.7	B	20	Brown	SW	Damp	R. Rigal	WHI18000890	0.0041	0.7	1.75	38.2	108	0.4	0.15	1.5	33.5	26	60.4	6.93	4	0.08	19	0.45	1496	15.1	0.014	76.7	252	32.3	0.13	1.6	5.6	51	6.7	0.0005	0.3	30	0.05	189	0.5	0.28	2.8	0.1
2059940	474428	7128794	1399.4	B	10	Grey	SW	Damp	R. Rigal	WHI18000890	0.0005	0.05	1.97	14.4	48	0.4	0.07	0.3	20.2	32	35.4	4.77	6	0.05	32	0.79	247	1.9	0.007	53.8	113	25.9	0.025	0.6	2.2	14	8.2	0.002	0.05	27	0.05	129	0.5	0.04	0.25	0.1
2059941	474429	7128794	1401.5	B	20	Grey	SW	Damp	R. Rigal	WHI18000890	0.0007	0.05	2.26	14.4	51	0.4	0.05	0.2	15.1	32	41.2	5.27	7	0.05	33	0.78	225	2	0.008	48.3	103	28.3	0.025	0.7	2.6	14	9	0.004	0.05	32	0.05	114	0.5	0.04	0.5	0.1
2059942	462151	7127223	1436.6	B	20	Brown	W	Moist	R. Rigal	WHI18000890	0.0022	0.4	1.47	9.7	165	0.2	0.17	0.3	13.6	23	17.8	2.63	4	0.05	12	0.32	218	1	0.006	41.7	67	13.9	0.025	0.5	2	17	1	0.013	0.1	36	0.05	104	0.5	0.09	0.7	0.1
2059943	462148	7127324	1430	B	20	Brown	W	Moist	R. Rigal	WHI18000890	0.0061	0.1	1.58	13.9	81	0.2	0.11	0.1	7.8	25	16.3	2.65	5	0.05	14	0.33	245	1.3	0.005	16.6	77	13.2	0.025	0.6	1.9	12	1	0.024	0.1	43	0.1	58	0.5	0.07	0.25	0.1
2059944	462152	7127423	1451.5	B	40	Brown	W	Moist	R. Rigal	WHI18000890	0.0016	0.05	1.68	15.4	80	0.3	0.07	0.2	13.5	30	19.6	3.01	5	0.05	13	0.41	500	1.5	0.005	23.2	57	14.2	0.025	0.7	1.8	10	0.7	0.027	0.1	48	0.1	83	2	0.08	1.3	0.1
2059945	462150	7127524	1456.1	B	40	Brown	W	Moist	R. Rigal	WHI18000890	0.0042	0.1	1.48	14.4	82	0.3	0.1	0.2	10.6	24	26.9	2.6	4	0.04	13	0.38	369	1.2	0.006	24.4	73	12.6	0.025	0.8	2.6	12	2.7	0.025	0.1	38	0.1	74	2	0.15	1.1	0.1
2059946	462149	7127624	1466.7	B	60	Brown	W	Moist	R. Rigal	WHI18000890	0.002	0.5	1.46	14.6	72	0.2	0.09	0.1	9.1	26	30.9	2.84	5	0.04	12	0.41	343	1.2	0.006	20.2	82	12.3	0.025	0.8	2	9	0.8	0.023	0.1	43	0.1	60	2	0.1	1	0.1
2059947	462151	7127724	1467.2	B	50	Brown	W	Moist	R. Rigal	WHI18000890	0.005	0.3	1.36	15.2	64	0.3	0.06	0.1	5	26	17.1	2.86	5	0.04	12	0.3	191	1.5	0.005	14.7	70	14	0.025	0.7	1.7	9	0.5	0.022	0.1	47	0.1	45	0.5	0.08	1.1	0.1
2059948	462148	7127830	1506	B	20	Brown	W	Moist	R. Rigal	WHI18000890	0.0022	0.1	1.47	14	75	0.2	0.08	0.2	7.7	26	19.8	2.51	5	0.04	13	0.36	353	1.3	0.005	19.5	74	13.8	0.025	0.7	2	9	0.9	0.024	0.1	44	0.1	65	2	0.04	0.5	0.1
2059949	462149	7127926	1543	B	30	Brown	W	Moist	R. Rigal	WHI18000890	0.0047	0.1	1.46	14.9	74	0.3	0.07	0.2	5.7	27	17.9	2.68	5	0.04	12	0.28	270	1.5	0.005	17.4	74	14.1	0.025	0.7	1.2	10	0.5	0.015	0.1	49	0.1	49	1	0.05	1.1	0.1
2059950	462150	7128025	1562.3	B	40	Grey	W	Moist	R. Rigal	WHI18000890	0.0053	0.4	1.08	19.9	86	0.3	0.07	0.1	5.2	25	20	2.48	4	0.04	11	0.28	224	2.6	0.004	15.8	57	17.6	0.025	0.8	2.2	9	2	0.019	0.1	42	0.1	54	1	0.13	1.5	0.1
2059951	472119	7126542	1771.5	C	20	Brown	N	Moist	S. Orban	WHI18000890	0.0028	0.7	0.71	29.7	255	0.5	0.02	0.05	6	18	33.5	3.86	4	0.07	8	0.07	99	2.8	0.008	18.2	87	37.9	0.12	0.7	2.9	44	1.7	0.0005	0.1	36	0.05	58	1	0.26	2	0.1
2059952	472144	7126607	1750.8	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0008	0.7	0.72	25.5	111	0.4	0.26	0.9	15.4	15	28.1	2.36	2	0.08	6	0.07	165	1.3	0.011	52.6	109	26.1	0.1	0.7	3.1	33	6.6	0.0005	0.05	18	0.05	98	0.5	0.14	0.9	0.1
2059953	472167	7126650	1728.4	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0011	0.8	0.89	18	100	0.5	0.25	0.3	13.1	18	41.1	2.97	3	0.04	14	0.11	164	2.7	0.005	45.6	107	32	0.025	0.9	4.3	47	6.3	0.0005	0.05	22	0.05	90	1	0.16	1.5	0.1
2059954	472178	7126700	1718.9	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000890	0.0025	0.6	1.05	18.9	186	0.5	0.06	0.05	4.8	22	45	2.56	4	0.05	14	0.16	108	2.1	0.006	23.9	71	29.1	0.025	1.1	2.7	38	1.9	0.0005	0.1	37	0.05	65	0.5	0.16	1.8	0.1
2059955	472185	7126750	1716	Frostboil	20	Grey	S	Moist	S. Orban	WHI18000890	0.0015	0.9	1.45	23.9	147	0.5	0.27	0.4	11.5	27	34.1	3.67	5	0.03	20	0.18	91	1.8	0.004	45.1	180	33.8	0.025	0.8	4.1	62	6.9	0.0005	0.05	29	0.05	101	0.5	0.19	5	0.1
2059956	472199	7126814	1727.5	C	30	Mottled	S	Moist	S. Orban	WHI18000890	0.0024	0.8	1.03	20.6	38	0.3	0.05	0.4	10.6	24	29.2	3.53	3	0.03	7	0.1	139	1.8	0.005	42.3	138	21.8	0.025	0.8	1.9	9	1.3	0.0005	0.05	25	0.05	92	0.5	0.09	1.4	0.1
2059957	472198	7126865	1733.8	C	20	Grey	W	Dry	S. Orban	WHI18000890	0.0006	0.8	1.93	20.1	123	0.4	0.12	0.2	9.4	40	56.5	3.55	5	0.03	17	0.41	65	1.3	0.004	57.2	93	26.9	0.025	0.6	2.8	26	3.4	0.0005	0.05	31	0.05	100	0.5	0.12	1	0.1
2059958	472187	7126914	1733.7	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0016	0.3	1.12	12.9	64	0.2	0.16	0.2	8	24	17.3	2.63	4	0.03	9	0.29	198	1.1	0.005	25.5	65	15.2	0.025	0.6	2.4	13	2	0.029	0.05	35	0.1	58	0.5	0.06	0.9	0.1
2059959	472186	7126964	1716	C	20	Grey	SW	Moist	S. Orban	WHI18000890	0.00025	1.1	0.59	14.7	329	0.4	0.28	0.3	9.7	15	27.2	2.89	2	0.09	5	0.03	99	2.1	0.006	42.8	74	23.8	0.025	0.6	4.8	106	7.8	0.0005	0.1	24	0.05	91	2	0.3	0.25	0.1
2059960	472195	7127014	1692.8	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0035	1.7	0.48	17.1	103	0.3	0.65	0.6	7.9	16	30.6	2.79	1	0.04	6	0.1	116	3.6	0.009	43.4	109	21.6	0.025	0.9	3.3	43	3.1	0.0005	0.05	18	0.05	104	1	0.31	1.7	0.1
2059961	472204	7127062	1689.1	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0015	0.1	1.06	15.2	52	0.3	0.09	0.2	11.1	19	30.7	3.3	3	0.02	6	0.17	126	2.6	0.004	44.3	75	22	0.025	0.7	2.4	13	2.2	0.0005	0.05	23	0.05	95	0.5	0.05	0.25	0.1
2059962	472208	7127113	1689	C	20	Grey	S	Moist	S. Orban	WHI18000890	0.0013	0.4	1.61	30.7	116	0.5	0.11	0.3	7.7	28	38.4	5.61	5	0.06	32	0.8	196	9.1	0.01	35.6	186	29.4	0.05	1.3	2.1	50	7.5	0.0005	0.3	25	0.05	101	0.5	0.21	2.7	0.1
2059963	472220	7127163	1697.5	C	20	Brown	E	Damp	S. Orban	WHI18000890	0.0021	0.05	0.63	9.2	65	0.2	0.03	0.1	5.8	13	25	1.9	2	0.02	12	0.15	255	2.8	0.007	16.7	41	11	0.025	0.7	0.8	16	0.7	0.009	0.1	22	0.05	44	0.5	0.05	0.6	0.1
2059964	472214	7127232	1703.1	C	20	Brown	W	Moist	S. Orban	WHI18000890	0.0026	1.5	0.79	10	247	0.2	0.18	1.4	14.4	16	38	3.06	2	0.04	5	0.16	783	7.7	0.007	55.2	94	18.6	0.025	1	1.6	26	1.5	0.001	0.05	22	0.05	182	0.5	0.17	1	0.1
2059965	472259	7127272	1687.5	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0042	5.2	0.56	83.4	372	0.2	0.39	2.4	2.8	46	52.9	6.25	3	0.15	18	0.1	146	18.3	0.008	33.4	384	31.4	0.48	27.9	1.7	287	2.5	0.002	0.8	386	0.05	363	2	1.01	18.9	0.3
2059966	472283	7127316	1683.2	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000890	0.0012	0.8	0.87	22.8	120	0.3	0.74	1.2	14.6	16	56.7	3.88	2	0.08	25	0.59	269	15.2	0.005	66.5	224	25.1	0.14	3.4	2	45	8.8	0.001	0.3	15	0.05	138	2	0.45	2.6	0.2

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2059967	472304	7127362	1680.9	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000890	0.0069	4.3	1.09	17.1	108	0.3	0.61	10.1	23.9	36	127.5	4.42	2	0.06	35	0.72	507	14	0.003	112	277	21.5	0.025	4.5	3	37	9.5	0.001	0.2	22	0.05	401	2	0.69	10.5	0.1
2059968	472326	7127407	1679	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0081	0.6	2.96	32.6	164	2.8	0.17	1.3	43.1	54	263.1	9.34	9	0.04	14	1.85	727	5.2	0.004	73.8	133	16.8	0.025	4.1	6.9	12	2.7	0.01	0.2	92	0.05	127	0.5	0.29	5.8	0.1
2059969	472353	7127451	1678.2	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0025	0.2	1.66	12.8	115	0.3	0.21	0.3	14	27	42.3	3.5	5	0.05	22	0.9	394	2.2	0.009	31.8	123	18.6	0.025	0.5	1.9	18	2.6	0.057	0.05	36	0.05	83	1	0.03	0.7	0.1
2059970	472372	7127497	1699.4	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0031	0.05	1.8	8.8	123	0.2	0.16	0.3	19.7	32	72.5	4.02	6	0.05	15	0.66	643	1.8	0.007	40.7	75	8.9	0.025	0.6	3.8	12	1.3	0.06	0.1	86	0.1	88	0.5	0.05	1	0.1
2059971	472394	7127543	1717	C	30	Brown	SE	Moist	S. Orban	WHI18000890	0.0023	0.1	1.4	8.9	93	0.2	0.1	0.2	9.5	25	47.1	3.49	5	0.05	19	0.67	313	1.5	0.009	26.3	79	11.9	0.025	0.5	2.1	14	1.4	0.049	0.05	51	0.1	71	1	0.04	0.6	0.1
2059972	472426	7127581	1743.6	C	20	Brown	SW	Moist	S. Orban	WHI18000890	0.004	0.1	1.46	9.2	166	0.1	0.21	0.2	23.4	25	97.2	3.69	5	0.04	15	0.5	406	2.3	0.006	41.6	59	7.6	0.025	0.7	3.5	14	3	0.059	0.1	80	0.2	70	1	0.05	0.5	0.1
2059973	472454	7127621	1751.3	C	20	Grey	SW	Moist	S. Orban	WHI18000890	0.0007	0.1	1.67	12.8	160	0.3	0.62	0.3	17.6	31	46.3	4.06	4	0.08	27	1.05	653	2.5	0.014	46.5	245	23.1	0.22	0.6	3.1	64	9.8	0.109	0.1	25	0.2	101	1	0.16	0.25	0.1
2059974	472487	7127660	1762.7	C	30	Grey	SW	Moist	S. Orban	WHI18000890	0.0011	0.1	1.16	15.5	163	0.3	0.25	0.4	20.6	21	38.4	4.38	3	0.08	34	0.54	392	4.2	0.008	56.9	143	24.6	0.025	1	1.8	25	2.2	0.012	0.2	23	0.05	136	1	0.07	1.1	0.1
2059975	462249	7127175	1423.4	B	20	Grey	E	Saturated	S. Orban	WHI18000890	0.0029	0.6	0.93	12.1	135	0.3	0.14	0.2	10.8	18	30.4	2.82	3	0.03	7	0.12	301	1.6	0.005	32.5	64	22.9	0.025	0.5	2.3	22	1.4	0.002	0.05	23	0.05	74	0.5	0.1	1.3	0.1
2059976	462249	7127324	1420.9	B	20	Grey	NE	Saturated	S. Orban	WHI18000890	0.0013	0.4	1.47	10.9	175	0.2	0.2	0.05	6.9	25	12.4	2.47	5	0.04	10	0.4	231	1	0.006	20.7	85	15.5	0.025	0.5	1.9	15	0.8	0.013	0.2	40	0.1	66	0.5	0.09	1.3	0.1
2059977	462250	7127376	1415.3	C	30	Brown	NE	Saturated	S. Orban	WHI18000890	0.0046	0.6	1.24	16.4	150	0.3	0.08	0.2	19.9	23	30.2	5.87	4	0.04	10	0.22	1410	2.4	0.005	36.4	78	22.8	0.025	0.7	2.7	18	1.5	0.01	0.1	38	0.05	106	1	0.19	1.7	0.1
2059978	462250	7127476	1432.5	C	30	Brown	SE	Saturated	S. Orban	WHI18000890	0.0028	0.2	1.34	12.5	66	0.2	0.07	0.1	6.5	25	15.6	2.38	5	0.04	13	0.37	239	1	0.005	15.7	50	11	0.025	0.6	1.6	9	0.6	0.024	0.1	43	0.1	54	1	0.06	0.7	0.1
2059979	462250	7127525	1445.1	B	50	Brown	S	Moist	S. Orban	WHI18000890	0.0033	0.1	1.47	12.6	94	0.2	0.09	0.1	7.3	25	18.8	2.46	5	0.04	12	0.37	266	1.3	0.005	20.6	50	11.7	0.025	0.6	2.4	11	1.5	0.026	0.1	44	0.1	60	1	0.08	0.25	0.1
2059980	462251	7127628	1452.4	B	40	Brown	SE	Moist	S. Orban	WHI18000890	0.0026	0.4	0.97	9.4	133	0.3	0.06	0.2	12.8	16	17.4	10.58	4	0.02	8	0.16	738	1.2	0.004	28	59	11.8	0.025	0.5	2.3	9	1.5	0.016	0.05	34	0.1	138	1	0.07	0.8	0.1
2059981	462249	7127629	1452.9	B	40	Brown	SE	Moist	S. Orban	WHI18000890	0.0029	0.4	0.93	8.5	102	0.3	0.05	0.2	8.9	15	14.9	10.89	4	0.03	8	0.13	529	1.1	0.004	20.9	59	11.4	0.025	0.5	2.1	7	1.3	0.017	0.1	34	0.1	115	0.5	0.06	0.8	0.1
2059982	462247	7127727	1466.3	C	60	Brown	SE	Moist	S. Orban	WHI18000890	0.0031	0.2	1.31	12	68	0.2	0.1	0.1	16.7	21	26.3	2.26	3	0.04	11	0.37	555	1	0.004	24.3	81	10.5	0.025	0.7	3.3	11	3.7	0.036	0.05	35	0.2	69	1	0.08	0.9	0.1
2059983	462247	7127829	1482.6	B	40	Brown	S	Moist	S. Orban	WHI18000890	0.0012	0.3	1.57	11.9	73	0.3	0.06	0.1	5.8	26	17.5	2.65	6	0.04	10	0.33	267	1.6	0.006	15.1	68	14	0.025	0.7	1.4	9	0.3	0.022	0.2	53	0.2	55	0.5	0.06	0.9	0.1
2059984	462249	7127875	1498.5	B	30	Brown	S	Moist	S. Orban	WHI18000890	0.0012	0.2	1.34	10.8	54	0.2	0.07	0.2	5.8	24	20.8	3.06	4	0.03	10	0.28	215	1.2	0.004	15.8	74	10.3	0.025	0.9	1.4	8	0.5	0.022	0.05	45	0.1	49	0.5	0.05	1	0.1
2059985	462250	7127975	1517.5	C	30	Brown	SE	Moist	S. Orban	WHI18000890	0.0024	0.2	1.31	14.1	96	0.3	0.06	0.2	5	23	17.4	2.36	5	0.04	10	0.28	224	1.7	0.005	14.5	54	17.5	0.025	0.7	1.7	9	0.9	0.016	0.1	44	0.2	48	0.5	0.05	1.3	0.1
2059986	472604	7127985	1758.8	C	20	Grey	N	Moist	S. Orban	WHI18000890	0.0062	6.7	0.85	20.9	186	0.4	1	9.3	7.7	36	155.8	4.27	2	0.16	17	0.56	266	55	0.016	100.5	476	25.3	0.8	7.8	2.6	175	7.1	0.001	1	76	0.05	372	0.5	1.26	18.2	0.2
2059987	472958	7130015	1454	C	20	Brown	S	Moist	S. Orban	WHI18000890	0.0005	0.05	1.51	14.5	65	0.4	0.02	0.05	2.8	26	24.5	4.08	7	0.05	15	0.38	102	1.4	0.005	16.3	47	21.8	0.025	0.7	2.1	8	6.1	0.003	0.2	45	0.05	53	0.5	0.04	0.6	0.1
2059988	472947	7130074	1448.9	C	20	Grey	S	Saturated	S. Orban	WHI18000890	0.00025	0.05	1.48	21.3	49	0.4	0.01	0.05	1.6	29	44.5	4.76	5	0.07	15	0.59	80	1.3	0.007	21.1	76	25.9	0.05	0.9	3.1	10	9.2	0.0005	0.1	21	0.05	90	0.5	0.07	0.25	0.1
2059989	472936	7130131	1451.8	C	20	Brown	S	Saturated	S. Orban	WHI18000890	0.00025	0.1	1.71	14.2	78	0.3	0.04	0.1	5.6	30	24	3.72	6	0.06	11	0.45	204	1.4	0.005	20.6	39	16.4	0.025	0.7	2.6	9	4.3	0.016	0.1	49	0.05	62	0.5	0.03	0.25	0.1
2059990	462252	7128079	1532.8	C	30	Grey	E	Moist	S. Orban	WHI18000890	0.0027	0.3	1.2	20.7	106	0.4	0.09	0.2	4.7	23	23.3	2.52	4	0.04	11	0.2	160	1.8	0.004	15	88	26.2	0.025	0.8	1.5	17	1	0.008	0.2	41	0.2	45	0.5	0.09	1.8	0.1
2059991	462252	7128172	1534.9	C	30	Brown	E	Moist	S. Orban	WHI18000890	0.0022	0.3	1.33	16.1	103	0.3	0.06	0.1	4.6	25	20.4	2.71	5	0.03	11	0.27	210	1.6	0.005	15.3	79	17.7	0.025	0.6	1.1	10	0.3	0.01	0.1	44	0.1	52	0.5	0.07	1.1	0.1
2059992	462549	7128228	1491.8	C	40	Brown	E	Moist	S. Orban	WHI18000890	0.0025	0.6	1.33	19.2	159	0.5	0.04	0.05	3.9	24	23.8	3.27	5	0.03	10	0.17	126	1.4	0.004	25.7	72	38.3	0.025	0.6	2.1	26	1.8	0.0005	0.05	36	0.05	57	0.5	0.11	0.9	0.1
2059993	462551	7128177	1497.5	C	20	Brown	SW	Moist	S. Orban	WHI18000890	0.0018	0.05	1.14	9.8	65	0.1	0.13	0.3	24.7	20	19.7	3.03	3	0.03	12	0.33	546	0.8	0.005	51.1	60	8.1	0.025	0.6	1.9	11	2.3	0.033	0.05	36	0.2	90	0.5	0.04	0.5	0.1
2059994	462545	7128126	1485.7	C	30	Brown	SE	Moist	S. Orban	WHI18000890	0.0031	0.05	1	11	47	0.2	0.06	0.1	6.1	22	14.3	2.66	5	0.03	11	0.23	197	1.3	0.005	18.8	55	10.8	0.025	0.6	1.3	8	0.5	0.028	0.1	48	0.2	56	0.5	0.04	0.25	0.1
2059995	462548	7128076	1480	C	40	Brown	S	Moist	S. Orban	WHI18000890	0.0029	0.2	1.34	10.8	75	0.2	0.09	0.1	6.7	23	20.4	2.71	4	0.03	11	0.35	242	1	0.004	22.7	59	11.4	0.025	0.6	2.4	11	2	0.021	0.05	39	0.2	59	0.5	0.05	1	0.1
2059996	462547	7128028	1474.6	C	40	Brown	SE	Moist	S. Orban	WHI18000890	0.0029	1	1.23	11.6	429	0.3	0.14	0.2	33.7	23	20.3	5.8	4	0.03	9	0.26	1092	1	0.005	63.6	79	16.8	0.025	0.5	2.7	19	1.4	0.01	0.1	36	0.1	157	0.5	0.12	2.1	0.1
2059997	462551	7127975	1466.5	C	60	Brown	E	Saturated	S. Orban	WHI18000890	0.0043	0.8	1.31	13.2	236	0.2	0.12	0.3	17.5	24	18.4	3.79	4	0.03	12	0.3	939	1.1	0.004	36.1	73	14	0.025	0.6	2.1	13	1.1	0.014	0.05	38	0.1	82	0.5	0.07	1.8	0.1
2059998	462550	7127922	1458.3	B	40	Brown	SE	Moist	S. Orban	WHI18000890	0.0026	0.7	1.52	13.2	126	0.2	0.1	0.1	5.2	25	22.9	2.65	5	0.04	12	0.36	204	1.1	0.005	17.3	63	12.3	0.025	0.7	1.6	11	0.5	0.018	0.1	46	0.1	57	0.5	0.08	1.4	0.1
2059999	462549	7127877	1452.9	C	40	Brown	SE	Moist	S. Orban	WHI18000890	0.0024	0.3	1.46	14.5	95	0.2	0.08	0.2	9.7	26	26.9	2.86	4	0.04	12	0.34	405	1.4	0.005	18.6	75	15.1	0.025	0.7	1.6	11	0.7	0.018	0.1	44	0.1	59	0.5	0.08	0.9	0.1
2060000	462550	7127826	1446.3	B	50	Brown	S	Moist	S. Orban	WHI18000890	0.0052	0.8	1.29	15.2	72	0.2	0.1	0.05	6.5	27	23.5	3.18	4	0.04	12	0.4	231	1.3	0.004	18	62	13.8	0.025	0.8	2.4	10	2.8	0.032	0.1	43	0.2	57	0.5	0.07	1.9	0.1
2060501	474764	7126497	1586.7	B	10	Brown	E	Damp	J. Roddick	WHI18000890	0.002	0.05	1.38	16.2	121	0.3	0.03	0.3	6.3	22	58.8	3.44	5	0.03	25	0.35	221	7.9	0.009	23	37	20.2	0.025	1.3	1.7	33	4.7	0.011	0.2	47	0.05	72	0.5	0.04	0.9	0.1
2060502	474817	7126500	1585.1	B	10	Brown	E	Damp	J. Roddick	WHI18000890	0.0014	0.05	1.43	11.2	122	0.3	0.04	0.3	5.3	23	59.1	2.97	6	0.03	20	0.25	216	5.5	0.005	19.3	45	17.2	0.025	1.1	1.5	15	2.3	0.015	0.2	49	0.1	69	0.5	0.03	0.8	0.1
2060503	474866	7126534	1591.7	B	20	Brown	E	Damp	J. Roddick	WHI18000890	0.0025	0.05	1.3	9.8	118	0.2	0.15	0.1	6.2	26	47.4	2.89	6	0.04	16	0.28	236	2.5	0.006	15.5	26	10.8	0.025	0.8	2.5	11	2	0.04	0.1	73	0.1	64	0.5	0.03	0.25	0.1
2060504	474930	7126583	1565.1	B	10	Brown	E	Damp	J. Roddick	WHI18000890	0.015	1.2	1.21	10.8	63	0.3	0.08	0.6	12.7	28	106.6	3.49	3	0.07	23	0.66	238	5.9	0.005	58.3	78	20.2	0.025	2.7	1	11	2.3	0.002	0.1	24	0.05	196	0.5	0.18	4.6	0.2
2060505	474976	7126621	1571.1	C	10	Grey	W	Damp	J. Roddick	WHI18000890	0.0009	0.05	1.37	8.4	75	0.2	0.07	0.05	3.6	22	17	1.91	7	0.04	16	0.27	131	2.6	0.005	11.4	22	9.6	0.025	0.5	1.9	8	2.4	0.036	0.1	66	0.2	33	0.5	0.02	0.6	0.1
2060506	475031	7126640	1583.8	B	10	Brown	E	Damp	J. Roddick	WHI18000890	0.002	0.05	1.82	13.1	118	0.2	0.1	0.5	14.3	28	35.5	2.9	4	0.04	11	0.43	309	1	0.007	30	30	11.8	0.025	0.8	3.5	9	3.5	0.044	0.1	54	0.2	59	0.5	0.04	0.25	0.1
2060507	475047	7126786	1487.1	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.004	2.2	0.92	22.1	284	0.4	0.98	10.4	23	23	168.4	4.57	2	0.08	16	0.51	768	28.6	0.012	121.9	171	18.6	0.25	5.2	4.4	71	2.9	0.002	0.3	35	0.05	622	0.5	0.47	7.5	0.2
2060508	475052	7126837	1472	C	30	Grey	E	Damp	J. Roddick	WHI18000890	0.0066	1.7	1.19	25.2	159	0.4	0.89	2.9	20.1	26	157.4	4.78	3	0.08	26	0.71	445	21.5	0.009	99.2	352	29	0.07	4.9	3.6	86	6.3	0.001	0.4	34	0.05	354	0.5	0.83	6.8	0.1
2060509	475056	7126887	1460.4	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0046	1.3	1.19	29.4	518	0.2	0.32	1	9.3	22	32.7	3.12	3	0.09	13	0.25	281	5.3	0.009	41.3	190	17.5	0.15	2.9	1.9	99	0.9	0.008	0.2	59	0.1	165	2	0.35	3.1	0.1
2060510	475077	7126935	1456.6	C	20	Grey	E	Damp	J. Roddick	WHI18000890	0.0032	0.6	1.62	25.2	199	0.3	0.09	0.6	8.3	27	54.5	3.68	4	0.05	16	0.27	250	6	0.008	33.1	104	18.1	0.025	3.4	2.9	22	4.2	0.009	0.2	61	0.1	152	0.5	0.18	2.9	0.1
2060511	475089	7126987	1455.3	C	10	Black	E	Damp	J. Roddick	WHI18000890	0.0011	4.2	1.8	44	681	0.4	1.23	0.6	1.7	60	68.7	3.94	5	0.19	26	0.79	67	17.5	0.019	48.3	847	49.9	0.16	14	4.5	133	5	0.003	0.3	226	0.05	168	0.5	0.8	8.9	0.3
2060512	475116	7127040	1433.7	B	10	Grey	E	Damp	J. Roddick	WHI18000891	0.0055	0.5	2.08	24.2	208	0.7	0.05	1.7	19.2	28	209	5.62	4	0.04	29	0.65	1137	3	0.011	82.9	163	42.9	0.025	1.5	3.9	61	7.3	0.002	0.1	29	0.05	248	2	0.11	2.2	0.1
2060513	475159	7127070	1424	B	10	Grey	E	Damp	J. Roddick	WHI18000891	0.0011	0.1	1.48	19.4	191	0.5	0.01	0.2	5	27	69.9	5.34	4	0.05	28	0.66	195	3.1	0.013	37.5	116	35.4	0.07	0.9	1.9	42	7.5	0.0005	0.05	23	0.05	107	0.5	0.09	0.8	0.1
2060514	475192	7127111	1406.1	C	10	Grey	E	Damp	J. Roddick	WHI18000891	0.0016	0.1	2.05	11.6	231	0.4	0.08	0.4	18.7	32	81.1	4.61	5	0.05	26	0.9	533	1.7	0.01	58.7	101	29	0.07	0.7	2.6	42	9.1	0.004	0.05	32	0.05	144	2	0.07	0.25	0.1
2060515	475220	7127155	1385	B	10	Grey	E	Damp	J. Roddick	WHI18000891	0.00025	0.2	1.65	25.2	82	0.6	0.31	0.5	28.8	28	55.7	5	4	0.05	26	0.87	1050	6.9	0.014	54	175	30.6	0.09	0.9	2.4	52	6.7	0.001	0.1	25	0.05	113	2	0.06	1	0.1
2060516	475253	7127202	1373.3	C	20	Grey	E	Damp	J. Roddick	WHI18000891	0.00025	0.3	1.35	21.4	114	0.4	0.44	0.6	25.2	21	49.4	4.55	3	0.06	24	0.78	810	7.3	0.016	62.5	203	29.4	0.11	0.9	3.2	52	9.7	0.002	0.2	21	0.05	122	1	0.27	1.1	0.1
2060517	475258	7127253	1357.4	C	30	Grey	E	Damp	J. Roddick	WHI18000891	0.0056	1.1	1.12	18.5	117	0.4	0.44	2.5	14.3	29	72.7	3.59	3	0.05	34	0.47	293	12.6	0.006	66.2	197	26.1	0.025	3.9	2.7	35	6.3	0.004	0.3	26	0.05	203	1	0.77	3.2	0.1
2060518	475271	7127300	1349.3	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0119	1.1	1.31	10.6	191	0.3	0.07	1.6	14	22	97.9	3.55	3	0.06	14	0.19	489	13.3	0.01	61.6	93	13.9	0.025	2.1	3.2	19	2.3	0.009	0.3	38	0.05	194	1	0.32	4.9	0.1
2060519	475297	7127348	1342.8	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0063	0.4	1.13	27.8	139	0.4	0.37	1.1	17.4	21	64.5	4.51	3	0.06	28	0.3	407	14.6	0.016	66.8	255	29.8	0.1	3.1	1.7	42	2.8	0.003	0.5	29	0.05	191	2	0.69	3.5	0.1
2060520	475308	7127399	1337.8	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0025	0.3	1.02	12.5	126	0.2	0.18	0.2	4.2	15	23.9	2.21	4	0.04	24	0.2	59	10.3	0.003	26.4	129	12.4	0.025	1.3	1.4	15	2.1	0.006	0.4	40	0.05	78	0.5	0.16	1.9	0.1
2060521	475308	7127400	1337.7	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0041	0.5	1.32	14.5	157	0.3	0.36	0.3	6.9	23	35.6	2.84	4	0.05	22	0.3	111	10.2	0.005	38.3	215	14.7	0.025	1.5	2.3	33	4	0.008	0.4	50	0.05	110	1	0.34	2.2	0.1
2060522	475311	7127452	1326.5	C	10	Grey	E	Damp	J. Roddick	WHI18000891	0.005	1.1	1.05	28.3	156	0.4	0.74	2.2	15.2	28	63.4	4.05	2	0.09	23	0.5	408	12.7	0.017	63.9	303	38.5	0.26	4.1	3	95	6.8	0.001	0.8	24	0.05	207	2	1.52	2.2	0.1
2060523	475324	7127502	1307.5	C	20	Grey	E	Moist	J. Roddick	WHI18000891	0.0044	0.9	1.1	20.2	196	0.4	0.65	1.9	14.3	28	64.9	3.65	3	0.08	24	0.49	309	13	0.008	69.2	255	29.3	0.19	3	2.9	68	5.5	0.001	0.5	24	0.05	183	2	1.02	2.7	0.1
2060524	475333	7127553	1288.6	C	20	Grey	E	Damp	J. Roddick	WHI18000891	0.0057	1.2	1.37	16.7	191	0.4	0.64	1.5	14.2	36	64.9	3.7	3	0.07	23	0.67	287	12.6	0.007	68.7	273	25.7	0.09	2.9	2.7	55	5.3	0.001	0.4	31	0.05	192	2	0.52	2.9	0.1
2060525	475331	7127611	1271.1	B	20	Grey	E	Damp	J. Roddick	WHI18000891	0.0006	0.2	2.39	24	196	0.4	0.08	0.3	23.2	32	43.3	5.4	5	0.08	21	0.82	279	5.9	0.012	66	144	31.2	0.18	0.7	3.3	45	8.6	0.004	0.2	32	0.05	132	1	0.16	1.4	0.1
2060526	475334	7127666	1264.6	B	20	Brown	E	Damp	J. Roddick	WHI18000891	0.001	0.05	1.54	15.3	67	0.3	0.04	0.1	5.5	25	24.6	3.69	5	0.04	17	0.46	118	3.4	0.006	25.3	74	19.8	0.025	0.5	1.8	13	3.5	0.006	0.1	38	0.05	66	0.5	0.05	0.25	0.1
2060527	475336	7127719	1256.9	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0014	0.05	1.67	12.2	68	0.2	0.06	0.1	6.7	30	18.2	3.27	5	0.04	15	0.4	197	1.4	0.005	20.2	39	13.5	0.025	0.6	2.6	9	4.5	0.033	0.1	53	0.1	52	2	0.05	0.5	0.1
2060528	462248	7127226	1423.4	B	30	Brown	S	Moist	J. Roddick	WHI18000891	0.0015	0.4	1.51	15.2	195	0.4	0.13	0.1	14.9	25	21.5	6.71	4	0.04	9	0.22	677	1.7	0.006	36	106	18.3	0.025	0.4	2.7	18	1.4	0.008	0.2	36	0.05	162	1	0.1	2.2	0.1
2060529	462247	7127274	1421.2	B	60	Brown	S	Damp	J. Roddick	WHI18000891	0.002	0.2	1.33	12.9	73	0.2	0.11	0.1	11.1	24	24.6	2.75	4	0.04	14	0.31	261	1.4	0.005	29.1	66	12.8	0.025	0.6	2.4	11	2.1	0.031	0.1	39	0.2	76	0.5	0.07	0.8	0.1
2060530	462246	7127427	1423.8	C	70	Grey	S	Damp	J. Roddick	WHI18000891	0.0012	0.4	1.21	19.8	133	0.3	0.04	0.05	18.2	22	11.4	12.21	4	0.02	8	0.08	1109	1.5	0.003	37.6	125	26.6	0.025	0.5	3	20	1.9	0.004	0.1	30	0.05	174	0.5	0.68	1.5	0.1
2060531	462249	7127574	1448.4	B	80	Brown	S	Saturated	J. Roddick	WHI18000891	0.0033	0.5	1.52	12.7	194	0.2	0.16	0.1	9.9	26	32.9	3.23	4	0.04	13	0.4	435	1	0.006	43.7	59	11.4	0.025	0.5	2.9	15	1.3	0.027	0.1	41	0.1	77	2	0.12	0.6	0.1
2060532	462251	7127677	1455.7	C	90	Red	S	Damp	J. Roddick	WHI18000891	0.002	0.2	0.58	6.6	369	0.05	0.04	1.3	264.6	11	10.7	32.37	2	0.03	3	0.04	10001	0.8	0.002	147.7	46	7	0.16	0.3	2.2	6	1.9	0.028	0.2	24	0.05	317	0.5	0.05	0.6	0.1
2060533	462251	7127784	1475.9	B	10	Brown	S	Damp	J. Roddick	WHI18000891	0.0022	0.05	1.5	11.5	55	0.2	0.06	0.1	5.9	24	11.3	2.66	5	0.04	11	0.25	243	1.3	0.004	12.2	47	13	0.025	0.5	1.3	8	0.5	0.026	0.1	49	0.2	48	0.5	0.08	0.9	0.1
2060534	462249	7127928	1505.4	C	10	Grey	E	Damp	J. Roddick	WHI18000891	0.0024	0.3	1.26	12.1	86	0.2	0.06	0.1	4.7	24	15.8	2.16	5	0.04	11	0.24	178	1.4	0.006	14	81	17.4	0.025	0.5	0.8	11	0.2	0.012	0.1	41	0.1	45	0.5	0.06	0.6	0.1
2060535	462248	7128027	1527.2	C	10	Grey	S	Damp	J. Roddick	WHI18000891	0.00025	0.2	0.59	7.4	47	0.3	0.04	0.05	1.8	13	6.8	1.09	6	0.03	11	0.06	50	1.2	0.004	5.2	47	11	0.025	0.3	0.6	7	0.2	0.016	0.1	52	0.1	24	1	0.06	0.25	0.1
2060536	462250	7128129	1525.2	C	20	Grey	E	Damp	J. Roddick	WHI18000891	0.0029	0.5	1.69	18.1	118	0.4	0.06	0.05	4.5	29	36.5	3.02	5	0.04	11	0.26	223	2	0.004	18.4	92	28.8	0.025	0.6	3.5	15	2.5	0.008	0.1	42	0.05	51	0.5	0.19	1.6	0.1
2060537	462253	7128226	1538.6	C	40	Grey	E	Damp	J. Roddick	WHI18000891	0.0011	0.2	1.37	16.5	98	0.2	0.07	0.2	6.1	25	22.3	2.83	4	0.04	12	0.31	211	1.4	0.005	19.7	68	17.2	0.025	0.6	2.4	12	1.3	0.019	0.1	43	0.1	60	0.5	0.06	1.1	0.1
2060538	462455	7128232	1506.6	B	10	Grey	E	Damp	J. Roddick	WHI18000891	0.0026	0.8	1.35	15.7	150	0.3	0.02	0.2	17	22	21.9	2.62	4	0.03	8	0.21	365	1.3	0.003	42	58	25	0.025	0.5	2.5	24	2.5	0.002	0.05	34	0.05	90	0.5	0.16	0.7	0.1
2060539	462453	7128177	1504.4	B	20	Grey	E	Damp	J. Roddick	WHI18000891	0.0032	0.4	1.23	14.4	111	0.3	0.03	0.2	7.2	22	26.5	3	4	0.03	9	0.19	243	1.5	0.004	27.9	83	20.5	0.025	0.4	1.5	15	0.5	0.004	0.05	36	0.05	79	1	0.08	1.1	0.1
2060540	462453	7128129	1495.4	B	20	Brown	E	Damp	J. Roddick	WHI18000891	0.0036	0.1	1.63	11.1	137	0.2	0.09	0.1	9.8	29	19.5	2.51	5	0.04	15	0.4	283	1	0.005	36.6	61	12	0.025	0.5	2.7	10	1.4	0.029	0.1	47	0.2	69	2	0.07	0.5	0.1
2060541	462451	7128076	1493.3	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0046	0.05	1.34	11.8	164	0.2	0.11	0.2	17.8	26	17.1	2.57	4	0.04	13	0.31	683	0.8	0.005	34.6	55	12.7	0.025	0.5	1.8	11	0.9	0.023	0.05	42	0.1	74	1	0.05	0.7	0.1
2060542	462453	7128028	1482.5	B	20	Brown	E	Damp	J. Roddick	WHI18000891	0.005	0.2	1.37	11.9	90	0.2	0.1	0.1	6.2	25	23.3	2.37	4	0.04	14	0.32	194	1.1	0.005	21.4	59	12	0.025	0.5	2.5	11	1.6	0.025	0.05	41	0.2	63	0.5	0.07	0.7	0.1
2060543	462449	7127972	1476	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.003	0.9	1.87	14.3	97	0.3	0.07	0.1	10.6	29	49.8	2.95	5	0.04	13	0.39	336	1.6	0.006	21.1	78	15.8	0.025	0.7	2.1	10	0.6	0.02	0.2	47	0.2	61	0.5	0.12	2.1	0.1
2060544	462446	7127924	1469.2	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0012	0.3	1.34	11.1	94	0.2	0.08	0.1	6.6	23	20.9	2.39	4	0.04	10	0.32	212	1.3	0.005	18.1	67	12.9	0.025	0.5	1.6	9	0.5	0.021	0.1	42	0.1	57	2	0.07	0.8	0.1
2060545	462446	7127877	1464.4	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0012	0.2	1.18	10.5	78	0.2	0.07	0.1	6.6	26	14.6	2.5	6	0.04	10	0.25	230	1.7	0.005	12.9	70	13.3	0.025	0.5	0.8	10	0.2	0.022	0.2	53	0.1	45	0.5	0.07	1	0.1
2060546	462449	7127828	1455.5	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0035	0.4	1.75	13.4	102	0.2	0.11	0.1	9.6	33	33.1	3.08	5	0.05	14	0.47	291	1.4	0.007	26.3	70	14	0.025	0.7	3.4	13	2.9	0.048	0.1	51	0.2	77	2	0.1	2.7	0.1
2060547	462450	7127776	1452.2	B	10	Brown	E	Damp	J. Roddick	WHI18000891	0.0033	0.2	0.99	10.9	72	0.2	0.06	0.05	4.8	22	13.6	2.18	4	0.04	10	0.25	183	1.5	0.004	14.1	47	12	0.025	0.5	1.5	9	0.8	0.025	0.05	39	0.2	47	1	0.06	0.9	0.1
2060548	462452	7127725	1443.1	B	20	Brown	E	Damp	J. Roddick	WHI18000891	0.006	0.1	1.5	12.6	73	0.3	0.07	0.2	6.8	25	15.2	2.59	5	0.05	13	0.37	301	1.3	0.006	14.4	71	12	0.025	0.5	1.4	10	0.4	0.023	0.1	49	0.1	57	3	0.05	0.25	0.1
2060549	462451	7127675	1430.1	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0102	0.4	0.72	11.8	140	0.3	0.03	0.05	8.1	18	13.7	7.87	4	0.05	8	0.15	426	1.4	0.004	14.1	58	13.7	0.025	0.7	2.1	11	3.2	0.041	0.05	37	0.1	57	0.5	0.11	0.7	0.1
2060550	462450	7127625	1433.2	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0039	0.5	1.13	9.3	149	0.2	0.08	0.1	10.6	19	11.7	7.95	5	0.03	10	0.19	480	1.1	0.004	30.4	56	12.1	0.025	0.5	2.6	10	1.5	0.019	0.1	36	0.1	122	0.5	0.09	1	0.1
2060551	462157	7128216	1546.5	B	40	Grey	W	Moist	R. Rigal	WHI18000891	0.0026	0.6	1.74	13	155	0.4	0.01	0.1	7.2	27	21.7	3.1	5	0.07	9	0.16	145	0.9	0.004	26.9	67	23.8	0.025	0.3	3.8	19	4.6	0.0005	0.05	43	0.05	85	1	0.12	0.8	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060552	462744	7128224	1460.4	B	40	Brown	E	Moist	R. Rigal	WHI18000891	0.0049	0.2	1.66	10.9	161	0.3	0.1	0.1	13.4	27	19.2	2.65	5	0.04	14	0.4	511	1	0.005	38.9	64	12.5	0.025	0.6	2.6	16	1.5	0.019	0.1	42	0.1	87	0.5	0.05	0.25	0.1
2060553	462751	7128177	1463.4	B	40	Grey	SW	Moist	R. Rigal	WHI18000891	0.0027	0.2	1.1	17.2	56	0.4	0.03	0.05	2.9	23	19.6	2.48	6	0.03	11	0.19	137	2.1	0.004	12.4	56	25.2	0.025	0.8	0.7	13	0.4	0.01	0.1	51	0.1	41	0.5	0.05	1.2	0.1
2060554	462751	7128125	1476.1	C	50	Grey	SW	Moist	R. Rigal	WHI18000891	0.0028	0.7	1.68	15.6	251	0.4	0.07	0.1	4.5	26	34.3	3.1	5	0.05	9	0.29	141	1.3	0.005	31	77	28.6	0.025	0.5	3.8	39	3.4	0.002	0.05	39	0.05	81	0.5	0.11	1.4	0.1
2060555	462773	7128071	1459	C	40	Grey	SW	Damp	R. Rigal	WHI18000891	0.0008	0.6	1.22	15.4	86	0.3	0.02	0.2	34.8	18	55.8	2.08	3	0.03	4	0.09	270	2	0.003	69.8	38	13.1	0.025	0.4	3.4	7	5.4	0.0005	0.05	27	0.05	161	0.5	0.17	2.3	0.1
2060556	462751	7128026	1463.3	B	40	Brown	SW	Moist	R. Rigal	WHI18000891	0.0035	0.1	1.35	11.8	64	0.2	0.09	0.2	6.7	23	13.4	2.5	6	0.04	14	0.27	378	1.5	0.007	14.8	69	12.3	0.025	0.6	1.1	9	0.4	0.027	0.1	54	0.2	58	1	0.05	0.6	0.1
2060557	462748	7127974	1442.7	C	50	Grey	SW	Moist	R. Rigal	WHI18000891	0.0023	0.3	1.45	14.9	86	0.3	0.07	0.2	8.7	24	46.8	3.38	4	0.05	13	0.27	343	1.3	0.005	30.2	108	22.2	0.025	0.6	1.6	16	0.7	0.01	0.05	38	0.05	81	0.5	0.04	1.1	0.1
2060558	462750	7127921	1434.6	B	40	Grey	SW	Moist	R. Rigal	WHI18000891	0.0048	0.5	1.45	13.4	156	0.3	0.12	0.05	11.2	23	21.2	3.27	5	0.04	12	0.27	268	1.1	0.005	43.5	95	21.1	0.025	0.4	1.5	33	0.5	0.006	0.1	36	0.05	84	0.5	0.1	0.9	0.1
2060559	462751	7127876	1437	B	40	Brown	SW	Moist	R. Rigal	WHI18000891	0.0023	0.3	1.32	12.4	262	0.2	0.14	0.2	34.5	21	20.6	7.84	4	0.03	10	0.25	913	1	0.005	107.1	68	13.6	0.025	0.5	3.3	19	1.9	0.011	0.1	36	0.05	208	0.5	0.08	1	0.1
2060560	462749	7127824	1427.3	B	30	Mottled	SW	Moist	R. Rigal	WHI18000891	0.0059	1	1.39	17	218	0.3	0.1	0.2	29.7	24	30.3	4.32	4	0.04	12	0.31	2102	1.2	0.005	61.6	61	16.6	0.025	0.6	3.4	17	2.9	0.019	0.1	39	0.1	95	0.5	0.09	0.5	0.1
2060561	462754	7127769	1424.5	B	40	Brown	SW	Moist	R. Rigal	WHI18000891	0.0044	0.4	1.73	10.5	189	0.2	0.11	0.1	5.8	26	21.9	3.58	5	0.04	13	0.4	255	1	0.005	26.9	82	11.3	0.025	0.5	2.2	14	1	0.019	0.1	43	0.1	75	1	0.05	1.5	0.1
2060562	462752	7127729	1424.7	B	30	Brown	SW	Moist	R. Rigal	WHI18000891	0.0024	0.2	1.12	10.2	145	0.2	0.12	0.3	4.3	20	11.6	2.24	5	0.05	12	0.3	225	0.9	0.006	14.6	51	10.5	0.025	0.4	1	13	0.4	0.021	0.1	42	0.1	51	0.5	0.04	0.25	0.1
2060563	462758	7127674	1412.3	C	10	Red	SW	Moist	R. Rigal	WHI18000891	0.0018	0.2	0.7	7.3	186	0.05	0.06	0.2	187.3	12	12.7	26.63	2	0.03	5	0.11	6797	0.7	0.004	49.3	40	6.7	0.15	0.3	2.1	8	2	0.018	0.2	22	0.05	181	0.5	0.05	0.8	0.1
2060564	462750	7127624	1410.8	B	40	Mottled	SW	Moist	R. Rigal	WHI18000891	0.0074	0.3	1.35	10.9	107	0.2	0.07	0.05	6.5	22	16.2	5.67	4	0.03	12	0.29	123	1	0.005	17.3	57	11.9	0.025	0.6	2.8	10	1.5	0.021	0.1	37	0.1	62	0.5	0.1	1	0.1
2060565	462749	7127581	1408.7	B	30	Mottled	SW	Moist	R. Rigal	WHI18000891	0.0039	0.2	1.14	10.7	51	0.2	0.06	0.2	6.5	22	21.2	2.53	4	0.04	12	0.29	235	1.4	0.005	16.9	49	12.3	0.025	0.6	2	10	1.4	0.026	0.1	37	0.1	52	0.5	0.06	1	0.1
2060566	462749	7127528	1400.2	C	50	Mottled	SW	Moist	R. Rigal	WHI18000891	0.0042	0.3	0.74	9.5	52	0.1	0.03	0.05	29.3	15	12.9	19.19	3	0.03	6	0.11	680	0.8	0.003	15.4	49	8.5	0.06	0.4	3	7	3.1	0.033	0.05	27	0.05	125	1	0.06	0.6	0.1
2060567	462752	7127467	1389.5	C	60	Mottled	SW	Moist	R. Rigal	WHI18000891	0.0035	0.6	0.63	7	113	0.2	0.08	0.5	6.9	15	11	16.17	4	0.03	8	0.07	341	0.7	0.003	57.9	54	7.2	0.025	0.4	3.1	9	2.9	0.025	0.05	29	0.05	190	0.5	0.05	0.5	0.1
2060568	462847	7127275	1377.4	B	30	Grey	SW	Moist	R. Rigal	WHI18000891	0.0011	0.3	1.38	7.7	292	0.3	0.32	0.1	9	20	25.6	3.09	3	0.05	19	0.64	420	2.3	0.005	35.9	115	18.8	0.025	0.3	1.8	24	3.4	0.002	0.1	17	0.05	91	0.5	0.1	0.7	0.1
2060569	460571	7126989	1722.4	A	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0028	0.2	1.16	8.3	70	0.2	0.12	0.2	5.6	19	19.1	1.96	3	0.03	11	0.24	153	0.9	0.005	24.5	76	13.5	0.025	0.5	2.2	19	2.1	0.018	0.05	29	0.05	56	0.5	0.04	0.8	0.1
2060570	460531	7127021	1725.5	C	30	Grey	SE	Damp	R. Rigal	WHI18000891	0.0026	0.2	1.08	11.7	61	0.2	0.09	0.4	9.5	18	23.9	2.43	3	0.03	8	0.17	173	1.2	0.004	40.7	83	19.3	0.025	0.7	2.2	16	3.7	0.014	0.05	22	0.05	76	0.5	0.04	0.8	0.1
2060571	460501	7127060	1725.7	B	20	Brown	SE	Damp	R. Rigal	WHI18000891	0.0022	0.05	1.39	10	94	0.1	0.25	0.3	10	25	29.1	2.44	4	0.06	17	0.47	337	1.2	0.008	29.3	96	9.5	0.025	0.8	3.2	21	4.5	0.057	0.1	46	0.2	88	1	0.03	0.6	0.1
2060572	460460	7127162	1726.4	C	30	Grey	SE	Damp	R. Rigal	WHI18000891	0.0068	0.8	1.06	24.1	239	0.3	0.15	0.3	6.5	22	26.3	2.73	4	0.1	13	0.3	221	2.3	0.013	21.1	104	30.5	0.14	1	3.2	50	4.3	0.023	0.2	38	0.2	55	0.5	0.27	1.1	0.1
2060573	460432	7127260	1744.4	B	30	Brown	SE	Damp	R. Rigal	WHI18000891	0.0029	0.2	1.28	12.7	75	0.2	0.11	0.3	7.2	24	19.8	2.47	3	0.04	14	0.33	285	1.3	0.006	19.7	79	13.8	0.025	0.7	1.4	14	0.5	0.019	0.1	41	0.05	57	0.5	0.06	1.2	0.1
2060574	460455	7127362	1769.3	B	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.0006	0.3	1.67	7.5	45	0.4	0.26	0.3	22	26	26.6	2.85	5	0.03	9	0.17	461	0.9	0.004	66.5	123	28.4	0.025	0.4	4.7	29	5	0.001	0.05	28	0.05	99	0.5	0.04	0.25	0.1
2060575	460416	7127392	1770.3	B	20	Brown	SE	Damp	R. Rigal	WHI18000891	0.0026	0.1	1.14	11.7	62	0.2	0.06	0.3	5.5	21	16.4	2.22	4	0.04	13	0.24	222	0.8	0.005	15.8	55	15.1	0.025	0.6	1	11	0.4	0.014	0.05	36	0.1	45	0.5	0.04	0.6	0.1
2060576	460361	7127469	1840.1	B	20	Brown	SE	Damp	R. Rigal	WHI18000891	0.0019	0.1	1.42	13.9	96	0.2	0.18	0.1	7.9	27	18.9	2.71	5	0.04	15	0.42	305	1.3	0.008	19.8	81	11.7	0.025	0.8	2.1	18	1.2	0.033	0.1	46	0.2	58	1	0.05	0.7	0.1
2060577	460342	7127610	1869.8	C	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.0017	0.5	0.83	21.1	191	0.4	0.11	0.2	4.9	19	25	2.61	3	0.06	12	0.16	167	1.3	0.005	15.8	122	30.9	0.025	0.7	3.9	37	5.8	0.009	0.1	35	0.05	49	0.5	0.13	0.8	0.1
2060578	460322	7127738	1898.7	C	30	Grey	SE	Damp	R. Rigal	WHI18000891	0.0024	0.3	1.05	18.9	129	0.3	0.09	0.3	5.4	23	24.6	2.89	4	0.05	13	0.21	238	1.5	0.006	16.8	89	20.2	0.025	0.8	2.1	23	1.3	0.015	0.1	43	0.1	53	0.5	0.08	1.1	0.1
2060579	460295	7127835	1937.6	C	30	Grey	SE	Damp	R. Rigal	WHI18000891	0.0027	0.7	1.45	30.8	122	0.4	0.11	0.3	3.8	29	30.3	2.83	5	0.06	11	0.23	172	2	0.005	19.5	172	33.4	0.025	0.8	3.5	34	5.2	0.009	0.1	42	0.05	48	0.5	0.14	1.5	0.1
2060580	460370	7127899	1942	C	30	Grey	SW	Damp	R. Rigal	WHI18000891	0.008	1.2	0.65	26.4	149	0.3	0.02	0.05	1.4	20	23.6	2.36	3	0.06	7	0.07	59	5.5	0.007	7.8	90	31.2	0.06	1.2	2.1	29	1.1	0.003	0.1	31	0.05	32	0.5	0.1	3.7	0.1
2060581	460456	7127948	1932.6	C	30	Grey	SW	Moist	R. Rigal	WHI18000891	0.0035	0.7	1.27	26.6	96	0.3	0.11	0.2	6	31	45.7	3.31	4	0.07	14	0.27	359	2.6	0.007	21.5	217	25.8	0.025	1.2	4.2	27	2.5	0.02	0.2	49	0.1	54	0.5	0.16	2.2	0.1
2060582	460560	7127959	1891.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000891	0.0006	0.05	0.16	0.9	34	0.05	0.005	0.05	0.3	4	7.2	0.79	0.5	0.005	1	0.005	20	0.05	0.0005	2.2	26	2.2	0.025	0.05	1.1	10	1	0.002	0.05	4	0.05	5	0.5	0.02	0.25	0.1
2060583	460661	7127978	1880.7	C	30	Mottled	SW	Damp	R. Rigal	WHI18000891	0.0025	0.4	0.78	17.1	51	0.2	0.07	0.2	2.9	19	28.1	2.2	3	0.03	9	0.16	119	1.4	0.004	11.2	101	15.4	0.025	1.1	2.2	16	1.4	0.014	0.05	32	0.05	32	0.5	0.05	1.4	0.1
2060584	460777	7128001	1867.9	B	30	Grey	W	Damp	R. Rigal	WHI18000891	0.0027	1.3	0.87	38.5	119	0.4	0.07	0.1	3.6	33	54.9	4.18	7	0.05	7	0.13	133	2.8	0.003	12.9	130	28.9	0.025	1.3	4.5	24	8.5	0.01	0.1	49	0.05	43	2	0.35	3.3	0.1
2060585	460866	7128069	1850.7	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0026	0.7	0.92	18.9	250	0.4	0.11	0.2	4.7	22	29.2	2.07	5	0.08	15	0.19	226	1.8	0.007	13.3	103	33.5	0.1	0.9	3.8	63	6.5	0.019	0.1	35	0.05	41	3	0.39	1.9	0.1
2060586	460964	7128118	1857.5	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0061	0.9	0.45	18.2	256	0.4	0.03	0.05	0.3	38	39.5	1.68	5	0.01	3	0.005	5	3.6	0.001	2.6	72	24.1	0.025	1.5	2.4	203	8	0.002	0.05	34	0.05	7	1	2.46	6.9	0.1
2060587	461079	7128103	1824.3	C	20	Mottled	W	Damp	R. Rigal	WHI18000891	0.0029	0.6	0.25	14.6	89	0.3	0.01	0.05	0.3	17	10.2	2.07	3	0.01	5	0.005	6	1.1	0.002	4.9	100	23.2	0.025	0.5	1.3	54	5.3	0.0005	0.05	20	0.05	8	1	0.26	1	0.1
2060588	461186	7128122	1824.4	C	10	Brown	W	Damp	R. Rigal	WHI18000891	0.0131	0.1	1.23	13.3	104	0.2	0.21	0.4	8	25	26.8	2.67	4	0.05	16	0.33	388	1.4	0.007	26	118	11.1	0.025	0.8	2.6	25	3.3	0.034	0.1	46	0.3	83	2	0.07	1.1	0.1
2060589	461284	7128136	1801	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0061	1.7	0.35	20.3	102	0.3	0.01	0.05	2.2	14	25.6	1.77	2	0.06	3	0.02	57	5.1	0.005	10.1	77	29.1	0.025	0.9	1.9	19	0.7	0.0005	0.1	14	0.05	50	1	0.29	4.8	0.1
2060590	461436	7128163	1789.7	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0043	0.4	1.13	16	125	0.3	0.15	0.2	6.7	22	28.7	2.57	4	0.06	16	0.28	327	1.7	0.007	20.3	109	21.7	0.025	1	3.2	23	5.8	0.032	0.1	42	0.1	59	2	0.11	1.4	0.1
2060591	461478	7128183	1774.5	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0028	0.9	1.3	27.1	121	0.4	0.07	0.2	4.9	28	38	3.14	5	0.06	14	0.16	210	2.3	0.008	20.8	199	38.8	0.025	0.8	3.6	47	3.1	0.007	0.2	36	0.05	61	1	0.1	2.3	0.1
2060592	461509	7128323	1761.9	C	20	Grey	W	Damp	R. Rigal	WHI18000891	0.0032	0.4	1.14	18	130	0.3	0.05	0.1	2.5	23	22.5	2.93	5	0.04	10	0.13	101	1.8	0.004	12.7	121	23.8	0.025	0.7	1.1	37	0.7	0.005	0.1	39	0.05	38	0.5	0.09	1.6	0.1
2060593	461558	7128401	1700.5	C	30	Grey	W	Damp	R. Rigal	WHI18000891	0.0055	0.3	1.47	20	93	0.3	0.12	0.1	4.4	28	18.8	2.82	5	0.04	14	0.3	213	1.8	0.005	17	79	15.4	0.025	0.8	2.4	16	1.4	0.021	0.1	46	0.1	50	1	0.08	1.5	0.1
2060594	462674	7129757	1836.7	C	20	Mottled	E	Damp	R. Rigal	WHI18000891	0.0056	0.2	1.51	13.2	120	0.2	0.09	0.2	7.8	25	32.1	2.71	5	0.05	12	0.33	319	2.7	0.009	26.1	57	14.6	0.025	0.8	2.1	16	1.7	0.017	0.1	40	0.1	64	1	0.08	1	0.1
2060595	462618	7129757	1817.9	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0038	0.7	0.35	19.3	79	0.3	0.05	0.05	1.2	17	30.2	2.14	2	0.05	2	0.04	48	11.8	0.011	7	41	32.1	0.07	1	1	23	3.8	0.0005	0.05	16	0.05	25	0.5	0.24	2.3	0.1
2060596	462571	7129741	1801.3	C	30	Grey	E	Damp	R. Rigal	WHI18000891	0.0058	0.5	0.54	10.5	98	0.2	0.04	0.05	2	15	24.8	1.74	2	0.04	5	0.09	91	6.4	0.009	8.3	36	17	0.025	0.7	1	17	1.5	0.004	0.05	22	0.05	28	0.5	0.14	1	0.1
2060597	462549	7129697	1790.7	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0035	0.5	0.94	10.8	78	0.2	0.12	0.5	6.4	19	30.2	2.09	3	0.04	8	0.16	171	3.1	0.006	25.1	95	16.3	0.025	0.7	1.6	20	1.8	0.007	0.05	25	0.05	66	0.5	0.08	0.8	0.1
2060598	462507	7129671	1780.9	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0081	0.8	0.59	10.1	104	0.2	0.08	0.3	3.3	16	36	1.82	2	0.05	4	0.09	105	6.4	0.007	19.1	50	17.4	0.025	0.6	1.5	21	2.3	0.003	0.05	20	0.05	51	0.5	0.22	0.9	0.1
2060599	462473	7129637	1765.3	C	20	Mottled	E	Damp	R. Rigal	WHI18000891	0.0092	1	0.42	7	86	0.2	0.12	0.4	4.2	13	40.1	1.82	2	0.03	4	0.08	157	8.2	0.006	24.7	47	13.7	0.025	0.6	1.9	18	2.1	0.004	0.05	16	0.05	60	0.5	0.22	1.4	0.1
2060600	462432	7129612	1763.2	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.003	0.7	0.73	10.4	86	0.2	0.13	0.3	5	18	31.5	2.06	3	0.03	4	0.13	120	3.4	0.005	29.6	64	17.3	0.025	0.5	2.4	18	4.5	0.001	0.05	18	0.05	67	0.5	0.16	1.5	0.1
2060601	470620	7127152	1597.7	Frostboil	10	Grey	N	Moist	C. Studer	WHI18000891	0.0036	0.3	0.35	7.4	1049	0.3	0.05	0.05	18.1	7	89.8	2.25	1	0.07	40	0.06	1410	1.1	0.002	36.2	33	14.6	0.025	0.2	2.7	37	8.3	0.0005	0.05	17	0.05	80	1	0.26	0.25	0.1
2060602	470637	7127197	1592.7	Frostboil	10	Grey		Moist	C. Studer	WHI18000891	0.0009	0.3	1.76	42.7	156	0.4	0.04	0.2	10.6	29	49.5	6.18	6	0.1	37	0.81	139	16	0.018	36.4	135	39.5	0.23	2.3	3.3	72	10.9	0.0005	0.4	35	0.05	115	0.5	0.36	2.7	0.1
2060603	470654	7127250	1589.6	C	20	Grey		Moist	C. Studer	WHI18000891	0.0017	0.3	2.64	28.7	108	0.4	0.22	0.9	27.2	31	44.6	5.1	5	0.09	35	1.06	682	11.2	0.015	78.8	205	30.3	0.06	1	2.5	62	6.4	0.0005	0.7	30	0.05	151	1	0.13	2.1	0.1
2060604	470670	7127301	1584.9	Frostboil	10	Grey		Moist	C. Studer	WHI18000891	0.00025	0.3	2.31	32.9	101	0.4	0.56	0.2	9.5	36	47.7	5.63	7	0.1	32	1.36	389	10.8	0.019	57.4	313	37.1	0.18	0.8	2.7	74	10.9	0.0005	0.4	32	0.05	131	0.5	0.14	1.5	0.1
2060605	470687	7127350	1590.3	C	20	Grey		Moist	C. Studer	WHI18000891	0.001	0.3	1.75	30.1	82	0.4	0.11	0.3	10.5	26	33.6	4.57	6	0.09	33	0.68	259	15.5	0.008	35.4	190	28.7	0.06	1	1.3	50	4.1	0.002	0.4	32	0.05	112	0.5	0.08	1.5	0.1
2060606	470700	7127400	1581.4	C	20	Grey		Damp	C. Studer	WHI18000891	0.0013	0.05	0.91	72.1	57	0.5	0.005	0.1	1.5	22	29	8.75	6	0.05	36	0.2	43	11.4	0.006	9.1	124	33.3	0.025	2.6	1.2	19	7.9	0.0005	0.5	29	0.05	41	0.5	0.31	4.2	0.1
2060607	470705	7127450	1573.4	C	20	Grey	N	Damp	C. Studer	WHI18000891	0.0045	2.5	1.25	24.8	310	0.5	0.16	0.3	14.3	32	113.6	5.06	3	0.06	3	0.09	76	3.1	0.008	81.4	82	38	0.025	1.3	5	71	11.5	0.0005	0.1	33	0.05	189	0.5	0.44	4.2	0.1
2060608	470736	7127490	1541.7	C	20	Grey	N	Moist	C. Studer	WHI18000891	0.0089	1.4	0.68	23	156	0.4	0.07	0.2	7.2	19	75.8	3.28	2	0.06	5	0.11	477	3.8	0.007	43.8	77	27.4	0.025	1.4	1.5	41	1.3	0.002	0.1	24	0.05	116	0.5	0.25	3.7	0.1
2060609	470762	7127535	1546.4	C	20	Grey		Moist	C. Studer	WHI18000891	0.0013	1.2	1.83	19.2	222	0.3	0.67	0.4	22.8	25	51.4	4.08	5	0.19	56	0.51	356	7	0.007	58.5	227	29.1	0.025	0.8	4.4	27	11.2	0.0005	0.3	23	0.05	120	3	0.24	0.9	0.1
2060610	470779	7127583	1544.5	C	20	Grey		Damp	C. Studer	WHI18000891	0.0024	0.2	1.54	16.4	36	0.3	0.49	0.3	18.9	19	36.3	3.94	4	0.07	49	0.77	435	4.8	0.004	44	293	21.9	0.025	0.6	1.9	20	5.9	0.004	0.1	19	0.05	85	1	0.13	0.7	0.1
2060611	470784	7127633	1540.4	C	20	Grey		Damp	C. Studer	WHI18000891	0.0011	0.2	1.42	15.6	53	0.3	0.42	0.5	17.8	20	30.4	3.36	4	0.07	45	0.71	367	6.9	0.007	38.2	247	25.7	0.025	0.7	1.7	21	4.7	0.001	0.2	16	0.05	76	1	0.06	0.7	0.1
2060612	470790	7127684	1538.4	C	10	Grey	S	Damp	C. Studer	WHI18000891	0.0016	0.1	1.66	16.9	31	0.4	0.39	0.4	23	26	39.5	4.89	5	0.06	41	0.94	612	3.6	0.004	48.2	245	29	0.025	0.6	1.9	14	6.8	0.001	0.1	20	0.05	98	0.5	0.08	0.7	0.1
2060613	462349	7127179	1432.9	B	50	Brown	NE	Damp	C. Studer	WHI18000891	0.0021	0.05	1.61	13.3	95	0.2	0.14	0.2	7.8	24	23.5	2.51	5	0.04	17	0.4	224	1.2	0.006	38	71	10.4	0.025	0.6	2.5	13	1.7	0.03	0.1	41	0.2	80	0.5	0.06	1	0.1
2060614	462351	7127223	1412.1	B	80	Grey	NE	Wet	C. Studer	WHI18000891	0.0042	0.7	1.46	12	187	0.3	0.12	0.2	11.9	25	30	3.91	4	0.04	9	0.21	412	2	0.008	40.4	86	18.4	0.025	0.5	2.5	18	1.1	0.005	0.2	34	0.05	128	0.5	0.13	1.9	0.1
2060615	462348	7127276	1410.7	B	60	Grey		Moist	C. Studer	WHI18000891	0.0029	1	1.55	8.2	264	0.2	0.23	0.1	8.5	28	17.9	2.53	5	0.04	13	0.4	196	1	0.007	30.7	79	13.2	0.025	0.4	2.6	20	1	0.016	0.2	39	0.05	77	1	0.11	0.5	0.1
2060616	462352	7127329	1414.9	C	50	Grey	E	Damp	C. Studer	WHI18000891	0.0029	0.2	1.41	15.2	81	0.2	0.08	0.2	5.6	24	18.1	2.93	5	0.04	14	0.26	261	1.6	0.005	15.9	63	16	0.025	0.8	1.7	10	0.8	0.024	0.1	50	0.1	51	0.5	0.08	0.8	0.1
2060617	462349	7127427	1408.9	C	50	Grey	SE	Damp	C. Studer	WHI18000891	0.0052	0.5	1.4	22.7	90	0.4	0.08	0.2	6	28	17.8	2.95	5	0.05	14	0.32	283	2	0.006	15.1	77	19.6	0.025	0.9	1.9	12	0.7	0.021	0.2	49	0.05	56	1	0.15	1.3	0.1
2060618	462351	7127472	1423.6	B	60	Brown	SE	Damp	C. Studer	WHI18000891	0.0031	0.1	1.43	14.5	170	0.2	0.14	0.1	11.9	27	21	3.02	5	0.06	15	0.43	457	1.2	0.006	24.9	63	12.3	0.025	0.7	2.2	14	1.4	0.03	0.1	51	0.1	85	2	0.04	0.9	0.1
2060619	462347	7127525	1437.3	B	50	Brown	SE	Damp	C. Studer	WHI18000891	0.0164	0.6	1.49	12.8	124	0.2	0.13	0.1	8.8	28	23.5	4.15	5	0.05	13	0.36	511	1.3	0.006	24.7	69	10.3	0.025	0.6	2.7	13	1.4	0.031	0.2	47	0.1	79	2	0.06	1.2	0.1
2060620	462351	7127575	1440	B	50	Brown	SE	Damp	C. Studer	WHI18000891	0.0031	0.2	0.95	14.4	57	0.3	0.05	0.05	6.8	23	19.6	5.18	5	0.03	11	0.29	343	1.2	0.003	18.6	60	11.5	0.025	0.8	2.7	8	3.5	0.058	0.05	39	0.2	57	2	0.05	1.5	0.1
2060621	462350	7127625	1441.7	B	20	Brown	NE	Damp	C. Studer	WHI18000891	0.0044	0.3	0.84	7	214	0.2	0.05	1.6	75.6	12	14.7	27.97	2	0.03	4	0.06	4415	0.9	0.005	113.8	70	9.8	0.09	0.3	3	6	2.5	0.023	0.2	23	0.05	353	1	0.06	1	0.1
2060622	462349	7127675	1456.9	C	60	Red	SE	Moist	C. Studer	WHI18000891	0.0034	0.2	0.83	10	345	0.2	0.08	0.8	124.2	15	12.1	16.56	3	0.03	7	0.18	6612	0.9	0.004	133.7	54	10.8	0.025	0.4	2.7	9	2.5	0.024	0.2	27	0.05	254	6	0.09	1	0.1
2060623	462348	7127724	1457	C	50	Grey	SE	Damp	C. Studer	WHI18000891	0.0032	0.8	1.08	9.7	74	0.3	0.05	0.05	3	21	11.8	4.69	5	0.03	10	0.25	105	1.3	0.004	12.1	51	16.9	0.025	0.5	2	8	1.3	0.025	0.1	39	0.2	42	1	0.09	0.25	0.1
2060624	462347	7127772	1463.5	C	50	Grey	SE	Moist	C. Studer	WHI18000891	0.0033	0.1	1.57	12.3	82	0.2	0.1	0.2	6.9	27	19.9	2.72	5	0.04	14	0.41	255	1.3	0.005	19.3	62	13.2	0.025	0.6	2.5	11	1.7	0.032	0.1	45	0.2	60	2	0.07	0.6	0.1
2060625	462350	7127825	1476.1	C	50	Grey	SE	Damp	C. Studer	WHI18000891	0.0047	0.3	1.37	12.3	84	0.2	0.12	0.2	7	24	18.1	2.24	4	0.03	14	0.34	272	1.3	0.004	16.5	77	12.3	0.025	0.7	2.5	11	2.6	0.028	0.05	38	0.2	52	0.5	0.08	0.7	0.1
2060626	462350	7127874	1477.7	C	30	Grey	SE	Damp	C. Studer	WHI18000891	0.0044	0.2	1.02	10.4	69	0.2	0.06	0.05	3.3	21	12.4	1.8	4	0.03	11	0.21	131	1.6	0.005	10.9	47	14	0.025	0.5	1	8	0.4	0.019	0.1	39	0.2	36	1	0.06	0.6	0.1
2060627	462349	7127925	1484.8	B	30	Brown	SE	Damp	C. Studer	WHI18000891	0.0047	0.05	1.24	13.8	87	0.3	0.06	0.05	4.1	24	12.5	2.45	6	0.04	11	0.25	176	2	0.005	12.4	45	16.8	0.025	0.6	1.4	9	0.6	0.025	0.2	51	0.1	41	2	0.05	0.25	0.1
2060628	462348	7127972	1495	B	20	Brown	SE	Damp	C. Studer	WHI18000891	0.0029	0.1	1.42	12.1	73	0.3	0.06	0.05	4.6	26	14.8	2.64	6	0.04	10	0.28	193	1.8	0.006	12.9	67	16.3	0.025	0.7	1	8	0.3	0.021	0.1	50	0.1	43	2	0.07	0.8	0.1
2060629	462352	7128025	1498.8	C	90	Grey	E	Damp	C. Studer	WHI18000891	0.0043	0.4	1.64	19.8	116	0.3	0.08	0.2	8.1	27	49.3	2.87	4	0.05	13	0.33	250	1.9	0.005	21.2	90	23.5	0.025	0.8	3.7	14	2.3	0.02	0.1	45	0.2	59	2	0.17	2.5	0.1
2060630	462351	7128073	1504	B	40	Brown	SE	Damp	C. Studer	WHI18000891	0.0055	0.4	1.47	16.1	95	0.3	0.06	0.1	5.5	25	30.4	2.77	4	0.04	11	0.3	207	1.7	0.005	17.3	78	19.3	0.025	0.6	1.6	10	0.5	0.014	0.1	42	0.2	53	2	0.1	1.3	0.1
2060631	462351	7128123	1505.4	C	30	Grey	SE	Damp	C. Studer	WHI18000891	0.0058	0.3	1.77	14.6	106	0.3	0.1	0.2	14.8	27	30.1	2.64	5	0.05	13	0.4	439	1.4	0.005	21.7	86	15.4	0.025	0.8	2.8	11	1.4	0.022	0.1	43	0.2	73	2	0.1	1.5	0.1
2060632	462348	7128179	1504.6	C	60	Grey	SE	Damp	C. Studer	WHI18000891	0.0016	0.2	1.33	13.5	95	0.2	0.1	0.3	7.6	23	28.9	2.63	4	0.04	13	0.35	248	1.1	0.005	21.3	78	12.1	0.025	0.7	3	12	2.6	0.031	0.05	39	0.1	68	1	0.07	0.25	0.1
2060633	462346	7128227	1523	B	20	Brown	SE	Damp	C. Studer	WHI18000891	0.0028	0.3	1.33	10.8	602	0.1	0.04	1.9	205.1	16	38.5	8.07	2	0.03	10	0.22	9045	1.2	0.004	235.5	60	10.1	0.025	0.7	3.5	11	2.4	0.037	0.1	30	0.1	366	2	0.07	1.3	0.1
2060634	462850	7128224	1443.3	C	40	Grey	S	Damp	C. Studer	WHI18000891	0.004	0.2	1.42	7.1	344	0.2	0.27	0.7	42.1	27	15.7	2.96	4	0.03	10	0.36	2497	0.9	0.006	61.6	85	9.8	0.025	0.4	2.5	26	1.1	0.013	0.1	35	0.1	120	2	0.05	0.8	0.1
2060635	462848	7128126	1448	C	20	Grey	NE	Damp	C. Studer	WHI18000891	0.0026	0.3	1.17	22.4	70	0.3	0.05	0.2	5.8	23	26	2.88	4	0.04	10	0.24	226	2.1	0.005	18	82	26.2	0.025	0.9	1	13	0.4	0.011	0.1	45	0.1	50	2	0.06	1.2	0.1
2060636	462851	7128077	1443.6	C	40	Grey	E	Damp	C. Studer	WHI18000891	0.0042	0.2	1.19	15.6	72	0.2	0.1	0.05	5.1	21	21.1	2.39	4	0.03	12	0.33	185	1.2	0.004	18.6	72	14.5	0.025	0.7	1.9	16	2.1	0.02	0.05	37	0.1	53	2	0.06	0.9	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060637	462849	7128026	1436.6	C	20	Grey	SE	Moist	C. Studer	WHI18000891	0.0041	0.3	1.63	12.7	155	0.3	0.07	0.2	8.3	27	26.8	2.83	5	0.04	11	0.4	240	1.4	0.005	28.6	71	16.6	0.025	0.6	2	14	0.9	0.011	0.1	45	0.1	86	1	0.07	0.25	0.1
2060638	462849	7127978	1431.6	B	10	Brown	E	Damp	C. Studer	WHI18000891	0.0022	0.3	1.16	6.1	157	0.2	0.23	0.05	3.7	19	12.6	1.46	4	0.03	9	0.26	87	0.8	0.008	16.8	87	10.9	0.025	0.4	0.5	21	0.2	0.007	0.1	30	0.1	32	1	0.08	1.1	0.1
2060639	462850	7127928	1429.8	C	30	Grey	SE	Damp	C. Studer	WHI18000891	0.0052	0.2	1.23	13.5	187	0.2	0.2	0.1	23.9	24	24	4.69	4	0.03	14	0.35	387	1.2	0.005	82.2	67	12.3	0.025	0.5	3.7	19	3.6	0.024	0.05	35	0.1	155	2	0.08	0.9	0.1
2060640	462850	7127927	1434.9	C	20	Grey	SE	Damp	C. Studer	WHI18000891	0.0031	0.3	1.27	12.7	204	0.2	0.2	0.05	21.9	25	22.3	4.06	4	0.03	14	0.36	382	1.1	0.005	72.4	67	11.7	0.025	0.5	3.6	19	3.2	0.02	0.05	35	0.1	133	1	0.05	0.25	0.1
2060641	462853	7127873	1429.7	B	20	Brown	SE	Wet	C. Studer	WHI18000891	0.0024	0.05	1.21	13	233	0.2	0.26	0.05	20.9	22	14	4.98	4	0.03	10	0.26	975	1.4	0.005	53.5	77	7.9	0.025	0.4	2.2	23	1	0.016	0.05	37	0.1	60	1	0.04	1.1	0.1
2060642	462847	7127823	1422.5	B	50	Brown	SE	Moist	C. Studer	WHI18000891	0.0053	0.2	0.96	13.8	242	0.2	0.12	0.6	120.3	20	17.7	7.29	3	0.03	11	0.27	943	1.2	0.004	130	70	12.7	0.025	0.7	3.2	12	4	0.038	0.05	36	0.2	216	2	0.07	1.4	0.1
2060643	462851	7127776	1419.8	B	50	Brown	SE	Damp	C. Studer	WHI18000891	0.0035	0.4	1.34	12.1	259	0.3	0.19	0.2	45.7	23	21.1	7.45	4	0.03	10	0.29	1210	1.2	0.006	124.1	77	14.2	0.025	0.5	3.4	22	2.1	0.014	0.1	36	0.05	225	1	0.08	1.2	0.1
2060644	462853	7127724	1408.4	B	70	Brown	SE	Moist	C. Studer	WHI18000891	0.0078	0.3	1.31	11.4	99	0.2	0.16	0.05	12.8	22	25.3	2.53	4	0.04	13	0.39	501	0.8	0.005	56.1	77	9.7	0.025	0.6	2.8	13	2.7	0.032	0.1	35	0.2	97	2	0.07	0.25	0.1
2060645	462848	7127679	1434.3	B	60	Brown	SE	Moist	C. Studer	WHI18000891	0.003	0.6	1.55	10.6	210	0.2	0.11	0.1	13	25	20	4.07	4	0.04	11	0.37	506	0.9	0.005	39.9	78	9.8	0.025	0.5	2.3	13	0.9	0.017	0.1	38	0.1	124	2	0.07	1.2	0.1
2060646	462846	7127625	1391.2	C	70	Grey	SE	Damp	C. Studer	WHI18000891	0.0023	0.2	1.07	9.1	92	0.2	0.08	0.05	5.7	23	15.4	2.3	4	0.04	13	0.37	163	0.7	0.004	16.8	41	9.8	0.025	0.6	2.6	9	2.4	0.038	0.05	38	0.1	54	1	0.04	0.25	0.1
2060647	462849	7127580	1384	B	90	Brown	SE	Saturated	C. Studer	WHI18000891	0.0037	0.6	1.31	10.8	147	0.2	0.07	0.05	11.5	23	16.3	5.91	4	0.03	11	0.27	520	1.1	0.005	18.4	60	13.4	0.025	0.5	2.5	10	1.3	0.021	0.1	39	0.2	85	1	0.11	1.4	0.1
2060648	462851	7127527	1385.3	B	50	Brown	SE	Moist	C. Studer	WHI18000891	0.004	0.4	1.31	11.2	113	0.2	0.05	0.1	21.6	23	20	6.7	4	0.03	11	0.25	942	1.2	0.004	18.2	57	12.4	0.025	0.6	2.9	8	1.6	0.022	0.1	37	0.2	83	0.5	0.09	1.1	0.1
2060649	462850	7127476	1380.6	B	40	Red	SE	Moist	C. Studer	WHI18000891	0.0025	0.4	1.2	9.6	230	0.2	0.09	0.7	95.1	20	16.4	14.3	3	0.03	9	0.22	3871	1	0.005	88	61	10.9	0.025	0.5	3.4	10	2.2	0.024	0.2	33	0.1	211	2	0.1	0.9	0.1
2060650	462851	7127425	1375	C	40	Grey	SE	Damp	C. Studer	WHI18000891	0.0042	0.6	0.72	9.7	65	0.2	0.04	0.05	4.7	16	7	5.74	4	0.02	11	0.15	183	1.1	0.002	11.3	42	11.3	0.025	0.5	2	8	2.2	0.024	0.05	33	0.1	42	1	0.08	0.7	0.1
2060651	473655	7126384	1699.9	C	30	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0024	1	1.59	22.9	125	0.3	0.39	0.8	29.6	34	140.1	4.36	4	0.04	6	0.58	1106	1.9	0.006	59.9	132	58.4	0.025	1	8.6	37	4.7	0.001	0.05	44	0.05	158	1	0.18	1.3	0.1
2060652	473611	7126386	1682.9	C	45	Grey	E	Damp	N. Hamlyn	WHI18000891	0.0042	0.3	3.58	11.1	59	0.05	0.65	0.5	45	114	220.3	8.07	9	0.01	8	2.38	1146	0.7	0.005	90.3	89	19.9	0.025	0.2	17.4	19	1.7	0.002	0.05	164	0.05	141	0.5	0.07	0.25	0.1
2060653	462146	7127174	1425.8	C	30	Grey	W	Damp	N. Hamlyn	WHI18000891	0.0034	0.6	1.24	14.8	156	0.3	0.15	0.7	32	22	30.1	5.5	4	0.03	8	0.19	316	2	0.005	73.3	76	24.7	0.025	0.6	3.1	19	2.3	0.005	0.1	31	0.05	222	1	0.12	0.5	0.1
2060654	462150	7127276	1438.8	C	45	Grey	W	Damp	N. Hamlyn	WHI18000891	0.0081	0.1	1.22	14.5	104	0.2	0.13	0.1	10.2	19	17.3	2.34	3	0.03	13	0.31	310	1.4	0.004	24	63	14.9	0.025	0.7	2.1	14	2.5	0.017	0.05	30	0.1	56	1	0.07	0.25	0.1
2060655	462150	7127373	1428.2	C	30	Brown	W	Wet	N. Hamlyn	WHI18000891	0.0037	0.7	1.12	14.7	204	0.3	0.19	0.5	14	21	25.2	4.79	4	0.04	9	0.21	753	2.3	0.007	63.3	89	27.2	0.025	0.6	2	26	0.8	0.007	0.2	32	0.05	143	2	0.34	2.6	0.1
2060656	462153	7127477	1452.4	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0045	0.4	1.5	14.4	114	0.3	0.07	0.1	17.1	27	30.2	3.97	5	0.04	11	0.33	639	1.7	0.005	25.6	77	16.6	0.05	0.8	2.7	10	1.2	0.025	0.2	46	0.2	78	2	0.09	2.1	0.1
2060657	462151	7127576	1462.4	C	35	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0035	0.2	1.45	13.2	81	0.3	0.09	0.1	8.7	23	23.9	2.36	5	0.04	12	0.3	252	1.4	0.004	18.6	62	12.1	0.025	0.7	2	11	1.1	0.023	0.1	46	0.1	61	2	0.1	1	0.1
2060658	462148	7127876	1471.5	C	40	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0031	0.3	1.31	15.1	75	0.3	0.07	0.1	9.7	27	20	2.67	5	0.04	12	0.3	392	1.2	0.004	16.7	63	12.9	0.025	0.6	1.5	9	0.6	0.017	0.1	45	0.1	56	1	0.06	0.8	0.1
2060659	462149	7127778	1497.8	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0026	0.1	1.24	13.3	65	0.3	0.08	0.05	5.5	28	15.7	2.73	6	0.04	11	0.33	191	1.5	0.006	14.9	59	15.2	0.025	0.7	1.4	9	0.5	0.021	0.1	48	0.1	55	1	0.05	0.6	0.1
2060660	462148	7127876	1528.1	C	20	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0023	0.05	1.1	13.2	62	0.2	0.13	0.2	6.1	21	21.8	2.19	3	0.03	12	0.24	203	1.2	0.004	18.6	76	10.2	0.025	0.7	1.9	11	1.5	0.022	0.05	35	0.1	55	0.5	0.04	0.9	0.1
2060661	462150	7127974	1561.1	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0047	0.5	1.44	18.2	111	0.3	0.07	0.2	5.1	27	19.9	2.54	5	0.04	11	0.26	230	2.1	0.005	14.6	104	21.5	0.025	0.8	1.2	11	0.4	0.01	0.1	47	0.1	51	1	0.12	1	0.1
2060662	462148	7128075	1577.7	C	20	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0014	0.05	1.32	11.7	78	0.2	0.22	0.4	8.2	24	19.1	2.31	3	0.04	13	0.3	230	1.1	0.007	22.3	98	11	0.025	0.7	2.4	16	3.4	0.032	0.05	37	0.2	55	1	0.04	0.8	0.1
2060663	462149	7128176	1563.8	C	40	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0058	0.5	1.13	20	91	0.3	0.04	0.1	2.8	22	23.9	2.88	4	0.03	8	0.17	92	1.7	0.005	14	80	18.2	0.025	0.6	1	9	0.3	0.004	0.05	34	0.05	53	0.5	0.09	1.6	0.1
2060664	462648	7128226	1477.1	C	40	Grey	W	Damp	N. Hamlyn	WHI18000891	0.0018	0.2	1.51	9	163	0.2	0.12	0.05	7.2	27	16.1	2.32	5	0.03	12	0.43	208	0.8	0.004	35.3	59	11.5	0.025	0.4	2.1	15	1.8	0.008	0.05	42	0.05	78	0.5	0.03	0.25	0.1
2060665	462648	7128176	1479.6	C	30	Grey	W	Damp	N. Hamlyn	WHI18000891	0.0022	0.6	1.87	19.8	302	0.5	0.1	0.05	3.8	28	24.8	3.21	7	0.07	11	0.19	103	1.9	0.009	24.9	112	33.4	0.025	0.6	1.6	33	0.5	0.005	0.2	51	0.1	56	2	0.14	2.5	0.1
2060666	462651	7128124	1473.2	C	35	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0012	1.1	1.48	36.1	146	0.4	0.04	0.3	22.1	23	43.6	8.97	4	0.03	8	0.23	358	3.3	0.004	56.5	157	37.5	0.025	1.2	2.7	23	3	0.004	0.05	29	0.05	172	0.5	0.26	5.2	0.1
2060667	462652	7128077	1471.8	C	35	Brown	W	Wet	N. Hamlyn	WHI18000891	0.0025	0.5	1.22	11.1	164	0.3	0.16	0.5	43	18	24.7	8.13	3	0.03	11	0.24	695	1.1	0.004	147.9	65	15.6	0.025	0.6	4.2	24	2.6	0.009	0.05	30	0.05	326	0.5	0.11	1.6	0.1
2060668	462649	7128027	1471.9	Frostboil	45	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0028	0.4	1.19	17.6	127	0.3	0.1	0.3	42	22	27.1	5.46	4	0.03	11	0.27	904	1.9	0.004	77.2	110	21.8	0.025	0.6	2.9	15	2.3	0.008	0.05	32	0.05	114	0.5	0.11	0.7	0.1
2060669	462649	7127979	1457.4	C	450	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0025	0.4	1.13	10.2	195	0.3	0.19	0.4	30.9	21	21.5	5.17	4	0.03	10	0.24	954	1.1	0.005	98.9	62	18	0.025	0.4	3	21	1.8	0.005	0.05	31	0.05	177	0.5	0.08	0.8	0.1
2060670	462649	7127925	1446.7	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0019	0.3	1.17	12	251	0.2	0.18	0.4	15.2	21	13.6	6.36	4	0.04	8	0.19	683	1.1	0.008	34.5	89	11.7	0.05	0.4	1.4	16	0.6	0.012	0.05	33	0.05	129	0.5	0.06	1.2	0.1
2060671	462651	7127875	1439.6	C	50	Brown	W	Damp	N. Hamlyn	WHI18000891	0.003	0.4	1.75	13.5	151	0.2	0.09	0.05	10.6	24	29	3.56	5	0.04	12	0.38	583	1.3	0.006	20.5	75	12.4	0.025	0.7	2	11	0.6	0.018	0.2	45	0.1	71	0.5	0.06	2.3	0.1
2060672	462654	7127824	1437.2	C	30	Brown	W	Wet	N. Hamlyn	WHI18000891	0.0036	0.7	1.36	18.4	134	0.3	0.06	0.2	17.8	21	34.8	4.37	4	0.03	9	0.26	1232	1.4	0.004	24.6	83	17	0.025	0.6	2.9	20	1.6	0.011	0.1	32	0.05	90	0.5	0.12	2.8	0.1
2060673	462651	7127777	1427.6	C	35	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0018	0.6	1.47	14.4	112	0.2	0.08	0.1	6.2	24	25.7	2.81	5	0.04	11	0.3	297	1.3	0.005	17.4	77	14	0.025	0.6	1.2	9	0.4	0.011	0.1	44	0.1	59	0.5	0.08	1.7	0.1
2060674	462648	7127724	1427.4	C	20	Brown	W	Saturated	N. Hamlyn	WHI18000891	0.0032	0.7	1.36	11	137	0.2	0.16	0.4	33	21	19.5	3.2	4	0.04	8	0.28	189	1.1	0.007	42.8	62	10.8	1.03	0.4	1.2	12	0.3	0.013	0.2	32	0.05	68	0.5	0.1	1.3	0.1
2060675	462652	7127677	1428	C	25	Brown	W	Saturated	N. Hamlyn	WHI18000891	0.0022	0.4	1.39	3.3	193	0.2	0.1	0.2	3.3	23	11.9	1.47	5	0.03	10	0.31	106	0.8	0.005	17	54	12.4	0.025	0.4	1.6	12	0.4	0.015	0.2	38	0.1	49	1	0.09	1.1	0.1
2060676	462652	7127622	1432.9	Frostboil	40	Brown	W	Damp	N. Hamlyn	WHI18000891	0.002	0.1	1.44	13.6	76	0.2	0.07	0.1	6.5	22	19.2	2.91	5	0.04	12	0.26	254	1.4	0.004	16.3	65	13.3	0.025	0.6	1.9	10	1	0.02	0.1	47	0.2	50	0.5	0.04	0.8	0.1
2060677	462650	7127574	1410.7	C	30	Brown	W	Wet	N. Hamlyn	WHI18000891	0.0035	0.2	1.15	12.1	76	0.2	0.09	0.2	11.3	21	21.9	2.55	4	0.04	12	0.31	542	1.2	0.005	21.4	59	11.5	0.025	0.6	2	10	1.1	0.023	0.1	40	0.1	68	0.5	0.05	0.6	0.1
2060678	462652	7127527	1405.4	C	45	Grey	W	Moist	N. Hamlyn	WHI18000891	0.0026	0.3	0.92	12.1	273	0.1	0.12	0.8	50.1	18	15.3	19.44	3	0.03	8	0.17	1207	0.8	0.005	111.8	55	7.6	0.07	0.5	3.3	9	2.2	0.018	0.2	27	0.05	210	0.5	0.08	0.9	0.1
2060679	462649	7127476	1381.9	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0068	2.4	1.07	8.4	102	0.2	0.07	0.05	18.4	26	10.3	2.91	6	0.03	10	0.21	1209	1.2	0.004	12.2	55	7.4	0.025	0.4	1.9	8	0.6	0.02	0.2	37	0.1	30	0.5	0.08	1.1	0.1
2060680	462648	7127428	1396.4	C	45	Brown	W	Dry	N. Hamlyn	WHI18000891	0.0028	0.2	1.44	12.7	64	0.2	0.12	0.1	8.4	25	21.8	2.62	5	0.04	12	0.37	344	1.1	0.005	19.8	80	11	0.025	0.6	1.5	11	0.6	0.02	0.1	39	0.1	58	0.5	0.06	0.8	0.1
2060681	462653	7127374	1390	C	60	Brown	W	Damp	N. Hamlyn	WHI18000891	0.006	0.1	1.49	12.8	79	0.2	0.12	0.05	7.3	24	18.9	2.58	5	0.04	14	0.39	247	1.1	0.005	16.5	65	10	0.025	0.7	2.2	11	1.6	0.03	0.1	37	0.2	57	0.5	0.04	0.5	0.1
2060682	462651	7127325	1399.4	C	30	Brown	W	Damp	N. Hamlyn	WHI18000891	0.0021	0.05	1.54	12.1	79	0.2	0.12	0.2	7.6	24	18.4	2.27	4	0.04	14	0.37	302	1	0.005	18	73	10.2	0.025	0.6	2.2	11	1.2	0.029	0.1	43	0.1	53	0.5	0.04	0.5	0.1
2060683	462651	7127274	1384.2	C	60	Grey	W	Damp	N. Hamlyn	WHI18000891	0.0032	0.3	1.58	14.5	145	0.3	0.13	0.1	6.8	24	18.5	2.49	5	0.05	12	0.36	313	1.6	0.007	17.1	72	19.3	0.025	0.6	1.9	16	0.9	0.014	0.2	41	0.1	50	0.5	0.09	1.2	0.1
2060684	462953	7125342	1653.2	C	30	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0025	0.05	0.76	8.7	52	0.2	0.05	0.1	4.2	17	21	2.29	4	0.02	8	0.17	130	1.4	0.004	14.5	38	11.1	0.025	0.6	1	9	0.5	0.015	0.1	32	0.1	44	0.5	0.04	0.25	0.1
2060685	462931	7125387	1648.5	C	45	Grey	E	Damp	N. Hamlyn	WHI18000891	0.0095	0.6	0.48	7.4	103	0.2	0.02	0.2	5.4	18	90.2	2.3	2	0.02	10	0.12	555	7.3	0.002	37.1	34	13.1	0.025	1.1	2.2	9	3.7	0.004	0.05	16	0.05	85	0.5	0.17	1.8	0.1
2060686	462915	7125434	1648.2	C	30	Grey	E	Damp	N. Hamlyn	WHI18000891	0.0057	0.5	0.49	12.9	84	0.3	0.03	0.3	6.9	13	69.2	2.21	2	0.02	3	0.1	192	4.9	0.003	34.9	36	21.8	0.025	1.2	1.9	11	2.6	0.0005	0.05	17	0.05	82	0.5	0.14	1.3	0.1
2060687	462896	7125486	1660.6	C	20	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0057	0.7	0.46	8	40	0.2	0.03	0.1	3.3	13	42.4	1.91	2	0.02	4	0.06	60	8	0.004	20.1	65	10.4	0.025	0.9	0.6	9	0.2	0.004	0.05	26	0.05	48	0.5	0.1	1.7	0.1
2060688	462851	7125513	1680.3	C	25	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0097	0.9	0.77	13	169	0.2	0.09	0.4	9.4	14	56.9	2.13	2	0.06	6	0.13	471	3.8	0.016	44	67	20	0.1	1.1	1.6	35	1.1	0.005	0.1	21	0.05	73	0.5	0.12	1.7	0.1
2060689	462800	7125524	1701.4	C	30	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0109	0.4	0.65	14	85	0.2	0.07	0.2	6.1	13	47.1	2.18	2	0.04	6	0.09	213	7.1	0.006	30.9	53	20.3	0.025	1.1	1	17	0.4	0.004	0.1	25	0.05	65	0.5	0.08	1.1	0.1
2060690	462764	7125558	1715.8	C	30	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0006	0.2	0.71	23.8	80	0.4	0.12	0.2	14.1	14	25.7	2.21	3	0.02	12	0.09	137	1	0.004	36	88	27.3	0.025	0.7	1.4	21	1	0.001	0.05	20	0.05	78	0.5	0.07	0.6	0.1
2060691	462724	7125590	1735.6	C	30	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0006	0.3	0.73	15.4	66	0.3	0.09	0.2	8.7	15	23.1	1.88	3	0.03	9	0.11	152	1.1	0.005	23.3	106	21.3	0.025	0.6	0.5	16	0.5	0.002	0.05	21	0.05	58	0.5	0.06	0.7	0.1
2060692	462659	7125618	1774	Frostboil	30	Grey	E	Damp	N. Hamlyn	WHI18000891	0.0045	0.7	0.52	18.2	111	0.4	0.04	0.2	5.3	12	22.3	2.2	2	0.03	5	0.1	68	1.2	0.004	22.2	73	30.4	0.08	0.5	1.3	26	1.1	0.0005	0.05	14	0.05	46	1	0.11	1.4	0.1
2060693	462621	7125652	1777.9	C	30	Brown	E	Damp	N. Hamlyn	WHI18000891	0.0149	0.5	0.52	12.9	71	0.4	0.07	0.3	8.3	11	50	1.7	1	0.03	8	0.09	188	1.5	0.004	43.6	54	24.1	0.025	0.8	2.1	21	2.2	0.004	0.05	20	0.05	53	1	0.16	1	0.1
2060694	462571	7125661	1801.7	C	30	Grey	E	Damp	N. Hamlyn	WHI18000891	0.0033	0.6	0.73	11.2	74	0.3	0.16	0.4	16.9	14	35.1	2.24	2	0.03	9	0.11	392	1.2	0.005	51.9	106	27.9	0.025	0.6	2.3	22	1.7	0.004	0.05	21	0.05	96	0.5	0.07	0.7	0.1
2060695	462520	7125669	1819.6	C	45	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0063	0.2	0.9	12.6	49	0.3	0.08	0.2	8.7	20	34.6	2.54	3	0.03	9	0.18	273	1.8	0.006	28.5	104	18.2	0.025	0.9	0.5	14	0.2	0.005	0.05	35	0.1	67	1	0.1	1.2	0.1
2060696	462516	7125720	1797.9	C	30	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0013	0.2	0.62	13.4	81	0.3	0.08	0.2	8.3	13	20.4	2.25	2	0.04	6	0.09	196	1	0.006	25.1	60	24.5	0.025	0.6	2.2	31	1.9	0.001	0.05	18	0.05	53	0.5	0.06	0.25	0.1
2060697	462513	7125769	1783.9	C	30	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0045	1.1	1.99	13.7	2224	0.3	0.29	2.9	45.1	31	235.1	12.91	2	0.03	20	0.5	7973	13	0.004	609	101	22.8	0.025	2.7	20.9	107	5.9	0.001	0.2	50	0.05	606	0.5	0.3	3.3	0.1
2060698	462511	7125818	1775.2	C	20	Brown	E	Dry	N. Hamlyn	WHI18000891	0.0075	0.6	2.89	7.7	398	0.2	0.1	1.6	39.8	30	584.5	6.94	2	0.02	7	0.25	3195	17.9	0.004	240.1	26	10.6	0.025	1.1	15.9	17	5.9	0.001	0.05	54	0.05	398	0.5	0.17	2.7	0.1
2060699	462507	7125868	1764.3	C	30	Grey	E	Dry	N. Hamlyn	WHI18000891	0.0044	0.2	0.75	6.8	154	0.2	0.5	0.3	25.5	21	90.8	1.63	2	0.06	21	0.42	957	1.7	0.005	46.7	182	19.8	0.025	0.7	1.5	22	3.1	0.004	0.05	13	0.05	87	2	0.07	0.9	0.1
2060700	462497	7125919	1736.4	C	30	Grey	E	Dry	N. Hamlyn	WHI18000891	0.0022	0.2	1.06	10.6	181	0.2	0.68	0.3	23.1	18	38.5	3.04	3	0.08	24	0.56	1305	1.7	0.008	43.8	171	31.4	0.06	0.7	1.7	40	4.1	0.002	0.05	12	0.05	80	2	0.08	1.1	0.1
2060701	462550	7127777	1439.7	C	50	Brown	SE	Moist	S. Orban	WHI18000891	0.0037	0.1	1.58	13.6	76	0.2	0.1	0.1	8.7	29	21.3	2.76	5	0.04	12	0.38	326	1.4	0.005	20.4	70	15.4	0.025	0.7	2.4	12	1.6	0.029	0.1	48	0.1	63	1	0.07	1.3	0.1
2060702	462549	7127725	1425.3	B	70	Brown	S	Moist	S. Orban	WHI18000891	0.004	0.3	1.47	12.5	79	0.2	0.08	0.1	8.4	28	21.3	2.68	5	0.04	12	0.39	277	1.1	0.005	20.9	65	13.2	0.025	0.8	3.5	9	2.9	0.034	0.1	43	0.1	61	1	0.08	0.9	0.1
2060703	462551	7127672	1423.1	C	30	Brown	S	Saturated	S. Orban	WHI18000891	0.0027	0.4	1.32	10.8	104	0.2	0.05	0.05	5.9	25	11.8	3.96	5	0.03	10	0.28	150	1.4	0.004	18	52	15.1	0.025	0.5	1.9	9	1.1	0.016	0.2	42	0.1	55	1	0.09	2.1	0.1
2060704	462550	7127624	1423.5	C	20	Red	SE	Moist	S. Orban	WHI18000891	0.0032	0.7	0.82	6.7	443	0.05	0.03	0.9	295	14	18	37.73	2	0.02	3	0.05	10001	0.8	0.003	60.9	59	8.2	0.13	0.4	2.8	4	1.9	0.021	0.3	20	0.05	317	0.5	0.09	3	0.1
2060705	462547	7127575	1417.6	C	40	Red	SE	Saturated	S. Orban	WHI18000891	0.0031	0.5	0.73	10.8	839	0.05	0.09	3.1	173.7	14	19.7	26.74	2	0.02	5	0.07	10001	1.1	0.003	371.6	61	7.7	0.025	0.3	3.1	9	2.1	0.021	0.2	22	0.05	581	0.5	0.09	1	0.1
2060706	462551	7127525	1413.6	B	50	Brown	SE	Moist	S. Orban	WHI18000891	0.0026	0.9	0.9	5.9	217	0.2	0.16	0.05	5.4	20	9.3	2.16	4	0.03	8	0.22	194	0.8	0.005	29.9	55	10.1	0.025	0.4	1	13	0.3	0.012	0.1	31	0.05	45	0.5	0.06	2.1	0.1
2060707	462553	7127475	1411.2	B	40	Brown	SE	Saturated	S. Orban	WHI18000891	0.0065	0.1	1.5	12.5	73	0.2	0.09	0.2	9.1	27	15.5	2.58	5	0.04	11	0.36	365	1.2	0.005	18.3	63	12	0.025	0.6	2	9	1.2	0.026	0.1	47	0.1	57	1	0.07	0.8	0.1
2060708	462555	7127427	1398	C	120	Grey	S	Dry	S. Orban	WHI18000891	0.0032	0.5	0.97	12	67	0.4	0.04	0.05	4.6	17	11	1.78	3	0.03	10	0.2	210	1.3	0.005	10.7	41	25.1	0.025	0.6	0.9	9	0.4	0.009	0.1	28	0.05	37	0.5	0.08	1.1	0.1
2060709	462550	7127378	1392.8	C	50	Brown	N	Moist	S. Orban	WHI18000891	0.0037	0.05	1.03	9.2	52	0.2	0.08	0.05	5.4	20	17.5	1.91	3	0.02	12	0.26	154	1.2	0.003	15.9	50	10.4	0.025	0.5	1.3	9	0.9	0.015	0.1	31	0.1	43	0.5	0.05	0.25	0.1
2060710	462549	7127324	1405.1	C	80	Grey	E	Moist	S. Orban	WHI18000891	0.0035	0.2	1.05	13.9	93	0.3	0.09	0.1	7.6	20	27.4	2.41	3	0.03	13	0.32	313	1.1	0.003	26	71	15.1	0.025	0.7	3	12	3.8	0.022	0.05	31	0.1	69	0.5	0.1	0.5	0.1
2060711	462550	7127275	1406.3	B	70	Brown	E	Moist	S. Orban	WHI18000891	0.0053	0.2	1.19	12.1	72	0.2	0.19	0.3	9.5	22	32.4	2.3	3	0.04	14	0.39	388	1.1	0.006	29.2	94	10.8	0.025	0.8	2.5	15	4.2	0.037	0.05	34	0.2	77	1	0.04	0.25	0.1
2060712	462550	7127224	1404.2	C	70	Grey	N	Moist	S. Orban	WHI18000891	0.0025	0.6	0.92	23.1	168	0.4	0.19	0.2	4.6	15	26.4	2	3	0.04	13	0.19	154	2.2	0.004	21.2	114	37.4	0.025	0.9	3	35	3.4	0.004	0.1	24	0.05	46	0.5	0.21	1.1	0.1
2060713	462549	7127180	1405.3	B	40	Brown	SE	Moist	S. Orban	WHI18000891	0.0036	0.1	1.41	12.9	77	0.2	0.08	0.1	8.5	23	23.3	2.42	4	0.03	10	0.3	297	1.3	0.004	20.4	62	15.7	0.025	0.7	2	11	1.4	0.018	0.05	36	0.1	54	1	0.08	0.8	0.1
2060714	462747	7127174	1386.4	C	40	Grey	N	Saturated	S. Orban	WHI18000891	0.0022	0.2	1.27	6.5	242	0.3	0.28	0.4	11.9	21	23.5	2.88	3	0.04	14	0.6	690	2.6	0.004	43.2	116	14.4	0.025	0.4	1.7	20	2.7	0.002	0.05	17	0.05	103	0.5	0.1	0.5	0.1
2060715	462745	7127223	1393.7	C	60	Brown	NE	Saturated	S. Orban	WHI18000891	0.0018	0.2	1.38	9.1	251	0.3	0.27	0.2	10.8	22	33.8	3.34	3	0.03	18	0.69	544	3.8	0.004	38.5	133	16.8	0.025	0.5	1.6	23	3	0.0005	0.1	18	0.05	91	0.5	0.08	0.7	0.1
2060716	462748	7127273	1381.8	C	60	Grey	E	Saturated	S. Orban	WHI18000891	0.0038	0.4	1.25	12.2	136	0.3	0.29	0.3	15.8	21	39.9	3.46	3	0.03	16	0.53	597	3.9	0.005	46.6	131	22.2	0.025	0.7	1.9	24	2.8	0.002	0.1	20	0.05	103	0.5	0.13	0.9	0.1
2060717	462751	7127325	1374.7	C	50	Brown	NE	Moist	S. Orban	WHI18000891	0.0029	0.2	1.23	14.4	81	0.2	0.11	0.1	7.9	22	22.9	2.57	3	0.03	12	0.31	323	1.5	0.005	22.5	84	13.9	0.025	0.7	2.1	12	1.8	0.019	0.05	34	0.1	63	0.5	0.08	0.9	0.1
2060718	462749	7127374	1376.2	C	50	Grey	N	Moist	S. Orban	WHI18000891	0.0028	0.4	0.91	15.7	114	0.2	0.04	0.2	6	18	19.3	2.51	3	0.04	7	0.16	297	1.8	0.005	15.8	75	18.5	0.025	0.6	1.5	17	0.8	0.006	0.05	28	0.05	50	0.5	0.14	1	0.1
2060719	462752	7127425	1381.1	C	50	Red	SE	Moist	S. Orban	WHI18000891	0.0035	0.5	0.91	10.6	223	0.2	0.1	0.3	27.5	18	12.8	11.4	4	0.03	7	0.14	1792	1.3	0.003	73.5	72	12.7	0.025	0.4	2.5	10	1.3	0.011	0.1	31	0.1	152	0.5	0.11	1.8	0.1
2060720	462752	7127424	1379.7	C	50	Red	SE	Moist	S. Orban	WHI18000891	0.0043	0.5	0.86	11	218	0.2	0.09	0.4	31.7	18	13	12.37	3	0.03	7	0.12	2053	1.4	0.004	76.6	70	13.1	0.025	0.4	2.5	10	1.3	0.01	0.1	30	0.05	157	0.5	0.11	1.6	0.1
2060721	462847	7127225	1372.8	C	40	Grey	NE	Saturated	S. Orban	WHI18000891	0.0024	0.2	1.16	5.8	251	0.3	0.32	0.3	9.5	20	24.6	2.67	3	0.04	13	0.57	577	2.2	0.004	37.7	115	17.7	0.025	0.4	1.4	21	2.6	0.001	0.1	15	0.05	83	0.5	0.09	0.25	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060722	462998	7125319	1646.2	C	30	Green	W	Moist	S. Orban	WHI18000891	0.0032	0.05	0.94	10.5	73	0.3	0.06	0.2	5.9	25	19.3	2.97	5	0.05	9	0.24	335	2.3	0.004	16.4	49	17.8	0.025	1	1.4	9	0.8	0.032	0.1	49	0.2	58	0.5	0.05	0.8	0.1
2060723	463049	7125310	1655.1	Frostboil	20	Black	W	Moist	S. Orban	WHI18000891	0.0052	0.1	0.87	8.4	67	0.3	0.04	0.1	5.2	23	29.3	2.53	5	0.03	10	0.18	224	2.2	0.004	15.2	48	14.8	0.025	1.1	1	7	0.5	0.02	0.1	50	0.1	50	0.5	0.07	0.8	0.1
2060724	463087	7125273	1660	C	20	Grey	W	Moist	S. Orban	WHI18000891	0.0029	0.6	0.52	10.9	240	0.3	0.07	0.05	3.7	16	41.3	2.53	2	0.03	6	0.09	129	3.8	0.006	19.1	58	24.3	0.025	1.1	1.7	22	2.1	0.0005	0.05	18	0.05	49	0.5	0.22	1.8	0.1
2060725	463137	7125267	1666.6	C	20	Brown	W	Moist	S. Orban	WHI18000891	0.0027	0.2	0.78	8.4	139	0.3	0.04	0.2	6.3	15	33.6	2.07	2	0.03	5	0.13	144	2.4	0.005	29.4	53	21.3	0.025	0.6	1.2	12	0.9	0.002	0.05	21	0.05	64	0.5	0.05	0.9	0.1
2060726	463186	7125262	1681	C	20	Grey	W	Moist	S. Orban	WHI18000891	0.0059	0.3	0.86	10.9	183	0.3	0.13	0.2	5.4	17	43.5	1.99	3	0.03	6	0.16	149	1.7	0.007	25.8	59	21.8	0.025	1	1	13	0.4	0.006	0.05	27	0.05	47	0.5	0.06	1	0.1
2060727	463234	7125248	1699.7	C	30	Brown	W	Frozen	S. Orban	WHI18000891	0.0048	0.2	0.96	9.7	93	0.2	0.1	0.1	5.6	22	34.2	2.22	4	0.03	8	0.28	180	2	0.005	24.2	48	14.2	0.025	1	1.7	12	1.1	0.016	0.1	35	0.1	58	2	0.08	0.8	0.1
2060728	463280	7125222	1704.6	C	20	Grey	S	Moist	S. Orban	WHI18000891	0.0017	0.4	0.5	12.1	158	0.3	0.12	0.2	6.8	9	20	2.1	2	0.03	6	0.07	172	1.4	0.005	29.2	66	21.9	0.025	0.8	2.2	27	2.4	0.003	0.05	14	0.05	75	2	0.08	1.2	0.1
2060729	463325	7125183	1720.5	C	20	Grey	W	Moist	S. Orban	WHI18000891	0.0135	0.4	0.5	20	117	0.4	0.04	0.1	2.4	17	31.6	1.65	3	0.08	6	0.07	78	5.9	0.013	8.8	54	21.6	0.13	1	1	21	0.3	0.004	0.1	31	0.05	33	2	0.09	1.7	0.1
2060730	463379	7125159	1732.8	C	30	Brown	SW	Moist	S. Orban	WHI18000891	0.005	0.1	1.09	12.5	101	0.2	0.21	0.3	11.2	21	32.6	2.42	3	0.04	14	0.35	346	1.3	0.007	36.2	93	13.8	0.025	0.8	2.8	20	3.2	0.029	0.05	36	0.2	76	2	0.05	0.6	0.1
2060731	463421	7125131	1717.4	C	20	Brown	S	Damp	S. Orban	WHI18000891	0.0051	0.2	0.75	10.9	88	0.2	0.11	0.3	11.2	15	36.9	2.02	2	0.03	12	0.17	314	1.2	0.004	32.9	71	15.4	0.025	0.6	2.1	16	3.3	0.017	0.05	29	0.1	77	2	0.05	0.25	0.1
2060732	463468	7125112	1752.4	C	20	Grey	SW	Damp	S. Orban	WHI18000891	0.0066	0.2	0.83	15.9	98	0.3	0.09	0.2	11.5	15	44.3	2.29	3	0.04	10	0.16	241	1.4	0.005	33.7	85	22.8	0.025	0.8	1.9	21	1.1	0.006	0.05	22	0.05	71	1	0.04	0.6	0.1
2060733	463516	7125089	1755.8	C	20	Brown	S	Moist	S. Orban	WHI18000891	0.0071	0.5	0.81	16.9	122	0.3	0.13	0.3	10.1	18	48.1	2.67	3	0.06	10	0.18	305	2.1	0.01	35.1	90	23.5	0.025	1.1	2.2	25	1.7	0.012	0.05	28	0.05	80	3	0.06	1.3	0.1
2060734	463579	7125087	1761.8	C	20	Grey	N	Moist	S. Orban	WHI18000891	0.0044	0.4	0.92	9.5	84	0.2	0.09	0.2	8.6	16	41.4	2.12	3	0.03	8	0.2	163	1.4	0.004	43.3	63	13.1	0.025	0.7	2.4	22	2.5	0.004	0.05	19	0.05	83	2	0.07	0.9	0.1
2060735	463615	7125118	1732.7	C	20	Grey	N	Moist	S. Orban	WHI18000891	0.0043	0.5	0.85	14.7	133	0.4	0.17	0.3	8.9	17	44.2	2.06	3	0.05	12	0.19	225	2.3	0.006	34.4	82	18.4	0.025	1	2.6	28	2.5	0.014	0.1	29	0.1	73	2	0.11	0.9	0.1
2060736	463641	7125162	1714.4	C	20	Grey	N	Damp	S. Orban	WHI18000891	0.0119	0.7	0.92	17.1	145	0.3	0.11	0.3	8.2	17	54.6	2.38	3	0.05	10	0.18	219	3.4	0.007	34.7	75	23.8	0.025	1.2	2.4	27	1.8	0.01	0.1	31	0.05	76	2	0.12	1.6	0.1
2060737	463661	7125208	1701.6	C	20	Grey	N	Moist	S. Orban	WHI18000891	0.0049	0.4	0.85	15	136	0.2	0.14	0.3	7.9	18	40.6	2.35	3	0.04	12	0.2	165	2.8	0.005	31.9	70	19.6	0.025	1	2.3	23	2.4	0.012	0.05	32	0.05	65	2	0.09	1.1	0.1
2060738	463692	7125249	1694.7	C	20	Brown	N	Damp	S. Orban	WHI18000891	0.0052	0.2	1.08	10	75	0.2	0.14	0.2	6.5	25	49.6	2.65	4	0.04	14	0.32	226	1.5	0.006	24.3	62	14.4	0.025	1	2.1	14	2.2	0.036	0.05	41	0.2	72	2	0.07	1.1	0.1
2060739	463725	7125299	1688.1	C	20	Brown	W	Moist	S. Orban	WHI18000891	0.0128	0.1	0.74	13.3	64	0.3	0.08	0.2	5.7	20	29.6	2.35	6	0.03	11	0.12	145	1.8	0.004	22.2	59	16.9	0.025	0.9	0.9	11	0.3	0.02	0.1	58	0.05	66	2	0.03	0.9	0.1
2060740	463761	7125334	1681	C	20	Brown	N	Moist	S. Orban	WHI18000891	0.0033	0.05	1.05	10.5	61	0.2	0.08	0.2	7.2	23	18.3	2.74	4	0.04	10	0.33	309	1.3	0.005	20.1	42	12.1	0.025	0.7	1.8	9	1.4	0.031	0.05	34	0.1	58	2	0.04	0.7	0.1
2060741	463789	7125374	1682.4	B	20	Brown	N	Damp	S. Orban	WHI18000891	0.0029	0.05	1.25	14.2	69	0.2	0.17	0.3	8.2	23	18.4	2.43	5	0.04	13	0.34	260	1	0.005	25.3	79	18.1	0.025	0.7	2.1	20	1.7	0.024	0.1	39	0.1	64	1	0.04	0.5	0.1
2060742	463815	7125416	1680.3	B	30	Brown	N	Damp	S. Orban	WHI18000891	0.0025	0.05	1.47	12.3	68	0.2	0.09	0.2	7.2	29	13.4	3.1	6	0.04	11	0.37	333	1.3	0.006	16.3	61	15	0.025	0.8	1.8	9	0.7	0.026	0.1	50	0.2	55	1	0.06	0.7	0.1
2060743	463843	7125467	1664.3	C	20	Brown	E	Frozen	S. Orban	WHI18000891	0.0219	0.7	0.59	23.5	186	0.3	0.04	0.05	1.8	21	28.7	2.37	4	0.12	6	0.08	63	1.7	0.015	7.3	62	28.2	0.24	0.9	1	43	0.8	0.004	0.1	37	0.05	20	1	0.23	3.2	0.2
2060744	463866	7125516	1638.1	C	20	Grey	NE	Moist	S. Orban	WHI18000891	0.0138	1.1	0.74	30.7	135	0.5	0.06	0.2	4.2	14	108	2.8	2	0.07	10	0.09	75	2.7	0.008	18.5	146	33	0.1	1.5	1.5	38	0.9	0.002	0.1	27	0.05	58	0.5	0.16	1.7	0.2
2060745	463883	7125594	1605.1	B	20	Brown	NE	Moist	S. Orban	WHI18000891	0.0026	0.1	1.32	13.3	89	0.3	0.1	0.3	6.9	25	23.2	3.06	6	0.05	13	0.3	245	2	0.006	17.2	62	14.4	0.025	1.4	2.2	17	1	0.031	0.2	60	0.2	62	1	0.05	1	0.1
2060746	463914	7125644	1596.3	C	20	Grey	NE	Moist	S. Orban	WHI18000891	0.0137	0.5	1.06	15.7	140	0.3	0.2	0.2	6.5	20	36.6	2.41	3	0.07	13	0.28	257	1.4	0.011	20.3	85	21.8	0.06	1.4	2.4	26	4.2	0.029	0.05	35	0.2	63	1	0.21	0.6	0.1
2060747	463925	7125693	1568.6	C	20	Brown	NE	Moist	S. Orban	WHI18000891	0.0025	0.2	1.22	15.3	95	0.3	0.17	0.3	12	24	29.9	2.85	4	0.05	12	0.28	274	1.6	0.007	31.6	96	23.5	0.025	0.7	2.1	21	1.2	0.014	0.05	40	0.05	83	1	0.04	0.7	0.1
2060748	463931	7125742	1547.9	C	20	Grey	NE	Moist	S. Orban	WHI18000891	0.0104	2.2	0.59	24	150	0.4	0.08	0.2	5.7	29	143.7	3.22	4	0.15	6	0.06	56	2.9	0.044	51.2	75	44.5	0.34	1.9	2.5	61	4	0.002	0.2	46	0.05	139	0.5	0.27	6.6	0.1
2060749	463942	7125792	1539.5	C	20	Brown	NE	Moist	S. Orban	WHI18000891	0.0014	0.05	1.02	11.3	60	0.2	0.1	0.2	7.5	20	16	2.72	5	0.04	12	0.22	300	1.7	0.005	18.9	49	12.4	0.025	0.8	2	10	2.2	0.035	0.1	48	0.2	70	1	0.04	0.25	0.1
2060750	463954	7125841	1534.7	C	20	Brown	NE	Moist	S. Orban	WHI18000891	0.00025	0.05	1.5	11.8	117	0.2	0.1	0.2	12.7	22	26.7	3	5	0.05	23	0.37	714	2.2	0.005	29.4	90	20.6	0.025	0.8	1.1	17	1.5	0.005	0.1	31	0.05	61	0.5	0.04	0.25	0.1
2060751	462394	7129578	1736.5	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0023	0.7	1.07	11.4	129	0.3	0.12	0.3	6.5	19	28.7	2.42	3	0.05	6	0.19	120	2.6	0.005	30.7	71	21.9	0.025	0.5	2	18	2.1	0.001	0.05	23	0.05	66	0.5	0.14	0.8	0.1
2060752	462364	7129539	1730.2	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0031	0.1	1	14.1	62	0.2	0.06	0.3	6.2	20	22.7	2.64	3	0.04	12	0.24	219	1.4	0.004	19.6	57	13.9	0.025	0.7	1.5	12	0.6	0.015	0.05	32	0.1	54	0.5	0.06	0.5	0.1
2060753	462333	7129501	1715.2	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0031	0.05	0.81	15	60	0.2	0.04	0.1	3.5	19	16.3	2.5	5	0.03	9	0.12	106	1.5	0.003	10.5	77	14.6	0.025	0.7	0.7	11	0.2	0.01	0.1	40	0.1	40	0.5	0.06	0.25	0.1
2060754	462296	7129464	1694.5	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.001	0.05	1.24	11.5	90	0.2	0.12	0.2	7.2	22	17.9	2.66	5	0.04	12	0.3	234	1.1	0.005	19.1	58	12.4	0.025	0.7	2.1	13	1.2	0.025	0.1	42	0.2	56	1	0.04	0.25	0.1
2060755	462330	7129425	1686.7	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0032	0.2	1.1	12	112	0.2	0.12	0.2	7.3	19	22.2	2.39	4	0.05	13	0.26	292	1.3	0.005	19.8	72	16.1	0.025	0.8	2.1	17	1.3	0.02	0.1	35	0.1	63	1	0.07	0.25	0.1
2060756	462370	7129397	1670.5	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0026	0.1	1.19	13.4	89	0.2	0.06	0.2	5.4	21	17.8	2.6	4	0.04	11	0.22	183	1.4	0.004	17.3	55	14.9	0.025	0.7	1.3	13	0.4	0.013	0.1	43	0.05	55	1	0.06	0.8	0.1
2060757	462402	7129361	1647.3	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.00025	0.2	1.25	16.3	96	0.2	0.07	0.3	9.2	25	22.4	3.42	5	0.05	11	0.25	456	1.6	0.006	23.6	86	19.6	0.025	0.7	1.7	14	0.5	0.016	0.1	42	0.1	65	2	0.05	0.9	0.1
2060758	462366	7129325	1634.8	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0039	0.1	1.34	13.9	84	0.2	0.08	0.3	10.2	22	22.3	2.78	4	0.04	13	0.33	356	1.2	0.006	21.8	63	13.1	0.025	0.8	1.8	10	0.9	0.021	0.05	41	0.2	72	0.5	0.04	0.25	0.1
2060759	462365	7129273	1615.5	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0013	0.2	1.08	12.3	87	0.2	0.06	0.3	6.3	21	19.2	2.84	4	0.04	9	0.22	253	1.4	0.006	17.2	69	12.9	0.025	0.7	1.3	10	0.4	0.016	0.05	41	0.1	61	0.5	0.05	0.8	0.1
2060760	462333	7129239	1597.1	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0007	0.2	1.24	11.1	77	0.2	0.05	0.3	6	22	18.7	2.6	4	0.03	11	0.26	233	1.2	0.005	18.6	66	11.3	0.025	0.7	1.4	9	0.4	0.016	0.1	38	0.1	59	0.5	0.05	0.25	0.1
2060761	462331	7129236	1594.9	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0024	0.2	1.09	9.9	76	0.2	0.06	0.2	5.4	21	17.1	2.45	5	0.03	11	0.24	165	1.4	0.006	17.3	62	11.6	0.025	0.6	1.2	10	0.3	0.015	0.1	40	0.05	54	0.5	0.03	0.25	0.1
2060762	462300	7129202	1583.6	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0029	0.2	1.11	12.4	102	0.2	0.15	0.5	7.5	21	26.9	2.66	4	0.04	13	0.3	283	1.2	0.005	23.8	86	11	0.025	0.7	3.3	14	3.3	0.032	0.05	36	0.2	72	0.5	0.04	0.6	0.1
2060763	462262	7129170	1576	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.001	0.05	1.1	10.3	72	0.2	0.1	0.2	5.7	19	21.2	2.43	4	0.04	12	0.28	202	1.1	0.005	19.3	60	10.3	0.025	0.6	2.2	11	1.1	0.022	0.05	32	0.1	57	0.5	0.05	0.6	0.1
2060764	462227	7129132	1569.5	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0151	0.1	1.2	10	88	0.2	0.13	0.3	6.9	24	23.7	2.4	4	0.03	15	0.35	273	1.2	0.004	21.1	79	10	0.025	0.8	2.8	12	2.4	0.038	0.05	38	0.3	68	1	0.04	0.25	0.1
2060765	462195	7129095	1562.3	B	20	Brown	E	Damp	R. Rigal	WHI18000891	0.0082	0.1	1.37	10.3	91	0.2	0.13	0.2	7.1	23	23.5	2.46	4	0.03	16	0.38	202	1.1	0.004	20.8	76	10	0.025	0.7	3.2	11	2.7	0.042	0.05	40	0.3	68	0.5	0.05	0.25	0.1
2060766	462155	7129060	1559.3	B	30	Mottled	E	Damp	R. Rigal	WHI18000891	0.0047	0.2	1.24	11.7	207	0.2	0.23	0.4	11.1	25	28.7	2.67	4	0.06	13	0.47	359	1.3	0.005	30.4	83	11.5	0.025	0.9	3.4	19	4.5	0.054	0.1	45	0.2	84	0.5	0.06	0.25	0.1
2060767	462113	7129032	1553.7	B	40	Brown	E	Damp	R. Rigal	WHI18000891	0.0047	0.2	1.62	9.6	128	0.2	0.11	0.2	8.4	28	20.7	2.66	5	0.03	11	0.42	344	1.3	0.005	22	73	11.7	0.025	0.6	1.8	13	0.7	0.018	0.05	42	0.1	75	0.5	0.04	0.7	0.1
2060768	462069	7129005	1555.6	C	40	Grey	E	Damp	R. Rigal	WHI18000891	0.0051	0.8	1.7	20.3	182	0.5	0.05	0.2	5.3	28	37.3	3.09	5	0.04	10	0.27	187	2.1	0.005	24.5	116	34.1	0.025	0.8	1.2	25	0.6	0.004	0.1	45	0.05	67	0.5	0.18	1.3	0.1
2060769	462023	7128981	1568.9	C	30	Grey	E	Damp	R. Rigal	WHI18000891	0.0048	0.6	1.49	25.4	175	0.4	0.06	0.05	5.5	25	40	3.1	4	0.03	10	0.37	180	2	0.003	35.2	87	24.9	0.025	0.9	2.7	31	4.8	0.002	0.05	37	0.05	91	0.5	0.17	1.7	0.1
2060770	461972	7128968	1588.3	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0037	0.5	1.53	29.6	180	0.4	0.03	0.2	10.9	26	45.7	3	4	0.04	9	0.35	286	2	0.003	39.4	84	25.2	0.025	0.9	2.5	29	3.3	0.0005	0.05	36	0.05	87	0.5	0.11	1.4	0.1
2060771	461950	7128920	1610.8	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.006	0.7	1.52	26.8	145	0.4	0.08	0.2	12.1	29	78	3.62	5	0.03	10	0.36	383	2.1	0.004	36	118	29	0.025	0.9	2.9	21	2.3	0.006	0.05	44	0.05	93	0.5	0.09	2.3	0.1
2060772	461933	7128868	1620.5	C	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0048	0.5	0.95	22.8	72	0.3	0.02	0.05	3.1	21	36.2	2.85	4	0.03	7	0.13	95	2	0.004	13.8	127	19.2	0.025	0.9	0.6	13	0.2	0.007	0.05	40	0.05	48	0.5	0.12	2.9	0.1
2060773	461902	7128829	1628	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0051	0.2	1.32	18	91	0.3	0.1	0.2	9.9	23	28.8	3.1	4	0.04	13	0.34	325	1.4	0.005	28.8	72	17.2	0.025	0.9	2.1	22	2	0.016	0.05	35	0.1	83	0.5	0.07	1	0.1
2060774	461894	7128776	1638.3	C	30	Grey	E	Damp	R. Rigal	WHI18000891	0.0034	1	1.17	30.7	120	0.4	0.08	0.2	9.6	23	42.4	3.42	4	0.03	11	0.17	152	1.9	0.004	35.1	138	31	0.025	1	2.4	27	2.8	0.004	0.05	33	0.05	89	0.5	0.22	3	0.1
2060775	461866	7128729	1652.3	C	40	Grey	E	Damp	R. Rigal	WHI18000891	0.0015	1.4	1.23	36.1	197	0.8	0.01	0.2	14.5	20	45.1	4	3	0.04	17	0.1	365	3.2	0.005	44.1	82	47.2	0.025	0.7	3	36	6.1	0.0005	0.1	28	0.05	90	0.5	0.33	3.1	0.1
2060776	461859	7128678	1673.3	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0036	0.9	0.95	28.6	192	0.4	0.07	0.5	8.3	17	48.7	3.47	3	0.04	8	0.13	139	2.5	0.004	38.3	106	29	0.025	1.1	2.7	40	3.6	0.0005	0.05	28	0.05	105	0.5	0.19	1.1	0.2
2060777	461842	7128628	1687.8	C	40	Grey	E	Damp	R. Rigal	WHI18000891	0.0009	0.8	0.99	25.1	262	0.4	0.07	0.2	10	19	43.6	3.89	3	0.04	9	0.18	228	2.2	0.004	37	98	22.1	0.025	0.9	2.5	35	3.5	0.006	0.05	32	0.05	111	0.5	0.15	2.5	0.2
2060778	461802	7128595	1686.9	B	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0027	0.4	0.95	30.7	79	0.3	0.02	0.05	5.9	19	35.1	2.82	4	0.03	7	0.09	101	2.1	0.004	21	86	22.7	0.025	0.9	0.8	16	0.3	0.003	0.05	37	0.05	69	0.5	0.08	1.5	0.1
2060779	461765	7128560	1681.8	C	40	Brown	E	Damp	R. Rigal	WHI18000891	0.0011	0.4	1.17	23.2	83	0.3	0.06	0.2	5.9	25	29.3	2.97	4	0.05	11	0.28	295	1.6	0.004	24.9	105	26.5	0.025	0.9	1.9	15	1.2	0.011	0.05	32	0.05	63	0.5	0.08	0.5	0.1
2060781	461725	7128530	1686.3	C	30	Brown	E	Damp	R. Rigal	WHI18000891	0.0013	0.3	0.92	36.3	70	0.4	0.03	0.05	3.2	21	30.3	3.26	4	0.03	7	0.07	112	2.5	0.004	12.3	105	24.9	0.05	1.1	0.4	11	0.2	0.005	0.05	48	0.05	50	0.5	0.08	1.8	0.1
2060782	461681	7128501	1701.5	C	20	Brown		Damp	R. Rigal	WHI18000891	0.0034	0.2	1.42	22.5	85	0.3	0.07	0.2	6.2	24	32.1	2.89	5	0.04	11	0.28	260	1.6	0.004	19.4	70	20.3	0.025	1	1.7	12	1.1	0.016	0.1	44	0.1	68	0.5	0.08	1.1	0.1
2060783	461644	7128467	1702.7	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0023	0.5	0.99	19.4	156	0.3	0.09	0.05	2.9	17	24.2	2.03	3	0.03	12	0.21	96	1.4	0.003	17.4	74	20.1	0.025	0.8	2.4	14	2.9	0.007	0.05	28	0.05	38	0.5	0.1	1.2	0.1
2060784	461597	7128439	1704.1	C	10	Grey	E	Damp	R. Rigal	WHI18000891	0.0012	0.6	0.93	22	134	0.5	0.02	0.05	1.9	12	21.4	1.31	3	0.03	9	0.06	78	1.4	0.003	8.8	41	41.4	0.025	0.7	0.9	12	1.2	0.001	0.05	20	0.05	28	0.5	0.09	1.1	0.1
2060785	460245	7127840	1935.4	C	30	Grey	E	Damp	R. Rigal	WHI18000891	0.00025	0.5	1.4	18.4	98	0.3	0.07	0.2	1.6	25	18.9	2.62	5	0.03	6	0.18	123	1.2	0.002	22.8	125	32.7	0.025	0.6	3.6	34	7.5	0.003	0.05	30	0.05	46	0.5	0.1	0.25	0.1
2060786	460153	7127884	1931.5	C	10	Brown	E	Damp	R. Rigal	WHI18000891	0.0063	0.3	0.81	22.1	109	0.3	0.11	0.2	5.7	24	36.8	3.06	4	0.06	14	0.24	300	2.4	0.008	17.1	126	21.3	0.08	1.2	1.5	39	1.3	0.02	0.1	41	0.1	47	0.5	0.07	1.6	0.1
2060787	460086	7127923	1915.2	C	20	Grey	E	Damp	R. Rigal	WHI18000891	0.0027	0.7	0.71	15.7	154	0.3	0.04	0.05	2.2	15	18.2	1.98	3	0.06	9	0.11	95	1.3	0.007	8.1	79	34.8	0.11	0.6	0.7	32	0.6	0.004	0.1	21	0.05	28	0.5	0.07	0.25	0.1
2060788	459984	7127930	1916.5	C	10	Grey	E	Damp	R. Rigal	WHI18000891	0.0007	1	0.57	26.9	353	0.6	0.01	0.05	1.4	18	31.9	3.69	5	0.11	8	0.06	81	3.7	0.012	4.6	109	44.7	0.26	1.6	3.7	47	6	0.003	0.2	45	0.05	21	0.5	0.48	3.1	0.2
2060789	459897	7127888	1898.5	C	40	Grey	E	Damp	R. Rigal	WHI18000891	0.00025	0.7	1.11	22	155	0.5	0.02	0.2	2.5	26	44.4	3.45	5	0.08	8	0.11	125	2	0.006	14.4	155	41.3	0.12	0.7	3.9	46	4.8	0.004	0.1	35	0.05	40	0.5	0.09	1.3	0.1
2060790	459809	7127839	1892.3	B	10	Brown	E	Damp	R. Rigal	WHI18000891	0.0008	0.05	1.05	12.5	54	0.3	0.07	0.1	4.6	23	19.2	2.43	5	0.04	11	0.23	178	1.6	0.005	13.1	81	16.7	0.05	1.1	1.4	11	0.5	0.021	0.1	52	0.1	46	0.5	0.06	0.25	0.1
2060792	459938	7127955	1902.5	C	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.0023	1.5	0.6	35.5	127	0.6	0.01	0.05	0.8	23	66.1	3.22	6	0.12	8	0.04	43	5.4	0.006	4.9	69	57	0.22	1.4	4.8	25	7	0.001	0.1	52	0.05	29	0.5	0.53	4.1	0.1
2060793	459903	7128053	1870.6	C	30	Green	SE	Damp	R. Rigal	WHI18000891	0.00025	0.6	0.4	13	162	0.5	0.02	0.05	1.3	10	12.1	1.37	2	0.06	7	0.06	59	3.2	0.006	5.3	47	49.6	0.13	1.3	3.5	21	4.7	0.002	0.05	13	0.05	17	0.5	0.29	0.25	0.1
2060794	459875	7128150	1843.8	C	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.00025	1.2	0.27	16.1	205	0.5	0.02	0.05	0.4	10	10.9	2.08	3	0.05	4	0.02	18	23.7	0.007	1.4	38	44.9	0.08	1.9	2.3	22	7.6	0.0005	0.05	18	0.05	7	0.5	0.73	1.9	0.1
2060795	459924	7128250	1780.4	C	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.00025	0.6	0.33	23.2	48	0.3	0.03	0.2	5	9	19.8	1.32	1	0.03	3	0.04	137	1.5	0.003	11.1	54	19.9	0.025	0.6	1.2	21	1	0.001	0.05	13	0.05	37	0.5	0.23	0.25	0.1
2060796	459960	7128339	1742	B	20	Brown	SE	Damp	R. Rigal	WHI18000891	0.0012	0.2	0.7	11.4	37	0.3	0.03	0.05	3	18	29.2	2.21	4	0.03	6	0.06	128	3.3	0.004	10.4	72	15.6	0.06	1.1	0.6	9	0.2	0.012	0.1	47	0.05	41	0.5	0.16	1.3	0.1
2060797	459980	7128387	1731.4	B	20	Brown	SE	Damp	R. Rigal	WHI18000891	0.00025	0.2	0.87	16.5	61	0.2	0.09	0.1	6	19	22	3.09	3	0.04	10	0.23	239	2	0.004	16.5	111	21.7	0.07	1	1.3	16	0.7	0.011	0.05	30	0.05	54	0.5	0.05	0.6	0.1
2060798	460057	7128447	1734.7	B	10	Brown	SE	Damp	R. Rigal	WHI18000891	0.0006	0.05	0.78	10.2	39	0.1	0.11	0.1	5.4	18	16.6	2.08	3	0.03	10	0.25	207	1.1	0.005	14.9	72	10.6	0.025	0.7	0.6	11	0.3	0.017	0.05	32	0.1	50	0.5	0.04	0.25	0.1
2060799	460113	7128521	1677.7	C	20	Grey	SE	Damp	R. Rigal	WHI18000891	0.0017	0.3	0.4	11.4	70	0.2	0.03	0.05	1.6	12	15.1	1.57	2	0.03	5	0.06	57	1.3	0.004	6.6	77	16.1	0.07	0.5	1.2	22	1.1	0.004	0.05	16	0.05	23	0.5	0.06	0.6	0.1
2060800	460108	7128567	1649	C	20	Mottled	SE	Damp	R. Rigal	WHI18000891	0.0037	0.3	0.51	12.3	59	0.2	0.04	0.1	2.3	20	17.8	1.75	2	0.03	6	0.1	70	1.4	0.005	9.4	89	17	0.025	0.6	1.1	15	0.4	0.004	0.05	21	0.05	29	0.5	0.08	0.9	0.1
2060801	462454	7127572	1422.9	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0159	0.1	0.97	11.5	39	0.2	0.06	0.05	9.4	20	13.6	2.94	4	0.03	10	0.31	429	1	0.003	15.2	58	9.4	0.025	0.7	2.1	6	2.9	0.037	0.05	35	0.2	52	0.5	0.05	0.25	0.1
2060802	462452	7127526	1421.5	B	30	Brown	E	Damp	J. Roddick	WHI18000891	0.0041	0.1	0.99	13.5	52	0.2	0.08	0.05	7.5	23	15.5	3.07	4	0.03	10	0.35	311	1	0.004	19.7	52	12.4	0.025	0.8	2.2	7	3.3	0.04	0.1	37	0.2	52	0.5	0.04	0.25	0.1
2060803	462451	7127477	1419.9	B	40	Brown	E	Damp	J. Roddick	WHI18000891	0.0059	0.2	1.19	12.1	108	0.3	0.12	0.1	7.8	26	20.2	4.22	5	0.04	10	0.36	331	1.2	0.004	24.2	51	11.1	0.025	0.8	2.4	10	1.5	0.028	0.1	43	0.2	66	0.5	0.05	1.3	0.1
2060804	462450	7127430	1420.8	C	60	Grey	E	Damp	J. Roddick	WHI18000891	0.0045	0.4	0.87	11.2	135	0.2	0.1	0.2	10.1	19	18.1	3.39	3	0.03	9	0.27	431	1.1	0.003	28.8	44	15.5	0.025	0.7	2.2	11	1.5	0.016	0.05	27	0.1	94	0.5	0.05	1	0.1
2060805	462449	7127372	1403.7	C	50	Grey	E	Damp	J. Roddick	WHI18000891	0.004	0.3	1.14	14.8	88	0.3	0.09	0.2	21.8	17	33.9	2.56	3	0.03	9	0.23	517	2	0.004	46.6	83	18.3	0.025	0.8	2.2	13	3	0.01	0.1	26	0.1	94	0.5	0.08	1.4	0.1
2060806	462452	7127332	1406.4	B	20	Grey	E	Damp	J. Roddick	WHI18000891	0.0044	0.2	1.37	13.6	86	0.2	0.09	0.2	7.5	21	17.8	2.44	4	0.03	10	0.32	296	1.2	0.004	18.4	65	13.5	0.025	0.7	1.7	10	1.6	0.016	0.05	35	0.1	55	0.5	0.06	0.6	0.1
2060807	462446	7127275	1411.9	B	40	Brown	E	Damp	J. Roddick	WHI18000891	0.005	0.2	1.21	11.3	56	0.3	0.12	0.2	8.1	22	22.6	2.43	4	0.04	13	0.37	334	1.4	0.005	19.1	134	11	0.025	0.6	0.6	10	0.3	0.009	0.2	37	0.1	58	0.5	0.05	0.7	0.1
2060808	462446	7127227	1414.7	C	60	Grey	S	Wet	J. Roddick	WHI18000891	0.0045	0.5	1.42	8.4	210	0.3	0.27	0.2	9.6	23	32.3	2.13	4	0.04	9	0.36	266	1.3	0.006	44.2	108	14.5	0.025	0.5	1.4	19	0.7	0.007	0.2	32	0.05	114	0.5	0.08	1	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060809	462448	7127178	1405.1	B	40	Brown	S	Damp	J. Roddick	WHI18000891	0.0058	0.2	1.49	13.2	92	0.2	0.19	0.2	9.9	21	26.8	2.34	3	0.03	14	0.39	351	1	0.006	23.4	81	11.6	0.025	0.7	2.7	14	3	0.029	0.1	36	0.1	68	1	0.07	0.9	0.1
2060810	462653	7127176	1388.4	B	40	Grey	E	Saturated	J. Roddick	WHI18000891	0.0024	0.2	1.4	8.3	194	0.3	0.28	0.2	10	20	29.2	3.3	3	0.03	22	0.7	562	3.3	0.004	35.4	146	15.3	0.025	0.4	1.4	21	3.6	0.001	0.1	17	0.05	90	0.5	0.06	0.5	0.1
2060811	462650	7127224	1388.8	C	50	Grey	S	Damp	J. Roddick	WHI18000891	0.0025	0.6	1.08	16.3	208	0.3	0.11	0.1	9.4	18	11.6	4.17	3	0.02	8	0.18	444	1.9	0.004	35.2	90	23.9	0.025	0.3	1.7	14	1.4	0.002	0.1	25	0.05	95	0.5	0.13	0.6	0.1
2060812	462407	7126247	1725.7	Frostboil	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0033	0.4	1.13	22	48	0.3	0.4	1.1	14.9	19	52.4	3.14	3	0.04	17	0.84	402	31.2	0.004	52.9	154	19.5	0.025	2.3	1.5	44	7.3	0.0005	0.4	21	0.05	127	0.5	0.31	3.2	0.1
2060813	462355	7126253	1725.5	C	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0018	0.2	1.51	10.4	146	0.3	0.43	0.2	24.9	22	27.1	3.32	4	0.04	26	0.82	1175	1.7	0.004	51.7	156	30.9	0.025	0.5	2.6	32	7.5	0.0005	0.05	15	0.05	87	0.5	0.08	0.25	0.1
2060814	462311	7126280	1731.1	B	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0022	0.1	1.96	16	170	0.3	0.24	0.3	35.9	21	31.5	3.48	3	0.05	18	0.5	1106	5	0.015	91.6	160	28.1	0.08	0.8	1.7	76	3	0.002	0.2	20	0.05	110	0.5	0.05	1.1	0.1
2060815	462266	7126306	1724.7	C	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0017	0.2	1.86	12.4	179	0.3	1.89	0.4	41.5	24	45	4.53	4	0.06	18	1.08	1990	2.9	0.007	84.4	168	29.8	0.025	0.7	2.3	79	7.3	0.0005	0.1	18	0.05	123	0.5	0.07	0.7	0.1
2060816	462236	7126347	1709.7	B	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0021	0.05	1.53	12.1	106	0.4	0.24	0.2	28.1	22	34.4	4.45	4	0.05	21	0.77	2173	1.8	0.011	57.3	153	31	0.06	0.5	1.8	48	3.9	0.001	0.1	18	0.05	103	0.5	0.07	0.25	0.1
2060817	462210	7126395	1698.2	C	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.002	0.1	1.91	10.8	121	0.4	0.31	0.2	25.3	27	33.5	4.66	5	0.04	19	1.11	1331	1.9	0.013	54.6	151	38.1	0.025	0.5	3.1	63	6.6	0.0005	0.1	20	0.05	104	0.5	0.11	0.7	0.1
2060818	462195	7126449	1694.6	Frostboil	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.005	0.9	1.24	27.7	120	0.3	1.91	2.2	27.8	18	57.4	4.97	3	0.05	15	0.68	1059	28.2	0.004	81.5	305	21.5	0.025	2.2	3.1	87	8.6	0.0005	0.4	22	0.05	156	0.5	0.52	3.8	0.1
2060819	462167	7126492	1696.7	B	20	Brown	NW	Damp	J. Roddick	WHI18000891	0.0026	0.05	0.63	18.6	797	0.4	0.05	0.05	40.1	7	265.4	1.71	2	0.02	30	0.29	3541	8.6	0.002	35.2	24	36.4	0.025	0.5	1.4	33	5	0.0005	0.2	9	0.05	75	0.5	0.02	0.25	0.1
2060820	462119	7126523	1712.9	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0063	0.2	1.13	12.3	198	0.2	0.48	0.3	15	30	37.8	2.86	3	0.04	19	0.33	524	2	0.006	52.3	144	14.2	0.025	0.8	2.2	22	2	0.017	0.1	39	0.2	106	2	0.05	0.7	0.1
2060821	462071	7126552	1712.7	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.003	0.1	0.79	7.5	139	0.2	0.04	0.1	6.9	14	55.5	2.08	3	0.04	10	0.17	300	2.8	0.003	21.2	59	10.4	0.025	0.8	0.4	16	0.2	0.004	0.05	23	0.05	58	1	0.04	0.7	0.1
2060822	462026	7126586	1722.2	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0059	0.3	0.77	9.2	75	0.2	0.04	0.05	5.9	19	48.5	2.65	4	0.03	7	0.11	388	3.1	0.007	23.2	70	16.2	0.06	1	0.8	12	0.2	0.007	0.05	37	0.05	71	0.5	0.09	1.5	0.1
2060823	461975	7126597	1730	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0018	0.05	1.63	10.6	61	0.2	0.09	0.2	6.9	28	16.1	2.89	6	0.04	11	0.39	276	1.3	0.005	17.9	54	13.3	0.025	0.8	1.7	9	0.7	0.024	0.1	54	0.1	60	0.5	0.06	0.25	0.1
2060824	461921	7126604	1727.3	B	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0019	0.2	0.69	8.9	56	0.2	0.06	0.3	6.3	14	19.5	1.66	3	0.03	6	0.14	148	1.2	0.004	20.8	48	15.1	0.025	0.7	1	10	0.6	0.005	0.05	25	0.05	63	0.5	0.07	0.25	0.1
2060825	461865	7126614	1729	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0018	0.05	0.27	5.9	21	0.1	0.01	0.05	3.9	8	10.9	1	2	0.01	2	0.02	44	0.9	0.003	12	52	8.6	0.025	0.3	0.2	4	0.2	0.0005	0.05	16	0.05	41	0.5	0.04	0.25	0.1
2060826	461817	7126630	1724.1	B	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0019	0.2	0.81	10.5	56	0.2	0.1	0.4	10.2	16	20.5	2.35	3	0.02	7	0.17	229	1.1	0.003	29	62	16	0.025	0.5	1.8	10	1.1	0.007	0.05	25	0.05	64	0.5	0.05	0.6	0.1
2060827	461771	7126655	1718.6	C	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0014	0.3	0.52	10.7	94	0.3	0.08	0.1	6.5	13	19.7	2.06	2	0.04	5	0.07	71	1.2	0.011	23.5	63	18	0.08	0.5	2.2	22	2.2	0.001	0.05	22	0.05	65	0.5	0.09	0.25	0.1
2060828	461722	7126677	1718.5	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.006	0.05	1.31	8.5	65	0.2	0.05	0.1	7.3	24	38.6	2.7	5	0.03	11	0.29	403	1.5	0.004	25	46	12.2	0.025	1	1.6	10	0.9	0.021	0.1	46	0.1	66	0.5	0.05	0.5	0.1
2060829	461672	7126699	1719.9	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0031	0.2	1.07	15.7	70	0.2	0.14	0.3	8.9	23	23.1	2.57	3	0.03	11	0.32	233	1.4	0.006	23.6	74	12.5	0.025	0.9	1.9	15	1.6	0.021	0.05	36	0.1	70	0.5	0.04	0.8	0.1
2060830	461625	7126718	1709	B	10	Brown	NW	Damp	J. Roddick	WHI18000891	0.0026	0.05	1.17	9.8	75	0.2	0.12	0.2	7.8	22	18.1	2.44	4	0.03	12	0.33	252	1	0.005	22	55	10.3	0.025	0.8	2	10	1.3	0.026	0.05	41	0.1	61	0.5	0.04	0.5	0.1
2060831	461573	7126742	1699.7	C	10	Grey	NW	Damp	J. Roddick	WHI18000891	0.0067	0.7	0.5	12.3	91	0.2	0.04	0.2	6	15	50.4	1.88	2	0.04	6	0.12	136	2.2	0.007	22.5	44	20.2	0.08	0.9	1.6	28	1.8	0.004	0.05	20	0.05	53	0.5	0.1	1	0.1
2060832	460708	7126992	1711.7	Frostboil	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0052	0.5	0.67	11.4	170	0.2	0.21	0.2	5.4	17	21.3	1.97	3	0.06	7	0.2	219	1.2	0.008	19	89	17.4	0.09	0.7	2.3	27	3.7	0.017	0.05	24	0.05	53	1	0.12	0.9	0.1
2060833	460750	7127003	1713.6	C	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0055	0.3	1.14	14	121	0.2	0.14	0.3	8.5	22	26.3	1.99	3	0.04	9	0.27	198	1.2	0.005	28.6	77	18.3	0.025	0.7	2.3	16	3	0.014	0.05	30	0.05	60	0.5	0.05	0.7	0.1
2060834	460808	7127013	1704.9	Frostboil	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0075	1.1	0.45	14.4	108	0.3	0.07	0.5	5.4	11	27	2.27	2	0.03	2	0.04	150	2.5	0.004	29.2	70	24	0.025	0.9	1.8	27	4.8	0.0005	0.05	14	0.05	80	0.5	0.28	1.9	0.1
2060835	460861	7127016	1728	B	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0063	0.9	0.57	16.7	131	0.3	0.03	0.2	2.9	16	18.9	2.71	3	0.07	4	0.05	68	1.8	0.01	16.6	135	30.8	0.14	0.6	0.8	35	0.8	0.0005	0.2	21	0.05	51	0.5	0.13	1.1	0.1
2060836	460920	7127002	1739.5	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0071	0.8	0.7	15.6	128	0.2	0.05	0.3	6.9	16	28.5	2.47	3	0.06	5	0.1	110	1.6	0.013	25	111	42.2	0.14	1	0.6	32	0.7	0.003	0.1	24	0.05	71	0.5	0.1	1.3	0.1
2060837	460968	7126985	1738.8	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0046	0.2	1.31	13.7	75	0.2	0.09	0.2	6.2	26	21.4	2.8	5	0.04	10	0.26	263	1.6	0.005	18.3	83	14.1	0.025	0.9	0.8	13	0.3	0.015	0.1	47	0.2	58	0.5	0.09	0.9	0.1
2060838	461018	7126969	1722.6	B	20	Brown	NW	Damp	J. Roddick	WHI18000892	0.0141	0.1	1.04	10.3	86	0.2	0.1	0.2	5.2	20	17.4	2.24	4	0.03	10	0.26	176	1.1	0.006	17.3	68	11.3	0.025	0.7	1	13	0.4	0.024	0.05	37	0.2	56	0.5	0.07	0.6	0.1
2060839	461073	7126962	1724.6	C	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0049	0.2	0.96	12.5	97	0.2	0.16	0.2	7	23	26.6	2.47	4	0.05	11	0.32	243	1.2	0.01	21.7	96	14.5	0.025	0.9	2.3	20	2.7	0.029	0.1	34	0.1	67	1	0.09	0.9	0.1
2060840	461072	7126963	1716.4	C	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0053	0.2	0.94	13.1	91	0.2	0.15	0.2	6.1	22	26.1	2.59	4	0.05	9	0.27	252	1.4	0.009	19.3	102	15.2	0.025	0.9	1.9	21	1.8	0.024	0.05	36	0.1	57	0.5	0.07	1	0.1
2060841	461128	7126950	1713.3	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0058	0.4	1.26	16.8	72	0.3	0.11	0.2	7	29	44	3.39	5	0.06	12	0.32	251	2.4	0.006	22.1	236	17.3	0.025	1.2	1.5	18	0.6	0.017	0.1	46	0.2	67	0.5	0.05	1.8	0.1
2060842	461177	7126937	1696.6	B	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0191	2.7	0.65	37	190	0.5	0.02	0.1	4	27	75.1	4.73	5	0.1	6	0.1	101	13.1	0.007	17.2	88	35.7	0.1	2.6	2.6	27	4.5	0.005	0.2	55	0.05	71	0.5	0.42	10.3	0.1
2060843	461217	7126912	1698	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0032	0.3	0.81	12	48	0.2	0.09	0.4	11.9	18	24.5	2.34	3	0.02	6	0.1	188	1.5	0.004	42.7	112	15.8	0.025	0.7	0.4	14	0.3	0.003	0.05	27	0.05	93	0.5	0.1	1	0.1
2060844	461270	7126893	1695	C	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0021	0.3	0.73	9.6	49	0.2	0.08	0.4	9.1	15	12.5	1.84	2	0.02	7	0.09	155	0.5	0.002	33.2	53	32.2	0.025	0.5	1.5	12	2.6	0.002	0.05	13	0.05	71	0.5	0.03	0.25	0.1
2060845	461309	7126853	1685.5	B	10	Grey	NW	Damp	J. Roddick	WHI18000892	0.0013	0.2	1.14	10.5	55	0.4	0.11	0.2	10.2	19	25.8	2.35	3	0.04	9	0.19	164	1	0.007	37.2	77	22.9	0.025	0.4	2.3	19	1.6	0.003	0.05	22	0.05	64	0.5	0.03	0.6	0.1
2060846	461361	7126845	1690.4	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0035	0.05	1.55	13	74	0.3	0.08	0.2	7.2	32	15.4	2.99	7	0.04	10	0.36	372	1.8	0.006	18.9	50	17.4	0.025	1	1.9	9	0.7	0.034	0.2	58	0.2	66	1	0.06	0.7	0.1
2060847	461411	7126832	1699.6	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0082	0.1	0.89	11.8	52	0.2	0.07	0.1	5.2	20	19.5	2.16	4	0.03	9	0.21	193	2.2	0.004	15.5	37	13.3	0.025	0.9	1.4	8	0.9	0.02	0.05	37	0.2	49	0.5	0.03	0.6	0.1
2060848	461464	7126817	1692.4	C	20	Grey	NW	Damp	J. Roddick	WHI18000892	0.0013	0.4	0.68	9.5	64	0.2	0.17	0.4	11.3	17	22.2	1.95	2	0.02	6	0.16	111	1.1	0.003	45	54	13.4	0.025	0.3	3.1	16	2.7	0.0005	0.05	14	0.05	91	0.5	0.05	0.25	0.1
2060849	461510	7126774	1690.5	C	20	Grey	NW	Damp	J. Roddick	WHI18000892	0.0024	0.7	0.65	10.1	108	0.3	0.15	0.3	7.5	14	31.7	1.52	2	0.03	4	0.07	96	1.4	0.004	31.8	43	20.1	0.025	0.5	1.9	18	2.8	0.001	0.05	12	0.05	49	0.5	0.09	0.8	0.1
2060850	461542	7126753	1696.2	B	10	Brown	NW	Damp	J. Roddick	WHI18000892	0.0091	0.3	0.43	11.2	81	0.3	0.09	0.05	3.3	17	39.3	1.89	3	0.03	4	0.07	157	1.9	0.006	15.5	64	17.8	0.025	1	0.8	14	0.3	0.004	0.05	22	0.05	50	0.5	0.08	1.4	0.1
2060851	462849	7127377	1371.1	C	60	Grey	E	Saturated	C. Studer	WHI18000892	0.0038	0.7	1.12	16.9	202	0.3	0.13	0.3	20.6	21	25.9	5.59	4	0.04	8	0.2	1776	1.9	0.005	51.5	96	21.2	0.025	0.7	2.1	18	1	0.009	0.1	31	0.05	125	0.5	0.16	1.8	0.1
2060852	462852	7127327	1369.1	C	60	Grey	E	Damp	C. Studer	WHI18000892	0.0031	0.5	1.25	12.5	198	0.3	0.16	0.6	16.7	21	30.3	3.67	3	0.04	14	0.39	677	3.1	0.004	50.8	100	21.1	0.025	0.5	2.2	16	2.4	0.003	0.1	20	0.05	124	0.5	0.12	0.6	0.1
2060853	462850	7127178	1378.8	B	40	Brown	NE	Damp	C. Studer	WHI18000892	0.0029	0.1	1.06	9.5	74	0.2	0.11	0.2	18.2	19	20.8	2.93	3	0.03	12	0.27	147	1.5	0.004	40.8	68	15	0.025	0.6	1.5	11	1.3	0.008	0.05	25	0.1	119	0.5	0.04	0.25	0.1
2060854	460621	7126987	1713.7	Frostboil	10	Grey		Damp	C. Studer	WHI18000892	0.0031	0.4	1.05	12.8	147	0.2	0.21	0.4	7.6	23	25.4	2.44	3	0.04	13	0.35	242	1.1	0.008	25	109	17.7	0.025	0.7	3.2	24	4.2	0.029	0.05	36	0.1	63	0.5	0.07	0.8	0.1
2060855	460473	7127109	1730.5	B	10	Brown	N	Damp	C. Studer	WHI18000892	0.0052	0.2	0.96	16	72	0.3	0.06	0.1	5	25	18.8	2.88	5	0.05	10	0.17	271	1.9	0.005	14.9	95	16.8	0.025	0.9	0.9	12	0.3	0.016	0.1	53	0.1	53	0.5	0.08	0.9	0.1
2060856	460437	7127207	1731.1	B	10	Brown	N	Damp	C. Studer	WHI18000892	0.007	0.9	1.18	28.5	174	0.4	0.03	0.2	5.1	28	68.4	6.41	5	0.07	8	0.22	618	3.6	0.01	30.7	93	25.7	0.1	1.1	3.4	27	1.9	0.007	0.1	55	0.05	86	0.5	0.13	2	0.1
2060857	460429	7127322	1762.6	C	20	Grey	S	Damp	C. Studer	WHI18000892	0.0026	0.6	0.49	18	87	0.2	0.02	0.3	9.3	15	34.7	3.04	1	0.03	3	0.06	393	2.8	0.004	58.7	66	18.2	0.025	1.3	1.5	26	0.9	0.002	0.05	16	0.05	119	0.5	0.09	1.9	0.1
2060858	460385	7127419	1812.6	C	20	Grey	S	Damp	C. Studer	WHI18000892	0.0063	0.2	1.12	13.2	66	0.2	0.15	0.2	6	22	23.7	2.52	3	0.04	13	0.27	271	1.3	0.005	19.6	129	12.3	0.025	0.9	1.6	17	1.1	0.02	0.1	36	0.2	63	0.5	0.05	0.7	0.1
2060859	460379	7127515	1840.8	B	20	Brown	S	Damp	C. Studer	WHI18000892	0.0015	0.05	0.71	8.2	48	0.1	0.16	0.2	4.8	17	15.1	1.52	2	0.03	10	0.23	185	0.7	0.004	17.1	83	8	0.025	0.6	1.5	14	1.9	0.023	0.05	25	0.2	44	0.5	0.04	0.25	0.1
2060860	460375	7127565	1858.6	B	10	Brown	S	Moist	C. Studer	WHI18000892	0.0055	0.3	1.46	18.3	70	0.3	0.15	0.2	6.9	29	32.8	3.37	5	0.06	12	0.32	382	2.1	0.007	18.9	202	17.7	0.025	1	0.7	16	0.4	0.012	0.2	48	0.1	64	1	0.09	1.8	0.1
2060861	460337	7127686	1884.7	C	10	Grey		Moist	C. Studer	WHI18000892	0.0049	0.5	1.06	16.9	58	0.2	0.03	0.2	2.5	20	24.7	2.35	3	0.03	6	0.1	136	3.5	0.003	16.4	136	17.8	0.025	0.7	7.1	10	4.7	0.015	0.05	35	0.05	32	0.5	0.16	1.2	0.1
2060862	460309	7127787	1920.2	C	20	Grey	S	Damp	C. Studer	WHI18000892	0.0055	0.1	0.93	13.1	76	0.2	0.15	0.4	5.9	21	20.7	2.29	3	0.04	10	0.25	226	1.2	0.004	19.7	96	11.1	0.025	0.7	2.6	15	3.9	0.027	0.05	32	0.1	60	0.5	0.04	0.6	0.1
2060863	460333	7127866	1943.6	C	20	Grey		Damp	C. Studer	WHI18000892	0.0178	0.5	0.88	35.8	108	0.3	0.09	0.2	3.6	25	29.9	3.18	4	0.05	9	0.16	152	12.4	0.005	11.7	125	26.8	0.025	1.2	3.1	18	4.2	0.01	0.05	40	0.05	39	0.5	0.16	2.4	0.1
2060864	460415	7127917	1935.1	C	20	Grey		Damp	C. Studer	WHI18000892	0.0034	0.9	0.69	17.1	174	0.3	0.04	0.1	1.9	19	20.1	2.63	3	0.06	7	0.12	94	2.4	0.006	10.2	87	24.6	0.1	0.7	2.3	40	1.7	0.003	0.1	24	0.05	36	0.5	0.14	2.1	0.1
2060865	460506	7127964	1924.1	C	10	Grey	NE	Damp	C. Studer	WHI18000892	0.0023	0.8	1.03	21	150	0.4	0.07	0.1	4.1	25	37.6	3.42	4	0.09	10	0.2	168	2.1	0.012	15.4	145	31.4	0.15	1.4	4.4	31	5.3	0.015	0.1	43	0.05	50	0.5	0.19	3.1	0.1
2060866	460612	7127966	1886.8	C	10	Grey		Damp	C. Studer	WHI18000892	0.0038	0.3	1.11	25.8	90	0.2	0.13	0.2	6.3	27	32.2	2.97	4	0.05	12	0.32	314	1.8	0.006	19.4	160	16.7	0.025	1.3	3.4	27	2.7	0.029	0.1	45	0.2	59	0.5	0.06	1.4	0.1
2060867	460716	7127980	1874.2	C	10	Grey		Damp	C. Studer	WHI18000892	0.0043	0.6	0.99	21.6	72	0.3	0.08	0.2	4.9	24	31.5	2.98	3	0.05	9	0.21	194	1.8	0.005	16.4	156	19.9	0.025	1	4	15	3.2	0.021	0.1	34	0.1	52	0.5	0.11	1.5	0.1
2060868	460779	7128000	1856	C	20	Grey		Damp	C. Studer	WHI18000892	0.00025	1.4	0.88	16.3	164	0.6	0.05	0.7	2.6	23	26.1	3.24	3	0.08	4	0.07	104	1.5	0.006	14.5	138	44.8	0.27	0.5	4.3	89	8.5	0.0005	0.2	20	0.05	46	1	0.22	1.4	0.1
2060869	460912	7128104	1868.3	B	10	Brown		Damp	C. Studer	WHI18000892	0.0056	0.05	1.22	10.8	70	0.2	0.11	0.2	7.5	24	16.1	2.46	5	0.04	11	0.32	330	1.2	0.005	18.7	75	11.3	0.025	0.9	1.4	13	0.7	0.025	0.1	43	0.2	64	2	0.08	0.5	0.1
2060870	461022	7128112	1842	C	20	Grey		Damp	C. Studer	WHI18000892	0.003	0.4	0.44	14.7	67	0.3	0.04	0.05	1.7	17	20	1.3	2	0.02	6	0.08	56	1.5	0.003	5.7	56	19.9	0.025	0.7	2.2	37	2	0.008	0.05	24	0.05	21	1	0.77	1.4	0.1
2060871	461131	7128117	1823.2	B	10	Brown		Damp	C. Studer	WHI18000892	0.0058	0.3	1.23	25.8	91	0.4	0.1	0.3	7.4	34	52.9	4.14	5	0.07	11	0.28	626	2.6	0.007	21.3	236	26.6	0.08	1.2	3	20	0.8	0.021	0.2	53	0.2	67	3	0.16	2.1	0.1
2060872	461235	7128143	1810.6	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.004	1.2	0.47	20.7	91	0.4	0.02	0.05	1.2	20	30.1	2.01	3	0.05	5	0.04	36	3	0.005	4.5	67	38.1	0.025	1.1	2.4	20	2.1	0.001	0.1	23	0.05	23	1	0.19	3.9	0.1
2060873	461335	7128144	1801.5	C	10	Grey	S	Damp	C. Studer	WHI18000892	0.0094	0.4	0.91	16.2	59	0.3	0.07	0.2	4.2	22	28.6	2.3	3	0.04	10	0.19	221	1.6	0.006	13.8	100	19.1	0.025	0.9	1	13	0.4	0.009	0.05	34	0.2	44	2	0.08	1.2	0.1
2060874	461385	7128148	1796.6	B	10	Brown		Damp	C. Studer	WHI18000892	0.0051	0.5	1.03	19.4	80	0.3	0.08	0.2	5.9	24	30.9	2.48	4	0.04	11	0.23	293	2.3	0.005	16.1	88	21.3	0.025	1	2	14	1.4	0.013	0.1	37	0.2	49	1	0.13	1.7	0.1
2060875	461505	7128228	1763.9	C	10	Grey	NE	Damp	C. Studer	WHI18000892	0.0091	0.9	0.69	30.2	214	0.5	0.05	0.1	2.6	25	35.6	3.36	6	0.09	7	0.11	106	3.6	0.007	8.8	81	46.1	0.14	1.7	2.7	22	3.2	0.005	0.1	38	0.05	32	1	0.53	4.1	0.1
2060876	461516	7128275	1737	C	20	Grey	NE	Damp	C. Studer	WHI18000892	0.0049	0.5	0.77	20	114	0.4	0.05	0.1	2.4	22	29.6	2.42	4	0.05	7	0.12	120	2.9	0.005	10.6	95	29.2	0.025	1	2	22	2.1	0.005	0.1	30	0.05	32	0.5	0.12	1.9	0.1
2060877	461517	7128373	1691.2	Frostboil	10	Grey		Damp	C. Studer	WHI18000892	0.0038	0.6	0.83	25	100	0.3	0.05	0.1	2.4	20	24.3	2.71	4	0.04	9	0.12	109	2.9	0.004	11.9	109	27.2	0.025	0.9	2.8	19	2.4	0.005	0.05	28	0.05	39	0.5	0.18	2.2	0.1
2060878	462722	7129732	1833.9	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.0055	0.4	1.11	11.6	119	0.2	0.14	0.2	6.2	21	24	2.54	3	0.05	10	0.31	218	2.6	0.011	22.8	58	14.3	0.025	0.8	1.9	18	2.1	0.018	0.05	34	0.2	60	1	0.1	0.8	0.1
2060879	462758	7129697	1831.5	B	20	Brown		Damp	C. Studer	WHI18000892	0.003	0.2	1.41	12.7	82	0.3	0.07	0.3	8.3	28	23.4	2.91	5	0.05	8	0.3	375	3.2	0.006	17.6	61	16.9	0.025	0.9	1.4	10	0.7	0.024	0.1	47	0.2	68	1	0.13	1	0.1
2060880	462798	7129656	1826.7	Frostboil	10	Grey	E	Damp	C. Studer	WHI18000892	0.00025	0.9	0.39	7.4	110	0.3	0.08	0.2	3.8	10	12.3	1.66	2	0.06	2	0.06	49	0.8	0.016	17.6	51	22.1	0.05	0.3	1.7	38	3.5	0.0005	0.1	10	0.05	50	0.5	0.23	0.25	0.1
2060881	462798	7129655	1827.2	Frostboil	10	Grey	E	Damp	C. Studer	WHI18000892	0.00025	0.9	0.34	7	108	0.3	0.07	0.2	3.9	9	11.9	1.67	2	0.06	1	0.06	42	0.8	0.015	17.3	49	21.8	0.06	0.3	1.6	36	3.1	0.0005	0.1	9	0.05	45	0.5	0.2	0.7	0.1
2060882	462823	7129610	1818.5	C	20	Grey		Damp	C. Studer	WHI18000892	0.0053	0.3	0.89	10	64	0.2	0.06	0.3	6.9	22	37.5	2.61	3	0.03	7	0.24	201	3.8	0.004	23.2	65	15.7	0.025	0.8	1.4	13	0.8	0.011	0.1	29	0.05	69	0.5	0.07	1.3	0.1
2060883	462838	7129559	1813.6	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.0027	0.3	1.24	13.4	94	0.2	0.17	0.5	9.5	21	18.5	2.36	3	0.03	10	0.29	283	1.1	0.006	31.4	81	16.8	0.025	0.6	2.4	15	2.8	0.014	0.05	26	0.05	67	0.5	0.05	0.5	0.1
2060884	462865	7129516	1802.6	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.0029	1.6	0.86	22.2	69	0.4	0.09	0.7	11.6	25	39.1	3.06	3	0.05	1	0.28	154	2.6	0.005	56.3	77	25.9	0.09	1.4	2.7	30	5.8	0.0005	0.2	23	0.05	144	0.5	0.29	2.6	0.1
2060885	462910	7129492	1805.8	C	10	Grey		Damp	C. Studer	WHI18000892	0.0025	1	0.96	15.3	58	0.3	0.05	0.3	5.4	23	31.2	2.98	3	0.04	3	0.26	97	1.8	0.005	30.8	91	19	0.05	0.8	1.6	13	1.3	0.003	0.1	28	0.05	102	0.5	0.1	2.3	0.1
2060886	462939	7129455	1800.7	C	10	Grey	NW	Damp	C. Studer	WHI18000892	0.0012	1	0.87	20.6	117	0.4	0.2	0.5	14.5	19	34.4	3.09	3	0.05	8	0.19	307	1.5	0.007	39.4	129	28.5	0.025	0.8	2.4	33	1.4	0.004	0.1	27	0.05	106	0.5	0.11	1.3	0.1
2060887	462980	7129418	1783.8	C	10	Grey	NE	Damp	C. Studer	WHI18000892	0.0049	3.8	0.32	41.1	176	0.6	0.06	0.1	1.3	23	29.1	4.13	5	0.44	9	0.02	24	7.5	0.084	4.7	91	85.2	1.3	1.9	2.7	116	5.3	0.001	0.4	37	0.05	17	0.5	0.52	4.2	0.1
2060888	463013	7129385	1787.3	C	20	Grey		Damp	C. Studer	WHI18000892	0.0039	0.7	1.48	26.5	174	0.5	0.03	0.4	5	25	49.9	3.49	5	0.04	11	0.15	122	3.8	0.007	29.1	130	36	0.09	0.8	3.7	44	3.4	0.002	0.1	36	0.05	67	0.5	0.09	2.2	0.1
2060889	463048	7129348	1777.8	B	20	Brown	E	Damp	C. Studer	WHI18000892	0.0007	0.1	1.22	13.8	54	0.2	0.16	0.3	7	26	34.6	2.93	4	0.03	11	0.31	243	1.5	0.004	19.1	127	13.2	0.025	0.9	2.1	13	1.2	0.024	0.1	40	0.1	56	1	0.08	2.1	0.1
2060890	463100	7129331	1764.8	B	10	Brown	E	Damp	C. Studer	WHI18000892	0.0029	0.2	1.28	15.3	75	0.3	0.06	0.2	7	28	18.3	3.05	5	0.05	12	0.28	361	1.5	0.005	16.9	80	18.3	0.025	1	1.2	12	0.5	0.019	0.2	45	0.2	54	0.5	0.09	1.5	0.1
2060891	463146	7129329	1757.4	B	10	Brown	E	Damp	C. Studer	WHI18000892	0.0087	0.1	1.04	13.8	79	0.2	0.11	0.2	6.8	23	15.8	2.53	4	0.04	13	0.28	256	1.2	0.005	15.7	90	14.4	0.025	0.9	1.3	15	0.7	0.019	0.1	35	0.1	49	1	0.07	0.7	0.1
2060892	463192	7129309	1745.8	B	20	Brown	S	Damp	C. Studer	WHI18000892	0.0017	0.2	1.56	13.7	71	0.3	0.06	0.2	5.2	28	18.3	2.89	7	0.04	11	0.25	190	1.8	0.007	14.2	104	16.1	0.025	0.9	0.6	10	0.1	0.014	0.2	56	0.1	54	0.5	0.09	0.8	0.1
2060893	463244	7129293	1741.3	Frostboil	10	Grey		Damp	C. Studer	WHI18000892	0.0007	0.8	0.66	22.7	83	0.4	0.02	0.05	2.2	38	53.3	3.32	7	0.02	10	0.09	45	2.5	0.003	15.2	62	29.9	0.025	0.6	2.5	27	3.3	0.002	0.2	28	0.05	43	0.5	0.12	2	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060894	463296	7129285	1735.4	B	20	Brown	E	Damp	C. Studer	WHI18000892	0.00025	0.05	0.65	11.5	57	0.3	0.05	0.1	2.6	16	11.7	1.24	6	0.03	10	0.06	61	1.8	0.005	8.1	61	10.8	0.025	0.7	0.3	7	0.1	0.011	0.2	50	0.2	34	0.5	0.09	0.25	0.1
2060895	463340	7129266	1724.2	B	10	Brown	E	Damp	C. Studer	WHI18000892	0.0008	0.3	1.01	20.2	62	0.2	0.09	0.2	7.2	21	22	2.48	4	0.03	11	0.23	183	1	0.004	20.8	97	14.5	0.025	0.7	0.6	26	0.3	0.007	0.1	34	0.2	59	0.5	0.07	0.9	0.1
2060896	463388	7129258	1719.9	C	20	Grey		Moist	C. Studer	WHI18000892	0.0082	0.9	0.47	32.5	267	0.4	0.05	0.5	8.3	18	70.2	4.3	3	0.09	8	0.06	223	13.2	0.009	31.2	82	31.1	0.14	1.2	2.6	42	4.2	0.004	0.2	25	0.05	82	0.5	0.18	2.2	0.1
2060897	463438	7129255	1703.9	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.0053	0.5	0.46	19.6	287	0.3	0.05	0.05	2.3	15	11.6	2.33	4	0.09	9	0.1	59	4.2	0.013	7.2	44	27.3	0.13	0.7	1.9	39	1.6	0.005	0.1	27	0.05	23	0.5	0.15	0.9	0.1
2060898	463484	7129248	1703.2	C	20	Grey	S	Damp	C. Studer	WHI18000892	0.0025	0.4	1.29	22.8	76	0.3	0.12	0.3	10.3	27	30.2	3.4	5	0.04	13	0.29	283	1.6	0.004	32.2	120	25.9	0.025	0.8	2.9	25	2.7	0.02	0.1	38	0.1	81	0.5	0.08	1.5	0.1
2060899	463534	7129252	1712.1	C	20	Grey		Damp	C. Studer	WHI18000892	0.0039	0.2	1.07	14.4	126	0.3	0.15	0.4	13.7	20	37.1	3.49	3	0.03	12	0.24	256	1.3	0.004	36.4	102	17.9	0.025	0.7	3.1	28	3.1	0.016	0.05	37	0.05	101	0.5	0.06	1.1	0.1
2060900	463581	7129225	1729	B	20	Brown		Damp	C. Studer	WHI18000892	0.0022	0.05	1.46	11.6	71	0.2	0.12	0.2	7.7	24	16.5	2.46	5	0.03	12	0.31	270	1.2	0.005	20.5	63	11.4	0.025	0.7	1.8	11	1.2	0.031	0.05	44	0.2	64	0.5	0.06	0.6	0.1
2060901	463629	7129212	1717.2	B	20	Brown		Damp	C. Studer	WHI18000892	0.0042	0.2	0.93	12.7	66	0.2	0.17	0.3	6.5	21	26.2	2.26	3	0.03	13	0.26	195	1.2	0.005	21.2	87	13.4	0.025	0.7	2.3	17	2.3	0.026	0.05	34	0.2	65	0.5	0.07	0.7	0.1
2060902	463671	7129181	1704.5	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.0022	0.05	1	9.4	103	0.2	0.15	0.2	8.4	20	19	2.29	4	0.03	14	0.27	188	1	0.004	23.3	65	13.8	0.025	0.6	2.9	16	2.3	0.021	0.05	33	0.1	65	0.5	0.05	0.25	0.1
2060903	463714	7129161	1713.3	B	10	Brown	E	Damp	C. Studer	WHI18000892	0.0024	0.05	1.42	12.5	56	0.2	0.06	0.3	7.2	27	14.2	2.95	5	0.03	11	0.32	281	1.2	0.004	17.1	54	13.7	0.025	0.7	1.6	8	0.9	0.029	0.1	47	0.2	58	0.5	0.05	0.6	0.1
2060904	463751	7129132	1695.4	Frostboil	10	Grey	E	Damp	C. Studer	WHI18000892	0.0013	0.1	0.78	8.3	69	0.3	0.2	0.2	12.2	16	17.1	2.87	3	0.02	10	0.19	188	0.9	0.002	34.3	97	16.9	0.025	0.5	2.9	18	3.8	0.01	0.05	26	0.05	73	0.5	0.05	0.25	0.1
2060905	463801	7129114	1692.4	B	20	Brown	E	Damp	C. Studer	WHI18000892	0.0031	0.05	0.97	12.2	55	0.2	0.04	0.2	8.5	21	14.6	3.08	5	0.02	9	0.26	382	1.4	0.004	20.9	43	15.3	0.025	0.9	1.4	7	1.1	0.026	0.05	41	0.2	62	2	0.06	0.25	0.1
2060906	463847	7129091	1677.5	Frostboil	10	Grey	E	Moist	C. Studer	WHI18000892	0.0034	0.5	1	16.2	114	0.2	0.1	0.3	9.6	18	30.9	2.76	3	0.03	11	0.29	251	1.5	0.004	32.2	78	15	0.025	0.7	2.6	18	3.3	0.022	0.05	32	0.1	85	1	0.11	1	0.1
2060907	463893	7129067	1672.7	Frostboil	10	Grey	E	Damp	C. Studer	WHI18000892	0.0044	0.5	0.94	18.9	109	0.3	0.11	0.3	8.6	18	31.3	2.95	3	0.03	8	0.24	163	1.5	0.003	34.3	79	17.9	0.025	0.7	1.9	27	2	0.007	0.05	30	0.05	83	0.5	0.09	0.7	0.1
2060908	463937	7129042	1666.7	Frostboil	10	Grey	E	Damp	C. Studer	WHI18000892	0.0029	0.7	1	19.7	126	0.3	0.09	0.4	9.8	16	42.1	2.84	2	0.02	7	0.14	138	2.3	0.004	54.2	83	18.1	0.025	0.7	2.2	25	1.7	0.005	0.05	26	0.05	110	0.5	0.13	1.8	0.1
2060909	463984	7129042	1659.1	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.0028	0.4	1.09	16.7	86	0.3	0.06	0.2	6.3	19	28.3	2.57	4	0.03	9	0.22	167	1.8	0.004	24.7	70	17.9	0.025	0.7	1.2	18	0.6	0.01	0.05	37	0.1	62	0.5	0.06	0.8	0.1
2060910	464033	7129037	1638.6	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.0025	0.6	1.09	19.3	97	0.3	0.04	0.2	6.2	19	28.6	2.89	4	0.03	8	0.19	183	1.7	0.004	27.6	73	21.2	0.025	0.7	1	20	0.4	0.009	0.1	40	0.05	70	0.5	0.1	1.4	0.1
2060911	464066	7129037	1622.7	C	20	Grey	E	Damp	C. Studer	WHI18000892	0.0069	0.7	0.89	21.3	123	0.4	0.05	0.2	6.5	17	33.1	2.98	3	0.03	8	0.13	139	1.9	0.004	30.2	85	26.5	0.025	0.7	1.5	26	0.9	0.003	0.05	29	0.05	79	0.5	0.1	1.7	0.1
2060912	464135	7129044	1614.3	B	20	Brown	E	Damp	C. Studer	WHI18000892	0.0014	0.3	0.8	9.9	106	0.2	0.14	0.4	6.4	20	21.5	2.75	5	0.05	7	0.14	483	1.5	0.007	19.3	164	12.9	0.1	0.7	0.5	13	0.05	0.011	0.1	49	0.05	82	0.5	0.09	1	0.1
2060913	464210	7129024	1578.2	Frostboil	20	Grey	E	Moist	C. Studer	WHI18000892	0.0008	0.3	1	7.8	115	0.3	0.04	0.2	12.4	16	25	2.93	3	0.02	7	0.12	137	1.2	0.002	40.9	51	23.6	0.025	0.5	3.6	9	3	0.0005	0.05	21	0.05	95	0.5	0.09	0.25	0.1
2060914	464262	7129019	1571.9	B	10	Brown	E	Damp	C. Studer	WHI18000892	0.0032	0.05	1.38	10.2	84	0.2	0.12	0.3	9.3	24	25.6	2.33	3	0.04	12	0.41	352	1	0.006	28.2	53	9.5	0.025	0.7	2.1	11	1.4	0.035	0.05	41	0.2	78	1	0.04	0.25	0.1
2060915	464315	7129009	1569.1	B	20	Brown	W	Damp	C. Studer	WHI18000892	0.0022	0.05	0.79	7.6	44	0.1	0.06	0.05	3.6	18	9.9	1.99	5	0.02	10	0.18	126	1	0.004	10.5	35	10	0.025	0.7	1.2	7	0.6	0.04	0.1	54	0.2	33	0.5	0.05	0.25	0.1
2060916	464353	7129015	1570.1	C	10	Grey	W	Damp	C. Studer	WHI18000892	0.0029	0.05	1.1	8	68	0.1	0.16	0.2	7.7	20	19.6	1.99	3	0.03	14	0.32	283	0.9	0.005	20.5	66	8.8	0.025	0.6	2.2	11	2	0.034	0.05	37	0.2	57	1	0.03	0.25	0.1
2060917	464410	7129043	1580.4	B	20	Brown	W	Damp	C. Studer	WHI18000892	0.0031	0.05	1.14	11.1	62	0.2	0.06	0.1	5.5	25	15.3	2.58	6	0.04	10	0.22	266	1.8	0.005	15.3	57	16.4	0.025	0.8	1.5	7	0.9	0.04	0.1	61	0.2	53	0.5	0.08	0.25	0.1
2060918	464459	7129046	1585.2	C	30	Brown	W	Damp	C. Studer	WHI18000892	0.002	0.05	1.44	9.8	68	0.1	0.12	0.2	8.4	22	19.7	2.4	4	0.03	12	0.36	288	0.9	0.005	21.9	56	9.3	0.025	0.7	1.7	9	1.3	0.031	0.1	40	0.2	67	1	0.04	0.25	0.1
2060919	464510	7129037	1631.2	B	20	Brown		Damp	C. Studer	WHI18000892	0.0028	0.05	2.01	11.6	86	0.2	0.08	0.2	8.1	31	14	2.8	5	0.04	11	0.43	394	1.4	0.01	18.6	55	16.7	0.025	0.8	2.5	8	1.9	0.028	0.1	52	0.2	62	0.5	0.06	0.5	0.1
2060920	464511	7129037	1589.1	B	20	Brown		Damp	C. Studer	WHI18000892	0.0024	0.05	2.05	11.4	88	0.2	0.08	0.3	8.5	30	14.2	2.94	5	0.04	11	0.44	410	1.4	0.006	18.4	54	15	0.025	0.8	2.5	8	1.9	0.028	0.1	52	0.2	61	0.5	0.05	0.5	0.1
2060921	464558	7129034	1581.9	B	20	Brown	E	Moist	C. Studer	WHI18000892	0.0091	0.05	0.95	12.1	50	0.2	0.08	0.2	6.4	25	20	3.21	5	0.03	12	0.23	215	1.8	0.004	22.3	70	19.9	0.025	0.9	2.1	10	1.5	0.029	0.1	52	0.2	117	0.5	0.07	0.25	0.1
2060922	464609	7129045	1578.6	C	20	Grey		Damp	C. Studer	WHI18000892	0.0006	0.9	0.37	11.5	57	0.1	0.32	0.8	6.4	10	36.9	1.7	1	0.02	5	0.12	194	2.2	0.003	28.9	95	31.1	0.025	0.7	2.4	18	2.2	0.005	0.05	15	0.05	142	0.5	0.24	0.25	0.1
2060923	464658	7129052	1591.3	C	10	Grey	W	Damp	C. Studer	WHI18000892	0.0019	1.4	0.29	28.6	64	0.3	0.15	0.4	10.8	9	28.5	3.74	0.5	0.02	5	0.05	177	1.3	0.003	48	96	29.8	0.025	1.1	2.4	23	1.7	0.002	0.05	15	0.05	105	0.5	0.36	0.6	0.1
2060924	464708	7129058	1616.2	C	10	Grey	W	Damp	C. Studer	WHI18000892	0.001	0.7	0.68	16.6	95	0.3	0.19	0.5	11.3	15	28.3	3	2	0.03	5	0.1	128	1.5	0.004	44.6	86	22.6	0.025	0.9	3	19	2.6	0.0005	0.05	20	0.05	99	0.5	0.16	0.25	0.1
2060925	464755	7129073	1629.3	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0018	0.4	0.76	15	76	0.2	0.25	0.5	10.3	19	37.8	2.56	2	0.02	9	0.28	253	1.8	0.005	35.5	98	14.3	0.025	0.7	3.3	20	4	0.013	0.05	30	0.05	90	0.5	0.12	0.25	0.1
2060926	464791	7129109	1641.8	C	10	Grey	W	Damp	C. Studer	WHI18000892	0.005	0.2	0.65	11.4	104	0.1	0.22	0.4	7.3	16	29.6	2.1	2	0.03	11	0.25	229	1.1	0.005	25	90	9.1	0.025	0.7	2.5	16	3.1	0.024	0.05	28	0.1	68	0.5	0.04	0.25	0.1
2060927	464831	7129140	1670.5	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0062	0.2	0.87	19.3	94	0.2	0.22	0.6	10.1	22	33.1	2.66	2	0.04	13	0.28	342	1.8	0.006	35.8	91	15.4	0.025	0.9	3	25	2.8	0.018	0.05	37	0.2	86	0.5	0.16	0.25	0.1
2060928	464878	7129157	1688.2	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.00025	0.2	0.33	14.1	42	0.1	0.04	0.1	3.4	18	31.8	1.53	2	0.02	5	0.07	77	2.4	0.004	19.6	57	23.2	0.025	0.8	0.6	22	0.05	0.007	0.05	24	0.05	69	0.5	0.05	0.25	0.1
2060929	464926	7129177	1716.2	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0026	1.8	1.34	11.1	123	0.2	0.54	0.8	11.8	32	57.6	2.9	3	0.03	22	0.49	439	1.8	0.007	33.4	92	13.6	0.025	0.8	3.6	24	1.6	0.018	0.05	53	0.2	102	0.5	0.18	0.9	0.1
2060930	464962	7129141	1716.8	C	20	Grey		Damp	C. Studer	WHI18000892	0.0014	0.8	0.41	22.9	96	0.2	0.28	0.3	8.1	15	21.6	1.6	1	0.02	3	0.04	94	2.6	0.003	32.3	57	18.1	0.025	0.8	2.5	20	3.1	0.0005	0.05	18	0.05	69	0.5	0.31	0.25	0.1
2060931	464988	7129101	1714.9	C	10	Grey		Damp	C. Studer	WHI18000892	0.00025	1.5	0.24	30.2	64	0.3	0.19	0.5	14	13	27.8	3.3	0.5	0.03	3	0.03	152	0.8	0.003	50	83	24.2	0.025	0.7	4	27	2.6	0.0005	0.05	22	0.05	115	0.5	0.2	0.25	0.1
2060932	465012	7129053	1701.4	C	20	Grey	SE	Damp	C. Studer	WHI18000892	0.0012	0.4	0.9	16.2	71	0.4	0.14	0.4	10.4	19	21	2.44	3	0.03	11	0.26	251	1.1	0.005	32.4	75	23.7	0.025	0.8	1.2	15	0.7	0.01	0.1	31	0.1	69	0.5	0.08	0.25	0.1
2060933	465025	7129004	1674.8	C	20	Grey	S	Damp	C. Studer	WHI18000892	0.0015	0.7	0.43	33.4	192	0.3	0.22	0.4	15.7	16	27.4	2.54	1	0.02	9	0.11	327	1.8	0.004	53.5	96	20.7	0.025	0.9	3.7	26	3.7	0.009	0.05	25	0.05	86	0.5	0.19	0.5	0.1
2060934	465028	7128954	1671.6	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.00025	0.6	0.85	27	201	0.4	0.01	0.05	3.9	20	43.2	3.7	4	0.04	11	0.15	55	3.8	0.006	19.7	92	33.8	0.025	0.6	2.2	23	2.4	0.0005	0.05	26	0.05	51	0.5	0.28	1.7	0.1
2060935	465032	7128903	1671.9	C	20	Brown	N	Damp	C. Studer	WHI18000892	0.0007	0.3	0.23	13.5	57	0.2	0.08	0.2	11.3	9	12.4	1.62	0.5	0.02	3	0.03	181	0.5	0.002	30	45	14.8	0.025	0.3	1.8	9	2.7	0.002	0.05	10	0.05	81	0.5	0.05	0.25	0.1
2060936	465071	7128870	1666.7	C	10	Grey		Damp	C. Studer	WHI18000892	0.001	0.3	0.2	14	57	0.1	0.06	0.2	6.3	8	12.1	1.1	0.5	0.01	2	0.01	63	0.5	0.002	19.4	29	12	0.025	0.2	1.7	6	2.1	0.0005	0.05	10	0.05	37	0.5	0.06	0.5	0.1
2060937	465115	7128845	1673.2	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.0031	0.3	0.82	13.5	101	0.2	0.14	0.1	8.1	19	32.8	2.58	2	0.03	9	0.26	192	1.9	0.006	33.1	61	14.3	0.025	0.8	2.6	18	3.8	0.019	0.05	31	0.05	74	0.5	0.11	0.6	0.1
2060938	465155	7128816	1670.9	C	20	Grey	SE	Damp	C. Studer	WHI18000892	0.0013	0.2	0.87	13.8	75	0.2	0.12	0.3	8.3	21	21.9	2.53	3	0.03	8	0.19	179	1.3	0.004	24.8	70	18	0.025	0.7	1.1	13	0.5	0.01	0.05	34	0.1	55	0.5	0.04	0.25	0.1
2060939	465193	7128784	1668.9	C	20	Grey	SE	Damp	C. Studer	WHI18000892	0.0058	0.1	1.1	13.7	79	0.2	0.17	0.2	9	20	19.8	2.35	3	0.03	12	0.33	236	0.9	0.005	26.4	72	12.7	0.025	0.6	2.4	13	2.2	0.021	0.05	34	0.1	58	6	0.03	0.25	0.1
2060940	465230	7128752	1660.3	C	20	Grey	SE	Damp	C. Studer	WHI18000892	0.004	0.2	1.17	21.2	100	0.2	0.19	0.2	13.6	25	22.9	2.82	4	0.04	16	0.37	383	1	0.007	36.3	85	22.5	0.025	0.8	2.6	16	3.4	0.029	0.05	44	0.2	86	1	0.06	0.6	0.1
2060941	465269	7128723	1653.9	C	20	Grey	SE	Damp	C. Studer	WHI18000892	0.0015	0.2	1.27	23.5	70	0.3	0.08	0.5	11.6	28	25.8	3.08	5	0.04	10	0.2	302	2.3	0.005	32.4	95	28.1	0.025	0.9	1.1	10	0.3	0.015	0.2	56	0.1	88	2	0.08	1	0.1
2060942	465319	7128706	1644.4	Frostboil	10	Grey	SE	Damp	C. Studer	WHI18000892	0.0047	0.7	1.01	14.5	106	0.2	0.1	0.3	9	23	34.3	2.65	3	0.03	7	0.21	177	2	0.004	38.6	65	16.6	0.025	0.8	2.5	14	4.3	0.007	0.05	29	0.05	99	0.5	0.1	1.8	0.1
2060943	465367	7128691	1637.7	Frostboil	10	Grey		Moist	C. Studer	WHI18000892	0.0046	0.6	0.94	9.2	104	0.2	0.08	0.2	7.2	18	44.6	2.35	3	0.03	5	0.18	170	2.4	0.004	39	47	16.4	0.025	0.6	2.2	13	3.2	0.003	0.05	23	0.05	81	0.5	0.15	0.9	0.1
2060944	465413	7128669	1632.5	B	20	Grey	W	Damp	C. Studer	WHI18000892	0.0017	0.3	1.02	10.9	75	0.2	0.19	0.3	11.1	24	26.3	2.24	3	0.03	9	0.2	208	1.4	0.004	32.3	88	14.8	0.025	0.6	3	15	5.2	0.017	0.05	29	0.05	71	0.5	0.05	0.25	0.1
2060945	465441	7128648	1633.3	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0026	0.1	1.4	13	98	0.2	0.14	0.3	11.1	26	20.3	2.76	5	0.04	14	0.37	312	1.2	0.007	27	78	16.2	0.025	0.8	2.2	15	2	0.026	0.05	44	0.2	77	1	0.04	0.25	0.1
2060946	465507	7128637	1650.7	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0011	0.2	1.36	12.7	79	0.2	0.11	0.3	9.7	27	16.5	2.89	5	0.05	13	0.34	311	1.6	0.006	23.6	90	19.1	0.025	0.8	1.8	12	0.9	0.02	0.1	48	0.1	71	1	0.06	0.7	0.1
2060947	465552	7128618	1658.1	C	20	Grey	W	Damp	C. Studer	WHI18000892	0.0017	1	1.52	15	143	0.3	0.15	0.4	14.5	23	50.9	2.91	4	0.04	8	0.19	774	1.9	0.006	63.9	137	20.4	0.025	0.6	1.7	19	0.7	0.003	0.1	32	0.05	105	0.5	0.11	1.2	0.1
2060948	465620	7128584	1682	B	20	Brown	W	Damp	C. Studer	WHI18000892	0.0041	0.2	1.6	17.5	96	0.3	0.1	0.3	10.2	30	18.7	3.57	6	0.06	13	0.4	504	1.6	0.006	21.8	68	16.8	0.025	0.9	1.9	15	0.8	0.024	0.1	52	0.1	78	2	0.06	0.7	0.1
2060949	465670	7128573	1692.7	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000892	0.007	0.4	0.93	16.1	151	0.3	0.07	0.1	3.6	19	19.1	2.03	4	0.05	12	0.19	136	4.9	0.006	12.6	58	28.2	0.025	0.8	1.7	26	1.2	0.011	0.05	31	0.05	39	0.5	0.13	1	0.1
2060950	465717	7128557	1687.9	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000892	0.0018	0.3	1.35	16.6	158	0.2	0.17	0.3	7.2	27	18.5	2.71	5	0.04	13	0.34	233	1.3	0.005	20.5	90	17.3	0.025	0.7	3	29	3	0.026	0.05	39	0.1	70	0.5	0.09	0.6	0.1
2060951	463948	7125891	1501.6	C	30	Grey	NE	Moist	S. Orban	WHI18000892	0.00025	0.1	1.69	16.9	234	0.3	0.34	0.4	65.8	23	43.5	4.76	3	0.07	29	0.68	3872	2.4	0.015	107.3	213	38.8	0.025	0.9	2.6	58	5.4	0.002	0.1	17	0.05	124	0.5	0.06	0.6	0.1
2060952	463948	7125943	1489.6	C	20	Brown	NE	Moist	S. Orban	WHI18000892	0.0008	0.05	2.16	14.6	153	0.3	0.11	0.7	37.1	30	36.4	4.53	4	0.05	21	0.67	3256	1.7	0.004	70.9	107	28.6	0.025	1	2.4	13	5	0.006	0.2	28	0.05	107	0.5	0.08	0.6	0.1
2060953	463961	7125991	1492.4	C	20	Brown	N	Moist	S. Orban	WHI18000892	0.0026	0.05	1.12	8.2	102	0.2	0.12	0.1	7.1	19	12	2.33	6	0.05	21	0.22	518	1.4	0.005	15.9	63	15.9	0.025	0.6	1.1	12	1.1	0.023	0.1	48	0.1	41	0.5	0.04	0.25	0.1
2060954	463969	7126041	1468.8	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0021	0.2	1.1	23.6	206	0.4	0.04	0.8	21	15	67.6	4.58	2	0.09	26	0.2	815	9.2	0.023	51.5	138	38	0.24	1.4	1.7	61	3.8	0.001	0.5	14	0.05	110	0.5	0.26	1.5	0.1
2060955	463971	7126091	1456.9	C	20	Brown	N	Moist	S. Orban	WHI18000892	0.0011	0.05	1.36	11.3	67	0.2	0.1	0.1	7.4	28	21.2	3.04	5	0.04	15	0.31	251	2.2	0.005	21.4	65	12.1	0.025	0.8	1.3	11	0.5	0.017	0.1	42	0.1	63	1	0.05	0.8	0.1
2060956	463974	7126142	1453.7	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0019	0.05	1.3	7.6	259	0.4	0.05	0.1	11.8	22	78.3	2.71	4	0.04	23	0.32	422	1.8	0.003	30.5	51	12.4	0.025	0.5	2.1	12	1.7	0.014	0.2	34	0.05	70	0.5	0.03	0.25	0.1
2060957	463988	7126189	1462.2	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0021	0.05	1.66	12.9	141	0.3	0.07	0.1	7.5	27	16.7	3.1	6	0.06	18	0.41	266	4	0.007	19.1	53	16.9	0.025	0.9	1.7	12	1.3	0.011	0.3	49	0.1	56	0.5	0.07	0.7	0.1
2060958	463994	7126239	1461.7	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0023	0.05	1.45	14.3	106	0.3	0.05	0.05	6.3	24	16.7	3.32	6	0.05	18	0.34	260	3.3	0.006	17.9	38	11.8	0.025	0.8	2.1	11	4.7	0.023	0.2	48	0.1	52	0.5	0.03	0.6	0.1
2060959	464007	7126297	1463.9	C	30	Brown	N	Moist	S. Orban	WHI18000892	0.0031	0.1	2.03	10.1	207	0.2	0.64	0.3	9.6	32	19.2	2.78	5	0.05	20	0.41	768	1.7	0.008	27	108	14	0.025	0.6	3.1	36	1.8	0.027	0.2	57	0.2	64	1	0.05	0.5	0.1
2060960	464007	7126297	1464.8	C	20	Brown	N	Moist	S. Orban	WHI18000892	0.0023	0.2	1.44	10.8	208	0.2	0.61	0.3	10.7	32	22.3	2.33	4	0.06	22	0.39	1081	2	0.008	26.5	121	14.8	0.025	0.7	3.2	32	1.6	0.021	0.1	42	0.1	66	1	0.05	0.25	0.1
2060961	464009	7126348	1459.1	C	30	Brown	S	Moist	S. Orban	WHI18000892	0.0025	0.05	1.42	12	86	0.2	0.09	0.2	8	25	18.7	2.91	5	0.04	15	0.31	302	1.6	0.004	21.2	54	13.7	0.025	0.7	2.1	9	2.8	0.024	0.1	44	0.1	52	0.5	0.04	0.7	0.1
2060962	462689	7129808	1829.6	C	20	Brown	N	Moist	S. Orban	WHI18000892	0.0019	2.1	1.47	17.4	126	0.3	0.76	0.6	6.5	47	41.5	3.46	4	0.05	3	0.37	109	2.6	0.008	54.9	354	35.9	0.025	0.8	3.6	76	5.4	0.0005	0.1	34	0.05	117	0.5	0.22	2.4	0.1
2060963	462672	7129858	1824.2	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0016	0.7	1.56	13.9	49	0.3	0.17	0.4	13.5	36	32.9	3.1	5	0.03	8	0.17	167	1.1	0.004	47.6	76	32.8	0.025	0.7	3.9	22	5.4	0.002	0.05	31	0.05	97	0.5	0.1	1	0.1
2060964	462659	7129964	1787	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0051	0.4	1.51	15.3	102	0.3	0.1	0.4	9.8	31	27.1	3.02	5	0.06	11	0.35	322	2.1	0.007	33.1	69	19	0.025	0.9	2	16	1.1	0.016	0.2	43	0.1	78	0.5	0.07	0.9	0.1
2060965	462665	7130013	1777	C	20	Brown	N	Damp	S. Orban	WHI18000892	0.0005	0.3	0.94	16	92	0.2	0.17	0.3	12.3	21	26.6	3.49	3	0.03	8	0.17	328	1.5	0.005	45.3	96	20.3	0.025	0.7	3.1	26	3.1	0.008	0.05	26	0.05	78	0.5	0.05	0.8	0.1
2060966	462680	7130060	1767.8	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0007	0.5	0.56	13.8	110	0.2	0.22	0.7	52.1	14	17.5	2.87	2	0.05	10	0.17	1123	1.1	0.009	75.2	110	18.9	0.025	0.8	2.3	45	4.2	0.018	0.1	22	0.05	99	0.5	0.13	0.6	0.1
2060967	462698	7130143	1719.9	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0067	1.2	1.1	45	120	0.4	0.03	0.1	6.2	25	45.2	3.03	6	0.06	10	0.07	88	2.6	0.005	26.5	125	38.5	0.07	1.1	2.9	48	2.1	0.001	0.05	33	0.05	57	0.5	0.31	3.5	0.2
2060968	462707	7130192	1694.8	C	20	Grey	NE	Moist	S. Orban	WHI18000892	0.0018	1.1	1.22	23.5	90	0.4	0.1	0.6	20.8	24	45.4	3.45	4	0.04	11	0.17	272	2	0.004	68	102	33	0.025	0.9	2.9	27	2	0.0005	0.05	27	0.05	127	0.5	0.14	1.8	0.1
2060969	462717	7130241	1680.3	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.00025	1.1	1.12	21.3	144	0.4	0.03	0.2	7.5	22	29.5	3.18	5	0.05	11	0.13	125	1.8	0.004	30.3	100	39.8	0.025	0.7	3	59	2.4	0.0005	0.1	27	0.05	69	0.5	0.25	1.7	0.1
2060970	462727	7130290	1669.8	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000892	0.00025	1	1.72	18.5	98	0.4	0.49	0.5	16.6	34	37.2	3.6	5	0.05	7	0.22	218	1.6	0.005	64.7	114	27.7	0.025	0.7	4.4	29	7.1	0.0005	0.05	33	0.05	117	0.5	0.21	1	0.1
2060971	462730	7130340	1654	Frostboil	20	Grey	E	Moist	S. Orban	WHI18000892	0.00025	0.3	2.07	14.2	81	0.5	0.34	0.2	16.2	37	27.5	3.03	8	0.03	17	0.22	95	0.9	0.003	67.6	129	25	0.025	0.5	5.2	30	6.9	0.0005	0.05	32	0.05	89	2	0.06	0.25	0.1
2060972	462706	7130393	1642.1	C	20	Grey	NE	Moist	S. Orban	WHI18000892	0.00025	0.7	1.24	16.6	111	0.4	0.21	0.1	5	26	21.7	3.16	5	0.03	9	0.21	116	2.9	0.004	25.4	68	33	0.025	0.8	2.9	20	5.2	0.0005	0.05	26	0.05	65	0.5	0.2	1.1	0.1
2060974	462735	7130488	1638.9	Frostboil	20	Grey	S	Moist	S. Orban	WHI18000892	0.00025	0.8	1.43	22.2	166	0.4	0.41	0.6	15.6	27	34.2	3.5	4	0.05	7	0.17	201	1.9	0.004	57.3	146	26.5	0.025	0.9	4.7	26	7.6	0.0005	0.05	25	0.05	115	0.5	0.22	0.9	0.1
2060975	462760	7130533	1652.3	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0057	0.3	1.01	14.8	95	0.2	0.13	0.3	6.7	22	18.3	2.29	3	0.03	8	0.15	156	2	0.005	28.9	58	17	0.025	0.7	0.9	20	0.5	0.006	0.05	27	0.05	66	0.5	0.09	0.25	0.1
2060976	462792	7130572	1666.6	C	20	Brown	S	Damp	S. Orban	WHI18000892	0.00025	0.2	0.44	10.3	31	0.2	0.02	0.2	4.9	11	7.7	1.23	1	0.02	2	0.06	173	0.7	0.003	16.2	45	10.2	0.05	0.4	0.6	8	0.4	0.003	0.05	13	0.05	34	2	0.02	0.25	0.1
2060977	462818	7130616	1699.2	C	20	Grey	SW	Moist	S. Orban	WHI18000892	0.0064	1.2	0.6	29	192	0.5	0.31	0.3	5.6	17	21.1	2.48	2	0.05	4	0.06	236	1.8	0.007	23.4	92	30	0.11	1	2.4	43	1.1	0.004	0.1	27	0.05	65	2	0.35	0.9	0.1
2060978	462852	7130652	1719.7	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0063	0.05	1.19	11.6	125	0.2	0.11	0.3	9.5	22	14.8	2.4	4	0.04	13	0.32	375	1.1	0.005	25	51	11.1	0.06	0.8	2.1	15	1.3	0.023	0.05	39	0.2	80	0.5	0.05	0.25	0.1
2060979	462889	7130693	1717.9	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0063	1.1	0.18	10.1	90	0.3	0.08	0.1	2.8	9	32.5	2.48	1	0.04	2	0.02	104	6.7	0.01	15	43	17.9	0.12	1.2	1.3	19	3.3	0.0005	0.1	13	0.05	48	0.5	0.46	1.4	0.2

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2060980	462882	7130743	1693.3	C	30	Grey	N	Moist	S. Orban	WHI18000892	0.0006	0.2	0.49	54.3	203	0.4	0.01	0.05	1.2	15	29.8	2.59	2	0.09	13	0.24	68	21.6	0.009	5.9	46	24.6	0.54	2.1	2	395	6.8	0.001	0.9	18	0.05	33	0.5	0.3	2.2	0.1
2060981	462873	7130792	1689.3	C	30	Grey	E	Moist	S. Orban	WHI18000892	0.0103	11.4	0.79	103.1	510	0.3	0.21	5.4	6.2	28	48.1	4.08	4	0.2	52	0.18	209	27.3	0.018	29.5	327	46	0.5	60.7	3.5	161	3.7	0.047	1.4	233	0.5	524	3	0.85	35.2	0.3
2060982	462851	7130837	1672	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0057	2.2	1.09	39.7	375	0.5	0.02	0.2	2	28	113.7	5.04	3	0.17	25	0.3	122	8.5	0.037	30.7	176	46.4	0.55	8.2	3.3	235	6	0.003	0.4	85	0.05	139	2	0.3	11.6	0.2
2060983	462843	7130887	1652.9	C	10	Grey	N	Damp	S. Orban	WHI18000892	0.0151	4.7	0.44	28.8	568	0.3	0.17	1.4	1.2	13	43.4	2.05	2	0.11	20	0.08	70	11.1	0.018	12.4	311	33.2	0.27	9.9	1.3	242	5	0.003	0.5	49	0.05	88	4	1.09	8.4	0.1
2060984	462841	7130940	1649.8	B	10	Brown	W	Damp	S. Orban	WHI18000892	0.0006	0.5	2.72	52.1	274	0.1	2.41	2.2	23.5	106	83.9	5.01	11	0.16	21	3	960	6.1	0.011	82.8	235	5.4	0.2	1.3	5.3	68	2.9	0.058	0.5	118	0.05	192	5	0.05	7.6	0.1
2060985	462877	7130976	1619.4	C	20	Grey	N	Moist	S. Orban	WHI18000892	0.0045	2.5	0.87	55.9	253	0.8	0.47	2.3	17.3	28	152.9	5.58	3	0.12	16	0.41	711	10.6	0.034	60.6	208	92.3	0.52	14.1	3.4	169	4.8	0.004	1.3	26	0.05	257	2	3.58	4.4	0.3
2060986	462877	7131028	1610.7	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000892	0.0049	1.1	1.64	8.4	294	0.4	0.3	1.8	22.1	37	118	3.86	4	0.1	26	0.91	754	5.2	0.015	87.6	151	17.8	0.14	1.6	3.4	56	5.5	0.002	0.2	31	0.05	198	4	0.29	4.9	0.1
2060987	462900	7131074	1601.2	C	20	Brown	SW	Moist	S. Orban	WHI18000892	0.0058	0.8	1.23	23	138	0.5	0.05	0.3	3.6	28	21.9	3.64	5	0.05	20	0.26	146	10.6	0.012	12.8	68	22.9	0.17	3.8	1.6	30	1.8	0.01	0.6	44	0.05	49	1	0.18	6.7	0.1
2060988	462935	7131109	1619.7	C	20	Brown	SW	Moist	S. Orban	WHI18000892	0.0047	0.4	1.67	14.5	185	0.3	0.11	0.6	9.2	31	48.1	3.21	5	0.06	18	0.44	359	5.1	0.009	30.4	89	13.9	0.13	1.6	2.1	29	1.2	0.012	0.3	51	0.1	91	0.5	0.13	3.7	0.1
2060989	462955	7131150	1635.7	C	20	Brown	S	Damp	S. Orban	WHI18000892	0.0058	0.3	1.33	11.7	127	0.2	0.09	0.6	8.8	29	46.6	3.1	4	0.05	17	0.41	346	3.6	0.008	29.8	80	13.3	0.11	1.2	1.4	19	0.6	0.013	0.2	43	0.05	90	3	0.05	3.7	0.1
2060990	462986	7131194	1640.9	C	30	Brown	S	Moist	S. Orban	WHI18000892	0.0039	0.1	1.68	12	146	0.4	0.06	0.3	6.9	34	40.3	3.45	6	0.06	15	0.32	305	5.3	0.008	23.9	76	14.4	0.11	1.2	1.7	16	0.5	0.01	0.3	60	0.1	78	1	0.08	3.1	0.1
2060991	463008	7131241	1640.4	C	20	Brown	S	Moist	S. Orban	WHI18000892	0.0068	0.2	1.91	12.2	136	0.3	0.11	0.3	9.6	35	35.2	3.2	5	0.06	15	0.47	451	3.1	0.008	26.1	82	14.9	0.11	1.3	2.8	15	1.5	0.023	0.2	55	0.1	85	2	0.05	2.1	0.1
2060992	463023	7131288	1637.7	C	20	Brown	N	Moist	S. Orban	WHI18000892	0.0067	0.7	1.26	11.7	181	0.3	0.09	1.1	12.3	30	90.1	3.19	5	0.07	16	0.26	592	10.1	0.006	47.9	110	17.3	0.09	2.4	1.4	15	0.2	0.01	0.4	56	0.1	138	3	0.12	6.5	0.1
2060993	463028	7131339	1623.5	C	20	Grey	NE	Damp	S. Orban	WHI18000892	0.00025	1.1	0.62	37.5	315	0.5	0.02	0.2	0.6	18	46	2.39	3	0.09	37	0.14	27	20.1	0.035	5	109	21.8	0.32	5.4	2.5	45	4.3	0.017	1.5	30	0.05	29	2	0.29	11	0.1
2060994	463061	7131378	1618.2	C	20	Brown	NE	Moist	S. Orban	WHI18000892	0.024	2.2	1.14	31.1	281	0.7	0.1	10.1	41.1	32	195.7	5.09	2	0.11	12	0.23	1413	32.6	0.052	158.4	148	76.4	0.45	11.2	5	133	2.3	0.003	1.4	22	0.05	613	3	0.91	5.9	0.1
2060995	463060	7131430	1602.2	C	30	Grey	NW	Moist	S. Orban	WHI18000892	0.0063	1.9	0.79	26.2	244	0.4	0.77	4.5	20.8	24	101.9	4.52	2	0.11	21	0.35	820	29.5	0.019	106.4	345	29.8	0.13	5.2	4.7	67	5.9	0.004	0.8	40	0.05	284	2	0.82	9.1	0.2
2060996	463049	7131479	1574.7	C	30	Grey	N	Damp	S. Orban	WHI18000892	0.0117	2.4	0.92	32.1	284	0.6	0.57	3.7	17.9	24	111.4	5.01	2	0.13	21	0.29	798	25.3	0.063	96.8	258	50.6	0.47	7.5	4.4	61	3.7	0.005	1.2	30	0.05	285	6	1.18	9.1	0.3
2060997	463070	7131525	1550.6	C	20	Grey	NW	Damp	S. Orban	WHI18000892	0.0112	2.3	1.01	26.4	349	0.4	0.54	2.5	13.7	28	89.8	4.07	3	0.13	21	0.34	509	26.2	0.03	81.6	238	40.6	0.25	6.3	3.2	51	1	0.006	1.1	46	0.05	251	6	1.01	7	0.2
2060998	463079	7131574	1540.9	C	20	Black	W	Damp	S. Orban	WHI18000892	0.0101	1.4	1.18	13.7	203	0.4	0.24	1.3	22.5	34	136.7	4.29	3	0.09	17	0.52	1187	12.3	0.021	87.5	245	18.3	0.19	3	3.1	50	1.9	0.003	0.4	29	0.05	196	3	0.29	7.1	0.4
2060999	463076	7131623	1530.4	C	20	Brown	W	Damp	S. Orban	WHI18000892	0.0139	2.8	0.93	15.7	187	0.3	0.04	0.7	9.6	19	92.5	3.81	3	0.09	11	0.17	495	19.1	0.051	39.1	108	14.9	0.31	3.2	1.3	26	0.4	0.005	0.5	33	0.05	122	4	0.4	10.6	0.4
2061000	463070	7131675	1526.1	C	20	Grey	SE	Moist	S. Orban	WHI18000892	0.0175	3.8	0.5	56.8	303	1.2	0.13	2.5	17.1	16	155.1	5.99	1	0.09	16	0.03	329	37.1	0.094	74.9	164	153.7	0.63	15.9	4.5	54	4.4	0.001	2.8	23	0.05	418	4	1.95	8.1	0.4
2061001	463705	7129307	1706.4	Frostboil	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0024	0.6	1.2	16.6	96	0.3	0.07	0.5	14.2	24	34.2	3.41	4	0.04	7	0.18	287	2.1	0.004	48.9	90	23.4	0.07	0.8	2.8	17	2	0.003	0.1	31	0.05	114	3	0.11	1.8	0.1
2061002	463743	7129341	1686.3	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0026	0.8	0.67	24.9	73	0.4	0.14	1.2	18.3	16	35.6	3.18	2	0.04	6	0.08	347	1.7	0.004	58.1	97	24.7	0.09	0.9	2.9	20	2.5	0.001	0.1	22	0.05	139	2	0.11	2	0.1
2061003	463787	7129307	1666.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0057	0.8	0.76	17	72	0.3	0.09	0.9	9.9	18	35	2.89	2	0.04	5	0.13	178	2.3	0.004	36.5	75	21.5	0.09	0.9	2	17	2.2	0.002	0.05	23	0.05	93	2	0.13	0.8	0.1
2061004	463806	7129416	1644.1	C	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0035	0.9	0.89	15.1	93	0.4	0.12	0.3	5.1	21	34.3	2.69	3	0.04	2	0.15	125	2.5	0.004	28.2	55	24.2	0.08	0.7	2.3	18	2.9	0.0005	0.05	25	0.05	73	2	0.18	1.6	0.1
2061005	463822	7129464	1622	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0086	1.1	0.3	18.7	69	0.5	0.01	0.05	3.6	9	19	1.8	2	0.04	9	0.01	48	3.1	0.004	14.1	50	43.7	0.12	1.1	1.4	21	1	0.0005	0.1	18	0.05	43	2	0.19	0.5	0.1
2061006	463846	7129511	1606.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0018	0.5	1.13	17.9	90	0.3	0.11	0.5	7.1	23	29	2.72	4	0.04	10	0.23	172	1.9	0.004	28.7	82	19.5	0.06	0.7	2.7	19	1.6	0.009	0.05	33	0.1	75	2	0.11	1.1	0.1
2061007	463861	7129562	1594.3	Frostboil	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0006	0.5	1.26	18.7	108	0.3	0.12	0.5	7	23	29.9	2.77	4	0.04	12	0.21	156	1.7	0.003	30.7	102	27	0.07	0.8	3.1	33	2.8	0.007	0.05	31	0.05	73	3	0.09	1.5	0.1
2061008	463841	7129611	1594.5	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0018	1.4	0.79	25	141	0.3	0.15	0.5	7.7	19	33.3	3.52	3	0.04	5	0.15	200	9	0.004	33	95	19.8	0.025	1.2	3.1	17	3.5	0.003	0.2	23	0.05	75	3	0.77	1.8	0.1
2061009	463825	7129660	1581.7	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0008	0.2	0.12	72.9	38	0.05	0.2	0.05	3.2	11	16.4	0.56	0.5	0.01	4	0.01	76	1.2	0.001	16.7	48	6	0.025	2	1.1	23	1.4	0.0005	0.05	8	0.05	14	2	0.54	0.25	0.1
2061010	463838	7129710	1559.7	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0017	0.8	1.06	15.2	393	0.3	0.31	0.6	13.4	24	64.3	5.06	3	0.05	26	0.39	410	12.7	0.008	45.1	85	21.8	0.11	1	4	40	4.5	0.003	0.1	35	0.05	106	4	0.23	1.6	0.1
2061011	463854	7129758	1551.5	Frostboil	10	Grey	N	Damp	J. Roddick	WHI18000892	0.00025	0.7	1.16	22.8	368	0.3	0.32	0.5	13.4	24	42.1	3.5	4	0.04	10	0.14	240	3.2	0.003	49.4	128	21.2	0.025	0.7	5.7	36	6.8	0.001	0.05	29	0.05	103	2	0.2	1.6	0.1
2061012	463860	7129812	1546.9	Frostboil	10	Grey	N	Dry	J. Roddick	WHI18000892	0.006	0.2	2.26	24.8	234	0.4	0.45	0.2	18.7	29	47	4.95	6	0.08	24	1.26	821	5	0.011	60.5	239	24.5	0.025	0.6	3.4	70	7.5	0.003	0.2	28	0.05	108	2	0.28	1	0.1
2061013	463872	7129861	1547.7	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0058	0.2	2.41	31.8	75	0.4	0.13	0.2	23	30	50.6	5.39	5	0.04	33	1.31	1295	20.3	0.006	55.2	145	25.6	0.025	1.3	1.6	25	5	0.001	0.2	22	0.05	113	2	0.43	1.4	0.1
2061014	463869	7129915	1548.4	Frostboil	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0055	0.2	2.11	22.1	97	0.3	0.13	0.3	15	29	42.7	4.58	5	0.05	33	1.06	1158	17.1	0.006	48.1	152	21.7	0.025	0.9	2.1	24	4.1	0.002	0.3	27	0.05	121	2	0.31	1.3	0.1
2061015	463874	7129966	1548.2	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0041	0.05	2.1	25.1	75	0.3	0.11	0.4	25	26	36.3	4.1	5	0.04	29	0.78	755	12	0.005	48.7	129	22.8	0.025	0.9	1.4	12	2.4	0.007	0.3	34	0.05	99	2	0.06	1.6	0.1
2061016	463885	7130018	1548.2	C	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0044	0.05	1.77	17.5	95	0.2	0.15	0.2	11	28	22.9	3.26	5	0.05	20	0.57	433	3.5	0.007	29.2	115	15.4	0.025	1	1.9	16	2.1	0.02	0.2	41	0.2	62	2	0.05	1.2	0.1
2061017	463921	7130060	1551.3	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0066	0.1	1.58	14.5	108	0.2	0.1	0.2	8.2	29	20.9	2.69	5	0.04	17	0.39	260	1.8	0.006	22.1	67	12.6	0.025	1.2	2.2	11	1.1	0.031	0.2	56	0.2	64	2	0.06	1	0.1
2061018	463951	7130101	1547.3	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0066	0.4	1.1	20.4	111	0.2	0.04	0.3	6.2	20	29.9	2.5	3	0.03	10	0.2	126	2	0.004	29.5	56	15.8	0.025	2	1.9	13	1.2	0.008	0.05	36	0.05	78	1	0.12	1.4	0.1
2061019	463967	7130150	1556.3	Frostboil	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0095	2	0.84	19.8	210	0.2	0.05	0.3	3.2	16	47.8	1.9	3	0.05	26	0.16	101	8.3	0.006	15.1	71	19.8	0.025	7.5	0.9	30	0.9	0.008	0.3	52	0.05	95	2	0.27	5.1	0.1
2061020	463997	7130192	1558.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0224	6.6	0.99	75	236	0.6	0.31	0.4	1.2	35	89	4.71	5	0.21	23	0.15	62	24.8	0.029	24	431	79.3	0.71	14.1	1.3	289	1.6	0.003	0.6	205	0.05	38	2	2.27	32.8	0.4
2061021	464043	7130214	1538.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0084	1.2	1.56	19.4	325	0.3	0.16	1	17.4	25	79.8	4.18	4	0.07	28	0.58	320	7.4	0.01	59.2	181	25.2	0.025	4.7	2.5	58	5.5	0.004	0.2	27	0.05	271	2	0.21	3.3	0.1
2061022	464055	7130264	1515.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0062	0.3	1.23	16.7	430	0.4	0.29	0.5	8.7	20	54.7	2.94	4	0.06	25	0.53	263	11.8	0.011	34.6	111	22.5	0.025	2.3	1.9	42	3.5	0.002	0.3	22	0.05	105	2	0.11	1.7	0.1
2061023	464060	7130316	1500	C	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0075	2.7	0.99	26.2	195	0.3	0.82	12.1	15.2	22	138.8	4.09	3	0.07	24	0.65	657	43.4	0.005	125.6	280	19.3	0.025	7	3.8	55	5.9	0.001	0.4	32	0.05	471	1	0.82	8.7	0.1
2061024	464070	7130366	1495.4	B	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0023	0.05	1.54	13.5	93	0.3	0.03	0.1	8.3	23	25.3	3.73	5	0.04	26	0.65	150	4.9	0.007	31.6	94	20.6	0.025	0.7	1.3	12	3.3	0.002	0.2	25	0.05	75	1	0.13	0.7	0.1
2061025	464096	7130411	1502.5	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0059	0.05	1.77	17.9	93	0.4	0.2	0.2	20.1	22	46	4.93	4	0.05	38	0.86	324	14.5	0.005	51.1	146	24.7	0.025	0.8	2.4	17	6.9	0.0005	0.2	20	0.05	105	0.5	0.25	0.9	0.1
2061026	464132	7130455	1498.7	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.004	0.4	1.22	15.9	128	0.4	0.56	0.3	20.8	17	56.3	4.64	3	0.11	37	0.69	374	3.6	0.004	62.2	227	28.1	0.025	1.3	3.2	34	12.1	0.001	0.1	16	0.05	129	2	0.43	0.7	0.1
2061027	464165	7130499	1493.4	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.012	1.6	1.4	13.4	122	0.3	0.13	1.8	9	28	74.6	3.33	4	0.06	20	0.25	177	23.2	0.006	57.9	190	20.1	0.025	2.9	0.6	16	0.6	0.002	0.6	60	0.05	170	0.5	0.43	6.6	0.1
2061028	464177	7130547	1492.7	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0708	2	2.25	14.7	156	0.1	1.04	1	60.2	67	1333.9	6.51	7	0.04	46	1.16	1084	8.9	0.007	91	464	46.2	0.025	1.4	9.5	30	3.4	0.034	0.1	95	0.2	186	2	0.16	3.2	0.1
2061029	464193	7130597	1476.7	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0049	1.4	1.12	14.4	111	0.3	0.11	1.4	8.2	26	49.8	2.93	5	0.04	16	0.29	211	13.9	0.006	43.3	156	16.4	0.025	2.5	0.5	13	0.4	0.005	0.5	41	0.05	138	0.5	0.44	3.5	0.1
2061030	464211	7130648	1471.2	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0048	0.2	1.62	13.5	86	0.2	0.08	0.2	7	29	19.6	2.64	5	0.04	13	0.35	300	3.2	0.005	17.4	77	9.8	0.025	1.1	1.5	13	0.7	0.02	0.2	46	0.1	53	2	0.08	3	0.1
2061031	464236	7130694	1470	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0042	0.1	1.1	11.8	64	0.3	0.05	0.2	4.4	26	21.9	2.8	7	0.04	16	0.2	185	2.7	0.004	14.8	44	11.5	0.025	0.9	2.2	9	2.1	0.03	0.2	62	0.2	46	1	0.05	0.9	0.1
2061032	464271	7130729	1461.1	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.008	1.2	1.03	15.8	173	0.3	0.12	0.2	3.7	25	45	2.72	3	0.05	29	0.29	111	13.2	0.041	20	123	11.8	0.21	2.5	1.8	40	2.2	0.015	0.7	37	0.05	71	1	0.15	10	0.1
2061033	464297	7130775	1454.1	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0055	0.1	1.85	15.3	100	0.3	0.08	0.1	6	33	20.8	3.27	7	0.05	16	0.4	263	3.5	0.008	16.4	62	10.9	0.025	1.3	2	16	0.9	0.025	0.3	60	0.2	54	1	0.06	2.2	0.1
2061034	464306	7130823	1452	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0039	0.3	1.72	9.6	86	0.4	0.03	0.2	5.9	19	42.9	2.78	7	0.06	31	0.34	162	2.9	0.006	18.6	46	21.4	0.025	1	2	21	6.1	0.008	0.2	44	0.05	64	1	0.06	1.3	0.1
2061035	464344	7130856	1452.8	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0062	0.7	1.32	20.8	139	0.4	0.03	0.1	3.1	30	36.3	2.7	7	0.04	19	0.15	82	17.2	0.009	16.9	69	11.5	0.025	3.2	2.2	31	1	0.014	0.7	98	0.1	77	1	0.1	5.8	0.1
2061036	464380	7130892	1450.9	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0058	0.6	0.99	11.5	113	0.3	0.04	0.2	2.8	23	26.7	2.17	5	0.04	14	0.15	80	6.3	0.006	11.8	91	10.5	0.025	1.4	0.5	21	0.2	0.006	0.3	44	0.05	49	2	0.1	3.8	0.1
2061037	464402	7130944	1436.6	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0065	1.8	1.51	27.4	306	0.4	0.15	0.6	10.1	44	99.7	5.4	4	0.09	22	0.38	170	18.8	0.019	44.6	284	18.4	0.22	4.9	2.4	99	3	0.001	0.8	52	0.05	151	2	0.58	12.2	0.1
2061038	464423	7130992	1427.2	B	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0035	0.05	0.86	11.5	117	0.2	0.02	0.3	5.5	17	19.8	1.81	5	0.05	30	0.06	54	8.7	0.003	24.4	65	11.6	0.025	1.9	0.7	6	0.6	0.007	0.6	56	0.05	105	2	0.05	1.3	0.1
2061039	464435	7131042	1423.7	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.011	4.1	1.75	10	156	0.3	0.14	2.6	12.5	44	74.5	3.78	3	0.05	26	0.54	156	10.2	0.003	79.9	111	15.2	0.025	2.3	3.1	10	6.4	0.002	0.4	27	0.05	209	1	0.33	6.2	0.1
2061040	464440	7131042	1426.8	B	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0084	1.5	1.31	9.9	84	0.3	0.09	1.7	10.5	36	67.4	3.23	4	0.04	23	0.46	168	6.8	0.004	59.4	92	14.6	0.025	2	2	9	4.4	0.003	0.3	29	0.05	164	1	0.13	4.7	0.1
2061041	464472	7131080	1427.9	B	20	Brown	N	Damp	J. Roddick	WHI18000892	0.0041	0.5	1.74	21.5	104	0.4	0.23	1.5	11.7	38	35.8	5.04	5	0.06	34	0.44	187	14.5	0.004	63.2	210	21.1	0.025	2.6	2.4	18	7.6	0.004	0.5	51	0.05	168	2	0.07	3.7	0.1
2061042	464510	7131113	1417.8	B	20	Brown	N	Damp	J. Roddick	WHI18000892	0.0168	1.2	1.75	8.2	272	0.3	0.07	1	25.9	42	126	3.44	5	0.13	20	0.61	724	5.5	0.006	84.2	114	12.5	0.025	1.8	3.8	20	2.2	0.005	0.3	38	0.05	210	2	0.19	4.3	0.2
2061043	464543	7131153	1409	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0114	0.6	1.4	9.5	243	0.3	0.03	0.6	9.6	35	85.5	3.27	5	0.11	13	0.25	402	13	0.008	41.5	146	12.4	0.025	2.2	1.3	16	0.6	0.004	0.4	54	0.05	119	3	0.1	4.5	0.2
2061044	464571	7131199	1400.3	C	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0081	1.2	1.44	12.2	101	0.3	0.13	1.9	12.6	39	69.9	3.37	4	0.05	24	0.4	268	9.5	0.004	66.3	164	14.3	0.025	2.5	1.8	12	1.5	0.004	0.4	37	0.05	202	1	0.26	5.6	0.1
2061045	464604	7131237	1400.6	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0037	0.5	1.57	16.9	197	0.2	0.24	2.3	11.8	33	26.2	3.35	3	0.05	30	0.35	231	24.7	0.004	57.8	140	15.9	0.025	2.4	3	17	5.8	0.0005	0.6	36	0.05	172	1	0.18	2.5	0.1
2061046	464602	7131289	1403.2	C	20	Black	N	Damp	J. Roddick	WHI18000892	0.0049	3	1.83	24.9	333	0.5	0.23	2.4	10.2	74	284.3	6.62	5	0.15	20	0.7	123	37.4	0.067	121.7	292	13.7	0.49	6.6	7.5	110	5.3	0.001	1.4	130	0.05	483	2	0.89	27.8	0.2
2061047	464580	7131340	1390.5	C	20	Grey	N	Damp	J. Roddick	WHI18000892	0.0045	0.4	0.78	30.9	168	0.3	0.63	3.1	24.1	15	86.5	4.46	2	0.16	10	0.21	567	20.5	0.017	146	309	21.1	0.9	3	3.1	169	4.5	0.0005	1.2	15	0.05	324	2	1.63	3.8	0.2
2061048	464570	7131391	1391.1	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.011	5.9	1.89	10.1	111	0.3	0.03	1.7	10.2	44	72.2	4.35	4	0.07	28	0.43	134	8.1	0.005	59.3	74	17.8	0.025	2.3	2.2	13	6.6	0.001	0.4	34	0.05	186	1	0.25	5.7	0.1
2061049	464589	7131432	1392.7	B	10	Brown	N	Damp	J. Roddick	WHI18000892	0.0032	0.05	0.78	12.9	64	0.3	0.04	0.3	4.4	16	15.1	2.36	5	0.04	28	0.12	76	4.6	0.002	16.5	52	12.7	0.025	1.2	1	6	2.7	0.019	0.2	58	0.1	58	0.5	0.03	0.25	0.1
2061050	464602	7131477	1373.6	B	10	Grey	N	Damp	J. Roddick	WHI18000892	0.0071	3.7	0.95	14.5	168	0.3	0.62	8	16.2	37	81.8	3.8	2	0.08	23	0.49	501	14.3	0.008	96.1	219	20	0.09	3.7	3	48	3.6	0.001	0.7	27	0.05	285	2	0.57	8.3	0.1
2061051	460166	7128711	1611	C	20	Brown	S	Damp	R. Rigal	WHI18000892	0.0025	0.2	1.11	12.9	76	0.2	0.14	0.2	7.6	22	24.1	2.58	3	0.04	13	0.32	218	1.9	0.005	23.4	81	11.5	0.025	0.8	2.5	15	2.2	0.025	0.05	38	0.1	68	0.5	0.09	0.25	0.1
2061052	460138	7128754	1598.5	B	20	Brown	S	Damp	R. Rigal	WHI18000892	0.0028	0.2	1.46	14.7	92	0.3	0.09	0.2	9.4	29	26.5	2.96	5	0.07	12	0.41	420	2.4	0.007	23.3	92	16.6	0.025	0.9	2.4	13	1	0.025	0.1	52	0.1	79	1	0.07	1	0.1
2061054	460160	7128945	1558.5	B	20	Brown	S	Damp	R. Rigal	WHI18000892	0.0012	0.05	0.82	16.6	51	0.2	0.05	0.1	4.2	18	22.2	2.54	3	0.03	11	0.18	126	2.2	0.004	13.6	67	16	0.025	0.8	1.3	8	1	0.021	0.05	39	0.2	35	0.5	0.06	0.9	0.1
2061055	460219	7129042	1532.1	B	20	Brown	S	Moist	R. Rigal	WHI18000892	0.003	0.6	1.4	14.7	146	0.3	0.06	0.2	13.5	25	69.6	3.37	4	0.05	12	0.36	312	2.4	0.005	36.9	74	21.5	0.025	0.8	4.8	22	3.4	0.023	0.05	38	0.1	85	0.5	0.17	0.25	0.1
2061056	460296	7129101	1538.6	C	20	Grey	S	Damp	R. Rigal	WHI18000892	0.0035	0.9	0.98	40.8	79	0.5	0.04	0.05	4.7	18	15	3.29	4	0.04	9	0.19	83	5.5	0.005	20.4	59	48.8	0.025	2.5	1.7	12	2.2	0.002	0.05	33	0.05	81	0.5	0.23	5.2	0.3
2061057	460339	7129179	1504.8	B	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0021	0.4	1.77	10.5	302	0.2	0.17	0.05	7.5	30	15.7	3.04	5	0.03	7	0.49	162	1	0.005	31	53	17	0.025	0.3	2.8	16	2.9	0.003	0.05	44	0.05	98	0.5	0.06	1.1	0.1
2061058	460410	7129253	1555.4	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0038	0.4	1.82	16.4	99	0.3	0.07	0.2	11.6	31	34.5	3.36	5	0.03	8	0.47	234	1.4	0.004	45.4	67	18.7	0.025	0.6	2.6	13	3	0.002	0.05	42	0.05	123	0.5	0.12	0.7	0.1
2061059	460429	7129300	1569.7	B	30	Brown	S	Damp	R. Rigal	WHI18000892	0.0041	0.3	1.64	24.3	65	0.3	0.07	0.2	8.4	31	29.5	3.97	5	0.02	6	0.41	248	2	0.003	40.6	85	17.5	0.025	0.8	2.4	11	2.9	0.002	0.05	43	0.05	121	0.5	0.05	1.7	0.1
2061060	460482	7129388	1598.1	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0042	0.3	1.63	25	107	0.4	0.02	0.1	9.6	29	48.3	3.7	4	0.04	7	0.36	199	2.3	0.004	43.1	62	26.9	0.025	0.8	2.5	10	3.2	0.001	0.05	39	0.05	126	0.5	0.11	1.9	0.1
2061061	460499	7129439	1605.2	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0033	0.6	1.77	13.2	190	0.3	0.02	0.2	10.4	30	42.8	3.48	4	0.04	6	0.51	192	1.6	0.005	51	47	21.1	0.025	0.5	2.7	16	3.4	0.001	0.05	38	0.05	131	0.5	0.16	1.5	0.1
2061062	460549	7129529	1641.1	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0011	1.2	1.51	19.3	232	0.3	0.12	0.3	9.5	31	53.3	4.13	4	0.03	5	0.54	267	2.4	0.003	55.6	88	28.8	0.025	0.8	3.6	21	5.5	0.0005	0.05	36	0.05	148	0.5	0.19	3.5	0.1
2061063	460578	7129626	1677.3	C	30	Brown	S	Damp	R. Rigal	WHI18000892	0.0044	0.5	1.45	16.5	113	0.3	0.04	0.3	8.5	28	33.8	3.13	4	0.05	8	0.38	202	1.7	0.005	40.7	81	22.4	0.025	0.7	1.4	13	1.1	0.008	0.05	39	0.05	108	0.5	0.07	1.2	0.1
2061064	460578	7129629	1689	B	30	Brown	S	Damp	R. Rigal	WHI18000892	0.0024	0.2	1.46	12.1	77	0.3	0.05	0.05	7.3	26	24.2	3.03	5	0.04	10	0.39	255	1.3	0.004	27.7	51	15	0.025	0.7	1.6	11	1.2	0.013	0.1	47	0.05	80	0.5	0.07	0.7	0.1
2061065	460621	7129779	1705.8	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.0023	0.5	1.01	16	127	0.2	0.06	0.1	7.6	18	29.6	2.24	3	0.03	7	0.25	160	0.9	0.004	29.6	43	17.8	0.025	0.6	2	14	2.8	0.004	0.05	29	0.05	77	0.5	0.11	0.7	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061066	460675	7129928	1727.6	C	30	Grey	S	Damp	R. Rigal	WHI18000892	0.00025	0.4	2.01	10.6	152	0.4	0.07	0.2	9.2	29	20.2	2.8	6	0.03	14	0.22	139	0.8	0.003	33	84	25	0.025	0.4	2.5	21	1	0.004	0.1	42	0.05	72	0.5	0.11	0.25	0.1
2061067	460690	7129976	1736.7	B	30	Brown	S	Damp	R. Rigal	WHI18000892	0.0034	0.2	1.05	12.1	101	0.2	0.19	0.2	7.4	20	23.9	2.25	3	0.05	15	0.33	294	1.1	0.006	22.3	99	13.2	0.025	0.7	2.4	23	2.3	0.028	0.05	39	0.2	66	0.5	0.06	0.25	0.1
2061068	460739	7130056	1776	B	20	Brown	S	Damp	R. Rigal	WHI18000892	0.0049	0.1	1.18	12.8	82	0.2	0.23	0.3	9.5	22	27.4	2.44	3	0.04	15	0.38	312	1.1	0.006	27.2	99	10.8	0.025	0.8	2.5	19	3.9	0.041	0.05	40	0.2	82	0.5	0.05	0.5	0.1
2061069	460687	7130147	1777.9	C	30	Mottled	SE	Damp	R. Rigal	WHI18000892	0.002	0.4	0.83	15.5	75	0.3	0.18	0.2	13.3	17	36.8	3.19	2	0.03	9	0.2	285	7.7	0.004	50.1	78	18.6	0.025	0.7	3.3	19	3.1	0.005	0.05	21	0.05	113	0.5	0.09	0.9	0.1
2061070	460638	7130287	1782.8	C	20	Mottled	SE	Damp	R. Rigal	WHI18000892	0.002	0.3	0.6	21	39	0.3	0.1	0.3	10.4	16	22	2.17	2	0.03	7	0.07	156	1.2	0.004	30.9	76	21.3	0.025	0.5	1.4	12	0.9	0.004	0.05	24	0.05	67	0.5	0.05	0.25	0.1
2061071	460658	7130335	1759.6	C	20	Brown	SE	Damp	R. Rigal	WHI18000892	0.0046	0.8	0.96	15	69	0.3	0.12	0.4	10.1	22	55.9	3.26	3	0.04	4	0.17	294	3.1	0.01	38	80	26	0.025	0.8	2.3	20	3.3	0.004	0.05	25	0.05	88	1	0.14	1.3	0.1
2061072	460683	7130447	1702.1	C	30	Grey	SE	Damp	R. Rigal	WHI18000892	0.0041	0.6	0.87	15.1	64	0.3	0.14	0.3	8.4	18	33.9	2.49	3	0.03	4	0.09	111	1.6	0.004	38.7	67	23.1	0.025	0.8	2.5	24	3.7	0.0005	0.05	19	0.05	78	0.5	0.12	0.25	0.1
2061073	460687	7130546	1667.9	C	20	Grey	SE	Damp	R. Rigal	WHI18000892	0.0031	1	0.87	18.9	91	0.4	0.11	0.6	7.8	19	30	2.54	3	0.03	9	0.09	119	2	0.004	33.1	73	30.2	0.025	0.7	2.3	21	3.3	0.0005	0.05	21	0.05	76	0.5	0.14	1.2	0.1
2061074	460689	7130596	1661.7	C	30	Grey	SE	Damp	R. Rigal	WHI18000892	0.0011	0.6	0.97	22.4	182	0.3	0.16	0.2	7.8	21	23.6	2.89	4	0.05	14	0.29	166	3	0.005	24	101	30.4	0.025	1.7	3.3	33	4.6	0.021	0.2	41	0.05	72	0.5	0.13	1.7	0.1
2061075	460700	7130700	1661.4	B	20	Brown	SE	Damp	R. Rigal	WHI18000892	0.007	0.2	1.37	11.1	136	0.2	0.14	0.3	7.6	24	38	2.69	4	0.06	14	0.42	244	3.6	0.007	21.9	62	15	0.025	1.7	2.6	23	2	0.037	0.1	45	0.2	68	0.5	0.07	0.7	0.1
2061076	467628	7128221	1772.3	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0015	0.7	1.27	12	99	0.3	0.09	0.2	5.9	28	23.4	2.04	4	0.05	8	0.12	102	0.9	0.004	25.1	44	23.6	0.025	0.6	2.6	33	2.6	0.0005	0.05	27	0.05	57	0.5	0.1	0.6	0.1
2061077	467648	7128265	1758.6	C	20	Green	SW	Damp	R. Rigal	WHI18000892	0.0041	0.5	0.82	17.2	70	0.3	0.04	0.3	6.9	20	24.9	2.26	3	0.04	8	0.1	124	1	0.005	25.8	60	23	0.025	0.6	1.5	20	1.2	0.002	0.05	24	0.05	58	0.5	0.11	0.25	0.1
2061078	467667	7128315	1734.1	C	30	Grey	SW	Damp	R. Rigal	WHI18000892	0.0032	0.6	1	12.4	82	0.3	0.09	0.2	6.9	20	40.9	2.79	3	0.05	2	0.17	163	3.1	0.006	31.6	55	25.6	0.025	0.7	2	22	3.2	0.001	0.05	23	0.05	72	0.5	0.19	0.9	0.1
2061079	467688	7128364	1721.1	C	30	Grey	SW	Damp	R. Rigal	WHI18000892	0.001	0.6	0.68	27.4	83	0.3	0.16	0.7	11.9	17	22.8	1.96	2	0.04	7	0.11	289	1.2	0.004	36.3	74	23.3	0.025	0.5	2.6	21	4.2	0.004	0.05	20	0.05	75	0.5	0.09	0.25	0.1
2061080	467685	7128419	1708	B	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0015	0.4	1.6	16	76	0.3	0.32	0.3	13.7	30	27.6	3.27	5	0.02	13	0.25	275	1.2	0.003	47	149	21.5	0.025	0.6	4.1	26	4.9	0.011	0.05	37	0.05	91	0.5	0.06	0.25	0.1
2061081	467686	7128419	1711	B	30	Brown	SW	Damp	R. Rigal	WHI18000892	0.0018	0.2	1.45	12.1	72	0.2	0.14	0.2	7.9	25	21.7	2.62	4	0.04	13	0.32	183	1.3	0.005	24.9	92	15.6	0.025	0.7	1.2	14	0.4	0.013	0.05	42	0.1	65	0.5	0.07	0.25	0.1
2061082	467687	7128472	1713.6	B	30	Brown	SW	Damp	R. Rigal	WHI18000892	0.0039	0.05	1.05	8.4	45	0.05	0.12	0.2	7.4	19	12.3	2.13	3	0.03	10	0.27	233	0.9	0.004	20.5	52	10.2	0.025	0.6	1.8	10	2.1	0.033	0.05	30	0.2	60	0.5	0.04	0.25	0.1
2061083	467673	7128523	1696.7	C	40	Grey	SW	Damp	R. Rigal	WHI18000892	0.0015	0.6	1.5	28.7	129	0.4	0.06	0.2	10	27	33.3	4.09	5	0.05	14	0.25	171	2.1	0.006	38	134	40	0.05	0.9	3.3	36	3.3	0.009	0.05	38	0.05	85	0.5	0.17	1.7	0.1
2061084	467706	7128564	1673.8	C	30	Grey	SW	Damp	R. Rigal	WHI18000892	0.0041	1.8	1.94	103.9	161	0.7	0.05	0.6	20.8	29	53.5	4.25	4	0.05	16	0.13	412	3.1	0.012	41.9	295	67.5	0.14	3.5	6.9	50	7.4	0.002	0.3	31	0.05	64	4	0.18	3	0.1
2061085	467696	7128615	1665.1	C	40	Grey	SW	Damp	R. Rigal	WHI18000892	0.0032	1.1	1.96	32.5	84	0.5	0.14	0.2	22	28	80.5	4.77	4	0.04	12	0.34	153	2.4	0.003	90.2	179	48.8	0.025	1.1	4.4	20	3.6	0.002	0.05	28	0.05	137	0.5	0.17	3.3	0.1
2061086	467718	7128661	1652	B	30	Mottled	SW	Damp	R. Rigal	WHI18000892	0.0014	0.8	1.03	15.6	95	0.3	0.37	0.3	14.1	21	30.7	3.19	3	0.03	2	0.21	255	1.2	0.004	43.7	131	20.3	0.025	0.8	3.6	20	6.6	0.001	0.05	17	0.05	101	0.5	0.1	1.1	0.1
2061087	467739	7128707	1644	B	30	Brown	SW	Damp	R. Rigal	WHI18000892	0.0006	0.8	1.34	32.6	58	0.4	0.21	0.7	18.3	32	31.4	3.93	4	0.04	14	0.21	438	2	0.004	46.1	133	45	0.025	0.8	3.6	22	2.4	0.007	0.05	35	0.05	90	2	0.09	0.25	0.1
2061088	467741	7128763	1611.9	C	30	Mottled	SW	Damp	R. Rigal	WHI18000892	0.0017	0.5	0.58	25.6	79	0.2	0.4	0.6	10.7	23	22.9	2.92	2	0.04	4	0.07	349	2.8	0.006	38.7	122	21.7	0.08	1.2	2.5	28	1	0.003	0.05	22	0.05	91	3	0.23	1.6	0.1
2061089	467733	7128814	1589.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0054	1.2	0.83	10.3	145	0.3	0.46	0.3	6.3	18	28	2.33	2	0.03	4	0.15	99	4.5	0.005	36	104	18	0.025	0.6	3.1	31	3.3	0.002	0.05	18	0.05	80	0.5	0.27	0.8	0.1
2061090	467751	7128861	1580	C	30	Brown	SW	Damp	R. Rigal	WHI18000892	0.0037	1.4	0.6	26.2	230	0.5	0.03	0.7	16.4	15	45.5	4.05	2	0.1	22	0.07	580	2.6	0.023	46.3	99	49.9	0.24	1.8	1.9	70	4.5	0.003	0.2	20	0.05	305	1	0.14	1.3	0.1
2061091	467771	7128911	1575	C	10	Grey	SW	Damp	R. Rigal	WHI18000892	0.0033	0.6	1.04	22.1	424	0.6	0.05	0.2	6.8	25	93.8	4.16	3	0.08	22	0.22	165	3.8	0.014	50.1	45	28.5	0.09	1.9	3.6	48	4	0.0005	0.1	46	0.05	141	2	0.2	2.1	0.3
2061092	467818	7128926	1597.2	C	20	Brown	SW	Damp	R. Rigal	WHI18000892	0.0055	0.3	2.18	19	231	0.05	0.86	0.7	38	53	198	5.14	6	0.07	23	1.19	932	10.9	0.019	51.6	205	51.7	0.08	1	5.9	31	8.8	0.145	0.2	65	0.5	107	1	0.08	1.7	0.1
2061093	467769	7128984	1586	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0039	0.4	1.86	12.3	135	0.3	0.46	0.4	27.7	36	137.8	6.1	6	0.08	32	1.29	852	6.7	0.069	46.2	181	35.7	0.37	0.8	4.3	62	5.5	0.042	0.2	44	0.05	97	3	0.1	1.6	0.1
2061094	467787	7129034	1582.5	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0033	4.7	1.16	109.2	162	0.6	0.03	0.5	1.3	44	66.3	7.32	7	0.14	73	0.38	91	68.9	0.031	17.3	331	40.1	0.3	20.6	2.8	117	12.9	0.003	3.2	117	0.05	195	4	2.25	56.9	0.2
2061095	467800	7129081	1582.1	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0042	1.2	1.52	36.2	206	0.4	0.08	1	8.9	28	121	4.66	4	0.07	21	0.44	397	14.2	0.031	35	137	21.4	0.21	4.2	3.3	68	7.8	0.009	0.6	41	0.05	242	1	0.3	8.5	0.1
2061096	467806	7129133	1575.2	B	30	Mottled	SW	Damp	R. Rigal	WHI18000892	0.0055	0.6	1.39	9.6	126	0.2	0.05	0.4	5.5	26	37.5	2.85	6	0.05	16	0.26	214	4.8	0.004	21.1	49	10.5	0.025	1	1.9	10	0.7	0.023	0.3	61	0.2	75	0.5	0.12	1.4	0.1
2061097	467825	7129181	1571.3	C	20	Grey	SW	Damp	R. Rigal	WHI18000892	0.0058	1.7	0.89	47	266	0.4	0.89	3.8	14.6	16	166.4	4.08	2	0.13	17	0.49	349	34.5	0.026	107.7	411	46	0.3	9	2.9	227	5.8	0.002	1.3	29	0.05	357	2	1.22	7.3	0.3
2061098	467851	7129227	1560.2	B	20	Brown	SW	Damp	R. Rigal	WHI18000892	0.0137	3	1.47	13.1	239	0.3	0.09	3.1	25.9	23	125.8	3.6	3	0.08	20	0.32	1807	10.9	0.017	80.8	122	16.3	0.13	3.3	2.7	34	1.6	0.011	0.6	31	0.05	211	3	0.49	5.6	0.3
2061099	467891	7129256	1556.5	B	20	Brown	SW	Damp	R. Rigal	WHI18000892	0.01	0.7	1.57	10.7	105	0.3	0.09	0.6	10.8	30	60.5	3.47	5	0.06	17	0.44	384	6.5	0.005	46	70	14.7	0.025	1.9	2.4	21	2	0.018	0.2	43	0.1	131	1	0.1	2.1	0.3
2061100	467921	7129300	1555.5	B	20	Brown	SW	Damp	R. Rigal	WHI18000892	0.013	4	1.79	14.2	148	0.4	0.04	2.3	16	27	121.7	4.45	5	0.07	20	0.37	517	16	0.011	62.4	109	15.9	0.09	3.3	2.4	23	2.1	0.007	0.4	43	0.05	248	0.5	0.47	4.8	0.3
2061101	462488	7125972	1726.7	C	35	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0061	0.7	1.22	15.5	83	0.2	0.6	0.6	13.3	20	46.2	3.45	3	0.05	27	0.82	528	14.6	0.003	48.4	224	16.5	0.025	1.4	2.3	33	6.3	0.002	0.2	23	0.05	133	0.5	0.3	3	0.1
2061102	462485	7126028	1727.1	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0031	0.1	1	10.8	142	0.3	0.37	0.05	18.5	18	29	3.76	3	0.07	27	0.23	1560	1.7	0.006	42	182	28	0.07	0.6	1.6	40	1.9	0.007	0.05	20	0.05	92	0.5	0.07	2.1	0.1
2061103	462465	7126077	1731.1	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.003	0.05	1.82	13.2	98	0.3	0.2	0.3	19.3	29	22.7	3.76	5	0.05	17	0.49	931	2	0.008	35.2	112	22.3	0.06	0.7	2.1	24	1.7	0.026	0.1	44	0.1	76	2	0.06	0.7	0.1
2061104	462457	7126124	1736.6	C	30	Grey	E	Dry	N. Hamlyn	WHI18000892	0.0016	0.1	1.4	10.2	102	0.3	0.25	0.2	23.3	27	29.2	3.53	4	0.07	28	0.61	2569	1.7	0.009	48.2	199	34.3	0.12	0.5	1.7	27	2.3	0.009	0.1	21	0.05	86	1	0.05	0.25	0.1
2061105	462453	7126174	1729.9	Frostboil	29	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0018	0.2	0.92	13.5	62	0.2	0.79	0.7	11.8	12	59.2	3.38	2	0.07	32	0.57	219	12.2	0.004	50.8	381	17.3	0.025	1.1	1.8	55	7.8	0.002	0.1	11	0.05	113	0.5	0.26	0.9	0.1
2061106	462464	7126221	1736.1	Frostboil	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.003	1.1	1.31	26.7	87	0.2	0.5	2.9	27.6	17	111.3	4.86	2	0.05	18	0.49	1352	34.1	0.009	79.9	245	20.7	0.025	2.2	2.9	59	7.8	0.005	0.5	20	0.05	198	2	0.68	2.6	0.1
2061107	462496	7126258	1721.8	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0046	0.4	1.25	24.1	89	0.3	0.2	1.6	22.4	23	56.2	4.35	3	0.05	23	0.62	1732	26.9	0.007	64.6	184	26	0.05	1.9	1.4	31	2.3	0.003	0.7	25	0.05	150	1	0.15	2.8	0.1
2061108	462544	7126277	1702.5	Frostboil	45	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0012	0.05	1.81	9.2	159	0.3	0.52	0.3	17.4	27	30.9	3.86	4	0.09	26	1.01	1061	2.2	0.007	48.7	159	26.6	0.025	0.3	3.1	47	8.9	0.001	0.05	18	0.05	97	0.5	0.05	0.6	0.1
2061109	462595	7126290	1695.9	C	250	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0017	0.05	1.87	13.6	141	0.3	0.17	0.2	21.6	26	29.5	3.93	5	0.06	26	0.71	1223	2.2	0.005	42	138	22.9	0.025	0.8	2.4	19	3.4	0.009	0.1	31	0.1	86	0.5	0.04	0.25	0.1
2061110	462635	7126324	1722	C	40	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0033	0.05	1.39	8.5	189	0.3	0.04	0.05	10	22	78.9	2.77	5	0.06	13	0.35	1282	2.9	0.004	20.2	59	13	0.06	0.7	1.3	9	0.4	0.018	0.2	43	0.05	61	2	0.05	0.6	0.1
2061111	462726	7126366	1698	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0014	0.05	1.43	12.7	155	0.3	0.05	0.05	10.7	23	75.5	3.08	6	0.05	15	0.34	1221	5.1	0.007	21.9	73	18.8	0.07	1.1	1.4	23	0.5	0.019	0.2	44	0.1	63	3	0.04	1.1	0.1
2061112	462767	7126393	1701.8	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0031	0.05	1.09	17.2	212	0.3	0.04	0.1	14.5	18	129.2	2.88	3	0.04	15	0.38	1148	21	0.021	32.2	43	26.2	0.1	1.6	1.8	51	2.9	0.013	0.6	23	0.05	69	0.5	0.04	0.5	0.1
2061113	462820	7126389	1701.9	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.0031	0.05	1.03	8.2	230	0.2	0.15	0.1	8	25	52.6	2.38	4	0.05	17	0.29	424	1.7	0.005	21.7	90	15.6	0.06	0.7	1	14	0.4	0.014	0.2	42	0.1	64	0.5	0.03	0.25	0.1
2061114	462867	7126406	1694.9	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0033	0.3	1.04	12.5	265	0.4	0.26	0.2	25.5	22	113.6	3.14	2	0.07	33	0.36	1465	2	0.004	74.7	92	42.7	0.025	1	3.4	34	7.9	0.014	0.2	27	0.1	153	4	0.06	1	0.1
2061115	462916	7126421	1691.5	Frostboil	30	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0015	0.2	1.62	12.5	194	0.3	0.61	0.2	32.1	23	45.3	4.69	4	0.06	25	1	2372	2.1	0.005	65.3	245	32.2	0.025	0.8	2.5	62	9.4	0.002	0.05	15	0.05	114	1	0.04	0.25	0.1
2061116	462964	7126428	1682.2	C	30	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0023	0.1	1.65	10.4	318	0.4	0.27	0.1	17.1	24	40.7	3.79	4	0.06	22	0.61	1039	2.7	0.007	46	177	25.9	0.08	0.7	2.1	47	2.7	0.004	0.1	22	0.05	86	2	0.07	0.25	0.1
2061117	463006	7126447	1662.6	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0015	0.2	0.91	8.5	392	0.3	0.78	0.2	14.5	26	90.2	2.51	2	0.09	20	0.37	803	2.8	0.007	49.8	153	19.7	0.08	0.6	2.5	41	2.7	0.004	0.1	15	0.05	102	2	0.1	0.6	0.1
2061118	463051	7126468	1626.2	C	40	Grey	E	Damp	N. Hamlyn	WHI18000892	0.00025	0.2	1.29	20.4	351	0.3	0.25	0.3	20.6	27	59.4	4.21	3	0.09	24	0.54	970	6.5	0.024	50.1	138	40.1	0.18	1	2	87	6.6	0.003	0.2	16	0.05	101	5	0.08	0.6	0.1
2061119	463088	7126500	1593.2	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0018	0.2	1.35	13.8	374	0.3	0.37	0.6	25.7	22	46.1	3.53	3	0.07	17	0.53	1450	4.5	0.014	57.7	193	31.7	0.12	0.7	1.6	70	2	0.003	0.1	15	0.05	92	2	0.08	0.25	0.1
2061120	463119	7126544	1565.2	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0014	0.05	1.43	15.5	247	0.4	0.18	0.5	25.9	21	50.5	4.01	3	0.05	19	0.64	1676	4.5	0.015	54.2	143	33.3	0.06	1	1.6	75	3.3	0.003	0.2	17	0.05	105	0.5	0.04	0.6	0.1
2061121	463113	7126540	1577	C	30	Grey	E	Damp	N. Hamlyn	WHI18000892	0.00025	0.2	1.55	15.5	180	0.4	0.3	0.6	26.4	22	44.3	4.18	3	0.06	22	0.73	1634	4	0.013	62.3	156	37.6	0.025	0.8	2.1	83	6.7	0.003	0.1	16	0.05	112	2	0.05	0.25	0.1
2061122	465020	7129055	1694.6	C	30	Brown	E	Dry	N. Hamlyn	WHI18000892	0.002	0.9	0.73	16.6	132	0.4	0.24	0.4	10.4	18	20.5	2.18	2	0.04	9	0.18	224	1.1	0.006	36.2	74	19.4	0.025	1	2.1	25	2	0.007	0.1	25	0.1	71	1	0.21	0.25	0.1
2061123	464977	7129112	1716.7	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0021	0.1	0.76	16.7	90	0.2	0.18	0.2	7	20	15.6	2.45	4	0.03	9	0.2	238	1.3	0.006	21.1	76	15.6	0.025	0.8	1.5	12	0.5	0.019	0.1	43	0.1	55	1	0.06	0.25	0.1
2061124	464981	7129175	1711	C	30	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0036	0.8	1.17	11.4	179	0.1	0.95	0.5	20.3	30	102.4	3.04	3	0.05	11	0.49	801	1.6	0.007	42.9	158	8.7	0.11	0.5	3.9	33	0.8	0.015	0.05	47	0.05	83	4	0.12	0.8	0.1
2061125	464965	7129225	1681.4	C	30	Grey	E	Dry	N. Hamlyn	WHI18000892	0.0026	1.2	0.87	12.2	293	0.3	0.33	0.7	12.9	23	74.8	3.37	2	0.07	16	0.37	310	19.2	0.022	52.3	87	21	0.24	0.9	3.9	60	5.9	0.029	0.1	31	0.05	133	2	0.21	4.2	0.1
2061126	464949	7129276	1658.5	C	35	Brown	E	Damp	N. Hamlyn	WHI18000892	0.0013	1.6	0.82	11.9	347	0.3	0.36	0.6	9.4	21	58.2	3.03	2	0.05	20	0.26	164	7.7	0.013	42.4	104	23.8	0.08	0.9	3.6	55	5.2	0.004	0.05	24	0.05	101	1	0.35	2.1	0.1
2061127	464924	7129320	1650.3	Frostboil	30	Grey	E	Damp	N. Hamlyn	WHI18000892	0.00025	0.3	1.25	17.9	57	0.5	0.34	0.2	15	22	30.1	2.11	4	0.03	20	0.15	93	1.2	0.003	55.9	138	18	0.025	0.6	3.7	42	7.6	0.0005	0.05	23	0.05	95	0.5	0.08	0.25	0.1
2061128	464942	7129370	1629.2	Frostboil	20	Grey	E	Damp	N. Hamlyn	WHI18000892	0.0017	1.1	1.06	17.7	151	0.4	0.25	0.3	11	22	36.5	2.9	3	0.03	8	0.14	103	1.9	0.004	48.7	84	24.3	0.025	0.8	4.6	31	5.8	0.0005	0.05	25	0.05	96	0.5	0.28	0.8	0.1
2061129	464975	7129411	1622.3	Frostboil	30	Yellow	N	Damp	N. Hamlyn	WHI18000892	0.0035	0.05	1.61	4.2	1244	0.4	0.03	0.05	14.3	22	103.9	3.17	5	0.05	29	0.71	611	5.9	0.005	51.1	48	20.9	0.025	0.4	2.1	41	5.6	0.003	0.05	22	0.05	103	1	0.03	0.25	0.1
2061130	464992	7129458	1625.9	Frostboil	30	Grey	N	Damp	N. Hamlyn	WHI18000892	0.0018	0.1	1.28	15.7	561	0.4	0.02	0.05	12.6	23	121.9	4.31	4	0.05	22	0.64	832	11.6	0.011	46.3	78	24.8	0.06	1.1	2.7	36	7.7	0.0005	0.2	22	0.05	103	1	0.07	1.1	0.1
2061131	465030	7129495	1610.5	C	30	Grey	N	Damp	N. Hamlyn	WHI18000892	0.0012	0.3	1.62	24.3	105	0.4	0.08	0.3	6.4	27	33.3	4.39	5	0.08	31	0.71	126	8.3	0.013	32.6	168	30.4	0.14	1.1	1.5	41	4.3	0.0005	0.3	28	0.05	97	0.5	0.13	1.9	0.1
2061132	465047	7129544	1603.5	C	40	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0025	0.3	2.02	29.7	69	0.4	0.46	0.6	30.9	28	49.1	5.47	5	0.05	41	1.15	1599	9.9	0.008	69.9	281	29.7	0.025	1.1	2.8	61	9.8	0.0005	0.2	21	0.05	135	0.5	0.12	0.6	0.1
2061133	465053	7129597	1590.3	C	30	Grey	N	Damp	N. Hamlyn	WHI18000892	0.00025	0.3	1.83	30.1	119	0.3	0.44	0.9	30.9	27	47.2	5.06	4	0.07	26	1.09	1522	13.3	0.017	69.7	237	31.1	0.11	0.9	2.8	68	9.6	0.0005	0.4	21	0.05	120	0.5	0.28	0.25	0.1
2061134	465056	7129648	1591.3	C	30	Grey	N	Dry	N. Hamlyn	WHI18000892	0.00025	0.3	2.24	44.4	89	0.5	0.07	0.3	15.3	30	40	5.66	5	0.13	27	0.97	293	19.9	0.023	63.7	153	37.1	0.42	1.1	2.6	112	6.6	0.0005	0.5	21	0.05	124	0.5	0.2	0.7	0.1
2061135	465071	7129696	1588.2	Frostboil	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0043	0.1	1.52	13.9	119	0.2	0.13	0.2	10.3	24	23.4	2.8	4	0.04	15	0.4	337	1.1	0.006	26.1	64	14	0.025	0.8	2.5	13	2.1	0.026	0.1	42	0.2	67	0.5	0.05	0.25	0.1
2061136	465093	7129739	1607.2	C	30	Brown	N	Dry	N. Hamlyn	WHI18000892	0.0082	0.05	1.63	13.5	73	0.2	0.11	0.2	6.6	32	20.1	3.98	6	0.04	12	0.36	207	1.5	0.007	19.5	65	16.2	0.025	1	2.3	11	1.6	0.044	0.1	61	0.3	63	2	0.06	0.25	0.1
2061137	465134	7129767	1564	C	30	Brown	N	Dry	N. Hamlyn	WHI18000892	0.0022	0.8	1.69	20.1	125	0.4	0.46	0.3	19.8	34	41.5	4.86	5	0.04	11	0.2	417	2.2	0.007	56.3	178	49.7	0.025	1.1	6.1	35	3.8	0.001	0.1	34	0.05	123	1	0.13	0.9	0.1
2061138	465145	7129816	1544.2	Frostboil	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0025	0.2	1.06	29.3	802	0.7	0.07	0.05	4.1	28	89.5	4.71	4	0.05	29	0.51	380	57.6	0.008	30.6	56	33.6	0.05	1.7	1.9	29	7.7	0.0005	0.7	24	0.05	77	0.5	0.1	0.9	0.2
2061139	465168	7129859	1529.8	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0064	0.9	1.48	18.5	814	0.3	0.17	1.3	20.6	20	89.3	4.17	4	0.07	24	0.65	703	9.6	0.011	60.7	132	24.1	0.08	2.6	2.4	32	4.7	0.002	0.2	24	0.05	147	0.5	0.17	2.1	0.1
2061140	465188	7129905	1522.4	C	45	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0066	0.8	1.33	14.1	163	0.3	0.12	1.2	9.4	22	88.2	3.13	4	0.05	22	0.32	367	18.9	0.007	52.4	149	13.7	0.025	3.2	1.1	19	0.7	0.005	0.3	54	0.05	193	0.5	0.22	5.9	0.1
2061141	465209	7129951	1521.2	Frostboil	30	Yellow	N	Damp	N. Hamlyn	WHI18000892	0.0017	0.1	1.22	1.3	923	0.5	0.005	0.05	13	19	151.6	4.21	3	0.07	12	0.67	154	0.7	0.016	42.4	53	17.8	0.11	0.3	2.8	36	6.6	0.0005	0.05	20	0.05	97	0.5	0.05	0.25	0.1
2061142	465210	7129999	1512.7	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0034	0.5	1.59	22.1	88	0.4	0.04	0.2	14.7	32	61.7	4.15	4	0.05	28	0.6	463	3.1	0.008	44.8	125	30.7	0.025	1.1	1.3	37	2.6	0.006	0.1	31	0.05	112	0.5	0.07	0.9	0.1
2061143	465203	7130051	1497.6	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0012	0.2	1.63	20.6	58	0.4	0.44	0.5	25.6	26	45.2	4.82	4	0.04	43	0.91	600	4.3	0.004	61.8	222	35.2	0.025	1.1	3.2	19	11.3	0.003	0.1	16	0.05	121	0.5	0.13	0.8	0.1
2061144	465201	7130103	1490.1	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0016	0.4	1.35	20.5	182	0.3	0.67	0.7	20.3	18	83.2	3.66	3	0.07	25	0.67	495	12.4	0.012	52.5	357	22	0.06	2.2	1.5	32	1.6	0.003	0.3	25	0.05	135	0.5	0.17	1	0.1
2061145	465232	7130144	1475.6	C	30	Grey	N	Damp	N. Hamlyn	WHI18000892	0.0027	0.9	1.36	22.1	262	0.3	0.77	0.7	13	20	95.3	4.64	3	0.12	24	0.63	489	16.1	0.016	54.3	457	27	0.4	1.7	2.7	129	4.3	0.002	0.5	36	0.05	155	1	0.61	2.3	0.1
2061146	465268	7130181	1472.8	C	30	Grey	N	Dry	N. Hamlyn	WHI18000892	0.0126	1.5	1.08	40.2	117	0.6	0.24	2.9	35.8	28	114.9	6.34	2	0.06	31	0.34	1183	20.6	0.011	101.8	244	62.4	0.09	12.8	3	82	4.4	0.001	0.8	25	0.05	375	0.5	0.95	3.7	0.3
2061147	465254	7130229	1458.5	C	40	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0029	0.5	1.08	14.2	162	0.3	0.54	1.4	8.3	20	56.6	3.79	2	0.07	26	0.66	87	15.3	0.014	63	341	17.1	0.025	1.8	2.5	67	5.4	0.002	0.5	21	0.05	163	0.5	0.61	11.3	0.1
2061148	465245	7130281	1453.8	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0118	0.8	1.76	14	302	0.3	0.23	0.8	15.2	34	109.5	3.97	5	0.08	18	0.51	315	15.2	0.007	87.7	238	13.4	0.025	2.5	2.3	28	1.2	0.003	0.6	49	0.05	223	1	0.33	7.1	0.1
2061149	465265	7130326	1451.7	C	45	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0125	1.8	1.25	19.9	316	0.4	0.25	3.6	28.6	29	172.2	5.44	3	0.08	21	0.56	1159	28.3	0.025	171.5	214	19.2	0.1	5	4.6	86	4.2	0.001	0.5	40	0.05	358	0.5	0.81	7.9	0.2
2061150	465292	7130365	1450.9	C	30	Brown	N	Damp	N. Hamlyn	WHI18000892	0.0149	2	1.68	11.4	124	0.5	0.11	1.3	26.2	41	219.8	5.19	4	0.06	19	0.75	1027	7.3	0.011	81.3	166	28.1	0.025	3	4.3	33	3	0.005	0.2	42	0.05	190	0.5	0.16	5.8	0.3

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061151	463070	7131675	1525.9	C	20	Brown	SW	Moist	S. Orban	WHI18000893	0.0114	1.8	0.54	41.5	227	0.6	0.08	1.1	10.1	11	67.7	3.98	2	0.08	24	0.03	268	21.2	0.033	47.5	154	60.1	0.24	8.1	1.7	33	1.2	0.003	1.3	22	0.05	191	2	0.88	4.1	0.3
2061152	463042	7131717	1516.3	C	20	Brown	NW	Damp	S. Orban	WHI18000893	0.0023	0.1	1.27	30.5	76	0.4	0.15	1.8	15	35	46.1	3.79	4	0.06	43	0.39	289	19.5	0.005	77.3	138	22.3	0.025	5.5	2.4	14	7.5	0.008	0.6	56	0.05	346	2	0.1	3.8	0.1
2061153	463006	7131755	1512	C	20	Grey	NE	Moist	S. Orban	WHI18000893	0.0022	1.3	1.99	24	183	0.3	0.36	10.5	65	38	102.8	4.26	3	0.09	26	0.54	969	17.1	0.017	246.1	231	23.5	0.13	3.6	3.8	52	6.8	0.003	0.9	32	0.05	403	3	0.33	5.3	0.1
2061154	462977	7131799	1493.2	C	30	Grey	NW	Damp	S. Orban	WHI18000893	0.0039	2.9	1.38	20.4	145	0.4	0.59	5	27.4	73	91.7	4.52	3	0.09	34	0.7	563	17.8	0.013	124.6	261	27.4	0.07	5.7	5.3	42	6.9	0.003	0.6	40	0.05	283	2	0.56	5.1	0.1
2061155	462944	7131837	1477.9	C	20	Grey	NE	Damp	S. Orban	WHI18000893	0.0134	4.4	1.5	13.4	77	0.5	0.27	12.7	26.2	36	144.5	4.43	3	0.09	22	0.67	650	25.7	0.011	169.1	173	27.9	0.07	5.2	3	38	7.5	0.002	0.7	35	0.05	502	1	0.93	7.1	0.1
2061156	462911	7131874	1468.3	C	20	Brown	NE	Moist	S. Orban	WHI18000893	0.0062	2.2	1.44	10.4	111	0.3	0.13	2.6	12.4	35	81.5	3.11	4	0.07	24	0.5	243	10.1	0.005	59.4	97	15.5	0.025	2.3	2.5	18	3.9	0.006	0.5	40	0.05	198	1	0.45	5.3	0.1
2061157	467034	7129428	1444.2	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0028	0.2	1.59	9.4	105	0.3	0.07	0.4	4.9	27	16.7	2.37	5	0.04	20	0.31	156	2.6	0.005	16.6	86	11.9	0.025	0.7	0.9	9	0.4	0.009	0.3	45	0.05	54	2	0.26	0.25	0.1
2061158	467070	7129462	1438.3	C	30	Brown	NE	Moist	S. Orban	WHI18000893	0.0088	0.5	1.57	20	114	0.4	0.11	0.6	9.5	28	36.1	3.48	5	0.05	18	0.4	363	3.6	0.021	24.8	101	29.8	0.09	2.8	1.6	23	0.7	0.018	0.5	44	0.1	92	2	0.75	1.6	0.1
2061159	467114	7129483	1433.3	C	30	Brown	NE	Damp	S. Orban	WHI18000893	0.0024	0.2	2	12.8	105	0.3	0.13	0.3	6.7	32	21.5	3.11	6	0.05	21	0.51	219	4.7	0.006	21.6	82	14	0.025	0.9	2.7	14	1.5	0.033	0.3	54	0.2	76	1	0.17	1	0.1
2061160	467148	7129521	1425.4	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0066	0.8	2.1	13.8	119	0.3	0.15	1.2	13.9	31	83.7	3.52	5	0.06	25	0.55	432	7.6	0.006	47.9	153	15.1	0.025	1.5	2.8	20	1.9	0.014	0.3	43	0.05	151	2	0.29	3.9	0.1
2061161	467148	7129521	1422	C	30	Brown	S	Damp	S. Orban	WHI18000893	0.0029	0.5	1.7	10.6	104	0.3	0.07	0.7	6.5	30	59.9	3.19	6	0.06	22	0.34	240	6.8	0.005	27.8	93	12.6	0.025	1.3	1.2	13	0.5	0.011	0.4	47	0.1	108	2	0.21	3	0.1
2061162	467169	7129568	1428.2	C	20	Brown	S	Moist	S. Orban	WHI18000893	0.0082	0.2	1.55	7.8	88	0.2	0.08	0.4	5.8	26	31.7	2.45	5	0.04	20	0.33	183	3.3	0.004	23	63	13.1	0.025	1	1.3	10	0.8	0.01	0.3	41	0.05	68	2	0.19	1.2	0.1
2061163	467184	7129616	1430	C	20	Brown	SW	Frozen	S. Orban	WHI18000893	0.0037	0.4	1.7	11.1	83	0.3	0.09	0.6	7.1	26	18.5	2.77	5	0.05	16	0.36	257	2.1	0.005	19.6	61	13.4	0.025	1.1	2.3	12	2.2	0.028	0.3	44	0.2	64	1	0.13	1.2	0.1
2061164	467198	7129664	1423.3	C	30	Brown	S	Moist	S. Orban	WHI18000893	0.0037	0.9	1.53	9.8	81	0.2	0.08	0.7	4.3	31	30.3	2.81	5	0.05	18	0.35	129	4.2	0.004	22.3	104	14	0.025	1.3	0.9	9	0.5	0.008	0.4	43	0.05	88	0.5	0.2	2.1	0.1
2061165	467194	7129715	1431.9	C	30	Green	E	Moist	S. Orban	WHI18000893	0.0043	0.3	1.36	16.5	74	0.3	0.13	1.1	10.7	31	31.1	3.33	4	0.05	22	0.35	365	10.5	0.004	37.4	140	17.9	0.025	2.3	0.6	13	0.6	0.009	0.4	41	0.05	135	1	0.17	2.1	0.1
2061166	467201	7129764	1431.5	C	30	Brown	S	Moist	S. Orban	WHI18000893	0.0075	0.8	1.64	12.6	152	0.3	0.06	0.6	9	23	53.2	3.14	4	0.06	17	0.26	284	6.1	0.011	32.5	111	13.3	0.07	1.6	1.1	20	0.4	0.01	0.3	42	0.1	117	1	0.24	3.9	0.1
2061167	467199	7129814	1442	C	20	Brown	E	Damp	S. Orban	WHI18000893	0.0075	0.7	1.53	9.1	140	0.3	0.11	0.5	4.5	25	36.9	2.05	5	0.05	16	0.27	132	5.6	0.009	22.8	112	12.7	0.06	1	0.8	26	0.3	0.009	0.3	43	0.05	74	1	0.24	2	0.1
2061168	467219	7129859	1448.9	C	20	Grey	SW	Moist	S. Orban	WHI18000893	0.0038	0.3	1.95	17.8	125	0.3	0.07	0.6	10.9	29	40.3	3.45	5	0.07	19	0.45	303	4.3	0.009	36.5	56	17.1	0.025	1.6	3.4	21	6.1	0.023	0.3	43	0.1	93	2	0.08	2.4	0.1
2061169	467245	7129904	1443.5	C	30	Brown	S	Moist	S. Orban	WHI18000893	0.0066	0.4	1.22	18	196	0.4	0.39	0.9	7.8	20	68.8	2.72	3	0.06	32	0.45	175	9.4	0.007	38.3	272	23.8	0.06	3.7	2.1	62	2.6	0.01	0.6	28	0.05	154	0.5	0.8	5.4	0.1
2061170	467272	7129948	1450.1	C	30	Brown	SW	Moist	S. Orban	WHI18000893	0.0079	0.3	1.82	15	154	0.3	0.13	0.8	12	27	49.4	3.39	4	0.06	20	0.4	442	6.5	0.008	38.9	120	16.7	0.025	1.8	3.2	24	3.6	0.018	0.3	41	0.1	116	2	0.17	3.1	0.1
2061171	467293	7129993	1469.9	C	30	Brown	S	Moist	S. Orban	WHI18000893	0.0032	0.4	1.79	12.5	119	0.3	0.07	0.3	6.1	33	24.5	2.92	6	0.05	17	0.32	176	3.8	0.005	21	78	13.1	0.025	1.1	2.8	12	1.9	0.025	0.3	64	0.2	69	1	0.08	1.4	0.1
2061172	467309	7130041	1476.3	C	3	Brown	SW	Damp	S. Orban	WHI18000893	0.005	1.3	1.91	12.6	193	0.4	0.22	1.2	11.1	40	70.5	4.03	5	0.09	27	0.46	246	6.6	0.011	47.3	169	23.1	0.05	2	3.7	43	3.9	0.018	0.4	52	0.1	153	2	0.19	5.7	0.1
2061173	467326	7130087	1475.1	C	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0235	1.3	2.11	5.5	377	0.2	0.02	0.5	9.4	17	170.1	6.9	7	0.15	21	0.79	273	4.2	0.022	25.2	100	12.6	0.27	2.1	5.5	69	2.2	0.005	0.05	37	0.05	114	4	0.15	6.2	0.5
2061174	467349	7130133	1467.6	C	20	Brown	E	Moist	S. Orban	WHI18000893	0.0099	1.5	1.29	8.1	225	0.3	0.07	0.7	11.5	27	75.2	2.88	3	0.06	18	0.32	366	5.3	0.01	43.3	67	18.6	0.025	1.9	3.1	18	4.1	0.014	0.2	33	0.05	117	2	0.2	3.6	0.1
2061175	467370	7130178	1461.8	C	30	Brown	N	Damp	S. Orban	WHI18000893	0.0251	7	1.49	17.1	71	0.5	0.06	0.9	11.5	54	160	8.25	5	0.32	15	0.19	505	27.5	0.147	57	246	22.3	1.23	4.1	3.7	144	2.3	0.003	0.6	56	0.05	150	3	0.87	24.5	0.6
2061176	467384	7130227	1448.9	C	30	Grey	N	Damp	S. Orban	WHI18000893	0.0034	0.5	0.67	19.3	208	0.2	2.34	3.2	16.5	15	41.1	3.62	2	0.1	16	0.24	456	15.6	0.012	92	479	18.1	0.11	3.8	3.4	131	4	0.004	0.8	19	0.05	203	3	0.64	3.3	0.1
2061177	467400	7130275	1438.6	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0026	2.1	1.23	26.8	99	0.4	0.38	4.2	20.5	34	71.3	4.42	3	0.08	41	0.59	342	15.6	0.006	88.9	229	33.1	0.025	6.5	2.7	39	8.7	0.002	0.5	29	0.05	259	2	0.45	3.2	0.1
2061178	467435	7130312	1430.7	C	20	Brown	NE	Moist	S. Orban	WHI18000893	0.0076	1.8	1.61	12.8	261	0.4	0.03	0.6	8.6	29	72.9	4.22	7	0.09	24	0.23	268	10.8	0.012	32	73	17.7	0.07	2.1	2.9	17	3.4	0.009	0.4	59	0.05	117	2	0.14	5.6	0.2
2061179	467468	7130351	1414.9	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0025	1.1	1.06	26.1	105	0.4	1.28	2.9	19.5	34	58.9	4.09	3	0.08	42	0.52	338	9.4	0.005	79.1	311	28.7	0.025	4.8	3.4	71	9.2	0.003	0.4	33	0.05	238	2	0.35	2.4	0.1
2061180	467484	7130399	1404.6	C	10	Green	S	Moist	S. Orban	WHI18000893	0.003	1.4	1.25	21.9	188	0.4	0.76	3.3	18.6	33	50.7	3.67	3	0.11	37	0.49	474	9.6	0.007	71.1	278	24.9	0.06	3.6	3.9	66	7	0.002	0.5	35	0.05	201	1	0.23	2.5	0.1
2061181	467487	7130449	1409.1	C	30	Grey	S	Damp	S. Orban	WHI18000893	0.0032	1	1.51	22.4	97	0.5	0.43	3.6	21.6	37	51.9	3.62	3	0.07	54	0.6	332	10.2	0.005	75.2	250	24.2	0.025	3.8	2.6	39	11.4	0.002	0.5	34	0.05	240	2	0.11	2.5	0.1
2061182	467499	7130498	1412.3	C	30	Brown	N	Moist	S. Orban	WHI18000893	0.0041	0.9	1.73	17.3	350	0.4	0.02	0.5	7.4	27	78.6	4.8	6	0.13	29	0.43	204	12.4	0.009	37	104	18.5	0.06	3.3	2.9	26	4.4	0.005	0.5	49	0.05	138	3	0.08	4	0.3
2061183	467518	7130544	1404.4	C	20	Brown	N	Moist	S. Orban	WHI18000893	0.0077	2.2	1.41	9.6	307	0.4	0.12	1.1	13.9	35	110	3.32	4	0.1	22	0.35	520	12.5	0.006	58.3	96	15.3	0.025	2.6	2.5	10	1.7	0.004	0.4	38	0.05	171	2	0.15	4.2	0.2
2061184	467530	7130593	1392.4	C	20	Brown	NW	Frozen	S. Orban	WHI18000893	0.0108	0.9	1.33	26	296	0.5	0.05	0.6	8.5	28	63.4	3.86	4	0.07	21	0.35	203	18.6	0.009	37.5	98	44.3	0.13	6	2.3	36	2.3	0.003	1.2	36	0.05	154	1	1.19	2.7	0.2
2061185	467528	7130643	1404.7	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.004	2	1.41	21	172	0.3	0.92	3.5	15.9	43	33.7	3.48	3	0.07	42	0.43	488	8.2	0.004	70.2	347	26.9	0.025	2.7	6.9	56	6.7	0.002	0.4	38	0.05	185	2	0.48	2.1	0.1
2061186	467530	7130695	1406.6	C	20	Brown	E	Moist	S. Orban	WHI18000893	0.0071	1.7	1.22	25	365	0.3	0.38	7.7	13.8	40	87.9	3.69	3	0.08	33	0.58	261	25.3	0.003	99.3	150	20	0.025	6	3.5	32	9	0.001	0.5	39	0.05	288	2	0.62	6.5	0.1
2061187	467573	7130781	1379.8	C	30	Grey	N	Damp	S. Orban	WHI18000893	0.0069	5.1	1.01	13	241	0.4	1.08	12.8	17.3	34	83.9	4.46	2	0.12	22	0.49	709	11.2	0.011	99.8	316	26	0.4	3.9	4	104	4.2	0.002	0.9	22	0.05	327	3	0.54	8.7	0.1
2061188	467587	7130830	1381.1	C	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0184	2.2	1.66	14.3	173	0.4	0.49	1.5	12	42	71.7	3.34	3	0.12	24	0.59	122	25.6	0.004	84.4	375	24.3	0.025	3.8	2.4	60	8.2	0.002	1	63	0.05	236	2	0.33	7.5	0.1
2061189	467617	7130870	1371.2	C	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0143	2.8	1.37	17.6	149	0.4	0.46	5.2	21.2	36	143	4.44	3	0.11	35	0.54	550	30.8	0.009	103.8	366	22.4	0.025	4.3	3.2	40	4.8	0.004	0.8	50	0.05	309	2	0.63	7.5	0.1
2061190	467639	7130916	1373.8	C	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0169	4.4	1.13	28.8	220	0.4	1.34	9.3	18.1	35	159.5	4.93	2	0.16	26	0.5	413	90.8	0.021	132	786	24.7	0.23	6.6	3.6	186	7.9	0.006	2	210	0.05	443	4	1.05	8.6	0.1
2061191	467659	7130963	1385.6	C	20	Grey	S	Damp	S. Orban	WHI18000893	0.0033	0.6	2.36	15.3	49	0.4	0.29	1.8	22.9	31	47.5	4.79	5	0.04	41	1.2	465	4.8	0.006	57.7	207	22.3	0.025	0.8	2.6	31	9.9	0.002	0.3	24	0.05	144	2	0.14	0.7	0.1
2061192	467664	7131013	1382.5	C	20	Brown	SE	Moist	S. Orban	WHI18000893	0.0046	0.2	2.08	18.6	60	0.5	0.21	0.3	28.1	31	44.6	5.21	5	0.06	39	0.99	997	6.3	0.008	59	193	30.2	0.025	0.9	3.2	31	8.7	0.002	0.4	20	0.05	118	2	0.2	0.8	0.1
2061193	467660	7131065	1394.1	C	20	Brown	NE	Moist	S. Orban	WHI18000893	0.0054	0.3	2.69	19.9	78	0.5	0.14	0.3	15	43	57.9	6.51	7	0.05	39	1.24	242	5.9	0.008	55.2	189	33.4	0.025	1	2.3	25	10.7	0.002	0.3	36	0.05	144	2	0.32	0.7	0.1
2061194	467691	7131104	1393.2	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0051	0.6	2.47	23.4	68	0.4	0.33	0.8	29.8	42	69.4	6.04	6	0.06	46	1.04	365	4.4	0.01	65.5	329	33.6	0.025	0.8	2.7	56	10	0.004	0.3	32	0.05	180	2	0.28	0.25	0.1
2061195	467719	7131174	1399.4	C	20	Grey	SW	Damp	S. Orban	WHI18000893	0.0055	1.3	1.88	49.6	76	0.4	0.32	0.2	8.6	41	48	5.65	6	0.07	43	0.84	263	7	0.014	34.3	478	31.2	0.025	1.9	3	55	6.8	0.003	0.4	33	0.05	108	4	0.48	1.6	0.1
2061196	467758	7131179	1396.3	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0036	0.05	1.86	11.6	105	0.3	0.11	0.1	8.1	28	23.8	2.89	5	0.04	24	0.53	232	1.8	0.006	23.3	66	14.3	0.025	0.8	2.7	14	3.6	0.021	0.2	43	0.1	63	1	0.05	0.25	0.1
2061197	467771	7131230	1391	C	20	Brown	S	Dry	S. Orban	WHI18000893	0.0019	0.05	2.07	12.1	147	0.3	0.11	0.2	9.1	32	21.9	3.51	5	0.05	24	0.66	317	2.3	0.008	24.6	88	18.7	0.025	0.8	3	21	5.9	0.018	0.2	43	0.2	73	1	0.05	0.25	0.1
2061198	467786	7131277	1397.3	C	20	Brown	S	Moist	S. Orban	WHI18000893	0.0013	0.05	1.71	13.9	114	0.3	0.04	0.2	7.9	27	26	3.59	5	0.05	24	0.63	241	2.4	0.006	29.9	63	20.6	0.025	0.8	2.4	17	7.7	0.007	0.2	31	0.05	74	1	0.07	0.25	0.1
2061199	467779	7131327	1399.9	C	20	Grey	S	Moist	S. Orban	WHI18000893	0.002	0.1	1.73	13.8	53	0.4	0.01	0.05	2.1	29	42.1	4.01	5	0.04	19	0.57	114	2.2	0.006	29.9	66	46.4	0.025	2	2	22	9	0.002	0.2	30	0.05	78	0.5	0.05	2.3	0.1
2061200	467779	7131327	1402.9	C	20	Grey	S	Moist	S. Orban	WHI18000893	0.0014	0.05	1.67	5.8	32	0.4	0.005	0.05	1.5	24	23.3	3.06	5	0.03	27	0.64	106	0.7	0.003	26.4	22	18.6	0.025	0.5	1.4	8	7.7	0.002	0.05	18	0.05	68	0.5	0.02	0.25	0.1
2061201	465306	7130417	1435.9	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0165	0.7	1.33	10.9	167	0.7	0.06	3.3	29	20	335.7	5.15	2	0.08	24	0.29	713	5.1	0.012	111.6	118	37.8	0.1	1.7	4.3	44	4.9	0.001	0.2	23	0.05	351	0.5	0.07	2.2	0.3
2061202	465336	7130459	1446	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0037	0.3	1.11	14.3	136	0.3	0.02	0.5	9.4	21	90.4	2.8	5	0.06	20	0.12	233	25.7	0.003	50.6	86	14.3	0.025	4	1.9	6	1.1	0.01	0.9	73	0.1	196	1	0.15	2.2	0.1
2061203	465372	7130518	1413.7	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0108	2.5	1.45	18	190	0.5	0.26	1.8	15.6	45	201.8	4.71	4	0.09	23	0.59	798	16.9	0.025	71.4	263	22	0.13	5.6	3.2	85	2.2	0.004	0.5	54	0.05	248	1	0.31	13.7	0.3
2061204	465387	7130567	1403.6	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0021	1.7	2.15	20.3	248	0.3	0.16	1	7.7	54	122.6	6.14	5	0.07	13	1.05	190	16.2	0.016	51.5	352	11.5	0.22	5.1	5.4	91	2.6	0.005	0.4	63	0.05	201	1	0.38	20.7	0.2
2061205	465377	7130621	1414.7	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0099	1.8	0.87	6.2	255	0.3	0.05	0.8	14.9	31	93.1	2.89	3	0.09	13	0.18	654	4	0.003	70.1	120	12.9	0.025	2.6	1.9	10	0.9	0.004	0.2	23	0.05	235	2	0.19	4.6	0.1
2061206	465360	7130671	1396.5	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0048	4.5	1.45	33.4	282	0.6	0.02	0.2	1.7	52	31.5	6.56	6	0.19	30	0.12	66	29.6	0.05	9.6	103	26.2	0.62	7.8	2.8	26	9.8	0.016	2	74	0.05	46	2	0.41	51.1	0.1
2061207	465357	7130721	1396.3	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0033	1.2	1.44	50.1	267	0.5	0.005	0.2	1.9	28	56.6	7.61	5	0.13	15	0.47	75	19.8	0.028	13	166	21.2	0.47	4.4	3.1	38	8	0.001	1.3	44	0.05	84	2	0.4	11.5	0.1
2061208	465364	7130776	1399	C	35	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0039	1.8	1.47	26.5	312	0.4	0.06	0.5	2.3	45	98.1	5.77	5	0.12	17	0.61	96	23.5	0.032	20	230	18.5	0.46	6.2	2.5	54	3.9	0.002	0.8	61	0.05	147	2	0.28	12.7	0.1
2061209	465383	7130817	1385.4	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0163	2.2	1.19	10.1	173	0.5	0.25	1.6	24.1	48	204.9	3.91	3	0.1	40	0.65	319	6.7	0.005	98	182	25.8	0.025	4.1	4	28	4.8	0.002	0.2	30	0.05	229	2	0.25	5.7	0.2
2061210	465415	7130859	1350.4	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0101	2.4	1.05	10.8	243	0.4	0.26	2.8	17.9	30	198.8	3.77	3	0.12	24	0.5	807	12.3	0.009	97.9	174	18.7	0.025	4	4.2	45	3.6	0.004	0.3	26	0.05	301	3	0.45	7.1	0.3
2061211	465409	7130912	1343.7	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0052	1.6	1.47	11.7	181	0.3	0.03	1.5	8.4	31	53.5	3.4	4	0.08	31	0.34	153	10	0.005	42.4	80	17.3	0.025	2.5	2.6	19	6.9	0.002	0.7	37	0.05	161	1	0.15	3.1	0.1
2061212	465419	7130963	1340.2	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0084	3.1	0.9	13	223	0.3	0.18	19	19.9	26	80.6	3.38	3	0.08	29	0.27	863	23.7	0.008	89.2	119	20.2	0.025	5	1.6	28	2.3	0.001	0.7	34	0.05	289	2	0.32	6	0.1
2061213	465419	7131021	1343.2	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0013	0.2	1.45	11.8	149	0.3	0.07	0.9	6.8	30	26.3	2.87	5	0.05	31	0.29	133	5.3	0.004	29.6	52	17.2	0.025	1.5	2	9	4.5	0.004	0.4	56	0.05	116	1	0.07	0.9	0.1
2061214	465437	7131107	1329.4	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0061	0.6	1.4	12.7	101	0.2	0.12	1.1	9.7	28	32	2.81	4	0.05	21	0.34	273	7	0.006	36.7	133	15.2	0.025	1.8	1.4	14	1.3	0.008	0.4	37	0.1	134	0.5	0.13	2.2	0.1
2061215	466276	7128547	1784.6	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0009	1.1	0.83	21.4	86	0.4	0.29	1.1	14.5	18	34.2	2.48	2	0.04	6	0.09	213	1.8	0.007	49.2	110	32.8	0.025	0.8	2.7	28	3.6	0.002	0.1	20	0.05	111	0.5	0.15	1	0.1
2061216	466294	7128598	1776.9	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0038	0.9	1.3	19.6	67	0.3	0.13	0.3	12.1	26	51	3.36	4	0.03	5	0.14	245	2.3	0.004	48.9	84	26.3	0.025	0.9	3.8	29	6.4	0.002	0.05	27	0.05	107	0.5	0.11	1.3	0.1
2061217	466309	7128645	1761.2	C	30	Brown	NE	Damp	N. Hamlyn	WHI18000893	0.0058	1.2	0.73	14.5	61	0.3	0.05	0.3	6.8	17	41.1	2.51	2	0.03	4	0.09	125	8.9	0.004	25.3	60	27.4	0.025	0.9	1.5	24	1.5	0.001	0.05	17	0.05	66	0.5	0.19	0.8	0.1
2061218	466342	7128680	1743.7	C	30	Brown	NE	Damp	N. Hamlyn	WHI18000893	0.0018	0.2	1.3	12.2	71	0.2	0.18	0.5	9.3	23	23.1	2.57	4	0.04	13	0.27	318	1.3	0.006	27.8	88	17.2	0.025	0.7	2.4	18	1.6	0.023	0.05	34	0.1	75	1	0.04	0.25	0.1
2061219	466369	7128723	1735.7	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0025	0.5	0.83	14.7	53	0.3	0.16	0.3	7.8	18	20.9	1.84	3	0.03	3	0.08	113	1	0.003	27.5	59	22	0.025	0.5	2.5	14	4	0.0005	0.05	19	0.05	59	0.5	0.08	0.25	0.1
2061220	466367	7128775	1717.1	C	45	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0024	0.4	2.05	14.8	63	0.4	0.22	0.3	13.2	33	28.9	3.38	6	0.03	13	0.25	158	1.2	0.003	47.2	135	26.5	0.025	0.6	4.3	24	4.9	0.001	0.05	31	0.05	92	2	0.06	0.25	0.1
2061221	466380	7128825	1697.6	C	35	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.002	0.6	1.54	17.8	95	0.4	0.13	0.3	8.7	27	30.4	3.1	6	0.03	16	0.2	215	1.9	0.004	28.4	121	28.1	0.025	0.7	3.4	43	2.7	0.006	0.05	34	0.05	72	0.5	0.09	1.1	0.1
2061222	466403	7128871	1687.7	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0027	0.4	1.28	20.2	99	0.3	0.08	0.1	4.1	23	24	2.43	5	0.03	14	0.21	172	1.4	0.004	18.3	87	24.8	0.025	0.7	2.5	24	1.4	0.01	0.05	35	0.05	57	0.5	0.11	1.4	0.1
2061223	466422	7128918	1675.6	Frostboil	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0025	0.7	1.65	18.6	87	0.5	0.09	0.3	11.3	30	29.7	3.34	5	0.03	14	0.21	210	1.9	0.003	37.4	114	35.4	0.025	0.8	3.7	29	3	0.003	0.05	38	0.05	82	1	0.18	1.6	0.1
2061224	466415	7128967	1671	Frostboil	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0035	0.6	0.85	18.8	127	0.5	0.21	0.5	11	18	44	3.32	3	0.03	10	0.1	317	3.2	0.004	42.2	91	29.7	0.025	1.4	3.9	27	5.8	0.0005	0.05	27	0.05	110	1	0.2	2	0.1
2061225	466410	7129020	1667.8	Frostboil	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0018	0.2	1.39	11.7	150	0.3	0.23	0.2	11.5	25	24.2	2.7	4	0.03	15	0.37	224	1	0.005	37.5	84	18.4	0.025	0.6	3.5	21	3.5	0.017	0.05	38	0.05	78	2	0.06	0.25	0.1
2061226	466446	7129061	1660.7	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0027	0.1	0.78	18.5	95	0.2	0.18	0.6	9.6	20	18.9	1.89	3	0.03	6	0.15	177	0.9	0.005	27.1	62	19.3	0.025	0.6	1.3	14	0.8	0.005	0.1	31	0.05	77	2	0.1	0.5	0.1
2061227	466451	7129113	1634.2	C	30	Grey	NE	Damp	N. Hamlyn	WHI18000893	0.0012	0.9	0.65	15.2	62	0.3	0.24	0.5	9.4	19	19.9	2.46	2	0.03	3	0.09	163	1.1	0.004	37	72	23	0.025	0.6	3.1	20	2.8	0.0005	0.05	17	0.05	77	2	0.2	0.9	0.1
2061228	466443	7129163	1632.7	C	30	Brown	NE	Damp	N. Hamlyn	WHI18000893	0.0016	0.3	1.88	30.8	93	0.4	0.3	0.5	22.2	30	41.5	4.66	5	0.07	37	1.13	807	16	0.014	58.6	206	28.5	0.12	0.9	2.5	44	6.8	0.001	0.3	24	0.05	123	2	0.18	0.8	0.1
2061229	466438	7129214	1629	Frostboil	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0012	0.4	1.82	28.5	120	0.5	0.05	0.4	9.9	28	35	5.03	5	0.08	37	0.9	254	12.8	0.01	40.9	127	28.8	0.19	0.9	2	49	6.3	0.0005	0.3	25	0.05	114	2	0.15	1.5	0.1
2061230	466440	7129266	1618.7	Frostboil	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0005	0.6	0.91	27.2	145	0.5	0.14	0.7	18.2	18	36.5	4.6	3	0.08	21	0.29	397	9.4	0.014	59.1	128	35.1	0.16	1.3	3.3	47	11.2	0.0005	0.2	21	0.05	110	1	0.24	1.7	0.1
2061231	466460	7129311	1613.4	C	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0019	1.1	1.51	23.4	214	0.4	0.89	1.6	26	25	82.8	5.19	4	0.09	20	0.97	771	11.4	0.007	76.2	243	32.1	0.24	3.7	3.6	41	9.2	0.001	0.3	27	0.05	192	2	0.52	4.6	0.1
2061232	466472	7129361	1594.8	C	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0033	0.4	1.59	13.9	104	0.4	0.41	0.3	17.9	23	41.5	4.17	4	0.06	40	0.79	409	5.4	0.006	56.5	196	21.8	0.025	1.1	2.6	28	8.5	0.0005	0.1	22	0.05	116	2	0.23	0.25	0.1
2061233	466475	7129411	1581.8	C	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0027	0.6	1.72	21.1	135	0.4	0.28	1.6	21.4	28	55.1	5.13	4	0.07	35	0.84	513	24.7	0.013	65.2	183	29.7	0.11	1.6	2.4	47	4.8	0.002	0.4	44	0.05	169	1	0.23	1.6	0.1
2061234	466457	7129459	1578.1	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0103	4.6	0.97	25.3	204	0.4	0.5	9.2	17.6	40	137.3	4.53	2	0.11	15	0.44	368	35.1	0.011	115.8	303	23.7	0.45	7.6	2.2	99	3.2	0.002	1	33	0.05	345	2	0.75	14.1	0.1
2061235	466416	7129489	1573.5	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0077	3.2	0.85	20.6	250	0.3	1.22	10.4	18.9	28	94.4	3.71	2	0.11	27	0.45	451	17.5	0.007	92.2	259	20.8	0.05	5.1	3.4	56	3.5	0.008	0.8	32	0.05	303	3	0.42	8.2	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061236	466399	7129537	1585.6	C	30	Brown	N	Dry	N. Hamlyn	WHI18000893	0.0036	0.2	1.56	11.5	136	0.2	0.22	0.5	16.9	28	97.9	2.94	4	0.04	16	0.44	358	2.7	0.006	43.1	86	9.1	0.025	0.9	3.1	15	1.8	0.044	0.2	58	0.2	86	1	0.06	1.1	0.1
2061237	466381	7129587	1553.8	C	30	Brown	N	Dry	N. Hamlyn	WHI18000893	0.001	0.4	1.54	29.3	172	0.2	0.51	1.9	53.3	31	110.8	5.99	4	0.06	27	1.02	1879	19.2	0.013	94	229	31.9	0.09	1.5	5.4	37	4.3	0.018	0.4	39	0.05	188	2	0.34	8.5	0.1
2061238	466361	7129632	1536.7	C	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0005	0.2	1.13	15.1	69	0.5	0.49	0.2	18.3	18	47.7	5.19	3	0.09	18	0.53	648	3.3	0.011	51.9	235	31.1	0.41	0.7	2.6	91	9.5	0.0005	0.1	12	0.05	104	2	0.32	0.7	0.1
2061239	466357	7129682	1527.2	C	20	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0033	0.7	1.02	23.6	164	0.4	0.77	1.6	23.5	17	113.1	5.35	2	0.09	22	0.61	760	22.9	0.011	98.5	369	26.5	0.13	2	3.7	80	8.5	0.001	0.3	24	0.05	259	2	0.82	2.9	0.1
2061240	466376	7129732	1501.8	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0089	2.2	1.07	20.6	119	0.3	1	3	19.8	29	136.3	4.22	3	0.12	25	0.62	625	28	0.011	96.8	700	20	0.11	3	1.5	106	2.2	0.002	0.6	48	0.05	336	2	0.81	6	0.1
2061241	466380	7129735	1504.3	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0095	2.8	1.08	22.6	111	0.3	0.95	3.3	23.8	30	133.9	4.67	3	0.12	26	0.6	933	33.9	0.012	109.5	683	21.7	0.12	3.8	1.9	107	2.9	0.002	0.6	50	0.05	371	1	0.76	7.1	0.1
2061242	466382	7129788	1488.7	C	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0105	6.8	1.05	24.9	137	0.5	0.57	14.1	21.9	40	196.9	5.79	2	0.08	45	0.54	448	44	0.004	175.4	308	35.1	0.025	7.7	4.2	52	11.7	0.0005	0.5	36	0.05	528	1	0.94	15.9	0.3
2061243	466377	7129839	1488.8	C	40	Brown	N	Dry	N. Hamlyn	WHI18000893	0.0082	3.1	1.02	18.7	105	0.4	0.42	6.7	22.4	25	96.3	4.91	2	0.06	37	0.24	730	13.7	0.004	89.5	248	34.5	0.025	5.5	4	26	6.1	0.004	0.5	23	0.05	354	1	0.97	12.6	0.1
2061244	466400	7129889	1489.6	C	30	Brown	N	Dry	N. Hamlyn	WHI18000893	0.0095	0.7	1.48	23.8	84	0.4	0.04	0.6	15.3	33	70.5	4.11	4	0.04	24	0.24	362	20.2	0.005	55	124	37.6	0.025	5.9	1.3	18	1	0.006	0.7	44	0.05	183	0.5	1.11	2.2	0.1
2061245	466392	7129940	1475.9	C	30	Grey	N	Dry	N. Hamlyn	WHI18000893	0.0012	0.2	0.92	8.9	153	0.3	0.01	0.05	1.3	16	13.9	1.18	6	0.05	29	0.06	29	5.3	0.005	4.6	28	13.1	0.025	0.8	1.2	14	2.3	0.007	0.4	50	0.05	23	1	0.08	1.8	0.1
2061246	466429	7129979	1473.7	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0035	0.3	2.29	10.5	173	0.3	0.06	0.6	15.7	38	39.2	3.78	6	0.07	20	0.59	458	2.7	0.006	40	46	15.2	0.025	0.8	3.6	10	6.2	0.017	0.2	52	0.1	79	2	0.07	1	0.1
2061247	466469	7130011	1467.6	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0136	2.4	1.3	11	117	0.3	0.1	1.4	12.7	35	131.3	3.39	4	0.07	16	0.56	360	22.2	0.007	76.8	102	15.1	0.025	3.6	2.7	11	1.6	0.004	0.5	54	0.05	211	2	0.37	9.5	0.1
2061248	466497	7130045	1451	Frostboil	30	Grey	N	Damp	N. Hamlyn	WHI18000893	0.0051	1.2	0.9	19.1	289	0.3	1.3	3.5	14.5	23	109.8	3.63	3	0.17	13	0.48	512	20.1	0.018	97.3	584	13.7	0.48	2.7	3.4	122	4.1	0.003	0.7	38	0.05	292	4	0.77	5.1	0.2
2061249	466493	7130099	1441.1	C	30	Brown	N	Damp	N. Hamlyn	WHI18000893	0.0196	3.3	0.98	13.7	53	0.4	0.24	3.9	20.1	34	128.1	4.57	2	0.06	31	0.44	399	8.4	0.003	94.1	184	22.6	0.025	3.4	3.6	24	6.6	0.001	0.3	21	0.05	293	2	0.67	9	0.1
2061250	466499	7130151	1450	C	40	Grey	N	Dry	N. Hamlyn	WHI18000893	0.0079	0.9	2.38	20.1	168	0.3	0.05	0.6	18.1	47	67	4.16	5	0.07	19	0.51	634	6.4	0.008	46.7	66	19.7	0.025	1.4	4	16	4.9	0.009	0.2	51	0.05	105	2	0.15	2.9	0.1
2061251	465765	7128553	1683.3	B	10	Brown	W	Damp	C. Studer	WHI18000893	0.0027	0.1	1.31	15	75	0.3	0.06	0.2	5.9	27	16.2	2.69	7	0.05	13	0.27	253	2	0.006	16.5	78	14.6	0.025	0.7	1.5	12	0.5	0.021	0.2	58	0.1	55	1	0.07	0.8	0.1
2061252	465811	7128570	1692.5	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000893	0.0031	0.8	0.9	11.1	119	0.3	0.24	0.4	11.2	20	48	2.88	3	0.04	3	0.18	217	2.2	0.005	49.9	79	21.6	0.025	0.6	3	26	6.8	0.002	0.05	21	0.05	98	0.5	0.13	1.5	0.1
2061253	465863	7128573	1692.9	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0021	0.5	1.24	15.8	77	0.3	0.14	0.6	12.8	27	31.9	2.81	4	0.04	13	0.29	281	1.9	0.005	39.4	81	17.9	0.025	0.8	2.3	17	2.2	0.015	0.1	37	0.1	92	1	0.1	0.8	0.1
2061254	465915	7128574	1700.1	C	10	Grey	W	Damp	C. Studer	WHI18000893	0.0057	0.4	0.64	13.6	59	0.2	0.04	0.1	4.4	16	37	2.17	2	0.03	5	0.1	87	5.2	0.007	21.3	51	16.8	0.025	0.7	1.3	11	1.3	0.005	0.05	24	0.05	52	0.5	0.1	0.9	0.1
2061255	465963	7128566	1706.8	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0036	0.4	1	12.9	67	0.3	0.12	0.4	9.9	21	33.6	2.79	3	0.04	10	0.22	243	2	0.006	36.3	86	17.5	0.025	0.8	1.9	19	1.2	0.012	0.05	31	0.1	76	1	0.12	1	0.1
2061256	466016	7128569	1717.7	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0036	0.4	1.2	13.7	99	0.2	0.18	0.4	12.2	24	33	2.57	3	0.03	13	0.29	214	1.3	0.006	38.9	81	16.9	0.025	0.7	2.7	20	3.9	0.015	0.05	34	0.05	74	0.5	0.06	1	0.1
2061257	466062	7128548	1732.7	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0011	0.8	0.83	46.5	49	0.4	0.32	0.8	16.4	18	39.1	2.68	2	0.04	6	0.05	220	1.6	0.004	55	143	29.9	0.025	0.6	3.6	22	7.5	0.0005	0.05	22	0.05	102	0.5	0.12	1.2	0.1
2061258	466115	7128539	1750.5	C	10	Brown	W	Damp	C. Studer	WHI18000893	0.003	0.5	1.27	16.1	112	0.3	0.21	0.3	11.9	25	34.7	2.97	4	0.04	11	0.23	239	1.8	0.005	50.9	68	19.7	0.025	0.6	3.5	20	3.6	0.002	0.05	32	0.05	88	0.5	0.12	0.9	0.1
2061259	466164	7128546	1765.8	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0036	0.3	1.29	18.5	91	0.5	0.07	0.2	9.7	25	37.9	3.05	4	0.04	10	0.28	141	1.8	0.004	42.1	77	30.1	0.025	0.7	2.1	17	1.8	0.002	0.05	29	0.05	80	2	0.05	1.1	0.1
2061260	466212	7128544	1773.3	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000893	0.0019	1.2	0.65	29.8	175	0.6	0.18	0.2	4.9	17	40.1	3.66	3	0.09	10	0.15	154	6.6	0.012	24.1	74	39.4	0.25	1	2.4	38	5.8	0.0005	0.1	25	0.05	58	2	0.22	1.7	0.1
2061261	466265	7128529	1788.5	C	10	Grey		Damp	C. Studer	WHI18000893	0.0013	0.6	0.7	12.3	105	0.3	0.22	0.4	6.1	18	14.1	1.68	3	0.04	9	0.2	143	1.1	0.005	23.1	82	18.9	0.025	0.4	2.5	20	5	0.006	0.05	24	0.05	52	0.5	0.09	0.25	0.1
2061262	466299	7128492	1794.1	B	10	Brown	E	Damp	C. Studer	WHI18000893	0.0015	0.2	0.51	6.6	106	0.2	1.16	0.4	5.9	11	11.2	3.32	1	0.04	4	0.24	693	0.8	0.009	14.9	107	9.5	0.08	0.4	1.4	25	0.6	0.01	0.05	18	0.05	69	3	0.06	0.25	0.1
2061263	466315	7128446	1784.9	C	10	Grey		Damp	C. Studer	WHI18000893	0.0039	0.7	0.56	12.6	60	0.3	0.18	0.3	12.4	11	49.1	2.17	2	0.03	4	0.05	192	1.1	0.004	46	66	21.1	0.025	0.5	2.3	10	2.9	0.0005	0.05	14	0.05	100	1	0.12	0.25	0.1
2061264	466351	7128415	1776.1	C	10	Grey	E	Damp	C. Studer	WHI18000893	0.0094	0.9	0.63	25.7	212	0.4	0.04	0.1	2.8	19	35.5	2.8	4	0.08	11	0.12	88	5.5	0.009	8.6	69	31.9	0.15	1.1	1.1	41	0.9	0.007	0.2	41	0.05	32	1	0.16	2.3	0.1
2061265	466390	7128385	1775.5	B	20	Brown	E	Damp	C. Studer	WHI18000893	0.0028	0.05	1.13	14.8	71	0.2	0.11	0.2	7.1	25	22.6	2.63	4	0.03	13	0.29	230	1.1	0.004	18.6	82	13.3	0.025	0.7	1.3	18	0.4	0.018	0.1	42	0.2	49	1	0.05	1.1	0.1
2061266	466441	7128366	1757	C	10	Grey	E	Damp	C. Studer	WHI18000893	0.0109	1.5	0.42	59.5	164	0.3	0.04	0.1	2.2	20	61.1	3.46	4	0.06	11	0.08	72	40	0.004	7.4	73	26.6	0.08	1.7	1.4	24	1	0.006	0.1	54	0.05	33	1	0.26	8.3	0.1
2061267	466487	7128342	1759.9	C	10	Grey	W	Damp	C. Studer	WHI18000893	0.0098	0.05	1.13	11.9	68	0.2	0.16	0.2	8.8	25	24	2.56	4	0.04	16	0.35	344	1.3	0.006	22.8	93	12.4	0.025	0.8	2	15	1.9	0.035	0.1	46	0.2	82	2	0.07	0.6	0.1
2061268	466538	7128328	1735.8	B	10	Brown	SE	Damp	C. Studer	WHI18000893	0.0068	0.1	1.27	14.8	53	0.3	0.08	0.2	6.3	29	23.6	3.23	6	0.05	14	0.26	290	1.9	0.005	17.8	88	15.5	0.025	1	1.5	10	0.5	0.031	0.2	63	0.1	59	1	0.06	1	0.1
2061269	466585	7128321	1722.5	C	30	Grey	SE	Damp	C. Studer	WHI18000893	0.0073	0.3	1.12	20.4	87	0.2	0.12	0.2	6.1	25	23	2.54	4	0.04	15	0.28	220	1.4	0.005	19.6	102	18.8	0.025	0.8	2.2	18	1.1	0.019	0.05	43	0.2	57	1	0.1	1.1	0.1
2061270	466627	7128297	1711.1	B	20	Brown	SE	Damp	C. Studer	WHI18000893	0.0029	0.4	0.89	21.7	167	0.2	0.09	0.2	4.9	20	28.9	2.07	3	0.05	12	0.2	182	1.5	0.007	16.8	62	22.9	0.07	1.1	2.3	22	1.1	0.017	0.05	39	0.1	50	1	0.09	1	0.1
2061271	466670	7128268	1697.1	Frostboil	10	Brown	SE	Damp	C. Studer	WHI18000893	0.0025	0.7	1.02	22.9	202	0.4	0.11	0.1	5.6	26	28	3.12	5	0.05	14	0.19	198	2.3	0.007	18.7	119	34.3	0.11	0.8	3	67	1.5	0.009	0.05	39	0.05	55	0.5	0.13	1.4	0.1
2061272	466705	7128232	1684.5	Frostboil	10	Grey		Moist	C. Studer	WHI18000893	0.0024	0.2	1.52	13.7	107	0.2	0.13	0.2	8.4	29	23.9	2.77	5	0.05	14	0.36	288	2	0.006	23	90	14.2	0.025	0.7	2.5	20	1.7	0.026	0.1	48	0.1	74	2	0.06	0.7	0.1
2061273	466744	7128203	1677.7	C	20	Grey		Damp	C. Studer	WHI18000893	0.0027	0.05	1.12	11.1	65	0.2	0.2	0.4	9.8	23	22.2	2.19	3	0.04	14	0.33	254	1.1	0.006	26.8	85	15.3	0.025	0.6	2.5	16	3.4	0.032	0.05	37	0.1	69	0.5	0.04	0.25	0.1
2061274	466786	7128181	1675.5	C	10	Grey		Damp	C. Studer	WHI18000893	0.0029	0.4	1.7	14.5	122	0.3	0.14	0.2	10.3	31	23	3.02	5	0.07	14	0.41	356	1.8	0.006	27.5	95	19.6	0.025	0.8	3	16	1.8	0.024	0.2	56	0.2	71	1	0.1	1	0.1
2061275	466836	7128173	1678.7	C	20	Grey		Damp	C. Studer	WHI18000893	0.0025	0.2	1.15	11	72	0.1	0.22	0.2	9.9	22	18.1	2.24	3	0.04	14	0.33	259	0.9	0.006	25.9	89	14.2	0.025	0.6	2.6	18	3.7	0.033	0.05	38	0.1	60	0.5	0.07	0.25	0.1
2061276	466888	7128171	1671.8	Frostboil	10	Grey		Damp	C. Studer	WHI18000893	0.00025	0.3	1.47	8.4	80	0.4	0.18	0.4	15.3	32	26	2.54	5	0.03	9	0.21	139	0.7	0.002	52.2	78	16.2	0.025	0.4	4.5	24	4.3	0.005	0.1	37	0.05	100	0.5	0.07	0.25	0.1
2061277	466933	7128152	1672.9	C	20	Grey	W	Damp	C. Studer	WHI18000893	0.0019	1	1.51	25.8	144	0.7	0.02	0.3	9.6	31	46.3	4.56	5	0.08	11	0.15	140	2.3	0.009	45.7	93	48.3	0.23	0.9	4.6	61	5.9	0.0005	0.1	36	0.05	94	0.5	0.23	1.7	0.1
2061278	466977	7128128	1698.9	C	10	Grey	NW	Damp	C. Studer	WHI18000893	0.0007	0.8	0.65	33.3	182	0.5	0.01	0.05	1.8	27	39.3	3.96	7	0.06	8	0.03	30	1.9	0.005	7.3	71	42.8	0.13	0.9	2.5	27	1.6	0.0005	0.05	35	0.05	31	0.5	0.53	3.7	0.1
2061279	467042	7128079	1722	B	10	Brown	NW	Damp	C. Studer	WHI18000893	0.0044	0.05	1.41	17.2	84	0.2	0.13	0.3	8.4	31	27.3	3.12	4	0.04	13	0.3	256	1.5	0.006	25.5	108	12.9	0.025	1	2.1	13	1.2	0.034	0.1	56	0.2	71	0.5	0.08	0.8	0.1
2061280	467096	7128053	1743.3	B	20	Brown	NW	Damp	C. Studer	WHI18000893	0.0038	0.05	1.56	11.1	75	0.2	0.11	0.3	8.9	32	17.5	2.95	5	0.05	12	0.38	309	1.4	0.005	21.3	46	13.2	0.025	0.8	2.5	11	1.2	0.042	0.2	59	0.2	67	0.5	0.04	0.25	0.1
2061281	467097	7128052	1744.7	B	20	Brown	NW	Damp	C. Studer	WHI18000893	0.0014	0.05	1.49	9.9	76	0.2	0.09	0.2	7.7	31	16.1	2.72	5	0.04	13	0.35	275	1.3	0.005	19.6	42	12.6	0.025	0.8	2.2	11	1.1	0.038	0.2	60	0.2	64	0.5	0.04	0.25	0.1
2061282	467176	7128049	1746.3	B	10	Brown		Damp	C. Studer	WHI18000893	0.0031	0.05	1.27	9.7	70	0.1	0.17	0.3	8	27	18.6	2.48	5	0.04	14	0.36	320	1.3	0.006	19.8	72	10.8	0.025	0.8	2.1	14	1.4	0.048	0.1	52	0.3	64	0.5	0.04	0.25	0.1
2061283	467245	7128057	1721.8	C	10	Grey	E	Damp	C. Studer	WHI18000893	0.0006	0.4	0.88	12.5	45	0.3	0.01	0.05	6.8	16	20.2	2.36	3	0.02	9	0.05	58	0.8	0.001	30.3	77	25.7	0.025	0.3	4.7	29	4.1	0.002	0.05	27	0.05	54	0.5	0.13	0.25	0.1
2061284	467285	7128087	1721.4	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000893	0.001	0.6	1.03	19.3	76	0.2	0.18	0.2	5.4	24	24	3.14	4	0.03	12	0.16	102	2	0.003	25.3	160	27	0.025	0.7	4	59	4.2	0.004	0.05	29	0.05	71	0.5	0.13	1.2	0.1
2061285	467334	7128110	1733.1	Frostboil	10	Grey	W	Damp	C. Studer	WHI18000893	0.0011	0.3	0.98	12.8	120	0.2	0.19	0.2	9.7	21	26.6	2.46	3	0.03	13	0.25	174	0.9	0.005	32	104	16.5	0.025	0.6	3.3	30	4	0.019	0.05	32	0.05	82	0.5	0.07	0.5	0.1
2061286	470978	7129252	1419.6	C	20	Grey		Damp	C. Studer	WHI18000893	0.0014	0.1	1.09	13.3	92	0.2	0.51	0.4	7.7	15	40	2.78	3	0.08	28	0.55	133	32.5	0.007	33.9	251	21.2	0.14	0.8	2	43	7.3	0.001	0.5	16	0.05	85	0.5	0.13	0.25	0.1
2061287	470999	7129298	1410.4	C	20	Grey		Damp	C. Studer	WHI18000893	0.0034	0.1	1.68	14.2	103	0.2	0.13	0.3	8.6	27	24.5	3.39	5	0.05	23	0.39	177	3.6	0.008	23.9	88	15.3	0.025	0.8	2.9	18	5	0.024	0.2	52	0.1	64	0.5	0.08	2.1	0.1
2061288	471026	7129349	1408.3	C	20	Grey	N	Damp	C. Studer	WHI18000893	0.0072	1	1.09	16.1	153	0.2	0.55	0.7	7.4	17	97.9	2.75	2	0.08	17	0.38	169	18.5	0.034	43.2	382	16.5	0.19	1.8	2	172	3.1	0.006	0.5	27	0.05	136	0.5	0.29	3	0.1
2061289	471015	7129398	1404.3	C	20	Grey	N	Damp	C. Studer	WHI18000893	0.0032	0.3	1.02	17.9	99	0.3	0.3	1.6	13.7	15	58.5	3.83	2	0.08	28	0.45	203	9	0.012	44.5	229	23.7	0.31	1.6	2.2	77	7.9	0.001	0.4	18	0.05	155	0.5	0.17	1.1	0.1
2061290	471043	7129440	1405.7	B	30	Brown	N	Damp	C. Studer	WHI18000893	0.0031	0.1	1.72	21.4	72	0.4	0.12	0.2	12.7	34	25.9	6.57	6	0.05	28	0.48	334	4.1	0.006	31.8	253	26.4	0.025	0.7	2.4	18	6.5	0.015	0.3	51	0.1	77	0.5	0.07	0.8	0.1
2061291	471075	7129479	1401	C	20	Grey	S	Damp	C. Studer	WHI18000893	0.0036	0.3	2.39	13.2	111	0.4	0.02	0.3	11.1	37	64.5	4.59	5	0.05	49	1	143	3.6	0.004	50.9	73	22.8	0.025	0.6	2.4	11	10.1	0.0005	0.2	28	0.05	119	0.5	0.16	1.1	0.1
2061292	471086	7129529	1398.1	B	10	Brown	N	Damp	C. Studer	WHI18000893	0.0023	0.4	1.74	14	69	0.3	0.12	0.2	20.2	28	28.6	3.88	5	0.05	31	0.54	553	3.5	0.005	33.5	133	22.5	0.025	0.7	2.2	11	4.7	0.007	0.3	42	0.05	74	0.5	0.06	0.25	0.1
2061293	471105	7129580	1386.4	C	20	Grey		Damp	C. Studer	WHI18000893	0.0045	0.3	1.46	12	102	0.3	1.4	0.4	9.3	27	42	2.97	3	0.09	40	0.69	165	4	0.007	42	731	20	0.07	1	2.2	149	3.6	0.006	0.3	29	0.05	143	1	0.11	1.5	0.1
2061294	471118	7129627	1400	C	10	Grey	S	Damp	C. Studer	WHI18000893	0.0031	1.1	2.08	13.8	119	0.2	0.09	0.8	24.1	33	35.4	3.44	4	0.06	24	0.66	489	3.1	0.006	48.8	73	18.4	0.025	0.9	3.2	15	6	0.014	0.2	39	0.05	87	0.5	0.11	0.8	0.1
2061295	471142	7129675	1403.6	C	10	Grey	N	Damp	C. Studer	WHI18000893	0.0044	0.2	1.67	21	56	0.4	0.07	0.6	14	26	30.9	3.83	5	0.04	44	0.71	285	7.9	0.004	41.5	100	28.6	0.025	1.4	1.8	20	6.3	0.003	0.4	32	0.05	105	0.5	0.11	1.7	0.1
2061296	471138	7129723	1407.2	C	10	Grey		Dry	C. Studer	WHI18000893	0.006	0.2	1.97	15.2	77	0.3	0.2	0.2	21.6	29	35.8	4.27	5	0.06	32	1.08	593	4.2	0.008	50.3	164	22.7	0.025	0.5	2	41	7.2	0.0005	0.4	21	0.05	105	0.5	0.2	0.6	0.1
2061297	471143	7129773	1398.3	C	10	Grey	N	Damp	C. Studer	WHI18000893	0.0036	0.05	1.84	11.6	119	0.3	0.1	0.2	22.5	27	18.2	3.44	5	0.05	20	0.52	670	1.5	0.004	30.1	108	31.1	0.025	0.7	1.2	11	1	0.008	0.2	37	0.05	77	0.5	0.05	0.25	0.1
2061298	471146	7129823	1400.5	C	10	Grey		Damp	C. Studer	WHI18000893	0.0055	0.2	2.23	22	137	0.3	0.05	0.2	17.3	31	35.4	3.81	5	0.05	25	0.64	385	7.7	0.009	36.2	74	18.1	0.025	0.8	3.5	22	6.9	0.01	0.3	36	0.05	80	0.5	0.18	1.1	0.1
2061299	471139	7129873	1413	B	30	Brown	S	Damp	C. Studer	WHI18000893	0.003	0.05	2.08	13.4	187	0.3	0.08	0.2	18.7	31	19.5	3.37	6	0.05	22	0.53	471	1.4	0.005	33.4	47	18.3	0.025	0.7	4.2	11	6.8	0.02	0.1	47	0.1	69	0.5	0.05	0.25	0.1
2061300	471155	7129923	1394.8	C	20	Grey	S	Damp	C. Studer	WHI18000893	0.0039	0.2	1.76	17.8	102	0.3	0.04	0.2	5.5	27	22	3.43	6	0.05	23	0.49	220	3.9	0.007	20.3	58	16.5	0.025	0.6	2.4	14	5	0.014	0.3	47	0.1	62	0.5	0.06	0.9	0.1
2061301	460203	7127873	1936.1	B	10	Grey	NW	Damp	J. Roddick	WHI18000893	0.0019	1.4	1.04	40.1	361	0.5	0.02	0.1	2.3	27	47.9	4.43	5	0.13	13	0.09	59	2.8	0.018	17.6	324	58.6	0.39	0.9	5.5	136	7.1	0.001	0.2	42	0.05	41	0.5	0.32	3.5	0.1
2061302	460096	7127876	1910.4	B	10	Grey	NW	Damp	J. Roddick	WHI18000893	0.0039	0.6	0.94	31.7	108	0.3	0.05	0.2	3.3	27	38.9	3.53	4	0.05	11	0.16	140	2	0.006	12.6	178	24.3	0.07	1	3.4	30	2.2	0.008	0.2	43	0.05	40	0.5	0.11	1.6	0.1
2061303	460037	7127931	1917.3	B	10	Brown	NW	Damp	J. Roddick	WHI18000893	0.006	0.4	1.18	13.9	89	0.2	0.22	0.3	8.5	25	44.9	2.78	4	0.06	18	0.34	319	1.4	0.006	27.4	169	15.5	0.025	0.8	2.7	27	2.4	0.029	0.1	42	0.2	74	0.5	0.09	0.8	0.1
2061304	459939	7127918	1912.8	C	10	Black	NW	Damp	J. Roddick	WHI18000893	0.0051	1.6	0.57	47.9	496	0.7	0.01	0.05	1.4	23	53	3.6	5	0.17	10	0.04	58	7.2	0.015	3.7	109	54.4	0.36	1.7	3.9	89	8.6	0.001	0.3	52	0.05	15	4	0.76	4.5	0.3
2061305	459852	7127865	1881.8	C	10	Black	NW	Damp	J. Roddick	WHI18000893	0.0017	0.9	1.14	28.2	135	0.5	0.03	0.05	2.5	25	27.8	3.15	5	0.06	5	0.11	94	2.2	0.004	13.4	124	35.3	0.025	0.9	4.5	32	8.6	0.003	0.2	38	0.05	35	0.5	0.25	1.8	0.1
2061306	459921	7128008	1880.5	C	10	Black	N	Damp	J. Roddick	WHI18000893	0.0013	0.3	1.13	10.7	60	0.3	0.26	0.3	24.5	21	25	2.62	4	0.03	15	0.17	372	0.7	0.002	55.9	160	38.3	0.025	0.3	5.4	45	5.4	0.0005	0.05	26	0.05	66	0.5	0.05	0.25	0.1
2061307	459885	7128102	1847.9	B	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0129	1	0.68	16.1	80	0.4	0.03	0.05	2	20	73.4	3.54	3	0.05	5	0.09	85	5.1	0.007	11.1	99	31.3	0.08	1.2	3.7	18	2.5	0.003	0.1	30	0.05	49	0.5	0.18	2.5	0.1
2061308	459905	7128210	1796.8	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0021	0.4	0.27	18.4	53	0.2	0.02	0.05	2.2	9	15	1.11	1	0.02	4	0.04	56	1.2	0.002	7.4	31	14	0.025	0.5	1.9	31	3.6	0.002	0.05	14	0.05	26	0.5	1.23	0.25	0.1
2061309	459940	7128298	1750.5	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0044	1.4	0.34	5.5	91	0.3	0.03	0.1	0.6	10	4.8	0.35	4	0.03	5	0.02	14	2.2	0.003	6.7	11	38.1	0.025	1	3	17	5	0.0005	0.1	9	0.05	10	0.5	0.4	1.9	0.1
2061310	460015	7128427	1726	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0034	0.05	1.23	13.6	62	0.2	0.08	0.2	7.8	24	16.6	2.56	5	0.04	13	0.32	314	1.5	0.004	18.8	54	11.8	0.025	0.7	1.6	11	0.7	0.028	0.1	48	0.1	60	0.5	0.06	0.25	0.1
2061311	460103	7128474	1706.1	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.003	0.3	0.67	17.8	76	0.2	0.05	0.2	3.7	22	26.7	2.48	3	0.04	10	0.17	126	1.6	0.004	12.7	59	20.7	0.025	0.8	3.7	14	3.1	0.014	0.05	34	0.05	40	0.5	0.1	0.9	0.1
2061312	460139	7128614	1632	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0062	0.3	1.25	14.6	136	0.2	0.15	0.4	8.5	26	26.2	2.72	4	0.05	15	0.39	282	2	0.005	25.2	90	14.3	0.025	0.9	3.6	18	3.4	0.034	0.1	45	0.1	75	0.5	0.09	0.6	0.1
2061313	460170	7128658	1625.9	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0036	0.2	1.09	12.2	98	0.2	0.13	0.4	8	22	26.5	2.48	3	0.05	13	0.29	264	2.2	0.004	24.8	80	13.2	0.025	0.8	3.2	15	2.3	0.026	0.05	37	0.1	72	0.5	0.09	0.6	0.1
2061314	460165	7128800	1580	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0033	0.2	1.33	12.1	90	0.2	0.1	0.3	7.4	26	21.6	2.69	5	0.05	13	0.36	259	1.7	0.005	21	68	13.1	0.025	0.7	2.4	14	1.2	0.025	0.1	48	0.2	66	0.5	0.06	0.5	0.1
2061315	460184	7128847	1557.2	C	10	Black	N	Damp	J. Roddick	WHI18000893	0.0016	1	0.9	28.4	145	0.5	0.04	0.05	4.1	18	22.6	3.7	4	0.04	7	0.13	122	1.8	0.003	21	90	37.5	0.025	0.7	3.4	21	2.8	0.0005	0.05	31	0.05	61	0.5	0.28	2.6	0.1
2061316	460181	7129000	1529.9	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0064	0.9	2.18	19.4	137	0.4	0.05	0.2	16.6	33	95.1	4.5	5	0.06	12	0.34	418	3.8	0.005	47.6	109	32.5	0.05	1	3.6	23	1.1	0.014	0.2	48	0.1	93	0.5	0.22	3.4	0.1
2061317	460253	7129074	1533.3	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0038	0.1	1.97	11.8	100	0.3	0.1	0.2	8.1	35	17.4	3	7	0.05	14	0.53	268	1.5	0.006	19.8	57	13.5	0.025	0.6	2.8	12	1	0.038	0.2	62	0.2	69	0.5	0.05	0.6	0.1
2061318	460295	7129159	1541.3	B	10	Grey	N	Damp	J. Roddick	WHI18000893	0.004	0.3	1.17	33.6	131	0.3	0.03	0.1	3.6	26	18.9	3.48	4	0.03	9	0.28	138	1.5	0.003	18.3	79	20.6	0.025	1	1.6	30	2.2	0.006	0.1	36	0.05	53	0.5	0.12	1.3	0.1
2061319	460378	7129214	1497.9	C	20	Grey	N	Damp	J. Roddick	WHI18000893	0.005	0.5	1.79	11.1	124	0.3	0.06	0.1	6.3	32	22	2.81	5	0.03	9	0.41	163	1.3	0.003	30.5	64	16	0.025	0.4	2	10	1	0.008	0.1	49	0.05	88	0.5	0.09	1	0.1
2061320	460374	7129217	1540.8	C	20	Grey	N	Damp	J. Roddick	WHI18000893	0.0047	0.2	1.95	13	142	0.3	0.06	0.1	8	34	24.6	3.03	6	0.04	10	0.39	208	1.6	0.004	25.3	62	20	0.025	0.5	1.6	10	0.7	0.01	0.2	53	0.1	76	0.5	0.11	1	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061321	460454	7129344	1581.8	C	20	Grey	S	Damp	J. Roddick	WHI18000893	0.0046	0.2	1.65	13.5	114	0.3	0.03	0.05	7	31	31.2	3.26	5	0.03	7	0.4	154	1.7	0.003	34.1	48	18.4	0.025	0.6	2.2	10	2.2	0.003	0.05	44	0.05	99	0.5	0.08	1.1	0.1
2061322	460528	7129482	1616.5	C	10	Grey	S	Moist	J. Roddick	WHI18000893	0.0018	0.7	1.74	14	232	0.3	0.07	0.1	9.4	30	44.2	3.49	4	0.04	5	0.58	206	1.5	0.004	50.5	54	21.2	0.025	0.4	3.3	15	4.5	0.0005	0.05	39	0.05	130	0.5	0.21	1.7	0.1
2061323	460563	7129580	1656.4	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.004	0.2	1.25	12.1	70	0.3	0.04	0.2	6	23	19.2	2.87	5	0.03	10	0.21	155	1.5	0.003	21.3	43	15.8	0.025	0.5	1.7	8	1.6	0.01	0.1	52	0.05	67	0.5	0.05	0.7	0.1
2061324	460604	7129730	1685.5	B	10	Grey	N	Damp	J. Roddick	WHI18000893	0.003	0.2	1.21	8.7	79	0.2	0.05	0.1	6.9	23	20.1	2.23	5	0.03	8	0.23	125	1.3	0.004	23.5	77	12.7	0.025	0.5	0.7	9	0.2	0.006	0.05	43	0.05	69	0.5	0.07	0.8	0.1
2061325	460639	7129829	1706.2	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0042	0.4	1.21	12.4	124	0.2	0.07	0.2	11.5	23	27.1	2.71	3	0.03	10	0.34	275	1.2	0.004	34.7	49	15.4	0.025	0.6	2.5	12	2.5	0.011	0.05	36	0.05	85	0.5	0.12	1.2	0.1
2061326	460666	7129875	1706.2	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0028	0.2	1.23	10.5	61	0.2	0.05	0.2	6.5	22	14.8	2.46	4	0.03	10	0.25	194	0.9	0.003	18.7	53	14.2	0.025	0.5	1.3	10	0.4	0.013	0.1	38	0.1	50	0.5	0.06	0.7	0.1
2061327	460733	7130013	1759.8	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0139	0.2	1.48	15	72	0.2	0.21	0.3	10.1	30	35	2.9	4	0.06	16	0.4	469	1.8	0.006	26.4	173	15.3	0.025	0.9	1.7	16	0.6	0.024	0.1	53	0.3	77	1	0.1	1.2	0.1
2061328	460710	7130103	1769.3	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0036	0.3	0.84	9.3	97	0.1	0.24	0.3	8.2	19	20.9	2.01	3	0.03	12	0.28	198	0.9	0.004	25.7	88	11.7	0.025	0.6	2.3	19	3.5	0.025	0.05	31	0.05	59	0.5	0.05	0.25	0.1
2061329	460662	7130790	1779.1	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0029	0.05	1.09	14.1	49	0.2	0.05	0.2	7.5	22	16.9	2.71	4	0.03	9	0.21	180	1.5	0.003	20.8	47	18.3	0.025	0.6	1.6	11	0.7	0.013	0.05	35	0.05	56	0.5	0.03	0.25	0.1
2061330	460663	7130234	1782.9	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0074	0.7	0.3	7.7	105	0.3	0.06	0.05	1.7	11	21.4	1.69	2	0.05	2	0.06	55	4.9	0.009	7.7	39	21.3	0.19	0.7	1.1	35	3.8	0.002	0.05	13	0.05	34	0.5	0.16	1	0.1
2061331	460660	7130399	1719.3	C	10	Grey	N	Damp	J. Roddick	WHI18000893	0.0049	1	0.97	21.8	80	0.4	0.16	1.1	11.6	18	38.7	2.81	3	0.06	4	0.08	192	2	0.011	41.9	129	31	0.09	0.7	2.8	46	5.2	0.004	0.1	20	0.05	90	2	0.17	0.9	0.1
2061332	460683	7130501	1689.4	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0053	0.4	0.94	14.4	94	0.3	0.17	0.3	11.4	21	26.4	2.07	3	0.04	10	0.18	221	1.1	0.006	28.4	109	20.6	0.025	0.7	0.7	24	0.4	0.005	0.05	30	0.1	71	1	0.09	0.8	0.1
2061333	460703	7130648	1663.9	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0069	0.1	0.88	15.3	71	0.3	0.06	0.2	4.9	19	24.7	2.36	4	0.03	10	0.16	138	2.7	0.005	15.6	61	16.2	0.025	1.1	1.1	9	0.3	0.016	0.1	47	0.2	56	1	0.07	0.9	0.1
2061334	460693	7130757	1664.7	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0051	0.2	1.52	14.2	96	0.2	0.09	0.2	7.2	26	26.3	2.81	4	0.03	12	0.36	240	1.7	0.006	21.8	63	13.8	0.025	1.2	2.1	12	1.1	0.022	0.1	50	0.2	75	2	0.07	1.1	0.1
2061335	460680	7130803	1660.7	B	10	Brown	N	Damp	J. Roddick	WHI18000893	0.0062	0.2	1.31	16.1	98	0.2	0.12	0.2	7.3	22	32.1	2.51	4	0.03	15	0.33	205	1.8	0.005	21.7	79	15.3	0.025	1.2	2	17	0.8	0.021	0.1	48	0.2	71	1	0.07	1.4	0.1
2061336	466081	7127235	1502.2	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.008	0.5	1.18	17.4	79	0.3	0.05	0.05	4	23	25.5	3.2	6	0.04	10	0.24	152	1.8	0.004	14.9	49	19.8	0.025	0.9	1.7	14	2	0.026	0.05	57	0.2	50	1	0.07	1.8	0.1
2061337	466064	7127286	1511.9	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0037	0.4	1.39	16.6	72	0.3	0.04	0.05	4.2	22	21.8	2.74	6	0.03	10	0.18	106	1.5	0.004	15.3	48	16.3	0.025	0.6	1.8	10	1.8	0.014	0.1	49	0.1	46	1	0.06	1	0.1
2061338	466056	7127340	1524.6	B	10	Grey	S	Damp	J. Roddick	WHI18000893	0.0047	0.2	1.58	11.9	104	0.3	0.07	0.1	4.4	24	19	2.52	6	0.03	12	0.23	145	1.6	0.004	14.4	41	13.4	0.025	0.8	2.3	11	2	0.021	0.1	65	0.2	45	0.5	0.05	0.25	0.1
2061339	466056	7127393	1539.4	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0045	0.3	1.12	16.3	100	0.3	0.04	0.05	4.7	20	25.7	2.19	4	0.04	10	0.21	141	1.5	0.004	18.6	52	18.3	0.025	0.6	1.5	16	1.4	0.012	0.05	38	0.1	52	1	0.06	0.7	0.1
2061340	466052	7127449	1542.2	C	10	Grey	S	Damp	J. Roddick	WHI18000893	0.0054	0.6	1.9	15.6	334	0.4	0.02	0.05	2.5	28	40.5	3.11	5	0.04	9	0.63	116	1.5	0.004	31.3	49	32.6	0.025	0.6	2.4	17	3.1	0.002	0.05	45	0.05	90	0.5	0.09	0.9	0.1
2061341	466065	7127498	1551.7	C	10	Grey	S	Dry	J. Roddick	WHI18000893	0.0062	0.3	1.07	13.9	67	0.2	0.17	0.05	5.7	20	26.5	2.34	3	0.03	11	0.26	160	1.4	0.004	20	93	14	0.025	0.8	2.2	18	3.2	0.022	0.05	30	0.1	58	0.5	0.09	0.7	0.1
2061342	466073	7127551	1565.2	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0044	0.2	1.58	14	85	0.2	0.07	0.1	6.9	25	20	2.58	5	0.04	12	0.32	212	1.3	0.005	20.3	41	13.6	0.025	0.7	2.4	11	2	0.023	0.1	49	0.2	57	0.5	0.07	0.8	0.1
2061343	466048	7127605	1575.8	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0049	0.2	1.31	12.2	70	0.3	0.05	0.1	4.3	23	19.6	2.58	5	0.03	10	0.25	144	1.2	0.004	15.4	39	15.6	0.025	0.6	1.5	11	0.9	0.016	0.05	46	0.1	46	1	0.05	0.25	0.1
2061344	466031	7127656	1582.7	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0039	0.2	1.04	12.8	61	0.3	0.04	0.05	4	22	16.7	2.83	6	0.03	11	0.2	142	1.5	0.004	14.3	36	16	0.025	0.7	1.5	10	1.9	0.024	0.1	58	0.1	45	1	0.04	0.25	0.1
2061345	466008	7127702	1594.4	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0034	0.2	1.07	10.2	64	0.2	0.05	0.05	3.4	18	14.1	2.07	5	0.03	11	0.17	118	1.3	0.004	11.9	28	13.5	0.025	0.6	1.4	9	1.6	0.015	0.1	45	0.1	43	1	0.05	0.25	0.1
2061346	466001	7127756	1598	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0053	0.1	1.21	13.9	56	0.3	0.05	0.05	4	23	17.2	2.97	6	0.03	11	0.24	142	1.3	0.004	12.6	41	16.5	0.025	0.7	1.7	10	2.1	0.023	0.1	54	0.2	40	1	0.05	0.6	0.1
2061347	466022	7127804	1601.7	Frostboil	10	Grey	S	Damp	J. Roddick	WHI18000893	0.0033	0.4	1.65	12.2	185	0.4	0.11	0.05	5.8	28	27.9	2.57	4	0.03	11	0.38	100	0.9	0.004	37.2	69	23.2	0.025	0.5	2.4	27	2.5	0.004	0.05	40	0.05	96	0.5	0.06	0.25	0.1
2061348	466049	7127851	1609.2	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.005	0.4	1.36	11	96	0.2	0.07	0.2	5.7	21	24	2.27	4	0.03	10	0.26	121	1.2	0.005	21.2	72	13.2	0.025	0.5	0.9	13	0.4	0.011	0.05	37	0.1	65	1	0.07	0.7	0.1
2061349	466072	7127896	1621.9	B	10	Brown	S	Damp	J. Roddick	WHI18000893	0.0032	0.1	1.26	11.5	136	0.2	0.1	0.1	6.2	23	23.4	2.36	4	0.03	10	0.32	144	1.1	0.005	24.3	67	13.7	0.025	0.6	1.7	14	0.8	0.011	0.05	42	0.1	69	0.5	0.07	0.7	0.1
2061350	466097	7127945	1627.3	C	10	Grey	S	Damp	J. Roddick	WHI18000893	0.0039	0.4	1.64	12.1	153	0.3	0.05	0.1	5.4	27	32.5	2.78	4	0.04	8	0.42	138	1.2	0.004	29.2	55	20.6	0.025	0.6	2.2	16	2	0.007	0.05	45	0.05	93	0.5	0.11	0.8	0.1
2061351	466502	7130198	1453.5	C	30	Brown	N	Dry	N. Hamlyn	WHI18000893	0.0087	1.1	1.38	10.7	151	0.3	0.06	0.8	10.6	26	88.6	3.08	4	0.05	13	0.2	417	15.1	0.006	47.9	97	13.9	0.025	2	1.7	12	0.7	0.007	0.4	49	0.05	149	0.5	0.18	3.8	0.1
2061352	466508	7130240	1455.8	C	30	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0015	0.05	1.49	9.2	176	0.3	0.05	0.05	12.5	24	79	2.74	6	0.05	14	0.38	1230	4.7	0.006	20.9	58	18.1	0.025	0.7	1.6	13	0.5	0.021	0.2	49	0.1	56	1	0.03	0.25	0.1
2061353	466509	7130289	1483	C	30	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0048	1	1.85	12.4	198	0.2	0.07	0.6	8.9	32	37.9	3.23	5	0.06	13	0.34	227	5.1	0.011	28.4	58	13.3	0.025	1.3	3.4	15	3.6	0.025	0.3	57	0.1	78	1	0.09	3.1	0.1
2061354	466489	7130335	1476.5	C	30	Brown	N	Damp	N. Hamlyn	WHI18000895	0.0146	0.7	0.68	44.6	325	0.5	0.03	0.5	13.2	15	50.1	3.95	3	0.09	18	0.1	176	30.7	0.08	49.5	64	26.4	0.42	6	4.7	104	9.1	0.004	1.1	20	0.05	142	0.5	0.57	4.8	0.4
2061355	466473	7130385	1473.3	C	30	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0042	1.4	1.59	8	247	0.3	0.04	0.3	8	32	71	2.98	6	0.07	17	0.31	265	5.4	0.004	31.9	51	11.5	0.025	1.2	3.2	9	2.3	0.013	0.3	57	0.05	83	1	0.07	3.2	0.1
2061356	466471	7130436	1475	C	35	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0076	1.7	2.17	9.6	424	0.4	0.02	0.3	6.8	37	99.5	4.66	9	0.12	21	0.34	178	8.7	0.008	42.1	95	15.5	0.08	1.9	4.4	16	2.6	0.007	0.3	68	0.05	145	2	0.15	6.2	0.3
2061357	466460	7130485	1477.7	C	30	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0119	2.4	2.03	10.9	329	0.3	0.02	0.8	20.2	25	252.6	5.82	4	0.12	24	0.4	285	16.6	0.023	113.4	118	15.6	0.12	4.4	3.2	24	2.8	0.004	0.4	30	0.05	293	2	0.55	13.3	0.3
2061358	466443	7130535	1479.7	C	30	Brown	N	Dry	N. Hamlyn	WHI18000895	0.0046	1.2	1.5	8.5	167	0.2	0.28	0.8	9.9	35	84.4	2.99	3	0.06	20	0.34	167	3.2	0.008	41.3	225	11.8	0.09	1.1	1.8	36	1.4	0.007	0.2	36	0.05	98	1	0.15	3.3	0.1
2061359	469235	7126212	1796.8	C	30	Grey	W	Damp	N. Hamlyn	WHI18000895	0.0005	0.9	1.15	19.5	180	0.4	0.03	0.1	6.6	23	34.3	2.64	4	0.07	9	0.16	108	1.8	0.008	26.8	84	37.6	0.14	0.5	3.5	37	4.5	0.002	0.1	34	0.05	66	0.5	0.12	3.4	0.1
2061360	469172	7126243	1751.6	C	30	Grey	W	Damp	N. Hamlyn	WHI18000895	0.00025	1	1.09	27.9	206	0.3	0.02	0.1	8.5	24	50.6	3.74	4	0.12	6	0.11	167	2.7	0.016	29	99	36.4	0.32	0.8	3.4	34	5.5	0.002	0.1	40	0.05	78	0.5	0.11	3.1	0.1
2061361	469168	7126243	1745.2	C	30	Grey	W	Damp	N. Hamlyn	WHI18000895	0.001	1	1.12	26.3	178	0.4	0.02	0.2	10.6	24	51.4	4.14	4	0.12	5	0.1	169	3	0.014	36.3	99	35.2	0.3	0.6	3.3	33	5.7	0.001	0.1	39	0.05	81	0.5	0.14	3.1	0.1
2061362	469101	7126260	1730.5	C	30	Grey	W	Damp	N. Hamlyn	WHI18000895	0.0005	1.5	1.35	34.5	169	0.4	0.02	0.2	5.9	26	54.5	3.74	5	0.06	7	0.15	117	3	0.007	29.9	132	43.4	0.12	0.8	3.3	25	4	0.0005	0.1	41	0.05	68	0.5	0.22	4.5	0.1
2061363	469055	7126284	1707.6	C	30	Grey	W	Dry	N. Hamlyn	WHI18000895	0.0056	1.2	1	28.9	160	0.5	0.04	0.3	9.7	21	49.8	3.46	3	0.05	7	0.08	360	1.9	0.005	40.2	78	33.6	0.1	0.9	2.8	40	2.3	0.001	0.05	30	0.05	89	1	0.5	3.8	0.2
2061364	469010	7126310	1693	C	30	Grey	NW	Dry	N. Hamlyn	WHI18000895	0.0033	0.5	1.07	25	99	0.4	0.03	0.05	5	23	33.2	2.89	4	0.06	8	0.12	164	2	0.006	23.5	91	28.9	0.025	0.7	1.8	34	1.4	0.003	0.05	36	0.05	70	0.5	0.16	2.1	0.1
2061365	468970	7126340	1665.4	C	30	Grey	NW	Dry	N. Hamlyn	WHI18000895	0.0033	0.6	1.1	22	112	0.4	0.05	0.05	5.6	21	34	2.62	4	0.04	10	0.13	161	2.3	0.004	20.4	96	31.8	0.025	0.8	2.4	35	2.4	0.005	0.05	34	0.05	57	0.5	0.21	1.6	0.1
2061366	468928	7126365	1639.5	C	30	Grey	NW	Dry	N. Hamlyn	WHI18000895	0.0056	0.5	1	16.8	130	0.4	0.08	0.2	4.8	18	26.1	2	3	0.04	10	0.14	154	1.3	0.004	20.1	90	26.5	0.025	0.7	2.5	38	3.1	0.009	0.05	29	0.05	49	0.5	0.27	1.1	0.1
2061367	468886	7126398	1608	C	30	Grey	NW	Damp	N. Hamlyn	WHI18000895	0.0036	0.6	1.11	19.3	146	0.4	0.04	0.1	4.5	21	30.4	2.4	4	0.04	9	0.14	139	1.9	0.004	20.8	75	28.7	0.025	0.6	2.1	30	2	0.002	0.05	33	0.05	59	0.5	0.22	1.2	0.1
2061368	468854	7126439	1576.9	C	30	Grey	NW	Damp	N. Hamlyn	WHI18000895	0.0068	0.4	0.92	18.8	93	0.2	0.04	0.2	4.1	19	27.6	2.51	3	0.03	8	0.12	132	2	0.004	19.8	69	20.3	0.025	0.6	2.2	23	2.5	0.004	0.05	33	0.05	59	0.5	0.19	1.6	0.1
2061369	468820	7126479	1564.3	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000895	0.0037	0.5	1.21	16	152	0.5	0.04	0.05	3.2	19	26.8	2.18	4	0.05	9	0.13	84	1.9	0.006	17.4	100	31.6	0.025	0.5	1.2	25	0.7	0.003	0.1	32	0.05	45	0.5	0.18	1.3	0.1
2061370	468794	7126523	1549.8	C	40	Brown	NW	Dry	N. Hamlyn	WHI18000895	0.0029	0.6	1.62	27.2	94	0.3	0.11	0.1	5.4	29	36.6	3.33	5	0.04	13	0.31	202	1.9	0.004	25.3	117	22.2	0.025	0.9	2.4	19	2.8	0.013	0.05	48	0.1	78	0.5	0.15	2.2	0.1
2061371	468753	7126559	1531	C	30	Grey	NW	Dry	N. Hamlyn	WHI18000895	0.0035	0.8	1.1	23.1	82	0.3	0.03	0.1	4.1	23	41.7	2.86	4	0.03	6	0.2	86	2.3	0.004	22	72	21.6	0.025	1	1.9	9	1.8	0.004	0.05	36	0.05	82	0.5	0.15	2.3	0.1
2061372	468710	7126586	1511.9	Frostboil	30	Grey	NW	Damp	N. Hamlyn	WHI18000895	0.0035	0.8	1.49	21.7	165	0.4	0.03	0.05	2.8	26	31.6	3.24	5	0.04	9	0.29	114	2.4	0.006	20.2	89	28.4	0.025	0.9	1.7	18	1.9	0.004	0.05	43	0.05	65	0.5	0.16	2.2	0.1
2061373	468673	7126621	1520.7	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000895	0.0052	0.1	1.21	18.3	72	0.3	0.06	0.05	4.7	27	19.9	3.03	6	0.04	11	0.24	158	1.5	0.005	17.9	59	18.6	0.025	0.8	1.4	10	0.7	0.025	0.1	58	0.2	51	0.5	0.07	1	0.1
2061374	468633	7126654	1522.9	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000895	0.0038	0.05	1.5	12.6	66	0.2	0.09	0.1	5.7	25	15.6	2.44	6	0.05	15	0.28	212	1.4	0.004	16.2	43	12.8	0.025	0.8	1.8	11	1.6	0.028	0.2	58	0.2	61	0.5	0.05	0.7	0.1
2061375	468593	7126689	1534.5	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0029	0.05	1.45	12	72	0.2	0.08	0.1	5.8	25	18.2	2.54	5	0.04	14	0.34	204	1.2	0.005	17.4	40	12.4	0.025	0.7	2.1	10	2.3	0.027	0.1	55	0.2	58	1	0.05	0.25	0.1
2061376	468564	7126735	1518.5	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0062	0.9	1.45	21.8	107	0.4	0.07	0.05	5.9	27	42.6	3.2	4	0.03	6	0.32	140	2	0.005	26.4	99	32	0.025	0.9	1.8	31	1.9	0.006	0.05	44	0.05	87	0.5	0.19	1.5	0.1
2061377	468545	7126785	1499.8	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0032	0.3	1.72	13.6	84	0.3	0.08	0.05	6.6	29	16.2	2.86	7	0.04	13	0.36	235	1.5	0.006	17.3	40	17.6	0.025	0.7	2.6	11	2.4	0.032	0.2	64	0.2	60	2	0.06	0.6	0.1
2061378	468510	7126822	1492.5	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.003	0.1	0.91	17	55	0.3	0.03	0.05	2.1	18	26.1	2.58	5	0.03	9	0.1	98	1.6	0.004	7	53	20.4	0.025	0.9	0.8	8	0.7	0.012	0.1	51	0.1	35	1	0.05	0.9	0.1
2061379	468468	7126850	1488.2	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0048	0.3	1.38	14.6	86	0.3	0.05	0.1	6	24	21	2.54	5	0.04	11	0.25	202	1.3	0.005	18.1	46	16.6	0.025	0.7	1.7	9	1.1	0.021	0.1	53	0.1	60	1	0.06	0.7	0.1
2061380	468420	7126865	1478.9	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0051	0.7	1.63	20.7	116	0.4	0.08	0.3	10.3	29	68.4	3.87	4	0.04	9	0.38	207	1.8	0.005	42.1	132	27.1	0.025	0.8	2.2	19	1.7	0.004	0.05	47	0.05	131	0.5	0.1	1.7	0.1
2061381	468385	7126902	1458.2	C	30	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0063	0.4	0.86	12.4	78	0.3	0.04	0.05	3	21	21	1.83	4	0.03	9	0.12	73	1.9	0.007	13	76	19	0.025	0.6	0.8	12	0.3	0.012	0.05	41	0.1	50	2	0.06	0.25	0.1
2061382	468357	7126946	1439.6	C	40	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.0047	0.4	1.38	21.1	77	0.3	0.1	0.2	7.5	28	36.2	3.12	5	0.04	12	0.39	226	1.9	0.006	25.3	98	22.4	0.025	0.9	1.4	17	0.6	0.016	0.1	49	0.1	84	2	0.09	1	0.1
2061383	468328	7126986	1439.4	C	45	Grey	NW	Moist	N. Hamlyn	WHI18000893	0.0062	0.5	1.62	11.7	369	0.3	0.07	0.1	4.8	27	32.2	2.35	5	0.03	10	0.34	108	1.1	0.005	27.6	69	20	0.025	0.5	2	18	1	0.005	0.1	38	0.05	78	0.5	0.13	1.4	0.1
2061384	468290	7127022	1431.4	Frostboil	30	Grey	NW	Moist	N. Hamlyn	WHI18000893	0.0034	0.3	1.42	7.8	103	0.3	0.06	0.05	3	24	14.8	1.83	4	0.02	10	0.32	80	0.8	0.004	18.2	51	15.3	0.025	0.3	1.2	10	0.5	0.008	0.05	38	0.05	53	0.5	0.06	0.25	0.1
2061385	468256	7127063	1445.3	C	45	Grey	NW	Moist	N. Hamlyn	WHI18000893	0.0042	0.1	1.13	8.7	129	0.2	0.1	0.05	3.7	22	19.3	1.9	4	0.02	10	0.32	100	0.8	0.004	18.7	53	11.8	0.025	0.4	1.9	13	1.1	0.013	0.05	36	0.05	54	0.5	0.06	0.25	0.1
2061386	468216	7127095	1441.3	C	45	Brown	NW	Damp	N. Hamlyn	WHI18000893	0.009	0.2	1.52	13.7	78	0.3	0.03	0.05	3.4	22	19.9	2.68	4	0.02	9	0.2	92	1.4	0.003	16.8	72	17.4	0.025	0.4	1.2	10	0.5	0.004	0.05	39	0.05	52	0.5	0.06	0.7	0.1
2061387	468184	7127136	1447.7	C	30	Grey	NW	Damp	N. Hamlyn	WHI18000893	0.0041	0.1	1.19	8	59	0.2	0.06	0.05	3	19	13.4	1.76	4	0.02	9	0.23	86	0.8	0.003	13.9	41	10.7	0.025	0.4	1.3	9	0.9	0.011	0.05	31	0.1	44	0.5	0.07	0.25	0.1
2061388	468156	7127176	1456	C	45	Brown	S	Damp	N. Hamlyn	WHI18000893	0.005	0.3	1.2	12.6	81	0.3	0.04	0.05	3.9	23	16.4	2.17	5	0.03	9	0.24	130	1.3	0.004	15.4	58	15.3	0.025	0.4	0.8	10	0.3	0.008	0.05	44	0.05	51	1	0.09	0.25	0.1
2061389	468138	7127222	1468	C	30	Brown	S	Damp	N. Hamlyn	WHI18000893	0.0041	0.2	1.29	10	70	0.2	0.05	0.05	3.8	23	15.3	2.08	4	0.03	10	0.25	111	1	0.004	15.1	59	12.4	0.025	0.4	0.7	9	0.3	0.007	0.05	38	0.05	48	1	0.07	0.25	0.1
2061390	468099	7127255	1488.6	C	45	Brown	S	Dry	N. Hamlyn	WHI18000893	0.0036	0.2	1.49	18.1	81	0.3	0.04	0.05	5.2	27	21.9	3.02	6	0.03	12	0.29	221	2.1	0.003	19.1	63	18.1	0.025	0.8	1.4	10	0.8	0.017	0.1	50	0.1	67	0.5	0.08	0.8	0.1
2061391	468074	7127304	1495.7	C	45	Brown	S	Damp	N. Hamlyn	WHI18000893	0.0029	0.3	1.24	18.3	98	0.4	0.03	0.05	3.3	23	18	2.81	6	0.03	9	0.15	98	1.7	0.003	12.4	100	22.3	0.025	0.5	0.7	15	0.4	0.005	0.1	59	0.05	43	0.5	0.06	0.9	0.1
2061392	468043	7127341	1519.3	C	40	Brown	S	Damp	N. Hamlyn	WHI18000893	0.0045	0.4	1.6	19.3	189	0.4	0.06	0.2	6.9	26	29	2.77	4	0.04	12	0.4	314	1.3	0.005	23	82	25.7	0.025	0.7	2.5	14	2.6	0.01	0.1	40	0.1	78	1	0.12	0.5	0.1
2061393	468019	7127386	1538.5	C	30	Brown	S	Dry	N. Hamlyn	WHI18000893	0.0037	0.3	1.52	13.6	73	0.3	0.06	0.2	4.8	25	17.6	2.75	7	0.04	11	0.23	247	1.7	0.004	12.8	76	13.9	0.025	0.8	0.6	10	0.1	0.016	0.2	56	0.1	54	1	0.07	0.5	0.1
2061394	467986	7127430	1557.1	C	20	Brown	S	Damp	N. Hamlyn	WHI18000893	0.0029	0.2	1.51	15.7	68	0.3	0.06	0.2	7.1	24	19.6	3.52	6	0.03	11	0.29	202	1.4	0.004	20.6	48	16.8	0.025	0.8	2.1	10	2.9	0.025	0.05	55	0.2	61	1	0.05	0.8	0.1
2061395	467956	7127467	1564	C	20	Brown	S	Dry	N. Hamlyn	WHI18000893	0.0039	0.1	1.45	10.3	90	0.2	0.11	0.2	6.1	21	15.5	2.31	4	0.03	13	0.37	194	1.1	0.005	20.1	63	12.5	0.025	0.6	1.6	13	1.1	0.022	0.05	39	0.1	53	1	0.05	0.6	0.1
2061396	467934	7127513	1566.1	C	30	Brown	S	Dry	N. Hamlyn	WHI18000893	0.0033	0.05	1.24	16.5	84	0.3	0.04	0.1	3.5	22	16.3	2.54	4	0.02	10	0.3	105	1.2	0.004	18.5	40	16.2	0.025	0.7	1.5	12	1.6	0.009	0.05	42	0.05	56	0.5	0.04	0.25	0.1
2061397	467915	7127561	1568.9	C	30	Brown	S	Damp	N. Hamlyn	WHI18000893	0.0049	0.2	1.25	9.5	82	0.2	0.16	0.2	6	21	19.3	2.23	4	0.03	14	0.32	190	1	0.004	21.2	73	12.1	0.025	0.6	2.3	16	2.2	0.024	0.05	35	0.1	55	1	0.06	0.25	0.1
2061398	467889	7127605	1582.1	C	40	Brown	S	Dry	N. Hamlyn	WHI18000893	0.0028	0.5	0.95	13.1	139	0.4	0.08	0.1	4.2	18	15.8	2.09	4	0.03	9	0.12	90	1.9	0.003	14.6	83	21.6	0.06	0.5	0.6	20	0.1	0.005	0.1	38	0.05	47	1	0.09	0.8	0.1
2061399	470524	7131980	1377.7	C	30	Brown	W	Dry	N. Hamlyn	WHI18000893	0.0022	0.05	1.15	10.5	121	0.2	0.1	0.05	5.7	22	41.4	2.25	4	0.03	14	0.32	193	1	0.004	17.6	47	13.2	0.025	0.7	1.2	11	0.5	0.026	0.1	48	0.2	56	0.5	0.02	0.25	0.1
2061400	470562	7131947	1403	C	30	Brown	W	Dry	N. Hamlyn	WHI18000893	0.0038	0.05	1.22	11.1	155	0.3	0.08	0.05	4.4	20	13.6	2.02	6	0.03	14	0.27	220	1.1	0.004	10.5	37	11.5	0.025	0.7	1	10	0.3	0.026	0.2	58	0.1	37	1	0.03	0.25	0.1
2061401	467783	7131376	1407.6	C	20	Grey	N	Moist	S. Orban	WHI18000893	0.0017	0.05	1.72	16.6	101	0.4	0.005	0.05	1.2	33	45.8	4.59	6	0.08	4	0.58	96	1.7	0.008	20.5	76	28.9	0.06	0.3	3.7	13	7.2	0.0005	0.2	27	0.05	83	0.5	0.04	0.25	0.1
2061402	467811	7131419	1395.4	C	20	Green	NW	Moist	S. Orban	WHI18000893	0.0019	0.05	1.9	12.5	94	0.3	0.09	0.2	8.8	30	20.5	3.65	5	0.05	16	0.5	280	1.8	0.005	23.7	74	20	0.025	0.7	2.5	13	5.8	0.012	0.1	35	0.05	72	1	0.05	0.25	0.1
2061403	467844	7131456	1386.6	C	20	Brown	N	Moist	S. Orban	WHI18000893	0.002	0.1	2.4	11.9	96	0.3	0.07	0.2	6.7	33	23.1	3.55	5	0.05	12	0.47	180	1.7	0.005	23.8	44	18.5	0.025	0.8	3.2	11	6.3	0.014	0.2	46	0.1	64	1	0.04	0.25	0.1
2061404	467885	7131486	1383.1	C	20	Brown	NE	Moist	S. Orban	WHI18000893	0.0021	0.05	2.06	15.1	149	0.3	0.06	0.2	10.2	31	27.6	3.52	5	0.06	14	0.53	283	1.8	0.007	27.6	42	21.9	0.025	0.8	3.6	13	7	0.013	0.2	39	0.05	72	2	0.05	0.25	0.1
2061405	467929	7131510	1375.8	C	40	Brown	NE	Damp	S. Orban	WHI18000893	0.0024	0.05	1.78	12.5	80	0.4	0.05	0.2	5.3	29	15.6	3.64	6	0.05	16	0.4	235	1.8	0.005	17.9	45	20.6	0.025	0.7	2.4	9	6.3	0.012	0.2	43	0.1	61	1	0.04	0.25	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061406	467955	7131552	1368.9	B	3	Brown	NE	Damp	S. Orban	WHI18000893	0.0031	0.1	1.15	9.3	59	0.3	0.04	0.05	2.4	19	16.1	2.27	4	0.03	7	0.21	57	1.4	0.009	10.5	83	14.2	0.025	0.4	0.5	8	0.3	0.005	0.1	29	0.05	27	1	0.05	0.7	0.1
2061407	467983	7131594	1361	C	20	Brown	NE	Moist	S. Orban	WHI18000893	0.0019	0.05	1.61	11.2	82	0.3	0.05	0.05	8.2	24	17.9	3.38	6	0.04	10	0.42	177	1.5	0.004	24.3	47	19.3	0.025	0.6	2.3	12	4.3	0.01	0.1	41	0.05	68	0.5	0.02	0.25	0.1
2061408	468009	7131637	1355.2	C	20	Brown	N	Moist	S. Orban	WHI18000893	0.0012	0.05	1.54	13.2	102	0.3	0.07	0.1	4.1	25	13.7	2.93	5	0.04	11	0.35	144	1.8	0.005	16.4	46	15.1	0.025	0.6	2	12	3.4	0.013	0.1	41	0.1	45	0.5	0.01	0.25	0.1
2061409	469109	7125749	1737.7	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0048	0.7	0.96	18.5	111	0.4	0.07	0.2	3.6	21	31	2.48	4	0.07	11	0.16	155	3.2	0.007	12.7	88	28.4	0.11	0.9	1.2	30	0.7	0.011	0.1	36	0.05	40	0.5	0.12	0.6	0.1
2061410	469117	7125799	1754.5	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0031	0.6	0.77	17.3	114	0.3	0.08	0.1	3.1	17	19.5	2.47	3	0.04	10	0.14	129	1.6	0.005	9.9	123	28.4	0.025	0.8	0.9	30	0.5	0.008	0.1	28	0.05	37	1	0.1	0.6	0.1
2061411	469118	7125849	1768.9	C	30	Brown	S	Moist	S. Orban	WHI18000893	0.0052	0.2	0.99	14.1	69	0.3	0.1	0.1	4.3	21	16.4	2.32	5	0.03	12	0.22	148	1.2	0.004	14.5	78	17.2	0.025	0.7	1.3	18	0.8	0.022	0.1	39	0.1	45	0.5	0.04	0.7	0.1
2061412	469153	7125915	1764.2	C	20	Grey	NE	Damp	S. Orban	WHI18000893	0.007	0.4	0.92	21.5	138	0.3	0.11	0.2	4.3	21	21.8	2.4	4	0.08	11	0.23	180	2.7	0.007	14.3	86	26.1	0.1	0.8	2.4	20	3	0.023	0.1	39	0.1	48	2	0.16	0.9	0.1
2061413	469180	7125966	1758.4	C	20	Grey	S	Damp	S. Orban	WHI18000893	0.006	0.2	1.24	13.7	92	0.2	0.11	0.2	6.4	23	29.6	2.43	4	0.03	14	0.33	186	1.3	0.006	21.9	72	13.5	0.025	0.8	2.2	15	1.2	0.021	0.05	39	0.1	60	0.5	0.06	0.25	0.1
2061414	469193	7126013	1762.8	C	20	Brown	S	Moist	S. Orban	WHI18000893	0.0017	0.4	1.32	17.4	99	0.3	0.09	0.1	7.2	22	30	2.67	4	0.04	13	0.21	183	1.9	0.004	23.1	111	22.6	0.025	0.9	1.4	17	0.5	0.012	0.05	43	0.05	64	0.5	0.08	0.25	0.1
2061415	469211	7126060	1777.6	C	20	Brown	S	Moist	S. Orban	WHI18000893	0.0035	0.3	1.01	13.4	71	0.4	0.04	0.1	3.2	18	22.9	2.04	4	0.03	10	0.14	100	1.5	0.005	12.3	92	18.8	0.08	0.6	0.6	10	0.1	0.006	0.05	34	0.05	41	0.5	0.09	0.9	0.1
2061416	469228	7126106	1790.7	C	20	Brown	S	Moist	S. Orban	WHI18000893	0.0025	0.1	1.12	14.3	78	0.2	0.15	0.2	6.9	21	24.4	2.27	3	0.03	16	0.33	238	1	0.005	23.4	82	14.4	0.025	0.8	2.1	17	3.1	0.029	0.05	35	0.1	58	1	0.04	0.25	0.1
2061417	469245	7126154	1795.5	C	20	Grey	S	Moist	S. Orban	WHI18000893	0.0031	0.5	1.04	13	147	0.3	0.04	0.2	6.2	15	28.1	2.19	3	0.05	9	0.16	127	1.2	0.005	26.7	64	22.3	0.025	0.6	3.1	30	4.4	0.007	0.05	25	0.05	57	1	0.1	2	0.1
2061418	469293	7126184	1806	C	20	Brown	SE	Damp	S. Orban	WHI18000893	0.0027	0.6	1.05	18	204	0.4	0.06	0.2	8.3	19	32.9	2.67	4	0.09	9	0.18	203	1.8	0.013	31.4	78	30.1	0.13	0.9	2.4	38	2.6	0.01	0.2	33	0.05	70	2	0.23	1.7	0.1
2061419	469346	7126275	1758.7	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0018	0.7	0.96	26.3	304	0.4	0.04	0.2	4.9	20	50.2	3.42	3	0.06	7	0.1	173	2.2	0.007	23	104	34.9	0.14	0.7	1.9	26	2	0.0005	0.1	27	0.05	64	0.5	0.17	2.7	0.1
2061420	469375	7126316	1748.9	C	20	Grey	N	Moist	S. Orban	WHI18000893	0.0005	0.9	1.19	19.2	152	0.6	0.1	0.1	4.5	18	29.5	2.43	4	0.07	13	0.1	116	1.3	0.005	22.3	65	39.4	0.14	0.5	3	72	5.4	0.0005	0.1	29	0.05	49	0.5	0.18	1.2	0.1
2061421	469395	7126362	1740.8	C	20	Grey	NE	Damp	S. Orban	WHI18000893	0.0015	0.7	1.17	16.7	64	0.5	0.01	0.1	9.9	19	40	2.36	3	0.04	16	0.09	94	2.4	0.005	20.1	123	35.5	0.025	0.7	1.7	36	1.4	0.001	0.05	24	0.05	64	1	0.12	1.8	0.1
2061422	469425	7126406	1717.2	C	30	Grey	NE	Moist	S. Orban	WHI18000893	0.00025	0.8	1.39	18.9	174	0.5	0.02	0.05	5.2	22	48.1	2.28	4	0.06	14	0.29	67	1.9	0.004	37	62	29.4	0.025	0.5	3	112	4.2	0.0005	0.05	31	0.05	86	0.5	0.18	1.2	0.1
2061423	469442	7126453	1696.7	C	20	Grey	NE	Moist	S. Orban	WHI18000893	0.0011	0.8	1.97	13	388	0.4	0.1	0.3	8.8	30	38.5	3.24	5	0.04	4	0.56	183	1.4	0.004	43.2	72	28.9	0.025	0.4	3.1	70	7.5	0.0005	0.05	36	0.05	130	0.5	0.16	0.6	0.1
2061424	469441	7126504	1696.2	Frostboil	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0028	0.4	1.05	16.3	73	0.4	0.02	0.1	4.8	22	31.2	2.32	4	0.03	7	0.15	118	1.6	0.004	20.8	100	26.6	0.025	0.6	0.7	21	0.6	0.003	0.05	38	0.05	67	0.5	0.08	0.9	0.1
2061425	469427	7126553	1691.3	C	20	Green	N	Damp	S. Orban	WHI18000893	0.0032	0.3	1.34	20.9	64	0.4	0.05	0.2	6.5	25	31.4	2.75	5	0.03	7	0.2	164	1.6	0.004	23.6	86	23.1	0.025	0.6	0.9	15	0.7	0.006	0.05	47	0.05	73	0.5	0.07	1.1	0.1
2061426	469412	7126601	1684.8	C	20	Green	NE	Damp	S. Orban	WHI18000893	0.0048	0.3	1.33	19.1	69	0.4	0.02	0.05	7.3	25	35.6	2.86	5	0.03	6	0.19	150	1.8	0.003	25.6	101	21	0.025	0.8	0.9	13	0.6	0.004	0.1	49	0.05	75	2	0.09	0.8	0.1
2061427	469414	7126655	1682.2	C	30	Brown	NE	Dry	S. Orban	WHI18000893	0.0037	0.5	1.43	18	76	0.4	0.03	0.05	5.7	28	30.5	2.76	5	0.03	6	0.25	142	1.8	0.003	26.5	93	20.9	0.025	0.7	0.9	14	0.9	0.005	0.05	48	0.05	72	2	0.08	0.25	0.1
2061428	469425	7126704	1680.8	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0083	0.6	1.35	22.8	97	0.4	0.02	0.2	11.1	27	31.9	2.59	4	0.03	7	0.21	254	1.8	0.004	36.2	64	27.7	0.025	0.9	1.9	19	1.9	0.002	0.05	37	0.05	94	0.5	0.09	1.9	0.1
2061429	469416	7126753	1681.6	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.004	0.1	1.59	15.2	71	0.4	0.06	0.2	9	30	21.7	3.29	6	0.04	10	0.31	327	1.7	0.004	25.6	66	18.8	0.025	0.9	1.3	13	0.5	0.014	0.1	60	0.1	79	1	0.05	0.6	0.1
2061430	469419	7126804	1682.4	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0036	0.05	1.72	14.5	67	0.3	0.06	0.1	6.4	28	15.3	2.82	6	0.04	11	0.3	256	1.4	0.004	16.9	58	13.1	0.025	0.8	1.3	9	0.5	0.02	0.2	59	0.1	62	0.5	0.06	0.25	0.1
2061431	469416	7126854	1677.1	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0037	0.2	1.38	12.3	61	0.3	0.1	0.3	12.4	24	33.7	2.51	4	0.03	11	0.27	127	0.9	0.003	43.9	80	22.7	0.025	0.6	2	15	1.7	0.004	0.05	39	0.05	102	0.5	0.06	0.25	0.1
2061432	469413	7126904	1686.2	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0031	0.4	1.51	25	62	0.3	0.05	0.2	4.7	27	22	2.68	5	0.04	8	0.25	157	1.6	0.004	16.7	101	16.9	0.025	0.9	0.7	12	0.3	0.007	0.1	51	0.1	61	0.5	0.1	0.7	0.1
2061433	469405	7126954	1679.1	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0036	0.4	1.67	20.7	67	0.4	0.11	0.2	15.9	28	45.4	2.94	4	0.03	8	0.36	173	1.3	0.003	45.2	84	24.3	0.025	0.7	3.3	29	3.5	0.001	0.05	42	0.05	122	0.5	0.08	1.7	0.1
2061434	469393	7127002	1670.1	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0026	0.05	1.22	9.2	52	0.3	0.05	0.05	3.2	24	12.5	2.14	7	0.03	11	0.18	89	1.5	0.004	10.2	61	13.8	0.025	0.8	0.9	9	0.3	0.019	0.2	58	0.2	36	0.5	0.05	0.7	0.1
2061435	469378	7127050	1678.1	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0026	0.1	1.4	11.5	68	0.3	0.05	0.2	4.6	26	17.1	2.55	6	0.04	11	0.22	185	1.6	0.004	12.9	59	13.4	0.025	0.8	1.1	9	0.3	0.018	0.2	61	0.1	49	0.5	0.06	0.7	0.1
2061436	469379	7127100	1681.5	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.005	0.2	1.24	16.3	83	0.3	0.05	0.1	5.8	27	17.2	2.63	5	0.04	9	0.3	273	1.3	0.004	16.5	51	20.5	0.025	0.8	1.4	11	0.7	0.017	0.05	49	0.1	55	1	0.04	0.25	0.1
2061437	469376	7127150	1669.5	C	20	Brown	N	Damp	S. Orban	WHI18000893	0.0067	0.2	1.12	16.2	58	0.3	0.05	0.05	4.5	25	21.9	2.38	5	0.03	9	0.2	138	2.1	0.005	15.2	68	18.4	0.025	1	1.2	10	0.3	0.018	0.1	56	0.1	54	1	0.04	0.7	0.1
2061438	469372	7127213	1642.2	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0063	1.3	1.01	40	117	0.3	0.02	0.2	13.9	24	61	3.47	3	0.03	3	0.24	152	3.2	0.003	54.6	82	29.2	0.025	1.3	3.1	21	4.5	0.0005	0.05	33	0.05	145	0.5	0.32	4.1	0.2
2061439	469396	7127256	1605.6	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0028	0.7	1.51	18.4	186	0.3	0.11	0.2	14.7	26	48.8	3.27	4	0.03	3	0.42	257	1.4	0.003	54.2	79	24.3	0.025	0.6	2.8	28	5	0.0005	0.05	34	0.05	144	0.5	0.12	0.9	0.1
2061440	469423	7127299	1589.1	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0028	0.8	1.77	16.6	181	0.5	0.06	0.2	13.9	29	42.8	3.4	4	0.04	5	0.48	235	1.4	0.004	53	76	31.2	0.025	0.7	2.8	28	3.5	0.0005	0.1	41	0.05	137	0.5	0.13	1.2	0.1
2061441	469423	7127299	1587.4	C	20	Grey	N	Damp	S. Orban	WHI18000893	0.0044	0.6	1.56	15.3	119	0.4	0.05	0.2	14.7	27	43.1	3.12	4	0.04	4	0.47	248	1.5	0.005	47.5	70	24.9	0.025	0.7	2.6	24	3.2	0.001	0.05	38	0.05	127	0.5	0.06	1	0.1
2061442	469446	7127343	1569.1	C	40	Grey	N	Damp	S. Orban	WHI18000893	0.004	0.8	1.71	18.9	237	0.4	0.04	0.2	10.8	31	42.7	3.33	5	0.04	7	0.45	184	1.9	0.005	49.3	76	37.9	0.025	0.8	2.6	33	3	0.0005	0.1	42	0.05	124	0.5	0.14	0.8	0.1
2061443	469459	7127393	1550.2	C	30	Grey	NE	Damp	S. Orban	WHI18000893	0.004	0.9	1.65	17.4	152	0.4	0.02	0.2	5.7	28	37.9	2.95	5	0.04	8	0.33	109	2	0.005	35.2	103	33.1	0.025	0.6	1.7	26	1.4	0.001	0.1	41	0.05	88	1	0.15	1.5	0.1
2061444	469474	7127441	1541.4	C	20	Grey	NE	Moist	S. Orban	WHI18000893	0.0028	0.5	1.59	12.9	191	0.3	0.16	0.2	7.9	30	22.3	3.04	5	0.04	10	0.34	142	1.7	0.005	33.2	80	20.4	0.025	0.9	2.4	19	1.3	0.008	0.1	41	0.05	77	0.5	0.13	0.7	0.1
2061445	469497	7127486	1536.7	C	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0053	0.3	1.23	16.1	129	0.3	0.04	0.2	11.5	24	62.5	3.23	4	0.03	10	0.23	199	3.5	0.006	40.2	37	23	0.025	1.3	4.4	18	4.6	0.005	0.05	35	0.05	84	0.5	0.09	0.25	0.1
2061446	469520	7127531	1545.3	Frostboil	20	Brown	NE	Damp	S. Orban	WHI18000893	0.0036	0.1	1.02	32.3	190	0.5	0.005	0.05	6.4	25	96.2	4.84	4	0.04	33	0.33	423	26.6	0.007	22.4	50	28.3	0.025	1.9	1.7	17	8.2	0.003	0.4	24	0.05	61	0.5	0.13	3.1	0.2
2061447	469551	7127572	1535.1	C	30	Brown	NE	Damp	S. Orban	WHI18000893	0.0037	0.05	1.45	10.4	295	0.2	0.09	0.2	8.2	26	31.8	2.55	4	0.04	17	0.49	282	1.4	0.006	24.3	53	10.8	0.025	0.7	3.1	13	2	0.028	0.1	42	0.2	64	0.5	0.04	0.25	0.1
2061448	469578	7127613	1537.2	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0064	0.2	0.98	12.1	62	0.2	0.04	0.2	5.3	21	27.8	2.36	4	0.03	9	0.15	187	1.8	0.004	20.9	44	12.9	0.025	0.9	1	8	0.3	0.013	0.1	47	0.1	60	0.5	0.04	0.7	0.1
2061449	469606	7127656	1531.5	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.008	0.05	1.47	12	65	0.3	0.05	0.05	5.1	25	35.3	2.7	5	0.03	10	0.25	157	1.6	0.003	22.2	43	15.5	0.025	0.9	1.2	8	0.4	0.016	0.1	48	0.05	57	0.5	0.05	1.1	0.1
2061450	469626	7127701	1577	C	20	Brown	S	Damp	S. Orban	WHI18000893	0.0071	0.1	1.1	11.7	75	0.2	0.07	0.05	5.4	20	19.1	2.22	4	0.03	11	0.23	156	1.2	0.004	17.7	35	11.2	0.025	0.6	1.6	8	1.3	0.02	0.1	43	0.2	47	0.5	0.05	0.7	0.1
2061451	467942	7129346	1551.1	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0143	3.6	0.89	22.6	293	0.4	0.49	4.7	29.9	20	234	5.05	2	0.1	18	0.38	1039	31.5	0.021	153.1	227	20.2	0.16	7.9	4.8	103	2.2	0.002	0.6	28	0.05	428	2	0.67	9.7	0.4
2061452	467962	7129395	1535.3	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.0031	0.6	0.71	28.8	233	0.4	0.37	0.9	8.7	16	67.4	3.84	2	0.11	15	0.39	196	12.6	0.032	49.2	161	31.7	0.43	4	1.9	138	6.2	0.002	1.1	16	0.05	134	1	1.87	2.8	0.2
2061453	467998	7129432	1527.9	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0072	1.1	1	27.4	200	0.4	1.19	1.9	18.2	24	65	4.36	2	0.09	30	0.5	441	16.6	0.005	94.7	493	29	0.025	5.3	4.5	69	8	0.001	0.5	23	0.05	218	2	1.19	3.3	0.1
2061454	468016	7129479	1517.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.0095	4.3	0.83	14.3	76	0.2	0.41	11.1	14.1	30	91.6	3.4	2	0.04	31	0.47	334	16.2	0.002	101	228	14.2	0.025	4.2	2.8	26	7	0.002	0.4	20	0.05	332	0.5	0.89	9	0.1
2061455	468003	7129530	1505.5	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.0128	4.2	0.71	14.2	117	0.3	0.39	9.9	19.3	23	121.7	4.36	1	0.06	26	0.24	384	17.9	0.003	112.8	184	22.5	0.025	4.8	3.7	33	6.9	0.0005	0.6	25	0.05	371	0.5	0.72	12.6	0.1
2061456	467999	7129580	1495.2	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0045	0.3	1.67	14.7	183	0.2	0.05	0.9	7.7	33	38.1	3.02	4	0.05	22	0.35	116	12.3	0.003	40.7	101	14.7	0.025	2.4	1.5	7	1.7	0.004	0.6	52	0.05	127	0.5	0.21	2.5	0.1
2061457	468017	7129626	1499.7	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0061	0.6	1.31	12.9	123	0.2	0.26	2.9	14.5	30	55.4	3.1	3	0.04	24	0.45	466	7.7	0.005	53.2	140	21.8	0.025	2.9	3	21	4.1	0.011	0.4	34	0.05	154	0.5	0.31	5.9	0.1
2061458	468037	7129676	1515.2	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0032	0.3	1.68	12.7	156	0.2	0.17	0.8	12.1	28	24.7	2.7	4	0.05	17	0.42	320	2.6	0.006	39.4	65	17.6	0.025	1.3	3	13	4.3	0.02	0.2	44	0.2	85	0.5	0.08	0.8	0.1
2061459	468040	7129728	1509.3	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0095	0.7	1.24	16.4	203	0.2	0.48	1.2	10.3	23	87.6	3.03	3	0.06	19	0.53	475	13.4	0.007	59.5	271	11.7	0.025	2.8	2.3	45	1.2	0.008	0.5	37	0.05	190	0.5	0.42	4.3	0.2
2061460	468046	7129779	1515.2	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0045	0.6	1.47	18.4	139	0.2	0.31	1.9	19	32	51.7	3.27	3	0.05	23	0.47	576	9.8	0.007	62.6	156	20.3	0.025	2.9	3	22	4.8	0.017	0.4	39	0.05	159	2	0.22	2.9	0.1
2061461	468083	7129815	1520.2	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.003	0.2	1.52	11.4	82	0.2	0.08	0.2	8.6	27	25.9	2.96	5	0.05	14	0.4	433	1.7	0.006	23.6	38	13.7	0.025	0.9	2.5	9	3.8	0.026	0.1	48	0.2	62	0.5	0.03	0.7	0.1
2061462	468087	7129869	1506.2	B	2	Brown	SW	Damp	R. Rigal	WHI18000893	0.008	1.7	0.6	17.8	291	0.4	1.19	3.2	16.5	16	100.8	3.56	1	0.15	19	0.2	532	23.1	0.004	97.3	630	13.6	0.025	5.3	5	60	5.2	0.005	0.5	26	0.05	310	6	0.97	14.9	0.1
2061463	468098	7129920	1499.3	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0085	2.5	1.52	12.5	112	0.4	0.09	1.1	21.1	34	109.7	4.09	3	0.06	20	0.34	666	13.3	0.005	74.1	102	19.1	0.025	2.3	3.6	14	5.4	0.015	0.2	33	0.05	196	4	0.17	11	0.1
2061464	468123	7129966	1502.7	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0036	0.4	1.62	10	155	0.4	0.03	0.2	8	28	93.7	4.01	6	0.05	18	0.47	178	2.9	0.004	48.5	46	15.9	0.025	1.3	2.2	6	3	0.008	0.2	43	0.05	125	3	0.05	1.6	0.1
2061465	468163	7129998	1492	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0053	0.4	0.92	12.7	116	0.3	0.03	0.6	8.6	22	107.3	3.41	4	0.05	15	0.21	320	18.1	0.008	51.9	67	16.6	0.025	3.2	2.2	14	3.2	0.012	0.4	54	0.05	167	3	0.07	3.8	0.1
2061466	468214	7130001	1485.7	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0067	1.8	1.74	8.4	123	0.3	0.07	0.6	19.9	43	119.1	3.65	4	0.05	18	0.39	783	2.9	0.004	51.7	76	18.3	0.025	1.1	3.5	10	3.9	0.009	0.2	40	0.05	105	2	0.14	3.1	0.1
2061467	468232	7130051	1486	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0191	0.6	1.03	23.4	131	0.5	0.11	0.6	9	26	87.6	3.15	3	0.03	35	0.36	209	17.7	0.004	44.4	88	46.1	0.025	6.5	2.1	28	3.9	0.003	0.5	28	0.05	166	2	0.46	3.1	0.1
2061468	468250	7130105	1483.8	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0076	0.9	1.92	11	159	0.3	0.12	0.7	11.5	36	44.9	3.4	6	0.05	16	0.43	433	5.2	0.007	34	122	12.6	0.025	1.5	2.6	30	1.6	0.019	0.3	58	0.2	112	2	0.13	4.1	0.1
2061469	468266	7130156	1493	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0022	0.8	1.45	10.8	67	0.2	0.05	0.6	5.7	26	17.2	2.79	6	0.04	14	0.21	305	2.9	0.004	15.7	45	11.6	0.025	0.9	2	8	1.8	0.022	0.3	53	0.1	58	2	0.11	1.9	0.1
2061470	468287	7130204	1502	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0031	0.7	1.61	12.4	70	0.3	0.06	0.6	7	29	20.7	3.1	6	0.05	16	0.28	231	2.9	0.004	20	39	14.8	0.025	0.9	2.3	9	4.4	0.027	0.3	60	0.1	63	3	0.07	1.3	0.1
2061471	468299	7130254	1503.7	B	20	Mottled	SW	Damp	R. Rigal	WHI18000893	0.0024	0.5	1.17	10	112	0.2	0.04	0.2	4.7	23	25.1	2.6	6	0.05	16	0.21	179	3	0.004	16.4	30	11.6	0.025	0.9	2.4	7	3.4	0.029	0.3	57	0.1	50	3	0.07	0.9	0.1
2061472	468321	7130299	1491.9	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.007	0.4	1.35	18.1	161	0.3	0.11	1	12.6	33	59.6	3.32	4	0.05	21	0.37	363	10.2	0.005	55.6	113	22.4	0.025	3.4	1.7	22	1	0.009	0.5	37	0.05	173	2	0.35	1.9	0.1
2061473	468359	7130337	1505.7	B	40	Brown	SW	Damp	R. Rigal	WHI18000893	0.0035	0.1	1.51	12.1	80	0.2	0.05	0.2	5.6	28	17.5	2.64	6	0.04	16	0.26	168	3.7	0.004	19.8	72	13.8	0.025	0.9	0.9	8	0.4	0.012	0.3	59	0.05	64	1	0.06	1.5	0.1
2061474	468394	7130376	1501.5	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0036	1	1.91	11	192	0.2	0.1	1.2	10.1	35	34.1	3.7	5	0.05	17	0.4	414	4.1	0.005	33	97	13.1	0.025	1.3	2.8	12	1.4	0.015	0.3	47	0.2	86	2	0.15	4.6	0.1
2061475	468443	7130398	1506.5	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0027	0.5	1.07	12	109	0.2	0.21	1.3	7.9	25	27.2	2.52	3	0.05	24	0.36	130	6.4	0.004	37.4	142	12.3	0.025	1.7	1.1	19	1.3	0.008	0.3	32	0.05	118	2	0.08	5.4	0.1
2061476	468492	7130414	1508.7	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.0088	5.2	1.11	9.7	132	0.3	0.46	16.1	23	40	125.3	4.44	3	0.07	29	0.59	519	14.8	0.004	114.2	255	22.4	0.025	5	3.9	33	6.7	0.002	1	26	0.05	362	3	0.56	34	0.1
2061477	468540	7130432	1501.2	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0092	2	0.82	7.8	80	0.2	0.06	1.1	8	23	60.2	2.38	3	0.07	16	0.16	127	6.1	0.004	42.9	112	13.6	0.025	2.1	0.6	8	0.4	0.005	0.2	30	0.05	145	2	0.2	8.7	0.1
2061478	468579	7130473	1489	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.014	3.5	0.93	17.4	161	0.3	0.46	7.2	21.2	27	146.3	3.5	2	0.08	31	0.45	539	39	0.008	117.8	267	22.4	0.025	5.6	2.4	46	6.4	0.002	0.6	38	0.05	358	2	0.88	9.5	0.2
2061479	468607	7130518	1485	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0021	0.7	1.31	38.2	151	0.3	0.38	5.7	31.8	35	85.6	7.14	3	0.07	48	0.29	757	36.4	0.003	110.5	266	29.8	0.025	6.8	3.2	27	5.9	0.004	0.5	37	0.05	576	4	0.46	3.9	0.1
2061480	468653	7130534	1468.2	B	20	Brown	W	Damp	R. Rigal	WHI18000893	0.002	0.2	1.02	14.1	210	0.2	0.29	1.2	7.1	22	22.5	2.78	4	0.05	24	0.21	154	5.8	0.003	28.6	95	15.7	0.025	1.6	1.6	17	2.8	0.01	0.3	47	0.05	104	2	0.09	2.4	0.1
2061481	468652	7130533	1476.5	B	20	Brown	W	Damp	R. Rigal	WHI18000893	0.0009	0.3	1.06	16.1	178	0.3	0.39	1	9.5	28	27.1	3.05	4	0.04	25	0.27	176	6.7	0.004	37.8	128	19	0.025	2.1	1.5	23	2.1	0.007	0.4	44	0.05	124	2	0.08	2.9	0.1
2061482	468689	7130564	1458.2	C	20	Grey	W	Damp	R. Rigal	WHI18000893	0.0007	1	0.97	24.6	146	0.3	1.18	3.9	17.6	30	57.4	3.77	2	0.09	32	0.54	269	13.9	0.004	80.8	283	25.8	0.025	5.3	2.7	66	5.8	0.003	0.5	30	0.05	262	4	0.25	4.3	0.1
2061483	468735	7130590	1449.1	C	20	Grey	W	Damp	R. Rigal	WHI18000893	0.0093	5.4	0.83	11.5	189	0.3	0.47	7.9	9.4	42	96.4	3.13	2	0.07	11	0.51	195	18.4	0.007	83.8	163	16.9	0.21	3.7	2.5	68	4.2	0.001	0.4	20	0.05	233	2	0.45	7.1	0.1
2061484	468780	7130618	1444.7	C	20	Grey	W	Damp	R. Rigal	WHI18000893	0.0072	5.1	1.39	22.9	120	0.3	0.4	10.2	22	34	148.9	4.95	2	0.1	15	0.31	326	14.3	0.015	153	313	23.2	0.29	6.1	2.8	144	4.3	0.002	1.1	23	0.05	312	3	0.78	9	0.1
2061485	468829	7130638	1434.1	C	20	Grey	W	Damp	R. Rigal	WHI18000893	0.0079	5.5	1.09	21.2	205	0.4	0.54	22.8	36.6	38	137.6	4.94	3	0.1	23	0.45	732	23.9	0.011	172.9	338	28.1	0.09	7.1	4.5	120	7.9	0.002	1.6	28	0.05	644	2	0.71	11.1	0.1
2061486	468877	7130660	1428.3	B	20	Brown	W	Damp	R. Rigal	WHI18000893	0.0193	3.5	1.07	11.5	170	0.4	0.27	3.3	28.6	25	163.4	5.24	2	0.08	23	0.56	1235	10.8	0.002	109.2	123	32.6	0.025	3.2	3.3	21	6.2	0.002	0.5	20	0.05	249	2	0.68	8.6	0.3
2061487	468910	7130699	1417.5	C	20	Grey	W	Damp	R. Rigal	WHI18000893	0.0031	0.3	1.86	14.6	78	0.3	0.12	0.4	11.6	29	37	4.15	5	0.07	32	0.92	284	10	0.007	45.5	153	24.2	0.025	0.9	1.8	41	5.1	0.002	0.4	30	0.05	128	2	0.15	1.4	0.1
2061488	468928	7130746	1413.8	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0006	0.2	1.09	10.7	54	0.2	0.02	0.1	4	16	24.6	2.35	5	0.04	28	0.15	59	6	0.004	15.9	43	14.8	0.025	0.8	1.4	7	4.7	0.009	0.2	38	0.1	53	1	0.1	2	0.1
2061489	468941	7130797	1399.4	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0016	0.1	1.5	19	76	0.3	0.15	0.5	14.6	27	34.2	3.94	4	0.05	25	0.5	287	7.2	0.01	38.5	162	21.5	0.025	1.1	1.8	31	3.6	0.008	0.3	30	0.05	91	2	0.1	1	0.1
2061490	468951	7130850	1391.1	B	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.00025	0.2	1.62	14.8	56	0.3	0.03	0.6	21.4	24	34	4.42	5	0.04	23	0.51	288	3.7	0.006	57.1	177	20.9	0.025	0.7	1.7	12	2.4	0.004	0.2	27	0.05	99	1	0.09	0.25	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061491	468977	7130895	1387.3	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0026	0.1	1.46	10.9	70	0.2	0.05	0.2	7.2	23	22.8	3.48	4	0.05	26	0.54	150	2	0.01	26.2	85	20.8	0.025	0.6	1.7	13	5.8	0.008	0.2	24	0.05	67	2	0.08	0.25	0.1
2061492	469004	7130940	1383.1	C	20	Brown	SW	Damp	R. Rigal	WHI18000893	0.0012	0.1	1.54	12.3	97	0.3	0.11	0.4	32.2	25	30	4.16	5	0.04	24	0.65	1615	2.2	0.006	52.9	110	23.3	0.025	0.7	3.2	17	7.4	0.01	0.1	26	0.05	90	1	0.06	0.25	0.1
2061493	469036	7130985	1379.4	C	20	Grey	SW	Damp	R. Rigal	WHI18000893	0.0016	0.2	1.78	61.4	84	0.4	0.04	0.4	7	34	39.6	5.27	5	0.05	30	0.67	291	20.6	0.01	26.6	138	31.5	0.025	1.8	2.5	40	8.5	0.007	0.6	35	0.05	85	1	0.09	2	0.1
2061494	469067	7131027	1373.2	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.3	2.12	31.2	95	0.5	0.13	0.2	11.3	33	67.8	5.61	6	0.12	17	1.09	378	18.6	0.02	50.3	205	32.1	0.42	1.1	3.9	30	8.2	0.001	0.4	23	0.05	136	2	0.48	3	0.1
2061495	469097	7131070	1370.5	C	30	Mottled	SW	Damp	R. Rigal	WHI18000894	0.0025	0.05	0.82	12.8	62	0.3	0.03	0.05	3	14	11.1	2.04	6	0.03	21	0.13	93	2.4	0.002	9.9	27	12.6	0.025	0.8	1.1	7	4.5	0.014	0.2	52	0.1	31	3	0.02	0.6	0.1
2061496	469121	7131114	1362.2	B	20	Mottled	SW	Damp	R. Rigal	WHI18000894	0.001	0.05	1.34	10.2	60	0.3	0.03	0.05	3.9	21	11.4	3.29	6	0.03	16	0.26	128	2	0.003	13.9	30	14.7	0.025	0.8	1.7	7	4.7	0.009	0.1	50	0.2	41	1	0.02	0.25	0.1
2061497	469145	7131162	1363.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.0028	0.05	1.64	13.4	110	0.3	0.07	0.2	8.4	27	25.8	3.21	4	0.05	9	0.61	222	1.6	0.006	35.1	57	16.2	0.025	0.8	2.6	17	4.1	0.011	0.1	31	0.05	81	3	0.03	0.8	0.1
2061498	469179	7131202	1353.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.0009	0.05	1.8	13.2	75	0.3	0.07	0.05	13.3	32	27.7	4.06	5	0.04	7	0.75	239	1.5	0.007	48.6	72	28.9	0.025	1	2.6	29	3.9	0.01	0.1	33	0.05	112	0.5	0.005	0.6	0.1
2061499	469200	7131247	1354.4	B	20	Mottled	SW	Damp	R. Rigal	WHI18000894	0.0023	0.05	1.48	11.6	84	0.2	0.09	0.05	6.8	25	13.2	2.85	5	0.04	14	0.33	175	1.6	0.004	18.6	47	13.5	0.025	0.7	2.1	12	4	0.016	0.1	47	0.2	48	2	0.02	1.3	0.1
2061500	469215	7131299	1339.8	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.05	1.28	27	57	0.5	0.01	0.05	1.5	32	27.4	4.55	5	0.05	11	0.53	89	2.1	0.004	17.9	59	33.3	0.025	0.8	2	8	7.2	0.001	0.1	25	0.05	72	0.5	0.03	1	0.1
2061501	469631	7127774	1597.9	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0026	0.05	1.44	13.3	82	0.2	0.1	0.2	8.8	24	21.2	2.51	4	0.04	14	0.34	321	1	0.005	24	46	11.2	0.025	1	2.5	11	3	0.038	0.1	47	0.3	59	2	0.03	0.7	0.1
2061502	469579	7127802	1617.6	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0012	0.05	1.04	11.5	76	0.1	0.24	0.2	8.2	20	25.3	2.05	3	0.04	14	0.34	303	1	0.006	25.4	95	7.5	0.025	0.8	2.2	19	3.8	0.045	0.05	35	0.2	72	2	0.02	0.5	0.1
2061503	469561	7127851	1610.7	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.0023	0.4	0.4	13	91	0.3	0.07	0.4	10.4	10	35.3	2.91	1	0.05	27	0.04	173	1.5	0.004	47.5	67	23.4	0.025	1.2	1.6	17	1.9	0.001	0.05	18	0.05	98	0.5	0.08	0.25	0.1
2061504	469556	7127901	1602.9	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0033	0.05	1.49	10.4	217	0.2	0.09	0.2	9.3	23	42.9	2.45	4	0.04	15	0.38	622	2	0.005	21.7	66	13.1	0.025	0.8	1.8	15	1.1	0.025	0.2	43	0.2	62	2	0.03	1	0.1
2061505	469552	7127951	1591.5	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.00025	5.1	0.57	74.1	407	0.3	0.07	0.4	0.2	21	63.8	2.47	3	0.22	32	0.03	7	26.5	0.01	2.7	605	35.1	0.58	29.2	4.5	148	8.7	0.003	0.8	107	0.05	17	2	1.64	16.7	0.2
2061506	469535	7127999	1582.4	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.00025	5.6	0.73	88.4	244	0.2	0.04	0.3	0.4	43	78.4	6.11	4	0.22	23	0.13	30	23.2	0.032	10.8	564	32.7	1	21.8	1.3	124	1.5	0.005	0.6	397	0.05	43	2	0.82	25.7	0.1
2061507	469532	7128049	1573	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0021	0.5	1.51	18.2	46	0.3	0.67	0.2	22	18	41.8	3.83	4	0.06	37	1.01	587	4.5	0.002	46.5	306	26.8	0.025	0.8	3	25	7.5	0.002	0.2	13	0.05	87	0.5	0.29	1.1	0.1
2061508	469537	7128098	1578.8	C	40	Brown	S	Damp	S. Orban	WHI18000894	0.0084	0.9	2.09	10.9	303	0.4	0.04	0.6	18.3	30	144.7	4.79	5	0.11	23	0.55	286	8.4	0.02	62.2	99	18.2	0.23	3	3.2	66	2.3	0.004	0.3	45	0.05	208	0.5	0.25	8.3	0.5
2061509	469548	7128147	1586.2	C	30	Brown	S	Damp	S. Orban	WHI18000894	0.0031	0.3	0.8	32.2	160	0.4	0.49	2	22.9	15	50	4.46	2	0.06	46	0.44	418	20.5	0.006	99.4	257	23.8	0.05	5.5	2.1	43	4.5	0.002	0.4	15	0.05	209	0.5	0.85	2.8	0.3
2061510	469558	7128196	1592.1	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0032	0.4	1.9	14.1	200	0.2	0.26	2.1	21.1	45	87.6	4.15	6	0.09	24	0.82	599	15	0.012	66.9	157	18	0.08	2	1.9	23	0.5	0.028	0.3	84	0.05	197	0.5	0.1	3.6	0.1
2061511	469567	7128245	1615.2	Frostboil	30	Brown	S	Dry	S. Orban	WHI18000894	0.0008	0.2	1.95	9.6	148	0.1	0.42	0.5	18.2	86	70.9	4.06	8	0.05	9	1.12	527	2.8	0.007	48.1	81	12.4	0.08	0.6	4.3	18	0.7	0.064	0.1	106	0.1	82	1	0.05	0.25	0.1
2061512	469571	7128296	1649.7	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.00025	0.2	1.87	3.6	273	0.1	0.33	0.3	11.4	58	46.4	2.73	9	0.1	10	1.09	544	3.3	0.011	23.8	116	10.7	0.12	0.2	2.1	17	0.4	0.059	0.1	79	0.1	66	2	0.05	1.2	0.1
2061513	469561	7128344	1682.5	Frostboil	20	Brown	S	Damp	S. Orban	WHI18000894	0.00025	0.2	2	2.5	237	0.05	0.17	0.4	8.5	49	54.6	2.43	8	0.1	11	1.17	315	5.4	0.011	19.2	103	9.3	0.13	0.2	2	16	0.4	0.064	0.2	65	0.2	51	3	0.07	1.2	0.1
2061514	469588	7128386	1682.6	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0034	0.1	2.35	16.2	275	0.2	0.42	0.6	71.3	65	128.9	4.81	9	0.12	21	1.5	1111	3.5	0.008	119.7	142	22.5	0.025	0.8	7	21	5.7	0.126	0.2	106	0.2	132	2	0.03	1.3	0.1
2061515	469601	7128456	1625.8	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.005	1.9	1.81	17.8	536	0.5	2.04	4.1	41.5	69	289	6.84	7	0.25	45	1.45	1009	42.5	0.028	202	1030	44.7	0.33	3.7	7.2	121	5.9	0.062	0.7	146	0.5	438	3	0.38	12.9	0.1
2061516	469618	7128504	1593.7	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.0047	0.5	1.09	25.2	312	6.7	0.26	0.3	14.6	27	97	5.83	4	0.11	31	0.43	368	3.4	0.016	56.6	138	20.7	0.29	2.2	3.1	127	7.3	0.003	0.1	37	0.05	95	1	0.1	3.1	0.2
2061517	469624	7128554	1575.1	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.0106	3.2	1.12	23.7	404	0.5	0.2	5.7	14	31	184.7	4.05	3	0.1	26	0.48	750	31.4	0.062	79.4	164	21	0.5	5.5	2.4	244	3.3	0.002	1.1	37	0.05	288	2	0.37	10.4	0.3
2061518	469629	7128603	1555.1	Frostboil	20	Grey	N	Moist	S. Orban	WHI18000894	0.0045	0.4	0.72	16.4	228	0.2	0.65	1.3	23.5	20	170.6	3.86	2	0.08	7	0.46	336	10.6	0.071	66.4	213	11.3	0.44	2.8	2.5	154	2.2	0.003	0.5	22	0.05	159	2	0.46	2.7	0.1
2061519	469622	7128653	1551.3	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0074	1.6	1.66	12.1	184	0.3	0.08	0.8	4.8	39	47.8	3.14	6	0.04	12	0.29	157	19.4	0.015	28.1	100	10.6	0.09	2.5	1.3	31	0.3	0.013	0.4	75	0.1	102	0.5	0.23	7.4	0.1
2061520	469630	7128703	1542.2	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0169	1.8	1.24	9.7	159	0.3	0.13	1.3	11.7	27	89.6	3.31	4	0.06	14	0.25	504	14.7	0.018	55.8	186	12.6	0.13	2.3	1	44	0.4	0.008	0.3	40	0.1	169	0.5	0.33	9.7	0.1
2061521	469630	7128703	1541.1	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0115	2.1	1.11	10.3	174	0.2	0.18	1.6	13.6	25	108.4	3.47	3	0.06	14	0.27	524	17.9	0.028	65.1	188	13.2	0.16	2.7	1.2	55	0.6	0.007	0.4	33	0.05	197	2	0.31	13	0.1
2061522	469643	7128751	1530.7	C	20	Grey	N	Damp	S. Orban	WHI18000894	0.0119	2.6	1.38	13.2	175	0.5	0.26	3	19.4	35	214.5	4.22	3	0.06	15	0.65	682	16.6	0.023	89.6	218	21.8	0.14	4.4	3.5	113	1.8	0.003	0.4	36	0.05	283	3	0.3	12.3	0.2
2061523	469654	7128800	1522.1	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.005	1	1.09	35	177	0.4	0.04	0.3	2.1	39	49.1	3.45	4	0.06	37	0.23	101	18	0.026	10.4	146	17.4	0.22	4.1	1.6	41	1.9	0.008	0.8	50	0.05	56	1	0.21	12.3	0.2
2061524	469678	7128844	1508.3	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.005	0.6	1.35	11.9	108	0.3	0.04	0.6	8	26	56.4	2.99	5	0.05	21	0.27	212	6.2	0.005	25.6	47	15	0.05	1.5	2.3	12	3.5	0.01	0.3	48	0.1	78	2	0.05	3	0.1
2061525	469709	7128883	1493	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0195	3.8	1.59	13.1	192	0.3	0.1	3.8	56	27	208	4.91	4	0.08	20	0.55	2152	14	0.012	118.3	172	25.9	0.11	3.6	3.5	31	2	0.006	0.4	29	0.05	397	0.5	0.25	8.4	0.3
2061526	469756	7128902	1473.4	C	20	Grey	NE	Damp	S. Orban	WHI18000894	0.0033	1	1.15	22.8	102	0.5	0.76	4.1	21	36	67.7	4.21	3	0.06	41	0.66	449	13.6	0.004	90.6	356	28.4	0.025	4.6	3.8	44	11.3	0.002	0.4	30	0.05	257	0.5	0.52	4.6	0.1
2061527	469794	7128936	1456.7	C	20	Grey	NE	Damp	S. Orban	WHI18000894	0.0092	1.2	1.44	18.7	149	0.4	0.22	1.9	17	32	74.7	3.83	4	0.06	21	0.43	553	12.4	0.01	64.7	157	23.5	0.08	4.2	2.3	28	2.1	0.009	0.5	37	0.1	212	0.5	0.51	5	0.3
2061528	469830	7128970	1445.7	C	20	Black	NE	Moist	S. Orban	WHI18000894	0.0084	1.1	1.06	24.2	175	0.3	0.96	2	14.8	29	87.7	4.43	3	0.08	21	0.37	417	19.2	0.012	87.6	509	20.5	0.08	3.9	3.9	62	3.7	0.007	0.5	34	0.05	245	2	0.78	3.8	0.1
2061529	469866	7129005	1435	C	20	Brown	NE	Moist	S. Orban	WHI18000894	0.0062	0.3	1.21	17.6	129	0.3	0.11	0.6	9.4	23	52.8	3.43	3	0.04	20	0.18	168	10.8	0.005	45.3	146	17.4	0.025	2.5	2.2	17	1.9	0.003	0.5	33	0.05	136	0.5	0.38	3	0.1
2061530	469897	7129044	1421.8	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.007	0.6	1.64	11.9	109	0.3	0.21	0.4	6.9	27	39.3	2.73	5	0.05	17	0.36	151	6.5	0.006	33.3	174	13.9	0.025	1.2	0.9	33	0.6	0.011	0.3	50	0.2	104	2	0.22	1.8	0.1
2061531	469933	7129079	1412.3	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.007	0.5	2.04	13.4	80	0.4	0.06	0.7	10.3	39	48.1	4.09	6	0.06	19	0.54	283	7.4	0.004	50.6	65	21.9	0.025	2	2.5	13	3.6	0.015	0.4	48	0.1	162	2	0.18	5.8	0.1
2061532	469944	7129128	1409.2	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.007	0.4	1.69	12.1	115	0.2	0.14	0.4	9.9	26	31.2	2.78	5	0.04	18	0.44	330	2.4	0.005	25.2	74	12.3	0.025	1.1	2.6	15	1.7	0.028	0.2	41	0.2	78	1	0.09	1.7	0.1
2061533	469963	7129175	1396.2	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0059	1	1.43	8.5	119	0.2	0.17	1.1	10.5	29	48.3	2.77	4	0.05	31	0.56	256	4.4	0.004	52.2	103	13.8	0.025	1.6	2.6	16	4.1	0.014	0.2	33	0.05	141	2	0.2	4.9	0.1
2061534	469968	7129226	1388.5	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0048	0.3	1.59	9.8	95	0.2	0.13	0.3	6.3	25	30.7	2.28	4	0.04	21	0.41	180	2	0.004	26.1	68	11.3	0.025	0.9	2.6	13	2	0.028	0.2	39	0.2	68	1	0.08	0.7	0.1
2061535	469979	7129275	1385.5	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0061	0.3	1.82	15.1	123	0.3	0.55	0.8	15.6	24	41.6	3.81	5	0.08	37	0.61	375	10	0.005	51.6	328	21.2	0.025	1.8	2.5	75	6.2	0.017	0.3	38	0.1	184	0.5	0.17	1.8	0.1
2061536	469992	7129324	1393.9	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0054	0.3	1.7	13.4	80	0.3	0.22	0.3	6.2	29	23.6	3.24	6	0.05	18	0.33	160	3.2	0.006	23.1	199	13.2	0.025	1	2.5	23	3.7	0.031	0.2	51	0.2	72	1	0.07	0.7	0.1
2061537	470002	7129373	1393.7	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0024	0.2	1.85	10.1	90	0.3	0.1	0.2	4.6	26	12	2.57	7	0.04	18	0.28	163	2.4	0.005	11.9	68	13.5	0.025	0.6	1.8	13	0.9	0.03	0.2	59	0.2	38	2	0.06	0.25	0.1
2061538	470013	7129422	1392.4	C	20	Brown	N	Moist	S. Orban	WHI18000894	0.0045	0.9	2.07	12.9	130	0.3	0.15	0.3	9.1	29	21.7	3.07	6	0.05	16	0.39	286	3.5	0.007	20.1	100	14	0.025	1	3.2	20	5.6	0.034	0.2	55	0.2	60	2	0.16	1.6	0.1
2061539	470019	7129473	1392	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0058	1.4	1.52	15.9	90	0.3	0.14	0.4	4.7	25	31.6	3.18	6	0.05	19	0.29	171	4.2	0.007	19.9	158	14.7	0.025	1.1	2.3	27	3.6	0.031	0.3	60	0.2	65	2	0.2	2.3	0.1
2061540	469998	7129518	1390.1	C	20	Brown	SW	Damp	S. Orban	WHI18000894	0.0068	1.2	1.95	12.2	143	0.3	0.25	0.7	11.8	29	40	2.91	5	0.06	20	0.4	290	5.8	0.006	36.5	142	13.6	0.025	1.2	2.8	39	4.1	0.025	0.3	56	0.2	111	2	0.25	0.7	0.1
2061541	469987	7129566	1394	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.003	0.3	2.18	14	145	0.3	0.15	0.4	10.4	30	24.4	3.33	6	0.05	20	0.42	269	3.2	0.007	28.4	126	14.8	0.025	0.9	3.6	25	5.6	0.03	0.3	55	0.3	84	1	0.09	0.8	0.1
2061542	469986	7129619	1400.1	C	20	Brown	S	Moist	S. Orban	WHI18000894	0.0036	0.9	1.54	15.7	130	0.3	0.26	2.5	17.4	30	41.3	3.21	4	0.06	36	0.48	502	6.7	0.006	51.2	130	21.7	0.025	2.7	3.6	26	7.9	0.024	0.4	40	0.05	157	1	0.16	2.1	0.1
2061543	469983	7129670	1394.3	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0035	0.3	1.3	14.4	68	0.2	0.2	1.3	11.2	24	24.6	2.89	4	0.04	24	0.28	578	6.3	0.005	34.8	166	20.7	0.025	1.7	1.7	20	1.1	0.016	0.4	36	0.05	120	2	0.08	1.3	0.1
2061544	469993	7129720	1393.2	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0076	0.3	1.35	12.7	154	0.2	0.26	1.3	11.4	26	29.2	2.57	3	0.05	25	0.41	302	4.5	0.005	41.4	112	14	0.025	1.3	2.3	22	3.2	0.02	0.2	35	0.1	106	1	0.11	1	0.1
2061545	470001	7129770	1398	C	0	Brown	S	Damp	S. Orban	WHI18000894	0.0065	1.2	1.4	12.4	112	0.3	0.14	0.8	5.5	26	29.1	3.04	4	0.05	17	0.35	215	4.8	0.015	26.8	120	15.8	0.1	1.3	2.2	63	3.5	0.022	0.3	43	0.1	87	0.5	0.18	2.7	0.1
2061546	470020	7129817	1392.5	C	30	Brown	S	Damp	S. Orban	WHI18000894	0.0038	2.1	1.66	11.5	79	0.3	0.05	0.7	6.3	27	26.9	2.98	6	0.04	19	0.27	165	3.9	0.004	24.4	35	16.6	0.025	1.2	2.4	9	5.7	0.025	0.3	57	0.2	78	0.5	0.14	1.8	0.1
2061547	470037	7129865	1403.6	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0131	1.7	1.15	15.5	76	0.6	0.06	2.7	10.5	28	103.6	4.32	3	0.06	24	0.27	261	7.3	0.002	55	102	25.8	0.025	3.6	2.3	7	6.6	0.007	0.6	31	0.05	184	1	0.16	20.1	0.1
2061548	470058	7129911	1402.4	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0025	0.05	1.75	9.7	96	0.2	0.11	0.3	6.7	25	12	2.49	6	0.05	18	0.34	280	2.1	0.005	14.9	80	13.5	0.025	0.7	1.9	12	1.1	0.027	0.2	49	0.2	55	1	0.07	0.25	0.1
2061549	470080	7129956	1397.8	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0034	0.3	1.22	17.8	109	0.3	0.57	0.9	8.6	19	30.9	3.23	3	0.07	23	0.42	211	6.3	0.02	33.2	388	17.7	0.09	1.4	2	70	2.6	0.015	0.4	28	0.05	133	0.5	0.26	2.1	0.1
2061550	470096	7130004	1401.6	C	20	Brown	S	Damp	S. Orban	WHI18000894	0.0052	1.3	1.75	12.4	121	0.3	0.16	1.2	7.9	31	38.7	2.61	5	0.05	22	0.37	213	6.1	0.005	33.6	132	12.2	0.025	1.2	2.6	19	2.2	0.029	0.3	60	0.2	105	1	0.19	1.6	0.1
2061551	466122	7127995	1641	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0079	0.3	1.21	12.6	72	0.3	0.11	0.1	5.4	22	15.7	2.35	4	0.03	14	0.3	169	1	0.004	21.3	67	17	0.025	0.6	1.7	20	2.2	0.02	0.05	35	0.1	63	0.5	0.06	0.25	0.1
2061552	466142	7128051	1650.7	C	10	Grey	S	Moist	J. Roddick	WHI18000894	0.0018	0.3	1.19	12.3	89	0.3	0.1	0.2	5.7	20	21.4	2.31	4	0.03	14	0.26	154	1.1	0.004	21.5	71	17.5	0.025	0.6	1.6	28	1.1	0.014	0.05	33	0.05	67	1	0.08	0.25	0.1
2061553	466159	7128098	1660.7	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0019	0.3	1.28	13	111	0.3	0.1	0.3	6.9	20	20.4	2.53	4	0.03	14	0.25	156	1.1	0.004	23.5	78	19.2	0.025	0.6	2.2	31	1.2	0.014	0.1	37	0.05	68	0.5	0.08	0.6	0.1
2061554	466177	7128147	1668.3	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.003	0.3	1.14	13	88	0.3	0.09	0.2	9.4	19	20.9	2.44	4	0.03	15	0.19	173	1	0.003	29.4	79	21.8	0.025	0.6	2.1	34	1	0.011	0.05	32	0.05	76	0.5	0.1	0.25	0.1
2061555	466201	7128193	1687	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0015	0.4	1.22	12	90	0.3	0.1	0.3	10.1	20	23.6	2.41	4	0.04	16	0.21	179	0.7	0.003	33.3	89	21.8	0.025	0.6	2.6	35	1.2	0.011	0.1	32	0.05	74	0.5	0.11	0.25	0.1
2061556	466216	7128241	1720.1	B	10	Brown	S	Damp	J. Roddick	WHI18000894	0.0018	0.4	1.25	17	100	0.3	0.06	0.2	6.5	22	26.9	2.78	4	0.03	14	0.2	184	1.4	0.004	22.2	80	23.7	0.05	0.7	1	35	0.3	0.01	0.1	35	0.1	62	0.5	0.09	0.6	0.1
2061557	466249	7128288	1726.5	B	10	Brown	S	Damp	J. Roddick	WHI18000894	0.0046	0.4	1.42	16.3	81	0.3	0.05	0.2	6.1	24	25.1	2.88	5	0.04	13	0.21	307	1.7	0.004	18.7	122	18.1	0.07	0.8	0.6	18	0.1	0.011	0.1	43	0.2	59	0.5	0.07	1.2	0.1
2061558	466261	7128337	1746.7	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0031	0.2	1.11	14.1	114	0.3	0.09	0.2	6.3	21	18.8	2.58	3	0.04	13	0.24	239	2.7	0.004	21.1	77	21	0.025	0.7	1.7	28	1.1	0.017	0.05	32	0.1	54	0.5	0.08	1	0.1
2061559	466277	7128386	1773.7	C	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0031	0.5	0.99	18.2	110	0.3	0.08	0.3	7.2	19	21.9	3.02	3	0.04	9	0.14	178	2.7	0.005	26.9	104	25.4	0.08	0.7	1.7	31	1.3	0.006	0.05	26	0.05	69	0.5	0.1	1.3	0.1
2061560	466278	7128431	1782.3	Frostboil	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0017	0.5	1.07	19	77	0.4	0.08	0.3	9.7	21	29.9	3.4	4	0.03	8	0.12	211	1.8	0.004	33.2	90	26.4	0.06	0.7	2.8	27	3.1	0.002	0.05	25	0.05	79	0.5	0.09	1.4	0.1
2061561	466271	7128434	1788.3	Frostboil	10	Grey	S	Damp	J. Roddick	WHI18000894	0.0017	0.6	0.88	19.4	142	0.4	0.07	0.1	5.6	19	24.2	2.94	3	0.05	9	0.13	142	2.4	0.009	21.3	90	29.4	0.13	0.7	1.9	44	1.5	0.004	0.05	28	0.05	58	0.5	0.16	0.8	0.1
2061562	466490	7129236	1623.8	C	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0013	0.2	1.92	35.4	119	0.4	0.1	0.4	28	26	34.1	4.57	4	0.07	31	0.74	560	13.6	0.009	49.3	145	28.7	0.16	0.9	2	56	5.4	0.006	0.3	30	0.05	100	0.5	0.11	1.5	0.1
2061563	466533	7129263	1606.2	C	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0025	0.5	1.48	26.1	191	0.4	0.11	0.5	17.6	21	46.2	4.46	4	0.06	27	0.56	422	11.1	0.007	52	120	27.4	0.09	1.4	2.5	51	4.9	0.002	0.2	25	0.05	112	0.5	0.22	1.7	0.1
2061564	466567	7129301	1581.2	C	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0021	0.8	1.33	22.5	129	0.4	0.06	0.6	12.2	22	40.1	3.52	4	0.05	18	0.32	293	6.9	0.006	39.2	132	26.9	0.07	2.8	1.9	46	2.5	0.002	0.2	40	0.05	108	0.5	0.17	2.1	0.1
2061565	466617	7129291	1566.4	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0146	1	1.16	23.8	182	0.4	0.05	0.4	6.7	21	50	2.88	4	0.05	23	0.26	201	8.1	0.005	27.1	104	29.1	0.06	9.3	0.9	40	0.7	0.006	0.3	55	0.05	104	1	0.17	4.6	0.1
2061566	466668	7129294	1543.1	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0041	0.7	1.59	19.5	117	0.3	0.15	0.6	10.6	26	41.9	3.57	4	0.07	25	0.57	278	6.4	0.007	35.6	159	22.1	0.06	3.8	0.9	21	1.1	0.006	0.2	48	0.05	121	1	0.12	2	0.1
2061567	466718	7129298	1527.6	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0022	0.5	1.78	13.8	241	0.3	0.33	0.5	8.7	29	32.9	3.06	5	0.07	18	0.59	412	4.7	0.006	29	157	15.5	0.07	2.1	1	25	0.6	0.006	0.2	49	0.05	121	1	0.11	1.5	0.1
2061568	466759	7129326	1513.5	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0007	0.4	1.62	15.2	79	0.3	0.1	0.8	15.7	32	41.7	4.04	4	0.05	26	0.67	470	5.5	0.005	41.4	151	20.1	0.025	1.2	0.8	12	1	0.007	0.2	39	0.05	115	1	0.08	1.2	0.1
2061569	466808	7129346	1494.1	B	10	Grey	NE	Damp	J. Roddick	WHI18000894	0.0042	0.8	2.27	19	118	0.3	0.37	1.4	37.2	50	89.8	4.87	5	0.09	31	1.29	1165	10.3	0.008	73.7	219	24.1	0.025	2.4	2.3	22	1.8	0.013	0.3	57	0.05	199	2	0.14	2.4	0.1
2061570	466858	7129366	1471.2	B	10	Brown	NE	Damp	J. Roddick	WHI18000894	0.0018	0.4	1.93	19	95	0.3	0.33	0.6	26.6	40	79.8	4.94	5	0.07	33	1.14	853	4.9	0.011	57.5	196	26.8	0.05	1.1	2.8	25	2.1	0.013	0.2	44	0.05	128	2	0.09	1.4	0.1
2061571	466928	7129402	1445.8	C	10	Grey	NE	Moist	J. Roddick	WHI18000894	0.0086	2.8	1.11	10.3	219	0.3	0.73	3.2	6.6	25	56.3	2.84	3	0.05	21	0.35	175	9.3	0.006	48.5	126	14.1	0.09	2.9	1	41	0.8	0.003	0.6	32	0.05	181	1	0.65	4.3	0.1
2061572	466981	7129422	1457.4	B	10	Brown	NE	Damp	J. Roddick	WHI18000894	0.0053	0.5	1.65	19.8	108	0.3	0.14	1.5	10	34	52.2	4.13	4	0.05	26	0.43	273	17.9	0.004	47.8	108	18.9	0.025	3.2	2	12	1.9	0.008	0.6	48	0.05	154	1	0.93	3.6	0.1
2061573	464462	7133769	1569.6	B	10	Brown	S	Damp	J. Roddick	WHI18000894	0.0037	0.05	1.52	11.2	121	0.2	0.1	0.2	5.5	24	13.7	2.51	6	0.05	15	0.29	229	1.4	0.005	12.8	34	11	0.025	0.7	1.9	10	1.3	0.036	0.2	65	0.2	50	2	0.05	0.6	0.1
2061574	464551	7133820	1594.7	B	10	Brown	S	Damp	J. Roddick	WHI18000894	0.0045	0.05	2.07	8.3	184	0.1	0.33	0.2	19.1	26	93	3.18	6	0.05	14	0.62	486	0.9	0.008	36.1	62	7.6	0.025	0.7	3.9	27	2.6	0.072	0.1	78	0.2	79	1	0.03	0.25	0.1
2061575	464640	7133864	1594.1	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0024	0.2	1.95	9.5	177	0.2	0.36	0.1	20.3	42	104.3	4.12	6	0.06	13	0.74	860	1.1	0.008	28.9	69	8.2	0.025	0.6	6	39	1.3	0.061	0.1	106	0.2	76	0.5	0.06	0.6	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061576	472172	7132742	1270.4	C	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0032	0.2	1.54	13	130	0.2	0.07	0.05	3.7	27	13.7	2.25	6	0.04	16	0.28	142	1.3	0.005	13.5	17	16.1	0.025	0.6	2.5	15	4	0.025	0.1	63	0.1	38	2	0.04	0.9	0.1
2061577	472158	7132694	1264.3	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0017	0.2	1.1	8.9	138	0.2	0.18	0.2	7.4	24	33.5	2.17	3	0.05	20	0.4	260	1.3	0.007	23.8	63	10	0.025	0.9	3.1	19	3.5	0.04	0.05	41	0.05	71	0.5	0.05	0.7	0.1
2061578	472141	7132649	1275.7	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0121	1.5	1.57	12.3	458	0.2	0.07	0.6	11.4	32	76.5	2.97	4	0.07	25	0.48	400	2.5	0.009	56	50	13.9	0.025	2.2	4.1	45	5	0.017	0.2	53	0.05	140	2	0.3	2.3	0.1
2061579	472123	7132599	1293.1	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0033	0.2	1.21	8.9	147	0.2	0.1	0.2	5.7	23	24.8	2.55	4	0.06	19	0.23	234	1.7	0.004	19.9	67	13.9	0.025	0.8	1.6	12	1.1	0.014	0.1	46	0.05	70	0.5	0.07	0.8	0.1
2061580	472092	7132553	1315.6	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0016	0.5	1.63	11	111	0.2	0.08	0.2	6.7	28	16.1	2.96	5	0.06	16	0.33	303	1.5	0.005	16.1	38	13.5	0.025	0.7	2.4	9	3.6	0.026	0.1	52	0.1	58	2	0.07	0.25	0.1
2061581	472087	7132502	1330.6	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0034	0.5	1.51	12.7	161	0.3	0.04	0.1	10.4	26	47.7	3.08	4	0.08	26	0.25	648	2.4	0.005	31	47	17.1	0.025	1.3	2.6	11	4.7	0.009	0.2	49	0.05	99	0.5	0.05	1.4	0.1
2061582	472072	7132448	1346	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0072	1.2	1.39	14.5	158	0.3	0.11	0.4	18.1	27	63.8	3.29	3	0.09	30	0.34	884	2.8	0.004	42.2	85	22.3	0.025	1.9	2.5	19	5.9	0.006	0.2	40	0.05	141	2	0.2	2.3	0.1
2061583	472046	7132397	1362.6	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0041	0.6	1.79	10	208	0.2	0.06	0.2	11.8	32	114.4	2.99	6	0.07	22	0.42	558	2.4	0.006	27.5	47	17.3	0.025	0.7	2.4	14	2.2	0.011	0.2	58	0.1	111	2	0.09	0.6	0.1
2061584	471993	7132396	1375.6	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.002	0.3	1.83	11.5	175	0.2	0.08	0.05	9	31	29.4	2.9	6	0.06	18	0.38	369	1.6	0.007	20.5	33	14.5	0.025	0.9	2.9	11	4.5	0.031	0.2	61	0.2	56	2	0.04	0.25	0.1
2061585	471967	7132351	1373	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0023	0.2	1.94	11.4	206	0.2	0.1	0.05	10.3	34	19.3	2.83	5	0.06	20	0.53	439	1.1	0.007	20.9	43	13.2	0.025	0.7	4.6	13	5.8	0.043	0.2	56	0.1	73	2	0.02	0.25	0.1
2061586	471957	7132302	1368.5	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0043	0.1	1.56	11.8	244	0.2	0.11	0.1	12.8	29	53.3	2.76	4	0.06	23	0.49	481	1.1	0.005	31.7	37	14.5	0.025	0.8	3.2	13	5.4	0.023	0.1	44	0.05	80	2	0.04	0.25	0.1
2061587	471936	7132257	1398.8	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0045	0.1	1.29	9.4	185	0.2	0.06	0.1	6.9	26	37.7	2.7	5	0.06	21	0.31	393	1.3	0.005	18.3	47	15.4	0.025	0.7	1.4	10	1.5	0.011	0.1	48	0.05	55	3	0.05	0.25	0.1
2061588	471905	7132214	1396.7	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0028	0.05	2.06	11	134	0.2	0.09	0.05	10	35	27.2	2.98	6	0.06	19	0.56	375	1.5	0.008	24.7	36	13.5	0.025	0.7	3.3	12	4.5	0.03	0.2	55	0.1	66	0.5	0.04	0.25	0.1
2061589	471886	7132158	1425.5	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0042	0.05	1.88	10.5	148	0.3	0.08	0.2	15.1	33	41.7	2.91	5	0.06	22	0.51	703	1.4	0.007	30.6	43	15.9	0.025	0.8	2.4	12	2.8	0.02	0.1	48	0.1	81	1	0.03	0.8	0.1
2061590	471878	7132109	1424.3	C	20	Grey	N	Damp	J. Roddick	WHI18000894	0.0058	0.05	1.58	10	246	0.3	0.09	0.1	14.1	30	59.2	2.76	4	0.05	26	0.63	818	1.1	0.006	36.7	35	13.8	0.025	0.8	4.5	13	5.2	0.026	0.05	39	0.05	79	0.5	0.06	0.25	0.1
2061591	471872	7132058	1437.5	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0072	0.05	1.8	11.2	126	0.3	0.1	0.2	20.2	33	52.9	2.97	4	0.06	24	0.63	1204	1.4	0.006	39.9	52	16.4	0.025	0.8	2.6	14	5.6	0.021	0.1	36	0.05	99	0.5	0.04	0.25	0.1
2061592	471834	7132016	1441.9	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0081	0.5	1.23	25.9	179	0.3	0.13	0.2	28.2	30	59.1	2.97	3	0.04	27	0.65	1291	1.4	0.003	62.8	47	19.8	0.025	1.4	2.6	19	4.5	0.002	0.05	23	0.05	107	1	0.06	0.6	0.1
2061593	471787	7131989	1436.9	B	10	Grey	N	Damp	J. Roddick	WHI18000894	0.0054	0.05	1.55	6.3	144	0.3	0.04	0.05	15	32	47.7	2.84	4	0.05	23	0.6	883	1.3	0.004	31	28	14.5	0.025	0.6	1.9	8	4.3	0.006	0.05	32	0.05	78	2	0.03	0.25	0.1
2061594	471746	7131953	1439.4	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0091	0.05	1.91	34.9	140	0.3	0.04	0.05	10.5	39	52.4	3.31	5	0.05	30	0.56	430	1.4	0.004	41	32	18.8	0.025	1.6	2	11	6.1	0.005	0.2	43	0.05	77	0.5	0.04	0.8	0.1
2061595	471720	7131909	1437.3	C	20	Grey	N	Damp	J. Roddick	WHI18000894	0.0039	0.2	2.11	10.3	145	0.3	0.07	0.1	10.8	35	40.6	2.85	5	0.06	21	0.5	328	1.3	0.005	25.8	30	14.9	0.025	0.7	3.1	11	5.8	0.022	0.2	49	0.05	63	0.5	0.06	0.25	0.1
2061596	471685	7131867	1452.4	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.015	0.5	2.16	15.4	248	0.2	0.08	0.3	20.2	30	58	3.29	3	0.05	18	0.27	950	2.2	0.004	45.9	45	18.5	0.025	1.4	3.4	10	3.6	0.015	0.1	40	0.1	86	2	0.12	0.7	0.1
2061597	471636	7131845	1447.4	B	20	Brown	N	Damp	J. Roddick	WHI18000894	0.0024	0.1	2.06	10.7	268	0.2	0.1	0.1	7.1	34	19.9	2.77	7	0.05	18	0.39	254	1.5	0.005	20.4	39	13	0.025	0.7	3.2	11	3	0.034	0.2	62	0.2	56	1	0.06	0.9	0.1
2061598	471593	7131810	1467	B	10	Brown	N	Damp	J. Roddick	WHI18000894	0.0015	0.1	1.13	8	107	0.2	0.08	0.05	4.2	22	14	2.1	6	0.04	14	0.19	420	1.4	0.004	10.9	58	9.8	0.025	0.7	1	9	0.2	0.022	0.2	58	0.1	46	1	0.04	0.25	0.1
2061599	471545	7131787	1475.1	B	20	Brown	N	Damp	J. Roddick	WHI18000894	0.0071	0.05	1.62	10.1	106	0.2	0.08	0.05	7.9	29	30.3	2.64	5	0.04	12	0.4	296	1.1	0.006	17.9	44	12.8	0.025	0.6	2.1	9	1.6	0.023	0.1	46	0.2	51	0.5	0.04	0.25	0.1
2061600	471547	7131785	1476.6	B	20	Brown	N	Damp	J. Roddick	WHI18000894	0.0024	0.05	1.84	10.7	128	0.2	0.08	0.05	7.5	32	24.6	2.63	5	0.05	14	0.44	276	1.2	0.006	17.8	39	12.9	0.025	0.7	2.8	10	2.3	0.031	0.2	52	0.1	54	1	0.04	0.7	0.1
2061601	470607	7131923	1394.9	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0031	0.05	1.52	11.4	103	0.2	0.1	0.1	4.8	26	15.5	2.47	6	0.03	15	0.33	145	1.2	0.005	13.7	30	11.5	0.025	0.8	2.1	10	0.9	0.035	0.1	59	0.2	42	1	0.03	0.25	0.1
2061602	470651	7131906	1405.2	C	40	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0027	0.2	1.57	13	171	0.2	0.2	0.2	9.2	28	18.7	2.81	5	0.04	15	0.44	309	1.1	0.006	23.5	47	13.8	0.025	0.7	2.3	15	2	0.032	0.1	51	0.2	68	3	0.05	0.25	0.1
2061603	470701	7131902	1410.2	C	40	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0018	0.4	1.62	11.9	195	0.2	0.18	0.6	8.6	31	17.2	3.3	6	0.05	15	0.37	1213	1.3	0.006	18.8	52	14.5	0.025	0.9	3.1	13	1.1	0.028	0.2	64	0.1	113	3	0.05	0.25	0.1
2061604	470753	7131890	1426.2	C	35	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0009	0.1	1.68	10.1	277	0.2	0.22	0.2	9.9	31	19.3	2.92	6	0.04	13	0.36	1447	1.2	0.006	18.4	78	16.1	0.025	0.9	2.2	13	0.7	0.023	0.2	62	0.1	135	2	0.03	0.25	0.1
2061605	470804	7131888	1438.1	C	40	Brown	W	Dry	N. Hamlyn	WHI18000894	0.003	0.05	1.79	12.6	176	0.2	0.11	0.2	10.2	32	24.3	2.66	5	0.05	17	0.48	342	1.1	0.006	23.1	41	12.8	0.025	0.8	3.5	12	3.3	0.038	0.1	53	0.1	66	2	0.04	0.25	0.1
2061606	470853	7131894	1444.3	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0056	0.05	1.57	9.8	94	0.2	0.08	0.2	6.9	31	27.9	2.43	6	0.04	13	0.41	236	1.2	0.008	19.1	42	12.1	0.025	0.6	2.1	10	1	0.029	0.1	51	0.1	61	2	0.03	0.25	0.1
2061607	470904	7131893	1454	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0041	0.05	1.51	10.9	146	0.2	0.19	0.3	11.8	28	40	2.5	4	0.05	15	0.49	505	0.9	0.007	31	61	12.5	0.025	0.7	3	17	4	0.041	0.1	43	0.2	83	2	0.04	0.25	0.1
2061608	470954	7131888	1465.6	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0037	0.05	1.36	11.6	135	0.2	0.18	0.3	12.5	26	52.7	2.5	4	0.04	17	0.5	440	0.8	0.007	31.3	66	11.5	0.025	0.7	2.9	15	4.2	0.042	0.1	39	0.2	75	2	0.03	0.25	0.1
2061609	471003	7131884	1479	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0068	0.05	1.55	11.6	130	0.2	0.14	0.4	11.4	31	55.3	2.7	4	0.05	20	0.49	404	1.2	0.006	30.1	45	15.3	0.025	1	2.8	13	2.6	0.035	0.1	47	0.1	99	2	0.04	0.25	0.1
2061610	471053	7131874	1478.5	C	30	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0052	0.05	1.3	11.6	167	0.2	0.19	0.3	10.9	27	39.6	2.46	3	0.05	16	0.49	445	0.8	0.008	29.4	68	15.2	0.025	0.7	3.2	16	4.8	0.045	0.05	41	0.2	96	2	0.03	0.25	0.1
2061611	471104	7131874	1488.9	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0146	0.05	1.46	11.7	122	0.2	0.19	0.2	10.4	29	47.3	2.5	4	0.05	17	0.48	511	1.1	0.008	29.3	65	10.1	0.025	0.7	3	16	3.8	0.044	0.1	47	0.2	69	2	0.04	0.25	0.1
2061612	471154	7131874	1501.3	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0022	0.1	1.64	13	312	0.2	0.28	0.2	7.9	30	18.4	3.01	6	0.05	14	0.46	306	1	0.006	20.2	35	14.6	0.025	0.6	2.8	15	2.1	0.028	0.1	59	0.2	59	5	0.03	0.25	0.1
2061613	471200	7131850	1497.4	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0039	0.05	1.56	11.2	101	0.2	0.1	0.2	9.6	32	28.8	2.74	5	0.04	15	0.45	347	1.2	0.005	22.1	41	12.3	0.025	0.7	2.7	11	3	0.039	0.1	50	0.2	60	2	0.04	0.25	0.1
2061614	471242	7131820	1490	C	40	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0029	0.05	1.83	9.9	96	0.3	0.08	0.1	6.8	34	22	2.89	7	0.04	15	0.37	239	1.8	0.005	17.3	28	13.4	0.025	0.8	2.5	10	1.4	0.039	0.2	72	0.2	56	2	0.04	0.8	0.1
2061615	471291	7131795	1490.4	C	40	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0054	0.05	1.89	10.8	123	0.3	0.1	0.1	10.3	35	43.6	2.89	5	0.06	14	0.5	359	1.6	0.008	23.6	45	14.6	0.025	0.8	2.8	11	1.7	0.031	0.1	56	0.1	70	2	0.03	0.25	0.1
2061616	471321	7131754	1505.8	C	45	Brown	W	Dry	N. Hamlyn	WHI18000894	0.0034	0.05	1.62	10.5	104	0.3	0.06	0.2	6.9	29	25.9	2.82	6	0.05	15	0.37	201	1.2	0.006	19.6	26	14	0.025	0.8	2.5	9	4	0.037	0.1	58	0.1	57	1	0.03	0.25	0.1
2061617	471367	7131731	1501.6	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0014	0.05	1.72	9.9	101	0.2	0.08	0.05	6.5	32	23.7	2.7	6	0.05	14	0.43	263	1.3	0.005	18.8	35	11.8	0.025	0.6	2.1	10	1	0.031	0.1	57	0.1	57	1	0.04	0.25	0.1
2061618	471418	7131722	1495.8	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0049	0.05	1.72	10.5	120	0.3	0.06	0.3	13	37	68.1	3.04	5	0.05	12	0.52	391	0.9	0.006	31.4	35	18.9	0.025	0.7	2.3	9	2.1	0.019	0.05	42	0.1	98	1	0.52	0.25	0.1
2061619	471404	7131674	1482.9	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0013	0.05	0.97	7	73	0.3	0.05	0.05	3.1	25	16.5	2.23	7	0.05	13	0.15	160	1.8	0.004	10	54	11.1	0.025	0.6	1.1	8	0.7	0.023	0.1	57	0.1	36	2	0.04	0.25	0.1
2061620	471391	7131626	1471.7	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0044	0.05	1.79	8	135	0.3	0.05	0.2	9.7	48	64.8	3.48	6	0.06	10	0.39	412	1.6	0.005	25.4	37	16	0.025	0.7	2.4	9	1.7	0.017	0.1	53	0.1	77	2	0.05	0.25	0.1
2061621	471372	7131579	1460.4	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0032	0.1	1.72	8.2	150	0.4	0.05	0.2	8	53	57.7	3.21	6	0.04	10	0.42	246	1.6	0.005	26.5	39	13.7	0.025	0.6	2.8	10	3.2	0.014	0.1	49	0.05	72	2	0.05	0.25	0.1
2061622	471359	7131529	1451.7	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0067	0.2	1.89	8.2	126	0.4	0.05	0.1	7.6	63	60.5	3.99	6	0.05	8	0.49	267	1.7	0.005	29.2	50	16.3	0.025	0.7	2.6	10	3.2	0.013	0.1	52	0.05	81	2	0.05	0.25	0.1
2061623	471353	7131478	1435.5	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0019	0.1	1.92	11.6	98	0.3	0.07	0.2	6.6	41	23.9	3.27	6	0.05	13	0.44	291	2.1	0.005	18	34	14.3	0.025	0.8	3.1	10	4	0.03	0.2	59	0.2	56	1	0.09	0.6	0.1
2061624	471351	7131426	1430.3	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0041	0.1	1.95	11.6	139	0.2	0.06	0.05	8	33	19.5	2.78	5	0.06	15	0.43	232	1.6	0.006	19.1	34	14.1	0.025	0.8	4.2	17	5.5	0.029	0.2	49	0.1	55	1	0.04	0.25	0.1
2061625	471368	7131379	1418.6	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0006	0.2	1.19	14.2	86	0.3	0.03	0.05	3	24	20.9	2.88	5	0.05	10	0.22	93	2	0.005	8.8	32	20.6	0.025	0.7	2.1	11	3.7	0.006	0.1	37	0.05	36	0.5	0.03	0.7	0.1
2061626	471373	7131330	1421.4	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0012	0.1	2.39	11.2	126	0.2	0.1	0.05	7.1	37	17.8	3.11	6	0.05	14	0.45	251	1.5	0.008	18.5	37	14.9	0.025	0.7	3.6	11	5	0.032	0.2	60	0.2	53	1	0.05	0.25	0.1
2061627	471392	7131233	1410.8	C	45	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0024	0.05	1.53	12.3	86	0.3	0.06	0.05	3.8	27	20	3.03	5	0.06	11	0.33	119	2.3	0.006	14.7	58	15.9	0.025	0.6	1.9	13	1.6	0.011	0.2	49	0.1	50	2	0.02	0.25	0.1
2061628	471418	7131136	1378.6	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0016	0.6	2.15	12.7	148	0.2	0.08	0.2	7.3	34	18.5	3.11	6	0.06	14	0.52	210	1.6	0.008	22.2	32	15.3	0.025	0.7	3.8	14	5.2	0.028	0.2	53	0.1	64	2	0.05	0.25	0.1
2061629	471465	7130991	1428.5	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0006	0.2	1.62	11.2	61	0.3	0.04	0.1	3.9	24	25.4	3.08	5	0.04	11	0.28	89	1.6	0.005	18	36	17.2	0.025	0.6	2.3	10	4.6	0.009	0.2	43	0.05	45	1	0.02	0.25	0.1
2061630	471462	7130890	1420.6	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0023	0.2	1.65	11.9	181	0.2	0.12	0.2	8.9	28	21.6	2.82	4	0.05	17	0.49	243	1.1	0.007	25.7	45	13.1	0.025	0.7	3.2	15	3.6	0.027	0.1	43	0.1	59	2	0.04	0.25	0.1
2061631	471438	7130845	1426.5	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0017	0.3	2.25	12.4	97	0.3	0.06	0.2	6.5	33	18.8	3.39	6	0.06	11	0.47	172	1.5	0.007	21.9	42	16.9	0.025	0.7	3.4	12	4.5	0.013	0.2	50	0.1	59	0.5	0.09	0.25	0.1
2061632	471425	7130749	1409.8	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0014	0.05	1.55	15.6	88	0.4	0.03	0.05	2.1	27	32	3.8	7	0.07	10	0.32	93	2.3	0.009	15.2	64	27.5	0.025	0.7	2.3	18	3.1	0.004	0.2	47	0.05	46	1	0.02	0.25	0.1
2061633	471423	7130649	1394.3	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.00025	0.2	1.56	14.9	69	0.3	0.06	0.1	4.3	31	15.1	4.83	7	0.05	14	0.35	211	1.7	0.006	12.5	40	19.7	0.025	0.8	2.7	9	5	0.028	0.2	65	0.1	48	0.5	0.03	0.25	0.1
2061634	471410	7130549	1386.3	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0013	0.05	0.97	12.6	94	0.2	0.08	0.05	3	19	13.3	2.64	5	0.05	15	0.22	85	1.4	0.006	11.8	44	15	0.025	0.5	1.3	13	2	0.011	0.05	43	0.1	36	1	0.03	0.25	0.1
2061635	471409	7130498	1381.8	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.00025	0.2	2.11	13.9	138	0.2	0.06	0.2	7.4	32	16.7	3.34	6	0.06	15	0.49	290	1.7	0.007	19.6	34	15.5	0.025	0.8	3.2	11	5.1	0.026	0.2	55	0.1	57	0.5	0.05	0.25	0.1
2061636	471412	7130450	1384	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.003	0.2	2.08	13.3	73	0.3	0.06	0.2	7.9	30	22.4	3.21	5	0.05	15	0.41	165	1.3	0.006	24	40	14.4	0.025	0.8	3.1	11	5.2	0.017	0.1	47	0.1	56	2	0.06	0.6	0.1
2061637	471395	7130405	1387.7	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0015	0.05	1.58	11.6	137	0.2	0.07	0.1	5.8	26	16.8	2.88	5	0.05	16	0.33	143	1.3	0.006	17.1	35	13.6	0.025	0.7	2.4	11	3.6	0.02	0.1	48	0.2	47	0.5	0.03	0.25	0.1
2061638	471367	7130363	1384.2	C	30	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0016	0.05	1.71	15.2	59	0.4	0.05	0.1	22.3	29	36.4	3.72	5	0.05	7	0.61	402	1.5	0.008	37.4	73	25.5	0.07	0.8	2.1	14	2.6	0.009	0.1	39	0.1	98	2	0.05	0.5	0.1
2061639	471363	7130313	1384.9	C	40	Brown	E	Dry	N. Hamlyn	WHI18000894	0.0036	0.05	1.79	13.6	120	0.2	0.12	0.2	9.7	27	20.3	2.77	4	0.04	16	0.46	284	1.2	0.007	24.2	49	12	0.025	0.8	3	12	4.5	0.028	0.1	43	0.2	58	2	0.03	0.25	0.1
2061640	465573	7133540	1530.9	C	30	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0022	0.2	1.24	9.3	84	0.2	0.07	0.1	4.3	23	13.2	2.39	5	0.04	13	0.2	199	1.3	0.004	12.3	44	12.5	0.025	0.7	1.2	9	0.5	0.015	0.2	48	0.1	45	1	0.07	0.9	0.1
2061641	465572	7133543	1529.5	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0008	0.05	1.14	10.7	81	0.3	0.06	0.1	4.9	23	17.1	2.47	5	0.04	12	0.2	184	1.8	0.004	15	50	12.9	0.025	0.9	1.1	9	0.4	0.016	0.2	59	0.2	56	1	0.03	0.25	0.1
2061642	465586	7133637	1541.4	C	30	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0045	0.1	1.39	11.3	148	0.2	0.12	0.2	8.2	25	28.1	2.43	4	0.04	16	0.42	297	1	0.005	24	57	9.5	0.025	0.8	2.5	12	1.4	0.028	0.1	43	0.2	74	1	0.04	0.25	0.1
2061643	465594	7133738	1556.6	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0046	0.1	1.39	11.3	194	0.2	0.23	0.2	9.8	25	35.5	2.45	4	0.04	20	0.5	346	0.7	0.007	24.4	72	8.7	0.025	0.6	3.3	17	4.1	0.041	0.05	42	0.2	66	2	0.03	0.25	0.1
2061644	465547	7133757	1552	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0012	0.05	1.65	12.2	116	0.2	0.09	0.05	6.5	27	23.8	2.75	6	0.04	14	0.36	233	1.4	0.005	16.3	37	11.4	0.025	0.7	2.5	10	1.4	0.029	0.2	62	0.2	50	1	0.03	0.25	0.1
2061645	465498	7133767	1553.8	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0012	0.05	1.67	10.7	243	0.2	0.14	0.05	8.3	28	35.2	2.88	5	0.04	15	0.46	380	1.1	0.006	19.4	36	10	0.025	0.7	2.5	13	0.8	0.026	0.2	59	0.1	61	0.5	0.02	0.25	0.1
2061646	465455	7133800	1541.9	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0041	0.1	1.55	19.6	126	0.2	0.09	0.3	8.6	26	33.6	2.84	4	0.04	14	0.37	376	2	0.005	28.6	49	13.1	0.025	1.4	2.6	11	1.1	0.021	0.1	52	0.2	87	1	0.06	1.4	0.1
2061647	465420	7133836	1539.6	C	30	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0035	0.4	1.99	12	124	0.2	0.11	0.2	8.3	32	20.2	2.78	5	0.05	14	0.44	341	1.4	0.007	19.1	52	11.9	0.025	0.8	2.9	11	2.1	0.028	0.1	49	0.1	60	1	0.06	0.9	0.1
2061648	465376	7133863	1525.1	C	30	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0051	0.3	1.57	10.9	174	0.2	0.1	0.2	9.3	26	26.1	2.73	4	0.04	17	0.34	402	1.5	0.005	26.4	56	12.3	0.025	0.9	2.5	11	2.3	0.022	0.1	45	0.2	73	1	0.06	1	0.1
2061649	465337	7133891	1527.2	C	30	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0022	0.2	1.7	12.4	162	0.2	0.1	0.2	8	29	22.4	2.74	5	0.04	17	0.4	269	1.7	0.006	21.4	47	12.2	0.025	1	2.9	13	2.7	0.028	0.2	57	0.2	70	1	0.05	0.9	0.1
2061650	465292	7133915	1522.7	C	35	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0035	0.05	1.76	11.5	103	0.2	0.09	0.2	7.8	29	16.5	2.73	5	0.05	15	0.37	356	1.7	0.006	17.1	61	13.8	0.025	0.8	1.6	10	0.9	0.02	0.2	55	0.1	60	0.5	0.06	0.8	0.1
2061651	467385	7128118	1735.9	C	10	Grey	W	Damp	C. Studer	WHI18000894	0.0044	0.2	1.16	11.3	80	0.2	0.14	0.3	7.8	22	17.9	2.37	4	0.04	15	0.32	226	0.9	0.005	24.3	63	12.9	0.025	0.6	2.3	17	2.4	0.023	0.1	36	0.1	63	0.5	0.05	0.7	0.1
2061652	467431	7128145	1748.2	B	20	Brown	SW	Damp	C. Studer	WHI18000894	0.0018	0.5	1.03	17.8	46	0.3	0.08	0.9	9.7	28	18.7	2.45	4	0.03	8	0.09	107	1.2	0.003	29.8	96	27.3	0.05	0.6	1.5	14	1.5	0.003	0.05	28	0.05	85	0.5	0.05	0.7	0.1
2061653	467480	7128155	1771.9	C	20	Grey	SW	Damp	C. Studer	WHI18000894	0.0035	0.5	1.08	13.3	133	0.2	0.23	0.5	10.4	25	20.4	2.47	3	0.05	12	0.29	272	1.7	0.009	35.7	80	17.7	0.025	0.8	3.1	23	3.9	0.019	0.1	36	0.1	80	1	0.1	0.25	0.1
2061654	467533	7128153	1790.1	Frostboil	10	Grey		Damp	C. Studer	WHI18000894	0.0019	0.6	0.88	11.2	124	0.2	0.17	0.6	11.6	21	29.4	2.84	3	0.03	8	0.28	248	1.5	0.005	37.9	65	11.9	0.025	0.8	2.7	22	4.3	0.016	0.05	32	0.05	93	0.5	0.07	0.9	0.1
2061655	467578	7128171	1798.5	B	10	Brown	W	Damp	C. Studer	WHI18000894	0.0014	0.05	1.01	17.4	59	0.2	0.11	0.3	8.4	23	17.6	2.43	4	0.04	14	0.27	262	1	0.005	22	52	18.2	0.025	0.7	1.9	11	1.6	0.026	0.05	42	0.2	60	1	0.06	0.25	0.1
2061656	467627	7128165	1799.2	C	20	Grey	SE	Damp	C. Studer	WHI18000894	0.0022	0.3	1.15	10.3	131	0.3	0.33	0.3	8.4	26	19.7	2.1	4	0.04	8	0.16	265	1.2	0.007	22.8	111	19.8	0.08	0.6	1.4	19	0.5	0.005	0.1	32	0.05	55	1	0.07	0.25	0.1
2061657	467657	7128127	1771	C	10	Grey	SE	Damp	C. Studer	WHI18000894	0.0035	0.7	1.05	18	138	0.2	0.22	0.3	11.1	23	23.8	2.45	3	0.04	13	0.23	251	0.8	0.006	38.9	85	19.9	0.025	0.7	3.3	27	3.9	0.011	0.1	33	0.05	72	0.5	0.11	0.25	0.1
2061658	467699	7128097	1759.4	Frostboil	10	Grey	SE	Damp	C. Studer	WHI18000894	0.0017	0.2	0.66	15.2	41	0.2	0.05	0.2	6.3	16	18	1.77	2	0.02	5	0.07	78	0.7	0.002	23.8	45	13.4	0.025	0.5	1.6	11	0.9	0.002	0.05	21	0.05	50	0.5	0.08	0.6	0.1
2061659	467722	7128055	1736.6	C	20	Grey	SE	Damp	C. Studer	WHI18000894	0.0016	0.3	0.7	15.4	91	0.2	0.12	0.2	8.1	16	19	2.14	2	0.03	10	0.16	141	0.8	0.005	25.4	70	18.8	0.025	0.7	1.1	20	0.9	0.004	0.05	26	0.05	62	0.5	0.04	0.25	0.1
2061660	467742	7128010	1718.9	B	10	Brown	SE	Damp	C. Studer	WHI18000894	0.0082	0.2	0.89	12	56	0.2	0.08	0.2	5.5	22	24.5	2.48	4	0.04	14	0.19	167	2	0.005	16.4	44	15.6	0.025	0.9	1.3	12	1	0.018	0.1	46	0.2	48	0.5	0.05	0.7	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061661	467761	7127967	1652.7	C	10	Grey	SE	Damp	C. Studer	WHI18000894	0.0076	1.1	0.81	19	100	0.3	0.16	0.3	9.4	16	45.7	2.65	2	0.06	3	0.11	271	3.5	0.008	38.7	62	30.8	0.08	1.1	2	28	1.7	0.002	0.1	22	0.05	78	0.5	0.15	1.6	0.1
2061662	467780	7127916	1662.7	C	10	Grey	SE	Damp	C. Studer	WHI18000894	0.0062	1.6	1.06	16.2	172	0.3	0.21	0.5	7.9	22	34.9	2.5	3	0.08	5	0.16	171	2.1	0.007	38.7	65	28.5	0.025	1	2.7	27	2.9	0.001	0.1	27	0.05	87	0.5	0.34	0.9	0.1
2061663	467800	7127869	1652.2	Frostboil	10	Grey	SE	Damp	C. Studer	WHI18000894	0.0034	0.5	0.83	12.5	99	0.2	0.15	0.3	6.7	19	29.5	2.32	3	0.03	8	0.16	150	1.7	0.004	30.2	58	17	0.025	0.7	2.1	18	2.5	0.004	0.05	26	0.05	71	0.5	0.13	1	0.1
2061664	467818	7127824	1640.9	C	20	Grey	SE	Damp	C. Studer	WHI18000894	0.0036	0.4	1.24	12.9	119	0.2	0.14	0.2	8.2	23	25	2.47	4	0.04	13	0.29	204	1.3	0.004	30.3	65	16.6	0.025	0.6	2.1	16	1.6	0.007	0.05	35	0.05	70	0.5	0.09	1	0.1
2061665	467834	7127777	1623.6	C	20	Grey	SE	Damp	C. Studer	WHI18000894	0.0027	0.3	1.23	12.7	113	0.2	0.13	0.2	7.6	23	23.9	2.51	4	0.04	13	0.29	173	1.3	0.004	28.2	70	16.1	0.025	0.6	2.1	15	1.7	0.008	0.05	33	0.1	66	0.5	0.08	0.7	0.1
2061666	467852	7127732	1599.6	B	20	Brown	SE	Damp	C. Studer	WHI18000894	0.0028	0.2	1.14	12.1	110	0.2	0.09	0.1	6.7	21	19.6	2.33	4	0.04	11	0.23	214	1.5	0.004	21.2	72	17.2	0.025	0.6	0.9	14	0.5	0.006	0.05	35	0.05	56	0.5	0.06	0.25	0.1
2061667	467870	7127683	1600.8	B	30	Brown	SE	Damp	C. Studer	WHI18000894	0.0034	0.3	1.34	14.5	103	0.3	0.07	0.2	5.1	25	17.6	2.57	5	0.04	13	0.25	153	2.1	0.004	17.3	63	20.2	0.025	0.7	1.1	14	0.4	0.009	0.1	43	0.05	49	0.5	0.06	0.7	0.1
2061668	467884	7127643	1581.2	B	30	Brown	SE	Damp	C. Studer	WHI18000894	0.0022	0.3	0.91	12.3	64	0.3	0.04	0.05	4.6	20	16.7	2.41	4	0.03	10	0.12	108	1.6	0.003	14.9	74	16.8	0.025	0.6	0.4	14	0.2	0.004	0.1	38	0.05	49	0.5	0.04	0.6	0.1
2061669	470790	7127737	1552.9	Frostboil	10	Grey		Damp	C. Studer	WHI18000894	0.0011	0.2	0.58	13.3	60	0.2	1.06	0.2	9.7	8	17.2	2.34	1	0.08	31	0.28	567	4.8	0.003	20.8	293	18.5	0.025	0.5	3	31	5.8	0.002	0.1	7	0.05	39	2	0.12	0.25	0.1
2061670	470787	7127790	1540.6	C	10	Grey		Damp	C. Studer	WHI18000894	0.0153	1.1	1.94	13.8	102	0.3	0.12	1.1	27.2	39	83.7	4	4	0.07	28	0.72	546	2.7	0.005	74.8	90	25.5	0.025	2.3	2.3	11	5.3	0.002	0.3	32	0.05	208	1	0.69	2.1	0.1
2061671	470792	7127842	1545.7	C	10	Grey		Damp	C. Studer	WHI18000894	0.006	2.1	1.55	38.2	172	0.4	0.05	0.2	4.5	32	34	3.24	4	0.08	29	0.26	139	19	0.013	19.1	74	18.5	0.09	4.7	2.9	32	5.2	0.129	1.2	62	0.2	90	0.5	0.25	10.8	0.1
2061672	470805	7127889	1540.5	C	10	Grey	N	Damp	C. Studer	WHI18000894	0.0078	2.9	0.87	33.4	179	0.6	0.05	0.5	2.6	34	75	4.39	4	0.14	48	0.32	109	25.1	0.108	22.4	121	30.8	0.91	5.6	2.4	156	6.5	0.003	1.2	53	0.05	90	0.5	0.55	22.4	0.1
2061673	470804	7127940	1536.3	C	20	Grey		Damp	C. Studer	WHI18000894	0.0119	3.9	1.47	16.3	117	0.4	0.41	5.6	20.5	43	123.4	4.72	3	0.11	45	0.83	323	9.5	0.004	105.3	212	25.8	0.025	3.2	2.7	29	8.1	0.0005	0.4	31	0.05	296	2	0.59	5.3	0.2
2061674	470794	7127987	1547	C	10	Grey	N	Dry	C. Studer	WHI18000894	0.0035	0.5	1.95	19.7	110	0.4	0.33	0.9	87.1	32	69.4	5.47	5	0.09	52	1	831	5.4	0.011	105.6	212	22.3	0.06	0.7	3.5	51	10.7	0.181	0.1	41	0.2	125	2	0.04	0.8	0.1
2061675	470802	7128036	1508.4	C	20	Grey	N	Damp	C. Studer	WHI18000894	0.0033	0.6	1.11	29.4	102	0.3	0.52	0.8	23.6	20	89.2	5.19	2	0.08	38	0.7	1452	14.8	0.008	67.2	251	30.3	0.07	2	2.8	50	4.9	0.006	0.3	31	0.05	169	2	0.47	1.7	0.1
2061676	470815	7128086	1493.5	C	10	Grey	N	Damp	C. Studer	WHI18000894	0.0274	0.9	1.94	47.1	214	0.7	0.1	0.3	10.9	34	172.4	4.79	5	0.06	53	0.62	314	4	0.02	60.1	236	62.1	0.1	7.8	3.4	24	6.7	0.002	0.4	54	0.05	116	1	0.1	3.7	0.1
2061677	470818	7128139	1470.3	C	20	Grey	N	Damp	C. Studer	WHI18000894	0.0093	3.1	1.65	27	245	0.4	1.23	4.1	30.7	43	193.5	4.74	4	0.16	34	1.13	708	45.1	0.01	144.1	668	29.3	0.16	4.2	3.1	114	6.2	0.002	0.5	72	0.05	566	2	1.11	9.1	0.2
2061678	470831	7128187	1456.1	B	30	Brown	N	Moist	C. Studer	WHI18000894	0.0039	0.9	1.46	12.5	73	0.3	0.08	0.9	7.3	30	38.3	3.09	5	0.05	23	0.28	178	8.7	0.004	31.9	70	14.5	0.025	2.1	1.1	9	0.8	0.011	0.4	54	0.1	130	0.5	0.54	5.4	0.1
2061679	470858	7128227	1438.9	B	30	Brown	NE	Moist	C. Studer	WHI18000894	0.0051	0.5	1.78	11.4	176	0.3	0.15	0.3	5.9	31	45	2.94	5	0.07	19	0.44	153	8	0.007	29.2	102	12.3	0.025	1.5	2	16	0.8	0.011	0.4	54	0.05	88	1	0.24	3.2	0.1
2061680	470859	7128227	1443.5	B	30	Brown	NE	Moist	C. Studer	WHI18000894	0.0053	0.5	1.94	11.7	162	0.3	0.12	0.4	9.7	33	40.2	3.01	5	0.07	19	0.51	366	4.3	0.008	29	76	13	0.025	1.2	3.2	15	1.6	0.025	0.2	54	0.1	85	1	0.15	3.3	0.1
2061681	470887	7128270	1432.6	C	20	Grey	N	Damp	C. Studer	WHI18000894	0.0043	0.4	1.32	8.5	117	0.3	0.09	0.6	12.7	28	61.1	3.18	5	0.06	15	0.33	511	5.6	0.008	45.5	98	12	0.025	1.8	1.2	19	0.3	0.015	0.3	48	0.1	168	2	0.1	7.4	0.1
2061682	470909	7128312	1445.7	C	30	Mottled	S	Moist	C. Studer	WHI18000894	0.0047	0.5	1.79	11.5	200	0.3	0.06	0.3	5.5	29	38.1	3.78	7	0.08	18	0.37	200	4.5	0.008	15.5	52	12.3	0.025	1.3	2.9	16	2.1	0.026	0.2	62	0.2	55	2	0.1	3.3	0.1
2061683	470908	7128363	1445.1	C	30	Mottled		Moist	C. Studer	WHI18000894	0.0016	0.4	1.42	10.6	85	0.2	0.07	0.2	4.2	27	16	2.47	6	0.04	16	0.28	137	1.9	0.004	14.7	38	12.5	0.025	0.7	2.2	11	1.3	0.031	0.2	59	0.2	45	0.5	0.06	0.25	0.1
2061684	470910	7128465	1438.6	C	20	Grey	N	Damp	C. Studer	WHI18000894	0.0056	1.7	0.98	30.9	279	0.3	0.82	3.3	14.4	21	114.4	4.04	2	0.16	22	0.49	170	25.9	0.038	98.7	487	24.1	0.35	5.9	2.7	106	4	0.002	1	34	0.05	297	2	0.66	19.4	0.3
2061685	470903	7128414	1447.3	C	20	Grey		Damp	C. Studer	WHI18000894	0.0077	2.7	1.8	12.9	93	0.3	0.04	0.9	19.6	42	111.9	4.06	6	0.06	23	0.46	313	8.2	0.004	78.8	81	20.2	0.025	2.8	3.2	24	3.1	0.011	0.3	61	0.05	259	0.5	0.2	3.4	0.1
2061686	470925	7128511	1428.4	Frostboil	10	Grey	N	Moist	C. Studer	WHI18000894	0.0025	0.4	0.9	25.5	257	0.3	2.96	4.2	14	20	109.4	3.46	2	0.2	12	0.57	394	23.8	0.019	88.2	537	16.4	0.47	3.5	3.3	159	4.8	0.002	1.1	36	0.05	285	3	1.57	4.4	0.1
2061687	470937	7128557	1420.8	C	20	Grey		Damp	C. Studer	WHI18000894	0.0077	2.9	1.25	13.4	78	0.3	0.26	3.3	17.4	33	92.2	4	2	0.08	44	0.41	317	10.2	0.003	84.4	175	19.9	0.025	4	2.6	21	7.2	0.0005	0.6	24	0.05	295	0.5	0.73	11.3	0.1
2061688	470954	7128603	1415.8	C	20	Grey	N	Damp	C. Studer	WHI18000894	0.0024	0.1	1.97	15.3	125	0.2	0.18	0.8	11.3	35	31.8	3.33	5	0.06	28	0.45	256	6.1	0.005	37.6	102	16	0.025	1.6	2.6	14	2.4	0.014	0.4	54	0.1	98	0.5	0.13	1.5	0.1
2061689	470954	7128654	1420.3	C	20	Mottled	S	Damp	C. Studer	WHI18000894	0.0023	0.1	1.84	14.2	96	0.2	0.11	0.3	9.3	31	30.1	3.16	5	0.04	18	0.45	284	3.5	0.005	29.9	68	14.6	0.025	1.2	2.7	13	2.4	0.022	0.2	53	0.1	87	0.5	0.11	1.4	0.1
2061690	470978	7128706	1420.7	C	20	Grey	S	Damp	C. Studer	WHI18000894	0.0023	0.4	1.87	14.8	129	0.2	0.14	0.5	11.1	32	38.7	3.14	4	0.05	18	0.52	241	3.3	0.006	36	74	14.4	0.025	1.3	3.4	17	5.9	0.028	0.1	48	0.1	97	2	0.15	1.1	0.1
2061691	470963	7128753	1430.1	C	20	Grey		Damp	C. Studer	WHI18000894	0.0056	1.1	1.96	13.1	216	0.3	0.95	0.9	9.6	34	67.8	3.22	4	0.16	35	0.53	134	5.4	0.012	52.2	515	21	0.025	1.4	3.1	140	6.1	0.007	0.4	49	0.05	151	3	0.38	3.6	0.1
2061692	470957	7128806	1415.3	C	30	Grey		Damp	C. Studer	WHI18000894	0.004	0.2	1.74	14.4	106	0.2	0.18	0.7	11.3	30	38.4	3.11	4	0.05	17	0.48	303	3.2	0.006	37.3	89	14.1	0.025	1.2	3	20	3.8	0.024	0.1	46	0.1	100	0.5	0.11	1.3	0.1
2061693	470951	7128857	1412.9	C	20	Grey	S	Damp	C. Studer	WHI18000894	0.0045	1.1	1.77	16.3	106	0.2	0.2	0.9	16.6	32	54.6	3.47	4	0.06	20	0.5	413	5.3	0.006	49	112	15.4	0.025	1.6	3.4	20	6.3	0.024	0.2	47	0.2	123	2	0.33	2	0.1
2061694	470941	7128907	1424	C	10	Grey	S	Damp	C. Studer	WHI18000894	0.0086	2.1	1.53	18.5	207	0.3	0.91	1.9	16.2	35	168.9	4.55	4	0.18	32	0.72	677	15.5	0.054	80.6	735	20.9	0.3	2.7	3.6	181	3.3	0.004	0.6	55	0.05	267	3	0.76	7.5	0.1
2061695	470943	7128958	1420.3	B	30	Brown	N	Damp	C. Studer	WHI18000894	0.0068	0.9	1.75	10.8	97	0.2	0.12	0.6	7.5	30	30.9	2.98	6	0.05	22	0.35	233	3.4	0.005	26.5	61	13.7	0.025	1.2	2.4	13	3.7	0.029	0.3	60	0.2	74	0.5	0.16	1.7	0.1
2061696	470938	7129006	1408	B	40	Brown	S	Damp	C. Studer	WHI18000894	0.0013	0.2	1.61	10.5	91	0.2	0.09	0.2	3.9	28	11.8	2.51	6	0.04	16	0.32	122	1.9	0.005	13.3	43	12.2	0.025	0.7	1.9	10	0.9	0.026	0.2	57	0.1	40	1	0.05	0.25	0.1
2061697	470944	7129056	1398.4	B	20	Brown	N	Damp	C. Studer	WHI18000894	0.0026	0.1	1.69	13.5	91	0.2	0.15	0.5	8.7	31	24.2	3.37	4	0.05	16	0.44	302	2.7	0.006	27.1	74	13.6	0.025	1	2.8	15	3.7	0.03	0.1	48	0.2	81	0.5	0.15	0.9	0.1
2061698	470953	7129106	1403.5	C	20	Mottled	S	Damp	C. Studer	WHI18000894	0.001	0.3	1.78	13.1	104	0.2	0.11	0.2	7.6	30	20.6	3.06	6	0.04	17	0.39	264	2.2	0.004	21.1	57	13.3	0.025	0.8	3	11	4.2	0.034	0.2	57	0.2	62	0.5	0.11	0.7	0.1
2061699	470969	7129152	1399.8	C	30	Mottled	S	Moist	C. Studer	WHI18000894	0.0025	0.1	1.53	11.6	109	0.2	0.08	0.4	4.8	27	23.7	2.92	6	0.04	21	0.34	113	4	0.005	21	86	13.4	0.025	1	0.9	10	0.5	0.007	0.3	49	0.05	66	0.5	0.14	0.8	0.1
2061700	470973	7129203	1411	C	30	Mottled	S	Moist	C. Studer	WHI18000894	0.0039	0.3	1.99	13.3	171	0.2	0.14	0.6	12.8	32	48	3.15	5	0.06	18	0.47	266	3.4	0.006	38.6	80	12.6	0.025	1.3	3.2	15	4.6	0.024	0.2	49	0.1	90	0.5	0.14	1	0.1
2061701	469212	7131349	1335.2	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.2	1.48	14.5	62	0.3	0.01	0.2	3.7	28	36.8	4.33	4	0.08	21	0.48	103	1.4	0.01	23.2	77	21.1	0.025	0.8	3.2	11	7.7	0.001	0.2	25	0.05	77	0.5	0.02	0.25	0.1
2061702	469229	7131398	1325.5	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.05	1.59	15.1	64	0.3	0.02	0.1	3.8	29	30.9	4.01	5	0.07	7	0.51	129	1.3	0.008	24.9	67	24.7	0.025	0.7	2.4	18	3.3	0.002	0.1	29	0.05	80	0.5	0.02	0.25	0.1
2061703	469241	7131446	1313.6	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.001	0.1	1.59	11.9	73	0.3	0.04	0.05	4.1	29	23.7	3.01	5	0.06	12	0.55	170	1.5	0.006	21	40	17.2	0.025	0.7	2.5	11	3.4	0.011	0.1	37	0.05	67	0.5	0.03	0.5	0.1
2061704	469269	7131490	1303.3	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.1	1.45	21.3	85	0.3	0.02	0.05	2.5	29	34	4.28	4	0.09	5	0.57	117	1.8	0.011	27.9	85	26.1	0.24	1.1	2.1	21	3.8	0.002	0.1	28	0.05	77	0.5	0.03	0.25	0.1
2061705	469298	7131535	1293.8	B	20	Brown	SW	Damp	R. Rigal	WHI18000894	0.0009	0.05	1.63	12.7	146	0.3	0.08	0.05	4.2	30	28.6	3.44	5	0.08	11	0.54	139	1.9	0.008	24.1	67	18.1	0.07	0.5	2.6	22	3.2	0.005	0.1	38	0.05	66	0.5	0.04	0.25	0.1
2061706	469296	7131586	1295.9	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.1	1.64	13.4	86	0.3	0.06	0.1	5.2	30	18.8	3.02	5	0.06	15	0.47	208	2.9	0.007	19.4	40	16.6	0.025	0.8	2.5	15	5.1	0.025	0.2	49	0.1	57	0.5	0.03	0.25	0.1
2061707	469297	7131638	1295.4	B	20	Brown	SW	Damp	R. Rigal	WHI18000894	0.0009	0.1	1.38	13.5	62	0.2	0.05	0.05	4	25	14.8	3.28	6	0.06	15	0.3	153	2.3	0.005	12.4	32	16	0.025	0.8	2.2	10	4.1	0.021	0.1	59	0.1	44	0.5	0.02	0.25	0.1
2061708	469301	7131689	1291.3	C	30	Grey	SW	Damp	R. Rigal	WHI18000894	0.00025	0.05	1.52	23.4	104	0.4	0.02	0.05	1.7	31	34.7	4.82	5	0.08	6	0.55	77	5.5	0.008	21.9	76	26.4	0.025	0.9	2.5	23	4.1	0.001	0.1	32	0.05	82	0.5	0.05	0.6	0.1
2061709	469299	7131741	1295.1	C	20	Grey	SW	Damp	R. Rigal	WHI18000894	0.0005	0.05	1.47	19.2	81	0.5	0.03	0.05	2.5	28	37.2	4.17	5	0.08	7	0.47	114	5.7	0.009	19.3	70	36.7	0.025	0.9	2.3	27	4	0.003	0.4	34	0.05	67	0.5	0.05	1.4	0.1
2061710	469294	7131793	1289.9	B	20	Brown	SW	Damp	R. Rigal	WHI18000894	0.0017	0.1	1.68	17.3	81	0.4	0.05	0.1	4.3	31	23.5	3.69	6	0.07	12	0.39	156	2.1	0.006	17.2	47	16	0.025	0.8	2.6	14	4	0.017	0.2	50	0.1	56	2	0.04	0.25	0.1
2061711	469284	7131841	1285.1	B	20	Brown	SW	Damp	R. Rigal	WHI18000894	0.001	0.1	1.74	17.4	103	0.3	0.06	0.2	5.4	29	20.1	3.5	5	0.06	12	0.39	159	2.9	0.006	19.7	37	18.1	0.025	0.9	2.3	14	4.5	0.02	0.1	46	0.05	65	2	0.07	0.25	0.1
2061712	469284	7131892	1272.9	C	30	Mottled	SW	Damp	R. Rigal	WHI18000894	0.0044	0.05	2.42	12	1703	0.3	0.1	0.3	11.6	38	38.5	3.57	6	0.05	14	0.34	1956	2	0.006	25.4	67	15.7	0.025	0.7	3.8	11	5	0.039	0.1	59	0.1	68	2	0.06	0.25	0.1
2061713	469267	7131943	1305.5	B	20	Brown	SW	Damp	R. Rigal	WHI18000894	0.0025	0.05	1.92	9.9	339	0.2	0.11	0.05	8.8	34	17.5	2.67	6	0.05	18	0.37	352	1.5	0.005	19.8	34	13.1	0.025	0.5	3.6	12	2.8	0.037	0.2	62	0.1	53	2	0.04	0.25	0.1
2061714	469239	7131992	1306.2	B	20	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0028	0.05	1.45	8.3	83	0.2	0.1	0.05	7.8	29	38	2.9	4	0.04	13	0.4	264	0.8	0.005	22.3	39	10.4	0.025	0.6	2	10	1.5	0.028	0.05	41	0.1	66	2	0.02	0.25	0.1
2061715	469204	7132034	1317	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0033	0.05	1.63	12.4	119	0.2	0.1	0.05	8.5	29	27.9	2.54	5	0.05	19	0.41	314	1.2	0.005	20.7	52	12.2	0.025	0.7	3.5	12	2.9	0.04	0.1	49	0.2	55	0.5	0.03	0.25	0.1
2061716	469194	7132092	1327.9	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0036	0.05	1.86	10.3	218	0.2	0.11	0.2	10.4	33	48.7	3.01	5	0.06	17	0.48	377	1.3	0.006	25.1	55	13.8	0.025	0.7	3.4	13	2.7	0.035	0.1	52	0.2	67	1	0.02	0.25	0.1
2061717	469180	7132146	1342.4	C	30	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0066	0.05	1.14	20.1	72	0.2	0.06	0.05	5.7	33	66.5	3.04	5	0.04	11	0.32	215	2.9	0.004	21.8	28	14.2	0.025	1	2.3	9	3.2	0.036	0.1	52	0.1	63	1	0.03	0.25	0.1
2061718	469158	7132212	1360.7	B	10	Brown	SE	Damp	R. Rigal	WHI18000894	0.0028	0.3	2.23	14.2	152	0.2	0.08	0.2	8.5	35	29.3	2.96	6	0.06	14	0.38	317	1.7	0.006	22.7	48	13.5	0.025	0.8	2.8	10	2	0.031	0.2	59	0.2	56	2	0.06	0.5	0.1
2061719	464509	7133789	1549.7	C	20	Brown	W	Damp	R. Rigal	WHI18000894	0.00025	0.05	1.94	11.5	169	0.2	0.14	0.2	10.5	28	24	2.83	6	0.06	17	0.41	368	1.1	0.006	21.7	31	11.3	0.025	0.7	3.3	15	2.8	0.053	0.1	68	0.2	60	2	0.03	0.25	0.1
2061720	464599	7133835	1592.1	B	20	Brown	W	Damp	R. Rigal	WHI18000894	0.0038	0.05	1.96	9.8	212	0.1	0.42	0.05	17.2	33	82	3.42	6	0.06	17	0.79	615	1.2	0.01	31.2	69	8.5	0.025	0.7	7.1	39	3.7	0.091	0.1	95	0.2	79	1	0.02	0.25	0.1
2061721	464599	7133834	1590	B	20	Brown	W	Damp	R. Rigal	WHI18000894	0.002	0.1	2.01	9.7	220	0.1	0.44	0.2	24.3	31	105.8	3.79	6	0.05	14	0.88	822	1	0.009	33.5	60	7.6	0.025	0.7	7.5	59	2.7	0.085	0.1	98	0.1	78	2	0.04	0.25	0.1
2061722	464675	7134025	1561.1	C	20	Grey	S	Damp	R. Rigal	WHI18000894	0.0059	0.9	1.42	8.4	607	0.2	0.22	0.7	9.6	25	68.6	2.71	4	0.07	29	0.3	703	2.5	0.003	55.4	74	13.8	0.025	1.1	2.7	26	2.5	0.007	0.1	45	0.05	153	2	0.24	3.1	0.1
2061723	464707	7134181	1574.4	B	20	Brown	S	Damp	R. Rigal	WHI18000894	0.0023	0.3	1.77	17.1	117	0.3	0.08	0.2	6.8	25	19	2.82	5	0.05	18	0.35	228	1.4	0.005	19.7	37	12.7	0.025	0.8	2.9	15	4.7	0.039	0.1	57	0.2	52	2	0.07	0.25	0.1
2061724	464677	7134226	1576.1	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0016	0.2	1.37	24.2	114	0.3	0.07	0.1	4.6	25	24.9	3.26	6	0.05	13	0.26	167	1.8	0.006	15.4	39	19.1	0.025	1	2.8	14	2.9	0.028	0.1	58	0.1	51	2	0.05	0.6	0.1
2061725	464628	7134236	1570.1	C	30	Grey	SE	Damp	R. Rigal	WHI18000894	0.0012	0.2	1.53	18.5	139	0.2	0.08	0.2	5.8	24	28.1	2.9	5	0.05	13	0.34	240	1.6	0.005	19.4	70	15.2	0.025	0.9	1.9	21	1	0.021	0.1	46	0.1	59	1	0.05	0.8	0.1
2061726	464583	7134229	1555.8	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0023	0.1	1.88	14.4	127	0.2	0.1	0.2	9.6	28	19.8	2.95	5	0.06	16	0.38	302	1.2	0.007	24.8	53	14.4	0.025	0.7	3.3	14	4	0.035	0.1	51	0.2	61	2	0.05	0.25	0.1
2061727	464536	7134278	1552.5	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0058	0.4	1.39	18.1	125	0.2	0.14	0.05	7.3	26	23.5	2.58	4	0.05	15	0.33	187	1	0.007	23.1	54	15.7	0.025	1	2.4	19	4.6	0.041	0.05	46	0.1	48	0.5	0.05	0.8	0.1
2061728	464489	7134302	1527	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0036	2.2	1.15	59.8	293	0.9	0.02	0.05	2.8	33	70.6	4.12	4	0.1	16	0.21	66	2.3	0.01	31.1	123	47.6	0.14	1.8	3.8	48	5.7	0.003	0.05	53	0.05	58	0.5	0.1	5.4	0.3
2061729	464446	7134326	1511.5	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0052	0.9	1.26	49.7	140	0.4	0.07	0.2	5.8	36	58.6	4.81	5	0.07	15	0.21	214	2.1	0.007	21.9	147	24.5	0.025	1.4	1.6	34	0.7	0.013	0.1	63	0.05	87	1	0.07	4.7	0.1
2061730	464409	7134361	1500.7	C	30	Grey	SE	Damp	R. Rigal	WHI18000894	0.0053	1.9	0.98	21.6	257	0.2	0.28	2.2	9.6	20	74.7	3.01	2	0.05	25	0.21	233	10.3	0.007	91.8	127	13.3	0.025	2.3	3.3	50	4	0.012	0.1	34	0.1	291	1	0.26	5.8	0.1
2061731	464371	7134395	1495.3	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0023	0.2	1.72	13.1	112	0.2	0.08	0.1	3.6	28	16.3	2.47	7	0.04	17	0.25	128	2	0.005	13.3	40	13.8	0.025	0.6	2.8	14	3.6	0.03	0.2	63	0.1	41	1	0.04	0.9	0.1
2061732	464321	7134406	1490	C	20	Mottled	SE	Damp	R. Rigal	WHI18000894	0.003	0.2	1.38	16.8	93	0.3	0.07	0.1	4.4	25	17	2.89	7	0.05	18	0.21	167	2.8	0.004	16.5	33	15.8	0.025	0.8	2.6	11	4.5	0.041	0.2	76	0.1	58	1	0.05	0.25	0.1
2061733	464271	7134417	1480.6	C	30	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0013	0.2	1.63	17.4	108	0.2	0.08	0.1	5.4	26	19.4	2.99	6	0.05	17	0.28	218	1.6	0.005	16.6	33	14.1	0.025	0.9	2.9	12	4.3	0.036	0.2	65	0.1	50	1	0.06	0.25	0.1
2061734	464220	7134422	1480	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0013	0.1	1.9	14.6	123	0.2	0.1	0.1	5.3	31	17.2	2.92	7	0.05	17	0.31	195	1.8	0.006	15.3	34	13.9	0.025	0.7	3.5	14	5.2	0.04	0.2	71	0.1	48	1	0.05	0.25	0.1
2061735	464168	7134427	1470.7	B	20	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0029	0.3	1.83	17.3	118	0.2	0.08	0.05	5.6	27	18.6	3.21	7	0.06	16	0.29	210	1.6	0.006	16.3	31	15.1	0.025	0.8	2.9	14	4.5	0.039	0.2	67	0.1	44	2	0.05	0.5	0.1
2061736	464116	7134428	1462	C	30	Grey	SE	Damp	R. Rigal	WHI18000894	0.0038	0.5	1.41	18.6	163	0.2	0.08	0.1	6.1	24	32.2	2.45	4	0.06	11	0.32	204	1.2	0.006	21.4	53	16.8	0.025	0.9	2.7	19	3.6	0.021	0.1	42	0.05	52	1	0.15	0.7	0.1
2061737	464067	7134426	1463.7	C	30	Grey	SE	Damp	R. Rigal	WHI18000894	0.003	0.3	1.7	16.8	133	0.2	0.14	0.2	8.9	26	22.4	2.74	5	0.05	16	0.4	335	1.4	0.006	20.6	71	14.9	0.025	0.8	2.9	18	2.9	0.032	0.1	49	0.2	56	1	0.07	0.25	0.1
2061738	464020	7134408	1461.7	B	30	Mottled	SE	Damp	R. Rigal	WHI18000894	0.006	0.05	1.76	12.8	158	0.2	0.17	0.1	9.2	26	20	2.7	5	0.05	17	0.42	313	1.1	0.007	22.6	66	11.7	0.025	0.7	3	17	3.6	0.041	0.1	51	0.2	61	2	0.04	0.25	0.1
2061739	463967	7134394	1466.4	B	10	Brown	SE	Damp	R. Rigal	WHI18000894	0.001	0.1	1.91	13.9	105	0.2	0.1	0.1	7.7	29	24.4	3.03	6	0.06	18	0.32	216	1.4	0.005	19.8	33	13	0.025	0.7	3.2	12	4.3	0.05	0.2	74	0.2	59	1	0.03	0.25	0.1
2061740	463916	7134401	1472.5	B	20	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0019	0.2	1.79	12.2	145	0.2	0.21	0.3	10.5	25	169.9	2.83	5	0.05	17	0.38	379	1.2	0.007	24.7	59	10.4	0.025	0.7	3.4	19	3.1	0.043	0.1	54	0.2	67	2	0.04	0.25	0.1
2061741	463866	7134408	1473.4	B	10	Brown	SE	Damp	R. Rigal	WHI18000894	0.0039	0.1	2.64	13.3	105	0.2	0.11	0.2	8.7	33	34.9	3.01	6	0.05	16	0.39	325	1.6	0.006	18.9	32	14.5	0.025	0.7	3.7	12	4.8	0.058	0.2	64	0.2	64	1	0.08	0.9	0.1
2061742	463818	7134420	1467.6	B	10	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0032	0.2	1.95	14.9	199	0.2	0.18	0.3	12.3	27	67.3	3.03	5	0.05	18	0.37	387	1.5	0.007	30.4	54	12.2	0.025	0.9	3.7	19	3.7	0.043	0.2	58	0.2	70	1	0.04	0.25	0.1
2061743	463767	7134423	1459.1	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0028	0.1	1.83	15.6	193	0.2	0.14	0.2	10.6	29	60.7	3.44	5	0.05	19	0.42	312	1.5	0.008	32.5	66	11.1	0.025	1	3.9	19	3.3	0.041	0.1	55	0.1	98	1	0.05	0.25	0.1
2061744	463720	7134419	1463.9	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0049	0.05	1.81	13	139	0.2	0.11	0.2	12	28	30.5	2.88	5	0.05	16	0.36	242	1.4	0.005	27.2	35	10.1	0.025	0.8	3.8	13	4.2	0.046	0.1	63	0.1	65	1	0.04	0.25	0.1
2061745	463612	7134428	1462.3	B	30	Brown	SE	Damp	R. Rigal	WHI18000894	0.0031	0.05	1.8	11.7	193	0.2	0.19	0.1	11.1	29	57.8	2.78	5	0.05	21	0.46	310	1.1	0.007	26.5	56	10.1	0.025	0.7	4.2	18	2.6	0.05	0.2	59	0.2	77	1	0.04	0.25	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061746	463513	7134427	1468.3	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0069	0.1	1.62	8.3	150	0.2	0.23	0.1	11	25	137	3.04	5	0.05	19	0.52	367	1	0.008	23.8	57	7.8	0.025	0.6	4.9	18	3.4	0.058	0.05	50	0.2	82	2	0.03	0.8	0.1
2061747	463458	7134450	1447.2	B	20	Brown	SE	Damp	R. Rigal	WHI18000894	0.0254	0.9	1.63	32.7	230	0.3	0.17	0.3	11.7	35	109.5	6.18	5	0.06	21	0.42	299	2.7	0.048	41.7	152	19.7	0.18	3.5	3.7	39	2.3	0.026	0.05	65	0.1	128	2	0.05	5.2	0.3
2061748	463307	7134449	1423.7	C	30	Grey	SE	Damp	R. Rigal	WHI18000894	0.0053	0.2	1.49	14.2	118	0.2	0.11	0.2	7.5	27	28.5	2.74	4	0.06	14	0.42	281	1.3	0.007	24.9	49	12.3	0.025	0.9	2.9	14	4.2	0.033	0.1	46	0.1	60	2	0.04	1.4	0.1
2061749	463203	7134453	1422.4	C	20	Grey	SE	Damp	R. Rigal	WHI18000894	0.0069	0.4	2.03	33.6	195	0.4	0.03	0.4	4.3	38	66.1	4.19	6	0.06	7	0.48	188	1.6	0.009	47.6	85	30.6	0.025	0.9	3.6	43	3.3	0.001	0.1	59	0.05	80	0.5	0.07	1.6	0.2
2061750	463156	7134472	1431.5	B	20	Mottled	SE	Damp	R. Rigal	WHI18000894	0.0075	0.4	1.68	16.4	127	0.2	0.08	0.2	8.3	26	24.5	2.67	4	0.06	15	0.42	274	1.1	0.006	24	40	12.8	0.025	1	2.8	12	4.9	0.03	0.1	43	0.2	59	2	0.06	0.9	0.1
2061751	470097	7130054	1400.8	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.016	1.8	1.21	15.3	122	0.3	0.1	1.4	5.9	32	60.7	4.12	4	0.09	29	0.33	308	14.4	0.009	47.8	303	18	0.025	1.9	2.2	30	1.6	0.01	0.5	76	0.05	137	2	0.45	6.2	0.1
2061752	470103	7130104	1393.1	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0083	1.9	1.58	10.7	161	0.2	0.22	1.9	10.4	35	62	2.82	5	0.08	25	0.41	306	11.5	0.009	46.3	131	12.5	0.025	1.8	3.2	29	5.2	0.022	0.4	69	0.1	119	2	0.28	5.6	0.1
2061753	470110	7130154	1385.6	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0066	0.6	2.15	13.8	136	0.3	0.13	0.7	10.4	42	29.2	3.58	6	0.08	23	0.53	346	10.3	0.007	31.2	80	16.8	0.025	1.6	3.9	17	6.3	0.029	0.4	82	0.1	89	2	0.2	2.3	0.1
2061754	470127	7130201	1374.1	C	20	Brown	N	Damp	S. Orban	WHI18000894	0.0079	0.3	1.72	10.6	170	0.2	0.14	0.4	6.4	36	32.7	2.6	5	0.07	22	0.42	155	8.3	0.006	29.1	87	12.6	0.025	1.2	2.4	18	1.6	0.018	0.5	73	0.1	77	2	0.15	2	0.1
2061755	470164	7130236	1359.4	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0039	0.2	1.84	11.8	181	0.2	0.16	0.3	9.4	32	30.4	2.78	5	0.07	21	0.48	281	4.9	0.008	27.2	98	12.8	0.025	1	3	20	2.5	0.021	0.3	57	0.1	74	2	0.13	1.3	0.1
2061756	470189	7130279	1340.9	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0045	0.4	1.77	11.9	175	0.2	0.2	0.7	14.3	31	40.5	3.04	5	0.08	28	0.56	326	7.7	0.01	42.2	160	15.3	0.025	0.9	1.8	33	1.5	0.012	0.4	50	0.1	103	2	0.2	1.9	0.1
2061757	470205	7130326	1330	C	20	Brown	NE	Damp	S. Orban	WHI18000894	0.002	0.05	2.04	10.9	143	0.3	0.13	0.2	7.9	35	17.1	2.8	7	0.07	21	0.47	231	3.2	0.007	21.3	80	14.4	0.025	0.6	1.6	15	0.7	0.019	0.3	69	0.1	58	2	0.1	1.2	0.1
2061758	470225	7130372	1322.9	C	30	Brown	N	Damp	S. Orban	WHI18000894	0.0013	0.05	1.82	10.1	78	0.2	0.09	0.05	4.6	28	12.7	2.54	7	0.06	23	0.3	142	2.9	0.005	14.4	71	12.1	0.025	0.7	2.7	12	3.8	0.029	0.3	69	0.1	50	0.5	0.03	0.9	0.1
2061759	470229	7130422	1311.3	C	30	Grey	NE	Damp	S. Orban	WHI18000894	0.0013	0.1	2.4	16.8	231	0.4	0.12	0.5	60.8	32	54.7	4.36	5	0.1	34	0.79	4018	6.7	0.013	121.7	129	23.9	0.06	0.8	4	42	9.3	0.009	0.2	35	0.05	149	2	0.25	1.2	0.1
2061760	470229	7130422	1308.5	C	20	Grey	NE	Damp	S. Orban	WHI18000894	0.003	0.1	2.07	13.6	144	0.3	0.11	0.2	24.8	31	37.8	4.05	6	0.08	35	0.68	890	3.5	0.01	52.4	103	21.6	0.06	0.7	3.1	33	7.3	0.01	0.2	39	0.05	95	1	0.16	1.1	0.1
2061761	466424	7132908	1350.7	C	30	Brown	E	Damp	S. Orban	WHI18000894	0.0021	0.05	1.64	11.5	229	0.2	0.09	0.05	9.3	31	25.3	2.55	5	0.05	19	0.46	351	1	0.006	20.4	34	11.1	0.025	0.7	4.1	12	4	0.037	0.1	49	0.2	59	1	0.03	0.25	0.1
2061762	466415	7132958	1357.7	C	30	Grey	E	Damp	S. Orban	WHI18000894	0.005	0.05	1.52	13.3	215	0.2	0.14	0.1	13	28	39.4	2.68	4	0.06	23	0.49	538	1	0.006	30.3	49	13	0.025	0.8	3.6	15	4.7	0.041	0.05	46	0.2	66	2	0.04	0.25	0.1
2061763	466368	7132976	1366.4	Frostboil	30	Brown	E	Damp	S. Orban	WHI18000894	0.0082	0.2	1.62	13	297	0.2	0.2	0.2	14.4	29	51.2	3.03	4	0.06	30	0.44	1309	1.6	0.007	41.6	53	14.4	0.025	1.4	5.3	17	5.3	0.026	0.1	47	0.1	80	0.5	0.1	1.4	0.1
2061764	466321	7132990	1371	C	40	Brown	E	Damp	S. Orban	WHI18000894	0.003	0.05	1.55	13.5	140	0.2	0.14	0.1	10	29	22.5	2.69	5	0.05	19	0.42	360	1.2	0.007	23.1	46	12.5	0.025	0.7	3	14	4.2	0.047	0.1	53	0.2	60	0.5	0.01	0.5	0.1
2061765	466275	7133006	1378.4	C	40	Grey	E	Damp	S. Orban	WHI18000894	0.0065	0.05	1.73	19.2	126	0.3	0.13	0.1	11.8	30	44.4	2.7	5	0.05	21	0.5	347	1.7	0.005	31.5	54	14.9	0.025	1.1	3.2	16	5.3	0.035	0.2	49	0.2	72	0.5	0.03	0.25	0.1
2061766	466224	7133012	1385	C	30	Grey	E	Damp	S. Orban	WHI18000894	0.0048	0.05	1.71	12.8	286	0.2	0.15	0.05	11.2	32	34.2	2.8	5	0.06	23	0.51	441	1.1	0.008	27.9	43	12.7	0.025	0.8	4.2	18	5.4	0.049	0.1	52	0.2	69	2	0.04	0.25	0.1
2061767	466177	7133029	1390.9	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0111	0.1	1.69	11.3	143	0.2	0.09	0.2	16.7	29	56.5	2.84	4	0.06	22	0.46	751	1.2	0.005	31.7	39	16.8	0.025	0.9	2.9	11	4.5	0.025	0.1	45	0.1	80	2	0.04	0.6	0.1
2061768	466128	7133046	1395.5	B	30	Brown	E	Damp	S. Orban	WHI18000894	0.0022	0.05	1.77	12.8	130	0.2	0.11	0.05	7	33	15.7	2.72	6	0.05	19	0.43	231	1	0.006	17	36	12.8	0.025	0.8	3.2	12	3.6	0.048	0.2	66	0.2	48	1	0.02	0.25	0.1
2061769	466080	7133057	1398.3	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0044	0.05	1.32	10.4	254	0.2	0.12	0.2	16.6	25	47.7	2.66	4	0.06	23	0.44	1119	1.6	0.006	37.8	41	16.5	0.025	1	3.7	15	5.5	0.037	0.1	42	0.1	83	0.5	0.04	0.25	0.1
2061770	466032	7133072	1402.7	C	30	Brown	E	Damp	S. Orban	WHI18000894	0.0045	0.05	1.62	10.5	102	0.2	0.08	0.2	13.7	29	32.4	2.62	5	0.05	17	0.38	412	1.2	0.005	23.4	36	15.3	0.025	0.8	2.6	11	3.6	0.032	0.1	51	0.1	63	0.5	0.02	0.25	0.1
2061771	465985	7133088	1413.8	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0056	0.2	1.52	19.3	173	0.3	0.01	0.1	12.7	25	75.6	2.78	3	0.06	11	0.18	228	1.4	0.002	38.1	30	14.9	0.025	0.9	2.6	7	2.8	0.001	0.1	41	0.05	112	0.5	0.05	0.6	0.1
2061772	465944	7133118	1422.1	C	30	Brown	E	Damp	S. Orban	WHI18000894	0.0034	0.2	2.08	12.1	255	0.2	0.08	0.1	10.8	34	28.9	2.84	6	0.06	20	0.43	433	1.5	0.006	23.9	43	13.6	0.025	0.9	4.1	11	5.2	0.033	0.2	61	0.1	68	1	0.04	0.25	0.1
2061773	465904	7133150	1430.4	C	30	Brown	NE	Damp	S. Orban	WHI18000894	0.0065	0.5	1.54	11.1	350	0.2	0.03	0.7	24.9	21	62.8	2.83	2	0.06	30	0.25	2054	2.8	0.003	47.6	52	29	0.025	1.9	2.5	6	4.8	0.003	0.1	28	0.05	154	1	0.06	0.25	0.1
2061774	465866	7133183	1455.5	C	20	Brown	SE	Damp	S. Orban	WHI18000894	0.0068	1.3	1.31	10.9	303	0.2	0.05	0.05	9.1	29	99.6	3.35	4	0.09	20	0.35	358	2.5	0.035	29.8	87	19.2	0.17	1.6	1.7	85	1.4	0.007	0.2	47	0.05	91	2	0.07	2.1	0.1
2061775	465822	7133210	1450.3	C	30	Brown	SE	Damp	S. Orban	WHI18000894	0.0032	0.05	1.52	13.3	232	0.2	0.11	0.1	11.3	27	29.1	2.73	4	0.07	25	0.48	520	0.9	0.006	27.4	32	13.7	0.025	0.9	4.6	14	5.9	0.037	0.1	45	0.2	73	1	0.04	0.25	0.1
2061776	465779	7133236	1458.7	C	40	Grey	SE	Damp	S. Orban	WHI18000894	0.0062	0.05	1.43	11.4	154	0.2	0.05	0.3	10.8	23	69.2	2.88	3	0.08	31	0.29	230	2.1	0.004	38	44	16.7	0.025	1.4	2.7	8	5.6	0.005	0.1	37	0.05	111	1	0.06	1.5	0.1
2061777	465736	7133263	1469.4	C	20	Brown	SE	Damp	S. Orban	WHI18000894	0.0042	0.4	1.31	13.1	133	0.2	0.05	0.1	9.1	23	40	2.78	4	0.06	18	0.22	319	1.8	0.004	20.7	54	14.1	0.025	1.2	2	8	1.7	0.011	0.1	50	0.05	69	1	0.05	0.7	0.1
2061778	465692	7133288	1482.3	C	40	Brown	SE	Moist	S. Orban	WHI18000894	0.0026	0.4	1.8	12.6	181	0.2	0.07	0.2	10.6	30	30.9	2.91	5	0.06	23	0.41	331	1.6	0.007	25.3	42	14.7	0.025	1.9	4.3	17	6	0.025	0.2	51	0.1	79	2	0.08	2.3	0.1
2061779	465672	7133333	1490.3	B	20	Brown	SE	Damp	S. Orban	WHI18000894	0.0021	0.05	1.75	11	138	0.2	0.09	0.1	6.4	32	15.4	2.65	6	0.05	20	0.34	236	1.5	0.005	15.5	51	12	0.025	0.7	3.1	12	2.5	0.028	0.2	65	0.2	52	2	0.05	0.8	0.1
2061780	465645	7133377	1501.1	C	30	Brown	SE	Damp	S. Orban	WHI18000894	0.0025	0.05	1.55	11.7	112	0.2	0.08	0.1	10.3	29	24.2	3.16	5	0.06	21	0.36	458	1.8	0.005	27.8	55	13.6	0.025	1	2.3	12	1.6	0.021	0.2	49	0.05	85	2	0.05	1.1	0.1
2061781	465627	7133425	1518.4	C	30	Brown	SE	Damp	S. Orban	WHI18000894	0.0029	0.5	1.49	11.5	163	0.2	0.09	0.3	11.6	25	31.2	2.83	4	0.06	20	0.33	539	1.7	0.005	32.9	59	14.6	0.025	1.1	2.9	12	2.9	0.022	0.2	44	0.1	97	1	0.2	1.6	0.1
2061782	466301	7133725	1582.3	B	10	Brown	E	Damp	S. Orban	WHI18000894	0.0055	0.2	2.36	11.6	204	0.4	0.9	0.4	24.8	23	113.2	3.96	7	0.04	13	0.91	1562	0.8	0.009	30	95	33.2	0.025	0.6	8.5	35	1	0.04	0.1	96	0.1	93	3	0.06	0.5	0.1
2061783	466447	7133891	1499.9	B	20	Brown	NE	Damp	S. Orban	WHI18000894	0.0062	0.5	1.43	11.4	143	0.3	0.11	0.4	7.8	25	36	2.75	4	0.05	21	0.32	379	1.9	0.005	28.5	74	12.3	0.025	0.9	2.4	14	2.3	0.019	0.1	47	0.1	98	2	0.08	1.2	0.1
2061784	466568	7133972	1469.5	C	30	Brown	NE	Damp	S. Orban	WHI18000894	0.0079	0.1	1.57	16.6	102	0.3	0.09	0.1	6.9	26	20.5	2.8	5	0.05	16	0.35	231	1.4	0.006	19.2	40	13.6	0.025	0.8	2.8	12	4.4	0.034	0.2	54	0.1	49	3	0.03	0.6	0.1
2061785	466719	7133995	1468.2	B	20	Brown	E	Damp	S. Orban	WHI18000894	0.0023	0.05	1.71	12.7	141	0.2	0.12	0.2	10.1	25	21.1	2.61	5	0.04	16	0.36	293	1	0.005	22.4	37	11.2	0.025	0.7	2.7	11	2.8	0.039	0.1	49	0.1	64	2	0.02	0.25	0.1
2061786	466827	7133992	1472.5	B	20	Brown	E	Damp	S. Orban	WHI18000894	0.0033	0.05	2.04	9.4	157	0.2	0.13	0.3	8.4	34	21.9	2.79	6	0.05	14	0.41	302	1.2	0.006	21.4	43	9.2	0.025	0.6	2.7	12	0.8	0.04	0.2	69	0.2	98	3	0.03	0.25	0.1
2061787	466967	7134046	1429.9	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0052	0.3	1.72	17.9	190	0.4	0.08	0.1	5.4	30	29	3.28	6	0.07	14	0.34	183	1.5	0.007	19.9	83	17.8	0.025	0.8	1.7	22	0.5	0.019	0.2	56	0.2	61	6	0.07	1.2	0.1
2061788	467093	7134124	1429.6	B	30	Brown	E	Damp	S. Orban	WHI18000894	0.0047	0.3	2.1	11.8	126	0.2	0.09	0.1	6.6	31	15.7	2.88	6	0.05	15	0.34	240	1.5	0.006	15.4	34	13.1	0.025	0.7	3.5	12	4.4	0.042	0.2	64	0.1	48	3	0.07	0.5	0.1
2061789	467239	7134127	1414.7	C	40	Brown	E	Damp	S. Orban	WHI18000894	0.0052	0.05	2.04	12.7	165	0.2	0.13	0.1	9.5	31	20.8	2.82	6	0.05	17	0.49	379	1.3	0.008	19.6	58	12.6	0.025	0.7	3.5	15	2	0.041	0.2	59	0.1	61	2	0.05	0.6	0.1
2061790	467339	7134123	1395.1	C	50	Grey	E	Damp	S. Orban	WHI18000894	0.0065	0.05	1.39	13.2	197	0.2	0.14	0.1	7.8	25	25.1	2.36	4	0.05	18	0.38	267	0.9	0.006	21.7	64	11.6	0.025	0.7	3	16	2.8	0.036	0.1	45	0.1	57	2	0.04	0.25	0.1
2061791	467533	7134173	1397.8	C	30	Grey	E	Damp	S. Orban	WHI18000894	0.0055	0.3	1.6	18.1	227	0.3	0.1	0.1	7.9	26	31.6	2.67	4	0.05	14	0.36	198	1.3	0.006	25.3	50	14.3	0.025	0.8	3.3	19	4.3	0.032	0.1	46	0.1	70	2	0.07	0.9	0.1
2061792	467677	7134228	1397.5	C	20	Brown	E	Damp	S. Orban	WHI18000894	0.0009	0.2	1.44	13.3	102	0.3	0.08	0.05	4	25	11.5	2.93	7	0.04	16	0.25	134	1.6	0.005	10.6	32	12.7	0.025	0.7	2.4	11	2.9	0.047	0.2	75	0.2	37	1	0.03	0.25	0.1
2061793	467878	7134179	1363.8	C	30	Grey	E	Damp	S. Orban	WHI18000894	0.0028	0.05	1.74	14.3	185	0.2	0.15	0.2	9.9	30	23	2.82	5	0.06	17	0.45	319	1.2	0.007	22.8	68	13.4	0.025	0.7	3.5	16	3.5	0.033	0.1	50	0.2	63	2	0.03	0.25	0.1
2061794	467978	7134196	1352.1	C	40	Brown	E	Damp	S. Orban	WHI18000894	0.0043	0.1	1.27	10.7	196	0.1	0.18	0.05	7.3	24	24.2	2.35	4	0.05	18	0.37	229	0.9	0.006	20.6	67	10.6	0.025	0.7	2.8	19	3.7	0.033	0.1	43	0.1	59	3	0.03	0.25	0.1
2061801	465271	7133959	1516.1	C	45	Brown	S	Damp	N. Hamlyn	WHI18000894	0.003	1.8	1.39	16.3	315	0.2	0.4	2	6.5	26	44	2.59	5	0.05	19	0.17	162	7.2	0.004	51.5	174	11.9	0.025	1.2	3	33	2.1	0.023	0.3	52	0.2	174	2	0.27	1.4	0.1
2061802	465237	7134001	1517.4	C	35	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0029	0.7	1.43	18.7	165	0.2	0.08	0.3	7.9	25	26	2.85	4	0.06	14	0.32	255	1.7	0.008	23.7	45	13.8	0.06	0.9	2.8	21	3.4	0.024	0.1	48	0.1	76	2	0.07	2	0.1
2061803	465207	7134044	1519.7	C	40	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0035	0.4	1.34	23	152	0.3	0.04	0.2	4.4	25	41.7	2.74	4	0.06	8	0.26	158	1.7	0.005	22.2	68	19.5	0.025	1.1	2.1	17	2.1	0.008	0.2	41	0.05	59	1	0.06	2.2	0.1
2061804	465181	7134090	1528.5	C	40	Brown	S	Damp	N. Hamlyn	WHI18000894	0.0033	0.3	2.32	12.9	165	0.2	0.11	0.2	8.8	38	21	2.94	6	0.06	17	0.43	307	1.6	0.007	19.6	57	12.2	0.025	0.8	4.8	13	5.9	0.047	0.2	62	0.2	53	2	0.06	0.6	0.1
2061805	466386	7133810	1537	C	30	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0066	1.4	0.7	8.5	409	0.3	0.22	0.7	7.9	19	63.3	2.19	2	0.07	19	0.16	704	3.6	0.007	43	152	11.9	0.09	1.4	1.3	44	0.5	0.004	0.3	29	0.05	139	5	0.14	1.5	0.1
2061806	466477	7133930	1485.6	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0032	0.4	1.5	12	187	0.2	0.12	0.3	8.5	25	39.5	2.7	4	0.05	20	0.37	295	1.8	0.006	31.9	62	10.5	0.025	0.8	2.7	13	1.5	0.024	0.2	48	0.1	91	2	0.09	1.2	0.1
2061807	466669	7133998	1464.9	C	40	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0078	1	2.3	33.9	213	0.4	0.06	0.3	5.9	46	23	5.83	12	0.05	17	0.31	152	2.9	0.006	22.8	95	37.3	0.025	1.2	3.6	32	5.7	0.031	0.2	111	0.1	54	2	0.06	3.3	0.1
2061808	466868	7134014	1457.7	C	40	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.012	0.05	1.76	11.8	201	0.2	0.29	0.2	15.7	35	44.9	3.19	5	0.05	19	0.55	492	1.2	0.008	36.5	84	9	0.025	0.8	4	19	2.6	0.058	0.1	68	0.3	94	3	0.04	0.5	0.1
2061809	467012	7134066	1424.8	C	40	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0011	0.1	1.53	12.4	125	0.2	0.11	0.05	6.3	26	17.1	2.49	5	0.05	15	0.33	197	1.2	0.005	16.4	61	11.3	0.025	0.6	2.2	15	1	0.02	0.2	51	0.1	54	3	0.05	0.7	0.1
2061810	467192	7134148	1417.3	C	40	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0021	0.05	1.52	14.2	173	0.2	0.14	0.1	8.5	27	25.1	2.55	5	0.05	18	0.4	298	1	0.006	21.9	60	11.9	0.025	0.8	3.1	16	2.5	0.04	0.1	48	0.2	58	3	0.04	0.5	0.1
2061811	467387	7134131	1391.8	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0025	0.05	1.83	13.3	129	0.2	0.09	0.05	6.6	32	19.2	2.76	6	0.04	16	0.38	234	1.6	0.006	17.7	41	12.3	0.025	0.7	2.8	12	1.3	0.035	0.2	63	0.1	51	2	0.05	0.7	0.1
2061812	467583	7134187	1399	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.002	0.1	1.82	13.3	142	0.2	0.1	0.1	7	29	15.5	2.77	6	0.04	15	0.33	204	1.4	0.006	16.7	42	11.9	0.025	0.7	2.8	12	2.9	0.04	0.1	60	0.2	47	2	0.04	0.25	0.1
2061813	467728	7134223	1384.1	C	40	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0023	0.05	1.89	14.7	149	0.2	0.1	0.05	8.2	31	21.8	2.86	5	0.05	16	0.37	247	1.2	0.005	19.6	42	12.5	0.025	0.7	3.4	12	4.5	0.037	0.1	54	0.2	50	2	0.04	0.5	0.1
2061814	467830	7134196	1372.3	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0036	0.1	1.56	13.7	162	0.2	0.17	0.1	7.4	30	27.3	2.76	5	0.05	16	0.4	201	1.4	0.006	21.8	59	13.1	0.025	0.7	2.8	17	2.4	0.037	0.1	57	0.1	63	2	0.05	0.6	0.1
2061815	468030	7134199	1357	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.002	0.2	2.27	15.3	174	0.2	0.1	0.1	10.2	36	20.1	3.12	6	0.06	16	0.44	327	1.5	0.007	23	54	14.6	0.025	0.7	3.9	14	5.2	0.041	0.1	62	0.1	57	2	0.04	0.6	0.1
2061816	468179	7134191	1336.8	C	45	Brown	NE	Damp	N. Hamlyn	WHI18000894	0.0031	0.05	1.77	12.2	158	0.2	0.13	0.2	9.4	33	17.9	2.63	5	0.05	17	0.44	313	1.1	0.006	18.7	53	11.5	0.025	0.6	2.9	14	1.3	0.032	0.1	56	0.1	57	1	0.05	0.5	0.1
2061817	468317	7134180	1332.9	Frostboil	40	Brown	E	Damp	N. Hamlyn	WHI18000894	0.0016	0.05	1.94	11	183	0.2	0.1	0.1	6.3	34	11.1	2.93	8	0.05	17	0.32	217	1.7	0.006	14.4	27	14.2	0.025	0.6	3.6	12	4.2	0.051	0.2	79	0.2	45	3	0.02	0.25	0.1
2061851	471488	7131772	1484.3	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0029	0.05	2.08	10.7	201	0.4	0.1	0.2	12.1	37	39.2	3.16	6	0.05	15	0.5	471	1.8	0.007	21.2	48	15.4	0.025	0.8	3	12	1.8	0.038	0.2	68	0.2	66	3	0.06	0.25	0.1
2061852	471437	7131759	1495.3	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0047	0.05	1.56	9.3	143	0.3	0.06	0.2	13.7	31	65.9	2.78	4	0.05	11	0.4	397	1	0.005	33.3	35	15.8	0.025	0.7	2.5	9	2.3	0.019	0.05	41	0.1	81	3	0.03	0.25	0.1
2061853	471387	7131280	1411.9	B	10	Grey	N	Damp	J. Roddick	WHI18000895	0.0032	0.05	1.24	9.9	93	0.3	0.07	0.1	4.8	25	18.7	2.68	4	0.04	12	0.34	126	1.4	0.005	16.1	31	13.3	0.025	0.6	2	10	3.2	0.016	0.05	39	0.1	51	1	0.02	0.25	0.1
2061854	471399	7131182	1435	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0023	0.4	1.52	11.3	80	0.2	0.07	0.1	6.1	28	22.4	3.05	4	0.04	10	0.35	168	1.6	0.005	20.2	43	15.3	0.025	0.7	2.3	12	3.6	0.014	0.1	35	0.05	53	1	0.06	0.25	0.1
2061855	471444	7131088	1428.7	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0025	0.05	1.62	12.2	127	0.2	0.11	0.1	10.2	27	19.9	2.79	4	0.05	15	0.43	281	1.3	0.006	26.2	52	13.2	0.025	0.7	2.8	15	4.5	0.027	0.1	43	0.1	59	2	0.03	0.25	0.1
2061856	471460	7131043	1428.5	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.002	0.05	1.35	11.4	154	0.2	0.11	0.1	8.1	28	23.2	2.83	4	0.05	14	0.42	244	1.6	0.007	26.2	44	14.1	0.025	0.6	3.4	19	4.9	0.026	0.1	43	0.05	61	2	0.03	0.25	0.1
2061857	471476	7130943	1423.3	B	10	Grey	N	Damp	J. Roddick	WHI18000895	0.0016	0.2	1.33	10.7	69	0.3	0.03	0.05	3.1	24	16.3	3.08	5	0.05	8	0.32	95	1.8	0.005	15.9	46	16.5	0.025	0.6	1.9	10	2.3	0.005	0.1	40	0.05	50	0.5	0.02	0.5	0.1
2061858	471428	7130797	1417.5	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0012	0.05	1.81	10.6	105	0.2	0.07	0.1	7.6	30	17.6	2.92	5	0.05	12	0.42	210	1.1	0.006	23	36	12.8	0.025	0.6	2.8	12	4.2	0.026	0.1	47	0.1	52	1	0.04	0.25	0.1
2061859	471423	7130696	1403.5	B	10	Grey	N	Damp	J. Roddick	WHI18000895	0.0019	0.1	1.29	11.1	67	0.3	0.03	0.1	3	24	21.9	2.88	5	0.05	10	0.21	76	1.5	0.006	11.9	52	18.2	0.025	0.5	1.7	18	1.8	0.006	0.1	40	0.05	36	1	0.04	0.25	0.1
2061860	471416	7130591	1393.4	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0009	0.2	1.74	23.7	92	0.4	0.04	0.1	3.3	34	24.8	4.2	6	0.08	16	0.54	154	2.9	0.01	23	83	29.2	0.06	0.8	3.3	17	7.2	0.005	0.2	37	0.05	67	2	0.05	0.25	0.1
2061861	471356	7130262	1384.3	B	10	Grey	N	Damp	J. Roddick	WHI18000895	0.00025	0.2	2.02	26.4	179	0.7	0.1	0.3	11.6	34	37	5.66	5	0.12	27	0.81	135	6.6	0.023	45.5	166	38.9	0.43	0.8	3.3	44	9.9	0.0005	0.4	29	0.05	131	0.5	0.04	1.4	0.1
2061862	464646	7133919	1553	C	10	Grey	N	Damp	J. Roddick	WHI18000895	0.0058	2	0.86	15.3	383	0.3	0.39	0.9	9.3	19	85.1	2.69	2	0.06	22	0.14	562	4.3	0.003	70.4	92	16.2	0.025	1.7	3.8	45	2.3	0.002	0.2	37	0.05	207	2	0.54	3.6	0.1
2061863	464664	7133973	1557.4	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0048	0.4	1.47	10	361	0.2	0.17	0.4	9.9	25	38	2.68	4	0.06	23	0.33	413	2.3	0.006	33	52	12.1	0.025	1	3	26	3.6	0.021	0.1	50	0.1	87	2	0.09	0.7	0.1
2061864	464687	7134078	1565.9	B	10	Brown	N	Damp	J. Roddick	WHI18000895	0.0045	0.9	1.53	13.8	277	0.2	0.09	0.6	11.9	25	61.1	3.32	4	0.05	20	0.31	347	3.8	0.012	54.2	69	13.6	0.025	1.5	3.6	27	3.7	0.019	0.2	47	0.1	124	2	0.16	3.3	0.1
2061865	464700	7134136	1572.2	Frostboil	10	Grey	N	Damp	J. Roddick	WHI18000895	0.017	0.5	0.97	57.5	190	0.2	0.03	0.1	3.7	20	65.7	2.76	3	0.03	8	0.14	100	2.8	0.003	16.5	36	12.7	0.025	1.4	3.3	9	2.3	0.01	0.05	47	0.05	56	1	0.24	2	0.1
2061866	464762	7134188	1570.2	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0015	0.4	1.36	19.1	117	0.3	0.06	0.2	4.4	30	32	3.36	5	0.05	8	0.2	152	2.4	0.006	16.2	149	20.1	0.08	0.7	0.7	16	0.3	0.006	0.1	53	0.05	46	1	0.11	1.6	0.1
2061867	464814	7134184	1557.8	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0036	0.2	1.85	13.2	149	0.2	0.11	0.1	7.6	32	22.1	2.89	5	0.05	12	0.36	291	1.6	0.006	18	81	14	0.025	0.7	2.9	14	2	0.022	0.1	54	0.2	49	1	0.06	1.1	0.1
2061868	464867	7134179	1551.5	C	20	Grey	E	Damp	J. Roddick	WHI18000895	0.0051	0.2	1.85	13.8	172	0.2	0.1	0.1	9	31	21.1	2.82	5	0.05	15	0.42	336	1.6	0.007	22.4	65	15.3	0.025	0.7	3.6	14	2.8	0.025	0.1	58	0.1	56	0.5	0.07	0.25	0.1
2061869	464916	7134175	1548.8	B	10	Grey	E	Damp	J. Roddick	WHI18000895	0.0038	0.6	1.48	22.6	141	0.2	0.07	0.2	7.8	25	34.2	3.11	4	0.05	12	0.29	185	1.8	0.006	21.8	47	18.4	0.025	1.4	2.8	17	4.2	0.022	0.05	51	0.1	61	1	0.1	1.2	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Horizon	Depth cm	Colour	Slope Direction	Moisture	Sampler	Certificate	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	P_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm
2061870	464963	7134162	1544.6	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0018	0.2	1.38	15.3	126	0.2	0.1	0.1	7.7	26	24	2.68	4	0.05	14	0.33	202	1.4	0.006	22.7	57	12.2	0.025	0.8	2.8	13	4.7	0.028	0.1	47	0.1	57	0.5	0.05	0.25	0.1
2061871	465014	7134159	1541.2	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0015	0.2	1.59	13.6	96	0.2	0.09	0.1	7	28	17.7	2.81	5	0.04	15	0.35	253	1.3	0.006	18.2	33	12.3	0.025	0.8	2.9	11	4.3	0.033	0.1	53	0.2	49	0.5	0.04	0.25	0.1
2061872	465067	7134154	1532.7	C	10	Grey	E	Damp	J. Roddick	WHI18000895	0.0045	0.2	1.14	17.3	209	0.2	0.13	0.1	5.3	22	22.9	2.81	4	0.05	10	0.28	164	1.5	0.007	28	73	15.3	0.025	0.7	2.3	19	4	0.012	0.05	38	0.05	44	0.5	0.06	0.6	0.1
2061873	465117	7134134	1535.7	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0046	0.1	1.45	13.5	109	0.2	0.14	0.2	8.2	26	18.8	2.57	4	0.05	15	0.37	260	1.1	0.006	20.2	58	11.6	0.025	0.7	2.7	14	4	0.035	0.1	50	0.2	52	0.5	0.04	0.25	0.1
2061874	465158	7134100	1528.8	B	10	Brown	E	Damp	J. Roddick	WHI18000895	0.0021	0.2	1.58	15	116	0.2	0.08	0.2	7.5	28	18.1	2.67	5	0.05	16	0.35	264	1.4	0.006	19.3	33	12.8	0.025	0.7	3.1	10	4.1	0.037	0.1	55	0.2	50	1	0.04	0.25	0.1
2061875	463665	7134431	1462.6	B	10	Brown	W	Damp	J. Roddick	WHI18000895	0.0041	0.05	1.97	13.7	148	0.2	0.13	0.1	11.7	32	22	2.99	4	0.05	15	0.44	359	1.3	0.007	26.4	44	11.6	0.025	0.8	3.7	12	4.9	0.039	0.1	52	0.1	64	1	0.04	0.6	0.1
2061876	463561	7134428	1463.7	B	10	Brown	W	Damp	J. Roddick	WHI18000895	0.0048	0.1	1.52	8.5	103	0.1	0.19	0.2	10.9	25	133.8	2.99	5	0.05	13	0.44	368	1.3	0.007	23.6	53	7.6	0.025	0.6	3.5	14	2.1	0.048	0.1	52	0.2	85	0.5	0.04	0.25	0.1
2061877	463412	7134471	1438.8	B	10	Brown	W	Damp	J. Roddick	WHI18000895	0.0036	0.05	1.49	12.8	119	0.2	0.11	0.05	6.4	27	21.3	2.51	5	0.04	15	0.35	207	1.2	0.006	17.3	52	11.6	0.025	0.7	2.2	12	1.3	0.025	0.1	52	0.2	49	2	0.04	0.6	0.1
2061878	463361	7134461	1432	B	10	Brown	W	Damp	J. Roddick	WHI18000895	0.005	0.2	1.42	13.7	117	0.2	0.08	0.2	5	28	23.1	2.88	5	0.05	14	0.28	207	1.7	0.005	15.3	42	14.5	0.025	0.7	2.6	12	3.4	0.025	0.1	54	0.2	41	1	0.06	0.7	0.1
2061879	463254	7134452	1418.8	B	10	Brown	W	Damp	J. Roddick	WHI18000895	0.0037	0.2	1.56	12.4	114	0.2	0.08	0.2	5.7	30	14.4	2.64	6	0.05	16	0.29	190	1.9	0.005	15	38	14.9	0.025	0.6	2.8	12	4	0.028	0.1	60	0.2	41	2	0.06	0.5	0.1
2061880	463251	7134449	1417.7	C	10	Grey	W	Damp	J. Roddick	WHI18000895	0.006	0.3	1.53	11.9	268	0.3	0.05	0.3	3.1	26	40.4	2.77	4	0.04	8	0.31	135	1.9	0.005	23.2	58	22.9	0.025	0.7	2.6	48	2.1	0.005	0.1	44	0.05	61	0.5	0.07	0.25	0.1
2061881	463107	7134483	1429.5	C	20	Grey	W	Damp	J. Roddick	WHI18000895	0.0042	0.3	1.3	14.1	175	0.2	0.07	0.1	5	22	24.9	2.46	4	0.05	13	0.32	133	3.4	0.005	18.9	35	16.5	0.025	1.7	2.5	13	2.9	0.01	0.3	49	0.05	47	0.5	0.11	0.8	0.1
2061882	463042	7134566	1421.9	C	10	Grey	W	Damp	J. Roddick	WHI18000895	0.003	2.7	2	11	234	0.3	0.13	0.2	6.1	34	26.9	2.29	6	0.07	15	0.41	183	2.9	0.007	20.1	79	17.9	0.025	2.3	2.8	18	1.6	0.013	0.3	82	0.1	53	1	0.19	2.1	0.1
2061883	462954	7134625	1430.8	B	20	Grey	W	Damp	J. Roddick	WHI18000895	0.0023	0.4	1.07	7.6	156	0.1	0.12	0.05	4.5	23	15.3	1.64	3	0.04	15	0.32	136	1.7	0.006	14.5	40	8.2	0.025	2.3	2.1	14	1.5	0.027	0.1	45	0.1	36	1	0.07	0.25	0.1
2061884	462864	7134679	1425.8	B	20	Brown	W	Damp	J. Roddick	WHI18000895	0.0027	0.05	1.25	10.6	81	0.2	0.07	0.05	4.5	23	12.8	2.03	5	0.04	12	0.23	209	1.7	0.004	10.1	47	9.9	0.025	0.5	0.9	9	0.2	0.016	0.1	53	0.1	31	0.5	0.04	0.25	0.1
2061885	462759	7134705	1421.7	B	20	Brown	W	Damp	J. Roddick	WHI18000895	0.0036	0.1	1.48	9.7	132	0.1	0.13	0.05	5.9	26	21.2	2.11	4	0.04	15	0.37	163	1.2	0.005	17.8	57	9.7	0.025	0.6	1.9	13	0.8	0.022	0.1	47	0.1	49	0.5	0.06	0.25	0.1
2061886	462663	7134743	1422.1	C	30	Grey	W	Damp	J. Roddick	WHI18000895	0.0035	0.05	1.2	8.8	186	0.1	0.1	0.05	4.9	24	25.8	1.94	3	0.03	14	0.36	199	0.8	0.005	21.2	36	8.4	0.025	0.5	2.5	12	2.5	0.025	0.05	38	0.05	46	0.5	0.09	0.25	0.1
2061887	462567	7134783	1413.4	C	30	Grey	W	Damp	J. Roddick	WHI18000895	0.0103	0.3	1.07	10.4	191	0.2	0.07	0.05	3.1	22	33.6	1.99	3	0.04	8	0.29	88	1	0.005	18.5	42	10.6	0.025	0.7	1.6	16	1.3	0.01	0.05	38	0.1	45	2	0.1	0.25	0.1
2061888	462422	7134855	1402	C	30	Grey	W	Damp	J. Roddick	WHI18000895	0.0058	0.3	1.15	10.7	279	0.2	0.07	0.1	4.7	23	18.5	2.19	4	0.04	12	0.3	181	3.1	0.005	18.3	38	14	0.025	3.5	2	14	1.4	0.014	0.2	52	0.1	37	2	0.11	1	0.1
2061889	462315	7134874	1403	C	30	Grey	W	Damp	J. Roddick	WHI18000895	0.0044	0.2	1.51	10.3	184	0.2	0.13	0.1	6.1	26	19.7	2.13	4	0.04	13	0.37	176	1.3	0.005	18.5	64	10.6	0.025	0.9	2.3	20	2.2	0.023	0.1	46	0.1	45	2	0.07	0.25	0.1
2061890	462217	7134909	1392.4	B	30	Grey	W	Damp	J. Roddick	WHI18000895	0.005	0.2	1.15	6.7	104	0.2	0.1	0.05	3.2	21	13.9	1.57	4	0.03	14	0.3	80	1.2	0.004	12.3	41	8.5	0.025	1.2	1.1	12	0.4	0.015	0.1	40	0.1	33	1	0.04	0.25	0.1
2061891	462164	7134907	1397.7	C	20	Grey	W	Damp	J. Roddick	WHI18000895	0.0043	0.3	1.03	6.1	109	0.1	0.11	0.05	4.1	20	14.8	1.59	3	0.03	16	0.3	111	1.3	0.005	13.8	43	6.9	0.025	1.4	1.7	11	1	0.025	0.05	39	0.1	39	2	0.04	0.25	0.1
2061892	462057	7134895	1388.2	B	20	Brown	W	Damp	J. Roddick	WHI18000895	0.0048	0.2	1.58	11.9	104	0.2	0.12	0.1	7.2	28	17.5	2.55	4	0.05	16	0.39	202	1	0.006	16.6	42	11.4	0.025	0.8	2.7	12	4.5	0.037	0.1	46	0.2	43	2	0.06	0.6	0.1
2061893	461957	7134910	1379.3	B	20	Brown	W	Damp	J. Roddick	WHI18000895	0.0029	0.2	1.14	6.8	202	0.1	0.1	0.1	5.7	21	18.9	1.73	3	0.04	20	0.34	159	1.9	0.005	17.7	42	7.9	0.025	1.9	2.6	10	1.4	0.027	0.1	41	0.2	47	1	0.07	0.25	0.1
2061901	471182	7129966	1401.5	C	20	Grey	N	Damp	C. Studer	WHI18000895	0.0006	0.2	1.77	29.9	83	0.3	0.005	0.2	7.6	29	38.2	4.6	5	0.12	28	0.68	144	23.2	0.015	31	106	25	0.2	0.7	3.8	22	8.8	0.0005	0.3	26	0.05	89	1	0.12	1.1	0.1
2061902	471211	7130004	1410	Frostboil	10	Grey		Moist	C. Studer	WHI18000895	0.00025	0.1	3.02	19	106	0.4	0.13	0.3	9.6	42	51.3	5.48	7	0.2	15	1.22	201	1.5	0.017	58	241	20.6	0.24	0.2	4.8	34	10.3	0.0005	0.2	34	0.05	140	0.5	0.08	0.5	0.1
2061903	471243	7130043	1391.3	C	10	Grey	N	Damp	C. Studer	WHI18000895	0.002	0.05	1.82	10.6	84	0.3	0.03	0.2	6.4	31	35.2	4.18	5	0.07	17	0.66	146	1.3	0.008	40.8	75	24.6	0.025	0.5	2.8	18	7.5	0.0005	0.1	28	0.05	98	1	0.04	0.25	0.1
2061904	471268	7130085	1376.8	C	10	Grey	N	Damp	C. Studer	WHI18000895	0.0013	0.1	2.27	11.9	75	0.4	0.02	0.1	24.4	36	51.6	5.49	5	0.07	15	0.78	225	1.4	0.008	86.4	78	33.2	0.025	0.6	3.9	15	9.5	0.0005	0.05	30	0.05	191	0.5	0.05	0.25	0.1
2061905	471293	7130129	1378.6	C	20	Grey	N	Damp	C. Studer	WHI18000895	0.0025	0.05	1.69	11.9	85	0.2	0.08	0.2	10.6	28	21.1	2.93	4	0.06	14	0.44	234	1.4	0.006	29.1	46	13	0.025	0.8	2.9	12	5.6	0.024	0.1	41	0.05	68	2	0.03	0.25	0.1
2061906	471311	7130175	1372.8	B	10	Brown	N	Damp	C. Studer	WHI18000895	0.0014	0.3	1.83	13.4	82	0.3	0.05	0.2	11.2	30	28.9	3.22	5	0.06	19	0.56	198	1.7	0.006	36.4	44	16.5	0.025	0.7	3.2	11	6.9	0.015	0.2	42	0.1	77	1	0.05	0.25	0.1
2061907	471339	7130216	1367.8	C	10	Grey	S	Damp	C. Studer	WHI18000895	0.0013	0.05	1.78	14.7	84	0.3	0.05	0.1	5.6	28	18.7	3.23	5	0.05	22	0.4	170	3.1	0.006	18.7	48	15.2	0.025	0.6	2.4	10	6	0.013	0.2	45	0.1	56	1	0.04	0.25	0.1
2061908	465563	7133488	1540.8	C	20	Grey		Damp	C. Studer	WHI18000895	0.0038	0.05	1.43	12.1	151	0.2	0.12	0.2	10.1	26	22.3	2.47	4	0.05	18	0.4	429	1.1	0.006	24.1	56	11.8	0.025	0.9	3	12	4	0.033	0.05	45	0.2	67	2	0.04	0.25	0.1
2061909	465574	7133590	1528.1	C	20	Grey	S	Damp	C. Studer	WHI18000895	0.0023	0.1	1.46	10.6	183	0.2	0.14	0.3	11.3	26	22.4	2.65	4	0.05	17	0.35	441	1.4	0.005	29.4	67	13.3	0.025	0.8	2.6	14	1.9	0.023	0.1	44	0.1	72	2	0.07	0.25	0.1
2061910	465591	7133688	1554	B	30	Brown	S	Dry	C. Studer	WHI18000895	0.0034	0.1	1.76	11.6	164	0.2	0.11	0.1	8.4	29	28	2.63	5	0.05	18	0.42	288	1.1	0.006	22.4	53	10	0.025	0.7	2.9	12	1.2	0.033	0.2	53	0.1	65	2	0.05	0.25	0.1
2061911	465647	7133746	1554.3	C	30	Grey	W	Damp	C. Studer	WHI18000895	0.0022	0.05	1.62	12.7	180	0.1	0.13	0.2	12.4	28	37.3	2.7	4	0.05	15	0.51	443	1	0.007	28.2	33	9.3	0.025	0.7	3.7	12	3.2	0.048	0.1	54	0.2	62	1	0.02	0.25	0.1
2061912	465698	7133749	1560	B	20	Brown	W	Damp	C. Studer	WHI18000895	0.001	0.05	2.05	11	191	0.2	0.14	0.1	10.4	35	19.7	3.01	6	0.06	14	0.5	433	1.3	0.007	21.1	56	11	0.025	0.7	2.5	13	0.8	0.035	0.2	64	0.2	67	3	0.02	0.25	0.1
2061913	465745	7133757	1563.7	C	20	Grey	W	Damp	C. Studer	WHI18000895	0.0022	0.05	1.8	14	261	0.1	0.18	0.1	18.5	33	62.7	3.01	5	0.05	14	0.55	789	1.1	0.006	31.9	42	10	0.025	0.7	4.7	13	2.2	0.04	0.1	65	0.2	69	2	0.03	0.5	0.1
2061914	465793	7133770	1562.4	C	20	Grey		Damp	C. Studer	WHI18000895	0.0027	0.2	1.38	18.6	187	0.2	0.08	0.2	5.7	29	32.1	2.67	5	0.05	13	0.32	240	2	0.005	27.8	54	11.7	0.025	1.1	1.5	8	0.3	0.023	0.2	60	0.2	84	2	0.05	0.8	0.1
2061915	465843	7133771	1559.9	B	20	Brown	W	Damp	C. Studer	WHI18000895	0.0038	0.1	1.53	12.5	129	0.2	0.1	0.2	7.9	28	26	2.57	5	0.05	15	0.36	327	1.5	0.005	23.5	50	11.8	0.025	0.8	1.8	10	0.6	0.027	0.1	54	0.1	75	2	0.04	0.6	0.1
2061916	465896	7133779	1568.8	C	30	Grey	W	Damp	C. Studer	WHI18000895	0.008	0.05	2.17	12.3	230	0.2	0.31	0.2	16.5	38	99.8	3.45	6	0.06	18	0.73	552	1.3	0.011	43.5	82	9.9	0.025	0.7	5.1	19	2.1	0.052	0.1	76	0.3	97	3	0.06	0.25	0.1
2061917	465944	7133775	1592.4	B	10	Brown		Damp	C. Studer	WHI18000895	0.0076	0.05	1.62	10.2	188	0.2	0.24	0.2	12.8	27	50.5	3.18	5	0.05	15	0.5	446	1.2	0.006	28.9	52	10.1	0.025	0.7	2.7	15	1.2	0.042	0.1	69	0.3	90	2	0.04	0.25	0.1
2061918	466003	7133780	1619.4	B	10	Brown	W	Damp	C. Studer	WHI18000895	0.0052	0.05	1.99	11.2	205	0.2	0.25	0.2	14.4	32	60.3	3.23	6	0.05	16	0.57	593	1.3	0.008	30.4	53	10	0.025	0.8	3.9	16	2.1	0.066	0.1	88	0.2	81	2	0.04	0.25	0.1
2061919	466059	7133769	1615.3	B	10	Brown		Damp	C. Studer	WHI18000895	0.0022	0.05	1.76	12.1	194	0.2	0.13	0.3	12.1	29	21.5	2.63	5	0.05	15	0.45	375	1.3	0.007	24.6	35	11.6	0.025	0.7	3.4	12	3.3	0.044	0.2	54	0.2	68	1	0.03	0.7	0.1
2061920	466058	7133769	1607.3	B	10	Brown		Damp	C. Studer	WHI18000895	0.0018	0.05	1.81	11.5	216	0.2	0.12	0.2	9.3	31	21.2	2.74	6	0.05	16	0.43	325	1.2	0.007	21.6	36	11.6	0.025	0.7	3.2	11	2.6	0.048	0.2	63	0.2	67	2	0.03	0.25	0.1
2061921	466108	7133757	1607.2	B	10	Brown		Damp	C. Studer	WHI18000895	0.0188	0.1	1.71	8.5	185	0.1	0.31	0.4	17.7	33	88.6	3.2	5	0.06	19	0.54	613	1.3	0.01	34.9	79	8.8	0.025	0.8	7.3	19	3.4	0.072	0.05	87	0.2	91	2	0.04	0.7	0.1
2061922	466158	7133764	1606.2	B	10	Brown		Damp	C. Studer	WHI18000895	0.0026	0.1	1.8	14.9	159	0.1	0.15	0.3	16.7	28	40.4	2.68	5	0.04	14	0.44	429	1.2	0.007	30	39	18.3	0.025	0.7	3.4	12	3.1	0.046	0.1	54	0.2	74	2	0.02	0.25	0.1
2061923	466238	7133734	1589.9	B	10	Brown	E	Damp	C. Studer	WHI18000895	0.0095	0.05	1.85	10.5	149	0.2	0.19	0.2	18.7	28	107	3.46	5	0.05	16	0.48	539	1.3	0.007	32.7	50	9	0.025	0.8	4.5	13	2.7	0.057	0.1	90	0.2	84	2	0.03	0.7	0.1
2061924	466352	7133772	1537.4	C	10	Grey	W	Damp	C. Studer	WHI18000895	0.0086	0.6	1.13	13.8	219	0.2	0.05	0.4	12	26	66.6	3.12	4	0.08	15	0.23	1281	3.5	0.005	46.1	94	17.4	0.06	1.6	1.6	15	0.4	0.03	0.1	59	0.05	148	3	0.05	1.5	0.1
2061925	466419	7133850	1512.1	B	10	Brown	NE	Damp	C. Studer	WHI18000895	0.0048	0.5	0.94	22.8	190	0.3	0.1	0.5	8.2	21	52.2	2.51	3	0.05	14	0.2	454	3.5	0.004	39.1	79	13.1	0.025	1.3	1.4	21	0.4	0.009	0.2	40	0.1	118	2	0.15	2.3	0.1
2061926	466519	7133963	1478.2	C	20	Grey		Moist	C. Studer	WHI18000895	0.0026	0.05	1.6	13	105	0.2	0.11	0.05	7.1	28	17.3	2.7	5	0.04	16	0.37	236	1.3	0.005	19.1	53	12	0.025	0.7	2.5	10	1.9	0.029	0.2	52	0.2	49	2	0.04	0.7	0.1
2061927	466617	7133997	1466.5	C	30	Grey		Damp	C. Studer	WHI18000895	0.0027	0.3	1.63	19.9	182	0.2	0.08	0.2	9	29	28.9	3.15	4	0.07	12	0.39	288	1.5	0.008	22.8	60	16.1	0.1	0.9	2.9	16	3.4	0.022	0.1	48	0.1	48	2	0.07	1.3	0.1
2061928	466767	7134012	1475.7	B	10	Brown	E	Damp	C. Studer	WHI18000895	0.0028	0.05	2.13	11.5	184	0.2	0.24	0.2	23.8	31	70.9	3.38	6	0.05	15	0.58	664	1.2	0.008	51.5	74	9.8	0.06	0.7	4.4	15	1.5	0.046	0.1	72	0.1	156	2	0.04	0.25	0.1
2061929	466915	7134036	1445.5	B	30	Brown	W	Damp	C. Studer	WHI18000895	0.0024	0.05	1.93	12.6	182	0.2	0.21	0.05	11.1	32	27.2	2.8	5	0.05	16	0.51	300	1.1	0.008	25	80	10.9	0.025	0.7	2.8	17	2	0.039	0.2	55	0.2	67	2	0.04	0.6	0.1
2061930	467050	7134101	1421.5	C	10	Grey		Damp	C. Studer	WHI18000895	0.0015	0.3	1.43	18.8	173	0.3	0.03	0.05	3.3	28	32.6	2.97	4	0.05	5	0.29	122	1.6	0.005	22	57	17.8	0.07	0.7	1.8	11	2.2	0.009	0.1	49	0.05	50	0.5	0.05	1.9	0.1
2061931	467141	7134144	1428.7	C	10	Mottled	W	Damp	C. Studer	WHI18000895	0.002	0.2	1.6	17.7	105	0.2	0.1	0.1	8.1	29	24.5	2.82	5	0.05	12	0.37	244	1.4	0.005	21.2	49	13.7	0.025	0.9	2.7	12	3.6	0.034	0.1	51	0.2	59	2	0.05	0.9	0.1
2061932	467289	7134119	1397	C	20	Grey	W	Damp	C. Studer	WHI18000895	0.0021	0.1	1.37	16.7	168	0.2	0.08	0.1	9	26	24.4	2.67	4	0.04	14	0.41	305	1.2	0.006	23	45	13.9	0.025	0.8	2.9	11	3.6	0.025	0.1	44	0.1	60	1	0.04	1.1	0.1
2061933	467434	7134158	1399.2	C	10	Mottled	E	Damp	C. Studer	WHI18000895	0.004	0.2	1.64	14.8	91	0.2	0.08	0.1	7.3	28	21.5	2.81	5	0.04	13	0.34	233	1.5	0.005	18	47	13.3	0.025	0.8	2.6	10	3	0.034	0.1	57	0.2	48	1	0.06	1.1	0.1
2061934	467483	7134171	1398.8	B	10	Brown		Damp	C. Studer	WHI18000895	0.0016	0.3	1.72	14.2	98	0.2	0.07	0.1	6.8	27	20.1	2.76	5	0.03	13	0.34	213	1.3	0.004	18.4	35	12.2	0.025	0.7	2.5	8	2.6	0.031	0.1	55	0.2	49	0.5	0.06	0.8	0.1
2061935	467630	7134207	1399.2	C	20	Grey		Damp	C. Studer	WHI18000895	0.0037	0.3	1.69	14.4	110	0.2	0.08	0.1	10.4	28	26.2	2.94	4	0.05	15	0.37	276	1.1	0.005	25.8	40	12.3	0.025	0.8	3.2	9	5.2	0.035	0.1	42	0.2	56	3	0.07	1	0.1
2061936	467781	7134211	1367.9	B	30	Brown	W	Moist	C. Studer	WHI18000895	0.0057	0.05	1.54	12.6	127	0.2	0.09	0.05	5.6	31	18.5	2.6	6	0.04	14	0.36	149	1.3	0.005	16.6	49	13	0.025	0.7	1.8	10	0.4	0.023	0.2	60	0.2	46	0.5	0.05	0.9	0.1
2061937	467930	7134180	1360.4	B	70	Grey	W	Damp	C. Studer	WHI18000895	0.0043	0.05	1.81	11.1	214	0.2	0.17	0.05	8.4	32	23.9	2.53	5	0.05	18	0.46	155	1	0.007	20.7	68	12.8	0.025	0.7	3.5	14	2.1	0.031	0.1	54	0.2	53	1	0.06	0.9	0.1
2061938	468081	7134192	1355.1	C	20	Grey		Damp	C. Studer	WHI18000895	0.0013	0.05	1.71	13.7	147	0.2	0.1	0.1	9.8	28	23.7	2.83	4	0.05	13	0.43	306	1.3	0.006	24.7	49	12.8	0.025	0.7	3.2	12	4.4	0.031	0.05	48	0.2	56	0.5	0.03	1.1	0.1
2061939	468131	7134198	1348.8	C	30	Brown	E	Damp	S. Orban	WHI18000895	0.0041	0.05	1.56	12.7	156	0.2	0.12	0.05	8.9	28	19.7	2.64	5	0.04	15	0.41	294	1.2	0.005	20.7	51	12	0.025	0.7	2.9	12	2.6	0.032	0.1	54	0.2	53	0.5	0.03	0.7	0.1
2061940	468271	7134193	1338.3	C	30	Brown	E	Damp	S. Orban	WHI18000895	0.0029	0.05	1.55	11.3	198	0.2	0.1	0.1	8.1	28	21	2.44	5	0.04	13	0.4	243	1.1	0.006	20.5	39	10.8	0.025	0.6	2.8	12	2.6	0.026	0.1	49	0.2	50	1	0.04	0.25	0.1
2061941	468225	7134207	1337.8	C	40	Grey	W	Damp	C. Studer	WHI18000895	0.0034	0.05	1.56	13.9	150	0.2	0.12	0.2	9.1	28	27.4	2.63	4	0.04	13	0.4	286	1.3	0.006	23.8	53	12.2	0.025	0.7	3	12	3.6	0.03	0.1	46	0.2	56	1	0.04	0.9	0.1
2061951	463076	7134528	1426.4	C	20	Grey	SE	Damp	R. Rigal	WHI18000895	0.0011	0.05	0.49	27.8	135	0.2	0.04	0.05	2.2	14	41.3	1.77	2	0.03	8	0.14	52	8.4	0.003	10.4	17	12.6	0.025	2.3	2	8	2	0.007	0.3	35	0.05	27	0.5	0.11	1.9	0.1
2061952	462999	7134598	1425.3	C	20	Grey	SE	Damp	R. Rigal	WHI18000895	0.006	0.05	1.14	6.8	106	0.2	0.1	0.05	3.9	21	24.2	1.64	3	0.03	13	0.33	87	0.8	0.005	15.8	36	10.7	0.025	0.5	1.8	11	0.8	0.022	0.05	36	0.1	43	0.5	0.04	0.6	0.1
2061953	462915	7134659	1427.7	C	20	Grey	SE	Damp	R. Rigal	WHI18000895	0.0024	0.1	1.38	12	143	0.2	0.11	0.3	4.5	26	32.1	2.18	4	0.04	12	0.37	135	1.3	0.005	19.4	50	10.3	0.025	0.7	2	13	0.9	0.021	0.1	51	0.1	46	0.5	0.07	0.7	0.1
2061954	462813	7134695	1423.3	C	20	Grey	SE	Damp	R. Rigal	WHI18000895	0.0023	0.05	1.46	8.7	122	0.2	0.08	0.05	3.8	26	19.8	1.96	5	0.03	12	0.35	120	1.1	0.004	14.5	47	10.2	0.025	0.4	1.2	9	0.3	0.013	0.1	45	0.1	40	0.5	0.06	0.6	0.1
2061955	462713	7134728	1421.1	B	20	Brown	SE	Damp	R. Rigal	WHI18000895	0.0032	0.1	1.61	11.6	122	0.2	0.08	0.05	4.6	28	18.4	2.42	5	0.04	14	0.34	148	1.4	0.005	15.9	52	11.8	0.025	0.6	1.5	11	0.6	0.018	0.1	54	0.2	42	0.5	0.06	1	0.1
2061956	462617	7134767	1421.3	B	30	Brown	SE	Damp	R. Rigal	WHI18000895	0.0034	0.1	1.44	10.8	154	0.2	0.14	0.1	7.5	25	28.2	2.32	4	0.04	14	0.39	180	1.1	0.005	24.1	67	10.1	0.025	0.7	2.2	14	1.9	0.024	0.1	44	0.1	56	0.5	0.11	0.7	0.1
2061957	462519	7134808	1412	B	30	Grey	SE	Damp	R. Rigal	WHI18000895	0.0049	0.1	1.58	11.8	153	0.2	0.1	0.05	6.2	28	18	2.38	5	0.05	13	0.37	223	1.7	0.005	17.2	58	12.7	0.025	0.9	2.6	12	1.9	0.022	0.1	54	0.2	52	2	0.05	0.9	0.1
2061958	462474	7134836	1413.4	C	40	Grey	SE	Damp	R. Rigal	WHI18000895	0.001	0.3	0.93	10.1	183	0.2	0.04	0.05	2	19	13.5	1.49	4	0.04	8	0.18	78	4.2	0.006	10.7	35	14.9	0.025	2.8	1.5	10	0.6	0.005	0.3	56	0.05	20	0.5	0.07	1.2	0.1
2061959	462370	7134870	1405.6	C	30	Grey	SE	Damp	R. Rigal	WHI18000895	0.0047	0.2	1.64	12.3	145	0.2	0.09	0.2	6.2	30	25.3	2.53	5	0.05	12	0.43	202	1.5	0.005	21.9	57	12.3	0.025	1.1	2.1	16	1.1	0.02	0.1	53	0.1	53	0.5	0.08	1	0.1
2061960	462271	7134904	1399.2	C	30	Grey	SE	Damp	R. Rigal	WHI18000895	0.0016	0.1	1.37	8.6	154	0.2	0.16	0.1	6.6	26	21.3	2.07	4	0.04	16	0.41	162	1.3	0.005	18.8	61	8.9	0.025	1.1	2.5	15	2.1	0.03	0.2	47	0.2	49	0.5	0.04	0.8	0.1
2061961	462271	7134905	1400.3	B	30	Brown	SE	Damp	R. Rigal	WHI18000895	0.0029	0.05	1.34	8	111	0.1	0.14	0.05	5.3	23	16.8	1.97	4	0.03	13	0.38	139	1.1	0.005	15.7	57	8.4	0.025	0.9	1.7	13	1	0.024	0.1	42	0.1	46	0.5	0.04	0.9	0.1
2061962	462113	7134903	1391	C	20	Grey	SE	Damp	R. Rigal	WHI18000895	0.0028	0.3	0.93	6.7	291	0.1	0.12	0.05	4.5	20	16.4	1.53	3	0.03	16	0.3	142	1.7	0.006	14.6	32	9.4	0.025	4.1	2.1	12	1.5	0.028	0.1	45	0.1	36	0.5	0.09	0.5	0.1
2061963	462009	7134905	1386.5	C	30	Grey	SE	Damp	R. Rigal	WHI18000895	0.0009	0.05	1.38	8	88	0.1	0.15	0.1	5.2	25	24.2	1.99	4	0.04	13	0.4	136	0.9	0.005	18.7	52	8	0.025	0.6	2.1	12	1.9	0.032	0.05	42	0.1	47	0.5	0.04	0.7	0.1

Sample Number	Easting NAD83	Northing NAD83	Elevation	Coord System	Exposure Type	Sample Type	Lithology	Colour	Texture	Alteration	Mineralisation	Deformation	Structural Type	Dip	Dip Azimuth	Strike	Description	Certificate	Sample	Au_ppm	Ag_ppm	Al_PCT	As_ppm	Ba_ppm	Bi_ppm	Ca_PCT	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_PCT	Ga_ppm	K_PCT	La_ppm	Mg_PCT	Mn_ppm	Mo_ppm	Na_PCT	Ni_ppm	Pb_ppm	S_PCT	Sb_ppm	Sc_ppm	Sr_ppm	Th_ppm	Ti_PCT	Tl_ppm	V_ppm	W_ppm	Zn_ppm	B_ppm	Hg_ppm	Se_ppm	Te_ppm	P_PCT	Wgt_kg
2057012	473588	7125225	1324	NAD83	Outcrop	Rock Chip	Gabbro?	green	Massive	q, chl	Quartz	1	Vein Orientation - Dip/Strike	90	51	20	Phaneritic, silica-rich, chl alt, blue-green fresh, rusty; ox on fractures; contact with MSeds? (more foliated, phyllite shine, with q veins)	WHI18001078	2057012	0.008	0.1	4.51	111	69	0.2	2.18	0.5	39.3	175	141.8	6.27	7	0.01	3	3.47	1037	0.2	0.001	88.4	3.4	0.025	0.9	9.5	41	0.3	0.212	0.05	176	0.05	110	0.5	0.01	0.25	0.1	520	0
2057013	473682	7126056	1547	NAD83	Outcrop	Rock Chip	Breccia	orange	Sheared	ox	Quartz, Sx?	5	Fault	9	72		Fault breccia in MSeds, 6 m wide, extends for 10s of m (what we saw); seds have veins rusty red alt (phyllite, quartzite)	WHI18001078	2057013	0.008	0.05	0.53	24.8	280	0.1	0.01	0.1	3.2	4	5.9	1.44	0.5	0.01	0.5	0.01	29	0.2	0.002	14.3	1.6	0.025	0.7	0.7	5	0.6	0.002	0.05	3	0.05	54	0.5	0.05	0.7	0.1	70	3
2057014	465545	7128234	1582	NAD83	Spring	Rock Chip	Quartzite?	grey	Massive	ox	Quartz	1					"red river", 3 m across x >30 m long; dug 10 cm - water clear, no source of iron ox apparent	WHI18001078	2057014	0.0025	0.05	0.04	27.5	14	0.1	0.005	0.05	0.4	2	1.2	0.38	0.5	0.005	0.5	0.005	25	0.2	0.0005	1.5	3	0.025	0.5	0.1	2	0.5	0.0005	0.05	0.5	0.05	6	0.5	0.01	0.25	0.1	40	3
2057015	465409	7128268	1556	NAD83	Outcrop	Rock Chip	Quartzite	grey	Massive	ox	Quartz						Purple weathered quartzite with q vein; contact with slate?; purple Mn q breccia float (sample)	WHI18001078	2057015	0.0025	0.05	0.13	7.4	92	0.05	0.02	0.3	39.7	3	6.5	9.77	0.5	0.01	2	0.02	739	0.4	0.001	68.3	3.4	0.025	0.1	0.6	6	0.6	0.001	0.05	4	0.05	222	0.5	0.03	0.25	0.1	120	3
2057016	467485	7127828	1642	NAD83	Outcrop	Rock Chip	Quartzite	green	Massive	ox	Quartz	1					Outcrop in boulder ridge; dk grey-green quartzite with phyllite sheen; blood red alt; quartz rich	WHI18001078	2057016	0.0025	0.05	0.09	10.6	29	0.05	0.005	0.05	0.9	3	1.6	0.52	0.5	0.01	2	0.005	39	0.2	0.001	1.8	3.1	0.025	0.2	0.3	7	1	0.0005	0.05	1	0.05	4	0.5	0.03	0.25	0.1	130	1
2057017	468237	7128602	1496	NAD83	Outcrop	Rock Chip	Gabbro?	green	Massive	ox		1					V. weathered; green-white, phaneritic; red-black alt; no veining visible	WHI18001078	2057017	0.0025	0.05	2.11	4.8	128	0.05	0.91	0.05	27	6	144.3	3.81	5	0.07	3	1.39	360	0.1	0.031	40.9	0.4	0.025	0.05	3.2	35	0.2	0.202	0.05	109	0.05	51	3	0.005	0.25	0.1	460	2
2057018	468200	7128627	1493	NAD83	Outcrop	Rock Chip	Greenstone?	green	Massive		Quartz	1					Dark green, massive, not reactive with HCl, brown weathered; w q lenses	WHI18001078	2057018	0.0025	0.1	3.03	2.4	192	0.05	1.56	0.2	34.7	48	230.9	5.78	10	0.11	5	1.87	638	0.1	0.024	46.9	0.9	0.025	0.05	8.5	36	0.3	0.266	0.05	154	0.05	87	3	0.005	0.25	0.1	710	3
2057019	467770	7128922	1568	NAD83	Outcrop	Rock Chip	Greenstone	green	Massive	ox	Quartz	1					Dark green, massive, aphanitic, with q; not on original geo map	WHI18001078	2057019	0.018	0.05	2.35	1.6	297	0.05	1.22	0.05	26.3	5	348.4	6.43	11	0.19	10	0.93	590	0.7	0.032	19	0.6	0.025	0.05	4	31	0.6	0.316	0.05	158	0.05	95	3	0.01	0.25	0.1	1360	1
2057020	463674	7137169	1399	NAD83	Outcrop	Rock Chip	MSed	grey	Laminated	chl	Quartz	2	Cleavage (S1)	50	55		Quartzite, slate, limey seds section in gorge; greenish-grey; chl; folded	WHI18001078	2057020	0.0025	0.05	0.03	1.6	6	0.05	34.89	0.05	0.4	0.5	1.4	0.1	0.5	0.005	2	0.11	99	0.05	0.004	0.2	0.3	0.025	0.05	0.3	1075	0.2	0.002	0.05	1	0.05	1	0.5	0.005	0.25	0.1	140	0
2057021	463684	7137548	1355	NAD83	Outcrop	Rock Chip	Andesite?	grey	Massive	ox	Quartz, Py?	1					Dark grey w orange patina; massive; cross-cutting q veins; orange rusted out cubes - py?; near Au anomaly!	WHI18001078	2057021	0.0025	0.05	0.49	5.3	26	0.05	0.1	0.05	3.8	7	8.6	1.29	2	0.09	3	0.13	217	0.2	0.016	7.3	17.7	0.025	0.05	0.8	7	2.7	0.023	0.05	8	0.05	28	2	0.03	0.25	0.1	210	2
2057022	463393	7137735	1427	NAD83	Outcrop	Rock Chip	Greenstone?	green	Massive	cc, ox	Cc	1					Dark green, massive, no veining apparent	WHI18001078	2057022	0.0025	0.05	2	2.6	115	0.05	1.6	0.1	29.7	64	58	4.59	13	0.03	17	1.54	456	1.1	0.048	74.3	3.1	0.025	0.05	2	47	3.7	0.368	0.05	68	0.3	78	4	0.005	0.25	0.1	1170	2
2057023	463379	7137579	1388	NAD83	Outcrop	Rock Chip	Greenstone?	green	Massive	cc, ox	Cc	1					Light green; sometimes slaty texture to massive; with cc veins; rusty red alt; gradiational between stations 16 and 18?	WHI18001078	2057023	0.0025	0.05	2.1	0.6	45	0.4	0.07	0.05	15.8	21	6.9	4.17	6	0.24	13	0.66	195	0.05	0.008	29.1	9	0.025	0.05	2	10	8.4	0.002	0.05	15	0.05	85	4	0.005	0.25	0.1	290	1
2057024	460810	7127042	1708	NAD83	Outcrop	Rock Chip	Vein?	orange	Sheared	ox	Quartz, Sx?	5	Vein Orientation - Dip/Strike	205	45	60	Quartz vein with brecciated quartzite; orange-red alt; potentially rusted out sx; might be more in sequence	WHI18001078	2057024	0.0025	0.05	0.1	3.9	4	0.05	0.005	0.05	0.6	3	11.8	1.11	0.5	0.005	0.5	0.01	27	0.2	0.0005	2.7	1.2	0.025	0.05	0.3	0.5	0.5	0.003	0.05	3	0.05	11	0.5	0.005	0.25	0.1	150	1
2057025	461969	7107072	1449	NAD83	Float	Rock Chip	Breccia	red	Sheared	ox		5					Sample of breccia float near Pika 2018 camp	WHI18001078	2057025	0.006	0.3	0.3	9.6	71	0.1	0.02	0.7	10.6	6	21.8	9.1	0.5	0.03	2	0.04	222	1.5	0.003	55.6	7.8	0.025	0.3	0.7	7	1.4	0.0005	0.05	10	0.05	304	0.5	0.05	1.2	0.1	210	2
2057026	461629	7127141	1473	NAD83	Float	Rock Chip	Colluvium	red		ox							Sample of gossan (red river)	WHI18001078	2057026	0.0025	0.05	0.02	4.7	35	0.05	0.005	0.05	14.6	0.5	0.3	41	0.5	0.005	0.5	0.005	747	0.2	0.0005	36.1	1.2	0.025	0.05	0.5	2	0.05	0.0005	0.05	5	0.05	1026	0.5	0.02	0.25	0.1	40	1
2057027	461959	7127768	1511	NAD83	Subcrop	Rock Chip	Breccia	orange		ox							Quartzite oxide breccia	WHI18001078	2057027	0.0025	0.05	0.24	7.2	82	0.05	0.01	0.05	0.3	7	7.5	1.04	0.5	0.03	2	0.005	27	0.3	0.002	1.3	7	0.025	0.2	1.2	10	1.6	0.0005	0.05	11	0.05	17	0.5	0.07	0.25	0.1	330	3
2057028	461935	7127792	1525	NAD83	Subcrop	Rock Chip	Breccia	orange		ox							Quartzite breccia	WHI18001078	2057028	0.0025	0.05	0.07	2.4	3	0.05	0.005	0.05	0.3	3	12.8	3.73	0.5	0.005	0.5	0.005	21	0.2	0.0005	0.6	2	0.025	0.05	0.2	0.5	0.5	0.001	0.05	3	0.05	19	0.5	0.02	0.25	0.1	80	2
2057029	465193	7134081	1519	NAD83	Outcrop	Rock Chip	MSed	grey/orange		ox	Py						Pyritic Shale	WHI18001078	2057029	0.007	0.5	3.06	42.5	104	0.05	0.78	0.05	6.1	46	31.4	8.77	9	0.11	14	0.66	197	1.3	0.021	27.9	20.2	1.65	2	4.1	31	4.1	0.006	0.05	109	0.05	87	2	0.02	5.6	0.1	4190	1
2057030	465119	7134149	1519	NAD83	Outcrop	Rock Chip	Breccia	orange		ox							Oxidized fault breccia	WHI18001078	2057030	0.0025	0.2	0.7	40.3	87	0.05	0.005	0.05	3.9	13	135.2	9.13	2	0.01	0.5	0.04	43	1.1	0.001	9.9	7	0.13	1.1	3.9	4	1.1	0.002	0.05	30	0.05	301	0.5	0.07	7.3	0.1	1730	1
2057031	461758	7128314		NAD83	Subcrop	Rock Chip	Breccia	orange		ox							Rusty Quartz breccia.	WHI18001078	2057031	0.0025	0.1	0.74	43.3	30	0.05	0.005	0.05	0.3	10	14.8	2.64	0.5	0.01	2	0.01	23	1.1	0.001	6	5.8	0.06	1.3	2.3	2	0.7	0.0005	0.05	67	0.05	6	0.5	0.02	1.1	0.1	2030	2

456000 458000 460000 462000 464000 466000 468000 470000 472000 474000 476000 478000

7138000 7136000 7134000 7132000 7130000 7128000 7126000

N

Legend:

Hawk Claims

StrataGold Corporation

Projection: NAD 83 Zone 8N

Drawn By: JK

EAGLE GOLD PROJECT
YUKON TERRITORY

0 0.5 1 2
Kilometres

Date: 2019/10/28

Figure: 2

Hawk Claims