

ASSESSMENT REPORT

(YMEP # 19-078)

**2019 GEOLOGY, SOIL GEOCHEMISTRY and
INDUCED POLARIZATION GEOPHYSICAL SURVEYS**

on the

RC GOLD PROPERTY – RC and BEE CLAIMS

Owned by Fox Exploration Ltd.

and

William Mann

Operated by Sitka Gold Corp.

Grant No.	Claim Name	Claim Owner	Expiry
YD86421-YD86492	RC 1-72	Fox Exploration Ltd.	29-Sep-22
YD61309-YD61332	Bee 1-24	William Mann - 100%	16-Oct-23
YD144603-YD144630	RC 73-100	Fox Exploration Ltd.	10-July-20

NTS 115P14

UTM Zone 8 – NAD 83: 401,000 E; 7,080,000 N

Latitude: 63° 50' 00" N Longitude: 137° 00' 45" W

Dawson Mining District

Yukon, Canada

Work Performed during the period July 6th to August 11th, 2019

Report by

Cor Coe, P. Geo.

January 9th, 2020

TABLE OF CONTENTS

TABLE OF CONTENTS	2
LIST OF TABLES	2
LIST OF FIGURES	3
APPENDICES	3
SUMMARY	4
INTRODUCTION	5
PROJECT LOCATION	5
ACCESS	5
PROJECT DESCRIPTION	6
PHYSIOGRAPHY AND CLIMATE	9
PROJECT HISTORY	9
REGIONAL GEOLOGY	11
PROPERTY GEOLOGY	13
MINERALIZATION	13
2019 EXPLORATION PROGRAM	13
Soil Geochemical Survey.....	19
Sampling Protocol and Data Handling Procedures.....	19
2019 Soil Geochemical Survey Results.....	19
Induced Polarization Survey.....	30
IP Survey Results.....	32
CONCLUSIONS	37
Prospecting and Geology.....	37
Soil Geochemistry.....	38
Induced Polarization Survey.....	38
RECOMMENDATIONS	38
EXPENDITURES	39
CERTIFICATE OF QUALIFICATIONS	40
REFERENCES CITED	41

LIST OF TABLES

Table 1. RC-BEE Claims Table.....	9
Table 2. Rock sample descriptions and summary geochemical results.	18
Table 3. Percentile levels used for soil geochemical bubble plots.....	19
Table 4. Expenditure Summary	39

LIST OF FIGURES

Figure 1 - RC Gold project location.....	6
Figure 2 - RC Property Claims	8
Figure 3 - RC Gold property map showing Tombstone-aged intrusions (red outlines) and mineralized zones (Contact, Juno and Bear Paw) on the adjacent Clear Creek property.....	12
Figure 4 -2019 Soil Sample ID Locations	15
Figure 5 - Rock Sample Locations 2019.....	16
Figure 6 - Traverses 2019	17
Figure 7 - Quartz Veining in Diorite (639.6 PPB gold).....	18
Figure 9 - 2019 Soil Grid – Gold in Soils.....	20
Figure 10 - Gold Geochemistry – 2011 to 2019 Soils	21
Figure 11 - Silver Geochemistry – 2011 to 2019 Soils.....	22
Figure 12 - Arsenic Geochemistry – 2011 to 2019 Soils.....	23
Figure 13 - Bismuth Geochemistry – 2011 to 2019 Soils.....	24
Figure 14 - Antimony Geochemistry – 2011 to 2019 Soils.....	25
Figure 15 - Lead geochemistry – 2011 to 2019 Soils	26
Figure 16 - Zinc Geochemistry – 2011 to 2019 Soils.....	27
Figure 17 - Copper Geochemistry – 2011 to 2019 Soils	28
Figure 18 - Molybdenum Geochemistry – 2011 to 2019 Soils.....	29
Figure 19 - 2019 IP Lines	31
Figure 20 - Modelled chargeability (Line 1).....	33
Figure 21 - Modelled resistivity (Line 1).....	34
Figure 22 - Modelled chargeability (Line 2).....	35
Figure 23 - Modelled resistivity (Line 2).....	36

APPENDICES

Appendix I	RC Property Claims
Appendix II	Rock Samples and Soil samples - Analytical Certificates
Appendix III	Rock and Soil Samples – ID Master Spreadsheet
Appendix IV	IP Report – SJV Geophysics
Appendix V	Invoices

SUMMARY

The RC Property (the “Property”) consists of 132 quartz mining claims (RC, BEE and BOP claim groups) located in the Dawson and Mayo Mining Districts. A newly constructed gravel access road to Big Creek has significantly improved access to the southern portion of the Property.

The Property lies within the Tombstone Gold Belt where Fort Knox style mineralization is known to be associated with Tombstone Suite intrusions (Hart, et.al. 2002). The headwaters of Clear Creek a historically significant placer gold bearing creek, and Big Creek drain from the property. Recent prospecting (Coe, 2017) has discovered gold mineralization in quartz veins related to the Big Creek Stock, within the Property.

The Property is underlain by metasedimentary rocks of the Yusezyu Formation of the Upper Proterozoic to Cambrian Hyland Group. These have been intruded by the Tombstone-aged (Mid-Cretaceous) Big Creek diorite stock. The area also covers the drainage of a historic Minfile occurrence where mineralized samples collected by Murphy and Heon assayed 377 ppb Au and 478 ppm Mn from a quartz vein, 435 ppb Au, 72 ppm Bi, 88 ppm As, 15.3 ppm Ag, 242 ppm Pb and 303 ppm W from a vein and associated disseminated mineralization and 20 ppb Au and 789 ppm As from a breccia sample (Minfile occurrence 115 061, BIG). Initial reconnaissance prospecting on the property identified quartz monzonite and quartz vein float assaying 115 and 244 ppb Au respectively (Coe, 2017).

In 2017, Pacific Ridge Resources optioned the Property and carried out a program of prospecting, mapping, soil sampling and a small geophysical program. The program defined four priority target areas defined by multi-element soil geochemical anomalies supported locally by mineralized grab samples of float and bedrock (Carlson, 2017).

In 2018, Pacific Ridge carried out a program of prospecting, mapping, soil sampling and a small geophysical program. The program further defined the four priority target areas identified by multi-element soil geochemical anomalies supported locally by mineralized grab samples of float and bedrock in 2017 (Carlson, 2018). Pacific Ridge terminated its option on the Property in December, 2018.

Sitka Gold Corp. optioned the Property in mid-2019 and conducted further soil sampling, geological mapping, prospecting and extended the geophysics IP survey lines done in 2018.

The 2019 follow-up program, described in this report, included two lines of reconnaissance Induced Polarization (IP) geophysical surveying that extended the 2018 IP lines, soil sampling and additional prospecting and geological mapping.

The IP survey, supported by surface mapping and sampling, suggests that the Far Grid and Big Creek anomaly could represent intrusive related gold mineralization associated with sheeted veins and stockworks adjacent to the Rhosgobel and Big Creek stocks (Carlson, G., 2018). Drilling is recommended to test this mineralization at depth.

INTRODUCTION

The RC Project (the “Property”) consists of the 100 RC quartz mining claims and the 24 BEE quartz mining claims located in the Dawson Mining District and the 8 BOP quartz mining claims located in the Mayo Mining District. This report discusses the results of a surface exploration program carried out on the Property during August 2018.

The Property covers a target area that includes the Big Creek Stock and historic plus recent anomalous gold occurrences. In 2017, Pacific Ridge Exploration Ltd. (“Pacific Ridge”) optioned the RC claims from Fox Exploration Ltd. At the same time, Pacific Ridge optioned the adjoining BEE and BOP claims from Mr. William Mann. The Property has seen relatively little documented exploration activity, yet it adjoins two other highly explored properties: Clear Creek, now owned by Victoria Gold Corp. lies on the west and Mahtin, owned by Strikepoint Gold Inc., lies on the east. In 2017 and 2018, Pacific Ridge completed a preliminary prospecting, geological mapping and soil geochemical program on the Property. In late 2018, Pacific Ridge terminated its option on the RC Property.

In 2019, Sitka Gold Corp. (“Sitka”) optioned the RC Property from the underlying owners and conducted a follow-up exploration program including additional geological mapping, prospecting and soil geochemical sampling, plus a 2.2 km reconnaissance IP program that extended the IP lines completed in 2018. The program was designed to extend the existing mapping and soil geochemistry around the targets defined by the 2017 and 2018 exploration programs and, with the Induced Polarization geophysical survey, to close off high chargeability anomalies that were identified from the geophysics done in 2018 plus extend the lines to the southern claim boundary to test for disseminated sulphide mineralization at depth that could be related to Fort Knox style mineralization. The soil survey and camp support were provided by Fox Exploration Ltd. (“Fox”).

Total expenditures for the program are \$155,667.09 The following report describes and interprets the 2019 field program which was carried out over the Property during the period from July 6th to August 11th, 2019.

PROJECT LOCATION

The RC and BEE claim groups, comprising the majority of the RC Property, are in the Dawson Mining District in the Yukon, approximately 120 kilometres east of Dawson City. The property is located on NTS map sheet 115P14 and centered at latitude 63° 50' 00" N and longitude 137° 00' 45" W, or UTM coordinates 401,000 E and 7,080,000 N (NAD 83, Zone 8) (Figure 1).

ACCESS

Access to the Property is via Highway 2, the Klondike Highway, for 425 km north and west from Whitehorse or 100 kilometers east from Dawson to the Clear Creek road. At this point, turn to the northeast along Clear Creek road for 33 km where the road meets the Left Fork of Clear Creek. To the right, follow the Left Fork of Clear Creek downstream and then upstream on the Right Fork to the southern part of the Property along the new Big Creek road. The camp 1 site from the 2017 field program is located 25 km along this route. To the left, up the Left Fork of Clear Creek, Camp 2, used for both the 2017 and 2018 field programs (with permission from Victoria Gold Corp., on whose claims the camp site lies), is a further 10 km, just beyond the placer camp of Nels Harper. Roads beyond Camp 2 provide access to the western portion of the Property (see Figure 3).



Figure 1 - RC Gold project location

PROJECT DESCRIPTION

The Property consists of three contiguous claim groups acquired under two option agreements, including the RC 1 to 100 claims in the Dawson Mining District owned by Fox Exploration Ltd., the BEE 1 to 24 claims in the Dawson Mining District owned by William Mann (“Mann”) and the BOP 1 to 8 claims in the Mayo Mining District owned by Mann (Table 1 and Figure 2).

The Company has the right to acquire a 100% interest in the BEE and BOP claims from William Mann, a veteran geologist with a lifetime of experience working and prospecting in the Yukon, by paying \$100,000, issuing 500,000 Sitka shares and completing \$630,000 in exploration work over 5.5 years. Sitka will pay an additional bonus of \$250,000 in cash, shares or any combination thereof, at Sitka’s option, upon receiving a resource calculation of at least 1.0 million ounces of gold in any category

within the RC Gold Property. The BEE and BOP claims are subject to a 2% NSR, half of which can be purchased for \$2,000,000.

The Company has the right to acquire a 100% interest in the RC claims from Fox Exploration Ltd. (“Fox”) by paying \$300,000, issuing 1,500,000 shares and completing \$1,870,000 in exploration work over 5.5 years. Sitka will pay an additional bonus of \$250,000 in cash, shares, or any combination thereof, at Sitka’s option, upon receiving a resource calculation of at least 1.0 million ounces of gold in any category within the RC Gold Property. The RC Claims are subject to a 2% NSR, half of which can be purchased for \$2,000,000.

The Company also staked 28 new claims that are contiguous with the claim block and cover additional highly prospective ground. This brings the total number of claims at the RC Gold Property to 132 covering an area of approximately 2600 hectares (6425 acres).

280000



Josephine

Creek

1046000

1046000




Figure 2
Property Claims

Sitka Gold Corp.

RC Gold Property

Claim Map

Date: 04/11/2019 NAD 83 Yukon Albers 1:40,000


0 0.2 0.4 0.8 1.2 1.6
 Kilometers

Table 1 - RC-BEE Claims Table

Grant No.	Claim Name	Claim Owner	Expiry
YD86421-YD86492	RC 1-72	Fox Exploration Ltd.	29-Sep-22
YD144603-YD144630	RC 73-100	Fox Exploration Ltd.	10-July-20
YD61309-YD61332	Bee 1-24	William Mann - 100%	16-Oct-23

PHYSIOGRAPHY AND CLIMATE

The Property covers moderate terrain, with elevations ranging from 1200 metres to 1,600 metres. Much of the property extends above tree line and is covered by sparse tundra vegetation; ridgelines are covered by talus and felsenmeer with little vegetation. Forest cover on lower slopes consists mostly of black and white spruce. Loess is observed in many areas and can mask geochemical responses from underlying bedrock.

The climate is generally dry during the summer months with most precipitation occurring in July and August. Temperatures range from -45° C in the winter months to 30° C in the summer. Snow accumulation begins generally in late September and is mostly melted by mid-May. The regional area was subject to weak glaciation and the surrounding area is known to have accumulations of loess up to 20 metres thick.

PROJECT HISTORY

Placer Mining first began on Clear Creek in the late 1800's and the first quartz claims were staked in the early 1900's. Placer mining has continued to the present, with a dredge operating on Clear Creek from 1943 to 1954 and again between 1981 and 1987.

The first modern hard rock exploration in the area took place in the 1970's, targeting silver, tin and tungsten, metals commonly associated with Intrusion Related Gold deposits. High grade gold-silver and silver-lead-zinc veins have also been prospected.

In the 1990's, exploration shifted to bulk tonnage gold after the discovery of the Fort Knox gold deposit in Alaska, in a similar geological environment. Explorers near the Property included Noranda, Ivanhoe Goldfields, Kennecott and Newmont. These companies carried out geological mapping, geochemical and geophysical surveys and several campaigns of drilling. More recently, in the 2000's, Thor Explorations, StrataGold and Golden Predator have explored on the west side of the RC Property, while Ryan Gold (now StrikePoint) explored to the east.

The RC Property area was staked as the Far claims by R. Wongda after a mineralized showing in the area was discovered by Murphy and Heon during 1:50,000 scale geological mapping in 1993. The mineralized samples collected by Murphy and Heon assayed 377 ppb gold and 478 ppm manganese (vein), 435 ppb gold, 72 ppm bismuth, 88 ppm arsenic, 15.3 ppm silver, 242 ppm lead and 303 ppm tungsten (vein, disseminated) and 20 ppb gold and 789 ppm arsenic (breccia) (Minfile occurrence # 115 061; name: BIG).

In 1994, Wongda carried out minor geological mapping and sampling on claims Far 65-70. L. Hart re-staked the showing in December 1994. Thor Explorations Ltd. optioned the Far and other neighbouring claims from Hart. In September 2003 Thor Explorations carried out soil sampling and prospecting on Far claims 31-34, and 51-54 and other neighbouring claims. In 2005 Thor Explorations Ltd carried out an additional reconnaissance exploration program.

In 2010, Bearing Resources acquired the BIG claims centred on the Big Creek Stock and carried out a small soil and rock sampling program. They identified quartz-tourmaline breccia in altered metasediments within the stock, with one grab sample running 2.91 gpt Au taken from several rusty float boulders with quartz-arsenopyrite veining (Mann, 2011).

In 2014, Mann staked the BEE claims and in 2015 carried out a program of rock and soil sampling. In 2017, he added the BOP claim group on the southeast side of the RC claim group.

In August 2016, Fox took three rock grab samples exposed along the newly constructed Big Creek road that cuts across the south side of the Property, one of which returned 180 ppb gold (Coe, 2017). The RC claims were subsequently staked for Fox to cover a target area that includes the Big Creek Stock and historic plus recent anomalous gold occurrences. Brief reconnaissance prospecting on the property in October 2016, identified quartz monzonite and quartz vein float assaying 115 and 244 ppb gold respectively (Coe, 2017).

In 2017, Pacific Ridge carried out a program of prospecting, geological mapping, soil sampling (564 samples) and three short lines of mag/VLF ground geophysical surveying, supported by YMEP Project 17-026. The 2017 mapping program identified quartz-arsenopyrite veining in the Bee grid area. Three grab samples of quartz vein and breccia material from this area ran 0.317 gpt Au (with 4.6 gpt Ag and 3,383 ppm As), 0.511 gpt Au and 0.257 gpt Au (with 3,292 ppm As). A gossan area corresponding to a calc-silicate altered zone of limy metasedimentary rock occurs within the Big Creek stock (Big Creek Anomaly). A grab sample of rusty quartz breccia ran 3.6 gpt gold with 2.6 gpt Ag and 3,938 ppm As. A second grab of similar quartz breccia assayed 1.919 gpt Au with 3 gpt Ag and 769 ppm As.

The soil survey defined four strong geochemical anomalies. The BEE North Au-As-Sb-Bi anomaly may be related to the nearby Contact Zone on the adjacent Clear Creek property. Three grab samples of vein material assayed 0.511 ppm Au, 0.257 ppm Au and 0.317 ppm Au. The BEE South Au-Ag-Sb-Pb-As anomaly is defined by four adjacent gold soil values ranging from 0.227 to 0.998 ppm Au. The linear nature of the anomaly suggests that this anomaly is reflecting the presence of a subcropping gold-silver vein or shear. The Big Creek Au-As-Ag-Cu-W-Pb-Zn anomaly appears to be related to rusty and altered quartz breccia related to pyrrhotite skarn. Gold values of 3.571 ppm and 1.919 ppm Au were returned from two grab samples. The Far Grid Au-Bi-Cu-W-Ag-As-Sb anomaly correlates with and extends an Au-As-Cu anomaly first defined by Thor Explorations (Lueck, 1995). The anomaly has a strike length of over 1 km and is immediately adjacent to the intrusive hosted Juno sheeted vein zone on the Clear Creek property drilled by Kennecott in 1995. The 2017 RC Gold project exploration program successfully defined four strong targets for follow-up exploration. The 2018 program focused on further defining and expanding the Big Creek and Far Grid targets, as well as filling in a previously unexplored area in the central part of the target area.

In 2018, Pacific Ridge carried out a program of prospecting, mapping, soil sampling and a small geophysical program. The program further defined the four priority target areas identified by multi-element soil geochemical anomalies supported locally by mineralized grab samples of float and bedrock in 2017 (Carlson, 2017). Pacific Ridge terminated its option on the Property in December, 2018.

Sitka Gold Corp. optioned the Property in mid-2019 and conducted further soil sampling, geological mapping, prospecting and extended the geophysics IP survey lines done in 2018.

The 2019 follow-up program, described in this report, included two lines of reconnaissance Induced Polarization (IP) geophysical surveying that extended the 2018 IP lines, soil sampling and additional prospecting and geological mapping.

A total of 288 soil and 16 rock samples were collected to infill between two strong gold-in-soil anomalies that were discovered in 2018. The geophysics program entailed two lines of IP surveys to test the southward continuity of chargeability anomalies that were also discovered in 2018. The geochemical infill sampling between the Far Grid and Big Creek anomalies (Figure 1) returned anomalous gold values and suggests that these zones are contiguous, representing an Intrusion Related gold target that is approximately 2 km long by 0.5 km wide. Further soil sampling around the Big Creek East anomaly also expanded and strengthened this drill target (Figure 1). In both cases, the pathfinder elements typically associated with Intrusion Related Gold Deposits were very strong.

REGIONAL GEOLOGY

The Clear Creek property is located within the Selwyn Basin, a sequence of shelf and off-shelf sedimentary and lesser volcanic strata along the margin of the Mackenzie Platform to the northeast (Gordey and Anderson, 1993), deposited from late Precambrian to Triassic time. The environment was predominantly subaqueous, with some episodes of uplift. In the Cretaceous, the Selwyn Basin strata were intruded by the 92 Ma Tombstone Plutonic Suite, forming an arcuate belt of intrusions extending east-southeast from the Fairbanks area across the Yukon. Mayo Suite? A second intrusive suite, the Late Cretaceous - early Tertiary McQuesten suite, extends east-west along the southern margins of the Clear Creek area.




Figure 3 - RC Gold property map showing Tombstone-aged intrusions (red outlines) and mineralized zones (Contact, Juno and Bear Paw) on the adjacent Clear Creek property

The Clear Creek area is underlain by basal Selwyn Basin strata belonging to the Yusezyu Formation of the Upper Proterozoic to Lower Cambrian Hyland Group. Yusezyu Formation sediments consist largely of pelites, psammites, coarse clastic "grits" and quartzites, with lesser limestone and marble, calcareous elastic sediments and chemical and elastic sediments. The "Tombstone Strain Zone", a broad zone of complex deformation, resulting in multi-episodic folding and prominent foliation and lineation development within the sediments, extends roughly east-west just north of the project area (Murphy and Heon, 1996).

Tombstone Suite stocks in the area include the Rhosgobel, Big Creek, Pukelman, Josephine and Eiger stocks (see Figure 3 – Josephine and Eiger stocks are just off the map to the north). The Josephine and Big Creek stocks are dioritic, the Eiger stock is granodiorite and the Rhosgobel and Pukelman stocks are quartz monzonite to granite. The intrusions are surrounded by a broad zone of hornfels. The McQuesten Suite intrusions, including the Vancouver Creek stock, are mostly of biotite-muscovite granite to quartz monzonite, medium to coarse grained and locally porphyritic.

Valley floors are covered by unconsolidated Quaternary sediments.

PROPERTY GEOLOGY

The Property is underlain mostly by Yusezyu Formation metasedimentary rocks exhibiting multi-episodic deformation that results in a pervasive foliation and locally several styles of folding. Areas proximal to the Clear Creek intrusions exhibit hornfelsing and contact metamorphic and metasomatic fabrics. Stephens et. al. (2003) have divided the hornfels aureole into two zones: an inner aureole of contact metasomatism with skarn development, strong foliation and a strong contact metamorphic overprint of biotite-andalusite; and an outer aureole characterized by a contact metamorphic overprint of biotite and andalusite.

The Big Creek Stock underlies much of the southern portion of the RC claim block (Figure 3). A hornfels zone extends more than 200 m from the intrusive contact. Minor limonitic granitic dykes extend up to 500 metres from the stock (Schulze, 2005). It has been suggested that and adjacent intrusions such as Rhosgobel and Pukelman may be related as variously fractionated magma from a single parent source at depth, as they are approximately the same age and occur within a single large halo of hornfels (Schulze, 2005).

MINERALIZATION

The target at RC Gold is an Intrusion Related Gold deposit like Eagle Gold (Victoria Gold), Brewery Creek (Golden Predator) and Red Mountain in Yukon and Fort Knox, True North, Pogo and Donlin Creek in Alaska.

Coombes (1995) reports three styles of mineralization on the adjoining Clear Creek property, including gold-bearing stockwork to sheeted vein zones hosted by felsic to intermediate intrusions and adjacent hornfels zones; auriferous pyrite within fault zones cutting metasedimentary rocks; and scheelite-bearing calc-silicate skarns. The mineralization at Bear Paw on the Clear Creek property (see Figure 2) is mainly breccia hosted with only minor felsic dikes and may be in the cupola zone of an intrusion at shallow depth below the known mineralized zone.

On the Property, a sample of quartz-arsenopyrite veining within brecciated phyllite returning a value of 0.112 opt (3.48 g/tonne) gold was obtained by Bema Industries Ltd. in 1981 near the eastern boundary of the claim block (Schulze, 2005). In the same general area, Murphy and Heon (2006) report a breccia zone where mineralized samples assayed 377 ppb gold, now known as the BIG Minfile occurrence (115 061). Coe (2017) reported quartz vein float along the new Big Creek road with gold values ranging from 115 to 244 ppb.

During the 2017 mapping program, quartz-arsenopyrite veining was observed in the Bee grid area. Three grab samples of quartz vein and breccia material from this area ran 0.317 gpt Au (with 4.6 gpt Ag and 3,383 ppm As), 0.511 gpt Au and 0.257 gpt Au (with 3,292 ppm As). A gossan area corresponding to a calc-silicate altered zone of limy metasedimentary rock occurs within the Big Creek stock (Big Creek Anomaly). A grab sample of rusty quartz breccia ran 3.6 gpt gold with 2.6 gpt Ag and 3,938 ppm As. A second grab of similar quartz breccia assayed 1.919 gpt Au with 3 gpt Ag and 769 ppm As (Carlson, G., 2018).

2019 EXPLORATION PROGRAM

On July 7th, 2019 Fox's crew mobilized by truck from Whitehorse to the Camp 1 site (Figure 3) located on the claims next to the newly constructed road from Clear Creek to Big Creek. From July 7th to August





Figure 4
2019 Soil Sample ID locations

Sitka Gold Corp.
 RC Gold Property
**Soil Samples
 2019**
 Date: 31/10/2019 NAD 83 UTM Zone 8 1:25,000



In addition to providing camp services and supervising and assisting the SJ Geophysics IP survey, the Fox crew collected 288 soil samples on several 100 m spaced lines at 50 m intervals (see Figure 4)

Four documented traverses were conducted on the property and a total of 16 grab samples were taken (Figure 5 and 6). Table 2 shows the rock sample descriptions and assay results. Sample # 1894456 returned 639.6 PPB gold in a grab sample of diorite with mineralized quartz veining (Figure 7).

SJV Geophysics crew completed two lines of IP surveying, each approximately 1.6 km in length (see Figure 17).




Figure 5 - Rock Sample Locations 2019

Table 2. Rock sample descriptions and summary geochemical results.

Sample	UTM Easting Zn 8	UTM Northing Zn 8	Description	Type	Cu PPM	Pb PPM	Zn PPM	Ag PPB	As PPM	Au PPB	Sb PPM	Bi PPM
1894451	401264	7079406	rusty diorite; talus ridge	Rock/Grab	88.4	7.26	35.3	110	2.7	17.3	0.27	0.23
1894452	400376	7079940	rusty qtz breccia with Fe stain	Rock/Grab	14.63	5.69	5.6	34	3.9	4.1	0.49	0.13
1894453	400794	7078290	in cr bed; fn gr felsic dyke w dess py and fe stn	Rock/Grab	4.35	26.33	38.2	113	48.6	7.5	0.21	0.36
1894454	400797	7078392	in cr bed; 40 cm channel sample fe stn brecc rhyolite dyke	Rock/Grab	14.06	71.95	30.3	9771	935.6	27.7	2.72	2.41
1894455	401669	7080000	Big cr stk; rusty dess blob with euhedral py and mo?	Rock/Grab	8.45	7.18	59	67	33.5	16.4	0.16	0.22
1894456	401669	7080100	Big cr stk with bio-hem altn and qtz veining; barren	Rock/Grab	14.98	10.83	70.8	184	23.9	639.6	0.61	8.43
1894457	399525	7077870	talus outcrop diorite	Rock/Grab	6.15	6.99	29.6	7	4.1	4	0.04	0.27
1894458	400000	7082900	fn gn felsic intrusive with desss py, aspy throughout	Rock/Grab	82.24	3.89	79.9	359	4156.3	89.4	1.08	27.29
1894459	399485	7079617	vuggy qtz vein material with limonite surface coating	Rock/Grab	4.25	6.37	51.5	213	1373	1.7	1.03	0.52
1894460	399893	7078979	float; mafic dyke fn gr with dess py	Rock/Grab	29.59	327.55	131.5	1889	7.9	18.7	0.23	13.94
1894461	399893	7078979	RK0801 sed rx with fe stn and qtz veining	Rock/Grab	4.64	74.47	31.8	3400	631.6	35.7	7.64	1.19
1894462	399893	7078979	RK0729 qtz vein with micro qtz veins	Rock/Grab	4.7	6.28	6.2	95	9.6	2.2	0.67	0.32
1894463	399893	7078979	RK1 Grey brn sed rx with fe staining	Rock/Grab	4.25	6.6	93.1	90	8.7	2.8	0.13	0.12
1894464	399893	7078979	RK2vuggy micro qtz veining in fe stn sed rx	Rock/Grab	14.57	14.95	60	41	15.5	15.6	0.14	0.45
1894465	402833	7081596	WPO88 fe stn qtz vein material	Rock/Grab	14.09	32.2	9.5	327	5.7	0.7	0.24	1.03
1894466	402844	7081620	WPO89 qtz vein fit with limonite staining and chist	Rock/Grab	3.83	11.74	11.9	53	0.6	0.4	0.04	0.48



Figure 7 - Quartz Veining in Diorite (639.6 PPB gold)

Soil Geochemical Survey

The soil survey was designed to fill in an area of potential mineralization that had not been covered in previous surveys. 288 soils were collected at 50 m spacing on several lines spaced 100 m apart (see Figure 8). Soil sample location information is included in Appendix IV, summary results in Appendix V and Analytical Certificates in Appendix VI.

Sampling Protocol and Data Handling Procedures

A C-Horizon sample is collected using a hand auger at a depth of between 10 cm and 60 cm. Where necessary, in rocky or frozen ground, a mattock is used to obtain the sample. Typically, 400 to 500 g of soil is placed in a pre-labeled kraft sample bag. An aluminum metal tag inscribed with the sample identification number is attached to a rock or branch in a visible area at the sample site along with a length of pink flagging tape that is also labelled with the sample identification number. The GPS location of the sample site is recorded in UTM NAD 83 format, and the waypoint is labeled with the project name and the sample identification number. Samples are sealed in rice bags and secured for shipping to the assay lab.

Samples were shipped to the Bureau Veritas Lab (“BV”) in Vancouver for analysis. Samples were dried at <60°C to 140°F and then sieved to -180 micron (80 mesh). Analysis for a suite of trace elements (AQ252) use a 0.5 g sample dissolved in aqua regia with ICP-AES finish. A 30 g sample was assayed for gold by fire assay with ICP-AES finish. A DVD containing all digital files from BV has been submitted with this assessment report.

2019 Soil Geochemical Survey Results

The results for gold from the 2019 survey are plotted in Figure 9. However, to provide a more comprehensive interpretation of the results from the 2019 survey, several relevant elements have been plotted along with results from adjacent sampling during the period 2011 to 2019. Bubble plots for Au, Ag, As, Bi, Sb, Pb, Zn, Cu and Mo are shown in Figures 10 to 18, below. Threshold values for the bubble levels have been calculated at the 98th, 95th, 90th and 70th percentiles, as shown below in Table 2. Four of the target zones shown in the figures, Bee North, Bee South, Big Creek and Far Grid, were originally defined in Carlson (2017). Big Vein Extension was defined in 2018.

Table 3. Percentile levels used for soil geochemical bubble plots.

	Au - ppb	Ag - ppm	As - ppm	Bi - ppm	Cu - ppm	Mo - ppm	Pb - ppm	Sb - ppm	Zn - ppm
Max	998	42.5	4660	38.6	192	8.8	2370	33	1210
98th Percentile	115.62	3.662	643.84	4	86.658	4	118.62	5	160.24
95th	67.55	1.8	434.75	3	70.355	3	67	3	122
90th	44.03	0.9	253.3	2	56	2	38.1	2	108
70th	17.65	0.4	90.3	1	38.5	1.5	21	1	85.52
min	0	0.014	1.1	0.11	3.26	0.39	1.21	0.07	7.9




Figure 8 - 2019 Soil Grid – Gold in Soils




Figure 9 - Gold Geochemistry – 2011 to 2019 Soils




Figure 10 - Silver Geochemistry – 2011 to 2019 Soils




Figure 11 - Arsenic Geochemistry – 2011 to 2019 Soils




Figure 12 - Bismuth Geochemistry – 2011 to 2019 Soils




Figure 13 - Antimony Geochemistry – 2011 to 2019 Soils




Figure 14 - Lead geochemistry – 2011 to 2019 Soils




Figure 15 - Zinc Geochemistry – 2011 to 2019 Soils




Figure 16 - Copper Geochemistry – 2011 to 2019 Soils




Figure 17 - Molybdenum Geochemistry – 2011 to 2019 Soils

The combined soil geochemical results, over the 2019 sampling grid and adjacent areas, have shown four anomalous trends. The geochemical infill sampling between the Far Grid and Big Creek anomalies (Figure 1) returned anomalous gold values and suggests that these zones are contiguous, representing an Intrusion Related gold target that is approximately 2 km long by 0.5 km wide. Further soil sampling around the Big Creek East anomaly also expanded and strengthened this drill target (Figure 1). In both cases, the pathfinder elements typically associated with Intrusion Related Gold Deposits were very strong. The first, including Au, Ag, As, Bi, and Cu, confirm and extend the Big Creek and Far Grid anomalies defined by the 2018 program. The Big Creek anomaly has been extended to the west and the Far Grid anomaly has been extended to the northeast. It is believed that these zones represent sheeted vein style mineralization related to the Big Creek and Rhosgobel stocks respectively although, in both cases, the mineralization appears to be mostly in the wall rocks (Carlson, G., 2018). The second, the Big Vein Extension, is only weakly defined by Au. Local veining was noted as an apparent eastern extension of the Big Vein on the adjacent Clear Creek property (Carlson, G., 2018). The third trend includes Sb, Pb and Zn (Carlson, G., 2018). These anomalous trends are distal to the first trend. The fourth trend, as defined by Mo, and to a lesser extent, Cu, is not strongly anomalous, but is distinctly defined and occurs along the western margin of the 2018 grid. It is possible that this anomaly is associated with intrusion related, porphyry-style within the Rhosgobel stock on the adjacent Victoria Gold Clear Creek property (Carlson, G., 2018).

Induced Polarization Survey

The IP crew from SJV Geophysics Ltd. (“SJV”), including a Crew Chief and three Technicians, arrived on the Property August 6th, completed 5 days of surveying and returned to Whitehorse August 11th. The crew completed 3.2 km of IP surveying along two parallel lines spaced 400 m apart. The survey utilized a pole-dipole array with 100 m station spacing for $n = 1-10$. The purpose of the survey was to detect disseminated sulphide mineralization that could be associated with a bulk tonnage, Fort Knox style gold target. The SJV report describing the survey details and presenting the survey results is included as Appendix VII in this report. Digital files including all data from the survey have been included in a DVD submitted with this assessment report.




Figure 18 - 2019 IP Lines

IP Survey Results

Chargeability anomalies appear at the south end of both Lines 1 and 2 from the 2018 IP survey (Carlson, G., 2018).

The 2019 geophysics program entailed two lines of IP surveys to test the southward continuity of chargeability anomalies that were also discovered in 2018. Some overlap was done with the 2018 IP lines to provide continuity in interpretation.

The IP survey consisted of 2 lines, each 1.6 km long, that are southward extensions of IP lines surveyed by previous operators in 2018. The results of the 2019 survey show strong chargeability values greater than 36 milliseconds that may reflect Intrusion Related gold mineralization dipping gently to the south (Figure 2). High resistivity associated with the high chargeability may indicate silicification in the areas of potential mineralization. This coincides with strong gold-in-soil signatures at the north and south ends of Line 1000E (Carlson, G., 2018).




Figure 19 - Modelled chargeability (Line 1)




Figure 20 - Modelled resistivity (Line 1)




Figure 21 - Modelled chargeability (Line 2)




Figure 22 - Modelled resistivity (Line 2)

CONCLUSIONS

The 2019 exploration program at RC Gold was successful in further delineating several strong Intrusion Related gold targets. RC Gold is located in a highly-prospective region that is home to several multi-million ounce Intrusion Related Gold Deposits, including Victoria Gold's newly constructed Eagle Gold mine and Golden Predator's Brewery Creek Gold mine, and these surface results endorse our view that the Property exhibits the geological characteristics required for an Intrusion Related Gold Deposit to exist at depth. The area is seeing renewed interest from Juniors and Majors alike.

A total of 288 soil and 16 rock samples were collected to infill between two strong gold-in-soil anomalies that were discovered in 2018. The geophysics program entailed two lines of IP surveys to test the southward continuity of chargeability anomalies that were also discovered in 2018. The geochemical infill sampling between the Far Grid and Big Creek anomalies (Figure 1) returned anomalous gold values and suggests that these zones are contiguous, representing an Intrusion Related gold target that is approximately 2 km long by 0.5 km wide. Further soil sampling around the Big Creek East anomaly also expanded and strengthened this drill target (Figure 1). In both cases, the pathfinder elements typically associated with Intrusion Related Gold Deposits were very strong. The Company intends to drill test these areas in the upcoming 2020 field season.

The IP survey consisted of 2 lines, each 1.6 km long, that are southward extensions of IP lines surveyed by previous operators in 2018. The results of the 2019 survey show strong chargeability values greater than 36 milliseconds that may reflect Intrusion Related gold mineralization dipping gently to the south (Figure 2). High resistivity associated with the high chargeability may indicate silicification in the areas of potential mineralization. This coincides with strong gold-in-soil signatures at the north and south ends of Line 1000E (Carlson, G., 2018).

The target at RC Gold is an Intrusion Related Gold deposit like Eagle Gold (Victoria Gold), Brewery Creek (Golden Predator) and Red Mountain in Yukon and Fort Knox, True North, Pogo and Donlin Creek in Alaska.

The Property lies within the Tombstone Gold Belt where Fort Knox style mineralization is known to be associated with Tombstone Suite intrusions (Hart, et.al., 2002). The headwaters of Clear Creek a historically significant placer gold bearing creek, and Big Creek drain from the property. Recent prospecting (Coe, 2017) has discovered gold mineralization in quartz veins related to the Big Creek Stock, within the Property. The Property is underlain by metasedimentary rocks of the Yusezyu Formation of the Upper Proterozoic to Cambrian Hyland Group. These have been intruded by the Tombstone-aged (Mid-Cretaceous) Big Creek diorite stock.

Prospecting and Geology

Four documented traverses were conducted on the property and a total of 16 grab samples were taken (Figure 5 and 6). Table 2 shows the rock sample descriptions and assay results. Sample # 1894456 returned 639.6 PPB gold in a grab sample of diorite with mineralized quartz veining (Figure 7).

Soil Geochemistry

The combined soil geochemical results, over the 2019 sampling grid and adjacent areas, have shown four anomalous trends. The geochemical infill sampling between the Far Grid and Big Creek anomalies (Figure 1) returned anomalous gold values and suggests that these zones are contiguous, representing an Intrusion Related gold target that is approximately 2 km long by 0.5 km wide. Further soil sampling around the Big Creek East anomaly also expanded and strengthened this drill target (Figure 1). In both cases, the pathfinder elements typically associated with Intrusion Related Gold Deposits were very strong. The first, including Au, Ag, As, Bi, and Cu, confirm and extend the Big Creek and Far Grid anomalies defined by the 2018 program. The Big Creek anomaly has been extended to the west and the Far Grid anomaly has been extended to the northeast. It is believed that these zones represent sheeted vein style mineralization related to the Big Creek and Rhosgobel stocks respectively although, in both cases, the mineralization appears to be mostly in the wall rocks (Carlson, G., 2018). The second, the Big Vein Extension, is only weakly defined by Au. Local veining was noted as an apparent eastern extension of the Big Vein on the adjacent Clear Creek property (Carlson, G., 2018). The third trend includes Sb, Pb and Zn (Carlson, G., 2018). These anomalous trends are distal to the first trend. The fourth trend, as defined by Mo, and to a lesser extent, Cu, is not strongly anomalous, but is distinctly defined and occurs along the western margin of the 2018 grid. It is possible that this anomaly is associated with intrusion related, porphyry-style within the Rhosgobel stock on the adjacent Victoria Gold Clear Creek property (Carlson, G., 2018).

Induced Polarization Survey

The IP survey consisted of 2 lines, each 1.6 km long, that are southward extensions of IP lines surveyed by previous operators in 2018. The results of the 2019 survey show strong chargeability values greater than 36 milliseconds that may reflect Intrusion Related gold mineralization dipping gently to the south (Figure 2). High resistivity associated with the high chargeability may indicate silicification in the areas of potential mineralization. This coincides with strong gold-in-soil signatures at the north and south ends of Line 1000E and provides excellent drill targets for the 2020 field season.

RECOMMENDATIONS

The 2019 exploration program at RC Gold was successful in further delineating several strong Intrusion Related gold targets. RC Gold is located in a highly-prospective region that is home to several multi-million ounce Intrusion Related Gold Deposits, including Victoria Gold's newly constructed Eagle Gold mine and Golden Predator's Brewery Creek Gold mine, and these surface results endorse our view that the Property exhibits the geological characteristics required for an Intrusion Related Gold Deposit to exist at depth. The area is seeing renewed interest from Juniors and Majors alike and we look forward to the 2020 field season when we intend to drill test these targets with what will be the first ever drilling conducted on the Property.

The IP survey consisted of 2 lines, each 1.6 km long, that are southward extensions of IP lines surveyed by previous operators in 2018. The results of the 2019 IP survey show strong chargeability values greater than 36 milliseconds that may reflect Intrusion Related gold mineralization dipping gently to the south (Figure 2). High resistivity associated with the high chargeability may indicate silicification in the areas of potential mineralization. This coincides with strong gold-in-soil signatures at the north and south ends of Line 1000E and provides excellent drill targets for the 2020 field season.

CERTIFICATE OF QUALIFICATIONS

- 1) I, Corwin Edward Coe, of 1701 Robert Lang Drive, Courtenay, B.C., V9N 1A2, and am self-employed as a contract and consultant geologist and am the author of this report.
- 2) I am a graduate from Simon Fraser University, Burnaby, B.C., with a Bachelor of Science degree in Earth Sciences (2006).
- 3) I am a Professional Geoscientist (P.Ge.) registered with the Association of Professional Engineers and Geoscientists of British Columbia (#33451) and the Nunavut and Northwest Territories Association of Professional Engineers and Geoscientists (#L3268).
- 4) I am a graduate Mining Technologist with a diploma in Mining Technology from the British Columbia Institute of Technology (1976).
- 5) I am an Applied Science Technologist (A.Sc.T.) registered with the Association of Applied Science Technologists and Technicians of British Columbia (#8127).
- 6) I have worked in the Yukon in mineral exploration for over 40 years.



Corwin (Cor) Coe, P.Ge.
Project Geologist

January 9, 2020

REFERENCES CITED

- Carlson, G., 2018, 2018 Geology and Soil Geochemistry Report on the RC Gold Property – RC and BEE Claims, Assessment report submitted to the Yukon Government.
- Carlson, G., 2017, 2017 Geology and Soil Geochemistry Report on the RC Gold Property – RC and BEE Claims, Assessment report submitted to the Yukon Government.
- Coe, C., 2017, 2017 Exploration Proposal, RC Property, YMEP Proposal, Dawson Mining District, Yukon.
- Dawson Mining Division; for: Canada Tungsten Mining Corporation Limited; by: Berna Industries Ltd.
- Gordey, S.P. and Anderson, R.G. 1993: Evolution of the Northern Cordilleran Miogeocline, Nahanni Map area (105I), Yukon and Northwest Territories
- Geological Survey of Canada Open File 1650, 1989: Regional Stream sediment and Water Geochemical Data, central Yukon, 115P, part of 105M; Geological Survey of Canada and Canada -Yukon Mineral Development Agreement (1985 - 1989).
- Kennedy, D.R., 1980: CCH Resources Ltd., Assessment Report, Geochemical Survey, Jubjub claims, Assessment Report 090550, Dawson Mining District.
- Lueck, B.A., 1994: Geological and Geochemical Assessment Report for the FAR 1 -70 Claims, Assessment Report 093310, Dawson Mining District.
- Mann, William, 2011, 2010 Geochemical Assessment Report on the BIG Project, Assessment Report 095563, Dawson Mining District.
- Mann, William, 2015, 2014 & 2015 Geochemical and Petrographic Assessment Report on the BEE Claims, Dawson Mining District.
- Murphy, D.C. and Heon, D., 1996: Geoscience Maps 1996-1 and 1996-2, Geological map of Clear Creek area, western Selwyn Basin, Yukon (115P/14)
- Poulson, K.H., Mortensen, J.K., Murphy, D.C, 1997: Styles of intrusion-related mineralization in the Dawson-May area, Yukon Territory; in Current research 1997-A; Geological Survey of Canada, p. 1-10
- Rainbird, R.H., 1981: Geological and Geochemical Assessment Report on the West Ridge Claims, C.C. (1) 782-847, 850-859, 862-871, 973-881, 883-919, C.C. (2) 852-857.
- Stammers, Michael A., 1998, Geophysical, Geological and Geochemical Assessment Report on the Clear Creek Property, Assessment Report 093937, Dawson Mining District.
- Schulze, C., 2004; Assessment Report on the FAR -TP Project, for Thor Explorations Ltd., Assessment Report 094456, Dawson Mining District.

- Schulze, C., 2005; Geological Mapping and Soil Geochemical Sampling Assessment Report on the FAR -TP Project, for Thor Explorations Ltd., Assessment Report 094602, Dawson Mining District.
- Schulze, C.M. 2003: Progress Report and Year-2003 Results on the FAR -TP Project, Thor Explorations Ltd. NI 43-101-compliant report for Thor Explorations Ltd.
- Stephens, J.R., Mair, J.L., Oliver, N.H.S., Hart, C.J.R, Baker, T, 2003: Structural and mechanical controls on intrusion-related deposits of the Tombstone Gold Belt, Yukon, Canada, with comparisons to other vein-hosted ore-deposit types; submitted to: Journal of Structural Geology.

Appendix I RC Property Claims List

Oct. 30, 2019

BEE CLAIM STATUS 2019 24 CLAIMS

District	GrantNumber	ClaimName	ClaimNbr	Claim Owner	ClaimExpiryDate	Status	NTS MapNumber
Dawson	YD61309	Bee	1	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61310	Bee	2	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61311	Bee	3	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61312	Bee	4	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61313	Bee	5	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61314	Bee	6	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61315	Bee	7	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61316	Bee	8	William Mann - 100%	16/10/2028	Active	115P14
Dawson	YD61317	Bee	9	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61318	Bee	10	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61319	Bee	11	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61320	Bee	12	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61321	Bee	13	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61322	Bee	14	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61323	Bee	15	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61324	Bee	16	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61325	Bee	17	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61326	Bee	18	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61327	Bee	19	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61328	Bee	20	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61329	Bee	21	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61330	Bee	22	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61331	Bee	23	William Mann - 100%	16/10/2027	Active	115P14
Dawson	YD61332	Bee	24	William Mann - 100%	16/10/2027	Active	115P14

Oct. 30, 2019

BOP claim status 8 claims

District	GrantNum	ClaimName	ClaimNbr	Claim Owner	ClaimExpiryDate	Status	NTS MapNumber
Mayo	YD16865	BOP	1	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16866	BOP	2	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16867	BOP	3	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16868	BOP	4	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16869	BOP	5	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16870	BOP	6	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16871	BOP	7	William Mann -	25/05/2022	Application Pending	115P15
Mayo	YD16872	BOP	8	William Mann -	25/05/2022	Application Pending	115P15

Appendix II Rock and Soil Samples – Analytical Certificates



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Submitted By: Ryan Coe/Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 09, 2019
Report Date: August 24, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000347.1

CLIENT JOB INFORMATION

Project: RC Gold
Shipment ID:
P.O. Number
Number of Samples: 16

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Cor Coe

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	16	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ252	16	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN
SHP01	16	Per sample shipping charges for branch shipments			VAN
BAT01	1	Batch charge of <20 samples			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS
MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: RC Gold
Report Date: August 24, 2019

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000347.1

Method	Analyte	WGHT	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01
1894451	Rock	0.45	2.19	88.40	7.26	35.3	110	18.3	9.4	378	3.75	2.7	0.9	17.3	5.9	85.6	0.02	0.27	0.23	25	0.77
1894452	Rock	0.98	0.21	14.63	5.69	5.6	34	3.5	0.8	37	0.73	3.9	0.5	4.1	5.8	1.4	0.02	0.49	0.13	2	<0.01
1894453	Rock	0.29	0.69	4.35	26.33	38.2	113	1.0	0.5	206	1.10	48.6	5.1	7.5	21.0	22.4	0.10	0.21	0.36	<1	0.13
1894454	Rock	0.68	0.45	14.06	71.95	30.3	9771	4.7	1.4	336	1.11	935.6	3.5	27.7	20.9	5.0	0.41	2.72	2.41	<1	0.05
1894455	Rock	0.65	3.33	8.45	7.18	59.0	67	2.9	5.9	568	2.99	33.5	5.1	16.4	19.5	94.1	0.09	0.16	0.22	27	0.98
1894456	Rock	0.93	0.62	14.98	10.83	70.8	184	4.3	5.2	480	3.41	23.9	3.0	639.6	19.4	36.2	0.09	0.61	8.43	41	0.57
1894457	Rock	0.47	0.19	6.15	6.99	29.6	7	19.8	3.3	192	1.28	4.1	0.3	4.0	9.3	4.1	0.01	0.04	0.27	10	0.01
1894458	Rock	0.46	2.04	82.24	3.89	79.9	359	15.5	13.0	763	5.22	4156.3	3.6	89.4	12.7	138.7	0.05	1.08	27.29	83	0.70
1894459	Rock	0.98	0.17	4.25	6.37	51.5	213	26.6	6.0	1537	1.71	1373.0	0.6	1.7	8.4	171.0	0.11	1.03	0.52	42	7.08
1894460	Rock	1.10	1.12	29.59	327.55	131.5	1889	17.8	11.2	716	2.62	7.9	3.4	18.7	14.2	126.9	1.26	0.23	13.94	54	1.47
1894461	Rock	0.20	0.27	4.64	74.47	31.8	3400	1.5	0.7	46	1.05	631.6	0.2	35.7	6.4	11.1	0.60	7.64	1.19	2	0.02
1894462	Rock	1.16	0.24	4.70	6.28	6.2	95	1.2	0.3	47	0.46	9.6	<0.1	2.2	1.2	0.9	0.02	0.67	0.32	<1	0.01
1894463	Rock	0.22	0.20	4.25	6.60	93.1	90	38.4	14.8	617	2.57	8.7	3.2	2.8	13.5	3.7	0.34	0.13	0.12	9	0.02
1894464	Rock	0.22	0.23	14.57	14.95	60.0	41	34.9	6.2	213	1.40	15.5	1.1	15.6	15.3	9.7	0.04	0.14	0.45	15	0.18
1894465	Rock	0.18	0.25	14.09	32.20	9.5	327	9.6	2.8	61	0.74	5.7	0.6	0.7	7.5	6.4	0.03	0.24	1.03	1	0.07
1894466	Rock	0.45	0.33	3.83	11.74	11.9	53	3.5	1.0	70	0.92	0.6	0.2	0.4	3.4	1.8	<0.01	0.04	0.48	3	<0.01



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: RC Gold
Report Date: August 24, 2019

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000347.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894451	Rock	0.023	11.0	28.2	0.62	151.5	0.075	2	1.94	0.075	0.53	>100	3.8	0.40	1.02	<5	3.0	0.08	6.1
1894452	Rock	0.006	10.7	4.9	<0.01	18.6	0.002	<1	0.38	0.002	0.06	0.4	0.5	0.02	<0.02	9	<0.1	0.03	0.8
1894453	Rock	0.011	31.2	1.2	0.04	133.3	0.017	<1	0.61	0.052	0.26	1.4	0.3	0.18	<0.02	<5	<0.1	0.02	2.7
1894454	Rock	0.011	40.6	0.9	<0.01	89.7	<0.001	4	0.48	0.003	0.24	0.2	0.2	0.15	<0.02	6	<0.1	0.10	1.1
1894455	Rock	0.072	46.6	14.9	0.72	639.9	0.220	2	2.23	0.162	0.74	10.2	7.5	0.43	0.03	<5	<0.1	<0.02	9.1
1894456	Rock	0.088	41.4	21.6	0.95	442.8	0.201	1	2.17	0.078	0.75	93.5	6.2	0.59	<0.02	<5	<0.1	0.32	9.0
1894457	Rock	0.009	14.3	14.9	0.21	48.4	0.037	<1	0.77	0.032	0.15	0.3	1.2	0.10	<0.02	<5	<0.1	0.04	2.4
1894458	Rock	0.121	31.3	59.5	1.50	70.9	0.266	<1	3.08	0.222	1.53	4.4	11.6	1.40	1.60	<5	1.1	0.08	10.0
1894459	Rock	0.047	20.4	38.1	1.39	186.3	0.098	6	1.43	0.118	1.19	>100	6.8	1.60	0.06	<5	0.2	0.17	7.3
1894460	Rock	0.061	22.0	92.4	1.33	170.5	0.159	<1	3.55	0.325	1.12	0.9	5.6	1.09	0.79	<5	0.9	1.33	10.4
1894461	Rock	0.014	20.9	4.2	0.02	37.8	0.002	8	0.25	0.004	0.16	0.2	0.6	0.14	<0.02	<5	<0.1	0.06	0.8
1894462	Rock	0.002	1.5	2.9	<0.01	9.5	0.001	<1	0.07	0.002	0.02	0.2	0.2	<0.02	<0.02	<5	<0.1	0.04	0.2
1894463	Rock	0.017	27.0	7.8	0.02	53.9	0.002	<1	0.59	0.006	0.14	0.4	1.6	0.14	<0.02	<5	<0.1	<0.02	1.5
1894464	Rock	0.024	21.9	18.9	0.21	53.9	0.087	<1	0.88	0.045	0.15	0.2	2.4	0.07	<0.02	<5	0.1	0.02	2.7
1894465	Rock	0.039	12.7	2.9	<0.01	10.0	<0.001	3	0.14	0.045	0.03	<0.1	0.4	<0.02	<0.02	<5	<0.1	0.03	0.3
1894466	Rock	0.010	4.4	4.6	0.14	26.2	0.005	2	0.31	0.004	0.06	<0.1	0.5	<0.02	<0.02	<5	<0.1	0.06	0.9



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: RC Gold
Report Date: August 24, 2019

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI19000347.1

Method	Analyte	WGHT	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.5	0.01	0.02	0.02	0.02	1	0.01
Pulp Duplicates																					
1894463	Rock	0.22	0.20	4.25	6.60	93.1	90	38.4	14.8	617	2.57	8.7	3.2	2.8	13.5	3.7	0.34	0.13	0.12	9	0.02
REP 1894463	QC		0.24	4.37	6.52	90.7	85	38.1	14.7	614	2.53	9.1	3.1	1.5	13.3	3.7	0.29	0.14	0.11	9	0.02
Core Reject Duplicates																					
1894459	Rock	0.98	0.17	4.25	6.37	51.5	213	26.6	6.0	1537	1.71	1373.0	0.6	1.7	8.4	171.0	0.11	1.03	0.52	42	7.08
DUP 1894459	QC		0.18	4.67	6.46	52.2	207	27.3	6.4	1569	1.72	1389.3	0.6	4.5	8.9	177.6	0.11	1.15	0.53	42	7.11
Reference Materials																					
STD DS11	Standard		15.55	150.09	140.58	333.8	1647	79.6	13.7	1042	3.11	41.1	2.7	75.8	8.4	68.9	2.12	7.90	11.52	50	1.09
STD OREAS262	Standard		0.66	120.19	58.96	152.8	461	65.5	27.9	533	3.25	34.2	1.3	56.5	9.6	35.8	0.65	4.38	1.01	24	3.07
STD DS11 Expected			14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		1.05	2.95	1.18	29.4	9	0.7	3.4	477	1.73	0.5	0.5	<0.2	2.4	26.6	0.02	0.06	<0.02	23	0.69
ROCK-WHI	Prep Blank		1.02	2.46	1.11	29.1	10	0.6	3.4	467	1.75	0.9	0.5	<0.2	2.6	24.1	0.02	0.06	<0.02	23	0.65



QUALITY CONTROL REPORT

WHI19000347.1

Method		AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	
Pulp Duplicates																				
1894463	Rock	0.017	27.0	7.8	0.02	53.9	0.002	<1	0.59	0.006	0.14	0.4	1.6	0.14	<0.02	<5	<0.1	<0.02	1.5	
REP 1894463	QC	0.014	26.2	7.6	0.02	52.0	0.001	<1	0.57	0.006	0.14	0.3	1.5	0.12	<0.02	<5	<0.1	<0.02	1.5	
Core Reject Duplicates																				
1894459	Rock	0.047	20.4	38.1	1.39	186.3	0.098	6	1.43	0.118	1.19	>100	6.8	1.60	0.06	<5	0.2	0.17	7.3	
DUP 1894459	QC	0.049	21.1	38.8	1.42	187.9	0.099	5	1.43	0.120	1.17	>100	6.9	1.61	0.06	<5	0.3	0.17	7.0	
Reference Materials																				
STD DS11	Standard	0.070	20.8	61.3	0.85	347.0	0.103	6	1.24	0.076	0.41	2.9	3.2	4.67	0.27	270	2.0	4.45	4.9	
STD OREAS262	Standard	0.039	18.3	45.4	1.17	242.7	0.003	4	1.36	0.067	0.33	0.2	3.2	0.43	0.26	148	0.3	0.25	4.1	
STD DS11 Expected		0.0701	18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1	
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170	0.4	0.23	3.73	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	
Prep Wash																				
ROCK-WHI	Prep Blank	0.039	7.0	2.0	0.43	56.3	0.084	<1	0.85	0.082	0.08	0.2	2.6	<0.02	<0.02	<5	<0.1	<0.02	3.7	
ROCK-WHI	Prep Blank	0.038	7.2	1.9	0.43	58.0	0.088	<1	0.89	0.099	0.09	<0.1	2.8	<0.02	<0.02	<5	<0.1	<0.02	3.7	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Submitted By: Cor Coe
Receiving Lab: Canada-Whitehorse
Received: August 12, 2019
Report Date: August 24, 2019
Page: 1 of 11

CERTIFICATE OF ANALYSIS

WHI19000357.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 288

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2
Canada

CC: Ryan Coe

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	288	Dry at 60C			WHI
SS80	288	Dry at 60C sieve 100g to -80 mesh			WHI
AQ252	285	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	30	Completed	VAN
SHP01	288	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 2 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P		
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001		
1894001	Soil	1.18	20.91	12.24	73.6	281	22.8	7.5	590	2.84	12.9	1.4	3.2	1.6	11.2	0.29	0.42	0.27	39	0.10	0.052	
1894002	Soil	0.72	6.66	5.28	23.3	448	5.5	1.6	128	0.82	5.1	0.4	0.5	0.3	7.2	0.09	0.13	0.11	18	0.06	0.058	
1894003	Soil	0.99	15.49	11.70	45.0	146	11.9	4.4	125	1.90	10.2	0.7	2.0	1.0	8.1	0.11	0.39	0.23	28	0.05	0.033	
1894004	Soil	0.95	14.19	12.63	43.2	211	11.6	3.9	132	2.21	10.9	0.9	0.8	0.5	8.5	0.11	0.37	0.22	38	0.07	0.058	
1894005	Soil	1.25	25.73	14.92	64.7	159	18.1	5.8	203	2.99	20.0	1.2	1.3	7.9	11.0	0.15	0.48	0.32	35	0.09	0.043	
1894006	Soil	1.56	27.66	19.86	65.2	283	21.5	8.0	221	3.17	15.8	1.3	1.5	6.3	13.0	0.20	0.54	0.34	41	0.11	0.059	
1894007	Soil	1.15	23.67	16.13	47.3	325	12.2	4.1	105	2.58	12.5	1.1	1.2	4.1	8.4	0.10	0.54	0.25	32	0.05	0.043	
1894008	Soil	1.75	29.51	20.81	57.8	140	16.6	5.4	185	3.13	12.2	1.2	1.9	2.3	11.6	0.14	0.54	0.37	42	0.06	0.070	
1894009	Soil	0.98	41.94	18.55	86.2	134	28.9	15.9	266	4.58	11.8	2.1	2.6	12.5	13.5	0.04	0.38	0.31	37	0.03	0.033	
1894010	Soil	1.36	42.77	20.15	94.5	124	37.7	18.6	570	3.48	22.9	2.1	3.5	10.5	17.9	0.19	0.71	0.45	46	0.20	0.083	
1894011	Soil	1.05	18.92	14.18	50.0	90	14.7	5.2	188	2.47	10.4	0.8	3.1	3.4	9.6	0.11	0.59	0.35	42	0.08	0.040	
1894012	Soil	1.29	20.54	16.10	41.4	121	14.5	5.2	165	2.74	11.4	0.9	1.2	6.5	9.9	0.17	0.53	0.29	42	0.07	0.038	
1894013	Soil	1.26	35.18	19.66	63.3	90	15.3	5.9	183	3.55	15.6	1.7	2.0	10.6	10.2	0.11	0.64	0.35	29	0.06	0.048	
1894014	Soil	1.12	36.64	20.63	61.9	107	17.2	5.7	167	3.37	19.7	1.8	1.2	11.9	8.2	0.10	0.64	0.43	27	0.04	0.043	
1894015	Soil	1.29	26.79	17.45	61.8	138	15.8	5.9	240	3.29	10.2	1.3	1.5	4.3	10.8	0.19	0.49	0.32	37	0.07	0.056	
1894016	Soil	0.99	16.00	9.75	44.5	70	12.0	3.6	126	2.05	6.1	0.7	2.0	2.6	9.2	0.07	0.36	0.21	32	0.08	0.038	
1894017	Soil	1.08	16.35	11.62	41.1	209	14.7	4.7	107	1.99	8.5	1.1	1.7	0.5	8.4	0.12	0.39	0.28	36	0.06	0.069	
1894018	Soil	1.10	10.65	8.71	33.4	301	7.7	3.3	165	1.50	9.6	0.8	0.8	0.6	9.3	0.16	0.34	0.19	31	0.07	0.082	
1894019	Soil	1.55	13.48	12.76	50.6	158	15.7	5.5	250	2.82	24.2	1.2	2.5	0.9	10.6	0.14	0.43	0.29	48	0.07	0.047	
1894020	Soil	0.93	11.14	11.96	36.7	47	12.4	3.8	116	2.17	13.1	0.7	2.1	1.6	9.3	0.09	0.32	0.28	39	0.08	0.027	
1894021	Soil	1.10	15.48	14.90	57.5	65	17.5	5.5	208	2.76	22.3	0.7	3.6	4.7	10.6	0.16	0.37	0.48	46	0.09	0.027	
1894022	Soil	1.02	12.62	18.09	56.8	55	15.9	5.6	190	2.39	18.0	0.6	6.0	5.5	10.5	0.22	0.42	0.36	44	0.08	0.027	
1894023	Soil	0.76	28.89	16.52	82.7	171	34.6	12.9	573	2.92	20.6	0.8	9.8	8.9	18.5	0.27	0.47	0.64	40	0.21	0.050	
1894024	Soil	0.76	6.61	11.07	16.7	105	5.3	1.9	73	0.77	9.8	0.4	2.5	1.6	6.5	0.04	0.30	0.49	29	0.04	0.015	
1894025	Soil	1.03	24.05	18.85	63.3	373	22.2	7.9	271	2.84	106.4	1.1	11.1	2.7	14.1	0.12	0.54	0.62	40	0.13	0.047	
1894026	Soil	0.95	18.31	18.16	66.3	192	18.5	6.8	310	2.58	19.0	1.0	7.4	1.3	9.6	0.24	0.48	0.23	44	0.09	0.047	
1894027	Soil	1.06	26.69	14.01	58.5	344	21.9	7.1	236	2.57	15.2	1.3	3.0	1.2	11.9	0.17	0.49	0.27	41	0.10	0.075	
1894028	Soil	0.85	18.13	13.16	66.9	114	20.0	7.6	325	2.65	21.9	1.0	7.0	3.3	13.0	0.12	0.45	0.25	40	0.14	0.041	
1894029	Soil	0.94	17.54	12.61	62.9	97	19.7	7.9	490	2.74	23.5	1.1	6.3	2.5	12.8	0.14	0.38	0.28	40	0.16	0.042	
1894030	Soil	1.09	36.27	21.02	129.9	364	34.1	12.2	380	3.40	40.9	2.2	28.4	11.1	15.7	0.25	0.61	0.76	40	0.26	0.042	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 2 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	5	0.1	0.02	0.1	0.1
1894001	Soil	29.7	31.8	0.47	95.1	0.028	1	1.69	0.005	0.06	0.3	2.0	0.15	0.04	31	0.5	0.02	4.7
1894002	Soil	20.3	8.7	0.08	40.6	0.008	2	0.49	0.004	0.04	<0.1	0.5	0.10	0.04	79	<0.1	<0.02	2.4
1894003	Soil	25.3	16.6	0.30	58.6	0.017	1	0.98	0.005	0.04	0.1	1.0	0.09	0.02	39	<0.1	0.02	3.7
1894004	Soil	19.6	27.4	0.38	62.9	0.017	2	1.35	0.004	0.05	0.1	1.0	0.12	0.02	44	0.2	0.03	5.3
1894005	Soil	33.0	27.5	0.57	73.4	0.032	1	1.42	0.005	0.05	0.2	2.2	0.11	<0.02	19	0.2	0.03	4.6
1894006	Soil	29.1	31.4	0.55	98.9	0.037	2	1.57	0.006	0.07	0.3	2.5	0.15	0.03	62	0.4	0.05	4.9
1894007	Soil	30.7	17.1	0.31	82.4	0.014	1	1.16	0.004	0.05	0.1	1.4	0.10	0.04	44	0.3	0.02	4.3
1894008	Soil	23.9	25.1	0.44	71.6	0.026	1	1.41	0.006	0.06	0.1	1.6	0.10	0.06	72	0.5	0.07	5.7
1894009	Soil	55.1	19.3	0.35	69.4	0.017	<1	1.12	0.003	0.04	0.2	3.9	0.16	<0.02	64	<0.1	0.07	3.7
1894010	Soil	34.4	53.9	0.65	129.9	0.059	1	1.73	0.008	0.08	0.4	3.8	0.11	<0.02	29	0.3	0.04	5.1
1894011	Soil	19.5	22.9	0.29	65.1	0.037	1	1.07	0.005	0.04	0.2	1.9	0.10	0.03	50	0.3	0.05	5.4
1894012	Soil	22.5	20.2	0.28	85.6	0.031	1	1.23	0.006	0.04	0.2	1.9	0.10	0.02	56	0.3	0.03	4.9
1894013	Soil	45.4	21.9	0.52	81.7	0.018	1	1.54	0.004	0.05	<0.1	1.6	0.08	<0.02	21	0.4	0.02	4.2
1894014	Soil	53.1	20.0	0.39	59.2	0.014	1	1.34	0.003	0.05	0.1	2.2	0.10	<0.02	23	0.2	0.04	3.7
1894015	Soil	32.6	26.0	0.49	71.7	0.024	1	1.66	0.004	0.06	0.1	1.8	0.11	0.02	35	0.3	0.03	5.0
1894016	Soil	25.0	21.2	0.40	59.2	0.025	1	1.21	0.004	0.04	0.1	1.5	0.10	<0.02	29	0.1	0.04	4.2
1894017	Soil	17.0	28.8	0.35	68.7	0.014	1	1.32	0.006	0.05	0.1	0.9	0.15	0.05	64	0.4	0.04	4.3
1894018	Soil	11.4	15.8	0.16	65.1	0.010	2	0.80	0.006	0.06	0.6	0.5	0.12	0.08	85	0.5	0.04	3.5
1894019	Soil	14.6	23.5	0.35	83.2	0.035	<1	1.49	0.005	0.06	0.9	1.7	0.17	0.04	73	0.5	0.04	6.1
1894020	Soil	14.7	22.9	0.33	64.4	0.042	<1	1.29	0.005	0.07	0.7	1.7	0.18	<0.02	37	0.4	0.03	4.8
1894021	Soil	18.3	26.7	0.46	75.4	0.071	1	1.53	0.005	0.11	2.8	2.3	0.25	<0.02	32	0.3	0.04	5.9
1894022	Soil	17.9	21.3	0.35	75.8	0.067	1	1.16	0.006	0.09	1.4	2.0	0.21	<0.02	30	0.2	0.05	5.4
1894023	Soil	24.0	31.7	0.78	132.7	0.088	1	2.12	0.011	0.22	1.2	3.4	0.32	<0.02	40	0.2	0.04	5.8
1894024	Soil	18.1	11.1	0.09	36.9	0.033	2	0.59	0.003	0.05	0.9	1.0	0.26	<0.02	24	0.1	0.04	6.2
1894025	Soil	23.9	26.7	0.42	107.7	0.046	2	1.68	0.008	0.10	2.1	2.4	0.28	0.04	42	0.6	0.05	5.2
1894026	Soil	18.3	26.7	0.40	76.8	0.032	<1	1.47	0.005	0.05	0.3	2.1	0.14	0.02	38	0.3	0.05	4.7
1894027	Soil	21.1	25.6	0.36	85.7	0.028	1	1.29	0.007	0.06	0.3	1.7	0.21	0.05	62	0.4	0.04	5.0
1894028	Soil	18.7	29.3	0.46	102.6	0.047	1	1.56	0.007	0.12	0.3	2.2	0.25	0.02	45	0.3	0.02	5.0
1894029	Soil	20.1	28.1	0.48	105.5	0.041	1	1.48	0.006	0.08	0.2	2.0	0.23	0.03	36	0.3	0.03	5.5
1894030	Soil	41.4	37.0	0.86	124.5	0.054	2	2.09	0.007	0.21	0.6	3.6	0.43	0.02	29	0.3	0.06	6.0



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 3 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894031	Soil	0.84	19.13	14.28	66.3	114	20.7	11.4	523	2.79	24.7	1.2	8.9	3.9	17.8	0.15	0.31	0.34	40	0.31	0.052
1894032	Soil	0.50	20.80	12.36	69.2	175	23.0	8.3	266	2.72	20.7	1.1	13.5	10.3	11.3	0.11	0.32	0.33	28	0.21	0.035
1894033	Soil	0.82	18.39	17.92	55.4	320	20.2	9.1	452	2.42	20.8	1.2	3.6	2.1	16.0	0.11	0.39	0.27	37	0.17	0.082
1894034	Soil	0.75	23.66	16.24	70.7	102	25.9	10.5	339	2.64	20.8	1.0	6.3	6.3	12.4	0.11	0.53	0.30	37	0.13	0.046
1894035	Soil	1.34	16.99	11.54	45.1	222	15.6	6.0	220	2.13	18.1	0.8	4.4	3.1	8.9	0.13	0.37	0.30	39	0.07	0.053
1894036	Soil	0.74	20.57	13.65	62.8	117	22.1	9.2	327	2.48	21.9	1.0	6.3	5.0	10.6	0.17	0.52	0.20	37	0.12	0.062
1894037	Soil	0.95	15.06	13.37	58.4	160	17.8	6.0	176	2.14	27.6	0.8	3.7	1.6	12.2	0.13	0.48	0.31	39	0.10	0.043
1894038	Soil	0.88	12.56	13.99	49.5	86	14.4	4.4	153	1.91	23.6	0.7	3.4	1.4	9.3	0.11	0.37	0.29	37	0.08	0.035
1894039	Soil	0.92	14.57	16.38	44.3	127	14.6	4.9	148	2.16	29.2	0.8	4.1	0.8	8.8	0.08	0.36	0.33	38	0.07	0.043
1894040	Soil	0.88	10.88	13.55	35.3	62	12.9	4.0	116	2.02	21.8	0.7	3.0	1.7	8.9	0.07	0.32	0.30	38	0.07	0.028
1894041	Soil	0.81	10.26	15.54	41.1	189	12.2	3.9	137	1.67	18.3	0.7	4.2	1.1	8.2	0.11	0.36	0.21	30	0.07	0.035
1894042	Soil	0.78	12.85	12.24	42.8	130	13.0	4.4	142	1.76	16.9	0.7	2.3	1.1	8.8	0.17	0.35	0.23	35	0.07	0.036
1894043	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1894044	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1894045	Soil	1.55	42.98	16.60	65.7	159	21.9	10.2	239	4.18	28.3	2.1	4.8	2.8	12.4	0.12	0.54	0.49	36	0.05	0.096
1894046	Soil	0.70	22.96	9.24	52.8	32	24.6	9.9	308	2.43	14.0	0.8	4.0	3.4	12.0	0.17	0.67	0.16	34	0.11	0.043
1894047	Soil	0.54	37.43	16.09	80.5	349	49.1	17.2	584	3.26	25.2	2.1	23.4	6.7	19.9	0.14	0.55	0.95	25	0.13	0.066
1894048	Soil	0.61	36.73	18.26	86.4	70	35.6	14.7	491	3.48	17.3	1.6	6.8	14.9	12.2	0.13	0.41	0.30	29	0.21	0.053
1894049	Soil	0.99	44.22	15.56	91.0	143	36.1	15.4	531	3.89	28.9	2.3	13.2	15.5	18.8	0.07	0.35	0.52	38	0.35	0.063
1894050	Soil	0.95	42.39	17.06	79.1	57	39.0	14.6	525	4.08	26.4	1.7	11.1	8.8	10.9	0.08	0.30	0.48	35	0.15	0.063
1894051	Soil	0.76	35.43	15.27	93.5	183	32.7	13.7	898	3.21	31.9	1.2	32.5	4.6	28.9	0.83	0.37	0.97	33	0.22	0.084
1894052	Soil	0.84	36.94	15.03	77.6	210	30.8	11.0	508	3.40	44.3	1.9	24.9	7.2	13.5	0.40	0.46	0.90	32	0.17	0.065
1894053	Soil	1.01	37.90	20.09	68.6	515	29.2	13.5	540	3.65	52.6	2.4	15.9	11.4	21.2	0.18	0.38	0.82	36	0.34	0.062
1894054	Soil	0.72	25.59	17.64	76.9	220	24.9	9.0	501	3.32	43.2	1.7	23.7	6.7	12.5	0.18	0.56	0.59	28	0.15	0.064
1894055	Soil	1.45	54.31	37.89	116.6	2682	36.9	15.1	797	3.80	60.4	2.7	36.3	6.9	26.4	0.30	0.58	0.84	34	0.30	0.073
1894056	Soil	0.79	23.21	15.08	71.6	477	23.7	10.1	476	2.95	33.9	1.5	26.7	8.3	13.4	0.13	0.51	0.66	40	0.09	0.049
1894057	Soil	0.82	21.33	11.69	67.6	143	21.7	8.6	405	2.78	22.7	1.0	6.9	2.6	11.5	0.19	0.46	0.49	43	0.10	0.050
1894058	Soil	0.94	17.47	12.37	60.2	104	19.0	7.7	358	2.75	16.2	1.2	6.2	1.3	10.9	0.17	0.43	0.41	41	0.08	0.069
1894059	Soil	0.98	14.75	14.64	76.6	559	15.1	6.8	456	2.54	18.0	0.9	8.5	1.0	10.6	0.60	0.49	0.41	45	0.08	0.063
1894060	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 3 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	5	0.1	0.02	0.1	0.1
1894031	Soil	32.0	30.7	0.52	179.7	0.056	2	1.69	0.009	0.11	0.3	2.6	0.32	0.05	39	0.3	0.02	5.4
1894032	Soil	28.5	26.8	0.53	108.5	0.053	<1	1.56	0.006	0.20	0.4	2.9	0.43	<0.02	36	0.1	<0.02	4.4
1894033	Soil	25.3	30.6	0.42	135.7	0.040	2	1.70	0.013	0.12	0.2	1.9	0.29	0.05	36	0.3	0.04	5.0
1894034	Soil	23.1	30.2	0.47	129.4	0.060	2	1.65	0.007	0.16	0.9	2.8	0.29	<0.02	26	0.3	0.04	4.7
1894035	Soil	16.7	21.7	0.26	53.3	0.043	2	0.98	0.006	0.07	0.3	1.3	0.17	0.04	81	0.5	0.02	4.8
1894036	Soil	17.8	25.3	0.40	90.4	0.044	2	1.35	0.005	0.07	0.6	2.5	0.12	<0.02	43	0.2	<0.02	3.8
1894037	Soil	17.7	27.1	0.38	96.4	0.036	2	1.29	0.006	0.07	0.5	1.8	0.17	<0.02	38	0.3	0.03	5.2
1894038	Soil	17.7	24.1	0.33	70.3	0.034	1	1.21	0.005	0.06	0.5	1.7	0.19	<0.02	31	0.2	0.03	4.7
1894039	Soil	15.7	24.9	0.34	74.8	0.031	2	1.44	0.006	0.07	0.7	1.4	0.22	0.02	37	0.4	<0.02	5.3
1894040	Soil	16.9	23.0	0.30	61.1	0.038	2	1.28	0.004	0.06	0.7	1.6	0.18	<0.02	42	0.4	<0.02	5.0
1894041	Soil	16.4	19.7	0.27	49.4	0.020	2	1.03	0.005	0.05	0.4	0.8	0.15	<0.02	56	0.2	<0.02	4.1
1894042	Soil	14.1	19.3	0.29	65.3	0.032	2	1.13	0.005	0.05	0.4	1.5	0.12	<0.02	36	0.2	<0.02	4.0
1894043	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1894044	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1894045	Soil	31.9	26.9	0.45	66.5	0.017	1	1.78	0.009	0.06	0.1	1.4	0.18	0.09	64	0.5	0.05	4.7
1894046	Soil	16.0	22.2	0.39	74.7	0.039	1	1.25	0.008	0.05	0.3	2.0	0.10	0.02	35	0.5	0.03	3.6
1894047	Soil	32.1	24.4	0.45	107.8	0.026	<1	1.70	0.006	0.13	0.3	2.0	0.28	0.05	39	0.3	0.08	4.2
1894048	Soil	38.8	31.0	0.84	118.5	0.069	<1	1.94	0.004	0.28	0.2	2.8	0.32	<0.02	18	<0.1	0.03	4.8
1894049	Soil	50.9	40.3	0.94	156.6	0.066	<1	2.19	0.005	0.25	0.6	3.9	0.42	0.02	23	0.3	0.04	5.8
1894050	Soil	52.2	36.9	0.76	100.8	0.037	2	2.09	0.005	0.10	0.5	3.0	0.28	0.03	24	0.3	0.03	5.5
1894051	Soil	27.1	28.1	0.57	150.6	0.056	2	1.53	0.009	0.19	0.8	2.1	0.30	0.08	86	0.3	0.05	5.3
1894052	Soil	37.0	30.7	0.54	110.9	0.033	1	1.79	0.006	0.13	0.6	2.3	0.43	0.04	52	0.2	0.04	4.8
1894053	Soil	89.1	32.5	0.58	237.4	0.041	<1	2.25	0.009	0.13	0.6	4.0	0.51	0.05	68	0.4	0.04	5.0
1894054	Soil	32.7	24.1	0.37	76.6	0.032	<1	1.35	0.008	0.11	0.4	2.2	0.30	0.06	42	0.3	0.04	3.9
1894055	Soil	62.8	31.2	0.67	105.1	0.052	<1	2.21	0.015	0.12	0.6	3.2	0.34	0.06	45	0.5	0.08	5.5
1894056	Soil	32.9	24.5	0.30	78.5	0.061	2	1.20	0.006	0.14	2.1	2.4	0.31	0.04	70	0.3	0.04	4.4
1894057	Soil	20.7	29.2	0.47	98.9	0.054	1	1.88	0.008	0.09	1.2	2.1	0.25	0.03	36	0.5	0.03	4.9
1894058	Soil	18.5	28.5	0.41	94.3	0.048	<1	1.69	0.007	0.10	1.2	1.6	0.23	0.06	65	0.6	0.04	5.5
1894059	Soil	16.2	24.7	0.34	92.1	0.044	2	1.32	0.007	0.10	1.1	1.4	0.20	0.06	45	0.5	0.07	5.7
1894060	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 4 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method Analyte	Unit	MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	
1894101	Soil		1.84	13.34	13.03	46.1	240	12.8	6.0	272	2.59	30.2	1.7	7.3	2.1	11.3	0.14	0.45	0.34	53	0.09	0.064
1894102	Soil		0.75	26.66	10.23	57.1	161	22.2	8.7	347	2.25	15.5	1.1	7.2	6.8	13.1	0.24	0.54	0.19	33	0.16	0.058
1894103	Soil		0.85	24.83	13.61	56.7	99	19.7	8.3	187	2.67	18.7	1.4	4.0	6.1	10.1	0.16	0.58	0.27	39	0.10	0.051
1894104	Soil		0.98	21.71	14.05	54.3	127	15.9	7.0	179	2.57	27.4	1.3	5.0	8.1	7.2	0.18	0.68	0.31	29	0.05	0.034
1894105	Soil		0.86	18.84	10.90	47.5	79	14.5	6.0	191	2.42	9.8	0.8	2.1	2.5	9.4	0.12	0.46	0.24	33	0.09	0.046
1894106	Soil		1.60	18.87	13.85	41.9	85	10.5	3.8	133	2.44	10.4	0.7	5.2	6.2	8.8	0.10	0.46	0.36	46	0.05	0.034
1894107	Soil		1.10	16.96	13.79	50.4	76	15.6	8.3	309	2.97	14.4	0.8	2.8	5.3	8.4	0.16	0.59	0.25	50	0.07	0.040
1894108	Soil		0.92	22.30	21.81	63.4	201	18.8	8.9	286	2.68	15.1	1.1	3.1	5.1	10.4	0.27	0.64	0.26	39	0.09	0.049
1894109	Soil		1.01	17.98	11.72	43.2	113	14.0	5.0	199	2.53	13.1	1.1	3.1	1.5	8.5	0.14	0.49	0.29	43	0.06	0.042
1894110	Soil		1.03	18.24	12.78	58.2	147	16.8	15.5	630	2.77	20.8	1.1	3.8	2.4	9.9	0.21	0.49	0.25	43	0.08	0.056
1894111	Soil		0.73	25.24	10.38	56.9	122	19.9	8.7	319	2.19	13.7	1.1	1.8	3.5	11.4	0.16	0.57	0.18	36	0.14	0.059
1894112	Soil		1.16	17.86	11.13	62.5	131	20.8	9.6	379	2.70	23.1	1.5	0.7	1.5	10.7	0.09	0.41	0.24	47	0.08	0.037
1894113	Soil		0.68	23.37	12.78	64.9	59	20.8	11.3	327	2.48	15.0	0.9	5.0	5.8	11.3	0.15	0.35	0.29	36	0.10	0.031
1894114	Soil		1.06	15.55	12.04	58.3	37	18.9	9.6	359	2.85	13.5	0.8	4.0	5.8	9.8	0.19	0.48	0.31	51	0.09	0.031
1894115	Soil		0.48	9.08	11.43	37.5	14	11.9	4.1	131	1.96	8.3	0.6	3.8	1.6	7.5	0.09	0.34	0.26	37	0.07	0.026
1894116	Soil		0.70	9.62	13.11	48.7	15	12.4	5.7	199	2.11	9.7	0.8	1.7	2.3	11.0	0.17	0.38	0.26	39	0.11	0.041
1894117	Soil		0.73	16.59	11.69	51.7	89	16.9	6.4	218	2.16	14.5	0.8	2.7	1.3	11.0	0.15	0.38	0.50	38	0.11	0.043
1894118	Soil		1.05	19.97	20.42	72.1	68	17.8	10.6	584	2.83	35.0	0.9	4.3	3.5	13.4	0.33	0.38	0.62	51	0.15	0.056
1894119	Soil		1.16	30.25	18.93	84.8	276	27.0	14.8	639	3.16	50.5	1.6	24.4	6.1	16.5	0.31	0.48	1.17	40	0.15	0.056
1894120	Soil		0.79	18.53	10.63	53.9	54	19.4	8.6	274	2.65	13.9	0.8	3.2	6.0	10.8	0.11	0.44	0.35	42	0.09	0.032
1894121	Soil		0.88	16.76	11.05	54.6	149	17.6	7.7	320	2.59	18.3	0.9	5.7	4.8	11.0	0.20	0.49	0.32	44	0.12	0.040
1894122	Soil		1.21	13.19	17.01	42.2	523	13.2	5.8	228	2.61	22.0	0.7	3.8	4.8	9.8	0.18	0.43	0.33	49	0.07	0.036
1894123	Soil		0.93	26.23	18.21	85.4	186	28.5	15.2	515	3.35	18.6	1.1	5.9	8.3	14.8	0.27	0.40	0.63	43	0.15	0.060
1894124	Soil		1.11	13.32	12.68	48.2	55	15.6	6.2	245	2.61	20.3	0.7	3.6	2.4	7.5	0.11	0.41	0.27	42	0.06	0.030
1894125	Soil		0.86	16.56	9.73	61.7	119	15.8	9.8	459	2.39	13.2	0.9	1.1	2.4	11.7	0.15	0.46	0.20	37	0.13	0.071
1894126	Soil		0.93	15.53	12.41	51.6	82	14.7	9.5	320	2.50	16.3	1.0	2.1	2.1	8.9	0.13	0.48	0.20	43	0.07	0.043
1894127	Soil		1.00	19.62	10.75	61.1	132	18.3	7.1	271	2.61	16.3	1.1	3.9	2.4	9.1	0.19	0.57	0.22	40	0.08	0.054
1894128	Soil		1.35	19.50	17.89	60.0	248	18.1	8.5	322	3.22	22.2	0.9	3.1	3.8	10.3	0.16	0.62	0.37	50	0.07	0.060
1894129	Soil		0.93	22.09	18.47	60.7	274	18.5	7.9	263	2.69	19.1	1.1	6.6	5.4	11.6	0.25	0.66	0.23	39	0.12	0.052
1894130	Soil		0.99	20.71	16.46	53.9	131	15.2	6.2	258	3.03	24.7	0.9	2.8	6.7	12.0	0.16	0.60	0.27	37	0.08	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 4 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894101	Soil	15.8	24.9	0.32	105.9	0.058	2	1.71	0.008	0.07	1.1	2.4	0.17	0.03	51	0.4	0.03	7.1
1894102	Soil	24.5	22.5	0.42	119.7	0.041	1	1.19	0.006	0.05	0.3	3.2	0.09	<0.02	39	0.3	<0.02	3.0
1894103	Soil	22.9	31.1	0.50	87.2	0.032	1	1.59	0.005	0.04	0.1	3.5	0.13	<0.02	21	0.2	0.03	3.8
1894104	Soil	35.2	19.0	0.34	61.5	0.023	1	1.15	0.003	0.04	0.2	2.0	0.17	<0.02	32	0.2	<0.02	3.3
1894105	Soil	24.5	20.7	0.40	59.6	0.024	2	1.27	0.004	0.04	0.2	1.8	0.12	<0.02	16	0.1	0.03	4.0
1894106	Soil	26.6	17.9	0.29	51.7	0.041	2	1.16	0.004	0.04	<0.1	1.7	0.13	<0.02	40	<0.1	0.03	5.3
1894107	Soil	17.4	22.8	0.36	71.9	0.038	2	1.63	0.005	0.04	0.2	2.5	0.12	<0.02	34	0.4	0.03	5.2
1894108	Soil	23.0	23.2	0.41	90.2	0.031	1	1.43	0.005	0.04	0.2	2.5	0.11	<0.02	31	0.3	0.05	4.2
1894109	Soil	21.1	22.6	0.34	79.8	0.026	1	1.40	0.005	0.04	0.2	1.6	0.12	0.02	45	0.5	0.04	4.5
1894110	Soil	18.3	26.3	0.43	98.8	0.033	1	1.62	0.005	0.05	0.2	2.4	0.12	<0.02	35	0.3	0.03	4.0
1894111	Soil	19.1	22.0	0.40	93.9	0.038	2	1.35	0.005	0.05	0.2	3.1	0.11	<0.02	29	0.2	0.03	3.6
1894112	Soil	17.3	26.9	0.46	122.3	0.034	2	1.73	0.006	0.05	0.4	2.4	0.25	0.03	18	0.2	<0.02	5.2
1894113	Soil	22.5	25.7	0.45	136.4	0.050	1	1.53	0.005	0.10	0.7	2.7	0.23	<0.02	16	0.2	0.03	4.1
1894114	Soil	16.2	29.1	0.44	110.7	0.049	<1	1.81	0.006	0.06	0.7	3.2	0.16	<0.02	34	0.3	0.02	5.3
1894115	Soil	15.9	22.5	0.28	63.0	0.026	1	1.33	0.004	0.05	0.3	1.8	0.16	<0.02	30	0.2	0.03	5.2
1894116	Soil	15.7	24.7	0.33	88.7	0.038	1	1.57	0.005	0.05	0.3	2.3	0.18	<0.02	60	0.2	0.02	4.8
1894117	Soil	17.8	23.4	0.36	95.0	0.038	2	1.33	0.006	0.08	1.1	1.9	0.18	<0.02	36	0.2	0.03	4.1
1894118	Soil	19.0	27.8	0.43	112.0	0.059	1	1.64	0.007	0.10	2.0	2.6	0.24	0.03	41	0.3	0.05	5.7
1894119	Soil	27.1	32.8	0.60	133.7	0.064	1	1.77	0.008	0.17	19.3	3.0	0.34	0.04	28	0.3	0.07	5.5
1894120	Soil	16.6	26.2	0.45	108.9	0.053	2	1.67	0.006	0.09	2.3	3.2	0.22	<0.02	24	0.1	0.02	4.2
1894121	Soil	20.5	24.9	0.39	96.9	0.049	1	1.38	0.006	0.08	1.2	2.6	0.18	<0.02	39	0.1	<0.02	4.3
1894122	Soil	16.9	25.1	0.29	77.0	0.050	2	1.37	0.005	0.06	0.9	2.8	0.20	0.02	60	0.3	0.04	6.1
1894123	Soil	20.8	35.4	0.49	132.2	0.088	2	1.95	0.009	0.16	1.6	3.2	0.26	0.03	55	0.2	0.03	6.2
1894124	Soil	15.6	24.4	0.33	54.6	0.050	2	1.19	0.004	0.08	0.3	1.6	0.21	<0.02	17	0.3	0.03	5.0
1894125	Soil	19.0	23.2	0.40	86.0	0.034	<1	1.61	0.005	0.04	0.2	2.3	0.12	<0.02	31	0.2	0.03	4.2
1894126	Soil	18.2	23.5	0.40	85.6	0.031	1	1.53	0.005	0.04	0.2	2.4	0.14	<0.02	16	0.3	0.02	4.2
1894127	Soil	20.0	27.1	0.39	77.0	0.031	1	1.48	0.005	0.04	0.3	2.4	0.11	<0.02	46	0.3	0.03	4.4
1894128	Soil	25.2	27.2	0.37	83.3	0.035	1	1.30	0.005	0.05	0.2	2.1	0.12	0.04	59	0.3	0.05	6.0
1894129	Soil	21.5	22.5	0.41	76.5	0.033	2	1.39	0.006	0.05	0.3	2.3	0.09	<0.02	39	0.3	<0.02	3.5
1894130	Soil	22.5	24.2	0.40	59.9	0.032	1	1.58	0.005	0.04	0.2	2.2	0.09	<0.02	45	0.3	0.02	4.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 5 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method Analyte	Unit	MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
			0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894131	Soil		1.50	62.79	39.93	119.2	452	69.6	31.9	691	3.99	15.3	3.1	2.4	20.5	27.1	0.48	0.55	1.32	79	0.28	0.160
1894132	Soil		1.26	24.71	14.91	61.0	141	19.6	9.2	389	3.17	32.7	1.3	0.6	4.7	11.6	0.20	0.58	0.36	47	0.08	0.061
1894133	Soil		1.09	19.85	11.44	46.0	140	15.2	6.3	222	2.79	20.8	1.3	3.5	1.6	9.1	0.15	0.50	0.30	41	0.06	0.055
1894134	Soil		1.21	18.30	11.67	56.0	128	16.4	7.5	273	2.62	18.0	1.2	5.1	1.8	9.8	0.19	0.64	0.31	41	0.07	0.043
1894135	Soil		0.86	17.74	9.93	57.2	44	17.7	8.2	315	2.56	14.2	0.9	4.1	2.3	8.5	0.19	0.48	0.18	40	0.09	0.052
1894136	Soil		0.79	16.31	14.12	63.3	293	15.4	8.8	699	2.41	30.1	0.8	3.9	1.1	9.0	0.26	0.49	0.23	40	0.09	0.055
1894137	Soil		0.84	11.84	18.43	53.7	156	16.2	7.4	307	2.41	14.5	0.6	2.2	1.7	13.9	0.12	0.32	0.24	44	0.16	0.058
1894138	Soil		0.95	21.79	31.73	77.3	299	22.6	8.2	404	2.56	14.4	0.8	2.0	2.3	11.5	0.32	0.47	0.26	41	0.11	0.062
1894139	Soil		0.87	25.66	11.73	58.1	123	23.9	11.4	330	2.48	10.2	0.9	20.4	3.0	12.4	0.15	0.52	0.35	38	0.15	0.063
1894140	Soil		1.08	16.54	26.62	70.7	219	19.6	6.9	228	2.87	26.2	0.8	4.7	4.3	9.8	0.21	0.48	0.38	43	0.08	0.039
1894141	Soil		0.72	13.13	16.29	58.8	65	18.6	6.8	210	2.63	11.9	0.7	3.2	3.3	11.2	0.15	0.39	0.26	43	0.11	0.034
1894142	Soil		0.64	11.82	14.07	51.8	73	14.4	5.9	172	2.35	10.7	0.7	3.0	2.4	10.1	0.11	0.36	0.24	41	0.11	0.035
1894143	Soil		1.22	64.76	18.16	88.5	350	61.4	32.8	751	4.06	110.0	2.6	18.7	15.6	19.7	0.11	0.54	0.91	35	0.17	0.065
1894144	Soil		1.04	59.58	19.67	97.3	203	45.1	23.0	802	3.83	81.9	1.7	17.2	9.8	14.4	0.18	0.64	1.27	42	0.17	0.069
1894145	Soil		1.17	60.45	21.30	78.7	324	45.0	20.4	791	4.17	135.4	2.4	16.8	12.5	15.4	0.11	0.53	1.31	40	0.19	0.049
1894146	Soil		1.47	34.02	18.08	71.5	124	28.0	14.7	543	3.45	78.9	1.6	6.1	5.9	11.8	0.26	0.52	0.89	51	0.12	0.059
1894147	Soil		1.13	38.50	18.76	74.6	174	33.5	14.1	577	3.41	45.9	1.8	17.2	11.7	15.3	0.14	0.45	0.78	40	0.19	0.064
1894148	Soil		1.01	33.51	20.24	70.6	98	28.4	17.5	600	3.07	38.4	1.2	6.5	4.7	11.9	0.47	0.56	0.46	47	0.13	0.064
1894149	Soil		0.89	23.02	12.30	66.3	223	22.2	11.4	556	2.68	30.4	1.1	6.7	2.5	11.2	0.41	0.48	0.46	42	0.12	0.067
1894150	Soil		1.74	45.10	30.95	83.9	535	32.7	14.5	443	3.92	121.3	1.5	116.9	8.8	9.2	0.70	1.12	2.44	42	0.09	0.064
1894151	Soil		0.86	22.04	10.46	73.3	86	23.6	8.5	334	2.64	27.6	1.0	9.0	8.7	17.8	0.22	0.53	0.22	40	0.26	0.075
1894152	Soil		0.90	17.63	15.65	66.8	59	19.7	7.9	341	2.81	28.2	1.0	7.0	5.3	11.7	0.15	0.40	0.29	43	0.11	0.046
1894153	Soil		0.80	26.70	23.17	102.3	257	28.5	11.1	449	2.98	21.5	1.3	9.9	12.9	14.3	0.35	0.51	0.27	37	0.19	0.068
1894154	Soil		0.85	17.72	12.98	66.0	46	21.2	8.3	315	2.87	17.6	1.1	6.2	5.2	11.3	0.10	0.44	0.24	45	0.10	0.043
1894155	Soil		0.77	39.27	15.66	80.5	82	34.3	15.3	526	3.11	79.7	1.6	26.1	7.6	11.3	0.20	0.48	0.65	34	0.15	0.063
1894156	Soil		0.65	22.27	9.43	51.1	55	20.6	9.4	298	2.17	11.6	0.7	13.9	4.3	13.0	0.09	0.49	0.16	34	0.15	0.050
1894157	Soil		0.94	21.03	10.36	58.4	38	22.1	10.1	334	2.51	14.0	0.7	4.5	2.8	11.4	0.22	0.51	0.20	41	0.12	0.056
1894158	Soil		0.73	17.60	9.56	55.5	50	16.7	7.0	276	2.28	13.3	0.9	6.4	2.5	12.9	0.20	0.43	0.34	39	0.14	0.056
1894159	Soil		1.34	28.97	16.21	75.7	358	27.2	13.5	626	3.02	41.2	1.3	15.6	4.9	16.3	0.22	0.47	1.07	38	0.18	0.068
1894160	Soil		1.17	16.41	11.32	53.1	110	14.9	5.9	199	2.36	9.2	0.7	8.4	2.4	12.3	0.16	0.36	1.42	49	0.10	0.025



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 5 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894131	Soil	65.9	107.5	0.82	158.3	0.053	1	1.88	0.004	0.21	0.1	13.2	0.33	<0.02	32	<0.1	0.02	5.0
1894132	Soil	29.2	27.0	0.37	105.9	0.032	2	1.55	0.006	0.05	0.2	2.1	0.13	0.03	54	0.3	0.05	5.8
1894133	Soil	20.6	23.0	0.35	64.2	0.024	1	1.42	0.005	0.04	0.2	1.6	0.13	0.03	37	0.1	<0.02	4.6
1894134	Soil	20.3	26.5	0.35	74.2	0.030	1	1.46	0.005	0.04	0.3	1.8	0.14	0.02	64	0.2	<0.02	4.9
1894135	Soil	15.1	22.2	0.41	86.5	0.029	<1	1.44	0.005	0.05	0.4	2.0	0.12	<0.02	28	0.3	<0.02	4.0
1894136	Soil	14.4	21.9	0.40	86.9	0.026	1	1.42	0.005	0.05	0.2	1.5	0.16	0.02	19	0.1	<0.02	4.1
1894137	Soil	12.9	23.4	0.44	87.2	0.040	2	1.52	0.008	0.07	1.3	1.7	0.19	0.03	59	<0.1	0.02	5.6
1894138	Soil	17.2	26.6	0.45	91.3	0.041	3	1.43	0.006	0.08	1.0	1.7	0.20	0.03	37	0.1	0.03	4.9
1894139	Soil	15.5	21.6	0.45	84.7	0.042	3	1.39	0.006	0.09	1.0	1.9	0.20	<0.02	26	0.2	0.05	3.8
1894140	Soil	15.4	30.0	0.49	83.2	0.047	3	1.64	0.005	0.09	2.8	2.2	0.20	0.02	37	0.3	0.05	4.9
1894141	Soil	16.4	28.8	0.54	101.3	0.050	3	1.77	0.007	0.08	1.5	2.3	0.22	<0.02	34	0.1	<0.02	5.2
1894142	Soil	14.2	25.4	0.42	72.7	0.047	1	1.57	0.005	0.08	1.3	2.1	0.19	<0.02	25	0.3	0.02	5.0
1894143	Soil	38.6	29.9	0.72	118.5	0.047	1	1.74	0.006	0.18	1.2	2.8	0.42	0.03	45	<0.1	0.07	5.0
1894144	Soil	33.7	35.4	0.85	141.1	0.075	2	2.10	0.009	0.21	1.2	2.8	0.42	0.05	42	0.1	0.09	6.5
1894145	Soil	47.4	35.3	0.84	159.2	0.047	1	2.08	0.007	0.14	0.6	3.1	0.43	0.03	49	0.2	0.09	5.6
1894146	Soil	26.7	33.7	0.62	109.4	0.068	3	1.92	0.006	0.16	0.7	2.2	0.44	0.03	38	0.2	0.05	6.9
1894147	Soil	32.4	31.1	0.66	154.6	0.064	2	1.87	0.006	0.17	1.4	2.9	0.42	0.02	29	0.1	0.03	5.0
1894148	Soil	20.7	28.8	0.59	130.0	0.050	3	1.96	0.008	0.10	0.8	2.5	0.21	0.03	63	0.2	0.03	5.1
1894149	Soil	20.7	24.6	0.46	100.7	0.041	2	1.56	0.005	0.10	0.8	1.9	0.26	0.03	43	0.2	0.03	4.4
1894150	Soil	26.3	32.0	0.70	62.3	0.067	1	1.72	0.005	0.25	12.0	2.9	0.54	0.05	32	0.2	0.12	5.6
1894151	Soil	20.8	24.1	0.50	116.9	0.064	1	1.23	0.007	0.16	0.6	2.5	0.23	<0.02	24	0.2	0.03	3.4
1894152	Soil	20.7	31.3	0.47	108.1	0.057	2	1.64	0.007	0.09	0.3	2.3	0.23	0.02	47	0.2	0.04	5.6
1894153	Soil	28.6	26.8	0.56	144.5	0.075	2	1.45	0.009	0.23	0.4	2.9	0.36	<0.02	15	<0.1	<0.02	4.3
1894154	Soil	19.4	32.7	0.53	108.9	0.063	1	1.92	0.007	0.10	0.4	2.6	0.24	<0.02	29	0.3	0.02	5.9
1894155	Soil	25.2	25.7	0.59	88.2	0.056	2	1.50	0.005	0.13	0.5	2.0	0.24	0.02	25	0.1	0.05	4.3
1894156	Soil	16.8	23.4	0.41	107.4	0.047	2	1.33	0.005	0.11	0.3	2.2	0.17	<0.02	38	0.2	0.02	3.7
1894157	Soil	14.1	23.1	0.41	102.7	0.034	2	1.46	0.007	0.05	0.3	1.9	0.11	<0.02	35	0.1	0.03	4.3
1894158	Soil	16.0	21.7	0.36	98.8	0.037	1	1.36	0.006	0.05	2.1	1.9	0.14	<0.02	32	<0.1	0.03	3.9
1894159	Soil	24.3	27.4	0.54	186.2	0.045	1	1.58	0.008	0.13	6.0	2.4	0.29	0.02	30	0.2	0.03	5.3
1894160	Soil	16.2	22.9	0.43	120.3	0.061	2	1.39	0.008	0.10	5.4	2.0	0.20	<0.02	14	<0.1	0.04	5.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 6 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method Analyte	Unit	MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
			Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
			ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
1894161	Soil		1.18	16.39	13.78	56.9	83	14.8	8.3	399	2.66	11.8	0.7	2.3	3.0	11.3	0.32	0.40	0.94	49	0.10	0.036
1894162	Soil		1.56	13.70	14.80	54.4	160	14.4	7.1	290	2.62	13.6	0.7	3.6	3.3	12.2	0.38	0.37	0.79	50	0.12	0.044
1894163	Soil		1.82	18.68	13.22	47.9	152	15.3	5.1	218	2.73	21.4	0.7	12.0	4.8	14.5	0.21	0.44	1.61	54	0.11	0.039
1894164	Soil		1.95	21.66	12.86	65.2	238	18.6	7.6	394	2.84	19.3	0.8	9.6	4.6	11.6	0.23	0.45	1.02	47	0.12	0.044
1894165	Soil		1.87	20.76	12.39	53.2	260	16.7	6.6	364	2.78	18.2	0.8	9.7	4.3	12.0	0.26	0.44	0.99	45	0.12	0.045
1894166	Soil		0.87	13.40	12.94	56.2	253	17.7	6.0	201	2.57	55.4	0.7	3.7	3.6	10.8	0.14	0.69	0.27	42	0.10	0.033
1894167	Soil		0.78	13.64	12.10	56.1	199	16.7	7.9	424	2.47	51.0	0.8	6.0	2.6	9.3	0.19	0.65	0.22	43	0.10	0.034
1894168	Soil		1.28	14.96	14.29	53.1	99	17.6	6.2	275	2.57	27.4	0.8	4.3	2.2	7.4	0.18	0.48	0.33	48	0.05	0.034
1894169	Soil		0.94	17.63	20.92	73.3	114	20.5	10.8	561	3.05	26.7	0.9	4.0	6.3	13.7	0.21	0.35	0.32	49	0.16	0.056
1894170	Soil		0.97	12.75	12.48	39.1	140	10.6	4.6	190	1.96	12.2	0.7	2.5	1.7	8.6	0.24	0.40	0.27	49	0.06	0.046
1894171	Soil		0.73	25.54	18.17	85.3	247	23.3	9.8	519	2.94	25.4	1.4	6.3	6.8	16.4	0.12	0.40	0.34	43	0.24	0.054
1894172	Soil		1.48	22.52	16.49	68.3	72	22.8	9.2	379	3.53	35.2	1.1	5.2	2.2	14.7	0.16	0.45	0.42	65	0.18	0.050
1894173	Soil		1.15	26.03	14.64	65.8	67	25.5	13.4	553	2.90	39.3	1.2	9.9	5.4	16.4	0.20	0.41	0.39	53	0.19	0.064
1894174	Soil		0.88	35.78	14.18	99.9	64	40.6	17.8	528	3.38	45.0	1.6	14.6	13.9	22.4	0.23	0.34	0.46	48	0.25	0.067
1894175	Soil		0.80	51.75	15.89	85.1	105	39.0	22.2	718	2.60	35.1	1.9	11.5	13.8	26.5	0.15	0.43	0.38	38	0.34	0.070
1894176	Soil		0.82	32.02	18.54	81.8	243	33.3	14.0	556	3.01	43.6	1.8	17.5	10.0	12.6	0.48	0.74	0.54	41	0.14	0.066
1894177	Soil		0.94	32.48	28.11	79.6	444	27.9	10.6	423	3.47	97.6	2.4	20.2	8.7	22.8	0.29	1.52	0.49	37	0.36	0.057
1894178	Soil		1.02	24.36	14.76	64.4	78	21.9	9.0	322	2.74	21.8	1.2	6.4	5.5	11.0	0.07	0.53	0.33	46	0.10	0.047
1894179	Soil		0.59	17.36	17.16	61.3	72	18.7	7.5	251	2.69	27.5	0.8	7.9	8.1	8.7	0.09	0.33	0.31	39	0.09	0.040
1894180	Soil		0.39	21.35	18.40	71.7	56	24.7	11.4	304	3.52	27.4	0.8	3.7	14.0	52.4	0.05	0.18	0.18	47	0.21	0.032
1894181	Soil		0.89	22.06	19.76	67.8	132	25.3	13.0	530	3.19	19.0	0.8	4.1	5.3	13.0	0.08	0.36	0.34	52	0.10	0.044
1894182	Soil		1.15	20.63	100.41	91.9	637	18.0	6.8	263	2.55	22.8	1.1	3.3	4.6	11.2	0.87	0.51	0.33	48	0.10	0.041
1894183	Soil		0.75	17.21	23.65	68.9	238	21.3	10.1	383	2.71	35.1	0.9	3.7	4.7	11.5	0.27	0.62	0.24	44	0.12	0.046
1894184	Soil		1.02	15.06	15.50	67.9	111	19.2	6.8	268	2.81	34.6	0.7	3.6	3.0	9.4	0.15	0.51	0.29	53	0.07	0.034
1894185	Soil		1.49	27.41	31.06	87.2	232	27.3	14.0	739	4.30	59.4	1.2	5.2	7.2	16.6	0.38	0.53	0.35	79	0.19	0.054
1894186	Soil		0.93	30.47	31.82	119.6	852	31.9	12.0	500	3.04	65.9	1.5	14.3	9.4	17.8	0.58	0.68	0.25	52	0.23	0.067
1894187	Soil		1.02	36.51	78.35	345.7	4881	34.3	12.6	1392	3.82	57.0	1.5	11.4	8.8	16.1	2.23	0.62	0.31	48	0.16	0.057
1894188	Soil		0.87	53.35	56.97	219.0	3588	47.5	17.7	1173	4.09	89.7	2.4	23.8	19.2	25.4	0.76	0.47	0.35	49	0.37	0.070
1894189	Soil		1.11	74.97	16.43	130.5	206	69.1	28.7	637	4.40	85.5	3.0	17.0	17.4	41.2	0.24	0.38	0.49	67	0.37	0.088
1894190	Soil		0.61	40.15	11.85	101.9	40	65.0	19.6	816	4.29	41.4	1.9	11.3	13.8	32.5	0.11	0.28	0.28	75	0.50	0.081



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 6 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894161	Soil	16.3	24.2	0.41	106.7	0.058	1	1.30	0.008	0.10	4.8	2.1	0.18	<0.02	9	<0.1	0.03	5.7
1894162	Soil	15.0	25.6	0.41	119.6	0.053	1	1.32	0.005	0.08	2.6	2.0	0.20	0.02	39	<0.1	0.04	5.9
1894163	Soil	17.5	25.4	0.35	108.6	0.073	2	1.15	0.007	0.10	8.0	2.0	0.26	0.04	43	0.4	0.04	6.3
1894164	Soil	17.9	22.7	0.35	111.2	0.067	2	1.11	0.007	0.10	5.5	1.8	0.22	0.03	75	<0.1	0.07	5.3
1894165	Soil	18.0	22.7	0.33	104.1	0.065	<1	1.08	0.007	0.11	5.4	1.8	0.22	0.04	47	0.2	0.03	5.3
1894166	Soil	15.9	26.3	0.45	110.9	0.040	2	1.39	0.006	0.07	0.5	2.1	0.15	<0.02	34	0.3	0.02	4.6
1894167	Soil	15.5	23.5	0.37	106.2	0.029	<1	1.24	0.005	0.05	0.4	1.8	0.15	<0.02	43	0.2	<0.02	4.2
1894168	Soil	21.8	23.7	0.28	70.0	0.038	2	1.05	0.005	0.06	0.3	1.8	0.16	<0.02	28	0.1	0.03	5.4
1894169	Soil	23.2	26.3	0.46	129.0	0.046	2	1.49	0.006	0.11	0.2	2.3	0.22	0.02	46	<0.1	0.04	4.6
1894170	Soil	15.8	35.7	0.25	63.8	0.046	2	0.92	0.006	0.06	0.4	1.5	0.19	0.03	56	<0.1	0.02	5.5
1894171	Soil	26.7	28.6	0.51	186.0	0.052	1	1.57	0.007	0.17	0.3	2.9	0.37	0.03	53	<0.1	0.03	5.2
1894172	Soil	18.1	33.7	0.49	137.0	0.048	2	1.89	0.006	0.09	0.4	2.1	0.25	0.04	45	0.2	0.05	8.0
1894173	Soil	24.7	31.7	0.54	158.2	0.065	3	1.79	0.010	0.12	0.6	2.4	0.29	0.04	50	0.2	0.05	6.2
1894174	Soil	31.8	33.6	0.73	140.5	0.090	<1	2.08	0.017	0.25	1.2	2.9	0.34	0.03	38	<0.1	0.05	6.5
1894175	Soil	46.1	30.1	0.61	102.4	0.042	<1	1.75	0.009	0.19	0.9	5.1	0.37	0.03	32	<0.1	0.05	5.3
1894176	Soil	35.5	24.8	0.46	83.8	0.044	1	1.35	0.006	0.11	1.0	2.5	0.55	0.03	83	<0.1	0.04	3.8
1894177	Soil	51.0	24.8	0.37	141.1	0.031	2	1.40	0.007	0.15	0.6	2.2	1.15	0.05	313	0.1	0.06	4.5
1894178	Soil	27.4	29.6	0.48	136.9	0.049	2	1.55	0.008	0.11	0.3	2.8	0.30	0.03	43	<0.1	0.04	4.9
1894179	Soil	22.5	23.9	0.44	55.4	0.062	<1	1.36	0.004	0.23	0.3	2.2	0.54	<0.02	27	0.1	0.03	4.9
1894180	Soil	19.7	41.6	0.93	138.1	0.142	<1	2.43	0.013	0.54	0.2	3.8	0.54	0.02	18	<0.1	0.03	8.9
1894181	Soil	20.9	31.6	0.54	107.7	0.087	<1	1.84	0.008	0.24	0.3	2.9	0.33	0.03	38	<0.1	0.05	6.8
1894182	Soil	24.6	23.0	0.32	109.8	0.035	2	1.31	0.006	0.06	0.3	2.2	0.19	<0.02	54	<0.1	0.05	5.3
1894183	Soil	20.2	27.6	0.42	108.2	0.038	1	1.41	0.006	0.07	0.5	2.5	0.18	<0.02	35	<0.1	0.04	4.5
1894184	Soil	16.8	29.8	0.44	77.1	0.041	<1	1.46	0.006	0.07	0.7	2.1	0.19	0.02	45	<0.1	0.03	5.7
1894185	Soil	22.2	41.1	0.56	128.2	0.083	2	2.24	0.007	0.11	1.1	3.4	0.38	<0.02	41	0.4	0.04	9.2
1894186	Soil	30.3	33.9	0.53	158.9	0.082	1	1.60	0.010	0.16	2.8	3.2	0.29	0.02	55	<0.1	0.04	5.6
1894187	Soil	32.9	32.9	0.55	149.1	0.045	1	1.88	0.009	0.20	1.6	3.6	0.51	0.03	47	0.3	0.04	5.7
1894188	Soil	47.2	39.6	0.69	200.6	0.077	<1	2.10	0.011	0.33	1.6	5.0	0.53	<0.02	35	0.3	0.03	6.7
1894189	Soil	40.5	58.6	1.16	213.0	0.150	1	2.96	0.014	0.57	2.6	4.6	0.72	0.07	49	0.2	0.05	8.8
1894190	Soil	44.2	56.7	1.49	210.8	0.107	<1	3.86	0.010	0.50	1.3	8.5	0.55	0.03	15	<0.1	0.04	11.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 7 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894191	Soil	1.39	86.10	14.58	96.1	166	47.6	22.6	1018	3.11	55.8	3.7	50.2	8.5	35.4	0.40	0.49	0.63	76	0.38	0.133
1894192	Soil	1.12	56.38	11.63	95.6	200	54.6	25.1	688	3.43	48.6	2.3	17.5	12.1	31.6	0.28	0.51	0.27	59	0.31	0.089
1894193	Soil	1.23	41.01	12.35	80.9	61	47.0	16.4	542	3.35	43.2	1.7	9.5	14.5	9.8	0.22	0.36	0.26	45	0.12	0.050
1894194	Soil	0.90	24.15	10.52	62.6	54	26.6	9.7	277	2.90	21.2	0.9	7.4	5.6	9.4	0.34	0.59	0.18	56	0.10	0.042
1894195	Soil	1.11	32.41	13.01	86.3	138	34.6	13.7	468	3.23	42.4	1.8	14.0	11.1	18.6	0.17	0.39	0.26	51	0.28	0.061
1894196	Soil	1.55	15.22	14.71	65.6	40	19.0	8.0	343	3.28	24.4	0.8	10.5	5.0	10.5	0.16	0.55	0.25	66	0.10	0.054
1894197	Soil	1.06	16.09	11.23	56.9	26	17.8	9.4	307	2.60	17.3	0.9	9.5	3.7	9.9	0.23	0.49	0.19	51	0.10	0.053
1894198	Soil	1.05	23.65	12.51	85.0	51	27.4	13.6	507	3.15	23.4	1.0	13.4	3.8	8.2	0.32	0.42	0.25	51	0.08	0.045
1894199	Soil	0.87	23.40	23.93	74.8	609	26.5	11.5	555	2.81	48.9	1.3	14.2	7.9	11.5	0.28	0.66	0.27	39	0.12	0.052
1894200	Soil	1.00	12.68	12.10	51.3	44	16.9	5.9	171	2.34	20.7	1.0	3.8	1.2	13.6	0.15	0.41	0.26	52	0.11	0.039
1894201	Soil	0.68	22.13	11.73	86.1	60	28.1	11.7	488	3.11	41.3	1.7	8.4	4.7	22.4	0.39	0.50	0.48	49	0.26	0.059
1894202	Soil	0.94	14.11	11.03	60.8	47	17.3	7.0	282	2.84	19.6	0.9	16.2	3.5	12.8	0.16	0.48	0.25	49	0.11	0.040
1894203	Soil	1.01	26.58	34.16	139.3	522	24.9	11.5	722	3.04	54.2	1.8	20.4	2.9	24.7	0.57	0.71	0.81	50	0.35	0.080
1894204	Soil	0.70	47.35	44.62	186.3	2064	50.0	19.1	813	4.43	131.7	4.2	10.0	15.5	29.9	0.56	0.72	0.46	55	0.46	0.077
1894205	Soil	0.98	34.07	11.07	91.3	95	34.9	15.2	611	3.09	95.3	3.2	24.6	7.7	38.6	0.27	0.60	0.91	61	0.38	0.097
1894206	Soil	0.62	26.73	10.23	83.6	120	33.8	13.5	590	3.01	41.7	2.7	25.1	9.9	33.0	0.30	0.45	0.48	51	0.40	0.080
1894207	Soil	0.98	18.99	10.98	67.0	59	23.1	10.7	454	2.91	22.8	1.4	6.7	5.9	18.0	0.27	0.54	0.31	57	0.18	0.050
1894208	Soil	1.14	19.96	11.84	65.4	125	19.4	9.6	588	2.93	24.2	1.4	4.6	1.9	16.0	0.25	0.48	0.28	57	0.14	0.068
1894209	Soil	0.71	13.68	32.36	101.4	368	21.2	11.1	1031	2.70	138.6	9.3	25.4	12.1	45.1	0.55	0.56	1.27	27	0.37	0.090
1894210	Soil	1.17	17.93	25.43	95.2	148	32.6	13.2	666	3.33	92.4	6.5	17.2	9.1	27.5	0.20	0.66	0.70	51	0.24	0.067
1894211	Soil	1.72	32.10	25.92	108.8	347	14.8	11.0	892	4.12	197.7	11.0	44.3	18.7	39.5	0.38	0.47	1.23	36	0.37	0.100
1894212	Soil	1.71	31.47	19.75	97.6	140	17.5	11.2	753	3.58	242.3	6.1	30.8	14.2	34.4	0.30	0.54	1.32	39	0.27	0.094
1894213	Soil	1.12	21.86	21.23	89.4	259	17.6	11.7	688	3.36	83.8	6.5	51.4	15.0	35.6	0.29	0.59	1.22	34	0.37	0.096
1894214	Soil	0.94	20.57	16.06	78.4	175	31.4	12.6	447	2.90	35.6	4.0	7.7	10.8	19.7	0.13	0.69	0.22	40	0.24	0.059
1894215	Soil	1.42	11.51	14.21	62.4	29	16.6	10.4	525	3.26	14.8	1.3	2.5	2.4	12.9	0.31	0.61	0.23	57	0.13	0.057
1894216	Soil	1.52	2.85	1.05	6.7	26	2.1	1.7	75	0.89	0.5	0.2	1.5	0.4	189.8	0.01	0.07	<0.02	12	14.14	0.002
1894217	Soil	0.82	13.15	9.07	42.9	51	13.1	4.6	133	2.17	9.4	0.7	1.8	1.4	10.8	0.09	0.34	0.19	42	0.12	0.034
1894218	Soil	0.71	16.59	11.45	58.5	150	17.2	9.7	442	2.14	14.8	0.8	46.9	3.6	14.3	0.23	0.49	0.16	37	0.17	0.068
1894219	Soil	0.80	11.20	11.14	36.7	65	11.1	3.9	141	1.90	11.5	0.6	2.3	0.8	9.5	0.10	0.43	0.17	39	0.10	0.037
1894220	Soil	0.56	14.72	13.14	45.2	65	14.4	4.7	155	1.93	11.3	0.7	7.2	3.7	10.7	0.11	0.38	0.16	32	0.12	0.043



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 7 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894191	Soil	30.2	44.8	0.94	201.2	0.099	2	2.95	0.039	0.28	2.4	4.5	0.42	0.06	85	0.6	0.07	7.9
1894192	Soil	31.9	42.8	0.87	252.1	0.112	2	2.30	0.019	0.34	3.2	4.2	0.45	0.06	79	0.5	0.04	6.7
1894193	Soil	37.1	32.3	0.61	140.9	0.052	<1	2.17	0.006	0.15	1.1	3.4	0.31	<0.02	11	<0.1	0.04	5.6
1894194	Soil	20.8	33.4	0.50	85.7	0.067	1	2.00	0.007	0.07	1.2	2.6	0.16	0.03	54	0.5	0.03	5.3
1894195	Soil	32.1	34.8	0.69	191.1	0.071	<1	2.01	0.008	0.22	1.3	3.3	0.34	<0.02	34	0.4	0.04	5.2
1894196	Soil	19.3	33.7	0.43	79.5	0.070	1	1.45	0.006	0.08	0.8	2.4	0.18	<0.02	48	0.2	0.04	7.0
1894197	Soil	19.1	27.5	0.39	94.4	0.048	<1	1.72	0.007	0.06	0.6	2.6	0.17	<0.02	40	0.4	0.03	5.2
1894198	Soil	20.6	33.0	0.60	131.9	0.053	<1	2.08	0.006	0.12	0.9	2.2	0.27	<0.02	23	0.2	0.03	6.4
1894199	Soil	33.6	28.9	0.45	122.5	0.046	<1	1.57	0.005	0.16	0.6	2.8	0.28	<0.02	26	0.1	0.04	4.7
1894200	Soil	19.3	32.9	0.43	102.2	0.044	<1	1.42	0.007	0.07	0.5	1.6	0.17	<0.02	40	0.2	0.04	6.6
1894201	Soil	27.7	37.1	0.64	187.8	0.066	1	1.66	0.011	0.25	4.0	2.9	0.29	0.03	19	0.2	0.05	6.0
1894202	Soil	17.8	30.4	0.46	111.4	0.054	2	1.40	0.006	0.08	0.5	2.3	0.15	<0.02	29	0.2	0.03	5.5
1894203	Soil	26.1	32.2	0.46	222.9	0.053	3	1.43	0.009	0.16	1.3	2.4	0.26	0.06	37	0.3	0.05	6.2
1894204	Soil	45.7	53.5	0.94	194.6	0.087	2	2.44	0.008	0.34	3.8	5.2	0.57	0.03	57	0.6	0.07	7.5
1894205	Soil	26.6	46.6	0.81	245.4	0.096	2	2.08	0.020	0.15	7.4	4.8	0.25	0.03	58	0.2	0.07	6.3
1894206	Soil	29.2	43.8	0.75	259.2	0.094	<1	1.76	0.025	0.20	2.2	4.9	0.23	<0.02	46	0.2	0.04	5.5
1894207	Soil	22.8	35.0	0.52	187.3	0.075	2	1.90	0.010	0.11	1.6	3.4	0.20	0.02	53	0.4	0.04	6.0
1894208	Soil	20.5	34.0	0.52	181.1	0.056	1	1.98	0.009	0.13	0.6	2.5	0.22	0.05	48	0.4	0.03	7.0
1894209	Soil	39.1	15.0	0.43	131.0	0.031	2	1.36	0.013	0.11	4.8	4.0	0.30	<0.02	25	0.2	0.05	4.0
1894210	Soil	31.9	35.8	0.77	128.3	0.062	1	2.18	0.010	0.13	2.5	4.8	0.29	0.04	64	0.3	0.04	7.1
1894211	Soil	55.4	21.2	0.67	261.5	0.097	1	2.20	0.029	0.28	9.8	7.6	0.42	0.03	45	0.4	0.06	7.8
1894212	Soil	34.8	23.9	0.59	163.1	0.088	2	2.09	0.015	0.18	11.0	5.7	0.34	0.03	45	0.4	0.09	6.0
1894213	Soil	45.9	23.4	0.66	224.3	0.079	2	2.00	0.025	0.26	20.7	6.2	0.32	0.02	42	0.3	0.06	7.1
1894214	Soil	33.0	37.3	0.61	136.4	0.064	<1	1.75	0.008	0.15	1.9	4.4	0.23	<0.02	28	<0.1	0.03	5.2
1894215	Soil	17.4	37.5	0.50	107.5	0.051	2	2.16	0.008	0.07	0.3	2.6	0.20	0.03	63	0.5	0.03	6.9
1894216	Soil	0.8	12.0	0.09	44.4	0.009	3	>10	0.306	0.11	0.2	0.4	<0.02	1.52	<5	<0.1	<0.02	22.0
1894217	Soil	15.6	23.5	0.35	87.9	0.038	2	1.48	0.006	0.06	0.3	2.0	0.12	<0.02	40	0.4	0.02	4.5
1894218	Soil	19.7	24.1	0.37	77.6	0.046	1	1.23	0.006	0.07	0.6	2.2	0.11	<0.02	35	0.3	0.03	3.8
1894219	Soil	16.9	21.6	0.28	57.3	0.027	1	1.12	0.005	0.05	0.3	1.0	0.12	<0.02	39	0.2	0.03	4.0
1894220	Soil	20.1	22.7	0.39	63.2	0.044	<1	1.29	0.004	0.09	0.2	1.8	0.13	<0.02	30	0.1	0.02	4.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 8 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894221	Soil	0.65	22.53	15.99	66.6	194	22.3	8.6	324	2.40	19.4	0.9	4.3	8.2	12.1	0.17	0.51	0.17	35	0.13	0.051
1894222	Soil	0.75	12.52	12.70	48.0	131	14.7	4.9	156	1.96	12.8	0.7	2.9	2.1	12.2	0.13	0.40	0.16	37	0.13	0.046
1894223	Soil	0.77	10.87	11.51	46.4	23	12.8	8.4	391	2.28	13.0	0.6	6.7	1.9	11.4	0.14	0.43	0.19	41	0.11	0.043
1894224	Soil	0.58	25.75	16.65	94.1	341	27.8	15.2	765	2.59	42.2	1.4	15.3	8.3	22.2	0.55	0.57	0.27	32	0.37	0.069
1894225	Soil	1.17	12.19	15.71	43.3	128	12.8	4.3	167	2.06	13.0	0.7	4.0	3.0	10.9	0.12	0.32	0.34	50	0.09	0.027
1894226	Soil	0.79	19.17	20.85	63.6	432	17.8	6.1	289	2.40	32.4	0.9	2.7	1.7	10.1	0.27	0.58	0.29	39	0.09	0.042
1894227	Soil	0.93	20.18	20.61	64.4	433	20.1	7.9	300	2.51	17.3	1.2	8.2	2.2	14.5	0.23	0.48	0.22	45	0.15	0.060
1894228	Soil	0.99	13.91	18.25	51.8	111	15.1	5.7	225	2.20	15.9	0.8	2.2	1.0	15.2	0.17	0.50	0.21	45	0.15	0.053
1894229	Soil	0.73	17.77	12.37	60.8	128	18.8	6.5	190	2.10	16.1	0.8	1.9	5.6	12.9	0.20	0.50	0.17	35	0.15	0.054
1894230	Soil	0.67	16.00	11.28	52.7	112	17.4	6.1	173	2.07	14.8	0.7	5.3	5.5	12.2	0.19	0.46	0.15	34	0.15	0.055
1894231	Soil	0.95	16.36	15.16	81.2	618	17.6	10.4	525	2.57	44.1	0.9	3.7	2.1	9.2	0.18	0.51	0.23	41	0.09	0.047
1894232	Soil	1.04	16.09	24.02	48.5	440	13.7	5.3	197	2.26	21.9	0.9	4.0	2.0	9.3	0.21	0.50	0.25	46	0.08	0.054
1894233	Soil	1.67	21.41	28.32	65.0	197	18.6	8.6	418	2.69	24.0	1.1	11.7	1.0	11.2	0.31	0.68	0.30	53	0.10	0.085
1894234	Soil	1.21	16.34	17.65	85.8	88	20.1	10.6	534	2.93	19.4	0.9	1.5	3.2	10.2	0.34	0.69	0.23	48	0.08	0.046
1894235	Soil	0.95	13.22	12.81	48.6	63	13.6	5.0	183	2.36	11.2	0.7	4.0	0.9	9.2	0.16	0.48	0.19	43	0.08	0.046
1894236	Soil	0.99	14.21	13.69	51.6	69	15.6	6.3	277	2.47	14.8	0.8	4.3	1.0	9.8	0.14	0.49	0.21	46	0.08	0.048
1894237	Soil	0.70	29.44	22.92	73.4	432	28.0	10.5	376	3.28	25.0	1.7	5.2	11.6	9.1	0.14	2.52	0.29	20	0.05	0.054
1894238	Soil	1.08	27.99	32.17	68.1	830	22.3	10.1	661	3.25	35.1	1.7	8.2	3.1	8.3	0.24	1.92	0.32	35	0.05	0.065
1894239	Soil	1.01	22.17	12.83	68.7	158	23.3	7.3	247	2.48	13.3	1.2	2.5	5.8	13.9	0.33	0.67	0.19	41	0.16	0.072
1894240	Soil	0.73	21.76	13.16	62.1	68	21.0	7.7	294	2.47	13.9	0.9	2.8	6.3	13.9	0.17	0.45	0.18	37	0.12	0.050
1894241	Soil	0.89	17.47	12.92	73.9	58	22.5	9.8	415	2.50	16.2	0.9	3.7	3.1	13.7	0.25	0.50	0.22	44	0.16	0.068
1894242	Soil	1.27	14.00	21.80	58.7	310	14.8	8.5	344	3.12	43.2	0.8	4.2	2.8	8.8	0.26	0.92	0.26	49	0.07	0.049
1894243	Soil	1.51	22.05	55.34	110.3	233	17.9	7.4	298	3.24	61.5	1.2	8.1	1.8	9.9	0.50	2.40	0.38	52	0.05	0.048
1894244	Soil	1.56	21.09	79.47	81.1	2234	14.5	5.4	204	3.03	100.3	1.2	15.6	4.9	10.5	0.42	2.61	0.47	50	0.05	0.045
1894245	Soil	1.25	23.81	43.01	65.1	1244	18.1	7.6	245	3.07	126.7	1.3	24.7	2.4	8.9	0.21	2.76	0.56	40	0.05	0.059
1894246	Soil	0.93	20.33	37.21	62.3	656	13.9	5.4	188	2.46	136.5	1.0	13.6	4.4	8.6	0.19	1.90	0.48	36	0.06	0.037
1894247	Soil	1.03	20.20	13.58	55.3	493	15.0	6.2	210	2.58	47.7	0.9	6.5	0.6	9.6	0.16	0.69	0.34	44	0.07	0.073
1894248	Soil	1.13	22.41	14.02	67.5	238	19.0	8.2	318	2.85	39.7	1.0	6.9	2.2	11.0	0.18	0.73	0.30	47	0.08	0.053
1894249	Soil	1.19	21.95	11.06	53.5	173	16.3	6.6	223	2.58	137.6	1.1	20.2	1.6	13.0	0.13	0.67	0.54	43	0.08	0.056
1894250	Soil	1.07	23.14	10.64	60.5	97	17.9	8.1	235	2.61	182.1	1.2	6.7	4.8	12.6	0.17	0.64	0.67	40	0.08	0.060



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 8 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.1	0.1	0.02	0.02	0.1
1894221	Soil	21.1	25.4	0.46	95.4	0.057	<1	1.36	0.005	0.13	0.3	2.8	0.17	<0.02	25	0.1	0.02	4.2
1894222	Soil	21.1	23.4	0.33	79.7	0.037	1	1.14	0.005	0.08	0.2	1.7	0.14	<0.02	40	0.3	0.02	4.3
1894223	Soil	17.5	23.2	0.35	67.2	0.042	<1	1.20	0.005	0.07	1.0	1.8	0.12	<0.02	31	0.3	0.03	4.3
1894224	Soil	29.3	27.1	0.69	125.4	0.056	<1	1.57	0.010	0.21	1.3	2.6	0.28	<0.02	18	0.2	0.03	4.5
1894225	Soil	17.2	24.9	0.37	68.5	0.061	1	1.38	0.006	0.09	0.9	2.0	0.22	<0.02	30	0.2	0.04	6.7
1894226	Soil	20.6	25.8	0.42	73.6	0.034	<1	1.36	0.006	0.09	0.7	1.5	0.19	<0.02	27	0.1	0.04	4.7
1894227	Soil	22.6	29.7	0.44	110.7	0.046	1	1.44	0.007	0.12	0.3	2.4	0.20	<0.02	58	0.3	<0.02	4.7
1894228	Soil	18.0	25.8	0.36	95.6	0.034	<1	1.23	0.006	0.07	0.2	1.6	0.13	<0.02	35	0.3	0.04	5.1
1894229	Soil	21.6	23.8	0.38	77.8	0.046	<1	1.18	0.005	0.07	0.3	2.5	0.11	<0.02	32	0.1	0.03	4.3
1894230	Soil	20.6	21.8	0.38	74.3	0.044	<1	1.15	0.005	0.07	0.3	2.0	0.11	<0.02	27	<0.1	<0.02	3.5
1894231	Soil	17.1	29.7	0.43	78.9	0.039	1	1.41	0.005	0.05	0.5	2.0	0.16	0.02	33	0.4	0.03	5.6
1894232	Soil	17.6	22.1	0.25	50.5	0.038	1	1.16	0.004	0.05	0.3	1.6	0.13	0.02	57	0.5	0.03	5.6
1894233	Soil	23.8	31.4	0.37	82.2	0.037	<1	1.78	0.006	0.05	0.3	1.9	0.17	0.04	89	0.5	0.04	6.6
1894234	Soil	16.3	31.9	0.44	76.5	0.051	2	1.34	0.006	0.05	0.3	2.4	0.11	<0.02	41	0.3	0.04	5.3
1894235	Soil	16.0	23.8	0.33	81.9	0.032	1	1.28	0.004	0.04	0.2	1.5	0.13	0.02	34	0.3	0.03	5.1
1894236	Soil	16.5	27.9	0.40	89.1	0.036	1	1.48	0.005	0.05	0.2	1.9	0.14	0.02	36	0.2	0.03	5.6
1894237	Soil	47.9	16.9	0.20	61.1	0.013	<1	0.84	0.003	0.06	0.2	1.8	0.28	<0.02	28	0.1	0.04	2.7
1894238	Soil	42.8	24.2	0.24	109.2	0.014	<1	1.50	0.004	0.07	0.2	2.2	0.42	0.03	54	0.3	0.05	4.5
1894239	Soil	19.5	25.5	0.40	89.7	0.048	1	1.24	0.005	0.06	0.6	2.5	0.11	<0.02	30	0.3	0.04	3.7
1894240	Soil	19.7	27.1	0.62	91.9	0.055	<1	1.54	0.005	0.10	0.3	2.6	0.14	<0.02	24	0.2	0.04	4.5
1894241	Soil	18.8	29.6	0.54	90.1	0.053	1	1.61	0.006	0.06	0.4	2.3	0.15	<0.02	38	0.3	0.03	5.3
1894242	Soil	14.8	33.4	0.34	65.0	0.045	<1	1.87	0.004	0.04	0.2	2.5	0.17	<0.02	72	0.5	0.05	5.8
1894243	Soil	23.1	32.5	0.24	57.2	0.044	1	1.24	0.004	0.05	0.2	1.8	0.32	0.03	47	0.5	0.04	6.4
1894244	Soil	24.4	24.4	0.26	67.7	0.043	2	1.32	0.004	0.05	0.3	2.1	0.41	0.03	62	0.5	0.06	6.1
1894245	Soil	23.7	26.2	0.30	62.7	0.030	2	1.40	0.005	0.05	0.3	1.9	0.27	0.04	48	0.5	0.04	5.4
1894246	Soil	22.5	20.7	0.27	50.8	0.031	<1	1.19	0.005	0.04	0.3	2.0	0.23	<0.02	42	0.4	0.03	4.1
1894247	Soil	16.3	26.8	0.35	63.1	0.024	1	1.49	0.005	0.05	0.2	1.2	0.16	0.02	39	0.3	0.03	5.3
1894248	Soil	18.1	28.8	0.46	78.6	0.043	2	1.74	0.006	0.05	0.2	2.6	0.16	<0.02	41	0.4	0.04	5.4
1894249	Soil	18.7	27.9	0.38	91.3	0.039	1	1.59	0.007	0.05	0.9	2.1	0.18	0.03	54	0.5	0.04	5.6
1894250	Soil	19.4	26.8	0.39	93.5	0.042	2	1.62	0.006	0.05	1.5	3.1	0.17	<0.02	30	0.3	0.04	5.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 9 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894251	Soil	0.99	35.32	17.35	102.1	86	29.2	21.9	655	3.69	204.0	2.4	26.0	10.9	62.7	0.29	0.58	0.94	69	0.54	0.093
1894252	Soil	1.53	61.43	24.13	64.6	413	28.3	12.9	285	4.01	121.9	3.6	72.4	7.8	24.5	0.15	0.80	3.62	32	0.07	0.076
1894253	Soil	1.04	46.18	12.64	70.2	165	42.2	21.3	404	4.43	26.4	2.6	10.8	16.5	9.2	0.15	0.91	0.68	25	0.06	0.058
1894254	Soil	1.01	39.09	12.96	69.5	107	23.9	11.7	265	3.50	24.2	2.0	6.8	9.7	12.0	0.14	0.61	0.41	30	0.07	0.061
1894255	Soil	1.33	37.99	14.46	60.6	173	17.2	7.9	190	3.47	18.5	1.8	3.2	2.4	9.5	0.08	0.58	0.49	32	0.03	0.086
1894256	Soil	0.77	39.48	22.07	84.8	145	35.7	15.8	577	3.45	173.8	1.9	23.1	9.5	15.0	0.14	0.61	0.94	37	0.12	0.057
1894257	Soil	0.85	52.32	20.37	103.0	217	47.3	23.9	877	3.79	126.5	2.5	140.2	12.6	14.6	0.22	0.53	1.12	35	0.17	0.074
1894258	Soil	0.79	58.65	19.16	99.4	264	51.2	22.0	801	4.35	85.2	2.5	16.7	18.9	13.5	0.11	0.67	0.72	30	0.21	0.064
1894259	Soil	0.82	50.30	16.94	92.0	158	38.2	13.1	500	3.46	76.0	1.9	52.5	12.6	22.1	0.20	0.42	0.86	39	0.32	0.077
1894260	Soil	0.67	27.71	21.68	95.4	286	30.8	12.8	516	3.25	59.8	1.5	14.1	10.8	18.2	0.22	0.49	0.76	35	0.24	0.058
1894261	Soil	0.58	29.22	21.53	93.7	273	30.1	13.1	526	3.23	58.8	1.6	18.1	11.3	18.9	0.21	0.52	0.76	35	0.25	0.056
1894262	Soil	0.89	25.78	18.55	80.0	188	26.4	12.8	664	3.12	30.1	1.4	20.0	7.8	14.8	0.19	0.43	0.49	39	0.16	0.063
1894263	Soil	1.39	3.42	1.08	7.9	35	3.0	1.4	69	0.80	1.1	0.2	3.7	0.3	158.0	<0.01	0.07	<0.02	11	12.77	0.002
1894264	Soil	1.38	13.26	9.18	61.0	184	18.9	8.5	237	2.08	80.8	7.3	5.3	1.0	24.0	0.15	0.36	0.19	35	0.35	0.075
1894265	Soil	0.62	27.72	16.71	72.3	320	20.2	10.2	226	2.42	16.1	1.3	4.6	7.2	11.7	0.29	0.65	0.20	35	0.14	0.070
1894266	Soil	0.72	21.48	10.89	59.6	91	19.4	7.7	252	2.48	10.7	0.9	15.6	2.9	13.8	0.13	0.46	0.20	50	0.16	0.059
1894267	Soil	1.17	21.80	22.80	83.2	196	20.8	16.8	1035	3.02	24.2	1.0	7.7	2.3	12.3	0.31	0.74	0.27	51	0.11	0.071
1894268	Soil	1.09	22.08	10.92	53.4	73	16.0	6.6	222	2.84	343.3	1.0	15.9	1.9	13.5	0.13	0.72	0.86	44	0.07	0.039
1894269	Soil	1.26	19.75	11.06	55.9	65	16.4	10.4	319	2.91	174.4	1.0	10.0	3.3	11.7	0.15	0.62	0.56	48	0.07	0.056
1894270	Soil	1.05	15.27	10.36	42.2	67	13.0	5.2	165	2.44	158.7	0.7	14.9	1.5	10.9	0.15	0.59	0.54	41	0.07	0.042
1894271	Soil	1.09	15.63	12.15	46.0	74	13.0	5.8	183	2.77	132.4	0.9	10.7	2.2	10.7	0.13	0.56	0.45	45	0.07	0.045
1894272	Soil	0.77	33.75	9.07	64.2	171	23.8	8.8	298	2.37	126.4	1.1	61.7	6.7	17.6	0.45	0.79	0.28	35	0.20	0.076
1894273	Soil	0.84	17.03	31.81	57.7	688	13.5	5.5	191	2.31	46.2	0.9	9.8	1.6	10.6	0.18	1.91	0.25	38	0.10	0.055
1894274	Soil	0.66	28.52	17.17	65.4	209	22.2	8.4	264	2.21	32.6	0.9	5.7	4.9	16.4	0.40	1.21	0.15	36	0.19	0.067
1894275	Soil	1.46	27.31	70.20	88.5	1325	16.5	9.5	417	3.70	35.9	1.3	27.4	3.4	12.0	0.41	1.72	1.08	61	0.08	0.070
1894276	Soil	1.62	29.61	83.53	109.9	747	20.8	13.3	515	4.23	76.1	1.7	35.7	4.5	11.0	0.65	2.32	0.82	49	0.08	0.074
1894277	Soil	1.44	22.59	69.05	88.8	1248	17.4	10.2	397	3.78	72.3	1.3	27.5	6.6	11.2	0.42	1.81	0.99	48	0.09	0.067
1894278	Soil	7.30	61.42	34.81	106.8	602	35.0	24.0	610	5.10	86.9	3.0	19.2	4.5	14.5	0.28	1.48	0.59	57	0.10	0.132
1894279	Soil	6.54	58.76	17.62	101.8	224	39.4	36.2	727	4.56	52.5	2.4	23.8	8.7	12.7	0.37	1.40	0.75	53	0.10	0.081
1894280	Soil	0.73	50.65	21.95	89.2	153	41.4	17.3	716	4.09	228.8	2.3	30.9	9.9	15.6	0.15	0.43	2.10	34	0.19	0.075



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 9 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.01	0.01	0.01	0.1	0.1	0.02	0.02	0.1
1894251	Soil	29.7	95.9	1.05	267.0	0.079	<1	2.67	0.021	0.35	4.0	9.0	0.44	<0.02	35	0.2	0.06	7.6
1894252	Soil	44.6	27.9	0.49	114.2	0.026	<1	1.79	0.009	0.14	0.9	2.6	0.53	0.07	43	0.6	0.12	5.4
1894253	Soil	39.0	22.2	0.41	57.7	0.016	1	1.28	0.003	0.04	0.3	2.2	0.20	<0.02	28	0.4	0.03	3.4
1894254	Soil	30.2	21.2	0.40	59.6	0.033	1	1.20	0.006	0.05	0.3	1.7	0.16	0.04	52	0.3	0.04	3.5
1894255	Soil	30.1	22.2	0.31	53.2	0.016	1	1.29	0.005	0.05	0.2	1.2	0.20	0.07	69	0.4	0.04	5.0
1894256	Soil	36.5	32.4	0.53	133.0	0.060	1	1.64	0.008	0.13	0.7	2.8	0.28	0.04	52	0.3	0.06	5.0
1894257	Soil	39.2	32.4	0.68	128.0	0.058	1	1.76	0.006	0.13	0.8	3.0	0.39	0.02	48	0.2	0.09	5.6
1894258	Soil	50.9	33.0	0.79	115.4	0.047	<1	1.81	0.004	0.22	0.7	3.4	0.37	<0.02	21	0.2	0.07	5.3
1894259	Soil	39.0	36.0	0.90	121.1	0.062	<1	2.01	0.006	0.21	0.9	3.3	0.37	<0.02	33	0.3	0.06	5.8
1894260	Soil	32.1	35.8	0.55	119.9	0.072	1	1.88	0.009	0.15	0.6	3.5	0.48	0.04	45	0.2	0.05	6.1
1894261	Soil	35.5	34.5	0.55	127.3	0.071	2	1.89	0.009	0.15	0.5	3.4	0.48	0.03	46	0.3	0.05	5.7
1894262	Soil	32.7	31.2	0.50	163.7	0.064	2	1.69	0.008	0.15	0.4	2.8	0.39	0.03	62	0.2	0.04	5.9
1894263	Soil	0.8	10.6	0.07	40.4	0.009	4	>10	0.290	0.10	0.2	0.8	<0.02	1.33	<5	<0.1	<0.02	21.6
1894264	Soil	17.6	33.3	0.39	95.0	0.028	2	1.61	0.008	0.06	1.2	1.6	0.14	0.05	23	1.0	<0.02	4.7
1894265	Soil	21.6	28.3	0.47	96.7	0.059	1	1.50	0.006	0.07	0.4	2.8	0.15	<0.02	31	0.3	0.02	4.3
1894266	Soil	19.4	31.9	0.77	100.5	0.064	2	2.05	0.008	0.07	0.6	2.4	0.17	<0.02	38	0.2	0.02	6.5
1894267	Soil	19.2	31.6	0.55	99.8	0.046	2	1.86	0.006	0.07	0.2	2.4	0.19	0.02	22	0.2	0.04	6.1
1894268	Soil	20.1	28.8	0.45	87.0	0.038	2	1.65	0.006	0.07	0.8	2.0	0.23	0.03	32	0.3	0.03	5.7
1894269	Soil	17.0	30.0	0.42	116.3	0.046	2	2.04	0.005	0.06	0.5	2.7	0.20	<0.02	29	0.3	0.02	6.2
1894270	Soil	17.3	25.3	0.31	66.3	0.036	2	1.27	0.005	0.04	0.8	1.6	0.16	<0.02	37	0.2	0.03	4.9
1894271	Soil	17.0	26.4	0.35	70.1	0.037	<1	1.68	0.005	0.05	0.4	2.0	0.17	<0.02	48	0.3	0.02	5.7
1894272	Soil	18.8	22.8	0.40	126.9	0.045	2	1.14	0.006	0.07	0.8	3.2	0.10	<0.02	25	0.1	<0.02	3.5
1894273	Soil	21.2	25.0	0.35	82.8	0.030	1	1.45	0.005	0.04	0.2	1.8	0.17	<0.02	33	0.3	<0.02	4.7
1894274	Soil	20.5	23.9	0.36	158.1	0.042	<1	1.09	0.005	0.05	0.2	3.2	0.10	<0.02	33	<0.1	0.03	3.3
1894275	Soil	23.5	27.1	0.31	62.9	0.063	2	1.62	0.006	0.06	2.7	2.3	0.32	0.04	55	0.4	0.05	6.7
1894276	Soil	26.2	27.7	0.34	75.9	0.047	2	1.61	0.005	0.06	0.5	2.2	0.36	0.04	57	0.5	0.04	6.8
1894277	Soil	22.8	28.1	0.34	61.0	0.052	2	1.63	0.004	0.06	0.5	2.2	0.20	0.02	71	0.5	0.06	5.5
1894278	Soil	28.2	45.0	0.50	82.3	0.041	2	2.13	0.007	0.10	4.0	3.5	0.47	0.06	91	0.8	0.06	6.5
1894279	Soil	27.9	36.5	0.47	109.0	0.058	1	1.75	0.005	0.13	6.4	3.6	0.38	0.03	26	0.5	0.05	5.7
1894280	Soil	47.4	42.5	0.90	119.7	0.058	<1	2.15	0.005	0.21	0.3	3.3	0.52	0.04	44	0.2	0.08	6.8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 10 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894281	Soil	1.11	40.34	15.63	88.2	112	35.3	13.2	500	3.32	45.1	1.6	12.8	4.3	14.9	0.20	0.61	0.95	40	0.13	0.072
1894282	Soil	0.88	42.62	13.15	83.5	78	35.6	14.3	542	3.37	31.5	1.6	12.5	8.7	17.0	0.14	0.35	0.52	42	0.22	0.058
1894283	Soil	1.14	51.85	18.18	89.5	460	41.6	15.8	562	3.65	145.3	1.9	15.5	7.2	18.3	0.23	0.62	0.99	42	0.19	0.081
1894284	Soil	1.53	49.82	104.80	151.0	5075	45.2	18.5	1069	3.83	138.6	2.9	25.9	5.6	11.5	0.95	2.11	0.72	33	0.11	0.079
1894285	Soil	0.82	29.30	11.69	63.5	174	23.9	10.6	354	2.46	24.8	1.3	8.4	4.1	18.1	0.42	0.72	0.32	41	0.23	0.103
1894286	Soil	1.09	23.30	21.50	75.6	114	22.4	11.1	536	3.16	33.9	1.3	9.9	2.3	18.2	0.23	0.50	0.60	45	0.17	0.067
1894287	Soil	1.16	22.28	16.80	66.8	76	21.1	9.0	425	3.36	27.1	1.1	14.1	3.0	17.7	0.14	0.45	0.41	50	0.17	0.065
1894288	Soil	1.37	53.49	23.40	87.4	259	39.2	17.3	476	3.68	93.0	2.1	23.1	9.6	18.7	0.26	0.65	1.21	40	0.16	0.066
1894289	Soil	1.37	43.52	19.96	86.1	232	33.9	14.5	561	3.55	67.9	1.7	10.5	4.5	13.1	0.24	0.58	1.22	45	0.11	0.069
1894290	Soil	1.09	37.70	27.49	114.5	309	28.1	12.2	416	3.54	48.8	1.3	10.6	6.2	19.7	0.37	0.73	1.15	43	0.09	0.047
1894291	Soil	0.86	27.89	19.96	71.0	196	22.3	8.2	305	3.21	26.5	1.2	5.3	6.1	9.6	0.17	0.40	0.73	41	0.07	0.052
1894292	Soil	1.03	24.72	19.19	76.1	179	27.3	13.9	569	3.30	22.7	1.2	10.4	8.5	17.8	0.19	0.46	0.96	45	0.19	0.068
1894293	Soil	0.98	17.96	14.89	66.0	70	19.5	7.0	255	2.74	18.4	0.9	1.7	7.0	11.0	0.17	0.51	0.31	43	0.11	0.042
1894294	Soil	1.51	3.26	1.21	7.9	25	2.9	1.4	74	0.80	1.1	0.2	2.2	0.3	185.1	<0.01	0.07	<0.02	11	14.41	0.002
1894301	Soil	0.94	20.58	11.68	53.3	52	15.6	5.9	186	2.86	199.3	1.1	18.0	2.1	11.1	0.14	0.65	0.76	40	0.06	0.045
1894302	Soil	1.20	21.10	12.12	51.1	159	14.5	6.0	220	2.90	335.3	1.0	15.5	2.5	15.0	0.13	0.75	1.16	41	0.06	0.055
1894303	Soil	1.14	23.18	11.92	65.0	76	17.9	9.3	329	3.03	245.7	1.2	15.5	3.8	12.8	0.24	0.78	0.86	44	0.07	0.060
1894304	Soil	0.92	23.93	10.42	57.0	77	17.4	7.3	234	2.81	309.8	1.1	55.3	4.7	12.2	0.15	0.82	0.90	38	0.07	0.042
1894305	Soil	1.08	21.75	13.04	55.5	65	16.6	7.0	229	2.96	291.9	1.1	12.0	4.8	12.2	0.14	0.85	0.83	41	0.06	0.048
1894306	Soil	1.03	18.50	11.78	49.3	75	14.4	7.5	280	2.55	184.6	1.0	7.1	2.0	11.9	0.16	0.65	0.66	38	0.08	0.068
1894307	Soil	1.35	19.40	13.27	54.9	103	15.4	6.5	248	3.18	134.8	1.0	11.0	2.4	11.5	0.17	0.65	0.60	48	0.06	0.052
1894308	Soil	1.01	20.24	11.29	48.4	201	15.0	5.4	163	2.45	161.6	1.1	14.2	1.4	11.7	0.14	0.66	0.72	36	0.06	0.051
1894309	Soil	1.15	19.34	28.58	125.9	322	17.6	11.2	935	3.26	157.4	6.6	105.8	16.2	42.9	0.52	0.78	1.28	34	0.41	0.109
1894310	Soil	1.34	18.27	13.46	77.9	134	16.8	8.8	606	2.73	76.7	6.4	34.3	8.6	29.4	0.29	0.55	0.66	35	0.30	0.101
1894311	Soil	1.53	17.90	13.59	68.2	102	15.0	7.1	392	2.64	50.6	3.1	11.7	2.9	14.6	0.21	0.61	0.52	42	0.13	0.086
1894312	Soil	1.38	18.18	13.86	79.5	158	18.9	9.1	536	2.76	76.5	4.8	26.3	9.7	21.5	0.30	0.59	0.79	40	0.23	0.087
1894313	Soil	1.29	16.98	26.62	117.6	468	15.4	9.4	688	2.89	51.8	6.1	22.4	13.5	34.7	0.56	0.60	0.26	35	0.36	0.111
1894314	Soil	1.92	20.91	14.00	72.9	87	20.8	9.9	436	2.73	49.2	6.5	11.9	5.8	17.9	0.18	0.68	0.29	47	0.17	0.081
1894315	Soil	1.57	81.89	28.90	116.5	419	61.0	41.7	863	4.53	113.6	2.9	70.2	17.4	42.9	0.38	0.49	2.19	51	0.23	0.109
1894316	Soil	1.55	59.51	17.47	105.2	249	52.7	21.4	734	3.70	41.0	1.6	23.0	9.2	24.0	0.36	0.68	2.02	55	0.28	0.105



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 10 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894281	Soil	30.4	33.6	0.62	121.3	0.050	1	1.83	0.005	0.12	0.7	2.2	0.29	0.04	51	0.2	0.05	6.4
1894282	Soil	34.1	36.7	1.02	136.3	0.067	1	2.37	0.006	0.28	0.9	3.4	0.35	0.03	17	0.2	0.03	7.3
1894283	Soil	33.3	35.4	0.79	112.7	0.064	2	1.97	0.006	0.17	0.6	2.7	0.37	0.05	44	0.2	0.08	6.2
1894284	Soil	42.8	28.6	0.52	106.1	0.033	2	1.52	0.004	0.10	0.6	2.4	0.62	0.04	56	0.4	0.05	5.0
1894285	Soil	25.8	25.7	0.41	115.7	0.050	1	1.18	0.007	0.08	0.8	2.2	0.16	0.02	47	0.3	0.02	3.9
1894286	Soil	26.4	31.7	0.45	134.9	0.044	2	1.83	0.006	0.09	0.4	2.2	0.53	0.05	34	0.3	0.04	7.1
1894287	Soil	24.0	34.8	0.54	138.1	0.070	2	1.73	0.007	0.14	0.2	2.2	0.27	0.05	37	0.2	0.03	6.5
1894288	Soil	36.4	35.0	0.67	121.4	0.060	1	1.84	0.008	0.20	2.0	2.8	0.63	0.07	41	0.4	0.07	5.5
1894289	Soil	32.4	35.1	0.64	107.4	0.055	1	1.95	0.006	0.14	1.3	2.0	0.47	0.05	33	0.4	0.06	6.4
1894290	Soil	28.2	34.5	0.45	108.6	0.064	2	2.02	0.008	0.13	6.0	2.5	0.51	0.08	44	0.5	0.04	6.9
1894291	Soil	24.2	29.4	0.40	84.5	0.071	2	1.48	0.008	0.12	1.5	2.0	0.29	0.04	45	0.4	0.05	6.4
1894292	Soil	23.7	35.5	0.50	146.5	0.093	1	1.61	0.012	0.19	2.9	2.9	0.31	0.03	37	0.3	0.05	6.2
1894293	Soil	20.5	28.8	0.43	83.8	0.066	2	1.53	0.005	0.09	0.4	2.4	0.21	<0.02	36	0.3	0.04	5.7
1894294	Soil	0.9	11.0	0.08	43.4	0.009	3	>10	0.289	0.10	0.2	0.4	<0.02	1.39	<5	<0.1	<0.02	24.3
1894301	Soil	18.2	27.0	0.37	74.1	0.029	2	1.57	0.005	0.05	1.4	1.8	0.17	0.03	56	0.4	0.03	5.1
1894302	Soil	20.6	22.2	0.33	75.1	0.034	2	1.37	0.006	0.06	1.4	1.5	0.18	0.05	72	0.3	0.05	5.2
1894303	Soil	20.8	29.0	0.40	81.3	0.041	2	1.67	0.006	0.06	1.2	2.0	0.18	0.03	44	0.4	0.03	5.3
1894304	Soil	21.4	23.7	0.39	69.7	0.036	1	1.35	0.005	0.06	1.0	2.0	0.20	0.03	26	0.2	0.03	4.6
1894305	Soil	22.6	25.3	0.39	75.4	0.035	1	1.51	0.005	0.06	0.7	2.2	0.22	0.02	36	0.4	0.04	5.6
1894306	Soil	19.5	22.3	0.32	70.8	0.029	1	1.36	0.005	0.05	1.0	1.7	0.17	0.03	47	0.4	<0.02	4.8
1894307	Soil	18.2	26.9	0.38	83.1	0.037	1	1.69	0.005	0.05	0.6	2.2	0.17	0.03	52	0.4	0.03	6.3
1894308	Soil	20.3	22.2	0.37	66.0	0.025	1	1.41	0.005	0.05	1.2	1.4	0.18	0.04	43	0.3	0.03	4.8
1894309	Soil	43.1	19.2	0.53	205.8	0.035	2	1.78	0.010	0.11	3.6	6.0	0.24	0.02	66	0.3	0.06	5.9
1894310	Soil	35.3	20.4	0.52	229.7	0.064	2	1.71	0.018	0.13	8.3	4.7	0.25	<0.02	41	0.2	0.04	6.1
1894311	Soil	20.5	23.6	0.40	95.8	0.038	2	1.93	0.012	0.07	4.5	2.4	0.20	0.06	60	0.5	0.04	5.9
1894312	Soil	35.3	22.9	0.51	230.2	0.060	2	1.84	0.015	0.11	7.2	4.0	0.24	<0.02	23	0.3	0.04	6.3
1894313	Soil	38.1	19.3	0.53	225.7	0.085	1	1.50	0.012	0.21	6.6	5.4	0.34	<0.02	30	0.1	<0.02	5.7
1894314	Soil	27.9	26.4	0.51	162.8	0.057	1	1.88	0.007	0.08	3.4	3.8	0.22	<0.02	40	0.4	0.04	6.0
1894315	Soil	33.8	49.2	0.82	173.9	0.117	2	2.46	0.040	0.46	20.3	5.1	0.64	0.18	60	0.8	0.10	7.8
1894316	Soil	28.2	44.9	1.10	181.6	0.117	1	2.47	0.015	0.40	23.4	4.5	0.60	0.05	25	0.4	0.08	8.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 11 of 11

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

	Method Analyte Unit MDL	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
1894317	Soil	1.17	47.23	12.06	78.9	93	38.9	18.1	661	3.35	24.5	1.1	34.1	5.7	27.5	0.16	0.52	3.97	59	0.18	0.067
1894318	Soil	3.27	77.31	19.18	102.1	316	61.0	29.1	1062	3.95	93.6	2.6	37.4	9.3	15.7	0.23	1.84	1.63	63	0.20	0.079
1894319	Soil	5.32	117.28	59.72	163.6	1922	72.6	77.9	1984	5.42	2772.6	10.8	51.5	14.8	30.2	0.79	6.46	2.65	45	0.21	0.160
1894320	Soil	3.08	47.22	22.30	65.6	472	22.5	13.6	393	4.30	80.4	2.4	7.9	8.4	9.2	0.17	1.42	0.64	39	0.05	0.092
1894321	Soil	5.41	54.59	24.25	95.4	580	50.0	41.2	668	3.76	72.8	3.0	16.7	7.2	18.5	0.27	2.20	0.37	47	0.17	0.132
1894322	Soil	1.73	3.46	1.27	7.9	40	3.5	1.5	81	1.00	1.7	0.2	2.0	0.4	182.2	0.01	0.08	<0.02	13	15.51	0.002
1894351	Soil	1.28	14.14	12.87	55.3	68	15.9	8.5	347	2.83	21.0	1.0	10.0	2.0	9.6	0.21	0.63	0.22	51	0.08	0.052
1894352	Soil	1.50	25.59	22.61	72.6	380	22.8	14.9	620	3.83	34.8	1.4	4.1	7.2	14.4	0.28	0.83	0.38	55	0.10	0.079
1894353	Soil	1.16	22.09	18.36	64.8	278	22.6	10.9	456	3.21	18.7	1.2	3.8	6.0	13.8	0.34	0.71	0.22	48	0.13	0.079
1894354	Soil	1.24	18.50	12.98	47.9	148	15.4	6.6	274	2.81	14.4	0.8	2.7	2.7	9.2	0.14	0.64	0.33	51	0.06	0.050
1894355	Soil	1.04	21.68	11.93	56.2	54	20.7	8.2	292	2.72	26.1	0.8	2.6	4.8	11.5	0.15	0.72	0.19	43	0.10	0.044
1894356	Soil	1.43	39.87	17.25	90.6	118	34.1	15.3	807	3.39	34.4	1.5	11.6	4.7	15.2	0.46	0.67	0.29	58	0.16	0.082
1894357	Soil	1.39	24.46	14.36	87.3	48	34.4	12.2	451	3.31	18.3	1.1	11.8	3.5	13.8	0.22	0.69	0.26	67	0.14	0.050
1894358	Soil	1.16	24.49	14.59	66.7	175	25.9	10.3	412	2.92	18.4	1.3	8.8	0.8	11.4	0.35	0.59	0.23	56	0.12	0.103
1894359	Soil	1.13	27.00	14.06	69.8	95	31.8	11.7	372	3.00	28.1	1.2	23.1	7.0	15.9	0.47	0.67	0.27	56	0.20	0.072
1894360	Soil	1.14	34.24	16.21	74.7	157	38.0	14.9	516	3.57	44.1	1.6	36.9	4.1	15.0	0.29	0.58	0.53	57	0.13	0.068
1894361	Soil	0.97	21.94	13.21	69.4	69	23.7	11.1	466	2.92	20.8	1.1	11.6	4.9	12.9	0.27	0.61	0.41	52	0.12	0.051
1894362	Soil	1.14	18.71	13.69	61.7	81	19.5	9.6	448	2.95	26.4	1.0	6.6	1.9	12.4	0.28	0.61	0.35	53	0.11	0.059



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 11 of 11

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
1894317	Soil	23.9	40.2	1.12	161.0	0.115	2	2.61	0.010	0.37	38.8	3.9	0.53	0.05	39	0.3	0.14	8.2
1894318	Soil	31.4	42.0	1.00	159.9	0.099	1	2.30	0.008	0.32	29.4	4.5	0.54	0.04	51	0.5	0.12	7.3
1894319	Soil	56.5	33.5	0.54	158.7	0.070	2	2.00	0.030	0.26	71.5	4.6	0.64	0.21	45	1.2	0.25	5.7
1894320	Soil	31.1	33.1	0.35	69.5	0.033	<1	1.75	0.006	0.14	0.6	2.6	0.37	0.08	92	0.7	0.04	5.8
1894321	Soil	25.7	31.9	0.43	75.3	0.050	2	1.44	0.012	0.08	1.5	4.5	0.62	0.03	50	0.7	0.04	4.9
1894322	Soil	0.9	11.5	0.08	44.8	0.010	4	>10	0.308	0.11	0.2	0.5	<0.02	1.48	<5	<0.1	<0.02	24.2
1894351	Soil	18.1	27.8	0.37	82.7	0.041	2	1.70	0.005	0.05	0.2	2.1	0.16	0.02	44	0.4	0.03	5.6
1894352	Soil	25.8	31.6	0.46	110.2	0.052	2	1.56	0.006	0.06	0.4	2.6	0.19	0.02	50	0.3	0.05	6.6
1894353	Soil	22.2	28.8	0.47	119.0	0.040	3	1.76	0.006	0.12	0.2	3.1	0.14	<0.02	41	0.3	0.02	4.6
1894354	Soil	19.7	22.1	0.29	64.2	0.033	<1	1.45	0.004	0.04	0.2	1.6	0.12	0.04	72	0.4	<0.02	5.8
1894355	Soil	18.1	23.8	0.43	84.1	0.041	1	1.65	0.005	0.05	0.2	2.5	0.12	<0.02	34	0.4	0.02	4.8
1894356	Soil	24.2	38.5	0.60	164.6	0.063	1	2.23	0.007	0.12	2.6	3.0	0.26	0.03	58	0.5	0.03	7.0
1894357	Soil	21.9	44.9	0.73	184.9	0.093	2	2.50	0.008	0.10	1.7	3.3	0.27	0.04	56	0.4	0.04	8.7
1894358	Soil	18.9	41.7	0.50	97.0	0.040	<1	2.16	0.008	0.11	1.7	1.4	0.28	0.07	91	0.7	0.04	7.2
1894359	Soil	21.6	40.7	0.55	151.3	0.082	2	1.83	0.008	0.11	2.4	3.0	0.22	0.03	53	0.5	0.03	6.2
1894360	Soil	20.5	42.0	0.70	149.5	0.076	2	2.35	0.006	0.18	1.9	3.1	0.35	0.05	63	0.5	0.05	6.5
1894361	Soil	18.1	32.1	0.49	162.6	0.063	<1	1.84	0.006	0.10	1.4	2.7	0.20	0.02	72	0.4	0.05	5.5
1894362	Soil	17.8	29.9	0.45	158.2	0.053	1	1.63	0.005	0.08	1.4	2.0	0.18	0.03	52	0.3	0.04	6.0



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI19000357.1

Method	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001	
Pulp Duplicates																					
1894028	Soil	0.85	18.13	13.16	66.9	114	20.0	7.6	325	2.65	21.9	1.0	7.0	3.3	13.0	0.12	0.45	0.25	40	0.14	0.041
REP 1894028	QC	0.82	16.93	12.67	66.2	101	18.8	7.3	318	2.62	20.9	1.0	2.1	3.0	12.5	0.13	0.41	0.24	40	0.14	0.044
1894036	Soil	0.74	20.57	13.65	62.8	117	22.1	9.2	327	2.48	21.9	1.0	6.3	5.0	10.6	0.17	0.52	0.20	37	0.12	0.062
REP 1894036	QC	0.77	19.73	13.12	58.7	99	20.3	9.1	311	2.48	22.0	0.9	16.0	5.2	10.5	0.22	0.51	0.19	37	0.12	0.051
1894126	Soil	0.93	15.53	12.41	51.6	82	14.7	9.5	320	2.50	16.3	1.0	2.1	2.1	8.9	0.13	0.48	0.20	43	0.07	0.043
REP 1894126	QC	0.89	15.99	12.52	53.1	80	15.6	8.9	326	2.56	16.5	0.9	2.9	2.1	9.6	0.11	0.51	0.21	43	0.07	0.047
1894142	Soil	0.64	11.82	14.07	51.8	73	14.4	5.9	172	2.35	10.7	0.7	3.0	2.4	10.1	0.11	0.36	0.24	41	0.11	0.035
REP 1894142	QC	0.63	12.33	14.00	45.9	77	14.3	5.6	179	2.35	10.5	0.8	2.1	2.7	10.6	0.12	0.33	0.25	42	0.11	0.037
1894190	Soil	0.61	40.15	11.85	101.9	40	65.0	19.6	816	4.29	41.4	1.9	11.3	13.8	32.5	0.11	0.28	0.28	75	0.50	0.081
REP 1894190	QC	0.67	38.12	12.10	111.2	37	67.1	20.0	803	4.34	42.7	2.1	13.5	13.7	33.4	0.14	0.30	0.29	76	0.51	0.087
1894230	Soil	0.67	16.00	11.28	52.7	112	17.4	6.1	173	2.07	14.8	0.7	5.3	5.5	12.2	0.19	0.46	0.15	34	0.15	0.055
REP 1894230	QC	0.61	15.07	11.07	51.9	102	17.5	5.4	165	2.06	14.4	0.7	2.0	5.0	11.7	0.19	0.46	0.15	34	0.15	0.052
1894254	Soil	1.01	39.09	12.96	69.5	107	23.9	11.7	265	3.50	24.2	2.0	6.8	9.7	12.0	0.14	0.61	0.41	30	0.07	0.061
REP 1894254	QC	1.04	42.58	12.99	69.2	124	24.8	11.8	264	3.52	25.3	2.0	3.4	9.5	13.0	0.19	0.62	0.41	30	0.08	0.063
1894281	Soil	1.11	40.34	15.63	88.2	112	35.3	13.2	500	3.32	45.1	1.6	12.8	4.3	14.9	0.20	0.61	0.95	40	0.13	0.072
REP 1894281	QC	1.04	41.35	15.65	82.6	109	35.0	12.7	492	3.36	44.3	1.7	8.4	4.1	14.8	0.19	0.60	0.99	41	0.13	0.071
1894312	Soil	1.38	18.18	13.86	79.5	158	18.9	9.1	536	2.76	76.5	4.8	26.3	9.7	21.5	0.30	0.59	0.79	40	0.23	0.087
REP 1894312	QC	1.27	18.19	13.66	73.0	148	18.5	8.8	531	2.75	73.4	4.9	33.7	9.8	21.2	0.33	0.59	0.80	40	0.23	0.097
1894362	Soil	1.14	18.71	13.69	61.7	81	19.5	9.6	448	2.95	26.4	1.0	6.6	1.9	12.4	0.28	0.61	0.35	53	0.11	0.059
REP 1894362	QC	1.16	18.85	13.38	63.1	82	19.1	9.4	453	3.05	26.7	1.0	10.0	1.8	12.6	0.28	0.60	0.37	56	0.12	0.061
Reference Materials																					
STD BVGEO01	Standard	11.09	4489.97	192.39	1751.9	2779	166.3	24.7	751	3.83	126.6	4.1	230.9	16.9	57.4	7.38	3.72	27.02	78	1.30	0.071
STD BVGEO01	Standard	11.36	4457.13	188.71	1792.3	2460	162.5	24.1	729	3.76	114.1	3.9	214.2	15.8	60.9	6.21	3.32	24.21	76	1.39	0.075
STD BVGEO01	Standard	11.36	4371.95	195.10	1824.6	2549	154.7	27.7	715	3.80	117.7	4.0	228.9	17.4	59.7	6.59	2.74	26.03	72	1.42	0.074
STD BVGEO01	Standard	10.70	4453.35	188.43	1782.3	2636	163.4	25.0	764	3.76	116.0	3.8	220.1	16.8	58.9	6.75	2.77	25.13	74	1.38	0.071
STD BVGEO01	Standard	11.46	4389.67	195.71	1654.8	2685	169.0	26.4	750	3.75	123.7	3.9	230.1	16.3	58.4	7.31	3.11	26.81	78	1.45	0.082
STD DS11	Standard	16.44	154.26	151.26	367.5	1713	85.6	13.9	1037	3.28	44.1	2.9	84.4	8.3	72.7	2.37	8.18	12.00	50	1.13	0.067
STD DS11	Standard	15.44	160.05	139.03	325.0	1723	81.6	13.9	1045	3.18	42.5	2.7	78.6	8.8	70.1	2.30	7.58	11.54	48	1.08	0.075



QUALITY CONTROL REPORT

WHI19000357.1

Method	Analyte	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
MDL		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
Pulp Duplicates																		
1894028	Soil	18.7	29.3	0.46	102.6	0.047	1	1.56	0.007	0.12	0.3	2.2	0.25	0.02	45	0.3	0.02	5.0
REP 1894028	QC	17.6	27.3	0.46	104.2	0.048	1	1.58	0.006	0.12	0.2	2.4	0.24	0.02	34	0.3	0.03	5.1
1894036	Soil	17.8	25.3	0.40	90.4	0.044	2	1.35	0.005	0.07	0.6	2.5	0.12	<0.02	43	0.2	<0.02	3.8
REP 1894036	QC	19.0	23.5	0.41	91.1	0.042	<1	1.39	0.005	0.07	0.5	2.6	0.13	<0.02	17	0.2	0.02	3.7
1894126	Soil	18.2	23.5	0.40	85.6	0.031	1	1.53	0.005	0.04	0.2	2.4	0.14	<0.02	16	0.3	0.02	4.2
REP 1894126	QC	18.1	25.4	0.41	88.4	0.033	<1	1.56	0.004	0.04	0.2	2.3	0.13	<0.02	32	0.2	<0.02	4.3
1894142	Soil	14.2	25.4	0.42	72.7	0.047	1	1.57	0.005	0.08	1.3	2.1	0.19	<0.02	25	0.3	0.02	5.0
REP 1894142	QC	14.3	25.4	0.43	72.4	0.049	1	1.57	0.006	0.08	1.3	2.2	0.18	<0.02	31	0.5	0.03	4.7
1894190	Soil	44.2	56.7	1.49	210.8	0.107	<1	3.86	0.010	0.50	1.3	8.5	0.55	0.03	15	<0.1	0.04	11.1
REP 1894190	QC	44.5	62.9	1.48	213.5	0.110	<1	3.92	0.010	0.50	1.4	8.9	0.58	0.03	34	<0.1	0.03	12.2
1894230	Soil	20.6	21.8	0.38	74.3	0.044	<1	1.15	0.005	0.07	0.3	2.0	0.11	<0.02	27	<0.1	<0.02	3.5
REP 1894230	QC	18.7	20.9	0.38	67.1	0.043	<1	1.14	0.005	0.07	0.2	2.2	0.09	<0.02	19	0.2	0.02	3.5
1894254	Soil	30.2	21.2	0.40	59.6	0.033	1	1.20	0.006	0.05	0.3	1.7	0.16	0.04	52	0.3	0.04	3.5
REP 1894254	QC	33.1	21.2	0.41	62.6	0.037	1	1.21	0.007	0.06	0.4	1.8	0.17	0.04	39	0.2	0.03	3.5
1894281	Soil	30.4	33.6	0.62	121.3	0.050	1	1.83	0.005	0.12	0.7	2.2	0.29	0.04	51	0.2	0.05	6.4
REP 1894281	QC	29.7	33.7	0.64	117.2	0.049	<1	1.83	0.005	0.12	0.8	2.1	0.28	0.04	46	0.3	0.07	5.9
1894312	Soil	35.3	22.9	0.51	230.2	0.060	2	1.84	0.015	0.11	7.2	4.0	0.24	<0.02	23	0.3	0.04	6.3
REP 1894312	QC	35.7	21.6	0.51	228.8	0.060	3	1.82	0.016	0.11	7.6	4.0	0.22	<0.02	37	0.3	0.04	6.4
1894362	Soil	17.8	29.9	0.45	158.2	0.053	1	1.63	0.005	0.08	1.4	2.0	0.18	0.03	52	0.3	0.04	6.0
REP 1894362	QC	18.4	29.8	0.45	164.6	0.062	<1	1.70	0.006	0.09	1.5	2.1	0.18	0.03	41	0.5	0.05	5.8
Reference Materials																		
STD BVGE001	Standard	27.8	161.3	1.33	289.0	0.234	4	2.38	0.210	0.97	5.4	5.9	0.61	0.65	103	5.0	1.11	7.7
STD BVGE001	Standard	25.6	210.7	1.37	260.4	0.237	3	2.51	0.218	0.96	4.9	6.6	0.63	0.68	98	4.9	1.05	7.9
STD BVGE001	Standard	28.3	208.3	1.31	276.0	0.245	5	2.48	0.203	0.87	5.0	6.4	0.62	0.61	80	4.6	1.07	7.2
STD BVGE001	Standard	26.4	182.7	1.32	291.5	0.231	4	2.37	0.206	0.98	4.7	5.8	0.63	0.68	89	4.6	1.02	7.4
STD BVGE001	Standard	28.5	198.5	1.35	282.6	0.237	4	2.44	0.208	0.91	4.9	6.5	0.66	0.65	81	4.9	1.04	8.1
STD DS11	Standard	19.8	65.5	0.86	366.9	0.101	8	1.26	0.079	0.42	2.8	3.5	5.18	0.28	259	2.3	4.71	5.6
STD DS11	Standard	18.7	61.6	0.85	370.9	0.097	7	1.23	0.079	0.42	3.1	3.5	4.86	0.26	244	2.0	4.54	4.9



QUALITY CONTROL REPORT

WHI19000357.1

		AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	0.001
STD DS11	Standard	15.26	150.15	140.12	357.7	1737	81.8	15.3	994	3.11	42.7	2.6	64.9	9.4	71.9	2.19	7.90	11.63	50	1.08	0.063
STD DS11	Standard	15.74	158.72	140.61	318.0	1717	81.5	14.0	980	3.20	42.5	2.6	66.2	8.8	67.1	2.46	8.09	12.10	50	1.09	0.073
STD DS11	Standard	15.18	151.61	134.55	323.1	1708	79.7	12.6	998	3.14	42.4	2.7	74.1	9.5	66.6	2.35	7.34	11.16	56	1.07	0.069
STD OREAS262	Standard	0.70	124.22	59.70	160.4	488	66.9	29.1	541	3.35	38.3	1.3	63.6	9.9	38.0	0.73	5.39	1.11	23	3.04	0.038
STD OREAS262	Standard	0.68	116.80	59.45	152.2	450	67.1	26.9	515	3.25	35.0	1.4	64.3	10.9	37.0	0.63	4.53	1.02	24	3.10	0.038
STD OREAS262	Standard	0.71	122.30	59.49	155.7	469	68.1	29.1	540	3.42	36.2	1.3	58.2	10.6	37.0	0.64	4.57	1.02	23	3.07	0.038
STD OREAS262	Standard	0.65	119.07	57.20	144.4	449	60.9	27.3	558	3.30	35.2	1.2	56.7	10.3	35.6	0.63	4.07	1.00	22	3.06	0.042
STD OREAS262	Standard	0.56	114.87	53.45	150.3	438	61.7	27.1	532	3.25	34.2	1.2	58.5	10.6	33.3	0.61	3.93	0.97	22	3.11	0.038
STD OREAS262	Standard	0.65	120.26	59.78	156.7	469	70.9	29.2	577	3.34	37.0	1.3	58.7	10.7	35.4	0.60	4.11	1.08	22	3.08	0.040
STD OREAS262	Standard	0.67	111.88	56.44	151.9	488	65.9	28.1	545	3.33	36.7	1.2	56.0	11.0	35.6	0.61	4.01	1.01	22	3.03	0.040
STD OREAS262	Standard	0.64	119.56	57.02	145.0	460	63.3	28.0	503	3.28	35.0	1.2	54.2	9.8	33.6	0.65	4.46	0.99	22	3.19	0.042
STD OREAS262	Standard	0.63	123.91	55.30	157.9	461	63.3	27.8	507	3.27	35.5	1.2	58.4	9.4	35.0	0.66	4.38	1.03	22	3.12	0.037
STD OREAS262	Standard	0.67	115.89	56.78	147.3	471	66.0	25.8	571	3.30	35.6	1.2	59.1	9.6	36.8	0.64	4.09	1.02	24	3.13	0.040
STD BVGEO01 Expected		11.2	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	3.39	25.6	73	1.3219	0.0727
STD DS11 Expected		14.6	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701
STD OREAS262 Expected		0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	5.06	1.03	22.5	2.98	0.04
BLK	Blank	<0.01	0.23	0.02	0.4	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	0.04	<1	<0.01	<0.001
BLK	Blank	<0.01	0.04	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	0.2	<2	0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	0.02	<0.01	0.2	<2	<0.1	<0.1	1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	0.1	<2	<0.1	<0.1	<1	<0.01	0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.4	<0.1	<0.2	0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	<0.001



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Fox Exploration Ltd.**
1701 Robert Lang Dr.
Courtenay British Columbia V9N 1A2 Canada

Project: None Given
Report Date: August 24, 2019

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI19000357.1

		AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	AQ252	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm
		0.5	0.5	0.01	0.5	0.001	1	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1
STD DS11	Standard	18.6	59.1	0.87	373.2	0.092	8	1.20	0.076	0.40	3.1	3.6	5.26	0.27	273	2.1	4.74	5.0
STD DS11	Standard	19.3	59.7	0.88	358.9	0.093	7	1.27	0.080	0.41	2.9	3.2	4.95	0.27	261	2.1	4.61	5.3
STD DS11	Standard	19.9	57.7	0.85	358.3	0.094	6	1.23	0.075	0.40	2.9	3.4	4.93	0.27	208	2.0	4.57	5.3
STD OREAS262	Standard	16.0	41.4	1.18	262.9	0.003	4	1.29	0.068	0.32	0.2	3.0	0.46	0.26	171	0.5	0.22	4.0
STD OREAS262	Standard	20.6	48.1	1.17	255.9	0.003	4	1.58	0.069	0.37	0.2	3.8	0.50	0.26	177	0.4	0.25	4.4
STD OREAS262	Standard	18.8	46.8	1.18	269.9	0.003	4	1.50	0.070	0.34	0.2	3.7	0.48	0.26	194	0.5	0.23	4.2
STD OREAS262	Standard	17.0	44.1	1.16	256.9	0.003	5	1.39	0.067	0.32	0.1	3.3	0.47	0.24	170	0.4	0.23	3.9
STD OREAS262	Standard	15.7	41.5	1.17	235.2	0.003	4	1.34	0.070	0.32	0.1	3.3	0.47	0.26	150	0.2	0.24	3.7
STD OREAS262	Standard	19.3	45.8	1.18	274.4	0.003	6	1.50	0.069	0.34	0.2	3.4	0.48	0.24	146	0.4	0.24	4.1
STD OREAS262	Standard	16.2	45.2	1.20	233.2	0.003	6	1.36	0.069	0.32	0.2	3.1	0.48	0.25	155	0.1	0.23	4.0
STD OREAS262	Standard	16.9	42.7	1.17	240.3	0.003	4	1.35	0.073	0.32	0.2	3.1	0.45	0.25	157	0.5	0.20	4.3
STD OREAS262	Standard	17.8	43.6	1.17	257.8	0.003	4	1.37	0.074	0.32	0.2	3.2	0.47	0.25	150	0.4	0.25	4.3
STD OREAS262	Standard	17.0	44.4	1.19	263.6	0.003	4	1.35	0.070	0.32	0.1	3.2	0.49	0.25	184	0.2	0.25	4.2
STD BVGE001 Expected		25.9	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	5.97	0.62	0.6655	100	4.84	1.02	7.37
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	3.4	4.9	0.2835	260	2.2	4.56	5.1
STD OREAS262 Expected		15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	3.24	0.47	0.253	170	0.4	0.23	3.73
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	9	<0.1	<0.02	<0.1
BLK	Blank	<0.5	0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1
BLK	Blank	<0.5	<0.5	<0.01	<0.5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7	<0.1	<0.02	<0.1

Appendix III Rock Samples and
Soil Samples – ID Master
Spreadsheet

Soil Sample ID and Location 2019

SampleID	NorthingN83Z8	EastingN83Z8	Type
1894001	7078444	399738	Soil
1894002	7078544	399747	Soil
1894003	7078643	399757	Soil
1894004	7078743	399766	Soil
1894005	7078842	399776	Soil
1894006	7078942	399785	Soil
1894007	7079041	399794	Soil
1894008	7077580	399857	Soil
1894009	7077679	399867	Soil
1894010	7081883	402673	Soil
1894011	7081783	402663	Soil
1894012	7081684	402654	Soil
1894013	7081584	402645	Soil
1894014	7081485	402635	Soil
1894015	7081385	402626	Soil
1894016	7081285	402616	Soil
1894017	7081186	402607	Soil
1894018	7081086	402598	Soil
1894019	7080987	402588	Soil
1894020	7078208	400117	Soil
1894021	7078307	400127	Soil
1894022	7078407	400136	Soil
1894023	7078506	400145	Soil
1894024	7078606	400155	Soil
1894025	7078705	400164	Soil
1894026	7078805	400174	Soil
1894027	7078904	400183	Soil
1894028	7079004	400192	Soil
1894029	7079103	400202	Soil
1894030	7079234	400415	Soil
1894031	7079134	400406	Soil
1894032	7079035	400396	Soil
1894033	7078935	400387	Soil
1894034	7078836	400377	Soil
1894035	7078736	400368	Soil
1894036	7078637	400359	Soil
1894037	7078537	400349	Soil
1894038	7078438	400340	Soil
1894039	7078338	400330	Soil
1894040	7078239	400321	Soil
1894041	7078270	400525	Soil
1894042	7078369	400534	Soil
1894043	7080300	400400	Soil

1894044	7080200	400400 Soil
1894045	7080100	400400 Soil
1894046	7080000	400400 Soil
1894047	7079900	400400 Soil
1894048	7079800	400400 Soil
1894049	7079700	400400 Soil
1894050	7079600	400400 Soil
1894051	7079500	400400 Soil
1894052	7079400	400400 Soil
1894053	7079350	400300 Soil
1894054	7079450	400300 Soil
1894055	7079550	400300 Soil
1894056	7079200	399500 Soil
1894057	7079100	399500 Soil
1894058	7079000	399500 Soil
1894059	7078900	399500 Soil
1894060	7078800	399500 Soil
1894101	7081006	402389 Soil
1894102	7081105	402399 Soil
1894103	7081205	402408 Soil
1894104	7081304	402417 Soil
1894105	7081404	402427 Soil
1894106	7081503	402436 Soil
1894107	7081472	402232 Soil
1894108	7081373	402223 Soil
1894109	7081273	402214 Soil
1894110	7081174	402204 Soil
1894111	7081074	402195 Soil
1894112	7080975	402186 Soil
1894113	7077947	399691 Soil
1894114	7078046	399700 Soil
1894115	7078146	399710 Soil
1894116	7078245	399719 Soil
1894117	7078345	399729 Soil
1894118	7078444	399738 Soil
1894119	7078544	399747 Soil
1894120	7078643	399757 Soil
1894121	7078743	399766 Soil
1894122	7078842	399776 Soil
1894123	7079041	399794 Soil
1894124	7078973	399989 Soil
1894125	7080944	401982 Soil
1894126	7081043	401991 Soil
1894127	7081143	402001 Soil
1894128	7081242	402010 Soil
1894129	7081342	402019 Soil
1894130	7081441	402029 Soil

1894131	7081410	401825 Soil
1894132	7081311	401816 Soil
1894133	7081211	401806 Soil
1894134	7081112	401797 Soil
1894135	7078873	399979 Soil
1894136	7078774	399970 Soil
1894137	7078674	399960 Soil
1894138	7078575	399951 Soil
1894139	7078475	399942 Soil
1894140	7078376	399932 Soil
1894141	7078276	399923 Soil
1894142	7078177	399914 Soil
1894143	7079800	399900 Soil
1894144	7079800	400000 Soil
1894145	7079700	400000 Soil
1894146	7079700	399900 Soil
1894147	7079600	399900 Soil
1894148	7079600	400000 Soil
1894149	7079500	399900 Soil
1894150	7079400	399900 Soil
1894151	7079400	400000 Soil
1894152	7079300	400000 Soil
1894153	7079200	399900 Soil
1894154	7079200	400000 Soil
1894155	7079850	400300 Soil
1894156	7077900	399500 Soil
1894157	7078000	399500 Soil
1894158	7078100	399500 Soil
1894159	7078200	399500 Soil
1894160	7078300	399500 Soil
1894161	7078400	399500 Soil
1894162	7078500	399500 Soil
1894163	7078600	399500 Soil
1894164	7078700	399500 Soil
1894165	7078700	399500 Soil
1894166	7078400	400738 Soil
1894167	7078500	400747 Soil
1894168	7078599	400757 Soil
1894169	7078699	400766 Soil
1894170	7078798	400775 Soil
1894171	7078898	400785 Soil
1894172	7078997	400794 Soil
1894173	7079097	400804 Soil
1894174	7079196	400813 Soil
1894175	7079296	400822 Soil
1894176	7079265	400619 Soil
1894177	7079165	400609 Soil

1894178	7079066	400600 Soil
1894179	7078966	400590 Soil
1894180	7078867	400581 Soil
1894181	7078767	400572 Soil
1894182	7078668	400562 Soil
1894183	7078568	400553 Soil
1894184	7078469	400544 Soil
1894185	7078761	401174 Soil
1894186	7078860	401183 Soil
1894187	7078960	401192 Soil
1894188	7079059	401202 Soil
1894189	7079159	401211 Soil
1894190	7079258	401220 Soil
1894191	7079358	401230 Soil
1894192	7079327	401026 Soil
1894193	7079227	401017 Soil
1894194	7079128	401007 Soil
1894195	7079028	400998 Soil
1894196	7078829	400979 Soil
1894197	7078730	400970 Soil
1894198	7078630	400960 Soil
1894199	7078531	400951 Soil
1894200	7078493	401349 Soil
1894201	7078692	401368 Soil
1894202	7078792	401377 Soil
1894203	7078891	401387 Soil
1894204	7078991	401396 Soil
1894205	7079121	401609 Soil
1894206	7078922	401590 Soil
1894207	7078823	401581 Soil
1894208	7078723	401572 Soil
1894209	7080150	401800 Soil
1894210	7080200	401800 Soil
1894211	7080300	401800 Soil
1894212	7080250	401800 Soil
1894213	7080400	401800 Soil
1894214	7080450	401800 Soil
1894215	7080500	401800 Soil
1894216	BLANK	BLANK Soil
1894217	7077847	399682 Soil
1894218	7077748	399672 Soil
1894219	7077648	399663 Soil
1894220	7077610	400061 Soil
1894221	7077710	400070 Soil
1894222	7077810	400080 Soil
1894223	7077909	400089 Soil
1894224	7078009	400099 Soil

1894225	7078108	400108 Soil
1894226	7078170	400515 Soil
1894227	7077971	400497 Soil
1894228	7077872	400487 Soil
1894229	7077772	400478 Soil
1894230	7077772	400478 Soil
1894231	7078332	400932 Soil
1894232	7078232	400923 Soil
1894233	7078133	400914 Soil
1894234	7078033	400904 Soil
1894235	7077934	400895 Soil
1894236	7077834	400885 Soil
1894237	7077896	401293 Soil
1894238	7077996	401302 Soil
1894239	7078095	401312 Soil
1894240	7078195	401321 Soil
1894241	7078294	401330 Soil
1894242	7082350	399800 Soil
1894243	7082400	399800 Soil
1894244	7082450	399800 Soil
1894245	7082500	399800 Soil
1894246	7082550	399800 Soil
1894247	7082600	399800 Soil
1894248	7082650	399800 Soil
1894249	7082700	399800 Soil
1894250	7082750	399800 Soil
1894251	7080450	400200 Soil
1894252	7080350	400200 Soil
1894253	7080250	400200 Soil
1894254	7080150	400200 Soil
1894255	7080050	400200 Soil
1894256	7079950	400200 Soil
1894257	7079850	400200 Soil
1894258	7079750	400200 Soil
1894259	7079650	400200 Soil
1894260	7079450	400200 Soil
1894261	7079450	400200 Soil
1894262	7079350	400200 Soil
1894263	BLANK	BLANK Soil
1894264	7078356	401738 Soil
1894265	7078257	401728 Soil
1894266	7078157	401719 Soil
1894267	7077958	401700 Soil
1894268	7082900	400000 Soil
1894269	7082850	400000 Soil
1894270	7082800	400000 Soil
1894271	7082750	400000 Soil

1894272	7082700	400000 Soil
1894273	7082450	400000 Soil
1894274	7082400	400000 Soil
1894275	7082250	399800 Soil
1894276	7082200	399800 Soil
1894277	7082150	399800 Soil
1894278	7080000	399300 Soil
1894279	7080100	399300 Soil
1894280	7079850	400100 Soil
1894281	7079750	400300 Soil
1894282	7079650	400300 Soil
1894283	7079750	400100 Soil
1894284	7079650	400100 Soil
1894285	7079550	400100 Soil
1894286	7079450	400100 Soil
1894287	7079350	400100 Soil
1894288	7079700	399800 Soil
1894289	7079600	399800 Soil
1894290	7079300	399800 Soil
1894291	7079200	399800 Soil
1894292	7079100	399800 Soil
1894293	7079100	399900 Soil
1894294	7079100	400000 Soil
1894301	7082800	399800 Soil
1894302	7082850	399800 Soil
1894303	7082900	399800 Soil
1894304	7082900	399900 Soil
1894305	7082850	399900 Soil
1894306	7082800	399900 Soil
1894307	7082750	399900 Soil
1894308	7082700	399900 Soil
1894309	7080050	401600 Soil
1894310	7080050	401400 Soil
1894311	7080100	401400 Soil
1894312	7080150	401400 Soil
1894313	7080300	401400 Soil
1894314	7080350	401400 Soil
1894315	7079200	399300 Soil
1894316	7079400	399300 Soil
1894317	7079500	399300 Soil
1894318	7079600	399300 Soil
1894319	7079700	399300 Soil
1894320	7079800	399300 Soil
1894321	7079900	399300 Soil
1894322	7079900	399300 Soil
1894351	7080981	401584 Soil
1894352	7081081	401593 Soil

1894353	7081180	401603 Soil
1894354	7081280	401612 Soil
1894355	7081379	401621 Soil
1894356	7078885	401989 Soil
1894357	7079152	401813 Soil
1894358	7079053	401804 Soil
1894359	7078953	401794 Soil
1894360	7078854	401785 Soil
1894361	7078754	401775 Soil
1894362	7078655	401766 Soil

Rock Sample ID and Location 2019

1894451	401264	7079406 Rock
1894452	400376	7079940 Rock
1894453	400794	7078290 Rock
1894454	400797	7078392 Rock
1894455	401669	7080000 Rock
1894456	401669	7080100 Rock
1894457	399525	7077870 Rock
1894458	400000	7082900 Rock
1894459	399485	7079617 Rock
1894460	399893	7078979 Rock
1894461	399893	7078979 Rock
1894462	399893	7078979 Rock
1894463	399893	7078979 Rock
1894464	399893	7078979 Rock
1894465	402833	7081596 Rock
1894466	402844	7081620 Rock

RC Gold Property

2019 Assessment Report

Sampling Protocol and Data Handling Procedures for Rock Samples

Rock sampling followed a methodical set of procedures from initial sample collection to final database recording. Samples were typically chipped away from outcrop or taken from float material using a standard Estwing rock hammer, put into polyurethane bags and recorded into a field book. An aluminum metal tag inscribed with the sample identification number was attached to a rock or branch in a visible area at the sample site along with a length of pink flagging tape that was also labelled with the sample identification number. The GPS location of the sample site was recorded in UTM NAD 83 format, and the waypoint was labeled with the project name and the sample identification number. Samples were sealed in rice bags and secured for shipping to the assay lab.

The point location of the sample was digitized into a standard Garmin GPS unit and a picture of the sample was taken with a digital camera showing the tag number. Before the bag was tied with a cable tie, a Bureau Veritas Lab ("BV") sample tag was placed inside the bag and the sample number marked on the bag using a permanent felt pen. The closed sample was stored amongst the others throughout the day by the sampler in a field pack. After returning each day, sample numbers and descriptions were digitized in MS Excel and the samples were securely stored until a batch shipment was prepared. The on-site project geologist was responsible for creating the chain of custody and shipment forms. The rock sample shipments were transported via expeditor or Sitka Gold personnel to Bureau Veritas Lab in Whitehorse, where the samples were prepped and shipped to the Bureau Veritas Lab ("BV") in Vancouver for analysis. The samples were dried at <60°C to 140°F and then crushed and sieved to -180 micron (80 mesh). Analysis for a suite of trace elements (AQ252) use a 0.5 g sample dissolved in aqua regia with ICP-AES finish. A 30 gram sample was assayed for gold by fire assay with ICP-AES finish. A DVD containing all digital files from BV has been submitted with this assessment report.

Appendix IV IP Report – SJV
Geophysics



LOGISTICS REPORT PREPARED

FOR

SITKA GOLD CORP.

Volterra-2DIP

ON THE

RC GOLD PROPERTY

CLEAR CREEK, YUKON TERRITORY, CANADA

SURVEY CONDUCTED BY SJ GEOPHYSICS LTD.
AUGUST 2019

REPORT PREPARED
AUGUST 2019

TABLE OF CONTENTS

1. Survey Summary.....	1
2. Location and Access.....	2
3. Survey Grid.....	4
4. Survey Parameters and Instrumentation.....	6
4.1. Volterra Distributed Acquisition System.....	6
4.2. Volterra-2DIP Survey Design.....	6
4.3. Acquisition Parameters.....	7
5. Field Logistics.....	8
6. Data Quality.....	10
6.1. Locations.....	10
6.2. Volterra-2DIP Data.....	10
7. Deliverables.....	11
Appendix A: Survey Details.....	12
RC Gold Project.....	12
Appendix B: Instrument Specifications.....	13
Volterra Acquisition Unit (Dabtube 8000 Series).....	13
Volterra Acquisition Unit (Dabtube 8200 Series).....	13
GDD IP Transmitter TxII-3600W.....	14
Appendix C: Geophysical Techniques.....	15
IP Method.....	15
Volterra-2DIP Data.....	15
Appendix D: Field Data Processing & Quality Assurance Procedures.....	17
Volterra-IP Data.....	17
Appendix E: Geophysical Inversion.....	18

INDEX OF FIGURES

Figure 1: Overview map of the RC Gold project.....	2
Figure 2: Location map for the RC Gold project.....	3
Figure 3: Grid map showing the RC Gold project.....	5
Figure 4: Schematic representation of the in-line array.....	6

INDEX OF TABLES

Table 1: Survey Summary.....	1
Table 2: Grid parameters.....	4
Table 3: IP transmitter and reading parameters.....	7
Table 4: Location of IP remote sites.....	7
Table 5: Details of the SJ Geophysics crew on site.....	8

1. Survey Summary

SJ Geophysics Ltd. was contracted by Sitka Gold Corp. to acquire Volterra-2DIP data on their RC Gold Property in the Yukon Territory. The 2DIP data was acquired on two survey lines. Table 1 provides a brief summary of the project.

Client	Sitka Gold Corp.
Project Name	RC Gold
Project Number	SJ838
Location (approx. centre of each grid)	Latitude: 63° 49' 21" N Longitude: 137° 02' 18" W 399704E 7079580N; NAD83 UTM Zone 8N
Total Line Kilometres	3.2
Production Dates	August 7 – August 10, 2019

Table 1: Survey Summary

The RC Gold project is located within the Tintina Gold Belt, Yukon, among several intrusion-related gold deposits. Soil and rock sampling have identified six large areas with anomalous concentrations of gold. Recent work on the property includes soil sampling and a previous IP survey. This 2DIP survey was designed to be an extension of the 2018 IP survey, performed by Aurora Geosciences. The RC property is situated within the Selwyn Basin, adjacent to the Tombstone Suite Intrusion complex (the Big Creek Stock). Typical mineralization and pathfinder metals associated with intrusion related gold deposits are found on the RC Gold project.

The objective of the survey was to map the geophysical properties, resistivity and chargeability, of the subsurface in order to investigate the potential for deeper mineralization.

2. Location and Access

The RC Gold project is located in central Yukon Territory and is situated approximately 62 km northwest of the town of Mayo and 350 km north of Whitehorse (Figure 1).



Figure 1: Overview map of the RC Gold project

The RC Gold project was accessed by truck from Whitehorse with the following directions:

- From Whitehorse, take YT-2 N for approximately 420 km; passing through Pelly Crossing
- At Stewart Crossing continue heading northwest towards Dawson City
- Approximately 75 km from Stewart Crossing turn right onto a dirt road signed for Clear Creek, follow this road for approximately 50 km to reach the grid

A map of the project area, along with road access, is shown in Figure 2.




Figure 2: Location map for the RC Gold project

3. Survey Grid

The RC Gold project consisted of two survey lines, each 1600 m in length. The line spacing was 400 m. No line preparations were completed in advance of the survey. All stations were located in the field in real-time using handheld GPS units. Stations were not flagged or marked. Location data at each survey station was collected with Garmin GPSMap 64s handheld GPS units. The GPS data was collected in the NAD83 UTM Zone 8N coordinate system. The survey grid parameters are summarized in Table 2 and displayed in Figure 3.

Grid	RC Gold
Number of Surveyed Lines	2
Survey Line Azimuth	0°
Line Spacing	400 m

Table 2: Grid parameters

The station labels for the grid were based on the UTM coordinates. The station labels were represented by the last four digits of the UTM northing. Refer to Appendix A for a detailed breakdown of the survey lines.




Figure 3: Grid map showing the RC Gold project

4. Survey Parameters and Instrumentation

4.1. Volterra Distributed Acquisition System

The Volterra Distributed Acquisition System was utilized to acquire the geophysical data. Each four-channel Volterra acquisition unit records the full waveform signal from a series of dipoles. The full-waveform data is then passed through proprietary signal processing software to calculate the relevant geophysical attributes; apparent resistivity and chargeability.

Data acquisition units utilized for the survey were Volterra acquisition unit 8000 and 8200 series models. The current injections were controlled using a GDD TxII 3600 W transmitter. The full instrument specifications are listed in Appendix B.

4.2. Volterra-2DIP Survey Design

The Volterra-2DIP survey utilized an in-line array consisting of 100 m dipoles. Along each receiver line, potential electrodes were setup every 100 m utilizing common poles between adjacent dipoles. A Volterra acquisition unit was setup in the centre of each set of four dipoles, corresponding to a unit every 400 m, as shown in Figure 4. Current injections occurred every 50 m, offset by 25 m from the receiver electrodes. The length of a receiver line was 1600 m, while the current injection total line length was 1550 m. For each current injection, all receiver channels connecting to all 16 dipoles for that line were active.

Receiver dipoles were set up using 50 cm long and 10 mm diameter stainless steel electrodes hammered into the ground and connected into the array by single and double conductor wire. The electrodes used for current injections were 100 cm long and 15 mm in diameter with two electrodes used at each injection site to improve ground contact. Current electrodes were connected to the current transmitter by a single conductor wire.




Figure 4: Schematic representation of the in-line array

4.3. Acquisition Parameters

The recording and processing parameters used for the survey are described in Table 5.

IP Transmitter	GDD TxII 3600W (SN # 433, 436)
Duty Cycle and Waveform	50%; Square
Cycle and Period	2 sec on / 2 sec off; 8 second
IP Signal Recording	Volterra Acquisition Unit (Dabtube 8000/8200 Series)
Reading Length	120 seconds
IP Signal Processing	CSProc (SJ Geophysics proprietary software)
Vp Delay, Vp Integration	1200 ms, 600 ms
Mx Delay, # of Windows Width (Window Width)	50 ms, 26 26, 28, 30, 32, 34, 36, 39, 42, 45, 48, 52, 56, 60, 65, 70, 75, 81, 87, 94, 101, 109, 118, 128, 140, 154, 150 (50–1950 ms)
Mx Integration (Inversion)	50 – 1950 ms (windows 1 – 26)
Properties Calculated	Vp, Mx, Sp, Apparent Resistivity and Chargeability

Table 3: IP transmitter and reading parameters

Two remote electrode stations were utilized during the survey. The locations of the remote current electrodes are listed in Table 4 below.

Name	Label	Easting	Northing
Remote for 1000E	1001E 77050N	399524	7077056
Remote for 2000E	1500E 77050N	399750	7077124
NAD83 UTM Zone 8N			

Table 4: Location of IP remote sites

5. Field Logistics

The SJ Geophysics field crew consisted of two field geophysicists, and one field technician to perform the day-to-day operations of the survey. This team oversaw all operational aspects including field logistics, data acquisition and initial field data quality control. Table 5 lists the SJ Geophysics crew members on this project. The client’s field representative, Ryan Coe, assisted with data acquisition for the duration of the survey, along with his assistant Dylan.

Crew Member Name	Role	Dates on Site
Nathan Anderson	Field Geophysicist	August 7 to 10, 2019
Erica Veglio	Field Geophysicist	August 7 to 10, 2019
Jeff Moorcroft	Field Technician	August 7 to 10, 2019

Table 5: Details of the SJ Geophysics crew on site

The SJ Geophysics crew mobilized to Whitehorse, Yukon Territory from Vancouver, British Columbia on August 6 and demobilized from the project site on August 10.

The SJ Geophysics crew was accommodated by the client in a camp along the side of a placer mining road. The crew had a wall tent, heated by wood stove. Groceries were purchased for all meals by the client. Wireless internet was provided by the client’s satellite internet. Communication with the SJ Geophysics office occurred by a combination of email and satellite phone.

A Ford F250 Super Duty truck was utilized for the duration of the project. The crew drove the equipment from Whitehorse to the survey area. The client assisted with transporting equipment to and from the survey area. Trucks were not necessary to use when getting around the survey area, though the road was in good condition.

The SJ Geophysics crew conducted a safety meeting on the first morning as well as daily tailgate meetings. The safety meeting included a comprehensive review of safe work practices specific to our geophysical survey and field operations. At the tailgate meetings, personnel discussed issues relating to weather conditions (including ramifications on the survey/personal

safety), encounters with or sightings of potentially problematic wildlife, efficient organization of daily tasks, and any other work-related questions or concerns.

The first day in the field was August 7. L1000E was completely set up with receiver and current wire, and L2000E was setup with receiver wire. On August 8, the crew surveyed L1000E while the client laid out current wire on L2000E. Training of the field assistants occurred throughout the project, including wire layout, current injection safety, and radio protocols. Two data acquisition units (at stations 78250N and 79050N) stopped recording during the survey of L1000E due to the low battery level. The related sections required a re-survey which took place on the next day. L2000E was also completely surveyed on August 9, and a majority of the wires was picked up on the same day.

On the morning of August 10, the crew picked up the remaining wires, completed inventory and packed up the trucks for demobilization. The SJ Geophysics crew demobilized from the RC Gold property on the afternoon of August 10, arrived in Whitehorse in the late evening. The client, with remaining SJ Geophysics gear, returned to Whitehorse on August 11, where the gear was packed in storage.

During the Volterra-2DIP survey, each acquisition day began with the setup of the Volterra acquisition units along the receiver lines and the setup of the transmitter site. Prior to field data acquisition, a contact resistivity test was performed at each acquisition units using a small waveform generator attached in parallel to a given Volterra acquisition channel. This was done for each dipole in the array, and allowed the operator to identify areas of poor ground contact which could degrade input signal quality. Furthermore, this test allowed the operator to inspect the raw signal, ensuring that the Volterra acquisition units were functioning correctly, and to ensure that the receiver was synchronizing with the correct GPS time. Upon completion of these tasks, acquisition would begin. During acquisition stages, a dedicated 'transmitter' Volterra acquisition unit and a current monitor were used to measure the current being injected at each station. An Android tablet with an in-house Volterra software application was used to record the current injection start time and duration.

6. Data Quality

6.1. Locations

The location data collected was of good quality. GPS signals were moderate to strong across the survey area. The location data for each survey station was collected with Garmin GPSMap 64s handheld GPS units. The GPS data was collected in the NAD83 UTM Zone 8N coordinate system. The majority of the survey area consisted of short shrubbery and with open views to the sky, which allowed for good GPS accuracy with an error of approximately 3 metres. While GPS signal was less reliable in areas of thick forest canopy with an error of approximately 9 metres.

Elevations for the survey stations were also derived from the Canadian Digital Elevation Model (CDEM) data, gridded at 20 metres. The elevation data from both CDEM and handheld GPS show consistency with an average difference of 1.3 metres. However, the GPS elevation profiles illustrate less variation between adjacent stations. The GPS elevation data were utilized for the 2D inversion modeling.

6.2. Volterra-2DIP Data

Overall, the IP data collected was of good quality. The ground contact resistance was high throughout the survey area. Several of the receiver electrodes were adjusted in the morning during Volterra receiver acquisition unit setup to improve contact with the ground. The injected currents were good throughout the survey grid with current amplitudes averaging 150 mA. In areas of talus or loose large boulder fields, the current electrodes were moved to obtain better ground contact.

Signal strength, as indicated by the voltage potential (V_p), showed a wide range of values depending on the specific line, local ground conditions, and dipole distance from the current injection. The measured voltage potential's (V_p) were good, with values in the 10s to 1000s of mV. The apparent chargeabilities averaged between approximately 20 to 25 ms. The IP decay curves were of good quality.

7. Deliverables

This logistics report and maps are provided as two paper copies and digitally in PDF format. The geophysical survey data is provided digitally on the included CD. A brief description of the provided data is below.

- 2DIP Data – Raw DCIP data export as a .txt file
- Locations – Locations of survey stations with both GPS and DEM elevations
- Maps
 - grid map
 - 2D Inversion Maps (Resistivity and chargeability maps along survey lines)
- Logistics report
- 2D Inversion Models
 - UBC – Inverted models in UBC-GIF standard format (UTM coordinates), all model files are provided (msh, con, res, chg, sensitivity)
 - XYZ – ASCII format of models converted from UBC-GIF inversion models. The value at the centre of each model cell is given
 - VTK – Inverted models in open-source vtk format: con, res, and chg files

Respectfully submitted,

Erica Veglio, Msc GIT
Field Geophysicist
SJ Geophysics Ltd.




Appendix A: Survey Details

RC Gold Project




Line	Series	Type	Start Station	End Station	Survey Length (m)
1000	E	<i>Tx</i>	78075	79625	1550
1000	E	<i>Rc</i>	78050	79650	1600
2000	E	<i>Tx</i>	78075	79625	1550
2000	E	<i>Rc</i>	78050	79650	1600

Rc = Receiver Line, Tx = Transmitter Line



Total Linear Metres = 3,200



Pseudosection : Apparent Chargeability (ms)
Potential Dipole > Current Station



Pseudosection : Apparent Chargeability (ms)
Potential Dipole < Current Station




Project Information:
Survey by: SJ Geophysics Ltd.
Survey Type: Volterra-2DIP
Survey Date: Aug. 7 - Aug. 10, 2019
Inversion by: SJ Geophysics Ltd.
Inversion Software: UBC-GIF DCIP2D

Instrumentation:
Receiver: Volterra Acquisition Unit
Transmitter: GDD TxII 3600 W



Apparent Chargeability Integration : 50-1950 ms

Mapping Information:
Index Map Datum: NAD83
Index Map Projection: UTM Zone 8N
Section Map Projection: Local Coordinate System
Chargeability Inversion Model: ipinv2d.030
Mapping Date: 05-Sep-2019



Colour Classification:
Chargeability: Modified Linear





Sitka Gold Corp.
RC Gold Project
Clear Creek, Yukon, Canada
Volterra-2DIP
Chargeability
Cross Section: 1000E
2D Pseudosections
&
2D Inversion Model



Pseudosection : Apparent Resistivity (ohm-m)
Potential Dipole > Current Station



Pseudosection : Apparent Resistivity (ohm-m)
Potential Dipole < Current Station




Project Information:
Survey by: SJ Geophysics Ltd.
Survey Type: Voltterra-2DIP
Survey Date: Aug. 7 - Aug. 10, 2019
Inversion by: SJ Geophysics Ltd.
Inversion Software: UBC-GIF DCIP2D



Instrumentation:
Receiver: Voltterra Acquisition Unit
Transmitter: GDD TxII 3600 W

Mapping Information:
Index Map Datum: NAD83
Index Map Projection: UTM Zone 8N
Section Map Projection: Local Coordinate System
Resistivity Inversion Model: dcinv2d.026
Mapping Date: 05-Sep-2019



Colour Classification:
Resistivity: Modified Logarithmic




Sitka Gold Corp.
RC Gold Project
Clear Creek, Yukon, Canada
Voltterra-2DIP
Resistivity
Cross Section: 1000E
2D Pseudosections
&
2D Inversion Model




Pseudosection : Apparent Chargeability (ms)
Potential Dipole > Current Station



Pseudosection : Apparent Chargeability (ms)
Potential Dipole < Current Station



Chargeability (ms)
(All Data : P>C & P<C)




Project Information:
 Survey by: SJ Geophysics Ltd.
 Survey Type: Volterra-2DIP
 Survey Date: Aug. 7 - Aug. 10, 2019
 Inversion by: SJ Geophysics Ltd.
 Inversion Software: UBC-GIF DCIP2D

Instrumentation:
 Receiver: Volterra Acquisition Unit
 Transmitter: GDD TxII 3600 W

Apparent Chargeability Integration : 50-1950 ms

Mapping Information:
 Index Map Datum: NAD83
 Index Map Projection: UTM Zone 8N
 Section Map Projection: Local Coordinate System
 Chargeability Inversion Model: ipinv2d.037
 Mapping Date: 05-Sep-2019

Colour Classification:
 Chargeability: Modified Linear






Sitka Gold Corp.
RC Gold Project
 Clear Creek, Yukon, Canada




Volterra-2DIP
Chargeability
Cross Section: 2000E

2D Pseudosections
 &
 2D Inversion Model







Pseudosection : Apparent Resistivity (ohm-m)
Potential Dipole > Current Station



Pseudosection : Apparent Resistivity (ohm-m)
Potential Dipole < Current Station



Resistivity (ohm.m)
(All Data : P>C & P<C)




Project Information:
Survey by: SJ Geophysics Ltd.
Survey Type: Volterra-2DIP
Survey Date: Aug. 7 - Aug. 10, 2019
Inversion by: SJ Geophysics Ltd.
Inversion Software: UBC-GIF DCIP2D

Instrumentation:
Receiver: Volterra Acquisition Unit
Transmitter: GDD TxII 3600 W

Mapping Information:
Index Map Datum: NAD83
Index Map Projection: UTM Zone 8N
Section Map Projection: Local Coordinate System
Resistivity Inversion Model: dcinv2d.060
Mapping Date: 05-Sep-2019


Colour Classification:
Resistivity: Modified Logarithmic



Sitka Gold Corp.
RC Gold Project
Clear Creek, Yukon, Canada
Volterra-2DIP
Resistivity
Cross Section: 2000E

2D Pseudosections
&
2D Inversion Model







LEGEND

- + Current Electrode Location
- ◆ Potential Electrode Location
- ✕ Remote Current Location
- ▲ Camp
- == Access Roads
- Roads
- Streams
- Elevation Contours (20m)
- Claim Boundary

Datum: NAD83
Projection: UTM Zone 8N



Appendix B: Instrument Specifications

Volterra Acquisition Unit (Dabtube 8000 Series)

Technical:

Input impedance:	100 M Ω
Input overvoltage protection:	5.6
ADC bit resolution:	24-bit
Internal memory:	Storage Capacity 32 GB
Number of inputs:	4
Synchronization:	GPS
Selectable Sampling Rates (samples/second):	128000, 64000, 32000, 16000, 8000, 4000, 2000, 1000
Common mode rejection:	More than 80 dB (for Rs=0)
Voltage sensitivity:	Range: -5.0 to +5.0 V (24 bit)
Features	Programmable Gain

General:

Dimensions:	Diameter: 43 mm, Length: 405 mm
Weight:	0.5 kg
Battery:	5.0 VDC nominal
Operating temperature range:	-40 °C to 40 °C

Volterra Acquisition Unit (Dabtube 8200 Series)

Technical:

Input impedance:	20 M Ω
Input overvoltage protection:	5.6 V
ADC bit resolution:	24-bit
Internal memory:	Storage Capacity 64 GB
Number of inputs:	4
Synchronization:	GPS
Selectable Sampling Rates (samples/second):	128000, 64000, 32000, 16000, 8000, 4000, 2000, 1000
Common mode rejection:	More than 80 dB (for Rs=0)
Voltage sensitivity:	Range: -5.0 to +5.0 V (24 bit)
Features	Programmable Gain, AC/DC coupling

General:

Dimensions:	Diameter: 43 mm, Length: 405 mm
Weight:	0.5 kg
Battery:	5.0 VDC nominal
Operating temperature range:	-40 °C to 40 °C

GDD IP Transmitter TxII-3600W

Size:	TxII-3600W with a blue carrying case: 70 x 28 x 49 cm TxII-3600W only: 55 x 44 x 21 cm
Weight:	TxII-3600W with a blue carrying case: ~ 44 kg TxII-3600W only: ~ 32 kg
Operating Temperature:	-40°C to 65°C (-40°F to 150°F)
Time Base:	ON+, OFF, ON-, OFF DC, 1, 2, 4, 8 or 16 s
Output current:	0.030A to 15A (standard operation) 0.0A to 15A (open loop protection disabled) Maximum of 5A in DC mode
Rated Output Voltage:	150V to 2400V Up to 7.2KW and 4800V in a master/slave configuration
LCD Display:	Output current, 0.001A resolution Output power Ground resistance (when the transmitter is turned off)
Power source:	220-240V / 50-60Hz

Appendix C: Geophysical Techniques

IP Method

The time domain IP technique energizes the ground by injecting square wave current pulses via a pair of current electrodes. During current injection, the apparent (bulk) resistivity of the ground is calculated from the measured primary voltage and the input current. Following current injection, a time decaying voltage is also measured at the receiver electrodes. This IP effect measures the amount of polarizable (or “chargeable”) particles in the subsurface rock.

Under ideal circumstances, high chargeability corresponds to disseminated metallic sulfides. Unfortunately, IP responses are rarely uniquely interpretable as other rock materials are also chargeable, such as some graphitic rocks, clays, and some metamorphic rocks (e.g., serpentinite). Therefore, it is prudent from a geological perspective to incorporate other data sets to assist in interpretation.

IP and resistivity measurements are generally considered repeatable to within about five percent. However, changing field conditions, such as variable water content or electrode contact, reduce the overall repeatability. These measurements are influenced to a large degree by the rock materials near the surface or, more precisely, near the measurement electrodes. In the past, interpretation of a traditional IP pseudosection was often uncertain because strong responses located near the surface could mask a weaker one at depth. Geophysical inversion techniques help to overcome this uncertainty.

Volterra-2DIP Data

The Volterra-IP data go through a series of quality assurance checks both in the field and in the office to ensure that the data are of good quality. At the end of each acquisition day the recorded signal was downloaded from the Volterra acquisition units to a personal computer. The signals were then clipped to the GPS time windows of each current injection, lightly filtered for noise, and imported into SJ Geophysics' proprietary QA/QC software package called JavIP. This software package integrates location data with DCIP data in order to calculate the apparent resistivity and apparent chargeability values. JavIP contains interactive quality control tools to allow the field geophysicist to display decay curves, view a dot plot of the calculated parameters, and manually reject bad data points.

The majority of data points flagged for removal are due to null-coupling, a phenomena typical in IP surveys related to survey configuration. Null-coupling occurs when a receiver dipole is sub-parallel to lines of constant potential, leading to a significant decrease in signal strength and corresponding poor data quality. Additional data can also be deemed untrustworthy due to low signal quality or dipoles being inadvertently disconnected (usually due to animal activity).

After the first data quality review in the field, the database was delivered to SJ Geophysics' head office for a second review. The data were then carefully checked to ensure that erroneous data points had been removed and were not passed along to the final stage of processing: the inversion.

Appendix D: Field Data Processing & Quality Assurance Procedures

Volterra-IP Data

The Volterra-IP data go through a series of quality assurance checks both in the field and in the office to ensure that the data are of good quality. At the end of each acquisition day the recorded signal is downloaded from the Volterra acquisition units to a personal computer. The signals are then clipped to the GPS time windows of each current injection, lightly filtered for noise, and imported into SJ Geophysics' proprietary QA/QC software package called JavIP. This software package integrates location data with DCIP data in order to calculate the apparent resistivity and apparent chargeability values. JavIP contains interactive quality control tools to allow the field geophysicist to display decay curves, view a dot plot of the calculated parameters, and manually reject bad data points.

The majority of the data points flagged for removal are due to null-coupling, a phenomena typical in IP surveys related to the survey configuration. Null-coupling occurs when a receiver dipole is sub-parallel to lines of constant potential, leading to a significant decrease in signal strength and corresponding poor data quality. Additional data can also be deemed untrustworthy due to low signal quality or dipoles being inadvertently disconnected (usually due to animal activity).

After the first data quality review in the field, the database is delivered to SJ Geophysics' head office for a second review. The data is then carefully checked to ensure that erroneous data points had been removed and are not passed along to the final stage of processing: the inversion.

Appendix E: Geophysical Inversion

The purpose of geophysical inversion is to estimate the 3D distribution of subsurface physical properties (density, resistivity, chargeability, and magnetic susceptibility) from a series of geophysical measurements collected at the surface. Unfortunately this is a challenging problem – the subsurface distribution of physical properties is complex and only a finite number of measurements can be collected. These complications lead to an under-determined problem. As a result, there are many different possible 3D physical property models that can be obtained which mathematically fit the observed data. Utilizing known geological and geophysical information to evaluate the model allows the best or most geologically realistic model to be selected and leads to a better understanding of the subsurface.

Geophysical inversions are commonly performed for every survey carried out by SJ Geophysics. Several inversion programs are available, but SJ Geophysics primarily uses the UBC-GIF algorithms (e.g. DCIP2D, DCIP3D, MAG3D, GRAV3D) which were developed by a consortium of major mining companies under the auspices of the University of British Columbia's Geophysical Inversion Facility.

In general, multiple inversions are carried out for each dataset and the resultant inversion models are compared with known information to evaluate the model. For example, known geology, drill assays, the estimated depth of investigation, and the quality of the input data are all used during the evaluation. The most geologically reasonable model that fits the data is then chosen as the best model. When available, additional information such as geological boundaries and down-hole geophysical data can be incorporated into the inversion in order to constrain the inversion model.

Once the final inversion model is selected, the model is gridded and mapped for interpretation. Typically, cross-sections and plan maps are created, sliced at different depths beneath the surface. The inversion results can be visualized in 3D using open source software packages such as Mayavi and Paraview in both 2D and 3D views. Additional data can then be overlain to aid in interpretation and help facilitate the identification of potential drilling targets.

Appendix V Invoices



Fox Exploration Ltd.
Tel: 604 315 1033

1500-409 Granville St.
Vancouver, British Columbia
V6C 1T2
Canada

FOX EXPLORATION

your boots on the ground

Billed To SITKA GOLD CORP 1500-409 Granville Street Vancouver, British Columbia V6C 1T2 Canada	Date of Issue 09/18/2019	Invoice Number 19037	Amount Due (CAD) \$0.00
	Due Date 10/18/2019	Reference RC Project, Yukon	

Description	Rate	Qty	Line Total
Mob / Demob mobilizing and demobilizing to / from RC Project	\$2,900.00 +GST	2	\$5,800.00
Project Preparation & Post Production Organizing project logistics, work program design, procuring sub-contractors, supplies, post project admin. work	\$135.00 +GST	12	\$1,620.00
Supply Field Crew, Camp, Field Equipment Complete 6-person camp, sat. internet, sat. phone, gps, radios, 4KW genset, computers, ATV, power & field tools, all consumables..	\$2,650.00 +GST	27	\$71,550.00
Crew Truck Rental 1 tonne 4x4 diesel crew cab	\$185.00 +GST	27	\$4,995.00
Claim Staking Staked 28 new Quartz Claims @ \$245 per claim	\$245.00 +GST	28	\$6,860.00
Sub-Contracted P. Geo Project Geologist Project supervision, prospecting, mapping, geochemical and geophysical survey design	\$800.00 +GST	15	\$12,000.00
P.Geo Truck Rental 1 tonne 4x4 diesel crew cab	\$185.00 +GST	15	\$2,775.00
Final Report	\$4,000.00 +GST	1	\$4,000.00
	Subtotal		109,600.00
	GST (5%)		5,480.00

#803 109 461

Total	115,080.00
Amount Paid	115,080.00

Amount Due (CAD)	\$0.00
------------------	--------

Terms

Payable upon receipt.



INVOICE No. SJ191446

11966 95A Avenue, Delta BC, Canada V4C 3W2 Bus: (604) 582-1100

Name: Sitka Gold Corp.
Address: Suite 1500 – 409 Granville Street
 Vancouver, BC V6C 1T2

Date: 22-Aug-2019
Project Name:
 RC Gold
 SJ838

Attention:

QTY	DESCRIPTION	DISCOUNT	UNIT PRICE	TOTAL
August 6 to 11, 2019				
1	9.1 Mobilization Days: Aug 6, 11 - Flat Rate		\$5,800.00	\$5,800.00
4	9.2 Supply Complete Volterra System including equipment, crew, insurance and support Aug 7-10		\$4,325.00	\$17,300.00
6	9.4 Supply Vehicle and Insurance Aug 6-11		\$203.50	\$1,221.00
1	9.5 Supply gas for job-generators		\$41.03	\$41.03
Invoice to follow for processing.				
Payable in Canadian Funds			SubTotal	\$24,362.03
Royal Bank of Canada			Advance	-\$25,580.13
9490 - 120 th Street, Surrey BC			GST	\$1,218.10
Transit: 03600 Institution No: 003				
Acct: 118 1221			TOTAL	\$0.00
Swift: ROYCCAT2				

PAYMENT ISSUES
Due Upon Receipt
Please make cheque payable to SJ Geophysics Ltd
Interest calculated at 1.5% per month on overdue accounts

Office Use Only.



INVOICE No. SJ191482

11966 95A Avenue, Delta BC, Canada V4C 3W2 Bus: (604) 582-1100

Name: Sitka Gold Corp.
Address: Suite 1500 – 409 Granville Street
 Vancouver, BC V6C 1T2

Date: 9-Oct-2019
Project Name: RC Gold
 SJ838

Attention:

QTY	DESCRIPTION	DISCOUNT	UNIT PRICE	TOTAL
August 12 to September 5, 2019				
5.75	Secondary QC of Data, Prep for Inversion		\$125.00	\$718.75
7.5	Modelling & Inversions, Review of Results		\$125.00	\$937.50
9.5	Mapped Products and GIS Support (work w/DEM)		\$85.00	\$807.50
4.25	Deliverables. Prepared final products for delivery		\$125.00	\$531.25
Balance of surety deposit is \$5940.04				
Payable in Canadian Funds			SubTotal	\$2,995.00
Royal Bank of Canada			Advance	-3,144.75
9490 - 120 th Street, Surrey BC			GST	\$149.75
Transit: 03600 Institution No: 003			TOTAL	\$0.00
Acct: 118 1221				
Swift: ROYCCAT2				

PAYMENT ISSUES
Due Upon Receipt
Please make cheque payable to SJ Geophysics Ltd
Interest calculated at 1.5% per month on overdue accounts

Office Use Only.



**BUREAU
VERITAS**

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver, BC Canada V6P 6E5
Phone 604 253 3158 Fax 604 253 1716
GST # 843013921 RT
QST # 1219972641

MINERALS

Bill To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay, BC V9N 1A2
CANADA

Invoice Date: August 27, 2019
Invoice Number: **VANI340018**
Submitted by: Ryan Coe/Cor Coe
Email: ryankcoe@gmail.com; corcoe@gmail.com
Invoice Contact: Ryan Coe
Email: ryankcoe@gmail.com
Job Number: WHI19000347
PO Number:
Project Code: RC Gold
Shipment ID:
Quote Number:

Item	Package	Description	Sample No.	Unit Price	Amount
1	PRP70-250	Crush and Pulverize 250 g	16	\$7.85	\$125.60
2	PRP70-250	Overweight crushing charges per 100g	3	\$0.08	\$0.24
3	AQ252	30g Basic Suite (37 elements)	16	\$30.50	\$488.00
4	DISPL	Disposal of pulps	16	\$0.20	\$3.20
5	DISRJ	Disposal of rejects	16	\$0.75	\$12.00
6	SHP-01	Per sample charge for branch shipment	16	\$2.15	\$34.40
7	BAT01	Batch surcharge for <20 samples	1	\$55.00	\$55.00
			Net Total		\$718.44
			GST		\$35.92
			Grand Total	CAD	\$754.36

Invoice Stated In Canadian Dollars

Payment Terms:

Due upon receipt of invoice. Please pay the last amount shown on the invoice.

For **cheque payments**, please remit payable to:
Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver BC, V6P 6E5

Please specify invoice number on cheque remittance.

For electronic payments or any enquiries, please contact acct.receivable@ca.bureauveritas.com.



**BUREAU
VERITAS**

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver, BC Canada V6P 6E5
Phone 604 253 3158 Fax 604 253 1716
GST # 843013921 RT
QST # 1219972641

MINERALS

Bill To: Fox Exploration Ltd.
1701 Robert Lang Dr.
Courtenay, BC V9N 1A2
CANADA

Invoice Date: August 27, 2019
Invoice Number: **VANI340019**
Submitted by: Cor Coe
Email: corcoe@gmail.com
Invoice Contact: Cor Coe
Email: corcoe@gmail.com
Job Number: WHI19000357
PO Number:
Project Code: None Given
Shipment ID:
Quote Number:

Item	Package	Description	Sample No.	Unit Price	Amount
1	SS80	Sieve 100g soil to -80 mesh	288	\$3.45	\$993.60
2	AQ252	30g Basic Suite (37 elements)	285	\$30.50	\$8,692.50
3	DISPL	Disposal of pulps	288	\$0.20	\$57.60
4	DISRJ	Disposal of rejects	288	\$0.75	\$216.00
5	SHP-01	Per sample charge for branch shipment	288	\$2.15	\$619.20
			Net Total		\$10,578.90
			GST		\$528.95
			Grand Total	CAD	\$11,107.85

Invoice Stated In Canadian Dollars

Payment Terms:

Due upon receipt of invoice. Please pay the last amount shown on the invoice.

For **cheque payments**, please remit payable to:
Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St.
Vancouver BC, V6P 6E5

Please specify invoice number on cheque remittance.

For electronic payments or any enquiries, please contact acct.receivable@ca.bureauveritas.com.