



DD85
PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

TO
Pylant River Mines Ltd.,
202 - 543 Granville Street
Vancouver, B.C.

COAST ELDRIDGE
PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. **A.3-R.2-69-7749**
DATE **August 18, 1969**

SEMI QUANTITATIVE SPECTROGRAPHIC ANALYSES

We Hereby Certify that the following are the results of semi quantitative spectrographic analyses made on ONE samples submitted.

SAMPLE IDENTIFICATION	Al	Sb	As	Ba	Be	Bi	B'	Cd	Ca	Cr	Co	Cu	Ga	Au	Fe
32706 TREXN 3	4.0	ND	ND	Trace	Trace	0.1	Trace	0.1	Major	0.01	Trace	0.01	ND	Trace	Major
32707 2nd C.K. zone	3.0	ND	ND	Trace	Trace	0.1	Trace	0.1	Major	Trace	Trace	0.02	ND	Trace	Major
32708 5A	4.0	ND	ND	Trace	Trace	0.01	Trace	ND	Major	Trace	Trace	0.01	ND	Trace	Major
32709 2	4.0	ND	ND	Trace	Trace	0.01	Trace	ND	Major	Trace	Trace	0.01	ND	Trace	Major
SAMPLE IDENTIFICATION	Pb	Mg	Mn	Mo	Nb	Ni	Si	Ag	Sr	Ta	Sn	Ti	W	V	Zn
32706 3	*	1.0	*	Trace	ND	Trace	Major	0.1	0.01	ND	ND	0.2	Trace	0.005	*
32707 2 C.K.	*	1.0	*	Trace	ND	Trace	Major	0.1	0.01	ND	Trace	0.2	ND	0.005	*
32708 5A.	*	1.0	*	Trace	ND	Trace	Major	0.01	0.01	ND	Trace	0.2	ND	0.005	*
32709 2.	*	1.0	*	Trace	ND	Trace	Major	0.01	0.01	ND	Trace	0.2	ND	0.005	*

All results expressed as _____

Note: Rejects retained one **PERCENT BY WEIGHT**
Pulps retained one month.

COAST ELDRIDGE PROFESSIONAL SERVICES DIVISION

ALL REPORTS ARE THE CONFIDENTIAL PROPERTY OF CLIENTS. PUBLICATION OF STATEMENTS, CONCLUSIONS OR EXTRACTS FROM OR REGARDING OUR REPORTS IS NOT PERMITTED WITHOUT OUR WRITTEN APPROVAL. ANY LIABILITY ATTACHED THERETO IS LIMITED TO THE FEE CHARGED.

[Signature]

CHEMIST

TO:

Hyland River Mines Ltd.,

202 - 543 Granville Street

Vancouver, B.C.



Certificate of Assay

COAST ELDRIDGE

PROFESSIONAL SERVICES DIVISION

WARNOCK HERSEY INTERNATIONAL LIMITED

125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA



DD 85
PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

FILE NO. A.3-H.2-69-7749

DATE August 19, 1969

MIKO CLAIMS

We Hereby Certify that the following are the results of assays made by us upon submitted ORE samples

MARKED	GOLD		SILVER	Tungsten (W ₆)	Lead (Pb)	Zinc (Zn)	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.			
MIKO 32701 - Tranch 6" - 7" CHIP 0-7'		\$	1.1		0.34	1.18			
6 32702 6 - 5' CHIP Trace 7' - 12'			12.6		9.62	9.70			
32703 6 - 12' CHIP - 12' - 24'			1.2		0.96	0.34			
32704 6 - 5' CHIP - 24' - 29'			3.2		3.33	4.99			
32705 MRS - 15' - 19' Core				0.16					
MIKO 17 32710 6 - Selected. Trace			2.0		34.89	27.98	BULKIER	HIGRADE	
↓ LOWER ZONE									

Gold calculated at \$ per ounce

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gain inherent in the fire assay process.

H. Staples

Provincial Assayer

TO:

Wyland Silver Mines,
202 - 543 Granville Street,
Vancouver, B. C.



Certificate of Assay
COAST ELDRIDGE
PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA



DD 83
PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

FILE NO. A.3-H.1-69-8360

DATE Sept. 23, 1969

MIKO CLAIMS

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MIKO MARKED	GOLD		SILVER	Lead (Pb)	Zinc (Zn)	Copper (Cu)	Cadmium (Cd)	Bismuth (Bi)	Tungsten
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT. (WO ₃)
Trench 17		\$							
SE 32711 14' CHIP Crk 2	0.02	0.70	2.3	21.94	18.05		0.10	0.03	
SW 32712 16' " Crk 2	0.02	0.70	2.9	19.24	13.81				
SE 32713 Best 10' chip Crk 2	0.03	1.05	1.9	27.14	21.76				
SW 32714 " " " "	Trace		1.9	26.57	21.56				
HILL 1 32715 10' chip - 11'-21'	0.005	0.18	1.6	1.91	2.00	0.06			
MIKO 7									
1 32716 12' CHIP	Trace		0.8	0.73	5.47	0.18			
2 32717 11' CHIP	Trace		10.8	8.22	14.01		0.07	0.10	
6 3 32718 15' CHIP - 7'-22'	Trace		3.8	2.94	3.86		0.02	0.05	Trace
3 32719 12' CHIP 22'-34'	Trace		1.6	0.69	0.70	0.60			
3 32720 14' CHIP 34'-48'	Trace		1.1	0.83	1.06				
4 32721 22' CHIP	Trace		1.3	0.37	0.55				
6 5 32722 8' CHIP 11-19	0.005	0.18	2.0	1.05	1.08				
32723 TEST PIT 1* GRAB			1.9	2.89	5.04				
32724 TEST PIT 2* GRAB			3.8	5.15	5.93				
7 32725 3' CHIP			2.3	4.70	3.86				

Gold calculated at \$ per ounce

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gain inherent in the fire assay process.

H. Shantz

Provincial Assayer

.....2

TO:



PHONE: (604) 876-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

Hyland Silver Mines

Page - 2 -

Certificate of Assay COAST ELDRIDGE

PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA

FILE NO. A.3-H.1-69-8360

DATE Sept. 23, 1969

MIKO CLAIMS

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MARKED	GOLD		SILVER	Lead (Pb)	Zinc (Zn)	Cadmium (Cd)		
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.	PER CENT.	PER CENT.		
MIKO 6								
TRENCH								
7 32726 7' CHIP			1.8	2.52	3.08			
B 32727 4' CHIP			0.53	1.03	3.52	0.03		
MIKO 4 9 32728 10' CHIP 12'-20'			1.4	2.74	4.33			
9 32729 8' CHIP 28'-32'			1.7	2.43	3.30			

/cr Gold calculated at \$ _____ per ounce

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gain inherent in the fire assay process.

Provincial Assayer

TRENCH.

LENGTH

WIDTH

DEPTH

CU. YDS.

TRENCH.	LENGTH	WIDTH	DEPTH	CU. YDS.
1	35'	4' X 4'	27'	20.7 (21) \$525
2	14'	"	8.2 (8)	\$200.
3	58'	"	34.3 (34)	\$850.
4	37'	"	21.9 (22)	\$550
5	40'	"	23.7 (24)	\$600
6	33'	"	19.5 (20)	\$500
7	60'	"	35.5 (36)	\$900
8	50'	"	29.6 (30)	\$750
9	36'	"	21.3 (21)	\$525

TEST PIT.

1	10'	5'	5'	9.2 (9) \$225
2	10'	5'	5'	9.2 (9) \$225

TOTAL CU. YDS. (ROUND TO 3) - 234 CU. YDS. TOTAL \$5850

TO:

Hyland River Mines,
202 - 543 Granville Street,
Vancouver, B. C.



Certificate of Assay

COAST ELDRIDGE

PROFESSIONAL SERVICES DIVISION
WARNOCK HERSEY INTERNATIONAL LIMITED
125 EAST 4TH AVE. VANCOUVER 10, B.C., CANADA



DD 85
PHONE: (604) 676-4111
TELEX: 04-50353
CABLE ADDRESS:
ELDRICO

FILE NO. A.3-E.1-69-8658

DATE October 2, 1969

JAN CLAIMS

We Hereby Certify that the following are the results of assays made by us upon submitted Ore samples

MARKED	GOLD		SILVER	Copper (Cu)	PER CENT.	PER CENT.	PER CENT.	PER CENT.	PER CENT.
	OUNCES PER TON	VALUE PER TON	OUNCES PER TON	PER CENT.					
TRENCH JAN 4 [#]		\$							
1 32730 6' CHIP-0-6'	0.02	0.70		0.72					
1 32731 6' " 6-12'	0.01	0.35		0.90					
1 32732 6' " 12-18'	0.01	0.35		0.56					
1 32733 6' " 18-24'	0.005	0.18		0.62					
1 32734 6' " 24-30'	Trace			0.51					
1 32735 6' " 30-36'	0.01	0.35		0.92					
1 32736 6' " 36-42'	0.005	0.18		0.30					
5 32737 GRAB	0.02	0.70		0.64					
3 32738 GRAB-33'	0.02	0.70		0.87					
2 32739 10' CHIP	0.20	7.00	0.2	0.70					
4 32740 12' CHIP 0-12'	0.03	1.05		0.31					
4 32741 12' " 12-24'	0.02	0.70		0.10					

/ex

Gold calculated at \$ per ounce

Note. Rejects retained one week.
Pulps retained one month.
Pulps and rejects may be stored for a maximum of one year by special arrangement.

Unless it is specifically stated otherwise, gold and silver values reported on these sheets have not been adjusted to compensate for losses and gain inherent in the fire assay process.

Provincial Assayer

COLLAR.

NORTH _____
 EAST _____
 ELEVATION 5,000+
 AZIMUTH 350° -
 DIP 70°

ALRAE EXPLORATION LTD.

HYLAND RIVER MINING CO.

Miko Claims

DIAMOND DRILL RECORD

HOLE NO. HR #2COMMENCED June 1969FINISHED June 1969

PURPOSE OF HOLE Intersection of Pb, Zn. mine-
 ralization in skarn adjacent granite
 contact.

FROM	TO	DESCRIPTION	CORE LENGTH				ASSAYS				ACCUMULATIVE AVERAGES							
			FROM	TO	ACC WIDTH	SAMPLE NO.	AU OZ.	AG OZ.	% CU		AU W	AG W	CU W					
0'	23'	Overburden, scree rubble.																
23'	28'	Chloritic calc-silicate, high percentage quartz. 3" quartz vein from 26.6 - 26.9'.																
28'	29'	Epidote rich siliceous skarn.																
29'	57'	Slightly calcareous contact granite. Holocrystalline texture mafics chlorite, biotite, epidote.																
57'	74'	Banded calc silicate with alternating biotite, epidote-rich and quartz rich bands, calcareous along joints and frac- tures, minor sulphides, mainly pyrite.																
74'	98'	Dark biotite, hornblende calc-silicate rock with calcite veining, rather gneissic appearance, 6" quartz vein at 86-86.6'.																
98'	106'	As above with thin epidote rich bands.																
106'	119.6	Light grey-green skarny limestone with patchy development of garnet and epidote.																

09/175

2285

