

#00005

R.G. MILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. <u>STE 59</u>	Strike <u>055°</u>	Lat. <u>59° 32' N</u>	Hole No. <u>73-1</u>
Date <u>Sept. 11</u> 19 <u>73</u>	Section No. _____	Dip <u>-45°</u>	Dep. <u>5000E</u>	Total Depth <u>244</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>1 of 6</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION	ASSAY DATA								
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
0	80	OVERBURDEN - approximately 20 feet of core recovery from boulders - very similar to bedrock but probably gneiss.										
80	133	Granite DIORITE - medium grained, relatively fresh - 30-50% mafics - hornblende, chlorite (often hornblende) and biotite (ratio 5:2:1) - plagioclase : quartz 3 or 4:1 (?) - metallics - trace to 0.5%, mainly very finely disseminated - pyrite plus dark metallic (Mn, mt.), local trace of chalcopyrite - weakly magnetic - local small patches epidote - trace - magnetite mainly with hornblende. - four fractures and fillings evident. 1) pervasive aplitic quartz-feldspar stringers 1/4" to 2" width (scattered)	pyrite tr-5% magnetite 0.5%±									

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Holo No. <u>73-1</u>
Date <u>Sept. 11</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>244</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 6</u>

[illegible]

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Holo No. <u>73-1</u>
Date <u>Sept. 11</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>244</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 6</u>

[illegible]

R.G. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-1</u>
Date <u>Sept. 17</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>244</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>6 of 6</u>

[illegible]

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. <u>STE 98</u>	Strike <u>—</u>	Lat. <u>50° 22' N</u>	Hole No. <u>73-2</u>
Date <u>Sept. 26</u> 19 <u>73</u>	Section No. <u> </u>	Dip <u>- 90°</u>	Dep. <u>11 + 61 E</u>	Total Depth <u>405</u>
Logged By <u>G. CARLSON</u>	Plan No. <u> </u>	Level <u> </u>	Elev. <u> </u>	Page No. <u>156</u>

[illegible]

R.B. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Holo No. <u>73-2</u>
Date <u>Sept. 26</u> 19 <u>73</u>	Section No. _____	Dip _____	Dop. _____	Total Depth <u>405</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 6</u>

[illegible]

R.B. WILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-2</u>
Date <u>Sept 27</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>405</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>4 of 6</u>

[illegible]

R.G. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Holo No. <u>73-2</u>
Date <u>Sept. 27</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>405</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>506</u>

[illegible]

R.B. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-2</u>
Date <u>Sept 27</u> 19 <u>73</u>	Section No. _____	Dip _____	Dip. _____	Total Depth <u>405</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Pegs No. <u>6 of 6</u>

[illegible]

R.G. WILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. <u>STE 9</u>	Strike <u>—</u>	Lat. <u>3600</u> <u>12° N 36° 00' W</u>	Hole No. <u>73-3</u>
Date <u>Oct. 2</u> 19 <u>73</u>	Section No. <u> </u>	Dip <u>-90°</u>	Dep. <u>2200 1400 E</u> <u>10-1000</u>	Total Depth <u>417</u>
Logged By <u>G. CARLSON</u>	Plan No. <u> </u>	Level <u> </u>	Elev. <u>(approx.)</u>	Page No. <u>1 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL.
0	116	OVERBURDEN										
116	129	DIORITE - medium grained, relatively fresh, 30-50% hornblende + biotite, locally relatively quartz-rich, but overall quite homogeneous texture and composition - cut by aplitic stringers, to 1/2 inch width, and irregular fractures with either epidote or sulfides as filling. - also open fractures, average 45°, usually with pyrite, chlorite. - 2 to 6" spacing - sulfides - mainly pyrite, some pyrrhotite, from trace to 3% - minor amounts disseminated, especially with mafics - pyrite only in fresh and healed fractures	Pyrite/pyrr.	tr-3%								

R.B. HILMER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TRUCKROT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>23-3</u>
Date <u>Oct. 2</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>4.17</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
129	133	ANDESITE - relatively fine grained, dark, to 50% mafics - sulfides as above, 1-2%, mainly pyrite	Pyrite	1-2%								
133	143.5	* (see note, page 10) RHYOLITE PORPHYRY - intrusive (upper intrusive contact observed in core) relatively fine grained, feldspar phenocrysts indistinct. White rock with 5-15% dark minerals, include mica, chlorite - sulfides (pyrite) trace to 2% mainly disseminated and on fresh open fractures with chlorite. - near contact faint xenoliths to 1/2" of ANDESITE. - 135 - 1' section with greenish veining and fracture filling with epidote	Pyrite	tr-2%								

R.D. HILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>73-3</u>
Date <u>Oct. 2</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>417</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
143.5	155	DIORITE - medium grained, as above, but with 30% included ANDRESITE, particularly near base of section - mafics - 50% - hornblende + biotite with some chlorite after H. - sulfides, pyrite/pyrrhotite 1-3%, disseminated, channelled and open fractures	Pyrite/pyrr	1-3%								
155		RHYOLITE PORPHYRY - as above but dark minerals, mainly chlorite, locally form rough foliation which appears to be intensive and discontinuous hairline fracture filling - sulfides closely associated, also with chlorite on open fractures - phenocrysts obscure - light greenish (epidote) throughout	Pyrite	5-2%								

CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-2</u>
Date <u>Oct 4</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>47</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>6 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
1785	217	DIORITE - typical, medium grained, relatively fresh - contact with rhyolite is gradational, rhyolite possibly younger. - cut by 1/4" wide aplite veinlets at approx. 45° - sometimes with pyrite - also local epidote veinlets. - open fractures - faces chlorite coated, also silica - sulfides - pyrite + pyrrhotite - mainly disseminated - light on fractures - .5%	Pyrite/pyrr	0.5%								
217	223	ANDESITE - very highly broken, sheared, 75% recovery - chlorite + pyrite on fracture faces	Pyrite	1.0%								

PROPERTY <u>TANAPOL</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-3</u>
Date <u>Oct. 4</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>417</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>7 of 10</u>

[illegible]

R.D. WILKER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>JACKPOT</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>73-3</u>
Date <u>Oct 4</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>417</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>8 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL
		- pyrite, mainly disseminated on short fracture filling ~ 1%. 314-324 - good core, recovery. 324-328 - very strongly broken										
328	346	RYOOLITE PORPHYRY - strongly fractured, broken throughout - pyrite, chlorite, epidote, silica & clay coating fracture faces - possibly fault zone	Pyrite	1-2%								
346	358	DIORITE - as above but even less meta, slightly coarser grained, lighter colour. - epidote stringers (3-5%) throughout - pyrite mainly disseminated	Pyrite	1-3%								

R.P. MILNER
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

PROPERTY <u>TACKPOI</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>23-3</u>
Date <u>Oct 4</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>417</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2 of 10</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE. TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INSOL.
358	362	ANDESITE / BASALT - very clink, fine grained, possibly a dike. - fractured, very strongly broken - pyrite/pyrrhotite very finely disseminated	Pyrite/pyrr	3-5%								
362	417	RHYOLITE PORPHYRY / DIORITE - mainly typical, siliceous, mafic lean, highly fractured and mainly strongly broken - epidote very abundant (5-20%) as fracture filling and disseminated - pyrite not strong - finely disseminated and on fractures - phenocrysts rather vague - locally coarser grained, stronger matrix, apparently granodiorite or diorite	Pyrite	1%								

R.D. HICKS
CONSULTING GEOLOGIST
WHITEHORSE YUKON TERRITORY

Property <u>TREK 207</u>	Claim No. _____	Strike _____	Lot. _____	Hole No. <u>73-2</u>
Date <u>1/14</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth. <u>417</u>
Logged by <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>10 of 12</u>

FOOTAGE		ROCK CLASSIFICATION EPID. DIOP. GARN. SERP. QTZ/SIL. ACTINO. TREMO. CHLO. CRYSTALLINE. SHEARING. VEINS. FRACTURING. FOLIATION. GRAIN SIZE, TEXTURE	MINERALIZATION		ASSAY DATA							
From	To		TYPE	%	SAMPLE NO.	WIDTH	RECOV.	%CU	%FE	MOLY	AU/AG	INCOV.
		395-398 - very strongly broken										
		411.5-417 - very strongly broken, 2 1/2' recovery - lost hole										
411		END OF HOLE										
		Note: RHYOLITE PORPHYRY: This rock is similar to the rhyolite porphyry of DDH 73-2, but the chalky phenocrysts are not evident, except locally near the bottom of the hole, and it is somewhat coarser grained. It can be best described as a fine to medium grained, mafic lean granitic rock. Quartz is not abundant but microscopic identification would be required to determine the exact mineral composition. Notes are available.										
		less than 5% and appear to consist mainly of calcitic minerals. Locally the mafic content increases and the rock is very similar to the Diorite (probably equivalent).										

less than 5% and appear to consist mainly of chloritic minerals. Locally the mafic content increases and the rock is very similar to the Diorite (probably equivalent).

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

2025 JUN 10

143

GENERAL AND SPECIALT
WHITEHORSE YUKON TERRITORY


PROPERTY <u>CH JACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Map No. <u>73-1</u>
Date <u>Oct 11</u> 19 <u>73</u>	Section No. _____	Dip _____	Dip. _____	Total Depth <u>279</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>2/3</u>

[illegible]

6-30-58

PROPERTY <u>TACKPOT</u>	Claim No. _____	Strike _____	Lat. _____	Hole No. <u>73-1</u>
Date <u>Oct 11</u> 19 <u>73</u>	Section No. _____	Dip _____	Dep. _____	Total Depth <u>279</u>
Logged By <u>G. CARLSON</u>	Plan No. _____	Level _____	Elev. _____	Page No. <u>3</u> of <u>3</u>

[illegible]



LEGEND

- Bound
- Topography
- Claim boundary
- Drill hole location
- Claim line and point location
- Drill hole

DRILL HOLE SUMMARY

Hole No.	Coordinates (NAD 83)	Altitude	Depth (feet)	Overburden (feet)	Depth (feet)
73-1	50° 51' N; 105° 02' W	655'	145'	60'	245'
73-2	50° 02' N; 111° 00' W	0	90'	100'	405'
73-3	50° 02' N; 111° 00' W	0	90'	116'	417'
73-4	48° 02' N; 111° 00' W	0	90'	182'	272'

R.G. Hiner Ltd.
Consulting Geologist
Whitehorse, Y.T.

Gold River Mines and Enterprises Ltd. (NPL)	
Claim and Drill Hole Locations	
Jackpot Copper Property	
Date: October 5, 1977	Scale: 1 in = 400 ft