


GEOLOGICAL AND GEOCHEMICAL REPORT


ON THE

CIVI 1-11 MINERAL CLAIMS



for

CREAM SILVER MINES LTD. (NPL)



ROSS RIVER AREA, WHITEHORSE MINING DIVISION, Y.T.

This report has been examined by the Geological Evaluation Unit and is recommended to the Commissioner to be considered as representation work in the amount of \$ 2200.00

*[Signature]*  
Resident Geologist or  
Resident Mining Engineer

Considered as representation work under Section 53 (4) Yukon Quartz Mining Act.

Vancouver, B.C.  
October 15, 1974

*[Signature]*  
Commissioner of Yukon Territory

J. R. Deighton,  
Geologist.

TABLE OF CONTENTS

1.00	SUMMARY.....	1
2.00	CONCLUSIONS.....	1
3.00	RECOMMENDATIONS.....	2
4.00	INTRODUCTION.....	3
5.00	OWNERSHIP AND TITLE.....	3
6.00	LOCATION AND ACCESS.....	3
7.00	PHYSIOGRAPHY AND CLIMATE.....	4
8.00	HISTORY.....	4
9.00	GEOLOGY.....	5
9.10	Regional Geology.....	5
9.11	Stratigraphy.....	5
9.12	Metamorphism.....	6
9.13	Structural Geology.....	6
9.14	Economic Geology.....	7
9.20	Property Geology.....	8
10.00	GEOCHEMISTRY.....	8
	SAMPLE ANALYSIS.....	10
	CERTIFICATION.....	11

APPENDICES:

- Certificates of Analysis
- Geology and Claim Map
- Property Location Map
- Frequency Distribution Graphs for  
Lead and Zinc
- Geochemical Survey Map for Lead and Zinc
- Zinc Contour Map
- Lead Contour Map

GEOLOGICAL AND GEOCHEMICAL REPORT

ON THE

CIVI MINERAL CLAIMS

for

CREAM SILVER MINES LTD. (NPL)

ROSS RIVER AREA, WHITEHORSE MINING DIVISION, Y.T.

1.00 SUMMARY

The Civi 1-11 mineral claims are located in the Whitehorse Mining District, Yukon Territory, on Sheet 105 K-2. They are located 12 miles east of Faro, Yukon Territory. The co-ordinates of the property are 62° 13' North Latitude, 132° 56' West Longitude. The property was located on behalf of Cream Silver Mines Ltd. (NPL) in 1973. That same year geological mapping and reconnaissance soil sampling programs were conducted over the property.

A program consisting of claim tagging, survey control and soil sampling was conducted over the Civi claims from August 13 to August 20, 1974. The following report is based on the above work and a review of the geology done in 1973.

2.00 CONCLUSIONS

The Civi claims are underlain by the favourable Cambrian-Ordovician stratigraphy that host the ore bodies of the area.

The geochemical soil survey indicates that there is no near surface mineralization of importance present on the portion of the property covered by the survey.

3.00 RECOMMENDATIONS

Geochemical Survey - The remainder of the property not covered by the geochemical survey conducted this year should be sampled. The 800' x 200' grid established this year should be extended westward to accomplish this.

4.00 INTRODUCTION

This report is based on a review and incorporation of the 1973 work and work carried out on the property from August 13 to August 20, 1974. The property work consisted of prospecting, geological mapping, soil sampling and claim tagging. The Civi 1-11 mineral claims are located 12 miles east of Faro in the Whitehorse Mining District, Yukon Territory.

5.00 OWNERSHIP AND TITLE

The property consists of 11 contiguous mineral claims located in the Whitehorse Mining District, Yukon Territory. The claims were staked on behalf of Vestor Explorations Ltd. and Cream Silver Mines Ltd. during the fall of 1973. Vestor's interest was subsequently acquired by Cream Silver Mines Ltd. (NPL).

The property consists of the following mineral claims:

<u>Claim Name</u>	<u>Record Number</u>	<u>Date Recorded</u>
CIVI 1-11	Y76715 - 25	August 20, 1973

6.00 LOCATION AND ACCESS

The Civi claims are located 12 miles east of the town of Faro. The co-ordinates of the property are 62° 13' North Latitude and 132° 56' West Longitude.

Access to the property is by road from Whitehorse to Faro and thence by bush road to the east end of West Swim Lake. A cat trail leads from this point to the southern edge of the property. Alternate access from Whitehorse to the property is by Northward Airlines to Ross River and thence by

road to Faro and Swim Lakes or by helicopter from Ross River, a distance of 22 miles.

#### 7.00 PHYSIOGRAPHY AND CLIMATE

The property lies on the eastern flank of a hill, 2 miles north of West Swim Lake. Slopes on the property are generally gently easterly.

Maximum relief on the property is 600 feet, elevations range from 3500 to 4100 feet.

Vegetation on the property consists essentially of stunted spruce and minor balsam. Willows and buckbrush (Arctic birch) grow in more open areas or swampy sections.

Temperatures vary from a high of +80°F during the summer to -60°F in the winter. Snow can be expected to cover the ground from October to mid May.

#### 8.00 HISTORY

Exploration within the Ross River-Faro region started with the discovery of the Vangorda Creek deposit in 1953. Regional work consisting of prospecting and investigation of airborne magnetic anomalies subsequently lead to the staking of the Swim Lake deposit in 1963. The Faro deposit was found by a combination of regional prospecting, geochemical sampling and geophysical surveys in 1965. In the summer of 1974 AEX Minerals discovered the extension to the Vangorda Creek deposit.

Regional work done on behalf of Vestor Explorations Ltd. and Cream Silver Mines Ltd. (NPL) in the summer of 1973 lead to the staking of the Civi claim group in the Swim Lakes area.

## 9.00 GEOLOGY

### 9.10 Regional Geology:

The Anvil-Faro area has been mapped by the Geological Survey of Canada and is described in G.S.C. Bulletin 208 by D.J. Templeman-Kluit.

### 9.11 Stratigraphy:

The sedimentary and metamorphic units exposed along the southern flank of the Anvil Range have been subdivided as follows:

Cretaceous	Anvil-Batholith - porphyritic, medium-grained biotite quartz monzonite and granodiorite.
Pennsylvanian and Permian	Anvil Range Group - greenish grey, pale green and brick red argillaceous chert, argillaceous tuff, massive green basalts.
Hadrynian and Ordovician	Chlorite, muscovite quartz phyllites, locally graphitic or calcareous, grades to and includes staurolite - garnet - biotite - muscovite schists, includes locally fine-grained foliated amphibolite.

Hadrynian and Cambrian	Thinly laminated biotite - garnet - biotite - muscovite schist, foliated amphibolites and light grey coarsely crystalline marble.
------------------------------	--

#### 9.12 Metamorphism:

The metamorphic rocks, Pre-Devonian in age, exposed show mineral assemblages characteristic of the Pyrenean type of regional metamorphism.

The mineral assemblages are characteristic of the greenschist - and almandine amphibolite facies of regional metamorphism. The metamorphic isograds, as defined by characteristic minerals of facies of metamorphism, outlined an area centered about the Anvil Batholith. There is however, a transgression of metamorphic isograds by the granitic contact. The structural setting suggests that the intrusion of the Anvil Batholith arched the regional metamorphosed rocks, creating the concentric arrangement.

The regionally metamorphosed unit shows effects of super-imposed contact metamorphism.

#### 9.13 Structural Geology:

The main structural element within the area consists of at least one stage of regional folding on which the Anvil Arch is super-imposed. Although the general structural setting appears to be quite simple, the internal structure of the metamorphic rocks is fairly complex.

The major faulting in the area is a northwesterly trending zone amplified by the Rose Creek and Vangorda Creek faults,

believed to be part of the Tintina Trench and the extension of the Rocky Mountain Trench. Lateral displacement has not been measured along these fault zones but appears to be in the order of several miles.

#### 9.14 Economic Geology:

There are three ore deposits known in the area, the Vangorda Creek deposit, discovered in 1953, the Swim Lake deposit (1963) and the Faro deposit (1965). The deposits contain an aggregate of 80 million tons of lead - zinc - silver with minor values in copper and gold.

All of these deposits occur within the Cambrian (?) phyllite of unit 3. The mineralization is concordant with the foliation of the enclosing rocks. The orebodies are lense-like in outline and mineralogically similar.

Each is surrounded by a halo of whitish bleached phyllite. This feature can possibly be used as a guide to look for concealed or blind ore bodies, within the region. During the exploration of these deposits it was found that only geochemical and gravity surveys produced positive results. Electrical exploration tools, electromagnetic, self-potential and induced polarization surveys, produced numerous anomalies caused by the terrain or graphitic schists.

Magnetic surveys produced positive anomalies on the Swim Lake deposit, no response on the Vangorda Creek deposit, and inconclusive results on the Faro deposit. Although pyrrhotite is a major component of the sulfide mineralization, the deeper burial combined with the flat-lying configuration accounts for lack of response for total magnetic or vertical magnetic field surveys.




Fig. 1 Idealized Cambro-Ordovician stratigraphic section including ore horizon - Anvil Range.

### 9.20 Property Geology:

The favourable Cambrian-Ordovician lithologies, including the metavolcanics, outcrop immediately south of the Civi 1-11 mineral claims. This rock sequence, quartz-mica schists and phyllites (lower member) and graphitic schists with lensoid bodies of greenstone metatuff and green banded cherts (upper member) dip about 20° to the north beneath these claims.

Rusty weathering quartz-sericite schists containing altered iron sulfides was found as float near the center of the claims. Buff colored, limey alteration of pelitic rocks was also noted in float near this point. As outcrop is all but lacking in the general area, the extent of the alteration is unknown. The alteration, noted in float, is similar to that which is found in association with the major deposits in the area.

### 10.00 GEOCHEMISTRY

A soil sampling survey was conducted over the eastern half of the claim group during August, 1974. The soil samples were collected from the "B" horizon where possible, put in numbered Kraft paper envelopes and submitted for analysis. The samples were taken at 200 foot intervals from north-south chained and flagged compass lines spaced 800 feet apart.

The soil samples were submitted for analysis for total lead and zinc. Chemex Labs. Ltd., 212 Brooksbank Avenue, North Vancouver, B.C. did the sample preparation and analysis.


A frequency distribution plot was made of the entire population to determine background and anomalous value ranges for lead and zinc. For this the accumulated frequency percent was plotted against the range of values in parts per million, on arithmetic probability paper.

	<u>Number of Samples</u>	<u>Range PPM</u>	<u>Background</u>	<u>%</u>	<u>Anomalous</u>	<u>%</u>
Pb.	151	2 to 30	Less than 30	100	Not defined	
Zn.	151	1 to 240	Less than 120	98.63	1	.66

There are no anomalous samples for lead. All values obtained are in one family and the distribution of values is completely random. There is one anomalous sample in zinc. This sample occurs at Station 14S 64E. This one anomalous sample does not contribute to the evaluation of the property.

The geochemical survey results indicate that there is no significant lead-zinc mineralization present, at surface, on the portion of the property covered by the soil sampling program.

Respectfully submitted,



J. R. Deighton,  
Geologist.

Vancouver, B.C.  
October 15, 1974

SAMPLE ANALYSIS

<u>Interval</u>	<u>No. of Samples</u>	<u>%</u>	<u>Cumulative %</u>
<u>LEAD</u>			
0-5	35	23.17	23.17
6-10	29	19.20	42.37
11-15	28	18.54	60.91
16-20	38	25.16	86.07
21-25	14	9.27	95.34
26-30	7	4.63	99.97
Total	<u>151</u>		

<u>ZINC</u>			
0-20	48	31.78	31.78
21-40	15	9.93	41.71
41-60	53	35.09	76.80
61-80	22	14.56	91.36
81-100	4	2.64	94.00
101-120	7	4.63	98.63
121-140	1	.66	99.29
141-160	0		
161-180	0		
181-200	0		
201-220	0		
221-240	1	.66	99.95
Total	<u>151</u>		

## CERTIFICATION

I, JOHN RAYMOND DEIGHTON, of 3250 West 33rd Avenue, Vancouver, British Columbia, do hereby certify that:


I am a graduate of the University of British Columbia, with a Bachelor of Science Degree in Geology, 1965.

Since graduation I have been engaged in Mineral Exploration in British Columbia, Yukon, Northwest Territories, Washington, Arizona and California.

I am a Fellow of the Geological Association of Canada and of the Canadian Institute of Mining and Metallurgy.

I am a Geologist.

Vancouver, B.C.  
October 15, 1974



J.R. Deighton,  
Geologist.



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: 985-0648  
AREA CODE: 604

- ANALYTICAL CHEMISTS
- GEOCHEMISTS
- REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Agilis Expl. Services Ltd.,  
107 - 325 Howe ST.,  
Vancouver 1, B.C.

CERTIFICATE NO. 28195  
INVOICE NO. 12331  
RECEIVED August 26/74  
ANALYSED August 28/74

ATTN: Civi Group

SAMPLE NO. :	PPM Lead	PPM Zinc
0E ON	16	55
2E	8	43
2W	10	41
4E	14	50
4W	4	4
6E	16	45
6W	24	62
8E	8	28
8W	14	34
10E	18	86
10W	20	52
12E	6	14
12W	6	18
14E	12	41
14W	4	13
16E	14	41
16W	2	5
18E	2	2
20	18	52
22	2	2
24	4	2
26	2	2
28	2	2
30	2	7
32E ON	26	120
2	24	65
4	20	60
6	20	60
8	18	45
10	22	57
12	6	7
14N	8	13
2S	28	60
4	24	60
6	18	62
8	12	52
10	14	62
12	16	57
32E 14S	20	47
34E ON	30	108
Std.	60	52

151 168 sample 62



MEMBER  
CANADIAN TESTING  
ASSOCIATION

CERTIFIED BY: *[Signature]*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: 985-0648  
AREA CODE: 604

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Agilis Expl. Services Ltd.,  
107 - 325 Howe St.  
Vancouver, B.C.

CERTIFICATE NO. 28196  
INVOICE NO. 12331  
RECEIVED August 26/74  
ANALYSED August 28/74

ATTN: Civi Group

SAMPLE NO. :	PPM Lead	PPM Zinc
34E 14N	28	112
34E 14S	12	55
36E ON	18	47
14N	8	22
36E 14S	4	5
38E ON	8	22
14N	4	2
38E 14S	12	52
40E ON	20	57
2	24	55
4	16	47
6	22	57
8	16	57
10	16	45
12	16	47
14N	14	36
OS	20	45
2	14	30
4	2	<1
6	2	4
8	16	52
10	20	72
12	18	80
40E 14S	20	60
42E ON	4	<1
44E	4	<1
46E	2	<1
48E ON	8	22
2	14	60
4	16	36
6	18	43
8	12	34
10	16	41
12	10	7
14N	14	62
2S	2	11
4	14	50
6	26	135
8	18	57
48E 10S	24	77
Std.	60	50



MEMBER  
CANADIAN TESTING  
ASSOCIATION

CERTIFIED BY: *APL*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: 985-0648  
AREA CODE: 604

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Agilis Expl. Services Ltd.,  
107 - 325 Howe St.,  
Vancouver 1, B.C.

CERTIFICATE NO. 28197  
INVOICE NO. 12331  
RECEIVED August 26/74  
ANALYSED August 28/74

ATTN: Civi Group

SAMPLE NO. :	PPM Lead	PPM Zinc
48E 12S	4	5
48E 14S	16	67
50E ON	14	65
14N	16	72
50E 14S	10	34
52E ON	12	34
14N	18	77
52E 14S	6	11
54E ON	4	<1
14N	10	47
54E 14S	12	43
56E ON	6	5
2	18	55
4	24	105
6	24	80
8	20	115
10	10	52
12	18	95
14N	10	41
2S	4	4
4	6	13
6	8	45
8	12	47
10	20	92
56E 14S	4	4
58E ON	4	7
60	14	52
62	28	86
64E ONA	22	60
64E ONB	12	47
2	2	4
4	4	<1
6	4	7
8	4	5
10	6	28
12	6	14
14N	8	22
2S	2	5
4	14	102
64E 6S	2	5
Std.	60	50



MEMBER  
CANADIAN TESTING  
ASSOCIATION

CERTIFIED BY: *[Signature]*



# CHEMEX LABS LTD.

212 BROOKSBANK AVE.  
NORTH VANCOUVER, B.C.  
CANADA V7J 2C1  
TELEPHONE: 985-0648  
AREA CODE: 604

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

## CERTIFICATE OF ANALYSIS

TO: Agilis Expl. Services Ltd.,  
107 - 325 Howe St.,  
Vancouver 1, B.C.

CERTIFICATE NO. 28198  
INVOICE NO. 12331  
RECEIVED August 26/74  
ANALYSED August 28/74

ATTN: Civi Group

SAMPLE NO. :	PPM Lead	PPM Zinc
64E 8S	4	2
10	14	62
64E 12S	4	18
64E 14S	24	240
66E ON	16	75
14N	10	24
66E 14S	14	57
68E ON	14	67
14N	4	7
68E 14S	12	60
70E ON	16	57
70E 14N	4	4
70E 14S	14	47
72E ON	8	13
2	4	5
4	8	52
6	12	60
8	4	4
10	14	36
12	20	70
14N	6	5
2S	6	7
4	10	43
6	18	75
8	22	65
10	22	67
12	6	4
14SA	26	65
72E 14SB	20	67
74E ON	22	105
76E ON	2	5
Std.	60	52



MEMBER  
CANADIAN TESTING  
ASSOCIATION

CERTIFIED BY: *[Signature]*


99.99 99.9 99.8 99.5 99 98 95 90 80 70 60 50 40 30 20 10 5 2 1 0.5 0.2 0.1 0.05 0.01


CREAM SILVER MINES LTD. (N.P.L.)  
CIVI I-II MINERAL CLAIMS  
SWIM LAKE AREA  
WHITEHORSE M.D., YUKON TERR.  
GEOCHEMICAL SOILS (LEAD)  
FREQUENCY DISTRIBUTION GRAPH

RANGE P.P.M.  
35  
30  
25  
20  
15  
10  
5

0.01 0.05 0.1 0.2 0.5 1 2 5 10 20 30 40 50 60 70 80 90 95 98 99 99.5 99.8 99.9 99.99

CUMULATIVE PERCENT FREQUENCY






# YUKON TERRITORY


CREAM SILVER MINES LTD. (N.P.L.)  
 CIVI 1-II MINERAL CLAIMS  
 SWIM LAKE AREA  
 WHITEHORSE M.D., Y.T.

## PROPERTY LOCATION MAP



AGILIS ENGINEERING LTD.

SEPT., 1974



*CIVI 1-II*

	2	4	6	8	10
1	3	5	7	9	11





SCALE: 1" = 1500 Feet





— 16W — 12W — 8W — 4W — 0 — 4E. — 8E. — 12E. — 16E. — 20E. — 24E. — 28E. — 32E. — 36E. — 40E. — 44E. — 48E. — 52E. — 56E. — 60E. — 64E. — 68E. — 72E. — 76E.

— 14 N.  
— 12 N.  
— 8 N.  
— 4 N.  
— 0  
— 4 S.  
— 8 S.  
— 12 S.  
— 14 S.



- LEGEND**
- Geochemical Survey Station
  - Claim Post and Line
  - Outcrop
  - Bedding - inclined

CREAM SILVER MINES LTD. (N.P.L.)  
CIVI 1-11 MINERAL CLAIMS  
SWIM LAKE AREA  
WHITEHORSE M.D., Y.T.

**CLAIM & GEOLOGY MAP**

MAP REF. G.S.C. 105 K.

SCALE IN FEET  
400 0 400 800 1200

AGILIS ENGINEERING LTD. SEPT, 1974





16 W.	12 W.	8 W.	4 W.	0	4 E.	8 E.	12 E.	16 E.	20 E.	24 E.	28 E.	32 E.	36 E.	40 E.	44 E.	48 E.	52 E.	56 E.	60 E.	64 E.	68 E.	72 E.	76 E.																									
												.18 8	.12 28	.22 8	.4 4	.36 14	.62 14	.72 16	.77 18	.47 10	.41 10	.22 8	.24 10	.7 4	.4 4	.5 6	— 14 N.																					
												.7 6		.47 16		.7 10		.95 18		.14 6		.70 20					— 12 N.																					
												.57 22		.45 16		.41 16		.52 10		.28 6		.36 14					— 8 N.																					
												.45 18		.57 16		.34 12		.115 20		.5 4		.4 4					— 4 N.																					
												.60 20		.57 22		.43 18		.80 24		.7 4		.60 12					— 0																					
												.60 20		.47 16		.36 16		.105 24		.4 4		.52 8					— 4 S.																					
												.65 24		.55 24		.60 14		.55 18		.4 4		.5 4					— 8 S.																					
.5 2	.13 4	.18 6	.52 20	.34 14	.62 24	.4 4	.41 10	.55 16	.43 8	.50 14	.45 16	.28 8	.86 18	.14 6	.41 12	.41 14	.2 2	.52 18	.2 2	.2 4	.2 2	.2 2	.2 2	.7 2	.120 26	.108 30	.47 18	.22 8	.57 20	<1 4	<1 4	<1 2	.22 6	.65 14	.34 12	<1 4	.5 6	.7 4	.52 14	.86 28	.47 12	.75 18	.67 14	.57 16	.13 8	.105 22	.5 2	— 0
												.60 28		.30 14		.11 2		.4 4		.5 2		.7 6					— 4 S.																					
												.60 24		<1 2		.50 14		.13 6		.102 14		.43 10					— 8 S.																					
												.62 18		.4 2		.135 26		.45 8		.5 2		.75 18					— 12 S.																					
												.52 12		.52 16		.57 18		.47 12		.2 4		.65 22					— 14 S.																					
												.62 14		.72 20		.77 24		.92 20		.62 14		.67 22					— 12 S.																					
												.57 16		.80 18		.5 4				.18 4		.4 6					— 14 S.																					
												.47 20	.55 12	.5 4	.52 12	.60 20	.67 16	.34 10	.11 6	.43 12	.4 4	.240 24	.57 14	.60 12	.47 14	.65 26																						

⊗ CHOPPER PAD


LEGEND


- Geochemical Survey Station
- 72 - GEOCHEMICAL VALUE OF ZINC
- 20 - GEOCHEMICAL VALUE OF LEAD

CREAM SILVER MINES LTD. (N.P.L.)  
CIVI I-II MINERAL CLAIMS  
SWIM LAKE AREA  
WHITEHORSE M.D., Y.T.

GEOCHEMICAL SURVEY  
**Zn & Pb IN PPM**


MAP REF. G.S.C. 105 K.





— 16 W. — 12 W. — 8 W. — 4 W. — 0 — 4 E. — 8 E. — 12 E. — 16 E. — 20 E. — 24 E. — 28 E. — 32 E. — 36 E. — 40 E. — 44 E. — 48 E. — 52 E. — 56 E. — 60 E. — 64 E. — 68 E. — 72 E. — 76 E.

⊗ CHOPPER PAD




LEGEND  
ZINC CONTOUR INTERVAL 50 P.P.M.

CREAM SILVER MINES LTD. (N.P.L.)  
CIVIL MINERAL CLAIMS  
SWIM LAKE AREA  
WHITEHORSE M.D., Y.T.

GEOCHEMICAL SURVEY  
**Zn CONTOURS IN P.P.M.**

MAP REF. G.S.C. 105 K.



AGILIS ENGINEERING LTD.


SEPT., 1974



— 16 W — 12 W — 8 W — 4 W — 0 — 4 E — 8 E — 12 E — 16 E — 20 E — 24 E — 28 E — 32 E — 36 E — 40 E — 44 E — 48 E — 52 E — 56 E — 60 E — 64 E — 68 E — 72 E — 76 E

— 14 N — 12 N — 8 N — 4 N — 0 — 4 S — 8 S — 12 S — 14 S

⊗ CHOPPER PAD




LEGEND  
LEAD CONTOUR INTERVAL 10 PPM — 50 —

CREAM SILVER MINES LTD. (N.P.L.)  
CIVIL MINERAL CLAIMS  
SWIM LAKE AREA  
WHITEHORSE M.D., Y.T.

GEOCHEMICAL SURVEY  
*Pb CONTOURS IN P.P.M.*

MAP REF. G.S.C. 105 K



AGILIS ENGINEERING LTD. SEPT., 1974