

MAP No.

ASSESSMENT REPORT
PROSPECTUS
CONFIDENTIAL
OPEN FILETYPE OF
WORK:

Geol.

115-0-10

REPORT FILED UNDER	Doron Exploration Inc.	DOCUMENT NO. 062284
DATE PERFORMED	April 5, 1987.	DATE FILED Dec. 3, 1987.
LOCATION - LAT.	63° 42' N	AREA Sulphur Creek, Yukon.
LONG.	138° 42' W	
CLAIM NO.	BTTA 1-32	
VALUE \$		
WORK DONE BY	G.S. Davidson and J.E. Wallis	
WORK DONE FOR	Doron Exploration Inc.	
REMARKS	The claims are underlain by metamorphosed Triassic or older lithologies. The rocks are muscovite-feldspar quartz schist, chlorite-quartz schist and amphibolite. A 3.5 m wide auriferous quartz vein was reported in this area in 1901. The vein has not been located.	

PROSPECTUS
Dec. 3, 1987.
062284

PRELIMINARY EVALUATION REPORT

BT TA 1 - 32 CLAIMS

Dawson Mining District

N.T.S. 115 0/10

Latitude 63° 42' North

Longitude 138° 42' West

For

DORON EXPLORATION INCORPORATED

Suite 1500, 609 Granville Street

Vancouver, B.C.

By

G.S. DAVIDSON, P.Geol.

J. WALLIS, P.Eng.

April 5, 1987

TABLE OF CONTENTS

	Page
INTRODUCTION	1
PROPERTY	1
REGIONAL GEOLOGY AND EXPLORATION HISTORY	3
DISCUSSION AND RECOMMENDATIONS	7
REFERENCES	8
STATEMENT OF QUALIFICATIONS	9

LIST OF FIGURES

Figure 1	Location Map	2
Figure 2	Claim Map	4
Figure 3	Geology Map	5

LIST OF TABLES

Table 1	Claim Data	2
---------	------------	---

Appendix Dawson Historical Paper

INTRODUCTION


Doron Exploration Incorporated holds 32 mineral claims (BTTA 1 - 32) in the Klondike district of the central Yukon. The claims cover the divide between lower Sulphur and Gold Run Creeks. Historical documents (see Appendix) report that gold bearing quartz veins were discovered in this area in 1901.

T. Yardley of Doron Exploration Inc. commissioned this report, which reviews available historical and geological information on the area. The property is held under terms of an option agreement with the owner (T. Peever). It entitled Doron to earn 100% interest in the claims; T. Peever retains a 3% NSR.

The property was examined by the writer on June 14-15, 1986.

PROPERTY

The BTTA claims are located about 60 km southeast of the town of Dawson and are accessible via the Hunker-Granville Loop; a government maintained gravel road. The Hunker-Granville Loop extends south from the Klondike Highway along Hunker Creek and then down Sulphur Creek to the old townsite of Granville. The claims lie approximately 1.5 km northeast of the lower Sulphur Creek section of this road. Several cat trails run from the road onto the property and another cat trail follows the ridge top through the center of the claims. Approximate road distance from Dawson to the property is 75 km.



Yukon Territory
 Area: 478,034 sq. km.
 Population: 25,000
 Capital: Whitehorse




FIGURE 1
 DORON EXPLORATION INC.,
 BTTA CLAIMS
 LOCATION MAP

The BTTA claims cover a northwest-southeast trending ridge top of moderate relief. Elevations range from 940 m (3,000 ft) to 750 m (2,400 ft). Poplar trees and "buck brush" grow on south and westerly facing slopes while spruce forest and moss are more common on northerly facing slopes. Outcrop is restricted to ridge crests.

Climatic conditions are typical of a northern interior climate with long cold winters and moderate annual precipitation. Summer temperatures average 20°C.


The claims are registered in the name of T. Peever in the office of the district recorder in Dawson. Table 1 summarizes the claim data and Figure 2 shows the claim plan.

TABLE 1
Claim Data

<u>Claim Name</u>	<u>Record Number</u>	<u>Recording Date</u>	<u>Expiry Date</u>
BTTA 1 - 8	YA87935 - YA87942	8th May, 1986	8th May, 1987
BTTA 9 - 32	YA87997 - YA88020	30th May, 1986	30th May, 1987

REGIONAL GEOLOGY AND EXPLORATION HISTORY

The bedrock geology and mineral occurrences of the Klondike District were recently released in Open File Maps by R.L. Debicki and G. Baldwin (1984-1985). Triassic or older lithologies make up most of the bedrock in the district and underlie the BTTA claims. These rocks consist almost entirely of quartzofeldspathic and mafic schists. Some lenses of fractured amphibolite occur along the southwestern margin of the property. Figure 3 shows the regional geology.



BTTA
1-32
claims

DEB
claims

Staked


open

RUN
claims

open

RIJ
claims


SUL
claims



DORON EXPLORATION INC.

**BTTA CLAIMS
CLAIM PLAN**

NTS 115 0/10	Tech. G.D.	Date March 196
Scale 1:30 000	Drafting G.T.	Figure 2




Legend

TRIASSIC OR OLDER

- MP MPa - weakly foliated amphibolite
MPb - strongly foliated amphibolite
- QS QSa - blacky weathering, light grey to pinkish feldspar - quartz schist
QSc - buff weathering well foliated muscovite - feldspar - quartz schist w quartz porphyroclasts
QSD - buff weathering, well foliated muscovite - feldspar quartz schist.
- CS CSa - massive to foliated dark grey to black carbonaceous quartzite and muscovite-quartz schist
CSc - muscovite-feldspar-quartz schist w carbonaceous wisps.
- MS MSa - light to medium green and buff weathering chlorite - quartz schist
MSe - calcareous chlorite - quartz schist

Symbols

- GEOLOGICAL CONTACT
- ~~~~~ THRUST FAULT
- ↖ 43 FOLIATION (f1)



DORON EXPLORATION INC.		
BTTA CLAIMS GEOLOGY MAP		
From: O.F. 1985		Klondike Area
NTS 115 0/10	Tech. G.D.	Date March 19
Scale 1:50 000	Drafting G.T.	Figure 3

Structurally, the region is crossed by steeply dipping thrust faults or northwest trending discontinuities. Mesothermal quartz veins are spatially associated with these structures.

Prospectors, exploring for gold bearing quartz veins, reported finding a 3.5 m wide auriferous vein on the divide between lower Sulphur and Gold Run Creeks in 1901. Abundant quartz float was observed along the ridge top by the BTTA claim stakers, however this historic vein has not been located.

Two gold occurrences marked on the 1985 Open File lie about 1 km north and northwest of the BTTA block. The Kentucky Lode vein (#13) is up to 2.4 m wide while the Kentucky West vein (#14) is exposed in the wall of a shaft; no assays are reported. These veins are presently an open ground. Doron should extend the BTTA claim block to cover these showings.

DISCUSSION AND RECOMMENDATIONS

A preliminary exploration program should be undertaken early in the 1987 field season to locate and sample auriferous quartz veins on the BTTA claims. Bulldozer or blast trenching, prospecting and geochemical sampling are recommended at a cost of \$20,000.

Bulldozer or blast trenching	\$ 5,000
Prospecting and mapping	4,500
Geochemistry and assays	5,000
Camp, supplies, transportation	3,000
Report	<u>2,500</u>
TOTAL	<u><u>\$ 20,000</u></u>

REFERENCES

H.S. Bostock, 1957: Selected Field Reports of the Geological Survey of Canada 1893 to 1933, Memoir 284.

R.L. Debicki, G. Baldwin, 1985: Open File, Bedrock Geology and Mineralization of the Klondike Area (East), Exploration and Geological Services Division, Whitehorse, Yukon.

STATEMENT OF QUALIFICATIONS

I, Graham S. Davidson of the City of Whitehorse in the Yukon Territory, hereby certify:

- 1) THAT I am a consulting geologist AND THAT I reviewed available information on the BTTA claims.
- 2) THAT I am a graduate of the University of Western Ontario (H.B.Sc., Geology 1981);
- 3) THAT I am registered as a Professional Geologist by the Association of Professional Engineers, Geologists and Geophysicists of Alberta (No. 42308);
- 4) THAT I have been engaged in mineral exploration on a full-time and part-time basis for seven years, of which five have been spent in the Yukon and Northwest Territories, and British Columbia.
- 5) I do not have nor have I ever had any interest direct, indirect or contingent in the shares of Doron Explorations Inc. nor do I expect to receive any interest, either direct or indirect, in the properties or securities pertaining thereto.
- 6) I hereby grant my permission for Doron Explorations Inc. to use this report for filing with the Vancouver Stock Exchange as partial requirement of a Statment of Material Facts or for any legal purposes normal to the business of Doron Explorations Inc.

Signed at Vancouver, British Columbia, this 5th day of April, 1987.


Graham S. Davidson, P. Geol.

CERTIFICATE OF QUALIFICATIONS

I, J.E. Wallis, of Box 59, Atlin, British Columbia, do certify that:

1. I am a registered Professional Engineer in good standing in the Association of Professional Engineers of British Columbia.
2. I am a graduate of the Haileybury School of Mines 1958, the University of Alaska, B.Sc. 1965 and Queen's University, M.Sc. (Eng) 1967.
3. I have been practicing my profession for 28 years and as a Professional Engineer for the past 21 years.
4. I do not have nor have I ever had any interest direct, indirect or contingent, in the shares of Doron Exploration, Inc., nor do I expect to receive any interest, either direct or indirect, in the properties or securities pertaining thereto.
4. I have personally visited the property reviewed in this report and am familiar with the district.
5. I hereby grant my permission for Doron Exploration, Inc. to use this report for filing with the Vancouver Stock Exchange as partial requirement of a Statement of Material Facts or for any legal purposes normal to the business of Doron Exploration, Inc.

Dated at Atlin, British Columbia, this 23rd day of March, 1987.



APPENDIX

(MAY 20, 1901)

DAWSON HISTORICAL PAPER

Vein Found on Divide Toward Gold Run

Mortar Tests Yield Colors

Ledge is Twelve Feet Wide and Has Been Followed One-third of a Mile - Discoverer Believes He Has Uncovered a Fortune - All Staked.

(From Wednesday's Daily)

A vein of gold-bearing quartz, having a width between the walls of 12 feet, has been discovered on lower Sulphur, on the divide between Sulphur and Gold Run. Alex McMillan made the discovery several days ago and tested the ore at different points along the ledge, pouniding up the samples and washing out the result in a gold pan. In every instance colors of gold were found. Samples are now being assayed in Dawson and it is confidently believed that the ore will easily average from \$5 to \$25 per ton on the surface.

The ledge is said to be a contact, lying in a general northwestern and southeastern direction. The west wall is a gneiss, verging into a granite a short distance north of the discovery, while that to the east is a broken quartzite, as far as has been ascertained. Stringers of quartz eight inches wide running across the ledge and contain the pay that has been discovered. The balance of the ledge, though low grade, is also believed to carry values, though no tests were made of it.

Mr. McMillan exhibited some samples of his quartz last evening. It is of the character known as rose quartz and is somewhat honeycombed, the latter being probably due to the leaching action of air and water on the surface rock.

Float from this ledge was first found by McMillan about two weeks ago, shortly after the melting of the snow. He came across a large boulder of the quartz at No. 84 below on Sulphur and idly struck it with his pick. A chip of rock flew off, revealing the rose quartz, in which a few tiny colors of gold could be seen. This excited McMillan, who forthwith commenced a systematic search for the vein and kept up the hunt until successful. He is a "hard rock" miner from Montana and Kootenay and believes he has found a fortune.

"I shall at once commence sinking a shaft on this ledge", he said, "because I want to see how it looks 50 or 100 feet down. It is my opinion that this is the ledge that yielded the run of Gold Run gold and also contributed somewhat to the wea... of Sulphur. However that may be, I am satisfied the vein is rich and that within a short time I will prove it to the satisfaction of any one interested in quartz mining. No, this ledge has not been traced several miles, because the timber growth and muck

and moss completely covers it, but at half a dozen different points I have made open cuts and exposed it over a distance of perhaps one-third of a mile. The adjoining claims have already been staked".