Office of the Supervising Mining Recorder
MAY 22 1979
WHITEHORSE
Yukon Territory

RECEIVED
16 MAY 1979
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

RECEIVED
MAY 22 1979
WHITEHORSE, Y.T.

1978

Project Report

On

The Dublin Gulch Property

Yukon Territory

Mayo Mining District

N.T.S. 106 D-4 - 64° 2' 30 N. Lat. 135° 47' W. Long

CLAIMS: Mar, Dave, Alec, R.D., Smoky, D.G., Bob, Jeff

COMMODITIES: Gold, Tungsten, Tin and Silver

PROPERTY OWNERSHIP: Canada Tungsten Mining Corporation Limited

Options from G. Dickson and Queenstake Resources

090471

May 11, 1979
Written By: W.B. Lennan
Exploration Geologist

This report has been examined by the Geological Evaluation Unit and is recommended to the Commissioner to be considered as representation work in the amount of

$ 151,550.00

Resident Geologist or
Resident Mining Engineer

Considered as representation work under Section 53 (2) Yukon Quartz Mining Act.

B. R. BAXTER
Supervising Mining Recorder

Commissioner of Yukon Territory

Department of Indian Affairs and Northern Development

YUKON QUARTZ MINING ACT

FORM "C" - APPLICATION FOR A CERTIFICATE OF WORK

(This form required in duplicate with sketch showing location of work.)

RECEIVED
26 MAR 1979
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

OFFICE DATE STAMP

I (Name) Brian Lennan	Occupation Geologist
(Postal Address) Box 12525 - Oceanic Plaza	#1600 - 1066 W. Hastings St. Vancouver B.C. V6E 3X1

MAKE OATH AND SAY, THAT:-

1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.

2. I have done, or caused to be done, wotk on the following mineral claim(s):
(Here list claims on which work was actually done by number and name)

PLEASE SEE ATTACHED SCHEDULE

Alec claims
Jeff claims
Smokey claims
R.D. claims
Bob claims
Dave claims
D.G. claims
Mar claims

situated at Bounded by 135°39' W.Long. and 135°55' W.Long 64° N.Lat. and 64°5'W.Lat. Claim Sheet No. 106 D - 4

in the Mayo Mining District, to the value of at least $151550.00

dollars, since the Thirtieth day of March 19 78,

to represent the following mineral claims under the authority of Grouping Certificate No. _____
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

PLEASE SEE ATTACHED SCHEDULE

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 53.)

A geochemical, geological, grid survey and aerial photography program was carried out on the attached list of claims. This work commenced on June 1st 1978 and finished on Oct. 10 1978. Report preparation has been continuing since . A report detailing the geological, geochemical, grid survey and aerial photography and aerial triangulation and map preparation will be forwarded by the thirtieth of April 1979. A statement of costs and invoice vouchers will be included with the report.

Sworn before me at Vancouver, B.C.
this 22 day of March 1979

Notary Public

Brian Lennan
Applicant.

Brian Lennan
Agent, Canada Tungsten Mining Corp. Ltd.

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
May 8, 1979

Claim	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment requirements
Alec 9	YA 30088	Oct. 1, 1981	3½	$17.50	$ 350
Alec 10	YA 30089	Oct. 1, 1981	3½	17.50	350
Alec 11	YA 30090	Oct. 1, 1981	3½	17.50	350
Alec 12	YA 30091	Oct. 1, 1981	3½	17.50	350
Alec 13	YA 30092	Oct. 1, 1981	3½	17.50	350
Alec 14	YA 30093	Oct. 1, 1981	3½	17.50	350
Alec 15	YA 30094	Oct. 1, 1981	3½	17.50	350
Alec 16	YA 30095	Oct. 1, 1981	3½	17.50	350
Alec 17	YA 30096	Oct. 1, 1981	3½	17.50	350
Alec 18	YA 30097	Oct. 1, 1981	3½	17.50	350
Alec 19	YA 30098	Oct. 1, 1981	3½	17.50	350
Alec 20	YA 30099	Oct. 1, 1981	3½	17.50	350
Alec 21	YA 30100	Oct. 1, 1981	3½	17.50	350
Alec 22	YA 30101	Oct. 1, 1981	3½	17.50	350
Alec 23	YA 30102	Oct. 1, 1981	3½	17.50	350
Alec 24	YA 30103	Oct. 1, 1981	3½	17.50	350
Alec 25	YA 30104	Oct. 1, 1981	3½	17.50	350
Alec 26	YA 30105	Oct. 1, 1981	3½	17.50	350
Alec 27	YA 30106	Oct. 1, 1981	3½	17.50	350
Alec 28	YA 30107	Oct. 1, 1981	3½	17.50	350
Alec 29	YA 30108	Oct. 1, 1981	3½	17.50	350
Alec 30	YA 30109	Oct. 1, 1981	3½	17.50	350
Alec 31	YA 30110	Oct. 1, 1981	3½	17.50	350
Alec 32	YA 30111	Oct. 1, 1981	3½	17.50	350
Alec 33	YA 30112	Oct. 1, 1981	3½	17.50	350
Alec 34	YA 30113	Oct. 1, 1981	3½	17.50	350
Alec 35	YA 30114	Oct. 1, 1981	3½	17.50	350
Alec 36	YA 30115	Oct. 1, 1981	3½	17.50	350
Alec 37	YA 30116	Oct. 1, 1981	3½	17.50	350
Alec 38	YA 30117	Oct. 1, 1981	3½	17.50	350
Alec 39	YA 30118	Oct. 1, 1981	3½	17.50	350
Alec 40	YA 30119	Oct. 1, 1981	3½	17.50	350

B2

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
May 8, 1979

Claim	Grant No.	Renew to	Claim yrs.	Filing Fees	Application requirements
Jeff 57	YA 30120	Oct. 1, 1981	3½	$17.50	$ 350
Jeff 58	YA 30121	Oct. 1, 1981	3½	17.50	350
Jeff 59	YA 30122	Oct. 1, 1981	3½	17.50	350
Jeff 60	YA 30123	Oct. 1, 1981	3½	17.50	350
Jeff 61	YA 30124	Oct. 1, 1981	3½	17.50	350
Jeff 62	YA 30125	Oct. 1, 1981	3½	17.50	350
Jeff 63	YA 30126	Oct. 1, 1981	3½	17.50	350
Jeff 64	YA 30127	Oct. 1, 1981	3½	17.50	350
Delete " e " from Smokey, should read Smoky					
Smokey 44	YA 30072	Oct. 1, 1981	3½	17.50	350
Smokey 45	YA 30073	Oct. 1, 1981	3½	17.50	350
Smokey 46	YA 30074	Oct. 1, 1981	3½	17.50	350
Smokey 47	YA 30075	Oct. 1, 1981	3½	17.50	350
Smokey 51	YA 30076	Oct. 1, 1981	3½	17.50	350
Smokey 52	YA 30077	Oct. 1, 1981	3½	17.50	350
Smokey 53	YA 30078	Oct. 1, 1981	3½	17.50	350
Smokey 54	YA 30079	Oct. 1, 1981	3½	17.50	350
Smokey 62	YA 30080	Oct. 1, 1981	3½	17.50	350
Smokey 63	YA 30081	Oct. 1, 1981	3½	17.50	350
Smokey 64	YA 30082	Oct. 1, 1981	3½	17.50	350
Smokey 65	YA 30083	Oct. 1, 1981	3½	17.50	350
Smokey 74	YA 30084	Oct. 1, 1981	3½	17.50	350
Smokey 75	YA 30085	Oct. 1, 1981	3½	17.50	350
Smokey 76	YA 30086	Oct. 1, 1981	3½	17.50	350
Smokey 77	YA 30087	Oct. 1, 1981	3½	17.50	350
				$980.00	$19,600

B1

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Cerificate of Work

Present Expiry Date
Oct. 1, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
R.D. 1	YA 1393	Oct. 1, 1981	3	$15.00	$ 300
R.D. 2	YA 1394	Oct. 1, 1981	3	15.00	300
R.D. 3	YA 1395	Oct. 1, 1981	3	15.00	300
R.D. 4	YA 1396	Oct. 1, 1981	3	15.00	300
R.D. 5	YA 1397	Oct. 1, 1981	3	15.00	300
R.D. 6	YA 1398	Oct. 1, 1981	3	15.00	300
R.D. 7	YA 1399	Oct. 1, 1981	3	15.00	300
R.D. 8	YA 1400	Oct. 1, 1981	3	15.00	300
R.D. 9	YA 1401	Oct. 1, 1981	3	15.00	300
R.D. 10	YA 1402	Oct. 1, 1981	3	15.00	300
R.D. 11	YA 1403	Oct. 1, 1981	3	15.00	300
R.D. 12	YA 1404	Oct. 1, 1981	3	15.00	300
R.D. 13	YA 1405	Oct. 1, 1981	3	15.00	300
R.D. 14	YA 1406	Oct. 1, 1981	3	15.00	300
R.D. 15	YA 1407	Oct. 1, 1981	3	15.00	300
R.D. 16	YA 1408	Oct. 1, 1981	3	15.00	300
				$240.00	$4,800

Present Expiry Date
April 27, 1979

Alec 1	YA 30048	Oct. 1, 1981	3½	17.50	350
Alec 2	YA 30049	Oct. 1, 1981	3½	17.50	350
Alec 3	YA 30050	Oct. 1, 1981	3½	17.50	350
Alec 4	YA 30051	Oct. 1, 1981	3½	17.50	350
Alec 5	YA 30052	Oct. 1, 1981	3½	17.50	350
Alec 6	YA 30053	Oct. 1, 1981	3½	17.50	350
Alec 7	YA 30054	Oct. 1, 1981	3½	17.50	350
Alec 8	YA 30055	Oct. 1, 1981	3½	17.50	350
				$140.00	$2,800

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Bob 1	YA 17729	Oct. 1, 1981	3½	$17.50	$ 350
Bob 2	YA 17730	Oct. 1, 1981	3½	17.50	350
Bob 3	YA 17731	Oct. 1, 1981	3½	17.50	350
Bob 4	YA 17732	Oct. 1, 1981	3½	17.50	350
Bob 5	YA 17733	Oct. 1, 1981	3½	17.50	350
Bob 6	YA 17734	Oct. 1, 1981	3½	17.50	350
Bob 7	YA 17735	Oct. 1, 1981	3½	17.50	350
Bob 8	YA 17736	Oct. 1, 1981	3½	17.50	350
Bob 9	YA 17737	Oct. 1, 1981	3½	17.50	350
Bob 10	YA 17738	Oct. 1, 1981	3½	17.50	350
Bob 11	YA 17739	Oct. 1, 1981	3½	17.50	350
Bob 12	YA 17740	Oct. 1, 1981	3½	17.50	350
Bob 13	YA 17741	Oct. 1, 1981	3½	17.50	350
Bob 14	YA 17742	Oct. 1, 1981	3½	17.50	350
Bob 15	YA 17743	Oct. 1, 1981	3½	17.50	350
Bob 16	YA 17744	Oct. 1, 1981	3½	17.50	350
Bob 17	YA 17745	Oct. 1, 1981	3½	17.50	350
Bob 18	YA 17746	Oct. 1, 1981	3½	17.50	350
Bob 19	YA 17747	Oct. 1, 1981	3½	17.50	350
Bob 20	YA 17748	Oct. 1, 1981	3½	17.50	350
Bob 21	YA 17749	Oct. 1, 1981	3½	17.50	350
Bob 22	YA 17750	Oct. 1, 1981	3½	17.50	350
Bob 23	YA 17751	Oct. 1, 1981	3½	17.50	350
Bob 24	YA 17752	Oct. 1, 1981	3½	17.50	350
Bob 25	YA 17753	Oct. 1, 1981	3½	17.50	350
Bob 26	YA 17754	Oct. 1, 1981	3½	17.50	350
Bob 27	YA 17755	Oct. 1, 1981	3½	17.50	350
Bob 28	YA 17756	Oct. 1, 1981	3½	17.50	350
Bob 29	YA 17757	Oct. 1, 1981	3½	17.50	350
Bob 30	YA 17758	Oct. 1, 1981	3½	17.50	350
Bob 31	YA 17759	Oct. 1, 1981	3½	17.50	350
Bob 32	YA 17760	Oct. 1, 1981	3½	17.50	350
Bob 33	YA 17761	Oct. 1, 1981	3½	17.50	350
Bob 34	YA 17762	Oct. 1, 1981	3½	17.50	350
Bob 35	YA 17763	Oct. 1, 1981	3½	17.50	350
Bob 36	YA 17764	Oct. 1, 1981	3½	17.50	350
Bob 37	YA 17765	Oct. 1, 1981	3½	17.50	350
Bob 38	YA 17766	Oct. 1, 1981	3½	17.50	350
Bob 39	YA 17767	Oct. 1, 1981	3½	17.50	350

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Bob 40	YA 17768	Oct. 1, 1981	3½	$17.50	$ 350
Bob 41	YA 17769	Oct. 1, 1981	3½	17.50	350
Bob 42	YA 17770	Oct. 1, 1981	3½	17.50	350
Bob 43	YA 17771	Oct. 1, 1981	3½	17.50	350
Bob 44	YA 17772	Oct. 1, 1981	3½	17.50	350
Bob 45	YA 17773	Oct. 1, 1981	3½	17.50	350
Bob 46	YA 17774	Oct. 1, 1981	3½	17.50	350
Bob 47	YA 17775	Oct. 1, 1981	3½	17.50	350
Bob 48	YA 17776	Oct. 1, 1981	3½	17.50	350
Bob 49	YA 17777	Oct. 1, 1981	3½	17.50	350
Bob 50	YA 17778	Oct. 1, 1981	3½	17.50	350
Bob 51	YA 17779	Oct. 1, 1981	3½	17.50	350
Bob 52	YA 17780	Oct. 1, 1981	3½	17.50	350
Bob 53	YA 17781	Oct. 1, 1981	3½	17.50	350
Bob 54	YA 17782	Oct. 1, 1981	3½	17.50	350
Bob 55	YA 17783	Oct. 1, 1981	3½	17.50	350
Bob 56	YA 17784	Oct. 1, 1981	3½	17.50	350
Bob 57	YA 17785	Oct. 1, 1981	3½	17.50	350
Bob 58	YA 17786	Oct. 1, 1981	3½	17.50	350
Bob 59	YA 17787	Oct. 1, 1981	3½	17.50	350
Bob 60	YA 17788	Oct. 1, 1981	3½	17.50	350
Bob 61	YA 17789	Oct. 1, 1981	3½	17.50	350
Bob 62	YA 17790	Oct. 1, 1981	3½	17.50	350
Bob 63	YA 17791	Oct. 1, 1981	3½	17.50	350
Bob 64	YA 17792	Oct. 1, 1981	3½	17.50	350
Bob 65	YA 17793	Oct. 1, 1981	3½	17.50	350
Bob 66	YA 17794	Oct. 1, 1981	3½	17.50	350
Bob 67	YA 17795	Oct. 1, 1981	3½	17.50	350
Bob 68	YA 17796	Oct. 1, 1981	3½	17.50	350
Bob 69	YA 17797	Oct. 1, 1981	3½	17.50	350
Bob 70	YA 17798	Oct. 1, 1981	3½	17.50	350
Bob 71	YA 17799	Oct. 1, 1981	3½	17.50	350
Bob 72	YA 17800	Oct. 1, 1981	3½	17.50	350
Bob 73	YA 17801	Oct. 1, 1981	3½	17.50	350
				$1,277.50	$25,550

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Dave 1	YA 17802	Oct. 1, 1981	3½	$17.50	$ 350
Dave 2	YA 17803	Oct. 1, 1981	3½	17.50	350
Dave 3	YA 17804	Oct. 1, 1981	3½	17.50	350
Dave 4	YA 17805	Oct. 1, 1981	3½	17.50	350
Dave 5	YA 17806	Oct. 1, 1981	3½	17.50	350
Dave 6	YA 17807	Oct. 1, 1982	3½	17.50	350
Dave 7	YA 17808	Oct. 1, 1981	3½	17.50	350
Dave 8	YA 17809	Oct. 1, 1981	3½	17.50	350
Dave 9	YA 17810	Oct. 1, 1981	3½	17.50	350
Dave 10	YA 17811	Oct. 1, 1981	3½	17.50	350
Dave 11	YA 17812	Oct. 1, 1981	3½	17.50	350
Dave 12	YA 17813	Oct. 1, 1981	3½	17.50	350
Dave 13	YA 17814	Oct. 1, 1981	3½	17.50	350
Dave 14	YA 17815	Oct. 1, 1981	3½	17.50	350
Dave 15	YA 17816	Oct. 1, 1981	3½	17.50	350
Dave 16	YA 17817	Oct. 1, 1981	3½	17.50	350
Dave 17	YA 17818	Oct. 1, 1981	3½	17.50	350
Dave 18	YA 17819	Oct. 1, 1981	3½	17.50	350
Dave 19	YA 17820	Oct. 1, 1981	3½	17.50	350
Dave 20	YA 17821	Oct. 1, 1981	3½	17.50	350
Dave 21	YA 17822	Oct. 1, 1981	3½	17.50	350
Dave 22	YA 17823	Oct. 1, 1981	3½	17.50	350
Dave 23	YA 17824	Oct. 1, 1981	3½	17.50	350
Dave 24	YA 17825	Oct. 1, 1981	3½	17.50	350
				$420.00	$8,400

Present Expiry Date
April 24, 1979

Jeff 1	YA 17826	Oct. 1, 1981	3½	17.50	350
Jeff 2	YA 17827	Oct. 1, 1981	3½	17.50	350
Jeff 3	YA 17828	Oct. 1, 1981	3½	17.50	350
Jeff 4	YA 17829	Oct. 1, 1981	3½	17.50	350
Jeff 5	YA 17830	Oct. 1, 1981	3½	17.50	350
Jeff 6	YA 17831	Oct. 1, 1981	3½	17.50	350
Jeff 7	YA 17832	Oct. 1, 1981	3½	17.50	350
Jeff 8	YA 17833	Oct. 1, 1981	3½	17.50	350
Jeff 9	YA 17834	Oct. 1, 1981	3½	17.50	350
Jeff 10	YA 17835	Oct. 1, 1981	3½	17.50	350

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Jeff 11	YA 17836	Oct. 1, 1981	3½	$17.50	$ 350
Jeff 12	YA 17837	Oct. 1, 1981	3½	17.50	350
Jeff 13	YA 17838	Oct. 1, 1981	3½	17.50	350
Jeff 14	YA 17839	Oct. 1, 1981	3½	17.50	350
Jeff 15	YA 17840	Oct. 1, 1981	3½	17.50	350
Jeff 16	YA 17841	Oct. 1, 1981	3½	17.50	350
Jeff 17	YA 17842	Oct. 1, 1981	3½	17.50	350
Jeff 18	YA 17843	Oct. 1, 1981	3½	17.50	350
Jeff 19	YA 17844	Oct. 1, 1981	3½	17.50	350
Jeff 20	YA 17845	Oct. 1, 1981	3½	17.50	350
Jeff 21	YA 17846	Oct. 1, 1981	3½	17.50	350
Jeff 22	YA 17847	Oct. 1, 1981	3½	17.50	350
Jeff 23	YA 17848	Oct. 1, 1981	3½	17.50	350
Jeff 24	YA 17849	Oct. 1, 1981	3½	17.50	350
Jeff 25	YA 17850	Oct. 1, 1981	3½	17.50	350
Jeff 26	YA 17851	Oct. 1, 1981	3½	17.50	350
Jeff 27	YA 17852	Oct. 1, 1981	3½	17.50	350
Jeff 28	YA 17853	Oct. 1, 1981	3½	17.50	350
Jeff 29	YA 17854	Oct. 1, 1981	3½	17.50	350
Jeff 30	YA 17855	Oct. 1, 1981	3½	17.50	350
Jeff 31	YA 17856	Oct. 1, 1981	3½	17.50	350
Jeff 32	YA 17857	Oct. 1, 1981	3½	17.50	350
Jeff 33	YA 17858	Oct. 1, 1981	3½	17.50	350
Jeff 34	YA 17859	Oct. 1, 1981	3½	17.50	350
Jeff 35	YA 17860	Oct. 1, 1981	3½	17.50	350
Jeff 36	YA 17861	Oct. 1, 1981	3½	17.50	350
Jeff 37	YA 17862	Oct. 1, 1981	3½	17.50	350
Jeff 38	YA 17863	Oct. 1, 1981	3½	17.50	350
Jeff 39	YA 17864	Oct. 1, 1981	3½	17.50	350
Jeff 40	YA 17865	Oct. 1, 1981	3½	17.50	350
Jeff 41	YA 17866	Oct. 1, 1981	3½	17.50	350
Jeff 42	YA 17867	Oct. 1, 1981	3½	17.50	350
Jeff 43	YA 17868	Oct. 1, 1981	3½	17.50	350
Jeff 44	YA 17869	Oct. 1, 1981	3½	17.50	350
Jeff 45	YA 17870	Oct. 1, 1981	3½	17.50	350
Jeff 46	YA 17871	Oct. 1, 1981	3½	17.50	350
Jeff 47	YA 17872	Oct. 1, 1981	3½	17.50	350
Jeff 48	YA 17873	Oct. 1, 1981	3½	17.50	350
Jeff 49	YA 17874	Oct. 1, 1981	3½	17.50	350

B1

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Jeff 50	YA 17875	Oct. 1, 1981	3½	$17.50	$ 350
Jeff 51	YA 17876	Oct. 1, 1981	3½	17.50	350
Jeff 52	YA 17877	Oct. 1, 1981	3½	17.50	350
Jeff 53	YA 17878	Oct. 1, 1981	3½	17.50	350
Jeff 54	YA 17879	Oct. 1, 1981	3½	17.50	350
Jeff 55	YA 17880	Oct. 1, 1981	3½	17.50	350
Jeff 56	YA 17881	Oct. 1, 1981	3½	17.50	350
			3½	$980.00	$ 19600
Jeff 65	YA 17882	Oct. 1, 1981	3½	17.50	350
Jeff 66	YA 17883	Oct. 1, 1981	3½	17.50	350
Jeff 67	YA 17884	Oct. 1, 1981	3½	17.50	350
Jeff 68	YA 17885	Oct. 1, 1981	3½	17.50	350
Jeff 69	YA 17886	Oct. 1, 1981	3½	17.50	350
Jeff 70	YA 17887	Oct. 1, 1981	3½	17.50	350
Jeff 71	YA 17888	Oct. 1, 1981	3½	17.50	350
Jeff 72	YA 17889	Oct. 1, 1981	3½	17.50	350
Jeff 73	YA 17890	Oct. 1, 1981	3½	17.50	350
Jeff 74	YA 17891	Oct. 1, 1981	3½	17.50	350
Jeff 75	YA 17892	Oct. 1, 1981	3½	17.50	350
Jeff 76	YA 17893	Oct. 1, 1981	3½	17.50	350
Jeff 77	YA 17894	Oct. 1, 1981	3½	17.50	350
Jeff 78	YA 17895	Oct. 1, 1981	3½	17.50	350
Jeff 79	YA 17896	Oct. 1, 1981	3½	17.50	350
Jeff 80	YA 17897	Oct. 1, 1981	3½	17.50	350
Jeff 81	YA 17898	Oct. 1, 1981	3½	17.50	350
Jeff 82	YA 17899	Oct. 1, 1981	3½	17.50	350
Jeff 83	YA 17900	Oct. 1, 1981	3½	17.50	350
Jeff 84	YA 17901	Oct. 1, 1981	3½	17.50	350
Jeff 85	YA 17902	Oct. 1, 1981	3½	17.50	350
Jeff 86	YA 17903	Oct. 1, 1981	3½	17.50	350
Jeff 87	YA 17904	Oct. 1, 1981	3½	17.50	350
Jeff 88	YA 17905	Oct. 1, 1981	3½	17.50	350
Jeff 89	YA 17906	Oct. 1, 1981	3½	17.50	350
Jeff 90	YA 17907	Oct. 1, 1981	3½	17.50	350
Jeff 91	YA 17908	Oct. 1, 1981	3½	17.50	350
Jeff 92	YA 17909	Oct. 1, 1981	3½	17.50	350
Jeff 93	YA 17910	Oct. 1, 1981	3½	17.50	350
Jeff 94	YA 17911	Oct. 1, 1981	3½	17.50	350
Jeff 95	YA 17912	Oct. 1, 1981	3½	17.50	350
Jeff 96	YA 17913	Oct. 1, 1981	3½	17.50	350
Jeff 97	YA 17914	Oct. 1, 1981	3½	17.50	350
Jeff 98	YA 17915	Oct. 1, 1981	3½	17.50	350
Jeff 99	YA 17916	Oct. 1, 1981	3½	17.50	350

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Jeff 100	YA 17917	Oct. 1, 1981	3½	$17.50	$ 350
Jeff 101	YA 17918	Oct. 1, 1981	3½	17.50	350
Jeff 102	YA 17919	Oct. 1, 1981	3½	17.50	350
Jeff 103	YA 17920	Oct. 1, 1981	3½	17.50	350
Jeff 104	YA 17921	Oct. 1, 1981	3½	17.50	350
Jeff 105	YA 17922	Oct. 1, 1981	3½	17.50	350
Jeff 106	YA 17923	Oct. 1, 1981	3½	17.50	350
Jeff 107	YA 17924	Oct. 1, 1981	3½	17.50	350
Jeff 108	YA 17925	Oct. 1, 1981	3½	17.50	350
Jeff 109	YA 17926	Oct. 1, 1981	3½	17.50	350
Jeff 110	YA 17927	Oct. 1, 1981	3½	17.50	350
Jeff 111	YA 17928	Oct. 1, 1981	3½	17.50	350
Jeff 112	YA 17929	Oct. 1, 1981	3½	17.50	350
				$840.00	$16,800

Delete "e" from Smoky, should read Smoky

Smokey 1	YA 17930	Oct. 1, 1981	3½	17.50	350
Smokey 2	YA 17931	Oct. 1, 1981	3½	17.50	350
Smokey 3	YA 17932	Oct. 1, 1981	3½	17.50	350
Smokey 4	YA 17933	Oct. 1, 1981	3½	17.50	350
Smokey 5	YA 17934	Oct. 1, 1981	3½	17.50	350
Smokey 6	YA 17935	Oct. 1, 1981	3½	17.50	350
Smokey 7	YA 17936	Oct. 1, 1981	3½	17.50	350
Smokey 8	YA 17937	Oct. 1, 1981	3½	17.50	350
Smokey 9	YA 17938	Oct. 1, 1981	3½	17.50	350
Smokey 10	YA 17939	Oct. 1, 1981	3½	17.50	350
Smokey 11	YA 17940	Oct. 1, 1981	3½	17.50	350
Smokey 12	YA 17941	Oct. 1, 1981	3½	17.50	350
Smokey 13	YA 17942	Oct. 1, 1981	3½	17.50	350
Smokey 14	YA 17943	Oct. 1, 1981	3½	17.50	350
Smokey 15	YA 17944	Oct. 1, 1981	3½	17.50	350
Smokey 16	YA 17945	Oct. 1, 1981	3½	17.50	350
Smokey 17	YA 17946	Oct. 1, 1981	3½	17.50	350
Smokey 18	YA 17947	Oct. 1, 1981	3½	17.50	350
Smokey 19	YA 17948	Oct. 1, 1981	3½	17.50	350
Smokey 20	YA 17949	Oct. 1, 1981	3½	17.50	350
Smokey 21	YA 17950	Oct. 1, 1981	3½	17.50	350
Smokey 22	YA 17951	Oct. 1, 1981	3½	17.50	350
Smokey 23	YA 17952	Oct. 1, 1981	3½	17.50	350
Smokey 24	YA 17953	Oct. 1, 1981	3½	17.50	350

B2

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Smokey 25	YA 17954	Oct. 1, 1981	3½	$17.50	$ 350
Smokey 26	YA 17955	Oct. 1, 1981	3½	17.50	350
Smokey 27	YA 17956	Oct. 1, 1981	3½	17.50	350
Smokey 28	YA 17957	Oct. 1, 1981	3½	17.50	350
Smokey 29	YA 17958	Oct. 1, 1981	3½	17.50	350
Smokey 30	YA 17959	Oct. 1, 1981	3½	17.50	350
Smokey 31	YA 17960	Oct. 1, 1981	3½	17.50	350
Smokey 32	YA 17961	Oct. 1, 1981	3½	17.50	350
Smokey 33	YA 17962	Oct. 1, 1981	3½	17.50	350
Smokey 34	YA 17963	Oct. 1, 1981	3½	17.50	350
Smokey 35	YA 17964	Oct. 1, 1981	3½	17.50	350
Smokey 36	YA 17965	Oct. 1, 1981	3½	17.50	350
Smokey 37	YA 17966	Oct. 1, 1981	3½	17.50	350
Smokey 38	YA 17967	Oct. 1, 1981	3½	17.50	350
Smokey 39	YA 17968	Oct. 1, 1981	3½	17.50	350
Smokey 40	YA 17969	Oct. 1, 1981	3½	17.50	350
Smokey 41	YA 17970	Oct. 1, 1981	3½	17.50	350
Smokey 42	YA 17971	Oct. 1, 1981	3½	17.50	350
Smokey 43	YA 17972	Oct. 1, 1981	3½	17.50	350
Smokey 48	YA 17973	Oct. 1, 1981	3½	17.50	350
Smokey 49	YA 17974	Oct. 1, 1981	3½	17.50	350
Smokey 50	YA 17975	Oct. 1, 1981	3½	17.50	350
Smokey 55	YA 17976	Oct. 1, 1981	3½	17.50	350
Smokey 56	YA 17977	Oct. 1, 1981	3½	17.50	350
Smokey 57	YA 17978	Oct. 1, 1981	3½	17.50	350
Smokey 58	YA 17979	Oct. 1, 1981	3½	17.50	350
Smokey 59	YA 17980	Oct. 1, 1981	3½	17.50	350
Smokey 60	YA 17981	Oct. 1, 1981	3½	17.50	350
Smokey 61	YA 17982	Oct. 1, 1981	3½	17.50	350
Smokey 66	YA 17983	Oct. 1, 1981	3½	17.50	350
Smokey 67	YA 17984	Oct. 1, 1981	3½	17.50	350
Smokey 68	YA 17985	Oct. 1, 1981	3½	17.50	350
Smokey 69	YA 17986	Oct. 1, 1981	3½	17.50	350
Smokey 70	YA 17987	Oct. 1, 1981	3½	17.50	350
Smokey 71	YA 17988	Oct. 1, 1981	3½	17.50	350
Smokey 72	YA 17989	Oct. 1, 1981	3½	17.50	350
Smokey 73	YA 17990	Oct. 1, 1981	3½	17.50	350

Delete "e" from Smokey, should read Smoky

B2

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 24, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Smokey 78	YA 17991	Oct. 1, 1981	3½	$17.50	$ 350
Smokey 79	YA 17992	Oct. 1, 1981	3½	17.50	350
Smokey 80	YA 17993	Oct. 1, 1981	3½	17.50	350
Smokey 81	YA 17994	Oct. 1, 1981	3½	17.50	350
Smokey 82	YA 17995	Oct. 1, 1981	3½	17.50	350
Delete "e" from Smokey, should read Smoky				$1,155.00	$23,100
Alec 41	YA 17996	Oct. 1, 1981	3½	17.50	350
Alec 42	YA 17997	Oct. 1, 1981	3½	17.50	350
Alec 43	YA 17998	Oct. 1, 1981	3½	17.50	350
Alec 44	YA 17999	Oct. 1, 1981	3½	17.50	350
Alec 45	YA 17800	Oct. 1, 1981	3½	17.50	350
Alec 46	YA 30001	Oct. 1, 1981	3½	17.50	350
Alec 47	YA 30002	Oct. 1, 1981	3½	17.50	350
Alec 48	YA 30003	Oct. 1, 1981	3½	17.50	350
Alec 49	YA 30004	Oct. 1, 1981	3½	17.50	350
Alec 50	YA 30005	Oct. 1, 1981	3½	17.50	350
Alec 51	YA 30006	Oct. 1, 1981	3½	17.50	350
Alec 52	YA 30007	Oct. 1, 1981	3½	17.50	350
Alec 53	YA 30008	Oct. 1, 1981	3½	17.50	350
Alec 54	YA 30009	Oct. 1, 1981	3½	17.50	350
Alec 55	YA 30010	Oct. 1, 1981	3½	17.50	350
Alec 56	YA 30011	Oct. 1, 1981	3½	17.50	350
Alec 57	YA 30012	Oct. 1, 1981	3½	17.50	350
Alec 58	YA 30013	Oct. 1, 1981	3½	17.50	350
Alec 59	YA 30014	Oct. 1, 1981	3½	17.50	350
Alec 60	YA 30015	Oct. 1, 1981	3½	17.50	350
				$350.00	$ 7,000

62

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 12, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
D.G. 2	YA 14945	Oct. 1, 1981	3½	$17.50	$ 350
D.G. 3	YA 14946	Oct. 1, 1981	3½	17.50	350
D.G. 4	YA 14947	Oct. 1, 1981	3½	17.50	350
D.G. 5	YA 14948	Oct. 1, 1981	3½	17.50	350
D.G. 6	YA 14949	Oct. 1, 1981	3½	17.50	350
D.G. 7	YA 14950	Oct. 1, 1981	3½	17.50	350
D.G. 8	YA 14951	Oct. 1, 1981	3½	17.50	350
D.G. 9	YA 14952	Oct. 1, 1981	3½	17.50	350
D.G. 10	YA 14953	Oct. 1, 1981	3½	17.50	350
D.G. 11	YA 14954	Oct. 1, 1981	3½	17.50	350
D.G. 12	YA 14955	Oct. 1, 1981	3½	17.50	350
D.G. 13	YA 14956	Oct. 1, 1981	3½	17.50	350
D.G. 14	YA 14957	Oct. 1, 1981	3½	17.50	350
D.G. 15	YA 14958	Oct. 1, 1981	3½	17.50	350
D.G. 16	YA 14959	Oct. 1, 1981	3½	17.50	350
D.G. 17	YA 14960	Oct. 1, 1981	3½	17.50	350
D.G. 18	YA 14961	Oct. 1, 1981	3½	17.50	350
D.G. 19	YA 14962	Oct. 1, 1981	3½	17.50	350
D.G. 20	YA 14963	Oct. 1, 1981	3½	17.50	350
D.G. 21	YA 14964	Oct. 1, 1981	3½	17.50	350
D.G. 22	YA 14965	Oct. 1, 1981	3½	17.50	350
D.G. 23	YA 14966	Oct. 1, 1981	3½	17.50	350
D.G. 24	YA 14967	Oct. 1, 1981	3½	17.50	350
D.G. 25	YA 14968	Oct. 1, 1981	3½	17.50	350
D.G. 26	YA 14969	Oct. 1, 1981	3½	17.50	350
D.G. 27	YA 14970	Oct. 1, 1981	3½	17.50	350
D.G. 28	YA 14971	Oct. 1, 1981	3½	17.50	350
D.G. 29	YA 14972	Oct. 1, 1981	3½	17.50	350
D.G. 30	YA 14973	Oct. 1, 1981	3½	17.50	350
D.G. 31	YA 14974	Oct. 1, 1981	3½	17.50	350
D.G. 32	YA 14975	Oct. 1, 1981	3½	17.50	350
D.G. 33	YA 14976	Oct. 1, 1981	3½	17.50	350
D.G. 34	YA 14977	Oct. 1, 1981	3½	17.50	350
D.G. 35	YA 14978	Oct. 1, 1981	3½	17.50	350
D.G. 36	YA 14979	Oct. 1, 1981	3½	17.50	350
D.G. 37	YA 14980	Oct. 1, 1981	3½	17.50	350
D.G. 38	YA 14981	Oct. 1, 1981	3½	17.50	350

GORDON F. D[illegible]

B2

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
April 12, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
D.G. 40	YA 14983	Oct. 1, 1981	3½	$17.50	$ 350
D.G. 41	YA 14984	Oct. 1, 1981	3½	17.50	350
D.G. 43	YA 14986	Oct. 1, 1981	3½	17.50	350
D.G. 45	YA 14988	Oct. 1, 1981	3½	17.50	350
D.G. 46	YA 14989	Oct. 1, 1981	3½	17.50	350
D.G. 47	YA 14990	Oct. 1, 1981	3½	17.50	350
D.G. 48	YA 14991	Oct. 1, 1981	3½	17.50	350
D.G. 49	YA 14992	Oct. 1, 1981	3½	17.50	350
D.G. 50	YA 14993	Oct. 1, 1981	3½	17.50	350
D.G. 51	YA 14994	Oct. 1, 1981	3½	17.50	350
D.G. 52	YA 14995	Oct. 1, 1981	3½	17.50	350
D.G. 53	YA 14996	Oct. 1, 1981	3½	17.50	350
D.G. 55	YA 14998	Oct. 1, 1981	3½	17.50	350
				$875.00	$17,500

Present Expiry Date
March 30, 1980

Mar 1	YA 14897	Oct. 1, 1981	3/4	8.75	175
Mar 2	YA 14898	Oct. 1, 1981	3/4	8.75	175
Mar 3	YA 14899	Oct. 1, 1981	3/4	8.75	175
Mar 4	YA 14900	Oct. 1, 1981	3/4	8.75	175
Mar 5	YA 14901	Oct. 1, 1981	3/4	8.75	175
Mar 6	YA 14902	Oct. 1, 1981	3/4	8.75	175
Mar 7	YA 14903	Oct. 1, 1981	3/4	8.75	175
Mar 13	YA 14908	Oct. 1, 1981	3/4	8.75	175
Mar 14	YA 14909	Oct. 1, 1981	3/4	8.75	175
Mar 15	YA 14910	Oct. 1, 1981	3/4	8.75	175
Mar 16	YA 14911	Oct. 1, 1981	3/4	8.75	175
Mar 17	YA 14912	Oct. 1, 1981	3/4	8.75	175
Mar 18	YA 14913	Oct. 1, 1981	3/4	8.75	175
				$113.75	$2,275
				178.75	1300 3575

B2

Schedule of Claim Renewals and Work
To Accompany Form C - Application For A
Certificate of Work

Present Expiry Date
March 30, 1979

Claim No.	Grant No.	Renew to	Claim yrs.	Filing Fees	Assessment Requirements
Mar 8	YA 14903	Oct. 1, 1981	3 3/4	$18.75	$ 375
Mar 9	YA 14904	Oct. 1, 1981	3 3/4	18.75	375
Mar 10	YA 14905	Oct. 1, 1981	3 3/4	18.75	375
Mar 11	YA 14906	Oct. 1, 1981	3 3/4	18.75	375
Mar 12	YA 14907	Oct. 1, 1981	3 3/4	18.75	375
Mar 19	YA 14914	Oct. 1, 1981	3 3/4	18.75	375
Mar 20	YA 14915	Oct. 1, 1981	3 3/4	18.75	375
Mar 21	YA 14916	Oct. 1, 1981	3 3/4	18.75	375
Mar 22	YA 14917	Oct. 1, 1981	3 3/4	18.75	375
Mar 23	YA 14918	Oct. 1, 1981	3 3/4	18.75	375
Mar 24	YA 14919	Oct. 1, 1981	3 3/4	18.75	375
				$206.25	$4,125

Total Fees Due: $7,577.50

Assessment Due: $151,550.00

62

Table of Contents

	Page
SUMMARY	I
CONCLUSIONS	VIII
RECOMMENDATIONS	XII
INTRODUCTION	1
Location and Access	1
Climate	4
Topography and Vegetation	4
History	5
Work Done in the 1978 Program	9
Dublin Gulch Property - Survey Controls	11
GEOLOGIC SETTING OF THE DUBLIN GULCH PROPERTY	17
Regional Geology	17
Structure	18
LOCAL GEOLOGY	19
General Statement	19
Rock Types	20
Yukon Group Metasedimentary Units	20
Quartz Veining	40
Mineralization	41
Structural Geology	44
TIN DOME GEOLOGY	51
Metamorphism and Deformation	52
Faulting	53
Veining and Mineralization	53
Interpretation	54
GEOCHEMISTRY	56
Introduction	56
Reconnaissance Geochemistry	57
Detailed Grid Geochemistry	57
Geochemical Sample Preparation and Analytical Procedures	59

Cont'd. . .

Table of Contents (Cont'd)

		Page
INTERPRETATION OF STREAM SEDIMENT GEOCHEMICAL DATA		62
Tungsten		62
Tin		64
Gold		66
Silver		68
INTERPRETATION OF SOIL GEOCHEMICAL DATA		70
Tungsten		70
Tin		72
Gold		73
Silver		76
Discussion		78
GEOPHYSICS		79
APPENDIX I	Petrographic Report - Dublin Gulch and Tin Dome Samples	After Page 79
APPENDIX II	Canex Placer Diamond Drilling	After Page 79
APPENDIX III	McElhanney Survey Sites - UTM Coordinates and Elevations	After Page 79
APPENDIX IV	Notarized Statement of Costs and Statement of Qualifications	After Page 79

PLATES

Plate 1	39+400 Skarn Zone - View Looking Northeast	26
Plate 2	View Looking Northwest - Cliffs on West Side of Ray Gulch	28
Plate 3	View Looking East - East Side of Ray Gulch	31
Plate 4	View of "North Ridge" Looking Northwest	36
Plate 5	View Looking Northeast - Cascallen and Dublin creeks	37

FIGURES

Figure 1	Yukon Location Map	2
Figure 2	Claim Map	3
Figure 3	Garnet Skarn Zone	23
Figure 4	39+400 Skarn Zone	25
Figure 5	39+800 Skarn Zone	27
Figure 6	40+150 Skarn Zone	30

Cont'd. . .

Table of Contents (Cont'd)

		Page
Figure 7	Tungsten Sediment Geochemistry	63
Figure 8	Tin Sediment Geochemistry	65
Figure 9	Gold Sediment Geochemistry	67
Figure 10	Silver Sediment Geochemistry	69
Figure 11	Tungsten Soil Geochemistry	71
Figure 12	Tin Soil Geochemistry	74
Figure 13	Gold Soil Chemistry	75
Figure 14	Silver Soil Chemistry	77

MAPS

Map 1	Index of Aerial Photography Map Sheets	Attached File Folder
Map 2	Plan of Photo Control	Attached File Folder
Map 3	Reconnaissance & Detailed Geology (Eastern Half)	Attached File Folder
Map 4	Reconnaissance & Detailed Geology (Western Half)	Attached File Folder
Map 5	1978 Survey Lines & Detailed Geology	Attached File Folder
Map 6	Geologic Section A-A' - View Looking N. 54°E	Attached File Folder
Map 7	Tin Dome Area - Detailed Geology	Attached File Folder
Map 8	Regional Stream Geochemistry (Eastern Half)	Attached File Folder
Map 9	Regional Stream Geochemistry (Western Half)	Attached File Folder
Map 10	1978 Dublin Gulch Detailed Geochemistry - Tungsten	Attached File Folder
Map 11	1978 Dublin Gulch Detailed Geochemistry - Tin	Attached File Folder
Map 12	1978 Dublin Gulch Detailed Geochemistry - Gold	Attached File Folder
Map 13	1978 Dublin Gulch Detailed Geochemistry - Silver	Attached File Folder

GEOCHEMICAL DATA

Sample Listings	Attached File Folder
Statistical Analysis	Attached File Folder

SUMMARY

The Dublin Gulch Property which is made up of the Jeff, Alec, Dave, Bob, D.G., Smoky, R.D. and Mar claim blocks, is located in central Yukon Territory 25 air miles northeast of Mayo. The center of the claims are located approximately at latitude 64° 2'30" N. and longitude 135° 47' W. Access is via air or four wheel drive truck road from Mayo.

Canada Tungsten acquired 453 mineral claims in the Dublin Gulch area during the spring of 1978. The Mar 1-30 claims were optioned to Canada Tungsten by Queenstake Resources and the D.G. 1-56 claims were optioned to Canada Tungsten by Gordon Dickson, a local prospector. Canada Tungsten purchased the R.D. claims from Ron Holoway. The Jeff 1-112, Dave 1-24, Smoky 1-82, Bob 1-73 and Alec 1-60 claims were staked by Canada Tungsten crews in 1978.

Although considerable amounts of work have been done in the area over the last 79 years very little concrete data is available. Only one company (Canex-Placer) attempted a broader scoped and comprehensive evaluation program in 1970 and 1971. Their work concentrated on the large granodiorite stock that intrudes the Yukon Group metasediments. They were interested in exploring the stock for a potentially large scheelite bearing quartz vein stockworks system. This evaluation was done by establishing a grid, soil sampling, mapping, cat trenching and finally, diamond drilling. Three short angle holes were drilled and as can be observed from the drill logs located in Appendix II, only trace amounts or very low grades of tungsten were found. Very little work was done on the skarn zones found on the property.

During the spring and summer of 1978 Canada Tungsten embarked on a systematic evaluation of all the claims and areas peripheral to the claims. The program was designed to carry out a thorough evaluation that would take place over a few years and keep focussing in on targets generated by the broader evaluation aspects of the program. This was initiated by first of all having McElhanney Surveying make up 13 1:5000 scale detailed topographic base maps. These maps were made from 1960-1961 government aerial photography. At the same time McElhanney drew up plans to fly a new aerial photography program so that the base maps could be updated for the 1979 field season. All maps were produced utilizing metric measurements. Geologic mapping, geochemical surveys and geophysical surveys can be continually updated on these maps.

Prior to going out into the field, a geochemical data recording system was instituted so as to be able to take raw field data directly to a keypuncher and then to a computer. The computer then sorts the samples according to sampler and sample type. When geochemical analysis of samples are completed, the results are merged with the appropriate sampler and sample type in the computer and then statistical analysis of the data is done.

In the field, Canada Tungsten crews first of all established 35 aerial triangulation survey sites that were specified by McElhanney for the flying of new aerial photography. Another 55 sites were added during July. Reconnaissance geologic mapping and geochemical sediment sampling was done within and peripheral to the whole claim block. These two events were run simultaneously to obtain the best utilization of helicopter time. McElhanney survey crews surveyed in all the established sites and had their work completed in time for the aerial photography flights that took place on July 29, 1978.

By mid July, the reconnaissance geochemistry had indicated several anomalous areas with respect to tungsten and tin. On the west side of Haggart Creek, south of its junction with Dublin Gulch, two streams (Gill Gulch and a parallel stream to the south) were found to be highly anomalous in tin. Follow up geologic mapping located a small tin bearing granitic plug. Anomalous tin values were found in sediments from Ann Gulch which drains the known tin bearing zone called Tin Dome. Detailed follow up geologic mapping found an area that was intensively deformed, faulted and veined. The veins were tourmaline-quartz-cassiterite bearing. Significant tin values were not found in the remaining drainages on and around the property.

Highly anomalous tungsten values were obtained from streams draining in a northwesterly and southwesterly direction into Dublin Gulch. Several streams draining southwesterly from the ridge south of Dublin Gulch into Lynx Creek were also found to be anomalous in tungsten. The creeks are Ray Gulch and a small unnamed creek that lies to the west. Because the values obtained from these stream sediments were much higher (20 - 160 ppm tungsten) than those obtained in all other streams in the area, it was decided to establish a grid covering the Ray Gulch area as well as the Dublin Gulch area. A 9 Km baseline designated 10+000N was established on the ridge that lies south of and between Dublin Gulch and Lynx Creek. This line begins in the southwest near Platinum Pup and trends northeasterly on AZ 054^{o} and passes between the two hills (East and West) that make up the Potato Hills. A grid consisting of 17 lines was run on Az 144^{o} normal to the baseline over the Ray Gulch drainages. Another grid consisting of 16 lines was run on Az 324^{o} normal to the baseline over the northwesterly trending drainages of Dublin Gulch. The eastern most and western most lines (L36+700E, L38+950E) were extended northwesterly onto the "North Ridge" on the north side of Dublin Gulch. These two lines were connected by another baseline called L12+100N. This line parallels baseline 10+000N. Two grid lines were placed on Tin Dome.

Jesmex Ltd. compassed, picketed and cut all lines. The lines were spaced 150 meters apart along the baseline. Stations were established every 50 meters on the grid lines. As each was completed, soil sampling was carried out along them. The detailed soil sampling was done to try and locate more specific source areas for the sediment sample anomalies. Tungsten, tin and gold anomalies were plotted on geochemistry base maps and it was then decided to proceed with detailed geologic mapping at a scale of 1:5000 on the grid lines. Anomalous areas were closely scrutinized.

Tungsten anomalies located on the "Ray Gulch" grid were followed up with mapping and 4 scheelite bearing skarn zones were located. Tungsten values ranging between 30 and 300 ppms outlined the skarn zones well with the exception of one zone. The 40+150 Skarn Zone, 39+800 Skarn Zone and 39+400 Skarn Zone were readily located using geochemistry. Only a few anomalous single samples were found in the Garnet Skarn Zone. Follow up geologic mapping found no outcrop but a close examination of small float rocks located an area abundant in scheelite bearing garnetiferous skarn pebbles. Some gold anomalies located on this grid emanate from quartz veins cutting the metasediments. Tin and silver anomalies of any significance are not found on this grid.

Follow-up detailed geologic mapping on tungsten, gold and silver anomalies located on the "Dublin Gulch" grid resulted in the finding of an intensly veined porphyritic core area of the main granodiorite stock. Scheelite is the only mineral found in the quartz veins in this stock. The gold and silver anomalies overlap the tungsten anomalies slightly but have an elongate northeasterly trend. This trend was found to line up with a large gold bearing quartz vein fault-fissure system lying to the southwest on Stuttle, Eagle and Stewart Gulches. As most of the anomalous area is covered in scree, work needs to be done to extend this fissure-vein system.

A tungsten and gold anomaly was located in the junction area of Olive Gulch and Dublin Gulch. A small Quartz Monzonite plug was subsequently mapped and a scheelite bearing quartz vein stockworks was located within the plug. Samples taken on the "North Ridge" baseline above the plug were anomalous in tungsten and mapping revealed that the quartz vein stockworks penetrated the overlying biotite-quartzite metasediments. Scheelite, wolframite, cassiterite and molybdenite mineralization were found in these veins. The two lines that cross the Tin Dome area were, as expected, anomalous in tin and tungsten. Mapping has indicated that the higher grade anomalies coincide with major rather than minor fault zones in this area. Rock chip samples were taken wherever outcrop was found and the results were compared with soil anomaly locations. The reconnaissance and detailed follow-up geologic mapping resulted in the establishment of 11 rock types. Six metasedimentary units and five intrusive units were mapped. Future detailed mapping and petrographic work may result in a further breakdown of the metasedimentary units. The Dublin Gulch area is underlain by Precambrian and/or Palaeozoic Yukon Group metasediments consisting of Black Phyllitic Schists, Marble, Laminated Diopside and Garnet Skarns, Muscovite-Quartzite Schists and Plyllites, and Biotite-Quartzite Schists. The metasediments were intruded by Cretaceous rocks consisting of Granodiorite, Granite, Aplite Dykes, Quartz Monzonite and Diorites and Gabbros.

At least three phases of progressive regional metamorphism has taken place on the property. Two and possibly three faulting events occurred contemporaneously with or slightly later than regional metamorphism. Mapping indicates that Dublin Gulch is located near the nose of a southwesterly plunging anticline and faulting occurs parallel to the fold axis and normal to the fold axis. The presence of this fold is best outlined in the Ray Gulch area and to the E.N.E. of Ray Gulch.

Two and possibly three intrusive events occurred in the Dublin Gulch area. The earliest event was the emplacement of the main 3 mile long granodiorite stock that lies on the ridge to the south of Dublin Gulch. This stock extends from Platinum Pup in the southwest to the base of the Potato Hills to the northeast. Later stage intrusive activity resulted in the emplacement of a Quartz Monzonite plug located at the junction of Olive Gulch and Dublin Gulch. Granitic plugs were emplaced on the west side of Haggart Creek south of its junction with Gill Gulch and near the base of the ridge that lies immediately to the east of Ray Gulch. An intrusive plug (cupola) of unknown composition is believed to exist at depth under the Tin Dome metasediments.

Faulting events that are strictly related to intrusive activity are located on the property. The most noteable being a gold-arsenopyrite bearing quartz vein fault-fissure system that lies sub-parallel to the contact area of the granodiorite stock and biotite-quartzites located south of Dublin Gulch. Intense faulting, brecciation and veining in the Tin Dome area indicates emplacement of a cupola at depth. The faulting, brecciation and veining are a result of stresses incurred as the intrusion came in and forced or domed the overlying metasediments upward. The intrusive activity overprinted retrograde metamorphic sequences on the previously regionally metamorphosed sediments.

The mineralization found in the Dublin Gulch area is caused primarily by intrusive events. Gold, tungsten and tin mineralization occurs in economic quantities in the Dublin Gulch placer deposits. Tungsten (scheelite) is derived almost exclusively from the quartz vein stockworks found in the large granodiorite stock and the small Quartz Monzonite plug described previously. Significant scheelite mineralization is found within skarn units that are found on the south facing slopes of the ridge lying to the south of Dublin Gulch. The skarns are also located in Ray Gulch. Scheelite mineralization found in skarn horizons is most likely due to contact metamorphism caused by the emplacement of the granodioritic stock.

Gold mineralization appears to be restricted to the veining that is associated with a major fault-fissure that runs sub-parallel to the northwestern contact of the granodioritic stock and biotite quartzites. This fault-fissure is located to the south of Dublin Gulch.

Tin (cassiterite) mineralization is primarily derived from tourmaline-quartz-cassiterite veins found only in the Tin Dome area. The association of tin and tourmaline is characteristic of tin deposits world wide. Tourmaline is found throughout the property as prisms on foliation planes but is most abundant as vein fillings on Tin Dome. Tin (cassiterite) is also found in crystalline form in a quartz vein stockworks that penetrate biotite-quartzite found on the "North Ridge". The veins emanate from the Quartz Monzonite plug that has intruded the quartzites. A small granitic plug located near the junction of Gill Gulch and Haggart Creek is surrounded by anomalous sediment samples. No cassiterite bearing veins have been found to date.

CONCLUSIONS

1. The Keno-Hill lead, silver mining camp lies approximately 8 miles to the southeast of Dublin Gulch. The ore is hosted by fault controlled vein systems that trend northeasterly. The veins contain minor amounts of tin mineralization..

2. Deformation in the Dublin Gulch area is similar to that of the Keno-Hill area. Three regional metamorphic events have taken place and the foliation and fold axis trend in a northeast-southwest direction.

3. Deformation stresses resulted in faulting parallel to foliation and fold axis. These faults trend in an east-northeasterly direction. Faulting normal to the fold axis and foliation also occurred due to a change in stress direction. These faults trend northeasterly to northwesterly.

4. The large granodioritic stock intruded Yukon Group metasediments in the Dublin Gulch area along the previously developed east-northeasterly trending fault system. Quartz veining took place in this stock during its last stages of cooling and subsequent joint and fracture development. The quartz veins carried scheelite mineralization.

5. Limestone or marble horizons found within the Yukon Group metasediments may have been skarnified by regional metamorphism but were further skarnified by contact metamorphism. Garnet formation and the introduction of scheelite into the skarns were caused by the granodiorite intrusion.

6. Small quartz monzonite to granitic plugs intruded the metasediments of Dublin Gulch after or during the latter stage of the emplacement of the granodioritic stock.

7. Further scheelite bearing quartz veins were introduced as the plugs cooled and fractured.

8. A boron rich tin bearing cupola intruded the pelitic metasediments of Tin Dome. The resultant uplift caused intense normal reverse faulting around the periphery of the cupola and lifted older metasediments above younger ones. Violent pressure changes (degassing) at the top of the cupola caused intense brecciation and fracturing. Hydrothermal fluids containing tourmaline, tin and quartz streamed off the top of the cupola and formed veins along fault zones and infilling in breccia zones.

9. Possibly the last structural event to take place was the development of a wide northeasterly trending fault-fissure system that runs sub-parallel to the northern contact of the granodiorite stock with biotite-quartzites. Parallel sets of quartz veins were introduced along this fissure. Gold, arsenopyrite, antimony and minor silver are found in these veins.

10. The scheelite found in the Dublin Gulch placer deposits accumulated as a result of the weathering of large quantities of scheelite bearing quartz veined granodioritic and quartz monzonitic talus boulders.

11. The gold found in the Dublin Gulch placer deposits accumulated as a result of the weathering of gold bearing quartz veins found in the large northeasterly trending fault-fissure system.

12. The tin (cassiterite) found in the Dublin Gulch placer deposits accumulated as a result of the weathering of tourmaline-quartz-cassiterite veins found on Tin Dome.

13. Stream sediment geochemistry is very useful and effective in locating areas that contain tungsten, tin and gold. It was from the results of stream geochemistry that follow-up geologic mapping and detailed soil sampling was done. The result was the successful location of skarn zones, scheelite bearing quartz vein stockworks, tin bearing veins and gold bearing quartz veins.

14. Soil geochemistry was useful and effective in narrowing down the search for mineralized areas. Soil geochemistry must be carefully evaluated and in particular, small insignificant single anomalies. A visual check by geologic mapping is required on all soil anomalies. The "Garnet Skarn Zone" is an example where no outcrop exists and only three samples indicated the presence of tungsten. Float mapping revealed the presence of an abundance of garnetiferous scheelite bearing skarn pebbles which hopefully will reflect an outcrop at depth.

15. Glaciation has not taken place in the Dublin Gulch area. Soil development is therefore of residual origin. Horizon development has not taken place. Upward movement of tungsten, gold, tin and silver minerals is minimal due to their high specific gravities and general lack of solubility. As mentioned previously soil anomalies must be checked carefully because these minerals tend to stay close to bedrock and varying overburden depths can greatly affect the sample result.

16. The quartzitic schists and phyllitic schists are not good localizers of mineralization. Scheelite mineralization is restricted to most quartz veins and skarn zones. Gold mineralization is restricted (as so far indicated) to the quartz veins that accompany the fault-fissure system. Tin mineralization is restricted primarily but not exclusively to tourmaline bearing vein systems. Silver appears to favour the gold bearing quartz veins but is not restricted to them.

RECOMMENDATIONS

Three thousand feet of diamond drilling is required in the vicinity of the Mar 1-30 claims. This will honour the conditions set out in the option agreement between Canada Tungsten and Queenstake Resources Ltd.

Prior to drilling it is recommended that cat trenching be done on the scree covered section of the "Garnet Skarn Zone". This area lies on the "Ray Gulch" grid between Lines 38+200E and 38+950E and between the baseline 10+000N and station 9+200N. This should be done to help locate the source area for the scheelite bearing garnetiferous skarn float rock. Further detailed geologic mapping and rock chip sampling is required on the skarn horizons belonging to the "Garnet Skarn Zone", 39+400 Skarn Zone, 39+800 Skarn Zone and 40+150 Skarn Zone. This will help delineate the lateral extent of the zones and the grade of mineralization over that total extent. The proposed drill holes located on Map 5 are by no means firm and would be subject to position changes pending the results of the above work.

D.D.H. 79-1 Az 090^{O} Dip - 70^{O} Length 300 meters

The purpose of this hole is to test the 39+400 and 39+800 Skarn Zones at depth as close as possible to the granodiorite contact. This would hopefully indicate an increase in scheelite grade as one approached the contact.

D.D.H. 79-2 Az 090^{O} Dip - 70^{O} Length 152 meters

This hole is designed to test the 39+400 and 39+800 Skarn Zone farther away from the intrusive contact and to provide a cross section between holes 79-1 and 79-2 and observe the change of grade along the section.

D.D.H. 79-3 Az 090° Dip - 70° Length 152 meters

This hole will test the 39+800 Skarn Zone as well as other possible skarn zones that lie stratigraphically below it. The 39+800 Skarn Zone "appears" to be lower in the stratigraphic section than the 39+400 Skarn Zone.

D.D.H. 79-4 Az 090° Dip - 70° Length 152 meters

The location of this hole is not definite. The trenching of the "Garnet Skarn Zone" float will ultimately determine where this hole is spotted. The hole will test the scheelite bearing "Garnet Skarn" unit. It is presently located just to the west of a belt of garnet skarn float pebbles.

D.D.H. 79-5 Az 090° Dip - 70° Length 152 meters

This hole is designed to test an outcrop deficient area between Garnet Skarn Zone and the 39+400 Skarn Zone. It is hoped that more skarn units will be found so that a total picture of the skarn units, their overall thickness and grade potential, can be estimated. The location of this hole depends on the results of cat trenching and channel sampling.

D.D.H 79-6 Az 116° Dip - 60° Length 152 meters

The purpose of this hole is to test the thickest skarn zone on the property (40+150 Skarn Zone) and to check the existence of more skarn zones at depth. Skarn zones found southeast of the 40+150 zone may be faulted off and down dropped units that lie stratigraphically below the 40+150 Skarn Zone.

It is recommended that the "Ray Gulch" grid be extended southwesterly from L38+200E to Line 36+700E. This would involve the compassing, picketing, chaining and cutting of 10 lines that would extend southeasterly (Az 144^{o}) from the baseline to station 8+900N. Picketed stations should be established at 50 meter intervals along the lines. Detailed geologic mapping and soil sampling should be carried out along the lines to determine if any skarn zones exist in this area. (See Map 5).

Ten new lines should be compassed, chained, picketed and cut out on the "Dublin Gulch". The lines would trend on Az 324^{o} at 150 meter intervals along baseline 10+000N. This grid would extend southwesterly along the baseline from the presently established Line 36+700E to a new 35+200E line. Picketed stations should be established at 50 meter intervals along the lines. The lines should terminate in the placer area in Dublin Creek so as to facilitate geologic mapping of recently exposed bedrock. The termination of the lines should be in the vicinity of station 12+100N. This grid extension is required to map the granodiorite-biotite-quartzite schist contact area in detail. Further delineation of the gold quartz vein and fault-fissure system can be attempted from this grid. Detailed geologic mapping and soil sampling should be carried out along all the lines. (See Map 5).

Geophysical work should be carried out on all new and previously established grid lines belonging to the "Ray Gulch" and "Dublin Gulch" grids. A proton magnetometer survey and a vector pulse Electromagnetic survey should be conducted on the lines. This would help to delineate the scree covered "Garnet Skarn Zone" - granodiorite contact and gold bearing quartz veins in the area of the fault-fissure. It is believed by the writer that more gold bearing quartz veins running parallel to the gold quartz vein and fault-fissure system exist on the scree covered northwesterly facing slopes between the fault-fissure and Dublin Gulch. (See Map 5).

It is recommended that old workings (shafts and adits) found on the gold quartz vein and fault-fissure system be cleaned out and sampled. Any vein extensions should be trenched and intensively sampled.

The lines belonging to the Dublin Gulch grid located between Lines 36+700E and 38+950E should be extended northwesterly from Dublin Gulch to intersect the "North Ridge" baseline (Map 5). These lines should be compassed, chained and picketed. Because of larger wider spaced trees in this area, line cutting is not required. Detailed geologic mapping and soil sampling should be done to help delineate the scheelite, wolframite, cassiterite and molybdenite bearing quartz vein stockworks emanating from the Olive Gulch-Dublin Gulch Quartz Monzonite plug. Cat trenching should be done to expose and delineate the stockworks system. The thin skarn units located between lines 39+850E and 40+300E and southeast of station 8+600N on the "Ray Gulch" grid need further detailed mapping to try and determine thickness and lateral extent. Chip sampling is required to evaluate the tungsten mineralization potential of the units.

A small grid should be established on the Tin Dome Hills. No line cutting is required. The lines should be compassed, chained and picketed at 50 meter intervals. Detailed mapping at a scale of 1:1000 is required on the grid to help delineate the Black Phyllite and White and Brown Quartzite Schists. A more detailed map of tourmalinized fault zones and veins would be obtained from this detailed mapping. The precise location of the tourmaline-cassiterite bearing breccia zones needs to be determined. Resampling of rock units, vein and breccia material on a close spaced grid may help narrow down specific mineralized targets. The sampling interval for rock and soil samples should be 20 meters. The results of the survey should then be evaluated and if warranted, diamond drill hole targets should be selected.

Detailed mapping at a scale of 1:1000 is required on the small granitic plug located south of Gill Gulch near its confluence with Haggart Creek. This work is required to locate the source of tin anomalies found in sediment samples in the streams surrounding the plug. A small grid trending north should be established over the plug. The grid should be compassed, chained and picketed at 20 meter intervals. Line cutting may be required. Soil sampling and extensive rock chip sampling should be done at 20 meter intervals along the grid lines. All data should then be evaluated and if warranted, cat trenching should be done.

Of all the grid lines mentioned previously, 33 kilometers require cutting and clearing.

A general prospecting program on all the claims and on areas peripheral to the claims is mandatory. This program will help to further understand the structural history of the area and hopefully locate new mineral showings. Particular attention should be given to prospecting the possible extensions of the gold quartz vein-fault and fissure system. From Maps 3 and 4 this system may extend to the northeast from Line 38+950 station 11+100N to a lead, silver vein system located east and northeast of Lynx Dome. From Map 4 this zone may extend to the southwest from Line 36+700E station 10+850N across Haggart Creek to the No. 3 vein located south of the Gill Gulch granitic plug.

PROJECTED COSTS OF 1979 EXPLORATION PROJECT - DUBLIN GULCH

Salaries and Wages	2 Junior Assistants (sampling - geophysics)	
Personnel	May 15 - Sept. 15, 1979	$ 11,040
	1 Senior Assistant and prospector	7,320
	2 Geologists (May 7 to Sept. 15, 1979)	15,000
	1 Project Geologist - Office time	8,000
	- Field time	9,600
	1 Cook (3-5 months)	6,300
	B. Lennan - supervision	8,000
Helicopter - 10 hrs. at $375/hr.		3,500
Camp Supplies		4,000
Room and Board - May 15 - Sept. 15, 1979 - 7 crew, 5 drillers		22,320
124 days at $15/day x 12 men		
Truck Rentals	3 trucks $850/month each less 2 months for 1 truck	8,500
Repairs		1,500
Camp Mobilization and Demobilization		2,600
Geochemistry - 1000 samples - 3 elements analyzed $9/sample		9,000
Drill core assaying - 5000 ft. at 10 ft. intervals -		
500 samples - $22.75		11,375
Sample shipping		1,000
Fuel - Truck - Camp - Helicopter		4,000
Fuel - Daimond Drill - 1750 gals. for 5000 ft. (without difficulties)		
x $1.20/gal.		2,100
Cat Trenching, Drill Moves and Drill Site Preparation		
D-7 or D-8 - 150 hrs. at $85/hr.		12,750
Diamond Drilling - Mobilization and Demobilization		4,800
Drilling - 5000 ft. - $30/ft.		150,000
Core Boxes - 230 at $6 each		1,380
Garage Fuel		700
Line cutting 20 miles - "with difficult bush"		11,000
Expediting		4,000
Mixed groceries and supplies		3,000
Radio phone rental and telephone calls - $350/month x 4 months		1,500
Sub Total		324,285
Plus 10% Contingency		32,428
Total		$356,713.50

Introduction

Location and Access - Figure I and II

The contiguous groups of claims called the Jeff, Alec, Dave, Bob, Smoky, D.G., R.D. and Mar are located in the vicinity of Lynn Creek, Dublin Gulch and Haggart Creek. This area is located in the central Yukon some 25 air miles northeast of Mayo and bounded by Lines of Longitude 135° 39' west long. and 135° 55' west long. and by Lines of Latitude 64° N. Lat. and 64° 5' N. Lat. This area is located on N.T.S. map sheet 106 D-4.

The property is accessible by road some 55 miles from Mayo. A good all weather road goes from Mayo for 30 miles to the South McQuesten River Bridge. From the bridge, a 4 wheel drive (primarily) tote road runs along Haggart Creek some 22 miles to the base camp located at the junction of Ann Gulch and Dublin Gulch. For a few weeks in the summer a 2 wheel drive truck can negotiate the road. From the base camp on Dublin Gulch, a 3 mile very rough cat road, negotiable only by 4 wheel drive, goes up to the summit, near Potato Hills. Some branching cat trails are occasionally negotiable by 4 wheel drive. Many times during the 1978 work season none of the tote roads past the base camp were accessible by vehicle due to deep mud resulting from melting ice and heavy rain storms. In this case a helicopter from Mayo was used to take crews out and pick them up.


YUKON LOCATION MAP


DUBLIN GULCH CLAIMS - Mar, Jeff, Smoky, Dave, Alec, Bob, D.G., R.D.

FIGURE #1

SCALE IN MILES
0 25 50 100 200

DRAWN	PROJECT	DATE	FIG.
Altair			





CLAIM MAP

Scale 1:50000

QUARTZ CLAIMS

- OPTIONED FROM G. DICKSON
- OPTIONED FROM QUEENSTAKE
- PURCHASED FROM DUBLIN GULCH MINING
- STAKED BY CANTUNG 1978

PLACER CLAIMS

- OPTIONED FROM G. MANSON
- OPTIONED FROM QUEENSTAKE
- PURCHASED FROM DUBLIN GULCH MINING

FIGURE 2

W.B.L.

Climate

The climate is typical of the Central Yukon area with a mean annual temperature of $-2^{o}C$. The low average temperature is about $-10^{o}C$ and the high average temperature is about $3^{o}C$. The temperatures from winter to summer range from lows of $-55^{o}C$ to highs of $+30^{o}C$.

The average annual precipitation is about 15 inches with most of the rainfall occurring in May and June. Daily heavy thunder showers occur throughout the summer months.

Snow begins to accumulate as early as mid September and is melted by mid June at higher elevations. Up to 5 feet of snow may accumulate in the Upper Ray Gulch - Potato Hills area.

Topography and Vegetation

Three southwesterly trending drainages traverse the claim area. Haggart Creek, Dublin Creek and Lynn Creek make up the main drainages. Haggart Creek flows due south from a point 1 mile upstream from its junction with Dublin Creek. Lynn Creek flows into Haggart Creek at a point where Haggart Creek turns abruptly and flows south westerly again and later empties into the South McQuesten River system.

All of the above creek valleys are heavily timbered with mixed fir and spruce. This type of timber extends up the valley walls to an elevation of 3500 ft. where it gives way to scrub balsam and spruce. The balsam and spruce trees become more stunted as one approaches the 4000 ft. elevation level. Dense buck brush predominates all areas of the mountain slopes above 4000 ft. The only exceptions are the hillocks that approach 5000 ft. in elevation. The Potato Hills, Lynx Dome, Haggart Dome and parts of the ridge extending Southwest from the Potato Hills are barren except for lichens and alpine grasses and flowers.

The Potato Hills form the highest topographic point in the claim area reaching an elevation of 5043 ft. All the mountain slopes are fairly steep but rather uniform from one slope to the next. The slopes range from 25^{o} to 40^{o}. The southeasterly facing slopes of the ridge North Lynx Creek are the exception. Ragged cliffs dominate this slope and are typified by the cliff in Ray Gulch (see Plate No. 2). The steepness and dense buck brush on this slope made line cutting, geologic and geochemical work very difficult.

History

The Dublin Gulch - Haggart Creek area is rich in mining history dating back to the Klondike gold rush days.

Placer gold was discovered in Haggart Creek and Dublin Gulch in 1898 and 1899. The creeks were worked sporadically during the early stages and it wasn't until 1904 that scheelite was identified in the placer deposits. In 1908 Cockfield located scheelite and wolfromite in quartz veins and pegmatitic veins at the head of Dublin Gulch. The results of this discovery and the increasing amounts of placer gold and tungsten being recovered, spurred on a flurry of lode deposit exploration from 1913 to 1916.

A major vein fissure system containing gold, arsenopyrite and silver was discovered on the north facing slopes of a ridge to the south of Dublin Creek.

J.S. Stewart and Dr. William Catto discovered ten veins belonging to this system between Stewart and Olive Gulches. Other veins belonging to this fissure system were discovered in Eagle Pup, Stuttle Pup, Platinum Pup, Bawn Boy Pup and near the junction of Cascallen and Dublin Gulch. A significant number of the veins have extensions of greater than 200 ft. and widths up to 10 feet.

Many test pits, adits and shafts were driven on these veins and values of $15 gold across 5 foot widths were common. Keeping in mind that gold was $20/oz. then, this translates into $210 over 5 feet at today's price of $280/oz. Canadian.

Many old reports (now out of print) by T.A. MacLean, and D.D. Cairnes of the Canadian Dept. of Mines 1914 and 1915 detail work on these veins. Dr. W.E. Cockfield of the Geological Survey of Canada reported on many of the above occurrences in a publication released in 1918.

From 1916 to 1918 Mr. Robert Fisher prospected around the headwaters of Dublin Gulch and located several small lode deposits carrying scheelite. Little or no work was carried out on these showings. Dr. Cockfield of the G.S.C. reported that the scheelite in the placer deposits was emanating from quartz veins and pegmatitic veins found in a small Mesozoic monzonite stock located at the junction of Dublin Gulch and Olive Gulch as well as from the numerous and similar veins found in the main 3 mile long granodioritic body found to the south of Dublin Gulch. The veins vary in width from 1/8 inch to over 5 feet. Assays range from 0% to 10% WO_3. It was during this time that some scheelite concentrate was saved and shipped out from the placer operations.

From 1934 and into the 1940's, Fred Taylor, Blyler and others worked the placer ground in Dublin Gulch. In 1940 cassiterite was recognized in placer concentrates. The cassiterite appeared to emanate from Ann Gulch and further prospecting led to the discovery of two tin, tourmaline quartz veins on Tin Dome in 1943 (Map 7). In 1945 Cominco drove a short adit (56') towards the vein intersection but did not reach it. No assessment work has been recorded since 1945. In April of 1977 Gordon Dickson staked 56 mineral claims over the Tin Dome showings. The claims were optioned to Canada Tungsten in 1978.

Some historical notes pertaining to other areas around Dublin Gulch, particularly Ray Gulch, are as follows.

Harvey Ray, a prospector, located scheelite bearing float in Ray Gulch in 1942. The source areas were not located until 1943 when the G.S.C. located several skarn zones at the head waters of Ray Gulch and other gulches cutting the steep southerly facing slope. All the gulches flow into Lynx Creek.

Mayo Silver Mines Ltd. located a 2½ foot arsenopyrite quartz vein on the east side of the headwaters of Ray Gulch. They did not explore for Tungsten.

Mr. Provencher staked the Ray Gulch and Dublin Gulch area in 1968. The ground was optioned to Great Plains Development in 1968, Tam Mining in 1969 and Connaught Mines Ltd. from 1969 to 1971. In 1970 Connaught subleased the property to Canex-Placer. In 1970 and 1971 Canex carried out an extensive soil sampling program that extended from Platinum Pup to the Potato Hills and covered the south side of Dublin Gulch.

Canex drilled 2000 feet and cut 20 bulldozer trenches in the Dublin Gulch - Bawn Boy Pup area. The work was primarily continued to the granodiorite stock in the hopes of locating a large low-grade scheelite bearing quartz vein stockworks. No work was done in the Ray Gulch area.

In March of 1977 Gordon Gutrath of Queenstake Resources staked 24 Mar Claims in the Ray Gulch drainage area. In October of 1977 Mr. Gutrath staked the Mar 25 to 30 claims which lie attached to but to the east of the Mar 1-24 claims. Queenstake carried out a small program of geologic mapping and sampling of the skarn zones in the Ray Gulch areas. One year of assessment was applied to the Mar 1-24 claims. No assessment on the Mar 25-30 was applied by Queenstake. Canada Tungsten optioned the Mar claims from Queenstake during the summer of 1978. Three years of assessment has been applied to the Mar 25-30 claims by Canada Tungsten.

References

W.E. Cockfield, Summary Report, 1918, Part B, Canada Department of Mines, Geological Survey

T.A. MacLean, "Lode Mining in Yukon" 1914

D.D. Cairnes, Sessional Papers 1916 Nov. 26

H.S. Bostock, Mining Industry of Yukon 1939 and 1940

H.S. Bostock, Map 43-9 with descriptive notes and 1949 map indicating tin prospect

H.S. Bostock, Canada Department of Mines 1942

G. Gutrath, P. Eng., Various compilations and Preliminary Geological Report on the Mar Claim Group

R.W. Boyle G.S.C. Bulletin III

Work Done in the 1978 Program

An extensive exploration program was undertaken by Canada Tungsten from June 1st, 1978 to Sept. 20, 1978 on 453 mineral claims the company had acquired in the Dublin Gulch, Haggart Creek and Lynx Creek drainages. The claims surround the placer gold, tungsten and tin deposits found in Haggart Creek and Dublin Gulch and an exploration program was designed to try and locate a mineable source area.

McElhanney Surveying was commissioned to prepare 13 1:5000 base maps from government air photos to provide the Canada Tungsten crews with accurate topographic control for their geologic, geochemical and geophysical surveys. These maps were necessary so work could begin while McElhanney was carrying out a new comprehensive aerial triangulation survey tied in with the flying of new aerial photography. New topographic maps and an orthophoto are nearing completion and will be ready for the 1979 field season. This work was done to facilitate accurate control of geologic information and any further mining that may come about as exploration proceeds.

Three high level air photo flight lines were flown to give stereo coverage at a scale of 1 inch equals 1/2 mile over 76 square miles of ground. Two low level air photo flight lines were flown down Dublin Gulch and Haggart Creek to provide detail and accurate map control for future placer mining operations (See Map 1).

Canada Tungsten crews cut out and established all survey sites and during the last two weeks of July a McElhanney survey crew was able to quickly survey all the sites in. On July 29 the aerial photography was flown.

An extensive reconnaissance geologic mapping, prospecting and geochemical program was then carried out. This work covered all drainages and most ridges within the claims boundaries and just peripheral to the boundaries. This was done to obtain a geologic and geochemical picture of the area. The information was used to establish geochemical signatures for different rock types and apply that information to more detailed work.

While the reconnaissance program was in operation a six mile long baseline was established along the ridge to the south of Dublin Gulch and trends north eastward passing between the two Potato Hills. See Geology Map 5 and Geochem maps 10, 11, 12, 13 for Grid Lines.

From the baseline, the "Ray Gulch" Grid was established. The grid runs perpendicular to the baseline and trends southeasterly across most of Ray Gulch. It covers the Mar 1-30 claims, R.D. claims and part of the Dave claims.

The "Dublin Gulch Grid" was also established and shares a common crossline normal to the baseline. with the "Ray Gulch" grid. This line is 38+950E. The Dublin Gulch grid runs perpendicular to the baseline and trends northwesterly into and across Dublin Creek. This grid connected with another baseline trending northeasterly along the ridge immediately to the north of Dublin Gulch. The "North Ridge" baseline parallels the main baseline described above.

The "Dublin Gulch Grid" crosses parts of the R.D., Dave, Smoky, D.G, Bob and Jeff claim blocks.

Detailed soil sampling, geologic mapping, prospecting and minor geophysics was then done on the grids. The work was done at a scale of 1:5000.

While the detailed work on the grid was progressing, a number of old trenches on Tin Dome were cleaned out and detailed geologic mapping at a scale of 1:1000 was done. Two grid lines were established over Tin Dome and soil samples were taken.

The detailed work established several areas of interest with respect to Tungsten, Tin and Gold mineralization. These areas were tested with rock channel samples. This was the last phase of the 1978 field program.

During the fall of 1978 and spring of 1979 all data was compiled and evaluated. Computer techniques were utilized in assessing a large amount of geochemical data.

Dublin Gulch Property - Survey Controls

The stages of survey control procedures undertaken at Dublin Gulch can be broken down into five distinct parts. They are (1) Map production from Government Aerial Photography (1960-1961) (2) 1978 Ground Aerial Triangulation Survey (3) 1978 Aerial Photography (4) Production of new Topography maps and orthophoto from 1978 Aerial Photography (5) Grid Control and Line Cutting.

1. Map Production from Government Aerial Photography (1960-1961) - (See Map 1)
   With the staking and acquisition by Canada Tungsten of 453 mineral claims in the Dublin Gulch area and 72 mineral claims in the Secret Creek area during the spring of 1978, it was necessary to have map coverage at sufficient scale to adequately evaluate this area.

   The only topographic maps available that cover this area are government 1:50000 map sheets. McElhanney Surveying and Engineering Ltd. were commissioned to produce 13 map sheets at a scale of 1:5000 with a 10 meter contour interval. It was decided to carry out all aspects of the map, survey, geochemical and geological programs in metric to avoid confusion in future years as Canada goes metric. From Map 1, the 13 sheets are outlined but the actual topography plotted lies within the

boundaries of the fine dashed line. This was done to confine the cost of map production to an area that would encompass all the claims and yield enough peripheral topographic information to aid in evaluating the outer boundaries of the claims.

Production of the maps by McElhanney was slow so blow ups of government 1:50000 maps to a scale of 1:10000 were required to carry out reconnaissance geology and geochemistry surveys on all the claims. This data is plotted on maps 3, 4, 8 and 9. The McElhanney 1:50000 maps arrived in August 1978 so most of the grid work was plotted on sheets 6 and 7. The past work and future work will be located on the remaining sheets as work continues on the property.

2. 1978 Ground Aerial Triangulation Survey (Map 2)
In order to facilitate the flying of new aerial photography over some 76 square miles of ground, the Canada Tungsten field crews cut out 35 horizontal and vertical control survey sites and laid out white markers and survey pins. These sites were specified by McElhanney. This work was carried out by Canada Tungsten to save time and ultimately lower the costs of the actual survey done by McElhanney crews. After these sites were established an additional 55 sites were established on grid lines, old road, tailings piles, drill holes and other noteable topographic features. The sites were tied to the 35 control sites and their U.T.M. coordinates and elevations located are on Map No. 2.

The McElhanney survey crew consisting of 2 men arrived on July 14th and commenced surveying immediately. The helicopter was used to position the surveyors at their various locations and provided for quick movement from site to site. When the helicopter was not needed while the surveyors were taking readings, it was utilized to pick up and drop off sampling crews carrying out reconnaissance geology and geochemistry surveys. The surveying was completed on July 30, 1978.

3. 1978 Aerial Photography - See Map 1

The surveying of ground control points was completed on schedule and the photography aircraft flew three high level flight lines and two low level flight lines over the Dublin Gulch and Secret Creek areas on July 29, 1979. The high level lines produced stereo photo coverage at a scale of 1 inch equals one half mile. The two low level lines (one flown down Dublin Creek, the other down Haggart Creek) produced photo coverage at a scale of 1 inch equals 1000 feet. The flight lines and photo numbers are located on Map 1.

As the photography plane was located in Whitehorse rather than Edmonton, ferry charges were saved. Because the cost of the aircraft were substantially less than anticipated it was decided to do the two low level flight lines down Dublin and Haggart creeks and thus provide photo and map coverage of the placer claims acquired by Canada Tungsten. This photo survey will be utilized in estimating the annual production of the placer operation.

The costs of all the surveying, mapping and photography apply primarily to the Dublin Gulch mineral claims.

4. Production of new Topography maps and orthophotos from 1978 Aerial Photography

The results of the new aerial photography yielded very high quality photos. The new photos were received by Canada Tungsten with instructions from McElhanney to locate and mark on the photos, any points which could be used to tie in future geologic work and diamond drill work etc. In addition to the 90 already established survey points, another 130 or so points were located on the new photos. With the aid of the computer, the elevations and coordinates for the 130 or so points could be estimated directly from the photos. Their coordinates and elevations are listed and located in Appendix III.

Maps and an orthophoto from the low level photography have been completed by McElhanney.

The orthophoto being made from the high level photography covering the mineral claims is nearing completion. The surveying data is correlating very well with the old government air photos so only minor adjustment will have to be made to the 13 1:5000 maps produced from them earlier. Cat roads and trenches put in by other companies since the government photos were taken, show up well on the new photos. This information will be transferred onto the 1:5000 map sheets. These minor adjustments negate the production of a complete set of new maps from the new photography thereby saving considerable expenditures.

5. Grid control and Line Cutting. See Geology Map 5 and Geochem Maps 10, 11, 12, 13 for location of grid lines.

A survey baseline was established on the divide between Dublin Gulch and Lynx Creek using Brunton compass and slope corrected chaining methods. The baseline, arbitrarily designated 10+000 meters North, runs from the southwest extreme of the ridge near Platinum Pup on Az 054 between East and West Potato Hills for a total distance of about 9 Km. Pickets are marked and placed at 50 meter intervals east and west along the baseline from an arbitrarily designated 40+000 E point and extended using Brunton compass and slope corrected chaining normal to the baseline on Az 144^{o}. All stations are marked and picketed at 50 meter intervals on the crosslines. The baseline was transit surveyed from crossline 40+300 to its termination near Platinum Pup.

The "Ray Gulch" grid consisting of 17 lines was established and run normal to the baseline on Az. 144°. The grid starts at Line 38+200 East on its western edge and ends at L 40+600 E on its eastern edge. The shortest line L 39+250 E extends along Az. 144° from the baseline to station 9+350 N while the longest lines 39+700 E, 40+000 E, 40+150 E and 40+300 E extend along Az. 144° to station 7+600 N. Tie lines connected all lines between and including L 39+400 E and L 40+600 E at station 8+900 N and 8+000 N. Because of heavy buck brush and cliffs, the lines were not straight.

All lines were cut and cleared out to a minimum width of 1 meter after the compassing, slope correcting and picketing was done. Lines 40+150 E and 40+300E were transit surveyed.

The "Ray Gulch" grid crossed the Mar 1-24 claims, Mar 25-30 claims, Alec claims, R.D. claims and Dave claims.

The "Dublin Gulch" Grid was established next with 16 lines extending along Az. 324° normal to the baseline. The grid starts at Line 36+700 E on its western edge and terminates on its easterly edge with Line 38+950 E. Line 38+950E is shared with the "Ray Gulch" Grid.

Lines 36+700E and 38+950E extend northwesterly across Dublin Creek and up to the top of the ridge north of Dublin Gulch (designated "North Ridge" - see Geology Map 5) terminating at stations 12+200 N and 12+100N respectively. The lines are connected at these stations by another base-line running parallel to baseline 10+000 N. The second baseline is designated 12+100 N.

The lines between Lines 36+700 E and 38+950 E terminate at or just to the north of Dublin creek.

Two crosslines extend along Az. 324° normal to the 12+100 N baseline.

The "Dublin Gulch" grid crosses several of the R.D. claims, Dave claims, Smoky claims, D.G. claims, Bob claims and the Jeff 1 and 2 claims.

Two lines extend along Az. 324° over Tin Dome to the northwest of Ann Gulch. These lines cross the D.G. 1, 39, 42, 44, 54 and 56 claims.

All lines in the "Dublin Gulch" grid with the exception of the two lines over Tin Dome were cut and cleared to a minimum 1 meter width after compassing, slope-correcting and picketing was completed.

A total of 87 Km of lines in the "Ray Gulch" and "Dublin Gulch" grid were cut, cleared, compassed, slope-corrected and picketed. Of the 87 kilometers of line, 1.9 kilometers were cut and surveyed on the Mar 25-30 claim group.

Survey Personnel

The persons engaged in performing survey control on the Dublin Gulch claim blocks are listed below:

8 & 9 July 1978 - Ivo Noga, Registered Land Surveyor, Elsa, Yukon

4 July - 8 August 1979 - D.A. Lyman, 307 Maude Rd., Port Moody, B.C.

12 July - 9 August 1978 - John Graham, Jesmex Ltd., P.O. Box 5197, Whitehorse, Yukon

Geologic Setting of the Dublin Gulch Property

Regional Geology - (See Maps 3, 4 and 5)

The Smoky, D.G., Bob, Dave, Jeff, R.D., Mar and Alex claims are underlain by thick succession of Yukon Group meta sedimentary rocks. The age of the Yukon Group is still uncertain but is believed to be Precambrian and/or Palaeozoic. (R.W. Boyle - G.S.C. Bulletin III). Cretaceous granodiorite, quartz monzonite and mafic stocks and plugs have intruded the meta sediments in the Dublin Gulch, Haggart Creek and Lynx Creek drainages.

R.W. Boyle has broken the Yukon Group rocks into 3 units in the claims area. These units are located on a G.S.C. map accompanying Boyle's Bulletin III.

Unit 1 lies in the vicinity of the Mar 25-30 claims, the Alec 25-32 and 43-50 claims and the Jeff 65-68, 81-84, 97-100 claims. This unit is made up of massive white quartzite, phyllite and quartz-mica schist.

Unit 2 lies immediately to the west of unit 1 and includes the Potato Hills, Ray Gulch and the two creeks draining southerly into Lynx Creek just to the southwest of Ray Gulch. This unit covers the Jeff 33-64, 69-80, 85-88 claims, the Mar 1-24 claims, the Alec 1-14, 32-42, 51-60 claims and the Dave 1-24 claims. Unit 2 is made up of quartzite, phyllite, graphitic schist, limestone, quartz-mica schist and skarn.

With the exception of the claims underlain by the granodioritic stocks and plugs, the remaining claims in the Dublin Gulch block are underlain by rock belonging to unit 3. This unit is made up of quartzite, phyllite, graphitic schist and quartz mica schist.

Once the reconnaissance geologic mapping and sampling program began it was realized that Boyle's 3 units were too generalized for detailed purposes so changes were implimented as the program unravelled the complexities of the area.

Skarn and limestone horizons were not restricted to Boyle's unit 2 and were found interbedded with rocks belonging to units 1 and 3. The meta sediments were broken down into 6 units and are located on maps 3 , 4 and 5 and described under the heading of "Local Geology". With further mapping in 1979 it is conceivable that more stratigraphic breakdown of units will be required.

The intrusive activity in the area has been broken into 5 phases. A 3 mile long granodiorite stock intrudes the meta sediments on the northwesterly facing slopes of the ridge lying between Dublin Gulch and Lynx Creek. This stock represents the earliest intrusive phase.

Quartz monzonite plugs (e.g. mouth of Olive Gulch) are satellitic to and a younger phase of the granodioritic stock.

The youngest intrusive activity in the area is represented by aplitic dykes and mafic plugs. Although rare, mafic plugs are located on the Smoky 36-39 claims and the D.G. 51-54 claims.

Structure

The Dublin Gulch area has undergone two phases of regional metamorphism. Evidence of a third phase has been indicated from the geologic mapping program. Antcline and syncline fold axis trend in a northeast-southwest direction. Normal dipslip faulting occurred parallel or sub-parallel to the fold axis. A northwesterly-southeasterly set of faults normal to fold axis is also apparent. Some evidence of thrusting along this set of faults is shown by drag folds in the black phyllitic schists located in Dublin Creek downstream from the mouth of Ann Pup. The Tin Dome fault may represent a thrust fault.

The northeasterly trending fault systems formed the zones of weakness that allowed the intrusion of granodioritic stocks and plugs.

The northeasterly trenching fabric (faults, fissures and folding) of the area is very similar to that exhibited in the Keno-Hill mining camp.

Local Geology (Maps 3, 4, 5, 6 & 7)

General Statement

A program of reconnaissance and detailed geologic mapping and geochemical sampling was carried out by Canada Tungsten during the summer of 1978 on all the claims belonging to the Dublin Gulch claim block. These claims are the Jeff 1-112, Alec 1-60, Mar 1-30, Dave 1-24, Smoky 1-82, D.G. 1-56, R.D. 1-16 and Bob 1-73. Larger areas of the ground are covered in moss, brush and scree which hampered mapping of contacts etc. The sharp ridges and incised creeks provided the best outcrop exposures.

Considerable amounts of work have been done in the area since the turn of the century by others but only a small amount of information is available.

Any information with respect to geology, has been incorporated with the Canada Tungsten work and is provided in the geologic maps in this report. Copies of diamond drill logs (although of poor quality) from Canex Placer's work in 1971 are located in Appendix II.

The references sited in the "History" portion of the report provide almost exclusively, the only record of previous work in the area.

Rock Types

Prior to metamorphian in the area, the rocks originally consisted of a thick succession of relatively pure and well sorted quartz arenites, arkoses, pelitic sediments and limestones. The two or three phases of regional metamorphism caused the formation of quartzites, phyllites, gritty quartzites, marbles and skarns.

Small intrusive plugs and stocks were emplaced in Cretaceous times along major zones of weakness. The intrusive activity took place much later than regional metamorphism.

Yukon Group Meta sedimentary Units (Precambrian and/or Palaeozoic) - (See Maps 4, 5, 6 and 7)
Unit 1 - Black Phyllite (Maps 4 and 7)

These rocks are graphitic phyllites that were black shales or argillites originally. Foliation planes are parallel to the bedding. The black phyllites exhibit a very lustrous shine where graphite is smeared on foliation planes.

These rocks are primarily located in a domed fault block that extends from Tin Dome (N.W. of Ann Gulch - Map 7) to the west bank of Haggart Creek just opposite the mouth of Dublin Creek. A small outcrop is located on the west side of Haggart Dome.

Very intensely folded black phyllites are located on Dublin Creek approximately 500 meters southwest of the mouth of Ann Pup. This location is where the Tin Dome Fault Zone crosses Dublin Creek (Map 5). It is this intense folding that suggests thrusting along the Tin Dome Fault.

Unit 2 - Marble - (Maps 3 and 5)

Relatively pure white to grey units of marble are found interbedded with biotite and muscovite quartzites and phyllites. The main outcrops are located on the southwesterly facing slopes of the ridge lying between Dublin Gulch and Lynx Creek.

The textures of the marble vary from relatively massive unaltered limestone to sugary textured crystalline marble.

The best exposures of marble are located on L38+050 E station 8+900 N, L39+700 E station 8+900 N, L38+850E stations 9+200 N and 8+900 N, L40+000 E station 8+700 N, L40+300 E station 8+650 N, and L40+600 E station, 9+050 N. Marble has also been located on the Jeff 100 claim and on a creek to the east of the claim block (see Map 3).

Unit 3 - Laminated Diopside Skarns (Maps 3, 4, 5 and Appendix I samples 8DL-0088, 8DL-0106H 8+900 N, 40+450 E)

Four major skarn zones were identified during the detailed mapping program. Examples of varying degrees of skarnification were found in many thinly bedded skarns throughout the property.

The colour of the skarn units vary from light green to dark green. The colour is dependent on the composition of the pyroxenes and the amount of calcium in the skarn. The light green skarns represent the diopside end of the pyroxene solid solution series while the dark green skarns represent the hedenbargite end of the solid solution series. Light green skarns also carry more calcium.

It appears that the light green diopside skarns have not undergone intense skarnification while the dark green hedenbergite skarns have undergone almost complete skarnification. The most completely skarnified rocks carry less than 5% carbonate. Next to diopside-hedenbergite the most abundant minerals are quartz and plagioclase feldspars.

From petrographic studies (see Appendix I) sample 8DL-106H indicates metasomatic involvement of the intrusive rocks as opposed to a strictly regional metamorphic origin for the remaining skarns which is indicated by sodic plagioclase. Further petrographic studies may indicate more metasomatic involvement.

The skarns range in thickness from 10 cm to greater than 12 meters. The thin skarn lenses exhibit distinct laminated texture while the thick sections appear massive. The massive units are, in fact, distinctly laminated upon close examination with potash and plagioclose feldspars forming trains parallel to layering.

Garnet Skarn Zone (see Figure 3, Maps 3 and 5)

This zone is not represented in outcrop but is implied from a considerable amount of float samples collected on the rounded scree covered hills located between and including Lines 38+200 E and 38+800 E and between stations 10+100 N and 8+600 N.

Skarn units exposed between Lines 38+200 E and 38+350 E near station 8+900 N may represent non-garnetiferous sections of the Garnet Skarn Zone. It is believed by the writer that garnet formation occurs as one approaches the intrusive contact and that the garnet skarn float is closer to the contact than those outcrops located on cliff faces in the area described above. Tungsten mineralization is greater in the Garnet Skarn Zone than in the other 3 zones discovered making this a good exploration target. Several samples taken of garnet bearing float assay greater than 1% WO_3 while the non-garnetiferous skarn samples belonging to the garnet skarn zone range from .15% WO_3 to .60% WO_3. To avoid cluttering these samples are plotted on geochemistry map 8.

The garnets occur as porphyroblasts and are surrounded by reaction rims of plagioclose and feldspar.


GARNET SKARN ZONE

garnetiferous skarn found only as float - possble section below - float occurs along a 600 meter stike? length, bounded-north by granodiorite stock, south by fault?

N.W. S.E.

this zone rarely exposed. float rock occurs between lines 38 • 200 and 38+950 south of baseline

line 38 • 200	%WO_3
8DA0266	0.30
267	0.18
275	2.26
276	0.50
282	0.27
285	0.22
286	0.47
287	0.30
290	0.60
292	0.43
line 38+350	
8DA0268	0.16
269	0.20
270	0.19
line 38+500	
8DA0272	0.38
273	0.15
line 38+650	
8DL0081	0.03
82	0.74
83	0.53
84	0.31
85	0.69



SCALE 1:500

0 5m 10m

FIGURE 3

WBL

39+400 Skarn Zone (see Figure 4, Plate 1 & 2, Map 5)

This skarn zone is approximately 23 meters thick and dips northwesterly towards the granodioritic stock contact area.

The skarns are massive appearing dark green laminated diopside-hedenbergite units that are interbedded with grey to black biotite quartzites. Garnets have not been observed in this zone to date. The zone is farther away from the intrusive contact area than the Garnet Skarn Zone.

Channel samples were taken from all but one skarn bed and assays range from .03% WO_3 to .74% WO_3. Scheelite is disseminated throughout the skarns but has an affinity for quartz grains.

The 39+400 skarn zone is located between Lines 39+200 E and 39+400 E near station 9+300 N.

Where this zone comes into close contact with the intrusive stock, garnet formation and better scheelite mineralization may take place.

39+800 Skarn Zone (see plate 2, Figure 5 and Map 5)

The skarn units of this zone are similar to those of the 39+400 zone. This skarn zone lies between Lines 39+550 E and 39+850 E and between stations 9+400 N and 9+500 N.

The true thickness of this zone is not known. The old trenches that were cut in the 1960's have exposed 13 meters but moss, brush and scree cover the northeast and southwest extensions.


Two normal dip slip faults with approximately 10 meter and 2 meter displacements have offset the 39+800 zone between Lines 39+550 E and 39+700 E.

39+ 400 SKARN ZONE

outcrop indicates stike length of 200meters.

float rock indicates additional 300meters

bounded by faults? to north and south



SCALE 1:500
0 5m 10m

FIGURE 4




PLATE # 1 39 + 400 SKARN ZONE

VIEW LOOKING NORTHEAST

39+800 SKARN ZONE


outcrop occurs on two cliff noses which are separated by 200 meters of covered terrain - extensions obscurred by cover.



SCALE 1:500
0 5m 10m

FIGURE 5

WEST POTATO HILL



PLATE# 2 VIEW LOOKING NORTHWEST - CLIFFS ON WEST SIDE OF RAY GULCH
INTERBEDDED BIOTITE - QUARTZITE SCHIST, MUSCOVITE -QUARTZITE SCHIST
MINOR MARBLE AND LAMINATED TO MASSIVE DIOPSIDE SKARNS.

The skarn beds are dark green and appear massive from a distance but are well laminated when observed more closely.

Scheelite is noticeably scare here as compared to the two previously described skarn zones. Again this zone is still farther away from the intrusive contact than the Garnet Skarn Zone and 39+400 skarn zone. Channel sample assays range from .01% WO_3 to .29% WO_3. The scheelite is finely disseminated throughout all skarn beds.

40+150 Skarn Zone (see plate 3, Figure 6 and Map 5)

This skarn zone (the thickest and most extensive on the Dublin Gulch Property) outcrops along and between Lines 40+150 E and L40+300 E and between stations 9+200 N and 9+ 300 N. Large skarn boulders extend from the sharp bend in Ray Creek at L39+750 E station 9+100 N, northeasterly to Line 40+600 E station 9+500 N.

The cliffs along Line 40+150 E station 9+250 N expose the best example of this unit. It is approximately 12 to 15 meters thick, dark green equigranular, and laminated. There are no quartzite lenses or beds within the main skarn bed. The skarn is overlain and underlain by biotite-quartzite schists although the overlying schists are more phyllitic than those that underly the skarn.

The skarn horizon strikes aprpoximately N26E^{o} and dips 28^{o} NW. A 1/2 meter quartz vein cuts the skarn zone at L40+150 E station 9+280 N.

Some of the large (up to 5 mm) diopside-hedenbergite grains impart a granoblastic texture to the rock while the finer grained crystals give a laminated appearance to the rock.


Quartz grains range up to 5 mm in diameter and can compose up to 15% of the rock. It is believed by the writer that the quartz was introduced with quartz veining that took place at the time of intrusive activity.

40 + 150 SKARN ZONE

200 meters of strike length exposed in outcrop

bounded to south by erosional features and a fault

bounded to north by probable transition to unaltered marble



SCALE 1:500

0 5m 10m

FIGURE 6

WBL



PLATE # 3 VIEW LOOKING EAST - EAST SIDE OF RAY GULCH

Unit 4 - Muscovite - Quartzite (Schistose) - (Map 3, 4, 5 & 7)

This unit is made up of three rock types, Continued geologic mapping during the 1979 season may necessitate the separating of this single unit into its 3 component rock types.

The first rock type in this unit is a white to pale green, very hard and pure muscovite quartzite. Although massive in appearance due to it's hardness, the rock is very finely laminated (1-2 mm thick laminations) with a dusting of very fine grained muscovite lying in the lamination planes.

Muscovite-Quartzite Schist is the most common rock type in this unit. Sericite is often found with muscovite on the foliation planes. The schistose texture is caused by platy layers of muscovite separating thin (1-3 mm) laminae of quartz grains. This rock type is cream coloured to light brown.

Muscovitic Phyllites are the remaining rock type belonging to this unit. These rocks are composed mainly of muscovite and/or sericite. This imparts a bright lustre to the rocks, particularly in sunlight. Only a few beds of the rocks belonging to this unit are found on the southeast side of baseline 10+000 N. An increase in occurrences of this unit are found to the southeast of baseline 10+00 N in the vicinity of Lines 40+150 E to L40+600 E between stations 8+600 N and 9+300 N.

This unit predominates the area to the west of Haggart Creek and is found on the Smoky 13-26, 36-43 claims, and the D.G. 1-38 claims. The Bob 8-49 and 54-73 claims and the Jeff 9-16, 25-32, 45-47, 61-64, 79-80, 95-96 and 111-112 claims which lie between the east fork of Haggart Creek and Haggart and Lynx Domes, are underlain by the Muscovite-Quartzite unit (see Map 3 & 4).

Unit 5 - Biotite - Quartzite (Schistose) - (Map 3, 4, 5 & 6)

This is a very distinctive unit that occupies a long portion of the claim area. The best exposures are located to the southeast of baseline 10+000 N on the "Ray Gulch" grid. It forms a very thick succession (500 meters exposed) that is interbedded with the skarn units described previously.

The granodiorite stock intrudes this unit almost exclusively and small pendants of biotite-quartzite are found in places (see Section Map 6 A-A').

Good exposures are also located on the "North Ridge" between Dublin Gulch and the east fork of Haggart Creek. The claims underlain by this unit are Alec 1-60, Mar 1-30, R.D. 9-12, Dave 3-24, Smoky 49-75, 78, 80-81, D.G. 45-52, Bob 50-53 and Jeff 1-8, 17-24, 33-44, 49-60, 65-78, 81-94 and 97-110.

This unit is characterized by a grey to black colouration (depending on biotite content) and schistose texture caused by the formation of biotite on foliation planes between white quartz and feldspar laminae.

Unit 6 - Garnet Diopside Skarn

Described previously under "Garnet Skarn Zone"

Unit 7 - Biotite Granodiorite - (See Map 5 and Appendix I - sample - Eagle-Stewart Ridge: 10+200 N)

This unit is very limited in extent and is located where Line 36+650 E station 10+050 N should be. It forms part of the contact area of the main gronodiorite stock with biotite-quartzite schists. It is distinguished from the granodiorite by its much darker and blotchy colouration. This is due to the xenoliths of country rock being incorporated into and partially assimilated by the qranodiorite.

The writer does not believe that this unit is a separate phase of the granodiorite stock but just an area where the granodiorite magma assimilated pieces of rock that separated from country rock due to shattering caused by intrusion.

Unit 8 - Granodiorite and Granite - (see Maps 3, 4, 5, 6 and Plate 5)

This unit forms the largest intrusive body in the Dublin Gulch-Haggart Creek area. It forms a northeasterly trending elongate body on the south facing slopes of the ridge between Dublin Gulch and Lynx creeks. The granodiorite stock is approximately 250 wide at its southwestern contact near Platinum Pup and it widens approximately 1500 meters as it trends towards its northeastern contact near the base of West Potato Hill.

The unit is of typical granodiorite composition and the stock does not exhibit any compositioned zonation changes from the contact areas to its core. A textural zonation is evident with the rock exhibiting a medium grained euhedral equigranular texture as one approaches the contact area with the biotite quartzites and a medium to coarse grained porphyritic texture in the core area of the stock. This porphyritic texture is best exposed on the "Dublin Gulch" grid between Lines 36+700 E and 38+950 E and between stations 10+400 N and 10+600 N.

This main granodioritic stock covers the following claims: Mar #2, Jeff 2, 17, 18, 33 and 34, R.D. 1-8, 11-16, Dave 1-4, Smoky 53, 54, 65, 75-79, and Bob 1 and 2.

Two small plugs of mafic deficient granites also occur on the property and may be satellitic to the main granodiorite body. They represent a different phase of intrusion and "appear" to be younger than the granodiorite stock.

One of the granitic plugs lies on the south bank of Gill Gulch. The Smoky 26-28 and 31-35 claims cover most of this plug. The other plug is elongate and felsic with a fine to medium equigranular texture. This plug is located near station 8+000 N along Lines 40+150 E, 40+300 E, 40+450 E and 40+600 E of the "Ray Gulch" grid. The claims that cover this plug are Alec 13-16, 29-32 and 48.

Unit 9 - Aplite Dykes - (Map 5 and Appendix I - sample E-10 L 10+000 N station 38+500 E)

There are only 2 occurrences of aplitic dykes recognized on the property to date. One location is on L 38+500 E station 9+100 N on the "Ray Gulch" grid and the other cuts across an outcrop of biotite-quartzite located between Lines 40+150 E and 40+300 E at station 9+525 N.

The dykes are typified by their fine to medium grained sugary texture and white colour. Quartz constitutes at least 60% of the rock and plagioclase grains intergrow and are anhedral in nature.

Unit 10 - Quartz Monzonite - (see Maps 4, 5 and 7, Plate 4 and Appendix I - sample E-16 Canex #3 D.D.H.)

The quartz monzonite plug is located on the property and it is quite distinct both texturally and compositionally from the main porphyritic granodiorites and granites. This small plug is located at the junction where Olive Gulch flows into Dublin Gulch. The precise location is at athe end of and between Lines 37+450 E and 37+750 E on the "Dublin Gulch" grid. The Bob #5 claim covers this area. Canex Placer drilled their #3 diamond drill hole into this plug in 1971.



PLATE# 4 VIEW OF " NORTH RIDGE " LOOKING NORTHWEST
Quartz vein stockworks emanating from small Quartz Monzonite Plug. Veins carry Scheelite and minor molybdenite and cassiterite.




PLATE # 5 VIEW LOOKING NORTHEAST - CASCALLEN AND DUBLIN CREEKS
QUARTZITE AND GRANODIORITE CONTACT AREA

The quartz monzonite has medium to coarse grained porphyritic texture. Orthoclase phenocrysts up to 1 cm in diameter are common. The crystals are anhedral and often contain microperthite lamellae. Quartz is interstitial to the orthoclase. There is the suggestion of a previously miarolitic texture with subsequent formation of interstitial radiating masses of chlorite and prehnite.

It is believed by the writer that this plug represents a later intrusive phase originating from the granodiorite and is actually an unroofed cupola. This unit contains a quartz vein stock works that carries scheelite. Where these quartz veins penetrate the biotite-quartzites overlying the plug, cassiterite and minor amounts of molybdenite are found.

Unit 11 - Mafic rocks - Gabbros and Diorites

Two outcrops of this unit were mapped on the Dublin Gulch property in 1978. The largest showing is located immediately to the south of the Gill Gulch granitic plug west of Haggart Creek. The Smoky 36 and 37 claims cover the mafic rock outcrops. The rocks from the above location appear to be dioritic in composition and are dark green in colour. Chlorite alteration is of moderate intensity.

Small gabbroic lenses were discovered in biotite quartzite schist that was exposed by the placer miners. This outcrop is located in Dublin Creek just 50 meters upstream from where Eagle Pug joins it (Map 5). These small mafic intrusive plugs are mapped throughout the McQuesten area including the Keno Hill mining camp. It is not known if this was the last intrusive phase in the area.

Quartz Veining - (see Map 5 and Plates 4 and 5)

The quartz veining events on the Dublin Gulch claim block are the most important geologic features with respect to economics. The bulk of the lode showings and placer deposits are directly attributable to mineralized quartz veins. To date four distinct quartz veining events have been mapped.

The first vein system is made up of 2 sets of veins, one trends North to N 20°E with dips of 80° N.W. or S.E. and the other trends 90° to 120° with dips of 90° or 80° to the S.W. This vein system is the oldest on the property and is directly associated with the cooling and fracturing phase of the main gronodiorite intrusion. The veins range in thickness from 2 mm to greater than 30 cm although the latter is rare. The veins that are greater than 5 cm thick have a pegmatitic texture with clear quartz, milky quartz, pink potash feldspar crystals and scheelite patches making up the bulk of the vein minerals. Vein density ranges between 2 and 10 per 30 cm. Although rare, a few of these veins cut the biotite-muscovite-quartzites and skarn zones southeast of baseline 10+000 N. A 1/2 meter thick vein cuts the 40+150 Skarn Zone near Line 40+150 E station 9+300 N. Canex Placer drilled two holes in the granodiorite stock in 1971 to test the scheelite content of this vein system.

The second veining event is related to the intrusion of the small quartz monzonite stock described previously and located at the junction of Olive Gulch and Dublin Gulch. This system is also made up of two set of veins. The most prominent set trends Az. 075° to Az. 090° and dips 60° to 70° to the south. These veining ranges in thickness from 2 mm to 10 cm and are composed of clear quartz, milky quartz and

patches of scheelite. The other set of quartz veins trends Az. 345° to Az. 360 and dips 80° to the east or west. The composition of this vein set is identical to the above mentioned set. These two sets of veins make up a stockworks system that penetrate the overlying biotite-quartzite schists. A distinct feature of this system is that cassiterite, scheelite, wolframite and minor molybdenite mineraliztion occurs in the veins only after they enter the biotite-quartzites while scheelite is only present in the veins within the quartz monzonite plug only along the "North Ridge" area of the property.

The third veining event is located on Tin Dome and is covered by the D.G. 1, 39, 42, 44, 54 and 56 claims. These veins are difficult to identify because of their dark colour and gougy texture. They blend in with brecciation zones and fragmented black phyllites and quartzite-schists. This veining event may be the same age as the previous one if the "suspected" hidden cupola intruded at the same time as the quartz monzonite stock. Tourmaline and cassiterite mineralization are found almost exclusively in this vein system. There are two sets of veins associated with this system. One set trends N 25°E and has a 90° dip and the other set trends N 54°W and has a 90° dip. Cominco tried to reach an area where these two vein sets intersect with an adit but failed.

The youngest veining stage on the Dublin Gulch property accompanies an extensive fault-fissure system that trends northeasterly and parallels the northwest contact area between the large 3 mile long granodiorite stock and biotite-quartzite schist. This system is composed of several parallel veins that vary in number. Arsenopyrite and gold are the main minerals found in the vein system and were extensively explored from 1912 to 1940. These veins were referred to in the "History" section of the report.

Mineralization

The primary economic minerals found on the Dublin Gulch property are tungsten (scheelite), tin (cassiterite), and gold. All the above minerals are found in the placer deposits on Dublin Creek and in the quartz vein systems described previously.

There are five distinct mineral zones on the Property. Most of these zones are related to the veining events described above so it could be expected that ages of mineralization would follow suit. This, does in fact, appear to be the case.

The most important mineralizing event occurred with the oldest sets of veins that are found within the large granodiorite stock. It is believed by the writer that scheelite mineralization in these veins are the primary source of scheelite found in the Dublin Gulch placer deposits. This is based on the fact that 1) the Dublin Gulch valley is filled with overburden up to 50 meters thick which is composed of 75% to 80% granodiorite boulders derived from the stock and 2) the largest amount of veining occurs in the granodiorite stock and the veined boulders are decomposing in Dublin Gulch. Scheelite is the only economic mineral found in this vein system and it is distributed unevenly throughout as patches and blebs. Canex-Placer drilled two holes into these veins in 1971 in the hopes of finding a large low grade Tungsten stockworks deposit. Because of the uneven distribution of scheelite in the veins the results were disappointing. (See Appendix II). The writer believes that mineable grades will not be found within the stock but that because of the sheer volume of talus derived boulders within Dublin Gulch, concentration of scheelite through weathering can easily account for the placer deposits.

Scheelite mineraliztion is also found within the four skarn zones discussed earlier. This mineralization was introduced contemporaneously with the intrusion of the main granodiorite stock. Evidence for this is indicated by the occurrence of scheelite bearing quartz veins emanating from the granodiorite, cutting across beds of skarn, quartzite and phyllite. A zonation of mineral grade also indicates the direct association of mineralization with intrusive activity. From Figures 3, 4, 5 and 6 and the channel sample assays plotted on them, it can be seen that tungsten grade drops off as one travels southeasterly away from the granodiorite - quartzite contact area. The float and outcrop samples from the "Garnet Skarn Zone" have an average grade of 0.45% WO_3 while channel samples from the 39+400 zone have an average grade of 0.124% WO_3. The 39+800 Skarn Zone and 40+150 Skarn Zone have average channel sample grades of .057% WO_3 and 0.11% WO_3 respectively. This zonation is confused in the 40+150 Skarn Zone and in thinner skarn units found lying between Lines 39+700 E and 40+600 E and stations 8+000 N and 8+900 N. Although the mineraliaztion in the thinner skarn units is not evenly distributed, some higher grade sections are found and this is attributable to the small elongate granitic plug lying southeast of station 8+000 N on the lines belonging to the "Ray Gulch" grid and mentioned above. This causes a boost in the grade in an area quite distant from the main granodiorite stock. The second small intrusive event possibly caused remobilization and concentration of scheelite originally introduced by the granodiorite stock. More exploration on the southeast half of the "Ray Gulch" grid is needed to see if any larger areas of "upgraded" skarn can be located.

The vein system associated with the small Quartz Monzonite plug located near the junction of Olive Gulch and Dublin Gulch carries patches and blebs of scheelite. As the distribution of mineralization is not even, assays of samples taken along one vein range between .01% WO_3 and .71% WO_3. This vein system penetrates the overlying biotite-quartzite schist and the mineralization changes. Scheelite, wolframite, cassiterite and minor amounts of molybdenite are found only in veins outside the stock itself even though the veins originate from within the stock. (See Map 4 and Plate 4). This discovery was made late in the 1978 field season and the "North Ridge" area that overlies the Quartz Monzonite stock has become a prime exploration target. Trenching is required to expose and explore the extent of this mineralized stockworks. This mineralization event was probably the second one and is slightly younger than the one associated with the granodiorite stock.

The mineralization that occurs on Tin Dome is different from the three previous ones described but may be the same age as the mineralizing event associated with the Quartz Monzonite plug. The veins found on Tin Dome are diffucult to distinguish from the highly sheared and fragmented Black Phyllites and quartzites. They are dark greenish grey coloured and have a consistency of a clay rich fault gouge. The veins are primarily made up of quartz and tourmaline. Cassiterite is found in crystalline form within the veins. Four of the rock samples taken by Canada Tungsten crews assayed .84% Sn, .36% Sn, .01% Sn and..40% Sn. In 1945 Thompson and Bostock sampled the veins and obtained assays of 1.53% Sn and .83% Sn over 2.5 ft. Boyle took a sample in 1965 that assayed .26% Sn over 330 feet. Cassiterite cobbles weighing 2 to 3 lbs. have been found in placer concentrates according to old reports. Another area that has tin mineralization associated with it in a similar manner to that of Tin Dome is the small granitic plug (described previously) located near the junction of Haggart Creek and Gill Gulch (Map 4).

This plug has not been studied in detail but silt samples in Gill Gulch and casserite found in the Haggart Creek placer deposits downstream from the mouth of Gill Gulch, are highly anomalous and indicates that detailed exploration is required in 1979.

The youngest mineralizing event on the property is restricted to the vein system associated with the major northeasterly trending fault-fissure zone described previously. Arsenopyrite and gold are the primary minerals found in the quartz veins. Lesser amounts of antimony, silver, and galena are also found. The mineralization is distributed throughout the parallel sets of veins belonging to this system. Up to 10 veins running parallel to each other have been found. It is from this mineralized system that the gold in the placer deposits of Dublin Gulch are derived. As one walks downslope in a northwest direction towards Dublin Gulch, the overburden becomes deeper and may cover other gold bearing parallel sets of quartz veins. It is this set of mineralized veins that the prospectors of the early 1900's sank shafts and adits in the hopes of locating the mother lode. Vein widths and assays were described under the heading of "History". A Vector Pulse Electromagnetic geophysical survey should be undertaken to delineate the existence of more parallel northeast trending veins covered by overburden. Old workings should be cleared out and tested.

Structural Geology

a) Metamorphism: (study of petrographic report - Appendix I)


The pelitic phyllites and quartzitic schists from the Dublin Gulch area show both progressive and retrograde metamorphism. Wtih the presence of quartz, muscovite, andalusite (9+500 N, 39+650 E), Kspar and corundum assemblages,

pressure-temperature sequences from regional to contact metamorphism can be estimated. The graph below (from Turner, Metamorphic Petrology, P. 120 reaction A) shows the metamorphic events as portrayed by thin section studies of the following samples -

event (1) 8DB 0228 (8DB0151 and 207 also contain muscovite plus quartz)

event (2) 8DB 0234

event (3) 9+500 N, 39+050 E



The regional metamorphism resulted in progressive metamorphism while intrusive activity caused the overprinting of contact metamorphism which was retrogressive.

b) Deformation:

Two early intense phases of deformation (folding) accompanied regional metamorphism in the Dublin Gulch area. All of the pelitic schists (phyllites), muscovite-quartzites and biotite quartzites exhibit a micaceous foliation parallel to the compositional layering. This foliation is denoted as F_1. Chevron folds and kinks with their axial planes parallel to the compositioned layering and F_1 foliation occur throughout the quartzite units on the property. The biotite - quartzite units exhibit this feature best because of the alternating light coloured quartz laminae and dark coloured biotite

laminae. The biotite-quartzite rubble and cliff outcrop at the end of Line 37+900 E station 11+600 N show very good examples of this. This foliation is denoted as F_2. Thin section sample 9+100 N, 38+550 E shows rootless isoclines lying with their axial planes parallel to the compositional layering. The F_2 events refolded F_1 foliation into the same plane as the original F_1 event. F_1 and F_2 preceded the development of contact phases which overprint the foliation in samples 9+500 N, 39+050 E and 8DB 0234.

F_3 folding has only been indicated in a few outcrops on the property. Pencil structures in the quartzite on the northwesterly facing slopes of the "North Ridge" (towards Haggart Dome) exhibit the best examples of F_3 events. Quartz rodding in the 39+400, 39+800 and 40+150 skarn zones may also represent F_3.

c) Folding

The reconnaisance and detailed mapping done west of Line 38+950 E on the "Ray Gulch" Grid suggested the presence of southwesterly plunging anticline with the nose of the fold dipping under the cliffs on the west side of Ray Gulch. With the plotting of all altitudes taken on maps 3, 4 and 5 the broad anticlinal fold becomes more apparent. The quartzites, schists and phyllite found on the "North Ridge", Haggart Dome, Lynx Dome and Potato Hills have northeasterly trending strikes with dips of 10^{o}-40^{o} to the northwest. These altitudes represent the northern limb of the anticline. As one approaches the cliff area to the west of "Ray Gulch" and the long ridge that trends southwesterly between Dublin Gulch and Lynx Creek (vicinity of baseline 10+000 N), the quartzites, schists, phyllites and skarns strike slightly northeasterly to slightly northwesterly and dip 10^{o}-40^{o} westerly. These altitudes represent the nose area of the anticline. In the vicinity of Lines 40+150 E to 40+300 E between stations 8+400 N and 8+600 N the biotite quartzites and skarns strike southeasterly and dip 20^{o}-40^{o} to the southwest. These altitudes represent the southern limb of the anticline. Faulting in

areas where the southern limb should be well represented has disturbed the beds to such an extent that bedding altitudes are unreliable.

The geologic mapping program that will take place in the summer of 1979 may help to more firmly establish the presence of the anticline.

d) Faulting (Maps 3, 4, 5, 6 & 7) - (Plates 3 and 5)

To date mapping has revealed 3 faulting events in the Dublin Gulch claim block. The age relationship between the 3 events is not fully understood and further mapping, particularly in the placer mining area on Dublin Creek, in 1979 may reveal a better understanding of the situation. Good flat exposures of bedrock in Dublin Creek will be studied as placer operations clear away overburden.

The writer believes the age relation between the 3 faulting events is as follows:

1) A normal dip slip east northeasterly trending fault system developed contemporaneously and/or after F_2 folding events. These faults are parallel or sub-parallel to the axis of the previously described anticline.

   The cliffs on the west side of Ray Gulch exhibit deeply incised crevices which outlines the faults zones. One set of these faults is located south of the 39+400 skarn zone near the termination of Line 39+100 E. A displacement of 50 meters occurs on one of the faults. The downdropped side occurs to the south of the fault scarp in most cases. The dips of the scarps range between 38^{o} and 90^{o}.

   The 39+800 skarn zone is dissected by 2 of these faults, one of which has a displacement of 10 meters and the other, 2 meters. Lines 39+550 E and 39+700 E cross these faults near stations 9+400 N and 9+450 N respectively.

Another prominent fault scarp is located southeast of the 40+150 skarn zone near Line 40+150 E station 8+900 N. This scarp is shown on plate 3. These faults have a strike that is almost normal to the strike of the bedding.

2) The second faulting event has strikes that vary between northwest and north-northeast. Little is known about these faults as most are buried by stream gravels. The age relation between this fault system and the previously mentioned system is primarily implied from observing and mapping abrupt changes in lithologies across outcrop deficient drainages (see Map 4). Haggart Creek is believed to be one of these buried second stage fault zones. The Black Phyllite Fault Zone is another example of this stage of faulting. This fault can be traced only along ridge tops and incised drainages. Ray Gulch may also indicate the presence of another second stage fault. Lack of obvious displacement of units on both the east and west sides of Ray Gulch indicate that the fault has a small displacement. Large talus boulders cover the bottom of Ray Gulch obscuring all outcrop that would confirm the presence of this fault.

This fault system has a strike that is almost normal to oldest fault system and to the axis of the previously described anticline. The strikes of the second stage faults are parallel or sub-parallel to the strikes of the rock units.

3) The third and probably the final faulting event to take place in the Dublin Gulch claim block cross-cut the two previous systems. This system is discussed to some extent under the headings of Quartz Veining and mineralization. This system has a northeasterly trending strike which could be confused with first and second stage faulting. The third stage faulting is, however, distinctly related to intrusive events. The earliest and most noteable fault belonging to this system, is the Gold quartz-vein and fissure system shown on Plate 5 and on Map 5. The fissure-fault crosses the "Dublin Gulch" grid between Lines 36+700 E and 38+950 E and stations 10+800 N and 11+100 N. The fault paralles the large granodiorite stock and metasediment contact. It is believed by the writer that the fault formed during the late stages of intrusion because the vein system related to the fault-fissure cuts across other quartz and pegmatitic veins found within the granodiorite stock. Many shafts and adits by previous prospectors were driven on the gold-arsenopyrite veins associated with this fault. From maps 3 and 4 it is conceivable that this fault zone is connected to No. 3 vein on the Smoky 32 claim near the southwest limit of the claim block. The fault zone may also be connected to two lead, silver showings due west and northeast respectively of Lynx Dome. This northeasterly trending system requires further delineation as it has a potential total length of 1550 meters. The Tin Dome Fault Zone belongs to this third stage fault system and is also related to intrusive activity (see Maps 4, 5 & 7). From alteration, mineralization and veining evidence discussed previously, the writer believes an intrusive cupola has caused a doming of the meta sediments that lie above it. Faulting occurred

when rock failure due to doming stresses took place. Ann Gulch outlines this fault zone. Ann Gulch is located between the "North Ridge" and Tin Dome and it drains southwesterly into Dublin Gulch. The D.G. 41-44 and 54 claims as well as the Bob 10 claim cover the Tin Dome Fault Zone. This fault zone is an attractive exploration target because tin minerals are found in placer concentrates that originated from Ann Gulch. This extensive fault zone parallels or sub-parallels the N.E. trending fault and veins systems near Keno-Hill.

e) Discussion: Although the Dublin Gulch claim area has undergone two and possibly three periods of regional metamorphism and approximately three faulting events, the focus of attention is drawn towards the intrusive events. The last stage of faulting is directly related to the emplacement of the large granodiorite stock as well as small plugs. Quartz veins and their accompanying minerals are found almost exclusively related to the intrusive metamorphic and faulting events. For economic reasons alone, these systems require further exploration attention. This applies to the skarn zones that may have been formed only by regional metamorphism. Tungsten mineralization is greater where contact metamorphism has overprinted regional metamorphism of the skarns. This is most likely due to the fact that the quartz veins in the stock are scheelite bearing but any scheelite originally present in the skarns could be remobilized and reconcentrated by contact metamorphism.

Tin Dome Geology - (see Maps 4, 5 and 7)

The Tin Dome area consists of three hills located on the north side of Dublin Gulch between Haggart Creek and Ann Creek (Gulch). The D.G. 1, 2, 39, 41, 42, 43, 44, 54 and 56 claims cover this area. A great deal of cat trenching has been carried out on the claims over the last 40 years. From July 23 to Aug. 3, 1978 Canada Tungsten had the trenches cleaned out with a D-9 cat and mapped at a scale of 1:1000. Even with the cleaning out of the trenches, good solid outcrop was hard to find. This is due to the highly foliated and fragmented nature of the rock and their resultant rubble pile appearance (see Map 7).

This area is underlain by a very pelitic section of the Yukon Group metamorphic rocks. The rocks found here are distinct from the quartzite-schists and skarns found on the rest of the Dublin Gulch property. Three rock types have been observed and mapped and are described below. (See Appendix I - samples 8DL-0089 and 8DA-0337).

1) Black Phyllite - this is an intensely foliated graphitic phyllite. Black shales or argillites probably formed the original composition of the rocks. Graphite was formed with the metamorphic events and gives the rock a silvery lustre on foliation planes.

2) Micaceous Quartzites (white to grey) - this unit varies from massive non-laminated quartzite to lustrous sericite and muscovite rich phyllitic appearing schists. It is found interbedded with the black phyllites.

3) Micaceous Quartzites (brown colour) - this unit is very similar to the light coloured Micaceous Quartzites. The brown colouration may be due to an arkosic composition of the original sediments. This unit can also be very phyllitic with lustrous sericite and muscovite forming along foliation planes. The massive brown and white Micaceous Quartzite sections of the units described above originated from the metamorphism of quartz arenite sediments.

Metamorphism and Deformation

Two phases of regional metamorphism resulted in the development of quartzites and phyllites from pelitic, arkosic and arsenitic sediments. Tourmaline crystals aligned parallel to the foliation planes indicate F_1 deformation while another set of tourmaline crystals cut across the first set at a slight angle, indicates F_2 deformation. From the petrographic description of sample 8DL-0089 tourmaline was introduced by metasomatism that was taking place contemporaneously with regional metamorphism. The last deformation event was a period of intense faulting, fracturing, brecciation and quartz-tourmaline-cassiterite veining. This was a period of metasomatism caused by the emplacement of an intrusive cupola.

Faulting

Although many faults have been mapped on Tin Dome, it is believed by the writer that they are, for the most part, of the same relative age. Two main fault directions are found in the area. Faults trending N.N.W. appear to be the oldest and are off-set (left lateral) by steeply dipping N20^{o}-50^{o}E trending faults. Two of the most prominent northeasterly trending faults bound the Tin Dome area. One is located along Ann Gulch southwest of the two main Tin Hills shown on Map 7. The other lies in a divide to the northwest of the Tin Hills and separates them from the third "Hill". The third "Hill" is not plotted on Map 7 but is located on Maps 4, 5 and 9. The D.G. #1 claim covers most of this "Hill". The area between these two main faults is intensely faulted, fractured and brecciated. These faults appear to be the result of a doming event in which the metasediments have been elevated and possibly thrust onto the other metamorphosed sediments on the property.

Veining and Mineralization

The veins in this area are also quite different than those found on the rest of the Dublin Gulch property. They are almost indistinguishable from the brecciated country rock and are composed of tourmaline and quartz. The veins are dark green and have the texture of a clay rich fault gouge. Fine grained cassiterite crystals are found within this material. Tourmaline was introduced while regional metamorphism was taking place and is found as prismatic crystals lying along the planes of foliation in the micaceous quartzites. Along with the fracturing and faulting events then taking place, quartz-tourmaline-cassiteritic veins were formed and cut across the trend of the quartzite foliation. Two major veins were discovered in 1943 (described under earlier headings of Quartz Veining and Mineralization) and were subsequently trenched.

Only the decomposed gougy vein material was found even at depths up to 3 meters. One of the veins trends northwesterly and the other, northeasterly. (Attitudes and sample assays described previously). In 1945 Cominco drove a 17 meter adit towards the projected intersection of the two veins. The adit did not reach its objective. Portions of these veins were found by Canada Tungsten crews in 1978 but further cleaning out of trenches is required to properly evaluate them.

Interpretation

The writer believes that a tin bearing intrusive cupola exists at depth below the Tin Dome area. This is based on the fact that two other small plugs are exposed on the property and both are tin bearing. One plug is located on the north side of Dublin Gulch across from its junction with Olive Gulch. This is a Quartz Monzonite plug. The other is a tin bearing granitic plug located on the north facing slopes of a ridge that lies immediately to the southwest of the junction of Gill Gulch and Haggart Creek.

The significantly different rock types located on Tin Dome and the intense faulting suggest that the metasediments have been domed and eroded as a result of uplift caused by the emplacement of a cupola. The metasediments are believed to be older than metasediments found elsewhere on the property as they "appear" to lie stratigraphically above the younger metasediments.

The veins found on Tin Dome are different in composition than the others found on the Dublin Gulch property. The intense tourmalization and associated cassiterite mineralization is a characteristic if not a classic feature of tin deposits world wide. Intense brecciation, fragmentation and further tourmaline -cassiterite mineralization took place as final phases of intrusive activity when degassing at the top of the cupola occurred. Hydrothermal streaming of tin-tourmaline bearing fluids took place in the pipe like breccia zones formed above the cupola.

A paper given during the 1977 C.I.M.M. Convention on Alaskan Tin Deposits (personal witness, author unknown) described the formation of tin deposits derived from cupolas in Alaska. All features described during the talk are found on Tin Dome.

Further trenching, geologic mapping and sampling is required on Tin Dome in 1979. If results warrant it, diamond drilling should be considered.

Geochemistry

Introduction

A geochemical survey program was undertaken on the Dublin Gulch claim block during the summer of 1978. The program was made up of two surveys. A reconnaissance stream sediment samping and ridge top soil sampling and geologic mapping program was initiated first during the month of July 1978. This program was designed to test all drainages within and peripheral to the 453 claims comprising the Dublin Gulch claim block. It was felt that an overall view of the geochemical character of the area was required to determine what readings constituted background signatures and what constituted anomalous signatures. As the program was coordinated with reconnaissance geologic mapping, a feeling for the geochemical response of various lithologic units in sediments and soils formed from them could be obtained.

This information was then applied to the more detailed property soil sampling program. Most but not all of the detailed soil sampling program was carried out on the two grids described near the beginning of the report under the heading of "Grid Survey Control". All silt, soil, rock, channel and grab samples were sent to Chemex Labs in Vancouver and analyzed for tungsten, tin, gold and silver. Results were plotted on 1:5000 and 1:10000 scale topographic maps. Anomalous results were followed up with further prospecting and geologic mapping. During the fall of 1978 and spring of 1979 all the geochemcial data was compied and processed with the aid of a C.G.E. computer. Statistical analyses of the results were also done with the aid of a computer.

Reconnaissance Geochemistry - (see Maps 8 and 9)

Silt samples were taken in most drainages within and surrounding the claim block. It was decided to establish a 150 meter sample interval on all streams but due to steep terrain in many areas and the disappearance of streams under talus boulders, samples were taken whenever silt was available. For the most part the sample interval ranged from 75 meters to 150 meters.

Rock chip samples were taken where outcrop occurred along the streams. Rock chip samples were taken from most outcrops on the ridge top geologic mapping traverses. Soil samples were often taken next to the rock sample to compare the two results and find a background geochemical signature for the major rock units on the property. Due to rapid changes in lithologies (i.e. many alternating thin beds) this did not yield characteristic signatures. All of these samples are plotted on 1:10000 scale topographic maps (Maps 8 and 9). Some rock chip and float samples are plotted on these maps so they wouldn't become cluttered and lost on detailed soil grid maps 10, 11, 12 and 13. A total of 466 silt samples, 265 rock chip and 91 channel samples were taken. The silt samples and 241 rock samples were analyzed for tungsten, tin, gold and silver. The 91 channel and 41 rock chips samples were assayed for percent tungsten, tin, gold and silver. Where it was felt necessary, molybdenum was also analyzed.

Detailed Grid Geochemistry - (Maps 10, 11, 12, 13)

Soil sampling was carried out once the southeasterly trending "Ray Gulch" grid and the northwesterly trending "Dublin Gulch" grid were established. Because glaciation did not cover the Dublin Gulch area, the soil is of residual origin. Test profiles were done prior to sampling to check soil horizon development. As no distinct horizons were observed and the soil being very gravelly, it was decided that heavy minerals like scheelite, cassiterite and gold would be located near bedrock. Soil augers 1½ inches in diameter were driven 1 meter into the soil and the samples taken from the last 10 cms. This yielded a series of samples taken at consistent depth over all the grid lines.

Sample sites were spaced 50 meters apart and taken at marked picket stations on the grid lines as well as the baseline. A total of 1553 soil samples were taken and analyzed for tungsten, tin, gold and silver. Some of the rock chip and channel samples described previously were actually taken on the grids while geologic mapping was being done.

GEOCHEMICAL SAMPLE PREPARATION AND ANALYTICAL PROCEDURES- 1978

ppm Ag, ppb Au, ppm W, ppm Sn

Sample Preparation (Silts, Sediments)

Sample materials are dried at 50 ^{o}C. and screened to -35 mesh. The screened portion is pulverized in a ring grinder to reduce particle size and also acts to homogenize the sample. This is required when tin and tungsten values are required.

Sample Analysis

ppm Silver

A 1 gm. sample is attacked with $HClO_4$-HNO_3, heating to fuming $HClO_4$. After dilution to volume with demineralized water and mixing, the silver content is determined by atomic absorption spectrometry with simultaneous background correction.

ppm Tungsten

An 0.2 g. sample is fused with potassium pyrosulfate and leached in HCl. An aliquot is reduced with stannous chloride and quantitatively extracted with toluene-3,4-dithiol in amylacetate in a water bath. The tungsten dithiolate is dissolved in kerosene and the concentration determined colorimetrically against tungsten standards carried through the same extraction procedure.

ppm Tin

A 1 gm. sample is sintered with ammonium iodide and the stannic iodide volatilized trapped on a cool surface of the test tube. After leaching with HCl and reduction with ascorbic acid, the tin is quantitatively extracted into methylisobutylketone containing trioctylphosphine oxide. The tin concentration is determined by atomic absorption spectrometry against tin standards extracted by the same procedure.

ppb Gold

Five grams of pulverized material is digested to dryness twice with Aqua Regia. The residue is baked and dissolved in 25% HCl. Gold is extracted into MIBK as the gold bromide complex. The extract is analyzed for gold by atomic absorption techniques. Detection limit = 10 ppb.

Data Compilation and Computer Processing

Prior to the sampling, a 50 column sample code sheet was made up. This sheet was used in the field and the sampler, sample location, sample type, sample composition etc. were identified by code numbers or letters. These sheets could then be key punched directly from the field. The key punched data was then fed into the computer where a sort according to sample type was done. The sample analysis results were key punched and fed into the computer where they were merged with the appropriate sample numbers and types. The sorted data was stored in the computer system according to a file system listed below.

1) soil samples and corresponding analysis results - "old S File"
2) silt samples and corresponding analysis results - "old L File"
3) rock chip and float samples and corresponding analysis results - "RF File"
4) rock channel samples and corresponding analysis results - "H File"

All the samples and their analysis results belonging to the above files are listed and located in the pouch attached to the report.

A statistical analysis program was adapted to the geochemical data situation. It was found that ordinary statistical procedures cannot be made "to fit" the data so the results of the program were not completely satisfactory. More work is needed to provide a suitable program.

A statistical analysis was done on each element (tungsten, tin, gold, silver) for soil, silt and rock samples. This was done to determine background levels, threshold break and anomalous levels. The average, standard deviation, log of mean and log of standard deviation for each element was calculated from internal histogram analysis. Several histogram frequencies were run for a particular element occasionally so that comparisons could be made for "best fit" of data. In each case a listing of frequency, percent, cumulative frequency and cumulative percent was provided. The results


of this analysis were then plotted on graphs with Log normal parts per million (ppm) on the Y axis and cumulative probability on the X axis. As mentioned before, the program was not completely satisfactory and this came to light when the graphs were plotted. The computer program has a random generator factor built in which distributed the samples found in the first histogram frequency cell to non existent parts per million divisions. The fact that the elements in the Dublin Gulch area are not randomly distributed (except tin) and their resultant highly skewed histograms could account for the problem. The data was then plotted by hand on semi-logorithmic paper with parts per million or billion located on the X axis and cumulative percent on the Y axis. This proved more satisfactory as breaks in slope were readily observed. The statistical data from the computer program is located in the pouch attached to the report.

Interpretation of Stream Sediment Geochemical Data
(Four elements plotted on Maps 8 and 9)
abbreviations ppm - parts per million
ppb - parts per billion

Tungsten - (see Figure 7 and Maps 8 and 9)

The background readings for tungsten in sediment samples are 2 ppm or less. Virtually all drainages within and surrounding the claim area register background readings. The streams that drain northwesterly and southwesterly into Dublin Gulch and those found on the "Ray Gulch" grid draining southeasterly into Lynx Creek are the exception. From Figure 7 first, second and third order anomalies are colour coded with a line under the appropriate reading on Maps 8 and 9. The drainages that flow into Dublin Gulch and described above all have 1st order and 2nd order anomalies in them. This is a range of 3 ppm to 60 ppms. The erosion of scheelite bearing veins in the granodiorite stock and quartz monzonite plug cause the 1st and 2nd order anomalies. Third order anomalies of greater than 60 ppm are located exclusively within the Dublin Gulch channel. This is caused by the downslope movement of 1st and 2nd order anomalous sediments into Dublin Gulch. Dublin Creek acts as a concentrator of scheelite and results in highly anomalous readings.

Sediment samples taken in Ray Gulch range from background readings to 3rd order anomalies. The highest readings of 150 and 160 ppm's WO_3 are found immediately below the 40+150 skarn zone. As one travels downstream from the skarn zone the tungsten values gradually decrease to 1st order levels. The small stream immediately to the west of Ray Gulch has 1st and 2nd order sample anomalies. These results reflect the presence of scheelite bearing skarns in the cliffs at the headwaters of the creek.



TUNGSTEN SEDIMENT GEOCHEMISTRY

FIG. 7

Tin - (see Figure 8 and Maps 8 and 9)

From the graph on Figure 8 it was determined that the background levels for tin in the claim area are less than 2 ppm's. During the reconnaissance sampling program, small intrusive plugs were mapped but not in detail. The results of the sample analysis indicated that values greater than 2 ppm occurred near these plugs. This applies to rock and soil samples as well. Because of the sampling results, the anomalies were checked by more detailed mapping and tin showings were found associated with all the plugs.


Tin (cassiterite) is the only true randomly distributed element on the property. The graph shows very distinct breaks in slope which identify the threshold and anomalous levels very well. First order (2-6 ppm) and second order (6-11 ppm) anomalies are found in Gill Gulch sediments and in the sediments found in the stream parallel to and immediately south of Gill Gulch. These streams surround a small granitic plug.

Fisher Gulch sediments exhibit a 1st order anomaly. It is believed by the writer that a buried tin bearing fault zone and accompanying veins extend along the gulch and trends northeasterly across Tin Dome (Map 4).

Only background levels of tin are found in the Gulch that cross the three mile long granodiorite stock south of Dublin Gulch. No cassiterite has been found in this stock.

Sediment geochemistry did not locate tin anomalies in the "North Ridge" area even though the biotite-quartzites are dissected by a tin bearing quartz vein stockworks emanating from a Quartz Monzonite plug situated at the junction of Dublin Gulch and Olive Gulch. Only one sample taken in Ann Gulch (located between Tin Dome and the "North Ridge") was anomalous (8 ppm).

K+E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.



TIN SEDIMENT GEOCHEMISTRY

FIG. 8

Gold - (see Figure 9 and Maps 8 and 9)

From the graph on Figure 9, the Dublin Gulch area has a background gold content of less than 13 parts per billion (p.p.b.). From maps 8 and 9 it can be seen that most of the claim area has a gold content of less than the analysis detection limit of 10 p.p.b. First order anomalies range between 13 and 26 p.p.b., second order anomalies range between 13 and 52 p.p.b. and third order anomalies are greater than 52 p.p.b. An area of flattening in the graph suggests a single type source for gold but that uneven distribution of the element within that source occurs.

From maps 8 and 9 it can be seen that all samples anomalous in gold are located near intrusive centers. All intrusive stocks and plugs, faults and vein system have been described in detail previously so only locations will be referred to.

Gill gulch and the stream immediately south of Gill Gulch have numerous 1st and 2nd order anomalies occurring in their sediments. Quartz veins found in the granitic plug lying between the two creeks are believed to be the source of the gold.


Four samples taken in Fisher Gulch range from 1st to 3rd order anomalies. Suspected veins and faulting in the gulch may be the source.

The head waters of Platinum Pup, Stuttle Pup, Eagle Pup, and Stewart Gulch all of which drain northwesterly into Dublin Gulch, cut across the gold-quartz vein fissure system that trends northeasterly along the granodiorite stock-biotite quartzite contact. Samples taken in these streams ranged from background levels to 3rd order anomaly values.

The short streams, including Ann Gulch, that drain southwesterly into Dublin Gulch have gold contents ranging from background levels to high 3rd order values. This gold is derived from a quartz vein stockworks emanating from the Olive Gulch-Dublin Gulch Quartz Monzonite plug.

K&E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.

46 5370



GOLD SEDIMENT GEOCHEMISTRY

FIG. 9

Most of the samples taken in Dublin Gulch itself are high 3rd order anomalies. This is where the gold from all the streams collect and forms the placer deposits. As mentioned previously, scheelite is also accumulated in Dublin Gulch by the tributory streams crossing mineralized rock.

Single sample anomalies generally of 1st order anomaly value are scattered throughout and peripheral to the claim area. These are related to sporadic quartz veins that cut the metasediments. Although rare, veins from the large granodiorite stock penetrate the metasediments for long distances.


Silver - (see Figure 10 and Maps 8 and 9)

The histogram for silver is very unusual and difficult to assess. At least 4 peaks occur but are not connected in any manner by a curve. This suggests that several sources for silver occur. The graph on Figure 10 was plotted and the threshold value was chosen after observing the volume of data rather than considering the first two break points located before the threshold value indicated.

The background values for the Dublin Gulch area are less than 0.2 ppm silver. The threshold break is at 0.2 ppm and 1st order anomalies range from 0.2 ppm to 0.4 ppm. Any values greater than 0.4 ppm silver constitute a second order anomaly.

Virtually all drainages within and surrounding the Dublin Gulch claim block contain only background levels of silver. Iron Rust Creek and a major tributory draining southwesterly from Haggart Dome have a consistent 1st order and 2nd order anomaly level. These drainages cross the D.G. 26, 27, 28, 11, 9, 7, 5 and the Bob 31, 30, 27, 26, D.G. 16, 13 claims respectively.

Only a few 1st order and 2nd order anomalies are found in the sediments of the streams flowing into Dublin Gulch.



SILVER SEDIMENT GEOCHEMISTRY

FIG. 10

Interpretation of Soil Geochemical Data
(4 elements plotted and contoured on Maps 10, 11, 12 and 13)
abbreciations ppm - parts per million
ppb - parts per billion

Tungsten - (see Figure 11 and Map 10)


The graph on Figure 11 indicates that a higher background level is found in soils than in sediments in the Dublin Gulch area. The threshold break for tungsten in soil samples is 21 ppm while 1st order anomalies range from 21 to 30 ppm, 2nd order anomalies 30 to 68 ppm and 3rd order anomalies greather than 68 ppm. The tungsten is not randomly distributed as the histogram curve is highly skewed.

The contour lines on Map 10 portray the northeasterly trending fabric of the grid area. A second order anomaly is located on the "North Ridge" baseline on the "Dublin Gulch" grid which lies N.W. of the 10+000N baseline. This anomaly outlines a scheelite bearing quartz vein stockworks that emanates from a Quartz Monzonite plug that lies between Lines 37+450E and 37+750 where the lines terminate in Dublin Gulch. This plug itself is outlined by a 3rd order anomaly.

A third order anomaly lies at the end of Line 38+200E near station 11+500N. A small monzonite dyke may exist under residual overburden.

A series of parallel northeasterly trending 3rd order anomalies are located on the "Dublin Gulch" grid between Lines 36+950E and 38+950E and between stations 10+000N and 11+200N. These anomalies indicate a more intensely mineralized intrusive granodiorite stock. Mapping indicated that the area was the porphyritic core area of the granodiorite stock. Quartz vein density is greater in this area with up to 10 veins per 30 cms occurring. The veins range in thickness from .5 cm to 30 cm and carry patches of scheelite. The sampling outlined the more intense scheelite bearing vein system.

K&E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.



TUNGSTEN SOIL GEOCHEMISTRY

FIG. 11

On the "Ray Gulch" grid located southeast of the baseline three 3rd order anomalies outlined three major skarn zones. Scheelite bearing garnet skarn float was found on Line 38+650E station 9+600N. Only 3 soil samples revealed this scree covered skarn zone. The 39+400 and 39+800 skarn zones are outlined by 3rd order contours crossing Line 39+100 station 9+200N, Line 39+250E station 9+350N and Line 39+400E station 9+350N. The thick 40+150 skarn zone is outlined by 3rd order contours extending northeasterly between Lines 39+850N and 40+150N and between stations 9+100N and 9+300N.

A large area of 1st and 2nd order contours is outlined between Lines 39+700E and 40+600E southeast of station 8+250N. This area is underlain by numerous thin skarn units and an elongate granitic plug. More evaluation of this anomaly is required. Soil geochemistry for tungsten works well in areas of intrusive rocks. Small single sample anomalies found in biotite-quartzite schist and skarn areas should be checked carefully. All float should be checked if no outcrop is present in anomaly area.

Tin - (see Figure 12 and Map 11)

Only one break in the line is located on the Figure 11 graph. The threshold value of 2 ppm is identical to that of the sediments in the area. Tin is more randomly distributed in soils than in sediments. Any values over 2 ppm are considered anomalous in soil samples.

Only two areas of anomalous tin values were located by soil sampling. The known tin showings on Tin Dome and covered by the D.G. 1, 39, 42, 44, 54 and 56 claims was outlined by soil sampling. The tin bearing quartz veins stockworks found on the "North Ridge" baseline did not show up in soil samples.

Some highly anomalous samples are found on Line 40+000E between stations 8+100N and 8+500N. It is not known what the source for tin is in this area. No other noteable tin anomalies were located on the grids.

Gold - (see Figure 13 and Map 12)

The graph on Figure 13 is slightly different than that for sediments. The background level in soil samples is less than 10 ppb. The threshold break occurs right at 10 ppb. First order anomalies range between 10 and 20 ppb, 2nd order anomalies range between 20 and 80 ppb and 3rd order anomalies are greater than 80 ppb. In the area of the D.G. 1 and 39 claims on Tin Dome a 3rd order anomaly indicates the possible existence of a buried northeasterly trending veined fault zone.


On the "Dublin Gulch" grid many single sample 3rd order anomalies occur. The small anomalies are not representative of a specific vein at depth but rather a chance pick up of minute gold bearing pieces of quartz vein that occur in the gravelly soils. Two noteable 3rd order anomalies are located on the "Dublin Gulch" grid. One is located on Dublin Creek between Lines 37+150E and 37+450E and between stations 11+500N and 11+800N. This area is located on the Bob #4 claim. The anomaly outlines a weakly gold bearing but significant scheelite bearing quartz vein stockworks found within the well described Quartz Monzonite plug.

The second 3rd order gold anomaly is a northeasterly trending elongate one. It lies between Line 37+300E and 38+800E and between stations 10+900N and 11+400N. This anomaly extends across the Bob 2 and 3 claims and the R.D. 16, 7, 5, 6 claims. This anomaly outlines the major gold bearing fault-fissure system than parallels the northern granodiorite-biotite quartzite contact area (see plate 5).

Several single sample gold anomalies are found on the "Ray Gulch" grid southeast of the baseline. These anomalies outline the widely spaced and rare quartz veins that cut the quartzite-schists and skarns. Some of the veins originate in the large granodiorite stock and others may be formed by metamorphic processes.

K&E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.


46 5370



TIN SOIL GEOCHEMISTRY

FIG. 12 74.00

K+E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.



GOLD SOIL GEOCHEMISTRY

FIG. 13

Silver - (see Figure 14 and Map 13)

Background levels for silver in soil samples are less than those in sediment samples. Background values are .1 ppm and less while the threshold break is at .1 ppm. The 1st order anomalies range from .1 to .2 ppm and 2nd order anomalies are greater than .2 ppm.

Only a few anomalies of interest were located. These anomalies rarely have silver values greater than 2 ppm so are not of economic importance.

Four northeasterly trending and parallel anomalies are found on the "Dublin Gulch" grid and cross the Smoky 77, Bob 1, 2 and 3 and R.D. 16 claims. The anomalies are located between Lines 36+700E and 38+050E and between stations 10+400N and 11+100N. These anomalies parallel the major gold bearing vein fault-fissure system on the property.

K+E SEMI-LOGARITHMIC 3 CYCLES X 60 DIVISIONS
KEUFFEL & ESSER CO. MADE IN U.S.A.




FIG. 14

Three small anomalies are located on the "Ray Gulch" grid. One is located on Line 39+70OE station 9+45ON which is covered by the Mar 5 claim. The second is located on Line 39+85OE station 9+30ON which is covered by the Mar 18 claim. The third and smallest anomaly is located on Line 40+15OE station 9+45ON and is covered by the Mar 16 claim.

All of these anomalies are related to underlying carbonaceous outcrop or rubble. Most of this material is crystalline marble.

Discussion - Soil and Sediment geochemistry can be utilized effectively to locate mineralized areas. Because no soil horizon development exists, the elements are not evenly distributed. As most of the elements have a higher specific gravity and are not easily dissolved they tend to remain close to bedrock. Undulating overburden cover greatly affects the distribution of the material and where one sample taken at 1 meter will be right on bedrock the other sample taken at 1 meter may have 12 more meters of overburden below it before reaching bedrock. Care must be taken so as not to dismiss small one or two sample anomalies until proper mapping is done.

Geophysics

During the summer of 1978, two attempts were made at running a proton magnetometer survey on the grid lines on Dublin Gulch.

These surveys were attempted during the first and last weeks of August. Very erratic readings were obtained at most stations and duplication of readings over a 30 second time period could not be obtained. Variations between two or three readings taken at one station over a period of 15 seconds were as much as 500 gammas.

Checks were made with the government geophysical departments in Victoria, B. C. and Fairbanks, Alaska and they confirmed the presence of magnetic storms caused by increased sun-spot activity during August. No data was plotted due to unreliable readings.

APPENDIX I

Petrographic Report - Dublin Gulch and Tin Dome Samples

THIN SECTIONS:

	Slide No.	Sample No.	Sample Loc.
Dublin Gulch:			
Metasediments; RAY GULCH AREA			
Massive and laminated diopside skarn	E.1 E.2	8DL-0160H	39+400 8+900N, 40+450E
Garnet-diopside massive skarn	E.3	8DL-0088F	38+350E, 10+000N
Metaquartzite	E.4 E.5	8DB-0151 8DB-0207	
Quartz-biotite schist	E.6 E.7	8DB-0228 8DB-0234	
Contact-metamorphised schist	E.8	-	9+500N, 39+050E
Meta quartzite with actinolite vein	E.9	-	9+100N, 38+550E
Intrusives; Ray Gulch - Baseline Area			
Aplite dike - silicified skarn contact	E.10	-	10+00N, 38+500E
Early mafic-rich intrusive	E.11	-	Eagle-Stewart Ridge; 10+200N
Metasediments; TIN DOME - NORTH RIDGE AREA			
Metatuff	E.12	8DL-0132	
Metatuff, shattered with quartz veinlets	E.13	-	North Ridge Road, N38+300E
Tin Dome meta quartzite breccia	E.14	8DA-0337	
Tin Dome tourmaline vein/breccia	E.15	8DL-0089	
Intrusives; Upper Dublin Gulch Area			
Quartz Monzonite	E.16	-	Canex #3DDH
Very fine grain quartz porphyry (?)	E.17	8DP-0013	
SECRET CREEK AREA			
Foliated quartzite with separation fractures	E.18	RPSC #4	

8DL-1060H Laminated diopside skarn

The laminations in this sample result from alternations in diopside versus plagioclase and kspar contents. Grainsize also varies between layers. The laminations are on the scale of .5 tc 3 mm.

Mode

Diopside-hedenbergite	63
Plagioclase (An 30)	20
Kspar	5
Carbonate	3
Uralite	3
Epidote, chlorite	3
Scapolite	2
Sphene	1
Allanite	tr

The pyroxene is a diopside-hedenbergite solid solution, light green in thin section, with a γ to z angle of 48^{o}. It forms granular lamellar-shaped masses. Some larger grains are oriented within the plane of layering. It has been partially replaced by bright green uralitic amphibole. This grows interstitial to the pyroxene, forming partial rims and sometimes surrounding it. These overgrowths tend to parallel the crystallographic orientation of the enclosed pyroxene.
Plagioclase grains are unoriented, but some of the larger ones have elongate morphologies due to constriction between adjacent pyroxene lamellae. They poikilitically enclose pyroxene grains, indicating later development. The largest plagioclase grains have long dimensions approaching 5 mm; by contrast lamellar aggregates of small grains are also present. Some grains show patchy zoning.
Kspar grains form trains parallel to the layering.
Carbonate, of relatively low relief but not reactive to HCl, appears to be a late phase. It occurs interstitially, as small ragged grains within plagioclase, and penetrating plagioclase and scapolite along cleavages.
Epidote and chlorite in ragged dusty aggregates accompany carbonate. In places they are fibrous and may replace scapolite.
Scapolite occurs in the felsic lamellae as large fibrous grains including quartz and plagioclase. Scapolite remnants within plagioclase, of consistent orientation with the enclosing grain, show evidence for replacement by plagioclase.
Sphene clumps occur in the felsic lamellae; larger grains grow in apparent equilibrium with diopside.
A few grains of allanite (light red-brown pleochroic, moderate birefringence, parallel extinction) were noted.

Interpretation: The plagioclase in this sample is more Na-rich than that normally encountered in skarns of strictly metamorphic origin. This, along with the presence of Kspar and scapolite, suggests metasomatic involvement.

8+900N,40+450E Laminated diopside skarn

This sample differs from SDL-0160H in having quartz rather than feldspar as the felsic component. Again, laminations involve variations both in composition and grainsize.

Mode

Diopside-hedenbergite	73
Quartz	15
Calcite	5
Epidote	5
Uralite	2
Sphene	tr
Pyrite	tr
Wollastonite	tr
Apatite	tr

The pyroxene, very pale brown to green in thin section, forms lepidoblastic to granoblastic lamellar aggregates. Some large skeletal grains are up to 6 mm long. In general the finer grained sections show more distinct laminations.
Quartz grains range up to 5 mm in diameter. They occur in polygonal aggregates interstitial to pyroxene.
Calcite is interstitial to the other phases. It forms large grains elongate parallel to the laminations which poikilitically include both pyroxene and quartz. Some are skeletal.
Epidote mainly concentrates in a single lamination and in a fine cross-cutting vein. The epidote lamination consists of large dusty ragged grains accompanied by calcite. It has a distinctly secondary appearance.
Patches of bright green uralite rim and partially replace pyroxene.
Small grains of sphene, apatite, and pyrite occur in quartz.
A few wollastonite grains are surrounded by pyroxene. The present assemblage contained in this rock lies to the low temperature-high P_{CO_2} side of the reaction calcite + quartz = wollastonite + CO_2.

8DL-0088F Massive garnet-diopside skarn

This is the only skarn with visible scheelite. Only a few grains are present; their associations have been detailed below.

Mode

Diopside-hedenbergite	71
Quartz	10
Garnet	7
Plagioclase	4
Kspar	2
Uralite	2
Fe-oxides, opaques	2
Sphene	1
Epidote	1
Wollastonite	tr
Scheelite	tr

The pyroxene is a diopside-hedenbergite solid solution, light green and slightly pleochroic in thin section. It has a γ to z angle of 44°. It forms a granoblastic to lepidoblastic fabric generally, but grains develop euhedral boundaries against quartz.
Quartz occurs as large interstitial grains to 5 mm diameter. They commonly include small diopside-hedenbergite crystals.
Garnet porphyroblasts average 5 mm diameter. They include numerous small diopside grains scattered evenly from rim to core, indicating that their development postdates that of pyroxene. Reaction or impoverishment rims surround them, composed of plagioclase and Kspar.
Plagioclase and Kspar form clumps of anhedral grains, particularily around garnets.
Bright green uralite patchily replaces diopside-hedenbergite as interstitial material encroaching on grains and as rims. (It should be noted that the bright green color of the secondary amphibole, indicating abundant iron, is additional evidence for an Fe-Mg pyroxene. Pure diopside would be replaced by clear tremolite.)
Iron oxides, orange to opaque, occur interstitially and along fractures. They appear to be late.
Sphene grains .5 to 1 mm diameter grow in equilibrium with the pyroxene fabric. Smaller euhedral grains occur within quartz.
Dusty epidote partly replaces plagioclase. Epidote veinlets cut across the garnet porphyroblasts.
A few wollastonite grains occur interstitial to pyroxene.
About ten scheelite grains were detected using ultraviolet light on the reject block. They were scattered throughout the block, usually in lighter patches which probably correspond to quartz grains. Only two could be found in the thin section. One was .2 mm diameter, subhedral, surrounded by quartz except for one side which touched pyroxene. The other occurred in the feldspar aggregate surrounding a garnet porphyroblast.

Kspar occurs in layer 1 and in the veins, as large grains interstitial to plagioclase.
Sphene occurs as trains of fine grains in layer 2. Euhedral sphenes grow along one vein selvage. One composite grain shows two successive reactions, rutile-ilmenite-sphene (see below).
Rutile (dark brown acicular prisms and anhedra) is scattered throughout the section.
Fine continuous opaque trains define the layering in layer 2. Larger cubic to anhedral grains (pyrite?) occur next to one of the veins. Anhedral opaques are surrounded by amphibole in the veins; they also occur in layer 1.
Siderite in a few coarse grains surrounds amphibole in veins. It is probably secondary.
A few scattered grains of tourmaline and apatite occur in layer 2.



F_2 fold in schist (layer 1)
muscovite forms polygonal
arcs around fold hinge.

9+100N, 38+550E Interlayered schist/metaarkose with quartz-amphibole veins

This rock is finely layered. Two major lithologies occur within the section:

1) schist - muscovite, biotite, Kspar
2) metaarkose - plagioclase, biotite, chlorite, actinolite, sphene, zoisite, layering defined by fine trains of opaques. A carbonate component is suggested by the calcic minerals and the highly anorthitic plagioclase.

Two early phases of deformation are beautifully demonstrated by rootless isoclines (F_2) which refold the foliation (F_1). In general F_1, F_2 and the compositional layering are parallel. F_3 shows as a kink in layer 1. The veins contain quartz plus either actinolite or tremolite; they verge on skarn minerology.

Mode

Plagioclase (An70)	21
Quartz	20
Actinolite/tremolite	15
Chlorite	10
Zoisite/clinozoisite	10
Muscovite	15
Biotite	3
Kspar	3
Sphene, rutile	tr
Opaques	2
Siderite	1
Apatite, tourmaline	tr



Plagioclase occurs as equant anhedral grains in layer 2. These are unzoned. Euhedral plagioclase grains growing along vein selvages are in some cases oscillatory-zoned.

Quartz forms aggregates of large clear grains in the veins.

Euhedral amphibole crystals and sprays in the veins poikilitically contain quartz. Tremolite in one vein appears to have partly altered to actinolite. The other veins contain only actinolite. In layer 2, actinolite needles either parallel the foliation or, enclosed within chlorite, show random orientations.

Patches and unoriented plates of chlorite occur in layer 2. A kink in the muscovite-biotite schistosity of layer 1 contains secondary chlorite.

Grey birefringent zoisite flecked with anomalous blue clinozoisite occur as patches in layer 2. Larger grains of clinozoisite are also present, both in layer 2 and in the veins. In one case clinozoisite seams a large actinolite crystal. An opaque phase believed to be pyrite is characteristically mantled by clinozoisite.

Muscovite is the dominant phase in layer 1, locally constituting 90% of the rock. It is well-oriented, defining a strong schistosity.

Oriented biotite plates occur in layer 1 with muscovite. They are also scattered in layer 2.

10+000N, 38+500E Aplite dike - diopside skarn contact

The skarn portion of this slide has a fine granular texture. It consists of diopside with feldspar-rich segregations. These are polygonal aggregates, in contrast to the uneven grain boundaries of the aplite. Uralite forms a discontinuous rim on the skarn where it contacts the dike. Scattered xenocrysts of diopside occur in the dike.

Modes

Skarn		Aplite	
Plagioclase (An 60)	6	Quartz	60
Diopside-hedenbergite	79	Plagioclase(An 60)	37
Quartz	4	Pyroxene	2
Carbonate	4	Kspar	tr
Epidote	3	Chlorite,biotite	tr
Sphene	2	Fe-oxides	tr
Uralite	1	Zircon	tr
Kspar	tr		
Rutile	tr		
Scapolite	tr		

Plagioclase forms polygonal aggregates with subsidiary quartz in the skarn; grainsize varies from place to place but is homogeneous locally. Contacts with diopside-rich portions are sharp. In the aplite, plagioclase and quartz intergrow; both are anhedral with uneven grain boundaries. Plagioclase contains symplectic intergrowths of albite but is otherwise unaltered.
The pyroxene is pale green in thin section. It forms a fine grained (average .05 to .1 mm) aggregate of polygonal crystals. They develop euhedral outlines against carbonate.
Quartz in the skarn occurs with plagioclase and also as interstitial monomineralic aggregates. Its grainsize in the aplite is variable; there it shows lobate to curving grain boundaries.
Carbonate, interstitial to pyroxene, tends to be elongate parallel to a system of fractures which cut both skarn and aplite. This suggests that it form after intrusion of the dike.
Epidote forms coarse dusty aggregates also elongated parallel to the fractures. Its morphology suggests secondary origin.
Uralite forms along the fractures in the skarn as well as at its contact with the dike.
Kspar is a minor phase in the aplite, occurring along the contact. A few grains accompany plagioclase in the felsic segregations in the skarn.
One grain of rutile (high relief and birefringence, brown) is surrounded by sphene. Sphene commonly nucleates on opaque grains. It occurs in the felsic parts of the skarn and as xenocrysts in the aplite.
One fibrous clear grain with parallel extinction interstitial to pyroxene is believed to be scapolite.
Chlorite, biotite and Fe-oxides fill a fracture in the aplite which is continuous with those in the skarn.

8DL-0132 Foliated quartzite

The strong parallel fabric of this metaarenite gives it a tuffaceous appearance in hand sample. However its quartz-rich composition is incompatible with an igneous origin.

Mode

Quartz	87
Muscovite	5
Plagioclase (albite)	5
Chlorite	2
Opaques,iron oxides	1
Apatite, tourmaline	tr

Quartz has two habits. Large quartz crystals are lens-shaped, strongly flattened in the foliation. They show extreme undulatory extinction. Some have been polygonalized to finer aggregates of closely-oriented grains. Grain boundaries are irregular to dentate. The second quartz habit is as smaller grains in the matrix. Although these also tend to be flattened in the foliation, they do not show undulatory extinction. Muscovite trains outline original quartz clasts which have recrystallized to aggregates indistinguishable from the matrix. This bimodal occurrence, with strain showed prominently in the coarse grains, is typical of strong deformation accompanied by recrystallization and plastic flow. It has been described both from metamorphic terranes and from the mantle.
Fine wispy muscovite trains parallel the quartz foliation. Original quartz clasts can be distinguished because they, unlike the original matrix, do not contain fine scattered platelets of muscovite and chlorite.
Plagioclase grains are anhedral and lens-shaped. Twins are kinked. Plagioclase recrystallizes less readily than quartz; thus it only occurs as porphyroclasts and not in the matrix as neoblasts. Plagioclase grains are sericitized and partly replaced by fine grained quartz.
Opaque trains parallel the foliation. Iron oxides penetrate along foliation fractures at the edges of the block.
Tourmaline and apatite concentrate in muscovite-chlorite trains.

Eagle-Stewart Ridge: 10+200N Medium grained biotite granodiorite

The most distinctive feature of this intrusive is its high content of xenoliths which are minerologically identical but compositionally and texturally different than the enclosing rock. They tend to have radial structures, for instance radiating plagioclase or quartz-rich relatively coarse cores, All are more rich in biotite than the matrix; they tend to be finer grained.

Mode

Plagioclase (An 45)	35
Quartz	33
Kspar	10
Biotite	20
Chlorite	2
Opaques	tr
Fe-oxides	tr
Zircon, apatite, allanite	tr

Plagioclase grains show typical euhedral to subhedral plutonic habits. Some form clumps with complicated twinning patterns. Oscillatory zoning is common. The degree of saussuritization and sericitization varies. Within a given grain, it most strongly affects more calcic annuli.
Quartz grains are clear and interstitial.
Kspar grains are large and interstitial. They poikilitically surround all other ohases, including quartz.
The biotite in this sample, like that in the metamorphic rocks, is red brown, an indication of high ferric iron content. It forms plates with several paragenetic relations. Some are enclosed within euhedral plagioclase. Others are epitaxial on it. Still others are skeletal and enclose quartz. Thus biotite crystallization seems to have persisted from liquidus to near-solidus in the rock. Biotite within the inclusions is the same color, presumably the same composition, as that in the matrix.
Chlorite forms mimetically after biotite. It concentrates in one corner of the section, where alteration of plagioclase is correspondingly strong.
Opaque grains, probably ilmenite because of white leucoxene seen in reflected light, are enclosed in biotite plates. Zircon and apatite also occur preferentially within biotite. Zircons are surrounded by prominent pleochroic haloes.
Brown pleochroic allanite is interstitial to quartz.
Iron oxides occmpany chlorite. A few grains of clear interstitial hematite are present.

North Ridge Rd., 10+200N Metatuff (rhyolite) / quartz veinlets

This sample is delicately layered on a scale of .1 to .2 mm. Laminations are enriched in either quartz, Kspar, or Kspar + muscovite. Quartz veinlets run both parallel to and across the laminations. The crosscutting veins appear to be later as they recrystallize material in the conformable veins.

Mode

Quartz	70
Kspar	23
Muscovite	5
Chlorite	1
Zircon, tourmaline, opaques, rutile/cassiterite	1

Quartz both in veins and laminations forms a mosaic of clear grains. In some laminations grains are as wide as the layer.
Kspar forms finer aggregates than quartz. Some areas are very dusty, altered to clay.
Muscovite platelets are aligned parallel to the layering. They tend to accompany Kspar rather than quartz. Iron oxides stain some muscovite trains.
Nearly isotropic chlorite accompanies chlorite in places.
Scattered grains of zircon and tourmaline occur in the metatuff (not in the veins). Small interstitial opaques concentrate in the Kspar layers.
Rutile or cassiterite (dark yellow to reddish brown, high relief, slightly pleochroic, high birefringence (3rd order), parallel extinction) occurs as prisms and needles in the Kspar layers.

Although this sample shows evidence of thorough metamorphic recrystallization under stress (muscovite fabric parallels layering), is does not typify the conditions of extreme strain evidenced in 8DL-0132.

8DA-0337 Quartzite breccia (metaarenite)

This sample may have resembled 8DL-0132 prior to brecciation. In relatively undisturbed areas it consists of relatively coarse quartz lenses showing undulatory extinction in a matrix of unstrained grains. Mica wisps define the fabric and delineate recrystallized porphyroclasts.

Mode

Quartz	83
Fe-oxides	10
Muscovite	7
Zircon	*tr*

Quartz forms a generally equant microcrystalline mosaic with straight to slightly curving grain boundaries.
Iron oxides fill the fractures between breccia clasts, in some places along with angular shattered quartz fragments.
Muscovite occurs as oriented wisps and as scattered small plates. Many of the latter are skeletal and enclose quartz.
A few scattered dusty zircons were noted.

This sample shows a three-part history:

1) strong plastic deformation, recrystallization of quartz to finer aggregates, development of muscovite foliation
2) healing under static conditions, crystallization of unoriented mica, development of equant polygonal quartz fabric
3) brittle fracturing and brecciation.

8DL-0089 Tourmaline-veined quartzite with breccia zones

This sample may have resembled 8DL-0132 prior to tourmaline metasomatism. The original quartz fabric is bimodal with flattening of grains parallel to the foliation and undulatory extinction in some of the coarser grains. The tourmaline veins cut across the trend of the quartz foliation; relics of it are preserved within the tourmaline. Tourmaline prisms have two orientations, one parallel to the earlier foliation and the other, less pronounced, at a slight angle to it.

Late brittle fractures cut across the sample. Tourmaline veins, parallel to the quartz foliation, are displaced across them. The fractures contain small breccia zones, cemented with iron oxides.

Mode

Tourmaline	48
Quartz	35
Fe-oxides	10
Chlorite	1
Opaques	5
Rutile/cassiterite	1

Tourmaline forms fine-grained dense masses of brown to green pleochroic crystals. Blue-green pleochroism was noted in a few places. Coarser tourmaline occurs in the remnant quartz-rich layers.
Quartz grains are of variable size with sutured borders.
Fe-oxides fill late breccia-fractures, as in 8DA-0337.
Elongate opaque blebs in tourmaline layers are partly at least composed of iron oxides. They are interstitial to tourmaline.
Rutile or cassiterite (for description see N. Ridge Rd. sample) occur as prisms and anhedra in a fine tourmaline segregation in quartz, and within tourmaline-rich layers.

Canex #3DDH Quartz monzonite

This is a coarse grained fairly typical intermediate intrusive. It shows some degree of textural/compositional variation, with relatively fine-grained biotite and plagioclase concentrated to one side of the slide.

Mode

Orthoclase	59
Quartz	15
Biotite	5
Chlorite,prehnite	6
Plagioclase(An25-60)	4
Carbonate	4
Sphene	2
Zircon,allanite	tr
Sericite	4
Rutile	tr

Orthoclase grains are up to 4 mm in diameter. They are anhedral, dusty, and commonly contain microperthite lamellae. Finer grains are interstitial to other phases.
Quartz is interstitial to orhoclase but shows idiomorphic outlines against carbonate and chlorite.
Red brown biotite plates show color mottling in places. They are partly replaced by chlorite.
Chlorite and prehnite form interstitial radiating masses in what may have been miaroles.
Small euhedral plagioclase crystals show normal and oscillatory zoning.
Carbonate fills discontinuous veinlets and flecks feldspar. Coarse ragged carbonate patches accompany chlorite and sericite after biotite.
Sphene is mostly primary; in a few cases it replaces biotite, growing along the basal cleavage. A few sphene veinlets are present.
Allanite forms a few euhedral prisms which produce pleochroic haloes where they touch biotite.
Rutile is interstitial to prismatic. Clumps of acicular crystals occur in late chlorite patches.
Sericite in coarse aggregates replaces feldspar.

8DP-0013 Hydrothermally altered rhyolite porphyry, scheelite in quartz veins

Mode

Zeolite, zircon	tr	
Scheelite	tr	
Kspar	65	
Quartz	20	
Clay	4	
Plagioclase (albite)	1	(orignally about 7%)
Fe-oxides	2	
Rutile/cassiterite	1	
Muscovite	7	

Kspar phenocrysts are subhedral to euhedral and partly sericitized. Kspar forms an interlocking aggregate with quartz in the matrix.
Quartz phenocrysts clump together. They are rounded and embayed.
Except for a few, original euhedral plagioclase phenocrysts have been completely replaced by sericite.
Composite muscovite plates contain abundant opaque inclusions. They may be biotite pseudomorphs. Smaller clear muscovite plates occur in the matrix.
Pockets of radiating clear material with low birefringence and negative relief are probably a zeolite (stilbite?)
Dusty low-birefringent clay accompanies sericite.
Rutile or cassiterite (high relief, dark brown-yellow brown pleochroic, 3rd order birefringence, parallel extinction) has an acicular to anhedral habit. It grows inside relict plagioclases, as prismatic aggregates within muscovite plates, and in one very small discontinuous veinlet.
White quartz veins cut the sample. In one of them scheelite (high relief, low first-order birefringence, uniaxial +, 2 poor cleavages at 90°, slight anomalous extinction) occurs as a few euhedral prisms rimmed with hematite.
Radiating goethite nucleates on hematite in these veins.
A few grains of zircon were noted.

The complete replacement of plagioclase and biotite, as shown by white mica textures, suggests that this rock has undergone at least mild hydrothermal alteration, probably accompanying the scheelite-bearing quartz veins.

RPSC#4 Foliated quartzite with plastic shear zones

This sample resembles 8DL-0132 in lithology and style of deformation. Coarse lens -shaped quartz porphyroclasts show strong undulatory extinction and recrystallization to subgrains. The smaller quartz crystals in the matrix (neoblasts), although flattened, do not show undulatory extinction. Plagioclase porphyroclasts have been completely altered to clay.

Secondary plastic shear zones cut the original foliation at high angles. These have caused recrystallization of quartz and re-alignment of the new grains parallel to themselves.

Fine layers defined by micaceous partings and opaque trains are deformed into tight folds with parasitic minor folds on the scale of the section.

Mode

Quartz	90
Clay	5
Muscovite	4
Opaques	1
Tourmaline	tr
Rutile	tr
Zircon	tr

Quartz grains show undulatory extinction except small neoblasts. This texture approaches mylonitic. One quartz polygrain aggregate composed of coarse equant grains may be original. Most aggregates are the result of subgrain formation during strain.
Fine clay replacing plagioclase etches and weathers out easily.
Muscovite platelets parallel the orientation of the trains in which they occur. This foliation is refolded, as noted above.
Fine trains of opaque material (graphite?) delineate layering. In viewing the section care must be taken to distinguish original opaques from grinding compound which accumulates along fractures and irregularities.
Tourmaline and zircon tend to concentrate in the mica-opaque trains.
One clump of zircon is surrounded by iron oxide.
Rutile needles within muscovite are oriented within the basal cleavage. A few anhedral rutile grains are also present.

8DB-0151 Quartzite with schistose muscovite partings

This is one of the less deformed quartzites. The quartz fabric is equant, with sparse fine muscovite trains defining a weak foliation. One one side of the section concentration of muscovite indicates an interbedded aluminous (clay-rich) sediment. Foliation parallels layering, due to isoclinal folding.

Mode

Quartz	79
Fe-oxides	7
Chlorite	5
Plagioclase	4
Kspar	1
Tourmaline	1
Muscovite	3
Zircon	tr

Quartz forms an equant mosaic with uneven grain boundaries. Its grainsize shows considerable irregularity, ranging from .1 to 1 mm diameter. This may be a result of poor sedimentary sorting.
Iron oxides fill fractures parallel to the foliation, in many cases staining muscovite. They are mostly dusty and fine grained. Some areas are opaque or strongly reddened.
Chlorite occurs as fine plates or masses interstitial to quartz. In places it mimics earlier muscovite.
Plagioclase (albite) grains are scattered within the quartz fabric. They are anhedral. Kspar shows a similar habit.
Tourmaline grains concentrate along the mica trains.
Isolated comparatively large muscovite plates are probably original clasts. The most common role of muscovite is in fine trains parallel to the foliation, and also to the comositional layering, as is shown by the mica-rich layer on one side of the section.

8DB-0207 Schistose quartzite

In this sample, trains of biotite separate quartz-rich lamellae. A large quartz vein parallel to the foliation contains quartz coarser but texturally identical to that in the matrix. A few discontinuous biotite trains remain within it.

Mode

Quartz	88
Biotite	5
Kspar	2
Chlorite	2
Muscovite	2
Hematite	tr
Opaque Fe-oxides	1
Apatite	tr
Zircon	tr
Tourmaline	tr

Quartz forms an equant fabric within lensoid laminae. Grain boundaries are lobate and interlocking. A few grains contain crystallographically oriented rutile needles.
Small plates and aggregates of red-brown biotite form trains between quartz-rich laminae. They are oriented parallel to the foliation. Pleochroic haloes are common.
Kspar grains are concentrated particularly in laminae next to the quartz vein. They are altered partially to clay and sericite. A few isolated grains also occur within the vein.
Chlorite mimetically replaces biotite.
Muscovite accompanies chlorite in pseudomorphs of biotite. Primary muscovite occurs as plates within the biotite trains and as finer oriented grains within quartz.
Iron oxides tend to concentrate in the biotite trains. They form fine grains and clumps with ragged edges, A few large clear hematite grains have grown interstitial to quartz.
Small euhedral prisms of tourmaline, apatite and zircon tend to concentrate in the biotite trains. This may be the result of heavy-mineral concentrations in the parent arenite.

9+500N, 39+050E Andalusite-kspar-muscovite-biotite schist

Mica orientations show a strong static overprint on the foliation in this sample. Andalusite grains are strongly elongate/flattened within the foliation; however this is likelier to be the result of compositional control than crystallization under strain. The foliation parallels a delicate compositional layering shown by fine opaque (graphite?) trains.

Mode

Muscovite	30
Andalusite	25
Biotite	25
Kspar	15
Opaques	5
Chlorite	tr
Tourmaline	tr

Muscovite reflects the deformation as trains of plates which, along with biotite, define the schistosity. It also forms unoriented intergrowths with biotite and large euhedral plates which cut across the earlier foliation at high angles.
Pink pleochroic andalusites are strongly elongated and show a tendency to crystallographic orientation within the plane of foliation. They include both opaques and biotite. The pleochroism is patchy. It shows a high content of ferric iron. Some andalusites occur as interlocking aggregates of closely oriented grains; this could be the result of annealing.
Intensely red-brown biotite occurs both within and cross-cutting the foliation. It displays prominent pleochroic haloes.
Kspar forms large poikilitic interstitial porphyroblasts.
Opaques, probably iron oxides and graphite, occur throughout the section. Fine opaque trains parallel to the foliation are partly enclosed within andalusite porphyroblasts,
Chlorite replaces biotite in a few places.
A few scattered grains of tourmaline are present.

Interpretation: The quartz-free association andalusite + muscovite + Kspar indicates that this rock was subjected to temperatures above the breakdown of muscovite + quartz but below the maximum stability of muscovite. That quartz was clearly exhausted before muscovite lends support to the interpretation offered for 8DB-0234. In this case no strong retrograde event has taken place. (Could retrograde metamorphism be controlled by fluid availability through fractures, etc.?) The high Fe^{+3} content both in andalusite and in biotite (evidenced by the red color) suggest highly oxidizing, thus near-surface conditions. This agrees with the low pressure inferred from the assemblage in 8DB-0234.

8DB-0228 Quartz-Kspar-biotite-muscovite schist

In this sample mica-rich trains alternate with felsic laminae on a scale of about 3 mm.

Mode

Quartz	45
Kspar	35
Biotite	7
Muscovite	7
Opaques	3
Chlorite	2
Tourmaline,zircon	1
Apatite	tr
Hematite	tr

Quartz forms an equant fabric with lobate interlocking grain boundaries similar to 0207.
Kspar in polygonal aggregates elongate parallel to the foliation is generally finer grained than quartz.
Red-brown biotite plates with prominent dark pleochroic haloes define the foliation. Small round biotite plates occur within quartz.
Muscovite plates, apparently primary, intergrow with biotite. White mica of lower birefringence in finer grained aggregates encroaches on biotite. This type is probably a retrograde phase.
Opaque grains are scattered throughout, tending to accompany biotite. One that touches biotite is a substrate for acicular rutile(?) which radiates into the biotite.
A few scattered anhedral hematite grains were noted.
Chlorite follows some biotite trains selectively, penetrating biotite along cleavages and, in extreme cases, completely pseudomorphing it.
Tourmaline and zircon occur preferentially with biotite. Apatite in irregular grains to .25 mm diameter also accompanies biotite.

Interpretation: The association of muscovite and quartz, both stable during prograde metamorphism of this sample, indicates that temperatures affecting it lay below the reaction :

quartz + muscovite = Kspar + aluminosilicate (see summary).

APPENDIX II

Canex Placer Diamond Drill Logs

GRID: _____

CANEX AERIAL EXPLORATION LIMITED

HOLE No. 1
SHEET No. ___ of ___

LOCATION: Line 725 S 9W
BEARING: 0°
LATITUDE: _____
PROPERTY: Potato Hills Venture 127

DATE COLLARED: August 27, 1971
LENGTH: 300'
DEPARTURE: _____
CORE SIZE: B.Q w/l
LOGGED BY: B. Good

DATE COMPLETED: August 30, 1971
DIP: 45°
ELEVATION: _____
SCALE OF LOG: 1" = 10'
DATE: August 29, 1971

ROCK TYPES & ALTERATION							GRAPHIC LOG												ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness		∠ to Core Foliation	Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	Sample Number Cu.	Sample Number Mo.	% Cu.	% Mo.	Estimated Grade

FORM 130 - L.S.D. 1

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 1
SHEET No. 1 of 5

ROCK TYPES & ALTERATION								GRAPHIC LOG												ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness	Rock Dis.	∠ to Core Foliation	Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	Sample Number WO3 Cu.	Sample Number Au Mo.	% WO3 Cu.	% Au Mo.	Estimated Grade WO3
									0														
									10														
									20														
									30									0					
40%	30%	15%	15%	med-coarse grained	~5½	Quartz Monzonite - equigranular			40		52°-0.2" 75°-0.6"		trace	0.5° K-spar 0.6" Sericite	limonite alteration on fractures fracture 35° to core	31 37 10		70 98	29326		.01		
									50		55°-0.05"			0.1" sericite	fracture 35° to core.	46		65	29327		.01		
									60						Sand	52		25	29328		.01		
									70							32		30	29329		.01		

FORM 130-L.S.D. 2

GRID _____ CANEX AERIAL EXPLORATION LTD. HOLE No. _____ SHEET No. 2 of _____

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG: Foliation Alteration	GRAPHIC LOG: Footage	GRAPHIC LOG: Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS: Sample Number Cu.	ASSAY RESULTS: Sample Number Mo.	ASSAY RESULTS: % wo Cu.	ASSAY RESULTS: % Mo.	Estimated Grade
Plag.	K-Spar.	Mafic	Texture	Hardness																			
	15%	10%	medium grained	~4½	quartz Monzonite equigranular				80	62° - 0.1"			quartz	0.3" sericite kspar		72		45	29330		.01		
																80		25					
					- " -					80° - 0.1				1.2" kspar									
										57° - 0.2"			granite quartz	0.6" kspar					29331		.01		
									90														
										63° - 0.025"			quartz	0.3" kspar		82		25					
					- " -					80° - 0.2"			quartz	1.5" kspar		95		75	29332		.01		
										75° - 0.1"			quartz	1.3" kspar	limonite on fracture	98		70					
									100	50° - 0.1"				1.7" kspar									
										60° - 0.1"				1.0" kspar		102		95					
					- " -					40° - 0.1"			quartz	1.0" kspar	structure 20° to core limonite on fracture				29333		.01		
										55° - 0.5"			quartz	1.9" kspar									
									110					5.0" kspar		108		90					
					- " -					80° - .16"			quartz	0.5" kspar	- mafics → limonite moderately to slightly limonitized	113		90					
																115		65	29334		.07		
										75° - 0.02"				0.4" kspar									
									120	85° - 0.05"				0.9" kspar	- biotite → pyroxene (?)								
										80° - .5"				1.0" kspar	vein cut by fracture @ 10° to core	121		98					
										70° - 0.1"			quartz	0.3" kspar	structure								
										80° - 0.5"			quartz	0.3" kspar	limonite alt. of mafics	126		95	29335		.05		.1%
					- plag. phenocrysts 1/16" - 0.2" sq					50° - 0.2"				0.5" kspar									
										15° - 0.05"					- contact zone	128		90					
									130	70° - 0.5"			quartz ?	1.0" limonite									
										65° - 0.1"						132		92					
										58° - 0.1"				2.7" kspar									
										55° - 0.1"				0.3" kspar		136		95	29336		.01		
										60° - 0.2"				3.5" kspar									
									140	70° - 0.1"				0.2" kspar									

130 - L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 7
SHEET No. 3 of 4

ROCK TYPES & ALTERATION						∠ to Core Foliation	GRAPHIC LOG: Foliation Alteration	GRAPHIC LOG: Footage	GRAPHIC LOG: Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS: Sample Number		ASSAY RESULTS: %		Estimated Grade
Plag.	K-Spar.	Mafic	Texture	Hardness	Rock Descript.													~~Cu~~ WO3	~~Mo~~ Nil	~~Cu~~	~~Mo~~	
45%	10%	10%	med grain	1½	Quartz Monzonite [illegible] Pyrite [illegible] ≤5% calcite veining			140		80° - 0.3" 65° - 0.45"		qtz calcite	1.5"	- [illegible] Calc. in fractures -12° quartzite inclusion			98				
										65° - 0.1" 60° - 0.05"					146		99	29337		.01		
					-11-			150		87° - 0.5" 75° - 0.15"		qtz			151		95					
										65° - 0A"		qtz ~0.5% sericite	2" kspar	1 chlorite alteration	160		30	29338		.09		
			v. f. g.		-11-			160		20° - 0.025"		quartz	0.2" kspar	-6" chlorite alteration	161		95	29339		.02		
								170		70° - 2"		qtz, pyrite [illegible]	1 kspar.	[illegible]	170		99					
					-11-			180		70° - 0.3" 70° - 0.5" 58° - 0.1" 30° - 0.7" 53° - 0.2 60° - 0.1		qtz	2" kspar. .5" kspar .3" kspar .3" kspar .5" kspar	[illegible] 20% calcite -1" irregular [illegible]	171 175		99	29340		.01		
					-11-			190		60° - 0.05 53° - 0.1" 70° - 0.3" 60° - 0.2"		qtz & calcite qtz	3.8" 0.5" kspar. 0.1" kspar 0.5" kspar	[illegible]	185 190		95 99 97 99	29341		.01		
					- " -			200		70° - 0.5" 52° - 0.2" 63° - 0.2" 70° - 0.2"		qtz qtz qtz	1.0" kspar 0.1" kspar 0.2" kspar 3" kspar	moderate limonite alteration	197 197		98 99	29342		.01		
								210		65° - 0.1" 80° - 0.3" 72° - 0.2"		qtz qtz	0.5" kspar	[illegible] -fracture 35° to core	205 210		99 95	29343		.01		

130-L.S.D. 2

GRID _____ CANEX AERIAL EXPLORATION LTD. HOLE No. _____ SHEET No. _____ of _____

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG: Foliation Alteration	GRAPHIC LOG: Footage	GRAPHIC LOG: Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS: Sample Number		ASSAY RESULTS: %		Estimated Grade
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														Cu.- Wo.-	Mo.-	Cu.-	Mo.-	Wo.-
30%	35%	20%	10%	mod coarse Granular	6½	Granite Monzonite Feldspar [illegible] ≤5% calcite			210		79°- 1.5" 70°- 0.1" 60°- 0.3" 78°- 1.0"			0.2" K-spar 0.2" K-spar 0.3" K-spar 0.2" K-spar	Granodiorite	215 / 220		98 / 99	29344		.01		
						"			220		55°- 0.2" 35°- 0.2" 80°- [illegible]		gtz gtz gtz	0.5" K-spar 0.2 0.8" K-spar	1mm [illegible]	221 / 226 / 230		95 / 95 / 98	29345		.01		"
						"			230		40°- 0.2" [illegible]			0.1" K-spar 0.2" K-spar		235 / 238		95 / 66	29346		.01		
						"			240		75°- 0.15" [illegible] 75°- 0.05" 80°- 0.70"		gtz gtz gtz	2" K-spar 0.25" K-spar 0.70" K-spar		[illegible] / [illegible]		50 / 60	29347		.065		
						"			250		65°- 0.05" 65°- [illegible] 72°- 01" 65°- 2.0" 78°- 0.5"		gtz gtz gtz	[illegible] 0.30" K-spar [illegible]		[illegible] / [illegible] / [illegible]		98 / 99 / 85	29348		.01		
						"			260		70°- 0.05" 65°- 0.7" 67°- 0.05" 70°- 0.1" 60°- 0.2" 90°- 0.2" 70°- 0.5" [illegible] 0.25"		gtz	[illegible] [illegible] [illegible]	moderately [illegible]	[illegible] / 267		99 / 98	29349		.43		
						"			270		[illegible] 0.15" [illegible] 0.2 [illegible] 0.05" 70°- 0.3" 60°- 0.3" 75°- 1.0" 72°- 0.25"			[illegible] [illegible] 0.7" [illegible]	[illegible] [illegible] [illegible]	[illegible] / [illegible] / [illegible]		85 / 85 / 98	29350		.13		

M 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. _____

SHEET No. _____ of _____

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
																			Sample Number		%		Estimated Grade
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness			Foliation Alteration	Footage	Structure									Cu.	Mo.	WO_3	Mo.	
20%	55%	20%	10%	m.gr	6				280		75° - 0.25"			0.15		280		98					
											77° - 0.1"												
											75° - 0.05"												
											75° - 0.25"												
											70° - 1.25												
									290							290							
											70° 0.3					290		98					
											75° 2.1"												
											60° - 0.3"												
											83° - 0.5"												
									300							300		90					
															E.O.H.								

FORM 130-L.S.D. 2

GRID: _____

CANEX AERIAL EXPLORATION LIMITED

HOLE No. 2
SHEET No. ___ of ___

LOCATION: Line 765 A 29W
BEARING: 0°
LATITUDE: _____
PROPERTY: Potato Hills Venture 127

DATE COLLARED: August 31, 1971
LENGTH: 301'
DEPARTURE: _____
CORE SIZE: BQ w/l
LOGGED BY: R. Good

DATE COMPLETED: Sept. 2, 1971
DIP: 45°
ELEVATION: _____
SCALE OF LOG: 1" = 10'
DATE: Sept. 1, 1971

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG				∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Matic	Texture	Hardness			Foliation Alteration	Footage	Structure	Veins									Sample Number		%		Estimated Grade
																				Cu.	Mo.	Cu.	Mo.	

FORM 130-L.S.D. 1

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 2
SHEET No. 1 of 5

ROCK TYPES & ALTERATION							GRAPHIC LOG											ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness	Description	∠ to Core Foliation	Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	Sample Number Cu.	Sample Number Mo.	% Cu.	% Mo.	Estimated Grade
									0														
									10														
40%	30%	20%	10%		5-6	Quartz Monzonite plag phenocrysts in places < 1/4" sq					65°	0.1"	qtz	0.25" Kspar					29353		.01		
											60°	0.1"	qtz	0.3" kspar									
											65° 67°	0.15" 0.1"	qtz	0.3" kspar 0.2" kspar									
											55°	0.2"	qtz	0.8" kspar									
									20		56°	0.1"	qtz	0.2" kspar									
						-"-					60°	0.05"	qtz	0.5" kspar		21		98					
												~3% (?)	qtz			22		20	29354		.05		
									30														
						-"-					56°	0.6"	qtz	0.3" sericite	Core broken as in fracture zone	22		10+					
											60°	0.3"	qtz	0.3" sericite				80	29355		.01		
											65°	0.2"	qtz	0.2" sericite									
											65°	0.2"	qtz	0.3" sericite				97					
									-40		75°	0.25"	qtz	0.7" Kspar									
						-"-					78°	2.0"	qtz & quartz	0.5" sericite				99					
											70°	0.3"	qtz	0.7" sericite									
											65° 70°	2.3"	qtz	10" sericite		45			29356		.01		
											60°	0.15"	qtz	0.2" Kspar				95					
											75°	0.1"	qtz	0.1" Kspar									
									50		50° 78°	0.1" 0.1"	qtz	0.7" Kspar 0.1" sericite	Fault line at 45° to core								
											50°	0.2"	qtz	0.2" sericite	Fracture zone	25		94					
											65°	0.25"	qtz	1.0" sericite				98	29357		.01		
											65° 65°	0.2" 0.25"	qtz	0.2" sericite		28		95					
									60							29		50					
											65°	0.3"	qtz	1" kspar				90					
											25° 25°	0.2 0.2	qtz	0.3" kspar 1.0" kspar	Fault line	27		55	29358		.01		Fault
									70														

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 6
SHEET No. 4 of 5

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				Estimated Grade
								Foliation Alteration	Footage	Structure									Sample Number		%		
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														Au.	Mo.	Au. WO3	Mo.	
25%	45%	15%	15%	medium grained	5-6½	qtz + K-spar veining with pyrite			70		70° (varies)	0.15"	qtz	2" Kspar		70		75					
											55°	0.6"		0.2" Kspar	- limonite on fracture								
											70°	0.25"	qtz	0.5" Kspar	55° to core								
											70°	0.1"		0.2" Kspar		90		92	29359		.01		
											70°	0.1"	"	0.3" Kspar									
											75°	0.15"												
									80		55°	0.30	" pyrite	0.35" Kspar										
											70°	0.20"		3" Kspar		1		93					
											75°	0.45"												
											70°	0.3"		Sericite	- Sparse limonite								
											70°	1.0"												
											55°	0.2"		0.5" Kspar		5		99	29360		.065		
											60°	0.02"												
											60°	0.12"	qtz	0.5" Kspar									
									90		75°	0.4"	qtz	0.7" Kspar	- limonite on fracture 30° to core								
											72°	0.05	qtz	0.3" Kspar		11		95					
											65°	2.2"	qtz	0.5" Kspar									
											70°	5.0"	qtz	0.3" Limonite	- extensive limonite on fracture 30° to core	95		98					
																96		98	29361		.01		
											65°	0.3"	qtz	0.9" Limonite	- 6" zone limonite on fracture 30° to core								
									100						- Sericite & limonite on fracture 10° to core	100		98					
											70°	7.0"	qtz + 60% pyrite	Sericite		102		95					
											70°	0.2"		0.5" Kspar									
											70°	0.1"	qtz	1.0" Kspar									
											65°	0.2"		0.5" Kspar									
											70°	2.0"	qtz	1.0" Kspar		107		99	29362		.01		
									110		70°	1.5"	qtz + moly. (1%)	0.5" Kspar									
											70°	0.2"	qtz	0.3" Kspar		113		98					
											70°	0.2"	qtz + 60% pyrite	0.7" Kspar					29363		.01		
											65°	0.1"		0.5" Kspar	- 40% limonite on fracture 30° to core	118		98					
									120		65°	0.3"	qtz	0.3" Kspar									
											60°	0.7"	qtz + 5% pyrite	0.3" Sericite									
											70°	0.05"		0.5" Kspar		123		99					
											60°	0.3"		0.3" Kspar					29364		.01		
											60°	0.4"	qtz + 25% pyrite	0.3" Kspar									
											60°	1.2"		0.5" Kspar		128		99					
									130		60°	0.2	qtz	3.2" Kspar									
											60°	0.2	qtz										
											60°	4.2"	qtz + 1% pyrite	0.2" Sericite									
											60°	0.1"	qtz	2.5" Kspar		133		99					
											55°	0.15"	"	0.3 Kspar									
											55°	0.2"	"	2.0" Kspar	- limonite 1"								
											70°	12/1.5"	qtz	0.2" Kspar		138		99	29365		.01		
									140			2.0"	qtz										

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. _____
SHEET No. 3 of 5

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
								Foliation Alteration	Footage	Structure									Sample Number		%		Estimated Grade
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														Cu.	Mo.	~~Cu.~~ WO3	Mo.	
30%	45%	20%	15%	Porphyry	5-6	Quartz and carbonate Porphyry ~2% pyrite in places			100		55° 70° 70° 60° 65°	0.1" 0.5" 0.2" 1.0" 2.7"	qtz ± carb. pyrite qtz qtz ± (trace) arseno.	0.3" kspar 1.0" sericite 1.0" kspar 0.2" kspar 1.0" kspar	- moderate carb. fractures - 2" qtz vein at 55° to core - [illegible]	101		100	29366		.01		
						-"-			150		70° 55° 75° 70°	0.7" 2.2" 0.05 10"	qtz Arsenopyrite. qtz ± (trace) arseno.	0.5" kspar 0.1" kspar 0.2 kspar Sericite kspar	- v.fg. ? inclusion	102		95 99	29367		.01		
									170		70° 70° 60°	0.25 0.2 1.2"	carbon pyrite qtz qtz	0.2" kspar 1" sericite	moderate to moderate alter.	120 170		94 99	29368		.01		
									190		75° 60° 55° 65° 65°	0.25 0.1 0.25" 0.10" 0.10"	qtz qtz qtz ± carb. pyrite qtz	0.2" kspar 0.1" kspar 0.3" kspar		175		99	29369		.01		
									210		70° 55° 70° 65° 65°	0.20" 0.5" 0.3 0.5" 0.2" 2.1"	qtz qtz qtz	1.5" kspar 0.3" kspar 0.3" kspar .3		12 225		95 99	29370		.01		
						-"-			230		67° 70° 60° 60° 65°	1.1" 3.0" 1.2" 2.1 2.3" 0.1" 3.4" 3.7"	qtz qtz qtz ± carb. pyrite qtz	1.5" sericite 1.2" kspar 0.4" kspar 0.3" kspar 3" kspar		131 195		98 99	29371		.01		
									277						- ¼" inclusion qtz ± Biotite Sericite kspar - ¼" v.fg. ? inclusion	201 222		97 91	29372		.01		

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. _____

SHEET No. 4 of 5

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				Estimated Grade
								Foliation Alteration	Footage	Structure									Sample Number		%		
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														ea.	Mo.	ea. W.D.	Mo.	
30%	40%	25%	15%		5-6				210		70° 60°	7.0" 1.5"		2" sericite 2" sericite	2" w/g inclusion			97					
																		98	29373		.01		
											30° 35°	0.05" 0.05"		1" sericite 0.1 Kspar				95					
									230		60°	0.1" 0.05"		0.3 Kspar				99	29374		.01		
											65°	0.1"		0.3" Kspar				99					
									240		70° 70°	0.05" 0.05"	qtz	0.3" Kspar				99	29375		.01		
											75°	2.0"		1.5" Kspar									
											70°	0.75"	qtz			227		99					
												0.3"		0.3" Kspar		228		99	29376		.01		
												0.7"	qtz	0.3" Kspar									
									250		65°	0.1"	qtz	0.2" Kspar									
											80°	0.2"	Siliceous qtz			231		99					
											30°	0.2"	qtz	1.0" Kspar		236		99	29377		.01		
									270		65°	0.2"	Intersected with										
											75°	0.1"	qtz	0.2" Kspar	Limonite on fracture	251		99					
											70°	0.7"	qtz	0.1" Kspar									
											60° 30°	1.5" 0.4"	qtz	0.2" Kspar	2 w/g inclusion	270		99	29378		.01		
									290		60°	0.2"	qtz	0.1" Kspar		271		98					
											35° 30°	0.2" 0.2"	qtz	Sericite 1"	17° to core (fracture)								
													qtz	Sericite 1"	Sericite on fracture 70° to core	275		99	29379		.01		

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

SHEET No. 4 of 5

ROCK TYPES & ALTERATION								GRAPHIC LOG											ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness		∠ to Core Foliation	Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	Sample Number		%		Estimated Grade
																			Cu.	Mo.	~~Cu.~~ WO$_3$	Mo.	
35%	10%	20%	10%	porphyritic groundmass	4 to 5	purple Nicola porphyry. 1/4" sq. clay phenocrysts			285		65° (?)	0.05 (?)	molyb ± pyrite (?)		- highly altered	285		93					
																		85					
																		95	29380		> .01		
									290							290							
											67°	0.0"											
												1.0"											
											70°	3.0"				295		98	29381		.01		
									300			0.2"											
												0.5"				300		99					
						E.O.H.			310						E.O.H.	310		99					

FORM 130-L.S.D. 2

GRID: _____

CANEX AERIAL EXPLORATION LIMITED

HOLE No. 3
SHEET No. ___ of ___

LOCATION: Canex Camp | BEARING: 0° | LATITUDE: | PROPERTY: Potato Hills Venture 127
DATE COLLARED: Sept. 2, 1971 | LENGTH: 347' | DEPARTURE: | CORE SIZE: B.Q. w/l | LOGGED BY: B. Good
DATE COMPLETED: Sept. 5, 1971 | DIP: 50° | ELEVATION: | SCALE OF LOG: 1" = 10' | DATE: Sept. 3, 1971

ROCK TYPES & ALTERATION							GRAPHIC LOG												ASSAY RESULTS				
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness		∠ to Core Foliation	Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	Sample Number Cu.	Sample Number Mo.	% Cu.	% Mo.	Estimated Grade

FORM 130-L.S.D. 1

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 5
SHEET No. 1 of 5

ROCK TYPES & ALTERATION: Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness		∠ to Core Foliation	GRAPHIC LOG: Foliation Alteration	Footage	Structure	Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS: Sample Number ~~Cu~~	~~Mo~~ Au	% ~~Cu~~ WO_3	MoS_2	Estimated Grade
									0														
									10														
									20														
25%	40%	25%	10%	fine + med grained	4-6	Intermediate equigranular V. highly altered			30		? 45° 60° 75° 75°	8" 1.25" 3.0" 1.65"	qtz		moderate to strong			35 75 90	29382	TR	.01	.002	
									40		75° 60° 65° 7°	0.3" 1.5" 2.25" ~10" 0.25"	qtz	Kaolin				90 60 15	29383	TR	<.01	.002	
									50		75° 70° 70° 72°	0.7"	<1% Moly.					98 80 90 65	29384	TR	.01	.002	
									60		75° 70° 50° 60° 60°	0.2" 2.1" 1.12" 0.1"	qtz qtz	Kaolin				60 90 98	29385	TR	<.01	.002	
									70		60° 70° 70°	0.2" 2.0"	qtz		highly			80 95 75 65	29386	TR	.05	.002	

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 3
SHEET No. 2 of 5

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
																			Sample Number		%		Estimated Grade
Qtz.	Plag.	K-Spar.	Matic	Texture	Hardness			Foliation Alteration	Footage	Structure									Cu %	Mo %	Mo S_2		
									80		55° 60°	0.3" 5"				75 77		50 95	29387	.24	.01	TR	
									90		70° 50°	15"				32		35	29388	TR	.01	.002	
									120		70° 60° 50° 45° 70°	2.6" 0.3" 0.6" 3.0"				105		95 90 75 85 95	29389	TR	<.01	TR	
									140		70° 70° 60°	0.6"				105		95	29390	.06	<.01	.002	
									160		70° ? 70°	~3"				90		95	29391	TR	.01	.005	
									180		70° 70° 65° 70° 40° 65° 60°	0.8" 0.5" 0.8" 4" 0.5" 0.7"				90		90 95 90 90 90	29392	TR	<.01	.005	
									200		55° 80° 60° 55° 75° 80° 70°	0.25" 0.25" 2.0" 1.2"				3 55 107 130		99 98 99 99	29393	TR	.035	.002	

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 5
SHEET No. 2 of 5

ROCK TYPES & ALTERATION							∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
								Foliation Alteration	Footage	Structure									Sample Number		%		Estimated Grade
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														Cu.	Mo Au	Gm WO3	Mo S2	
30%	35%	25%	10%			Coarse Monzonite Very friable shear [illegible]					70° ? 80° ? 80°	0.7" 0.25" 2" 0.5" ? 1"	qtz qtz					90 90 75 75	29394	TR	.02	.003	
						-11-					70° 70° 65° 65° 60° 60° 55° ? 70° 70°	0.4" 1.0" 2.5" 2.0" 1.2" 1.5" 2" 0.3" 1" 1"	qtz qtz qtz qtz qtz		Foliation [illegible]			90 90 95 95	29395	TR	.01	.002	
						-11-					55° ? ? 70°	0.4" 2" 6" 0.7"	qtz qtz qtz					95 75 50	29396	TR	.09	.002	
						-11-					60° 65° 80°	0.5" 1.0" 1.2"	qtz qtz					75 50 98 99	29397	TR	<.01	.003	
						-11-					70° 75° 70° 70° 60° 65° 65° 65° 45° 45°	2.5" 1.5" 1.2" 1.5" 0.7" 1.2" 6" 5" 4"	qtz qtz qtz qtz qtz					95 90 90 90 90	29398	TR	.01	.002	
						-11-					60° 65° 50° 75°	1.2 0.7" 1.4" 0.6"	qtz < 1% Moly qtz qtz qtz	-11-				95 95 90 90	29399	TR	.06	TR	
						-11-					60° ? 50° 70° 70° 50°	0.6" ~2" 0.6" 0.2" 2.0" 1.1"	qtz & 1% Moly qtz qtz & 1% Moly	-11-				99 99 98 99 90	29400	TR	.01	.003	

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 3
SHEET No. 1 of 5

ROCK TYPES & ALTERATION							Est. ∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				
								Foliation Alteration	Footage	Structure									Sample Number		%		Estimated Grade
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness														Cu. WO_3	Mo. Au	Cu. WO_3	Mo. S_2	WO_3
25%	35%	30%	10%	fine to medium grained	2-5	fine to medium grained equigranular	2 mm		220		70 70° 40° 40° 85° 60° 80°	1.4" 1.3" 2.4" 0.3" 1.0" 1.5" 1.5"	qtz ± 2-3% Moly. qtz stringers Moly qtz ± arsenic qtz ± 1% Moly qtz	Kaolin Sericite Kaolin Chlorophaeite	- Kaolin - sericite - 75° to core	211 213 215 218 220		98 99 95 95 95	29401	TR	<.01	TR	
						- 11 -	.02		230		70° 70° 72° 60° 55° 60°	2.4" 7" 10" 1" 1"	qtz ± 1% Moly (45°) pyrite (arsenopyrite?) pyrite, 1 to 2% Moly, fracture qtz moly (?) qtz ± arsenic Moly (?)			223 225 228 230		95 98 98 95	29402	.005	.01	TR	
						- 11 -	.01		240		? 75° 50° 55° 70° 65° 65°	~6" 2" 3" 1.2" 2.7" 2.3" 0.7" 1.0"	qtz ± 1% magnetite qtz ± 1% moly qtz ± <1% moly qtz ± 1% moly.		possible moly. ground moly. zone intrusive & mineral with Kaolin	231 233 235 238 240		50 75 98 95 98	29403	TR	<.01	TR	
						- 11 -	<.01		250		? 55° 70° ? ? 70°	2" 2.5" 1.6" ~1.0" 1.4" 0.3" 0.6"	qtz ± 3% (moly + arsenic) qtz ± 1% moly qtz ± 2% Moly qtz qtz <1% Moly			244 247 249		98 95 90	29404	TR	.06	.002	
						- 11 -	.01		260		80° 60° ? 45° 75° 30° 65° 70° 70° 65°	0.8" 0.4" 1.5" 2.1" 0.6" 1.2" 0.5" 0.1" 0.7" 1.6	qtz qtz ± moly qtz ± 1% moly qtz ± 2% Moly qtz ± 1% Moly qtz		highly fractured highly fractured 60° to core	255 256		95 98	29405	TR	<.01	.002	
						- 11 -	.05?		270		50° 40° 60° 75° 55° 50° 70° ? 65°	6.9" 5.3" 2.7" 0.7" 1.7" 0.4" 1.6" 1.0" 1.5"	qtz qtz ± 2% Moly qtz ± 5% (1" hydrothermal) qtz qtz qtz qtz ± 1% Moly	.2" fault		262 267		99 99	29406	.01	<.01	.003	
						- 11 -	.05?		285		70° 60° 45° 50° 80° 55° 60° ? ? 60°	0.3" 0.5" ~2.4" 0.6" 0.3" 0.2" 6" 1.05" 2.6" 0.15"	qtz ± 4% (arsenopyrite?) qtz qtz ± 4% (arsenopyrite?) qtz ± 1% Moly Moly / arsenic (?)	.5" fault	- Moly/arsenic ? on fracture 70° to core	277 275 279		98 98 98	29407	TR	<.01	.002	

FORM 130-L.S.D. 2

GRID _____

CANEX AERIAL EXPLORATION LTD.

HOLE No. 3
SHEET No. 2 of 2

ROCK TYPES & ALTERATION							Last Core Break ∠ to Core Foliation	GRAPHIC LOG			Veins ∠ to Core Axis	Width of Vein	Mineralization	Sericite Zone	Remarks	Footage Blocks.	Composites	Estimated Core Recovery %	ASSAY RESULTS				Estimated Grade
																			Sample Number		%		
Qtz.	Plag.	K-Spar.	Mafic	Texture	Hardness			Foliation Alteration	Footage	Structure									~~Cu~~	~~Mo~~ Au	~~Cu~~ WO3	MoS_2	
25%	35%	30%	15%	fine grained equigranular	5-6 (Knife)	Quartz Monzonite	.03(?)		280		70° 60° 50° 75° 60° 80° 70° 60° 70°	.01 .2" .5" 1.6" 0.5" ± 5" 3.0" 0.1" 0.7" 0.02"	Moly fracture fill qtz ∫ <1% Moly " " 1% moly Moly fracture fill qtz 2% Moly (fracture fill) qtz " ∫ 1% Moly Moly fracture fill	Sericite, kaolin, [illegible]	highly fractured through [illegible]	288 293		98 98	29408	TR	.01	.002	
				—"—			.01		300		60° 60° 70° 75° ? 60° 60° ? 50° 45° 50° 20°	0.5 3.0" 1.3" 0.3" ~1.5" 1.0" 1.75" 1.20" 0.25 1.3 0.35 0.05	qtz qtz ∫ 2% moly fracture fill qtz qtz qtz ∫ 1% Moly qtz ∫ 2% Moly qtz qtz ∫ 1% Moly qtz Moly fracture fill, Pyrite	~0.1" kaolin silicate [illegible]	qtz vein shows evidence of stress	296 300		98 90	29409	.005	<.01	.002	
							trace		310		90° 50° 31° 80°	0.1" 0.4" 0.7" ~2"	qtz qtz ∫ <1% Moly qtz ∫ <1% Moly		evidence of [illegible] Highly indurated Possible Moly (groundmass) on fractured 80° to core.	301 306		98 99	29410	TR	<.01	.002	
							trace		320		55° 75°	0.8" 0.2"	qtz ∫ 1% Moly. qtz.			312 317		97 99	29411	TR	<.01	.002	
			20%	K.f. gr.	10	Siliceous Quartzite	trace	35°	330						hot contact. Fracture 35° to core Possible .05" Moly(?) highly indurated	322 326 327.6		95 95 95	29412	TR	.06	TR	
			90%	K.f.g.	6	Hornfels (argillitic)	trace		340		30°	0.2	qtz ∫ 1% pyrite		8" intrusive in fracture	331 333 336 340		95 98 99 99	29413	TR	.01	TR	
							trace		350		30° 90°	2.5" 0.5"	qtz qtz ∫ 2.5% Moly			345 347		95 90	29414	TR	<.01	TR	
						END OF HOLE									E.O.H.									

FORM 130-L&D. 2

EVIATION : 57.9023


*LOG NORMAL**

SQUARE PARAMETER ESTIMATES FOR WPPM
MEAN : 9.7162207E-01
STD DEV : 7.1249814E-01

NTILE ESTIMATES
PCTILE

0.20596
0.63010
1.1439
2.3555
9.3075
37.253
76.710
139.26
426.04

LOG NORMAL**




PPM=_>300;EXCLUDE (WPPM)

) MEAN : 9.6350077E-01
) STD DEV : 7.0238290E-01

ENTILE ESTIMATES
PCTILE

0.21341
0.64259
1.1567
2.3576
9.1939
35.853
73.074
131.54
396.09

*LOG NORMAL**



NORMAL (WPPM)

E SUMMARY STATISTICS FOR WPPM


F OBSERVATIONS : 1544
GE : 26.4112
EVIATION : 40.6610

DEV = 3.2470755E+01

ENTILE ESTIMATES
PCTILE

-49.178
-27.046
-15.244
-0.94782
26.375
53.698
67.994
79.796
101.93

*NORMAL**



Y
D (#4, SNPPM._, #1) FROM SFILE BY CASE

3 CASES READ.


Y
 SNPPM=0;EXCLUDE (SNPPM)

Y
TUS

```
1.      PCTILE

1 0.82597E-01
5       0.16317
0       0.23459
0       0.36416
0       0.84395
0        1.9559
0        3.0362
5        4.3652
9        8.6233
```


LOG NORMAL




```
EADY
REAAD (#3, AUPPB, #2) FROM SFILE BY CASE
```

80	0.21472
90	0.33270
95	0.47761
99	0.94081


LOG NORMAL



READY
?STOP

USED 1044.96 UNITS
OLD SFILE

READY
ISTNH
8310 A0002 S 0.2 -10 1 2




```
READY
?STOP

USED   615.33 UNITS
EDI EXT DGSAMP.4,;(HFILE,);100-380,870-1470,23840

OUTPUT FILE CREATED

READY
LIST HFILE

HFILE          1784 /ESI     12/08/78

100  C0136  C  4.0  36337    550        12053
110  C0137  C  3.2  5279
READY
PUR SGSAMP.4;SGSAMP
READY
PUR DGSAMP;DGSAMP.4
DGSAMP   - FILE NOT SAVED
READY
PUR DGSAMP.1

READY
```

?PLOT LOGNORMAL (WPPM)

SAMPLE SUMMARY STATISTICS FOR WPPM

F OBSERVATIONS	:	253
AVERAGE	:	363.488
STD DEVIATION	:	991.630

LOG NORMAL

LEAST SQUARE PARAMETER ESTIMATES FOR WPPM


LOG10 MEAN	:	1.052697@E+@@	11.287
LOG10 STD DEV	:	1.162223@E+@@	14.527

PERCENTILE ESTIMATES

PCT.	PCTILE
1	@.22308E-@1
5	@.13823
10	@.36563
20	1.1878
50	11.290
80	107.31
90	348.62
95	922.15
99	5714.@


Rock + Float
Rock Sample

LOG NORMAL



READY
?BYE

ILLEGAL COMMAND: "BYE"




```
READY
?STOP


USED   104.87 UNITS
/STATII***

READY
?READ (#4, SNPPM,_,#1) FROM LFILE BYCASE____ CASE

  466 CASES READ.

READY
?FOR SNPPM=0; EXCLUDE (SNPPM)
```

LOG NORMAL




READY
?READ (#3, AUPPB, #2)FROM LFILE BYC_ CASE

95 52.517
99 123.17

Dublen Gulch
Stream
Sediments

LOG NORMAL




READY
?READ (#2, AGPPM, #3) FROM LFILE BY CASE

1	0.10688E-01
5	0.21281E-01
10	0.30724E-01
20	0.47937E-01
50	0.11218
80	0.26250
90	0.40956
95	0.59131
99	1.1773

Dublin Gulch
Stream
Sediments

LOG NORMAL



READY
?STOP

940	L0084	G	0.1	-10	1	2456
950	L0085	G	0.1	-10	2	5471
960	L0124	G	13.	260	0	0
970	L0126	G	37.7	36749	0	0
980	L0131	G	.0	0	0	0
990	L0132	G	5.2	540	0	0
1000	P0013	G	.0	-10	0	1903
1010	B0193	H	.0	0	0	5313
1020	B0196	H	0.3	0	0	793
1030	B0213	H	.0	0	0	714
1040	L0151	H	0.2	-10	0	476
1050	L0152	H	0.1	-10	0	238
1060	L0153	H	0.1	-10	0	396
1070	L0154	H	0.2	10	0	396
1080	L0155	H	0.1	10	0	555
1090	L0156	H	0.1	-10	0	872
1100	L0157	H	0.1	-10	0	872
1110	L0158	H	0.1	-10	0	476
1120	L0159	H	0.1	-10	0	238
1130	L0160	H	0.1	-10	0	1110
1140	L0161	H	0.1	-10	0	1031
1150	L0162	H	0.1	-10	0	396
1160	L0163	H	0.1	-10	0	952
1170	L0164	H	0.1	40	0	317
1180	L0165	H	0.1	-10	0	1110
1190	L0166	H	0.1	-10	0	952
1200	L0167	H	0.1	-10	0	476
1210	L0168	H	0.1	-10	0	555
1220	L0169	H	0.1	-10	0	1427
1230	L0170	H	0.2	-10	0	1269
1240	L0171	H	0.1	-10	0	0
1250	L0172	H	0.1	-10	0	159
1260	L0173	H	0.1	-10	0	238
1270	L0174	H	0.1	-10	0	634
1280	L0175	H	0.2	-10	0	238
1290	L0176	H	0.1	-10	0	396
1300	L0177	H	0.2	10	0	317
1310	L0178	H	0.1	-10	0	634
1320	L0179	H	0.1	-10	0	872
1330	L0180	H	0.1	-10	0	714
1340	L0181	H	0.1	10	0	1427
1350	L0182	H	0.2	-10	0	1269
1360	L0183	H	0.1	-10	0	634
1370	L0184	H	0.1	10	0	1189
1380	L0185	H	0.1	10	0	1031
1390	L0186	H	0.1	-10	0	159
1400	L0187	H	0.1	-10	0	238
1410	L0188	H	0.1	-10	0	317
1420	L0189	H	0.1	-10	0	79
1430	L0190	H	0.1	-10	0	79
1440	L0191	H	0.1	-10	0	2300
1450	L0192	H	0.1	-10	0	159
1460	L0193	H	0.1	-10	0	634
1470	L0194	H	0.1	-10	0	555
23840	C0143	V	1.2	22694	32	2617

6160	L0038	F	0.1	-10	0	5154
6170	L0125	F	4.2	4800	0	0
6180	L0133	F	0.2	40	0	324
6190	L0134	F	0.4	40	0	750
6200	L0135	F	0.2	-10	0	2
6210	L0136	F	0.2	280	0	2775
6220	L0137	F	0.1	100	0	4520
6230	L0138	F	0.4	1260	0	5630
6240	L0139	F	0.2	-10	0	35
6250	L0140	F	0.4	40	0	600
6260	L0141	F	20	10000	0	0
6140	A0001	R	0.1	-10	1	2
6150	A0003	R	0.1	10	1	2
6160	A0005	R	0.1	-10	1	2
6170	A0013	R	0.1	-10	1	2
6180	A0015	R	0.1	10	1	2
6190	A0028	R	0.1	-10	1	2
6200	A0037	R	0.1	10	1	2
6210	A0038	R	0.1	-10	1	2
6220	A0039	R	0.1	-10	1	2
6230	A0040	R	0.2	-10	3	4282
6240	A0041	R	0.8	-10	1	2
6250	A0042	R	0.1	-10	2	2
6260	A0043	R	0.1	-10	1	2
6270	A0044	R	0.1	10	1	2
6280	A0045	R	0.2	10	1	25
6290	A0046	R	0.1	-10	1	2
6300	A0047	R	0.1	-10	1	2
6310	A0058	R	0.1	-10	1	2
6320	A0060	R	0.2	-10	1	2
6330	A0064	R	0.4	-10	1	8
6340	A0068	R	0.2	-10	2	4
6350	A0096	R	.0	0	0	0
6360	A0265	R	0.1	-10	1	330
6370	A0266	R	0.1	-10	1	2379
6380	A0267	R	0.1	-10	1	1427
6390	A0268	R	0.1	-10	1	1269
6400	A0269	R	0.1	-10	2	1586
6410	A0270	R	0.1	-10	1	1507
6420	A0271	R	0.1	-10	1	800
6430	A0272	R	0.1	-10	1	3013
6440	A0273	R	0.1	-10	1	1189
6450	A0274	R	0.1	-10	1	400
6460	A0277	R	0.1	-10	1	150
6470	A0278	R	0.1	-10	1	40
6480	A0279	R	0.1	-10	1	45
6490	A0280	R	0.1	-10	1	500
6500	A0281	R	0.1	-10	1	450
6510	A0282	R	0.1	-10	1	2141
6520	A0283	R	0.1	-10	1	55
6530	A0284	R	0.1	-10	1	375
6540	A0285	R	0.1	-10	1	1745
6550	A0286	R	0.1	-10	1	3727
6560	A0287	R	0.1	-10	1	2379
6570	A0288	R	0.1	-10	1	650
6580	A0289	R	0.1	-10	1	375
6590	A0291	R	0.1	20	1	310
6600	A0307	R	0.2	-10	10	375
6610	A0308	R	0.1	-10	1	6
6620	A0309	R	0.4	-10	24	8
6630	A0310	R	0.1	-10	10	2
6640	A0311	R	0.2	-10	2	2

1020	30037	R	0.1	20	1	2
1030	30039	R	0.1	10	1	2
1040	30047	R	0.2	-10	2	2
1050	30048	R	0.1	-10	1	6
1060	30054	R	0.1	-10	1	2
1070	30060	R	0.1	-10	1	18
1080	30066	R	0.1	-10	1	2
1090	30071	R	0.1	-10	1	2
1100	30075	R	0.1	-10	1	2
1110	30077	R	0.1	-10	1	29
1120	30078	R	0.1	-10	1	4
1130	30080	R	0.1	80	1	250
1140	30084	R	0.1	10	2	2
1150	30092	R	0.1	-10	1	2
1160	30094	R	0.1	-10	1	2
1170	30107	R	0.1	10	1	2
1180	30111	R	0.1	20	1	2
1190	30112	R	0.1	-10	2	2
1200	30113	R	0.1	-10	1	2
1210	30114	R	0.1	-10	1	2
1220	30117	R	0.1	10	2	2
1230	30119	R	0.1	10	1	2
1240	30123	R	0.1	-10	2	2
1250	30148	R	1.2	-10	2	2
1260	30149	R	0.1	-10	2	2
1270	30150	R	0.1	-10	1	2
1280	30151	R	0.1	10	1	2
1290	30152	R	0.1	-10	2	2
1300	30153	R	0.1	-10	3	2
1310	30154	R	0.1	-10	1	2
1320	30177	R	0.1	-10	2	80
1330	30178	R	0.1	-10	2	12
1340	30179	R	0.1	-10	1	2
1350	30180	R	0.1	-10	1	2
1360	30181	R	0.1	-10	1	4
1370	30188	R	0.2	-10	1	6502
1380	30190	R	0.2	-10	1	70
1390	30191	R	0.2	-10	1	30
1400	30192	R	0.2	-10	1	300
1410	30194	R	0.4	-10	1	125
1420	30195	R	0.2	-10	2	800
1430	30197	R	0.1	-10	1	2
1440	30198	R	0.1	-10	1	275
1450	30199	R	0.1	-10	1	2
1460	30200	R	0.1	-10	1	6
1470	30201	R	0.1	-10	1	2
1480	30202	R	0.1	-10	1	2
1490	30203	R	0.1	-10	1	140
1500	30204	R	0.1	-10	1	6
1510	30205	R	0.1	-10	1	2
1520	30206	R	0.1	-10	1	2
1530	30207	R	0.1	-10	8	2
1540	30208	R	0.1	-10	1	60
1550	30209	R	0.1	-10	2	125
1560	30210	R	0.1	-10	1	2
1570	30211	R	0.1	-10	1	400
1580	30212	R	0.1	-10	2	2
1590	30213	R	0.1	-10	1	10
1600	30220	R	0.1	-10	1	38
1610	30221	R	0.1	-10	1	2
1620	30222	R	0.1	-10	1	2
1630	30223	R	0.2	-10	1	2

3000	G0021	R	0.1	10	4	1
3010	G0023	R	0.2	10	2	1
3020	G0024	R	0.1	10	2	1
3030	G0025	R	0.1	10	2	1
3040	G0027	R	0.1	10	2	1
3050	G0028	R	0.1	10	2	1
3060	G0033	R	0.1	10	2	1
3070	G0035	R	0.1	10	10	1
3080	G0037	R	0.1	10	2	2
3090	G0042	R	0.1	10	2	1
3100	G0044	R	0.1	10	2	1
3110	G0045	R	0.1	10	2	2
3120	G0047	R	0.1	10	2	1
3130	G0049	R	0.1	10	2	1
3140	G0051	R	0.1	10	2	1
3150	G0053	R	0.1	10	2	1
3160	G0105	R	0.1	30	1	2
3170	G0134	R	0.1	-10	4	2
3180	G0137	R	0.1	10	1	2
3190	G0138	R	0.1	10	1	2
3200	G0307	R	0.1	10	1	2
3210	H0004	R	0.1	20	1	2
3220	H0005	R	0.1	-10	1	4
3230	H0011	R	0.1	-10	1	2
3240	H0013	R	0.1	-10	1	210
3250	H0015	R	0.1	-10	1	2
3260	H0016	R	0.1	40	1	2
3270	L0004	R	0.1	-10	17	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
3300	L0090	R	.0	-10	400	634

1850	A0078	L	0.2	-10	1	10
1860	A0079	L	0.1	10	8	150
1870	A0090	L	0.1	-10	1	2
1880	A0091	L	0.1	-10	1	2
1890	A0092	L	0.1	-10	1	2
1900	A0093	L	0.1	-10	1	2
1910	A0094	L	0.1	-10	1	2
1920	A0095	L	0.1	-10	1	2
1930	A0097	L	0.1	-10	1	2
1940	A0098	L	0.1	-10	1	2
1950	A0099	L	0.1	-10	1	2
1960	A0100	L	0.1	-10	1	2
1970	A0102	L	0.1	-10	1	2
1980	A0103	L	0.1	20	1	2
1990	A0115	L	0.1	-10	1	2
2000	A0116	L	0.1	-10	1	2
2010	A0117	L	0.1	-10	2	2
2020	A0118	L	0.1	-10	1	2
2030	A0119	L	0.1	-10	1	2
2040	A0120	L	1.2	-10	2	2
2050	A0121	L	0.1	-10	1	2
2060	A0122	L	0.2	10	1	2
2070	A0128	L	0.1	-10	1	2
2080	A0129	L	0.1	-10	2	2
2090	A0130	L	0.4	-10	1	2
2100	A0131	L	0.2	-10	1	2
2110	A0132	L	0.1	-10	1	2
2120	A0134	L	0.1	-10	1	2
2130	A0136	L	0.1	-10	1	2
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
2150	A0153	L	0.1	-10	2	2
2160	A0154	L	0.2	-10	1	2
2170	A0155	L	0.1	-10	1	2
2180	A0156	L	0.1	-10	2	2
2190	A0160	L	0.1	-10	1	2
2200	A0161	L	0.1	-10	1	2
2210	A0162	L	0.1	-10	1	2
2220	A0163	L	0.1	-10	1	2
2230	A0164	L	0.1	-10	1	2
2240	A0165	L	0.1	-10	1	2
2250	A0167	L	0.2	-10	1	2
2260	A0168	L	0.1	-10	1	2
2270	A0169	L	0.1	-10	1	2
2280	A0170	L	0.1	-10	1	2
2290	A0171	L	0.1	-10	1	2
2300	A0172	L	0.1	-10	1	2
2310	A0173	L	0.1	-10	1	2
2320	A0174	L	0.1	-10	1	2
2330	A0175	L	0.1	-10	1	2
2340	A0176	L	0.1	-10	1	2
2350	A0180	L	0.1	20	1	2
2360	A0182	L	0.2	10	1	2
2370	A0184	L	0.1	-10	1	2
2380	A0185	L	0.1	-10	1	2
2390	A0186	L	0.1	-10	1	2
2400	A0187	L	0.1	-10	1	2
2410	A0188	L	0.2	-10	1	2
2420	A0189	L	0.1	-10	1	2
2430	A0192	L	0.2	-10	1	2
2440	A0193	L	0.2	-10	2	2
2450	A0196	L	0.1	-10	1	2
2460	A0197	L	0.1	-10	1	2
2470	A0198	L	0.1	10	1	2

2830	A0246	L	0.2	0	1	25
2840	A0247	L	0.4	-10	2	2
2850	A0248	L	0.1	-10	1	2
2860	A0249	L	0.2	-10	1	2
2870	A0250	L	0.1	-10	1	2
2880	A0251	L	0.2	40	1	2
2890	A0252	L	0.1	-10	1	2
2900	A0253	L	0.1	-10	1	2
2910	A0254	L	0.1	-10	1	2
2920	A0255	L	0.1	-10	1	2
2930	A0256	L	0.2	-10	5	2
2940	A0257	L	0.2	-10	1	4
2950	A0258	L	.0	0	0	2
2960	A0259	L	0.1	-10	1	2
2970	A0260	L	0.1	-10	1	2
2980	A0261	L	0.1	-10	1	2
2990	A0262	L	0.1	-10	2	2
3000	A0263	L	0.1	-10	1	2
3010	A0264	L	0.1	-10	1	2
3020	B0011	L	0.1	-10	2	35
3030	B0012	L	0.1	-10	1	55
3040	B0013	L	0.1	-10	1	60
3050	B0023	L	0.2	40	1	2
3060	B0025	L	0.1	20	1	2
3070	B0026	L	0.1	10	1	2
3080	B0033	L	0.1	-10	1	10
3090	B0034	L	0.1	-10	1	6
3100	B0036	L	0.1	40	1	2
3110	B0038	L	0.2	-10	1	2
3120	B0040	L	0.1	20	1	2
3130	B0042	L	0.1	-10	2	2
3140	B0043	L	0.1	-10	1	2
3150	B0044	L	0.1	-10	1	2
3160	B0045	L	0.1	-10	1	2
3170	B0049	L	0.2	10	1	150
3180	B0050	L	0.1	-10	1	55
3190	B0051	L	0.1	-10	1	160
3200	B0053	L	0.1	10	1	55
3210	B0055	L	0.1	10	1	50
3220	B0056	L	0.1	30	1	60
3230	B0057	L	0.1	-10	1	25
3240	B0058	L	0.1	-10	1	25
3250	B0059	L	0.1	20	4	60
3260	B0063	L	0.1	40	1	25
3270	B0064	L	0.1	-10	1	40
3280	B0065	L	0.2	-10	1	30
3290	B0067	L	0.1	10	1	30
3300	B0068	L	0.1	20	1	2
3310	B0069	L	0.1	20	1	12
3320	B0070	L	0.1	-10	1	2
3330	B0072	L	0.1	-10	1	2
3340	B0073	L	0.1	-10	1	12
3350	B0074	L	0.1	-10	1	15
3360	B0076	L	0.1	-10	1	4
3370	B0089	L	0.1	-10	1	20
3380	B0090	L	0.1	480	1	40
3390	B0091	L	0.1	-10	2	6
3400	B0093	L	0.2	-10	1	6
3410	B0095	L	0.1	-10	1	6
3420	B0098	L	0.1	-10	1	2
3430	B0099	L	0.1	-10	1	2
3440	B0100	L	0.1	-10	2	2
3450	B0101	L	0.1	-10	2	2

3820	B0157	L	0.1	-10	1	2
3830	B0158	L	0.1	-10	2	2
3840	B0159	L	0.1	-10	3	2
3850	B0160	L	0.1	20	2	2
3860	B0161	L	0.1	-10	2	2
3870	B0162	L	0.1	10	1	2
3880	B0163	L	0.1	10	5	2
3890	B0164	L	0.1	20	2	2
3900	B0165	L	0.4	-10	3	2
3910	B0166	L	0.4	10	2	2
3920	B0168	L	0.1	-10	3	2
3930	B0169	L	0.1	-10	4	2
3940	B0170	L	0.1	-10	11	2
3950	B0171	L	0.1	-10	9	2
3960	B0172	L	0.1	-10	4	2
3970	B0173	L	0.1	-10	19	2
3980	B0174	L	0.2	-10	6	2
3990	B0175	L	0.2	-10	1	2
4000	B0176	L	0.1	440	6	2
4010	B0182	L	0.1	20	2	8
4020	B0183	L	0.1	-10	2	10
4030	B0184	L	0.1	20	2	25
4040	B0185	L	0.1	-10	2	15
4050	B0186	L	0.1	-10	2	20
4060	B0187	L	0.6	700	1	155
4070	B0189	L	0.8	-10	1	125
4080	C0005	L	0.1	-10	1	2
4090	C0006	L	0.1	-10	1	2
4100	C0008	L	0.1	-10	2	2
4110	C0010	L	0.1	-10	1	2
~~4120~~	~~C0012~~	~~L~~	~~0.1~~	~~-10~~	~~1~~	~~2~~
4130	C0013	L	0.1	-10	1	2
4140	C0014	L	0.1	-10	1	2
4150	C0016	L	0.2	10	1	2
4160	C0017	L	0.1	10	1	2
4170	C0018	L	0.1	-10	1	2
4180	C0019	L	0.1	-10	1	2
4190	C0020	L	0.2	-10	1	2
4200	C0021	L	0.1	-10	1	2
4210	C0022	L	0.1	-10	1	2
4220	C0023	L	0.2	-10	1	2
4230	C0025	L	0.1	-10	1	2
4240	C0029	L	0.2	-10	1	2
4250	C0030	L	0.6	-10	1	2
4260	C0031	L	0.1	10	1	2
4270	C0032	L	0.1	20	1	2
4280	C0034	L	0.2	-10	1	2
4290	C0035	L	0.2	80	1	2
4300	C0037	L	0.1	-10	1	2
4310	C0038	L	0.1	-10	1	2
4320	C0039	L	0.1	-10	1	2
4330	C0040	L	0.1	-10	1	2
4340	C0041	L	0.1	-10	1	2
4350	C0043	L	0.1	-10	1	2
4360	C0044	L	0.1	60	1	2
4370	C0045	L	0.1	-10	1	2
4380	C0047	L	0.1	-10	2	2
4390	C0048	L	0.2	-10	1	2
4400	C0049	L	0.2	-10	1	4
4410	C0050	L	0.1	-10	1	2
4420	C0051	L	0.1	20	1	2
4430	C0052	L	0.2	-10	1	2
4440	C0053	L	0.1	-10	1	2

4810	C0157	L	0.1	-10	1	2
4820	C0159	L	0.1	-10	1	2
4830	C0161	L	0.8	-10	1	2
4840	C0162	L	0.2	-10	1	2
4850	C0163	L	0.2	-10	1	2
4860	C0164	L	0.1	10	1	2
4870	C0165	L	3.8	70	1	2
4880	C0166	L	0.1	10	1	2
4890	C0167	L	0.2	-10	1	2
4900	C0168	L	0.1	-10	1	8
4910	C0169	L	0.1	10	1	10
4920	C0170	L	0.1	-10	1	2
4930	C0171	L	0.1	-10	1	2
4940	C0172	L	0.1	-10	1	6
4950	C0173	L	0.1	10	1	22
4960	C0174	L	0.1	-10	1	2
4970	C0175	L	0.1	-10	1	2
4980	C0180	L	0.1	-10	1	2
4990	C0182	L	0.1	-10	1	2
5000	C0183	L	0.1	-10	2	2
5010	C0184	L	0.1	-10	1	2
5020	G0120	L	0.1	10	1	25
5030	G0180	L	0.1	-10	1	24
5040	G0215	L	0.1	100	1	300
5050	G0217	L	0.1	70	1	350
5060	G0292	L	0.1	-10	1	125
5070	G0294	L	0.1	800	1	375
5080	I0028	L	0.2	-10	1	140
5090	I0186	L	0.1	-10	1	60
5100	I0221	L	0.2	20	1	40
5110	J0040	L	0.1	-10	1	160
5120	J0041	L	0.1	160	1	275
5130	J0042	L	0.1	-10	1	65
5140	J0043	L	0.1	-10	1	55
5150	J0044	L	0.1	200	1	125
5160	J0045	L	0.1	20	1	150
5170	J0046	L	1.0	60	1	22
5180	J0047	L	0.1	80	1	350
5190	J0048	L	0.6	-10	4	12
5200	J0049	L	0.2	20	1	25
5210	J0050	L	0.1	30	1	22
5220	J0051	L	0.1	-10	1	2
5230	J0052	L	0.8	-10	1	2
5240	J0053	L	0.1	-10	2	2
5250	J0054	L	0.2	-10	1	2
5260	J0055	L	0.1	20	1	2
5270	J0056	L	0.1	20	1	2
5280	J0057	L	0.1	-10	1	2
5290	J0058	L	0.1	10	2	2
5300	J0059	L	0.1	-10	19	2
5310	J0060	L	0.1	-10	27	2
5320	J0061	L	0.1	10	2	2
5330	J0062	L	0.1	-10	12	2
5340	J0063	L	0.1	-10	2	2
5350	J0064	L	0.1	-10	3	2
5360	J0065	L	0.1	-10	8	2
5370	J0066	L	0.1	10	4	2
5380	J0067	L	0.1	10	4	2
5390	J0068	L	0.1	-10	1	2
5400	L0002	L	0.1	-10	1	2
5410	L0005	L	0.1	10	1	2
5420	L0006	L	0.1	10	1	2

5800	L0074	L	0.1	-10	1	2
5810	L0075	L	0.2	10	1	4
5820	L0076	L	0.1	-10	4	2
5830	P0007	L	0.1	-10	1	2
5840	S0504	L	0.1	-10	1	10
5850	S0722	L	0.1	1960	1	65
5860	S0723	L	0.1	-10	1	60
5870	S0724	L	0.1	20	1	32
5880	S0725	L	0.1	-10	1	18
5890	S0726	L	0.1	20	1	35
5900	S0727	L	0.1	-10	1	2
5910	S0728	L	0.1	-10	1	2
5920	S0729	L	0.1	10	1	2
5930	S0730	L	0.1	20	1	2
5940	S0731	L	0.1	20	1	2
5950	S0732	L	0.1	-10	1	2
5960	S0777	L	0.8	-10	46	2
5970	S0778	L	1.0	-10	18	2
5980	S0779	L	0.1	-10	1	2
5990	S0780	L	0.1	-10	6	2
6000	S0781	L	0.1	20	6	2
6010	S0782	L	0.1	10	1	2
6020	S0783	L	0.1	-10	7	2
6030	S0784	L	0.1	-10	1	2
6040	S0785	L	0.1	-10	9	22
6050	S0786	L	0.1	-10	5	10
6060	S0787	L	0.1	20	7	4
6070	S0788	L	0.1	-10	3	2
6080	S0789	L	0.1	-10	4	6
6090	S0790	L	0.2	-10	4	2
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
6110	S0792	L	0.1	-10	4	2
6120	S0793	L	0.1	30	6	2
6130	S0794	L	0.1	20	11	2

37	B0004	S	0.1	10	1	2
38	B0005	S	0.1	5	1	20
39	B0007	S	0.1	5	1	20
40	B0008	S	0.1	5	1	2
41	B0009	S	0.1	5	6	50
42	B0010	S	0.1	5	2	22
43	B0016	S	0.1	5	1	2
44	B0017	S	0.1	40	1	2
45	B0018	S	0.1	5	1	4
46	B0020	S	0.4	20	1	2
47	B0021	S	0.2	60	1	2
48	B0022	S	0.2	5	1	2
49	B0027	S	0.1	5	1	8
50	B0028	S	.0	0	1	2
51	B0029	S	0.4	20	1	2
52	B0031	S	0.2	5	1	2
53	B0041	S	0.2	5	7	2
54	B0046	S	0.1	5	1	6
55	B0052	S	0.1	5	1	2
56	B0061	S	0.1	5	1	12
57	B0062	S	0.1	5	2	15
58	B0079	S	0.1	10	1	25
59	B0081	S	0.1	5	1	90
60	B0082	S	0.1	5	1	30
61	B0083	S	0.1	5	1	100
62	B0085	S	0.1	5	1	8
63	B0086	S	0.1	5	1	75
64	B0087	S	0.1	5	1	18
65	B0088	S	0.1	5	1	6
66	B0096	S	0.1	5	2	2
67	B0097	S	0.1	10	1	2
68	B0108	S	0.1	5	1	2
69	B0109	S	0.1	5	3	2
70	B0115	S	0.1	5	3	2
71	B0156	S	0.1	5	1	2
72	B0167	S	0.1	20	2	2
73	C0003	S	0.1	20	1	2
74	C0027	S	0.1	20	1	2
75	C0056	S	0.2	10	1	2
76	C0057	S	0.1	10	1	2
77	C0058	S	0.1	5	1	2
78	C0059	S	0.4	5	1	2
79	C0095	S	0.2	5	1	8
80	C0096	S	0.2	5	1	18
81	C0097	S	0.2	5	1	15
82	C0098	S	0.4	5	1	8
83	C0099	S	0.4	5	1	2
84	C0100	S	0.2	5	1	2
85	C0101	S	0.1	5	1	2
86	C0102	S	0.1	5	1	2
87	C0103	S	0.2	5	1	4
88	C0104	S	0.2	5	1	10
89	C0105	S	0.6	5	1	6
90	C0106	S	0.4	5	1	4
91	C0107	S	0.2	5	1	2
92	C0108	S	0.2	5	1	6
93	C0109	S	1.4	5	1	8
94	C0110	S	0.2	5	1	10
95	C0112	S	0.1	5	1	140
96	C0113	S	0.1	5	1	40
97	C0114	S	0.4	5	1	25
98	C0115	S	0.2	0	0	30
99	C0116	S	0.2	5	1	2

134	G0016	S	0.1	10	1	1
135	G0017	S	0.1	10	1	2
136	G0020	S	0.1	10	1	2
137	G0022	S	0.1	10	1	2
138	G0026	S	0.2	10	1	2
139	G0029	S	0.1	10	2	2
140	G0030	S	0.2	10	1	2
141	G0031	S	0.1	10	2	24
142	G0032	S	0.1	10	2	8
143	G0034	S	0.1	10	1	2
144	G0036	S	0.2	10	1	2
145	G0038	S	0.4	10	1	2
146	G0039	S	0.1	10	1	2
147	G0040	S	0.1	10	2	2
148	G0041	S	0.1	10	1	2
149	G0043	S	0.1	10	2	2
150	G0046	S	0.2	10	1	10
151	G0048	S	0.1	20	1	2
152	G0050	S	1.8	10	1	4
153	G0052	S	0.1	10	1	6
154	G0054	S	0.1	10	1	2
155	G0055	S	0.1	10	1	10
156	G0054	S	0.1	5	1	2
157	G0055	S	0.1	5	1	10
158	G0056	S	0.1	5	1	4
159	G0057	S	0.1	5	2	6
160	G0058	S	0.1	5	1	10
161	G0059	S	0.1	10	1	10
162	G0060	S	0.1	5	2	36
163	G0061	S	0.1	10	1	8
164	G0062	S	0.1	5	1	32
165	G0063	S	0.1	5	1	20
166	G0064	S	0.2	5	2	26
167	G0065	S	0.1	5	1	12
168	G0066	S	0.1	5	1	4
169	G0067	S	0.1	5	1	6
170	G0068	S	0.1	5	2	4
171	G0069	S	0.1	5	2	2
172	G0070	S	0.1	5	1	4
173	G0071	S	0.1	5	1	4
174	G0072	S	0.1	5	1	2
175	G0073	S	0.1	5	1	2
176	G0074	S	0.1	5	2	2
177	G0075	S	0.1	5	2	4
178	G0076	S	0.1	5	1	4
179	G0077	S	0.1	5	1	2
180	G0078	S	0.1	5	1	6
181	G0079	S	0.1	5	1	2
182	G0080	S	0.1	5	1	2
183	G0081	S	0.1	20	1	4
184	G0082	S	0.1	5	1	14
185	G0083	S	0.1	5	1	4
186	G0084	S	0.1	5	2	30
187	G0085	S	0.2	5	1	15
188	G0086	S	0.2	5	1	12
189	G0087	S	0.1	5	1	28
190	G0088	S	0.1	5	1	22
191	G0089	S	0.1	5	1	15
192	G0090	S	0.2	5	1	12
193	G0091	S	0.1	5	1	20
194	G0092	S	0.1	5	1	28
195	G0093	S	0.1	5	1	20
196	G0094	S	0.1	5	1	35

232	G0132	S	0.1	5	1	12
233	G0133	S	0.1	5	1	15
234	G0135	S	0.1	5	1	4
235	G0136	S	0.1	5	1	8
236	G0139	S	0.1	5	1	45
237	G0140	S	0.1	5	0	2
238	G0141	S	0.1	5	0	0
239	G0142	S	0.2	5	2	6
240	G0143	S	0.1	5	2	26
241	G0144	S	0.1	5	2	4
242	G0145	S	0.1	5	1	30
243	G0146	S	0.1	5	1	8
244	G0147	S	0.2	5	1	12
245	G0148	S	0.1	5	2	14
246	G0149	S	0.1	5	1	65
247	G0150	S	0.2	10	2	60
248	G0151	S	0.2	5	1	10
249	G0152	S	0.1	5	1	8
250	G0153	S	0.1	5	1	6
251	G0154	S	0.1	110	1	8
252	G0155	S	0.1	60	1	12
253	G0156	S	0.1	20	2	30
254	G0157	S	0.2	5	2	30
255	G0158	S	0.1	5	1	10
256	G0159	S	0.1	5	1	34
257	G0160	S	0.1	5	1	48
258	G0161	S	0.1	5	1	32
259	G0162	S	0.2	5	2	20
260	G0163	S	0.1	5	2	26
261	G0164	S	0.1	5	1	40
262	G0165	S	0.1	5	2	46
263	G0166	S	0.2	120	1	150
264	G0167	S	0.1	1740	1	120
265	G0168	S	0.2	5	1	48
266	G0169	S	0.1	5	1	28
267	G0170	S	0.1	20	1	75
268	G0171	S	0.1	5	1	40
269	G0172	S	0.1	10	1	80
270	G0173	S	0.1	5	1	50
271	G0174	S	0.1	100	1	80
272	G0175	S	0.1	5	1	110
273	G0176	S	0.1	10	1	100
274	G0177	S	0.2	840	2	160
275	G0178	S	0.4	40	2	140
276	G0179	S	0.2	20	1	30
277	G0181	S	0.4	30	1	14
278	G0182	S	0.1	5	2	14
279	G0183	S	0.1	5	2	20
280	G0184	S	0.1	5	2	32
281	G0185	S	0.1	5	1	20
282	G0186	S	0.1	5	1	18
283	G0187	S	0.1	5	1	26
284	G0188	S	0.1	5	1	8
285	G0189	S	0.1	5	2	100
286	G0190	S	0.1	5	2	75
287	G0191	S	0.1	5	1	70
288	G0192	S	0.1	5	2	85
289	G0193	S	0.1	5	3	52
290	G0194	S	0.1	5	1	140
291	G0195	S	0.4	5	2	200
292	G0196	S	0.2	5	2	36
293	G0197	S	0.2	5	2	32
294	G0198	S	0.1	5	1	32

332	G0239	S	0.1	5	1	75
333	G0240	S	0.1	5	1	4
334	G0241	S	0.1	10	2	6
335	G0242	S	0.1	30	1	28
336	G0243	S	1.0	230	1	50
337	G0244	S	0.1	5	1	6
338	G0245	S	0.1	5	3	6
339	G0246	S	0.1	5	1	14
340	G0247	S	0.1	20	1	30
341	G0248	S	0.1	100	1	20
342	G0249	S	0.1	190	1	34
343	G0250	S	0.1	20	1	55
344	G0251	S	0.1	5	1	18
345	G0252	S	0.1	10	1	4
346	G0253	S	0.1	5	1	20
347	G0254	S	0.2	5	1	2
348	G0255	S	0.1	50	1	26
349	G0256	S	0.1	20	1	2
350	G0257	S	0.1	70	1	6
351	G0258	S	0.2	30	1	2
352	G0259	S	0.4	20	1	28
353	G0260	S	0.2	20	1	80
354	G0261	S	0.1	5	1	4
355	G0262	S	0.4	10	1	25
356	G0263	S	0.1	5	1	28
357	G0264	S	0.1	5	1	50
358	G0265	S	0.1	5	1	6
359	G0266	S	0.2	20	1	55
360	G0267	S	0.1	5	1	4
361	G0268	S	0.2	5	1	22
362	G0269	S	0.2	100	1	15
363	G0270	S	0.1	5	1	2
364	G0271	S	0.1	5	1	2
365	G0272	S	0.4	5	1	2
366	G0273	S	0.1	5	1	2
367	G0274	S	0.1	5	1	2
368	G0275	S	0.1	5	1	2
369	G0276	S	0.1	5	1	2
370	G0277	S	0.1	5	1	32
371	G0278	S	0.1	10	1	6
372	G0279	S	0.1	5	1	15
373	G0280	S	0.1	20	1	65
374	G0281	S	0.1	20	1	60
375	G0282	S	0.1	5	1	14
376	G0283	S	0.1	40	1	28
377	G0284	S	0.1	40	1	28
378	G0285	S	0.1	20	1	10
379	G0286	S	0.1	5	1	12
380	G0287	S	0.1	5	1	12
381	G0288	S	0.1	20	1	4
382	G0289	S	0.2	5	1	2
383	G0290	S	0.2	5	1	35
384	G0291	S	0.2	5	1	22
385	G0293	S	0.1	20	1	140
386	G0295	S	0.1	20	1	2
387	G0296	S	0.1	5	1	2
388	G0297	S	0.1	90	1	2
389	G0298	S	0.1	5	1	35
390	G0299	S	0.1	5	1	110
391	G0300	S	0.1	5	1	2
392	G0301	S	0.1	20	1	2
393	G0302	S	0.2	5	1	8

431	H0010	S	0.1	20	1	50
432	H0012	S	0.1	5	1	35
433	H0014	S	0.1	60	1	60
434	H0017	S	0.1	5	1	55
435	H0018	S	0.1	5	1	90
436	H0019	S	0.1	20	1	2
437	H0020	S	0.1	5	1	70
438	H0021	S	0.1	20	1	75
439	H0022	S	0.1	5	1	25
440	H0023	S	0.1	5	1	55
441	H0024	S	0.1	5	1	22
442	H0025	S	0.1	5	1	10
443	H0026	S	0.1	5	1	30
444	I0001	S	0.1	5	1	2
445	I0002	S	0.1	5	1	2
446	I0003	S	0.1	5	1	2
447	I0004	S	0.1	5	1	2
448	I0005	S	0.2	5	1	2
449	I0006	S	0.2	5	1	2
450	I0007	S	0.1	5	1	2
451	I0008	S	0.1	5	1	2
452	I0009	S	0.2	5	1	2
453	I0010	S	0.1	5	1	4
454	I0011	S	0.1	5	1	2
455	I0012	S	0.1	5	1	2
456	I0013	S	0.1	5	1	2
457	I0014	S	0.2	5	1	4
458	I0015	S	0.2	5	1	2
459	I0016	S	0.2	5	1	2
460	I0017	S	0.4	5	1	2
461	I0018	S	0.2	5	1	4
462	I0019	S	0.2	5	1	2
463	I0020	S	0.1	5	1	6
464	I0021	S	0.1	5	2	4
465	I0022	S	0.4	5	1	4
466	I0023	S	0.1	5	1	2
467	I0024	S	0.1	5	1	2
468	I0025	S	0.2	5	1	4
469	I0026	S	0.1	5	1	2
470	I0027	S	0.1	5	1	200
471	I0029	S	0.1	5	1	300
472	I0030	S	0.2	5	1	70
473	I0031	S	0.4	5	1	200
474	I0032	S	0.1	5	1	32
475	I0033	S	0.1	5	2	40
476	I0034	S	0.1	5	2	2
477	I0035	S	0.1	20	1	52
478	I0036	S	0.1	10	1	120
479	I0037	S	0.4	5	1	110
480	I0038	S	0.2	5	1	80
481	I0039	S	0.1	5	1	70
482	I0040	S	0.1	5	1	130
483	I0041	S	0.1	5	1	200
484	I0042	S	0.1	5	1	4
485	I0043	S	0.1	5	1	90
486	I0044	S	0.1	5	1	6
487	I0045	S	0.1	20	1	180
488	I0046	S	0.1	10	1	300
489	I0047	S	0.1	5	1	800
490	I0048	S	0.1	5	1	75
491	I0049	S	0.2	5	1	12
492	I0050	S	0.8	5	1	34
493	I0051	S	0.4	270	1	75

529	I0087	S	0.2	30	1	55
530	I0088	S	0.1	10	1	130
531	I0089	S	0.1	5	1	800
532	I0090	S	0.1	5	1	150
533	I0091	S	0.1	5	1	48
534	I0092	S	0.1	5	1	210
535	I0093	S	0.1	5	1	55
536	I0094	S	0.1	5	1	145
537	I0095	S	0.1	5	1	80
538	I0096	S	0.1	5	1	155
539	I0097	S	0.1	5	1	28
540	I0098	S	0.1	5	1	115
541	I0099	S	0.1	5	1	180
542	I0100	S	0.1	5	1	120
543	I0101	S	0.1	20	1	55
544	I0102	S	0.1	5	1	80
545	I0103	S	0.4	5	1	40
546	I0104	S	0.1	10	1	35
547	I0105	S	0.1	20	1	275
548	I0106	S	2.4	1420	1	55
549	I0107	S	0.1	20	10	35
550	I0108	S	1.8	40	1	30
551	I0109	S	0.1	50	1	60
552	I0110	S	1.6	2400	1	550
553	I0111	S	0.2	460	1	28
554	I0112	S	0.1	1320	1	15
555	I0113	S	0.1	20	1	2
556	I0114	S	0.1	20	1	6
557	I0115	S	0.1	140	1	40
558	I0116	S	0.1	10	1	110
559	I0117	S	0.1	5	1	18
560	I0118	S	0.1	5	1	65
561	I0119	S	0.1	5	1	38
562	I0120	S	0.1	200	1	125
563	I0121	S	0.1	10	1	55
564	I0122	S	0.1	5	1	95
565	I0123	S	0.1	5	1	40
566	I0124	S	0.1	5	1	38
567	I0125	S	0.1	5	1	85
568	I0126	S	0.1	5	1	150
569	I0127	S	0.1	5	1	190
570	I0128	S	0.1	5	1	35
571	I0129	S	0.1	5	1	145
572	I0130	S	0.1	5	1	130
573	I0131	S	0.1	5	1	300
574	I0132	S	0.1	5	1	18
575	I0133	S	0.1	5	1	65
576	I0134	S	0.1	5	1	20
577	I0135	S	0.4	40	1	15
578	I0136	S	0.1	5	1	60
579	I0137	S	0.1	5	1	15
580	I0138	S	0.1	30	1	2
581	I0139	S	0.1	90	1	2
582	I0140	S	0.6	580	1	2
583	I0141	S	0.1	70	1	2
584	I0142	S	0.1	20	1	2
585	I0143	S	0.1	400	1	2
586	I0144	S	0.1	20	1	25
587	I0145	S	0.1	5	1	120
588	I0146	S	0.1	5	1	60
589	I0147	S	0.1	5	1	40
590	I0148	S	0.1	5	1	90
591	I0149	S	0.1	5	1	50

628	I0187	S	0.1	5	1	25
629	I0188	S	0.1	5	1	65
630	I0189	S	0.1	5	1	55
631	I0190	S	0.1	5	1	28
632	I0191	S	0.1	5	1	22
633	I0192	S	0.1	200	1	90
634	I0193	S	0.1	20	1	35
635	I0194	S	0.1	30	1	200
636	I0195	S	0.1	5	1	125
637	I0196	S	0.1	5	1	40
638	I0197	S	0.1	5	2	120
639	I0198	S	0.1	10	2	20
640	I0199	S	0.1	5	1	25
641	I0200	S	0.1	5	1	25
642	I0201	S	0.1	10	1	80
643	I0202	S	0.1	5	1	40
644	I0203	S	0.1	5	1	22
645	I0204	S	0.1	5	1	55
646	I0205	S	0.1	5	1	55
647	I0206	S	0.1	5	1	14
648	I0207	S	0.1	5	1	32
649	I0208	S	0.1	5	2	55
650	I0209	S	0.1	5	1	80
651	I0210	S	0.1	5	1	38
652	I0211	S	0.1	5	1	40
653	I0212	S	0.1	5	1	60
654	I0213	S	0.1	5	1	2
655	I0214	S	0.1	30	1	200
656	I0215	S	0.1	5	1	55
657	I0216	S	0.1	5	1	25
658	I0217	S	0.1	5	1	2
659	I0218	S	0.1	5	1	2
660	I0219	S	0.1	5	1	2
661	I0220	S	0.1	5	1	6
662	I0222	S	0.1	5	1	95
663	I0223	S	0.1	5	1	4
664	I0224	S	0.1	5	1	10
665	I0225	S	0.1	100	1	22
666	I0226	S	0.1	20	1	12
667	I0227	S	0.1	5	1	2
668	I0228	S	0.1	5	1	2
669	I0229	S	0.1	5	1	8
670	I0230	S	0.1	5	1	4
671	I0231	S	0.1	20	1	12
672	I0232	S	0.1	5	1	22
673	I0233	S	0.1	5	1	12
674	I0234	S	0.1	5	1	45
675	I0235	S	0.1	70	1	80
676	I0236	S	0.1	5	1	22
677	I0237	S	0.1	5	1	4
678	I0238	S	0.1	5	1	40
679	I0239	S	0.1	5	1	20
680	I0240	S	0.1	5	1	50
681	I0241	S	0.1	5	1	110
682	I0242	S	0.1	5	1	10
683	I0243	S	0.1	5	1	18
684	I0244	S	0.2	10	1	65
685	I0245	S	0.1	5	1	55
686	I0246	S	0.1	5	1	80
687	I0247	S	0.1	5	1	75
688	I0248	S	0.1	5	1	68
689	I0249	S	0.1	5	1	70
690	I0250	S	0.1	5	1	50

727	J0017	S	0.1	20	3	2
728	J0018	S	0.1	10	2	2
729	J0019	S	0.1	20	1	2
730	J0020	S	0.1	10	1	4
731	J0021	S	0.1	20	1	2
732	J0022	S	0.1	10	1	8
733	J0023	S	0.1	5	1	6
734	J0024	S	0.1	5	1	10
735	J0025	S	0.1	5	1	22
736	J0026	S	0.1	5	1	28
737	J0027	S	0.4	5	1	22
738	J0028	S	0.1	5	1	25
739	J0029	S	0.1	5	1	32
740	J0030	S	0.1	5	1	22
741	J0031	S	0.1	5	1	20
742	J0032	S	0.1	5	1	22
743	J0033	S	0.1	5	1	20
744	J0034	S	0.1	5	1	60
745	J0035	S	0.1	5	2	55
746	J0036	S	0.1	5	1	35
747	J0037	S	0.1	5	1	28
748	J0038	S	0.1	20	1	110
749	J0039	S	0.1	5	1	55
750	L0001	S	0.1	40	1	18
751	L0003	S	0.1	5	1	2
752	L0051	S	0.1	10	1	2
753	L0056	S	0.1	5	1	2
754	L0057	S	0.6	5	3	2
755	L0061	S	0.1	5	1	2
756	L0064	S	0.2	5	1	2
757	L0101	S	0.1	5	1	2
758	L0102	S	0.1	5	1	4
759	L0103	S	0.1	5	1	2
760	L0104	S	0.1	5	1	2
761	L0105	S	0.1	5	1	2
762	L0106	S	0.1	5	1	2
763	L0107	S	0.1	5	1	2
764	L0108	S	0.1	5	2	2
765	L0109	S	0.1	5	1	2
766	L0110	S	0.2	5	1	2
767	L0111	S	0.1	5	1	2
768	L0112	S	0.1	10	1	2
769	L0113	S	0.1	5	1	2
770	L0114	S	0.1	10	1	28
771	L0115	S	0.1	5	1	12
772	L0116	S	0.1	120	1	6
773	L0117	S	0.1	70	1	8
774	L0118	S	0.1	20	1	40
775	L0119	S	0.1	5	1	2
776	L0120	S	0.1	5	1	6
777	L0121	S	0.1	5	1	12
778	L0122	S	0.1	20	1	8
779	L0123	S	0.1	5	1	10
780	P0001	S	0.1	80	1	55
781	P0003	S	0.1	10	1	4
782	P0004	S	0.1	20	1	2
783	P0005	S	0.1	5	1	2
784	P0006	S	0.1	5	1	2
785	P0008	S	0.1	10	1	2
786	P0009	S	0.1	5	1	2
787	P0010	S	0.1	5	1	2
788	P0011	S	0.1	10	1	2
789	P0012	S	0.1	20	1	2

826	S0037	S	0.1	5	1	4
827	S0038	S	0.1	5	1	15
828	S0039	S	0.1	5	1	6
829	S0040	S	0.1	5	1	2
830	S0041	S	0.1	5	1	2
831	S0042	S	0.1	5	1	4
832	S0043	S	0.1	5	1	2
833	S0044	S	0.1	5	1	25
834	S0045	S	0.1	5	1	12
835	S0046	S	0.1	5	1	2
836	S0047	S	0.1	20	1	2
837	S0048	S	0.1	5	1	4
838	S0049	S	0.1	5	1	2
839	S0050	S	0.1	10	1	4
840	S0051	S	0.1	5	1	2
841	S0052	S	0.1	5	1	4
842	S0053	S	0.1	60	1	2
843	S0054	S	0.1	5	1	2
844	S0055	S	0.1	5	1	2
845	S0056	S	0.1	5	1	6
846	S0057	S	0.2	10	1	2
847	S0058	S	0.1	5	1	2
848	S0059	S	0.1	20	1	2
849	S0060	S	0.1	5	1	2
850	S0061	S	0.1	5	1	2
851	S0062	S	0.1	10	1	2
852	S0063	S	0.1	10	1	2
853	S0064	S	0.2	5	1	2
854	S0065	S	0.1	5	1	2
855	S0066	S	0.2	5	1	2
856	S0067	S	0.1	5	1	2
857	S0068	S	0.1	5	1	2
858	S0069	S	0.1	5	1	6
859	S0070	S	0.1	10	1	4
860	S0071	S	0.4	5	1	2
861	S0072	S	0.2	20	1	4
862	S0073	S	0.1	5	1	10
863	S0074	S	0.1	5	1	12
864	S0075	S	0.4	5	1	45
865	S0076	S	0.1	10	1	2
866	S0077	S	0.2	5	1	80
867	S0078	S	0.1	20	1	625
868	S0079	S	0.1	5	1	175
869	S0080	S	0.1	5	1	8
870	S0081	S	0.2	5	1	2
871	S0082	S	0.1	5	1	8
872	S0083	S	0.1	5	1	2
873	S0084	S	0.2	5	1	2
874	S0085	S	0.1	5	1	2
875	S0086	S	0.1	10	1	2
876	S0087	S	0.1	5	1	10
877	S0088	S	0.1	5	1	2
878	S0089	S	0.1	5	1	2
879	S0090	S	0.1	5	1	2
880	S0091	S	0.1	20	1	6
881	S0092	S	0.1	5	1	6
882	S0093	S	0.1	5	1	2
883	S0094	S	0.1	40	35	1
884	S0095	S	0.1	5	2	1
885	S0096	S	0.1	5	2	1
886	S0097	S	0.1	10	6	1
887	S0098	S	0.1	5	45	1
888	S0099	S	0.2	5	8	1

925	S0136	S	0.1	5	1	75
926	S0137	S	0.1	5	1	22
927	S0138	S	0.1	5	1	55
928	S0139	S	0.1	5	1	18
929	S0140	S	0.1	5	1	35
930	S0141	S	0.1	5	1	2
931	S0142	S	1.0	5	1	45
932	S0143	S	0.8	5	1	35
933	S0144	S	0.1	5	1	2
934	S0145	S	0.1	5	1	2
935	S0146	S	0.1	5	1	4
936	S0147	S	0.1	5	1	2
937	S0148	S	0.2	5	1	4
938	S0149	S	0.1	5	1	2
939	S0150	S	0.8	5	1	6
940	S0151	S	0.1	20	1	2
941	S0152	S	0.1	5	1	2
942	S0153	S	0.1	5	1	65
943	S0154	S	0.1	5	1	25
944	S0155	S	0.1	5	1	4
945	S0156	S	0.1	5	1	6
946	S0157	S	0.2	5	1	6
947	S0158	S	0.1	5	1	2
948	S0159	S	0.1	10	1	2
949	S0160	S	0.1	5	1	4
950	S0161	S	0.1	440	1	2
951	S0162	S	0.1	5	1	2
952	S0163	S	0.1	340	1	2
953	S0164	S	0.1	5	1	2
954	S0165	S	0.1	5	1	2
955	S0166	S	0.1	30	1	2
956	S0167	S	0.1	5	1	4
957	S0168	S	0.1	5	1	2
958	S0169	S	0.1	20	1	2
959	S0170	S	0.1	5	1	2
960	S0171	S	0.1	10	1	2
961	S0172	S	0.1	30	1	2
962	S0173	S	0.1	20	1	2
963	S0174	S	0.1	5	1	2
964	S0175	S	0.1	5	1	2
965	S0176	S	0.1	5	1	2
966	S0177	S	0.1	5	1	4
967	S0178	S	0.1	10	1	2
968	S0179	S	0.1	5	1	2
969	S0180	S	0.1	5	1	4
970	S0181	S	0.1	5	1	2
971	S0182	S	0.1	5	1	2
972	S0183	S	0.1	5	1	2
973	S0184	S	0.1	5	1	2
974	S0185	S	0.1	5	1	2
975	S0186	S	0.1	5	1	2
976	S0187	S	0.1	5	1	2
977	S0188	S	0.1	5	1	2
978	S0189	S	0.1	5	1	2
979	S0190	S	0.1	10	1	2
980	S0191	S	0.1	5	2	2
981	S0192	S	0.2	10	1	2
982	S0193	S	0.1	10	1	15
983	S0194	S	0.1	5	1	2
984	S0195	S	0.1	10	1	6
985	S0196	S	0.2	5	2	2
986	S0197	S	0.2	5	1	2

1023	S0234	S	0.1	20	1	2
1024	S0235	S	0.1	5	1	2
1025	S0236	S	0.1	10	1	2
1026	S0237	S	0.1	10	1	2
1027	S0238	S	0.1	10	1	2
1028	S0239	S	0.1	20	1	2
1029	S0240	S	0.1	10	1	2
1030	S0241	S	0.1	30	1	2
1031	S0242	S	0.1	5	1	4
1032	S0243	S	0.1	5	1	2
1033	S0244	S	0.1	5	1	25
1034	S0245	S	0.1	5	1	2
1035	S0246	S	0.1	5	1	6
1036	S0247	S	0.1	20	1	140
1037	S0248	S	1.8	20	1	75
1038	S0249	S	1.2	5	1	50
1039	S0250	S	0.1	5	1	70
1040	S0251	S	0.1	5	1	2
1041	S0252	S	0.1	20	1	2
1042	S0253	S	0.1	5	1	2
1043	S0254	S	0.2	20	1	2
1044	S0255	S	0.1	5	1	2
1045	S0256	S	0.1	10	1	10
1046	S0257	S	0.1	5	1	2
1047	S0258	S	0.1	5	1	2
1048	S0259	S	0.1	5	1	8
1049	S0260	S	0.1	5	1	2
1050	S0261	S	0.1	60	1	2
1051	S0262	S	0.1	20	1	35
1052	S0263	S	0.1	5	1	25
1053	S0264	S	0.1	10	1	6
1054	S0265	S	0.1	5	1	2
1055	S0266	S	0.1	5	1	40
1056	S0267	S	0.1	5	1	2
1057	S0268	S	0.1	5	1	2
1058	S0269	S	0.1	5	1	2
1059	S0270	S	0.1	540	1	75
1060	S0271	S	0.1	30	1	2
1061	S0272	S	0.1	40	1	30
1062	S0273	S	0.1	20	1	60
1063	S0274	S	0.1	5	1	22
1064	S0275	S	0.1	5	1	55
1065	S0276	S	0.1	10	1	15
1066	S0277	S	0.1	5	1	90
1067	S0278	S	0.1	20	1	45
1068	S0279	S	0.1	10	1	22
1069	S0280	S	0.1	5	1	6
1070	S0281	S	0.1	5	1	20
1071	S0282	S	0.1	5	1	30
1072	S0283	S	0.1	5	1	10
1073	S0284	S	0.1	5	1	12
1074	S0285	S	0.1	10	1	10
1075	S0286	S	0.1	5	2	50
1076	S0287	S	0.1	10	1	75
1077	S0288	S	0.1	20	1	15
1078	S0289	S	0.1	30	1	18
1079	S0290	S	0.1	30	1	30
1080	S0291	S	0.1	5	1	60
1081	S0292	S	0.1	5	1	30
1082	S0293	S	0.1	10	1	12
1083	S0294	S	0.1	20	1	20
1084	S0295	S	0.2	5	1	55
1085	S0296	S	0.1	5	1	2

1123	S0334	S	0.1	5	1	2
1124	S0335	S	0.2	5	1	2
1125	S0336	S	0.1	10	1	2
1126	S0337	S	0.2	5	1	2
1127	S0338	S	0.1	5	1	2
1128	S0339	S	0.2	10	1	8
1129	S0340	S	0.4	5	1	15
1130	S0341	S	0.1	10	1	25
1131	S0342	S	0.1	5	1	2
1132	S0343	S	0.1	5	1	28
1133	S0344	S	0.1	5	1	2
1134	S0345	S	0.1	5	1	2
1135	S0346	S	0.2	5	1	25
1136	S0347	S	0.1	5	1	2
1137	S0348	S	0.1	5	1	2
1138	S0349	S	0.1	10	1	2
1139	S0350	S	0.1	5	1	2
1140	S0351	S	0.1	5	1	2
1141	S0352	S	0.1	5	1	2
1142	S0353	S	0.1	20	1	2
1143	S0354	S	0.2	20	1	2
1144	S0355	S	0.1	40	1	2
1145	S0356	S	0.1	20	1	6
1146	S0357	S	0.2	220	1	20
1147	S0358	S	0.1	10	1	12
1148	S0359	S	0.1	5	1	22
1149	S0360	S	0.1	5	1	25
1150	S0361	S	0.1	5	1	18
1151	S0362	S	0.1	5	1	25
1152	S0363	S	0.1	5	1	6
1153	S0364	S	0.1	5	1	20
1154	S0365	S	0.1	10	1	15
1155	S0366	S	0.1	5	1	12
1156	S0367	S	0.1	10	1	22
1157	S0368	S	0.1	5	1	4
1158	S0369	S	0.1	20	1	4
1159	S0370	S	0.2	5	1	4
1160	S0371	S	0.2	5	1	6
1161	S0372	S	0.2	5	1	2
1162	S0373	S	0.1	5	1	28
1163	S0374	S	0.1	5	1	6
1164	S0375	S	0.1	10	1	30
1165	S0376	S	0.1	5	1	40
1166	S0377	S	0.1	5	1	25
1167	S0378	S	0.1	5	1	45
1168	S0379	S	0.2	5	1	20
1169	S0380	S	0.1	5	1	15
1170	S0381	S	0.1	5	1	17
1171	S0382	S	0.1	5	1	22
1172	S0383	S	0.1	5	1	60
1173	S0384	S	0.1	5	1	28
1174	S0385	S	0.1	20	1	65
1175	S0386	S	0.2	10	1	2
1176	S0387	S	0.1	20	1	10
1177	S0388	S	0.1	5	1	2
1178	S0389	S	0.1	10	1	4
1179	S0390	S	0.1	20	1	10
1180	S0391	S	0.1	5	1	40
1181	S0392	S	0.2	5	1	2
1182	S0393	S	0.1	5	1	2
1183	S0394	S	0.1	5	1	2
1184	S0395	S	0.1	5	1	4

1221	S0432	S	0.1	5	1	15
1222	S0433	S	0.1	5	1	12
1223	S0434	S	0.1	5	1	25
1224	S0435	S	0.1	5	1	45
1225	S0436	S	0.1	5	1	15
1226	S0437	S	0.1	10	1	15
1227	S0438	S	0.1	5	1	22
1228	S0439	S	0.1	5	1	20
1229	S0440	S	0.1	5	1	18
1230	S0441	S	0.1	5	2	3
1231	S0442	S	0.1	5	1	2
1232	S0443	S	0.1	5	1	2
1233	S0444	S	0.1	5	1	24
1234	S0445	S	0.1	5	1	40
1235	S0446	S	0.1	5	1	20
1236	S0447	S	0.1	5	1	50
1237	S0448	S	0.1	5	1	36
1238	S0449	S	0.1	5	1	38
1239	S0450	S	0.1	5	1	32
1240	S0451	S	0.1	5	1	26
1241	S0452	S	0.1	5	1	34
1242	S0453	S	0.1	5	1	34
1243	S0454	S	0.1	5	1	48
1244	S0455	S	0.1	5	1	40
1245	S0456	S	0.1	5	1	2
1246	S0457	S	0.1	5	1	46
1247	S0458	S	0.1	5	1	75
1248	S0459	S	0.1	5	1	28
1249	S0460	S	0.1	5	1	160
1250	S0461	S	0.1	5	1	60
1251	S0462	S	0.1	5	1	2
1252	S0463	S	0.1	30	1	180
1253	S0464	S	0.1	5	1	30
1254	S0465	S	0.1	5	1	200
1255	S0466	S	0.1	5	1	75
1256	S0467	S	0.1	5	1	24
1257	S0468	S	0.1	5	1	14
1258	S0469	S	0.1	5	1	52
1259	S0470	S	0.1	10	1	34
1260	S0471	S	0.2	5	1	2
1261	S0472	S	0.1	40	2	32
1262	S0473	S	0.1	5	1	20
1263	S0474	S	0.1	5	1	4
1264	S0475	S	0.1	5	1	6
1265	S0476	S	0.1	5	1	24
1266	S0477	S	0.1	5	1	22
1267	S0478	S	0.1	5	1	60
1268	S0479	S	0.1	5	1	170
1269	S0480	S	0.1	5	1	80
1270	S0481	S	0.1	10	1	2
1271	S0482	S	0.1	5	1	28
1272	S0483	S	0.1	5	2	28
1273	S0484	S	0.1	5	1	10
1274	S0485	S	0.1	5	1	50
1275	S0486	S	0.1	5	1	20
1276	S0487	S	0.1	5	1	26
1277	S0488	S	0.1	5	1	26
1278	S0489	S	0.1	5	2	14
1279	S0490	S	0.1	5	1	22
1280	S0491	S	0.1	5	1	22
1281	S0492	S	0.1	5	1	24
1282	S0493	S	0.1	5	1	50
1283	S0494	S	0.1	5	1	36

1320	S0532	S	0.2	20	1	60
1321	S0533	S	0.1	5	1	28
1322	S0534	S	0.1	20	1	24
1323	S0535	S	0.1	10	1	16
1324	S0536	S	0.1	10	1	28
1325	S0537	S	0.1	5	1	38
1326	S0538	S	0.1	5	1	34
1327	S0539	S	0.1	5	1	32
1328	S0540	S	0.1	5	1	48
1329	S0541	S	0.1	10	1	24
1330	S0542	S	0.1	10	1	26
1331	S0543	S	0.1	5	1	110
1332	S0544	S	0.1	5	1	48
1333	S0545	S	0.1	5	1	40
1334	S0546	S	0.1	5	1	30
1335	S0547	S	0.1	5	1	30
1336	S0548	S	0.1	5	1	40
1337	S0549	S	0.1	5	1	48
1338	S0550	S	0.1	5	1	2
1339	S0551	S	0.1	5	1	2
1340	S0552	S	0.1	5	1	2
1341	S0553	S	0.1	30	1	2
1342	S0554	S	0.1	100	1	4
1343	S0555	S	0.1	5	1	2
1344	S0556	S	0.1	5	1	2
1345	S0557	S	0.1	20	1	2
1346	S0558	S	0.1	5	1	8
1347	S0559	S	0.1	10	1	2
1348	S0560	S	0.1	20	1	28
1349	S0561	S	0.1	5	1	26
1350	S0562	S	0.1	5	1	28
1351	S0563	S	0.1	5	1	10
1352	S0564	S	0.1	5	1	52
1353	S0565	S	0.1	5	1	24
1354	S0566	S	0.1	5	1	32
1355	S0567	S	0.1	5	1	52
1356	S0568	S	0.1	5	1	80
1357	S0569	S	0.1	5	1	60
1358	S0570	S	0.1	5	1	75
1359	S0571	S	0.1	5	1	100
1360	S0572	S	0.1	5	1	26
1361	S0573	S	0.1	5	1	40
1362	S0574	S	0.1	5	1	28
1363	S0575	S	0.2	5	1	50
1364	S0576	S	0.1	5	1	10
1365	S0577	S	0.1	5	1	48
1366	S0578	S	0.1	5	1	150
1367	S0579	S	0.2	5	2	50
1368	S0580	S	0.2	110	1	60
1369	S0581	S	0.8	5	1	6
1370	S0582	S	0.4	5	1	6
1371	S0583	S	5.4	1720	1	28
1372	S0584	S	0.2	20	1	32
1373	S0585	S	0.1	5	1	32
1374	S0586	S	0.1	5	1	22
1375	S0587	S	0.1	5	1	75
1376	S0588	S	0.1	5	1	22
1377	S0589	S	0.2	5	1	36
1378	S0590	S	0.2	5	1	24
1379	S0591	S	0.4	5	1	2
1380	S0592	S	0.2	5	1	40
1381	S0593	S	0.4	5	1	26
1382	S0594	S	0.6	5	2	40


1418	S0630	S	0.1	10	1	10
1419	S0631	S	0.1	5	1	22
1420	S0632	S	0.2	5	2	6
1421	S0633	S	1.4	300	1	2
1422	S0634	S	0.1	40	1	26
1423	S0635	S	0.1	5	1	4
1424	S0636	S	0.1	5	1	2
1425	S0637	S	0.1	5	1	2
1426	S0638	S	0.6	5	1	2
1427	S0639	S	0.1	5	1	10
1428	S0640	S	0.1	5	1	2
1429	S0641	S	0.1	5	1	20
1430	S0642	S	0.1	5	2	32
1431	S0643	S	0.2	70	1	18
1432	S0644	S	0.1	5	1	16
1433	S0645	S	0.1	5	1	16
1434	S0646	S	0.2	5	1	34
1435	S0647	S	0.1	5	1	40
1436	S0648	S	0.2	5	1	30
1437	S0649	S	0.2	5	1	32
1438	S0650	S	0.1	5	1	10
1439	S0651	S	0.2	5	1	6
1440	S0652	S	0.2	140	1	90
1441	S0653	S	0.1	260	1	12
1442	S0654	S	0.1	5	1	6
1443	S0655	S	0.1	5	1	30
1444	S0656	S	0.1	5	1	8
1445	S0657	S	0.1	5	1	12
1446	S0658	S	0.1	5	1	12
1447	S0659	S	0.1	5	1	24
1448	S0660	S	0.1	5	1	70
1449	S0661	S	0.1	30	1	52
1450	S0662	S	0.1	5	1	22
1451	S0663	S	0.1	5	1	2
1452	S0664	S	0.1	5	1	2
1453	S0665	S	0.1	20	1	2
1454	S0666	S	0.1	5	1	6
1455	S0667	S	0.1	20	1	4
1456	S0668	S	0.1	5	1	2
1457	S0669	S	0.1	5	1	2
1458	S0670	S	0.1	5	2	16
1459	S0671	S	0.1	5	1	10
1460	S0672	S	0.1	5	2	12
1461	S0673	S	0.1	5	1	8
1462	S0674	S	0.1	5	1	2
1463	S0675	S	0.1	10	1	2
1464	S0676	S	0.1	5	1	2
1465	S0677	S	0.1	5	1	2
1466	S0678	S	0.1	5	1	2
1467	S0679	S	0.1	5	1	2
1468	S0680	S	0.1	5	1	2
1469	S0681	S	0.1	5	1	2
1470	S0682	S	0.1	5	1	2
1471	S0683	S	0.1	5	1	2
1472	S0684	S	0.2	5	1	2
1473	S0685	S	0.1	5	1	2
1474	S0686	S	0.1	20	1	2
1475	S0687	S	0.1	5	1	2
1476	S0688	S	0.1	5	1	2
1477	S0689	S	0.1	10	1	2
1478	S0690	S	0.1	5	1	2
1479	S0691	S	0.1	5	1	28
1480	S0692	S	0.1	50	1	2

1517	S0740	S	0.2	320	1	2
1518	S0741	S	0.6	5	29	2
1519	S0742	S	0.2	5	6	2
1520	S0743	S	0.1	10	2	2
1521	S0744	S	0.6	5	6	2
1522	S0745	S	0.8	20	47	2
1523	S0746	S	0.1	5	2	2
1524	S0747	S	0.1	10	1	2
1525	S0748	S	0.1	5	1	2
1526	S0749	S	0.1	5	6	2
1527	S0750	S	0.2	5	19	2
1528	S0751	S	0.1	5	15	2
1529	S0752	S	0.1	10	2	2
1530	S0753	S	0.1	10	5	2
1531	S0754	S	0.1	5	1	2
1532	S0755	S	0.1	5	1	2
1533	S0756	S	0.1	20	1	2
1534	S0757	S	0.1	5	1	2
1535	S0758	S	0.1	5	1	2
1536	S0759	S	0.2	40	1	4
1537	S0760	S	0.2	60	1	2
1538	S0761	S	0.4	5	1	2
1539	S0762	S	0.1	20	1	4
1540	S0763	S	0.1	5	1	2
1541	S0764	S	0.1	5	1	2
1542	S0765	S	0.1	5	1	2
1543	S0766	S	0.4	5	32	2
1544	S0767	S	0.1	20	5	2
1545	S0768	S	0.1	5	2	2
1546	S0769	S	1.0	5	2	2
1547	S0770	S	0.1	5	1	2
1548	S0771	S	0.1	5	7	2
1549	S0772	S	0.1	5	8	2
1550	S0773	S	0.1	5	7	2
1551	S0774	S	0.1	5	2	2
1552	S0775	S	0.1	5	2	2
1553	S0776	S	0.1	5	1	2

940	L0084	G	0.1	-10	1	2456
950	L0085	G	0.1	-10	2	5471
960	L0124	G	13.	260	0	0
970	L0126	G	37.7	36749	0	0
980	L0131	G	.0	0	0	0
990	L0132	G	5.2	540	0	0
1000	P0013	G	.0	-10	0	1903
1010	B0193	H	.0	0	0	5313
1020	B0196	H	0.3	0	0	793
1030	B0213	H	.0	0	0	714
1040	L0151	H	0.2	-10	0	476
1050	L0152	H	0.1	-10	0	238
1060	L0153	H	0.1	-10	0	396
1070	L0154	H	0.2	10	0	396
1080	L0155	H	0.1	10	0	555
1090	L0156	H	0.1	-10	0	872
1100	L0157	H	0.1	-10	0	872
1110	L0158	H	0.1	-10	0	476
1120	L0159	H	0.1	-10	0	238
1130	L0160	H	0.1	-10	0	1110
1140	L0161	H	0.1	-10	0	1031
1150	L0162	H	0.1	-10	0	396
1160	L0163	H	0.1	-10	0	952
1170	L0164	H	0.1	40	0	317
1180	L0165	H	0.1	-10	0	1110
1190	L0166	H	0.1	-10	0	952
1200	L0167	H	0.1	-10	0	476
1210	L0168	H	0.1	-10	0	555
1220	L0169	H	0.1	-10	0	1427
1230	L0170	H	0.2	-10	0	1269
1240	L0171	H	0.1	-10	0	0
1250	L0172	H	0.1	-10	0	159
1260	L0173	H	0.1	-10	0	238
1270	L0174	H	0.1	-10	0	634
1280	L0175	H	0.2	-10	0	238
1290	L0176	H	0.1	-10	0	396
1300	L0177	H	0.2	10	0	317
1310	L0178	H	0.1	-10	0	634
1320	L0179	H	0.1	-10	0	872
1330	L0180	H	0.1	-10	0	714
1340	L0181	H	0.1	10	0	1427
1350	L0182	H	0.2	-10	0	1269
1360	L0183	H	0.1	-10	0	634
1370	L0184	H	0.1	10	0	1189
1380	L0185	H	0.1	10	0	1031
1390	L0186	H	0.1	-10	0	159
1400	L0187	H	0.1	-10	0	238
1410	L0188	H	0.1	-10	0	317
1420	L0189	H	0.1	-10	0	79
1430	L0190	H	0.1	-10	0	79
1440	L0191	H	0.1	-10	0	2300
1450	L0192	H	0.1	-10	0	159
1460	L0193	H	0.1	-10	0	634
1470	L0194	H	0.1	-10	0	555
23840	C0143	V	1.2	22694	32	2617

83	C0083	L	0.1	20	2	11
84	C0084	L	0.1	<10	2	1
85	C0085	L	0.1	10	2	13
86	C0086	L	0.1	20	2	2
87	C0087	L	0.1	<10	2	6
88	C0088	L	0.1	<10	2	19
89	C0089	L	0.1	20	2	1
90	C0090	L	0.1	10	2	1
91	C0091	L	0.1	<10	2	2
92	C0092	L	0.1	<10	2	5
93	C0093	L	0.1	<10	2	1
94	C0094	L	0.1	40	2	14
95	C0095	L	0.1	<10	2	1
96	C0096	L	0.1	<10	2	2
97	C0097	L	0.8	<10	2	2
98	C0098	L	0.1	20	2	1
99	C0099	L	0.1	20	1	2
100	C0100	L	0.1	10	1	2
101	C0101	L	0.1	<10	1	2
102	C0102	L	0.6	<10	1	2
103	C0103	L	0.4	<10	1	2
104	C0104	L	0.1	<10	1	2
105	C0105	L	0.1	<10	1	2
106	C0106	L	0.1	<10	1	2
107	C0107	L	0.1	<10	1	2
108	C0108	L	0.1	<10	1	2
109	C0109	L	0.2	<10	1	2
219	I0082	L	0.1	<10	2	2
224	I0087	L	0.1	<10	1	6
240	J0014	L	0.1	<10	1	2
259	J0033	L	0.4	0	1	2
260	J0034	L	0.1	<10	1	2
261	J0035	L	0.1	<10	1	2
262	J0036	L	0.1	<10	1	2
263	J0037	L	0.1	<10	1	2
264	J0038	L	0.1	<10	1	2
265	J0039	L	0.1	<10	1	2
266	J0040	L	0.1	<10	1	2
267	J0041	L	0.1	<10	1	2
268	J0042	L	0.1	<10	1	2
269	J0043	L	0.1	<10	1	2
270	J0044	L	0.1	<10	1	2
271	J0045	L	0.1	<10	1	2
272	J0046	L	0.1	<10	1	8
273	J0047	L	0.1	<10	4	2
274	J0048	L	0.1	<10	1	2
275	J0049	L	1.8	<10	2	2
276	J0050	L	0.6	10	3	2
277	J0051	L	1.2	<10	25	2
278	J0052	L	0.1	10	8	4
279	J0053	L	0.4	<10	2	2
280	J0054	L	0.8	10	1	2
281	J0055	L	0.1	<10	1	2
282	J0056	L	0.2	<10	1	2
283	J0057	L	0.1	<10	1	2
284	J0058	L	0.2	<10	1	2
285	J0059	L	0.1	<10	1	2
286	J0060	L	0.1	<10	4	2
287	J0061	L	0.1	<10	1	12
288	J0062	L	0.2	<10	1	2
289	J0063	L	0.1	<10	1	2
290	J0064	L	0.1	<10	1	2
291	J0065	L	0.1	<10	1	2

400	S0087	L	0.1	10	1	2
401	S0088	L	0.1	10	1	2
402	S0089	L	0.1	<10	1	2
403	S0090	L	0.1	20	1	2
404	S0091	L	0.1	<10	6	2
405	S0092	L	0.1	<10	1	2
406	S0093	L	0.1	<10	1	2
407	S0094	L	0.1	<10	1	2
408	S0095	L	0.1	10	1	2
409	S0096	L	0.1	10	2	2
410	S0097	L	0.1	<10	1	2
411	S0098	L	0.1	20	2	2
412	S0099	L	0.1	<10	1	2
413	S0100	L	0.1	<10	1	2
414	S0101	L	0.1	<10	6	2
415	S0102	L	0.1	<10	1	2
416	S0103	L	0.1	<10	1	2
417	S0104	L	0.1	<10	11	2
418	S0105	L	0.1	<10	57	2
419	S0106	L	0.1	10	6	2
420	S0107	L	0.1	10	12	2
421	S0108	L	0.1	<10	1	2
422	S0109	L	0.2	<10	5	4
423	S0110	L	0.1	<10	1	2
424	S0111	L	0.1	<10	120	6
425	S0112	L	0.1	<10	5	2
426	S0113	L	0.1	<10	1	2
427	S0114	L	0.1	<10	1	2
428	S0115	L	0.1	<10	1	2
429	S0116	L	0.1	<10	1	2
430	S0117	L	0.2	<10	1	2
431	S0118	L	0.1	<10	1	2
432	S0119	L	0.1	<10	1	2
433	S0120	L	0.1	<10	3	2
434	S0121	L	0.1	<10	1	2
435	S0122	L	0.1	<10	1	2
436	S0123	L	0.1	<10	1	2
437	S0124	L	0.1	<10	2	2
438	S0125	L	0.1	30	5	2
439	S0126	L	0.1	<10	1	2
440	S0127	L	0.1	<10	1	2
441	S0128	L	0.1	<10	8	6
442	S0129	L	0.1	<10	1	2
443	S0130	L	0.1	<10	1	2
444	S0131	L	0.1	<10	1	2
445	S0132	L	0.1	<10	1	2
446	S0133	L	0.1	<10	1	2
447	S0134	L	0.1	20	1	2
448	S0135	L	0.1	<10	1	2
449	S0136	L	0.1	10	1	2
450	S0137	L	0.1	<10	1	2
451	S0138	L	0.1	<10	1	2
452	S0139	L	0.1	<10	1	2
453	S0140	L	0.1	<10	1	2
454	S0141	L	0.1	0	1	2
455	S0142	L	0.1	<10	1	2
456	S0143	L	0.1	<10	2	2
457	S0144	L	0.1	<10	1	2
458	S0145	L	0.1	<10	1	2
459	S0146	L	0.1	<10	1	2
460	S0147	L	0.1	<10	1	2
461	S0148	L	0.1	<10	2	2
462	S0149	L	0.1	<10	1	2



```
18:39EST    03/20/79
UN: PA024288
PORT:2115082110300

END OUTPUT
000233  LINES    000000  CARDS    000000  TAPE RECORDS BILLED 0000.
```

450	C0037	S	0.2	10	2	2
460	C0038	S	0.4	<10	1	2
470	C0039	S	0.1	<10	1	2
480	C0040	S	0.1	<10	1	2
490	C0041	S	0.1	<10	1	2
500	C0042	S	0.1	<10	1	2
510	C0043	S	0.1	<10	1	2
520	C0044	S	0.1	<10	1	2
530	C0047	S	0.1	<10	8	2
540	C0048	S	0.1	<10	15	2
550	C0049	S	0.1	<10	1	2
560	C0050	S	0.1	<10	4	2
570	C0051	S	0.1	<10	30	2
580	C0054	S	0.1	<10	1	2
590	C0055	S	0.1	140	2	2
600	C0068	S	0.8	<10	2	1
610	G0001	S	0.1	130	1	2
620	G0002	S	0.1	120	1	2
630	G0003	S	0.1	<10	1	2
640	G0004	S	0.1	<10	1	2
650	G0005	S	0.1	<10	1	2
660	G0006	S	0.1	<10	1	2
670	G0007	S	0.1	10	1	2
680	G0008	S	0.1	<10	1	2
690	G0009	S	0.1	10	1	2
700	G0010	S	0.1	<10	1	2
710	G0011	S	0.1	<10	1	2
720	G0012	S	0.1	<10	1	2
730	G0013	S	0.1	<10	1	2
740	G0014	S	0.1	<10	1	2
750	G0015	S	0.1	10	2	2
760	G0016	S	0.1	<10	1	2
770	G0017	S	0.4	<10	1	2
780	G0018	S	0.1	<10	1	2
790	G0019	S	0.1	<10	1	2
800	G0020	S	0.1	<10	1	2
810	G0021	S	0.1	<10	1	2
820	G0022	S	0.1	10	1	2
830	G0023	S	0.1	10	1	2
840	I0001	S	0.1	<10	1	2
850	I0002	S	0.1	<10	1	2
860	I0003	S	0.1	20	1	2
870	I0004	S	0.1	<10	1	2
880	I0005	S	0.1	<10	1	2
890	I0006	S	0.1	<10	1	2
900	I0007	S	0.1	<10	1	2
910	I0008	S	0.1	<10	1	2
920	I0009	S	0.1	10	1	2
930	I0010	S	0.1	20	1	2
940	I0011	S	0.1	20	2	2
950	I0012	S	0.1	<10	1	2
960	I0013	S	0.4	<10	1	2
970	I0014	S	0.2	<10	1	2
980	I0015	S	0.1	10	1	2
990	I0016	S	0.2	<10	1	2
1000	I0017	S	0.1	420	5	2
1010	I0018	S	0.1	10	1	2
1020	I0019	S	0.1	<10	1	2
1030	I0020	S	0.1	10	1	2
1040	I0021	S	0.1	10	2	2
1050	I0022	S	0.2	<10	1	2
1060	I0023	S	0.2	<10	1	2
1070	I0024	S	0.1	10	1	2

1440	I0061	S	0.1	<10	79	2
1450	I0062	S	0.1	10	1	2
1460	I0063	S	0.1	30	2	2
1470	I0064	S	0.4	1	1	2
1480	I0065	S	0.1	<10	1	2
1490	I0066	S	0.1	30	1	10
1500	I0067	S	0.1	<10	1	2
1510	I0068	S	0.1	<10	1	2
1520	I0069	S	0.1	<10	1	2
1530	I0070	S	0.1	<10	1	2
1540	I0071	S	0.1	<10	1	2
1550	I0072	S	0.1	<10	1	2
1560	I0073	S	0.2	<10	2	2
1570	I0074	S	0.1	<10	1	2
1580	I0075	S	0.1	<10	1	2
1590	I0076	S	0.1	<10	5	2
1600	I0077	S	0.1	<10	1	2
1610	I0078	S	0.1	<10	1	2
1620	I0079	S	0.1	<10	1	2
1630	I0080	S	0.1	<10	1	2
1640	I0081	S	0.1	<10	1	2
1650	I0083	S	0.1	<10	2	6
1660	I0084	S	0.1	<10	1	2
1670	I0085	S	0.1	<10	1	2
1680	I0086	S	0.1	<10	1	2
1690	I0086	S	0.1	20	1	2
1700	I0089	S	0.1	<10	1	2
1710	J0001	S	0.1	<10	1	2
1720	J0002	S	0.1	<10	1	2
1730	J0003	S	0.1	<10	1	2
1740	J0004	S	0.1	<10	1	2
1750	J0005	S	0.4	<10	1	2
1760	J0006	S	0.1	<10	1	2
1770	J0007	S	0.1	<10	1	2
1780	J0008	S	0.1	20	1	2
1790	J0009	S	0.1	10	1	2
1800	J0010	S	0.1	<10	1	2
1810	J0011	S	0.1	<10	1	2
1820	J0012	S	0.1	<10	1	2
1830	J0013	S	0.1	<10	3	2
1840	J0015	S	0.1	<10	1	2
1850	J0016	S	0.1	<10	1	2
1860	J0017	S	0.1	<10	1	2
1870	J0018	S	0.1	<10	1	2
1880	J0019	S	0.1	<10	1	2
1890	J0020	S	0.1	<10	1	2
1900	J0021	S	0.1	<10	1	2
1910	J0022	S	0.1	<10	1	2
1920	J0023	S	0.1	<10	1	2
1930	J0024	S	0.1	<10	1	2
1940	J0025	S	0.1	<10	1	2
1950	J0026	S	0.1	<10	2	2
1960	J0027	S	0.1	<10	1	2
1970	J0028	S	0.1	<10	1	2
1980	J0029	S	0.1	<10	1	2
1990	J0030	S	0.1	10	1	2
2000	J0031	S	0.1	<10	1	2
2010	J0032	S	0.1	<10	1	2
2020	S0001	S	0.1	10	1	2
2030	S0002	S	0.1	10	1	2
2040	S0003	S	0.1	<10	2	2
2050	S0004	S	0.1	<10	2	2

2420	S0041	S	0.1	<10	1	2
2430	S0042	S	0.1	<10	1	2
2440	S0043	S	0.1	<10	1	2
2450	S0044	S	0.1	<10	1	2
2460	S0045	S	0.4	<10	1	2
2470	S0046	S	0.1	<10	1	2
2480	S0047	S	0.1	<10	1	2
2490	S0048	S	0.1	<10	1	2
2500	S0049	S	0.1	<10	1	2
2510	S0050	S	0.1	<10	1	2
2520	S0051	S	0.1	<10	1	2
2530	S0052	S	0.1	<10	1	2
2540	S0053	S	0.1	<10	1	2
2550	S0054	S	0.1	200	1	2
2560	S0055	S	0.1	70	6	2
2570	S0056	S	0.1	20	1	4
2580	S0057	S	0.1	<10	1	2
2590	S0058	S	0.1	<10	1	2
2600	S0059	S	0.1	<10	1	22
2610	S0060	S	0.1	<10	1	2
2620	S0061	S	0.1	<10	1	2
2630	S0062	S	0.1	<10	1	2
2640	S0063	S	0.1	<10	1	2
2650	S0064	S	0.1	<10	1	2
2660	S0065	S	0.1	<10	1	2
2670	S0066	S	0.1	<10	1	2
2680	S0067	S	0.1	<10	1	2
2690	S0068	S	0.1	<10	1	2
2700	S0069	S	0.1	<10	1	2
2710	S0070	S	0.1	<10	1	2
~~2720~~	~~S0071~~	~~S~~	~~0.1~~	~~<10~~	~~1~~	~~2~~
2730	S0072	S	0.1	<10	1	2
2740	S0074	S	0.1	<10	1	28

APPENDIX III

McElhanney Survey Sites - UTM Coordinates and Elevations

All coordinates are in metric units.

	Iden.	Easting	Northing	Elevation	Residuals		
-222	9	0.0	0.0	0.0			
-222							
1	29949	458217.27	7100342.85	768.09	0.01	0.14	-0.11
1	29959	458331.10	7099954.20	764.75	0.14	-0.27	-0.28
2	29719	458406.09	7101166.77	778.62	-0.12	-0.22	0.37
2	29729	458922.16	7100482.87	845.46	-0.03	-0.44	0.25
2	29879	459069.06	7100559.22	859.25	0.10	-0.24	0.36
2	29889	459184.06	7100707.56	826.30	1.72	0.71	0.77
2	29869	459388.56	7100642.70	869.93	-0.20	0.41	-0.01
2	29899	459293.16	7100924.79	840.70	-0.88	0.27	0.22
3	29859	459541.39	7100843.17	867.29	-0.01	-0.27	-0.30
3	29699	459258.95	7101705.16	1072.07	-0.46	0.18	-0.86
3	29909	459712.75	7101080.69	878.58	-0.25	-0.03	-0.31
3	29849	459741.17	7100895.42	880.61	-0.15	0.12	-0.85
3	29769	460355.32	7100927.49	1035.93	0.54	-0.59	-0.00
4	29919	460335.13	7101325.49	952.54	0.15	0.10	0.29
4	29929	460745.65	7101325.90	1011.04	0.14	-0.10	0.33
1	29939	461208.10	7101398.60	1051.37	0.07	-0.03	0.30
2	29759	462283.20	7102468.99	1288.16	0.19	0.05	0.14
4	29519	464202.54	7102011.84	1536.53	0.09	-0.25	-0.21
Unknown 1	1526	458279.82	7100150.08	772.79	0.10	0.07	0.12
H-3 1	1036	458329.83	7099741.31	771.03	-0.01	-0.01	-0.13
H-4 1	1046	458269.68	7099416.11	767.09	-0.02	0.07	-0.26
Z-36 1	20366	458532.16	7099618.34	779.68	-0.01	0.13	0.17
H-1 1	1016	458216.96	7100956.23	781.63	-0.14	-0.09	-0.08
H-2 1	1026	458234.95	7100793.05	779.91	-0.14	0.07	0.12
Unknown 1	1516	458249.55	7100560.43	772.19	-0.04	0.04	0.11
Unknown 2	1536	458478.82	7101294.27	778.52	-0.04	-0.06	-0.04
3	457	463215.79	7101689.79	1340.37	0.19	0.17	0.01
4	467	463444.19	7103031.17	1148.35	-0.37	-0.24	-0.38
4	477	464297.36	7103339.48	1256.85	0.09	0.19	0.33
4	29739	460853.58	7102050.46	1227.62	-8.61	0.24	
1	25269	462133.37	7101189.39	1272.17	-349.15	91.79	-70.55
1	391	457579.13	7101550.54	851.59			
1	392	457603.95	7100907.05	994.56			
1	393	457795.95	7100410.33	867.31			
Z-51 2	20516	458735.67	7101954.65	860.36			
2	401	458480.54	7101817.35	785.94			
Z-52 2	20526	458948.64	7101305.29	924.98			
Z-37 2	20376	458619.75	7100924.44	805.52			
Z-50 2	20506	458781.84	7101156.82	858.76			
CDH -10 2	34816	458773.89	7100793.73	806.21			

CDH-3	2	34836	458773.82	7100681.88	814.00
CDH-4	2	34846	458772.99	7100601.86	819.96
CDH-5	2	34856	458772.20	7100559.61	823.82
Unknown	2	1506	458874.10	7100686.20	820.79
D-16	2	40166	459003.03	7100858.26	829.70
D-15	2	40156	459123.24	7100855.50	829.55
D-14	2	40146	458774.52	7100239.85	837.37
	2	34866	458781.86	7100382.15	830.63
D-13	2	40136	459240.34	7100550.45	865.42
	2	405	459079.84	7099895.12	897.22
Z-55	2	20556	459100.92	7101669.10	1018.74
Z-53	2	20536	459205.45	7101498.69	1017.45
Z-41	2	20416	459520.53	7099819.92	998.85
Z-30	3	20306	459419.72	7101996.63	1038.67
Z-31	3	20316	459458.82	7101984.51	1040.34
Z-38	3	20386	459518.68	7101830.43	1022.70
Z-58	3	20586	459353.47	7101813.03	1077.78
Z-56	3	20566	459352.35	7101590.38	1015.93
D-57	3	40576	459476.31	7101419.30	945.38
Z-54	3	20546	459280.05	7101173.50	908.21
Z-34	3	20346	459610.85	7101232.06	901.44
Z-32	3	20326	459727.90	7101349.75	933.25
D-11	3	40116	459391.16	7100804.07	834.51
D-12	3	40126	459466.39	7100737.48	868.48
D-10	3	40106	459508.82	7100967.22	856.44
D-9	3	40096	459769.55	7101040.81	880.02
Z-43	3	20436	460003.88	7100718.23	922.65
Z-42	3	20426	459954.40	7100561.67	969.43
	3	415	459774.23	7100335.28	973.90
Z-60	3	20606	459763.42	7102207.71	1057.90
Z-59	3	20596	459535.21	7102059.40	1041.22
Z-39	3	20396	459575.42	7101943.80	1017.58
Z-44	3	20446	460032.34	7100931.34	945.70
Z-40	3	20406	460239.89	7100446.46	973.12
Z-61	3	20616	459883.00	7102142.51	1049.48
Z-62	3	20626	459874.02	7101778.87	1006.62
Z-63	3	20636	460052.80	7101675.03	1046.11
Z-65	3	20656	460197.35	7101465.73	989.24
D-8	3	40086	460055.83	7101300.13	923.38
Z-45	3	20456	460360.77	7100783.78	1036.57
Z-46	3	20466	460596.10	7100579.35	1089.36
Z-64	4	20646	460265.71	7101891.88	1135.03
Z-33	4	20336	460406.55	7101624.03	1107.79
D-7	4	40076	460378.05	7101347.36	949.71

D-6	4	40066	460484.32	7101315.85	971.21
D-5	4	40056	460608.79	7101467.34	980.72
D-4	4	40046	460683.03	7101461.39	995.80
	4	424	460673.56	7100979.20	1024.56
	4	425	460801.58	7100629.76	1103.11
Z-66	4	20666	460637.02	7102019.91	1201.21
D-17	4	40176	460871.48	7101393.31	1025.59
Z-48	4	20486	460981.18	7100983.43	1076.19
Z-49	4	20496	461206.22	7101046.71	1148.58
Z-47	4	20476	461415.82	7100915.05	1208.75
	1	431	461168.83	7102106.61	1244.59
	1	432	461267.99	7101588.97	1233.86
D-2	1	40026	461372.19	7101617.36	1072.73
D-1	1	40016	461437.97	7101541.02	1087.38
D-3	1	40036	461269.13	7101482.14	1055.54
Z-71	1	20716	461352.23	7101455.32	1067.29
Z-72	1	20726	461505.83	7101427.02	1110.42
Z-75	1	20756	461638.10	7101396.33	1158.76
	1	435	461551.95	7101074.63	1122.54
Z-74	1	20746	461770.34	7101829.57	1125.03
Z-73	1	20736	461626.58	7101672.60	1116.02
Z-76	1	20766	461802.95	7101457.55	1186.88
Z-77	1	20776	461941.77	7101337.98	1227.40
Z-78	1	20786	462012.07	7101211.11	1255.21
Z-79	1	20796	462226.16	7101161.07	1283.85
	2	441	461868.25	7102681.24	1209.90
	2	442	462089.01	7102403.47	1259.72
	2	443	462235.54	7101995.03	1228.73
	2	444	462238.05	7101538.48	1233.02
	2	445	462422.08	7101312.79	1293.18
Z-70	2	20706	462374.69	7102027.55	1255.58
	3	451	462703.46	7102970.43	1250.50
Z-67	3	20676	462704.74	7102583.32	1307.87
	3	452	462844.21	7102616.96	1313.99
	3	453	462879.00	7102375.52	1313.00
Z-68	3	20686	463050.56	7102103.17	1334.25
	3	454	463145.43	7101826.45	1332.89
	4	461	463381.21	7103335.35	1077.83
	4	463	463627.01	7102551.00	1389.34
Z-69	4	20696	463851.87	7102326.53	1426.54
	4	464	463788.21	7102145.04	1431.69
	4	465	463873.78	7101936.65	1424.99
	4	472	464153.34	7103158.45	1265.53
	4	473	464218.05	7102755.79	1352.20

	3	322	457632.71	7097933.24	790.17			
	3	323	458084.66	7098191.03	785.78			
H-7	3	5076	458455.68	7098172.35	742.70			
H-6	3	5066	458257.57	7098537.94	758.15			
	3	325	459020.91	7098236.51	878.59			
H-5	3	1056	458463.81	7098771.64	755.80			
	4	311	457219.51	7099032.80	1077.44			
	4	312	457672.30	7099122.30	973.09			
Z-35	4	20356	458474.20	7099032.37	767.93			
	4	315	458937.55	7099352.62	840.15			
	5	301	457069.11	7099865.39	907.65			
	5	302	457557.62	7099960.32	848.51			
	5	303	457933.59	7100160.02	809.88			
	5	305	458815.30	7100317.49	837.80			
	5	292	457480.61	7101142.29	1045.95			
	5	293	457848.59	7101061.55	913.96			
	5	295	458766.51	7101187.38	859.36			
	1	9	458322.22	7096122.18	2579.05			
	1	1	458216.82	7097196.39	2579.67			
	2	1	458126.75	7098162.56	2577.96			
	3	1	458040.58	7099149.85	2574.83			
	4	1	457953.90	7100148.65	2577.72			
	5	1	457869.38	7101145.51	2572.75			
-222								
	2	25059	449809.22	7106603.78	1089.28	-0.47	0.78	-0.06 Li
	2	25049	450606.65	7101745.77	1417.14	-0.30	-0.09	-0.05
	4	25709	455081.45	7106173.62	1159.23	-0.32	0.38	-0.23
	5	25069	458387.90	7102652.38	798.30	0.87	-0.16	1.53
	5	29719	458406.09	7101166.77	778.62	0.21	0.09	0.75
	6	29629	460801.44	7106768.84	1497.85	-1.47	-1.66	0.08
	6	29939	461208.10	7101398.60	1051.37	0.07	-0.06	-0.27
	7	29519	464203.54	7102011.84	1536.53	0.39	-0.52	-0.32
	8	29539	467530.37	7105837.18	1532.42	-0.30	0.70	-0.10
	9	29529	468713.16	7102494.71	1161.27	-0.01	-0.94	0.45
	1	107	447462.06	7101401.68	1405.96	0.36	-0.40	0.63
	3	87	452681.38	7101504.94	986.88	-0.05	0.70	-1.23
	4	77	455598.81	7101108.26	986.28	-0.06	0.07	-0.26
	8	37	466375.17	7101992.63	1352.73	0.37	0.33	0.31
	9	17	470842.57	7102460.79	907.00	-0.13	0.06	-0.39
	7	457	463215.79	7101680.79	1340.37	-0.10	-0.07	-0.01
	7	467	463444.19	7103031.17	1148.35	0.37	0.24	0.38
	7	477	464097.36	7103339.48	1256.85	-0.09	-0.19	-0.33
	5	29829	457389.84	7103913.51	786.18			~~54.95~~ p

	4	252	454334.47	7100343.98	1338.32
	4	253	454251.27	7098927.40	1189.68
	4	254	454404.62	7097654.52	1062.17
	5	241	457080.59	7101552.42	867.01
	5	243	457074.03	7099905.29	900.97
	6	231	459787.24	7101846.28	1003.19
	6	232	459772.94	7100340.10	975.32
Z-87	6	20876	460564.97	7099110.74	1340.49
	6	233	459635.42	7098965.01	984.94
	6	234	459982.39	7097577.52	911.85
	6	235	460063.32	7096333.40	723.27
Z-106	6	21066	461752.84	7099996.28	1342.07
Z-107	6	21076	460990.81	7099434.79	1385.71
Z-86	7	20866	463109.37	7101024.91	1361.27
Z-98	7	20986	463159.92	7101083.89	1358.69
Z-110	7	21106	462527.28	7100925.36	1334.50
Z-109	7	21096	462661.09	7100695.08	1359.99
Z-89	7	20896	462124.05	7100285.92	1317.13
Z-88	7	20886	462260.00	7100386.68	1311.69
Z-108	7	21086	462585.92	7100409.70	1359.35
Z-92	7	20926	463005.67	7099650.96	1383.46
	7	223	462550.88	7098975.62	969.58
	7	224	462668.70	7097517.94	754.18
	7	225	462753.44	7096254.88	974.31
Z-99	7	20996	463548.03	7101356.71	1361.46
Z-85	7	20856	463774.66	7101544.80	1390.24
Z-102	7	21026	464028.48	7101719.43	1433.07
Z-101	7	21016	464329.79	7101687.28	1426.74
Z-100	7	21006	463933.50	7100824.64	1391.35
Z-104	7	21046	463535.02	7100431.69	1430.86
Z-103	7	21036	463793.86	7100495.64	1393.26
Z-105	7	21056	463905.44	7100143.15	1298.40
Z-91	8	20916	464642.85	7101268.56	1389.04
Z-90	8	20906	464866.24	7100998.88	1371.96
Z-80	8	20806	465078.38	7100546.37	1269.75
Z-81	8	20816	465011.99	7100320.18	1218.48
Z-83	8	20836	464945.79	7100102.12	1116.42
Z-82	8	20826	465035.47	7100065.79	1089.61
Z-84	8	20846	465036.95	7099740.68	972.83
Z-111	8	21116	464541.11	7099555.68	944.38
Z-112	8	21126	464724.31	7099371.87	897.24
Z-113	8	21136	465031.46	7099016.73	811.41
	8	214	465129.00	7097558.48	945.89
	8	215	465342.73	7096655.33	1111.72

	1 101	447480.86	7106935.23	764.95
	1 102	447332.32	7105371.13	974.39
	1 103	447439.12	7104053.70	1101.56
	1 104	447321.38	7102573.79	1257.87
	2 92	450279.91	7105359.11	1110.69
	2 93	450076.12	7104172.41	1255.86
	2 94	450298.91	7102736.53	1154.15
	3 81	452902.13	7106766.10	889.21
	3 82	452860.77	7105522.16	990.99
	3 83	452832.16	7104299.43	1038.97
	3 84	452857.65	7102939.62	1277.79
	4 72	455744.42	7105474.52	1011.01
	4 73	455751.41	7104003.22	1017.21
	4 74	455718.87	7102620.44	1227.83
	5 61	458396.99	7106711.39	1257.03
	5 62	458365.07	7105369.60	1058.52
	5 63	458287.81	7104174.97	1048.93
	6 52	460954.19	7105709.24	1212.91
	6 53	460928.42	7103981.12	928.30
	6 54	461174.01	7102926.41	1035.32
	7 41	463673.71	7106721.19	1166.37
	7 42	463741.83	7105557.66	972.86
	7 43	463783.01	7104160.51	1060.02
Z-94	7 20946	464927.37	7102381.95	1461.06
Z-95	7 20956	465677.26	7102956.54	1395.30
	8 31	466658.67	7106858.93	1332.88
	8 32	466504.62	7105481.26	1441.34
	8 33	466587.08	7104420.45	1298.33
Z-97	8 20976	467116.11	7104119.39	1315.00
Z-96	8 20966	466007.10	7103259.50	1375.60
Z-93	8 20936	467355.36	7104326.43	1322.85
	9 21	469351.50	7106879.69	1159.45
	9 22	469209.15	7105559.50	1361.81
	9 23	469180.07	7104294.66	1140.66
	9 25	469348.80	7101492.41	848.00
	9 11	472021.90	7106800.25	1053.17
	9 12	471926.95	7105466.40	1007.71
	9 13	472045.87	7104165.73	935.27
	9 14	471962.25	7102880.79	1224.89
	9 15	472083.46	7101554.52	1175.92
	1 9	447392.88	7103942.74	6056.75
	1 1	450119.41	7104005.04	6056.57
	2 1	452839.72	7104073.07	6052.83
	3 1	455571.31	7104065.79	6065.72

4	1	458273.90	7104075.02	6054.81			
5	1	460969.43	7104129.39	6052.27			
6	1	463665.73	7104179.50	6061.16			
7	1	466393.87	7104215.42	6066.56			
8	1	469141.27	7104154.33	6065.98			
9	1	471906.18	7104100.34	6074.25			
-222							
2	29609	449256.74	7100344.97	1455.86	-0.65	-0.14	0.42
2	25049	45[illegible]6.65	71[illegible]1745.77	1417.14	-[illegible].1[illegible]	[illegible].7[illegible]	-[illegible].98
2	29599	450580.18	7096968.18	1068.87	0.09	-0.26	0.14
5	29719	458406.09	7101166.77	778.62	0.30	-0.42	0.58
5	29669	457549.44	7098457.75	984.58	1.17	-0.65	-0.16
5	29649	457999.88	7096499.20	723.93	-0.81	0.24	-0.19
6	29659	458833.76	7097202.26	810.67	-0.81	1.05	0.65
6	29939	4612[illegible]8.1[illegible]	71[illegible]1398.60	1051.37	-0.40	-0.33	-1.10
7	29519	464203.54	7102011.84	1536.53	-0.79	0.68	-1.42
8	25019	466111.39	7097337.19	1317.79	0.42	-0.68	0.28
9	29529	468713.16	7102494.71	1161.27	0.32	0.65	0.29
1	107	447462.[illegible]6	71[illegible]1401.68	14[illegible]5.56	-[illegible].36	[illegible].40	-[illegible].63
3	87	452681.38	7101504.94	986.88	0.05	-0.70	1.23
4	77	455598.81	7101108.26	986.28	0.06	-0.07	0.26
8	37	466375.17	7101992.63	1352.73	-[illegible].37	-0.33	-0.31
9	17	470842.57	7102460.79	907.00	0.13	-0.06	0.39
2	277	448663.25	7096937.83	1112.99	0.13	-[illegible].21	[illegible].18
3	267	451481.73	7[illegible]96296.18	735.87	0.41	0.32	-0.46
4	257	453951.56	7096542.93	942.72	0.25	0.28	0.47
5	247	457014.48	7096066.69	8[illegible]1.77	-[illegible].27	-[illegible].07	-[illegible].55
7	227	461873.17	7096230.64	883.08	0.04	-0.20	0.00
8	217	464443.19	7096525.67	850.97	0.19	0.21	0.02
5	297	457157.45	71[illegible]1[illegible]25.65	1[illegible]92.61	0.38	[illegible].[illegible]1	[illegible].14
1	281	446012.45	7101471.39	1115.52			
1	282	446151.01	71[illegible]0352.43	1[illegible]11.84			
1	283	446210.16	7098821.80	1254.84			
1	284	446313.77	7097459.15	1451.06			
1	285	446212.12	7[illegible]096146.24	1147.48			
2	271	448692.58	7101188.95	1379.46			
2	273	448774.6[illegible]	7[illegible]098856.[illegible]3	957.[illegible]6			
2	275	448848.23	7096045.45	823.76			
3	261	451404.79	7101556.50	1204.16			
3	262	451452.68	71[illegible]0218.79	11[illegible]3.22			
3	263	451652.62	7098889.52	907.11			
3	264	451538.45	7097549.09	764.54			
4	251	4542[illegible]8.64	7101422.29	1288.09			

McElhanney

Z-114	8	21146	466088.52	7102488.61	1377.87			
Z-115	8	21156	466711.12	7102017.33	1332.06			
Z-117	9	21176	468220.79	7102519.07	1201.36			
Z-116	9	21166	467366.37	7101617.07	1251.82			
	9	202	468562.69	7100513.74	832.65			
	9	203	467931.23	7099345.43	831.27			
	9	204	467820.60	7097960.06	1108.58			
	9	205	467841.40	7096643.78	1161.60			
	9	192	471071.84	7100641.87	1124.23			
	9	193	470696.17	7099264.29	954.12			
	9	194	470828.85	7097735.14	1153.43			
	9	195	470754.87	7096803.62	1175.50			
	1	9	446030.60	7098842.25	6070.75			
	1	1	448734.60	7098852.06	6064.57			
	2	1	451448.36	7098897.16	6063.01			
	3	1	454219.96	7098944.51	6051.70			
	4	1	457008.91	7098979.12	6070.36			
	5	1	459738.48	7099030.95	6082.94			
	6	1	462459.08	7099067.30	6091.90			
	7	1	465204.26	7099121.12	6091.66			
	8	1	467956.49	7099161.66	6091.69			
	9	1	470703.80	7099139.28	6103.42			
-222								
	1	25039	449415.43	7093590.98	1129.57	0.81	0.41	0.82 L
	2	29838	449688.18	7091087.02	660.70			-1.01
	2	29599	450580.18	7096968.18	1068.87	-0.17	0.47	-0.75
	2	29779	452058.38	7093031.40	663.70	0.64	-0.04	1.23
	3	29579	454286.59	7095451.34	1124.06	-0.15	0.33	-1.57
	5	29649	457999.88	7096499.20	723.93	-0.23	-0.51	-0.07
	6	29559	462259.60	7094930.46	1292.65	-0.06	0.46	0.19
	6	29569	462473.48	7093021.52	1159.19	0.64	-0.46	-0.21
	1	277	448663.25	7096937.83	1112.99	-0.13	0.21	-0.18
	2	267	451491.73	7096296.18	735.87	-0.41	-0.32	0.46
	3	257	453951.56	7096542.93	942.72	-0.25	-0.28	-0.47
	4	247	457014.48	7096066.69	801.77	0.27	0.07	0.55
	6	227	461873.17	7096230.64	883.08	-0.04	0.20	-0.00
	6	217	464443.19	7096525.67	850.97	-0.19	-0.21	-0.02
	4	25029	457515.97	7092012.93	1243.07	1314.24	-892.50	-398.10
	1	112	448168.99	7095260.08	778.77			
	1	113	448288.74	7093922.51	996.06			
	1	114	448161.39	7092621.88	1002.65			
	1	115	448369.52	7090964.16	820.33			
	2	122	450801.15	7095458.50	713.14			

	4	474	464368.90	7102448.12	1409.88			
	4	475	464582.73	7102148.04	1481.61			
	1	9	457903.20	7100511.97	2580.93			
	1	1	458743.24	7100787.72	2582.82			
	2	1	459642.97	7101086.37	2593.57			
	3	1	460496.33	7101393.75	2596.56			
	4	1	461346.45	7101711.51	2600.12			
	1	1	462179.04	7102003.76	2598.66			
	2	1	463002.56	7102287.75	2592.03			
	3	1	463678.20	7102508.14	2593.58			
	4	1	464251.82	7102697.79	2598.79			
	-222							
	1	29639	457813.59	7095905.21	722.50	-0.04	-0.33	-0.03
	1	29649	457999.88	7096499.20	723.93	-0.31	-0.28	0.04
	2	29659	458933.76	7097202.26	810.67	-0.28	0.42	0.14
	3	29989	458468.90	7098033.33	745.40	-0.05	0.97	-0.24
	3	29979	458357.98	7098446.58	743.51	0.50	0.44	-0.11
	3	29669	457549.44	7098457.75	984.58	-0.31	-0.31	-0.24
	4	29969	458339.70	7099028.10	750.15	0.65	0.58	0.20
	4	25079	457782.15	7099593.12	926.29	-0.17	-0.47	0.40
	5	29959	458331.1	7099954.20	764.75	0.00	-0.21	0.05
	5	29949	458217.27	7100342.85	768.09	-0.07	0.12	0.10
	5	29729	458522.16	7100482.87	845.46	0.36	-0.15	-0.49
	5	29719	458406.09	7101166.77	778.62	-0.16	-0.30	0.48
	5	297	457157.45	7101025.65	1092.61	-0.38	-0.01	-0.14
H-4	4	1046	458269.68	7099416.11	767.09	0.02	-0.07	0.26
H-3	4	1036	458329.83	7099741.31	771.03	0.01	0.01	0.13
Z-36	4	20366	458532.16	7099618.34	779.68	0.01	-0.13	-0.17
Unknown	5	1526	458279.82	7100150.08	772.79	-0.10	-0.07	-0.12
Unknown	5	1516	458249.55	7100560.43	772.10	0.04	-0.04	-0.11
H-2	5	1026	458234.85	7100793.05	779.91	0.14	-0.07	-0.12
H-1	5	1016	458216.56	7100956.23	781.63	0.14	0.09	0.08
Unknown	5	1536	458478.82	7101294.27	778.52	0.04	0.06	0.04
	2	30009	458480.80	7097287.00	736.40	-64.77	-272.68	-2.96
	1	341	457324.44	7096741.85	746.72			
	1	343	458302.00	7096187.62	733.11			
	1	344	458829.46	7096240.64	722.23			
	1	345	459270.08	7096312.75	724.25			
	2	331	457342.23	7097151.26	883.78			
	2	332	457817.29	7097136.66	764.09			
	2	335	459143.08	7097284.14	842.00			
H-8	2	5086	458480.56	7097288.52	736.49			
	3	321	457153.76	7097536.96	832.49			

2	123	450763.65	7094138.25	742.11
2	124	450909.60	7092773.50	791.94
2	125	450976.58	7091190.91	738.38
3	131	453509.60	7096640.55	964.04
3	132	453629.43	7095365.76	1133.14
3	133	453682.37	7094084.51	764.94
3	134	453686.65	7092578.35	875.12
3	135	453605.64	7091166.90	844.85
4	141	455974.67	7096667.35	1150.34
4	142	455939.69	7095244.94	831.73
4	143	456252.85	7093962.36	722.68
4	144	456104.58	7092453.16	903.04
4	145	456283.88	7091261.53	1181.12
5	152	458933.72	7095550.54	763.61
5	153	459035.05	7093881.07	856.82
5	154	459064.41	7092516.06	1180.56
5	155	458830.24	7091120.43	844.23
6	163	461644.17	7093658.56	1092.42
6	164	461898.67	7090992.63	1025.87
6	172	464198.45	7095209.77	1157.31
6	173	464427.43	7093563.37	919.20
6	174	464256.73	7092043.41	938.39
6	175	464447.60	7090780.39	817.19
1	9	448181.62	7093918.49	6068.68
1	1	450885.72	7093981.29	6069.66
2	1	453582.12	7093978.01	6074.24
3	1	456268.33	7093964.21	6072.99
4	1	458954.35	7093896.45	6078.56
5	1	461646.71	7093775.80	6081.11
6	1	464322.17	7093739.37	6083.84

APPENDIX IV

Notarized Statement of Costs and Statement of Qualifications

Statement of Costs: Mar 1-24, Jeff 1-112, Alec 1-60, Dave 1-24, R.D. 1-16, Smoky 1-82, D.G. 2-38, 40-41, 43, 45-53, 55, Bob 1-73

Personnel (field work) Summer 1978

L.J. D'Aigle - overall supervison of Total Program Salary of $2000/month split between Tungsten mine area and Dublin Gulch for July, August and Sept. 1-15		$2500
B. Lennan - Project Supervisor -	June 19-24 - camp set up 6 days at $65/day	$ 390
	June 25 - July 2 - set out aerial 8 days at $65/day survey sites	$ 520
	July 3-6 - Recon geologic mapping 4 days at $65/day	$ 260
	July 7-8 - Set out survey sites 2 days at $65/day	$ 130
	July 9-12 - Recon geologic mapping 4 days at $65/day	$ 260
	July 13-18 - Assist McElhanney Surveyors 6 days at $65/day	$ 390
	July 19-31 - Ray Gulch Grid - geologic mapping 13 days at $65/day L39+550E, L39+700E, L39+850E, L40+000E, L40+150E, L40+300E	$ 845
	Aug. 1-13 - Dublin Gulch Grid - geologic mapping 13 days at $65/day	$ 845
	Total	$6140
D. Lyman - Project Geologist -	June 15-25 - camp set up and supervision 11 days at $66/day	$ 726
	June 26-30 - property familiarization and set out survey sites 5 days at $66/day	$ 330
	July 1 - Recon mapping 1 day at $66/day	$ 66
	July 3-9 - Cut and set out survey sites 7 days at $66/day	$ 462
	July 10-18 - Recon geologic mapping 9 days at $66/day Set up survey grids - Ray Gulch and baseline	$ 594
	July 21 - Orienting McElhanney surveyors 1 day at $66/day	$ 66
	July 22-25 - Geologic mapping - Line cutting 4 days at $66/day Supervision - Ray Gulch L39+550E, L39+400E	$ 264
	July 28-31 - Geologic mapping of Baseline 4 days at $66/day Line cutting supervision	$ 264
	Aug. 1 - 6 - Geologic mapping - Ray Gulch Grid - L39+550E, L39+400E, Baseline L39+700E 6 days at $66/day	$ 396
	Aug. 8-11 - Geologic mapping, Line cutting supervision L39+250E, L38+800E, Cliff areas on west side of Ray Gulch - 4 days at $66/day	$ 264

D. Lyman - cont'd.

Aug. 12-16	- Geologic mapping - North Ridge area, Ray Gulch cliffs Supervision of completion of Line cutting 5 days at $66/day		$ 330
Aug. 22-25	- Geologic and Geochemical Data Map plotting 4 days at $66/day		$ 264
Aug. 27	- Mapping "North Ridge" area	1 day at $66/day	$ 66
Aug. 28-31	- Geologic mapping "North Ridge" Supervise chaining of Baseline 12+100N and 2 crosslines	4 days at $66/day	$ 264
Sept. 1	- Plot new lines on base map #5	1 day at $66/day	$ 66
Sept. 3-4	- Geologic mapping on Jeff claims N.E. of Potato Hills	2 days at $66/day	$ 132
Sept. 6-8	- Crew supervision of data plotting on McElhanney	3 days at $66/day	$ 198
	Maps. Accumulated geochemical data		
Sept. 9-12	- Geologic mapping - Dublin Gulch grid L36+700E, L36+800E,	4 days at $66/day	$ 264
	Eagle Pup area Geologic mapping in Dublin Creek - placer pit areas. Also North Ridge area		
Sept. 13-14	- Plot Dublin Creek placer pit area Geology and Tin Dome geology	2 days at $66/day	$ 132
Sept. 15-17	- Channel Sample Garnet Skarn Zone, 39+400 Skarn Zone 39+800 Skarn Zone, 40+150 Skarn Zone Quartz vein stockworks in Quartz Monzonite Plug	3 days at $66/day	$ 198
		Total	$5346

Halim Arik - Geologist

June 15-28	- Camp set up and property familiarization traverses	14 days at	$72/day	$1008
June 29 - July 2	- Set out aerial triangulation survey sites	4 days	"	$ 288
July 3-4	- Compass and flag northeaster end of Baseline 10+00N	2 days	"	$ 144
July 5-7	- Recon. geologic mapping, Olive Gulch, East Potato Hill drainage of Ray Gulch, Bawn Boy Gulch	3 days	"	$ 216
July 8-13	- Recon. geologic mapping, Lynx Dome, Haggart Dome drainages. Headwaters of Haggart Creek north of Potato Hills (Jeff, Bob, D.G. claims)	6 days	"	$ 432
July 15-16	- Tin Dome drainages (Ann Gulch and north side drainages) recon. geologic mapping	2 days	"	$ 144
July 8	- Recon. geologic mapping along westerly trending drainage from Haggart Dome	1 day	"	$ 72
July 19-22	- Detailed geologic mapping "Ray Gulch" grid Line 40+45OE Prorated as parts of Lines on Mar 25-30 group	2 days	"	$ 144
July 23-26	- Detailed geologic mapping Tin Dome area	4 days	"	$ 288
July 27	- Recon. geologic mapping Gill Gulch	1 day	"	$ 72
July 28 - Aug. 3	- Detailed geologic mapping Tin Dome area and geology plotting	7 days	"	$ 504
Aug. 4-6	- Ray Gulch Grid - Detailed geologic mapping L38+20OE, L38+35OE, L38+50OE	3 days	"	$ 216
Aug. 7	- Recon. geology at heatwaters of Haggart Creek N.E. of Potato Hills	1 day	"	$ 72
Aug. 8-12	- Complete detailed geologic mapping on L38+20OE, L38+35OE and L38+50OE	5 days	"	$ 360
Aug. 13	- Plot geologic data	1 day	"	$ 72
Aug. 14-16	- Detailed geology along "Ray Gulch" cliffs Lines 38+950, L39+100, L39+250	3 days	"	$ 216
Aug. 22-23	- Detailed geologic mapping L38+05OE	2 days	"	$ 144
Aug. 25-31	- Plot geologic data. Map Lines 38+05OE and 37+90OE on Dublin Gulch grid	7 days	"	$ 504
Sept. 1-4	- Detailed geologic mapping "Dublin Gulch" grid L 37+60OE, L37+75OE	4 days	"	$ 288
Sept. 5-6	- Detailed geologic mapping "Dublin Gulch grid L37+30OE, L37+45OE	2 days	"	$ 144
Sept. 7-9	- Detailed geologic mapping "Dublin Gulch" grid L37+00OE, L36+80OE	3 days	"	$ 216
Sept. 10-16	- Detailed geologic mapping "Dublin Gulch" grid - checking old workings - plotting accumulated geologic data	7 days	"	$ 504
			Total	$6048

D. Coffin - Senior Assistant and Prospector

June 15-25	- Camp set up and property orientation	11 days at	$65/day	$ 715
June 26-30	- Set out aerial triangulation survey grids	5 days	"	$ 325
July 3-6	- Recon. geochem. sampling and establishing baseline and "Ray Gulch" grid line turn off points	4 days	"	$ 260
July 7-8	- Geochem grid sampling L39+550E, L39+700E, L39+850E and L40+000E	2 days	"	$ 130
July 9-12	- Recon. geochem. sampling Haggart Dome and Lynx Dome drainages	4 days	"	$ 260
July 15-17	- Geochem. grid sampling L40+150E, L40+300E Sampling Olive - Dublin Gulch Quartz Monzonite plug	3 days	"	$ 195
July 26-28	- Set up survey sites, recon geochem. sampling Lynx Dome - Lime Creek area	3 days	"	$ 195
Aug. 17	- Plot geochemical data on base maps	1 day	"	$ 65
			Total	$2145

Rob Crow - Junior Assistant

June 26-30	- Camp set up	5 days at $48/day	$ 240
July 1-4	- Assist in setting out aerial triangulation Survey sites	4 days "	$ 192
July 5-12	- Recon. geochem. sampling, Stuttle Pup, Platinum Pup, Iron Rust Creek, Lynx Dome and Haggart Creek tributaries	8 days "	$ 384
July 14-18	- Assist D. Lyman compassing and flagging new grid lines, "Ray Gulch" grid	5 days "	$ 240
July 20-31	- Soil geochem. sampling :40+300E, L40+450E, L39+850E. Assisting B. Lennan in detailed geologic mapping on "Ray Gulch" grid L39+550E, L39+700E, L39+850E, L40+000E, L40+150E	12 days "	$ 576
		Total	$1632

Chris Stevens - Senior Assistant

July 31 - Aug. 13	- Compass check on cut lines and geochem. soil sampling on L38+650E, L38+200E, Baseline E of L40+000E, L38+350E, L37+750E, L37+600E, L37+450E Plot correct lines	14 days at $60/day	$ 840
Aug. 14	- Magnetometer survey L38+950E, L39+700E	1 day "	$ 60
Aug. 15-17	- Chain and picket "North Ridge" 12+100N Baseline. Compass check and geochem. soil sampling on L12+100N	3 days "	$ 180
Aug. 22	- Sample and compass check on two lines extending Az. 324° from Baseline 12+100W	1 day "	$ 60
Aug. 30-31	- Compass and flag in "Ray Gulch" grid tie lines 8+900N and 8+000N	2 days "	$ 120
Sept. 1-6	- Plot accumulated geochemical data on base maps. Chain and picket tie lines 8+900N and 8+000N Plot tie lines on base map and correct grid	6 days "	$ 360
		Total	$1620

Gary Sopher - Junior Assistant

July 31	- Magnetometer test and survey line test	1 day at $48/day	$ 48
Aug. 1-2	- Soil geochemistry L38+650E	2 days "	$ 96
Aug. 3	- Magnetometer survey L38+950E, L39+700E	1 day "	$ 48
Aug. 4-13	- Soil geochemistry on L38+950E, L38+800E, L38+650E, L38+500E, L38+350E, L38+200E, L37+600E, L37+300E, L36+700E	10 days "	$ 480
Aug. 14	- Magnetometer survey, L38+950E, L39+700E	1 day "	$ 48
Aug. 15	- Assist C. Stevens - chaining and picketing N. Baseline 12+100N	1 day "	$ 48
Aug. 16	- Magnetometer survey L36+700E, L36+800E, L38+050E, L38+200E	1 day "	$ 48
Aug. 17	- Plot and check magnetometer survey data	1 day "	$ 48
Aug. 26-27	- Magnetometer test down L40+600E. Re-test on L39+700E, L38+950E	2 days "	$ 96
Aug. 30 - Sept. 1	- Assist C. Stevens, compassing, chaining and picketing tie lines in "Ray Gulch" L8+900N and 8+000N	3 days "	$ 144
Sept. 2-4	- Plot geochem. and magnetometer. Prepare soil samples for shipping to Lab.	3 days "	$ 144
		Total	$1248

Joe Wyckoff - Junior Assistant

Sept. 1	- Geochem soil sampling. N. Baseline 12+100 and two cross lines	1 day at $48/day	$ 48
Sept. 2	- Assist C. Stevens, surveying in "Ray Gulch" grid tie lines 8+900N and 8+000N	1 day "	$ 48
Sept. 8	- Plot geochem. data onto base maps	1 day "	$ 48
Sept. 10-15	- Recon. geochem. sampling and soil geochem. sampling Gill Gulch, Bawn Boy Gulch, North Ridge area. Plot data. Sample streams S. of Haggart Creek near Lynx Creek junction	6 days "	$ 288
		Total	$ 432

Don Storie - Junior Assistant - Sampler

June 21-30	- Set up camp and set out aerial triangulation survey sites	10 days at	$55/day	$ 550
July 3-4	- Set out aerial triangulation survey sites	2 days	"	$ 110
July 5-7	- Recon. geochem. sampling, compass and flag in "Ray Gulch" grid lines	3 days	"	$ 165
July 8-9	- Assist land surveyor on Baseline and "Ray Gulch" grid	2 days	"	$ 110
July 10-13	- Recon. geochem. sampling, Lynx Dome drainage, headwaters Haggart Creek N. of Potato Hills, Fischer Gulch	4 days	"	$ 220
July 14	- Mark out grid lines on Ray Gulch cliff area	1 day	"	$ 55
July 15-16	- Recon. geochem. sampling Tin Dome, Dublin Gulch drainages	2 days	"	$ 110
July 17-18	- Recon. geochem. sampling - drainage W. of Haggart Dome. Soil grid sampling L+40150E	2 days	"	$ 110
July 19-21	- Soil geochem. sampling L40+150E, L40+300E	3 days	"	$ 165
July 23 - Aug. 2	- Soil geochem. sampling L40+300E, L39+850E, L39+700E, L39+550E, L40+000E, L38+950E, L38+800E Baseline, L38+500E, L38+200E	10 days	"	$ 550
Aug. 3	- Magnetometer survey on L38+950E and L39+700E	1 day	"	$ 55
Aug. 4-15	- Soil geochem. sampling L38+950E, L38+800E, L39+100E L39+250E, L38+050E, L39+400E, L37+900E, L37+000E, L36+800E, Baseline 10+000N	12 days	"	$ 660
Aug. 16-17	- Magnetometer survey L36+700E, L36+800E, L38+050E, L38+200E Plot sample locations on base map	2 days	"	$ 110
Aug. 22	- Plot sample locations on base map	1 day	"	$ 55
Sept. 1-15	- Soil geochem. sampling L37+600E, L37+450E. Recon. geochem. sampling - south side Lynx Creek. Plot data. Samples "North Ridge" and Olive Gulch areas. Soil geochem. sampling on two Tin Dome grid lines	15 days	"	$ 825
Oct. 1-10	- Chip sampling of Skarn Zones, Quartz Monzonite quartz vein stockworks. Camp clean up.	10 days	"	$ 550
			Total	$4400

Robert Plummer - Geologist

Aug. 22-25	- Detailed geologic mapping L38+050E, L36+700E	4 days at $64/day	$ 256
Aug. 26-27	- Detailed mapping of "North Ridge" to base of Potato Hills	2 days "	$ 128
Aug. 30 - Sept. 1	- Complete mapping of "North Ridge" quartzites and plot data on base map	3 days "	$ 192
Sept. 6-10	- Detailed mapping in Potato Hills to Cascaller Gulch area and on North facing slopes of "North Ridge"	5 days "	$ 320
		Total	$ 896
		Total Field Wages	$29,907

OFFICE PERSONNEL SALARIES - REPORT PREPARATION

Dave Lyman - Project Geologist - Salary $2,000/month

Sept. 25 - Sept. 30	-	Data organization and initial report planning - 2000 ÷ 4 =	$ 500
Oct. 1 - Oct. 31	-	Initial geochemical data compilation. Plot 130 points on new air photos taken in July. Consulting with Canadian General Electric to set up a compatible computer program for geochemical data	2,000
Nov. 1 - Nov. 30	-	Compiled geochemical data into form acceptable to computer program. All data key punched. Transferred detailed geochemical data on rough field base maps onto first draft mylar film	2,000
Dec. 1 - Dec. 22	-	Ran geochemical program. Problems slowed process down considerably. Statitical analysis difficulties. Sample data merged with analysis results and reached successful listing of all samples taken according to sampler and sample type	1,500
		Total	$6,000

Halim Arik - Geologist - Salary $2,000/month

Sept. 25 - Sept. 30	-	Sort field maps and collect all notebook information. Compile all grid geologic information from geologists' field maps and notes. Start rough mylar draft of Map 5 grid Geology	1 week	$ 500
Oct. 1 - Oct. 15	-	Complete rough geology map draft. Begin 1:1000 Map 7 Tin Dome Geology map - rough mylar draft	2 weeks	$1,000
Oct. 15 - Oct. 31	-	Complete Tin Dome Geology rough draft and plot reconnaissance geochemistry data (transfer from 1:50000 maps to 1:10000 scale mylar maps)	2 weeks	$1,000
			Total	$2,500

Brian Lennan - Supervising Geologist - Salry $2,000/month
- Salary divided between Dublin Gulch Project and other projects

Sept. 18 - Sept. 30	-	Supervision and direction of work carried out by D. Lyman, H. Arik. Discuss processing of aerial photography flown in summer with McElahnney Surveying	2 weeks	$1,000
Oct. 9 - Oct. 31	-	Assist D. Lyman in selecting 130 survey control points on air photos. Used by McElhanney to start computer analysis of all aerial triangulation sites. Assist in plotting of geologic material on rough mylar draft with H. Arik. Contact Canadian General Electric and discuss computer applications geochemical data	3 weeks	$1,500

B. Lennan (Cont'd)

Nov. 13 - Nov. 30	-	Finalize discussion with McElhanney with regards to production of ortho-photo from new aerial photography and surveying. Instruct McElhanney to produce 1:5000 scale orthophoto with contour overprint, 10 meter contour interval. Submit all 130 plotted points so production of aerial triangulation and orthophoto can begin. D. Lyman starts processing of geochemical data.	3 weeks	$1,500
Dec. 1 - Dec. 21	-	Assist with rough draft of geologic data at scales of 1:50000 and 1:10000. Assist with rough draft of geochemical maps (reconnaissance and grid). Set up contract with Altair drating to do final drafts of all maps.	3 weeks	$1,500
Jan. 15 - Feb. 15	-	Start Altair on map drafting. Take 13 1:5000 original topo maps produced during summer of 1978 back to McElhanney for correlation of government aerial triangulation and 1978 aerial triangulation. Corrections to be compiled on orthophoto. Locate problems in computer program as applied to statistical analysis of geochemical data. Try and adjust. Assemble presentation photography out of many taken. Assemble historical data and cross check with information obtained from summer work.	5 weeks	$2,500
Mar. 15 - May 8	-	Start receiving completed maps from Altair drafting. Evaluate data. Set format of report, obtain petrographic report on Dublin Gulch rock specimens. Start writing rough draft of report	8 weeks	$4,000
			Total	$12,000

Brian Lennan (Cont'd)

Mar. 15 - May 8	Check, correct and make additions to report. Colour all copies of maps that accompany report. Compile and bind report.		

Joyce Irvine - Secretary - $1,100/month

April 16 - May 8	- Type rough draft, correct errors, omissions. Type final draft of 100+ pages	3.5 weeks	$ 962.50
		Total Office Wages	$21,462.50

Invoiced Expenditures Incurred for Assessment of Dublin Gulch Property - 1978
Mar 1-24, R.D. 1-16, Dave 1-24, Alec 1-60, Smoky 1-82, Bob 1-73, D.G. 1-56, Jeff 1-112

McElhanney Surveying and Engineering Vancouver, B.C.	-	Production of 13 map sheets - aerial photography and surveying Total $44,074.87 = $3,390.37 1 map sheet 10 9/10 map sheets	= $36,955.03
		(2 Secret Creek, 1/10 Mar 25-30 claim group)	
McElhanney Surveying and Engineering Vancouver, B.C.	-	Orthophoto production - High level Dublin Gulch Mineral Claims - Low Level Dublin Gulch Placer Claims Total $27,183 ÷ 2	= $13,591.50
Chemex Laboratories North Vancouver, B.C.	-	Analysis for Au, Ag, WO_3, Sn $11.35 per sample	
		Soil samples Total 1553 - 52 for Mar 25-30 claims = 1501 x $11.35	= $17,036.35
		Silt samples Total 466 x $11.35	= $ 5,289.10
		Rock chip sample Total 242 x $11.35	= $ 2,735.35
		Rock chip and channel samples Assays Au, WO_3, Ag Total 132 x $17.00	= $ 2,244.00
Expediting Services Tintina Expediting Mayo, Yukon		For crews during June, July, Aug., Sept., Oct. 1978	= $ 3,936.38

Cont'd

Dublin Gulch Mining Ltd. R. Holway Whitehorse, Y.T.	- D-9 cat - road repairs and clean out of established trenches 54 hrs. at $100/hr.		=	$ 5,400
Dublin Gulch Mining Ltd. R. Holway Whitehorse, Y.T.	- Board - $15 manday			
	June - 53 mandays x $15		=	$ 795
	July - 145 mandays x $15		=	$ 2,175
	Aug. - 146 mandays x $15		=	$ 2,190
	Sept. - 119 mandays x $15		=	$ 1,785
	Oct. - 3 mandays x $15		=	$ 45
		Sub Total		$ 6,990
	Subtract $240 for Mar 25-30			240
		Total		$ 6,750

Truck Rentals

Tilden	- Unit 102 - Drivers - D. Coffin, D. Lyman/others to a lesser extent June 15 - Sept. 25 $955/month + mileage = $1,000/month	$ 3,250
	Unit 90 - Drivers - B. Lennan, D. Storie, H. Arik/others to a lesser extent June 19 - Sept. 25 $955/month + mileage = $1,000/month	$3,209.50
Bow Mac	- Drivers - D. Coffin, others to a lesser extent 551.84 - 256 = $ 295.84 $256 applied towards Mar 25-20	

Cont'd

Helicopter Time

Invoices - TNTA - Mayo	$15,281.30
Invoices - Cascade Rotors	6,266.00

Total of 70 hrs. over June, July, Aug., Sept.
utilization approx. 40 hrs. - establishing survey sites and moving surveyors over 100 square miles to do aerial triangulation to tie in new photography with government established control points.
Approx. 30 hrs. for reconnaissance geologic mapping and geochemical surveys. Drop outs and pick ups in inaccessible areas. Supporting up to 8 men.

Map Production

Dominion Reprographics, Vancouver, B.C. Blow-up government 1:50000 106D - 4 map to 1:10000 for plotting reconnaissance geochem. samples.	347.65
Food supplies - Graham's Store - Mayo, Y.T.	1,217.16
Danny's Dept. Store - Mayo, Y.T.	3,537.63
Fuel — Camp - stove oil and propane	292.89
Vehicle - Two rental vehicles - some diesel for cat	2,190.79
White Pass Petroleum Helicopter - Surveyors and geochem. and geology Mayo, Y.T.	3,288.18
Survey Supplies - Marker cloth for aerial photography sites	351.65
- Laths (pickets) for grid lines	825.51
Camp Supplies - 7 tents, stoves, tools, kitchen materials, etc. Deakin Equipment Powell Street Vancouver, B.C.	7,078.02

Cont'd

Survey Equipment	- Plane table unit, all drafting supplies, office tent supplies - needed to carry out B.C. Industries 960 Richards St. Vancouver, B.C.		$ 2,930.02
Wood Supplies for tent frames etc.	- Klippert's - Mayo	Lumber	627.10
	Genier Enterprises - Mayo	Lumber, plywood, nails plastic	1,499.83
Line Cutting	- grid line cutting, compassing, chaining, slope correcting 85.1 Km. at $244/line Km Jesmex Ltd. John Graham Box 5197 Whitehorse, Y.T.		20,764.40
Report Preparation	- Drafting of all maps - 267 hrs. at $15/hr. Altair Drafting 821 W. Pender St. Vancouver, B.C.		4,000.00
Data Processing	- Canadian General Electric W. Hastings St. Vancouver, B.C.		1,000.00
		Total Invoiced Expenditures	$172,191.13

A F F I D A V I T

I, WILLIAM BRIAN LENNAN, Exploration Geologist, of 1208 - 2008 Fullerton Avenue, North Vancouver, British Columbia, MAKE OATH AND SAY AS FOLLOWS:

THAT costs in the total sum of $223,560.63 have been incurred by Canada Tungsten Mining Corporation Limited for carrying out assessment work on the Mar 1-24, Dave 1-24, Alec 1-60, R.D. 1-16, Smoky 1-82, D.G. 2-38, 40, 41, 43, 45-53, 56, Bob 1-73, Jeff 1-112 claims.

SWORN BEFORE ME at the City of Vancouver, in the Province of British Columbia this 11th day of May, 1979.

A Notary Public in and for the Province of British Columbia

William Brian Lennan

WILLIAM BRIAN LENNAN

STATEMENT OF QUALIFICATIONS:

I, WILLIAM BRIAN LENNAN, as a representative of Canada Tungsten Mining Corporation Limited and project supervisor, specify that an aerial photography survey, aerial triangulation survey, 1:5000 and 1:10000 scale map production, geological, geophysical and geochemical evaluations be performed for assessement purposes on the Mar 1-24, Dave 1-24, Alec 1-60, Smoky 1-82, Bob 1-73, Jeff 1-112 and D.G. 2-38, 40-41, 43, 45-53 and 55 claims and certify:

1.) THAT I am a 1973 graduate of the University of British Columbia with a Bachelor of Science degree in Geology.

2.) THAT I have practised my profession in Geology for 6 years (4 years in British Columbia, 2 years in Yukon Territory).

3.) THAT I am registered as an Engineering Pupil of the Association of Professional Engineers of British Columbia.

4.) THAT I have submitted applications for Fellow Membership status with the Geological Association of Canada and The Canadian Institute of Mining and Metallurgy.

William Brian Lennan

William Brian Lennan

MAP AREA (13 1:5000 maps produced and located as below

① Outline of sheet with sheet no.

LINE 1

LINE 2

LINE 3

LINE 4

LINE 5

Photo numbers

FLIGHT LINES

INDEX OF AERIAL PHOTOGRAPHY
OF
HAGGART CREEK – DUBLIN GULCH
FOR
CANADA TUNGSTEN MINING CORP LTD.
MAP No. 1

DATE OF PHOTO : 29 JULY 1978
C.F.L. : 152.66
: 1" = ± 1,000 FT.
: 1" = ± 2640 FT.

McELHANNEY SURVEYING & ENGINEERING LTD.
REF. NO. 06497-1




TABLE OF CO-ORDINATES

STATION	NORTH	EAST	ELEV.	DESCRIPTION	STATION	NORTH	EAST	ELEV.	DESCRIPTION
2501 HV	7,097,337.19	466,111.39	1,317.79	1P with tag and cairn	2970 HV	7,10[illegible]173.62	455,081.45	1,159.23	1P with tag
2502 HV	7,092,012.93	457,515.97	1,243.07	1P with tag and cairn	2971 HV	7,101,166.77	458,406.09	778.62	1P with tag
2503 HV	7,093,590.98	449,415.43	1,129.57	1P with tag	2972 HV	7,100,482.87	458,922.16	845.46	1P with tag
2504 HV	7,101,745.77	450,606.65	1,417.14	1P with tag near trig. cairn	2973 HV	7,102,050.62	460,844.74	1,227.83	1P with tag
2505 HV	7,106,603.78	449,809.22	1,089.28	1P with tag	2973 ECC	7,102,050.46	460,853.58	----	
2506 HV	7,102,652.38	458,387.90	798.30	1P with tag	2974 HV	7,101,281.27	461,783.14	1,201.65	1P with tag
2507 HV	7,099,593.12	457,782.15	926.29	1P with tag in clearing	2975 HV	7,102,468.99	462,283.20	1,288.16	1P with tag
2508	7,095,150.16	453,034.95	1,118.19	1P with tag on top of ridge	2976 HV	7,100,927.49	460,355.32	1,035.93	1P with tag
2509	7,101,280.38	461,777.45	1,201.35	1P with tag	2977 HV	7,093,031.40	452,058.38	663.70	1P with tag
2510	7,101,686.49	459,217.81	1,071.78	1P with tag	2978	7,092,920.08	452,123.96	664.08	1P with tag
2511	7,101,675.99	459,276.86	1,068.38	1P with tag	2979	----	----	691.71	1P with tag
2512	7,101,967.63	464,248.01	1,534.05	Nub with tag	2980	----	----	692.17	1P with tag
2513	7,103,147.87	465,871.57	1,379.78	1P with tag and target	2981	7,101,822.04	458,535.11	786.54	1P with tag
2514	7,102,415.82	464,931.62	1,455.76	1P with tag and target	2982	7,101,825.46	458,469.86	786.18	Nub on gravel bar
2515	7,101,330.86	464,663.15	1,396.70	1P with tag and target	2983 V	----	----	660.70	1P with tag
2516	7,100,828.08	463,932.90	1,392.39	1P with tag and target	2984	7,100,895.43	459,741.17	880.61	Spike with tag and target
2517	7,100,504.33	463,799.83	1,398.68	1P with tag and target	2985	7,100,843.17	459,541.39	867.29	Spike with tag and target
2518	7,100,101.64	463,927.21	1,292.94	1P with tag and target	2986	7,100,642.70	459,388.56	869.93	Spike with tag and target
2519	7,101,085.51	463,190.03	1,359.50	1P with tag and target	2987	7,100,559.22	459,069.06	859.25	Spike with tag and target
2520	7,100,245.52	462,073.40	1,325.68	1P with tag and target	2988	7,100,707.96	459,184.06	826.3	Spike with tag and target
2521	7,099,492.63	461,077.86	1,382.66	1P with tag and target	2989	7,100,924.19	459,293.16	840.7	Spike with tag and target
2522	7,101,719.30	464,029.13	1,433.60	1P with tag and target	2990	7,101,080.69	459,712.75	878.58	Spike with tag and target
2523	7,101,134.91	461,096.38	1,120.04	1P with tag and target	2991	7,101,325.49	460,335.13	952.54	Spike with tag and target
2524	7,100,731.99	461,448.15	1,233.36	1P with tag and target	2992	7,101,325.90	460,745.65	1,011.04	Spike with tag and target
2525	7,100,306.23	460,839.14	1,204.90	1P with tag and target	2993	7,101,398.6	461,208.1	1,051.37	Spike with tag and target
2526	7,101,189.39	462,133.07	1,272.10	1P with tag and target	2994	7,100,342.85	458,217.27	768.09	Spike with tag and target
2951 HV	7,102,011.84	464,203.54	1,536.53	1P with tag near Potato Cairn	2995	7,099,954.2	458,331.1	764.75	Spike with tag and target
2952 HV	7,102,494.71	468,713.16	1,161.27	1P with tag	2996	7,099,028.1	458,339.7	750.15	Spike with tag and target
2953 HV	7,105,837.18	467,530.07	1,532.42	1P with tag	2997	7,098,446.58	458,357.98	743.51	Spike with tag and target
2954	7,094,926.43	462,229.70	1,292.71	1P with tag	2998	7,098,033.33	458,465.90	745.40	Spike with tag and target
2955 HV	7,094,930.46	462,259.60	1,292.65	1P with tag	2999	7,097,330.44	458,383.26	739.12	1P with tag
2956 HV	7,095,021.52	462,473.68	1,159.19	1P with tag	3000	7,097,287.0	458,480.8	736.4	Spike with tag and target
2957 HV	7,095,451.34	454,286.59	1,124.06	1P with tag	DH #1	7,100,793.2	458,774.6	806.0	Drill hole
2958	7,095,452.65	454,285.55	1,123.88	1P with tag	DH #3	7,100,682.5	458,774.6	814.0	Drill hole
2959 HV	7,096,968.18	450,580.18	1,068.87	1P with tag	DH #4	7,100,601.1	458,773.7	819.8	Drill hole
2960 HV	7,100,344.97	449,256.74	1,455.86	1P with tag	DH #5	7,100,558.9	458,773.4	823.9	Drill hole
2961	7,104,053.68	450,456.76	1,301.96	1P with tag	DH #6	7,100,500.5	458,783.7	827.3	Drill hole
2962	7,106,768.84	460,801.44	1,497.85	1P with tag on Haggarts Dome	DH #7	7,100,447.5	458,780.8	828.5	Drill hole
2963 HV	7,095,905.21	457,813.59	722.50	1P with tag	DH #8	7,100,375.2	458,777.7	830.1	Drill hole
2964 HV	7,096,499.20	457,999.88	723.93	1P with tag	DH #9	7,100,315.7	458,783.2	833.6	Drill hole
2965 HV	7,097,202.26	458,833.76	810.67	1P with tag					
2966 HV	7,098,457.75	457,549.44	984.58	1P with tag on Tin Dome	HAGGART CAIRN HV	7,106,765.7	460,799.3	1,497.97	Government Trig. Sta.
2967	7,101,703.25	459,238.78	1,074.86	1P with tag on Tin Dome	POTATO CAIRN	7,102,018.4	464,206.4	1,537.23	Government Trig. Sta.
2968	7,101,709.15	459,223.72	1,073.93	Lath with tag on Tin Dome	HALDANE	7,081,565.4	458,681.0	----	Government Trig. Sta.
2969 HV	7,101,705.16	459,258.95	1,072.07	1P with tag on Tin Dome					



DETAIL OF SURVEY
IN DUBLIN GULCH
AND HAGGART CREEK.

SCALE 1:20,000



BEARING DEVIATION AT THE MERIDIAN THROUGH TRIG STATION POTATO.

Additional 130+ points located on orthophoto and listed in appendix no 3

LEGEND

BEARINGS ARE UTM AND ARE DERIVED FROM TRIG POINTS POTATO AND HALDANE.

ELEVATIONS ARE GEODETIC AND ARE DERIVED FROM TRIG POINT POTATO.

DISTANCES ARE REDUCED TO SEA LEVEL DATUM.

CO-ORDINATES ARE UTM ZONE 8, CENTRAL MERIDIAN −135° AND ARE DERIVED FROM TRIG STATION POTATO.

2951 •	DENOTES SURVEY STATION
———	DENOTES HORIZONTAL AND VERTICAL ANGLES AND DISTANCE OBSERVED.
— — —	DENOTES VERTICAL ANGLE AND DISTANCE OBSERVED.
——·——	DENOTES HORIZONTAL ANGLE ONLY OBSERVED.
HV	DENOTES POINT TARGETTED AND USED AS A HORIZONTAL AND VERTICAL PHOTO CONTROL POINT.
V	DENOTES POINT TARGETTED AND USED AS A VERTICAL PHOTO CONTROL POINT.

REV NO	DATE	REVISION	DR.	CH.	APP.

CANADA TUNGSTEN LTD.

PLAN OF PHOTO CONTROL HAGGART CREEK, Y.T.

McELHANNEY SURVEYING & ENGINEERING LTD.
Vancouver, B.C.

DESIGNED R.H.	SCALES HOR: 1:50,000 VERT:
DRAWN K.M.S.	
CHECKED J.W.K.S	DATE AUGUST 16, 1978
APPROVED R.S.	JOB NO. 07465-0
CLIENT DWG. NO. MAP No. 2	MSEL DWG. NO. "A"
	REV.

SECRET CREEK

SECRET CREEK

SWEDE CREEK

SWEDE CREEK

SWEDE CREEK

HAGGART CREEK

S.A. 1-30

SWEDE 1-42

N

TUNSTEN GEOCHEMISTRY

3ppm's

6ppm's

>6ppm's

▲ J-49
2
2
∠10
10

Typical sample location with alphabetically coded sample number and analysis results.

▲ J-50
84, 166, 5600, 480
Pb(lead), Zn(zinc), Ti(titanium), Zr(zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments

● soil

■ rock

SAMPLE NUMBERS

letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES

The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS

< less than

> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS


W 4 ppm, values below detection limit reported as 2 ppm
Sn 2 ppm, values below detection limit reported as 1 ppm
Au 10 ppb, values below detection limit reported as < 10 ppb
Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY
SWEDE CLAIMS & S.A. CLAIMS
GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 FEET 833 0 833 1666

SCALE: IN METERS 1:10,000	NTS No. 105 M/13, 15 P/16
DATE: JUNE 1978	MAP No. 3
DRAWN BY:	To accompany report: SECRET CREEK
REVISED BY:	PROJECT REPORT



▲ J-49 — Typical sample location with alphabetically coded sample number and analysis results.
2
2
410
10

▲ J-50
84, 166, 5600, 480 — Pb(lead), Zn(zinc), Ti(titanium), Zr(zirconium) ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS
- ▲ stream sediments
- ● soil
- ■ rock

SAMPLE NUMBERS
letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES
The number sequence indicates element geochemical analysis in ppm as shown below
W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)
Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA 30384 - grant number

OTHER SYMBOLS
- < less than
- > more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS
W 4 ppm, values below detection limit reported as 2 ppm
Sn 2 ppm, values below detection limit reported as 1 ppm
Au 10 ppb, values below detection limit reported as < 10 ppb
Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.


1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY

SWEDE CLAIMS & S.A. CLAIMS

GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE: IN METERS 1 : 10,000	NTS No. 105 M/13, 115 P/16
DATE JUNE 1978	MAP No. 4
DRAWN BY	To accompany report: SECRET CREEK
REVISED BY	PROJECT REPORT



▲ J-49
2
2
∠10
10

Typical sample location with alphabetically coded sample number and analysis results.

▲ J-50
84, 166, 5600, 480
Pb (lead), Zn (zinc), Ti (titanium), Zr (zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments
● soil
■ rock

SAMPLE NUMBERS
letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES
The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS
< less than
> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS
W 4 ppm, values below detection ion limit reported as 2 ppm
Sn 2 ppm, values below detection ion limit reported as 1 ppm
Au 10 ppb, values below detection tion limit reported as < 10 ppb
Ag 0.2 ppm, values below detected ted limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY
SWEDE CLAIMS & S.A. CLAIMS
GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE IN METERS 1:10,000	NTS No. 105 M/13, 15 P/16
DATE JUNE 1978	MAP No. 5
DRAWN BY	To accompany report SECRET CREEK
REVISED BY	PROJECT REPORT

SECRET CREEK

SWEDE CREEK

SECRET CREEK

SWEDE CREEK

HAGGART CREEK

S.A. 1-30

SWEDE 1-42

64° 00'

135° 15'

64° 00'

135° 00'

N

SILVER GEOCHEMISTRY

.15 ppm's

20 ppm's

40 ppm's

> 40 ppm's

▲ J-49
2
2
410
10

Typical sample location with alphabetically coded sample number and analysis results. Its

▲ J-50
84, 166, 5600, 480
Pb (lead), Zn (zinc), Ti (titanium), Zr (zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments

● soil

■ rock

SAMPLE NUMBERS

letter identifies sampler.

each sampler has a complete number series.

SAMPLE VALUES

The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS

< less than

> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS

W 4 ppm, values below detection limit reported as 2 ppm

Sn 2 ppm, values below detection limit reported as 1 ppm

Au 10 ppb, values below detection limit reported as < 10 ppb

Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY

SWEDE CLAIMS & S.A. CLAIMS

GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE: IN METERS 1:10,000	NTS No.: 105 M/13, 105 P/16
DATE: JUNE 1978	MAP No. 6
DRAWN BY:	To accompany report: SECRET CREEK
REVISED BY:	PROJECT REPORT

MAP AREA (13 1:5000 maps produced and located as below

① Outline of sheet with sheet no.

LINE 1

LINE 2

LINE 3

LINE 4

LINE 5

Photo numbers

FLIGHT LINES

INDEX OF AERIAL PHOTOGRAPHY
OF
HAGGART CREEK – DUBLIN GULCH
FOR
CANADA TUNGSTEN MINING CORP LTD.
MAP No. 1

DATE OF PHOTO : 29 JULY 1978
C.F.L. : 152.66
: 1" = ± 1,000 FT.
: 1" = ± 2640 FT.

McELHANNEY SURVEYING & ENGINEERING LTD.
REF. NO. 06497-1




TABLE OF CO-ORDINATES

STATION	NORTH	EAST	ELEV.	DESCRIPTION	STATION	NORTH	EAST	ELEV.	DESCRIPTION
2501 HV	7,097,337.19	466,111.39	1,317.79	1P with tag and cairn	2970 HV	7,10[illegible]173.62	455,081.45	1,159.23	1P with tag
2502 HV	7,092,012.93	457,515.97	1,243.07	1P with tag and cairn	2971 HV	7,101,166.77	458,406.09	778.62	1P with tag
2503 HV	7,093,590.98	449,415.43	1,129.57	1P with tag	2972 HV	7,100,482.87	458,922.16	845.46	1P with tag
2504 HV	7,101,745.77	450,606.65	1,417.14	1P with tag near trig. cairn	2973 HV	7,102,050.62	460,844.74	1,227.83	1P with tag
2505 HV	7,106,603.78	449,809.22	1,089.28	1P with tag	2973 ECC	7,102,050.46	460,853.58	----	
2506 HV	7,102,652.38	458,387.90	798.30	1P with tag	2974 HV	7,101,281.27	461,783.14	1,201.65	1P with tag
2507 HV	7,099,593.12	457,782.15	926.29	1P with tag in clearing	2975 HV	7,102,468.99	462,283.20	1,288.16	1P with tag
2508	7,095,150.16	453,034.95	1,118.19	1P with tag on top of ridge	2976 HV	7,100,927.49	460,355.32	1,035.93	1P with tag
2509	7,101,280.38	461,777.45	1,201.35	1P with tag	2977 HV	7,093,031.40	452,058.38	663.70	1P with tag
2510	7,101,686.49	459,217.81	1,071.78	1P with tag	2978	7,092,920.08	452,123.96	664.08	1P with tag
2511	7,101,675.99	459,276.86	1,068.38	1P with tag	2979	----	----	691.71	1P with tag
2512	7,101,967.63	464,248.01	1,534.05	Nub with tag	2980	----	----	692.17	1P with tag
2513	7,103,147.87	465,871.57	1,379.78	1P with tag and target	2981	7,101,822.04	458,535.11	786.54	1P with tag
2514	7,102,415.82	464,931.62	1,455.76	1P with tag and target	2982	7,101,825.46	458,469.86	786.18	Nub on gravel bar
2515	7,101,330.86	464,663.15	1,396.70	1P with tag and target	2983 V	----	----	660.70	1P with tag
2516	7,100,828.08	463,932.90	1,392.39	1P with tag and target	2984	7,100,895.43	459,741.17	880.61	Spike with tag and target
2517	7,100,504.33	463,799.83	1,398.68	1P with tag and target	2985	7,100,843.17	459,541.39	867.29	Spike with tag and target
2518	7,100,101.64	463,927.21	1,292.94	1P with tag and target	2986	7,100,642.70	459,388.56	869.93	Spike with tag and target
2519	7,101,085.51	463,190.03	1,359.50	1P with tag and target	2987	7,100,559.22	459,069.06	859.25	Spike with tag and target
2520	7,100,245.52	462,073.40	1,325.68	1P with tag and target	2988	7,100,707.96	459,184.06	826.3	Spike with tag and target
2521	7,099,492.63	461,077.86	1,382.66	1P with tag and target	2989	7,100,924.19	459,293.16	840.7	Spike with tag and target
2522	7,101,719.30	464,029.13	1,433.60	1P with tag and target	2990	7,101,080.69	459,712.75	878.58	Spike with tag and target
2523	7,101,134.91	461,096.38	1,120.04	1P with tag and target	2991	7,101,325.49	460,335.13	952.54	Spike with tag and target
2524	7,100,731.99	461,448.15	1,233.36	1P with tag and target	2992	7,101,325.90	460,745.65	1,011.04	Spike with tag and target
2525	7,100,306.23	460,839.14	1,204.90	1P with tag and target	2993	7,101,398.6	461,208.1	1,051.37	Spike with tag and target
2526	7,101,189.39	462,133.07	1,272.10	1P with tag and target	2994	7,100,342.85	458,217.27	768.09	Spike with tag and target
2951 HV	7,102,011.84	464,203.54	1,536.53	1P with tag near Potato Cairn	2995	7,099,954.2	458,331.1	764.75	Spike with tag and target
2952 HV	7,102,494.71	468,713.16	1,161.27	1P with tag	2996	7,099,028.1	458,339.7	750.15	Spike with tag and target
2953 HV	7,105,837.18	467,530.07	1,532.42	1P with tag	2997	7,098,446.58	458,357.98	743.51	Spike with tag and target
2954	7,094,926.43	462,229.70	1,292.71	1P with tag	2998	7,098,033.33	458,465.90	745.40	Spike with tag and target
2955 HV	7,094,930.46	462,259.60	1,292.65	1P with tag	2999	7,097,330.44	458,383.26	739.12	1P with tag
2956 HV	7,095,021.52	462,473.68	1,159.19	1P with tag	3000	7,097,287.0	458,480.8	736.4	Spike with tag and target
2957 HV	7,095,451.34	454,286.59	1,124.06	1P with tag	DH #1	7,100,793.2	458,774.6	806.0	Drill hole
2958	7,095,452.65	454,285.55	1,123.88	1P with tag	DH #3	7,100,682.5	458,774.6	814.0	Drill hole
2959 HV	7,096,968.18	450,580.18	1,068.87	1P with tag	DH #4	7,100,601.1	458,773.7	819.8	Drill hole
2960 HV	7,100,344.97	449,256.74	1,455.86	1P with tag	DH #5	7,100,558.9	458,773.4	823.9	Drill hole
2961	7,104,053.68	450,456.76	1,301.96	1P with tag	DH #6	7,100,500.5	458,783.7	827.3	Drill hole
2962	7,106,768.84	460,801.44	1,497.85	1P with tag on Haggarts Dome	DH #7	7,100,447.5	458,780.8	828.5	Drill hole
2963 HV	7,095,905.21	457,813.59	722.50	1P with tag	DH #8	7,100,375.2	458,777.7	830.1	Drill hole
2964 HV	7,096,499.20	457,999.88	723.93	1P with tag	DH #9	7,100,315.7	458,783.2	833.6	Drill hole
2965 HV	7,097,202.26	458,833.76	810.67	1P with tag					
2966 HV	7,098,457.75	457,549.44	984.58	1P with tag on Tin Dome	HAGGART CAIRN HV	7,106,765.7	460,799.3	1,497.97	Government Trig. Sta.
2967	7,101,703.25	459,238.78	1,074.86	1P with tag on Tin Dome	POTATO CAIRN	7,102,018.4	464,206.4	1,537.23	Government Trig. Sta.
2968	7,101,709.15	459,223.72	1,073.93	Lath with tag on Tin Dome	HALDANE	7,081,565.4	458,681.0	----	Government Trig. Sta.
2969 HV	7,101,705.16	459,258.95	1,072.07	1P with tag on Tin Dome					



DETAIL OF SURVEY
IN DUBLIN GULCH
AND HAGGART CREEK.

SCALE 1:20,000



BEARING DEVIATION AT THE MERIDIAN THROUGH TRIG STATION POTATO.

Additional 130+ points located on orthophoto and listed in appendix no 3

LEGEND

BEARINGS ARE UTM AND ARE DERIVED FROM TRIG POINTS POTATO AND HALDANE.

ELEVATIONS ARE GEODETIC AND ARE DERIVED FROM TRIG POINT POTATO.

DISTANCES ARE REDUCED TO SEA LEVEL DATUM.

CO-ORDINATES ARE UTM ZONE 8, CENTRAL MERIDIAN −135° AND ARE DERIVED FROM TRIG STATION POTATO.

2951 •	DENOTES SURVEY STATION
———	DENOTES HORIZONTAL AND VERTICAL ANGLES AND DISTANCE OBSERVED.
— — —	DENOTES VERTICAL ANGLE AND DISTANCE OBSERVED.
——·——	DENOTES HORIZONTAL ANGLE ONLY OBSERVED.
HV	DENOTES POINT TARGETTED AND USED AS A HORIZONTAL AND VERTICAL PHOTO CONTROL POINT.
V	DENOTES POINT TARGETTED AND USED AS A VERTICAL PHOTO CONTROL POINT.

REV NO	DATE	REVISION	DR.	CH.	APP.

CANADA TUNGSTEN LTD.

PLAN OF PHOTO CONTROL HAGGART CREEK, Y.T.

McELHANNEY SURVEYING & ENGINEERING LTD.
Vancouver, B.C.

DESIGNED R.H.	SCALES HOR: 1:50,000 VERT:
DRAWN K.M.S.	
CHECKED J.W.K.S	DATE AUGUST 16, 1978
APPROVED R.S.	JOB NO. 07465-0
CLIENT DWG. NO. MAP No. 2	MSEL DWG. NO. "A"
	REV.

LYNX DOME

BASELINE 10+000N

JEFF 1-112

DAVE 1-24

RD 1-16

MAR 1-24

MAR 25-30

ALEC 1-60

MG ME

POTATO HILLS

Cabin Gulch

Bonanza Gulch

Lynx Creek

Skate Creek

Skarn Zone

OVERBURDEN

possible Plunging Anticline

Claims as located on recon geochemistry maps 8 & 9

45'

40'

ROCK TYPES & ABBREVIATIONS

CRETACEOUS

- 11 Mafic Dykes - Dioritic to Gabbroic
- 10 Quartz Monzonite
- 9 Aplite Dykes
- 8 Granodiorite to Granite Grc, GRN, gd
- 7 Biotite Granodiorite

YUKON GROUP PRECAMBRIAN and/or PALAEOZOIC

- Garnet Diopside Skarn
- 5 Biotite-Quartzites (Schistose) Bio. & Musc Qtzite-Qtzt
- 4 Muscovite-Quartzites (Schistose)
- Laminated Diopside Skarn
- 2 Marble
- Black Phyllitic Schists

STRUCTURE & SYMBOLS

- FAULTS - definite, indefinite
- CONTACTS - definite, indefinite
- OUTCROP - Float
- BOULDER FIELD
- BEDDING - dip (25), strike
- JOINTING, FRACTURING WITH ATTITUDE
- STREAMS
- CAT ROADS
- OLD WORKINGS - shafts
- OLD WORKINGS - adits
- AIRPHOTO TRIANGULATION SURVEY SITES

CANADA TUNGSTEN MINING CORP. LTD.

1978 DUBLIN GULCH PROJECT
MAYO MINING DISTRICT, YUKON TERRITORY

RECONNAISSANCE & DETAILED GEOLOGY

(FOR MORE DETAIL SEE 1:5000 MAP NO. 5
MAP NO. 3 (EASTERN HALF)

METRES 100 0 100 200 300 400 FEET 833 0 833 1666

SCALE IN 1:10,000	NTS No. 106 D/4 (East Half)
DATE JANUARY 1979	MAP No. 3
DRAWN BY B. LENNAN	To accompany report 1978 Dublin Gulch
REVISED BY	Project Report

HAGGART DOME 4917

JEFF 1-112

DAVE 1-24

NORTH RIDGE R.D. 1-16

B-13

Fisher Creek

Gulch

Platinum Gulch

Dublin Gulch


Creek D-56

Creek

Gulch

Gulch

Gulch


"NORTH RIDGE"
SEE RECON MAP 3 FOR DETAIL
SEE RECON MAP 7 FOR DETAILS
SEE RECON MAP 4 FOR DETAIL
SEE RECON MAP 3 FOR DETAIL
PROPOSED GRID EXTENSION 1979
PROPOSED GRID EXTENSION 1978
39+800 SKARN ZONE
39+400 SKARN ZONE
39+150 SKARN ZONE
GARNET SKARN ZONE
A
A'
LEGEND
Rock Types & Abbreviations
Mafic Rocks - Diorites & Gabbros
Quartz Monzonite
Aplite Dykes
Granodiorite to Granite — Grn. Grd. Grnt.
Biotite Granodiorite
Syenite Stockwk Veins — Syn.
Quartz - Scapolite Skarn Rock
Monzonite - Quartz Mon. (Undiffer.)
Limestone Stockwk Veins — Ls.
Marble
Black Phyllitic Sediments
Structure and Symbols
Contact (definite, indefinite)
Fault (definite, indefinite) & strike
Existing and road cuts & strike
Bedding attitudes
Foliation or fracture attitudes
Cat roads and trenches
Survey monument
Tree vegetation boundary
Angular boulder fields
Marshy areas
Pre-'78 workings, depths & dates
1978 CANEX DIAMOND DRILL HOLES
Aerial photogrophy survey lines
Prospector's claim post or stake
Mineral showing
Upper Faults & Fault Zones
A — A' Cross Section
N
SHEET INDEX
CANADA TUNGSTEN MINING CORP. LTD.
DUBLIN GULCH CLAIM AREA
YUKON TERRITORY
1978 - SURVEY LINES AND DETAILED GEOLOGY
SCALE 1" = 200'
DATE FEB. 1978
DRAWN BY R.G. YEE
REVISED BY R.G.YEE
FILE No. 1 - 7
MAP No. 2
To accompany report dated
PROJECT

A

324°

SECTION - DUBLIN GULCH (See map 5) VIEW LOOKING N. 54° E.

A'

144°

Very limited exposure of actual outcrop interpretation from float rock mapping.

Scheelite bearing skarns 0% to 2.20% WO_3 in float samples and outcrop. No cassiterite.

ELEVATION A.S.L.

1400 m.
1300 m.
1200 m.
1100 m.
1000 m.
900 m.
800 m.

NORTH RIDGE

Massive units of interbedded biotite quartzite, muscovite quartzite schist and very minor amounts of skarn.

Interbedded biotite quartzite schists muscovite quartzite schists and minor diopside skarn.

OLIVE GULCH AREA

DUBLIN CREEK

CANEX DDH

Cassiterite and scheelite bearing stockworks quartz veins trend northeastly and emanate from small stock.

Quartz Monzonite to Granodiorite

FAULT

GOLD - QTZ - ARSENOPYRITE FISSURE SYSTEM

Granodiorite

Northeasterly trending pegmatitic veins throughout intrusive stock.
2 mm to 10 cm thick
2 to 8 veins per 30 cm common scheelite specks in most veins. No cassiterite in this vein system.

Granodiorite

ELEVATION A.S.L.

1400 m.
1300 m.
1200 m.
1100 m.
1000 m.
900 m.
800 m.

LEGEND

- Quartz Monzonite
- Granodiorite
- Skarn
- Biotite and muscovite quartzite schist
- Faults and Fissures
- Diamond Drill Hole

CANADA TUNGSTEN MINING CORP. LTD.

DUBLIN GULCH

YUKON TERRITORY, MAYO MINING DISTRICT

GEOLOGIC SECTION A-A'

VIEW LOOKING N. 54° E.
SKETCH MAP FROM OVERBURDEN MAPPING - NO DRILL INFORMATION

m 0 50 100 200 300 m

SCALE IN	1 : 5000	NTS No.	106 D - 4
DATE	MARCH 1979	MAP No.	6
DRAWN BY	B. LENNAN	To accompany report	1978 DUBLIN GULCH PROJECT REPORT
REVISED BY			

Predominantly quartzitic gravels, pebbles and blocks, max. size 10 cm. Approx. coverage % 30

Brown to gray quartzite very fragmented highly oxidized, partially layered and in places includes phyllitic breccia

Light brown quartzite, highly shearred, some boulders having slickensided surfaces

Light to brown, moderately layered quartzite partially massive exposures, intercalated with black phyllitic rocks.

Light brown quartzite, moderately layered, highly weathered in places strongly twisted and disturbed fragments shows oxidized cleavage surfaces (probably of iron and manganese oxides dominating.)

Black to brown quartzitic and phyllitic gravels pebbles, blocks, highly altered zones, some brecciation

Grey to brown quartzite, intercalated with black to silvery phyllitic rock, in places strongly folded

Black and light brown quartzitic horizons represented in very irregular pattern highly twisted and friddle portions resulting from shearing process. In places contain angular boulders of 1' to 2' derived from surrounding formations.

Light colour to grey quartzite alternating with black phyllite, high grade alteration, some limonitized bands within the clayish horizons of varying colour.

Light brown quartzite, highly altered, silicified and blocky in places layered zones alternates with black phyllite

Alternating bands and pockets of black, brown and orange colour gravels, pebbles and boulders some breccication on the floor. Some fragments shows weak schistosity

Mostly brown quartzite, very fragmented in places highly sheared and contorted. Some blocks and pebbles have carbonate coating a few brecciated spots. Some portions strongly altered and weathered block fragments coverage % 10

Moderately layered block to light brown quartzite alternating, overlain by the soils made up the disintegration of these rocks through the residual process.

Mostly light brown gravels, pebbles and boulders of quartzitic origin. Coverage over all, block + phyllite pebbles up to % 40

Approx. 1 meter layered by heavy overburden of 2-3 m. in thickness, % 30 - 40 gravel coverage averaging 2-3 cm. in size, mostly light brown and quartzitic origin. Some brecciated containing angular quartz pebbles of less than 1 cm. in size for this layer.

Partially weathered quartzite and quartzite schist, brown to black in colour. Fragments up to % 40

Greyish quartzite, well layered highly contorted, mostly blocky, partially massive some oxidized intervals

Blocky, friable phyllite

Greyish to light brown quartzite fragmented, well layered significent iron oxide products on the fractured surfaces

Residual soil horizons of varying colour resulting of disintegration of black phyllitic and light brown quartzite schist

Massive light coloured quartzite with gentle silicification sporadic brecciated rocks

Blocky phyllite and greyish quartzite vertical plunging is distinctive strongly fragmented and shattered

Massive, fine grained light coloured quartzite

Mainly massive quartzite, grey in colour, fine to medium grained, includes phyllitic lenses. Some sulphide mineralization and limonitization strong weathering, plunging vertical or close to

Some irregular quartz veinlets, milky white, non-mineralization, partial brecciation phyllitic pebble, cob and boulders coverage % 30

Friable and highly altered greyish quartzite gravels, pebbles and boulders, max. size 1" to 2"

Blocky phyllite, intercalated with massive greyish quartzite some sulphide mineralization

Horizontally alternating black phyllitic rocks and light coloured quartzite, highly fragmented.

Light brown to grey quartzite and quartzitic schist exposing as pebbles, cobbles and gravels boulder coverage % 30 in places massive and well layered, shiny cleavage surfaces striking

Highly fragmented phyllitic pebbles, cobbles and boulders. Significant indications of strong metamorphism.

Old trench covered by heavy overburden of about 3'-4' in thickness. Gravel coverage approx % 30 composed of black phyllitic and light brown quartzitic fragments average size 2 to 4 cm

Quartzite and phyllitic horizons alternating Black and orange in colour. Gradual fragmentation ultimately ending up to clayish soil

Phyllitic and quartzitic boulders and pebbles alternating. Some brecciated rocks

Sporadic brecciation

Black phyllitic and light fairly layered quartzite highly fragmented pebbles, cobbles and boulders. Some have wrinkled surfaces. Coverage of black phyllitic rock % 40

Predominantly black phyllite, highly fragmented layers alternating with light brown quartzite and rarely quartz schist. In places strongly undulating layers have been reduced to clay from either kind of rock group.

Alongside the road - trench, significant alteration and weathering. Coverage of pebbles, cobbles, gravels and rare boulders % 30 mainly made up light brown colour quartzite. Approx % 20 black phyllite fragments.

Well laminated quartz, in places massive, intercalated with soft black phyllite, both very twisted and contorted

Quartzite, schist, well layered, fine grained, mostly fragmented, in places alternating with black to silver colour phyllitic rock of 1' to 2' in thickness.

Black phyllitic boulders and gravels coverage % 20

Alternating pockets of phyllitic and quartzitic fragments. Average size 2, 3, 4 cms.

Some brecciation, strongly folded brown quartzite, minor black phyllitic horizons or few quartz veins of approx. 10-15 cms thickness

Black to silvery phyllitic in places very friable and blocky, high grade folding.

Moderately altered and fragmented phyllitic and quartzitic gravels, pebbles and boulders. Coverage % 40 light brown colour quartzitic % 30 black phyllitic rocks.

Highly folded and fragmented black phyllite % 10 brown quartzite pebbles moderately altered.

Moderately weathered and altered quartzitic and phyllitic fragments. Coverage respectively % 40, % 30

Moderately weathered, strongly contorted black phyllite, fair alteration. Some brecciated spots.

Black phyllite boulders % 30
Light brown quartzite pebbles % 20

Mostly gravel, pebbles and cobbles size fragments of quartzitic and phyllitic origin. Alongside the road maximum rock coverage % 40

Medium grained brown quartzitic pebbles and black phyllitic fragments, quartzitic fragments, shows slickensided and sheared features

Poorly lineated, massive, light brown, medium grained quartzitic fragments. Some shows weak schistosity. Boulder coverage % 20. Rare brecciation.

Medium grained poorly layered quartzite fragments, in places massive and having elongated crystals. Black phyllitic rock coverage % 30. Quartzitic rock coverage % 40.

Poorly lineated, massive looking brown to grey quartzite. Some limonitized rocks and a few brecciated fragments.

Small light brown quartzite outcrops, partially massive, strongly fragmented, alternating with black phyllite. Some quartzitic pebbles and boulders show distinct kink foldings.

Whitish, highly fragmented quartz pockets with well schistosed phyllitic pebbles which makes up % 60 of the total surface gravels.

Highly fragmented black phyllitic small outcrops

Fragments of varying size of quartzitic origin, some brecciated rocks. Approx. coverage % 20.

Alternating black phyllite and light brown quartzite (in places quartzite schist), some brecciated rocks moderate alteration, strong fragmentation.

Strongly fragmented and interrelated black phyllitic and light brown quartzite (in places quartzite schist). Some brecciated pockets, moderate alteration. Coverage % 15-20 black phyllitic pebbles.

Black phyllitic pebbles coverage % 20. Brown quartzite and quartzite schist fragments coverage % 30. Sporatic brecciation, moderate alteration.

Well foliated phyllite and light brown quartzite. Black to silvery in colour vertically and horizontally oriented layers frequently mixed up. Some tourmalinization is represented by very tiny and corroded crystals. Up to % 5 brecciated fragments, high grade alteration.

Black phyllite, well foliated. Some portions of the embankment have been reduced to clay through alteration and weathering.

Small light brown quartzite outcrops, highly twisted and faulted in minor scale. Moderately altered and brecciated. Some fractures are covered by iron oxides.

Black, silvery colour phyllitic rock intercalated with lesser light brown quartzite, interesting and weathering, as a result presence of clayish zones.

A-336 ; 2,1,<10,0.1 ; 104 Cu, 50 Pb, 24 Zn, 70 As
A-315 ; 2,1,10,0.1 ; 32 Cu, 3 Mo, 38 Pb, 50 Zn
A-316 ; 2,1,<10,0.1 ; 12 Cu, 1 Mo, 8 Pb, 10 Zn, 10 As
A-317 ; 2,1,<10,0.1 ; 12 Cu, 2 Mo, 12 Pb, 10 Zn, 8 As
A-319 ; 2,1,<10,0.1 ; 4 Cu, 3 Mo, 12 Pb, 10 Zn, 8 As
A-337 ; >1000, -, - ; 78 Cu, 22 Pb, 18 Zn, 28 As
A-318 ; 2,1,<10,0.4 ; 20 Cu, 2 Mo, 20 Pb, 20 Zn, 3 As
A-314 ; 2,1,<10,0.2 ; 36 Cu, Mo, 20 Pb, 90 Zn, 3 As
A-338 ; >70, -, 04 ; 182 Cu, 8 Pb, 20 Zn, 30 As
A-313 ; 2,1,<10,0.1 ; 10 Cu, 1 Mo, 10 Pb, 10 Zn, 3 As
A-309 ; 6,-,-,0.1 ; 160 Cu, 2 Mo, 8 Pb, 20 Zn, 5 As
A-312 ; 2,2,40,0.1 ; 10 Cu, 3 Mo, 20 Pb, 20 Zn, 10 As
A-322 ; 25,10,0.1 ; 30 Cu, 3 Mo, 34 Pb, 20 Zn, 10 As
A-310 ; 2,2,<10,0.2 ; 28 Cu, 1 Mo, 14 Pb, 45 Zn, 10 As
A-311 ; 8,24,<10,0.4 ; 200 Cu, 2 Mo, 30 Pb, 55 Zn, 4 As
A-307 ; 2,10,<10,0.1 ; 32 Cu, 3 Mo, 20 Pb, 40 Zn, 36 As
A-320 ; 2,1,<10,0.2 ; 38 Cu, 3 Mo, 22 Pb, 110 Zn, 4 As
A-324 ; 2,1,<10,0.2 ; 24 Cu, 3 Mo, 12 Pb, 45 Zn, 3 As
A-323 ; 375,10,<10,0.2 ; 24 Cu, 2 Mo, 4 Pb, 45 Zn, 8 As
A-348 ; 2,2,40,0.1 ; 10 Cu, 3 Mo, 20 Pb, 20 Zn, 10 As
A-321 ; 2,2,<10,0.4 ; 36 Cu, 3 Mo, 20 Pb, 25 Zn, 82 As
A-341 ; >70, -, 04 ; 130 Cu, 32 Pb, 74 Zn, 68 As
A-340
A-339
A-335
A-343
A-344
A-345
A-346
A-347
A-351
A-349
A-350

TIN HILLS

OLD ADIT

OLD TAILINGS

ROAD CUT IN OVERBURDEN

ANN CREEK

LEGEND

Rock Types

- Black Phyllite
- Micaceous Quartzite (white to grey)
- Micaceous Quartzite (brown)

Geochemistry

A-343	Sample Number
□	Rock Sample
6,2,5,0.1	Tungsten, Tin, Gold (ppb), Silver
10 Cu, 3 Mo, 2 Pb, 20 Zn, 10 As	Copper, Moly, Lead, Zinc, Arsenic

Structure and Physical Features

- Possible Fault
- Adit
- Cat. Road
- Cat. Trench
- Outcrop
- Tailings
- Breccia
- Fragmented Rock
- Possible Geological Contact

CANADA TUNGSTEN MINING CORP. LTD.

DUBLIN GULCH PROJECT

YUKON TERRITORY-1978

TIN DOME AREA

DETAILED GEOLOGY

METRES 0 10 20 30 40 50 — FEET

SCALE IN METRES 1:1000	NTS No. 106 D-4
DATE: FEB., 1979	MAP No. 7
DRAWN BY: H. ARIK	To accompany report: 1978 DUBLIN

LYNX DOME

JEFF

MARY ANN

ALEC

MG ME

BASELINE 10+000N

Lynx Creek

Skate

Butler Gulch

Slate Creek

POTATO HILLS

4000m.

135° 45′

40′

△ A-136 2,1,<10,0.1 — Typical sample location with alphabetically coded sample number and analysis results.

SAMPLE LOCATION SYMBOLS

- △ stream sediments
- ○ soil
- □ rock

SAMPLE NUMBERS

letter identifies sampler

each sampler has a complete number series

SAMPLE VALUES

The number sequence indicates element geochemical analysis in ppm as shown below

W(ppm), Sn(ppm), Au(ppm), Ag(ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

Assay results are shown as % or Troy oz./short ton (oz./ton)

Tungsten assay are reported in WO_3%

OTHER SYMBOLS

NS	not sufficient sample for analysis
NA	no analysis for sample
—	no analysis for element
<	less than
>	greater than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS

W 4ppm, values below detection limit reported as 2 ppm

Sn 2ppm, values below detection limit reported as 1 ppm

Au 10ppb, values below detection limit reported as < 10ppb

Ag 0.2ppm, values below detection limit reported as 0.1ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 DUBLIN GULCH PROJECT
MAYO MINING DISTRICT, YUKON TERRITORY
REGIONAL STREAM GEOCHEMISTRY
TUNGSTEN, TIN, GOLD, SILVER
MAP 8 (EASTERN HALF)

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE IN: 1 : 10,000	NTS No. 106 D/4
DATE: JANUARY 1979	MAP No. 8 (EASTERN HALF)
DRAWN BY: B. LENNAN & D. LYMAN	To accompany report:
REVISED BY:	1978 DUBLIN GULCH PROJECT

HAGGART DOME
4917
Ironrust
Creek
Dublin Gulch
Haggart
Fisher Gulch
Platinum
Gulch
Stewart
Gulch
Pine Gulch
Gas
Gulch
BASELINE 10+000N
135° 55'
50'

△ A-136 2,1,<10,0.1 — Typical sample location with alphabetically coded sample number and analysis results.

SAMPLE LOCATION SYMBOLS
- △ stream sediments
- ○ soil
- □ rock

SAMPLE NUMBERS
letter identifies sampler
each sampler has a complete number series

SAMPLE VALUES
The number sequence indicates element geochemical analysis in ppm as shown below

W(ppm), Sn(ppm), Au(ppm), Ag(ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

Assay results are shown as % or Troy oz./short ton (oz./ton)

Tungsten assay are reported in WO_3%

OTHER SYMBOLS
- NS not sufficient sample for analysis
- NA no analysis for sample
- — no analysis for element
- < less than
- > greater than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS
- W 4ppm, values below detection limit reported as 2 ppm
- Sn 2ppm, values below detection limit reported as 1 ppm
- Au 10ppm, values below detection limit reported as < 10ppm
- Ag 0.2ppm, values below detection limit reported as 0.1ppm


CANADA TUNGSTEN MINING CORP. LTD.


1978 DUBLIN GULCH PROJECT
MAYO MINING DISTRICT, YUKON TERRITORY


REGIONAL STREAM GEOCHEMISTRY
TUNGSTEN, TIN, GOLD, SILVER
MAP 9 (WESTERN HALF)

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE: IN: 1: 10,000	NTS No. 106 D/4
DATE: JANUARY 1979	MAP No. 9 (WESTERN HALF)
DRAWN BY: B. LENNAN & D. LYMAN	To accompany report:
REVISED BY:	1978 DUBLIN GULCH


LEGEND
GEOCHEMICAL SAMPLING
SAMPLE LOCATIONS
STREAM SAMPLE
SOIL SAMPLE
ROCK SAMPLE
SAMPLE NUMBERS
SAMPLE ANALYSIS RESULTS
DETECTION LIMITS
SYMBOLS
TREE VEGETATION LIMITS
CUT ROADS AND TRENCHES
CONTOUR INTERVAL = 10 Metres
INDEX MAP
CANADA TUNGSTEN MINING CORP. LTD.
1978 DUBLIN GULCH DETAILED GEOCHEMISTRY
RAY GULCH GRID AND DUBLIN GULCH GRID
SCALE 1:2500
DATE FEB. 1979
DRAWN BY J. LEMAN
FIG. No. 10
RAY GULCH GRID
DUBLIN GULCH GRID
POTATOE HILLS
TUNGSTEN GEOCHEMISTRY
10 BOB
D.G.
SMOKY
R. D.
DAVE
MAR
ALEC
LOT 11
GR. 1054


POTATOE HILLS
LOT 11 OLIVE GR. 1054
TIN GEOCHEMISTRY
CONTOUR INTERVAL AT 5 ppm
YA 30097
YA 30096
YA 30115
YA 30114
YA 30009
YA 30008
LEGEND
GEOCHEMICAL SAMPLING
SAMPLE LOCATIONS
STREAM SAMPLE
SOIL SAMPLE
ROCK SAMPLE
SAMPLE NUMBERS
SAMPLE ANALYSIS RESULTS
DETECTION LIMITS
SYMBOLS
TREE VEGETATION LIMITS
CUT ROADS AND TRENCHES
CONTOUR INTERVAL = 20 Metres
CANADA TUNGSTEN MINING CORP. LTD.
1978 DUBLIN GULCH DETAILED GEOCHEMISTRY
RAY GULCH GRID AND DUBLIN GULCH GRID



LEGEND

GEOCHEMICAL SAMPLING

S-118 O — SAMPLE LOCATION WITH SAMPLE NUMBER

SAMPLE LOCATIONS

- ○ STREAM SAMPLE
- ○ SOIL SAMPLE
- ○ ROCK SAMPLE

SAMPLE NUMBERS

SAMPLES ARE DESIGNATED BY A LETTER FOLLOWED BY A SEQUENTIAL NUMBER OR LETTER INDICATES AN INDIVIDUAL SAMPLER

SAMPLE ANALYSIS RESULTS

A SUITE OF 2 ELEMENTS - GOLD IN SILVER ARE DISPLAYED IN SERIES AS SHOWN

S-118 O 10/20 — Sample Number / Au ppb (top) / Ag ppm (bottom)

DETECTION LIMITS

GOLD 10 PPB ; VALUES BELOW LIMIT SHOWN AS <10 PPB

SILVER 0.2 ; VALUES BELOW LIMIT SHOWN AS <0.2 PPM

SYMBOLS

- THICK VEGETATION LIMITS
- CUT LINES AND TRENCHES
- CONTOUR INTERVAL 100 Metres


NOTE: See Map No. 4 of For Shown In Area Geochemistry

CANADA TUNGSTEN MINING CORP. LTD.

1978 DUBLIN GULCH DETAILED GEOCHEMISTRY

RAY GULCH GRID AND DUBLIN GULCH GRID

DATE: FEB. 1978	MAP NO. 12
DRAWN: R. LEMAN	
SCALE: 1:2500	


POTATOE HILLS
SILVER GEOCHEMISTRY
CONTOUR INTERVAL AT
0.2 ppm
0.6 ppm
2.0 ppm
LEGEND
GEOCHEMICAL SAMPLING
SAMPLE LOCATIONS
STREAM SAMPLE
SOIL SAMPLE
ROCK SAMPLE
SAMPLE NUMBERS
SAMPLE ANALYSIS RESULTS
DETECTION LIMITS
SYMBOLS
TREE VEGETATION LIMITS
CUT ROADS AND TRENCHES
CONTOUR INTERVAL 100 Metres
CANADA TUNGSTEN MINING CORP. LTD.
1978 DUBLIN GULCH DETAILED GEOCHEMISTRY
RAY GULCH GRID AND DUBLIN GULCH GRID

SECRET CREEK

SECRET CREEK

SWEDE CREEK

SWEDE CREEK

SWEDE CREEK

HAGGART CREEK

S.A. 1-30

SWEDE 1-42

N

TUNSTEN GEOCHEMISTRY

3ppm's

6ppm's

>6ppm's

▲ J-49
2
2
∠10
10

Typical sample location with alphabetically coded sample number and analysis results.

▲ J-50
84, 166, 5600, 480
Pb(lead), Zn(zinc), Ti(titanium), Zr(zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments

● soil

■ rock

SAMPLE NUMBERS

letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES

The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS

< less than

> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS


W 4 ppm, values below detection limit reported as 2 ppm
Sn 2 ppm, values below detection limit reported as 1 ppm
Au 10 ppb, values below detection limit reported as < 10 ppb
Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY
SWEDE CLAIMS & S.A. CLAIMS
GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 FEET 833 0 833 1666

SCALE: IN METERS 1:10,000	NTS No. 105 M/13, 15 P/16
DATE: JUNE 1978	MAP No. 3
DRAWN BY:	To accompany report: SECRET CREEK
REVISED BY:	PROJECT REPORT



▲ J-49 — Typical sample location with alphabetically coded sample number and analysis results.
2
2
410
10

▲ J-50
84, 166, 5600, 480 — Pb(lead), Zn(zinc), Ti(titanium), Zr(zirconium) ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS
- ▲ stream sediments
- ● soil
- ■ rock

SAMPLE NUMBERS
letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES
The number sequence indicates element geochemical analysis in ppm as shown below
W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)
Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA 30384 - grant number

OTHER SYMBOLS
- < less than
- > more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS
W 4 ppm, values below detection limit reported as 2 ppm
Sn 2 ppm, values below detection limit reported as 1 ppm
Au 10 ppb, values below detection limit reported as < 10 ppb
Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.


1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY

SWEDE CLAIMS & S.A. CLAIMS

GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE: IN METERS 1 : 10,000	NTS No. 105 M/13, 115 P/16
DATE JUNE 1978	MAP No. 4
DRAWN BY	To accompany report: SECRET CREEK
REVISED BY	PROJECT REPORT



▲ J-49
2
2
∠10
10

Typical sample location with alphabetically coded sample number and analysis results.

▲ J-50
84, 166, 5600, 480
Pb (lead), Zn (zinc), Ti (titanium), Zr (zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments
● soil
■ rock

SAMPLE NUMBERS
letter identifies sampler.
each sampler has a complete number series.

SAMPLE VALUES
The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS
< less than
> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS
W 4 ppm, values below detection ion limit reported as 2 ppm
Sn 2 ppm, values below detection ion limit reported as 1 ppm
Au 10 ppb, values below detection tion limit reported as < 10 ppb
Ag 0.2 ppm, values below detected ted limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY
SWEDE CLAIMS & S.A. CLAIMS
GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE IN METERS 1:10,000	NTS No. 105 M/13, 15 P/16
DATE JUNE 1978	MAP No. 5
DRAWN BY	To accompany report SECRET CREEK
REVISED BY	PROJECT REPORT

SECRET CREEK

SWEDE CREEK

SECRET CREEK

SWEDE CREEK

HAGGART CREEK

S.A. 1-30

SWEDE 1-42

64° 00'

135° 15'

64° 00'

135° 00'

N

SILVER GEOCHEMISTRY

.15 ppm's

20 ppm's

40 ppm's

> 40 ppm's

▲ J-49
2
2
410
10

Typical sample location with alphabetically coded sample number and analysis results. Its

▲ J-50
84, 166, 5600, 480
Pb (lead), Zn (zinc), Ti (titanium), Zr (zirconium)
ppm ppm ppm ppm

SAMPLE LOCATION SYMBOLS

▲ stream sediments

● soil

■ rock

SAMPLE NUMBERS

letter identifies sampler.

each sampler has a complete number series.

SAMPLE VALUES

The number sequence indicates element geochemical analysis in ppm as shown below

W (ppm)
Sn (ppm)
Au (ppb)
Ag (ppm)

Other elements may be added to the sequence and are shown with element symbol in ppm unless otherwise noted.

S.A. & SWEDE - claim names
34 - claim number
YA30384 - grant number

OTHER SYMBOLS

< less than

> more than

DETECTION LIMITS FOR GEOLOGICAL ANALYSIS

W 4 ppm, values below detection limit reported as 2 ppm

Sn 2 ppm, values below detection limit reported as 1 ppm

Au 10 ppb, values below detection limit reported as < 10 ppb

Ag 0.2 ppm, values below detected limit reported as 0.1 ppm

CANADA TUNGSTEN MINING CORP. LTD.

1978 SECRET CREEK CLAIM AREA
MAYO MINING DISTRICT, YUKON TERRITORY

SWEDE CLAIMS & S.A. CLAIMS

GEOCHEMICAL SURVEY
SOIL and STREAM SEDIMENTS

METRES 100 0 100 200 300 400 — FEET 833 0 833 1666

SCALE: IN METERS 1:10,000	NTS No.: 105 M/13, 105 P/16
DATE: JUNE 1978	MAP No. 6
DRAWN BY:	To accompany report: SECRET CREEK
REVISED BY:	PROJECT REPORT