Government of Canada / Gouvernement du Canada

ROUND TRIP MEMORANDUM **NOTE ALLER RETOUR**

FROM *DE*: Mining Recorder - Mayo MMD

File No. (originator) — *Dossier nº (source)*

TO *À*: Supervising Mining Recorder

File No. (addressee) — *Dossier (destinataire)*

Office of the Supervising Mining Recorder
MAR 17 '80
WHITEHORSE
Yukon Territory

Subject - *Objet* DIAMOND DRILL LOGS

UNITED KENO HILL MINES LIMITED

"CH" Claims

105-M-13 - Chambers Hill Area

58 Holes - 9330 feet

Core storage - UKHM, Elsa

c.c. Geology Section

Signature R.G. Ronaghan Date 12 March 1980

Reply - *Réponse*

090724

Signature Date

1 **ADDRESSEE** / ***DESTINATAIRE*** Please add reply — Keep this copy and return No. 2 to originator. / *Ajouter la réponse — Garder cet exemplaire et renvoyer le nº 2 à la source.*

7540-21-029-0717

CGSB STANDARD FORM 59

FORMULE NORMALISÉE 59 DE L'ONGC



Schedule of Overburden Holes
Drilled on Claims "CH" 19 & 20

CLAIM NO.	HOLE NO.	DEPTH	RODS	CASING	DIP
"CH" 19	C 127	60'	25'	35'	63°
	C 128	170'	155'	15'	60°
	C 129	170'	163'	7'	63°
	C 130	170'	163'	7'	65°
	C 131	170'	158'	12'	65°
"CH" 20	C 132	160'	154'	6'	63°
	Total	900'	818'	82'	

090724

RECEIVED
11 MAR 1980
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

Schedule of Overburden Holes
Drilled on Claim "CH" 21

CLAIM NO.	HOLE NO.	DEPTH	RODS	CASING	DIP
"CH"21	C 139	200'	185'	15'	62°
	C 141	180'	162'	18'	62°
	C 142	40'	30'	10'	51°
	C 142A	45'	35'	10'	60°
	C 143	200'	190'	10'	64°
	C 144	140'	125'	15'	65°
	C 145	180'	165'	15'	65°
	C 146	60'	48'	12'	66°
	C 146A	170'	158'	12'	62°
	C 149	200'	190'	10'	65°
	C 150	100'	55'	45'	57°
	C 151	200'	190'	10'	68°
	C 152	200'	180'	20'	53°
	C 153	200'	179'	21'	60°
	C 154	155'	145'	10'	56°
	C 155	65'	27'	38'	56°
	C 156	180'	170'	10'	56°
	C 157	200'	190'	10'	65°
	C 158	200'	180'	20'	60°
	C 159	165'	152'	13'	66°
	C 160	110'	97'	13'	67°
	Total	3190'	2853'	337'	

RECEIVED
11 MAR 1980
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

Schedule of Overburden Holes

Drilled on the "CH" 27 Claim

CLAIM NO.	HOLE NO.	DEPTH	RODS	CASING	DIP
"CH" 27	C 87	120'	110'	10'	71°
	C 87A	195'	182'	13'	65°
	C 88	195'	179'	16'	62°
	C 89	200'	190'	10'	65°
	C 90	200'	175'	25'	62°
	C 91	200'	160'	40'	60°
	C 92	190'	154'	36'	61°
	C 93	60'	24'	36'	62°
	C 94	60'	20'	40'	63°
	C 95	100'	80'	20'	51°
	C 96	185'	165'	20'	65°
	C 97	200'	185'	15'	67°
	C 98	180'	170'	10'	68°
	C 99	135'	112'	23'	62°
	C100	105'	85'	20'	64°
	C100A	180'	152'	28'	65°
	C101	170'	142'	28'	65°
	C102	200'	177'	23'	62°
	C103	145'	125'	20'	68°
	C103A	200'	172'	28'	67°
	C104	180'	152'	28'	65°
	C105	200'	170'	30'	66°
	C106	70'	32'	38'	64°
	C107	200'	177'	23'	66°
	C108	170'	134'	36'	69°
	C109	60'	22'	38'	59°
	C110	50'	40'	10'	60°
	Total	4150'	3486'	664'	

Schedule of Overburden Holes
Drilled on Claim "CH"29 & "CH" 31

RECEIVED
11 MAR 1980
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

CLAIM NO.	HOLE NO.	DEPTH	RODS	CASING	DIP
"CH"29	C80	110'	70'	40'	64°
	C81	250'	217'	33'	75°
	C82	250'	235'	15'	73°
	C84	230'	215'	15'	73°
	Total	840'	737'	103'	
"CH" 31	C83	250'	225'	25'	74°

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C80

Date Drilled October 18/79 | Elevation | Bearing | Page No. 1 Of 2

Casing Depth 40' | Overburden Depth 45-50' | Length of Hole 110' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68316	80		15	+	5	+	1.5	PbCO3T	68316	41	1.3	85			
10	15	68317	90	5			5	+	1.3	ZnS2 PbCO3T	68317	43	1.0	82			
15	20	68318	85		10		5	+	1.3	ZnST PbCO3T	68318	60	1.7	130			
20	25	68319	NO SAMPLE						1.5	ZnST PbCO3T	68319	44	1.6	113			
25	30	68320	70		25		5	+	1.0	ZnST PbCO3T	68320	37	1.7	115			
30	35	68321	65	5	30			+	1.0	ZnST PbCO3T	68321	43	1.5	82			
35	40	68322	75		15		10	+	1.5	PbCO3T ZnST	68322	42	1.3	106			
40	45	68323	85	10	5			+	1.0	ZnST PbCO3T	68323	50	1.4	110			
45	50	68324	25	5	70			+	1.7	ZnST PbCO3T	68324	163	3.6	256			
50	55	68325	75	5	15		5	+	2.0	PbCO3T ZnST	68325	81	2.4	192			
55	60	68326	60		35		5	+	2.0	PbCO3T ZnST	68326	78	1.5	153			

RECEIVED 11 MAR 1980 MINING RECORDER LAND AGENT MAYO, Y.T. D.I.A. & N.D.

APPROVED MINING RECORDER

MAR 17 1980 WHITEHORSE Yukon Territory Office of the Supervising Mining Recorder

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#9

Location CN GROUP | Latitude | Departure | Hole No. C80

Date Drilled October 18/71 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 40' | Overburden Depth 45-50' | Length of Hole 110' | Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68327	65		30		5	+	1.9	PBCO3T	68327	61	1.0	110			
65	70	68328	90				10	+	2.3	PBCO3T ZNST	68328	68	.8	71			
70	75	68329	65				35	+	2.3	ZNST PBCO3T	68329	92	.9	79			
75	80	68330	75		15		10	+	4.1	ZNST PBCO3T	68330	93	.7	160			
80	85	68331	80		10		10	+	3.2	PBCO3T	68331	167	1.1	221			
85	90	68332	80		15		5	+	4.1	PBCO3T	68332	241	.6	183			
90	95	68333	75		20			+	3.2	PBCO3T	68333	368	.9	499			
95	100	68334	70		15		15	+	3.3	PBCO3T	68334	276	1.6	436			
100	105	68335	25		30		45	+		PBCO3T	68335	191	1.3	355			
105	110	68336	60	10	30			+		PBCO3T	68336	115	1.4	290			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

HF 11

Location CH GROUP | Latitude | Departure | Hole No. C 81

Date Drilled Oct 18/79 | Elevation | Bearing | Page No. 1 Of 2

Casing Depth 33' | Overburden Depth 45-50' | Length of Hole 250' | Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68267	70		T		30	+	2	$FECO_3$ T Qt 40 G.S. 15 G.Q. 20 FE_3O_4 t Lim t Py 5 ZnS 5 Grnst 5 S.S. 5	68267	42	1.8	110			
10	15	68268	80				20	+	3	S.S. 10 Grnst 5 Py 5 Qt 20 FE_3O_4 t Lim t $CACO_3$ T ZnS T $PBCO_3$ T G.Q 40	68268	58	1.6	126			
15	20	68269	80		+		20	+	2.2	G.S. 10 Qt 225 G.Q 35 Py T FE_3O_4 t Lim t $CACO_3$ T Grnst 15 ZnS t T $PBCO_3$ t	68269	53	1.7	102			
20	25	68270	90		+		10	+	2.2	Grnst 5 Py T Qt 232 S.S. 10 FE_3O_4 t Lim t $PBCO_3$ t ZnS t MnO_2 T G.S. 2 T G.Q 35	68270	37	1.5	77			
25	30	68271	85				15	+	3	Grnst 15 S.S. 10 Qt 225 FE_3O_4 t Lim t $FECO_3$ T ZnS t G.Q 30 $PBCO_3$ t G.S. 15 $PBCO_3$ t	68271	52	1.9	101			
30	35	68272	90				10	+	3.1	G.S. 10 Qt 235 G.Q. 45 FE_3O_4 t Lim t S.S. 5 Grnst 5 ZnS t $PBCO_3$ t	68272	43	1.0	108			
35	40	68273	85				15	+	3.5	Qt 240 G.Q 35 G.S. 10 FE_3O_4 t Lim t S.S. 10 Grnst 5 $PBCO_3$ t ZnS t	68273	66	1.1	162			
40	45	68274	70	5			25	+	2.5	G.S. 15 Qt 235 G.Q 30 Py T FE_3O_4 t Lim t MnO_2 15 ZnS t $PBCO_3$ t	68274	468	2.7	336			
45	50	68275	60	30			10	+	2.5	Qt 210 G.Q 75 Py T FE_3O_4 t Lim t G.S. 10 ZnS t $PBCO_3$ t	68275	79	1.0	103			
50	55	68276	50	40			10	+	2	Qt 215 G.Q. 55 ZnS t FE_3O_4 t Lim t G.S. 15 Py T $PBCO_3$ t	68276	54	1.2	222			
55	60	68277	60	30			10	+	2.5	G.S. 10 Qt 225 G.Q 65 FE_3O_4 t Lim t ZnS t $PBCO_3$ T	68277	39	1.3	147			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location CH GROUP Latitude _____ Departure _____ Hole No. C81

Date Drilled Oct 18/79 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 33' Overburden Depth 45-50' Length of Hole 250' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68278	80	20			+	+	2		68278	51	1.4	276			
65	70	68279	80	10			10	+			68279	121	1.6	139			
70	75	68280	70	5	5		20	+			68280	64	1.2	137			
75	80	68281	70	+			30	+			68281	34	.8	78			
80	85	68282	50	10			40	+			68282	39	1.1	114			
85	90	68283	60	30			10	+			68283	41	1.0	97			
90	95	68284	50	40			10	+			68284	36	.9	142			
95	100	68285	90	+			10	+		$PbCO_3$ +	68285	34	1.1	160			
100	105	68286	10	20	20		50	+		$PbCO_3$ +	68286	45	1.0	164			
105	110	68287		80	10		10	+		$PbCO_3$ +	68287	41	1.4	120			
110	115	68288		100			+	+		$PbCO_3$ +	68288	47	1.1	111			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location CH GROUP Latitude _____ Departure _____ Hole No. C81

Date Drilled Oct 18/74 Elevation _____ Bearing _____ Page No. 3 Of 5

Casing Depth 33' Overburden Depth 45-50' Length of Hole 250' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	68289		90			10	+	4	Lim + Py + PbCO3 +	68289	40	1.2	98			
120	125	68290	10	80			10	+	5	PbCO3 + Lim + Py	68290	41	1.1	113			
125	130	68291		80	20		+	+	4	Lim + Py + PbCO3 +	68291	34	1.2	105			
130	135	68292		60	40		+	+	4.5	Lim + Py + PbCO3 +	68292	33	.9	98			
135	140	68293		70	20		10	+	3.5	Lim + Py + PbCO3 +	68293	38	1.1	106			
140	145	68294		70	30		+	+	3	Lim + Py + PbCO3 +	68294	37	1.7	115			
145	150	68295		80	10		10	+	4.3	Lim + Py + PbCO3 +	68295	33	1.5	88			
150	155	68296		80	20		+	+	3.4	PbCO3 + Lim + Py	68296	35	1.3	79			
155	160	68297		100	+		+	+	4	PbCO3 + Lim + Py	68297	37	2.4	101			
160	165	68298		80	10		10	+	4.5	PbCO3 + Lim + Py	68298	62	1.8	106			
165	170	68299		100			+	+	4.5	PbCO3 + Lim + Py	68299	39	1.7	104			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location CH GROUP Latitude _____ Departure _____ Hole No. C81

Date Drilled Oct 18/79 Elevation _____ Bearing _____ Page No. 4 Of 2

Casing Depth 33' Overburden Depth 45-50' Length of Hole 250' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68300		95			5	+	4.0		68300	43	1.4	115			
175	180	68301		100	+		+	+	4.7		68301	37	1.2	98			
180	185	68302		100				+	3.0		68302	40	1.3	92			
185	190	68303		100				+	3.0		68303	45	1.2	124			
190	195	68304		100				+	10		68304	41	4.3	101			
195	200	68305		100	+		+	+	4		68305	40	1.1	103			
200	205	68306		100			+	+	4.1		68306	47	1.6	102			
205	210	68307		100	+		+	+	7		68307	44	1.1	109			
210	215	68308		30	70		+	+	4		68308	38	4.0	101			
215	220	68309		10	80		10	+	2		68309	46	1.1	116			
220	225	68310			70		30	+	3		68310	31	.8	100			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location CH GROUP Latitude _____ Departure _____ Hole No. C81

Date Drilled Oct 18/79 Elevation _____ Bearing _____ Page No. 5 Of 5

Casing Depth 33' Overburden Depth 45-50' Length of Hole 250' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
225	230	68311		20	70		10	T	2	Py 10 PbCO3 T	68311	38	1.0	94			
230	235	68312			70	20	10	T	2	Py 10 PbCO3 T	68312	37	.7	87			
235	240	68313			80	10	10	T	2	Py 10 PbCO3 T	68313	34	1.0	103			
240	245	68314		10	70	10	10	T	3.2	Py 10 PbCO3 T Fe3O4 T	68314	40	1.6	127			
245	250	68315		90			10	T	3.2	Py 10 PbCO3 T	68315	35	1.0	89			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 17/79 | Elevation | Bearing | Page No. 1 Of 5

Casing Depth 15' | Overburden Depth 20-25' | Length of Hole 250' | Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	6-5218	10	10			5	T	2.1	GQ 35 GS. 5 Grnst. 5 Qtz 55 S.S. T LIM T Py T Fe3O4 T MnO2 T Fe2O3 T	6-5218	35	1.4	109			
10	15	6-5219	20	20			20	T	3.3	Qtz. 50 GQ 40 GS. T Grnst 10 LIM T Fe3O4 T Fe3O4 T Py T	6-5219	34	1.6	116			
15	20	6-5220	10		10		10	T	2.0	GQ 50 Grnst. 20 Qtz 25 LIM T S.S. 5 Py T Fe3O4 T MnO2 T	6-5220	49	2.0	140			
20	25	6-5221	55	10	25		10	T	1.7	GQ 70 Grnst. 10 Qtz 20 S.S. T LIM T Py T Fe3O4 T Fe2O3 T	6-5221	37	1.1	131			
25	30	6-5222	75	10	10		5	T	2.8	GQ 75 CaCO3 T Qtz 25 Grnst. T LIM T ZnS T MnO2 T	6-5222	30	1.4	154			
30	35	6-5223	65	T	25	5	5	T	1.0	GQ 55 Grnst 20 Qtz 25 S.S. T LIM T ZnS T MnO2 T Py T Fe3O4 T	6-5223	38	1.2	128			
35	40	6-5224	60		35			T	1.0	Qtz 60 SS. 40 LIM T Py T Fe3O4 T Pbs T ZnS T	6-5224	32	1.7	111			
40	45	6-5225	55	5	15		25	T	3.2	Qtz 80 SS. 20 LIM T GQ T Py T Fe3O4 T GS T Py T MnO2 T	6-5225	33	1.4	132			
45	50	6-5226	60	T	40		T	T	4.2	Qtz. 70 SS. 30 GS. T GQ T Py T Fe3O4 T	6-5226	35	1.0	130			
50	55	6-5227	50	5	45				2.4	Qtz 75 S.S. 25 LIM T Grnst. T GS. T Py T Fe3O4 T	6-5227	34	1.4	69			
55	60	6-5228	75		25				2.0	Qtz 55 SS 45 GQ T GS. T LIM T Py T Fe3O4 T MnO2 T Grnst. T	6-5228	27	1.2	95			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 17/79 | Elevation | Bearing | Page No. 2 Of 5

Casing Depth 15' | Overburden Depth 20-25' | Length of Hole 250' | Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	[illegible]	68229	25		35			T	2.5	Qtz 65 S.S. 35 QQT FeCo3 T GS T LIM T Py T Fe3O4 T Grnst. T	68229	31	1.0	93			
[illegible]	[illegible]	68230	[illegible]		45			T	2.0	Qtz 53 S.S 45 FeCo3 2 LIM T ZNS T PbS T MNO2 T Fe3O4 T Grnst. T	68230	36	1.1	68			
[illegible]	[illegible]	68231	50		45		5	T	1.0	Qtz S.S. 25 Py 5 FeCo3 5 LIM T MNO2 T PbS T Grnst T	68231	33	1.6	104			
[illegible]	[illegible]	68232	55		45			T	2.0	Qtz 60 S.S. 35 Py 5 FeCo3 T LIM T PbS T Grnst. T	68232	25	1.3	68			
[illegible]	[illegible]	68233	65		35			T	2.0	Qtz 60 S.S. 35 Py 5 FeCo3 T LIM. T Grnst. T	68233	37	1.3	96			
[illegible]	[illegible]	68234	65		35			T	2.5	Qtz 65 S.S 35 FeCo3 T LIM. T Grnst. T	68234	36	1.0	78			
[illegible]	[illegible]	68235	70		30			T	2.0	Qtz 75 S.S. 25 LIM T Py T Grnst. T FeCo3 T	68235	34	1.2	96			
[illegible]	[illegible]	68236	65		35			T	1.9	Qtz. 50 S.S 45 Py 5 LIM T MNO2 T PbS T Grnst. T FeCo3 T	68236	35	1.6	112			
[illegible]	[illegible]	68237	45		50		5	T	2.5	Qtz 53 S.S 45 Py 2 FeCo3 T LIM. T GS T Grnst. T	68237	50	1.5	88			
[illegible]	[illegible]	68238	65		35			T	2.2	Qtz 54 S.S 45 FeCo3 1 ZNS T PbS T MNO2 T LIM. T Grnst. T	68238	36	1.3	121			
[illegible]	[illegible]	68239	55		45			T	2.0	Qtz 50 S.S 45 Py 5 LIM. T FeCo3 T Grnst T	68239	34	1.2	97			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location _____ Latitude _____ Departure _____ Hole No. C 82

Date Drilled Oct 17/79 Elevation _____ Bearing _____ Page No. 3 Of 5

Casing Depth 15' Overburden Depth 20-25' Length of Hole 250' Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	61241	50		50			T	1.1	Qtz. 50 SS 40 Py 10 Lim. T Grnst. T FeCo3T Pbs. T	61240	36	1.7	102			
120	125	61241	50		45		5	T	1.0	Qtz. SS 35 Py 5 Lim. T FeCo3T Pbs. T	61241	41	1.4	115			
125	130	61242	60		35		5	T	1.9	Qtz 55 S.S. 30 Py 15 Lim. T Pbs. T FeCo3T	61242	43	1.5	123			
130	135	61243	50	5	35	T	10	T	2.7	Qtz. 55 S.S. 15 GQ 25 GS. 5 Lim. T MnO2 T Pbs. T	61243	28	1.3	95			
135	140	61244	45	30	25			T	2.5	Qtz 25 GS 30 Py 35 SS. 10 Lim. T	61244	34	1.5	102			
140	145	61245	5	95				T	2.6	Qtz 20 GS 50 Py 30 Lim. T S.S T	61245	42	2.0	118			
145	150	61246		90			10	T	2.3	Py 30 GS. 30 Qtz 30 GQ. 10 Lim. T	61246	35	1.8	116			
150	155	61247		90			10	T	1.7	GS 30 GQ 20 Py 25 Qtz 25 Lim. T FeCo3T	61247	46	1.4	110			
155	160	61248		100				T	1.5	GQ 20 FE_3O_4T Py GQ Qtz 10 G.S. 10	61248	45	1.8	116			
160	165	61249		95	T		5	T	1.4	Qtz 25 GQ 25 FE_3O_4T Py 25 G.S. 15	61249	44	1.4	94			
165	170	61250	60	10	30			T	1	GS 10 GQ 20 FE_3O_4T Py 35 Qtz 35	61250	32	1.5	116			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location _____ Latitude _____ Departure _____ Hole No. _____

Date Drilled Oct 17/29 Elevation _____ Bearing _____ Page No. 4 Of _____

Casing Depth 15' Overburden Depth 20-25' Length of Hole 250' Dip -73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68251	60	15	25			1	1	C.S.10 Q.T.20 G.Q.20 FE_3O_4 † Py 35 $CuFES_2$ 15	68251	54	1.3	109			
175	180	68252	50	5	45			1	1	Q.T.25 G.Q.10 C.S.15 FE_3O_4 † Py 35 $CuFES_2$ 15	68252	37	1.2	110			
180	185	68253	45		55			1	1	Q.T.25 S.S.15 G.Q.30 FE_3O_4 † Py 25 $CACO_3$ † C.S.25	68253	39	1.3	109			
185	190	68254	25	15	60			1	1.2	C.S.15 Q.T.30 G.Q.15 FE_3O_4 † Py 35 $CuFES_2$ 5 $CACO_3$ †	68254	54	1.0	103			
190	195	68255	30	35	35			1	2.6	Q.T.15 C.S.25 G.Q.10 FE_3O_4 † Py 35 $CuFES_2$ 5	68255	50	1.5	111			
195	200	68256		95			5	1	2.7	Q.T.15 G.Q.20 C.S.10 $CACO_3$ † $PBCO_3$ † Py 30 C.S.25	68256	46	1.6	99			
200	205	68257		100				1	1.5	G.Q.50 $CACO_3$ † FE_3O_4 † $PBCO_3$ † Py 35 C.S.5 Q.T.10	68257	40	1.5	116			
205	210	68258		100				1	1.1	Q.T.10 $CACO_3$ 5 G.Q.50 Py 25 FE_3O_4 † C.S.10 $PBCO_3$ †	68258	41	1.4	89			
210	215	68259		95			5	1	1.2	Q.T.15 G.Q.35 $CACO_3$ 5 Py 35 FE_3O_4 † C.S.10 $PBCO_3$ †	68259	36	1.5	96			
215	220	68260		100				1	2	Q.T.15 G.Q.35 C.S.5 FE_3O_4 † Py 40 $CACO_3$ † $PBCO_3$ †	68260	38	1.6	109			
220	225	68261		100				1	2	C.S.10 G.Q.30 $CuFES_2$ 10 FE_3O_4 † Py 35 Q.T.15 $PBCO_3$ †	68261	39	1.4	107			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled Oct 27/79 Elevation _____ Bearing _____ Page No. 5 Of _____

Casing Depth 15' Overburden Depth 20-25' Length of Hole 250' Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
225	230	68262		100				1	2	G.S. 10 Q.T 2 10 C.O. 50 Py 20 $CuFeS_2$ 10 FE_3O_4 T $CACO_3$ T $PBCO_3$ T	68262	35	1.4	88			
230	235	68263		100				1	2	Q.T 2 10 C.O. 45 $CACO_3$ T G.S 10 Py 30 $CuFeS_2$ 5 $PBCO_3$ T	68263	37	1.3	100			
235	240	68264		85	15			1	2	Q.T 2 20 C.O. 40 $PBCO_3$ T Py 25 $CuFeS_2$ 5 G.S 10 $CACO_3$ T	68264	50	1.7	154			
240	245	68265	40	25	35			1	2	Q.T 2 20 C.O. 40 Py 10 $CuFeS_2$ 5 G.S. 25 $PBCO_3$ T $CACO_3$ T	68265	46	1.0	157			
245	250	68266	45	15	40			1	1.8	$CuFeS_2$ T $CACO_3$ T Q.T 2 25 FE_3O_4 T G.S. 5 Py 15 $PBCO_3$ T C.O. 55	68266	84	1.5	261			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG #46

Location CH GROUP | Latitude | Departure | Hole No. C 83

Date Drilled Oct 16/79 | Elevation | Bearing | Page No. 1 Of 5

Casing Depth 25' | Overburden Depth 25-30' | Length of Hole 250' | Dip 74°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68169	70			10	20	T	2.6	Py 2⁻ $FeCO_3$ 20 Qtz 25⁻ G 30 Fe_3O_4 T ZnS 2⁻ S.S. 10 G.S. 5⁻ $CaCO_3$ T $PbCO_3$ T	68169	107	2.0	101			
10	15	68170	70			T	30	T	2.6	S.S. 5⁻ Grnst 5⁻ $FeCO_3$ 2⁻ Py 3 Lim T Fe_3O_4 T ZnS 2 G.S. 10 Qtz 25⁻ G 45 $PbCO_3$ T	68170	141	5.1	114			
15	20	68171	90	T	T		10	T	2	G.S. 15⁻ $FeCO_3$ 5⁻ S.S. 15⁻ G.S 15⁻ Lim T Fe_3O_4 T $PbCO_3$ 3 $PbSO_4$ 2 Qtz 25⁻ G 20 ZnS T	68171	104	2.2	95			
20	25	68172	80		T	T	20	T	2.1	Grnst 5⁻ Qtz 15⁻ G 15⁻ Lim T Fe_3O_4 T S.S. 25⁻ ZnS T $FeCO_3$ 5⁻ G.S. 5⁻ $PbCO_3$ T	68172	88	1.6	120			
25	30	68173	80		5	5	10	T	1.5⁻	Grnst 10 Qtz 10 $FeCO_3$ 5⁻ Lim T Fe_3O_4 T Py 10 S.S. 55⁻ $PbCO_3$ T G 20	68173	109	1.7	88			
30	35	68174	50		30		20	T	1.5⁻	Qtz 25⁻ G 10 $FeCO_3$ 5⁻ Lim T Fe_3O_4 T Py 15⁻ S.S. 45⁻ $PbCO_3$ T	68174	122	1.4	156			
35	40	68175	50		40	T	10	T	2.1	Grnst 5⁻ Qtz 25⁻ G 25⁻ Lim T Fe_3O_4 T Py 10 S.S. 35⁻ $FeCO_3$ T $PbCO_3$ T	68175	147	1.6	107			
40	45	68176	60		10	T	30	T	2.1	Qtz 20 Py 2⁻ $FeCO_3$ 5⁻ Lim T Fe_3O_4 T S.S. 5⁻ G 5⁻ $PbCO_3$ T Grnst 10	68176	138	1.9	144			
45	50	68177	40		50		10	T	3.1	Qtz 25⁻ G 15⁻ Grnst 5⁻ Lim T Fe_3O_4 T Py 15⁻ S.S. 35⁻ $PbCO_3$ T $FeCO_3$ 2⁻	68177	132	1.3	100			
50	55	68178	10		40		50	T	1.8	Grnst 5⁻ Qtz 15⁻ G 25⁻ Lim T Fe_3O_4 T Py 10 S.S. 40⁻ $PbCO_3$ T	68178	116	1.5	91			
55	60	68179	20		30	10	40	T	3	Grnst 5 $FeCO_3$ 5⁻ Qtz 15⁻ Lim T Fe_3O_4 T Py 2⁻ S.S. 40⁻ G 25⁻ $PbCO_3$ T	68179	373	3.4	95			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 83

Date Drilled Oct 16/79 Elevation _____ Bearing _____ Page No. 2 Of 5

Casing Depth 25' Overburden Depth 25-30' Length of Hole 250' Dip 74°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68180	35		50	5	10	T	2	Py10 Limt FE_3O_4t S.S.55 PBCO3T Qt25 10 G.Q.20 Grnst5	68180	174	2.2	103			
65	70	68181	55		10	5	30	T	1.5	Py5 Limt FE_3O_4t S.S.45 PBCO3T Qt225 G.Q.20 FECO3 5	68181	130	1.6	100			
70	75	68182	70		5	5	20	T	2.5	FECO3 10 Qt225 G.Q.15 Py15 Limt FE_3O_4t S.S.35 PBCO3T	68182	234	15.5	174			
75	80	68183	70		T	T	30	T	3.6	FECO3 10 Qt225 G.Q.20 Limt FE_3O_4t Py15 S.S.25 Grnst5 PBCO3T ZnST	68183	154	1.8	113			
80	85	68184			30	40	30	T	2.5	G.Q.35 Qt225 FECO3 5 Limt FE_3O_4t Py15 S.2.20 CACO3T PBCO3T ZnST	68184	142	2.1	91			
85	90	68185	10		60	10	20	T	2	G.Q.20 Qt225 S.S.25 Limt FE_3O_4t Py15 Grnst15 CACO3T PBCO3T	68185	120	1.4	94			
90	95	68186			70		30	T	3	FECO3 5 Qt225 Grnst15 Limt FE_3O_4t Py10 S.S.35 PBCO3T G.Q.10 CACO3T	68186	55	2.8	58			
95	100	68187			90		10	T	2.8	FECO3 5 Qt215 G.Q.25 Limt FE_3O_4t Py10 S.S.45 PBCO3T CACO3T	68187	81	2.4	69			
100	105	68188			80		20	T	3.1	Qt225 G.Q.15 Grnst5 Limt FE_3O_4t Py15 S.S.35 PBCO3T FECO3 5 ZnST	68188	54	3.3	115			
105	110	68189	20		70		10	T	3	FECO3 5 Qt220 Grnst5 Limt FE_3O_4t Py25 S.S.35 PBCO3T ZnST G.Q.10	68189	64	1.6	110			
110	115	68190	20		40	10	30	T	3.2	Py10 Qt215 FECO3 15 Limt FE_3O_4t S.S.45 G.Q.15 ZnST PBCO3T	68190	47	1.2	73			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C83

Date Drilled Oct 16/79 | Elevation | Bearing | Page No. 3 Of 5

Casing Depth 25' | Overburden Depth 25-30' | Length of Hole 250' | Dip 74°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	68191			80	10	10	T	3.1	Grnst 5 Qtz 20 G.Q. 20 FE$_3$O$_4$ t Limt t Py 1/2 S.S. 35 CaCO$_3$ 5 PbCO$_3$ T	68191	39	1.0	66			
120	125	68192			70		30	T	3.8	Qtz 25 CaCO$_3$ 5 Grnst 5 FE$_3$O$_4$ t Limt t Py 5 S.S. 45 G.Q. 5 PbCO$_3$ T	68192	33	1.4	42			
125	130	68193			80		20	T	3	Qtz 15 G.Q. 40 Grnst 5 FE$_3$O$_4$ t Limt S.S. 35 Py 5 CaCO$_3$ T PbCO$_3$ T	68193	34	.9	95			
130	135	68194			90		10	T	3.2	Qtz 30 G.Q. 10 CaCO$_3$ 5 FE$_3$O$_4$ t Limt S.S. 45 Grnst 5 Py 5 PbCO$_3$ T	68194	48	1.2	79			
135	140	68195			80		20	T	3	Qtz 15 G.Q. 30 PbCO$_3$ T Limt FE$_3$O$_4$ t Py 10 S.S. 55	68195	46	1.0	97			
140	145	68196			95		5	T	2.1	Grnst 5 Qtz 20 G.Q. 5 Limt FE$_3$O$_4$ t Py 15 S.S. 55 PbCO$_3$ T PbSO$_4$ T	68196	18	1.3	53			
145	150	68197	10	T	85		5	T	2.1	Py 5 Grnst 5 G.Q. 30 Limt FE$_3$O$_4$ t S.S. 45 Qtz 12 PbCO$_3$ T PbSO$_4$ T	68197	40	1.5	57			
150	155	68198	5		95	T	T	T	2.5	FeCO$_3$ 5 Grnst 1/2 Qtz 20 Limt FE$_3$O$_4$ t S.S. 35 Py 5 G.S. t CaCO$_3$ 5 G.Q. 15 PbCO$_3$ T	68198	19	1.3	59			
155	160	68199			85	T	15	T	2	Qtz 25 G.Q. 25 S.S. 25 Limt FE$_3$O$_4$ t Py 10 FeCO$_3$ 5 CaCO$_3$ 5 PbCO$_3$ T Grnst 5	68199	17	1.2	89			
160	165	68200			70	10	20	T	2	Qtz 25 G.Q. 15 S.S. 35 Limt FE$_3$O$_4$ T Py 20 FeCO$_3$ 5 Grnst t PbCO$_3$ t	68200	92	1.4	92			
165	170	68201			100		T	T	3.2	S.S. 35 Grnst 5 Qtz 25 Limt FE$_3$O$_4$ t Py 15 FeCO$_3$ 5 G.Q. 10 CaCO$_3$ 5 PbCO$_3$ T	68201	46	1.3	57			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 83

Date Drilled Oct 16/79 | Elevation | Bearing | Page No. 4 Of 5

Casing Depth 25' | Overburden Depth 25-30' | Length of Hole 250' | Dip 74°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68202	20		70	T	10	T	2	Grnst 5 C.O.25 Qtz 25 Limt FE_3O_4 T Py 10 S.S. 45 $PBCO_3$ T	68202	38	1.1	99			
175	180	68203			100	T	T	T	2.6	C.O.25 S.S. 45 Grnst 5 Limt FE_3O_4 T Py 5 Qtz 15 $PBCO_3$ T $CACO_3$ 5	68203	27	1.2	62			
180	185	68204			90	T	10	T	4.3	S.S. 45 Grnst 5 Qtz 15 Limt FE_3O_4 T Py 5 $CACO_3$ 5 $PBCO_3$ T C.O.25	68204	16	1.0	75			
185	190	68205			100		T	T	2.5	Grnst 5 $FECO_3$ 5 Qtz 35 Limt FE_3O_4 T Py 10 S.S. 35 $CACO_3$ 10 $PBCO_3$ T	68205	14	1.4	74			
190	195	68206			80		20	T	3.5	Grnst 5 Qtz 15 C.O.20 Limt FE_3O_4 T Py 15 S.S. 35 $PBCO_3$ T $FECO_3$ 10	68206	10	1.2	151			
195	200	68207			50	40	10	T	6.1	Qtz 10 C.O.15 Limt FE_3O_4 T Py 65 S.S. 10 $PBCO_3$ T	68207	19	1.4	129			
200	205	68208			70	10	20	T	7	C.O.20 C.S.10 $PBCO_3$ T Limt FE_3O_4 T Py 65 Qtz 5	68208	21	1.8	118			
205	210	68209			50	40	10	T	3.6	C.S.5 C.O.15 Qtz 25 Limt FE_3O_4 T $PBCO_3$ T Py 5	68209	25	1.4	117			
210	215	68210			65	20	15	T	4.1	C.O.20 C.S.10 Py 60 Limt FE_3O_4 T $PBCO_3$ T Qtz 10	68210	31	1.9	156			
215	220	68211			80	5	15	T	5.1	Qtz 20 C.S. 5 C.O.10 Limt FE_3O_4 T $PBCO_3$ T Py 65	68211	32	1.6	153			
220	225	68212			85	10	5	T	2.5	C.S.5 Qtz 10 C.O.50 Limt FE_3O_4 T $PBCO_3$ T Py 35	68212	34	1.8	125			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 83

Date Drilled Oct 16/79 Elevation _____ Bearing _____ Page No. 5 Of 5

Casing Depth 25' Overburden Depth 25-30' Length of Hole 250' Dip 74°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
225	230	68213		60	40		T	T	5.2	Py 35 Qtz 15 G.Q. 40 Lim FE_3O_4 T G.S. 10 $PBCO_3$ T	68213	55	9.6	106			
230	235	68214		80	20		T	T	3.2	Py 5 Qtz 15 G.Q. 15 Lim FE_3O_4 T G.S. 15 $PBCO_3$ T	68214	54	2.2	111			
235	240	68215		70	30		T	T	2	Qtz 10 G.Q. 40 Py 35 Lim FE_3O_4 T G.S. 15 $PBCO_3$ T	68215	49	1.8	120			
240	245	68216		10	90		T	T	3.8	Qtz 30 G.Q. 20 Py 30 Lim FE_3O_4 T G.S. 10 S.S. 10 $PBCO_3$ T	68216	34	1.6	152			
245	250	68217		60	40		T	T	5.1	Py 40 Qtz 10 G.Q. 40 Lim FE_3O_4 T G.S. 10 $PBCO_3$ T	68217	36	1.8	120			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG #128

Location CH GROUP Latitude _____ Departure _____ Hole No. C 84

Date Drilled Oct 16/79 Elevation _____ Bearing _____ Page No. 1 Of 5

Casing Depth 15' Overburden Depth 25' Length of Hole 230' Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68124	50	T		20	30	T	4.0	GQ 50 Grnst 20 Qtz 30 Lim T GS T SS T Py T Fe2O3 T ZnS T Fe3O4 T	68124	100	1.5	73			
10	15	68125	50			40	10	T	2.0	GQ 35 Grnst 40 Qtz 25 Lim T Fe3O4 T Fe2O3 T Py T S.S. T	68125	81	1.4	54			
15	20	68126	50	10	T	10	30	T	2.8	Grnst 40 Qtz 30 GQ 25 GS. 5 Fe2O3 T Lim T Py T Fe3O4 T ZnS T	68126	63	1.3	166			
20	25	68127	60	T	T	T	40	T	2.0	Grnst 30 GQ 25 Qtz 25 Lim T S.S. T Fe2O3 T Py T Pbs T	68127	91	1.3	184			
25	30	68128	50		30	10	10	T	2.2	Qtz 40 GQ 35 Grnst 10 S.S. 15 GS T Lim. T Fe2O3 T MnO2 T Py T Fe3O4 T	68128	85	.9	165			
30	35	68129	25	5	50	10	10	T	2.0	S.S. 35 Qtz 25 Grnst 10 GQ 29 Py 1 MnO2 T Lim T GS T Pbs T Fe3O4 T	68129	91	1.4	178			
35	40	68130	5	T	70	5	20	T	2.5	S.S. 60 Qtz 35 Py 5 Lim. T GQ T GS T FeCO3 T	68130	83	1.5	127			
40	45	68131			80	T	20	T	2.0	S.S. 45 Qtz 30 Py 5 Grnst. T Lim. T ZnS T Pbs T GQ T GS. T	68131	76	1.1	113			
45	50	68132	T		90	T	10	T	2.0	Qtz. 55 S.S. 35 Grnst 5 Py 5 FeCO3 T GQ T GS. T Lim. T	68132	52	2.1	63			
50	55	68133			100		T	T	2.0	S.S. 60 Qtz 35 FeCO3 T Grnst. T Lim T Py 5 Pbs T ZnS T	68133	40	2.0	52			
55	60	68134			100	T	T	T	4.6	S.S. 50 Qtz 49 Py 1 Lim T FeCO3 T MnO2 T	68134	46	1.7	65			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C84

Date Drilled Oct 16/79 Elevation _____ Bearing _____ Page No. 2 Of 5

Casing Depth 15' Overburden Depth 25' Length of Hole 230' Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68135			90	T	10	T	3.3	S.S. 90 Qtz 10 Grnst. T Lim. T pbs T	68135	66	1.9	50			
65	70	68136			80	T	20	T	4.2	SS. 70 Qtz 25 Py 5 Lim. T pbs T ZNS T	68136	64	2.2	46			
70	75	68137			100		T	T	2.0	S.S. 50 Qtz 50 Py T Lim. T pbs T ZNS T	68137	33	1.5	64			
75	80	68138			70	T	30	T	2.0	Qtz 70 S.S. 30 Py T Lim. T pbs T MnO2 T Grnst. T	68138	74	1.7	59			
80	85	68139			90	T	10	T	2.0	S.S. 65 Qtz 30 Py 5 Lim. T pbs T Grnst T	68139	32	1.3	26			
85	90	68140			80		20	T	3.3	S.S. 75 Qtz 20 Py 5 Lim. T pbs T ZNS T Grnst. T	68140	54	1.6	38			
90	95	68141			100	T	T	T	2.0	S.S. 73 Qtz 25 Py 2 Lim. T pbs T Grnst. T	68141	67	1.8	40			
95	100	68142	5		80	T	15	T	2.1	SS. 60 Qtz 35 Py 5 Lim. T pbs T ZNST Grnst. T	68142	72	1.9	33			
100	105	68143			100	T	T	T	2.0	SS. 50 Qtz 45 Py 5 Lim. T pbs T Grnst. T	68143	46	1.5	27			
105	110	68144			90	T	10	T	2.2	Qtz 59 SS 40 Py 1 Lim. T pbs T Grnst. T	68144	51	1.9	30			
110	115	68145			100		T	T	2.3	Qtz 45 SS 54 Py 1 Lim T pbs T	68145	66	2.5	25			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 84

Date Drilled Oct 16/79 | Elevation | Bearing | Page No. 3 Of 5

Casing Depth 15' | Overburden Depth 25' | Length of Hole 230' | Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	68146			90		10	T	1.4	SS. 54 Py 1 Qtz. 40 MnO2 T Grnst. T Lim T Pbs T	68146	62	1.5	44			
120	125	68147			95		5	T	1.3	SS. 74 Qtz 25 Py 1 Lim. T Pbs T	68147	49	1.8	43			
125	130	68148	5		90	T	5	T	1.5	Qtz 45 S.S. 52 Py 3 FeCo3 T Pbs T Grnst. T Lim. T	68148	89	5.6	71			
130	135	68149			100		T	T	2.2	SS 80 Pbs T Qtz. 15 Lim T Py 5 Grnst. T	68149	52	2.0	69			
135	140	68150	10		80		10	T	2.0	SS. 64 MnO2 T Qtz. 25 PbCo3 T FeCo3 T Py 1 Pbs. T Lim. T Grnst. T	68150	84	2.4	54			
140	145	68151	T		70		30	T	1.2	SS 70 MnO2 T Qtz 30 Py T Pbs T PbCo3 T Grnst. T Lim. T FeCo3 T	68151	76	1.4	57			
145	150	68152			80		20	T	2.4	S.S. 74 Qtz 25 Py 1 Lim. T FeCo3 T Pbs T Grnst. T	68152	58	1.6	54			
150	155	68153	10		80	T	10	T	1.0	SS. 55 Qtz 45 Py T Lim. T MnO2 T Pbs T FeCo3 T	68153	66	1.7	88			
155	160	68154			95	T	5	T	2.5	Qtz 50 S.S 45 Py 5 Lim. T Grnst. T Lim T	68154	343	1.6	47			
160	165	68155			90	T	10	T	2.0	Qtz 65 S.S. 30 Py 5 FeCo3 T Lim. T Pbs T	68155	60	1.5	67			
165	170	68156			80		20	T	3.0	Qtz 60 SS 25 Py 15 FeCo3 T Lim T Pbs T	68156	68	1.7	81			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C84

Date Drilled Oct 16/79 | Elevation | Bearing | Page No. 4 Of 5

Casing Depth 15' | Overburden Depth 25' | Length of Hole 230' | Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68157	T		90		10	T	2.1	Qtz 60 SS 35 Py 5 Lim T FeCO3 T Pbs T Grnst T Fe/-Xs T	68157	72	1.6	90			
175	180	68158			100		T	T	2.6	Qtz 54 S.S 40 Py 5 Lim T Fe/-Xs 1 FeCO3 T Pbs T CaCO3 T	68158	59	1.7	76			
180	185	68159		20	70		10	T	3.7	Qtz 45 S. 15 GQ 5 PbCO3 5 Pbs T Pbs T CaCO3 25 GS. T Py 5 Lim T	68159	83	2.3	110			
185	190	68160		80	10		10	T	6.5	Py 29 Qtz 10 GS 20 GQ 25 Lim T Pbs T PbCO3 1 CaCO3 15	68160	62	2.4	97			
190	195	68161		90	5		5	T	7.1	Py 50 GS. 25 GQ 20 Qtz 5 Lim T CaCO3 T Fe/-Xs T ZnS T PbCO3 T	68161	97	2.3	96			
195	200	68162		80	5		15	T	7.3	Py 35 GQ 10 GS 40 Qtz 15 SS. T Lim T Fe/-Xs T Pbs T PbCO3 T CaCO3 T	68162	105	2.6	127			
200	205	68163		90	T		10	T	3.6	Py 35 GS. 40 Qtz 10 GQ 15 S.S. T Lim T Pbs T	68163	108	2.2	93			
205	210	68164		50	50		T	T	4.7	Py 20 S.S. 5 GS. 35 Qtz 35 Lim T GQ 5 CaCO3 T Fe/-Xs T Pbs T	68164	115	2.1	106			
210	215	68165		20	70		10	T	3.3	S.S 70 Qtz 10 Fe/-Xs 5 CaCO3 5 PbCO3 5 Pbs T Lim T GS. T ZnS T GQ T	68165	136	2.0	151			
215	220	68166		40	50		10	T	4.8	Py 25 GQ 20 Qtz 10 CaCO3 25 PbCO3 T G.S. 20 Lim T Pbs T	68166	278	2.1	92			
220	225	68167		80	10		10	T	5.4	GQ 5 Py 25 Qtz 10 G.S 20 SS T CaCO3 30 Lim T PbCO3 10	68167	317	6.2	109			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 84

Date Drilled Oct 16/79 Elevation _____ Bearing _____ Page No. 5 Of 5

Casing Depth 15' Overburden Depth 25' Length of Hole 230' Dip 73°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
225	230	68168		95			5	T	9.2	Py 25 Qtz 5 G.Q. 5 Lim. T CaCo3 35 65 25	68168	110	2.3	138			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#102

Location CH GROUP | Latitude | Departure | Hole No. C 87

Date Drilled Oct 19/79 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 10' | Overburden Depth 5-10' | Length of Hole 120' | Dip 71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68337	No sample								68337						
10	15	68338	90			5	5	+	2	ZnST	68338	36	.7	113			
15	20	68339	98	T		T	2	+	3	ZnST	68339	25	.5	73			
20	25	68340	90	5			5	+	3	ZnST	68340	31	.4	40			
25	30	68341	65	35			T	+	1.0	ZnST	68341	37	1.3	45			
30	35	68342	45	55			T	+	2.1	ZnST	68342	35	.6	47			
35	40	68343	60	40			T	+	1.1		68343	24	.4	31			
40	45	68344	40	50			10	+	2		68344	29	.9	30			
45	50	68345	60	30			10	+	2.1		68345	27	1.1	26			
50	55	68346	55	40			5	+	3	ZnST	68346	15	.5	33			
55	60	68347	60	35			5	+	2.7	ZnST	68347	25	.6	29			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CN GROUP | Latitude | Departure | Hole No. C87

Date Drilled Oct 19/79 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 10' | Overburden Depth 5-10' | Length of Hole 120' | Dip 71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68348	70	30			+	+	.2		68348	26	.6	34			
65	70	68349	45	55			+	+	.3		68349	24	1.3	40			
70	75	68350	80	15		+	5	+	.2		68350	34	1.0	53			
75	80	68351	65	25			10	+	.3		68351	33	.8	37			
80	85	68352	80	10			10	+	.2		68352	32	.7	29			
85	90	68353	80	15			5	+	.3		68353	63	1.7	32			
90	95	68354	70	25			5	+	.2		68354	32	.5	31			
95	100	68355	95	5			+	+	.2		68355	26	.9	28			
100	105	68356	65	35			+	+	.1		68356	27	1.0	27			
105	110	68357	75	15			10	+			68357	29	1.6	53			
110	115	68358	75	25			+	+	.3		68358	30	.9	65			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CH GROUP Latitude _____ Departure _____ Hole No. C87

Date Drilled Oct 19/79 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 10' Overburden Depth 5-10' Length of Hole 120' Dip 71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
112	120	68359	40	60			+	+	1.5	Hem? Pbs? + Py 2	68359	28	1.5	81			

#166

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CN GROUP | Latitude | Departure | Hole No. C87A

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 13' | Overburden Depth 10' | Length of Hole 195' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68360	75		15	5	5	+	3		68360	110	1.6	120			
10	15	68361	90	5			5	+	4.1		68361	35	1.7	43			
15	20	68362	80	15			5	+	2.5		68362	56	1.0	47			
20	25	68363	95				5	+	3.5		68363	30	.8	40			
25	30	68364	90	10				+	2.4		68364	28	1.0	43			
30	35	68365	65	35				+	2.5		68365	26	.8	31			
35	40	68366	70		5		25	+	3.6		68366	35	.7	22			
40	45	68367	85				15	+	3		68367	31	.6	17			
45	50	68368	60				40	+	4.2		68368	22	.7	39			
50	55	68369	65	5	5		25	+	3		68369	25	.6	31			
55	60	68320	95				5	+	2.6		68320	22	.7	59			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#166

Location CH GROUP Latitude _____ Departure _____ Hole No. C87A

Date Drilled Oct 20/79 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 13' Overburden Depth 10' Length of Hole 195' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68371	100				+	+	4.1		68371	26	.9	26			
65	70	68372	95	5				+	4.7		68372	28	.3	23			
70	85	68373	90	5	5			+	5.6		68373	36	1.1	51			
75	80	68374	90	5			5	+	2.5		68374	32	.6	56			
80	85	68375	95	5				+	2.0		68375	35	.6	29			
85	90	68376	100					+	1.3		68376	24	.5	33			
90	95	68377	100				+	+	3.3		68377	34	.9	47			
95	100	68378	100		+			+	2.5		68378	32	.6	78			
100	105	68379	85				15	+	2		68379	25	2.2	57			
105	110	68380	55				45	+			68380	42	2.1	74			
110	115	68381	75				25	+			68381	33	1.3	117			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#166

Location CH GROUP | Latitude | Departure | Hole No. C 87 A

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 13' | Overburden Depth 10' | Length of Hole 195' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	68382	65				35	+	3.4	PBCO3 T	68382	32	1.5	106			
120	125	68383		90			10	+	3.4	PBCO3 T	68383	34	1.3	98			
125	130	68384		75			25	+	3.3	PBCO3 T	68384	42	1.4	83			
130	135	68385		85			15	+	3.1	PBCO3 2	68385	49	.9	80			
135	140	68386	45	45			10	+	3.0	PBCO3 T	68386	42	1.3	71			
140	145	68387	50	15			35	+	3.6	PBCO3 T	68387	32	1.0	64			
145	150	68388	65	+			35	+	3.2	PBCO3 T	68388	33	1.5	57			
150	155	68389	75				25	+	3.2	PBCO3 T	68389	30	1.3	50			
155	160	68390	90				10	+	3.1	PBCO3 T	68390	26	.7	28			
160	165	68391	80	5			15	+	3.2	PBCO3 T	68391	29	.9	56			
165	170	68392	85				15	+	3.8	PBCO3 T	68392	32	.8	64			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#166

Location CH GROUP | Latitude | Departure | Hole No. C87A

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 13' | Overburden Depth 10' | Length of Hole 195' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68393	65				35	+	0.2	Fl, Py 25 $PbCO_3$ T	68393	37	1.1	72			
175	180	68394	65	10			25	+	1.6	Fl, Py 30 $PbCO_3$ T	68394	38	1.0	93			
180	185	68395	95				5	+	3.1	Fl, Py 25 $PbCO_3$ T	68395	32	1.7	83			
185	190	68396	85				15	+	3.2	Fl, Py 40 $PbCO_3$ T	68396	27	1.1	62			
190	195	68397	80	5			15	+	2.2	Fl, Py 30 $PbCO_3$ T	68397	28	.9	45			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#136

Location CH GROUP | Latitude | Departure | Hole No. C 88

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 16' | Overburden Depth 10-15' | Length of Hole 195' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68398	95			20	5	+	1.5	Lim Py ZnST Grnst PbCO3T Py	68398	118	1.7	104			
10	15	68399	85			5	10	+	2.3	Py Lim Py Grnst PbCO3T ZnST	68399	109	1.6	109			
15	20	68400	90			+	10	+	3.2	ZnST PbCO3T Grnst Lim Py	68400	68	2.0	119			
20	25	68401	95	+		+	5	+	3.1	ZnST PbCO3T	68401	142	1.2	79			
25	30	68402	85	5			10	+	2.2	Lim Py Qtz Grnst ZnST PbCO3T	68402	100	1.1	34			
30	35	68403	90	+			10	+	2.5	Lim Py Grnst Qtz PbCO3T	68403	43	1.0	28			
35	40	68404	60	40			+		1.5	PbCO3T Lim Py Grnst Qtz Py	68404	66	1.2	38			
40	45	68405	50	35			15	+	3.1	PbCO3T Lim Py Qtz Grnst Py	68405	73	1.3	35			
45	50	68406	80	20			+	+	3.1	PbCO3T Lim Py Grnst Qtz	68406	39	1.0	49			
50	55	68407	85	15			+	+	3.5	PbCO3T Lim Py Grnst Qtz	68407	38	1.1	44			
												26	0.9	49			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#136

Location CH GROUP Latitude _____ Departure _____ Hole No. C 88

Date Drilled Oct 20/79 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 16' Overburden Depth 10-15' Length of Hole 195' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68409	80	15			5	+	1.7		68409	23	1.0	74			
65	70	68410	98	2			+	+	2.2		68410	29	.8	67			
70	75	68411	95	2			3	+	2.2		68411	30	.9	33			
75	80	68412	70	15			10	+	.3		68412	48	1.2	47			
80	85	68413	60	35			5	+	3.1		68413	32	.8	55			
85	90	68414	65	25			10	+	2.4		68414	56	1.1	101			
90	95	68415	70	20			10	+	2.5		68415	48	.8	80			
95	100	68416	90	10			+	+	2.1		68416	35	1.0	46			
100	105	68417	70	30			+	+			68417	33	.6	73			
105	110	68418	30	65			5	+	2		68418	47	1.0	119			
110	115	68419	60	35			5	+	2		68419	39	1.3	63			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#136

Location CH GROUP Latitude _____ Departure _____ Hole No. C88

Date Drilled Oct 20/79 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 16' Overburden Depth 10-15' Length of Hole 195' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	68420	50	50			+	+	2.2	PBCO3T	68420	48	1.1	133			
120	125	68421	60	40			+	+	3.1	PBCO3T	68421	41	1.0	95			
125	130	68422	65	30			5	+	2.0	PBCO3T	68422	39	1.3	98			
130	135	68423	40	50			10	+	2.1	PBCO3T	68423	38	1.2	95			
135	140	68424	65	25			10	+	2.1	PBCO3T	68424	33	.8	70			
140	145	68425	70	30			+	+	1.7	PBCO3T	68425	36	.9	62			
145	150	68426	50	40			10	+	1.5	PBCO3T	68426	29	.9	55			
150	155	68427	40	55			5	+	1.5	PBCO3T	68427	30	1.3	52			
155	160	68428	40	60			+	+	2.3	PBCO3T	68428	33	.8	68			
160	165	68429	25	75			+	+	3	PBCO3T	68429	34	.8	56			
165	170	68430	35	60			5	+	3.2	PBCO3T	68430	24	.9	75			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#136

Location CH GROUP Latitude _____ Departure _____ Hole No. C 88

Date Drilled Oct 20/77 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 16 Overburden Depth 10-15' Length of Hole 195' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	68431	55	45			+	+	3	PBCO$_3$T	68431	30	.7	76			
175	180	68432	60	40			+	+	2.5	PBCO$_3$T	68432	21	.6	40			
180	185	68433	50	45			5	+	2.2	PBCO$_3$T	68433	22	.5	80			
185	190	68434	60	35			5	+	2	PBCO$_3$T	68434	33	.7	75			
190	195	68435	85	15			+	+	1.5	PBCO$_3$T	68435	26	.8	73			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#7

Location CH GROUP | Latitude | Departure | Hole No. C 89

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 15-20' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	68436	90				10	+	1.5	68436	116	1.2	106			
10	15	68437	85		5		10	+	2	68437	70	.9	113			
15	20	68438	80	5			15	+	2	68438	56	.8	94			
20	25	68439	85	5			10	+	2.4	68439	50	2.0	141			
25	30	68440	80	+	5		15	+	1.4	68440	45	1.9	123			
30	35	68441	80		5		15	+	1	68441	41	1.8	110			
35	40	68442	85		10		5	+	2.1	68442	46	1.7	123			
40	45	68443	100					+	2.2	68443	24	8.0	55			
45	50	68444	80				20	+	1.6	68444	28	1.1	53			
50	55	68445	85				15	+	2.1	68445	38	1.0	58			
55	60	68446	90				10	+	2.0	68446	65	1.3	28			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#7

Location CH GROUP | Latitude | Departure | Hole No. C89

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 10' | Overburden Depth 15'20' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	68447	95				5	+	1.7	PBCO3T	68447	39	.9	35			
65	70	68448	100				+	+	1.1	PBCO3T	68448	24	1.0	38			
70	75	68449	100				+	+	2.1		68449	16	.9	31			
75	80	68450	100				+	+	3.1		68450	28	.8	30			
80	85	69001	100				+	+	1.0		69001	17	1.0	51			
85	90	69002	50	45			5	+	2.0	PBCO3T	69002	36	1.3	89			
90	95	69003	30	65			5	+	3.1	PBCO3T	69003	32	1.5	112			
95	100	69004	25	75			+	+	3	PBCO3T	69004	40	1.3	103			
100	105	69005	15	80			5	+	2.0	PBCO3T	69005	47	1.6	95			
105	110	69006	55	35			10	+		PBCO3T	69006	44	2.0	90			
110	115	69007	75	10			15	+		PBCO3T	69007	34	1.4	88			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#73

Location CH Group | Latitude | Departure | Hole No. 089

Date Drilled Oct 20/79 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 10' | Overburden Depth 15-20' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69008	65	25			10	+	2.4	Fl, gt, py, PbCO3T	69008	33	1.1	46			
120	125	69009	85	5			10	+	3	Fl, gt, py, PbCO3T	69009	31	1.2	60			
125	130	69010	90	+			10	+	1.7	Fl, gt, py, PbCO3T	69010	35	.9	51			
130	135	69011	90				10	+	1.5	Fl, gt, py	69011	37	1.0	58			
135	140	69012	80	5			15	+	2.3	Fl, gt, py	69012	36	.7	33			
140	145	69013	95				5	+	2.1	Fl, gt, py	69013	28	.6	17			
145	150	69014	95				5	+	1.5	Fl, gt, py	69014	35	.8	18			
150	155	69015	100				+	+	2	Fl, gt, py	69015	31	.6	38			
155	160	69016	75				25	+	2	Fl, gt, py	69016	25	1.0	63			
160	165	69017	85				15	+	1.5	Fl, gt, py	69017	24	1.9	62			
165	120	69018	65				35	+	2	Fl, gt, py	69018	33	.8	71			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#73

Location CH CROSS Latitude _____ Departure _____ Hole No. C89

Date Drilled Oct 30/79 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 10 Overburden Depth 15-20' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69019	90				10	+	3.5		69019	29	1.0	55			
175	180	69020	100					+	2.7		69020	31	.7	31			
180	185	69021	100				+	+	1.8		69021	34	.8	58			
185	190	69022	95				5	+	3.3	PBCO$_3$T	69022	38	1.0	63			
190	195	69023	100	+			+	+	2.2	PBCO$_3$T	69023	34	1.3	64			
195	200	69024	100					+	3	PBCO$_3$T	69024	35	1.1	43			

#157

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. C90

Date Drilled Oct 17-27/79 Elevation ____ Bearing ____ Page No. 1 Of 4

Casing Depth 25' Overburden Depth 25-30' Length of Hole 200' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69025	75			15	10	T	3.4		69025	46	1.6	113			
10	15	69026	70			15	15	T	3.5	ZnST	69026	51	1.4	123			
15	20	69027	80			5	15	T	3.4	ZnST	69027	111	3.1	160			
20	25	69028	75			15	10	T	3.3	ZnST	69028	40	1.8	134			
25	30	69029	85			5	10	T	3.4	ZnST	69029	59	2.0	107			
30	35	69030	90	T		T	10	T	1.6	ZnST	69030	51	1.4	87			
35	40	69031	90	5			5	T	3	ZnST	69031	54	1.3	117			
40	45	69032	80	5			15	T	3.2	ZnST	69032	48	1.4	81			
45	50	69033	85	5			10	T	3.4	ZnST	69033	54	1.2	105			
50	55	69034	80	10			10	T	1.5	ZnST	69034	47	0.8	87			
55	60	69035	98	2			T	T		ZnST	69035	35	0.9	39			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#157

Location CH GROUP | Latitude | Departure | Hole No. C 20

Date Drilled oct 17-22/79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 25' | Overburden Depth 25-30' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69036	95	5			T	T	2.5		69036	37	0.7	36			
65	70	69037	85	10			5	T	2.0		69037	34	0.8	38			
70	75	69038	85	5			10	T	2		69038	36	0.4	36			
75	80	69039	70	30			T	T	1.7		69039	41	0.6	80			
80	85	69040	70	25			5	T	1.7		69040	47	1.0	117			
85	90	69041	65	25			10	T	1.5		69041	38	0.6	91			
90	95	69042	30	55			15	T	2.4		69042	45	0.5	67			
95	100	69043	25	50			25	T	1.7		69043	41	0.6	83			
100	105	69044	30	50			20	T	2.1		69044	30	0.7	89			
105	110	69045	35	45			20	T	1		69045	26	0.6	114			
110	115	69046	35	60			5	T	2.1		69046	50	1.4	113			

UNITED KENO HILL MINES LTD. #157

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 90

Date Drilled Oct 17-27 1979 Elevation _____ Bearing _____ Page No. _____ Of _____

Casing Depth 25' Overburden Depth 25-30' Length of Hole 200' Dip -62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69047	20	55			25	T	1.7		69047	62	1.8	65			
120	125	69048	30	55			15	T	1.2		69048	30	1.3	57			
125	130	69049	40	40			20	T	1.2		69049	32	1.4	92			
130	135	69050	75				25	T	1.2		69050	35	0.8	44			
135	140	69051	60	20			20	T	2.2		69051	29	1.5	81			
140	145	69052	70	10	T		20	T	2.4		69052	28	0.6	88			
145	150	69053	75	10			15	T	2.0		69053	32	1.0	66			
150	155	69054	70	5			25	T	2.0		69054	29	0.9	64			
155	160	69055	65				35	T	2		69055	35	0.7	64			
160	165	69056	60				40	T	2.2		69056	36	1.0	73			
165	120	69057	65	25			10	T	1.2		69057	19	0.9	56			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#157

Location CH GROUP | Latitude | Departure | Hole No. C90

Date Drilled Oct 17, 27/79 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 25' | Overburden Depth 25-30' | Length of Hole 200' | Dip -62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69058	80	10			10	T	1/4	[illegible]	69058	34	1.0	74			
175	180	69059	65	25			10	T	1/4	[illegible]	69059	43	0.8	71			
180	185	69060	75	10			15	T	1/4	[illegible]	69060	39	1.6	66			
185	190	69061	85				15	T	1/2	[illegible]	69061	32	1.4	56			
190	195	69062	90				10	T	1/2	[illegible]	69062	38	1.5	64			
195	200	69063	85				15	T	1	[illegible]	69063	30	1.2	83			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#22

Location CH GROUP | Latitude | Departure | Hole No. C91

Date Drilled Oct 17 - 27/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 40' | Overburden Depth 70' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69064	75				25	T	1.5		69064	41	1.5	97			
10	15	69065	65				35	T	1.5		69065	59	1.4	117			
15	20	69066	75		15		10	T	1		69066	44	1.7	95			
20	25	69067	70		25		5	T	3		69067	49	1.5	114			
25	30	69068	75		T		25	T	2		69068	62	2.0	84			
30	35	69069	70	5	10		15	T	2		69069	56	1.4	104			
35	40	69070	80	5	15		T	T	3		69070	63	1.7	83			
40	45	69071	85	5	10		T	T	4		69071	61	2.2	99			
45	50	69072	80	5	10		5	T	3		69072	59	1.5	131			
50	55	69073	85	5	T		10	T	2		69073	41	1.6	120			
55	60	69074	85				15	T	2		69074	53	1.5	92			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 91

Date Drilled Oct 17-27. 79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 40' | Overburden Depth 70' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69075			NO SAMPLE						69075	48	1.3	54			
65	70	69076	100				T	T	2.5	Py S Lim I Fe_2O_3 T $PbCO_3$ T	69076	31	.8	51			
70	75	69077	100					T	2.5	Py S Lim I Fe_2O_3 T $PbCO_3$ T	69077	45	1.1	45			
75	80	69078	65		25		10	T	2.5	Py 30 Lim I Fe_2O_3 T Grnst T $PbCO_3$ T	69078	36	.8	27			
80	85	69079	65		35			T	2.4	Lim I Py S Fe_2O_3 T $PbCO_3$ T	69079	42	.6	42			
85	90	69080	60	5	30		5	T	2.4	$PbCO_3$ T Lim I Py S Fe_2O_3 T $CaCO_3$ ZnST	69080	24	.8	36			
90	95	69081	75		25		T	T	2.1	Lim I $PbCO_3$ T Py S Fe_2O_3 T	69081	27	.7	17			
95	100	69082	45		55			T	2.5	Lim I Py S Fe_2O_3 T $PbCO_3$ T	69082	32	.6	19			
100	105	69083	50		50			T	2.3	Lim I Py S Fe_2O_3 T $PbCO_3$ T ZnST	69083	34	.8	53			
105	110	69084	60		25			T	2.2	Lim I Py S Fe_2O_3 T $PbCO_3$ T ZnST	69084	40	.7	36			
110	115	69085	25		50		25	T	3.5	Lim I Py S Fe_2O_3 T $PbCO_3$ T ZnST	69085	87	1.3	48			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#22

Location CH. GROUP | Latitude | Departure | Hole No. C91

Date Drilled OCT 17-27/79 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 40' | Overburden Depth 70' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69086	80	15			5	T	4.1	[illegible]	69086	87	1.3	48			
120	125	69087	85				15	T	1.3	[illegible]	69087	53	1.5	43			
125	130	69088	65				35	T	6	[illegible]	69088	20	1.4	31			
130	135	69089	55				45	T	[illegible]	[illegible] PBCO3T	69089	25	.8	53			
135	140	69090	65				35	T	5	[illegible] PBCO3T	69090	31	2.8	76			
140	145	69091	60				40	T	5	[illegible] PBCO3T	69091	32	1.3	36			
145	150	69092	65				35	T	4.9	[illegible] PBCO3T	69092	47	3.9	368			
150	155	69093	30				70	T	4	[illegible] PBCO3T ZnST	69093	195	53.	2872	1.72	.06	.57
155	160	69094	60				40	T	4	[illegible] ZnST	69094	167	74.	2557	.65	.01	.39
160	165	69095	65				35	T	5.2	[illegible] ZnST	69095	151	52.	2246	.50	.01	.32
165	170	69096	75				25	T	[illegible]	[illegible] ZnST	69096	66	19.6	1441			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

AH 22

Location CH Group | Latitude | Departure | Hole No. C91

Date Drilled oct 17-27/79 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 400 | Overburden Depth 70' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69097	85				15	T	3		69097	41	13.6	992			
175	180	69098	70				30	T	3.5		69098	35	5.1	383			
180	185	69099	70				30	T	3.5		69099	25	4.7	358			
185	190	69100	65				35	T	3.5		69100	33	3.2	210			
190	195	69101	70				25	T	3.5		69101	35	3.0	239			
195	200	69102	65				35	T	2.5		69102	30	3.4	204			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#86

Location CH GROUP | Latitude | Departure | Hole No. C92

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 36' | Overburden Depth 70-75 | Length of Hole 190' | Dip -61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69103	95				5	T	3.4	[illegible] ZnST	69103	27	2.2	97			
10	15	69104	65		25		10	T	2.5	[illegible] ZnST	69104	28	1.8	94			
15	20	69105	80				20	T	2.1	[illegible] ZnST	69105	42	2.0	80			
20	25	69106	75		15		10	T	2.3	[illegible] PbCO3T ZnST	69106	47	1.7	105			
25	30	69107	80		15		5	T	2.5	[illegible] PbCO3T ZnST	69107	39	2.0	115			
30	35	69108	75				25	T	2.7	[illegible] PbCO3T ZnST	69108	53	2.9	114			
35	40	69109	85				15	T	2.1	[illegible] PbCO3T ZnST	69109	48	2.1	107			
40	45	69110	85		5		10	T	3.2	[illegible] PbCO3T ZnST	69110	35	1.3	98			
45	50	69111	95				5	T	2.2	[illegible] PbCO3T ZnST	69111	54	1.8	107			
50	55	69112	95	T	T		5	T	2.5	[illegible] PbCO3T ZnST	69112	32	1.6	97			
55	60	69113	80	T	10		10	T	1.2	[illegible] ZnST	69113	37	1.0	100			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#186

Location CH GROUP | Latitude | Departure | Hole No. C 92

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 36' | Overburden Depth 70-75' | Length of Hole 190' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69114	90	5	5		T	T	4.5	Lmt Fl,q,t Py10 PBCO3T ZNST	69114	34	1.7	110			
65	70	69115	100					T	3.7	ZNST Fl,q,t Lmt PBCO3T	69115	46	1.6	89			
70	75	69116	80	15			5	T	3.6	ZNST Fl,q,t Lmt Py20 CNCO3T PBCO3T	69116	34	1.5	96			
75	80	69117	75	25			T	T	3	PBCO3T Fl,q,t Lmt Py20 CNCO3T	69117	28	1.7	104			
80	85	69118	50	45			5	T	3.6	CNCO3T Fl,q,t Lmt Py20 PBCO3T ZNST	69118	29	1.3	89			
85	90	69119	35	60			5	T	2.5	ZNST Fl,q,t Lmt Py30 PBCO3T	69119	45	1.4	208			
90	95	69120	65	25			10	T	3.7	ZNST PBCO3T Fl,q,t Lmt Py30 CNCO3	69120	341	2.1	150			
95	100	69121	95				5	T	2.7	ZNST Fl,q,t Lmt Py20 PBCO3T	69121	145	1.5	53			
100	105	69122	95				5	T	2.1	PBCO3T Fl,q,t Lmt Py30 ZNST	69122	102	1.4	51			
105	110	69123	80	T			20	T	3.2	Fl,q,t Lmt Py30 PBCO3T ZNST	69123	44	1.3	63			
110	115	69124	90	10			T	T	2.5	Py ZNST PBCO3T Fl,q,t Lmt	69124	30	1.2	55			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#86

Location CH GROUP | Latitude | Departure | Hole No. C92

Date Drilled OCT 17-27/79 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 36' | Overburden Depth 70-75' | Length of Hole 190' | Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69125	90	5	T		5	T	1.8	Lim Fl Py 30 C.S. 10 ZnST PBCO3T	69125	33	.9	44			
120	125	69126	95	15	10			T	3.6	Lim Fl Py 20 ZnST PBCO3T	69126	48	1.3	105			
125	130	69127	65				35	T	2	Lim Fl Py 20 ZnS 10 CaCO3 PBCO3T	69127	765	10.6	2504			
130	135	69128	25	75				T	1.5	Lim Fl Py 10 ZnST CaCO3 25 PBCO3T PbST-1% S.S.1%	69128	412	6.2	1177			
135	140	69129	90	10				T	3	Lim Fl Py 10 ZnS PBCO3T	69129	255	8.1	677			
140	145	69130	65		35			T	3.4	Lim Fl Py 15 ZnST PBCO3T	69130	227	4.6	496			
145	150	69131	45	10	45			T	2.5	Lim Fl Py 5 C.S. 10 ZnST PBCO3T	69131	105	2.8	342			
150	155	69132	50	15	35			T	2.5	Lim Fl Py 5 C.S. 10 ZnST PBCO3T	69132	81	1.9	219			
155	160	69133	65	10	25			T	2	Lim Fl Py 5 C.S. 10 PBCO3T ZnST	69133	78	2.7	223			
160	165	69134	80		20			T	2.1	Lim Fl Py PBCO3T ZnST	69134	73	1.7	225			
165	170	69135	85		15			T		Lim Fl Py ZnST	69135	78	1.3	182			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#6

Location CH GROUP Latitude _____ Departure _____ Hole No. C 92

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 36' Overburden Depth 70-75' Length of Hole 190' Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69136	90		10			T	1.3	PBCO$_3$T	69136	142	1.7	298			
175	180	69137	100				T	T	2.2	PBCO$_3$T	69137	174	1.6	412			
180	185	69138	100		T			T	3.3	PBCO$_3$T	69138	189	2.0	521			
185	190	69139	80		20			T	2.2	PBCO$_3$T	69139	225	1.8	511			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CH GROUP Latitude _____ Departure _____ Hole No. C 93

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 1 Of 1

Casing Depth 36' Overburden Depth ? Length of Hole 60' 5" Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69141	95				5	T	1.5	[illegible]	69141	23	1.2	92			
10	15	69142	85				15	T	3	[illegible]	69142	27	1.5	112			
15	20	69143	80		15		5	T	3	[illegible]	69143	21	1.8	116			
20	25	69144	90		5		5	T	5	[illegible]	69144	43	1.7	130			
25	30	69145	70		5		25	T	7	[illegible]	69145	22	1.8	77			
30	35	69146	90		5		5	T	2.5	[illegible]	69146	32	1.6	101			
35	40	69147	75				25	T	1.6	[illegible]	69147	44	1.9	118			
40	45	69148	90	5			5	T	1.6	[illegible]	69148	38	1.7	102			
45	50	69149	95				5	T	1.0	[illegible]	69149	36	1.4	89			
50	55	69150	Insufficient sample						—	—	69150	44	1.7	110			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#96

Location CH GROUP | Latitude | Departure | Hole No. C94

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 40' | Overburden Depth ? | Length of Hole 60' | Dip -63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69151	90				10	T	1.4		69151	43	1.6	86			
10	15	69152	85				15	T	1.5		69152	26	1.3	94			
15	20	69153	65		25		10	T	3.2		69153	30	1.2	76			
20	25	69154	60		25		15	T	2.1		69154	24	1.5	57			
25	30	69155	55		30		15	T	3.2		69155	29	1.3	81			
30	35	69156	85	5			10	T	2		69156	30	1.7	95			
35	40	69157	85				15	T	3.3		69157	28	1.4	117			
40	45	69158	75		T		25	T	3.6		69158	32	1.5	131			
45	50	69159	85				15	T	3.2		69159	48	1.7	73			
50	55	69160	90				10	T	2		69160	36	1.6	96			
55	60	69161	85		5		10	T	2		69161	30	1.4	95			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 95

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 1 Of 2

Casing Depth 20' Overburden Depth 20-25' Length of Hole 100' Dip 51°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69162	75	5		5	15	T	3.6	Limt Py Cuf PBCO3T ZnST	69162	87	1.7	139			
10	15	69163	55				45	T	1.5	Limt Py PBCO3T ZnST	69163	76	1.2	122			
15	20	69164	65		T		35	T	1.5	Limt Py PBCO3T ZnST	69164	50	1.5	117			
20	25	69165	65		10	T	25	T	2.0	Limt PBCO3T ZnST	69165	25	1.3	84			
25	30	69166	55	10	35			T	2.1	Limt Py PBCO3T	69166	22	1.1	99			
30	35	69167	55		45			T	1.8	Limt PBCO3T	69167	20	1.9	124			
35	40	69168	40	25	35			T	2.2	Limt PBCO3T	69168	25	1.7	91			
40	45	69169	55		45			T	1.5	Limt ZnST PBCO3T	69169	23	1.4	89			
45	50	69170	75		25			T	3	Limt PBCO3T	69170	21	1.1	65			
50	55	69171	75	10	10		5	T	3	PBCO3T	69171	19	1.5	69			
55	60	69172	80	5			15	T		PBCO3T	69172	28	1.6	61			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 95

Date Drilled Oct 17-27 / 79 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 20' | Overburden Depth 20-25' | Length of Hole 100' | Dip -71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69173	90	5	5			T	2.5	$PbCO_3$ T ZnST	69173	31	1.4	49			
65	70	69174	90	5			5	T	3.2	$PbCO_3$ T ZnST	69174	29	1.2	83			
70	75	69175	70	25			5	T	2.5	$PbCO_3$ T	69175	25	0.9	66			
75	80	69176	55		45			T	3	$PbCO_3$ T	69176	70	1.1	73			
80	85	69177	50	5	45			T	3	$PbCO_3$ T	69177	34	2.0	152			
85	90	69178	65	35				T	1.5	$PbCO_3$ T ZnST	69178	16	1.8	138			
90	95	69179	75	25				T	2.7	$PbCO_3$ T ZnST	69179	18	1.5	143			
95	100	69180	75	25				T	2.6	ZnST	69180	24	1.2	132			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#81

Location CH GROUP | Latitude | Departure | Hole No. C 96

Date Drilled oct 17-27/79 | Elevation | Bearing | Page No. 1 of 4

Casing Depth 20' | Overburden Depth 20-25' | Length of Hole 185' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69181	70			5	25	T	3.6	Lim Hyat CaCO3T	69181	32	1.3	129			
10	15	69182	55				45	T	4.4	Lim Hyat CaCO3T ZnST	69182	34	1.7	67			
15	20	69183	80	5			15	T	3.2	Lim Hyat CaCO3T ZnST	69183	17	2.4	66			
20	25	69184	85	5			10	T	2.2	Py Lim Hyat CaCO3T ZnST	69184	39	1.6	129			
25	30	69185	75	15	5		5	T	2	Py Lim Hyat CaCO3T ZnST	69185	27	1.4	120			
30	35	69186	70	25			5	T	3.6	Py Lim Hyat CaCO3T ZnST	69186	25	1.7	57			
35	40	69187	80	5	5		10	T	2.6	Py CaCO3 Lim Hyat ZnST	69187	33	1.6	73			
40	45	69188	85	15				T	2	Hyat Lim CaCO3 Py ZnST	69188	26	2.0	97			
45	50	69189	75	20			5	T	3.7	Lim Hyat CaCO3 Hyat ZnST	69189	122	1.9	89			
50	55	69190	60	15	25			T	3.6	Lim Hyat ZnST	69190	23	1.5	52			
55	60	69191	95		5			T	1	Hyat Lim Hyt CaCO3 ZnST	69191	27	2.1	144			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 96

Date Drilled Oct 17-27 /79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 20' | Overburden Depth 20-25' | Length of Hole 185' | Dip 65-0

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69192	95	5				T	3.4	Py.S Fe$_2$O$_3$ Limit	69192	22	1.7	126			
65	70	69193	70	15	15			T	2.3	Fe$_2$O$_3$ Limit Py.S	69193	17	1.5	83			
70	75	69194	65		35			T	2.3	Fe$_2$O$_3$ Limit ZnS?	69194	17	1.1	59			
75	80	69195	100					T	6.1	Fe$_2$O$_3$ Limit ZnS?	69195	16	1.3	33			
80	85	69196	100					T	4.2	Fe$_2$O$_3$ Limit	69196	17	0.7	25			
85	90	69197	90				10	T	4.3	Limit Fe$_2$O$_3$ ZnS?	69197	12	0.5	26			
90	95	69198	80	T			20	T	1.5	Limit Fe$_2$O$_3$ ZnS?	69198	17	0.7	23			
95	100	69199	80	5			15	T	1.6	Py.S Limit Fe$_2$O$_3$ ZnS?	69199	21	0.5	95			
100	105	69200	90				10	T	4.2	Limit ZnS?	69200	18	0.4	51			
105	110	69201	80	T			20	T	3.3	Py.S ZnS?	69201	26	0.8	42			
110	115	69202	70	15			15	T	1.3	ZnS? Limit Fe$_2$O$_3$	69202	23	1.0	50			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Group | Latitude | Departure | Hole No. C 96

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 20' | Overburden Depth 20-25' | Length of Hole 185' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69203	100	T			T	T	1.2	Lim T Py10	69203	21	0.9	36			
120	125	69204	85	5			10	T	1.9	Lim T	69204	23	1.5	44			
125	130	69205	60	25			15	T	2	Lim T ZnST	69205	16	1.2	56			
130	135	69206	95	T			5	T	3.1	Lim T PbCo3T ZnST	69206	23	1.7	57			
135	140	69207	100				T	T	3.6	Lim T Py10 PbCo3T ZnST	69207	19	1.6	29			
140	145	69208	85	10			5	T	2.3	Lim T ZnST PbCo3T Py10	69208	21	1.7	31			
145	150	69209	75	15			10	T	3.6	Lim T ZnST PbCo3T Py5	69209	19	1.5	20			
150	155	69210	90	10			T	T	2.4	Lim T ZnST PbCo3T Py10	69210	28	1.3	24			
155	160	69211	75	5			20	T	4.1	Lim T ZnST PbCo3T	69211	20	1.4	21			
160	165	69212	70	20			10	T	1.1	Lim T Py10 ZnST	69212	26	1.3	32			
165	170	69213	80	T			20	T	1.3	ZnST Lim T	69213	23	1.4	35			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 9C

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 20' Overburden Depth 20-25' Length of Hole 185' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69214	60	30			10	T	1.1	[illegible]	69214	22	1.2	21			
175	180	69215	70	20			10	T	1.5	[illegible]	69215	20	1.5	23			
180	185	69216	40	60			T	T	1.6	[illegible]	69216	24	1.0	19			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Group | Latitude | Departure | Hole No.

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 15' | Overburden Depth 15' | Length of Hole 200' | Dip -67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
			80			20	10	T	3.1	C.S.5 $CaCO_3$ 5 G.Q.30 Q.T.15 Grnst 35 S.S. 5 MnO_2 5 POOR ST		24	2.2	111			
			50			20	30	T	4.5	$CaCO_3$ 5 Q.T.15 C.Q.10 Grnst 15 S.S. 25 ZNST		28	1.9	65			
			50			30	20	T	4.5	$CaCO_3$ 5 Q.T.15 C.Q. 25 ZNST G. Grnst 25 S.S. 15 Limt MnO_2 5 Py 5 $CuFeS_2$ 5		22	2.1	73			
			90				10	T	2.5	Grnst 15 S.S. 5 Q.T. 10 C.Q. 45 Py 5 $CuFeS_2$ 5 Limt C.S. 10 $CaCO_3$ 5 ZNST		46	2.2	71			
			60	20			10	T	2.4	$CaCO_3$ 5 C.S. 15 Q.T. 20 Grnst 5 Py 5 $CuFeS_2$ 5 Limt ZNST C.Q. 45		19	2.3	88			
			50	40		1	10	T	2.5	Q.T. 25 C.Q. 40 S.S. 5 C.S. 20 Limt Grnst 5 $CaCO_3$ 5 Py 5 $CuFeS_2$ 5		20	2.0	68			
			90	10			1	T	2	C.Q. 80 C.S. 10 ZNST Q.T. 10		17	1.4	21			
			10	40			10	T	4.1	$CaCO_3$ 5 Grnst 5 Q.T. 10 C.S. 5 C.Q. 75		20	1.1	25			
			30	60			10	T	3.7	$CaCO_3$ T Limt Q.T. 25 C.S. 10 C.Q. 55		18	1.0	29			
								T	1.5	Q.T. 15 C.Q. 60 ZNST $CaCO_3$ 5 Limt C.S. 20		24	1.8	24			
			100				1	T	2.6	Q.T. 20 C.Q. 65 S.S. 5 $CaCO_3$ 5 Limt C.S. 5		17	0.9	41			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 15' | Overburden Depth 15' | Length of Hole 200' | Dip 69°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
		69232	30	60			10	T	2.6	Qt 25⁻ C.O.50 $CaCO_3$ 5⁻ S.S 5⁻ G.S. 5⁻	69232	19	1.2	35			
		69233	30	60			10	T	2.5⁻	Qt 60 C.O.10 $CuFeS_2$ 5⁻ $CaCO_3$ 5⁻ Py 15⁻ G.S 5⁻	69233	22	1.1	55			
		69234		100				T	2.6	G.S. 35⁻ Qt 20 C.O.30 Py 5⁻ $CuFeS_2$ 5⁻ $CaCO_3$ 5⁻ $PbCO_3$ T	69234	23	1.7	46			
		69235	30	70			1	T	4.5⁻	C.O.60 $PbCO_3$ T $CaCO_3$ 5⁻ Qt 25⁻ G.S. 10	69235	20	1.5	39			
		69236	60	30			10	T	4	G.S. 5⁻ Py 2 $CuFeS_2$ 3 $CaCO_3$ T Qt 2.5⁻ C.O. 8.5⁻ $PbCO_3$ T	69236	15	1.6	26			
		69237	60	40			T	T	2.5⁻	C.O.70 Py 5⁻ ZnS T $CaCO_3$ T G.S. 5⁻ Qt 15⁻ $CuFeS_2$ 5⁻	69237	22	1.7	39			
		69238	70	40			10	T	3.2⁻	Limt C.O.30 $CaCO_3$ 5⁻ Py 5⁻ $CaCO_3$ 5⁻ G.S. 20 ZnS T Qt 2.50 $CuFeS_2$ 5⁻	69238	23	1.2	27			
		69239	10	10			10	T	2	35.5⁻ G.S. 15⁻ C.O. 35⁻ Limt Py 5⁻ $CuFeS_2$ 5⁻ Qt 20 G.S. 15⁻ $PbCO_3$ T	69239	19	1.4	33			
		69240	70	30			10	T	2.4	$PbCO_3$ T C.O.70 Limt Py 5⁻ $CuFeS_2$ 5⁻ Qt 10 G.S. 10	69240	16	1.1	36			
		69241	30	60			10	T	2.2⁻	Qt 25⁻ C.O.40⁻ $CaCO_3$ T Py 10 $CuFeS_2$ 5⁻ G.S. 15⁻ $PbCO_3$ T	69241	29	1.4	22			
		69242	30	60			10	T	3	Qt 25⁻ C.O.50 Grnst T Limt Py 5⁻ $CuFeS_2$ 5⁻ G.S. 10 $PbCO_3$ T	69242	24	1.0	19			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#1 8

Location CH GROUP Latitude _____ Departure _____ Hole No. [illegible]97

Date Drilled Oct 17-20/79 Elevation _____ Bearing _____ Page No. 8 Of X

Casing Depth 15' Overburden Depth 15' Length of Hole 200' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	[illegible]	[illegible]237	30	70			T	T	3	@T225 C.@.40 Py 5 CuFES$_2$ 5 limT C.S. 15	69239	20	1.3	21			
[illegible]	[illegible]	69240	60	T	10		0	T	3	@T235 C.@.35 S.S. 5 Py 5 CuFES$_2$ 5 C.S. 15 PBCO$_3$T	69240	24	1.4	30			
[illegible]	30	69241	75	0	15		0	T	2.7	C.S. 15 C.@.45 Py 5 CuFES$_2$ 10 limT @T225 PBCO$_3$T	69241	30	1.8	31			
[illegible]	[illegible]	69242	75	T	20		0	T	4.2	@T200 C.@.20 Py 1 CuFES$_2$ 4 limT C.S. 15 PBCO$_3$T	[illegible]	27	1.6	35			
[illegible]	120	69243	60	T	30		0	T	3	@T235 C.@.40 Py 5 CuFES$_2$ 5 C.S. 15 CACO$_3$T PBCO$_3$T	69243	23	1.3	21			
[illegible]	140	69244	50		20		0	T	2	@T225 C.@.40 Py 5 CuFES$_2$ 5 C.S. 25 PBCO$_3$T	69244	21	1.4	45			
[illegible]	160	69245	70	5	25		T	T	4.7	C.S. 15 @T230 C.@.40 CACO$_3$ 5 Py 5 CuFES$_2$ 5 limT PBCO$_3$T	69245	27	1.7	36			
[illegible]	[illegible]	69246	75	15	10			T	3.4	C.S. 15 @T225 C.@.40 CACO$_3$ 5 Py 10 CuFES$_2$ 5 PBCO$_3$T	69246	22	1.2	71			
[illegible]	[illegible]	[illegible]247	60	35				T	3.5	@T215 C.@.55 C.S. 05 limT S.S. 5 PBCO$_3$T	[illegible]	25	2.4	97			
[illegible]	[illegible]	[illegible]248	[illegible]	[illegible]				T	3.5	C.S. 10 @T220 C.@.50 Py 5 CuFES$_2$ 5 limT S.S. 10 PBCO$_3$T	[illegible]	25	2.3	76			
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]			T	3.5	CACO$_3$ 5 C.S. 25 @T230 Py 5 CuFES$_2$ 5 limT S.S. 10 PBCO$_3$T		29	2.1	104			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. [illegible]

Date Drilled Oct 17-27 / 79 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 15' Overburden Depth 15' Length of Hole 200' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	[illegible]	[illegible]	40	5	15			T	4	Qtz 12.5" C.Q. 35" $CaCO_3$ 5" Py 5" $CuFeS_2$ 5" G.S. 35" $PbCO_3$ T	[illegible]	23	1.6	53			
[illegible]	[illegible]	[illegible]	60	5	35			T	4.1	Qtz 25" C.Q. 45" $CaCO_3$ 2" G.S. 12" Py 2" $CuFeS_2$ 5" $PbCO_3$ T	[illegible]	20	1.3	41			
[illegible]	[illegible]	[illegible]	50	5			45	T	2.5	S.S. 2" Qtz 45" C.Q. 30 Py 5" $CuFeS_2$ 5" G.S. 20 $PbCO_3$ T	[illegible]	21	1.1	46			
[illegible]	[illegible]	[illegible]	65				30	T	4.5	Qtz 25" C.Q. 40 $PbCO_3$ T Py 10 $CuFeS_2$ 5" G.S. 20 $CaCO_3$ T	[illegible]	19	0.8	63			
[illegible]	[illegible]	[illegible]	50				45	T	4.5	S.S. 5" Qtz 12.5" C.Q. 35" Py 25" $FeAsS$ 5" G.S. 15" $PbCO_3$ T	[illegible]	24	1.3	62			
[illegible]	[illegible]	[illegible]	60	5			35	T	4	$CaCO_3$ T S.S T C.Q 25" Py 35" G.S. 25" Qtz 15"	[illegible]	20	1.7	70			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Group | Latitude | Departure | Hole No.

Date Drilled Oct 12-27/79 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 10' | Length of Hole 180' | Dip -68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0		[illegible]	70	5	5		25	T	3.1	C.S. 15" @ 12 20 Limit Grwit 25" S.S. 15" FE$_3$C$_4$T C @ 25"	[illegible]	37	1.6	82			
10'	15	69257	80				20	T	4.5	C @ 60 @ 12 15" Limit C.S. 10 Grwit 10 S.S. 5"	69257	23	1.4	28			
15	20	69258	95	T			5	T	4.0	C @ 80 Grwit T S.S. T C.S. 10 Limit @ 12 10	69258	19	1.3	30			
20	25	69259	100					T	2.5	C @ 85 S.S. T Grwit C.S. 5 Limit @ 12 10	69259	21	1.5	49			
25	30	69260	25	20			45	T	2.4	C @ 65 C.S. 10 Limit @ 12 25"	69260	22	1.3	45			
30	35	69261	60	25	5		10	T	2.5	S.S. 5" @ 12 20 C @ 30 Limit C.S. 15" Grwit 5" CaCO$_3$ 5"	69261	24	1.5	64			
35	40	69262	60	25	15			T	2	S.S. 5" @ 12 25" C @ 20 Limit C.S. 25" Grwit 5	69262	23	1.3	53			
40	45	69263	100					T	4.1	@ 12 15" C @ 60 Limit C.S. 25" CuFeS$_2$ T	69263	26	0.7	42			
45	50	69264	95				5	T	4.2	CaCO$_3$ 5" @ 12 15" C @ 65" Limit Py 5" C.S. 10 Grwit T	69264	20	1.1	33			
50	55	69265	90				10	T	4.1	C @ 65" Limit Py T C.S. 10 @ 12 25"	69265	60	1.0	29			
55	60	69266	100					T	3	C.S. 15" @ 12 20 C @ 45" Limit Py 5" CuFeS$_2$ 10 Grwit T S.S. 5"	69266	19	1.6	24			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 98

Date Drilled Oct 17-27 /79 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 10' | Overburden Depth 10' | Length of Hole 180' | Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69267	75				25	T	2.5	C.S.5" Q.T 2.5" C.Q.C.C Py 5" CuFeS$_2$ 5" Limt	69267	17	1.1	22			
65	70	69268	65	T			35	T	2	PBCO$_3$T Q.T 2.0 C.S.10 Py 5" CuFeS$_2$ 10 limt C.Q.5.5"	69268	21	1.3	23			
70	75	69269	45	5	5		45	T	4.6	CuFeS$_2$ 10 PBCO$_3$T Q.T 2.5C CACO$_3$ 5" Limt C.S. 2" Py 5" C.Q.45"	69269	20	1.0	25			
75	80	69270	80	15			5	T	2.5	Q.T 2.5" C.Q.35" S.S.10 Limt CACO$_3$ 5" Py 5" CuFeS$_2$ 10 C.S.10 PBCO$_3$T	69270	21	1.7	72			
80	85	69271	55	45				T	3	C.S.20 Q.T 2.15" C.Q.30 Limt Py 5" CuFeS$_2$ 15" S.S.15 PBCO$_3$T	69271	26	2.0	88			
85	90	69272	50	50				T	2.8	S.S.15 Q.T 2.15" C.Q.35 Limt C.S.30 Py 5 CuFeS$_2$ 5 PBCO$_3$T	69272	24	1.9	83			
90	95	69273	65	35				T	3.5	S.S.10 C.Q.40 PBCO$_3$T Limt Q.T 2.15" C.S.25" CuFeS$_2$ 5" Py 5"	69273	16	1.7	30			
95	100	69274	55	35	10			T	2.5	C.S. 30" Q.T 2.15" C.Q.25" Limt Py 10 CuFeS$_2$ 15" PBCO$_3$T	69274	24	2.4	75			
100	105	69275	60	40				T	3	C.S. 25" Q.T 2.15" C.Q.45" Limt Py 10 CuFeS$_2$ 5" S.S.T PBCO$_3$T	69275	23	2.1	55			
105	110	69276	70	25	5			T	3.2	Py 10 CuFeS$_2$ 15" Q.T 2.10 Limt S.S. 15" C.S. 25" CACO$_3$ 5" C.Q.20 PBCO$_3$T	69276	20	1.9	80			
110	115	69277	70	25	5				3.2	S.S.10 Q.T 2.20 C.Q.25" Limt Py 5" CuFeS$_2$ 10 C.S.25" CACO$_3$ 5" PBCO$_3$T	69277	21	2.0	101			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C98

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 10' Overburden Depth 10' Length of Hole 180' Dip -68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69278	80	5	5		10	T	5.2	C.S.25 S.S.10 @T215 C@30 Limt CuFES$_2$5 Py5 S.S.5 CACO$_3$5 ZNST PBCO$_3$T	69278	18	1.6	59			
120	125	69279	90		5		5	T	2.5	@T220 C@35 PBCO$_3$T ZNST Limt Py5 CuFES$_2$5 C.S.25 S.S.5 CACO$_3$5	69279	59	2.1	24			
125	130	69280	75	T	T		25	T	3.5	@T225 C@45 Limt Py5 CuFES$_2$10 C.S.15 PBCO$_3$T ZNST	69280	21	1.5	67			
130	135	69281	80	5	T		15	T	3.5	C.S.15 @T225 C@45 Limt Py5 CuFES$_2$10 PBCO$_3$T ZNST	69281	14	1.0	38			
135	140	69282	75	5	15		5	T	3.5	C.S.15 @T220 C@45 Limt Py5 CuFES$_2$10 CACO$_3$5 PBCO$_3$T ZNST	69282	24	1.8	132			
140	145	69283	45	5	5		45	T	4	GrnstT C.S.15 @T235 Limt Py5 CuFES$_2$10 C@30 CACO$_3$5 PBCO$_3$T	69283	26	1.4	86			
145	150	69284	65		25		10	T	4	CACO$_3$5 CuFES$_2$5 C@30 Limt C.S.15 S.S.10 @T215 ZNST PBCO$_3$T	69284	41	2.6	49			
150	155	69285	75				25	T	4.5	CACO$_3$5 Py5 CuFES$_2$5 C@35 Limt C.S.10 S.S.5 @T235 ZNST PBCO$_3$T	69285	20	1.5	24			
155	160	69286	80				20	T	4.5	@T220 C@40 CACO$_3$5 Limt CuFES$_2$15 Py5 C.S.15 ZNST PBCO$_3$T	69286	18	1.3	47			
160	165	69287	95				5	T	3	C.S.25 @T220 C@45 Limt CuFES$_2$15 Py5 S.S.5 CACO$_3$5	69287	23	14	53			
11.5	170	69288			INSUFFICIENT SAMPLE						69288	21	1.1	105			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#22

Location CH GROUP Latitude _____ Departure _____ Hole No. C98

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 10' Overburden Depth 10' Length of Hole 180' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69289	70		5		25	T	3	$CuFeS_2$ 10 $CaCO_3$ 5 Qtz 20 Lim T C.S. 15 S.S. 5 Py 5 $PbCO_3$ T C.O. 35	69289	19	1.0	36			
175	180	69290	90		5		5	T	2.5	C.S. 10 Qtz 20 C.O. 35 Lim T Py 5 $CuFeS_2$ 5 $CaCO_3$ 5 $PbCO_3$ T	69290	20	0.5	VA			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 12-27/79 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 23' | Overburden Depth 20-25' | Length of Hole 135' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
		69291	55				45	T	1.5	@ 12.20 C @ 45 CaCO3 2 Zn ST Grnst 5 S.S. 5 C.S. 20	69291	30	1.8	69			
		69292	30			5	65	T	2.9	@ 12.15 C @ 40 Zn ST Py 5 C.S. 25 S.S. 10 Grnst 5	69292	76	1.7	139			
		69293	60	5			35	T	1.5	@ 12 20 Grnst 5 Pyt C.S. 15 S.S. 15 C @ 45	69293	63	1.3	112			
		69294	60	5			35	T	3.1	@ 12.5 C @ 45 PbCO3 T Pyt C.S. 10 S.S. 5 Grnst 5	69294	35	0.9	66			
		69295	35		T		25	T	1.5	@ 12 25 C @ 45 PbCO3 T C.S. 15 Grnst 5 S.S. 10	69295	36	1.5	78			
		69296	45	25				T	1.5	S.S. 5 C @ 50 C.S. 25 @ 12.5 C @ 12 PbCO3 T	69296	72	1.4	125			
		69297	60		15		25	T	4	C @ 45 Py 5 PbCO3 T Zn ST C.S. 15 @ 12 25 S.S. 10	69297	187	1.9	VV			
		69298	50	5	45			T	2.5	Grnst 5 CaCO3 5 @ 12 25 C.S. 15 S.S. 5 Limt PbCO3 T C @ 45	69298	403	17.2	224			
		69299	15	5	25		5	T	4.4	C @ 25 CaCO3 5 Pyt C.S. 25 S.S. 10 @ 12 20 PbCO3 T	69299	439	14.3	423			
		69300	60	25			15	T	2	S.S. 10 CaCO3 5 C @ 25 Py T C.S. 35 @ 12 25 PbCO3 T	69300	184	3.2	270			
		69301	65	30			5	T	2	CaCO3 5 Py T PbCO3 T C.S. 30 S.S. 5 @ 12 25 C @ 25	69301	57	1.4	149			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Group | Latitude | Departure | Hole No. [illegible]
Date Drilled Oct 17-22 '79 | Elevation | Bearing | Page No. 2 Of 3
Casing Depth 23' | Overburden Depth 20-25' | Length of Hole 135' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	65	69302	70	20	5		5	T	3.5	@1.25 G.Q.40 PBCO$_3$T Py5 Cufes$_2$5 limt G.S.20 PBCO$_3$T	69302	44	1.8	103			
65	70	69303	80	10	10			T	3.5	G.S.40 @1.20 G.Q.20 Py5 Cufes$_2$5 limt S.S.10 PBCO$_3$T	69303	24	0.7	61			
70	75	69304	65	25			10	T	3.4	@1.20 G.Q.35 PBCO$_3$T G.S.25 S.S.10 limt Py10	69304	26	1.0	72			
75	80	69305	55	45				T	4	Py5 @1.20 G.Q.35 limt S.S.5 G.S.35 PBCO$_3$T	69305	20	1.6	46			
80	85	69306	65	10			25	T	2	Grst5 @1.25 G.Q.42 limt Py5 S.S.10 G.S.15 PBCO$_3$T	69306	31	1.1	43			
85	90	69307	40	10			10	T	3.5	@1.15 G.Q.60 PBCO$_3$T limt Py5 G.S.15 S.S.5	69307	20	1.0	71			
90	95	69308	70	10				T	2	@1.20 G.Q.50 PBCO$_3$T S.S.5 G.S.25 limt	69308	19	1.2	79			
95	100	69309	40	5	5		10	T	2	G.S.25 @1.20 G.Q.45 Py5 Zust PBCO$_3$T limt SS.5	69309	17	0.9	26			
100	105	69310	75				5	T	2.5	@1.10 G.Q.65 Py5 limt S.S.5 G.S.15 PBCO$_3$T	69310	24	0.8	19			
105	110	69311	60	T			T	T	3.5	@1.25 G.Q.50 PBCO$_3$T Py5 limt S.S.5 G.S.15	69311	24	1.0	28			
110	115	69312	60					T	3.2	Py+ Qtz.10 G.Q.75 Zust limt S.S.5 G.S.10 PBCO$_3$T	69312	17	0.9	30			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C-29

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 23' Overburden Depth 20-25' Length of Hole 135' Dip -62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69313	100				T	T	1.9	S.S. + C.S. 5 Qtz 10 G.Q 85	69313	18	0.7	33			
120	125	69314	100					T	3.5	S.S. + C.S. 5 Qtz 10 G.Q 85	69314	29	0.8	78			
125	130	69315	95				5	T	1.5	Py + C.S. 25 Qtz 10 G.Q 65	69315	26	0.7	64			
130	135	69316	100					T	1.5	Py + C.S. 15 Qtz 15 G.Q 70	69316	22	0.8	109			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Section CH GROUP Latitude _____ Departure _____ Hole No. C-10[illegible]

Date Drilled Oct 1959 17-27 Elevation _____ Bearing _____ Page No. 1 Of 2

Casing Depth 20' Overburden Depth 20-25' Length of Hole 105' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	[illegible]	Pr				20	T	3	[illegible]	65317	35	1.2	109			
15	65318	20	10			20	T	2	[illegible]	65318	38	1.3	80			
20	65319	65	5		T	30	T	5.0	[illegible]	65319	37	2.0	104			
[illegible]	[illegible]	Pr	T			20	T	3	[illegible]	65320	23	0.8	97			
[illegible]	65321	70	T			10	T	2.7	[illegible]	65321	20	1.0	106			
[illegible]	65322	100	T			T	T	3	[illegible]	65322	44	1.5	95			
[illegible]	65323	Pr	10			10	T	4.2	[illegible]	65323	31	1.1	40			
[illegible]	65324	10	20			10	T	4.2	[illegible]	65324	23	0.6	26			
[illegible]	65325	70	5			5	T	2	[illegible]	65325	36	1.4	23			
[illegible]	65326	70	T			20	T	2	[illegible]	65326	31	0.9	61			
[illegible]	65327	70	20			10	T	4.1	[illegible]	65327	20	1.0	74			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 17-27 / 79 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 20' | Overburden Depth 22. - 25' | Length of Hole 105' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
80	85	69328	50	40			10	T	3.8	Py > Lmt > CS, 20 > Qtz 20	69328	24	0.9	40			
85	90	69329	40	55			5	T	3.7	Qtz 20 CO,25 $CuFeS_2$ Lmt > CS, 30 > SS > Py $CaCO_3$	69329	36	1.4	VF			
90	95	69330		100			T	T	3	$CaCO_3$ Qtz 20 CO 20 Lmt > SS > CS, 30 Py	69330	40	1.1	96			
95	100	69331		90			10	T	3	Py > $CuFeS_2$ CO, 75 Lmt > SS > CS, 10 Qtz 15 $CaCO_3$	69331	33	0.6	22A			
100	85	69332	20	40			T	T	2.9	$CaCO_3$ CO, 60 Py > Lmt > SS > CS, 15 Qtz 10 $CuFeS_2$	69332	24	0.9	72			
85	90	69333	T	90			10	T	3.6	Qtz 20 CO, 40 $CaCO_3$ Lmt > SS > CS 20	69333	27	0.8	97			
90	95	69334		100			T	T	2.8	Qtz 10 CO, 20 Py > Lmt > CS > SS > $CuFeS_2$	69334	30	0.9	V2			
95	100	69335	20	60			20	T	2.5	Py > $CuFeS_2$ > Qtz 20 CO, 10 Lmt > CS, 20 SS 10	69335	31	1.4	44			
100	105	69336	20	70			10	T	2	CO, 55 Py > $CuFeS_2$ Qtz 10 $CaCO_3$ > Lmt > CS > SS >	69336	32	1.3	36			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled Oct 17-27/79 Elevation _____ Bearing _____ Page No. 1 Of 4

Casing Depth 28' Overburden Depth 30' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
	10		70	1		T	10	T	2			53	1.4	114			
10	20		70	10		T	20	T	3			47	1.3	111			
20	30		70				10	T	4			45	1.2	116			
30	40		60	30			10	T	3.8			47	1.5	97			
40	50		70	10			T	T	0.6			39	1.2	53			
50	60		60	10			30	T	4			41	1.5	84			
60	70		70	10			20	T	3.3			33	0.8	59			
70	80		50	10			40	T	1.2			29	1.0	40			
80	90		40				30	T	4			32	1.1	52			
90	100								4			31	0.7	57			
												25	0.6	48			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled Oct 17-27/79 | Elevation | Bearing | Page No. | Of

Casing Depth 24' | Overburden Depth 30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
		69348	20	30			30	T	3	Py Lmt Cerus	69348	25	0.8	52			
		69349		100			T	T	3	Lmt Py Cerus	69349	42	1.3	72			
		69350	T	90			10	T	2	Lmt Py Cerus Gr 20 ZnST	69350	41	1.1	147			
		69351	20	20			T	T	2	Lmt Py Cerus Gr 15 ZnST	69351	30	0.7	91			
		69352	20	70			10	T	3.6	Lmt Py Cerus Gr 15 ZnST	69352	29	0.5	87			
		69353	T	70			10	T	3.5	Lmt Py Cerus Gr 15 ZnST	69353	22	0.6	93			
		69354	20	20			T	T	3	Lmt Py Gr 15 ZnST	69354	26	0.7	51			
		69355		100			T	T	2	Lmt Py	69355	23	0.4	32			
		69356	20	20			T	T	2	ZnST Lmt Py		32	1.0	125			
		69357	20	20			T	T				34	0.7	97			
		69358	20	20			T	T				31	1.1	78			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled Oct 17-27 / 79 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 28' Overburden Depth 30' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
30	40	69359	80	20			T	T	3.5	CHCO3T Py>> Cu Fe S2 Limt	69359	23	0.9	53			
40	50	69360	90	10			T	T	3.8	ZNST Py>> Cu Fe S2 Limt	69360	24	0.9	75			
50	60	69361	90	T			10	T	3.7	ZNST Py>> Cu Fe S2 Limt	69361	31	1.0	70			
60	70	69362	60	30			10	T	3.5	Py>> Cu Fe S2 Limt	69362	40	0.9	106			
70	80	69363	30	60			30	T	1.5	CHCO3T Py>> Cu Fe S2 Limt ZNST	69363	35	0.8	191			
80	90	69364	30	70			T	T	3.1	Py>> Limt Cu Fe S2	69364	36	1.3	114			
90	100	69365	15	70			15	T	3.1	Py>> Limt Cu Fe S2	69365	47	1.2	108			
100	110	69366	30	30			20	T	2	Limt Py>> CHCO3T	69366	21	0.8	55			
110	120	69367	20	30			10	T	3.2	Limt Py>>	69367	24	0.9	53			
120	130	69368	30	20			10	T	2.5	Limt Py>>	69368	34	1.1	54			
130	140	69369									69369	37	1.0	49			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C100 A

Date Drilled OCT 17-27/79 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 28' | Overburden Depth 30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn ppm	Ag. (oz/ton)	Pb. (%)	Zn (%)
120	140	60320	60	30			10	T	2.5	Limt Py 3.5	60321	36	1.1	61			
140	160	60321	60	20			20	1	3.6	Limt Py 2.5	60322	38	09	69			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#26

Location CH GROUP | Latitude | Departure | Hole No. C-101

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 28' | Overburden Depth 30' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69372	60			30	10	T	2	ZnST	69372	51	1.0	95			
10	15	69373	50	T		40	10	T	3.5	ZnST	69373	42	1.1	100			
15	20	69374	90	T			10	T	3.5	ZnST	69374	50	1.2	94			
20	25	69375	90	T			10	T	3.1	ZnST	69375	57	1.3	61			
25	30	69376	60			30	10	T	1	ZnST	69376	50	1.2	73			
30	35	69377	80	T		10	10	T	4.1	ZnST	69377	45	1.5	122			
35	40	69378	70			20	10	T	4	ZnST	69378	44	1.4	85			
40	45	69379	90	T		T	10	T	3.7	ZnST	69379	52	1.6	63			
45	50	69380	70			10	20	T	2	ZnST	69380	45	1.0	80			
50	55	69381	70	20			10	T	2	ZnST	69381	42	0.7	76			
55	60	69382	10	70		T	20	T	1	ZnST	69382	36	1.0	101			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 101

Date Drilled OCT 27. 1979 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 28' | Overburden Depth 30' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69383	T	90			10	T	2	Lim Pyr	69383	39	0.6	61			
65	70	69384		100			T	T	2.6	Lim Py	69384	34	1.1	38			
70	75	69385	20	80			T	T	3.7	ZnST Lim	69385	40	0.9	147			
75	80	69386	50	40			10	T	1	Lim Py ZnST	69386	29	0.3	125			
80	85	69387	90	10			T	T	3.0	Lim	69387	34	0.6	78			
85	90	69388	90	10			T	T	2.5	ZnST Lim	69388	37	0.8	95			
90	95	69389	20	70			10	T	3.1	Lim Py	69389	20	1.0	99			
95	100	69390	20	60			20	T	3	Lim Py	69390	39	1.1	64			
100	105	69391	70	30			T	T	3.1	Lim Py ZnT	69391	36	0.9	35			
105	110	69392	10	80			10	T	3.1	ZnST Lim Py	69392	32	0.7	109			
110	115	69393	10	90			T	T	3	ZnST	69393	41	1.6	122			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 101

Date Drilled OCT 27 1979 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 28' Overburden Depth 30' Length of Hole 170' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69394		100			T	T	1	Py15 Lim1	69394	32	1.1	85			
120	125	69395	40	40			20	T	3.2	Lim1 Py15	69395	25	1.2	56			
125	130	69396	10	60			30	T	3.5	Lim1 Py30	69396	19	0.9	50			
130	135	69397	20	70			10	T	1	Lim1 Py35 ZnST	69397	20	1.2	91			
135	140	69398	50	30			20	T	3	Lim1 Py15 ZnST	69398	18	1.0	57			
140	145	69399	20	70			10	T	3.6	Lim1 Py30	69399	26	0.9	69			
145	150	69400		100			T	T	3.0	Lim1 Py25	69400	25	2.0	68			
150	155	69401		90			10	T	3.5	Lim1 Py40	69401	24	1.5	61			
155	160	69402		80			20	T	3	Py3	69402	26	1.6	80			
160	165	69403	10	80			10	T	3	Py30	69403	29	1.9	83			
165	170	69404		100			T	T	1	Py	69404	23	1.4	87			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

75

Location CH GROUP | Latitude | Departure | Hole No. C 102

Date Drilled OCT 26, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 23' | Overburden Depth 25-30' | Length of Hole ~~200'~~ 195 | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69406	70			5	25	T	2		69406	58	1.7	117			
10	15	69407	80		10	5	5	T	3		69407	44	1.4	106			
15	20	69408	85	5	5		5	T	2		69408	42	1.3	107			
20	25	69409	70		25		5	T	3.7		69409	133	1.7	175			
25	30	69410	80	10	10			T	2.1		69410	82	1.6	124			
30	35	69411	75	5	15		5	T	2		69411	44	1.4	107			
35	40	69412	85	5	10			T	1.5		69412	61	1.2	106			
40	45	69413	95	5				T	2		69413	40	1.5	98			
45	50	69414	95				5	T	2.4		69414	41	0.9	72			
50	55	69415	90	5			5	T	2.5		69415	63	1.0	63			
55	60	69416	70	5			25	T	2.3		69416	29	0.6	49			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 102

Date Drilled OCT 26 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 23' | Overburden Depth 25-30' | Length of Hole 300' 195' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69417	85	15				T	1.3		69417	33	0.3	57			
65	70	69418	90				10	T	1.7		69418	36	1.0	42			
70	75	69419	95				5	T	1.2	ZnST	69419	40	1.2	51			
75	80	69420	80		10		10	T	1.3	ZnST	69420	24	1.5	213			
80	85	69421	75	15	5		5	T	1.7	ZnST	69421	163	2.4	260			
85	90	69422	80	5	15			T	1.3	ZnST	69422	92	1.4	117			
90	95	69423	90	5	5			T	2.2	ZnST	69423	55	1.9	218			
95	100	69424	65	35				T	1.7	ZnST	69424	59	1.7	132			
100	105	69425	55	45				T	2.2	ZnST	69425	45	1.9	139			
105	110	69426	70	25			5	T	2		69426	43	1.7	170			
110	115	69427	70	30				T			69427	60	1.6	83			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C102

Date Drilled OCT 26, 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 23' | Overburden Depth 25-30' | Length of Hole ~~300~~ 195' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69428	35	65				T	3.2	Limt Pyrite	69428	42	1.4	84			
120	125	69429	75	5			20	T	2.1	Limt	69429	40	1.5	56			
125	130	69430	65				35	T	2.2	Limt	69430	29	1.0	44			
130	135	69431	80				20	T	1.3	Limt Pyrite	69431	25	1.2	50			
135	140	69432	95	5			T	T	2.1	Limt	69432	20	1.0	37			
140	145	69433	70	30				T	1.5	Limt Pyrite	69433	39	1.5	64			
145	150	69434	60	40				T	1.6	Limt Pyrite	69434	35	1.4	75			
150	155	69435	85	5			10	T	2.2	Limt Pyrite	69435	29	1.6	52			
155	160	69436	90				10	T	2	Limt Pyrite	69436	41	1.2	32			
160	165	69437	90	5			5	T	1.4	Limt Pyrite	69437	23	1.4	40			
165	170	69438	90				10	T	1.2	Limt Pyrite	69438	32	1.0	54			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 102

Date Drilled OCT 26, 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 23' Overburden Depth 25-30' Length of Hole ~~200~~ 195' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69439	85	5			10	T	1.5	Py 30 Qtz 70	69439	26	1.6	48			
175	180	69440	80				20	T	1.0	Py 20 Qtz 80	69440	31	1.4	50			
180	185	69441	75				25	T	1.1	Py 25 Qtz 75	69441	30	0.9	34			
185	190	69442	85	5			10	T	1.1	Py 10 Qtz 90	69442	29	1.7	33			
190	195	69443	75				25	T	1.3	Py 25 Qtz 75	69443	23	1.1	50			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#46

Location CH GROUP | Latitude | Departure | Hole No. C 103

Date Drilled OCT 26, 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 20' | Overburden Depth 25 30' | Length of Hole 145' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69444	75				25	T	2		69444	46	1.0	73			
10	15	69445	65		10		20	T	1.7	ZnST	69445	44	1.6	87			
15	20	69446	60			30	10	T	1.0	ZnST	69446	47	1.4	93			
20	25	69447	65		15	10	10	T	1.7	ZnST	69447	40	2.2	79			
25	30	69448	55		45			T	1.5	ZnST	69448	38	1.6	96			
30	35	69449	85		10	T	5	T	1	ZnST	69449	39	1.5	97			
35	40	69450	70		25	T	5	T	1.0	ZnST	69450	32	1.4	78			
40	45	69451	65		10		25	T	1.2	ZnST	69451	38	1.5	53			
45	50	69452	65		25		10	T		ZnST	69452	20	1.8	75			
50	55	69453	75		15	T	10	T	2.7		69453	34	1.2	76			
55	60	69454	85		5		10	T	1.0	ZnST	69454	34	1.5	67			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 103

Date Drilled OCT 26, 1979 | Elevation | Bearing | Page No. 2 of 3

Casing Depth 20' | Overburden Depth 25-30' | Length of Hole 145' | Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69455	90		10	T		T	1.5		69455	48	1.3	67			
65	70	69456	85	5	5		5	T	2.0		69456	33	1.2	42			
70	75	69457	100					T	1.0		69457	30	1.1	56			
75	80	69458	75	5	5		15	T	1.5		69458	38	1.2	120			
80	85	69459	75	15	5		5	T	.8		69459	33	1.1	75			
85	90	69460	55	10			35	T	3.0		69460	41	1.2	160			
90	95	69461	65	10	5		20	T	3.0		69461	42	1.5	133			
95	100	69462	55	5	T		40	T	1.5		69462	35	1.0	34			
100	105	69463	60	T	5		35	T	2		69463	64	1.1	69			
105	110	69464	95				5	T	2.0		69464	46	0.9	91			
110	115	69465	80		15		5	T	1.0		69465	35	0.8	69			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 103

Date Drilled OCT 26 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 20' | Overburden Depth 25-30' | Length of Hole 145' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69466	65	5	25		5	T	2.5	Lmt C.S.10 Pyr Calcite S.S.5 Grnst 2 MST	69466	63	0.6	263			
120	125	69467	50		35		15	T	3.5	Lmt Py, 1 Pyr	69467	44	0.7	223			
125	130	69468	55	T	35		10	T	3.5	Lmt Pyr	69468	4	0.8	452			
130	135	69469	65	10	5		20	T	2.5	Lmt C.S.1 Pyr	69469	89	0.9	520			
135	140	69470	65	15	5		15	T	2.0	Lmt C.S.20 Smct Pyr 15	69470	91	1.0	431			
140	145	69471	70	5	10		15	T	2.4	Lmt C.S.20 Pyr	69471	102	1.0	474			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#96

Location CH GROUP | Latitude | Departure | Hole No. C 103 A

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 200' | Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69472	35	5	5	40	15	T	2.1		69472	38	1.1	96			
10	15	69473	65	T	20	10	5	T	1.0		69473	29	0.9	102			
15	20	69474	70	5	10	10	5	T	2.4		69474	31	0.9	104			
20	25	69475	70	10	10	5	5	T	2.3		69475	34	1.2	100			
25	30	69476	60	5	25	T	10	T	2.2		69476	36	1.0	136			
30	35	69477	65	5	15	5	10	T	1.1		69477	35	0.8	132			
35	40	69478	60	10	20	T	10	T	2.6		69478	33	1.2	92			
40	45	69479	65	5	10	20	T	T	2.1		69479	42	1.5	112			
45	50	69480	80	5	15	T	T	T	2		69480	32	1.2	96			
50	55	69481	80	5	15	T	T	T	1		69481	35	1.4	119			
55	60	69482	65	5	20	5	5	T	2		69482	33	0.9	123			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C103A

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 200' | Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69483	70		25		5	T	1.7	Py, T Py10	69483	45	1.3	142			
65	70	69484	90		5		5	T	2.2	Py10 Py, T limt	69484	23	0.8	65			
70	75	69485	100					T	1.8	Py, T Py10 limt Grnst	69485	20	0.7	43			
75	80	69486	75	25				T	2.2	Py, T limt G 30 Py10	69486	92	1.4	139			
80	85	69487	95				5	T	1.9	Py, T limt G 10 Py10	69487	20	0.8	62			
85	90	69488	70	30			T	T	2.3	Py, T limt G 20 Py10	69488	96	1.4	88			
90	95	69489	55	5	20		20	T	2.5	Py10 Py, T limt	69489	23	0.8	151			
95	100	69490	55	45				T	2.8	Py10 G 10 Py, T limt	69490	22	1.0	132			
100	105	69491	60		5		35	T	1.5	Py, T limt	69491	37	0.8	64			
105	110	69492	95				5	T	3.1	Py, T limt Py10 G	69492	38	0.9	87			
110	115	69493	95				5	T	2	Py, T limt	69493	07	58	61			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C103 A

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 200' | Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69494	85	T	15			T	3.0	Py,	69494	47	0.5	137			
120	125	69495	10	25	65			T	3.0		69495	78	0.4	186			
125	130	69496	15	25	50		10	T	2		69496	120	0.9	152			
130	135	69497		35	45		20	T	2		69497	65	1.1	145			
135	140	69498	45	25	30			T	3.1		69498	116	1.4	286			
140	145	69499	75	10	15			T	3.1		69499	59	1.3	126			
145	150	69500	85	5			10	T	1.7		69500	28	0.9	72			
150	155	69501	65	35				T	2		69501	29	1.2	80			
155	160	69502	55	45				T	2.5		69502	32	0.7	62			
160	165	69503	90	5			5	T	2.1		69503	24	0.5	61			
165	170	69504	95	5			T	T	2		69504	26	0.5	30			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 103 A

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 200' | Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69505	80	20				T	1.5	Py 20	69505	27	0.9	76			
175	180	69506	90	5			5	T	1.5	Py 15 G.S. 30 PBCO3T STPBST	69506	26	1.0	70			
180	185	69507	80	5			15	T	2	STPBS 2 Py 15 G.S. 25 PBCO3T	69507	4890	49.0	26	0.90	.30	.02
185	190	69508	75				25	T	2.1	STPBS 2 PBCO3T Py 10 G.S. 30	69508	4250	54.0	278	0.95	.40	.03
190	195	69509	70	5			25	T	3.1	CHCO3 Py 10 STPBST PBCO3T	69509	5020	27.5	147			
195	200	69510	70	10			20	T	3.1	CHCO3 Py 35 G.S. 25 STPBST PBCO3T	69510	1988	15.0	124			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CH GROUP | Latitude | Departure | Hole No. C104

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69611	50	10	20	10	10	+	1.6	GQ 70 QS 10 Qtz 10 Grnst. 10 S.S T Lim T PyT Fe3O4T ZNST	69611	67	2.1	109			
10	15	69612	40		15	55	+	+	2.0	GQ 60 QS T Qtz 25 Grnst. 15 PyT Fe3O4T Lim T S.S T ZNST	69612	58	2.2	88			
15	20	69613	20		25	50	5	+	2.0	GQ 20 Qtz 45 Grnst. 35 Fe2O3T S.S.T CaCO3 T ZNS T PyT	69613	53	1.7	93			
20	25	69614	60		20	10	10	+	1.0	Grnst 25 GQ 60 Qtz 15 Lim T Fe2O3T ZNST PyT CaCO3T	69614	44	1.3	108			
25	30	69615	70	10	15		5	+	2.0	GQ 50 Grnst 45 Qtz 5 Py T Fe3O4T ZNS T Lim T	69615	46	1.5	125			
30	35	69616	60	10	25		5	+	2.3	Grnst. 90 GQ 5 Qtz 5 FeCO3 T Py T Fe3O4T PyT S.S.T Lim T	69616	48	1.8	110			
35	40	69617	80		5		15	+	3.3	GQ 95 G.S.T Grnst. T Qtz 5 Lim T Fe3O4T PyT	69617	39	1.0	117			
40	45	69618	85		5		10	+	2.0	GQ 94 Grnst. 5 PyT SS T Lim T Fe3O4T	69618	48	1.6	101			
45	50	69619	75		25		+	+	2.5	GQ 69 Grnst. 25 Qtz 5 PyT Lim T Fe3O4T SS T Fe2O3T	69619	39	0.7	99			
50	55	69620	80		15		5	+	2.7	GQ 70 Grnst 25 Qtz 5 Py T Lim T Fe3O4T SST Fe2O3T	69620	38	1.5	111			
55	60	69621	80	5	5		10	+	2.5	GQ 75 Grnst. 10 Qtz 15 Lim T PyT Fe3O4T Fe2O3T	69621	41	1.2	90			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CH GROUP | Latitude | Departure | Hole No. C104

Date Drilled OCT 27.1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69522	90		10			+	3.0	6.0 95 Grnst 5 Qtz T Py T Fe2O3 T Fe3O4 + CaCO3 T Lim. T	69522	27	0.6	32			
65	70	69523	100					+	3.5	GQ 100 Qtz T Py T Fe2O3 T Lim T, Grnst. T Fe3O4 T	69523	22	0.4	39			
70	75	69524	90		10			+	3.6	GQ 70 Grnst. 5 Qtz. 25 CS. T Lim. T Py T Fe2O3 T MnO2 T	69524	29	0.4	43			
75	80	69525	100					+	3.2	GQ 90 CS 5 Qtz 5 Grnst. T Lim. T Py T	69525	20	0.6	71			
80	85	69526	100					+	3.5	GQ 90 CS 5 Qtz 5 Py T Lim. T Fe3O4 T	69526	24	0.3	73			
85	90	69527	60	30	10			+	5.0	CS 70 GQ 20 Qtz 10 SS T Lim T Py T	69527	32	0.4	95			
90	95	69528	60	40	+			+	5.0	CS 40 GQ 35 Qtz 5 SS T Lim. T Py T	69528	35	1.1	79			
95	100	69529	50	50	+		+	+	3.9	CS. 45 GQ 45 Py 5 Qtz 5 Lim T SS T	69529	31	0.5	94			
100	105	69530	65	10			25	+	3.0	Qtz 30 CS 35 CQ 25 Py 10 Lim. T	69530	36	1.0	83			
105	110	69531	60	5	+		35	+	3.1	GQ 45 CS 25 Qtz 25 Py 5 Lim T.	69531	25	0.6	66			
110	115	69532	90	10			+	+	5.0	CQ 50 GS 35 Qtz. 10 Lim. T Py 5 CaCO3 T	69532	29	0.4	50			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#165

Location CH GROUP | Latitude | Departure | Hole No. C104

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69533	85	5			10	+	3.2	GQ 65 GS 10 Qtz 25 CaCO3 T Py T Lim. T	69533	22	0.1	67			
120	125	69534	65		5		30	+	3.0	Qtz 44 GS 15 GQ 40 Py 1 CaCO3 T	69534	23	0.4	42			
125	130	69535	50	25	+		25	+	3.0	GQ 45 GS 30 Qtz 20 Lim. T Py 5 CaCO3 T	69535	27	0.5	43			
130	135	69536	75	10	5		10	+	3.8	GQ 65 GS 5 Py 5 Qtz 25 Lim. T S.S. T CaCO3 T	69536	22	0.6	72			
135	140	69537	95	+	+		5	+	3.0	GQ 65 GS 5 Qtz 25 Py 5 Lim. T CaCO3 T	69537	19	0.3	22			
140	145	69538	90				10	+	4.1	GQ 65 GS 5 Qtz 25 Py 5 Lim. T CaCO3 T Grnst. T	69538	22	0.6	44			
145	150	69539	85	15				+	4.2	GQ 65 GS 30 Qtz 5 CaCO3 T Lim. T Py T S.S. T	69539	26	0.7	26			
150	155	69540	70	30				+	5.2	GS 65 GQ 35 Qtz T Py T Lim. T CaCO3 T	69540	24	0.4	55			
155	160	69541	45	30	5		+	+	5.0	GQ 50 GS 44 Qtz 5 Py 1 Lim. T CaCO3 T	69541	25	0.4	75			
160	165	69542	85	5			10	+	4.2	GQ 55 GS 5 Qtz 35 Py 5 CaCO3 T Lim. T S.S. T	69542	20	0.3	70			
165	170	69543	75	+	+		25	+	4.9	GQ 90 GS 5 Py 5 CaCO3 T Lim. T	69543	21	0.5	32			

#165

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C104

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 28' | Overburden Depth 25-30' | Length of Hole 180' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69544	85	5			10	+	5.0	60 Py 5 Lim T CaCO3 T 10 BS 5 Qtz 20 SS T	69545	25	1.3	107			
175	180	69545	65	35			+	+	3.8	60 CaCO3 T 40 cs. 35 Lim T Pbs T Py 5 S.T.	69546	36	15	64			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#81

Location CH GROUP | Latitude | Departure | Hole No. C-105

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 30' | Overburden Depth 35-40' | Length of Hole 200' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69546	50			20	30	+	2.0	[illegible]	69546	36	1.8	107			
10	15	69547	90	+		+	10	+	3	[illegible]	69547	42	1.5	113			
15	20	69548	85	5		+	10	+	2.1	[illegible]	69548	29	1.6	122			
20	25	69549	65	5		10	20	+	1.5	[illegible]	69549	32	1.4	114			
25	30	69550	50			40	10	+	1.5	[illegible]	69550	34	1.3	98			
30	35	69551	65			30	5	+	2.3	[illegible]	69551	37	1.1	115			
35	40	69552	65			25	10	+	1.7	[illegible]	69552	38	1.3	119			
40	45	69553	70	+			30	+	1	[illegible]	69553	44	1.1	113			
45	50	69554	80	+		+	20	+	3	[illegible]	69554	40	1.4	92			
50	55	69555	90	10			+	+	3.3	[illegible]	69555	31	1.2	90			
55	60	69556	60				40	+	2.1	[illegible]	69556	21	0.8	64			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#81

Location CH GROUP | Latitude | Departure | Hole No. C105

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 30' | Overburden Depth 35-40' | Length of Hole 200' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69557	50	30			20	+			69557	29	1.3	>02			
65	70	69558		100			+	+			69558	29	1.2	171			
70	75	69559		90			10	+			69559	34	1.0	142			
75	80	69560	60	30			10	+			69560	25	0.5	69			
80	85	69561	80	20			+	+			69561	27	0.4	38			
85	90	69562	90	+			10	+			69562	20	0.6	23			
90	95	69563	80				20	+			69563	21	0.5	20			
95	100	69564	30	60			10	+			69564	22	0.9	28			
100	105	69565	30	70			+	+			69565	21	0.6	40			
105	110	69566		90			10	+			69566	25	0.5	55			
110	115	69567	40	50			10	+			69567	22	1.0	68			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#81

Location CH GROUP | Latitude | Departure | Hole No. C105

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 30' | Overburden Depth 35-40' | Length of Hole 200' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69568	+	80			20	+	3.5		69568	19	0.5	65			
120	125	69569	30	60			10	+	2.5		69569	28	0.7	32			
125	130	69570	10	80			10	+	4.1		69570	22	0.4	58			
130	135	69571		100			+	+	4		69571	23	0.9	69			
135	140	69572		95			5	+	1.5		69572	30	1.3	72			
140	145	69573		90			10	+	3.2		69573	24	1.1	41			
145	150	69574	20	70			10	+	3		69574	17	0.9	23			
150	155	69575	50	30			20	+	2		69575	20	0.6	24			
155	160	69576	45	25			30	+	1.9		69576	21	0.7	69			
160	165	69577		35			65	+	1.1		69577	28	1.0	67			
165	170	69578	15	75			10	+	1.2		69578	32	1.2	90			

#91

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C105

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 30' | Overburden Depth 35-40' | Length of Hole 200' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69579	45	45	+		10	+	2.1	Py 40	69579	26	1.7	78			
175	180	69580	75	10			15	+	3.4	Py 30	69580	32	1.6	37			
180	185	69581	75	15			10	+	2.5	Py 25	69581	22	1.4	26			
185	190	69582	70	5			25	+	2	Py 30	69582	19	1.1	35			
190	195	69583	70	25			5	+	2.5	Py 30	69583	29	1.8	30			
195	200	69584	50	15			35	+	3.3	Py 20	69584	29	2.1	90			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#8

Location CH GROUP Latitude _____ Departure _____ Hole No. 8104

Date Drilled OCT 27 1979 Elevation _____ Bearing _____ Page No. 1 Of 2

Casing Depth 38' Overburden Depth 35-40' Length of Hole 70' Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69585	30		70				4.0	CQ 45 Grnt. 20 Qtz 3. S.S.T Lim.T Py T ZnS T Fe3O4T	69585	43	1.7	117			
10	15	69586	40		35	15	10	+	3.3	Qtz .60 CQ 25 Grnst 15 S.S.T Lim.T Py T Fe3O4T MnO2T	69586	52	2.0	130			
15	20	69587	60		25	5	10	+	4.1	Qtz CQ 25 Grnst. 25 Lim.T S.S.T Fe3O4T ZnS T	69587	31	1.6	129			
20	25	69588	40	5	50		5	+	3.5	Qtz 35 CQ 50 Grnst 15 Fe2O3T. Py T Fe3O4T Lim.T	69588	46	1.4	106			
25	30	69589	55	10	35		10	+	3.0	Qtz. 45 CQ 35 Grnst. 20 Py T Lim.T Fe3O4T Fe2O3T	69589	41	1.6	143			
30	35	69590	40	5	45		10	+	3.2	CQ 40 Grnst. 25 Qtz 35 MnO2T Lim.T ZnS T Fe2O3T Py T	69590	49	1.4	117			
35	40	69591	50	10	35		5	+	2.0	CQ 50 Grnst. 25 Qtz 25 CaCO3T Py T Fe3O4T Lim.T	69591	40	1.5	131			
40	45	69592	35	5	45		5	+	3.0	Qtz 45 Grnst. 20 CQ 35 S.S.T Fe2O3T Lim.T Fe3O4T Py T	69592	39	1.5	122			
45	50	69593	40	10	40		10	+	2.5	CQ 45 Grnst. 20 Qtz 35 Lim.T Fe2O3T Py T Fe3O4T S.S.T	69593	43	1.2	110			
50	55	69594	60		35		5	+	5.0	CQ 55 Grnst 25 Qtz 20 S.S.T Lim.T CaCO3T Py T Fe3O4T	69594	42	0.9	108			
55	60	69595	60		40		+	+	3.0	CQ 70 Grnst. 5 Qtz 25 Lim.T Py T C.S.T CaCO3T	69595	51	1.1	97			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#8

Location CH GROUP | Latitude | Departure | Hole No. C106

Date Drilled OCT 27 1979 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 38' | Overburden Depth 35-40' | Length of Hole 70' | Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69596	55		35		10	+	2.9	G.Q 85 Qtz 10 Grnst 5 Lim T Py T	69596	56	12	85			
65	70	69597	65		25		10	+	3.4	G.Q 75 Grnst 15 Qtz 10 Lim T Py T Fe3O4 T	69597	69	64	110			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled OCT 27, 1979 Elevation _____ Bearing _____ Page No. 1 Of _____

Casing Depth 23' Overburden Depth 25' Length of Hole 200' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69502	20		20	5	20	T	3.3	Qtz 20 Grnst 10 S.S 15 ZnST Limt 60 S.S Grnst 5 $CaCO_3$ 10 $FeCO_3$ 5	69502	39	0.9	44			
10	20	69503	60		20	1	0	T	6	$CaCO_3$ 5 Qtz 20 Grnst 30 $FeCO_3$ 5 Limt Grnst 15 S.S 15 S.S. 10	69503	39	1.3	120			
20	30	69600	50		15		5	T	3	G.S. 10 S.S. 15 $CaCO_3$ 5 Limt Grnst 15 $CaCO_3$ Qtz 25 $FeCO_3$ 10	69600	38	1.6	111			
30	40	69601	60	10	25		5	T	2.4	Pys 5 G.S.S Grnst 10 ZnST Limt $CaCO_3$ Qtz 25 G.S. 15 $FeCO_3$	69601	31	1.7	99			
40	50	69602	60		35		5	T	2.5	G.S. 10 Grnst 10 ZnST Limt G.S. 15 Qtz 25 S.S. 10	69602	42	1.3	97			
50	60	69603	35		45	T		T	1	$CaCO_3$ 5 $FeCO_3$ 15 Qtz 30 Limt Grnst 30 G.S. 10 S.S. 10	69603	43	1.9	116			
60	70	69604	45		25	25	5	T	2.1	G.S. 10 $FeCO_3$ 5 Pys Limt Grnst 25 S.S. 10	69604	41	1.3	109			
70	80	69605	50		15		5	T	2.1	$FeCO_3$ 5 Qtz 15 G.S. 10 Pys Limt $CaCO_3$ Grnst 5 $FeCO_3$ 5	69605	43	1.4	108			
80	90	69606	60	5	25		10	T	2.0	Grnst 15 S.S. 5 Qtz 15 Qtz 60 Pys Limt S.S. 5	69606	44	1.1	127			
90	100	69607	50		35		5	T	2.3	Qtz 20 $FeCO_3$ 5 Limt Pys Qtz 10	69607	43	1.6	95			
100	110	69608	50		30				2.1	Limt Grnst 5 $FeCO_3$ 5	69608	40	1.4	115			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. ____

Date Drilled OCT 27 1979 Elevation ____ Bearing ____ Page No. 2 Of 4

Casing Depth 23' Overburden Depth 25 Length of Hole 200' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	70	69607	70	10	15		1	+	2.2	Grnst 35 Qtz 10 G.Q. 15 G.S. 5 S.S. 10 limt CaCo3 5	69607	24	0.9	121			
70	80	69610	60	35			5	+	3.1	Qtz 10 G.Q. 30 CaCo3 5 G.S. 35 S.S. 5 limt Py 5	69610	32	0.7	103			
80	90	69611	30	70			10	+	4.5	S.S. 10 Qtz 20 G.Q. 30 G.S. 35 limt Py 10 CaCo3 5	69611	24	0.9	121			
90	100	69612	70	10	5		10	+	3.3	Grnst 5 Qtz 20 G.Q. 35 Py 10 G.S. 30 S.S. 10 CaCo3 10	69612	32	0.6	103			
100	110	69613	50	5	10			+	4.1	Qtz 15 G.Q. 30 CaCo3 30 G.S. 25 S.S. 10 Py 10 CaCo3 5	69613	19	0.9	61			
110	120	69614	50		45		5	+	5.5	Qtz 25 G.Q. 20 S.S. 45 Py 5 limt G.S. 10 CaCo3 5	69614	29	1.1	135			
120	125	69615	50		50			+	5	Qtz 10 G.Q. 30 CaCo3 60 S.S. 5 limt G.S. 5 FeCo3 5	69615	26	2.0	194			
125	130	69616	45		25			+	8	Qtz 10 CaCo3 60 G.Q. 2 Py 10 CaCo3 5 limt 2 10	69616	28	1.2	120			
130	135	69617	60		5		35	+	6	G.Q. 10 Qtz 10 G.Q. 30 S.S. 10 CaCo3 10 Py 10	69617	19	1.0	79			
135	140	69618	60		5		10	+	6	Qtz 10 G.Q. 30 CaCo3 10 limt G.S. 10 CaCo3 10 Py 10	69618	22	1.2	69			
140	145	69619	70		25		5	+	6	Qtz 10 G.Q. 30 CaCo3 10 G.S. 10 S.S. 25 limt Py 10	69619	39	1.1	145			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. CH-07

Date Drilled OCT 27, 1979 Elevation ____ Bearing ____ Page No. 1 Of 2

Casing Depth 23' Overburden Depth 25' Length of Hole 200' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
120	120	69620	60				40	T	2	Py 5 CuFeS$_2$ 5 Limt CaCO$_3$ 5	69620	33	0.9	86			
120	122	69621	70		T		30	T	2	Py 15 CuFeS$_2$ 5 CaCO$_3$ 10	69621	30	0.6	74			
122	136	69622	95				5	T	4	CaCO$_3$ 30 Py 10 CuFeS$_2$ 5	69622	31	0.9	72			
136	138	69623	90	5			5	T	8	Py 10 CaCO$_3$ 30 CuFeS$_2$ 5	69623	28	0.7	103			
138	150	69624	15	25			T	T	0.5	CaCO$_3$ T Py T	69624	33	1.4	77			
150	155	69625	30	70			T	T	5.5	Py 15 CaCO$_3$ T CuFeS$_2$ 5 Limt	69625	27	1.0	91			
150	150	69626	75	15			10	T	2.2	Py 25 CaCO$_3$ T CuFeS$_2$ 5 Limt	69626	18	0.7	65			
155	155	69627	60	T			15	T	1.5	Py 15 CuFeS$_2$ 5 CaCO$_3$ T	69627	16	0.8	42			
155	160	69628	65	5			20	T	1	Py 20 CaCO$_3$ T	69628	28	0.9	45			
160	165	69629	75				25	T	3	CaCO$_3$ Py	69629	19	0.8	42			
165	170	69630	85	5			10	T	6	Py CaCO$_3$ T	69630	16	1.1	41			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. [illegible]

Date Drilled OCT 27. 1979 Elevation _____ Bearing _____ Page No. 1 Of 1

Casing Depth 23' Overburden Depth 95' Length of Hole 200' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	[illegible]	[illegible]	60				30	T	5	Py 15 G 0.30 Lim T Q 1.35	64631	>20	0.7	70			
[illegible]	[illegible]	[illegible]	65				35	T	8	Py 25 Cu Fe S2 T Lim T Q 1.20 G 0.40 S.S. 10	64632	19	0.9	64			
[illegible]	[illegible]	[illegible]	70	5			25	T	7	Py 10 Cu Fe S2 Lim T Q 1.20 G 0.30 S.S. 10	64633	15	0.6	82			
[illegible]	[illegible]	[illegible]	10	T			10	T	3.5	Py 10 Cu Fe S2 T Lim Q 1.20 G 0.45 S.S. 15	64634	16	0.9	34			
[illegible]	[illegible]	[illegible]	20				15	T	4.5	Py 15 Cu Fe S2 T S.S. 25 Q 1.20 G 0.55 Lim T	64635	15	0.5	30			
[illegible]	[illegible]	[illegible]	25				5	T	3.5	Py 20 Cu Fe S2 T S.S. 20 Q 1.20 G 0.35	64636	16	0.6	17			

#22

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. C108

Date Drilled OCT 27, 1979 Elevation ____ Bearing ____ Page No. 1 Of 3

Casing Depth 36' Overburden Depth 40' Length of Hole 170' Dip 69°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69637	25	+	10	55	10	+	2.1		69637	31	1.9	104			
10	15	69638	40	10	5	20	25	+	2.5		69638	36	0.8	116			
15	20	69639	40	15	30	10	5	+	2.6		69639	34	1.2	102			
20	25	69640	50	15	25	10	5	+	3		69640	33	0.9	103			
25	30	69641	70	10	10	5	5	+	4.9		69641	31	0.8	133			
30	35	69642	55	5	35	+	5	+	7.5		69642	54	1.0	117			
35	40	69643	70	+	25		5	+	2.1		69643	49	1.2	127			
40	45	69644	85		10		5	+	3		69644	34	1.0	111			
45	50	69645	80		15		5	+	3.3		69645	43	1.2	103			
50	55	69646	80	5	10		5	+	1.2		69646	34	1.1	78			
55	60	69647	65	35				+	1		69647	39	4.7	142			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

~~#~~ 22

Location CH GROUP | Latitude | Departure | Hole No. 0108

Date Drilled OCT 27, 1979 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 36' | Overburden Depth 40' | Length of Hole 170' | Dip 69°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69648	60		40		+	+	1		69648	31	0.6	477			
65	70	69649	75		25		+	+	5		69649	28	0.5	213			
70	75	69650	70	15	15		+	+	3		69650	33	0.6	119			
75	80	69651	40		60			+	1		69651	32	0.5	143			
80	85	69652	55		45			+	2		69652	23	0.3	104			
85	90	69653	40	10	50			+	3		69653	55	5.5	131			
90	95	69654	85		5		10	+	3		69654	21	2.1	60			
95	100	69655	90				10	+	1		69655	62	2.2	46			
100	105	69656	85				15	+	6		69656	49	2.9	91			
105	110	69657	75				25	+	2		69657	41	1.3	62			
110	115	69658	60				40	+			69658	28	0.8	57			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#22

Location CH GROUP Latitude _____ Departure _____ Hole No. C108

Date Drilled OCT 27 1979 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 36' Overburden Depth 40' Length of Hole 170' Dip 69°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69659	75				25	+	5		69659	30	1.1	23			
120	125	69660	90				10	+	4		69660	35	1.2	45			
125	130	69661	100		+		+	+	3		69661	31	1.1	25			
130	135	69662	100					+	6		69662	29	1.0	31			
135	140	69663	90	5			5	+	5.1		69663	30	1.6	42			
140	145	69664	95	5			+	+	7		69664	25	0.9	33			
145	150	69665	90				10	+	3		69665	20	1.2	23			
150	155	69666	70				30	+	3		69666	55	1.5	130			
155	160	69667	60				40	+	9		69667	42	0.9	42			
160	165	69668	55				45	+	6		69668	60	0.7	63			
165	170	69669	50				50	+	7		69669	89	1.4	199			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled OCT 30, 1979 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 38' | Overburden Depth ? | Length of Hole 60' | Dip 59°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
												40	.2	92			
			75		15				5			36	1.6	107			
			2		85		5	7	5			28	1.5	89			
		6613	35	10	30				4			27	1.3	72			
		6614	90		10		1	1	5.5			35	1.6	84			
										NO SAMPLE			NO	SAMPLE			
			65		30		5	1	2.0			37	1.8	134			
		6617	70		20				4			45	2.0	143			
		6618	65		35				3.1			43	1.9	128			
												INSUFFICIENT Sample					
												55	3.1	142			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled OCT 30 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 10' | Overburden Depth ? | Length of Hole 50' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
									3.4	GQ 45 Grnst 35 Qtz 20 Lim T Fe2O3T Py T Fe3O4T CaCO3T		71	2.5	100			
									4.1	GQ 50 Grnst 35 Qtz 15 Lim T Py T CaCO3T Fe3O4T		58	1.7	54			
									5.3	GQ 39 Grnst 35 Py 5 Qtz 20 Lim T Fe2O3T MnO2T Fe3O4 T		34	1.3	39			
					35			T	5.0	GQ 49 Grnst 45 Qtz 5 Lim T Py T S.S T Fe3O4 T CaCO3T		25	1.6	38			
								T	5.0	Grnst 55 GQ 20 Qtz 25 Py T Lim T CaCO3T S.S T Fe3O4T		23	1.1	43			
									5.2	GQ 40 Grnst 35 Qtz 25 Lim T CaCO3T Fe3O4T Py T		22	1.6	47			
								T	3.4	GQ 60 Grnst 25 Qtz 15 SS T Lim T GS T CaCO3T Py T Fe3O4T ZnS T Fe2O3T		31	4.7	53			
									3.3	Grnst 50 GQ 25 Qtz 25 Fe2O3T Py T GST Lim T Fe3O4T CaCO3T		39	1.2	57			
									4.0	Grnst 35 GQ 35 Qtz 30 Fe2O3T Lim T GS T ZnS T SS T Py T Fe3O4T		36	1.8	69			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV. 7 1979 | Elevation | Bearing S 60° W | Page No. 1 Of 1

Casing Depth 35' | Overburden Depth 25-30' | Length of Hole 60' | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
		10306									10306		No	Sample			
		10307									10307		No	Sample			
		10308															
		10309	60	20	10		10	1	1.2	GQ 70 GS 5 Fe_2O_3 T Grnst. 5 S.S.T Py T Lim T	10309	44	1.2	62			
		10310	55	10	5		30	1	1.0	GQ 70 Grnst. 10 Qtz 20 S.S. T Lim. T Py T	10310	50	1.8	67			
		10311	70	10			20	1	1.1	GQ 70 GS. 10 Qtz 20 Py T Lim T MnO_2 T Grnst. T	10311	51	1.2	140			
		10312	80	1			10	1	1.0	GQ 70 GS. 10 Qtz. 20 Lim T Py T	10312	44	1.1	74			
		10313	50	20			30	1	1.2	GQ 45 Qtz 35 GS 20 Lim. T Py T $CaCO_3$ T	10313	39	1.0	42			
		10314	70	10			20	1	1.0	GQ 90 GS. T Qtz 10 Lim. T Py T SS. T	10314	43	1.1	47			
		10315	60	T			40	1	1.0	GQ 55 GS 10 Qtz 35 Py T Lim. T MnO_2 T	10315	45	1.3	54			
		10316	60	10			30	1	1.0	GQ GS. 10 Qtz 25 Lim T Py T MnO_2 T	10316	34	1.0	60			
		10317		No	Sample								No	Sample			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV 7, 1979 | Elevation | Bearing S 60° W | Page No. 1 Of

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 170' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
									1.0	GQ 64 Grnst. 30 Qtz. 5 MnO2 T Py T Lim. T Fe3O4 T		49	1.2	98			
									1.0	GQ. 100 QtzT GS. T Lim. T S.S. T		34	1.7	133			
									1.0	GQ. 85 GS 5 Qtz 10 Lim. T Fe2O3T		27	1.2	62			
									1.0	GQ. 70 GS 10 Qtz. 20 Lim. T MnO2 T Py T		32	1.4	52			
									1.1	GQ. 80 GS. T Qtz. 20 CaCo3 T Lim T Py T		23	.8	46			
									1.0	GQ 44 GS 35 Qtz. 20 Lim. T Py T MnO2 T		35	1.1	182			
									1.0	GQ 45 Qtz 30 GS. 25 Lim. T Py T		26	1.2	108			
									1.0	G.Q. 60 GS 35 Qtz. 5 Lim. T S.S. T Py T		27	.8	130			
									1.0	G.Q 60 GS. 25 Qtz. 15 Py T Lim. T MnO2 T S.S. T		36	1.3	90			
									1.0	G.Q 60 Qtz 20 GS. 15 Lim. T Py 5 MnO2 T S.S. T		25	.4	56			
									1.0	GQ 35 GS 35 Qtz 25 Py 5 Lim. T S.S. T MnO2 T		27	.6	109			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV. 7 1979 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 170' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
0	65	70329	20	70			10	T	1.0	GQ 60 Q.S. 25 Qtz. 5 Py 1 Lim. T MnO2 T	70329	28	.7	122			
65	80	70330	70	20			10	T	1.0	GQ 85 GS. 10 Qtz. 5 Py T Lim. T MnO2 T	70330	24	.6	59			
80	95	70331	10	80			10	T	1.0	GQ 70 Qtz 20 Py 5 GS. 5 Lim. T MnO2 T FeCO3 T ZnS T	70331	35	1.1	575			
95	80	70332	30	60			10	T	1.0	GQ. 84 QS. T FeCO3 5 Qtz. 10 Lim. T Py 1	70332	27	1.0	220			
80	85	70333	10	70			T	T	1.0	GQ 70 Py 10 Qtz 20 FeCO3 5 Lim. T S.S T	70333	22	1.1	160			
85	90	70334		50	20		T	T	1.0	Py 55 QS 25 Qtz. 20 S.S. T Lim. T GQ. T	70334	43	.9	119			
90	95	70335		60	30		10	T	1.0	Py 35 QS 35 Qtz 25 GQ 5 Lim. T FeCO3 T S.S T	70335	34	1.9	156			
95	100	70336		10	80	T	10	T	1.0	SS 80 GS 10 Py 5 Lim. T Qtz. 5 FeCO3 T	70336	33	.7	91			
100	105	70337		T	100	T	T	T	1.0	SS. 70 QS 5 Qtz 10 Py 10 Grnst. T FeCO3 T GQ 5 Fe1-xS T	70337	28	1.3	94			
105	110	70338		70	30		T	T	1.0	GQ. 35 QS 20 Py 10 Qtz 25 Lim. T SS. 10	70338	23	1.1	70			
110	115	70339		100			T	T	1.0	GQ. 40 QS 35 Qtz 20 Py 5 CaCO3 T Lim. T S S T	70339	25	1.6	86			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV. 7, 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 170' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70340		100	T		T	T	1.0	GQ 45 GS 20 Py 10 Qtz 25 Lim T	70340	34	1.1	91			
120	125	70341		95	T		5	T	1.2	GQ 40 Qtz 25 Py 25 GS 10 Lim T	70341	23	1.0	69			
125	130	70342		100			T	T	1.0	GQ 65 GS 10 Qtz 20 Py 5 Grnst T Lim T	70342	30	.8	44			
130	135	70343		90			10	T	1.0	GQ 45 GS 20 Py 10 Qtz 25 Lim T	70343	36	1.4	52			
135	140	70344		100			T	T	1.0	GQ 30 Qtz 25 Py 25 GS 20 Lim T	70344	31	1.5	123			
140	145	70345		95			15	T	1.0	GQ 60 GS 5 Py 10 Qtz 25 Lim T	70345	28	.7	90			
145	150	70346		95			5	T	1.0	GQ 20 GS 25 Py 25 Qtz 30 Lim T	70346	22	1.1	119			
150	155	70347		90	T		10	T	1.0	GQ 25 GS 35 Qtz 35 Lim T S.S T FeCo3 T Py 5	70347	28	.8	64			
155	160	70348		80			20	T	1.0	GS 35 Qtz 25 Py 25 GQ 15 Lim T	70348	33	1.0	71			
160	165	70349		100			T	T	1.0	GQ 60 GS 10 Qtz 25 Py 5 Lim T	70349	23	1.5	48			
165	170	70350		100	T		T	T	1.0	GQ 60 GS 10 Qtz 25 Py 5 Lim T	70350	21	1.0	40			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 129

Date Drilled NOV. 8, 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 7' | Overburden Depth 0' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70351	85	5			10	T	3.5		70351	51	1.7	181			
10	15	70352	70	5			25	T	3.5		70352	38	1.5	268			
15	20	70353	80	5			15	T	5.5		70353	82	1.7	239			
20	25	70354	85	5	5		5	T	4.2		70354	27	1.5	243			
25	30	70355	90	5			5	T	4.5		70355	20	1.2	170			
30	35	70356	85	5			10	T	3.2		70356	37	1.3	94			
35	40	70357	75	5			20	T	3.2		70357	45	1.3	116			
40	45	70358	80	15			5	T	1.7		70358	23	1.6	44			
45	50	70359	75	5	10	5	5	T			70359	19	1.5	116			
50	55	70360	35	65	T						70360	22	2.1	177			
55	60	70361		T	35	65	T	T	1.5		70361	70	1.5	425			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 129

Date Drilled NOV. 8, 1979 | Elevation | Bearing | Page No. 2 of 3

Casing Depth 7' | Overburden Depth 0' | Length of Hole 170' | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70362	15		35	45	5	T			70362	25	1.8	148			
65	70	70363	20		35	45	T	T			70363	66	1.9	220			
70	75	70364	65	25			10	T			70364	20	1.6	52			
75	80	70365	60	35	5		T	T			70365	74	2.3	454			
80	85	70366	60	25			15	T			70366	32	1.9	165			
85	90	70367	50	45			5	T			70367	27	1.8	113			
90	95	70368	30	5			65	T			70368	24	1.7	61			
95	100	70369	60	25			15	T			70369	11	1.4	50			
100	105	70370	60	35			5	T			70370	24	1.8	104			
105	110	70371	40	55			5	T			70371	16	1.7	84			
110	115	70372	70	25			5	T			70372	16	1.7	131			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 129

Date Drilled NOV 8 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 7' | Overburden Depth 0' | Length of Hole 170' | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70373	85	10			5	T	3.5		70373	15	1.9	97			
120	125	70374	55	45				T	1.9		70374	23	2.1	94			
125	130	70375	95	T	T		5	T	3.1		70375	18	1.4	76			
130	135	70376	95	5			T	T	2.4		70376	18	1.2	51			
135	140	70377	65	T			35	T	4.7		70377	24	1.1	62			
140	145	70378	90	T			10	T	4.5		70378	23	1.8	49			
145	150	70379	55	45			T	T	3.7		70379	23	2.2	103			
150	155	70380	80	10			10	T	3.0		70380	25	1.6	73			
155	160	70381	85	5			10	T	4		70381	24	1.2	77			
160	165	70382	90	5			5	T	6.0		70382	21	1.0	224			
165	170	70383	75	T			25	T	5.0		70383	17	1.1	116			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV 8, 1979 | Elevation | Bearing | Page No. 1 Of

Casing Depth 7' | Overburden Depth 0-5' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
		10384	30	10			1	T	3.5		10384	28	1.0	67			
		10385	70	5			5	T	5.0		10385	30	1.2	311			
		10386	20	10			1	1	1		10386	31	1.4	139			
		10387	20	5			15	T	4.5		10387	28	1.2	73			
		10388	70	5			25	T	6		10388	39	1.6	91			
		10389	T	5	5	5	60	T	4.5		10389	32	1.4	117			
		10390	10		55	35	5	T	7.8		10390	20	1.6	103			
		10391	10	5	25	5	50	T	4.5		10391	26	1.6	164			
		10392	30	15	5		10	T	4.5		10392	29	1.6	164			
		10393	10	5			5	T	2.2		10393	26	1.6	60			
		10394	25	10	1		5	T	3.0		10394	23	1.9	100			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV. 8 1979 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 7' | Overburden Depth 0-5' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	65	70375	95	5			20	T	4.5		70375	24	1.4	40			
65	70	70376	60	10			30	T	5.5		70376	20	1.2	25			
70	75	70377	70	10			5	T	5.1		70377	29	1.6	59			
75	80	70378	60	15			5	T	7.7		70378	23	1.6	85			
80	85	70379	80	15			1	T	4.5		70379	17	1.5	66			
85	90	70400	60	35			5	T	4.3		70400	20	1.6	91			
90	95	70401	75	20			5	T	5.5		70401	21	1.3	49			
95	100	70402	60	35			1	T	4.1		70402	21	1.3	51			
100	105	70403	85	15			1	T	6.9		70403	19	1.0	51			
105	110	70404	95	5			0	T	3.9		70404	15	1.1	29			
110	115	70405	70	30			0	T			70405	19	1.3	47			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled NOV. 8. 1979 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 7' Overburden Depth 0-5' Length of Hole 170' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70406	80	10	T		20	T	3.5	Py 10 Qtz 30 Gr 30	70406	22	1.3	66			
120	125	70407	80	15			1	T	3	Py 10 Qtz 20 Gr 30	70407	23	1.6	120			
125	130	70408	85	5			10	T	2	Py 10 Qtz 30 Gr 35	70408	30	1.7	89			
130	135	70409	85	10			5	T	2.9	Py 5 Qtz 10 Gr 20	70409	31	1.2	65			
135	140	70410	60	5			35	T	5.0	Py 10 Qtz 10 Gr 30	70410	22	.7	94			
140	145	70411	20	5			20	T	3.1	Py 10 Qtz 35 Gr 30	70411	29	1.1	120			
145	150	70412	90	T			10	T	4.5	Py 5 Qtz 30 Gr 55	70412	24	1.3	110			
150	155	70413	85	T			5	T	3.5	Py 10 Qtz 30 Gr 40	70413	23	1.0	54			
155	160	70414	90	5			5	T	3.0	Py 5 Qtz 30 Gr 30	70414	25	1.5	58			
160	165	70415	95	T			5	T	3	Py 10 Qtz 30 Gr 50	70415	17	.9	68			
165	170	70416	95	T			5	T	2.5	Py 10 Qtz 20 Gr 70	70416	18	.6	71			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 131

Date Drilled NOV. 8, 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 12' | Overburden Depth 10' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70417	70	5			25	t	6	GQ 60 Qtz 40 Lim tr	70417	26	1.1	47			
10	15	70418	45	5			50	t	6	Qtz 70 GQ 30 Lim tr	70418	31	1.2	47			
15	20	70419	55	5			40	t	4	Qtz 50 GQ 50 Lim tr G.S tr	70419	23	1.3	58			
20	25	70420	50	5	5		40		8	Qtz 50 GQ 45 Lim S G.S. tr	70420	30	1.0	155			
25	30	70421	50	5	5		40		6	GQ 50 Qtz 40 Lim S G.S S	70421	37	1.3	92			
30	35	70422	45	5			50		3	Qtz 50 GQ 40 Py S G.S S Lim tr	70422	34	1.7	105			
35	40	70423	25	15			60		5	Qtz 70 GQ 10 Py 10 G.S tr	70423	17	1.0	55			
40	45	70424	45	15			40		5	Qtz 50 Py 30 GQ 20	70424	27	1.5	46			
45	50	70425	65	15			20		4	Calcareous Qtz tr 70 Qtz 20 Py 10	70425	20	1.1	43			
50	55	70426	90	5			5		5	Calcareous Qtz tr 95 Qtz tr Py S	70426	19	1.1	28			
55	60	70427	80	5			15		8	Qtz 40 Py S GQ 10 G.S tr	70427	22	1.1	65			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 131

Date Drilled NOV. 8 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 12' | Overburden Depth 10' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70428	55	5			40		2	Ot 40 GQ 30 Py 30	70428	24	1.1	58			
65	70	70429	50	10			40		3	Ot 60 GQ 15 Py 25	70429	24	1.0	29			
70	75	70430	80				20		4	Calcareous Ot + 60 Ot 30 GS tr Py 10	70430	23	1.2	42			
75	80	70431	70	10			20		16	GQ 60 Ot 30 Py 10 GS tr	70431	13	.8	20			
80	85	70432	50	50					5	Py 40 GQ 35 Ot 25	70432	19	1.3	35			
85	90	70433	50				50		5	Ot 40 GQ 5 Py 5	70433	10	1.4	30			
90	95	70434	20				80		8	Ot 60 GQ 20 Py tr GS tr	70434	14	.6	54			
95	100	70435	40	tr	tr		60		4	Qt 60 Py 15 GQ 25	70435	14	1.2	92			
100	105	70436	40	tr	tr		60		5	Ot 40 GS 30 GQ 10 Py 20	70436	20	1.4	73			
105	110	70437	50				50		2	GQ 45 Ot 35 Py 20	70437	19	1.1	48			
110	115	70438	15	80	5				6	GS 40 Py 35 Qt 5 GQ 20	70438	19	.8	73			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C131

Date Drilled NOV. 8 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 12' | Overburden Depth 10' | Length of Hole 170' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70439	50	tr			50		4	GQ 50 Py 15 QtS 30	70439	15	.8	54			
120	125	70440	60				40		3	Qtz 55 GQ 10 Py 35	70440	15	.5	25			
125	130	70441	70		10		20		8	Calcareous Qtz 80 Py 5 Qtz 15	70441	20	1.2	54			
130	135	70442	50				50		4	Qtz 35 GQ 35 Py 20 QS 10	70442	21	1.1	49			
135	140	70443	70				20		2	GQ 60 Qtz 35 Py 5 - QS tr	70443	13	.9	30			
140	145	70444	50				50		2	Qtz 70 GQ 20 Py 10 QS tr	70444	16	.8	30			
145	150	70445	15	70			15		1	GQ 45 Qtz. 45 Py 10	70445	16	.9	30			
150	155	70446	10					MISSING			70446	No	Sample				
155	160	70447	10	60			30		2	GQ 85 Qtz 5 Py 10	70447	16	.9	35			
160	165	70448	20	40			40		2	GQ 85 Qtz 5 Py 10	70448	21	.7	51			
165	170	70449	40	20			40		8	Qtz 40 GQ 40 Py 20	70449	22	.9	89			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 132

Date Drilled NOV 8 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 6' | Overburden Depth 5-6' | Length of Hole 160' (+) | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70450	70	5			25	tr	3	Qtzt-calcareous 90 Qtz. 10 Py-tr. Lim tr	70450	23	1.2	105			
10	15	70451	95				5	tr	7	Calcareous Qtzt 95 Qtz 5 Py-tr S.S. tr	70451	24	1.9	46			
15	20	70452	90				10	tr	10	Calcareous Qtzt 88 Qtz 10 Py 2 Lim tr G.S tr	70452	48	2.0	136			
20	25	70453	80				20	+	4	Qtzt 50 Qtz 50 Py tr	70453	26	.8	88			
25	30	70454	50				50	+	8	Qtz 70 G. Qtzt 30 Py tr	70454	21	.9	58			
30	35	70455	40				60	+	6	Qtz 80 G.Q 20 Py tr	70455	21	1.0	42			
35	40	70456	40				60	+	4	Qtz 80 GQ 10 Py 10 G.S. tr	70456	22	1.3	45			
40	45	70457	40	30			30		16	G.Qtzt 40 Qtz 40 Py 20 G.S tr	70457	35	1.2	104			
45	50	70458	30	30			40		4	GQ 60 Qtz 20 Py 20	70458	31	1.0	88			
50	55	70459	20	20			60		7	Qtz 60 GQ 40 Py tr G.S. tr	70459	69	1.0	207			
55	60	70460	30				70		5	Qtz 70 GQ 30 Py tr G.S tr	70460	67	.6	75			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GRAIP | Latitude | Departure | Hole No. C132
Date Drilled NOV. 8 1979 | Elevation | Bearing | Page No. | Of
Casing Depth 6' | Overburden Depth 5-6' | Length of Hole 160'145' | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70461	10				90		4	Qtz 80 GQ 10 G.S. 10 Py tr	70461	54	1.1	123			
65	70	70462	40	30			30		10	Qtz 40 GQ 20 G.S. 30 Py 10	70462	47	1.4	88			
70	75	70463	40	25	5		30		11	G.S. 45 GQ 20 Qtz 30 Py 5 Lim tr	70463	53	1.8	123			
75	80	70464	80	20					8	Calcareous Qtzt 85 Qtz 10 Py 5 G.S. tr	70464	32	1.5	71			
80	85	70465	25	25			50		4	Qtz. 75 G.Q. 10 Py 15 G.S. tr	70465	40	3.8	106			
85	90	70466	30	20			50		3	Qtz 75 GQ 5 Py 15 G.S. 5	70466	26	.8	61			
90	95	70467	50				50		3	Qtz 75 GQ 10 Py 15 G.S. tr	70467	29	.9	77			
95	100	70468	50				50		3	Qtz 70 GQ 5 Py 20 G.S. 5	70468	29	.7	94			
100	105	70469							6	MISSING	70469						
105	110	70470	60				40		3	Qtz 50 GQ 40 Py 10	70470	42	.7	83			
110	115	70471	95				5		7	GQ 90 Qtz 9 Py 1	70471	34	.5	65			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C132

Date Drilled NOV 8, 1979 | Elevation | Bearing | Page No. | Of

Casing Depth 6' | Overburden Depth 5-6' | Length of Hole 160' 145' | Dip 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70472	50	40			10		5	GQ 95 Qtz 5 as tr Py tr	70472	47	.7	83			
120	125	70473	30	70					7	GQ 70 Py 30 Qtz tr	70473	26	.8	46			
125	130	70474	20	80					9	GQ 60 Py 35 Qtz tr as 5	70474	23	.4	51			
1		70475								MISSING							
		70476								MISSING							
140	145	70477	40	20			40		8	Qtz 40 GQ 30 Py 30	70477	20	.8	58			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. 134

Date Drilled NOV. 2, 1979 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 200' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (PPM)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69946	25		75			+	2.3	S.S. 80 GQ 20 Qtz T GS T Lim. T Py T	69946	47	0.9	360			
10	20	69947	45	10	15		30	+	3.0	S.S. 50 Grnst 20 Qtz 30 GQ T Lim. T Py T	69947	28	2.0	105			
20	30	69948	70		30			+	3.1	GQ 95 GS 5 Grnst. T Py T ZnS T Pbs T	69948	33	1.9	150			
30	40	69949	40	25	35			+	4.2	GQ 70 GS. 25 Qtz 5 S.S. T Lim. T	69949	34	1.5	114			
40	50	69950	50	25	25			+	2.8	GQ 55 GS. 30 Qtz 15 S.S. T Mag T Lim. T	69950	50	1.7	214			
50	60	69951	45	25	20		10	+	4.0	GQ 30 GS. 25 Qtz 45 Py. T Lim. T	69951	28	1.4	205			
60	70	69952	30	10	5		5	+	2.8	GQ. 55 GS. 15 Qtz 30 Lim T Py T.	69952	27	1.0	48			
70	75	69953	60	35			+	+	4.0	GQ 60 GS 35 Qtz 5 Lim T Py T ZnS T	69953	24	0.8	34			
75	80	69954	60	40				+	2.0	G.Q 75 GS. 20 Qtz 5 Lim. T Py T ZnS T	69954	27	1.3	50			
80	85	69955	55	40	5			+	4.1	GQ 60 GS. 35 Qtz 5 S.S. T Lim. T	69955	37	1.0	65			
85	90	69956	100	T				+	2.0	GQ 90 GS. 5 Qtz 5 Lim. T Py T S.S. T	69956	21	0.7	25			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C-139

Date Drilled NOV-2 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 200' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69957	80	15				T	3.8	GQ 80 GS. 10 Qtz 10 Lim. T Py T	69957	24	1.6	61			
65	70	69958	70	15	15			T	2.5	GQ 50 GS. 15 Qtz 35 S.S. T Lim. T Py T	69958	68	0.9	207			
70	75	69959	65	10	5		20	T	3.7	GQ 50 GS. 10 Qtz 40 Lim. T Py T	69959	41	0.7	104			
75	80	69960	100					T	1.5	GQ 45 GS. 35 Qtz 20 Lim. T Py T	69960	80	1.1	93			
80	85	69961	95		5			T	2.6	GQ 75 GS. 15 Qtz 10 S.S. T Lim. T Py T FeCO3 T	69961	44	1.4	97			
85	90	69962	100		T			T	2.5	GQ 70 GS. 15 Qtz 15 Lim. T Py T	69962	25	0.9	43			
90	95	69963	80	10	5			T	3.0	GQ 65 Qtz. 25 GS. 10 FeCO3 T Lim. T Py T S.S. T	69963	34	1.2	76			
95	100	69964	80	15			5	T	5.5	GQ 40 GS 35 Qtz 25 CaCO3 T Lim. T Py T	69964	32	1.1	92			
100	105	69965	70	15	T		15	T	4.9	GQ 55 GS. 25 Qtz 20 Lim. T Py T S.S. T	69965	30	1.3	75			
105	110	69966	60	25	T		10	T	5.0	GQ 44 GS. 30 Qtz 25 Lim. T Py, FeCO3 T ZnS. T	69966	26	1.1	60			
110	115	69967	90	5			5	T	3.8	GS. 65 GQ. 20 Py 5 Qtz 10 S.S. T Lim. T	69967	28	1.3	71			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#75 - #82

Location CH GROUP | Latitude | Departure | Hole No. 139

Date Drilled NOV. 2 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 15' | Overburden Depth 10-15' | Length of Hole 200' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69979	60	30	10			T	2.0	GQ 60 GS 30 Py 5 SS 5 Grnst T Lim T CaCO3 T	69979	57	1.2	137			
175	180	69980	65	35				T	2.0	GQ 95 GS 20 Py 25 Qtz 20 CaCO3 T Lim T	69980	61	1.0	174			
180	185	69981	20	10	10			T	22	GQ 48 GS 20 Grnst 10 SS T Qtz 20 FeCO3 T Py 2 Pbs T CaCO3 T	69981	48	1.3	96			
185	190	69982	85	5	T		10	T	1.5	GQ 75 GS 10 Py 5 CaCO3 5 Qtz 5 Grnst T Pbs T	69982	66	1.1	148			
190	195	69983	85	10	T		5	T	1.9	GQ 75 GS 10 Qtz 10 CaCO3 T Py 5 Grnst T S.S. T Lim T Pbs T	69983	63	1.3	156			
195	200	69984	80	10			10	T	2.0	GQ 68 GS 10 Qtz 15 Py 2 CaCO3 5 Lim T Pbs T Grnst. T Pb-oxT ZnS T	69984	76	0.9	188			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

≠142 + #11

Location CH GROUP | Latitude | Departure | Hole No. C141

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 18' | Overburden Depth 90' | Length of Hole 180' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70112	80	10			10	T	2.0	GQ 80 SS. 10 GS. 5 Lim. T Py T CaCO3 T Grnst T	70112	55	1.4	84			
10	15	70113	80	10			10	T	2.0	GQ 80 SS. 10 Qtz 10 GS. T Grnst. T CaCO3 T Lim T Py T MnO2 T	70113	46	1.3	76			
15	20	70114	80	T		10	10	T	1.8	GQ 87 Qtz 10 Grnst. T S.S. T GS. T Lim. T MnO2 1	70114	83	2.1	147			
20	25	70115	80	T		5	15	T	1.0	GQ 89 Qtz 10 Grnst T GS. T Lim. T PbCO3 T MnO2 1 CaCO3 T Pbs T	70115	238	11.3	481			
25	30	70116	70			5	25	T	1.0	Grnst. 85 GQ 5 Qtz 10 Pbs qT MnO2 T Pbs T CaCO3 T Lim T	70116	180	8.1	464			
30	35	70117	85	T	T	10	5	T	1.1	Grnst. 80 Qtz 5 MnO2 10 Pbs 1 S.S. T GS. T GQ T Lim. T	70117	2322	19.4	1034			
35	40	70118	70	5	T	10	15	T	1.3	Grnst. 10 GQ 60 Qtz 15 CaCO3 2 Fe2O3 3 MnO2 10 Pbs 1 S.S. T Pbs qT Lim T	70118	994	7.9	966			
40	45	70119	70	10	T	10	10	T	1.0	GQ 59 GS 5 Grnst. 25 MnO2 1 S.S. 5 CaCO3 5 Fe2O3 T Pbs T Lim T	70119	6310	13.7	710			
45	50	70120	60	10	T	10	20	T	1.5	GQ 65 Grnst. 5 MnO2 5 Qtz 25 S.S T Lim T Py T Pbs T CaCO3 T	70120	1125	8.6	883			
50	55	70121	60	5	10	10	15	T	1.0	GQ 80 Qtz 15 Grnst. 5 GS T Lim T CaCO3 T Py T	70121	549	3.1	539			
55	60	70122	55	35	5		5	T	2.0	GQ 64 Qtz 25 Lim 5 MnO2 1 Py T CaCO3 T FeCO3 T GS 5	70122	89	1.5	111			

#142#11

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C141

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 2 of 4

Casing Depth 18' | Overburden Depth 20' | Length of Hole 180' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70123	55	35	T		5	T	1.3	GQ 65 QS 25 Grnst 10 S.S. T FeCo3 T Lim T Py T MnO2 T CaCo3 T	70123	25	2.0	1901			
65	70	70124	5	25	65		5	T	1.0	Grnst. 95 Qtz 5 CS T S.S. T Lim. T Py. T CaCo3 T FeCo3 T Pbs T MnO2 T	70124	149	2.7	907			
70	75	70125	65	25			10	T	1.0	GQ 65 QS 25 Grnst. 5 FeCo3 5 CaCo3 T Pbs04 T Lim T Py T MnO2	70125	143	1.6	411			
75	80	70126	30	65			5	T	1.3	GQ 55 QS 35 Qtz 10 Lim T Grnst T Py T Pbs T MnO2 T Pb04 T S.S T	70126	150	1.9	173			
80	85	70127	45	10	5	20	20	T	1.0	GQ 40 Grnst. 20 Py 5 CaCo3 5 QS 10 S.S T Lim T Qtz 20 MnO2 T	70127	109	1.6	151			
85	90	70128	20	35	25	10	10	T	1.0	GQ 60 Grnst. 20 Qtz 10 QS 5 Py 5 CaCo3 T	70128	85	1.2	163			
90	95	70129	65	25	T	T	10	T	1.5	GQ 90 CS T Qtz 10 Lim T Py T CaCo3 T	70129	154	1.1	129			
95	100	70130	55	35	T		10	T	1.0	GQ 89 CS T Qtz 10 Lim T S S T Py 1 Pbs T CaCo3 T	70130	133	1.4	115			
100	105	70131	60	25	15	T	10	T	1.1	GQ 100 CS T S.S T Lim T CaCo3 T Grnst. T Qtz T	70131	91	1.2	170			
105	110	70132	5	5	85		5	T	1.0	Grnst. 100 CaCo3 T Py T Lim T	70132	58	1.1	24			
110	115	70133	5	10	85	T	T	T	1.0	GQ 65 Lim 25 Qtz T HIGHLY OXIDIZED Grnst T CaCo3 T Py T	70133	122	1.6	236			

#142 #11

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C141

Date Drilled NOV. 5 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 18' | Overburden Depth 90' | Length of Hole 180' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70134	10	35	15	T	10	T	1.0	GQ 85 CaCO3 T Qtz 10 Lim 5 Py T	70134	68	1.3	418			
120	125	70135	T	30	65	T	5	T	1.0	GQ 100 CaCO3 T Qtz T Py T Lim 5 Lim T FeCO3 T	70135	78	1.6	1440			
125	130	70136		10	70	5	15	T	2.1	GQ 80 Qtz 10 Lim 10 Grnst. T S.S. T CaCO3 T FeCO3 T Py T	70136	59	2.2	1707			
130	135	70137	15	75	T		10	T	2.0	GQ 74 Qtz 20 GS 5 Py 1 Lim T FeCO3 T	70137	56	1.6	900			
135	140	70138	10	85			5	T	1.5	GQ 80 GS 10 Py 10 Lim T MnCO3 T	70138	111	2.3	366			
140	145	70139	5	95			T	T	1.0	GQ 70 GS 20 Py 10 plag T MnCO3 T S.S T Lim T	70139	245	3.7	637			
145	150	70140	25	75			T	T	1.0	GQ 70 Qtz 15 GS 10 Py 5 Lim T Pbs T MnCO3 T	70140	231	2.0	284			
150	155	70141	25	65			10	T	1.0	GQ 79 GS 5 Qtz 15 Py 1 Lim T CaCO3 T	70141	774	3.8	376			
155	160	70142	60	35			5	T	1.0	GQ 75 GS 5 Py 5 Qtz 15 Lim T CaCO3 T FeCO3 T	70142	116	1.5	275			
160	165	70143	80	15			5	T	1.0	GQ 85 GS 5 FeCO3 T Py 5 CaCO3 T Qtz 5 Lim T	70143	110	2.6	302			
165	170	70144	40	10	25		25	T	1.5	GQ 50 Qtz 25 GS 5 Py 5 Lim T S.S 15 CaCO3 T	70144	68	1.1	170			

#142 # 11

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. C141

Date Drilled NOV. 5, 1979 Elevation ____ Bearing ____ Page No. 4 Of 4

Casing Depth 18' Overburden Depth 20' Length of Hole 180' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	70145	20	35	35		10	T	1.0	GQ 35 Qtz 30 SS 15 GS 10 Lm T CaCO3 T	70145	92	2.0	>19			
175	180	70146	20	35	35		10	T	1.0	GQ 40 GS 5 Qtz 25 SS 25 Py 5 Lm T CaCO3 T	70146	51	1.2	198			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. 1412

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 10' | Overburden Depth 5-10' | Length of Hole 40' | Dip 51°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70147	45				55	T	2.0	QTZ 55 GS 5 PY T HMTT COLOR 25 PBS 5 SS 10 GRZO LIMT	70147	53	1.1	91			
10	15	70148	70				30	T	2.0	QTZ 65 SS 10 GS T GRZ6 LIMT	70148	75	1.2	78			
15	20	70149	70				10	T	2.6	SS 15 QTZ 5 GRZ5 LIMT PBS, S	70149	93	1.1	142			
20	25	70150	50	45			5	T	3.0	QTZ T GRZ5 LIM25 HIGHLY OXIDIZED & LIMT.	70150	54	1.5	166			
25	30	70151	35	65				T	3.2	GRZO QTZ T LIM30 HIGHLY OXIDIZED & T LIMT.	70151	46	1.0	192			
30	35	70152	55	45				T	4.0	QTZ T GRZO LIM15 OXDIZED SS 25 LIMT. HIGHLY OXDIZED 40.	70152	49	1.2	221			
35	40	70153	50	50				T	3.8	OXDIZED SS. 15 LIM10 QTZ T HIGHLY OXDIZED 15 GRZO LIMT	70153	50	1.0	83			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 142 A

Date Drilled NOV. 5 1979 Elevation _____ Bearing _____ Page No. 1 Of 1

Casing Depth 10' Overburden Depth 5-10' Length of Hole 45' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70154	15	10	55		20	T	3.5	C.S. 5 C.Q. 20 S.S. 65 Limt Qtz 10	70154	65	1.1	150			
10	15	70155	65		15		20	T	3	C.Q. 70 Limt S.S. 25 Qtz 5 Highly oxidized	70155	67	1.3	146			
15	20	70156	40	10		45	5	T	3.4	Grnst 10 C.Q. 45 Limt S.S. 35 Qtz 10 Highly oxidized	70156	40	1.5	177			
20	25	70157	40	25	5	30		T	4.9	C.Q. 25 Limt S.S. 70 Qtz 5 Highly oxidized	70157	46	1.4	176			
25	30	70158	20	25	5		T	T	5.1	C.S. 10 Limt Qtz 25 S.S. 65 Highly oxidized	70158	47	0.9	161			
30	35	70159	60	35			5	T	4.9	C.Q. 40 S.S. 10 Limt Qtz 15 C.S. 35 Highly oxidized	70159	57	1.2	102			
35	40	70160	55	45				T	4.5	C.Q. 35 S.S. 5 Limt Qtz 15 C.S. 45 Highly oxidized	70160	59	1.4	112			
40	45	70161	40	50			10	T	4.5	S.S. 5 C.Q. 10 Limt Qtz 10 C.S. 75	70161	104	1.9	223			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#1 141 #129

Location CH GROUP | Latitude | Departure | Hole No. C 143

Date Drilled NOV 5 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 200' | Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70162	60	25			15	T	1.0	GQ 75 GS 10 Qtz 15 Lim T PyT Fe2O3T	70162	95	1.4	79			
10	15	70163	75	10			15	T	1.0	GQ 85 GS 5 Lim 5 Qtz 5 S.S.T	70163	181	2.0	176			
15	20	70164	70	15			15	T	1.1	GQ 95 Qtz 5 GS. T Lim. T S.S.T	70164	79	0.9	105			
20	25	70165	40	35	15		10	T	1.0	GQ 80 SS. 15 Lim. 5 Qtz T	70165	59	1.0	196			
25	30	70166	40	25	35		T	T	2.0	GQ 90 Qtz T Lim 10 GS. T S.S.T	70166	58	0.9	129			
30	35	70167	65	35			T	T	1.0	GQ 90 GS. 5 Qtz. 5 Lim. T PyT	70167	95	0,6	120			
35	40	70168	70	25	5		T	T	1.0	GQ 90 GS 5 Qtz. 5 S.S.T Lim. T	70168	57	0.7	69			
40	45	70169	30	20	45		5	T	3.0	GQ 40 Qtz. 25 GS. T Lim. T S.S. 5 Py T	70169	48	0,6	93			
45	50	70170	10	35	35	5	15	T	2.0	GQ 100 SST C.S.T Lim. T Qtz. T PyT	70170	38	0,5	66			
50	55	70171	50	35	15		T	T	1.0	GQ 55 GS. 35 Qtz. 5 S.S. 5 Lim T PyT	70171	39	0.7	104			
55	60	70172	25	35	35		5	T	1.0	GQ 30 GS. 25 Py 5 S.S. 35 Qtz 5 Lim T PbS T	70172	50	1.2	110			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#141, #129

Location CH GROUP Latitude _____ Departure _____ Hole No. C 143

Date Drilled NOV. 5 1979 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70173	5	45	45		5	T	1.1	GQ 40 GS 10 SS 40 Py 5 Lim. T MnO2 T Qtz 5	70173	62	0.9	171			
65	70	70174	T	40	45	10	5	T	1.0	SS 70 GS 5 Qtz 20 GQ 5 Lim. T	70174	72	1.2	150			
70	75	70175		40	45	10	5	T	1.0	GQ 45 GS 25 SS 25 Qtz 5 Lim T Py T	70175	57	1.2	139			
75	80	70176	15	20	15	T	T	T	1.0	GQ 65 GS 25 Qtz 5 Lim. T S.S. T Py 5	70176	50	1.1	94			
80	85	70177	20	65	15		T	T	1.0	GQ 100 Qtz T Lim. T Py T	70177	36	0.9	47			
85	90	70178	20	80			T	T	2.1	GQ 100 Qtz T Py T S.S.T Lim.T	70178	42	0.8	43			
90	95	70179	T	50	50		T	T	1.0	GQ 50 GS. 25 SS. 25 Qtz. T Lim. T Py T	70179	40	1.0	166			
95	100	70180		5	95	10	T	T	1.1	Grnst. 100 S S T Qtz T Py T Lim. T GS T	70180	49	1.3	109			
100	105	70181	30	65	5		T	T	2.0	GQ 95 S.S.T Qtz T Lim.T Py 5 Grnst. T	70181	41	0.6	50			
105	110	70182	20	75			5	T	1.2	GQ 95 Qtz 5 S.S.T Py T Lim. T	70182	47	0.7	54			
110	115	70183	10	75			5	T	2.0	GQ 65 GS 25 Qtz 5 Py 5 Lim. T MnO2 T	70183	68	1.1	106			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

71 141. 129

Location CH GROUP | Latitude | Departure | Hole No. C 143

Date Drilled NOV. 5 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 200' | Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70184	70	25			5	T	2.0	GQ 85 Qtz 10 GS 5 Lim T Py T	70184	38	0.4	42			
120	125	70185	70	5			10	T	2.0	GQ 74 Py 1 Qtz 20 GS 5 Lim T MnO2 T	70185	37	0.7	41			
125	130	70186	70	5			5	T	1.8	GQ 89 Qtz 10 GS T Py 1 Lim T	70186	47	0.6	40			
130	135	70187	5	70			5	T	2.1	GQ 40 GS 45 Qtz 10 Py 5 Lim T CaCO3 T	70187	44	1.1	55			
135	140	70188	5	75			T	T	1.0	GQ 60 GS 40 Qtz T Py T Lim T	70188	50	1.0	66			
140	145	70189	5	70			5	T	2.2	GQ 59 GS 35 Qtz 5 S.S. T Lim T Py 1	70189	42	0.6	61			
145	150	70190	20	75			5	T	3.5	GQ 59 GS 20 Qtz 20 Py 1 Lim T	70190	25	1.2	58			
150	155	70191	20	75			5	T	1.1	GQ 84 Qtz 10 GS 5 Py 1 Lim T	70191	11	.9	35			
155	160	70192	20	45			5	T	1.0	GQ 80 GS 5 Qtz 10 Py 5 Lim T CaCO3 T	70192	14	.8	50			
160	165	70193	20	75			5	T	2.2	GQ 70 GS 10 Qtz 15 Py 5 Lim T CaCO3 T	70193	22	1.3	75			
165	170	70194	30	65			5	T	2.1	GQ 65 GS 10 Qtz 20 Py 5 Lim T CaCO3 T	70194	21	.8	74			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

TH 141 . 129

Location CH GROUP Latitude _____ Departure _____ Hole No. C 143

Date Drilled NOV. 5 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 64°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	70195	25	65	5		5	T	1.1	GQ 45 SS 5 Qtz 20 GS 25 Py 5 Lim T CaCO3 T	70195	22	1.0	98			
175	180	70196	5	25	65		5	T	1.5	SS 60 GS 25 GQ 10 Qtz 5 Lim T Py T CaCO3 T	70196	21	.9	131			
180	185	70197	30	60	5		5	T	1.4	SS 25 GS 35 Qtz 5 GQ 30 Lim T Py 5 CaCO3 T	70197	46	.6	125			
185	190	70198	25	55	15		5	T	1.0	GQ 55 Qtz 25 Py 5 S-S 5 GS 10 Lim T CaCO3 T	70198	24	1.0	86			
190	195	70199	30	60	5		5	T	1.2	GQ 50 GS 5 Qtz 35 Py 5 Lim T Py 5 CaCO3 T	70199	23	.7	78			
195	200	70200	30	60	5		5	T	1.0	GQ 70 GS 20 Py 5 Qtz 5 Lim T CaCO3 T	70200	22	1.1	111			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#72

Location CH GROUP | Latitude | Departure | Hole No. C-144

Date Drilled NOV 6 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 15' | Overburden Depth 15-20' | Length of Hole 140' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70201								No sample	70201						
10	15	70202	90	+	+		10	+		Qtz 5 Grnst 10 SS 75 G.S. 10	70202	28	1.7	231			
15	20	70203								No sample	70203						
20	25	70204								No sample	70204						
25	30	70205	40	50	5		5	+	2.5	Qtz 10 G.S. 35 S.S. 45 Qtz 10	70205	35	.5	77			
30	35	70206	70	30			+	+	2.5	Qtz 15 G.S. 35 G.Q. 30	70206	98	1.0	61			
35	40	70207	15	80			5	+	2.5	Qtz 10 G.S. 15 G.Q. 75	70207	36	.6	38			
40	45	70208	20	70			10	+	1.5	Qtz 10 G.S. 15 G.Q. 75	70208	53	.3	32			
45	50	70209	10	90			+	+	1.5	Py 10 Qtz 15 G.S. 20 G.Q. 55	70209	34	.5	28			
50	55	70210	15	80			5	+	1.5	Py 10 Qtz 15 G.S. 25 G.Q. 50	70210	21	1.2	44			
55	60	70211	70	20			10	+	1.5	Py 25 Qtz [illegible] G.Q. 50	70211	50	1.1	58			

#75

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 144

Date Drilled NOV - 6 1979 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 15' Overburden Depth 15-20' Length of Hole 140' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Gmst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70212	30	60			10	+	2.1	S.S. G.S.25 @12 20 G.Q.50	70212	35	1.0	71			
65	70	70213	10	80			10	+	3.1	G.Q.50 Pyt G.S.25 S.S.5 @12 20	70213	52	.8	102			
70	75	70214	20	70			10	+	2.1	G.S.25 @12.5 G.Q.25 CAcg.5 G.S.25 PyT S.S.5	70214	102	1.7	73			
75	80	70215	100				+	+	3.5	G.S.15 S.S.5 @12 10 G.Q.70	70215	32	.9	41			
80	85	70216	75	20	+		5	+	2.5	S.S.5 G.Q.55 Py 10 G.S.15 @12 15	70216	43	.6	43			
85	90	70217	50	40			10	+	2.5	S.S.5 G.S.35 @12 10 G.Q.45	70217	62	1.0	54			
90	95	70218	45	40			15	+	2.4	S.S.T G.S.15 Py 25 @12 25 G.Q.35	70218	71	.9	22			
95	100	70219	60	30			10	+	2.9	PyT @12 25 G.S.10 G.Q.65	70219	59	.7	17			
100	105	70220	90	5			5	+	3	G.S.5 @12 5 G.Q.90	70220	45	.4	53			
105	110	70221	60	20			20	+	3	G.Q.35 Py 10 @12 10 G.S.25	70221	66	.5	81			
110	115	70222	80	10			10	+	2.1	G.Q.50 S.S.5 Py 15 G.S.25 @12 10	70222	63	1.2	83			

#75

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C144

Date Drilled NOV 6 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 15' | Overburden Depth 15-20' | Length of Hole 140' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70223	60	30			10	+	6	Lim+ Py 10 Qtz 20 G.Q. 15 G.S. 25	70223	56	.9	61			
120	125	70224	+	100			+	+	¼	Lim+ Py 25 G.Q. 40 G.S. 10 Qtz 25	70224	58	1.0	36			
125	130	70225								MISSING	70225						
130	135	70226								MISSING	70226						
135	140	70227								MISSING	70227						

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

76

Location CH GROUP Latitude _____ Departure _____ Hole No. C145

Date Drilled NOV 6 1979 Elevation _____ Bearing _____ Page No. 1 Of 4

Casing Depth 15' Overburden Depth 20' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70228			NO		SAM	PLTR			70228						
10	15	70229	10				90	T	2.5	G.Q.10 Grnst 90 S.S. 15 @12.5	70229	41	1.3	86			
15	20	70230	75	10	5		10	T	1.5	@12-25 G.Q.55 S.S.20 G.S.5 Grnst 10	70230	80	1.5	125			
20	25	70231	70	30			T	T	3	G.S.10 Limt @12.15 G.Q.75	70231	65	1.4	34			
25	30	70232	60	40	T		T	T	2.5	G.Q.75 Limt G.S.15 @12.10	70232	76	.7	48			
30	35	70233	90	20			T	T	3.5	S.S.T G.Q.65 Limt G.S.10 @12.25	70233	58	.5	38			
35	40	70234	90	10			T	T	2.5	@12.15 G.Q.10 PYT Limt G.S.10 S.S.5	70234	51	.7	60			
40	45	70235	100	T			T	T	2.5	@12.25 G.Q.50 MnO2 5 Limt G.S.15 S.S.5	70235	72	1.0	114			
45	50	70236	40	60			T	T	2.5	@12.25 G.Q.55 Limt G.S.15 S.S.5	70236	87	1.2	78			
50	55	70237	60	30			10	T	5	G.Q.60 Limt Py 5 S.S.10 @12.25	70237	71	.8	59			
55	60	70238	10	90				T	1.5	@12.5 Py 10 G.Q.70 Limt G.S.20 MnO2 10	70238	44	2.0	93			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#176

Location CH GROUP Latitude _____ Departure _____ Hole No. C 145

Date Drilled NOV. 6 1979 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 15' Overburden Depth 20' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70239		90		1	10	T	2.5	G.S. 25 S.S. 5 Py+ G.Q. 35 Q 12 15	70239	39	1.3	35			
65	70	70240	10	80			10	T	2.5	G.S. 35 G.Q. 35 Py 5 S.S. 5 Q 12 20	70240	54	1.4	73			
70	75	70241	50	30			20	T	5.5	Q 12 35 G.Q. 55 G.S. 5 S.S. 5	70241	37	.9	41			
75	80	70242	40	50			10	T	3.5	Q 12 20 G.Q. 45 G.S. 15	70242	46	1.3	22			
80	85	70243	50	30			20	T	2.5	Q 12 20 G.Q. 75 Py+ G.S. 5	70243	49	1.4	55			
85	90	70244	10	70			20	T	4.5	G.S. 25 Q 12 35 G.Q. 35 S.S. 5	70244	71	1.3	73			
90	95	70245	10	60	20		10	T	3.5	Q 12 5 Py 90 G.Q. 5	70245	68	1.9	154			
95	100	70246		100			T	T	4.5	G.S. 20 S.S. 5 Q 12 5 G.Q. 10 Py 5+	70246	76	2.1	540			
100	105	70247		100			T	T	3.5	G.S. 10 S.S. T G.Q. 5 Py 25	70247	58	2.2	179			
105	110	70248	10	60	20		10	T	4.5	G.S. 10 G.Q. 5 Q 12 2 Py 20	70248	82	1.8	320			
110	115	70249		90			10	T	1.5	G.S. 10 Py 65 Q 12 10 G.Q. 5	70249	66	1.6	174			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C-145

Date Drilled NOV. 6 1979 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 15' Overburden Depth 20' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70250	5	90			5	T	4.2	Py 35 @12 15 C.O. 20 C.S. 25 S.S. 5	70250	56	1.1	125			
120	125	70251	20	80			T	T	4.2	Py 30 CuFeS2 15 C.O. 20 C.S. 15 @12 15	70251	48	1.0	45			
125	130	70252		100			T	T	4.1	Py 20 CuFeS2 10 C.O. 30 C.S. 15 @12 20	70252	41	1.2	69			
130	135	70253	T	90			10	T	4	@12 10 C.S. 15 Py 65 C.O. 10	70253	42	1.0	66			
135	140	70254		100			T	T	3.9	C.S. 15 @12 15 Py 65 C.O. 5	70254	54	.8	59			
140	145	70255		100			T	T	4.1	C.S. 20 @12 15 Py 15 C.O. 50	70255	33	.7	41			
145	150	70256		90			10	T	3.5	Py 15 C.S. 15 @12 10 C.O. 60	70256	29	1.0	37			
150	155	70257	10	80			10	T	4.1	C.S. 15 Py 10 @12 15 C.O. 60	70257	39	.8	46			
155	160	70258		95			5	T	3.9	C.S. 15 Py 5.5 @12 10 C.O. 70	70258	60	.9	138			
160	165	70259		100			T	T	4.1	C.S. 20 Py 20 @12 15 C.O. 45	70259	49	.7	88			
165	170	70260		90			10	T	4.5	Py 5 C.S. 10 @12 10 C.O. 75	70260	39	.9	64			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#76

Location CH GROUP Latitude _____ Departure _____ Hole No. C 145

Date Drilled NOV 6, 1979 Elevation _____ Bearing _____ Page No. 4 Of 5

Casing Depth 15' Overburden Depth 90' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	70261	10	15			5	T	4	G.Q.60 G.S.20 Py 10 Qtz 10	70261	35	.9	72			
175	180	70262	20	40			T	T	3.4	G.Q.10 G.S.15 Py 65 Qtz 10	70262	40	.6	77			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. [illegible] 166 A

Date Drilled NOV. 7, 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 12' | Overburden Depth 10-15' | Length of Hole 170' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70274				NO	SAMPLE				70274						
10	15	70275	40	50			10	T	1.0	GQ 50 GS 25 Qtz 25 Fe_2O_3 T Lim T ZnS T Py T MnO_2 T	70275	48	.7	80			
15	20	70276	30	65			10	T	1.0	GQ 60 GS 35 Qtz 5 Lim T S.S. T MnO_2 T	70276	74	1.6	126			
20	25	70277	15	80			5	T	1.0	GQ 55 Qtz 20 GS 25 Py T Lim T S.S. T	70277	39	1.2	122			
25	30	70278	10	80			10	T	1.0	GQ 80 Qtz 10 GS 10 Lim T Py T MnO_2 T	70278	43	1.0	46			
30	35	70279	30	70			7	T	1.3	GQ 100 Lim T GS T Qtz T	70279	42	.7	17			
35	40	70280	10	90			T	T	1.0	GQ 90 Qtz 10 GS T Py T Lim T	70280	30	.8	16			
40	45	70281	70	30			7	T	2.0	GQ 95 Qtz 5 GS T Py T Lim T	70281	22	.9	17			
45	50	70282	50	45			5	T	1.0	GQ 95 Qtz 5 GS T Py T Lim T	70282	24	1.2	26			
50	55	70283	50	40			10	T	1.1	GQ 40 Qtz 35 Py 5 GS 20 Lim T MnO_2 T	70283	26	1.0	59			
55	60	70284	30	30	30		10	T	1.0	Qtz 20 GQ 15 Py 35 S.S. 15 GS. 15 Lim T Fe_2O_3 T MnO_2 T	70284	23	1.4	78			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. C 146 A

Date Drilled NOV 7, 1979 Elevation ____ Bearing ____ Page No. 2 Of 3

Casing Depth 12' Overburden Depth 10-15' Length of Hole 170' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70285	T	70	20		10	T	1.2	GQ 34 Qtz 10 Py 25 GS 25 S.S. 5 MnO2 1 Lim T	70288	30	1.9	144			
65	70	70286		NO	SAMPLE			T			70286						
70	75	70287			90	T	20	T	2.0	S.S. 60 Qtz 25 Grnst 5 Py T Lim T MnO2 T CaT	70287	24	1.2	82			
75	80	70288			90	T	10	T	1.1	S.S. 90 Qtz 10 Grnst T Py T Lim T FeCO3 T G.S. T	70288	23	1.4	74			
80	85	70289			100	T	T	T	2.0	S.S. 90 Grnst. T Qtz 25 Py 5 Lim T	70289	26	1.0	69			
85	90	70290		60	40		T	T	2.3	GQ 30 Qtz 20 Py 10 S.S 15 GS. 25 Lim T Fe1XST	70290	32	1.1	85			
90	95	70291		90	T		10	T	2.0	GQ 50 GS 25 Qtz 20 Py 5 S.S. T Grnst. T Fe1-XS T	70291	28	.6	96			
95	100	70292	10	85			5	T	2.0	GQ 35 Py 25 Qtz 20 GS 20 Lim T CaCO3 T Pbs T	70292	25	1.2	99			
100	105	70293	20	80			1	T	1.2	GQ 85 GS 10 Qtz T Py 5 Lim T CaCO3 T	70293	29	1.4	64			
105	110	70294		100			T	T	1.0	GQ 50 GS 20 Py 25 Fe2O3 T Lim T Qtz. 5 S.S. T	70294	21	1.0	67			
110	115	70295		70	T		10	T	1.1	GQ 35 GS 25 Qtz 35 Py 5 CaCO3 T Lim T	70295	27	1.2	65			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 146 A

Date Drilled NOV 7, 1979 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 12' Overburden Depth 10-15' Length of Hole 170' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70296		100	T		T	T	1.0	GQ 65 GS 20 Qtz 5 Py 10 Lim T ZnS T	70296	29	.9	33			
120	125	70297		95			5	T	1.0	GQ 25 GS 35 Py 15 Qtz 25 CaCO3 T Lim T	70297	36	1.2	92			
125	130	70298		100			T	T	1.8	GQ 85 GS 5 Py 5 Lim T Qtz 5 S.S T	70298	29	1.5	55			
130	135	70299	T	90			10	T	1.0	GQ 80 GS 5 Qtz 10 Py 5 Lim T	70299	25	1.4	40			
135	140	70300		90			10	T	1.0	GQ 65 GS 25 Qtz 5 Py 5 Lim T	70300	34	1.2	41			
140	145	70301	T	90			10	T	1.0	GQ 55 GS 20 Qtz 20 Py 5 Lim T CaCO3 T MnO2 T	70301	33	.8	34			
145	150	70302		70			30	T	1.0	Qtz 50 GQ 25 Py 15 GS 10 Lim T CaCO3 T	70302	31	1.0	46			
150	155	70303	30	60			10	T	1.0	GQ 50 GS 20 Qtz 25 Py 5 Lim T	70303	35	.6	37			
155	160	70304		100			T	T	1.0	GQ 50 GS 25 Qtz 25 CaCO3 T Lim T	70304	34	1.4	54			
160	165	70305	10	90			10	T	1.0	GQ 30 GS 25 Qtz 25 Py 20 Lim T	70305	32	.9	56			
165	170	70306		95			5	T	1.0	GQ 40 GS 25 Qtz 10 Py 25 Lim T	70306	25	1.1	68			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. [illegible] 266

Date Drilled OCT 7, 1979 Elevation _____ Bearing _____ Page No. 1 Of 1

Casing Depth 12' Overburden Depth 10-15' Length of Hole 60' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
	10	70263								NO SAMPLE	70263						
10	15	70264	90	5			5	T	2.3	GQ 98 GS 2 QTZ T LIMT CaCO3 T	70264	35	.8	126			
15	20	70265	40				20	T	2.1	GQ 85 GS T QTZ 15 LIMT PY T	70265	49	.9	85			
20	25	70266	60	30			10	T	2.0	GQ 55 GS 30 QTZ 15 LIMT PY T	70266	96	1.7	140			
25	30	70267	40	50			10	T	2.4	GQ 50 GS 40 QTZ 10 LIMT PY T	70267	74	1.0	94			
30	35	70268	20	70			10	T	1.9	GQ 50 GS 40 QTZ 10 LIMT PY T	70268	55	.8	67			
35	40	70269	85	10			5	T	1.5	GQ 80 GS 15 QTZ 5 LIMT PY T	70269	58	1.1	30			
40	45	70270	70	20			10	T	1.7	GQ 75 GS 15 QTZ 10 LIMT PY T	70270	28	1.0	26			
45	50	70271	60	40			T	T	1.9	GQ 70 GS 28 QTZ 2 LIMT PY T CaCO3 T	70271	31	1.4	16			
50	55	70272	20	60			20	T	1.6	GQ 70 GS 10 QTZ 20 LIMT PY T CaCO3 T	70272	28	1.1	37			
55	60	70273	40	50			10	T	2.1	GQ 65 GS 25 QTZ 10 LIMT PY T	70273	32	.6	76			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#157 + #76

Location CH GROUP | Latitude | Departure | Hole No. C 149

Date Drilled NOV. 1, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69907	20		15	55	10	T	1.3	Grnst. 40 QS 10 Qtz 10 Qp 25 SS 15 Lim T MnO_2 T	69907	48	1.0	106			
10	15	69908	50	30	20			T	2.0	G.Q 65 QS. 30 SS. 5 Qtz T Lim T MnO_2 T	69908	55	0.7	91			
15	20	69909	40	25	35			T	2.0	GQ 55 QS 25 S.S. 20 Lim T MnO_2 T	69909	59	0.6	126			
20	25	69910	45	25	15		15	T	1.5	GQ 40 QS. 25 SS. 10 Qtz 25 Lim T Py T MnO_2 T Pbs T	69910	47	0.8	109			
25	30	69911	70	15	10		5	T	1.8	GQ 45 QS 15 Qtz 20 SS T Lim T MnO_2 T Py T	69911	28	0.7	80			
30	35	69912	70	15	15			T	1.5	GQ 70 QS 15 Qtz 15 SS T Lim T Py T MnO_2 T	69912	27	0.6	46			
35	40	69913	65	10	25			T	2.0	GQ 40 QS. 15 Qtz 40 SS T $CaCO_3$ 5 Lim T Py T MnO_2 T	69913	22	1.2	39			
40	45	69914	70	10	20			T	2.1	GQ 60 QS. 15 Qtz 25 Lim T Py T $CaCO_3$ T MnO_2 T	69914	23	1.1	46			
45	50	69915	65	5	25		5	T	2.2	GQ 55 QS 20 Qtz 25 SS T Lim T $CaCO_3$ T MnO_2 T Py T	69915	28	1.3	57			
50	55	69916	55	15	30		T	T	2.0	G.Q 65 QS 15 Qtz 20 S.S. T Pbs T $CaCO_3$ T Lim T	69916	25	0.9	51			
55	60	69917	60		15		25	T	1.8	GQ 50 QS 15 Qtz 35 Lim T Py T	69917	26	1.0	40			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 149

Date Drilled NOV. 1, 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69918	45	10	5		T	T	2.2	GQ 65 GS 20 Qtz. 13 CaCO3 T Lim T PbSO4 T Py T S.S. T	69918	40	1.2	38			
65	70	69919	75	5	5		15	T	1.9	GQ 50 Lim T GS 10 S.S. T Qtz 40 CaCO3 T	69919	44	0.7	56			
70	75	69920	50	10	10		30	T	1.8	Qtz. 65 GS. 10 GQ 25 CaCO3 T Lim T Py. T S.S. T	69920	103	1.3	120			
75	80	69921	65		10		25	T	1.5	Qtz 75 G.S. 15 GQ 10 Lim T Py T S.S. T	69921	57	1.2	75			
80	85	69922	60	5	25		10	T	1.3	GQ 30 GS 25 Qtz. 45 CaCO3 T Py T	69922	74	1.0	98			
85	90	69923	20		35		25	T	2.0	Qtz 55 GS 10 GQ 35 Lim T Py. T MnO2 T CaCO3 T	69923	53	1.1	64			
90	95	69924	25		10		60	T	1.3	Qtz 64 GQ 25 GS. 10 Lim T CaCO3 T Py T S.S. T MnO2 T	69924	36	0.8	49			
95	100	69925	40	10	5		45	T	1.2	Qtz 35 GQ 35 GS. 20 Py 5 CaCO3 S Lim T MnO2 T	69925	31	1.3	72			
100	105	69926	70		15		15	T	1.4	GQ 65 Qtz 25 GS 10 Py T S.S. T CaCO3 T	69926	26	1.0	56			
105	110	69927	50		30			T	1.3	Qtz 60 GQ 20 GS 20 Lim T Py T MnO2 T	69927	28	0.9	61			
110	115	69928	60	10	30			T	2.0	Qtz 54 GQ 35 GS 10 Lim T Py T CaCO3 T	69928	24	1.2	38			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. S 149

Date Drilled NOV. 1, 1979 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69929	60		35			T	3.0	CQ 60 GS 10 Qtz 25 LimT PyT CaCo3T SS. 5	69929	41	1.5	85			
120	125	69930	75		25			T	3.0	CQ 29 Qtz 20 CaCo3 25 GS.25 Py1 LimT	69930	33	1.2	70			
125	130	69931	65	10	5			T	3.3	CQ. 49 GS. 15 Qtz. 10 CaCo3 25 SST Py1	69931	46	1.6	96			
130	135	69932	35	65				T	3.2	CQ 50 GS.35 Qtz. 5 S.S. 5 Lim.T Py 5 PbsT	69932	34	2.2	122			
135	140	69933	70	10	20			T	3.1	CQ. 45 GS. 35 SS 15 Py 5 Lim.T	69933	27	1.5	97			
140	145	69934	70	10	15			T	2.0	CQ. 50 GS. 25 SS. 15 Lim.T Py 5 Qtz 5 PbsT	69934	28	1.4	95			
145	150	69935	60	10	30			T	3.0	CQ 65 GS 25 Py 5 SS 5 CaCo3T Lim.T ZnST	69935	29	1.3	105			
150	155	69936	55	45				T	3.3	CQ. 45 GS. 35 Qtz 15 CaCo3T S.S.T Py 5 LimT	69936	28	1.5	106			
155	160	69937	70	15	15			T	3.1	CQ. 50 GS. 20 Py 25 S.S. 5 Lim.T CaCo3T	69937	27	1.3	114			
160	165	69938	50	35	15			T	3.0	CQ. 49 GS 25 CQ 20 S.S. 5 Py 1 Lim.T CaCo3T	69936	30	0.6	89			
165	170	69939	65	20	15			T	1.8	CQ70GS 15 S.S 10 Py 5 CaCo3 T LimT	69939	27	0.8	90			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C-49

Date Drilled NOV 1 1979 | Elevation | Bearing | Page No. 1 Of 1

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 200' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
120	125	69940	45	30	25			T	2.5	GQ 40 GS 30 SS 25 Py 5 Qtz T CaCO3 T Lim T	69940	25	0.9	96			
125	130	69941	50	15	35			T	2.0	GQ 45 GS 15 Py 5 SS 35 Lim T CaCO3 T	69941	27	1.2	110			
130	135	69942		MISSING						MISSING	69942						
135	140	69943	70	15	15			T	1.8	GQ 45 GS 25 SS 20 Py 10 Lim T CaCO3 T	69943	25	1.0	69			
140	145	69944	65	20	10			T	1.0	GQ 40 GS 25 Py 5 Qtz 20 SS 10 Lim T CaCO3 T	69944	30	1.2	92			
145	200	69945	50	30	20			T	2.3	GQ 40 GS 30 SS 25 Py 5 Lim T CaCO3 T	69945	25	0.6	86			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 150

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 1 Of 2

Casing Depth 45' | Overburden Depth 65-70' | Length of Hole 100' | Dip 57°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70093	50	10	40			T	1.0	GQ 35 GS 25 Qtz 15 S.S 25 LIM.T PY 1	70093	61	1.0	93			
10	15	70094	60	10	30			T	1.1	GQ 40 GS 25 SS 25 LIM.T PyT Qtz 10	70094	44	1.4	98			
15	20	70095	50	10	10		30	T	1.0	GQ 45 GS 20 SS 10 Qtz. 25 PyT LIM T	70095	57	1.6	99			
20	25	70096	65		35			T	1.5	GQ 30 SS 35 GS 10 Qtz. 25 LIM.T	70096	56	1.1	106			
25	30	70097	15	25	15		15	T	1.1	GQ 25 GS. 25 Qtz 35 S.S 15 LIM.T PyT Fe3O4T	70097	44	0.9	85			
30	35	70098	50	15	20		15	T	1.1	GQ 30 GS 35 S.S. 20 Qtz 15 LIM.T Fe3O4T	70098	47	0.6	184			
35	40	70099	45	10	30		15	T	1.5	GQ 45 GS. 20 Qtz. 35 S.S T LIM.T PyT Fe3O4T	70099	38	1.1	112			
40	45	70100	45	10	20		25	T	1.0	GQ 50 Grnst 25 Qtz 25 MNO2 T S.S T LIM.T PyT Fe3O4T	70100	43	0.7	80			
45	50	70101	60	10	20		10	T	1.0	GQ 35 Grnst. 35 Qtz 30 QS T S.S. T PyT LIM.T Fe2O3T Fe3O4T	70101	47	1.1	104			
50	55	70102	50	15	35			T	2.3	GQ 35 Grnst. 35 Qtz 20 LIM.T GS 10 PyT S.S.T Fe3O4T	70102	43	1.4	119			
55	60	70103	50	10	35		5	T	2.0	GQ 25 Grnst. 60 Qtz 15 LIM.T PyT Fe3O4T S.S.T	70103	44	1.2	93			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

TT 26

Location CH GROUP | Latitude | Departure | Hole No. C 150

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 45' | Overburden Depth 65-70' | Length of Hole 100' | Dip 57°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70104	70	5	25			T	2.0	GQ 40 Grnst 15 Qtz 10 GS 5 SS T Lim T Py T Fe3O4 T	70104	23	0.9	39			
65	70	70105	100					T	2.9	Grnst 100 GQ T Qtz T SS T Lim T	70105	30	1.2	89			
70	75	70106	100					T	3.0	Grnst 100 Qtz T Py T Lim T	70106	35	1.6	70			
75	80	70107	100					T	3.0	Grnst 95 Qtz 5 GQ T Py T Lim T CaCO3 T	70107	30	1.4	179			
80	85	70108	100					T	1.3	CaCO3 Grnst 100 GS T GQ T Lim T	70108	28	1.6	169			
85	90	70109	95	15	T			T	1.0	GQ 30 GS 20 Py 20 Qtz 25 CaCO3 T SS 5 Lim T	70109	50	1.7	207			
90	95	70110	55	45				T	1.0	GQ 15 GS 35 Py 25 Qtz 25 Lim T SS T CaCO3 T	70110	V4	1.5	175			
95	100	70111	45	45	10			T	1.0	GS 35 GQ 20 Py 20 Qtz 25 SS T Grnst T Lim T CaCO3 T	70111	75	1.2	166			

#109. #137

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C151

Date Drilled NOV. 1, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 5-10' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69868	60	10		10	20	T	2.9	GQ 70 GS 20 GRNST 10 QTZ T LIMT	69868	23	1.5	111			
10	15	69869	15	70		5	10	T	2.3	GQ 20 GS 70 QTZ 5 LIMT GRNST 5	69869	37	1.3	106			
15	20	69870	T	80			20	T	2.1	GQ 15 GS 80 QTZ 5 LIMT GRNST T PYT	69870	25	0.7	119			
20	25	69871		90	T		10	T	2.4	GQ 25 GS 70 QTZ 5 SST LIMT FE3O4 T	69871	43	1.2	133			
25	30	69872	5	20			15	T	1.9	GQ 25 GS 65 QTZ 10 LIMT BASO4 T	69872	65	1.0	152			
30	35	69873	20	70			10	T	1.8	GQ 35 GS 60 QTZ 5 LIMT PYT	69873	32	0.8	96			
35	40	69874	30	50			20	T	2.5	GQ 55 GS 20 QTZ 25 LIMT PYT CACO3 T	69874	27	1.7	66			
40	45	69875	70	15		T	15	T	2.1	GQ 65 GS 25 QTZ 10 LIMT PYT	69875	24	1.4	47			
45	50	69876	10	80	T		10	T	1.3	GQ 30 GS 60 QTZ 10 LIMT PYT CACO3 T	69876	26	1.2	45			
50	55	69877	30	T			70	T	2.0	GQ 25 GS 5 QTZ 70 LIMT PYT	69877	21	1.1	44			
55	60	69878	10	60			30	T	2.2	GQ 45 GS 15 QTZ 40 LIMT PYT MNO2 T	69878	19	0.9	34			

#109 #137

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C151

Date Drilled NOV 1 1979 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 10' Overburden Depth 5-10' Length of Hole 200' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69879	20	80			T	T	2.9	GQ 25 GS 50 QTZ 25 LIMT PYT CaCO3 T	69879	27	0.8	31			
65	70	69880	30	70			T	T	2.1	GQ 50 GS 50 QTZ T LIMT PYT CaCO3 T ZNS T	69880	22	1.3	44			
70	75	69881	10	80			10	T	2.0	GQ 35 GS 55 QTZ 10 LIMT PYT	69881	29	1.0	76			
75	80	69882		100			T	T	2.2	GQ 70 GS 10 QTZ 10 LIMT PY 10	69882	35	1.4	93			
80	85	69883		100			T	T	2.5	GQ 35 GS 25 QTZ 15 LIMT PY 25	69883	48	1.7	80			
85	90	69884		90			10	T	3.0	GQ 10 GS 40 QTZ 10 LIMT PY 40	69884	43	1.3	92			
90	95	69885	10	80			10	T	2.8	GQ 10 GS 45 QTZ 5 LIMT PY 40	69885	48	1.2	86			
95	100	69886		80	5		15	T	4.3	GQ 5 GS 40 QTZ 5 LIMT PY 50	69886	41	1.1	121			
100	105	69887		90	10		T	T	3.9	GQ 10 GS 30 QTZ 5 LIMT PY 55	69887	28	1.6	117			
105	110	69888		10	60		30	T	2.9	GQ T GS 20 QTZ 30 LIMT PY 50	69888	29	1.9	88			
110	115	69889		T	100		T	T	3.5	GQ 5 GS 5 QTZ 30 LIMT PY 60	69889	36	2.2	86			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#109 #137

Location CH GROUP | Latitude | Departure | Hole No. C51

Date Drilled NOV. 1 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 10' | Overburden Depth 5-10' | Length of Hole 200' | Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69890		5	A0		15	T	1.9	GQ 10 GS 10 QTZ 40 LIMT PY 40 CaCO3 T	69890	31	1.9	83			
120	125	69891		90	T		10	T	2.7	GQ 40 GS 25 QTZ 25 LIMT PY 10	69891	28	1.1	114			
125	130	69892		A0			20	T	3.2	GQ 15 GS 30 QTZ 15 LIMT PY 35 PbS 5	69892	1186	41	501			
130	135	69893	65	5			30	T	3.5	GQ 45 GS 5 QTZ 15 LIMT PY T PbS T GRNST 35 ZNS T	69893	1047	110	853			
135	140	69894	90				10	T	4.4	GQ 9 GRNST 90 QTZ T LIMT PY T PbS 1 ZNS T	69894	1221	145	1020			
140	145	69895				70	30	T	3.2	GRNST 80 QTZ 20 LIMT PY T PbS T CaCO3 T	69895	134	3.4	234			
145	150	69896				90	10	T	2.9	GRNST 95 QTZ 5 LIMT PY T PbS T ZNS T CaCO3 T	69896	237	3.3	280			
150	155	69897		80	T	10	10	T	2.7	GQ 25 GS 60 GRNST 5 QTZ 5 LIMT PY 5 PbS T	69897	116	1.7	202			
155	160	69898		100		T	T	T	3.2	GQ 15 GS 60 QTZ 5 LIMT PY 20 PbS T	69898	63	1.2	232			
160	165	69899		95		T	5	T	3.4	GQ T GS 70 QTZ 5 LIMT PY 25	69899	61	1.1	106			
165	170	69900		100		T		T	3.1	GQ T GS 50 QTZ 10 LIMT PY 40	69900	50	0.8	110			

#139 #109

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C151

Date Drilled NOV. 1, 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 10' Overburden Depth 5-10' Length of Hole 200' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69901		90			10	T	3.3	GQ 15 GS 60 QTZ 10 LIMT PY 15	69901	55	1.1	174			
175	180	69902		100	T		T	T	3.8	GQ 20 GS 60 QTZ 5 LIMT PY 15	69902	63	1.0	215			
180	185	69903		100	T		T	T	3.9	GQ 5 GS 30 QTZ 15 LIMT PY 50	69903	84	1.2	242			
185	190	69904		70	30		T	T	3.6	GQ 25 GS 25 QTZ 5 LIMT PY 45 PBS T	69904	50	1.5	183			
190	195	69905		50	50		T	T	3.5	GQ 10 GS 30 QTZ 10 LIMT PY 50 PBS T	69905	48	1.7	147			
195	200	69906		60	40		T	T	3.4	GQ 25 GS 30 QTZ 10 LIMT PY 35	69906	45	0.9	115			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 15 2

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 20' | Overburden Depth 15-20' | Length of Hole 200' | Dip 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (PPM)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70054	65	20			15	T	1.0	GQ 95 GS 5 Grnst. T S.S.T Lim T Py T	70054	67	1.9	88			
10	15	70055	10	10	5	45	30	T	1.0	GQ 15 GS 5 SS 15 Qtz 6 Lim T	70655	54	1.7	92			
15	20	70056	15		35	30	20	T	1.0	GQ 65 Lim T Grnst 30 Qtz 5 S.S.T	70056	48	0.9	80			
20	25	70057	30		35	25	10	T	1.0	GQ 65 Qtz 5 MNO2 T Grnst 25 S.S. 5 Lim T Py T	70057	51	0.6	71			
25	30	70058	45	25	5	10	15	T	1.2	GQ 70 S.S. 5 GS. 15 Grnst. T Qtz 10 Lim T	70058	53	1.1	60			
30	35	70059	65	25			10	T	1.0	GQ 70 SS T MNO2 T GS 25 Lim T Qtz 5 Py T	70059	49	0.8	69			
35	40	70060	60	25	5	T	10	T	1.0	GQ 60 Py T S.S.T GS 25 Lim T Qtz 15 MNO2 T CaCO3 T	70060	52	1.0	65			
40	45	70061	75	20	T		5	T	1.5	GQ 74 Lim T GS. 20 Py 1 Qtz 5 MNO2 T	70061	51	1.1	108			
45	50	70062	60	25			10	T	1.0	GQ 60 Lim T GS. 20 Py T Qtz. 20 S.S. T	70062	57	0.5	112			
50	55	70063	50	25	10		15	T	1.0	GQ 55 Lim T GS 25 Py T Qtz 15 S.S. 5	70063	65	1.6	110			
55	60	70064	5	45	45	T	5	T	1.0	GS 35 GQ 5 SS 60 Lim T Qtz T Py T	70064	54	1.1	71			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 152

Date Drilled NOV. 5, 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 20' | Overburden Depth 15-20' | Length of Hole 200' | Dip 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70065	25	5	45	20	5	T	2.0	Grnst 45 GS T Qtz 5 FeCo3 T Lim. T Py T S.S. T CaCo3 T	70065	56	1.5	82			
65	70	70066	T		25	75	T	T	1.8	Grnst 100 Qtz T S.S. T Lim T Py T CaCo3 T	70066	VF	1.4	57			
70	75	70067	T		25	75	T	T	1.3	Grnst. 100 Qtz T Lim. T CaCo3 T GQ T	70067	43	1.7	64			
75	80	70068	50	25	5	10	10	T	2.0	Grnst. 35 GQ 45 GS 5 Qtz 10 Py 5 S.S. T Lim T CaCo3 T	70068	49	0.9	76			
80	85	70069	45	45			T	T	1.1	GQ 64 GS 25 Qtz 5 S.S T Py 1 Lim. T Grnst. 5	70069	67	0.8	141			
85	90	70070	5	95			T	T	1.0	GQ 55 GS 35 Py 5 Qtz 5 Lim. T S.S. T Pbs. T	70070	58	1.0	115			
90	95	70071	60	35			5	T	1.0	GQ 65 GS 25 Qtz 5 Py 5 Grnst. T Lim. T S.S. T	70071	59	0.8	152			
95	100	70072	45	45			10	T	1.0	GQ 69 GS 25 Qtz 5 CaCo3 T Grnst. T Py 1 Lim. T	70072	104	0.7	243			
100	105	70073	55	35			10	T	1.2	GQ 50 GS 35 Py 5 Lim. T S.S T CaCo3 T Qtz 10	70073	75	1.6	177			
105	110	70074	25	75			T	T	1.1	GQ 55 GS 20 Qtz 20 Py 5 Lim T S.S. T CaCo3 T	70074	VF	1.1	101			
110	115	70075	45	45			10	T	1.0	GQ 40 GS 25 Qtz 25 Py 5 S.S 5 Lim T CaCo3 T	70075	46	0.8	74			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#74 #166

Location CH GROUP Latitude _____ Departure _____ Hole No. C15-2

Date Drilled NOV. 5, 1979 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 15-20' Length of Hole 200' Dip 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70076	65	10	15		10	T	1.1	GQ 30 Qtz 25 Py 10 S.S 15 GS 15 Lim T CaCO3 5	70076	54	1.3	120			
120	125	70077	50	05	10		10	T	1.0	GQ 24 Qtz 20 Py 20 S.S 10 FeCO3 T GS 25 CaCO3 1 Lim T MnO2 T	70077	67	0.7	221			
125	130	70078	55	20	15		10	T	1.5	GQ 44 Qtz 20 SS 15 GS 20 Lim T Grnst T Py 1	70078	58	0.8	152			
130	135	70079	65	15	10		10	T	1.0	GQ 64 GS 10 Qtz 20 Lim T S.S. 5 CaCO3 T Py 1 FeCO3 T ZnS T	70079	91	1.5	387			
135	140	70080	55	10	15		20	T	1.0	GQ 70 GS 5 Qtz 20 Py T S.S. 5 Lim T	70080	169	3.0	484			
140	145	70081	40	10	25		25	T	2.0	GQ 59 Qtz 25 GS 5 S.S. 10 Py 1 Fe2O3 T ZnS T Lim 5 Grnst T	70081	191	3.1	417			
145	150	70082	15	15	15	10	35	T	2.0	CaCO3 Qtz 45 Lim 10 S.S 5 Qtz 20 GS T Pbs T	70082	139	5.1	398			
150	155	70083	40	10	15	10	25	T	1.5	CaCO3 Qtz 64 Lim 10 Qtz 25 GS T Py 1 S.S T Pbs T	70083	108	3.3	431			
155	160	70084	10	10	70		10	T	1.5	CaCO3 Qtz 94 GS 5 Qtz T Lim T Py 1	70084	78	2.1	322			
160	165	70085	60	15	15		10	T	1.1	CaCO3 Qtz 100 Lim T Qtz T Py T MnO2 T S.S T GS T	70085	77	2.5	336			
165	170	70086	70	10	15		5	T	1.0	CaCO3 Qtz 44 Qtz 20 GQ 35 GS T Py 1 MnO2 T S.S T Lim T	70086	56	1.3	230			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

74-11/66

Location CH GROUP Latitude _____ Departure _____ Hole No. C [illegible]

Date Drilled NOV. 5 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 20' Overburden Depth 15-20' Length of Hole 200' Dip 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	70087	70	10	15		5	T	1.3	GQ 54 GS T Qtz 25 Lim T CaCo3 20 py 1	70087	62	1.6	328			
175	180	70088	65	15	10		10	T	1.0	CaCo3 35 GQ 49 Qtz 10 GS. 5 Lim T py 1 S.S T	70089	55	1.3	246			
180	185	70089	65	25	T		10	T	1.0	GQ 55 Qtz 20 CaCo3 20 GS. 5 Lim T py 1	70090	54	1.1	166			
185	190	70090	60	25			15	T	1.0	GQ 54 GS. 5 Qtz 35 CaCo3 5 S.S. T Lim T py. 1	70090	48	0.9	73			
190	195	70091	60	15	15		10	T	1.0	GQ 54 Qtz 25 GS 15 S.S. 5 CaCo3 T Lim T py 1	70091	36	1.0	69			
195	200	70092	55	10	25		10	T	1.1	GQ 44 S.S. 35 Qtz 20 CaCo3 T py 1 Lim T	70092	43	0.9	120			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#150 # 123

Location CH GROUP Latitude _____ Departure _____ Hole No. C 153

Date Drilled NOV 5 1979 Elevation _____ Bearing _____ Page No. 1 Of 4

Casing Depth 21' Overburden Depth 30-35' Length of Hole 200' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	70015	100					T	1.0	GQ 75 GS 10 Qtz 10 SS 5 Lim T Grnst T CaCO3 T	70015	48	1.1	71			
10	15	70016	90				10	T	1.0	GQ 55 GS 5 SS 15 Qtz 25 Lim T	70016	43	1,6	59			
15	20	70017	55		45			T	2.0	GQ 45 GS 20 SS 25 Lim T Qtz 10 MnO2 T Py T	70017	60	1,0	63			
20	25	70018	70		30			T	1.5	GQ 55 SS 30 GS 10 Qtz 5 Lim T Fe3O4 T	70018	43	1,6	86			
25	30	70019	55		30		15	T	3.0	GQ 35 GS 25 Qtz 35 Lim T SS 5 Fe3O4 T	70019	42	1,1	33			
30	35	70020	55		35		10	T	3.0	Qtz 50 GS 25 GQ 25 Lim T MnO2 T	70020	38	1,3	24			
35	40	70021	50		45		5	T	2.0	GQ 85 GS 10 Qtz 5 CaCO3 T Py T Lim T Fe3O4 T SS T	70021	43	1,2	40			
40	45	70022	40		60			T	2.0	GQ 85 GS 10 Qtz 5 Lim T Fe3O4 T	70022	35	0,9	47			
45	50	70023	55	5	40			T	2.0	GQ 55 GS 25 Qtz 20 Lim T SS T Py T MnO2 T Fe3O4 T	70023	38	1,2	57			
50	55	70024	25		75			T	3.1	GQ 65 GS 25 Qtz 10 Lim T Py T Fe3O4 T SS T	70024	41	1,4	77			
55	60	70025	35		65			T	1.1	GQ 75 GS 20 Qtz 5 Lim T SS T MnO2 T	70025	49	0.6	74			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. 153

Date Drilled NOV 5 1979 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 21' Overburden Depth 30-35' Length of Hole 200' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	70026	75		25		T	T	2.0	GQ 70 GS 20 Qtz. 10 Lim T Py T	70026	41	0.9	61			
65	70	70027	35	T	65			T	2.0	GQ 65 Qtz 25 Py 5 FeCo3 5 Lim T	70027	56	1.4	197			
70	75	70028	65	5	30			T	2.0	GQ 40 QS 35 Qtz 15 Py 5 FeCo3 5 Lim T S.S. T	70028	61	2.0	156			
75	80	70029	70	5	25			T	2.0	GQ 45 GS 20 Qtz 25 Py 10 Lim T FeCo3 T	70029	54	1.4	138			
80	85	70030	60		40			T	2.0	GQ 45 Qtz 20 GS 20 Py 15 FeCo3 T Lim T	70030	55	1.5	89			
85	90	70031	65	5	30			T	2.0	GQ 46 GS 25 Qtz 25 FeCo3 5 Lim T Py 5 S.S. T	70031	57	1.0	60			
90	95	70032	70	5	25			T	2.0	GQ 59 GS 10 Qtz 25 Py 5 FeCo3 1 MnO2 T Lim T	70032	50	0.9	57			
95	100	70033	80	5			15	T	2.1	GQ 73 GS 10 Qtz 15 Py 1 FeCo3 1 Lim T	70033	54	0.7	70			
100	105	70034	75	T	T		25	T	2.1	GQ 65 GS 5 Qtz 25 Py 5 Lim T FeCo3 T S.S. T	70034	59	0.7	69			
105	110	70035	60		15		25	T	2.0	GQ 60 GS 5 Qtz 35 FeCo3 T Lim T	70035	85	1.2	247			
110	115	70036	70	5				T	2.0	CaCo3 Qtz 95 GS 5 Lim T Py T	70036	80	1.2	217			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 153

Date Drilled NOV 5, 1979 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 21' | Overburden Depth 30-35' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70037	85	15				T	2.0	CaCO3 85 GS 5 Py T Lim. T	70037	VS	1.0	204			
120	125	70038	75	15	10			T	2.0	GQ 65 GS 25 Qtz 5 Py 5 Lim. T	70038	50	0.9	95			
125	130	70039	65	35				T	2.3	GQ 35 GS. 35 Py 5 Qtz. 25 Lim. T S.S. T CaCO3 T	70039	55	0.8	111			
130	135	70040	60	30	10			T	2.0	GQ 40 GS. 30 Qtz 5 S.S. T CaCO3 T Lim. T Py 5	70040	46	1.0	116			
135	140	70041	50	45	5			T	2.0	GQ 55 GS. 35 Qtz 5 Lim. T FeCO3 T Py 5 S.S. T CaCO3 T	70041	58	0.9	86			
140	145	70042	65	35	T			T	2.0	GQ 35 GS. 35 Qtz 25 Py 5 Lim. T FeCO3 T CaCO3 T	70042	62	1.5	106			
145	150	70043	50	50				T	2.2	GQ 45 GS. 45 Py 5 Qtz 5 FeCO3 T Lim T CaCO3 T	70043	60	1.3	95			
150	155	70044	40	60				T	2.0	GQ 40 GS. 45 Py 5 Qtz 10 S.S. T Lim T CaCO3 T	70044	VS	1.2	125			
155	160	70045	35	40	25			T	3.3	GQ 25 GS 40 SS 25 Py 5 Qtz 5 Lim. T CaCO3 T	70045	59	1.1	141			
160	165	70046	45	35	20			T	3.0	GQ 40 GS 35 SS 15 Qtz 5 Lim T Py 5 CaCO3 T	70046	72	1.3	133			
[illegible]	[illegible]	[illegible]	35	30	15			T	3.0	GQ 50 GS 35 Py 5 CaCO3 T Qtz 10 Lim T S.S. T	[illegible]	77	0.9	138			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

7112 8 11150

Location CH GROUP | Latitude | Departure | Hole No. CS3

Date Drilled NOV. 5 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 21' | Overburden Depth 30-35' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	70048	60	30	10			T	3.5	GQ 50 GS 35 Py 5 Qtz 10 Lim T SS T CaCO3 T	70048	55	0.6	137			
175	180	70049	65	25	10			T	2.0	GQ 45 GS 25 Qtz 25 Py 5 Lim T CaCO3 T	70049	53	1.3	149			
180	185	70050	70	20	10			T	2.0	GQ 60 GS 25 Py 10 Qtz 5 Lim T CaCO3 T	70050	46	1.5	125			
185	190	70051	65	20	15			T	2.1	GQ 70 GS 20 Py 10 S.S. T Lim T Pbs T	70051	50	1.4	129			
190	195	70052	65	10	25			T	1.3	GQ 45 GS 10 Py 20 Lim T SS 5 Qtz 20 CaCO3 T	70052	73	1.7	192			
195	200	70053	60	20	20			T	1.0	GQ 40 GS 20 Py 20 Qtz 20 ZnS T Pbs T Lim T CaCO3 T	70053	111	1.4	270			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled NOV 2, 1979 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 155' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69985			No SAMPLE						69985		No Sample				
10	15	69986	100	T	T		T	T	1.6	$CaCO_3$ Qtz. 95 S.S. T G.S. T Grnst. 5 Qtz T LIM T Py T Fe_2O_3 T Fe_3O_4 T	69986	48	0.5	192			
15	20	69987	25		50		25	T	1.5	GQ 25 $CaCO_3$ 50 Qtz 25 G.S T S.S. T Grnst. T Py T Fe_2O_3 T LIM T Fe_3O_4 T	69987	36	0.6	48			
20	25	69988	40	5	5		10	T	1.5	GQ 30 Qtz 30 $CaCO_3$ 5 G.S 15 S.S. T LIM T Fe_3O_4 T	69988	30	0.5	41			
25	30	69989	75	10	15			T	4.3	GQ 55 G.S. 20 Qtz 25 $CaCO_3$ T LIM T MnO_2 T	69989	24	0.6	29			
30	35	69990	60	35	5			T	2.3	GQ 55 G.S 40 Qtz 5 LIM T S.S. T $CaCO_3$ T MnO_2 T	69990	32	1.1	58			
35	40	69991	85	15	T			T	3.0	GQ 40 G.S. 45 Qtz 15 $CaCO_3$ T S.S. T MnO_2 T LIM T Py T	69991	34	0.8	33			
40	45	69992	20	75	5			T	3.0	G.S. 80 GQ 15 Qtz 5 LIM T $CaCO_3$ T ZnS T MnO_2 T	69992	28	0.7	26			
45	50	69993	25	75	T			T	2.1	G.S 69 GQ. 25 Qtz 5 MnO_2 T Py T LIM T ZnS T $CaCO_3$ T	69993	39	1.2	66			
50	55	69994	75	10	10		5	T	3.0	GQ 60 G.S. 20 Qtz 20 MnO_2 T Py T LIM T $CaCO_3$ T	69994	24	0.9	32			
55	60	69995	90	5	5			T	2.0	GQ 49 G.S. 15 Qtz 35 Py T LIM T MnO_2 T	69995	29	0.4	15			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

71 127

Location CH GROUP Latitude _____ Departure _____ Hole No. C 154

Date Drilled NOV. 2, 1979 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 10' Overburden Depth 10-15' Length of Hole 155' Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69996	95				5	T	4.0	GQ 45 LIM.T GS 25 MNO2 T Py 1 FeCO3T S.S.T CaCO3T Qtz 25	69996	37	0.7	26			
65	70	69997	85	15				T	2.1	GQ 70 Qtz 5 GS. 20 Py 5 LIM.T CaCO3T MNO2T	69997	32	0.5	17			
70	75	69998	70	10	20			T	2.0	GQ 25 Qtz 30 Py 15 SS 5 CaCO3 5 GS 20 LIM T ZnS T MNO2T	69998	50	1.0	89			
75	80	69999	60	25	15			T	2.5	CaCO3 25 Qtz 15 GS 25 GQ 25 Py 5 S.S. 5 MNO2T LIM.T	69999	42	0.9	142			
80	85	70000	70	10	20			T	2.0	CaCO3 24 GQ 25 Qtz 20 GS. 10 S.S 20 Pbs.T Py 1 LIM T	70000	29	0.6	76			
85	90	70001	65		35			T	2.0	CaCO3 15 GQ 25 Py 10 S.S. 25 Qtz 20 LIM T GS. 5 MNO2T	70001	37	1.5	52			
90	95	70002	80	10	5			T	2.0	GQ 45 CaCO3 35 GS 10 Py 5 LIM.T Qtz T LIM T S.S. 5 MNO2T	70002	40	2.2	23			
95	100	70003	65	10	25			T	1.5	CaCO3 35 GS.10 Py 10 SS 25 GQ 20 LIM T	70003	34	1.4	68			
100	105	70004	70	10	20			T	1.4	GQ 25 CS 25 Qtz 35 Py 5 S.S. 5 CaCO3 5	70004	40	2.3	75			
105	110	70005	75	5	10		10	T	2.0	GQ 55 Qtz 25 Py 10 GS 5 SS T CaCO3 5 LIM T	70005	33	1.1	106			
110	115	70006	85	10			5	T	2.0	GQ 50 Qtz 25 CaCO3 10 GS 10 LIM T Py 5 MNO2T ZnST	70006	41	1.2	77			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#129

Location CH GROUP | Latitude | Departure | Hole No. 7154

Date Drilled NOV. 2 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 155' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	70006	60	35			5	T	2.0	GQ 34 GS 25 CaCo3 25 Qtz 5 Lim T Py 1 S.S 15	70006	72	1.4	144			
120	125	70007	75	15	10			T	2.5	CaCo3 Qtz 65 GS 15 SS 20 Qtz T Py T Lim T	70007	61	1.6	122			
125	130	70008	80		15		5	T	2.5	Grnst 70 CaCo3 25 Qtz 5 Py T Lim T Pbs T	70008	56	1.7	124			
130	135	70010	40		25	30	5	T	3.7	Grnst 55 CaCo3 25 Qtz 20 FeCo3 T Py T S.S T MnO2 T	70010	59	2.6	82			
135	140	70011	45		5	45	5	T	4.3	Grnst. 85 Qtz 10 CaCo3 5 Lim T Py T S.S T	70011	44	1.4	73			
140	145	70012	35	5		50	10	T	3.1	Grnst 60 CaCo3 10 Qtz 10 GS 5 GQ 15 Lim T Py T Pbs T	70012	57	1.5	65			
145	150	70013	60	30	T	10		T	3.0	GQ 20 GS 30 Grnt 25 Qtz 15 Py 5 CaCo3 5 Lim T S.S T	70013	50	0.8	108			
150	155	70014	50	30	T			T	3.1	GQ 30 Grnt 20 GS 30 CaCo3 15 Py 5 S.S T Lim T	70014	46	1.0	86			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 1 Of _____

Casing Depth 38' Overburden Depth ? Length of Hole 65' Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	ZN (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
			55		45			T	3.5	Cerus 10 S.S.25 G.S.20 Cl 10 Co.O.35		43	1.6	59			
	15								3.1	Cerus 5 G.O.30 S.S.25 G.S.15 Cl 10		44	1.5	51			
		6692	50	5	40			T	5.5	G.O.20 Fl.O.T S.S.35 G.S.35 Cl 10		40	1.8	74			
	35		45	5	50			T	4.2	Cl 10 Co.O.35 Fl.O.T G.S.35 S.S.30 Fl.O.T		37	1.3	89			
		6694	20	10				T	3	G.O.20 G.O.35 Fl.O.T G.S.20 S.S.35 Cl 10 Limonite		36	1.6	77			
		6695			75			T	5.1	G.O.10 S.S.45 Cl 20 Co.S	6696	38	1.0	94			
	40	6697	35		55			T	6.5	Co.O.10 G.O.40 S.S.20 Limonite Cl 10		42	1.4	74			
									4.5	Fyt Co.O.10 G.S.35 S.S.40 Limonite Cl 20		38	1.3	57			
					45				5.0	Co.O.10 Co.O.15 G.S.30 S.S.30 Limonite Cl 10		34	1.7	81			
								T	5.2	Co.O.15 Co.O.15 Cl 10		30	1.1	70			
									5.3	Co.O.10 Co.O.15 S.S.30 Limonite Cl 10		37	1.8	86			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No.

Date Drilled OCT 30, 1979 | Elevation | Bearing | Page No. 1 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 180' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	ZN (PPM)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69702	95		5			+	6.5	GQ 90 GS.5 Qtz. T Pbs. T S.S.5 Lim T CaCO3 T Py T	69702	37	1.2	121			
10	15	69703	100					+	5.0	GQ 90 S.S 5 Qtz 5 Lim T Py T CaCO3 T	69703	68	1.6	278			
15	20	69704	100					+	3.5	CaCO3 Qtz. 95 Qtz 5 Lim. T Py T Fe/-XS T	69704	30	1.5	100			
20	25	69705	95		5			+	5.5	CaCO3 Qtz 75 Qtz. 20 GS. T S.S. 5 Lim T Fe/-XS T Py T Pbs. T	69705	26	1.4	18			
25	30	69706	100					+	3.8	CaCO3 Qtz 94 CQ T Qtz 5 SS T Lim. T Pbs. T Py T Fe/-XS T	69706	30	1.5	54			
30	35	69707	100		+			+	5.0	CaCO3 Qtz. 94 S.S T Qtz 5 G.S T Lim. T Fe/-XS T Py T	69707	20	1.1	31			
35	40	69708	90	5	5			+	5.1	CaCO3 Qtz 85 GQ 10 GS.5 S.S T Lim. T Py T Fe/-XS. T	69708	37	1.2	95			
40	45	69709	10		10			+	3.9	GQ 60 GS.25 Qtz 15 Lim. T Py T S.S. T CaCO3 T	69709	17	0.6	25			
45	50	69710	90	+	10			+	4.9	GQ 90 GS. T Qtz. 10 Lim T S.S. T	69710	15	0.5	22			
50	55	69711	100					+	3.0	GQ 95 GS T Qtz 5 CaCO3 T Py T	69711	17	0.6	14			
55	60	69712	95				5	+	3.3	GQ 75 Qtz 25 Py T Lim T	69712	14	0.5	16			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. _____

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 10' Overburden Depth 10-15' Length of Hole 180' Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69713	95				5	+	2.0	GQ 95 CaCO3 T. Qtz 5 Py T Lim T	69713	27	0.6	34			
70	70	69714	95		+		5	+	2.5	GQ 50 GS 25 Qtz 25 S.S. T Lim T Py T	69714	29	0.7	62			
70	75	69715	70	30				+	2.5	GQ 45 GS 50 Qtz 5 Py T Lim T S.S. T	69715	28	0.8	43			
75	80	69716	55	45				+	3.0	GS 45 GQ 20 Qtz 35 Py. T Lim T MnO2 T	69716	26	1.0	35			
80	85	69717	30	70				+	3.1	GS 75 GQ 20 Qtz 5 Py T Lim. T MnO2 T	69717	19	0.5	40			
85	90	69718	35	10			5	+	3.2	GQ 25 GS 45 Qtz 25 Py 5 S.S. T Lim. T	69718	26	0.7	71			
90	95	69719	20	5	10		5	+	4.0	Qtz 30 GS 45 GQ 25 Py. T Lim +	69719	17	06	88			
95	100	69720	70	5	15			+	5.7	GQ 70 Qtz 20 GS. 10 Lim T S.S T Py T	69720	24	0.9	31			
100	105	69721	65	15				+	2.0	G.Q 80 GS. 15 Qtz 5 Lim. T Py. T S.S. T	69721	19	0.9	42			
105	110	69722	50	5	45			+	2.1	GQ 59 GS 5 SS 35 Py 1 Lim. T CaCo3 T	69722	21	1.0	79			
110	115	69723	60	30	5			+	3.2	CaCo3 Qtz 70 GS 30 SS T Lim T Qtz T Py. T	69723	39	1.0	1.14			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. G 15

Date Drilled OCT 30, 1979 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 10' Overburden Depth 10-15' Length of Hole 180' Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
10	120	69724	80	15	5			+	2.8	GQ 90 GS 10 QTZ T LIMT PYT CaCO3T	69724	34	1.0	57			
120	125	69725	30	10	10			+	2.6	GQ 70 GS 10 QTZ 20 LIMT PYT CaCO3T SST	69725	23	0.8	62			
125	130	69726	90	+	10			+	2.5	GQ 75 GST SS 25 QTZ T LIMT PYT	69726	26	0.7	50			
130	135	69727	60		40			+	2.7	GQ 60 GST SS 40 QTZ T LIMT PYT CaCO3 T	69727	19	0.9	85			
135	140	69728	65	10	25			+	3.4	GQ 70 GS 20 SS 10 QTZ T LIMT PYT	69728	29	1.1	96			
140	145	69729	60	10	30			+	5.1	GQ 60 GS 25 SS 5 QTZ 10 LIMT PYT	69729	46	1.3	123			
145	150	69730	80	5	15			+	4.6	GQ 30 GST SST GRNST 65 QTZ 5 LIMT PYT	69730	30	1.6	98			
150	155	69731	90		10			+	4.5	GQ 20 GST QTZ T LIMT GRNst 80 PYT	69731	31	1.5	94			
155	160	69732	90		10			+	4.6	GQ 80 GST GRNST 15 QTZ 5 LIMT PYT SST	69732	80	2.1	270			
160	165	69733	60	5	10			+	4.2	GQ 85 GS 5 GRNst 5 QTZ 5 LIMT PYT SST	69733	25	2.0	195			
165	170	69734	50	20	10			+	4.1	CaCO3 GQ 85 GST GRNst 10 QTZ 5 LIMT PYT	69734	55	2.2	209			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C 156

Date Drilled OCT 30, 1979 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 10' | Overburden Depth 10-15' | Length of Hole 180' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69735	40	35	25		T	T	3.9	GQ 80 GS 5 QTZ 15 LIM CaCO3 T PYT GRNST T	69735	VF	1.8	209			
175	180	69736	25	35	40			T	3.7	GQ 95 GS 5 QTZ T LIM T CaCO3 T PYT	69736	52	1.6	153			

UNITED KENO HILL MINES LTD. 96 #75

OVERBURDEN DRILL HOLE LOG

Location CH CRAIP Latitude _____ Departure _____ Hole No. C 157

Date Drilled OCT 30, 1979 Elevation _____ Bearing _____ Page No. 1 Of 1

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69737	100					T	3.4	GQ 98 QTZ 2 LIMT CaCO3 T	69737	38	1.3	81			
10	15	69738	55		40		5	T	3.0	GQ 80 GS 10 SST QTZ 10 LIMT PYT	69738	41	1.2	93			
15	20	69739	70		30			T	2.1	GQ 60 GS 5 GRNST 30 SST QTZ 5 LIMT PYT CaCO3T	69739	26	0.6	22			
20	25	69740	65	10	25			T	2.0	GQ 35 GS 40 QTZ 25 LIMT PYT CaCO3 T	69740	20	1.2	51			
25	30	69741	50	5	45			T	1.9	GQ 50 GS 40 QTZ 10 LIMT PYT SST	69741	30	0.9	89			
30	35	69742	15	10	75			T	3.3	GQ 50 GS 30 SST QTZ 15 LIMT PY 5	69742	25	1.0	61			
35	40	69743	55	10	35			T	2.8	GQ 55 GS 25 QTZ 5 LIMT PY 15 SST	69743	37	1.4	190			
40	45	69744	70	10	20			T	2.5	GQ 75 GS 25 QTZ T LIMT PYT	69744	28	0.7	60			
45	50	69745	15		85			T	2.2	GQ 75 GS 5 SST QTZ 15 PY 5 LIMT CaCO3 T	69745	36	1.2	85			
50	55	69746	55		45			T	3.2	GQ 60 GS 25 QTZ 15 LIMT PYT	69746	35	1.4	101			
55	60	69747	50	15	35			T	3.6	GQ 55 GS 35 QTZ 10 LIMT PYT	69747	39	1.3	174			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 157

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 2 of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)
60	65	69748	50		50			T	2.9	GQ 20 GST SS 80 QTZ T LIMT PY T	69748	41	1.7	125		
65	70	69749	55	5	40			T	2.6	GQ 10 GST SS 75 QTZ 15 LIMT PY T	69749	26	1.0	61		
70	75	69750	50	T	50			T	2.7	GQ 10 GST SS 50 QTZ 40 LIMT PY T CaCO3 T	69750	23	1.9	76		
75	80	69751	35		10	55		T	4.0	GQ 35 GS 5 SST QTZ T LIMT PY T GRNST 60	69751	30	1.8	104		
80	85	69752	5		5	90		T	4.1	GQ 10 GST GRNST 90 QTZ T LIMT PY T	69752	25	2.0	66		
85	90	69753	75		15		10	T	3.8	GQ 50 GS 5 GRNST 35 QTZ 10 LIMT PY T	69753	29	2.7	57		
90	95	69754	80		20		T	T	2.9	GQ 60 GST GRNST 40 QTZ T LIMT PY T CaCO3 T	69754	26	2.0	59		
95	100	69755	95		5			T	3.3	GQ 75 GS 5 GRNST 20 LIMT QTZ T CaCO3 T	69755	27	1.0	40		
100	105	69756	90		10			T	3.2	GQ 85 GST GRNST 15 QTZ T LIMT PY T	69756	28	1.5	58		
105	110	69757	100					T	3.0	GQ 15 GRNST 85 QTZ T LIMT PY T	69757	24	1.6	33		
110	115	69758	80		20			T	2.9	GQ 20 GST QTZ T GRNST 80 LIMT	69758	31	3.4	72		

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude Departure Hole No. C 157

Date Drilled OCT 30 1979 Elevation Bearing Page No. 3 Of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim		Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69759	95		5				T	3.2	GQ 50 GS 5 QTZ 5 LIMT GRNST 40 Fe2O3T	69759	90	2.4	167			
120	125	69760	60	5	35				T	3.1	GQ 95 GST GRNSTT QTZ 5 LIMT PYT Fe2O3T	69760	51	2.0	176			
125	130	69761	90		10				T	3.0	GQ 95 GST SST GRNSTT QTZ 5 LIMT PYT	69761	27	1.2	178			
130	135	69762	95		5				T	2.3	GQ 95 GST GRNST 5 SST QTZT LIMT PYT	69762	26	1.3	174			
135	140	69763	60	25	15				T	2.5	GQ 85 GS 5 SST GRNSTT QTZ 10 LIMT PYT	69763	92	2.2	256			
140	145	69764	65		35				T	2.7	GQ 75 GS 10 QTZ 15 LIMT PYT GRNSTT BASO4T	69764	94	1.3	206			
145	150	69765	65	10	25				T	2.4	GQ 80 GS 5 QTZ 15 LIMT SST PYT	69765	251	2.2	337			
150	155	69766	35	3	45				T	3.1	GQ 85 GST QTZ 10 LIMT PYT FeCO3% MNO2T CaCO3T	69766	130	1.6	283			
155	160	69767	25		5			10	T	3.4	GQ 65 GST QTZ 10 LIMT MNO2T FeCO3 25 PYT CaCO3T	69767	121	1.4	216			
160	165	69768	55		45				T	2.7	GQ 95 GST QTZ 5 LIMT PYT GRNSTT CaCO3T	69768	53	1.2	201			
165	170		65		35				T	3.0	GQ 65 GST GRNSTT QTZ 15 LIMT PYT	69770	70	1.4	316			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

-1175

Location CH GROUP Latitude _____ Departure _____ Hole No. C-157

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 10' Overburden Depth 10-15' Length of Hole 200' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69770	70		30			+	2.6	GQ 88 GST QTZ 2 LIMT PYT MNO2 T FeCO3 10 Fe2O3 T CaCO3 T	69770	54	1.6	290			
175	180	69771	60	+	40			T	2.9	GQ 80 GST QTZ 10 LIMT FeCO3 5 MNO2 T PY 5	69771	48	1.7	231			
180	185	69772	65	10	25			+	2.8	GQ 60 GS 10 QTZ 15 LIMT PY 15 FeCO3 T	69772	62	1.6	176			
185	190	69773	70	15	15			+	2.5	GQ 60 GS T QTZ 30 LIMT PY 5 SS 5	69773	39	2.1	122			
190	195	69774	65	15	20			+	2.6	GQ 80 GST SSS QTZ 15 LIMT PYT	69774	43	1.6	100			
195	200	69775	60	10	30			+	2.7	GQ 60 GS T QTZ 25 LIMT PY 15 SS T	69775	35	1.7	95			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude ____ Departure ____ Hole No. C-152

Date Drilled OCT 30, 1979 Elevation ____ Bearing ____ Page No. 1 Of 2

Casing Depth 20' Overburden Depth 20' Length of Hole 200' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69776	65	5	30		5	T	5	Qtz 70 Grnst 5 ZnST Limt Qtz 10 G.S. 15 Py 5	69776	41	0.8	106			
10	20	69777	40	10	45	5		T	3	Carb 5 Qtz 35 Grnst 5 Limt Qtz 25 Qtz 15 S.S. 10	69777	103	7.2	313			
20	30	69778	20		75			T	4.5	Qtz 20 Qtz 10 Limt Mostly S.S. 10 Qtz 10	69778	367	27.4	802			
30	35	69779	100		T			T	4.5	Qtz 50 Qtz 10 Limt Highly enriched ZnST	69779	1705	15.8	2800			
35	50	69780	70	T	25		T	T	2	Qtz 10 Qtz 15 Py Fe3O4T Limt Calcite Qtz 10 Qtz 15 Carb 5 ZnST	69780	710	9.1	971			
50	55	69781	45	20	30			T	5.5	Qtz 15 Qtz 25 Py Fe3O4T ZnST Limt S.S. 25 Qtz 30 Hematite	69781	281	4.0	313			
55	70	69782	50	20	25		T	T	5	Qtz 10 Qtz 10 Py 5 Carb 5 Limt Hematite Qtz 20, 10	69782	50	2.7	157			
70	75	69783	40	10	45			T	5	Qtz 30 Qtz 15 Qtz 20 Qtz 30 Limt Hematite Py 10 Calcite 5	69783	52	1.4	317			
75	80	69784	70	T	20			T	5	Carb 5 Qtz 10 Quartz limt Hematite Qtz 30	69784	96	1.7	73			
80	90	69785	90		5			T	1	Qtz 10 Qtz 70 Py 5 Carb 5 Siderite limt Hematite Qtz 10		72	1.2	54			
90	100	69786	50		35		10	T	3.5	Qtz 10 Qtz 30 Qtz 10 Qtz 10 Limt Hematite Siderite 5 Qtz 15	69786	99	1.6	77			

#136 #46

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP | Latitude | Departure | Hole No. C158

Date Drilled OCT 30 1979 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 20' | Overburden Depth 20' | Length of Hole 200' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)
60	65	69787	T	100	T			T	4	G.S.15 Q1210 Py5 oxidized	69787	63	2.0	406		
65	70	69788	T	100				T	3.5	G.S.50 Py5 G.S.10 S.S.10 Q1230 oxidized	69788	38	1.8	242		
70	75	69789		100				T	4.5	Q1270 G.S.30 G.S.15 S.S.30 Py3 Lim T oxidized	69789	31	1.4	254		
75	80	69790	35	55	10			T	5.1	G.Q.30 Py3 Lim T Q1230 G.S.10 oxidized	69790	48	2.7	236		
80	85	69791	50	50	T			T	4.9	Q1230 G.S.10 S.S.30 Lim T oxidized	69791	25	2.0	591		
85	90	69792		100	T			T	4.5	G.S.55 Lim T G.S.10 S.S.25 Q1210 oxidized	69792	32	1.1	288		
90	95	69793	55	35	T		10	T	5.9	G.Q.40 ZnST G.S.10 Q1215 Lim T G.S.10	69793	110	1.9	190		
95	100	69794	70	25	5			T	6.2	Py70 Q1210 G.S.10	69794	77	2.5	96		
100	105	69795	50	45	5			T	5	Q1215 G.S.30 Grnst 5 G.S.20 S.S.25 Py15	69795	54	1.2	320		
105	110	69796	65	35	T			T	4.5	Q1230 G.S.10 S.S.10 Py15 oxidized	69796	57	1.0	229		
110	115	69797	50	25	25			T		Q1230 G.S.10 S.S.10 Py30	69797	67	0.8	135		

#46 #136

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C 158

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 20' Length of Hole 200' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69798	45	45	10			T	1.5	G.S. 20 S.S. 15 Py 15	69798	55	0.7	94			
120	125	69799	30	70	T			T	1.9	G.S. 25 S.S. 15	69799	161	1.4	183			
125	130	69800	70	25	5			T	1.6	G.S. 20 S.S. 10	69800	97	1.3	146			
130	135	69801	45	20	35			T	1.5	Py 15 S.S. 15	69801	82	1.2	137			
135	140	69802	45	15	40			T	1	G.S. 10 Py 15	69802	46	1.0	152			
140	145	69803	50	10	40			T	2	Py 10 S.S. 35	69803	50	1.1	105			
145	150	69804	50	5	45			T	3	Py 20	69804	52	1.3	106			
150	155	69805	35	5	60			T	3	Py 2 G.S. 2 S.S. 35	69805	45	0.8	99			
155	160	69806	45	5	50			T	1	G.S. 7 Py 5 S.S. 35	69806	36	1.1	74			
160	165	69807	50	10	40			T	1.5		69807	32	0.9	67			
165	170	69808	45	20	35			T	2	Py 2	69808	27	1.0	74			

#136 #146

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH GROUP Latitude _____ Departure _____ Hole No. C158

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 20' Overburden Depth 20' Length of Hole 200' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	69809	70	15	15				4.5	Py 20 Fl spt G.S. 10 Qtz 30 G.Q. 45	69809	34	08	47			
175	180	69810	65	25	10				4.1	G.S. 10 Py 20 Qtz 10 G.Q. 55	69810	26	0.5	64			
180	185	69811	80	15	5				3.9	$CaCO_3$ G.S. 15 G.Q. 45 Py 20 $CuFeS_2$ Qtz 30	69811	42	09	120			
185	190	69812	70	15	T		15		7.3	G.S. 15 G.Q. 40 Py 20 $CuFeS_2$ Qtz 20	69812	35	06	86			
190	195	69813	70	25			5		5.5	G.S. 15 G.Q. 45 Py 10 $CuFeS_2$ Qtz 25	69813	23	07	65			
195	200	69814	85	10			5		4.5	$CaCO_3$ G.S. 25 Qtz 15 G.Q. 55	69814	32	08	74			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#73

Location CH GROUP Latitude _____ Departure _____ Hole No. C 159

Date Drilled OCT 30, 1979 Elevation _____ Bearing _____ Page No. 1 Of 3

Casing Depth 13' Overburden Depth 15' Length of Hole 165' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69815	80	5			15	T	1	Grnst 10 S.S. Py 5 ZnS 1 Lim T Hyd T Qtz 10 Arg 2 Carb T Qtz 20 Grnst 40	69815	32	1.4	48			
10	15	69816	70				30	T	2.5	Grnst 10 Qtz 70 Lim T Hyd T Carb T Qtz 10 ZnST	69816	44	2.2	144			
15	20	69817	90	T			10	T	3	S.S. 10 Qtz 35 Grnst 5 Lim T Hyd T Carb 10 Qtz 30 Py T ZnST	69817	52	1.3	313			
20	25	69818	100				T	T	3	Qtz 35 Grnst 15 Py 5 Lim T Qtz 10 Hyd T Carb 20	69818	20	0.8	45			
25	30	69819	100				T	T	3.2	Qtz 10 Carb 30 Grnst 5 Lim T Hyd T Carb 10 Py 5 S 15	69819	52	1.0	203			
30	35	69820	20	80			T	T	2.5	Qtz 10 Carb 35 Arg 5 Lim T Hyd T Carb 10 Qtz 10 Grnst 5	69820	43	1.4	207			
35	40	69821	40	50	T		10	T	2.5	Qtz 20 Carb 30 Arg 5 Lim T Hyd T Carb 10 Qtz 10	69821	72	2.0	136			
40	45	69822	40	55			5	T	2.5	Carb 80 Py T Qtz 5 Lim T Hyd T Carb 10 Qtz 5	69822	48	1.9	226			
45	50	69823	10	70			20	T	3.2	Qtz 25 Carb 30 Arg 5 Grnst 10 Lim T Hyd T Carb 10 Qtz 10	69823	79	1.6	71			
50	55	69824	50	40			10	T	3	Qtz 25 Carb 30 Arg 5 Lim T Hyd T Carb 10 Py 5	69824	75	1.4	98			
55	60	69825	50	30			20	T	2	Qtz 15 Carb 15 Arg 5 Lim T Hyd T Carb 10 Qtz 10 Py 5	69825	31	0.9	60			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#73

Location CH GROUP Latitude _____ Departure _____ Hole No. C159

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 13' Overburden Depth 15' Length of Hole 165' Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn ppm	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69826	50	40			10	T	3.3	QTZ 25 G.G 45 Grnst 5 S.S 10 G.S 15 Lim T Fy,o,t	69826	68	1.2	83			
65	70	69827	10	80			10	T	4.1	QTZ 25 G.G 30 Grnst 5 S.S 15 G.S 25 Lim T Fy,o,t	69827	46	1.6	76			
70	75	69828	T	95			5	T	2	QTZ 15 G.G 20 G.S 45 S.S 20 Lim T Fy,o,t	69828	29	1.5	98			
75	80	69829	T	100			T	T	2	QTZ 20 G.G 25 Lim T Fy,o,t G.S 15 S.S 10	69829	30	0.9	31			
80	85	69830	15	80			5	T	2.1	QTZ 15 G.G 35 Py 5 Lim T Fy,o,t G.S 35 S.S 10 Zinst	69830	29	1.4	57			
85	90	69831	10	90			T	T	3	G.G 35 S.S 5 Zinst Lim T Fy,o,t G.S 35 QTZ 25 Cu Fy 10	69831	34	1.6	86			
90	95	69832	T	30	60		10	T	1	QTZ 35 G.G 30 S.S 20 Lim T Fy,o,t G.S 10 Py 10	69832	30	1.0	95			
95	100	69833			90		10	T	3	S.S 40 QTZ 10 G.G 20 Lim T Fy,o,t S.S 10 Py 45	69833	31	1.1	70			
100	105	69834			100		T	T	3.1	QTZ 20 Lim T Fy,o,t Py 10 S.S 70	69834	33	1.0	73			
105	110	69835		40	60		T	T	3.5	QTZ 30 G.G 30 S.S 20 Lim T Fy,o,t Py 2 S.S 10 Cu T	69835	29	0.1	40			
110	115	69836		5	90		5	T	2	Py 5 QTZ 10 G.G T Lim T Fy,o,t Py 5	69836	32	1.4	62			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#73

Location CH GROUP | Latitude | Departure | Hole No. C 159

Date Drilled OCT 30 1979 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 13' | Overburden Depth 15' | Length of Hole 165' | Dip 66°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	69837			100		T	T	¼	Pyt	69837	51	1.2	66			
120	135	69838		60	40		T	T	2	Py35	69838	32	1.5	80			
125	130	69839		80	20			T	2	Py45	69839	19	1.3	55			
130	135	69840		95			5	T	2.5	Py3	69840	30	1.2	66			
135	140	69841	+	90			10	T	2	Py25 Cubes, 10	69841	19	1.1	50			
140	145	69842	10	85			5	T	3.5	Py15	69842	22	0.9	51			
145	150	69843	60	20	T		20	T	3.5	Py20	69843	27	0.4	42			
150	155	69844	30	70	T		T	T	2.5		69844	25	0.5	36			
155	160	69845	80	T			20	T	2		69845	45	5.8	98			
160	165	69846	70	10			20	T	4.6		69846	34	6.0	318			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

138

Location CH GROUP Latitude _____ Departure _____ Hole No. C 160

Date Drilled OCT 30 1979 Elevation _____ Bearing _____ Page No. 1 Of 2

Casing Depth 13' Overburden Depth 15' Length of Hole 110' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	69847	70			20	10	T	1.5	GQ 65 GS 5 GRNST 5 QTZ 15 LIMT PY 10 Fe3O4T	69847	36	0.9	88			
10	15	69848	50			40	10	T	1.8	GQ 45 GS 5 GRNST 45 QTZ 5 LIMT	69848	291	2.0	85			
15	20	69849	60	10		15	15	T	2.3	GQ 90 GS 5 QTZT LIMT GRNST 5	69849	24	0.9	54			
20	25	69850	60	30			10	T	2.2	GQ 70 GS 30 QTZ T LIMT	69850	29	0.8	89			
25	30	69851	90	10			T	T	2.0	GQ 80 GS 15 QTZ 5 LIMT	69851	20	0.6	48			
30	35	69852	80	10			10	T	2.1	GQ 80 GS 15 QTZ 5 LIMT PY T	69852	19	1.1	92			
35	40	69853	80	T			20	T	1.8	GQ 80 GS 5 QTZ 15 LIMT PY T	69853	24	0.4	34			
40	45	69854	70	20			10	T	1.9	GQ 90 GS 8 QTZ 2 LIMT MNOL	69854	30	0.7	45			
45	50	69855	20	40	30		T	T	1.5	GQ 70 GS 10 SS 15 QTZ 5 LIMT	69855	26	0.6	102			
50	55	69856		60	40		T	T	1.3	GQ 50 GS 30 QTZ 15 LIMT PY T SS 5 Fe3O4T	69856	34	0.8	80			
55	60	69857		20	70		10	T	1.6	GQ 50 GS 10 SS 40 QTZ T LIMT PY T	69857	32	1.6	130			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#139

Location CH GROUP | Latitude | Departure | Hole No. C60

Date Drilled OCT 30 1979 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 13' | Overburden Depth 15' | Length of Hole 110' | Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	69858		30	70		T	T	2.2	GQ 35 GS25 SS35 QTZ T LIM T PY 5	69858	26	1.1	66			
65	70	69859		60	30		10	T	2.4	GQ 30 GS 60 QTZ 10 LIM T PY T SS T Fe2O3 T	69859	25	0.5	58			
70	75	69860		20	80		T	T	2.3	GQ 20 GS 15 SS 65 QTZ T LIM T PY T Fe2O3 T	69860	30	0.6	83			
75	80	69861		80	10		10	T	2.0	GQ 10 GS 50 SS 10 QTZ 10 LIM T PY 20	69861	21	1.3	111			
80	85	69862	10	90			T	T	2.9	GQ 10 GS 70 QTZ 5 LIM T PY 15	69862	23	0.6	20			
85	90	69863	30	70			T	T	2.4	GQ 30 GS 40 QTZ T LIM T PY 30	69863	19	0.4	42			
90	95	69864	T	90			10	T	1.9	GQ 10 GS 80 QTZ 5 LIM T PY 5	69864	18	0.6	68			
95	100	69865		100				T	2.3	GQ T GS 60 QTZ 5 LIM T PY 35	69865	17	0.5	61			
100	105	69866	100				T	T	2.5	GQ 98 GS 2 QTZ T LIM T PY T	69866	15	0.4	25			
105	110	69867	30	70			T	T	2.0	GQ 30 GS 45 QTZ 5 LIM T PY 20 Fe1-x S T PbS T	69867	19	0.6	29			

CH 50
Y87389

CH 52
Y87391

CH 54
Y87393

CH 56
Y87395

CH 15
Y87354

CH 17
Y87356

CH 19
Y87358

CH 21
Y87360

CH 23
Y87362

CH 16
Y87355

CH 18
Y87357

CH 20
Y87359

CH 22
Y87361

CH 24
Y87363

C127 C128 C129 C130 C131 C132 C133 C134

C139 C149 C151 C155 C150 C153 C156 C152 C154 C157 C141 C158 C142 C159 C143 C160 C144 C145 C146

RECEIVED
11 MAR 1980
MINING RECORDER
LAND AGENT
MAYO, Y.T.
I.A. & N.D.

1979 PERCUSSION DRILLING
CH MINERAL CLAIMS
1" = 400'

CH 58
Y87397

POLI CREEK

CH 60
Y87399

CH 62
Y87401

CH 64
Y87403

RECEIVED
11 MAR 1980
MINING RECORDER
LAND AGENT,
MAYO, Y.T.
I.A. & N.D.

C95
C96
C97
C98
C99
C87
C88
C100
C101
C89
C102
C90
C103
C91
C109
C92
C107
C104
C110
C93
C108
C105
C94
C106

C83
C84
C82
C81
C80

CH 25
Y87364

CH 27
Y87366

CH 29
Y87368

CH 31
Y87370

CH 32
Y87371

CH 26
Y87365

CH 28
Y87367

CH 30
Y87369

1979 PERCUSSION DRILLING
CH MINERAL CLAIMS
1" = 400'