

DOLMAGE CAMPBELL & ASSOCIATES (1975) LTD.

CONSULTING GEOLOGICAL & MINING ENGINEERS

1000-1055 WEST HASTINGS STREET
VANCOUVER, CANADA V6E 2E9

B.A. Resources Ltd.
Vancouver, B.C.

Geochemical Report

on the

RINGO PROPERTY

Meister River, Yukon Territory
60° 21' N. Lat.; 130° 50' W. Long.
NTS 105B-7

Sampling done by:
A.C. Eunson, B.Sc.
B. Saunders
from
June 14-July 2, 1983
July 19-July 23, 1983

August 5, 1983

Robert S. Adamson, P.Eng. Supervisor

Vancouver, Canada



~~091480~~
090849

This report was examined by
the Geological Survey of Canada
under the provisions of the Yukon Quartz
Mining Act and is certified as
correct and true to the amount
of \$ 3,600—

R. Watson

for Regional Geologist in Charge and
Geological Survey of Canada, Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION	1
GEOLOGICAL SETTING	2
Regional Geology	2
Property Geology	2
MINERALIZATION	3
GEOCHEMISTRY	3
Sampling & Assaying Techniques	3
Analytical Results	4
CONCLUSIONS	5
Recommendations	5
APPENDICES	
1. Statement of Costs	
2. Statutory Declaration	
3. Analytical Results	

LIST OF ILLUSTRATIONS

	<u>Following Page</u>
Figure 1 Location Map	1
Figure 2 Claim Map	1
Figure 3 General Geology	2
Figure 4 Zinc Geochemistry	3
Figure 5 Lead Geochemistry	3
Figure 6 Silver Geochemistry	3
Figure 7 Manganese Geochemistry	3
Figure 8 Compilation Map, Central Area	4

INTRODUCTION

A geochemical soil survey was carried out on the Ringo claim group by Dolmage Campbell and Associates (1975) Ltd. during June and July, 1983. The property, which consists of 12 contiguous claims, is situated on the Meister River drainage southwest of Caribou Lake. The Pine Lake airstrip, located near the Alaska Highway, lies 29 kilometres south-southwest of the property, (Figure 1).

The work was done on behalf of B.A. Resources, the recorded owner of Ringo 9-12 claims (YA69128-YA69131 inclusive). B.A. Copper Ltd., the predecessor company of B.A. Resources, is the recorded owner of Ringo 1-8 mineral claims (YA55951-YA55958), (Figure 2). The work was performed on Ringo 1-8 and 11-12, (Figure 3).

The survey was undertaken during two separate intervals, a reconnaissance stage from June 14 to July 2, 1983 and a fill-in or detailed stage from July 19-July 23, 1983. A camp was established on the property in order to carry out the initial survey in conjunction with visual prospecting, geological mapping, and hand trenching. The camp was intermittently supported by a helicopter based at Rancheria on the Alaska Highway. The second stage was carried out directly from Rancheria by daily helicopter flights.



Soil sampling during the initial stage was carried out by Mr. Brian A. Saunders. Mr. A.C. Eunson, geologist, supervised the sampling and established the grid on the property for sampling and control purposes. The follow-up soil sampling was undertaken by both individuals. The number of days occupied by each individual in the field on the geochemical survey were:

Mr. B.A. Saunders, 1000 - 1055 W. Hastings St., Vancouver, B.C.
Period June 14-July 2; 10 days
Period July 19-July 23; 4 days

Mr. A.C. Eunson, 1000 - 1055 W. Hastings St., Vancouver, B.C.
Period June 14-July 2; 2 days
Period July 19-July 23; 4 days

The geochemical data were compiled and interpreted and the report written by the author, who was project manager of the program. He was assisted by A.C. Eunson, the field supervisor. The number of days occupied in the preparation of the report were:

Mr. R.S. Adamson 3 days
Mr. A.C. Eunson 2 days




R. S. Adamson

DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA
B. A. RESOURCES LTD.
VANCOUVER, B.C.

RINGO PROPERTY
LOCATION MAP
YUKON AND NORTHWEST TERRITORIES



SCALE AS SHOWN JULY 1983 FIG. 1



LEGEND

- GRANITIC ROCKS
- GNEISSIC UNIT
- CALC - SILICATE UNIT

CONTOUR IN FEET



R. S. Adamson

DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA

B. A. RESOURCES LTD.
VANCOUVER, B.C.

RINGO PROPERTY

CLAIM MAP

MEISTER RIVER, YUKON

SCALE: 1 : 31,680

JULY 1983

FIG. 2

GEOLOGICAL SETTING

REGIONAL GEOLOGY

The region west of Caribou Lake on the Meister River is underlain by a belt of Upper Hadrynian to Lower Cambrian meta-sedimentary rocks. The belt, approximately nine kilometres in width, in part lies between the mid Cretaceous Cassiar and Marker Lake Batholiths of quartz monzonite composition. Mapped by the G.S.C. on an intermittent basis throughout the 1950's, rocks within the belt consist of biotite schist and quartzite, marble and skarn, biotite schist and gneiss, and irregular bodies of pegmatite. The rocks may be the equivalent of the Upper Hadrynian Horse-ranch Group in northern British Columbia or the Good Hope and Atan Groups that range in age from Upper Hadrynian to Lower Cambrian.

In general, the belt strikes west-northwesterly, subparallel to the Cassiar Batholithic contact and dips moderately to the north northeast away from the intrusive body.

PROPERTY GEOLOGY (Figure 3)

On the property the meta-sedimentary rocks are in contact with quartz monzonite of the Cassiar Batholith. The meta-sedimentary rocks comprise two distinct units, a calc-silicate unit and an apparently overlying 'gneissic' unit. Cassiar intrusive rocks extend along the southwestern side of the property; an apparent outlier of the batholith is centred on Ringo 1, 2, 9 and 10 claims.

The 'gneissic' unit consists predominantly of quartz mica schist with interbedded, very fine grained, grey quartzite. Locally, bands of marble and skarn occur in the sequence. The schists, which contain biotite and locally very minor pyrite, exhibit a rusty appearance in the weathered outcrop. The 'gneissic' unit, particularly where quartzite is common, tends to weather positively as does the quartz monzonite intrusive rock.

The calc-silicate unit, apparently in conformable contact with the 'gneissic' unit, strikes northwesterly in arcuate fashion because of changing topography and erosion and dips moderately to the northeast. The unit, which ranges in width on surface from 150 to 400 metres, comprises a distinctive crystalline diopside-garnet rock (skarn) with interbedded cherty bands and grey-white marble. The marble may contain bands of diopside-garnet rock. The calc-silicate unit, particularly where marble is common, tends to weather negatively so that outcrops are not nearly as plentiful as in the 'gneissic' and intrusive units.



LEGEND

- GRANITIC ROCKS
- GNEISSIC UNIT
- CALC-SILICATE UNIT
- T2▲ MINERAL OCCURRENCE (TRENCH)
- INDICATED MINERALIZED ZONE
- BEDDING ATTITUDE



DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA


B.A. RESOURCES LTD.
VANCOUVER, B.C.

RINGO PROPERTY

GENERAL GEOLOGY

MEISTER RIVER, YUKON

SCALE : 1:10,000 JULY 1983 FIG. 3



R. S. Adamson

anCal/1327

MINERALIZATION

On the property, zinc-lead-silver mineralization occurs predominantly in the calc-silicate unit. Visible mineralization has been further exposed by digging and blasting a number of hand trenches, (Figure 3).

Two types of mineralization occur, fissure vein mineralization in trenches 5 and 6 and stratiform type mineralization in trenches 1, 2, and 4. Fissure vein occurrences consist of coarse grained sphalerite and galena with minor chalcopyrite in vein quartz. Stratiform or replacement type mineralization consists of fine grained sphalerite, galena, minor chalcopyrite, and minor pyrite in strongly oxidized, intensely manganiferous, usually fissile, possibly tuffaceous, stratified rock. Because of the extreme alteration, the precise nature of the host rock is uncertain.

GEOCHEMISTRY

Control for the geochemical survey was established by surveying a baseline with a transit. Perpendicular cross lines were turned off, initially at 200 metre intervals and later in the centre of the grid at 100 metre intervals. Pickets were placed at 50 metre intervals on the cross lines and the appropriate stations marked. Soil samples were taken at 25 and 50 metre intervals along the cross lines. After initial results were received and evaluated the fill-in lines at 25 and 50 metre intervals were established and sampled at 25 metre stations.

SAMPLING AND ASSAYING TECHNIQUES

Soil samples were taken by first digging a hole with a mattock; a small handful of soil was then taken and packaged in a standard high wet-strength brown kraft paper sample bag. Wherever possible, samples were taken from the "B" soil horizon. If the "B" horizon could not be reached the samples were taken from the "A" horizon and noted as such. The samples were sent to Chemex Labs Ltd. in North Vancouver for analysis.

At the assay laboratory the samples were dried at 110° F and then sieved to -80° mesh consistency through a nylon and stainless steel sieve. One-half gram of the dry pulp was weighed into a calibrated test tube and 3 mls. of perchloric acid and 1 ml. of nitric acid were added. The samples were digested initially at low heat and then at a temperature of 203° C. Digestion time was two to three hours. The digested samples were cooled, made up to 25 ml. volume with distilled water and the solutions thoroughly mixed. Analysis for lead, zinc manganese and silver were then done by Atomic Absorption procedures.


1500 N -

1000 N -

L 100W
L 100E
L 300E



LEGEND
 1000 - 1300 ppm Possibly Anomalous
 1300 - 1800 " Probably "
 >1800 " Definitely "
 T2 ▲ Mineral Occurrence
 ○ Anomalous Zone



DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA

B. A. RESOURCES LTD.
VANCOUVER, B.C.

RINGO PROPERTY
ZINC GEOCHEMISTRY
YUKON

SCALE : 1:5000
JULY 1983
FIG. 4

1500 N -



1000 N -

LEGEND

- 100 - 150 ppm Possibly Anomalous
- 150 - 250 " Probably "
- >250 " Definitely "

T2 ▲ Mineral Occurrence

○ Anomalous Zone



DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA

B. A. RESOURCES LTD.
VANCOUVER, B.C.

RINGO PROPERTY
LEAD GEOCHEMISTRY
YUKON


SCALE: 1:5000 JULY 1983 FIG. 5

1500 N —




1000 N —

L 1000

anCal/1327



LEGEND
 0.7 - 1.35 ppm Possibly Anomalous
 1.35 - 3.0 " Probably "
 > 3.0 " Definitely "
 T2 ▲ Mineral Occurrence
 Anomalous Zone



DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS VANCOUVER, CANADA	
B. A. RESOURCES LTD. VANCOUVER, B.C.	
RINGO PROPERTY	
SILVER GEOCHEMISTRY	
YUKON	
SCALE : 1:5000	JULY 1983
	FIG. 6



1500 N -

1000 N -

LEGEND

2000 - 3000 ppm Possibly Anomalous
 3000 - 5000 " Probably "
 > 5000 " Definitely "

T2 ▲ Mineral Occurrence
 ○ Anomalous Zone



PROFESSIONAL
 PROVINCE OF
R. S. ADAMSON
 BRITISH COLUMBIA
 ENGINEER

R. S. Adamson

DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
 VANCOUVER, CANADA

B. A. RESOURCES LTD.
 VANCOUVER, B.C.

RINGO PROPERTY

MANGANESE GEOCHEMISTRY

YUKON

SCALE: 1:5000


JULY 1983

FIG. 7

VanCal/1327


ANALYTICAL RESULTS

Anomalous values were derived by statistical methods. Values and interpretation were displayed on appropriate maps that show the general geological framework of the sampled area, (Figure 4, 5, 6 and 7). A more detailed interpretation of the results from samples taken from the central sector of the sampled grid is shown on Figure 8.




LEGEND

- 3 GRANITIC ROCKS
- 2 GNEISSIC UNIT
- 1 CALC - SILICATE UNIT
- SOIL SAMPLE LOCATION
- PREVIOUS SOIL SAMPLE LOCATION
- OUTCROP
- ~ FAULT OR SHEAR
- TRENCH
- △ BOULDER
- Zn Pb
Ag Mn IN PPM
- ANOMALOUS SOIL SAMPLE
- ⊙ PROBABLY ANOMALOUS SOIL SAMPLE
- ANOMALOUS ZONE



R. S. Adamson



DOLMAGE CAMPBELL & ASSOCIATES LTD. CONSULTANTS
VANCOUVER, CANADA

B.A. RESOURCES LTD.
VANCOUVER, B.C.

CENTRAL AREA
DETAILED GEOCHEMISTRY

RINGO, MEISTER RIVER, YUKON

SCALE 1:1250 AUGUST 1983 FIG. 8

CONCLUSIONS

It is evident that, as shown in figure 8, the soils in the centre of the grid are strongly anomalous in lead, zinc, silver, and manganese. The anomalous values are generally distributed over an area approximately 200 metres by 300 metres in extent. Within this broadly anomalous central area, several anomalous zones are indicated. The anomalous zones are considered to reflect an unknown number of mineralized horizons within the calc-silicate unit.

Reconnaissance soil sampling outside the central area indicates that one or more of the inferred mineralized horizons will extend along strike to the north. On the other hand, the projection of the central anomalous area to the southeast is not indicated by the geochemical survey. However, downhill from the central area the soil thickness appears to increase appreciably. The lack of significant anomalous values southeast of the central area may reflect this feature.

Because of the size of the anomalous central area, the presence of interesting mineralization in two trenches within the area, and the attractive geological setting with its implied medium to large tonnage potential, further exploration work is warranted.

RECOMMENDATIONS

It is proposed that the central area be further explored by initially implementing a self potential geophysical survey. The geophysical survey should be followed by drilling several holes across the geochemically anomalous area and any geophysical anomalies that are defined.


Respectfully submitted by,
DOLMAGE CAMPBELL & ASSOC. (1975) LTD.



A handwritten signature in cursive script, appearing to read "R. S. Adamson".

Robert S. Adamson, P.Eng.

DOLMAGE CAMPBELL & ASSOCIATES (1975) LTD.
CONSULTING GEOLOGICAL & MINING ENGINEERS
1000-1055 WEST HASTINGS STREET
VANCOUVER, CANADA V6E 2E9




CERTIFICATE

I, Robert S. Adamson, with business and residential addresses in Vancouver, British Columbia, do hereby certify that:

1. I am a consulting geological engineer.
2. I am a graduate of the University of British Columbia, (B.A.Sc. in Geological Engineering, 1957).
3. I am a registered Professional Engineer of the Province of British Columbia.
4. From 1957 until 1967 I was engaged in mineral exploration in Canada as a geologist for a number of companies. I was Chief of Exploration for Anvil Mining Corp. Ltd. when I retired in 1967 to join the firm of Dolmage Campbell & Associates Ltd. as a senior engineer. In 1968 I became a partner in the firm.
5. I examined the Ringo Property on June 14-15, 1983 and June 29-30, 1983.
6. I have not received, directly or indirectly, nor do I expect to receive any interest, direct or indirect, in the property of B.A. Resources Ltd. or of any affiliate thereof, nor do I beneficially own, directly or indirectly, any securities of B.A. Resources Ltd. or any affiliate thereof.

Respectfully submitted,
DOLMAGE CAMPBELL & ASSOC. (1975) LTD.



R.S. Adamson, B.A.Sc., P. Eng.

090842

APPENDIX NO. 1STATEMENT OF COSTS

A.	WAGES			\$ 3,170.00
	B.A. Saunders (June 14-July 2)	10 days @ \$130	\$1,300.00	
		(July 19-July 23) 4 days @ \$130	520.00	
	A.C. Eunson (July 19-July 23)	4 days @ \$225	900.00	
		(June 14-July 2) 2 days @ \$225	450.00	
B.	TRANSPORTATION (HELICOPTER)			3,282.36
	June 14-July 2	3.4 hours	1,094.12	
	July 19-July 23	6.8 hours	2,188.24	
C.	GEOCHEMICAL ANALYSES (Zn, Pb, Ag, Mn)			2,367.40
	1. 213 samples		1,301.40	
	2. 205 samples		1,066.00	
D.	MAINTENANCE			760.00
	June 14-July 2	12 man days x \$30 per m. day	360.00	
	July 19-July 23	8 man days @ \$50 per m. day	400.00	
E.	DRAUGHTING	30 hours @ \$20 per hour		600.00
F.	SECRETARIAL, TYPING, etc.			50.00
G.	SUPERVISION & REPORT			1,500.00
	A.C. Eunson	2 days @ \$225	450.00	
	R.S. Adamson	3 days @ \$350	1,050.00	
				<hr/>
				\$11,729.76
				=====

DOMINION OF CANADA:
PROVINCE OF BRITISH COLUMBIA.
To Wit:

In the Matter of

RINGO CLAIM GROUP ASSESSMENT
Ringo 1-8 YA55951-YA55958
Ringo 9-12 YA69128-YA69131

I, Robert S. Adamson

of 1000 - 1055 West Hastings Street, Vancouver, B.C., V6E 2E9

in the Province of British Columbia, do solemnly declare that

Expenditures of Geochemical Work performed on the Ringo Claims between June 14-July 2, 1983 and July 19-23, 1983 were as follows:

WAGES	\$ 3,170.00
TRANSPORTATION (Helicopter)	3,282.36
GEOCHEMICAL ANALYSES	2,367.40
MAINTENANCE	760.00
DRAUGHTING	600.00
SECRETARIAL etc.	50.00
SUPERVISION & REPORT	1,500.00
	<hr/>
	\$11,729.76

And I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath and by virtue of the "Canada Evidence Act."


Declared before me at the *City*
of *Vancouver*, in the
Province of British Columbia, this *15th*
day of *August*, A.D. *1983*

R S Adamson

Anthony J. Parsh
~~A Commissioner, etc.~~
A Commissioner for taking Affidavits within British Columbia or
A Notary Public in and for the Province of British Columbia.

APPENDIX NO. 3

Geochemical Analyses



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD..

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312419-001-A
INVOICE # : I8312419
DATE : 12-JUL-83
P.C. # : NCNE

378.10

ATTN: A. C. EUNSON

Sample description	Prep code	Mn ppm							
L 100E 600N	214	2400	--	--	--	--	--	--	--
L 100E 650N	214	1650	--	--	--	--	--	--	--
L 100E 700N	214	1100	--	--	--	--	--	--	--
L 100E 750N	214	2200	--	--	--	--	--	--	--
L 100E 800N	214	1150	--	--	--	--	--	--	--
L 100E 850N	214	600	--	--	--	--	--	--	--
L 100E 900N	214	1020	--	--	--	--	--	--	--
L 100E 950N	214	1650	--	--	--	--	--	--	--
L 100E 1000N	214	565	--	--	--	--	--	--	--
L 100E 1100N	214	1570	--	--	--	--	--	--	--
L 300E 600N	214	4700	--	--	--	--	--	--	--
L 300E 650N	214	2200	--	--	--	--	--	--	--
L 300E 700N	214	1150	--	--	--	--	--	--	--
L 300E 750N	214	>10000	--	--	--	--	--	--	--
L 300E 800N	214	>10000	--	--	--	--	--	--	--
L 300E 850N	214	1100	--	--	--	--	--	--	--
L 300E 900N	214	910	--	--	--	--	--	--	--
L 300E 1000N	214	1350	--	--	--	--	--	--	--
L 300E 1050N	214	785	--	--	--	--	--	--	--
L 300E 1100N	214	900	--	--	--	--	--	--	--
L 400E 600N	214	1530	--	--	--	--	--	--	--
L 400E 625N	214	3650	--	--	--	--	--	--	--
L 400E 650N	214	1650	--	--	--	--	--	--	--
L 400E 675N	214	2500	--	--	--	--	--	--	--
L 400E 700N	214	8900	--	--	--	--	--	--	--
L 400E 725N	214	1900	--	--	--	--	--	--	--
L 400E 750N	214	1550	--	--	--	--	--	--	--
L 400E 775N	214	2450	--	--	--	--	--	--	--
L 400E 800N	214	1250	--	--	--	--	--	--	--
L 400E 825N	214	745	--	--	--	--	--	--	--
L 400E 850N	214	1600	--	--	--	--	--	--	--
L 400E 900N	214	1000	--	--	--	--	--	--	--
L 500E 350N	214	470	--	--	--	--	--	--	--
L 500E 400N	214	655	--	--	--	--	--	--	--
L 500E 425N	214	875	--	--	--	--	--	--	--
L 500E 450N	214	3300	--	--	--	--	--	--	--
L 500E 475N	214	870	--	--	--	--	--	--	--
L 500E 500N	214	1150	--	--	--	--	--	--	--
L 500E 525N	214	1650	--	--	--	--	--	--	--
L 500E 550N	214	1280	--	--	--	--	--	--	--



Certified by *Hart Bichler*.....



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9


CERT. # : A8312419-002-A
INVOICE # : 18312419
DATE : 12-JUL-83
P.C. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Mn ppm						
L 500E 575N	214	1500	--	--	--	--	--	--
L 500E 600N	214	815	--	--	--	--	--	--
L 500E 625N	214	1070	--	--	--	--	--	--
L 500E 650N	214	685	--	--	--	--	--	--
L 500E 675N	214	1000	--	--	--	--	--	--
L 500E 700N	214	2100	--	--	--	--	--	--
L 500E 725N	214	2080	--	--	--	--	--	--
L 500E 750N	214	3580	--	--	--	--	--	--
L 500E 775N	214	2580	--	--	--	--	--	--
L 500E 800N	214	600	--	--	--	--	--	--
L 500E 825N	214	2300	--	--	--	--	--	--
L 500E 850N	214	700	--	--	--	--	--	--
L 500E 900N	214	910	--	--	--	--	--	--
L 500E 950N	214	1780	--	--	--	--	--	--
L 500E 1000E	214	580	--	--	--	--	--	--
L 500E 1050E	214	455	--	--	--	--	--	--
L 500E 1100E	214	655	--	--	--	--	--	--
L 600E 550N	214	3600	--	--	--	--	--	--
L 600E 575N	214	820	--	--	--	--	--	--
L 600E 600N	214	1400	--	--	--	--	--	--
L 600E 625N	214	3680	--	--	--	--	--	--
L 600E 650N	214	2230	--	--	--	--	--	--
L 600E 675N	214	4900	--	--	--	--	--	--
L 600E 700N	214	3100	--	--	--	--	--	--
L 600E 725N	214	1000	--	--	--	--	--	--
L 600E 750N	214	1580	--	--	--	--	--	--
L 600E 775N	214	3240	--	--	--	--	--	--
L 600E 800N	214	1700	--	--	--	--	--	--
L 600E 825N	214	570	--	--	--	--	--	--
L 600E 850N	214	1080	--	--	--	--	--	--
L 600E 900N	214	1730	--	--	--	--	--	--
L 700E 250N	214	490	--	--	--	--	--	--
L 700E 300N	214	1580	--	--	--	--	--	--
L 700E 350N	214	335	--	--	--	--	--	--
L 700E 400N	214	455	--	--	--	--	--	--
L 700E 425N	214	1650	--	--	--	--	--	--
L 700E 450N	214	163	--	--	--	--	--	--
L 700E 475N	214	2550	--	--	--	--	--	--
L 700E 500N	214	785	--	--	--	--	--	--
L 700E 525N	214	355	--	--	--	--	--	--

Certified by *Hart Buchler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312419-003-A
INVOICE # : I8312419
DATE : 12-JUL-83
P.C. # : NONE


ATTN: A. C. EUNSON

Sample description	Prep code	Mn ppm						
L 700E 550N	214	113C	--	--	--	--	--	--
L 700E 600N	214	41C	--	--	--	--	--	--
L 700E 625N	214	1570	--	--	--	--	--	--
L 700E 650N	214	235C	--	--	--	--	--	--
L 700E 675N	214	1000	--	--	--	--	--	--
L 700E 700N	214	1080	--	--	--	--	--	--
L 700E 725N	214	635	--	--	--	--	--	--
L 700E 750N	214	225C	--	--	--	--	--	--
L 700E 775N	214	1900	--	--	--	--	--	--
L 700E 800N	214	1130	--	--	--	--	--	--
L 700E 825N	214	123C	--	--	--	--	--	--
L 700E 850N	214	1030	--	--	--	--	--	--
L 700E 900N	214	29C	--	--	--	--	--	--
L 700E 950N	214	1370	--	--	--	--	--	--
L 700E 1000N	214	1400	--	--	--	--	--	--
L 700E 1050N	214	1780	--	--	--	--	--	--
L 700E 1100N	214	600	--	--	--	--	--	--
L 800E 500N	214	2300	--	--	--	--	--	--
L 800E 525N	214	1030	--	--	--	--	--	--
L 800E 550N	214	99C	--	--	--	--	--	--
L 800E 575N	214	1000	--	--	--	--	--	--
L 800E 600N	214	1900	--	--	--	--	--	--
L 800E 625N	214	545	--	--	--	--	--	--
L 800E 650N	214	773	--	--	--	--	--	--
L 800E 675N	214	800	--	--	--	--	--	--
L 800E 700N	214	625	--	--	--	--	--	--
L 800E 725N	214	870	--	--	--	--	--	--
L 800E 750N	214	1550	--	--	--	--	--	--
L 800E 775N	214	2730	--	--	--	--	--	--
L 800E 800N	214	855	--	--	--	--	--	--
L 900E 250N	214	505	--	--	--	--	--	--
L 900E 300N	214	1350	--	--	--	--	--	--
L 900E 350N	214	3100	--	--	--	--	--	--
L 900E 400N	214	3050	--	--	--	--	--	--
L 900E 425N	214	560	--	--	--	--	--	--
L 900E 450N	214	675	--	--	--	--	--	--
L 900E 475N	214	700	--	--	--	--	--	--
L 900E 500N	214	1730	--	--	--	--	--	--
L 900E 525N	214	1120	--	--	--	--	--	--
L 900E 550N	214	242	--	--	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9


CERT. # : A8312419-004-A
INVOICE # : I8312419
DATE : 12-JUL-83
P.C. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Mn ppr						
L 900E 575N	214	635	--	--	--	--	--	--
L 900E 600N	214	125C	--	--	--	--	--	--
L 900E 625N	214	800	--	--	--	--	--	--
L 900E 650N	214	445	--	--	--	--	--	--
L 900E 675N	214	815	--	--	--	--	--	--
L 900E 700N	214	1880	--	--	--	--	--	--
L 900E 725N	214	5150	--	--	--	--	--	--
L 900E 750N	214	878	--	--	--	--	--	--
L 900E 775N	214	1550	--	--	--	--	--	--
L 900E 800N	214	860	--	--	--	--	--	--
L 900E 825N	214	623	--	--	--	--	--	--
L 900E 850N	214	1260	--	--	--	--	--	--
L 900E 900N	214	1780	--	--	--	--	--	--
L 900E 950N	214	710	--	--	--	--	--	--
L 900E 1000N	214	1880	--	--	--	--	--	--
L 900E 1050N	214	1850	--	--	--	--	--	--
L 900E 1100N	214	850	--	--	--	--	--	--
L 1000E 500N	214	3400	--	--	--	--	--	--
L 1000E 525N	214	1480	--	--	--	--	--	--
L 1000E 550N	214	1980	--	--	--	--	--	--
L 1000E 575N	214	1850	--	--	--	--	--	--
L 1000E 600N	214	7000	--	--	--	--	--	--
L 1000E 625N	214	7450	--	--	--	--	--	--
L 1000E 650N	214	1280	--	--	--	--	--	--
L 1000E 675N	214	1060	--	--	--	--	--	--
L 1000E 700N	214	1750	--	--	--	--	--	--
L 1000E 725N	214	1180	--	--	--	--	--	--
L 1000E 750N	214	600	--	--	--	--	--	--
L 1000E 775N	214	1200	--	--	--	--	--	--
L 1000E 800N	214	780	--	--	--	--	--	--
L 1100E 250N	214	218	--	--	--	--	--	--
L 1100E 300N	214	3730	--	--	--	--	--	--
L 1100E 350N	214	910	--	--	--	--	--	--
L 1100E 400N	214	540	--	--	--	--	--	--
L 1100E 450N	214	2300	--	--	--	--	--	--
L 1100E 500N	214	1480	--	--	--	--	--	--
L 1100E 550N	214	1100	--	--	--	--	--	--
L 1100E 600N	214	723	--	--	--	--	--	--
L 1100E 650N	214	1350	--	--	--	--	--	--
L 1100E 700N	214	2130	--	--	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DGLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9


CERT. # : A8312419-005-A
INVOICE # : I8312419
DATE : 12-JUL-83
P.C. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Mn ppr					
L 1100E 75CN	214	700	--	--	--	--	--
L 1100E 800N	214	1830	--	--	--	--	--
L 1100E 850N	214	1650	--	--	--	--	--
L 1100E 900N	214	680	--	--	--	--	--
L 1100E 950N	214	545	--	--	--	--	--
L 1100E 1000N	214	300	--	--	--	--	--
L 1100E 1050N	214	2000	--	--	--	--	--
L 1100E 1100N	214	735	--	--	--	--	--
L 1300E 600N	214	1250	--	--	--	--	--
L 1300E 650N	214	1500	--	--	--	--	--
L 1300E 700N	214	225	--	--	--	--	--
L 1300E 750N	214	1780	--	--	--	--	--
L 1300E 800N	214	124	--	--	--	--	--
L 1300E 850N	214	1200	--	--	--	--	--
L 1300E 900N	214	500	--	--	--	--	--
L 1300E 950N	214	698	--	--	--	--	--
L 1300E 1000N	214	158	--	--	--	--	--
L 1300E 1050N	214	1080	--	--	--	--	--
L 1300E 1100N	214	930	--	--	--	--	--
L 1500E 600N	214	620	--	--	--	--	--
L 1500E 650N	214	1300	--	--	--	--	--
L 1500E 700N	214	465	--	--	--	--	--
L 1500E 750N	214	700	--	--	--	--	--
L 1500E 800N	214	290	--	--	--	--	--
L 1500E 850N	214	665	--	--	--	--	--
L 1500E 900N	214	>10000	--	--	--	--	--
L 1500E 950N	214	355	--	--	--	--	--
L 1500E 1000N	214	2050	--	--	--	--	--
L 1500E 1050N	214	500	--	--	--	--	--
L 1500E 1100N	214	650	--	--	--	--	--
L 1700E 600N	214	375	--	--	--	--	--
L 1700E 650N	214	283	--	--	--	--	--
L 1700E 700N	214	220	--	--	--	--	--
L 1700E 800N	214	1000	--	--	--	--	--
L 1700E 850N	214	1680	--	--	--	--	--
L 1700E 900N	214	155	--	--	--	--	--
L 1700E 950N	214	168	--	--	--	--	--
L 1700E 1000N	214	97	--	--	--	--	--
L 1700E 1050N	214	105	--	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312437-001-A
INVOICE # : 18312437
DATE : 12-JUL-83
P.O. # : NONE

\$ 67.60

ATTN: BOB ADAMSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm	Mn ppm		
SS 1 L1E 1100N	201	110	660	0.2	1780	--	--
SS 2 L1E 1300N	201	176	1080	0.6	1500	--	--
SS 3 L3E 1350N	201	68	470	0.7	780	--	--
SS 4 L11E 1100N	201	52	700	0.8	780	--	--
SS 5 L11E 950N	201	32	495	1.6	1200	--	--
SS 6 L11E 825N	201	80	800	0.9	1120	--	--
SS 7 L11E 625N	201	55	810	0.3	1120	--	--
L200E 900N	201	24	310	0.4	910	--	--
L225E 900N	201	195	2700	3.7	1230	--	--
L250E 900N	201	43	355	0.5	820	--	--
L275E 900N	201	205	3000	1.8	5600	--	--
L300E 825N	201	18	105	0.1	380	--	--
L300E 875N	201	41	490	0.5	1030	--	--



Certified by *Hart Bickler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312186-001-A
INVOICE # : I8312186
DATE : 5-JUL-83
P.O. # : NONE

\$ 855.70

ATTN: A. C. EUNSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
L 100E 600N	201	250	320	1.1	--	--	--
L 100E 650N	201	265	420	0.7	--	--	--
L 100E 700N	201	200	1440	3.6	--	--	--
L 100E 750N	201	510	4650	3.0	--	--	--
L 100E 800N	201	202	267	7.3	--	--	--
L 100E 850N	201	72	232	1.2	--	--	--
L 100E 900N	201	81	720	0.9	--	--	--
L 100E 950N	201	56	460	0.6	--	--	--
L 100E 1000N	201	30	210	0.3	--	--	--
L 100E 1100N	201	130	800	0.7	--	--	--
L 300E 600N	201	310	1500	4.8	--	--	--
L 300E 650N	201	250	1090	2.8	--	--	--
L 300E 700N	201	73	440	0.8	--	--	--
L 300E 750N	201	50	480	0.9	--	--	--
L 300E 800N	201	29	400	0.5	--	--	--
L 300E 850N	201	37	263	0.6	--	--	--
L 300E 900N	201	95	920	1.4	--	--	--
L 300E 1000N	201	140	2780	2.5	--	--	--
L 300E 1050N	201	78	500	0.4	--	--	--
L 300E 1100N	201	123	740	0.8	--	--	--
L 400E 600N	201	40	450	0.3	--	--	--
L 400E 625N	201	36	83	0.7	--	--	--
L 400E 650N	201	38	430	0.9	--	--	--
L 400E 675N	201	140	870	0.4	--	--	--
L 400E 700N	201	750	9200	2.0	--	--	--
L 400E 725N	201	63	760	0.4	--	--	--
L 400E 750N	201	90	780	0.7	--	--	--
L 400E 775N	201	120	1140	0.5	--	--	--
L 400E 800N	201	104	640	1.5	--	--	--
L 400E 825N	201	65	490	0.8	--	--	--
L 400E 850N	201	60	270	0.5	--	--	--
L 400E 900N	201	42	670	0.2	--	--	--
L 500E 350N	201	23	108	0.1	--	--	--
L 500E 400N	201	23	105	0.1	--	--	--
L 500E 425N	201	32	80	0.4	--	--	--
L 500E 450N	201	90	260	0.2	--	--	--
L 500E 475N	201	33	150	0.6	--	--	--
L 500E 500N	201	24	90	0.3	--	--	--
L 500E 525N	201	50	250	0.3	--	--	--
L 500E 550N	201	41	209	0.3	--	--	--

Hart Buchler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8312186-002-A
 INVOICE # : I8312186
 DATE : 5-JUL-83
 P.O. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
L 500E 575N	201	43	680	1.2	--	--	--
L 500E 600N	201	23	252	0.3	--	--	--
L 500E 625N	201	120	2240	1.0	--	--	--
L 500E 650N	201	310	660	2.0	--	--	--
L 500E 675N	201	220	1390	3.5	--	--	--
L 500E 700N	201	130	1080	0.9	--	--	--
L 500E 725N	201	190	870	1.2	--	--	--
L 500E 750N	201	750	4200	2.3	--	--	--
L 500E 775N	201	295	2580	1.2	--	--	--
L 500E 800N	201	16	210	0.1	--	--	--
L 500E 825N	201	320	1050	1.0	--	--	--
L 500E 850N	201	37	310	0.2	--	--	--
L 500E 900N	201	58	600	0.6	--	--	--
L 500E 950N	201	102	770	0.1	--	--	--
L 500E 1000E	201	65	430	0.4	--	--	--
L 500E 1050E	201	61	340	0.2	--	--	--
L 500E 1100E	201	63	380	0.1	--	--	--
L 600E 550N	201	210	1720	1.7	--	--	--
L 600E 575N	201	32	350	0.3	--	--	--
L 600E 600N	201	37	490	0.6	--	--	--
L 600E 625N	201	84	1020	0.9	--	--	--
L 600E 650N	201	198	1470	2.6	--	--	--
L 600E 675N	201	30	2300	0.8	--	--	--
L 600E 700N	201	369	1550	1.8	--	--	--
L 600E 725N	201	73	370	0.2	--	--	--
L 600E 750N	201	85	670	0.4	--	--	--
L 600E 775N	201	360	2520	1.9	--	--	--
L 600E 800N	201	130	950	0.5	--	--	--
L 600E 825N	201	55	480	0.1	--	--	--
L 600E 850N	201	113	970	0.3	--	--	--
L 600E 900N	201	130	1290	0.1	--	--	--
L 700E 250N	201	37	580	0.1	--	--	--
L 700E 300N	201	78	1970	1.1	--	--	--
L 700E 350N	201	31	500	0.2	--	--	--
L 700E 400N	201	76	150	0.2	--	--	--
L 700E 425N	201	40	230	0.1	--	--	--
L 700E 450N	201	50	125	0.4	--	--	--
L 700E 475N	201	135	1420	0.7	--	--	--
L 700E 500N	201	55	1030	0.4	--	--	--
L 700E 525N	201	20	91	0.1	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312186-003-1
INVOICE # : I8312186
DATE : 5-JUL-83
P.O. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Pb ppr	Zn ppm	Ag ppm			
L 700E 550N	201	80	800	0.9	--	--	--
L 700E 600N	201	14	320	0.1	--	--	--
L 700E 625N	201	125	1130	2.3	--	--	--
L 700E 650N	201	130	1180	1.6	--	--	--
L 700E 675N	201	37	350	0.2	--	--	--
L 700E 700N	201	50	490	0.5	--	--	--
L 700E 725N	201	28	380	0.1	--	--	--
L 700E 750N	201	63	460	0.1	--	--	--
L 700E 775N	201	100	720	0.3	--	--	--
L 700E 800N	201	67	570	0.7	--	--	--
L 700E 825N	201	67	610	0.6	--	--	--
L 700E 850N	201	81	610	0.6	--	--	--
L 700E 900N	201	34	340	0.2	--	--	--
L 700E 950N	201	160	960	0.4	--	--	--
L 700E 1000N	201	159	1080	0.3	--	--	--
L 700E 1050N	201	110	790	0.6	--	--	--
L 700E 1100N	201	33	142	0.2	--	--	--
L 800E 500N	201	104	470	0.2	--	--	--
L 800E 525N	201	210	1020	1.4	--	--	--
L 800E 550N	201	120	1120	0.9	--	--	--
L 800E 575N	201	75	800	0.6	--	--	--
L 800E 600N	201	125	1180	1.4	--	--	--
L 800E 625N	201	18	106	0.1	--	--	--
L 800E 650N	201	23	380	0.1	--	--	--
L 800E 675N	201	76	450	1.6	--	--	--
L 800E 700N	201	46	500	0.8	--	--	--
L 800E 725N	201	85	510	0.8	--	--	--
L 800E 750N	201	90	420	2.0	--	--	--
L 800E 775N	201	87	400	1.0	--	--	--
L 800E 800N	201	67	430	0.1	--	--	--
L 900E 250N	201	31	179	0.3	--	--	--
L 900E 300N	201	73	530	0.2	--	--	--
L 900E 350N	201	210	1490	1.1	--	--	--
L 900E 400N	201	110	900	0.4	--	--	--
L 900E 425N	201	30	146	0.1	--	--	--
L 900E 450N	201	54	390	0.1	--	--	--
L 900E 475N	201	40	440	0.2	--	--	--
L 900E 500N	201	142	1200	0.9	--	--	--
L 900E 525N	201	30	600	0.3	--	--	--
L 900E 550N	201	17	600	0.1	--	--	--

Certified by *Hart Buchler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1

TELEPHONE: (604) 984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
VANCOUVER, B.C.
V6E 2E9

CERT. # : A8312186-004-
INVOICE # : I8312186
DATE : 5-JUL-83
P.O. # : NONE


ATTN: A. C. EUNSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
L 900E 575N	201	31	830	0.9	--	--	--
L 900E 600N	201	41	2120	0.4	--	--	--
L 900E 625N	201	83	770	0.9	--	--	--
L 900E 650N	201	15	240	0.2	--	--	--
L 900E 675N	201	120	580	1.1	--	--	--
L 900E 700N	201	78	650	0.5	--	--	--
L 900E 725N	201	40	700	2.0	--	--	--
L 900E 750N	201	125	800	1.0	--	--	--
L 900E 775N	201	78	710	1.1	--	--	--
L 900E 800N	201	59	630	0.5	--	--	--
L 900E 825N	201	63	590	0.3	--	--	--
L 900E 850N	201	78	530	0.8	--	--	--
L 900E 900N	201	110	720	0.9	--	--	--
L 900E 950N	201	80	720	0.7	--	--	--
L 900E 1000N	201	107	550	0.2	--	--	--
L 900E 1050N	201	23	120	0.7	--	--	--
L 900E 1100N	201	23	196	1.4	--	--	--
L 1000E 500N	201	120	1890	0.6	--	--	--
L 1000E 525N	201	70	650	0.1	--	--	--
L 1000E 550N	201	110	800	0.5	--	--	--
L 1000E 575N	201	48	370	0.3	--	--	--
L 1000E 600N	201	87	330	1.3	--	--	--
L 1000E 625N	201	53	710	0.4	--	--	--
L 1000E 650N	201	27	234	0.2	--	--	--
L 1000E 675N	201	35	173	0.1	--	--	--
L 1000E 700N	201	49	1040	0.1	--	--	--
L 1000E 725N	201	29	193	0.2	--	--	--
L 1000E 750N	201	42	215	0.2	--	--	--
L 1000E 775N	201	74	530	0.3	--	--	--
L 1000E 800N	201	55	590	0.3	--	--	--
L 1100E 250N	201	16	730	0.1	--	--	--
L 1100E 300N	201	80	660	0.4	--	--	--
L 1100E 350N	201	10	560	0.5	--	--	--
L 1100E 400N	201	28	113	0.7	--	--	--
L 1100E 450N	201	130	310	0.5	--	--	--
L 1100E 500N	201	6	1220	0.8	--	--	--
L 1100E 550N	201	38	680	0.2	--	--	--
L 1100E 600N	201	26	740	0.8	--	--	--
L 1100E 650N	201	43	490	0.4	--	--	--
L 1100E 700N	201	28	310	0.2	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : DOLMAGE CAMPBELL & ASSOCIATES LTD.,

STE. 1000-1055 W. HASTINGS ST.,
 VANCOUVER, B.C.
 V6E 2E9

CERT. # : A8312186-005-A
 INVOICE # : 18312186
 DATE : 5-JUL-83
 P.O. # : NONE

ATTN: A. C. EUNSON

Sample description	Prep code	Pb ppm	Zn ppm	Ag ppm			
L 1100E 750N	201	62	750	0.7	--	--	--
L 1100E 800N	201	24	380	0.2	--	--	--
L 1100E 850N	201	70	580	0.2	--	--	--
L 1100E 900N	201	37	218	0.1	--	--	--
L 1100E 950N	201	24	126	0.1	--	--	--
L 1100E 1000N	201	13	133	0.1	--	--	--
L 1100E 1050N	201	42	320	4.9	--	--	--
L 1100E 1100N	201	42	430	0.1	--	--	--
L 1300E 600N	201	24	380	0.6	--	--	--
L 1300E 650N	201	43	92	0.3	--	--	--
L 1300E 700N	201	14	66	0.2	--	--	--
L 1300E 750N	201	70	620	0.4	--	--	--
L 1300E 800N	201	1	93	0.5	--	--	--
L 1300E 850N	201	40	900	0.8	--	--	--
L 1300E 900N	201	35	142	0.5	--	--	--
L 1300E 950N	201	35	210	0.8	--	--	--
L 1300E 1000N	201	12	150	2.3	--	--	--
L 1300E 1050N	201	18	310	0.8	--	--	--
L 1300E 1100N	201	34	196	0.4	--	--	--
L 1500E 600N	201	30	135	0.4	--	--	--
L 1500E 650N	201	20	330	0.6	--	--	--
L 1500E 700N	201	21	113	0.2	--	--	--
L 1500E 750N	201	40	183	1.5	--	--	--
L 1500E 800N	201	5	156	0.5	--	--	--
L 1500E 850N	201	56	218	1.4	--	--	--
L 1500E 900N	201	28	3500	0.7	--	--	--
L 1500E 950N	201	17	80	0.6	--	--	--
L 1500E 1000N	201	7	320	0.8	--	--	--
L 1500E 1050N	201	18	74	0.5	--	--	--
L 1500E 1100N	201	24	106	0.2	--	--	--
L 1700E 600N	201	36	182	0.7	--	--	--
L 1700E 650N	201	33	203	0.8	--	--	--
L 1700E 700N	201	20	75	0.7	--	--	--
L 1700E 800N	201	38	300	0.5	--	--	--
L 1700E 850N	201	5	710	0.6	--	--	--
L 1700E 900N	201	4	37	0.6	--	--	--
L 1700E 950N	201	10	35	0.8	--	--	--
L 1700E 1000N	201	17	40	1.4	--	--	--
L 1700E 1050N	201	8	34	1.0	--	--	--

Hart Bichler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION