


ASSESSMENT REPORT
ON THE
1981 PROGRAM OF GEOCHEMICAL SOIL SAMPLING
AND GEOPHYSICAL SURVEYING
ON THE
ZEBRA #1-18 MINERAL CLAIM GROUP
GRANT NUMBERS YA 56922 - YA 56939 INCLUSIVE
LOWER HYLAND LAKE AREA
WATSON LAKE MINING DISTRICT
YUKON TERRITORY



N. Lat. 61°05'

(105-H-1)

W. Long. 128°14'

for

PACIFIC RIM ENERGY CORPORATION
Suite 709-525 Seymour Street
Vancouver, British Columbia



by

DONALD W. TULLY, P. ENG.



February 8, 1982

West Vancouver, B.C.

DON TULLY ENGINEERING LTD.
SUITE 102 - 2222 BELLEVUE AVENUE
WEST VANCOUVER, BRITISH COLUMBIA
V7V 1C7

090985

This report has been examined by
the Geological Evaluation Unit
under Section 27(1) of the Quartz

Mineral Act and the amount
reported thereon is an amount
of \$ 9,000 -

for *Subston*
Regional Director, Geological
Services for the Commission
of Yukon Territory.

W. Long, 128°14'

(105-H-1)

N. Lat. 61°05'

PACIFIC RIM ENERGY CORPORATION
Suite 709-525 Seymour Street
Vancouver, British Columbia



DONALD W. TULLY, P. ENG.



West Vancouver, B.C.

February 8, 1982

097082

DON TULLY ENGINEERING LTD.
SUITE 709-525 SEYMOUR AVENUE
VANCOUVER BRITISH COLUMBIA
V6V 1C7

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
SUMMARY AND CONCLUSIONS.....	1
PROPERTY - LOCATION, ACCESS, PHYSIOGRAPHY.....	2
CLAIMS.....	3
HISTORY - PREVIOUS DEVELOPMENT.....	3
REFERENCES.....	3
REGIONAL AND LOCAL GEOLOGICAL SETTING.....	4
MINERALIZATION.....	5
RESULTS OF THE 1981 PROGRAM OF GEOCHEMICAL SOIL SAMPLING AND GEOPHYSICAL SURVEYING.....	5
RECOMMENDATIONS.....	9
TIME-COST DISTRIBUTION.....	11
CERTIFICATE.....	12

MAPS

Figure 1 - Location Map.....	(Frontispiece)
Figure 2 - Area Location Map.....	(Follows page 1)
Figure 3 - Topographic Plan (1:250,000).....	(Follows page 2)
Figure 4 - Claim Plan (After 105-H-1).....	(Follows page 3)
Figure 5 - Regional Geology (After GSC Map 6-1966).....	(Follows page 4)
Figure 6 - Aeromagnetic Map (After GSC Map 1356G).....	(Follows page 5)
Figure 7 - Magnetometer Survey.....	(In Pocket)
Figure 8 - Geochemical Survey.....	(In Pocket)
Figure 9 - VLF-Electromagnetic Survey.....	(In Pocket)

APPENDIX

Assay Certificates Nos. A8113503 - 001 - A
A8113504 - 001 - A thru 006 - A
A8113505 - 001 - A thru 006 - A
A8113505 - 001 - A thru 006 - A

Survey Procedure - R. Wank





FIGURE 1
PROPERTY LOCATION MAP
 FEBRUARY 8, 1982



Donald W. Kelly

INTRODUCTION

This Assessment Report was prepared pursuant to a request from the Directors of Pacific Rim Energy Corporation, Suite 709, 525 Seymour Street, Vancouver, British Columbia.

The purpose of this report is to summarize the results of the 1981 exploration program on the ZEBRA #1-18 mineral claim group.

The writer visited the ground now held by the ZEBRA claim group on June 19, 1980, September 15, 1980, and again on March 26, 1981.

A further program of mineral exploration is recommended.

SUMMARY AND CONCLUSIONS

The ZEBRA #1-18 claim group comprises eighteen contiguous mineral claims located some 110 kilometres (70 air miles) north of Watson Lake, Yukon Territory.

Access to the claim area is best by helicopter at the present time.

Prospecting in the late 1960's revealed zones of gossan in skarn and hornfels carrying sulphides of iron, copper, lead and zinc with indications of gold and silver content. The trend of the formations is north-south and the dips are relatively flat towards the east more or less on strike with known copper, lead and zinc mineralization about two kilometres to the south of the claim area.




FIGURE 2
AREA LOCATION MAP
 FEBRUARY 8, 1982

Donald W. Zully

A program of geochemical soil sampling and combined VLF-electromagnetic and magnetometer geophysical surveying was carried out during the 1981 field season. Several anomalous zones were found as a result of this exploration work.

Further mineral exploration is recommended to test the indicated geochemical and geophysical anomalies.

PROPERTY - LOCATION, ACCESS, PHYSIOGRAPHY

The ZEBRA claim group is located about 110 air kilometres north-northeast of Watson Lake. Although access is best by helicopter at the present time, land access is also possible via the Robert Campbell Highway to the North Nahanni Range (Cantung) Road and thence to Kilometre Post 63. At this point it is necessary to ford the Hyland River and take a trail, eastward to the claims, a distance of some ten kilometres.

The claim group occupies the summit area of a north-south trending ridge that rises to nearly 6,000 feet above sea-level. The elevations over the claim area vary between about 4,200 to around 5,800 feet.

The property is marked by a steep terrain and two cirque areas. Most of the ground is above tree-line and, although this area receives a fair measure of precipitation, the terrain does not allow water storage for any immediate industrial purposes. Lower Hyland Lake is situated about eight kilometres to the north of the claim area.



FIGURE 3

TOPOGRAPHIC PLAN

(AFTER 105-H-1)

SCALE 1:250,000

FEBRUARY 8, 1982



NORTH NAHANNI RANGE ROAD

**ZEBRA I-18
CLAIM GROUP**

MOUNT
BILLINGS

David W. Kelly

30'

15'

61'00"

45

30

15'

128°00'

CLAIMS

The ZEBRA #1-18 mineral claim group is situated in the Watson Lake Mining District. Information on file with the Mining Recorder at Watson Lake on February 8, 1982, is as follows:

<u>Claim Name</u>	<u>Grant No.</u>	<u>Expiry Date</u>		
ZEBRA 1- 8	YA56922-29	Sept. 29, 1981	Pacific Rim Energy Corp.)	
ZEBRA 9-16	YA56930-37	Sept. 29, 1981	Pacific Rim Energy Corp.)	90%
ZEBRA 17-18	YA56938-39	Sept. 29, 1981	Pacific Rim Energy Corp.)	
			Vancliff Resources Corp.)	10%

Assessment work credit has been filed pending approval.


HISTORY - PREVIOUS DEVELOPMENT

Prospecting and hand-trenching in the area of the present ZEBRA claim group in the late 1960's found zones of mineralized skarn, hornfels and gossan carrying sulphides of iron, copper, lead and zinc with indications of precious metal content.

Turnex Exploration Services prospected the claim area during the 1980 field season and found encouraging indications of gold and copper.

REFERENCES

1. Reports of the Mineral Industry of the Yukon Territory for the late 1960's have general information on the ZEBRA claim area. Geological Survey of Canada Map 6-1966 (Frances Lake) is a useful reference.



ZEBRA 1-18
CLAIM GROUP

Donald W. Kelly

FIGURE 4

CLAIM PLAN
(AFTER 105-H-1)
SCALE 1" = 1/2 Mile.
FEBRUARY 8, 1982

2. Report on the ZEBRA 1-18 Mineral Claim Group YA56922-YA56939 for Pacific Rim Energy Corporation by Donald W. Tully, P. Eng., and dated January 26, 1981

REGIONAL AND LOCAL GEOLOGICAL SETTING

Two main lithological units underlie the claim area. These are proterozoic metasediments of the schist-gneiss belt and granitic intrusives.

A tentative geologic timetable is as follows:

<u>Formation</u>	<u>Description/Event</u>	<u>Age</u>
Sand, gravel and glacial debris	Unconsolidated (Erosional unconformity)	Quaternary
Mineralization and metamorphism	Sulphides of iron, copper, lead and zinc and precious metals (Folding, faulting, shearing and related tectonic activity)	Tertiary (?)
Granitic intrusives	Dykes of felsite and feldspar porphyry and quartz monzonite (Folding, faulting, shearing and related tectonic activity)	Cretaceous (?)
Schist-gneiss Complex	Paragneiss and orthogneiss, sericite-biotite schist, marbleized limestone, skarn and hornfels	Cambrian and Proterozoic (?)

The regional geology is shown on Figure 5.



MAP 6-1966

GEOLOGY

FRANCES LAKE

YUKON TERRITORY AND DISTRICT OF MACKENZIE

Scale 1:253,440

1 inch to 4 miles




FIGURE 5

REGIONAL GEOLOGY

Modified After G.

Map 6-1966

FEBRUARY 8, 1982

Donald W. Kelly

Structurally, the formations strike north-south and dip relatively flat towards the east. Some dragfolding is evident in the cirque areas.

MINERALIZATION

Minerals identified in hand specimen samples by the writer from the ZEBRA claim group included pyrite, pyrrhotite, chalcopyrite. These sulphide minerals occur in a sericite-biotite rich skarn in a schist and gneissic groundmass complex.

RESULTS OF THE 1981 PROGRAM OF GEOCHEMICAL SOIL SAMPLING AND GEOPHYSICAL SURVEYING


Magnetometer Survey

During the period August 5 through 20, 1981, Geo-Teck Services Ltd., under contract to Turnex Exploration Services Ltd., Suite 704, 525 Seymour Street, Vancouver, B.C., carried out a program of magnetometer surveying over the ZEBRA 1-18 claim group. R. Wank supervised the field work and his report of the survey procedure is appended to this report.

The results of the magnetometer survey are shown on Figure 7.

Total magnetic relief over the claim area is 4,730 gammas.

A northwest trending zone of magnetic "Highs" and "Lows" occur in the southwest corner of the claim group. This magnetic anomaly area is generally coincident with a



ZEBRA I-18
CLAIM GROUP

FIGURE 6

AEROMAGNETIC MAP
Modified after G.S.C.
Map 1356 G
SCALE AS SHOWN
FEBRUARY 8, 1982

20'

Joins Map 1355 G, "Taffie Creek"

10

MAP 1356G

LOWER HYLAND LAKE

Donald W. Kelly

YUKON TERRITORY

ISOMAGNETIC LINES (absolute total field)

- 30 gammas
- 20 gammas
- 10 gammas
- Magnetic depression

Flight lines
Flight altitude: nominally 1000 feet above

Scale: One Inch to One Mile = $\frac{1}{63,360}$

Miles 1 1/2 0 1 2 3

zone of geochemical anomalies in copper, lead, zinc and silver.

A north trending zone of magnetic "Highs" is situated along the baseline between lines 8N and 14N. Flanking this magnetic zone is a weak geochemical anomaly area of values in copper, lead and zinc at lines 11N through 14N at 1W.

Two small magnetic "Highs" are indicated at line 21N.

Geochemical Soil Sampling Survey

A geochemical soil sampling survey was carried out over the ZEBRA 1 - 18 claim group by Geo-Teck Services Ltd. during the period August 5 through 20, 1981. This work was done under contract to Turnex Exploration Services Ltd., Suite 704, 525 Seymour Street, Vancouver, B.C. R. Wank supervised the field work and his report on the field survey procedure is appended to this report.

A total of 267 geochemical soil samples were taken and analysed for copper, lead, zinc and silver. The results are shown on Figure 8 and are as follows:

Copper

<u>No. of Soil Samples</u>	<u>Range of Results</u>
112	0 - 20 ppm
95	21 - 40 ppm
31	41 - 60 ppm
29	61+ ppm

The highest value in copper was 430 parts per million.

Values in copper above 60 parts per million are considered to be anomalous.

Three anomalous zones in copper were found on the claim area.

Lead

<u>No. of Soil Samples</u>	<u>Range of Results</u>
181	0 - 30 ppm
65	31 - 60 ppm
21	61+ ppm

The highest value in lead was 610 parts per million.

Values in lead above 90 parts per million are considered to be anomalous.

Ten isolated anomalous zones of lead occur over the claim area. These lead values are generally coincident with copper and zinc anomalies.

Zinc

<u>No. of Soil Samples</u>	<u>Range of Results</u>
102	0 - 80 ppm
93	81 - 160 ppm
47	161 - 240 ppm
25	240+ ppm

The highest value in zinc was 1,150 parts per million.

Values in zinc above 240 parts per million are considered to be anomalous.

Twelve anomalous zones of zinc occur over the ZEBRA claim area. Of these anomalous zones three appear to have substantial strength and coincide with copper and lead anomalies.

Silver

<u>No. of Soil Samples</u>	<u>Range of Results</u>
252	0.0 - 0.5 ppm
11	0.6 - 1.0 ppm
4	1.1+ ppm

The highest value in silver was 1.5 parts per million.

Values in silver above 1.0 parts per million may be considered anomalous.

Four isolated one-value anomalies in silver occur over the claim area and may not be of particular significance.

Only those values above 0.1 parts per million in silver value are plotted on Figure 8.

VLF - Electromagnetic Survey

Geo-Teck Services Ltd., under contract to Turnex Exploration Services Ltd., Suite 704, 525 Seymour Street, Vancouver, B.C., carried out a VLF-electromagnetic survey over the ZEBRA 1-18 claim group during the period August 5 - 20, 1981. R. Wank supervised the work and his report on the field survey procedure is appended to this report.

The results of the VLF-electromagnetic survey are shown on Figure 9.

Four apparent VLF-electromagnetic conductor zones are evident over the claim area. These anomalous zones have been numbered A, B, C and D respectively and are described as follows:

Apparent conductor ANOMALY Zone A is located in the southwest part of the claim area at Line 3N through L7N. This zone comprises two north trending anomalies.

Apparent conductor ANOMALY Zone B occurs in the east central sector of the property at Lines 9N through 15N. Three north trending anomalies comprise this zone that appears to occupy the area of a structural lineament.

Apparent conductor ANOMALY Zone C consists of two small anomalous zones near the west boundary of the property at Line 19N and Line 21N.

Apparent conductor ANOMALY Zone D is located in the northeast sector of the claim area. This zone consists of four northwest trending anomalies.

The effect of the local topography on the apparent electromagnetic conductor zones is not known.

RECOMMENDATIONS

It is recommended the location of the ZEBRA claim posts be surveyed in order to establish the perimeter of the claim area relative to adjoining claim groups.

Bulldozer trenching of the indicated geochemical and electromagnetic anomalous zones, particularly ANOMALY Zones B and D as shown on Figures 8 and 9. Should the trenching results of the work show mineralization of potential economic interest, a follow-up diamond drill test is proposed.

Respectfully submitted,



February 8, 1982

Donald W. Tully, P. Eng.

Turnex EXPLORATION SERVICES LTD.

704 - 525 Seymour Street, Vancouver, British Columbia, Canada V6B 3H7 Telephone (604) 688-8245

INVOICE

Aug. 10 19 81

Pacific Rim Energy Corporation

709 - 525 Seymour St.,

In Account With Vancouver, B. C.

Terms

	Zebra 1 - 18				
	Geophysical 18 x 1075.00				19,350.00
	Geochem 18 x 850.00				15,300.00
	S. Jones <i>S. Jones</i>				

Sum

TOTAL 34,650.00

A Notary Public in and for the Province of British Columbia

CERTIFICATE

I, DONALD WILLIAM TULLY, of the City of West Vancouver, Province of British Columbia, hereby certify as follows:

- 1) I am a Consulting Geologist with an office at Suite 102, 2222 Bellevue Avenue, West Vancouver, B.C.
- 2) I am a registered Professional Engineer of the Provinces of British Columbia and Ontario.
- 3) I graduated with a degree of Bachelor of Science, Honours Geology, from McGill University in 1943.
- 4) I have practiced my profession for thirty-six years.
- 5) I have no direct, indirect or contingent interest in the shares of Pacific Rim Energy Corporation or the ZEBRA #1-18 mineral claims, subject of this report, nor do I intend to have any interest.
- 6) This report dated February 8, 1982, is based on personal field examination on June 19 and September 15, 1980 and on March 26, 1981, and from information gathered from available maps and reports.
- 7) During the past five years I have examined the ZEST 1-18, ZULU 1-16, PATRICIA 1-4 and PRINCESS 1-4, 5-12 mineral claim groups that are located within ten kilometres of the subject property.
- 8) Written permission is required from the author to publish this report dated February 8, 1982 in any Prospectus or Statement of Material Facts.

DATED at West Vancouver, Province of British Columbia, this 12th day of February, 1982.



DONALD W. TULLY, P. ENG.,
Consulting Geologist

APPENDIX

SURVEY PROCEDURES

ZEBRA CLAIMS-

18 CLAIMS

FIELD PERSONNEL - R. N. Wank (Contractor-Watson Lake, Y.T.)
R. Till - Field Technician (Foreman)
S. Melnychuk - Field Technician
C. Wank - Field Technician
F. Close - Field Technician
D. Melnychuk - Field Technician

PERIOD OF SURVEY - August 5th to August 20th, 1981.

The contract consisted of completing a survey grid, soil samples, magnetometer survey and electromagnetic survey.

The survey grid was completed with compass and hip chain, with base line 0+00#1 running north south where possible through the property. The base line was marked every 50 meters with blue and orange ribbon, and every 100 meters with a picket.

All survey lines run East West from the base line, at 100 meter spacings. Survey lines are flagged with orange ribbons with marked blue ribbons, blue ribbons designating all 50 and 100 meter stations. Lines run where-ever possible. Steep terrain with cliffs made some areas impossible to survey.

The magnetometer survey was completed with the use of the Gem Systems magnetometer serial #1202. Readings were taken on all survey lines at 50 meter spacings. The intersections of all survey lines and base line was established as base stations for magnetometer.

The Electromagnetic survey was completed with the use of the Phoenix VI-2 units serial #1061-1099. Seattle, Washington (186KH2) was used as the transmitting station. Readings were

(2)

taken every 50 meters along each survey line.

The Geochemical survey was completed by taking chemical samples every 100 meters along all survey lines.

There was a total of 267 samples taken. The samples were then shipped to Chemex Labs Ltd. in Vancouver for analysis of Copper, Lead, Zinc and silver.

Robert Wank
Geo-Teck Services Ltd.



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

CERT. # : A8113505-001-A
INVOICE # : I8113505
DATE : 04-SEP-81
P.O. # : NONE

2EBPM

240

ATTN: R. WANK SIEVED TO -35 MESH Box 102 WATSON LAKE YL

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
B.L. L-16S	201	24	13	65	0.1	--	--
B.L. L-17S	201	23	10	60	0.1	--	--
B.L. L-18S	201	32	10	148	0.1	--	--
B.L. L-19S	201	16	5	60	0.1	--	--
B.L. L-20S	201	19	12	71	0.1	--	--
B.L. L-21S	201	24	15	68	0.1	--	--
B.L. L-22S	201	23	16	75	0.1	--	--
B.L. L-23S	201	136	26	98	0.1	--	--
B.L. L-24S	201	62	45	108	0.1	--	--
B.L. L-25S	201	166	12	80	0.1	--	--
B.L. L-26S	201	40	12	110	0.1	--	--
B.L. L-27S	201	15	4	33	0.1	--	--
B.L. L-28S	201	104	18	123	0.1	--	--
B.L. L-30S	201	17	12	47	0.1	--	--
B.L. L-31S	201	30	16	69	0.1	--	--
B.L. L-32S	201	115	21	118	0.1	--	--
B.L. L-33S	201	50	30	100	0.1	--	--
B.L. L-34S	201	22	20	85	0.1	--	--
B.L. L-35S	201	17	22	78	0.1	--	--
B.L. L-36S	201	18	50	98	0.1	--	--
B.L. L-37S	201	15	30	68	0.1	--	--
B.L. L-38S	201	14	24	67	0.1	--	--
B.L. L-39S	201	15	24	53	0.1	--	--
B.L. L-40S	201	14	85	98	0.1	--	--
B.L. L-41S	201	161	35	126	0.2	--	--
B.L. L-42S	201	39	31	63	0.1	--	--
L0-S 0E	201	56	38	265	0.2	✓	--
L0-S 1E	201	43	29	150	0.1	✓	--
L0-S 2E	201	225	46	230	0.4	✓	--
L0-S 3E	201	37	21	135	0.1	✓	--
L0-S 4E	201	33	58	165	0.4	✓	--
L0-S 4+50E	201	36	110	350	0.5	✓	--
L0+00 1+00W	201	60	40	346	0.1	✓	--
L0+00 2+00W	201	21	16	75	0.1	✓	--
L0+00 3+00W	201	32	20	123	0.1	✓	--
L0+00 4+00W	201	33	30	149	0.1	✓	--
L0+00 5+00W	201	32	36	123	0.1	✓	--
L0+00 6+00W	201	32	50	170	0.1	✓	--
L0+00 7+00W	201	19	29	95	0.1	✓	--
L0+00 8+00W	201	13	14	47	0.9	✓	--

2EBPM

7/1/81

Hart Bichler

Certified by



2



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMDUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113505-002-A
 INVOICE # : I8113505
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L0+00 09+00W	201	23	36	160	0.2	--	--
L0+00 10+00W	201	8	20	160	0.4	--	--
L0+00 11+00W	201	38	640	92	1.3	--	--
L0+00 12+00W	201	9	14	55	0.1	--	--
L0+00 13+00W	201	22	15	105	0.1	--	--
L1N 1E	201	125	410	420	1.5 ✓	--	--
L1N 2E	201	21	20	40	0.1	--	--
L1N 3E	201	13	19	68	0.1	--	--
L1N 4E	201	21	43	270	0.1	--	--
L1N 4+50E	201	33	44	212	0.1	--	--
L1N 0+00	201	76	32	290	0.1	--	--
L1N 01W	201	89	31	185	0.1	--	--
L1N 02W	201	62	20	145	0.1	--	--
L1N 03W	201	33	15	102	0.1	--	--
L1N 04W	201	24	17	90	0.1	--	--
L1N 05W	201	19	12	60	0.1	--	--
L1N 06W	201	131	27	123	0.1	--	--
L1N 07W	201	14	7	33	0.1	--	--
L1N 08W	201	11	11	34	0.1	--	--
L1N 09W	201	15	10	78	0.1	--	--
L1N 10W	201	11	14	66	0.2	--	--
L1N 11W	201	10	13	85	0.1	--	--
L1N 12W	201	7	5	42	0.1	--	--
L1N 13W	201	15	15	150	0.1	--	--
L1S 0+00E	201	18	16	113	0.1	--	--
L1S 1+00E	201	550	13	65	1.4	--	--
L1S 2+00E	201	44	38	65	0.4	--	--
L1S 3+00E	201	26	10	42	0.1	--	--
L1S 4+00E	201	49	70	500	0.1	--	--
L1S 4+50E	201	21	44	345	0.1	--	--
L1S 02W	201	21	27	114	0.1	--	--
L1S 03W	201	21	14	64	0.1	--	--
L1S 04W	201	18	12	82	0.1	--	--
L1S 05W	201	19	35	95	0.1	--	--
L1S 06W	201	19	20	92	0.1	--	--
L1S 07W	201	15	25	68	0.1	--	--
L1S 08W	201	6	29	60	0.1	--	--
L1S 09W	201	7	13	32	0.1	--	--
L1S 10W	201	6	10	59	0.3	--	--
L1S 11W	201	10	10	62	0.1	--	--

ZEBRA



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113505-003-A
 INVOICE # : I8113505
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L1S 12W	201	7	8	40	0.1	--	--
L1S 13W	201	37	25	135	0.1	--	--
L2N 0+00	201	27	24	85	0.1	--	--
L2N 1E	201	104	125	357	0.1	--	--
L2N 2E	201	15	18	61	0.1	--	--
L2N 3E	201	12	23	66	0.1	--	--
L2N 4E	201	25	23	110	0.1	--	--
L2N 4+50E	201	13	39	63	0.1	--	--
L2N 01W	201	210	55	240	0.4	--	--
L2N 02W	201	195	25	188	0.1	--	--
L2N 03W	201	99	150	435	0.5	--	--
L2N 04W	201	69	20	155	0.1	--	--
L2N 05W	201	37	17	110	0.1	--	--
L2N 06W	201	25	9	53	0.1	--	--
L2N 07W	201	29	16	65	0.1	--	--
L2N 08W	201	15	11	50	0.1	--	--
L2N 09W	201	8	9	40	0.1	--	--
L2N 10W	201	16	13	70	0.1	--	--
L2N 11W	201	27	15	108	0.1	--	--
L2N 12W	201	42	35	135	0.5	--	--
L2N 13W	201	18	14	90	0.1	--	--
L2S 0+00	201	24	17	98	0.1	--	--
L2S 1E	201	62	23	145	0.2	--	--
L2S 2E	201	16	12	47	0.1	--	--
L2S 3E	201	92	27	98	0.1	--	--
L2S 4E	201	41	20	94	0.1	--	--
L2S 4+50E	201	29	26	92	0.1	--	--
L2S 1WA	201	18	22	81	0.1	--	--
L2S 1WB	201	17	11	70	0.1	--	--
L2S 02W	201	25	24	106	0.1	--	--
L2S 03W	201	16	65	126	0.1	--	--
L2S 04W	201	30	30	135	0.2	--	--
L2S 05W	201	44	25	153	0.1	--	--
L2S 06W	201	30	14	54	0.1	--	--
L2S 07W	201	13	15	42	0.1	--	--
L2S 08W	201	47	23	98	0.2	--	--
L2S 09W	201	69	38	145	0.1	--	--
L2S 10W	201	34	15	70	0.1	--	--
L2S 11W	201	73	19	100	0.1	--	--
L2S 12W	201	38	23	108	0.1	--	--

Certified by *Hart Bichler*

2



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113505-004-A
 INVOICE # : 18113505
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L2S 13W	201	38	18	76	0.1	--	--
L3N 1E	201	21	13	54	0.1	--	--
L3N 2E	201	19	20	74	0.3	--	--
L3N 3E	201	12	20	59	0.1	--	--
L3N 4E	201	13	27	90	0.1	--	--
L3N 4+50E	201	18	70	108	0.1	--	--
L3N 0+00W	201	12	11	99	0.1	--	--
L3N 01W	201	13	9	116	0.1	--	--
L3N 02W	201	245	72	262	0.7	--	--
L3N 03W	201	350	18	96	0.7	--	--
L3N 04W	201	430	210	353	1.1	--	--
L3N 05W	201	105	20	110	0.1	--	--
L3N 06W	201	29	19	76	0.1	--	--
L3N 07W	201	45	32	107	0.1	--	--
L3N 08W	201	40	16	75	0.1	--	--
L3N 09W	201	65	23	103	0.1	--	--
L3N 10W	201	34	32	100	0.1	--	--
L3N 11W	201	42	18	95	0.1	--	--
L3N 13W	201	23	25	115	0.2	--	--
L3S 0+00E	201	23	16	100	0.1	--	--
L3S 1E	201	21	18	82	0.1	--	--
L3S 2E	201	185	11	64	0.1	--	--
L3S 3E	201	25	14	22	0.1	--	--
L3S 4E	201	14	17	49	0.1	--	--
L3S 4+50E	201	52	23	108	0.1	--	--
L3S 1+00W	201	26	18	90	0.1	--	--
L3S 02W	201	20	15	96	0.1	--	--
L3S 03W	201	33	20	86	0.1	--	--
L3S 04W	201	35	28	180	0.1	--	--
L3S 05W	201	36	12	42	0.1	--	--
L3S 06W	201	26	12	62	0.1	--	--
L3S 07W	201	17	10	43	0.1	--	--
L3S 08W	201	11	8	19	0.1	--	--
L3S 09W	201	37	11	80	0.1	--	--
L3S 10W	201	19	9	62	0.1	--	--
L3S 11W	201	38	24	119	0.1	--	--
L3S 12W	201	121	37	133	0.3	--	--
L3S 13W	201	32	15	93	0.1	--	--
L4N 1E	201	11	23	30	0.1	--	--
L4N 2E	201	7	27	23	0.1	--	--

Certified by *Hart Bichler*



2



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

ANALYTICAL CHEMISTS

GEOCHEMISTS

REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113505-005-A
 INVOICE # : I8113505
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L4N 3E	201	9	14	53	0.1	--	--
L4N 4E	201	27	50	210	0.1	--	--
L4N 4+50	201	33	50	182	0.1	--	--
L4N 0+00	201	12	17	43	0.1	--	--
L4N 01W	201	7	13	28	0.1	--	--
L4N 02W	201	73	46	189	0.3	--	--
L4N 03W	201	57	17	118	0.2	--	--
L4N 04W	201	275	39	278	0.1	--	--
L4N 05W	201	40	25	86	0.1	--	--
L4N 06W	201	20	8	35	0.1	--	--
L4N 07W	201	17	18	56	0.1	--	--
L4N 08W	201	18	13	49	0.1	--	--
L4N 09W	201	52	19	95	0.1	--	--
L4N 10W	201	36	13	90	0.1	--	--
L4N 11W	201	39	36	135	0.1	--	--
L4N 12W	201	14	10	68	0.1	--	--
L4N 13W	201	7	6	37	0.1	--	--
L4S 03W	201	18	46	97	0.1	--	--
L4S 04W	201	21	7	80	0.1	--	--
L4S 05W	201	72	16	75	0.1	--	--
L4S 06W	201	22	10	102	0.1	--	--
L4S 07W	201	15	7	26	0.1	--	--
L4S 08W	201	20	4	65	0.1	--	--
L4S 09W	201	11	6	115	0.1	--	--
L4S 10W	201	16	20	66	0.1	--	--
L4S 11W	201	58	27	136	0.1	--	--
L4S 12W	201	198	40	244	0.4	--	--
L4S 13W	201	44	11	103	0.1	--	--
L5N 1E	201	14	18	41	0.3	--	--
L5N 2E	201	16	22	87	0.1	--	--
L5N 3E	201	20	16	73	0.1	--	--
L5N 4E	201	27	36	125	0.1	--	--
L5N 4+50E	201	25	36	123	0.1	--	--
L5N 0+00W	201	12	18	65	0.1	--	--
L5N 01W	201	27	17	130	0.4	--	--
L5N 02W	201	36	23	116	0.1	--	--
L5N 03W	201	40	20	132	0.1	--	--
L5N 04W	201	21	24	23	0.1	--	--
L5N 05W	201	265	10	75	0.1	--	--
L5N 06W	201	56	13	67	0.1	--	--

2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113505-006-A
 INVOICE # : 18113505
 DATE : 04-SEP-81
 P.O. # : NONE


ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L5N 07W	201	96	11	73	0.1	--	--
L5N 08W	201	30	12	59	0.1	--	--
L5N 09W	201	32	23	112	0.1	--	--
L5N 10W	201	18	9	62	0.1	--	--
L5N 11W	201	26	13	31	0.1	--	--
L5N 12W	201	28	25	128	0.1	--	--
L5N 13W	201	23	10	92	0.2	--	--
L5S 04W	201	22	14	92	0.1	--	--
L5S 05W	201	48	16	125	0.1	--	--
L5S 06W	201	52	23	174	0.1	--	--
L5S 07W	201	37	25	120	0.1	--	--
L5S 08W	201	44	12	55	0.1	--	--
L5S 09W	201	57	36	166	0.1	--	--
L5S 10W	201	61	16	138	0.1	--	--
L5S 11W	201	105	55	310	0.1	--	--
L5S 12W	201	22	12	358	0.1	--	--
L5S 13W	201	47	18	225	0.1	--	--
L6N 1E	201	16	27	76	0.1	--	--
L6N 2E	201	20	32	140	0.1	--	--
L6N 3E	201	33	45	215	0.1	--	--
L6N 4E	201	20	32	90	0.1	--	--
L6N 4+50E	201	21	43	90	0.1	--	--
L6N 0+00	201	10	6	39	0.1	--	--
L6N 01W	201	8	11	35	0.1	--	--
L6N 02W	201	12	16	32	0.1	--	--
L6N 03W	201	77	38	190	0.1	--	--
L6N 4WA	201	87	38	200	0.3	--	--
L6N 4WB	201	42	35	103	0.1	--	--
L6N 05W	201	23	13	75	0.1	--	--
L6N 06W	201	42	13	38	0.1	--	--
L6N 07W	201	21	15	48	0.1	--	--
L6N 08W	201	38	33	110	0.1	--	--
L6N 09W	201	19	11	48	0.1	--	--
L6N 10W	201	9	7	16	0.1	--	--
L6N 11W	201	23	11	59	0.1	--	--
L6N 12W	201	18	15	88	0.1	--	--
L6N 13W	201	15	11	79	0.1	--	--
6S 2+50W	201	60	10	140	0.1	--	--
6S 3W	201	34	33	104	0.1	--	--
L6S 4W	201	101	53	280	0.1	--	--

2

Hart Bichler

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

(Handwritten: 2.H1)

CERT. # : A8113506-001-A
INVOICE # : 18113506
DATE : 04-SEP-81
P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH GOV 172 WATSON LAKE Y.T.

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L6S 05W	201	53	40	138	0.1	--	--
L6S 06W	201	250	26	153	0.1	--	--
L6S 07W	201	205	16	136	0.1	--	--
L6S 08W	201	79	26	128	0.1	--	--
L6S 09W	201	70	21	128	0.1	--	--
L6S 10W	201	60	22	163	0.1	--	--
L6S 11W	201	112	37	402	0.1	--	--
L6S 12W	201	103	25	464	0.1	--	--
L6S 13W	201	73	8	310	0.1	--	--
L7N 1E	201	22	52	193	0.2	--	--
L7N 2E	201	11	32	46	0.1	--	--
L7N 3E	201	11	39	51	0.1	--	--
L7N 4E	201	17	27	55	0.1	--	--
L7N 4+50E	201	14	30	70	0.1	--	--
L7N 0+00W	201	65	25	220	0.5	--	--
L7N 01W	201	156	40	310	0.5	--	--
L7N 02W	201	16	11	32	0.1	--	--
L7N 03W	201	16	16	62	0.1	--	--
L7N 04W	201	37	18	83	0.1	--	--
L7N 05W	201	21	15	56	0.1	--	--
L7N 06W	201	45	35	106	0.1	--	--
L7N 07W	201	80	26	116	0.1	--	--
L7N 08W	201	75	33	119	0.1	--	--
L7N 09W	201	26	17	59	0.1	--	--
L7N 10W	201	20	4	98	0.1	--	--
L7N 11W	201	31	15	113	0.1	--	--
L7N 12W	201	16	16	36	0.2	--	--
L7N 13W	201	16	11	71	0.1	--	--
L7N 13+50W	201	12	13	48	0.1	--	--
L7S 06W	201	71	35	150	0.1	--	--
L7S 07W	201	55	27	140	0.1	--	--
L7S 08W	201	69	40	370	0.1	--	--
L7S 09W	201	33	15	65	0.1	--	--
L7S 10W	201	39	15	118	0.1	--	--
L7S 11W	201	51	13	155	0.1	--	--
L7S 12W	201	59	14	162	0.2	--	--
L7S 13W	201	38	15	155	0.1	--	--
L8N 1E	201	30	40	214	0.5	--	--
L8N 2E	201	14	24	87	0.1	--	--
L8N 3E	201	35	120	340	0.2	--	--

(Handwritten: 2)

(Handwritten: Hart Bichler)

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113506-002-A
 INVOICE # : 18113506
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L8N 4E	201	21	32	133	0.1	✓	--
L8N 4+50E	201	25	44	180	0.1	✓	--
L8N 0+00W	201	35	17	620	1.0	✓	--
L8N 01W	201	33	17	275	0.1	✓	--
L8N 02W	201	66	31	238	0.4	✓	--
L8N 03W	201	22	20	83	0.1		--
L8N 04W	201	48	23	105	0.1		--
L8N 05W	201	17	12	43	0.1		--
L8N 06W	201	42	18	120	0.1		--
L8N 07W	201	37	25	102	0.1		--
L8N 08W	201	20	7	35	0.1		--
L8N 09W	201	20	12	45	0.1		--
L8N 10W	201	22	15	50	0.1		--
L8N 11W	201	26	19	77	0.1		--
L8N 12W	201	17	16	90	0.2		--
L8N 13W	201	13	13	34	0.2		--
L8N 13+50W	201	22	20	65	0.1		--
L8S 03W	201	44	11	116	0.1		--
L8S 05W	201	32	8	60	0.1		--
L8S 06W	201	34	9	70	0.1		--
L8S 07W	201	66	13	110	0.1		--
L8S 08W	201	28	6	60	0.1		--
L8S 09W	201	25	7	89	0.1		--
L8S 10W	201	21	8	72	0.1		--
L8S 11W	201	31	8	80	0.1		--
L8S 12W	201	22	6	105	0.1		--
L8S 13W	201	24	5	75	0.1		--
L9N 1E	201	20	40	222	0.8	✓	--
L9N 2E	201	12	21	48	0.1	✓	--
L9N 3E	201	15	14	56	0.1	✓	--
L9N 4E	201	13	18	36	0.1	✓	--
L9N 4+50E	201	8	14	32	0.1	✓	--
L9N 0+00W	201	8	12	61	0.1	✓	--
L9N 01W	201	12	4	12	0.1	✓	--
L9N 02W	201	39	5	18	0.3	✓	--
L9N 03W	201	73	50	390	0.3	✓	--
L9N 04W	201	15	2	34	0.1	✓	--
L9N 05W	201	16	14	48	0.1	✓	--
L9N 06W	201	36	16	140	0.1	✓	--
L9N 07W	201	37	26	116	0.4	✓	--

2

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113506-003-A
 INVOICE # : IB113506
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L9N 08W	201	27	14	65	0.2	--	--
L9N 09W	201	22	22	110	0.1	--	--
L9N 10W	201	9	12	18	0.1	--	--
L9N 11W	201	11	5	14	0.1	--	--
L9N 12W	201	16	3	61	0.1	--	--
L9N 13W	201	20	13	35	0.1	--	--
L9N 13+50W	201	69	18	80	0.9	--	--
L9S 2+50W	201	70	12	270	0.1	--	--
L9S 3+00W	201	51	15	134	0.1	--	--
L9S 4+00W	201	56	15	218	0.1	--	--
L9S 5+00W	201	47	8	115	0.1	--	--
L9S 06W	201	47	5	229	0.1	--	--
L9S 07W	201	35	5	90	0.1	--	--
L9S 08W	201	21	17	45	0.1	--	--
L9S 09W	201	26	6	45	0.1	--	--
L9S 10W	201	20	3	64	0.1	--	--
L9S 11W	201	36	5	76	0.1	--	--
L9S 12W	201	54	6	105	0.1	--	--
L9S 13W	201	44	4	41	0.3	--	--
L10N 1E	201	13	7	48	0.1	--	--
L10N 2E	201	12	19	53	1.1	--	--
L10N 3E	201	15	27	80	0.1	--	--
L10N 4E	201	20	25	73	0.1	--	--
L10N 4+50E	201	40	33	104	0.1	--	--
L10N 0+00B.L	201	28	10	225	0.1	--	--
L10N 01W	201	43	10	78	0.1	--	--
L10N 02W	201	49	55	340	0.1	--	--
L10N 03W	201	72	33	195	0.1	--	--
L10N 04W	201	14	3	28	0.1	--	--
L10N 05W	201	41	20	115	0.1	--	--
L10N 06W	201	23	6	85	0.1	--	--
L10N 07W	201	38	25	95	0.4	--	--
L10N 08W	201	43	42	153	0.1	--	--
L10N 09W	201	26	35	35	0.4	--	--
L10N 10W	201	20	18	68	0.1	--	--
L10N 11W	201	22	31	144	0.1	--	--
L10N 12W	201	15	10	52	0.1	--	--
L10N 13W	201	46	40	148	0.1	--	--
L10N 13+50W	201	18	8	38	0.2	--	--
L10S 2+50W	201	62	25	168	0.1	--	--

2

Certified by *Hart Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113506-004-A
 INVOICE # : I8113506
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L10S 03W	201	51	150	710	0.8	--	--
L10S 04W	201	45	22	200	0.1	--	--
L10S 05W	201	147	14	96	0.1	--	--
L10S 06W	201	43	9	63	0.1	--	--
L10S 07W	201	17	12	38	0.1	--	--
L10S 08W	201	20	15	109	0.1	--	--
L10S 09W	201	19	11	48	0.1	--	--
L10S 10W	201	29	14	73	0.2	--	--
L10S 11W	201	26	5	60	0.1	--	--
L10S 12W	201	41	9	131	0.2	--	--
L10S 13W	201	29	25	87	0.1	--	--
L11N 1E	201	42	26	470	0.1	--	--
L11N 2E	201	11	12	26	0.4	--	--
L11N 3E	201	57	42	210	0.1	--	--
L11N 4E	201	14	10	52	0.1	--	--
L11N 4+50E	201	30	20	154	0.1	--	--
L11N 0+00W	201	47	6	235	0.1	--	--
L11N 01W	201	115	21	321	0.1	--	--
L11N 02W	201	34	18	118	0.1	--	--
L11N 03W	201	48	21	133	0.1	--	--
L11N 04W	201	27	21	130	0.1	--	--
L11N 05W	201	24	13	81	0.1	--	--
L11N 06W	201	40	17	224	0.1	--	--
L11N 07W	201	44	16	195	0.1	--	--
L11N 08W	201	33	11	190	0.1	--	--
L11N 09W	201	37	15	235	0.1	--	--
L11N 10W	201	51	15	128	0.1	--	--
L11N 11W	201	34	17	190	0.4	--	--
L11N 12W	201	11	5	18	0.1	--	--
L11N 13W	201	27	11	140	0.1	--	--
L11N 13+50W	201	33	26	198	0.1	--	--
L11S 03W	201	86	19	84	0.1	--	--
L11S 04W	201	45	10	75	0.1	--	--
L11S 05W	201	28	8	51	0.1	--	--
L11S 06W	201	29	14	58	0.1	--	--
L11S 07W	201	21	12	61	0.1	--	--
L11S 08W	201	26	16	92	0.1	--	--
L11S 09W	201	22	20	65	0.1	--	--
L11S 10W	201	30	8	68	0.2	--	--
L11S 11W	201	36	13	84	0.1	--	--

Certified by *Hart Bichler*



2



CHEMEX LABS LTD.

212 BROOKSBANK AVE.
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113506-005-A
 INVOICE # : 18113506
 DATE : 04-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L115 12W	201	13	3	18	0.1	--	--
L115 13W	201	12	5	55	0.1	--	--
L12N 0+00	201	27	25	154	0.1	--	--
L12N 1E	201	21	24	140	0.1	--	--
L12N 2E	201	10	6	23	0.6	--	--
L12N 3E	201	17	19	98	0.1	--	--
L12N 4E	201	14	25	59	0.1	--	--
L12N 4+50E	201	45	80	240	0.1	--	--
L12N 1W	201	180	60	276	0.3	--	--
L12N 2W	201	24	30	57	1.3	--	--
L12N 3W	201	47	23	123	0.2	--	--
L12N 04W	201	45	10	116	0.3	--	--
L12N 05W	201	21	9	66	0.1	--	--
L12N 06W	201	21	11	62	0.1	--	--
L12N 07W	201	18	2	33	0.1	--	--
L12N 08W	201	46	23	133	0.1	--	--
L12N 09W	201	18	3	53	0.1	--	--
L12N 10W	201	54	30	150	0.1	--	--
L12N 11W	201	43	3	76	0.1	--	--
L12N 12W	201	24	10	73	0.1	--	--
L12N 13W	201	34	33	147	0.1	--	--
L12N 13+50	201	46	32	318	0.2	--	--
L13N 1+00E	201	21	30	102	0.2	--	--
L13N 2+00E	201	50	50	185	0.1	--	--
L13N 3+00E	201	33	30	110	0.1	--	--
L13N 0+00	201	39	17	130	0.2	--	--
L13N 01W	201	415	14	81	0.7	--	--
L13N 02W	201	53	60	435	0.5	--	--
L13N 03W	201	61	45	190	0.2	--	--
L13N 04W	201	63	30	115	0.1	--	--
L13N 05W	201	47	14	108	0.1	--	--
L13N 06W	201	63	100	245	0.2	--	--
L13N 07W	201	41	30	128	0.1	--	--
L13N 08W	201	25	32	114	0.1	--	--
L13N 09W	201	19	7	85	0.1	--	--
L13N 10W	201	10	1	23	0.1	--	--
L13N 11W	201	13	13	190	0.1	--	--
L13N 12W	201	15	12	87	0.1	--	--
L13N 13W	201	14	15	88	0.2	--	--
L13N 13+50WA	201	28	12	120	0.1	--	--

2

Certified by Hart Bichler





CHEMEX LABS LTD.

212 BROOKSBANK AVE.
NORTH VANCOUVER, B.C.
CANADA V7J 2C1
TELEPHONE: (604)984-0221
TELEX: 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

CERT. # : A8113506-006-A
INVOICE # : 18113506
DATE : 04-SEP-81
P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L13N 13+50WB	201	35	18	84	0.1	--	--
L14N 1+00E	201	46	30	145	0.1	--	--
L14N 2+00E	201	37	42	138	0.1	--	--
L14N 0+00	201	40	310	758	0.5	--	--
L14N 01W	201	35	40	160	0.2	--	--
L14N 02W	201	90	43	300	0.6	--	--
L14N 03W	201	26	26	150	0.2	--	--
L14N 04W	201	37	24	106	0.1	--	--
L14N 05W	201	55	70	165	0.1	--	--
L14N 06W	201	75	33	155	0.1	--	--
L14N 07W	201	45	65	174	0.2	--	--
L14N 08W	201	29	58	180	0.1	--	--
L14N 09W	201	31	33	165	0.1	--	--
L14N 10W	201	18	15	112	0.1	--	--
L14N 11W	201	20	7	98	0.2	--	--
L14N 12W	201	18	13	86	0.1	--	--
L14N 13W	201	44	16	104	0.1	--	--
L15N 0+00	201	11	13	20	0.3	--	--
L15N 1+00E	201	22	18	96	0.2	--	--
L15N 2+00E	201	24	14	60	0.1	--	--
L15N 0+00	201	18	30	98	0.1	--	--
L15N 01W	201	31	39	330	0.1	--	--
L15N 02W	201	27	28	152	0.1	--	--
L15N 03W	201	38	34	228	0.1	--	--
L15N 04W	201	21	27	118	0.1	--	--
L15N 05W	201	42	21	67	0.1	--	--
L15N 06W	201	41	39	148	0.1	--	--
L15N 07W	201	43	25	102	0.1	--	--
L15N 08W	201	20	43	155	0.1	--	--
L15N 09W	201	30	30	136	0.1	--	--
L15N 10W	201	18	5	126	0.1	--	--
L15N 11W	201	34	65	216	0.1	--	--
L15N 12W	201	15	10	16	0.2	--	--
L15N 13W	201	27	38	179	0.1	--	--
L15N 13+50W	201	26	22	128	0.1	--	--
L15S 0+00W	201	56	55	127	0.4	--	--
L15S 1E	201	94	50	228	0.1	--	--
L15S 2E	201	79	85	285	0.1	--	--
L15S 3E	201	56	35	188	0.1	--	--
L15S 4E	201	55	34	155	0.1	--	--

Z-3 FA

7255

3

Certified by Hart Bichler





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604) 984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMDUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113504-001-A
 INVOICE # : I8113504
 DATE : 05-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L155 5E	201	48	90	250	0.1	---	---
L15+00S 0+00E	201	29	42	130	0.1	---	---
L15+00S 1+00E	201	34	19	113	0.1	---	---
L15+00S 2+00E	201	30	19	100	0.1	---	---
L15+00S 3+00E	201	16	12	87	0.1	---	---
L15+00S 4+00E	201	18	22	58	0.2	---	---
L15+00S 5+00E	201	19	20	62	0.1	---	---
L15+00S 6+00E	201	8	12	31	0.1	---	---
L15+00S 7+00E	201	18	10	52	0.1	---	---
L15S 1W	201	41	23	118	0.1	---	---
L15+00S 1+00W	201	21	28	85	0.1	---	---
L16N 1E	201	17	23	50	0.9	---	---
L16N 2E	201	9	16	52	0.1	---	---
L16N 2+50E	201	2	2	5	0.1	---	---
L16N 0+00	201	36	70	260	0.1	---	---
L16N 01W	201	21	90	66	1.4	---	---
L16N 02W	201	10	17	66	0.1	---	---
L16N 03W	201	14	16	36	0.1	---	---
L16N 04W	201	58	23	102	0.1	---	---
L16N 05W	201	42	15	115	0.1	---	---
L16N 06W	201	40	30	133	0.4	---	---
L16N 07W	201	15	15	62	0.2	---	---
L16N 08W	201	21	24	173	0.1	---	---
L16N 09W	201	10	14	68	0.1	---	---
L16N 10W	201	8	12	93	0.1	---	---
L16N 11W	201	7	27	28	0.1	---	---
L16N 12W	201	15	42	185	0.1	---	---
L16N 13W	201	32	78	305	0.1	---	---
L16N 13+50W	201	14	32	105	0.1	---	---
L16S 7E	201	29	31	120	0.1	---	---
L17N 0+00	201	49	105	295	0.1	---	---
L17N 1E	201	25	49	153	0.1	---	---
L17N 2E	201	25	32	120	0.1	---	---
L17N 3E	201	25	34	110	0.1	---	---
L17N 3+50E	201	32	40	132	0.3	---	---
L17N 01W	201	9	25	65	0.7	---	---
L17N 02W	201	11	20	72	0.1	---	---
L17N 03W	201	12	14	70	0.1	---	---
L17N 04W	201	61	90	265	0.1	---	---
L17N 05W	201	27	18	127	0.1	---	---

3

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B C
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-5259

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

CLIENT: TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113504-002-A
 INVOICE # : I8113504
 DATE : 05-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L17N 06W	201	13	21	72	0.1	--	--
L17N 07W	201	21	18	124	0.1	--	--
L17N 08W	201	23	24	170	0.1	--	--
L17N 09W	201	13	13	92	0.1	--	--
L17N 10W	201	14	8	83	0.1	--	--
L17N 11W	201	5	4	34	0.1	--	--
L17N 12W	201	32	46	188	0.1	--	--
L17N 13W	201	24	72	285	0.1	--	--
L17+00S 02+00W	201	29	16	90	0.1	--	--
L17+00S 03+00W	201	48	60	212	0.1	--	--
L17+00S 04+00W	201	35	16	116	0.1	--	--
L17+00S 05+00W	201	16	13	46	0.1	--	--
L17+00S 06+00W	201	18	13	49	0.1	--	--
L17+00S 07+00W	201	21	12	70	0.1	--	--
L17+00S 08+00W	201	16	6	82	0.1	--	--
L17+00S 09+00W	201	16	7	88	0.1	--	--
L17+00S 10+00W	201	9	13	58	0.1	--	--
L17+00S 11+00W	201	7	3	45	0.1	--	--
L17+00S 12+00W	201	23	10	65	0.1	--	--
L17+00S 13+00W	201	10	11	43	0.1	--	--
L17+00S 13+50W	201	27	6	49	0.1	--	--
L18N 0+00	201	19	20	48	0.1	--	--
L18N 1E	201	30	40	115	0.1	--	--
L18N 2E	201	35	22	100	0.1	--	--
L18N 2+50E	201	16	15	48	0.1	--	--
L18N 3E	201	55	16	150	0.1	--	--
L18N 3+50E	201	33	30	130	0.1	--	--
L18N 1+00W	201	8	9	40	0.1	--	--
L18N 2W	201	45	25	72	0.1	--	--
L18N 03W	201	32	27	109	0.1	--	--
L18N 04W	201	64	210	300	0.6	--	--
L18N 05W	201	22	16	60	0.1	--	--
L18N 06W	201	15	32	86	0.1	--	--
L18N 07W	201	13	9	24	0.1	--	--
L18N 08W	201	33	140	465	0.6	--	--
L18N 09W	201	9	17	38	0.1	--	--
L18N 10W	201	15	16	71	0.1	--	--
L18N 11W	201	8	30	40	0.1	--	--
L18N 12W	201	102	20	146	0.1	--	--
L18N 13W	201	21	23	120	0.2	--	--

3

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113504-003-A
 INVOICE # : 18113504
 DATE : 05-SEP-81
 P.O. # : NDNE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L18+00S 2+00W	201	33	14	145	0.1	---	---
L18+00S 3+00W	201	35	32	81	0.1	---	---
L18+00S 4+00W	201	40	39	125	0.1	---	---
L18+00S 5+00W	201	19	13	85	0.1	---	---
L18+00S 6+00W	201	535	11	54	0.1	---	---
L18+00S 7+00W	201	35	20	113	0.1	---	---
L18+00S 8+00W	201	22	20	74	0.1	---	---
L18+00S 10+00W	201	22	8	108	0.1	---	---
L18+00S 11+00W	201	8	9	82	0.1	---	---
L18+00S 12+00W	201	18	10	85	0.1	---	---
L18+00S 13+00W	201	28	14	100	0.1	---	---
L18+00S 13+50W	201	29	9	92	0.1	---	---
L19N 0+00	201	19	40	86	0.1	---	---
L19N 1E	201	30	50	175	0.1	---	---
L19N 2E	201	20	46	125	0.1	---	---
L19N 2+50E	201	39	610	1150	0.8	---	---
L19N 01W	201	33	85	185	0.1	---	---
L19N 02W	201	27	42	144	0.1	---	---
L19N 03W	201	30	52	230	0.1	---	---
L19N 04W	201	28	42	148	0.1	---	---
L19N 05W	201	15	32	52	0.1	---	---
L19N 06W	201	100	60	180	0.4	---	---
L19N 07W	201	19	42	105	0.1	---	---
L19N 08W	201	49	20	116	0.1	---	---
L19N 09W	201	43	72	212	0.1	---	---
L19N 10W	201	22	25	100	0.1	---	---
L19N 11W	201	10	18	46	0.1	---	---
L19N 12W	201	23	17	120	0.1	---	---
L19N 13W	201	35	43	190	0.1	---	---
L20N 1+00E	201	24	80	235	0.1	---	---
L20N 2E	201	28	38	125	0.1	---	---
L20N 2+50E	201	17	10	42	0.1	---	---
L20N 0+00	201	34	95	230	0.1	---	---
L20N 01W	201	16	24	115	0.1	---	---
L20N 02W	201	20	35	110	0.1	---	---
L20N 03W	201	37	40	175	0.1	---	---
L20N 04W	201	31	30	122	0.1	---	---
L20N 05W	201	78	17	150	0.1	---	---
L20N 06W	201	67	21	145	0.1	---	---
L20N 07W	201	138	38	213	0.1	---	---

201



3

Certified by



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B C
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

: TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMDUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : AB113504-004-A
 INVOICE # : I8113504
 DATE : 05-SEP-81
 P.O. # : NONE


ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L20N 08W	201	75	500	278	0.3	--	--
L20N 09W	201	14	15	50	0.1	--	--
L20N 10W	201	34	19	90	0.1	--	--
L20N 11W	201	22	1	82	0.1	--	--
L20N 12W	201	18	20	75	0.1	--	--
L20N 13W	201	39	21	113	0.1	--	--
L21N 0+00	201	32	23	215	0.1	--	--
L21N 1E	201	64	90	234	0.1	--	--
L21N 2E	201	31	43	248	0.1	--	--
L21N 2+50E	201	12	12	40	0.1	--	--
L21N 01W	201	23	17	86	0.1	--	--
L21N 02W	201	20	24	218	0.1	--	--
1N 03W	201	11	16	46	0.1	--	--
L21N 04W	201	16	7	39	0.1	--	--
L21N 05W	201	6	5	9	0.1	--	--
L21N 06W	201	53	40	260	0.1	--	--
L21N 07W	201	11	12	40	0.1	--	--
L21N 08W	201	20	19	96	0.1	--	--
L21N 09W	201	6	7	33	0.1	--	--
L21N 10W	201	13	10	87	0.1	--	--
L21N 11W	201	58	58	285	0.1	--	--
L21N 12W	201	17	10	49	0.1	--	--
L21N 13W	201	6	18	28	0.1	--	--
L22N 0+00	201	28	20	138	0.1	--	--
L22N 1E	201	68	40	212	0.2	--	--
L22N 2E	201	25	26	138	0.1	--	--
L22N 2+50E	201	28	50	204	0.1	--	--
L22N 01W	201	36	30	196	0.1	--	--
L22N 02W	201	19	38	288	0.1	--	--
L22N 03W	201	44	15	100	0.1	--	--
L22N 04W	201	12	9	18	0.1	--	--
L22N 05W	201	56	25	160	0.1	--	--
L22N 06W	201	27	36	132	0.1	--	--
L22N 07W	201	25	17	85	0.1	--	--
L22N 08W	201	39	21	98	0.1	--	--
L22N 09W	201	25	38	120	0.1	--	--
L22N 10W	201	24	56	83	0.1	--	--
2N 11W	201	29	20	132	0.1	--	--
L22N 12W	201	15	25	73	0.1	--	--
L22N 13W	201	20	11	102	0.1	--	--

3

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : AB113504-005-A
 INVOICE # : 18113504
 DATE : 05-SEP-81
 P.C. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu DDM	Pb DDM	Zn DDM	Ag DDM		
L22N 3+00W	201	8	10	30	0.1	--	--
L23N 0+00	201	3	1	5	0.1	--	--
L23N 1E	201	28	18	90	0.1	--	--
L23N 2E	201	16	10	53	0.1	--	--
L23N 2+50E	201	16	20	45	0.1	--	--
L23N 3E	201	12	10	43	0.1	--	--
L23N 01W	201	31	15	150	0.1	--	--
L23N 02W	201	41	17	186	0.1	--	--
L23N 03W	201	28	25	110	0.1	--	--
L23N 04W	201	16	7	51	0.1	--	--
L23N 05W	201	15	11	92	0.1	--	--
L23N 06W	201	14	10	70	0.1	--	--
L23N 07W	201	8	5	29	0.1	--	--
L23N 08W	201	27	26	95	0.1	--	--
L23N 09W	201	31	36	118	0.1	--	--
L23N 10W	201	27	17	109	0.1	--	--
L23N 11W	201	13	23	56	0.1	--	--
L23N 12W	201	23	13	76	0.1	--	--
L23N 13W	201	7	4	28	0.1	--	--
L24N 0+00	201	13	7	42	0.1	--	--
L24N 1E	201	11	10	47	0.1	--	--
L24N 2E	201	20	25	130	0.1	--	--
L24N 2+50E	201	47	18	88	0.1	--	--
L24N 01W	201	50	21	435	0.1	--	--
L24N 02W	201	14	7	42	0.1	--	--
L24N 03W	201	9	2	30	0.1	--	--
L24N 04W	201	18	17	58	0.1	--	--
L24N 05W	201	18	16	85	0.1	--	--
L24N 06W	201	32	30	105	0.1	--	--
L24N 07W	201	38	13	72	0.2	--	--
L24N 08W	201	49	24	102	0.1	--	--
L24N 09W	201	11	19	128	0.1	--	--
L24N 10W	201	12	14	50	0.1	--	--
L24N 11W	201	11	11	25	0.1	--	--
L24N 12W	201	6	13	15	0.1	--	--
L24N 13W	201	8	14	45	0.1	--	--
L25N 0+00	201	9	12	27	1.2	--	--
L25N 1E	201	5	7	9	0.2	--	--
L25N 2E	201	16	23	77	0.1	--	--
L25N 01W	201	33	40	110	0.1	--	--

3

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0271
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

O : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113504-006-A
 INVOICE # : 18113504
 DATE : 05-SEP-81
 P.O. # : NDNE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L25N 02W	201	9	5	20	0.1		--
L25N 03W	201	21	9	46	0.1		--
L25N 04W	201	14	14	48	0.1		--
L25N 05W	201	27	40	148	0.1		--
L25N 06W	201	20	28	64	0.4		--
L25N 07W	201	25	30	110	0.1		--
L25N 08W	201	15	17	68	0.1		--
L25N 09W	201	32	27	90	0.1		--
L25N 10W	201	10	13	20	0.1		--
L25N 11W	201	6	12	33	0.1		--
L25N 12W	201	10	6	22	0.1		--
L25N 13W	201	11	16	76	0.1		--
L25S 06W	201	17	11	84	0.1		--
L25S 07W	201	54	43	493	0.1		--
L25S 08W	201	45	33	120	0.1		--
L25S 09W	201	29	33	116	0.1		--
L25S 10W	201	19	17	110	0.1		--
L25S 11W	201	21	30	87	0.1		--
L25S 12W	201	15	20	71	0.1		--
L25S 13W	201	21	19	75	0.1		--
L25S 14W	201	18	21	94	0.1		--
L25S 15W	201	15	20	114	0.1		--
L25S 16W	201	28	65	150	0.1		--
L25S 17W	201	16	27	110	0.1		--
L25S 18W	201	11	11	48	0.1		--
L26N 0+00	201	39	49	140	0.2		--
L26N 1E	201	9	11	21	0.1		--
L26N 2E	201	7	15	50	0.1		--
L26N 01W	201	8	8	25	0.1		--
L26N 02W	201	12	4	19	0.1		--
L26N 03W	201	6	8	20	0.1		--
L26N 04W	201	18	7	52	0.1		--
L26N 05W	201	7	6	13	0.1		--
L26N 06W	201	22	33	155	0.1		--
L26N 07W	201	9	5	31	0.1		--
L26N 08W	201	14	17	65	0.1		--
L26N 09W	201	15	15	48	0.1		--
L26N 10W	201	17	15	62	0.1		--
L26N 11W	201	5	3	9	0.1		--
L18+005 9+00W	201	42	14	115	0.1		--

3

Certified by





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8113503-001-A
 INVOICE # : I8113503
 DATE : 05-SEP-81
 P.O. # : NONE

ATTN: R. WANK SIEVED TO -35 MESH

Sample description	Prep code	Cu ppm	Pb ppm	Zn ppm	Ag ppm		
L26N 12W	201	13	18	35	0.3	---	---
L26N 13W	201	10	23	100	0.1	---	---
L26S 06W	201	137	19	118	0.1	---	---
L26S 07W	201	30	25	66	0.3	---	---
L26S 08W	201	38	30	130	1.1	---	---
L26S 09W	201	34	160	260	0.2	---	---
L26S 10W	201	45	100	213	0.1	---	---
L26S 11W	201	22	32	85	0.1	---	---
L26S 12W	201	21	22	110	0.1	---	---
L26S 13W	201	11	5	28	0.1	---	---
L26S 14W	201	15	38	49	0.3	---	---
L26S 15W	201	16	65	125	0.4	---	---
L26S 16W	201	28	37	175	1.2	---	---
L26S 17W	201	23	60	200	0.2	---	---
L26S 18W	201	17	37	127	0.1	---	---
L27N 0+00	201	27	28	88	0.2	---	---
L27N 1E	201	7	25	34	0.5	---	---
L27N 2E	201	16	11	77	0.1	---	---
L27N 01W	201	33	28	195	0.1	---	---
L27N 02W	201	13	8	31	0.1	---	---
L27N 03W	201	12	18	52	0.1	---	---
L27N 04W	201	4	5	17	0.1	---	---
L27N 05W	201	15	35	82	0.1	---	---
L27N 06W	201	15	46	68	0.1	---	---
L27N 07W	201	18	24	93	0.1	---	---
L27N 08W	201	19	13	53	0.1	---	---
L27N 09W	201	11	27	38	0.1	---	---
L27N 10W	201	18	32	58	0.1	---	---
L27N 11W	201	7	12	19	0.1	---	---
L27N 12W	201	8	19	39	0.1	---	---
L27N 13W	201	10	14	44	0.1	---	---
L28N 0+00	201	22	28	103	0.1	---	---
L28N 1E	201	15	26	72	0.1	---	---
L28N 2E	201	22	37	180	0.1	---	---
L28N 01W	201	14	30	82	0.1	---	---
L28N 02W	201	33	63	144	0.1	---	---
L28N 03W	201	43	210	315	0.1	---	---
L28N 04W	201	31	58	238	0.1	---	---
L28N 05W	201	19	17	64	0.1	---	---
L28N 06W	201	41	54	146	0.1	---	---

267a

H

Certified by








FIGURE 7


LEGEND



-  MAGNETIC CONTOUR - INTERVAL 100 GAMMAS
-  MAGNETIC DEPRESSION

NOTE
All locations subject to Survey
Drawn from information believed reliable but not guaranteed

Donald W. Tully

FIELD WORK PERIOD:
AUG 3-17, 1981
FIELD WORK BY:
GEO-TECK SERVICES LTD.
INSTRUMENT USED:
GEM SYSTEMS MAGNETOMETER No. 1202

PACIFIC RIM ENERGY CORPORATION	
MAGNETOMETER SURVEY	
ZEBRA 1-18 CLAIM GROUP	
WATSON LAKE MINING DIVISION	
WATSON LAKE AREA	
YUKON TERRITORY	
090985	
	
DONALD W. TULLY, P. ENG.	DATE: FEBRUARY 8, 1982



LEGEND

- COPPER (Cu) P.P.M.
 - LEAD (Pb) P.P.M.
 - ZINC (Zn) P.P.M.
 - SILVER (Ag) P.P.M.
 - Cu
 - Pb
 - Ag
 - Zn
- SEQUENCE OF RESULTS

FIELD WORK PERIOD:
AUG 5-20, 1981
FIELD WORK BY:
GEO-TECK SERVICES LTD.
P.O. BOX 172, WATSON LAKE, YUKON




FIGURE 8

PACIFIC RIM ENERGY CORPORATION
GEOCHEMICAL SURVEY
ZEBRA I-18 CLAIM GROUP
WATSON LAKE MINING DIVISION
WATSON LAKE AREA
YUKON TERRITORY **090985**

METRES 50 0 50 100 150 200 250 METRES


DONALD W. TULLY, P. ENG. DATE FEBRUARY 8, 1982

Donald W. Tully



NOTE
All locations subject to Survey
Drawn from information believed reliable but not guaranteed

FIELD STRENGTH READING PER CENT
DIP ANGLE DEGREES
DIP ANGLE
FIELD STRENGTH
APPARENT VLF - EM CONDUCTOR ZONE



FIELD WORK PERIOD
AUG 5-20, 1981
FIELD WORK BY:
GEO-TEK SERVICES LTD.
INSTRUMENT USED:
PHEONIX E.M. (VLF-2) No 1061

FIGURE 9

PACIFIC RIM ENERGY CORPORATION	
VLF-ELECTROMAGNETIC SURVEY	
ZEBRA I-18 CLAIM GROUP	
WATSON LAKE MINING DIVISION	
WATSON LAKE AREA	090985
YUKON TERRITORY	
METRES 50 0 50 100 150 200 250 METRES	
DONALD W. TULLY, P. ENG.	DATE: FEBRUARY 8, 1982