

A total of 5,635 soil samples were collected and analyzed for Pb and Zn. Values greater than 200 ppm Zn or 60 ppm Pb were considered anomalous. Anomalous values are concentrated in the northern half of the property.

REPORT
ON THE

RESULTS OF THE 1981 PROGRAM OF GEOCHEMICAL SOIL
AND GEOPHYSICAL SURVEYING

ON THE SKULL 1 - 180 MINERAL CLAIM GROUP

GRANT NOS. YA20907-14, YA33084-115, YA57530-633, YA58063-98

CONGLOMERATE CREEK - CANTUNG ROAD AREA

WATSON LAKE MINING DISTRICT

YUKON TERRITORY

N. Lat. $61^{\circ}14'$

W. Long. $128^{\circ}23'$

105-H-1

for

KIMBERLEY GOLD RESOURCES, INC.

Suite 1430

625 Howe Street

Vancouver, B. C.


V6C 2T6

by

DONALD W. TULLY, P. ENG.

July 26, 1982

West Vancouver, B.C.



DON TULLY ENGINEERING LTD.
SUITE 102, 2222 BELLEVUE AVENUE
WEST VANCOUVER, BRITISH COLUMBIA
V7V 1G7

091072

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
SUMMARY AND CONCLUSIONS.....	1
PROPERTY - LOCATION, ACCESS, PHYSIOGRAPHY.....	3
CLAIMS.....	4
HISTORY - PREVIOUS DEVELOPMENT.....	5
REFERENCES.....	6
REGIONAL AND LOCAL GEOLOGICAL SETTING.....	6
RESULTS OF 1981 PROGRAM OF MAGNETOMETER, VLF-ELECTROMAGNETIC SURVEYING AND GEOCHEMICAL SOIL SAMPLING.....	8
RECOMMENDATIONS.....	12
TIME-COST DISTRIBUTION.....	14
CERTIFICATE.....	15

MAPS

Figure 1 - Location Map.....	(Frontispiece)
Figure 2 - Area Location Map.....	(Follows page 1)
Figure 3 - Topographic Plan (After 105-H).....	(Follows page 2)
Figure 4 - Claim Plan (After 105-H-1).....	(Follows page 3)
Figure 5 - Regional Geology (After GSC Map 6-1966).....	(Follows page 5)
Figure 6 - Aeromagnetic Map (After GSC Map No. 1356G).....	(Follows page 6)
Figure 7 - Plan of 1981 D.D. Hole Program.....	(Follows page 7)
Figure 8 - Map Key Showing Magnetic Anomaly Areas.....	(Follows page 8)
Figure 9 - Map Key Showing VLF-EM Anomaly Areas.....	(Follows page 9)
Figure 10 Map Key Showing Geochemical Anomaly Areas.....	(Follows page 10)
Maps - Magnetometer, 1A, 1B, 1C.....	(In Pocket)
Maps - Magnetometer, 2A, 2B, 2C.....	(In Pocket)
Maps - Magnetometer, 3A, 3B, 3C.....	(In Pocket)
Maps - Magnetometer, 4A, 4B, 4C.....	(In Pocket)





FIGURE 1
 PROPERTY LOCATION MAP
 JULY 26, 1982



Donald W. Ruby

INTRODUCTION

This report was prepared pursuant to a request by the Directors of Kimberley Gold Resources Inc., Suite 1430, 625 Howe Street, Vancouver, British Columbia.

The progress of the program was examined in the field on July 23 and 26, 1981 and forms the basis for this report.

The purpose of this report is to summarize the results of the 1981 program of magnetometer, VLF-electromagnetic and geochemical soil sampling on the SKULL 1-180 claim group.

SUMMARY AND CONCLUSIONS

The SKULL property comprises one hundred and eighty contiguous mineral claims located in the Watson Lake Mining District, Yukon Territory.

The property is situated a short distance west of Km Post 78 on the North Nahanni Range (Cantung) Road. The Conglomerate Creek road traverses the north sector of the property (Figures 2, 3 and 4).

Access by motor vehicle is readily available from Watson Lake, a total road distance of about 109 miles (182 Km).

The property is a lead-zinc-silver prospect that was reported discovered in 1965. Two zones of base and precious metals outcrop on the property and have been designated the UPPER and LOWER SKULL Zones. Numerous




FIGURE 2
LOCATION MAP

JULY 26, 1982

Donald G. Kelly


other zones await further mineral evaluation. Exploration to date has consisted of trenching, test pitting, geophysical and geochemical surveys, as well as eight BQ core size diamond drill holes totalling 1,400.3 metres (4,593 feet). The overall drill results have been encouraging on the UPPER SKULL Zone. Two probably significant Silver assays have been obtained in the diamond drill core results. (Figure 7)

The results of the diamond drilling showed two intersections of silver associated with nearly massive pyrite and pyrite-galena mineralization in diamond drill holes K-2-81 and K-8-81 respectively on the UPPER SKULL Zone.

The UPPER SKULL Zone has scattered outcroppings on surface of galena-sphalerite and pyrite mineralization in sheared horizons of shale, phyllite, graphitic schist and argillaceous sediments with quartz veins accompanied by skarn-type alteration (Figure 7). Assays up to 5 ounces in silver and 31 percent lead per ton have been reported. These zones appear to be related to basement geologic structure as indicated from the airborne magnetic map (Figure 6).

The LOWER SKULL Zone is exposed along a west-facing, south-trending cliff face (Figure 7). Here a flat-lying, east-dipping lens of disseminated galena, sphalerite, pyrite and pyrrhotite occurs interbedded in a skarn-type zone in a quartz-phyllite complex. The dimensions of the surface exposure of this LOWER SKULL Zone are about 6 metres by 0.3 metres.

Aeromagnetic anomalies trend north-south over the claim area (Figure 6). Magnetic relief in the south portion of the claimed area is in excess of 600 gammas. One magnetically anomalous zone occurs in the southeast sector of the



SKULL 1-180
CLAIM GROUP

CONGLOMERATE
CREEK ROAD

Km.78

FIGURE 3
TOPOGRAPHIC PLAN

Scale 1" = 250,000
JULY 26, 1982

claims in the vicinity of a small topographic knoll. This zone of magnetic response appears to correlate with a strong VLF (very low frequency) electromagnetic conductor zone discovered as a result of a recent airborne VLF electromagnetic survey over the property.

An extensive program of general and detailed geochemical, magnetometer and VLF-electromagnetic surveying was carried out over the SKULL 1-180 claim group during the 1981 field season. The results of this program showed a zone of magnetic anomalies trending northward through the property somewhat coincident with a zone of apparent VLF-electromagnetic conductors.

PROPERTY - LOCATION, ACCESS, PHYSIOGRAPHY

The SKULL property comprises one hundred and eighty contiguous mineral claims located at Conglomerate Creek about ninety air miles (150 km) north of the town of Watson Lake, Yukon Territory.

Road access is readily available to the property. The road distance is 109 kilometres northward from Watson Lake along the Robert Campbell Highway to the junction of Cantung Road and thence along the Cantung Road at Km Post 78 near the Conglomerate Creek bush road.

The claim group is situated in the terraced floodplain of Conglomerate Creek, which traverses the north and east portions of the property in a southeasterly direction. Sand, gravel, fluvial sediments and glacial debris occupy the several benches that trend northerly along an eastward slope towards the Hyland River.

WHITEHORSE: 28 Sept. 1972
28 Oct. 1964

24 APRIL 73 4 NOV 74
26 MAR 73 8 AUG 74
19 MAR 73 8 AUG 74 17 Nov. 75
19 MAY 76
11 OCT 76
29 APR 77
21 JULY 76
26 JUN 76




FIGURE 4
CLAIM PLAN
AFTER 105-H-1
SCALE AS SHOWN
JULY 26, 1902

Donald W. Kelly

ISSUED UNDER THE AUTHORITY OF THE MINISTER
OF
NORTHERN AFFAIRS AND NATIONAL RESOURCES

Elevations vary between 3,000 feet in the south-east sector near SKULL claims 23 - 24 to around 4,000 feet above sea-level in the northwest portion of the claim group.

Spruce of fair size for this latitude abounds on the property.

Water is present in sufficient quantity to operate a local power development in a gorge area near the UPPER SKULL Zone on Conglomerate Creek.

CLAIMS

180 contiguous mineral claims are located astride Conglomerate Creek about two miles (3 km) west of the North Nahanni Range (Cantung) Road, Watson Lake Mining District, Yukon Territory. These claims are recorded with the Mining Recorder, Department of Indian and Northern Affairs at Watson Lake, Yukon Territory as follows:

<u>Claim Name</u>	<u>Grant Numbers</u>	<u>Recorded Holder</u>	<u>Expiry Date</u>
SKULL 1- 8	YA20907-YA20914	Kimberley Gold Resources Inc.	July 7, 1984
SKULL 9- 40	YA33084-YA33115	Kimberley Gold Resources Inc.	June 15, 1984
SKULL 41-144	YA57530-YA57633	Kimberley Gold Resources Inc.	March 2, 1982
SKULL 145-180	YA58063-YA58098	Kimberley Gold Resources Inc.	April 2, 1982

The 1981 work has been filed for assessment credit pending approval.

The claims are shown on Yukon claim sheet 105-H-1.

HISTORY - PREVIOUS DEVELOPMENT


Lead-zinc mineralization was discovered in 1965 at two locations on the ground now held by the SKULL claims and subsequently staked as the SILVER claim group. Some trenching was done at that time and again in 1978. The UPPER SKULL and LOWER SKULL showings were further expanded by an extensive program of bulldozer trenching in 1979 when some 25,000 yards of earth were moved to partially expose the two zones.

Important assays in silver and lead have been reported in selected surface samples from the UPPER SKULL Zone.

An airborne (helicopter) VLF electromagnetic survey was conducted over the SKULL claim group in late March 1981.

In the period June 14 through October 2, 1981, eight BQ core size diamond drill holes totalling 1,400.3 metres (4,593 feet) were drilled on the UPPER and LOWER SKULL Zones. Two silver intersections were found in the diamond drill results on the UPPER SKULL Zone. (Figure 7)

An extensive program of geochemical soil sampling and geophysical surveying was carried out over the SKULL 1-180 claim group during the 1981 field season. Numerous anomalous zones were located along a north-south trend.



characteristically occurs in wavy, undulatory or anastomosing bands, which on weathering impart a very rough pitted surface. An important regional unconformity at the base of this unit in places sharply bevels Lower Cambrian and older strata. Unit 9 is at least 4,000 feet thick near the Yukon - Northwest Territories boundary, but is itself bevelled by an unconformity beneath unit 11, so that apparently its thickness varies markedly. Exposures of unit 11 are limited to stream cuts along Flat River valley where it overlies unit 9 unconformably. Graptolites collected from the lowermost 500 feet are Upper Ordovician, but as the overlying part of unit 11 is much thicker, it may be in part of Silurian age.

Units 10 and 12 are lithologically correlated with strata previously mapped in adjacent regions.

Unmetamorphosed, predominantly pelitic, strata (13) are believed correlative with Devonian-Mississippian rocks in adjacent regions. Characteristic are chert-pebble conglomerate, varicoloured chert, and black quartz-bearing greywacke and gritty quartzite. In the Campbell Range unit 13 includes numerous small bodies of greenstone, many intrusive, but most of the greenstone, mapped as (3b), appears to be volcanic and probably overlies or occurs within the upper part of unit 13. Serpentinite (13c) is thought to be an integral part of the Devonian-Mississippian assemblage. A profound angular unconformity occurs at the base of this sequence.

Unit 14 comprises mainly hornfelsed pelitic rocks whose age and correlation are in doubt. Overall lithologic character, lack of regional metamorphism in rocks near the gneiss belt (2) and one collection of Middle or Upper Devonian fossils (near the south boundary at 128° 40' W) suggest that probably most, if not all, of this unit is correlative with Devonian-Mississippian strata of unit 13.

Granitic rocks (15) generally have sharply defined contacts, but in the schist-gneiss belt (2) they are commonly bordered by complex zones as much as 1/4 mile wide in which massive plutonic rock is interperished with lit-par-lit migmatites and partly granitized inclusions. These mapped boundaries are largely arbitrary, based on proportion of intrusive to host rocks.

Outside the complexly deformed central crystalline terrain, regional structures trend northwest except in the northern part of the map-area where they become westerly. Regional metamorphism appears unrelated to Cretaceous (?) granitic intrusion and probably predates the Devonian-Mississippian strata. These strata overlie schist and gneiss of unit 1 unconformably and are essentially non-schistose. Northwest-trending regional folds near Flat River, which may be related to tectonism in the central belt, are post Late Ordovician, as they involve rocks of this age and older. These folds clearly predate and are modified by intrusion of granitic rocks.

Sphalerite with minor amounts of galena, pyrrhotite and chalcocopyrite occur in silicified calcareous members in several localities throughout the schist-gneiss terrain (2) and in hornfelses that may be equivalent to unit 13. Pyrrhotite with some chalcocopyrite was noted in black slates and argillites of unit 13, west of Myland River road at mile 53. Scheelite is reported in the north-central part of the map-area near 61° 48' in contact zones with calcareous beds of unit 1.

A high-grade tungsten deposit on Flat River is presently being mined by Canada Tungsten Mining Corporation. Scheelite, with pyrrhotite and minor amounts of chalcocopyrite occurs with skarn minerals in massive Lower Cambrian limestone. The deposit is several hundred feet from nearest exposed granitic rocks, but within a zone of moderate to high-grade contact metamorphism.

UPPER and LOWER SKULL ZONE

FIGURE 5

REGIONAL GEOLOGY

(AFTER G.S.C. MAP 6-1966)

SCALE 1-253,440

JULY 25, 1982

Donald W. Kelly

REFERENCES

- Geological Survey of Canada Map 6-1966
- Geological Survey of Canada Aeromagnetic Map 1356G
- Airphotos #A17113-82, 83, and 84
- Report on the SKULL 1-40 mineral claim group for Stand-Skat Resources Ltd., by Donald W. Tully, P. Eng., and dated September 14, 1979
- Report on the SKULL 1-40 mineral claim group for Kimberley Gold Resources Inc., by Donald W. Tully, P. Eng., and dated December 18, 1980
- Airborne VLF Electromagnetic Survey, Skull Claim Group, Watson Lake M.D., for Kimberley Gold Resources Inc., Ager, Berretta and Associates Inc., and dated April 8, 1981
- Report on the SKULL 1-180 Claim Group for Kimberley Gold Resources Inc., by Donald W. Tully, P. Eng., and dated April 24, 1981
- Progress Report on the SKULL Property for Kimberley Gold Resources, Inc., by Donald W. Tully, P. Eng., and dated November 17, 1981
- Results of the 1981 Program of Diamond Drilling on the SKULL 1-180 claim group by Donald W. Tully, P. Eng., and dated April 2, 1982

REGIONAL AND LOCAL GEOLOGICAL SETTING

The regional geology is shown on Geological Survey of Canada Map 6-1966, Frances Lake 105-H (Figure 5).

Black shale, impure sandstone, calcareous sediments and graphitic schist occur in outcrops in the UPPER and LOWER SKULL Zones.

Although fossil evidence was sought in the thick shale assemblage intersected in the diamond drill holes,



SKULL CLAIM GROUP

AEROMAGNETIC SERIES

GEOLOGICAL SURVEY OF CANADA
DEPARTMENT OF MINES AND TECHNICAL SURVEYS

128°30'

25'

20'

Joins Map 1383 G, "Tyers Pass Creek"

51°15'




FIGURE 6

LOWER
HYLAND

AEROMAGNETIC MAP
(AFTER G.S.C.No.1356G)
SCALE 1"=1 Mile
JULY 26,1982

10'

none were found to correlate this horizon with similar Silurian horizons in the general map area.

Granitic intrusive occurs on higher ground in the north area of the SKULL claims.

The following is a tentative table of formations for the Conglomerate Creek area:

<u>Formation</u>	<u>Description/Event</u>	<u>Age</u>
Sand, gravel, glacial debris	Unconsolidated/ glaciation (Erosional unconformity)	Quaternary
Mineralization, quartz veining, and related skarn development	Gold, silver, galena, sphalerite, pyrite, pyrrhotite, actinolite, diopside, garnet and related calc-silicates (Folding, faulting, shearing and related tectonic activity)	Tertiary (?)
Intrusives	Granite, granodiorite and diorite and related dykes (Folding, faulting and related tectonic activity)	Jura-Cretaceous (?)
Sediments and metasediments	Shales, phyllites, graphitic schist, pelites and calcareous sediments (Erosional unconformity followed by folding, faulting and related tectonic activity)	Devonian-Mississippian (?)
Metasediments "schist-gneiss complex"	Quartzite, pelites, garnetiferous mica schist, gneiss and calcareous sediments	Cambrian and/or Proterozoic

Strike trends show a variation between 040° and 165° with dips varying from 40° to 60° easterly at the UPPER SKULL Zone. Dragfolding, shearing and crenulated schistosity were observed in a graphitic schist horizon.

Strike trends in the LOWER SKULL Zone are about 160° with 30° - 45° east dips.

Formations in the south part of the SKULL claim area trend northerly and dip to the west.

Airphotos show north-northwesterly lineaments trending across the claim area.


RESULTS OF THE 1981 PROGRAM OF MAGNETOMETER,
VLF-ELECTROMAGNETIC SURVEYING AND
GEOCHEMICAL SOIL SAMPLING

During the period of June 1, 1981 through August 1, 1981, Geo-Teck Services Ltd., P.O. Box 172, Watson Lake, Yukon, under contract to Turnex Exploration Services Ltd., Suite 704, 525 Seymour Street, Vancouver, British Columbia, carried out a program of magnetometer and VLF-electromagnetic geophysical surveying and geochemical soil sampling over the SKULL 1-180 claim area (Figures 4 and 8, 9, 10).

Mr. Robert Wank supervised the work program in the field of Geo-Teck Services.

Two baselines were established in a due north-south direction over the SKULL claim group. Chained and flagged lines were traversed east and west from these control baselines at 100-metre intervals over most of the claim area. Each occupied station location was flagged and marked with the appropriate station number.

FIGURE 8
KIMBERLEY GOLD RESOURCES INC.



SKULL CLAIM GROUP - 180 UNITS

MAP KEY DIAGRAM SHOWING MAGNETIC ANOMALY AREAS

- - "HIGH"
+ + "LOW"

Donald W. Tully

Geochemical soil samples were taken from holes dug in the top soil to the "B" soil horizon, whenever possible. The soil samples were analyzed at Chemex Labs Ltd., North Vancouver, British Columbia.

The names of the personnel supplied by R. Wank as employed on the work program were:

R. Till,	Oliver, B.C.
H. Till,	Oliver, B.C.
M. Kloss,	Watson Lake, Y.T.
D. Melanchuck,	Watson Lake, Y.T.
C. Wank,	Watson Lake, Y.T.
D. Skip,	Watson Lake, Y.T.
F. Close,	Watson Lake, Y.T.

Magnetometer Survey

The results of the magnetometer survey are summarized on Figure 8 and are plotted on maps numbered 1A through 13A on a scale of 1:2,500 accompanying this report.


The instrument used on the survey was a GEM SYSTEMS Magnetometer No. 1202.

Readings were taken at each occupied station at 50-metre intervals along each line and at base stations and were balanced for diurnal variation.

A study of Figure 8, in conjunction with the detail magnetic maps of field readings and isomagnetic contours, shows the location of the main features of magnetic intensity over the property. The readings have been contoured at 200 gamma intervals.

A zone of magnetic "Highs" frequently related

FIGURE 9
 KIMBERLEY GOLD RESOURCES INC.



SKULL CLAIM GROUP - 180 UNITS

MAP KEY DIAGRAM SHOWING VLF-ELECTROM ANOMALY AREAS

Donald W. Kelly ○—○—○

to magnetic "Lows" trends northward through the east sector of the claimed area. This zone of magnetic anomalies commences in the southeast portion of the ground and follows more or less along the baseline indicated 0+00. This magnetic feature is shown on Maps 4A through 9A and 11A through 13A, and correlates with configurations on the aeromagnetic map of the area (Figure 6). Local fold flexures in the basement geological structure is suggested as an explanation for the local changes in strike of the magnetic zones as shown on Maps 4A, 5A, 6A, 7A and also on Map 13A.

Scattered local magnetic anomalies are indicated on Maps 1A, 2A and 3A in the northern part of the claims.

VLF-electromagnetic apparent conductor zones tend to be somewhat coincident with this zone of magnetic anomalies as indicated on Maps 7A-7B, 9A-9B, 11A-11B, 12A-12B and 13A-13B.

No significant geochemical results were noted in the areas of stronger magnetic response.

From the writer's field observations, a low topographic knoll occurs in the area of the magnetic features in the southeast area of the property.


VLF-Electromagnetic Survey

The instrument used on the survey was a PHOENIX EM (VLF-2) No. 1061.

The results of the very low frequency (VLF) electromagnetic survey are summarized on Figure 9 and are plotted on Maps 1B through 13B on a scale of 1:2,500 accompanying this report. Orientation instrument was

FIGURE 10

KIMBERLEY GOLD RESOURCES INC.
0+00



SKULL CLAIM GROUP - 180 UNITS

MAP KEY DIAGRAM SHOWING GEOCHEMICAL ANOMALY AREAS

Donald W. Kelly

- 201 + ppm Zn
- 61 + ppm Pb

effected through very low frequency transmitter stations located at JIM CREEK (Seattle, Washington) and CUTLER (Maine). Readings were taken on the same grid pattern as the magnetometer survey.

The zones of apparent electromagnetic response tend to be somewhat coincident with the zones of magnetic response as shown on Maps 7A-7B, 9A-9B, 11A-11B, 12A-12B and 13A-13B.

Geochemical Soil Sampling Soil Survey

Soil samples were taken at 100-metre intervals on the same grid pattern occupied during the magnetometer and VLF-electromagnetic geophysical surveys.

A total of 5,880 soil samples were taken. 245 of these soil samples were unaccounted for and the remaining 5,635 samples were analyzed for lead and zinc. The results are summarized on Figure 10 and plotted on Maps 1C through 13C on a scale of 1:2,500 accompanying this report as $\frac{Zn}{Pb}$.

The results were as follows:

<u>Element</u>	<u>No. of Samples</u>	<u>Range of Results</u>
Zinc	2,532	0 - 100 parts per million
	305	101 - 200 parts per million
	20	201 - 300 parts per million
	<u>2</u>	301 + parts per million
Total	<u>2,859</u>	

The highest result in zinc was 420 parts per million as shown on Line 32+00S at 18+00E on Map 7C, and forms part of a group of anomalous zinc results in this area.

Values over 200 parts per million are considered to be anomalous. Anomalous results in Zinc were found on Maps 2C, 3C, 4C, 5C, 6C, 7C and 8C.

<u>Element</u>	<u>No. of Samples</u>	<u>Range of Results</u>
Lead	2,452	0 - 20 parts per million
	291	21 - 40 parts per million
	21	41 - 60 parts per million
	<u>12</u>	61+ parts per million
Total	<u>2,776</u>	

The highest result in Lead was 135 parts per million as shown on Line 43+00S at 16+00W on Map 8C on the east bank of a creek bed.

Values over 60 parts per million are considered to be anomalous. Anomalous results in Lead were found on Maps 2C, 3C, 5C and 7C.


RECOMMENDATIONS

Geological mapping is proposed for the zone of magnetic anomalies, particularly in those areas where there appears to be some coincidence with very low frequency electromagnetic response and in the area of anomalous zinc results on Map 7C.

It is recommended a gravity survey be carried out over the UPPER SKULL Zone to determine if the source of the observed pyrite and galena mineralization is present in sizeable quantities. This information should be

integrated with the present geochemical and geophysical data before further diamond drilling is carried out.

Respectfully submitted,



Donald W. Tully, P.Eng.

July 26, 1982

Turnex EXPLORATION SERVICES LTD.

704 - 525 Seymour Street, Vancouver, British Columbia, Canada V6B 3H7 Phone (604) 688-8245

November 27, 1981

Kimberley Gold Resources Inc.,
507 - 318 Homer Street,
VANCOUVER, B. C.

Dear Sirs:

STATEMENT OF ACCOUNT

SKULL 1 - 180

WORK COMPLETED TO DATE

Diamond Drilling todate 3,500' @ 45.84 =	\$160,440.00
EM & MAG Todate 180 Claims @ 1075.00 Ea =	193,500.00
Geochem todate 3,229 samples @ 8.50 Ea. =	<u>27,446.50</u>

\$381,346.50

Road Access

30,000.00

\$411,346.50

Paid todate

320,849.00

Geophysical on


27,750.00

Extra Diamond Drilling

23,122.50

FINAL BILL

\$141,370.00


DAVID WARD


J. C. TURNER

CERTIFICATE

I, DONALD WILLIAM TULLY, of the Corporation of West Vancouver, Province of British Columbia, hereby certify as follows:

- 1) I am a Consulting Geologist with an office at Suite 102, 2222 Bellevue Avenue, West Vancouver, B.C.
- 2) I am a registered Professional Engineer of the Provinces of British Columbia and Ontario.
- 3) I graduated with a degree of Bachelor of Science, Honours Geology, from McGill University in 1943.
- 4) I have practiced my profession for thirty-seven years.
- 5) I have no direct, indirect or contingent interest in the securities of Kimberley Gold Resources Inc., or the SKULL 1-180 mineral claim group, subject of this report, nor do I intend to have any interest.
- 6) This report dated July 26, 1982, is based on personal field examinations I made on July 23 and 26, 1981, and from information gathered from available maps, reports and personal communications.
- 7) I have examined the GEL, MIKO, ELC and MARG Mineral Claims that are located within ten kilometres of the SKULL mineral claim group during the past five years.
- 8) Written permission is required from the author to publish this report dated July 26, 1982 in any Prospectus or Statement of Material Facts.

DATED at West Vancouver, Province of British Columbia, this 26th day of July, 1982.



DONALD W. TULLY, P. ENG.,
Consulting Geologist



CHEMEX LABS LTD.

210 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : AB112245-001-A
 INVOICE # : 18112245
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 1N 7 E	205	18	75	--	--	--	--
L 1N 8 E	201	20	58	--	--	--	--
L 1N 10 E	201	13	40	--	--	--	--
L 1N 11 E	201	22	45	--	--	--	--
L 1N 12 E	201	9	37	--	--	--	--
L 1N 13 E	201	38	53	--	--	--	--
L 1N 14 E	201	18	630	--	--	--	--
L 1N 15 E	201	14	85	--	--	--	--
L 1N 16 E	201	23	82	--	--	--	--
L 1N 17 E	201	15	110	--	--	--	--
L 1N 18 E	201	28	135	--	--	--	--
L 1N 1 W	201	13	120	--	--	--	--
L 1N 2 W	201	12	80	--	--	--	--
L 1N 3 W	201	12	55	--	--	--	--
L 1N 5 W	201	12	62	--	--	--	--
L 1N 9 W	201	10	80	--	--	--	--
L 1N 10 W	201	13	60	--	--	--	--
L 1N 11 W	201	14	95	--	--	--	--
L 1N 13W BL 2	201	16	70	--	--	--	--
L 1N 14 W	201	3	5	--	--	--	--
L 1N 17 W	201	20	108	--	--	--	--
L 1N 18 W	201	20	98	--	--	--	--
L 1N 19 W	201	23	90	--	--	--	--
L 1N 22 W	205	4	18	--	--	--	--
L 1N 23 W	201	19	110	--	--	--	--
L 1N 24 W	205	7	80	--	--	--	--
L 1N 25 W	201	5	32	--	--	--	--
L 1N 26 W	205	9	48	--	--	--	--
L 2N 4 E	201	12	34	--	--	--	--
L 2N 5 E	201	19	45	--	--	--	--
L 2N 6 E	201	15	52	--	--	--	--
L 2N 7 E	201	14	42	--	--	--	--
L 2N 8 E	201	18	68	--	--	--	--
L 2N 9 E	201	12	38	--	--	--	--
L 2N 10 E	201	15	70	--	--	--	--
L 2N 11 E	201	13	30	--	--	--	--
L 2N 12 E	201	10	68	--	--	--	--
L 2N 13 E	201	12	66	--	--	--	--
L 2N 14 E	201	9	12	--	--	--	--
L 2N 15 E	201	16	75	--	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

210 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604) 984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6E 3H7

CERT. # : A8112245-002-A
 INVOICE # : 18112245
 DATE : 24-JUL-81
 P.O. # : NDNE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 2N 16 E	201	13	118	--	--	--	--
L 2N 17 E	203	22	155	--	--	--	--
L 2N 18 E	201	16	78	--	--	--	--
L 2N 2 W	201	9	50	--	--	--	--
L 2N 9 W	203	5	30	--	--	--	--
L 2N 10 W	203	10	64	--	--	--	--
L 2N 13 W	203	11	54	--	--	--	--
L 2N 15 W	203	5	35	--	--	--	--
L 2N 16 W	203	21	110	--	--	--	--
L 2N 17 W	203	21	110	--	--	--	--
L 2N 18 W	203	14	88	--	--	--	--
L 2N 19 W	201	21	130	--	--	--	--
L 2N 25 W	201	1	60	--	--	--	--
L 2N 26 W	205	1	12	--	--	--	--
L 2N 27 W	203	30	68	--	--	--	--
L 3N 4E(A)	201	19	74	--	--	--	--
L 3N 4E(B)	201	11	36	--	--	--	--
L 3N 5 E	201	18	45	--	--	--	--
L 3N 6 E	203	10	43	--	--	--	--
L 3N 7 E	201	16	62	--	--	--	--
L 3N 8 E	203	8	8	--	--	--	--
L 3N 10 E	201	20	110	--	--	--	--
L 3N 11 E	201	5	9	--	--	--	--
L 3N 12 E	201	13	63	--	--	--	--
L 3N 13 E	201	14	60	--	--	--	--
L 3N 14 E	201	10	63	--	--	--	--
L 3N 15 E	201	12	57	--	--	--	--
L 3N 16 E	201	14	62	--	--	--	--
L 3N 18 E	201	78	72	--	--	--	--
L 3N 3 W	201	14	50	--	--	--	--
L 3N 6 W	201	10	32	--	--	--	--
L 3N 7 W	201	14	112	--	--	--	--
L 3N 8 W	201	10	42	--	--	--	--
L 3N 9 W	201	14	60	--	--	--	--
L 3N 10 W	201	11	81	--	--	--	--
L 3N 11 W	201	12	83	--	--	--	--
L 3N 12 W	203	10	56	--	--	--	--
L 3N 12 W BL 2	203	19	88	--	--	--	--
L 3N 14 W	205	10	41	--	--	--	--
L 3N 15 W	205	10	64	--	--	--	--

Certified by *Herbert Bickler*....





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112245-003-
 INVOICE # : 18112245
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 3N 16 W	203	3	20	--	--	--	--
L 3N 17 W	203	15	48	--	--	--	--
L 3N 18 W	201	25	97	--	--	--	--
L 3N 21 W	203	2	35	--	--	--	--
L 3N 22 W	203	3	25	--	--	--	--
L 3N 23 W	203	11	62	--	--	--	--
L 3N 24 W	203	1	13	--	--	--	--
L 3N 27 W	203	28	19	--	--	--	--
L 4N 6 E	201	13	15	--	--	--	--
L 4N 7 E	203	15	44	--	--	--	--
L 4N 8 E	201	14	28	--	--	--	--
L 4N 9 E	201	9	28	--	--	--	--
L 4N 11 E	201	21	110	--	--	--	--
L 4N 12 E	201	23	145	--	--	--	--
L 4N 13 E	201	19	118	--	--	--	--
L 4N 14 E	201	15	32	--	--	--	--
L 4N 15 E	201	15	112	--	--	--	--
L 4N 16 E	201	14	72	--	--	--	--
L 4N 17 E	201	27	198	--	--	--	--
L 4N 18 E	201	11	58	--	--	--	--
L 4N 2 W	201	18	31	--	--	--	--
L 4N 3 W	201	5	44	--	--	--	--
L 4N 5 W	201	13	33	--	--	--	--
L 4N 6 W	201	14	45	--	--	--	--
L 4N 7 W	201	11	54	--	--	--	--
L 4N 8 W	201	11	54	--	--	--	--
L 4N 13 W	201	15	88	--	--	--	--
L 4N 17 W	201	18	110	--	--	--	--
L 4N 18 W	203	13	65	--	--	--	--
L 4N 20 W	201	25	68	--	--	--	--
L 4N 22 W	203	9	74	--	--	--	--
L 4N 23 W	201	5	26	--	--	--	--
L 4N 24 W	203	1	66	--	--	--	--
L 4N 26 W	201	19	32	--	--	--	--
L 4N 27 W	201	12	26	--	--	--	--
L 5N 6 E	201	19	75	--	--	--	--
L 5N 7 E	201	20	75	--	--	--	--
L 5N 8 E	201	12	54	--	--	--	--
L 5N 10 E	201	17	66	--	--	--	--
L 5N 11 E	201	13	118	--	--	--	--

Certified by *Hart Bichler*



CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER B.C.
CANADA V7J 2C1
TELEPHONE (604)984-0221
TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

CERT. # : AB112245-004-A
INVOICE # : 18112245
DATE : 24-JUL-81
P.O. # : NONE


ATTN: ROBERT WANK

Sample description	Prep code	Pb DPT	Zn ppm				
L 5N 13 E	201	19	120	--	--	--	--
L 5N 14 E	201	14	73	--	--	--	--
L 5N 15 E	201	15	61	--	--	--	--
L 5N 16 E	201	14	25	--	--	--	--
L 5N 17 E	201	56	110	--	--	--	--
L 5N 18 E	201	21	100	--	--	--	--
L 5N 4 W	201	13	46	--	--	--	--
L 5N 5 W	201	15	42	--	--	--	--
L 5N 6 W	201	11	24	--	--	--	--
L 5N 7 W	201	18	78	--	--	--	--
L 5N 8 W	201	8	35	--	--	--	--
L 5N 9 W	201	14	80	--	--	--	--
L 5N 11 W	201	15	80	--	--	--	--
L 5N 12 W	201	9	50	--	--	--	--
L 5N 13 W	201	8	20	--	--	--	--
L 5N 16 W	201	24	116	--	--	--	--
L 5N 17 W	201	19	63	--	--	--	--
L 5N 21 W	201	5	22	--	--	--	--
L 5N 22 W	201	17	60	--	--	--	--
L 5N 23 W	201	1	1	--	--	--	--
L 5N 25 W	201	59	34	--	--	--	--
L 5N 26 W	201	18	15	--	--	--	--
L 5N 27 W	201	10	20	--	--	--	--
L 6N 4 E	201	15	40	--	--	--	--
L 6N 6 E	201	15	64	--	--	--	--
L 6N 7 E	201	14	58	--	--	--	--
L 6N 8 E	201	11	50	--	--	--	--
L 6N 9 E	201	10	44	--	--	--	--
L 6N 10 E	201	16	80	--	--	--	--
L 6N 15 E	201	19	95	--	--	--	--
L 6N 17 E	201	11	34	--	--	--	--
L 6N 18 E	201	14	32	--	--	--	--
L 6N 3 W	201	7	46	--	--	--	--
L 6N 4 W	201	29	155	--	--	--	--
L 6N 7 W	201	14	42	--	--	--	--
L 6N 9 W	201	13	60	--	--	--	--
L 6N 10 W	201	13	60	--	--	--	--
L 6N 11 W	201	8	44	--	--	--	--
L 6N 12 W	201	23	145	--	--	--	--
L 6N 13 W	201	14	70	--	--	--	--

Certified by *Hart Bichler*



MEMBER
CANADIAN TESTING
ASSOCIATION



CHEMEX LABS LTD.

217 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112245-005-A
 INVOICE # : 18112245
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 6N 15 W	201	11	50	--	--	--	--
L 6N 18 W	217	31	90	--	--	--	--
L 6N 20 W	201	9	25	--	--	--	--
L 6N 23 W	205	36	88	--	--	--	--
L 6N 24 W	201	23	63	--	--	--	--
L 6N 25 W	205	12	48	--	--	--	--
L 6N 26 W	201	14	13	--	--	--	--
L 6N 27 W	201	26	78	--	--	--	--
L 7N 3 E	201	17	110	--	--	--	--
L 7N 5 E	201	16	57	--	--	--	--
L 7N 6 E	201	26	110	--	--	--	--
L 7N 7 E	201	1	8	--	--	--	--
L 7N 13 E	201	10	43	--	--	--	--
L 7N 14 E	201	17	85	--	--	--	--
L 7N 15 E	201	16	44	--	--	--	--
L 7N 16 E	201	13	130	--	--	--	--
L 7N 17 E	201	21	94	--	--	--	--
L 7N 18 E	201	13	56	--	--	--	--
L 7N 4 W	201	20	112	--	--	--	--
L 7N 5 W	201	14	50	--	--	--	--
L 7N 6 W	201	16	63	--	--	--	--
L 7N 7 W	201	15	86	--	--	--	--
L 7N 8 W	201	15	93	--	--	--	--
L 7N 9 W	201	11	45	--	--	--	--
L 7N 11 W	201	15	28	--	--	--	--
L 7N 13 W BL 2	201	14	30	--	--	--	--
L 7N 16 W	201	4	18	--	--	--	--
L 7N 17 W	217	36	46	--	--	--	--
L 7N 18 W	201	5	16	--	--	--	--
L 7N 19 W	201	19	110	--	--	--	--
L 7N 20 W	201	19	85	--	--	--	--
L 7N 22 W	201	37	110	--	--	--	--
L 7N 24 W	201	30	26	--	--	--	--
L 7N 25 W	217	57	35	--	--	--	--
L 7N 26 W	201	6	1	--	--	--	--
L 7N 27 W	201	5	8	--	--	--	--
L 8N 3 E	201	31	68	--	--	--	--
L 8N 4 E	201	13	32	--	--	--	--
L 8N 5 E	201	8	10	--	--	--	--
L 8N 6 E	201	15	64	--	--	--	--

Certified by *Hans Bickler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

210 BROADVIEW AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : AB112245-006-A
 INVOICE # : 18112245
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 8N 8 E	205	17	110	--	--	--	--
L 8N 9 E	203	12	62	--	--	--	--
L 8N 12 E	201	20	120	--	--	--	--
L 8N 13 E	201	12	25	--	--	--	--
L 8N 14 E	201	14	38	--	--	--	--
L 8N 15 E	201	11	25	--	--	--	--
L 8N 16 E	201	12	50	--	--	--	--
L 8N 17 E	201	18	80	--	--	--	--
L 8N 18 E	201	13	64	--	--	--	--
L 8N 2 W	201	17	80	--	--	--	--
L 8N 3 W	201	23	100	--	--	--	--
L 8N 4 W	201	13	52	--	--	--	--
8N 5 W	203	15	64	--	--	--	--
L 8N 6 W	201	16	60	--	--	--	--
L 8N 7 W	201	19	95	--	--	--	--
L 8N 8 W	201	12	90	--	--	--	--
L 8N 9 W	203	5	32	--	--	--	--
L 8N 10 W	201	8	33	--	--	--	--
L 8N 11 W	201	9	58	--	--	--	--
L 8N 12 W	201	4	28	--	--	--	--
L 8N 13 W BL 2	201	9	50	--	--	--	--
L 8N 14 W	205	23	50	--	--	--	--
L 8N 17 W	201	15	76	--	--	--	--
L 8N 18 W	203	15	68	--	--	--	--
L 8N 20 W	201	8	46	--	--	--	--
L 8N 21 W	203	6	38	--	--	--	--
L 8N 22 W	201	4	3	--	--	--	--
L 8N 23 W	201	5	3	--	--	--	--
L 8N 24 W	205	27	25	--	--	--	--
L 8N 25 W	205	5	14	--	--	--	--
L 8N 26 W	203	7	18	--	--	--	--
L 9N 2 E	201	100	245	--	--	--	--
L 9N 3 E	201	16	68	--	--	--	--
L 9N 4 E	201	13	52	--	--	--	--
L 9N 5 E	203	42	44	--	--	--	--
L 9N 6 E	201	11	64	--	--	--	--
L 9N 9 E BL	201	4	1	--	--	--	--
9N 12 E	203	14	85	--	--	--	--
9N 13 E	201	15	224	--	--	--	--
L 9N 14 E	201	3	56	--	--	--	--

Certified by *H. Winkler*....



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

210 BROOKSBANK AVE
NORTH VANCOUVER B.C.
CANADA V7J 2C1
TELEPHONE (604)984-0221
TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

CERT. # : A8112245-007-A
INVOICE # : 18112245
DATE : 24-JUL-81
P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 9N 15 E	201	13	132	--	--	--	--



MEMBER
CANADIAN TESTING
ASSOCIATION

Certified by *[Signature]*



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604) 984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112246-002-A
 INVOICE # : 18112246
 DATE : 28-JUL-81
 P.O. # : NJNE

ATTN: ROGER WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 10N 11W	201	11	62	--	--	--	--
L 10N 13W	201	20	105	--	--	--	--
L 10N 14W	201	11	58	--	--	--	--
L 10N 15W	201	23	110	--	--	--	--
L 10N 16W	205	18	35	--	--	--	--
L 10N 17W	201	12	100	--	--	--	--
L 11N 1E	205	12	74	--	--	--	--
L 11N 2E	201	11	40	--	--	--	--
L 11N 3E	201	9	48	--	--	--	--
L 11N 6E	201	14	56	--	--	--	--
L 11N 7E	201	9	40	--	--	--	--
L 11N 11E	201	13	56	--	--	--	--
L 11N 14E	201	14	68	--	--	--	--
L 11N 17E	201	12	53	--	--	--	--
L 11N 18E	201	17	54	--	--	--	--
L 11N 0W	201	21	93	--	--	--	--
L 11N 1W	201	22	73	--	--	--	--
L 11N 2W	205	2	8	--	--	--	--
L 11N 9W	205	17	130	--	--	--	--
L 11N 11W	217	10	65	--	--	--	--
L 11N 13W	201	10	105	--	--	--	--
L 11N 14W	201	15	80	--	--	--	--
L 11N 16W	201	10	120	--	--	--	--
L 11N 17W	201	13	130	--	--	--	--
L 11N 18W	201	13	60	--	--	--	--
L 12N 4E	201	2	9	--	--	--	--
L 12N 18E	201	17	95	--	--	--	--
L 12N 1W	201	7	10	--	--	--	--
L 12N 2W	201	9	40	--	--	--	--
L 12N 3W	205	3	8	--	--	--	--
L 12N 10W	201	16	130	--	--	--	--
L 12N 11W	217	13	90	--	--	--	--
L 12N 12W	205	9	26	--	--	--	--
L 12N 13W A	201	9	22	--	--	--	--
L 12N 13W B	201	19	20	--	--	--	--
L 12N 14W	201	16	112	--	--	--	--
L 12N 15W	201	9	80	--	--	--	--
L 12N 16W	201	15	95	--	--	--	--
L 12N 17W	201	6	48	--	--	--	--
L 12N 18W	201	7	27	--	--	--	--

Certified by *Heinrich Schuler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : AE112246-003-A
 INVOICE # : 18112246
 DATE : 28-JUL-81
 P.O. # : NONE

ATTN: ROBER WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 13N 4+20E	201	17	78	--	--	--	--
L 13N 7E	201	19	80	--	--	--	--
L 13N 9E	205	19	103	--	--	--	--
L 13N 13E	203	6	11	--	--	--	--
L 13N 15E	201	14	80	--	--	--	--
L 13N 2W	201	12	50	--	--	--	--
L 13N 3W	203	10	38	--	--	--	--
L 13N 5W	201	11	50	--	--	--	--
L 13N 8W	201	18	120	--	--	--	--
L 13N 10W	201	43	125	--	--	--	--
L 13N 11W	201	11	90	--	--	--	--
L 13N 12W	201	18	140	--	--	--	--
L 13N 13W	201	15	95	--	--	--	--
L 13N 14W	201	12	52	--	--	--	--
L 13N 15W	203	14	100	--	--	--	--
L 13N 16W	201	4	10	--	--	--	--
L 13N 17W	201	12	140	--	--	--	--
L 13N 18W	201	9	65	--	--	--	--
L 14N 4E	201	13	80	--	--	--	--
L 14N 5E	201	7	56	--	--	--	--
L 14N 7E	203	29	205	--	--	--	--
L 14N 13E	201	16	73	--	--	--	--
L 14N 15E	201	17	85	--	--	--	--
L 14N 2W	201	15	70	--	--	--	--
L 14N 3W	203	14	50	--	--	--	--
L 14N 4W	201	15	60	--	--	--	--
L 14N 5W	203	4	35	--	--	--	--
L 14N 7W	201	13	79	--	--	--	--
L 14N 8W	201	17	110	--	--	--	--
L 14N 10W	203	18	50	--	--	--	--
L 14N 11W	201	19	125	--	--	--	--
L 14N 12W	201	14	48	--	--	--	--
L 14N 13W	201	45	140	--	--	--	--
L 14N 14W	201	16	110	--	--	--	--
L 14N 15W	203	13	95	--	--	--	--
L 14N 16W	201	10	92	--	--	--	--
L 14N 17W	203	14	110	--	--	--	--
L 14N 18W	201	15	47	--	--	--	--
L 15N 0	203	15	70	--	--	--	--
L 15N 2E	201	9	64	--	--	--	--

Certified by *H. Richter*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B C
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUP ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112246-004-A
 INVOICE # : 18112246
 DATE : 28-JUL-81
 P.O. # : NONE

ATTN: ROBER WANK

Sample description	Prep code	Pb opp	Zn ppm				
L 15N 3E	201	14	90	--	--	--	--
L 15N 7E	205	20	128	--	--	--	--
L 17N 9E	201	14	65	--	--	--	--
L 15N 12E	201	13	75	--	--	--	--
L 15N 14E	201	20	102	--	--	--	--
L 15N 17E	201	18	82	--	--	--	--
L 15N 13E	201	15	50	--	--	--	--
L 15N 3W	201	31	43	--	--	--	--
L 15N 5W	201	42	88	--	--	--	--
L 15N 7W	201	17	120	--	--	--	--
L 15N 8W	201	17	125	--	--	--	--
L 15N 9W	201	19	145	--	--	--	--
L 15N 10W	201	20	130	--	--	--	--
L 15N 11W	201	14	118	--	--	--	--
L 15N 12W	201	9	100	--	--	--	--
L 15N 13W	203	15	100	--	--	--	--
L 15N 14W	203	31	92	--	--	--	--
L 15N 15W	201	12	112	--	--	--	--
L 15N 16W A	201	12	110	--	--	--	--
L 15N 16W B	201	16	115	--	--	--	--
L 15N 17W	201	10	85	--	--	--	--
L 15N 18W	201	15	125	--	--	--	--
L 16N 16E	201	17	95	--	--	--	--
L 16N 18E	201	11	67	--	--	--	--
L 16N 1W	201	18	95	--	--	--	--
L 16N 2W	201	16	65	--	--	--	--
L 16N 6W	201	15	100	--	--	--	--
L 16N 7W	201	14	124	--	--	--	--
L 16N 8W	201	15	110	--	--	--	--
L 16N 9W	201	14	105	--	--	--	--
L 16N 10W	201	18	120	--	--	--	--
L 16N 11W	201	18	123	--	--	--	--
L 16N 12W	201	17	118	--	--	--	--
L 16N 14W	201	11	72	--	--	--	--
L 16N 16W	201	12	82	--	--	--	--
L 16N 17W	201	13	74	--	--	--	--
L 16N 18W	201	13	70	--	--	--	--
L 17N 3E	201	16	75	--	--	--	--
L 17N 8E	205	12	80	--	--	--	--
L 17N 11E	201	16	75	--	--	--	--

Certified by *H. W. Richler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112246-005-A
 INVOICE # : 16112246
 DATE : 28-JUL-61
 P.O. # : NONE

ATTN: ROBER WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 17N 12E	201	2	22	--	--	--	--
L 17N 14E	201	16	85	--	--	--	--
L 17N 15E	201	67	135	--	--	--	--
L 17N 15E	201	15	60	--	--	--	--
L 17N 1W	201	20	85	--	--	--	--
L 17N 2W	201	14	76	--	--	--	--
L 17N 3W	201	13	80	--	--	--	--
L 17N 4W	201	18	70	--	--	--	--
L 17N 9W	201	27	135	--	--	--	--
L 17N 10W	201	26	138	--	--	--	--
L 17N 11W	201	21	120	--	--	--	--
L 17N 12W	201	18	130	--	--	--	--
L 17N 13W	201	19	102	--	--	--	--
L 17N 15W	201	10	100	--	--	--	--
L 17N 16W	201	10	60	--	--	--	--
L 17N 17W	201	14	96	--	--	--	--
L 17N 18W	201	8	16	--	--	--	--
L 18N 3E	201	17	72	--	--	--	--
L 18N 7E	201	17	62	--	--	--	--
L 18N 9E	201	18	120	--	--	--	--
L 18N 12E	201	14	62	--	--	--	--
L 18N 13E	201	17	94	--	--	--	--
L 18N 14E	201	33	178	--	--	--	--
L 18N 15E	201	6	68	--	--	--	--
L 18N 16E	201	21	84	--	--	--	--
L 18N 18E	201	21	90	--	--	--	--
L 18N 2W	201	20	100	--	--	--	--
L 18N 5W	201	16	76	--	--	--	--
L 18N 7W	201	7	24	--	--	--	--
L 18N 8W	201	20	98	--	--	--	--
L 18N 9W	201	22	115	--	--	--	--
L 18N 11W	201	20	110	--	--	--	--
L 18N 13W	201	25	145	--	--	--	--
L 18N 14W	201	13	105	--	--	--	--
L 18N 17W	201	14	80	--	--	--	--
L 18N 18W	201	13	102	--	--	--	--
2L 1 0+00	201	17	68	--	--	--	--
1 0+00S	201	9	110	--	--	--	--
0+00 1E	201	12	150	--	--	--	--
L 0+00 2E	201	9	50	--	--	--	--

Certified by *H. W. Bichler*



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112248-003-A
 INVOICE # : 18112248
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 9+00S 20W	205	9	45✓	--	--	--	--
L 9+00S 21W	201	9	48✓	--	--	--	--
L 10+00S 4E	201	13	54✓	--	--	--	--
L 10+00S 5E	201	7	51✓	--	--	--	--
L 10+00S 6E	201	5	50✓	--	--	--	--
L 10+00S 7E	201	11	95✓	--	--	--	--
L 10+00S 9E	203	6	48✓	--	--	--	--
L 10+00S 10E	201	10	55✓	--	--	--	--
L 10+00S 11E	201	10	44✓	--	--	--	--
L 10+00S 12E	201	14	48✓	--	--	--	--
L 10+00S 13E	201	12	113✓	--	--	--	--
L 10+00S 14E	201	5	41✓	--	--	--	--
L 10+00S 15E	201	15	76✓	--	--	--	--
L 10+00S 16E	201	19	96✓	--	--	--	--
L 10+00S 17E	201	16	87✓	--	--	--	--
L 10+00S 18E	201	20	85✓	--	--	--	--
L 10+00S 0+00	201	7	31✓	--	--	--	--
L 10+00S 1W	201	5	39✓	--	--	--	--
L 10+00S 2W	201	12	41✓	--	--	--	--
L 10+00S 3W	201	7	32✓	--	--	--	--
L 10+00S 4W	201	12	110✓	--	--	--	--
L 10+00S 5W	201	11	48✓	--	--	--	--
L 10+00S 6W	201	14	55✓	--	--	--	--
L 10+00S 7W	201	11	51✓	--	--	--	--
L 10+00S 8W	203	11	40✓	--	--	--	--
L 10+00S 9W	201	12	65✓	--	--	--	--
L 10+00S 10W	201	12	47✓	--	--	--	--
L 10+00S 11W	201	10	52✓	--	--	--	--
L 10+00S 12W	201	7	38✓	--	--	--	--
L 10+00S 13W	201	18	141✓	--	--	--	--
L 10+00S 14W	201	12	38✓	--	--	--	--
L 10+00S 18W	201	1	10✓	--	--	--	--
L 10+00S 19W	201	16	106✓	--	--	--	--
L 10+00S 21W	201	5	20✓	--	--	--	--
L 10+00S 22W	201	8	27✓	--	--	--	--
L 10+00S 23W	201	5	25✓	--	--	--	--
BL #1 11S	201	7	46✓	--	--	--	--
L 11S 1E	201	5	23✓	--	--	--	--
L 11S 1+00 E	203	10	46✓	--	--	--	--
L 11S 2E	203	18	73✓	--	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112248-004-A
 INVOICE # : 18112248
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 115 1W	201	13	65	✓	--	--	--
L 115 2W	201	12	46	✓	--	--	--
L 115 3W	201	7	82	✓	--	--	--
L 115 4W	201	8	74	✓	--	--	--
L 115 5W	201	13	40	✓	--	--	--
L 115 6W	201	9	57	✓	--	--	--
L 115 7W	201	13	74	✓	--	--	--
L 115 8W	201	14	57	✓	--	--	--
L 115 9W	205	14	54	✓	--	--	--
L 115 10W	201	12	85	✓	--	--	--
L 115 11W	201	10	34	✓	--	--	--
L 115 12W	201	12	92	✓	--	--	--
L 115 17W	201	8	30	✓	--	--	--
L 115 19W	201	17	51	✓	--	--	--
L 115 20W	205	17	57	✓	--	--	--
L 115 21W	201	11	41	✓	--	--	--
L 115 22W	201	6	23	✓	--	--	--
L 115 26W	201	11	42	✓	--	--	--
9L #1 12+00S	201	11	73	✓	--	--	--
L 125 1E	201	11	45	✓	--	--	--
L 125 2E	201	10	64	✓	--	--	--
L 125 3E	201	16	95	✓	--	--	--
L 125 3+40E	205	9	51	✓	--	--	--
L 125 1W	201	15	58	✓	--	--	--
L 125 2W	201	13	85	✓	--	--	--
L 125 3W	201	11	65	✓	--	--	--
L 125 4W	201	7	35	✓	--	--	--
L 125 5W	201	12	73	✓	--	--	--
L 125 6W	201	12	56	✓	--	--	--
L 125 7W	201	11	52	✓	--	--	--
L 125 8W	201	10	86	✓	--	--	--
L 125 9W	201	11	40	✓	--	--	--
L 125 10W	201	12	51	✓	--	--	--
L 125 11W	201	16	90	✓	--	--	--
L 125 12W	201	10	23	✓	--	--	--
L 125 13 BL #2	201	9	16	✓	--	--	--
L 125 13W	201	14	51	✓	--	--	--
L 125 14W	201	14	18	✓	--	--	--
L 125 15W	201	10	48	✓	--	--	--
BL #1 13S	201	15	76	✓	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
NORTH VANCOUVER, B.C
CANADA V7J 2C1

TELEPHONE: (604)984-0221
TELEX 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS


TO : TURNEX EXPLORATION SERVICES LTD.
704-525 SEYMOUR ST.
VANCOUVER, B.C.
V6B 3H7

CERT. # : A8112248-005-A
INVOICE # : I8112248
DATE : 24-JUL-81
P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 135 1E	201	16	49	✓	--	--	--
L 135 2E	201	10	46	✓	--	--	--
L 135 3E	201	13	99	✓	--	--	--
L 135 4E	201	17	90	✓	--	--	--
L 135 5E	201	7	49	✓	--	--	--
L 135 1W	201	9	51	✓	--	--	--
L 135 2W	201	14	50	✓	--	--	--
L 135 3W	201	10	44	✓	--	--	--
L 135 4W	201	13	52	✓	--	--	--
L 135 5W	201	10	42	✓	--	--	--
L 135 7W	201	5	46	✓	--	--	--
L 135 8W	201	11	64	✓	--	--	--
L 135 9W	201	12	60	✓	--	--	--
L 135 10W	201	16	49	✓	--	--	--
L 135 11W	201	9	30	✓	--	--	--
L 135 12W	201	12	63	✓	--	--	--
L 135 14W	201	7	39	✓	--	--	--
L 135 15W	201	8	58	✓	--	--	--
L 135 16W	201	9	41	✓	--	--	--
L 135 18W	201	11	45	✓	--	--	--
L 135 19W	201	14	58	✓	--	--	--
L 135 20W	201	13	49	✓	--	--	--
L 135 21W	201	15	82	✓	--	--	--
L 135 22W	201	7	41	✓	--	--	--
L 135 23W	201	12	52	✓	--	--	--
L 135 24W	203	6	52	✓	--	--	--
L 135 25W	203	9	59	✓	--	--	--
L 135 26W	201	2	32	✓	--	--	--
L 135 27W	201	1	6	✓	--	--	--
BL #1 14S	201	13	52	✓	--	--	--
L 145 1E	201	4	17	✓	--	--	--
L 145 2E	201	13	68	✓	--	--	--
L 145 3E	201	16	39	✓	--	--	--
L 145 4E	201	14	92	✓	--	--	--
L 145 5E	201	16	127	✓	--	--	--
L 145 6E	201	11	47	✓	--	--	--
L 145 7E	201	13	84	✓	--	--	--
L 145 8E	201	11	61	✓	--	--	--
L 145 9E	201	16	98	✓	--	--	--
L 145 9+00F BL#3	201	8	52	✓	--	--	--

Certified by *Hart Bichler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B C
 CANADA V7J 2C1
 TELEPHONE: (604)984-0221
 TELEX. 043-52597

• ANALYTICAL CHEMISTS

• GEOCHEMISTS

• REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112248-006-A
 INVOICE # : I8112248
 DATE : 24-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 14S 10E	201	6	38	✓	--	--	--
L 14S 2W	201	12	58	✓	--	--	--
L 14S 3W	201	9	48	✓	--	--	--
L 14S 4W	201	7	55	✓	--	--	--
L 14S 5W	201	11	68	✓	--	--	--
L 14S 6W	201	10	75	✓	--	--	--
L 14S 7W	201	11	23	✓	--	--	--
L 14S 8W	201	12	61	✓	--	--	--
L 14S 9W	201	14	78	✓	--	--	--
L 14S 10W	201	10	54	✓	--	--	--
L 14S 11W	201	10	43	✓	--	--	--
L 14S 12W	201	7	34	✓	--	--	--
L 14S 13W	201	14	82	✓	--	--	--
L 14S 14W	201	8	30	✓	--	--	--
L 14S 15W	201	11	50	✓	--	--	--
L 14S 16W	201	12	61	✓	--	--	--
L 14S 18W	201	7	23	✓	--	--	--
L 14S 19W	201	7	26	✓	--	--	--
L 14S 20W	201	6	35	✓	--	--	--
L 14S 21W	201	8	28	✓	--	--	--
L 14S 22W	201	7	29	✓	--	--	--
L 14S 23W	201	11	37	✓	--	--	--
L 14S 25W	201	10	39	✓	--	--	--
L 14S 26W	201	20	87	✓	--	--	--
L 14S 27W	201	12	83	✓	--	--	--
L 15S 1E	201	12	62	✓	--	--	--
L 15S 2E	201	9	54	✓	--	--	--
L 15S 3E	201	5	26	✓	--	--	--
L 15S 4E	201	8	42	✓	--	--	--
L 15S 5E	201	9	60	✓	--	--	--
L 15S 6E	201	3	39	✓	--	--	--
L 15S 7E	201	14	86	✓	--	--	--
L 15S 8E	201	13	62	✓	--	--	--
L 15S 9E	201	9	75	✓	--	--	--
L 15S 9+00E BL#3	201	11	75	✓	--	--	--
L 15S 10E	201	7	111	✓	--	--	--
L 15S 1W	201	7	37	✓	--	--	--
L 15S 3W	201	5	28	✓	--	--	--
L 15S 14W	201	11	32	✓	--	--	--
L 15S 15W	201	8	39	✓	--	--	--

Hart Bickler

Certified by



MEMBER
 CANADIAN TESTING
 ASSOCIATION



CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE: (604) 984-0221
 TELEX 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112249-001-A
 INVOICE # : 18112249
 DATE : 23-JUL-81
 P.O. # : NONE

ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 155 16W	201	14	51	✓	--	--	--
L 155 17W	201	29	121	✓	--	--	--
L 155 18W	201	10	53	✓	--	--	--
L 155 19W	201	11	30	✓	--	--	--
L 155 20W	201	15	89	✓	--	--	--
L 155 21W	201	12	28	✓	--	--	--
L 155 22W	201	12	47	✓	--	--	--
L 155 24W	201	7	61	✓	--	--	--
L 155 25W	201	5	25	✓	--	--	--
L 155 26W	201	8	63	✓	--	--	--
L 155 27W	201	25	69	✓	--	--	--
L 16+00S 8L 0+00	201	20	94	✓	--	--	--
L 16+00S 1E	201	9	58	✓	--	--	--
L 16+00S 2E	201	12	54	✓	--	--	--
L 16+00S 3E	201	14	58	✓	--	--	--
L 16+00S 4E	201	15	85	✓	--	--	--
L 16+00S 5E	201	8	42	✓	--	--	--
L 16+00S 6E	201	8	53	✓	--	--	--
L 16+00S 7E	201	24	63	✓	--	--	--
L 16+00S 8E	201	26	111	✓	--	--	--
L 16+00S 9E	201	11	92	✓	--	--	--
L 16+00S 9+00S L3	201	6	31	✓	--	--	--
L 16+00S 9+70 E	201	13	81	✓	--	--	--
L 16+00S 1+00W	201	15	84	✓	--	--	--
L 16+00S 2+00W	201	50	46	✓	--	--	--
L 16+00S 3W	201	16	78	✓	--	--	--
L 16+00S 4W	201	8	24	✓	--	--	--
L 16+00S 5W	201	12	49	✓	--	--	--
L 16+00S 6W	201	13	60	✓	--	--	--
L 16+00S 7W	201	11	77	✓	--	--	--
L 16+00S 8W	201	17	67	✓	--	--	--
L 16+00S 9W	201	19	51	✓	--	--	--
L 16+00S 10W	201	19	95	✓	--	--	--
L 16+00S 11W	201	14	54	✓	--	--	--
L 16+00S 12W	203	30	63	✓	--	--	--
L 16+00S 13W	201	15	66	✓	--	--	--
L 16+00S 14W	201	9	34	✓	--	--	--
L 16+00S 15W	201	13	65	✓	--	--	--
L 16+00S 17W	201	16	59	✓	--	--	--
L 16+00S 18W	201	45	263	✓	--	--	--

Certified by *Hart Bickler*





CHEMEX LABS LTD.

212 BROOKSBANK AVE
 NORTH VANCOUVER, B.C.
 CANADA V7J 2C1
 TELEPHONE (604)984-0221
 TELEX: 043-52597

• ANALYTICAL CHEMISTS • GEOCHEMISTS • REGISTERED ASSAYERS

CERTIFICATE OF ANALYSIS

TO : TURNEX EXPLORATION SERVICES LTD.
 704-525 SEYMOUR ST.
 VANCOUVER, B.C.
 V6B 3H7

CERT. # : A8112249-003-A
 INVOICE # : I8112249
 DATE : 23-JUL-81
 P.O. # : NONE


ATTN: ROBERT WANK

Sample description	Prep code	Pb ppm	Zn ppm				
L 17+00S 13+00W	203	9	51	✓	--	--	--
L 17+00S 14+00W	201	17	49	✓	--	--	--
L 17+00S 15+00W	201	13	84	✓	--	--	--
L 17+00S 16+00W	201	15	65	✓	--	--	--
L 17+00S 17+00W	201	16	68	✓	--	--	--
L 17+00S 18+00W	201	16	88	✓	--	--	--
L 17+00S 19+00W	201	18	68	✓	--	--	--
L 17+00S 20+00W	201	17	79	✓	--	--	--
L 17+00S 21+00W	201	11	42	✓	--	--	--
L 17+00S 22+00W	201	14	45	✓	--	--	--
L 17+00S 23+00W	201	17	49	✓	--	--	--
L 17+00S 24+00W	201	12	42	✓	--	--	--
L 17+00S 25+00W	201	35	184	✓	--	--	--
L 17+00S 26+00W	201	25	99	✓	--	--	--
L 17+00S 27+00W	201	30	140	✓	--	--	--
L 18+00S BL #1	201	18	58	✓	--	--	--
L 18+00S 1+00E	201	12	35	✓	--	--	--
L 18+00S 2+00E	201	11	40	✓	--	--	--
L 18+00S 3+00E	201	13	37	✓	--	--	--
L 18+00S 4+00E	201	14	67	✓	--	--	--
L 18+00S 5+00E	201	15	107	✓	--	--	--
L 18+00S 6+00E	201	18	80	✓	--	--	--
L 18+00S 7+00E	201	5	15	✓	--	--	--
L 18+00S 8+00E	201	10	48	✓	--	--	--
L 18+00S 9+00E	201	9	35	✓	--	--	--
L 18+00S 9E BL#3	201	8	56	✓	--	--	--
L 18+00S 10E	201	13	49	✓	--	--	--
L 18+00S 1W	201	15	48	✓	--	--	--
L 18+00S 2W	201	21	145	✓	--	--	--
L 18+00S 3W	201	15	78	✓	--	--	--
L 18+00S 4W	201	9	42	✓	--	--	--
L 18+00S 5W	201	9	48	✓	--	--	--
L 18+00S 6W	201	24	79	✓	--	--	--
L 18+00S 7W	201	18	53	✓	--	--	--
L 18+00S 8W	201	12	92	✓	--	--	--
L 18+00S 9W	201	18	84	✓	--	--	--
L 18+00S 10W	201	16	75	✓	--	--	--
L 18+00S 11W	201	14	148	✓	--	--	--
L 18+00S 14W	201	5	5	✓	--	--	--
L 18+00S 15W	201	9	58	✓	--	--	--

Certified by *Hart Bichler*



27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ⚡ CANYON

LEGEND

- 200 — FIELD STRENGTH READING
- 5000 — MAGNETOMETER READING
- ± 3 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- — MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



ELECTROMAGNETIC SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 1B

Donald W. Kelly
July 26, 1981

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- ▲ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- 200 — FIELD STRENGTH READING
- 300 — MAGNETOMETER READING
- 2.5 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


ELECTROMAGNETIC SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 1 A

091072
Donald W. Kelly
July 26, 1981

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 SOIL SAMPLE CONTOUR
- BUSH ROAD
- CREEK
- CANYON

LEGEND

- 100 200 300 FIELD STRENGTH READING
- 200 300 400 MAGNETOMETER READING
- 20 30 40 DIP ANGLE READING
- 100 200 300 FIELD STRENGTH (Percentage)
- 10 20 30 DIP ANGLE (Degrees)
- 5000 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100ppm INTERVAL)
- Pb CONTOUR (20ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


GEOCHEMICAL SURVEY

001072

David L. Kelly
July 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 1C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 4
MAP 5	MAP 6
MAP 7	MAP 8
MAP 9	MAP 10
MAP 11	MAP 12
MAP 13	MAP 14

SHADED MAP REPRESENTS PLOTTED AREA

- SYMBOLS**
- SOIL SAMPLE LOCATION
 - STATION (Flagged) LOCATION by Chain and Compass
 - △ MAGNETOMETER BASE STATION
 - ⊠ LCP (Legal Corner Post)
 - CLAIM POST
 - ≡ SWAMP
 - SOIL SAMPLE CONTOUR
 - - - BUSH ROAD
 - ~ CREEK
 - ⊥ CANYON

- LEGEND**
- FIELD STRENGTH READING
 - MAGNETOMETER READING
 - DIP ANGLE READING
 - FIELD STRENGTH (Percentage)
 - DIP ANGLE (Degrees)
 - MAGNETIC CONTOUR - INTERVAL 200 Gammas
 - MAGNETIC DEPRESSION CONTOUR
 - APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
 PHOENIX EM (VLF-2) No. 1061
 GEM SYSTEMS MAGNETOMETER No. 1202

50 0 50 100 150 200 250 metres
 SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS
 WATSON LAKE MINING DIVISION
 WATSON LAKE, YUKON TERRITORY

001072


MAGNETOMETER SURVEY READINGS

Donald W. Kelly
 July 26, 1981

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 2 A

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- (LOW) — MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

ELECTROMAGNETIC SURVEY READINGS


FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 2 B

091072
Donald W. Kelly
July 24, 1982

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00

L 3+00N
L 2+00N
L 1+00N
L 0+00
L 1+00S
L 2+00S
L 3+00S
L 4+00S
L 5+00S
L 6+00S
L 7+00S
L 8+00S
L 9+00S
L 10+00S
L 11+00S



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- ▲ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ⤵ CANYON

LEGEND

- 120 / 90 / 25 MAGNETOMETER READING
- 120 / 90 / 25 FIELD STRENGTH (Percentage)
- 120 / 90 / 25 DIP ANGLE (Degrees)
- 500 MAGNETIC CONTOUR - INTERVAL 200 Gauss
- LOW MAGNETIC DEPRESSION CONTOUR
- ○ ○ APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

GEOCHEMICAL SURVEY

David H. Kelly
July 26, 1981

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 2 C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ✱ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ ~ ~ CREEK
- + + + — CANYON

LEGEND

- 220
590
25 FIELD STRENGTH READING
 MAGNETOMETER READING
 DIP ANGLE READING
- 50 — FIELD STRENGTH (Percentage)
- 50 — DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

MAGNETOMETER SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 3A

Donald W. Kelly
July 26, 1982



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
	MAP 4
MAP 5	MAP 6
MAP 8	MAP 7
MAP 9	MAP 11
MAP 10	MAP 12
	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ CREEK
- ⚡ CANYON

LEGEND

- 200 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 2.5 — DIP ANGLE READING
- V — FIELD STRENGTH (Percentage)
- V — DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

ELECTROMAGNETIC SURVEY READINGS

David W. Kelly
July 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 3B



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- ← 220
← 5900
← 50 MAGNETOMETER READING
- ← 50 MAGNETOMETER READING
- ← 50 MAGNETOMETER READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- 100 — MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100ppm INTERVAL)
- Pb CONTOUR (20ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072



GEOCHEMICAL SURVEY

Donald W. Kelly
July 26, 1981

FIELD WORK PERIOD : JUNE 1st to AUGUST 1st, 1981

MAP No. 3 C

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- ▲ STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ⊥ CANYON

LEGEND

- 220 — FIELD STRENGTH READING
- 330 — MAGNETOMETER READING
- 23° — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 — MAGNETIC CONTOUR - INTERVAL 200 Gauss
- LOW — MAGNETIC DEPRESSION CONTOUR
- — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072



MAGNETOMETER SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 4 A

Donald W. Kelly
July 26, 1981

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
PHOENIX EM (VLF-2) No. 106
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


ELECTROMAGNETIC SURVEY READINGS

Donald W. Bell
July 26, 1981

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 4 B

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- ▲ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⬇ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS



WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072

GEOCHEMICAL SURVEY

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

David W. Bell
July 26, 1981
MAP No. 4 C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ◊ LCP (Legal Corner Post)
- CLAIM POST
- ✱ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 100 MAGNETOMETER READING
- 200 MAGNETOMETER READING
- 300 MAGNETOMETER READING
- FIELD STRENGTH READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- ○ ○ ○ APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No 1061
GEM SYSTEMS MAGNETOMETER No 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



091072

MAGNETOMETER SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 5 A



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
 PHOENIX EM (VLF-2) No. 1061
 GEM SYSTEMS MAGNETOMETER No. 1202

SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
 WATSON LAKE, YUKON TERRITORY

091072


ELECTROMAGNETIC SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 5 B

Donald W. Kelly
 JULY 26, 1982

27+00W 26+00W 25+00W 24+00W 23+00W 22+00W 21+00W 20+00W 19+00W 18+00W 17+00W 16+00W 15+00W 14+00W 13+00W 12+00W 11+00W 10+00W 9+00W 8+00W 7+00W 6+00W 5+00W 4+00W 3+00W 2+00W 1+00W 0+00



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⬇ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 3900 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072


GEOCHEMICAL SURVEY

David W. Kelly
July 26, 1981

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 5 C

0+00 1+00E 2+00E 3+00E 4+00E 5+00E 6+00E 7+00E 8+00E 9+00E 10+00E 11+00E 12+00E 13+00E 14+00E 15+00E 16+00E 17+00E 18+00E



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- SOIL SAMPLE CONTOUR
- BUSH ROAD
- ~ CREEK
- ⤴ CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
 PHOENIX EM (VLF-2) No. 1061
 GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
 WATSON LAKE, YUKON TERRITORY

0910'2



MAGNETOMETER SURVEY READINGS

Donald W. Kelly
 JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. **6 A**

0+00 1+00E 2+00E 3+00E 4+00E 5+00E 6+00E 7+00E 8+00E 9+00E 10+00E 11+00E 12+00E 13+00E 14+00E 15+00E 16+00E 17+00E 18+00E



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ▬ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 120 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 2.5 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW — MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
PHOENIX EM (VLF-2) No. 1060
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072

ELECTROMAGNETIC SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 6 B



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ CREEK
- +—+— CANYON

LEGEND

- 120 5900 23 FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- 100 ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- — — — — Zn CONTOUR (100 ppm INTERVAL)
- · — · — Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

GEOCHEMICAL SURVEY

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 6C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- - - CREEK
- CANYON

LEGEND

- 120
2900
5
- FIELD STRENGTH READING
MAGNETOMETER READING
DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- ○ ○ APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

MAGNETOMETER SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. **7 A**



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS
	MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - BUSH ROAD
- ~ ~ ~ CREEK
- ⌞ CANYON

LEGEND

- 120 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 25 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR—INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

ELECTROMAGNETIC SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 7 B



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS
	MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ↓ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ ~ ~ CREEK
- ← ← ← ← ← CANYON

LEGEND

- 120 ——— FIELD STRENGTH READING
- 2900 ——— MAGNETOMETER READING
- 24 ——— DIP ANGLE READING
- — — — — FIELD STRENGTH (Percentage)
- — — — — DIP ANGLE (Degrees)
- 5900 ——— MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- — — — — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- — — — — Zn CONTOUR (100 ppm INTERVAL)
- — — — — Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



091072

GEOCHEMICAL SURVEY

Donald W. Hill
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 7C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ≡ SWAMP
- 100 SOIL SAMPLE CONTOUR
- BUSH ROAD
- CREEK
- CANYON

LEGEND

- 200 5000 FIELD STRENGTH READING
- 5000 MAGNETOMETER READING
- 2.5° DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS
WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



091072

MAGNETOMETER SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 8A

Donald W. Kelly
JULY 26, 1982



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ☼ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ▬ CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5000— MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


ELECTROMAGNETIC SURVEY READINGS

091072
JULY 26, 1982

David W. Kelly

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 8 B



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- ▲ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- - - CREEK
- - - CANYON

LEGEND

- 220 --- FIELD STRENGTH READING
- 280 --- MAGNETOMETER READING
- 29° --- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- --- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



091072

GEOCHEMICAL SURVEY

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 8 C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ≡ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ∩ CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS



WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

MAGNETOMETER SURVEY READINGS

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 9A

091072
Donald W. Kelly
JULY 26, 1982



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

- SYMBOLS**
- SOIL SAMPLE LOCATION
 - ▲ STATION (Flagged) LOCATION by Chain and Compass
 - MAGNETOMETER BASE STATION
 - ⊙ LCP (Legal Corner Post)
 - CLAIM POST
 - ⊕ SWAMP
 - 100 — SOIL SAMPLE CONTOUR
 - - - - - BUSH ROAD
 - CREEK
 - CANYON

- LEGEND**
- FIELD STRENGTH READING
 - MAGNETOMETER READING
 - DIP ANGLE READING
 - FIELD STRENGTH (Percentage)
 - DIP ANGLE (Degrees)
 - 5000 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
 - LOW ○ MAGNETIC DEPRESSION CONTOUR
 - ○ ○ ○ ○ APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
 PHOENIX EM (VLF-2) No. 1061
 GEM SYSTEMS MAGNETOMETER No. 1202

50 0 50 100 150 200 250 metres
 SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
 WATSON LAKE, YUKON TERRITORY



091072

ELECTROMAGNETIC SURVEY READINGS

David W. Kelly
 JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 9 B



MAP KEY

0+00W	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 SOIL SAMPLE CONTOUR
- BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 200 FIELD STRENGTH READING
- 23° MAGNETOMETER READING
- 23° FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100ppm INTERVAL)
- Pb CONTOUR (20ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


0910" 2

GEOCHEMICAL SURVEY

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 9C



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- ▲ STATION (Flagged) LOCATION by Chain and Compass
- ◆ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ⊥ CANYON

LEGEND

- 100 5900 5800 5700 FIELD STRENGTH READING
- ▲ MAGNETOMETER READING
- ◆ DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


0910°

MAGNETOMETER SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD : JUNE 1st to AUGUST 1st, 1981

MAP No. 10 A



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊕ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ ~ ~ CREEK
- ⌞ CANYON

LEGEND

- 100 — FIELD STRENGTH READING
- 500 — MAGNETOMETER READING
- 23° — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 500 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW — MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


ELECTROMAGNETIC SURVEY READINGS

001072

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 10 B



MAP KEY

MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- * SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- CREEK
- CANYON

LEGEND

- FIELD STRENGTH READING
- MAGNETOMETER READING
- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.
SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



GEOCHEMICAL SURVEY

091072

Donald W. Peck
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 10 C



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
	MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ✱ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 120
5900
5
- FIELD STRENGTH READING
MAGNETOMETER READING
DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 —
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○
- MAGNETIC DEPRESSION CONTOUR
- ○ —
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


0910/8

MAGNETOMETER SURVEY READINGS

Donald W. Parly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 11A



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA


SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ⤵ CANYON

LEGEND

- 120 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 2.5 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- — MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:
 PHOENIX EM (VLF-2) No. 1061
 GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
 WATSON LAKE, YUKON TERRITORY



0910/2

ELECTROMAGNETIC SURVEY READINGS

Donald W. Kelly
 JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 11 B



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- ~ 100 SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- ~ CANYON

LEGEND

- 120 --- FIELD STRENGTH READING
- 5900 --- MAGNETOMETER READING
- 2.5 --- DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW --- MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

GEOCHEMICAL SURVEY

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 11C



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⊥ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- BUSH ROAD
- ~ CREEK
- ⤴ CANYON

LEGEND

- 5000 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 25 — DIP ANGLE READING
- 50 — FIELD STRENGTH (Percentage)
- 5900 — DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


091072

MAGNETOMETER SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 12 A



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS
	MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- ⊙ MAGNETOMETER BASE STATION
- ⊠ LCP (Legal Corner Post)
- CLAIM POST
- ✱ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ ~ ~ CREEK
- +—+—+—+— CANYON

LEGEND

- 120 ——— FIELD STRENGTH READING
- 5900 ——— MAGNETOMETER READING
- 7.5 ——— DIP ANGLE READING
- ↙ ↘ FIELD STRENGTH (Percentage)
- ↙ ↘ DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

091072



ELECTROMAGNETIC SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 12 B

0+00 1+00E 2+00E 3+00E 4+00E 5+00E 6+00E 7+00E 8+00E 9+00E 10+00E 11+00E 12+00E 13+00E 14+00E 15+00E 16+00E 17+00E 18+00E



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS
	MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ⚡ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- - - - - BUSH ROAD
- ~ ~ ~ ~ ~ CREEK
- — — — — CANYON

LEGEND

- 120 —
— 5900 —
— 25 — FIELD STRENGTH READING
MAGNETOMETER READING
DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- — — — — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- — — — — Zn CONTOUR (100 ppm INTERVAL)
- · — · — Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



GEOCHEMICAL SURVEY

091072

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

0+00 1+00E 2+00E 3+00E 4+00E 5+00E 6+00E 7+00E 8+00E 9+00E 10+00E 11+00E 12+00E 13+00E 14+00E 15+00E 16+00E 17+00E 18+00E



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
MAP 4	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13


SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS

- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ↓ SWAMP
- 100 — SOIL SAMPLE CONTOUR
- BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 120 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 75 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900 — MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- ○ — APPARENT ELECTROMAGNETIC CONDUCTOR ZONE
- Zn CONTOUR (100 ppm INTERVAL)
- Pb CONTOUR (20 ppm INTERVAL)



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY


GEOCHEMICAL SURVEY

091072

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 13 C



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1 GEL CLAIMS MAP 2
	MAP 4
MAP 5	MAP 6
MAP 8	MAP 7
MAP 9	MAP 11
MAP 10	MAP 12
	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- ⊙ LCP (Legal Corner Post)
- CLAIM POST
- ⬇ SWAMP
- 100— SOIL SAMPLE CONTOUR
- - - - BUSH ROAD
- ~ ~ ~ CREEK
- CANYON

LEGEND

- 120 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 2.5 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- 5900— MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW ○ MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY



091072

ELECTROMAGNETIC SURVEY READINGS

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 13 B



MAP KEY

0+00	
MAP 1	MAP 3
MAP 2	MAP 1
	GEL CLAIMS
MAP 4	MAP 2
	MAP 6
MAP 5	MAP 7
MAP 8	MAP 11
MAP 9	MAP 12
MAP 10	MAP 13

SHADED MAP REPRESENTS PLOTTED AREA

SYMBOLS


- SOIL SAMPLE LOCATION
- STATION (Flagged) LOCATION by Chain and Compass
- △ MAGNETOMETER BASE STATION
- LCP (Legal Corner Post)
- CLAIM POST
- ✱ SWAMP
- SOIL SAMPLE CONTOUR
- - - BUSH ROAD
- ~ CREEK
- CANYON

LEGEND

- 5900 — FIELD STRENGTH READING
- 5900 — MAGNETOMETER READING
- 5900 — DIP ANGLE READING
- FIELD STRENGTH (Percentage)
- DIP ANGLE (Degrees)
- MAGNETIC CONTOUR - INTERVAL 200 Gammas
- LOW — MAGNETIC DEPRESSION CONTOUR
- APPARENT ELECTROMAGNETIC CONDUCTOR ZONE

INSTRUMENT USED:

PHOENIX EM (VLF-2) No. 1061
GEM SYSTEMS MAGNETOMETER No. 1202



SCALE 1:2500

KIMBERLEY GOLD RESOURCES INC.

SKULL CLAIM GROUP - 180 UNITS

WATSON LAKE MINING DIVISION
WATSON LAKE, YUKON TERRITORY

MAGNETOMETER SURVEY READINGS

091072

Donald W. Kelly
JULY 26, 1982

FIELD WORK PERIOD: JUNE 1st to AUGUST 1st, 1981

MAP No. 13 A