

# CANEX AERIAL EXPLORATION LTD.

DIVISION OF CANADIAN EXPLORATION LIMITED

700 BARRARD BUILDING

VANCOUVER 5, B. C. CANADA

The diamond drill core from the Lewes River Mines Ltd. (N.P.L.) property is stored in a warehouse belonging to White, Hosford, and Impey Ltd., Legal Surveys and Engineering. The warehouse is located in the industrial area north of Whitehorse, Y.T.

LEWES RIVER MINES LTD. (NPL)

09/11/7

105-D-10, II, 14.

10-23

105-D-10 BC claims.

Copy

14 JAN/70

# Drill Hole Log

1 of 11

COMPANY Canex Aerial Exploration Ltd PROPERTY Grid. 1 Lewes River Mines Section No. \_\_\_\_\_ HOLE No. DDH-3

Started <u>Oct 13, 1969</u>	Bearing _____	Lat. _____	Collar El. _____	Logged by <u>D. Howard</u>	Date <u>Oct. 17, 1969</u>
Completed <u>Oct 17, 1969</u>	Angle from Horiz. <u>90</u>	Dep. _____	Bottom El. _____	Remarks <u>Scale 1"=10'</u>	
Driller _____	Length <u>510</u>	Location <u>L52N-46E</u>	Level _____		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
0						Overburden 0-24'						
10												
20												
30			23	93		24-30 Very fine grained pale green aphanitic siliceous metasilicate or greenstone. No sulfides Sample 26						
40			33	93		30-37 Same as above. Tr of pyrite						
			38	93		37-40 Very fine grained medium gray aphanitic metagreywacke Some py and dendritic MnO Sample 38						
			39	95								
50			44	95		39-41 Shear zone. Intense limonite staining						
			47	90		40-50 Same rock type as above						

# Drill Hole Log

 COMPANY *Carex Aerial Exploration*

 PROPERTY *Grid 1 Lewis River Mines*

Section No.

 HOLE No. *DDH-3*

Started <i>Oct 13, 1964</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 17, 1964</i>
Completed <i>Oct 17, 1964</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location <i>L52N-46E</i>	Level		

Footage		Est Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
<i>50</i>		<i>0.05</i>	<i>52</i>	<i>98</i>	<i>50-51 - Spraying meta-greywacke 51-56 Very fine grained pale to medium green spherulitic siliceous metacherts contains some fine gr. garnets and px. Tr. cpy. Gradational into the following 56-60 Fine grained ep. lte garnet skarn. Moderately brecciated. A few qtz veins. Minor pyrrhotite and cpy. Generally concentrated in qtz stringers Sample 57</i>	<i>7159</i>	<i>50-60</i>			<i>Tr</i>	<i>Tr</i>	<i>.05</i>
<i>60</i>		<i>Tr(?)</i>	<i>62</i>	<i>90</i>	<i>60-70 Gradational into very fine grained pale green to brown garnetiferous siliceous meta greywacke (Appears to be same unit as 98-DDH-2) Questionable very finely disseminated bornite in brown variety Tr. pyrite or pyrrhotite Sample</i>	<i>7160</i>	<i>60-70</i>			<i>Tr</i>	<i>.02</i>	<i>.02</i>
<i>70</i>			<i>73</i>	<i>95</i>	<i>70-80 Similar to above. Color variable green to brown Color appears to be dependent on garnet content No visible bornite</i>							
			<i>78</i>	<i>95</i>								
<i>80</i>			<i>83</i>	<i>95</i>	<i>80-90 Same as above</i>							
			<i>89</i>	<i>90</i>								
<i>90</i>			<i>95</i>	<i>90</i>	<i>90-100 Same as above except pyrite becomes prominent. Pyrite 1%</i>							
<i>100</i>												

# Drill Hole Log

COMPANY *Canex Aerial Exploration Ltd.* PROPERTY *Grid 1 Lewis River Mines* Section No. HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i> Date <i>Oct. 17, 1969</i>
Completed <i>Oct. 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>
Driller	Length <i>510</i>	Location <i>L52N-46E</i>	Level	

Footage		Interval Ca	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%									
<i>100</i>		<i>Tr</i>	<i>104</i>	<i>98</i>		<i>100-109 Very fine grained pale green argillitic siliceous siltstone Pyrite 1-2%</i>							
			<i>109</i>	<i>98</i>									
<i>110</i>		<i>D.1</i>	<i>121</i>	<i>98</i>		<i>109-110 Garnetiferous minor disseminated pyrite 110-116 Same as above</i>							
			<i>126</i>	<i>95</i>									
<i>120</i>			<i>125</i>	<i>98</i>	<i>Silty</i>	<i>120-125 Same as above Fine grained light green to gray equigranular diorite. Intense chlorite alteration decreasing away from contact Minor disseminated pyrite</i>							
<i>130</i>			<i>131</i>	<i>98</i>		<i>130-140 Same as above</i>							
			<i>136</i>	<i>98</i>									
<i>140</i>			<i>140</i>	<i>98</i>									
			<i>142</i>	<i>98</i>		<i>140-150 Same unit as above</i>							
			<i>147</i>	<i>98</i>									
<i>150</i>													

# Drill Hole Log

COMPANY *Canex Aerial Exploration*

PROPERTY *Grid 1 Lewes River Mines*

Section No.

HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 17, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location <i>LSRN-46E</i>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
<i>150</i>			<i>152</i>	<i>98</i>		<i>150-160 Continuation of unit. Fine grained light green diorite. Contains some pyrite</i>						
			<i>157</i>	<i>98</i>								
<i>160</i>			<i>162</i>	<i>98</i>		<i>160-163 Same as above grading into a v. fine grained brown garnetiferous meta greywacke or diorite. Similar to 98-004-2 Intensely jointed - 30° Sample 169</i>						
			<i>167</i>	<i>95</i>								
<i>170</i>			<i>172</i>	<i>98</i>		<i>Same as above but varied colored - brown, green &amp; combination Contains finely disseminated cpy and py</i>						
		<i>0.1</i>	<i>177</i>	<i>98</i>		<i>1/2" garnetite band containing 2-5% cpy &amp; py.</i>	<i>7161</i>	<i>170-180</i>		<i>Tr</i>	<i>.04</i>	<i>.11</i>
<i>180</i>			<i>182</i>	<i>98</i>		<i>Fine to coarse grained equigranular to porphyritic biotite porphyritic diorite. Segregation bands now contact. Tr MX + cpy</i>						
		<i>0.4</i>	<i>187</i>	<i>98</i>		<i>180-182 Same as above</i> <i>182-190 Complex sequence of meta greywacke, garnetite, epidote skarn &amp; epidote-garnet skarn. All rock types contain very finely disseminated cpy, py and (?) bornite</i>	<i>7163</i>	<i>180-190</i>		<i>Tr</i>	<i>.04</i>	<i>.19</i>
<i>190</i>			<i>192</i>	<i>98</i>		<i>190-197 Same as above but less sulfide.</i>						
		<i>Tr</i>	<i>193</i>	<i>98</i>								
			<i>198</i>	<i>98</i>		<i>Coarse grain diorite in contact with skarn. Porphyry intrudes the diorite</i>	<i>7164</i>	<i>190-200</i>		<i>Tr</i>	<i>.04</i>	<i>.17</i>
<i>200</i>						<i>197-200 Fine grained gray porphyritic andesite. Microcryst 2-5um No sulfides</i>						

BURROUGHS PRINTING

# Drill Hole Log

 COMPANY *Canex Aerial Exploration*

 PROPERTY *Grid 1 Lewes River Mines*

Section No.

 HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 13, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location <i>L52 N-46E</i>	Level		

Footage		Ft Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	
<i>200</i>		<i>0.1</i>	<i>202</i>	<i>95</i>	<i>50 40</i>	<i>200-202</i> Fine grained grey porphyritic andesite							
			<i>204</i>	<i>95</i>		<i>202-202.5</i> Silver of epidote-garnet							
			<i>209</i>	<i>98</i>		<i>202.5-210</i> Fine to coarse grained porphyritic hornblende diorite. Hornblende phenocryst 2-5 mm. Tr of epidote. Chlorite alteration common. Minor <sup>iron</sup> py + cpy decreasing away from contact. Generally associated with epidote.	<i>7165</i>	<i>200-210</i>		<i>Tr</i>	<i>Tr</i>	<i>.05</i>	
<i>210</i>						<i>Sample 205</i>							
						<i>210-220</i> Same as above with only a trace of sulfides.							
			<i>214</i>	<i>98</i>									
			<i>218</i>	<i>98</i>									
<i>220</i>						<i>220-230</i> Same as above							
			<i>222</i>	<i>98</i>									
			<i>227</i>	<i>98</i>									
<i>230</i>						<i>230-235</i> Same as above							
			<i>232</i>	<i>98</i>		<i>235-240</i> Same rock as above except it is moderately altered. Bleaching of ferromagn and development of pink feldspar between 237+239. (Chlorite pink). Pink section contains Tr of hornblende and cpy. No obvious cause for bleaching. Gradational contact between pink feldspar diorite & other diorite							
			<i>237</i>	<i>98</i>									
<i>240</i>						<i>240-246</i> Same diorite as above. no pink feldspar. moderately bleached							
			<i>242</i>	<i>98</i>		<i>246-247.5</i> Transition zone pink feldspar etc.							
			<i>247</i>	<i>98</i>		<i>247.5</i> Fine to coarse grained garnet-tremolite skarn grading into a epidote skarn.							
						No sulfides.							
						Gradational contacts							
<i>250</i>													

# Drill Hole Log

 COMPANY *Canex Aerial Exploration*

 PROPERTY *Grid 1 Lewis River Mines*

Section No.

 HOLE No. *ODH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 18, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1"=10'</i>	
Driller	Length <i>510</i>	Location <i>L52N-46E</i>		Level	

Footage		Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
<i>250</i>		<i>Tr</i>	<i>252</i>	<i>98</i>		<i>250-252 Transition zone - pink bleached diorite and intense chlorite diorite 252-260 Fine to coarse grained slightly porphyritic hornblende diorite. Alteration (chlorite) nil to moderate Tr cpy + py</i>	<i>7166</i>	<i>250-260</i>		<i>Tr</i>	<i>Tr</i>	<i>.04</i>
			<i>257</i>	<i>98</i>								
<i>260</i>			<i>262</i>	<i>98</i>		<i>260-264 Same as above 264-267 Bleached diorite containing pink feldspar 267-270 Unbleached diorite as above Very little sulfide present</i>						
		<i>267</i>	<i>98</i>									
<i>270</i>			<i>273</i>	<i>95</i>		<i>270-280 Same as above</i>						
		<i>278</i>	<i>98</i>									
<i>280</i>			<i>283</i>	<i>98</i>		<i>280-290 Same as above</i>						
		<i>288</i>	<i>98</i>									
<i>290</i>			<i>291</i>	<i>98</i>		<i>290-300 Same as above</i>						
<i>300</i>												

# Drill Hole Log

COMPANY *Capex Aerial Exploration*      PROPERTY *Grid 1 Lewis River Mines*      Section No.      HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 13, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location <i>L52N-46E</i>		Level	

Footage		Est Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
300		Tr	301	98		300-307 Fine to coarse grain slightly porphyritic hornblende diorite with pink feldspar bleached section from 307 to 307. Minor cpy & py below bleached section (307-310). Garnet also present in diorite.	7167	300-310		Tr	Tr	.05
			306	98								
310		0.2	311	98	10'	310-317 Same as above except increased chloritic alteration and has bleached appearance. Marked increase in finely disseminated cpy. 317-320 Fine to medium grain epidote-garnet skarn. Contains mod. amount of cpy. Contact sharp.	7168	310-320		Tr	Tr	.12
			318	98								
320		0.1	323	98		320-330 Mixed zone containing epidote-garnet skarn, garnet-tremolite skarn, intensely altered diorite and gneiss, etc. Less cpy than above. Contacts gradational.	7169	320-330		Tr	Tr	.05
			329	98								
330		0.15	334	98	30'	330-337 Fine to coarse grained garnet-tremolite skarn. No cpy. 337-340 Fine grained epidote-garnet skarn. Contains 2 0.5 cu as disseminated cpy.	7170	330-340		Tr	.04	.19
			339	98								
340		0.7	341	98	30'	340-341 Same as above. 341-350 Fine to medium grained slightly porphyritic hornblende diorite. Relatively strong chlorite alteration. Mod. fracturing. Contains a fair amount of disseminated cpy and cpy filled microfractures.	7171	340-350		Tr	Tr	1.03
			347	98								
350												

# Drill Hole Log

 COMPANY *Conex Aerial Exploration*

 PROPERTY *Grid 1 Lewis River Mines*

Section No.

 HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 17, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location	Level		

Footage		Est Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
350		0.4	352	98	350-360 Mixed zone - Epidote-garnet skarn, garnetite, and garnet-tremolite skarn. All moderately fractured. Disseminated cpy & bornite and few micro fract filling generally associated with epidote rich sections. Garnet-tremolite skarn section barren and garnetite section nearly barren.	7172	350-360		Tr	.14	.78	
			357	98								
360		0.4	362	98	360-370 Same as above except mineralization is restricted to 3" zone (363) containing ~10% bornite and unknown gray sulfide similar to enargite. Moderate brecciation throughout.	7173	360-370		Tr	.40	1.28	
			368	98								
370		Nil	373	98	370-380 Blue-greenish east epidote-garnet-tremolite skarn. Massive, No sulfides.	7174	370-380		Tr	Tr	.03	
			378	98								
380		Nil	383	98	380-384 Same as above 384-385 Green pyritiferous felsite dolo 385-387 Garnetite 387-390 Very fine grain pale green pyritiferous felsite dolo Sample 389							
			388	98								
390		1.5	393	98	390-392 Same as above 392-396 Garnet skarn Sample 395 396-399 Fine grain epidote(?) skarn containing 30% cpy. massive. Grades epidote garnet skarn contains minor disseminated cpy	7175	390-400		Tr	.10	1.85	
			398	98								
400					400-400 Epidote-garnet skarn							

# Drill Hole Log

 COMPANY *Canex Aerial Exploration*

 PROPERTY *Grid 1 Lower River Mines*

Section No.

 HOLE No. *DDH-3*

Started <i>Oct 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 19, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1"=10'</i>	
Driller	Length <i>510</i>	Location <i>L52N-46E</i>	Level		

Footage		Est Interval Cu	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	
<i>400</i>		<i>0.2</i>	<i>483</i>	<i>98</i>		<i>400-410 A mixed sequence of epidote-garnet skarn and garnet tremolite skarn. A cpy in epidote sections. The epidote is bluish - may not even be epidote.</i>	<i>7176</i>	<i>400-410</i>		<i>Tr</i>	<i>.30</i>	<i>.05</i>	
			<i>408</i>	<i>96</i>									
<i>410</i>		<i>0.6</i>	<i>413</i>	<i>98</i>	<i>70</i>	<i>410-414 Slightly brecciated epidote-garnet skarn. Both true epidote and bluish variety. Mod. strong dissem. cpy + 1/4" blebs associated with garnet rich sections. Tr. MoS<sub>2</sub></i>	<i>7177</i>	<i>410-420</i>		<i>Tr</i>	<i>.06</i>	<i>.15</i>	
			<i>418</i>	<i>98</i>									
<i>420</i>		<i>0.2</i> <i>0.03 MoS<sub>2</sub></i>	<i>423</i>	<i>98</i>	<i>23</i>	<i>420-430 Same rock type containing a few large inclusions of meta-l.s. 421: 1/2 x 30 cpy in garnet envelope. Some pink feldspar (shibubite pink) Minor disseminated cpy + bornite + Tr MoS<sub>2</sub></i>	<i>7178</i>	<i>420-430</i>		<i>Tr</i>	<i>Tr</i>	<i>.19</i>	
			<i>428</i>	<i>98</i>									
<i>430</i>		<i>1.5</i>	<i>433</i>	<i>96</i>	<i>60</i>	<i>430-431 Same as above 431-435 Coarse grained tremolite-garnet skarn. Contains minor finely disseminated bornite 435-440 Fine to coarse grained intensely brecciated tremolite-garnet skarn. Contains a high % finely disseminated bornite</i>	<i>7179</i>	<i>430-440</i>		<i>Tr</i>	<i>.60</i>	<i>2.45</i>	
			<i>434</i>	<i>93</i>									
			<i>435</i>	<i>95</i>									
<i>440</i>		<i>2.0</i>	<i>444</i>	<i>98</i>		<i>440-450 Same as above</i>	<i>7180</i>	<i>440-450</i>		<i>Tr</i>	<i>.64</i>	<i>3.30</i>	
			<i>449</i>	<i>98</i>									
<i>450</i>													

# Drill Hole Log

 COMPANY *Canex Aerial Exploration*

 PROPERTY *Grid 1 Lewis River Mines*

Section No.

 HOLE No. *DDH-3*

Started <i>Oct. 13, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 19, 1969</i>
Completed <i>Oct 17, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>510</i>	Location <i>LSR N-46E</i>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%						Au	Ag	Cu
<i>450</i>		<i>1.5</i>	<i>452</i>	<i>98</i>		<i>450-460 Fine to coarse grained moderately brecciated tremolite-garnet scharn. Contains high % disseminated bornite and Tr. Ms.</i>	<i>7181</i>	<i>450-460</i>		<i>Tr.</i>	<i>.40</i>	<i>1.85</i>
		<i>202</i>										
		<i>MoSe</i>	<i>457</i>	<i>98</i>								
<i>460</i>		<i>0.3</i>	<i>462</i>	<i>98</i>	<i>60</i>	<i>462-464 Garnetite. Minor bornite. Calc. cpy is at contact</i>						
			<i>467</i>	<i>98</i>	<i>70</i>	<i>467-470 Fine grain brecciated chlorite-calcite scharn. Minor cpy</i>	<i>7182</i>	<i>460-470</i>		<i>Tr</i>	<i>.10</i>	<i>.65</i>
						<i>467-470 Fine to medium grained slightly porphyritic bleached bornite scharn. Intense chlorite alteration. Minor py, Tr cpy or bornite</i>						
<i>470</i>			<i>472</i>	<i>98</i>		<i>470-480 Same as above</i>						
						<i>A few calcite veins</i>						
			<i>478</i>	<i>98</i>								
<i>480</i>			<i>483</i>	<i>98</i>		<i>480-490 Same as above</i>						
			<i>488</i>	<i>98</i>								
<i>490</i>			<i>493</i>	<i>98</i>		<i>490-500 Same as above</i>						
<i>500</i>												



# Drill Hole Log

1 of 7

COMPANY *Cortex Aerial Exploration*

PROPERTY *Grid 1 Lewis River Mines*

Section No.

HOLE No. *DDH-4*

Started <i>Oct 18, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 20, 1969</i>
Completed <i>Oct 24, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length	Location <i>L 56N-46E</i>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
0						Overburden 0 - 40						
10												
20												
30												
40						40-50 Very fine grained matrix gray porphyritic andesite. Phenocrysts 2-5mm - feldspar No sulfides						
50												

# Drill Hole Log

COMPANY *Canex Aerial Exploration* PROPERTY *Grid 1 Lower River Mines* Section No. HOLE No. *DDH-A*

Started <i>Oct 18, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct. 20, 1969</i>	
Completed <i>Oct 21, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>		
Driller	Length	Location <i>L56N-46E</i>	Level			

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%									
50					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">20</span> </div>	50-52 Porphyritic andesite 52-60 Very fine grained pale green to gray aphanitic siliceous matrix siltstone							
60					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">30</span> </div>	60-69 Same as above							
70					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">30</span> </div>	69-70 Fine to coarse grained clathritic green diorite 70-71 Meta siltstone 71-75 Fine to medium grained equigranular leucocratic diorite Minor disseminated pyrrhotite							
80					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">30</span> </div>	75-80 Very fine grained pale green to gray aphanitic siliceous siltstone. Minor disseminated pyrrhotite							
90					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">30</span> </div>	80-88 Same as above							
100					<div style="position: relative; height: 100px;"> <span style="position: absolute; top: 0; left: -20px;">30</span> </div>	88-90 Very fine grained dark gray porphyritic andesite. Phenocrysts Contains magnetite 90-100 Same as above							

# Drill Hole Log

COMPANY *Carex Aerial Exploration*

PROPERTY *Grid 1 Lewis River Mines*

Section No.

HOLE No. *DDH-4*

Started <i>Oct 18, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 20, 1969</i>
Completed <i>Oct 21, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length	Location <i>L 56N-46E</i>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
<i>100</i>						<i>100-110 Very fine grained dark gray porphyritic andesite Phenocrysts 1 mm. Contains magnetite</i>						
<i>110</i>					<i>30</i>	<i>Sharp contact 110-120 Very fine grained pale green to gray aphanitic siliceous meta-siltstone. Minor finely disseminated pyrrhotite</i>						
<i>120</i>						<i>120-130 Same as above</i>						
<i>130</i>						<i>130-140 Same as above</i>						
<i>140</i>						<i>140-150 Same as above</i>						
<i>150</i>												

# Drill Hole Log

COMPANY *Conex Aerial Exploration*      PROPERTY *Grid 1 Lewis River Mines*      Section No.      HOLE No. *DDH-4*

Started <i>Oct 18, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i> Date <i>Oct 20, 1969</i>
Completed <i>Oct 21, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>
Driller	Length	Location <i>L 56N-46E</i>	Level	

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
<i>150</i>						<i>150-160 Very fine grained pale green to gray aphanitic siliceous meta-siltstone. Minor finely disseminated pyrochlore</i>						
<i>160</i>						<i>160-170 Same as above</i>						
<i>170</i>						<i>170-180 Same as above</i>						
<i>180</i>						<i>180-190 Same as above Contains 3 narrow (4-8") diorite dikes - contacts ~ 70°</i>						
<i>190</i>						<i>190-200 Same as above No dikes</i>						
<i>200</i>												

# Drill Hole Log

COMPANY Canex Aerial Exploration PROPERTY Grid 1 Lewis River Mines Section No. \_\_\_\_\_ HOLE No. DDH-4

Started <u>Oct 18, 1969</u>	Bearing _____	Lat. _____	Collar El. _____	Logged by <u>D. Howard</u> Date <u>Oct. 21, 1969</u>
Completed <u>Oct 21, 1969</u>	Angle from Horiz. <u>90</u>	Dep. _____	Bottom El. _____	Remarks <u>Scale 1" = 10'</u>
Driller _____	Length <u>312</u>	Location <u>L 56N-46E</u>	Level _____	

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
200						200-210 Very fine grained pale green to green aphanitic siliceous meta-siltstone. Minor disseminated pyrite. Occasional patches of med. gr. diorite						
210						210-220 Same as above						
220					15	diorite dike						
230						220-230 pale green and brown meta-siltstone						
240						230-237 Same as above						
250					30	237-241 Very fine grained dark gray porphyritic andesite phenocryst 1 mm. Sulfides marginalite						
250					30	241-250 Very fine grained pale green to gray aphanitic siliceous meta-siltstone						

# Drill Hole Log

COMPANY *Canex Aerial Exploration*

PROPERTY *Grid 1 Lewis River Mines*


Section No.

HOLE No. *DDH-4*

Started <i>Oct 18, 1969</i>	Bearing	Lat.	Collar El.	Logged by <i>D. Howard</i>	Date <i>Oct 21, 1969</i>
Completed <i>Oct 21, 1969</i>	Angle from Horiz. <i>90</i>	Dep.	Bottom El.	Remarks <i>Scale 1" = 10'</i>	
Driller	Length <i>312</i>	Location <i>L56N-46E</i>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
<i>250</i>						<i>250-260 Very fine grained grey to dark green aphanitic siliceous meta-siltstone Minor disseminated pyrite Occasional patch of dioritic material</i>						
<i>260</i>						<i>260-270 Same as above</i>						
<i>270</i>						<i>270-280 Same as above</i>						
<i>280</i>						<i>280-287 Same as above</i>						
<i>290</i>						<i>287-290 Very fine grained dark gray porphyritic andesite Pheno. linn contains quartzite</i>						
						<i>290-291 Meta siltstone</i>						
						<i>291-300 Porphyritic andesite; same as above</i>						
<i>300</i>												





DRAWN D.A.H.	SCALE 1" = 1600'	CANEX AERIAL EXPLORATION	GRID - IL
TRACED	DATE	DRILL LOCATION AND PROPERTY	
APPROVED		MAP - LEWES RIVER MINES	
			FILE No. V-112