105-M-13 DD-217

091275

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: 91,719.56 N | Departure: 162,045.99 W | Hole No.: #22 C-1

Date Drilled: OCT 8/76 | Elevation: 2801.50' | Bearing: ~~S 45° E~~ N 45° W | Page No.: 1 Of 2

Casing Depth: 30' | Overburden Depth: 35' | Length of Hole: 70' | Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37106	45	T		40	15	T	3.1	Grnst. 40 G.Q. 40 G.S. 10 Qtz 10 Lim. T Fe3O4 T Py T	37106	47	1.5	594				
10	15	37107	40	15		30	15	T	3.7	G.S. 45 G.Q. 40 Qtz. 10 Grnst. 5 Fe2O3 T Lim. T MN T Fe3O4 T	37107	170	2.5	1345				
15	20	37108	50	15	T	25	10	T	3.4	G.S. 35 G.Q. 50 Qtz. 10 Grnst. 5 Lim. T Fe2O3 T Fe3O4 T Py. T S.S. T	37108	234	2.4	1065				
20	25	37109	45	10	20	15	10	T	4.5	G.Q. 51 G.S. 25 Grnst. 10 Fe3O4 1 Fe2O3 2 S.S. 10 Pbs. 1 ZnS. T Lim. T MN. T	37109	871	4.3	1336				
25	30	37110	60	T	T	30	10	T	2.4	G.Q. 53 Grnst. 30 Qtz. 15 Fe3O4 2 S.S. T G.S. T Py. T ZnS. T Pbs T Fe2O3 T Lim. T	37110	160	1.4	1226				
30	35	37111	40		T	50	10	T	3.4	G.Q. 49 Grnst. 40 Qtz. 10 Fe3O4 1 ZnS. T Py. T Fe2O3 T Lim. T	37111	39	1.9	780				
35	40	37112	65		T	20	15	T	3.0	G.Q. 64 Grnst. 20 Qtz. 15 Fe3O4 1 Fe2O3 T Lim. T ZnS. T S.S. T	37112	31	1.4	658				
40	45	37113	55		T	30	15	T	5.5	G.Q. 65 Grnst. 25 Qtz. 10 G.S. T S.S. T ZnS. T Py. T Lim. T Fe2O3 T	37113	56	1.9	653				
45	50	37114	55		10	25	10	T	4.0	G.Q. 59 Grnst. 25 Qtz. 15 S.S. T Fe2O3 T Lim. T Fe3O4 1 ZnS. T Py. T	37114	43	1.6	529				
50	55	37115	55	T	10	25	10	T	5.0	G.Q. 52 Grnst. 25 Qtz. 10 S.S. 5 Py 3 G.S. 5 ZnS T Fe3O4 T Lim T	37115	23	1.2	150				
55	60	37116	40	10	15	25	10	T	4.5	G.Q. 52 Grnst. 35 Qtz. 10 Py. 2 ZnS T Lim. T Fe2O3 T G.S. T Fe3O4 1	37116	31	1.6	150				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location OH | Latitude | Departure | Hole No. C-1

Date Drilled Oct. 5th | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 30' | Overburden Depth 35' | Length of Hole 70' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37117	50	T	20	20	10	T	5.0	GQ 35 S.S. 20 Qtz 20 Py. 15 G.S. 10 Grnst T Fe3O4 T ZnS T Pbs. T	37117	150	2.1	687				
65	70	37118	30	T	40	20	10	T	4.4	S.S. 44 G.Q. 20 Qtz 10 Pbs. T ZnS T Py 20 Grnst. 5 G.S. T Fe2O3T Lim. T	37118	208	33	1001				

DD-217.

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#16

Location CH Latitude 91,746.05 N Departure 162,041.56 W Hole No. C-2

Date Drilled Oct. 5th Elevation 2,804.31' Bearing S 45° E Page No. 1 Of 4

Casing Depth 60' Overburden Depth 25' Length of Hole 205' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
C.	10	37066	45	10	10	20	15	T	4.0	G.Q 45 G.S 15 Grnst 20 Qtz 15 S.S 5 ZnS T Py T Lim T	37066	110	0.9	775			
10	15	37067	60	T	10	20	10	T	4.4	G.Q. G.S 10 Grnst 20 Qtz 10 S.S T Py T ZnS T Lim T	37067	490	3.3	2382			
15	20	37068	60	T	+	30	10	T	3.5	G.Q 55 G.S 25 Qtz 10 Grnst 10 ZnS T Py T Lim T Fe3O4 T S.S T	37068	94	1.5	1006			
20	25	37069	65	25	T	T	10	T	4.4	G.Q 55 G.S 35 Qtz 10 Grnst T S.S T ZnS T Py T Lim T Fe3O4 T	37069	78	0.9	458			
25	30	37070	45	40	T		15	T	3.7	G.Q 55 G.S. 25 Qtz 20 S.S T Py T Fe3O4 T ZnS T Lim T	37070	36	1.3	775			
30	35	37071	45	30	10		15	T	6.2	G.Q 75 Qtz 15 G.S 10 S.S T Lim T Fe3O4 T ZnS T	37071	24	0.4	465			
35	40	37072	55	35	T		10	T	3.5	G.Q. 90 Qtz 05 G.S 5 ZnS T Py T Fe3O4 T Lim T S.S T	37072	22	0.7	258			
40	45	37073	35	50	T		15	T	4.4	G.Q 55 G.S 10 Qtz 25 Py & S.S T ZnS T Fe3O4 Lim T	37073	59	1.1	378			
45	50	37074	45	25	30		10	T	5.0	G.Q 59 G.S. 15 Qtz. 10 S.S 16 Fe3O4 T ZnS T Lim T	37074	47	2.4	885			
50	55	37075	10		60	30	T	T	5.0	S.S. 55 Qtz 15 Py 30 G.Q. 0 G.S T Grnst T Fe3O4 T ZnS T Lim T	37075	21	1.7	450			
55	60	37076	T		60	20	10	T	5.3	S.S. 65 Qtz 25 Py. 10 G.Q. T G.S T Lim T Pbs T ZnS T	37076	37	0.5	346			

DD-27

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-2

Date Drilled OCT 6/64 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 20' Overburden Depth 25' Length of Hole 205' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37077	T		60	30	10	T	5.6	S.S 30 Qtz 15 Py 10 G.S 15 G.Q 10 Grnst T Lim T	37077	21	0.6	131			
65	70	37078			80	20	T	T	5.0	S.S. 30 Qtz 10 Py 10 Grnst T Lim T	37078	21	0.5	102			
70	75	37079			100	T	T	T	6.5	S.S. 25 Grnst. 10 Qtz. 5 G.S. T G.Q T Lim T FeCO3 T	37079	15	0.7	145			
75	80	37080			100	T	T	T	6.5	S.S. 94 G.S T Qtz 5 Fe3O4 1 Grnst T G.Q T Lim T	37080	17	0.8	162			
80	85	37081			80	20	T	T	6.5	S.S. 75 Grnst 20 Qtz 5 ZnS T G.S.T Py T Lim T Fe3O4 T FeCO3 T	37081	14	0.6	159			
85	90	37082			75	15	10	T	6.3	S.S 70 Qtz 20 Grnst. 10 Py T Fe3O4 T Lim T G.S T	37082	15	0.7	85			
90	95	37083			90	T	10	T	5.1	S.S. 55 Qtz 35 Grnst. 10 Py 1 Fe3O4 T	37083	27	0.7	102			
95	100	37084			70	10	20	T	5.7	S.S 40 Qtz 40 Py 20 G.Q T G.S T Lim T Fe3O4 T Pbs T FeCO3 T	37084	54	1.4	73			
100	105	37085			65	10	25	T	5.5	S.S 50 Qtz. 40 Grnst. 5 Py. 5 Fe3O4 T Pbs. T Lim T	37085	21	0.6	95			
105	110	37086			65	10	25	T	6.3	Qtz. 60 Lim. — S.S. 25 Py. 15 Fe3O4 T Pbs. T	37086	36	1.2	126			
110	115	37087			65	20	15	T	6.3	Qtz 40 S.S. 40 Py 20 Lim T G.S T Grnst. T Fe3O4 T	37087	21	0.8	111			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-2

Date Drilled Oct. 8th Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 25' Length of Hole 205' Dip -55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37088			70	20	10	T	5.7	S.S. 70 Qtz. 25 Grnst. T G.S. 4 Py 1 Lim. T Fe3O4 T Pbs. T	37088	20	0.6	69			
120	125	37089			60	20	20	T	5.5	S.S. Qtz. 30 Grnst. 10 Py 1 G.S. T Lim. T Fe3O4 T	37089	22	1.1	63			
125	130	37090			50	20	30	T	6.0	Qtz. 30 S.S. 50 Py 15 FeCO3 5 Pbs. T ZnS T Fe3O4 T Lim. T	37090	19	1.0	121			
130	135	37091			75	10	15	T	14.4	S.S. Grnst. T Qtz. 30 Py 15 Fe3O4 T FeCO3 T	37091	17	1.4	106			
135	140	37092			90	+	10	T	4.5	S.S. 65 Qtz. 25 Py. 10 Fe3O4 T Grnst. T FeCO3 Lim. T Pbs. T	37092	20	1.1	213			
140	145	37093			70	T	30	T	5.5	S.S. 40 Qtz. 30 Py 15 FeCO3 4 Grnst. 5 G.Q. T G.S. T Pbs. T ZnS T Lim. T Fe3O4 T	37093	24	1.4	358			
145	150	37094	15	20	50		15	T	9.7	Qtz. G.S. 20 S.S. 25 G.Q. 15 Py 25 Grnst. T	37094	36	1.3	412			
150	155	37095	20	30	30		20	T	9.5	S.S. 15 G.S. 25 Qtz. 20 G.Q. 20 Py 20 Lim. T Fe3O4 T	37095	30	08	426			
155	160	37096	20	30	40		10	T	8.0	G.Q. 25 S.S. 20 Py 25 G.S. 20 Qtz. 10 Lim T Fe3O4 T FeCO3 T	37096	25	20	616			
160	165	37097	30	T	50		20	T	7.4	S.S. 45 G.Q. 25 Qtz. 10 Py 10 FeCO3 10 Fe3O4 T Lim. T Pbs. T ZnS T	37097	24	1.5	579			
165	170	37098	20	10	60		10	T	7.3	G.Q. G.S. 10 S.S. 25 Py 15 Qtz. 10 Lim. T FeCO3 4 Fe3O4 T ZnS. T	37098	99	1.6	552			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-2

Date Drilled: OCT. 8/76 | Elevation: | Bearing: | Page No.: 4 Of 4

Casing Depth: 20' | Overburden Depth: 85' | Length of Hole: 205' | Dip: 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37099	20	10	60		10	T	6.5	S.S. G.Q. 20 Qtz. 10 Py 25 FeCo3 3 Grnst 1 GS 10 Fe3O4 T ZnS T Lim. T	37099	30	1.6	297				
175	180	37100	45	25	10		20	T	6.1	G.Q. GS. 20 Qtz 25 S.S. 10 Py 5 Mn. T FeCo3 5 Fe3O4 T ZnS. T	37100	31	1.1	329				
180	185	37101	70	10	10		10	T	4.7	G.Q. 80 GS 5 Qtz 10 Py 5 S.S. T Lim. T FeCo3 T ZnS. T	37101	24	0.9	209				
185	190	37102	100	T	T		T	T	6.2	G.Q. 90 Py. 5 G.S. 5 Grnst. T Qtz. T Lim. T FeCo3 T ZnS. T	37102	21	0.9	269				
190	195	37103	85	T			15	T	5.3	G.Q. 78 G.S. 5 Qtz 15 Grnst. T Py 2 Lim. T S.S. T FeCo3 T Pbs. T	37103	23	1.0	186				
195	200	37104	100	T	T		T	T	5.2	G.Q. 90 Qtz. 5 G.S. 5 ZnS. T Pbs T Py T Lim. T	37104	19	0.9	169				
200	205	37105	65	10	10		15	T	6.2	G.Q. GS. 15 Qtz 15 S.S. 10 GS. 15 Grnst. T Py. T Lim. T Fe3O4 T ZnS T Mn. T	37105	126	1.1	732				

DD-217

81 /

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 91,616.80 N Departure 161,977.50 W Hole No. C-3

Date Drilled Oct. 6/76 Elevation 2,764.21' Bearing S 45°E Page No. 1 Of 2

Casing Depth 25' Overburden Depth 25-30' Length of Hole 110' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37044	SC	10			10	T	1.5	Pbst GQ35 Qtz20 ZNST GS40 Grnst5 PYT FEC03T LIMT	37045	110	2.1	584			
10	15	37046	50	50			T		1.2	Grnst30 GS15 Qtz20 MNT PYT LIMT GQ35 ZNST. Pbst	37046	31	1.1	251			
15	20	37047	50	20	20		10	T	1.0	ZNST PYT Qtz20 GS25 Pbst Grnst15 GQ40 LIMT FEC03T. FE304T.	37047	39	1.0	228			
20	25	37048	50	20	20		10	T	1.3	ZNST GQ40 GS10 Grnst20 SS10 Qtz20 LIMT PYT FEC03T MNT	37048	35	1.5	679			
25	30	37049	40	20	40		T		1.8	Pbst ZNST GQ25 GS25 LIMT Grnst10 SS20 Qtz20 FEC03T MNT.	37049	44	1.8	1001			
30	35	37050	20	30	40	T	10		2.0	PY5 LIMT GQ30 GS20 SS10 Grnst10 Qtz25 FEC03T. ZNST MNT	37050	56	1.8	1573			
35	40	37051	60	T	30		10	T	1.5	PY10 GQ20 LIMT SS10 Qtz40 GS20. FEC03T ZNST & Grnst T	37051	42	0.7	508			
40	45	37052	50	T	50		T		2.0	Pbst PY5 GQ35 GS10 SS15 Grnst5 Qtz30 LIMT ZNST FEC03T FE304T.	37052	53	0.6	225			
45	50	37053	30		70	T	T		1.8	PY10 ZNST LIMT SS10 GS10 GQ50 Qtz20 FE304T. FEC03T MNT	37053	28	0.6	239			
50	55	37054	40		60		T		1.6	PY15 Pbst. LIMT GQ30 SS30 Qtz25 GS10 Grnst T MNT FEC03T.	37054	23	0.8	102			
55	60	37055	50		40	T	10	T	2.3	PY10 LIMT GQ30 SS10 GS30 Qtz20 MNT FEC03T Grnst T	37055	37	1.0	217			

DD-27

81

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-3

Date Drilled Oct. 6/72 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 2.5' Overburden Depth 2.5-70' Length of Hole 110' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37056	30	60	10	T	T	T	1.8	PY10 ZNST LIMT QTZ20 MNT GS10 GQ60 POST FE203T PBST.	37056	14	0.5	174			
65	70	37057	30	50	10	T	10		2.0	PY10 GS15 QTZ15 POST ZNST GQ60 MNT. LIMT FE203T	37057	11	0.6	145			
70	75	37058	40	50			10		2.3	POST LIMT QTZ20 PY10 GQ50 GS20 MNT. FE203T ZNST FE304T.	37058	10	0.5	120			
75	80	37059	60	20	10	T	10	T	1.5	POST LIMT GQ45 GS25 QTZ25 PY5 SST FE203T ZNST	37059	15	0.6	374			
80	85	37060	50		10	T	40	T	1.6	PY10 GQ40 SS5 Grnst5 PBST ZNST QTZ30 FE304T FE203T GS10	37060	28	0.8	568			
85	90	37061	60	T	10		30	T	2.0	POST GQ40 SS5 Grnst5 PY5 QTZ30 GS20 ZNST LIMT FE203T FE304T	37061	12	0.8	228			
90	95	37062	90		T	T	10		1.5	PY15 LIMT Grnst SST GS15 QTZ30 GQ20 MNT FE203T ZNST POST	37062	17	0.7	183			
95	100	37063	70		10	T	20	T	1.0	POST SST GQ50 PY10 GS15 QTZ25 ZNST FE203T FE304T.	37063	19	1.6	394			
100	105	37064	70		10	T	20	T	1.3	POST SST GQ45 PY15 GS20 QTZ20 ZNST FE304T	37064	17	1.9	411			
105	110	37065	80		T	10	10	T	1.8	POST Grnst GQ35 PY10 SS10 GS30 QTZ25 MNT. ZNST FE203T	37065	16	1.3	320			

DD-217

#22

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: 91,676.69N | Departure: 161,907.95W | Hole No.: C 4

Date Drilled: OCT 8/76 | Elevation: 2,788.96' | Bearing: S45°E | Page No.: 1 Of 1

Casing Depth: 30' | Overburden Depth: — | Length of Hole: 60' | Dip: 54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37119	15		40	20	25	T	3.5	G.Q 10 Qtz.35 S.S.43 Fe3O4 1 Py.5 ZnS.1 MN.T Fe2O3T Grnst.5 Lim.T	37119	45	2.2	246				
10	15	37120	10		60	15	15	T	5.7	S.S.49 G.Q.10 Qtz.20 Py.10 ZnS.1 Grnst.10 Lim.T (OXIDIZED)	37120	16	1.8	639				
15	20	37121	15		60	10	15	T	4.4	S.S.59 G.Q.15 Qtz.15 Grnst 10 Py T ZnS.1 MN.T Fe3O4 T Lim.T (OXIDIZED)	37121	19	1.3	2055				
20	25	37122	20		50	20	10	T	2.5	S.S. 54 G.Q.20 Qtz.20 Grnst 5 G.S.T ZnS.1 Py.T Lim.T Fe3O4T (OXIDIZED)	37122	43	1.1	1895				
25	30	37123	25		60	T	15	T	5.3	S.S. 52 Qtz.25 G.Q 20 ZnS.2 Py 1 Grnst.T Lim T	37123	38	1.4	347				
30	35	37124	15		50	20	15	T	5.1	S.S. 35 Qtz.30 Grnst.10 Py.15 G.Q.10 ZnS.T Fe3O4T Lim.T FeCO3T	37124	15	0.9	1425				
35	40	37125	20		45	20	15	T	5.1	S.S.40 Qtz.30 Grnst 20 G.Q 10 Py.T Lim.T Fe3O4T ZnS.T	37125	10	1.1	699				
40	45	37126	20		50	20	10	T	5.3	S.S.35 G.Q 25 Qtz 25 Py.5 Grnst.10 ZnS.T Lim.T Fe3O4 T	37126	34	1.1	574				
45	50	37127	20		60	T	10	T	4.0	S.S.60 G.Q 20 Qtz. 10 Py 5 ZnS.T MN.T Lim Fe3O4 T G.S.5	37127	26	0.8	246				
50	55	37128	30		60		10	T	4.7	S.S. 47 G.Q.30 Qtz 20 Py 3 G.S.T ZnS T Lim T Fe3O4T	37128	26	1.2	482				
55	60	37129	40		50		10	T	4.7	S.S.40 Qtz.15 G.Q.40 Py.5 Lim.T G.S.T Fe3O4 T ZnS.T	37129	33	1.1	590				

DD-27

TF 4/6

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,090.29 N Departure 161,742.13 W Hole No. C-5

Date Drilled Oct. 15/76 Elevation 2,932.42' Bearing S 45° E Page No. 1 Of 2

Casing Depth 35' Overburden Depth — Length of Hole 70' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37437	40	10	40		10	T	2.3	GS 50 GRNST SST. PYT GQ 30 QTZ 20 LIM T	37437	37	1.4	92			
10	15	37438	50	T	25		25	T	> 0	QTZ 30 GQ 40 LIM T PYT GS 30 GRNST SST FE LOST	37438	70	1.7	172			
15	20	37439	70	T	10		20	T	> 2	QTZ 40 GS 25 GQ 35 PYT FE LOST LIM T GRNST SST	37439	81	1.6	330			
20	25	37440	70		10		20	T	> 5	GS 20 SST GRNST QTZ 30 GQ 50 PYT LIM T FE 3 OUT	37440	74	1.8	341			
25	30	37441	60		20		20	T	2.0	GS 30 PYT GRNST QTZ 20 GQ 45 SS 5 LIM T FE LOST	37441	42	1.6	159			
30	40	37442	60		20		20	T	1.8	GS 25 GRNST SST QTZ 30 GQ 45 LIM T PYT FE 3 OUT FE LOST.	37442	105	1.9	158			
40	45	37443	90		T		10	T	> 5	GS 30 PYT POST LIM T GQ 50 QTZ 15 SS 5 MNT FE 3 OUT. INST	37443	625	5.3	1706			
45	50	37444	90		T		10	T	3.0	GS 25 SST LIM T INST GQ 50 QTZ 15 PYT FE LOST FE 3 OUT MNT.	37444	142	3.7	1650			
50	55	37445	70		15		15	T	> 0	GS 30 SST LIM T INST PYT GQ 50 QTZ 20 POST FE LOST.	37445	56	2.0	1016			
55	60	37446	60		25		10	T	> 1	GS 45 PYT INST SST QTZ 30 GQ 25 FE LOST FE 3 OUT	37446	57	1.7	85			
60	65	37447	65		25		10	T	1.5	GS 40 POST INST PYT GQ 10 QTZ 20 SST GRNST FE LOST	37447	71	1.2	1171			

DD-27

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

46

Location: OH | Latitude: | Departure: | Hole No.: C-5

Date Drilled: OCT 15/76 | Elevation: | Bearing: | Page No.: 2 Of 2

Casing Depth: 35' | Overburden Depth: — | Length of Hole: 70' | Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results				Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Ag. (oz/ton)	Pb. (%)	Zn (%)
65	70	37448	55		35		10	T	2.5	GS40 SST 4MT ZNST GQ40 Qtz20 PYT FeCO3T Fe3O4T.	37448	92	1.9	111.8				
70	75	37449	60		30		10	T	2.0	GS30 ZNST 4MT GQ40 Qtz25 PbST GrnSt T. FeCO3T SS5	37449	92	1.8	120.6				

DD-217

#76

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92203.0 N Departure 16713.0 W Hole No. C-6

Date Drilled OCT. 1975 Elevation 2985.0 Bearing S 45° E Page No. 1 Of 2

Casing Depth 50' Overburden Depth — Length of Hole 70' Dip 71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37424	45	T	40		15	T	4.3	G.Q. 55 G.S. 20 Qtz 20 S.S. T ZnS T Lim T Fe3O4 T Py T	37424	37	3.7	125			
10	15	37425	40	T	50		10	T	4.2	G.Q. 55 G.S. 30 Qtz 10 ZnS. T Lim. T S.S. 5 Fe3O4 T Fe2O3 T Py. T	37425	116	2.2	157			
15	20	37426	40	15	35		10	T	4.7	G.Q. 55 G.S. 30 Qtz 10 S.S. 5 Fe2O3 T Fe3O4 T ZnS. T Lim. T Py. T	37426	62	4.6	177			
20	25	37427	40	15	30		15	T	5.0	G.Q. 50 G.S. 25 Qtz 20 S.S. 5 Py T Lim. T Fe3O4 T ZnS. T	37427	77	3.7	150			
25	30	37428	20	30	30		20	T	4.5	G.Q. 40 G.S. 30 Qtz 20 S.S. 10 ZnS T Lim. T Fe3O4 T Py T	37428	67	4.2	151			
30	35	37429	45	15	30	T	10	T	2.5	G.Q. 45 G.S. 35 Qtz 15 S.S. 5 Py T ZnS. T Fe2O3 T Fe3O4 T Lim. T	37429	93	2.7	177			
35	40	37430	35	15	30	10	10	T	4.0	G.Q. 40 G.S. 20 Qtz 20 S.S. 10 Grnst T 5 Py 2 Pbs. T Mn. 2 ZnS 1 Fe3O4 T	37430	115	2.4	347			
40	45	37431	50	20	20	T	10	T	4	G.Q. 57 G.S. 20 Qtz 10 S.S. 10 ZnS. 2 Pbs. T Py T Mn. 1 Lim. T Fe3O4	37431	120	3.6	315			
45	50	37432	40	T	50		10	T	3.5	G.Q. 45 G.S. 20 S.S. 20 Qtz 10 ZnS. 2 Py 2 Pbs. T Lim T Mn. T	37432	151	4.3	430			
50	55	37433	30	T	60		10	T	4.2	G.Q. 45 G.S. 20 S.S. 20 Mn. 3 ZnS. 1 Pbs. 1 Qtz 10 Fe3O4 T Lim. T	37433	216	4.9	540			
55	60	37434	50	T	40		10	T	5.5	G.Q. 55 G.S. 10 Qtz 10 S.S. 20 Mn. 3 Py 1 ZnS. 1 Pbs. T Lim T Fe3O4 T	37434	123	2.5	164			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-6

Date Drilled: OCT 14/76 | Elevation: | Bearing: | Page No.: 2 Of 2

Casing Depth: 50' | Overburden Depth: — | Length of Hole: 70' | Dip: 71°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results				Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37435	50	10	30		10	T	7.2	GQ 62 G.S. 10 Qtz 20 Py. 3 S.S. T ZnS. 2 MN 2 Pbs 1 Lim T Fe3O4 T	37435	156	5.4	609				
65	70	37436	50	T	35		15	T	4.4	G.Q 58 G.S. 20 Qtz 10 S.S. 10 ZnS 1 MN 1 Pbs. T Lim T Fe3O4 T	37436	142	3.0	636				

DD-217

#38

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 92,273.08 N | Departure 161,695.97 W | Hole No. C-7

Date Drilled OCT. 14/71 | Elevation 3,011.23' | Bearing S 45° E | Page No. 1 Of 3

Casing Depth 20' | Overburden Depth 20.25' | Length of Hole 140' | Dip 70°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37397	60		30		10	T	6.5	GQ.50 G S.20 Qtz 10 S.S 20 Py T ZnS T Lim T Fe3O4T	37397	51	1.0	156			
10	15	37398	30	T	60		10	T	4.2	GQ 40 G.S. 40 Qtz T S.S 20 ZnS. T Lim T Fe3O4T	37398	37	0.7	104			
15	20	37399	40	20	20		20	T	5.0	G.Q 15 G.S. 30 Qtz 20 ZnS. T S.S. 5 Lim. T FeCO3T Fe3O4T	37399	41	1.0	130			
20	25	37400	30	20	40		10	T	5.2	G.Q 37 G.S. 35 S.S 20 Lim. T Qtz. 15 Pbs. T ZnS. 1 Py. T Fe3O4T MN. T	37400	104	2.1	342			
25	30	37401	30	T	70		T	T	5.1	G G.30 G.S. 25 S.S 30 Qtz 10 Py 5 ZnS. T Pbs T Lim. T Fe3O4T	37401	63	7.0	159			
30	35	37402	20	T	80		T	T	5.0	G.Q 47 S.S. 25 MN. 15 Qtz. 10 ZnS 2 Pbs. 1 Lim T	37402	109	5.8	549			
35	40	37403	75	T	15		10	T	5.3	G.Q 77 G.S.5 Qtz. 10 Py. 5 ZnS. T Pbs. T MN 2 FeCO3 T Lim. T	37403	95	1.8	204			
40	45	37404	80		10		10	T	5.5	GQ 73 G.S. 5 Qtz. 10 S.S T Py 2 ZnS. T MN T Pbs. T Lim. T Fe3O4T	37404	571	6.1	1023			
45	50	37405	90		T		10	T	4.8	GQ 78 G.S T Qtz 10 FeCO3 10 MN T Py 2 ZnS. T Pbs. T Lim. T Fe3O4T	37405	174	7.6	388			
50	55	37406	90		T		10	T	6.2	G.Q 81 Fe3O4T Qtz. 15 Py 2 ZnS T Pbs. T MN. T Lim. T	37406	69	1.3	105			
55	60	37407	100		T		T	T	6.5	G.Q 30 Qtz. 20 FeCO3T G.S. T S.S T Py T Lim. T Fe2O3T	37407	23	0.6	40			

DD-217

#38

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-7

Date Drilled: OCT. 14/76 | Elevation: | Bearing: | Page No.: 2 Of 3

Casing Depth: 20' | Overburden Depth: 20-25' | Length of Hole: 140' | Dip: 70°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
65	65	37408	90		T		10	T	8.4	G.Q 90 Qtz. 10 G.S T Py. T Lim. T S.S. T ZnS T	37408	16	0.5	95				
65	70	37409	90		T		10	T	7.4	G.Q 85 Qtz. 15 Py. T FeCo3 T ZnS. T Lim. T	37409	11	0.7	100				
70	75	37410	90		T		10	T	8.5	G.Q 75 Qtz 20 S.S. T FeCo3 T Py. 5 ZnS. T MN. T G.S. T	37410	19	1.5	101				
75	80	37411	100		T		T	T	7.1	G.Q 85 Qtz. 10 G.S. T Py 5 ZnS. T Lim. T Fe3O4 T MN T	37411	21	1.0	87				
80	85	37412	80		T		20	T	6.3	Qtz 75 G.Q. 25 G.S. T MN. T ZnS. T Lim. T	37412	21	1.9	69				
85	90	37413	85		T		15	T	6.9	Qtz 70 G.Q. 25 Py. 5 Lim. T Fe3O4 T MN. T FeCo3 T ZnS. T	37413	21	0.9	42				
90	95	37414	85		T		15	T	5.5	G.Q 90 Qtz. 25 ZnS. T Py 5 FeCo3 T MN. T Lim. T, Fe3O4 T	37414	59	1.7	82				
95	100	37415	85		T		15	T	5.3	G.Q 83 Qtz 15 Py 2 PbCo3 T Pbs T FeCo3 T ZnS. T Lim T Fe3O4 T MN. T	37415	188	3.1	332				
100	105	37416	80	T	10		10	T	5.2	G.Q 62 Qtz 10 MN. 15 Pbs. 3 Py. 5 FeCo3 5 G.S T ZnS T PbCo3 T Lim T Fe3O4 T	37416	816	5.9	2392				
105	110	37417	40	20	30		10	T	4.2	G.Q. 40 G.S. 25 Qtz. 10 S.S. 5 FeCo3 5 MN 10 Py 5 ZnS T Fe2O3 T Lim T Pbs T	37417	289	17.0	1959				
110	115	37418	20	T	70		10	T	6.0	G.Q. 45 S.S 25 Py 15 CuFeS2 T Qtz 15 ZnS. T Pbs T Lim T MN T	37418	47	3.5	578				

DD-27

#38

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-7

Date Drilled Oct 14th/76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 20' Overburden Depth 20-25' Length of Hole 140' Dip 70°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37419	10	30	50		10	T	4.7	GQ 25 Qtz 15 Py 20 SS 15 GS 20 MN 5 CuFeS2 T ZnS T Pbs T	37419	50	2.2	1310			
120	125	37420	55	15	20		10	T	6.0	GQ 65 GS 10 Py 15 Qtz 10 SS T ZnS T Pbs CuFeS2 T MN T Lim T	37420	19	1.4	464			
125	130	37421	40	30	20		10	T	4.0	GQ 77 GS 10 Qtz. 10 SS T ZnS 3 Pbs T MN FeCO3T MN1 Fe3O4T	37421	21	1.8	1009			
130	135	37422	40	30	20		10	T	4.7	GQ 67 GS 20 Qtz 10 SS T ZnS 1 Py 2 Pbs T Fe3O4T Lim T MN T	37422	74	2.3	1160			
135	140	37423	30	30	30		10	T	4.3	GQ 55 GS 30 Qtz 10 SS 5 Lim T ZnS T Pbs T MN T Fe3O4T	37423	92	2.3	569			

DD-27 # 154

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,316.51 N Departure 161,670.68 W Hole No. C-8

Date Drilled Oct. 14/71 Elevation 3,015.95' Bearing S 45° E Page No. 1 Of 2

Casing Depth 50' Overburden Depth 70' Length of Hole 100' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Au (p.p.b.)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37378	55	15	20		10	T	2.7	GQ.65 GS 25 Qtz 10 SST Py T ZnS T Lim T	37378	35	1.3	125			
10	15	37379	40	10	40		10	T	3.4	GQ.55 GS.35 Qtz.10 SST ZnS T Py.T Fe2O3 T	37379	61	1.1	161			
15	20	37380	40	15	20		25	T	5.0	GQ 40 GS 30 Qtz 20 ZnS. 2 Py.T MN.T SST Fe3O4 T Lim T	37380	76	1.0	149			
20	25	37381	40	10	25		25	T	5.1	GQ 49 GS.25 Qtz.25 ZnS. 1 SST Py.T MN Fe2O3 T Fe3O4 T Lim T	37381	55	3.0	166			
25	30	37382	40	15	20		25	T	4.7	GQ 52 GS 20 Qtz 20 SS 5 ZnS 1 Pbs.T MN.T Fe2O3T Lim T Py 2 Fe3O4 T	37382	130	3.5	141			
30	35	37383	30	15	35		20	T	5.3	GQ 60 GS 20 Qtz 20 ZnS T Pbs. T Py T Lim T S.S T	37383	74	1.7	156			
35	110	37384	25	10	40		25	T	5.4	GQ 38 GS.25 Qtz 25 SS 10 ZnS. 2 Pbs. T Fe2O3T Lim T	37384	54	1.7	112			
110	45	37385	45	15	20		20	T	3.5	GQ.49 GS 20 Qtz 20 ~~F.O.T~~ S.S. 5 FeCO3 5 ZnS. 1 Py T Lim. T	37385	41	0.8	120			
45	50	37386	45	20	15		20	T	4.3	GQ.56 GS. 20 Qtz 20 Py 3 ZnS 1 Pbs T Lim T S.S T	37386	45	1.0	133			
50	55	37387	55	15	10		20	T	4.9	GQ 42 GS. 25 Qtz. 30 MN T Py. 3. FeCO3 T SS T	37387	54	3.0	151			
55	60	37388	45	10	20		25	T	2.6	G Q.66 GS.10 Qtz. 20 S S Py 4 MN T Lim T ZnS T FeCo3 T	37388	50	27	172			

DD-217

#154

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-8

Date Drilled Oct. 14th | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 30' | Overburden Depth 30' | Length of Hole 100' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (p.p.m.)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37389	90	T	T		10	T	6.5	G.Q 83 G.S 5 Qtz 10 MN 1 Py T ZnS T S.S.T Pbs 1 Lim T FeCO3 1	37389	98	2.0	92			
65	70	37390	85	T	T		15	T	5.7	G.Q 76 G.S 5 Qtz 10 FeCO3 5 MN 2 Py 2 S.S.T Pbs T ZnS T Lim.T	37390	71	2.7	365			
70	75	37391	90		T		10	T	4.6	G.Q.66 Qtz 20 G.S ~~.05~~ Py 4 ZnS.1 Pbs T MN 4 Lim.T FeCO3T	37391	61	2.7	301			
75	80	37392	90		T		10	T	4.1	G.Q66 ZnS.1 Qtz. 20 Py 4 G.S.5 MN 4 Pbs.T FeCO3 T	37392	55	1.7	775			
80	85	37393	75				25	T	6.0	GQ 66 Qtz.30 G.S.T MN.4 ZnS T Pbs T FeCO3 T FeCO3 T Lim.T Py T	37393	41	1.4	329			
85	90	37394	85				15	T	5.7	G.Q 62 Qtz 10 PbCO3 T FeCO3 10 Py 10 Pbs 2 MN 4 ZnS. 2 S.S.T Lim.T	37394	199	4.1	453			
90	95	37395	70		10		20	T	5.2	G.Q 67 Qtz. 15 PbCO3 T MN 10 Py 5 G.S T ZnS. 2 Pbs. 1 Lim.T (OXIDIZED)	37395	121	4.5	730			
95	100	37396	65		15		20	T	4.6	G.G.77 Qtz 10 ZnS 3 MN 5 Py 3 Pbs T GS 2 S S T Lim T PbCO3 T Fe3O4 T FeCO3 T	37396	81	2.3	542			

DD/21
#106

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,329.70N Departure 161,611.17W Hole No. C-4

Date Drilled Oct 13/76 Elevation 3,001.45' Bearing S 45° E Page No. 1 Of 2

Casing Depth 40' Overburden Depth — Length of Hole 80' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
[illegible]	10	37362	50	20	20		10	T	5.0	GQ 65 GS 25 Qtz 10 SS T Fe2O3T Py T ZnS T Lim T Fe3O4 T	37362	46	1.8	100			
10	15	37364	60	T	30		10	T	4.4	GQ 65 GS 20 Qtz 10 SS 5 Py T ZnS T Fe2O3T Lim T Fe3O4T FeCO3T	37364	43	2.3	125			
15	20	37365	45	10	25		20	T	5.3	GQ 50 GS 20 Qtz 20 SS 5 Py T ZnS T Lim T Fe3O4T	37365	40	1.5	151			
20	25	37366	55	15	20		10	T	3.6	GQ 70 GS 15 Qtz 10 SS 5 ZnS T Fe2O3T Fe3O4 T	37366	35	1.3	94			
25	30	37367	45	10	35		10	T	5.0	GQ 38 GS 20 SS 30 Qtz 10 Py 2 ZnS T Lim T Fe3O4T	37367	23	0.8	87			
30	35	37368	45	10	30		15	T	3.4	GQ 59 GS 20 Qtz 15 SS 5 Grnst T ZnS 1 Fe3O4T Lim T Py T	37368	22	1.2	134			
35	40	37369	30	15	40		15	T	5.2	GQ 58 GS 20 Qtz 15 SS 5 Py 1 ZnS 1 Fe3O4T Lim T	37369	43	1.6	108			
40	45	37370	30	10	40		20	T	3.5	GQ 44 GS 20 Qtz 25 SS 10 Py T ZnS 1 Lim T Fe3O4T	37370	39	1.4	108			
45	50	37371	30	10	40		20	T	3.8	GQ 35 SS 15 GS 25 Grnst T Qtz 20 Py 4 ZnS 1 Pbs T Lim T Fe3O4T	37371	43	1.2	105			
50	55	37372	30	10	45		15	T	3.3	GQ Qtz 15 GS 20 SS 20 Py 4 ZnS T Fe3O4T Fe2O3T	37372	31	0.7	76			
55	60	37373	35	10	45		10	T	2.7	GQ 51 SS 15 Qtz 20 SS 10 Py 3 ZnS 1 Fe3O4T Fe2O3T Lim T	37373	32	0.8	114			

DD-217

106

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-9

Date Drilled Oct. 13/71 | Elevation | Bearing | Page No. 2 Of 2

Casing Depth 40' | Overburden Depth — | Length of Hole 80' | Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37374	30	20	50		T	T	4.1	GQ 45 GS 25 Qtz 15 SS 15 ZnS T Lim T Fe3O4 T	37374	25	0.6	95			
65	70	37375	20	10	60		10	T	4.1	GQ 42 GS 30 Qtz 10 SS 15 ZnS 1 Py 2 Lim T Fe3O4 T	37375	34	0.7	105			
70	75	37376	50	10	40		T	T	4.8	GQ 44 GS 35 Qtz 10 SS 10 ZnS 1 Py T Lim T Fe3O4 T	37376	53	2.7	145			
75	80	37377	45	10	30		15	T	4.5	GQ 39 GS 40 Qtz 10 SS 10 ZnS 1 Py T Lim T Fe3O4 T	37377	44	1.6	150			

DD-24
129

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH (Latitude 92,379.75 N Departure 161,612.20W Hole No. C-10

Date Drilled OCT. 15/75 Elevation 3,009.83 Bearing S 45° E Page No. 1 Of 2

Casing Depth 30' Overburden Depth 90' Length of Hole 110' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37342	60	10	10		20	T	5.5	GQ 57 G.S. 20 Qtz 20 Py 3 S.S T ZnS T Fe2O3 T FeCO3 T Lim T	37342	43	1.9	115			
10	15	37343	60	10	20	T	10	T	5.1	GQ 70 G.S. 20 Qtz 10 S.S T FeCO3 T Lim T ZnS T Fe2O3 T	37343	52	2.3	115			
15	20	37344	60	10	20	T	20	T	4.6	GQ MN T G.S. 20 Py. 10 Qtz 20 ZnS T FeCO3 T Lim T Fe3O4 T	37344	41	2.0	129			
20	25	37345	50	10	20	10	10	T	4.3	GQ 45 G.S 25 Qtz 20 S.S 5 FeCO3 5 Py T ZnS T Lim T Fe3O4 T	37345	37	1.8	119			
25	30	37346	40	10	20		30	T	6.2	GQ 48 Qtz 30 G.S 20 ZnS 1 Py 1 FeCO3 T MN T FeCO3 T S S T Fe3O4 T	37346	36	1.5	114			
30	35	37347	60	T	20	T	20	T	5.5	GQ Grnst 5 Qtz 20 S.S 15 G.S 25 Fe3O4 1 ZnS 2 Py T FeCO3 T MN T Co2O3 T	37347	30	1.5	111			
35	40	37348	60	10	20	T	10	T	5.0	GQ 49 G.S. 25 Qtz. 20 ZnS 1 Py T FeCO3 T S.S 5 Grnst T Lim T Fe3O4 T	37348	23	1.0	93			
40	45	37349	50	10	30		10	T	4.2	GQ 55 G.S. 25 Qtz. 20 S.S T Py. T ZnS T Lim T Fe3O4 T Grnst T	37349	28	0.9	77			
45	50	37350	60	20	20		10	T	5.4	GQ 56 G.S. 20 Qtz 15 Fe2O3 T S.S. 5 Py. 2 ZnS. 2 Lim T FeCO3 T	37350	30	1.3	82			
50	55	37351	50	20	20	T	10	T	5.6	GQ 55 G.S 25 Qtz 20 S S T Grnst T MN T Py. T ZnS T Fe3O4 T FeCO3 T	37351	26	0.9	95			
55	60	37352	70	10	10		10		4.6	GQ 43 G.S. 30 Qtz 20 MN. T S.S. T Py 2 FeCO3 T Fe2O3 T ZnS T	37352	24	0.9	100			

DD-217

129

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-10

Date Drilled Oct. 15/76 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 30' Overburden Depth 60' Length of Hole 110' Dip -45°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37353	50	20	10	T	20	T	5.0	G.Q. 40 Qtz. 30 G.S. 25 Py. T Zns. T FeCO3 T S.S. T Fe3O4 T Fe2O3 T	37353	25	0.7	101			
65	70	37354	60	20	10		10	T	4.4	G.Q. 53 G.S. 25 Qtz. 20 Fe3O4 1 Zns. T Fe2O3 T MN. T Py 1 SS. T	37354	25	0.5	105			
70	75	37355	60	20	10		10	T	5.1	G.Q 57 GS. 20 Qtz. 20 Grnst T S.S. T py 3 Zns. T FeCO3T Lim. T Fe3O4T	37355	27	0.8	117			
75	80	37356	70	20	T		10	T	5.9	G.Q 60 GS 20 Qtz. 10 MN. T Py 5 Zns. T Lim. T S/S. T FeCO3 T	37356	43	2.3	174			
80	85	37357	70	T	T		30	T	5.2	G.Q. 51 Qtz 30 MN 15 Py 3 FeCO3 1 Zns. T Lim T Fe3O4 T	37357	49	2.6	285			
85	90	37358	90	T			10		4.8	Py 30 G.Q. 50 Qtz. 10 MN 5 G.S. 5 Zns. T FeCO3 T Lim T Fe3O4 T	37358	94	4.4	303			
90	95	37359	90	10	T		T		4.8	G.Q. 60 GS 5 Py 15 MN 5 Qtz. 10 FeCO3 5 Fe3O4 T Zns. T Lim. T S.S. T	37359	34	2.2	141			
95	100	37360	80	10	T		10	T	4.9	G.Q. 68 G.S. 5 FeCO3 5 Py 10 Qtz. 10 Fe3O4 T Zns. T MN 2 Pbs. T S.S. T Lim. T	37360	34	2.3	270			
100	105	37361	70	10	10		10	T	4.3	G.Q 60 G.S. 10 Qtz. 10 Py 10 MN. 5 FeCO3 5 Zns. T Pbs. T S.S. T Lim. T	37361	30	1.9	305			
105	110	37362	60	10	20		10	T	3.4	G.Q. 49 G.S. 20 Qtz. 15 S.S. 5 Zns. T Pbs. T Lim. T MN 1 FeCO3 T Fe3O4 T Py 10	37362	59	3.2	307			

DD-217

#73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 92,276.23 N | Departure 161,507.02 W | Hole No. C-11

Date Drilled Oct. 9th 6 | Elevation 2,977.39' | Bearing S 45° E | Page No. 1 Of 3

Casing Depth 20' | Overburden Depth 25' | Length of Hole 140' | Dip -60

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37196	65		T	20	15	T	2.6	GQ65 GS10 SS5 GrnstT Qtz20 PyT LimT ZnST	37196	10	1.3	425			
10	15	37197	70	15	5	T	10	T	0.5	GQ65 GS15 SS5 GrnstT Qtz.15 LimT PyT MnT ZnST	37197	31	1.2	146			
15	20	37198	55	15	5	5	20	T	1.2	GQ60 GS15 SS5 GrnstT Qtz20 PyT LimT MnT ZnST	37198	3.1	1.7	224			
20	25	37199	60		T	25	15	T	1.0	GQ75 GS10 SS5 GrnstT Qtz10 PyT LimT MnT	37199	35	0.9	195			
25	30	37200	70	T	T	15	15	T	4.8	GQ60 GS10 SS5 GrnstT Qtz.20 PyT LimT MnT ZnST Fe_2O_3T	37200	35	1.3	251			
30	35	37201	60	25	T		15	T	3.7	GQ40 GS45 SST GrnstT Qtz.10 PyS LimT ZnST MnT	37201	30	1.2	310			
35	40	37202	60	T	30		10	T	4.7	GQ20 GS15 SS5 GrnstT Qtz10 PyT LimT ZnST MnT	37202	67	0.2	285			
40	45	37203	50		50		T	T	4.8	GQ20 GS5 SS70 Qtz.5 PyT LimT ZnST PbST	37203	31	2.0	505			
45	50	37204	40		60		T	T	5.3	GQ20 GS5 SS65 Qtz.10 PyT LimT ZnST	37204	28	2.0	62			
50	55	37205	45	T	45		10	T	4.1	GQ55 GS5 SS30 Qtz.10 PyT LimT ZnST MnT	37205	25	1.2	1116			
55	60	37206	60	~~25~~ 15	~~15~~ 15		10	T	4.2	GQ75 GS5 SS10 Qtz.5 PyS LimT ZnST MnT	37206	19	1.2	604			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-11

Date Drilled: Oct. 9/76 | Elevation: | Bearing: | Page No.: 2 Of 3

Casing Depth: 30' | Overburden Depth: 25' | Length of Hole: 140' | Dip: 46°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37207	60	20	10		10	T	4.2	GQ63 GS10 SS10 Qtz.10 P47 LIMT ZnST	37207	16	1.4	924				
65	70	37208	50	40	T		10	T	4.5	GQ30 GS50 SST Qtz10 P410 LIMT MnT ZnST	37208	1.5	1.3	760				
70	75	37209	40	40			20	T	4.7	GQ35 GS25 SST Qtz.30 P410 LIMT MnT ZnST	37209	9	1.0	263				
75	80	37210	50	30			20	T	4.9	GQ65 GS15 SST Qtz.15 P48 LIMT	37210	1.5	0.7	472				
80	85	37211	65	20			15	T	5.8	GQ35 GS25 SST Qtz.30 P410 LIMT	37211	19	0.8	957				
85	90	37212	50	35			15	T	5.2	GQ45 GS25 SST Qtz.20 P410 LIMT ZnST	37212	10	1.6	258				
90	95	37213	65	25			10	T	3.7	GQ65 GS10 SST Qtz.15 P410 LIMT ZnST	37213	17	1.3	355				
95	100	37214	60	20			20	T	4.7	GQ65 GS10 SST Qtz.20 P45 LIMT ZnST	37214	33	1.0	602				
100	105	37215	60	20			20	T	4.9	GQ44 GS10 SST Qtz.40 P45 LIMT ZnST FeCO3T	37215	30	0.8	497				
105	110	37216	55	20			25	T	5.2	GQ45 GS10 SST Qtz.40 P45 LIMT ZnST	37216	.50	1.1	602				
110	115	37217	75	15			10	T	5.4	GQ55 GS5 SS3 Qtz.30 P45 LIMT ZnS1 PbS1	37217	143	1.8	197				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C+1 | Latitude | Departure | Hole No. C-11

Date Drilled Oct 9th | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 20' | Overburden Depth 25' | Length of Hole 140' | Dip 46°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37218	65	25			10	T	6.0	GG65 GS15 SST Qtz15 P45 LIMT ZnST PbST MnT	37218	58	0.9	204			
120	125	37219	80	10			10	T	4.4	GG40 GS30 SST Qtz20 P410 LIMT ZnST PbST MnT	37219	57	2.4	1506			
125	130	37220	65	25			10	T	4.5	GG70 GS10 SST Qtz.5 P410 LIMT ZnST PbST MnT	37220	27	2.3	456			
130	135	37221	70	30	T		T	T	5.4	GG75 GS10 SST Qtz10 P45 LIMT ZnST	37221	19	2.0	206			
135	140	37222	50	25	15		10	T	4.5	GG65 GS20 SST Qtz.10 P45 LIMT ZnST	37222	27	1.8	571			
		[illegible]															
		[illegible]															

DD-217

#75

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,240.33 N Departure 161,479.82 W Hole No. C-12

Date Drilled OCT. 1976 Elevation 2,078.53' Bearing S 45° E Page No. 1 Of 4

Casing Depth 20' Overburden Depth 25' Length of Hole 130' Dip 50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37159	55	T	10	20	15	T	4.2	GQ. 60 Grnst. 25 Qtz. 15 ZnS. T Fe2O3 T Pbs T S.S. T MN. T	37159	25	1.0	251			
10	15	37160	45	T	10	35	10	T	5.4	GQ 45 Grnst. 35 Qtz. 20 Py 2 ZnS. T Fe2O3 T S.S. T Lim. T	37160	46	1.5	304			
15	20	37161	45	20	T	20	15	T	4.1	G.S. 40 G.Q 45 Qtz 15 Grnst. T Py. T Fe2O3 T Lim. T S.S. T Pbs T ZnS. T	37161	174	11.5	1476			
20	25	37162	60	25	T	T	15	T	4.1	G.S. 40 G.Q 37 Qtz. 20 Pbs. T ZnS. T Py. 3 Lim. T	37162	102	2.0	651			
25	30	37163	80	20			T	T	4.3	G.Q. 85 G.S. 5 Grnst. T Qtz. 5 Py 5 Lim. T ZnS. Pbs. T	37163	107	1.7	296			
30	35	37164	75	15			10	T	4.1	G.Q. 96 G.S. 15 Qtz. 15 Py. 4 ZnS. T S.S. T Lim. T	37164	43	1.9	774			
35	40	37165	75	25			T	T	3.3	G.Q. 45 G.S. 25 Qtz. 25 Py. 5 MN. T ZnS. T Lim. T	37165	27	1.3	278			
40	45	37166	50	40			10	T	4.5	G.Q. 41 G.S. 45 Qtz 10 Py. 3 Fe2CO3 T MN. T S.S. T ZnS. 1 Fe2O3 T Lim. T	37166	51	1.8	1525			
45	50	37167	55	30			15	T	4.5	MN 15 G.S. 20 G.Q. 31 Qtz 30 ZnS. 2 Py 2 GRNST T Lim. T (OXIDIZED)	37167	175	11.0	2251			
50	55	37168	50	50			T	T	4.0	G.S. 45 G.Q 40 Qtz. 10 Py 5 Lim. T ZnS T	37168	32	1.9	462			
55	60	37169	45	25			30	T	4.5	Qtz. 52 G.S. 25 G.Q 20 Py. 1 ZnS. T Lim. T S.S.	37169	64	3.8	610			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-12

Date Drilled Oct 9/76 | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 20' | Overburden Depth 25' | Length of Hole 140' | Dip -50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37170	65	25			10	T	6.5	G.Q 55 G.S.25 Qtz 15 Py 4 Lim.T ZnS.T	37170	17	1.6	315			
65	70	37171	60	30			10	T	5.0	G.Q 55 Qtz 20 G.S 15 Py .10 Grnst. T S.S.T ZnS.T Lim T	37171	16	1.5	224			
70	75	37172	55	30			15	T	5.3	Py 25 Qtz. 25 G.S.25 G.Q 25 Lim.T S.S.T ZnS.T	37172	21	1.7	102			
75	80	37173	45	45			10	T	5.0	G.S. 60 G.Q. 10 Qtz 25 Py. 5 Lim.T S.S.T	37173	14	1.7	108			
80	85	37174	40	40			20	T	5.0	G.Q. 42 G.S. 30 Qtz 25 Py 3 Lim.T S.S.T	37174	15	1.2	97			
85	90	37175	45	40			15	T	4.8	G.Q 35 G.S. 30 Qtz 30 Py .5 S.S.T Lim.T ZnS.T	37175	11	1.1	98			
90	95	37176	75	25			T	T	5.4	G Q 65 G S 15 Py 20 Qtz T Lim.T	37176	11	2.0	63			
95	100	37177	50	40			10	T	7.2	G.Q. 45 G.S. 35 Qtz. 10 Py 10 ZnS.T Lim.T Mn.T	37177	16	2.1	108			
100	105	37178	70	30			T	T	5.0	G.Q 55 G.S. 30 Qtz. 10 Py 5 ZnS.T Lim.T	37178	12	1.4	51			
105	110	37179	65	25			10	T	4.0	Q.Q G.S. 10 Qtz. T M.T Py .5 Pbs. T Lim.T ZnS.T S.S.T	37179	40	1.9	104			
110	115	37180	70	20			10	T	6.1	G.Q. 79 G.S. 11 Qtz. 10 Py. 1 Pbs. T ZnS. T S.S.T Lim.T	37180	9	1.2	70			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude ____ Departure ____ Hole No. C-12

Date Drilled OCT. 0[illegible]6 Elevation ____ Bearing ____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 55' Length of Hole 190' Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	[illegible]	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37181	55	15			T	T	5.3	G.S. 15 G.Q. 70 Qtz. 10 Py. 5 ZnS. T Pbs. T Lim. T	37181	14	1.2	69			
120	125	37182	90	10			T	T	5.9	G.Q. 85 G.S. 10 Qtz. T Py. 4 FeCo3 T Lim. T ZnS. T	37182	11	1.4	80			
125	130	37183	75	25			T	T	7.0	G.Q. 55 G.S. 25 Qtz. T Py. 20 ZnS. T Fe2O3 T Lim. T	37183	13	1.5	80			
130	135	37184	80	20			T	T	5.3	G.Q. 75 G.S. 20 Qtz. T Py. 15 Lim. T	37184	10	1.2	81			
135	140	37185	75	25			T	T	5.0	G.Q. 55 G.S. 20 Qtz. T Py. 20 Lim. T	37185	12	1.8	94			
140	145	37186	75	25			T	T	4.5	G.Q. 75 G.S. 10 Qtz. 5 Py. 10 Lim. T	37186	24	1.8	69			
145	150	37187	70	20			10	T	7.5	G.Q. 50 G.S. 25 Qtz. 10 Py. 15 Lim. T S.S. T	37187	13	1.9	.68			
150	155	37188	80	10			10	T	7.0	G.Q. 70 G.S. 20 Qtz. 10 ZnS. T Lim. T	37188	18	1.3	68			
155	160	37189	65	15			20	T	7.0	G.Q. 39 Qtz. 20 Py. 25 G.S. 15 ZnS. T FeCo3 T Lim. T	37189	63	1.2	36.1C			
160	165	37190	70	20			10	T	6.5	G.Q. 55 G.S. 25 Py. 10 Qtz. 10 ZnS. T FeCo3 T Lim. T	37190	22	1.1	.20?			
165	170	37191	65	25			10	T	5.1	G.Q. 45 G.S. 30 Qtz. 10 Py. 15 ZnS. T Lim. T	37191	14	1.1	56			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-12

Date Drilled: Oct. 9/76 | Elevation: | Bearing: | Page No.: 4 Of 4

Casing Depth: 20' | Overburden Depth: 25' | Length of Hole: 190' | Dip: 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results				Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37192	55	30			15	T	6.0	G.Q. 55 G.S. 20 Qtz 15 Py 10 FeCO3 T Lim. T	37192	11	0.6	205				
175	180	37193	40	45			15	T	6.1	G.Q. 35 G.S. 35 Qtz 15 Py 10 S.S. T ZnS T Lim T	37193	14	1.2	166				
180	185	37194	50	40			10	T	5.3	G.Q. 40 G.S. 40 Qtz. 10 Py. 10 Lim. T FeCO3 T S.S. T	37194	12	0.8	165				
185	190	37195	50	25			25	T	6.5	G.Q. 40 G.S. 20 FeCO3 20 Qtz 10 Py 10 ZnS. T	37195	35	1.2	221				

DD-217

#126

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 9217.0 N | Departure 16140 2.0 W | Hole No. C 13

Date Drilled Oct. 1976 | Elevation 2096.0 | Bearing S 45° E | Page No. 1 Of 3

Casing Depth 25' | Overburden Depth 30' | Length of Hole 150' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37130	Insufficient Sample						1.1	GQ 50 GS 10 SS 5 Qtz. 5 Limt	37130	55	1.9	156			
10	15	37131	Insufficient Sample						1.0	GQ 75 GS 5 SS 10 Qtz. 10 Limt	37131	22	1.0	215			
15	20	37132	Insufficient Sample						.5	GQ 60 GS 10 SS 20 Qtz. 10 Limt	37132	28	1.6	246			
20	25	37133	30		15	40	15	T	4.0	GQ 49 GS 15 SS 5 Grnst 20 Qtz 10 PyT Limt ZnST Fe3O4 1	37133	54	1.4	154			
25	30	37134	55		T	30	15	T	4.3	GQ 55 GS 10 SS 5 Grnst 10 Qtz. 20 PyT Limt ZnST Fe3O4T PbST Fe2O3T MnT	37134	150	1.9	195			
30	35	37135	55		10	20	15	T	4.5	GQ 65 GS 15 SST Grnst 10 Qtz. 10 PyT Limt ZnST Fe3O4T PbST Fe2O3T MnT	37135	100	1.5	167			
35	40	37136	65	T	T	20	15	T	5.3	GQ 60 GS 15 SST Grnst 5 Qtz. 20 PyT Limt ZnST Fe3O4T PbST Fe2O3T MnT	37136	55	1.8	204			
40	45	37137	60	T	10	10	20	T	5.5	GQ 80 GS 5 SST Grnst T Qtz 15 PyT Limt ZnST Fe3O4T PbST MnT	37137	51	1.1	204			
45	50	37138	65	10	10	T	15	T	5.3	GQ 70 GS 5 SST Grnst T Qtz. 20 PyT Limt ZnST Mn 2 Fe3O4T PbST	37138	37	1.3	225			
50	55	37139	80	10	T		10	T	5.2	GQ 75 GS T SST Qtz. 20 PyT Limt ZnST Mn2 Fe3O4T PbST	37139	28	1.0	191			
55	60	37140	70	20			T	T	5.5	GQ 65 GS 5 Qtz. 15 Py 15 Limt ZnST MnT Fe3O4T PbST	37140	28	1.8	188			

DD-27

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C13

Date Drilled Oct 9/76 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 25' | Overburden Depth 30' | Length of Hole 150' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37141	80	20			T	T	3.4	GQ70 GS5 SST Qtz.10 Py15 LimT MnT ZnST PbST	37141	21	1.7	125			
65	70	37142	60	30	T		T	T	3.8	GQ50 GS9 SST Qtz.15 Py10 LimT MnT PbST FeCO3 15 ZnST Fe2O3T	37142	146	1.8	5570			
70	75	37143	50	50			T	T	4.0	GQ20 GS60 Qtz.10 Py10 LimT MnT PbST ZnST	37143	51	1.9	1747			
75	80	37144	60	40			T	T	3.8	GQ45 GS10 Qtz.25 Py20 LimT MnT PbST ZnST	37144	29	1.0	335			
80	85	37145	80	20			T	T	5.2	GQ75 GS10 Qtz.10 Py5 LimT MnT ZnST Fe2O3T FeCO3T	37145	14	1.6	205			
85	90	37146	60	40			T	T	3.9	GQ75 GS10 Qtz10 Py5 LimT MnT ZnST	37146	10	0.8	107			
90	95	37147	60	30			10	T	4.4	GQ40 GS17 SST Qtz.40 Py3 MnT ZnST	37147	11	0.9	76			
95	100	37148	55	25			20	T	5.0	GQ30 GS5 SST GrnstT Qtz.65 MnT PyT FeCO3T ZnST	37148	10	0.9	60			
100	105	37149	60	30			10	T	4.3	GQ45 GS10 SST Qtz.25 Py5 MnT FeCO3T ZnST	37149	15	1.4	191			
105	110	37150	60	30			10	T	3.9	GQ70 GS15 SST Qtz.10 Py5 MnT FeCO3T ZnST	37150	8	1.6	191			
110	115	37151	35	55			10	T	3.6	GQ65 GS15 SST Qtz.10 Py10 MnT FeCO3T	37151	15	1.6	141			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C13

Date Drilled OCT. 9/76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 25" Overburden Depth 30' Length of Hole 150' Dip -55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37152	40	50			10	T	3.1	GQ55 GS25 SST Qtz10 PY10 LIMT MnT	37152	0	1.0	70			
120	125	37153	40	60			T	T	3.8	GQ50 GS25 SST Qtz10 PY5 LIMT	37153	16	1.0	70			
125	130	37154	40	40			20	T	3.4	GQ40 GS5 SST Qtz50 PY5 LIMT MnST	37154	8	1.2	70			
130	135	37155	60	40			T	T	5.5	GQ30 GS50 SST Qtz10 PY10 LIMT	37155	10	1.5	85			
135	140	37156	60	40			T	T	4.7	GQ45 GS25 SS Qtz25 PY5 LIMT MnT 2nST	37156	18	1.4	94			
140	145	37157	50	35			15	T	3.2	GQ40 GS10 SST Qtz40 PY10 LIMT	37157	16	1.3	149			
145	150	37158	75	15			10	T	4.1	GQ65 GS10 SST Qtz20 PY5 LIMT 2nST MnT PbST	37158	20	1.7	89			

DD-217
16

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,445.16N Departure 161,537.03W Hole No. C-14

Date Drilled Oct. 5/76 Elevation 3,017.13' Bearing S 45°E Page No. 1 Of 3

Casing Depth 35' Overburden Depth -- Length of Hole 150' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37450	60	10	20	T	10	T	1.5	GS30 ZNST LIMT GQ50 Qtz20 SST FeO3T	37450	5.6	1.4	171			
10	15	37451	60	20	10	T	10	T	1.3	GS40 FeO3T ZNST LIMT Qtz20 GQ40 PYT SST.	37451	21	1.0	94			
15	20	37452	60	30	T		10	T	1.4	GS40 SST. ZNST LIMT Qtz20 GQ45 PYT	37452	18	1.5	114			
20	25	37453	60	20	T		20	T	2.0	GS50 PYT ZNST Qtz20 GQ30 LIMT FeO3T	37453	21	1.0	78			
25	30	37454	50	20	10	T	20	T	1.8	GS35 Qtz25 GQ40 SST ZNST LIMT PYT FeO3T.	37454	29	1.0	114			
30	35	37455	60	10	10		20	T	1.0	GS25 PYT ZNST Qtz25 GQ50 LIMT FeO4T FeO3T.	37455	23	1.5	111			
35	40	37456	50	10	20	T	10		1.1	GS20 LIMT PYT. Qtz30 GQ50 FeO3T ZNST	37456	16	0.9	106			
40	45	37457	60	10	20	T	10		1.5	GS30 Qtz30 GQ40 ZNST PYT FeO3T LIMT	37457	22	1.4	95			
45	50	37458	60	10	20		10	T	2.5	Qtz30 ZNST PYT GS20 SST GQ40 FeO3T LIMT.	37458	13	1.4	91			
50	55	37459	70	10	10		10	T	1.6	GS30 ZNST LIMT Qtz30 GQ40 PYT SST FeO3T.	37459	30	1.5	104			
55	60	37460	80	10	T		10	T	2.0	GS35 Qtz20 ZNST SST GQ45 PYT FeO3T LIMT.	37460	21	1.4	90			

DO-217
16

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-14
Date Drilled OCT 15/76 | Elevation | Bearing | Page No. 2 Of 3
Casing Depth 35' | Overburden Depth — | Length of Hole 150' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37461	60	10	10		20	T	2.3	GS25 Qtz25 GQ50 INST LIMT PYT fe2O3T.	37461	26	1.2	100			
65	70	37462	60	20	10		10	T	2.0	GS30 PYT INST GQ60 QTZ10 LIMT fe2O3T	37462	19	1.2	107			
70	75	37463	50	10	30		10	T	1.6	GS40 Qtz20 GQ40 INST PYT SST LIMT.	37463	21	1.2	95			
75	80	37464	60	10	20		10		1.8	GS20 INST LIMT Qtz20 GQ60 PYT SST fe2O3T.	37464	19	1.2	86			
80	85	37465	50	10	30		10	T	2.5	GS25 Qtz25 GQ50 INST LIMT PYT fe2O3T	37465	19	1.1	97			
85	90	37466	60	20	10		10	T	1.0	GS30 LIMT INST fe2O3T GQ55 QTZ15 PYT fe3O4T SST.	37466	18	0.9	93			
90	95	37467	70	10	10		10	T	2.0	GS40 LIMT. INST SST GQ50 QTZ10 PYT	37467	16	1.0	96			
95	100	37468	50	10	30		10	T	2.3	GS35 GQ45 Qtz20 LIMT INST PYT fe3O4T fe2O3T.	37468	17	1.2	117			
100	105	37469	60	20	10		10	T	1.5	GS30 Qtz20 GQ50 INST LIMT PYT SST.	37469	21	0.8	145			
105	110	37470	60	10	20		10	T	2.0	GS40 INST LIMT PYT. GQ40 Qtz20 SST	37470	21	1.1	151			
110	115	37471	50	20	20		10	T	3.0	GS30 INST LIMT SST GQ35 QTZ15 PYT	37471	25	1.2	152			

DD-217

16

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-14

Date Drilled Oct 15/76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 25' Overburden Depth — Length of Hole 130' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37472	60	20	10		10	T	1.3	PY5 ZNST UMT GS35 Qtz20 GQ40 FeOxT SST Fe3O4T	37472	18	1.0	161			
120	125	37473	70	10	10	T	10	T	1.8	POST ZNST UMT PY5 GS40 Qtz20 GQ35 FeOxT	37473	26	1.3	172			
125	130	37474	60	10	20	T	10	T	1.2	ZNST UMT GQ50 PYT GS30 Qtz20 FeOxT SST FeOxT	37474	23	1.4	182			

DD-27

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#113

Location CH Latitude 92,374.76N Departure 161,465.52W Hole No. C-15

Date Drilled Oct. 1976 Elevation 2,987.47' Bearing S 45° E Page No. 1 Of 2

Casing Depth 50' Overburden Depth — Length of Hole 70 Dip -58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37285	55	T	15	20	10	T	3.5	G.Q.45 G.S.20 Qtz.30 MN.T Grnst.T S.S.5 Py.T ZnS.T	37285	35	1.4	224			
10	15	37286	50	T	15	20	15	T	4.2	G.Q.45 G.S.10 Qtz.20 Grnst.5 S.S.T Py.T ZnS.T Fe3O4T	37286	29	2.4	140			
15	20	37287	45	T	20	25	10	T	5.0	G.Q. G.S.20 Qtz.30 S.S.10 Py.T ZnS.T Fe3O4T Fe2O3T	37287	26	2.5	91			
20	25	37288	55	T	15	20	10	T	5.1	G.Q.34 Qtz.30 G.S.20 Grnst.10 S.S.5 Py.T Fe2O3T Fe3O4T	37288	31	1.6	172			
25	30	37289	60	T	15	15	10	T	3.0	G.Q.40 G.S.20 Qtz.20 Grnst.T S.S.T Py.T ZnS.T MN.T Lim.T FeCO3T	37289	32	1.7	471			
30	35	37290	75	15	T	T	10	T	1.3	G.Q.55 G.S.20 Qtz.20 S.S.5 Py.T ZnS.T Lim.T Fe3O4T	37290	38	1.5	169			
35	40	37291	30	T	40	20	10	T	4.5	G.Q.39 S.S.20 Qtz.20 Grnst.20 Fe2O3T Lim.T Py.T ZnS.T Fe3O4T	37291	27	1.2	169			
40	45	37292	20	T	50	20	10	T	4.0	G.Q.20 Grnst.15 Qtz.30 G.S.15 S.S.10 MN.T ZnS.T Py.T Fe2O3T Lim.T Fe3O4T	37292	24	0.9	90			
45	50	37293	25	T	40	35	10	T	4.8	G.Q.38 G.S.20 Grnst.T Qtz.30 S.S.10 ZnS.T Fe2O3T Lim.T Fe3O4T	37293	27	0.7	104			
50	55	37294	35	20	20	15	10	T	5.3	G.Q.55 G.S.25 Qtz.20 Py.T S.S.T Fe2O3T Grnst.T Lim.T Fe3O4T Mgt	37294	25	1.5	118			
55	60	37295	60	10	20	T	10	T	2.5	G.Q.49 G.S.20 Qtz.15 Grnst.5 S.S.10 Py.T Fe3O4T ZnS.T Lim.T	37295	23	1.0	109			

UNITED KENO HILL MINES LTD. #113 DD-217

OVERBURDEN DRILL HOLE LOG

Location CH Latitude — Departure — Hole No. C-15

Date Drilled Oct 1975 Elevation — Bearing — Page No. 2 Of 2

Casing Depth 50' Overburden Depth — Length of Hole 90' Dip 58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37296	55	15	15	T	15	T	4.0	GQ.60 GS.20 Qtz.10 Fe2O3T GrnstT SST Py.T Fe2O4T MnT	37296	.09	1.6	155			
65	70	37297	45	10	30		15	T	5.8	GQ.60 GS.10 Qtz.20 Py.5 SS.5 ZnST Hm Fe3O4T	37297	.22	1.0	175			
70	75	37298	45	10	25	T	15	T	4.4	GQ60 GS.15 Qtz.20 Fe3O4T SS5 ZnST Py.T LimT Fe3O4T	37298	.24	1.8	27+			
75	80	37299	65	T	20		15	T	1.0	GQ75 GS.10 Qtz15 Py.T GrnstT SST ZnST LimT Fe3O4T	37299	.24	1.9	268			
80	85	37300	65	T	15		20	T	5.0	GQ.74 GS.15 Qtz.10 SST Fe3O4T ZnST LimT	37300	.20	1.8	261			
85	90	37301	55	10	20		15	T	4.0	GQ62 GS15 Qtz20 MnT Py.2 Fe3O4T Fe2O3T ZnST	37301	.24	2.1	254			

DD-217
#163

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,312.14N Departure 161,399.18 W Hole No. C-16

Date Drilled Oct. 15/76 Elevation 2,986.35' Bearing S 45° E Page No. 1 Of 3

Casing Depth 30' Overburden Depth 40' Length of Hole 150' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn p.p.m.	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37256	55	T	10	25	10	T	2.7	GQ 70 GS 20 Qtz 10 SST Grnst. T Lim. T Fe2O3 T Fe3O4 T ZnS. T	37256	26	1.2	94			
10	15	37257	50	T	20	20	10	T	2.0	GQ 55 GS 15 Qtz 20 SS 10 MN. T Fe2O3 T Fe3O4 T Lim. T ZnS. T Py. T	37257	20	0.9	86			
15	20	37258	50	T	25	15	10	T	2.7	GQ 60 GS 20 Qtz 10 SS 10 ZnS. T Fe2O3 T MN. T Lim T Fe3O4 T Py T	37258	23	1.2	121			
20	25	37259	45	T	20	25	10	T	4.0	GQ 50 GS 25 Qtz 20 Mi. T ZnS. T S.S. 5 Grnst. T Fe2O3 T Lim T Py. T	37259	24	0.9	92			
25	30	37260	90	T	T		10	T	5.3	GQ 90 GS 5 Qtz 5 ZnS. T Py. T Lim. T Fe3O4 T SS T	37260	48	0.9	96			
30	35	37261	80	10	T		10	T	5.0	GQ 50 GS 20 Qtz 25 Fe3O4. T Grnst. 5 ZnS. T Py. T Lim. T MN. T S.S. T Fe2O3 T	37261	33	1.1	134			
35	40	37262	75	T	10		15	T	4.7	GQ GS 15 Qtz 15 Fe2O3 T ZnS. T Grnst T S.S. 5 Py T	37262	26	1.0	189			
40	45	37263	100	T	T		T	T	7.5	GQ 90 GS 5 Qtz 5 Py. T ZnS. T S.S. T MN. T Lim T	37263	17	2.2	859			
45	50	37264	90	T	10		10	T	4.5	GQ 90 GS 5 Qtz 5 S.S. T Grnst T Py. T ZnS T Lim. T	37264	14	1.8	454			
50	55	37265	90	T	T		10	T	6.0	GQ 92 GS T Qtz 5 Py. 3 ZnS. T MN. T Lim. T Fe3O4 T	37265	19	1.4	445			
55	60	37266	90	T	T		10	T	5.4	GQ 90 Qtz. 10 GS T Py. T S.S T Grnst. T MN. T ZnS. T Lim T Fe3O4 T	37266	12	0.6	216			

DD-217
163

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C4/ Latitude ____ Departure ____ Hole No. C-16

Date Drilled OCT. 1975 Elevation ____ Bearing ____ Page No. 2 Of 3

Casing Depth 30' Overburden Depth 140' Length of Hole 150' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37267	65	10	15		10	T	3.7	GQ 75 GS 10 Qtz 5 Grnst 5 SS T Py 5 ZnS T Lim T Fe3O4 T	37267	35	1.3	1256			
65	70	37268	40	10	40		10	T	4.1	GQ 74 GS 5 Qtz 10 SS 10 MN 1 Pbs T ZnS T Py T Lim T Fe3O4 T	37268	38	1.3	573			
70	75	37269	60	15	25		T	T	5.1	GQ 89 GS T SS 5 MN 1 Qtz 5 ZnS T Py T Lim T	37269	33	1.0	559			
75	80	37270	60	15	25		T	T	3.4	GQ 89 Grnst T Py S SS 5 GS T Fe2O3 T MN 1 Fe2O3 T Pbs T ZnS T Lim T	37270	25	0.9	560			
80	85	37271	40	15	30		15	T	5.8	GQ 71 MN 1 SS 10 Qtz 10 Lim T Grnst 5 Py 6 S T FeCO3 2 Fe3O4 T Fe2O3 T	37271	27	1.1	1569			
85	90	37272	50	35	T		15	T	5.1	GQ 71 GS 15 Py 10 SS T Grnst T FeCO3 4 Fe3O4 T ZnS T MN T Pbs T	37272	63	1.1	1207			
90	95	37273	35	35	10		20	T	5.8	GQ 19 GS 30 Qtz 20 FeCO3 20 Py 10 Pbs 1 Fe3O4 T ZnS T Lim T	37273	72	2.3	1569			
95	100	37274	50	20	10		20	T	4.5	GQ 24 Qtz 25 Py 10 FeCO3 10 GS 30 SS T ZnS T Fe2O3 T Lim T Pbs 1 Grnst T	37274	34	1.7	1000			
100	105	37275	50	30	T		20	T	4.0	GQ 50 Qtz 20 GS 25 Py 5 FeCO3 T SS T Lim T Fe2O3 T ZnS 1 Pbs T	37275	20	1.7	566			
105	110	37276	45	25	15		15	T	6.1	GQ 20 GS 25 Py 25 SS 10 Qtz 10 Lim T FeCO3 10 ZnS T Pbs T	37276	41	2.6	529			
110	115	37277	25	30	30		15	T	4.2	GQ Py 15 GS 15 Qtz 25 FeCO3 5 ZnS 1	37277	34	1.7	625			

DD-217
#163

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-16

Date Drilled OCT. 13/76 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 30' | Overburden Depth 40' | Length of Hole 150' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	3T278	45	25	T		30	T	3.7	G.Q. 75 GS. 10 Py 10 $FeCO_3$ 5 Qtz. T Lim.	3T278	20	1.3	316			
120	125	3T279	65	25	T		10	T	4.3	G.Q. 80 G.S. 5 Py 5 Qtz. 10 $FeCO_3$ T ZnS. T Lim. T	3T279	28	1.3	350			
125	130	3T280	TC	30	T		T	T	5.5	G.Q. 60 Qtz. 20 $FeCO_3$ 5 G.S. 5 Py 10 Lim. T ZnS. T Fe_3O_4 T	3T280	16	1.2	901			
130	135	3T281	60	20	T		20	T	5.3	G.Q. 40 GS 20 Qtz. 25 Py 15 S.S. T Fe_2O_3 T Lim T $FeCO_3$ T ZnS T Fe_3O_4 T	3T281	17	1.1	2434			
135	140	3T282	50	30	T		20	T	5.2	G.Q. 40 Qtz. 25 G.S. 20 Py 10 $FeCO_3$ 5 S.S. T ZnS. T Lim. T Fe_3O_4 T	3T282	21	1.0	2057			
140	145	3T283	45	35	T		20	T	4.5	G.Q. 50 G.S. 15 Qtz. 20 $FeCO_3$ 5 Py 10 ZnS. T S.S. T Lim. T Fe_3O_4 T Fe_2O_3 T Pbs. T	3T283	30	1.2	2465			
145	150	3T284	65	25	T		10	T	4.6	G.Q. 55 G.S. 10 Qtz 20 $FeCO_3$ 5 Py 10 ZnS. T S.S. T Lim. T Fe_3O_4 T Fe_2O_3 T	3T284	27	1.2	3510			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#76

Location CH | Latitude 92,237.61 N | Departure 161,323.50 W | Hole No. C-17

Date Drilled OCT. 1976 | Elevation 2,984.82' | Bearing S 45° E | Page No. 1 Of 3

Casing Depth 30' | Overburden Depth 40' | Length of Hole 70' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37223			100 %		Rock		2.3	GQ 60 G.S. 30 Qtz 10 Py. T S.S. T Lim. T ZnS T	37223	24	1.6	40			
10	15	37224			100 %		Rock		0.1	G.Q 35 G.S. 40 Qtz 20 S.S. 5 Py. T Lim. T Fe3O4 T	37224	20	1.7	94			
15	20	37225			100 %		Rock		0.6	G.Q 65 G.S. 25 Qtz. 5 S.S. 5 Py. T Lim. T Fe3O4 T	37225	30	2.0	116			
20	25	37226	60	15			25	T	2.0	G.Q 75 G.S. 15 Qtz. 10 S.S. T Py. T Fe3O4 T Lim. T	37226	29	1.9	256			
25	30	37227	75	10			15	T	4.0	G.Q. G.S. 10 Qtz. 15 S.S. T Lim. T Fe3O4 T ZnS T Py. T	37227	17	1.6	117			
30	35	37228	100	T			T	T	5.1	G.Q 84 G.S. 5 MN. 10 Grnst. T S.S. T Py. T Lim. T Fe3O4 T ZnS. T Qtz. T	37228	54	1.5	501			
35	40	37229	100				T	T	6.5	G.Q. 84 MN. 10 Qtz. 5 Py. T ZnS. T Grnst. T Lim. T Fe2O3 T Fe3O4 T	37229	43	2.3	411			
40	45	37230	80				20	T	6.3	G.Q 65 Qtz. 20 MN. 15 Py. T ZnS. T Lim. T S.S. T Grnst. T	37230	18	1.3	241			
45	50	37231	75	10			15	T	5.0	G.Q. MN 15 Qtz. 15 G.S. T Py. 4 Pbs. 4 Grnst. T SS. T STEEL Pbs. T ZnS T Lim. T	37231	20	2.5	75			
50	55	37232	70	20			10	T	4.7	G.Q. 60 G.S 20 Qtz 10 Py. 10 S.S. T Pbs. T STEEL Pbs. T ZnS T MN. T	37232	50	1.9	316			
55	60	37233	50	40			10	T	4.2	GQ 53 G.S. 35 Qtz 10 Py. 2 Pbs. T ZnS. T Lim. T MN. T Grnst. T S.S. T	37233	145	2.1	1045			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C-1 Latitude _____ Departure _____ Hole No. C-17

Date Drilled Oct. 1956 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 50' Overburden Depth 40' Length of Hole 120' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate grams	Panning Concentrate Mineral Content (%)	Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37234	65	35			T	T	5.0	G.Q. 65 G.S. 30 Qtz 5 Py. 2 S.S. T ZnS. T Pbs. T Lim. T MN. T	37234	50	1.4	457			
65	70	37235	55	45				T	4.4	G.Q. 69 G.S. 20 Qtz T Py. 10 Lim. T MN. T Pbs. T ZnS. T S.S. T	37235	34	1.0	216			
70	75	37236	50	50				T	5.0	G.Q. 40 G.S. 25 Qtz 5 Py. 10 Pbs. T MN. T S.S. T Lim. T	37236	27	2.0	85			
75	80	37237	65	35			T	T	5.0	G.Q. 70 G.S. 20 Qtz 5 Py. 5 Pbs. T ZnS. T Lim. T S.S. T MN. T	37237	34	1.0	146			
80	85	37238	70	10			20	T	5.2	G.Q. 65 Qtz 25 G.S. 5 S.S. T Py. 5 ZnS. T Pbs. T Lim. T FeCO3 T	37238	13	1.6	88			
85	90	37239	60	30			10	T	5.3	G.Q. Py. 10 G.S. 30 Qtz S.S. T	37239	15	1.6	94			
90	95	37240	50	40			10	T	5.0	G.S. 43 G.Q. 35 Qtz 20 Py. 2 FeCO3 T S.S. T Lim. T ZnS. T	37240	13	1.6	64			
95	100	37241	45	35			20	T	5.2	Qtz 35 G.S. 30 G.Q. 25 Py. 10 Fe2O3 T ZnS. T Lim. T	37241	15	1.6	73			
100	105	37242	65	20			15	T	5.2	G.Q. 62 G.S. 20 Qtz 15 Py. 3 ZnS. T Lim. T	37242	11	0.8	72			
105	110	37243	70	20			10	T	6.0	G.Q. 55 G.S. 20 Qtz 20 Py. 5 Fe2O3 T ZnS. T Lim.	37243	22	1.2	68			
110	115	37244	80	10			10	T	5.0	G.Q. 60 G.S. 20 Qtz 10 Py. 10 ZnS. T Lim. T	37244	20	1.5	66			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C1 | Latitude | Departure | Hole No. C-17

Date Drilled Oct 18/71 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 30' | Overburden Depth 40' | Length of Hole 170' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37245	80	20			T	T	5.0	G.Q. 60 G.S. 20 Qtz 15 Py 5 ZnS. T Lim. T	37245	21	1.7	158			
120	125	37246	65	25			10	T	4.0	G.Q. 55 G.S. 25 Qtz 15 Py. 5 Mt. T ZnS. T Lim. T	37246	22	1.2	105			
125	130	37247	65	20			15	T	5.7	G.Q. Py 4 G.S. 20 Qtz 20 $FeSO_4$ T S.S. T ZnS. T	37247	16	0.9	79			
130	135	37248	55	35			10	T	4.6	G.Q. 53 Py. 2 G.S. 35 S.S. T Qtz. 10 Lim. T	37248	12	1.0	96			
135	140	37249	70	30			T	T	4.6	G.Q. 50 Py 5 G.S. 35 Qtz 10 Lim. T S.S. T ZnS. T	37249	20	1.3	180			
140	145	37250	60	30			10	T	6.0	G.Q. 61 $FeCO_3$ 10 G.S. 15 Py 4 Qtz 10 ZnS. T	37250	19	1.5	531			
145	150	37251	70	20			10	T	5.5	G.Q. 54 Qtz. 10 G.S 10 $FeCO_3$ 25 Py 1 ZnS. T Lim. T	37251	19	1.4	206			
150	155	37252	80	10			10	T	5.1	G.Q. 91 Py. 4 G.S. T Qtz 5 Lim. T ZnS. T	37252	14	0.8	82			
155	160	37253	90	10			T	T	5.2	G.Q. 95 Py. T G.S. T Qtz 5 Lim. T $FeSO_4$ T ZnS. T	37253	12	0.4	95			
160	165	37254	90	10			T	T	5.2	G.Q. 100 Py. T G.S. T Qtz. T Lim. T $FeSO_4$ T Pbs. T ZnS. T	37254	15	0.8	110			
165	170	37255	90	T			10	T	4.7	G.Q. 87 Py. 3 G.S 5 Qtz 5 Pbs. T ZnS. T Lim T	37255	20	0.6	152			

DD-217
137

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,505.44 N Departure 161,385.22 W Hole No. C-18

Date Drilled Oct 15/76 Elevation 3,003.96' Bearing S 45° E Page No. 1 Of 2

Casing Depth 20' Overburden Depth 25-30' Length of Hole 110' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37302	60	10	T	10	20	T	1.0	G.Q 55 G.S 20 Qtz 20 Grnst 5 S.S T Lim T Fe2O3 T Fe3O4 T Py T ZnS T	37302	22	1.3	104			
10	15	37303	60	30	T		10	T	2.0	G.Q 40 G.S 40 Qtz 20 Fe2O3 T Py T S S T Lim T Lim T ZnS T Fe3O4 T Grnst T	37303	26	1.0	103			
15	20	37304	50	40	T		10	T	1.6	G.Q G.S 45 Qtz 20 Fe2O3 T Grnst T Py T ZnS T Fe3O4 T Lim T S.S T	37304	30	1.7	98			
20	25	37305	40	50			10	T	1.2	G.S 50 G.Q 30 Qtz 20 Py T Fe2O3 T Lim T Fe3O4 T S S T	37305	27	1.5	67			
25	30	37306	45	45	T	T	10	T	1.2	G.Q 42 G.S 35 Qtz 20 Py 2 Fe2O3 T Lim T S S T ZnS T Fe3O4 T	37306	23	0.9	76			
30	35	37307	60	10	30		T		1.0	G.Q 40 S.S 30 Qtz 5 G.S 20 Py 5 ZnS T FeCO3 T Fe3O4 T Pbs T	37307	32	1.3	92			
35	40	37308	80	10	T		10	T	1.7	G.Q 75 G.S 10 Qtz 10 Py 5 S.S T Fe3O4 T FeCO3 T Pbs T ZnS T Lim T	37308	31	1.5	141			
40	45	37309	60	30	10		T		4.0	Py 45 G.S 20 Qtz 20 G.Q 15 FeCO3 T Lim T Fe3O4 T ZnS T Pbs T	37309	27	1.4	112			
45	50	37310	70	20	T		10	T	3.2	G.Q 50 G.S 20 Qtz 14 Py 15 Cu FeS2 T ZnS T Lim T Fe3O4 T S S T	37310	19	1.6	96			
50	55	37311	70	30			T		3.0	G.Q 40 Qtz 10 Py 20 G.S 30 ZnS T Lim T FeCO3 T Pbs T Fe3O4 T S S T	37311	20	1.4	75			
55	60	37312	70	20	10		T		4.0	G.Q 50 G.S 20 Py 25 Qtz 5 S S T Fe2O3 T ZnS T Pbs T Lim T Fe3O4 T	37312	24	1.3	75			

DO-27

137

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-18

Date Drilled Oct. 1976 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 20' Overburden Depth 25-30' Length of Hole 110' Dip 68°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Au p.p.m.	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37313	80		10		10	T	4.6	GQ 70 QTZ 15 65.5 Py. 5 SST FeCO3T ZnS T PbS T LIM.T Fe3O4T	37313	14	8.0	29			
65	70	37314	90		10		T		3.5	GQ.90 G.S.5 Qtz 20 Py.5 ZnS T LIM.T Fe3O4 FeS2 T FeAsS T	37314	13	1.4	17			
70	75	37315	70		10		20		5.2	G.Q. 70 Qtz 20 ZnS.T FeAsS. 3 G.S.3 Py 4 CuFeS2 T LIM.T Fe3O4T	37315	13	1.6	22			
75	80	37316	60	T	10		30	T	4.2	Py 36 GQ 10 Qtz. 35 CuFeS2 3 ZnS 1 GS 15 LIM T Fe3O4T FeCO3T	37316	26	29	56			
80	85	37317	70	10	10	T	10	T	5.2	Py 40 Qtz 30 GQ. 15 GS 5 SS 10 Fe2O3T FeAsS.T CuFeS2 T FeCO3T ZnS.T Fe3O4T	37317	14	1.5	27			
85	90	37318	70	T	20		10		5.4	GQ 70 GS 10 Qtz 10 Fe2O3T Py.5 FeAsS T ZnS.T CuFeS2 T LIM.T Fe3O4T	37318	11	1.3	19			
90	95	37319	50	10	30		10		4.4	GQ 40 GS 20 Qtz 15 Grnst T SS 20 Py 5 CuFeS2 T ZnS.T LIM.T	37319	14	1.4	16			
95	100	37320	50	10	30		10		3.6	S.S 40 GQ.40 Qtz. 7 Py. 3 FeAsS T LIM.T ZnS T Fe3O4T	37320	16	1.3	57			
100	105	3732	50	20	30		T		2.5	GQ. 65 S.S. 30 G.S.T Py 2 LIM.T Fe3O4T	37321	10	0.9	55			
105	110	37322	40	10	20	10	20	T	2.3	GQ 10 GS 20 Qtz. 20 Py 10 Grnst 10 Fe2O3T SST ZnS.T LIM.T CuFeS2 T	37322	14	1.6	57			

DD-217

#40

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C11 Latitude 92,306.10N Departure 161,283.31W Hole No. C-19

Date Drilled Oct. 15th 76 Elevation 3,038.68' Bearing S 45° E Page No. 1 Of 2

Casing Depth 10' Overburden Depth 10-15' Length of Hole 75' Dip -45°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
C	10	37475	20		80		T	T	3.8	SS40 Qtz20 GS10 INST PYT GQ30 LIMT FR30+T FR10T.	37475	19	0.6	85			
10	15	37476	10		80		10	T	3.5	SS20 LIMT PYT Qtz40 GS10 GQ30 FR30T. INST FR10T	37476	11	0.7	57			
15	20	37477	1		100		T	T	2.0	Grnst5 SS25 Qtz30 LIMT PYT GQ30 GS10 FR30T. FR10T INST.	37477	20	0.7	55			
20	25	37478	10		70		20	T	3.0	SS25 Qtz40 GS15 PYS PbST LIMT GQ15 INST FR10T.	37478	17	1.1	58			
25	30	37479	20	40	40		T	T	3.5	INST FR10ST LIMT FR30+T GS50 Qtz25 PYS GQ20 PbST MNT.	37479	35	1.4	85			
30	35	31480	90	T	10		T	T	2.5	PbST FR10ST Qtz20 SST PYT GS20 GQ60 LIMT Grnst. INST	37480	24	1.1	87			
35	40	37481	90		T		10	T	2.8	PbST INST LIMT GQ50 GS10 PYS Qtz35 SST FR10T	37481	43	1.9	88			
40	45	37482	90				10	T	3.0	PbST PYT SST FR10T GQ60 GS10 Qtz30 LIMT INST.	37482	225	1.6	254			
45	50	37483	90				10	T	3.5	PbST LIMT INST FR10T PYS Qtz35 GQ50 GS10 FR30+T. SST	37483	70	2.2	106			
50	55	37484	90		T		10	T	2.0	PYT INST LIMT SST. Qtz40 GS10 GQ50	37484	21	1.5	107			
55	60	37485	85		T		15	T	3.3	GQ60 GS10 Qtz30 INST LIMT PYT SST	37485	14	0.5	42			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

71 40

Location C-11 Latitude _____ Departure _____ Hole No. C-19

Date Drilled OCT. 15TH. Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 10' Overburden Depth 10-15' Length of Hole 75' Dip 45°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37486	90		T		10	T	3.5	QTZ40 GQ60 GST ZNST PYT LIMT SST.	37486	16	0.5	79			
65	70	37487	80	T	10		10	T	4.0	PBST GS10 ZNST QTZ20 GQ50 MN10 SST LIMT FRG3T	37487	38	18.5	130			
70	75	37488	50		40		10	T	2.5	LIM10 GS10 QTZ20 MN10 PBST PYT ZNST. FRG3T GQ50	37488	47	21.1	537			

DD-217

15 [redacted]

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH
Latitude: 92,608.52 N
Departure: 161,328.69 W
Hole No.: C-20
Date Drilled: OCT. 13/76
Elevation: 3,024.68'
Bearing: S 45° E
Page No.: 1 Of 2
Casing Depth: 30'
Overburden Depth: 40'
Length of Hole: 100'
Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	[illegible]		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37323	30	30	30		10	T	2.6	G.Q 50 G.S. 20 Qtz 20 S.S 5 Py.T Lim T Fe3O4 T	37323	20	0.4	81				
10	15	37324	35	30	20		15	T	3.4	G.Q 60 G.S. 20 Qtz 20 S.S.T Lim.T Fe3O4 T	37324	19	0.8	81				
15	20	37325	40	15	25		20	T	5.4	G.Q 65 G.S. 15 Qtz. 20 Py.T ZnS T Lim.T Fe3O4 T Grnst.T	37325	20	0.5	88				
20	25	37326	50	15	15		20	T	5.0	G.Q. Qtz. 20 G.S. 15 S.S. T Py.T ZnS.T Fe2O3 T	37326	22	0.7	86				
25	30	37327	60	10	15		15	T	3.2	G.Q. 65 G.S. 10 Qtz. 25 S.S. T Fe2O3 T Fe3O4 T Lim. T	37327	22	0.7	170				
30	35	37328	55	10	15		20	T	3.6	G.Q 65 G.S. 15 Qtz 20 Grnst T S.S. T ZnS T Fe3O4 T Lim T Py T	37328	21	0.8	116				
35	40	37329	60	10	10		20	T	5.0	G.Q. 55 G.S. 15 Qtz. 25 S.S 5 Py.T Grnst. T Lim. T Fe3O4 T Fe2O3 T	37329	22	0.4	83				
40	45	37330	40	T	50		10	T	5.8	G.Q. 25 G.S. 25 Qtz. 20 S.S. 30 Lim. T Grnst. T Py. T ZnS. T	37330	24	0.5	78				
45	50	37331	35	15	35		15	T	3.7	G.Q 30 S.S. 25 G.S. 25 Qtz. 20 Py. T ZnS T Lim. T Lim. T	37331	18	0.7	78				
50	55	37332	40	10	40		10	T	4.0	G.Q 55 S.S 25 G.S 20 ZnS. T Lim. T Py. T Fe3O4 T	37332	20	0.8	92				
55	60	37333	35	15	35		15	T	5.1	G.Q 65 G.S 20 Qtz. 15 Py. T Lim. T Fe3O4 T ZnS. T	37333	21	0.8	87				

DD-217

#150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-20

Date Drilled OCT 1970 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 30' Overburden Depth 40' Length of Hole 100' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Fe (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37334	45	35	20		T	T	5.5	GQ 50 GS 35 Qtz 5 Py 10 ZnS T Lim T Fe3O4 T	37334	10	1.4	80			
65	70	37335	30	40	20		10	T	5.3	GQ 35 GS 35 Qtz 5 Py 20 S.S. 5 Lim T ZnS T	37335	26	1.4	110			
70	75	37336	10	90	T		T	T	6.2	GQ 45 GS 20 Py 30 Qtz 5 Lim T ZnS T Fe3O4 T Fe2O3 T	37336	23	1.5	80			
75	80	37337	20	80			T	T	6.3	GQ 35 GS 35 Py 25 Qtz 5 Lim T Fe2O3 T ZnS T Fe3O4 T	37337	21	1.2	80			
80	85	37338	20	70			10	T	3.3	GQ 45 GS 30 Qtz 10 Py 15 ZnS T Lim T Fe3O4 T S.S. T	37338	30	1.5	86			
85	90	37339	35	50			15	T	5.5	GQ 35 Py 2# Qtz 30 GS 20 ZnS T Lim T Fe3O4 T Pbs. T	37339	52	3.1	60			
90	95	37340	40	30	10		20	T	3.1	GQ GS 25 Qtz 20 Py. 15 ZnS T SS T Lim T Fe3O4 T	37340	24	1.0	95			
95	100	37341	60	20	10		10	T	4.3	GQ 55 GS 20 Qtz 10 Py. 10 SSS Fe2O3 T Lim T ZnS T	37341	17	1.1	50			

DD-217

#22

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,459.92N Departure 161,202.65W Hole No. C-21

Date Drilled Oct. 15/76 Elevation 3,063.13' Bearing S 45° E Page No. 1 Of 2

Casing Depth 20' Overburden Depth 30-35' Length of Hole 95' Dip -90

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37489	40		10	40	10	T	2.0	GS30 ZNST LIMT PbST GQ50 Qtz20 PYT FE3O4T. FECO3T. MNT	37489	61	1.0	92			
10	15	37490	45	10	15	20	10	T	3.5	ZNST LIMT Grnst5 GQ50 GS20 Qtz2t FECO3T. PbST MNT	37490	31	0.2	105			
15	20	37491	25	20	10	15	20	T	3.0	GS35 PYT ZNST GQ50 Qtz15 LIMT SST Grnst T.	37491	23	1.0	154			
20	25	37492	20	20	20	30	10	T	3.8	GS40 SS5 Qtz20 GQ35 MNT LIMT PYT FECO3T.	37492	29	0.9	94			
25	30	37493	30	20	10	20	20	T	2.5	GS30 ZNST LIMT PYT GQ50 Qtz20 SST FECO3T.	37493	26	0.7	80			
30	35	37494	10	T	60	20	10	T	3.0	SS25 Qtz25 Grnst5 PYT GQ25 GS20 PbST LIMT ZNST. FE3O4T	37494	20	0.7	71			
35	40	37495	20	20	60	T	T	T	2.8	PbST FECO3T LIMT ZNST GS35 QTZ14 GQ50 FE3O4T SST	37495	365	2.5	311			
40	45	37496	20	30	50		T	T	2.0	PbST MNT ZNST LIMT GS50 Qtz15 GQ35 FE3O4T SST FECO3T.	37496	81	2.1	192			
45	50	37497	25	45	20		10	T	3.2	GS50 SST LIMT ZNST Qtz20 GQ30 PYT FECO3T MNT	37497	22	1.1	105			
50	55	37498	70	10	10		10	T	2.5	GQ60 SST PYT LIMT GS20 Qtz20 ZNST PbST FECO3T.	37498	32	1.0	212			
55	60	37499	75	10	T		15	T	3.6	PbST GQ60 LIMT ZNST Qtz20 GS20 MNT FECO3T	37499	125	1.4	320			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#22

Location C11 Latitude ____ Departure ____ Hole No. C-21

Date Drilled OCT 15/76 Elevation ____ Bearing ____ Page No. 2 Of 2

Casing Depth 30' Overburden Depth 30-35' Length of Hole 95' Dip -80

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37500	90		T		10	T	2.5	Pbst MNT GQ60 ZNST Qtz30 GS10 LIMT FECO3T SST	37500	53	0.7	172			
65	70	37501	90		T		10	T	2.0	Qtz30 LIMT ZNST GS10 GQ60 PYT FECO3T SST PbST	37501	21	0.7	83			
70	75	37502	80		10		10	T	3.2	Qtz40 GS10 GQ50 PbST LIMT PYT ZNST FECO3T.	37502	36	0.5	52			
75	80	37503	90		T		10	T	4.0	PbST ZNST LIMT GQ60 GS10 Qtz30 FECO3T SST.	37503	20	0.7	255			
80	85	37504	75	15	T		10	T	1.8	GS10 GQ50 Qtz40 PbST ZNST LIMT PYT	37504	68	0.8	404			
85	90	37505	70	T	15		15	T	2.5	PbST ZNST LIMT Qtz30 GS5 GQ65 FECO3T SST.	37505	96	1.5	307			
90	95	37506	60	T	30		10	T	3.0	PbST LIMT Qtz40 ZNST GS10 GQ50 PYT. SST FECO3T	37506	72	1.4	505			
		37															

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#74

Location CH. Latitude 92,669.46N Departure 161,251.90W Hole No. C 22

Date Drilled OCT. 7/76 Elevation 3,031.31' Bearing S 45° W Page No. 1 Of 1

Casing Depth 30' Overburden Depth — Length of Hole 40' Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
C.	10	37038	80	10			10	T	3.0	GQ 35 GS 25 Qtz 10 Py T ZnS T Fe2O3T Lim T SST	37038	55	.1	89			
10	15	37039	60	10			30	T	2.5	GQ 49 GS 25 Qtz 25 Grnst T Fe3O4T SST ZnS T PyT Lim T Fe2O3T	37039	28	1.2	85			
15	20	37040	60	20			20	T	3.0	GQ 55 GS 20 Qtz 20 Grnst 5 Lim T ZnS T Py T SST PyT Fe2O3T	37040	21	0.6	69			
20	25	37041	80	10			10	T	2.1	GQ 60 GS 15 Qtz 20 Grnst 5 Py T SST Fe3O4T Lim T MNT	37041	27	0.8	80			
25	30	37042	70	T			30	T	2.3	GQ 35 GS 15 Qtz 20 Py T ZnS T Grnst T Fe2O3T Lim T SST Fe3O4T	37042	25	0.9	116			
30	35	37043	50	T			50	T	1.5	GQ Qtz 30 GS 25 Grnst T PyT ZnS T MNT Fe2O3T SST	37043	28	1.2	105			
35	40	37044	50	T	T		50	T	2.6	GQ GS 20 Qtz 30 Grnst T SST PyT ZnS T Lim T MNT	37044	42	1.6	106			
		37															

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

113

Location: CH | Latitude: 92.669.46N | Departure: 161.251.90 W | Hole No.: C22A

Date Drilled: OCT 16/76 | Elevation: 3.031.31' | Bearing: S 45° E | Page No.: 1 of 3

Casing Depth: 48' | Overburden Depth: 80' | Length of Hole: 130' | Dip: 58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37564	60	10	10	T	20	T	1.2	PDST LIMT GQ50 PYT ZNST GS20 QTZ30 SST FeCO3T GrnstT	37564	73	5.2	264				
10	15	37565	60	20	10		10	T	1.5	PDST LIMT GQ50 PYT ZNST GS15 QTZ35 GrnstT. FeCO3T	37565	27	0.9	103				
15	20	37566	50	10	20	10	10	T	2.0	PDST LIMT SST GQ45 ZNST QTZ40 GS15 FeCO3T GrnstT.	37566	24	1.1	106				
20	25	37567	70	10	10	T	10	T	1.8	ZNST FeCO3T LIMT GS20 QTZ50 GQ30 GrnstT SST PYT	37567	27	0.8	146				
25	30	37568	50	10	20	10	10	T	2.1	PDST GrnstT GQ40 SST ZNST QTZ40 GS20 PYT. LIMT FeCO3T	37568	30	1.5	151				
30	35	37569	40	10	20	20	10	T	1.4	ZNST PYT GQ40 GS20 SS5 QTZ35 GrnstT LIMT. FeCO3T.	37569	27	1.3	157				
35	40	37570	50	30	10	T	10	T	1.0	ZNST SST PYT LIMT QTZ50 GS25 GQ25 GrnstT FeCO3T.	37570	42	1.5	310				
40	45	37571	50	20	10	10	10	T	1.3	ZNST LIMT GQ30 GS25 QTZ40 SS5 GrnstT. PYT FeCO3T	37571	36	1.4	189				
45	50	37572	50	20	T	10	20	T	1.0	PDST SST LIMT GQ35 ZNST QTZ40 GS25 GrnstT FeCO3T.	37572	29	1.1	162				
50	55	37573	50	20	20		10	T	2.0	PDST PYT QTZ30 ZNST GQ45 GS25 SST. LIMT FeCO3T.	37573	30	1.1	125				
55	60	37574	40	10	20		30	T	1.8	PDST LIMT GQ40 PY5 ZNST GS15 QTZ40 FeCO3T FeCO3T SST	37574	23	0.9	94				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#113

Location CH Latitude _____ Departure _____ Hole No. C12A

Date Drilled OCT 11/75 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 60' Overburden Depth 60' Length of Hole 150' Dip -90°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37575	50	10	T		40	T	2.0	PbST LIMT GQ45 Qtz30 ZnST Py5 GS20 SST FeO3T.	37575	33	1.0	109			
65	70	37576	60		20	T	20	T	1.8	ZnST LIMT GrnstT SST Qtz50 GS15 GQ35 FeO3T FeO3T.	37576	30	0.6	87			
70	75	37577	40	30	10		20	T	1.0	ZnST LIMT GQ30 Py5 Qtz50 GS15 GrnST FeO3T SST FeO3T.	37577	10	0.7	55			
75	80	37578	50	20	10	T	20	T	1.2	ZnST LIMT GQ30 GS15 PbST Qtz45 Py10 FeO3T	37578	37	1.0	83			
80	85	37579	60	40	T		T		3.0	Py30 LIMT ZnST GS20 GQ30 Qtz20 FeO3T SST.	37579	32	1.1	83			
85	90	37580	40	60		T	T		3.5	Py25 ZnST LIMT. GS30 Qtz10 GQ25 FeO3T SST	37580	34	1.2	91			
90	95	37581	40	40		10	10		2.5	Py40 ZnST LIMT GS20 Qtz15 GQ25 FeO3T	37581	38	1.2	95			
95	100	37582	40	50			10		2.1	Py25 LIMT ZnST GS25 GQ30 Qtz20 SST. FeO3T FeO3T	37582	27	0.8	107			
100	105	37583	40	50			10		1.8	Py20 LIMT GQ40 ZnST GS20 Qtz20 SST. FeO3T FeO3T	37583	31	0.9	88			
105	110	37584	40	20	10	10	20	T	2.0	Qtz40 Py10 GS20 ZnST PbST GQ30 PbST SST LIMT FeO3T.	37584	34	1.5	81			
110	115	37585	40	10	10	20	20	T	1.5	PbST LIMT GQ50 ZnST. Qtz35 GS15 Py4. FeO3T SST	37585	31	0.9	80			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#113

Location: CH | Latitude: | Departure: | Hole No.: C22A

Date Drilled: OCT. 16/76 | Elevation: | Bearing: | Page No.: 3 Of 3

Casing Depth: 48' | Overburden Depth: 80' | Length of Hole: 130' | Dip: 58'

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results				Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37586	30	20	10	20	20	T	1.3	PY10 LIMT ZNST GQ45 GS15 Qtz30 FeSO3T FeCO3T	37586	3.1	2.1	101				
120	125	37587	50	10	10	10	20	T	1.5	PY10 UMT MNT SST. GS20 GQ40 Qtz30 FeASST FeCO3T ZNST	37587	2.5	2.0	85				
125	130	37588	40	20	10	10	30	T	1.8	FeASST LIMT GQ45 Qtz35 ZNST PY10 GS10 FeCO3T	37588	2.8	1.8	93				

DD-2

#1-B

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,589.45 N Departure 161,175.82 W Hole No. C-23

Date Drilled OCT. 16 '76 Elevation 3,034.56' Bearing S 45°E Page No. 1 Of 2

Casing Depth 20' Overburden Depth 25' Length of Hole 95' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37546	80	10	10	T	T		7.5	G.Q 40 G.S 20 Qtz 35 S.S 10 Grnst. 5 Lim T Fe3O4 T FeCO3 T ZnS T	37546	35	1.6	228			
10	15	37547	60	10	20	10	10	T	9.0	G.Q 25 S.S. 25 G.S 20 Grnst 10 Qtz 20 Py T Fe3O4 T ZnS T Fe2O3 T FeCO3 T	37547	47	1.3	138			
15	20	37548	50	T	20	10	20	T	4.3	Qtz 30 G.S. 15 G.Q 20 S.S 20 Grnst. 10 Py 5 ZnS T FeCO3 T Fe2O4 T Mn T	37548	50	2.1	170			
20	25	37549	50	10	10	10	20	T	6.2	G.Q. 45 G.S. 25 Qtz 20 S.S. 5 Py. 3 FeCO3 4 ZnS T Pbs. T Fe3O4 T Grnst. T Lim. T	37549	145	3.6	318			
25	30	37550	70	20	10		T	T	5.9	G.Q 32 G.S. 25 Py 10 Qtz 15 ZnS. 2 FeCO3 10 Mn. 1 Pbs. T Lim. T Fe3O4 T	37550	335	16.0	360			
30	35	37551	90	10			T	T	6.8	G.Q 45 FeCO3 25 G.S 10 Qtz 10 Py. 5 Pbs. 5 ZnS. T Lim. T Fe3O4 T	37551	541	17.5	164			
35	40	37552	90				10	T	4.0	G.Q 60 Qtz 10 FeCO3 20 Py. 5 Pbs. 5 G.S. T ZnS T Lim. T	37552	87	4.2	362			
40	45	37553	80			T	20	T	5.2	G.Q 70 FeCO3 20 Py 10 ZnS T Pbs. T Lim. T Fe3O4 T	37553	40	1.4	159			
45	50	37554	50			10	40	T	7.1	FeCO3 60 Qtz 10 Mn 20 Py. 10 ZnS. T Pbs. T G.Q. T Lim. T	37554	31	1.9	107			
50	55	37555	70			20	10	T	4.4	FeCO3 30 Qtz 10 Mn. 5 Py 10 G.Q 45 G.S. T Pbs. T Lim. T Fe3O4 T	37555	20	1.3	175			
55	60	37556	80	T		10	10	T	5.4	FeCO3 10 Py 20 Qtz 10 G.S. 10 ZnS. T Mn. T Lm. T G.Q 50	37556	15	0.7	191			

DD-217

#1-B

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH. Latitude ____ Departure ____ Hole No. C-23

Date Drilled Oct. 16/76 Elevation ____ Bearing ____ Page No. 2 Of 2

Casing Depth 20' Overburden Depth 35' Length of Hole 75' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37557	80	10		T	10	T	3.8	G.Q. 45 Qtz 15 Py 25 FeCO3 15 ZnS T MN T Pbs. T Lim. T	37557	84	2.1	177			
65	70	37558	60	30			10		5.5	Py ~~30~~ G.Q 40 Qtz. 15 Lim. T FeCO3 T GS. 15 ZnS. T	37558	23	3.6	128			
70	75	37559	60	40			T		9.3	G.Q 55 G.S. 15 Qtz 5 Py. 25 FeCO3 T ZnS. T Pbs. T Lim. T MN. T	37559	27	1.6	175			
75	80	37560	60	30			10	T	7.2	G.Q 45 GS 20 FeCO3 4 Qtz. 10 Py 30 ZnS T Pbs. T Lim. T	37560	70	4.2	173			
80	85	37561	70	10		T	20	T	4.5	G.Q 45 FeCO3 5 Qtz 20 Py 10 G.S. 20 ZnS T Pbs T Lim. T S.S. T	37561	134	4.8	441			
85	90	37562	80	10	T		10	T	4.3	G.Q 40 GS. 10 Qtz 20 FeCO3 10 Py 20 FeAcS T Grnst. T ZnS T Pbs. T Lim. T S.S. T MN. T	37562	181	5.0	462			
90	95	37563	70	20	T		10	T	4.5	G.Q 40 GS. 10 Grnst. 20 Qtz 10 Py 10 FeCO3 10 ZnS T FeAcS T Pbs T S.S T MN T	37563	220	13.1	547			

DD-217

PT

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 92,532.87 N | Departure 161,118.54 W | Hole No. C-24

Date Drilled OCT. 11/86 | Elevation 3,047.90' | Bearing S 45° E | Page No. 1 Of 4

Casing Depth 20' | Overburden Depth 35' | Length of Hole 200' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37507	10	90			T	T	3.5	GS.85 GQ.10 Qtz 5 Lim.T Fe3O4T PyT	37507	29	1.5	80			
10	15	37508	10	80	T		10	T	1.5	GS.85 GQ.10 Qtz 5 S.S T ZnS.T Lim.T Fe3O4T	37508	30	1.8	80			
15	20	37509	30	60	10		10	T	4.0	G.Q. G.S.20 Qtz.10 FeCO3T Lim T S.S.T Fe3O4T ZnS.T	37509	24	1.2	169			
20	25	37510	25	50	15		10	T	3.5	G.Q Pbs. 3 G.S.25 Qtz 10 ZnS T PyT S.S.T FeCO3T Lim T Fe3O4T	37510	648	11.0	1455			
25	30	37511	50	20	10		20	T	4.0	Qtz.44 G.Q.35 G.S.20 Py.1 FeCO3T Pbs.T ZnS.T Lim.T Fe3O4T	37511	24	1.3	90			
30	35	37512	90				10	T	5.6	G.Q 85 Qtz 15 Py.T Lim T Fe3O4T G.S.T	37512	40	1.2	95			
35	40	37513	90				10	T	5.0	G.Q 92 Qtz 5 Py 3 Pbs.T STEEL Pbs.T. CuFeS2T Lim.T S.S.T	37513	45	1.2	60			
40	45	37514	90				10	T	6.0	G.Q. 88 Qtz 10 Lim.T MN.T FeCO3T ZnS.T Pbs.T PyT	37514	477	3.5	323			
45	50	37515	80				20	T	5.0	G.Q.70 Qtz 20 Pbs.5 FeCO3 5 ZnS T PyT S.S T Lim.T MN.T	37515	967	7.5	1041			
50	55	37516	80		10		20	T	5.3	GQ 75 Qtz.20 Pbs.1 Py. 4 FeCO3T ZnS T Lim.T	37516	66	1.2	35			
55	60	37517	75		T		25	T	8.1	G.Q Qtz.30 Pbs 1 ZnS T FeCO3 T Lim.T	37517	82	1.0	104			

DD-217

#87

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude ____ Departure ____ Hole No. C-24

Date Drilled OCT 1976 Elevation ____ Bearing ____ Page No. 2 Of 4

Casing Depth 30' Overburden Depth 25' Length of Hole 500' Dip -50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37518	75	T	T		25	T	5.0	G.Q. 60 Qtz. 25 G.S. 10 FeCO3 2 MN. T Py 3 PbS T ZnS. T Lim. T	37518	60	2.5	521			
65	70	37519	70	15			15	T	4.5	G.Q. 55 G.S. 25 Qtz. 15 Py 5 S.S. T FeCO3 T MN T Lim. T ZnS. T	37519	32	2.5	104			
70	75	37520	85	T			15	T	4.3	G.Q. 65 Qtz. 10 FeCO3 20 G.S. T Py 4 ZnS. 1 PbS. T MN. T Lim. T	37520	32	1.3	104			
75	80	37521	90	T			10	T	11	G.Q. 50 FeCO3 25 Py 25 PbCO3 T ZnS T PbS T Lim T MN. T S.S.T G.S.T	37521	10.5	9.4	HIGH	0.27	0.02	0.5
80	85	37522	65	10	15		10	T	8.4	Py. 50 FeCO3 20 Qtz 15 G.Q. 15 S.S. T MN. T ZnS. T PbCO3 T Lim T PbS. T	37522	73	5.5	3240	0.24	0.06	0.3
85	90	37523	20	25	30		15	T	11	G.Q. 10 Qtz 25 FeCO3 20 PbS. 15 G.S 10 S.S. 20 ZnS. T MN. T Lim. T	37523	3525	14.3	HIGH	0.34	0.38	0.40
90	95	37524	70	10	10		10	T	56.5	PbS 40 FeCO3 25 Py 10 Qtz. 10 G.Q. 15 ZnS T PbCO3 T MN. T Lim. T	37524	HIGH	121.7	HIGH	3.05	6.07	1.40
95	100	37525	55	15	10		20	T	5.0	Py 30 PbS. 20 FeCO3 10 G.Q 20 G.S. T Qtz. 20 S.S.T Lim. T ZnS. T MN T	37525	HIGH	26.5	HIGH	0.72	0.75	0.8
100	105	37526	60	10	20		10	T	7.9	PbS 20 STEEL PbS 10 ZnS. 15 Py 25 FeCO3 20 Qtz 5 G.Q. 5 G.S.T Lim. T	37526	HIGH	46.5	HIGH	1.34	0.52	1.24
105	110	37527	55	15	15		15	T	15.0	PbS. 10 STEEL PbS 15 ZnS. 20 FeCO3 15 Py. 25 Qtz 15 G.Q. T G.S.T Lim. T	37527	HIGH	64.7	HIGH	2.28	1.54	6.4
110	115	37528	60	T	30		10	T	8.0	ZnS 52 FeCO3 20 Py 20 PbS. 3 Qtz. 5 STEEL PbS T Lim. T G.Q. T G.S.T	37528	366	46.6	HIGH	1.52	0.39	14.5

DD-217

#87

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C4 | Latitude | Departure | Hole No. C-24

Date Drilled Oct 11/76 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 20' | Overburden Depth 25' | Length of Hole 200' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37529	20		70		10	T	7.2	FeCo3 48 ZnS 30 Qtz 5 STEEL Pbs 1 Pbs 1 Py 15 Q.Q. T S.S. T LIM. T	37519	456	1.8	HIGH	0.57	0.12	4.24
120	125	37530	30		60	T	10	T	5.3	FeCo3 31 S.S. 26 Qtz 20 ZnS. 10 Py 10 Pbs. 4 STEEL Pbs. T G.Q. T LIM T	37530	76.5	10.5	HIGH	0.32	0.07	0.75
125	130	37531	10		60	15	15	T	7.3	FeCo3 25 S.S 40 Qtz 20 ZnS. 5 Pbs. 10 STEEL Pbs. LIM. T G.Q. T	37531	577	6.3	4602	0.20	0.06	0.44
130	135	37532	10		60	15	15	T	8.5	S.S 55 FeCo3 15 Qtz. 20 ZnS. 5 Pbs. 5 STEEL Pbs. LIM. T G.Q. T	37532	445	6.7	4250			
135	140	37533	15		70	T	15	T	5.5	S.S. 56 Qtz. 30 ZnS. 3 FeCo3 5 Py 5 Pbs 1 STEEL Pbs. T G.Q. T LIM. T	37533	324	5.0	2159			
140	145	37534	15		70	T	15	T	6.3	S.S. 42 Qtz 40 LIM. T FeCo3 5 Py 5 ZnS. 4 Pbs. 4 STEEL Pbs. T G.Q. T	37534	460	4.9	2341			
145	150	37535	10		70	10	10	T	5.7	S.S. Qtz. 15 G.Q 10 FeCo3 10 Pbs. 8 ZnS 3 STEEL Pbs. T Py 5	37535	362	3.9	1957			
150	155	37536	10		60	20	10	T	6.0	S.S. 53 Qtz 15 FeCo3 15 Py 5 Pbs 1 ZnS. 1 G.Q. 10	37536	330	4.3	1886			
155	160	37537	15		55	20	10	T	8.3	S.S. 59 Qtz 25 FeCo3 10 Py 4 Pbs 2 ZnS T STEEL Pbs. T LIM. T G.Q. T	37537	377	5.5	1946			
160	165	37538	30		50	10	10	T	7.0	S.S. 50 G.Q. 25 Qtz. 10 ZnS 3 Pbs 2 STEEL Pbs. LIM. T Py 10	37538	330	3.1	1402			
165	170	37539	30		50	T	20	T	6.5	S.S. 37 G.Q. 30 Qtz 25 Py. 5 ZnS 2 Pbs. T STEEL Pbs. T LIM. T	37539	170	1.7	570			

DD-217

#87

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C11 | Latitude | Departure | Hole No. C-24

Date Drilled Oct. 16/76 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 20' | Overburden Depth 25' | Length of Hole 200' | Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37540	30		45	T	25	T	6.0	GQ 45 Qtz. 25 S.S. 25 Py 5 Pbs. T ZnS. T STEEL Pbs. T LIM. T FeCO3 T	37540	119	1.4	622			
175	180	37541	25		55	T	20	T	6.7	S.S 40 G.Q. 30 Qtz. 25 Py. 5 ZnS. T Pbs. T STEEL Pbs. LIM. T	37541	105	1.2	1585			
180	185	37542	20		40	25	15	T	6.5	S.S 51 GQ 20 Qtz. 20 FeCO3 4 Grnst. T ZnS T Py 5 LIM. T Grnst. T Pbs. T St. Pbs T	37542	197	2.4	1777			
185	190	37543	25		35	30	10	T	6.4	S.S 43 G.Q 25 Qtz. 25 Py. 5 Pbs. T ZnS. T STEEL Pbs T FeCO3 2 LIM. T Grnst. T	37543	111	1.4	1572			
190	195	37544	20		35	25	20	T	5.6	S.S. 55 G.Q 20 Qtz. 20 Grnst. T FeCO3 5 Pbs. T STEEL Pbs. T ZnS. T LIM. T Py. T	37544	119	1.5	1474			
195	200	37545	20		40	20	20	T	6.3	G.S. 45 Qtz. 30 G.Q 20 G.S. T Mn. T Py 5 Pbs T ZnS. T STEEL Pbs. T LIM. T	37545	140	2.0	2001			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#45

Location CH Latitude 92,706.79 N Departure 161,155.30 W Hole No. C 21

Date Drilled OCT. 7/76 Elevation 3,039.20' Bearing S 45° E Page No. 1 Of 2

Casing Depth 30' Overburden Depth — Length of Hole 100' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37019	30	T	T		20	T	1.5	GQ 70 GS 5 Qtz 20 SS 5 Lim T Fe3O4T Grnst T	37019	31	2.3	101			
10	15	37020	30	10	T		10	T	2.0	GQ GS 10 Qtz 20 SS 10 Grnst Py T ZnS T Fe3O4 T Fe2O3T	37020	33	1.6	110			
15	20	37021	30	T	T		20	T	2.0	GQ GS 10 Qtz 20 SS 5 Py 1 Pbs T ZnS T Fe2O3 T	37021	25	1.3	105			
20	25	37022	60		10	T	30	T	1.5	GQ 45 GS 10 Qtz 25 SS 20 Py 1 Pbs T ZnS T Fe2O3T Lim T Fe3O4T	37022	26	1.4	106			
25	30	37023	30	10	T		10	T	1.0	GQ 50 GS 20 Qtz 20 Fe2O3T SS T Lim T Py T ZnS T Fe3O4T	37023	56	1.7	108			
30	35	37024	60	10	10		20	T	1.5	GQ 60 GS 10 Qtz 20 SS 10 Py T ZnS T Fe2O3T	37024	27	1.0	104			
35	40	37025	60	20	10		10	T	2.2	GQ 75 GS 10 Qtz 10 SS 5 Py T Fe2O3T Lim T Fe3O4T	37025	31	0.7	116			
40	45	37026	50	30	T		20	T	1.7	GQ 70 GS 10 Qtz 20 SS T Py T Lim T ZnS T Fe3O4T	37026	33	1.4	82			
45	50	37027	40	30	T		30	T	3.5	GQ 65 GS 25 Qtz 10 Py T ZnS T Fe3O4T Lim T SS T	37027	38	1.0	80			
50	55	37028	30	50	10		10	T	1.6	GQ 60 GS 30 Qtz 10 SS T Lim T ZnS T Fe3O4T Py T Fe2O3T	37028	17	0.8	60			
55	60	37029	40	30	T	T	30	T	2.7	GQ 58 GS 30 Qtz 10 Py 2 ZnS T Fe2O3 T Lim T Fe3O4T	37029	18	0.7	62			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#45

Location C11 Latitude ____ Departure ____ Hole No. C25

Date Drilled Oct. 7/76 Elevation ____ Bearing ____ Page No. 2 Of 2

Casing Depth 20' Overburden Depth — Length of Hole 100' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	65	37036	40	10	T		50	T	1.5	GQ 65 G.S 10 Qtz 20 Lim T S.S.T ZnS T Pbs Py. 5 Fe3O4 T	37036	20	1.5	65			
65	70	37031	50	20			30	T	1.8	GQ 30 G.S. 25 Qtz 20 Py 5 FeCO3 T ZnS T Fe2O3T Pbs T	37031	21	1.0	60			
70	75	37032	50	10			10	T	1.2	G.Q. 47 G.S 30 Qtz. 20 Fe2O3 2 Pbs. T ZnS T Py. T Fe3O4T	37032	27	1.4	67			
75	80	37033	50	20	T		30	T	2.0	G.Q 55 G.S. 25 Qtz 15 Py. 3 FeCO3 T ZnS T Lim T Fe3O4T S.S.T Fe2O3T	37033	58	1.1	64			
80	85	37034	70	20	T		10	T	2.3	GQ 67 Pbs. T G.S. 25 ZnS T Qtz 10 Py. 3 S.S.T Lim T Fe3O4T Mn T Pbs T	37034	24	1.1	75			
85	90	37035	60	30			10	T	2.4	GQ 55 G.S. 30 Qtz. 10 Py. 5 ZnS T Fe2O3T FeCO3T Pbs. T	37035	24	1.0	56			
90	95	37036	40	50	T		10	T	2.0	G.Q. 55 G.S. 25 Qtz 15 Py 5 S.S.T Pbs T ZnS T Fe3O4 T Lim T	37036	26	0.9	63			
95	100	37037	70	20			10	T	1.2	GQ 55 G.S. 30 Qtz. 10 Py. 5 Fe2O3T ZnS T FeCO3T Pbs. T	37037	45	0.8	99			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

118 /

Location: CH
Latitude: 92,634.13 N
Departure: 161,078.94 W
Hole No.: C-26
Date Drilled: OCT. 7/76
Elevation: 3,039.94'
Bearing: S 45° E
Page No.: 1 Of 1
Casing Depth: 30'
Overburden Depth: —
Length of Hole: 50'
Dip: 54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37010	40	30	T		30	T	1.6	G.S. 50 G.Q 30 Qtz 20 S.S. T Lim. T Zns. T Py. T Pbs. T Fe2O3 T	37010	33	1.3	138				
10	15	37011	60	10	T		30	T	2.2	G.Q 50 G.S. 25 Qtz 25 Zns. T Py. T Pbs. T Lim. T Fe2O3 T S.S. T	37011	25	1.0	82				
15	20	37012	70	10			20	T	3.2	G.S. 40 G.Q. 39 Qtz 20 Zns. 1 Py. T Pbs. T S.S. T Lim. T	37012	18	0.7	37				
20	25	37013	50	T			50	T	2.8	Qtz. 30 S.S 35 G.S. 15 Py. 5 G.Q 15 Zns. T Lim. T	37013	26	8.1	95				
25	30	37014	70	T	T		30	T	2.1	S.S. 40 G.S. 15 G.Q. 20 Qtz. 20 Py. 5 Zns. T Lim. T	37014	31	6.1	98				
30	35	37015	40	10	10		40	T	1.3	G.Q. 40 S.S 20 G.S. 15 Qtz. 20 Py 5 Pbs. T Zns. T Lim. T	37015	40	2.8	104				
35	40	37016	70	T	10		20	T	1.5	G.Q. 60 S.S. 10 Qtz. 25 Grnst. T Pbs. T Py 5 Mn. T Lim. T	37016	38	4.5	134				
40	45	37017	50		20		20	T	2.0	S.S. 30 Qtz. 20 G.Q G.S. 5 Mn. T Lim. T	37017	34	2.2	119				
45	50	37018	60		10		30	T	2.0	G.Q 55 S.S. 25 Qtz. 20 Fe2O3 T Lim. T	37018	44	2.7	117				

DD-217/
#7.5

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,634.13 N Departure 161,078.94 W Hole No. C 26 A

Date Drilled Oct. 16/76 Elevation 3,039.94' Bearing S 45° E Page No. 1 Of 2

Casing Depth 48 Overburden Depth — Length of Hole 75' Dip -51°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37598	35	15	30		20	T	2.8	GS30 SS10 QE235 PYT LIMT ZNST GQ35 FE103T.	37598	40	1.7	135			
10	15	37599	30	T	40		30	T	1.5	GS30 ZNST LIMT Qtz25 SS20 GQ25 PYT FE103T.	37599	44	1.9	155			
15	20	37591	20	T	40		40	T	2.0	SS15 ZNST LIMT GS30 Qtz20 GQ35 FE103T PYT FE304T	37591	34	2.3	170			
20	25	37592	15		60		25	T	3.0	SS20 PYT ZNST GS20 Qtz30 GQ30 LIMT FE103T Grnst.	37592	21	2.7	155			
25	30	37593	30		60		10	T	2.8	PY10 ZNST LIMT GQ25 SS25 GS20 Qtz20 PYST FE103T Grnst.	37593	36	2.1	141			
30	35	37594	15		45	20	20	T	1.8	PYST LIMT GQ30 PYT ZNST SS20 GS20 Qtz30 FE103T	37594	47	2.5	254			
35	40	37595	20		30	35	15	T	2.5	SS15 PYT Grnst GS30 Qtz20 GQ35 FE103T. LIMT ZNST	37595	40	1.5	169			
40	45	37596	10		30	35	25	T	3.1	GS30 LIMT PYT ZNST SS20 Qtz20 GQ30 FE103T FE304T.	37596	35	3.5	213			
45	50	37597	10		25	40	25	T	2.3	Qtz30 PYST ZNST SS10 GS20 GQ40 LIMT PYT FE103T	37597	42	3.2	269			
50	55	37598	10		35	40	15	T	2.5	SS20 ZNST LIMT Qtz30 GS25 GQ25 PYT FE103T Grnst.	37598	37	2.4	215			
55	60	37599	50		15	25	10	T	1.2	Qtz30 SS5 LIMT GQ50 GS15 PYT ZNST. PYST	37599	19	1.3	121			

DD-217

#75

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C. 26 A

Date Drilled Oct 16/76 Elevation _____ Bearing _____ Page No. 2 Of 2

Casing Depth 48' Overburden Depth — Length of Hole 75' Dip 51°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	6.5	3760	55	T	15	20	10	T	2.6	GS35 Qtz20 GQ45 FeO3T MNT ZNST LIMT PYT.	3760	50	2.2	207			
6.5	TC	3760	40	10	10	30	10	T	2.8	GS35 ZNST PYT Qtz20 SS5 GQ40 FeO3T LIMT	3761	32	2.3	378			
TC	75	3760	40	T	20	30	10	T	1.5	PbST ZNST GQ40 GS0 PY10 SS10 Qtz20 MNT. FeO3T LimT	3760	59	2.3	420			

DD-217

#137

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: 92,564.44 N | Departure: 161,008.70 W | Hole No.: C 27

Date Drilled: C.T. 7/76 | Elevation: 3,038.33' | Bearing: S 45° E | Page No.: 1 Of 4

Casing Depth: 20' | Overburden Depth: 65-70' | Length of Hole: 210' | Dip: 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	36969	25	15	10	30	20	T	2.0	G.Q. 53 G.S. 25 Qtz 20 Fe2O3 T S.S. 2 Py. T Lim T	36969	7.7	2.3	137[illegible]				
10	15	36970	45	30	T	15	10	T	3.1	G.Q. 80 G.S 10 Qtz 10 Lim. T Py. T S.S. T Fe2O3 T	36970	100	5.3	1516				
15	20	36971	50	20		15	15	T	3.0	G.Q 63 G.S 10 Qtz. 25 Py. 2 ZnS. T Lim. T	36971	95	4.8	1034				
20	25	36972	60	20		T	20	T	5.0	G.Q 63 G.S. 15 Qtz 20 Py 2 Lim. T ZnS. T	36972	118	6.0	1151				
25	30	36973	90	T			10	T	4.3	G.Q. 71 G.S 5 Qtz. 20 Py. 4 ZnS. T Lim. T	36973	129	2.8	833				
30	35	36974	80	T			20	T	4.0	G.Q. 57 G.S 20 Qtz 20 Py. 2 Pbs. 1 Steel Pbs T ZnS. T Lim. T FeCo3 T Fe2O3 T	36974	148	2.5	578				
35	40	36975	65	15			20	T	4.0	G.Q 52 G.S. 25 Qtz 20 Py. 2 Fe3O4 T Pbs 1 ZnS. T Lim. T Fe2O3 T	36975	162	2.4	687				
40	45	36976	80	T			20	T	3.5	G.Q. 51 G.S. 20 Qtz. 25 Py. 1 Pbs. 2 ZnS. 1 Grnst. T Mn. T FeCo3 T Fe2O3 T Lim. T	36976	157	3.1	1346				
45	50	36977	80	T			20	T	3.5	G.Q Qtz. 10 Mn. 25 FeCo3 10 Pbs 5 Steel Pbs T Fe3O4 1 Py 4 ZnS 1 G.S. T Fe2O3 T Lim T	36977	575	3.2	1678				
50	55	36978	70	10	T		20	T	3.3	G.Q 39 Qtz 25 Mn. 20 Pbs 4 Steel Pbs 2 ZnS 1 Py. 4 G.S. T FeCo3 5 Lim. T	36978	226	3.8	1591				
55	60	36979	70	15	T		15	T	3.5	Py. 35 Qtz. 20 FeCo3 10 Pbs. 5 Steel Pbs T ZnS. 2 G.Q 23 G.S. T Lim T Mn. 5 Grnst	36979	1325	5.6	3730				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C 27

Date Drilled OCT. 7TH | Elevation | Bearing | Page No. 2 Of 4

Casing Depth 20' | Overburden Depth 65-70' | Length of Hole 210' | Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	36980	20	T	10		20	T	4.2	Py 25 FeCo3 10 Qtz. 30 Pbs. 8 ZnS. 4 MN. 4 G.Q 19 Lim T	36980	1006	5.7	4450	0.25	0.09	0.49
65	70	36981	55	10	15	T	20	T	4.3	FeCo3 30 G.Q 23 Qtz 20 Py 15 ZnS. 3 Pbs. 4 G.S. 5 MN. T STEEL PBS. T Lim. T	36981	850	5.1	HIGH	0.20	0.07	0.65
70	75	36982	30	T	30	20	20	T	3.3	FeCo3 34 Qtz 20 G.Q 20 S.S. 10 Py 10 Pbs. 3 ZnS. 3 Lim. T STEEL PBS. T	36982	404	3.3	2450	0.11	0.03	0.24
75	80	36983	15	T	40	30	15	T	3.5	FeCo3 35 G.Q 20 S.S. 10 Py. 15 Pbs. 8 ZnS 2 STEEL PBS T Qtz. 15 Lim. T	36983	351	3.1	2164			
80	85	36984	30		20	40	10	T	5.1	G.Q 61 S.S. 20 Py 10 Fe3O4 T FeCO3 5 Pbs 2 ZnS. 2 STEEL PBS T MN. T G.S. T Lim T	36984	252	2.9	1545			
85	90	36985	20		30	40	10	T	4.0	G.Q 69 Qtz 10 S.S. 10 Py. 5 FeCo3 4 Pbs. 1 ZnS 1 MN. T Grnst. T Lim. T	36985	172	2.8	2175			
90	95	36986	30		30	20	20	T	4.0	S.S. 30 G.Q. 40 Py. 10 Fe3O4 T Qtz. 15 Pbs. T ZnS T Lim. T FeCO3 5 G.S T	36986	103	3.3	1760			
95	100	36987	10		40	40	10	T	6.5	S.S. 58 Qtz. 25 G.Q 10 Py. 5 Pbs. 1 ZnS 1 STEEL PBS Lim. T FeCO3 T Grnst. T	36987	91	3.7	1565			
100	105	36988	10		40	30	20	T	6.5	S.S. 60 G.Q 10 Qtz. 20 G.S T Py. 5 Pbs T ZnS. T MN. T Lim T Fe3O4 T FeCO3 T	36988	22	3.8	1165			
105	110	36989	10		50	20	20	T	4.5	S.S. 47 G.Q. 10 Qtz. 30 Py. 10 FeCo3 1 Pbs 1 ZnS. 1 Lim. T MN. T G.S. T Fe3O4 T	36989	102	2.6	2250			
110	115	36990	25		30	35	10	T	4.9	S.S. 30 G.Q. 30 Qtz 30 Py. 5 FeCo3 3 Pbs 1 ZnS. 1 Lim T	36990	117	2.4	1375			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C.H. Latitude _____ Departure _____ Hole No. C27

Date Drilled Oct. 7/76 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 65-70' Length of Hole 210' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	36991	30		30	30	10	T	6.5	S.S. 37 G.Q. 30 Qtz 30 Py. 3 ZnS T Pbs. T Lim. T FeCO3 T GS. T Grnst. T	36991	114	2.1	2%			
120	125	36992	30		40	20	10	T	6.2	S.S. 35 G.Q. 30 Qtz 30 Py. 4 G.S. T ZnS. T Pbs T FeCO3 T Lim. T Grnst. T	36992	100	2.0	5%			
125	130	36993	10	30	30	15	15	T	6.7	G.Q 29 GS 20 Py. 15 Qtz. 15 S.S. 20 FeCO3 1 Lim. T	36993	95	3.6	6%			
130	135	36994	10	15	40	20	15	T	6.1	S.S. 28 Qtz. 20 G.S. 15 Py 20 G.Q 15 ZnS. T Pbs. T Lim. T Fe3O4 T FeCO3 2	36994	95	3.7	5%			
135	140	36995	20	T	50	20	10	T	6.6	G.Q. 30 G.S. 5 Qtz 15 Py. 15 FeCO3 1 ZnS. 1 Pbs. T Lim. T S.S. 43	36995	120	2.5	4%			
140	145	36996	20		60	10	10	T	5.1	S.S. 54 G.Q. 20 Qtz. 15 Py. 10 ZnS. T FeCO3 1 Pbs. T Grnst. T Lim. T MN. T G.S. T	36996	77	3.3	3%			
145	150	36997	10		60	20	10	T	5.3	S.S. 65 G.Q 10 Qtz. 20. Py 5 G.S. T Pbs. T ZnS. T Lim. T FeCO3 T	36997	78	2.6	3%			
150	155	36998	10		50	20	20	T	6.1	S.S. 60 G.Q. 10 Qtz. 25 Py. 5 FeCO3 T ZnS T Pbs. T Grnst. T Lim. T	36998	55	2.0	3%			
155	160	36999	T		55	20	25	T	5.5	S.S. 70 Grnst. T Qtz. 25 Py. 5 G.Q. T. G.S. T Lim. MN. T FeCO3 T ZnS. T Pbs. T	36999	51	1.8	3%			
160	165	37000	15		40	30	15	T	5.2	S.S. 60 G.Q 15 Qtz. 20 Py. 5 Lim. T ZnS. T Pbs. T FeCO3 T Grnst. T	37000	36	2.0	2%			
165	170	37001	15		30	40	15	T	6.8	S.S. 45 G.Q. 15 Qtz. 25 Py 10 Grnst. 5 Fe3O4 T ZnS T Pbs. T FeCO3 T	37001	42	2.0	2%			

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C 27

Date Drilled Oct. 1976 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 20' | Overburden Depth 65-70' | Length of Hole 210' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37062	20		50	10	20	T	5.0	S.S. 34 Qtz 25 G.Q. 20 Grnst. 5 Py. 15 ZnS 1 Pbs. T FeCO3 T Lim. T Fe3O4 T	37062	41	20.1	754			
175	180	37063	30		35	10	25	T	6.9	Qtz. 35 S.S. 20 G.Q. 10 Py. 20 Grnst. T ZnS T Fe2O3 T Lim. T Pbs. T	37063	14	4.5	324			
180	185	37064	30		30	T	40	T	6.5	Qtz. 40 S.S. 20 G.Q. 20 Py. 10 Pbs. 1 ZnS. T STEEL PBS. T Lim. T Grnst. T Fe3O4 T	37064	87	5.0	213			
185	190	37065	15	30	30		25	T	4.6	S.S. 25 Grnst 25 Qtz 20 Py. 15 G.Q. 15 G.S. T ZnS. T Lim. T	37065	35	2.2	160			
190	195	37066	35	30	20		15	T	4.4	G.Q. 35 G.S 25 Qtz 15 Grnst. 5 S.S. 10 Lim. T Py 10 ZnS. T	37066	42	2.5	252			
195	200	37067	10	60	20		10	T	6.3	G.Q. 45 G.S. 25 Qtz 15 Py 10 S.S. 5 Grnst. T Lim. T ZnS T FeCO3 T	37067	37	1.7	227			
200	205	37068	40	30	10		20	T	4.8	G.Q 40 G.S. 25 Qtz. 25 Py 10 S.S. T ZnS. T Pbs. T FeCO3 T Lim. T	37068	41	1.6	356			
205	210	37069	40	35	10		15	T	3.9	G.Q. 44 G.S. 25 Qtz 15 Py. 10 FeCO3 1 S.S. 5 Lim. T Pbs. T ZnS. T	37069	82	2.0	602			

DD-217

FF 163

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C-4 Latitude 92,769.93N Departure 161,091.56W Hole No. C-28

Date Drilled OCT. 1977 Elevation 3,049.27' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 25' Length of Hole 130' Dip 50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37636	50	30			20	T	3.9	Qtz. 35 G.S. 30 G.Q. 35 Py. T Fe3O4 T Lim. T	37636	32	1.3	92			
10	15	37637	65	25			10	T	4.3	G.Q. 65 G.S. 25 Qtz. 10 Lim. T Py. T Fe3O4 T Zns. T	37637	16	1.1	86			
15	20	37638	70	20			10	T	4.0	G.Q. 70 G.S. 20 Qtz. 10 Zns. T Py. T S.S. T Lim. T Fe3O4 T	37638	44	0.9	54			
20	25	37639	60	25			15	T	5.2	G.Q. 45 Qtz. 25 G.S. 25 Py. 5 Zns. T Lim. T S.S. T Fe3O4 T	37639	31	1.1	78			
25	30	37640	55	35			10	T	4.1	G.Q. G.S. 20 Qtz. 20 Py. 3 S.S. T Fe3O4 T Zns. T Fe2O3 T	37640	21	1.4	55			
30	35	37641	30	70			T	T	5.5	G.S. 60 G.Q. 30 Qtz. 10 Lim. T Py. T Zns. T S.S. T	37641	31	1.6	70			
35	40	37642	35	50			15	T	4.8	G.Q. 37 G.S. 25 Qtz. 25 Py. 3 S.S. T Lim. T Zns. T	37642	14	1.3	48			
40	45	37643	30	70			T	T	4.0	G.Q. 37 G.S. 45 Qtz. 15 Py. 3 Lim. T Zns. T S.S. T	37643	26	1.5	55			
45	50	37644	20	70			10	T	5.5	G.S. 40 G.Q. 30 Qtz. 20 Py. 10 S.S. T Zns. T Lim. T	37644	31	1.4	70			
50	55	37645	25	60			15	T	5.5	G.S. 30 G.Q. 30 Qtz. 25 Py. 15 Lim. T Zns. T S.S. T	37645	30	1.4	70			
55	60	37646	40	50			10	T	5.0	G.S. 30 G.Q. 40 Qtz. 25 Py. 5 S.S. T Lim. T Pbs. T Zns. T	37646	17	1.0	55			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#163

Location CH Latitude ____ Departure ____ Hole No. C-28

Date Drilled Oct. 19/71 Elevation ____ Bearing ____ Page No. 2 of 3

Casing Depth 20' Overburden Depth 25' Length of Hole 150' Dip -50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37647	40	60			T	T	5.3	G.S.40 G.Q 40 Qtz.10 Py.10 Lim.T S.S.T	37647	20	1.7	72			
65	70	37648	50	50			T	T	5.4	G.Q 25 G.S. 25 Qtz 25 Pbs T ZnS T Py 25 Lim T	37648	17	1.2	60			
70	75'	37649	20	25	30		25	T	6.5	Qtz 25 G.Q. 20 G.S. 25 Py 15 S.S. 15 Lim.T ZnS T Pbs.T	37649	23	1.6	85			
75	80	37650	20	30	30		20	T	5.0	G.Q 15 S.S 20 Qtz. 20 G.S. 25 Py 20 Lim.T ZnS.T Pbs.T Fe3O4T	37650	12	1.6	92			
80	85	37651	15	20	25		40	T	6.6	~~G~~Qtz 40 S.S. 10 G.Q 10 G.S 15 Py. 5 Lim.T ZnS.T Pbs T Fe3O4T	37651	14	1.2	70			
85	90	37652	20	20	40		20	T	6.5	G.Q. 20 S.S. 30 Qtz 20 G.S. 20 Py. 10 Pbs.T Lim.T	37652	20	1.2	112			
90	95	37653	10	20	60		10	T	6.0	G.S. 25 S.S. 25 Qtz. 10 G.Q. 20 Py 20 Lim T ZnS T	37653	24	1.6	89			
95	100	37654	20	50	20		10	T	6.5	G.Q 35 G.S 30 Py 25 Qtz 10 Lim.T ZnS.T S S T	37654	33	2.0	97			
100	105	37655	40	40	10		10	T	5.0	G.Q 40 G.S 40 Qtz 10 Py T Lim.T S S T ZnS.T	37655	25	2.0	89			
105	110	37656	55	35	T		10	T	6.5	G.Q 45 G.S 35 Py 20 Qtz T Lim.T ZnS T	37656	22	1.6	96			
110	115	37657	70	30			T	T	5.0	G.Q 70 G.S 20 Qtz T Py 10 Lim T ZnS T	37657	13	1.0	53			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

163

Location CH Latitude _____ Departure _____ Hole No. C-28

Date Drilled OCT. 18TH Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 30' Overburden Depth 25' Length of Hole 150' Dip -20°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37658	55	30			15	T	6.0	GQ 50 GS 20 Qtz 15 Py 15 LIM T ZnS T	37658	11.	1.4	44			
120	125	37659	55	30	T		15	T	3.5	GQ 25 GS 30 Qtz 10 Py 5 ZnS T LIM T	37659	22	1.4	65			
125	130	37660	55	25	T		20	T	4.5	GQ 35 GS 25 Qtz 20 Py 30 S.S T ZnS T LIM T	37660	20	1.5	71			

DD-217

106

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92.716.12 N Departure 160.987.62W Hole No. C-29

Date Drilled Oct. 8 Elevation 3000.25' Bearing S 45°E Page No. 1 Of 3

Casing Depth 10' Overburden Depth 30-2.5' Length of Hole 160' Dip -50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37731	30	20	10	20	20	T	4.0	G.Q 40 G.S.20 Qtz 20 S.S.10 Grnst T Py T Fe3O4 2 ZnS T Fe2O3 T Lim T MN T	37731	50	1.0	75			
10	15	37732	40	30	T	10	20	T	3.4	Qtz 55 G.S. 25 G.Q 20 Fe3O4 T Py T S.S T Lim T Fe2O3 T	37732	30	0.9	76			
15	20	37733	40	30	T	T	30	T	3.0	Qtz. 50 G.S 30 G.Q 20 S.S T Py T Lim T Fe3O4 T Pbs T ZnS T MN T	37733	30	0.9	78			
20	25	37734	20	60			20	T	3.3	G.Q 35 G.S. 35 Qtz 25 Py 5 S S T FeCO3 T ZnS T Lim T	37734	21	1.3	64			
25	30	37735	50	30	T		20	T	3.7	G.Q 37 G.S. 30 Qtz 30 Py 3 Fe3O4 T S.S.T ZnS T Lim T	37735	29	1.3	58			
30	35	37736	50	20	10		20	T	4.9	Qtz. 45 G.S. 25 G.Q 20 Py 10 Pbs T ZnS T Lim T Fe3O4 T S S T	37736	13	0.8	47			
35	40	37737	50	20	20		10	T	2.1	G.Q 40 G.S. 25 Qtz 25 Py 10 FeCO3 T Pbs T ZnS T Lim T Fe3O4 T	37737	29	1.3	63			
40	45	37738	40	30	20		10	T	6.0	G.Q 20 G.S. 30 Qtz 45 S S T Grnst T Py 5 MN T ZnS T FeCO3 T	37738	30	1.0	67			
45	50	37739	40	20	30		10	T	3.5	G.Q 25 G.S 25 Py 25 Qtz 25 Lim T S S T ZnS T Pbs T FeCO3 T MN T	37739	33	1.3	81			
50	55	37740	20	T	50	30	10	T	2.4	Qtz 30 G.S. 10 Py 25 G.Q 25 S.S 10 Grnst T Lim T MN T ZnS T FeCO3 T	37740	11	1.5	67			
55	60	37741	10	10	40	40	T	T	5.1	Qtz 25 S.S 35 Py 15 G.S. 10 Grnst. 5 G.Q 10 MN T Pbs T STEEL Pbs T ZnS T Lim T FeCO3 T	37741	23	1.0	60			

DD-217

106

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-29

Date Drilled Oct. 12-15 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 10' Overburden Depth 80.25' Length of Hole 160' Dip 50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37742	10		45	45	T	T	4.7	Qtz 25 S.S. 40 G.S. 5 Grnst. 20 Py 10 G.Q. T Lim. T	37742	5	1.1	62			
65	70	37743	20		30	40	10	T	3.5	Qtz 20 S.S. 30 G.S. 20 Grnst. 10 $FeCO_3$ 10 Py 10 G.S. T Lim. T Fe_3O_4 T	37742	14	2.3	64			
70	75	37744	20	20	30	30	T	T	3.3	Py 30 G.S. 20 Qtz 20 S.S. 10 Grnst. T G.Q. 20 $FeCO_3$ T	37744	67	3.2	156			
75	80	37745	T	20	40	40		T	6.2	Py 25 S.S. 25 Qtz 20 G.S. 20 G.Q. 10 Lim. T Fe_2O_3 T Zns. T	37745	26	2.2	80			
80	85	37746	20	30	10	20	20	T	4.2	Py 25 G.S. 30 Qtz. 20 S.S. 5 G.Q. 20 Lim. T Fe_3O_4 T Zns. T	37746	18	1.6	71			
85	90	37747	30	20	T	40	10	T	3.5	G.Q. 30 Qtz. 25 Py. 25 G.S. 20 Lim. T Zns. T $FeCO_3$ T	37741	18	1.5	64			
90	95	37748	80	T	10		10	T	6.5	G.Q. 70 G.S. 10 Qtz 10 Py 10 Zns. T Lim. T $FeCO_3$ T	37748	22	1.7	54			
95	100	37749	70		10		20	T	8.8	G.Q. 60 G.S. 10 Qtz. 25 Py 5 Mn. T S.S. T Lim. T Steel Pbs. T Zns. T	37749	19	1.4	55			
100	105	37750	40	T	T	40	20	T	5.3	G.Q. 50 G.S. 20 Qtz. 25 Py 5 $FeCO_3$ T Zns. T Fe_2O_3 T Lim T	37750	29	1.5	156			
105	110	37751	10	10	10	20	20	T	4.3	G.Q. 45 G.S. 25 Qtz. 20 Py. 10 $FeCO_3$ T Fe_3O_4 T Zns T Lim. T	37751	21	1.8	102			
110	115	37752	20	60	10	T	10	T	4.4	G.Q 30 Py 25 Qtz 10 G.S. 35 S.S. T $FeCO_3$ T Lim. T Zns T	37752	27	1.6	114			

DD-217

106

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-29

Date Drilled Oct. 15/76 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 10 | Overburden Depth 20-25' | Length of Hole 160' | Dip 50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	3T154	20	50	T	20	10	T	3.5	Py 30 G.S. 30 G.Q 30 Qtz 10 S.S.T Lim.T ZnS.T $FeCO_3$ T	3T153	34	1.8	116			
120	125	3T155	10	50	10	20	10	T	4.2	Py 30 G.S. 30 G.Q 30 Qtz 10 Lim.T ZnS. $FeCO_3$ T	3T157	21	1.3	90			
125	130	3T158	30	20	10	20	20	T	3.8	G.Q. 55 Qtz 25 Lim.T QS 20 S.S.T Py 20 $FeCO_3$ T	3T159	24	1.6	68			
130	135	3T156	50	T	20	20	10	T	4.4	G.Q 45 Py 10 S.S 20 Qtz 20 G.S 5 Lim.T	3T154	18	1.0	35			
135	140	3T157	60	20	T	10	10	T	3.4	G.Q. 70 G.S. 15 Qtz. 10 $FeCO_3$ T Py 5 $FeAs_2$ T S.S T Lim.T Fe_3O_4 T	3T151	26	1.0	38			
140	145	3T158	60	20	T	T	10	T	5.0	G.Q. 55 G.S. 20 S.S. T Qtz 10 $FeCO_3$ T Grnst 5 Py 10 Lim.T Fe_3O_4 T Pbs T ZnS T	3T158	32	1.2	50			
145	150	3T159	60	10	20	T	10	T	5.3	Grnst. 45 G.Q 45 Py 5 Qtz. 5 Lim.T $FeCO_3$ T Fe_3O_4 T ZnS.T S.S.T	3T150	19	1.0	54			
150	155	3T160	50	30	10		10	T	5.0	G.Q 50 Grnst 45 Qtz 5 Py. T Lim.T Fe_3O_4 T ZnS.T $FeCO_3$ T S.S.T	3T160	16	1.2	55			
155	160	3T161	20	10	T		10	T	4.6	G.Q 50 Grnst 25 Qtz 10 Py 5 $FeCO_3$ T Lim.T Fe_3O_4 T S.S. T	3T161	20	1.2	55			

DD-217

1

#73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH. Latitude: 92,617.44 N Departure: 160,935.28 W Hole No.: C-30

Date Drilled: OCT 19/76 Elevation: 3,067.87' Bearing: 845°E Page No.: 1 Of 4

Casing Depth: 20' Overburden Depth: 22' Length of Hole: 210' Dip: 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37762	45	15	30		10	T	3.2	GS30 GrnSIT. MNT QtZ30 GQ40 PYT INST FeCO3T. LIMT	37762	29	1.9	81				
10	15	37763	50	20	20		10	T	1.8	GS30 MNT GrnSIT INST GQ50 QtZ20 PYT FeSO4T. LIMT	37763	23	1.6	73				
15	20	37764	75	10	T		15	T	2.0	QtZ30 MNT LIMT INST GS20 GQ50 PYT FeCO3T FeSO4T.	37764	51	1.9	233				
20	25	37765	90				10	T	2.3	QtZ50 SST LIMT INST GS10 GQ40 PYT PbST. MNT FeSO4T	37765	32	1.5	288				
25	30	37766	90				10	T	2.5	PbST GQ40 SST INST PYT GS20 QtZ40 FeCO3T	37766	212	3.2	248				
30	35	37767	100				T	T	2.1	PbST GQ55 QtZ20 PY5 INST MN5 LIM5 GS10 FeSO4T. FeCO3T	37767	19	6.0	749				
35	40	37768	90				10	T	3.0	PbST SST LIMT PYT. INST GQ60 GS10 QtZ30 FeCO3T FeSO4T.	37768	151	2.7	391				
40	45	37769	75		T		25	T	3.5	QtZ70 LIMT INST GS10 GQ20 PYT MNT. PbST FeCO3T.	37769	27	1.6	140				
45	50	37770	85		T		15	T	3.2	PY5 SST LIMT GQ40 PbST INST QtZ50 GS10 MNT. FeCO3T FeSO4T.	37770	35	1.8	137				
50	55	37771	75	15	T		10	T	3.8	PY5 INST QtZ20 MNT PbST GS20 GQ55 FeCO3T. FeSO4T	37771	163	2.0	946				
55	60	37772	75	15	T		10	T	2.0	GQ50 INST LIMT PbST GS30 QtZ20 PYT GrnSIT. FeCO3T MNT	37772	297	3.7	804				

DD-217

#73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-30

Date Drilled: Oct. 19/76 | Elevation: | Bearing: | Page No.: 2 Of 4

Casing Depth: 20' | Overburden Depth: 20' | Length of Hole: 20' | Dip: 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37773	40	10		7	10	T	2.3	PY5 ZNST LIMT FeCO3 5 GQ50 GS10 Qtz30 MNT Fe3O4T Grnst T.	37773	68	3.9	474				
65	70	37774	50			40	10	T	2.0	Pbs2 Qtz28 GS10 PY5 ZNST Grnst5 GQ50 Fe3O4T. FeCO3T. MNT LIMT	37774	629	10.9	1181				
70	75	37775	40			60	T	T	3.6	PbST ZNST GQ60 Qtz20 PYT Grnst20 GS10 FeCO3T LIMT	37775	253	3.2	370				
75	80	37776				100	T	T	2.1	ZNST GS10 Qtz10 GQ50 PbST PYT Grnst30 MNT. LIMT FeCO3T	37776	238	5.0	540				
80	85	37777				100	T	T	2.8	ZNS3 LIMT GQ50 Qtz10 Pbs2 Grnst30 GS15 FeCO3T MNT.	37777	2313	11.2	4175				
85	90	37778	15			70	15	T	2.5	Pbs2 SST GQ45 GS10 ZNST Grnst13 Qtz30 MNT LIMT FeCO3T	37778	357	3.8	769				
90	95	37779	10			75	15	T	3.2	ZNS4 GQ40 GS5 Pbs4 Grnst22 Qtz25 FeCO3T. LIMT MNT	37779	1478	12.5	3475				
95	100	37780	15			70	15	T	3.5	ZNS10 Qtz10 GST Pbs5 Grnst30 GQ45 FeCO3T LIMT SST. MNT	37780	1901	10.4	3960				
100	105	37781	20			70	10	T	3.8	ZNS6 MNT GQ35 Qtz11 Pbs8 Grnst30 FeCO3 5 Fe3O4T. LIM5 Fe2O3T.	37781	2388	9.8	4250				
105	110	37782	20			70	10	T	4.0	Pbs5 3 Grnst20 MNT ZNS3 FeCO3 20 LIM5 Fe2O3T GQ35 Qtz15 SST.	37782	1447	7.1	4590				
110	115	37783	35			50	15	T	2.8	ZNS1 GST GQ55 Qtz10 Pbs1 Grnst20 FeCO3 13 MNT. LIMT Fe2O3T	37783	1030	5.5	5000				

DD-217

73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-30

Date Drilled: OCT. 19[illegible] | Elevation: | Bearing: | Page No.: 3 Of 4

Casing Depth: 20' | Overburden Depth: 20' | Length of Hole: 210' | Dip: 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37784	25		50	15	10	T	1.8	PbST GQ31 GS5 Qtz30 ZnST SS20 Grnst5 FeO3T. MNT LIM3 FeCO3T PyT.	37784	312	2.6	1677			
120	125	37785	T		80	10	10	T	2.5	ZnST GQ35 Qtz30 LIMT PbST SS20 FeCO315 PyT MNT FeO3T Grnst T	37785	230	2.6	1639			
125	130	37786	10	10	50	20	10	T	2.0	ZnST GS15 Qtz30 LIMT PbST Py20 GQ35 SST FeO3T. FeCO3T	37786	136	3.4	798			
130	135	37787	20		45	20	15	T	1.9	Py10 SS10 GS5 GQ25 Qtz50 PbST ZnST MNT. FeCO3T LIMT	37787	82	2.3	385			
135	140	37788	10		40	40	10	T	2.1	ZnST GST LIMT GQ30 PbST Py5 SS15 Qtz50 Grnst T FeCO3T	37788	62	2.0	760			
140	145	37789	T		30	50	20	T	2.3	PbST GST GQ10 LIMT ZnST SS20 Py10 Qtz60 FeCO3T.	37789	52	3.0	416			
145	150	37790			70	20	10	T	3.0	PbST GQ10 Qtz45 ZnST Py10 SS35 GST FeCO3T LIMT	37790	47	2.9	600			
150	155	37791			70	30	T	T	3.0	PbST GST GQT Qtz50 ZnST SS45 Py5 FeCO3T. LIMT	37791	66	2.9	480			
155	160	37792			60	40	T	T	2.8	ZnST LIMT GST GQT PbST SS35 Py5 Qtz60 FeCO3T.	37792	49	5.4	359			
160	165	37793			60	25	15	T	2.5	ZnST LIMT GQ5 GST PbST SS40 Py5 Qtz50	37793	42	2.9	359			
165	170	37794			40	60	T	T	2.0	ZnST Qtz40 Grnst5 PbST stepbST SS40 Py10 FeCO3T GST GQ5 LIMT	37794	34	2.0	395			

DD-217
#73

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-30
Date Drilled: OCT. 19/76 | Elevation: | Bearing: | Page No.: 4 Of 4
Casing Depth: 30' | Overburden Depth: 22' | Length of Hole: 210' | Dip: 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37795			50	40	10	T	3.2	ZNST PY10 SS30 GST PbST FeASST GQ10 Qtz50 GrnstT FeCO3T LIMT.	37795	29	1.9	212				
175	180	37796			55	35	10	T	2.8	PbST LIMT GrnstT GQT ZNST SS45 PY5 Qtz50 FeCO3T	37796	92	4.2	194				
180	185	37797			50	30	10	T	2.0	ZNST GST GQ10 Qtz40 PbST PY10 SS40 GrnstT Fe3O4T LIMT FeCO3T	37797	72	2.6	247				
185	190	37798			60	30	10	T	2.5	ZNST LIMT Qtz50 GQ10 StePbST PbST PY10 SS30 Fe3O4T FeCO3T GrnstT.	37798	36	1.5	345				
190	195	37799			55	25	20	T	1.9	ZNST GQT LIMT Qtz60 PbST PY5 SS35 Fe3O4T. GrnstT.	37799	35	1.6	217				
195	200	37800			60	20	20	T	1.4	PbST GS5 GQ10 Qtz60 ZNST StePbST PY5 SS20 GrnstT LIMT FeCO3T.	37800	50	2.2	495				
200	205	37801			40	30	30	T	2.0	PbST GrnstT PYT Qtz60 ZNST SS25 GS5 GQ10 FeCO3T LIMT.	37801	54	2.0	481				
205	210	37802			45	25	30	T	2.3	PbST LIMT Qtz50 GQ10 ZNST PY5 SS30 GS5 FeCO3T GrnstT.	37802	59	2.0	358				

DD-2M
#150

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: 92,554.53 N | Departure: 160,866.45 W | Hole No.: C-31
Date Drilled: OCT. 18/76 | Elevation: 3,050.40' | Bearing: S 45° E | Page No.: 1 Of 3
Casing Depth: 25' | Overburden Depth: 30' | Length of Hole: 170' | Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37603	60		30		10	T	2.0	GS30 PYT INST SS10 GQ30 QtZ30 LIMT.	37603	56	10.8	173				
10	15	37604	15		50	25	10	T	2.5	PbST LIMT GQ35 GS10 SS30 GrnSt5 QtZ20 FeCO3T INST.	37604	40	2.0	185				
15	20	37605	30		60	10	T	T	1.5	PbST SS40 QtZ20 SS4PbST INST GrnSt5 FeCO3T. LIMT GQ35	37605	34	1.2	131				
20	25	37606	20		50	30	T	T	1.8	PbST LIMT QtZ20 SS45 GS10 GQ25 PY. INST FeCO3T.	37606	58	2.1	197				
25	30	37607	10		50	25	15	T	2.2	SS25 INST PYT QtZ25 GS10 GQ40 PbST LIMT.	37607	41	1.2	151				
30	35	37608	10		60	30	T	T	3.0	SS30 GrnStT PYT QtZ30 GQ30 GS10 PbST INST	37608	26	1.3	119				
35	40	37609	10		60	20	10	T	2.5	PbST GQ20 GS10 QtZ20 PY5 SS40 GrnSt5 LIMT. INST	37609	22	0.7	101				
40	45	37610	T		70	15	15	T	1.3	PbST PYT INST LIMT SS20 QtZ50 GQ30 GrnStT.	37610	36	0.6	98				
45	50	37611			85	T	15	T	2.0	PbST PYT GST GQ40 INST SS30 QtZ30 FeCO3T.	37611	44	0.9	192				
50	55	37612			70	20	10	T	1.9	PbST PYT INST GQ10 SS20 QtZ70 GST GrnStT.	37612	18	0.8	113				
55	60	37613			85	15	T	T	2.3	PY5 INST GQ10 GST PbST SS30 QtZ55 GrnStT LIMT.	37613	37	2.7	157				

DD-217

#150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-31

Date Drilled OCT 1971 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 25' Overburden Depth 30' Length of Hole 170' Dip -60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	65	37614			70	20	10	T	1.4	PbST ZnST GS5 GQ30 PY10 SS20 Qtz35 LimT. FeOST	37614	40	2.6	198			
65	70	37615			75	15	10	T	1.8	SS10 PbST LimT Qtz45 Py5 GQ20 ZnST. FeOST	37615	26	3.0	144			
70	75	37616			70	20	10	T	2.0	PbST PyT ZnST GST SS30 Qtz60 GQ10 GrnstT FeOxT	37616	31	2.8	162			
75	80	37617	15	10	30	35	10	T	2.2	Py10 SSN GQ40 GS20 PbST Qtz20 LimT. ZnST FeOxT	37617	35	6.3	250			
80	85	37618	20	15	35	20	10	T	2.5	PbST LimT ZnST GQ50 Py5 GS10 SS5 Qtz30 FeOxT	37618	37	29	382			
85	90	37619	25	10	40	15	10	T	2.1	PbST ZnST GQ35 GS5 Py10 SS20 Qtz30 LimT. FeOST FeOxT	37619	18	1.2	158			
90	95	37620			50	20	T	T	3.0	PbST ZnST GQ20 GS10 Py5 SS25 Qtz40 FeOST FeOxT LimT	37620	54	2.0	211			
95	100	37621			50	20	T	T	1.5	PbST PyT GS10 SS30 Qtz40 GQ20 ZnST FeOxT.	37621	28	2.1	274			
100	105	37622			70	20	10	T	3.5	PbST ZnST GS5 GQ25 Py10 SS20 Qtz40 FeOxT GrnstT.	37622	68	2.5	355			
105	110	37623			60	30	10	T	2.0	PbST Py10 SS20 GQ35 SurfPbST ZnST GS10 FeOxT. LimT Qtz25	37623	100	2.5	274			
110	115	37624			65	25	15	T	2.8	PbST SS20 GQ30 GS10 ZnST Py10 Qtz30	37624	70	3.1	310			

DD-217

#150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location KH | Latitude | Departure | Hole No. C-31

Date Drilled OCT. 18/86 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 25' | Overburden Depth 30' | Length of Hole 170' | Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37625	20		50	15	15	T	2.0	pbst, GS5 SS10 QZ40 ZNST PY5 GQ40 LIMT. fe2O3T fe3O4T	37625	50	3.4	276			
120	125	37626	15		50	15	20	T	2.1	pbst ZNST LIMT QZ30 PY15 SS15 GS10 GQ20 fe3O4T. fe2O3T	37626	50	2.6	188			
125	130	37627	10		50	25	15	T	1.5	SS20 ZNST LIMT QZ55 PY5 GQ20 pbst. Grnst T. fe3O4T	37627	48	2.1	150			
130	135	37628	10		50	10	30	T	1.0	SS20 ZNST GST PY10 QZ50 GQ20 pbst fe3O4T	37628	72	2.3	220			
135	140	37629	10		50	10	30	T	1.2	pbst LIMT GST GQ30 PY5 SS20 QZ45 fe3O4T fe2O3T	37629	61	4.5	169			
140	145	37630	5		70	T	25	T	1.8	pbst LIMT ZNST GQ35 QZ50 SS10 PY5 fe2O3T	37630	60	1.9	255			
145	150	37631	10		70	T	20	T	2.3	pbst SS10 GQ40 sstpbst PY10 QZ40 ZNST LIMT fe3O4T GST	37631	89	35	132			
150	155	37632	30		20	50	T	T	2.8	pbst ZNST LIMT QZ30 PYT SS10 GQ50 GS10 fe2O3T	37632	42	5.4	170			
155	160	37633	15	30	15	30	10	T	3.0	PY5 LIMT QZ20 pbst GS25 GQ50 ZNST. fe2O3T	37633	45	2.2	185			
160	165	37634	20	15	15	20	30	T	1.5	pbst SST PYT GS20 GQ50 QZ30 fe2O3T. ZNST LIMT	37634	48	2.8	180			
165	170	37635	45	10	15	15	15	T	1.3	pbst GS20 SST ZNST PY5. GQ50 QZ25 GrnsT. fe2O3T LIMT	37635	59	3.1	226			

DD-27
#159

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 92,688.65 N | Departure 160,857.95W | Hole No. C32

Date Drilled Oct. 10/76 | Elevation 3,080.35' | Bearing S 45°E | Page No. 1 Of 4

Casing Depth 30' | Overburden Depth 75' | Length of Hole 120' | Dip -50

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Tin (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37803	50	T	30	20	T	T	1.5	GS30 ZNST LIMT GQ30 SS10 Qtz30 PBST PYT FECOT.	37803	47	3.1	87			
10	15	37804	50		T	50	T	T	1.0	ZNST MNT LIMT PBS 23 GS10 GQ35 Qtz30 PYT. SST FECOT	37804	HIGH.	92.2	2175	2.74	1.62	0.1
15	20	37805	50	FEST	10	40	T	T	1.8	ZNST LIMT GQ65 PBS 20 Qtz10 GS5 MNT. FECOT SST	37805	HIGH.	118.6	3582	3.68	2.09	0.3
20	25	37806	70		T	20	10	T	2.0	PBSI PYT LIMT MNT ZNST GS5 GQ60 Qtz30 FECOT. SST	37806	362	3.6	334			
25	30	37807	100			T	T	T	1.2	ZNST LIMT GQ60 MNT PBST Qtz30 GS5 PY5 FECOT.	37807	74	2.5	245			
30	35	37808	90				10	T	1.5	PBST LIMT GQ60 Qtz35 ZNST GS5 PYT FECOT.	37808	120	4.2	446			
35	40	37809	75	15			10	T	1.0	PBST LIMT Qtz30 MNT ZNST GS10 GQ60. FECOT PYT	37809	31	1.5	386			
40	45	37810	80	20			T	T	1.3	PBST MNT LIMT GQ60 ZNST PY5 GS15 Qtz20 FECOT	37810	42	1.8	330			
45	50	37811	70	20			10	T	1.6	ZNST MNT GQ55 PY5 PBST LIM5 GS15 Qtz20 FECOT.	37811	37	2.0	360			
50	55	37812	50	40			10	T	1.5	ZNST LIMT GQ40 PBST PY15 GS30 Qtz15 FECOT	37812	56	2.8	0.11			
55	60	37813	55	30			15	T	2.0	ZNST LIMT GQ40 Qtz30 PBST PY10 GS20 MNT FECOT.	37813	47	2.1	0.11			

DD-217

154

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C 32

Date Drilled: OCT. 19/76 | Elevation: | Bearing: | Page No.: 2 Of 4

Casing Depth: 30' | Overburden Depth: 25' | Length of Hole: 180' | Dip: 63°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37814	75	10			15	T	1.9	PbST LIMT GQ55 ZNST Qtz40 GS5 PYT FeCO3T. MNT	37814	80	2.5	1375				
65	70	37815	60	15	T		25	T	2.3	PbST LIMT GQ45 Qtz40 ZNST GS10 PY5 FeCO3T MNT	37815	76	1.9	1361				
70	75	37816	45	15	30	T	10	T	2.0	PbST LIMT GQ45 ZNST GS20 PY5 Qtz30 SST. MNT FeCO3T	37816	105	2.2	398				
75	80	37817	50	10	10	20	10	T	2.5	Pbs2 Grnst5 Qtz20 ZNST StePbST SS5 MNT. FeCO3T GQ58 GS10	37817	463	5.0	564				
80	85	37818	60	10		~~100~~ 20	~~7~~ 10	T	2.0	Pbs1 GS10 Qtz10 ZNST Grnst70 GQ59 FeCO3T MNT LIMT	37818	132	2.8	210				
85	90	37819				100	T	T	3.0	PbST LIMT GQ50 Qtz10 ZNST Grnst30 GS10 MNT FeCO3T.	37819	59	2.6	111				
90	95	37820				100	T	T	3.2	Grnst40 ZNST PbST LIMT Qtz10 GS10 GQ40 SST.	37820	41	1.8	93				
95	100	37821				100	T	T	2.4	LIMT ZNST GQ30 GS5 Grnst50 SS5 Qtz10 PYT.	37821	24	1.5	96				
100	105	37822				90	10	T	3.5	PbST GQ30 GS10 Qtz20 ZNST SS10 Grnst30 FeCO3T. MNT LIMT	37822	26	1.6	72				
105	110	37823				100		T	2.2	PbST GQ45 GS5 Qtz10 ZNST SS10 Grnst30 LIMT.	37823	18	0.8	57				
110	115	37824				100		T	2.8	Pbs1 GQ40 SS4 Qtz10 ZNST Grnst35 GS10 LIMT PYT.	37824	107	1.6	44				

DD-217

#159

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location [illegible] Latitude _____ Departure _____ Hole No. C-32

Date Drilled Oct. 1965 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 20' Overburden Depth 25' Length of Hole 150' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37825				90	10	T	1.6	POST QTZ GQ60 GS10 ZNST Grnst20 SS10 LIMT.	37825	40	1.6	56			
120	125	37826				90	10	T	1.3	POST QTZ GQ35 GS20 ZNST SS5 Grnst40 LIMT. PYT.	37826	67	2.3	95			
125	130	37827				100	T	T	1.0	Grnst60 LIMT SS5 PYT GQ30 QTZ5 GS10 ZNST.	37827	11	0.7	65			
130	135	37828				100	T	T	1.5	Grnst35 SS5 GS10 ZNST LIMT QTZT GQ50 POST	37828	21	1.0	81			
135	140	37829				100	T	T	1.2	POST GQ30 GS10 QTZ10 ZNST Grnst40 SS10 LIMT PYT.	37829	20	1.0	40			
140	145	37830				100	T	T	1.8	POST LIMT GQ30 GS10 ZNST Grnst50 SS10 QTZT.	37830	17	1.0	41			
145	150	37831				90	10	T	2.5	POST GQ60 GS5 QTZ5 ZNST Grnst20 SS10. LIMT FECOT	37831	15	1.5	35			
150	155	37832	40		10	40	10	T	2.0	POST GQ50 GS15 QTZ20 ZNST Grnst10 SS5 FECOT LIMT	37832	110	1.2	369			
155	160	37833	10		10	80	T	T	1.2	PYS GS10 GQ45 SS20 POST ZNST Grnst20 FECOT. LIMT	37833	12	1.4	157			
160	165	37834	10	10	20	50	10	T	1.5	POST Grnst10 PYS ZNST GS25 SS10 FECOT LIMT GQ30 QTZ20	37834	26	1.3	41			
170	175	37835	15	30	30	15	10	T	3.5	POST ZNST SS10 GQ25 PY15 QTZ30 GS20 LIMT. FECOT Grnst	37835	29	1.7	147			

DO-217

#154

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-32

Date Drilled OCT 19/76 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 20' Overburden Depth 35' Length of Hole 180' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	135	37836	10	40	40	T	10	T	1.5	PY20 GQ20 GS20 PBST ZNST QTZ30 FROST LIMT SS10 GRNST T.	37836	97	3.1	507			
135	180	37837	10	50	30	20	10	T	1.2	PBST GRNST20 SS10 GQ30 PY10 ZNST QTZ20 GS10 LIMT FROST	37837	21	1.6	248			

DD-217
#1415

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,916.07 N Departure 160,921.17 W Hole No. C-33

Date Drilled OCT. 1971 Elevation 3,091.09' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 25' Length of Hole 170' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37661	45	15	40		T	T	1.8	ZNST LIMT PYT SST PbST GQ50 GS20 FeCO3T QTZ20	37661	93	1.6	55			
10	15	37662	35	15	35		10	T	2.0	PbST LIMT SS10 QTZ20 ZNST GS20 GQ50 PYT. FeCO3T FeCO3T	37662	34	1.8	91			
15	20	37663	45	20	15		20	T	1.5	PbST PYT GQ40 SST ZNST GS30 QTZ30 LIMT GrnST T FeCO3T.	37663	75	2.5	275			
20	25	37664	50	15	15		20	T	2.1	PbST SS5 GQ40 ZNST QTZ35 GS20 MNT.LIMT FeCO3T PYT	37664	38	0.9	69			
25	30	37665	50	20	10		20	T	2.5	PbST LIMT SST GQ35 ZNST GS25 QTZ40 FeCO3T PYT.	37665	21	0.8	86			
30	35	37666	40	25	T		35	T	1.8	PbST PYT GQ40 ZNST QTZ40 GS20 SST. LIMT. FeCO3T	37666	51	1.5	155			
35	40	37667	40	35	10		15	T	2.3	PbST LIMT GQ35 PY5 ZNST GS30 QTZ30 . SST. FeCO3T FeCO3T	37667	24	1.5	87			
40	45	37668	40	40	T		20	T	1.6	PbST LIMT GS25 GQ35 ZNST PY5 QTZ35 FeCO3T SST FeCO3T	37668	30	1.5	75			
45	50	37669	45	30	T		25	T	2.5	PbST GQ35 PY5 LIMT ZNST GS35 SS5 QTZ30 FeCO3T	37669	110	1.7	271			
50	55	37670	55	30			15	T	2.3	PbST SST LIMT GQ40 ZNST GS20 PY10 QTZ30 FeCO3T.	37670	36	1.3	131			
55	60	37671	50	30			20	T	2.0	PbST PYT GQ30 ZNST GS35 QTZ35 LIMT SST FeCO3T.	37671	25	1.1	72			

DD-217

#1-45

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-33

Date Drilled: Oct. 18/76 | Elevation: | Bearing: | Page No.: 2 Of 3

Casing Depth: 20' | Overburden Depth: 25' | Length of Hole: 170' | Dip: 530

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37672	40	30			30	T	1.9	PbST GQ20 GS15 SS5 ZnST PY10 Qtz50 FeCO3T. LimT	37672	14	0.8	47				
65	70	37673	40	60			T	T	1.2	GS50 Qtz20 PY5 ZnST LimT GQ25 FeCO3T SST.	37673	15	1.1	61				
70	75	37674	40	45	T		15	T	1.5	PbST LimT GQ15 Qtz30 ZnST PY5 GS50 FeCO3T SST.	37674	23	0.9	15				
75	80	37675	20	50	10		20	T	2.0	PbST ZnST LimT GQ15 PY20. GS40 Qtz25 MDT FeCO3T SST.	37675	26	1.3	120				
80	85	37676	20	30	30		20	T	1.8	PbST LimT GQ35 Qtz30 ZnST PY10 GS20 SS5 FeCO3T.	37676	20	1.3	89				
85	90	37677	15	30	40		15	T	2.3	PbST LimT SST Qtz30 ZnST PY10 GS35 GQ25 FeCO3T.	37677	25	1.0	92				
90	95	37678	30	70	T		T	T	1.5	PbST LimT SST GQ30 PY10 GS40 Qtz20 ZnST. FeCO3T Fe2O3T	37678	26	1.3	79				
95	100	37679	25	60	T		15	T	1.3	PbST ZnST LimT GQ25 GS30 Qtz40 PY5 FeCO3T.	37679	23	1.6	85				
100	105	37680	35	45	T		20	T	2.8	PbST LimT GQ30 PY5 ZnST GS30 Qtz35 FeCO3T. SST.	37680	51	1.1	70				
105	110	37681	20	40	20		20	T	1.4	PbST " LimT GQ25 ZnST GS35 PY10 Qtz30 FeCO3T Fe3O4T.	37681	33	1.5	105				
110	115	37682	15	25	50		10	T	2.0	PbST ZnST GS20 Fe3O4 5 PY15 Qtz30 LimT. FeCO3T GQ30	37682	21	1.0	86				

DD-217

#45

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-33

Date Drilled: OCT 18/76 | Elevation: | Bearing: | Page No.: 3 Of 3

Casing Depth: 30' | Overburden Depth: 35' | Length of Hole: 170' | Dip: 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37683	10	40	40		10	T	2.3	PbST LIMT GQ10 PY40 GS30 Qtz20 ZNST FeCO3T.	37683	20	1.2	81				
120	125	37684	20	50	30		T	T	1.8	PbST LIMT Qtz30 PY15 GS20 GQ35 FeCO3T ZNST.	37684	26	1.3	78				
125	130	37685	15	50	15		20	T	2.0	PbST GQ15 SST Qtz25 ZNST PY20 GS40 LIMT FeCO3T	37685	21	1.3	142				
130	135	37686	10	65	10		15	T	1.5	PbST LIMT GQ30 ZNST PY10 GS30 Qtz30 SST. FeCO3T	37686	26	1.5	100				
135	140	37687	30	70			T	T	2.2	PbST LIMT GQ15 ZNST PY25 GS30 Qtz30 FeCO3T	37687	26	1.5	93				
140	145	37688	10	80			10	T	2.8	PY30 LIMT GQ15 PbST GS35 Qtz20 FeCO3T ZNST.	37688	28	1.8	88				
145	150	37689	30	70			T	T	3.0	PbST LIMT GQ30 Qtz20 ZNST PY20 GS30 FeCO3T	37689	27	1.9	76				
150	155	37690	30	60			10	T	3.8	PbST LIMT Qtz20 GQ25 ZNST PY25 GS30 FeCO3T.	37690	28	1.6	87				
155	160	37691	40	50			10	T	1.5	PbST LIMT GQ30 Qtz25 ZNST PY20 GS25 FeCO3T.	37691	20	1.2	71				
160	165	37692	60	30	T		10	T	1.0	PbST LIMT GS20 GQ30 ZNST PY20 Qtz30 FeCO3T	37692	21	1.1	73				
165	170	37693	45	35	T		20	T	1.2	PbST LIMT GQ40 PY10 Qtz30 GS20 ZNST. FeCO3T	37693	18	1.0	74				

DO-217

25

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C1 Latitude 92,845.67 N Departure 160,859.10 W Hole No. C-34

Date Drilled Oct. 1976 Elevation 3114.93' Bearing S 45° E Page No. 1 Of 4

Casing Depth 10' Overburden Depth 10' Length of Hole 190' Dip 54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
C	10	37694	30	50	10	T	10	T	4.4	QTZ 25 GA 30 GS 20 SS 10 PYR 15 LIMT ZNST	37694	30	0.9	81			
10	15	37695	40	40	T		20	T	4.2	QTZ 25 GA 40 GS 10 SS 15 PYR 10 LIMT ZNST	37695	19	1.5	57			
15	20	37696	50	20	10	T	20	T	6.2	QTZ 20 GA 40 GS 20 SS 10 PYR 10 LIMT ZNST	37696	17	1.2	50			
20	25	37697	60	20	10		10	T	3.2	QTZ 30 GA 20 GS 15 SS 15 PYR 20 LIMT ZNST	37697	17	1.2	70			
25	30	37698	40	40	10		10	T	3.6	QTZ 40 GA 10 GS 15 SS 15 PYR 20 LIMT ZNST	37698	15	0.9	55			
30	35	37699	30	60			10		4.1	QTZ 35 GA 15 GS 20 SS 15 PYR 15 LIMT ZNST	37699	17	1.1	47			
35	40	37700	50	10	10		30	T	3.6	QTZ 50 GA 10 GS 15 SS 15 PYR 10 LIMT ZNST	37700	11	1.3	39			
40	45	37701	30	60	T		10	T	4.2	QTZ 35 GA 20 GS 20 SS 10 PYR 15 LIMT ZNST	37701	15	0.9	60			
45	50	37702	40	40	10		10	T	4.5	QTZ 30 GA 10 GS 25 SS 10 PYR 15 LIMT ZNST	37702	17	1.3	49			
50	55	37703	40	30	10		20	T	4.5	QTZ 35 GA 10 GS 25 SS 10 PYR 15 LIMT ZNST	37703	11	0.9	41			
55	60	37704	30	60	10		T		3.2	QTZ 35 GA 20 GS 15 SS 10 PYR 20 LIMT ZNST	37704	15	0.8	47			

DD-217

25

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C4 Latitude ____ Departure ____ Hole No. C-34

Date Drilled Oct 6/76 Elevation ____ Bearing ____ Page No. 2 Of 4

Casing Depth 10' Overburden Depth 10' Length of Hole 190' Dip -54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37705	30	70			T		3.2	GTZ 35 GG 15 GS 20 SS 15 PYR 15 LIMT ZNST	37705	14	0.9	31				
65	70	37706	10	50	10		T		4.3	GTZ 25 GG 20 GS 20 SS 15 PYR 20 LIMT ZNST FECOST	37706	24	1.4	88				
70	75	37707	30	30	10		30	T	4.4	GTZ 35 GG 15 GS 15 SS 10 PYR 25 LIMT ZNST FECOST	37707	10	1.0	51				
75	80	37708	40	20	30	T	10	T	2.9	GTZ 30 GG 25 GS 15 SS 10 PYR 20 LIMT ZNST FECOST	37708	16	1.4	96				
80	85	37709	20	10	60	10	T	T	2.6	GTZ 20 GG T GS 10 SS 10 PYR 60 LIMT ZNST FECOST	37709	26	1.3	74				
85	90	37710	10	10	70	10	T	T	5.2	GTZ 25 GG 10 GS 15 SS 15 PYR 35 LIMT ZNST FECOST	37710	22	0.9	90				
90	95	37711	30	20	50	T	T	T	4.6	GTZ 20 GG 10 GS 20 SS T PYR 50 LIMT ZNST FECOST	37711	30	0.9	98				
95	100	37712	60	10	20		10	T	5.2	GTZ 50 GG 5 GS 15 SS 15 PYR 15 LIMT ZNST	37712	69	1.0	41				
100	105	37713	20	10	70	T	T		4.5	GTZ 25 GG 15 GS 15 SS T PYR 45 LIMT ZNST	37713	30	1.4	95				
105	110	37714	40	10	40	10			2.5	GTZ 20 GG 10 GS 15 SS 10 PYR 45 LIMT ZNST	37714	22	1.7	94				
110	115	37715	20	60	10		10	T	3.6	GTZ 25 GG 20 GS 15 SS T PYR 40 LIMT ZNST	37715	27	1.1	96				

DD-217

25

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-34
Date Drilled OCT. 18/76 | Elevation | Bearing | Page No. 3 Of 4
Casing Depth 10' | Overburden Depth 10' | Length of Hole 190' | Dip -54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37716	20	60	10	T	10	T	4.3	QTZ 25 GQ 5 GS 25 SS 15 PYR 30 LIMT ZNST	37716	21	1.3	60			
120	125	37717	10	80	10		T	T	4.3	QTZ 20 GQ 10 GS 20 SS T PYR 50 LIMT ZNST	37717	26	1.0	74			
125	130	37718	10	90	T		T		4.2	QTZ 20 GQ 30 GS 25 SS T PYR 25 LIMT ZNST	37718	31	1.5	96			
130	135	37719	20	80	T		T	T	3.9	QTZ 25 GQ 5 GS 30 SS T PYR 40 LIMT ZNST	37719	32	1.0	85			
135	140	37720	40	50			10	T	2.5	QTZ 35 GQ 10 GS 20 SS T PYR 35 LIMT ZNST	37720	30	1.6	110			
140	145	37721	60	30		T	10	T	2.6	QTZ 20 GQ 20 GS 10 SS T PYR 50 LIMT ZNST	37721	16	1.5	56			
145	150	37722	50	30		10	10		2.9	QTZ 20 GQ 10 GS T. SS 20 PYR 10 LIMT GRNST 50 ZNST	37722	9	1.9	65			
150	155	37723	10	10		80	T	T	3.1	QTZ 15 GQ 15 SS 10 PYR 10 LIMT ZNST GRNST. 50 FE3OHT	37723	13	2.2	91			
155	160	37724				90	10	T	3.6	QTZ 10 GQ 15 SST PYR 5 LIMT ZNST GRNST TO FE3OHT	37724	15	2.1	110			
160	165	37725				90	10	T	3.8	QTZ 10 GQ 10 SS T PYR 10 LIMT ZNST GRNST TO FE3OHT	37725	15	1.4	91			
165	170	37726				100	T		4.3	QTZ 5 GQ 10 SS 20 PYR 5 LIMT ZNST GRNST 60 FE3OHT	37726	33	1.7	364			

DD-217

25

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-34

Date Drilled OCT. 1976 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 10' | Overburden Depth 10' | Length of Hole 90' | Dip 54°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37721		T		100	T		4.3	GTZ 5 GG 10 SS 15 PYRT LIMT GRNST 70	37727	42	1.9	84			
175	180	37728				100	T		4.5	GTZ T GG 10 SS 10 PYRT LIMT GRNST 80	37728	15	1.4	71			
180	185	37729				100	T		4.6	GTZ T GG 10 SG 20 PYRT LIMT GRNST 70	37729	10	1.4	70			
185	190	37730	10			80	10	T	4.4	GTZ T GG 10 SS 15 PYRT LIMT GRNST 75	37730	8	1.6	59			

DD-217
126

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location OH Latitude 92,753.67 N Departure 160,790.18 W Hole No. C-35

Date Drilled [illegible] Elevation 3,087.75' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 20-25' Length of Hole 130' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37838	30	30	10	10	20	T	1.6	pbST LIMT GS10 ZNST GQ55 SS5 Qtz30 FeOST. FeOST PyT	37838	55	4.4	115			
10	15	37839	40	T	40	10	10	T	1.3	ZNST LIMT GQ50 pbST GS20 Qtz30 SST. FeOST PyT	37839	25	1.0	105			
15	20	37840	30	40	20	T	10	T	1.8	ZNST SST GQ40 Qtz20 pbST GS30 Py10 LIMT FeOST.	37840	30	1.3	125			
20	25	37841	20	20	50	T	10	T	1.2	ZNST LIMT GQ30 pbST Qtz40 GS25 FeOST. FeOST PyS	37841	30	0.8	115			
25	30	37842	30	50	20		T	T	1.5	ZNST PyT. FeOST GQ40 pbST GS35 Qtz20 FeOST SST LIMS	37842	30	1.0	105			
30	35	37843	50	10	30	10	T	T	1.4	ZNST LIMT SST GQ50 pbST Py10 GS20 Qtz20 FeOST FeOST.	37843	34	1.3	105			
35	40	37844	70	10	10	T	10	T	1.9	ZNST LIMT GQ40 GS20 pbST Py20 Qtz20 FeOST MNT	37844	31	1.5	127			
40	45	37845	20	70	10		T	T	2.0	ZNST LIMT GQ35 Qtz20 pbST Py30 GS25 SST. FeOST MNT	37845	31	0.8	81			
45	50	37846	50	10	30		10	T	1.7	ZNST SST LIMT GQ40 pbST Py15 GS25 Qtz20 FeOST FeOST.	37846	25	0.9	65			
50	55	37847	10	60	20		10	T	2.3	pbST LIMT GS10 Qtz20 ZNST Py20 GQ50 SST. FeOST MNT	37847	31	1.9	81			
55	60	37848	70	20	T		10	T	2.0	pbST LIMT GQ30 Qtz20 ZNST Fe3045 Py20 GS25 MNT. FeOST	37848	34	2.3	57			

DD-217

126

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location _____ Latitude _____ Departure _____ Hole No. C-35

Date Drilled Oct. 1971 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 20' Overburden Depth 20-25' Length of Hole 150' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37848	40	40	10		10	T	1.0	pbST LIMT GQ30 Qtz20 ZNST PY30 GS20 SST. FeCO3T FeO3T	37849	20	1.5	50			
65	70	37850	10	80	T		10	T	1.5	pbST LIMT GQ35 Qtz15 ZNST PY20 GS30 MNT. SST FeCO3T	37851	33	1.2	54			
70	75	37851	20	80	T		T		2.1	pbST LIMT GQ40 Qtz10 ZNST PY20 GS30 MNT FeCO3T	37851	26	1.3	70			
75	80	37852	20	60	10		10	T	1.8	ZNST PY20 LIMT GQ25 GS40 Qtz15 MNT. FeCO3T	37852	33	1.5	97			
80	85	37853	10	80	10		T	T	2.2	ZNST LIMT GQ35 PY25 GS30 Qtz10 FeCO3T. MNT FeCO3T	37853	26	1.1	79			
85	90	37854	10	90	T		T	T	1.9	ZNST LIMT GQ20 pbST Qtz30 GS20 PY30 FeCO3T. FeCO3T	37854	25	1.8	86			
90	95	37855	40	40	10		10	T	2.5	ZNST MNT LIMT Qtz20 PY10 GQ50 GS20 FeCO3T.	37855	19	1.3	71			
95	100	37856	70	10	10	T	10	T	2.0	ZNST SST GQ40 GS5 pbST Qtz50 PY5 LIMT FeCO3T	37856	15	1.5	41			
100	105	37857	70	20	T		10	T	1.5	pbST QGS10 GQ35 ZNST Qtz50 PY5 LIMT FeCO3T	37857	25	1.1	90			
105	110	37858	10	20	10	60	T	T	1.0	ZNST LIMT. GS10 SST Qtz20 GQ50 FeCO3T PY5	37858	23	1.6	55			
110	115	37859				100	T	T	0.9	ZNST PYT GQ30 GS10 Grnst40 Qtz20 FeCO3T SST LIMT.	37859	19	1.6	63			

DD-217

126

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH Latitude: ____ Departure: ____ Hole No.: C-35

Date Drilled: OCT 19/86 Elevation: ____ Bearing: ____ Page No.: 3 Of 3

Casing Depth: 20' Overburden Depth: 20-25' Length of Hole: 130' Dip: 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results				Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37860	T	T		90	10	T	1.2	Grnst30 Qtz20 ZNST PYT GQ40 GS10 LIMT. PbST.	37860	17	1.4	75				
120	125	37861	T		10	90	T	T	1.9	PbST LIMT GQ25 GS10 ZNST Grnst45 Qtz20 Fe2O3T PYT.	37861	18	1.4	64				
125	130	37862	10		10	60	20	T	2.5	PbST PYT GQ30 GS10 Grnst30 Qtz30 MNT Fe2O3T Fe2O3T.	37862	138	2.1	138				

DD-217

#TC

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,704.88 N Departure 160,729.00 W Hole No. C 36

Date Drilled 07.05.85 Elevation 3,068.08 Bearing S 45° E Page No. 1 Of 4

Casing Depth 40' Overburden Depth 50-51' Length of Hole 120' Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37863	50	10	30		10	T	3.0	G.Q 55 G.S. 15 Qtz 10 Grnst. T S.S 10 Lim. Fe3O4 T 1	37863	20	1.1	91			
10	15	37864	40	T	50		10	T	2.5	G.Q. 55 S.S. 25 G.S. 10 Qtz 10 Fe3O4 T Lim. T ZnS. T	37864	34	1.1	112			
15	20	37865	20	T	10		10	T	3.0	G.Q. 45 G.S. 15 Qtz 10 S.S. 30 Fe2O3 T Fe3O4 T Lim. T ZnS. T Py T	37865	35	0.9	104			
20	25	37866	30	10	50		10	T	4.0	G.Q 55 G.S. 15 Qtz 10 S.S 20 Py T ZnS. T Fe2O3 T Fe3O4 T Lim. T	37866	34	0.9	93			
25	30	37867	25	15	50		10	T	3.0	G.Q 50 G.S. 20 Qtz 20 S.S 10 ZnS. T Py T Fe2O3 T Lim. T Fe3O4 T	37867	33	0.9	84			
30	35	37868	35	10	30	10	15	T	2.5	G.Q 60 G.S. 20 Qtz. 10 Grnst. 5 S.S 5 Lim. T Fe2O3 T ZnS. T Py. T	37868	25	1.1	97			
35	40	37869	30	15	25	15	15	T	4.2	G.Q. 44 G.S. 25 Qtz 10 Grnst. 10 S.S. 10 Lim. T Py. T Fe2O3 T Fe3O4 T ZnS. T	37869	33	1.7	95			
40	45	37870	10	30	30	20	10	T	4.5	G.Q. 34 G.S. 30 Qtz. 20 S.S. 10 Py 5 Grnst T Fe3O4 T Lim. T Fe2O3 T	37870	22	1.5	75			
45	50	37871	20	10	10	40	20	T	4.2	G.Q 22 Grnst. 40 Qtz 20 G.S. 10 S.S 5 Py 3 Lim. T Fe3O4 T ZnS. T	37871	25	1.1	108			
50	55	37872	10		10	70	10	T	4.7	Grnst 68 G.Q. 20 G.S. 5 Qtz. 5 S.S. T Py. 1 Fe3O4 1 Lim. T	37872	21	1.4	88			
55	60	37873	10		7	40	10	T	3.8	Grnst. 80 G.Q. 15 Qtz 5 S.S. T Py. T Fe3O4 T Lim T FeCO3 T	37873	26	2.0	112			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#76

Location: CH Latitude: ____ Departure: ____ Hole No.: C 36

Date Drilled: [illegible] Elevation: ____ Bearing: ____ Page No.: 2 Of 4

Casing Depth: 40' Overburden Depth: 50-55' Length of Hole: 190' Dip: 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37874				90	10	T	3.6	Grnst. 95 Qtz 5 G.Q. T Py. T Fe3O4 T Lim. T FeCO3 T	37874	15	1.5	121				
65	70	37875				100	T	T	4.1	Grnst. 75 G.Q 25 Qtz. T Py. T Lim. T Fe3O4 T	37875	15	1.2	85				
70	75	37876				100	T	T	5.0	Grnst. 50 G.Q. 50 Qtz. T Py. T Lim. T Fe3O4 T	37876	10	0.8	62				
75	80	37877				90	10	T	3.4	G.Q 45 Grnst. 45 Qtz. 10 Lim. T Py. T Fe3O4 T	37877	21	1.7	65				
80	85	37878				100	T	T	5.0	G.Q. 55 Grnst. 45 Qtz. T Lim. T Py. T ZnS. T Fe3O4 T	37878	16	1.1	96				
85	90	37879			T	90	10	T	3.0	G.Q 65 Grnst. 35 Qtz. T PbCO3 T Lim. T Fe3O4 T Py. T	37879	14	1.1	95				
90	95	37880			10	80	10	T	3.6	G.Q. 20 Grnst. 80 Qtz. T S.S. T PbCO3 T Lim. T Py T ZnS. T Fe3O4 T	37880	13	1.4	234				
95	100	37881	20		20	60	T	T	4.1	Grnst. G.Q. 25 Qtz T PbCO3 T S.S T Lim. T Py T Fe3O4 T ZnS. T	37881	11	1.7	251				
100	105	37882	10		10	80	T	T	5.0	Grnst. 60 G.Q. 40 Qtz. T S S T Py. T Lim. T	37882	21	1.1	97				
105	110	37883				100	T	T	4.3	G.Q. 65 Grnst. 35 Qtz. T S.S. T Lim. T Fe3O4 T Py T	37883	13	1.3	56				
110	115	37884				100		T	6.0	G.Q 60 Grnst. 35 Qtz T ~~[illegible]~~ S.S. 5 Py T Lim T Fe3O4 T	37884	12	1.0	52				

DD-217

#76

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-36

Date Drilled Oct. 8th Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 40' Overburden Depth 50-55' Length of Hole 180' Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37895				100		T	3.5	G.Q 40 Grnst. 55 S.S. 5 Qtz T Lim. T Fe3O4 T Py. T	37895	9	0.6	56			
120	125	37896				90	10	T	3.7	Grnst. 65 G.Q. 35 Qtz. T S.S. T Lim. T Py. T Fe3O4 T	37896	11	1.2	85			
125	130	37897	10			80	10	T	5.0	Grnst 55 G.Q. 40 Qtz 5 Lim. T Fe3O4 T Py. T	37897	17	1.5	60			
130	135	37898	10			80	10	T	4.0	Grnst. 55 G.Q. 45 Qtz T S.S T Lim. T Fe3O4 T Py T	37898	20	2.0	70			
135	140	37899	65	15		10	10	T	3.4	G.Q. 50 Grnst. 25 Qtz 10 G.S. 10 S.S T Py 5 Lim. T Fe3O4 T	37899	18	1.9	154			
140	145	37900	15	T		70	15	T	4.0	Grnst. 80 G.Q. 15 Qtz. 5 S.S T G.S T Py T Lim. T	37900	17	1.6	80			
145	150	37891	25	T	30	30	15	T	3.4	Grnst. 45 G.S. 10 G.Q. 25 Qtz. 15 Py 5 Lim. T S.S. T	37891	17	1.4	69			
150	155	37892	25	10	35	20	10	T	4.5	S.S. 30 G.Q 20 Grnst 20 Qtz 15 G.S 10 Py 5 Pbs. T Lim T CuFeS2 T	37892	29	1.9	112			
155	160	37893	15	50	25		10	T	5.7	G.Q 35 G.S 20 Py 25 Qtz 10 S.S. 10 Lim. T ZnS T	37893	22	1.3	116			
160	165	37894	10	60	20		10	T	6.4	G.Q 30 G.S 30 Py 30 Qtz. 10 S.S. T Lim. T	37894	21	1.0	99			
165	170	37895	20	55	15		10	T	9.5	G.Q 30 Py 30 G.S. 25 Qtz 15 S.S. T Lim. T ZnS. T Pbs. T	37895	50	1.5	164			

DD-217

#7C

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C4 Latitude _____ Departure _____ Hole No. C-36

Date Drilled Oct 1971 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 40' Overburden Depth 50-55' Length of Hole 80' Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	37896	40	30	15		15	T	5.0	G.Q. 20 Py. 20 G.S. 20 Grnst. 10 Qtz. 15 S.S. 15 Lim. T ZnS. T Pbs. T	37896	24	1.5	350			
175	180	37897	70	15	10		15	T	4.0	G.Q. 45 Qtz. 20 G.S. 10 Py. 20 S.S. 5 Pbs. T ZnS. T STEEL Pbs. T Lim. T	37897	45	1.2	570			
180	185	37898	70	15	10		15	T	5.5	G.Q. 45 G.S. 15 S.S. 10 Py. 15 Qtz. 15 Grnst. T ZnS. T Pbs. T Lim. T	37898	58	1.5	504			
185	190	37899	70	10	15		15	T	4.0	G.Q. 40 G.S. 10 Qtz. 15 Grnst. 20 S.S. 5 Py. 10 ZnS. T Pbs. T Lim. T	37899	69	1.7	491			

DD-217

#104

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92,761.31 N Departure 160,654.38 W Hole No. C-37

Date Drilled Oct. 9/75 Elevation 3,069.26' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 35-40' Length of Hole 135' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37900	30	20	40		10	T	2.3	GQ50 GS25 LIMT Qtz20 PYT SS5 ZNST FEC03T.	37910	55	2.0	166			
10	15	37901	25	25	35		15	T	1.5	GS30 LIMT ZNST SST Qtz20 GQ50 PYT	37901	47	2.0	157			
15	20	37902	35	15	40		10	T	3.0	GS20 LIMT Qtz30 GQ50 PYT ZNST MNT. FEC03T SST	37902	38	2.2	165			
20	25	37903	55	10	35		T	T	2.0	GS40 LIMT ZNST GQ30 PY10 Qtz20 FEC03T.	37903	30	1.2	158			
25	30	37904	70	10	20		T	T	1.8	PDST GQ40 PY10 LIMT ZNST GS30 Qtz20 FEC03T. FEC03T MNT	37904	34	1.7	171			
30	35	37905	55	30	15		T	T	1.0	PDST ZNST LIMT GQ55 PY10 GS25 Qtz10 SST. FEC03T MNT	37905	30	1.6	124			
35	40	37906	40	25	20		15	T	1.3	PY5 SST ZNST LIMT Qtz40 GS20 GQ35 PDST FEC03T.	37906	30	1.9	146			
40	45	37907	50	20	20	T	10	T	1.6	PDST LIMT GS25 Qtz20 PY5 ZNST GQ50 MNT. FEC03T	37907	16	1.0	57			
45	50	37908	45	10	10	30	10	T	1.8	PDST GQ35 GS20 Qtz20 ZNST Grnst20 SS5 PYT LIMT FEC03T.	37908	32	1.0	251			
50	55	37909	10	10	T	70	10	T	1.5	ZNST GQ30 GS15 Qtz20 PDST Grnst35 SST MNT. LIMT FEC03T	37909	37	1.8	175			
55	60	37910			T	100	T	T	2.0	ZNST PYT GQ30 Grnst50 GS10 Qtz10 LIMT FEC03T MNT.	37910	18	1.0	91			

DD-217

#104

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude ____ Departure ____ Hole No. C-37

Date Drilled Oct 19/76 Elevation ____ Bearing ____ Page No. 2 Of 3

Casing Depth 30' Overburden Depth 35-40' Length of Hole 125' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37911			T	90	10	T	2.6	ZNS0 MNT LIMT GS10 Grnst40 GQ25 Qtz15 PYT.	37911	31	2.1	1251			
65	70	37912			T	90	10	T	2.2	ZNS4 LIMT GQ35 GS6 Grnst50 Qtz5 PYT MNT.	37912	31	2.4	3145			
70	75	37913			10	80	10	T	1.5	ZNS1 LIMT GQ20 GS14 Grnst45 Qtz20 Fe203T. PYT Fe103T	37913	16	2.4	252			
75	80	37914				100	T	T	2.5	ZNS3 MNT LIMT GQ20 GS7 Grnst60 Qtz10 PYT. Fe103T Fe203T	37914	12	1.8	150			
80	85	37915				100		T	2.0	ZNS1 MNT LIMT Qtz25 GS9 Grnst50 GQ35 Fe304T. PYT Fe103T.	37915	13	1.6	109			
85	90	37916				100	T	T	2.8	ZNS3 GQ15 Grnst30 Qtz20 Pbs3 Fe103H SS5 MNT. LIMT PY10 GS10	37916	1474	10.1	4395			
90	95	37917				85	15	T	1.8	ZNS2 GQ20 Grnst20 Qtz30 Pbs4 Fe103H4 PY10 LIMT. MNT GST	37917	697	6.0	1705			
95	100	37918			35	55	10	T	2.5	ZNS3 PY5 GQ30 Qtz30 Pbs3 Fe103H5 Grnst14 GST MNT LIMT Fe203T.	37918	1054	7.3	2426			
100	105	37919	35		20	30	15	T	2.0	ZNST GQ30 Qtz30 PY5 Pbs1 Stepbst Fe103H5 Fe203T. Grnst20 LIMT MNT	37919	517	3.6	1116			
105	110	37920	30	60	7		10	T	2.3	ZNST GQ34 Grnst1 Pbs1 Stepbst SS10 Qtz10 Fe103T. LIMT PY5	37920	152	1.7	340			
110	115	37921	25	7	40	20	15	T	2.1	ZNS3 LIMT GQ35 Qtz20 Pbs2 GS30 PY10 Stepbst Fe103T MNT.	37921	204	2.1	452			

DD-217

#104

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-37

Date Drilled: OCT. 9/76 | Elevation: | Bearing: | Page No.: 3 Of 3

Casing Depth: 30' | Overburden Depth: 35-40' | Length of Hole: 135' | Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37922	10	10	40	30	10	T	2.8	ZNST MNT GQ30 LIMT PbST PY10 GS20 QtZ30 SST. FeCO3T. FeCO3 10	37922	123	23	569				
120	125	37923	10	T	40	30	20	T	1.5	ZNST GQ25 GS10 PbST SS20 PY5 QtZ40 LIMT FeCO3T	37923	32	1.0	509				
125	130	37924	25	T	15	10	50	T	1.8	ZNST LIMT. SS10 PbST FeCO3 10 PY5 QtZ45 GQ20 GS10	37924	74	1.7	1045				
130	135	37925	20	10	10	10	50	T	2.0	ZNST LIMT GQ25 PbST SS15 QtZ45 GS15 FeCO3T PYT MNT.	37925	18	2.0	751				

DO-217

#118

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 93,046.20 N Departure 160,810.68W Hole No. C-38

Date Drilled OCT. 1975 Elevation 3,118.32' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 20' Length of Hole 155' Dip -55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38040	50			40	10	T	4.6	QTZ 20 GQ 45 GS 25 SST PYR 15 ZNST LIMT	38040	50	1.6	15				
10	15	38041	65			25	10	T	4.9	QTZ 15 GQ 45 GS 30 SS T PYR 5 ZNST LIM 5	38041	21	1.5	71				
15	20	38042	25		40	15	20	T	5.6	QTZ 30 GQ 30 GS T SS 30 PYR 10 ZNST LIMT	38042	21	1.0	150				
20	25	38043	5		60	25	10	T	5.0	QTZ 40 GQ T GS T SS 45 PYR 15 ZNST LIMT	38043	11	1.0	111				
25	30	38044	T		70	20	10	T	5.1	QTZ 50 GQ T GS T SS 40 PYR 10 ZNST LIMT	38044	19	1.5	79				
30	35	38045	T		80	20	T	T	4.6	QTZ 45 SS 40 PYR 15 ZNST LIMT	38045	20	1.7	71				
35	40	38046	25	30	30	T	15	T	5.0	QTZ 35 SS 35 PYR 15 LIMT GS 15	38046	15	1.4	165				
40	45	38047	30	20	15	10	25	T	4.9	QTZ 40 GQ 5 GS 15 SS 25? PYR 15 LIMT FECO3T	38047	35	1.2	237				
45	50	38048	30	60			10	T	4.6	QTZ 30 GQ 20 GS 25 SS 10 PYR 15 LIMT FECO3T	38048	41	1.3	146				
50	55	38049	20	70			10	T	3.6	QTZ 25 GQ 30 GS 20 SS 10 PYR 15 LIMT FECO3T	38049	19	0.5	67				
55	60	38050	10	80			10	T		QTZ 25 GQ 15 GS 25 SS 15 PYR 20 LIMT ZNST	38050	15	1.3	51				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#118

Location CH Latitude ____ Departure ____ Hole No. C38

Date Drilled Oct. 31/75 Elevation ____ Bearing ____ Page No. 2 of 3

Casing Depth 20' Overburden Depth 25' Length of Hole 110' Dip -45°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38051	10	75			15	T	5.2	QTZ 30 GQ 10 GS 25 SS 10 PYR 25 LIMT	38051	17	1.3	100			
65	70	38052	10	40	40	T	10	T	5.0	QTZ 25 GQ 15 GS 15 SS 20 PYR 25 LIMT	38052	27	1.3	72			
70	75	38053	T	T	50	40	10	T	3.0	QTZ 30 GQ T GS T SS 50 PYR 20 LIMT	38053	27	0.9	93			
75	80	38054	25	10	35	20	10	T	4.6	QTZ 40 GQ T GS 5 SS 30 PYR 25 LIMT	38054	19	1.0	94			
80	85	38055	5	10	50	25	10	T	4.2	QTZ 40 GQ T GS 15 SS 20 PYR 25 LIMT FECO3T	38055	22	1.1	94			
85	90	38056			80	20	T	T	5.1	QTZ 35 GQ 5 GS T SS 35 PYR 25 LIMT	38056	17	1.0	75			
90	95	38057			75	15	10	T	5.6	QTZ 40 GQ 10 GS T SS 30 PYR 20 LIMT	38057	16	0.9	86			
95	100	38058	20	T	60	20	T	T	5.5	QTZ 50 GQ T GS T SS 25 PYR 25 LIMT	38058	19	0.9	75			
100	105	38059	20	30	30	10	10	T	5.3	QTZ 25 GQ 10 GS 10 SS 30 PYR 25 LIMT	38059	24	1.1	150			
105	110	38060	25	15	50	T	10	T	5.2	QTZ 30 GQ 15 GS 10 SS 20 PYR 25 LIMT	38060	24	0.8	117			
110	115	38061	20	40	30		10	T	5.0	QTZ 25 GQ 15 GS 20 SS 15 PYR 25 LIMT ZNST	38061	24	1.2	105			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#118

Location: C4 | Latitude: | Departure: | Hole No.: C 38

Date Drilled: Oct. 21/76 | Elevation: | Bearing: | Page No.: 3 Of 3

Casing Depth: 20' | Overburden Depth: 35' | Length of Hole: 160' | Dip: 53°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38062	15	50	20		15	T	5.9	QTZ 25 GQ 20 GS 30 SS 10 PYR 15 LIMT FeCO3T	38062	24	1.4	105				
120	125	38063	20	40	10		30	T	5.4	QTZ 30 GQ 10 GS 25 SS 15 PYR 20 LIMT FeCO3T	38063	19	1.1	98				
125	130	38064	10	75	T		15	T	5.5	QTZ 25 GQ 15 GS 20 SS 10 PYR 30 LIMT	38064	18	1.1	98				
130	135	38065	25	35	20		20	T	5.0	QTZ 20 GQ 20 GS 20 SS T PYR 40 LIMT	38065	19	1.1	96				
135	140	38066	40	30	10		20	T	5.4	QTZ 30 GQ 10 GS 30 SS T PYR 30 LIMT ZNST	38066	18	0.7	79				
140	145	38067	30	30	25		15	T	6.0	QTZ 35 GQ 15 GS 20 SS 10 PYR 20 LIMT ZNST	38067	19	1.4	89				
145	150	38068	15	30	35		20	T	4.6	QTZ 35 GQ 15 GS 15 SS 15 PYR 20 LIMT ZNST	38068	28	1.5	79				
150	155	38069	10	40	30		20	T	5.4	QTZ 40 GQ T GS 20 SS 10 PYR 30 LIMT ZNST	38069	19	1.2	66				
155	160	38070	30	50	T		20	T		QTZ 40 GQ 10 GS 20 SS 10 PYR 20 LIMT ZNST	38070	16	0.7	76				
		~~38071~~																
		~~38072~~																

DD-217
#16

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location 2+4 Latitude 92,969.27 N Departure 160,721.00 W Hole No. C-39

Date Drilled Oct 30/75 Elevation 3,136.55' Bearing S45°E Page No. 1 Of 4

Casing Depth 15' Overburden Depth 15-30' Length of Hole 180' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38005	45	30	15		10	T	3.3	QTZ 20 GQ 30 GS 30 SS 20 LIMT PYRT	38005	25	1.1	50			
10	15	38006	40	30	20		10	T	4.2	QTZ 20 GQ 30 GS 40 SS 10 LIMT PYRT	38006	30	0.9	147			
15	20	38007	35	40	15		10	T	4.0	QTZ 30 GQ 20 GS 30 SS 20 LIMT PYRT	38007	14	0.9	85			
20	25	38008	30	50	10		10	T	4.8	QTZ 30 GQ 25 GS 25 SS 20 LIMT PYRT	38008	25	0.6	65			
25	30	38009	35	30	25		10	T	4.5	QTZ 25 GQ 30 GS 30 SS 15 LIMT PYRT	38009	25	1.1	130			
30	35	38010	10	40	40		10	T	4.5	QTZ 30 GQ 25 GS 15 SS 30 PYR 10 LIMT ZNST	38010	28	1.0	85			
35	40	38011	15	15	70		T	T	2.6	QTZ 15 GQ 15 GS 10 SS 50 PYR 10 LIMT ZNST	38011	15	0.9	125			
40	45	38012	10	30	60		T	T	4.6	QTZ 20 GQ 10 GS 25 SS 30 PYR 15 LIMT ZNST	38012	21	1.4	50			
45	50	38013	15	25	60		T	T	4.0	QTZ 20 GQ 20 GS 25 SS 25 PYR 10 LIMT ZNST FECOST	38013	30	1.4	75			
50	55	38014	10	T	80		10	T	4.4	QTZ 20 GQ 10 GS 10 SS 50 PYR 10 LIMT ZNST FECOST	38014	14	1.0	TR			
55	60	38015	10	40	40		10	T	4.5	QTZ 30 GQ 5 GS 15 SS 30 PYR 20 LIMT ZNST FECOST	38015	31	1.4	65			

DD-217

-16

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-39

Date Drilled: OCT 20/76 | Elevation: | Bearing: | Page No.: 2 Of 4

Casing Depth: 15' | Overburden Depth: 15-20' | Length of Hole: 130' | Dip: 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38016	10	70	10		10	T	2.9	QTZ 25 GQ 25 GS 25 SS 10 PYR 15 LIMT FECOST	38016	18	1.0	92				
65	70	38017	10	30	60		T	T	3.5	QTZ 20 GQ 10 GS 10 SS 40 PYR 15 FECOST LIMT	38017	16	0.7	78				
70	75	38018	5	50	35		10	T	3.6	QTZ 23 GQ 10 GS 20 SS 30 PYR 15 LIMT FE1-XS 2 FECOST	38018	16	1.2	78				
75	80	38019	25	50	10		15	T	4.5	QTZ 35 GQ 10 GS 25 SS 20 PYR 10 LIMT FE1-XST	38019	14	0.9	70				
80	85	38020	10	80	T		10	T	4.6	QTZ 35 GQ 30 GS 20 SS 15 PYR 10 LIMT	38020	14	1.1	84				
85	90	38021	20	70			10	T	2.9	QTZ 20 GQ 20 GS 40 SS 10 PYR 10 LIMT	38021	16	1.2	55				
90	95	38022	30	70			T	T	4.7	QTZ 25 GQ 20 GS 25 SS 15 PYR 15 LIMT ZNST	38022	15	0.7	64				
95	100	38023	15	75			10	T	4.1	QTZ 25 GQ 25 GS 30 SS 10 PYR 10 LIMT ZNST	38023	16	0.8	77				
100	105	38024	30	35	15		20	T	3.6	QTZ 20 GQ 25 GS 30 SS 15 PYR 10 LIMT ZNST	38024	15	0.6	83				
105	110	38025	20	35	10		35	T	4.3	QTZ 40 GQ 15 GS 20 SS 15 PYR 10 LIMT ZNST	38025	10	1.1	66				
110	115	38026	55	35	T		10	T	5.6	QTZ 30 GQ 20 GS 30 SS 10 PYR 10 LIMT ZNST	38026	15	0.9	77				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#16

Location CH Latitude _____ Departure _____ Hole No. C-39

Date Drilled OCT. 20/76 Elevation _____ Bearing _____ Page No. 3 Of 4

Casing Depth 15' Overburden Depth 15-30' Length of Hole 180' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38027	35	50			15	T	4.6	GTZ 25 GQ 20 GS 30 SS 15 PYR 10 LIMT ZNST	38027	7	0.2	59			
120	125	38028	55	25			20	T	4.8	GTZ 35 GQ 20 GS 20 SS 15 PYR 10 LIMT ZNST	38028	13	0.4	25			
125	130	38029	60	20			20	T	3.4	GTZ 30 GQ 30 GS 20 SS 10 PYR 10 LIMT ZNST	38029	9	0.5	35			
130	135	38030	50	25			25	T	4.0	GTZ 50 GQ 20 GS 15 SS 10 PYR 5 LIMT ZNST	38030	8	0.6	35			
135	140	38031	70	10			20	T	4.2	GTZ 40 GQ 25 GS 20 SS 10 PYR 5 LIMT ZNST	38031	10	1.0	35			
140	145	38032	60	25			15	T	4.3	GTZ 35 GQ 10 GS 25 SS 15 PYR 15 LIMT ZNST	38032	14	0.9	65			
145	150	38033	50	40			10	T	4.2	GTZ 25 GQ 25 GS 20 SS 10 PYR 20 LIMT. FECOST ZNST	38033	15	0.8	79			
150	155	38034	60	25			15	T	3.9	GTZ 25 GQ 30 GS 20 SS T PYR 25 LIMT FECOST ZNST	38034	15	1.3	77			
155	160	38035	50	40			10	T	6.0	GTZ 25 GQ 30 GS 30 SS T PYR 15 LIMT FECOST ZNST	38035	23	1.4	104			
160	165	38036	50	35			15	T	4.6	GTZ 20 GQ 30 GS 25 SS 10 PYR 15 LIMT FECOST ZNST	38036	22	1.3	111			
165	170	38037	10	90			T	T		GTZ 20 GQ 20 GS 25 SS 10 PYR 25 LIMT FECOST ZNST	38037	25	1.5	103			

DD-217

#16

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-39

Date Drilled Oct 20/76 Elevation _____ Bearing _____ Page No. 4 Of 4

Casing Depth 15' Overburden Depth 15-20' Length of Hole 180' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Fe	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	38038	20	10			10	T	2.4	GTZ 20 GQ 10 GS 15 SS 10 PYR 45 LIMT 2 NST FELDST	38038	21	1.1	22			
175	180	38039	35	55			10	T	4.2	GTZ 20 GQ 20 GS 20 S.T PYR 40 LIMT 2 NST FELDST	38039	21	1.0	99			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#80

Location CH Latitude 02,903.25 N Departure 160,654.26W Hole No. C 40

Date Drilled OCT. 20/65 Elevation 3,119.23' Bearing S 45° E Page No. 1 Of 2

Casing Depth 20' Overburden Depth 20' Length of Hole 115' Dip 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37953	25	40	25		10	T	3.0	GQ.55 G.S 35 Qtz.10 S.S T Py.T Lim.T Fe3O4T ZnS.T	37953	26	1.2	5			
10	15	37954	35	40	15		10	T	3.2	G.Q 55 G.S.35 Qtz.10 S.S.T Lim.T Py.T ZnS.T Fe3O4T Fe2O3T	37954	21	0.6	10			
15	20	37955	50	40	T		10	T	3.4	G.S. 45 GQ.40 Qtz 15 Py T ZnS.T Lim.T Fe3O4T	37955	39	0.6	115			
20	25	37956	50	50	T		T	T	4.5	GQ 60 G.S.25 Qtz 15 ZnS T Py.T FeCo3T Lim.T Fe3O4T	37956	21	0.5	75			
25	30	37957	30	30	20		20	T	4.2	G.Q 35 G.S.20 Qtz.40 Py.2 ZnS.T Lim.T Fe3O4T FeCo3T	37957	15	0.8	60			
30	35	37958	50	15	15		20	T	4.4	G.Q. G.S.25 Qtz.30 Py.3 S.S T Lim.T Fe2O3T	37958	23	1.3	75			
35	40	37959	50	25	10		15	T	3.9	G.Q. G.S.30 Qtz.15 FeCo3.5 Py. 15 S.S.T ZnS.T Lim.T	37959	23	2.8	40			
40	45	37960	30	50	10		10	T	3.6	GQ.60 G.S.20 Qtz.10 Py.4 MN T S.S T ZnS.T Lim.T	37960	18	0.9	35			
45	50	37961	25	60	T		15	T	4.5	G.Q.50 G.S.30 Qtz.20 Py T FeCo3T S.S.T Lim.T	37961	15	0.9	50			
50	55	37962	15	70			15	T	4.5	G.S.40 Qtz 35 G.Q.20 Py.5 S S T Lim.T ZnS.T Fe3O4T	37962	36	1.1	57			
55	60	37963	10	80			10	T	3.6	G.S 50 G.Q 20 Qtz 25 Py.5 Lim.T S.S.T ZnS.T Fe3O4T FeCo3T	37963	20	0.7	65			

DD-217

#80

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH
Latitude:
Departure:
Hole No.: C 40
Date Drilled: [illegible]
Elevation:
Bearing:
Page No.: 2 Of 2
Casing Depth: 20'
Overburden Depth: 30'
Length of Hole: 115'
Dip: 67°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37964	20	70			10	T	4.3	G.Q. 27 G.S. 35 Qtz. 20 Py 15 S.S.T Lim.T Zns.T FeCo3 3	37964	16	1.2	78				
65	70	37965	10	70			20	T	4.5	G.Q. 43 G.S. 35 Qtz. 20 Py 2 Lim.T Fe3O4T Zns.T	37965	23	0.9	98				
70	75	37966	25	60			15	T	3.4	G.Q. 40 G.S. 25 Qtz. 25 Py 10 S.S.T Zns.T MN.T	37966	15	0.7	58				
75	80	37967	15	70			15	T	4.0	G.Q 40 G.S 30 Qtz. 25 Py 5 FeCo3T S.S.T Lim.T Fe3O4T	37967	17	1.0	70				
80	85	37968	30	40	30		T	T	4.4	G.Q. 30 S.S. 25 G.S. 35 Py 10 Lim.T FeCo3T	37968	20	1.3	64				
85	90	37969	30	40	20		10	T	4.0	Qtz 20 G.S. 25 Py 20 G.Q 35 MN.T Zns.T Lim.T S.S.T Pbs.T	37969	15	0.6	52				
90	95	37970	40	45	15		T	T	4.4	G.Q 30 Qtz 20 G.S. 25 Py 15 S.S. 10 ~~[illegible]~~ Lim.T Zns.T	37970	17	0.9	69				
95	100	37971	5	40	40		15	T	4.2	G.Q. 30 S.S 20 G.S 25 Qtz 15 Py. 10 Zns.T FeCo3T Lim.T	37971	21	0.7	80				
100	105	37972	25	10	50		15	T	4.7	G.Q 10 S.S. 30 G.S 20 FeCo3 5 Qtz 20 Py. 15 Lim.T Zns.T Pbs.T MN.T	37972	15	0.6	70				
105	110	37973	15	T	50	25	10	T	5.3	S.S. 50 G.Q 10 Qtz 20 Py. 5 G.S. 15 Lim.T Zns.T Pbs.T	37973	16	1.1	68				
110	115	37974	T		60	40	T	T	5.0	S.S. 60 Qtz 30 Py. 5 G.S 5 Lim.T Pbs.T Zns.T	37974	17	1.1	70				

DD-217

11 81

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location: CH Latitude: 92,903.25N Departure: 160,654.26W Hole No.: G40 A

Date Drilled: Oct. 20/76 Elevation: 3,119.23' Bearing: S 45° E Page No.: 1 Of 3

Casing Depth: 20' Overburden Depth: 20' Length of Hole: 155' Dip: 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37975	60	30	T	1	10	T	2.8	G.S. 40 G.Q 50 Qtz 10 S.S. T FeCo3 T Py T Fe3o4 T	37975	26	1.2	136				
10	15	37976	55	35			10	T	2.4	G.S. 45 G.Q 40 Qtz. 15 Py T S.S. T FeCo3 T Lim. T Fe3o4 T	37976	23	1.2	71				
15	20	37977	40	50			10	T	3.0	G.S. 50 G.Q 30 Qtz 20 Zns. T S.S. T Fe3o4 T Py. T	37977	18	1.1	82				
20	25	37978	55	25	T		20	T	4.2	G.Q. 45 G.S. 25 Qtz 30 Mn. T Lim. T Fe3o4 T S.S. T	37978	20	0.9	79				
25	30	37979	40	30	T		30	T	4.0	Qtz. 40 G.S. 15 G.Q 45 Mn. T Py T Lim. T Fe3o4 T S.S. T	37979	24	1.1	60				
30	35	37980	45	45	T		10	T	4.5	G.S. 45 G.Q. 45 Qtz. 10 FeCo3 T Zns. T Lim. T Fe3o4 T Py T	37980	17	1.2	92				
35	40	37981	45	35	10		10	T	4.0	G.Q. 55 G.S. 20 Qtz 20 Py. 5 Pbs. T Zns. T Lim. T Fe3o4 T S.S. T	37981	16	0.8	40				
40	45	37982	45	45	T		10	T	4.5	G.Q. 67 G.S. 20 Qtz 10 Py 3 S.S. T Lim. T Zns. T	37982	13	0.6	38				
45	50	37983	40	50	T		10	T	4.3	G.Q. 22 Qtz. 25 G.S. 50 Py 3 Lim. T S.S. T FeCo3 T	37983	19	1.2	64				
50	55	37984	45	35	T		20	T	5.3	G.S. 35 G.Q 37 Qtz. 25 Zns. T Pbs. T Py 3 S.S. T Lim. T Fe3o4 T	37984	19	0.7	46				
55	60	37985	35	40	T		25	T	5.5	Qtz. 42 G.Q. 30 G.S. 20 Py 5 FeCo3 T S.S. T Lim. T Fe3o4 T Zns. T	37985	17	1.1	72				

DD-217

#81

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C 40 A

Date Drilled Oct. 2756 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 20' Overburden Depth 20' Length of Hole 155' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37986	20	50	10		20	T	5.0	Qtz 35 G.S. 30 G.Q 20 Py. 10 FeCo3 T Lim. T S.S. T ZnS. T Pbs. T	37936	14	0.7	56			
65	70	37987	25	50	T		25	T	5.0	G.S. 45 Qtz. 30 G.Q 25 Grnst. T S.S. T Py. T FeCo3 T	37937	25	0.7	61			
70	75	37988	10	90			T	T	4.1	G.S 50 G.Q 25 Qtz 15 Py 2 Lim. T S.S T FeCo3 T	37988	35	0.8	73			
75	80	37989	10	45	25		20	T	4.0	Qtz 25 G.Q 25 G.S. 25 S.S. 10 Py 15 FeCo3 T Lim. T Pbs. T Grnst. T	37939	20	1.4	76			
80	85	37990	10	60	10		20	T	4.5	Qtz 25 G.Q 25 Py. 25 G.S. 25 ZnS T Pbs T Lim. T	37990	16	0.9	45			
85	90	37991	10	60	10		20	T	3.4	G.Q 45 G.S. 30 Qtz. 20 Py. 5 FeCo3 T Lim. T ZnS. T S.S. T Pbs. T	37991	21	0.9	70			
90	95	37992	T	50	50		T	T	3.1	G.Q 35 G.S. 25 S.S. 25 FeCo3 5 Py. 10 ZnS. T Pbs. T Lim. T	37992	20	1.1	59			
95	100	37993	5	10	50	20	15	T	4.3	G.Q 35 S.S. 30 Py 20 Qtz 15 ZnS T Lim. T	37993	16	1.2	64			
100	105	37994	20	10	45	25	T	T	4.5	S.S 25 G.S. 20 Py 20 FeCo3 2 Qtz 10 Pbs. T ZnS. T G.Q. 23	37994	21	1.1	74			
105	110	37995	10	45	35		10	T	5.5	G.Q 35 G.S. 25 Py 20 S.S 20 ZnS T Lim. T	37995	30	1.7	99			
110	115	37996	5	50	25		20	T	5.8	Qtz. 40 G.S. 30 Py 20 S.S. 10 ZnS. T G.Q. T FeCo3 T Lim. T	37996	20	1.7	196			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C 40 A

Date Drilled OCT 29 76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 20' Overburden Depth 20' Length of Hole 155' Dip 75°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37997	10	70	10		10	T	4.1	G.Q. 30 G.S. 25 Py. 25 Qtz. 10 Lim. T S.S. 10	37997	25	1.6	100			
120	125	37998	65	35			T	T	4.0	G.Q. 50 G.S. 25 Qtz 10 Py 15 Lim T ZnS T	37998	21	1.5	70			
125	130	37999	30	70			T	T	4.7	G.S. 40 G.Q. 40 Py 20 Qtz. T Lim. T S.S. T	37999	26	1.4	53			
130	135	38000	10	80			10	T	4.0	G.Q 30 G.S. 40 Py 20 Qtz 10 Lim. T FeCo3T Fe2O3 T	38000	18	1.4	85			
135	140	38001	50	30			20	T	4.3	G.Q 40 G.S. 25 Py 15 Qtz 30 Lim. T ZnS. T	38001	19	1.1	55			
140	145	38002	70	20			10	T	4.8	G.Q 60 G.S. 20 Qtz 10 Grnst. T S.S. T Py 5 ZnS. T Lim T	38002	19	1.5	51			
145	150	38003	75	15			10	T	4.4	Grnst. 35 G.Q 40 Qtz. 10 Py 5 G.S 10 ZnS. T Lim. T	38003	29	0.9	55			
150	155	38004	40	T	T	50	10	T	4.3	Grnst. 55 G.Q 30 Qtz 10 Py 5 Lim. T ZnS. T	38004	21	1.6	51			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location: CH | Latitude: 92,832.23 N | Departure: 160,574.49W | Hole No.: C 41

Date Drilled: Oct. 30/76 | Elevation: 3,083.88' | Bearing: S 45° E | Page No.: 1 Of 3

Casing Depth: 30' | Overburden Depth: 40' | Length of Hole: 140' | Dip: 65'

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	37926	40	10	20		30	T	3.0	G.Q. 40 Qtz 30 G.S. 20 S.S. 10 Py. T ZnS T Pbs. T ~~Zns~~ T FeCo3 T Lim. T	37926	68	1.9	268				
10	15	37927	30	T	60		10	T	4.0	S.S. 60 Qtz 15 G.S 10 Pbs. T ZnS. T Lim. T Grnst. T G.Q. 15 Fe3O4 T (OXIDIZED)	37927	31	1.3	130				
15	20	37928	15	25	50		10	T	3.0	G.Q. 30 G.S. 35 S.S. 25 Qtz. 10 Py. T Fe2O3 T	37928	43	2.0	150				
20	25	37929	30	20	10		30	T	2.5	G.Q 30 Qtz. 40 GS 30 Py. T S.S. Lim. T Fe3O4 T ZnS. T	37929	86	2.3	189				
25	30	37930	50	25	15		10	T	4.0	G.S. 30 G.Q 45 Qtz 20 Py. 5 S.S. T MN 2 Lim. T Fe2O3 T FeCo3 T	37930	64	1.9	429				
30	35	37931	65	15	10		10	T	3.6	G.Q 55 G.S. 35 Qtz 5 Py 5. S.S. T Lim. T MN. T FeCo3 T	37931	104	1.9	235				
35	40	37932	20		15	65	T	T	4.5	G.Q 25 Grnst 20 FeCo3 20 MN. 10 Qtz. 10 GS 10 Lim. T Py 5 Pbs. T ZnS. T	37932	203	2.4	1936				
40	45	37933	T		60	40	T	T	5.8	Grnst. 59 FeCo3 35 Qtz. T Py. 5 S.S. T MN. T Pbs. 1 ZnS. T Lim T	37933	473	3.7	1604				
45	50	37934	T		50	30	20	T	3.7	S.S. 27 FeCo3 20 Qtz 10 Grnst 20 Py 3 G.Q 20 Lim. T ZnS T Pbs. T	37934	210	4.6	570				
50	55	37935	15	15	40	30	T	T	4.3	S.S. 36 Qtz 25 FeCo3 5 G.S. 10 G.Q 20 Py 3 Pbs. 1 ZnS. T Lim. T	37935	149	4.1	484				
55	60	37936			70	30	T	T	4.1	S.S. 45 G.S 20 Qtz. 10 FeCo3 10 Py 5 G.Q 10 Grnst. T Pbs. T STEEL Pbs. T ZnS. T Lim. T	37936	248	4.0	621				

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#11

Location CH Latitude _____ Departure _____ Hole No. C41

Date Drilled Oct 30/76 Elevation _____ Bearing _____ Page No. 2 Of 3

Casing Depth 30' Overburden Depth 140' Length of Hole 140' Dip 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	37937			70	30	T	T	5.0	S.S. 55 Qtz 30 FeCo3 10 Py. 5 G.S. T G.Q. T Py Lim. T Pbs. T ZnS. T	37937	65	2.2	184			
65	70	37938			50	40	10	T	4.0	S.S. 41 FeCo3 20 Qtz. 30 Py. 5 MN 4 Pbs. T ZnS. T	37938	157	3.1	247			
70	75	37939			50	40	10	T	3.6	S.S. 70 Qtz. 25 FeCo3 T Py 5 Pbs. T ZnS. T MN. T Grnst. T G.Q. T	37939	77	2.1	256			
75	80	37940			65	25	10	T	4.5	S.S. 35 G.Q 40 Qtz 15 Grnst. T Py 4 G.S. T MN. T FeCo3 T Pbs. T ZnS. T	37940	37	1.0	135			
80	85	37941			50	50	T	T	5.0	S.S. 30 G.S 15 Py. 10 Qtz 10 G.Q. 35 FeCo3 T Lim. T ZnS. T Pbs. T	37941	111	2.8	168			
85	90	37942	15	15	30	30	10	T	4.5	S.S. 17 G.S. 25 G.Q 35 Qtz 10 Py. 10 FeCo3 3 Pbs. T Lim. T ZnS. T	37942	190	3.0	267			
90	95	37943	10	75	15		T	T	4.6	G.S. 40 G.Q 20 Py 30 Qtz. 10 S.S. T FeCo3 T	37943	25	0.8	109			
95	100	37944	10	30	30	20	10	T	4.2	S.S. 25 G.S. 25 G.Q 20 Py. 15 Qtz 10 FeCo3 5 MN. T Lim. T ZnS. T Pbs. T STEEL Pbs. T	37944	45	2.0	139			
100	105	37945	20	25	25	20	10	T	5.2	S.S. 10 G.S. 35 Py 25 G.Q 20 Qtz 10 Lim. T Pbs. T ZnS. T	37945	51	2.1	97			
105	110	37946	10	60	20	T	10	T	2.4	G.S. 41 Qtz 20 G.Q 10 Py. 20 FeCo3 4 S.S. 5 ZnS Pbs. T Lim. T	37946	45	2.3	141			
110	115	37947	10	50	25	T	15	T	4.2	G.S 40 Qtz 30 Py FeCo3 G.Q 10 S.S. T Lim. T ZNS. T Pbs. T	37947	34	1.9	176			

DD-217

#11

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: SH | Latitude: | Departure: | Hole No.: C 41

Date Drilled: Oct 30/76 | Elevation: | Bearing: | Page No.: 3 Of 3

Casing Depth: 30' | Overburden Depth: 40' | Length of Hole: 140' | Dip: 65°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	37948	50	50	T		T	T	6.0	G.S. 30 GQ 30 Py 30 Qtz 10 FeCo3 T Lim.T ZnS.T Pbs.T	37948	58	3.9	191				
120	125	37949	25	30	30	T	15	T	5.4	G.S. 30 G.Q 20 Qtz. 15 FeCo3 5 S.S 10 Py 20 Lim.T ZnS.T Pbs.T	37949	97	2.8	216				
125	130	37950	5	T	50	30	15	T	5.2	Py 20 G.Q 20 FeCo3 5 G.S. 5 Qtz. 15 S.S 35 Lim.T ZnS.T Pbs.T	37950	70	2.1	88				
130	135	37951	10	10	45	25	10	T	4.4	S.S. 25 Py 20 FeCo3 20 Qtz. 10 G.S. 5 G.Q 20 Pbs.T ZnS.T Lim T	37951	72	2.6	157				
135	140	37952	40	15	20	10	15	T	2.6	G.Q. 30 S.S 20 G.S. 25 FeCo3 10 Qtz. 15 Lim.T ZnS.T Pbs.T	37952	222	3.4	689				

DD-217

#46

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C-4 | Latitude 93,236.74N | Departure 160,712.59W | Hole No. C-42

Date Drilled OCT. 21/65 | Elevation 3,139.88' | Bearing S 45° E | Page No. 1 Of 3

Casing Depth 15' | Overburden Depth 25' | Length of Hole 140' | Dip 61°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38071			100	∜	T	T	4.6	QTZ 40 SS 50 PYR 10 LIMT	38071	87	1.0	116			
10	15	38072			90		To	T	4.0	QTZ 40 S.S 50 CAT PYR 10 LIMT	38072	24	0.9	96			
15	20	38073	20	T	70		10	T	4.0	QTZ 30 CQ 15 SS 25 C.S. 30 PYR 10 LIMT	38073	24	0.9	104			
20	25	38074	10	10	80		T	T	4.5	QTZ 40 CQ 10 SS 20 C.S 20 PYR 10 LIMT	38074	26	1.3	116			
25	30	38075	10	40	50		T	T	5.1	QTZ 20 CQ 25 SS 15 C.S 20 PYR 20 LIMT	38075	25	1.3	100			
30	35	38076	10	10	70		10	T	5.0	QTZ 50 CAT SS 25 C.S 10 PYR 15 LIMT	38076	25	1.0	75			
35	40	38077	20	T	70		10	T	5.0	QTZ 40 CQ T SS 30 C.S T PYR 30 LIMT.	38077	18	1.1	74			
40	45	38078	10	80	T		10	T	6.0	QTZ 25 CQ 5 SS 15 C.S 30 PYR 25 LIMT	38078	19	1.1	116			
45	50	38079			100		T	T	5.2	QTZ 50 CAT SS 35 C.S T PYR 15 LIMT	38079	19	1.2	71			
50	55	38080	10	10	70		10	T	4.0	QTZ 45 CQ T SS 25 C.S 15 PYR 15 LIMT	38080	14	1.1	54			
55	60	38081	10	10	80		T	T	3.9	QTZ 50 CQ T SS 20 C.S 10 PYR 20 LIMT Fe1-x S.T	38081	19	1.3	86			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#46

Location CH Latitude ' Departure Hole No. C 42

Date Drilled Oct. 24/81 Elevation Bearing Page No. 2 Of 3

Casing Depth 121 Overburden Depth 3-7' Length of Hole 140' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (%)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38082	T	75	25		T	T	6.2	QTZ 20 GA 15 GS 35 SS 10 PYR 20 LIMT FE1-xS-T	38082	25	1.2	90			
65	70	38083	10	60	20		10	T	6.2	QTZ 20 GA 15 GS 30 SS 10 PYR 25 LIMT FE1-xST	38083	15	1.0	68			
70	75	38084	5	70	15		10	T	5.5	QTZ 30 GA 10 GS 30 SS 10 PYR 20 LIMT FE1-xST	38084	14	1.5	59			
75	80	38085	10	80			10	T	5.1	QTZ 25 GA 15 GS 25 SS 10 PYR 25 LIMT FE1-xST	38085	17	1.5	83			
80	85	38086	25	25			50	T	5.2	QTZ 30 GA 10 GS 35 SS 10 PYR 15 LIMT	38086	15	0.8	73			
85	90	38087	10	80			10	T	5.1	QTZ 15 GA 15 GS 30 SS 10 PYR 30 LIMT	38087	15	1.1	101			
90	95	38088	20	65			15	T	6.2	QTZ 20 GA 10 GS 35 SS 10 PYR 25 LIMT	38088	14	0.7	56			
95	100	38089	15	75			10	T	5.9	QTZ 20 GA 15 GS 35 SS 10 PYR 20 LIMT	38089	15	0.8	67			
100	105	38090	10	75			15	T	4.5	QTZ 15 GA 30 GS 40 SS T PYR 15 LIMT	38090	12	0.5	60			
105	110	38091	20	70			10	T	5.2	QTZ 20 GA 20 GS 45 SS T PYR 15 LIMT	38091	14	0.9	76			
110	115	38092		100			T	T	5.6	QTZ 15 GA 20 GS 40 SS T PYR 25 LIMT ZnS T	38092	15	1.1	105			

-DD-217

#46

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C11 Latitude ____ Departure ____ Hole No. C42

Date Drilled Oct. 21 '74 Elevation ____ Bearing ____ Page No. 3 Of 3

Casing Depth 15' Overburden Depth 25' Length of Hole 140' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38093	20	50	10		20	T	5.5	QTZ 30 GQ 20 GS 35 SST PYR 15 LIMT ZNST	38093	8	0.6	39			
120	125	38094	30	60	T		10	T	5.1	QTZ 25 GQ 20 GS 35 SST PYR 20 LIMT ZNST	38094	13	0.9	43			
125	130	38095	25	50	15		10	T	4.6	QTZ 20 GQ 25 GS 40 SST PYR 15 LIMT ZNST	38095	12	0.5	62			
130	135	38096	35	30	15		20	T	5.2	QTZ 35 GQ 10 GS 25 SST PYR 30 LIMT	38096	11	0.9	70			
135	140	38097	30	25	25		20	T	4.6	QTZ 30 GQ 15 GS 25 SS 10 PYR 20 LIMT FELDST	38097	15	1.3	76			

DD-21

#74

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude 93,172.04 N | Departure 160,639.40W | Hole No. C-43

Date Drilled Oct. 21/76 | Elevation 3,134.25' | Bearing S 45° E | Page No. 1 Of 4

Casing Depth 40' | Overburden Depth 40-45' | Length of Hole 190' | Dip -56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38098		Insufficient		Sample			.5	QTZ 30 GQ 35 SS 15 GS 20 PYR T LIM T ZNST	38098	23	1.1	66			
10	15	38099		Insufficient		Sample			.4	QTZ 25 GQ 40 SS 15 GS 20 PYR T LIM T ZNST	38099	24	1.3	90			
15	20	38100	40	10	20		30	T	1.2	QTZ 20 GQ 50 SS 20 GS 10 PYR T LIMT ZNST	38100	24	1.4	100			
20	25	38101	70	T	15		15	T	1.1	QTZ 20 GQ 45 SS 25 GS 10 PYR T LIMT ZNST PBST	38101	22	1.0	189			
25	30	38102	70	T	15		15	T	1.6	QTZ 20 GQ 30 SS 30 GS 20 PYR T LIMT ZNST	38102	23	1.3	166			
30	35	38103	65	T	15		20	T	2.5	QTZ 20 GQ 40 SS 25 GS 10 PYR T LIMT ZNST FECO3 S	38103	107	2.3	233			
35	40	38104	55	10	15		20	T	2.6	QTZ 15 GQ 35 SS 30 GS 20 PYR T LIM T. FES04T ZNS T FECO3T	38104	25	1.5	105			
40	45	38105	60	30	T		10	T	3.5	QTZ 10 GQ 45 SS 15 GS 25 PYR S LIM T FES04T FECO3T ZNST	38105	14	1.2	55			
45	50	38106	55	35			10	T	3.2	QTZ 15 GQ 35 SS 10 GS 30 PYR 10 LIMT ZNST FES04T FECO3T	38106	14	1.0	61			
50	55	38107	50	40			10	T	3.0	QTZ 10 GQ 45 SS T GS 30 PYR 15 LIMT ZNST FES04T FECO3T	38107	24	1.4	75			
55	60	38108	50	35			15	T	4.6	QTZ 15 GQ 40 SS T GS 20 PYR 25 LIMT ZNST FES04T	38108	14	1.0	84			

DD-217

#74

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-43

Date Drilled: Oct 21/76 | Elevation: | Bearing: | Page No.: 2 Of 4

Casing Depth: 40' | Overburden Depth: 40-45' | Length of Hole: 180' | Dip: 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38109	50	40	T		10	T	4.1	QTZ 10 GQ 35 GS 15 PYR 40 ZNST LIMT	38109	15	1.0	124				
65	70	38110	10	40	40		10	T	3.9	QTZ 20 GQ 30 GS 20 PYR 30 ZNST LIMT FE1-xST SST	38110	12	0.7	93				
70	75	38111	35	T	45	T	20	T	4.5	QTZ 25 GQ 20 GST PYR 20 ZNST LIMT SS 35	38111	22	0.6	74				
75	80	38112			60	30	10	T	3.6	QTZ 10 GQ 25 SS 60 PYR 5 ZNST LIMT	38112	11	0.7	76				
80	85	38113			70	20	10	T	4.9	QTZ 20 GQ 30 SS 50 PYR T ZNST LIMT GS 10	38113	11	0.5	79				
85	90	38114	20	T	60	T	20	T	4.6	QTZ 50 GQ T SS 15 PYR 25 ZNST LIMT GST PBST	38114	17	0.7	61				
90	95	38115	10	60	20		10	T	6.5	QTZ 15 GQ 25 SS T GS 25 PYR 35 ZNST LIMT PBST	38115	18	1.0	85				
95	100	38116	40	50	T		10	T	5.0	QTZ 20 GQ 40 SS T GS 15 PYR 25 ZNST LIMT PBST	38116	16	1.0	56				
100	105	38117	40	45	T		15	T	5.1	QTZ 20 GQ 45 GS 20 PYR 15 ZNST LIMT	38117	27	1.2	84				
105	110	38118	15	25	50		10	T	5.5	QTZ 30 GQ 20 GS 10 PYR 25 ZNST LIMT SS 15	38118	21	0.9	86				
110	115	38119	20	55	10		15	T	4.5	QTZ 15 GQ 20 GS 20 PYR 35 ZNST LIMT SS 10	38119	11	1.0	59				

DD-217

#74

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-43

Date Drilled OCT. 21/76 | Elevation | Bearing | Page No. 3 of 4

Casing Depth 40' | Overburden Depth 40-45' | Length of Hole 180' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38120	40	50	T		10	T	4.6	GTZ 20 GQ 45 GS 15 PYR 20 ZNST LIMT	38120	15	0.7	56			
120	125	38121	10	60	20		10	T	4.5	GTZ 15 GQ 40 GS 20 PYR 25 ZNST LIMT	38121	26	1.3	85			
125	130	38122	10	30	50		10	T	5.5	GTZ 30 GQ 25 GS 20 PYR 15 ZNST LIMT SS 10 PBST	38122	17	0.9	88			
130	135	38123	10	T	80		10	T	5.3	GTZ 35 GQ 20 GS 10 PYR 20 ZNST LIMT SS 15 PBST FE1-XST	38123	20	1.1	70			
135	140	38124	T		85		15	T	4.5	GTZ 40 GQ 30 GS T PYR 15 ZNST LIMT SS 15 PBST FE1-XST	38124	18	1.3	69			
140	145	38125	10		80		10	T	4.6	GTZ 30 GQ 10 GS 30 PYR 30 ZNST LIMT FE1-XST PBST	38125	19	1.4	71			
145	150	38126	15		70		15	T	4.5	GTZ 35 GQ 20 SS 25 PYR 20 ZNST LIMT FE1-XST PBST	38126	13	1.3	115			
150	155	38127	15	50	20		15	T	4.1	GTZ 20 GQ 5 SS 15 GS 20 PYR 20 ZNST LIMT	38127	10	1.1	36			
155	160	38128	30	50	T		20	T	5.1	GTZ 15 GQ 30 GS 40 PYR 15 ZNST LIMT	38128	16	1.2	27			
160	165	38129	35	35	10		20	T	4.4	GTZ 15 GQ 30 GS 35 PYR 20 ZNST LIMT	38129	15	0.8	37			
165	170	38130	40	30	10		20	T	4.3	GTZ 15 GQ 35 GS 35 PYR 15 ZNST LIMT	38130	14	1.1	40			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#74

Location CH | Latitude | Departure | Hole No. C-43

Date Drilled OCT. 21/76 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 40' | Overburden Depth 40-45' | Length of Hole 180' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zinc (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	38131	55	25	T		20	T	4.3	GTZ 20 GQ 45 GS 20 PYR 15 ZNST LIMT	38131	15	0.4	64			
175	180	38132	60	30	T		10	T	4.5	GTZ 20 GQ 40 GS 25 PYR 15 ZNST LIMT	38132	13	0.8	56			

DD-24

#150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 93,095.85 N Departure 160,568.59 W Hole No. C-44

Date Drilled Oct. 22/76 Elevation 3,138.79' Bearing S 45° E Page No. 1 Of 4

Casing Depth 15' Overburden Depth 15-50' Length of Hole 180' Dip 50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38133	20		70	10	T	T	3.5	GTZ 30 GA 30 GS T PYR 15 LIM 15 SS 15	38133	17	1.1	77			
10	15	38134	10		80	10			5.2	GTZ 30 GA 35 GS T PYR 10 LIM 5 SS 20	38134	22	0.8	64			
15	20	38135			80	20			5.5	GTZ 35 GA 20 GS T PYR 35 LIM T SS 10	38135	20	1.1	72			
20	25	38136		T	90	10			3.6	GTZ 50 GA 15 GS T PYR 15 LIM T SS 20	38136	24	0.7	59			
25	30	38137	30	40	20	T	10	T	4.2	GTZ 35 GA 20 GS 25 PYR 10 LIM T SS 10 ZNST	38137	18	0.7	58			
30	35	38138	40	50	10		T	T	4.0	GTZ 20 GA 35 GS 20 PYR 20 LIM 5 SS T ZNST	38138	25	0.6	74			
35	40	38139	20	T	80		T		3.9	GTZ 25 GA 30 GS 10 PYR 25 LIM T SS 10 ZNST	38139	27	0.9	100			
40	45	38140	20	50	20		10	T	5.0	GTZ 15 GA 35 GS 10 PYR 35 LIM 5 SS T ZNST	38140	26	1.4	106			
45	50	38141	20	10	60		10		5.1	GTZ 10 GA 40 GS T PYR 50 LIM T SS T ZNST FECO3T	38141	21	1.3	88			
50	55	38142	20	70			10		5.3	GTZ 25 GA 20 GS 20 PYR 35 LIM T SS T FECO3T	38142	25	0.7	100			
55	60	38143	20	60	10		10	T	4.2	GTZ 25 GA 20 GS 20 PYR 35 LIM T SS T FECO3T	38143	17	1.3	115			

DD-217

150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-44

Date Drilled OCT. 22/75 Elevation _____ Bearing _____ Page No. 2 Of 4

Casing Depth 15' Overburden Depth 15-20' Length of Hole 150' Dip -50°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38144	30	60	T		10	T	4.9	GTZ 25 GQ 30 GS 15 PYR 20 LIMT SS 10 FE OXST ZNST	38144	23	1.2	120			
65	70	38145	40	30	30	T	T	T	5.0	GTZ 25 GQ 30 GS 10 PYR 25 LIMT SS 10 FE OXST ZNST	38145	25	0.9	114			
70	75	38146		10	80	10	T		4.1	GTZ 25 GQ 15 GS 10 PYR 35 LIMT SS 10 FE OXS T	38146	16	0.7	101			
75	80	38147	10	70	10	10	T	T	5.2	GTZ 25 GQ 20 GS 15 PYR 30 LIMT SS 10 FE OXS T	38147	19	1.0	81			
80	85	38148	20	T	80		T		5.0	GTZ 20 GQ 35 GS T PYR 35 LIMT SS 10 FE OXST E	38148	23	0.9	96			
85	90	38149	10		80	10	T		4.1	GTZ 35 GQ 35 GS T PYR 20 LIMT SS 10 FE3 OXT	38149	25	1.1	85			
90	95	38150	10	40	50	T			4.0	GTZ 20 GQ 45 GS T PYR 35 LIMT SST. FE3 OXT	38150	21	1.3	92			
95	100	38151	10	80	T		10		6.2	GTZ 20 GQ 30 PYR 50 LIMT	38151	28	1.1	99			
100	105	38152	20	60	T		20	T	5.5	GTZ 20 GQ 35 PYR 45 LIMT	38152	23	1.3	81			
105	110	38153	20	70			10	T	5.2	GTZ 15 GQ 25 GS 10 PYR 50 LIMT	38153	13	0.9	65			
110	115	38154	20	70	10		T	T	4.6	GTZ 20 GQ 25 GS 10 PYR 45 LIMT FE OXST	38154	15	1.4	88			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#150

Location CH | Latitude | Departure | Hole No. C-44

Date Drilled Oct. 23/76 | Elevation | Bearing | Page No. 3 Of 4

Casing Depth 15' | Overburden Depth 15-20' | Length of Hole 180' | Dip -56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38155	10	80	T		10	T	4.2	QTZ 20 GQ 25 GS 10 PYR 45 LIMT SST	38155	27	1.4	118			
120	125	38156		80	10		10	T	3.6	QTZ 30 GQ 30 GS 10 PYR 30 LIMT SST	38156	8	0.8	27			
125	130	38157	20	70	T		10	T	4.9	QTZ 20 GQ 40 GS 10 PYR 20 LIMT SS 10	38157	19	1.1	90			
130	135	38158	10	30	60		T		4.4	QTZ 25 GQ 25 GS 10 PYR 30 LIMT SS 10	38158	17	1.2	75			
135	140	38159	10	80	T		10	T	3.8	QTZ 20 GQ 30 GS 15 PYR 35 LIMT SST	38159	21	0.8	80			
140	145	38160	10	40	10		40		3.9	QTZ 35 GQ 40 GS 10 PYR 15 LIMT SST ZNST	38160	16	0.7	74			
145	150	38161	10	50	10		30		3.9	QTZ 25 GQ 30 GS 10 PYR 35 LIMT SST ZNST	38161	11	1.1	45			
150	155	38162	50	40	T		10	T	4.6	QTZ 20 GQ 20 GS 15 PYR 40 LIMT ZNST FECO3 5	38162	19	1.2	195			
155	160	38163	30	10	40		10	T	5.5	QTZ 10 GQ 30 GS 8 PYR 50 LIMT ZNS 2 FECO3 T PBS T	38163	615	9.6	1115			
160	165	38164	20	10	60	T	10		6.3	QTZ 25 GQ 30 GS T PYR 35 LIMT ZNS T SS 8 STEEL PBS 2	38164	223	4.0	455			
165	170	38165	30	10	30	T	30	T	6.5	QTZ 20 GQ 30 GS T PYR 40 LIMT ZNS T SS 10 STEEL PBS T	38165	137	3.3	371			

DD-21

#150

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location OH | Latitude | Departure | Hole No. C-44

Date Drilled OCT. 22/76 | Elevation | Bearing | Page No. 4 Of 4

Casing Depth 15' | Overburden Depth 15-20' | Length of Hole 180' | Dip 56°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Fe (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
170	175	38166	60	T	20	10	10	T	6.0	QTZ 25 GG 35 GS T PYR 30 LIMT ZNST FE-XST STEEL PBST SS 10	38166	55	1.6	16%			
175	180	38167	70	10	10	T	10	T	7.3	QTZ 20 GG 30 GS 15 PYR 35 LIMT ZNST SST FE-XST STEEL PBS T	38167	70	2.2	21%			

DD-217

#38

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 93044.48 N Departure 160,508 OKW Hole No. C-45

Date Drilled Oct. 20/76 Elevation 5128.89' Bearing S 45° E Page No. 1 Of 2

Casing Depth 50' Overburden Depth 25' Length of Hole 110' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38168	40	10	20	10	20	T	2.4	QTZ 15 GQ 65 GS 20 PYR T ZNST T LIMT	38168	35	2.0	225			
10	15	38169	30	50	10	T	10	T	2.2	QTZ 15 GQ 55 GS 30 PYR T ZNST LIMT	38169	31	1.7	161			
15	20	38170	60	10	10		20	T	1.6	QTZ 15 GQ 30 GS 35 SS 15 PYR 5 ZNST LIMT	38170	36	1.5	249			
20	25	38171	60	10	10		20	T	5.0	QTZ 15 GQ 40 GS 35 SS 10 ZNST LIMT PYRT	38171	41	1.7	117			
25	30	38172	40	40	10	T	10	T	1.6	QTZ 20 GQ 45 GS 15 SS 20 ZNST LIMT PYRT	38172	22	0.8	102			
30	35	38173	10	T	60	20	10	T	4.7	QTZ 20 GQ 40 GS 10 SS 25 ZNST LIMT PYR 5	38173	21	0.7	83			
35	40	38174	30	T	60	10	T	T	5.5	QTZ 20 GQ 35 GST PYR 25 ZNST LIMT SS 20	38174	20	1.0	89			
40	45	38175	10	80	10		T	T	5.2	QTZ 15 GQ 25 GS 15 PYR 45 ZNST LIMT SST	38175	20	1.4	102			
45	50	38176	10	80	T		10	T	6.7	QTZ 15 GQ 40 GS 10 PYR 35 ZNST LIMT	38176	25	1.0	103			
50	55	38177	10	70	10		10	T	4.6	QTZ 20 GQ 30 GS 15 PYR 25 ZNST LIMT SS 10	38177	23	1.8	101			
55	60	38178	10	70	10		10	T	4.9	QTZ 15 GQ 30 GS 10 PYR 35 ZNST LIMT SS 10 MNQZ T	38178	18	0.2	77			

DD-217
#38

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location CH Latitude ____ Departure ____ Hole No. C 45
Date Drilled OCT. 23/76 Elevation ____ Bearing ____ Page No. 2 Of 2
Casing Depth 30' Overburden Depth 25' Length of Hole 110' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38179	20	80	T		T	T	6.5	GTZ 15 GQ 35 GS 20 PY 30 LIMT ZNST MNO2 T	38179	15	1.4	77			
65	70	38180	10	80	T		10	T	5.9	GTZ 10 GQ 40 GS 10 PY 40 LIMT ZNST MNO2 T SST	38180	18	1.4	92			
70	75	38181	20	70	T		10	T	3.4	GTZ 10 GQ 40 GS 10 PY 40 LIMT ZNST MNO2 T SST	38181	15	1.5	80			
75	80	38182	10	80			10	T	7.2	GTZ 15 GQ 20 GS 20 PY 45 LIMT ZNST MN O2 T	38182	20	1.1	90			
80	85	38183	10	70	T		20	T	8.2	GTZ 25 GQ 25 GS 15 PY 35 LIMT ZNST MNO2 T	38183	21	0.8	64			
85	90	38184		50	50		T	T	8.0	GTZ 10 GQ 30 GS 10 PY 50 LIMT ZNST MNO2 T FE1-XST	38184	15	1.5	109			
90	95	38185	20	60	10		10	T	6.6	GTZ 15 GQ 25 GS 15 PY 45 LIMT ZNST MNO2 T FE1-XST	38185	27	0.9	79			
95	100	38186	10	70	T		20	T	4.6	GTZ 20 GQ 35 GS 15 PY 30 LIMT ZNST MNO2 T	38186	26	0.9	65			
100	105	38187	40	30	10		20	T	4.8	GTZ 20 GQ 45 GS 20 PY 15 LIMT ZNST	38187	24	1.2	138			
105	110	38188	50	30	10		10	T		GTZ 15 GQ 40 GS 25 PY 20 LIMT ZNST	38188	26	1.7	147			

DD-217

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#45

Location Ott Latitude 92.962.13 N Departure 160.422.75 W Hole No. C-46

Date Drilled Oct. 23/71 Elevation 3,098.68' Bearing S 45° E Page No. 1 Of 3

Casing Depth 15' Overburden Depth 20' Length of Hole 130' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Fe (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38189	10			90	T	T	3.0	Grnst. 70 G.Q. 20 S.S. T Qtz. T Lim. T Py T FeCO3 T G.S. T Fe2O3 T	38189	23	2.4	425			
10	15	38190			T	100	T	T	2.2	Grnst. 66 G.Q 20 Qtz 5 Lim. T Py 2 FeCO3 2 G.S. 5 S.S. T ZnS. T Lim. T Fe3O4 T	38190	19	2.0	175			
15	20	38191	20		30	50	T	T	2.2	G.Q. 30 Grnst. 30 S.S 30 Qtz. 10 G.S T Py. T Lim T ZnS. T Fe3O4 T	38191	22	2.0	197			
20	25	38192	T		15	85	T	T	3.0	Grnst. 75 G.Q 20 S.S T Qtz. 5 FeCO3 T Lim. T Fe3O4 T	38192	22	2.5	142			
25	30	38193			T	100		T	3.5	Grnst. 70 G.Q. 30 S.S. T Qtz T Lim. T Py T Fe3O4 T	38193	15	1.9	78			
30	35	38194			T	100		T	4.2	G.Q. 50 Grnst. 50 GS I S.S T Qtz. T Lim. T	38194	12	1.6	69			
35	40	38195	30	T	30	40		T	3.4	G.S. 40 G.Q. 10 Grnst. 30 Py. 10 Qtz. T S.S. 10 Lim. T ZnS. T	38195	19	1.9	107			
40	45	38196	35	30	25	10		T	3.5	G.Q. 60 G.S. 30 Qtz 5 Py 5 Grnst. T SS T Lim. T Pbs. T ZnS. T	38196	22	1.3	87			
45	50	38197	30	10	30	20	10	T	3.1	G.Q. 42 S.S. 25 G.S 15 Qtz 10 Py 5 Fe1-Xs 3 Pbs. T ZnS. T Lim. T	38197	27	1.2	177			
50	55	38198	15	15	30	25	15	T	4.3	G.Q 38 G.S. 25 S.S. 25 Py. 10 Fe1-Xs 2 Pbs. T (STEEL Pbs. T ZnS. T Lim. T	38198	27	1.3	130			
55	60	38199	40	25	15	10	10	T	4.0	G.Q 65 G.S 5 Qtz 25 S.S. 5 Py. T Lim. T Fe1-Xs T	38199	28	1.3	41			

DD-217

#45

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-46

Date Drilled Oct. 22/74 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 15' | Overburden Depth 20' | Length of Hole 120' | Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38200	75	15	10		T	T	4.0	G.Q 70 Qtz.30 G.S.T S.S.T Py.T Fe1-Xs.T Lim.T	38200	11	1.4	39			
65	70	38201	65	15	20		T	T	4.5	G.Q 45 G.S 20 Qtz 10 Py 15 S.S. 10 ZnS.T Lim T	38201	15	1.5	84			
70	75	38202	60	20	20		T	T	4.2	G.Q.40 S.S.20 Qtz.10 G.S.20 Py 10 Fe1-Xs.T Lim.T ZnS.T	38202	19	1.8	55			
75	80	38203	10	10	15	65	T	T	2.5	Grnst.50 G.S.10 G.Q.20 Py.5 Pbs.T S.S.15 Lim.T Fe1-XS.T	38203	21	2.1	83			
80	85	38204	40	25	15		20	T	5.0	G.Q 35 G.S.25 Qtz 20 Py 10 S.S 10 Fe1-XS T ZnS.T Pbs.T Lim.T	38204	10	1.1	52			
85	90	38205	60	20	10		10	T	4.7	G.Q 65 Qtz.20 G.S. 10 Py.5 S.S.T Lim.T Fe_3O_4 T ZnS.T	38205	8	1.5	33			
90	95	38206	45	20	15		20	T	5.0	G.Q 45 Qtz.20 Py 20 S.S.15 Fe_3O_4 T Lim.T ZnS.T	38206	24	1.2	57			
95	100	38207	40	15	15	20	10	T	5.5	G.Q 40 Py 25 G.S.20 S.S 15 Grnst.T Lim.T Fe1-XS. T ZnS.T	38207	14	1.8	51			
100	105	38208	30	T	10	60	T	T	3.5	Grnst 85 S.S. 10 Qtz T Fe1-Xs 5 G.S.T Lim.T	38208	13	1.8	55			
105	110	38209	40	15	10	15	T	T	2.6	G.Q 55 Qtz.20 G.S.5 S.S.10 Py 5 Qtz 5 Grnst. T Lim.T Fe1 T	38209	6	1.6	26			
110	115	38210	75	15	T	T	10	T	4.3	G.Q. G.S.10 Qtz 10 Grnst T S.S.T Py 3 Fe1-XS T	38210	15	1.5	50			

DD-21

#45

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-46

Date Drilled Oct. 23/71 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 15' Overburden Depth 20' Length of Hole 120' Dip 62°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage		Sample	Coarse Material (%) (+14 mesh)						Panning Concentrate Mineral Content (%)		Sample	Geochemical Results			Assay Results		
From	To	No.	G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	grams		No.	Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38211	45	15	20	20	T	T	3.0	GQ 36 GS 15 Grnst. 25 Qtz 10 SS 10 Py 4 Fel-xs. T Lim. T	38211	18	1.5	93			

DD-2/7

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

#87

Location CH Latitude 92.905.22 N Departure 160.366.25 W Hole No. C-47

Date Drilled Oct 23/76 Elevation 3,079.82' Bearing S 45° E Page No. 1 Of 3

Casing Depth 20' Overburden Depth 25' Length of Hole 150' Dip -58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38212	30		40	20	10	T	2.5	S.S. 40 G.Q 29 Grnst. 10 QTZ 10 G.S. 10 LIM. T MN. 1 ZnS T PyT Fe_2O_3 T	38212	105	3.8	310			
10	15	38213	25		50	15	10	T	8.0	S.S. 53 GS 5 Qtz 15 MN 2 ZnS. T PyT Fe_2O_3 T LIM. T G.Q 25 Grnst. T	38213	102	4.1	435			
15	20	38214	25		60	15	T	T	3.0	S.S. 69 G.Q 25 Qtz T G.S. 5 Grnst. T MN. 1 ZnS T LIM. T	38214	80	3.0	671			
20	25	38215	25	T	50	25	T	T	2.5	GQ 40 GS 25 Qtz. 10 S.S 25 Py. T LIM. T	38215	94	2.5	301			
25	30	38216	10		65	25	T	T	27	G.Q. 60 S.S 30 Qtz. T MN T G.S. T Grnst. T Pbs. T ZnS. T LIM. T	38216	132	2.3	156			
30	35	38217	10		70	20	T	T	3.0	S.S. 55 Grnst 20 MN. 5 Pbs. T ZnS. T LIM. T Py T Qtz. T GQ 20 $FeCO_3$ T	38217	29	2.6	59			
35	40	38218	10	30	30	20	10	T	3.6	GQ 30 G.S. 25 S.S. 20 Qtz 10 Py 5 ZnS. T Pbs. T LIM. T Grnst T	38218	117	2.8	197			
40	45	38219	35	35	20		10	T	4.0	G.S. 35 G.Q 35 Qtz 10 Py 20 S.S. T LIM. T Pbs. T ZnS T	38219	94	2.3	204			
45	50	38220	20	10	70	T	T	T	4.0	S.S. 40 GS. 25 G.Q. 20 Qtz 5 Py. 10 Pbs. T ZnS. T LIM. T	38220	69	2.4	242			
50	55	38221			65	20	15	T	4.5	S.S. 25 Qtz 25 Py 4 ZnS. T Pbs T Grnst. 20 $FeCO_3$ 5 G S T LIM. T	38221	251	4.3	650			
55	60	38222			70	15	15	T	5.5	Qtz 35 S.S. 48 Py 5 ZnS. 5 Pbs. 2 $FeCO_3$ 5 G.Q. T G.S T LIM. T	38222	531	6.5	2165			

DD-217

#87

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C11 | Latitude | Departure | Hole No. C 47

Date Drilled Oct. 23/76 | Elevation | Bearing | Page No. 1 Of 3

Casing Depth 20' | Overburden Depth 25' | Length of Hole 150' | Dip -58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38223	10	T	40	40	10	T	5.1	SS 35 Py 20 GS. 10 GQ 25 Qtz 5 ZnS 4 Pbs 1 Lim. T FeCo3 T	38223	207	2.5	730			
65	70	38224	30	T	25	25	20	T	4.2	FeCo3 20 GQ 28 S.S 20 Py 20 G.S. 10 ZnS 1 Pbs. 1 Lim. T	38224	37	2.0	225			
70	75	38225	50	20	10		20	T	4.0	G.Q 15 G.S. 40 Qtz 30 Py. 15 SS. T ZnS T Pbs. T Lim. T	38225	51	2.0	185			
75	80	38226	65	10	T		15	T	5.2	G.S. 35 G.Q 30 FeCo3 10 Qtz. 15 Py 10 ZnS T Pbs. T S.S. T Lim. T	38226	355	2.6	85			
80	85	38227	60	30	T		10	T	6.0	G.S. 35 G.Q 30 Py 20 FeCo3 5 ZnS. T Pbs T G.S. T Qtz. 10 Lim. T	38227	91	2.4	234			
85	90	38228	65	25			10	T	5.1	G.S. 35 G.Q. 35 Py 20 ZnS. T Pbs. T Lim. T Qtz. 10	38228	42	1.8	148			
90	95	38229	50	50			T	T	5.8	G.S 60 G.Q. 25 Py. 10 Qtz 5 Lim. T ZnS. T S.S. T	38229	33	2.0	119			
95	100	38230	55	35			10	T	4.4	G.Q 40 G.S. 35 Qtz 10 FeCo3 5 Py 10 Lim. T SS 5 ZnS. T	38230	59	1.8	155			
100	105	38231	70	15			15	T	4.0	G.Q 50 G.S 15 FeCo3 20 Py 5 Lim. T MN T ZnS. T Pbs T Qtz. 10	38231	85	1.9	357			
105	110	38232	80	20			T	T	3.5	G.Q 75 G.S 5 Qtz. 10 FeCo3 5 Py 5 Pbs T ZnS. T MN. T S.S. T Lim. T	38232	44	1.0	247			
110	115	38233	75	15			10	T	3.6	G.Q. 70 G.S 5 Qtz. 10 FeCo3 5 ZnS. T Pbs. T Lim. T	38233	27	1.0	100			

DD-217

87

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-47

Date Drilled OCT. 23/76 | Elevation | Bearing | Page No. 3 Of 3

Casing Depth 30' | Overburden Depth 35' | Length of Hole 150' | Dip -58°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38234	90	T			10	T	5.3	$FeCO_3$ 42 Grnst 20 Qtz 20 Py 10 ZnS 5 Pbs 3 G.S. T Lim. T	38234	45	4.2	1101			
120	125	38235	60	T		30	10	T	4.3	Grnst 27 G.Q 20 Qtz 20 $FeCO_3$ 20 Pbs. T ZnS. T MN. T Py 5 Lim. T	38235	113	6.2	145			
125	130	38236	45	10		35	10	T	6.4	$FeCO_3$ 39 Grnst 20 Qtz. 20 Py 5 Pbs 1 ZnS. T Lim. T G.Q. 15 S.S. T	38236	355	3.1	675			
130	135	38237	35	10	T	10	45	T	5.0	Qtz. 45 $FeCO_3$ 30 G.Q 5 Grnst. 9 Py 10 MN T Pbs 1 ZnS T Lim. T	38237	210	2.2	72			
135	140	38238	80	5		T	15	T	4.3	$FeCO_3$ 40 G.Q 35 Qtz 10 Py 10 ZnS 2 Pbs 3 MN. T Lim. T Grnst. T G.S. T	38238	181	2.1	866			
140	145	38239	85	T			15	T	4.1	G.Q 45 Qtz 10 Grnst. 30 $FeCO_3$ 20 G.S. 5 ZnS. T Pbs T MN. T Lim. T	38239	314	2.6	710			
145	150	38240	60	10	20		10	T	4.0	G.Q 26 Grnst. 25 Qtz 10 $FeCO_3$ 20 G.S 10 Py 5 S.S. T MN. T Lim. T Pbs 4 ZnS 1	38240	291	2.5	674			

DD-217 /

73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location C4 Latitude 92,824.76N Departure 160,290.32W Hole No. C-48

Date Drilled Oct 23/71 Elevation 3071.97' Bearing S 45° E Page No. 1 Of 3

Casing Depth 4' Overburden Depth 4' Length of Hole 140' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
-	10	38241	90	T			10	T	3.5	G.Q 80 Qtz 20 G.S T Grnst. T Py. T Lim. T MN. T S.S T FeCO3 T ZnS. T	38241	21	1.7	95			
10	15	38242	65	25			10	T	4.0	G.Q. 60 G.S. 20 Qtz. 10 Py T Pbs. T ZnS. T S.S.T Lim. T	38242	18	1.9	95			
15	20	38243	20		10	70	T	T	2.6	Grnst. 70 G.Q. 25 Qtz T S.S. 5 Py. T Lim. T	38243	33	1.6	87			
20	25	38244				100		T	5.0	Grnst. 80 G.Q 20 Py. T Qtz. T Lim. T	38244	13	1.9	81			
25	30	38245	30			70	T	T	4.4	Grnst. 70 G.Q 30 Py. T Qtz T S.S.T Lim T ZnS. T	38245	20	1.8	76			
30	35	38246	50	20	T	20	10	T	4.3	G.Q 50 Qtz 30 Py 5 G.S 10 Grnst 5 ZnS. T Lim T Fe3O4 T	38246	21	1.9	94			
35	40	38247	50	20		15	15	T	3.8	G.Q 55 Qtz. 30 G.S. 5 Py 10 ZnS T Lim. T	38247	26	2.9	118			
40	45	38248	80	20			T	T	5.3	G.Q 95 Qtz. T Py 5 S.S. T G.S T Lim. T Fe3O4 T	38248	20	1.3	88			
45	50	38249	65	15	T		20	T	3.0	G.Q 40 Qtz 25 Py 25 G.S. 10 Grnst. T Lim. T	38249	27	2.5	61			
50	55	38250	100	T			T	T	3.1	G.Q. 55 Qtz. 10 Py 5 Lim. T ZnS. T	38250	19	1.3	141			
55	60	38251	65	20		T	15	T	4.7	G.Q 50 G.S. 20 Qtz. 25 S.S. T Grnst. T Lim. T Py 5 Fe3O4 T ZnS. T	38251	19	2.0	65			

DD-217
#73

UNITED KENO HILL MINES LTD.
OVERBURDEN DRILL HOLE LOG

Location: CH | Latitude: | Departure: | Hole No.: C-48
Date Drilled: OCT. 23/76 | Elevation: | Bearing: | Page No.: 2 Of 3
Casing Depth: 4' | Overburden Depth: 4' | Length of Hole: 140' | Dip: 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)		Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38252	45	T	15	40	T	T	4.2	Grnst. 70 S.S. 15 G.Q. 10 Py 5 G.S.T Lim.T Znst.T	38252	18	2.3	88				
65	70	38253	65	10	T	10	15	T	5.3	G.Q. 48 GS. 15 Qtz. 20 Py 15 MN. 2 ZnS T Steel Pbs.T Pbs.T Lim.T	38253	165	3.3	417				
70	75	38254	80	20			T	T	4.0	G.Q. 90 G.S.T Qtz 5 Py 5 Lim.T Zns.T MN.T S.S.T	38254	19	1.2	121				
75	80	38255	80	20			T	T	4.6	G.Q. 65 GS. 10 Qtz. 20 Py. 5 FeCo3T Lim.T Grnst.T	38255	18	1.1	60				
80	85	38256	65	20			15	T	3.3	G.Q. 70 G.S. 10 Qtz. 20 S.S.T Lim.T	38256	21	1.8	89				
85	90	38257	75	25	T	T	T	T	4.4	G.Q. 90 Qtz T Py 10 S.S.T G.S.T Lim.T Zns.T Fe3O4T	38257	9	0.8	58				
90	95	38258	30	10	10	50	T	T	4.0	Grnst. 55 G.Q. 30 Qtz. 5 Py 5 S.S. 5 Zns.T Lim.T	38258	16	2.0	70				
95	100	38259	75	T	T	15	10	T	5.0	G.Q. 88 G.S.T Qtz 10 Py 2 Lim.T Fe3O4T	38259	16	1.8	52				
100	105	38260	75	10	T		15	T	4.8	G.Q. 55 GS 20 Qtz 20 Py 5 MN.T S.S.T Zns Fe3O4T	38260	37	2.0	183				
105	110	38261	90	T	T		10	T	4.5	G.Q. 80 GS 10 Py 5 Qtz. 5 Grnst. T Zns Fe3O4T Lim.T	38261	16	1.3	94				
110	115	38262	100				T	T	3.0	G.Q. 100 Qtz T G.S.T Lim.T Py.T Fe3O4T Zns.T MN.T Pbs.T	38262	10	1.1	63				

DD-217

73

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-48

Date Drilled OCT. 23/76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 4' Overburden Depth 4' Length of Hole 140' Dip 55°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38263	90		T		10	T	3.0	GQ 90 GS T Qtz 10 FeCO3 T MN T Py T Lim T ZnS T Pbs T	38263	15	1.3	180			
120	125	38264	85				15	T	4.5	G.Q 79 G.S 5 FeCO3 10 Qtz 5 MN 1 ZnS T Pbs T Grnst T Lim T	38264	15	1.9	108			
125	130	38265	90				10	T	3.2	GQ 95 Qtz 5 GS T MN T ZnS T Py T Lim T Grnst T	38265	14	1.4	73			
130	135	38266	70			15	15	T	4.3	G.Q 66 MN 1 Qtz 15 Grnst 15 Py 2 G S T Pbs T ZnS T Lim T S.S T FeCO3 T	38266	34	1.9	150			
135	140	38267	65			20	15	T	3.1	G.Q. 49 G.S. 10 Grnst 15 Qtz 10 S.S. 5 Py 5 ZnS T MN 1 FeCO3 T Pbs T Lim T	38267	52	1.7	204			

DD-217/
#159

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude 92.774.46 N Departure 160.246.07 W Hole No. C-49

Date Drilled OCT. 1976 Elevation 3050.43' Bearing S 45° E Page No. 1 Of 3

Casing Depth 15' Overburden Depth 15-50' Length of Hole 140' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
0	10	38268	45		20	20	15	T	2.9	QTZ 20 QQ 50 QS 15 PYR T ZNST LIMT SS 10 FE3O4 5	38268	38	1.1	84			
10	15	38269	50		20	20	10	T	2.0	QTZ 20 QQ 50 QS 15 PYR T ZNST LIMT SS 10 FE3O4 5	38269	30	1.9	66			
15	20	38270	40		40	20	10	T	3.6	QTZ 15 QQ 45 QS 20 PYR T ZNST LIMT SS 20 FE3O4T	38270	35	20	117			
20	25	38271	20	10	40	20	10	T	3.4	QTZ 20 QQ 45 QS 20 PYR T ZNST LIMT SS 15 FE3O4T FECO3T	38271	134	2.6	243			
25	30	38272	25	T	50	15	10	T	4.1	QTZ 20 QQ 45 QS 20 PYR T ZNST LIMT SS 15 FECO3T	38272	46	2.1	174			
30	35	38273	45	30	25	T	T	T	4.8	QTZ 15 QQ 35 QS 40 PYR T ZNST LIMT SS 10 FECO3T	38273	21	1.5	74			
35	40	38274	50	+	20	20	10	T	3.5	QTZ 15 QQ 20 QS 10 PYR 15 ZNST LIMT SS 20 GRNST 20 FECO3T	38274	19	1.7	68			
40	45	38275	70	10	10	T	10	T	4.9	QTZ 25 QQ 35 QS 15 PYR 10 ZNST LIMT SS 15 GRNST T FECO3T	38275	13	1.2	51			
45	50	38276	45	25	15		15	T	5.0	QTZ 20 QQ 40 QS 15 PYR 15 ZNST LIMT SS 10 FECO3T	38276	17	1.6	59			
50	55	38277	60	20	10		10	T	4.7	QTZ 15 QQ 50 QS 15 PYR 5 ZNST LIMT SS 15 FECO3T	38277	10	1.1	50			
55	60	38278	80	T	10		10	T	5.2	QTZ 25 QQ 50 QS T PYR 10 ZNST LIMT SS 15 FECO3T	38278	10	1.1	34			

DD-217

#159

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH | Latitude | Departure | Hole No. C-49

Date Drilled OCT. 29/76 | Elevation | Bearing | Page No. 2 Of 3

Casing Depth 15' | Overburden Depth 15-20' | Length of Hole 110' | Dip 620

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
60	65	38279	95		T		5	T	5.2	GTZ 20 GQ 45 GS 15 PYR 15 ZNST LIMT SS 15	38279	20	1.2	89			
65	70	38280	80			10	10	T	3.0	GTZ 25 GQ 50 GST PYR 5 ZNST LIMT SS 15 FECOST 5	38270	22	3.3	156			
70	75	38281	75			15	10	T	3.1	GTZ 20 GQ 50 GST PYR 5 ZNST LIMT SS 15 FECOST	38281	13	1.7	30			
75	80	38282	70	15		T	15	T	4.5	GTZ 30 GQ 40 GS 10 PYR 10 ZNST LIMT SS 10 FECOST	38282	17	2.2	81			
80	85	38283	80	10		T	10	T	4.1	GTZ 25 GQ 40 GS 10 PYR 15 ZNST LIMT SS 10	38283	11	1.0	36			
85	90	38284	60	10		10	20	T	4.7	GTZ 20 GQ 40 GS 15 PYR 25 ZNST LIMT SST	38284	16	1.4	65			
90	95	38285	60	10		15	15	T	5.4	GTZ 20 GQ 40 GS 10 PYR 25 ZNST LIMT SST PBST FECOST	38285	28	2.1	97			
95	100	38286	60	10		20	10	T	4.6	GTZ 20 GQ 30 GS 10 PYR 20 ZNST LIMT PBST SS 20 FECOST	38286	24	5.2	157			
100	105	38287	70	T		15	15	T	7.3	GTZ 30 GQ 40 GST PYR 15 ZNST LIMT PBST SS 15 FECOST	38287	79	3.5	160			
105	110	38288	75	10		15	T	T	7.2	GTZ 20 GQ 30 GS 10 PYR 25 ZNST LIMT PBST SS 15	38288	25	2.0	65			
110	115	38289	60	30	T	T	10	T	8.5	GTZ 15 GQ 25 GS 15 PYR 30 ZNST LIMT PBST SS 15	38289	19	1.5	107			

DD-217

#159

UNITED KENO HILL MINES LTD.

OVERBURDEN DRILL HOLE LOG

Location CH Latitude _____ Departure _____ Hole No. C-49

Date Drilled Oct. 23/76 Elevation _____ Bearing _____ Page No. 3 Of 3

Casing Depth 15' Overburden Depth 15-20' Length of Hole 140' Dip 60°

G.Q. Grey Quartzite; G.S. Graphite Schist; S.S. Sericite Schist; Grnst. Greenstone; Qtz. Quartz; Lim. Limonite; Py. Pyrite; Pbs. Galena; ZnS Sphalerite

Footage From	Footage To	Sample No.	Coarse Material (%) (+14 mesh) G.Q.	G.S.	S.S.	Grnst.	Qtz.	Lim	Panning Concentrate Mineral Content (%) grams		Sample No.	Geochemical Results Pb. (ppm)	Ag. (ppm)	Zn (ppm)	Assay Results Ag. (oz/ton)	Pb. (%)	Zn (%)
115	120	38290	50	T	30	20	T	T	6.5	GTL 30 GR 25 GOLD Py 15 ZNST LIMT PBST SS 20	38290	16	.2	51			
120	125	38291	65	10	25	T	T	T	4.4	GTZ 30 GR 30 GST Py 20 ZNST LIMT PBST SS 20 FEGBT	38291	16	1.6	51			
125	130	38292	60	T	15	15	10	T	5.4	GTZ 15 GR 35 GST Py 15 ZNST LIMT PBST SS 30 FEGBT	38292	36	1.5	201			
130	135	38293	80	T	20	T	T	T	4.2	GTZ 15 GR 60 GST Py 10 ZNST LIMT PBST SS 15 FEGBT	38293	28	2.1	127			
135	140	38294	70	+	15	15	T	T	7.2	GTZ 20 GR 40 GST 15 Py 10 ZNST LIMT SS 15	38294	34	2.1	117			