

1983 Geochemical and Geological
Assessment Report



TITLE Keele Peak Property
CLAIMS Nut 1-30
COMMODITY Ag-Au
LOCATED 40 km north-northwest of MacMillan Pass,
Yukon Territory
Latitude 63°28' Longitude 130°40'
Mayo Mining District 1050/7

BY G. Booth and C.J. Hodgson
FOR Amax of Canada Limited
WORK PERIOD June 28, 1983 - August 31, 1983

This report has been examined by
the Geological Survey of Canada
in the Yukon District (Yukon Quartz
District) and is hereby certified
to be a true and correct copy of the
original report.

091493
Geological Services for Communities
of Yukon Territory.



1983 Geochemical and Geological Assessment Report



TITLE	Keele Peak Property
CLAIMS	Lot 1-30
COMMODITY	Ag-Au
LOCATED	40 km north-northwest of MacMillan Pass, Yukon Territory Latitude 63°28', Longitude 130°40' Hoye Mining District 105017
BY	G. Booth and C.J. Hodgson
FOR	Amex of Canada Limited
WORK PERIOD	June 28, 1983 - August 31, 1983

This report has been examined by
 the Geological Evaluation Unit
 under Section 53 (4) Yukon Quartz
 Mining Act and is allowed as
 representation work in the amount
 of \$ 8,000.

K. Grapes

Regional Manager, Exploration and
 Geological Services for Commissioner
 of Yukon Territory.

TABLE OF CONTENTS

SUMMARY -----	1
INTRODUCTION	
General Statement-----	3
Location and Access-----	3
Claims Data-----	3
Previous Work-----	3
PROPERTY GEOLOGY	
Rock Types-----	4
Mineralization-----	4
GEOCHEMICAL SURVEY	
Survey Description-----	6
Results-----	6

APPENDICES

Appendix I -	Statement of costs
Appendix II -	Statement of qualifications
Appendix III -	Analytical Results and Analytical Methods

FIGURES

Figure 1 -	Location map-----	After Page 3
Figure 2 -	Claims Map (1" = ½ mile)-----	After Page 3
Figure 3 -	Geological Map (1:5,000)-----	In Pocket
Figure 4 -	Geochemical Maps	
Fig. 4a -	Au in soils-----	In Pocket
Fig. 4b -	Ag in soils-----	In Pocket
Fig. 4c -	Pb in soils-----	In Pocket
Fig. 4d -	Zn in soils-----	In Pocket
Fig. 4e -	Cu in soils-----	In Pocket
Fig. 4f -	W in soils-----	In Pocket

SUMMARY

The Keele Peak property, consisting of Nut claims 1-30, is located in Yukon Territory approximately 40 km north-northwest of MacMillan Pass.

Geological mapping and a soil geochemical survey were conducted intermittently over the period June 28, 1983 to August 31, 1983. A 1:5,000 scale topographic base map prepared from existing air photographs was used as control.

The claims are underlain by a previously unmapped porphyritic biotite quartz monzonite stock some 400 m in diameter on Nut 5-8 claims. An irregular zone of contact breccia up to 100 m wide surrounding the stock consists of angular bleached calc-silicate boulders in a comminuted clastic matrix. Country rock consists of clastic and carbonate strata of lower Paleozoic age. A contact hornfels aureole extends out from the stock for 800-1000 metres.

Some 560 soil samples were collected systematically at 25 m spacing over a 14 line km grid and analysed geochemically for Au, Ag, Cu, Pb, Zn and W. All six metals occur in highly anomalous amounts in soils in the northern half of the grid area. Pb, Zn and Ag show generally similar patterns of distribution whereas Au, Cu and W each displays a pattern of distribution which is more or less independent of other metals. Many of the high soil anomalies have not been systematically prospected and remain to be explained in terms of known surface mineralization.

Mineralization found to date consists of:

- (a) Pyrrhotite-pyroxene skarn lenses with accessory chalcocopyrite, ^{Sphalerite - see page 45} sphalerite, chalcocopyrite, galena and arsenopyrite. Such skarn lenses have been found in three areas on the property: between Lines 4S and 6S near the ridge crest, in a gully at 2+50S, 5+00E, and between Lines 7S and 8S at 4-5+00E.
- (b) Galena-arsenopyrite ± sphalerite veins are widespread near the margins of the intrusive stock, and within contact breccia and immediately adjacent unbrecciated hornfels in the grid area north of Line 4S. Individual veins measure up to 12 cm wide,

2.

with most averaging 2 - 6 cm wide. The frequency of abundance of these veins remains to be established.

- (c) Disseminated galena occurs interstitially in contact breccia in a zone at least 8 m wide near the baseline on Line 1S.

INTRODUCTION

General Statement

The Keele Peak property was evaluated during the 1983 field season over a period of thirteen days (35 man days). Initial geological and geochemical surveys were undertaken from a local fly camp by G.W. Booth and P.R. Elkins. The above personnel with T. Hitchins and S.B. Goertz enlarged the grid in mid-July and again in late August to extend survey coverage of the intrusion and its aureole.

Location and Access (Figure 1)

The Nut claims are located in Yukon Territory approximately 40 kilometres north-northwest of MacMillan Pass, Y.T. Access in 1983 was by casual hire helicopter from MacMillan Pass.

Claims Data (Figure 2)

Nut claims 1-16, record numbers (YA76742-YA76757), were staked on August 22, 1982 and recorded on September 10, 1982. These claim posts were affixed with their appropriate tags in 1983.

Additional claims Nut 17-30 were staked on August 30, 1983 and recorded on September 12, 1983. Nut 23 and 25 claims were subsequently disallowed by the mining recorder in Mayo as both claims are totally overlapped by the pre-existing Peter and Hazel claims.

Previous Work


Preliminary prospecting and geological mapping of this property was undertaken in late August, 1982. Several encouraging Au, Ag and W rock chip assays indicated that additional investigation was warranted.

CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY NUT CLAIMS

MAYO MINING DISTRICT — YUKON TERRITORY

LOCATION MAP



N. T. S. Ref. 105 0 7





FIG. 1



AMAX OF CANADA LIMITED
 CANAMAX RESOURCES INC.
 KEELE PEAK PROPERTY
 NUT CLAIMS
 MAYO MINING DISTRICT — YUKON TERRITORY

CLAIM MAP



Vancouver —

PROPERTY GEOLOGY

Rock Types

The Nut claims are underlain for the most part by Lower Paleozoic strata consisting of argillite and calcareous argillite with minor limestone, limestone conglomerate and calcareous arenite (units 1,2). The strata strike uniformly northerly and dip steeply to vertical; however, several small scale anticlines and synclines were noted in hornfelsed argillite on Nut 5 claim adjacent to a quartz monzonite stock.

The irregularly shaped Nut stock (unit 5) of presumed Cretaceous age underlies roughly 0.2 square km in the centre of the property on parts of Nut 5,6,7 and 8 claims. It is grey in colour, blocky weathering, medium grained, coarsely porphyritic, and of biotite quartz monzonite composition. Feldspar phenocrysts up to 2 cm in length form 5% of the rock, and up to 5% biotite is disseminated in the matrix. The rock is generally fresh, but shows weak to moderate sericite alteration near the Baseline on Line 1N. A prominent northeasterly-trending fine grained quartz feldspar porphyry dyke (unit 6) on Nut 3,4 claims is believed to be a direct offshoot from the stock.

Contact breccia (unit 4), present as a discontinuous band up to 100 m wide adjacent to the stock, consists of angular, bleached, cherty calc-silicate fragments up to 1 metre diameter in a comminuted, weakly chloritized granular matrix. This unit is in sharp contact with both the stock and peripheral hornfels.

Hornfelsed argillite and banded calc-silicate hornfels (unit 3) occurs over a distance of 800-1000 metres out from the stock on its south-eastern margin, the only area where there is sufficient outcrop to confidently map the outer limit of hornfelsing. Hornfelsed argillite is purplish in hue, whereas calc-silicate hornfels is light grey to white and cherty.

Mineralization

Four distinct modes of mineralization are recognized within the Nut claims:

- 1) Pyrrhotite-pyroxene skarn lenses, variably mineralized with chalcopyrite, galena, arsenopyrite and scheelite.

- 2) Quartz-sericite veins with galena, arsenopyrite, sphalerite and chalcopyrite.
- 3) Disseminated galena in contact breccia.
- 4) Pyrrhotite-bearing hornfelsed argillite with trace disseminated scheelite.

Skarn lenses have been found in three areas to date, the most extensive of which are located between lines 4S and 6S east of the baseline near the ridge crest. Here, four or five discontinuous lenses, each 1-3 m thick, occur over a strike length of 200 m immediately west of a fine grained quartz feldspar porphyry dyke. These lenses contain minor disseminated chalcopyrite and scheelite. A second skarn horizon, 1-2 metres wide, is exposed over a strike length of 35 m in a gully near 2+50S, 5+00E on the grid. This lense contains chalcopyrite, galena, sphalerite and arsenopyrite. Minor pyrrhotite-rich skarn beds up to 0.3 metres wide occur in the vicinity of Lines 7-8 S, 4 E. Rusty skarn boulders occurring elsewhere on the property suggest the presence of additional, as yet unlocated, skarn beds and/or lenses (Figure 3).

Quartz-sericite veins with massive arsenopyrite-galena-(sphalerite, chalcopyrite) are widespread over the northern third of the grid area north of Line 4S near the margins of the Nut stock, in contact breccia and in immediately adjacent hornfels. Veins found to date range up to 12 cm wide and 100 metres in traceable strike length. Since most vein occurrences were noted in felsenmeer, no firm estimate of vein density can be given. However, at 2+50S, 4+00E, three flat lying veins were noted in a ledge of outcrop some 3 m high.

Disseminated galena amounting up to 50% of the rock was noted in an 8 m wide outcrop of contact breccia near the baseline on Line 1S. The extent and economic potential of this type of mineralization remain to be seen.

Pyrrhotite and pyrite are disseminated in hornfelsed argillite along much of the eastern part of the grid area where they produce broad gossans. Trace scheelite is associated.

GEOCHEMICAL SURVEY

Survey Description

Some 540 soil samples were collected on the property during the period June 28 to August 31, 1983. Soils were collected at 25 m intervals on fifteen flagged grid lines 100 m apart trending 080° - 260°.

Soils on the grid area are less than 1 m thick and consist of locally derived till in which no discernible soil profile is developed. Where possible, soils were collected at a depth of 20 cm. A large percentage of the samples contained talus fines; these samples were pulverized to -40 mesh prior to analysis. Also, a number of samples were missed where the proposed sample site was covered with blocky talus and felsenmeer.

Soils were collected in Kraft envelopes and shipped to Rossbacher Laboratory, Burnaby, B.C. for geochemical analysis for Au, Ag, Cu, Zn, Pb and W. Analytical procedures are documented in Appendix III.

Results

Analytical results for the soil samples are shown in Figures 4a - f and tabulated in Appendix III.

Rigorous statistical methods have not been used to evaluate the results. However, visual inspection of the data indicates that the anomalous and highly anomalous thresholds tabulated below for the six metals in question are appropriate.

	Anomalous Threshold	Highly Anomalous	Peak Value
Au	20 ppb	100 +	980
Ag	2.0 ppm	8.0 +	32.0
Pb	100 ppm	1000+	11,800
Zn	200 ppm	800 +	5,200
Cu	100 ppm	500 +	880
W	5 ppm	50 +	300

Gold (figure 4a) is most abundant in soils in an area between Lines 3S-6S which is directly down slope from aforementioned sulphide-rich skarn lenses on the ridge crest, the presumed source of the anomaly. A smaller Au soil anomaly is associated with a skarn lense near 2+50S, 5+00E.


Silver (figure 4b) is weakly anomalous over virtually the entire grid area north of and including Line 4S. Two highly anomalous zones, each several hundred metres in long dimension, are situated (a) coincident with, and down slope from, the skarn lense at 2+50S, 5+00E, and (b) east of the baseline between Lines 0S and 3S in an area underlain by porphyritic quartz monzonite. Smaller areas of highly anomalous soils occur elsewhere on the grid, notably one with up to 32 ppm Ag between Lines 1S and 2S west of the baseline.

Lead (figure 4c) is weakly anomalous in most soils north of Line 6S, and is highly anomalous in a parabolic-shaped zone open to the north which corresponds roughly with the mapped margin of the quartz monzonite stock. This highly anomalous zone coincides with, but is more extensive than, the two main silver anomalies in soils referred to above; it likely represents a combination of skarn and vein mineralization.


Zinc (figure 4d) occurs in weakly anomalous amounts in soils north of Line 7S, and on the east side of the grid area south of Line 7S. It is in general less abundant than lead, and highly anomalous zones are small and scattered. Four of the most prominent anomalies are (a) coincident with and downslope from the skarn at 2+50S, 5+00E; (b) Line 7S, 5-6E; (c) Lines 2-5S, west of the baseline; and (d) around the baseline at Line 1N. Cause of the last three anomalies is unknown.

Copper (figure 4e) is weakly anomalous in soils on most lines north of and including Line 9S. The most prominent copper soil anomaly coincides closely with mapped skarn lenses and their possible lateral extensions between Lines 7S and 1S. The continuity of this narrow, linear anomaly suggests a possible connection between mapped skarn lenses on the ridge crest on Lines 4S-6S, and in the gully at 2+50S, 5E. A central "low" in the copper soil anomaly coincides roughly with the porphyritic quartz monzonite stock.

Tungsten (figure 4f) is weakly anomalous over parts of all lines north of and including L11S. It is highly anomalous in three main zones: (a) a narrow sinuous zone on lines 2S-6S east of the baseline which is coincident with and downslope from skarn lenses on the ridge crest; (b) a small anomaly between Lines 1S-2S, 5+50E which is downslope from skarn in a gully at 2+50S, 5+00E; and (c) a zone east of the baseline between Lines 0S-3S. It is suspected that scheelite occurs in quartz veins which cut the intrusive stock in this last area.



Geoff Booth



C.J. Hodgson, P. Eng.

Appendix I

Statement of Costs

Topographic Mapping, Geological Mapping and Geochemical
Survey

Period of Work - June 28 - July 5, July 18, 1983

Personnel Employed

G.W. Booth-50 Walmer Road, Toronto, Ontario Geologist; 9 days @ \$102.08/day	\$918.72
P.R. Elkins-7241 Barlynn Crescent, N. Van., B.C. Geological Assistant; 9 days @ \$66.58/day	599.22
S.B. Goertz-1038 Marigold Avenue, N. Van., B.C. Geological Assistant; 1 day @ \$66.58	66.58

Board - 19 man days @ \$25/day 475.00

Geochemical Analyses - Rossbacher Laboratory Ltd.
Burnaby, B.C.

423 samples Cu, Ag, Pb, Zn, W, Au
Invoice No. 3235 3,839.55

Helicopter - Northern Mountain Helicopters
Prince George, B.C.

3.9 hrs. @ \$592.00
Invoice Nos. 22031, 22128, 22143 2,308.80

Topographic Mapping - McElhanney Survey and
Engineering
Vancouver, B.C.

Invoice No. 9023645 1,285.00

Report Preparation and Drafting

600.00
\$10,092.87
=====

C. J. Hodgson

Sacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,
 BURNABY, B. C.
 CANADA
 TELEPHONE: 299-6910
 AREA CODE: 604

ANAMAX RESOURCES INC.

601-535 Thurlow St.

Vancouver, B.C.

57049

DATE Sept 5, 1983

INVOICE NO. 3235

CERTIFICATE NO. as marked

ITEM	DESCRIPTION	SUB-TOTAL	TOTAL
✓ 423	Geochem analysis for 4 elements @ \$ 3.35	\$ 1,417.05 ✓	
✓ 307	W	921.00 ✓	
✓ 365	Au	1,277.50 ✓	
✓ 3	Panned Con. prep	4.50 ✓	
✓ 391	Soil prep	195.50 ✓	
✓ 12	Rock prep	24.00 ✓	
			\$ 3,839.55

ADD & EXT CORRECT
[Handwritten signature]
 57049 8080 3839.55
 CK. 2 53 8 3 SEP 13 1983

TERMS - NET 30 DAYS

[Handwritten initials]
 80
 18

ARN MOD CAIN HELICOPTERS INC.

CHARTER AND CONTRACT TICKET

To: **CANAMAX**

Date: **JULY 18/83**

Phone

P.O.

Pilot H. THIESSEN	Eng GIERING	App.	Cash	Cheque	Charge
A/C Type BH 206B	A/C Reg GCMO	Area M-P	Base	M-P	

From	To (1)
To (2)	To (3)
To (4)	To (5) CK 25242 AUG 19 1983
To (6)	To (7)
To (8)	To (9)
To (10)	To (11)

Charter Rate 2.6	Hours at \$ 500.00	<input checked="" type="checkbox"/>	\$ 1300.00
Contract Rate	Hours at \$		
Fuel Charge MAC PASS	59.8/4.00	<input checked="" type="checkbox"/>	239.20
Pilot Expenses			
Other			

TERMS: Net 30 days. Service charge on overdue accounts. See reverse side. I personally guarantee payment of this charter.

TOTAL CHGE: **1539.20**

Authorized by: *[Signature]*

This ticket is expressly subject to the conditions printed on the reverse side of ticket and which are hereby accepted: (Passenger's Signature)

22031

1.	2.	3.	4.	5.	6.	12.
1.3 / 57028	1.3 / 57028	<i>[Signature]</i>	570.28	570.29	570.29	1539.20
			8207	8207		2.6
						19
						19

MAIN BASE
P.O. Box 368
Prince George, B.C.
Phone 963-9622
Telex 047-8027

No. of Departures: **2** No. of Passengers: **4** No. of hours flown: **2.6** N/R Hrs.:

Lbs. cargo: **—** Miles flown: **—**

Class of flying: **MAC PASS**

IN MOUNTAIN HELICOPTERS INC.

CHARTER AND CONTRACT TICKET

RAMAY EXPLORATION
(KEELE) 57049

Date 24 JUN 83
Phone
P.O.

Pilot BACHINSKY	Eng GYANA	App.	Cash	Cheque	Charge
A/C Type Bell 206	A/C Reg. FUMW	Area MAC PASS	Base MP		

From FLY CAMP OUT 1.3	To (1)
To (2)	To (3)
To (4)	To (5)
To (6)	To (7)
To (8)	To (9)
To (10)	To (11)

Charter Rate 1.3	Hours at \$ 500.00	✓	\$ 650.00
Contract Rate	Hours at \$		
Fuel Charge MAC PASS 29.9/4.00		✓	119.60
Pilot Expenses			
Other			

TERMS: Net 30 days. Service charge on overdue accounts. See reverse side. I personally guarantee payment of this charter.

Authorized by: *Ray McInnis*
This ticket is expressly subject to the conditions printed on the reverse side of ticket and which are hereby accepted: (Passenger's Signature)

TOTAL CHGE 169.60

22128

1. <i>Booth + Booth</i>	7
2. <i>Paul Elkin's</i>	8. <i>Aug 21/83</i>
3.	9. <i>CK-25127A</i>
4. <i>21/83</i>	10. <i>57049 8207 1769.60</i>
5. <i>21/83</i>	12.
6. <i>21/83</i>	

MAIN BASE
P.O. Box 368
Prince George, B.C.
Phone 963-9622
Telex 247-8027

No. of Departures	No. of Passengers	No. of hours flown	N/R Hrs.	Base or designated Pt.
		1.3		MAC PASS
	Lbs. cargo	Miles flown		Class of flying
				04

FACT
 Y, loss or claim of
 referred to as
 with carriage or
 of carrier and
 gence of the
 or indirect
 ment regula-
 use beyond

SNOW MOUNTAIN HELICOPTERS INC.

ORDER AND CONTRACT TICKET

ANAMAX (Keele) Date 5 July 83
 67049 Phone
 P.O.

Pilot DACHINSKY	Eng GRANA	App.	Cash	Cheque	Charge
A/C Type Bell 206	A/C Reg. ENMW	Area M P	Base AP		

From 1.3 To (1)
 To (2) To (3)
 To (4) To (5)
 To (6) To (7)
 To (8) To (9)
 To (10) To (11)

Charter Rate	1.3	Hours at \$	500.00	<input checked="" type="checkbox"/>	\$ 650.00
Contract Rate		Hours at \$			
Fuel Charge	MAC PASS		299/400	<input checked="" type="checkbox"/>	119.60
Pilot Expenses					
Other					

TERMS: Net 30 days. Service charge on overdue accounts. See reverse side.
 I personally guarantee payment of this charter
 Authorized by: *Tony Patchaus*
 TOTAL CHGE. 769.60

This ticket is expressly subject to the conditions printed on the reverse side of ticket and which are hereby accepted: (Passenger's Signature)

- Geoff Booth*
- Paul Ellis*
- [Signature]*
- [Signature]*
- [Signature]*
- [Signature]*


22143
 MAIN BASE
 P.O. Box 368
 Prince George, B.C.
 Phone 963-9622
 Telex 047-8027

No. of Departures	No. of Passengers	No. of hours flown	N/R Hrs.	Base or designated Pt.
		1.3		MAC PASS
	Lbs. cargo	Miles flown		Class of flying
				04


INVOICE

McElhanney Surveying & Engineering Ltd.

200 - 1166 Alberni Street
Vancouver. B.C. V6E 3Z3



Please remit to:
200 - 1166 Alberni Street
Vancouver. B.C. V6E 3Z3



In account with: Amax Minerals Ltd.,
601 - 535 Thurlow St.,
Vancouver, B.C.
V6C 3L6

Invoice No. 9023645

Date 19 January, 1983

Your Order No.

Our Job. No. 40021-2

Attention: Mr.H. Pires *called in quoted*

FOR PROFESSIONAL SERVICES IN RESPECT TO:

Supplying topographical mapping of your area of interest, Nut Claims, as outlined in our letter dated November 24, 1982.

Final Billing

OUR FEE.... \$1,285.00

ADD & EXT CORRECT		B.
APPROVED	<i>GJA</i>	DATE Feb 18 / 83
PROJECT	3471-02	AMOUNT 1285.00

8 - 60112

JCG:leo
[Signature]

APPENDIX II

STATEMENT OF QUALIFICATIONS

G.W. Booth

#509 - 30 Charles Street West, Toronto, Ontario M4Y 1R5

Education - Secondary - University of Toronto Schools 1969-1973
Tertiary - Western Australian Institute of Technology,
1973-1974 University of Toronto, 1974-1980;
B.Sc. Geology 1978, M.Sc. Geology 1981.

Scholarships - Rotary International Student Exchange
Scholarship to Perth, Western Australia,
to attend the Western Institute of Technology

M.Sc. Thesis Topic - The Pamiutuq Lake Batholith; a large
(700 sq.km.) hypabyssal porphyritic acidic
intrusion of Paleohelikan age located in the
Baker Lake Basin of the N.W.T. A petrological,
geochemical and geophysical evaluation of the
body has been undertaken as part of a 1:250,000
scale regional mapping project of the Basin
itself, initiated by the Geological Survey
of Canada in 1976.

Experience -1973 - Underground and surface labourer, Agnico Eagle
Gold Mines Ltd.
1975 - Junior Geologist, Camflo Gold Mines Ltd.
1976 - Junior Geologist, Hollinger Mines Ltd. Labrador
Mining Ltd.
1977 - Junior Geologist, United Siscoe Mines Ltd.
1978 - Senior Geologist, Geological Survey of Canada,
Precambrian Division
1979 - Senior Geologist, Geological Survey of Canada,
Precambrian Division
1980 - Senior Geologist - AMAX of Canada Limited - 1980
Field Season
1983 - Senior Geologist - Canamax Resources Inc.

STATEMENT OF QUALIFICATIONS

NAME P.R. Elkins

ADDRESS 1241 Barlynn Crescent,
North Vancouver, B.C.
V7J 1P5

EDUCATION Capilano College - 1980/81 U.B.C. - 1982/83
First Year Sciences:
Courses in Physics, Calculus, Chemistry, Computer
Science and English
Second Year Sciences:
Courses in Linear Algebra, Calculus IV,
Thermodynamic Physics, Inorganic Chemistry,
Physical Geography

EXPERIENCE May 1 - August 29, 1981 - Campbell Resources Inc.
Geologist's helper
Summer 1980 - United Metal Fabricators
Production Worker
December 1980 - May 1982 - Sixth Field Squadron R.C.E.
Sapper (Private)
Summer 1982 - AMAX of Canada Limited
Geologist's Assistant
Summer 1983 - Canamax Resources Inc.
Geological Assistant

STATEMENT OF QUALIFICATIONS

NAME S.B. Goertz

ADDRESS 1038 Marigold Avenue,
North Vancouver, B.C.
V7R 2E2

EDUCATION Capilano College - Sept. 1980 - April 1982
Science (general)
University of British Columbia - Sept. 1982
Geology (U2 major)

EXPERIENCE June 1981 - August 1981
Chevron Standard Ltd. - Geological Trainee
June 1982 - August 1982
Chevron Standard Ltd. - Geological Trainee
1983 Field Season
Canamax Resources Inc. - Field Assistant

APPENDIX III

ANALYTICAL RESULTS

ANALYTICAL METHODS

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83280-3

INVOICE NO.

DATE ANALYSED 83/08/03

PROJECT 57049

TO:

No.	Sample	pH	Mer	Cu	Ag	Zn	Pb	W	Au			No.
01	B3 P83 156			392	2.6	970	48	10	80			01
02	157			650	4.4	1440	222	1	120			02
03	158			332	2.8	470	150	1	130			03
04	159			710	3.2	1150	224	1	40			04
05	160			166	0.8	210	108	1	50			05
06	161			184	0.4	270	66	1	20			06
07	162			270	0.4	250	82	1	00			07
08	163			640	11.2	106	322	45	130			08
09	164			600	9.2	114	288	165	270			09
10	B3 P83 165			342	3.4	360	90	30	50			10
11	166			92	0.2	80	30	30	80			11
12	167			210	2.8	220	840	1	10			12
13	168			280	1.4	840	1000	35	10			13
14	169			140	0.4	80	48	1	10			14
15	170			90	0.6	290	184	5	10			15
16	171			20	0.4	40	8	1	10			16
17	172			118	0.6	164	26	5	10			17
18	173			160	0.2	126	24	5	10			18
19	B3 P83 174			86	0.2	124	22	5	10			19
20	STDC			174	0.8	120	74	15	-	(W2)		20
21	B3 P83 175			148	0.2	138	22	5	10			21
22	176			76	0.2	114	36	5	10			22
23	177			112	0.2	260	86	15	10			23
24	178			258	0.4	490	38	15	10			24
25	179			42	0.2	74	22	1	10			25
26	180			60	0.2	160	36	15	10			26
27	181			156	0.2	114	40	5	10			27
28	182			296	0.2	400	60	1	10			28
29	183			248	0.2	78	26	1	10			29
30	B3 P83 184			120	0.2	100	20	1	10			30
31	185			118	0.2	102	22	10	10			31
32	186			186	0.2	146	32	1	10			32
33	187			128	0.4	182	30	1	10			33
34	188			98	0.4	164	36	1	10			34
35	189			96	0.4	92	16	1	10			35
36	190			84	0.2	72	16	5	10			36
37	191			76	0.4	58	14	1	10			37
38	192			76	0.2	76	14	1	10			38
39	B3 P83 193			44	0.2	68	16	1	10			39
40	STDC			112	0.6	120	80	15	-	(W2)		40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by

J. Rossbacher

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83280-4

INVOICE NO.

DATE ANALYSED 83/08/02

PROJECT 57049

TO:

-fomesh

No.	Sample	pH	Mer	Cu	Ag	Zn	Pb	W	Au			No.
01	B3 P83 194			40	0.4	68	18	1	10			01
02	195			86	0.8	98	30	1	10			02
03	B3 P83 198			74	0.4	266	18	1	10			03
04	199			256	0.8	530	56	1	30			04
05	200			150	0.2	180	74	1	10			05
06	201			70	0.6	182	22	1	10			06
07	202			32	0.2	128	20	1	10			07
08	203			34	0.2	134	24	1	10			08
09	B3 P83 205			38	0.2	132	34	1	10			09
10	B3 P83 206			22	0.2	82	20	10	10			10
11	207			26	0.4	122	52	1	30			11
12	208			24	0.4	118	74	1	10			12
13	209			38	1.4	200	310	1	20			13
14	210			22	0.2	96	48	1	10			14
15	211			42	0.8	154	104	10	10			15
16	212			50	0.6	164	104	1	10			16
17	213			22	0.2	62	36	1	10			17
18	B3 P83 215			84	2.2	510	26	1	10			18
19	B3 P83 216			64	0.4	190	16	1	10			19
20	STDC			122	3.8	480	96	15	-	(W2)		20
21	B3 P83 217			64	0.4	248	30	1	10			21
22	218			88	0.8	240	68	1	10			22
23	219			48	0.4	144	46	1	10			23
24	220			44	0.4	128	34	1	10			24
25	221			42	0.4	118	46	1	10			25
26	222			30	0.2	110	30	1	10			26
27	223			22	0.2	86	28	1	10			27
28	224			50	0.2	180	56	1	10			28
29	225			54	0.2	158	36	1	10			29
30	B3 P83 226			46	0.2	138	34	1	10			30
31	227			52	0.4	144	38	1	10			31
32	228			42	0.6	138	38	1	10			32
33	229			42	0.6	136	42	1	10			33
34	230			82	0.7	106	20	1	10			34
35	231			70	0.2	102	20	1	10			35
36	232			68	0.2	94	14	1	10			36
37	233			74	0.4	138	18	1	10			37
38	234			96	0.2	90	28	1	10			38
39	B3 P83 235			82	0.4	92	22	1	10			39
40	STDC			124	4.0	480	102	15	-	(W2)		40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by

J. Rossbacher

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-8910

CERTIFICATE NO. 83280-5

INVOICE NO.

DATE ANALYSED 83/08/02

PPA PROJECT 57049

TO:

No.	Sample	pH	Mo	Cu	Ag	Zn	Pb	W	Au			No.
01	83 PBS 231			66	0.2	68	28	1	10			01
02	232			107	1.0	74	40	1	10			02
03	233			40	0.4	62	20	1	10			03
04	234			34	0.4	62	24	1	10			04
05	240			74	0.4	108	18	10	10			05
06	241			40	2.6	130	34	1	10			06
07	242			48	0.8	280	138	1	10			07
08	243			64	0.4	78	28	1	10			08
09	244			70	0.6	114	36	1	10			09
10	83 PBS 245			132	0.4	96	34	1	10			10
11	246			570	3.0	940	200	1	290			11
12	247			470	1.6	410	238	1	30			12
13	248			290	0.4	138	76	1	10			13
14	249			140	17.4	1400	5000	1	80			14
15	83 PBS 260			820	26.0	5200	11800	1	260			15
16	261			700	16.6	1860	7000	1	120			16
17	262			580	11.8	920	3500	60	120			17
18	83 PBS 263			590	11.4	840	3200	70	120			18
19								15		402		19
20												20
21												21
22												22
23												23
24												24
25												25
26												26
27												27
28												28
29												29
30												30
31												31
32												32
33												33
34												34
35												35
36												36
37												37
38												38
39												39
40												40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by

P. Rossbacher

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-8910

CERTIFICATE NO. 83339-1

INVOICE NO.

DATE ANALYSED 83/08/24

PROJECT 57049

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

No.	Sample	pH	Mo	Cu	Ag	Zn	Pb	W	Au			No.
01	83 PBS 340			130	9.4	196	1280	1	10			01
02	341			166	2.4	820	1900	1	10			02
03	342			410	6.6	1060	3180	40	10			03
04	343			250	3.4	870	1300	1	10			04
05	344			206	1.1	160	820	20	10			05
06	83 PBS 345			440	3.4	264	1300	80	10			06
07	346			310	1.8	288	610	40	10			07
08	347			580	1.2	476	348	20	10			08
09	348			270	1.8	308	680	1	10			09
10	349			350	1.6	308	650	10	10			10
11	350			260	1.2	160	236	5	10			11
12	83 PBS 351			284	1.4	470	474	1	10			12

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83339-1

INVOICE NO.

DATE ANALYSED 83/08/24

PROJECT 57049

No.	Sample	pH	Mo	Cu	Ag	Zn	Pb	W	Au	No.
32	83 PES 1089			250	0.8	820	780	N.S.	10	32
33	1090			320	0.8	142	130	2	10	33
34	1091			370	1.0	126	140	N.S.	10	34
35	1092			236	1.2	110	150	1	10	35
36	1093			246	1.6	740	136	N.S.	10	36
37	1094			150	1.0	256	70	1	10	37
38	1095			104	0.2	104	30	N.S.	10	38
39	83 PES 1096			446	0.6	128	80	1	10	39
40	STD D			130	4.2	500	108			40

N.S. = INSUFFICIENT MATERIAL FOR ANALYSIS

VALUES IN PPM, UNLESS NOTED OTHERWISE

Certified by *P. Rossbach*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83339-2

INVOICE NO.

DATE ANALYSED

PROJECT 57049

No.	Sample	pH	Mo	Cu	Ag	Pb	Zn	W	Au	No.
01	83 PES 1097			158	1.4	~90	690	1	10	01
02	1098			128	0.8	42	374	1	10	02
03	1099			114	3.0	670	5600	1	110	03
04	83 PES 1100			62	0.4	32	144	1	10	04
05										05
06										06
07										07
08										08
09										09
10										10
11										11
12										12
13										13
14										14
15										15
16										16
17										17

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83463-11

INVOICE NO.

DATE ANALYSED OCT 7, 1983

PROJECT 57049

No.	Sample	pH	Mo	Cu	Ag	Zn	Pb	W	Au	No.
01	83 PES 1619			80	0.6	220	72	1	10	01
02	20			204	2.6	500	224	1	10	02
03	21			108	0.6	304	46	1	10	03
04	22			70	0.2	208	34	1	10	04
05	23			76	0.2	222	28	1	10	05
06	24			70	0.2	168	48	1	10	06
07	25			84	0.2	198	24	5	10	07
08	26			98	0.2	208	52	1	10	08
09	27			82	0.2	360	30	1	10	09
10	83 PES 1628			118	0.2	436	50	1	10	10
11	29			112	0.2	416	66	1	10	11
12	20			102	0.2	350	22	1	10	12
13	31			122	0.2	426	20	1	10	13
14	32			188	0.6	560	26	1	10	14
15	33			180	0.6	580	14	1	10	15
16	34			140	0.4	488	72	1	10	16
17	35			94	0.2	276	26	1	10	17
18	36			98	0.2	334	22	1	10	18
19	83 PES 1637			144	0.4	412	36	1	10	19
20	STD D			122	3.8	426	102	50		20
21	83 PES 1638			152	0.4	478	74	1	10	21
22	37			198	0.8	620	376	1	10	22
23	40			230	1.4	900	422	1	10	23
24	41			288	1.4	920	356	1	10	24
25	42			288	1.8	1120	264	1	10	25
26	43			100	0.2	354	120	1	10	26
27	44			90	0.4	344	190	1	10	27
28	45			278	0.6	360	560	1	10	28
29	46			106	0.2	184	806	1	10	29
30	83 PES 1647			130	1.2	370	540	1	10	30
31	48			112	0.2	280	418	2	10	31
32	49			160	0.6	322	540	2	10	32
33	50			112	0.2	236	368	2	10	33
34	51			146	0.2	170	80	1	10	34
35	52			152	0.4	312	136	2	10	35
36	53			180	3.2	1940	600	1	10	36
37	54			180	2.0	800	260	1	10	37
38	55			196	0.2	852	310	1	10	38
39	83 PES 1656			158	1.4	280	288	1	10	39
40	STD D			128	4.0	500	114	50		40

VALUES IN PPM, UNLESS NOTED OTHERWISE

Certified by *P. Rossbach*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

440 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-6910

CERTIFICATE NO. 83463-12

INVOICE NO.

DATE ANALYSED OCT. 7, 1983

PPB PROJECT 57049

No.	Sample	pH	%	Cu	Ag	Zn	Pb	W	AU	No.
01	83 RES 1657			178	1.6	24	620	1	10	01
02	58			148	2.0	314	1020	1	10	02
03	59			202	2.4	358	580	1	10	03
04	60			800	1.6	288	332	1	10	04
05	61			206	0.6	249	330	1	10	05
06	62			184	0.8	204	890	1	10	06
07	63			122	0.6	202	820	1	10	07
08	64			164	1.2	458	580	1	10	08
09	65			178	1.4	286	960	1	10	09
10	83 RES 1666			66	2.4	94	268	1	10	10
11	67			178	0.8	172	270	1	10	11
12	68			196	1.8	372	348	1	10	12
13	69			266	1.8	434	310	1	10	13
14	70			302	0.8	480	800	1	10	14
15	71			364	1.2	248	158	1	10	15
16	83 RES 1672			426	1.0	438	150	1	10	16
17	STD E			88	0.2	170	24	-	-	17
18										18
19										19
20										20
21										21
22										22
23										23
24										24
25										25
26										26
27										27
28										28
29										29
30										30
31										31
32										32
33										33
34										34
35										35
36										36
37										37
38										38
39										39
40										40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

P. Rossbach

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

440 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-6910

CERTIFICATE NO. 83463-5

INVOICE NO.

DATE ANALYSED OCT. 7, 1983

PPB PROJECT 57049

No.	Sample	pH	%	Cu	Ag	Zn	Pb	W	AU	No.
01	83 PLS 117			154	2.6	238	136	2	10	01
02	18			146	2.6	760	820	1	10	02
03	19			132	1.2	760	264	2	10	03
04	20			122	3.0	560	174	2	10	04
05	21			210	3.0	1060	424	1	10	05
06	22			204	3.6	1600	740	2	10	06
07	23			286	3.8	1740	880	1	10	07
08	24			288	3.8	1620	660	1	10	08
09	25			268	4.6	1960	1280	2	10	09
10	83 PLS 126			370	4.6	960	1700	2	10	10
11	27			216	1.4	1900	1520	1	10	11
12	83 PLS 128			66	5.0	308	296	1	10	12
13	83 PLS 130			364	4.0	820	540	2	10	13
14	31			600	2.4	560	720	2	10	14
15	32			60	1.0	88	160	15	10	15
16	33			168	1.2	710	388	15	10	16
17	34			114	6.4	92	1160	2	10	17
18	35			58	4.8	66	580	2	10	18
19	83 PLS 136			148	4.0	254	570	2	10	19
20	STD R			138	0.8	138	98	-	-	20
21	137			96	6.6	130	410	10	10	21
22	38			104	1.6	282	322	10	10	22
23	39			114	1.8	292	560	15	10	23
24	40			146	2.6	284	340	5	10	24
25	41			184	2.6	210	740	10	10	25
26	42			148	3.6	230	620	15	10	26
27	43			104	2.8	138	480	1	10	27
28	44			114	5.0	118	1260	20	10	28
29	45			74	1.4	54	70	1	10	29
30	83 PLS 146			98	4.6	70	1920	10	10	30
31	47			138	4.8	188	5000	15	10	31
32	48			90	6.2	100	1700	15	10	32
33	49			132	2.8	152	1300	15	10	33
34	50			184	1.6	156	540	5	10	34
35	51			200	1.0	298	280	20	10	35
36	52			164	1.0	164	254	10	10	36
37	53			212	5.8	316	1620	5	10	37
38	54			62	0.6	84	100	10	10	38
39	83 PLS 155			16	1.2	24	22	1	10	39
40	577 R			1.0	1.0	140	96	-	-	40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

P. Rossbach

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

4420 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-6910

CERTIFICATE NO. 83463-6
INVOICE NO.
DATE ANALYSED 83/10/07

PDR PROJECT 57049

No.	Sample	pH	Mg	Cu	Ag	Zn	Pb	N	Au					No.
01	83 PKS 156			142	1.8	384	888	1	10					01
02	57			82	4.4	316	1100	1	10					02
03	58			86	7.6	416	600	2	30					03
04	59			64	0.8	182	280	1	10					04
05	60			18	0.4	30	28	1	10					05
06	61			210	6.2	1960	6000	1	30					06
07	62			130	10.2	520	2800	1	10					07
08	63			74	1.0	112	140	1	10					08
09	64			132	2.2	286	800	1	10					09
10	83 PKS 165			384	7.6	1020	3540	1	20					10
11	66			170	2.6	252	1320	1	10					11
12	67			432	8.4	1000	3080	1	20					12
13	68			112	0.6	216	90	1	10					13
14	69			186	10.4	860	3280	1	60					14
15	70			306	12.8	1360	3840	1	40					15
16	71			620	13.2	760	3140	1	80					16
17	72			174	2.6	168	64	1	10					17
18	73			112	0.4	248	50	2	10					18
19	83 PKS 174			128	0.4	156	110	1	10					19
20	STD C			178	0.6	178	84	15	60	W6				20
21	83 PKS 175			20	0.2	46	8	1	10					21
22	76			114	0.8	238	116	1	10					22
23	77			86	0.2	66	22	1	10					23
24	78			18	0.2	20	4	1	10					24
25	79			70	0.2	110	76	1	10					25
26	80			138	0.6	180	182	1	10					26
27	81			268	1.0	480	88	1	10					27
28	82			250	0.6	370	102	1	30					28
29	83			200	1.8	660	420	1	60					29
30	83 PKS 184			680	10.6	1660	13000	1	40					30
31	STD C			178	0.6	114	84	-	-					31
32														32
33														33
34														34
35														35
36														36
37														37
38														38
39														39
40														40

VALUES IN PPM, UNLESS NOTED OTHERWISE.

Certified by

Rossbacher

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW ST.
VANCOUVER, B.C. V6F 3V6

2225 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-6910

CERTIFICATE NO. 83280-7-A
INVOICE NO.
DATE ANALYSED 83/08/03

PDR PROJECT 57049

No.	Sample	pH	Mg	Cu	Ag	Pb	W	Au	Zn					No.
01	83 PKS 714			60	2.6	270	60	10	162					01
02	717			16	1.0	70	10	10	32					02
03	718			30	7.4	520	50	10	164					03
04	719			38	1.6	228	15	10	284					04
05	720			40	2.6	370	40	10	140					05
06	721			120	6.2	1000	35	10	710					06
07	722			40	3.2	402	20	10	154					07
08	723			62	0.8	250	10	10	400					08
09	83 PKS 725			14	0.6	64	1	10	40					09
10	83 PKS 726			114	0.2	16	1	10	32					10
11	727-A			274	0.6	150	5	10	336					11
12	727-B			276	31.0	200	45	10	1980					12
13	728-A			276	2.2	296	1	10	470					13
14	728-B			278	2.2	500	1	10	720					14
15	729			316	2.4	44	2	10	630					15
16	730			230	0.6	34	10	10	230					16
17	731			112	0.2	52	10	10	150					17
18	732			110	0.2	22	15	10	134					18
19	83 PKS 733			86	0.2	56	20	10	100					19
20	STD B			150	1.0	96	15	-	(GW2) 148					20
21	83 PKS 734			204	1.4	24	5	10	170					21
22	735			358	0.2	24	1	60	148					22
23	736			318	0.6	30	1	60	134					23
24	737			190	0.2	24	1	10	132					24
25	738			180	0.2	11	1	10	78					25
26	739			90	0.2	20	1	70	62					26
27	740			166	0.2	20	1	10	80					27
28	741			520	0.2	32	1	70	96					28
29	742			168	0.4	94	1	10	90					29
30	83 PKS 743			178	0.4	50	1	10	106					30
31	744			88	0.6	46	1	10	150					31
32	745			78	0.4	28	1	10	96					32
33	746			110	0.4	22	1	10	104					33
34	747			116	0.4	22	1	10	102					34
35	748			86	0.4	18	1	10	54					35
36	749			48	0.4	18	10	10	58					36
37	750			30	0.4	34	1	10	60					37
38	751			56	0.4	14	10	10	98					38
39	83 PKS 752			60	0.6	20	10	10	104					39
40	83 PKS 753			42	0.4	46	1	-	82					40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by

Rossbacher

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

CANAMAX RESOURCES INC.

TO: 601 - 535 THURLOW ST.
VANCOUVER, B.C. V6E 3L6

2225 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-8910

CERTIFICATE NO. 83280-8

INVOICE NO.

DATE ANALYSED 83/08/03

PROJECT 57049

No.	Sample	pH	Md	Cu	Ag	Zn	Pb	W	PPB Au				No.
01	83 PKS 754			36	0.6	124	34	1	10				01
02	755			58	0.4	82	18	1	10				02
03	756			36	0.4	62	26	1	10				03
04	757			150	1.0	196	126	1	10				04
05	758			86	0.6	170	38	1	10				05
06	759			48	1.0	154	150	1	10				06
07	760			74	0.4	178	50	1	10				07
08	761			34	0.4	94	22	NSS	10				08
09	762			60	0.6	122	36	1	10				09
10	83 PKS 763			54	0.8	98	30	1	10				10
11	764			62	0.8	142	28	5	10				11
12	765			20	0.2	80	6	1	10				12
13	766			42	0.4	98	12	5	10				13
14	767			32	0.4	80	18	1	10				14
15				36	0.2	84	20	1	10				15
16	768			58	1.6	132	88	1	10				16
17	770			34	0.6	140	120	1	10				17
18	771			152	2.0	134	138	NSS	10				18
19	83 PKS 772			102	0.8	200	104	10	10				19
20	STD E			74	0.2	150	18	-	-				20
21	83 PKS 773			238	1.6	360	234	2	10				21
22	774			200	2.6	420	308	5	10				22
23	775			206	2.4	440	358	10	10				23
24	776			20	0.8	28	62	1	10				24
25	777			46	4.6	152	320	1	10				25
26	778			56	5.2	136	374	20	10				26
27	779			438	3.6	170	460	1	10				27
28	780			24	4.6	24	16	1	10				28
29	781			152	6.6	130	1180	1	10				29
30	83 PKS 782			112	6.6	58	620	10	10				30
31	783			160	1.0	134	192	10	10				31
32	784			870	32.0	330	6100	20	30				32
33	785			44	2.0	58	170	10	10				33
34	786			224	3.4	530	740	35	10				34
35	787			54	4.0	78	120	1	10				35
36	128			106	7.4	194	1120	25	10				36
37	159			14	1.8	24	118	1	10				37
38	790			58	4.6	192	1010	10	10				38
39	83 PKS 791			84	4.2	580	740	NSS	10				39
40	STD E			76	0.2	152	18	15					40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by: *J. Rossbacher*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B.C.
CANADA
TELEPHONE: 299-8910

CERTIFICATE NO. 83280-9

INVOICE NO.

DATE ANALYSED 83/08/03

PROJECT 57049

TO:

No.	Sample	pH	Md	Cu	Ag	Zn	Pb	W	Au				No.
01	83 PKS 791			76	4.1	550	660	20	10				01
02	792			94	6.6	570	1170	10	10				02
03	793			22	0.4	30	60	1	10				03
04	794			200	8.4	740	1910	INT	10				04
05	795			126	18.4	570	3120	60	40				05
06	796			80	1.2	110	196	1	10				06
07	797			92	5.2	170	540	5	10				07
08	798			116	1.2	42	200	1	10				08
09	799			46	0.2	56	52	1	10				09
10	83 PKS 800			240	2.6	124	234	1	10				10
11	801			174	1.4	148	198	1	40				11
12	802			162	2.8	180	354	35	10				12
13	803			132	4.4	220	1050	5	10				13
14	804			84	4.2	520	610	10	10				14
15	805			100	2.2	820	740	20	10				15
16	806			62	9.4	420	560	10	10				16
17	807			82	4.0	100	346	15	10				17
18	808			34	1.4	1600	208	10	10				18
19	83 PKS 809			88	9.6	770	3030	1	10				19
20	STD E			74	0.2	150	18	15				GW2	20
21	83 PKS 810			170	17.2	5160	5000	40	10				21
22	811			98	5.6	1280	910	1	10				22
23	812			54	0.8	170	52	1	10				23
24	813			70	1.0	152	92	30	10				24
25	814			134	3.6	530	390	1	60				25
26	815			104	1.2	400	222	5	50				26
27	816			160	2.0	1010	520	10	40				27
28	817			62	2.2	430	340	1	30				28
29	818			166	2.4	2040	730	10	20				29
30	83 PKS 819			70	6.6	720	1830	15	10				30
31	820			44	8.0	178	780	40	10				31
32	821			126	4.4	1720	1280	80	10				32
33	822			62	8.4	212	950	80	10				33
34	823			148	9.8	270	1120	300	10				34
35	824			174	4.4	1660	1030	40	210				35
36	825			62	9.8	500	1410	40	70				36
37	826			138	11.6	1000	2800	50	60				37
38	827			78	6.2	850	1670	10	10				38
39	83 PKS 828			48	3.0	180	496	15	10				39
40	STD E			74	0.2	156	16	10				70092	40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by: *J. Rossbacher*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO:

2225 S. SPRINGER AVE.
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83280-10

INVOICE NO.

DATE ANALYSED 83/08/07

PROJECT 57049

No.	Sample	pH	Mg	Cu	Ag	Zn	Pb	W	Au	No.
01	83 PK5 829			50	2.4	178	620	35	10	01
02	830			50	3.2	162	248	20	10	02
03	831			52	2.6	208	490	35	10	03
04	832			154	2.4	1660	2100	5	10	04
05	833			144	4.8	640	710	10	10	05
06	834			256	1.8	82	166	15	10	06
07	835			130	1.4	156	246	15	10	07
08	836			78	12.0	402	1000	5	10	08
09	837			42	5.0	216	590	15	10	09
10	83 PK5 838			42	1.4	156	160	20	10	10
11	839			58	1.2	168	156	55	10	11
12	840			80	2.8	226	480	120	10	12
13	841			84	8.8	660	2070	10	10	13
14	842			60	6.0	168	436	20	10	14
15	843			154	12.8	770	6000	15	50	15
16	844			134	13.8	730	3530	5	20	16
17	845			58	2.2	580	1626	15	80	17
18	846			42	2.0	104	208	1	10	18
19	83 PK5 847			40	3.0	106	196	135	10	19
20										20
21	83 PK5 848			64	1.2	230	322	35	10	21
22	849			248	3.4	420	610	1	10	22
23	850			52	0.4	64	28	1	30	23
24	851			158	2.6	310	78	1	10	24
25	852			62	2.4	56	12	1	10	25
26	853			66	6.8	500	580	5	10	26
27	854			50	1.4	82	14	1	10	27
28	855			480	13.0	5940	3440	30	200	28
29	856			454	3.2	450	600	1	10	29
30	857			62	0.8	200	134	1	10	30
31	858			38	0.2	62	62	1	10	31
32	859			94	0.2	134	130	15	40	32
33	860			172	4.8	820	1420	55	60	33
34	861			380	1.4	200	104	20	40	34
35	862			140	1.2	230	240	200	70	35
36	863			160	2.4	316	590	15	80	36
37	864			224	9.6	670	2800	Int.	220	37
38	865			154	7.4	690	1920	20	140	38
39	83 PK5 866			246	4.0	440	1000	Int.	60	39
40	570 B			130	0.8	150	96	15	-	40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by *[Signature]*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO:

2225 S. SPRINGER AVE.
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83280-11

INVOICE NO.

DATE ANALYSED 83/08/17

PROJECT 57049

No.	Sample	pH	Mg	Cu	Ag	Zn	Pb	W	Au	No.
01	83 PK5 866			298	3.4	480	1000	INT.	40	01
02	867			102	0.8	178	290	1	10	02
03	868			760	5.2	110	200	INT.	80	03
04	869			880	7.2	350	1060	INT.	30	04
05	870			118	0.8	170	140	1	130	05
06	871			30	0.2	90	38	1	10	06
07	872			151	0.2	148	18	1	10	07
08	873			378	1.0	386	22	1	10	08
09	874			478	1.4	470	20	1	20	09
10	83 PK5 875			354	1.8	520	22	1	10	10
11	876			840	3.8	1600	36	1	110	11
12	877			16	0.2	24	14	1	10	12
13	878			110	0.2	80	66	1	100	13
14	879			660	0.6	236	446	5	120	14
15	880			54	0.3	152	248	1	10	15
16	881			90	0.4	112	26	10	120	16
17	882			88	0.4	126	106	80	780	17
18	883			108	0.4	112	90	15	170	18
19	83 PK5 881			284	1.4	820	392	60	150	19
20	91 E			82	0.2	150	16	-	-	20
21	83 PK5 885			326	0.6	342	20	240	240	21
22	886			1000	6.8	230	700	INT.	720	22
23	887			370	2.8	482	900	30	180	23
24	888			200	5.4	1040	260	1	50	24
25	889			264	3.6	406	1120	INT.	40	25
26	890			-	-	-	-	-	-	26
27	891			116	3.6	244	1150	1	10	27
28	892			266	6.0	318	1360	INT.	10	28
29	893			230	7.6	394	62	1	10	29
30	894			158	1.4	314	184	10	10	30
31	895			270	0.8	620	166	1	10	31
32	896			100	1.6	140	24	1	10	32
33	897			64	0.8	72	24	45	10	33
34	898			122	0.4	174	46	15	10	34
35	899			52	0.6	44	18	55	10	35
36	900			116	0.2	74	16	20	10	36
37	901			466	1.6	590	474	25	10	37
38	902			250	0.6	318	134	10	10	38
39	83 PK5 902			334	1.6	266	182	20	10	39
40	91 E			80	0.2	150	16	15	-	40

VALUES IN PPM UNLESS NOTED OTHERWISE.

Certified by *[Signature]*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO: - 40 mesh

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83250-12
INVOICE NO.
DATE ANALYSED 83/08/08
PROJECT 57049

No.	Sample	pH	Mf	Cu	Ag	Zn	Pb	W	Au	No.
01	83 PVS 903			374	0.6	110	38	30	10	01
02	904			210	4.4	22	10	200	20	02
03	905			540	2.2	810	42	2	10	03
04	906			306	1.0	148	16	5	10	04
05	907			280	2.0	146	104	5	10	05
06	908			580	1.0	114	72	45	200	06
07	909			90	0.6	80	50	10	70	07
08	910			154	1.6	120	188	1	120	08
09	911			378	0.6	232	82	5	20	09
10	83 PVS 917			306	1.0	122	44	1	980	10
11	913			200	1.0	116	36	1	10	11
12	914			158	0.6	122	8	1	10	12
13	915			62	0.6	52	440	1	10	13
14	916			96	0.6	86	130	1	10	14
15	917			86	0.6	22	112	1	10	15
16	918			204	0.8	94	82	1	10	16
17	919			154	0.2	72	56	2	10	17
18	920			52	0.2	122	188	1	10	18
19	83 PVS 921			408	0.8	480	86	1	10	19
20	STA D			114	3.8	490	48	-	-	20
21	83 PVS 922			660	0.8	182	198	1	80	21
22	923			580	2.0	180	58	5	30	22
23	924			318	0.6	322	44	1	10	23
24	925			308	0.4	134	54	1	10	24
25	926			488	4.8	140	26	1	10	25
26	927			116	0.6	72	60	2	10	26
27	928			300	1.6	428	52	1	10	27
28	929			256	0.8	170	44	1	10	28
29	930			292	1.0	128	42	1	10	29
30	83 PVS 931			312	1.2	252	60	1	10	30
31	932			150	1.0	86	62	INT	10	31
32	933			170	0.4	86	24	1	10	32
33	934			216	1.8	108	28	1	10	33
34	935			342	0.8	182	28	5	10	34
35	936			200	1.4	288	260	1	10	35
36	937			182	0.2	130	34	5	10	36
37	938			202	0.6	132	90	1	10	37
38	939			44	0.4	82	10	1	10	38
39	83 PVS 940			88	0.6	106	12	1	10	39
40	STA D			122	3.8	580	15	-	-	40

INIT - INTERFERENCE
VALUES IN PPM UNLESS NOTED OTHERWISE

Certified by *P. Rossbach*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CANAMAX RESOURCES CERTIFICATE OF ANALYSIS

601 - 535 THURLOW ST.
VANCOUVER, B.C. V6E 3L6
TO: - 40 mesh

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83280-13
INVOICE NO.
DATE ANALYSED 83/08/08
PROJECT 57049

No.	Sample	pH	Mf	Cu	Ag	Zn	Pb	W	Au	No.
01	83 PVS 941			78	0.6	68	14	1	30	01
02	942			52	0.4	54	10	1	10	02
03	943			144	0.2	76	92	1	10	03
04	944			204	0.6	126	82	1	20	04
05	945			216	0.2	90	28	1	10	05
06	946			384	0.2	82	24	1	40	06
07	947			92	0.4	154	36	5	10	07
08	948			94	0.2	124	44	15	10	08
09	949			382	0.4	130	34	30	10	09
10	83 PVS 950			58	0.8	110	54	20	10	10
11	951			460	0.0	338	24	15	10	11
12	952			176	0.6	64	12	1	70	12
13	953			366	0.2	48	8	5	90	13
14	954			246	0.2	104	30	1	70	14
15	955			76	0.2	78	32	2	10	15
16	956			114	0.2	88	36	1	10	16
17	957			186	0.4	96	28	10	10	17
18	958			62	0.2	12	12	1	10	18
19	83 PVS 959			60	0.8	176	194	1	10	19
20	STA C			176	0.8	110	80	-	-	20
21	83 PVS 960			268	4.6	6200	4000	1	10	21
22	961			78	0.6	256	176	1	10	22
23	962			62	0.4	78	20	1	10	23
24	963			96	0.2	98	30	1	10	24
25	964			72	0.4	90	34	1	10	25
26	965			76	0.6	136	28	1	10	26
27	966			60	0.2	90	18	1	10	27
28	967			76	0.2	98	20	1	10	28
29	968			96	0.6	74	22	1	10	29
30	83 PVS 969			152	0.4	58	20	1	10	30
31	970			92	0.4	94	32	1	10	31
32	971			48	0.8	102	38	1	10	32
33	972			52	0.8	132	40	5	10	33
34	973			68	0.4	134	28	2	10	34
35	974			118	0.2	178	28	15	10	35
36	975			48	0.2	62	38	1	10	36
37	976			48	0.2	46	24	1	10	37
38	977			94	0.2	126	20	1	10	38
39	83 PVS 978			96	0.2	98	20	20	10	39
40	STA C			180	0.6	112	80	65	10	40

VALUES IN PPM UNLESS NOTED OTHERWISE

Certified by *P. Rossbach*

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

CERTIFICATE OF ANALYSIS

TO:

Zn Cu

No.	Sample	pH	Mg	Ag	Pb	W	Au				No.
01	83 Pks 978		102	0.2	98	20	10				01
02	979		96	0.2	28	28	10	10			02
03	980		96	0.4	34	30	15	10			03
04	981		110	0.2	42	30	20	10			04
05	982		94	0.2	44	32	10	10			05
06	983		224	0.4	66	36	2	10			06
07	984		104	0.2	46	48	5	10			07
08	985		128	0.2	62	66	35	10			08
09	986		124	0.2	40	40	10	10			09
10	83 Pks 987		128	0.4	36	36	1	10			10
11	988		132	0.6	36	36	2	10			11
12	989		130	0.6	40	38	1	10			12
13	990		134	0.5	38	40	2	10			13
14	991		124	0.2	40	36	1	10			14
15	992		128	0.2	36	36	2	10			15
16	993		138	0.4	40	38	1	10			16
17	994		132	0.2	40	38	5	10			17
18	995		228	0.4	80	62	1	10			18
19	83 Pks 996		94	0.4	34	24	5	10			19
20	STD D		500	4.4	122	106	-	-			20
21	83 Pks 997		152	0.2	50	32	1	10			21
22	998		174	0.2	54	48	2	10			22
23	999		118	0.2	46	56	1	10			23
24	1000		148	0.2	46	54	2	10			24
25	1001		126	0.2	48	48	1	10			25
26	1002		92	0.3	38	30	5	10			26
33											33
34											34
35											35
36											36
37											37
38											38
39											39
40											40

Certified by

Rossbacher

VALUES IN PPM UNLESS NOTED OTHERWISE.

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 53250-14

INVOICE NO.

DATE ANALYSED 83/08/08

PROJECT 57049

Rossbacher Laboratory Ltd.

GEOCHEMICAL ANALYSTS & ASSAYERS

TO: CANAMAX RESOURCES INC.
601 - 535 THURLOW STREET
VANCOUVER, B.C.

CERTIFICATE OF ANALYSIS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-0910

CERTIFICATE NO. 83339-1

INVOICE NO.

DATE ANALYSED 83/08/24

PROJECT 57049

No.	Sample	pH	Mg	Cu	Ag	Zn	Pb	W	Au			No.
13	83 Pks 1454			416	8.6	154	2180	5	10			13
14	1455			380	7.2	88	1160	NS	130			14
15	1457			410	1.4	116	326	2	10			15
16	1458			82	3.4	92	466	NS	10			16
17	1459			72	1.0	34	130	2	10			17
18	1460			118	0.4	70	58	1	10			18
19	83 Pks 1461			390	7.4	570	4100	1	10			19
20	STD D			126	4.6	500	106	15	-			20
21	83 Pks 1462			770	9.8	80	3650	1	10			21
22	1463			226	4.0	116	1100	30	50			22
23	1464			470	9.2	400	3040	1	40			23
24	1465			216	0.1	310	68	1	10			24
25	1466			234	0.1	178	192	1	10			25
26	1467			52	0.2	108	76	1	10			26
27	1468			640	9.6	900	3900	1	20			27
28	1469			2240	7.2	292	2400	1	30			28
29	1470			1230	2.6	164	440	5	10			29
30	1471			280	4.6	1430	13000	1	150			30
31	83 Pks 1472			540	10.2	780	1700	1	10			31

Rossbacher Laboratory

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-6910
AREA CODE: 604

Jan. 1982

(1)

GEOCHEMICAL ANALYTICAL METHODS CURRENTLY IN USE AT ROSSBACHER LABORATORY LTD.

A. SAMPLE PREPARATION

1. *Geochem. Soil and Silt:* Samples are dried, and sifted to minus 80 Mesh, through stainless steel, or nylon screens.
2. *Geochem. Rock:* Samples are dried, crushed to minus $\frac{1}{4}$ inch, split, and pulverized to minus 100 mesh.

B. METHODS OF ANALYSIS

1. *Multi-element:* (Mo, Cu, Ni, Co, Mn, Fe, Ag, Zn, Pb, Cd):
0.5 Gram sample is digested for four hours with a 15:85 mixture of Nitric-Perchloric acid. The resulting extract is analyzed by Atomic Absorption spectroscopy, using Background Correction where appropriate.
2. *Antimony:*
0.50 Gram sample is fused with Ammonium Iodide and dissolved.
The resulting solution is extracted into TOPO/MIBK and analyzed by Atomic Absorption spectroscopy.
3. *Arsenic:*
0.25 Gram sample is digested with Nitric-Perchloric acid.
Arsenic from the solution is converted to arsine, which in turn reacts with silver D.D.C. The resulting solution is analyzed by colorimetry.
4. *Barium:*
0.50 Gram sample is repeatedly digested with HClO_4 - HNO_3 and HF.
The solution is analyzed by Atomic Absorption spectroscopy.
5. *Biogeochemical:*
Samples are dried, and ashed at 550°C . and the resulting ash analyzed as in *1, multi-element analysis.
6. *Bismuth:*
0.50 Gram sample is digested with Nitric acid. The solution is analyzed by Atomic Absorption spectroscopy.
7. *Chromium:*
0.25 Gram sample is fused with Sodium Peroxide. The solution is analyzed by Atomic Absorption spectroscopy.

Rossbacher Laboratory

GEOCHEMICAL ANALYSTS & ASSAYERS

2225 S. SPRINGER AVE.,
BURNABY, B. C.
CANADA
TELEPHONE: 299-6910
AREA CODE: 604

(2)

METHOD OF ANALYSIS (CONT.)

8. *Fluorine:* 0.50 Gram sample is fused with a Carbonate Flux, and dissolved.
The resulting solution is analyzed for Fluorine by use of an Ion Selective Electrode.
9. *Gold:* 10.0 Gram sample is roasted at 550°C. and dissolved in Aqua Regia. The resulting solution is subjected to a Methylisobutyl Ketone extraction, which extract is analyzed for Gold using Atomic Absorption spectroscopy.
10. *Mercury:* 1.00 Gram sample is digested with Nitric and Sulfuric acids. The solution is analyzed by Atomic Absorption spectroscopy, using a cold vapor generation technique.
11. *Partial Extraction and Fe/Mn oxides:* 0.50 Gram sample is extracted using one of the following: Hot or cold 0.5 N. HCL, 2.5% E.D.T.A., Ammonium Citrate, or other selected organic acids. The solution is analyzed by use of Atomic Absorption spectroscopy.
12. *pH:* An aqueous suspension of soil, or silt is prepared, and its pH is measured by use of a pH meter.
13. *Rapid Silicate Analysis:* 0.10 Gram sample is fused with Lithium Metaborate, and dissolved in HNO₃. The solution is analyzed by Atomic Absorption for SiO₂, Al₂O₃, Fe₂O₃, MgO, CaO, Na₂O, K₂O, TiO₂, P₂O₅, and MnO.
14. *Tin:* 0.50 Gram sample is sublimated by fusion with Ammonium Iodide, and dissolved.
The resulting solution is extracted into TOPO/MIBK and analyzed by Atomic Absorption spectroscopy.
15. *Tungsten:* 1.00 Gram sample is sintered with a carbonate flux, and dissolved.
The resulting extract is analyzed colorimetrically, after reduction with Stannous Chloride, by use of Potassium Thiocyanate.



L E G E N D

CRETACEOUS

- 6 Fine grained quartz feldspar porphyry dykes.
- 5 Porphyritic quartz monzonite.
- 4 Contact breccia: calc-silicate hornfels fragments in a comminuted clastic matrix.

PALEOZOIC

- x x Pyroxene skarn (lenses, boulders).
- 3 Hornfelsed argillite and banded calc-silicate hornfels.
- 2 Limestone, limestone conglomerate, argillaceous limestone, calcareous quartz arenite.
- 1 Argillite, shale, calcareous argillite.

S Y M B O L S

- Grid line.
- Claim post (location approximate), property boundary.
- Stream.
- 1500 Topographic contour (contour interval 10 metres).
- Approximate limit of outcrop.
- Geological contact (defined, interpreted, assumed).
- Fault or shear.
- Bedding attitude.
- Jointing attitude.
- Foliation attitude.
- Fold axis (anticline, syncline).
- Quartz vein.


ABBREVIATIONS

Aspy Arsenopyrite; Cpy Chalcopyrite; Gal. Galena; Sphal. Sphalerite; Pss Lead sulphosalts.

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY

GEOLOGICAL MAP



To accompany 1983 Report by: G.W. Booth and C.J. Hodgson.

Vancouver — H.P.



S Y M B O L S

- 83 PK 156 Soil
- ⊕ 83 PB 134 380 Rock chip
- ⊠ 83 PB 137 Panned silt sample
- 83 PT 20 Assay rock chip
- Grid line.
- Claim post (location approximate), property boundary.
- ~ Stream.
- 1500 Topographic contour (contour interval 10 metres).
- 20 and 100 pp.b. Au in soil isolines.

NOTE -
Only Values > 10 pp.b. Au are shown

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY
GOLD
GEOCHEMICAL MAP

SCALE 200 0 200 METRES
400 0 400 FEET
1: 5,000

To accompany 1983 Report by: G. W. Booth and C. J. Hodgson.




S Y M B O L S

- 83 PK 156
1,8 Soil
- ⊕ 83 PB 139
1,2 Rock chip
- ⊗ 83 PB 137
1,2 Panned silt sample
- ◆ 83 PR 20 Assay rock chip
- Grid line.
- Claim post (location approximate), property boundary.
- Stream.
- 1500 Topographic contour (contour interval 10 metres).
- 2.0 and 8.0 pp.m. Ag in soil isolines.


NOTE -
Only Values > 02 ppm. Ag are shown

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY
SILVER
GEOCHEMICAL MAP



To accompany 1983 Report by: G.W. Booth and C.J. Hodgson.




S Y M B O L S

- 83 PK 156
288 Soil
 - ⊕ 83 PB 139
36 Rock chip
 - ⊗ 83 PB 137
152 Panned silt sample
 - ◆ 83 PT 20 Assay rock chip
- } Sample site, sample number, ppm. Pb
- Grid line.
 - Claim post (location approximate), property boundary.
 - Stream.
 - 1500 Topographic contour (contour interval 10 metres).
 - 100 and 1000 ppm. Pb in soil isolines.

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

**KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT YUKON TERRITORY
LEAD
GEOCHEMICAL MAP**



To accompany 1983 Report by: G. W. Booth and C. J. Hodgson.




S Y M B O L S

- 83 PK 156
384 Soil
- ⊕ 83 PA 39
340 Rock chip
- ⊠ 83 PA 137
330 Panned silt sample
- 83 PT 20 Assay rock chip
- Grid line.
- Claim post (location approximate), property boundary.
- Stream.
- 1500 Topographic contour (contour interval 10 metres).
- 200 and 800 p.p.m. Zn in soil isolines.

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY
ZINC
GEOCHEMICAL MAP



To accompany 1983 Report by: G. W. Booth and C. J. Hodgson.

Vancouver — T.N.H.P.

091493 N. T. S. Ref. 105 0 7
FIG. 4d



S Y M B O L S

- 83 PK 156 / 192 Soil
 - ⊕ 83 PB 139 / 330 Rock chip
 - ⊠ 83 PS 137 / 118 Panned silt sample
 - 83 PR 20 Assay rock chip
 - Grid line.
 - Claim post (location approximate), property boundary.
 - ~ Stream.
 - 1500 Topographic contour (contour interval 10 metres).
 - 100 and 500 pp.m. Cu in soil isolines.
- } Sample site, sample number, pp.m. Cu

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

**KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY
COPPER
GEOCHEMICAL MAP**

SCALE 200 0 200 METRES
400 1: 5,000 400 FEET

To accompany 1983 Report by: G.W. Booth and C.J. Hodgson.



S Y M B O L S

- 83PK156 Soil
 - ⊕ 83PB139 100 Rock chip
 - ⊗ 83PB137 Panned silt sample
 - 83PT20 Assay rock chip
- } Sample site, sample number, ppm. W
- Grid line.
 - Claim post (location approximate), property boundary.
 - Stream.
 - 1500 Topographic contour (contour interval 10 metres).
 - 10 and 50 p.p.m. W in soil isolines.

NOTE -
Only Values > 1ppm. W are shown

AMAX OF CANADA LIMITED
CANAMAX RESOURCES INC.

KEELE PEAK PROPERTY
NUT CLAIMS
MAYO MINING DISTRICT — YUKON TERRITORY

TUNGSTEN GEOCHEMICAL MAP *G. Hodgson*

SCALE 200 0 200 METRES
400 0 400 FEET
1:5,000

To accompany 1983 Report by: G. W. Booth and C. J. Hodgson.