



1984 ASSESSMENT REPORT

TITLE	Oly Lake Property Geological and Geochemical Report
AUTHOR	A.C. Hitchins
WORK PERIOD	July 7 - July 12, 1984
COMMODITY	Ag, Au, Sn
CLAIMS	Nuke 1-48
LOCATION - Area	Hess Mountains
- Mining Division	Mayo Mining Division
- Co-ordinates	Latitude 63°01'N Longitude 130°59'W
- N.T.S.	1050/2,3
OWNERS	Canamax Resources Inc. Canada Tungsten Mining Corporation Limited
OPERATOR	Canamax Resources Inc.

CANAMAX VANCOUVER OFFICE

091592



This report has been examined by
the Geological Investigation Unit
under Section 25 (1), Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 13,000.00.

for *D A Emond*
Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

SUMMARY.....1

INTRODUCTION

 Location and Access.....2

 Claims.....2

 Previous Work.....3

 1984 Program.....3

GEOLOGY

 Regional Geology.....5

 Property Geology.....5

MINERALIZATION.....7

GEOCHEMISTRY.....9

APPENDICES

Appendix I - Statement of Costs

Appendix II - Statement of Qualifications

Appendix III - Analytical Results (Soil Samples) and Analytical Methods

FIGURES

Figure 1 - Location Map.....After page 2

Figure 2 - Claims Map (1:31,680).....After page 2

Figure 3 - Geological Map (1:5,000).....In Pocket

Figure 4 - Geochemical Maps (1:5,000).....In Pocket

 4a- Zinc.....In Pocket

 4b- Lead.....In Pocket

 4c- Arsenic.....In Pocket

 4d- Silver.....In Pocket

SUMMARY

The Oly Lake property, consisting of Nuke 1-48 claims, is located 145 km northeast of Ross River, Y.T. in the Hess Mountains. The claims were staked by Canamax Resources in July, 1983 and February, 1984 to cover a number of quartz-arsenopyrite-galena-tetrahedrite veins occurring within and adjacent to a biotite monzonite stock. Most veins found in 1983 were located near a prominent gully on Nuke 4 and Nuke 6 claims.

Geological mapping and prospecting in 1984 led to the discovery of a number of additional widespread quartz-arsenopyrite+galena+tetrahedrite veins occurring up to 1,000 metres north from the vein swarm on Nuke 4 and 6 claims. The veins dip steeply to vertical, are typically 2 to 16 cm wide (generally less than 8 cm) and occur in both hornfels and intrusive stock.

Approximately 320 soil and talus fines samples were analysed for Ag, Pb, Zn and As. All four elements registered strong anomalies which are coextensive with the intrusive stock and its hornfels aureole. The highest anomalies in each metal coincide for the most part with known veins. However, two silver soil anomalies located in the area of Nuke 11-15 claims near the western property boundary are unexplained. With peak values of 23.2 and 10.4 ppm respectively, these anomalies warrant further work.

INTRODUCTIONLocation and Access (Fig. 1)

The property is located in the Hess Mountains 22 km north of the Canol Road and 46 km west-southwest of MacMillan Pass.

Access is by helicopter from MacMillan Pass (during the field season) or from the village of Ross River some 145 km to the southwest. The lake on the south side of the property is amenable to float equipped planes.

Claims (Fig. 2)

The property consists of the Nuke 1-48 claims staked under the Yukon Quartz Mining Act. The Nuke 1-8 claims were staked by Canamax in July, 1983 and the surrounding Nuke 9-48 were contract staked for Canamax in early 1984.


<u>Claims</u>	<u>Grant Number</u>	<u>Recorded</u>	<u>Expiry Date</u>
Nuke 1-8	YA77305-77312	Aug. 3/84	Feb. 15, 1989
Nuke 9-16	YA77452-77459	Feb.15/85	Feb. 15, 1989
Nuke 17-24	YA77460-77467	Feb.15/85	Feb. 15, 1988
Nuke 25-26	YA77468-77469	Feb.15/85	Feb. 15, 1989
Nuke 27-33	YA77470-77476	Feb.15/85	Feb. 15, 1988
Nuke 35,37,39	YA77478,77480,77482	Feb.15/85	Feb. 15, 1988
Nuke 34,36,38,40	YA77477,77479,77481 77483	Feb.15/85	Feb. 15, 1987
Nuke 41-48	YA77484-77491	Feb.15/85	Feb. 15, 1988

CANAMAX RESOURCES INC.
CANADA TUNGSTEN MINING CORPORATION LIMITED

OLY LAKE PROPERTY NUKE CLAIMS

MAYO MINING DISTRICT — YUKON TERRITORY

LOCATION MAP



N. T. S. Ref. 105 0 2,3





FIG. 1




CANAMAX RESOURCES INC.
 CANADA TUNGSTEN MINING CORPORATION LIMITED

OLY LAKE PROPERTY
 NUKE CLAIMS

MAYO MINING DISTRICT - YUKON TERRITORY

CLAIM MAP



1 : 31,680

Vancouver -

N.T.S. Ref. 105023

FIG. 2

The above expiry dates assumes acceptance of 1984 geological and geochemical surveys as representation work.

Previous Work

The Nuke 1-8 claims were staked in July 1983 during the Nahanni Joint Venture tungsten reconnaissance program to cover a swarm of narrow, subparallel quartz-arsenopyrite veins localized in pelitic hornfels adjacent to a monzonite stock. The 1983 work program included detailed mapping and soil sampling at 1:10,000 scale and assay sampling of all exposed veins. Contour talus sampling outlined several As-Zn soil geochemical anomalies north of the showing.

There is no record of previous work on the claims but an old shovel was found on the Nuke 6 claim.

1984 Program

The 1984 program was managed by Canamax Resources on behalf of the Canamax-Cantung joint venture. No additional work was carried out within the area of 1983 detailed work. Geological mapping and prospecting was most intense within the hornfels but did extend up to 700m to the north of the hornfels in areas of good exposure.

All sulphide veins in float and outcrop were sampled and assayed for Au, Ag and Sn.

Talus fines and soil samples, collected at 50 m spacings on contour traverses over areas underlain by biotite monzonite and hornfels, were analysed for Ag, Zn, Pb and As.

.../4

Four men spent a total of 30 man days on the property between July 7 and July 12, 1984 under the supervision of Tony Hitchins. Camp was supplied by a Northern Mt. 206B helicopter based at MacPass.

GEOLOGY

Regional Geology

The Oly Lake property lies in a northwest-striking fold belt of Devonian to Permian chert, shale, siltstone and arenite that has been intruded by Cretaceous quartz monzonite plugs. Most of the hornfels aureoles are prominent topographic and magnetic highs.

Property Geology (Fig. 3)

A northwest elongate hornfels aureole from 400 to 1000 m wide surrounds a 600 by 1500 m diameter Cretaceous biotite monzonite stock. The dominantly pelitic hornfels is developed in a folded, southeast-striking Devonian sequence comprised of siltstone and arenite with minor bedded chert and chert pebble conglomerate. Narrow dark grey to black limestone and marble beds appear in the pelitic strata at the southwest edge of hornfels.

The intrusive stock is predominantly a medium grained, unaltered biotite monzonite with more mafic zones of quartz diorite. Sericitic alteration is limited to halos around fractures and sulphide veins.

Dykes from several meters to a maximum of fifty meters wide radiate out from the western portion of the stock. Composition of the dykes varies from unaltered biotite monzonite, locally sericitized and kaolinized, to light tan, weakly quartz and feldspar porphyritic felsite.

Contacts between intrusive rocks and host hornfels are sharp and unbrecciated. Xenoliths are rare.

The bulk of the pelitic hornfels in a variably rusty weathering, dark brown hornfels derived from dark grey shale and siltstone. Trace pyrrhotite is ubiquitous. Only minor bleaching or alteration were noted along fractures in the hornfels.

MINERALIZATION

The Nuke 1-8 claims were staked to cover a northerly striking set of quartz-arsenopyrite+galena+tetrahedrite veins best exposed in a pelitic hornfels immediately adjacent to the contact with the biotite monzonite stock on Nuke 4 and 6 claims.

Where vein attitudes were measured, northwesterly to northeasterly strikes with steep dips were predominant. The veins are generally parallel to joints in the intrusive was most prevalent. Narrow quartz-arsenopyrite+galena+tetrahedrite veins are rare in the western half of the stock and hornfels aureole but become more abundant in a 400 metre wide zone extending north from Nuke 3 claim for approximately 1,000 metres. Most of the veins sampled in this area were float occurrences in which vein widths were less than 8 cm but one vein 16 cm wide was exposed on a ridge crest. The greatest concentration of veins occurs in float and along northerly-striking joints in fresh biotite monzonite on Nug 3 claim.

Attempts to trace the 1983 vein swarm south of the Nuke 6 claim were hampered by lack of exposure and talus fans. No veins quartz-arsenopyrite were noted in the most southerly outcrops of weakly hornfelsed dark grey to black shale and chert.

The only skarn noted was a 1 m by 1 m pod of pyroxene-pyrrhotite skarn in a 4 m by 5 cm xenolith of pelitic hornfels and wollastonite skarn near the northern intrusive contact on Nuke 1 claim. A chip sample of the pyroxene skarn (84QTA123) returned 0.008 oz/t Au and 0.18 oz/t Ag while two

quartz-arsenopyrite veins from the margin of the xenolith returned up to 0.192 oz/t Au and 18.8 oz/t Ag across 4 cm.

Prospecting in 1984 did not locate a vein anywhere near a meter wide or a vein swarm of better grade and density than the initial 1983 discovery zone.

GEOCHEMISTRY

Some 325 talus fines and soil samples were collected along contour lines generally north and west of the 1983 detailed grid sampling. The talus fines consisted of either comminuted biotite monzonite or hornfelsed clastic rocks with no organic component and only a trace of glacially derived material. Soil samples collected along four contour lines in the southwest of the 1983 grid between the 1300 and 1550 m elevations were derived from a dark rusty brown to brownish black comminuted shale with a minor but variable organic content. Again, the glacial component of these samples appears to be minimal.

Samples were collected from a depth of 10-15 cm placed in Kraft paper bags and shipped to Rossbacher Labs in Burnaby where they were analysed for Ag, Pb, Zn and As. Results of these analyses are plotted at 1:5,000 scale on Fig. 4a - 4d.


Results

Zinc results show a zone of discontinuous highs along the outer limit of hornfels development, surrounding a central low over much of the stock. The two strongest zinc soil anomalies, with values up to 5,000 and 7,800 respectively, occur on Nuke 11-15 claims on the western margin of the hornfels aureole in the immediate vicinity of high silver values in soils. The greater than 100 ppm lead contour outlines an inverted cup shaped anomaly 1700 m across underlain by both hornfelsed shales and the biotite

monzonite. The areas of most intense quartz-sulphide veining, located in both 1983 and 1984 are within the eastern arm of the lead anomaly. The 1,000+ ppm arsenic contour is very similar in extent to the 100 + ppm Pb contour, except that the arsenic anomaly is more circular in shape. In both anomalies the central low is underlain by the northwest portion of the biotite monzonite stock.

The greater than 4 ppm Ag contour outlines four significant anomalies within or near the limit of hornfels development. North of Nuke 1 and 2 claims the silver anomaly, with coincident Pb and As, extends across three sample lines within the 400 m wide pelitic hornfels aureole. A half dozen or so narrow quartz-arsenopyrite veins in float and outcrop were noted in the area. The silver anomaly on Nuke 6 claim is the fringe of the anomaly associated with the vein swarm mapped and sampled in 1983. Two 8 + ppm silver anomalies in the southwest portion of the sampled area underlain by dark grey shale and minor black limestone just outside the mapped limit of pelitic hornfels.

Although peak values for these two anomalies are 10.4 ppm Ag and 5000 ppm Zn and 23.2 Ag ppm, 7800 Zn ppm respectively, no mineralization was found to explain the anomalies. Both lead and arsenic are subdued in this portion of the property.

A handwritten signature in cursive script, appearing to read "Anthony Williams".

APPENDIX I
Statement of Costs

Statement of Costs

Oly Lake Property

Summary of Work - Geological and Geochemical Survey

Period of Work - July 7 - July 12, 1984

Personnel Employed

A.C. Hitchins - 601-535 Thurlow Street, Vancouver, B.C. Geologist: 6 days @ \$183.36/day	\$ 1,100.16
W. Halleran - 211-1205 Comox Street, Vancouver, B.C. Geological Assistant: 6 days @ \$90.67/day	\$ 544.02
S. Goertz - 1038 Marigold Ave., North Vancouver, B.C. Assistant: 6 days @ \$78.61/day	\$ 471.66
T. Robinson - Gen. Delivery, Old Ferry Rd., Monte Creek, B.C. Sampler: 6 days @ \$63.03/day	\$ 378.18
M. Burke - 46202 Riverside Drive, Chilliwack, B.C. Sampler: 6 days @ \$57.30/day	\$ 345.00
<u>Board</u> - 30 man days @ \$25/day	\$ 750.00
<u>Helicopter</u> - Northern Mountain P.O. Box 368, Prince George, B.C.	
206B Move in July Invoice # 25769	\$ 1,539.20
Move out July Invoice # 25779	\$ 1,420.80
<u>Truck Rental</u> - Norcan Leasing Ltd. 917.4 Alaska Hwy., Whitehorse, Y.T. Y1A 3E5	
Invoice # 03358 6 days @ \$29.17/day	\$ 175.02

Statement of Costs (Con't)

Geochemical Analyses - Rossbacher Laboratory Ltd.
2225 Springer Ave.
Burnaby, B.C.

Invoice Nos. 4418, 4306 \$ 2,294.40

Radio Rental - Spilsbury Communications,
120 E. Cordova St., Vancouver, B.C. V6A 1L1

Invoice # 30598
2 SBX11 radius 6/30 of \$270 \$ 54.00

Material and Supplies \$ 600.00


Topographic base map V.D. Shortreid & Assoc. #83015 \$ 1,871.00

Air Photo enlargement E.M.R. #01464 \$ 110.00

Subtotal \$11,964.94

Report writing & drafting \$ 1,045.56

TOTAL \$13,000.00



SPILSBURY COMMUNICATIONS LTD.

120 East Cordova St., Vancouver, B.C., Canada V6A 1L1
 Telephone (604) 684-4131, Cable 'SPILTIN', Telex 04-55482

CANAMAX RECEIVED INC.
 SUITE 601-835 HALLLOW ST.
 VANCOUVER, B.C. V6C 2Z1

INV. DATE: 8/22/84 CUST. NO.: 7117 INV. NO.: 70599 OUR ORDER NO.: 4297 PAGE: 1

BASE NO.	PURCHASE DATE	TERR.	F.S.T. EXEMPT	P.S.T. EXEMPT	DATE SHIPPED	SHIPPING INSTRUCTIONS:
	8/22/84	1	INCLUDED		8/22/84	

CODE	DESCRIPTION	ORDERED	SHIPPED	B/ORD.	PRICE	PER	DISC.	AMOUNT
	RENTAL NO. 84-04							
	SBX11A RADIOTELEPHONE	2	2	0	135.00		00%	270.00
	SERIAL NO. 59611 63029							
	SBX11A RADIOTELEPHONE	1	1	0	135.00		00%	135.00
	SERIAL NO. 63045							
	SBX11A RADIOTELEPHONE	1	1	0	135.00		00%	135.00
	SERIAL NO. 63030							
	SBX11A RADIOTELEPHONE	1	1	0	135.00		00%	135.00
	SERIAL NO. 63057							
	SBX11A RADIOTELEPHONE C/W	2	2	0	150.00		00%	300.00
	TONE OSCILLATOR INSTALLED.							
	SERIAL NO. 63026 63050							
	ONE MONTHS RENTAL FROM							
	AUGUST 22 1984 TO SEPTEMBER							
	22 1984.							

CK 66/15 SEP 20 1984

ADD & EXT CORRECT *p.* DATE
 APPROVED *[Signature]*

TOTAL	DISCOUNT		FED. TAX AMOUNT	PROV. TAX AMOUNT	POSTAGE	MISCELLANEOUS	
	%	AMOUNT				AMOUNT	DESCRIPTION
0.00	0	0.00	0.00	58.25	0.00	0.00	

1043.25

TERMS: NET 30 DAYS.
 1% INTEREST PER MONTH (18% PER YEAR)
 CHARGED ON OVERDUE ACCOUNTS.

[Signature]
 PLEASE PAY THIS AMOUNT

INVOICE ORIGINAL



J. D. Shortreid and Associates

AERIAL AND PHOTOGRAMMETRIC SURVEYING

4651 - 202nd. STREET, LANGLEY, B.C. V3A 5J2 TELEPHONE 530-4665

Canamax Resources Inc.
601 - 535 Thurlow Street,
Vancouver, B.C.
V6E 3L6

DATE May 15, 1984.

INVOICE NO. 83015

Attention: Hermano C. Pires

RE: OLY LAKE PROPERTY
JDS File #84-021

For fairdrawn topographical mapping at 1:5,000 with 10 metre contours of the above project.

= \$1,871.00

AS QUOTED ✓ 062

For additional reverse reading cronaflex positive with vegetation cover limits not shown of Swift River Property Project.

= \$ 75.17 ***

057

*** Includes all applicable taxes.

TOTAL OF THIS INVOICE = \$1,946.17

ADD & EXT CORRECT <i>H.S.</i>	DATE
<i>[Signature]</i> APPROVED	<i>May 18/84</i>

[Signature]

John D. Shortreid, C.L.S., C.E.T.

[Signature]

CK 3 4 008 MAY 17 1984

W MOUNTAIN HELICOPTER INC. CHARTER AND CONTRACT TICKET

Company: *W Mountain Helicopter Inc.*
 Date: *July 15 1984*
 Phone: _____
 P.O.: _____

From: *Mac Pass* To (1): *Olin Lake*
 To (2): *4 trips* To (3): *wood sling*
 To (4): *Mac Pass* To (5): _____
 To (6): _____ To (7): _____
 To (8): _____ To (9): _____
 To (10): _____ To (11): _____

Charter Rate	2.6	Hours at \$	590.00	✓	1300.00
Contract Rate		Hours at \$			
Fuel Charge	<i>Mac Pass 2.6</i>	<i>59.8 @ 4.00</i>			539.20
Pilot Expenses					
Other					

TERMS: Net 30 days. Service charge on overdue accounts. See reverse side.
 I personally guarantee payment of this charge.
 Authorized by: *[Signature]* 2062
 This ticket is expressly subject to the conditions printed on the reverse
 of ticket and which are hereby accepted. (Passenger's Signature)
 TOTAL CHGE: *1539.50*
 25769

MAIN BASE
 P.O. Box 368
 Prince George, B.C.
 Phone 963-9622
 Telex 047-8027

[Signatures]
 ADD & EXT. COPIES OF _____
 DATE: *July 15/84*
 APPROVED BY: *[Signature]*

8. *CK 56708 AUG 10 1984*

No. of Departures	No. of Passengers	No. of Hours flown	N/R Hrs.	Base or designated Pt.
<i>2</i>	<i>5</i>	<i>2.5</i>		<i>Mac Pass</i>
Lbs. cargo	Miles flown	Class of flying		
		<i>04</i>		

1.	
20	
21	
22	

[Handwritten notes and signatures]

Cananda

Date *July 12-84*

Phone

P.O.

City / County / State

From *Mac Pass* To (1) *Ohio hts*
 To (2) *4 trips* To (3) *Mac Pass*
 To (4) To (5)
 To (6) To (7)
 To (8) To (9)
 To (10) To (11)

Charter Rate	<i>2.4</i>	Hours	<i>500.00</i>	<input checked="" type="checkbox"/>	<i>1200.00</i>
Contract Rate		Hours			
Fuel Charge	<i>55.2 gal.</i>	<i>Mac Pass</i>	<i>4.00</i>	<input checked="" type="checkbox"/>	<i>220.80</i>
Pilot Expenses					
Other					

TERMS: Net 30 days. Service charge on overdue accounts. See reverse side. Personally guaranteed payment of this charter.

TOTAL CHGE. *1420.80*

Authorized by: *[Signature]* 7062
This ticket is expressly subject to the conditions printed on the reverse of ticket and which are hereby accepted. (Passenger's Signature)

Alchins 7
Hollman 8
Bryke 9
Robinson
Guntz
 ADD & EXT CORRECT
 APPROVED: *[Signature]* DATE *July 25/84*

MAIN BASE
 P.O. Box
 Prince George's
 Phone 963-9822
 Telex 047-8027

No. of Departures: *08* No. of Passengers: *5* No. of Hours flown: *2.4* N/R Hrs.
 Base or designated Pt.: *Mac Pass*
 Class of flying: *04*
 Lib. cargo: Miles flown:

17 _____
 18 _____
 19 _____
 20 _____
 22 _____

MADE AREA AT TIME OF RENTAL
YOU ARE MAKING MULTIPLE COPIES



NORGAN LEASING LTD.
917, 4 ALASKA HIGHWAY, WHITEHORSE, YUKON Y1A 3E5
1-403-668-2137

NAME AND ADDRESS—PLEASE PRINT

Canamax Resources Inc.

CANAMAX
RECEIVED
AUG 7 1984
VANCOUVER OFFICE

OCCUPATION:

2. TYPE OF PAYMENT

CASH
 C/C NAME
 C.C.
 DIR. BILL AUTH'D BY

3. VEHICLE NO. MAKE TYPE
61101179 GMC 3/4T P/U
LICENSE NO. PROVINCE COMMODITY HAULED
RCL-9 Y.T. w/canopy
WT. LIMIT GWW/GCW WILL BE USED IN PROVINCES OR STATES OF
Y2/spares

4. OPTIONAL EQUIPMENT/MISC.
jackall & 4wgy w/s 7500
VEHICLE WILL BE RETURNED 30/08/84 TO
INTERCITY CHARGE \$
CHECK IN DAMAGES \$

5. ADDITIONAL TERMS AND CONDITIONS:

cost to insure.

THIS IS YOUR INVOICE PAYABLE ON RECEIPT TO:
NORGAN LEASING LTD.
917, 4 ALASKA HIGHWAY, WHITEHORSE, YUKON Y1A 3E5

6. I HAVE READ THE TERMS AND CONDITIONS ON BOTH SIDES OF THIS RENTAL AGREEMENT AND AGREE HERETO

X Steven Goertz 7028
SIGNATURE

CUSTOMER IS LIABLE FOR ALL PARKING AND TRAFFIC VIOLATIONS

7. DRIVER NAME AGE
Steven Goertz
ADDRESS
1038 Marigold Ave.
LICENSE PROV. EXP. DATE
3357439 North Van. ADD & EXT CORRECT

8. BY SIGNATURE

OK 61112 A08 30 1984 APPROVED

10. KILOMETERS IN 91937

11. KILOMETERS OUT 89687

12. MIN. KILOMETERS 13. KILOMETERS DRIVEN 2250

14. DATE & TIME IN July 17/84 15. DATE & TIME OUT May 23/84

16. DAYS UTILIZED 17. @ \$

19. RATE \$29.17 \$875.00

20. SUB-TOTAL 21. TOTAL 22. TOTAL TIME & KM

23. ADDITIONAL CHARGES
25. COLLISION DAMAGE WAIVER, SEE PARA. 7
DAYS 0 6
WKS. 0 6
MTHS. 0 6
ACCEPTS X DECLINES X
26. AMOUNT DEDUCTIBLE \$

28. TAX

29. TICKET NO. 108 ETC 58

33. DEPOSITS
1
2

34. TOTAL AMOUNT DUE

35. CASH REFUND RECEIVED BY 03358
36. IN BY SIGNATURE

THIS INVOICE NUMBER MUST APPEAR ON ALL CORRESPONDENCE AND REMITTANCES.

WHILE ON THE ROAD:

- OBTAIN RECEIPTS FOR ALL REIMBURSABLE EXPENSES AND PRESENT THEM WITH THIS COPY AT CHECK-IN.
- REPORT ACCIDENTS IMMEDIATELY TO LOCAL POLICE AND CALL NORGAN COLLECT.
- IF DELAYED IN RETURNING VEHICLE PLEASE CALL NORGAN COLLECT

GAS NOT INCLUDED IN RATES




FEATURES G.M. CARS & TRUCKS

ROSSBACHER LABORATORY LTD.

INVOICE

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL: (604) 299-6910

TO: Canamax Resources Inc.
 601-535 Thurlow Street
 Vancouver B.C.



INVOICE NO. : 4306

CERTIFICATE NO. : 84254

PROJECT: 7062 01y Lake

DATE ANALYSED : July 27 1984

QTY	DESCRIPTION	UNIT COST	NET COST
332 ✓	GEOCHEM ANALYSIS FOR 3 ELEMENTS	@ \$ 3.20 ✓	\$1088.80 1062.40 ✓
316 ✓	GEOCHEM ANALYSIS As	@ \$ 3.00 ✓	\$951.60 948.00 ✓
315 ✓	SOIL PREP	@ \$ 0.60 ✓	\$ 189.60 ✓
SUBTOTAL			\$ 2209.40 2209.40

TOTAL : \$ ~~2209.40~~
 =====
 \$ 2200.00

OK
 SB

APPROVED: *[Signature]*
 APPROVED
 DATE: *[Signature]* Aug 27/84

JSSBACHER LABORATORIES LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

INVOICE

CANAMAX

SEP 25 1984

TO : CANAMAX RESOURCES INC.
601-535 THURLOW STREET
VANCOUVER, B.C. VANCOUVER OFFICE
PROJECT No.: 7062 OLY LAKE

INVOICE No.: 4418
CERTIFICATE No.: 84254.B
DATE ANALYSED: JULY 27, 1984
FILE NAME: CX062254.B

QTY.	DESCRIPTION	UNIT COST	SUB-TOTAL	TOTAL
4 /	GEOCHEM ANALYSIS FOR 4 ELEMENT(S)	\$ 3.70 /	\$ 14.80	
8 /	GEOCHEM ANALYSIS FOR 9 ELEMENT(S)	6.25 /	50.00	
8 /	ROCK PREPARATION	2.20	17.60	
4 /	ASSAY PREPARATION	3.00	12.00	
				\$ 94.40 /
				\$ 94.40 /

OK
SB

APPROVED BY: [Signature] DATE: SEP 26 1984

TERMS - NET 30 DAYS CK. 70 / 1 8 OCT 0 4 1984

Energy, Mines and
Resources Canada

Énergie, Mines et
Ressources Canada

SURVEYS AND MAPPING BRANCH

DIVISION DES LEVES ET DE LA CARTOGRAPHIE

CANADA MAP OFFICE &
NATIONAL AIR PHOTO LIBRARY

BUREAU DES CARTES DU CANADA
ET PHOTOTHÈQUE NATIONALE DE L'AIR


615 Booth Street
Ottawa, Canada
K1A 0E9

615, rue Booth
Ottawa, Canada
K1A 0E9

TELEX 053 4328
TEL (613) 998-9900

COPIES TO
PURCHASER

CANAMAX RESOURCES INC.
601 - 535 THURLOW ST.
VANCOUVER, B.C.
V6E 3L6



PROV. SALES
TAX CERT. NO.
CERTIFICAT DE TAXE
PROVINCIAL NO.

TO
EDITOR

ATTN: H.C. PIRES

INQUIRIES CONCERNING THIS ORDER MUST
STATE THIS INVOICE NO. ON ALL CORRESPONDENCE

PRIÈRE DE RAPPELER LE NUMÉRO DE
FACTURE DANS TOUTE CORRESPONDANCE

RECEIVED DE REÇU	04 04 84	INVOICE NO FACTURE NO.	01464	DATE DATE	MAY 16 84 5 21 50
INSTRUCTIONS DIRECTIONS POUR EXPÉDITION		YOUR PURCHASE ORDER NO N° DE COMMANDE D'ACHAT		CUSTOMER ACC. NO N° DU CLIENT	14467
PAID PAIÉ	DATE SHIPPED DATE D'EXPÉDITION	PAID IN ADVANCE PAYÉ D'AVANCE			

QUANTITY QUANTITÉ	PRODUCT PRODUIT	DESCRIPTION	UNIT PRICE PRIX L'UNITÉ	AMOUNT MONTANT
48	27 01 B & W 10X10, MATTE (25 CM)		2.50 EACH	120.00
11	29 05 BRW 40X40" (101X101 CM) PPR..P		33.00 EACH	363.00
<i>each 049 } 78.00</i> <i>048 } 20.00</i> <i>062 } 25.00</i> <i>047 } 156.55</i>				
SUBTOTAL				\$483.00
HANDLING				4.00
7% PROVINCIAL TAX				487.00 34.09
TOTAL				521.09

10% 048 130.00
15% 050 20.00
30% 051 34.00
15% 062 33.00
10% 057 25.50

ADD & EXT CORRECT DATE
APPROVED *[Signature]* May 28/84

EX 39/10 JUN 07 1984

PLEASE MAKE CHECKS OR MONEY ORDERS IN CANADIAN FUNDS TO GENERAL FOR CANADA
PRIÈRE DE FAIRE VOS CHÈQUES OU MANDATS EN ESPÈCES CANADIENNES À L'ORDRE DU RECEVEUR GÉNÉRAL DU CANADA
PAYMENT DUE ON RECEIPT OF INVOICE, CREDIT PRIVILEGES MAY BE WITHDRAWN ON ACCOUNTS MORE THAN 30 DAYS IN ARREARS.
A/S SERVICE DES LEVÉS ET DE LA CARTOGRAPHIE 615 RUE BOOTH OTTAWA, CANADA K1A 0E9
PAIEMENT À RÉCEPTION DE FACTURE, LE CRÉDIT PEUT ÊTRE RETIRÉ SI UN COMPTE EST EN SOUFFRANCE POUR PLUS DE TRENTE JOURS.

APPENDIX II

Statement of Qualifications

STATEMENT OF QUALIFICATIONS

NAME: A.C. Hitchins

ADDRESS: 601-535 Thurlow Street,
Vancouver, B.C. V6E 3L6

EDUCATION: University of Toronto - B.A. Sc. 1970

University of Toronto - M.Sc. 1973

EXPERIENCE: AMAX of Canada Limited - Staff Geologist - 1974 - 1983

Canamax Resources Inc. " " 1983 - to Present

STATEMENT OF QUALIFICATIONS

NAME W.H. Halleran

ADDRESS Box 793,
Fort St. James, B.C.
V0J 1P0

EDUCATION 1979-1983
University of British Columbia
Bachelor of Science in Geology, May 1983

EXPERIENCE 1979 - 1982
Archer, Cathro and Assoc. Ltd.
Senior Assistant and Prospector
1983
Canamax Resources Inc.
Geologist
1984 (Summer)
Canamax Resources Inc.
Geologist (Summer)

STATEMENT OF QUALIFICATIONS

NAME S.B. Goertz

ADDRESS 1038 Marigold Avenue,
North Vancouver, B.C.
V7R 2E2

EDUCATION Capilano College - Sept. 1980 - April 1982
Science (general)
University of British Columbia - Sept. 1982
Geology (U2 major)

EXPERIENCE June 1981 - August 1981
Chevron Standard Ltd. - Geological Trainee
June 1982 - August 1982
Chevron Standard Ltd. - Geological Trainee
1983 Field Season
Canamax Resources Inc. - Field Assistant
1984 Field Season
Canamax Resources Inc. - Field Assistant

STATEMENT OF QUALIFICATIONS

NAME E.T. Robinson

ADDRESS Old Ferry Road,
General Delivery,
Monte Creek, B.C.
VOE 2M0

EDUCATION 1980-1982 - Cariboo College
Geology
Correspondence Mineralogy Course
- from Ministry of Education Victoria, B.C.

EXPERIENCE Summer 1981 - Sulpetro Minerals Ltd.
Junior Field Assistant
Sept. 1981- - Cariboo College
Dec. 1981 Geology Lab. Assistant
Summer 1982 - AMAX Minerals Exploration
Geological Assistant
Summer 1983 - Canamax Resources Inc.
Geological Assistant
Summer 1984 - Canamax Resources Inc.
Geological Assistant

STATEMENT OF QUALIFICATIONS

NAME Michael R. Burke

ADDRESS 46202 Riverside Drive
Chilliwack, B.C. V2P 3L3

EDUCATION University of B.C. - 1st yr. Science 1979-80
Fraser Valley College - 1st yr. Science 1982-83
Fraser Valley College - 2nd yr. Science 1982-84

EXPERIENCE 1984 - Temporary Assistant, Canamax Resources
(Summer season)

APPENDIX III

Analytical Results (Soil Samples) and Analytical Methods

ROSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL: (604) 299-6910

TO: Canamax Resources Inc.
601-535 Thurlow Street
Vancouver B.C.


CERTIFICATE NO. :84254 - 1

INVOICE NO. :4306

PROJECT: 7062 Div Lake

DATE ANALYSED : July 27 1984

		PPM	PPM	PPM	PPM
SAMPLE#		Ag	Zn	Pb	As
S	105002 84 QBS 814	0.2	102	14	30
S	815	0.8	258	24	40
S	816	1.0	118	16	36
S	817	1.6	286	26	64
S	818	3.0	324	42	84
S	819	2.4	430	38	76
S	820	1.4	424	52	86
S	821	1.2	420	60	76
S	822	3.0	220	64	230
S	823	1.6	262	88	332
S	84 QBS 824	1.2	280	54	236
X	STD E	0.2	150	18	
S	84 QBS 825	2.2	238	108	310
S	826	2.0	194	82	390
S	827	2.6	940	38	330
S	828	1.4	262	80	940
S	829	1.8	324	128	860
S	830	2.8	446	336	1060
S	831	1.6	420	116	660
S	832	3.2	376	332	960
S	833	1.4	142	66	640
S	84 QBS 834	1.4	152	64	440
S	835	1.2	110	42	600
S	836	1.4	112	94	760
S	837	1.0	98	44	420
S	838	1.4	90	74	640
S	839	1.8	160	112	850
S	840	1.0	104	50	700
S	841	1.2	108	64	620
S	842	1.2	122	136	600
S	84 QBS 843	0.8	100	80	420
X	STD E	0.2	142	18	
S	84 QBS 844	1.0	120	92	330
S	845	2.4	250	206	630
S	846	0.6	92	34	410
S	847	0.6	90	48	570
S	848	1.4	100	54	670
S	849	1.0	70	38	580
S	850	0.6	80	32	900
S	851	1.0	110	66	1180

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
 601-535 Thurlow Street
 Vancouver B.C.

CERTIFICATE NO. :84254 - 2

INVOICE NO. :4306

PROJECT: 7062 Div Lake

DATE ANALYSED :July 27 1984

S	SAMPLE#	PPM			
		Ag	Zn	Pb	As
S	105002 84 QBS 852	0.8	164	122	1300
S	84 QBS 853	0.8	104	58	960
S	854	1.6	74	128	1130
S	855	5.0	120	214	1200
S	856	3.0	154	168	1370
S	857	1.8	302	68	980
S	858	1.6	560	142	480
S	859	2.2	208	478	480
S	860	1.8	162	104	180
S	861	0.8	148	48	100
S	84 QBS 862	0.4	172	28	40
X	STD E	0.2	138	16	
S	84 QBS 863	2.4	90	22	50
S	864	3.0	170	22	40
S	865	1.4	116	14	30
S	866	1.6	52	26	40
S	867	0.8	178	20	28
S	868	2.0	118	22	40
S	869	1.6	104	24	30
S	870	1.2	100	14	14
S	871	10.2	88	8	16
S	84 QBS 872	0.4	210	30	60
S	873	1.0	88	18	22
S	874	3.2	214	36	88
S	875	2.2	248	66	110
S	876	7.6	306	96	470
S	877	2.6	384	74	420
S	878	1.8	280	56	100
S	879	2.6	750	34	70
S	880	7.2	80	3.8	60
S	881	1.6	234	52	48
S	84 QBS 882	1.4	72	20	520
X	STD B	1.0	138	96	
S	84 QBS 883	3.8	102	36	1170
S	884	1.4	144	46	1230
S	885	1.2	148	58	1940
S	886	1.6	154	138	2100
S	887	7.6	316	330	19000
S	888	2.0	180	272	1030
S	889	4.4	174	38	340

CERTIFIED BY :

J. Rossbach

ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
 601-535 Thurlow Street
 Vancouver B.C.

CERTIFICATE NO. :84254 - 3

INVOICE NO. :4306

PROJECT: 7062 Div Lake

DATE ANALYSED :July 27 1984

S	SAMPLE#	PPM			
		Ag	Zn	Pb	As
S	890	2.8	188	74	650
S	105002 84 QBS 891	6.0	454	56	800
S	84 QBS 892	2.6	220	78	1180
S	893	1.8	96	46	2130
S	894	1.2	140	92	1450
S	895	0.8	82	20	1430
S	896	0.8	282	24	1620
S	897	1.0	148	32	1430
S	898	1.0	190	50	1160
S	899	1.0	256	30	1700
S	900	1.0	282	16	1220
S	84 QBS 901	22	7800	18	270
X	STD B	1.0	134	94	
S	84 QBS 902	3.0	392	26	160
S	903	2.6	950	28	100
S	904	23.2	7400	60	130
S	905	4.0	1170	16	44
S	906	10.8	3300	20	80
S	907	15.0	1320	50	92
S	908	4.8	710	46	180
S	909	5.4	740	30	82
S	910	3.8	840	32	120
S	84 QBS 911	1.4	740	28	1360
S	912	1.8	318	16	660
S	913	2.0	422	20	220
S	914	0.8	184	26	740
S	915	8.0	360	44	220
S	916	2.2	322	34	130
S	917	1.2	288	44	2100
S	918	2.2	444	36	400
S	919	1.0	374	34	44
S	84 QBS 920	1.6	320	22	30
X	STD D	4.6	500	102	
S	84 QBS 921	2.6	274	36	226
S	922	1.4	790	48	320
S	923	0.6	70	10	52
S	924	2.2	184	116	560
S	925	2.8	268	108	320
S	926	11.0	406	106	2100
S	927	1.2	330	24	46

CERTIFIED BY :

J. Rossbach

ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
 601-535 Thurlow Street
 Vancouver B.C.

CERTIFICATE NO. :84254 - 1

INVOICE NO. :4306

PROJECT: 7062 Oly Lake

DATE ANALYSED :July 27 1984

S	SAMPLE#	PPM			
		Ag	Zn	Pb	As
S	928	22	710	28	160
S	105002 84 QBS 929	5.4	306	32	40
S	930	1.6	130	36	1150
S	931	1.2	186	52	1640
S	932	4.8	320	78	70
S	933	10.4	2220	46	100
S	934	10.2	316	54	70
S	935	4.2	310	32	34
S	936	4.0	1200	44	160
S	937	2.4	228	54	140
S	938	2.2	198	46	106
S	84 QBS 939	2.0	680	38	60
X	STD D	4.4	500	104	
S	84 QBS 940	3.6	64	12	24
S	941	1.8	272	32	60
S	942	5.6	414	22	28
S	943	3.2	700	478	3350
S	944	4.8	1580	20	700
S	84 QBS 945	2.8	444	24	180
S	946	2.4	138	12	30
S	947	1.0	140	16	40
S	948	0.8	176	80	86
S	949	2.4	72	10	24
S	84 QBS 950	0.6	156	16	40

CERTIFIED BY :

J. Rossbach

ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
 601-535 Thurlow Street
 Vancouver B.C.

CERTIFICATE NO. :84254 - 1

INVOICE NO. :4306

PROJECT: 7062 Oly Lake

DATE ANALYSED :July 27 1984

S	SAMPLE#	PPM			
		Ag	Zn	Pb	As
S	105002 84 QBS 777	1.6	124	40	1220
S	778	2.4	230	82	1530
S	779	1.0	112	42	400
S	780	0.8	106	62	340
S	781	1.2	96	50	88
S	782	1.0	166	120	480
S	783	2.2	196	274	970
S	84 QBS 784	0.4	128	56	280
X	STD B	1.0	136	90	
S	84 QBS 785	0.8	122	56	266
S	786	0.6	102	44	320
S	787	1.2	112	40	390
S	788	0.6	114	60	320
S	789	1.8	96	84	600
S	790	1.8	62	54	1030
S	791	1.2	104	62	900
S	792	1.0	94	32	820
S	793	0.8	92	56	960
S	84 QBS 794	2.4	102	100	4120
S	795	0.8	214	82	1640
S	797	2.8	114	446	3300
S	798	6.2	140	1100	9200
S	799	2.4	134	120	1250
S	800	1.8	124	64	800
S	801	1.0	94	18	200
S	802	1.6	132	74	300
S	803	4.8	116	1720	970
S	84 QBS 804	1.6	162	38	100
X	STD B	0.8	128	84	
S	84 QBS 805	1.4	218	30	52
S	806	2.8	96	372	530
S	807	3.6	64	430	1640
S	808	1.6	138	82	220
S	809	1.8	102	72	1070
S	810	3.2	100	300	2680
S	811	5.6	98	820	4630
S	812	5.2	140	850	2980
S	814	7.8	96	1110	7600
S	84 QBS 815	5.0	98	1000	5700
S	816	1.0	468	274	1600

CERTIFIED BY :

J. Rossbach

ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
601-535 Thurlow Street
Vancouver B.C.


CERTIFICATE NO. :84254 - 2

INVOICE NO. :4306

PROJECT: 7062 Oly Lake DATE ANALYSED :July 27 1984

S	SAMPLE#	Ag	Zn	Pb	As
S	105002 84 QES 817	0.6	276	212	960
S	818	0.8	278	214	1240
S	819	0.2	98	32	430
S	820	0.6	136	72	1100
S	821	1.2	202	50	2600
S	822	0.8	228	126	1900
S	824	1.8	140	284	1820
S	84 QES 825	1.0	310	322	888
X	STD B	0.8	140	94	
S	84 QES 826	1.0	202	172	644
S	827	1.4	218	168	1300
S	828	1.4	208	242	1830
S	830	3.0	96	226	1860
S	832	2.2	74	130	3370
S	833	4.2	720	1500	19600
S	834	0.8	144	42	1600
S	836	4.2	114	244	2660
S	837	1.0	152	106	720
S	84 QES 838	3.4	178	250	1800
S	839	1.6	184	234	960
S	840	1.2	282	42	150
S	841	2.0	402	50	214
S	842	2.2	300	44	140
S	843	1.2	342	26	40
S	844	1.4	362	28	34
S	845	0.6	164	16	30
S	846	0.4	176	14	24
S	84 QES 847	0.2	122	10	22
X	STD B	0.8	134	90	
S	84 QES 848	0.8	146	16	20
S	849	1.2	284	46	30
S	84 QES 850	1.2	362	44	22
S	851	1.2	488	48	28
S	852	1.2	750	72	36
S	853	1.6	800	48	30
S	854	1.4	780	42	30
S	855	1.6	900	42	40
S	856	1.4	950	40	62
S	84 QES 857	2.0	1320	50	88
S	84 QES 858	1.4	290	38	60

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL: (604) 299-6910

CERTIFICATE OF ANALYSIS

TO: Canamax Resources Inc.
601-535 Thurlow Street
Vancouver B.C.


CERTIFICATE NO. :84254 - 1

INVOICE NO. :4306

PROJECT: 7062 Oly Lake DATE ANALYSED :July 27 1984

S	SAMPLE#	Ag	Zn	Pb	As
S	105002 84 QXS 866	1.8	90	14	2970
S	867	3.4	108	78	920
S	868	0.8	176	20	260
S	869	1.2	154	32	200
S	870	5.6	306	800	2170
S	871	1.6	126	62	420
S	872	1.0	106	50	300
S	873	0.8	32	6	42
S	874	1.2	126	42	300
S	84 QXS 875	2.2	118	266	990
S	877	1.8	90	202	1000
S	878	14.2	108	730	3700
S	879	3.0	94	108	900
S	880	3.8	310	1810	3300
S	881	2.0	92	210	1340
S	882	4.4	132	484	2060
S	883	4.0	144	414	2160
S	884	2.0	172	338	1060
S	84 QXS 885	3.0	560	300	1920
X	STD D	4.0	484	102	
S	84 QXS 886	1.4	560	36	220
S	887	1.0	540	44	234
S	888	2.2	600	88	800
S	889	2.4	500	148	664
S	890	2.0	540	64	234
S	891	1.4	406	36	150
S	892	1.4	152	18	100
S	893	1.2	342	80	400
S	894	0.2	28	8	46
S	84 QXS 895	0.8	216	80	400
S	896	0.8	218	104	520
S	897	0.6	62	20	100
S	898	2.0	170	364	1120
S	899	0.6	38	36	120
S	990	3.0	168	450	1000
S	901	1.2	226	190	1370
S	902	1.0	232	90	1000
S	903	1.0	242	62	840
S	84 QXS 904	3.0	86	140	720
X	STD D	3.8	464	96	

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL: (604) 299-6910

TO: Canamax Resources Inc.
601-535 Thurlow Street
Vancouver B.C.

CERTIFICATE NO. :84254 - 2


INVOICE NO. :4306

PROJECT: 7062 Olv Lake

DATE ANALYSED :July 27 1984

SAMPLE#	PPM			
	Ag	Zn	Pb	As
S 105002 84 QXS 905	1.0	182	236	1300
S 906	0.6	82	60	230
S 907	0.8	56	26	280
S 908	1.0	160	124	1000
S 909	2.2	152	126	3270
S 910	0.2	18	6	60
S 911	1.6	244	268	900
S 912	2.2	540	430	1270
S 913	2.6	720	96	340
S 84 QXS 914	1.0	388	44	160
S 915	0.4	108	32	132
S 916	2.0	560	100	344
S 917	1.0	318	82	400
S 918	0.8	170	136	640
S 919	1.2	224	160	670
S 920	2.0	286	34	90
S 921	2.4	284	36	70
S 922	1.4	406	38	150
S 84 QXS 923	0.8	118	20	350
X STD D	3.8	470	100	
S 84 QXS 924	5.8	580	44	76
S 925	0.4	200	12	60
S 926	1.2	490	12	120
S 927	3.4	1300	20	46
S 928	5.8	1020	28	52
S 929	1.2	216	86	1840
S 930	1.4	162	200	1900
S 931	0.8	192	34	470
S 932	0.8	380	172	2140
S 84 QXS 933	1.2	178	40	2800
S 934	0.8	64	14	800
S 935	1.0	114	26	1820
S 941	1.2	38	8	30
S 942	2.2	394	24	90
S 943	4.0	142	24	50
S 944	2.2	580	40	30
S 945	1.2	166	28	920
S 946	0.4	44	8	50
S 84 QXS 947	3.8	122	30	560
X STD D	3.8	470	96	

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

CERTIFICATE OF ANALYSIS

2225 SOUTH SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL: (604) 299-6910

TO: Canamax Resources Inc.
601-535 Thurlow Street
Vancouver B.C.

CERTIFICATE NO. :84254 - 3


INVOICE NO. :4306

PROJECT: 7062 Olv Lake

DATE ANALYSED :July 27 1984

SAMPLE#	PPM			
	Ag	Zn	Pb	As
S 105002 84 QXS 948	6.0	2720	22	48
S 949	1.0	180	50	1270
S 950	6.8	5000	26	102
S 951	3.4	266	36	26
S 952	1.4	138	8	18
S 953	1.4	66	6	22
S 954	0.6	60	8	22
S 955	1.2	276	22	40
S 956	6.2	140	12	22
S 84 QXS 957	5.8	314	26	44
S 958	2.6	40	8	14
S 959	1.0	24	4	10
S 960	2.0	384	20	20
S 961	1.2	680	30	90
S 962	3.0	390	264	1660
S 963	1.4	148	330	1100
S 964	3.0	130	540	1650
S 965	1.2	154	242	900
S 84 QXS 966	4.8	210	20	32
X STD E	0.2	148	18	
S 84 QXS 967	1.8	150	10	24
S 968	2.2	130	22	30
S 969	0.8	168	12	26
S 970	2.0	160	12	28
S 971	3.0	196	26	36
S 972	2.4	56	6	24
S 973	3.0	820	14	46
S 84 QXS 974	1.2	28	6	26

CERTIFIED BY :





LEGEND

- CRETACEOUS**
- Kb Fresh biotite monzonite to granodiorite.
 - Km Altered biotite monzonite.
 - Ka Aphanitic to slightly quartz-feldspar porphyritic dyke.
- CARBONIFEROUS**
- Cc Black chert.
- DEVONIAN**
- Da Black shale, siltstone, minor arenite.
 - Dc Chert pebble conglomerate, argillite clast conglomerate.
 - Da Dark gray arenite.
 - D+ Gray chert.
 - Dl Dark gray to black limestone, marble.
 - Sk Skarn.

SYMBOLS

- Outcrop.
- Geological contact.
- Bedding attitude (inclined, vertical).
- Jointing attitude (inclined, vertical).
- Fold axis.
- Limit of hornfels.
- Limit of rusty weathering talus and outcrop.
- Downslope extent of talus and outcrop.
- Vein.
- Rock chip } sample site, sample number
- Assay rock chip
- 1983 grid line.
- Located claim post.
- Generalized property boundary.
- Stream and/or gully.
- Swamp.
- Topographic contour (contour interval 10 metres).



ABBREVIATIONS
py pyrrhotite

Anthony H. H. H.

CANAMAX RESOURCES INC.
CANADA TUNGSTEN MINING CORPORATION LIMITED

OLY LAKE PROPERTY
NUKE 1 TO 48 CLAIMS
MAYO MINING DISTRICT - YUKON TERRITORY

GEOLOGICAL MAP
091592

SCALE 1:5,000

To accompany 1984 Report by A.C. Hitchens



- S Y M B O L S**
- Soil sample site; sample number, p.p.m. Zn.
 - Geochemical contour (200, 500, 1000 p.p.m. Zn in soil).
 - 1983 grid line.
 - Located claim post.
 - Generalized property boundary.
 - Stream and/or gully.
 - Swamp.
 - Topographic contour (contour interval 10 metres).



A. G. HITCHINS

CANAMAX RESOURCES INC.
CANADA TUNGSTEN MINING CORPORATION LIMITED

**OLY LAKE PROPERTY
NUKE 1 TO 48 CLAIMS
MAYO MINING DISTRICT - YUKON TERRITORY**


**GEOCHEMICAL MAP
ZINC**

091592









SCALE 1:5,000

200 METRES
200 FEET

To accompany 1984 Report by A. G. Hitchins



S Y M B O L S

-  Soil sample site, sample number, ppm Pb.
-  Geochemical contour (100, 200 ppm Pb in soil).
-  1983 grid line.
-  Located claim post.
-  Generalized property boundary.
-  Stream and/or gully.
-  Swamp.
-  Topographic contour (contour interval 10 metres).

Ch. M. Williams
 CANAMAX RESOURCES INC.
 CANADA TUNGSTEN MINING CORPORATION LIMITED









OLY LAKE PROPERTY
NUKE 1 TO 48 CLAIMS
 MAYO MINING DISTRICT - YUKON TERRITORY
GEOCHEMICAL MAP
LEAD


091592
 SCALE 0 500 1000 2000 METRES
 0 500 1000 2000 FEET


To accompany 1984 Report by A.C. Hitchins
 A.H.H.P.
 N.T.S. Ref 105.0.2.3
 FIG. 4b




S Y M B O L S

-  Soil sample site; sample number; p.p.m. As.
-  Geochemical contour (400, 1000, 2000 p.p.m. As in soil).
-  1983 grid line.
-  Located claim post.
-  Generalized property boundary.
-  Stream and/or gully.
-  Swamp.
-  Topographic contour (contour interval 10 metres).



Anthony Hitchins
 CANAMAX RESOURCES INC.
 CANADA TUNGSTEN MINING CORPORATION LIMITED
OLY LAKE PROPERTY
NUKE 1 TO 48 CLAIMS
 MAYO MINING DISTRICT - YUKON TERRITORY
GEOCHEMICAL MAP
ARSENIC 091592
 SCALE 
 To accompany 1984 Report by A.C. Hitchins
 Vancouver — A.N.H.P.
 N.T.S. Ref 105 0 2, 3
 FIG. 4c



S Y M B O L S


- Soil sample site, sample number, p.p.m. Ag.
- Geochemical contour (40, 8.0 p.p.m. Ag in soil).
- 1983 grid line.
- Located claim post.
- Generalized property boundary.
- Stream and/or gully.
- Swamp.
- Topographic contour (contour interval 10 metres).



Anthony J. Hinch

CANAMAX RESOURCES INC.
CANADA TUNGSTEN MINING CORPORATION LIMITED

OLY LAKE PROPERTY
NUKE 1 TO 48 CLAIMS
MAYO MINING DISTRICT - YUKON TERRITORY
GEOCHEMICAL MAP 091592
SILVER 091592



To accompany 1984 Report by A.C. Hinchins