

MAP NO. ASSESSMENT REPORT X I.S.N. 134637 DOCUMENT NO.: 091714
PROSPECTUS MINING DISTRICT: WHITEHORSE
CONFIDENTIAL X TYPE OF WORK: DIAMOND DRILLING
105 K-6 OPEN FILE

REPORT FILED UNDER: Cyprus Anvil Mining Corporation

DATE PERFORMED: 1980 DATE FILED: August 12, 1980

LOCATION: LAT.: 62°16'N AREA: Rose Creek

LONG.: 133°18'W VALUE \$:

CLAIM NAME & NO.: GAL 56

WORK DONE BY: Arctic Diamond Drilling J. W. Mustard

WORK DONE FOR: Cyprus Anvil Mining Corporation

DATE TO GOOD STANDING | REMARKS: #33 LOKO

A total of 5 m of drilling is reported.
Logs are included but not assays.

105-K-6



CYPRUS ANVIL MINING CORPORATION

DIAMOND DRILL CORE LOG

Hole Number: 80-F-01

Fabric Orientation Diagram:

Project: Faro Deposit - Down dip/structural/stratigraphic/Grid drilling

Location: Faro Grid

Claim: GAL 56

Terr. Plane Co-ords.: 22,683,200 N

275,600 E

Grid Co-ords.: _____

Inclination: _____

Elevation: 3,500 feet

Total Depth: 462.6 meters


Purpose: Structural/stratigraphic/down dip Extension Faro

Logged by: J. W. Mustard Date(s) Logged: July 9 - July 17, 1980

Drilling Contractor:	Arctic Diamond Drilling	Core:	Size	From	To	Collar Cased and Capped:
			NQ	0	302.4 m.	
			BQ	302.4	462.6 m.	

Note: Elevation is approximate

Started: July 3/80 Completed: July 17/80



All symmetry determinations looking NW with S₂ dipping SW with dip azimuth _____.

091714

SUMMARY LOG

DDH 80-F-01

Meters


0.0 - 6.1	Overburden
6.1 - 105.1	Calcareous muscovite-chlorite and biotite phyllite.
105.1 - 246.6	As above
246.6 - 247.6	Metabasite, laminarly banded
247.6 - 298.2	Calcareous muscovite-chlorite and biotite phyllite.
298.2 - 309.6	Calcareous muscovite-chlorite and biotite phyllite,
309.6 - 310.2	Variably calcareous siliceous graphitic phyllite.
310.2 - 314.9	Variably calcareous, graphitic phyllite.
314.9 - 323.4	Variably calcareous siliceous graphitic phyllite.
323.4 - 324.9	Laminarly banded, variably calcareous, chloritic phyllite.
324.9 - 333.9	Variably calcareous siliceous graphitic phyllite
333.9 - 334.4	Laminarly banded, variably calcareous, chloritic phyllite
334.4 - 335.2	Metabasite.
335.2 - 347.3	Variably calcareous, siliceous graphitic phyllite.
347.3 - 352.0	Laminarly banded, variably calcareous, chloritic phyllite.
352.0 - 359.1	Variably calcareous, graphitic phyllite
359.1 - 366.3	As above
366.3 - 377.6	As above
377.6 - 378.1	Laminarly banded, variably calcareous, chloritic phyllite.
378.1 - 387.5	Calcareous muscovite-chlorite & biotite phyllite, carbonaceous.
387.5 - 398.8	Variably calcareous, graphitic phyllite.
392.8 - 395.5	As above
395.5 - 398.9	Variably calcareous, graphitic phyllite, altered, pyritic (white mica envelope).

Summary Log
DDH 80-F-01

Meters

398.9 - 407.3	Laminarly banded, variably calcareous, chloritic phyllite, altered, pyritic (white mica envelope).
407.3 - 408.0	Metabasite, altered, pyritic (white mica envelope)
408.0 - 408.6	Laminarly banded, variably calcareous, chloritic phyllite.
408.6 - 409.3	Metabasite
409.3 - 411.2	Laminarly banded, variably calcareous, chloritic phyllite.
411.2 - 462.6	Carbonaceous, biotite-muscovite andalusite schist.

END OF HOLE



ARCTIC DIAMOND DRILLING LTD.



184 Industrial Road, Whitehorse, Yukon Y1A 2V1 (403) 667-6434

INVOICE # 2141

July 30, 1980

In Account With:

Cyprus Anvil Mining Corporation
330-353 Burrard Street
Vancouver, B.C.
V6C 2G8

WORK DONE DURING THE PERIOD
JULY 3 - JULY 17, 1980

Drilling charges for the Period ended July 15, 1980.

Hole # 80-08-90'xNQ -DY

Overburden

0-52=52 ft @ 21.75 per ft. 1131.00

Core Drilling

52-1597 =1545 ft @ 21.75 per ft. 33603.75 34734.75

Hole # 80-07-90'xNQ - DY

Core Drilling

1557--2500=943 ft @ 21.75 per ft. 20510.25

2500-2947=447 ft @ 26.50 per ft. 11845.50 32355.75

Testing

12 Man hours @ 19.00 per hr. 228.00

6 Machine hrs. @ 11.00 per hr. 66.00 294.00 32649.75

Hole # 80-F-01-90'NQ x BQ - Mine Road Faro

Overburden

0-20=20 ft @ 21.75 per ft. 435.00

Core Drilling x NQ

20-992=972ft @ 21.75 per ft. 21141.00

Core Drilling xBQ

992-1277 =285 ft @ 21.75 per ft. 6198.75

Testing

12 Man hours @ 19.00 per hr. 228.00

6 Machine hrs. @ 10.00 per hr. 60.00 288.00 28062.75

Hole #80-K-01A-90' x NQ x BQ

Moving

186 Man hous @ 19.00 per hr. 3534.00

Overburden

0-102 = 102 ft @ 22.45 2289.90

C/Fwd..... 5823.90 95447.25

August 5, 1980

IN ACCOUNT WITH:

Cyprus Anvil Mining Corporation
330-353 Burrard Street
Vancouver, B.C.
V6C 2G8

ATTENTION: Margaret Parker

<u>Hole # 80-F-01-90'xNQxBQ - Mine Road Faro</u>			
<u>Core Drilling xBQ</u>			
1277-1518=241 ft @ \$21.75 per ft.		5241.75	
<u>Testing</u>			
24 Man hours @ 19.00 per hr	456.00		
12 Machine hrs. @ 10.00 per hr.	<u>120.00</u>	<u>576.00</u>	5817.75

Hole #80-K-01A-90'xNQxBQ

Core Drilling xBQ

1500-2000 =500ft @ 22.00 per ft.	11000.00		
2000-2127= 127ft @ 23.50 per ft.	<u>2984.50</u>	13984.50	
<u>Reaming through Cave</u>			
18 Man hours @ 19.00 per hr.	342.00		
9 Machine hrs @ 10.00 per hr.	<u>90.00</u>	432.00	
<u>Testing</u>			
32 Man hours @ 19.00 per hr.	608.00		
12 Machine hrs. @ 10.00 per hr.	<u>120.00</u>	728.00	
<u>Travelling Time</u>			
14 Man hours @ 19.00 per hr.		<u>266.00</u>	15410.50
			<u>21228.25</u>

091714

T

T

T

T

T

2 8,0 6 2.7 5

5,8 1 7.7 5

3 3,8 8 0.5 0 T

T



LEGEND

CLAIM POSTS AND LEGAL SURVEYS
(Located in the field)

PRELIMINARY CLAIM POST AND LINE SURVEYS
(Located in the field)

APPROXIMATE PLAN OF CLAIM POST LOCATIONS
(Not located in the field)

Note: Claim posts with the indicated number—have been located in the field, plotted onto 1976 photography and transferred to the orthophoto.

MAP INDEX

Scale: 1" = 10 miles

ALL WEATHER ROADS

SECONDARY ROADS

TOTE TRAILS

BRIDGES

PRIMARY STREAMS

SECONDARY STREAMS

SWAMPS

CAMP LOCATIONS

DAMOND D.H. SITES

ROTARY DRILL SITES

TRIANGULATION STATIONS

SPOT ELEVATION IN FEET

091714
CLAIM SURVEYS
Showing 80F-01

REVISED BY: _____ DATE: _____

NTS 105-K-6
DRAWN BY: C.L.C.
DATE: _____