


GEOCHEMICAL REPORT  
ON THE  
HAVI 1-36 (YA93945-980)  
MINERAL CLAIMS



WHITEHORSE MINING DISTRICT  
YUKON TERRITORY  
July 23, July 30 - August 5, 1987  
N.T.S. 105D-6  
Lat. 60°16.5'N Long. 135°13'W

by

IAN COSTER, B.Sc. F.G.A.C.  
SKUKUM VENTURES INC.  
706-595 HOWE STREET  
VANCOUVER, B.C.  
V6C 2T5

November 1, 1987

**091964**

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 17,700.00 .

*DA Emond*  
Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

1983

## TABLE OF CONTENTS

	Page
Introduction .....	1
Location and Access .....	1
Property .....	1
Previous Work History .....	2
Personnel .....	3
Climate, Topography, Vegetation .....	3
Regional Geology .....	4
Geochemistry	
- Procedure .....	5
- Results .....	6
Conclusions .....	7
Recommendations .....	8
References .....	9
Statement of Qualifications .....	10
Statement of Costs .....	11

## APPENDIX: ANALYTICAL RESULTS

### LIST OF FIGURES

Fig. 1: Location Map	1:1,000,000
Fig. 2: Claim Map	1:30,000
Fig. 3: Au-Ag Geochem	1:5000
Fig. 4: Pb-Zn Geochem	1:5000
Fig. 5: As-Sb Geochem	1:5000

## INTRODUCTION

This report describes the geochemical analysis of soil samples collected from a grid established on the HAVI 1-36 claims, located 5 km north of the Wheaton River. A total of 1113 samples were collected from the 2.2 km x 3.4 km grid. As well, 51 silt samples were collected from streams on the property.



## LOCATION AND ACCESS

The HAVI property is a contiguous block of 36 mineral claims located in southern Yukon Territory. Specifically, the group is centered approximately 5 km north of the Wheaton River between Vesuvius Hill and Gold Hill, at approximately 60°16.5'N latitude, 135°13'W longitude, on N.T.S. sheet 105D-6.



Access to within 5 km of the property is provided by the all-weather road running along the south side of the Wheaton River. This road links the producing Mt. Skukum Au, Ag mine with the road linking Carcross with Whitehorse. Total distance by road from Whitehorse to the property is approximately 85 km (53 mi). Access to all points on the property is provided by helicopter, seasonally based at the Mt. Skukum mine or from Whitehorse, 50 air km to the north.

## PROPERTY

The claims discussed in this report consist of 36 contiguous two post unsurveyed mineral claims staked under the Yukon Quartz Mining Act and total approximately 1850 acres (750 hectares).



SKUKUM VENTURES INC.		
HAVI 1-36 CLAIMS		
LOCATION		
OCT. 87	SCALE 1:1,000,000	FIG. 1



SKUKUM VENTURES INC.		
HAYI 1-36 CLAIMS		
CLAIM MAP		
NTS 105 D-6	SCALE 1:30,000	FIG. 2

Claim data is as follows:

CLAIM NAME	GRANT NUMBERS	RECORDING DATE	EXPIRY DATE
HAVI 1-36	YA 93945-980	Nov. 6/85	Nov. 6/90*

\* pending approval of assessment work described herein.

The claims are owned by WALHALA EXPLORATION LTD. subject to an option agreement with SKUKUM VENTURES INC. The claims are shown on D.I.A.N.D. Quartz and Placer Sheet 105D-6.

#### PREVIOUS WORK HISTORY

Exploration began in the Wheaton River valley in the late 1800's with the discovery of gold bearing veins and shears on Carbon Hill, Chiefton Hill and Mt. Anderson, and turned in a staking rush in 1906 with the discovery of high grade gold and gold telluride bearing veins on Gold Hill. By the First World War, adits had been driven into structures on Gold Hill, Tally Ho Mountain, Mount Stevens and Carbon Hill. Higher grade zones on Tally Ho Mountain, Mt. Stevens and Gold Hill saw "limited production" until the mid 1920's. From the mid 1920's to the mid 1970's the Wheaton River area saw only sporadic exploration activity, and mainly in search of base metals. In 1981 AGIP CANADA LTD. discovered a high grade gold-silver deposit near Mt. Skukum that soon developed into a reported 165,000 tons grading 0.73 opt Au, 0.63 opt Ag. Production began in early 1986. The consequences of this discovery has influenced a dramatic increase in claims staked and in exploration work being performed in the Wheaton River district. In 1985, OMNI RESOURCES INC. announced

the discovery of a deposit at Skukum Creek. Reserves to 1987 are reported at 600,000 tons of 0.39 opt Au equivalent.

The HAVI claims were staked in Nov. '86. There is no record of mineral showings or claims staked over this ground in the past. A brief reconnaissance prospecting, geological mapping and geochemical sampling program was conducted over the claims in 1986 (KEYSER, 1987). Results from the geochemistry showed several samples to be moderately to strongly anomalous in lead and silver and a single weak gold anomaly. Several rock samples were strongly anomalous in lead and silver.

#### PERSONNEL

The grid geochemical survey conducted this year was performed by employees of MBW Surveys Ltd. of Whitehorse, Yukon. Silt samples were collected by Lorne Rowan and Mike Genn of SKUKUM VENTURES INC. Data compilation, interpretation and report preparation was conducted by Ian Coster of SKUKUM VENTURES INC.

#### CLIMATE, TOPOGRAPHY AND VEGETATION

The climate in the Wheaton River area is variable with hot summers enhanced by 18-20 hours of daylight, and long, cold winters. Precipitation relatively light (40 cm annually), with about half falling as rain. The rivers and lakes are open from early May to late October.

Regional topography consists of upland plateau, incised by V-shaped drainage systems. The average elevation of the plateau surface is approximately 5000 feet (1525 m), giving a relative

relief of about 3000 feet (900 m). The HAVI property lies at an elevation of between 4700 feet (1432 m) and 5900 feet (1798 m), almost all of which is above treeline.

Vegetation on the claim group consists of stunted willow, alpine grasses and shrubs, with stunted spruce and poplar in the lower creek gullies.

### REGIONAL GEOLOGY

The HAVI property lies on the eastern edge of the Cretaceous Coast Plutonic Belt, near the boundary with folded Mesozoic and Paleozoic volcanic and sedimentary rocks of the Whitehorse Trough (Intermontaine Belt). The region was mapped in detail by J.O. Wheeler of the G.S.C. and reported on in 1961, and the Mount Skukum area was mapped in detail by M.J. Pride in 1982-84 and reported on in 1986. In general, Wheeler concludes that this part of the Coast Plutonic Belt comprises foliated and nonfoliated Mesozoic (Cretaceous) granitoid rocks flanked by metamorphosed and unmetamorphosed sedimentary and volcanic rocks. Irregular belts of metavolcanic and metasedimentary rocks of Mesozoic, Paleozoic and Precambrian age occur as roof pendants. All of the above geology in the Wheaton River area is overlain and intruded by a coeval suite of Tertiary (Eocene) rhyolite to andesite flows, dikes and stocks derived from volcanic complexes at Montana Mountain, Mount Macauley and Mt. Skukum. Most mineral occurrences in the Wheaton River area are associated with the Tertiary igneous event of the Mt. Skukum volcanic complex. The

complex is Paleocene-Eocene in age, covers roughly 140 sq. km and is elliptical in shape.

Preliminary mapping conducted on the HAVI property in 1986 confirms that the ground is underlain by Cretaceous granodiorite cut by northeast trending Eocene rhyolite and andesite dikes. Several dip slip faults have also been mapped in the south half of the property, trending north-easterly and northwesterly.

## GEOCHEMISTRY

### Procedure

A chained and picketed 2.2 x 3.4 km grid was established over most of the property in order to effectively "blanket" cover" survey the area, which is almost entirely overlain by Quaternary unconsolidated soil. The baseline, trending 035°, was turned off at the southern boundary between claims HAVI 6 and HAVI 8. Picket lines were established perpendicular to the baseline at 100 m intervals. Soil samples were collected at 50 m intervals along the lines, resulting in a total of 1113 soil samples collected.

In addition, a total of 51 silt samples were collected from active portions of flowing creeks in the southern and eastern part of the property.

All samples were stored in KRAFT paper sample bags and sent to ACME ANALYTICAL LABS of Vancouver, B.C. for geochemical analysis for Au, Ag, Pb, Zn, As and Sb. Silver, lead, zinc, arsenic and antimony were determined from a 0.50 gm sample by ICP (Induced Coupled Plasma) analysis after digestion in a

hydrochloric-nitric acid solution, and are reported on in p.p.m. Gold was analyzed by conventional AA (Atomic Absorption) techniques from a 10 gm sample and is reported in p.p.b.

### Results

It is obvious from the analytical results (see APPENDIX and Fig. 3,4,5) that background and threshold values are very low in all the elements analyzed. Consequently, the following anomalous threshold values were chosen: Au  $\geq$  25 ppb, Ag  $\geq$  1.5 ppm, Pb  $\geq$  95 ppm, Zn  $\geq$  150 ppm, As  $\geq$  10 ppm and Sb  $\geq$  6 ppm. Anomalous clusters were defined by incorporating slightly subanomalous values as well.

There are numerous weak, single point gold anomalies on the property, as well as several well defined anomalous clusters. Values range up to 490 ppb Au. The main anomalous cluster lies between L17N/200E and L11N/300E and broadens on L14N southeasterly to 1000E. A minor anomalous cluster lies between L16N/900W and L10N/1050W, along a northeasterly trend.

Several silver anomalies occur, in clusters as defined by slightly subanomalous values. Values range up to 6.4 ppm Ag. Clusters occur at L20N/50E to 250E, L6N/400E to 600E, and at L2+3N/1000W to 1300W. As well, a strong single point anomaly occurs at L9N/2+50E.

Lead anomalies occur as two well defined linear clusters. Values range up to 862 ppm lead. The first main cluster stretches from L18N/100E to L14N/200E and picks up again from

L11N/200E to L6N/200E. This northeasterly trending anomaly then abruptly bends to a southeasterly trend from L6N/100E to L6N/600E. The second main cluster is situated at L1N, 2N and 3N/1000W to 1500W, along a roughly southeasterly trend.

Zinc, being highly mobile, occurs in several large anomalous clusters. Values range up to 979 ppm Zn. The main cluster occurs at L1N, 2N and 3N/800E to 1400E, along a roughly east-southeasterly trend. This cluster trends towards another cluster situated at L6N/400W to L6N+5N/700E. Another main anomalous cluster trends northeasterly from L6N/200E to L15N/250E.

There were very few arsenic and antimony anomalies. The few that do occur, are found in a cluster trending southeasterly at L2N+3N/1400W to 800W.

## CONCLUSIONS

The gridded soil sample survey was very successful in outlining anomalous areas of gold and indicator elements. All these elements have different relative mobilities in different environments. Gold is moderately mobile in a largely mechanically dispersed environment such as the area of the property. Lead is relatively immobile, while zinc is highly mobile. The clusters of lead anomalies in particular, define two linear trends which may be fault structures hosting mineralized veins. Comparison of the other elements, including gold, shows a strong correlation with these linear trends. The two main trends can be defined as: #1 structure, trending 035° from L22N/150E to L2N/150E; #2 structure, trending approximately 110° from

L2N/1400W to L9N/1250E. The #2 structure apparently terminates all anomalies south of its intersection with the #1 structure. Most of the gold anomalies lie along the #1 structure.

#### RECOMMENDATIONS

Given the above conclusions the following work is recommended for the HAVI property:

- 1) Detail geological mapping in the area of the anomalous geochemical trends;
- 2) VLF-EM ground surveying in the area of the anomalous geochemical trends and including a large relative overlap for contrast. This survey should utilize two transmitter stations (e.g., Seattle and Cutler) to define the two different trends of the structures. All values should be FRASER filtered in order to lessen topographic noise;
- 3) Diamond drilling on targets selected after, and contingent upon, the above recommended surveys.

Respectfully submitted,



Ian Coster, B.Sc. F.G.A.C.

## REFERENCES

- Keyser, H.J., 1987            Geological and Geochemical Assessment Report on the HAVI Claims, Aurum Geological Consultants Inc., Report for Skukum Ventures Inc.
- Lambert, M.B., 1974        The Bennett Lake Cauldron Subsidence Complex, British Columbia and Yukon Territory, G.S.C. Bulletin 227.
- McDonald, B.W.R., Stewart, E.B. and Godwin, C.I., 1986  
Exploration Geology of the Mt. Skukum Epithermal Gold Deposit, Southwestern Yukon; in Yukon Geology, Vol. 1; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 11-18.
- Pride, M.J., 1986         Description of the Mount Skukum Volcanic Complex Southern Yukon; in Yukon Geology, Vol. 1; Exploration and Geological Services Division, Yukon; Indian and Northern Affairs Canada, p. 148-160.
- Pride, M.J., 1985         Preliminary Geological Map of the Mount Skukum Volcanic Complex, 105D2, 3, 4 and 5. Exploration and Geological Services Division, Yukon; Indian and Northern Affairs Canada. Open File, 1:25,000 scale map.
- Wheeler, J.O., 1961        Whitehorse Map Area, Yukon Territory, 105D; Geol. Surv. Can., Memoir 312

STATEMENT OF QUALIFICATIONS

I, Ian P.D.A. Coster of P.O. Box 27, Atlin, B.C., hereby certify that:

- 1) I am a geologist with Skukum Ventures Inc. of 706-595 Howe Street, Vancouver, B.C.;
- 2) I obtained a Bachelor of Science degree in Geology from the University of British Columbia, in 1981;
- 3) I am a Fellow of the Geological Association of Canada, and a member of the Prospectors and Developers Association;
- 4) I have been engaged in mineral exploration since 1979 in Ontario, Quebec, N.W.T., British Columbia and Yukon;
- 5) I oversaw the geochemical surveying of the HAVI claims and am the author of this report.

Dated this 1st day of November, 1987





Ian P.D.A. Coster, B.Sc. F.G.A.C.

STATEMENT OF COSTS

Assessment Valuation, HAVI 1-36 Mineral Claims, Whitehorse M.D.,  
Yukon

Ian Coster, B.Sc., F.G.A.C. of Atlin, B.C. 3 days @ \$120.00/day .....	\$	360.00
Mike Genn, B.Sc., of Vancouver, B.C. 3 days @ \$67.00/day .....		201.00
Lorne Rowan, B.Sc., of Vancouver, B.C. 1 day @ \$90.00/day .....		90.00
MBW Surveys Ltd., of Whitehorse, Y.T. Contract Grid and Geochem .....		5,480.00
Analytical Costs 1164 samples @ \$9.25/sample .....		10,767.00
Report Preparation Typing, copying, binding .....		300.00
Helicopter .....		534.75
		<hr/>
TOTAL 1987 EXPENDITURES	\$	17,732.75




Skukum Ventures Inc.  
 Havi Property  
 Geochem Grid  
 for Au/Ag  
 October '87



Legend

— — — — — property boundary

• silt sample

$\frac{6}{2}$  — — — — — Au - PPM  
 $\frac{10}{1}$  — — — — — Ag - PPM





Skukum Ventures Inc.  
 Havi Property  
 Geochem Grid  
 for Pb/Zn  
 October '87

Legend

--- property boundary


• silt sample

$\frac{Pb}{ppm}$      $\frac{Zn}{ppm}$   
 100    200    300    400  
 500    600    700    800

Scale 1:5000

0    1    2    3 hundred metres

1504



Skukum Ventures Inc.  
 Havi Property  
 Geochem Grid  
 for As/Sb  
 October '87

Legend

--- property boundary

• silt sample

40-5001  
 40-5002  
 40-5003  
 40-5004  
 40-5005  
 40-5006  
 40-5007  
 40-5008  
 40-5009  
 40-5010  
 40-5011  
 40-5012  
 40-5013  
 40-5014  
 40-5015  
 40-5016  
 40-5017  
 40-5018  
 40-5019  
 40-5020  
 40-5021  
 40-5022  
 40-5023  
 40-5024  
 40-5025  
 40-5026  
 40-5027  
 40-5028  
 40-5029  
 40-5030  
 40-5031  
 40-5032  
 40-5033  
 40-5034  
 40-5035  
 40-5036  
 40-5037  
 40-5038  
 40-5039  
 40-5040  
 40-5041  
 40-5042  
 40-5043  
 40-5044  
 40-5045  
 40-5046  
 40-5047  
 40-5048  
 40-5049  
 40-5050  
 40-5051  
 40-5052  
 40-5053  
 40-5054  
 40-5055  
 40-5056  
 40-5057  
 40-5058  
 40-5059  
 40-5060  
 40-5061  
 40-5062  
 40-5063  
 40-5064  
 40-5065  
 40-5066  
 40-5067  
 40-5068  
 40-5069  
 40-5070  
 40-5071  
 40-5072  
 40-5073  
 40-5074  
 40-5075  
 40-5076  
 40-5077  
 40-5078  
 40-5079  
 40-5080  
 40-5081  
 40-5082  
 40-5083  
 40-5084  
 40-5085  
 40-5086  
 40-5087  
 40-5088  
 40-5089  
 40-5090  
 40-5091  
 40-5092  
 40-5093  
 40-5094  
 40-5095  
 40-5096  
 40-5097  
 40-5098  
 40-5099  
 40-5100

Scale: 1:5000  
 0 1 2 3 hundred metres

ACME ANALYTICAL LABORATORIES  
 852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6  
 PHONE 253-3158 DATA LINE 251-1011

DATE RECEIVED: AUG 10 1987  
 DATE REPORT MAILED: *Aug 18/87*

**GEOCHEMICAL ICP ANALYSIS**

.500 GRAM SAMPLE IS DIGESTED WITH 3ML 3-1-2 HCL-HNO3-H2O AT 95 DEG.C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR MN FE CA P LA CR MG BA TI B W AND LIMITED FOR NA AND K. AU DETECTION LIMIT BY ICP IS 3 PPM.  
 - SAMPLE TYPE: SOIL AU\* ANALYSIS BY AA FROM 10 GRAM SAMPLE.

ASSAYER: *D. Toye* DEAN TOYE, CERTIFIED B.C. ASSAYER

SAMPLE#	SKUKUM VENTURES INC. File # 87-3157 Page 1					
	≥ 75 PB PPM	≥ 150 ZN PPM	≥ 1.5 AG PPM	≥ 10 AS PPM	≥ 10 SB PPM	≥ 25 AU* PPM
22N 0+50W	13	58	.1	2	2	1
22N 0+00E	15	56	.1	2	2	1
22N 0+50E	22	84	.5	5	2	2
22N 1+00E	17	58	.1	3	2	1
22N 1+50E	20	76	.3	3	2	1
22N 2+00E	20	66	1.0	2	2	3
22N 2+50E	17	69	.1	2	2	1
22N 3+00E	14	59	.1	3	2	1
22N 3+50E	23	127	.6	3	2	1
22N 4+00E	15	65	.1	4	2	1
22N 4+50E	26	72	.1	2	3	1
22N 5+00E	52	76	1.5	2	4	1
22N 5+50E	14	52	.1	3	2	2
22N 6+00E	17	58	.1	2	2	1
22N 6+50E	8	46	.1	3	2	2
22N 7+00E	12	51	.1	2	2	3
22N 7+50E	17	95	.2	4	2	2
22N 8+00E	10	57	.1	3	2	2
22N 8+50E	13	58	.1	2	2	1
22N 9+00E	8	67	.1	5	2	2
22N 9+50E	9	59	.1	3	2	1
22N 10+00E	9	56	.1	3	2	2
22N 11+00E	11	45	.1	2	2	1
21N 15+00E	13	57	.1	2	2	1
21N 15+50E	13	54	.1	5	2	2
21N 16+00E	16	58	.2	2	2	215+
21N 16+50E	13	60	.1	2	2	1
21N 17+00E	10	53	.1	2	2	1
21N 17+50E	15	105	.3	3	2	2
21N 18+50E	14	75	.1	3	2	1
21N 19+00E	22	106	.1	5	2	1
21N 19+50E	17	75	.1	4	2	1
21N 20+00E	4	34	.1	2	2	1
20N 7+00W	24	105	.2	3	2	1
20N 6+50W	17	93	.1	3	2	2
20N 6+00W	19	63	.1	3	2	1
STD C/AU-S	40	137	7.6	39	17	46

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
20N 5+50W	39	153	.1	2	2	1
20N 5+00W	24	62	.1	2	2	1
20N 4+50W	26	72	.1	2	2	1
20N 4+00W	29	69	.1	2	2	1
20N 3+50W	38	81	.1	2	2	1
20N 3+00W	30	68	.1	3	2	1
20N 2+50W	43	74	.1	2	2	1
20N 2+00W	44	99	.1	2	2	1
20N 1+50W	161	101	.4	3	2	1
20N 1+00W	49	94	.1	2	2	1
STD C/AU-S	40	124	7.6	40	18	49
20N 0+50W	43	115	.2	3	2	1
20N 0+00BL	31	87	.1	2	2	1
20N 0+50E	33	112	2.9	2	2	1
20N 1+00E	21	72	.1	2	2	1
20N 1+50E	26	96	.7	4	2	2
20N 2+00E	34	75	.1	4	2	1
20N 2+50E	43	112	5.2	3	3	2
20N 3+00E	19	76	.2	3	2	1
20N 3+50E	21	65	.1	2	2	1
20N 4+00E	20	76	.1	2	2	1
20N 4+50E	20	91	.1	4	2	1
20N 5+00E	15	75	.1	3	2	2
20N 5+50E	14	82	.1	2	2	1
20N 6+00E	23	97	.1	3	2	1
20N 6+50E	26	124	.1	5	2	1
20N 7+00E	19	60	.1	4	2	1
20N 7+50E	12	52	.1	2	2	1
20N 8+00E	16	71	.1	4	2	1
20N 8+50E	16	70	.1	4	2	1
20N 9+00E	11	58	.1	4	3	21 2
20N 9+50E	18	99	.1	5	2	1
20N 10+00E	18	60	.1	2	2	1
20N 10+50E	12	47	.1	2	2	1
20N 11+00E	16	56	.1	3	2	1
20N 11+50E	18	62	.1	3	2	1
20N 12+00E	12	54	.1	4	2	1
20N 12+50E	11	59	.1	2	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
20N 13+00E	14	59	.1	5	2	1
20N 13+50E	10	55	.1	3	2	1
20N 14+00E	19	57	.1	5	2	1
20N 14+50E	17	60	.1	4	2	1
20N 15+00E A	16	64	.1	4	2	1
20N 15+00E B	19	95	.1	3	2	1
20N 15+50E	26	78	.1	4	2	1
20N 16+00E	10	51	.1	3	2	1
20N 16+50E	13	56	.1	3	2	1
20N 17+00E	14	64	.1	2	2	1
20N 17+50E	16	79	.1	4	2	12
20N 18+00E	16	68	.1	3	2	1
20N 18+50E	22	108	.1	6	2	1
20N 19+00E	18	95	.1	4	2	1
20N 19+50E	12	54	.1	2	2	1
20N 20+00E	12	46	.1	2	2	1
19N 4+00W	27	61	.1	4	2	.1
19N 3+50W	26	58	.1	2	2	1
19N 3+00W	23	53	.1	2	2	4
19N 2+50W	30	69	.1	2	2	1
19N 2+00W	26	66	.1	3	2	1
19N 1+50W	38	76	.1	4	2	1
19N 1+00W	50	78	.1	5	2	11
19N 0+50W	43	84	.6	3	2	1
19N 0+00BL	57	85	.2	3	2	1
19N 0+50E	47	85	.2	2	2	1
19N 1+00E	26	89	.1	3	2	1
19N 1+50E	32	73	.3	3	2	1
19N 2+00E	28	98	.1	4	2	1
19N 2+50E	21	84	.1	3	2	1
19N 3+00E	21	74	.1	2	2	1
19N 3+50E	21	64	.1	3	2	1
19N 4+00E	20	73	.3	3	2	1
19N 4+50E	58	92	.6	3	2	12
19N 5+00E	22	79	.2	4	2	1
19N 5+50E	20	75	.1	4	2	1
STD C/AU-S	40	135	7.3	41	18	48

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
19N 6+00E	15	71	.4	2	2	1
19N 6+50E	19	91	.1	2	2	1
19N 7+00E	23	77	.1	2	2	4
19N 7+50E	19	81	.1	2	2	1
19N 8+00E	16	76	.1	2	2	1
19N 8+50E	19	65	.1	2	2	1
19N 9+00E	16	66	.1	4	2	1
19N 9+50E	13	66	.1	3	2	5
19N 10+00E	16	61	.2	3	3	3
19N 10+50E	14	81	.1	2	4	1
19N 11+00E	20	86	.2	2	2	1
19N 11+50E	12	54	.1	2	2	4
19N 12+00E	17	62	.1	4	2	1
19N 12+50E	16	57	.1	3	2	1
19N 13+00E	14	56	.1	2	2	2
19N 13+50E	14	70	.1	3	2	6
19N 14+00E	13	60	.1	4	2	1
19N 14+50E	18	60	.2	4	2	3
19N 15+00E	13	57	.1	2	2	7
19N 15+50E	13	57	.1	2	2	2
19N 16+00E	11	55	.1	2	3	2
19N 16+50E	10	52	.1	2	2	1
19N 17+00E	17	77	.1	4	2	1
19N 17+50E	13	58	.1	2	2	4
19N 18+00E	14	56	.1	2	2	1
19N 18+50E	15	50	.1	2	3	7
19N 19+00E	11	57	.2	3	2	1
19N 19+50E	14	55	.2	2	2	3
19N 20+00E	9	49	.1	2	3	24 2
18N 10+50W	24	65	.1	2	2	1
18N 10+00W	15	63	.2	2	2	2
18N 9+50W	17	67	.1	2	2	3
18N 9+00W	20	71	.3	3	2	1
18N 8+50W	20	72	.2	2	2	1
18N 8+00W	12	78	.2	2	2	1
STD C/AU-S	42	135	7.2	42	15	51

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
18N 7+50W	14	85	.2	4	2	1
18N 7+00W	13	69	.2	2	2	2
18N 6+50W	19	92	.1	2	2	1
18N 6+00W	22	90	.1	5	2	1
18N 5+50W	30	67	.1	2	2	1
18N 5+00W	27	91	.1	2	2	1
18N 4+50W	21	71	.1	2	2	1
18N 4+00W	18	75	.1	3	2	<u>32</u> 3
18N 3+50W	22	69	.1	2	2	1
18N 3+00W	19	63	.1	2	2	1
18N 2+50W	27	75	.1	3	2	1
18N 2+00W	30	78	.1	2	2	1
18N 1+50W	34	81	.1	2	2	1
18N 1+00W	10	59	.1	2	2	1
18N 0+50W	28	90	.2	2	2	14 1
18N 0+00W	40	85	.2	2	2	1
18N 0+50E	46	90	.2	3	2	1
18N 1+00E	2 86	104	.1	2	2	2
18N 1+50E	1 55	93	.2	3	2	1
18N 2+00E	43	87	.1	2	2	1
18N 2+50E	22	120	.1	2	2	1
18N 3+00E	18	96	.1	2	2	1
18N 3+50E	27	93	.2	3	2	5
18N 4+00E	17	74	.1	2	2	<u>30</u> 3
18N 4+50E	28	113	.1	2	2	1
18N 5+00E	18	85	.2	2	2	1
18N 5+50E	19	78	.1	3	2	2
18N 6+00E	18	72	.1	5	2	1
18N 6+50E	18	72	.1	4	2	1
18N 7+00E	26	74	.1	4	2	1
18N 7+50E	14	80	.1	3	2	1
18N 8+00E	22	71	.1	3	2	1
18N 8+50E	27	85	.1	3	2	5
18N 9+00E	21	83	.5	3	2	1
18N 9+50E	12	64	.2	4	2	2
18N 10+00E	20	119	.1	4	2	<u>41</u> 3
STD C/AU-S	41	132	7.8	40	17	47

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
18N 10+50E	20	72	.2	2	2	<u>26</u> <sup>3</sup>
18N 11+00E	14	79	.1	2	2	6
18N 11+50E	21	68	.3	2	2	7
18N 12+00E	17	66	.1	3	2	6
18N 12+50E	16	60	.1	2	2	10 <sup>1</sup>
18N 13+00E	13	70	.1	4	2	6
18N 13+50E	11	64	.1	3	2	1
18N 14+00E	16	63	.1	2	2	2
18N 14+50E	14	72	.1	3	2	2
18N 15+00E	11	67	.1	3	2	8
18N 15+50E	9	74	.1	4	2	2
18N 16+00E	12	62	.1	2	2	8
18N 16+50E	17	84	.4	3	2	1
18N 17+00E	10	58	.1	2	2	1
18N 17+50E	19	88	.1	3	2	1
18N 18+00E	12	111	.1	3	2	2
18N 18+50E	11	70	.2	3	2	1
18N 19+00E	14	80	.1	2	2	2
18N 19+50E	9	52	.1	2	2	2
18N 20+00E	11	73	.1	2	2	15 <sup>2</sup>
17N 7+50W	20	82	.1	3	2	3
17N 7+00W	20	97	.2	3	2	1
17N 6+50W	17	69	.1	2	2	1
17N 6+00W	18	68	.3	2	2	2
17N 5+50W	41	95	.2	2	2	2
17N 5+00W	1 63	104	.2	2	2	3
17N 4+50W	30	97	.1	2	2	2
17N 4+00W	21	78	.1	2	2	1
17N 3+50W	17	75	.2	4	2	1
17N 3+00W	15	57	.1	2	2	2
17N 2+50W	19	60	.1	2	2	2
17N 2+00W	21	65	.1	2	2	3
17N 1+50W	36	72	.1	2	2	1
17N 1+00W	30	70	.1	2	2	1
17N 0+50W	1 72	109	.1	2	2	1
17N 0+00W	45	96	.1	2	2	7
STD C/AU-S	42	135	7.6	40	17	52

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
17N 0+50E	50	121	.4	2	2	1
17N 1+00E	50	86	.2	5	2	2
17N 1+50E	67	78	.1	2	2	13
17N 2+00E	30	80	.1	2	2	136
17N 2+50E	30	82	.1	2	2	<u>7</u>
17N 3+00E	26	95	.1	2	2	1
17N 3+50E	23	81	.1	3	2	9
17N 4+00E	20	71	.1	2	2	2
17N 4+50E	24	66	.1	2	2	1
17N 5+00E	22	57	.1	2	2	1
17N 5+50E	26	109	.1	2	2	1
17N 6+00E	20	84	.1	3	2	3
17N 6+50E	23	83	.1	2	2	2
17N 7+00E	24	97	.1	2	2	2
17N 7+50E	24	77	.1	2	2	4
17N 8+00E	22	76	.1	2	2	1
17N 8+50E	22	76	.1	2	2	1
17N 9+00E	21	69	.1	2	2	2
17N 9+50E	22	81	.1	2	2	1
17N 10+00E	27	82	.1	2	2	5
17N 10+50E	13	58	.1	2	2	2
17N 11+00E	20	65	.1	2	2	2
17N 11+50E	24	67	.1	2	2	9
17N 12+50E	17	87	.1	2	2	1
17N 13+00E	20	64	.1	2	2	2
17N 13+50E	15	88	.1	2	2	1
17N 14+00E	25	78	.1	2	2	2
17N 14+50E	21	62	.1	3	2	4
17N 15+00E	24	49	.1	2	2	5
17N 15+50E	17	54	.1	2	2	3
17N 16+00E	14	53	.1	2	2	4
17N 16+50E	28	92	.1	2	2	8
17N 17+00E	26	74	.1	3	2	3
17N 17+50E	18	54	.1	2	2	2
17N 18+00E	13	67	.1	2	2	3
17N 18+50E	28	83	.1	2	2	2
STD C/AU-S	43	129	6.9	37	17	50

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
17N 19+00E	9	63	.1	2	2	6
17N 19+50E	8	48	.3	2	2	3
17N 20+00E	10	62	.1	2	2	2
16N 12+00W	12	64	.1	2	2	6
16N 11+50W	14	63	.1	2	3	6
16N 11+00W	14	69	.1	3	2	1
16N 10+50W	14	66	.1	2	3	4
16N 10+00W	16	60	.2	4	2	6
16N 9+50W	11	67	.2	3	2	8
16N 9+00W	10	60	.1	2	2	<u>295</u> †
16N 8+50W	10	74	.2	4	2	2
16N 8+00W	12	84	.1	3	2	1
16N 7+50W	26	109	.3	3	2	1
16N 7+00W	11	56	.1	2	2	1
16N 6+50W	18	86	.2	2	2	3
16N 6+00W	15	74	.3	2	2	2
16N 5+50W	14	64	.1	2	2	2
16N 5+00W	19	109	.2	2	2	20 †
16N 4+50W	27	91	.2	2	2	1
16N 4+00W	16	70	.2	2	2	3
16N 3+50W	11	51	.3	2	2	6
16N 3+00W	1 52	138	.4	2	2	2
16N 2+50W	14	58	.1	3	2	1
16N 2+00W	14	60	.1	2	2	8
16N 1+50W	8	46	.1	2	2	4
16N 1+00W	11	53	.1	2	2	7
16N 0+50W	26	81	.1	2	2	3
16N 0+00W	31	86	.1	2	2	1
16N 0+50E	24	99	.1	2	2	2
16N 1+00E	46	79	.8	3	2	3
16N 1+50E	2 75	84	.3	2	2	2
16N 2+00E	1 74	79	.1	2	2	<u>465</u> †
16N 2+50E	19	84	.4	5	2	4
16N 3+00E	22	76	.1	2	2	<u>34</u> †
16N 3+50E	39	113	.4	3	2	5
16N 4+00E	13	55	.1	2	2	4
STD C/AU-S	41	131	7.6	39	17	48

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
16N 4+50E	14	45	.1	2	2	2
16N 5+00E	14	41	.1	2	2	1
16N 5+50E	15	65	.1	3	2	1
16N 6+00E	17	89	.2	3	2	3
16N 6+50E	13	69	.1	3	2	2
16N 7+00E	15	107	.1	2	2	1
16N 7+50E	19	86	.1	4	3	2
16N 8+00E	21	79	.1	4	2	1
16N 8+50E	13	60	.1	2	2	1
16N 9+00E	17	61	.1	3	2	1
16N 9+50E	16	67	.1	3	2	1
16N 10+00E	18	52	.1	4	2	1
16N 10+50E	26	80	.1	3	2	2
16N 11+00E	12	50	.1	3	2	1
16N 11+50E	18	91	.2	5	2	2
16N 12+50E	17	75	.1	4	2	<del>2</del>
16N 13+00E	15	64	.1	4	2	1
16N 13+50E	19	83	.3	2	2	1
16N 14+00E	19	93	.1	3	2	2
16N 14+50E	16	54	.1	5	2	1
16N 15+00E	9	45	.1	3	2	<del>12</del> <sup>1</sup>
16N 16+00E	17	64	.1	3	2	<del>1</del>
16N 16+50E	18	63	.1	2	2	1
16N 17+00E	14	46	.2	2	2	25 <sup>3</sup>
16N 17+50E	14	57	.1	2	2	4
16N 18+00E	17	62	.1	2	2	2
16N 18+50E	16	69	.1	2	2	1
16N 19+00E	9	50	.1	2	2	1
16N 19+50E	15	65	.1	2	2	2
16N 20+00E	15	56	.1	3	2	1
15N 10+50W	13	76	.1	2	2	5
15N 10+00W	14	57	.1	2	2	1
15N 9+50W	18	76	.2	5	2	1
15N 9+00W	18	77	.1	2	2	2
15N 8+50W	17	66	.1	3	2	1
15N 8+00W	14	67	.1	4	2	1
STD C/AU-S	41	131	7.0	41	17	50

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
15N 7+50W	58	139	.4	2	2	1
15N 7+00W	27	64	.1	3	2	3
15N 6+50W	16	59	.1	2	2	1
15N 6+00W	21	64	.1	2	2	3
15N 5+50W	36	102	.2	2	3	1
15N 5+00W	27	77	.3	2	2	1
15N 4+50W	26	101	.1	2	2	1
15N 4+00W	31	98	.2	2	2	1
15N 3+50W	24	107	.1	2	2	1
15N 3+00W	19	44	.1	3	2	4
15N 2+50W	21	56	.1	4	3	4
15N 2+00W	19	91	.1	2	2	1
15N 1+50W	18	61	.1	5	2	1
15N 1+00W	23	55	.1	3	2	3
15N 0+50W	17	59	.1	5	2	1
15N 0+00W	24	84	.2	2	2	1
15N 0+50E	22	86	.1	2	2	4
15N 1+00E	44	84	.1	2	2	1
15N 1+50E	2 84	87	.2	2	3	3
15N 2+00E	3 96	151	.2	2	2	2
15N 2+50E	1 60	105	.2	3	2	2
15N 3+00E	30	72	.5	2	3	3
15N 3+50E	31	96	.2	2	2	25 <sup>3</sup>
15N 4+00E	32	91	.3	2	2	8
15N 4+50E	16	65	.1	2	2	4
15N 5+00E	20	67	.1	2	2	3
15N 5+50E	22	65	.1	2	2	4
15N 6+00E	21	86	.1	3	2	9
15N 6+50E	21	77	.1	2	2	2
15N 7+00E	17	50	.1	2	2	1
15N 7+50E	18	53	.1	2	2	24 <sup>2</sup>
15N 8+00E	21	70	.1	2	3	3
15N 8+50E	26	79	.1	2	2	2
15N 9+00E	24	110	.1	2	2	4
15N 9+50E	20	68	.1	2	3	1
15N 10+00E	22	103	.1	3	2	4
STD C/AU-S	39	130	7.2	38	17	48

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
15N 10+50E	27	115	.4	6	2	1
15N 11+00E	22	100	.1	6	2	3
15N 11+50E	17	79	.1	5	2	1
15N 12+00E	18	62	.1	2	2	1
15N 12+50E	9	60	.1	2	2	3
15N 13+00E	37	107	.9	2	2	3
15N 13+50E	19	79	.1	3	2	2
15N 14+00E	20	90	.3	2	2	2
15N 14+50E	15	62	.1	2	2	1
15N 15+00E	14	78	.1	2	2	1
15N 15+50E	10	54	.1	2	2	1
14N 12+00W	14	56	.1	2	2	2
STD C/AU-S	41	140	7.3	39	18	50
14N 11+50W	23	97	.1	2	2	1
14N 11+00W	17	104	.1	3	2	1
14N 10+50W	13	90	.2	2	2	1
14N 10+00W	18	88	.1	3	2	5
14N 9+50W	18	53	.1	2	2	2
14N 9+00W	19	71	.1	2	2	18
14N 8+50W	16	76	.1	2	2	1
14N 8+00W	14	49	.1	2	2	2
14N 7+50W	22	75	.1	2	2	2
14N 7+00W	17	57	.1	2	2	1
14N 6+50W	14	61	.2	2	2	2
14N 6+00W	13	61	.2	2	2	3
14N 5+50W	18	76	.2	2	2	1
14N 5+00W	17	76	.1	2	2	3
14N 4+50W	19	90	.1	2	2	1
14N 4+00W	12	55	.2	2	2	4
14N 3+50W	18	64	.2	3	2	2
14N 3+00W	14	59	.1	2	2	2
14N 2+50W	16	65	.1	4	2	2
14N 2+00W	19	72	.1	2	2	2
14N 1+50W	11	60	.1	2	2	1
14N 1+00W	12	49	.1	2	2	2
14N 0+50W	25	71	.2	2	2	2
14N 0+00W	19	53	.1	3	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
14N 0+50E	17	52	.1	3	2	1
14N 1+00E	27	70	.1	3	2	1
14N 1+50E	3 107	157	.4	2	2	4
14N 2+00E	1 55	100	.1	3	2	16 <sup>2</sup>
14N 3+00E	25	50	.1	3	2	42 <sup>3</sup> ← 2+50E
14N 3+50E	20	54	.1	2	2	36 <sup>3</sup>
14N 4+00E	29	96	.1	5	2	6
14N 4+50E	23	69	.1	3	2	45 <sup>3</sup>
STD C/AU-S	42	124	7.1	38	16	49
14N 5+00E	24	59	.1	2	2	29 <sup>3</sup>
14N 5+50E	23	61	.1	2	2	38 <sup>3</sup>
14N 6+00E	20	69	.1	2	2	122 <sup>4</sup>
14N 6+50E	17	57	.1	3	2	14 <sup>1</sup>
14N 7+00E	21	56	.1	3	2	8
14N 7+50E	22	80	.1	3	2	10 <sup>1</sup>
14N 8+00E	24	96	.1	3	2	2
14N 8+50E	19	73	.1	2	2	5
14N 9+00E	20	72	.2	2	2	4
14N 9+50E	19	61	.1	2	2	3
14N 10+00E	19	78	.3	2	2	1
14N 10+50E	15	54	.1	3	2	1
14N 11+00E	19	58	.1	4	2	1
14N 11+50E	25	86	.1	3	2	1
14N 12+00E	24	73	.1	2	2	1
14N 12+50E	21	60	.1	3	2	1
14N 13+00E	23	115	.1	2	2	2
14N 13+50E	17	57	.1	2	2	220 <sup>+</sup>
14N 14+00E	17	74	.1	4	2	1
14N 14+50E	19	57	.1	3	2	2
14N 15+00E	16	57	.2	3	2	1
13N 15+00W	28	85	.3	2	2	2
13N 14+50W	22	64	.1	3	2	1
13N 14+00W	25	70	.2	2	2	1
13N 13+50W	21	62	.3	2	2	2
13N 13+00W	26	72	.1	2	3	1
13N 12+50W	24	65	.1	2	3	1
13N 12+00W	25	68	.2	3	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB	
13N 11+50W	16	72	.2	2	2	1	
13N 11+00W	40	90	.3	4	2	1	
13N 10+50W	29	87	.1	2	2	1	
13N 10+00W	23	99	.3	2	2	1	
13N 9+50W	20	68	.1	3	2	1	
13N 9+00W	35	73	.2	2	2	<u>26</u>	3
13N 8+50W	164	64	.4	3	2	<u>13</u>	1
13N 8+00W	29	82	.1	3	2	18	2
13N 7+50W	20	57	.1	2	2	2	
13N 7+00W	24	68	.2	4	2	3	
13N 6+50W	25	76	.2	4	2	4	
13N 6+00W	23	70	.1	3	2	6	
13N 5+50W	21	73	.2	4	2	1	
13N 5+00W	14	50	.1	2	2	3	
13N 4+50W	26	96	.2	3	2	2	
13N 4+00W	16	51	.1	2	2	4	
13N 3+50W	15	53	.2	3	2	3	
13N 3+00W	15	57	.1	4	3	1	
13N 2+50W	20	51	.1	2	2	4	
13N 2+00W	35	62	.3	3	2	5	
13N 1+50W	17	62	.1	7	2	2	
13N 1+00W	15	49	.1	3	2	1	
13N 0+50W	15	46	.1	4	2	5	
13N 0+00W	20	54	.2	2	2	3	
13N 0+50E	21	87	.2	3	2	2	
13N 1+00E	29	71	.2	2	2	1	
13N 1+50E	17	57	.1	3	2	3	
13N 2+00E	30	104	.1	5	2	2	
13N 2+50E	31	60	.2	3	2	<u>26</u>	3
13N 3+00E	28	54	.1	3	2	<u>5</u>	
13N 3+50E	25	64	.2	2	2	5	
13N 4+00E	23	54	.2	3	2	<u>250</u>	4
13N 4+50E	19	75	.1	4	2	<u>8</u>	
13N 5+00E	18	59	.1	2	2	3	
13N 5+50E	13	57	.1	2	2	7	
13N 6+00E	13	54	.1	3	2	23	2
STD C/AU-S	40	129	7.4	39	18	53	

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB	
13N 6+50E	20	62	.1	5	2	1	
13N 7+00E	19	63	.1	4	2	26	3
13N 7+50E	24	65	.1	6	2	4	
13N 8+00E	20	57	.1	5	2	11	1
13N 8+50E	22	60	.1	5	2	1	
13N 9+00E	16	62	.1	2	2	15	2
13N 9+50E	19	65	.3	4	3	1	
13N 10+00E	17	94	.1	3	2	58	+
13N 10+50E	20	64	.1	2	2	2	
13N 11+00E	15	48	.1	2	2	2	
13N 11+50E	21	73	.1	2	2	1	
13N 12+00E	20	87	.2	3	2	2	
13N 12+50E	13	75	.2	3	2	1	
13N 13+00E	15	54	.1	2	2	1	
13N 13+50E	14	55	.1	2	2	2	
13N 14+00E	15	53	.1	2	2	1	
13N 14+50E	20	73	.2	3	2	1	
13N 15+00E	17	46	.1	2	2	3	
12N 15+00W	28	70	.1	2	2	1	
12N 14+50W	24	63	.1	2	2	1	
12N 14+00W	21	59	.1	3	2	21	2
12N 13+50W	23	61	.1	2	2	1	
12N 13+00W	35	96	.2	2	2	1	
12N 12+50W	28	76	.1	2	2	1	
12N 12+00W	24	80	.1	2	2	1	
12N 11+50W	24	110	.2	3	2	11	1
12N 11+00W	24	104	.3	2	2	1	
12N 10+50W	23	76	.1	3	2	1	
12N 10+00W	24	96	.2	3	2	3	
12N 9+50W	22	90	.2	3	2	2	
12N 9+00W	24	107	.1	3	2	1	
12N 8+50W	24	83	.2	2	2	1	
12N 8+00W	15	61	.1	4	2	10	1
12N 7+50W	21	86	.1	4	2	3	
12N 7+00W	21	80	.1	3	2	15	1
12N 6+50W	19	74	.2	4	2	14	1
12N 6+00W	20	72	.1	2	2	1	
STD C/AU-S	41	132	7.3	40	17	47	

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB	
12N 5+50W	24	125	.3	3	2	2	
12N 5+00W	23	125	.2	2	2	2	
12N 4+50W	13	56	.1	2	2	3	
12N 4+00W	21	105	.3	2	2	1	
12N 3+50W	19	82	.1	2	2	3	
12N 3+00W	19	78	.1	2	3	1	
12N 2+50W	20	96	.1	2	2	2	
12N 2+00W	16	95	.1	3	2	2	
12N 1+50W	12	67	.1	2	2	1	
12N 1+00W	16	66	.1	3	2	<u>54</u>	+
12N 0+50W	14	61	.1	2	2	<u>35</u>	3
12N 0+00BL	14	73	.1	3	2	12	1
12N 0+50E	37	101	.1	2	2	13	1
12N 1+00E	29	72	.1	2	2	3	
12N 1+50E	38	92	.2	2	2	2	
12N 2+00E	31	106	.1	3	2	6	
12N 2+50E	34	82	.1	5	2	1	4
12N 3+00E	26	65	.2	3	2	<u>160</u>	2
12N 3+50E	17	65	.1	2	2	19	
12N 4+00E	24	76	.2	2	2	8	
12N 4+50E	16	72	.1	2	2	29	3
12N 5+00E	21	60	.1	3	2	6	
12N 5+50E	15	58	.1	2	2	16	2
12N 6+00E	12	63	.1	3	2	6	
12N 6+50E	23	116	.1	5	2	1	
12N 7+00E	19	69	.1	3	2	1	
12N 7+50E	12	52	.1	2	2	2	
12N 8+00E	14	56	.2	2	2	1	
12N 8+50E	15	49	.1	2	2	5	
12N 9+00E	14	63	.1	4	2	2	
12N 9+50E	18	92	.1	3	2	2	
12N 10+00E	13	56	.1	2	2	1	
12N 10+50E	2 87	60	.6	2	2	2	
12N 11+00E	22	86	.3	5	2	3	
12N 11+50E	16	99	.1	3	2	2	
12N 12+00E	14	61	.1	2	2	9	
STD C/AU-S	39	132	7.4	39	18	52	

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
12N 12+50E	22	82	.1	5	2	1
12N 13+00E	14	66	.1	2	2	1
12N 13+50E	18	59	.1	4	2	20 <sup>2</sup>
12N 14+00E	12	41	.1	3	2	1
12N 14+50E	13	53	.1	4	2	1
12N 15+00E	15	48	.1	4	2	1
11N 15+50EW	26	93	.2	4	2	1
11N 15+00E	28	95	.3	5	2	1
11N 14+50E	18	58	.1	3	2	1
11N 14+00E	22	66	.1	2	2	1
11N 13+50E	24	90	.1	5	2	2
11N 13+00E	28	91	.2	5	2	1
11N 12+50E	23	97	.1	3	2	1
11N 12+00E	38	117	.3	5	2	2
11N 11+50E	17	73	.1	2	2	1
11N 11+00E	26	86	.8	3	2	4
11N 10+50E	45	104	.2	2	2	1
11N 10+00E	29	125	.3	3	2	2
11N 9+50E	27	90	.3	2	2	1
11N 9+00E	24	115	.4	4	2	1
11N 8+50E	32	77	.3	4	2	2
STD C/AU-S	41	135	7.1	42	17	<del>49</del>
11N 8+00E	21	95	.1	5	2	1
11N 7+50E	25	83	.1	4	2	1
11N 7+00E	23	78	.2	4	2	21 <sup>2</sup>
11N 6+50E	23	76	.1	2	2	9
11N 6+00E	23	99	.3	5	2	1
11N 5+50E	25	86	.1	5	2	1
11N 5+00E	21	95	.2	3	2	1
11N 4+50E	19	79	.3	3	2	1
11N 4+00E	18	70	.1	3	3	2
11N 3+50E	22	79	.1	2	2	2
11N 3+00E	41	150	.6	7	3	1
11N 2+50E	15	58	.1	5	2	1
11N 2+00E	31	62	.2	3	3	1
11N 1+50E	52	121	.9	4	6	2
11N 1+00E	20	100	.2	6	2	1
11N 0+50W	18	53	.1	5	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB	
11N 0+00BL	13	59	.1	2	2	4	
11N 0+50E	52	106	.1	2	2	1	
11N 1+00E	33	136	.2	2	2	1	
11N 1+50E	44	154	.2	4	2	2	
11N 2+00E	25	108	.2	3	2	1	
11N 2+50E	18	122	.4	2	2	3	
11N 3+00E	15	63	.1	2	2	<u>37</u>	3
11N 3+50E	20	86	.1	3	2	1	
11N 4+00E	16	91	.1	2	2	2	
11N 4+50E	17	59	.1	3	2	3	
11N 5+00E	15	58	.1	2	2	21	2
11N 5+50E	20	84	.1	4	3	1	
11N 6+00E	16	64	.1	2	2	1	
11N 6+50E	17	56	.1	2	2	3	
11N 7+00E	11	55	.1	3	3	1	
11N 7+50E	23	96	.2	3	2	2	
11N 8+00E	17	70	.1	2	2	4	
11N 8+50E	23	76	.2	2	2	2	
11N 9+00E	24	99	.1	3	2	<u>31</u>	2
11N 9+50E	30	56	.1	2	3	13	1
11N 10+00E	23	56	.1	2	2	4	
11N 10+50E	15	59	.1	2	2	1	
11N 11+00E	18	72	.1	2	2	1	
11N 11+50E	23	78	.6	2	2	7	
11N 12+00E	16	70	.1	3	2	1	
11N 12+50E	12	68	.1	3	2	15	2
11N 13+00E	10	49	.1	2	3	1	
11N 13+50E	13	43	.1	2	2	5	
11N 14+00E	13	46	.1	3	2	2	
11N 14+50E	16	51	.1	4	2	147	4
11N 15+00E	14	57	.1	2	2	<del>9</del>	
10N 16+00W	24	72	.1	2	2	1	
10N 15+50W	37	110	.8	2	2	2	
10N 15+00W	38	103	.2	3	2	2	
10N 14+50W	30	104	.2	2	2	1	
10N 14+00W	18	62	.1	2	2	1	
STD C/AU-S	37	131	7.4	39	17	54	

SAMPLE#	FB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
10N 13+50W	25	78	.1	2	2	2
10N 13+00W	24	95	.3	5	2	7
10N 12+50W	20	90	.2	4	2	1
10N 12+00W	32	131	.2	2	2	1
10N 11+50W	34	127	.3	2	2	1
10N 11+00W	31	103	1.5	2	2	1
10N 10+50W	14	74	.1	2	2	<u>165</u> +
10N 10+00W	23	126	.3	2	2	2
10N 9+50W	15	75	.1	3	2	1
10N 9+00W	10	55	.1	2	2	2
10N 8+50W	15	67	.1	2	2	<u>45</u> 3
10N 8+00W	16	95	.1	2	2	4
10N 7+50W	15	59	.2	4	2	1
10N 7+00W	35	95	.4	3	2	2
10N 6+50W	32	91	.4	3	2	2
10N 6+00W	39	109	.2	4	2	1
10N 5+50W	48	<u>209</u>	1.6	4	3	1
10N 5+00W	30	69	.1	2	3	2
10N 4+50W	29	68	.1	2	2	1
10N 4+00W	37	112	.1	2	2	3
10N 3+50W	27	128	.4	5	2	1
10N 3+00W	24	100	.1	5	3	2
10N 2+50W	23	83	.3	5	2	2
10N 2+00W	20	62	.3	2	2	1
10N 1+50W	21	101	.3	4	2	1
10N 1+00W	38	94	.1	2	2	1
10N 0+50W	34	87	.1	2	2	1
10N 0+00BL	25	100	.1	3	2	1
10N 0+50E	24	<u>163</u>	.2	2	2	2
10N 1+00E	23	<u>148</u>	.1	4	2	2
10N 1+50E	26	<u>179</u>	.2	2	2	2
10N 2+00E	2 75	<u>157</u>	.4	2	2	1
10N 2+50E	22	115	.3	2	2	3
10N 3+00E	21	112	.2	2	2	1
10N 3+50E	23	63	.2	6	3	1
10N 4+00E	19	57	.2	4	2	1
STD C/AU-S	42	131	7.5	40	17	47

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
10N 4+50E	14	42	.2	2	2	5
10N 5+50E	16	58	.1	4	2	2
10N 6+50E	16	50	.1	3	2	1
10N 7+00E	12	46	.1	4	3	1
10N 7+50E	12	49	.1	5	2	1
10N 8+00E	11	56	.1	5	2	<u>28</u> 3
10N 8+50E	52	105	.2	4	2	1
10N 9+00E	13	105	.1	6	2	1
10N 9+50E	19	118	.1	4	2	1
10N 10+00E	11	67	.1	4	2	10 1
10N 10+50E	19	63	.2	6	2	11 1
10N 11+00E	29	69	.3	3	2	1
10N 12+00E	22	65	.2	5	2	<del>1</del>
10N 12+50E	31	74	.1	4	2	19 2
10N 13+00E	48	52	.2	4	3	12 1
10N 13+50E	16	66	.1	4	5	1
10N 14+00E	11	48	.1	5	2	1
10N 14+50E	16	54	.1	6	2	4
9N 16+00W	19	74	.1	3	2	1
9N 15+50W	44	64	.6	3	3	1 <del>1</del>
9N 14+50W	10	75	.1	4	2	1
9N 14+00W	28	112	.1	3	2	1
9N 13+50W	27	70	.3	2	2	1
9N 13+00W	31	83	.2	2	2	1
9N 12+50W	19	96	.1	3	2	1
9N 12+00W	21	80	.1	3	2	1
9N 11+50W	15	75	.1	7	2	2
9N 11+00W	19	88	.1	3	2	1
9N 10+50W	22	96	.2	4	2	1
9N 10+00W	12	71	.1	3	2	2
9N 9+50W	13	67	.2	2	2	1
9N 9+00W	18	102	.1	2	2	1
9N 8+50W	20	88	.1	2	2	2
9N 8+00W	19	74	.1	5	2	2
9N 7+50W	13	70	.1	4	2	<u>39</u> 2
9N 7+00W	16	66	.1	3	2	2
STD C/AU-S	39	132	7.0	41	17	49

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
9N 6+50W	46	125	.5	2	2	1
STD C/AU-S	40	135	7.3	39	17	(47)
9N 6+00W	25	66	.1	2	2	1
9N 5+50W	55	152	.4	2	2	1
9N 5+00W	34	77	.3	3	2	6
9N 4+50W	15	76	.1	4	2	4
9N 4+00W	25	66	.2	2	2	2
9N 3+50W	50	96	.1	3	2	2
9N 3+00W	39	91	.1	3	2	3
9N 2+00W	46	77	.1	3	2	<del>3</del> 1
9N 1+50W	33	113	.1	3	2	4
9N 1+00W	13	104	.4	2	2	<del>2</del> 1
9N 0+00BL	45	203	.2	2	2	1
9N 0+50E	29	157	.1	2	2	1
9N 1+00E	3 103	146	.6	4	2	2
9N 1+50E	2 92	197	.3	2	2	6
9N 2+00E	3 182	171	.6	3	2	2
9N 2+50E	41	84	6.4	4	2	1
9N 2+50E A	40	78	.1	2	2	(7)
9N 3+00E	26	65	.2	3	2	1
9N 3+50E	21	62	.1	3	2	1
9N 4+00E	34	60	.1	3	2	<del>1</del> 1
9N 5+00E	19	101	.1	3	2	1
9N 5+50E	18	100	.1	3	2	1
9N 6+00E	15	59	.1	2	3	4
9N 6+50E	16	51	.1	4	2	1
9N 7+00E	27	103	.1	5	2	1
9N 7+50E	26	87	.1	3	2	1
9N 8+00E	18	82	.1	3	2	2
9N 8+50E	18	66	.1	3	2	1
9N 9+00E	20	69	.1	2	2	2
9N 9+50E	12	65	.1	3	2	6
9N 10+00E	16	65	.1	4	2	1
9N 10+50E	22	72	.1	3	2	3
9N 11+00E	32	74	.1	4	2	1
9N 11+50E	22	66	.2	3	2	1
9N 12+00E	28	97	.3	4	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
9N 12+50E	27	62	.1	3	2	6
9N 13+00E	21	71	.1	4	2	2
8N 16+00W	20	62	.1	2	2	19 <sup>2</sup>
8N 15+50W	23	117	.1	3	2	1
8N 15+00W	23	98	.1	2	2	2
8N 14+50W	24	92	.1	4	2	3
8N 14+00W	23	91	.2	3	2	1
8N 13+50W	43	112	.2	3	2	3
8N 13+00W	52	135	.3	3	2	2
8N 12+50W	28	86	.3	4	2	1
8N 12+00W	18	75	.1	3	2	2
8N 11+50W	16	76	.1	2	2	21 <sup>2</sup>
8N 11+50W A	16	86	.1	3	2	①
8N 11+00W	19	79	.1	5	2	2
8N 10+50W	22	122	.1	3	2	14 <sup>1</sup>
8N 10+00W	18	81	.1	2	2	16 <sup>2</sup>
8N 9+50W	19	66	.1	4	2	2
8N 9+00W	16	88	.1	2	2	1
8N 8+50W	18	72	.1	3	2	1
8N 8+00W	24	100	.1	2	2	2
8N 7+50W	15	80	.1	2	2	1
8N 7+00W	23	109	.1	2	2	3
8N 6+50W	24	71	.1	2	2	2
8N 6+00W	33	80	.1	4	2	1
8N 5+50W	30	77	.1	2	2	1
8N 5+00W	23	82	.1	4	2	4
8N 4+50W	26	84	.1	4	2	1
8N 4+00W	21	105	.1	2	2	1
8N 3+50W	31	102	.2	2	2	1
8N 3+00W	24	81	.1	2	2	11 <sup>1</sup>
8N 2+50W	23	65	.1	4	2	12 <sup>1</sup>
8N 2+00W	23	117	.2	3	2	2
8N 1+50W	26	122	.2	4	2	1
8N 1+00W	24	91	.1	2	2	1
8N 0+50W	27	88	.3	2	2	2
8N 0+00BL	22	101	.2	3	2	1
8N 0+50E	22	143	.2	4	2	1
STD C/AU-S	41	131	7.3	37	19	⑤①

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
8N 1+00E	23	110	.1	4	2	2
8N 1+50E	1 62	188	.2	5	2	4
8N 4+50E	27	86	.2	3	2	3
8N 5+50E	2 79	110	.5	8	2	1
8N 6+00E	29	86	.1	4	3	1
8N 6+50E	33	74	.2	4	2	1
8N 7+00E	22	59	.1	4	3	1
8N 7+50E	25	80	.1	3	2	1
8N 8+00E	36	100	.4	3	2	1
8N 8+50E	21	77	.2	3	2	1
8N 9+00E	17	45	.1	2	2	1
8N 9+50E	26	76	.1	3	2	1
8N 10+00E	27	91	.1	2	2	1
8N 10+50E	26	111	.1	3	2	1
8N 11+00E	14	71	.1	3	2	1
8N 12+00E	15	80	.1	6	2	5
7N 16+00W	26	72	.2	5	2	3
7N 15+50W	22	81	.1	3	2	1
7N 15+00W	25	91	.1	5	2	2
7N 14+50W	24	82	.1	3	2	1
7N 14+00W	24	115	.1	3	2	1
7N 13+50W	40	103	.1	5	3	1
7N 13+00W	32	98	.1	2	2	1
7N 12+50W	22	90	.1	5	2	1
7N 12+00W	22	68	.1	2	2	1
7N 11+50W	18	68	.1	2	2	4
7N 11+00W	15	59	.1	3	2	1
7N 10+50W	19	70	.1	2	2	1
7N 10+00W	18	75	.1	5	2	1
7N 9+50W	18	64	.1	4	2	1
7N 9+00W	16	59	.1	2	3	1
7N 8+50W	21	77	.2	4	2	7
7N 8+00W	15	80	.1	3	2	7
STD C/AU-S	38	138	7.2	41	18	50
7N 7+50W	20	72	.1	2	2	10
7N 7+00W	21	74	.1	4	2	1
7N 6+50W	2 76	80	2.0	2	2	52

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
7N 6+00W	37	91	.3	2	2	7
7N 5+50W	25	94	.2	3	2	9
7N 5+00W	29	107	.1	3	2	19
7N 4+50W	24	81	.1	4	2	1
7N 4+00W	30	75	.3	2	2	7
7N 3+50W	22	75	.1	3	2	3
STD C/AU-S	39	130	7.3	38	16	51
7N 3+00W	18	63	.1	3	2	1
7N 2+50W	21	63	.1	4	2	2
7N 2+00W	27	70	.1	2	2	1
7N 1+50W	21	83	.2	3	2	3
7N 1+00W	36	107	.1	3	2	1
7N 0+50W	49	143	.2	2	2	2
7N 0+00BL	19	72	.1	3	2	1
7N 0+50E	35	143	.1	2	2	1
7N 1+00E	37	120	.1	2	2	<del>1</del>
7N 2+00E	40	140	.1	3	2	<del>1</del>
7N 2+50E	24	93	.1	3	2	1
7N 3+00E	3 118	195	1.4	2	3	68
7N 4+00E	18	65	.1	2	2	1
7N 4+50E	29	103	.2	4	2	1
7N 5+00E	3 104	182	.1	5	2	2
7N 5+50E	25	68	.1	4	2	2
7N 6+00E	24	84	.3	5	2	2
7N 6+50E	35	85	.1	4	2	6
7N 7+00E	26	80	.5	5	3	2
7N 7+50E	11	58	.1	2	2	1
7N 8+50E	22	85	.1	3	2	1
7N 9+00E	28	71	.1	2	2	2
7N 9+50E	21	64	.1	2	2	1
7N 10+00E	18	55	.1	2	2	1
7N 10+50E	27	79	.2	2	2	2
7N 14+50E	1 52	152	.1	3	2	1
6N 16+00W	41	110	.5	3	2	2
6N 15+50W	1 51	106	.4	3	2	2
6N 15+00W	20	85	.1	2	2	3
6N 14+50W	24	94	.1	3	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
6N 14+00W	1 64	<u>168</u>	.7	2	2	1
6N 13+50W	25	<u>79</u>	.1	3	2	<u>27</u> 3
6N 13+00W	33	72	.2	4	2	2
6N 12+50W	25	<u>147</u>	.1	2	2	1
6N 12+00W	8	<u>14</u>	.1	2	4	1
6N 11+50W	1 52	89	.4	2	2	1
6N 11+00W	21	78	.1	4	2	1
6N 10+50W	17	81	.1	2	2	1
6N 10+00W	23	62	.1	4	2	1
6N 9+50W	22	54	.1	2	2	2
6N 9+00W	23	88	.1	2	2	1
6N 8+50W	19	76	.1	3	2	2
6N 8+00W	19	60	.1	3	2	1
6N 7+50W	24	81	.1	2	2	1
6N 7+00W	28	84	.1	2	2	1
6N 6+50W	24	64	.1	2	2	2
6N 6+00W	20	70	.1	2	2	1
6N 5+50W	32	79	.1	2	2	7
6N 5+00W	29	80	.1	3	2	1
6N 4+50W	31	96	.1	4	3	1
STD C/AU-S	38	128	7.3	37	17	(47)
6N 4+00W	1 69	<u>164</u>	.1	2	2	2
6N 3+50W	19	106	.1	2	2	1
6N 3+00W	3 140	<u>557</u>	1.4	3	2	1
6N 2+50W	26	83	.1	2	2	1
6N 2+00W	1 56	99	.1	3	2	1
6N 1+50W	21	81	.1	2	2	1
6N 1+00W	23	77	.1	2	2	<u>490</u> 4
6N 0+50W	24	96	.1	2	2	1
6N 0+00BL	23	93	.2	3	2	1
6N 0+50E	24	188	.1	2	2	1
6N 1+00E	3 233	251	.7	8	2	<del>1</del>
6N 2+00E	1 55	149	.4	4	2	1
6N 2+50E	43	130	.1	2	2	1
6N 3+00E	1 62	<u>160</u>	.4	21	2	1
6N 3+50E	1 55	123	.4	5	3	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
6N 4+00E	2 89	<u>197</u>	<u>1.6</u>	5	<u>12</u>	4
6N 4+50E	31	<u>113</u>	.1	2	<u>3</u>	2
6N 5+00E	1 58	141	.3	2	2	1
6N 5+50E	1 67	<u>152</u>	<u>1.4</u>	5	2	1
6N 6+00E	31	<u>120</u>	.5	2	3	1
6N 6+50E	1 61	<u>307</u>	.5	2	2	1
6N 7+00E	25	<u>83</u>	.1	2	2	3
6N 7+50E	37	83	.1	2	2	3
6N 8+00E	27	82	.1	3	2	3
6N 8+50E	24	54	.2	2	3	2
6N 9+00E	19	85	.1	2	2	<u>140</u> +
5N 9+50W	19	64	.1	2	2	8
5N 9+00W	20	67	.2	3	2	2
5N 8+50W	22	62	.1	4	2	3
5N 8+00W	16	84	.1	2	2	2
5N 7+50W	22	74	.4	2	2	6
5N 7+00W	30	78	.7	2	2	6
5N 6+50W	19	63	.1	3	2	3
5N 6+00W	24	60	.1	2	3	15
5N 5+50W	26	62	.4	3	2	7
5N 5+00W	19	54	.1	2	2	2
5N 4+50W	29	77	.3	2	2	1
5N 4+00W	2 84	<u>152</u>	.3	2	2	1
5N 3+50W	24	89	.2	3	2	2
5N 3+00W	35	<u>186</u>	.4	2	2	1
5N 2+50W	24	77	.1	2	2	8
5N 2+00W	25	109	.2	3	2	1
5N 1+50W	21	109	.1	3	2	3
5N 1+10W	20	147	.1	2	2	1
5N 1+00W	19	126	.3	3	2	1
5N 0+50W	16	67	.1	2	2	1
5N 0+00BL	19	45	.1	2	2	1
5N 0+50E	28	93	.3	2	2	1
5N 1+00E	18	67	.2	2	2	1
5N 1+50E	26	85	.2	2	2	2
5N 2+00E	22	57	.1	3	2	32
STD C/AU-S	42	134	7.4	41	18	53

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SE PPM	AU* PPB
5N 2+50E	22	79	.1	3	2	1
5N 3+00E	26	88	.1	6	2	1
5N 3+50E	33	84	.2	4	2	1
5N 4+00E	27	63	.1	4	2	1
5N 4+50E	25	71	.1	5	3	1
5N 5+00E	33	69	.1	6	2	1
5N 5+50E	29	118	.1	3	2	1
5N 7+50E	57	139	.2	5	2	<del>1</del>
5N 8+00E	22	74	.1	3	2	1
5N 8+50E	23	56	.1	4	2	1
5N 9+00E	28	45	.1	3	2	6
5N 9+50E	35	70	.3	5	2	4
5N 10+00E	56	83	.2	7	2	6
5N 10+50E	22	64	.1	5	2	1
5N 11+00E	15	40	.2	3	2	1
5N 11+50E	22	37	.1	5	2	1
5N 12+00E	13	39	.1	3	2	1
5N 12+50E	15	48	.1	7	2	1
5N 13+00E	21	40	.2	4	2	2
5N 13+50E	37	<u>168</u>	.2	2	2	2
5N 14+00E	22	92	.2	4	2	2
5N 14+50E	24	70	.3	5	2	2
5N 15+00E	29	88	.5	6	2	2
5N 15+50E	14	52	.1	4	2	<del>2</del>
5N 16+50E	11	53	.1	5	2	<del>1</del>
5N 17+00E	22	56	.1	3	2	2
5N 17+50E	21	89	.3	5	2	1
5N 18+00E	17	70	.4	4	2	1
5N 18+50E	24	61	.2	5	2	1
5N 19+00E	19	59	.1	4	3	1
5N 19+50E	19	65	.1	4	2	1
5N 20+00E	31	60	.6	5	2	1
4N 16+00W	55	75	.7	7	2	2
4N 15+50W	29	98	.4	5	2	1
4N 15+00W	47	113	.6	5	2	1
4N 14+50W	26	101	.2	6	3	1
STD C/AU-3	41	130	7.2	40	15	49

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
4N 14+00W	13	80	.1	3	2	8
4N 13+50W	33	119	.2	4	2	1
4N 13+00W	24	94	.2	3	2	1
4N 12+50W	26	105	.1	2	2	2
4N 12+00W	19	85	.3	2	2	1
4N 11+50W	25	85	.2	2	2	4
4N 11+00W	35	75	.4	2	2	1
4N 10+50W	32	85	.3	2	2	1
4N 10+00W	13	89	.2	2	2	1
4N 9+50W	27	116	.3	4	2	1
STD C/AU-S	39	135	7.6	38	18	48
4N 9+00W	14	68	.2	2	3	2
4N 8+50W	21	73	.2	3	2	1
4N 8+00W	16	97	.1	2	2	1
4N 7+50W	16	47	.1	2	2	1
4N 7+00W	16	70	.1	2	2	6
4N 6+50W	23	102	.1	4	2	2
4N 6+00W	14	64	.1	2	2	1
4N 5+50W	13	62	.1	2	2	1
4N 5+00W	40	128	.7	2	2	2
4N 4+50W	30	80	.2	2	2	<u>62</u> +
4N 4+00W	14	60	.2	2	2	1
4N 3+50W	22	74	.1	2	2	1
4N 3+00W	18	79	.1	2	2	1
4N 2+50W	9	62	.1	2	3	1
4N 2+00W	12	66	.1	2	2	1
4N 1+50W	26	92	.2	3	2	2
4N 1+00W	11	57	.2	2	3	1
4N 0+50W	18	71	.1	2	2	1
4N 0+00BL	26	128	.2	2	2	1
4N 0+50E	20	122	.3	3	3	1
4N 1+00E	15	84	.2	2	2	1
4N 1+50E	19	62	.1	2	2	1
4N 2+00E	17	98	.1	3	2	1
4N 2+50E	13	60	.1	2	2	2
4N 3+00E	18	68	.1	3	2	2
4N 3+50E	20	59	.1	3	2	1

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
4N 4+00E	16	53	.1	4	2	1
4N 4+50E	22	73	.1	4	2	1
4N 5+00E	30	74	.1	3	2	1
3N 15+00W	2 79	124	1.3	5	2	3
3N 14+50W	30	127	.2	4	2	2
3N 14+00W	21	83	.2	4	2	1
3N 13+00W	2 98	214	1.0	7	3	<del>2</del>
3N 12+50W	25	114	.5	7	2	1
3N 12+00W	16	193	.6	5	2	1
3N 11+50W	16	117	.2	7	2	1
3N 11+00W	3 132	221	1.0	6	3	1
3N 10+50W	2 88	170	.8	5	4	1
3N 10+00W	44	137	.3	5	2	1
3N 9+50W	19	96	.1	12	2	1
3N 9+00W	16	76	.1	7	2	1
3N 8+50W	25	80	.1	7	2	1
3N 8+00W	17	166	.1	2	2	2
3N 7+50W	18	85	.1	4	2	1
3N 7+00W	13	87	.1	2	2	1
3N 6+50W	15	105	.1	4	2	1
3N 6+00W	13	110	.1	2	2	1
3N 5+50W	16	104	.1	5	2	1
3N 5+00W	18	99	.1	3	2	1
3N 4+50W	29	100	.4	3	2	1
3N 4+00W	19	77	.2	4	2	1
3N 3+50W	35	78	.1	4	2	3
3N 3+00W	27	74	.1	2	2	4
3N 2+50W	24	80	.2	2	2	4
3N 2+00W	19	86	.1	4	2	1
3N 1+50W	20	85	.1	3	2	1
3N 1+00W	16	73	.1	2	2	1
3N 0+50W	31	120	.1	2	2	1
3N 0+00BL	22	81	.1	4	2	2
3N 0+50E	20	85	.4	4	2	1
3N 1+00E	45	89	.2	2	2	1
3N 1+50E	20	102	.2	2	2	1
3N 2+00E	26	100	.3	2	2	1
STD C/AU-S	42	131	7.5	41	17	52

SAMPLE#	FB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
3N 2+50E	27	146	.2	4	2	<del>1</del>
3N 3+50E	46	110	.2	9	2	1
3N 4+00E	36	102	.3	4	2	3
3N 4+50E	30	76	.1	4	2	2
2N 14+00W	2 92	176	1.4	9	5	1
2N 13+50W	3 103	198	1.1	14	5	3
2N 13+00W	42	172	.1	5	2	2
2N 12+50W	33	60	.1	4	2	1
2N 12+00W	3 862	979	.6	7	3	<del>2</del>
2N 11+00W	60	139	.1	7	2	1
2N 10+50W	28	109	.1	10	2	1
2N 10+00W	23	107	.1	16	4	1
2N 9+50W	21	87	.1	5	3	1
2N 9+00W	41	122	.5	3	2	2
2N 8+50W	27	94	.1	8	5	2
2N 8+00W	20	90	.2	4	2	1
2N 7+50W	25	79	.1	5	2	6
2N 7+00W	32	127	.4	5	2	1
2N 6+50W	19	85	.1	3	2	3
2N 6+00W	27	77	.1	4	2	1
2N 5+50W	33	74	.3	4	2	1
2N 5+00W	33	79	.2	3	2	1
2N 4+50W	26	100	.4	7	2	2
2N 4+00W	28	78	.3	8	2	2
2N 3+50W	34	90	.2	6	2	1
2N 3+00W	29	82	.1	9	2	1
2N 2+50W	33	84	.2	7	3	1
2N 2+00W	48	80	.3	6	2	1
2N 1+50W	2 95	76	.8	9	2	42
2N 1+00W	31	89	.2	7	2	1
2N 0+50W	40	80	.3	8	2	1
2N 0+00BL	3 108	109	.4	10	4	1
2N 0+50E	38	85	.4	6	3	1
2N 1+00E	34	95	.4	6	2	1
2N 1+50E	35	132	.2	4	2	2
2N 2+00E	40	105	.4	4	2	1
STD C/AU-S	41	133	7.5	42	17	52

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
2N 2+50E	42	109	.1	3	2	1
2N 3+00E	39	116	.2	2	2	1
1N 13+50W	27	78	.2	4	2	2
1N 13+00W	31	145	.3	2	2	<del>1</del>
1N 12+00W	3 125	226	.6	4	2	<del>1</del>
1N 11+00W	34	142	.1	8	2	8
1N 10+50W	23	94	.2	2	2	1
1N 10+00W	20	81	.1	2	3	1
1N 9+50W	22	81	.2	3	2	1
1N 9+00W	17	90	.1	2	3	1
1N 8+50W	24	57	.1	2	3	2
1N 8+00W	21	137	.2	3	2	1
1N 7+50W	18	74	.1	2	2	1
1N 7+00W	23	96	.2	2	2	1
1N 6+50W	27	101	.3	3	2	1
1N 6+00W	28	113	.2	2	2	1
1N 5+50W	34	86	.4	2	2	6
1N 5+00W	16	84	.2	3	2	1
1N 4+50W	11	80	.3	2	2	1
1N 4+00W	16	62	.1	2	2	2
1N 3+50W	18	82	.3	3	2	1
1N 3+00W	8	80	.2	2	2	1
1N 2+50W	19	83	.3	4	2	1
1N 2+00W	21	82	.2	4	2	1
1N 1+50W	18	82	.1	3	2	2
1N 1+00W	18	109	.2	2	2	1
1N 0+50W	23	99	.2	3	2	1
1N 0+00BL	23	112	.2	4	2	1
ON 15+00W	24	93	.5	4	2	2
ON 14+50W	18	65	.1	4	2	1
ON 14+00W	22	85	.1	3	2	1
ON 13+50W	14	54	.1	2	3	1
ON 13+00W	28	81	.3	4	3	1
ON 12+50W	22	78	.2	3	2	1
ON 12+00W	14	102	.1	4	2	1
ON 11+50W	18	136	.1	2	2	1
STD C/AU-S	39	131	7.5	40	17	49

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
ON 11+00W	36	107	.3	2	2	1
ON 10+50W	26	98	.1	2	2	2
ON 10+00W	19	72	.1	3	4	1
ON 9+50W	25	84	.1	2	2	1
ON 9+00W	22	96	.1	2	2	1
ON 8+50W	18	86	.1	3	2	1
ON 8+00W	23	96	.4	6	2	2
ON 7+50W	27	67	.1	2	2	2
ON 7+00W	33	81	.2	2	2	1
ON 5+50W	44	66	.2	2	4	<del>1</del> 1
ON 4+50W	17	79	.1	3	2	3
ON 4+00W	17	85	.3	2	2	1
ON 3+50W	12	88	.2	2	2	1
ON 3+00W	19	98	.1	2	2	1
ON 2+50W	14	94	.3	2	2	1
ON 2+00W	21	92	.1	2	2	2
ON 1+50W	25	102	.1	2	2	1
ON 1+00W	21	81	.2	2	2	1
ON 0+50W	19	106	.3	2	2	1
ON 0+00BL	10	102	.3	2	2	1
22E 15+00N	16	51	.3	3	2	2
22E 14+50N	22	61	.1	2	2	1
22E 14+00N	15	46	.1	4	2	2
22E 13+50N	20	54	.1	3	2	7
22E 13+00N	12	65	.1	2	2	1
22E 12+50N	14	56	.1	2	2	1
22E 12+00N	14	41	.1	2	2	1
22E 11+50N	10	48	.1	2	2	1
22E 10+50N	11	42	.1	2	2	2
STD C/AU-S	39	132	7.4	38	17	47

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
<i>P-20 MESH, PULVERIZED</i>						
87-2G-4B-5001 P	29	89	.9	2	2	1
87-2G-4B-5002 P	17	64	.9	2	2	6
87-2G-4B-5003 P	20	67	.2	3	2	1
87-2G-4B-5004 P	14	62	.1	2	2	2
87-2G-4B-5005 P	17	60	.1	3	2	1
87-2G-4B-5006 P	8	66	.2	4	2	3
87-2G-4B-5007 P	15	58	.2	2	2	2
87-2G-4B-5008 P	11	55	.1	3	2	2
87-2G-4B-5009 P	6	45	.1	3	2	1
87-2G-4B-5010 P	6	63	.1	4	2	1
87-2G-4B-5011 P	11	54	.1	2	2	1
87-2G-4B-5012 P	6	50	.1	3	2	2
87-2G-4B-5013 P	10	48	.1	2	2	1
87-2G-4B-5014 P	8	54	.1	3	2	1
87-2G-4B-5015 P	8	61	.1	2	2	1
87-2G-4B-5016 P	9	56	.1	4	2	1
87-2G-4B-5017 P	5	58	.2	2	2	1
87-2G-4B-5018 P	9	55	.1	2	2	3
87-2G-4B-5019 P	10	50	.1	2	2	2
87-2G-4B-5020 P	15	52	.1	3	2	6
87-2G-4B-5021 P	8	57	.1	2	2	1
87-2G-4C-5001 P	9	57	.1	2	2	2
87-2G-4C-5002 P	8	56	.1	2	2	1
87-2G-4C-5003 P	13	57	.1	3	2	3
87-2G-4C-5004 P	14	61	.1	4	2	3
87-2G-4C-5005 P	13	59	.1	2	2	4
87-2G-4C-5006 P	14	66	.1	6	2	2
87-2G-4C-5007 P	16	65	.2	2	2	1
87-2G-4C-5008 P	16	65	.1	3	2	1
87-2G-4C-5009 P	18	65	.1	2	2	44
87-2G-4C-5010 P	25	73	.1	2	2	2
87-2G-4C-5011 P	22	70	.2	2	2	1
87-2G-4C-5012 P	27	70	.1	2	2	1
87-2G-4C-5013 P	22	68	.1	5	2	3
87-2G-4C-5014 P	19	64	.1	5	2	1
87-2G-4C-5015 P	21	65	.1	4	2	1
STD C/AU-S	38	131	7.0	38	17	53

SAMPLE#	PB PPM	ZN PPM	AG PPM	AS PPM	SB PPM	AU* PPB
87-26-4C-5016 P	18	54	.1	2	2	3
87-26-4C-5017 P	19	50	.2	2	2	3
87-26-4C-5018 P	19	56	.1	2	2	1
87-26-4C-5019 P	19	56	.1	2	2	2
87-26-4C-5020 P	20	55	.1	2	2	1
87-26-4C-5021 P	16	58	.1	2	2	1
87-26-4C-5022 P	21	60	.1	2	2	1
87-26-4C-5023 P	19	67	.1	3	2	2
87-26-4C-5024 P	19	56	.2	2	2	1
87-26-4C-5025 P	23	58	.1	2	2	2
87-26-4C-5026 P	22	57	.2	3	2	1
87-26-4C-5027 P	16	58	.1	3	2	4
87-26-4C-5028 P	14	52	.2	4	2	1
87-26-4C-5029 P	19	49	.3	4	2	1
87-26-4C-5030 P	18	67	.1	2	2	1

STD C/AU-S	42	131	7.6	40	17	48
------------	----	-----	-----	----	----	----