

105 A 15

PROSPECTUS  
CONFIDENTIAL X  
OPEN FILE

MINING DISTRICT: Watson Lake  
TYPE OF WORK: Diamond Drilling

091987

REPORT FILED UNDER:	Morengo Resources Inc.		
DATE PERFORMED:	August/September 1987	DATE FILED:	December 2, 1987
LOCATION: LAT.:	60°58'40"N	AREA:	
LONG.:	128°48'54"W	VALUE \$:	4,500.00
CLAIM NAME & NO.:	QUEEN 1-2	YA 84513-84514	
	QUEEN 3-7	YA 91228-91232	
	QUEEN 19-20	YA 54831-54832	


WORK DONE BY:	Wayne Waters
WORK DONE FOR:	Morengo Resources Inc.

DATE TO GOOD STANDING	REMARKS:
	#11 NOTT



Indian and Northern  
Affairs Canada

Affaires indiennes  
et du Nord Canada



M.R. file no.
R.M.M.R. file no.
Date forwarded 4 Dec 87

TRANSMITTAL FORM

From Mining Recorder at: WATSON LAKE.

To Regional Manager, Mineral Rights at Whitehorse, Y.T.

For action are:

NEW APPLICATION FOR PLACER LEASE TO PROSPECT

Name

RENEWAL APPLICATION PLACER LEASE TO PROSPECT

Name

Lease no.

AFFIDAVIT OF EXPENDITURE ON PLACER LEASE

Name

Lease no.

SECURITY DEPOSIT

FINANCIAL ABILITY

ASSIGNMENT OF PLACER LEASE NO.

From

To

GROUPING APPLICATION UNDER SEC. 52(2) PLACER MINING ACT.

Owner

DIAMOND DRILL LOGS

Claims

Claim sheet no.

QUEEN 1-2, 8-12, 19, 20

105-A-15

QUARTZ ASSESSMENT REPORT

Claims

Claim sheet no.

Type of report

Submitted by

Geochemical

Wendy Rose

Cls. work performed on

\$ req. for ren. application

4500.00

Signature

Date returned

~~9 Dec 87~~

REPLY ACTION


**091987**

Signature



Indian and Northern  
Affairs Canada

Affaires indiennes  
et du Nord Canada



3 December, 1987

Your file    Votre référence

Our file    Notre référence

340-13-3

DIRECTOR GENERAL, YUKON REGION

ATTENTION: REGIONAL MANAGER MINERAL RIGHTS

RESTRICTED

Enclosed are Diamond Drill Logs etc., submitted by Morengo Resources Inc. for assessment on the QUEEN mineral claims located on 105-A-15.

Drilling was as follows.

DDH # 1	QUEEN 20	303 Feet
DDH # 2	QUEEN 20	303 Feet
DDH # 3	QUEEN 20	164 Feet
DDH # 4	QUEEN 20	226 Feet
DDH # 5	QUEEN 20	165 Feet

1,161 Feet

Assessment credit requested is \$ 4,500.00. We have requested the location of the drill core and will advise when we receive this information.


Yours truly,

Patti L. McLeod  
Mining Recorder  
Watson Lake Mining District  
P. O. Box 269  
Watson Lake, Yukon  
Y0A 1C0


NJM

cc: Regional Manager, Geological Services  
encl.(s)

Canada



TRANSMITTAL FORM



M.R. file no.  
 R.M.M.B. file no.  
 Date forwarded  
*January 2 1988 To 6:30 PM To 6:30 PM*

From Mining Recorder at **WATSON LAKE**  
 To Regional Manager, Mineral Rights at Whitehorse, Y.T.

For action are:

NEW APPLICATION FOR PLACER LEASE TO PROSPECT Name

RENEWAL APPLICATION PLACER LEASE TO PROSPECT Name Lease no.

AFFIDAVIT OF EXPENDITURE ON PLACER LEASE Name Lease no.

SECURITY DEPOSIT

FINANCIAL ABILITY

ASSIGNMENT OF PLACER LEASE NO. From To

GROUPING APPLICATION UNDER SEC. 52(2) PLACER MINING ACT. Owner

DIAMOND DRILL LOGS Claims **DRILL LOG LOCATION** Claim sheet no. **105-A-15**

QUARTZ ASSESSMENT REPORT Claims **to accompany logs on Queen claims** Claim sheet no.

Type of report Submitted by

Cls. work performed on \$ req. for ren. application

*[Signature]*  
 Signature

REPLY ACTION

Date returned

09 1988

Signature

MORENGO RESOURCES INC.


Dec. 15, 1987.

Patti McLeod,  
Mining Recorder,  
Watson Lake Mining District,  
P.O. Box 269,  
Watson Lake, Yukon,  
YQA 1C0.

Dear: Ms. McLeod:

Further to your letter of December 3, 1987, regarding the location of the drill core from the 1987 field season. The core is located on the claims, ie claims number 20. If any additional information is required please contact me at the following location.

Yours truly,

  
Wayne Waters,  
410-475 Howe St.,  
Vancouver, B.C.,  
V6C 2B3.

081887



ASSESSMENT REPORT ON THE QUEEN CLAIMS  
WATSON LAKE MINING DISTRICT  
YUKON TERRITORY

LOCATION

N.T.S.: 105 - A - 15  
LATITUDE: 60° 58' 40" N  
LONGITUDE: 128° 48' 54" N

PREPARED FOR

MORENGO RESOURCES INC.  
410-475 HOWE STREET  
VANCOUVER, BRITISH COLUMBIA V6C 2B3

PREPARED BY

WAYNE WATERS BSc. GEOLOGY  
3756 WEST BROADWAY  
VANCOUVER, BRITISH COLUMBIA V6R 2C1

NOVEMBER 15, 1987

091987




TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY-----	1
INTRODUCTION-----	2
LOCATION AND ACCESS-----	2
TOPOGRAPHY AND VEGETATION-----	2
PROPERTY DEFINITION-----	2
FIGURE 1-----	3
FIGURE 2-----	4
REGIONAL GEOLOGY-----	5
PROPERTY GEOLOGY-----	5
MINERALIZATION OF QUEEN CLAIMS-----	5
FIGURE 3-----	6
FIGURE 4-----	7
DIAMOND DRILLING ON QUEEN CLAIMS-----	8
GEOCHEMICAL SURVEY-----	8
CONCLUSIONS-----	8
FIGURE 5-----	9
FIGURE 5A-----	10
FIGURE 6-----	11
DIAMOND DRILL LOGS	
VANGEOCHEM ASSAY RESULTS FOR DRILL CORE AND GEOCHEM SAMPLES	
LIST OF CAPITAL EXPENDITURES FOR 1987 FIELD SEASON	

## SUMMARY

The Queen Claims consisting of the Queen 1 to 12, Queen 19 and 20 covers about 725 acres situated about 80 kilometers north of Watson Lake, Yukon Territory, or about 15 kilometers east along the Cantung Highway from the Miners Junction, Yukon Territory.

The Queen Claims are reached by a 9.6 kilometer road that is located 3.2 kilometers west of the Long Creek bridge. A 4x4 road takes off from the Cantung Highway at this point.

The Queen Claims are situated in the Watson Lake Mining District with the claim records kept in Watson Lake and Whitehorse.

A work program of trenching, geochemical survey and diamond drilling was carried out on the Queen Claims during August and September 1987.

The work program was carried out at the recommendation of Dr. Peter Christopher company consultant in his report of August 15, 1986.

During this work program a total expenditure of \$82,443.75 was spent on Diamond drilling, assaying, geological work, trenching and road work and helicopter supply.

## INTRODUCTION

The Queen Claims, consisting of 14 two post claims, is situated about 80 Kilometers north of Watson Lake, Yukon Territory, or approximately 15 kilometers east of Miners Junction, Yukon Territory. The claims can now be reached by a 4x4 road which leads off to the north at a point 3.2 kilometers west of the Long Creek bridge. Diamond drilling, trenching, and a geochemical survey were carried out during August and September 1987.

## LOCATION AND ACCESS (figure 1 & 2)

The Queen Claims are situated about 80 kilometers north of Watson Lake, Yukon Territory. A 4x4 road leads off the Cantung Highway approximately 3.2 kilometers west of the Long Creek bridge. The 4x4 cat road goes in a northerly direction for approximately 3 kilometers and then to the left in a north westerly direction to the Queen Claims. Although the access road passes through some wet swampy areas the road served the purpose for the 1987 work program.


## TOPOGRAPHY AND VEGETATION


Elevations on the property range from approximately 4400 feet to 5500 feet with most of the property having moderate relief.

Vegetation on the Queen Claims is above the tree line, but scrub alpine evergreen are common on the property.

## PROPERTY DEFINITION (Figure 2)

The Queen Claims consisting of 14 two post claims covers an area of about 725 acres in the Watson Lake Mining District, Yukon Territory. The claim location presented in Figure 2 is from the government claim map N.T.S. 105-A-15 and represents an accurate location of the Queen Claims.





Contours at 500 ft. interval

MORENGO RESOURCES INC.	
QUEEN CLAIMS CLAIM MAP	
WATSON LAKE, YUKON	
SCALE 1:31,680	
N.T.S. 105 A - 15	DATE :
DRAWN BY: P.A.C	FIGURE NO 2

### REGIONAL GEOLOGY (figure 3)

The regional geology of the area of the Queen Claims has been mapped by Roots, Green, Roddick and Blusson and Gabrielse (1966) for the Geological Survey of Canada. Parts of the Watson Lake map sheet (Map 19-1966) and Frances Lake map sheet (Map 6-1966) have been compiled to show the regional geology of the Queen Claims (figure 3) The property is underlain by part of a northerly trending Cretaceous Batholith with dimensions of approximately 30 by 60 miles. The batholith intrudes and metamorphoses Proterozoic and Paleozoic sedimentary rocks. Pleistocene and recent glacial and alluvial deposits cover all valleys. Scree and talus of unmineralized granodiorite, quartz monzonite and biotite rich granite covers most of the area. The scree and talus has been covered with alpine caribou moss.

### PROPERTY GEOLOGY (figure 4)

The Queen Claims are underlain by Granite rocks with a suite of rocks ranging from granite to granodiorite to quartz monzonite to biotite rich granite. The rocks on the Queen 19 and 20 are intensely altered with alteration minerals present such as epidote and K Feldspar. An unknown blue green mineral was noted in the drill core.


There appears to be 3 sets of fracturing on the property, the first set strikes north-south and dips 80 degrees to the west, the second set strikes east-west and dips 45 degrees to the south, the third set is flat lying, in other words there appears to be a box work type of fracturing.


### MINERALIZATION OF QUEEN CLAIMS

The only rock types noted on the Queen Claims were a suite of granite rocks ranging from granite to granodiorite to quartz monzonite to biotite rich granite. The mineralization noted on the surface mineralized zone and in the drill core was of two types.

Firstly, the three sets of fractures were all mineralized in all cases with galena, chalcopyrite and pyrite. Secondly, disseminated galena, chalcopyrite and pyrite was noted in surface rocks and drill core.


The work program carried out during the 1987 field season was inconclusive and additional work will have to take place at a future date.





60°59'

128° 50'



40 - fracture pattern  
granite, granodiorite type rock



MORENGO RESOURCES INC.	
QUEEN CLAIMS CLAIM MAP	
WATSON LAKE, YUKON	
SCALE 1:31,680	
0 2 KM.	
N.T.S. 105 A - 15	DATE:
DRAWN BY: P & C	SIGNED: H. B. C.

Contours at 500 ft. interval

### DIAMOND DRILLING ON QUEEN CLAIMS (figures 5 and 5A)

Diamond drilling commenced on the Queen Claims September 7, 1987 and concluded September 26, 1987. During this period 5 BQ wireline diamond drill holes totalling 1161 feet were completed.

Diamond drill holes 1 and 2 were drilled from the same set up. The number 1 set up was chosen because this was the discovery zone and the only area with visible mineralization.

Diamond drill hole number 1 was drilled N23E at -45, Diamond drill hole 2 was drilled N23E at -80.

Diamond drill holes 3,4 and 5 were drilled from the same set up. Diamond drill hole 3 was drilled N23E at -80, Diamond drill hole 4 was drilled N23E at -45 and diamond drill hole 5 was drilled at N53E at -45.

Diamond drill holes 1-5

DDH # 1 N23E at -45 303 feet

DDH # 2 N23E at -80 303 feet

DDH # 3 N23E at -80 164 feet

DDH # 4 N23E at -45 226 feet



DDH # 5 N53E at -45 165 feet

### GEOCHEMICAL SURVEY (figure 6)



A small geochemical survey was completed over the area where diamond drilling and the mineralized showing were located. A total of 26 samples were taken at 100 foot spacings. Samples were assayed for Silver, copper, lead and zinc. Only two samples show any anomalous readings. Future geochemical work will be expanded over a larger area to see if the two anomalous sample readings are significant.

### CONCLUSIONS

The 1987 field season work has been completed. The work to date has shown the presence of a very interesting low grade mineralized zone. Additional work consisting of diamond drilling, trenching, geochemistry, and geophysics will be undertaken in the future in order to try and locate the source of the low grade mineralization.



MORENGO RESOURCES INC.	
QUEEN CLAIMS	
DRILL HOLE PLAN	
WATSON LAKE, YUKON	
N.T.S. 105A-15	DATE. Nov. 1987
DRAWN. J.W.	FIGURE. 5




MORENGO RESOURCES INC.

QUEEN CLAIMS  
D.D.H. SECTION

WATSON LAKE, YUKON


N.T.S.	105A-15	DATE.	Nov. 1987
DRAWN.	J.W.	FIGURE.	5A



-11-

ASSAY SEQUENCE

1	Ag
21	Cu
110	Pb
114	Zn



MORENGO RESOURCES INC.	
QUEEN CLAIMS	
<b>GEOCHEM SURVEY</b>	
WATSON LAKE, YUKON	
N.T.S. 105A-15	DATE. Nov. 1987
DRAWN J.W.	FIGURE. 6

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 1

PROPERTY QUEEN CLAIMS

SHEET NUMBER No. 1

SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_

STARTED Sept. 7, 1987

LATITUDE 60 58' 40"N

DATUM \_\_\_\_\_

COMPLETED Sept 10, 1987

DEPARTURE \_\_\_\_\_

BEARING N 23 E

ULTIMATE DEPTH 303 feet

ELEVATION 5200 feet+or-

DIP -45

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
0-13	90%	Broken ground, altered granodiorite minor sulphides	155B	13'	5.1ppm	21ppm	324ppm	250ppm						
		shearing appears to be 40 degrees to C.A.												
13-23	100%	Altered granodiorite, abundant feldspar, minor sulphides	156B	5'	6.6ppm	65ppm	540ppm	300ppm						
23-28	100%	Altered Granodiorite, minor epidote and feldspar minor sulphides	157B	5'	22.0ppm	83ppm	1700ppm	400ppm						
28-33	100%	Altered Granodiorite, minor sulphides shearing 70 degrees to C.A.	158B	5'	6.2ppm	69ppm	330ppm	300ppm						
33-38	100%	Altered Granodiorite, minor sulphides shearing 70 degrees to C.A. minor epidote	159B	5'	33ppm	240ppm	3350ppm	1700ppm						
38-43	100%	Altered Granodiorite, minor sulphides shearing 70 degrees to C.A.	160B	5'	70ppm	2560ppm	1800ppm	2350ppm						
43-48	100%	Altered Granodiorite, Minor sulphides shearing 67 degrees to C.A. Mineralized shears appear to be 20 degrees to C.A.	161B	5'	10ppm	500ppm	360ppm	1180ppm						
48-53	100%	Altered Granodiorite, Minor sulphides minor calcite veinlets	162B	5'	26ppm	340ppm	1840ppm	1390ppm						

calcite veinlets

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 1

PROPERTY QUEEN CLAIMS

SHEET NUMBER 2 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_  
 LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_  
 ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
53-58	100%	Altered Granodiorite, Minor sulphides, abundant biotite minor pyrite in veinlets	163B	5'	37ppm	1320ppm	2600ppm	2270ppm						
58-63	100%	Altered Granodiorite, Minor sulphides minor calcite veinlets, signifigant shear at 60' 40 degrees to C.A.												
63-68	100%	Altered Granodiorite, pink granite(k Feldspar?) at 63-64.5' Minor sulphides	164B	5'	8.4ppm	86ppm	560ppm	270ppm						
68-73	100%	Altered Granodiorite, Minor sulphides, molted granite, shearing appears to be 70 degrees to C.A.	165B	5'	9.2ppm	215ppm	420ppm	290ppm						
73-78	100%	Altered Granodiorite (green colored) minor sulphides at 75' shear 55 degrees to C.A.	166B	5'	40ppm	250ppm	2050ppm	1490ppm						
78-83	100%	Altered Granodiorite, Minor sulphides shearing appears to be 70 degrees to C.A. minor calcite veinlets at 79'	167B	5'	37ppm	295ppm	2400ppm	1450ppm						
83-88	100%	Altered Granodiorite, Minor sulphides, signifigant shear at 85' 10 degrees to C.A.	168B	5'	63ppm	5900ppm	7000ppm	3430ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 1

PROPERTY Queen Claims

SHEET NUMBER No. 3 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_  
 LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_  
 ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
88-93	100%	Altered Granodiorite, Minor sulphides shearing 30 degrees to C.A. Minor calcite stringers at 85' abundant k Feldspar at 90-93'	169B	5'	24ppm	385ppm	2400ppm	1500ppm						
93-98	100%	Altered Granodiorite, Minor sulphides minor epidote at 94'	170B	5'	2.8ppm	114ppm	530ppm	220ppm						
98-103	100%	Altered Granodiorite, Minor sulphides shearing 30 degrees to C.A.	171B	5'	3ppm	98ppm	187ppm	205ppm						
103-108	100%	Altered Granodiorite, Minor sulphides epidote mineralization present from 106-108 feet	172B	5'	9.1ppm	58ppm	960ppm	350ppm						
108-113	100%	Altered Granodiorite, Minor sulphides epidote mineralization 108-109 shearing 30 degrees to C.A.	173B	5'	2.6ppm	68ppm	310ppm	215ppm						
113-118	100%	Altered Granodiorite, Minor sulphides, abundant biotite, shearing 30 degrees to C.A.	174B	5'	17ppm	590ppm	1260ppm	220ppm						
118-123	100%	Altered Granodiorite, Minor sulphides veining of sulphides appears to be either flat or 40 degrees to C. A.	175B	5'	40ppm	1780ppm	1950ppm	1680ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 1

PROPERTY Queen Claims

SHEET NUMBER No. 4 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_  
 LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_  
 ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
123-128	100%	Altered Granodiorite, minor sulphides at 128 feet abundant K Feldspar	974B	5'	135ppm	4500ppm	5600ppm	0000ppm						
128-133	100%	Altered Granodiorite, minor sulphides shearing appears to be healed with epidote	975B	5'	3.7ppm	160ppm	180ppm	250ppm						
133-138	100%	Altered Granodiorite, minor sulphides K feldspar throughout section	976B	5'	6.9ppm	650ppm	840ppm	860ppm						
138-143	100%	Altered Granodiorite, Minor sulphides manganese stain present	977B	5'	.2ppm	26ppm	17ppm	85ppm						
143-148	100%	Altered Granodiorite, minor sulphides shearing 30 degrees to C.A.	978B	5'	.3ppm	54ppm	42ppm	106ppm						
148-153	100%	Altered Granodiorite, minor sulphides shearing 30 degrees to C.A.	979B	5'	.1ppm	13ppm	18ppm	58ppm						
153-158	100%	Altered Granodiorite, minor sulphides shearing 40 degrees to C.A.	980B	5'	.6ppm	37ppm	20ppm	62ppm						
158-163	100%	Altered Granodiorite, minor sulphides K Feldspar from 157-158	981B	5'	.7ppm	78ppm	64ppm	87ppm						





# DIAMOND DRILL RECORD,

HOLE NO. DDH # 2

PROPERTY Queen Claims

SHEET NUMBER No. 1

SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_

STARTED Sept 10, 1987

LATITUDE 60 58' 40"N

DATUM \_\_\_\_\_

COMPLETED Sept 13, 1987

DEPARTURE \_\_\_\_\_

BEARING N23E

ULTIMATE DEPTH 303 feet

ELEVATION 5200 feet + or -

DIP -80

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
13-18	100%	Altered Granodiorite, shearing various angles( broken zone?) Minor mineralization	983B	5'	7.6ppm	26ppm	520ppm	805ppm						
18-23	100%	Altered Granodiorite, Minor mineralization	984B	5'	7ppm	26ppm	31ppm	70ppm						
23-28	100%	Altered Granodiorite, Minor mineralization, K Feldspar present at 27 feet	985B	5'	20ppm	243ppm	1140ppm	890ppm						
28-33	100%	Altered Granodiorite, Minor mineralization, shearing appears to be flat	986B	5'	7.5ppm	32ppm	580ppm	225ppm						
33-38	100%	Altered Granodiorite, Minor mineralization, shearing 70 degrees to C.A.	987B	5'	4.9ppm	20ppm	320ppm	240ppm						
38-43	100%	Altered Granodiorite, Minor mineralization, pyrite present at 43'	988B	5'	14ppm	20ppm	740ppm	845ppm						
43-48	100%	Altered Granodiorite, Minor mineralization, abundant biotite in section shearing 80 degrees to C.A.	989B	5'	57ppm	10ppm	2600ppm	220ppm						
48-53	100%	Altered Granodiorite, minor mineralization, abundant biotite, dyke or highly altered zone at 51.5'	990B	5'	4.3ppm	6ppm	235ppm	52ppm						
53-58	100%	Altered Granodiorite, minor mineralization, abundant	991B	5'	2ppm	2ppm	16ppm	43ppm						





# DIAMOND DRILL RECORD,

HOLE NO. DDH # 3

PROPERTY Queen Claims

SHEET NUMBER No. 1

SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_

STARTED Sept 14, 1987

LATITUDE 60 58' 40"N

DATUM \_\_\_\_\_

COMPLETED Sept 17, 1987

DEPARTURE \_\_\_\_\_

BEARING N 23 E

ULTIMATE DEPTH 164 feet

ELEVATION 5200 + or -

DIP -80

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
0-13	50%	Altered granodiorite, minor mineralization ground badly broken, shearing 90 degrees to C.A.	994B	13'	1ppm	56ppm	40ppm	90ppm						
13-18	100%	Altered granodiorite, minor mineralization shearing 90 degrees to C.A. or shears are flat lying.	995B	5'	33ppm	112ppm	1460ppm	380ppm						
18-23	100%	Altered granodiorite, shearing 90 degrees to C.A., also appears as though mineralization disseminated	996B	5'	4.7ppm	39ppm	265ppm	230ppm						
23-28	100%	Altered granodiorite, minor mineralization, shearing 30 and 90 degrees to C.A.	997B	5'	3.9ppm	74ppm	460ppm	210ppm						
28-33	100%	Altered granodiorite, minor mineralization, shearing 30 degrees to C.A.	998B	5'	7.3ppm	45ppm	610ppm	208ppm						
33-38	100%	Altered granodiorite, minor mineralization, shearing 30 degrees, 15-20 degrees to C.A.	999B	5'	2.4ppm	40ppm	162ppm	126ppm						
38-43	100%	Altered granodiorite, minor mineralization, shears are 15-30 and 90 degrees to C.A.	940B	5'	15ppm	215ppm	1020ppm	330ppm						
48-53	100%	Altered granodiorite, minor mineralization, shears are 15-20 and 90 degrees to C.A.	01	5'	2.5ppm	28ppm	146ppm	145ppm						



# DIAMOND DRILL RECORD,

HOLE NO. DDH # 3

PROPERTY Queen claims

SHEET NUMBER No. 3 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_

LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_

DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_

ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS				
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.	
133-143	100%	Altered biotite rich granite													
143-153	100%	Altered biotite rich granite													
153-164	100%	Altered biotite rich granite													

shearing appears to be 90 degrees to C.A.



# DIAMOND DRILL RECORD,

HOLE NO. DDH # 4

PROPERTY Queen Claims

SHEET NUMBER No. 1

SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_

STARTED Sept 19, 1987

LATITUDE 60 58' 40" N

DATUM \_\_\_\_\_

COMPLETED Sept 23, 1987

DEPARTURE \_\_\_\_\_

BEARING N 23 E

ULTIMATE DEPTH 226 feet

ELEVATION 5200 + or -

DIP -45

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
0-33	poor	Altered granodiorite, ground badly broken, minor mineralization	no.4	33'	2.2ppm	49ppm	90ppm	160ppm						
33-38	100%	Altered granodiorite, minor mineralization, epidote stringers at 36 feet, shears 45 degrees to C.A.	no. 5	5'	1.5ppm	122ppm	56ppm	358ppm						
38-43	100%	Altered granodiorite, minor mineralization, ground badly broken at 38-40 feet, shears 20 degrees to C.A.	no.6	5'	4ppm	148ppm	740ppm	293ppm						
43-48	100%	Altered granodiorite, minor mineralization, shears 30 degrees to C.A.	no.7	5'	2.5ppm	123ppm	350ppm	320ppm						
48-53	100%	Altered granodiorite, minor mineralization, shears 70 degrees to C.A.	no.8	5'	7.4ppm	107ppm	1000ppm	400ppm						
53-58	100%	Altered granodiorite, minor mineralization, light colored dyke 55-56 feet, shears 30 degrees to C.A.	no.9	5'	61ppm	4200ppm	5100ppm	3000ppm						
58-63	100%	Altered granodiorite, minor mineralization, 61 feet large shear 20 degrees to C.A.	no.10	5'	11.4ppm	375ppm	1620ppm	1250ppm						
63-68	100%	Altered granodiorite, minor mineralization, epidote mineralization present throughout	no.11	5'	1.4ppm	57ppm	175ppm	146ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 4

PROPERTY Queen Claims

SHEET NUMBER No. 2 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_  
 LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_  
 ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
8-73	100%	Altered granodiorite, minor mineralization, shears 30 and 70 degrees to C.A.	no. 12	5'	.7ppm	26ppm	100ppm	134ppm						
13-78	100%	Altered granodiorite, minor mineralization, shears 20 and 30 degrees to C.A.	no. 13	5'	.6ppm	56ppm	93ppm	95ppm						
78-83	100%	Altered granodiorite, minor mineralization, shears 30 degrees to C.A.	no. 14	5'	.7ppm	25ppm	190ppm	110ppm						
83-88	100%	Altered granodiorite, minor mineralization, at 88 feet large shear 10 degrees to C.A.	no. 15	5'	1.7ppm	17ppm	300ppm	185ppm						
88-93	100%	Altered granodiorite, minor mineralization, shears 20 and 90 degrees to C.A.	no. 16	5'	.8ppm	32ppm	530ppm	370ppm						
93-98	100%	Altered granodiorite, minor mineralization shears 30 degrees to C.A.	no. 17	5'	.2ppm	22ppm	17ppm	50ppm						
98-103	100%	Altered granodiorite, minor mineralization shears 20 and 90 degrees to C.A.	no. 18	5'	3.1ppm	40ppm	510ppm	340ppm						
103-108	100%	Altered granodiorite, minor mineralization	no. 19	5'	3.6ppm	83ppm	1440ppm	1020ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 4

PROPERTY Queen Claims

SHEET NUMBER No. 3 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_

LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_

DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_

ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
08-113	100%	Altered granodiorite, minor mineralization	no.20	5'	1.4ppm	59ppm	275ppm	260ppm						
13-118	100%	Altered granodiorite, minor mineralization, shears 90 degrees to C.A.	no.21	5'	.5ppm	74ppm	78ppm	128ppm						
18-123	100%	Altered granodiorite, minor mineralization	no.22	5'	4.2ppm	600ppm	700ppm	395ppm						
123-128	100%	Altered granodiorite, minor mineralization	no.23	5'	nd	20ppm	20ppm	54ppm						
28-133	100%	Altered granodiorite, minor mineralization	no.24	5'	nd	16ppm	18ppm	56ppm						
133-138	100%	Altered granodiorite, minor mineralization shears 90 degrees to C.A.	no.25	5'	nd	40ppm	22ppm	62ppm						
138-143	100%	Altered granodiorite, minor mineralization, shears 90 degrees to C.A. occasional cubes of pyrite	no.26	5'	nd	34ppm	21ppm	51ppm						
143-148	100%	Altered granodiorite, minor mineralization, oxide stain in granite	no.27	5'	.9ppm	29ppm	67ppm	67ppm						
148-153	100%	Altered granodiorite, minor mineralization, broken zone at 153 feet	no.28	5'	1.5ppm	88ppm	165ppm	146ppm						
153-158	100%	Altered granodiorite, minor mineralization oxide stain at 155 calcite veinlets present at 157-158	no.29	5'	1.2ppm	18ppm	62ppm	62ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH #4

PROPERTY Queen Claims

SHEET NUMBER No. 4 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_

LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_

DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_

ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
158-163	100%	Altered granodiorite, minor mineralization large shear at 162 45 degrees to C.A.	no. 30	5'	1.5ppm	17ppm	50ppm	55ppm						
163-168	100%	Altered granodiorite, minor mineralization oxide stain on shears 90 degrees to C.A.	no.31	5'	.2ppm	17ppm	78ppm	63ppm						
168-173	100%	Altered granodiorite, minor mineralization 1/8 " shears 90 degrees to C.A. K Feldspar present	no.32	5'	1.1ppm	23ppm	110ppm	103ppm						
173-178	100%	Altered granodiorite, minor mineralization shears 45 and 90 degrees to C.A.	no.33	5'	1.6ppm	18ppm	127ppm	120ppm						
178-183	100%	Altered granodiorite, minor mineralization at 178 feet shear parallel to C.A.	no.34	5'	nd	7ppm	18ppm	50ppm						
183-188	100%	Altered granodiorite, minor mineralization, fresh granite 185-186 dyke? shears 20 and 80 degrees to C.A.	no.35	5'	nd	13ppm	39ppm	56ppm						
188-193	100%	Fresh granite, minor mineralization	no.36	5'	.1ppm	8ppm	32ppm	53ppm						
193-198	100%	Fresh granite, minor mineralization, shear 90 degrees to C.A.	no.37	5'	.2ppm	10ppm	33ppm	58ppm						



# DIAMOND DRILL RECORD,

HOLE NO. DDH # 5

PROPERTY Queen Claims

SHEET NUMBER No. 1

SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_

STARTED Sept 24, 1987

LATITUDE 60 58' 40"N

DATUM \_\_\_\_\_

COMPLETED Sept 26, 1987

DEPARTURE \_\_\_\_\_

BEARING N 53 E

ULTIMATE DEPTH 165 feet

ELEVATION 5200 feet + or -

DIP -45

PROPOSED DEPTH \_\_\_\_\_

DEPTH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
0-13	50%	Altered Granodiorite, minor mineralization, ground	no.39	13'	8.1ppm	74ppm	250ppm	163ppm						
		badly broken												
13-18	100%	Altered granodiorite, minor mineralization, fractures	no.40	5'	17ppm	93ppm	1250ppm	863ppm						
		appear to be filled with sulphides.												
18-23	100%	Altered granodiorite, minor mineralization, fracturing	no.41	5'	4.5ppm	30ppm	780ppm	386ppm						
		45degrees to C.A.												
23-28	100%	Altered granodiorite, minor mineralization, ground	no.42	5'	1.6ppm	31ppm	255ppm	275ppm						
		badly broken												
28-33	100%	Altered granodiorite, minor mineralization, dark	no.43	5'	8.2ppm	71ppm	1270ppm	1300ppm						
		green altered mineral, shears various angles to C.A.												
33-38	100%	Altered granodiorite, minor mineralization, shearing	no.44	5'	6.6ppm	58ppm	990ppm	350ppm						
		parallel to C.A. 70 and 90 degrees to C.A.												
38-43	100%	Altered granodiorite, minor mineralization	no.45	5'	.2ppm	16ppm	116ppm	95ppm						
43-48	100%	Altered granodiorite, minor mineralization, shears	no.46	5'	1.8ppm	91ppm	480ppm	230ppm						
		70 and 90 degrees to C.A.												
48-53	100%	Altered granodiorite, Minor mineralization	no.47	5'	6.3ppm	610ppm	1400ppm	380ppm						

# DIAMOND DRILL RECORD,

HOLE NO. DDH # 5

PROPERTY Queen Claims

SHEET NUMBER No. 2 SECTION FROM \_\_\_\_\_ TO \_\_\_\_\_ STARTED \_\_\_\_\_  
 LATITUDE \_\_\_\_\_ DATUM \_\_\_\_\_ COMPLETED \_\_\_\_\_  
 DEPARTURE \_\_\_\_\_ BEARING \_\_\_\_\_ ULTIMATE DEPTH \_\_\_\_\_  
 ELEVATION \_\_\_\_\_ DIP \_\_\_\_\_ PROPOSED DEPTH \_\_\_\_\_

EPH FEET	CORE RECOV	DESCRIPTION	CORE SAMPLE NO.	FOOTAGE	CORE ASSAYS				SLUDGE SAMPLE		SLUDGE ASSAYS			
					AG.	CU.	PB.	ZN.	NO.	FOOTAGE	AG.	CU.	PB.	ZN.
3-58	100%	Altered Granodiorite, minor mineralization, shears 20 and 70 degrees to C.A.	no.48	5'	4ppm	205ppm	55ppm	112ppm						
8-63	100%	Altered granodiorite, minor mineralization, at 60' minor calcite mineralization shears 60 degrees to C.A.	no.49	5'	.3ppm	20ppm	280ppm	58ppm						
3-68	100%	Altered granodiorite, minor mineralization,	no.50	5'	1.6ppm	16ppm	395ppm	44ppm						
8-73	100%	Altered granodiorite, minor mineralization, red mineral (Kfeldspar?)	no.51	5'	.2ppm	11ppm	24ppm	46ppm						
3-78	100%	Altered granodiorite, minor mineralization, large shear at 74 feet 85 degrees to C.A.	no.52	5'	1ppm	14ppm	70ppm	85ppm						
8-83	100%	Altered granodiorite, minor mineralization, at 81.5 feet stringers of epidote which are 75 degrees to C.A.	no.53	5'	nd	16ppm	15ppm	50ppm						
3-88	100%	Altered granodiorite, minor mineralization, shears 85 degrees to C.A.	no.54	5'	.1ppm	9ppm	20ppm	40ppm						
8-93	100%	Altered granodiorite, minor mineralization	no.55	5'	1ppm	13ppm	650ppm	240ppm						
3-98	100%	Altered granodiorite, minor mineralization shears 85degrees to C.A.	no.56	5'	.1ppm	5ppm	20ppm	40ppm						





# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 906-5211 TELEX: 04-352578

BRANCH OFFICE  
1830 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 871375 GA

JOB NUMBER: 871375

MORENGO RES. INC.

PAGE 1 OF 2

SAMPLE #	Cu	Pb	Zn	Ag
	ppm	ppm	ppm	ppm
0155 B	21	324	250	5.1
0156 B	65	540	300	6.6
0157 B	83	1700	400	22.0
0158 B	69	830	300	6.2
0159 B	240	3350	1700	33.0
0160 B	2560	1880	2350	70.0
0161 B	600	860	1180	10.0
0162 B	340	1840	1390	26.0
0163 B	1320	2600	2270	37.0
0164 B	86	560	270	8.4
0165 B	215	420	290	9.2
0166 B	250	2050	1490	40.0
0167 B	295	2400	1450	37.0
0168 B	5900	7000	3430	63.0
0169 B	385	2400	1500	24.0
0170 B	114	530	220	2.8
0171 B	98	187	205	3.0
0172 B	58	950	350	9.1
0173 B	68	310	215	2.6
0174 B	590	1260	1220	17.0
0175 B	1780	1950	1680	40.0
93974 B	4500	5600	10000	135.0
93975 B	160	180	250	3.7
93976 B	650	340	860	6.9
93977 B	26	17	85	.2
93978 B	54	42	106	.3
93979 B	13	18	58	.1
93980 B	37	20	62	.6
93981 B	78	64	87	.7
93982 B	74	15	69	.2



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 988-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5658

REPORT NUMBER: 871375 GA

JOB NUMBER: 871375

MORENGO RES. INC.

PAGE 2 OF 2

SAMPLE #	-Cu ppm	Pb ppm	Zn ppm	Ag ppm
93983 B	26	520	305	7.6
93984 B	26	31	70	.7
93985 B	243	1140	390	20.0
93986 B	32	580	225	7.5
93987 B	20	320	240	4.9
93988 B	20	740	345	14.0
93989 B	10	2600	220	57.0
93990 B	6	235	52	4.3
93991 B	2	16	43	.2
93992 B	4	16	40	.4
93993 B	32	95	150	.8

DETECTION LIMIT

nd = none detected

1

2

1

0.1

-- = not analysed

is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 988-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 871375 GA

JOB NUMBER: 871375

MORENGO RES. INC.

PAGE 2 OF 2

SAMPLE #	Cu ppm	Pb ppm	Zn ppm	Ag ppm
93994 B	56	40	90	1.0
93995 B	112	1460	330	33.0
93996 B	39	265	230	4.7
93997 B	74	460	210	3.9
93998 B	45	610	208	7.3
93999 B	40	162	126	2.4
94000 B	215	1020	330	15.0
No. 01 48' - 53'	28	146	145	2.5
No. 02 53' - 58'	6	39	35	.9
No. 03 58' - 63'	4	34	35	.4

DETECTION LIMIT  
nd = none detected

1 2  
-- = not analysed

1 0.1  
is = insufficient sample



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

REPORT NUMBER: 871408 6A

JOB NUMBER: 871408

MORENGO RES. INC.

PAGE 1 OF 2

SAMPLE #	Cu	Pb	Zn	Ag
	ppm	ppm	ppm	ppm
No. 4	49	90	160	2.2
No. 5	122	56	358	1.5
No. 6	148	740	293	4.0
No. 7	123	350	320	2.5
No. 8	107	1000	400	7.4
No. 9	4200	5100	3000	61.0
No. 10	375	1620	1250	11.4
No. 11	57	175	146	1.4
No. 12	26	100	134	.7
No. 13	56	93	95	.6
No. 14	25	190	110	.7
No. 15	17	300	185	1.7
No. 16	32	530	370	3.0
No. 17	22	17	50	.2
No. 18	40	510	340	3.1
No. 19	83	1440	1020	8.6
No. 20	59	275	260	1.4
No. 21	74	78	128	.5
No. 22	600	700	395	4.2
No. 23	20	20	54	nd
No. 24	16	18	56	nd
No. 25	40	22	62	nd
No. 26	34	21	51	nd
No. 27	88	165	146	1.5
No. 28	29	67	67	.9
No. 29	18	62	62	1.2
No. 30	17	50	55	1.5
No. 31	17	78	63	.2
No. 32	23	110	103	1.1
No. 33	18	127	120	1.6
No. 34	7	18	50	nd
No. 35	13	39	56	nd
No. 36	8	32	53	.1
No. 37	10	33	58	.2
No. 38	27	42	93	.8



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-6211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-6656

REPORT NUMBER: 871408 6A

JOB NUMBER: 871408

MORENGO RES. INC.

PAGE 2 OF 2

SAMPLE #	Cu ppm	Pb ppm	Zn ppm	Ag ppm
No. 39	74	250	163	3.1
No. 40	93	1250	363	17.0
No. 41	30	780	386	4.5
No. 42	31	255	275	1.6
No. 43	71	1270	1300	8.2
No. 44	58	990	350	6.6
No. 45	16	116	95	.2
No. 46	91	480	230	1.8
No. 47	610	1400	380	6.3
No. 48	205	55	112	.4
No. 49	20	280	58	.3
No. 50	16	395	44	1.6
No. 51	11	24	46	.2
No. 52	14	70	85	1.0
No. 53	16	15	50	nd
No. 54	9	20	40	.1
No. 55	13	650	240	1.0
No. 56	5	20	40	.1
No. 57	13	570	285	8.7
No. 58	32	130	110	1.3
No. 59	58	29	114	.2
No. 60	21	25	47	nd

**DETECTION LIMIT**

nd = none detected

-- = not analysed

is = insufficient sample

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR SM, MN, FE, CA, P, CR, MG, BA, PD, AL, NA, K, W, PT AND SR. AU AND PD DETECTION IS 3 PPM.  
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -= NOT ANALYZED

COMPANY: MORENGO RES. INC.  
 ATTENTION:  
 PROJECT:

REPORT#: 871375PA  
 JOB#: 871375  
 INVOICE#: 871375NA

DATE RECEIVED: 87/09/18  
 DATE COMPLETED: 87/10/05  
 COPY SENT TO:

ANALYST *D. Reuss*

PAGE 1 OF 2

SAMPLE NAME	AG PPH	AL %	AS PPH	AU PPH	BA PPH	BI PPH	CA %	CD PPH	CO PPH	CR PPH	CU PPH	FE %	K %	MG %	MN PPH	MO PPH	NA %	NI PPH	P %	PB PPH	PD PPH	PT PPH	SB PPH	SM PPH	SR PPH	U PPH	W PPH	ZN PPH
01558	4.8	.69	ND	ND	16	9	1.81	5.8	1	13	19	1.81	.01	.23	1482	ND	.11	1	.05	347	ND	ND	ND	ND	55	ND	ND	365
01568	6.2	.90	ND	ND	29	18	1.47	10.8	2	47	66	2.00	.11	.32	1351	1	.13	1	.05	536	ND	ND	ND	ND	54	ND	ND	468
01578	22.2	.98	ND	ND	55	37	1.29	18.0	3	96	87	1.85	.15	.42	1242	4	.27	3	.05	1695	ND	ND	ND	2	48	ND	3	928
01588	6.3	1.01	4	ND	68	18	1.07	4.3	4	13	74	1.87	.21	.50	1261	ND	.14	3	.05	816	ND	ND	3	5	38	ND	3	490
01598	36.0	.88	ND	ND	49	48	1.57	31.0	3	17	259	1.82	.08	.42	1664	1	.62	2	.05	3449	ND	ND	ND	2	58	ND	ND	2115
01608	70.1	.91	ND	ND	41	36	1.45	46.3	3	67	2506	1.72	.09	.45	1883	3	.92	ND	.04	1880	ND	ND	ND	1	50	ND	ND	3121
01618	10.7	1.13	ND	ND	53	18	1.43	19.2	3	94	596	1.84	.06	.46	1841	4	.43	1	.05	854	ND	ND	ND	ND	47	ND	ND	1431
01628	27.0	.88	3	ND	30	40	1.41	22.7	2	13	372	1.60	.15	.33	1605	ND	.49	2	.05	1855	ND	ND	ND	ND	45	ND	ND	1675
01638	35.4	.79	ND	ND	24	45	2.47	42.3	2	84	1264	1.76	.07	.28	2943	3	.92	3	.04	2657	ND	ND	ND	ND	86	ND	ND	3102
01648	9.2	1.04	ND	ND	58	16	1.29	3.9	3	18	103	1.80	.23	.43	1691	ND	.14	3	.05	577	ND	ND	ND	1	40	ND	ND	452
01658	9.4	.86	ND	ND	37	15	2.66	4.3	2	77	235	1.77	.12	.33	2827	3	.15	1	.05	425	ND	ND	ND	ND	64	ND	ND	470
01668	37.8	.90	4	ND	29	52	3.15	22.1	1	9	272	1.79	.12	.35	3720	ND	.52	ND	.04	1987	ND	ND	ND	ND	73	ND	ND	1729
01678	35.4	.76	ND	ND	11	42	3.67	22.7	ND	61	321	2.17	.01	.30	3611	2	.52	1	.05	2384	ND	ND	ND	ND	85	ND	ND	1701
01688	68.0	1.07	6	ND	26	57	2.48	85.7	3	19	5541	2.90	.10	.36	1976	1	1.69	1	.05	6870	ND	ND	3	ND	89	ND	ND	5700
01698	23.6	1.04	ND	ND	33	28	2.06	24.1	2	84	473	1.74	.27	.37	1597	3	.54	3	.05	2485	ND	ND	ND	ND	62	ND	ND	1870
01708	2.1	1.06	ND	ND	25	3	1.96	2.3	2	11	129	1.84	.23	.39	1270	ND	.10	3	.05	539	ND	ND	ND	ND	56	6	ND	332
01718	2.8	1.09	4	ND	49	11	1.27	2.1	3	74	112	1.72	.30	.43	970	3	.08	6	.06	204	ND	ND	3	1	42	8	5	290
01728	10.3	.93	4	ND	39	14	1.48	6.6	2	17	113	1.75	.21	.37	1141	ND	.18	3	.05	946	ND	ND	ND	ND	48	ND	ND	627
01738	2.4	1.09	5	ND	31	8	1.21	1.6	2	92	77	1.86	.14	.34	941	4	.09	3	.05	362	ND	ND	ND	ND	38	4	ND	314
01748	18.0	.99	ND	ND	38	23	1.68	19.4	2	12	569	1.84	.20	.43	1411	ND	.41	4	.05	1249	ND	ND	3	ND	61	ND	24	1430
01758	39.0	.95	ND	ND	41	41	1.66	30.1	3	79	1718	1.88	.29	.40	1700	4	.58	8	.05	1924	ND	ND	3	ND	68	ND	39	2033
939748	>100	.89	ND	ND	35	124	1.88	175.7	5	21	4187	2.11	.15	.40	1310	ND	3.16	3	.04	5660	ND	ND	3	ND	67	ND	ND	11034
939758	4.1	.90	ND	ND	45	11	1.40	5.8	2	90	208	1.63	.38	.38	1000	4	.13	2	.04	241	ND	ND	ND	ND	45	6	ND	481
939768	7.2	1.00	5	ND	48	12	1.10	13.2	3	15	662	1.77	.35	.42	750	1	.28	2	.05	382	ND	ND	3	1	40	6	ND	1012
939778	.1	1.14	ND	ND	59	6	.99	.1	4	86	38	1.89	.35	.51	782	3	.03	5	.05	27	ND	ND	ND	3	33	6	5	124
939788	.3	1.13	3	ND	68	8	.75	.5	4	18	64	1.96	.38	.52	723	ND	.03	3	.06	44	ND	ND	3	3	27	9	ND	140
939798	.1	1.01	ND	ND	30	5	.83	.1	4	93	19	1.74	.22	.47	582	4	.01	3	.05	18	ND	ND	3	3	27	8	ND	75
939808	.1	1.00	4	ND	37	4	.77	.1	4	12	40	1.72	.20	.45	628	ND	.02	4	.04	20	ND	ND	ND	3	25	8	ND	80
939818	.4	1.08	3	ND	50	8	.81	.1	5	70	76	1.87	.28	.51	713	2	.02	3	.05	64	ND	ND	ND	6	28	11	ND	106
939828	.1	1.01	3	ND	35	4	.92	.1	4	16	82	1.87	.14	.48	753	ND	.02	2	.05	16	ND	ND	ND	3	35	ND	ND	85
939838	7.1	.84	ND	ND	43	12	.99	5.7	2	77	28	1.73	.12	.34	1098	3	.13	3	.05	500	ND	ND	ND	ND	36	ND	3	493
939848	.1	.97	ND	ND	26	5	1.52	.1	2	12	28	1.80	.01	.43	823	ND	.02	2	.05	33	ND	ND	ND	ND	42	ND	ND	89
939858	18.1	.94	ND	ND	43	22	1.55	9.7	2	79	269	1.78	.02	.36	1342	3	.24	ND	.05	1133	ND	ND	ND	ND	48	ND	5	824
939868	7.3	1.06	ND	ND	61	10	1.49	3.4	3	19	37	1.88	.25	.44	1399	ND	.09	4	.05	582	ND	ND	ND	ND	42	ND	ND	311
939878	4.8	1.03	ND	ND	54	7	1.14	4.0	2	104	21	1.71	.22	.39	1010	4	.09	4	.05	345	ND	ND	ND	ND	34	ND	ND	346
939888	15.0	.87	3	ND	39	22	1.34	10.6	2	12	20	1.68	.17	.37	1017	ND	.17	ND	.05	740	ND	ND	ND	ND	39	ND	ND	617
939898	60.5	.90	ND	ND	41	78	1.71	9.1	2	73	9	1.77	.04	.37	1026	2	.10	ND	.05	2569	ND	ND	ND	ND	44	ND	3	296
939908	4.5	.90	ND	ND	53	7	1.26	.1	2	15	8	1.68	.08	.37	699	ND	.02	ND	.05	259	ND	ND	ND	ND	44	ND	ND	62
939918	.1	1.10	ND	ND	77	ND	.80	.1	3	89	4	1.77	.26	.46	502	3	.02	3	.05	19	ND	ND	ND	2	29	ND	ND	48
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AG PPH	AL I	AS PPH	AU PPH	BA PPH	BI PPH	CA I	CD PPH	CO PPH	CR PPH	CU PPH	FE I	K I	MG I	MN PPH	MO PPH	NA I	NI PPH	P I	PB PPH	PD PPH	PT PPH	SB PPH	SM PPH	SR PPH	U PPH	W PPH	ZN PPH
93992B	.1	1.03	ND	ND	62	3	1.02	.2	3	10	5	1.70	.13	.39	512	ND	.02	2	.05	10	ND	ND	ND	ND	34	ND	ND	46
93993B	.4	1.11	5	ND	51	6	.50	2.4	3	90	34	1.79	.11	.43	882	2	.04	5	.05	106	ND	ND	3	1	22	ND	3	191
93994B	1.0	1.04	3	ND	51	4	.68	1.2	4	18	64	1.83	.10	.49	965	ND	.03	4	.05	49	ND	ND	ND	ND	25	3	5	111
93995B	32.8	1.06	7	ND	31	48	.34	10.1	3	108	119	1.76	.11	.35	939	3	.22	5	.05	1602	ND	ND	5	ND	12	ND	ND	798
93996B	4.6	.86	6	ND	21	12	.45	3.0	2	13	40	1.52	.09	.19	840	ND	.09	3	.05	311	ND	ND	4	ND	12	5	ND	330
93997B	3.2	1.08	ND	ND	28	11	1.39	2.1	2	93	78	1.60	.09	.24	1465	2	.08	2	.05	516	ND	ND	ND	ND	47	ND	ND	290
93998B	6.8	1.02	4	ND	20	13	1.90	1.6	1	16	47	1.88	.07	.19	2056	ND	.09	2	.05	634	ND	ND	ND	ND	44	ND	ND	286
93999B	1.7	1.02	9	ND	29	ND	1.02	.8	2	115	41	1.70	.10	.32	1246	3	.04	3	.05	189	ND	ND	3	ND	28	ND	ND	157
94000B	15.6	1.23	9	ND	37	21	.46	10.5	3	11	235	1.72	.11	.43	796	ND	.17	1	.05	1114	ND	ND	3	ND	31	ND	ND	586
94001B	2.4	1.14	6	ND	47	9	.56	2.0	3	85	31	1.76	.08	.45	757	1	.05	3	.05	168	ND	ND	3	1	40	ND	3	189
94002B	.1	1.70	78	ND	32	3	1.24	.1	1	12	5	2.77	.06	.31	577	ND	.04	4	.04	37	ND	ND	7	ND	65	ND	ND	39
94003B	.1	1.58	37	ND	70	3	.56	.1	3	102	3	2.67	.14	.46	737	4	.03	2	.06	46	ND	ND	7	ND	75	ND	ND	51
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR SN, HM, FE, CA, P, CR, MG, BA, PD, AL, NA, K, N, PT AND SR. AU AND PD DETECTION IS 3 PPM.  
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: NORENGO RES. INC.  
 ATTENTION:  
 PROJECT:

REPORT#: 871408PA  
 JOB#: 871408  
 INVOICE#: 871408NA

DATE RECEIVED: 87/09/25  
 DATE COMPLETED: 87/10/05  
 COPY SENT TO:

ANALYST *W. P. Jones*

PAGE 1 OF 2

SAMPLE NAME	AG PPM	AL %	AS PPM	AU PPM	BA PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	K %	MG %	HM PPM	MO PPM	NA %	NI PPM	P %	PB PPM	PD PPM	PT PPM	SB PPM	SN PPM	SR PPM	U PPM	V PPM	ZN PPM
84	2.3	1.11	9	ND	43	3	.34	2.1	3	78	53	1.82	.16	.44	877	3	.05	5	.06	103	ND	ND	4	ND	17	ND	6	217
85	1.7	1.06	9	ND	38	3	.41	10.1	3	91	135	1.65	.17	.39	1026	4	.19	2	.05	63	ND	ND	3	ND	15	ND	ND	750
86	5.0	1.02	15	ND	27	5	.23	2.5	2	10	166	1.64	.14	.27	1201	ND	.14	2	.05	775	ND	ND	5	ND	8	ND	ND	518
87	2.3	.99	11	ND	36	ND	.61	7.9	3	15	137	1.71	.14	.34	1795	1	.15	ND	.05	418	ND	ND	ND	ND	20	ND	3	589
88	8.4	.97	12	ND	31	12	.48	11.7	2	76	119	1.53	.15	.24	1720	3	.26	1	.05	1060	ND	ND	3	ND	13	3	ND	978
89	59.7	.76	15	ND	18	53	.22	67.3	2	12	4404	1.65	.11	.13	790	1	1.46	ND	.04	5628	ND	ND	4	ND	8	ND	ND	5152
810	13.1	1.02	11	ND	27	11	.33	23.0	2	72	475	1.61	.14	.22	1082	5	.46	3	.05	1762	ND	ND	3	ND	12	ND	ND	1636
811	1.3	1.00	13	ND	30	ND	.32	2.9	3	13	71	1.55	.16	.28	877	1	.05	2	.05	229	ND	ND	5	ND	17	4	3	221
812	.1	1.16	9	ND	32	ND	.64	.1	2	64	30	1.68	.15	.37	1084	2	.03	2	.06	123	ND	ND	3	ND	23	3	ND	111
813	.1	1.15	7	ND	35	ND	1.13	.1	3	10	62	1.86	.13	.40	1457	ND	.04	1	.06	105	ND	ND	3	ND	42	ND	ND	125
814	.5	1.07	8	ND	37	ND	1.31	.1	3	14	32	1.84	.12	.36	1435	ND	.04	3	.05	227	ND	ND	ND	ND	47	ND	ND	153
815	1.6	1.25	9	ND	34	3	.81	2.1	3	73	19	1.70	.14	.34	900	3	.08	2	.06	366	ND	ND	ND	ND	44	ND	ND	268
816	2.6	1.19	5	ND	27	ND	.79	7.7	2	9	32	2.10	.14	.33	1050	ND	.23	1	.07	524	ND	ND	3	ND	32	ND	ND	790
817	.1	1.31	3	ND	44	ND	.85	.1	3	88	25	1.90	.15	.46	920	4	.02	3	.06	19	ND	ND	ND	ND	38	ND	ND	69
818	2.5	.87	3	ND	34	ND	.83	5.7	2	12	31	1.54	.16	.40	711	ND	.14	2	.04	387	ND	ND	3	ND	34	3	ND	485
819	8.7	1.06	5	ND	45	10	1.54	14.7	3	77	91	1.81	.16	.39	1119	3	.35	ND	.06	1469	ND	ND	ND	ND	57	ND	ND	1235
820	1.3	1.14	4	ND	36	ND	1.15	4.1	2	11	63	1.96	.14	.37	966	ND	.12	3	.06	330	ND	ND	ND	ND	44	ND	3	429
821	.4	1.12	3	ND	43	ND	1.16	.4	3	83	80	1.86	.13	.43	702	3	.06	1	.05	87	ND	ND	ND	ND	46	ND	ND	178
822	4.8	1.10	4	ND	51	6	1.01	12.8	4	15	614	2.06	.13	.50	640	1	.28	5	.06	710	ND	ND	ND	ND	45	ND	ND	953
823	.1	1.18	ND	ND	65	ND	1.01	.1	4	73	30	2.01	.15	.52	604	2	.02	1	.06	26	ND	ND	ND	ND	49	ND	3	85
824	.1	1.26	ND	ND	71	ND	.99	.1	4	12	19	2.20	.19	.58	631	ND	.02	9	.06	11	ND	ND	ND	ND	38	ND	ND	70
825	.1	1.32	4	ND	57	ND	1.15	.1	3	106	45	2.17	.19	.57	723	5	.02	4	.06	16	ND	ND	ND	ND	49	ND	ND	81
826	.1	1.17	3	ND	62	ND	.89	.1	4	17	35	2.08	.20	.53	569	ND	.01	1	.06	14	ND	ND	3	ND	33	ND	ND	63
827	1.2	1.20	5	ND	63	ND	1.15	1.4	4	79	103	2.12	.17	.50	598	3	.05	5	.06	204	ND	ND	ND	ND	46	ND	ND	211
828	.5	.82	ND	ND	30	ND	2.11	.1	1	10	30	1.77	.11	.24	734	1	.03	ND	.05	66	ND	ND	ND	ND	69	ND	ND	82
829	1.1	1.10	ND	ND	46	ND	1.60	.1	2	91	21	1.93	.16	.39	764	3	.02	1	.06	65	ND	ND	ND	ND	59	ND	ND	82
830	.4	1.06	3	ND	45	ND	1.31	.1	2	17	21	1.87	.16	.35	735	1	.01	ND	.05	48	ND	ND	3	ND	47	ND	ND	66
831	.6	1.22	9	ND	40	ND	.70	.1	2	12	18	1.70	.17	.35	532	ND	.01	2	.06	91	ND	ND	5	1	36	7	ND	84
832	1.3	1.23	ND	ND	30	ND	1.10	.1	2	8	25	1.73	.15	.35	602	ND	.03	1	.06	131	ND	ND	ND	ND	40	3	ND	146
833	1.3	1.12	3	ND	37	4	1.28	.6	2	86	17	1.68	.15	.32	686	5	.04	3	.05	147	ND	ND	ND	ND	44	ND	ND	160
834	.1	1.02	3	ND	48	ND	1.46	.1	3	76	6	1.79	.14	.36	599	3	.01	1	.05	17	ND	ND	ND	ND	60	ND	ND	59
835	.1	1.08	3	ND	64	ND	1.15	.1	3	99	13	1.84	.17	.43	561	4	.01	2	.05	37	ND	ND	ND	ND	42	ND	3	66
836	.1	1.18	ND	ND	75	ND	.77	.1	4	18	8	1.96	.20	.51	525	ND	.01	2	.05	26	ND	ND	ND	1	33	ND	ND	64
837	.2	1.31	ND	ND	91	ND	.65	.1	5	103	13	2.04	.17	.56	576	3	.01	1	.05	30	ND	ND	ND	ND	34	ND	ND	74
838	.6	.91	4	ND	23	3	1.07	.1	2	12	29	1.81	.10	.46	676	ND	.02	3	.05	37	ND	ND	ND	ND	31	ND	ND	119
839	3.9	1.21	ND	ND	63	ND	.52	1.5	4	106	87	2.01	.14	.51	1086	5	.06	3	.06	315	ND	ND	ND	ND	22	ND	ND	243
840	17.4	1.01	4	ND	30	22	1.34	8.1	2	18	103	1.84	.09	.27	2588	ND	.23	4	.05	1264	ND	ND	ND	ND	34	ND	ND	773
841	4.4	1.00	4	ND	41	ND	.91	10.4	3	86	32	1.71	.12	.35	2127	2	.26	2	.05	770	ND	ND	ND	ND	33	ND	ND	890
842	1.1	1.14	5	ND	44	ND	.85	4.0	3	12	32	1.85	.11	.42	1726	ND	.14	2	.05	306	ND	ND	ND	ND	30	ND	6	478
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AG PPH	AL %	AS PPH	AU PPH	BA PPH	BI PPH	CA %	CD PPH	CO PPH	CR PPH	CU PPH	FE %	K %	MG %	MN PPH	MO PPH	NA %	NI PPH	P %	PB PPH	PD PPH	PT PPH	SB PPH	SM PPH	SR PPH	U PPH	W PPH	ZN PPH
#43	7.3	1.24	14	ND	37	4	.75	17.0	3	119	76	2.04	.09	.36	2273	5	.43	3	.06	1332	ND	ND	ND	ND	19	ND	ND	1531
#44	5.8	1.14	5	ND	26	8	.98	7.1	3	15	63	2.08	.12	.30	2063	ND	.19	ND	.06	1041	ND	ND	ND	ND	22	3	ND	691
#45	.1	1.20	10	ND	42	ND	.66	.2	3	88	17	1.81	.13	.46	1083	3	.04	2	.05	137	ND	ND	ND	ND	24	ND	3	126
#46	1.6	1.24	6	ND	37	ND	.74	3.1	3	12	101	1.94	.09	.41	1100	ND	.10	ND	.06	511	ND	ND	ND	ND	28	4	ND	337
#47	6.4	1.26	7	ND	46	5	.71	7.8	3	76	590	2.10	.08	.46	956	ND	.24	1	.05	1461	ND	ND	3	ND	31	3	ND	813
#48	.3	1.25	10	ND	48	ND	.50	.1	4	96	230	2.01	.09	.50	785	ND	.05	4	.05	71	ND	ND	ND	1	27	6	ND	146
#49	.1	1.16	6	ND	35	ND	.74	.1	3	70	24	1.73	.10	.38	652	ND	.02	ND	.05	322	ND	ND	ND	ND	35	3	5	74
#50	1.4	1.29	5	ND	50	ND	.62	.1	3	97	17	1.88	.15	.44	619	ND	.02	1	.06	472	ND	ND	ND	ND	37	3	ND	53
#51	.1	1.23	6	ND	47	ND	.74	.1	3	60	11	1.74	.14	.40	650	ND	.02	ND	.06	26	ND	ND	ND	ND	56	3	ND	55
#52	.7	1.27	4	ND	51	ND	.57	.1	4	102	14	2.09	.12	.50	637	ND	.04	1	.06	75	ND	ND	ND	ND	36	4	3	103
#53	.1	1.17	ND	ND	59	ND	.74	.1	4	66	8	1.89	.18	.51	626	ND	.01	ND	.06	9	ND	ND	ND	ND	42	4	3	62
#54	.1	1.15	7	ND	57	ND	.54	.1	3	97	7	1.65	.15	.38	493	ND	.01	3	.04	17	ND	ND	ND	ND	35	7	ND	45
#55	1.4	1.34	5	ND	271	ND	.40	3.7	4	69	13	1.78	.20	.44	574	ND	.09	2	.05	669	ND	ND	3	ND	68	4	ND	354
#56	.1	1.34	9	ND	65	ND	.34	.1	3	75	4	1.77	.16	.43	557	ND	.01	ND	.06	25	ND	ND	3	ND	39	6	ND	47
#57	8.5	1.30	7	ND	53	9	1.12	5.1	3	72	13	1.95	.10	.37	673	1	.14	ND	.05	615	ND	ND	ND	ND	61	ND	ND	442
#58	.9	.73	11	ND	10	ND	.32	.3	3	70	32	1.88	.06	.16	325	ND	.03	ND	.06	154	ND	ND	ND	ND	13	3	ND	140
#59	.1	1.35	3	ND	32	ND	.71	.8	2	73	59	1.82	.10	.25	460	ND	.04	ND	.05	30	ND	ND	ND	ND	39	ND	ND	137
#60	.1	1.20	ND	ND	22	ND	1.07	.1	2	69	21	1.78	.12	.25	518	ND	.02	ND	.06	23	ND	ND	ND	ND	39	ND	ND	56
#222	.1	.91	ND	ND	19	ND	2.33	.1	2	35	16	2.06	.12	.33	671	ND	.01	ND	.07	24	ND	ND	ND	ND	69	ND	ND	67
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

VANSECOHEN LAB LIMITED

MAIN OFFICE: 1521 PEMBERTON AVE. N. VANCOUVER B.C. V7P 2S3 PH: (604)986-5211 TELEX: 04-352578  
 BRANCH OFFICE: 1630 PANDORA ST. VANCOUVER B.C. V5L 1L6 PH: (604)251-5656

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.  
 THIS LEACH IS PARTIAL FOR SN, MN, FE, CA, P, CR, Hg, BA, PD, AL, NA, K, W, PT AND SR. AU AND PD DETECTION IS 3 PPM.  
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: MORENGO  
 ATTENTION:  
 PROJECT:

REPORT#:  
 JOB#: 871435  
 INVOICE#: NA

DATE RECEIVED: 87/09/29  
 DATE COMPLETED: 87/10/08  
 COPY SENT TO:

ANALYST W. Finlay

PAGE 1 OF 1

SAMPLE NAME	AG PPH	AL %	AS PPH	AU PPH	BA PPH	BI PPH	CA %	CD PPH	CO PPH	CR PPH	CU PPH	FE %	K %	MG %	MN PPH	MO PPH	NA %	NI PPH	P %	PB PPH	PD PPH	PT PPH	SB PPH	SN PPH	SR PPH	U PPH	W PPH	ZN PPH
BL-00	.3	2.27	ND	ND	55	ND	.26	.2	5	11	14	2.97	.05	.46	303	1	.05	10	.05	27	ND	ND	ND	ND	20	ND	ND	62
100W	.1	3.66	ND	ND	59	ND	.13	.1	4	10	13	2.88	.04	.34	286	2	.05	11	.10	32	ND	ND	ND	ND	15	ND	ND	60
200W	.1	2.47	9	ND	30	ND	.16	.1	3	6	8	2.86	.06	.25	200	1	.04	3	.07	25	ND	ND	ND	ND	13	ND	ND	34
300W	.1	2.97	7	ND	64	4	.15	.1	6	11	21	3.23	.08	.55	466	3	.06	13	.06	110	ND	ND	ND	ND	14	4	ND	114
400W	.3	1.36	ND	ND	33	ND	.06	.1	3	7	6	2.34	.06	.24	192	2	.02	4	.04	24	ND	ND	ND	1	8	3	ND	36
500W	.1	2.40	ND	ND	48	ND	.23	.1	5	7	9	2.91	.06	.44	306	2	.04	5	.07	26	ND	ND	ND	1	13	ND	ND	46
100E	.5	1.23	3	ND	32	ND	.06	.1	3	7	10	1.59	.09	.27	154	2	.01	8	.02	27	ND	ND	ND	1	7	5	ND	35
200E	.1	3.20	ND	ND	41	ND	.20	.1	3	8	9	2.58	.05	.38	240	2	.04	8	.06	27	ND	ND	ND	ND	15	ND	ND	43
300E	.1	4.30	6	ND	33	ND	.17	.1	3	9	8	3.78	.05	.28	213	2	.06	7	.10	38	ND	ND	ND	ND	12	ND	ND	36
400E	.1	3.87	6	ND	33	ND	.17	.1	3	11	12	3.90	.04	.21	239	3	.06	8	.12	32	ND	ND	ND	ND	13	ND	ND	28
500E	.1	1.68	3	ND	30	ND	.18	.1	3	6	6	2.50	.06	.31	198	2	.03	4	.05	20	ND	ND	ND	ND	12	ND	ND	37
600E	.1	4.37	ND	ND	50	ND	.12	.1	2	8	9	3.14	.02	.12	207	1	.05	4	.12	27	ND	ND	ND	ND	13	ND	ND	19
BL-001N	.2	1.82	4	ND	57	ND	.23	.1	3	9	10	1.59	.04	.20	403	2	.02	4	.12	28	ND	ND	ND	1	31	ND	ND	38
1W-001L	.6	3.34	ND	ND	76	ND	.95	.1	4	5	8	2.25	.06	.40	647	1	.03	6	.08	28	ND	ND	ND	ND	58	ND	ND	54
2W-001L	.1	1.75	6	ND	33	ND	.10	.1	4	7	6	2.33	.05	.33	277	1	.03	5	.04	21	ND	ND	ND	ND	9	ND	ND	44
3W-001L	.5	.94	ND	ND	45	ND	.15	.1	2	2	11	1.31	.06	.27	254	ND	.01	2	.03	19	ND	ND	ND	2	9	4	3	35
4W-001L	.1	4.30	ND	ND	52	ND	1.33	.1	3	5	9	1.79	.05	.36	503	1	.03	4	.09	34	ND	ND	ND	ND	91	ND	ND	52
5W-001L	.7	1.22	ND	ND	28	ND	.08	.1	2	4	6	1.44	.07	.22	209	1	.01	2	.03	38	ND	ND	ND	ND	8	5	ND	26
6W-001L	.2	.98	ND	ND	77	ND	.14	.1	7	5	7	1.53	.07	.13	1916	2	.01	7	.04	37	ND	ND	3	1	18	ND	ND	27
1E-002L	.3	1.31	ND	ND	170	4	.12	.1	3	3	6	1.70	.07	.28	273	1	.02	4	.05	20	ND	ND	ND	2	137	ND	ND	31
1W-002L	.2	1.42	ND	ND	20	ND	.19	.1	4	3	7	2.09	.06	.36	375	1	.03	12	.04	24	ND	ND	ND	ND	11	ND	ND	42
2W-002L	.4	.96	ND	ND	33	ND	.09	.6	1	3	5	1.05	.06	.14	136	ND	.01	4	.06	19	ND	ND	3	1	9	ND	3	19
3W-002L	.4	1.20	ND	ND	25	ND	.06	.1	3	4	7	2.11	.06	.30	400	1	.02	5	.04	33	ND	ND	3	3	6	ND	ND	32
4W-002L	.1	3.30	ND	ND	118	ND	.35	.1	7	6	10	2.42	.06	.36	2523	2	.04	8	.11	40	ND	ND	ND	ND	27	3	ND	59
5W-002L	7.6	2.22	6	ND	82	ND	.49	1.3	2	4	27	1.68	.07	.20	457	9	.04	4	.16	372	ND	ND	ND	ND	33	10	ND	94
6W-002L	.7	.88	4	ND	64	ND	.14	.1	2	8	6	1.30	.07	.15	141	1	.01	4	.04	31	ND	ND	ND	ND	13	10	4	21
8L-002N	.1	1.98	7	ND	48	ND	.10	.1	4	4	6	2.17	.07	.43	472	2	.03	4	.05	26	ND	ND	ND	ND	9	3	ND	44
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

GEOCHEMICAL SURVEY RESULTS SEE FIGURE 8

LIST OF CAPITAL EXPENDITURES FOR 1987 FIELD SEASON

	<u>Ependitures</u>
Vangeochem Lab Limited Expenditures 3 sheets	\$ 841.00
	739.50
	198.45
Len's Drilling Ltd.	20,000.00
	20,000.00
W. Waters Geologist	4,200.00
E. Waters Assistant	4,200.00
Offroad vehicle rental	800.00
4x4 vehicle rental	4,160.00
Alex Black Geological assistant	3,500.00
Joe Corcoran Construction Ltd	9,000.00
	8,000.00
	1,500.00
Frontier Helicopter Ltd.	1,619.36
	837.60
	2,066.08
Frontier Helicopter Ltd.	<u>781.76</u>
Total expenditures for 1987 on Queen Claims	\$ 82,443.75



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1830 PANDORA ST.  
VANCOUVER, B.C. V5L 1L6  
(604) 251-5656

IN ACCOUNT WITH:

INVOICE: 871408 NA

MORENGO RES. INC.  
3756 W. Broadway St.,  
Vancouver, B.C.  
V6R 2C1

DATE: October 6, 1987

PROFESSIONAL SERVICE  
INVOICE IS PAYABLE UPON RECEIPT

PO#:

REPORT: 871408 GA

PROJECT: None Given

CODE	QUAN- TITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
	58	Drill core samples prepared for analyses	3.00	174.00
	58	Trace analyses for Cu, Pb, Zn, Ag	5.00	290.00
	58	Multi-element analyses by ICP	6.50	377.00

TOTAL, THIS INVOICE: \$841.00

PLEASE PAY BY INVOICE  
NO STATEMENT WILL BE ISSUED



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L8  
(604) 251-5656

IN ACCOUNT WITH:

INVOICE: 871375 NA

MORENGO RES. INC.  
3756 W. Broadway St.,  
Vancouver, B.C.  
V6R 2C1

DATE: October 6, 1987

PROFESSIONAL SERVICE  
INVOICE IS PAYABLE UPON RECEIPT

PO#:

REPORT: 871375 GA

PROJECT: None Given

CODE	QUAN- TITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
	51	Drill core samples prepared for analyses	3.00	153.00
	51	Trace analyses for Cu, Pb, Zn, Ag	5.00	255.00
	51	Multi-element analyses by ICP	6.50	331.50

TOTAL, THIS INVOICE: \$739.50

PLEASE PAY BY INVOICE  
NO STATEMENT WILL BE ISSUED



# VANGEOCHEM LAB LIMITED

MAIN OFFICE  
1521 PEMBERTON AVE.  
NORTH VANCOUVER, B.C. V7P 2S3  
(604) 986-5211 TELEX: 04-352578

BRANCH OFFICE  
1630 PANDORA ST.  
VANCOUVER, B.C. V5L 1L8  
(604) 251-5656

IN ACCOUNT WITH:

INVOICE: 871435 NA

MORENGO RESOURCES INC.  
3756 W. Broadway St.,  
Vancouver, B.C.  
V6R 2C1

DATE: October 9, 1987

PROFESSIONAL SERVICE  
INVOICE IS PAYABLE UPON RECEIPT

PO#:

REPORT: 871435 PA

PROJECT: None Given

CODE	QUAN- TITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
	27	Soil samples prepared for analyses	0.85	22.95
	27	Multi-element analyses by ICP	6.50	175.50

TOTAL, THIS INVOICE: \$198.45

PLEASE PAY BY INVOICE  
NO STATEMENT WILL BE ISSUED

MORENGO RESOURCES ~~XXX~~ INC.

3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

121

July 27, 19 87

PAY  
TO THE  
ORDER OF

Len's drilling Ltd.

\$ 20,000.00

-- Twenty thousand --

XX DOLLARS  
100

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Handwritten signature]*  
*[Handwritten signature]*

⑈000121⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0002000000⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES ~~XXX~~ INC.

3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

144

Sept 15, 1987

PAY  
TO THE  
ORDER OF

Len's Drilling Ltd.

\$ 20,000/00

Twenty thousand

XX DOLLARS  
100

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Handwritten signature]*  
*[Handwritten signature]*

⑈000144⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0002000000⑈

© CUSTOM CHEQUES OF CANADA / A

Diamond drilling expenditures

\$40,000.00

MORENGO RESOURCES ~~LTD~~ Inc.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

151

Sept. 29, 1987

PAY  
TO THE  
ORDER OF


W. Waters

\$ 4,200.00

-----Four thousand two hundred -----<sup>XX</sup> DOLLARS  
100

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.



⑈000151⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑆0000420000⑆

© CUSTOM CHEQUES OF CANADA / A

Geological work

\$4,200.00

MORENGO RESOURCES ~~XXX~~ Inc.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

150

Sept. 29, 19 87

PAY  
TO THE  
ORDER OF

E. Waters

\$9,160.00

-----Nine thousand one hundred sixty ----- <sup>XX</sup>/<sub>100</sub> DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*  
*[Signature]*

⑈000150⑈ ⑆000000⑈002⑆ 02113⑈11⑈

⑆0000916000⑆

© CUSTOM CHEQUES OF CANADA / A

Geological work	\$4200.00
Offroad vehicle	800.00
4 X 4 vehicle rental	4160.00
	<u>\$9160.00</u>

MORENGO RESOURCES XXXX INC.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

145

Sept 20, 1987

PAY TO THE ORDER OF

Alex Black

\$ 1,500.00

One thousand five hundred

XX DOLLARS  
100

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*

*[Signature]*

⑈000145⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0000150000⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES XXXX INC.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

136

Aug 21, 1987

PAY TO THE ORDER OF

Alex Black

\$ 2,000.00

Two thousand

XX DOLLARS  
100

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*

*[Signature]*

⑈000136⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0000200000⑈

© CUSTOM CHEQUES OF CANADA / A

Geological assistance work

\$3,500.00

MORENGO RESOURCES XXX INC.

135

3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1  
(604) 274-0852

Aug. 10, 1987

PAY TO THE ORDER OF

Joe Corcoran Construction

\$ 9,000.00

Nine thousand

100 DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*  
Dennis White

⑈000135⑈ ⑆00000⑆002⑆ 02113⑆11⑈

⑈0000900000⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES LTD. INC *way*

148

3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

Sept 21, 1987

PAY TO THE ORDER OF

Corcoran Construction \$ 1,500.00

One thousand five hundred

100 DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*  
Dennis White

⑈000148⑈ ⑆00000⑆002⑆ 02113⑆11⑈

⑈0000150000⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES XXXX INC.

137

3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

Aug 31, 1987

PAY TO THE ORDER OF

Joe Corcoran Construction

\$ 8,000.00

Eight thousand

100 DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*  
Dennis White

⑈000137⑈ ⑆00000⑆002⑆ 02113⑆11⑈

⑈0000800000⑈

© CUSTOM CHEQUES OF CANADA / A

Trenching and road work

\$18,500.00

INC.  
MORENGO RESOURCES LTD.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

146

Sept. 20 1987

PAY TO THE ORDER OF

Frontier Helicopters Ltd

\$ 1,619.36

One thousand six hundred nineteen <sup>36</sup>/<sub>100</sub> DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*

*Donna White*

⑈000146⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0000161936⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES XXXX INC.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

143

Sept. 11 1987

PAY TO THE ORDER OF

Frontier Helicopters Ltd

\$ 837.60

Eight hundred thirty-seven <sup>60</sup>/<sub>100</sub> DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*

*Donna White*

⑈000143⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0000083760⑈

© CUSTOM CHEQUES OF CANADA / A

MORENGO RESOURCES XXXX INC.  
3756 WEST BROADWAY  
VANCOUVER, B.C. V6R 2C1

138

Sept. 6 1987

PAY TO THE ORDER OF

Frontier Helicopter Ltd

\$ 2,066.08

Two thousand sixty-six <sup>08</sup>/<sub>100</sub> DOLLARS

THE BANK OF NOVA SCOTIA  
602 WEST HASTINGS STREET AT SEYMOUR  
VANCOUVER, B.C. V6B 1P3

MORENGO RESOURCES LTD.

*[Signature]*

*Donna White*

⑈000139⑈ ⑆00000⑈002⑆ 02113⑈11⑈

⑈0000206608⑈

© CUSTOM CHEQUES OF CANADA / A

Frontier Helicopter Expenditures

\$4,523.04

# FRONTIER

## FLIGHT REPORT

FRONTIER HELICOPTERS LIMITED  
P.O. BOX 220, ABBOTSFORD, B.C. CANADA V2S 4N9  
TELEPHONE (604) 853-5887 - ABBOTSFORD (403) 536-7766 - WATSON LAKE  
TELEFAX (604) 853-9017 TELEX 04-363529

No 4175

CUSTOMER Cherry Hill Res. Trust  
ADDRESS 100-475 Howe St.  
Vancouver B.C.  
PILOT C. [Signature] ENGINEER P. [Signature]  
AIRCRAFT TYPE HO-4B AIRCRAFT REGISTRATION CF-FA  
BASE W.A. [Signature] DATE August 1972

P.O. \_\_\_\_\_ Cash  Misc. Charges \$ \_\_\_\_\_  
Charge  TOTAL THIS REPORT \$ 781.76

Terms net 30 days. Interest charged on overdue accounts at 1.5% per month (18% per annum).

Approved By: Print \_\_\_\_\_ Agency Flight Report # \_\_\_\_\_  
Signature \_\_\_\_\_ Pilot [Signature]

THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS BY FRONTIER HELICOPTERS LIMITED IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN ITS TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO 50 CENTS PER POUND) FILED WITH THE C.A.B. IN AN EXCISE OF WHICH

Frontier Helicopter expenditures \$781.76