MAP NO.	**ASSESSMENT REPORT** X	**DOCUMENT NO.:**	091998
	PROSPECTUS	**MINING DISTRICT:**	WHITEHORSE
	CONFIDENTIAL X	**TYPE OF WORK:**	Geological, Geochem.
105 D 15	**OPEN FILE**		

REPORT FILED UNDER: United Keno Hill Mines

DATE PERFORMED: June 25 - July 8, 1987 August 11-16, 1987 **DATE FILED:** January 15, 1988

LOCATION: **LAT.:** 61°01'N **AREA:** Whitehorse

LONG.: 134°34'W **VALUE $:** 8000.00

CLAIM NAME & NO.: CAP 1-40 YA95360-99

WORK DONE BY: L. Walton

WORK DONE FOR: United Keno Hill Mines

DATE TO GOOD STANDING	REMARKS: #215 CAP

OFFICE OF THE REGIONAL MANAGER
MINER
JAN 15 1988
WHITEHORSE
YUKON TERRITORY

United Keno Hill Mines Ltd.

Geological and Geochemical Report

on the

CAP 1-40 Claims

by L. Walton - Geologist

N.T.S. 105D/15
Latitude 61°01′
Longitude 134°40′
Dates: June 25 to July 8, 1987
August 11 to August 16, 1987

091998

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $8 000.00.

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

Table of Contents

	Page Number
1. Summary and Conclusions	1
2. Recommendations	2
3. Introduction	3
4. Location and Access	3
5. History	3
6. Property	3
7. Physiography	3
8. Regional Geology	4
a. Tectonic Setting	4
b. General Description	4
9. Detailed Geology	4
a. Rock Units	4
b. Structure	6
c. Mineralization	6
10. Geochemical Survey	7
a. General	7
b. Interpretation of Results	7
References	9

Appendix I Project Costs
Appendix II Personnel and Contractors Employed
Appendix III Rock Descriptions and Assays
Appendix IV Chemex Rock/Soil Sheets

1. Summary and Conclusions

The CAP 1-40 claims were staked in July, 1986 after a government open-file release showed anomalous gold values in sediments from streams draining the CAP claims ridge.

The host rocks on the property are volcanic rocks of uncertain age (probably Triassic or Cretaceous) and minor Triassic sedimentary rocks.

A two person crew camped on the property from June 25 to July 8 and from August 11 to August 16, 1987. The CAP claims ridge was mapped and prospected. A 4100 m baseline was established and CAP 21-40 was soil sampled on a 100 m x 50 m grid. CAP 1-20 was contour soil sampled. In total, 292 soil samples and 17 rock samples from CAP 21-40 were sent to Chemex for analysis for 33 elements. Samples from CAP 1-20 have not yet been analyzed.

Several small pyritiferous gossans were identified in the andesitic host rock, but all of these zones returned low metal values. A small 1 m wide zone of malachite and azurite was found in Triassic sedimentary rocks in the southern part of the claim block.

Geochemical values for all 33 elements in the geochemical survey returned very low values, and no significant anomalies were outlined.

2. Recommendations

Geochemistry results from CAP 21-40 indicate that no further work should be done on the CAP claims ridge, unless significant results come back from CAP 1-20 soil samples.

3. Introduction

L. Walton and J. Evens camped on the CAP claim group from June 25 to July 8, and from August 11 to August 16, 1987. The CAP 1-10 and the CAP 11-20 claims were contour soil sampled, mapped and prospected. A 4100 m baseline was established on CAP 21-40 and soil samples were collected on a 100 m x 50 m grid. CAP 21-40 was also mapped and prospected. In total, 292 soil samples and 17 rock samples were collected from CAP 21-40 and analyzed for 33 elements.

4. Location and Access

The CAP 1-40 claim block is located 26 km by air northeast of Whitehorse on N.T.S. sheet 105D/15 at latitude 61°01′ and longitude 134°40′ (Figure 1). The CAP claims are situated on a ridge between McClintock Lakes and Cap Creek. Access to the property was by TNTA Jet Ranger 206 helicopter from Whitehorse.

5. History

The CAP 1-40 claim group is located on the Whitehorse sheet (105D), which was mapped by Wheeler (1961). The CAP claims were staked by United Keno Hill Mines Ltd. after a government open file release in 1986 showed anomalous gold values in silt samples from streams in the CAP claims area.

There is no record of the CAP claims ridge being previously staked. No trenches, flagging, claim posts, pickets or other signs of previous activity were noted during 1987 fieldwork.


6. Property

The location of the CAP claims is shown in Figure 2.

Claim Name	Record Number	Location Date	Recording Date	Assessment work required by
CAP 1-28	YA95360 to YA95387	July 24/86	Aug. 1/86	Aug. 1/87
CAP 29-40	YA95388 to YA95399	July 23/86	Aug. 1/86	Aug. 1/87

7. Physiography

The CAP claims are situated in the Western Yukon plateau. The area contains several long, northeast trending ridges separated by broad valleys 13-16 km wide. The floors of the valleys are 600 to 750 m above sea level. The CAP claims are on a north-northeast trending ridge between Cap Creek and McClintock Lakes. The ridge is smoothly rounded at the south end (between 1500 m



UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

FIGURE 1


CAP CLAIMS LOCATION MAP

Mining District WHITEHORSE

N.T.S. Sheet No.

Scale 1:2,500,000

Drawn by H.D.P.	***Date*** 87/09/10


UNCER
6241
CAP
5644
CAP
CREEK
4500
5000
5500
4000
3500
4000
4500
5000
4500
5000
4000
4000
4500
4000
4500
5000
5000
4500
4000
4000
4500
5000
YA95360
YA95361
YA95362
YA95363
YA95364
YA95365
YA95366
YA95367
YA95368
YA95369
YA95370
YA95371
YA95372
YA95373
YA95374
YA95375
YA95376
YA95377
YA95378
YA95379
YA95380
YA95381
YA95382
YA95383
YA95384
YA95385
YA95386
YA95387
YA95388
YA95389
YA95390
YA95391
YA95392
YA95393
YA95394
YA95395
YA95396
YA95397
YA95398
YA95399

and 1675 m), but becomes more rugged and locally serrated at elevations up to 1890 m in the northern part of the ridge. The slopes are generally of moderate gradient.

Erratic boulders and glacial striae are evidence of glaciation. The ice in the CAP claims area probably moved in a west-northwesterly direction (Wheeler, 1961).

Most of the CAP ridge is above treeline. A well defined game trail follows the ridge on CAP 1-10 (the north part of the CAP ridge). Two grizzly bear dens were found. Caribou, ptarmigan and grouse were noted. Vegetation consists mainly of scrubrush-dwarf birch, moss, and alpine flowers.

8. Regional Geology

a. Tectonic Setting

The CAP claims are located on the eastern margin of a Mesozoic fore-arc basic called the Whitehorse Trough (Figure 3). The island arc system developed during westward subduction of Paleozoic Cache Creek Group rocks under Stikinia. The arc system was composed of Triassic Lewes River Group andesites and basalts and Jurassic Laberge Group sedimentary rocks. The island arc complex then collided with the Mesozoic North American margin and was obducted over the North American craton (Tempelman-Kluit, 1979). The boundary of this collision is marked by the Teslin suture zone approximately 20 km east of the CAP claims ridge.

b. General Description


The CAP claims are underlain (Figure 4) by volcanic rocks of uncertain age and Triassic Lewes River Group volcanic and sedimentary rocks (Wheeler, 1961). It is thought that the volcanic rocks are either Triassic Lewes River Group volcanic rocks or Cretaceous Mount Nansen Group volcanic rocks. The two units are separated by a northwesterly trending fault that runs parallel to the west side of the CAP claims ridge. On the west side of the fault, between Cap Creek and the CAP claims ridge, Triassic Lewes River Group limestone is underlain by black argillite and gray limestone, and is overlain by 335 m of poorly exposed black argillite, volcanic graywacke and conglomerate. The underlying sedimentary rocks are faulted against the andesites of unknown age. Both units are intruded by Cretaceous hornblende-biotite granodiorite.

9. Detailed Geology


The geology and rock sample locations on the CAP claims are shown in Figures 5, 6, 7 and 8 (back pockets). A description of all rock types on the CAP claims is given below:

a. Rock Units

<u>Triassic sedimentary rocks:</u>



UNITED KENO HILL MINES LTD. *EXPLORATION DEPARTMENT* *WHITEHORSE — YUKON*	FIGURE 3
CAP CLAIMS TECTONIC SETTING	
Mining District WHITEHORSE *N.T.S. Sheet No.* *Scale* Not to scale	
Drawn by H.D.P.	*Date* 87/09/10



LEGEND*

QUATERNARY

- 13 Alluvium
- 12 Miles Canyon Basalt

TERTIARY or EARLIER

- 11 Granite Porphyry, Rhyolite
- 10 Skukum Group Volcanic Rocks
- 9 Pink Quartz Monzonite

CRETACEOUS

- 8 Coast Intrusions
- 7 Volcanic Rocks
- 6 Ultramafic Rocks

JURASSIC and CRETACEOUS

- 5 Tantalus Formation

JURASSIC

- 4 Laberge Group Sedimentary Rocks

TRIASSIC

- 3 Lewes River Group Sedimentary and Volcanic Rocks
- A Volcanic Rocks of Uncertain Age

* modified from Wheeler (1961)

CAP Claims area

Figure 4

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

REGIONAL GEOLOGY

CAP CLAIMS

Mining District WHITEHORSE

N.T.S. Sheet No. 105-D

Scale 1:250,000

Drawn by H.D.P. | *Date* 87/09/09

BCIL - 3042 - U.K.H.M.

Unit 1-Limestone

There are two occurrences of limestone on the CAP claims ridge. The limestone is buff to light rust weathering, and is light to medium gray on a fresh surface. The weathered surface has a "knobby" texture.

Unit 2-Sandstone

The sandstone is buff to light rust weathering and is light creme on the fresh surface. Finely laminated cross-bedding and ripple marks are easily visible on the weathered surface. The rock is fine (less than 1 mm) to medium grained, and breaks into slabs 4 cm to .5 m wide.

Unit 3-Conglomerate

The conglomerate weathers light gray to rust and is comprised of poorly sorted, subangular to rounded quartz and volcanic clasts up to 1.5 m.

Unit 4-Black shale, mudstone, siltstone

Black to rust weathering, dark gray to black shales may be slightly calcareous and break into thin, fissile slabs or into slabs up to 10 cm wide.

Rocks of Uncertain Age:

Unit 5-Black, fine grained volcanic tuff(?)

This homogeneous, fine grained rock is medium rust to black weathering, dark gray to black with disseminated pyrite.

Unit 6-Siliceous, aphanitic, fine grained rock

This rock is light gray, weathers white with dark gray streaks, and has a conchoidal fracture.

Unit 7-Quartz and feldspar granitic gneiss

The granitic gneiss contains white to light gray equigranular, "sugary" quartz. The rock is 80 to 90% quartz and 10 to 20% granitic lenses and bands. The lenses and bands are flesh-creme colored and discontinuous. The potassium feldspar has altered to clay minerals.

Unit 8-Diabase

The diabase is medium to dark grayish green with small, lathe-shaped feldspar crystals.

Unit 9-Hornblende diorite to granodiorite

The hornblende diorite is light gray, white weathering, and contains hornblende crystals up to 2 mm. Both the hornblende

diorite and the granodiorite contain minor white quartz veins. Limonite specks occur where the mafic minerals have weathered. The granodiorite fractures into large rounded slabs, and foliation is rare.

Unit 10-Andesite, minor basalt

Andesite underlies most of the CAP claims area. It is dark greenish gray weathering with minor patches of quartz and may contain disseminated pyrite.

10a-Greenstone

The greenstone weathers dark green and contains abundant chlorite. it has a medium green fresh surface.

10b-Porphyritic Andesite

The porphyritic andesite is light green weathering and contains feldspar phenocrysts averaging .5 cm in size.

10b-Brecciated andesite

The brecciated andesite has a dark green, medium rust mottled weathered surface and contains angular andesitic fragments. The breccia fragments are cemented with siliceous, light green-gray, very fine material which is resistant and forms "spiderweb texture" on the weathered surface of the outcrop.

b. Structure

The volcanic rocks exposed on the CAP claims ridge are relatively undeformed and are of lower greenschist metamorphic grade. In rare instances the attitude of the volcanic beds were noted (dipping southwest?), but generally the volcanic unit was massive with one to three jointing directions. The Triassic sedimentary rocks found on the property dip southwest.

c. Mineralization

Geochemistry results from rock samples taken from CAP 21-40 are listed in Appendix III and IV. Rock samples from CAP 1-20 have not yet been analyzed.

Several small gossans occur in andesites (Unit 10) and in Triassic shales (Unit 4). The gossans in the volcanic rocks are characterized by dark rust coating on the weathered surface of the rock and fine grained disseminated pyrite (less than 4%). Rock sample geochemistry results from these gossanous zones (12051, 12058, 12061) show normal background levels for all elements, except copper. Samples 12058 and 12061 contain 262 ppm and 297 ppm Cu respectively.

Unit 6 rocks (siliceous aphanitic light gray rocks) also contained local disseminated pyrite up to 3% (12052, 12055, 12057) but returned low geochemical values. Samples 12052 and 12055 contain slightly elevated Cr values (211 ppb and 244 ppb).

No visible sulphides were noted in white bull quartz float and quartz veins in outcrop. Geochemical results from quartz veins showed only background values for all elements except Cr (207 ppm).

A rock sample of Triassic black shale coated with malachite and azurite (12056) ran over 10,000 ppm Cu and 4.0 ppm Ag.

The highest gold value (49 ppb) came from a completely oxidized limonite rich rock (12054) found in a fault zone 1 m wide near the south end of the claims. The rock also contained the highest As value (315 ppb) but showed background values for all other elements. A soil sample from the same fault zone ran 27 ppb Au, which is anomalous for the CAP claims area.

10. Geochemical Survey

a. General

A baseline was established along the claim line on CAP 21-40. Pickets marked with orange and pink flagging were placed every 50 m along the baseline. The zero point on the baseline is at the claimposts for claims 28, 29, 30, 31. The baseline was run to +2000 m towards the south part of the claim block and -2000 m to the north. Soil samples were taken from each station (every 50 m) along the baseline. Crosslines were put in every 100 m, and soil samples were taken at 50 m intervals along the crosslines. Soil sample points were labelled and marked with orange flagging tape tied onto bushes or rocks. The crosslines extend only 100 m to 300 m on either side of the baseline due to steep topography on both sides of the ridge. The location of the soil grids on CAP 21-30 and CAP 31-40 is shown on Figure 20 and Figure 21 (back pocket).

CAP 1-20 was soil sampled on a reconnaissance scale along contour lines.

The CAP claims are situated in an alpine area in which the B horizon is moderately developed. The average sample depth was 8-12 cm, although B horizon soil was sometimes found in surface boils. On steep talus slopes, especially on CAP 1-10, soil was scarce, but could usually be found on narrow ledges where grass had grown. A small number of soil sample sites were in permafrost. Large pebbles and stones were encountered in many of the soil holes before reaching the soil horizon.

b. Interpretation of Results

Results for soil samples are listed in Appendix IV. Sample locations are shown on Figures 9 and 10. The values for Au, Ag, Cu, Pb and Zn were plotted and contoured on Figures 11 to 20.

The values for all elements are low. The highest gold value is 57 ppb, but it is an isolated spot anomaly. There is a small

cluster of anomalous gold values in the vicinity of -1900, +100 to -1900, +200. A dark rust weathering, silicified andesite with 3 to 4 % pyrite was found here but geochemical results from rock samples were disappointing (less than 1 ppb Au). The center of the grid (from -700 to +200) is slightly elevated in Au. Comparison with the geology map (Figure 7) shows this area to be underlain by Triassic sedimentary rocks. This area is also slightly elevated in zinc and lead.


The extreme south part of the grid shows an anomalous soil sample (41) of reddish-orange dirt that was taken from a narrow fault gully. The sample has elevated Au, Pb, Cu and Zn values. A rock sample (12054) from the fault gully ran 49 ppb Au and 315 As.

CAP 21-30 is elevated in Pb and Zn relative to CAP 31-40. The reason for this is not known.

References

Tempelman-Kluit, D.J., 1979, Transported cataclasite, ophiolite and granodiorite in Yukon: Evidence of arc-continent collision: Geological Survey of Canada Paper 79-14, 27pp.

Wheeler, J.O., 1961, Whitehorse map-area, Yukon Territory: Geological Survey of Canada Memoir 312, 156 pp.



SCALE 1:7500

0 50 100 200 300m


Figure 9

UNITED KENO HILL MINES LIMITED

CAP CLAIMS(21-30)

Location Map- Soil Samples

DRAWN BY: Roland DXY	DATE: August 20/87
N.T.S.: 105 O/15	FIGURE NO.:



BL -Azimuth 152

SCALE 1:7500

0 50 100 200 300m

Figure 10


UNITED KENO HILL MINES LIMITED

CAP CLAIMS (31-40)

(1140)

Location Map - Soil Samples

DRAWN BY: Roland DXY	DATE: August 7/87
N.T.S.: 105 D/15	FIGURE NO.:



BL -Azimuth 152

LEGEND

□ <1 ppb
▣ 1-9 ppb
□ >9 ppb

Detection limit -1 ppb
Upper limit -10000 ppb
Minimum assay - 0 ppb
Maximum assay - 57 ppb

SCALE 1:7500


0 50 100 200 300m

Figure II

UNITED KENO HILL MINES LIMITED

CAP (21-30) GRID
GOLD SOIL GEOCHEMISTRY in ppb

DRAWN BY: Roland DXY	DATE: August 20/87
N.T.S.: 105 O/15	FIGURE NO.:



LEGEND

□ <1 ppb
□ 1-9 ppb
□ ≥10 ppb

SCALE 1:7500


0 50 100 200 300m

Figure 12

UNITED KENO HILL MINES LIMITED

CAP GRID SOUTH (31-40)
GOLD SOIL GEOCHEMISTRY in ppb

DRAWN BY: Roland DXY	DATE: August 6/87
N.T.S.: 105 D/15	FIGURE NO.:



BL -Azimuth 152

LEGEND

□ <0.1 ppm
□ 0.1-0.3 ppm
□ ≥0.4 ppm

Detection limit-0.2 ppm
Upper limit - 200 ppm
Minimum assay - 0 ppm
Maximum assay - 1 ppm

SCALE 1:7500

0 50 100 200 300m


Figure 13

UNITED KENO HILL MINES LIMITED

CAP (21-30) GRID

SILVER SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 20/87
N.T.S.: 105 O/15	FIGURE NO.:



LEGEND

- ☐ <0.1 ppm
- ☐ 0.1-0.3 ppm
- ☐ ≥0.4 ppm

SCALE 1:7500


0 50 100 200 300m

Figure 14

UNITED KENO HILL MINES LIMITED

CAP GRID SOUTH (31-40)
SILVER SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 6/87
N.T.S.: 105 O/15	FIGURE NO.:



LEGEND

- ☐ ≤40 ppm
- ☐ 41-70 ppm
- ☐ 71-100 ppm
- ☐ >100 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 3 ppm
Maximum assay - 124 ppm

SCALE 1:7500

0 50 100 200 300m


Figure 15

UNITED KENO HILL MINES LIMITED

CAP (21-30) GRID

COPPER SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland OXY	DATE: August 20/87
N.T.S.: 105 O/15	FIGURE NO.:



BL -Azimuth 152

LEGEND

- ≤40 ppm
- 41-70 ppm
- 71-100 ppm
- >100 ppm

SCALE 1:7500


0 50 100 200 300m

Figure 16

UNITED KENO HILL MINES LIMITED

CAP GRID SOUTH (31-40)
COPPER SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 7/87
N.T.S.: 105 D/15	FIGURE NO.:



BL -Azimuth 152

LEGEND

- ☐ <2 ppm
- ☐ 2-6 ppm
- ☐ 7-8 ppm
- ☐ >8 ppm

Detection limit -2 ppm
Upper limit -10000 ppm
Minimum assay - 0 ppm
Maximum assay - 18 ppm

SCALE 1:7500


0 50 100 200 300m

Figure 17

UNITED KENO HILL MINES LIMITED

CAP (21-30) GRID
LEAD GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 20/87
N.T.S.: 105 O/15	FIGURE NO.:



LEGEND

- ‹2 ppm
- 2-4 ppm
- 5-9 ppm
- ≥10 ppm

SCALE 1:7500


0 50 100 200 300m

Figure 18

UNITED KENO HILL MINES LIMITED

CAP GRID SOUTH (31-40)
LEAD SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 6/87
N.T.S.: 105 D/15	FIGURE NO.:



BL -Azimuth 152

LEGEND

- ☐ ≤40 ppm
- ☐ 41-50 ppm
- ☐ 51-80 ppm
- ☐ >80 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 11 ppm
Maximum assay - 107 ppm

SCALE 1:7500


0 50 100 200 300m

Figure 19

UNITED KENO HILL MINES LIMITED

CAP (21-30) GRID
ZINC SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 20/87
N.T.S.: 105 D/15	FIGURE NO.:



LEGEND

- ☐ <50 ppm
- ☐ 51-70 ppm
- ☐ 71-100 ppm
- ☐ >100 ppm

SCALE 1:7500

0 50 100 200 300m

Figure 20

UNITED KENO HILL MINES LIMITED

CAP GRID SOUTH (31-40)
ZINC SOIL GEOCHEMISTRY in ppm

DRAWN BY: Roland DXY	DATE: August 6/87
N.T.S.: 105 D/15	FIGURE NO.:

CERTIFICATE OF QUALIFICATIONS

I, Dennis R. Prince with business address of:

United Keno Hill Mines Limited
409 Black Street
Whitehorse, Yukon
Y1A 2N2

and residential address:

13 Koidern Avenue
Whitehorse, Yukon
Y1A 3N7
Tel: 403-667-4720

do hereby certify that:

1. I am a practicing geologist.

2. I hold a Bachelor of Science (Honours) Degree (1970) in Geology from Memorial University of Newfoundland.

3. I am a Fellow of the Geological Association of Canada.


4. I am a member of the Professional Geoscientists Society of Yukon.

5. I have been practicing my profession for 17 years. I was employed by Falconbridge Limited as an Exploration Geologist from 1970 to 1981 and am now employed by United Keno Hill Mines Limited in the capacity of Exploration Manager.

6. This report entitled "Geological and Geochemical Report on CAP 1-40 Claims" and dated "June to August, 1987" is based on work supervised by me as an employee of United Keno Hill Mines Limited.

7. I have not received nor do I expect to receive any interest, either directly or indirectly, in the property concerned in this report or in United Keno Hill Mines Limited.

Respectfully submitted,



Dennis R. Prince,
B.Sc. (Hon.), FGAC

CERTIFICATE OF QUALIFICATIONS

I, Lori A. Walton with business address:

United Keno Hill Mines Limited
409 Black Street
Whitehorse, Yukon
Y1A 2N2

do hereby certify that:

1. I am a practicing geologist.

2. I hold a Bachelor of Science (Specialization) Degree (1982) in Geology from the University of Alberta.

3. I hold a Graduate Gemologist Degree (1983) from the Gemological Institute of America in California, U.S.A.


4. I hold a Master of Science Degree (1987) in Economic Geology from the University of Alberta.

5. I have been working in the field of mineral exploration since May of 1980.

6. This report entitled "Geological and Geochemical Report on the CAP 1-40 Claims" is based on work done on the property during July and August, 1987.

7. I have not received nor do I expect to receive any interest, either directly or indirectly, in the property concerned in this report.

Respectfully submitted,



Lori A. Walton,
M.Sc., G.G.

Project Costs

CAP 1-31(odd numbered claims)

Salaries	$3809.20
Hiring Expenses	285.00
Office Expenses	415.20
Geological Equipment	62.19
Camp Operation	
Equipment	126.62
Food	1123.83
Lodging	680.04
Assaying	1767.10
Transport	7.68
Aircraft	
Helicopter	1570.40
Vehicles	
Rentals	40.00
Supplies/Fuel	16.45
Air Photography	
Contract Labor	210.00
Company Equipment	14.45
Total	$10123.16

Project Costs

CAP 2-32(even numbered claims)

Salaries	$3809.20
Hiring Expenses	285.00
Office Expenses	415.20
Geological Equipment	62.19
Camp Operation	
Equipment	126.62
Food	1123.83
Lodging	680.04
Assaying	1767.10
Transport	7.68
Aircraft	
Helicopter	1570.40
Vehicles	
Rentals	40.00
Supplies/Fuel	16.45
Air Photography	
Contract Labor	210.00
Company Equipment	14.45
Total	$10123.16

Project Costs

CAP 33-40

Salaries	$1904.60
Hiring Expenses	142.50
Office Expenses	207.60
Geological Equipment	31.10
Camp Operation	63.31
Equipment	561.92
Food	340.02
Lodging	883.55
Assaying	3.84
Transport	
Aircraft	785.20
Helicopter	
Vehicles	
Rentals	20.00
Supplies/Fuel	8.23
Air Photography	
Contract Labor	105.00
Company Equipment	7.22
Total	$5064.09

APPENDIX II

Personnel and Contractors Employed

Geologist
Lori Walton
409 Black Street
Whitehorse, Yukon
Y1A 2N2

Assistant
Jane Evens
3323 Barrett Place N.W.
Calgary, Alberta
T2L IW5

Helicopter Support
Trans North Turbo Air
Whitehorse, Yukon

Geochemical Analysis
Chemex Labs Ltd.
212 Brooksbank Ave.
North Vancouver, B.C.
Canada
V7J 2C1

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT — 409 BLACK — WHITEHORSE

CAP 31-40
Rock Geochemistry Results

ASSAY RESULT FORM

DATE					Geochemistry results (Au in ppb, rest are in ppm)								
D	Mo.	Yr.	Tag No.	Location and Description	Au	Ag	Pb	Cu	Zn	As	Sb	Ni	Cr
28	06	87	12051	Dark rust gossan in volcanic rocks 5 m wide. Minor f.g. dissem. pyrite	1	0.2	<2	100	78	15	5	6	18
28	06	87	12052	Light gray silicic rock, rust weathering, 3% dissem. pyrite	6	0.2	2	25	89	20	<5	86	211
28	06	87	12053	Dk gray green diabase dyke with 1% disseminated pyrite	1	0.2	<2	28	65	<5	10	36	21
29	06	87	12054	Very limonitic, recessive weathering rock in 3 m wide fault gully	49	0.2	<2	67	74	315	<5	78	29
29	06	87	12055	Lt. gray silicic rock, rust wthr. with minor disseminated pyrite	<1	0.2	6	67	85	10	<5	84	244
29	06	87	12056	Rusty weathering zone 1 m wide in black shale. Malachite and azurite.	11	4.0	28	>10000	1100	35	5	39	113
29	06	87	12057	Light gray silicic rock, rust wthr, with dissem. cubic pyrite up to 1 mm.	<1	0.2	<2	156	87	10	<5	7	48
01	07	87	12058	Pyritiferous zone in volcanic rock (Unit 10). At contact with Unit 8	2	0.2	<2	262	90	30	<5	<1	20
01	07	87	12059	White bull quartz vein float, minor limonite, clay	<1	0.2	14	29	5	10	<5	3	207
01	07	87	12060	Silicified andesite? Light rust/ creme wthrd surface, lt gray fresh	1	0.4	<2	115	98	<5	15	<1	32
01	07	87	12061	Dark rust weathering, chlorite rich,	17	1.0	4	297	234	15	10	1	24

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/R
Comments:

Page No -A
Tot. Pa
Date 17-AUG-87
Invoice # : I-8718844
P.O. # : NONE

CAP Claims - Rock Samples

CERTIFICATE OF ANALYSIS A8718844

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
12051	205	238	1	1.94	0.2	15	10	< 0.5	< 2	0.87	< 0.5	26	18	100	6.20	< 10	< 1	0.05	10	1.02	1075
12052	205	238	6	2.87	0.2	20	< 10	< 0.5	2	0.34	< 0.5	32	211	25	6.04	< 10	< 1	< 0.01	< 10	3.67	794
12053	205	238	1	2.80	0.2	< 5	150	< 0.5	< 2	1.79	< 0.5	32	21	28	4.21	< 10	< 1	0.12	10	2.17	560
12054	205	238	49	0.40	0.2	315	40	< 0.5	< 2	0.04	< 0.5	26	29	67	9.40	< 10	< 1	0.13	< 10	0.08	500
12055	205	238	< 1	3.56	0.2	10	60	< 0.5	< 2	1.08	< 0.5	35	244	67	4.33	< 10	< 1	0.13	< 10	2.83	1090
12056	205	238	11	2.43	4.0	35	30	< 0.5	< 2	4.95	6.0	52	113	>10000	4.50	< 10	< 1	0.08	< 10	1.73	975
12057	205	238	< 1	0.96	0.2	10	110	< 0.5	< 2	0.47	< 0.5	2	48	156	1.56	< 10	< 1	0.21	10	0.35	328
12058	205	238	2	2.47	0.2	30	40	< 0.5	< 2	0.72	< 0.5	23	20	262	5.37	< 10	< 1	0.03	10	1.23	825
12059	205	238	< 1	0.17	0.2	10	10	< 0.5	< 2	0.02	< 0.5	< 1	207	29	0.51	< 10	1	0.01	< 10	0.03	65
12060	205	238	1	2.13	0.4	< 5	20	< 0.5	< 2	1.08	< 0.5	18	32	115	3.95	< 10	2	0.01	20	0.84	799
12061	205	238	17	2.32	1.0	15	30	< 0.5	< 2	0.65	< 0.5	22	24	297	6.01	< 10	< 1	0.04	10	0.85	707
12068	205	238	< 1	0.10	0.2	< 5	< 10	< 0.5	< 2	0.02	< 0.5	1	131	28	0.44	< 10	1	< 0.01	< 10	0.07	71
12069	205	238	< 1	0.37	0.2	5	20	< 0.5	4	0.06	< 0.5	< 1	153	8	0.30	< 10	1	0.09	< 10	0.05	134
12070	205	238	8	2.43	0.4	25	50	< 0.5	4	0.57	< 0.5	16	74	96	4.23	< 10	1	0.12	10	1.73	577
12071	205	238	4	1.26	0.4	< 5	50	< 0.5	< 2	1.33	< 0.5	25	19	148	4.60	< 10	< 1	0.15	20	0.84	435
12072	205	238	< 1	1.24	0.2	< 5	20	< 0.5	4	1.19	< 0.5	51	60	192	3.76	< 10	2	0.05	10	0.48	264
12073	205	238	< 1	1.55	0.4	< 5	40	< 0.5	6	2.08	< 0.5	15	25	93	2.61	< 10	< 1	0.02	10	0.28	308

CERTIFICATION : BC

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/R
Comments:

Date : 17-AUG-87
Invoice # : I-8718844
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718844

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
12051	205	238	< 1	0.04	6	460	< 2	5	< 10	14	0.44	< 10	< 10	94	< 5	78
12052	205	238	< 1	0.03	86	290	2	< 5	< 10	3	0.37	< 10	< 10	212	< 5	89
12053	205	238	< 1	0.16	36	1140	< 2	10	< 10	74	0.33	< 10	< 10	77	< 5	65
12054	205	238	< 1	< 0.01	78	1240	< 2	< 5	30	4	< 0.01	< 10	< 10	89	< 5	74
12055	205	238	< 1	0.09	84	60	6	< 5	< 10	17	0.10	< 10	< 10	75	< 5	85
12056	205	238	12	0.02	39	340	28	5	< 10	59	0.11	< 10	< 10	122	< 5	1100
12057	205	238	1	0.03	7	40	< 2	< 5	30	13	< 0.01	< 10	< 10	4	< 5	87
12058	205	238	< 1	0.03	< 1	430	< 2	< 5	40	15	0.32	< 10	< 10	97	< 5	90
12059	205	238	1	< 0.01	3	20	14	< 5	< 10	1	< 0.01	< 10	< 10	4	< 5	5
12060	205	238	< 1	0.04	< 1	540	< 2	15	< 10	29	0.47	< 10	< 10	112	5	98
12061	205	238	3	0.04	1	550	4	10	< 10	22	0.42	< 10	< 10	154	< 5	234
12068	205	238	1	< 0.01	1	40	130	5	< 10	1	< 0.01	< 10	< 10	6	< 5	36
12069	205	238	1	0.01	< 1	140	24	< 5	10	2	< 0.01	< 10	< 10	2	< 5	61
12070	205	238	< 1	0.09	8	600	18	5	< 10	38	0.25	< 10	< 10	133	< 5	132
12071	205	238	2	0.13	< 1	560	< 2	10	< 10	13	0.48	< 10	< 10	230	5	27
12072	205	238	< 1	0.04	18	740	16	5	< 10	36	0.30	< 10	< 10	59	< 5	30
12073	205	238	< 1	0.03	< 1	380	< 2	5	< 10	152	0.43	< 10	< 10	106	< 5	18

CERTIFICATION : BCG

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/BI/S
Comments:

Page N -A
Tot. I 1
Date : 2-AUG-87
Invoice # : I-8717522
P.O. # : NONE

CAP Claims - Soil Samples

CERTIFICATE OF ANALYSIS A8717522

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
001	201 238	1	3.66	< 0.2	5	240	< 0.5	< 2	0.55	< 0.5	23	59	135	4.96	< 10	< 1	0.16	10	1.37	1105
002	201 238	7	2.20	< 0.2	< 5	130	< 0.5	< 2	0.62	0.5	19	48	75	3.59	< 10	< 1	0.07	20	1.02	763
003	201 238	4	2.24	< 0.2	5	130	< 0.5	< 2	0.49	< 0.5	17	52	61	3.64	< 10	< 1	0.11	10	0.93	601
004	201 238	4	2.42	< 0.2	5	130	< 0.5	< 2	0.47	< 0.5	16	48	53	3.64	< 10	< 1	0.09	10	0.92	521
005	201 238	< 1	1.36	< 0.2	< 5	130	< 0.5	< 2	0.22	< 0.5	5	28	22	1.85	< 10	< 1	0.07	< 10	0.26	351
006	201 238	2	1.55	< 0.2	< 5	110	< 0.5	< 2	0.20	< 0.5	5	31	30	2.31	< 10	< 1	0.06	10	0.39	360
007	201 238	< 1	1.75	< 0.2	5	120	< 0.5	< 2	0.33	< 0.5	10	52	27	2.56	< 10	< 1	0.06	10	0.64	317
008	201 238	< 1	1.97	< 0.2	< 5	120	< 0.5	< 2	0.35	< 0.5	11	61	26	2.91	< 10	< 1	0.07	10	0.69	416
009	201 238	2	1.69	< 0.2	< 5	170	< 0.5	< 2	0.39	< 0.5	10	61	24	3.02	< 10	< 1	0.10	10	0.57	700
010	201 238	< 1	1.78	< 0.2	< 5	180	< 0.5	< 2	0.34	0.5	9	42	23	2.31	< 10	< 1	0.07	20	0.52	350
011	201 238	2	2.34	< 0.2	10	160	< 0.5	< 2	0.39	< 0.5	15	61	27	3.02	< 10	< 1	0.08	10	0.78	385
012	201 238	1	2.08	0.2	< 5	160	< 0.5	< 2	0.48	0.5	16	62	32	3.04	< 10	< 1	0.09	10	0.94	451
013	201 238	2	1.87	< 0.2	5	90	< 0.5	< 2	0.34	< 0.5	7	45	25	2.69	< 10	< 1	0.06	10	0.50	307
014	201 238	< 1	1.50	< 0.2	< 5	140	< 0.5	< 2	0.28	< 0.5	8	48	20	2.39	< 10	< 1	0.07	10	0.43	417
015	201 238	4	1.91	< 0.2	5	140	< 0.5	< 2	0.35	< 0.5	8	55	23	2.66	< 10	< 1	0.07	10	0.48	379
016	201 238	< 1	1.91	< 0.2	15	130	< 0.5	< 2	0.44	< 0.5	11	56	33	2.88	< 10	< 1	0.06	10	0.72	391
017	201 238	< 1	1.12	< 0.2	< 5	120	< 0.5	< 2	0.17	0.5	4	26	25	1.38	< 10	< 1	0.06	10	0.14	250
018	201 238	< 1	2.43	< 0.2	5	120	< 0.5	2	0.41	< 0.5	16	58	44	3.49	< 10	< 1	0.09	10	0.97	519
019	201 238	2	2.21	< 0.2	5	130	< 0.5	< 2	0.42	0.5	15	56	53	4.08	< 10	< 1	0.06	10	0.97	552
020	201 238	< 1	2.05	< 0.2	< 5	130	< 0.5	2	0.27	0.5	13	48	43	3.32	< 10	< 1	0.06	10	0.74	582
021	201 238	2	1.35	< 0.2	< 5	160	< 0.5	< 2	0.34	< 0.5	7	41	17	2.43	< 10	< 1	0.05	10	0.46	273
022	201 238	10	1.62	< 0.2	5	170	< 0.5	< 2	0.37	< 0.5	10	55	20	3.23	< 10	< 1	0.08	10	0.67	380
023	201 238	2	1.72	< 0.2	5	160	< 0.5	< 2	0.33	< 0.5	8	42	17	2.75	< 10	< 1	0.06	10	0.49	355
024	201 238	< 1	1.88	< 0.2	< 5	120	< 0.5	< 2	0.37	0.5	13	64	21	3.55	< 10	< 1	0.07	10	0.87	414
025	201 238	2	2.21	< 0.2	< 5	140	< 0.5	< 2	0.47	0.5	13	64	31	3.36	< 10	< 1	0.08	10	0.97	370
026	201 238	3	2.38	< 0.2	< 5	180	< 0.5	4	0.58	0.5	13	65	35	3.64	< 10	< 1	0.09	20	0.98	439
027	201 238	8	1.79	0.2	5	170	< 0.5	< 2	0.40	< 0.5	9	41	23	2.86	< 10	< 1	0.07	10	0.53	401
028	201 238	< 1	1.85	< 0.2	< 5	150	< 0.5	< 2	0.30	0.5	10	52	27	3.08	< 10	< 1	0.10	10	0.59	415
029	201 238	< 1	1.74	< 0.2	5	110	< 0.5	< 2	0.27	< 0.5	9	49	26	2.52	< 10	< 1	0.07	10	0.65	310
030	201 238	1	1.88	< 0.2	< 5	200	< 0.5	< 2	0.38	< 0.5	13	40	43	2.69	< 10	< 1	0.08	10	0.56	722
031	201 238	< 1	2.86	< 0.2	15	170	< 0.5	< 2	0.57	< 0.5	23	64	92	3.97	< 10	< 1	0.10	10	1.28	661
032	201 238	2	1.96	< 0.2	< 5	180	< 0.5	< 2	0.35	0.5	13	58	27	3.52	< 10	< 1	0.08	10	0.94	448
033	201 238	< 1	2.34	< 0.2	< 5	160	< 0.5	< 2	0.37	< 0.5	13	61	38	3.77	< 10	< 1	0.07	10	0.85	604
034	201 238	3	2.90	< 0.2	5	140	< 0.5	< 2	0.75	< 0.5	21	70	75	4.28	< 10	< 1	0.08	10	1.48	678
035	201 238	< 1	2.61	< 0.2	5	160	< 0.5	< 2	0.65	< 0.5	21	72	77	3.82	< 10	< 1	0.11	10	1.26	732
036	201 238	5	2.37	< 0.2	< 5	110	< 0.5	< 2	0.52	0.5	17	60	59	3.85	< 10	< 1	0.08	10	1.12	564
037	201 238	< 1	1.65	< 0.2	5	70	< 0.5	< 2	0.35	< 0.5	14	32	51	2.59	< 10	< 1	0.07	< 10	0.66	499
038	201 238	9	2.48	0.4	< 5	120	< 0.5	< 2	1.26	0.5	25	69	74	3.94	< 10	< 1	0.10	20	1.10	932
039	201 238	< 1	1.45	< 0.2	5	80	< 0.5	< 2	2.38	1.5	18	102	44	2.56	< 10	< 1	0.06	10	0.97	687
040	201 238	7	2.50	< 0.2	15	100	< 0.5	< 2	0.52	0.5	26	45	120	4.97	< 10	< 1	0.08	10	1.12	1280

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/BL/S
Comments:

Page No -B
Tot. Pa 1
Date 2-AUG-87
Invoice # :I-8717522
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717522

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
001	201 238	< 1	0.02	31	790	10	< 5	10	34	0.14	< 10	< 10	111	< 5	101
002	201 238	< 1	0.01	25	620	< 2	< 5	10	30	0.20	10	< 10	91	< 5	56
003	201 238	< 1	0.01	27	430	< 2	< 5	< 10	28	0.19	10	< 10	93	< 5	50
004	201 238	< 1	0.01	24	660	< 2	< 5	< 10	26	0.16	< 10	< 10	92	< 5	50
005	201 238	< 1	0.01	10	1840	< 2	< 5	10	24	0.01	< 10	< 10	49	< 5	31
006	201 238	< 1	0.01	12	1260	< 2	< 5	< 10	19	0.06	< 10	< 10	61	< 5	34
007	201 238	< 1	0.02	27	680	< 2	< 5	< 10	24	0.11	10	< 10	65	< 5	39
008	201 238	< 1	0.01	32	720	< 2	< 5	10	25	0.12	10	< 10	73	< 5	44
009	201 238	< 1	0.01	24	1070	< 2	< 5	< 10	30	0.11	10	< 10	74	< 5	53
010	201 238	< 1	0.02	27	960	< 2	< 5	< 10	25	0.09	10	< 10	55	< 5	43
011	201 238	< 1	0.01	39	380	< 2	< 5	< 10	27	0.17	10	< 10	70	< 5	42
012	201 238	< 1	0.02	50	340	< 2	< 5	< 10	33	0.17	10	< 10	74	< 5	44
013	201 238	< 1	0.01	11	380	< 2	< 5	< 10	27	0.18	< 10	< 10	80	< 5	42
014	201 238	< 1	0.01	20	880	< 2	< 5	< 10	25	0.09	10	< 10	64	< 5	36
015	201 238	< 1	0.01	17	1000	< 2	< 5	< 10	31	0.13	10	< 10	70	< 5	41
016	201 238	< 1	0.01	32	800	< 2	< 5	< 10	28	0.12	10	< 10	69	< 5	40
017	201 238	< 1	0.01	11	1410	< 2	< 5	< 10	19	0.01	10	< 10	42	< 5	22
018	201 238	< 1	0.01	28	840	< 2	5	< 10	26	0.14	10	< 10	85	< 5	69
019	201 238	< 1	0.01	31	490	< 2	< 5	< 10	26	0.18	10	< 10	102	< 5	63
020	201 238	< 1	0.01	25	660	< 2	< 5	< 10	21	0.13	< 10	< 10	79	< 5	55
021	201 238	< 1	0.01	14	290	< 2	< 5	< 10	24	0.16	10	< 10	74	< 5	35
022	201 238	< 1	0.01	25	320	< 2	< 5	< 10	26	0.17	10	< 10	84	< 5	46
023	201 238	< 1	0.01	14	350	< 2	< 5	< 10	27	0.15	< 10	< 10	61	< 5	41
024	201 238	< 1	0.01	30	310	< 2	< 5	< 10	23	0.20	10	< 10	86	< 5	41
025	201 238	< 1	0.01	34	410	< 2	< 5	< 10	29	0.17	10	< 10	84	< 5	42
026	201 238	< 1	0.02	23	460	6	< 5	< 10	41	0.21	10	< 10	98	< 5	49
027	201 238	< 1	0.01	12	230	4	< 5	< 10	31	0.18	< 10	< 10	81	< 5	54
028	201 238	< 1	0.01	17	680	< 2	< 5	< 10	27	0.12	< 10	< 10	71	< 5	54
029	201 238	< 1	0.02	17	460	4	< 5	< 10	24	0.11	10	< 10	71	< 5	38
030	201 238	< 1	0.01	13	510	< 2	< 5	< 10	31	0.14	< 10	< 10	74	< 5	64
031	201 238	< 1	0.02	37	370	< 2	< 5	< 10	37	0.20	10	< 10	98	< 5	62
032	201 238	< 1	0.01	22	340	< 2	5	< 10	26	0.17	10	< 10	96	< 5	45
033	201 238	< 1	0.01	21	380	< 2	< 5	< 10	33	0.19	< 10	< 10	97	< 5	68
034	201 238	< 1	0.01	35	490	< 2	< 5	< 10	47	0.21	10	< 10	113	< 5	65
035	201 238	< 1	0.02	36	480	< 2	< 5	< 10	41	0.19	10	< 10	97	< 5	56
036	201 238	< 1	0.01	26	420	< 2	< 5	< 10	34	0.18	10	< 10	95	< 5	59
037	201 238	< 1	0.06	14	450	< 2	< 5	< 10	22	0.12	< 10	< 10	67	< 5	41
038	201 238	< 1	0.02	39	770	36	< 5	< 10	62	0.15	10	< 10	91	< 5	90
039	201 238	< 1	0.02	29	680	< 2	5	< 10	58	0.12	< 10	< 10	61	< 5	114
040	201 238	< 1	0.02	22	590	2	< 5	< 10	38	0.18	10	< 10	114	< 5	87

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

) NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/SG/S
Comments:

Date : 5-AUG-87
Invoice # : I-8717525
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717525

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
041	201 238	27	2.43	0.2	40	240	< 0.5	< 2	0.59	1.0	39	41	120	5.30	< 10	< 1	0.14	20	1.15	2610
047	201 238	6	2.76	0.2	15	180	< 0.5	< 2	0.70	0.5	31	63	99	4.95	< 10	< 1	0.18	10	1.18	1870
048	201 238	3	2.73	0.4	< 5	170	< 0.5	< 2	0.59	0.5	15	66	38	3.61	< 10	< 1	0.09	10	1.13	436
049	201 238	< 1	1.13	< 0.2	< 5	100	< 0.5	< 2	0.22	< 0.5	10	23	24	2.28	< 10	< 1	0.07	< 10	0.37	833
050	201 238	< 1	2.17	< 0.2	< 5	190	< 0.5	< 2	0.49	0.5	13	57	28	3.06	< 10	< 1	0.12	10	0.87	443
051	201 238	< 1	1.88	< 0.2	10	130	< 0.5	< 2	0.28	< 0.5	8	41	21	2.74	< 10	< 1	0.06	10	0.49	424
052	201 238	< 1	1.65	< 0.2	< 5	130	< 0.5	< 2	0.27	0.5	11	38	31	2.68	< 10	< 1	0.09	10	0.58	528
053	201 238	5	2.14	< 0.2	< 5	120	< 0.5	< 2	0.62	< 0.5	18	63	59	3.49	< 10	< 1	0.09	10	1.26	609
054	201 238	< 1	2.36	< 0.2	5	220	< 0.5	< 2	0.54	< 0.5	18	59	52	3.63	< 10	< 1	0.09	10	1.10	668
055	201 238	7	1.84	< 0.2	< 5	100	< 0.5	< 2	0.59	< 0.5	18	49	65	3.42	< 10	< 1	0.04	10	1.11	627
056	201 238	2	1.92	0.2	15	120	< 0.5	2	0.36	< 0.5	10	48	19	2.66	< 10	< 1	0.07	10	0.63	343
057	201 238	< 1	1.03	< 0.2	5	50	< 0.5	< 2	0.13	< 0.5	6	23	14	1.56	< 10	< 1	0.05	< 10	0.31	520
058	201 238	< 1	1.47	< 0.2	10	100	< 0.5	< 2	0.31	< 0.5	7	40	20	2.68	< 10	< 1	0.08	10	0.56	363
059	201 238	2	1.68	0.2	5	130	< 0.5	< 2	0.36	< 0.5	9	56	27	2.75	< 10	< 1	0.07	10	0.66	358
060	201 238	< 1	1.40	< 0.2	5	160	< 0.5	< 2	0.51	< 0.5	8	38	18	2.39	< 10	< 1	0.13	20	0.59	307
061	201 238	< 1	2.17	0.2	10	120	< 0.5	< 2	0.37	< 0.5	12	66	36	3.19	< 10	< 1	0.08	10	0.80	517
062	201 238	< 1	2.48	< 0.2	20	130	< 0.5	< 2	0.45	< 0.5	18	120	36	3.13	< 10	< 1	0.10	10	1.01	515
067	201 238	< 1	1.82	0.2	15	160	< 0.5	< 2	0.42	< 0.5	14	55	46	2.90	< 10	< 1	0.10	10	0.79	787
068	201 238	< 1	1.08	< 0.2	< 5	60	< 0.5	< 2	0.16	< 0.5	4	20	16	1.66	< 10	< 1	0.05	< 10	0.26	228
069	201 238	< 1	1.51	< 0.2	15	120	< 0.5	< 2	0.27	0.5	5	35	18	2.09	< 10	< 1	0.09	10	0.31	302
070	201 238	2	2.27	< 0.2	10	150	< 0.5	< 2	0.32	< 0.5	14	56	46	4.23	< 10	< 1	0.07	10	0.98	582
071	201 238	< 1	1.56	< 0.2	15	140	< 0.5	2	0.24	0.5	6	36	33	2.49	< 10	< 1	0.06	10	0.38	316
072	201 238	2	1.95	0.2	20	190	< 0.5	2	0.38	< 0.5	12	48	27	2.75	< 10	< 1	0.09	10	0.74	415
073	201 238	2	2.45	< 0.2	30	130	< 0.5	2	0.37	< 0.5	16	65	50	4.40	< 10	< 1	0.09	10	1.20	551
074	201 238	1	2.38	0.2	20	120	< 0.5	< 2	0.61	< 0.5	16	60	62	3.77	< 10	< 1	0.08	10	1.26	504
075	201 238	21	2.51	0.2	25	170	< 0.5	4	0.51	< 0.5	19	73	60	3.82	< 10	< 1	0.09	10	1.17	585
076	201 238	6	1.77	0.2	10	100	< 0.5	2	0.41	< 0.5	12	56	38	2.94	< 10	< 1	0.08	10	0.88	357
077	201 238	1	1.67	< 0.2	20	110	< 0.5	2	0.40	< 0.5	9	46	34	3.25	< 10	< 1	0.13	10	0.63	402
078	201 238	< 1	1.63	< 0.2	10	120	< 0.5	< 2	0.21	< 0.5	6	39	24	2.36	< 10	< 1	0.06	10	0.34	457
079	201 238	< 1	1.99	< 0.2	< 5	90	< 0.5	2	0.25	0.5	11	46	39	3.21	< 10	< 1	0.05	10	0.70	444
080	201 238	1	2.56	0.2	10	160	< 0.5	2	0.57	< 0.5	17	65	44	3.64	< 10	< 1	0.11	10	1.12	475
081	201 238	3	2.10	< 0.2	10	130	< 0.5	< 2	0.37	< 0.5	10	56	31	2.85	< 10	< 1	0.09	20	0.65	490
082	201 238	5	2.28	< 0.2	20	120	< 0.5	< 2	0.25	< 0.5	10	50	31	2.96	< 10	< 1	0.07	10	0.53	581
083	201 238	1	2.07	< 0.2	10	170	< 0.5	< 2	0.35	< 0.5	9	59	26	3.55	< 10	< 1	0.09	10	0.62	412
084	201 238	< 1	2.02	< 0.2	5	110	< 0.5	4	0.33	< 0.5	9	44	38	3.10	< 10	< 1	0.07	10	0.60	427
085	201 238	< 1	1.24	< 0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	4	36	12	2.12	< 10	< 1	0.05	10	0.24	366
086	201 238	< 1	1.95	< 0.2	10	140	< 0.5	< 2	0.43	< 0.5	15	65	26	2.97	< 10	< 1	0.05	10	0.93	341
087	201 238	< 1	2.06	< 0.2	10	130	< 0.5	2	0.42	< 0.5	15	68	26	3.34	< 10	< 1	0.05	10	0.93	378
088	201 238	4	2.21	0.2	5	130	< 0.5	< 2	0.40	< 0.5	14	50	48	3.85	< 10	< 1	0.07	10	0.93	554
089	201 238	6	2.11	0.2	10	140	< 0.5	< 2	0.36	< 0.5	12	65	25	3.71	< 10	< 1	0.08	10	0.87	412

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE , NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/SG/S
Comments:

Date 5-AUG-87
Invoice # : I-8717525
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717525

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
041	201 238	< 1	0.01	67	640	20	< 5	< 10	59	0.11	10	< 10	90	< 5	173
047	201 238	< 1	0.01	34	750	< 2	< 5	< 10	43	0.17	10	< 10	115	< 5	96
048	201 238	< 1	0.01	30	170	< 2	< 5	< 10	39	0.19	10	< 10	94	< 5	49
049	201 238	< 1	0.04	9	540	2	< 5	< 10	21	0.10	< 10	< 10	59	< 5	45
050	201 238	< 1	0.01	23	330	< 2	< 5	< 10	36	0.17	< 10	< 10	85	< 5	48
051	201 238	< 1	0.01	15	520	6	< 5	< 10	27	0.12	< 10	< 10	69	< 5	40
052	201 238	< 1	0.02	13	340	< 2	< 5	< 10	25	0.15	10	< 10	72	< 5	59
053	201 238	< 1	0.01	31	520	< 2	< 5	< 10	36	0.21	10	< 10	94	< 5	50
054	201 238	< 1	0.01	31	210	< 2	< 5	< 10	39	0.18	10	< 10	94	< 5	53
055	201 238	< 1	0.01	28	510	< 2	< 5	< 10	32	0.20	< 10	< 10	89	< 5	45
056	201 238	< 1	0.01	20	380	6	< 5	< 10	25	0.15	10	< 10	63	5	37
057	201 238	< 1	0.05	8	710	< 2	< 5	< 10	12	0.05	< 10	< 10	40	25	24
058	201 238	< 1	0.01	13	830	< 2	< 5	< 10	25	0.12	< 10	< 10	62	10	68
059	201 238	< 1	0.01	19	450	< 2	< 5	< 10	29	0.16	10	< 10	68	< 5	57
060	201 238	< 1	0.02	8	760	< 2	< 5	< 10	39	0.14	10	< 10	66	< 5	49
061	201 238	< 1	0.01	33	890	< 2	< 5	< 10	30	0.14	< 10	< 10	81	5	59
062	201 238	< 1	0.03	51	580	4	< 5	< 10	32	0.21	10	< 10	83	5	46
067	201 238	< 1	0.01	34	970	< 2	< 5	< 10	30	0.14	10	< 10	74	< 5	53
068	201 238	< 1	0.05	8	570	< 2	< 5	< 10	16	0.07	< 10	< 10	41	10	26
069	201 238	< 1	0.01	9	860	< 2	< 5	< 10	27	0.08	10	< 10	52	5	46
070	201 238	< 1	0.01	19	430	< 2	< 5	< 10	27	0.22	10	< 10	104	< 5	71
071	201 238	< 1	0.01	13	810	< 2	< 5	< 10	24	0.07	< 10	< 10	58	< 5	48
072	201 238	< 1	0.01	19	230	4	< 5	< 10	28	0.17	10	< 10	75	< 5	52
073	201 238	< 1	0.01	27	560	2	< 5	< 10	26	0.18	10	< 10	105	< 5	73
074	201 238	< 1	0.01	30	540	2	< 5	< 10	33	0.20	10	< 10	102	< 5	64
075	201 238	< 1	0.01	44	380	2	< 5	< 10	33	0.18	10	< 10	95	< 5	64
076	201 238	< 1	0.01	34	400	< 2	< 5	< 10	27	0.16	10	< 10	73	< 5	43
077	201 238	< 1	0.01	16	580	< 2	5	< 10	30	0.16	10	< 10	79	< 5	47
078	201 238	1	0.01	11	1060	< 2	< 5	< 10	22	0.03	10	< 10	59	< 5	55
079	201 238	< 1	0.01	15	450	4	< 5	< 10	20	0.14	< 10	< 10	74	< 5	46
080	201 238	< 1	0.02	39	700	< 2	5	< 10	35	0.23	< 10	< 10	87	< 5	51
081	201 238	< 1	0.01	17	1040	2	< 5	< 10	29	0.11	10	< 10	66	< 5	46
082	201 238	< 1	0.01	15	1130	< 2	< 5	10	25	0.09	< 10	< 10	75	< 5	52
083	201 238	< 1	0.01	21	1340	2	< 5	10	31	0.12	< 10	< 10	81	< 5	70
084	201 238	< 1	0.01	14	610	< 2	< 5	< 10	27	0.12	10	< 10	77	< 5	50
085	201 238	< 1	0.01	9	1080	< 2	< 5	10	18	0.05	< 10	< 10	53	< 5	30
086	201 238	< 1	0.01	44	420	< 2	< 5	< 10	29	0.15	10	< 10	71	< 5	37
087	201 238	< 1	0.01	42	380	8	< 5	10	25	0.18	< 10	< 10	77	< 5	37
088	201 238	< 1	0.01	19	510	2	< 5	< 10	28	0.17	< 10	< 10	92	< 5	72
089	201 238	< 1	0.01	28	560	< 2	< 5	10	30	0.17	< 10	< 10	96	< 5	47

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/SG/S
Comments:

Date : 5-AUG-87
Invoice # : I-8717525
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717525

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
090	201	238	< 1	1.70	0.2	10	130	< 0.5	2	0.49	< 0.5	14	61	22	2.72	< 10	< 1	0.06	10	0.95	346
091	201	238	< 1	1.75	< 0.2	< 5	140	< 0.5	< 2	0.46	< 0.5	13	63	33	2.72	< 10	< 1	0.07	10	0.94	383
092	201	238	< 1	1.75	< 0.2	5	230	< 0.5	< 2	0.27	< 0.5	28	53	28	3.13	< 10	< 1	0.05	10	0.50	3980
093	201	238	< 1	2.81	< 0.2	20	130	< 0.5	< 2	0.40	< 0.5	18	54	78	4.46	< 10	< 1	0.07	10	1.12	755
094	201	238	< 1	2.02	< 0.2	< 5	190	< 0.5	< 2	0.41	1.0	14	46	94	2.53	< 10	< 1	0.07	10	0.46	1225
095	201	238	< 1	2.01	< 0.2	10	100	< 0.5	2	0.25	< 0.5	8	59	28	3.30	< 10	< 1	0.07	10	0.59	303
096	201	238	2	1.44	< 0.2	5	130	< 0.5	2	0.66	< 0.5	13	57	36	2.73	< 10	< 1	0.06	20	0.89	494
097	201	238	< 1	2.66	0.4	25	130	< 0.5	2	0.34	< 0.5	14	52	49	4.01	< 10	< 1	0.09	10	0.77	669
098	201	238	2	2.24	0.2	10	150	< 0.5	2	0.49	< 0.5	15	62	31	3.01	< 10	< 1	0.07	10	0.93	425
099	201	238	12	2.71	0.2	25	130	< 0.5	< 2	0.49	< 0.5	23	56	87	4.50	< 10	< 1	0.08	10	1.20	965
100	201	238	< 1	1.98	< 0.2	25	150	< 0.5	2	0.34	< 0.5	10	58	45	3.47	< 10	< 1	0.07	10	0.61	414
101	201	238	< 1	2.24	< 0.2	< 5	120	< 0.5	2	0.47	< 0.5	15	53	44	3.22	< 10	< 1	0.07	10	0.87	468
102	201	238	< 1	1.58	< 0.2	15	90	< 0.5	< 2	0.27	< 0.5	9	44	22	2.51	< 10	< 1	0.05	10	0.51	454
103	201	238	3	1.91	< 0.2	15	110	< 0.5	< 2	0.55	< 0.5	16	48	54	3.20	< 10	< 1	0.05	10	1.02	577
104	201	238	< 1	2.46	< 0.2	20	110	< 0.5	< 2	0.42	< 0.5	14	61	37	3.32	< 10	< 1	0.06	10	0.95	480
105	201	238	4	2.27	< 0.2	30	100	< 0.5	2	0.33	< 0.5	17	69	48	3.62	< 10	< 1	0.08	10	1.11	544
106	201	238	< 1	2.34	< 0.2	15	120	< 0.5	< 2	0.37	< 0.5	18	66	59	3.79	< 10	< 1	0.06	10	1.12	608
107	201	238	< 1	2.09	< 0.2	20	130	< 0.5	< 2	0.25	< 0.5	9	45	34	2.77	< 10	< 1	0.06	10	0.63	350
108	201	238	20	2.39	< 0.2	15	210	< 0.5	< 2	0.38	< 0.5	13	57	78	3.41	< 10	< 1	0.13	20	0.91	444
109	201	238	< 1	2.09	< 0.2	15	150	< 0.5	2	0.34	< 0.5	9	48	20	2.37	< 10	< 1	0.07	20	0.62	296
110	201	238	2	2.54	< 0.2	10	120	< 0.5	< 2	0.40	< 0.5	18	63	54	3.72	< 10	< 1	0.12	10	1.11	902
111	201	238	< 1	1.74	< 0.2	5	120	< 0.5	< 2	0.35	< 0.5	10	40	28	2.96	< 10	< 1	0.10	10	0.57	616
112	201	238	< 1	2.10	< 0.2	10	160	< 0.5	2	0.35	< 0.5	9	52	29	2.89	< 10	< 1	0.11	10	0.63	512
113	201	238	< 1	1.94	< 0.2	5	120	< 0.5	< 2	0.28	< 0.5	8	42	33	2.81	< 10	< 1	0.10	10	0.54	282
114	201	238	< 1	2.08	< 0.2	< 5	120	< 0.5	< 2	0.40	< 0.5	12	57	33	3.20	< 10	< 1	0.07	10	0.86	395
115	201	238	3	2.77	< 0.2	< 5	170	< 0.5	< 2	0.42	0.5	20	36	76	4.52	< 10	< 1	0.06	10	0.98	719
116	201	238	3	2.18	< 0.2	20	130	< 0.5	< 2	0.33	< 0.5	14	61	44	3.73	< 10	< 1	0.07	10	0.91	465
117	201	238	12	2.79	< 0.2	5	150	< 0.5	< 2	0.49	< 0.5	19	64	88	4.34	< 10	< 1	0.08	10	1.34	695
118	201	238	< 1	2.51	0.2	5	170	0.5	< 2	0.61	< 0.5	18	46	83	3.97	< 10	< 1	0.10	10	1.06	1000
119	201	238	5	1.81	< 0.2	< 5	170	< 0.5	2	0.48	< 0.5	12	43	39	2.92	< 10	< 1	0.12	10	0.75	558
120	201	238	2	3.11	0.4	10	310	0.5	< 2	0.49	< 0.5	16	53	83	4.14	10	< 1	0.13	10	0.96	827
121	201	238	6	1.96	0.2	10	130	0.5	< 2	0.62	< 0.5	16	53	51	3.48	< 10	2	0.08	10	1.03	733
122	201	238	9	2.75	< 0.2	< 5	90	< 0.5	2	0.56	0.5	22	67	79	4.51	< 10	< 1	0.06	10	1.30	713
123	201	238	12	2.30	< 0.2	20	100	0.5	< 2	0.47	< 0.5	21	49	81	4.32	< 10	< 1	0.07	10	1.12	780

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : CAP/SG/S
Comments:

Page No -B
Tot. P 4
Date : 5-AUG-87
Invoice # : I-8717525
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717525

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
090	201	238	< 1	0.01	52	390	4	< 5	10	32	0.17	< 10	< 10	63	< 5	39
091	201	238	< 1	0.01	47	490	< 2	< 5	< 10	31	0.16	< 10	< 10	66	< 5	40
092	201	238	1	0.01	22	960	2	< 5	10	24	0.11	< 10	< 10	72	< 5	44
093	201	238	< 1	0.01	20	790	< 2	< 5	20	30	0.18	< 10	< 10	110	< 5	92
094	201	238	< 1	0.01	18	3020	< 2	< 5	10	33	0.01	< 10	< 10	60	< 5	81
095	201	238	< 1	0.01	18	1230	< 2	< 5	10	24	0.08	10	< 10	77	< 5	43
096	201	238	< 1	0.02	34	780	< 2	5	10	44	0.18	10	< 10	73	5	42
097	201	238	< 1	0.01	18	1270	4	< 5	10	27	0.15	< 10	< 10	93	< 5	71
098	201	238	< 1	0.01	42	520	4	< 5	10	32	0.17	< 10	< 10	69	< 5	45
099	201	238	< 1	0.01	33	580	4	< 5	20	31	0.18	10	< 10	100	5	83
100	201	238	< 1	0.01	19	620	< 2	< 5	< 10	26	0.16	10	< 10	76	< 5	49
101	201	238	< 1	0.01	26	570	4	< 5	10	32	0.18	< 10	< 10	75	< 5	47
102	201	238	< 1	0.01	18	390	< 2	< 5	< 10	22	0.15	< 10	< 10	72	< 5	37
103	201	238	< 1	0.01	25	520	< 2	< 5	10	30	0.20	< 10	< 10	83	< 5	49
104	201	238	< 1	0.01	35	950	< 2	< 5	10	29	0.16	< 10	< 10	80	< 5	49
105	201	238	< 1	0.01	38	590	2	5	10	22	0.15	< 10	< 10	77	< 5	66
106	201	238	< 1	0.01	46	950	< 2	< 5	10	24	0.17	< 10	< 10	83	< 5	70
107	201	238	< 1	0.01	19	940	< 2	< 5	< 10	21	0.08	< 10	< 10	61	< 5	50
108	201	238	< 1	0.01	24	370	10	< 5	< 10	27	0.14	10	< 10	86	5	52
109	201	238	< 1	0.01	22	990	< 2	< 5	< 10	25	0.10	10	< 10	56	5	45
110	201	238	< 1	0.01	27	560	< 2	< 5	< 10	27	0.18	10	< 10	97	5	66
111	201	238	< 1	0.01	11	660	< 2	< 5	< 10	28	0.14	10	< 10	79	5	54
112	201	238	< 1	0.01	20	1020	2	< 5	< 10	32	0.11	10	< 10	72	5	61
113	201	238	< 1	0.01	12	720	< 2	< 5	< 10	24	0.12	< 10	< 10	72	5	38
114	201	238	< 1	0.01	31	580	< 2	< 5	< 10	26	0.17	< 10	< 10	78	5	38
115	201	238	< 1	0.01	13	510	< 2	< 5	< 10	23	0.16	10	< 10	102	5	63
116	201	238	< 1	0.01	36	370	< 2	< 5	< 10	23	0.15	10	< 10	86	5	56
117	201	238	< 1	0.01	35	510	< 2	< 5	< 10	32	0.16	10	< 10	103	5	69
118	201	238	< 1	0.02	19	840	< 2	< 5	< 10	29	0.12	< 10	< 10	94	< 5	67
119	201	238	< 1	0.01	19	630	4	< 5	< 10	29	0.12	10	< 10	70	< 5	60
120	201	238	< 1	0.01	22	1480	< 2	< 5	< 10	36	0.10	10	< 10	103	< 5	87
121	201	238	< 1	0.01	46	700	< 2	< 5	< 10	33	0.18	10	< 10	86	5	47
122	201	238	< 1	0.01	29	570	< 2	< 5	< 10	29	0.23	10	< 10	113	< 5	59
123	201	238	< 1	0.01	35	310	< 2	< 5	< 10	29	0.20	10	< 10	106	5	75

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No :-A
Tot. P : 5
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
124	201	238	3	2.41	0.2	< 5	150	0.5	< 2	0.45	< 0.5	21	46	79	3.94	< 10	4	0.10	10	1.08	774
125	201	238	3	2.26	0.2	< 5	160	0.5	< 2	0.32	< 0.5	< 1	40	64	3.11	< 10	< 1	0.09	10	0.84	381
126	201	238	3	2.15	0.2	20	130	0.5	< 2	0.40	< 0.5	20	42	66	3.47	< 10	< 1	0.09	10	0.99	639
127	201	238	1	1.45	0.2	10	70	0.5	< 2	0.24	< 0.5	< 1	35	23	2.58	< 10	2	0.06	10	0.51	323
128	201	238	2	1.51	0.2	< 5	90	0.5	< 2	0.41	< 0.5	7	56	32	2.83	< 10	< 1	0.05	10	0.81	426
129	201	238	2	1.51	0.2	< 5	80	< 0.5	< 2	0.34	< 0.5	< 1	51	24	2.68	< 10	< 1	0.06	10	0.69	468
130	201	238	< 1	1.65	0.4	< 5	130	0.5	< 2	0.53	< 0.5	20	42	50	3.04	< 10	< 1	0.07	10	0.93	720
131	201	238	< 1	0.29	0.2	< 5	20	< 0.5	< 2	0.16	< 0.5	1	2	3	0.84	< 10	< 1	0.02	< 10	0.12	133
132	203	238	< 1	1.27	< 0.2	< 5	90	< 0.5	< 2	0.34	< 0.5	22	51	42	1.76	< 10	< 1	0.08	10	0.40	1290
133	201	238	< 1	1.42	0.2	< 5	90	< 0.5	< 2	0.26	< 0.5	< 1	37	21	2.74	< 10	< 1	0.06	10	0.47	366
134	201	238	4	1.63	< 0.2	< 5	100	< 0.5	< 2	0.33	< 0.5	< 1	44	29	2.57	< 10	< 1	0.05	10	0.62	373
135	201	238	< 1	1.93	< 0.2	< 5	150	< 0.5	< 2	0.44	< 0.5	19	46	41	3.23	< 10	< 1	0.11	10	0.83	833
136	201	238	< 1	0.67	< 0.2	< 5	50	< 0.5	< 2	0.18	< 0.5	1	8	15	1.02	< 10	< 1	0.03	< 10	0.17	555
137	201	238	4	3.14	0.4	< 5	160	0.5	< 2	0.65	0.5	28	47	113	5.24	< 10	< 1	0.11	10	1.30	1070
138	201	238	4	2.29	0.2	< 5	100	0.5	< 2	0.58	< 0.5	22	45	66	3.78	< 10	< 1	0.07	10	0.90	820
139	201	238	39	2.35	0.2	< 5	100	< 0.5	< 2	0.55	< 0.5	22	37	74	4.01	< 10	< 1	0.06	10	0.95	804
140	201	238	< 1	0.84	< 0.2	< 5	160	0.5	< 2	0.30	< 0.5	< 1	23	20	1.93	< 10	< 1	0.07	10	0.17	1415
141	201	238	< 1	1.42	0.2	< 5	90	< 0.5	2	0.31	< 0.5	< 1	20	40	2.23	< 10	< 1	0.04	10	0.48	477
142	201	238	< 1	0.76	< 0.2	< 5	40	< 0.5	< 2	0.16	< 0.5	< 1	14	16	1.34	< 10	< 1	0.04	< 10	0.30	299
143	201	238	< 1	1.05	0.2	< 5	60	< 0.5	< 2	0.15	< 0.5	< 1	17	25	1.57	< 10	< 1	0.04	< 10	0.36	342
144	201	238	7	2.18	< 0.2	< 5	110	< 0.5	< 2	0.59	< 0.5	23	37	84	4.01	< 10	< 1	0.06	10	1.03	855
145	201	238	4	2.13	< 0.2	< 5	90	< 0.5	< 2	0.45	< 0.5	21	36	74	3.97	< 10	< 1	0.05	10	0.97	761
146	201	238	3	2.32	< 0.2	< 5	130	< 0.5	< 2	0.31	< 0.5	19	44	69	3.82	< 10	< 1	0.08	10	0.90	686
147	201	238	< 1	1.58	< 0.2	5	90	< 0.5	< 2	0.29	< 0.5	4	37	26	2.42	< 10	< 1	0.05	10	0.53	273
148	201	238	2	1.94	< 0.2	< 5	110	< 0.5	2	0.24	< 0.5	< 1	41	33	2.38	< 10	< 1	0.06	10	0.55	306
149	201	238	15	2.87	< 0.2	< 5	160	< 0.5	2	0.64	< 0.5	26	54	124	4.80	< 10	< 1	0.08	10	1.21	845
150	201	238	5	2.29	0.2	< 5	100	< 0.5	< 2	0.32	< 0.5	20	61	62	3.76	< 10	< 1	0.07	10	1.05	693
151	201	238	9	1.38	< 0.2	< 5	60	< 0.5	< 2	0.18	< 0.5	< 1	32	21	2.27	< 10	< 1	0.04	10	0.44	355
152	201	238	4	3.28	0.4	< 5	210	< 0.5	< 2	0.43	< 0.5	23	54	113	4.45	< 10	< 1	0.11	10	1.09	1115
153	201	238	1	1.61	0.4	5	140	< 0.5	< 2	0.40	< 0.5	14	46	68	2.61	< 10	< 1	0.06	10	0.75	557
155	201	238	< 1	0.90	0.2	< 5	110	< 0.5	< 2	0.32	< 0.5	6	22	15	1.44	< 10	< 1	0.06	< 10	0.27	635
157	201	238	< 1	2.31	0.2	15	190	0.5	< 2	0.41	< 0.5	14	42	66	3.47	< 10	< 1	0.12	10	0.72	808
158	201	238	< 1	1.91	1.0	5	200	< 0.5	< 2	1.04	1.5	13	40	71	2.70	10	< 1	0.10	10	0.67	708
159	203	238	1	0.74	0.4	< 5	190	< 0.5	< 2	1.46	0.5	4	17	53	0.80	10	< 1	0.06	10	0.19	305
160	201	238	2	1.34	0.4	< 5	60	< 0.5	< 2	0.28	< 0.5	11	41	29	2.28	< 10	< 1	0.06	10	0.53	456
161	201	238	15	1.00	0.4	< 5	80	< 0.5	< 2	0.18	< 0.5	7	32	15	1.77	< 10	< 1	0.05	< 10	0.34	600
162	201	238	< 1	0.52	0.2	< 5	20	< 0.5	< 2	0.12	< 0.5	2	10	7	0.77	< 10	< 1	0.04	< 10	0.15	81
163	201	238	1	1.81	0.2	10	110	< 0.5	< 2	0.24	< 0.5	12	42	37	2.89	< 10	< 1	0.06	< 10	0.69	729
164	201	238	< 1	1.41	0.2	5	110	< 0.5	< 2	0.32	< 0.5	11	39	30	2.16	< 10	< 1	0.07	10	0.66	440
165	201	238	24	1.64	0.4	5	100	< 0.5	< 2	0.30	< 0.5	13	47	31	2.46	< 10	< 1	0.08	10	0.75	637

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No : -B
Tot. P :
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
124	201 238	< 1	0.02	27	800	< 2	< 5	< 10	26	0.13	< 10	< 10	92	10	70
125	201 238	< 1	0.03	21	940	< 2	< 5	< 10	23	0.09	< 10	< 10	73	10	57
126	201 238	< 1	0.03	20	490	< 2	< 5	< 10	25	0.14	< 10	< 10	83	5	61
127	201 238	< 1	0.01	14	530	< 2	< 5	10	20	0.10	< 10	< 10	58	5	40
128	201 238	< 1	0.01	39	500	< 2	< 5	< 10	24	0.15	< 10	< 10	72	5	43
129	201 238	< 1	0.02	24	660	< 2	< 5	10	22	0.14	< 10	< 10	67	5	47
130	201 238	< 1	0.02	28	540	< 2	< 5	< 10	29	0.15	< 10	< 10	75	5	56
131	201 238	< 1	0.07	< 1	580	< 2	< 5	20	10	0.04	< 10	< 10	24	5	12
132	203 238	< 1	0.03	10	1400	< 2	< 5	10	30	0.02	< 10	< 10	40	< 5	28
133	201 238	< 1	0.01	14	700	< 2	< 5	< 10	23	0.09	< 10	< 10	59	5	44
134	201 238	< 1	0.01	19	510	< 2	< 5	< 10	24	0.11	< 10	< 10	64	5	39
135	201 238	< 1	0.02	21	730	4	< 5	< 10	29	0.13	< 10	< 10	81	5	68
136	201 238	< 1	0.07	< 1	750	< 2	< 5	< 10	11	0.02	< 10	< 10	27	< 5	16
137	201 238	3	0.02	30	660	< 2	< 5	< 10	34	0.16	< 10	< 10	114	5	91
138	201 238	< 1	0.03	24	750	< 2	< 5	< 10	30	0.12	< 10	< 10	88	< 5	71
139	201 238	< 1	0.01	20	580	< 2	< 5	< 10	30	0.18	< 10	< 10	99	10	70
140	201 238	1	0.01	7	1070	< 2	< 5	20	27	0.06	< 10	< 10	60	< 5	47
141	201 238	< 1	0.04	8	720	< 2	< 5	< 10	19	0.07	< 10	< 10	52	< 5	41
142	201 238	< 1	0.06	6	460	< 2	< 5	< 10	12	0.06	< 10	< 10	34	< 5	26
143	201 238	< 1	0.04	4	730	< 2	< 5	10	12	0.04	< 10	< 10	39	< 5	29
144	201 238	< 1	0.01	19	470	16	< 5	< 10	32	0.20	< 10	< 10	104	< 5	62
145	201 238	< 1	0.01	18	350	< 2	< 5	< 10	27	0.19	< 10	< 10	102	< 5	63
146	201 238	< 1	0.01	24	710	6	< 5	< 10	22	0.09	< 10	< 10	89	< 5	66
147	201 238	< 1	0.01	14	310	10	< 5	< 10	23	0.14	< 10	< 10	64	< 5	32
148	201 238	< 1	0.01	16	790	2	< 5	< 10	20	0.07	< 10	< 10	60	5	45
149	201 238	< 1	0.01	32	580	< 2	< 5	< 10	36	0.18	< 10	< 10	113	5	107
150	201 238	< 1	0.02	34	580	2	< 5	< 10	24	0.13	< 10	< 10	89	< 5	68
151	201 238	< 1	0.02	13	610	< 2	< 5	< 10	16	0.07	< 10	< 10	51	< 5	38
152	201 238	2	0.03	32	1460	< 2	< 5	< 10	27	0.06	< 10	< 10	96	5	93
153	201 238	< 1	0.03	35	630	12	< 5	< 10	23	0.12	< 10	< 10	65	< 5	42
155	201 238	< 1	0.02	9	1140	4	< 5	< 10	23	0.03	< 10	< 10	40	< 5	31
157	201 238	< 1	0.01	20	1710	< 2	< 5	< 10	27	0.04	10	< 10	78	5	67
158	201 238	< 1	0.02	21	1510	8	< 5	< 10	46	0.07	< 10	< 10	65	< 5	72
159	203 238	< 1	0.02	18	1470	2	< 5	< 10	68	0.02	10	< 10	14	< 5	26
160	201 238	< 1	0.01	19	740	8	< 5	< 10	16	0.09	10	< 10	57	< 5	33
161	201 238	< 1	0.01	9	650	2	< 5	< 10	16	0.05	< 10	< 10	52	< 5	36
162	201 238	< 1	0.05	3	510	< 2	< 5	< 10	7	0.04	10	10	22	< 5	11
163	201 238	< 1	0.01	17	600	4	< 5	< 10	19	0.11	< 10	< 10	82	5	50
164	201 238	< 1	0.02	20	670	8	< 5	< 10	21	0.09	10	< 10	57	< 5	53
165	201 238	< 1	0.01	23	860	4	< 5	< 10	20	0.09	10	< 10	65	5	58

CERTIFICATION : BC-S

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

) NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No : -A
Tot. P: 3
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
166	201 238	< 1	1.36	< 0.2	< 5	90	< 0.5	< 2	0.29	< 0.5	10	32	33	2.11	< 10	< 1	0.06	< 10	0.56	394
167	201 238	< 1	1.75	< 0.2	5	90	< 0.5	< 2	0.40	< 0.5	13	48	41	2.77	< 10	< 1	0.07	10	0.83	438
168	201 238	< 1	0.87	< 0.2	5	80	< 0.5	< 2	0.18	< 0.5	7	23	17	1.50	< 10	< 1	0.06	< 10	0.34	529
169	201 238	2	2.57	< 0.2	25	160	< 0.5	< 2	0.40	< 0.5	19	77	62	3.71	< 10	< 1	0.11	10	1.35	546
170	201 238	4	2.22	< 0.2	5	230	< 0.5	< 2	0.46	< 0.5	19	69	42	3.45	10	< 1	0.12	10	1.03	1005
171	201 238	1	2.20	< 0.2	5	120	< 0.5	< 2	0.44	< 0.5	20	51	71	3.75	< 10	< 1	0.06	10	1.06	748
172	201 238	3	2.04	< 0.2	5	190	< 0.5	< 2	0.37	< 0.5	16	61	41	3.30	< 10	< 1	0.09	10	0.93	477
173	201 238	1	1.60	< 0.2	< 5	110	< 0.5	< 2	0.40	< 0.5	11	38	38	2.46	< 10	1	0.09	10	0.72	416
174	201 238	2	2.58	< 0.2	< 5	120	< 0.5	< 2	0.54	0.5	22	49	87	4.39	< 10	< 1	0.09	10	1.18	904
175	201 238	14	2.18	< 0.2	< 5	100	< 0.5	< 2	0.37	< 0.5	19	39	71	3.71	< 10	< 1	0.07	10	1.00	774
176	201 238	21	2.32	< 0.2	5	110	< 0.5	< 2	0.49	< 0.5	19	42	71	3.80	< 10	< 1	0.09	10	1.01	795
177	201 238	< 1	1.93	< 0.2	< 5	110	< 0.5	< 2	0.25	< 0.5	12	41	38	3.09	< 10	< 1	0.13	10	0.67	651
178	201 238	2	1.30	< 0.2	10	80	< 0.5	< 2	0.22	< 0.5	7	33	18	2.16	< 10	< 1	0.06	10	0.38	279
179	201 238	< 1	1.05	< 0.2	< 5	50	< 0.5	< 2	0.26	< 0.5	8	37	19	2.56	< 10	< 1	0.06	< 10	0.46	366
180	201 238	< 1	1.59	< 0.2	< 5	80	< 0.5	< 2	0.45	< 0.5	15	31	50	3.10	< 10	< 1	0.05	10	0.77	584
181	201 238	4	1.50	< 0.2	5	70	< 0.5	< 2	0.54	< 0.5	18	52	39	2.63	< 10	1	0.06	10	1.01	491
182	201 238	< 1	2.21	< 0.2	5	120	< 0.5	< 2	0.41	< 0.5	18	65	42	3.03	< 10	< 1	0.11	10	1.14	523
183	201 238	< 1	2.01	< 0.2	5	100	< 0.5	< 2	0.41	< 0.5	15	23	64	3.35	< 10	< 1	0.13	10	0.72	659
184	201 238	< 1	2.12	< 0.2	10	130	< 0.5	< 2	0.39	< 0.5	16	50	47	3.26	< 10	< 1	0.12	10	0.87	610
185	201 238	< 1	1.98	< 0.2	15	120	< 0.5	< 2	0.43	< 0.5	14	44	46	3.11	< 10	1	0.09	10	0.85	443
186	201 238	< 1	1.73	< 0.2	5	90	< 0.5	< 2	0.51	< 0.5	18	34	57	3.19	< 10	< 1	0.07	10	0.88	634
187	201 238	< 1	1.63	< 0.2	15	70	< 0.5	< 2	0.27	< 0.5	8	45	23	2.23	< 10	1	0.07	10	0.62	256
188	201 238	< 1	1.82	< 0.2	10	120	< 0.5	< 2	0.28	< 0.5	14	54	40	2.61	< 10	< 1	0.06	< 10	0.73	781
189	201 238	< 1	1.60	< 0.2	15	150	< 0.5	< 2	0.41	< 0.5	12	48	33	2.48	< 10	2	0.09	10	0.66	706
190	201 238	< 1	1.25	< 0.2	< 5	90	< 0.5	< 2	0.37	< 0.5	9	50	20	2.06	< 10	< 1	0.06	10	0.59	397
191	201 238	57	1.77	0.2	20	170	< 0.5	< 2	0.45	< 0.5	12	47	32	2.56	< 10	< 1	0.06	10	0.73	434
192	201 238	2	1.90	< 0.2	30	140	0.5	< 2	0.32	< 0.5	24	52	68	3.93	< 10	< 1	0.08	< 10	0.82	700
193	201 238	3	2.00	< 0.2	5	110	< 0.5	< 2	0.51	< 0.5	23	41	75	4.02	< 10	1	0.09	10	0.99	1015
194	201 238	< 1	1.44	< 0.2	10	120	< 0.5	< 2	0.27	< 0.5	11	36	23	2.35	< 10	1	0.07	< 10	0.49	1035
195	201 238	< 1	1.34	< 0.2	< 5	90	< 0.5	< 2	0.19	0.5	9	38	22	2.25	< 10	< 1	0.06	< 10	0.42	540
196	201 238	1	2.06	< 0.2	10	140	< 0.5	< 2	0.52	0.5	15	39	52	3.12	< 10	< 1	0.09	10	0.83	993
197	201 238	2	2.30	< 0.2	10	130	< 0.5	< 2	0.58	< 0.5	14	39	58	3.55	< 10	< 1	0.12	10	0.84	673
198	201 238	1	2.05	< 0.2	15	130	< 0.5	< 2	0.46	< 0.5	17	39	73	3.33	< 10	< 1	0.10	10	0.97	733
200	201 238	< 1	1.18	< 0.2	5	70	< 0.5	< 2	0.28	< 0.5	6	27	13	2.16	< 10	< 1	0.08	10	0.40	246
201	201 238	2	2.04	< 0.2	10	100	< 0.5	< 2	0.50	< 0.5	21	36	79	3.69	< 10	1	0.08	10	0.99	817
202	201 238	< 1	1.52	< 0.2	5	80	< 0.5	< 2	0.23	< 0.5	10	39	27	2.10	< 10	< 1	0.06	10	0.62	277
203	201 238	5	1.54	< 0.2	5	80	< 0.5	< 2	0.47	< 0.5	17	51	42	2.63	< 10	< 1	0.04	10	0.97	499
204	201 238	< 1	2.11	< 0.2	< 5	100	< 0.5	< 2	0.45	< 0.5	18	63	43	3.20	< 10	< 1	0.06	10	1.19	477
205	201 238	4	2.47	< 0.2	10	80	< 0.5	< 2	0.35	< 0.5	22	69	79	3.79	< 10	1	0.08	10	1.29	755
206	201 238	< 1	2.18	< 0.2	20	100	0.5	< 2	0.59	< 0.5	21	73	56	3.51	< 10	1	0.07	10	1.42	649

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

) NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No : -B
Tot. P : 5
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
166	201 238	< 1	0.04	17	660	10	< 5	< 10	18	0.07	< 10	< 10	55	< 5	37
167	201 238	< 1	0.01	23	540	12	< 5	< 10	20	0.14	10	< 10	74	5	40
168	201 238	< 1	0.03	9	740	4	< 5	< 10	14	0.04	< 10	< 10	43	5	26
169	201 238	< 1	0.01	37	470	10	< 5	< 10	23	0.15	10	< 10	92	< 5	55
170	201 238	< 1	0.01	36	1130	6	< 5	< 10	34	0.12	10	< 10	88	< 5	69
171	201 238	< 1	0.01	20	500	12	< 5	< 10	22	0.17	10	< 10	100	5	49
172	201 238	< 1	0.01	44	510	12	< 5	< 10	25	0.13	10	< 10	82	5	45
173	201 238	< 1	0.01	19	550	4	< 5	< 10	23	0.11	10	< 10	62	< 5	44
174	201 238	< 1	0.01	23	550	18	< 5	< 10	28	0.15	10	< 10	105	10	73
175	201 238	< 1	0.01	19	400	12	< 5	< 10	20	0.14	10	< 10	90	5	68
176	201 238	< 1	0.01	21	550	4	< 5	< 10	24	0.15	10	< 10	90	5	66
177	201 238	< 1	0.01	13	740	14	< 5	< 10	20	0.08	10	< 10	73	5	67
178	201 238	< 1	0.01	11	520	2	< 5	< 10	18	0.08	10	< 10	51	5	30
179	201 238	< 1	0.01	14	380	4	< 5	< 10	18	0.16	10	< 10	70	< 5	36
180	201 238	< 1	0.01	14	330	10	< 5	< 10	19	0.18	10	< 10	83	< 5	41
181	201 238	< 1	0.02	28	330	4	< 5	< 10	24	0.20	10	< 10	79	< 5	34
182	201 238	< 1	0.01	33	550	14	< 5	< 10	23	0.14	10	< 10	77	5	53
183	201 238	< 1	0.02	8	390	4	< 5	< 10	24	0.10	< 10	< 10	69	< 5	55
184	201 238	< 1	0.02	24	730	6	< 5	< 10	24	0.14	10	< 10	82	5	56
185	201 238	< 1	0.02	22	480	8	< 5	< 10	26	0.15	< 10	< 10	82	5	43
186	201 238	< 1	0.01	19	390	8	< 5	< 10	22	0.19	< 10	< 10	83	5	48
187	201 238	< 1	0.01	16	590	2	< 5	< 10	18	0.09	10	< 10	58	5	34
188	201 238	< 1	0.01	20	1120	8	< 5	< 10	21	0.05	< 10	< 10	70	5	44
189	201 238	< 1	0.02	22	1170	6	< 5	< 10	29	0.06	< 10	< 10	65	5	65
190	201 238	< 1	0.01	27	710	4	< 5	< 10	22	0.09	< 10	< 10	55	5	41
191	201 238	< 1	0.01	31	830	12	< 5	< 10	23	0.10	< 10	< 10	60	5	40
192	201 238	< 1	0.01	38	1160	12	< 5	< 10	20	0.04	< 10	< 10	55	5	93
193	201 238	< 1	0.01	26	600	8	< 5	< 10	23	0.14	10	< 10	82	5	83
194	201 238	< 1	0.01	16	1200	6	< 5	< 10	21	0.04	< 10	< 10	62	5	50
195	201 238	< 1	0.02	9	920	< 2	< 5	< 10	15	0.04	< 10	< 10	55	< 5	40
196	201 238	< 1	0.02	19	920	4	< 5	< 10	24	0.08	10	< 10	73	5	79
197	201 238	< 1	0.02	17	1010	12	< 5	< 10	26	0.08	10	< 10	82	5	79
198	201 238	< 1	0.03	24	690	2	< 5	< 10	24	0.14	< 10	< 10	80	5	57
200	201 238	< 1	0.01	9	340	8	< 5	< 10	22	0.12	10	< 10	63	< 5	30
201	201 238	< 1	0.01	22	380	10	< 5	< 10	30	0.19	10	< 10	96	< 5	58
202	201 238	< 1	0.03	18	590	< 2	< 5	< 10	15	0.09	< 10	< 10	56	< 5	34
203	201 238	< 1	0.01	24	450	2	< 5	< 10	20	0.19	< 10	< 10	76	< 5	33
204	201 238	< 1	0.01	31	510	12	< 5	< 10	21	0.18	< 10	< 10	89	< 5	40
205	201 238	< 1	0.01	33	560	4	< 5	< 10	20	0.20	10	< 10	102	< 5	51
206	201 238	< 1	0.01	40	440	10	< 5	< 10	27	0.23	< 10	< 10	101	< 5	47

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

) NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No :-A
Tot. P : 5
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
207	201 238	< 1	2.31	< 0.2	5	170	0.5	< 2	0.49	< 0.5	19	75	49	3.36	< 10	< 1	0.10	10	1.30	628
208	201 238	< 1	2.23	< 0.2	15	150	0.5	< 2	0.50	< 0.5	19	72	51	3.43	< 10	< 1	0.10	10	1.19	576
209	201 238	< 1	0.81	< 0.2	< 5	80	< 0.5	< 2	0.23	< 0.5	6	21	22	1.35	< 10	< 1	0.04	< 10	0.24	459
210	201 238	< 1	3.30	< 0.2	5	190	0.5	< 2	0.35	< 0.5	20	86	76	4.19	< 10	< 1	0.11	10	1.44	683
211	201 238	< 1	2.18	< 0.2	15	100	0.5	< 2	0.39	< 0.5	15	66	50	3.15	< 10	< 1	0.06	10	1.16	434
212	201 238	< 1	1.98	< 0.2	10	110	0.5	< 2	0.47	< 0.5	19	68	47	3.18	< 10	< 1	0.07	10	1.21	551
213	201 238	< 1	3.78	< 0.2	5	160	1.5	< 2	1.06	< 0.5	36	207	84	5.15	10	1	0.56	20	4.31	938
214	201 238	3	2.10	< 0.2	< 5	120	0.5	< 2	0.51	< 0.5	16	58	52	3.00	< 10	< 1	0.09	10	1.11	506
215	201 238	< 1	3.24	< 0.2	10	150	0.5	< 2	0.77	< 0.5	18	51	83	3.79	< 10	< 1	0.12	10	1.27	670
216	201 238	1	1.40	< 0.2	< 5	90	0.5	< 2	0.32	< 0.5	9	36	27	2.46	< 10	1	0.08	10	0.55	445
217	201 238	< 1	2.00	< 0.2	< 5	170	0.5	< 2	0.66	< 0.5	13	52	47	2.90	< 10	< 1	0.09	10	0.90	646
224	201 238	< 1	2.27	< 0.2	15	200	0.5	< 2	0.47	< 0.5	16	74	53	3.42	< 10	< 1	0.16	10	1.09	565
225	201 238	< 1	1.99	< 0.2	5	130	0.5	< 2	0.49	< 0.5	16	66	45	3.16	< 10	< 1	0.08	10	1.05	701
226	201 238	1	2.59	< 0.2	15	100	0.5	< 2	0.49	< 0.5	20	93	49	3.70	< 10	< 1	0.09	10	1.45	508
227	201 238	< 1	1.49	< 0.2	10	90	< 0.5	< 2	0.29	< 0.5	9	47	21	2.32	< 10	< 1	0.05	10	0.64	272
228	201 238	< 1	0.80	< 0.2	< 5	30	< 0.5	< 2	0.10	< 0.5	5	16	19	1.32	< 10	< 1	0.02	< 10	0.29	189
229	201 238	< 1	2.18	< 0.2	25	130	0.5	< 2	0.35	< 0.5	18	67	45	3.30	< 10	< 1	0.10	10	1.10	848
230	201 238	< 1	2.22	< 0.2	10	130	< 0.5	< 2	0.38	< 0.5	16	65	46	3.14	< 10	< 1	0.09	10	1.12	564
231	201 238	< 1	1.69	< 0.2	< 5	70	< 0.5	< 2	0.43	< 0.5	16	56	36	2.85	< 10	< 1	0.05	10	1.02	429
232	201 238	< 1	2.13	< 0.2	15	100	< 0.5	< 2	0.36	< 0.5	15	59	40	3.07	< 10	1	0.06	10	1.04	497
233	201 238	< 1	2.35	< 0.2	5	110	0.5	< 2	0.50	< 0.5	21	70	53	3.47	< 10	1	0.07	10	1.34	599
234	201 238	< 1	2.08	< 0.2	< 5	80	< 0.5	< 2	0.47	< 0.5	17	60	41	3.06	< 10	< 1	0.07	10	1.07	537
235	201 238	6	2.48	< 0.2	20	200	0.5	< 2	0.33	< 0.5	15	65	54	3.20	< 10	< 1	0.12	10	1.01	628
236	201 238	< 1	2.11	< 0.2	15	150	< 0.5	< 2	0.41	< 0.5	18	72	42	3.32	< 10	< 1	0.10	10	1.13	848
237	201 238	< 1	2.25	< 0.2	10	110	< 0.5	< 2	0.40	< 0.5	16	67	41	3.15	< 10	< 1	0.08	10	1.11	524
238	201 238	41	1.96	< 0.2	5	100	< 0.5	< 2	0.31	< 0.5	13	54	35	2.78	< 10	< 1	0.07	10	0.82	456
239	201 238	< 1	2.21	< 0.2	15	120	< 0.5	< 2	0.47	< 0.5	19	70	48	3.38	< 10	1	0.06	10	1.26	554
240	201 238	< 1	1.67	< 0.2	10	90	< 0.5	< 2	0.31	< 0.5	11	48	30	2.52	< 10	1	0.05	10	0.74	344
241	201 238	1	1.68	< 0.2	5	70	< 0.5	< 2	0.25	< 0.5	11	47	33	2.59	< 10	< 1	0.06	10	0.75	366
242	201 238	< 1	1.76	< 0.2	5	110	< 0.5	< 2	0.36	< 0.5	16	51	48	3.27	< 10	1	0.07	< 10	0.92	735
244	201 238	2	1.92	< 0.2	5	90	< 0.5	< 2	0.50	< 0.5	18	60	44	3.11	< 10	1	0.05	10	1.10	522
245	201 238	< 1	1.87	< 0.2	10	130	< 0.5	< 2	0.38	< 0.5	17	53	41	3.22	< 10	< 1	0.11	10	0.95	1170
246	201 238	< 1	1.93	< 0.2	15	80	< 0.5	< 2	0.52	< 0.5	17	66	46	3.28	< 10	< 1	0.06	10	1.22	472
247	201 238	< 1	2.12	< 0.2	10	130	< 0.5	< 2	0.47	< 0.5	16	64	48	3.11	< 10	< 1	0.09	10	1.13	569
248	201 238	1	2.22	< 0.2	15	90	< 0.5	< 2	0.50	< 0.5	20	67	51	3.46	< 10	< 1	0.09	10	1.33	585
249	201 238	2	1.83	< 0.2	< 5	80	< 0.5	< 2	0.58	< 0.5	21	57	54	3.11	< 10	1	0.07	10	1.18	675
250	201 238	2	1.65	< 0.2	20	70	< 0.5	< 2	0.57	< 0.5	19	60	44	2.83	< 10	< 1	0.06	10	1.20	555
251	201 238	< 1	1.65	< 0.2	15	90	< 0.5	< 2	0.63	< 0.5	19	72	40	2.75	< 10	< 1	0.07	10	1.21	522
252	201 238	8	2.02	< 0.2	5	100	< 0.5	< 2	0.68	< 0.5	21	64	53	3.31	< 10	1	0.08	10	1.26	623
253	201 238	9	1.84	< 0.2	< 5	110	< 0.5	< 2	0.54	< 0.5	16	54	42	2.93	< 10	1	0.08	10	1.01	457

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : CAP/S/G
Comments:

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
207	201 238	< 1	0.02	42	570	4	< 5	< 10	28	0.17	< 10	< 10	89	5	52
208	201 238	< 1	0.02	39	550	8	< 5	< 10	27	0.16	< 10	< 10	89	< 5	52
209	201 238	< 1	0.03	9	1110	< 2	< 5	< 10	17	0.02	< 10	< 10	40	5	20
210	201 238	< 1	0.01	39	690	8	< 5	< 10	21	0.11	< 10	< 10	103	5	74
211	201 238	< 1	0.02	31	550	2	< 5	< 10	21	0.15	10	< 10	86	< 5	54
212	201 238	< 1	0.01	35	450	2	5	< 10	22	0.17	< 10	< 10	86	< 5	46
213	201 238	< 1	0.01	78	2270	10	< 5	< 10	57	0.31	10	< 10	177	5	54
214	201 238	< 1	0.02	29	540	8	< 5	< 10	25	0.16	< 10	< 10	80	5	50
215	201 238	< 1	0.01	24	730	14	< 5	< 10	36	0.11	< 10	< 10	93	5	69
216	201 238	< 1	0.02	15	660	< 2	< 5	< 10	22	0.09	< 10	< 10	59	< 5	51
217	201 238	< 1	0.02	22	1560	10	< 5	< 10	35	0.08	< 10	< 10	78	< 5	55
224	201 238	< 1	0.02	39	870	14	< 5	< 10	30	0.11	< 10	< 10	86	5	53
225	201 238	< 1	0.01	32	970	2	< 5	< 10	29	0.11	< 10	< 10	89	< 5	52
226	201 238	< 1	0.01	41	440	2	< 5	< 10	23	0.21	10	< 10	99	5	49
227	201 238	< 1	0.01	20	520	6	< 5	< 10	20	0.10	< 10	< 10	64	< 5	30
228	201 238	< 1	0.04	8	450	4	< 5	< 10	7	0.05	< 10	< 10	36	< 5	19
229	201 238	< 1	0.01	35	840	12	< 5	< 10	23	0.12	< 10	< 10	84	< 5	61
230	201 238	< 1	0.01	34	690	2	< 5	< 10	22	0.12	< 10	< 10	80	5	55
231	201 238	< 1	0.01	30	390	< 2	< 5	< 10	21	0.19	< 10	< 10	82	< 5	36
232	201 238	< 1	0.01	29	650	6	< 5	< 10	19	0.14	< 10	< 10	83	< 5	46
233	201 238	< 1	0.02	35	340	10	< 5	< 10	24	0.21	< 10	< 10	95	< 5	47
234	201 238	< 1	0.01	31	510	6	< 5	< 10	23	0.19	< 10	< 10	86	< 5	42
235	201 238	< 1	0.02	33	1090	6	< 5	< 10	25	0.06	< 10	< 10	77	< 5	63
236	201 238	< 1	0.01	36	780	8	< 5	< 10	26	0.15	< 10	< 10	89	< 5	50
237	201 238	< 1	0.01	33	590	8	< 5	< 10	23	0.15	10	< 10	83	< 5	49
238	201 238	< 1	0.01	22	770	4	< 5	< 10	20	0.11	10	< 10	76	< 5	48
239	201 238	< 1	0.02	36	420	14	< 5	< 10	24	0.19	< 10	< 10	91	< 5	46
240	201 238	< 1	0.01	22	660	2	< 5	< 10	18	0.10	< 10	< 10	65	< 5	36
241	201 238	< 1	0.01	22	420	4	< 5	< 10	15	0.12	< 10	< 10	66	< 5	37
242	201 238	< 1	0.01	21	730	8	< 5	< 10	23	0.15	10	< 10	86	< 5	56
244	201 238	< 1	0.01	31	410	10	< 5	< 10	23	0.21	< 10	< 10	86	5	41
245	201 238	< 1	0.01	19	570	< 2	< 5	< 10	23	0.15	< 10	< 10	86	5	52
246	201 238	< 1	0.01	33	510	< 2	< 5	< 10	25	0.21	< 10	< 10	91	5	46
247	201 238	< 1	0.01	30	570	2	< 5	< 10	24	0.17	< 10	< 10	83	5	47
248	201 238	< 1	0.01	32	540	10	< 5	< 10	24	0.21	10	< 10	95	< 5	47
249	201 238	< 1	0.01	30	580	8	< 5	< 10	25	0.22	< 10	< 10	87	< 5	41
250	201 238	< 1	0.02	33	540	2	< 5	< 10	25	0.21	< 10	< 10	82	< 5	38
251	201 238	< 1	0.02	43	450	8	< 5	< 10	29	0.20	10	< 10	81	< 5	38
252	201 238	< 1	0.01	33	540	10	< 5	< 10	30	0.23	< 10	< 10	95	< 5	46
253	201 238	< 1	0.01	32	410	6	< 5	< 10	26	0.19	< 10	< 10	83	5	40

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : CAP/S/G
Comments:

Page No -A
Tot. P 5
Date 19-AUG-87
Invoice # I-8718845
P.O. # NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
254	201	238	6	3.11	< 0.2	10	220	0.5	< 2	0.84	< 0.5	24	91	87	4.37	< 10	1	0.20	10	1.69	785
255	201	238	< 1	1.73	< 0.2	< 5	80	< 0.5	< 2	0.47	< 0.5	17	48	46	2.87	< 10	< 1	0.07	10	0.95	672
256	201	238	31	1.58	< 0.2	10	60	< 0.5	< 2	0.26	< 0.5	10	44	26	2.70	< 10	1	0.05	< 10	0.60	384
257	201	238	8	1.73	< 0.2	5	80	< 0.5	< 2	0.41	< 0.5	16	57	36	3.12	< 10	< 1	0.05	< 10	1.05	520
258	201	238	6	1.52	< 0.2	10	100	< 0.5	< 2	0.56	< 0.5	16	57	38	2.59	< 10	< 1	0.07	10	1.01	500
259	201	238	< 1	2.11	< 0.2	15	110	< 0.5	< 2	0.45	< 0.5	18	70	48	3.17	< 10	1	0.06	10	1.19	499
260	201	238	< 1	1.73	< 0.2	10	100	< 0.5	< 2	0.57	< 0.5	18	54	39	2.78	< 10	< 1	0.07	10	1.03	548
261	201	238	7	2.05	< 0.2	5	90	< 0.5	< 2	0.57	< 0.5	19	61	60	3.23	< 10	< 1	0.09	10	1.19	568
262	201	238	42	1.74	< 0.2	5	90	< 0.5	< 2	0.42	< 0.5	14	55	31	2.82	< 10	1	0.07	10	0.92	419
263	201	238	14	1.52	< 0.2	< 5	80	< 0.5	< 2	0.68	< 0.5	19	52	41	2.66	< 10	< 1	0.08	10	1.00	652
264	201	238	18	1.55	< 0.2	10	90	< 0.5	< 2	0.68	< 0.5	18	55	42	2.66	< 10	1	0.08	10	1.03	587
265	201	238	6	2.15	< 0.2	10	140	< 0.5	< 2	0.79	< 0.5	23	81	61	3.44	< 10	< 1	0.12	10	1.46	672
267	201	238	1	1.75	< 0.2	< 5	100	< 0.5	< 2	0.38	< 0.5	10	39	25	2.45	< 10	< 1	0.09	10	0.66	358
268	201	238	38	1.89	< 0.2	< 5	140	< 0.5	< 2	0.68	< 0.5	19	66	55	3.17	< 10	< 1	0.11	20	1.14	681
269	201	238	1	1.73	< 0.2	10	130	< 0.5	< 2	0.69	< 0.5	19	59	48	2.86	< 10	1	0.10	10	1.09	608
270	201	238	8	2.20	< 0.2	15	100	< 0.5	< 2	0.60	< 0.5	19	69	48	3.55	< 10	1	0.08	10	1.33	615
900	201	238	< 1	2.14	< 0.2	20	140	< 0.5	< 2	0.40	< 0.5	15	40	61	3.43	< 10	1	0.08	10	0.78	537
901	201	238	1	1.69	< 0.2	5	80	< 0.5	< 2	0.32	< 0.5	9	41	33	2.47	< 10	< 1	0.08	10	0.57	394
902	201	238	2	1.53	< 0.2	5	170	< 0.5	< 2	0.50	1.0	21	43	50	3.03	< 10	< 1	0.16	< 10	0.56	2020
903	201	238	2	2.77	< 0.2	5	160	< 0.5	< 2	0.54	< 0.5	19	72	66	3.76	< 10	< 1	0.10	10	1.31	723
905	201	238	1	2.12	< 0.2	10	120	< 0.5	< 2	0.54	< 0.5	20	65	55	3.43	< 10	< 1	0.07	10	1.26	639
906	201	238	< 1	2.20	< 0.2	< 5	120	< 0.5	< 2	0.44	< 0.5	17	63	49	3.40	< 10	< 1	0.08	10	1.17	543
907	201	238	30	1.69	< 0.2	5	80	< 0.5	< 2	0.74	< 0.5	21	51	60	3.22	< 10	< 1	0.08	10	1.12	786
908	201	238	1	1.74	< 0.2	10	80	< 0.5	< 2	0.46	< 0.5	14	49	37	2.84	< 10	1	0.06	10	0.85	413
909	201	238	< 1	2.05	< 0.2	10	120	< 0.5	< 2	0.62	< 0.5	20	60	42	3.16	< 10	< 1	0.08	10	1.13	979
910	201	238	44	1.86	< 0.2	< 5	120	< 0.5	< 2	0.55	< 0.5	15	60	43	2.92	< 10	< 1	0.07	10	1.01	607
911	201	238	1	1.72	< 0.2	5	70	< 0.5	< 2	0.68	< 0.5	20	62	43	3.00	< 10	< 1	0.06	10	1.23	588
912	201	238	< 1	2.21	< 0.2	15	100	< 0.5	< 2	0.64	< 0.5	22	76	59	3.58	< 10	< 1	0.08	10	1.44	659
913	201	238	2	2.14	< 0.2	5	120	< 0.5	< 2	0.38	< 0.5	17	65	35	3.08	< 10	< 1	0.08	10	1.08	494
914	201	238	3	1.62	< 0.2	< 5	100	< 0.5	< 2	0.36	< 0.5	14	54	38	2.67	< 10	1	0.05	10	0.90	375
915	201	238	8	1.37	< 0.2	< 5	70	< 0.5	< 2	0.30	< 0.5	12	36	39	2.32	< 10	1	0.05	10	0.64	422
916	201	238	6	1.61	< 0.2	15	80	< 0.5	< 2	0.56	< 0.5	17	59	39	2.80	< 10	< 1	0.04	10	1.09	505
917	201	238	1	1.61	< 0.2	5	70	< 0.5	< 2	0.53	< 0.5	19	70	34	2.75	< 10	< 1	0.06	10	1.13	507
918	201	238	< 1	2.91	< 0.2	10	180	< 0.5	< 2	0.49	< 0.5	23	84	59	4.04	< 10	< 1	0.09	10	1.54	874
919	201	238	< 1	2.08	< 0.2	15	130	< 0.5	2	0.58	< 0.5	18	75	46	3.29	< 10	< 1	0.07	10	1.28	538
920	201	238	< 1	1.57	< 0.2	5	80	< 0.5	< 2	0.39	< 0.5	14	55	30	3.06	< 10	< 1	0.09	10	0.88	544
921	201	238	< 1	2.08	< 0.2	5	100	< 0.5	< 2	0.39	< 0.5	17	57	42	3.17	< 10	< 1	0.09	10	1.03	668
922	201	238	< 1	2.39	< 0.2	15	160	0.5	< 2	0.42	< 0.5	21	69	57	3.62	< 10	1	0.08	10	1.20	869
923	201	238	< 1	1.86	< 0.2	5	80	< 0.5	< 2	0.35	< 0.5	14	54	45	2.89	< 10	< 1	0.06	10	0.84	547
924	201	238	24	1.67	< 0.2	5	70	< 0.5	< 2	0.57	< 0.5	19	51	47	2.92	< 10	< 1	0.05	10	1.01	671

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No. : 1-B
Tot. Pages : 5
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
254	201 238	< 1	0.02	49	750	12	< 5	< 10	41	0.16	< 10	< 10	106	5	77
255	201 238	< 1	0.02	23	800	< 2	< 5	< 10	26	0.13	< 10	< 10	77	< 5	44
256	201 238	< 1	0.01	14	540	6	< 5	< 10	17	0.11	< 10	< 10	66	< 5	32
257	201 238	< 1	0.01	23	530	2	< 5	< 10	20	0.19	< 10	< 10	88	5	39
258	201 238	< 1	0.02	35	450	< 2	< 5	< 10	26	0.17	10	< 10	72	5	38
259	201 238	< 1	0.02	31	440	6	< 5	< 10	23	0.18	< 10	< 10	87	< 5	43
260	201 238	< 1	0.02	31	490	2	< 5	< 10	27	0.20	< 10	< 10	78	5	38
261	201 238	< 1	0.02	31	590	2	< 5	< 10	31	0.21	10	< 10	91	< 5	47
262	201 238	< 1	0.01	24	430	8	< 5	< 10	24	0.16	< 10	< 10	79	5	37
263	201 238	< 1	0.02	27	600	6	< 5	< 10	33	0.20	< 10	< 10	78	< 5	38
264	201 238	< 1	0.02	30	630	12	< 5	< 10	33	0.19	< 10	< 10	76	5	40
265	201 238	< 1	0.03	44	620	8	< 5	< 10	36	0.20	< 10	< 10	93	5	55
267	201 238	< 1	0.02	16	630	2	< 5	< 10	23	0.12	< 10	< 10	60	< 5	40
268	201 238	< 1	0.02	35	730	< 2	< 5	< 10	45	0.21	< 10	< 10	84	< 5	51
269	201 238	< 1	0.02	34	660	4	< 5	< 10	33	0.17	< 10	< 10	76	5	46
270	201 238	< 1	0.01	35	520	14	< 5	< 10	27	0.21	< 10	< 10	97	5	46
900	201 238	< 1	0.01	17	630	8	< 5	< 10	24	0.14	< 10	< 10	85	< 5	50
901	201 238	< 1	0.01	16	680	10	< 5	< 10	20	0.08	< 10	< 10	56	< 5	48
902	201 238	1	0.01	19	2330	10	< 5	< 10	29	0.06	< 10	< 10	68	< 5	83
903	201 238	< 1	0.02	39	960	< 2	< 5	< 10	29	0.12	< 10	< 10	93	5	79
905	201 238	< 1	0.02	36	520	4	< 5	< 10	24	0.19	< 10	< 10	89	5	51
906	201 238	< 1	0.01	32	490	8	< 5	< 10	24	0.17	< 10	< 10	85	< 5	50
907	201 238	< 1	0.02	26	650	6	< 5	< 10	31	0.23	< 10	< 10	91	5	45
908	201 238	< 1	0.02	26	600	4	< 5	< 10	23	0.16	< 10	< 10	72	5	46
909	201 238	< 1	0.02	27	880	12	< 5	< 10	29	0.15	< 10	< 10	87	5	49
910	201 238	< 1	0.03	31	750	2	< 5	< 10	25	0.15	< 10	< 10	78	5	50
911	201 238	< 1	0.02	32	590	< 2	< 5	< 10	29	0.22	< 10	< 10	87	< 5	42
912	201 238	< 1	0.02	36	500	12	< 5	< 10	28	0.21	< 10	< 10	97	5	53
913	201 238	< 1	0.01	31	530	4	< 5	< 10	22	0.15	< 10	< 10	81	5	42
914	201 238	< 1	0.02	27	600	6	< 5	< 10	19	0.14	< 10	< 10	71	< 5	42
915	201 238	< 1	0.02	18	680	4	< 5	< 10	17	0.12	< 10	< 10	60	5	38
916	201 238	< 1	0.02	28	490	4	< 5	< 10	24	0.20	< 10	< 10	80	< 5	37
917	201 238	< 1	0.01	32	530	< 2	< 5	< 10	21	0.21	< 10	< 10	83	< 5	40
918	201 238	< 1	0.02	45	710	14	< 5	< 10	28	0.14	< 10	< 10	99	5	63
919	201 238	< 1	0.02	40	490	12	< 5	< 10	26	0.19	< 10	< 10	88	5	54
920	201 238	< 1	0.01	25	470	6	< 5	< 10	24	0.18	< 10	< 10	81	< 5	55
921	201 238	< 1	0.01	27	690	6	< 5	< 10	21	0.15	< 10	< 10	80	5	54
922	201 238	< 1	0.01	37	840	12	< 5	< 10	25	0.15	< 10	< 10	92	5	58
923	201 238	< 1	0.02	24	720	4	< 5	< 10	20	0.13	< 10	< 10	74	5	41
924	201 238	< 1	0.01	26	520	6	< 5	< 10	24	0.21	< 10	< 10	80	< 5	42

CERTIFICATION : B C S

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No :-A
Tot. P : 5
Date : 19-AUG-87
Invoice # : I-8718845
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
925	201 238	1	1.76	< 0.2	< 5	70	< 0.5	< 2	0.62	< 0.5	20	63	47	3.06	< 10	1	0.04	10	1.15	566
926	201 238	6	1.70	< 0.2	< 5	90	< 0.5	< 2	0.50	< 0.5	16	45	81	2.85	< 10	< 1	0.07	20	0.75	636
927	201 238	< 1	1.72	< 0.2	5	90	< 0.5	< 2	0.56	< 0.5	17	58	40	2.82	< 10	< 1	0.05	10	1.05	441
928	201 238	< 1	1.72	< 0.2	5	90	< 0.5	< 2	0.40	< 0.5	15	58	38	2.75	< 10	< 1	0.04	10	1.03	398
929	201 238	1	2.09	< 0.2	5	80	< 0.5	< 2	0.46	< 0.5	19	65	48	3.25	< 10	< 1	0.06	10	1.15	555
930	201 238	5	1.43	< 0.2	5	70	< 0.5	< 2	0.56	< 0.5	16	51	36	2.62	< 10	< 1	0.04	10	0.94	407

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : CAP/S/G
Comments:

Page No -B
Tot. P 5
Date :19-AUG-87
Invoice # :I-8718845
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718845

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
925	201 238	< 1	0.02	31	620	8	< 5	< 10	27	0.25	< 10	< 10	91	5	42
926	201 238	< 1	0.02	20	800	6	< 5	< 10	27	0.17	< 10	< 10	77	< 5	49
927	201 238	< 1	0.02	30	540	4	< 5	< 10	26	0.21	< 10	< 10	82	< 5	37
928	201 238	< 1	0.03	28	520	12	< 5	< 10	18	0.18	< 10	< 10	77	< 5	38
929	201 238	< 1	0.01	34	630	6	5	< 10	21	0.21	< 10	< 10	87	5	52
930	201 238	< 1	0.01	28	570	6	< 5	< 10	24	0.21	10	< 10	77	< 5	35

CERTIFICATION : BC



134°42'
60°53'
5000
5200
5400
5600
5800
6000
4800
4600
4400
4200
12181
12608
10 Limonite
12607
10
Limonite
12180
12606
G
GRASSY
12609
12605
10, minor 9
10b
12604
GRASSY
12610
12603
9
12602
10, minor 9
12611
12601
GRASSY
12600
Q
12599
Limonite
GRASSY
12598
12595
Limonite
12597
12594
12596
12593
9
10, minor 9
12618
12592
12617
12591
10, minor 9
12590
12616
Game trail
12615
10, minor 9
12589
Q
12588
12614
G
12587
10, minor 9
12586
12613
Carbonate veins
Limonite
Orange weathered Rubble
12584
10
12176
12583
12612
9
12582
12177
12581
10
12585
GRASSY
CAP 1
CAP 2
CAP 3
CAP 4
CAP 5
CAP 6
CAP 7
CAP 8
CAP 9
CAP 10
CAP 11
CAP 12
LEGEND
Volcanic Rocks of Uncertain Age
10 Greyish green massive andesite, minor basalt
10a Greenstone
10b Porphyritic andesite
10c Andesite breccia
9 Hornblende diorite to granodiorite
8 Diabase
7 Quartz and feldspar granitic gneiss
6 Siliceous aphanitic light grey rock
5 Black, fine grained volcanic tuff
TRIASSIC
Lewes River Group
4 Black shale, mudstone, siltstone
3 Conglomerate
2 Sandstone
1 Limestone
Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Claim post (assumed location)
Bluff
Knoll
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
5000 Contour line
SCALE
50m 0 50m 100m 200m 300m
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
CAP 1-10
GEOLOGY MAP
1151
Mining District WHITEHORSE
N.T.S. Sheet No. 115-D/15
Scale 1:5,000
Drawn by H.D.P.
Date 87/11/17

Figure 5



134°41'
60°52'
N
CAP 1
CAP 2
CAP 3
CAP 4
CAP 5
CAP 6
CAP 7
CAP 8
CAP 9
CAP 10
CAP 11
CAP 12
CAP 13
CAP 14
CAP 15
CAP 16
CAP 17
CAP 18
CAP 19
CAP 20
12068
12069
12070
12071
12072
12073
12074
12075
12076
12077
12078
12079
12080
12081
12083
12084
12085
12086
12087
12088
12089
12090
12091
12092
12093
12094
12095
12096
12097
12098
12099
12100
12101
12102
12103
12104
12105
12106
12107
12108
12109
12111
12112
12113
12114
12115
12116
12117
12127
12128
12130
12131
12132
12133
12134 Py
5000
4800
4600
5200
5400
4400
4200
LEGEND
Volcanic Rocks of Uncertain Age
10 Greyish green massive andesite, minor basalt
10a Greenstone
10b Porphyritic andesite
10c Andesite breccia
9 Hornblende diorite to granodiorite
8 Diabase
7 Quartz and feldspar granitic gneiss
6 Siliceous aphanitic light grey rock
5 Black, fine grained volcanic tuff
TRIASSIC
Lewes River Group
4 Black shale, mudstone, siltstone
3 Conglomerate
2 Sandstone
1 Limestone
Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Bluff
Fault
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
1000 Contour line
SCALE
50m 0 50m 100m 200m 300m
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
CAP 11-20
GEOLOGY MAP
Mining District WHITEHORSE
N.T.S. Sheet No. 105-D/15
Scale 1:5,000 1cm=50m
1152
Drawn by H.D.P.
Date 87/11/23

Figure 6




134°38'
60°50'
Scattered unit 10 outcrop
5000
4800
5400
5200
4600
4400
light weathered rubble
Gully
SNOW
10
10,10b
10,10b,9
G
12073
10b
10b,9
9
CAP24
CAP23
CAP25
CAP26
CAP27
CAP28
CAP29
CAP30
CAP31
CAP32
Quartz vein float 12063
12062 Black silica rock
altered
12064 py
12065
altered w dark green clots
Quartz carbonate vein 12067
12068
GRASS
Very nice texture
12072 pyrite, arsenopyrite
Quartz
CAP22
CAP21
12069
7 minor 10,10b,10a
12070
12071
12068
Azimith 152°
LEGEND
Volcanic Rocks of Uncertain Age
10 Greyish green massive andesite, minor basalt
10a Greenstone
10b Porphyritic andesite
10c Andesite breccia
9 Hornblende diorite to granodiorite
8 Diabase
7 Quartz and feldspar granitic gneiss
6 Siliceous aphanitic light grey rock
5 Black, fine grained volcanic tuff
TRIASSIC
Lewes River Group
4 Black shale, mudstone, siltstone
3 Conglomerate
2 Sandstone
1 Limestone
Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Bluff
Knoll
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
1000 Contour line
SCALE
50m 0 50m 100m 200m 300m
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
CAP 21-30
GEOLOGY MAP
Mining District WHITEHORSE
N.T.S. Sheet No. 105-D/15
Scale 1:5,000 1cm=50m
1153
Drawn by H.D.P.
Date 87/08/31

Figure 7



LEGEND

Volcanic Rocks of Uncertain Age

- 10 Greyish green massive andesite, minor basalt
  - 10a Greenstone
  - 10b Porphyritic andesite
  - 10c Andesite breccia
- 9 Hornblende diorite to granodiorite
- 8 Diabase
- 7 Quartz and feldspar granitic gneiss
- 6 Siliceous aphanitic light grey rock
- 5 Black, fine grained volcanic tuff

TRIASSIC
Lewes River Group

- 4 Black shale, mudstone, siltstone
- 3 Conglomerate
- 2 Sandstone
- 1 Limestone

Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Bluff
Knoll
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
1000 Contour line

SCALE
50m 0 50m 100m 200m 300m

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

CAP 31-40 GEOLOGY MAP

Mining District WHITEHORSE
N.T.S. Sheet No. 105-D/15
Scale 1:5,000 1cm = 50m
1154

Drawn by H.D.P. | Date 87/09/03

Figure 8


Scattered unit 10 outcrop
134°38'
60°50'
Light weathered rubble
Gully
SNOW
Quartz vein float 12063
12062 Black silica rock
altered
12064 py
altered w dark green clots
Quartz carbonate vein 12067
12068
GRASS
12073
12072 pyrite, arsenopyrite
Quartz
12069
12070
12071
minor
Very nice texture
CAP 21
CAP 22
CAP 23
CAP 24
CAP 25
CAP 26
CAP 27
CAP 28
CAP 29
CAP 31
CAP 32
5400
5200
5000
4800
4600
4400
4900
LEGEND
Volcanic Rocks of Uncertain Age
10 Greyish green massive andesite, minor basalt
10a Greenstone
10b Porphyritic andesite
10c Andesite breccia
9 Hornblende diorite to granodiorite
8 Diabase
7 Quartz and feldspar granitic gneiss
6 Siliceous aphanitic light grey rock
5 Black, fine grained volcanic tuff
TRIASSIC
Lewes River Group
4 Black shale, mudstone, siltstone
3 Conglomerate
2 Sandstone
1 Limestone
Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Bluff
Knoll
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
Contour line
SCALE
50m 0 50m 100m 200m 300m
Azmith 152°
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
CAP 21-30
GEOLOGY MAP
& GRID LOCATION
Mining District WHITEHORSE
N.T.S. Sheet No. 105-D/15
Scale 1:5,000 1cm=50m
1155
Drawn by H.D.P.
Date 87/08/31

Figure 20


60°50'
Bear den X
Quartz bands
GRASS
Game trail
Bull quartz veins
10a,9
Quartz vein
GRASSY
POND
Azimuth 162°
LEGEND
Volcanic Rocks of Uncertain Age
10 Greyish green massive andesite, minor basalt
10a Greenstone
10b Porphyritic andesite
10c Andesite breccia
9 Hornblende diorite to granodiorite
8 Diabase
7 Quartz and feldspar granitic gneiss
6 Siliceous aphanitic light grey rock
5 Black, fine grained volcanic tuff
TRIASSIC
Lewes River Group
4 Black shale, mudstone, siltstone
3 Conglomerate
2 Sandstone
1 Limestone
Strike, Dip
Jointing, inclined, vertical
Foliation
Linear features (quartz bands)
Geological contact, defined
Mineralized zone
Gossan
Bluff
Knoll
Float
Outcrop
Talus
Rubble
Claim post
Rock sample
Soil sample
Trees
Swamp
Camp
Stream
Contour line
SCALE
50m 0 50m 100m 200m 300m
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
CAP 31-40
GEOLOGY MAP
& GRID LOCATION
Mining District WHITEHORSE
N.T.S. Sheet No. 105-D/15
Scale 1:5,000 1cm=50m
1156
Drawn by H.D.P.
Date 87/09/03

Figure 21