



**GROUPING CERTIFICATE
FORM 6 (SEC. 52)
YUKON QUARTZ MINING ACT**



► Certificate that annual expenditure may, after recording claims, be made on any one of not more than sixteen claims grouped together for the performance of work.

Mining District MAYO	
Claim Sheet 105-M-14	Certificate No. MA 1868

This is to certify that in accordance with the provisions of section 52 of the YUKON QUARTZ MINING ACT the registered owner(s) or agent(s) of such owner(s) of the following mineral claims have filed a notice of his (their) intention to group such claims together for the performance of work:

Claim Names	Grant Numbers
Kac No: 3	YA77773
Kac No: 2	YA77771
Dana No: 2	YA77772
Dana No: 3	YA77774
Kac No: 4	YA77775
Dana No: 4	YA77776
June No: 13 - 16	YA83079 - YA83082
June No: 18 - 23	YA83242 - YA83247

Dated at Mayo, in the Yukon Territory,

this 31 day of July, 19 87.

**ORIGINAL
SIGNED BY
R. G. RONAGHAN**

R.G. Ronaghan
Mining Recorder

General Receipt No. B26135	Date Applied 14 September 1987
Issued to Richard L. Schmittel John H. Adams	



**APPLICATION TO GROUP MINERAL CLAIMS
YUKON QUARTZ MINING ACT**



Mining District MAYO

I (We) the undersigned owner(s) or agent(s) of the owner(s) of the following Mineral Claims

Grant Number(s)	Claim Name(s)	Location	Claim Sheet Number
YA77773	KAC 3		105 M 14
YA77771	KAC 2		
YA77772	DANA 2		105 M 14
YA77774	DANA 3		105 M 14
YA77775	KAC 4		105 M 14
YA77776	DANA 4		105 M 14
YA83079	JUNE 13		105 M 14
YA83080	JUNE 14		105 M 14
YA83081	JUNE 15		105 M 14
YA83082	JUNE 16		105 M 14
YA8308			
YA83242	JUNE 18		105 M 14
YA83243	JUNE 19		105 M 14
YA83244	JUNE 20		105 M 14
YA83245	JUNE 21		105 M 14
YA83246	JUNE 22		105 M 14
YA83247	JUNE 23		105 M 14

give notice of intention to group the said claims for the performance of work and do hereby apply under the provisions of Section 52 of the Yukon Quartz Mining Act for a certificate in Form "E"

I (We) hereby certify that the above claims are adjoining as shown on attached sketch.

Dated at MAYO
this 24th day of July, 19 87.

Owner(s) Signature John H. Williams - agent for owners

FOR OFFICE USE ONLY		
Form "E" Number	Receipt Number	Date Applied <u>092085</u>




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

QA 6460

FEE PAID \$ 150.00



MINERAL CLAIM(S):	June No: 18 - 23	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA83242 - YA83247	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO John H. Adams

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 28 July 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095

092084




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

QA 6459

FEE PAID \$ 80.00



MINERAL CLAIM(S):	June No: 13 - 16	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA83079 - YA83082	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO John H. Adams

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 16 June 19 92

GENERAL RECEIPT NO:	E26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

R.G. Ronaghan
MINING RECORDER

ORIGINAL
SIGNED BY
R. G. RONAGHAN

o NANR 52-22(8-85)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095

092081




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00

QA 6491



MINERAL CLAIM(S):	Dana No: 4	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA77776	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

R.G. Ronaghan
MINING RECORDER



o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095

092084




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6458

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Kac No: 4	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA7775	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

R.G. Ronaghan
MINING RECORDER

ORIGINAL
SIGNED BY
R. G. RONAGHAN

o NANR 52-22(8-85)

WHITE - APPLICANT. PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095
092084




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6457

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Dana No: 3	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA77774	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6492

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Kac No: 3	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA77773	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87

HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095

12084



DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

QA 6456

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Dana No: 2	Mt. Hinton Area
GRANT NUMBER(S):	YA77772	105-M-14
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-85)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095
092084



DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6455

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Kac No: 2	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA7777L	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1868
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT - PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092095

092084

APPLICATION FOR A CERTIFICATE OF WORK
FORM 4 (SEC. 53)
YUKON QUARTZ MINING ACT



This form required in duplicate with sketch showing location of work.

I, (name) JOHN HENRY ADAMS, occupation Geologist

of (postal address) P.O. Box 250 Osgoode Ontario

make oath and say that:

1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.

2. I have done, or caused to be done, work on the following mineral claim(s): YA 77773 KAC 3
(Here list claims on which work was actually done by number and name)

situated at Mount Hinton Area Claim Sheet No. 105-M14

in the MAYO Mining District, to the value of at least \$7,600⁰⁰ dollars,

since the 8th day of JULY 19 87

to represent the following mineral claims under the authority of Grouping Certificate No. _____
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

YA 77771	KAC 2	5 years	YA 83242	JUNE 18	5 years
YA 77772	DANA 2	5 years	YA 83243	JUNE 19	5 years
YA 77773	KAC 3	5 years	YA 83244	JUNE 20	5 years
YA 77774	DANA 3	5 years	YA 83245	JUNE 21	5 years
YA 77775	KAC 4	5 years	YA 83246	JUNE 22	5 years
YA 77776	DANA 4	5 years	YA 83247	JUNE 23	5 years
YA 83079	JUNE 13	4 years			
YA 83080	JUNE 14	4 years			
YA 83081	JUNE 15	4 years			
YA 83082	JUNE 16	4 years			

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 53.)

Diamond drilling between July 8 and August 25, 1987
Report to Follow
Core in Storage on
KAC #3 Min. Ch.
Mnt. Hinton Area

Sworn before me at Mayo
this 24th day of July, 19 87.

Ernest Graham
Notary Public

John H. Adams
Owner or Authorized Agent

092095
092095



**GROUPING CERTIFICATE
FORM 6 (SEC. 52)
YUKON QUARTZ MINING ACT**



▶ Certificate that annual expenditure may, after recording claims, be made on any one of not more than sixteen claims grouped together for the performance of work.

Mining District		MAYO	
Claim Sheet	105-M-14	Certificate No.	MA 1869

This is to certify that in accordance with the provisions of section 52 of the YUKON QUARTZ MINING ACT the registered owner(s) or agent(s) of such owner(s) of the following mineral claims have filed a notice of his (their) intention to group such claims together for the performance of work:

Claim Names	Grant Numbers
Kac No: 3	YA77773
Dana No: 1	YA77770
Kac No: 1	YA77769
June No: 1 - 12	YA83067 - YA83078
June No: 17	YA83083

Dated at Mayo, in the Yukon Territory,

this 31 day of July, 19 87.

**ORIGINAL
SIGNED BY
R. G. RONAGHAN**

R.G. Ronaghan
Mining Recorder

General Receipt No.	B26135	Date Applied	14 September 1987
Issued to			
Richard L. Schmittel Harry J. Hodge			



APPLICATION TO GROUP MINERAL CLAIMS
YUKON QUARTZ MINING ACT



Mining District

MAYO

I (We) the undersigned owner(s) or agent(s) of the owner(s) of the following Mineral Claims

Grant Number(s)	Claim Name(s)	Location	Claim Sheet Number
YA 77773	KAC 3		105 M14
YA 77770	DANA 1		105 M14
YA 77769	KAC 1		105 M14
YA 83067	JUNE 1		105 M14
YA 83068	JUNE 2		105 M14
YA 83069	JUNE 3		105 M14
YA 83070	JUNE 4		105 M14
YA 83071	JUNE 5		105 M14
YA 83072	JUNE 6		105 M14
YA 83073	JUNE 7		105 M14
YA 83074	JUNE 8		105 M14
YA 83075	JUNE 9		105 M14
YA 83076	JUNE 10		105 M14
YA 83077	JUNE 11		105 M14
YA 83078	JUNE 12		105 M14
YA 83083	JUNE 17		105 M14

give notice of intention to group the said claims for the performance of work and do hereby apply under the provisions of Section 52 of the Yukon Quartz Mining Act for a certificate in Form "E"

I (We) hereby certify that the above claims are adjoining as shown on attached sketch.

Dated at MAYO

this 24th day of July, 19 87.

Owner(s) Signature

John H Adams - agent for owners

FOR OFFICE USE ONLY

Form "E" Number	Receipt Number	Date Applied
		092084




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

Q A 6503

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 20.00



MINERAL CLAIM(S):	June No: 17	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA83083	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Harry J. Hodge

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 16 June 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1869
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT - PINK - MINING RECORDER - YELLOW - CENTRAL MINING RECORDS

092084




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6502

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 240.00



MINERAL CLAIM(S): June No: 1 - 12	Mt. Hinton Area 105-M-14
GRANT NUMBER(S): YA83067 - YA83078	
MINING DISTRICT: Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Harry J. Hodge

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 16 June 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1869
CLAIM FILE NO:	



R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-85)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6501

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Dana No: 1	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA77770	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1869
CLAIM FILE NO:	

ORIGINAL
SIGNED BY
R. G. RONAGHAN

R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092088




DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT

QA 6500

YUKON QUARTZ MINING ACT
FORM "D"
CERTIFICATE OF WORK

FEE PAID \$ 25.00



MINERAL CLAIM(S):	Kac No: 1	Mt. Hinton Area 105-M-14
GRANT NUMBER(S):	YA77769	
MINING DISTRICT:	Mayo	

OFFICE DATE STAMP

THIS IS TO CERTIFY THAT AN AFFIDAVIT SETTING OUT A DETAILED STATEMENT OF THE WORK DONE ON THE ABOVE CLAIM(S) SINCE 8th DAY OF

July 19 87 HAS THIS DAY BEEN FILED IN MY OFFICE AND IN PURSUANCE OF THE PROVISIONS OF THE YUKON QUARTZ MINING ACT I DO NOW

ISSUE THIS CERTIFICATE OF WORK IN RESPECT OF THE ABOVE CLAIM(S) TO Richard L. Schmittel

WHO IS ENTITLED TO CONTINUE IN POSSESSION OF THE SAID CLAIM(S) UNTIL 23 August 19 92

GENERAL RECEIPT NO:	B26135
DATE APPLIED:	14 September 1987
GROUP NO:	MA 1869
CLAIM FILE NO:	



R.G. Ronaghan
MINING RECORDER

o NANR 52-22(8-65)

WHITE - APPLICANT PINK - MINING RECORDER YELLOW - CENTRAL MINING RECORDS

092084

APPLICATION FOR A CERTIFICATE OF WORK
FORM 4 (SEC. 53)
YUKON QUARTZ MINING ACT



This form required in duplicate with sketch showing location of work.

I, (name) JOHN HENRY ADAMS, occupation Geologist
of (postal address) P.O. BOX 250 Osgoode Ontario K0A 2W0
make oath and say that:

- I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.
- I have done, or caused to be done, work on the following mineral claim(s):
(Here list claims on which work was actually done by number and name) YA 77773 KAC3

situated at Mount Hinton Area Claim Sheet No. 105 M14
in the MAYO Mining District, to the value of at least \$6,200⁰⁰ dollars,
since the 8th day of JULY 19 87

to represent the following mineral claims under the authority of Grouping Certificate No. _____
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

YA 77773	KAC 3	5 years			
YA 77769	KAC 1	5 years	<i>OK IN REPAIR</i>		
YA 77770	DANA 1	5 years	<i>CROSSED FOR</i>	YA 83075	JUNE 9 4 years
YA 83067	JUNE 1	4 years		YA 83076	JUNE 10 4 years
YA 83068	JUNE 2	4 years		YA 83077	JUNE 11 4 years
YA 83069	JUNE 3	4 years		YA 83078	JUNE 12 4 years
YA 83070	JUNE 4	4 years		YA 83083	JUNE 17 4 years
YA 83071	JUNE 5	4 years			
YA 83072	JUNE 6	4 years			
YA 83073	JUNE 7	4 years			
YA 83074	JUNE 8	4 years			

3. The following is a detailed statement of such work (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 53).

*Diamond drilling between July 8 and August 25, 1987
Report to follow
Core in storage on KAC #3 Min. Ch.
Mnt. Hinton Area.*

Sworn before me at Mayo

this 24th day of July, 19 87.

Gerald Graham
Notary Public

John H Adams ~~002084~~
OWNER or Authorized Agent

DIAMOND DRILL RECORD

NAME OF PROPERTY MAWATT HINTON
 HOLE NO. MH-87-1 LENGTH 180
 LOCATION S+33W 0+945
 LATITUDE _____ DEPARTURE _____
 ELEVATION _____ AZIMUTH 045° DIP 50°
 STARTED 13 July 1987 FINISHED 17 July 1987

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH

HOLE NO. MH-87-1 SHEET NO. 1 of 8
 REMARKS Hole lost at 180'
claim YA77773 Koc3
 LOGGED BY John Williams

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON
					FROM	TO	TOTAL				
0	13.0'	Casing									
13.0	21.0	<p><u>Graphitic Quartzite - medium grey, fine grained, massive, moderately to weakly banded, banding due to thin, (1-3mm) layers with varying amounts of graphite. Rare disseminated euhedral pyrite, rare crosscutting quartz veins and veinlets up to 1" thick, often with limonitic stain. Random limonite, crosscutting fractures with manganese stain.</u></p> <p><u>composition:</u></p> <p style="margin-left: 40px;">Quartz - 98%</p> <p style="margin-left: 40px;">Graphite - 2%</p> <p style="margin-left: 40px;">13.0'to 16.0' - 2.0' core loss</p> <p style="margin-left: 40px;">16.0'to 21.0' - 3.5' core loss</p>									
			7001		13.0	16.0	3.0			0.8	<5
			7002		16.0	21.0	5.0			0.3	<5
21.0	29.0	<p><u>Graphitic Schist - 75% of sample is Black graphitic mud; 20% is graphitic quartzite fragments with traces of limonite.</u></p> <p><u>21.0'to 29.0' - 8.5' core loss.</u></p>									
			7003		21.0	24.0	3.0			0.5	<5
			7004		24.0	29.0	5.0			0.5	<5

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hinton

HOLE NO. MH-87-1

SHEET NO. 2 of 8

092095

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag Au		
					FROM	TO			TOTAL	OZ/TON	OZ/TON
29.0	37.0	<p><u>Fault zone</u> - zone of brecciated quartzite and limonitic altered quartzite.</p> <p>29.0' to 33.0' - Breccia; ^{orange-brown} 40% angular fragments of grey quartzite, 1 to 2 cm in diameter; 60% limonitic ground mass with medium grained quartz clasts, no visible sulphides. 1.5' loss of core</p> <p>33.0' to 37.0' - Limonitic quartzite with limonitic veinlets; orange-brown; some brecciation of quartzite, abundant limonitic fractures. Traces of pyrite in both fractures and veinlets.</p> <p>-35.0' - 1/4" wide, vuggy limonitic veinlet at 0° to core axis with euhedral to subhedral pyrite over 3"</p>									
			7005		29.0	33.0	4.0			0.2	<5
			7009		33.0'	37.0'	4.0'			2.8	<5
37.0	50.0	<p><u>Graphitic Quartzite</u> - Typical, medium to dark grey, colour variation due to variable graphite content (1 to 3%). Cut by quartz veinlets, 80% are parallel to banding and 1/8" to 1/2" in thickness</p>									

LANGRIDGES - TORONTO - 366-1168

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hinton

HOLE NO. _____ SHEET NO. 3 of 8

092025

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	OZ/TON	OZ/TON	
					FROM	TO					TOTAL
37.0	50.0	Cont'd 37.0' to 38.1' - typical dark grey quartzite with 2 to 3% pyrite - 38.0' - 3/4" wide, conformable siliceous band with 40% fine grained disseminated pyrite, band is partly brecciated by a later, slightly vuggy low angle quartz veinlet system. 38.1 to 38.5' - <u> </u> - graphite content higher, almost schistose, contorted, 15% medium grained subhedral pyrite in clots. 38.5 to 41.0' - massive quartzite with 2 to 5% fine grained disseminated pyrite. - 38.6' - 1" conformable quartz vein cut by 1/8" quartz vein at 25° to core axis with minor calcite, chlorite; abundant subhedral pyrite. - 40.0' fine banding at 68° to core axis - 40.5' 1.5" conformable quartz vein									
					37.0	38.5	1.5			6.6	<5
					38.5	41.0	2.5			0.6	<5

DIAMOND DRILL RECORD

NAME OF PROPERTY _____

HOLE NO. _____

 SHEET NO. 4 of 8

GR0260

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ./TON	OZ./TON
					FROM	TO	TOTAL				
37.0	50.0	cont'd. 41.0'-50.0' medium grey quartzite, trace to 0.5% disseminated pyrite.									
50.0	51.2	<u>Graphitic Schist</u> - black, contorted banding, 35% fine siliceous interbeds, 3 to 5% disseminated pyrite. - 50.2 - 1" conformable quartz vein with vugs.	7012		50.0	51.2	1.2			0.6	<5
51.2	71.6	<u>Graphitic Quartzite</u> - typical, grading from medium to light grey. Traces to 0.5% disseminated pyrite. Rare quartz veinlets at 20° to 30° to core axis. - 52.0 - 3/8" wide, sigmoidally folded quartz vein with calcite at 45° to core axis - 53.0 to 59.0 - 25% conformable quartz veins; two quartz veins at 25° to core axis w traces of pyrite, includes contorted 4" graphitic zone with abundant pyrite.	7013 7014 7015		56.0 59.0 63.0	59.0 62.0 64.0	3.0 3.0 1.0			0.3 0.4 0.2	45 <5 <5

DIAMOND DRILL RECORD

NAME OF PROPERTY _____

HOLE NO. MH-87-1

SHEET NO. 5 of 8

560260

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
					FROM	TO			TOTAL	OZ/TON	OZ/TON
71.6	75.0	<u>Quartz Diorite</u> - light greenish grey, fine to medium grained, massive, finely banded. Cut by occasional quartz bands 1/8" to 1/4" wide. Composition: feldspar - 35 to 40% quartz - 25% to 30% sericite - 2% - 4% calcite - 3 - 8% chlorite - 25 to 30%									
75.0	75.4	Graphitic schist - typical, contorted, with 5 to 8% pyrite	7016		74.6	75.4	1.0			0.8	5
75.4	109.0	<u>Graphitic Quartzite</u> - typical 75.4' to 81.5' - medium grained, medium grey. 81.5' to 90.4' - dark grey with several 1/2" to 3" wide graphitic schist interbeds - 0.5 to 2% pyrite - 82.5' - 2" irregular quartz vein at 30° with calcite and pyrite. - 87.2' to 89.7' - 5 to 8% pyrite 90.4' to 109.0' - medium grey, cut by occasional quartz veins. Trace to 3% pyrite									
			7017		81.5	84.5	3.0			0.3	<5
			7490		84.5	87.2	2.7				
			7018		87.2	89.7	2.5			0.3	3700

DIAMOND DRILL RECORD

NAME OF PROPERTY _____

HOLE NO. MH-97-1

SHEET NO. 6 of 8

002095
002004

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag Au	
					FROM	TO			TOTAL	OZ / TON
75.4	109.0	Cont'd.								
		- 91.0' - banding at 65° to core axis	7491		89.7	93.5	3.8			
		- 94.0' - 4" quartz vein, vuggy with some calcite and limonite, minor brecciated quartzite	7019		93.5	95.0	1.5		0.2	2200
		- 103.0' to 104.5' - quartzite cut by thin calcite-quartz veinlets with traces of pyrite. Veinlets at 5° to 15° to core axis.	7020		103.0	104.5	1.5		1.0	30
		- 104.5' to 109.0' - series of quartz veins with calcite occasionally brecciate the quartzite. Traces of pyrite in veins.	7021		104.5	109.0	4.5		0.5	<5
109.0	115.2	<u>Graphitic Schist</u> - typical with abundant quartz bands and thicker quartz veins. 0.5 to 3% pyrite, quartz veins conformable, occasionally vuggy and contain calcite.	7022		109.0	114.0	5.0		0.2	<5
115.2	122.0	<u>Graphitic Quartzite</u> typical, medium grey massive, sparse conformable quartz veins minor 2" intervals of graphitic schist.								

LANGRIDGES - TORONTO - 366-1168

DIAMOND DRILL RECORD

NAME OF PROPERTY _____

HOLE NO. MH-571

SHEET NO. 7 of 8

092095

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag Au	
					FROM	TO			TOTAL	OZ/TON
115.2	122.0	Cont'd -120.0' - Banding at 62° to Core axis								
122.0	122.6	<u>Graphitic Schist</u> - typical, moderately contorted								
122.6	129.0	<u>Graphitic Quartzite</u> - typical								
129.0	145.0	<u>Quartz Diorite</u> - light greenish grey; medium to coarse grained, massive, strong foliated at 85° to core axis Composition: feldspar - 40 to 45% chlorite - 30 to 35% Quartz - 20 to 25% Calcite - 3 to 5% sericite - 1 to 3% pyrite - trace to .5% magnetite - traces sericite pale brownish green; calcite disseminated in groundmass and in veinlets; chlorite occasionally in clots with coarse grained quartz; pyrite very fine grained and disseminated.								
		-129.5 - 2" quartz vein with minor calcite and abundant waxy apple green mineral -				129.0	130.0	1.0	<0.1	<5

DIAMOND DRILL RECORD

NAME OF PROPERTY MT Hinton

HOLE NO. MA-87-1 SHEET NO. 8 of 8

092095

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
					FROM	TO			TOTAL	OZ/TON	OZ/TON
145.0	150.8	Graphitic Quartzite - silicified, rare quartz veinlets trace to 0.5% pyrite. medium grey - very fine grained to aphanitic. - 146' to 147.0' - 5% pyrite; and a 3/4" quartz-calcite vein at 20° to core axis	7024		144.0	145.0	1.0			<0.1	<5
			7025		146.0	147.0	1.0			<0.1	15
150.8	153.3	Quartz Diorite - typical, silicified for 6" at both contacts									
153.3	167.3	Graphitic Quartzite - silicified; as in 145.0 to 150.8	7026		163.5	165.0				<0.1	<5
167.3	180.0	Quartz Diorite - typical, silicified for 6" on upper contact and 10" on lower contact									
180.0		Hole lost due to cave									

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hinton
 HOLE NO. MH-87-1A LENGTH 300.4
 LOCATION S+33W 0+94S
 LATITUDE _____ DEPARTURE _____
 ELEVATION _____ AZIMUTH 045° DIP -50°
 STARTED 17 July 1987 FINISHED _____

FOOTAGE	DIP	AZIMUTH	FOOTAGE	DIP	AZIMUTH
300'					

HOLE NO. MH-87-1A SHEET NO. 1 of 5
 REMARKS _____
 Claim YA 77773 Kac3
 LOGGED BY [Signature]

092093
 022084

FOOTAGE		DESCRIPTION	SAMPLE				ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	OZ/TON	OZ/TON	
					FROM	TO	TOTAL					

DIAMOND DRILL RECORD

NAME OF PROPERTY _____

HOLE NO. MH-87-1A SHEET NO. 1 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
					FROM	TO			TOTAL	OZ./TON	OZ./TON
0	37.0	Casing									
37.0	48.5	Graphitic Quartzite - medium grey, fine grained, massive, moderately to weakly banded, banding thin (1-3mm) and due to variations in graphite content. Rare disseminated euhedral pyrite, rare crosscutting quartz veins and veinlets up to 1" thick, often with limonitic stain. Random sparse fractures with pyrite. -37.0' to 38.5' - 10% pyrite as disseminations, in fractures, and quartz veinlets. -38.1' - 1/2" wide quartz band with 40% disseminated pyrite. -38.5' - 5/8" conformable quartz vein with traces fine grained pyrite, vuggy.	7027	10%	37.0	38.5	1.5'			>50	55
			7492		38.5	39.5	1.0				
			7029		39.5	40.5	1.0'			2.2	140
48.5	50.2	Graphitic Schist - Black, contorted banding, 35% fine siliceous interbeds 3 to 5% disseminated pyrite. 1.0' core loss. 48.4' - 2" conformable, vuggy quartz vein	7028		48.5	50.5	2.0'			6.8	<5
50.2	71.0	Graphitic Quartzite - typical, medium grey, traces to 0.5% disseminated pyrite. Rare quartz veinlets at 20° to 30° to core axis. -50.8 - 3/8" wide diamictic folded quartz vein at 30° to core axis									

LANGRIDGES - TORONTO - 366-1168

092095

092095

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hope

HOLE NO. MH-97-1A SHEET NO. 2 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
					FROM	TO			TOTAL	OZ/TON	OZ/TON
50.2	71.0	cont'd. 56.0' to 59.0' - 25% conformable quartz veins; two quartz veins at 25° to core axis with trace pyrite; includes 4" contorted graphite zone with abundant pyrite.	7030		56.0	59.0	3.0			1.1	50
71.0	74.9	Quartz Diorite - Light greenish grey, fine to medium grained, massive, strongly foliated. Cut by occasional quartz bands 1/8" to 1/4" wide. Composition: quartz - 20 to 25% feldspar - 35 to 45% sericite 2% - 4% Calcite 2 to 6% chlorite 25% to 30% - silicified for 2' at upper and lower contacts.									
74.9	75.3	Graphitic Schist - typical, contorted with 5 to 8% pyrite	7031		74.5	75.5				1.1	10
75.3	109.5	Graphitic Quartzite - typical, with occasional thin interbeds of graphitic schist. 82.0' to 86.0' - 25% conformable quartz veins - trace to 0.5% pyrite 86.0' to 92.0' - 0.5 to 1% pyrite	7032 7033		82.0 86.0	86.0 92.0	4.0 4.0			35.0 1.0	10 10

LANGRIDGES - TORONTO - 366-1168

092085 000

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hinton

HOLE NO. MH-87-1A SHEET NO. 3 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Au		
					FROM	TO			TOTAL	OZ/TON	OZ/TON
75.3	109.5	cont'd 2 graphitic schist intervals 2" wide with 5% pyrite -90.0' to 94.0' - 1.5' core loss -93.0' - 2" quartz vein with limonitic vugs. -101.0' to 109.5 - 15% quartz calcite 105.0 to 106.5 vein networks with trace to 1% pyrite and 0.5% sphalerite	7034		90.0	94.0	4.0			0.6	10
			7035		101.0	105.0	4.0			1.0	5
			7036		105.0	106.5	1.5			0.9*	50
			7073		106.5	109.5	3.0			0.5	<5
109.5	115.2	Graphitic Schist - typical with abundant thin quartz bands and thicker quartz veins up to 2" wide. Quartz veins vuggy, conformable and contain calcite. 0.5 to 3% pyrite	7037		109.5	113.5	4.0			0.2	<5
			7038		113.5	117.5	4.0			0.2	<5
115.2	122.2	Graphitic Quartzite - typical, sparse conformable quartz veins; - 2 thin graphitic schist intervals (less than 2" wide)									
122.2	122.8	Graphitic Schist - typical									
122.8	128.8	Graphitic Quartzite - typical									
128.8	129.3	Graphitic Schist, typical, 0.5 to 2% pyrite	7039		128.8	129.3	1.0			0.3	10

LANGRIDGES - TORONTO - 366-1168

002087 CR0260

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Winton

HOLE NO. MW-57-1A SHEET NO. 4 of 10



FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
				FROM	TO	TOTAL			OZ/TON	OZ/TON	
129.3	145.3	Quartz Diorite - light greenish grey medium to coarse grained, massive, strongly foliated; 6" silicified zone at lower contact. Composition: Quartz 25 to 30% Feldspar 25 to 30% Chlorite 20 to 25% Calcite 3 to 7% sericite 3 to 8% pyrite trace to 0.5%									
		129.7 - 5/8" conformable quartz vein with waxy apple green mineral prehnite?	7040		129.3	130.3	1.0			0.4	10
		135.0' to 136.0 - silicified graphitic quartzite Xenolith	7041		144.3	145.3	1.0			0.8	<5
145.3	155.5	Graphitic Quartzite - typical except silicified, very fine grained to biphonitic, massive; 145.3' to 147.5' - 15% conformable quartz veins; 0.5-1.0% pyrite, two 2" graphitic schist horizons with 5-10% pyrite.	7042		145.3	148.3	3.0			1.8	<5
155.5	157.0	Quartz Diorite - pale greenish grey typical but with 1% magnetite grains in olive coloured bands, 2" silicified zone at upper and 2" zone at lower contacts.	7043		155.5	157.0	1.5'			1.6	5
157.0	167.0	Graphitic Quartzite - typical except silicified, minor graphitic schist horizons									

LANGRIDGES - TORONTO - 366-1168

002095 0820762

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hinton

HOLE NO. MH-87-1A SHEET NO. 5 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag	Au	
					FROM	TO			TOTAL	OZ/TON	OZ/TON
157.0	167.0	Cont'd 163.0' to 167.0 - 0.5 to 1.5% disseminated pyrite; 3" and 1" graphitic schist intervals with 5% pyrite and quartz veins.	7044		163.0	166.0	3.0			0.8	<5
167.0	169.5	Quartz Diorite - Typical, with minor (1/2") bands with 2% disseminated magnetite silicified 2" at upper and 6" at lower contact									
169.5	181.0	Graphitic Quartzite - Typical, few quartz veins. 171.6' and 172.8' - 2" quartz veins with traces pyrite.	7045		171.5	173.0	1.5'			1.4	<5
181.0	183.0	Graphitic Schist with minor interbeds of Graphitic Quartzite. -0.5 to 1.0% pyrite.	7046		181.0	183.0	2.0			0.6	<5
183.0	187.5	Graphitic quartzite - typical, silicified									
187.5	189.0	Graphitic Schist (25%) with associated Quartz Veins (25%) and Graphitic Quartzite interbeds	7047		187.5	189.0	1.5'			1.0	<5

LANGRIDGES - TORONTO - 366-1168

092095 092084

DIAMOND DRILL RECORD

NAME OF PROPERTY Maurt Hinton
 HOLE NO. MH-87-1A SHEET NO. 6 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS					
FROM	TO		NO.	% SULPHIDES	FOOTAGE			%	%	Au	
					FROM	TO	TOTAL			OZ/TON	OZ/TON
189.0	195.5	Graphitic Quartzite with Interbeds of Graphitic Schist. - Typical, silicified 189.0' to 192.0' - 88% graphitic quartzite 15% graphitic schist interbeds 192.0' to 194.0' - graphitic schist with 25% quartz bands and 2% py 194.0' to 195.5' - 95% graphitic quartzite 4% graphitic schist - 195.4 - 2.5" conformable quartz vein with chlorite	7048	.35	189.0	191.0	2.0			0.6	<5
			7049	1	192.0	195.5	3.5'			1.0	<5
195.5	199.5	Graphitic Quartzite - Typical, silicified - 197.0' - banding at 72% to core axis									
199.5	204.5	Quartz Diorite - silicified, strongly silicified 6" on upper contact, and 2" of quartzite portion moderately silicified. 202.0' to 204.0' - Quartz vein with calcite, silicified inclusions of quartzite.	7050		202.0	204.0	2.0			0.2	<5
204.5	208.4	Graphitic Quartzite - Typical, silicified									

092095

DIAMOND DRILL RECORD

NAME OF PROPERTY Mount Hunter

HOLE NO. MH-87-1A SHEET NO. 7 of 10

FOOTAGE		DESCRIPTION	SAMPLE			ASSAYS				
FROM	TO		NO.	% SULPHIDES	FOOTAGE		%	%	Ag Au	
					FROM	TO			TOTAL	OZ/TON
208.4	300.5	Graphitic Schist (65%) with Graphitic Quartzite Interbeds (35%) - typical; quartzite beds 0.6' to 3.0' in width.								
	208.4' to 229.5'	- 60% graphitic schist, 40% quartzite	7051		208.5	213.5	5.0		0.6	10
		- 217.2' - 2" quartz vein in schist	7052		213.5	217.5	4.0		0.6	<5
		- 220.0 - 1" quartz vein in schist	7053		217.5	221.5	4.0		0.8	<5
		- 0.5 to 2% pyrite.	7054		221.5	225.5	4.0		0.6	<5
			7055		225.5	229.5	4.0		0.5	<5
	229.5' to 239.5'	- 35% graphitic schist, 65% quartzite, occasional 1/2" bands of 50% pyrite in quartz matrix.	7056		229.5	234.5	5.0'		0.3	<5
		- 235.0 - banding at 63° to core axis	7057		234.5	239.5	5.0'		0.5	<5
		- 235.6' - 2" quartz vein								
		- 239.0' = 1" quartz vein.								
	239.5' to 250.5'	- 60% graphitic schist, 40% graphitic quartzite, occasional quartz veins,	7058		239.5	244.5	5.0'		0.9	<5
		1-3% pyrite mainly in schist.	7059		244.5	247.0	2.5'		0.4	<5
		- 244.5' - 1.5" quartz vein	7060		247.0	250.5	3.5'		0.9	<5
		- 247.6 - 2" quartz vein								
	250.5' to 265.5'	- 45% graphitic schist, 55% graphitic quartzite.	7061		250.5	255.5	5.0'		0.4	<5

092095