

1987 GEOCHEMICAL ASSESSMENT REPORT



TITLE: Pass Peak Property

CLAIMS: Mac 1-56, Bob 1-44

AUTHORS: D.B. Fleming, R.L. Cranswick

DATE: April, 1988

WORK PERIOD: August 6-9, 1987

COMMODITY: Au, Ag

LOCATION:

- Area Central Yukon
- Mining District Watson Lake
- Co-ordinates Latitude 61°34'N
Longitude 132°45'E
- NTS 105 F/10

OWNER: Canamax Resources Inc.

This work is done from a grant of the
Department of Geological Services
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount

of \$ 4000.00
Abb Barge

for Regional Manager, Exploration and
Geological Services for Commissioner

of Yukon Territory.

TABLE OF CONTENTS

| | <u>Page</u> |
|--------------------------------------|-------------|
| SUMMARY..... | 1 |
| CONCLUSIONS AND RECOMMENDATIONS..... | 1 |
| INTRODUCTION..... | 2 |
| General Statement..... | 2 |
| Location and Access..... | 2 |
| Claims Data..... | 2 |
| REGIONAL GEOLOGY..... | 4 |
| PROPERTY GEOLOGY..... | 4 |
| MINERALIZATION..... | 5 |
| GEOCHEMISTRY..... | 6 |

APPENDICES

| | | |
|--------------|---|---|
| APPENDIX I | - | Statement of Costs |
| APPENDIX II | - | Statements of Qualifications |
| APPENDIX III | - | Geochemical Results and Analytical Methods |

FIGURES

| | | | |
|----------|---|--|--------------|
| Figure 1 | - | Location Map..... | After Page 3 |
| Figure 2 | - | Claim Map..... | After Page 3 |
| Figure 3 | - | Geochemical Map - As, Au (1:5,000)..... | In Pocket |
| Figure 4 | - | Geochemical Map - Pb, Ag (1:5,000)..... | In Pocket |

SUMMARY

This report presents the results of soil sampling in the period August 6-9, 1987 on the Pass Peak property. The property is located 50 kilometres south-southwest of Ross River, Yukon and consists of 100 claims in the Watson Lake Mining District. The claims were staked in August, 1986 by Canamax Resources Inc.

The claims are underlain by micaceous and calcareous schist, phyllite and interbedded limestone of Lower to Upper Cambrian age, and by a Cretaceous (?) quartz monzonite stock in the southeast corner of the property. Mineralization on the property consists of quartz-sulphide veins and quartz-oxide-sulphide float. Coincidental magnetic and electromagnetic anomalies are present in the northeast corner of the property.

Grid soil sampling (6.6 line kilometres) in the northeast corner of the property has outlined several broad areas of anomalous arsenic, lead and silver. Samples were collected at 25-metre intervals on chain and compass lines both 100 and 200 metres apart.

Total cost of the soil geochemical program was \$6,957.00.

CONCLUSIONS AND RECOMMENDATIONS

Arsenic, lead and silver soil geochemical anomalies occur in areas unexplored by mapping and prospecting. These anomalies are believed to reflect underlying mineralization.

Detailed prospecting followed by bulldozer trenching is recommended to locate and evaluate the source of these anomalies.

INTRODUCTION

General Statement

This report presents results of a geochemical survey on the Pass Peak property in 1987. The claims were staked in August, 1986 to cover stream sediments anomalous in gold and arsenic (G.S.C. Open File 1290). Subsequent prospecting and contour soil sampling led to the discovery of oxidized float anomalous in gold. An airborne geophysical survey, flown in March 1987, detected local coincidental magnetic-electromagnetic anomalies.

The 1987 program was conducted in the period August 6-9 by geologists D.B. Fleming, R.L. Cranswick and field assistants T. Berger and D. Lister. A 1:5,000 scale topographic base map was prepared and soil sampling (311 samples) was carried out. The objective was to discover a gold vein or manto deposit.

Location and Access (Figure 1)

The property is located 50 kilometres south-southwest of Ross River immediately west of Seagull Creek. A 4-wheel-drive road from the South Canal Road comes to within 1.5 kilometres of the northeastern property boundary. Access in 1987 was by helicopter out of Ross River via the Canamax Ketza River base camp, 22 kilometres east of the property.

Claims Data (Figure 2)

The property consists of a total of 100 Mac and Bob claims. Assessment work filed in July, 1987 common dated all claims. A claims list is provided below:


| <u>Claim</u> | <u>Record Number</u> | <u>Expiry Date</u> |
|--------------|----------------------|--------------------|
| Mac 1-40 | YA91233-YA91272 | March 5, 1989 |
| Mac 41-56 | YA99349-YA99364 | March 5, 1989 |
| Bob 1-36 | YA91425-YA91460 | March 5, 1989 |
| Bob 37-44 | YA99341-YA99348 | March 5, 1989 |

Assessment work described in this report will be applied as one year's credit to Mac 1-40 claims resulting in a March 5, 1990 expiry date, when accepted.

CANAMAX RESOURCES INC.

PASS PEAK PROPERTY
MAC AND BOB CLAIMS
WATSON LAKE MINING DISTRICT - YUKON TERRITORY

LOCATION MAP



N. T. S. Ref. 105 F 10






FIG. 1

PASS PEAK PROPERTY
MAC AND BOB CLAIMS
WATSON LAKE MINING DISTRICT - YUKON TERRITORY

CLAIM MAP



REGIONAL GEOLOGY

The Pass Peak property lies within the Cassiar platform which consists of miogeoclinal clastic, volcanic and carbonate strata of Late Proterozoic to Triassic age. Small Mississippian syenite dykes and stocks as well as Cretaceous quartz monzonite intrusions are common. Regional structure is characterized by abundant thrust faulting and local doming and uplift. On a more local scale, the claims occur within a cluster of base metal and silver-gold occurrences at the west end of a 45 kilometres long, 15 kilometres wide, domal uplift known as the Ketzia-Seagull arch. The arch is believed to be related to one or more underlying Cretaceous intrusions (G. Abbott, 1986, DIAND, Yukon Geology, Volume 1).

PROPERTY GEOLOGY (Figure 3)

The eastern half of the property is underlain by Lower Cambrian intercalated quartz-mica schist, calcareous phyllite, limestone and minor quartzite. These rocks are overlain by massive units of Upper Cambrian quartz-mica schist and calcareous phyllite to the west (Templeman-Kluit, GSC Open File 486). Bedding strikes north-south and dips gently to moderately to the west.

A quartz-monzonite stock and greisen-altered quartz-monzonite dykes intrude the sediments in the southeast corner of the claim group. A broad airborne magnetic anomaly in the southwest corner of the property is believed to be caused by a buried intrusion.

MINERALIZATION

Mineralization consists of quartz-sulphide veins and sulphide float consisting of pyrite, pyrrhotite, arsenopyrite ± galena, sphalerite and oxidized equivalents (iron oxides, scorodite and anglesite-smithsonite). Veins strike north to northeast and are near vertical where observed.

In the northeast corner of the property, coincidental magnetic and electromagnetic anomalies are believed to be caused by a magnetic sulphide source.

GEOCHEMISTRY (Figures 4a, 4b)

The Northeast Grid was established (6.6 line kilometres) and consists of lines 100 and 200 metres apart with samples every 25 metres (311 samples) that cover a coincidental aeromagnetic-A.E.M. feature. Samplers were instructed to collect soil from beneath the upper humus-enriched horizon. Samples were then dried and shipped to Rossbacher Laboratory in Burnaby, B.C. for analysis (see Appendix III for procedure).

Results were plotted at 1:5,000 with As, Au (Figure 3) and Pb, Ag (Figure 4) plotted separately. Anomalous thresholds were selected by visual inspection of the data as follows: gold (50 ppb), arsenic (200 ppm), and lead (75 ppm). Arsenic anomalies are generally broad, encompassing gold and lead anomalies and are designated by letter (D to F) on Figures 3 and 4 and referenced below. All of the referenced anomalies are deemed to have further exploration potential.

Area D is a broad and extensive (400 x 1,000 metres) arsenic-lead anomaly, in the extreme northeastern corner of the property, with values up to 840 ppm As, 175 ppm Pb and 5.2 ppm Ag. There is no exposure in the area but a strong magnetic-E.M. feature is present immediately west and upslope from the anomaly.

Area E is also in the extreme northeast corner of the property and contains a single sample site of 342 ppm As and 630 ppb Au within glacio-fluvial sediments of the Seagull creek valley. This anomaly occurs at the base of slope.

Area F is a strong arsenic (up to 870 ppm) and moderate lead anomaly (up to 256 ppm) up to 50 metres wide and possibly 300 metres in extent. A local vein is a probable source for this anomaly as well as for other single sample anomalies within the northeast grid.

Reconnaissance sampling west of the northeast grid has located an area of anomalous lead in soils (up to 780 ppm Pb, 1.0 ppm Ag). Further sampling is required to define the extent of this anomaly.

Dave F. [Signature]

APPENDIX I

STATEMENT OF COSTS

STATEMENT OF COSTS

Period of Work

August 6-9, 1987

Personnel

| | |
|---|-------------------|
| D.B. Fleming 9071 Oakmond Road Richmond, B.C. Staff Geologist 3 days @ \$168.00 per day | \$ 504.00 |
| R.L. Cranswick #102 - 2110 West 5th Avenue Vancouver, B.C. Temporary Geologist 3 days @ \$88.00 per day | 264.00 |
| D. Lister 37 Takhini Avenue Whitehorse, Yukon Field Assistant 3 days @ \$82.50 per day | 247.50 |
| T. Berger 17210 - 62A Avenue Surrey, B.C. Field Assistant 3 days @ \$71.50 per day | 214.50 |
| <u>Room and Board</u> - 12 days @ \$50.00 per day | 600.00 |
| <u>Materials and Supplies</u> | 200.00 |
| <u>Helicopter Charter</u> | |
| Trans-North Turbo Air Box 4338 Whitehorse, Yukon Y1A 3T6 Invoice # 69908 - 1.4 hours @ \$609.00/hr. | 852.60 |
| Invoice # 79670 - 1.4 hours @ \$609.00/hr. | 852.60 |
| <u>Geochemical Analyses</u> | |
| Rosbacher Laboratory 2225 S. Springer Avenue Burnaby, B.C. Invoice # 7965/70020 - 15 soil samples @ \$7.80 | 117.00 |
| -296 soil samples @ \$8.80 | 2,604.80 |
| <u>Maps and Report Preparation</u> | 500.00 |
| | <u>\$6,957.00</u> |

TRANS NORTH AIR

| | | | |
|--------------------|-----------|----|----|
| ACCOUNT NUMBER | CANARES | | |
| | 69908 | | |
| INVOICE DATE | 18 | 08 | 87 |
| A/C TYPE | 206B F00C | | |
| FLIGHT DATE | 06 | 08 | 87 |
| PURCHASE ORDER NO. | | | |

CANAMAX RESOURCES
 CHARTERER
 601 535 *Thurston St*
 BILLING ADDRESS
 Vancouver, BC V6E 3L6

| | | | |
|----------------|----------------|------------|------|
| FUEL & OIL - X | TNTA FUEL USED | FRS. GALS. | FROM |
| TNTA CUST. | SP4 | 6.2 | RR |

| | | | | |
|--------------------------|-------|-------|---------|---|
| FROM | MILES | HOURS | ZONE | REMARKS - NO. OF PASS. - FREIGHT LBS. |
| <i>RR</i> | | | | |
| <i>Move Fry Camp to</i> | | | | <i>DAVE FEENEY</i> <i>Dave Pires</i> |
| <i>MAE CUTRIMS</i> | | | | |
| <i>TARGET CAMP POSTS</i> | | | | |
| <i>RTN Pass</i> | | | | |
| | | | 6.2 | |
| | | | CANAMAX | |

7081

RECEIVED
 AUG 24 1987
RECEIVED
 VANCOUVER OFFICE

| SUB | G.L. | AMOUNT |
|---------|------|---------|
| 1606502 | | 3410 00 |
| 160013V | | 365 80 |
| | | |
| | | |

6.2 @ 550 00 3410 00
 CK 2590019 870917

TERMS NET 30 DAYS
 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS

WAITING TIME @ /HR.
 AUG 25

FUEL: 620 @ .59 365 80
 FUEL: @ /GAL.

MEALS & LODGING
 OTHER

CHARTERER'S SIGNATURE: *Dave Feeny*
 PILOT'S SIGNATURE: *TON J...*
 INITIALS: *TON* PILOT'S NAME
 ENGINEER'S NAME: *S&P PATAY*
 FLIGHT ATTENDANT

TRANS NORTH AIR
 Airport Hangar "C"
 Whitehorse, Y.T.
 Y1A 3E4

TOTAL \$ 3775 80

[Handwritten signature]

ROSSBACHER LABORATORY LTD.

CANAMAX

2225 5. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 298 - 6910

INVOICE

RECEIVED
SEP 4 1987
VANCOUVER OFFICE

TO : CANAMAX RESOURCES INC.
601-535 THURLOW STREET
VANCOUVER B.C.
PROJECT No.: 7086 - PASS PEAK

INVOICE No.: 7965
CERTIFICATE No.: 87455
DATE ANALYSED: 87-08-31
FILE NAME: CX87455

| QTY. | DESCRIPTION | UNIT COST | SUB-TOTAL | TOTAL |
|------|-----------------------------------|-----------|-----------|-------|
| 1 | GEOCHEM ANALYSIS FOR 4 ELEMENT(S) | \$ 3.70 ✓ | 3.70 ✓ | |
| 319 | GEOCHEM ANALYSIS FOR 5 ELEMENT(S) | 4.20 ✓ | 1339.80 ✓ | |
| 314 | GEOCHEM ANALYSIS FOR Au | 4.00 ✓ | 1256.00 ✓ | |
| 314 | SOIL/SILT PREPARATION | 0.60 ✓ | 198.40 ✓ | |

\$ 2787.90
\$ 2787.90

7086
A.D

P

7965
 8/10
 8/31
 7086: 080 278790
 CK. 25 000 278790

SEP 5 1987


TERMS - NET 30 DAYS

ROSSBACHER LABORATORY LTD.

CANAMAX

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

INVOICE



TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT No.: 7086 - PASS PEAK

VANCOUVER OFFICE

INVOICE No.: 70020
 CERTIFICATE No.: 87508
 DATE ANALYSED: 87-09-08
 FILE NAME: CX87508

| QTY. | DESCRIPTION | UNIT COST | SUB-TOTAL | TOTAL |
|------|-----------------------------------|-----------|-----------|-----------|
| 103 | GEOCHEM ANALYSIS FOR 3 ELEMENT(S) | \$ 3.20 | \$ 329.60 | |
| 99 | GEOCHEM ANALYSIS FOR All | 4.00 | 396.00 | |
| 99 | SOIL/SILT PREPARATION | 0.60 | 59.40 | |
| | | | | \$ 785.00 |
| | | | | \$ 785.00 |

7086
 AD

9/24
 70020 9/08
 7086 c/o 785.00
 CK. 870924

SEP 14 1987

TERMS - NET 30 DAYS

APPENDIX II

STATEMENTS OF QUALIFICATIONS

Statement of Qualifications

Name: D.B. Fleming

Address: 9071 Oakmond Avenue
Richmond, B.C. V7E 1L7

Education: B.Sc. Geology 1979
University of British Columbia

Experience:

| | |
|-----------|---|
| 1976-1977 | Seumotech (64) Ltd. Explosives Assistant |
| 1978 | Amax Minerals Field Assistant |
| 1979 | Amax Minerals Field Assistant |
| 1980 | Amax of Canada Limited Field Assistant |
| 1981 | CSR Minerals, Sydney, Australia Contract Geologist |
| 1982 | Amax Minerals Exploration Senior Assistant |
| 1983-1986 | Canamax Resources Inc. Senior Assistant |
| 1986 | Canamax Resources Inc. Project Geologist |
| 1987 | Canamax Resources Inc. Project Geologist |

Statement of Qualifications

Name: R.L. Cranswick

Address: #102 - 2110 West 5th Avenue
Vancouver, B.C. V6K 1A2

Education: B.Sc. Geology 1987
University of British Columbia

| | | |
|-------------|------|--|
| Experience: | 1984 | Newmont Exploration Field Assistant |
| | 1985 | Esso Minerals Field Assistant |
| | 1986 | Utah Mines Field Assistant |
| | 1987 | Canamax Resources Inc. Senior Assistant |

APPENDIX III

GEOCHEMICAL RESULTS AND ANALYTICAL METHODS

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 295 - 6910


CERTIFICATE OF ANALYSIS

TO : DANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 4

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PLS 470 | 34 | 0.4 | 140 | 54 | 5 | 90 |
| S | 471 | 28 | 0.4 | 120 | 56 | 5 | 78 |
| S | 472 | 26 | 0.6 | 96 | 36 | 5 | 38 |
| S | 473 | 24 | 0.4 | 118 | 40 | 5 | 54 |
| S | 474 | 30 | 0.4 | 168 | 52 | 5 | 80 |
| S | 475 | 18 | 0.2 | 98 | 30 | 5 | 30 |
| S | 476 | 28 | 0.4 | 140 | 56 | 5 | 68 |
| S | 477 | 36 | 0.4 | 160 | 64 | 5 | 68 |
| S | 478 | 30 | 0.6 | 128 | 56 | 5 | 48 |
| S | 479 | 32 | 0.4 | 114 | 58 | 5 | 104 |
| S | 87 PLS 480 | 16 | 0.2 | 80 | 26 | 5 | 110 |
| S | 481 | 18 | 0.2 | 98 | 54 | 5 | 118 |
| S | 482 | 20 | 0.4 | 146 | 76 | 5 | 110 |
| S | 483 | 28 | 0.2 | 122 | 68 | 5 | 54 |
| S | 484 | 48 | 0.8 | 208 | 106 | 5 | 80 |
| S | 485 | 32 | 0.6 | 200 | 74 | 5 | 50 |
| S | 486 | 24 | 0.4 | 134 | 50 | 5 | 62 |
| S | 487 | 22 | 0.2 | 98 | 28 | 5 | 70 |
| S | 488 | 36 | 0.4 | 146 | 52 | 5 | 110 |
| S | 489 | 28 | 0.2 | 118 | 46 | 5 | 136 |
| S | 87 PLS 490 | 26 | 0.2 | 146 | 48 | 5 | 228 |
| S | 491 | 36 | 0.2 | 122 | 48 | 5 | 210 |
| S | 492 | 18 | 0.2 | 150 | 54 | 5 | 202 |
| S | 493 | 28 | 0.2 | 92 | 76 | 630 | 342 |
| S | 494 | 16 | 0.2 | 86 | 28 | 10 | 106 |
| S | 495 | 22 | 0.2 | 108 | 54 | 5 | 346 |
| S | 496 | 22 | 0.2 | 110 | 98 | 5 | 222 |
| S | 87 PLS 497 | 16 | 0.2 | 90 | 34 | 5 | 290 |
| X | STD D | 124 | 3.8 | 510 | 96 | | 10 |
| S | 87 PLS 498 | 26 | 0.4 | 436 | 560 | 5 | 420 |
| S | 499 | 46 | 0.2 | 168 | 30 | 5 | 34 |
| S | 500 | 32 | 0.4 | 128 | 38 | 5 | 96 |
| S | 501 | 42 | 0.6 | 100 | 34 | 5 | 98 |
| S | 502 | 34 | 0.2 | 140 | 22 | 5 | 76 |
| S | 503 | 32 | 0.4 | 112 | 28 | 5 | 56 |
| S | 504 | 34 | 0.4 | 102 | 42 | 5 | 56 |
| S | 505 | 30 | 0.4 | 118 | 52 | 5 | 34 |
| S | 506 | 26 | 0.2 | 122 | 52 | 5 | 52 |
| S | 507 | 30 | 0.4 | 134 | 64 | 5 | 114 |
| S | 508 | 24 | 0.2 | 90 | 38 | 5 | 126 |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 97455
 INVOICE#: 7965
 DATE ENTERED: 87-09-31
 FILE NAME: CX87455
 PAGE # : 5

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | B7 PLS 509 | 62 | 0.2 | 82 | 28 | 5 | 78 |
| S | 510 | 56 | 0.4 | 90 | 20 | 5 | 58 |
| S | 511 | 34 | 0.4 | 48 | 20 | 5 | 140 |
| S | 512 | 42 | 0.6 | 60 | 16 | 5 | 106 |
| S | 513 | 38 | 0.4 | 68 | 20 | 5 | 46 |
| S | 514 | 26 | 0.4 | 60 | 14 | 5 | 42 |
| S | 515 | 28 | 0.8 | 46 | 18 | 5 | 32 |
| S | 516 | 24 | 0.6 | 142 | 198 | 5 | 560 |
| S | 517 | 30 | 1.0 | 264 | 158 | 5 | 720 |
| S | 518 | 52 | 1.2 | 190 | 80 | 40 | 210 |
| S | B7 PLS 519 | 30 | 0.6 | 134 | 42 | 5 | 134 |
| S | 520 | 28 | 0.6 | 126 | 36 | 5 | 102 |
| S | 521 | 34 | 0.8 | 152 | 52 | 5 | 156 |
| S | 522 | 30 | 0.8 | 140 | 74 | 5 | 176 |
| S | 523 | 30 | 0.6 | 64 | 12 | 5 | 38 |
| S | 524 | 28 | 0.8 | 214 | 60 | 5 | 98 |
| S | 525 | 24 | 0.6 | 154 | 42 | 5 | 74 |
| S | 526 | 22 | 0.8 | 136 | 36 | 40 | 78 |
| S | 527 | 18 | 0.8 | 118 | 38 | 5 | 86 |
| S | 528 | 34 | 0.4 | 162 | 72 | 5 | 80 |
| S | B7 PLS 529 | 28 | 0.4 | 106 | 42 | 5 | 42 |
| S | 530 | 28 | 0.2 | 144 | 78 | 5 | 68 |
| S | 531 | 18 | 0.4 | 106 | 40 | 5 | 42 |
| S | 532 | 32 | 0.4 | 70 | 18 | 5 | 22 |
| S | 533 | 50 | 0.2 | 82 | 18 | 5 | 24 |
| S | 534 | 46 | 0.2 | 90 | 20 | 5 | 58 |
| S | 535 | 22 | 0.2 | 102 | 34 | 5 | 66 |
| S | B7 PLS 536 | 58 | 0.4 | 192 | 34 | 5 | 144 |
| X | STD B | 142 | 0.8 | 128 | 94 | | 16 |
| S | B7 PLS 537 | 48 | 0.4 | 172 | 48 | 5 | 290 |
| S | 538 | 36 | 0.2 | 52 | 18 | 5 | 52 |
| S | 539 | 56 | 0.4 | 62 | 22 | 5 | 132 |
| S | 540 | 46 | 0.2 | 118 | 26 | 5 | 82 |
| S | 541 | 20 | 0.4 | 80 | 24 | 5 | 64 |
| S | 542 | 42 | 0.4 | 90 | 38 | 5 | 46 |
| S | 543 | 36 | 0.2 | 92 | 30 | 5 | 54 |
| S | 544 | 28 | 0.2 | 86 | 28 | 5 | 66 |
| S | 545 | 24 | 0.2 | 150 | 36 | 5 | 64 |
| S | 546 | 32 | 0.4 | 134 | 38 | 5 | 72 |
| S | B7 PLS 547 | 26 | 0.2 | 208 | 30 | 5 | 70 |

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.

CERTIFICATE#: 87455
 INVOICE#: 7945
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 4

PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PLS 548 | 22 | 0.2 | 72 | 24 | 5 | 160 |
| S | 549 | 24 | 0.2 | 80 | 20 | 5 | 174 |
| S | 550 | 42 | 0.2 | 216 | 72 | 5 | 160 |
| S | 551 | 40 | 0.2 | 148 | 90 | 5 | 74 |
| S | 552 | 36 | 0.2 | 88 | 26 | 5 | 38 |
| S | 553 | 32 | 0.2 | 180 | 56 | 5 | 54 |
| S | 554 | 36 | 0.4 | 276 | 68 | 5 | 106 |
| S | 555 | 28 | 0.2 | 202 | 52 | 5 | 130 |
| S | 556 | 20 | 0.4 | 224 | 70 | 5 | 192 |
| S | 557 | 28 | 0.2 | 210 | 110 | 5 | 252 |
| S | 558 | 50 | 2.0 | 640 | 1020 | 5 | 560 |
| S | 559 | 12 | 0.2 | 32 | 4 | 5 | 22 |
| S | 87 PLS 561 | 52 | 2.0 | 90 | 210 | 5 | 800 |
| S | 562 | 80 | 0.2 | 498 | 116 | 5 | 620 |
| S | 563 | 20 | 0.2 | 90 | 20 | 5 | 102 |
| S | 564 | 26 | 0.4 | 140 | 50 | 5 | 130 |
| S | 565 | 20 | 0.2 | 132 | 74 | 5 | 212 |
| S | 566 | 22 | 0.8 | 228 | 132 | 30 | 680 |
| S | 567 | 40 | 0.2 | 550 | 18 | 5 | 192 |
| S | 568 | 28 | 0.2 | 176 | 94 | 5 | 442 |
| S | 569 | 18 | 0.2 | 126 | 38 | 5 | 150 |
| S | 87 PLS 570 | 38 | 1.0 | 338 | 132 | 5 | 482 |
| S | 571 | 32 | 0.2 | 190 | 118 | 5 | 284 |
| S | 572 | 44 | 0.8 | 310 | 122 | 5 | 760 |
| S | 87 PLS 573 | 32 | 1.0 | 284 | 80 | 5 | 236 |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 7

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PNS 947 | 22 | 0.4 | 174 | 132 | 5 | 442 |
| S | 948 | 16 | 0.2 | 160 | 120 | 5 | 442 |
| S | 949 | 18 | 0.2 | 180 | 120 | 5 | 446 |
| S | 950 | 24 | 0.4 | 126 | 94 | 5 | 300 |
| S | 951 | 22 | 0.4 | 214 | 82 | 5 | 422 |
| S | 952 | 28 | 0.2 | 162 | 46 | 5 | 102 |
| S | 953 | 24 | 0.2 | 154 | 44 | 5 | 106 |
| S | 954 | 18 | 0.2 | 136 | 62 | 5 | 132 |
| S | 955 | 30 | 0.2 | 156 | 58 | 5 | 80 |
| S | 956 | 20 | 0.2 | 142 | 44 | 5 | 88 |
| S | 957 | 24 | 0.2 | 144 | 48 | 5 | 88 |
| S | 958 | 18 | 0.2 | 124 | 40 | 5 | 80 |
| S | 959 | 16 | 0.2 | 150 | 34 | 5 | 82 |
| | 87 PNS 960 | 16 | 0.2 | 102 | 28 | 5 | 94 |
| S | 961 | 16 | 0.2 | 94 | 20 | 5 | 86 |
| S | 962 | 16 | 0.2 | 74 | 16 | 5 | 44 |
| S | 963 | 18 | 0.2 | 52 | 4 | 5 | 34 |
| S | 964 | 30 | 0.2 | 126 | 34 | 5 | 196 |
| S | 965 | 22 | 0.2 | 82 | 22 | 5 | 58 |
| S | 966 | 24 | 0.2 | 128 | 40 | 5 | 86 |
| S | 967 | 26 | 0.2 | 168 | 44 | 5 | 126 |
| S | 968 | 20 | 0.2 | 128 | 42 | 5 | 54 |
| S | 87 PNS 969 | 22 | 0.2 | 136 | 30 | 5 | 50 |
| S | 970 | 24 | 0.2 | 176 | 40 | 5 | 50 |
| S | 971 | 24 | 0.4 | 152 | 46 | 5 | 64 |
| S | 972 | 26 | 0.2 | 112 | 22 | 5 | 104 |
| S | 973 | 20 | 0.4 | 72 | 6 | 5 | 170 |
| S | 974 | 30 | 0.2 | 60 | 12 | 5 | 104 |
| S | 975 | 54 | 0.2 | 112 | 22 | 5 | 130 |
| S | 976 | 42 | 0.2 | 86 | 28 | 5 | 186 |
| S | 977 | 60 | 0.2 | 82 | 34 | 5 | 164 |
| S | 978 | 20 | 0.2 | 64 | 14 | 5 | 62 |
| S | 979 | 22 | 0.2 | 74 | 12 | 5 | 66 |
| S | 87 PNS 980 | 26 | 0.2 | 176 | 88 | 5 | 246 |
| S | 981 | 20 | 0.2 | 144 | 80 | 5 | 228 |
| S | 982 | 28 | 0.2 | 180 | 74 | 5 | 298 |
| S | 983 | 22 | 0.2 | 158 | 68 | 5 | 240 |
| S | 984 | 22 | 0.2 | 128 | 68 | 5 | 192 |
| S | 985 | 22 | 0.2 | 116 | 38 | 5 | 140 |
| S | 87 PNS 986 | 24 | 0.2 | 120 | 48 | 5 | 170 |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2325 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: 0X87455
 PAGE # : 8

PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PNS 987 | 22 | 0.4 | 142 | 62 | 5 | 216 |
| S | 988 | 34 | 0.4 | 162 | 78 | 5 | 384 |
| S | 87 PNS 989 | 42 | 0.8 | 216 | 90 | 5 | 484 |
| X | STD D | 118 | 3.2 | 510 | 102 | | 156 |
| S | 87 PNS 990 | 30 | 0.2 | 136 | 62 | 5 | 192 |
| S | 991 | 58 | 0.2 | 170 | 52 | 5 | 224 |
| S | 992 | 46 | 0.4 | 184 | 50 | 20 | 270 |
| S | 993 | 38 | 0.4 | 158 | 74 | 5 | 98 |
| S | 994 | 44 | 0.6 | 250 | 126 | 5 | 186 |
| S | 995 | 8 | 0.2 | 46 | 16 | 5 | 32 |
| S | 996 | 16 | 0.2 | 140 | 40 | 5 | 84 |
| S | 997 | 4 | 0.2 | 58 | 10 | 5 | 26 |
| S | 998 | 8 | 0.2 | 28 | 30 | 5 | 10 |
| S | 999 | 8 | 0.2 | 36 | 22 | 5 | 14 |
| S | 87 PNS1000 | 36 | 0.2 | 128 | 28 | 5 | 14 |
| S | 1001 | 44 | 0.2 | 270 | 80 | 5 | 146 |
| S | 1002 | 28 | 0.2 | 92 | 36 | 5 | 62 |
| S | 1003 | 14 | 0.2 | 70 | 12 | 5 | 50 |
| S | 1004 | 20 | 0.2 | 118 | 96 | 5 | 330 |
| S | 1005 | 40 | 0.2 | 122 | 54 | 5 | 78 |
| S | 1006 | 32 | 0.2 | 170 | 34 | 5 | 76 |
| S | 1007 | 24 | 0.2 | 156 | 102 | 5 | 80 |
| S | 1008 | 18 | 0.2 | 102 | 74 | 5 | 416 |
| S | 1009 | 38 | 0.2 | 240 | 256 | 5 | 870 |
| S | 1010 | 48 | 0.6 | 164 | 218 | 5 | 344 |
| S | 1011 | 36 | 0.6 | 110 | 88 | 5 | 98 |
| S | 1012 | 36 | 0.4 | 138 | 138 | 5 | 18 |
| S | 1013 | 56 | 0.2 | 318 | 104 | 5 | 34 |
| S | 1014 | 12 | 0.2 | 50 | 12 | 5 | 6 |
| S | 1015 | 12 | 0.2 | 46 | 14 | 5 | 8 |
| S | 1016 | 30 | 0.2 | 40 | 16 | 5 | 16 |
| S | 1017 | 30 | 0.2 | 172 | 32 | 5 | 24 |
| S | 1018 | 34 | 0.2 | 362 | 208 | 5 | 40 |
| S | 1019 | 22 | 0.2 | 128 | 40 | 5 | 48 |
| S | 87 PNS1020 | 20 | 0.2 | 98 | 62 | 5 | 80 |
| S | 1021 | 20 | 0.2 | 102 | 40 | 5 | 40 |
| S | 1022 | 24 | 0.2 | 100 | 36 | 5 | 44 |
| S | 1023 | 50 | 0.2 | 88 | 20 | 5 | 28 |
| S | 1024 | 30 | 0.2 | 132 | 38 | 5 | 112 |
| S | 87 PNS1025 | 28 | 0.2 | 142 | 48 | 5 | 98 |

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 97455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 9

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PNS1026 | 24 | 0.2 | 126 | 38 | 5 | 1000 |
| S | 1027 | 14 | 0.2 | 70 | 22 | 5 | 36 |
| S | 87 PNS1028 | 40 | 0.2 | 178 | 60 | 5 | 38 |
| X | STD B | 150 | 0.8 | 140 | 332 | | 150 |
| S | 87 PNS1029 | 18 | 0.2 | 190 | 72 | 5 | 54 |
| S | 1030 | 22 | 0.2 | 126 | 54 | 5 | 46 |
| S | 1031 | 24 | 0.2 | 170 | 56 | 5 | 36 |
| S | 1032 | 12 | 0.2 | 72 | 14 | 5 | 20 |
| S | 1033 | 14 | 0.2 | 154 | 42 | 5 | 50 |
| S | 1034 | 20 | 0.2 | 88 | 6 | 5 | 30 |
| S | 1035 | 22 | 0.2 | 166 | 40 | 5 | 66 |
| S | 1036 | 18 | 0.2 | 138 | 28 | 5 | 62 |
| S | 1037 | 22 | 0.2 | 182 | 32 | 5 | 24 |
| S | 1038 | 6 | 0.2 | 30 | 2 | 5 | 4 |
| S | 1039 | 30 | 0.2 | 216 | 50 | 5 | 54 |
| S | 87 PNS1040 | 32 | 0.8 | 282 | 76 | 5 | 90 |
| S | 1041 | 34 | 0.4 | 164 | 40 | 5 | 94 |
| S | 1042 | 20 | 0.2 | 150 | 56 | 5 | 118 |
| S | 1043 | 22 | 0.4 | 186 | 54 | 5 | 86 |
| S | 1044 | 30 | 0.4 | 268 | 54 | 5 | 126 |
| S | 1045 | 26 | 0.4 | 402 | 50 | 5 | 236 |
| S | 1046 | 24 | 0.2 | 2226 | 174 | 5 | 74 |
| S | 87 PNS1047 | 16 | 0.2 | 170 | 34 | 5 | 44 |

CERTIFIED BY :



F. ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910


CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87508
 INVOICE#: 70020
 DATE ENTERED: 87-09-08
 FILE NAME: DX87508
 PAGE # : 3

| PRE FIX | SAMPLE NAME | PPM Ag | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|
| S | 87 PNS1050 | 0.2 | 134 | 5 | 250 |
| S | 1051 | 0.2 | 36 | 5 | 74 |
| S | 1052 | 0.2 | 80 | 5 | 132 |
| S | 1053 | 0.4 | 64 | 5 | 98 |
| S | 1054 | 0.6 | 76 | 5 | 128 |
| S | 1055 | 0.4 | 114 | 5 | 110 |
| S | 1056 | 0.4 | 192 | 5 | 108 |
| S | 1057 | 0.4 | 126 | 5 | 94 |
| S | 1058 | 0.4 | 72 | 5 | 62 |
| S | 1059 | 0.4 | 100 | 5 | 64 |
| S | 1060 | 0.4 | 80 | 5 | 102 |
| S | 87 PNS1061 | 1.0 | 780 | 5 | 204 |
| Y | STD C | 0.8 | 78 | | 166 |
| S | 87 PNS1062 | 0.4 | 84 | 5 | 68 |
| S | 1063 | 0.2 | 62 | 5 | 40 |
| S | 1064 | 0.2 | 46 | 5 | 110 |
| S | 1065 | 0.4 | 28 | 5 | 92 |
| S | 1066 | 0.4 | 28 | 5 | 104 |
| S | 1067 | 0.2 | 32 | 5 | 116 |
| S | S1068 | 0.2 | 28 | 5 | 106 |
| L | L1069 | 0.2 | 30 | 5 | 140 |
| S | S1072 | 0.2 | 6 | 5 | 76 |
| S | 1077 | 0.8 | 34 | 5 | 412 |
| S | 1078 | 0.6 | 70 | 5 | 170 |
| S | 1079 | 1.6 | 374 | 5 | 440 |
| S | 1080 | 1.2 | 192 | 5 | 266 |
| S | 1081 | 1.6 | 44 | 5 | 1040 |
| S | 1082 | 7.8 | 800 | 5 | 1400 |
| S | 1083 | 1.2 | 46 | 5 | 760 |
| S | 1084 | 0.4 | 22 | 5 | 500 |
| S | 1085 | 1.2 | 560 | 5 | 960 |
| S | 87 PNS1086 | 0.8 | 34 | 5 | 570 |
| X | STD C | 0.8 | 80 | | 168 |
| S | 87 PNS1087 | 0.4 | 10 | 5 | 312 |
| S | 1088 | 0.6 | 28 | 5 | 328 |
| S | 1089 | 0.6 | 32 | 5 | 130 |
| S | 1090 | 0.6 | 34 | 5 | 138 |
| S | 1091 | 0.2 | 30 | 5 | 182 |
| S | 1092 | 0.4 | 6 | 5 | 520 |
| L | 87 PNS1093 | 0.4 | 4 | 5 | 176 |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.


2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS

TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.
 PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 1

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| L | 87 PRL 743 | 40 | 1.8 | 498 | 348 | 5 | 560 |
| L | L 744 | 30 | 0.4 | 84 | 20 | 5 | 116 |
| S | S 745 | 28 | 0.6 | 142 | 52 | 5 | 88 |
| S | 746 | 34 | 0.6 | 192 | 52 | 5 | 106 |
| S | 747 | 24 | 0.2 | 116 | 42 | 5 | 74 |
| S | 748 | 40 | 0.4 | 134 | 54 | 5 | 112 |
| S | 749 | 26 | 0.2 | 106 | 48 | 5 | 76 |
| S | 750 | 28 | 0.4 | 188 | 62 | 5 | 78 |
| S | 751 | 26 | 0.2 | 124 | 36 | 5 | 68 |
| S | 752 | 32 | 0.2 | 98 | 32 | 5 | 38 |
| S | 753 | 30 | 0.4 | 176 | 42 | 5 | 34 |
| S | 754 | 20 | 0.4 | 134 | 64 | 5 | 64 |
| S | 755 | 22 | 0.2 | 180 | 50 | 5 | 52 |
| S | 756 | 18 | 0.2 | 120 | 28 | 5 | 50 |
| S | 757 | 42 | 0.2 | 880 | 48 | 5 | 60 |
| S | 758 | 34 | 0.4 | 222 | 52 | 5 | 76 |
| S | 759 | 30 | 0.6 | 62 | 58 | 5 | 56 |
| S | 760 | 24 | 0.4 | 62 | 22 | 5 | 36 |
| S | 761 | 40 | 0.4 | 50 | 22 | 5 | 62 |
| S | 87 PRS 762 | 12 | 0.6 | 54 | 10 | 5 | 36 |
| S | 763 | 4 | 0.2 | 20 | 4 | 5 | 8 |
| S | 764 | 14 | 0.4 | 50 | 22 | 5 | 30 |
| S | 765 | 14 | 0.2 | 52 | 12 | 5 | 46 |
| S | 766 | 18 | 0.4 | 116 | 48 | 5 | 94 |
| S | 767 | 22 | 0.4 | 116 | 56 | 5 | 288 |
| S | 768 | 18 | 0.2 | 98 | 36 | 5 | 144 |
| S | 769 | 18 | 0.2 | 102 | 48 | 5 | 182 |
| S | 770 | 20 | 0.2 | 88 | 36 | 5 | 94 |
| S | 771 | 28 | 0.2 | 120 | 76 | 5 | 284 |
| S | 87 PRS 772 | 16 | 0.2 | 40 | 12 | 5 | 32 |
| S | 773 | 36 | 0.6 | 118 | 36 | 5 | 112 |
| S | 774 | 32 | 1.0 | 168 | 102 | 5 | 270 |
| S | 775 | 28 | 1.4 | 160 | 96 | 5 | 280 |
| S | 776 | 14 | 0.4 | 78 | 50 | 5 | 148 |
| S | 777 | 26 | 0.6 | 172 | 70 | 5 | 412 |
| S | 778 | 34 | 1.2 | 190 | 84 | 5 | 312 |
| S | 779 | 26 | 0.8 | 208 | 68 | 5 | 182 |
| S | 780 | 30 | 0.8 | 630 | 60 | 5 | 200 |
| S | 87 PRS 781 | 22 | 0.6 | 220 | 46 | 5 | 116 |
| Y | STD B | 148 | 1.0 | 146 | 100 | | 18 |

CERTIFIED BY : 

ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 2

PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PRS 782 | 38 | 1.2 | 134 | 52 | 5 | 146 |
| S | 783 | 24 | 0.8 | 96 | 50 | 5 | 52 |
| S | 784 | 34 | 1.0 | 160 | 76 | 5 | 120 |
| S | 785 | 20 | 0.8 | 90 | 24 | 5 | 42 |
| S | 786 | 60 | 1.2 | 296 | 76 | 5 | 152 |
| S | 787 | 10 | 0.8 | 68 | 16 | 5 | 22 |
| S | 788 | 24 | 1.0 | 84 | 58 | 5 | 28 |
| S | 789 | 20 | 0.8 | 102 | 72 | 5 | 30 |
| S | 790 | 32 | 0.6 | 44 | 26 | 5 | 12 |
| S | 87 PRS 791 | 26 | 0.8 | 68 | 70 | 5 | 38 |
| S | 792 | 20 | 0.6 | 48 | 20 | 5 | 20 |
| S | 793 | 40 | 0.6 | 108 | 80 | 5 | 78 |
| S | 794 | 26 | 0.4 | 90 | 42 | 5 | 20 |
| S | 795 | 30 | 0.4 | 274 | 108 | 5 | 124 |
| S | 796 | 12 | 0.2 | 84 | 52 | 5 | 36 |
| S | 797 | 12 | 0.2 | 18 | 4 | 5 | 2 |
| S | 798 | 32 | 0.2 | 134 | 98 | 5 | 26 |
| S | 799 | 24 | 0.2 | 118 | 66 | 5 | 78 |
| S | 800 | 26 | 0.4 | 136 | 72 | 5 | 68 |
| S | 87 PRS 801 | 16 | 0.2 | 72 | 30 | 5 | 10 |
| S | 802 | 28 | 0.4 | 136 | 60 | 5 | 54 |
| S | 803 | 26 | 0.2 | 124 | 66 | 5 | 78 |
| S | 804 | 20 | 0.2 | 152 | 76 | 5 | 88 |
| S | 805 | 24 | 0.2 | 118 | 72 | 5 | 66 |
| S | 806 | 28 | 0.4 | 108 | 72 | 5 | 60 |
| S | 807 | 32 | 0.4 | 172 | 64 | 5 | 340 |
| S | 808 | 30 | 0.8 | 196 | 90 | 5 | 420 |
| S | 809 | 36 | 1.0 | 224 | 122 | 5 | 520 |
| S | 87 PRS 810 | 34 | 1.8 | 234 | 170 | 5 | 840 |
| S | 811 | 26 | 0.8 | 156 | 84 | 5 | 368 |
| S | 812 | 30 | 0.8 | 150 | 90 | 5 | 378 |
| S | 813 | 30 | 0.8 | 200 | 92 | 5 | 382 |
| S | 814 | 18 | 0.6 | 152 | 58 | 5 | 162 |
| S | 815 | 18 | 0.6 | 160 | 40 | 5 | 182 |
| S | 816 | 34 | 0.8 | 238 | 148 | 5 | 444 |
| S | 817 | 28 | 0.6 | 240 | 70 | 5 | 800 |
| S | 818 | 26 | 0.8 | 178 | 74 | 5 | 258 |
| S | 819 | 32 | 0.8 | 242 | 132 | 5 | 382 |
| S | 87 PRS 820 | 40 | 1.6 | 240 | 150 | 30 | 570 |
| X | STD C | 180 | 0.8 | 120 | 84 | | |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
BURNABY, B.C. V5B 3N1
TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : CANAMAX RESOURCES INC.
601-535 THURLOW STREET
VANCOUVER B.C.

CERTIFICATE#: 87455
INVOICE#: 7965
DATE ENTERED: 87-08-31
FILE NAME: DX87455
PAGE # : 3

PROJECT: 7006 - PASS PEAK
TYPE OF ANALYSIS: GEOCHEMICAL

| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PRS 821 | 82 | 3.6 | 98 | 90 | 60 | 360 |
| S | 822 | 172 | 5.2 | 168 | 178 | 10 | 210 |
| S | 823 | 34 | 0.6 | 106 | 24 | 5 | 26 |
| S | 824 | 50 | 0.6 | 136 | 42 | 5 | 24 |
| S | 825 | 12 | 0.2 | 36 | 4 | 5 | 4 |
| S | 826 | 6 | 0.2 | 22 | 2 | 5 | 2 |
| S | 827 | 14 | 0.4 | 34 | 8 | 5 | 6 |
| S | 828 | 14 | 0.6 | 44 | 18 | 5 | 6 |
| S | 829 | 34 | 0.4 | 98 | 42 | 5 | 52 |
| S | 830 | 24 | 0.6 | 72 | 24 | 5 | 28 |
| S | 87 PRS 831 | 12 | 0.4 | 308 | 118 | 5 | 48 |

CERTIFIED BY :



ROSSBACHER LABORATORY LTD.

2225 S. SPRINGER AVENUE
 BURNABY, B.C. V5B 3N1
 TEL : (604) 299 - 6910

CERTIFICATE OF ANALYSIS


TO : CANAMAX RESOURCES INC.
 601-535 THURLOW STREET
 VANCOUVER B.C.

CERTIFICATE#: 87455
 INVOICE#: 7965
 DATE ENTERED: 87-08-31
 FILE NAME: CX87455
 PAGE # : 10

PROJECT: 7086 - PASS PEAK
 TYPE OF ANALYSIS: GEOCHEMICAL









| PRE FIX | SAMPLE NAME | PPM Cu | PPM Ag | PPM Zn | PPM Pb | PPB Au | PPM As |
|------------|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| S | 87 PRS 832 | 18 | 0.2 | 130 | 20 | 5 | 66 |
| S | 833 | 32 | 0.2 | 146 | 56 | 5 | 416 |
| S | 834 | 24 | 0.2 | 216 | 76 | 5 | 108 |
| S | 835 | 22 | 0.4 | 168 | 34 | 5 | 48 |
| S | 836 | 38 | 0.6 | 308 | 22 | 5 | 40 |
| S | 837 | 20 | 0.4 | 172 | 76 | 5 | 104 |
| S | 838 | 18 | 0.2 | 82 | 10 | 5 | 36 |
| S | 839 | 38 | 2.6 | 500 | 28 | 5 | 136 |
| S | 840 | 52 | 0.6 | 800 | 34 | 5 | 100 |
| S | 841 | 28 | 0.4 | 312 | 28 | 5 | 44 |
| S | 842 | 18 | 0.2 | 224 | 26 | 5 | 28 |
| S | 843 | 38 | 0.6 | 348 | 28 | 5 | 70 |
| S | 844 | 20 | 1.2 | 152 | 16 | 5 | 42 |
| S | 845 | 24 | 0.6 | 156 | 14 | 5 | 28 |
| S | 846 | 14 | 0.6 | 218 | 26 | 5 | 24 |
| S | 847 | 28 | 0.6 | 190 | 26 | 5 | 26 |
| S | 848 | 40 | 0.4 | 238 | 56 | 5 | 32 |
| S | 849 | 36 | 0.4 | 298 | 72 | 5 | 76 |
| S | 850 | 40 | 1.0 | 248 | 102 | 5 | 80 |
| S | 851 | 24 | 0.8 | 140 | 72 | 5 | 44 |
| S | 87 PRS 852 | 20 | 0.4 | 100 | 52 | 5 | 36 |






CERTIFIED BY :






S Y M B O L S

-  Grid line
-  Claim post (located, approximate)
-  Property boundary
-  Trench
-  Stream
-  Swamp
-  Topographic depression
-  Topographic contour (contour interval 10 meters)


-  Soil sample site, sample number: p.p.m. As, >5 p.p.b. Au
-  Silt sample site, sample number: p.p.m. As, >5 p.p.b. Au
-  Geochemical contour (>50 p.p.b. Au)
-  Geochemical contour (>200 p.p.b. As)
-  **A** Geochemical anomaly referred to in report



CANAMAX RESOURCES INC.
092145
 PASS PEAK PROPERTY
 WATSON LAKE MINING DISTRICT — YUKON TERRITORY


GEOCHEMICAL MAP

As, Au

SCALE  METRES
 FEET


To accompany 1987 Assessment Report by D.B. Fleming and R.L. Cranswick

Vancouver



S Y M B O L S

- Grid line
- Claim post (located, approximate)
- Property boundary
- Trench
- Stream
- Swamp
- Topographic depression
- Topographic contour (contour interval 10 meters)
- Soil sample site, sample number p.p.m. Pb, p.p.m. Ag
- Silt sample site, sample number p.p.m. Pb, p.p.m. Ag
- Geochemical contour (>75 p.p.m. Pb)



CANAMAX RESOURCES INC.
092145
 PASS PEAK PROPERTY
 WATSON LAKE MINING DISTRICT — YUKON TERRITORY
GEOCHEMICAL MAP
 Pb, Ag
 SCALE METRES FEET
 1:5,000

*To accompany 1987 Assessment Report by D.B. Fleming and R.L. Cranswick
 Vancouver*