

STREAM SEDIMENT SAMPLING AND PROSPECTING PROGRAMME

ON THE

DIC PROPERTY

MT. NANSEN AREA, YUKON TERRITORY

115 I/3

62° 08' N, 137° 18' W

AUGUST 1988

FOR

CHESBAR RESOURCES INC.



TORONTO,  
ONTARIO

K. S. SUTHERLAND  
GEOLOGIST

092533

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 6 300.00 .

*J. J. [Signature]*  
for Regional Manager, Exploration and  
Geological Services for Commissioner,  
of Yukon Territory.

## TABLE OF CONTENTS

	page no.
SUMMARY	1
INTRODUCTION	1
LOCATION AND ACCESS	1
CLAIM STATUS	2
CLIMATE	5
REGIONAL GEOLOGY	5
PROPERTY GEOLOGY	7
STREAM SEDIMENT SAMPLING AND PROPSECTING	9
TRENCHING	12
CONCLUSIONS AND RECOMMENDATIONS	12
REFERENCES	14
LIST OF APPENDICES	



## SUMMARY

A stream sediment sampling and prospecting programme was carried out on the DIC claims in the Mt. Nansen area, Yukon Territory, by Chesbar Resources Inc. during August, 1988. The objective of the programme was to deepen trenches that were initiated in 1987 and sample stream sediments for gold and gold related trace elements to outline areas with potential for gold mineralization. A total of 44 stream sediment samples were collected from 4 streams on the eastern part of the property. The samples were assayed for Au, Ag, As, Sb, Cu, Mo, Pb, Zn, Hg, Se, Bi, and Cd. The highest gold value present in the stream sediments is 1050 ppb. The eastern most creek on the property has an anomalous trend in gold as well as gold related trace element values. In addition, 6 rock samples were collected from the Ex Creek trench area and were assayed for the same elements as the stream sediment samples. The best assay was 220 ppb Au from a sericitized boulder containing minor sphalerite, galena and 3-5% disseminated pyrite. Some of the trenches that were started last year were dug deeper with a D-7 Cat and 3 new trenches were initiated. No definitive areas of gold mineralization were delineated but the stream sediment and rock anomalies indicate further work should be carried out on the property. Additional trenching and prospecting and ground geophysics are recommended for next year to detail areas of potential gold mineralization.

## INTRODUCTION

The DIC claims are located approximately 70 km due west of Carmacks, Yukon Territory. The claims were originally staked by Kerr Addison Mines Ltd. in 1985 and 1986 to cover As and Sb silt and soil anomalies. Kerr Addison carried out a programme of linecutting, ground geophysics, soil sampling and prospecting over 3 localized areas of the property during 1986. They encountered some gold and base metal anomalies areas in the Ex Creek area. In June 1987, Kerr granted Chesbar Resources Inc. the right to earn an interest in the property by contributing to exploration expenditures on both the DIC and VIC claims. During August 1987 Chesbar carried out a trenching programme over part of the DIC property. The trenching only removed the moss and upper soil layer. The objective of the 1988 programme was to further excavate the 1987 trenches and carry out a stream sediment sampling programme to help isolate areas of potential gold mineralization.

## LOCATION AND ACCESS


The DIC property consists of 63 contiguous quartz mining claims located in the Dawson Mountain Range on the northern

periphery of the Mt. Nansen gold camp, Yukon Territory. The claim sheet number is 115 I/3 and the property is located at approximately 62 08'N latitude and 137 18'W longitude (Figure 1). The DIC property is located approximately 70 kilometres west of Carmacks. Access to the property is via Highway 2 north from Whitehorse to Carmacks, a distance of approximately 189 kilometres, and then west from Carmacks along the Mt. Nansen Road, a distance of approximately 75 km. The Mt. Nansen road is a gravel road which is maintained by the Yukon Territorial government to the Mt. Nansen mine site. The remaining 15 km to the property boundary is best accessed via a 4-wheel drive vehicle. Access to the work area was by foot from the Tawa claims which join the DIC property to the east and from Ted Tullis's placer claims north of the property. The Caron Drill camp on Discovery Creek was used as a base camp for the programme.



#### CLAIM STATUS

The DIC property consists of 63 contiguous quartz mining claims within claim sheet 115 I/3 (Figure 2). DIC claims 1 to 51 were recorded on September 11, 1985 and have an expiry date of September 11, 1988. DIC claims 52 to 63 were recorded on July 11, 1986 and have an expiry date of July 11, 1989. The claims are currently held 100% in the name of Kerr Addison Mines Ltd. In June 1987, Kerr Addison Mines Ltd. offered Chesbar Resources Inc. the right to earn 50% interest in the DIC and VIC properties by contributing to exploration expenditures. A list of the claim numbers and grant numbers for the DIC claims is found below.

<u>Grant No.</u>	<u>Claim No.</u>	<u>Grant No.</u>	<u>Claim No.</u>	<u>Grant No.</u>	<u>Claim No.</u>
YA93470	DIC 1	YA93491	DIC 22	YA93512	DIC 43
YA93471	DIC 2	YA93492	DIC 23	YA93513	DIC 44
YA93472	DIC 3	YA93493	DIC 24	YA93514	DIC 45
YA93473	DIC 4	YA93494	DIC 25	YA93515	DIC 46
YA93474	DIC 5	YA93495	DIC 26	YA93516	DIC 47
YA93475	DIC 6	YA93496	DIC 27	YA93517	DIC 48
YA93476	DIC 7	YA93497	DIC 28	YA93518	DIC 49
YA93477	DIC 8	YA93498	DIC 29	YA93519	DIC 50
YA93478	DIC 9	YA93499	DIC 30	YA93520	DIC 51
YA93479	DIC 10	YA93500	DIC 31	YA95110	DIC 52
YA93480	DIC 11	YA93501	DIC 32	YA95111	DIC 53
YA93481	DIC 12	YA93502	DIC 33	YA95112	DIC 54
YA93482	DIC 13	YA93503	DIC 34	YA95113	DIC 55
YA93483	DIC 14	YA93504	DIC 35	YA95114	DIC 56
YA93484	DIC 15	YA93505	DIC 36	YA95115	DIC 57
YA93485	DIC 16	YA93506	DIC 37	YA95116	DIC 58
YA93486	DIC 17	YA93507	DIC 38	YA95117	DIC 59
YA93487	DIC 18	YA93508	DIC 39	YA95118	DIC 60



CHESBAR RESOURCES INC.		
CARMACKS - DIC PROPERTY		
MT. NANSEN AREA - YUKON TERRITORY		
<b>PROPERTY LOCATION</b>		
FIG. 1		
DATE: SEPT. 1988	SCALE: 1:250,000	N.T.S. 1151/3



CHESBAR RESOURCES INC.  
 CARMACKS - DIC PROPERTY  
 MT. NANSEN AREA - YUKON TERRITORY

## CLAIM MAP

FIG. 2

DATE: SEPT. 1988    SCALE: 1:50,000    N.T.S. 1151/3

YA93488	DIC 19	YA93509	DIC 40	YA95119	DIC 61
YA93489	DIC 20	YA93510	DIC 41	YA95120	DIC 62
YA93490	DIC 21	YA93511	DIC 42	YA95121	DIC 63

## CLIMATE


The DIC property is within the Yukon Plateau Physiographic Province and the area has not been glaciated. The climate of the area is considered sub-arctic, with temperatures ranging from  $-45^{\circ}$  C in the winter to  $30^{\circ}$  C in the summer. Precipitation is generally low although there was an increase in the rainfall this summer. The property is above treeline and the vegetation consists of moss and buck brush with minor willow trees along the creeks. The terrain is gently rolling in the north to very rugged in the south. The southern claim boundary is marked by Mt. Nansen at an elevation of 5993 ft and the northern boundary is at an elevation of approximately 4100 ft.

## REGIONAL GEOLOGY

The geology of the Mt. Nansen area has been described by Carlson(1987) and Tempelman-Kluit(1984). It should be noted that due to the lack of glaciation and the fact that there has been no significant erosion since the end of the Cretaceous, most of the near surface rocks have been deeply weathered. There is very little exposed bedrock geology and contact zones are generally inferred based on mapping felsenmeer. Carlson has divided the bedrock geology into three main categories: a basement metamorphic complex, foliated plutonic rocks and early Cretaceous to Paleocene plutonic and related volcanic rocks (Figure 3).


Basement rocks are part of the Yukon Crystalline Terrane and include metamorphosed and deformed sedimentary, volcanic and plutonic rocks of uncertain age. These rocks are intruded by 2 suites of foliated plutonic rocks of the Upper Triassic to Jurassic Klotassin Suite, mainly hornblende-biotite granodiorite, and the Jurassic Big Creek Suite including K-feldspar porphyritic syenite, quartz syenite and monzonite. It is believed that the latest metamorphism of basement rocks is related to emplacement of these suites. The Dawson Range Batholith, consisting of the Casino Granodiorite and the Coffee Creek Granite, intruded the stratigraphy during the Lower Cretaceous. The Mt. Nansen Volcanic rocks consist mainly of andesitic flows and related subvolcanic intrusions, with minor felsic pyroclastic rocks and high level felsic domes. Carlson suggests that the Mt. Nansen volcanics are possibly cogenetic with the Dawson Range Batholith.

The most advanced project in the Mt. Nansen gold camp is the Mount Nansen Mine. A past producer with a 180 tonne/day mill facility in place, this property is currently held by BYG Natural Resources Inc. and Chevron Minerals Ltd. Gold mineralization at Mount Nansen is associated with quartz veins in altered quartz-



**LEGEND**

- Upper Cretaceous Carmacks Gp.**
  - uKcb Basalt flows
  - uKct Interbedded sandy tuff & andesitic basalt flows
  - uKcr Flow banded rhyolite to dacite, felsic breccia & welded tuff
- Mid Cretaceous Mount Nansen Gp.**
  - Kma Andesite plagioclase porphyry, andesite breccia
  - Kmnb Andesite breccia, minor porphyry
  - Kmnr Rhyolite to dacite quartz feldspar porphyry
- Casine Granodiorite**
- Kgd Biotite hornblende granodiorite**
- Coffee Creek Granite**
- Ky Hornblende syenite to granodiorite, fine grained**
- Jurassic Big Creek Syenite**
- Jy Hornblende syenite, coarse to very coarse, porphyritic**
- Upper Triassic Granite Mountain Batholith**
  - TRgdm Biotite hornblende granodiorite, foliated, medium to coarse grained
- Paleozoic? - Devonian? Pelly Gneiss**
  - Pnl Biotite or hornblende gneiss
  - Ps Quartz mica schist
  - Pm Amphibolite, amphibolitic gneiss, biotite-amphibolite granodiorite gneiss



**CHESBAR RESOURCES INC.**  
**CARMACKS - DIC PROPERTY**  
**MT. NANSEN AREA - YUKON TERRITORY**  
**REGIONAL GEOLOGY**  
**FIG. 3**

(After Tompkins - Kruit 1984)

DATE: SEPT '88 SCALE: 1:250,000 MTS 11/87

feldspar porphyry dykes and associated breccia zones. Accessory mineralogy includes pyrite and arsenopyrite with minor galena, chalcopyrite, sphalerite and sulphosalts. Current proven and probable reserves are 77,841 tonnes grading 15 g/t Au and 312 g/t Ag in the Huestis vein and 53,140 tonnes grading 11.7 g/t Au and 661 g/t Ag in the Weber vein (Carlson 1987).


#### PROPERTY GEOLOGY

The geology on the DIC property consists of Mt. Nansen Volcanic Rocks and Casino Granodiorite (Figure 4). Outcrop exposure is limited to the top of Mt. Nansen. Trenching was carried out on the property during 1987 and 1988 but no bedrock was exposed. Localized areas of the property were mapped by Kerr Addison Mines Ltd. during 1985 and 1986.

The Mt. Nansen Volcanic rocks consist predominantly of andesitic flows and related subvolcanic intrusions with minor felsic volcanic rocks. The mafic volcanic rock is generally fine grained, dark green, massive and carries less than 1% disseminated pyrite. Locally the andesite is porphyritic with up to 40% subhedral to euhedral plagioclase crystals to 3mm in size. The volcanic suite predominates in the southern area of the property and is exposed in outcrop and felsenmeer on Mt. Nansen and small knolls at the base of Mt. Nansen. Locally the mafic volcanic rock is crosscut by high level felsic intrusive rocks which may be rhyodacite or quartz feldspar rhyolite dykes. This rock type was not observed in outcrop but is found as boulders in the stream beds.

The Casino granodiorite is a large pluton and dominates the northern part of the property. It is not exposed in much outcrop but was observed outcropping in a creek bed and many of the boulders in the creeks are dominated by granodiorite. The rock is equigranular, massive and medium to coarse grained. It contains 50 to 60% subhedral to anhedral plagioclase which is locally altered to sericite. Quartz makes up about 15% of the rock and there is approximately 15% K-feldspar. Biotite and hornblende make up 10% of the rock and are locally altered to chlorite and epidote. Carlson suggests that the Casino granodiorite is early Cretaceous in age. It is believed that this unit hosts the gold mineralization and target areas include zones of sericite, carbonate and silica alteration as well as zones of structural complexity. Although a few altered and mineralized granodiorite boulders were found in the creek bed, additional prospecting, trenching, soil sampling and ground geophysics are required to outline potential zones of gold and base metal mineralization.

The most important control for mineralization is structure for localizing mineralized hydrothermal fluids. There is very little structural information on the DIC property aside from northwest and northeast-trending regional fault zones. The orientation of the mineralized zones at the TAWA claims, east of the DIC property are believed to be southeast. This is on trend



**LEGEND**

- MV MAFIC TO INTERMEDIATE VOLCANIC ROCKS (MT. NANSEN VOLCANICS)
- FV FELSIC VOLCANICS
- GD CASINO GRANODIORITE
- INFERRED GEOLOGICAL CONTACT
- FAULT
- TRENCHES
- BL. BASELINE

NOTE: CONTOUR INTERVAL MEASURED IN FEET.

CHESBAR RESOURCES INC.		
CARMACKS - DIC PROPERTY		
MT. NANSEN AREA - YUKON TERRITORY		
<b>GEOLOGY</b>		
FIG. 4		
DATE: SEPT. '88	SCALE: 1:30,000	N.T.S. 115 I/3

(after Carlson 1978)

with silt and soil anomalies outlined on the DIC property. Ground geophysical surveys (magnetometer, VLF-EM and IP) may provide useful information regarding structure as well as outlining zones of disseminated sulphide mineralization and alteration.

#### **STREAM SEDIMENT SAMPLING AND PROSPECTING PROGRAMME**

A total of 44 stream sediment samples were collected from 4 creeks on the east side of the DIC property. The purpose of the survey was to determine the presence and dispersion of gold and gold related trace elements in the creek beds which may reflect bedrock mineralization. Sediment samples were collected every 100 m along the creek, where possible. The creeks are oriented approximately north-south and allowed a good test across the stratigraphy. The creeks drain off Mt. Nansen and flow north into the Klaza River. The creeks were slow to moderately flowing and averaged 1 to 2 m in width. Upstream, the stream beds were silty and muddy and downstream they were dominantly boulder rich with minor sediment catchment areas. There are two gold placer miners working at the bottom of the creeks. It should be noted that the placer miner at the bottom of the eastern most creek on the DIC property reports that most of his gold is fine and is generally not present near surface and occurs in a deeper erosion channel (Ted Tullis pers comm.).

The sediment samples were dried and sent to Chemex Laboratories Ltd. in North Vancouver for analysis. The samples were sieved to -80 mesh and then analysed for gold by FA-AA (fire assay with an atomic absorption finish). The samples were also analysed individually for silver, arsenic, antimony, copper, lead, zinc, cadmium, selenium, mercury, molybdenum, and bismuth by ICP (induced coupled plasma spectrometry).

The sample locations and geochemical values were plotted on maps at a scale of 1:5,000 and are found in Appendix A.

An evaluation of the stream sediment data was carried out using the map plots and histograms. None of the histogram plots of the elements yielded a normal distribution, therefore the mean plus 2 standard deviations was not used to determine threshold or anomalous cutoffs. Anomalous cutoff values were estimated empirically from evaluating the map plots and histograms. The cutoff number is to be used only as a guide to outlining anomalous samples and follow up areas should be evaluated in conjunction with the interpreted geology and topography, etc.

The gold values range from <5 ppb to 1050 ppb. The majority (75%) of the gold values are less than or equal to 10 ppb. Samples with gold values greater than or equal to 35 ppb are considered anomalous. Copper values range from 6 to 27 ppm and 35 samples are less than 20 ppm. There does not seem to be any significantly anomalous samples but anything greater than 21 ppm is considered weakly anomalous. Molybdenum values range from 1 to

is considered weakly anomalous. Molybdenum values range from 1 to 4 ppm and 37 values are 1 ppm. This does not seem to be a good indicator element for mineralization in this area, although there is a weak increase in Mo values in samples that also carry anomalous gold and base metals. Lead values range from 5 to 155 ppm with 88% of the samples less than or equal to 50 ppm. Samples with values greater than 60 ppm are considered anomalous. Zinc values range from 55 to 297 ppm with 3 samples greater than 200 ppm. Samples with values greater than 140 ppm are considered anomalous. Silver values range from 0.1 to 2.9 ppm with 36 samples less than 0.5 ppm. Samples with values greater than 2 ppm are considered anomalous. Cadmium values range from 0.1 to 3.0 ppm with 38 samples less than or equal to 0.5 ppm samples with values greater than 1.5 ppm are considered anomalous. Arsenic values range from 6 to 180 ppm and 33 samples are less than or equal to 20 ppm. Samples with values greater than 50 ppm are considered anomalous. There is only one highly anomalous As value and it occurs in a sample that also has anomalous Au, Pb, Zn, Ag, Sb, and Cd. All selenium values are 0.20 ppm and this element is not considered significant. Mercury values range between 30 and 170 ppm, with the majority of values less than 90 ppm. Samples with values greater than 130 ppm are considered anomalous. Antimony values range from 0.2 to 16 ppm with 2 localized samples anomalous samples (Sb > 2 ppm). Bismuth values range from 0.1 to 1.4 ppm and 90% of the samples are less than or equal to 1.0 ppm. Bismuth is not considered a significant element.

The stream sediment sampling survey was successful in outlining areas for follow up. The DIC property has not been glaciated and stream sediment anomalies should be representative of mineralization locally up stream. It should be noted that localized, isolated values may reflect in situ weathering of boulders and not reflect direct bedrock contact and this should be taken into consideration during evaluation of the data. There appears to be an anomalous trend along the eastern most creek for both gold and gold related elements and this area is recommended for follow up trenching and prospecting, soil sampling and geophysical surveys.

Six rock samples were collected from bedrock and boulders in the Ex Creek area. A brief sample description can be found in Table 1 and the sample location map and assay sheet can be found in Appendix C.

The rock samples were crushed using jaw and cone crushers and ring pulverized to -140 mesh. The samples were analysed for the same gold related trace elements as the stream sediment samples. The gold assays and trace element geochemical analyses were carried out using the same method as the stream sediment samples.

The highest gold value in the rock samples is 220 ppb Au. All other gold values were <5 ppb. The sample with the highest gold value also has corresponding anomalous lead (1650 ppm), zinc

Table 1

Rock Sample Descriptions-Ex Creek Trench Area

- 68801- boulder in creek/trench  
 - weathered buff, fresh buff  
 - difficult to determine rock type(alt granodiorite?)  
 - contains cacite vein, rusty with Mn staining  
 - no visible sulphide
- 68802- weathered outcrop in creek bank  
 - weathered buff pink  
 - fresh pale green and pink  
 - fine to medium grained, equigranular  
 - non-magnetic, 30% qtz, wkly cly alt plag  
 - conjugate fractures 078°/80°S and 120°/80°N  
 - contains 1% diss. pyrite  
 - altered granodiorite or quartz monzonite
- 68803- float in bank surrounded by intense clay alteration  
 - weathered rusty, fresh buff brown, friable  
 - f- med grained, non-magnetic, minor c. qtz frags to 5mm  
 - contains fine quartz vein with 2-3% diss py  
 - limonitic stain on fractures, mod clay alt  
 - difficult to determine rocktype, probably altered granod.
- 68804- outcrop on creek bank  
 - weathered buff/brown  
 - fresh buff, fine-med grained, massive  
 - minor limonite along fractures  
 - weakly clay altered, siliceous-looking  
 - 1% f.diss. py  
 - altered granodiorite or quartz monzonite
- 68805- boulder in creek bed  
 - former Kerr sample YV6D30R  
 - weathered rusty, brown  
 - pale green/grey, fine grained, massive, weakly bx  
 - minor f qtz veinlets and minor <2mm carb veinlets  
 - weak-mod clay altered, weak-mod epidote altered  
 - 3-5% finely diss py, 1% fine sphalerite and 1% gn  
 along fracture surface  
 - possibly altered granod. or qtz feldpsar porph. rhy
- 68806- boulder in creek  
 - weathered dark pink, fresh pale pink/grey/green  
 - fine grained, non-magnetic, massive, hard  
 - 2-3% fine diss py, highly siliceous  
 - weakly conchoidal fracture  
 - rhyolite

(7490 ppm), silver (5.9 ppm), arsenic (1600 ppm), mercury (1500 ppb), cadmium (71 ppm) and antimony (24 ppm). The host rock is a boulder in the Ex Creek which is light green, and carries fine quartz veinlets with 5% disseminated pyrite and 1% disseminated sphalerite and galena along fractures. The rock appears to be a sericitized quartz feldspar porphyry. The boulder was the only mineralized float in the immediate area and additional prospecting up stream is recommended to follow up the anomalous values.

Reconnaissance mapping was carried out on Mt. Nansen but no samples were sent for assay. All outcrop/felsenmeer on the top and at the foot of Mt. Nansen appears to be andesite, dominantly porphyritic andesite. The unit does not appear altered and carries < 1% disseminated pyrite. No rhyolite dykes were observed in outcrop but these were previously mapped by Kerr Addison during a more detailed study (Heberlein 1986) and are their presence is reflected by the boulders found in the creeks.

#### TRENCHING

Trenching was carried out on the DIC property during the last week in August. A map of the trenches can be found in Appendix E. A total of 7.8 km of trenching was completed during August 1987 and these trenches were planned to be further excavated during 1988. Unfortunately due to the increase in precipitation this year the trenches were not easily excavated and only a further foot of overburden was removed in some areas. Three new short trenches were also excavated and the first few feet of overburden was removed. A total of 70 D-7 Cat hours were spent trenching on the DIC property. Additional trenching and back hoe work are recommended for next year. Detailed mapping and sampling of the trenches will be carried out in areas where bedrock is exposed.

#### CONCLUSIONS AND RECOMMENDATIONS

A limited exploration programme of stream sediment sampling, trenching and prospecting was carried out on the DIC property during August 1988. The results of the programme did not indicate any definitive zones of gold mineralization but the stream sediment and rock geochemical anomalies indicate further work is warranted to locate the source of the anomalies. Due to inclement weather and time constraints, the trenching programme was not successful and no bedrock was exposed. Trenching with a bulldozer and back hoe is recommended early in the season next year to expose bedrock. The trenching would be carried out in conjunction with a programme of detailed mapping and sampling. Linecutting, soil sampling and ground geophysical surveys are recommended, initially for the eastern area of the property. Geophysics would include magnetometer and 2 station VLF-EM surveys, with possible

induced polarization surveys to be carried out in areas of particular interest. In addition, a stream sediment sampling programme is recommended for the western area of the DIC property.

Respectfully submitted,

A handwritten signature in cursive script that reads "K. Sutherland". The signature is written in dark ink and is positioned below the typed name.

K.S.Sutherland  
September, 1988

**REFERENCES**

- Carlson, G.G., 1987. Geology of Mount Nansen and Stoddart Creek Map Areas, Dawson Range, Central Yukon, Open File 1987-2, DIAN
- Heberlein, K., 1986. Assessment Report on Geological, Geochemical and Geophysical Surveys, DIC 1-63 claims, Whitehorse Mining Division, Rport by Kerr Addsion Mines Ltd.
- Tempelman-Kluit, D.J., 1984. Geology of Laberge (105E) and Carmacks (115I), Yukon Territory; Geological Survey of Canada, Open File 1101.

STATEMENT OF QUALIFICATIONS

I, Karen Sutherland of Scarborough, Ontario certify that:

I am a geologist for Muscocho Explorations Ltd. of Suite 950, 36 Toronto St., Toronto, Ontario. M5C 2C5





I am a graduate of Queen's University, Kingston, Ontario and hold a B.Sc. and M.Sc in Honours Geology, received in 1980 and 1987, respectively.


I supervised the work carried out on the DIC property, Mt. Nansen are, Yukon Territory during August 1988.

**APPENDIX A**




**LEGEND**

-  5000 Contour interval 100 ft.
-  Creek
-  X Stream sediment sample location
- Sample values: -  
 X 70,0-6,0-2,0-2 Hg (ppb), Bi (ppm), Se (ppm), Cd (ppm)



Esansee Vein


**MOUNT NANSEN**  
5993' ±



092533


<b>CHESBAR RESOURCES INC.</b>		
<b>CARMACKS - DIC PROPERTY</b>		
MT NANSEN AREA - YUKON TERRITORY		
<b>STREAM SEDIMENT SAMPLES</b>		
<b>Hg, Bi, Se, Cd</b>		
N.T.S. 1:5000		
DATE: SEPT., 1988	SCALE: 1:5000	BY: S.A.G.

579




**LEGEND**

- 5000 Contour interval 100 ft.
- Creek
- Stream sediment sample location
- Sample values : -  
Cu (ppm), Pb (ppm), Zn (ppm), Mo (ppm)



Esansee Vein

**MOUNT NANSEN**  
5993' ±



**092533**

**CHESBAR RESOURCES INC.**

**CARMACKS - DIC PROPERTY**


MT. NANSEN AREA - YUKON TERRITORY

**STREAM SEDIMENT SAMPLES**  
**Cu, Pb, Zn, Mo**

N.T.S. H5 I/3



DATE: SEPT, 1988    SCALE: 1:5000    BY: S.A.G.

520



**LEGEND**

- 5000 Contour interval 100 ft.
- Creek
- 68757 X Stream sediment sample location
- Sample values :-  
Au (ppb), Ag (ppm), As (ppm), Sb (ppm)
- 68757 X 10, 0-1, 6, 0-6



092533

<b>CHESBAR RESOURCES INC.</b>		
<b>CARMACKS - DIC PROPERTY</b>		
MT. NANSEN AREA - YUKON TERRITORY		
<b>STREAM SEDIMENT SAMPLES</b>		
<b>Au, Ag, As, Sb</b>		
N.T.S. 1:50,000		
DATE: SEPT., 1988	SCALE: 1:5000	BY: S.A.G.

521

**APPENDIX B**



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 450 MATHESON BLVD. E., UNIT 54, MISSISSAUGA,  
 ONTARIO, CANADA L4Z-1R5  
 PHONE (416) 890-0310

To: CHESBAR RESOURCES INC.

950 - 36 TORONTO ST.  
 TORONTO, ON  
 M5C 1C5

A8821695

Comments: ATTN: K. SUTHERLAND

## CERTIFICATE A8821695

CHESBAR RESOURCES INC.

PROJECT :

P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.

This report was printed on 31-AUG-88.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
202	36	Dry, sieve -80 mesh, save reject
217	8	Geochem: Ring only, no crush/split

• NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	44	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2	44	Cu ppm: HNO <sub>3</sub> -aqua regia digest	AAS	1	10000
3	44	Mo ppm: HNO <sub>3</sub> -aqua regia digest	AAS	1	10000
4	44	Pb ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	1	10000
5	44	Zn ppm: HNO <sub>3</sub> -aqua regia digest	AAS	5	10000
6	44	Ag ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.2	200
7	44	Cd ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.1	200
13	44	As ppm: HNO <sub>3</sub> -aqua regia digest	AAS-HYDRIDE/EDL	1	10000
16	44	Se ppm: HCl-KClO <sub>3</sub> digest, ext	AAS-BKGD CORR	0.2	1000
20	44	Hg ppb: HNO <sub>3</sub> -HCl digestion	AAS-FLAMELESS	10	100000
22	44	Sb ppm: HCl-KClO <sub>3</sub> digest, extrac	AAS-BKGD CORR	0.2	1000
23	44	Bi ppm: HCl-KClO <sub>3</sub> digest, extrac	AAS-BKGD CORR	0.1	1000



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 450 MATHESON BLVD. E., UNIT 54, MISSISSAUGA,  
 ONTARIO, CANADA L4Z-1R5  
 PHONE (416) 890-0310

CHESTAR RESOURCES INC.

950 - 36 TORONTO ST.  
 TORONTO, ON  
 M5C 1C5

Project :  
 Comments: ATTN: K SUTHERLAND

\*\*Page 1 : 1  
 Tot. Pages: 2  
 Date : 31-AUG-88  
 Invoice # : I-8821695  
 P.O. # : NONE

## CERTIFICATE OF ANALYSIS A8821695

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Cu ppm	Mb ppm	Pb ppm	Zn ppm	Ag ppm Aqua R	Cd ppm	As ppm	Se ppm	Hg ppb	Sb ppm	Bi ppm		
68751	202	—	15	18	1	22	80	0.4	0.1	12	0.2	100	1.0	0.6	
68752	202	—	25	20	1	20	83	0.4	0.1	16	0.2	100	1.4	0.7	
68753	202	—	5	12	1	13	64	0.1	0.1	11	0.2	70	0.6	0.4	
68754	202	—	15	19	1	19	88	0.5	0.2	22	0.2	90	1.0	0.6	
68755	202	—	5	19	1	15	84	0.2	0.4	9	0.2	60	0.8	0.3	
68756	202	—	< 5	7	1	12	58	0.1	0.1	9	0.2	40	0.2	0.2	
68757	202	—	< 10	24	1	13	61	0.1	0.2	6	0.2	70	0.6	0.6	
68758	202	—	< 5	12	1	15	61	0.2	0.1	6	0.2	50	0.6	0.4	
68759	202	—	15	26	1	55	136	0.9	0.3	20	0.2	160	1.0	0.4	
68760	202	—	25	19	1	93	131	0.8	0.5	50	0.2	90	1.4	0.3	
68761	202	—	25	22	2	90	143	1.1	0.8	50	0.2	90	2.0	0.5	
68762	202	—	415*	10	1	45	102	2.9*	0.5	29	0.2	50	1.0	0.3	
68763	217	—	35*	21	1	23	109	0.3	0.6	20	0.2	140	16.0*	0.6	
68764	202	—	5	18	1	18	98	0.3	0.3	19	0.2	100	1.2	0.5	
68765	202	—	5	14	1	13	79	0.3	0.1	16	0.2	80	1.0	0.4	
68766	202	—	< 5	18	1	20	95	0.4	0.2	20	0.2	130	1.0	0.6	
68767	217	—	< 5	7	1	13	39	0.1	0.2	10	0.2	60	0.3	0.2	
68768	202	—	10	10	1	40	88	0.2	0.1	17	0.2	100	1.4	0.6	
68769	202	—	5	7	1	15	55	0.1	0.1	14	0.2	80	0.6	0.3	
68770	202	—	< 5	6	1	18	65	0.1	0.1	14	0.2	80	0.6	0.2	
68771	217	—	75*	27	3	188*	297*	2.2*	3.0*	180*	0.2	70	5.6*	0.7	
68772	217	—	10	24	1	64	120	1.1	0.5	36	0.2	90	1.4	0.4	
68773	217	—	1050*	22	3	44	224*	0.8	1.5	41	0.2	90	1.6	0.4	
68774	217	—	15	25	3	50	221*	1.0	1.9	27	0.2	110	1.2	0.4	
68775	217	—	20	20	4	46	137*	0.3	1.2	51	0.2	70	2.6	0.4	
68776	202	—	>> 30	22	2	19	102	0.5	0.2	12	0.2	130	0.6	0.3	
68777	202	—	>> 5	9	1	9	50	0.4	0.1	15	0.2	60	1.0	0.3	
68778	202	—	>> 5	11	1	5	64	0.3	0.1	10	0.2	50	0.4	0.2	
68779	202	—	>> 5	18	1	10	129	0.1	0.2	9	0.2	50	0.5	0.3	
68780	202	—	>> 5	12	1	12	80	0.1	0.1	15	0.2	50	0.6	0.3	
68781	202	—	>> 5	13	1	10	106	0.3	0.1	22	0.2	40	0.6	0.1	
68782	202	—	>> 5	12	1	13	104	0.2	0.1	17	0.2	60	0.8	0.4	
68783	202	—	>> 5	15	1	21	142	0.1	0.3	11	0.2	70	0.8	0.3	
68784	217	—	>> 5	18	1	35	96	0.1	0.1	11	0.2	70	2.2	0.4	
68785	202	—	>> 5	19	2	26	93	0.1	0.3	16	0.2	70	2.2	0.5	
68786	202	—	>> 5	17	1	24	96	0.3	0.2	15	0.2	60	2.0	0.7	
68787	202	—	>> 5	10	1	16	53	0.1	0.1	12	0.2	50	1.4	0.2	
68788	202	—	>> 5	14	1	18	65	0.1	0.1	16	0.2	40	1.6	0.4	
68789	202	—	>> 5	11	1	15	55	0.1	0.1	15	0.2	30	1.0	0.7	
68790	202	—	>> 5	14	1	20	60	0.1	0.1	17	0.2	40	1.6	0.3	

CERTIFICATION :

*Haut Bichler*



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
 450 MATHESON BLVD. E., UNIT 54, MISSISSAUGA,  
 ONTARIO, CANADA L4Z-1R5  
 PHONE (416) 890-0310

CHESHAM RESOURCES INC.

950 - 36 TORONTO ST.  
 TORONTO, ON  
 M5C 1C5

Project :  
 Comments: ATTN: K. SUTHERLAND

\*\*Page 1 : 2  
 Tot. Pages: 2  
 Date : 31-AUG-88  
 Invoice #: I-8821695  
 P.O. #: NONE


## CERTIFICATE OF ANALYSIS A8821695

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Cu ppm	Mn ppm	Pb ppm	Zn ppm	Ag ppm Aqua R	Cd ppm	As ppm	Se ppm	Hg ppb	Sb ppm	Bi ppm		
68791	202 —	< 5	21	1	25	79	0.1	0.1	23	0.2	40	2.2	1.1		
68792	202 —	5	14	1	19	70	0.1	0.1	16	0.2	40	1.4	0.3		
68793	202 —	< 5	15	1	21	63	0.1	0.1	20	0.2	40	1.2	0.5		
68794	202 —	< 5	13	1	23	69	0.1	0.4	19	0.2	40	1.2	0.2		

CERTIFICATION :

*Hart Bickler*

**APPENDIX C**



Eassee Vein \*


Granodiorite  
(locally quartz monzonite)

Andesite with minor  
felsic volcanic rock

**LEGEND**

- 68801 X Rock sample location and sample values :-  
Au (ppb), As (ppm), Ag (ppm), Cu (ppm), Pb (ppm), Zn (ppm),  
Sb (ppm), Mo (ppm), Cd (ppm), Hg (ppm), Bi (ppm), Se (ppm)
- gd Outcrop
- ▲ Float
- gd Granodiorite
- And Andesite

092533



MOUNT NANSEN  
5993'±

CHESBAR RESOURCES INC.		
CARMACKS - DIC PROPERTY		
MT. NANSEN AREA - YUKON TERRITORY		
ROCK SAMPLE LOCATIONS		
N.T.S. 115 I/3		
DATE: SEPT. 1988	SCALE: 1:5000	BY: S.G.

522

**APPENDIX D**



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 450 MATHESON BLVD., E., UNIT 54, MISSISSAUGA,  
 ONTARIO, CANADA L4Z-1R5  
 PHONE (416) 890-0310

To: CHESBAR RESOURCES INC.

950 - 36 TORONTO ST.  
 TORONTO, ON  
 M5C 1C5

Comments: ATTN: K. SUTHERLAND

A8821696

## CERTIFICATE A8821696

CHESBAR RESOURCES INC.

PROJECT :

P.O.# : NONE

Samples submitted to our lab in Vancouver, BC.  
 This report was printed on 31-AUG-88.

### SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	6	Rock Geochem: Crush.split.ring

\* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

### ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	6	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2	6	Cu ppm: HNO <sub>3</sub> -aqua regia digest	AAS	1	10000
3	6	Mo ppm: HNO <sub>3</sub> -aqua regia digest	AAS	1	10000
4	6	Pb ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	1	10000
5	6	Zn ppm: HNO <sub>3</sub> -aqua regia digest	AAS	5	10000
6	6	Ag ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.2	200
7	6	Cd ppm: HNO <sub>3</sub> -aqua regia digest	AAS-BKGD CORR	0.1	200
13	6	As ppm: HNO <sub>3</sub> -aqua regia digest	AAS-HYDRIDE/EDL	1	10000
16	6	Se ppm: HCl-KClO <sub>3</sub> digest, ext	AAS-BKGD CORR	0.2	1000
20	6	Hg ppb: HNO <sub>3</sub> -HCl digestion	AAS-FLAMELESS	10	100000
22	6	Sb ppm: HCl-KClO <sub>3</sub> digest, extrac	AAS-BKGD CORR	0.2	1000
23	6	Bi ppm: HCl-KClO <sub>3</sub> digest, extrac	AAS-BKGD CORR	0.1	1000



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
450 MATHESON BLVD. E., UNIT 54, MISSISSAUGA,  
ONTARIO, CANADA L4Z-1R5

PHONE (416) 890-0310

CHESBAR RESOURCES INC.

950 - 36 TORONTO ST.  
TORONTO, ON  
M5C 1C5

Project :

Comments: ATTN: K. SUTHERLAND

\*\*Page No. : 1  
Tot. Pages: 1  
Date : 31-AUG-88  
Invoice #: I-8821696  
P.O. # : NONE


## CERTIFICATE OF ANALYSIS A8821696

SAMPLE DESCRIPTION	PREP CODE	Au ppb FA+AA	Cu ppm	Mo ppm	Pb ppm	Zn ppm	Ag ppm Aqua R	Cd ppm	As ppm	Se ppm	Hg ppb	Sb ppm	Bi ppm		
68801	205 —	< 5	13	1	138	58	0.3	0.5	370 *	0.2	120	17.0	0.5		
68802	205 —	< 5	83	4	12	28	0.1	0.1	24	0.2	120	15.6	0.3		
68803	205 —	< 5	28	1	47	67	0.2	0.7	19	0.2	270	6.6	0.3		
68804	205 —	< 5	150 *	97 *	23	92	1.5	0.1	59	0.2	710	13.2	11.0 *		
68805	205 —	220 *	34	2	1650 *	7490 *	5.9 *	71.0 *	1600 *	0.2	1500 *	24.0 *	0.4		
68806	205 —	< 5	47	3	76	79	0.1	0.4	29	0.2	50	1.4	0.2		

CERTIFICATION :


*Hart Beckler*

**APPENDIX E**



**LEGEND**

- Claim post and claim line
- Trench
- Trench number
- Creek
- 5000 Contour interval in ft.
- Baseline



**092533**

**CHESBAR RESOURCES INC.**

**CARMACKS - DIC PROPERTY**

MT. NANSEN AREA - YUKON TERRITORY

**EXPLORATION TRENCHING**

N.T.S. 115 I/3

DATE: SEPT. 1988    SCALE: 1:5000    BY: S.A.G.

523

APPENDIX F

SUMMARY OF EXPENDITURES

Total estimated cost of the 1988 field programme on the DIC property is \$12,000.00. A breakdown of the costs is outlined below.

Labour	Travel	Field	Office	Total
2 geologists	2	7	1	9
(@ \$125/day)	2	7	6	15
				-----
				24 days
				\$3000.00
Trenching				
70 hours				
(@ \$80/hour)				\$5600.00
Assays				
44 stream sediment samples				\$1156.00
(@ \$26.27/sample)				
6 rock samples				\$ 168.00
(@ \$28/sample)				
Shipping				\$ 300.00
Truck Rental				
9 days				
(@ \$1500/month)				\$ 450.00
Camp Costs				
\$100/day				\$1000.00
Food and Field Supplies				\$ 700.00
				-----
TOTAL				\$12374.00

SEP 06 1988



left  
white 4x4  
SLC 4x4

11341 NAME AND ADDRESS—PLEASE PRINT

NORCAN LEASING LTD.  
917.4 ALASKA HIGHWAY, WHITEHORSE, YUKON Y1A 3E5  
1-403-668-2137

1. **CHESBAR RESOURCES INC.**

36 TORONTO ST. SUITE 950

TORONTO, ONTARIO M5C 2C5

(Company) Western

(Project) Caribou

2. TYPE OF PAYMENT: (Folio No.) 310029

C/C NAME (Date) 7/88

VEHICLE NO. 520270 MAKE Ford MODEL AX45 Cab

LICENSE NO. RPL-2 PROVINCE YT COMMODITY HAULED

4. OPTIONAL EQUIPMENT/MISC. Jack & Wrenches \$100.00

VEHICLE WILL BE RETURNED DAY MTH YR TO

5. ADDITIONAL TERMS AND CONDITIONS:

No Damage

on return

① LEFT Rear corner panel & bumper

② left Cab Post

1 scrubber

**THIS IS YOUR INVOICE PAYABLE ON RECEIPT TO:  
NORCAN LEASING LTD.  
917.4 ALASKA HIGHWAY, WHITEHORSE, YUKON Y1A 3E5**

6. I HAVE READ THE TERMS AND CONDITIONS ON BOTH SIDES OF THIS RENTAL AGREEMENT AND ASSEE HERETO

SIGNATURE

CUSTOMER IS LIABLE FOR ALL PARKING AND TRAFFIC VIOLATIONS

7. NAME Peter Murdoch AGE

ADDRESS 60 Ambercroft Bl. Agincourt Ont. M1W 5S9

LICENSE M65739 PROV. 67 EXP. DATE 05-91

8. OUT BY SIGNATURE

10. KILOMETERS IN 8083

11. KILOMETERS OUT 715

KILOMETERS DRIVEN 7368

14. DATE & TIME IN 1000 15. DATE & TIME OUT June 27/88 17.00

16. DAYS UTILIZED

17. @

18. TIME 4 days @ \$48.33 19. RATE 193 32

1 month @ \$1450 1450 00

20 days @ \$46.77 935 40

20. SUB TOTAL 2578 72

21.

22. TOTAL TIME & KM 2578 72

23. ADDITIONAL CHARGES 01848

24. SUB TOTAL 297 00

25. COLLISION DAMAGE WAIVER, SEE PARA. 7

26. AMOUNT DEDUCTIBLE \$1500.00

27. SUB TOTAL 2875 72

28. TAX: % OF SUB TOTAL

29. FUEL 95 gal @ 60¢ FUEL 57 00

30. TOTAL CHARGE 2932 72

31. ROAD FEES

32. NET CHARGES

33. TOTAL DEPOSIT PREBILL 1643 32

34. TOTAL AMOUNT DUE 1289 40

35. CASH REFUND REC'D BY

36. IN BY SIGNATURE

11341

THIS INVOICE NUMBER MUST APPEAR ON ALL CORRESPONDENCE AND REMITTANCES

- OBTAIN RECEIPTS FOR ALL REIMBURSABLE EXPENSES AND PRESENT THEM WITH THIS COPY AT CHECK-IN.
- REPORT ACCIDENTS IMMEDIATELY TO LOCAL POLICE AND CALL NORCAN COLLECT.
- IF DELAYED IN RETURNING VEHICLE PLEASE CALL NORCAN COLLECT.



FEATURES FORD CARS & TRUCKS

GAS NOT INCLUDED IN RATES



# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers  
212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1  
PHONE (604) 984-0221

CHESBAR RESOURCES INC.

\*\*

950 - 36 TORONTO ST.  
TORONTO, ON  
M5C 1C5

\* INVOICE NUMBER 18821696 \*

## BILLING INFORMATION

Date : 1-SEP-88  
Project :  
P.O. # : NONE  
Account : GLZ

Billing : For analysis performed on  
Certificate A8821696

Terms : Net payment in 30 Days  
1.5% per month (18% per annum)  
charged on overdue accounts.

Please remit payments to:

CHEMEX LABS LTD.  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J-2C1

CHEMEX CODE	ANALYSIS DESCRIPTION	SAMPLES ANALYZED	UNIT PRICE	AMOUNT
983 -	Au ppb FA+AA	QUOTE 6	7.50	45.00
G11 -	TR-11 AU REL	6	17.00	102.00
Sample preparation and other charges :				
205 -	Rock Geochem - RING	6	3.50	21.00
			Total Cost \$	168.00
			TOTAL PAYABLE \$	168.00





# Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,  
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

CHESBAR RESOURCES INC.

\*\*

950 - 36 TORONTO ST.  
TORONTO, ON  
M5C 1C5

**\* INVOICE NUMBER 18821695 \***

## BILLING INFORMATION

Date : 1-SEP-88  
Project :  
P.O. # : NONE  
Account : GLZ

Billing : For analysis performed on  
Certificate A8821695

Terms : Net payment in 30 Days  
1.5% per month (18% per annum)  
charged on overdue accounts.

Please remit payments to:

CHEMEX LABS LTD.  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J-2C1


CHEMEX CODE	ANALYSIS DESCRIPTION	SAMPLES ANALYZED	UNIT PRICE	AMOUNT
983	- Au ppb FA+AA	QUOTE 44	7.50	330.00
G11	- TR-11 AU REL	44	17.00	748.00
Sample preparation and other charges :				
202	- -80 mesh, save reject	36	1.50	54.00
217	- Geochem - RING ONLY	8	3.00	24.00
Total Cost \$				1156.00
TOTAL PAYABLE \$				1156.00



CARON DIAMOND DRILLING LTD.

7 Roundel Road Whitehorse, Yukon Y1A 3H3

Phone (403) 668-2424 Telex 036-8-337



August 31, 1988  
Invoice #-2522  
Misc

IN ACCOUNT WITH

Chesbar Resources Inc.  
601 - 25 Adelaide Street East,  
Toronto, Ontario  
M5C 1Y2

Misc. Charges for August 31, 1988: (Mt. Nansen)

Camp Rental (July 31 to 15/88)

10 days @ \$100.00 per day = \$1,000.00

Core Splitter Rental

1 month @ \$300.00 per month = \$ 300.00

Phone Calls

July/88 = \$ 24.64  
August /88 = \$ 35.79      \$ 60.43      \$1,360.43

Total Invoice      \$1,360.43

(Company)	<u>Chesbar</u>
(Project)	<u>Cairnack</u>
(Folio No.)	_____
(Date)	<u>Aug 30/88</u>
(Approved By)	_____

