MAP NO.:	**ASSESSMENT REPORT** X	**DOCUMENT NO:**	092591
	PROSPECTUS	**MINING DISTRICT:**	Dawson
115 O 14	**CONFIDENTIAL** X	**TYPE OF WORK:**	Geochemical, geophysical
116 B 3	**OPEN FILE**		

REPORT FILED UNDER: United Keno Hill Mines Ltd

DATE PERFORMED: 28 May-07 August, 1987 **DATE FILED:** 29 November, 1988

LOCATION: **LAT.:** 64°00'N **AREA:** Hunker Creek

LONG.: 139°05'W **VALUE $: 16 500.00**

CLAIM NAME & NO.: HUN 144-168 (YA83864-YA83861); HUN 169-174 (YA84626-YA84631)

WORK DONE BY: A.J. McFaull

WORK DONE FOR: United Keno Hill Mines Ltd

DATE TO GOOD STANDING:

REMARKS: #60 HUNK

Exploration on Lower Hunker Creek in 1987 included soil sampling on 4 grids, limited geological mapping and a VLF-EM survey in the area the BEN LEVY adit. The BEN LEVY adit was rehabilitated, mapped and channel sampled. One of three quartz-carbonate veins 6 to 98 m wide is exposed in the adit along with a quartz stockwork which extends tens of metres into the hanging wall schist. Channel samples across the BEN LEVY vein returned low gold values.

092591

Indian and Northern Affairs Canada | Affaires indiennes et du Nord Canada

OFFICE OF THE REGIONAL MANAGER MINERAL RIGHTS NOV 29 1988 WHITEHORSE YUKON TERRITORY

M.R. file no. Quartz Recording Kena
R.M.M.R. file no.
Date forwarded 28 NOV 88

TRANSMITTAL FORM

From ▶ Mining Recorder at: DAWSON

To ▶ Regional Manager, Mineral Rights at Whitehorse, Y.T.

For action are:

- ☐ NEW APPLICATION FOR PLACER LEASE TO PROSPECT — Name
- ☐ RENEWAL APPLICATION PLACER LEASE TO PROSPECT — Name — Lease no.
- ☐ AFFIDAVIT OF EXPENDITURE ON PLACER LEASE — Name — Lease no.
- ☐ SECURITY DEPOSIT
- ☐ FINANCIAL ABILITY
- ☐ ASSIGNMENT OF PLACER LEASE NO. — From — To
- ☐ GROUPING APPLICATION UNDER SEC. 52(2) PLACER MINING ACT. — Owner
- ☐ DIAMOND DRILL LOGS — Claims — Claim sheet no.
- ☒ QUARTZ ASSESSMENT REPORT — Claims: HUN 144-168 HUN 169-174 — Claim sheet no.: 116-B/3 115-O-14

Untied Keno Hill

Type of report: Geological Geochemical & Geophysical — Submitted by: A JAMES MCFALL P.Sc F.G.A.C

Cls. work performed on: Done as above — $ req. for ren. application: $16500.00

Signature

Date returned 7 Dec. 88

REPLY ACTION

Approved for one year required

Signature

802-6027-26 (6-86)

OFFICE OF THE REGIONAL MANAGER
MINERAL RIGHTS
NOV 29 1988
WHITEHORSE
YUKON TERRITORY

UNITED KENO HILL MINES LIMITED

Geological, Geochemical, Geophysical and Underground Exploration of the Ben Levy, HUN II, Hunker Extension and Hattie Grids - Lower Hunker Creek

Klondike Area, Dawson Mining District

NTS 116 B/3 and 115 O/14
HUN 144-168 Claims (YA83834-YA83861)
HUN 169-174 Claims (YA84626-YA84631)
Latitude 64°00' Longitude 139°05'
Yukon Territory

by

A. James McFaull, B.Sc., F.G.A.C.
Senior Exploration Geologist

for

United Keno Hill Mines Limited

September 28, 1988

RECEIVED
NOV 28 1988
MINING
DAWSON, Y.T.

092591

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $16500.00.

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

TABLE OF CONTENTS

LIST OF FIGURES ii

SUMMARY 1

INTRODUCTION 2

PROPERTY 3

LOCATION AND ACCESS 4

HISTORY 5

PHYSIOGRAPHY 7

GEOLOGICAL SUMMARY 8

TABLE 1: LITHOLOGIC UNITS IN THE KLONDIKE DISTRICT 9

LOCAL GEOLOGY 10

SOIL GEOCHEMISTRY 11

VLF-EM GEOPHYSICS 14

BEN LEVY ADIT REHABILITATION 15

CONCLUSIONS 17

RECOMMENDATIONS 19

APPENDIX I COST BREAKDOWN 20

APPENDIX II PERSONNEL 21

APPENDIX III SUPPORT 22

APPENDIX IV ASSAY SHEETS 23

REFERENCES 24

CERTIFICATE OF QUALIFICATION 25

LIST OF FIGURES

FIGURE 1	LOCATION MAP	1" = 40 miles	Facing page 4
FIGURE 2	LOCATION MAP	1:250,000	Facing page 4
FIGURE 3	CLAIM LOCATION MAP	1:21,680	Facing page 4
FIGURE 4	VLF-EM (HAWAII) - FRASER FILTERED	1:2,500	Pocket 1
FIGURE 5	VLF-EM (SEATTLE) - FRASER FILTERED	1:2,500	Pocket 1
FIGURE 6	BEN LEVY GRID SOIL GEOCHEMISTRY Au	1:2,500	Pocket 2
FIGURE 7	HUN II GRID SOIL GEOCHEMISTRY Au, Cr, Ni, Mg	1:7,500	Pocket 3
FIGURE 8	HUNKER EXTENSION GRID SOIL GEOCHEMISTRY Au, As, Pb, Zn, Cr, Mn	1:7,500	Pocket 4
FIGURE 9	HATTIE GRID SOIL GEOCHEMISTRY Au, As, Pb, Zn, Cr, Mn	1:7,500	Pocket 5
FIGURE 10	BEN LEVY SURFACE GEOLOGY	1:2,500	Pocket 6
FIGURE 11	BEN LEVY ADIT AND 1984 DRILL HOLE GEOLOGY CROSS SECTION	1:600	Pocket 6
FIGURE 12	BEN LEVY ADIT PLAN VIEW	1:30	Pocket 7
FIGURE 13	BEN LEVY ADIT CROSS SECTION OF LEFT RIB OF ADIT AND ISOMETRIC PERSPECTIVE OF LOWER WINZE	1:30	Pocket 8
FIGURE 14	BEN LEVY ADIT CROSS SECTION OF RIGHT RIB OF ADIT	1:30	Pocket 9 ✓
FIGURE 15	BEN LEVY ADIT CROSS SECTION OF LEFT RIB OF MIDDLE AND RIGHT RIB OF LOWER WINZE	1:30	Pocket 9 ✓

LIST OF FIGURES (continued)

FIGURE 16	BEN LEVY ADIT CROSS SECTION OF RIGHT RIB OF MIDDLE AND LEFT RIB OF LOWER WINZE	1:30	Pocket 9 ✓
FIGURE 17	LOWER HUNKER CREEK CLAIM LOCATION, GRID LOCATIONS	1:12,500	Pocket 10

SUMMARY

In 1987, the Lower Hunker Creek claims were covered by four adjoining grids: the Ben Levy, HUN II, Hunker Extension, and Hattie grids. These were soil geochemically sampled at 100 m x 25 m intervals and assayed for gold plus 32 other elements. VLF-EM surveys were also conducted on the Ben Levy grid. Geological mapping was attempted, but with marginal success as outcrop exposure is less than one percent. Lastly, the Ben Levy Adit (circa 1900-1917) was rehabilitated and made safe for access. It was then geologically mapped and 183 channel samples were cut from the adit ribs.

Results have not revealed economic gold values to date. However, numerous weak and a few moderate anomalies in soil geochemistry, drill hole assays, and channel samples indicate gold in the area.

Further work in the form of rotary percussion drilling is recommended for this area.

INTRODUCTION

A five-man field crew carried out an exploration program on Lower Hunker Creek from May 28 to July 12 and July 25 to August 7, 1987. An additional two- to three-man contract crew rehabilitated the Ben Levy adit from June 25 to July 13, 1987.

The exploration program consisted of taking 2,176 soil geochemical samples from four adjoining grids covering the area. These were assayed for 33 elements by Chemex Labs of North Vancouver, British Columbia, producing 71,808 assays. Geological mapping was partially successful on the Ben Levy grid but was abandoned on the other three grids due to lack of outcrop. The Ben Levy grid area was covered by VLF-EM. The adit was mapped and 183 channel samples taken, once rehabilitation was completed and the adit was safe to enter.

PROPERTY

The target area is covered by 34 full or fractional claims staked under the *Yukon Quartz Mining Act* HUN 141-HUN 168 (YA83834-YA83861) and HUN 169-HUN 174 (YA84626-YA84631). They are located on the floor of Hunker Creek Valley from Savoy Hill to Australian Hill.

These claims are currently valid until June 26, 1990.

The claims were staked in June 1984 by Coureur des Bois Ltée Mineral Exploration of Whitehorse for United Keno Hill Mines Limited (UKHM).

092591



UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

LOCATION OF DAWSON CLAIM GROUP

Mining District DAWSON
N.T.S. Sheet No. 115-O-10, 115-O-15, 115-O-14, 116-B-3
Scale 1" = 40miles

Drawn by H.D.P.	*Date* 84/12/06

BCIL - 3042 - U.K.H.M.

092591

GROUSE MOUNTAIN
Quebec Creek
YUKON RIVER
Fourth Creek
Clear Creek
Deadwood Creek
Moosehide Creek
Bradley Creek
Lepine Creek
Rock Creek
Cool Creek
Rabbit Creek
Gilchet Creek
Dominion Creek
Fish Creek
NORTH KLONDIKE RIVER
Lee Creek
Empire Creek
DAWSON
KLONDIKE RIVER
Hunker Creek
AUSTRALIAN HILL
HUN-144 1550'
HUN-55 1220'
Laura Creek
Florence Creek
KLONDIKE RIVER
Bryant Creek
Bonanza Creek
MT. BRONSON
BEAR CREEK
MT. LEOTTA
HUN-25,26 1570'
Bell Creek
Hunker Creek
Medrich Creek
BON-13 1580'
All Gold Creek
Garner Creek
Ensley Creek
YUKON RIVER
Flat Creek
DOM-75,77 1810'
SUL-112 1980'
CAN-40 1940'
Bull Run Creek
Jensen Creek
Dominion Creek
DOM-27,28 2000'
Galena Creek
UPPER SULPHUR CREEK
DOMINION MOUNTAIN
RUN-42 1230'
GOLD RUN
SUL-76 1750'
QUA-60 2000'
INDIAN RIVER
RUN-1,2 1180'
Sulphur Creek
RUBY MOUNTAIN
Reindeer Creek
Ruby Creek
HAYSTACK MOUNTAIN
RIJ

LEGEND
- CHLORITE SCHIST
- PRIMARY (Unworn Placer Au)
- HARDROCK Au SHOWING
- AIRBORNE GEOPHYSICAL TEST SURVEYS
- HUN-144 (claim) 1550' (footage drilled) DRILL LINE LOCATION
- CLAIM BOUNDARY

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE - YUKON

DAWSON LODE PROJECT
CLAIM LOCATION MAP

Mining District DAWSON
N.T.S. Sheet No. 115-O
Scale 1:250,000

Drawn by H.D.P. | *Date* 84/12/06 REVISED 86/07/10


AUSTRALIAN HILL
WET GULCH
ARGMIN GULCH
12,000
CREEK
JOE
PAUL
HUN
HUN
HUN

LOCATION AND ACCESS

The claim block is located on the floor and lower slopes of Lower Hunker Creek, a tributary of the Klondike River, approximately eight miles (13 km) east of Dawson City, Yukon.

This is approximately 330 miles (530 km) northwest of Whitehorse at latitude 64°00' longitude 139°05'.

The claims cover the area from Savoy Hill, past Preido and Dago Hills to Australian Hill, a distance of roughly three miles (5 km).

It is accessible by the all-weather Klondike Highway from Whitehorse to the Hunker Road junction at the mouth of Hunker Creek and then by two miles (3 km) of summer-only gravel road to the claim group.

UKHM used a campsite on Bordeleau Gulch to work this area. Located on a placer prospected bench 300 meters off the Hunker Road, this is an excellent campsite except for lack of drinking water, which had to be trucked from Dawson City.

HISTORY

The Klondike is a world famous placer camp discovered in the 1890s which has yielded some ten million ounces of gold. The Klondike gold fields were worked primarily by individual placer miners in the early days and, from 1930 to 1966, by the Yukon Consolidated Gold Corporation (YCGC), the only large corporation to work in the area. YCGC operated several electric and/or steam powered bucket line dredges on Sulphur, Hunker, Bonanza, Quartz, Dominion, and Eldorado Creeks. The last dredge ceased operation in the mid-1960s but activity picked up dramatically in the early 1970s with the increase in the price of gold. At that time, a number of small hydraulic and bulldozer operations went into production and many of these are still working today. Teck Corporation is the largest company now operating in the Klondike.

In 1878, G. M. Dawson reported a mineral occurrence in the northern Canadian Cordillera and, together with R. G. McConnell and William Ogilvie, led the Yukon Expedition of 1887-88. McConnell and Ogilvie passed Deer Flats, which became the site of Dawson City in 1897. McConnell revisited the area in 1903 and completed the first bedrock geology map. In 1906, McConnell evaluated the gold bearing high level gravels and Cairnes, in 1911, visited the area briefly to examine lode gold prospects. He noticed that the most promising properties were the Lone Star group, near the head of Victoria Gulch, a tributary of Bonanza Creek; the Violet group, situated along the divide between Eldorado and Ophir Creeks; the Mitchell group, on the divide between the heads of Hunker and Gold Bottom Creeks; the Lloyd group and neighbouring claims, situated along the divide between the heads of Green Gulch and Caribou Gulch, tributaries of Sulphur and Dominion Creeks; and several groups of claims on Bear Creek joined by nearby Lindow Creek. The Lone Star has been the only producer of lode gold in the Klondike. Milling grades indicated a hand sorted mine grade of 0.18 ounces per ton Au in 1912.

Most of the lode gold occurrences in the Klondike have not been explored thoroughly because of their erratic distribution and the heavy overburden cover. No activity of any significance has taken place recently.

Lower Hunker Creek was, and still is, an excellent producer of placer gold, but the lode source(s) has never been located to date. This is probably mainly due to erratic distribution of lode sources, lack of outcrop (less than one percent) and lack of prospecting, especially using modern methods.

The Ben Levy adit was driven circa 1900-1917 by Heffring and Levy. Local newspaper articles of the day reputed the adit cut a

"40' wide quartz vein with "graphite" (*sic*) telluride" (should read graphic telluride-sylvanite (AuAg)Te2). Assays were reported in the plus 10 ounces Au/ton range. The adit was apparently abandoned in 1917 and no further work was done in it.

The area immediately uphill to the east of the Ben Levy adit was staked, prospected, and trenched by Archer-Cathro as the Surprize claims in 1976. The work was done for Ukon Joint Venture (Chevron and Kerr Addison) for uranium. The claims were lapsed in 1986-87 and the area is now open.

The HUN claims were staked by Coureur des Bois Ltée of Whitehorse under contract to UKHM in June 1984. Four rotary percussion drill holes, totalling 465 meters, were drilled later in 1984 in the hanging wall of the adit, to test the old newspaper reports.

No further work was done by UKHM until the 1987 program.

PHYSIOGRAPHY

The Klondike region is characterized by drainage divides of about 3,300 feet locally rising to 4,500 feet. These are crooked ridges separated by dendritic valleys which are drained by master streams from 1,000 to 1,500 feet above sea level. A few summits, locally called domes, are rounded and attain elevations of 5,000 feet.

The Klondike is part of the Yukon Plateau, a thoroughly dissected upland. Many of the small creeks and streams run parallel to each other in a northwesterly direction. They parallel the Tintina Trench, a major structural feature in the Territory, suggesting that the streams themselves may be following related structural features. The valleys are flat and wide in the lower reaches but gradually narrow towards their heads into steep-sided, narrow gulches which end abruptly in broad cols.

The rolling upland surface of the Klondike owes its existence to a general uplift in mid-Tertiary time. The area was probably faulted, eroded, and warped in later Tertiary time. Tropical weathering conditions subjected the area to deep supergene alteration conditions followed by periglacial modification and permafrost development during Quaternary time.

Lower Hunker Creek is locally characterized by a wide, flat valley floor with one steep side (east) and one flat, well-terraced side (west). The valley is 200-400 meters wide near the mouth.

A wide "bench" is found along the "left limit" or west side of the creek at an elevation of 120 meters above the present creek. This "White Channel" bench has a width of up to 1,500 meters and runs from the Henry Gulch area at Dago Hill, through Preido, Savoy, Paradise, and Nugget Hills and on up Hunker Creek to Gold Bottom Creek, a distance of 10,000 meters. Beyond the bench, the western slope of Hunker Creek rises in easy, fairly regular slopes to the ridge crest.

The bench indicates recent downcutting of the present creek channel through 30 meters of gravel and 100 meters of bedrock.

GEOLOGICAL SUMMARY

The Klondike District is in the Yukon Crystalline Terrain which has developed as the result of Triassic regional metamorphism southwest of the Tintina Trench. This trench is the topographic expression of a Mesozoic right lateral fault of some 450 miles displacement. Shear zones parallel to the Tintina Fault occur in the Klondike and major lineaments and faults with similar trends occur in and to the southwest. The faults consist of a series of thrust sheets separated by thrust faults. Mylonites and altered ultramafic rocks occur along these thrust surfaces.

The rocks in the Klondike may be divided into four categories: ultramafics, Nasina series, Klondike schists, and the Pelly gneiss. The ultramafics consist of peridotite serpentinized to various degrees. The Nasina is a group of low grade matamorphic rocks of predominantly sedimentary origin. These are principally graphitic phyllite, black quartzite, black carbonate phyllite, marble and banded quartzite. The Klondike schists vary from quartz-feldspar-muscovite schists to quartz-feldspar-biotite gneisses. Chlorite is an important constituent of some of the schists. This group is interpreted to be a highly metamorphosed volcanic pile. The Pelly Gneiss is a coarse grained massive to schistose quartzo-feldspathic rock which may be a metamorphosed intrusive body.

The bulk distribution of the metamorphic rocks proved too impractical in the field and a more detailed lithological breakdown was developed, based on J. K. Mortensen's 1984 report for United Keno Hill Mines Limited. In this scheme, the metamorphic rocks are divided into nine mapable units and their respective sub-units. Most of the Company's claims are underlain by units 6, 7, and 8, with several units being locally present only.

TABLE 1
LITHOLOGIC UNITS IN THE KLONDIKE DISTRICT

1. FELSIC INTRUSIVES
   (a) massive quartz-diorite
   (b) blocky grey-brown weathering gneiss
   (c) slabby quartz-muscovite schist ± quartz eyes ± chlorite

2. INTERMEDIATE INTRUSIVES
   (a) meta-diorite, weakly to moderately gneissic

3. MAFIC INTRUSIVES
   (a) coarse grained intrusive, locally altered to amphibolite and chlorite

4. ULTRAMAFICS

5. MORTENSEN'S FELSIC SCHIST
   (a) tan to rusty weathering quartz-muscovite schist

6. ANDESITE PORPHYRY
   (a) massive, weakly foliated porphyry with quartz and/or feldspar phenocrysts
   (b) sheared and recrystallized porphyry - "quartz eye schist"; quartz-muscovite schist ± blue to white quartz eyes ± minor chlorite
   (c) banded and blocky quartz and/or feldspar porphyry; green fine grained groundmass
   (d) banded and blocky pink and green gneiss; quartz-feldspar-muscovite-chlorite gneiss

7. MAFIC META-VOLCANICS
   (a) amphibolite; massive fine grained
   (b) quartz-chlorite gneiss ± minor muscovite and abundant pyrite
   (c) no rock type
   (d) chlorite schist ± minor muscovite ± talc alteration ± actinolite ± disseminated pyrite ± quartz sweats
   (e) muscovite schist ± minor chlorite ± quartz sweats
   (f) siliceous schist; fine grained, white to rusty muscovite-feldspar-quartz schist ± pyrite
   (g) highly altered equivalent of 7(b) and 7(d); incompetent, yellow-orange weathering saprolite

8. CARBONACEOUS META-SEDIMENTS
   (a) graphite-phyllite schist
   (b) massive to moderately gneissic quartzite; black to blue-grey sucrosic quartz ± minor sericite ± graphite

9. FELSIC META-VOLCANICS
   (a) quartz-feldspar porphyry rhyolite
   (b) rusty weathering rhyolite

LOCAL GEOLOGY

Due to less than one percent surface outcrop, the geological mapping of the HUN claims was not very revealing. Road cut and dredge tailings provide the bulk of the rock exposures in this area. The 1984 drill cuttings, the adit and the rock fragments in the soil geochemistry holes were also used to map and interpret the local geology.

Mapping indicates the presence of five main rock types: graphite schist, quartz muscovite/chlorite schist, andesite volcanics, quartz feldspar porphyry rhyolite, and serpentinized, listwanitized ultramafics.

A large quartz-carbonate (dolomite?) vein and a small feldspar porphyry trap dyke were also mapped in the Ben Levy adit.

From the 1984 drill holes and the adit mapping, it appears the rocks at Ben Levy dip steeply to the east ($\pm$ 70°) and strike approximately north-south, parallel to the Ben Levy vein zone.

The vein zone exposed in the adit and drill holes is a quartz-carbonate (dolomite?) vein with banding, drusy dolomite-lined vugs and intense fault breccia. The orientation is 360°/70°E. The vein in the adit is nine meters wide (true width) and is the hanging wall vein of the zone. Five meters in its footwall is a second vein of similar width and six meters further west is the third footwall vein which is seven meters wide. The two footwall veins are not exposed on surface. The hanging wall vein shows evidence of intense faulting with multiple brecciation re-cementing episodes, slickensides, and micro-faulting. There is also a strong stockwork of narrow veinlets running into the hanging wall schists for tens of meters, in all orientations. No visible mineralization was observed and none of the channel samples taken from this vein were anomalous. Only one of the 1984 drill intersections was strongly anomalous: in HUN 33 an intersection averaging 425 ppb Au/20 feet was cut in the centre vein. No substantiation of the high grade assays reported in the early 1900s was obtained.

The feldspar porphyry trap dyke assayed 256 ppb Au/0.4 meters in the adit and appears to have been intersected 15 meters up dip in HUN 31 with a value of 55 ppb Au/10 feet.

The remainder of the vein zone assays were less than 20 ppb Au.

SOIL GEOCHEMISTRY

Four adjoining grids were employed to cover the Lower Hunker Creek claim group. The Ben Levy grid had 555 samples, the HUN II had 504 samples, the Hunker Extension grid had 526 samples, and the Hattie grid had 591 samples. All grids were 100 meter lines and 25 meter sample stations. The 2,176 samples obtained were sent to Chemex Labs in North Vancouver, British Columbia, and were assayed for gold plus 32 elements, for a total of 71,808 assays.

Samples were taken using a mattock to dig down to 'B' horizon soil. Samples were placed in kraft paper envelopes for shipment. Analysis for gold was done by fire assay with atomic absorption finish and one assay ton. The crushed sample was also screened for visible gold. The remaining 32 elements were analyzed using Inductively Coupled Plasma (ICP) analysis. Minor problems were encountered from permafrost and swamp areas on the grids. No samples were taken when these conditions were encountered.

Results were plotted on 1:5,000, 1:7,500 or 1:2,500 scale and contoured. Only elements with significantly anomalous values were plotted. Elements scarcely above background are not plotted.

Anomalous results appear to indicate mineralization is structurally controlled in mainly north-south and partly in east-west structures. Some elements were very indicative of bedrock geology (i.e., Cr, Ni, Mg anomalies outline ultramafic bedrock) and can be used as mapping tools in areas without outcrop, for geological mapping.

Elements assayed for and a summation of their results are as follows:

Au Scattered weak to moderate anomalies crossing all rock types in the area. Structural control is interpreted from the linear nature of the anomalies and their coincidence with some of the VLF-EM conductors.

Ag Very weak.

Al Scarcely above background.

As Very rare anomalies, probably from quartz feldspar porphyry dyke.

Ba	Very weak anomalies.
Be	Identical to and coincident with arsenic.
Bi	Slight increase above background in ultramafic units.
Ca	Anomalous near VLF-EM conductors and andesite dyke.
Cd	Anomalous on two VLF-EM conductors; remainder is background.
Cr	Outlines ultramafic bedrock with strong anomalies.
Co	A few slight increases near VLF-EM conductors.
Cu	Anomalous over VLF-EM conductors, the Ben Levy vein and andesite dykes; anomalies are erratic and weak.
Fe	No anomalous values.
Ga	Not detected.
Hg	Not detected.
K	Background only.
La	One weak anomaly in bull quartz vein in quartz feldspar porphyry plug.
Mg	Anomalous over ultramafics.
Mn	Anomalous over ultramafics.
Mo	Scattered weak anomalies coincident with VLF-EM conductors in all rock types except ultramafics.
Na	Background.
Ni	Strong anomalies over ultramafics.
P	Very strong anomalies coincident with VLF-EM conductors.
Pb	Weak erratic anomalies, some coincident with VLF-EM conductors.
Sb	Background.
Se	Weak erratic anomalies, some coincident with VLF-EM conductors and ultramafics.

Sr A few weak anomalies near VLF-EM conductors and andesite dyke.

Ti Background.

Tl Not detected.

U Not detected.

V Not detected.

W Not detected.

Zn Weak to moderate anomalies on VLF-EM conductors and graphite schist units.

Au anomalies were generally low and erratic, the highest value on the grid being 330 ppb Au. Most of the anomalous values were in the 10-50 ppb Au range. Background values are <5 ppb Au. Gold anomalies were found in all the local rock types as erratic spot anomalies or north-south trending anomalies. Correlation with VLF-EM conductors is fairly good. Correlation with other anomalous elements is limited to occasional coincidence with Ag, As, Ba, Ca, Cu, Ni, Pb, Zn. The surface projection of the Ben Levy vein zone shows numerous erratic gold anomalies.

VLF-EM GEOPHYSICS

A VLF-EM survey was carried out over the Ben Levy soil geochemistry grid using a Phoenix VLF-II unit. Readings were taken on 100 m x 25 m intervals using Hawaii and Seattle stations. Results were Fraser Filtered and the plotted values contoured.

A number of weak conductors were located with north-south and east-west orientations. The strongest conductor is coincident with the northern projection of the Ben Levy vein zone. However, an old telephone or telegraph wire (circa 1900) was found on the ground near the conductor and parallel to it. It is therefore uncertain whether this conductor is geological or man-made. The presence of graphite schist bedrock undoubtedly accounts for some of the conductors.

Without the acquisition of accurate geological data, the significance of the VLF conductors will remain unknown. However, many of the conductors are coincident with soil geochemistry anomalies, inferring they are mineralized structures.

BEN LEVY ADIT REHABILITATION

The Ben Levy adit was collared circa 1900 by Heffring and Levy. Sporadic mining continued until 1917, when wartime shortages probably forced an end to the operation. Newspaper reports of the day (1901-02) indicated the adit and inclined shaft cut a "quartz vein" 14 meters thick at three levels to a maximum depth of 50 meters below ground surface. Vein material was reported to assay from 0.87 to 7.88 ounces Au/ton. The presence of "graphite" (*sic*) tellurium was also reported (this should be graphic tellurium, i.e., sylvanite (AuAg)Te2). No further work is known to have been done on this property until 1984 when UKHM staked the area and drilled (4) rotary percussion holes in the hanging wall of the old workings.

In 1987, M. J. Moreau Enterprises of Whitehorse was awarded a contract to rehabilitate the old adit. A two-three man crew accomplished this between June 25 and July 13, 1987. The work included mucking out and re-timbering the portal, re-timbering 15 round timber sets with lagging and mucking out a small cave-in.

After the adit was made safe, a two-man geological crew mapped the adit ribs at 1:30 scale and took 183 channel rock samples off the ribs at 1.5 meter intervals. These were assayed for Au plus 32 elements.

Mapping indicates the adit was collared near the footwall of the first (hanging wall) Ben Levy vein. The adit cross cuts this vein and exits into the hanging wall schist wall rocks. The -15° adit decline becomes a -35° winze which runs down the hanging wall of the vein in the schist wall rocks. The schists are tan coloured muscovite schist and black graphitic schist. A small feldspar porphyry dyke, roughly perpendicular to the vein zone, was also intersected by the adit. The 1984 drilling correlates well with the adit geology and also indicates a 125 meter wide alpine ultramafic with serpentinization and listwanitization is located approximately 15 meters in the hanging wall of the adit.

Gold assay results were low in the vein and the wall rocks, generally less than 5 ppb, with occasional erratic anomalous values from 10 ppb to 256 ppb Au over channel sample widths up to 1.5 meters. The highest assay in the adit occurred on the hanging wall of the feldspar porphyry dyke and ran 256 ppb Au/0.3 meters.

The Ben Levy vein is a finely banded, drusy, vuggy quartz-carbonate vein, with dolomite being the carbonate. The vein banding is 0.5 centimeters wide per band, regular, parallel to the vein walls and persists the full width of the vein as it is

exposed in the adit. This would allow for an estimated 4,000 bands (i.e., 2,000 from each wall to the vein centre). The vein is heavily brecciated and re-cemented and re-brecciated with slickensides present. All this indicates strong fault movement along the vein. Assays were low within the vein and no duplication of the high grade Au assays circa 1901-02 were obtained. No tellurides or other mineralization were observed.

Drilling in 1984 intersected two additional veins in the footwall of the vein in the adit. They are parallel and of identical composition to the hanging wall vein. The centre vein was intersected by HUN 33 and assayed 425 ppb Au/20 feet (averaged), approximately 30 meters below the Hunker Creek floor.

Correlation of geology between the adit and the 1984 drill holes indicates the local geology apears to dip east parallel to the vein. The feldspar porphyry dyke observed in the adit projects up dip into the upper part of all four drill holes, where it is also anomalous in gold (values up to 55 ppb Au/10 feet).

Since the Ben Levy vein is anomalous in gold in the deeper sections tested by the 1984 drilling but not in the adit, any further exploration of this target should be carried on by drilling below Hunker Creek. No further work is required for the adit.

CONCLUSIONS

The Lower Hunker Creek area possesses a complex geological environment of large, strong faults, with several orientations, disrupting a muscovite and graphite schist country rock. This country rock is further intruded by fault bounded serpentinized and listwanitized alpine ultramafics and by quartz feldspar porphyry rhyolite plugs and dykes. A large strongly faulted quartz-carbonate vein, oriented 360°/70°E, is located in the Ben Levy adit. Geological mapping in this area is very difficult due to minimal outcrop exposure.

Soil geochem sampling yielded low order anomalies in several elements including gold. Interpretation of results indicates mineralization is weak, erratically distributed, cross cuts all of the rock types in the area and is often linear. This would imply structural control in veins or faults, mainly oriented north-south. Some elements may be useful in interpreting bedrock geology with some accuracy.

VLF-EM conductors are present in the area and appear to be narrow, linear and oriented north-south. Many are coincident with geochemical anomalies and could be interpreted as mineralized veins or faults. Some conductors appear to indicate the contacts between different geological units. The strongest conductor in the area is coincident with the projection of the Ben Levy vein zone. However, an old telephone or telegraph wire was noted on the ground very close to the anomaly and parallel to it so the conductor may be man-made. Many of the conductors, including the Ben Levy vein zone, are geochemically anomalous.

The Ben Levy adit mapping and sampling indicate no economic gold values. The 1900 newspaper reports of high grade gold are either inaccurate or bogus or the mineralization was restricted to a small zone that was mined out as the adit was driven. Mapping of the adit also aided substantially in re-interpreting the 1984 drill hole data.

The data indicates a serpentinized and listwanitized alpine ultramific intrudes into the hanging wall of the graphite units and muscovite schist. The Ben Levy vein zone is approximately 40 meters wide and consists of three parallel quartz-carbonate (dolomite) veins, each ten meters wide, with interspersed graphite or muscovite schist. The hanging wall vein is cross cut by the adit and shows fine banding, cockade textures, drusy vugs lined with crystalline dolomite and is intensely faulted and re-cemented and slickensided on both a macro- and micro-fault scale. Vein orientation is 360°/70°E. A stockwork of narrow veinlets of banded quartz-carbonate in numerous orientations extends several tens of meters into the hanging wall of the main vein zone. Apparent upward drag of the stockwork veinlets adjacent to the

hanging wall of the Ben Levy vein indiates possible normal fault movement along the vein fault.

The best Au assay obtained in the Ben Levy area is 650 ppb Au/10 feet in 1984 drill hole HUN 33. This intersection is approximately 30 meters below the elevation of Hunker Creek. This may indicate that gold values improve with depth or are related to larger vein faults underneath Hunker Creek. Thus, the lower order Au anomalies in the area are peripheral to some larger, stronger zone just outside the sampled areas.

In support of this conclusion, it is interesting to note that Hunker Creek historically showed a placer gold "hotspot" in the valley bedrock directly adjacent to Ben Levy and on strike south of the known vein zone. This was known in the early 1900s as placer claim 71 Below Discovery. McConnell (1903) noted "good pay" was found on this claim, where "the gold has mostly sunk down into the bedrock, consisting here of broken andesite, and the overlying gravels are nearly barren." McConnell (1906) states "on a couple of claims on Hunker Creek below the mouth of Seventy Pup practically all the gold occurred in a shattered porphyry bedrock, the overlying gravels proving almost barren." Hunker Creek placer gold values decrease for approximately two kilometers downstream as well as for three kilometers upstream from the Ben Levy area. This implies the 71 Below Discovery area may be a bedrock source for gold. McConnell's statement that the gravels are barren and the gold is in a "shattered" bedrock raises the possibility that the Ben Levy vein-fault runs under Hunker Creek and is auriferous at that location, or that it junctions with a second auriferous vein-fault under the creek floor. It is doubtful that the placer miners of the day could recognize the difference between placer gold which has "sunk" into bedrock fault breccia and lode gold deposited in a fault breccia, *in situ*, in the floor of the creek by hydrothermal solution. This area is therefore an attractive drill target.

RECOMMENDATIONS

It is recommended that no further surface work be carried out within the existing Ben Levy, HUN II, Hunker Extension and Hattie grids. Future exploration work should concentrate on follow-up of the 650 ppb Au/10 feet (425 ppb Au/20 feet) intersection in HUN 33 by follow-up rotary percussion drilling along the floor of Hunker Creek at the mouth of Tinhorn Gulch. The presence of placer mining operations in this area will complicate this proposal.

The floor of Hunker Creek in the 71 Below Discovery area should also be percussion drilled to test whether the placer "hot spot" was a lode source.

APPENDIX I

1987 COST BREAKDOWN

General	$ 121,417.51
Ben Levy Adit Rehabilitation	20,020.50
Geology	1,308.01
Geochemistry	1,187.86
Assaying	
Soil Samples	33,987.12
Rock Samples	3,639.75
Camp	9,651.41
Vehicles	7,657.99
Surveying	300.00
TOTAL	$ 199,170.15
Man Days	274

APPENDIX II

PERSONNEL

Project Supervision by:	A. J. McFaull, B.Sc., F.G.A.C. Senior Exploration Geologist United Keno Hill Mines Limited 409 Black Street Whitehorse, Yukon Y1A 2N2
Geological Assistant	Bruce Mezei Box 424 Bow Island, Alberta T0K 0G0
Geochemical Samples	John Sue 2274 East 45th Avenue Vancouver, British Columbia V5P 1N8
	Eric Stein 1503-10010-119th Street Edmonton, Alberta T5K 1Y8
	Chris Martin 3 Massey Drive St. Thomas, Ontario N5P 5M6

APPENDIX III

SUPPORT

Contractors

M. J. Moreau Enterprises Ltd.
Box 5282
Whitehorse, Yukon
Y1A 4Z2

Chemex Labs Ltd.
212 Brooksbank Avenue
North Vancouver, British Columbia
V7J 2C1

APPENDIX IV

ASSAY DATA

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -A
Tot. Pag
Date 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90833	201	238	20	1.80	< 0.2	25	100	< 0.5	< 2	0.40	0.5	23	32	51	4.76	< 10	< 1	0.06	30	0.95	504
90834	201	238	6	0.66	0.2	15	250	< 0.5	< 2	0.97	0.5	14	26	49	2.86	< 10	< 1	0.07	20	0.30	590
90835	201	238	3	0.39	< 0.2	15	150	< 0.5	< 2	0.79	0.5	11	15	41	2.89	< 10	< 1	0.06	30	0.18	212
90836	201	238	2	0.23	< 0.2	5	200	< 0.5	< 2	2.78	1.0	5	9	21	0.90	< 10	< 1	0.05	< 10	0.39	324
90837	201	238	4	0.77	< 0.2	5	230	< 0.5	< 2	0.62	< 0.5	12	34	23	2.89	< 10	< 1	0.08	40	0.24	333
90838	201	238	23	0.64	0.4	5	220	< 0.5	< 2	0.26	< 0.5	9	16	23	2.80	< 10	< 1	0.09	30	0.13	363
90839	201	238	16	1.21	0.2	5	480	< 0.5	< 2	0.39	< 0.5	11	21	29	2.63	< 10	< 1	0.12	30	0.24	488
90840	201	238	13	1.11	0.6	10	400	< 0.5	< 2	0.58	0.5	11	24	52	2.78	< 10	< 1	0.10	30	0.23	456
90841	201	238	3	1.52	0.2	5	470	< 0.5	< 2	0.48	< 0.5	8	28	31	2.30	< 10	< 1	0.11	20	0.30	381
90842	201	238	3	1.63	0.4	< 5	520	< 0.5	< 2	0.39	0.5	13	32	46	2.94	< 10	< 1	0.11	20	0.35	507
90843	201	238	1	1.41	< 0.2	10	460	< 0.5	< 2	0.43	0.5	8	24	27	2.18	< 10	< 1	0.13	20	0.28	413
90844	201	238	9	1.20	1.4	25	320	< 0.5	< 2	0.40	0.5	11	23	58	2.84	< 10	< 1	0.09	30	0.28	256
90845	201	238	6	1.41	0.6	10	440	< 0.5	< 2	0.52	0.5	9	22	35	2.43	< 10	< 1	0.12	20	0.25	407
90846	201	238	3	1.76	0.4	5	400	< 0.5	2	0.47	0.5	10	30	31	2.61	< 10	< 1	0.11	20	0.45	281
90847	201	238	12	1.73	0.4	< 5	530	< 0.5	< 2	0.37	0.5	10	30	40	2.40	< 10	< 1	0.10	20	0.38	350
90848	201	238	11	0.71	2.0	30	420	< 0.5	2	1.17	3.0	11	13	64	2.38	< 10	< 1	0.06	10	0.35	452
90858	201	238	14	0.95	1.4	25	360	< 0.5	< 2	0.48	1.5	10	20	56	2.40	< 10	< 1	0.10	20	0.29	326
90859	201	238	10	0.77	1.8	15	330	< 0.5	< 2	0.52	1.0	10	18	69	2.41	< 10	< 1	0.11	20	0.27	218
90860	201	238	12	1.16	1.2	30	420	< 0.5	< 2	0.55	0.5	12	25	79	2.92	< 10	< 1	0.12	30	0.28	386
90861	201	238	17	0.60	2.6	15	360	< 0.5	< 2	0.54	0.5	13	17	141	2.83	< 10	< 1	0.08	20	0.23	375
90862	201	238	5	1.63	0.2	15	440	< 0.5	< 2	0.50	< 0.5	11	28	52	2.68	< 10	< 1	0.08	20	0.36	487
90863	201	238	5	1.29	0.4	< 5	430	< 0.5	< 2	0.49	0.5	8	24	40	2.36	< 10	< 1	0.09	20	0.30	260
90955	201	238	7	0.91	0.2	25	340	< 0.5	< 2	0.56	1.0	9	18	66	2.50	< 10	< 1	0.08	20	0.28	258
90956	201	238	12	1.15	1.0	10	330	< 0.5	< 2	0.58	< 0.5	9	22	47	2.48	< 10	< 1	0.09	20	0.38	188
90957	201	238	10	0.84	1.8	20	300	< 0.5	< 2	0.91	1.0	11	20	80	2.69	< 10	< 1	0.10	20	0.33	291
90958	201	238	15	1.04	0.6	10	320	< 0.5	2	0.53	< 0.5	9	19	41	2.35	< 10	< 1	0.09	30	0.28	223
90959	201	238	12	0.68	0.8	5	220	< 0.5	< 2	0.92	0.5	8	17	30	2.18	< 10	< 1	0.07	20	0.25	247
90960	201	238	7	0.56	0.2	10	150	< 0.5	2	0.45	< 0.5	10	18	23	2.47	< 10	< 1	0.09	30	0.15	212
90961	201	238	19	0.65	< 0.2	10	210	< 0.5	< 2	0.96	1.0	12	20	34	2.95	< 10	< 1	0.05	30	0.25	285
90962	201	238	2	0.85	< 0.2	20	320	< 0.5	< 2	2.07	2.0	12	29	49	2.28	< 10	< 1	0.06	< 10	0.66	539
90963	201	238	3	1.13	0.2	15	230	< 0.5	< 2	0.22	1.0	4	25	30	2.23	< 10	< 1	0.07	< 10	0.22	101
90964	201	238	15	1.37	< 0.2	15	370	< 0.5	2	0.99	0.5	17	69	52	3.27	< 10	< 1	0.13	20	0.60	1930
90965	201	238	2	1.06	< 0.2	15	180	< 0.5	< 2	0.88	1.5	14	54	55	2.87	< 10	< 1	0.11	10	0.56	961
90966	201	238	1	1.21	0.4	5	340	< 0.5	2	1.84	1.5	17	49	89	3.33	< 10	< 1	0.09	< 10	0.79	856
90967	201	238	1	0.88	0.2	30	130	< 0.5	4	1.57	1.0	11	74	41	2.35	< 10	< 1	0.06	< 10	0.69	379
90968	201	238	3	0.79	0.6	15	300	< 0.5	< 2	2.26	8.5	9	27	79	1.70	< 10	< 1	0.07	< 10	0.38	724
90969	201	238	3	1.52	0.4	20	580	< 0.5	2	5.17	3.0	14	103	52	2.53	10	< 1	0.10	< 10	0.79	516
90970	201	238	18	0.44	0.8	170	120	< 0.5	< 2	2.04	11.5	21	186	123	2.71	< 10	< 1	0.04	< 10	0.83	448
90971	201	238	3	0.64	< 0.2	10	280	< 0.5	< 2	3.41	2.5	6	18	28	1.17	< 10	< 1	0.05	< 10	0.42	450
90981	201	238	4	0.61	< 0.2	5	210	< 0.5	< 2	2.86	1.5	9	16	34	1.99	< 10	< 1	0.05	< 10	0.63	336

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ITED KENO HILL MINES LIMITED
69 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -B
Tot. Pag
Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90833	201 238	< 1	0.01	60	470	14	< 5	10	26	< 0.01	10	< 10	19	10	102
90834	201 238	< 1	0.01	52	880	14	< 5	< 10	53	< 0.01	< 10	< 10	22	5	92
90835	201 238	< 1	0.01	40	760	16	< 5	10	52	< 0.01	< 10	< 10	13	5	86
90836	201 238	< 1	0.02	17	810	42	< 5	< 10	72	< 0.01	< 10	< 10	5	< 5	90
90837	201 238	< 1	0.01	54	480	4	< 5	< 10	49	< 0.01	10	< 10	20	5	60
90838	201 238	< 1	0.01	28	390	4	< 5	< 10	43	< 0.01	10	< 10	17	5	52
90839	201 238	< 1	0.01	28	290	12	< 5	< 10	41	0.01	10	< 10	26	< 5	60
90840	201 238	1	0.01	42	300	18	< 5	10	49	0.01	10	< 10	29	5	116
90841	201 238	< 1	0.01	27	170	8	< 5	< 10	37	0.04	10	< 10	43	< 5	66
90842	201 238	2	0.01	39	220	18	< 5	< 10	50	0.04	< 10	< 10	50	< 5	104
90843	201 238	1	0.01	26	240	8	< 5	< 10	31	0.03	< 10	< 10	42	< 5	90
90844	201 238	4	< 0.01	52	320	12	< 5	< 10	44	0.02	< 10	< 10	37	< 5	140
90845	201 238	< 1	0.01	42	310	10	< 5	< 10	38	0.01	10	< 10	36	< 5	130
90846	201 238	< 1	0.01	31	280	10	< 5	< 10	32	0.06	< 10	< 10	59	< 5	72
90847	201 238	2	0.01	37	250	8	< 5	< 10	33	0.04	< 10	< 10	57	< 5	100
90848	201 238	10	0.01	59	660	4	< 5	< 10	66	< 0.01	< 10	< 10	29	5	168
90858	201 238	14	0.01	48	520	8	< 5	< 10	46	0.02	< 10	< 10	47	< 5	196
90859	201 238	11	< 0.01	55	560	10	< 5	< 10	65	0.01	10	< 10	37	< 5	200
90860	201 238	7	0.01	54	410	6	< 5	< 10	55	0.01	10	< 10	48	< 5	168
90861	201 238	9	< 0.01	81	600	8	< 5	< 10	96	< 0.01	10	< 10	23	< 5	172
90862	201 238	2	0.01	42	200	< 2	< 5	< 10	38	0.03	< 10	< 10	53	< 5	108
90863	201 238	3	< 0.01	35	210	6	< 5	< 10	39	0.02	< 10	< 10	44	< 5	102
90955	201 238	3	0.01	48	370	6	< 5	< 10	48	0.02	< 10	< 10	33	< 5	128
90956	201 238	1	0.01	36	470	10	< 5	< 10	55	0.03	< 10	< 10	37	< 5	92
90957	201 238	4	< 0.01	54	530	14	< 5	< 10	59	0.01	< 10	< 10	28	< 5	140
90958	201 238	1	0.01	35	330	4	< 5	< 10	46	0.01	10	< 10	27	< 5	74
90959	201 238	< 1	0.01	38	510	10	< 5	< 10	39	< 0.01	10	< 10	17	< 5	48
90960	201 238	< 1	0.01	39	600	8	< 5	< 10	45	< 0.01	10	< 10	15	< 5	58
90961	201 238	< 1	0.01	47	800	12	< 5	< 10	46	< 0.01	10	< 10	20	< 5	88
90962	201 238	1	0.01	51	1070	16	< 5	< 10	69	< 0.01	< 10	< 10	24	< 5	138
90963	201 238	1	< 0.01	24	630	60	< 5	< 10	36	0.03	< 10	< 10	56	< 5	88
90964	201 238	< 1	0.01	72	650	12	< 5	< 10	38	0.01	< 10	< 10	44	< 5	92
90965	201 238	3	< 0.01	68	530	8	< 5	< 10	29	0.01	< 10	< 10	38	< 5	168
90966	201 238	< 1	0.01	82	980	6	< 5	< 10	59	< 0.01	< 10	< 10	41	< 5	184
90967	201 238	1	< 0.01	71	1030	8	< 5	< 10	48	< 0.01	< 10	< 10	35	< 5	90
90968	201 238	1	0.01	55	1130	4	< 5	< 10	67	0.01	< 10	< 10	22	< 5	314
90969	201 238	< 1	0.02	93	1650	4	< 5	< 10	114	0.01	< 10	< 10	44	< 5	174
90970	201 238	15	< 0.01	281	1260	8	< 5	< 10	92	< 0.01	< 10	< 10	30	< 5	618
90971	201 238	1	0.01	28	740	< 2	< 5	< 10	86	0.01	< 10	< 10	19	< 5	84
90981	201 238	< 1	0.01	36	840	4	< 5	< 10	87	< 0.01	< 10	< 10	12	< 5	106

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -A
Tot. Pag
Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90982	201	238	9	1.46	0.2	25	210	< 0.5	4	0.79	0.5	22	57	54	4.03	< 10	< 1	0.06	20	1.05	619
90983	201	238	3	0.81	0.2	10	250	< 0.5	< 2	2.68	0.5	10	23	35	1.94	< 10	< 1	0.05	< 10	0.76	312
90984	201	238	10	1.30	0.2	15	230	< 0.5	2	0.77	1.0	14	52	54	2.99	< 10	< 1	0.08	20	0.86	226
94714	201	238	< 1	1.94	0.6	20	240	< 0.5	< 2	0.15	< 0.5	9	29	17	2.51	< 10	< 1	0.05	10	0.32	188
94715	201	238	3	1.50	0.2	55	390	< 0.5	2	0.25	2.5	15	25	50	4.32	< 10	< 1	0.09	20	0.86	431
94716	201	238	1	2.49	0.2	30	800	< 0.5	< 2	0.41	1.0	23	76	46	4.38	< 10	< 1	0.10	20	0.91	2040
94717	201	238	2	1.54	0.2	10	530	< 0.5	< 2	0.23	0.5	11	45	22	2.45	< 10	< 1	0.07	10	0.43	358
94718	201	238	2	1.72	0.2	20	430	< 0.5	< 2	0.17	0.5	11	93	33	2.47	< 10	< 1	0.06	10	0.69	158
94719	201	238	< 1	1.74	0.2	5	270	< 0.5	< 2	0.16	< 0.5	7	35	15	2.19	< 10	< 1	0.04	10	0.40	174
94720	201	238	6	1.02	0.2	25	480	< 0.5	< 2	0.16	1.0	8	45	39	2.30	< 10	< 1	0.05	10	0.30	187
94721	201	238	2	1.25	0.2	15	320	< 0.5	< 2	0.15	0.5	4	33	19	1.87	< 10	< 1	0.03	10	0.24	83
94722	201	238	3	2.07	0.2	15	460	< 0.5	< 2	0.38	0.5	20	102	27	2.96	< 10	< 1	0.04	10	0.72	660
94723	201	238	< 1	1.74	0.2	5	370	< 0.5	< 2	0.26	< 0.5	23	142	13	2.55	< 10	< 1	0.04	10	1.26	409
94724	201	238	< 1	1.20	0.2	5	210	< 0.5	< 2	0.11	< 0.5	7	59	15	1.90	< 10	< 1	0.04	20	0.43	118
94725	201	238	2	1.52	0.2	10	220	< 0.5	< 2	0.12	< 0.5	7	26	29	2.33	< 10	< 1	0.05	20	0.31	154
94726	201	238	< 1	1.43	2.0	< 5	370	< 0.5	< 2	0.15	< 0.5	7	20	18	1.63	< 10	< 1	0.09	20	0.20	187
94727	201	238	4	1.47	0.4	10	320	< 0.5	< 2	0.17	< 0.5	6	28	28	1.99	< 10	< 1	0.08	20	0.31	167
94728	201	238	8	0.79	0.6	25	270	< 0.5	< 2	0.04	1.0	8	20	85	3.12	< 10	< 1	0.09	30	0.09	351
94729	201	238	< 1	1.43	0.2	5	300	< 0.5	< 2	0.13	0.5	8	24	36	2.23	< 10	< 1	0.06	20	0.25	331
94730	201	238	< 1	1.36	0.2	10	370	< 0.5	< 2	0.11	< 0.5	5	19	30	1.94	< 10	< 1	0.05	30	0.23	133
94731	201	238	2	1.98	0.2	5	510	< 0.5	< 2	0.27	0.5	14	31	35	2.68	< 10	< 1	0.09	20	0.38	608
94732	201	238	6	1.11	0.2	5	350	< 0.5	< 2	0.54	0.5	10	24	57	2.70	< 10	< 1	0.08	20	0.32	452
94734	201	238	4	1.14	0.2	5	490	< 0.5	< 2	0.32	1.5	11	20	52	2.53	< 10	< 1	0.10	20	0.20	514
94735	201	238	5	1.81	0.2	10	540	< 0.5	< 2	0.31	0.5	10	30	42	2.52	< 10	< 1	0.09	20	0.33	457
94736	201	238	5	0.88	0.2	25	330	< 0.5	< 2	0.12	1.5	14	16	66	2.71	< 10	< 1	0.09	20	0.13	739
94737	201	238	5	1.87	1.8	15	470	< 0.5	< 2	0.27	1.0	17	42	42	3.45	< 10	< 1	0.12	10	0.28	1115
94738	201	238	3	1.68	0.2	25	360	< 0.5	< 2	0.21	< 0.5	8	28	33	2.45	< 10	< 1	0.09	20	0.29	226
94739	201	238	3	1.13	1.4	10	540	< 0.5	< 2	0.61	1.0	8	22	49	2.16	< 10	< 1	0.13	20	0.23	398
94740	201	238	7	1.25	0.4	10	440	< 0.5	< 2	0.31	0.5	9	24	44	2.33	< 10	< 1	0.10	20	0.26	284
94741	201	238	7	1.24	1.4	15	440	< 0.5	< 2	0.34	0.5	11	21	44	2.53	< 10	< 1	0.11	30	0.23	797
94742	201	238	26	1.64	1.0	< 5	500	< 0.5	< 2	0.42	< 0.5	10	24	27	2.46	< 10	< 1	0.16	20	0.28	662
94743	201	238	< 1	1.40	0.2	5	320	< 0.5	< 2	0.21	< 0.5	6	27	14	1.98	< 10	< 1	0.06	20	0.29	197
94744	201	238	4	0.71	0.2	15	210	< 0.5	< 2	0.27	< 0.5	13	41	27	3.00	< 10	< 1	0.08	40	0.26	280
94745	201	238	4	1.31	0.2	15	340	< 0.5	< 2	0.51	0.5	16	76	39	3.44	< 10	< 1	0.08	30	0.48	359
94746	201	238	3	0.77	0.2	< 5	310	< 0.5	< 2	0.25	< 0.5	16	25	29	3.68	< 10	< 1	0.06	20	0.15	466
94747	201	238	3	0.43	0.2	30	220	< 0.5	< 2	0.48	1.0	17	20	41	4.35	< 10	< 1	0.06	30	0.12	622
94748	201	238	4	0.74	0.2	40	600	< 0.5	< 2	0.89	3.0	16	29	56	3.58	< 10	< 1	0.08	20	0.23	738
94749	201	238	4	0.30	0.2	10	470	< 0.5	< 2	2.48	0.5	6	14	40	1.16	< 10	< 1	0.05	< 10	0.41	322
94750	201	238	4	1.38	0.2	35	290	< 0.5	2	1.03	0.5	22	42	44	3.85	< 10	< 1	0.10	20	0.87	463
94751	201	238	< 1	2.08	0.2	20	290	< 0.5	< 2	0.55	0.5	21	52	40	4.18	< 10	< 1	0.07	20	1.41	602

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
, BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. :B
Tot. Page
Date : /-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90982	201	238	1	< 0.01	62	1140	18	< 5	< 10	35	< 0.01	< 10	< 10	40	< 5	126
90983	201	238	< 1	0.01	31	800	8	< 5	< 10	89	< 0.01	< 10	< 10	20	< 5	84
90984	201	238	1	< 0.01	43	850	14	< 5	< 10	42	< 0.01	< 10	< 10	36	< 5	124
94714	201	238	< 1	< 0.01	24	260	22	< 5	< 10	16	0.06	< 10	< 10	55	< 5	74
94715	201	238	2	< 0.01	44	950	54	< 5	< 10	21	< 0.01	< 10	< 10	38	< 5	268
94716	201	238	< 1	0.01	68	400	8	< 5	< 10	22	0.02	< 10	< 10	80	< 5	98
94717	201	238	< 1	0.01	38	250	12	< 5	< 10	21	0.06	< 10	< 10	61	< 5	60
94718	201	238	< 1	< 0.01	85	180	18	< 5	< 10	21	0.06	< 10	< 10	65	< 5	82
94719	201	238	< 1	< 0.01	25	120	10	< 5	< 10	16	0.07	< 10	< 10	54	< 5	48
94720	201	238	3	< 0.01	63	650	36	< 5	< 10	32	0.03	< 10	< 10	44	< 5	114
94721	201	238	1	< 0.01	35	220	10	< 5	< 10	20	0.04	< 10	< 10	53	< 5	78
94722	201	238	< 1	0.01	198	290	14	< 5	< 10	24	0.05	< 10	< 10	60	< 5	114
94723	201	238	< 1	0.01	243	140	4	< 5	< 10	22	0.07	< 10	< 10	53	< 5	58
94724	201	238	< 1	< 0.01	53	150	8	< 5	< 10	22	0.03	< 10	< 10	36	< 5	46
94725	201	238	< 1	< 0.01	26	180	6	< 5	< 10	20	0.05	< 10	< 10	42	< 5	58
94726	201	238	< 1	< 0.01	15	220	6	< 5	< 10	36	0.03	< 10	< 10	38	< 5	48
94727	201	238	< 1	< 0.01	23	250	6	< 5	< 10	36	0.04	< 10	< 10	39	< 5	60
94728	201	238	22	< 0.01	65	520	16	< 5	< 10	27	< 0.01	< 10	< 10	59	< 5	310
94729	201	238	6	< 0.01	26	330	6	< 5	< 10	22	0.04	< 10	< 10	52	< 5	82
94730	201	238	3	< 0.01	16	230	6	< 5	< 10	25	0.03	< 10	< 10	41	< 5	54
94731	201	238	5	< 0.01	27	320	12	< 5	< 10	28	0.06	< 10	< 10	70	< 5	70
94732	201	238	< 1	0.01	37	690	14	< 5	< 10	34	0.04	< 10	< 10	38	< 5	114
94734	201	238	11	< 0.01	42	610	14	< 5	< 10	47	0.02	< 10	< 10	51	< 5	160
94735	201	238	3	0.01	31	470	8	< 5	< 10	37	0.04	< 10	< 10	63	< 5	100
94736	201	238	17	< 0.01	69	570	14	< 5	< 10	31	< 0.01	< 10	< 10	44	< 5	202
94737	201	238	6	< 0.01	49	560	10	< 5	< 10	35	0.03	< 10	< 10	88	< 5	156
94738	201	238	5	< 0.01	30	240	14	< 5	< 10	29	0.05	< 10	< 10	65	< 5	88
94739	201	238	8	0.01	38	500	10	< 5	< 10	49	0.01	< 10	< 10	49	< 5	134
94740	201	238	2	< 0.01	38	270	6	< 5	< 10	34	0.02	< 10	< 10	38	< 5	108
94741	201	238	1	< 0.01	48	410	4	< 5	< 10	40	0.01	< 10	< 10	31	< 5	126
94742	201	238	< 1	0.01	26	430	< 2	< 5	< 10	42	0.02	< 10	< 10	38	< 5	78
94743	201	238	< 1	0.01	21	280	6	< 5	< 10	30	0.04	< 10	< 10	41	< 5	44
94744	201	238	< 1	0.01	77	550	< 2	< 5	< 10	49	< 0.01	10	< 10	19	< 5	64
94745	201	238	< 1	0.01	141	610	12	< 5	< 10	45	0.02	< 10	< 10	42	< 5	110
94746	201	238	< 1	< 0.01	50	320	4	< 5	< 10	20	< 0.01	< 10	< 10	25	< 5	96
94747	201	238	2	0.01	56	850	24	< 5	10	54	< 0.01	< 10	< 10	18	< 5	140
94748	201	238	4	< 0.01	52	1290	24	< 5	< 10	64	< 0.01	< 10	< 10	48	< 5	168
94749	201	238	1	0.02	37	700	< 2	< 5	< 10	82	< 0.01	< 10	< 10	15	< 5	52
94750	201	238	1	< 0.01	59	1220	22	< 5	< 10	79	< 0.01	< 10	< 10	37	< 5	148
94751	201	238	< 1	< 0.01	46	650	18	< 5	< 10	22	< 0.01	< 10	< 10	43	< 5	132

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ITED KENO HILL MINES LIMITED
509 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. : A
Tot. Page :
Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94752	201 238	< 1	2.26	< 0.2	5	180	< 0.5	2	0.25	< 0.5	14	19	42	3.75	< 10	< 1	0.05	< 10	1.25	562
94753	201 238	< 1	2.05	< 0.2	5	510	< 0.5	< 2	0.29	< 0.5	15	26	49	3.27	< 10	< 1	0.11	10	0.59	474
94754	201 238	< 1	1.81	< 0.2	10	230	< 0.5	< 2	0.18	< 0.5	10	52	13	2.62	< 10	< 1	0.04	10	0.59	155
94755	201 238	1	1.88	< 0.2	10	720	< 0.5	< 2	0.61	0.5	20	136	50	5.63	< 10	< 1	0.04	10	0.29	740
94756	201 238	< 1	1.97	< 0.2	< 5	280	< 0.5	4	0.35	< 0.5	16	70	17	3.32	< 10	< 1	0.14	10	0.99	482
94757	201 238	< 1	1.95	< 0.2	10	350	< 0.5	< 2	0.42	< 0.5	12	49	13	2.81	< 10	< 1	0.11	10	0.45	575
94758	201 238	< 1	1.99	< 0.2	< 5	340	< 0.5	< 2	0.57	< 0.5	14	62	16	3.09	< 10	< 1	0.19	20	0.49	652
94759	201 238	< 1	1.86	< 0.2	10	510	< 0.5	< 2	0.51	< 0.5	15	72	17	3.17	< 10	< 1	0.17	10	0.39	887
94760	201 238	< 1	1.74	< 0.2	10	470	< 0.5	< 2	0.70	< 0.5	20	167	33	3.91	< 10	< 1	0.18	10	0.35	761
94761	201 238	< 1	2.69	< 0.2	< 5	470	< 0.5	2	0.81	< 0.5	37	78	43	6.70	< 10	< 1	0.35	30	1.52	1025
94762	201 238	< 1	1.44	< 0.2	15	500	< 0.5	< 2	0.34	< 0.5	17	49	23	3.56	< 10	< 1	0.21	20	0.48	435
94763	201 238	< 1	1.22	0.2	40	580	< 0.5	2	0.51	< 0.5	16	75	30	3.28	< 10	< 1	0.19	20	0.50	574
94764	201 238	< 1	1.65	< 0.2	10	360	< 0.5	< 2	0.24	< 0.5	20	138	29	2.91	< 10	< 1	0.18	20	1.29	289
94765	201 238	1	1.71	0.2	25	410	< 0.5	4	0.42	< 0.5	29	182	26	3.27	< 10	< 1	0.20	20	1.38	584
94766	201 238	13	2.01	0.2	5	410	< 0.5	2	0.60	< 0.5	40	242	14	3.30	< 10	< 1	0.13	10	1.64	614
94767	201 238	25	1.71	< 0.2	10	400	< 0.5	< 2	0.58	< 0.5	38	153	11	2.87	< 10	< 1	0.11	10	1.14	893
94768	201 238	< 1	2.20	< 0.2	5	470	0.5	2	0.80	< 0.5	31	140	18	3.55	< 10	< 1	0.21	20	1.18	572
94770	201 238	< 1	1.70	< 0.2	5	420	< 0.5	< 2	1.49	0.5	13	102	35	3.60	< 10	< 1	0.21	10	0.64	416
94771	201 238	< 1	1.29	< 0.2	< 5	300	< 0.5	2	0.85	0.5	25	224	64	3.56	< 10	< 1	0.13	10	1.43	753
94772	201 238	< 1	1.51	< 0.2	5	270	< 0.5	< 2	0.62	< 0.5	17	91	68	3.97	< 10	< 1	0.21	10	0.41	691
94773	201 238	< 1	1.63	< 0.2	< 5	300	< 0.5	< 2	0.58	< 0.5	18	83	64	3.92	< 10	< 1	0.18	10	0.41	723
94774	201 238	< 1	1.43	< 0.2	20	340	< 0.5	< 2	0.51	< 0.5	19	103	82	4.27	< 10	< 1	0.19	10	0.40	672
94775	201 238	< 1	1.44	< 0.2	< 5	360	< 0.5	2	0.45	< 0.5	16	27	88	4.08	< 10	< 1	0.16	20	0.56	787
94776	201 238	< 1	2.09	< 0.2	< 5	350	< 0.5	2	0.33	< 0.5	14	30	45	3.82	< 10	< 1	0.16	20	0.90	750
94777	201 238	< 1	1.95	< 0.2	20	510	< 0.5	2	0.63	< 0.5	19	210	29	4.41	< 10	< 1	0.15	10	0.37	804
94778	201 238	2	1.79	< 0.2	15	390	< 0.5	2	0.57	< 0.5	23	156	62	4.29	< 10	< 1	0.15	20	0.65	645
94779	201 238	< 1	1.42	< 0.2	10	370	< 0.5	< 2	0.36	< 0.5	21	33	61	5.03	< 10	< 1	0.16	< 10	0.35	716
94780	201 238	< 1	1.79	< 0.2	15	550	< 0.5	< 2	1.31	0.5	27	180	62	4.82	10	< 1	0.09	20	0.50	1710
94781	201 238	< 1	2.41	< 0.2	15	450	< 0.5	< 2	0.46	< 0.5	16	28	36	4.17	< 10	< 1	0.10	10	1.05	736
94782	201 238	< 1	2.74	0.2	10	410	< 0.5	< 2	0.75	0.5	55	897	80	7.18	10	< 1	0.01	10	1.21	1895
94783	201 238	2	2.56	0.2	20	490	< 0.5	< 2	1.17	0.5	30	475	56	5.48	10	< 1	0.08	20	0.69	1365
94784	201 238	< 1	2.61	0.2	15	470	< 0.5	< 2	0.31	< 0.5	13	31	50	3.70	< 10	< 1	0.08	10	0.98	439
94785	201 238	< 1	2.67	0.2	5	350	< 0.5	< 2	0.25	< 0.5	14	26	54	3.85	< 10	< 1	0.08	10	1.01	505
94787	201 238	11	1.51	< 0.2	< 5	620	< 0.5	< 2	0.41	< 0.5	12	43	46	3.06	< 10	< 1	0.20	20	0.63	262
94788	201 238	< 1	1.78	0.2	15	480	< 0.5	< 2	0.79	< 0.5	21	178	30	3.55	< 10	< 1	0.15	30	1.19	784
94789	201 238	2	1.52	0.2	10	350	< 0.5	2	2.50	< 0.5	20	110	61	4.02	10	< 1	0.12	10	1.01	652
94790	201 238	< 1	1.91	0.4	45	260	< 0.5	2	1.96	0.5	33	387	49	4.09	10	< 1	0.06	10	1.88	988
94791	201 238	3	1.47	0.2	15	240	< 0.5	< 2	1.75	< 0.5	15	66	62	3.52	10	< 1	0.11	10	0.98	468
94792	201 238	2	1.36	0.4	< 5	190	< 0.5	2	2.68	< 0.5	19	115	39	3.45	10	< 1	0.17	10	1.07	662
94793	201 238	3	1.52	0.2	15	240	< 0.5	< 2	2.98	0.5	29	271	52	4.07	10	< 1	0.14	10	1.31	637

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: 'TED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94752	201	238	< 1	< 0.01	14	430	< 2	< 5	< 10	16	0.01	< 10	< 10	44	< 5	70
94753	201	238	< 1	< 0.01	18	350	6	< 5	< 10	14	0.01	< 10	< 10	77	< 5	48
94754	201	238	< 1	< 0.01	31	150	4	< 5	< 10	11	0.06	< 10	< 10	52	< 5	44
94755	201	238	< 1	< 0.01	119	1380	2	< 5	< 10	10	< 0.01	< 10	< 10	67	< 5	128
94756	201	238	< 1	< 0.01	70	900	4	< 5	< 10	9	0.02	< 10	< 10	62	< 5	80
94757	201	238	< 1	0.01	34	570	2	< 5	< 10	18	0.06	< 10	< 10	60	< 5	62
94758	201	238	< 1	0.01	42	280	6	< 5	< 10	25	0.06	< 10	< 10	59	< 5	50
94759	201	238	< 1	0.01	48	320	6	< 5	< 10	21	0.04	< 10	< 10	57	< 5	48
94760	201	238	< 1	< 0.01	112	890	8	< 5	< 10	15	< 0.01	< 10	< 10	65	< 5	62
94761	201	238	< 1	< 0.01	81	1340	< 2	< 5	< 10	38	0.07	< 10	< 10	100	< 5	92
94762	201	238	< 1	0.01	54	420	4	< 5	< 10	22	0.03	< 10	< 10	55	< 5	60
94763	201	238	< 1	0.01	98	590	14	< 5	< 10	28	0.01	10	< 10	47	< 5	70
94764	201	238	< 1	0.01	276	220	< 2	< 5	< 10	15	0.05	< 10	< 10	40	< 5	54
94765	201	238	< 1	0.01	313	300	10	< 5	< 10	25	0.05	< 10	< 10	57	< 5	54
94766	201	238	< 1	0.01	445	270	10	< 5	< 10	33	0.07	< 10	< 10	60	< 5	46
94767	201	238	< 1	0.01	349	290	4	< 5	< 10	30	0.06	< 10	< 10	51	< 5	38
94768	201	238	< 1	0.01	252	320	12	< 5	< 10	46	0.03	< 10	< 10	59	< 5	46
94770	201	238	< 1	< 0.01	67	780	8	< 5	< 10	44	0.01	< 10	< 10	67	< 5	60
94771	201	238	< 1	< 0.01	209	630	8	< 5	< 10	29	< 0.01	< 10	< 10	51	< 5	56
94772	201	238	< 1	< 0.01	60	400	6	< 5	< 10	18	< 0.01	10	< 10	61	< 5	56
94773	201	238	< 1	< 0.01	56	440	14	< 5	< 10	20	< 0.01	< 10	< 10	54	< 5	56
94774	201	238	< 1	0.01	76	430	10	< 5	< 10	21	0.01	10	< 10	64	< 5	68
94775	201	238	< 1	< 0.01	28	530	4	< 5	< 10	17	< 0.01	10	< 10	52	< 5	64
94776	201	238	< 1	0.01	21	220	6	< 5	< 10	16	0.03	< 10	< 10	66	< 5	60
94777	201	238	< 1	0.01	117	520	6	< 5	< 10	19	0.03	< 10	< 10	81	< 5	70
94778	201	238	< 1	0.01	108	450	6	< 5	< 10	18	0.03	10	< 10	75	< 5	88
94779	201	238	< 1	< 0.01	68	490	8	< 5	< 10	11	0.01	< 10	< 10	81	< 5	78
94780	201	238	< 1	0.01	119	1240	8	< 5	< 10	24	0.01	10	< 10	64	< 5	104
94781	201	238	< 1	< 0.01	19	510	2	< 5	< 10	15	0.01	< 10	< 10	73	< 5	70
94782	201	238	< 1	< 0.01	382	510	16	< 5	< 10	17	0.02	< 10	< 10	115	< 5	218
94783	201	238	< 1	0.01	167	680	20	< 5	< 10	25	0.05	10	< 10	100	< 5	146
94784	201	238	< 1	< 0.01	18	380	2	< 5	< 10	12	0.02	10	< 10	61	< 5	60
94785	201	238	< 1	0.01	16	200	4	< 5	< 10	16	0.02	< 10	< 10	65	< 5	58
94787	201	238	< 1	< 0.01	45	390	10	< 5	< 10	21	0.04	10	< 10	51	< 5	76
94788	201	238	< 1	< 0.01	113	580	16	< 5	< 10	19	0.01	10	< 10	57	< 5	74
94789	201	238	< 1	0.01	81	1180	< 2	< 5	< 10	38	0.01	< 10	< 10	64	< 5	84
94790	201	238	< 1	< 0.01	290	1220	6	< 5	< 10	40	0.01	< 10	< 10	71	< 5	96
94791	201	238	< 1	0.01	56	980	< 2	< 5	< 10	36	< 0.01	< 10	< 10	52	< 5	80
94792	201	238	< 1	< 0.01	88	1200	4	< 5	< 10	48	0.01	< 10	< 10	46	< 5	74
94793	201	238	< 1	< 0.01	207	1540	10	< 5	< 10	70	< 0.01	< 10	< 10	62	< 5	84

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: 'TED KENO HILL MINES LIMITED
[illegible] BLACK ST.
WHITEHORSE, YUKON
YIA 2N2
Project : P53
Comments:

Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94794	201	238	4	1.87	0.4	< 5	420	< 0.5	< 2	1.32	0.5	17	59	64	3.58	< 10	< 1	0.11	10	0.95	603
94795	201	238	7	1.73	0.2	35	280	< 0.5	< 2	1.02	< 0.5	17	92	58	3.64	< 10	< 1	0.09	10	1.04	550
94796	201	238	3	1.82	0.4	5	250	< 0.5	< 2	2.77	< 0.5	17	43	72	3.92	10	< 1	0.13	< 10	1.22	616
94797	201	238	13	1.29	< 0.2	15	210	< 0.5	< 2	1.30	< 0.5	12	21	82	3.18	< 10	< 1	0.12	10	0.86	435
94798	201	238	2	1.48	0.2	< 5	320	< 0.5	< 2	1.38	0.5	15	41	99	3.72	10	< 1	0.13	10	0.88	526

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Date : 17-JUN-87
Invoice # : I-8715766
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715766

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94794	201	238	< 1	0.01	50	730	6	< 5	< 10	33	0.02	< 10	< 10	55	< 5	68
94795	201	238	< 1	< 0.01	89	440	6	< 5	< 10	39	0.01	< 10	< 10	53	< 5	70
94796	201	238	< 1	< 0.01	41	870	< 2	< 5	< 10	55	< 0.01	< 10	< 10	56	< 5	68
94797	201	238	< 1	< 0.01	19	990	6	< 5	< 10	35	< 0.01	< 10	< 10	44	< 5	56
94798	201	238	< 1	< 0.01	53	790	< 2	< 5	< 10	44	< 0.01	< 10	< 10	46	< 5	68

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
BLACK ST.
WHITEHORSE, YUKON
YIA 2N2
Project : P53
Comments:

Page No. A
Tot. Page:
Date -JUN-87
Invoice # : I-8715752
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90900	201 238	4	2.11	< 0.2	5	330	< 0.5	< 2	0.38	< 0.5	18	29	57	3.71	< 10	< 1	0.10	10	0.94	571
90901	201 238	3	2.12	< 0.2	< 5	370	< 0.5	< 2	0.46	0.5	16	18	80	3.34	< 10	< 1	0.13	10	0.99	477
90902	201 238	2	1.45	0.2	10	350	< 0.5	< 2	0.73	0.5	19	39	57	3.34	< 10	< 1	0.10	20	0.80	649
90903	201 238	< 1	1.70	< 0.2	15	580	< 0.5	< 2	1.05	< 0.5	19	69	40	2.92	< 10	< 1	0.09	20	0.94	550
90904	201 238	< 1	1.94	< 0.2	5	370	< 0.5	2	0.46	< 0.5	38	220	38	3.39	< 10	< 1	0.05	10	1.63	771
90905	201 238	< 1	0.58	0.2	10	210	< 0.5	< 2	0.27	0.5	19	60	37	3.73	< 10	< 1	0.06	40	0.36	414
90906	201 238	9	1.16	0.2	5	240	< 0.5	2	0.37	0.5	39	193	37	3.72	< 10	< 1	0.06	30	1.46	470
90907	201 238	2	1.67	0.2	10	350	< 0.5	< 2	0.65	< 0.5	38	331	31	2.92	< 10	< 1	0.03	20	2.85	703
90908	201 238	4	1.63	< 0.2	< 5	340	< 0.5	< 2	0.57	< 0.5	30	170	20	2.74	< 10	< 1	0.07	20	1.46	424
90909	201 238	5	1.29	0.2	5	340	< 0.5	< 2	0.51	< 0.5	19	80	24	2.83	< 10	< 1	0.07	30	0.71	488
90910	201 238	< 1	1.74	< 0.2	5	320	< 0.5	< 2	0.47	< 0.5	36	165	24	3.01	< 10	< 1	0.07	20	1.35	566
90911	201 238	2	1.40	0.2	< 5	330	< 0.5	< 2	0.50	0.5	18	113	36	2.85	< 10	< 1	0.07	30	0.99	361
90912	201 238	2	1.00	0.4	25	250	< 0.5	< 2	0.38	< 0.5	19	113	37	3.38	< 10	< 1	0.06	40	0.88	440
90913	201 238	1	0.70	0.2	15	320	< 0.5	< 2	0.46	0.5	18	31	37	3.24	< 10	< 1	0.08	40	0.23	401
90914	217 238	< 1	0.11	0.2	5	170	< 0.5	< 2	2.57	1.0	< 1	10	19	0.20	< 10	< 1	0.01	< 10	0.57	199
90915	201 238	4	0.96	0.2	10	260	< 0.5	< 2	0.61	0.5	11	20	39	2.46	< 10	< 1	0.11	30	0.26	284
90916	201 238	3	0.79	0.2	5	170	< 0.5	< 2	0.42	0.5	10	18	26	2.24	< 10	< 1	0.08	40	0.19	190
90918	201 238	3	1.09	0.2	15	250	< 0.5	< 2	0.54	0.5	11	20	25	2.35	< 10	< 1	0.12	30	0.28	304
90919	201 238	6	0.63	1.2	< 5	400	< 0.5	< 2	0.47	1.5	14	15	73	2.55	< 10	< 1	0.13	30	0.15	471
90920	201 238	6	1.48	0.2	10	430	< 0.5	< 2	0.43	0.5	12	25	31	2.58	< 10	< 1	0.13	20	0.38	602
90921	201 238	< 1	1.60	0.4	5	600	< 0.5	< 2	0.51	0.5	15	26	34	2.55	< 10	< 1	0.10	20	0.34	795
90922	201 238	2	1.55	< 0.2	15	430	< 0.5	< 2	0.49	< 0.5	17	26	34	2.97	< 10	< 1	0.08	20	0.32	657
90923	201 238	2	1.03	< 0.2	30	740	< 0.5	< 2	0.33	0.5	24	21	101	3.53	< 10	< 1	0.09	20	0.15	842
90924	201 238	8	0.44	0.6	10	190	< 0.5	< 2	1.84	< 0.5	14	14	23	3.00	< 10	< 1	0.05	40	0.15	457
90925	201 238	< 1	1.14	< 0.2	5	290	< 0.5	< 2	0.24	< 0.5	17	66	28	3.27	< 10	< 1	0.06	40	0.46	361
90926	201 238	< 1	1.55	< 0.2	10	310	< 0.5	4	0.23	< 0.5	16	106	17	2.38	< 10	< 1	0.05	20	0.92	324
90927	201 238	2	2.07	< 0.2	5	480	< 0.5	2	0.33	< 0.5	19	101	17	2.70	< 10	< 1	0.05	20	1.08	270
90928	201 238	1	2.18	0.4	< 5	360	< 0.5	8	0.48	< 0.5	53	301	29	3.60	< 10	< 1	0.09	20	2.71	730
90929	201 238	< 1	1.86	0.4	10	230	< 0.5	2	0.33	< 0.5	42	451	17	3.37	< 10	< 1	0.07	10	4.01	311
90930	201 238	1	2.33	0.2	5	560	< 0.5	4	0.45	< 0.5	25	117	23	2.93	< 10	< 1	0.06	20	1.12	363
90931	201 238	< 1	2.00	< 0.2	15	460	< 0.5	< 2	0.50	< 0.5	16	54	15	2.60	< 10	1	0.09	20	0.63	431
90932	201 238	< 1	2.14	0.2	< 5	460	< 0.5	2	0.40	< 0.5	24	84	15	2.70	< 10	< 1	0.05	20	0.87	402
90933	201 238	< 1	2.27	0.2	< 5	400	< 0.5	2	0.47	< 0.5	31	246	30	3.23	< 10	1	0.05	20	1.34	527
90934	201 238	< 1	2.69	< 0.2	< 5	590	< 0.5	4	0.32	0.5	17	29	38	3.57	< 10	1	0.10	10	0.97	656
90935	201 238	< 1	2.41	< 0.2	< 5	370	< 0.5	4	0.33	< 0.5	17	27	35	3.24	< 10	< 1	0.10	10	0.98	403
90936	201 238	1	2.37	< 0.2	15	590	< 0.5	2	0.37	< 0.5	17	51	42	3.39	< 10	< 1	0.10	20	0.75	783
90937	201 238	< 1	2.10	0.2	5	830	< 0.5	< 2	0.40	< 0.5	17	56	51	4.02	< 10	< 1	0.12	20	0.46	471
90938	201 238	< 1	1.43	0.2	10	380	< 0.5	< 2	0.36	< 0.5	14	21	32	2.63	< 10	1	0.20	10	0.56	529
90939	201 238	< 1	1.85	0.2	5	260	< 0.5	< 2	0.44	< 0.5	26	158	44	4.00	< 10	1	0.07	20	0.66	317
90940	201 238	< 1	1.18	0.2	70	620	< 0.5	< 2	0.31	< 0.5	28	37	42	3.52	< 10	< 1	0.14	20	0.18	474

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -B
Tot. Pag(
Date .6-JUN-87
Invoice # :I-8715752
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90900	201 238	< 1	< 0.01	18	170	18	< 5	< 10	17	0.01	< 10	< 10	60	< 5	90
90901	201 238	< 1	< 0.01	13	240	2	< 5	10	27	0.02	< 10	< 10	58	5	52
90902	201 238	< 1	< 0.01	48	620	10	< 5	< 10	32	< 0.01	< 10	< 10	49	5	62
90903	201 238	< 1	0.01	154	300	4	< 5	< 10	35	0.02	< 10	< 10	45	< 5	50
90904	201 238	< 1	0.01	446	170	10	< 5	< 10	25	0.05	< 10	< 10	59	< 5	56
90905	201 238	< 1	0.01	168	530	20	< 5	< 10	39	< 0.01	< 10	< 10	21	< 5	94
90906	201 238	< 1	0.01	599	380	20	< 5	< 10	33	0.02	< 10	< 10	36	5	78
90907	201 238	< 1	0.01	692	240	4	< 5	10	28	0.05	< 10	< 10	45	5	44
90908	201 238	< 1	0.01	423	250	< 2	< 5	10	32	0.05	< 10	< 10	48	5	60
90909	201 238	< 1	0.01	230	260	10	< 5	10	37	0.03	< 10	< 10	38	< 5	56
90910	201 238	< 1	0.01	424	210	14	5	< 10	30	0.05	< 10	< 10	49	5	58
90911	201 238	2	0.01	331	190	14	< 5	< 10	33	0.04	< 10	< 10	42	5	70
90912	201 238	2	0.01	237	440	14	< 5	30	40	0.02	< 10	< 10	34	< 5	92
90913	201 238	4	0.01	60	510	10	< 5	< 10	51	< 0.01	< 10	< 10	28	5	110
90914	217 238	3	0.01	8	790	2	< 5	10	70	< 0.01	< 10	10	5	< 5	20
90915	201 238	7	0.01	27	830	14	< 5	10	49	0.03	< 10	< 10	37	< 5	112
90916	201 238	4	0.01	19	850	14	< 5	< 10	38	0.03	< 10	< 10	31	< 5	70
90918	201 238	3	0.01	22	610	12	< 5	< 10	50	0.02	< 10	< 10	32	< 5	82
90919	201 238	9	< 0.01	50	520	20	< 5	10	62	< 0.01	< 10	< 10	33	5	172
90920	201 238	4	0.01	27	300	18	< 5	< 10	34	0.03	< 10	< 10	61	5	92
90921	201 238	1	0.01	28	260	14	< 5	< 10	29	0.04	< 10	< 10	44	5	72
90922	201 238	6	< 0.01	33	220	16	< 5	10	28	0.03	< 10	< 10	49	5	104
90923	201 238	15	< 0.01	62	720	22	< 5	10	45	< 0.01	< 10	< 10	61	< 5	130
90924	201 238	3	< 0.01	29	570	22	5	< 10	46	< 0.01	< 10	< 10	13	5	50
90925	201 238	< 1	0.01	126	240	8	5	< 10	32	0.02	< 10	< 10	32	< 5	72
90926	201 238	< 1	0.01	171	150	12	< 5	< 10	21	0.08	< 10	< 10	48	< 5	48
90927	201 238	< 1	0.01	158	100	12	< 5	10	27	0.09	< 10	< 10	67	< 5	50
90928	201 238	< 1	0.02	869	240	10	< 5	10	34	0.09	< 10	< 10	65	< 5	94
90929	201 238	< 1	0.01	679	220	6	5	20	23	0.07	< 10	< 10	56	5	40
90930	201 238	< 1	0.01	171	140	8	5	< 10	28	0.09	< 10	< 10	70	< 5	48
90931	201 238	< 1	0.01	75	160	8	< 5	< 10	31	0.09	< 10	< 10	63	< 5	46
90932	201 238	< 1	0.01	212	140	10	< 5	< 10	26	0.09	< 10	< 10	64	< 5	42
90933	201 238	< 1	0.01	406	140	10	< 5	< 10	27	0.06	< 10	< 10	59	< 5	44
90934	201 238	< 1	< 0.01	24	140	6	< 5	< 10	21	0.02	< 10	< 10	66	< 5	56
90935	201 238	< 1	< 0.01	18	60	4	< 5	< 10	32	0.03	< 10	< 10	69	< 5	48
90936	201 238	< 1	0.01	39	140	12	< 5	< 10	24	0.05	< 10	< 10	69	< 5	52
90937	201 238	< 1	< 0.01	59	310	12	< 5	< 10	16	0.04	< 10	< 10	86	< 5	98
90938	201 238	< 1	< 0.01	15	520	28	< 5	< 10	17	0.03	< 10	< 10	59	< 5	42
90939	201 238	< 1	< 0.01	125	690	10	< 5	< 10	12	0.02	< 10	< 10	99	< 5	86
90940	201 238	< 1	< 0.01	92	450	16	< 5	< 10	10	0.01	< 10	< 10	43	< 5	86

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To IITED KENO HILL MINES LIMITED
BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -A
Tot. Page
Date ..o-JUN-87
Invoice # : I-8715752
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90941	201 238	< 1	2.13	0.2	< 5	580	< 0.5	2	0.25	< 0.5	16	75	10	2.50	< 10	< 1	0.08	20	0.68	421
90942	201 238	< 1	2.16	0.2	5	280	< 0.5	8	0.19	< 0.5	46	974	9	4.85	< 10	< 1	< 0.01	10	2.82	775
90943	201 238	< 1	1.86	0.2	5	330	< 0.5	2	0.33	< 0.5	35	346	11	3.19	< 10	1	0.09	20	1.07	640
90944	201 238	5	1.50	0.2	20	340	< 0.5	6	1.21	< 0.5	91	910	19	5.75	< 10	< 1	0.01	10	3.51	1265
90945	201 238	< 1	1.78	0.2	15	310	< 0.5	6	0.67	0.5	103	648	23	5.04	< 10	1	0.04	20	2.91	1290
90946	201 238	6	2.14	0.2	< 5	500	< 0.5	6	0.83	0.5	28	162	16	3.39	< 10	< 1	0.09	20	1.28	598
90947	201 238	< 1	2.22	0.2	5	560	< 0.5	2	0.48	< 0.5	19	90	12	2.85	< 10	1	0.09	20	0.76	720
90948	201 238	< 1	2.32	0.2	< 5	530	< 0.5	4	0.43	0.5	24	125	19	3.06	< 10	1	0.10	20	0.83	439
90949	201 238	< 1	2.41	0.2	< 5	510	< 0.5	< 2	0.52	< 0.5	34	190	17	3.47	< 10	< 1	0.10	20	1.18	835
90950	201 238	< 1	1.95	0.2	5	340	< 0.5	< 2	0.35	< 0.5	16	76	10	2.37	< 10	< 1	0.06	20	0.70	276
90951	201 238	< 1	2.19	0.2	15	440	< 0.5	2	0.52	< 0.5	70	296	23	3.97	< 10	< 1	0.13	20	2.18	890
90953	217 238	< 1	0.72	0.2	20	170	< 0.5	< 2	0.59	< 0.5	73	1040	13	4.12	< 10	< 1	< 0.01	10	8.13	713
94610	201 238	3	1.63	0.2	< 5	340	< 0.5	4	0.58	< 0.5	17	27	58	3.74	< 10	< 1	0.10	20	0.70	433
94611	201 238	< 1	2.59	0.2	< 5	290	< 0.5	2	0.50	< 0.5	18	25	82	4.40	< 10	< 1	0.14	20	1.28	623
94612	201 238	5	2.17	0.2	5	380	< 0.5	< 2	0.63	< 0.5	18	28	80	4.14	< 10	1	0.09	20	0.98	600
94613	201 238	2	2.34	0.2	10	320	< 0.5	4	1.64	0.5	28	276	57	4.15	< 10	1	0.11	20	2.12	631
94614	201 238	< 1	1.85	0.2	5	460	< 0.5	2	0.68	< 0.5	10	54	43	3.46	< 10	< 1	0.09	20	0.56	439
94615	201 238	< 1	1.90	0.2	< 5	360	< 0.5	< 2	0.42	< 0.5	17	46	69	3.77	< 10	< 1	0.10	10	0.73	563
94616	201 238	< 1	2.67	0.2	< 5	590	< 0.5	6	0.89	< 0.5	24	274	26	3.86	< 10	< 1	0.10	20	0.94	1485
94617	201 238	< 1	1.83	0.2	< 5	690	< 0.5	< 2	0.38	< 0.5	15	44	28	3.08	< 10	1	0.17	20	0.44	437
94618	201 238	< 1	1.31	0.2	5	410	< 0.5	< 2	0.18	< 0.5	10	26	16	2.25	< 10	1	0.11	10	0.35	260
94619	201 238	< 1	1.46	0.4	< 5	610	< 0.5	< 2	0.14	0.5	12	32	36	2.73	< 10	< 1	0.14	20	0.40	190
94620	201 238	< 1	2.19	0.2	< 5	600	< 0.5	2	0.29	0.5	17	66	49	3.18	< 10	< 1	0.07	20	0.95	198
94621	201 238	< 1	2.18	0.2	< 5	620	< 0.5	< 2	0.52	0.5	17	174	36	4.00	< 10	< 1	0.06	20	0.47	1095
94622	201 238	< 1	2.23	0.2	20	1220	< 0.5	< 2	0.50	0.5	29	70	46	3.22	< 10	1	0.09	20	0.38	816
94623	201 238	< 1	1.87	0.2	10	690	< 0.5	2	0.40	0.5	17	68	34	2.60	< 10	< 1	0.10	20	0.38	525
94624	201 238	< 1	2.53	0.2	< 5	400	< 0.5	< 2	0.34	< 0.5	17	25	98	4.44	< 10	< 1	0.09	20	1.15	713
94625	201 238	< 1	2.26	0.2	< 5	210	< 0.5	< 2	0.17	< 0.5	18	20	68	4.09	< 10	1	0.06	10	1.17	560
94626	201 238	< 1	2.24	0.2	< 5	350	< 0.5	< 2	0.40	1.0	24	262	27	4.35	< 10	1	0.03	20	0.41	418
94627	201 238	< 1	1.91	0.2	10	430	< 0.5	< 2	0.56	< 0.5	17	105	23	3.49	< 10	< 1	0.04	20	0.43	935
94628	201 238	1	1.37	0.2	< 5	590	< 0.5	< 2	0.69	< 0.5	15	50	35	2.75	< 10	< 1	0.09	20	0.33	590
94629	201 238	3	0.88	1.0	55	270	< 0.5	2	0.27	1.5	18	104	117	3.13	< 10	< 1	0.09	20	0.45	239
94630	201 238	< 1	1.51	0.4	25	370	< 0.5	< 2	0.45	0.5	18	140	50	3.81	< 10	< 1	0.10	20	0.87	518
94631	201 238	< 1	0.70	0.2	5	80	< 0.5	2	1.59	0.5	18	27	46	2.67	< 10	< 1	0.10	30	0.84	323
94632	201 238	< 1	1.32	0.2	20	190	< 0.5	2	0.83	1.0	18	44	49	3.52	< 10	< 1	0.10	30	0.93	416
94633	201 238	< 1	1.39	0.2	20	170	< 0.5	< 2	0.83	0.5	25	50	52	3.70	< 10	< 1	0.09	30	1.10	480
94634	201 238	3	1.13	0.4	25	120	< 0.5	2	0.64	0.5	18	36	52	3.57	< 10	< 1	0.07	30	0.90	311
94635	201 238	< 1	1.51	0.4	15	180	< 0.5	< 2	1.03	0.5	25	54	55	3.75	< 10	< 1	0.06	30	1.04	475
94636	201 238	< 1	1.16	0.4	10	130	< 0.5	< 2	1.05	< 0.5	21	32	46	4.36	< 10	< 1	0.06	30	0.81	809
94637	201 238	< 1	0.83	0.6	20	150	< 0.5	< 2	0.77	0.5	16	25	34	2.99	< 10	< 1	0.08	40	0.40	227

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED

9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : P53
Comments:

Page No. -B
Tot. Pag
Date ..8-JUN-87
Invoice # :I-8715752
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90941	201 238	< 1	< 0.01	45	150	14	< 5	< 10	20	0.07	< 10	< 10	71	< 5	54
90942	201 238	< 1	0.01	323	220	8	< 5	< 10	16	0.07	< 10	< 10	62	< 5	72
90943	201 238	< 1	0.01	288	310	10	< 5	< 10	24	0.08	< 10	< 10	56	< 5	44
90944	201 238	< 1	0.01	1740	300	16	10	10	60	0.04	10	< 10	48	5	48
90945	201 238	< 1	0.01	1735	790	12	5	10	34	0.06	10	< 10	54	5	66
90946	201 238	< 1	0.02	236	230	12	5	< 10	46	0.09	< 10	< 10	66	< 5	56
90947	201 238	< 1	0.01	110	120	10	5	< 10	33	0.09	< 10	< 10	66	< 5	44
90948	201 238	< 1	0.01	205	80	8	< 5	< 10	29	0.08	< 10	< 10	71	< 5	48
90949	201 238	< 1	0.01	248	190	8	< 5	< 10	35	0.08	< 10	< 10	72	< 5	48
90950	201 238	< 1	0.01	116	120	6	< 5	< 10	25	0.08	< 10	< 10	56	< 5	36
90951	201 238	< 1	0.01	863	460	10	5	10	35	0.08	10	< 10	62	< 5	64
90953	217 238	< 1	< 0.01	1285	220	6	5	30	34	0.02	20	< 10	28	10	22
94610	201 238	< 1	< 0.01	32	470	2	< 5	< 10	36	0.01	< 10	< 10	51	< 5	62
94611	201 238	< 1	< 0.01	18	480	8	< 5	< 10	21	0.01	< 10	< 10	80	< 5	66
94612	201 238	< 1	< 0.01	22	430	4	5	< 10	30	0.01	< 10	< 10	86	< 5	62
94613	201 238	< 1	< 0.01	178	840	8	< 5	< 10	49	0.04	< 10	< 10	77	< 5	76
94614	201 238	< 1	0.01	31	370	2	< 5	< 10	28	0.05	10	< 10	77	< 5	60
94615	201 238	< 1	< 0.01	28	250	6	5	< 10	20	0.04	< 10	< 10	85	< 5	62
94616	201 238	< 1	0.01	99	820	14	< 5	< 10	37	0.06	< 10	< 10	83	< 5	82
94617	201 238	< 1	< 0.01	32	180	6	< 5	< 10	24	0.05	< 10	< 10	68	< 5	70
94618	201 238	< 1	< 0.01	17	120	4	< 5	< 10	16	0.05	< 10	< 10	50	< 5	40
94619	201 238	< 1	< 0.01	43	210	4	< 5	< 10	18	0.02	< 10	< 10	52	< 5	62
94620	201 238	< 1	< 0.01	69	130	8	< 5	< 10	19	0.05	< 10	< 10	80	< 5	66
94621	201 238	< 1	< 0.01	89	260	6	5	< 10	22	0.02	< 10	< 10	81	< 5	58
94622	201 238	1	< 0.01	110	180	6	5	< 10	34	0.01	< 10	< 10	61	< 5	80
94623	201 238	< 1	0.01	68	160	< 2	5	< 10	30	0.05	< 10	< 10	67	< 5	82
94624	201 238	< 1	< 0.01	26	430	12	< 5	< 10	16	0.02	< 10	< 10	60	< 5	70
94625	201 238	< 1	< 0.01	17	270	< 2	< 5	< 10	8	0.01	< 10	< 10	51	< 5	66
94626	201 238	< 1	< 0.01	112	220	22	< 5	< 10	14	0.04	< 10	< 10	81	< 5	74
94627	201 238	< 1	< 0.01	53	220	10	5	< 10	18	0.05	< 10	< 10	71	< 5	64
94628	201 238	< 1	0.01	48	210	12	< 5	< 10	19	0.03	< 10	< 10	46	< 5	64
94629	201 238	1	< 0.01	147	720	20	< 5	< 10	43	< 0.01	< 10	< 10	35	< 5	180
94630	201 238	< 1	< 0.01	133	520	10	< 5	< 10	24	0.01	< 10	< 10	55	< 5	82
94631	201 238	2	< 0.01	36	980	16	5	< 10	49	< 0.01	< 10	< 10	21	< 5	122
94632	201 238	2	< 0.01	44	930	22	< 5	< 10	39	< 0.01	< 10	< 10	38	< 5	130
94633	201 238	4	< 0.01	52	1060	16	< 5	< 10	37	< 0.01	< 10	< 10	36	< 5	124
94634	201 238	2	< 0.01	43	790	16	< 5	< 10	31	< 0.01	< 10	< 10	27	< 5	122
94635	201 238	2	< 0.01	62	840	12	5	< 10	48	< 0.01	< 10	< 10	30	< 5	90
94636	201 238	2	0.01	50	630	16	5	< 10	50	< 0.01	< 10	< 10	22	< 5	96
94637	201 238	1	0.01	37	850	10	5	< 10	51	< 0.01	< 10	< 10	21	< 5	94

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -A
Tot. Page
Date 5-JUN-87
Invoice # I-8715752
P.O. # NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94638	201 238	5	0.55	0.4	15	150	< 0.5	< 2	0.74	0.5	14	21	39	2.85	< 10	< 1	0.07	40	0.21	291
94639	201 238	4	0.49	0.4	10	150	< 0.5	< 2	0.54	< 0.5	14	17	39	2.67	< 10	< 1	0.07	50	0.16	159
94640	201 238	2	0.47	0.2	5	140	< 0.5	< 2	0.55	< 0.5	16	17	33	3.06	< 10	< 1	0.06	50	0.17	193
94641	201 238	< 1	0.52	0.2	10	190	< 0.5	< 2	0.68	< 0.5	18	19	36	3.14	< 10	< 1	0.06	40	0.17	368
94642	201 238	2	0.47	0.2	15	160	< 0.5	< 2	0.78	< 0.5	13	22	30	3.08	< 10	< 1	0.05	50	0.23	203
94643	201 238	5	0.47	0.6	10	160	< 0.5	< 2	0.37	< 0.5	17	21	35	3.45	< 10	< 1	0.05	50	0.16	203
94644	201 238	10	0.83	1.4	15	350	< 0.5	< 2	0.94	1.0	13	23	69	2.57	< 10	< 1	0.10	20	0.49	322
94645	201 238	25	0.72	1.6	10	270	< 0.5	< 2	0.47	1.0	14	19	60	2.47	< 10	< 1	0.09	30	0.33	193
94646	201 238	9	0.58	1.0	10	280	< 0.5	< 2	0.54	< 0.5	16	15	38	2.90	< 10	< 1	0.08	30	0.21	439
94647	201 238	< 1	2.01	0.4	10	310	< 0.5	2	0.46	< 0.5	18	28	57	3.97	< 10	< 1	0.12	20	0.78	500
94648	201 238	< 1	1.27	0.2	5	170	< 0.5	< 2	0.95	< 0.5	18	19	57	3.46	< 10	< 1	0.11	30	0.59	411
94649	201 238	< 1	1.05	0.2	15	250	< 0.5	< 2	1.51	< 0.5	17	72	59	3.17	< 10	< 1	0.15	20	0.61	376
94650	201 238	< 1	1.36	0.4	5	400	< 0.5	2	0.88	< 0.5	16	61	70	3.26	< 10	< 1	0.19	20	0.67	407
94651	201 238	14	1.87	0.2	< 5	340	< 0.5	2	0.90	< 0.5	49	278	29	3.22	< 10	< 1	0.09	20	2.22	749
94652	201 238	< 1	0.89	0.2	20	260	< 0.5	6	0.63	< 0.5	27	117	45	3.48	< 10	< 1	0.12	30	0.99	473
94653	201 238	1	1.79	0.2	< 5	350	< 0.5	6	0.57	0.5	32	214	29	3.15	< 10	1	0.10	20	1.87	413
94654	201 238	< 1	1.39	0.2	< 5	340	< 0.5	< 2	0.48	0.5	15	64	25	2.43	< 10	< 1	0.06	20	0.73	276
94655	201 238	< 1	1.76	0.2	5	530	< 0.5	< 2	0.69	< 0.5	16	64	27	2.48	< 10	< 1	0.05	20	0.74	482
94656	201 238	1	1.60	0.2	< 5	500	< 0.5	2	0.69	0.5	16	55	21	2.45	< 10	< 1	0.06	20	0.69	444
94657	201 238	5	1.71	0.2	10	440	< 0.5	< 2	0.54	< 0.5	24	107	27	2.70	< 10	1	0.06	20	1.04	406
94658	201 238	< 1	1.62	0.2	20	330	< 0.5	6	0.84	< 0.5	35	250	27	3.09	< 10	1	0.05	20	1.75	468
94661	201 238	< 1	1.45	0.2	10	310	< 0.5	2	0.60	< 0.5	18	22	56	3.21	< 10	< 1	0.07	20	0.70	539
94662	201 238	8	0.91	0.4	5	260	< 0.5	< 2	0.45	0.5	19	53	35	3.27	< 10	< 1	0.06	30	0.49	388
94663	201 238	4	1.22	0.2	< 5	270	< 0.5	4	0.34	0.5	29	101	29	3.17	< 10	< 1	0.08	30	0.80	491
94664	201 238	34	1.32	0.4	10	280	< 0.5	4	0.50	< 0.5	18	99	34	2.89	< 10	1	0.07	20	0.88	314
94665	201 238	330	0.47	2.2	30	210	< 0.5	2	1.14	< 0.5	19	16	53	3.20	< 10	< 1	0.08	40	0.25	372
94666	201 238	10	1.15	0.4	20	230	< 0.5	2	1.55	< 0.5	14	52	33	2.21	< 10	< 1	0.10	20	0.87	300
94667	201 238	9	0.89	0.8	15	440	< 0.5	< 2	0.51	1.0	27	122	61	3.21	< 10	< 1	0.09	30	0.98	910
94668	201 238	2	1.26	0.6	< 5	450	< 0.5	2	0.77	1.5	17	71	40	2.39	< 10	< 1	0.07	20	0.70	600
94669	201 238	< 1	1.76	0.2	10	420	0.5	4	0.54	0.5	16	47	16	2.49	< 10	1	0.08	20	0.58	409
94670	201 238	4	0.74	0.8	15	480	< 0.5	2	0.63	1.5	19	19	79	2.89	< 10	< 1	0.13	30	0.27	730
94671	201 238	2	0.50	1.0	15	490	< 0.5	4	0.58	2.0	19	12	92	3.49	< 10	< 1	0.10	20	0.13	856
94673	201 238	3	1.19	0.8	< 5	370	< 0.5	< 2	0.72	2.0	19	33	78	3.23	< 10	< 1	0.08	30	0.29	1020
94674	201 238	4	0.80	0.6	< 5	280	< 0.5	< 2	0.28	0.5	16	13	52	2.77	< 10	< 1	0.15	30	0.09	416
94675	201 238	4	0.59	1.2	20	320	< 0.5	2	0.23	2.0	30	13	127	5.05	< 10	< 1	0.10	30	0.08	1305
94676	201 238	< 1	0.73	0.6	10	250	< 0.5	2	0.25	0.5	15	11	49	2.54	< 10	1	0.08	20	0.12	559
94677	201 238	2	1.42	0.4	15	370	< 0.5	2	0.27	< 0.5	15	23	29	2.45	< 10	< 1	0.08	20	0.31	544
94678	201 238	< 1	1.09	0.2	< 5	310	< 0.5	2	0.14	< 0.5	12	18	22	2.65	< 10	1	0.06	40	0.21	193
94679	201 238	6	1.08	0.2	< 5	250	< 0.5	2	0.13	0.5	13	18	21	2.47	< 10	< 1	0.05	30	0.19	297
94680	201 238	3	1.43	0.2	< 5	390	< 0.5	2	0.28	< 0.5	12	24	27	1.96	< 10	< 1	0.08	20	0.33	305

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -B
Tot. Page
Date -JUN-87
Invoice # I-8715752
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94638	201 238	< 1	0.01	37	690	14	< 5	< 10	54	< 0.01	< 10	< 10	18	< 5	82
94639	201 238	< 1	0.01	32	720	4	< 5	< 10	54	< 0.01	< 10	< 10	15	< 5	62
94640	201 238	< 1	0.01	36	750	12	< 5	< 10	52	< 0.01	< 10	< 10	15	< 5	66
94641	201 238	< 1	0.01	41	690	12	5	10	55	< 0.01	< 10	< 10	15	< 5	64
94642	201 238	< 1	0.01	41	590	2	5	< 10	53	< 0.01	< 10	< 10	16	< 5	62
94643	201 238	< 1	< 0.01	39	540	10	< 5	< 10	45	0.01	< 10	< 10	19	< 5	72
94644	201 238	6	0.01	54	590	16	< 5	< 10	60	0.02	< 10	< 10	38	< 5	136
94645	201 238	3	0.01	41	430	8	5	< 10	55	0.01	< 10	< 10	32	< 5	104
94646	201 238	1	0.01	33	320	10	< 5	< 10	52	< 0.01	< 10	< 10	18	< 5	64
94647	201 238	< 1	< 0.01	23	220	4	< 5	< 10	31	< 0.01	< 10	< 10	61	< 5	60
94648	201 238	< 1	< 0.01	25	740	< 2	< 5	< 10	43	< 0.01	< 10	< 10	42	< 5	62
94649	201 238	1	< 0.01	67	740	6	5	< 10	54	< 0.01	< 10	< 10	47	< 5	60
94650	201 238	< 1	< 0.01	52	490	10	< 5	< 10	43	0.02	< 10	< 10	57	< 5	52
94651	201 238	< 1	0.01	610	230	12	< 5	< 10	36	0.07	< 10	< 10	53	< 5	36
94652	201 238	< 1	0.01	260	450	8	5	< 10	46	< 0.01	< 10	< 10	34	< 5	60
94653	201 238	< 1	0.01	393	180	< 2	< 5	< 10	33	0.08	< 10	< 10	59	< 5	54
94654	201 238	< 1	0.01	114	170	10	< 5	< 10	29	0.06	< 10	< 10	47	< 5	42
94655	201 238	< 1	0.01	126	120	10	< 5	< 10	39	0.07	< 10	< 10	53	< 5	38
94656	201 238	< 1	0.01	76	180	12	< 5	< 10	34	0.06	< 10	< 10	50	< 5	42
94657	201 238	< 1	0.01	197	100	6	< 5	10	30	0.07	< 10	< 10	52	< 5	46
94658	201 238	< 1	0.01	465	280	14	< 5	< 10	40	0.05	< 10	< 10	47	< 5	52
94661	201 238	< 1	< 0.01	32	440	6	< 5	< 10	29	< 0.01	< 10	< 10	41	< 5	60
94662	201 238	1	0.01	113	580	18	< 5	< 10	36	0.01	< 10	< 10	29	< 5	88
94663	201 238	< 1	0.01	242	240	6	5	< 10	38	0.02	< 10	< 10	34	< 5	70
94664	201 238	1	0.01	221	270	8	5	< 10	36	0.03	< 10	< 10	37	< 5	72
94665	201 238	2	< 0.01	60	460	22	< 5	< 10	57	< 0.01	< 10	< 10	13	< 5	128
94666	201 238	3	0.02	61	470	12	< 5	< 10	57	0.05	< 10	< 10	46	< 5	76
94667	201 238	12	0.01	246	570	22	5	10	62	0.01	< 10	< 10	40	< 5	190
94668	201 238	5	0.01	136	320	12	< 5	< 10	42	0.03	< 10	< 10	44	< 5	108
94669	201 238	< 1	0.01	54	180	12	< 5	< 10	30	0.06	< 10	< 10	53	< 5	54
94670	201 238	19	< 0.01	66	720	30	< 5	< 10	63	< 0.01	< 10	< 10	39	< 5	200
94671	201 238	26	< 0.01	60	650	22	5	< 10	49	< 0.01	< 10	< 10	40	< 5	234
94673	201 238	14	0.01	59	640	18	< 5	< 10	38	0.01	< 10	< 10	40	< 5	130
94674	201 238	8	0.01	37	480	16	< 5	< 10	51	< 0.01	< 10	< 10	23	< 5	124
94675	201 238	36	< 0.01	83	800	38	5	< 10	54	< 0.01	< 10	< 10	34	< 5	280
94676	201 238	8	< 0.01	35	520	16	< 5	< 10	24	< 0.01	< 10	< 10	23	< 5	122
94677	201 238	2	0.01	24	360	4	< 5	< 10	28	0.03	< 10	< 10	39	< 5	74
94678	201 238	1	< 0.01	22	270	14	< 5	10	24	0.01	< 10	< 10	26	< 5	62
94679	201 238	2	0.01	23	220	16	< 5	< 10	23	0.01	< 10	< 10	27	< 5	66
94680	201 238	< 1	< 0.01	23	120	6	< 5	< 10	24	0.04	< 10	< 10	35	< 5	54

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To NITED KENO HILL MINES LIMITED

9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : P53
Comments:

Page No. -A
Tot. Pag
Date 8-JUN-87
Invoice # : I-8715752
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94681	201 238	< 1	1.49	< 0.2	< 5	260	< 0.5	< 2	0.26	< 0.5	9	25	13	1.81	< 10	< 1	0.05	20	0.40	136
94682	201 238	3	1.24	0.6	5	510	< 0.5	< 2	0.23	< 0.5	12	28	90	2.64	< 10	< 1	0.11	30	0.18	344
94683	201 238	< 1	1.80	< 0.2	< 5	400	< 0.5	< 2	0.28	< 0.5	11	29	28	1.98	< 10	1	0.06	20	0.39	155
94684	201 238	< 1	2.00	0.2	< 5	500	< 0.5	< 2	0.30	< 0.5	16	42	34	2.57	< 10	1	0.06	20	0.39	349
94685	201 238	8	1.32	< 0.2	20	190	< 0.5	< 2	0.12	< 0.5	9	22	18	1.74	< 10	< 1	0.04	10	0.30	134
94686	201 238	< 1	1.43	< 0.2	5	210	< 0.5	< 2	0.19	< 0.5	15	117	13	2.17	< 10	< 1	0.04	20	0.97	187
94687	201 238	< 1	1.56	< 0.2	< 5	340	< 0.5	< 2	0.23	< 0.5	16	89	20	2.25	< 10	1	0.05	20	0.82	258
94688	201 238	2	1.47	< 0.2	10	310	< 0.5	< 2	0.19	< 0.5	17	132	19	2.23	< 10	< 1	0.04	20	1.25	196
94689	201 238	< 1	1.36	< 0.2	< 5	220	< 0.5	< 2	0.18	< 0.5	15	89	9	1.86	< 10	< 1	0.03	10	0.85	161
94690	201 238	< 1	1.87	< 0.2	< 5	400	< 0.5	< 2	0.19	< 0.5	17	78	9	2.03	< 10	< 1	0.02	10	0.66	799
94691	201 238	< 1	1.45	< 0.2	< 5	230	< 0.5	2	0.14	0.5	34	226	7	2.42	< 10	< 1	< 0.01	10	1.60	1040
94692	201 238	< 1	1.52	< 0.2	< 5	260	< 0.5	< 2	0.17	< 0.5	17	100	10	2.06	< 10	< 1	0.02	10	0.94	323
94693	201 238	< 1	1.90	< 0.2	10	290	< 0.5	< 2	0.13	0.5	18	636	26	2.20	< 10	< 1	< 0.01	10	1.54	283
94694	201 238	< 1	1.36	< 0.2	15	380	< 0.5	< 2	0.12	0.5	18	102	57	2.75	< 10	< 1	0.04	10	0.46	277
94695	201 238	< 1	1.51	< 0.2	10	230	< 0.5	< 2	0.07	< 0.5	9	29	32	2.21	< 10	< 1	0.03	10	0.24	112
94696	201 238	< 1	1.16	< 0.2	25	370	< 0.5	< 2	0.09	0.5	12	22	39	2.29	< 10	< 1	0.06	10	0.20	218
94697	201 238	3	1.20	< 0.2	340	440	< 0.5	< 2	0.07	1.0	12	24	45	2.60	< 10	< 1	0.05	10	0.17	400
94698	201 238	< 1	1.03	0.4	35	260	< 0.5	< 2	0.07	0.5	11	52	48	2.09	< 10	< 1	0.05	10	0.14	121
94699	201 238	< 1	2.00	< 0.2	< 5	710	< 0.5	< 2	0.34	0.5	16	104	25	2.79	< 10	< 1	0.19	10	0.84	258
94700	201 238	< 1	1.73	< 0.2	< 5	480	< 0.5	< 2	0.52	0.5	18	58	37	3.62	< 10	< 1	0.18	20	0.50	584
94701	201 238	3	1.80	< 0.2	< 5	360	< 0.5	< 2	0.33	< 0.5	25	152	20	2.72	< 10	1	0.08	20	1.27	332
94702	201 238	< 1	1.50	< 0.2	10	280	0.5	< 2	0.34	< 0.5	18	70	19	2.35	< 10	< 1	0.06	20	0.55	278
94703	201 238	2	1.88	< 0.2	15	330	< 0.5	< 2	0.34	< 0.5	85	464	17	3.39	< 10	< 1	0.02	10	2.42	881
94704	201 238	< 1	1.62	< 0.2	20	260	< 0.5	2	0.35	< 0.5	56	543	15	3.33	< 10	< 1	0.02	10	2.20	499
94705	201 238	< 1	2.12	< 0.2	20	360	< 0.5	2	0.50	< 0.5	93	755	29	4.50	< 10	< 1	0.05	10	2.81	1065
94706	201 238	< 1	1.78	0.2	10	300	< 0.5	4	0.80	0.5	93	732	24	4.17	< 10	< 1	0.02	10	3.30	1095
94707	201 238	6	2.01	< 0.2	5	270	< 0.5	< 2	0.42	0.5	74	621	17	4.08	< 10	< 1	0.01	10	2.25	793
94708	201 238	2	1.37	< 0.2	15	210	< 0.5	2	0.63	< 0.5	94	937	18	3.95	< 10	< 1	< 0.01	10	2.94	1055
94709	201 238	5	1.38	< 0.2	25	180	< 0.5	2	0.82	< 0.5	57	481	36	3.32	< 10	< 1	0.04	20	3.25	610
94710	201 238	4	1.38	< 0.2	5	330	< 0.5	2	1.84	0.5	30	181	27	2.66	< 10	< 1	0.07	10	1.71	416
94711	201 238	< 1	1.49	< 0.2	10	320	0.5	4	0.60	< 0.5	29	162	24	2.77	< 10	< 1	0.06	20	1.36	351
94712	201 238	2	1.53	< 0.2	10	350	< 0.5	< 2	0.48	< 0.5	45	200	23	3.15	< 10	< 1	0.08	20	1.58	647
94713	201 238	2	1.51	< 0.2	15	270	< 0.5	< 2	0.47	< 0.5	66	438	21	3.57	< 10	< 1	0.06	10	2.75	635

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To 'ITED KENO HILL MINES LIMITED
BLACK ST.
WHITEHORSE, YUKON
YIA 2N2
Project : P53
Comments:

CERTIFICATE OF ANALYSIS A8715752

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94681	201 238	< 1	0.01	13	150	< 2	< 5	< 10	20	0.07	< 10	< 10	42	< 5	36
94682	201 238	2	< 0.01	63	230	12	< 5	< 10	27	0.01	< 10	< 10	27	< 5	138
94683	201 238	1	0.01	26	90	12	< 5	< 10	23	0.07	< 10	< 10	45	< 5	48
94684	201 238	2	0.01	37	140	18	< 5	< 10	33	0.06	< 10	< 10	51	< 5	74
94685	201 238	< 1	< 0.01	18	100	14	< 5	< 10	18	0.05	< 10	< 10	32	< 5	36
94686	201 238	< 1	0.01	137	100	6	< 5	< 10	21	0.06	< 10	< 10	41	< 5	44
94687	201 238	< 1	0.01	129	130	10	< 5	< 10	20	0.06	< 10	< 10	45	< 5	40
94688	201 238	< 1	0.01	200	70	8	< 5	< 10	18	0.07	< 10	< 10	43	< 5	38
94689	201 238	< 1	< 0.01	81	50	18	< 5	20	17	0.06	< 10	< 10	43	< 5	36
94690	201 238	< 1	0.01	90	70	6	< 5	< 10	18	0.10	< 10	< 10	54	< 5	48
94691	201 238	< 1	< 0.01	210	180	8	< 5	< 10	13	0.06	< 10	< 10	46	< 5	50
94692	201 238	< 1	< 0.01	125	70	4	< 5	< 10	16	0.08	< 10	< 10	47	< 5	40
94693	201 238	< 1	< 0.01	231	60	12	< 5	< 10	11	0.04	< 10	< 10	58	< 5	42
94694	201 238	1	< 0.01	146	140	22	< 5	< 10	14	0.04	< 10	< 10	40	< 5	118
94695	201 238	1	< 0.01	32	150	6	< 5	< 10	11	0.04	< 10	< 10	42	< 5	50
94696	201 238	2	< 0.01	37	160	20	< 5	< 10	11	0.02	< 10	< 10	38	< 5	116
94697	201 238	< 1	< 0.01	36	210	20	< 5	< 10	10	0.02	< 10	< 10	38	< 5	84
94698	201 238	2	< 0.01	115	280	18	< 5	< 10	12	0.01	< 10	< 10	71	< 5	164
94699	201 238	< 1	< 0.01	72	180	16	< 5	< 10	24	0.04	< 10	< 10	65	< 5	64
94700	201 238	< 1	< 0.01	64	360	20	< 5	< 10	20	0.03	< 10	< 10	56	< 5	82
94701	201 238	< 1	0.01	193	180	16	5	< 10	21	0.06	< 10	< 10	50	< 5	44
94702	201 238	< 1	0.01	134	70	10	< 5	< 10	22	0.06	< 10	< 10	44	< 5	34
94703	201 238	< 1	0.01	1020	210	20	< 5	< 10	23	0.06	< 10	< 10	49	< 5	58
94704	201 238	< 1	< 0.01	780	200	4	5	< 10	22	0.04	< 10	< 10	43	< 5	34
94705	201 238	< 1	0.01	1300	310	20	5	< 10	28	0.05	< 10	< 10	61	5	66
94706	201 238	< 1	0.01	1470	500	10	5	20	38	0.04	< 10	< 10	45	5	64
94707	201 238	< 1	0.01	938	110	14	5	< 10	23	0.04	< 10	< 10	52	< 5	50
94708	201 238	< 1	0.01	1445	280	20	< 5	30	29	0.03	10	< 10	39	5	48
94709	201 238	< 1	0.01	1160	670	16	5	30	39	0.04	< 10	< 10	42	< 5	58
94710	201 238	< 1	0.01	463	480	6	< 5	< 10	56	0.05	< 10	< 10	42	< 5	62
94711	201 238	< 1	0.01	454	450	8	< 5	< 10	33	0.05	< 10	< 10	43	< 5	54
94712	201 238	< 1	0.01	508	270	14	< 5	< 10	29	0.07	< 10	< 10	46	< 5	56
94713	201 238	< 1	0.01	846	230	6	< 5	< 10	30	0.05	< 10	< 10	44	< 5	54

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T /NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/G
Comments:

Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90601	201 238	6	0.86	1.4	15	430	< 0.5	< 2	2.00	4.5	12	86	59	1.72	< 10	< 1	0.12	10	0.47	314
90602	201 238	2	1.88	0.4	5	500	< 0.5	< 2	0.47	1.0	15	49	36	3.11	< 10	< 1	0.14	10	0.46	497
90603	201 238	5	1.52	0.4	10	470	< 0.5	< 2	0.87	< 0.5	13	122	37	2.91	< 10	< 1	0.18	30	0.76	746
90604	201 238	4	1.30	0.6	10	240	0.5	< 2	1.59	0.5	9	69	39	2.26	< 10	< 1	0.09	20	0.55	391
90605	201 238	4	1.42	0.6	< 5	210	< 0.5	< 2	1.53	1.0	12	37	82	3.10	< 10	< 1	0.09	20	0.85	517
90606	201 238	3	1.24	0.8	15	230	< 0.5	< 2	1.81	1.0	13	96	54	2.95	< 10	< 1	0.08	10	0.77	592
90607	201 238	6	0.52	1.4	40	190	< 0.5	< 2	1.76	2.0	11	17	87	2.64	< 10	< 1	0.08	10	0.41	438
90608	217 238	< 1	0.31	< 0.2	< 5	400	< 0.5	< 2	3.77	3.0	5	39	19	0.60	< 10	< 1	0.06	< 10	0.48	243
90609	201 238	2	1.30	0.4	40	270	< 0.5	< 2	2.83	2.0	19	178	57	2.41	< 10	< 1	0.06	< 10	0.72	422
90610	201 238	4	1.40	0.6	< 5	280	< 0.5	< 2	2.00	1.5	16	97	56	3.14	< 10	< 1	0.11	10	0.89	434
90615	201 238	< 1	2.82	< 0.2	5	240	< 0.5	< 2	0.22	< 0.5	16	23	66	4.43	< 10	< 1	0.06	< 10	1.39	612
90616	201 238	< 1	2.70	< 0.2	5	660	< 0.5	< 2	0.32	< 0.5	16	27	51	3.63	< 10	< 1	0.07	10	1.03	1360
90617	201 238	2	2.52	< 0.2	15	430	0.5	2	0.58	< 0.5	41	667	67	5.19	< 10	< 1	0.04	20	0.58	763
90618	201 238	< 1	2.52	< 0.2	5	250	< 0.5	< 2	0.37	< 0.5	23	274	84	4.86	< 10	< 1	0.07	10	1.07	1010
90619	201 238	< 1	2.34	< 0.2	< 5	530	0.5	< 2	0.47	< 0.5	19	97	27	3.64	< 10	< 1	0.12	20	0.47	910
90620	201 238	< 1	2.28	< 0.2	5	470	1.0	< 2	0.49	< 0.5	22	300	27	4.42	< 10	< 1	0.17	20	0.63	693
90621	201 238	< 1	2.39	< 0.2	10	460	0.5	< 2	0.52	< 0.5	18	108	16	3.29	< 10	< 1	0.21	20	0.80	999
90622	201 238	< 1	2.32	< 0.2	15	520	0.5	< 2	1.02	< 0.5	26	235	46	4.66	< 10	< 1	0.20	20	0.80	791
90623	201 238	2	1.80	< 0.2	< 5	310	0.5	< 2	0.49	< 0.5	16	93	28	3.26	< 10	< 1	0.19	20	0.61	601
90624	201 238	2	1.76	< 0.2	5	320	0.5	< 2	3.73	< 0.5	21	155	51	3.22	< 10	< 1	0.15	< 10	1.48	682
90625	201 238	< 1	2.08	< 0.2	< 5	510	0.5	< 2	0.51	< 0.5	14	65	25	3.24	< 10	< 1	0.11	20	0.56	681
90626	201 238	4	1.45	< 0.2	5	400	0.5	< 2	0.35	< 0.5	15	57	52	3.78	< 10	< 1	0.16	20	0.43	573
90627	201 238	4	1.52	< 0.2	20	330	0.5	< 2	1.23	< 0.5	18	81	36	3.34	< 10	< 1	0.17	20	0.65	583
90628	201 238	2	1.86	0.2	20	380	< 0.5	< 2	1.94	< 0.5	21	62	44	4.39	< 10	< 1	0.23	30	1.13	440
90629	201 238	2	1.61	0.2	15	350	< 0.5	< 2	0.59	< 0.5	22	69	43	4.20	< 10	< 1	0.25	30	0.86	502
90630	201 238	3	1.48	< 0.2	30	380	< 0.5	< 2	0.43	< 0.5	22	135	30	3.11	< 10	< 1	0.17	20	1.01	431
90631	201 238	1	1.77	< 0.2	< 5	380	< 0.5	< 2	0.33	< 0.5	10	15	38	2.77	< 10	< 1	0.09	10	0.68	420
90632	201 238	< 1	2.28	< 0.2	5	420	0.5	< 2	0.28	< 0.5	14	25	35	3.20	< 10	< 1	0.09	10	0.87	712
90633	201 238	3	1.86	< 0.2	< 5	290	< 0.5	< 2	0.32	< 0.5	10	21	27	2.80	< 10	< 1	0.09	10	0.76	382
90634	201 238	4	2.14	< 0.2	10	330	0.5	< 2	1.52	< 0.5	26	268	80	4.79	< 10	< 1	0.08	20	0.89	910
90635	201 238	2	2.30	< 0.2	< 5	440	0.5	< 2	1.23	< 0.5	18	115	72	3.94	< 10	< 1	0.11	20	0.99	666
90636	201 238	2	2.21	< 0.2	15	450	0.5	< 2	0.94	< 0.5	21	216	34	3.94	< 10	< 1	0.13	20	0.60	929
90637	201 238	2	2.07	< 0.2	< 5	410	< 0.5	< 2	0.99	< 0.5	16	69	58	3.64	< 10	< 1	0.14	20	0.88	671
90638	201 238	2	1.85	< 0.2	< 5	520	< 0.5	< 2	0.94	< 0.5	12	30	59	2.98	< 10	< 1	0.15	20	0.68	694
90639	201 238	< 1	2.13	< 0.2	< 5	510	0.5	< 2	0.53	< 0.5	15	31	52	3.41	< 10	< 1	0.16	20	0.79	726
90640	201 238	3	2.17	< 0.2	20	230	< 0.5	< 2	0.33	< 0.5	15	21	54	3.83	< 10	< 1	0.34	10	1.19	542
90641	201 238	7	1.72	< 0.2	5	270	< 0.5	< 2	0.39	< 0.5	17	36	68	4.18	< 10	< 1	0.15	20	0.93	789
90642	201 238	23	1.27	< 0.2	5	280	< 0.5	< 2	0.81	< 0.5	16	25	81	3.67	< 10	< 1	0.14	20	0.64	736
90643	201 238	< 1	1.53	< 0.2	5	330	< 0.5	< 2	0.52	< 0.5	15	27	62	3.78	< 10	< 1	0.17	20	0.58	812
90644	201 238	< 1	2.02	< 0.2	5	520	0.5	< 2	0.90	< 0.5	17	101	42	4.06	< 10	< 1	0.27	20	0.50	806

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/G
Comments:

Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90601	201	238	2	0.01	111	960	12	< 5	20	96	< 0.01	< 10	< 10	25	< 5	178
90602	201	238	< 1	0.01	55	500	16	< 5	20	38	0.02	< 10	< 10	58	< 5	151
90603	201	238	< 1	0.01	89	660	8	< 5	20	30	0.01	< 10	< 10	38	< 5	84
90604	201	238	< 1	0.01	46	720	10	< 5	< 10	52	0.01	< 10	< 10	36	< 5	77
90605	201	238	< 1	< 0.01	50	920	2	< 5	20	35	< 0.01	< 10	< 10	43	< 5	101
90606	201	238	< 1	< 0.01	67	850	8	< 5	20	50	0.01	< 10	< 10	47	< 5	97
90607	201	238	6	< 0.01	62	900	6	< 5	< 10	67	< 0.01	< 10	< 10	19	< 5	338
90608	217	238	< 1	0.01	32	970	2	< 5	< 10	93	< 0.01	< 10	< 10	12	< 5	136
90609	201	238	< 1	0.01	204	830	16	< 5	10	91	0.02	< 10	< 10	44	< 5	146
90610	201	238	< 1	< 0.01	111	1090	18	< 5	30	53	0.01	< 10	< 10	48	< 5	114
90615	201	238	< 1	< 0.01	16	280	2	< 5	20	19	0.01	< 10	< 10	52	< 5	74
90616	201	238	< 1	< 0.01	18	260	2	< 5	20	17	0.01	< 10	< 10	62	< 5	78
90617	201	238	< 1	0.01	256	450	12	< 5	20	20	0.04	< 10	< 10	98	< 5	149
90618	201	238	< 1	< 0.01	111	410	< 2	< 5	10	12	0.01	< 10	< 10	88	< 5	107
90619	201	238	< 1	0.01	67	230	14	< 5	< 10	25	0.08	< 10	< 10	73	< 5	69
90620	201	238	< 1	0.01	119	340	8	< 5	10	17	0.05	< 10	< 10	86	< 5	84
90621	201	238	< 1	0.01	61	840	12	< 5	10	20	0.06	< 10	< 10	68	< 5	82
90622	201	238	< 1	< 0.01	152	1100	8	< 5	10	21	0.02	< 10	< 10	80	< 5	94
90623	201	238	< 1	0.01	64	340	12	< 5	< 10	21	0.04	< 10	< 10	62	< 5	50
90624	201	238	< 1	0.01	115	1170	12	< 5	10	83	< 0.01	< 10	< 10	61	< 5	57
90625	201	238	< 1	0.01	47	180	14	< 5	< 10	27	0.07	< 10	< 10	64	< 5	56
90626	201	238	< 1	< 0.01	68	420	2	< 5	< 10	15	0.04	< 10	< 10	55	< 5	77
90627	201	238	< 1	0.01	82	960	6	< 5	20	36	0.03	< 10	< 10	55	< 5	76
90628	201	238	< 1	0.01	68	1110	6	< 5	10	48	0.04	< 10	< 10	62	< 5	84
90629	201	238	< 1	< 0.01	88	730	8	< 5	20	31	0.03	< 10	< 10	59	< 5	78
90630	201	238	< 1	0.01	181	290	12	< 5	20	27	0.04	< 10	< 10	50	< 5	63
90631	201	238	< 1	< 0.01	11	280	8	< 5	10	24	0.04	< 10	< 10	49	< 5	44
90632	201	238	1	< 0.01	16	140	4	< 5	10	21	0.03	< 10	< 10	55	< 5	55
90633	201	238	< 1	< 0.01	11	110	4	< 5	10	21	0.13	< 10	< 10	54	< 5	51
90634	201	238	< 1	0.01	117	610	6	< 5	20	25	0.02	< 10	< 10	79	< 5	111
90635	201	238	< 1	< 0.01	61	510	2	< 5	20	27	0.02	< 10	< 10	67	< 5	78
90636	201	238	< 1	0.01	84	440	8	< 5	20	29	0.05	< 10	< 10	72	< 5	72
90637	201	238	< 1	0.01	43	680	4	< 5	10	27	0.03	< 10	< 10	67	< 5	68
90638	201	238	< 1	< 0.01	29	600	4	< 5	< 10	31	0.02	< 10	< 10	55	< 5	52
90639	201	238	< 1	0.01	25	330	< 2	< 5	10	23	0.03	< 10	< 10	63	< 5	57
90640	201	238	< 1	< 0.01	17	410	< 2	< 5	< 10	14	0.01	< 10	< 10	60	< 5	58
90641	201	238	< 1	< 0.01	37	580	8	< 5	10	15	< 0.01	< 10	< 10	51	< 5	66
90642	201	238	< 1	< 0.01	29	750	6	< 5	10	25	< 0.01	< 10	< 10	46	< 5	57
90643	201	238	< 1	< 0.01	26	550	6	< 5	10	21	< 0.01	< 10	< 10	50	< 5	55
90644	201	238	< 1	0.01	56	520	10	< 5	20	35	0.02	< 10	< 10	68	< 5	57

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/G
Comments:

Page No. :-A
Tot. Pag
Date :14-JUL-87
Invoice # :I-8716370
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90645	201	238	5	1.67	0.2	15	360	0.5	< 2	2.17	< 0.5	15	70	37	3.44	< 10	< 1	0.17	20	0.49	487
90646	201	238	2	2.37	< 0.2	5	410	1.0	< 2	0.70	< 0.5	20	129	32	4.22	< 10	< 1	0.21	20	0.84	667
90648	201	238	2	1.30	< 0.2	30	340	0.5	< 2	1.00	< 0.5	93	855	18	4.57	< 10	< 1	0.07	10	2.64	1165
90650	201	238	2	2.88	0.2	15	490	0.5	< 2	0.63	< 0.5	46	571	27	4.28	10	< 1	0.31	20	1.68	697
90651	201	238	< 1	2.59	< 0.2	< 5	260	< 0.5	2	0.26	< 0.5	18	32	58	4.34	< 10	< 1	0.19	10	1.23	742
90652	201	238	< 1	2.45	< 0.2	15	430	0.5	< 2	0.48	< 0.5	16	33	39	3.70	< 10	< 1	0.24	20	1.00	737
90653	201	238	< 1	2.67	0.2	10	530	0.5	2	0.56	< 0.5	16	37	54	3.85	10	< 1	0.27	20	1.01	724
90654	201	238	< 1	2.05	< 0.2	5	360	< 0.5	< 2	0.55	< 0.5	16	46	59	3.69	< 10	< 1	0.18	20	0.83	608
90655	201	238	3	2.27	< 0.2	15	360	< 0.5	2	0.58	< 0.5	18	50	62	4.17	< 10	< 1	0.18	20	0.99	818
90656	201	238	2	1.98	< 0.2	< 5	400	0.5	< 2	0.51	0.5	16	45	51	3.63	< 10	< 1	0.19	10	0.71	657
90657	201	238	2	2.38	< 0.2	< 5	440	< 0.5	< 2	0.62	< 0.5	15	22	83	3.76	< 10	< 1	0.14	20	1.18	681
90658	201	238	4	2.30	< 0.2	20	490	0.5	< 2	0.96	< 0.5	20	140	74	4.26	10	< 1	0.11	20	0.88	757
90659	201	238	1	2.21	< 0.2	10	280	< 0.5	< 2	0.48	< 0.5	14	21	59	3.53	< 10	< 1	0.14	10	1.10	556
90660	201	238	< 1	2.96	< 0.2	5	750	< 0.5	< 2	0.32	< 0.5	15	28	53	4.07	< 10	< 1	0.05	10	1.11	515
90661	201	238	3	2.80	< 0.2	< 5	350	< 0.5	< 2	0.29	< 0.5	14	30	70	4.08	< 10	< 1	0.05	10	1.33	443
90662	201	238	< 1	1.68	< 0.2	10	300	< 0.5	< 2	0.34	0.5	11	148	18	3.40	< 10	< 1	0.08	10	0.62	262
90663	201	238	2	2.60	< 0.2	< 5	330	0.5	< 2	0.55	0.5	21	201	42	4.13	< 10	< 1	0.07	20	1.32	515
90664	201	238	6	2.32	< 0.2	15	410	0.5	< 2	0.52	< 0.5	15	160	24	3.47	< 10	< 1	0.08	20	0.58	417
90665	201	238	4	2.38	< 0.2	20	630	0.5	< 2	1.18	0.5	25	473	59	3.93	10	< 1	0.06	20	0.72	682
90666	201	238	1	1.98	< 0.2	20	240	< 0.5	2	0.70	< 0.5	16	23	82	4.16	< 10	< 1	0.15	10	0.85	654
90667	201	238	2	2.37	< 0.2	15	450	< 0.5	< 2	0.54	< 0.5	16	31	64	4.14	< 10	< 1	0.13	10	0.93	551
90668	201	238	11	2.15	< 0.2	10	470	0.5	2	0.47	< 0.5	16	28	60	3.95	< 10	< 1	0.11	20	0.80	565
90669	201	238	< 1	2.49	< 0.2	10	380	< 0.5	< 2	0.43	< 0.5	17	25	53	4.02	< 10	< 1	0.13	10	1.19	715
90670	201	238	2	2.43	< 0.2	15	270	< 0.5	< 2	0.22	< 0.5	15	30	81	4.28	< 10	< 1	0.08	20	1.37	618
90671	201	238	< 1	2.09	< 0.2	5	260	< 0.5	< 2	0.54	< 0.5	16	21	77	3.79	< 10	< 1	0.17	10	1.16	625
90672	201	238	< 1	2.14	< 0.2	< 5	520	< 0.5	< 2	0.71	0.5	14	30	62	3.56	< 10	< 1	0.16	10	0.99	799
90677	201	238	4	1.98	< 0.2	100	480	0.5	< 2	2.44	< 0.5	60	539	35	4.71	10	< 1	0.13	20	1.61	868
90680	201	238	3	1.68	0.2	60	450	0.5	< 2	3.81	0.5	24	155	34	2.92	10	< 1	0.17	10	1.55	660
90681	201	238	3	1.79	0.2	40	250	< 0.5	< 2	1.74	< 0.5	32	170	105	4.40	10	< 1	0.24	20	1.21	702
90682	201	238	2	2.44	< 0.2	15	290	< 0.5	< 2	0.58	< 0.5	24	100	104	4.33	< 10	< 1	0.10	20	1.53	749
90683	201	238	3	1.68	0.2	20	340	< 0.5	< 2	0.87	< 0.5	16	27	71	3.72	10	< 1	0.17	20	0.70	632
90684	201	238	19	2.47	0.4	5	350	< 0.5	2	1.52	< 0.5	16	27	77	3.93	10	< 1	0.12	20	1.18	671
90685	201	238	2	2.79	0.2	15	360	< 0.5	< 2	0.46	< 0.5	19	27	104	4.70	10	< 1	0.12	20	1.47	720
90686	201	238	3	2.40	< 0.2	10	350	< 0.5	< 2	0.54	< 0.5	16	31	67	3.86	< 10	< 1	0.14	20	1.11	626
90687	201	238	5	2.10	< 0.2	< 5	490	< 0.5	< 2	0.54	0.5	17	76	63	3.92	< 10	< 1	0.15	20	0.68	796
90688	201	238	< 1	2.43	< 0.2	10	510	0.5	< 2	1.13	0.5	23	333	41	4.58	10	< 1	0.09	20	0.62	800
90689	201	238	< 1	2.22	< 0.2	5	290	< 0.5	2	0.68	< 0.5	15	60	71	3.93	< 10	< 1	0.15	20	1.05	517
90690	201	238	4	2.95	0.2	< 5	330	< 0.5	6	0.54	< 0.5	21	30	170	4.95	10	< 1	0.14	20	1.44	740
90691	201	238	< 1	2.10	< 0.2	10	340	< 0.5	< 2	1.24	< 0.5	16	94	40	3.49	10	< 1	0.11	20	0.90	449
90692	201	238	1	2.21	< 0.2	10	350	0.5	< 2	0.69	0.5	17	141	30	3.62	< 10	< 1	0.08	20	1.10	615

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T INITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90645	201 238	< 1	0.01	66	420	4	< 5	< 10	39	0.04	< 10	< 10	60	< 5	60
90646	201 238	< 1	< 0.01	82	660	16	< 5	20	24	0.02	< 10	< 10	82	< 5	74
90648	201 238	< 1	0.01	749	560	8	< 5	10	56	0.03	< 10	< 10	31	< 5	70
90650	201 238	< 1	0.01	524	330	10	< 5	< 10	37	0.05	< 10	< 10	70	< 5	51
90651	201 238	< 1	< 0.01	20	320	10	< 5	< 10	12	0.01	< 10	< 10	80	< 5	73
90652	201 238	< 1	0.01	22	300	8	< 5	< 10	25	0.05	< 10	< 10	72	< 5	57
90653	201 238	< 1	0.01	25	260	16	< 5	< 10	30	0.06	< 10	< 10	76	< 5	64
90654	201 238	< 1	< 0.01	33	480	8	< 5	< 10	19	0.02	< 10	< 10	67	< 5	58
90655	201 238	< 1	< 0.01	29	420	4	< 5	< 10	20	0.01	< 10	< 10	79	< 5	68
90656	201 238	< 1	< 0.01	25	640	10	< 5	< 10	21	< 0.01	< 10	< 10	65	< 5	61
90657	201 238	< 1	< 0.01	17	590	4	< 5	< 10	17	0.01	< 10	< 10	63	< 5	63
90658	201 238	< 1	< 0.01	60	440	2	< 5	< 10	22	0.02	< 10	< 10	74	< 5	81
90659	201 238	< 1	< 0.01	14	720	10	< 5	< 10	23	0.01	< 10	< 10	55	< 5	61
90660	201 238	< 1	< 0.01	15	300	6	< 5	< 10	16	0.01	< 10	< 10	77	< 5	65
90661	201 238	< 1	< 0.01	20	350	2	< 5	< 10	16	0.01	< 10	< 10	65	< 5	68
90662	201 238	< 1	0.01	45	400	8	< 5	< 10	18	0.07	< 10	< 10	95	< 5	59
90663	201 238	< 1	< 0.01	86	560	8	< 5	< 10	17	0.06	< 10	< 10	117	< 5	80
90664	201 238	< 1	0.01	63	210	14	< 5	< 10	20	0.06	< 10	< 10	81	< 5	62
90665	201 238	< 1	0.01	147	440	6	5	< 10	37	0.07	< 10	< 10	94	< 5	89
90666	201 238	< 1	< 0.01	20	870	2	< 5	< 10	20	< 0.01	< 10	< 10	63	< 5	68
90667	201 238	< 1	< 0.01	23	390	4	< 5	< 10	19	0.01	< 10	< 10	71	< 5	67
90668	201 238	< 1	< 0.01	21	370	10	< 5	< 10	17	0.01	< 10	< 10	74	< 5	59
90669	201 238	< 1	< 0.01	18	510	8	< 5	< 10	22	0.01	< 10	< 10	63	< 5	67
90670	201 238	< 1	< 0.01	17	280	2	< 5	< 10	11	0.01	< 10	< 10	64	< 5	79
90671	201 238	< 1	< 0.01	16	540	4	< 5	< 10	23	0.01	< 10	< 10	64	< 5	62
90672	201 238	< 1	< 0.01	21	540	12	< 5	< 10	24	0.01	< 10	< 10	65	< 5	55
90677	201 238	< 1	0.01	613	630	10	< 5	< 10	93	0.01	< 10	< 10	69	< 5	44
90680	201 238	< 1	0.01	203	690	8	< 5	< 10	72	0.05	< 10	< 10	52	< 5	70
90681	201 238	< 1	< 0.01	213	1170	12	< 5	< 10	39	< 0.01	< 10	< 10	57	< 5	65
90682	201 238	< 1	< 0.01	126	590	2	< 5	< 10	23	0.01	< 10	< 10	60	< 5	67
90683	201 238	< 1	< 0.01	22	700	6	< 5	< 10	31	0.01	< 10	< 10	58	< 5	58
90684	201 238	< 1	< 0.01	18	550	4	< 5	< 10	40	0.01	< 10	< 10	67	< 5	63
90685	201 238	< 1	< 0.01	19	620	8	< 5	< 10	17	< 0.01	< 10	< 10	69	< 5	76
90686	201 238	< 1	< 0.01	24	650	2	< 5	< 10	19	0.01	< 10	< 10	66	< 5	65
90687	201 238	< 1	< 0.01	41	310	6	< 5	< 10	20	0.02	< 10	< 10	67	< 5	66
90688	201 238	< 1	0.01	121	430	12	< 5	< 10	31	0.04	< 10	< 10	86	< 5	87
90689	201 238	< 1	< 0.01	37	580	2	< 5	< 10	25	0.02	< 10	< 10	63	< 5	73
90690	201 238	< 1	< 0.01	26	790	8	< 5	< 10	19	< 0.01	< 10	< 10	68	< 5	85
90691	201 238	< 1	< 0.01	61	660	< 2	< 5	< 10	24	0.03	< 10	< 10	63	< 5	70
90692	201 238	< 1	< 0.01	76	610	12	< 5	< 10	18	0.04	< 10	< 10	69	< 5	85

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

709 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : P-53
Comments:

Date 17-JUL-87
Invoice : I-8716663
P.O. # NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94826	201 238	7	1.30	< 0.2	20	370	0.5	< 2	0.35	< 0.5	8	21	45	2.50	< 10	< 1	0.09	20	0.30	335
94827	201 238	7	0.86	< 0.2	70	400	1.0	< 2	0.25	1.0	25	12	97	4.30	< 10	< 1	0.13	20	0.12	1170
94828	201 238	6	0.95	0.6	20	290	0.5	< 2	0.19	< 0.5	7	15	49	3.46	< 10	< 1	0.11	20	0.19	390
94829	201 238	4	1.30	< 0.2	5	260	0.5	< 2	0.27	< 0.5	7	23	24	2.22	< 10	< 1	0.10	20	0.33	185
94830	201 238	4	1.33	< 0.2	10	280	0.5	< 2	0.24	< 0.5	8	22	22	2.06	< 10	< 1	0.08	20	0.30	180
94831	201 238	3	1.40	< 0.2	10	250	1.0	< 2	0.23	< 0.5	7	21	24	2.38	< 10	< 1	0.08	20	0.30	180
94832	201 238	< 1	1.41	< 0.2	15	260	0.5	< 2	0.27	< 0.5	7	22	14	2.07	< 10	< 1	0.07	20	0.35	158
94833	201 238	< 1	1.60	< 0.2	5	300	0.5	< 2	0.29	< 0.5	7	25	18	2.04	< 10	< 1	0.08	20	0.36	239
94834	201 238	2	1.48	< 0.2	40	280	2.0	< 2	0.12	< 0.5	7	16	33	2.46	< 10	< 1	0.10	30	0.15	126
94835	201 238	4	1.64	< 0.2	5	300	< 0.5	< 2	0.31	< 0.5	7	23	12	1.97	< 10	< 1	0.09	20	0.31	183
94836	201 238	6	1.64	< 0.2	10	320	< 0.5	< 2	0.29	< 0.5	7	27	17	2.24	< 10	< 1	0.08	20	0.42	175
94837	201 238	< 1	1.67	< 0.2	5	290	< 0.5	< 2	0.28	< 0.5	7	27	15	2.13	< 10	< 1	0.08	20	0.37	146
94838	201 238	3	1.60	< 0.2	10	280	< 0.5	< 2	0.23	< 0.5	7	27	20	2.10	< 10	< 1	0.06	20	0.36	122
94839	201 238	66	1.50	< 0.2	5	260	< 0.5	< 2	0.27	< 0.5	8	25	15	2.08	< 10	< 1	0.07	20	0.35	150
94841	201 238	4	1.46	< 0.2	5	240	< 0.5	< 2	0.25	< 0.5	7	24	14	1.88	< 10	< 1	0.05	20	0.32	147
94842	201 238	3	1.83	< 0.2	5	450	< 0.5	< 2	0.35	< 0.5	7	28	21	2.35	< 10	< 1	0.08	20	0.38	251
94843	201 238	5	1.84	< 0.2	5	370	0.5	< 2	0.37	< 0.5	7	28	23	2.47	< 10	< 1	0.08	20	0.38	251
94844	201 238	4	1.67	< 0.2	15	290	0.5	< 2	0.34	< 0.5	7	26	24	2.53	< 10	< 1	0.11	20	0.35	315
94848	201 238	9	1.65	< 0.2	15	270	0.5	< 2	0.41	< 0.5	7	25	23	2.32	< 10	< 1	0.12	30	0.35	355
94849	201 238	3	1.66	< 0.2	< 5	330	< 0.5	< 2	0.38	< 0.5	7	27	13	2.19	< 10	< 1	0.13	20	0.40	209
94850	201 238	17	1.49	< 0.2	< 5	350	< 0.5	< 2	0.36	< 0.5	6	25	10	1.87	< 10	< 1	0.11	20	0.38	151
94854	201 238	6	1.51	< 0.2	15	300	< 0.5	< 2	0.36	< 0.5	7	24	13	1.94	< 10	< 1	0.09	20	0.37	209
94855	201 238	3	1.36	< 0.2	5	270	< 0.5	< 2	0.32	< 0.5	7	22	11	1.83	< 10	< 1	0.08	20	0.32	200
94856	201 238	4	1.29	< 0.2	< 5	270	< 0.5	< 2	0.33	< 0.5	7	22	11	1.81	< 10	< 1	0.07	30	0.29	194
94857	201 238	4	1.59	< 0.2	5	250	< 0.5	< 2	0.33	< 0.5	7	25	12	2.01	< 10	< 1	0.10	20	0.37	163

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Date : 17-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94826	201 238	7	< 0.01	30	430	16	< 5	< 10	32	0.04	< 10	< 10	43	< 5	107
94827	201 238	33	< 0.01	70	1010	20	< 5	< 10	41	< 0.01	< 10	< 10	49	< 5	309
94828	201 238	12	< 0.01	34	570	20	< 5	< 10	46	0.02	< 10	< 10	38	< 5	238
94829	201 238	2	< 0.01	21	250	12	< 5	< 10	26	0.06	< 10	< 10	42	< 5	69
94830	201 238	2	< 0.01	16	240	12	< 5	< 10	24	0.06	< 10	< 10	45	< 5	65
94831	201 238	3	< 0.01	20	270	14	< 5	< 10	24	0.05	< 10	< 10	44	< 5	88
94832	201 238	2	< 0.01	13	220	14	< 5	< 10	23	0.07	< 10	< 10	48	< 5	56
94833	201 238	1	0.01	16	160	10	< 5	< 10	26	0.09	< 10	< 10	48	< 5	52
94834	201 238	5	< 0.01	20	230	26	< 5	< 10	15	0.01	< 10	< 10	37	< 5	120
94835	201 238	< 1	0.01	13	190	16	< 5	< 10	26	0.09	< 10	< 10	46	< 5	52
94836	201 238	< 1	0.01	17	300	6	< 5	< 10	26	0.09	< 10	< 10	48	< 5	42
94837	201 238	1	< 0.01	14	230	10	< 5	< 10	26	0.09	< 10	< 10	50	< 5	43
94838	201 238	< 1	< 0.01	16	190	4	< 5	< 10	23	0.08	< 10	< 10	44	< 5	38
94839	201 238	< 1	< 0.01	16	210	12	< 5	< 10	24	0.08	< 10	< 10	46	< 5	39
94841	201 238	< 1	0.01	14	220	14	< 5	< 10	21	0.08	< 10	< 10	42	< 5	36
94842	201 238	1	0.01	17	290	6	< 5	< 10	32	0.09	< 10	< 10	52	< 5	47
94843	201 238	< 1	0.01	20	330	2	< 5	< 10	31	0.08	< 10	< 10	52	< 5	64
94844	201 238	1	0.01	22	420	14	< 5	< 10	33	0.08	< 10	< 10	49	< 5	71
94848	201 238	2	0.01	22	450	10	< 5	< 10	33	0.08	< 10	< 10	48	< 5	69
94849	201 238	1	0.01	16	580	8	< 5	< 10	32	0.09	< 10	< 10	52	< 5	62
94850	201 238	1	0.01	12	530	6	< 5	< 10	31	0.09	< 10	< 10	46	< 5	54
94854	201 238	< 1	0.01	14	390	12	< 5	< 10	31	0.08	< 10	< 10	44	< 5	48
94855	201 238	< 1	0.01	12	460	8	< 5	< 10	28	0.08	< 10	< 10	41	< 5	49
94856	201 238	< 1	0.01	9	430	8	< 5	< 10	28	0.08	< 10	< 10	42	< 5	43
94857	201 238	1	0.01	14	430	10	< 5	< 10	29	0.09	< 10	< 10	48	< 5	56

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T 'NITED KENO HILL MINES LIMITED
59 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90774	201 238	2	0.25	0.4	5	200	< 0.5	< 2	3.49	1.0	4	4	27	0.45	< 10	< 1	0.03	< 10	0.40	347
90775	201 238	9	0.56	0.4	20	170	0.5	< 2	0.21	0.5	8	8	62	2.28	< 10	< 1	0.11	20	0.11	391
90776	201 238	5	0.66	1.0	5	730	2.0	< 2	2.20	1.0	5	4	26	0.89	< 10	< 1	0.05	10	0.19	355
90777	201 238	3	1.63	1.8	35	570	4.5	< 2	0.88	0.5	5	14	35	3.38	< 10	< 1	0.15	50	0.17	311
90778	201 238	8	1.70	0.4	55	310	4.0	< 2	0.25	0.5	6	17	57	3.81	< 10	< 1	0.22	30	0.18	303
90779	201 238	3	1.91	0.2	15	420	< 0.5	< 2	0.46	< 0.5	6	31	22	2.63	< 10	< 1	0.16	30	0.47	453
90780	201 238	3	2.04	0.2	5	520	< 0.5	< 2	0.48	< 0.5	11	26	10	2.34	< 10	< 1	0.12	20	0.36	803
90781	201 238	< 1	2.73	0.2	< 5	480	< 0.5	< 2	0.40	< 0.5	13	33	9	2.59	< 10	< 1	0.07	20	0.38	557
90782	201 238	1	1.77	0.2	< 5	240	< 0.5	< 2	0.25	< 0.5	7	20	6	1.85	< 10	< 1	0.06	20	0.29	172
90783	201 238	3	1.95	0.2	5	230	< 0.5	< 2	0.18	< 0.5	7	25	8	2.09	< 10	< 1	0.07	20	0.26	156
90784	201 238	1	1.65	0.2	10	340	< 0.5	< 2	0.22	< 0.5	7	22	8	1.93	< 10	< 1	0.05	20	0.28	336
90785	201 238	4	1.61	0.2	10	280	< 0.5	< 2	0.27	< 0.5	7	27	21	2.25	< 10	< 1	0.09	20	0.42	166
90786	201 238	< 1	1.59	0.2	5	290	< 0.5	< 2	0.25	< 0.5	7	23	8	2.06	< 10	< 1	0.09	20	0.36	303
90787	201 238	3	1.47	0.2	5	280	< 0.5	< 2	0.24	< 0.5	7	23	14	2.00	< 10	< 1	0.07	20	0.37	257
90788	201 238	< 1	1.96	0.4	20	290	< 0.5	< 2	0.27	< 0.5	6	30	16	2.36	< 10	< 1	0.08	20	0.43	162
90789	201 238	< 1	1.96	0.2	5	300	< 0.5	< 2	0.26	< 0.5	6	29	15	2.42	< 10	< 1	0.09	20	0.40	175
90790	201 238	< 1	2.09	0.2	5	360	< 0.5	< 2	0.31	< 0.5	6	30	14	2.34	< 10	< 1	0.10	20	0.38	156
94801	201 238	< 1	1.62	0.2	< 5	230	< 0.5	< 2	0.27	< 0.5	7	25	15	2.08	< 10	< 1	0.10	20	0.36	158
94802	201 238	< 1	1.82	0.2	5	350	< 0.5	2	0.35	< 0.5	7	30	25	2.44	< 10	< 1	0.12	20	0.42	296
94803	201 238	7	1.83	0.2	5	430	< 0.5	< 2	0.38	< 0.5	7	31	22	2.38	< 10	< 1	0.11	20	0.42	227
94804	201 238	< 1	1.84	0.2	10	390	< 0.5	< 2	0.33	< 0.5	7	29	17	2.33	< 10	< 1	0.09	20	0.42	213
94805	201 238	1	2.43	0.2	10	410	< 0.5	< 2	0.36	< 0.5	9	35	25	2.83	< 10	< 1	0.13	20	0.43	286
94806	201 238	2	1.77	0.2	5	350	< 0.5	< 2	0.29	< 0.5	7	29	18	2.42	< 10	< 1	0.09	20	0.42	273
94807	201 238	4	1.90	0.2	< 5	380	< 0.5	< 2	0.32	< 0.5	7	29	26	2.58	< 10	< 1	0.09	20	0.43	248
94808	201 238	2	1.66	0.2	10	280	< 0.5	< 2	0.30	< 0.5	7	25	17	2.05	< 10	< 1	0.08	20	0.39	149
94809	201 238	2	1.73	0.2	10	320	< 0.5	< 2	0.29	< 0.5	7	27	16	2.33	< 10	< 1	0.08	20	0.40	188
94810	201 238	2	1.64	0.2	< 5	280	< 0.5	< 2	0.24	< 0.5	6	25	11	2.11	< 10	< 1	0.07	20	0.35	159
94811	201 238	< 1	2.45	0.2	< 5	380	< 0.5	< 2	0.24	< 0.5	7	31	22	2.58	< 10	< 1	0.09	20	0.38	336
94812	201 238	1	2.24	0.2	< 5	370	< 0.5	< 2	0.22	0.5	7	27	5	2.29	< 10	< 1	0.08	10	0.33	577
94813	201 238	< 1	2.02	0.2	5	540	0.5	< 2	0.39	< 0.5	13	29	13	2.52	< 10	< 1	0.07	30	0.37	1255
94814	201 238	< 1	1.90	0.2	15	490	< 0.5	< 2	0.44	< 0.5	7	30	13	2.45	< 10	< 1	0.09	20	0.39	461
94815	201 238	< 1	2.36	0.2	< 5	510	0.5	< 2	0.49	< 0.5	7	32	12	2.62	< 10	< 1	0.08	20	0.37	500
94816	201 238	2	3.23	0.8	50	420	8.0	< 2	0.81	1.5	6	28	45	3.37	< 10	< 1	0.14	90	0.33	1610
94817	201 238	2	0.25	0.2	5	160	0.5	< 2	2.92	0.5	< 1	5	19	0.52	< 10	< 1	0.02	< 10	0.37	49
94818	201 238	6	1.63	0.2	15	330	1.5	< 2	0.66	0.5	7	23	32	2.36	< 10	< 1	0.10	40	0.41	265
94819	201 238	2	1.44	0.2	15	260	1.0	< 2	0.41	0.5	7	20	44	2.89	< 10	< 1	0.11	30	0.30	280
94821	201 238	9	0.38	1.2	80	290	0.5	< 2	0.68	4.5	24	6	114	4.40	< 10	< 1	0.08	20	0.14	5110
94823	201 238	7	0.71	0.2	5	410	< 0.5	2	1.94	16.5	10	12	42	1.41	< 10	1	0.08	10	0.35	>10000
94824	201 238	4	1.03	1.4	60	430	1.0	< 2	0.70	2.5	18	15	99	3.78	< 10	< 1	0.14	30	0.19	1130
94825	201 238	5	0.86	0.6	55	340	0.5	< 2	0.32	2.5	19	13	81	3.91	< 10	< 1	0.13	30	0.14	1115

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To NITED KENO HILL MINES LIMITED
39 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90774	201 238	2	0.01	20	1000	2	< 5	< 10	115	< 0.01	10	< 10	6	< 5	45
90775	201 238	12	0.01	38	640	26	< 5	< 10	36	< 0.01	< 10	< 10	19	< 5	213
90776	201 238	5	0.01	20	980	10	< 5	< 10	152	< 0.01	< 10	< 10	12	< 5	64
90777	201 238	18	0.01	27	680	34	< 5	< 10	77	< 0.01	< 10	< 10	38	< 5	314
90778	201 238	6	0.01	25	440	40	< 5	< 10	40	0.01	< 10	< 10	47	< 5	352
90779	201 238	< 1	0.01	22	290	14	< 5	< 10	35	0.10	< 10	< 10	61	< 5	78
90780	201 238	1	0.01	19	220	20	< 5	< 10	32	0.10	< 10	< 10	57	< 5	89
90781	201 238	< 1	0.01	20	130	20	< 5	< 10	30	0.12	< 10	< 10	73	< 5	108
90782	201 238	< 1	0.01	11	90	28	< 5	< 10	23	0.08	< 10	< 10	46	< 5	109
90783	201 238	< 1	0.01	17	160	14	< 5	< 10	20	0.09	< 10	< 10	53	< 5	95
90784	201 238	< 1	0.01	14	120	8	< 5	< 10	22	0.10	< 10	< 10	54	< 5	62
90785	201 238	< 1	< 0.01	18	200	6	< 5	< 10	25	0.08	< 10	< 10	47	< 5	41
90786	201 238	< 1	< 0.01	14	280	4	< 5	< 10	24	0.08	< 10	< 10	51	< 5	41
90787	201 238	< 1	0.01	18	250	10	< 5	< 10	22	0.08	< 10	< 10	45	< 5	39
90788	201 238	< 1	0.01	17	160	8	< 5	< 10	24	0.09	< 10	< 10	54	< 5	46
90789	201 238	< 1	0.01	17	160	6	< 5	< 10	25	0.09	< 10	< 10	56	< 5	44
90790	201 238	< 1	0.01	17	160	4	< 5	< 10	28	0.10	< 10	< 10	61	< 5	47
94801	201 238	< 1	0.01	18	190	6	< 5	< 10	24	0.10	< 10	< 10	53	< 5	45
94802	201 238	1	0.01	22	330	4	< 5	< 10	32	0.10	< 10	< 10	55	< 5	51
94803	201 238	2	0.01	20	350	8	< 5	< 10	33	0.09	< 10	< 10	54	< 5	43
94804	201 238	< 1	0.01	19	350	4	< 5	< 10	30	0.09	< 10	< 10	53	< 5	44
94805	201 238	< 1	0.01	25	250	10	< 5	< 10	34	0.09	< 10	< 10	63	< 5	56
94806	201 238	1	0.01	19	210	12	< 5	< 10	28	0.09	< 10	< 10	51	< 5	50
94807	201 238	< 1	0.01	19	250	14	< 5	< 10	29	0.09	< 10	< 10	51	< 5	47
94808	201 238	< 1	0.01	14	340	6	< 5	< 10	28	0.08	< 10	< 10	48	< 5	43
94809	201 238	1	0.01	15	360	8	< 5	< 10	26	0.08	< 10	< 10	51	< 5	51
94810	201 238	< 1	0.01	17	220	14	< 5	< 10	22	0.09	< 10	< 10	51	< 5	55
94811	201 238	< 1	< 0.01	25	150	18	< 5	< 10	23	0.08	< 10	< 10	56	< 5	77
94812	201 238	1	0.01	16	470	16	< 5	< 10	19	0.08	< 10	< 10	51	< 5	237
94813	201 238	< 1	0.01	24	200	10	< 5	< 10	34	0.07	< 10	< 10	53	< 5	98
94814	201 238	< 1	0.01	21	170	10	< 5	< 10	34	0.08	< 10	< 10	56	< 5	67
94815	201 238	< 1	0.01	19	170	20	< 5	< 10	36	0.09	< 10	< 10	63	< 5	121
94816	201 238	2	0.02	29	500	68	< 5	< 10	62	0.05	< 10	< 10	49	< 5	478
94817	201 238	< 1	0.01	9	620	10	< 5	< 10	160	< 0.01	< 10	10	5	< 5	89
94818	201 238	1	0.01	21	360	38	< 5	< 10	53	0.07	< 10	< 10	44	< 5	146
94819	201 238	3	0.01	34	400	30	< 5	< 10	43	0.05	< 10	< 10	41	< 5	191
94821	201 238	38	0.01	81	1180	20	5	< 10	55	< 0.01	< 10	< 10	30	< 5	342
94823	201 238	15	0.02	71	620	18	< 5	20	86	0.01	< 10	< 10	18	< 5	123
94824	201 238	24	< 0.01	58	1090	18	5	< 10	60	0.01	< 10	< 10	47	< 5	250
94825	201 238	27	< 0.01	57	910	18	< 5	< 10	42	< 0.01	< 10	< 10	48	< 5	267

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/G
Comments:

Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90996	201 238	4	1.12	< 0.2	15	230	< 0.5	2	1.78	1.0	12	36	54	2.87	< 10	< 1	0.08	20	0.86	424

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To JITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Page No. -B
Tot. Page
Date -JUL-87
Invoice # I-8716370
P.O. # NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90996	201	238	2	< 0.01	48	910	18	< 5	< 10	66	< 0.01	< 10	< 10	29	5	112

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Page No. -A
Tot. Pag
Date +-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90825	201 238	4	1.81	< 0.2	15	630	< 0.5	< 2	0.33	0.5	16	48	61	3.37	< 10	< 1	0.19	20	0.48	301
90864	201 238	9	2.57	< 0.2	5	390	< 0.5	< 2	0.29	< 0.5	17	25	82	3.95	< 10	< 1	0.07	20	1.10	863
90865	201 238	11	2.79	< 0.2	< 5	420	< 0.5	< 2	0.25	0.5	16	35	43	3.41	< 10	< 1	0.08	20	0.80	403
90866	201 238	< 1	2.61	< 0.2	< 5	500	< 0.5	< 2	0.25	0.5	14	76	19	3.07	< 10	< 1	0.06	10	0.41	296
90867	201 238	< 1	2.27	0.4	15	710	< 0.5	< 2	0.50	< 0.5	37	43	41	7.55	< 10	< 1	0.14	30	0.34	1425
90868	201 238	< 1	2.17	< 0.2	15	690	< 0.5	< 2	0.40	0.5	19	43	25	4.43	< 10	< 1	0.24	20	0.33	918
90869	201 238	< 1	2.21	< 0.2	30	540	< 0.5	< 2	0.37	0.5	26	85	40	4.75	< 10	< 1	0.30	20	0.76	1585
90870	201 238	< 1	2.91	< 0.2	40	520	< 0.5	< 2	0.43	0.5	41	203	52	7.01	< 10	< 1	0.18	30	1.32	1495
90871	201 238	< 1	1.99	0.2	20	550	< 0.5	< 2	0.39	< 0.5	17	53	19	2.93	< 10	< 1	0.25	20	0.40	763
90872	201 238	6	1.50	< 0.2	30	370	< 0.5	< 2	0.44	< 0.5	13	40	22	2.64	< 10	< 1	0.16	20	0.46	261
90873	201 238	1	1.71	< 0.2	< 5	340	< 0.5	2	0.31	< 0.5	44	449	23	3.66	< 10	< 1	0.07	20	1.99	536
90874	201 238	< 1	2.04	< 0.2	5	500	< 0.5	< 2	0.40	< 0.5	33	148	12	2.75	< 10	< 1	0.06	20	1.05	773
90875	201 238	< 1	2.17	< 0.2	< 5	460	< 0.5	< 2	0.36	< 0.5	21	119	11	2.70	< 10	< 1	0.05	20	0.79	588
90876	201 238	4	2.06	< 0.2	5	530	< 0.5	< 2	0.44	< 0.5	40	167	17	2.84	< 10	< 1	0.06	20	1.34	816
90877	201 238	4	2.09	< 0.2	< 5	450	< 0.5	4	0.42	< 0.5	52	216	22	3.20	< 10	< 1	0.06	20	1.64	768
90878	201 238	6	2.17	< 0.2	10	290	< 0.5	< 2	0.40	< 0.5	48	271	17	3.33	< 10	< 1	0.13	20	2.09	343
90879	201 238	2	1.99	< 0.2	< 5	380	< 0.5	< 2	0.51	< 0.5	39	179	20	2.99	< 10	< 1	0.13	20	1.25	622
90880	201 238	< 1	3.03	< 0.2	< 5	510	< 0.5	2	0.24	< 0.5	18	34	71	4.33	< 10	< 1	0.10	20	1.16	777
90881	201 238	3	2.78	< 0.2	< 5	520	< 0.5	< 2	0.27	< 0.5	17	27	59	3.85	< 10	< 1	0.11	10	0.98	591
90882	201 238	3	2.15	< 0.2	10	390	< 0.5	4	0.38	< 0.5	56	998	109	8.03	< 10	< 1	0.03	20	0.26	1290
90883	201 238	2	2.34	< 0.2	< 5	380	< 0.5	< 2	0.26	< 0.5	15	87	18	2.97	< 10	< 1	0.09	10	0.67	302
90884	201 238	8	2.55	< 0.2	< 5	480	< 0.5	< 2	0.43	< 0.5	17	85	18	3.30	< 10	< 1	0.09	20	0.60	688
90885	201 238	2	2.75	< 0.2	< 5	290	< 0.5	2	0.36	< 0.5	29	143	39	5.04	< 10	< 1	0.12	20	1.29	698
90886	201 238	< 1	2.30	< 0.2	< 5	480	< 0.5	< 2	0.62	< 0.5	25	184	30	4.12	< 10	< 1	0.17	20	0.66	785
90887	201 238	< 1	2.25	< 0.2	< 5	370	< 0.5	< 2	2.02	< 0.5	20	123	33	4.00	< 10	< 1	0.32	10	0.77	637
90888	201 238	< 1	2.41	< 0.2	< 5	360	< 0.5	< 2	0.54	< 0.5	19	230	55	4.00	< 10	< 1	0.25	20	0.93	532
90889	201 238	< 1	2.38	< 0.2	< 5	370	< 0.5	< 2	0.43	< 0.5	19	127	21	3.59	< 10	< 1	0.25	10	0.97	470
90890	201 238	< 1	1.87	< 0.2	< 5	440	< 0.5	< 2	0.46	0.5	17	70	23	3.18	< 10	< 1	0.13	20	0.54	582
90891	201 238	2	2.07	< 0.2	< 5	390	< 0.5	< 2	0.98	< 0.5	20	112	34	3.58	< 10	< 1	0.14	20	0.95	542
90892	201 238	< 1	1.47	< 0.2	20	450	< 0.5	< 2	0.34	< 0.5	20	106	32	3.25	< 10	< 1	0.19	20	0.84	382
90893	201 238	< 1	1.65	< 0.2	15	500	< 0.5	2	0.43	0.5	29	222	38	3.62	< 10	< 1	0.15	20	1.11	658
90894	201 238	< 1	1.76	< 0.2	5	380	< 0.5	< 2	0.34	< 0.5	15	55	21	2.52	< 10	< 1	0.17	10	0.55	334
90895	201 238	< 1	1.80	< 0.2	15	440	< 0.5	< 2	0.56	< 0.5	20	59	31	3.32	< 10	< 1	0.31	20	0.56	540
90989	217 238	< 2	0.67	< 0.2	< 5	200	< 0.5	< 2	2.70	1.5	9	27	46	1.39	< 10	< 1	0.10	< 10	0.53	350
90990	201 238	5	0.50	0.6	30	210	< 0.5	2	3.09	3.0	10	31	63	1.72	< 10	< 1	0.06	< 10	0.57	904
90991	201 238	7	1.16	0.4	10	230	< 0.5	< 2	1.23	0.5	17	48	95	3.68	< 10	< 1	0.20	20	0.63	1785
90992	201 238	< 1	1.42	0.2	15	370	< 0.5	< 2	3.02	0.5	13	112	35	2.54	10	< 1	0.15	20	0.93	444
90993	217 238	4	0.61	< 0.2	< 5	310	< 0.5	< 2	3.49	2.0	7	82	24	1.16	10	< 1	0.11	< 10	0.64	427
90994	201 238	2	1.77	< 0.2	25	420	< 0.5	< 2	0.71	< 0.5	15	79	55	3.90	< 10	< 1	0.09	20	0.69	547
90995	201 238	7	0.69	0.6	25	490	< 0.5	2	2.85	2.0	10	29	73	1.73	< 10	< 1	0.10	10	0.51	404

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To 'ITED KENO HILL MINES LIMITED
...9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Page No. -B
Tot. Page
Date .4-JUL-87
Invoice # :I-8716370
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90825	201 238	2	0.01	78	410	12	< 5	< 10	37	0.02	< 10	< 10	57	< 5	198
90864	201 238	< 1	< 0.01	19	440	10	< 5	< 10	17	0.01	< 10	< 10	61	< 5	70
90865	201 238	< 1	< 0.01	22	120	2	< 5	< 10	18	0.06	< 10	< 10	63	< 5	59
90866	201 238	< 1	< 0.01	43	230	6	< 5	< 10	18	0.07	< 10	< 10	75	< 5	94
90867	201 238	1	< 0.01	87	690	12	< 5	< 10	26	0.02	< 10	< 10	92	< 5	121
90868	201 238	< 1	< 0.01	45	470	6	< 5	< 10	20	0.03	< 10	< 10	62	< 5	84
90869	201 238	< 1	< 0.01	81	540	10	< 5	< 10	24	0.05	< 10	< 10	66	< 5	80
90870	201 238	< 1	0.01	155	560	14	< 5	< 10	27	0.07	< 10	< 10	114	< 5	80
90871	201 238	< 1	0.01	40	310	14	5	< 10	27	0.06	< 10	< 10	57	< 5	52
90872	201 238	1	0.01	33	310	8	5	< 10	31	0.07	< 10	< 10	48	< 5	49
90873	201 238	< 1	0.01	522	250	2	< 5	< 10	23	0.06	< 10	< 10	52	< 5	64
90874	201 238	1	0.01	246	200	6	< 5	< 10	30	0.07	< 10	< 10	55	< 5	45
90875	201 238	< 1	0.01	131	180	16	< 5	< 10	27	0.08	< 10	< 10	58	< 5	43
90876	201 238	< 1	0.01	382	170	6	< 5	< 10	31	0.07	< 10	< 10	56	< 5	42
90877	201 238	1	0.01	551	110	4	< 5	< 10	30	0.07	< 10	< 10	57	< 5	47
90878	201 238	1	0.01	567	150	10	< 5	< 10	29	0.06	< 10	< 10	55	< 5	38
90879	201 238	< 1	0.01	384	150	6	< 5	< 10	34	0.07	< 10	< 10	51	< 5	38
90880	201 238	< 1	< 0.01	23	200	12	< 5	< 10	16	0.02	< 10	< 10	76	< 5	70
90881	201 238	1	< 0.01	19	220	4	< 5	< 10	16	0.02	< 10	< 10	63	< 5	65
90882	201 238	1	0.01	404	480	8	5	< 10	16	0.02	< 10	< 10	138	5	253
90883	201 238	< 1	0.01	40	140	10	< 5	< 10	18	0.07	< 10	< 10	64	< 5	63
90884	201 238	1	0.01	44	190	4	< 5	< 10	23	0.08	< 10	< 10	70	< 5	77
90885	201 238	< 1	< 0.01	149	840	6	< 5	< 10	12	0.03	< 10	< 10	102	< 5	103
90886	201 238	1	< 0.01	156	780	6	< 5	< 10	19	0.01	< 10	< 10	73	< 5	80
90887	201 238	< 1	< 0.01	90	860	2	< 5	< 10	33	0.01	< 10	< 10	64	< 5	74
90888	201 238	< 1	< 0.01	100	1260	< 2	< 5	< 10	20	0.05	< 10	< 10	71	< 5	82
90889	201 238	< 1	0.01	73	970	12	< 5	< 10	18	0.05	< 10	< 10	73	< 5	81
90890	201 238	< 1	0.01	53	240	6	5	< 10	25	0.06	< 10	< 10	59	< 5	62
90891	201 238	< 1	0.01	90	780	2	< 5	< 10	24	0.02	< 10	< 10	66	< 5	77
90892	201 238	< 1	0.01	149	520	10	< 5	< 10	26	0.04	< 10	< 10	46	< 5	71
90893	201 238	< 1	0.01	236	380	10	< 5	< 10	29	0.03	< 10	< 10	54	< 5	71
90894	201 238	< 1	0.01	62	240	8	< 5	< 10	26	0.07	< 10	< 10	50	< 5	51
90895	201 238	1	0.01	62	230	14	< 5	< 10	32	0.06	< 10	< 10	59	< 5	57
90989	217 238	1	< 0.01	24	940	2	5	10	82	< 0.01	< 10	< 10	19	< 5	72
90990	201 238	2	0.01	55	900	8	< 5	< 10	100	< 0.01	< 10	< 10	16	< 5	197
90991	201 238	1	< 0.01	62	820	24	< 5	< 10	45	0.01	< 10	< 10	34	< 5	146
90992	201 238	< 1	0.01	86	1150	10	< 5	< 10	93	0.01	< 10	< 10	41	10	105
90993	217 238	1	0.01	43	780	8	< 5	< 10	83	0.01	< 10	< 10	18	10	73
90994	201 238	1	0.01	77	700	8	< 5	< 10	42	0.01	< 10	< 10	63	5	137
90995	201 238	2	0.01	69	1160	10	< 5	< 10	120	< 0.01	< 10	< 10	22	5	118

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To NITED KENO HILL MINES LIMITED
9 BLACK ST.
wHITEHORSE, YUKON
YIA 2N2
Project : DL/HUN/S/G
Comments:

Page No. -A
Tot. Pag
Date -JUL-87
Invoice # -8716370
P.O. # NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90693	201	238	7	1.86	0.2	5	250	< 0.5	2	0.26	< 0.5	15	42	29	3.63	< 10	< 1	0.21	20	0.79	467
90695	201	238	< 1	1.74	0.2	15	510	< 0.5	2	0.54	0.5	16	63	30	3.21	< 10	< 1	0.17	20	0.60	448
90696	201	238	< 1	1.73	0.2	5	500	< 0.5	4	0.76	< 0.5	15	94	32	2.96	< 10	< 1	0.09	30	0.88	403
90697	201	238	5	1.72	0.2	5	490	< 0.5	2	2.88	1.0	20	195	45	3.53	10	< 1	0.13	20	1.02	615
90698	203	238	7	0.80	1.8	50	260	< 0.5	< 2	0.69	0.5	11	202	64	2.59	< 10	< 1	0.12	10	0.57	285
90699	201	238	1	1.26	0.2	10	260	< 0.5	4	1.55	0.5	15	43	60	3.27	< 10	< 1	0.10	20	0.79	468
90700	201	238	2	1.51	0.2	< 5	410	< 0.5	2	1.99	0.5	15	120	33	2.80	10	< 1	0.07	20	0.65	507
90701	201	238	4	2.30	0.2	5	480	< 0.5	2	1.23	0.5	20	159	39	4.01	< 10	< 1	0.09	20	1.00	802
90702	201	238	5	1.80	0.2	5	340	< 0.5	2	1.45	0.5	18	92	49	3.79	10	< 1	0.15	20	0.79	517
90703	201	238	5	2.34	0.2	10	350	< 0.5	< 2	0.58	< 0.5	19	76	63	3.92	< 10	< 1	0.14	20	1.02	631
90704	201	238	< 1	2.15	0.2	15	280	< 0.5	2	1.26	< 0.5	19	54	72	4.22	10	< 1	0.14	20	1.04	611
90705	201	238	4	1.43	0.2	5	280	< 0.5	< 2	1.65	0.5	13	21	83	3.11	10	< 1	0.14	20	0.80	479
90726	201	238	1	1.25	0.2	10	130	< 0.5	2	1.09	0.5	19	46	45	3.45	< 10	< 1	0.08	20	0.93	523
90727	201	238	4	1.48	0.2	15	190	< 0.5	< 2	0.91	1.0	19	54	51	3.82	< 10	< 1	0.09	30	1.04	454
90728	201	238	23	0.80	2.4	55	290	< 0.5	< 2	0.65	3.0	10	22	112	3.08	< 10	< 1	0.12	10	0.21	351
90729	201	238	23	0.69	1.6	15	190	< 0.5	< 2	1.01	1.0	12	27	74	2.86	< 10	< 1	0.20	20	0.37	1230
90730	201	238	8	0.37	0.8	50	250	< 0.5	< 2	2.12	1.5	15	23	79	2.69	< 10	< 1	0.15	20	0.41	1695
90731	201	238	5	1.47	0.2	< 5	140	< 0.5	2	1.19	0.5	19	160	57	3.85	< 10	< 1	0.12	20	0.90	546
90734	201	238	3	1.20	0.4	15	310	< 0.5	< 2	0.31	< 0.5	7	21	10	2.04	< 10	< 1	0.10	20	0.26	224
90735	201	238	14	0.93	1.6	10	320	< 0.5	< 2	0.56	1.0	12	21	89	2.96	< 10	< 1	0.10	30	0.27	433
90736	201	238	3	0.67	0.6	50	310	< 0.5	< 2	1.04	1.0	10	12	78	2.78	< 10	< 1	0.11	20	0.15	539
90737	201	238	17	1.43	1.0	45	480	< 0.5	< 2	0.67	0.5	11	24	98	3.21	< 10	< 1	0.14	30	0.29	585
90738	201	238	7	0.66	0.4	20	240	< 0.5	< 2	0.25	0.5	14	11	90	4.49	< 10	< 1	0.10	30	0.11	722
90739	201	238	10	0.85	0.8	10	310	< 0.5	< 2	0.26	0.5	11	21	82	2.93	< 10	< 1	0.13	30	0.15	354
90740	201	238	4	2.43	0.4	< 5	650	1.0	< 2	0.58	0.5	15	40	48	3.09	10	< 1	0.14	30	0.42	1040
90741	201	238	3	1.66	0.2	< 5	290	< 0.5	2	0.33	< 0.5	9	28	24	2.40	< 10	< 1	0.11	20	0.41	232
90742	201	238	4	1.07	0.2	5	290	0.5	< 2	0.34	< 0.5	9	21	36	2.65	< 10	< 1	0.12	20	0.25	412
90743	201	238	9	1.24	0.4	5	360	0.5	< 2	0.43	0.5	10	23	39	2.69	< 10	< 1	0.15	40	0.26	391
90744	201	238	4	1.87	0.4	< 5	560	0.5	4	0.66	1.0	13	33	54	3.02	< 10	< 1	0.13	30	0.44	565
90745	201	238	5	1.57	0.2	10	380	0.5	4	0.41	0.5	9	30	36	2.72	< 10	< 1	0.10	20	0.40	310
90746	201	238	4	1.49	0.2	10	360	0.5	< 2	0.38	< 0.5	12	25	24	2.18	< 10	< 1	0.07	20	0.34	468
90747	201	238	5	1.56	0.4	5	530	0.5	< 2	0.51	< 0.5	9	27	28	2.77	< 10	< 1	0.08	20	0.37	320
90748	201	238	5	1.42	0.2	< 5	470	< 0.5	< 2	0.55	1.0	8	24	19	2.06	< 10	< 1	0.09	20	0.35	401
90749	201	238	3	1.18	0.2	15	260	< 0.5	2	0.32	< 0.5	8	21	21	2.24	< 10	< 1	0.07	20	0.29	228
90750	201	238	7	2.10	0.2	20	540	0.5	< 2	0.52	< 0.5	14	35	29	3.13	< 10	< 1	0.12	20	0.47	619
90751	201	238	4	1.58	0.2	10	320	< 0.5	< 2	0.39	< 0.5	6	29	16	2.13	< 10	< 1	0.11	20	0.38	170
90752	201	238	2	1.67	0.2	15	450	0.5	< 2	0.48	0.5	13	29	44	2.95	< 10	< 1	0.13	20	0.40	399
90753	201	238	< 1	2.14	0.2	10	330	1.0	2	0.29	< 0.5	8	35	20	2.54	< 10	< 1	0.11	20	0.39	166
90754	201	238	3	1.83	0.2	15	290	0.5	< 2	0.25	< 0.5	7	28	20	2.28	< 10	< 1	0.10	20	0.31	206
90755	201	238	6	2.19	0.2	10	390	< 0.5	< 2	0.22	< 0.5	13	31	37	2.90	< 10	< 1	0.14	20	0.34	400

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

TO: UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90693	201	238	< 1	< 0.01	36	690	16	< 5	< 10	17	0.08	< 10	< 10	56	< 5	62
90695	201	238	< 1	< 0.01	60	390	12	< 5	< 10	29	0.02	< 10	< 10	51	< 5	126
90696	201	238	< 1	< 0.01	64	430	10	< 5	< 10	27	0.01	< 10	< 10	45	< 5	63
90697	201	238	< 1	< 0.01	130	1280	10	< 5	< 10	53	0.01	< 10	< 10	58	< 5	89
90698	203	238	4	< 0.01	104	940	8	< 5	< 10	48	0.01	< 10	< 10	43	< 5	134
90699	201	238	< 1	< 0.01	40	1010	14	< 5	< 10	36	0.01	< 10	< 10	45	< 5	69
90700	201	238	< 1	< 0.01	75	890	12	< 5	< 10	52	< 0.01	< 10	< 10	45	< 5	58
90701	201	238	< 1	0.01	95	760	12	< 5	< 10	39	0.03	< 10	< 10	71	< 5	81
90702	201	238	< 1	< 0.01	75	820	4	< 5	< 10	42	0.01	< 10	< 10	62	< 5	74
90703	201	238	< 1	< 0.01	62	370	4	< 5	< 10	26	0.02	< 10	< 10	63	< 5	70
90704	201	238	< 1	< 0.01	48	600	18	5	< 10	39	< 0.01	< 10	< 10	61	< 5	67
90705	201	238	< 1	< 0.01	23	960	< 2	< 5	< 10	47	0.01	< 10	< 10	43	< 5	57
90726	201	238	2	< 0.01	53	940	20	< 5	< 10	40	< 0.01	< 10	< 10	29	< 5	123
90727	201	238	1	< 0.01	55	1240	24	< 5	< 10	41	< 0.01	< 10	< 10	39	< 5	155
90728	201	238	6	< 0.01	75	1020	18	< 5	< 10	95	0.01	< 10	< 10	39	< 5	287
90729	201	238	1	< 0.01	57	670	12	< 5	< 10	48	< 0.01	< 10	< 10	24	< 5	161
90730	201	238	3	< 0.01	55	770	30	< 5	< 10	73	< 0.01	< 10	< 10	15	< 5	179
90731	201	238	< 1	< 0.01	106	1230	8	< 5	< 10	35	0.01	< 10	< 10	61	< 5	109
90734	201	238	< 1	< 0.01	24	200	6	< 5	< 10	24	0.03	10	< 10	30	< 5	60
90735	201	238	12	< 0.01	48	550	6	< 5	< 10	34	0.01	10	< 10	50	< 5	134
90736	201	238	13	< 0.01	42	590	34	5	< 10	54	< 0.01	< 10	< 10	30	< 5	217
90737	201	238	13	0.01	54	660	26	< 5	< 10	58	0.01	< 10	< 10	53	< 5	159
90738	201	238	25	< 0.01	49	650	28	< 5	< 10	44	< 0.01	< 10	< 10	34	< 5	218
90739	201	238	11	< 0.01	54	790	10	< 5	< 10	48	< 0.01	< 10	< 10	38	< 5	161
90740	201	238	< 1	0.01	35	450	14	< 5	< 10	41	0.07	< 10	< 10	67	< 5	116
90741	201	238	< 1	0.01	24	300	6	< 5	< 10	28	0.07	< 10	< 10	46	< 5	54
90742	201	238	3	0.01	28	490	4	< 5	< 10	38	0.03	< 10	< 10	36	< 5	97
90743	201	238	2	0.01	32	750	12	< 5	< 10	46	0.03	10	< 10	36	< 5	91
90744	201	238	2	0.01	39	630	14	< 5	10	50	0.05	< 10	< 10	56	< 5	80
90745	201	238	1	0.01	26	460	20	< 5	< 10	32	0.05	< 10	< 10	46	< 5	69
90746	201	238	1	0.01	20	530	6	< 5	< 10	28	0.05	< 10	< 10	41	< 5	56
90747	201	238	2	0.01	24	750	4	< 5	< 10	41	0.05	< 10	< 10	53	< 5	68
90748	201	238	2	0.01	20	780	8	< 5	< 10	46	0.04	< 10	< 10	39	< 5	73
90749	201	238	3	0.01	19	550	6	< 5	< 10	29	0.05	< 10	< 10	41	< 5	67
90750	201	238	1	0.01	28	750	8	< 5	< 10	47	0.05	< 10	< 10	55	< 5	88
90751	201	238	< 1	0.01	17	530	8	< 5	< 10	33	0.08	< 10	< 10	45	< 5	59
90752	201	238	3	0.01	33	730	12	< 5	< 10	42	0.07	< 10	< 10	57	< 5	102
90753	201	238	< 1	0.01	17	250	8	< 5	< 10	26	0.09	< 10	< 10	58	< 5	44
90754	201	238	< 1	< 0.01	18	270	18	< 5	< 10	26	0.07	< 10	< 10	52	< 5	53
90755	201	238	3	0.01	27	300	12	< 5	< 10	35	0.05	< 10	< 10	58	< 5	85

CERTIFICATION : 

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

Page No : -A
Tot. Pa :
Date : 14-JUL-87
Invoice # : I-8716370
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
90756	201	238	2	1.70	0.2	< 5	290	< 0.5	< 2	0.19	< 0.5	9	28	18	2.22	< 10	1	0.09	20	0.32	208
90757	201	238	< 1	2.56	0.2	15	330	< 0.5	< 2	0.23	< 0.5	12	35	21	2.62	< 10	< 1	0.09	20	0.38	280
90758	201	238	< 1	2.20	0.2	< 5	320	< 0.5	< 2	0.28	< 0.5	10	28	9	2.39	< 10	< 1	0.06	20	0.34	271
90759	201	238	9	1.97	0.2	< 5	390	< 0.5	< 2	0.28	< 0.5	11	27	9	2.12	< 10	< 1	0.06	20	0.31	331
90760	201	238	1	1.84	0.2	10	230	< 0.5	< 2	0.21	< 0.5	11	28	17	2.26	< 10	< 1	0.08	20	0.35	241
90761	203	238	4	3.93	1.0	50	800	5.0	2	0.63	0.5	12	52	57	3.55	10	1	0.20	200	0.32	654
90762	201	238	9	1.33	0.2	< 5	300	< 0.5	< 2	0.35	0.5	8	22	12	1.90	< 10	< 1	0.08	30	0.35	219
90763	217	238	2	0.62	0.6	< 5	310	1.0	< 2	4.29	3.0	< 1	9	21	0.55	< 10	< 1	0.03	< 10	0.31	367
90764	217	238	4	1.11	0.2	20	290	1.0	2	0.70	0.5	9	54	24	1.80	< 10	< 1	0.15	20	0.29	435
90765	201	238	5	1.45	0.4	15	430	0.5	< 2	1.10	0.5	9	23	38	2.12	< 10	< 1	0.10	20	0.43	340
90766	217	238	4	0.19	0.2	< 5	220	< 0.5	< 2	2.62	2.5	5	6	14	0.22	< 10	< 1	0.03	< 10	0.33	986
90767	217	238	2	0.25	0.2	< 5	200	< 0.5	< 2	3.52	4.5	5	8	22	0.37	< 10	< 1	0.03	< 10	0.64	370
90768	217	238	< 2	0.45	0.4	< 5	430	< 0.5	< 2	2.48	1.5	6	19	39	0.94	< 10	< 1	0.04	< 10	0.44	494
90770	201	238	6	1.17	0.2	< 5	340	0.5	4	0.41	0.5	10	21	41	2.66	< 10	< 1	0.17	30	0.20	306
90771	201	238	4	0.82	0.4	20	380	< 0.5	2	0.16	1.0	15	18	75	3.21	< 10	< 1	0.11	30	0.16	310
90798	201	238	< 1	2.88	0.2	< 5	570	0.5	4	0.36	< 0.5	17	35	48	3.61	< 10	< 1	0.11	20	0.85	761
90799	201	238	< 1	3.28	0.2	< 5	400	< 0.5	4	0.39	< 0.5	17	28	80	4.59	< 10	< 1	0.12	20	1.20	569
90800	201	238	2	2.50	0.2	< 5	260	0.5	6	0.21	< 0.5	12	79	14	3.02	< 10	< 1	0.05	10	0.59	190
90801	201	238	< 1	2.04	0.2	< 5	470	< 0.5	< 2	0.14	0.5	14	119	24	3.63	< 10	< 1	0.05	< 10	0.24	249
90802	201	238	< 1	2.07	0.2	< 5	420	< 0.5	< 2	0.37	< 0.5	16	63	18	3.25	< 10	< 1	0.16	10	0.57	532
90803	201	238	< 1	1.91	0.2	< 5	410	< 0.5	< 2	0.56	< 0.5	16	65	20	3.01	< 10	< 1	0.13	20	0.43	840
90804	201	238	< 1	2.30	0.2	< 5	610	< 0.5	< 2	0.75	0.5	20	135	37	3.71	< 10	< 1	0.30	20	0.54	885
90805	201	238	< 1	1.92	0.2	< 5	410	< 0.5	< 2	0.28	< 0.5	18	67	21	3.36	< 10	< 1	0.17	20	0.39	659
90806	203	238	2	1.58	0.2	10	380	< 0.5	2	0.32	0.5	30	80	55	6.05	< 10	< 1	0.31	40	0.43	790
90807	201	238	5	1.60	0.2	50	450	< 0.5	< 2	0.38	0.5	30	56	59	5.63	< 10	< 1	0.31	40	0.53	748
90808	201	238	3	1.62	0.2	15	450	< 0.5	2	0.36	< 0.5	17	40	23	2.74	< 10	< 1	0.16	20	0.41	453
90809	201	238	2	1.70	0.2	5	330	< 0.5	2	0.29	< 0.5	56	638	19	3.94	< 10	< 1	0.06	10	2.54	629
90810	201	238	2	1.86	0.2	< 5	410	< 0.5	< 2	0.31	< 0.5	33	171	13	2.97	< 10	< 1	0.09	20	1.27	784
90811	201	238	< 1	2.16	0.2	< 5	370	< 0.5	< 2	0.43	0.5	33	210	18	3.28	< 10	< 1	0.14	20	1.67	458
90812	201	238	4	1.94	0.2	5	380	< 0.5	2	0.44	< 0.5	52	382	17	3.41	< 10	< 1	0.09	20	2.17	792
90813	201	238	2	1.81	0.2	10	410	< 0.5	2	0.69	< 0.5	35	178	24	2.98	< 10	< 1	0.22	20	1.50	914
90816	201	238	3	1.43	0.2	< 5	490	< 0.5	< 2	4.32	1.5	12	51	52	2.19	< 10	< 1	0.11	< 10	0.79	527
90817	201	238	< 1	2.00	0.2	< 5	420	< 0.5	< 2	0.63	1.0	17	37	77	3.63	< 10	< 1	0.10	20	0.80	613
90818	201	238	75	1.36	0.6	55	220	< 0.5	< 2	2.44	1.0	30	359	55	3.09	< 10	< 1	0.09	10	1.22	376
90819	201	238	2	2.06	0.2	5	260	< 0.5	< 2	0.96	0.5	20	184	41	3.90	< 10	< 1	0.10	20	0.87	402
90820	201	238	7	1.29	0.4	65	240	< 0.5	2	1.85	5.0	18	106	99	3.42	< 10	< 1	0.12	10	0.84	467
90821	201	238	1	1.00	0.2	5	340	< 0.5	2	2.59	1.5	10	26	59	1.92	< 10	< 1	0.10	< 10	0.61	372
90822	201	238	3	1.38	0.4	20	270	< 0.5	< 2	1.66	1.0	16	105	82	3.05	< 10	< 1	0.11	10	0.78	377
90823	201	238	2	1.48	0.2	5	320	< 0.5	2	1.60	0.5	17	138	42	3.11	< 10	< 1	0.14	20	0.86	405
90824	201	238	2	1.74	0.2	< 5	560	< 0.5	< 2	0.94	0.5	19	229	40	3.63	< 10	< 1	0.16	30	0.88	568

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To JITED KENO HILL MINES LIMITED
69 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/G
Comments:

CERTIFICATE OF ANALYSIS A8716370

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
90756	201 238	4	< 0.01	15	170	16	< 5	< 10	25	0.06	< 10	< 10	53	< 5	53
90757	201 238	1	0.01	22	180	8	< 5	< 10	25	0.09	< 10	< 10	67	< 5	89
90758	201 238	< 1	0.01	16	210	14	< 5	< 10	28	0.09	< 10	< 10	59	< 5	103
90759	201 238	< 1	0.01	12	210	12	< 5	< 10	24	0.08	< 10	< 10	54	< 5	111
90760	201 238	< 1	0.01	18	190	4	< 5	10	18	0.08	< 10	< 10	55	< 5	94
90761	203 238	2	0.01	43	690	86	< 5	< 10	44	0.04	< 10	< 10	51	< 5	268
90762	201 238	< 1	0.01	13	370	20	< 5	10	25	0.07	< 10	< 10	42	< 5	70
90763	217 238	1	0.01	18	670	2	< 5	40	82	0.01	< 10	10	10	5	26
90764	217 238	3	0.02	19	310	14	< 5	< 10	44	0.04	< 10	< 10	32	< 5	101
90765	201 238	3	0.01	30	670	10	< 5	< 10	63	0.03	< 10	< 10	37	< 5	89
90766	217 238	1	0.01	11	720	< 2	< 5	< 10	120	< 0.01	< 10	< 10	3	5	73
90767	217 238	1	0.01	15	770	4	< 5	< 10	113	< 0.01	< 10	< 10	5	5	143
90768	217 238	2	0.01	28	790	< 2	< 5	< 10	104	< 0.01	< 10	< 10	10	< 5	35
90770	201 238	4	0.01	27	400	8	< 5	< 10	47	0.01	< 10	< 10	31	< 5	89
90771	201 238	22	< 0.01	37	470	4	< 5	< 10	45	0.01	< 10	< 10	44	< 5	135
90798	201 238	< 1	< 0.01	20	140	< 2	< 5	< 10	22	0.03	< 10	< 10	69	< 5	56
90799	201 238	< 1	< 0.01	16	130	< 2	< 5	< 10	28	0.03	< 10	< 10	89	< 5	71
90800	201 238	< 1	< 0.01	33	140	4	< 5	< 10	17	0.08	< 10	< 10	69	< 5	55
90801	201 238	1	< 0.01	60	420	10	< 5	< 10	7	0.02	< 10	< 10	94	< 5	80
90802	201 238	< 1	< 0.01	47	450	16	< 5	< 10	17	0.05	< 10	< 10	59	< 5	83
90803	201 238	< 1	0.01	45	220	6	5	< 10	26	0.06	< 10	< 10	55	< 5	56
90804	201 238	1	< 0.01	91	540	12	< 5	< 10	28	0.01	< 10	< 10	71	< 5	56
90805	201 238	1	< 0.01	49	280	12	< 5	< 10	17	0.06	< 10	< 10	60	< 5	57
90806	203 238	1	< 0.01	96	1000	10	< 5	< 10	23	0.01	< 10	< 10	62	< 5	112
90807	201 238	1	< 0.01	89	1130	14	< 5	< 10	25	0.04	< 10	< 10	68	< 5	103
90808	201 238	< 1	< 0.01	41	250	16	< 5	< 10	27	0.05	< 10	< 10	51	< 5	58
90809	201 238	< 1	< 0.01	621	240	< 2	< 5	< 10	22	0.05	< 10	< 10	52	< 5	52
90810	201 238	1	0.01	253	340	8	< 5	< 10	25	0.09	< 10	< 10	56	< 5	47
90811	201 238	< 1	0.01	346	250	6	< 5	< 10	31	0.08	< 10	< 10	61	< 5	50
90812	201 238	< 1	0.01	604	220	6	< 5	< 10	31	0.07	< 10	< 10	53	< 5	43
90813	201 238	< 1	0.01	323	220	10	< 5	< 10	43	0.11	< 10	< 10	50	< 5	51
90816	201 238	< 1	0.01	46	940	< 2	5	< 10	110	0.01	< 10	< 10	36	< 5	96
90817	201 238	< 1	< 0.01	35	620	2	< 5	< 10	28	0.02	< 10	< 10	56	< 5	95
90818	201 238	1	< 0.01	302	800	50	5	< 10	86	0.01	< 10	< 10	49	5	128
90819	201 238	1	< 0.01	153	640	4	< 5	< 10	38	0.02	< 10	< 10	68	5	90
90820	201 238	6	< 0.01	124	1190	16	< 5	< 10	78	< 0.01	< 10	< 10	60	< 5	336
90821	201 238	1	< 0.01	29	1000	6	5	< 10	70	< 0.01	< 10	< 10	29	< 5	58
90822	201 238	2	< 0.01	102	750	8	5	< 10	48	< 0.01	< 10	< 10	43	< 5	107
90823	201 238	< 1	< 0.01	88	1070	6	< 5	< 10	39	0.01	< 10	< 10	49	< 5	78
90824	201 238	< 1	< 0.01	112	1010	14	< 5	< 10	31	0.01	< 10	< 10	50	< 5	86

CERTIFICATION : _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. : 2-A
Tot. Pages : 5
Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10450	201 238	2	1.59	0.4	10	390	< 0.5	< 2	0.83	0.5	10	32	31	2.32	< 10	< 1	0.15	20	0.59	450
10451	201 238	< 1	1.20	0.2	10	350	< 0.5	< 2	0.82	2.5	9	26	32	2.01	< 10	< 1	0.12	20	0.44	449
10452	201 238	1	0.54	0.2	10	180	< 0.5	< 2	0.82	< 0.5	12	28	33	3.17	10	< 1	0.06	50	0.23	249
10453	201 238	< 1	0.77	0.2	10	200	< 0.5	< 2	0.77	< 0.5	13	26	34	2.99	10	< 1	0.10	40	0.23	400
10454	201 238	< 1	0.65	0.4	5	190	< 0.5	< 2	2.22	1.0	8	15	26	1.64	10	< 1	0.07	20	0.34	379
10455	201 238	< 1	0.52	0.4	15	150	< 0.5	< 2	1.33	< 0.5	11	21	35	3.18	10	< 1	0.08	40	0.23	317
10456	201 238	2	0.55	0.4	15	150	< 0.5	< 2	0.55	< 0.5	15	24	38	3.89	< 10	< 1	0.07	50	0.15	436
10457	201 238	< 1	1.76	0.2	25	290	< 0.5	< 2	1.34	< 0.5	18	63	91	3.51	10	< 1	0.15	10	1.05	544
10458	201 238	3	1.51	0.4	30	270	< 0.5	< 2	2.72	< 0.5	24	100	75	3.68	10	< 1	0.15	10	1.69	795
10459	201 238	< 1	1.75	0.2	20	610	< 0.5	< 2	1.08	< 0.5	35	207	26	2.59	< 10	< 1	0.15	20	2.05	577
10460	201 238	< 1	1.22	0.2	30	310	< 0.5	< 2	2.29	< 0.5	55	779	39	3.26	10	< 1	0.07	10	4.68	463
	201 238	30	1.30	0.2	5	230	< 0.5	< 2	0.47	< 0.5	7	16	19	1.67	< 10	1	0.15	10	0.68	1[illegible]
	201 238	< 1	1.45	0.2	5	310	< 0.5	< 2	0.40	< 0.5	13	26	31	2.57	< 10	< 1	0.07	10	0.90	255
	201 238	< 1	0.21	0.2	< 5	90	< 0.5	< 2	0.11	< 0.5	< 1	1	2	0.10	< 10	< 1	0.17	30	0.01	6
	201 238	< 1	0.81	0.2	35	120	< 0.5	< 2	0.23	< 0.5	13	6	53	2.82	< 10	< 1	0.12	20	0.28	111
	201 238	5	1.59	0.2	30	60	< 0.5	< 2	0.58	< 0.5	19	7	48	2.90	< 10	< 1	0.05	< 10	1.12	406
	201 238	805	1.27	0.2	5	230	< 0.5	< 2	0.28	< 0.5	12	24	24	2.02	< 10	1	0.07	10	0.58	267
	201 238	5	1.30	0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	13	7	62	2.23	< 10	< 1	0.16	< 10	0.79	241
	201 238	9	1.84	0.2	10	190	< 0.5	< 2	0.42	< 0.5	17	43	53	2.98	< 10	1	0.11	10	1.36	304
	201 238	13	0.96	0.2	20	150	< 0.5	< 2	0.30	< 0.5	8	16	56	2.93	< 10	< 1	0.14	20	0.43	86
	201 238	3	1.37	0.2	< 5	120	< 0.5	< 2	0.19	< 0.5	10	24	12	2.08	< 10	< 1	0.05	10	0.87	186
	201 238	2	2.41	0.2	5	400	< 0.5	< 2	0.23	< 0.5	13	40	25	2.94	< 10	< 1	0.12	10	0.85	260
	201 238	< 1	1.01	0.2	10	130	< 0.5	< 2	0.28	< 0.5	10	22	16	1.84	< 10	< 1	0.06	10	0.49	182
	201 238	2	1.25	0.2	15	200	< 0.5	< 2	0.48	< 0.5	12	20	53	2.20	< 10	< 1	0.17	10	0.73	250
	201 238	34	2.23	0.2	5	20	< 0.5	< 2	1.15	< 0.5	27	189	32	2.85	< 10	2	< 0.01	< 10	2.48	388
	201 238	4	2.00	0.2	10	230	< 0.5	< 2	0.[illegible]	< 0.5	19	39	74	3.53	10	< 1	0.08	10	1.27	845
	201 238	34	1.62	0.2	< 5	200	< 0.5	< 2	0.57	< 0.5	17	53	42	2.64	< 10	< 1	0.09	10	1.04	403
	201 238	18	1.24	0.2	< 5	160	< 0.5	< 2	0.41	< 0.5	16	83	20	1.91	< 10	< 1	0.06	10	1.10	202
	201 238	< 1	2.15	0.2	5	250	< 0.5	< 2	0.43	< 0.5	17	47	31	3.33	< 10	< 1	0.08	20	0.72	480
	201 238	< 1	2.28	0.2	10	350	< 0.5	< 2	0.40	< 0.5	14	61	39	3.16	< 10	1	0.07	20	0.80	285
	201 238	21	1.56	0.2	5	160	< 0.5	< 2	0.29	< 0.5	14	60	31	2.41	< 10	1	0.04	10	1.06	200
	201 238	54	0.95	0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	10	39	16	1.55	< 10	< 1	0.04	10	0.67	155
	201 238	< 1	1.12	0.2	< 5	140	< 0.5	< 2	0.12	< 0.5	4	11	9	1.61	< 10	< 1	0.04	10	0.38	112
	201 238	6	2.56	0.2	10	170	< 0.5	< 2	0.15	< 0.5	13	92	41	4.03	< 10	2	0.03	10	1.65	323
	201 238	16	1.30	0.2	< 5	330	< 0.5	< 2	0.36	0.5	21	46	29	2.95	< 10	< 1	0.09	10	0.72	376
	201 238	6	1.18	0.2	< 5	360	< 0.5	< 2	0.32	0.5	16	39	26	2.33	< 10	1	0.09	10	0.63	333
	201 238	38	0.48	0.2	< 5	110	< 0.5	< 2	0.08	< 0.5	2	4	7	0.49	< 10	< 1	0.14	60	0.12	26
	201 238	< 1	0.32	0.2	< 5	100	< 0.5	< 2	0.06	< 0.5	< 1	3	2	0.33	< 10	< 1	0.19	80	0.06	24
	201 238	< 1	0.34	0.2	< 5	90	< 0.5	< 2	0.06	< 0.5	1	3	4	0.35	< 10	< 1	0.10	30	0.12	29
	201 238	3	0.96	0.2	5	200	< 0.5	< 2	0.34	< 0.5	9	33	14	1.88	< 10	< 1	0.20	10	0.58	186

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10450	201 238	< 1	0.03	25	700	10	< 5	< 10	50	0.08	10	< 10	58	5	95
10451	201 238	< 1	0.02	24	700	< 2	< 5	< 10	45	0.07	< 10	< 10	50	< 5	145
10452	201 238	< 1	0.02	42	640	2	< 5	< 10	53	< 0.01	20	< 10	20	< 5	70
10453	201 238	< 1	0.02	43	660	12	< 5	< 10	54	< 0.01	10	< 10	23	< 5	76
10454	201 238	< 1	0.02	26	860	4	< 5	< 10	70	< 0.01	< 10	< 10	15	< 5	60
10455	201 238	< 1	0.02	35	840	6	< 5	< 10	59	< 0.01	20	< 10	18	5	81
10456	201 238	< 1	0.02	38	780	2	< 5	< 10	49	< 0.01	20	< 10	21	< 5	88
10457	201 238	< 1	0.01	87	600	< 2	< 5	< 10	45	< 0.01	< 10	< 10	53	< 5	57
10458	201 238	< 1	0.01	81	670	4	< 5	< 10	67	0.02	< 10	< 10	62	5	76
10459	201 238	< 1	0.03	453	390	16	< 5	< 10	62	0.07	< 10	< 10	50	< 5	53
10460	201 238	< 1	0.01	767	420	14	< 5	< 10	63	0.01	< 10	< 10	38	10	59
[redacted]	201 238	< 1	0.01	8	570	18	< 5	< 10	32	0.09	10	< 10	29	< 5	95
	201 238	< 1	0.01	14	640	40	< 5	< 10	23	0.07	< 10	< 10	41	< 5	94
	201 238	< 1	< 0.01	< 1	450	12	< 5	< 10	7	< 0.01	20	< 10	< 1	< 5	5
	201 238	< 1	0.01	7	1310	12	< 5	< 10	12	< 0.01	10	< 10	20	< 5	71
	201 238	< 1	0.01	6	990	2	< 5	< 10	38	0.12	< 10	< 10	73	< 5	50
	201 238	< 1	0.01	12	360	154	< 5	< 10	18	0.07	10	< 10	39	< 5	56
	201 238	< 1	0.02	6	790	< 2	< 5	< 10	18	0.08	< 10	< 10	63	< 5	45
	201 238	< 1	0.01	25	670	4	< 5	< 10	27	0.11	< 10	< 10	71	5	63
	201 238	< 1	0.02	16	1490	10	< 5	< 10	41	< 0.01	10	< 10	39	< 5	46
	201 238	< 1	0.01	11	390	4	< 5	< 10	16	0.03	< 10	< 10	30	< 5	41
	201 238	< 1	0.01	21	300	14	< 5	< 10	22	0.07	10	< 10	68	< 5	61
	201 238	< 1	0.01	14	600	8	< 5	< 10	16	0.04	< 10	< 10	28	< 5	44
	201 238	< 1	0.01	9	830	2	< 5	< 10	29	0.07	10	< 10	53	< 5	44
	201 238	< 1	< 0.01	69	370	< 2	< 5	< 10	21	0.32	< 10	< 10	33	5	44
	201 238	< 1	0.02	19	390	14	< 5	< 10	46	0.09	< 10	< 10	96	< 5	59
	201 238	< 1	0.01	28	470	8	< 5	< 10	31	0.13	< 10	< 10	67	< 5	56
	201 238	< 1	0.01	46	440	20	< 5	< 10	21	0.08	< 10	< 10	42	5	50
	201 238	< 1	0.02	34	250	14	< 5	< 10	28	0.09	< 10	< 10	60	< 5	58
	201 238	< 1	0.01	36	230	< 2	< 5	< 10	28	0.08	< 10	< 10	71	< 5	60
	201 238	< 1	0.01	30	360	10	< 5	< 10	18	0.09	< 10	< 10	60	< 5	53
	201 238	< 1	0.01	19	500	10	< 5	< 10	12	0.06	< 10	< 10	35	< 5	36
	201 238	< 1	0.01	9	130	4	< 5	< 10	29	0.02	< 10	< 10	22	< 5	42
	201 238	< 1	0.01	31	200	2	< 5	< 10	19	0.21	< 10	< 10	120	< 5	66
	201 238	< 1	0.01	28	560	36	< 5	< 10	23	0.09	< 10	< 10	57	< 5	79
	201 238	< 1	0.01	25	480	30	< 5	< 10	22	0.08	< 10	< 10	45	5	69
	201 238	< 1	0.01	3	230	26	< 5	< 10	8	< 0.01	20	< 10	2	< 5	31
	201 238	< 1	0.01	< 1	220	28	< 5	< 10	7	< 0.01	20	< 10	1	< 5	18
	201 238	< 1	0.01	1	190	16	< 5	< 10	10	0.01	10	< 10	2	< 5	21
	201 238	< 1	0.01	19	680	14	< 5	< 10	19	0.08	< 10	< 10	34	< 5	65

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

1 ITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No : A
Tot. Pages: 6
Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10571	201	238	< 1	0.26	0.2	< 5	280	< 0.5	< 2	3.57	2.0	4	5	29	0.43	< 10	< 1	0.02	< 10	1.11	431
10572	201	238	3	0.56	0.6	15	240	< 0.5	< 2	1.32	0.5	12	18	37	2.40	< 10	< 1	0.06	20	0.46	705
10573	201	238	< 1	0.52	0.4	25	150	< 0.5	< 2	0.50	< 0.5	16	25	33	3.96	< 10	< 1	0.05	20	0.33	662
10574	201	238	< 1	1.46	0.2	5	310	< 0.5	< 2	2.68	0.5	20	68	42	3.93	10	< 1	0.16	10	1.13	427
10575	201	238	< 1	0.71	0.2	10	180	< 0.5	< 2	1.04	< 0.5	9	31	20	1.75	< 10	< 1	0.05	10	0.56	259
10576	201	238	2	1.11	0.2	35	220	< 0.5	< 2	2.22	< 0.5	47	301	39	3.30	10	< 1	0.09	10	2.52	603
10577	201	238	3	0.78	0.2	40	140	< 0.5	< 2	2.90	< 0.5	51	473	45	3.36	10	< 1	0.04	< 10	2.96	635
[redacted]	201	238	< 1	0.22	0.2	< 5	70	< 0.5	< 2	0.13	< 0.5	< 1	2	2	0.21	< 10	< 1	0.10	10	0.09	28
	201	238	< 1	0.51	0.2	< 5	140	< 0.5	< 2	0.14	< 0.5	4	8	10	0.85	< 10	< 1	0.08	20	0.27	89
	201	238	< 1	0.13	0.2	< 5	50	< 0.5	< 2	0.02	< 0.5	< 1	2	2	0.05	< 10	< 1	0.09	40	0.01	3
	201	238	< 1	1.33	0.2	10	240	0.5	< 2	0.50	0.5	8	8	21	1.49	< 10	< 1	0.54	20	0.50	140
	201	238	141	1.29	0.2	10	260	< 0.5	< 2	0.44	< 0.5	11	27	25	2.05	< 10	< 1	0.18	20	0.70	258
	201	238	2	0.37	0.2	< 5	90	< 0.5	< 2	0.12	< 0.5	1	6	5	0.34	< 10	< 1	0.08	20	0.09	32
	201	238	< 1	0.79	0.2	10	280	< 0.5	< 2	0.74	< 0.5	6	7	11	1.33	< 10	< 1	0.37	10	0.34	154
	201	238	2	2.04	0.2	15	250	< 0.5	< 2	0.26	< 0.5	11	20	16	3.03	< 10	< 1	0.36	10	0.57	267
	201	238	< 1	0.32	0.2	< 5	70	< 0.5	< 2	0.08	< 0.5	1	2	3	0.39	< 10	< 1	0.18	70	0.04	14
	201	238	< 1	1.45	0.2	10	350	< 0.5	< 2	0.23	< 0.5	11	19	34	2.50	< 10	< 1	0.20	10	0.58	223
	201	238	< 1	1.37	0.2	< 5	210	< 0.5	< 2	0.28	< 0.5	12	12	41	2.81	< 10	< 1	0.12	< 10	0.73	224
	201	238	< 1	1.59	0.2	5	480	< 0.5	< 2	0.45	< 0.5	18	15	96	3.91	< 10	< 1	0.15	< 10	0.89	415
	201	238	< 1	1.85	0.2	10	180	< 0.5	< 2	1.51	< 0.5	18	51	48	3.37	< 10	< 1	0.06	20	1.42	502
	201	238	7	2.47	0.2	10	200	< 0.5	< 2	0.48	< 0.5	32	53	256	5.11	< 10	1	0.15	10	1.78	1065
	201	238	2	2.16	0.2	15	100	< 0.5	< 2	0.35	< 0.5	24	15	76	5.24	< 10	1	0.04	< 10	1.55	547
	201	238	< 1	2.65	0.2	< 5	190	< 0.5	< 2	0.61	< 0.5	30	110	78	4.71	< 10	< 1	0.05	10	1.82	640
	201	238	< 1	2.62	0.2	< 5	250	< 0.5	< 2	0.80	< 0.5	33	140	61	4.09	< 10	2	0.02	10	2.01	1775
	201	238	2	3.31	0.2	15	230	< 0.5	< 2	0.37	< 0.5	45	301	35	5.11	< 10	2	0.02	< 10	3.02	655
	201	238	27	1.16	0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	14	48	20	1.77	< 10	< 1	0.08	10	0.80	190
	201	238	21	2.78	0.2	< 5	390	< 0.5	< 2	0.29	< 0.5	32	122	36	4.40	< 10	1	0.04	10	1.95	741
	201	238	108	1.68	0.2	< 5	460	< 0.5	< 2	0.41	< 0.5	19	61	26	2.37	< 10	1	0.10	20	0.93	653
	201	238	42	0.94	0.2	< 5	130	< 0.5	< 2	0.38	< 0.5	12	30	16	1.67	< 10	< 1	0.06	20	0.65	144
	201	238	1	2.01	0.2	10	270	< 0.5	< 2	0.54	< 0.5	18	93	28	3.06	< 10	< 1	0.17	30	1.53	337
	201	238	< 1	2.09	0.2	10	260	< 0.5	< 2	1.16	< 0.5	22	58	48	3.60	< 10	< 1	0.17	20	1.56	632
	201	238	< 1	2.02	0.2	5	160	< 0.5	< 2	0.56	< 0.5	20	51	33	3.49	< 10	< 1	0.04	20	1.27	841
	201	238	< 1	1.71	0.2	20	340	< 0.5	< 2	0.53	< 0.5	15	31	32	3.06	< 10	< 1	0.08	30	0.47	1025
	201	238	2	2.09	0.2	5	430	< 0.5	< 2	0.51	< 0.5	15	45	20	3.03	< 10	< 1	0.05	20	0.54	780
	201	238	6	1.72	0.2	< 5	370	< 0.5	< 2	0.50	< 0.5	15	54	25	2.63	< 10	< 1	0.08	10	0.80	449
	201	238	3	2.37	0.2	< 5	760	< 0.5	< 2	0.52	0.5	33	105	53	3.47	< 10	< 1	0.08	10	1.14	1165
	201	238	< 1	2.07	0.2	10	280	< 0.5	< 2	0.22	< 0.5	10	34	33	3.87	< 10	< 1	0.08	10	1.01	248
	201	238	< 1	1.68	0.2	5	280	< 0.5	< 2	0.15	< 0.5	10	36	17	2.57	< 10	< 1	0.04	10	0.61	191
	201	238	5	2.49	0.2	10	260	< 0.5	< 2	0.15	< 0.5	16	75	59	4.34	< 10	1	0.09	10	1.57	256
	201	238	5	2.23	0.2	10	190	< 0.5	< 2	0.15	< 0.5	9	36	43	4.71	< 10	1	0.07	< 10	1.55	118

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T. ...ITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10571	201 238	< 1	0.04	19	770	2	< 5	20	118	< 0.01	< 10	30	7	< 5	48
10572	201 238	< 1	0.03	35	750	4	< 5	< 10	60	0.01	< 10	< 10	19	< 5	118
10573	201 238	1	0.02	41	780	8	< 5	< 10	35	0.02	10	< 10	28	< 5	99
10574	201 238	< 1	0.01	62	1200	4	< 5	< 10	59	0.04	< 10	< 10	59	< 5	80
10575	201 238	< 1	0.01	29	1040	10	< 5	< 10	29	0.03	< 10	< 10	29	< 5	58
10576	201 238	< 1	0.01	677	550	8	< 5	< 10	61	0.01	< 10	< 10	38	5	86
10577	201 238	< 1	0.01	786	640	8	5	< 10	66	0.01	< 10	< 10	37	5	80
[redacted]	201 238	< 1	< 0.01	< 1	350	10	< 5	< 10	12	0.02	< 10	< 10	1	< 5	14
	201 238	< 1	< 0.01	5	330	28	< 5	< 10	11	0.01	< 10	< 10	13	< 5	37
	201 238	< 1	< 0.01	< 1	110	8	< 5	< 10	6	< 0.01	10	< 10	< 1	< 5	4
	201 238	< 1	0.01	5	1390	8	< 5	< 10	25	0.03	10	< 10	33	< 5	68
	201 238	< 1	< 0.01	13	840	26	< 5	< 10	25	0.09	< 10	< 10	35	< 5	78
	201 238	< 1	< 0.01	2	190	6	< 5	< 10	16	0.02	< 10	< 10	4	< 5	18
	201 238	< 1	< 0.01	2	1780	6	< 5	< 10	66	0.10	< 10	< 10	17	< 5	31
	201 238	< 1	0.01	8	200	6	< 5	< 10	19	0.20	< 10	< 10	49	< 5	55
	201 238	< 1	< 0.01	< 1	310	26	< 5	< 10	7	< 0.01	20	< 10	3	< 5	18
	201 238	< 1	0.01	8	380	< 2	< 5	< 10	21	0.04	< 10	< 10	64	< 5	37
	201 238	< 1	0.01	7	440	< 2	< 5	< 10	17	0.08	< 10	< 10	84	< 5	44
	201 238	< 1	0.01	12	420	< 2	< 5	< 10	28	0.10	< 10	< 10	119	5	62
	201 238	< 1	0.01	34	680	4	< 5	< 10	46	0.05	< 10	< 10	52	5	66
	201 238	< 1	0.01	31	720	4	< 5	< 10	40	0.07	< 10	< 10	130	5	74
	201 238	< 1	0.01	8	590	< 2	< 5	< 10	28	0.07	< 10	< 10	157	< 5	69
	201 238	< 1	0.01	63	390	< 2	< 5	< 10	29	0.18	10	< 10	107	< 5	71
	201 238	< 1	0.01	84	430	< 2	< 5	< 10	24	0.33	< 10	< 10	101	5	62
	201 238	< 1	0.01	194	430	10	< 5	< 10	16	0.15	< 10	< 10	132	5	74
	201 238	< 1	0.01	26	720	20	< 5	< 10	21	0.08	< 10	< 10	38	< 5	47
	201 238	< 1	0.01	63	520	8	< 5	< 10	18	0.13	< 10	< 10	118	5	72
	201 238	< 1	0.01	37	810	12	< 5	< 10	25	0.09	10	< 10	51	< 5	62
	201 238	< 1	0.01	28	800	20	< 5	< 10	21	0.06	< 10	< 10	30	< 5	50
	201 238	< 1	0.01	51	780	4	< 5	< 10	29	0.04	10	< 10	45	< 5	66
	201 238	< 1	0.01	27	950	6	< 5	< 10	42	0.16	< 10	< 10	60	< 5	76
	201 238	< 1	0.01	21	420	6	< 5	< 10	27	0.03	< 10	< 10	60	< 5	51
	201 238	< 1	0.02	26	260	8	< 5	< 10	35	0.08	< 10	< 10	53	< 5	50
	201 238	< 1	0.01	24	280	4	< 5	< 10	39	0.07	< 10	< 10	61	< 5	46
	201 238	< 1	0.01	34	400	14	< 5	< 10	34	0.07	< 10	< 10	56	< 5	56
	201 238	< 1	0.01	72	730	2	< 5	< 10	42	0.09	< 10	< 10	80	< 5	70
	201 238	< 1	0.01	22	410	4	< 5	< 10	37	0.06	< 10	< 10	76	< 5	62
	201 238	< 1	0.01	15	280	< 2	< 5	< 10	14	0.07	< 10	< 10	56	< 5	44
	201 238	< 1	0.01	41	270	< 2	< 5	< 10	26	0.14	< 10	< 10	98	< 5	64
	201 238	< 1	0.02	19	500	< 2	< 5	< 10	58	0.10	< 10	< 10	91	< 5	73

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Page No. -A
Tot. Pages :
Date :13-AUG-87
Invoice # :I-8718558
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10361	201	238	4	1.40	0.2	10	400	< 0.5	< 2	0.79	< 0.5	10	30	27	2.26	< 10	< 1	0.12	20	0.49	415
10362	201	238	2	1.31	0.2	10	510	< 0.5	< 2	1.76	< 0.5	11	28	25	2.30	10	1	0.14	20	0.84	406
10363	201	238	< 1	1.46	0.2	5	440	< 0.5	< 2	1.07	< 0.5	10	30	22	2.13	< 10	1	0.13	10	0.53	450
10364	203	238	1	0.54	0.2	5	440	< 0.5	< 2	3.67	0.5	3	23	25	0.64	10	< 1	0.03	< 10	0.40	294
10365	201	238	1	0.94	0.2	10	420	< 0.5	< 2	2.09	0.5	6	18	33	1.56	< 10	1	0.07	10	0.53	420
10366	201	238	2	1.45	0.2	5	310	< 0.5	< 2	0.88	< 0.5	9	28	18	2.38	< 10	< 1	0.12	20	0.57	397
10367	201	238	2	1.46	0.2	10	280	< 0.5	< 2	0.94	< 0.5	10	30	29	2.35	< 10	1	0.15	10	0.67	254
10368	201	238	2	1.38	0.2	< 5	330	< 0.5	< 2	0.96	1.5	15	27	39	2.22	< 10	< 1	0.12	10	0.49	1230
10369	201	238	< 1	1.41	0.2	10	410	< 0.5	< 2	0.97	0.5	12	28	33	2.34	< 10	< 1	0.14	20	0.54	1065
10370	201	238	4	1.24	0.2	30	250	< 0.5	< 2	1.56	1.5	18	45	56	3.16	10	< 1	0.12	20	0.84	1000
10371	201	238	34	1.44	0.2	20	240	< 0.5	< 2	0.73	0.5	13	49	58	2.99	< 10	< 1	0.15	20	0.68	486
10372	201	238	2	1.62	0.2	10	210	< 0.5	< 2	0.95	< 0.5	13	58	35	2.73	10	< 1	0.13	20	0.76	316
10373	201	238	13	1.26	0.2	10	470	< 0.5	< 2	0.87	< 0.5	12	33	35	2.48	< 10	< 1	0.14	20	0.53	580
10374	201	238	6	1.94	0.2	< 5	420	< 0.5	< 2	2.25	1.0	19	145	44	3.62	10	1	0.13	10	0.95	529
10375	203	238	< 1	0.36	0.2	50	240	< 0.5	< 2	1.09	1.5	13	228	73	2.67	< 10	< 1	0.09	10	0.33	345
10376	203	238	53	1.39	2.2	100	620	< 0.5	< 2	1.55	8.0	16	204	149	3.51	< 10	1	0.40	20	0.61	695
10377	201	238	< 1	0.60	0.2	5	330	< 0.5	< 2	0.49	< 0.5	6	24	13	1.37	< 10	< 1	0.05	20	0.37	205
10378	201	238	4	2.55	0.2	20	330	< 0.5	< 2	2.78	< 0.5	31	173	44	4.28	10	1	0.34	10	2.57	738
10379	201	238	< 1	2.17	0.2	10	300	< 0.5	< 2	3.10	< 0.5	35	168	50	4.79	10	< 1	0.44	10	2.53	666
10380	201	238	6	1.32	0.2	55	300	< 0.5	< 2	2.58	< 0.5	22	138	37	2.89	10	< 1	0.23	10	1.60	397
10381	203	238	4	1.46	0.2	15	320	< 0.5	< 2	1.91	< 0.5	26	347	43	2.77	10	< 1	0.19	10	1.96	507
10382	201	238	7	1.32	0.2	20	340	< 0.5	< 2	1.07	0.5	16	65	38	2.64	< 10	< 1	0.11	20	1.11	468
10383	201	238	2	0.94	0.2	5	300	< 0.5	< 2	0.86	< 0.5	11	36	29	2.08	< 10	< 1	0.09	20	0.75	363
[illegible]	201	238	2	1.18	0.2	5	210	< 0.5	< 2	0.26	< 0.5	9	26	21	1.77	< 10	< 1	0.05	10	[illegible]	186
10385	201	238	4	1.78	0.2	< 5	450	< 0.5	< 2	0.23	< 0.5	9	33	32	2.48	< 10	1	[illegible]	20	0.52	190
10386	201	238	< 1	0.59	0.2	< 5	250	< 0.5	< 2	0.23	< 0.5	3	10	[illegible]	0.85	< 10	< 1	0.06	20	0.25	73
10387	203	238	2	0.72	0.2	5	400	< 0.5	< 2	0.21	< 0.5	4	287	9	0.98	< 10	< 1	0.32	20	0.24	144
10388	201	238	< 1	0.62	0.2	5	160	< 0.5	< 2	0.29	< 0.5	4	13	8	0.82	< 10	< 1	0.10	20	0.24	113
10389	201	238	5	1.02	0.2	5	190	< 0.5	< 2	0.31	< 0.5	8	24	16	1.59	< 10	1	0.08	10	0.55	206
10390	201	238	< 1	1.35	0.2	5	170	< 0.5	< 2	0.11	< 0.5	5	20	8	1.91	< 10	1	0.08	10	0.27	115
10391	201	238	2	2.15	0.2	10	230	< 0.5	< 2	0.13	< 0.5	7	35	12	3.12	< 10	1	0.08	20	0.39	198
10392	201	238	< 1	0.51	0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	2	2	7	0.77	< 10	< 1	0.08	10	0.11	61
10393	201	238	< 1	0.81	0.2	5	110	< 0.5	< 2	0.08	< 0.5	3	10	6	1.80	< 10	< 1	0.11	10	[illegible]	91
10400	201	238	4	1.38	0.2	15	510	< 0.5	< 2	0.47	0.5	13	33	50	3.07	< 10	< 1	0.14	20	0.44	536
10401	201	238	< 1	1.79	0.2	15	800	< 0.5	< 2	0.46	0.5	16	48	58	3.81	< 10	< 1	0.12	20	0.41	544
10402	201	238	4	0.93	1.0	30	580	< 0.5	< 2	0.29	< 0.5	9	23	57	2.97	< 10	< 1	0.21	10	0.24	513
10403	201	238	4	0.97	1.6	20	480	< 0.5	< 2	0.36	< 0.5	6	26	27	1.90	< 10	< 1	0.18	20	0.19	209
10404	201	238	< 1	1.95	0.2	20	620	< 0.5	2	0.43	< 0.5	12	50	22	2.72	< 10	1	0.15	20	0.49	449
10405	201	238	10	1.42	0.4	15	520	< 0.5	< 2	1.68	0.5	14	47	56	2.92	10	< 1	0.15	20	0.55	497
10406	201	238	2	1.75	0.4	20	670	< 0.5	< 2	0.66	< 0.5	12	50	46	2.93	< 10	< 1	0.13	20	0.49	370

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T JITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DI/HUN/5/6/P-51
Comments:

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10361	201	238	< 1	0.04	24	680	10	< 5	< 10	52	0.07	10	< 10	50	5	77
10362	201	238	< 1	0.04	21	790	6	< 5	< 10	64	0.09	< 10	< 10	53	5	73
10363	201	238	< 1	0.04	20	560	4	< 5	< 10	51	0.08	10	< 10	54	< 5	61
10364	203	238	< 1	0.04	15	810	4	< 5	< 10	156	0.01	< 10	< 10	14	5	25
10365	201	238	< 1	0.03	21	870	2	< 5	< 10	82	0.04	< 10	< 10	31	5	63
10366	201	238	< 1	0.03	19	800	8	< 5	< 10	52	0.09	< 10	< 10	57	< 5	71
10367	201	238	< 1	0.03	25	730	8	< 5	< 10	50	0.09	< 10	< 10	55	5	97
10368	201	238	1	0.02	34	750	6	< 5	< 10	53	0.07	< 10	< 10	52	5	71
10369	201	238	1	0.02	28	800	6	< 5	< 10	55	0.08	< 10	< 10	55	5	82
10370	201	238	1	0.01	53	1150	16	< 5	< 10	63	< 0.01	< 10	< 10	36	5	190
10371	201	238	3	0.01	33	840	18	< 5	< 10	44	0.01	< 10	< 10	50	< 5	128
10372	201	238	< 1	0.02	32	880	16	< 5	< 10	44	0.03	< 10	< 10	59	5	94
10373	201	238	< 1	0.03	26	790	12	< 5	< 10	48	0.09	10	< 10	56	5	73
10374	201	238	< 1	0.02	115	1170	8	< 5	< 10	70	0.02	< 10	< 10	69	5	114
10375	203	238	1	0.01	87	530	2	< 5	< 10	33	< 0.01	< 10	< 10	15	5	339
10376	203	238	17	0.02	156	1360	32	< 5	< 10	57	0.01	< 10	< 10	144	< 5	949
10377	201	238	< 1	0.01	13	880	6	< 5	< 10	28	0.06	10	< 10	27	< 5	47
10378	201	238	< 1	0.02	130	1140	8	< 5	< 10	89	0.05	< 10	< 10	95	5	78
10379	201	238	< 1	0.01	118	1670	4	< 5	< 10	75	0.03	10	< 10	92	< 5	99
10380	201	238	< 1	0.02	223	870	10	< 5	< 10	107	0.03	10	< 10	47	5	82
10381	203	238	< 1	0.02	242	550	10	< 5	< 10	65	0.02	< 10	< 10	47	5	86
10382	201	238	< 1	0.01	66	600	24	< 5	< 10	45	0.05	10	< 10	43	< 5	93
10383	201	238	< 1	0.01	38	560	10	< 5	< 10	36	0.04	< 10	< 10	34	< 5	74
10384	201	238	< 1	0.01	12	360	18	< 5	< 10	15	0.06	< 10	< 10	34	< 5	61
10385	201	238	< 1	0.01	17	480	32	< 5	< 10	20	0.05	< 10	< 10	49	< 5	79
10386	201	238	< 1	0.01	4	410	24	< 5	< 10	15	0.03	10	< 10	16	< 5	37
10387	203	238	< 1	0.02	7	290	14	< 5	< 10	18	0.02	< 10	< 10	15	< 5	42
10388	201	238	< 1	0.01	4	460	6	< 5	< 10	25	0.04	< 10	< 10	16	< 5	29
10389	201	238	< 1	0.01	12	440	16	< 5	< 10	19	0.06	< 10	< 10	29	< 5	56
10390	201	238	< 1	0.01	8	170	8	< 5	< 10	15	0.06	10	< 10	41	< 5	32
10391	201	238	< 1	0.01	7	420	16	< 5	< 10	15	0.10	10	< 10	71	< 5	45
10392	201	238	< 1	0.01	< 1	190	14	< 5	< 10	19	0.09	< 10	< 10	17	< 5	20
10393	201	238	< 1	0.01	2	380	16	< 5	< 10	13	0.05	< 10	< 10	32	< 5	32
10400	201	238	< 1	0.02	32	400	2	< 5	< 10	39	0.05	10	< 10	61	< 5	82
10401	201	238	< 1	0.02	52	660	6	< 5	< 10	43	0.03	10	< 10	82	< 5	131
10402	201	238	10	0.01	17	760	10	< 5	< 10	71	0.01	10	< 10	48	< 5	69
10403	201	238	5	0.01	20	530	10	< 5	< 10	49	0.02	10	< 10	43	< 5	55
10404	201	238	< 1	0.02	29	210	10	< 5	< 10	34	0.06	10	< 10	63	< 5	50
10405	201	238	< 1	0.01	48	690	10	< 5	< 10	59	0.04	10	< 10	58	< 5	92
10406	201	238	< 1	0.02	43	490	12	< 5	< 10	54	0.04	10	< 10	64	< 5	86

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
39 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Page No. : A
Tot. Pag
Date : 7-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84001	201 238	3	1.62	0.2	20	280	< 0.5	< 2	0.24	< 0.5	5	29	17	2.15	10	< 1	0.12	20	0.34	128
84002	201 238	6	1.24	0.8	20	390	< 0.5	< 2	0.38	< 0.5	11	27	55	3.20	10	< 1	0.15	40	0.28	387
84003	201 238	5	1.82	0.2	15	360	< 0.5	< 2	0.33	< 0.5	11	32	31	2.98	10	< 1	0.16	30	0.33	443
84004	201 238	9	1.33	0.8	20	480	< 0.5	< 2	0.41	0.5	13	28	59	3.07	10	< 1	0.16	40	0.21	450
84007	201 238	10	1.35	0.6	35	330	< 0.5	< 2	0.90	0.5	11	28	61	3.00	10	< 1	0.15	30	0.37	400
84008	201 238	12	1.03	0.6	25	220	< 0.5	< 2	0.55	0.5	9	26	66	2.94	10	< 1	0.13	30	0.29	372
84009	201 238	3	1.76	0.2	15	370	< 0.5	< 2	0.51	< 0.5	12	30	20	2.39	10	< 1	0.11	20	0.42	573
84010	201 238	< 1	1.89	0.2	5	410	< 0.5	< 2	0.47	< 0.5	15	33	21	2.34	10	< 1	0.14	20	0.43	696
84011	201 238	4	2.52	0.2	< 5	450	1.0	< 2	0.38	0.5	17	42	30	3.09	10	< 1	0.14	30	0.47	1305
84012	201 238	2	1.76	0.2	10	330	< 0.5	< 2	0.39	< 0.5	8	33	19	2.28	10	< 1	0.11	30	0.43	292
84013	201 238	1	1.37	0.2	15	290	0.5	< 2	0.40	< 0.5	6	27	16	1.93	10	< 1	0.10	30	0.33	253
84014	201 238	16	1.50	0.2	5	270	< 0.5	< 2	0.38	< 0.5	6	29	14	2.02	10	< 1	0.10	20	0.39	230
84015	201 238	3	1.66	0.2	5	280	< 0.5	< 2	0.37	< 0.5	5	30	11	2.02	10	< 1	0.11	20	0.40	173
84016	201 238	3	1.66	0.2	< 5	280	0.5	< 2	0.38	0.5	5	30	15	2.16	10	< 1	0.10	20	0.39	156
84017	201 238	< 1	2.29	0.2	10	440	1.0	< 2	0.44	0.5	11	38	25	2.93	10	< 1	0.17	20	0.49	399
84018	201 238	2	2.06	0.2	35	440	< 0.5	< 2	0.57	< 0.5	12	37	21	2.67	10	< 1	0.13	30	0.50	774
84019	201 238	2	1.86	0.2	5	410	< 0.5	< 2	0.51	< 0.5	8	35	24	2.52	10	< 1	0.13	20	0.49	341
84020	201 238	6	1.85	0.2	10	310	< 0.5	< 2	0.38	< 0.5	7	31	16	2.32	10	< 1	0.11	20	0.45	223
84021	201 238	14	1.95	0.2	10	400	0.5	< 2	0.44	< 0.5	11	32	23	2.48	10	< 1	0.13	20	0.43	385
84022	201 238	3	1.46	0.2	15	240	< 0.5	< 2	0.37	< 0.5	6	27	21	2.10	10	< 1	0.14	20	0.38	188
84023	201 238	4	1.48	0.2	5	290	< 0.5	< 2	0.36	< 0.5	5	27	16	1.79	10	< 1	0.11	20	0.33	157
84024	201 238	3	1.90	0.2	25	400	0.5	< 2	0.43	< 0.5	6	31	24	2.40	10	< 1	0.17	20	0.43	218
84025	201 238	6	1.57	0.2	< 5	280	< 0.5	< 2	0.44	< 0.5	7	29	16	1.98	10	< 1	0.12	20	0.39	280
84026	201 238	30	1.40	0.2	15	230	< 0.5	< 2	0.43	0.5	7	26	16	2.04	10	< 1	0.12	30	0.33	429
84027	201 238	6	1.81	0.2	35	340	0.5	< 2	0.44	< 0.5	10	33	19	2.48	10	< 1	0.14	20	0.43	416
84028	201 238	2	2.00	0.2	20	390	1.0	< 2	0.42	0.5	16	33	22	2.65	10	< 1	0.16	20	0.42	741
84029	201 238	12	1.54	1.2	50	410	0.5	< 2	0.62	0.5	14	27	44	2.92	10	< 1	0.11	20	0.37	912
84030	201 238	13	1.10	1.6	65	480	0.5	< 2	0.73	2.0	20	19	94	3.92	10	< 1	0.12	30	0.28	1550
84031	201 238	7	1.34	0.8	35	350	1.0	< 2	1.12	1.5	17	22	58	3.11	10	< 1	0.10	30	0.40	1250
84040	201 238	< 2	1.25	0.2	15	240	< 0.5	< 2	0.39	< 0.5	5	25	22	2.44	< 10	< 1	0.08	20	0.34	157
84041	217 238	6	0.16	0.2	< 5	140	< 0.5	< 2	0.59	< 0.5	4	17	12	0.43	< 10	< 1	0.04	< 10	0.13	154
84042	217 238	4	0.17	0.2	< 5	150	< 0.5	< 2	0.71	0.5	6	24	11	0.55	< 10	< 1	0.04	< 10	0.15	198
84045	201 238	17	0.79	1.0	10	200	0.5	< 2	0.90	1.5	17	13	51	2.08	< 10	< 1	0.07	30	0.49	1015
84046	201 238	23	1.38	0.6	10	220	< 0.5	< 2	0.53	0.5	12	23	37	2.75	< 10	< 1	0.13	30	0.45	553
84047	201 238	24	1.31	0.8	15	370	0.5	< 2	0.86	2.5	13	20	73	2.79	< 10	< 1	0.14	30	0.45	867
84048	201 238	18	1.51	1.2	20	390	1.0	< 2	0.68	1.0	18	23	66	3.41	< 10	< 1	0.13	30	0.46	1275
84049	201 238	6	1.71	0.2	10	470	< 0.5	< 2	0.48	< 0.5	12	27	24	2.60	< 10	< 1	0.11	20	0.47	633
84050	201 238	2	1.75	0.2	< 5	390	< 0.5	< 2	0.45	< 0.5	12	29	18	2.54	10	< 1	0.14	20	0.46	503
84051	201 238	3	1.38	0.2	10	330	0.5	< 2	0.42	< 0.5	9	23	19	2.15	< 10	< 1	0.12	20	0.35	592
84052	201 238	1	1.59	0.2	< 5	510	< 0.5	< 2	0.64	< 0.5	6	27	21	2.56	< 10	< 1	0.15	20	0.49	429

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Page No : -B
Tot. Pa : 4
Date : 17-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84001	201 238	2	0.01	12	270	12	< 5	< 10	35	0.07	< 10	< 10	54	5	47
84002	201 238	4	0.01	48	560	30	< 5	< 10	63	0.02	10	< 10	45	5	125
84003	201 238	1	0.01	24	370	24	< 5	< 10	35	0.06	10	< 10	50	5	74
84004	201 238	4	0.01	37	530	18	< 5	< 10	52	0.01	20	< 10	41	5	131
84007	201 238	3	0.01	37	750	20	< 5	< 10	55	0.05	10	< 10	48	5	138
84008	201 238	9	< 0.01	40	890	12	5	< 10	45	0.03	10	< 10	42	5	159
84009	201 238	2	0.01	16	450	16	5	< 10	36	0.08	10	< 10	55	5	68
84010	201 238	< 1	0.01	16	510	6	< 5	< 10	38	0.09	10	< 10	56	5	64
84011	201 238	< 1	0.01	25	410	16	< 5	< 10	33	0.10	10	< 10	76	5	87
84012	201 238	1	0.01	13	410	4	< 5	< 10	32	0.10	< 10	< 10	57	5	56
84013	201 238	< 1	0.01	13	480	14	< 5	< 10	31	0.09	10	< 10	49	< 5	48
84014	201 238	< 1	0.01	12	480	18	< 5	< 10	29	0.09	10	< 10	49	5	52
84015	201 238	< 1	0.01	9	450	4	< 5	< 10	30	0.10	10	< 10	52	5	53
84016	201 238	1	0.01	12	440	8	< 5	< 10	30	0.09	10	< 10	51	5	57
84017	201 238	< 1	0.01	16	530	26	5	< 10	37	0.09	10	< 10	68	5	83
84018	201 238	1	0.02	18	540	8	5	< 10	41	0.10	10	< 10	64	5	64
84019	201 238	< 1	0.02	18	510	10	< 5	< 10	40	0.10	10	< 10	60	5	60
84020	201 238	< 1	0.01	15	380	6	< 5	< 10	29	0.09	10	< 10	54	5	58
84021	201 238	< 1	0.01	17	450	8	< 5	< 10	32	0.09	10	< 10	61	5	62
84022	201 238	< 1	0.01	15	390	14	< 5	< 10	29	0.07	10	< 10	48	< 5	70
84023	201 238	< 1	0.01	12	310	4	< 5	< 10	30	0.09	10	< 10	47	5	45
84024	201 238	< 1	0.02	17	430	16	< 5	< 10	35	0.08	10	< 10	55	5	68
84025	201 238	< 1	0.01	13	470	10	< 5	< 10	33	0.09	10	< 10	50	< 5	51
84026	201 238	1	0.01	12	600	4	< 5	< 10	33	0.08	10	< 10	48	5	58
84027	201 238	1	0.01	18	510	6	5	< 10	34	0.09	10	< 10	57	< 5	75
84028	201 238	< 1	0.01	18	600	12	5	< 10	36	0.09	10	< 10	64	10	83
84029	201 238	5	0.01	37	690	24	5	< 10	49	0.04	10	< 10	48	5	143
84030	201 238	15	0.01	73	1120	24	10	10	64	0.01	10	< 10	33	15	233
84031	201 238	7	0.01	44	900	22	< 5	< 10	65	0.03	10	< 10	43	10	149
84040	201 238	2	0.01	14	480	12	< 5	< 10	27	0.06	< 10	< 10	47	5	60
84041	217 238	1	0.01	9	500	6	< 5	< 10	29	< 0.01	< 10	< 10	3	5	30
84042	217 238	1	0.01	7	720	8	< 5	< 10	31	< 0.01	< 10	< 10	2	< 5	43
84045	201 238	3	0.02	33	620	14	< 5	< 10	49	0.03	< 10	< 10	25	< 5	96
84046	201 238	5	0.01	31	610	18	< 5	< 10	40	0.04	< 10	10	41	< 5	122
84047	201 238	5	0.01	52	860	12	< 5	< 10	64	0.02	< 10	20	34	< 5	147
84048	201 238	8	0.01	53	870	24	< 5	< 10	62	0.02	< 10	< 10	41	< 5	179
84049	201 238	< 1	0.01	21	520	10	< 5	< 10	39	0.07	< 10	< 10	51	< 5	73
84050	201 238	< 1	0.01	21	570	12	< 5	< 10	37	0.09	< 10	< 10	55	< 5	76
84051	201 238	< 1	0.01	20	680	10	< 5	< 10	33	0.09	< 10	< 10	46	< 5	84
84052	201 238	< 1	0.02	23	700	12	< 5	< 10	43	0.09	< 10	< 10	56	< 5	80

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Date : 17-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84053	201 238	3	1.77	0.2	5	430	< 0.5	< 2	0.50	< 0.5	10	30	19	2.63	10	< 1	0.16	20	0.49	338
84054	201 238	3	2.08	0.6	< 5	490	< 0.5	< 2	0.46	< 0.5	6	26	32	2.57	< 10	< 1	0.11	20	0.33	262
84055	201 238	6	1.47	0.2	5	250	< 0.5	< 2	0.30	< 0.5	7	22	15	2.05	< 10	< 1	0.09	20	0.37	246
84056	201 238	13	1.56	0.2	< 5	370	< 0.5	< 2	0.58	< 0.5	8	28	19	2.29	< 10	< 1	0.10	30	0.48	223
84057	201 238	10	1.28	0.6	15	620	< 0.5	< 2	0.70	2.0	30	25	35	3.67	< 10	< 1	0.10	30	0.50	4590
84058	201 238	10	1.45	0.6	15	630	< 0.5	< 2	1.11	0.5	13	30	39	2.94	< 10	< 1	0.15	20	0.56	524
84059	201 238	6	1.34	0.8	15	340	< 0.5	< 2	0.43	< 0.5	12	24	46	3.42	< 10	< 1	0.10	30	0.55	299
84060	201 238	36	1.60	0.6	5	780	< 0.5	< 2	0.79	1.0	18	25	70	3.27	< 10	< 1	0.13	20	0.55	752
84061	201 238	5	1.69	0.8	10	430	< 0.5	< 2	0.82	< 0.5	15	27	55	3.28	< 10	< 1	0.12	30	0.66	584
84062	201 238	< 1	1.09	0.8	20	570	< 0.5	< 2	0.58	< 0.5	12	49	53	2.51	< 10	< 1	0.11	20	0.39	281
84063	201 238	7	0.18	0.4	< 5	470	< 0.5	< 2	3.24	3.5	6	6	70	0.42	< 10	< 1	0.05	< 10	0.23	522
84064	201 238	3	1.54	0.4	25	370	< 0.5	< 2	0.87	< 0.5	16	118	45	3.54	< 10	< 1	0.12	30	0.70	479
84065	201 238	11	0.66	1.0	5	280	< 0.5	< 2	2.88	0.5	8	27	34	1.32	< 10	< 1	0.08	< 10	0.56	349
84067	201 238	3	1.47	0.4	5	200	< 0.5	< 2	1.57	1.0	8	23	34	2.54	< 10	< 1	0.10	30	0.64	566
84068	201 238	4	1.94	0.4	10	180	< 0.5	< 2	0.97	< 0.5	12	28	30	3.23	< 10	< 1	0.14	30	0.76	478
84069	201 238	6	1.81	0.2	< 5	180	< 0.5	< 2	1.82	1.0	12	23	36	2.62	< 10	< 1	0.13	20	0.69	455
84070	201 238	15	1.41	0.4	< 5	310	< 0.5	< 2	0.98	0.5	7	23	16	2.12	< 10	< 1	0.10	30	0.46	778
84072	201 238	2	1.53	0.4	< 5	270	< 0.5	2	0.63	0.5	9	26	14	2.25	< 10	< 1	0.11	30	0.44	420
84073	201 238	2	1.40	0.2	< 5	300	< 0.5	< 2	0.58	< 0.5	6	26	16	2.20	< 10	< 1	0.12	30	0.47	229
84074	201 238	4	1.89	0.6	15	200	1.5	< 2	1.51	1.0	12	19	45	2.73	< 10	< 1	0.17	40	0.63	537
84079	201 238	13	1.68	0.2	10	250	< 0.5	< 2	0.30	< 0.5	7	24	26	2.38	< 10	< 1	0.12	20	0.45	188
84080	201 238	5	1.54	0.2	< 5	250	< 0.5	< 2	0.32	< 0.5	7	26	13	2.16	< 10	< 1	0.08	20	0.39	175
84083	201 238	4	1.25	0.2	10	300	< 0.5	< 2	0.75	< 0.5	7	23	25	2.28	< 10	< 1	0.08	20	0.68	605
84084	201 238	< 1	1.29	0.4	5	320	< 0.5	< 2	0.53	< 0.5	7	22	13	2.19	< 10	< 1	0.10	20	0.39	234
84085	201 238	3	1.52	0.2	15	370	< 0.5	< 2	0.38	< 0.5	12	26	20	2.56	< 10	< 1	0.11	20	0.43	451
84086	201 238	< 1	1.69	0.2	< 5	320	< 0.5	< 2	0.34	< 0.5	7	24	9	2.22	< 10	< 1	0.06	20	0.38	196
84087	201 238	3	1.17	0.2	10	230	< 0.5	< 2	0.37	< 0.5	7	22	19	2.18	< 10	< 1	0.12	20	0.40	305
84088	201 238	9	1.59	0.2	5	380	< 0.5	< 2	0.42	< 0.5	6	25	11	2.31	< 10	< 1	0.13	20	0.40	316
84089	201 238	7	1.46	0.2	< 5	390	< 0.5	< 2	0.56	< 0.5	6	25	16	2.18	< 10	< 1	0.16	20	0.44	385
84090	217 238	2	0.84	0.2	15	530	< 0.5	< 2	1.53	1.0	8	43	21	1.59	< 10	< 1	0.11	10	0.41	524
84091	201 238	11	1.77	0.4	5	490	0.5	< 2	0.74	< 0.5	6	27	32	2.60	< 10	< 1	0.11	20	0.60	384
84092	201 238	3	1.80	0.4	5	480	< 0.5	< 2	0.82	< 0.5	11	29	29	2.60	< 10	< 1	0.14	20	0.61	549
84093	201 238	6	1.56	0.2	< 5	360	0.5	< 2	0.53	< 0.5	11	27	20	2.60	< 10	< 1	0.12	20	0.55	388
84094	201 238	3	1.76	0.2	15	460	0.5	< 2	0.54	< 0.5	11	27	27	2.66	< 10	< 1	0.13	20	0.50	566
84095	201 238	4	1.50	0.2	10	340	< 0.5	< 2	0.40	< 0.5	9	24	20	2.61	< 10	< 1	0.12	20	0.47	411
84096	201 238	6	1.87	0.4	5	280	0.5	< 2	0.27	< 0.5	12	27	31	3.14	< 10	< 1	0.13	30	0.58	344
84097	201 238	3	2.71	0.4	20	360	1.5	< 2	0.24	< 0.5	17	31	40	4.47	< 10	< 1	0.15	50	0.85	624
84098	201 238	2	1.64	0.2	10	130	1.0	< 2	0.15	< 0.5	7	16	29	2.46	< 10	< 1	0.13	30	0.32	229
84099	217 238	1	1.13	0.2	< 5	100	0.5	< 2	0.15	0.5	8	14	18	1.79	< 10	< 1	0.15	20	0.16	322
84100	201 238	4	1.44	0.4	20	380	0.5	< 2	0.36	0.6	9	31	40	2.43	< 10	< 1	0.08	30	0.36	361

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: UNITED KENO HILL MINES LIMITED
9 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Page No. -B
Tot. Pag
Date /-JUL-87
Invoice # I-8716663
P.O. # NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84053	201 238	< 1	0.02	20	560	8	< 5	< 10	38	0.10	< 10	< 10	62	< 5	66
84054	201 238	< 1	0.01	21	490	12	< 5	< 10	36	0.07	< 10	< 10	52	< 5	78
84055	201 238	< 1	0.01	15	350	6	< 5	< 10	25	0.07	< 10	< 10	43	< 5	62
84056	201 238	1	0.02	26	630	4	< 5	< 10	40	0.08	< 10	< 10	47	< 5	60
84057	201 238	4	0.01	69	760	14	< 5	< 10	49	0.03	< 10	< 10	57	< 5	144
84058	201 238	2	0.01	47	590	6	< 5	< 10	68	0.02	< 10	< 10	47	< 5	123
84059	201 238	1	0.01	44	750	8	< 5	< 10	35	0.02	< 10	< 10	49	< 5	143
84060	201 238	3	0.01	45	820	6	< 5	< 10	54	0.03	< 10	< 10	61	< 5	140
84061	201 238	2	0.01	44	620	14	< 5	< 10	53	0.01	< 10	< 10	37	< 5	96
84062	201 238	2	< 0.01	64	750	6	< 5	< 10	65	0.01	< 10	< 10	35	< 5	107
84063	201 238	2	0.02	48	1160	8	< 5	< 10	127	< 0.01	< 10	< 10	4	< 5	116
84064	201 238	< 1	0.01	137	700	8	5	< 10	52	< 0.01	< 10	< 10	28	< 5	107
84065	201 238	< 1	0.02	49	690	8	< 5	< 10	109	< 0.01	< 10	< 10	9	< 5	70
84067	201 238	1	0.01	40	790	8	< 5	< 10	79	< 0.01	< 10	< 10	18	< 5	74
84068	201 238	1	0.02	37	630	16	< 5	< 10	54	0.01	< 10	< 10	27	< 5	97
84069	201 238	< 1	0.01	35	730	10	< 5	< 10	93	< 0.01	< 10	< 10	19	< 5	88
84070	201 238	1	0.01	17	590	6	< 5	< 10	56	0.08	< 10	< 10	46	< 5	57
84072	201 238	< 1	0.02	20	560	12	< 5	< 10	40	0.09	< 10	< 10	48	< 5	61
84073	201 238	< 1	0.02	21	720	< 2	< 5	< 10	40	0.10	< 10	< 10	48	< 5	74
84074	201 238	2	0.01	37	630	16	5	< 10	65	< 0.01	< 10	< 10	21	< 5	121
84079	201 238	2	0.01	23	400	10	< 5	< 10	24	0.06	< 10	< 10	46	< 5	83
84080	201 238	< 1	0.01	15	380	6	< 5	< 10	25	0.08	< 10	< 10	46	< 5	51
84083	201 238	< 1	0.02	25	450	8	< 5	< 10	50	0.07	< 10	< 10	45	< 5	47
84084	201 238	< 1	0.01	15	320	8	< 5	< 10	36	0.07	< 10	< 10	46	< 5	45
84085	201 238	1	0.01	23	320	12	< 5	< 10	29	0.08	< 10	< 10	52	< 5	52
84086	201 238	< 1	0.01	16	340	10	5	< 10	26	0.08	< 10	< 10	54	< 5	54
84087	201 238	< 1	0.01	20	610	6	5	< 10	28	0.06	< 10	< 10	44	< 5	49
84088	201 238	1	0.01	17	440	6	< 5	< 10	30	0.08	< 10	< 10	53	< 5	52
84089	201 238	< 1	0.02	19	570	8	< 5	< 10	36	0.09	< 10	< 10	57	< 5	68
84090	217 238	< 1	0.03	22	870	2	< 5	< 10	65	0.05	< 10	< 10	31	< 5	81
84091	201 238	< 1	0.02	26	500	4	< 5	< 10	48	0.07	< 10	< 10	53	< 5	77
84092	201 238	< 1	0.03	30	710	8	< 5	< 10	59	0.10	< 10	< 10	60	< 5	81
84093	201 238	1	0.02	20	630	4	< 5	< 10	41	0.09	< 10	< 10	57	< 5	67
84094	201 238	< 1	0.02	25	810	8	< 5	< 10	40	0.08	< 10	< 10	54	< 5	87
84095	201 238	2	0.02	22	660	10	< 5	< 10	34	0.07	< 10	< 10	47	< 5	72
84096	201 238	4	0.01	29	530	10	< 5	< 10	27	0.04	< 10	< 10	51	< 5	105
84097	201 238	2	0.01	39	670	14	< 5	< 10	28	< 0.01	< 10	< 10	34	< 5	111
84098	201 238	2	0.01	24	430	12	< 5	< 10	14	0.02	< 10	< 10	27	< 5	95
84099	217 238	1	0.01	16	330	14	< 5	< 10	12	0.03	< 10	< 10	22	< 5	85
84100	201 238	3	0.01	27	450	10	< 5	< 10	31	0.06	< 10	< 10	40	< 5	73

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED

09 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : P-53
Comments:

Page No : -A
Tot. Pa :
Date : 17-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
94826	201 238	7	1.30	< 0.2	20	370	0.5	< 2	0.35	< 0.5	8	21	45	2.50	< 10	< 1	0.09	20	0.30	335
94827	201 238	7	0.86	< 0.2	70	400	1.0	< 2	0.25	1.0	25	12	97	4.30	< 10	< 1	0.13	20	0.12	1170
94828	201 238	6	0.95	0.6	20	290	0.5	< 2	0.19	< 0.5	7	15	49	3.46	< 10	< 1	0.11	20	0.19	390
94829	201 238	4	1.30	< 0.2	5	260	0.5	< 2	0.27	< 0.5	7	23	24	2.22	< 10	< 1	0.10	20	0.33	185
94830	201 238	4	1.33	< 0.2	10	280	0.5	< 2	0.24	< 0.5	8	22	22	2.06	< 10	< 1	0.08	20	0.30	180
94831	201 238	3	1.40	< 0.2	10	250	1.0	< 2	0.23	< 0.5	7	21	24	2.38	< 10	< 1	0.08	20	0.30	180
94832	201 238	< 1	1.41	< 0.2	15	260	0.5	< 2	0.27	< 0.5	7	22	14	2.07	< 10	< 1	0.07	20	0.35	158
94833	201 238	< 1	1.60	< 0.2	5	300	0.5	< 2	0.29	< 0.5	7	25	18	2.04	< 10	< 1	0.08	20	0.36	239
94834	201 238	2	1.48	< 0.2	40	280	2.0	< 2	0.12	< 0.5	7	16	33	2.46	< 10	< 1	0.10	30	0.15	126
94835	201 238	4	1.64	< 0.2	5	300	< 0.5	< 2	0.31	< 0.5	7	23	12	1.97	< 10	< 1	0.09	20	0.31	183
94836	201 238	6	1.64	< 0.2	10	320	< 0.5	< 2	0.29	< 0.5	7	27	17	2.24	< 10	< 1	0.08	20	0.42	175
94837	201 238	< 1	1.67	< 0.2	5	290	< 0.5	< 2	0.28	< 0.5	7	27	15	2.13	< 10	< 1	0.08	20	0.37	146
94838	201 238	3	1.60	< 0.2	10	280	< 0.5	< 2	0.23	< 0.5	7	27	20	2.10	< 10	< 1	0.06	20	0.36	122
94839	201 238	66	1.50	< 0.2	5	260	< 0.5	< 2	0.27	< 0.5	8	25	15	2.08	< 10	< 1	0.07	20	0.36	150
94841	201 238	4	1.46	< 0.2	5	240	< 0.5	< 2	0.25	< 0.5	7	24	14	1.88	< 10	< 1	0.05	20	0.32	119
94842	201 238	3	1.83	< 0.2	5	450	< 0.5	< 2	0.35	< 0.5	7	28	21	2.35	< 10	< 1	0.08	20	0.38	251
94843	201 238	5	1.84	< 0.2	5	370	0.5	< 2	0.37	< 0.5	7	28	23	2.47	< 10	< 1	0.08	20	0.38	251
94844	201 238	4	1.67	< 0.2	15	290	0.5	< 2	0.34	< 0.5	7	26	24	2.53	< 10	< 1	0.11	20	0.35	315
94848	201 238	9	1.65	< 0.2	15	270	0.5	< 2	0.41	< 0.5	7	25	23	2.32	< 10	< 1	0.12	30	0.35	355
94849	201 238	3	1.66	< 0.2	< 5	330	< 0.5	< 2	0.38	< 0.5	7	27	13	2.19	< 10	< 1	0.13	20	0.40	209
94850	201 238	17	1.49	< 0.2	< 5	350	< 0.5	< 2	0.36	< 0.5	6	25	10	1.87	< 10	< 1	0.11	20	0.38	151
94854	201 238	6	1.51	< 0.2	15	300	< 0.5	< 2	0.36	< 0.5	7	24	13	1.94	< 10	< 1	0.09	20	0.37	209
94855	201 238	3	1.36	< 0.2	5	270	< 0.5	< 2	0.32	< 0.5	7	22	11	1.83	< 10	< 1	0.08	20	0.32	200
94856	201 238	4	1.29	< 0.2	< 5	270	< 0.5	< 2	0.33	< 0.5	7	22	11	1.81	< 10	< 1	0.07	30	0.29	194
94857	201 238	4	1.59	< 0.2	5	250	< 0.5	< 2	0.33	< 0.5	7	25	12	2.01	< 10	< 1	0.10	20	0.37	163

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P-53
Comments:

Page No. : 4-B
Tot. P. : 4
Date : 17-JUL-87
Invoice # : I-8716663
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8716663

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
94826	201	238	7	< 0.01	30	430	16	< 5	< 10	32	0.04	< 10	< 10	43	< 5	107
94827	201	238	33	< 0.01	70	1010	20	< 5	< 10	41	< 0.01	< 10	< 10	49	< 5	309
94828	201	238	12	< 0.01	34	570	20	< 5	< 10	46	0.02	< 10	< 10	38	< 5	238
94829	201	238	2	< 0.01	21	250	12	< 5	< 10	26	0.06	< 10	< 10	42	< 5	69
94830	201	238	2	< 0.01	16	240	12	< 5	< 10	24	0.06	< 10	< 10	45	< 5	65
94831	201	238	3	< 0.01	20	270	14	< 5	< 10	24	0.05	< 10	< 10	44	< 5	88
94832	201	238	2	< 0.01	13	220	14	< 5	< 10	28	0.07	< 10	< 10	48	< 5	56
94833	201	238	1	0.01	16	160	10	< 5	< 10	26	0.09	< 10	< 10	48	< 5	52
94834	201	238	5	< 0.01	20	230	26	< 5	< 10	15	0.01	< 10	< 10	37	< 5	120
94835	201	238	< 1	0.01	13	190	16	< 5	< 10	26	0.09	< 10	< 10	46	< 5	52
94836	201	238	< 1	0.01	17	300	6	< 5	< 10	26	0.09	< 10	< 10	48	< 5	42
94837	201	238	1	< 0.01	14	230	10	< 5	< 10	26	0.09	< 10	< 10	50	< 5	43
94838	201	238	< 1	< 0.01	16	190	4	< 5	< 10	23	0.08	< 10	< 10	44	< 5	38
[illegible]	201	238	< 1	< 0.01	16	210	12	< 5	< 10	24	0.08	< 10	< 10	46	< 5	39
94841	201	238	< 1	0.01	14	220	14	< 5	< 10	21	0.08	< 10	< 10	42	< 5	36
94842	201	238	1	0.01	17	290	6	< 5	< 10	32	0.09	< 10	< 10	52	< 5	47
94843	201	238	< 1	0.01	20	330	2	< 5	< 10	31	0.08	< 10	< 10	52	< 5	54
94844	201	238	1	0.01	22	420	14	< 5	< 10	33	0.08	< 10	< 10	49	< 5	71
94848	201	238	2	0.01	22	450	16	< 5	< 10	33	0.08	< 10	< 10	48	< 5	69
94849	201	238	1	0.01	16	580	8	< 5	< 10	32	0.09	< 10	< 10	52	< 5	62
94850	201	238	1	0.01	12	530	6	< 5	< 10	31	0.09	< 10	< 10	46	< 5	54
94854	201	238	< 1	0.01	14	390	12	< 5	< 10	31	0.08	< 10	< 10	44	< 5	48
94855	201	238	< 1	0.01	12	460	8	< 5	< 10	28	0.08	< 10	< 10	41	< 5	49
94856	201	238	< 1	0.01	9	430	8	< 5	< 10	28	0.08	< 10	< 10	42	< 5	43
94857	201	238	1	0.01	14	430	10	< 5	< 10	29	0.09	< 10	< 10	48	< 5	56

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ITED KENO HILL MINES LIMITED

09 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. -A
Tot. Pa/
Date 2-AUG-87
Invoice # :I-8717389
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84101 C	201	238	5	1.01	0.8	15	380	< 0.5	< 2	0.67	1.0	12	22	52	2.57	< 10	< 1	0.15	30	0.26	401
84102 C	201	238	9	1.04	0.2	25	290	< 0.5	< 2	0.32	< 0.5	12	21	53	2.85	< 10	< 1	0.12	40	0.25	363
84103 C	201	238	5	1.50	0.4	25	630	< 0.5	< 2	0.49	< 0.5	15	30	51	3.43	< 10	< 1	0.13	20	0.53	354
84104 C	201	238	49	1.39	0.4	25	590	< 0.5	4	0.38	< 0.5	16	26	42	3.60	< 10	< 1	0.10	30	0.51	808
84105 C	201	238	4	1.83	0.2	15	590	< 0.5	4	0.41	< 0.5	14	36	36	3.23	< 10	< 1	0.14	30	0.63	413
84106 C	201	238	53	1.73	0.8	15	300	< 0.5	2	0.32	< 0.5	16	29	50	4.09	< 10	< 1	0.14	40	0.59	520
84107 C	201	238	5	2.03	0.6	15	420	< 0.5	2	0.36	< 0.5	12	36	38	3.42	< 10	< 1	0.11	30	0.79	331
84108 C	201	238	4	1.45	0.6	15	630	< 0.5	2	0.41	0.5	15	44	66	2.95	< 10	< 1	0.11	30	0.48	335
84109 C	201	238	12	2.15	1.2	5	690	< 0.5	4	0.46	0.5	15	51	81	3.42	< 10	< 1	0.09	30	0.66	584
84110 C	201	238	4	1.60	0.4	5	610	< 0.5	2	0.81	< 0.5	14	47	46	2.77	< 10	< 1	0.09	30	0.52	682
84111 C	201	238	4	1.65	0.4	15	630	< 0.5	4	0.36	< 0.5	15	72	42	3.14	< 10	< 1	0.09	30	0.59	315
84112 C	201	238	4	1.59	0.8	< 5	300	< 0.5	4	0.82	< 0.5	14	63	27	2.83	< 10	< 1	0.09	30	0.66	471
84113 C	201	238	11	2.00	0.4	< 5	210	< 0.5	2	0.53	< 0.5	16	38	31	3.84	< 10	< 1	0.07	40	0.77	624
84114 C	201	238	38	1.87	0.6	10	240	< 0.5	4	1.08	1.0	16	33	41	3.32	< 10	< 1	0.10	30	0.75	640
84115 C	201	238	3	1.87	0.6	< 5	180	< 0.5	2	0.71	0.5	15	30	33	3.50	< 10	< 1	0.09	40	0.81	417
84116 C	201	238	5	2.18	0.4	10	180	< 0.5	4	0.58	0.5	16	39	40	3.84	< 10	< 1	0.10	40	0.94	475
84117 C	201	238	9	2.19	0.2	5	160	< 0.5	< 2	0.43	0.5	14	27	33	3.56	< 10	< 1	0.12	40	0.77	482
84118 C	201	238	3	2.09	0.4	< 5	200	0.5	< 2	0.69	1.5	16	25	37	2.94	< 10	< 1	0.12	40	0.55	1000
84119 C	201	238	4	2.32	0.4	< 5	110	0.5	4	0.32	0.5	13	29	31	3.65	< 10	< 1	0.16	30	0.76	327
84120 C	201	238	5	1.62	0.4	20	680	< 0.5	< 2	0.42	< 0.5	9	28	22	2.04	< 10	< 1	0.07	20	0.41	137
84121 C	201	238	3	1.03	0.4	25	740	< 0.5	< 2	0.32	< 0.5	10	30	39	2.19	< 10	< 1	0.08	20	0.23	187
84122 C	201	238	< 1	1.30	0.4	< 5	480	< 0.5	6	0.31	< 0.5	8	24	15	1.86	< 10	< 1	0.06	20	0.33	168
84123 C	201	238	19	1.51	0.2	5	530	< 0.5	2	0.27	< 0.5	15	36	42	3.05	< 10	< 1	0.14	30	0.55	381
84124 C	201	238	3	1.58	0.2	20	830	< 0.5	2	0.33	< 0.5	15	30	34	3.58	< 10	< 1	0.13	20	0.57	404
84125 C	201	238	7	2.03	0.2	< 5	600	0.5	2	0.21	< 0.5	17	44	56	3.52	< 10	< 1	0.10	30	0.67	393
84126 C	201	238	2	0.52	0.6	60	320	< 0.5	2	0.11	< 0.5	7	6	33	1.05	< 10	8	0.03	10	0.14	90
84127 C	201	238	7	1.02	0.4	15	800	< 0.5	< 2	0.22	< 0.5	14	52	66	2.41	< 10	< 1	0.08	20	0.29	333
84128 C	201	238	3	1.30	0.4	5	1010	< 0.5	4	0.35	0.5	11	75	64	2.22	< 10	< 1	0.11	20	0.37	341
84129 C	201	238	7	1.65	0.2	40	490	< 0.5	< 2	0.33	0.5	28	291	53	3.80	< 10	< 1	0.09	30	0.90	598
84130 C	201	238	104	1.65	0.2	< 5	340	< 0.5	4	0.25	0.5	16	76	32	3.40	< 10	< 1	0.10	30	0.72	376
84131 C	201	238	11	2.49	0.2	15	330	< 0.5	2	0.32	< 0.5	19	116	28	4.13	< 10	< 1	0.10	40	1.05	626
84132 C	201	238	4	2.40	0.2	< 5	270	< 0.5	< 2	0.35	0.5	16	80	43	4.39	< 10	< 1	0.12	40	1.05	485
84133 C	201	238	3	2.60	0.2	< 5	180	< 0.5	< 2	0.28	< 0.5	14	35	42	4.75	< 10	< 1	0.13	40	1.10	469
84134 C	201	238	1	2.07	0.2	5	170	< 0.5	< 2	0.31	< 0.5	15	30	38	4.22	< 10	< 1	0.10	40	0.84	611
84135 C	201	238	6	2.11	0.2	5	260	< 0.5	< 2	0.44	< 0.5	12	41	30	3.48	< 10	< 1	0.12	40	0.78	469
84136 C	201	238	4	2.08	0.2	5	240	0.5	2	1.07	< 0.5	11	33	36	3.43	< 10	< 1	0.14	40	0.80	356
84137 C	201	238	11	2.10	0.2	5	180	0.5	2	0.45	< 0.5	11	26	35	3.39	< 10	< 1	0.12	40	0.72	420
84138 C	201	238	9	2.65	0.4	5	430	1.0	< 2	0.63	< 0.5	15	27	43	3.47	< 10	1	0.15	50	0.63	1740
84139 C	201	238	< 1	2.26	0.4	10	760	< 0.5	< 2	0.22	< 0.5	11	32	17	2.65	< 10	2	0.05	20	0.42	319
84140 C	201	238	< 1	0.58	0.6	35	930	< 0.5	< 2	0.10	< 0.5	< 1	12	17	1.59	< 10	< 1	0.03	< 10	0.05	18

CERTIFICATION : BCF

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ITED KENO HILL MINES LIMITED

09 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. :B
Tot. Pag
Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84101 C	201	238	6	< 0.01	45	500	< 2	< 5	10	37	0.01	< 10	< 10	36	5	142
84102 C	201	238	10	< 0.01	47	380	< 2	< 5	< 10	34	< 0.01	< 10	< 10	36	< 5	150
84103 C	201	238	1	< 0.01	49	670	< 2	< 5	10	38	0.04	< 10	< 10	71	5	123
84104 C	201	238	3	< 0.01	51	680	10	< 5	10	29	0.01	< 10	< 10	52	< 5	123
84105 C	201	238	< 1	0.01	44	550	< 2	< 5	< 10	36	0.04	< 10	< 10	57	5	93
84106 C	201	238	1	0.01	53	770	< 2	< 5	< 10	34	< 0.01	< 10	< 10	32	< 5	107
84107 C	201	238	2	0.01	39	360	10	< 5	10	29	0.03	< 10	< 10	48	5	84
84108 C	201	238	< 1	0.01	57	730	< 2	< 5	< 10	51	0.02	< 10	< 10	51	< 5	113
84109 C	201	238	< 1	0.01	67	530	< 2	< 5	< 10	43	0.01	< 10	< 10	38	< 5	94
84110 C	201	238	< 1	0.01	60	570	6	< 5	< 10	53	0.01	< 10	< 10	30	< 5	71
84111 C	201	238	< 1	0.01	68	500	2	< 5	< 10	33	0.01	< 10	< 10	34	< 5	86
84112 C	201	238	< 1	0.01	63	560	< 2	< 5	10	44	< 0.01	< 10	< 10	23	5	62
84113 C	201	238	< 1	0.01	44	370	< 2	< 5	< 10	33	< 0.01	< 10	< 10	25	< 5	72
84114 C	201	238	< 1	0.01	44	540	2	< 5	20	60	< 0.01	< 10	< 10	25	5	81
84115 C	201	238	< 1	< 0.01	40	710	10	< 5	< 10	37	< 0.01	< 10	< 10	25	< 5	89
84116 C	201	238	1	0.01	61	680	< 2	< 5	< 10	35	< 0.01	< 10	< 10	27	< 5	106
84117 C	201	238	< 1	0.01	34	590	4	< 5	< 10	27	< 0.01	< 10	< 10	27	< 5	92
84118 C	201	238	< 1	0.01	32	500	6	< 5	10	42	0.01	< 10	< 10	28	< 5	91
84119 C	201	238	< 1	0.01	29	390	< 2	< 5	< 10	20	0.01	< 10	< 10	32	< 5	93
84120 C	201	238	< 1	0.01	19	490	8	< 5	< 10	26	0.07	< 10	< 10	50	< 5	45
84121 C	201	238	< 1	< 0.01	38	680	4	< 5	< 10	43	0.03	< 10	< 10	48	< 5	99
84122 C	201	238	< 1	< 0.01	18	390	4	< 5	< 10	24	0.06	< 10	< 10	52	< 5	45
84123 C	201	238	2	< 0.01	45	620	< 2	< 5	10	33	0.02	< 10	< 10	52	< 5	111
84124 C	201	238	< 1	< 0.01	42	440	< 2	< 5	< 10	29	0.05	< 10	< 10	105	5	97
84125 C	201	238	< 1	< 0.01	53	370	< 2	< 5	< 10	24	0.03	< 10	< 10	60	< 5	107
84126 C	201	238	3	< 0.01	19	260	6	20	< 10	18	0.01	< 10	< 10	34	< 5	60
84127 C	201	238	< 1	< 0.01	69	640	< 2	< 5	10	58	0.01	< 10	< 10	42	< 5	94
84128 C	201	238	1	< 0.01	62	640	< 2	< 5	< 10	70	0.02	< 10	< 10	50	< 5	85
84129 C	201	238	< 1	< 0.01	351	490	< 2	< 5	< 10	38	< 0.01	< 10	< 10	44	< 5	112
84130 C	201	238	< 1	0.01	83	490	< 2	< 5	10	31	< 0.01	< 10	< 10	30	< 5	81
84131 C	201	238	< 1	0.01	85	470	< 2	< 5	10	21	< 0.01	< 10	< 10	31	< 5	78
84132 C	201	238	< 1	0.01	77	620	2	< 5	10	25	< 0.01	< 10	< 10	34	< 5	87
84133 C	201	238	< 1	0.01	46	420	6	< 5	< 10	27	< 0.01	< 10	< 10	31	< 5	108
84134 C	201	238	< 1	0.01	44	560	4	< 5	< 10	22	< 0.01	< 10	< 10	28	< 5	93
84135 C	201	238	< 1	0.01	47	690	< 2	< 5	< 10	30	0.01	< 10	< 10	34	< 5	76
84136 C	201	238	< 1	0.01	53	740	2	< 5	< 10	59	< 0.01	< 10	< 10	27	< 5	88
84137 C	201	238	2	0.01	35	710	4	< 5	< 10	30	0.01	< 10	< 10	32	< 5	91
84138 C	201	238	< 1	0.01	37	690	2	< 5	10	52	0.01	< 10	< 10	35	< 5	90
84139 C	201	238	< 1	0.01	22	370	4	< 5	10	23	0.08	< 10	< 10	68	< 5	89
84140 C	201	238	2	< 0.01	20	1070	10	< 5	< 10	47	0.01	< 10	< 10	42	< 5	76

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE , NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0.21

T. ITED KENO HILL MINES LIMITED
709 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page No. -A
Tot. Pa
Date 2-AUG-87
Invoice # -8717389
P.O. # NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84141 C	201	238	< 1	1.51	0.8	< 5	610	< 0.5	< 2	0.15	< 0.5	4	22	7	1.75	< 10	< 1	0.04	10	0.21	130
84142 C	201	238	< 1	1.55	0.4	< 5	300	< 0.5	2	0.16	< 0.5	5	23	12	2.32	< 10	< 1	0.07	10	0.31	151
84143 C	201	238	9	1.35	< 0.2	< 5	1020	< 0.5	< 2	0.23	< 0.5	8	14	26	3.16	< 10	< 1	0.15	20	0.40	242
84144 C	201	238	< 1	1.49	< 0.2	< 5	810	< 0.5	< 2	0.23	0.5	11	16	37	3.37	< 10	< 1	0.09	10	0.52	346
84145 C	201	238	3	1.33	0.2	10	610	< 0.5	< 2	0.19	< 0.5	11	18	50	3.08	< 10	< 1	0.08	20	0.32	289
84146 C	201	238	5	1.63	0.4	20	920	< 0.5	< 2	0.26	1.0	31	21	149	5.15	< 10	< 1	0.17	10	0.51	537
84147 C	201	238	4	1.47	1.6	15	1970	0.5	2	0.80	1.5	22	42	137	2.91	< 10	< 1	0.11	30	0.22	1545
84148 C	201	238	4	1.38	0.4	25	960	< 0.5	< 2	0.46	0.5	15	142	64	3.09	< 10	< 1	0.12	30	0.51	474
84149 C	201	238	2	1.26	0.2	15	1180	< 0.5	< 2	0.65	< 0.5	9	108	40	2.45	< 10	< 1	0.12	20	0.29	304
84150 C	201	238	4	1.83	0.2	30	440	< 0.5	< 2	0.39	< 0.5	16	159	53	4.12	< 10	< 1	0.14	30	0.85	466
84151 C	201	238	4	1.76	< 0.2	15	620	< 0.5	< 2	0.45	< 0.5	13	139	34	2.92	< 10	< 1	0.08	20	0.65	350
84152 C	201	238	3	1.93	0.4	70	310	< 0.5	2	0.69	< 0.5	27	375	47	3.73	< 10	< 1	0.11	40	1.57	596
84153 C	201	238	5	2.11	0.2	< 5	930	< 0.5	2	0.92	< 0.5	11	22	65	3.28	< 10	< 1	0.08	30	0.59	1490
84154 C	201	238	3	1.92	0.2	< 5	490	< 0.5	< 2	0.24	< 0.5	8	31	42	3.04	< 10	< 1	0.13	30	0.59	450
84155 C	201	238	4	1.94	0.2	< 5	300	< 0.5	2	0.78	0.5	8	38	27	3.06	< 10	4	0.12	40	0.72	297
84156 C	201	238	2	2.01	0.2	5	260	0.5	< 2	0.51	< 0.5	16	134	26	3.38	< 10	1	0.14	30	1.20	453
84157 C	201	238	4	2.62	0.4	< 5	380	0.5	2	0.96	0.5	13	41	38	3.53	< 10	< 1	0.17	40	0.88	662
84158 C	201	238	< 1	1.57	0.2	5	720	< 0.5	< 2	0.18	< 0.5	6	23	11	2.44	< 10	< 1	0.07	20	0.36	321
84159 C	201	238	3	1.85	< 0.2	< 5	730	< 0.5	< 2	0.18	< 0.5	11	21	15	3.21	< 10	< 1	0.05	10	0.65	376
84160 C	201	238	1	2.54	0.2	< 5	820	0.5	< 2	0.17	0.5	15	15	41	5.06	< 10	< 1	0.05	10	0.91	573
84161 C	201	238	5	1.95	0.2	15	530	0.5	< 2	0.19	< 0.5	7	25	16	2.93	< 10	< 1	0.04	10	0.53	240
84162 C	201	238	7	1.87	0.4	15	840	< 0.5	< 2	0.12	< 0.5	5	29	46	2.49	< 10	< 1	0.09	20	0.20	123
84163 C	201	238	10	2.08	0.8	< 5	780	< 0.5	< 2	0.26	< 0.5	8	32	29	2.56	< 10	< 1	0.09	20	0.39	322
84164 C	201	238	5	1.86	1.0	< 5	900	0.5	< 2	0.16	< 0.5	6	31	38	2.68	< 10	< 1	0.10	30	0.31	162
84165 C	201	238	2	2.14	0.8	15	720	0.5	< 2	0.22	< 0.5	8	34	28	2.66	< 10	< 1	0.07	20	0.41	237
84166 C	201	238	1	1.07	< 0.2	5	780	< 0.5	< 2	0.05	< 0.5	4	16	65	2.18	< 10	< 1	0.11	20	0.05	57
84167 C	201	238	1	1.88	0.2	5	330	< 0.5	< 2	0.16	< 0.5	8	30	14	2.49	< 10	< 1	0.05	20	0.43	241
84168 C	201	238	< 1	1.27	0.2	10	500	< 0.5	< 2	0.18	< 0.5	5	28	21	1.96	< 10	< 1	0.07	20	0.35	156
84169 C	201	238	9	1.47	< 0.2	<	490	< 0.5	< 2	0.19	< 0.5	5	23	19	2.16	< 10	< 1	0.07	20	0.37	196
84170 C	201	238	1	1.74	< 0.2	<	600	< 0.5	< 2	0.14	< 0.5	8	25	22	2.56	< 10	< 1	0.06	10	0.33	305
84171 C	201	238	6	1.64	< 0.2	10	520	< 0.5	< 2	0.16	< 0.5	8	29	50	2.79	< 10	1	0.08	10	0.45	354
84172 C	201	238	5	2.07	< 0.2	< 5	640	< 0.5	2	0.21	< 0.5	9	22	106	3.38	< 10	< 1	0.09	20	0.68	616
84173 C	201	238	3	2.22	0.2	15	260	< 0.5	< 2	0.17	< 0.5	11	31	40	4.21	< 10	< 1	0.09	30	0.88	388
84174 C	201	238	1	2.34	< 0.2	15	280	< 0.5	2	0.28	< 0.5	11	173	24	3.14	< 10	< 1	0.08	20	1.37	295
84175 C	201	238	3	2.22	< 0.2	10	280	< 0.5	2	0.33	< 0.5	18	53	41	4.28	< 10	< 1	0.14	30	0.92	425
84176 C	201	238	11	1.62	0.2	15	480	< 0.5	2	0.46	< 0.5	12	35	63	2.74	< 10	< 1	0.13	20	0.46	345
84177 C	201	238	52	1.98	0.8	< 5	830	< 0.5	< 2	0.21	< 0.5	12	29	28	2.85	< 10	< 1	0.08	10	0.54	343
84178 C	201	238	1	2.49	< 0.2	10	690	< 0.5	< 2	0.22	< 0.5	12	38	22	2.87	< 10	< 1	0.10	20	0.46	223
84179 C	201	238	3	2.78	0.2	10	770	< 0.5	< 2	0.22	< 0.5	11	43	42	2.82	< 10	< 1	0.13	20	0.38	165
84180 C	201	238	1	2.06	< 0.2	5	320	< 0.5	2	0.21	< 0.5	8	35	20	2.48	< 10	< 1	0.09	20	0.46	190

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84141 C	201 238	1	< 0.01	13	340	4	< 5	< 10	21	0.05	< 10	< 10	62	< 5	74
84142 C	201 238	2	< 0.01	14	490	< 2	< 5	< 10	17	0.07	< 10	< 10	59	< 5	48
84143 C	201 238	< 1	< 0.01	23	370	4	< 5	< 10	22	0.02	< 10	< 10	63	< 5	76
84144 C	201 238	< 1	< 0.01	24	440	< 2	< 5	10	27	0.07	< 10	< 10	113	< 5	90
84145 C	201 238	< 1	< 0.01	36	610	10	< 5	< 10	27	0.04	< 10	< 10	71	< 5	127
84146 C	201 238	2	< 0.01	97	1150	< 2	< 5	< 10	33	0.07	< 10	< 10	154	< 5	409
84147 C	201 238	1	< 0.01	90	1210	12	< 5	10	101	0.01	< 10	< 10	54	< 5	171
84148 C	201 238	< 1	< 0.01	159	880	6	< 5	< 10	63	< 0.01	< 10	< 10	44	< 5	107
84149 C	201 238	1	< 0.01	126	540	2	< 5	< 10	78	0.01	< 10	< 10	43	< 5	103
84150 C	201 238	< 1	0.01	197	700	4	< 5	< 10	53	< 0.01	< 10	< 10	44	< 5	131
84151 C	201 238	< 1	0.01	150	350	8	< 5	< 10	36	0.04	< 10	< 10	48	< 5	58
84152 C	201 238	< 1	< 0.01	338	490	4	< 5	10	39	0.01	< 10	< 10	36	< 5	81
84153 C	201 238	< 1	0.01	32	550	< 2	< 5	< 10	40	0.02	< 10	< 10	52	< 5	65
84154 C	201 238	< 1	0.01	39	400	< 2	< 5	< 10	20	0.02	< 10	< 10	37	< 5	84
84155 C	201 238	< 1	0.01	49	860	6	< 5	< 10	46	0.01	< 10	< 10	31	< 5	75
84156 C	201 238	< 1	0.01	138	370	8	< 5	< 10	32	0.02	< 10	< 10	38	< 5	75
84157 C	201 238	< 1	0.01	57	580	< 2	< 5	10	60	< 0.01	< 10	< 10	31	< 5	78
84158 C	201 238	< 1	< 0.01	18	380	10	< 5	< 10	39	0.06	< 10	< 10	72	< 5	76
84159 C	201 238	< 1	< 0.01	15	210	< 2	< 5	< 10	18	0.09	< 10	< 10	101	< 5	46
84160 C	201 238	< 1	< 0.01	25	420	< 2	< 5	< 10	15	0.08	< 10	< 10	156	< 5	132
84161 C	201 238	< 1	< 0.01	18	140	< 2	< 5	< 10	18	0.08	< 10	< 10	80	< 5	44
84162 C	201 238	6	< 0.01	22	660	2	< 5	< 10	44	0.04	< 10	< 10	67	< 5	51
84163 C	201 238	< 1	0.01	20	480	6	< 5	10	30	0.08	< 10	< 10	79	< 5	49
84164 C	201 238	2	< 0.01	26	480	4	< 5	< 10	54	0.05	< 10	< 10	66	< 5	72
84165 C	201 238	< 1	0.01	22	380	< 2	< 5	< 10	34	0.08	< 10	< 10	72	< 5	50
84166 C	201 238	3	< 0.01	26	560	12	< 5	< 10	70	0.01	< 10	< 10	46	< 5	66
84167 C	201 238	< 1	0.01	20	140	2	< 5	10	20	0.08	< 10	< 10	56	< 5	51
84168 C	201 238	< 1	0.01	26	230	2	< 5	< 10	29	0.06	< 10	< 10	43	< 5	46
84169 C	201 238	1	< 0.01	16	230	< 2	< 5	< 10	18	0.06	< 10	< 10	47	< 5	38
84170 C	201 238	< 1	< 0.01	23	190	4	< 5	< 10	15	0.06	< 10	< 10	55	< 5	49
84171 C	201 238	< 1	< 0.01	23	180	< 2	< 5	< 10	16	0.05	< 10	< 10	53	< 5	47
84172 C	201 238	< 1	< 0.01	35	270	< 2	< 5	< 10	20	0.01	< 10	< 10	51	< 5	77
84173 C	201 238	1	< 0.01	44	620	< 2	< 5	< 10	15	< 0.01	< 10	< 10	28	< 5	101
84174 C	201 238	< 1	0.01	116	310	< 2	< 5	< 10	22	0.04	< 10	< 10	60	< 5	76
84175 C	201 238	< 1	0.01	58	540	14	< 5	< 10	22	< 0.01	< 10	< 10	29	10	101
84176 C	201 238	< 1	0.01	54	350	< 2	< 5	< 10	28	0.01	< 10	< 10	34	5	100
84177 C	201 238	< 1	< 0.01	21	380	6	5	< 10	20	0.10	< 10	< 10	80	5	53
84178 C	201 238	< 1	< 0.01	20	510	12	< 5	10	24	0.09	< 10	< 10	82	< 5	47
84179 C	201 238	2	< 0.01	20	300	12	5	10	43	0.07	< 10	< 10	90	5	53
84180 C	201 238	< 1	< 0.01	17	160	10	< 5	< 10	23	0.09	< 10	< 10	60	< 5	44

CERTIFICATION : B. Cyl

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84181 C	201	238	3	2.84	< 0.2	< 5	630	< 0.5	< 2	0.26	< 0.5	12	45	42	2.95	< 10	< 1	0.10	10	0.46	171
84182 C	201	238	< 1	2.32	< 0.2	< 5	480	< 0.5	< 2	0.28	< 0.5	11	37	16	2.42	< 10	1	0.06	20	0.42	242
84183 C	201	238	< 1	2.23	< 0.2	5	400	< 0.5	< 2	0.19	< 0.5	10	35	18	2.42	< 10	< 1	0.07	10	0.37	205
84184 C	201	238	< 1	2.18	< 0.2	< 5	500	< 0.5	< 2	0.16	< 0.5	9	35	22	2.72	< 10	< 1	0.09	10	0.36	180
84185 C	201	238	4	1.85	< 0.2	5	480	< 0.5	< 2	0.21	< 0.5	11	71	14	2.41	< 10	< 1	0.09	20	0.41	305
84186 C	201	238	< 1	1.48	< 0.2	5	600	< 0.5	< 2	0.21	< 0.5	7	31	18	2.00	< 10	< 1	0.09	20	0.31	242
84187 C	201	238	< 1	1.06	< 0.2	< 5	460	< 0.5	< 2	0.18	< 0.5	7	9	39	1.93	< 10	< 1	0.12	< 10	0.29	244
84188 C	201	238	< 1	1.67	< 0.2	< 5	460	< 0.5	< 2	0.14	< 0.5	9	18	27	2.70	< 10	< 1	0.13	< 10	0.50	472
84189 C	201	238	< 1	1.61	< 0.2	< 5	370	< 0.5	< 2	0.12	< 0.5	9	17	50	2.36	< 10	< 1	0.09	10	0.48	232
84190 C	201	238	< 1	1.82	< 0.2	< 5	230	< 0.5	< 2	0.20	< 0.5	12	9	62	2.92	< 10	< 1	0.08	< 10	0.66	423
84191 C	201	238	< 1	1.87	< 0.2	10	540	< 0.5	< 2	0.18	< 0.5	9	28	40	2.60	< 10	< 1	0.11	10	0.40	267
84192 C	201	238	< 1	2.19	0.6	20	680	< 0.5	< 2	0.24	0.5	8	53	37	2.60	< 10	< 1	0.17	10	0.29	366
84193 C	201	238	< 1	1.67	< 0.2	5	340	< 0.5	< 2	0.19	< 0.5	7	46	16	1.86	< 10	< 1	0.10	10	0.36	199
84194 C	201	238	2	3.02	0.4	40	350	< 0.5	4	0.26	< 0.5	16	357	23	3.63	10	< 1	0.09	20	2.11	257
84195 C	201	238	< 1	1.82	0.2	5	300	< 0.5	2	0.30	< 0.5	7	61	19	2.33	10	< 1	0.10	20	0.54	163
84196 C	201	238	< 1	2.06	0.2	15	420	< 0.5	< 2	0.23	< 0.5	8	30	14	2.57	< 10	1	0.06	20	0.41	182
84197 C	201	238	6	2.25	0.4	10	400	< 0.5	2	0.20	< 0.5	9	38	24	2.80	10	< 1	0.08	20	0.44	186
84198 C	201	238	< 1	2.02	0.4	10	1040	< 0.5	< 2	0.24	< 0.5	11	27	31	3.33	10	< 1	0.10	20	0.41	294
84199 C	201	238	< 1	2.12	0.4	10	590	< 0.5	< 2	0.27	< 0.5	7	32	18	2.44	10	< 1	0.08	20	0.37	159
84200 C	201	238	1	2.09	0.2	55	480	0.5	< 2	0.25	< 0.5	14	200	42	4.03	10	< 1	0.07	20	0.36	333
84201 C	201	238	< 1	1.94	0.2	15	1320	< 0.5	< 2	0.14	< 0.5	9	57	41	2.72	< 10	< 1	0.14	30	0.24	120
84202 C	201	238	< 1	2.25	0.2	25	670	< 0.5	< 2	0.18	< 0.5	11	76	42	2.93	10	< 1	0.11	20	0.37	207
84203 C	201	238	< 1	1.90	0.2	10	330	< 0.5	2	0.20	< 0.5	6	34	20	2.36	< 10	< 1	0.10	20	0.41	144
84204 C	201	238	1	1.86	< 0.2	15	370	< 0.5	< 2	0.24	< 0.5	8	32	18	2.45	< 10	< 1	0.10	20	0.38	207
84205 C	201	238	< 1	1.73	< 0.2	15	290	< 0.5	< 2	0.24	< 0.5	6	28	16	2.35	< 10	< 1	0.09	20	0.36	210
84206 C	201	238	1	2.26	< 0.2	5	450	< 0.5	< 2	0.45	< 0.5	9	26	32	3.00	10	< 1	0.15	20	0.53	281
84207 C	201	238	< 1	1.98	< 0.2	< 5	360	< 0.5	< 2	0.33	< 0.5	7	32	29	2.48	< 10	< 1	0.15	20	0.45	214
84208 C	201	238	< 1	1.63	< 0.2	10	310	< 0.5	< 2	0.25	< 0.5	6	21	30	2.23	< 10	< 1	0.14	10	0.37	191
84209 C	201	238	3	1.61	< 0.2	< 5	290	< 0.5	2	0.29	< 0.5	5	30	17	2.09	< 10	< 1	0.10	20	0.41	133
84210 C	201	238	1	2.00	< 0.2	15	380	< 0.5	2	0.42	< 0.5	10	51	23	2.62	< 10	< 1	0.13	20	0.53	254
84211 C	201	238	1	1.39	< 0.2	< 5	220	< 0.5	< 2	0.24	< 0.5	5	38	15	1.76	< 10	< 1	0.08	20	0.36	123
84212 C	201	238	< 1	1.48	< 0.2	< 5	270	< 0.5	< 2	0.30	< 0.5	5	25	15	1.93	< 10	1	0.07	20	0.35	116
84213 C	201	238	< 1	1.56	< 0.2	< 5	290	< 0.5	< 2	0.32	< 0.5	5	25	14	2.03	< 10	< 1	0.08	20	0.38	118
84214 C	201	238	2	1.55	< 0.2	10	330	< 0.5	2	0.32	< 0.5	6	26	15	2.11	< 10	< 1	0.09	20	0.38	157
84215 C	201	238	2	1.61	< 0.2	10	260	< 0.5	< 2	0.23	< 0.5	5	25	15	2.02	< 10	1	0.06	20	0.33	151
84216 C	201	238	6	2.19	< 0.2	5	430	< 0.5	< 2	0.15	< 0.5	7	31	23	2.68	< 10	< 1	0.06	10	0.30	117
84217 C	201	238	< 1	2.26	< 0.2	10	530	< 0.5	< 2	0.28	< 0.5	7	31	27	2.55	< 10	< 1	0.08	20	0.35	129
84218 C	201	238	1	1.61	< 0.2	10	380	< 0.5	< 2	0.24	< 0.5	6	61	25	2.30	< 10	< 1	0.08	20	0.37	141
84219 C	201	238	2	1.73	< 0.2	30	590	< 0.5	< 2	0.23	< 0.5	13	89	35	2.66	< 10	< 1	0.10	20	0.37	267
84220 C	201	238	6	1.80	< 0.2	15	550	< 0.5	< 2	0.29	< 0.5	8	45	30	2.45	< 10	< 1	0.11	20	0.40	221

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

) NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page Nr : 3-B
Tot. Pa. : 6
Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84181 C	201 238	< 1	0.01	26	240	8	< 5	10	30	0.08	< 10	< 10	73	< 5	54
84182 C	201 238	< 1	< 0.01	16	200	12	< 5	< 10	22	0.09	< 10	< 10	66	5	48
84183 C	201 238	< 1	< 0.01	16	290	8	5	< 10	20	0.08	< 10	< 10	67	5	53
84184 C	201 238	< 1	< 0.01	16	380	12	< 5	10	22	0.06	< 10	< 10	70	5	46
84185 C	201 238	< 1	< 0.01	63	160	4	5	< 10	23	0.08	< 10	< 10	57	5	50
84186 C	201 238	< 1	< 0.01	21	180	6	< 5	< 10	27	0.05	< 10	< 10	48	< 5	52
84187 C	201 238	< 1	< 0.01	5	200	6	< 5	< 10	7	0.02	< 10	< 10	32	< 5	36
84188 C	201 238	< 1	< 0.01	6	220	2	< 5	< 10	11	0.05	< 10	< 10	40	5	46
84189 C	201 238	< 1	< 0.01	9	100	2	< 5	< 10	13	0.03	< 10	< 10	39	< 5	46
84190 C	201 238	< 1	< 0.01	6	310	< 2	< 5	< 10	20	0.02	< 10	< 10	49	5	59
84191 C	201 238	< 1	< 0.01	15	190	8	< 5	< 10	18	0.06	< 10	< 10	50	< 5	50
84192 C	201 238	< 1	0.02	31	430	18	< 5	10	37	0.07	< 10	< 10	91	< 5	87
84193 C	201 238	< 1	< 0.01	32	130	10	< 5	< 10	26	0.06	< 10	< 10	42	< 5	41
84194 C	201 238	< 1	< 0.01	263	430	12	< 5	< 10	21	0.04	< 10	< 10	71	< 5	112
84195 C	201 238	< 1	0.01	45	300	6	< 5	< 10	24	0.07	< 10	< 10	53	< 5	55
84196 C	201 238	< 1	0.01	17	270	12	< 5	< 10	25	0.09	< 10	< 10	68	< 5	42
84197 C	201 238	< 1	0.01	19	190	4	< 5	10	24	0.09	10	< 10	67	< 5	45
84198 C	201 238	< 1	< 0.01	21	280	2	< 5	10	28	0.09	< 10	< 10	91	< 5	67
84199 C	201 238	< 1	0.01	15	380	6	< 5	10	36	0.09	10	< 10	76	< 5	38
84200 C	201 238	1	0.01	111	690	4	< 5	10	29	0.08	< 10	< 10	80	< 5	116
84201 C	201 238	< 1	< 0.01	52	490	6	< 5	< 10	88	0.04	< 10	< 10	52	< 5	61
84202 C	201 238	< 1	< 0.01	71	240	6	< 5	10	42	0.06	10	< 10	59	< 5	68
84203 C	201 238	< 1	0.01	19	130	8	< 5	10	22	0.08	< 10	< 10	54	< 5	42
84204 C	201 238	< 1	0.01	15	190	8	< 5	10	23	0.08	10	< 10	60	< 5	43
84205 C	201 238	< 1	< 0.01	15	230	2	< 5	< 10	22	0.08	< 10	< 10	58	< 5	52
84206 C	201 238	< 1	0.01	14	360	2	< 5	10	29	0.07	< 10	< 10	66	< 5	50
84207 C	201 238	< 1	0.01	17	310	12	< 5	10	29	0.09	< 10	< 10	57	< 5	45
84208 C	201 238	< 1	< 0.01	11	230	6	< 5	< 10	25	0.07	< 10	< 10	47	< 5	48
84209 C	201 238	< 1	0.01	16	270	6	< 5	< 10	25	0.09	< 10	< 10	50	< 5	39
84210 C	201 238	< 1	0.01	32	410	8	< 5	< 10	34	0.08	< 10	< 10	57	< 5	57
84211 C	201 238	< 1	0.01	26	250	12	< 5	< 10	21	0.07	< 10	< 10	38	< 5	45
84212 C	201 238	< 1	0.01	14	250	4	< 5	< 10	24	0.07	< 10	< 10	39	< 5	40
84213 C	201 238	< 1	0.01	14	290	8	< 5	< 10	25	0.07	< 10	< 10	43	< 5	41
84214 C	201 238	< 1	0.01	14	300	4	< 5	< 10	25	0.07	< 10	< 10	42	< 5	44
84215 C	201 238	< 1	0.01	12	500	10	< 5	< 10	21	0.08	< 10	< 10	54	< 5	34
84216 C	201 238	< 1	< 0.01	16	250	8	< 5	10	26	0.07	< 10	< 10	67	< 5	34
84217 C	201 238	< 1	0.01	18	270	10	< 5	10	37	0.08	< 10	< 10	70	< 5	46
84218 C	201 238	< 1	0.01	37	340	10	< 5	< 10	31	0.07	10	< 10	51	< 5	48
84219 C	201 238	< 1	0.01	66	310	10	< 5	< 10	42	0.07	< 10	< 10	53	< 5	70
84220 C	201 238	< 1	0.01	24	240	2	< 5	< 10	32	0.08	10	< 10	52	< 5	47

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T. NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84221 C	201 238	3	2.05	< 0.2	10	410	< 0.5	< 2	0.27	< 0.5	8	43	28	2.60	< 10	< 1	0.14	20	0.45	200
84222 C	201 238	2	1.81	< 0.2	10	470	< 0.5	< 2	0.34	< 0.5	8	34	26	2.41	< 10	1	0.12	20	0.43	216
84223 C	201 238	2	1.60	< 0.2	10	420	< 0.5	< 2	0.30	< 0.5	6	31	23	2.12	< 10	< 1	0.10	20	0.37	179
84224 C	201 238	3	1.64	< 0.2	< 5	290	< 0.5	< 2	0.35	< 0.5	6	32	21	2.21	< 10	< 1	0.11	20	0.42	158
84225 C	201 238	5	1.70	< 0.2	10	300	< 0.5	< 2	0.35	< 0.5	7	28	25	2.34	< 10	< 1	0.12	20	0.44	208
84226 C	201 238	< 1	1.50	< 0.2	< 5	210	< 0.5	< 2	0.26	< 0.5	5	26	14	2.03	< 10	< 1	0.09	20	0.37	130
84227 C	201 238	< 1	1.53	< 0.2	5	250	< 0.5	< 2	0.22	< 0.5	6	27	21	2.12	< 10	1	0.10	10	0.39	155
84228 C	201 238	2	1.36	< 0.2	5	330	< 0.5	< 2	0.32	< 0.5	6	27	19	2.03	< 10	< 1	0.10	20	0.35	163
84229 C	201 238	< 1	1.27	< 0.2	5	220	< 0.5	< 2	0.28	< 0.5	5	25	16	1.87	< 10	1	0.08	20	0.33	158
84230 C	201 238	2	1.40	< 0.2	10	280	< 0.5	< 2	0.33	< 0.5	6	25	16	1.99	< 10	< 1	0.09	20	0.34	170
84231 C	201 238	3	2.01	< 0.2	5	420	0.5	< 2	0.38	< 0.5	10	32	28	2.72	< 10	< 1	0.11	20	0.37	356
84232 C	201 238	2	1.29	< 0.2	5	270	< 0.5	< 2	0.32	< 0.5	6	25	21	1.90	< 10	< 1	0.07	20	0.35	192
84233 C	201 238	< 1	1.57	< 0.2	< 5	320	< 0.5	< 2	0.31	< 0.5	6	25	18	2.01	< 10	< 1	0.11	20	0.37	166
84234 C	201 238	2	2.09	< 0.2	10	2070	< 0.5	< 2	0.21	< 0.5	6	36	33	2.46	< 10	< 1	0.09	10	0.34	125
84235 C	201 238	1	1.56	< 0.2	10	970	< 0.5	< 2	0.23	< 0.5	5	34	19	1.92	< 10	< 1	0.07	20	0.32	119
84236 C	201 238	3	1.55	< 0.2	25	1010	< 0.5	< 2	0.30	< 0.5	8	68	31	2.24	< 10	1	0.09	20	0.37	190
84237 C	201 238	7	1.73	< 0.2	30	730	< 0.5	< 2	0.26	< 0.5	9	71	39	2.54	< 10	< 1	0.13	20	0.33	194
84238 C	201 238	< 1	1.62	< 0.2	10	390	< 0.5	< 2	0.32	< 0.5	7	45	22	2.18	< 10	< 1	0.12	20	0.39	161
84239 C	201 238	< 1	1.63	< 0.2	10	440	< 0.5	< 2	0.31	< 0.5	7	44	20	2.20	< 10	< 1	0.11	20	0.37	187
84240 C	201 238	1	1.88	< 0.2	15	470	< 0.5	< 2	0.36	< 0.5	7	40	28	2.41	< 10	< 1	0.11	20	0.42	192
84241 C	201 238	5	2.00	0.2	10	380	< 0.5	< 2	0.29	< 0.5	10	35	28	2.70	< 10	< 1	0.09	20	0.40	216
84242 C	201 238	3	1.64	0.2	20	340	< 0.5	< 2	0.31	< 0.5	7	30	23	2.21	< 10	< 1	0.09	20	0.38	152
84243 C	201 238	2	1.83	0.2	20	370	< 0.5	< 2	0.36	< 0.5	11	30	28	2.65	< 10	< 1	0.11	20	0.37	398
84244 C	201 238	13	1.98	0.2	15	490	< 0.5	< 2	0.42	< 0.5	10	31	33	2.78	< 10	< 1	0.13	20	0.41	284
84245 C	201 238	1	1.63	0.2	10	390	< 0.5	< 2	0.40	< 0.5	7	28	21	2.28	< 10	1	0.10	30	0.36	232
84246 C	201 238	< 1	1.53	0.2	< 5	310	< 0.5	2	0.40	< 0.5	7	28	19	2.06	< 10	< 1	0.08	30	0.37	161
84247 C	201 238	3	1.33	0.2	15	330	< 0.5	< 2	0.38	< 0.5	6	23	17	1.87	< 10	< 1	0.06	20	0.33	170
84248 C	201 238	5	1.52	0.2	20	360	< 0.5	2	0.37	< 0.5	8	28	22	2.30	< 10	< 1	0.08	20	0.39	257
84249 C	201 238	< 1	1.43	0.2	5	310	< 0.5	< 2	0.36	< 0.5	6	25	15	2.04	< 10	1	0.07	20	0.36	187
84250 C	201 238	11	1.40	< 0.2	5	240	< 0.5	< 2	0.33	< 0.5	5	23	9	1.76	< 10	< 1	0.06	20	0.34	163
84251 C	201 238	2	1.82	0.2	5	320	< 0.5	< 2	0.33	< 0.5	7	27	14	2.29	< 10	< 1	0.07	20	0.41	283
84252 C	201 238	< 1	1.75	0.2	< 5	330	< 0.5	< 2	0.29	< 0.5	6	28	17	2.30	< 10	< 1	0.07	20	0.41	205
84253 C	201 238	4	1.80	< 0.2	< 5	270	< 0.5	< 2	0.28	< 0.5	5	29	17	2.22	< 10	< 1	0.08	20	0.40	143
84254 C	201 238	5	1.83	0.2	< 5	280	< 0.5	< 2	0.25	< 0.5	5	29	24	2.28	< 10	< 1	0.09	20	0.38	170
84255 C	201 238	15	1.77	< 0.2	< 5	300	< 0.5	< 2	0.27	< 0.5	7	29	25	2.39	< 10	< 1	0.06	20	0.40	184
84256 C	201 238	3	1.53	< 0.2	5	230	< 0.5	< 2	0.20	< 0.5	7	23	16	1.90	< 10	< 1	0.06	20	0.29	227
84257 C	201 238	3	1.49	< 0.2	< 5	260	< 0.5	2	0.21	< 0.5	6	22	18	1.82	< 10	1	0.08	20	0.29	173
84258 C	201 238	9	1.78	< 0.2	< 5	320	< 0.5	< 2	0.33	< 0.5	5	27	12	2.26	< 10	1	0.08	20	0.39	166
84259 C	201 238	2	1.90	< 0.2	5	280	1.0	2	0.24	< 0.5	7	25	16	2.25	< 10	1	0.10	20	0.33	188
84260 C	201 238	< 1	1.51	< 0.2	10	260	1.0	2	0.19	< 0.5	4	21	13	1.84	< 10	< 1	0.07	20	0.29	165

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84221 C	201 238	< 1	0.01	23	280	10	< 5	< 10	28	0.08	< 10	< 10	62	< 5	49
84222 C	201 238	< 1	0.01	19	260	14	< 5	< 10	31	0.09	< 10	< 10	56	< 5	46
84223 C	201 238	< 1	0.01	18	320	6	< 5	10	29	0.08	10	< 10	50	< 5	43
84224 C	201 238	< 1	0.01	17	350	8	< 5	< 10	29	0.09	< 10	< 10	51	< 5	45
84225 C	201 238	< 1	0.01	17	370	16	< 5	< 10	29	0.08	10	< 10	52	< 5	46
84226 C	201 238	< 1	< 0.01	12	310	10	< 5	< 10	21	0.08	10	< 10	46	< 5	39
84227 C	201 238	< 1	< 0.01	13	260	6	< 5	< 10	21	0.07	< 10	< 10	47	< 5	43
84228 C	201 238	< 1	0.01	14	450	10	< 5	< 10	26	0.06	< 10	< 10	42	< 5	49
84229 C	201 238	< 1	< 0.01	13	470	10	< 5	< 10	23	0.06	< 10	< 10	37	< 5	45
84230 C	201 238	< 1	0.01	16	490	10	< 5	< 10	26	0.07	10	< 10	42	< 5	47
84231 C	201 238	< 1	0.01	19	530	16	< 5	< 10	33	0.07	< 10	< 10	49	< 5	66
84232 C	201 238	< 1	0.01	14	480	6	< 5	< 10	26	0.06	< 10	< 10	38	< 5	48
84233 C	201 238	< 1	0.01	14	260	8	< 5	< 10	26	0.08	< 10	< 10	45	< 5	43
84234 C	201 238	1	0.01	17	1000	14	< 5	10	43	0.08	< 10	< 10	86	< 5	44
84235 C	201 238	1	0.01	14	490	8	< 5	< 10	41	0.08	< 10	< 10	70	< 5	40
84236 C	201 238	< 1	0.01	51	440	4	< 5	< 10	43	0.07	< 10	< 10	60	< 5	60
84237 C	201 238	< 1	0.01	73	460	4	< 5	< 10	54	0.07	< 10	< 10	57	< 5	80
84238 C	201 238	< 1	0.01	25	390	4	< 5	< 10	33	0.08	10	< 10	52	< 5	51
84239 C	201 238	< 1	0.01	21	360	4	< 5	< 10	30	0.08	< 10	< 10	52	< 5	46
84240 C	201 238	< 1	0.01	22	330	8	< 5	< 10	34	0.08	< 10	< 10	55	< 5	45
84241 C	201 238	< 1	< 0.01	22	270	8	< 5	< 10	29	0.08	< 10	< 10	57	< 5	55
84242 C	201 238	< 1	< 0.01	18	340	4	< 5	< 10	27	0.07	10	< 10	47	< 5	48
84243 C	201 238	< 1	0.01	22	460	6	< 5	< 10	27	0.07	< 10	< 10	52	< 5	61
84244 C	201 238	< 1	0.01	23	480	6	< 5	< 10	33	0.07	10	< 10	52	< 5	63
84245 C	201 238	< 1	0.01	20	510	6	< 5	< 10	31	0.08	< 10	< 10	48	< 5	55
84246 C	201 238	< 1	0.01	16	520	4	< 5	< 10	29	0.08	10	< 10	46	< 5	49
84247 C	201 238	< 1	0.01	14	520	2	< 5	< 10	29	0.08	10	< 10	40	< 5	46
84248 C	201 238	< 1	0.01	18	500	2	< 5	< 10	28	0.08	< 10	< 10	47	< 5	50
84249 C	201 238	< 1	0.01	15	380	< 2	< 5	< 10	27	0.08	< 10	< 10	46	< 5	42
84250 C	201 238	< 1	0.01	11	320	< 2	< 5	< 10	25	0.09	< 10	< 10	49	< 5	38
84251 C	201 238	< 1	0.01	17	390	10	< 5	< 10	27	0.09	< 10	< 10	55	< 5	50
84252 C	201 238	< 1	0.01	16	260	6	< 5	< 10	25	0.08	< 10	< 10	53	< 5	42
84253 C	201 238	< 1	0.01	17	210	< 2	< 5	< 10	26	0.09	< 10	< 10	54	< 5	43
84254 C	201 238	< 1	0.01	19	190	< 2	< 5	< 10	23	0.08	< 10	< 10	48	< 5	50
84255 C	201 238	< 1	0.01	21	250	< 2	< 5	< 10	23	0.08	< 10	< 10	51	< 5	45
84256 C	201 238	1	< 0.01	16	200	< 2	< 5	< 10	18	0.07	< 10	< 10	42	< 5	44
84257 C	201 238	1	0.01	17	180	< 2	< 5	< 10	20	0.06	< 10	< 10	38	< 5	45
84258 C	201 238	< 1	0.01	16	320	6	< 5	< 10	27	0.09	< 10	< 10	55	< 5	44
84259 C	201 238	< 1	0.01	19	210	< 2	< 5	< 10	22	0.07	< 10	< 10	50	< 5	62
84260 C	201 238	1	0.01	12	140	8	< 5	< 10	19	0.07	< 10	< 10	47	< 5	50

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84261 C	201 238	3	1.28	< 0.2	10	230	< 0.5	< 2	0.27	< 0.5	4	20	17	1.92	< 10	< 1	0.07	20	0.31	177
84262 C	201 238	< 1	1.14	< 0.2	10	260	< 0.5	< 2	0.22	< 0.5	4	17	15	1.79	< 10	< 1	0.06	20	0.21	217
84263 C	201 238	< 1	1.23	< 0.2	5	340	0.5	< 2	0.18	< 0.5	7	18	27	2.23	< 10	< 1	0.08	20	0.24	326
84264 C	201 238	< 1	2.55	< 0.2	15	510	0.5	< 2	0.35	0.5	12	29	35	3.28	< 10	< 1	0.15	20	0.34	1045
84265 C	201 238	< 1	1.05	< 0.2	10	220	< 0.5	< 2	0.14	< 0.5	3	14	15	1.99	< 10	< 1	0.07	20	0.18	167
84266 C	201 238	< 1	1.84	0.2	10	480	< 0.5	< 2	0.38	0.5	10	23	40	2.53	< 10	< 1	0.14	20	0.29	1635
84267 C	201 238	2	1.30	0.2	10	310	< 0.5	< 2	0.31	< 0.5	7	21	34	2.56	< 10	1	0.13	20	0.28	393
84268 C	201 238	4	1.64	0.8	35	560	< 0.5	< 2	0.55	1.0	13	22	70	3.24	< 10	< 1	0.14	30	0.28	751
84269 C	201 238	7	2.28	2.2	20	900	1.0	< 2	1.33	3.5	8	23	75	2.54	< 10	< 1	0.15	40	0.30	1140
84270 C	201 238	< 1	1.83	0.2	20	290	0.5	2	0.49	0.5	6	23	33	2.31	< 10	< 1	0.12	30	0.35	326
84271 C	217 238	3	0.55	< 0.2	< 5	530	5.0	< 2	3.04	0.5	< 1	14	32	0.55	< 10	< 1	0.02	20	0.39	304
84272 C	201 238	< 1	1.73	< 0.2	< 5	260	< 0.5	< 2	0.23	< 0.5	5	26	18	2.09	< 10	1	0.08	20	0.34	145
84273 C	201 238	< 1	2.11	< 0.2	10	460	< 0.5	< 2	0.37	< 0.5	8	31	25	2.63	< 10	< 1	0.08	20	0.41	333
84274 C	201 238	4	1.64	< 0.2	5	280	< 0.5	< 2	0.30	< 0.5	6	25	20	2.22	< 10	< 1	0.07	20	0.39	201
84275 C	201 238	< 1	1.60	< 0.2	5	220	< 0.5	< 2	0.25	< 0.5	5	25	15	2.14	< 10	1	0.06	20	0.40	138
84276 C	201 238	< 1	1.20	< 0.2	< 5	190	< 0.5	< 2	0.17	< 0.5	4	17	12	1.54	< 10	< 1	0.07	20	0.22	103
84277 C	201 238	< 1	1.72	< 0.2	5	270	< 0.5	2	0.23	< 0.5	5	25	15	2.17	< 10	< 1	0.08	20	0.37	129
84278 C	201 238	< 1	1.83	< 0.2	20	410	0.5	< 2	0.36	< 0.5	7	31	25	2.55	< 10	< 1	0.09	30	0.46	226
84279 C	201 238	2	2.18	0.2	5	580	< 0.5	< 2	0.28	1.0	22	29	32	2.79	< 10	1	0.12	30	0.30	1855
84280 C	201 238	20	1.09	0.2	10	270	< 0.5	< 2	0.15	< 0.5	4	15	24	1.90	< 10	< 1	0.09	30	0.18	142
84281 C	201 238	9	1.00	1.0	15	270	< 0.5	< 2	0.13	< 0.5	5	16	36	2.49	< 10	< 1	0.10	30	0.14	163
84282 C	201 238	8	0.99	0.2	10	260	< 0.5	< 2	0.15	< 0.5	8	15	42	2.37	< 10	1	0.11	30	0.14	451
84283 C	201 238	2	1.22	0.2	5	360	< 0.5	< 2	0.19	0.5	5	19	28	2.54	< 10	< 1	0.15	30	0.20	342
84284 C	201 238	17	1.38	0.4	20	330	< 0.5	< 2	0.24	< 0.5	6	21	49	3.02	< 10	< 1	0.14	30	0.28	274
84285 C	201 238	2	1.23	0.4	35	490	< 0.5	< 2	0.26	0.5	6	17	192	3.51	< 10	< 1	0.16	30	0.15	312
84286 C	201 238	12	2.02	< 0.2	15	450	< 0.5	< 2	0.42	< 0.5	10	32	24	2.35	< 10	< 1	0.11	20	0.42	382
84287 C	201 238	6	0.90	0.2	< 5	260	< 0.5	< 2	0.37	< 0.5	6	16	67	2.46	< 10	< 1	0.10	30	0.21	243
84288 C	201 238	11	1.44	0.6	10	350	< 0.5	< 2	0.35	< 0.5	7	24	65	2.30	< 10	< 1	0.10	20	0.31	349
84289 C	201 238	2	1.00	< 0.2	< 5	270	< 0.5	< 2	0.38	< 0.5	7	17	56	2.18	< 10	< 1	0.08	30	0.30	295
84290 C	201 238	14	0.56	0.6	10	250	< 0.5	2	0.73	< 0.5	7	12	88	2.38	< 10	< 1	0.09	30	0.31	379
84291 C	201 238	7	0.97	0.4	< 5	340	< 0.5	< 2	0.91	1.0	9	15	42	2.78	< 10	< 1	0.08	30	0.27	545
84292 C	217 238	3	2.08	< 0.2	5	570	< 0.5	< 2	0.76	0.5	9	66	24	2.65	< 10	4	0.14	20	0.43	346
84293 C	201 238	< 1	1.85	< 0.2	< 5	350	< 0.5	< 2	0.51	< 0.5	7	29	23	2.55	< 10	< 1	0.08	20	0.47	323
84295 C	201 238	2	1.88	< 0.2	10	400	< 0.5	< 2	0.71	< 0.5	8	29	33	2.72	< 10	< 1	0.13	30	0.48	499
84296 C	201 238	1	1.92	< 0.2	5	270	< 0.5	< 2	0.31	< 0.5	6	29	27	2.57	< 10	< 1	0.11	20	0.39	209
84297 C	201 238	3	1.84	0.2	10	410	< 0.5	< 2	0.23	1.5	5	24	42	2.19	< 10	< 1	0.10	20	0.23	142
84298 C	201 238	8	2.22	< 0.2	10	300	< 0.5	2	0.25	< 0.5	8	31	32	2.75	< 10	< 1	0.10	20	0.43	237
84299 C	201 238	6	1.25	0.2	< 5	380	< 0.5	< 2	0.17	0.5	6	18	24	1.79	< 10	< 1	0.08	20	0.24	242
84300 C	201 238	2	1.39	0.4	< 5	340	< 0.5	< 2	0.17	0.5	6	22	46	2.23	< 10	2	0.11	20	0.25	185
84301 C	201 238	2	1.30	< 0.2	5	340	< 0.5	< 2	0.15	< 0.5	7	20	47	2.55	< 10	2	0.08	30	0.25	194

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No -B
Tot. P: o
Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84261 C	201 238	< 1	0.01	15	250	< 2	< 5	< 10	23	0.07	< 10	< 10	43	< 5	60
84262 C	201 238	< 1	< 0.01	13	210	2	< 5	< 10	20	0.05	< 10	< 10	45	< 5	73
84263 C	201 238	2	< 0.01	22	290	2	< 5	< 10	25	0.04	< 10	< 10	43	< 5	96
84264 C	201 238	1	0.01	27	580	< 2	< 5	< 10	33	0.05	< 10	< 10	64	< 5	136
84265 C	201 238	2	< 0.01	18	290	8	< 5	< 10	21	0.03	< 10	< 10	35	< 5	88
84266 C	201 238	4	0.01	28	540	< 2	< 5	< 10	41	0.04	< 10	< 10	53	< 5	99
84267 C	201 238	9	0.01	26	510	8	< 5	< 10	35	0.05	< 10	< 10	52	< 5	107
84268 C	201 238	11	0.01	53	710	14	< 5	< 10	51	0.02	< 10	< 10	57	< 5	182
84269 C	201 238	3	0.02	52	1000	4	< 5	10	92	0.01	< 10	< 10	50	5	174
84270 C	201 238	1	0.01	25	370	22	< 5	< 10	34	0.06	< 10	< 10	43	< 5	138
84271 C	217 238	< 1	0.03	25	810	< 2	< 5	< 10	164	0.01	< 10	< 10	7	< 5	32
84272 C	201 238	< 1	0.01	17	170	6	< 5	< 10	23	0.07	< 10	< 10	49	< 5	48
84273 C	201 238	< 1	0.01	22	270	< 2	< 5	< 10	29	0.08	< 10	< 10	60	< 5	51
84274 C	201 238	< 1	0.01	19	240	< 2	< 5	< 10	26	0.08	< 10	< 10	50	< 5	44
84275 C	201 238	2	0.01	14	210	6	< 5	< 10	23	0.08	< 10	< 10	49	< 5	40
84276 C	201 238	< 1	< 0.01	11	120	12	< 5	< 10	20	0.06	< 10	< 10	33	< 5	41
84277 C	201 238	< 1	0.01	16	280	< 2	< 5	< 10	23	0.08	< 10	< 10	53	< 5	44
84278 C	201 238	< 1	0.01	23	320	10	< 5	< 10	31	0.08	< 10	< 10	55	< 5	46
84279 C	201 238	2	0.01	25	570	12	< 5	< 10	32	0.05	< 10	< 10	72	< 5	96
84280 C	201 238	1	< 0.01	16	310	14	< 5	< 10	28	0.03	< 10	< 10	40	< 5	69
84281 C	201 238	3	< 0.01	27	330	12	< 5	< 10	32	0.01	< 10	< 10	44	< 5	114
84282 C	201 238	4	< 0.01	32	450	4	< 5	< 10	33	0.02	< 10	< 10	38	< 5	116
84283 C	201 238	2	< 0.01	23	600	6	< 5	< 10	35	0.02	< 10	< 10	52	< 5	106
84284 C	201 238	10	0.01	30	500	< 2	< 5	< 10	37	0.04	< 10	< 10	53	< 5	145
84285 C	201 238	22	0.01	42	820	20	< 5	< 10	58	< 0.01	< 10	< 10	68	< 5	200
84286 C	201 238	2	0.01	23	200	< 2	< 5	< 10	30	0.07	< 10	< 10	64	< 5	80
84287 C	201 238	< 1	< 0.01	36	290	10	< 5	< 10	27	0.01	< 10	< 10	21	< 5	87
84288 C	201 238	1	< 0.01	34	220	< 2	< 5	< 10	22	0.02	< 10	< 10	35	< 5	62
84289 C	201 238	< 1	0.01	30	190	6	< 5	< 10	27	0.03	< 10	< 10	29	< 5	65
84290 C	201 238	1	< 0.01	42	500	< 2	< 5	< 10	39	< 0.01	< 10	< 10	16	< 5	119
84291 C	201 238	2	0.01	41	740	14	< 5	< 10	56	0.02	< 10	< 10	29	< 5	119
84292 C	217 238	< 1	0.02	24	430	< 2	< 5	< 10	51	0.08	< 10	< 10	54	< 5	65
84293 C	201 238	< 1	0.01	21	370	< 2	< 5	< 10	36	0.09	< 10	< 10	55	< 5	49
84295 C	201 238	< 1	0.02	25	420	2	< 5	< 10	46	0.08	< 10	< 10	56	< 5	76
84296 C	201 238	1	0.01	22	290	4	< 5	< 10	29	0.08	< 10	< 10	58	< 5	76
84297 C	201 238	2	0.01	24	360	10	< 5	< 10	29	0.06	< 10	< 10	55	< 5	68
84298 C	201 238	< 1	0.01	26	190	8	< 5	< 10	26	0.08	< 10	< 10	59	< 5	69
84299 C	201 238	2	0.01	23	160	10	< 5	< 10	24	0.04	< 10	< 10	39	< 5	88
84300 C	201 238	8	0.01	31	250	16	< 5	< 10	36	0.03	< 10	< 10	48	< 5	92
84301 C	201 238	8	< 0.01	31	230	< 2	< 5	< 10	31	0.04	< 10	< 10	46	< 5	108

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

1 NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84302 C	201	238	5	1.40	0.2	20	630	< 0.5	< 2	0.18	0.5	8	29	51	2.84	< 10	< 1	0.10	20	0.24	242
84303 C	201	238	3	2.31	0.8	< 5	660	< 0.5	< 2	0.56	0.5	14	35	33	2.80	< 10	< 1	0.14	30	0.44	1790
84304 C	201	238	2	1.91	2.4	15	710	< 0.5	< 2	0.76	1.0	10	29	45	2.66	< 10	< 1	0.15	30	0.36	975
84305 C	201	238	11	2.23	2.8	15	1010	< 0.5	< 2	0.87	4.5	17	30	114	3.80	< 10	< 1	0.19	30	0.36	3930
84306 C	201	238	5	1.81	0.6	15	740	< 0.5	< 2	0.64	1.0	12	28	49	3.02	< 10	< 1	0.18	30	0.39	1075
84307 C	201	238	< 1	1.60	0.2	10	760	0.5	< 2	0.57	1.0	9	22	38	2.82	< 10	< 1	0.16	30	0.29	657
84308 C	201	238	7	0.48	1.2	15	390	< 0.5	< 2	2.54	2.5	15	10	165	3.47	< 10	< 1	0.17	40	0.30	783
84309 C	201	238	< 1	1.34	0.2	5	270	< 0.5	< 2	0.26	< 0.5	5	22	22	2.01	< 10	< 1	0.07	20	0.35	155
84318 C	201	238	8	1.15	0.4	20	360	< 0.5	< 2	0.35	1.0	12	17	89	3.58	< 10	2	0.13	30	0.22	650
84319 C	201	238	11	1.91	0.4	10	500	< 0.5	2	0.41	< 0.5	7	31	68	3.29	< 10	< 1	0.16	30	0.43	278
84321 C	201	238	3	1.56	0.2	15	600	< 0.5	< 2	0.43	0.5	13	24	64	3.26	< 10	< 1	0.17	30	0.32	767
84322 C	201	238	11	1.75	0.2	10	650	< 0.5	< 2	0.60	< 0.5	10	29	57	3.11	< 10	< 1	0.22	30	0.46	511
84323 C	201	238	3	1.70	0.2	< 5	1050	< 0.5	< 2	0.37	0.5	8	26	106	3.26	< 10	< 1	0.23	40	0.22	380
84324 C	201	238	< 1	1.41	0.2	< 5	450	< 0.5	< 2	0.30	< 0.5	7	21	30	2.09	< 10	< 1	0.09	20	0.31	286
84325 C	201	238	1	2.14	0.2	5	760	< 0.5	< 2	0.36	< 0.5	12	31	30	2.53	< 10	< 1	0.09	20	0.40	487
84326 C	201	238	2	1.72	0.2	< 5	410	< 0.5	< 2	0.41	0.5	6	24	10	1.91	< 10	< 1	0.08	20	0.37	233
84327 C	201	238	< 1	2.19	0.6	15	720	0.5	2	0.60	0.5	11	31	39	2.63	< 10	< 1	0.13	30	0.36	928
84328 C	201	238	< 1	1.82	0.4	15	760	< 0.5	< 2	0.34	< 0.5	8	26	41	2.53	< 10	< 1	0.12	20	0.30	371
84330 C	201	238	4	1.56	0.2	< 5	300	< 0.5	< 2	0.40	< 0.5	7	25	18	2.36	< 10	< 1	0.09	30	0.39	250
84331 C	201	238	2	1.29	0.2	5	570	< 0.5	< 2	0.83	1.0	7	21	31	2.25	< 10	1	0.07	20	0.37	289
84332 C	201	238	6	1.15	0.6	< 5	260	0.5	< 2	0.35	0.5	8	22	39	2.91	< 10	< 1	0.10	30	0.25	288
84333 C	201	238	5	1.14	1.0	5	250	< 0.5	< 2	0.51	0.5	8	19	35	2.68	< 10	< 1	0.09	30	0.32	357
84334 C	201	238	3	0.81	0.6	10	220	< 0.5	2	1.02	1.0	8	13	34	2.34	< 10	< 1	0.08	30	0.31	597
84335 C	201	238	4	1.05	1.0	5	310	< 0.5	< 2	0.50	0.5	9	17	40	2.82	< 10	< 1	0.10	30	0.29	594
84336 C	201	238	3	1.25	1.0	15	290	< 0.5	< 2	0.95	1.0	9	19	37	2.26	< 10	1	0.11	30	0.40	544
84339 C	201	238	1	1.34	0.6	15	590	< 0.5	< 2	0.59	0.5	8	23	56	2.97	< 10	< 1	0.16	30	0.34	415
84340 C	201	238	2	0.56	1.0	10	370	< 0.5	< 2	1.95	1.0	9	11	37	1.81	10	< 1	0.09	10	0.40	508
84341 C	201	238	4	0.53	1.4	5	380	< 0.5	< 2	2.19	2.0	8	9	60	1.53	10	< 1	0.12	10	0.55	577
84342 C	201	238	6	0.46	2.4	15	270	< 0.5	< 2	0.60	1.5	13	12	106	3.12	< 10	1	0.16	40	0.19	328
84343 C	201	238	4	0.70	1.8	5	580	< 0.5	< 2	1.30	2.0	10	12	90	2.35	< 10	1	0.16	20	0.33	351
84344 C	201	238	6	0.84	1.0	15	780	< 0.5	< 2	0.72	1.5	16	17	89	3.11	< 10	2	0.16	20	0.25	1105
84345 C	201	238	3	0.92	0.8	15	780	< 0.5	< 2	1.39	1.0	15	16	65	2.56	< 10	< 1	0.10	20	0.27	979
84346 C	201	238	8	1.02	1.0	35	760	< 0.5	< 2	0.40	1.5	14	20	79	3.06	< 10	1	0.15	20	0.19	667
84347 C	201	238	3	1.18	1.6	25	640	0.5	< 2	0.75	3.0	17	17	113	3.56	10	< 1	0.11	30	0.18	2050
84349 C	201	238	12	1.04	0.2	10	290	< 0.5	< 2	0.64	< 0.5	9	22	17	2.13	< 10	< 1	0.07	20	0.45	374
84351 C	201	238	3	1.03	0.4	10	290	< 0.5	< 2	0.57	0.5	9	19	36	2.64	< 10	< 1	0.08	20	0.30	447
84354 C	217	238	15	0.37	0.2	< 5	340	< 0.5	< 2	1.74	2.5	7	71	37	0.94	< 10	< 1	0.05	10	0.33	893
84355 C	201	238	9	0.43	2.2	10	150	< 0.5	< 2	0.38	0.5	16	20	83	3.45	< 10	< 1	0.08	40	0.13	586
84358 C	201	238	9	1.12	0.4	20	360	< 0.5	< 2	0.41	< 0.5	10	19	29	2.83	< 10	< 1	0.13	30	0.30	329
84360 C	201	238	3	1.05	1.2	< 5	350	< 0.5	< 2	0.72	0.5	11	21	33	3.04	< 10	1	0.16	20	0.34	529

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

] NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No : -B
Tot. Pg : 6
Date : 2-AUG-87
Invoice # : I-8717389
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717389

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84302 C	201 238	9	< 0.01	43	430	6	< 5	< 10	65	0.03	< 10	< 10	74	< 5	134
84303 C	201 238	3	0.01	29	420	< 2	< 5	10	34	0.06	< 10	< 10	84	5	90
84304 C	201 238	4	0.01	37	540	< 2	< 5	< 10	45	0.03	< 10	< 10	73	< 5	111
84305 C	201 238	10	0.01	67	660	16	< 5	10	63	0.02	< 10	< 10	83	< 5	148
84306 C	201 238	5	0.01	39	430	14	< 5	< 10	45	0.03	< 10	< 10	62	< 5	138
84307 C	201 238	8	0.01	32	420	6	< 5	10	46	0.02	< 10	< 10	60	< 5	120
84308 C	201 238	5	< 0.01	76	960	< 2	5	10	55	< 0.01	< 10	< 10	23	< 5	299
84309 C	201 238	6	< 0.01	18	220	6	< 5	< 10	22	0.06	< 10	< 10	54	< 5	63
84318 C	201 238	12	< 0.01	59	730	6	< 5	< 10	49	0.01	< 10	< 10	42	< 5	241
84319 C	201 238	7	0.01	43	480	4	< 5	< 10	44	0.06	< 10	< 10	70	< 5	137
84321 C	201 238	11	0.01	47	520	14	< 5	< 10	60	0.03	< 10	< 10	66	< 5	174
84322 C	201 238	10	0.01	45	470	8	< 5	10	71	0.03	< 10	< 10	79	< 5	134
84323 C	201 238	8	< 0.01	55	510	4	< 5	10	83	< 0.01	< 10	< 10	51	< 5	225
84324 C	201 238	2	< 0.01	25	180	2	< 5	< 10	26	0.04	< 10	< 10	46	< 5	65
84325 C	201 238	3	0.01	29	260	2	< 5	< 10	33	0.06	< 10	< 10	75	< 5	59
84326 C	201 238	1	0.01	11	150	8	< 5	< 10	24	0.08	< 10	< 10	57	< 5	40
84327 C	201 238	4	0.01	31	360	< 2	< 5	10	36	0.04	< 10	< 10	76	< 5	88
84328 C	201 238	5	0.01	26	280	4	< 5	< 10	37	0.03	< 10	< 10	51	< 5	92
84330 C	201 238	< 1	0.01	18	450	< 2	< 5	< 10	32	0.07	< 10	< 10	52	< 5	64
84331 C	201 238	2	0.01	24	590	6	< 5	10	55	0.06	< 10	< 10	47	< 5	63
84332 C	201 238	3	0.01	32	510	12	< 5	< 10	34	0.04	< 10	< 10	42	< 5	119
84333 C	201 238	5	0.01	26	460	10	< 5	< 10	37	0.04	< 10	< 10	42	< 5	133
84334 C	201 238	5	0.01	28	730	14	< 5	< 10	52	0.02	< 10	< 10	29	< 5	102
84335 C	201 238	7	0.01	30	550	12	< 5	< 10	46	0.02	< 10	< 10	37	< 5	130
84336 C	201 238	2	0.01	27	540	< 2	< 5	10	54	0.03	< 10	< 10	41	< 5	138
84339 C	201 238	15	0.01	40	580	14	< 5	< 10	65	0.02	< 10	< 10	61	< 5	147
84340 C	201 238	5	0.01	26	680	6	< 5	< 10	67	< 0.01	< 10	< 10	26	< 5	116
84341 C	201 238	3	0.01	37	630	6	< 5	10	64	< 0.01	< 10	< 10	18	< 5	107
84342 C	201 238	16	< 0.01	76	860	14	< 5	10	37	< 0.01	20	< 10	25	< 5	271
84343 C	201 238	10	< 0.01	55	680	10	< 5	10	62	< 0.01	10	< 10	31	< 5	167
84344 C	201 238	15	< 0.01	61	660	10	< 5	< 10	56	< 0.01	< 10	< 10	48	< 5	168
84345 C	201 238	16	< 0.01	43	720	12	< 5	< 10	47	0.01	< 10	< 10	42	< 5	134
84346 C	201 238	15	< 0.01	59	590	14	< 5	< 10	54	< 0.01	< 10	< 10	65	< 5	211
84347 C	201 238	17	< 0.01	58	970	10	< 5	10	43	< 0.01	10	< 10	60	< 5	206
84349 C	201 238	< 1	0.01	18	760	6	< 5	< 10	36	0.07	10	< 10	42	< 5	58
84351 C	201 238	7	< 0.01	24	730	16	< 5	< 10	35	0.03	10	< 10	41	< 5	98
84354 C	217 238	1	0.02	24	740	< 2	< 5	< 10	73	0.01	< 10	< 10	11	< 5	97
84355 C	201 238	3	< 0.01	59	580	16	< 5	10	35	< 0.01	20	< 10	19	< 5	174
84358 C	201 238	3	< 0.01	20	400	10	< 5	< 10	38	0.02	10	< 10	40	< 5	94
84360 C	201 238	16	< 0.01	19	610	10	< 5	< 10	43	0.02	10	< 10	53	< 5	130

CERTIFICATION : 

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To : UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. : 1-A
Total Pages : 5
Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	M pp
84361 C	201	238	5	1.01	0.4	15	540	< 0.5	< 2	0.41	< 0.5	8	21	55	3.00	< 10	< 1	0.10	20	0.30	2
84367 C	201	238	4	1.33	0.6	20	510	0.5	< 2	0.43	< 0.5	11	23	57	2.54	< 10	< 1	0.19	30	0.24	3
84368 C	201	238	12	0.51	1.2	30	260	< 0.5	< 2	1.35	1.0	11	12	89	2.43	10	< 1	0.16	30	0.42	3
84369 C	201	238	7	0.55	0.8	30	450	< 0.5	< 2	1.24	1.0	11	14	84	2.44	< 10	< 1	0.18	30	0.37	4
84370 C	201	238	13	0.83	1.2	30	570	0.5	< 2	0.89	3.0	14	23	97	2.87	< 10	< 1	0.17	30	0.34	5
84371 C	201	238	9	0.89	1.0	35	490	0.5	< 2	0.48	0.5	13	27	64	3.49	< 10	< 1	0.18	30	0.38	2
84372 C	201	238	4	1.09	0.8	55	620	< 0.5	< 2	0.70	< 0.5	14	76	43	3.41	< 10	1	0.14	30	0.61	3
84373 C	201	238	14	0.92	0.6	40	630	< 0.5	< 2	1.15	1.0	15	70	36	3.11	10	< 1	0.16	30	0.55	3
84374 C	201	238	3	1.41	0.4	30	760	0.5	< 2	1.07	2.0	19	83	45	3.17	10	< 1	0.17	30	0.72	7
84375 C	201	238	2	1.16	0.4	50	640	< 0.5	< 2	1.40	0.5	15	60	34	3.41	10	< 1	0.14	20	0.91	5
84376 C	201	238	5	1.53	0.4	25	1170	< 0.5	< 2	0.77	0.5	16	48	35	3.72	10	1	0.19	30	0.85	3
84377 C	201	238	1	1.45	0.2	25	1050	< 0.5	< 2	0.56	0.5	16	56	41	3.82	< 10	< 1	0.21	20	0.84	4
84378 C	201	238	2	1.23	0.2	35	630	< 0.5	2	0.72	< 0.5	11	74	23	3.00	< 10	< 1	0.14	20	1.16	1
84380 C	201	238	< 1	0.23	< 0.2	15	490	< 0.5	2	1.89	1.0	9	10	28	2.97	< 10	< 1	0.05	10	1.70	2
84381 C	201	238	2	1.24	< 0.2	10	320	0.5	< 2	0.54	< 0.5	9	23	25	2.28	< 10	< 1	0.09	20	0.48	3
84382 C	201	238	2	1.23	< 0.2	< 5	300	0.5	< 2	0.58	< 0.5	8	25	20	1.78	< 10	1	0.08	20	0.45	1
84386 C	201	238	< 1	1.91	< 0.2	30	1020	0.5	< 2	0.52	0.5	14	32	28	2.69	< 10	1	0.11	10	0.47	3
84388 C	201	238	2	1.46	0.4	30	530	0.5	< 2	0.44	< 0.5	14	31	57	3.27	< 10	< 1	0.18	30	0.33	3
84389 C	201	238	2	1.01	0.4	55	1200	< 0.5	< 2	0.64	< 0.5	12	26	51	3.21	< 10	1	0.20	20	0.40	2
84390 C	201	238	3	1.43	0.6	50	760	< 0.5	< 2	0.69	< 0.5	17	98	45	3.68	< 10	1	0.18	30	0.79	3
84391 C	201	238	3	1.37	0.4	40	990	< 0.5	2	1.49	< 0.5	15	45	31	3.78	10	< 1	0.20	30	0.84	3
84392 C	201	238	< 1	1.63	< 0.2	30	800	0.5	< 2	0.59	< 0.5	17	81	34	3.58	< 10	1	0.13	30	1.09	3
84393 C	201	238	3	1.90	0.2	35	850	< 0.5	2	0.48	< 0.5	18	93	36	3.87	10	< 1	0.16	40	1.21	4
84394 C	201	238	< 1	2.56	< 0.2	40	1060	0.5	< 2	0.37	0.5	15	194	27	3.06	< 10	< 1	0.09	20	1.34	3
84395 C	201	238	5	1.66	0.2	30	1690	0.5	< 2	0.35	< 0.5	9	39	47	2.74	< 10	< 1	0.18	20	0.41	1
84396 C	201	238	4	0.78	0.4	30	650	< 0.5	< 2	1.02	0.5	14	58	50	3.11	10	< 1	0.10	30	0.52	2
84397 C	201	238	4	1.60	0.8	10	2600	0.5	< 2	8.57	2.5	11	22	49	1.86	30	1	0.18	< 10	0.41	6
84398 C	201	238	2	0.82	0.2	15	760	< 0.5	< 2	0.49	0.5	13	28	37	3.28	< 10	< 1	0.11	20	0.30	3
84399 C	201	238	< 1	0.95	1.8	10	1760	< 0.5	< 2	0.71	1.5	5	25	19	1.94	< 10	1	0.10	10	0.30	2
84400 C	201	238	3	1.20	0.2	15	810	< 0.5	< 2	0.54	< 0.5	7	37	23	1.94	< 10	< 1	0.09	20	0.41	3
84401 C	201	238	4	0.95	0.6	15	1190	< 0.5	< 2	1.19	1.0	12	42	60	2.76	< 10	< 1	0.09	30	0.39	5
84402 C	203	238	2	0.85	0.4	10	760	0.5	< 2	0.65	< 0.5	12	105	42	2.99	< 10	1	0.18	30	0.23	4
84403 C	201	238	< 1	1.30	< 0.2	5	1390	0.5	< 2	0.73	< 0.5	8	30	32	2.26	< 10	1	0.08	20	0.44	2
84404 C	201	238	< 1	1.27	< 0.2	15	1060	0.5	< 2	0.86	< 0.5	8	26	32	2.20	< 10	1	0.08	20	0.43	2
84405 C	201	238	< 1	2.34	0.2	15	2670	< 0.5	< 2	0.24	< 0.5	11	14	39	4.78	< 10	< 1	0.83	< 10	1.38	2
84406 C	201	238	4	2.88	0.2	65	2480	0.5	< 2	0.48	0.5	39	279	43	7.44	10	3	0.53	10	1.99	10
84407 C	201	238	< 1	1.22	2.0	10	570	< 0.5	< 2	0.26	< 0.5	6	23	15	2.08	< 10	2	0.13	10	0.28	1
84408 C	201	238	< 1	1.68	2.4	5	1600	< 0.5	< 2	0.52	0.5	13	30	33	2.70	< 10	< 1	0.21	10	0.45	4
84409 C	201	238	< 1	1.18	0.2	5	1980	0.5	< 2	0.13	< 0.5	4	46	22	1.26	< 10	2	0.07	10	0.12	2
84410 C	201	238	< 1	2.28	0.4	15	3290	0.5	< 2	0.40	< 0.5	17	37	22	3.68	< 10	2	0.37	10	0.86	4

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84361 C	201	238	6	< 0.01	31	690	12	< 5	< 10	34	0.03	10	< 10	44	< 5	89
84367 C	201	238	4	< 0.01	39	210	10	< 5	< 10	32	0.01	10	< 10	36	< 5	103
84368 C	201	238	15	< 0.01	57	980	12	< 5	< 10	50	< 0.01	10	< 10	24	< 5	178
84369 C	201	238	9	< 0.01	60	870	6	< 5	< 10	50	< 0.01	10	< 10	24	< 5	165
84370 C	201	238	9	< 0.01	69	1000	18	< 5	< 10	52	0.01	10	< 10	44	< 5	229
84371 C	201	238	6	< 0.01	54	650	8	< 5	< 10	36	0.01	10	< 10	56	< 5	182
84372 C	201	238	2	< 0.01	89	820	14	< 5	< 10	42	0.01	< 10	< 10	47	< 5	124
84373 C	201	238	2	< 0.01	84	960	24	< 5	< 10	51	0.01	< 10	< 10	44	< 5	160
84374 C	201	238	< 1	0.01	105	960	20	< 5	< 10	52	0.01	10	< 10	48	< 5	167
84375 C	201	238	1	< 0.01	71	600	8	< 5	< 10	58	< 0.01	< 10	< 10	51	< 5	106
84376 C	201	238	< 1	< 0.01	65	820	18	< 5	< 10	46	0.02	< 10	< 10	77	< 5	95
84377 C	201	238	< 1	< 0.01	74	710	12	< 5	< 10	43	0.02	10	< 10	72	< 5	120
84378 C	201	238	< 1	0.02	63	540	8	< 5	< 10	46	0.01	< 10	< 10	56	< 5	84
84380 C	201	238	< 1	0.07	35	620	8	< 5	< 10	96	< 0.01	< 10	< 10	11	< 5	52
84381 C	201	238	1	0.01	25	640	6	< 5	< 10	38	0.06	< 10	< 10	44	< 5	66
84382 C	201	238	< 1	0.01	22	660	8	< 5	< 10	38	0.06	10	< 10	42	< 5	59
84386 C	201	238	1	0.01	34	380	14	< 5	< 10	31	0.08	< 10	< 10	92	< 5	203
84388 C	201	238	2	< 0.01	47	510	14	< 5	< 10	35	0.02	10	< 10	63	< 5	179
84389 C	201	238	1	< 0.01	56	830	10	< 5	< 10	50	0.02	< 10	< 10	66	< 5	127
84390 C	201	238	1	< 0.01	110	880	14	< 5	< 10	45	0.01	10	< 10	49	< 5	124
84391 C	201	238	< 1	< 0.01	63	1010	12	< 5	< 10	62	0.01	< 10	< 10	69	< 5	84
84392 C	201	238	< 1	< 0.01	88	830	16	< 5	< 10	48	< 0.01	10	< 10	39	< 5	90
84393 C	201	238	< 1	< 0.01	96	810	16	< 5	< 10	50	< 0.01	10	< 10	45	< 5	98
84394 C	201	238	< 1	0.01	135	410	6	< 5	< 10	46	0.06	10	< 10	143	< 5	163
84395 C	201	238	< 1	0.01	53	570	8	< 5	< 10	68	0.05	10	< 10	79	< 5	120
84396 C	201	238	2	0.01	79	940	16	< 5	< 10	64	0.01	10	< 10	35	< 5	112
84397 C	201	238	< 1	0.05	39	2190	8	< 5	< 10	244	< 0.01	< 10	< 10	23	< 5	191
84398 C	201	238	3	< 0.01	43	580	16	< 5	< 10	57	0.01	< 10	< 10	47	< 5	111
84399 C	201	238	2	< 0.01	17	1400	154	5	< 10	114	0.03	< 10	< 10	94	< 5	107
84400 C	201	238	1	0.01	25	590	8	5	< 10	47	0.05	< 10	< 10	54	< 5	51
84401 C	201	238	2	< 0.01	60	1170	16	< 5	< 10	69	< 0.01	10	< 10	37	< 5	105
84402 C	203	238	3	0.02	42	830	16	< 5	< 10	58	0.01	10	< 10	46	< 5	96
84403 C	201	238	1	0.01	28	800	10	< 5	< 10	60	0.03	< 10	< 10	56	< 5	51
84404 C	201	238	1	0.01	25	610	12	< 5	< 10	62	0.04	< 10	< 10	49	< 5	55
84405 C	201	238	< 1	< 0.01	9	530	6	< 5	< 10	26	0.21	< 10	< 10	255	< 5	95
84406 C	201	238	< 1	< 0.01	211	890	22	< 5	< 10	31	0.16	< 10	< 10	278	< 5	169
84407 C	201	238	1	< 0.01	13	750	12	< 5	< 10	30	0.07	< 10	< 10	55	< 5	60
84408 C	201	238	< 1	0.01	27	730	10	< 5	< 10	44	0.08	< 10	< 10	78	< 5	86
84409 C	201	238	7	< 0.01	11	750	12	< 5	< 10	59	0.09	< 10	< 10	372	< 5	43
84410 C	201	238	1	< 0.01	21	820	18	< 5	< 10	59	0.14	< 10	< 10	227	< 5	147

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. : 2-A
Tot. Pa. : 5
Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84411 C	201	238	< 1	1.98	< 0.2	< 5	740	0.5	< 2	0.33	< 0.5	9	33	13	2.46	< 10	< 1	0.13	10	0.40	203
84412 C	201	238	3	1.55	< 0.2	10	430	0.5	< 2	0.29	< 0.5	8	30	19	2.29	< 10	1	0.10	10	0.39	164
84413 C	201	238	2	1.85	0.6	10	820	0.5	< 2	0.35	< 0.5	11	32	10	2.23	< 10	1	0.09	10	0.37	468
84414 C	201	238	2	0.82	0.8	5	1800	< 0.5	2	0.21	< 0.5	3	20	20	1.19	< 10	< 1	0.08	10	0.11	93
84415 C	201	238	< 1	0.89	0.6	5	1350	< 0.5	< 2	0.45	1.5	7	12	16	2.12	< 10	2	0.19	10	0.31	745
84416 C	201	238	< 1	0.53	1.4	5	1090	< 0.5	< 2	0.33	< 0.5	2	11	13	1.09	< 10	< 1	0.07	10	0.07	88
84417 C	201	238	< 1	1.30	2.0	5	1660	< 0.5	< 2	0.96	6.0	7	40	53	2.07	< 10	1	0.12	10	0.33	355
84418 C	201	238	< 1	0.90	0.6	10	2630	< 0.5	< 2	0.17	< 0.5	3	32	28	1.71	< 10	1	0.04	10	0.16	58
84419 C	201	238	4	1.98	0.2	< 5	860	0.5	< 2	0.47	< 0.5	8	34	18	2.46	< 10	< 1	0.07	20	0.43	199
84420 C	201	238	3	1.70	0.4	< 5	880	0.5	< 2	0.45	< 0.5	8	32	17	2.27	< 10	< 1	0.06	10	0.37	484
84421 C	201	238	< 1	1.60	1.8	10	1210	0.5	< 2	0.34	< 0.5	7	31	26	2.15	< 10	1	0.09	20	0.26	223
84422 C	201	238	< 1	1.72	0.4	< 5	810	0.5	4	0.54	< 0.5	10	32	19	2.52	< 10	1	0.10	20	0.46	333
84423 C	201	238	6	1.48	0.8	10	880	0.5	4	0.56	< 0.5	9	30	20	2.38	< 10	1	0.10	20	0.41	367
84424 C	201	238	< 1	1.81	0.4	10	540	0.5	2	0.25	< 0.5	8	29	11	2.45	< 10	< 1	0.06	20	0.39	180
84425 C	201	238	2	2.54	0.8	< 5	1560	0.5	4	0.25	< 0.5	15	27	25	4.33	10	1	0.17	10	0.89	421
84426 C	201	238	< 1	2.32	1.4	15	2070	0.5	2	0.26	< 0.5	13	39	38	2.99	< 10	1	0.08	20	0.49	417
84427 C	201	238	< 1	1.98	0.6	20	680	0.5	2	0.30	< 0.5	9	32	14	2.28	< 10	< 1	0.05	20	0.38	254
84428 C	201	238	2	2.43	0.8	15	1010	0.5	2	0.27	< 0.5	10	39	29	2.85	< 10	1	0.07	10	0.49	178
84429 C	201	238	< 1	2.02	0.6	15	550	0.5	< 2	0.40	< 0.5	8	32	16	2.51	< 10	1	0.05	20	0.39	175
84430 C	201	238	< 1	1.38	1.4	5	880	< 0.5	2	0.20	< 0.5	5	26	8	1.47	< 10	< 1	0.05	20	0.27	189
84431 C	201	238	< 1	1.67	0.4	< 5	720	< 0.5	2	0.30	< 0.5	9	27	10	2.06	< 10	< 1	0.04	20	0.38	219
84432 C	201	238	< 1	1.72	1.0	5	730	0.5	< 2	0.32	< 0.5	13	28	13	2.35	< 10	< 1	0.06	10	0.37	850
84433 C	201	238	< 1	1.01	1.6	< 5	1640	< 0.5	< 2	0.20	< 0.5	3	24	6	1.33	< 10	< 1	0.06	10	0.18	106
84434 C	201	238	< 1	1.35	0.4	10	1540	< 0.5	< 2	0.24	< 0.5	4	23	12	1.79	< 10	< 1	0.05	10	0.29	201
84435 C	201	238	< 1	1.05	1.4	5	1330	0.5	< 2	0.25	< 0.5	6	21	11	1.67	< 10	2	0.07	10	0.19	626
84436 C	201	238	1	1.58	0.2	5	1080	0.5	< 2	0.37	< 0.5	7	26	10	2.28	< 10	< 1	0.08	20	0.37	469
84437 C	201	238	< 1	1.86	0.4	5	1180	0.5	< 2	0.43	< 0.5	8	26	13	2.38	< 10	1	0.10	20	0.34	639
84438 C	201	238	2	2.06	< 0.2	< 5	880	< 0.5	2	0.40	< 0.5	8	32	16	2.63	< 10	3	0.08	20	0.40	506
84439 C	201	238	< 1	2.33	0.2	5	840	0.5	< 2	0.41	< 0.5	10	35	14	2.85	< 10	< 1	0.08	20	0.46	527
84440 C	201	238	< 1	2.14	0.6	10	1360	0.5	< 2	0.42	< 0.5	8	31	16	2.76	< 10	< 1	0.08	20	0.42	357
84441 C	201	238	< 1	2.09	0.8	< 5	1200	0.5	< 2	0.43	< 0.5	7	30	15	2.68	< 10	< 1	0.08	20	0.37	362
84442 C	201	238	< 1	1.96	0.8	15	1760	< 0.5	< 2	0.33	< 0.5	6	30	20	2.41	< 10	< 1	0.09	20	0.34	405
84443 C	201	238	2	1.93	0.6	< 5	620	0.5	< 2	0.25	< 0.5	6	30	17	2.47	< 10	< 1	0.05	20	0.43	209
84444 C	201	238	< 1	1.55	< 0.2	10	880	< 0.5	< 2	0.13	< 0.5	6	32	41	2.48	< 10	< 1	0.05	10	0.29	147
84445 C	201	238	2	1.58	< 0.2	20	780	< 0.5	< 2	0.17	< 0.5	7	25	18	2.36	< 10	< 1	0.05	10	0.40	226
84446 C	201	238	3	2.01	0.4	10	990	< 0.5	< 2	0.26	< 0.5	7	32	22	2.52	< 10	< 1	0.04	20	0.44	256
84447 C	201	238	2	1.50	2.4	15	1830	< 0.5	< 2	0.08	< 0.5	4	59	41	1.75	< 10	< 1	0.04	10	0.12	58
84448 C	201	238	< 1	0.67	< 0.2	20	1050	< 0.5	< 2	0.05	< 0.5	< 1	31	29	1.19	< 10	< 1	0.04	20	0.05	31
84449 C	201	238	< 1	1.47	< 0.2	< 5	590	< 0.5	< 2	0.17	< 0.5	4	24	15	1.85	< 10	< 1	0.04	20	0.31	132
84450 C	201	238	< 1	2.11	< 0.2	< 5	520	< 0.5	< 2	0.21	< 0.5	9	32	13	2.61	< 10	< 1	0.04	20	0.42	275

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84411 C	201	238	< 1	< 0.01	19	440	12	< 5	< 10	24	0.08	< 10	< 10	65	< 5	68
84412 C	201	238	< 1	0.01	22	500	< 2	< 5	< 10	24	0.07	< 10	< 10	55	< 5	52
84413 C	201	238	1	0.01	15	750	8	< 5	< 10	30	0.08	< 10	< 10	75	< 5	70
84414 C	201	238	5	< 0.01	10	670	18	5	< 10	63	0.03	< 10	< 10	73	< 5	27
84415 C	201	238	< 1	< 0.01	9	1030	46	< 5	< 10	49	0.05	< 10	< 10	74	< 5	121
84416 C	201	238	5	< 0.01	10	1470	22	25	< 10	72	0.01	10	< 10	31	< 5	55
84417 C	201	238	2	0.01	38	1780	20	5	< 10	83	0.04	< 10	< 10	81	5	214
84418 C	201	238	4	< 0.01	11	1470	14	5	< 10	66	0.05	< 10	< 10	134	< 5	25
84419 C	201	238	1	0.01	21	680	16	< 5	< 10	30	0.08	< 10	< 10	66	< 5	48
84420 C	201	238	< 1	0.01	19	670	10	< 5	< 10	29	0.07	< 10	< 10	65	< 5	46
84421 C	201	238	4	< 0.01	18	1440	18	5	< 10	63	0.05	10	< 10	78	< 5	49
84422 C	201	238	< 1	0.01	21	990	18	< 5	< 10	39	0.07	< 10	< 10	61	< 5	51
84423 C	201	238	2	0.01	22	1350	22	10	< 10	59	0.07	< 10	< 10	65	< 5	56
84424 C	201	238	< 1	< 0.01	12	250	12	< 5	< 10	22	0.10	10	< 10	72	< 5	39
84425 C	201	238	< 1	< 0.01	26	240	20	< 5	10	22	0.19	< 10	< 10	133	< 5	64
84426 C	201	238	1	0.01	27	370	20	< 5	< 10	29	0.10	< 10	< 10	76	< 5	80
84427 C	201	238	< 1	< 0.01	17	300	22	< 5	10	28	0.10	< 10	< 10	75	< 5	63
84428 C	201	238	1	< 0.01	28	270	22	< 5	< 10	29	0.08	< 10	< 10	73	< 5	59
84429 C	201	238	< 1	< 0.01	18	380	28	< 5	< 10	28	0.08	< 10	< 10	69	< 5	53
84430 C	201	238	1	< 0.01	10	250	16	< 5	< 10	28	0.05	< 10	< 10	59	< 5	40
84431 C	201	238	< 1	< 0.01	15	320	20	< 5	< 10	30	0.07	< 10	< 10	64	< 5	52
84432 C	201	238	< 1	< 0.01	15	550	16	< 5	< 10	25	0.07	< 10	< 10	54	< 5	50
84433 C	201	238	1	< 0.01	6	550	4	< 5	< 10	43	0.06	< 10	< 10	126	< 5	34
84434 C	201	238	1	< 0.01	11	440	2	< 5	< 10	27	0.06	< 10	< 10	71	< 5	36
84435 C	201	238	< 1	< 0.01	8	1010	< 2	< 5	< 10	42	0.05	< 10	< 10	58	< 5	41
84436 C	201	238	< 1	< 0.01	18	810	4	< 5	< 10	30	0.06	< 10	< 10	53	< 5	40
84437 C	201	238	< 1	0.01	18	1140	< 2	< 5	< 10	36	0.06	< 10	< 10	56	< 5	43
84438 C	201	238	< 1	0.01	21	1010	2	< 5	< 10	31	0.07	< 10	< 10	64	< 5	47
84439 C	201	238	< 1	0.01	21	1250	< 2	< 5	< 10	33	0.07	< 10	< 10	71	< 5	58
84440 C	201	238	< 1	0.01	20	1620	2	< 5	< 10	36	0.06	< 10	< 10	68	< 5	54
84441 C	201	238	< 1	0.01	19	1990	4	< 5	< 10	35	0.06	< 10	< 10	68	< 5	65
84442 C	201	238	1	0.01	25	2010	8	< 5	< 10	43	0.05	< 10	< 10	88	< 5	81
84443 C	201	238	< 1	0.01	16	250	< 2	< 5	< 10	24	0.08	< 10	< 10	61	< 5	43
84444 C	201	238	2	< 0.01	34	560	6	< 5	< 10	35	0.05	< 10	< 10	70	< 5	87
84445 C	201	238	< 1	< 0.01	20	310	8	< 5	< 10	18	0.06	< 10	< 10	52	< 5	45
84446 C	201	238	< 1	0.01	21	190	4	< 5	20	22	0.08	< 10	< 10	62	< 5	47
84447 C	201	238	11	< 0.01	23	920	36	10	< 10	107	0.08	< 10	< 10	329	< 5	20
84448 C	201	238	8	< 0.01	5	630	2	10	< 10	53	0.04	< 10	< 10	181	< 5	11
84449 C	201	238	1	< 0.01	14	200	4	< 5	< 10	31	0.07	< 10	< 10	67	< 5	32
84450 C	201	238	< 1	0.01	15	240	6	< 5	< 10	23	0.09	< 10	< 10	74	< 5	48

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84451 C	201	238	3	2.27	< 0.2	40	940	< 0.5	2	0.32	< 0.5	6	32	19	2.57	< 10	< 1	0.05	20	0.39	320
84452 C	201	238	1	1.51	< 0.2	25	580	< 0.5	< 2	0.21	< 0.5	4	24	13	2.12	< 10	1	0.04	20	0.34	177
84453 C	201	238	< 1	1.62	0.2	10	920	0.5	< 2	0.38	< 0.5	5	26	18	2.07	< 10	< 1	0.10	20	0.31	156
84454 C	201	238	< 1	1.73	< 0.2	< 5	530	< 0.5	< 2	0.25	< 0.5	5	26	10	2.01	< 10	< 1	0.04	20	0.37	195
84455 C	201	238	< 1	1.29	0.2	25	1880	< 0.5	< 2	0.21	< 0.5	4	32	32	1.77	< 10	< 1	0.07	20	0.19	142
84456 C	201	238	< 1	1.86	0.2	< 5	950	< 0.5	< 2	0.37	< 0.5	6	28	13	2.13	< 10	< 1	0.08	20	0.38	414
84457 C	201	238	< 1	1.71	< 0.2	5	1060	0.5	< 2	0.36	< 0.5	7	25	15	2.14	< 10	< 1	0.06	20	0.36	477
84458 C	201	238	< 1	1.78	< 0.2	10	1040	< 0.5	< 2	0.44	< 0.5	7	25	15	2.23	< 10	< 1	0.11	20	0.36	805
84459 C	201	238	< 1	1.86	0.2	20	1270	0.5	< 2	0.42	< 0.5	7	26	14	2.11	< 10	< 1	0.09	20	0.32	557
84460 C	201	238	< 1	2.31	1.2	150	2380	0.5	2	0.38	0.5	2	31	98	7.16	< 10	1	0.10	20	0.16	397
84461 C	201	238	< 1	1.78	0.4	80	2090	< 0.5	2	0.18	0.5	2	28	116	6.31	< 10	< 1	0.08	20	0.13	115
84462 C	201	238	< 1	1.61	< 0.2	20	660	0.5	< 2	0.15	< 0.5	6	32	16	2.22	< 10	< 1	0.04	10	0.33	155
84463 C	201	238	< 1	0.88	0.2	10	390	< 0.5	< 2	0.10	< 0.5	2	15	9	1.52	< 10	< 1	0.04	10	0.16	106
84464 C	201	238	< 1	1.92	0.2	15	400	< 0.5	< 2	0.17	< 0.5	6	27	17	2.44	< 10	< 1	0.04	10	0.40	151
84465 C	201	238	2	1.65	0.4	15	710	< 0.5	< 2	0.10	< 0.5	6	28	25	2.25	< 10	< 1	0.05	10	0.35	157
84466 C	201	238	< 1	1.14	0.8	< 5	560	< 0.5	< 2	0.15	< 0.5	2	25	14	1.77	< 10	< 1	0.04	10	0.25	116
84467 C	201	238	< 1	1.66	< 0.2	< 5	610	< 0.5	< 2	0.14	< 0.5	6	27	18	2.01	< 10	< 1	0.04	10	0.32	163
84468 C	201	238	2	2.10	0.2	10	560	< 0.5	< 2	0.26	< 0.5	6	33	17	2.57	< 10	< 1	0.06	20	0.44	211
84469 C	201	238	< 1	1.54	0.2	15	950	< 0.5	< 2	0.16	< 0.5	4	25	20	2.02	< 10	< 1	0.06	20	0.28	124
84470 C	201	238	2	0.94	< 0.2	25	790	< 0.5	< 2	0.12	< 0.5	1	15	13	1.49	< 10	< 1	0.05	20	0.15	68
84471 C	201	238	< 1	1.61	0.2	20	960	< 0.5	< 2	0.17	< 0.5	5	23	19	2.28	< 10	< 1	0.05	20	0.31	200
84472 C	201	238	< 1	1.55	0.2	15	810	0.5	< 2	0.24	< 0.5	6	24	14	2.18	< 10	< 1	0.06	20	0.34	222
84473 C	201	238	< 1	1.01	< 0.2	25	790	0.5	< 2	0.16	< 0.5	3	17	16	2.27	< 10	1	0.07	20	0.21	110
84474 C	201	238	3	1.57	< 0.2	15	970	< 0.5	< 2	0.23	< 0.5	8	27	23	2.49	< 10	3	0.08	20	0.33	419
84475 C	201	238	1	1.04	< 0.2	5	630	< 0.5	< 2	0.18	< 0.5	4	14	15	1.68	< 10	< 1	0.06	20	0.26	128
84476 C	201	238	< 1	1.27	< 0.2	< 5	400	< 0.5	< 2	0.18	< 0.5	4	19	13	1.92	< 10	< 1	0.04	10	0.35	177
84477 C	201	238	< 1	1.98	< 0.2	< 5	900	< 0.5	< 2	0.23	< 0.5	7	20	23	2.76	< 10	< 1	0.07	10	0.48	362
84478 C	201	238	< 1	1.85	< 0.2	10	1060	< 0.5	< 2	0.45	< 0.5	8	13	36	2.78	< 10	< 1	0.09	10	0.58	985
84479 C	201	238	1	1.26	< 0.2	< 5	780	< 0.5	< 2	0.31	< 0.5	4	19	17	2.29	< 10	1	0.07	20	0.28	232
84480 C	201	238	2	1.47	0.4	< 5	670	0.5	< 2	0.26	< 0.5	7	22	31	2.33	< 10	< 1	0.08	10	0.37	265
84481 C	201	238	6	1.78	< 0.2	5	380	0.5	< 2	0.19	< 0.5	5	25	11	2.52	< 10	< 1	0.04	10	0.38	177
84482 C	201	238	< 1	1.44	< 0.2	10	410	0.5	< 2	0.17	< 0.5	4	22	14	2.08	< 10	< 1	0.04	10	0.28	158
84483 C	201	238	< 1	1.22	0.2	15	670	0.5	< 2	0.12	< 0.5	4	21	27	1.92	< 10	< 1	0.06	20	0.22	125
84484 C	201	238	< 1	1.18	< 0.2	5	680	< 0.5	< 2	0.15	< 0.5	3	20	23	1.73	< 10	< 1	0.05	20	0.22	130
84485 C	201	238	< 1	1.40	0.2	10	430	< 0.5	< 2	0.17	< 0.5	4	23	14	2.02	< 10	< 1	0.04	20	0.26	187
84486 C	201	238	1	1.95	0.6	5	460	0.5	< 2	0.16	< 0.5	6	30	25	2.43	< 10	< 1	0.04	10	0.34	226
84487 C	201	238	4	1.46	0.4	10	850	0.5	< 2	0.08	< 0.5	4	23	32	1.98	< 10	< 1	0.03	10	0.19	79
84488 C	201	238	< 1	1.80	0.6	10	1030	< 0.5	< 2	0.16	< 0.5	6	28	17	2.44	< 10	2	0.03	10	0.38	198
84489 C	201	238	2	1.41	< 0.2	< 5	630	< 0.5	< 2	0.19	< 0.5	4	23	19	2.12	< 10	< 1	0.04	10	0.37	143
84490 C	201	238	1	1.69	< 0.2	25	1230	< 0.5	< 2	0.18	< 0.5	6	26	32	2.40	< 10	< 1	0.09	20	0.31	175

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84451 C	201	238	1	0.01	19	390	< 2	< 5	< 10	37	0.08	< 10	< 10	88	< 5	51
84452 C	201	238	2	< 0.01	11	300	6	< 5	< 10	32	0.06	< 10	< 10	65	< 5	40
84453 C	201	238	< 1	0.01	16	410	2	< 5	< 10	48	0.07	< 10	< 10	72	< 5	40
84454 C	201	238	< 1	0.01	14	160	< 2	< 5	< 10	28	0.08	< 10	< 10	64	< 5	40
84455 C	201	238	2	< 0.01	15	580	10	< 5	< 10	65	0.05	< 10	< 10	125	< 5	33
84456 C	201	238	< 1	0.01	15	260	6	< 5	< 10	32	0.09	< 10	< 10	71	< 5	51
84457 C	201	238	< 1	0.01	16	340	< 2	< 5	< 10	30	0.06	< 10	< 10	57	< 5	55
84458 C	201	238	< 1	0.01	19	590	8	< 5	< 10	34	0.07	< 10	< 10	60	< 5	69
84459 C	201	238	< 1	< 0.01	15	720	< 2	< 5	< 10	37	0.06	< 10	< 10	67	< 5	58
84460 C	201	238	8	< 0.01	62	4900	12	35	< 10	116	0.02	< 10	< 10	240	< 5	254
84461 C	201	238	11	< 0.01	83	3350	< 2	25	10	92	0.02	< 10	< 10	151	< 5	251
84462 C	201	238	< 1	< 0.01	18	290	2	< 5	< 10	25	0.08	< 10	< 10	111	< 5	40
84463 C	201	238	1	< 0.01	5	540	10	< 5	< 10	20	0.05	< 10	< 10	59	< 5	21
84464 C	201	238	< 1	< 0.01	17	170	< 2	< 5	< 10	19	0.07	< 10	< 10	60	< 5	37
84465 C	201	238	< 1	< 0.01	19	250	4	< 5	< 10	25	0.06	< 10	< 10	53	< 5	49
84466 C	201	238	1	< 0.01	12	500	4	< 5	< 10	33	0.05	< 10	< 10	68	< 5	43
84467 C	201	238	< 1	< 0.01	16	190	2	< 5	< 10	23	0.07	< 10	< 10	59	< 5	42
84468 C	201	238	< 1	0.01	19	230	< 2	< 5	< 10	25	0.09	< 10	< 10	68	< 5	44
84469 C	201	238	2	< 0.01	14	320	2	< 5	10	37	0.06	< 10	< 10	62	< 5	37
84470 C	201	238	1	< 0.01	8	380	14	< 5	< 10	39	0.05	< 10	< 10	52	< 5	28
84471 C	201	238	< 1	< 0.01	15	270	6	< 5	< 10	27	0.06	< 10	< 10	53	< 5	42
84472 C	201	238	2	0.01	13	260	14	< 5	< 10	23	0.08	< 10	< 10	55	< 5	36
84473 C	201	238	< 1	< 0.01	15	370	6	< 5	< 10	42	0.03	< 10	< 10	37	< 5	66
84474 C	201	238	< 1	0.01	26	310	2	< 5	< 10	23	0.05	< 10	< 10	50	< 5	50
84475 C	201	238	< 1	< 0.01	13	250	4	< 5	< 10	24	0.04	< 10	< 10	33	< 5	32
84476 C	201	238	< 1	< 0.01	12	120	< 2	< 5	< 10	16	0.06	< 10	< 10	41	< 5	42
84477 C	201	238	< 1	< 0.01	14	220	4	< 5	< 10	20	0.06	< 10	< 10	59	< 5	49
84478 C	201	238	< 1	< 0.01	17	380	< 2	< 5	10	28	0.03	< 10	< 10	47	< 5	48
84479 C	201	238	< 1	< 0.01	14	250	6	< 5	< 10	24	0.04	< 10	< 10	46	< 5	67
84480 C	201	238	2	< 0.01	22	480	10	< 5	< 10	23	0.06	< 10	< 10	50	< 5	52
84481 C	201	238	< 1	0.01	12	310	< 2	< 5	< 10	19	0.07	< 10	< 10	59	< 5	38
84482 C	201	238	2	0.01	14	300	4	< 5	< 10	22	0.08	< 10	< 10	70	< 5	35
84483 C	201	238	1	< 0.01	13	670	8	5	< 10	44	0.06	< 10	< 10	71	< 5	43
84484 C	201	238	1	< 0.01	12	530	6	< 5	< 10	42	0.05	< 10	< 10	59	< 5	35
84485 C	201	238	2	< 0.01	10	490	4	< 5	< 10	27	0.07	< 10	< 10	66	< 5	36
84486 C	201	238	< 1	0.01	17	310	6	< 5	< 10	23	0.07	< 10	< 10	69	< 5	47
84487 C	201	238	2	< 0.01	15	350	< 2	5	< 10	34	0.04	< 10	< 10	60	< 5	33
84488 C	201	238	< 1	< 0.01	17	310	< 2	< 5	< 10	22	0.07	< 10	< 10	61	< 5	40
84489 C	201	238	2	< 0.01	17	280	6	< 5	< 10	22	0.06	< 10	< 10	44	< 5	34
84490 C	201	238	< 1	0.01	21	620	< 2	< 5	< 10	45	0.05	< 10	< 10	55	< 5	41

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

JNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84491 C	201	238	1	1.06	< 0.2	35	1140	< 0.5	< 2	0.07	< 0.5	1	16	17	2.05	< 10	< 1	0.06	20	0.13	88
84492 C	201	238	< 1	1.13	< 0.2	80	720	0.5	< 2	0.11	< 0.5	4	21	22	2.22	< 10	< 1	0.06	20	0.20	184
84493 C	201	238	36	1.82	< 0.2	10	730	0.5	< 2	0.21	< 0.5	11	27	25	2.73	< 10	< 1	0.06	10	0.37	1230
84494 C	201	238	2	2.09	< 0.2	< 5	570	0.5	< 2	0.20	< 0.5	8	24	22	2.83	< 10	1	0.06	10	0.50	306
84495 C	201	238	2	1.93	< 0.2	< 5	720	1.0	< 2	0.22	< 0.5	8	30	24	2.68	< 10	< 1	0.05	20	0.45	328
84496 C	201	238	< 1	2.26	< 0.2	< 5	710	1.0	< 2	0.20	< 0.5	14	22	39	3.36	< 10	< 1	0.05	10	0.68	882
84497 C	201	238	< 1	1.90	< 0.2	< 5	690	1.0	2	0.21	< 0.5	9	10	51	3.53	< 10	< 1	0.16	10	0.74	486
84498 C	201	238	< 1	1.71	< 0.2	< 5	770	0.5	< 2	0.30	< 0.5	6	22	17	2.47	< 10	2	0.08	10	0.45	474
84499 C	201	238	< 1	1.44	< 0.2	5	580	0.5	< 2	0.29	< 0.5	6	13	27	2.05	< 10	< 1	0.06	10	0.47	215
84501 C	201	238	3	1.74	< 0.2	20	870	1.0	< 2	0.19	< 0.5	6	28	27	2.56	< 10	< 1	0.05	20	0.32	159
84502 C	201	238	< 1	1.32	< 0.2	< 5	430	0.5	< 2	0.17	< 0.5	3	19	18	1.96	< 10	< 1	0.06	10	0.22	142
84503 C	201	238	< 1	1.54	< 0.2	5	470	0.5	< 2	0.18	< 0.5	6	24	17	2.10	< 10	< 1	0.05	20	0.33	146
84504 C	201	238	1	1.08	< 0.2	< 5	300	0.5	< 2	0.10	< 0.5	3	17	19	1.69	< 10	< 1	0.03	10	0.22	115
84505 C	201	238	< 1	1.51	< 0.2	< 5	330	0.5	< 2	0.16	< 0.5	5	24	22	2.25	< 10	< 1	0.05	10	0.36	147
84506 C	201	238	4	1.55	< 0.2	20	430	1.0	< 2	0.17	< 0.5	6	22	20	2.15	< 10	< 1	0.03	10	0.31	198
84507 C	201	238	5	1.13	< 0.2	15	440	1.0	< 2	0.10	< 0.5	3	19	17	1.79	< 10	< 1	0.02	10	0.19	111
84508 C	201	238	< 1	1.52	< 0.2	10	530	0.5	< 2	0.21	< 0.5	5	23	14	2.22	< 10	< 1	0.04	10	0.32	127
84509 C	201	238	< 1	1.70	< 0.2	< 5	950	0.5	< 2	0.25	< 0.5	6	26	19	2.37	< 10	< 1	0.05	20	0.38	234
84510 C	201	238	< 1	2.01	< 0.2	20	790	< 0.5	2	0.22	< 0.5	6	30	16	2.57	< 10	< 1	0.05	10	0.40	161
84511 C	201	238	2	1.43	0.4	40	740	0.5	2	0.22	< 0.5	6	29	32	2.28	< 10	2	0.06	20	0.34	130
84512 C	201	238	2	1.81	0.4	45	920	0.5	2	0.23	< 0.5	8	32	23	2.57	< 10	1	0.06	20	0.33	184
84513 C	201	238	< 1	1.62	0.6	15	670	0.5	2	0.25	< 0.5	6	29	13	2.09	10	1	0.06	20	0.34	136
84514 C	201	238	3	1.59	0.4	15	770	0.5	4	0.22	< 0.5	9	29	20	2.35	< 10	< 1	0.07	20	0.36	214
84515 C	201	238	4	0.96	0.4	35	830	0.5	< 2	0.13	< 0.5	5	22	39	2.15	< 10	1	0.09	20	0.18	96
84516 C	201	238	2	0.98	0.4	35	870	0.5	< 2	0.15	< 0.5	5	20	23	1.80	< 10	< 1	0.09	20	0.18	111
84517 C	201	238	< 1	1.27	0.4	30	780	0.5	2	0.16	< 0.5	5	35	21	1.84	< 10	< 1	0.11	20	0.34	152
84518 C	201	238	6	1.16	0.4	45	930	0.5	2	0.18	< 0.5	8	21	30	2.26	< 10	1	0.07	20	0.25	210
84519 C	201	238	3	1.11	0.4	5	160	0.5	< 2	0.18	< 0.5	5	20	12	1.48	10	< 1	0.06	20	0.20	123
84520 C	201	238	2	1.65	0.4	10	260	< 0.5	< 2	0.26	< 0.5	7	28	16	2.14	< 10	1	0.05	20	0.36	165
84521 C	201	238	2	1.29	0.4	5	240	0.5	< 2	0.20	< 0.5	7	24	14	1.93	< 10	< 1	0.06	20	0.30	196
84522 C	201	238	3	1.60	0.4	10	240	0.5	< 2	0.18	< 0.5	8	25	21	2.20	< 10	< 1	0.05	20	0.31	176
84523 C	201	238	< 1	1.57	0.4	10	310	0.5	< 2	0.19	< 0.5	13	25	26	2.62	< 10	1	0.07	20	0.30	216
84524 C	201	238	< 1	1.73	0.4	5	240	0.5	< 2	0.20	< 0.5	7	31	21	2.44	< 10	< 1	0.05	20	0.37	141
84525 C	217	238	2	0.84	0.6	5	390	0.5	< 2	2.23	4.5	15	51	31	1.21	10	1	0.07	10	0.34	1740
84526 C	201	238	3	1.36	1.2	5	930	1.0	< 2	2.20	3.0	16	21	68	2.41	10	1	0.05	20	0.39	1810
84527 C	201	238	3	1.69	0.6	10	490	0.5	2	0.51	< 0.5	12	29	44	2.79	< 10	< 1	0.07	20	0.44	442
84531 C	201	238	2	1.59	0.4	10	390	< 0.5	4	0.82	< 0.5	9	30	21	2.48	10	< 1	0.07	20	0.48	191
84534 C	201	238	< 1	1.40	0.4	10	400	< 0.5	< 2	0.43	< 0.5	11	25	15	2.39	< 10	< 1	0.07	20	0.39	356
84535 C	201	238	< 1	1.14	0.2	< 5	200	< 0.5	2	0.41	< 0.5	7	24	14	2.01	< 10	< 1	0.06	20	0.33	217
84536 C	201	238	2	1.19	0.2	< 5	200	< 0.5	< 2	0.41	< 0.5	4	23	10	1.55	< 10	1	0.07	20	0.33	129

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84491 C	201	238	1	< 0.01	11	720	6	< 5	< 10	90	0.02	< 10	< 10	37	< 5	44
84492 C	201	238	< 1	< 0.01	28	260	4	< 5	< 10	29	0.03	< 10	< 10	39	< 5	46
84493 C	201	238	< 1	0.01	20	340	< 2	< 5	10	19	0.05	< 10	< 10	55	< 5	53
84494 C	201	238	< 1	< 0.01	16	260	< 2	< 5	< 10	20	0.06	< 10	< 10	55	< 5	46
84495 C	201	238	< 1	< 0.01	19	140	2	< 5	< 10	21	0.07	< 10	< 10	54	< 5	48
84496 C	201	238	< 1	< 0.01	18	270	< 2	< 5	< 10	19	0.05	< 10	< 10	62	< 5	60
84497 C	201	238	< 1	< 0.01	11	250	< 2	< 5	< 10	18	0.04	< 10	< 10	34	< 5	53
84498 C	201	238	< 1	0.01	14	240	< 2	< 5	< 10	24	0.07	< 10	< 10	47	< 5	41
84499 C	201	238	1	< 0.01	10	230	< 2	< 5	< 10	24	0.06	< 10	< 10	35	< 5	41
84501 C	201	238	< 1	< 0.01	15	380	10	5	< 10	25	0.07	< 10	< 10	62	< 5	49
84502 C	201	238	< 1	< 0.01	13	380	10	< 5	< 10	18	0.05	< 10	< 10	45	< 5	37
84503 C	201	238	2	< 0.01	15	240	< 2	< 5	< 10	19	0.07	< 10	< 10	51	< 5	37
84504 C	201	238	< 1	< 0.01	14	160	< 2	< 5	< 10	13	0.05	< 10	< 10	40	< 5	41
84505 C	201	238	2	< 0.01	16	330	< 2	< 5	< 10	17	0.06	< 10	< 10	47	< 5	39
84506 C	201	238	2	< 0.01	15	380	< 2	< 5	< 10	19	0.06	< 10	< 10	52	< 5	41
84507 C	201	238	1	< 0.01	11	370	2	< 5	< 10	25	0.06	< 10	< 10	66	< 5	34
84508 C	201	238	2	< 0.01	13	390	4	< 5	< 10	22	0.07	< 10	< 10	55	< 5	34
84509 C	201	238	< 1	0.01	17	340	< 2	< 5	< 10	25	0.08	< 10	< 10	56	< 5	39
84510 C	201	238	< 1	0.01	17	390	< 2	< 5	10	24	0.09	< 10	< 10	63	< 5	44
84511 C	201	238	< 1	< 0.01	21	450	12	< 5	10	30	0.07	< 10	< 10	52	< 5	51
84512 C	201	238	< 1	< 0.01	19	370	18	< 5	10	31	0.07	< 10	< 10	59	< 5	51
84513 C	201	238	< 1	< 0.01	14	260	14	< 5	10	25	0.08	< 10	< 10	55	< 5	39
84514 C	201	238	< 1	< 0.01	17	210	18	< 5	10	25	0.07	< 10	< 10	49	< 5	41
84515 C	201	238	1	< 0.01	18	320	16	< 5	10	27	0.03	10	< 10	30	< 5	45
84516 C	201	238	< 1	< 0.01	23	310	16	< 5	< 10	34	0.04	10	< 10	35	< 5	74
84517 C	201	238	< 1	< 0.01	28	340	8	< 5	< 10	22	0.03	< 10	< 10	38	< 5	85
84518 C	201	238	< 1	< 0.01	25	580	16	< 5	< 10	58	0.04	< 10	< 10	39	< 5	59
84519 C	201	238	< 1	< 0.01	13	220	18	< 5	< 10	16	0.06	10	< 10	27	< 5	49
84520 C	201	238	< 1	< 0.01	17	180	10	< 5	< 10	20	0.09	< 10	< 10	52	< 5	46
84521 C	201	238	< 1	< 0.01	11	160	6	< 5	< 10	17	0.06	< 10	< 10	41	< 5	46
84522 C	201	238	< 1	< 0.01	17	120	8	< 5	< 10	18	0.07	< 10	< 10	46	< 5	52
84523 C	201	238	2	< 0.01	23	230	10	< 5	< 10	26	0.06	10	< 10	49	< 5	90
84524 C	201	238	1	< 0.01	17	160	14	< 5	< 10	19	0.08	< 10	< 10	53	< 5	47
84525 C	217	238	8	0.01	29	850	6	< 5	10	86	0.01	< 10	< 10	24	5	114
84526 C	201	238	4	0.01	57	750	10	< 5	10	102	0.02	< 10	< 10	35	5	81
84527 C	201	238	1	0.01	32	350	12	< 5	< 10	31	0.07	10	< 10	51	< 5	70
84531 C	201	238	1	0.01	20	450	16	< 5	< 10	43	0.06	< 10	< 10	42	< 5	92
84534 C	201	238	1	< 0.01	19	470	12	< 5	< 10	30	0.07	< 10	< 10	48	< 5	71
84535 C	201	238	2	< 0.01	15	510	6	< 5	< 10	27	0.06	< 10	< 10	42	< 5	67
84536 C	201	238	< 1	< 0.01	12	510	10	< 5	< 10	28	0.07	< 10	< 10	36	< 5	55

CERTIFICATION : /

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84540 C	201	238	3	1.43	0.6	20	500	1.0	< 2	1.05	1.0	19	36	39	3.58	10	1	0.08	30	0.56	3040
84541 C	201	238	6	0.53	0.8	15	280	< 0.5	< 2	1.70	1.0	13	12	75	2.64	10	< 1	0.11	30	0.29	577
84542 C	201	238	7	0.68	0.8	25	380	< 0.5	< 2	0.60	0.5	17	15	84	3.25	10	< 1	0.10	30	0.17	1315
84543 C	201	238	4	1.35	0.8	20	510	0.5	< 2	0.58	< 0.5	13	28	56	2.83	10	< 1	0.11	30	0.29	568
84544 C	201	238	5	1.18	1.4	15	480	0.5	< 2	0.48	0.5	13	21	60	2.93	< 10	< 1	0.17	20	0.23	697
84545 C	201	238	42	0.85	1.4	40	500	0.5	2	0.62	0.5	14	31	89	2.99	10	1	0.13	30	0.25	406
84546 C	201	238	29	0.73	1.2	30	450	0.5	< 2	0.38	0.5	15	26	78	3.20	10	< 1	0.14	30	0.19	452
84547 C	201	238	3	1.07	0.4	45	850	0.5	< 2	0.27	0.5	8	31	44	2.42	< 10	< 1	0.08	10	0.26	185
84548 C	201	238	113	1.16	0.8	190	1560	1.0	2	0.39	4.5	14	33	146	5.02	10	< 1	0.15	10	0.26	550
84549 C	201	238	3	1.81	0.2	10	890	0.5	< 2	0.51	0.5	12	33	32	2.58	< 10	1	0.07	20	0.44	513
84550 C	201	238	2	1.69	0.6	10	930	0.5	< 2	0.41	0.5	12	29	23	3.13	< 10	2	0.13	20	0.38	572
84551 C	201	238	13	1.08	0.4	40	900	< 0.5	< 2	0.21	< 0.5	6	20	23	2.01	< 10	1	0.09	10	0.28	216
84552 C	201	238	< 1	1.04	0.8	55	920	< 0.5	< 2	0.27	< 0.5	6	22	21	2.05	< 10	< 1	0.11	20	0.24	249
84553 C	201	238	2	0.55	0.8	60	860	< 0.5	< 2	0.08	< 0.5	4	13	30	2.14	< 10	< 1	0.08	20	0.09	136
84554 C	201	238	2	1.59	0.6	20	770	0.5	< 2	0.27	< 0.5	9	31	23	2.37	< 10	< 1	0.10	20	0.44	221
84555 C	201	238	< 1	1.37	0.8	5	670	0.5	2	0.25	< 0.5	10	26	13	1.93	< 10	1	0.11	10	0.27	550
84556 C	201	238	1	1.74	0.6	10	1290	0.5	< 2	0.29	< 0.5	10	29	23	2.65	< 10	1	0.07	20	0.42	257
84557 C	201	238	< 1	1.47	0.8	15	2240	0.5	2	0.18	< 0.5	6	29	19	2.02	< 10	1	0.06	10	0.28	163
84558 C	201	238	2	2.27	0.8	20	1020	0.5	< 2	0.40	< 0.5	10	40	30	2.87	10	< 1	0.08	20	0.47	230
84559 C	201	238	< 1	1.31	0.6	20	690	< 0.5	< 2	0.13	< 0.5	4	22	11	1.69	< 10	1	0.10	20	0.22	166
84560 C	201	238	< 1	1.70	0.4	5	420	< 0.5	< 2	0.20	< 0.5	6	29	12	2.30	< 10	< 1	0.06	20	0.38	154
84561 C	201	238	5	2.28	0.4	5	560	0.5	< 2	0.21	< 0.5	10	34	21	2.91	< 10	< 1	0.05	10	0.47	205
84562 C	201	238	< 1	2.01	0.4	< 5	520	0.5	< 2	0.26	< 0.5	9	33	15	2.43	< 10	< 1	0.04	20	0.40	188
84563 C	201	238	1	1.92	0.4	15	530	< 0.5	< 2	0.17	< 0.5	9	31	16	2.49	< 10	< 1	0.05	20	0.41	151
84564 C	201	238	< 1	3.01	0.4	10	1190	0.5	< 2	0.12	< 0.5	8	17	86	4.27	10	< 1	0.32	10	1.04	137
84565 C	201	238	< 1	0.92	0.2	15	930	< 0.5	< 2	0.09	< 0.5	2	26	22	1.99	< 10	1	0.05	10	0.12	76
84566 C	201	238	< 1	2.16	0.4	50	640	0.5	< 2	0.19	< 0.5	8	66	44	3.96	< 10	< 1	0.06	10	0.28	157
84567 C	201	238	< 1	1.58	0.4	10	360	0.5	< 2	0.24	< 0.5	9	32	24	2.46	< 10	< 1	0.06	20	0.42	205
84568 C	201	238	< 1	1.74	0.4	5	950	< 0.5	< 2	0.19	< 0.5	5	29	18	2.21	< 10	< 1	0.05	10	0.30	142
84569 C	201	238	2	1.64	0.2	15	1050	< 0.5	< 2	0.20	< 0.5	5	26	12	2.03	< 10	< 1	0.04	20	0.27	103
84570 C	201	238	1	1.77	0.2	15	2240	0.5	2	0.30	< 0.5	10	34	32	2.57	< 10	1	0.06	20	0.41	213
84571 C	201	238	5	1.40	0.2	< 5	3340	< 0.5	< 2	0.25	< 0.5	7	33	27	2.05	< 10	1	0.05	20	0.30	134
84572 C	201	238	< 1	1.72	0.2	15	2030	0.5	2	0.28	< 0.5	8	34	22	2.48	< 10	1	0.05	20	0.37	186
84573 C	201	238	< 1	1.49	0.4	15	3530	0.5	< 2	0.25	< 0.5	8	36	29	2.25	< 10	1	0.05	20	0.32	147
85000 C	201	238	< 1	1.73	0.4	15	2820	0.5	< 2	0.25	< 0.5	8	36	28	2.53	< 10	< 1	0.05	10	0.36	170
84387 C	201	238	< 1	1.71	0.6	< 10	510	0.5	< 2	0.41	< 0.5	9	29	20	2.45	< 10	< 1	0.08	30	0.41	365

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page : 5-B
Tot. Pages: 5
Date : 5-AUG-87
Invoice # : I-8717390
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717390

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84540 C	201	238	1	0.01	56	850	18	< 5	< 10	54	0.04	< 10	< 10	43	< 5	93
84541 C	201	238	10	< 0.01	54	1030	12	< 5	< 10	53	< 0.01	< 10	< 10	22	< 5	175
84542 C	201	238	10	< 0.01	63	560	16	< 5	< 10	42	< 0.01	10	< 10	26	< 5	192
84543 C	201	238	5	< 0.01	39	340	18	< 5	< 10	34	0.02	10	< 10	45	< 5	109
84544 C	201	238	9	0.01	44	360	20	5	< 10	44	0.01	10	< 10	40	< 5	141
84545 C	201	238	10	< 0.01	68	890	20	< 5	< 10	41	< 0.01	10	< 10	39	< 5	185
84546 C	201	238	10	< 0.01	63	670	12	< 5	< 10	37	< 0.01	10	< 10	35	< 5	191
84547 C	201	238	2	< 0.01	49	550	12	5	< 10	35	0.04	< 10	< 10	46	< 5	199
84548 C	201	238	5	< 0.01	161	1540	14	10	< 10	51	0.03	< 10	< 10	106	< 5	797
84549 C	201	238	< 1	0.01	31	340	10	< 5	< 10	30	0.07	< 10	< 10	68	< 5	112
84550 C	201	238	1	< 0.01	37	480	10	< 5	< 10	31	0.06	< 10	< 10	72	< 5	194
84551 C	201	238	< 1	< 0.01	19	540	6	< 5	< 10	40	0.04	< 10	< 10	49	< 5	93
84552 C	201	238	1	< 0.01	22	700	6	< 5	< 10	51	0.05	< 10	< 10	53	< 5	101
84553 C	201	238	1	< 0.01	37	550	6	< 5	< 10	43	0.01	< 10	< 10	31	< 5	147
84554 C	201	238	< 1	< 0.01	20	310	4	< 5	< 10	25	0.08	10	< 10	62	< 5	51
84555 C	201	238	1	< 0.01	13	550	16	< 5	< 10	30	0.07	10	< 10	64	< 5	59
84556 C	201	238	< 1	< 0.01	22	350	12	< 5	< 10	25	0.07	< 10	< 10	69	< 5	65
84557 C	201	238	2	< 0.01	13	590	14	< 5	< 10	33	0.06	< 10	< 10	76	< 5	41
84558 C	201	238	< 1	0.01	25	270	10	< 5	< 10	28	0.08	10	< 10	75	< 5	55
84559 C	201	238	< 1	< 0.01	8	310	6	< 5	< 10	14	0.04	10	< 10	46	< 5	28
84560 C	201	238	< 1	< 0.01	15	260	12	< 5	< 10	22	0.08	< 10	< 10	60	< 5	41
84561 C	201	238	< 1	< 0.01	19	280	6	< 5	< 10	20	0.09	< 10	< 10	79	< 5	54
84562 C	201	238	< 1	< 0.01	18	270	12	< 5	< 10	21	0.07	< 10	< 10	61	< 5	40
84563 C	201	238	< 1	< 0.01	16	140	10	< 5	< 10	17	0.07	10	< 10	52	< 5	39
84564 C	201	238	< 1	< 0.01	13	280	6	< 5	< 10	14	0.28	< 10	< 10	170	< 5	73
84565 C	201	238	4	< 0.01	10	1000	22	< 5	< 10	41	0.05	< 10	< 10	67	< 5	54
84566 C	201	238	2	< 0.01	25	1430	14	5	< 10	43	0.07	< 10	< 10	112	< 5	72
84567 C	201	238	< 1	< 0.01	18	350	8	< 5	< 10	22	0.08	10	< 10	53	< 5	43
84568 C	201	238	< 1	0.01	11	550	10	< 5	< 10	21	0.08	< 10	< 10	61	< 5	32
84569 C	201	238	< 1	< 0.01	11	310	12	< 5	< 10	24	0.08	< 10	< 10	61	< 5	27
84570 C	201	238	< 1	0.01	19	570	6	< 5	< 10	37	0.09	< 10	< 10	70	< 5	45
84571 C	201	238	1	< 0.01	14	540	10	< 5	< 10	50	0.08	< 10	< 10	85	< 5	40
84572 C	201	238	1	< 0.01	17	600	8	5	< 10	40	0.09	10	< 10	76	< 5	47
84573 C	201	238	1	< 0.01	16	660	8	< 5	< 10	59	0.09	< 10	< 10	104	< 5	47
85000 C	201	238	1	< 0.01	18	630	12	< 5	< 10	41	0.09	< 10	< 10	77	< 5	56
84387 C	201	238	< 1	< 0.01	23	180	4	< 5	< 10	26	0.06	< 10	< 10	56	< 5	72

CERTIFICATION : 

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
181	201 238	< 1	2.23	0.2	15	400	1.0	< 2	0.31	< 0.5	15	116	26	2.96	< 10	< 1	0.14	10	1.16	374
182	201 238	2	2.27	0.2	15	450	1.0	< 2	0.45	0.5	18	120	45	3.36	< 10	< 1	0.11	20	1.12	494
183	201 238	< 1	1.34	0.2	5	360	0.5	< 2	0.39	< 0.5	8	38	15	1.63	< 10	< 1	0.14	10	0.45	386
184	201 238	< 1	1.23	0.2	5	400	0.5	< 2	0.29	< 0.5	6	36	13	1.20	< 10	< 1	0.15	10	0.47	288
185	201 238	< 1	1.99	0.2	5	440	1.0	< 2	0.38	< 0.5	10	39	22	2.46	< 10	< 1	0.15	20	0.48	328
186	201 238	< 1	1.13	0.2	< 5	310	0.5	< 2	0.25	< 0.5	6	26	9	1.42	< 10	< 1	0.11	10	0.37	278
187	201 238	3	1.66	0.2	< 5	360	1.0	< 2	0.28	< 0.5	10	34	22	2.24	< 10	< 1	0.09	10	0.48	243
188	201 238	< 1	0.98	0.2	20	140	0.5	< 2	0.18	< 0.5	6	36	21	0.91	< 10	< 1	0.10	20	0.50	107
189	201 238	4	1.24	0.2	5	160	0.5	< 2	0.18	< 0.5	7	41	31	1.65	< 10	< 1	0.11	20	0.56	129
190	201 238	2	1.18	0.2	15	210	0.5	< 2	0.18	< 0.5	7	31	19	1.75	< 10	< 1	0.07	20	0.43	177
191	201 238	7	1.07	0.2	< 5	190	0.5	< 2	0.19	< 0.5	6	25	12	1.70	< 10	< 1	0.09	10	0.37	137
192	201 238	5	1.74	0.2	5	290	1.0	< 2	0.21	< 0.5	9	36	20	2.43	< 10	1	0.10	20	0.47	177
193	201 238	< 1	0.96	0.2	10	130	0.5	< 2	0.16	< 0.5	6	26	13	1.68	< 10	< 1	0.07	10	0.39	132
194	201 238	2	2.11	0.2	10	160	1.0	< 2	0.22	< 0.5	17	229	44	3.07	< 10	< 1	0.05	10	1.75	181
195	201 238	9	0.93	0.2	5	240	0.5	< 2	0.22	< 0.5	4	29	14	1.15	< 10	< 1	0.06	10	0.37	91
196	201 238	4	1.39	0.2	5	530	1.0	< 2	0.50	< 0.5	10	30	28	2.42	< 10	< 1	0.11	20	0.46	298
197	201 238	< 1	1.46	0.2	5	370	1.0	< 2	0.32	< 0.5	9	27	22	1.99	< 10	1	0.10	20	0.37	205
10002	201 238	8	0.56	0.6	5	230	1.0	< 2	0.49	< 0.5	10	20	85	2.28	< 10	< 1	0.12	30	0.17	467
10003	201 238	15	0.53	0.4	35	230	1.0	< 2	0.15	< 0.5	12	28	114	2.62	< 10	< 1	0.10	40	0.11	533
10004	201 238	1	1.59	0.6	< 5	550	1.0	< 2	0.41	0.5	11	51	52	2.36	< 10	< 1	0.17	20	0.28	509
10005	201 238	2	1.75	0.4	5	420	1.5	< 2	0.37	< 0.5	10	34	28	2.57	< 10	1	0.17	20	0.35	379
10006	201 238	< 1	1.63	0.6	< 5	560	1.0	< 2	0.43	0.5	13	28	48	2.40	< 10	1	0.22	20	0.29	660
10007	201 238	< 1	2.17	0.4	5	640	1.5	< 2	0.47	< 0.5	12	37	20	2.68	10	1	0.16	20	0.37	740
10008	201 238	< 1	1.18	0.2	5	380	1.0	< 2	0.23	< 0.5	13	23	49	2.59	< 10	< 1	0.17	40	0.16	471
10009	201 238	< 1	1.23	0.2	15	520	1.5	< 2	0.27	0.5	16	23	85	3.19	< 10	< 1	0.18	40	0.16	525
10010	201 238	< 1	1.64	0.4	5	530	1.5	< 2	0.35	< 0.5	12	35	52	2.49	< 10	< 1	0.18	20	0.29	474
10011	201 238	< 1	0.81	0.4	10	350	1.0	< 2	0.24	< 0.5	11	21	90	2.43	< 10	< 1	0.14	30	0.12	363
10012	201 238	< 1	1.39	0.2	5	550	1.5	< 2	0.43	0.5	14	24	57	3.28	< 10	< 1	0.17	30	0.26	1985
10013	201 238	< 1	0.69	0.6	40	530	1.5	< 2	0.84	1.0	17	38	95	3.19	< 10	< 1	0.18	30	0.18	633
10014	201 238	2	1.42	0.6	20	700	1.5	< 2	0.48	0.5	16	48	81	3.40	< 10	1	0.17	30	0.23	642
10015	201 238	1	1.48	0.6	20	640	1.5	< 2	0.63	1.5	19	37	65	3.67	10	< 1	0.15	30	0.24	1320
10016	201 238	3	2.18	0.4	5	640	1.0	< 2	0.51	0.5	12	36	21	2.60	10	< 1	0.11	20	0.42	518
10017	201 238	< 1	1.57	0.2	5	280	0.5	2	0.35	< 0.5	9	30	14	1.93	< 10	< 1	0.08	20	0.42	180
10018	201 238	< 1	2.15	0.6	15	670	1.0	< 2	0.43	< 0.5	11	35	26	2.51	10	1	0.10	20	0.36	556
10019	201 238	4	1.67	0.6	95	850	2.5	< 2	0.42	< 0.5	18	31	115	3.99	< 10	< 1	0.13	30	0.21	743
10020	203 238	< 1	1.58	0.4	15	680	1.5	< 2	0.56	1.5	12	179	60	2.78	< 10	< 1	0.36	20	0.17	400
10021	201 238	< 1	1.91	0.4	25	780	1.5	< 2	0.57	0.5	14	30	61	2.79	10	< 1	0.23	30	0.28	383
10022	201 238	< 1	1.13	1.0	10	680	1.0	< 2	0.46	0.5	15	26	84	3.02	10	< 1	0.20	40	0.14	961
10023	201 238	< 1	1.08	0.2	15	490	1.0	< 2	0.28	0.5	15	19	73	3.21	< 10	< 1	0.18	30	0.12	371
10024	201 238	< 1	1.62	0.2	< 5	600	1.0	< 2	0.60	0.5	13	29	49	2.51	10	< 1	0.10	20	0.27	865

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ,ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page No. -B
Tot. Page. -
Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
181	201	238	< 1	0.01	52	300	14	< 5	< 10	22	0.04	< 10	< 10	67	< 5	76
182	201	238	< 1	0.01	69	450	20	< 5	< 10	32	0.02	10	< 10	67	< 5	92
183	201	238	< 1	0.01	21	250	12	< 5	< 10	25	0.05	< 10	< 10	40	< 5	43
184	201	238	< 1	0.01	18	240	18	< 5	< 10	20	0.04	< 10	< 10	28	< 5	44
185	201	238	< 1	0.01	24	270	12	< 5	< 10	27	0.09	< 10	< 10	64	< 5	54
186	201	238	< 1	0.01	12	250	10	< 5	< 10	20	0.06	< 10	< 10	35	< 5	41
187	201	238	< 1	0.01	20	170	14	< 5	< 10	26	0.08	< 10	< 10	59	< 5	57
188	201	238	< 1	< 0.01	22	160	12	< 5	< 10	15	0.03	< 10	< 10	13	< 5	55
189	201	238	1	< 0.01	29	260	12	< 5	< 10	16	0.01	10	< 10	16	< 5	70
190	201	238	< 1	0.01	19	120	18	< 5	< 10	16	0.06	< 10	< 10	37	< 5	44
191	201	238	< 1	< 0.01	12	100	14	< 5	< 10	16	0.06	10	< 10	36	< 5	36
192	201	238	< 1	0.01	22	100	12	< 5	< 10	22	0.08	< 10	< 10	35	< 5	45
193	201	238	< 1	< 0.01	14	120	10	< 5	< 10	12	0.04	< 10	< 10	27	< 5	39
194	201	238	< 1	< 0.01	113	480	12	< 5	< 10	14	0.03	10	< 10	64	< 5	86
195	201	238	< 1	< 0.01	14	80	10	< 5	< 10	18	0.05	10	< 10	26	< 5	29
196	201	238	< 1	0.02	22	720	10	< 5	< 10	38	0.07	10	< 10	51	< 5	66
197	201	238	< 1	0.01	17	300	14	< 5	< 10	26	0.07	< 10	< 10	45	< 5	45
10002	201	238	2	< 0.01	48	620	16	< 5	< 10	32	< 0.01	10	< 10	17	< 5	117
10003	201	238	1	< 0.01	73	260	12	< 5	< 10	16	< 0.01	20	< 10	17	< 5	133
10004	201	238	3	0.01	43	260	10	< 5	< 10	31	0.01	10	< 10	48	< 5	106
10005	201	238	5	0.01	30	230	14	< 5	< 10	27	0.06	< 10	< 10	66	< 5	114
10006	201	238	9	0.01	33	290	6	< 5	< 10	32	0.02	10	< 10	74	< 5	118
10007	201	238	2	0.01	23	370	12	< 5	< 10	29	0.07	10	< 10	74	< 5	79
10008	201	238	6	0.01	28	330	4	< 5	< 10	29	0.01	20	< 10	44	< 5	105
10009	201	238	15	< 0.01	44	550	16	< 5	< 10	30	< 0.01	10	< 10	66	< 5	240
10010	201	238	10	0.01	41	300	6	< 5	< 10	36	0.01	10	< 10	78	< 5	140
10011	201	238	4	< 0.01	46	340	8	< 5	< 10	35	< 0.01	10	< 10	23	< 5	140
10012	201	238	15	< 0.01	49	480	20	< 5	< 10	32	0.02	10	< 10	66	< 5	168
10013	201	238	18	< 0.01	71	1080	14	5	< 10	70	< 0.01	10	< 10	43	< 5	233
10014	201	238	14	0.01	57	580	10	< 5	< 10	44	0.01	10	< 10	64	< 5	187
10015	201	238	10	0.01	56	710	< 2	< 5	< 10	42	0.03	10	< 10	61	< 5	253
10016	201	238	4	0.01	21	340	4	< 5	< 10	33	0.08	< 10	< 10	79	< 5	87
10017	201	238	2	0.01	13	140	4	< 5	< 10	25	0.09	10	< 10	50	< 5	44
10018	201	238	6	0.01	22	360	14	< 5	< 10	27	0.07	10	< 10	82	< 5	70
10019	201	238	15	< 0.01	68	490	14	< 5	< 10	52	< 0.01	10	< 10	70	< 5	178
10020	203	238	18	0.02	39	570	14	< 5	< 10	56	0.01	10	< 10	93	< 5	181
10021	201	238	8	0.01	38	510	8	< 5	< 10	59	0.03	10	< 10	71	< 5	102
10022	201	238	12	< 0.01	51	710	20	< 5	< 10	55	< 0.01	10	< 10	59	< 5	209
10023	201	238	41	< 0.01	46	540	8	< 5	< 10	33	< 0.01	20	< 10	78	< 5	177
10024	201	238	7	0.01	35	310	12	< 5	< 10	32	0.03	10	< 10	63	< 5	120

CERTIFICATION : B C

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

Tr ..NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10025	201 238	< 1	1.48	0.2	5	540	1.0	< 2	0.40	1.0	11	28	62	2.62	< 10	< 1	0.15	20	0.25	656
10026	201 238	< 1	1.40	0.2	5	410	1.0	< 2	0.40	< 0.5	10	47	43	2.45	< 10	< 1	0.15	20	0.33	346
10027	201 238	< 1	1.45	0.2	5	630	1.0	< 2	0.38	< 0.5	13	47	82	2.85	10	< 1	0.20	20	0.19	711
10028	201 238	2	1.33	0.8	5	740	0.5	2	0.39	0.5	14	23	41	2.12	< 10	< 1	0.18	20	0.19	694
10029	201 238	2	1.63	0.2	10	570	0.5	< 2	0.55	< 0.5	12	33	37	2.49	10	< 1	0.21	20	0.40	522
10030	201 238	6	1.15	0.2	10	580	0.5	2	1.19	0.5	11	23	43	2.48	10	< 1	0.19	30	0.30	298
10031	201 238	3	2.09	1.8	5	610	1.0	< 2	0.90	0.5	12	30	81	3.02	10	1	0.14	30	0.40	692
10032	201 238	2	2.00	0.2	< 5	490	0.5	< 2	0.53	< 0.5	12	37	19	2.86	10	1	0.14	30	0.40	332
10033	201 238	2	2.13	0.2	< 5	660	0.5	< 2	0.69	< 0.5	11	32	24	2.38	10	< 1	0.14	30	0.34	426
10034	201 238	< 1	0.67	0.2	< 5	250	< 0.5	< 2	0.35	< 0.5	12	24	28	3.32	10	< 1	0.09	60	0.12	302
10035	201 238	< 1	0.82	0.2	< 5	370	0.5	< 2	0.33	< 0.5	13	21	26	3.22	10	< 1	0.09	40	0.14	332
10036	201 238	28	2.29	0.2	5	580	1.0	< 2	0.57	< 0.5	13	34	23	2.86	10	1	0.10	30	0.36	497
10037	201 238	1	1.56	0.2	< 5	460	0.5	< 2	0.74	< 0.5	11	27	28	2.65	10	< 1	0.11	30	0.29	330
10038	201 238	4	1.20	0.2	220	160	< 0.5	< 2	0.67	< 0.5	33	908	39	2.62	< 10	< 1	< 0.01	10	1.67	344
10039	201 238	4	1.52	0.2	260	420	< 0.5	< 2	0.95	< 0.5	57	653	58	4.68	10	1	0.03	20	2.22	539
10040	201 238	7	1.56	0.2	30	470	0.5	< 2	0.62	1.5	14	67	41	3.19	10	< 1	0.15	30	0.60	392
10041	201 238	6	1.44	0.2	5	430	0.5	< 2	0.70	0.5	13	33	39	2.88	10	1	0.13	20	0.55	408
10042	201 238	11	1.22	0.2	10	380	0.5	< 2	0.62	< 0.5	11	27	40	2.82	< 10	< 1	0.10	30	0.42	348
10043	201 238	3	1.37	0.6	< 5	450	0.5	< 2	0.55	< 0.5	13	29	45	2.68	< 10	< 1	0.10	20	0.47	486
10044	201 238	6	1.42	0.2	5	490	0.5	2	0.68	< 0.5	11	27	36	2.52	< 10	< 1	0.10	20	0.42	659
10045	201 238	5	1.37	0.2	< 5	530	0.5	< 2	0.69	< 0.5	11	28	58	2.65	10	< 1	0.11	30	0.40	574
10046	201 238	2	1.36	0.2	5	330	0.5	< 2	0.51	< 0.5	9	28	25	2.87	< 10	1	0.10	20	0.39	201
10047	201 238	3	1.04	0.2	5	290	0.5	< 2	0.48	< 0.5	9	24	20	2.14	< 10	< 1	0.11	20	0.44	361
10049	201 238	3	1.22	0.2	5	310	0.5	< 2	0.62	< 0.5	9	28	16	2.22	< 10	< 1	0.09	20	0.42	242
10050	201 238	3	1.19	0.2	< 5	370	0.5	< 2	0.53	< 0.5	7	28	20	2.20	< 10	< 1	0.09	30	0.43	208
10051	201 238	4	1.09	0.4	< 5	350	0.5	< 2	0.46	0.5	8	24	21	1.91	< 10	2	0.10	30	0.41	271
10052	201 238	5	1.95	0.6	< 5	960	2.0	2	0.67	1.0	22	36	42	3.22	< 10	3	0.19	30	0.49	3510
10053	201 238	2	1.11	0.6	10	1030	1.0	< 2	0.47	0.5	7	26	39	3.01	< 10	< 1	0.10	30	0.32	329
10054	201 238	6	1.19	1.2	10	1200	1.0	< 2	0.60	0.5	7	29	44	2.79	< 10	3	0.12	30	0.31	294
10055	201 238	2	0.79	0.6	15	940	0.5	2	0.68	0.5	11	22	39	2.96	< 10	< 1	0.08	30	0.25	278
10056	201 238	4	1.01	0.8	15	780	0.5	2	0.32	< 0.5	11	26	39	2.95	< 10	1	0.08	30	0.35	385
10057	201 238	4	1.21	1.0	5	980	0.5	2	0.70	0.5	7	28	31	2.76	< 10	< 1	0.08	30	0.42	277
10058	201 238	3	0.91	0.6	5	1350	1.0	< 2	1.03	1.0	8	25	39	2.65	< 10	< 1	0.07	30	0.40	325
10059	201 238	< 1	1.27	1.8	< 5	1330	0.5	< 2	0.26	< 0.5	6	18	12	1.55	< 10	< 1	0.09	10	0.20	478
10060	201 238	< 1	2.53	1.8	55	1990	2.0	< 2	0.37	0.5	15	126	51	5.02	< 10	< 1	0.07	20	0.43	537
10061	201 238	< 1	2.20	0.2	30	1590	2.0	< 2	0.30	< 0.5	5	33	40	3.67	< 10	< 1	0.15	20	0.29	404
10062	201 238	< 1	1.49	0.4	25	1250	1.0	< 2	0.26	0.5	7	71	42	2.88	< 10	2	0.19	30	0.26	351
10063	201 238	2	1.60	0.6	< 5	890	1.0	< 2	0.26	0.5	6	20	83	3.23	< 10	< 1	0.18	10	0.41	476
10064	201 238	1	1.37	0.4	< 5	1060	0.5	< 2	0.32	0.5	7	9	50	2.39	< 10	< 1	0.17	10	0.46	276
10065	201 238	< 1	1.36	0.2	< 5	490	0.5	< 2	0.36	0.5	10	8	65	2.43	< 10	< 1	0.19	10	0.56	399

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10025	201	238	4	0.01	40	280	12	< 5	< 10	31	0.01	< 10	< 10	50	< 5	140
10026	201	238	11	0.01	41	240	8	< 5	< 10	32	0.03	< 10	< 10	69	< 5	125
10027	201	238	7	< 0.01	56	430	8	< 5	< 10	54	< 0.01	10	< 10	63	< 5	156
10028	201	238	6	0.01	38	520	14	< 5	< 10	23	0.01	10	< 10	68	< 5	105
10029	201	238	3	0.01	31	460	10	< 5	< 10	39	0.04	10	< 10	58	< 5	87
10030	201	238	2	0.01	37	730	10	< 5	< 10	67	< 0.01	< 10	< 10	30	< 5	85
10031	201	238	2	0.02	31	480	46	< 5	< 10	43	0.03	10	< 10	44	< 5	68
10032	201	238	< 1	0.01	26	360	4	< 5	< 10	31	0.05	10	< 10	48	< 5	75
10033	201	238	< 1	0.02	23	460	12	< 5	< 10	36	0.03	10	< 10	45	< 5	62
10034	201	238	< 1	0.01	29	580	6	< 5	< 10	37	< 0.01	20	< 10	18	< 5	67
10035	201	238	< 1	0.01	25	370	4	< 5	< 10	36	< 0.01	10	< 10	19	< 5	66
10036	201	238	< 1	0.02	23	350	30	< 5	< 10	33	0.04	10	< 10	46	< 5	121
10037	201	238	< 1	0.02	21	480	10	< 5	< 10	45	0.01	10	< 10	32	< 5	53
10038	201	238	< 1	0.01	536	490	8	< 5	< 10	63	0.02	< 10	< 10	51	5	75
10039	201	238	1	0.01	885	960	10	< 5	< 10	79	0.03	< 10	< 10	82	5	199
10040	201	238	1	0.02	74	970	18	< 5	< 10	53	0.08	10	< 10	63	< 5	197
10041	201	238	1	0.02	29	710	8	< 5	< 10	48	0.08	< 10	< 10	56	< 5	93
10042	201	238	2	0.02	32	640	12	< 5	< 10	42	0.05	< 10	< 10	44	< 5	86
10043	201	238	3	0.02	31	600	14	< 5	< 10	38	0.07	< 10	< 10	52	< 5	96
10044	201	238	2	0.01	28	690	12	< 5	< 10	49	0.06	< 10	< 10	48	< 5	70
10045	201	238	2	0.01	41	700	6	< 5	< 10	56	0.05	10	< 10	46	< 5	81
10046	201	238	1	0.01	17	640	12	< 5	< 10	39	0.07	< 10	< 10	52	< 5	63
10047	201	238	< 1	0.02	18	740	6	< 5	< 10	36	0.08	< 10	< 10	43	< 5	59
10049	201	238	< 1	0.01	17	740	6	< 5	< 10	38	0.07	10	< 10	47	< 5	58
10050	201	238	< 1	0.01	19	730	14	< 5	< 10	36	0.06	10	< 10	46	< 5	59
10051	201	238	< 1	0.02	19	690	12	< 5	10	38	0.07	< 10	< 10	41	< 5	70
10052	201	238	5	0.02	48	820	26	5	40	73	0.05	< 10	< 10	64	< 5	128
10053	201	238	5	0.02	41	1280	12	5	10	78	0.03	< 10	< 10	56	< 5	132
10054	201	238	5	0.02	46	1460	14	10	10	81	0.02	< 10	< 10	58	< 5	137
10055	201	238	5	0.01	39	1250	6	10	< 10	68	0.01	< 10	< 10	40	< 5	134
10056	201	238	3	0.01	40	950	6	< 5	20	65	0.01	< 10	< 10	37	< 5	105
10057	201	238	4	0.01	36	1020	16	15	20	96	0.01	< 10	< 10	63	< 5	123
10058	201	238	2	0.01	40	1090	4	< 5	10	81	0.01	< 10	< 10	38	< 5	97
10059	201	238	2	0.01	8	900	12	5	< 10	31	0.04	< 10	< 10	42	< 5	44
10060	201	238	5	0.01	60	2440	4	5	50	41	0.06	< 10	< 10	111	< 5	197
10061	201	238	4	0.01	51	1370	8	10	10	40	0.05	< 10	< 10	81	< 5	162
10062	201	238	1	0.01	66	720	16	5	30	51	0.04	< 10	< 10	48	< 5	123
10063	201	238	3	0.01	38	610	< 2	< 5	10	34	0.03	< 10	< 10	56	< 5	209
10064	201	238	< 1	< 0.01	37	250	10	< 5	10	33	0.06	< 10	< 10	31	< 5	232
10065	201	238	< 1	< 0.01	33	310	< 2	< 5	10	30	0.09	< 10	< 10	33	< 5	212

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10066	201	238	2	1.39	0.2	< 5	330	0.5	< 2	0.25	0.5	9	10	58	2.61	< 10	2	0.16	< 10	0.58	273
10067	201	238	< 1	1.47	0.2	< 5	600	0.5	< 2	0.26	0.5	16	11	44	2.50	< 10	1	0.19	10	0.53	481
10068	201	238	5	0.83	0.2	5	790	0.5	< 2	0.15	< 0.5	6	18	51	2.26	< 10	1	0.10	20	0.22	141
10069	201	238	3	0.90	0.4	10	590	1.0	2	0.10	0.5	4	23	60	2.50	< 10	2	0.10	10	0.11	71
10070	201	238	3	1.46	0.4	25	980	1.5	< 2	0.23	0.5	6	57	91	3.30	< 10	3	0.09	30	0.29	275
10071	201	238	12	1.58	0.4	30	670	1.5	2	0.25	0.5	4	69	44	4.45	< 10	< 1	0.17	20	0.76	306
10072	201	238	< 1	2.99	0.2	10	760	1.5	< 2	0.49	< 0.5	21	104	84	4.93	< 10	< 1	0.20	30	1.28	1080
10073	201	238	< 1	2.10	0.2	15	730	1.5	2	0.35	< 0.5	18	399	48	3.18	< 10	3	0.12	20	0.87	344
10074	201	238	5	1.92	0.2	< 5	1120	1.0	< 2	0.41	1.0	12	43	20	2.45	< 10	< 1	0.17	20	0.47	506
10075	201	238	< 1	2.85	0.2	< 5	1160	1.5	< 2	0.53	< 0.5	15	29	25	3.69	< 10	2	0.19	10	1.09	751
10076	201	238	9	2.04	0.2	15	510	1.5	< 2	0.37	< 0.5	12	33	20	3.04	< 10	< 1	0.20	20	0.67	519
10077	201	238	< 1	2.52	0.2	10	720	1.0	2	0.33	< 0.5	21	33	54	4.23	< 10	< 1	0.20	10	0.97	735
10078	201	238	< 1	2.13	0.2	< 5	330	1.5	< 2	0.59	< 0.5	13	29	31	3.53	< 10	< 1	0.16	40	0.86	421
10079	201	238	< 1	2.49	0.2	20	790	1.5	< 2	0.44	< 0.5	17	29	55	4.07	< 10	1	0.22	10	1.10	694
10080	201	238	< 1	2.33	0.2	45	530	1.0	2	0.93	< 0.5	40	414	37	3.81	< 10	< 1	0.12	20	2.36	812
10081	201	238	< 1	2.50	0.2	< 5	750	1.0	< 2	0.76	0.5	18	61	75	3.72	< 10	< 1	0.12	20	1.21	454
10082	201	238	< 1	3.09	0.2	100	480	1.5	< 2	0.41	< 0.5	29	295	42	4.49	< 10	< 1	0.25	20	2.47	1275
10083	201	238	< 1	3.29	0.2	100	410	1.0	2	0.35	< 0.5	33	303	60	4.97	< 10	< 1	0.23	20	2.96	1335
10084	201	238	15	2.53	0.2	120	320	0.5	< 2	1.36	< 0.5	31	264	70	4.12	< 10	< 1	0.18	20	2.40	1225
10085	201	238	21	2.90	0.2	75	400	0.5	< 2	0.40	< 0.5	24	246	73	4.61	< 10	1	0.28	20	2.45	1140
10086	201	238	16	2.59	0.2	65	390	1.0	2	2.50	< 0.5	21	127	101	4.49	< 10	3	0.20	10	2.15	933
10087	201	238	22	3.47	0.2	315	840	1.5	4	0.64	< 0.5	36	909	42	5.33	< 10	< 1	0.17	20	3.01	1355
10088	201	238	< 1	3.24	0.2	30	1160	1.5	2	0.33	0.5	51	617	41	4.93	< 10	3	0.07	20	1.82	813
10089	201	238	6	2.14	0.2	10	560	1.5	< 2	0.24	< 0.5	19	38	17	2.61	< 10	< 1	0.08	20	0.44	473
10090	201	238	3	1.20	0.2	< 5	200	0.5	< 2	0.16	< 0.5	6	29	8	1.43	< 10	< 1	0.06	10	0.32	112
10091	201	238	3	1.85	0.2	15	220	1.0	< 2	0.17	< 0.5	7	29	14	2.19	< 10	1	0.07	20	0.36	148
10092	201	238	4	1.40	0.2	< 5	220	1.0	2	0.20	< 0.5	8	29	14	1.76	< 10	1	0.08	20	0.41	142
10093	201	238	< 1	1.17	0.2	10	270	1.0	2	0.16	< 0.5	7	36	36	2.49	< 10	< 1	0.09	10	0.41	394
10094	201	238	2	1.71	0.2	15	470	1.0	4	0.30	< 0.5	7	45	30	2.40	< 10	< 1	0.10	20	0.46	224
10095	201	238	4	1.58	0.2	< 5	520	1.0	< 2	0.41	0.5	13	17	85	3.65	< 10	< 1	0.14	20	0.45	261
10096	201	238	1	1.51	0.2	10	580	1.0	< 2	0.43	< 0.5	9	23	40	3.24	< 10	2	0.11	20	0.50	435
10097	201	238	< 1	1.49	0.2	20	560	0.5	< 2	0.30	< 0.5	7	11	69	3.01	< 10	< 1	0.16	10	0.41	374
10098	201	238	< 1	1.64	0.2	20	540	0.5	< 2	0.35	< 0.5	7	19	34	2.64	< 10	< 1	0.14	10	0.54	300
10099	201	238	2	1.33	0.2	20	870	0.5	< 2	0.26	< 0.5	8	23	31	2.38	< 10	3	0.10	20	0.36	336
10100	201	238	< 1	1.31	0.2	20	290	0.5	< 2	0.39	< 0.5	7	27	20	2.19	< 10	< 1	0.12	20	0.43	308
10101	201	238	< 1	1.73	0.2	< 5	500	1.0	< 2	0.48	< 0.5	7	28	14	2.29	< 10	< 1	0.10	20	0.39	392
10102	201	238	< 1	1.80	0.2	< 5	380	0.5	< 2	0.34	< 0.5	7	29	13	2.32	< 10	2	0.07	20	0.41	263
10103	201	238	< 1	1.35	0.2	20	290	0.5	< 2	0.36	< 0.5	5	23	12	1.87	< 10	< 1	0.11	10	0.30	142
10104	201	238	2	1.44	0.2	10	450	0.5	< 2	0.61	0.5	8	25	19	2.06	< 10	< 1	0.09	20	0.39	342
10105	201	238	3	1.41	0.2	< 5	440	1.0	< 2	0.69	0.5	7	27	28	2.35	< 10	< 1	0.12	20	0.51	364

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To .TED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10066	201	238	< 1	0.01	53	160	4	< 5	10	22	0.11	< 10	< 10	34	< 5	303
10067	201	238	1	< 0.01	47	230	< 2	< 5	20	21	0.05	< 10	< 10	39	< 5	265
10068	201	238	1	0.01	32	270	12	< 5	10	17	0.03	< 10	< 10	36	< 5	123
10069	201	238	3	< 0.01	44	710	10	< 5	10	23	0.01	< 10	< 10	69	< 5	158
10070	201	238	3	0.01	71	960	8	< 5	20	36	0.02	< 10	< 10	91	< 5	301
10071	201	238	1	0.02	82	730	4	5	< 10	31	0.02	< 10	< 10	57	< 5	254
10072	201	238	< 1	0.01	96	510	10	< 5	< 10	23	0.01	< 10	< 10	65	< 5	134
10073	201	238	1	0.01	221	380	12	< 5	10	27	0.04	< 10	< 10	58	< 5	166
10074	201	238	1	0.02	27	200	12	< 5	< 10	35	0.08	< 10	< 10	61	< 5	92
10075	201	238	< 1	0.01	20	150	4	< 5	10	34	0.04	< 10	< 10	76	< 5	80
10076	201	238	< 1	0.01	21	130	12	< 5	< 10	32	0.07	< 10	< 10	63	< 5	55
10077	201	238	2	0.01	29	280	< 2	< 5	10	22	0.02	< 10	< 10	66	< 5	76
10078	201	238	< 1	0.02	32	440	4	< 5	< 10	42	< 0.01	< 10	< 10	29	< 5	69
10079	201	238	< 1	0.01	24	170	8	< 5	10	37	0.03	< 10	< 10	82	< 5	76
10080	201	238	< 1	0.01	355	540	< 2	< 5	< 10	65	0.02	< 10	< 10	61	5	56
10081	201	238	< 1	0.01	237	430	2	< 5	< 10	81	0.02	< 10	< 10	68	< 5	62
10082	201	238	< 1	0.01	210	400	< 2	< 5	< 10	36	0.05	< 10	< 10	75	< 5	88
10083	201	238	< 1	0.01	256	540	2	< 5	< 10	25	0.04	< 10	< 10	78	< 5	98
10084	201	238	2	< 0.01	227	1050	14	5	10	58	0.02	< 10	< 10	65	< 5	106
10085	201	238	< 1	0.01	193	730	4	< 5	< 10	30	0.02	< 10	< 10	70	< 5	106
10086	201	238	1	0.01	98	940	< 2	< 5	< 10	78	0.03	< 10	< 10	59	< 5	94
10087	201	238	< 1	0.01	363	450	< 2	< 5	< 10	42	0.04	< 10	< 10	84	< 5	116
10088	201	238	1	0.01	396	760	< 2	< 5	10	34	0.05	< 10	< 10	87	< 5	413
10089	201	238	< 1	0.01	31	470	14	< 5	< 10	23	0.09	< 10	< 10	66	< 5	137
10090	201	238	< 1	0.01	22	100	4	< 5	< 10	17	0.06	< 10	< 10	41	< 5	78
10091	201	238	< 1	0.01	19	110	14	< 5	< 10	20	0.09	< 10	< 10	57	< 5	73
10092	201	238	< 1	0.01	21	160	6	< 5	< 10	21	0.06	< 10	< 10	40	< 5	84
10093	201	238	1	0.01	51	410	< 2	< 5	< 10	17	0.04	< 10	< 10	48	< 5	153
10094	201	238	1	0.01	35	320	18	< 5	< 10	28	0.07	< 10	< 10	53	< 5	87
10095	201	238	1	0.01	44	1050	10	< 5	< 10	27	0.02	< 10	< 10	48	< 5	187
10096	201	238	2	0.01	27	890	6	< 5	20	35	0.06	< 10	< 10	53	< 5	88
10097	201	238	1	0.01	35	910	14	< 5	< 10	22	0.01	< 10	< 10	42	< 5	117
10098	201	238	< 1	0.01	16	610	4	< 5	< 10	26	0.04	< 10	< 10	44	< 5	61
10099	201	238	< 1	0.01	24	570	2	5	20	44	0.04	< 10	< 10	46	< 5	71
10100	201	238	< 1	0.02	20	630	6	< 5	10	29	0.08	< 10	< 10	52	< 5	52
10101	201	238	< 1	0.02	19	360	8	< 5	< 10	33	0.08	< 10	< 10	59	< 5	60
10102	201	238	< 1	0.01	17	220	10	< 5	< 10	26	0.09	< 10	< 10	60	< 5	50
10103	201	238	< 1	0.01	12	290	10	< 5	< 10	26	0.07	< 10	< 10	50	< 5	41
10104	201	238	< 1	0.02	21	490	24	< 5	< 10	39	0.07	< 10	< 10	53	< 5	70
10105	201	238	1	0.02	27	540	4	< 5	< 10	38	0.08	< 10	< 10	57	< 5	69

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ...ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page No. -A
Tot. Pages: 6
Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10107	201	238	6	0.70	0.6	35	270	0.5	2	1.10	1.0	14	13	72	2.80	< 10	2	0.11	30	0.26	520
10108	201	238	< 1	1.65	0.4	15	640	0.5	< 2	1.37	3.0	16	25	55	2.94	< 10	< 1	0.09	20	0.49	966
10109	201	238	3	2.20	0.2	25	730	1.0	< 2	0.66	0.5	17	34	80	3.62	< 10	2	0.12	30	0.28	854
10110	201	238	< 1	2.57	0.2	25	770	0.5	< 2	0.70	1.0	16	39	37	3.12	< 10	< 1	0.10	30	0.33	716
10111	201	238	6	2.19	0.2	15	670	1.0	< 2	0.94	< 0.5	10	32	36	2.41	< 10	< 1	0.09	20	0.40	601
10112	201	238	2	1.89	1.4	35	600	1.0	< 2	0.98	2.0	14	28	85	2.68	< 10	1	0.15	30	0.35	1070
10113	201	238	4	0.75	0.2	60	430	0.5	< 2	0.58	1.5	15	13	89	3.56	< 10	3	0.15	40	0.14	660
10114	201	238	8	0.78	1.0	60	610	1.0	< 2	0.71	1.0	16	15	100	3.37	< 10	1	0.17	30	0.17	536
10115	201	238	6	0.83	0.2	25	660	0.5	4	0.77	2.5	16	15	81	3.13	< 10	1	0.16	30	0.18	493
10116	201	238	4	0.78	0.2	60	560	1.0	2	0.48	1.5	18	13	97	3.69	< 10	< 1	0.17	30	0.15	747
10117	201	238	3	1.26	0.6	35	520	1.0	< 2	0.57	0.5	13	23	63	3.09	< 10	< 1	0.19	30	0.38	353
10118	201	238	3	1.40	0.2	5	300	0.5	< 2	0.47	< 0.5	7	24	14	2.56	< 10	< 1	0.09	20	0.39	373
10119	201	238	< 1	1.13	0.2	< 5	180	0.5	< 2	0.35	< 0.5	7	23	10	1.37	< 10	< 1	0.10	20	0.36	136
10123	217	238	4	0.25	0.2	5	190	< 0.5	< 2	1.58	0.5	6	8	27	0.71	< 10	1	0.04	< 10	0.34	420
10128	201	238	11	1.31	0.4	15	560	1.0	2	0.49	1.5	13	26	69	3.15	< 10	< 1	0.11	30	0.33	818
10129	201	238	14	1.16	0.2	20	640	0.5	< 2	0.35	0.5	12	21	66	3.14	< 10	< 1	0.11	30	0.17	507
10130	201	238	1	0.46	0.4	< 5	320	< 0.5	< 2	2.46	3.0	8	8	48	1.45	< 10	< 1	0.05	< 10	0.42	1010
10131	201	238	2	0.81	0.2	5	490	< 0.5	< 2	0.42	0.5	16	19	92	3.53	< 10	< 1	0.09	40	0.18	527
10132	201	238	4	1.31	0.2	5	420	1.0	2	0.21	0.5	14	28	81	3.39	< 10	3	0.13	40	0.19	429
10133	201	238	2	2.05	0.2	135	590	1.0	2	0.95	0.5	30	408	35	3.83	< 10	1	0.06	20	0.87	720
10134	201	238	22	2.03	0.2	5	670	0.5	< 2	0.37	1.0	10	51	13	2.46	< 10	2	0.05	20	0.44	404
10135	201	238	< 1	2.14	0.2	115	510	0.5	2	0.39	< 0.5	21	128	15	3.26	< 10	< 1	0.08	20	0.68	484
10136	201	238	< 1	2.20	0.2	70	720	0.5	< 2	0.51	< 0.5	23	146	16	3.19	10	< 1	0.07	20	0.62	764
10137	201	238	< 1	2.19	0.2	190	510	< 0.5	< 2	0.53	< 0.5	50	975	27	4.08	10	< 1	< 0.01	10	1.46	1165
10138	201	238	1	1.84	0.2	100	1080	0.5	2	0.42	1.0	31	368	54	3.75	10	< 1	0.07	10	0.51	624
10139	201	238	< 1	2.00	0.2	< 5	670	0.5	< 2	0.40	< 0.5	15	55	19	2.95	10	< 1	0.13	20	0.53	393
10140	201	238	< 1	1.81	0.2	10	600	0.5	2	0.48	< 0.5	16	46	29	3.43	10	< 1	0.14	30	0.36	524
10141	201	238	< 1	1.29	0.2	25	480	0.5	< 2	0.28	< 0.5	17	96	34	3.32	< 10	< 1	0.12	30	0.38	457
10142	201	238	< 1	1.62	0.2	20	610	0.5	< 2	0.44	< 0.5	18	116	38	3.49	< 10	1	0.10	30	0.67	568
10143	201	238	< 1	1.30	0.2	30	670	0.5	2	0.36	< 0.5	16	116	43	3.05	< 10	< 1	0.07	10	0.58	673
10144	201	238	6	1.87	0.2	10	800	0.5	2	0.40	< 0.5	9	90	33	2.40	< 10	< 1	0.14	20	0.58	232
10145	201	238	< 1	1.91	0.2	10	730	0.5	< 2	0.50	< 0.5	13	76	42	2.84	10	< 1	0.13	20	0.61	316
10146	201	238	2	2.60	0.2	15	780	0.5	< 2	0.42	< 0.5	18	110	96	4.21	10	< 1	0.17	20	1.49	596
10147	201	238	7	1.43	0.2	85	760	< 0.5	< 2	0.76	1.0	27	201	69	3.79	10	< 1	0.11	20	1.08	559
10148	201	238	4	1.33	0.4	40	1180	< 0.5	2	0.69	1.5	12	57	76	3.27	< 10	< 1	0.13	20	0.46	540
10149	201	238	5	0.78	0.2	20	1010	< 0.5	< 2	0.43	< 0.5	14	63	36	2.60	< 10	< 1	0.12	40	0.17	308
10150	201	238	< 1	1.78	0.4	15	2000	0.5	< 2	0.67	2.0	17	65	57	3.00	10	< 1	0.14	20	0.27	593
10151	201	238	2	1.04	0.2	10	910	< 0.5	< 2	0.43	0.5	13	30	73	2.78	< 10	< 1	0.17	10	0.36	476
10152	201	238	4	0.72	0.2	10	680	< 0.5	< 2	0.29	< 0.5	9	35	41	2.27	< 10	< 1	0.12	20	0.22	230
10153	201	238	11	0.47	1.4	35	490	< 0.5	< 2	0.83	1.5	18	18	100	3.86	10	< 1	0.10	40	0.24	576

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T /NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10107	201 238	17	0.01	49	940	18	< 5	30	49	< 0.01	< 10	< 10	37	< 5	206
10108	201 238	7	0.03	38	910	4	< 5	< 10	60	0.05	< 10	< 10	65	< 5	132
10109	201 238	29	0.02	56	510	12	< 5	< 10	56	0.01	< 10	< 10	114	< 5	233
10110	201 238	11	0.01	31	420	14	< 5	10	41	0.03	< 10	< 10	146	< 5	157
10111	201 238	8	0.02	28	390	8	5	10	46	0.04	< 10	< 10	99	< 5	89
10112	201 238	7	0.02	47	510	12	< 5	10	42	0.03	< 10	< 10	80	< 5	147
10113	201 238	22	0.01	61	660	18	5	10	49	< 0.01	< 10	< 10	48	< 5	265
10114	201 238	25	< 0.01	65	870	22	20	20	68	< 0.01	< 10	< 10	54	< 5	272
10115	201 238	21	0.01	56	880	12	15	20	62	< 0.01	< 10	< 10	54	< 5	267
10116	201 238	26	< 0.01	66	790	16	15	10	54	< 0.01	< 10	< 10	56	< 5	290
10117	201 238	12	0.01	50	560	14	5	< 10	50	0.02	< 10	< 10	53	< 5	169
10118	201 238	3	0.02	19	770	10	< 5	< 10	30	0.06	< 10	< 10	47	< 5	67
10119	201 238	< 1	0.01	12	630	2	< 5	20	30	0.08	< 10	< 10	36	< 5	55
10123	217 238	< 1	0.01	17	910	8	< 5	10	61	< 0.01	< 10	< 10	7	< 5	96
10128	201 238	8	0.02	44	820	12	< 5	10	71	0.04	< 10	< 10	49	< 5	145
10129	201 238	12	0.01	38	810	12	< 5	10	105	0.01	< 10	< 10	44	< 5	145
10130	201 238	< 1	0.01	34	890	14	< 5	10	102	< 0.01	< 10	< 10	12	< 5	95
10131	201 238	8	0.01	59	650	6	< 5	20	80	< 0.01	< 10	< 10	36	< 5	172
10132	201 238	9	0.01	56	320	14	< 5	< 10	50	0.01	< 10	< 10	47	< 5	144
10133	201 238	4	0.01	336	330	4	< 5	< 10	79	0.02	< 10	< 10	89	< 5	219
10134	201 238	< 1	0.01	46	220	6	< 5	30	31	0.08	< 10	< 10	65	< 5	207
10135	201 238	< 1	0.01	186	210	6	< 5	< 10	29	0.07	< 10	< 10	70	< 5	100
10136	201 238	< 1	0.01	130	270	16	< 5	< 10	38	0.08	< 10	< 10	73	< 5	114
10137	201 238	< 1	0.01	548	390	14	< 5	< 10	39	0.04	< 10	< 10	83	< 5	168
10138	201 238	3	< 0.01	355	770	20	< 5	< 10	40	0.02	< 10	< 10	128	< 5	251
10139	201 238	< 1	0.01	41	200	8	< 5	< 10	51	0.04	10	< 10	49	< 5	67
10140	201 238	1	0.01	44	320	10	< 5	< 10	44	0.01	10	< 10	38	< 5	65
10141	201 238	< 1	0.01	80	340	12	< 5	< 10	55	< 0.01	10	< 10	34	< 5	80
10142	201 238	< 1	0.01	80	430	6	< 5	< 10	35	0.01	< 10	< 10	37	< 5	80
10143	201 238	< 1	< 0.01	105	450	14	< 5	< 10	28	0.03	< 10	< 10	43	< 5	104
10144	201 238	< 1	0.01	63	290	10	< 5	< 10	25	0.05	< 10	< 10	49	< 5	117
10145	201 238	< 1	< 0.01	66	450	14	< 5	< 10	25	0.04	< 10	< 10	51	< 5	165
10146	201 238	< 1	< 0.01	85	640	10	< 5	< 10	27	0.02	< 10	< 10	71	< 5	188
10147	201 238	2	0.01	233	1140	6	< 5	< 10	78	0.01	< 10	< 10	59	< 5	197
10148	201 238	1	0.01	85	900	8	< 5	< 10	50	0.02	< 10	< 10	49	< 5	247
10149	201 238	1	0.01	78	940	8	< 5	< 10	68	< 0.01	10	< 10	29	< 5	100
10150	201 238	1	0.01	94	680	6	< 5	< 10	49	< 0.01	< 10	< 10	45	< 5	174
10151	201 238	1	< 0.01	54	640	6	< 5	< 10	40	0.02	< 10	< 10	38	< 5	185
10152	201 238	< 1	0.01	40	670	8	< 5	< 10	49	< 0.01	< 10	< 10	22	< 5	114
10153	201 238	21	0.01	66	1600	18	< 5	< 10	100	< 0.01	10	< 10	36	< 5	220

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Page No. -A
Tot. Pages: 6
Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10154	201 238	2	1.12	1.0	35	880	< 0.5	< 2	0.36	0.5	14	35	79	3.36	< 10	< 1	0.09	20	0.20	490
10155	201 238	2	1.67	1.2	50	680	< 0.5	< 2	0.43	< 0.5	7	44	54	2.87	< 10	1	0.10	10	0.36	137
10156	201 238	3	2.27	1.4	25	1360	< 0.5	< 2	0.81	< 0.5	10	36	59	2.63	< 10	1	0.05	20	0.42	518
10157	201 238	1	1.44	2.2	25	2310	< 0.5	< 2	0.37	< 0.5	4	30	26	2.09	< 10	1	0.08	10	0.17	131
10158	201 238	< 1	1.58	1.2	40	1830	< 0.5	< 2	0.38	< 0.5	7	31	44	2.60	< 10	1	0.08	10	0.32	301
10159	201 238	16	1.82	0.4	10	800	< 0.5	< 2	0.44	< 0.5	8	28	22	2.32	< 10	1	0.05	10	0.39	309
10160	201 238	< 1	1.52	1.0	30	1040	< 0.5	< 2	0.45	< 0.5	8	26	27	2.40	< 10	1	0.08	20	0.38	226
10161	201 238	< 1	1.16	0.8	5	550	< 0.5	< 2	0.23	< 0.5	5	18	19	1.84	< 10	1	0.08	10	0.28	144
10162	201 238	20	1.90	1.0	5	1000	< 0.5	< 2	0.31	< 0.5	9	34	23	2.93	< 10	1	0.08	10	0.40	395
10163	201 238	7	1.88	1.4	5	770	< 0.5	< 2	0.34	< 0.5	10	31	25	2.67	< 10	1	0.08	10	0.40	478
10164	201 238	< 1	1.42	0.8	5	610	< 0.5	< 2	0.29	< 0.5	9	25	16	2.09	< 10	1	0.08	10	0.35	502
10165	201 238	4	0.98	0.8	15	600	< 0.5	< 2	0.16	< 0.5	8	17	38	2.35	< 10	< 1	0.06	10	0.18	311
10166	201 238	< 1	1.37	0.2	< 5	380	< 0.5	< 2	0.17	< 0.5	7	46	43	2.11	< 10	1	0.07	10	0.63	132
10167	201 238	1	1.02	0.8	5	480	< 0.5	< 2	0.17	< 0.5	5	19	15	1.79	< 10	< 1	0.05	10	0.25	167
10168	201 238	2	1.94	0.8	15	610	< 0.5	< 2	0.17	< 0.5	12	34	40	2.79	< 10	1	0.04	10	0.38	520
10169	201 238	< 1	1.25	0.8	20	630	< 0.5	< 2	0.14	0.5	5	36	40	2.65	< 10	1	0.04	10	0.20	152
10170	201 238	6	2.09	0.4	15	720	< 0.5	< 2	0.18	0.5	16	60	42	3.07	< 10	1	0.05	10	0.85	355
10171	201 238	< 1	2.07	0.6	20	980	< 0.5	< 2	0.30	0.5	16	43	38	2.86	< 10	2	0.06	10	0.96	856
10172	201 238	< 1	1.62	0.4	20	520	< 0.5	< 2	0.23	0.5	14	31	14	2.40	< 10	2	0.07	10	0.44	434
10173	201 238	< 1	1.52	0.6	5	510	< 0.5	< 2	0.27	< 0.5	8	26	14	2.00	< 10	1	0.06	10	0.41	306
10174	201 238	< 1	1.41	0.4	< 5	580	< 0.5	< 2	0.22	< 0.5	8	52	14	1.88	< 10	< 1	0.06	10	0.37	210
10175	201 238	< 1	1.08	0.4	< 5	420	< 0.5	< 2	0.19	< 0.5	5	23	6	1.36	< 10	< 1	0.05	10	0.37	130
10176	201 238	< 1	1.00	0.2	< 5	650	< 0.5	< 2	0.20	< 0.5	4	36	8	0.99	< 10	< 1	0.05	10	0.26	189
10177	201 238	< 1	1.20	0.4	10	1510	< 0.5	< 2	0.18	< 0.5	5	67	20	1.11	< 10	1	0.07	10	0.81	127
10178	201 238	< 1	1.27	0.2	5	1630	< 0.5	< 2	0.29	< 0.5	11	24	11	1.32	< 10	< 1	0.10	10	0.36	373
10179	201 238	< 1	2.28	0.2	5	1020	< 0.5	< 2	0.54	< 0.5	19	30	55	3.37	< 10	1	0.21	10	1.03	1155
10181	201 238	< 1	2.70	0.4	< 5	980	< 0.5	< 2	0.49	< 0.5	16	45	44	3.90	< 10	< 1	0.14	10	1.11	1470
10182	201 238	< 1	1.91	0.4	< 5	900	< 0.5	2	0.53	< 0.5	11	29	37	3.06	< 10	< 1	0.12	20	0.75	985
10183	201 238	< 1	2.24	0.4	< 5	590	< 0.5	4	0.39	< 0.5	14	27	34	3.58	< 10	< 1	0.14	10	0.99	912
10184	201 238	< 1	2.44	0.2	< 5	860	< 0.5	< 2	0.34	0.5	14	31	41	4.12	< 10	< 1	0.16	20	1.03	1065
10185	201 238	3	1.93	0.6	< 5	840	< 0.5	< 2	0.59	< 0.5	11	24	56	3.98	< 10	< 1	0.13	20	0.55	818
10186	201 238	< 1	1.29	0.4	< 5	500	< 0.5	2	3.53	< 0.5	10	25	43	2.44	< 10	< 1	0.09	< 10	0.83	451
10187	201 238	< 1	2.18	0.2	< 5	920	< 0.5	2	0.59	< 0.5	11	29	38	3.33	< 10	1	0.09	20	0.78	796
10188	201 238	3	2.21	0.4	< 5	310	< 0.5	2	2.50	< 0.5	18	31	110	4.43	< 10	< 1	0.10	10	1.56	1045
10189	201 238	< 1	1.88	0.4	5	830	< 0.5	2	0.65	< 0.5	10	41	40	2.84	< 10	< 1	0.05	20	0.78	639
10190	201 238	9	2.33	0.4	5	350	< 0.5	2	2.47	< 0.5	19	33	108	4.16	< 10	< 1	0.10	10	1.55	950
10191	201 238	< 1	1.24	0.4	5	350	< 0.5	< 2	0.21	< 0.5	12	38	16	1.86	< 10	< 1	0.06	10	0.48	232
10192	201 238	2	2.31	1.0	< 5	650	< 0.5	2	0.53	2.5	22	154	76	3.79	< 10	< 1	0.11	20	1.09	1110
10193	201 238	< 1	1.84	0.4	< 5	500	< 0.5	< 2	0.28	1.0	14	64	35	2.83	< 10	< 1	0.15	10	0.75	813
10194	201 238	< 1	1.92	0.6	15	540	< 0.5	2	0.28	< 0.5	8	35	25	2.56	< 10	< 1	0.11	10	0.45	274

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To .NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10154	201	238	4	0.01	52	1130	8	< 5	< 10	44	0.01	< 10	< 10	50	< 5	135
10155	201	238	3	0.01	36	1390	10	5	< 10	45	0.05	< 10	< 10	70	< 5	83
10156	201	238	< 1	0.02	31	1240	10	< 5	< 10	42	0.07	< 10	< 10	84	< 5	85
10157	201	238	6	0.01	23	2930	14	15	< 10	132	0.03	< 10	< 10	105	< 5	87
10158	201	238	4	0.01	32	1980	12	10	< 10	75	0.04	< 10	< 10	84	< 5	81
10159	201	238	< 1	0.02	22	770	6	< 5	< 10	28	0.07	< 10	< 10	65	< 5	57
10160	201	238	3	0.01	21	1030	10	10	< 10	40	0.06	< 10	< 10	72	< 5	58
10161	201	238	< 1	0.01	13	280	10	< 5	< 10	19	0.05	< 10	< 10	55	< 5	47
10162	201	238	1	0.01	19	460	8	< 5	< 10	33	0.07	< 10	< 10	85	< 5	80
10163	201	238	< 1	0.01	17	370	8	< 5	< 10	28	0.08	< 10	< 10	68	< 5	60
10164	201	238	< 1	0.01	14	310	6	< 5	< 10	24	0.08	< 10	< 10	59	< 5	62
10165	201	238	1	0.01	30	420	6	< 5	< 10	19	0.03	< 10	< 10	41	< 5	108
10166	201	238	< 1	0.01	22	280	4	< 5	< 10	22	0.04	< 10	< 10	40	< 5	114
10167	201	238	< 1	0.01	14	280	6	< 5	< 10	16	0.05	< 10	< 10	56	< 5	82
10168	201	238	1	0.01	29	550	6	< 5	< 10	19	0.06	< 10	< 10	76	< 5	123
10169	201	238	< 1	0.01	31	600	4	< 5	< 10	18	0.03	< 10	< 10	86	< 5	175
10170	201	238	< 1	0.01	70	520	4	< 5	< 10	12	0.03	< 10	< 10	54	< 5	311
10171	201	238	< 1	0.01	170	430	2	< 5	< 10	21	0.04	< 10	< 10	51	< 5	277
10172	201	238	< 1	0.01	28	870	20	< 5	< 10	17	0.07	< 10	< 10	52	< 5	138
10173	201	238	< 1	0.01	19	210	6	< 5	< 10	21	0.08	< 10	< 10	45	< 5	61
10174	201	238	2	0.01	34	160	10	< 5	< 10	21	0.07	< 10	< 10	53	< 5	75
10175	201	238	< 1	0.01	13	200	4	< 5	< 10	14	0.06	< 10	< 10	35	< 5	90
10176	201	238	1	0.01	19	410	6	< 5	< 10	14	0.05	< 10	< 10	27	< 5	75
10177	201	238	1	0.01	31	180	24	< 5	< 10	17	0.04	< 10	< 10	20	< 5	74
10178	201	238	< 1	0.01	18	270	14	< 5	< 10	21	0.04	< 10	< 10	29	< 5	81
10179	201	238	< 1	0.01	32	730	2	< 5	< 10	36	0.04	< 10	< 10	55	< 5	88
10181	201	238	3	0.01	25	340	< 2	< 5	< 10	40	0.11	< 10	< 10	69	< 5	83
10182	201	238	2	0.02	21	180	6	< 5	< 10	45	0.08	< 10	< 10	52	< 5	57
10183	201	238	1	0.01	21	130	2	< 5	20	33	0.09	< 10	< 10	58	< 5	63
10184	201	238	2	0.01	23	70	10	< 5	< 10	40	0.04	< 10	< 10	67	< 5	66
10185	201	238	1	0.01	23	230	6	< 5	< 10	39	0.02	< 10	< 10	58	< 5	58
10186	201	238	1	0.03	22	670	10	5	< 10	105	0.06	< 10	< 10	46	< 5	62
10187	201	238	2	0.01	21	140	6	< 5	< 10	39	0.06	< 10	< 10	65	< 5	57
10188	201	238	1	0.01	33	920	< 2	< 5	< 10	71	0.01	< 10	< 10	58	< 5	89
10189	201	238	1	0.02	30	180	< 2	< 5	< 10	39	0.05	< 10	< 10	52	< 5	51
10190	201	238	2	0.01	35	780	4	5	< 10	79	0.02	< 10	< 10	60	< 5	83
10191	201	238	2	0.01	30	220	24	< 5	< 10	16	0.04	< 10	< 10	32	< 5	109
10192	201	238	1	0.01	145	920	12	< 5	< 10	41	0.03	< 10	< 10	56	< 5	145
10193	201	238	2	0.01	50	620	12	< 5	< 10	24	0.05	< 10	< 10	48	< 5	146
10194	201	238	2	0.01	33	470	12	< 5	< 10	27	0.06	< 10	< 10	53	< 5	88

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

T. ..NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10195	201	238	12	1.37	0.2	< 5	490	< 0.5	< 2	0.29	< 0.5	14	30	10	2.17	< 10	1	0.10	10	0.43	774
10196	201	238	2	1.41	0.2	< 5	300	< 0.5	< 2	0.21	< 0.5	8	38	15	1.88	< 10	< 1	0.06	10	0.52	235
10197	201	238	< 1	3.09	0.2	15	370	< 0.5	< 2	0.38	1.0	20	117	96	4.43	< 10	< 1	0.04	10	2.03	524
10198	201	238	3	1.45	0.2	< 5	720	< 0.5	4	0.19	< 0.5	2	29	33	2.16	< 10	1	0.09	20	0.29	232
10199	201	238	5	1.00	0.2	< 5	500	< 0.5	< 2	0.18	0.5	< 1	26	86	2.19	< 10	< 1	0.06	20	0.24	169
10200	201	238	11	0.27	1.8	20	150	< 0.5	< 2	0.40	0.5	< 1	11	75	1.57	< 10	< 1	0.07	30	0.18	78
10201	201	238	8	0.49	1.2	15	150	< 0.5	2	0.76	1.5	6	11	61	2.17	< 10	< 1	0.06	20	0.27	185
10202	201	238	11	0.28	1.4	20	130	< 0.5	4	0.92	1.0	15	10	80	2.78	< 10	< 1	0.07	20	0.44	232
10203	201	238	6	0.54	0.6	10	270	< 0.5	2	0.31	0.5	< 1	15	58	2.17	< 10	< 1	0.07	20	0.17	145
10204	201	238	7	0.79	0.6	5	280	< 0.5	< 2	0.64	3.5	6	15	66	2.21	< 10	< 1	0.07	20	0.28	450
10205	201	238	6	1.11	0.4	< 5	290	< 0.5	< 2	0.42	0.5	< 1	23	23	2.08	< 10	< 1	0.08	20	0.42	194
10206	201	238	11	0.99	0.8	< 5	280	< 0.5	< 2	0.48	< 0.5	13	22	53	2.09	< 10	< 1	0.09	20	0.41	312
10207	201	238	4	1.28	0.2	< 5	340	< 0.5	< 2	0.59	< 0.5	< 1	26	21	2.09	< 10	< 1	0.08	20	0.51	279
10208	201	238	< 1	1.19	0.2	5	310	< 0.5	< 2	0.71	< 0.5	< 1	24	16	1.80	< 10	< 1	0.08	20	0.47	266
10209	201	238	10	1.21	0.2	15	310	< 0.5	< 2	0.58	< 0.5	< 1	24	14	2.01	< 10	1	0.05	20	0.44	238
10210	201	238	< 1	1.15	0.2	5	300	< 0.5	4	0.43	< 0.5	5	23	12	1.98	< 10	< 1	0.06	20	0.43	383
10211	201	238	2	1.07	0.2	< 5	350	< 0.5	< 2	1.21	0.5	6	21	19	1.84	< 10	< 1	0.07	10	0.51	589
10212	201	238	4	1.44	0.4	< 5	360	< 0.5	< 2	0.83	< 0.5	15	31	29	2.36	< 10	2	0.10	20	0.60	387
10213	201	238	2	0.89	0.2	5	250	< 0.5	< 2	1.54	< 0.5	< 1	17	13	1.57	< 10	< 1	0.05	10	0.55	1075
10214	201	238	12	0.91	1.2	5	350	< 0.5	2	0.75	0.5	< 1	18	62	2.13	< 10	< 1	0.08	20	0.33	259
10215	201	238	6	1.10	1.0	10	400	< 0.5	< 2	1.14	0.5	< 1	19	43	1.68	< 10	< 1	0.08	20	0.41	239
10216	201	238	< 1	1.30	1.0	< 5	440	< 0.5	< 2	0.94	0.5	14	23	41	2.17	< 10	3	0.08	20	0.41	1070
10217	201	238	4	1.72	0.8	< 5	460	< 0.5	< 2	0.61	0.5	5	29	35	2.35	< 10	< 1	0.10	20	0.42	782
10218	201	238	6	1.45	0.2	15	380	< 0.5	< 2	0.44	< 0.5	< 1	26	32	2.37	< 10	1	0.08	20	0.36	472
10219	201	238	6	1.78	0.2	< 5	420	0.5	< 2	0.41	< 0.5	< 1	31	27	2.78	< 10	< 1	0.09	20	0.50	450
10220	201	238	4	1.71	0.2	< 5	450	0.5	< 2	0.46	0.5	< 1	29	29	2.55	< 10	< 1	0.10	20	0.43	623
10221	201	238	14	0.88	0.2	10	300	0.5	< 2	0.29	< 0.5	1	18	94	2.51	< 10	< 1	0.09	40	0.20	404
10226	201	238	< 5	0.09	0.2	< 5	90	< 0.5	< 2	1.67	0.5	< 1	27	10	0.22	< 10	1	0.04	10	0.43	92
10227	201	238	< 1	0.93	0.2	5	310	0.5	< 2	0.39	0.5	1	19	33	3.13	< 10	< 1	0.09	30	0.21	301
10228	201	238	6	0.49	0.8	< 5	210	< 0.5	2	0.34	1.0	20	22	68	3.77	< 10	< 1	0.09	50	0.11	297
10229	201	238	< 1	1.11	0.2	< 5	290	< 0.5	2	0.27	< 0.5	< 1	25	39	3.42	< 10	< 1	0.05	50	0.18	245
10230	201	238	3	2.16	0.4	< 5	900	< 0.5	< 2	0.61	1.0	< 1	35	46	3.19	< 10	2	0.07	40	0.37	1120
10231	201	238	< 1	2.00	0.2	< 5	1080	< 0.5	< 2	0.35	0.5	< 1	35	34	2.77	< 10	< 1	0.06	20	0.34	659
10232	201	238	< 1	2.09	0.2	< 5	550	< 0.5	< 2	0.42	< 0.5	< 1	35	21	2.63	< 10	< 1	0.06	20	0.44	556
10233	201	238	< 1	1.53	0.2	5	480	< 0.5	< 2	0.51	< 0.5	6	27	27	2.40	< 10	< 1	0.09	20	0.39	537
10234	201	238	< 1	0.55	0.2	< 5	190	< 0.5	2	0.12	< 0.5	1	11	12	1.69	< 10	1	0.05	40	0.08	223
10235	201	238	< 1	0.89	0.2	< 5	320	< 0.5	< 2	0.28	< 0.5	15	20	32	2.70	< 10	< 1	0.09	40	0.18	418
10236	201	238	< 1	0.80	0.2	< 5	320	< 0.5	< 2	0.23	< 0.5	8	17	25	2.67	< 10	1	0.07	50	0.16	317
10237	201	238	< 1	1.26	0.2	< 5	450	< 0.5	< 2	0.39	< 0.5	12	23	35	2.58	< 10	< 1	0.07	30	0.28	328
10238	201	238	1	1.55	0.2	< 5	460	< 0.5	< 2	0.40	< 0.5	11	26	20	2.37	< 10	< 1	0.07	20	0.42	401

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10195	201 238	1	0.01	18	430	12	< 5	< 10	26	0.07	< 10	< 10	46	< 5	74
10196	201 238	2	0.01	25	220	16	< 5	< 10	19	0.06	< 10	< 10	40	< 5	48
10197	201 238	2	< 0.01	189	920	< 2	< 5	< 10	24	0.02	< 10	30	91	< 5	70
10198	201 238	1	0.01	24	290	2	< 5	< 10	29	0.05	< 10	< 10	60	< 5	82
10199	201 238	3	0.01	28	570	6	< 5	< 10	33	0.03	< 10	< 10	44	< 5	108
10200	201 238	9	< 0.01	35	340	2	< 5	< 10	37	< 0.01	< 10	< 10	18	< 5	152
10201	201 238	7	0.01	37	430	2	< 5	30	35	0.01	< 10	< 10	18	< 5	180
10202	201 238	7	0.01	53	620	8	< 5	< 10	44	< 0.01	< 10	< 10	13	< 5	187
10203	201 238	12	< 0.01	43	230	8	< 5	< 10	36	< 0.01	< 10	< 10	29	< 5	166
10204	201 238	10	0.01	46	420	12	< 5	< 10	38	0.02	< 10	< 10	30	< 5	207
10205	201 238	7	0.01	19	380	4	< 5	20	31	0.05	< 10	< 10	40	< 5	98
10206	201 238	2	0.02	32	470	6	< 5	< 10	39	0.04	< 10	< 10	33	< 5	91
10207	201 238	2	0.03	16	540	8	< 5	< 10	39	0.07	< 10	< 10	44	< 5	67
10208	201 238	1	0.02	16	510	< 2	< 5	10	43	0.07	< 10	< 10	40	< 5	57
10209	201 238	3	0.02	13	560	8	< 5	< 10	37	0.07	< 10	< 10	42	< 5	54
10210	201 238	3	0.02	14	490	< 2	< 5	< 10	30	0.07	< 10	< 10	44	< 5	50
10211	201 238	3	0.02	17	750	10	< 5	< 10	61	0.05	< 10	< 10	38	< 5	104
10212	201 238	1	0.03	22	520	18	< 5	< 10	47	0.09	< 10	< 10	51	< 5	74
10213	201 238	1	0.02	15	570	8	< 5	< 10	69	0.04	< 10	< 10	29	< 5	67
10214	201 238	4	0.01	32	530	10	< 5	< 10	52	0.01	< 10	< 10	26	< 5	101
10215	201 238	2	0.02	25	430	6	< 5	< 10	59	0.02	< 10	< 10	26	< 5	57
10216	201 238	2	0.02	28	430	< 2	< 5	< 10	53	0.02	< 10	< 10	32	< 5	70
10217	201 238	2	0.02	25	230	10	< 5	< 10	40	0.04	< 10	< 10	41	< 5	68
10218	201 238	1	0.01	20	160	12	< 5	< 10	30	0.04	< 10	< 10	38	< 5	56
10219	201 238	1	0.01	22	140	14	< 5	< 10	29	0.06	< 10	< 10	54	5	73
10220	201 238	1	0.01	23	170	< 2	< 5	< 10	31	0.05	< 10	< 10	49	5	64
10221	201 238	1	0.01	44	180	< 2	< 5	< 10	22	0.01	< 10	< 10	23	10	106
10226	201 238	< 1	0.02	2	610	< 2	< 5	< 10	55	< 0.01	< 10	< 10	3	5	193
10227	201 238	8	0.01	30	340	14	< 5	< 10	40	< 0.01	< 10	< 10	32	5	81
10228	201 238	12	0.01	60	880	26	< 5	< 10	77	< 0.01	< 10	< 10	33	5	145
10229	201 238	4	0.01	35	210	14	< 5	< 10	40	0.01	< 10	< 10	35	5	83
10230	201 238	10	0.01	39	380	12	< 5	< 10	88	0.02	< 10	< 10	93	5	139
10231	201 238	3	0.01	33	280	8	5	< 10	59	0.03	< 10	< 10	72	5	100
10232	201 238	1	0.01	22	220	4	< 5	< 10	36	0.06	< 10	< 10	62	< 5	78
10233	201 238	1	0.01	27	370	6	< 5	< 10	43	0.04	< 10	< 10	46	5	65
10234	201 238	1	0.01	24	270	6	< 5	< 10	55	< 0.01	< 10	< 10	14	< 5	60
10235	201 238	4	0.01	33	420	6	< 5	< 10	57	< 0.01	< 10	< 10	27	< 5	86
10236	201 238	1	0.01	22	270	20	5	< 10	35	< 0.01	< 10	< 10	18	< 5	57
10237	201 238	3	0.01	32	280	20	< 5	< 10	48	0.01	< 10	< 10	37	5	78
10238	201 238	2	0.01	19	210	8	< 5	< 10	33	0.06	< 10	< 10	45	5	58

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T ,NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10239	201	238	3	0.85	1.0	5	370	< 0.5	< 2	0.63	1.5	15	19	58	2.86	< 10	< 1	0.09	30	0.21	415
10240	201	238	3	1.34	0.4	15	410	< 0.5	< 2	0.55	< 0.5	14	30	34	2.59	< 10	< 1	0.09	30	0.47	403
10241	201	238	2	1.18	0.4	20	420	< 0.5	< 2	1.31	< 0.5	10	25	29	2.07	< 10	< 1	0.09	20	0.45	527
10243	201	238	2	1.42	0.6	10	730	< 0.5	< 2	1.53	0.5	16	60	65	2.74	< 10	< 1	0.11	20	0.85	326
10244	201	238	6	0.85	0.6	< 5	610	< 0.5	2	2.48	1.5	5	36	50	1.63	< 10	< 1	0.10	10	0.61	345
10245	203	238	11	2.14	0.8	65	1510	1.0	< 2	1.52	1.5	23	76	79	3.29	< 10	< 1	0.35	20	0.82	2620
10246	201	238	4	0.95	0.8	10	930	< 0.5	< 2	5.21	3.0	10	34	68	1.68	< 10	< 1	0.14	< 10	0.89	502
10247	201	238	3	0.86	1.2	10	1010	< 0.5	< 2	0.51	0.5	15	32	61	2.97	< 10	< 1	0.12	30	0.29	278
10248	201	238	5	0.89	0.8	10	710	< 0.5	< 2	0.75	0.5	15	31	70	2.50	< 10	< 1	0.13	40	0.33	337
10249	201	238	< 1	0.80	1.0	< 5	780	< 0.5	< 2	1.45	5.0	11	26	64	1.83	< 10	1	0.13	20	0.34	316
10250	201	238	< 1	1.05	0.6	10	1160	< 0.5	< 2	1.24	2.0	13	35	97	2.14	< 10	< 1	0.14	20	0.41	440
10251	201	238	< 1	1.43	0.8	< 5	1160	< 0.5	< 2	0.36	< 0.5	13	21	70	2.83	< 10	< 1	0.17	20	0.43	393
10252	201	238	19	1.11	0.6	25	850	< 0.5	< 2	0.48	< 0.5	13	26	60	3.08	< 10	< 1	0.09	20	0.29	366
10253	203	238	6	0.75	1.0	30	780	< 0.5	2	1.50	0.5	13	23	72	2.63	< 10	2	0.09	40	0.30	316
10254	201	238	6	0.91	1.0	20	470	0.5	< 2	1.03	0.5	18	95	49	3.72	< 10	< 1	0.24	40	0.22	365
10255	201	238	2	1.67	1.2	45	1520	0.5	< 2	0.76	1.0	14	69	68	3.17	< 10	< 1	0.09	20	0.33	307
10256	203	238	10	1.58	1.2	30	1090	0.5	< 2	0.51	0.5	16	162	66	2.97	< 10	< 1	0.27	30	0.27	405
10257	201	238	< 1	1.71	1.2	10	1540	0.5	< 2	0.76	1.5	10	36	58	2.50	< 10	1	0.15	30	0.34	325
10258	201	238	< 1	2.00	0.8	15	1280	< 0.5	< 2	0.41	< 0.5	12	37	36	2.62	< 10	< 1	0.15	20	0.45	219
10259	201	238	2	2.00	0.8	40	1960	0.5	< 2	0.46	< 0.5	10	47	35	2.63	< 10	< 1	0.17	20	0.33	238
10260	201	238	2	1.06	1.0	15	940	< 0.5	< 2	0.75	< 0.5	10	26	28	2.45	< 10	< 1	0.10	30	0.34	254
10261	201	238	< 1	1.67	1.0	15	940	0.5	4	0.38	< 0.5	17	34	37	3.61	< 10	< 1	0.09	40	0.58	446
10262	201	238	< 1	1.27	0.2	< 5	470	< 0.5	< 2	0.33	< 0.5	9	11	30	1.84	< 10	< 1	0.10	10	0.46	185
10263	201	238	1	1.23	0.2	< 5	460	< 0.5	< 2	0.21	< 0.5	9	15	19	2.05	< 10	< 1	0.14	10	0.32	198
10264	201	238	< 1	1.33	0.6	10	430	< 0.5	< 2	0.24	< 0.5	9	21	26	2.17	< 10	< 1	0.10	20	0.40	166
10265	201	238	4	1.45	0.6	5	800	< 0.5	< 2	0.28	< 0.5	12	27	24	2.43	< 10	< 1	0.08	20	0.37	553
10266	201	238	< 1	1.79	0.4	5	810	< 0.5	< 2	0.30	< 0.5	14	46	14	2.41	< 10	< 1	0.12	10	0.56	740
10267	201	238	< 1	3.03	0.4	25	840	< 0.5	< 2	0.19	< 0.5	20	222	34	3.59	< 10	< 1	0.07	10	1.72	632
10268	201	238	< 1	3.15	0.2	< 5	530	0.5	< 2	0.23	0.5	26	290	78	4.37	< 10	< 1	0.09	10	2.04	776
10269	201	238	< 1	2.70	0.2	< 5	1100	< 0.5	< 2	0.26	0.5	16	62	21	2.99	< 10	2	0.11	10	1.02	1150
10270	201	238	1	2.29	0.2	5	880	< 0.5	< 2	0.27	< 0.5	15	24	51	3.31	< 10	< 1	0.09	10	0.99	792
10271	201	238	< 1	1.69	0.2	< 5	530	< 0.5	< 2	0.22	< 0.5	11	26	19	2.19	< 10	< 1	0.08	10	0.58	227
10272	201	238	< 1	1.05	0.2	< 5	330	< 0.5	< 2	0.13	0.5	9	24	11	1.50	< 10	< 1	0.08	10	0.36	190
10273	201	238	< 1	0.67	0.2	5	120	< 0.5	< 2	0.13	< 0.5	3	18	3	0.97	< 10	< 1	0.07	10	0.32	82
10274	201	238	< 1	1.93	0.2	5	340	< 0.5	< 2	0.20	< 0.5	15	33	9	2.43	< 10	< 1	0.08	10	0.49	246
10275	201	238	< 1	1.35	0.2	20	270	< 0.5	2	0.14	< 0.5	12	46	10	1.91	< 10	< 1	0.05	10	0.52	126
10276	201	238	< 1	1.08	0.2	< 5	540	< 0.5	< 2	0.19	< 0.5	6	35	5	1.16	< 10	< 1	0.05	10	0.34	179
10277	201	238	< 1	1.55	0.2	< 5	600	< 0.5	< 2	0.22	< 0.5	12	34	8	1.82	< 10	< 1	0.08	20	0.48	248
10278	201	238	< 1	1.92	0.2	10	930	< 0.5	< 2	0.21	< 0.5	19	47	12	2.33	< 10	< 1	0.07	20	0.51	431
10279	201	238	10	2.04	0.2	< 5	490	< 0.5	< 2	0.37	< 0.5	16	34	78	2.97	< 10	< 1	0.07	10	1.18	361

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T ..NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10239	201	238	7	0.01	43	660	14	< 5	< 10	62	< 0.01	< 10	< 10	30	5	100
10240	201	238	4	0.01	34	720	18	5	< 10	39	0.05	< 10	< 10	45	< 5	90
10241	201	238	2	0.02	26	770	< 2	5	< 10	63	0.04	< 10	< 10	39	5	60
10243	201	238	1	0.01	62	760	4	< 5	< 10	74	0.01	< 10	< 10	38	5	144
10244	201	238	1	0.01	44	1070	6	5	< 10	95	0.01	< 10	< 10	23	5	108
10245	203	238	5	0.05	76	940	14	< 5	< 10	117	< 0.01	< 10	< 10	61	10	202
10246	201	238	2	0.02	55	1510	6	5	< 10	148	0.01	< 10	< 10	26	5	259
10247	201	238	6	0.01	63	700	14	< 5	< 10	74	0.01	< 10	< 10	40	10	146
10248	201	238	5	0.01	55	760	< 2	5	< 10	84	0.01	< 10	< 10	34	< 5	142
10249	201	238	2	0.02	61	710	6	5	< 10	77	0.01	< 10	< 10	25	5	163
10250	201	238	3	0.02	60	810	8	5	< 10	81	0.01	< 10	< 10	36	5	145
10251	201	238	3	0.02	46	570	4	< 5	< 10	48	0.03	< 10	< 10	46	< 5	200
10252	201	238	3	0.01	50	770	6	< 5	< 10	52	0.02	< 10	< 10	46	5	151
10253	203	238	8	0.01	48	1400	10	5	< 10	94	0.01	< 10	< 10	34	5	137
10254	201	238	4	0.05	46	990	6	< 5	< 10	60	< 0.01	< 10	< 10	28	5	126
10255	201	238	5	0.01	85	1910	14	5	< 10	130	< 0.01	< 10	< 10	74	5	155
10256	203	238	6	0.02	63	840	14	10	< 10	68	0.01	< 10	< 10	70	5	161
10257	201	238	3	0.02	41	930	18	5	< 10	70	0.03	< 10	< 10	78	5	124
10258	201	238	3	0.02	33	850	8	5	< 10	70	0.06	< 10	< 10	97	5	92
10259	201	238	3	0.01	52	1310	10	5	< 10	126	0.03	< 10	< 10	97	5	164
10260	201	238	4	0.01	29	1240	18	10	< 10	81	0.02	< 10	< 10	51	5	96
10261	201	238	7	0.01	31	1050	26	15	< 10	72	0.01	< 10	< 10	66	5	101
10262	201	238	1	0.01	9	370	2	5	< 10	29	0.04	< 10	< 10	31	< 5	47
10263	201	238	< 1	0.01	7	330	6	< 5	< 10	17	0.03	< 10	< 10	39	< 5	42
10264	201	238	2	0.01	15	460	2	< 5	10	22	0.06	< 10	< 10	50	< 5	72
10265	201	238	2	0.01	18	540	< 2	< 5	< 10	28	0.06	< 10	< 10	58	5	66
10266	201	238	1	0.01	30	510	4	< 5	< 10	25	0.05	< 10	< 10	56	5	79
10267	201	238	3	< 0.01	140	280	< 2	5	< 10	15	0.06	< 10	< 10	75	10	204
10268	201	238	5	< 0.01	211	420	4	< 5	< 10	18	0.05	< 10	< 10	75	5	238
10269	201	238	2	0.01	54	330	6	< 5	< 10	24	0.05	< 10	< 10	74	5	145
10270	201	238	< 1	0.01	34	440	2	< 5	< 10	24	0.06	< 10	< 10	59	5	139
10271	201	238	< 1	0.01	17	160	8	< 5	< 10	19	0.06	< 10	< 10	48	< 5	65
10272	201	238	2	0.01	23	170	10	< 5	< 10	12	0.03	< 10	< 10	31	< 5	56
10273	201	238	< 1	< 0.01	10	90	10	< 5	< 10	11	0.03	< 10	< 10	22	< 5	38
10274	201	238	2	0.01	19	160	10	< 5	< 10	20	0.08	< 10	< 10	60	5	64
10275	201	238	2	< 0.01	33	110	4	< 5	< 10	13	0.05	< 10	< 10	37	< 5	73
10276	201	238	< 1	< 0.01	15	170	8	< 5	< 10	19	0.05	< 10	< 10	36	5	73
10277	201	238	1	0.01	14	150	12	< 5	< 10	19	0.08	< 10	< 10	47	< 5	92
10278	201	238	< 1	0.01	22	160	16	< 5	< 10	20	0.10	< 10	< 10	63	< 5	83
10279	201	238	1	< 0.01	40	460	12	< 5	< 10	28	0.13	< 10	< 10	49	< 5	166

CERTIFICATION : B C

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10280	201	238	< 1	1.91	0.2	< 5	770	< 0.5	< 2	0.45	2.0	17	51	90	2.95	< 10	< 1	0.13	20	0.91	402
10281	201	238	< 1	1.65	0.2	10	650	0.5	2	0.37	< 0.5	26	439	41	2.53	< 10	< 1	0.08	10	2.28	368
10282	201	238	2	2.09	0.2	< 5	730	0.5	< 2	0.42	0.5	23	197	38	3.00	< 10	1	0.14	20	1.41	623
10283	201	238	< 1	1.78	0.2	< 5	630	< 0.5	2	0.88	< 0.5	17	120	25	2.64	< 10	< 1	0.13	20	1.09	682
10284	201	238	< 1	2.01	0.2	< 5	700	0.5	< 2	0.42	< 0.5	13	41	26	2.87	< 10	1	0.12	10	0.76	558
10285	201	238	35	2.98	0.2	5	870	1.0	< 2	0.38	< 0.5	22	38	42	4.05	< 10	< 1	0.22	10	1.12	702
10286	201	238	6	2.05	0.2	< 5	720	0.5	< 2	4.92	1.0	22	97	83	3.55	< 10	< 1	0.12	< 10	1.63	853
10287	201	238	< 1	1.78	0.2	10	790	0.5	2	0.46	< 0.5	13	38	22	2.57	< 10	< 1	0.13	20	0.46	524
10288	201	238	5	1.94	0.2	10	1780	0.5	< 2	0.34	0.5	11	35	45	2.48	< 10	< 1	0.14	20	0.33	636
10289	201	238	2	1.73	0.2	< 5	910	< 0.5	< 2	0.39	< 0.5	9	34	14	2.07	< 10	< 1	0.14	20	0.36	468
10290	201	238	< 1	1.53	0.2	5	1300	< 0.5	< 2	0.37	< 0.5	6	27	10	1.62	< 10	2	0.14	10	0.27	480
10291	201	238	< 1	1.93	0.2	< 5	900	0.5	< 2	0.46	< 0.5	14	33	19	2.48	< 10	< 1	0.17	20	0.34	1045
10292	201	238	< 1	1.70	0.2	5	850	0.5	< 2	0.40	< 0.5	17	30	44	3.24	< 10	< 1	0.13	10	0.27	992
10293	201	238	8	1.06	0.4	10	570	0.5	< 2	0.15	< 0.5	9	30	49	2.86	< 10	2	0.13	20	0.19	139
10294	201	238	< 1	2.24	0.2	< 5	450	0.5	< 2	0.32	< 0.5	13	26	26	2.62	< 10	< 1	0.15	10	0.47	359
10295	201	238	2	2.00	0.2	< 5	570	0.5	< 2	0.27	< 0.5	11	21	52	2.78	< 10	< 1	0.18	20	0.52	504
10296	201	238	2	1.40	0.2	< 5	380	< 0.5	< 2	0.24	< 0.5	10	22	47	2.31	< 10	< 1	0.14	20	0.35	256
10297	201	238	7	1.77	0.2	< 5	810	0.5	< 2	1.04	0.5	14	29	63	2.40	< 10	< 1	0.16	30	0.40	446
10298	201	238	2	1.60	0.2	10	440	0.5	< 2	0.37	< 0.5	13	27	26	2.46	< 10	< 1	0.14	20	0.46	264
10299	201	238	4	1.64	0.2	5	980	0.5	< 2	1.30	0.5	14	27	51	2.35	< 10	< 1	0.10	30	0.49	861
10300	201	238	3	1.82	0.2	< 5	600	0.5	2	0.51	< 0.5	15	16	77	3.25	< 10	< 1	0.17	20	0.63	672
10302	201	238	< 1	1.67	0.2	< 5	580	0.5	< 2	0.43	0.5	13	26	39	2.63	< 10	< 1	0.13	30	0.51	390
10303	201	238	2	1.48	0.2	< 5	580	< 0.5	< 2	0.46	0.5	10	26	27	2.16	< 10	< 1	0.14	20	0.44	406
10304	201	238	< 1	1.78	0.2	25	560	1.0	< 2	0.52	< 0.5	15	32	36	2.69	< 10	< 1	0.14	20	0.56	411
10305	201	238	< 1	1.70	0.2	5	550	0.5	< 2	0.22	< 0.5	12	27	17	2.45	< 10	< 1	0.10	20	0.48	329
10306	201	238	< 1	1.32	0.2	< 5	950	< 0.5	< 2	0.29	< 0.5	7	9	8	1.01	< 10	3	0.22	10	0.24	915
10307	201	238	2	1.01	0.2	< 5	520	< 0.5	2	0.20	< 0.5	6	14	6	1.41	< 10	< 1	0.12	20	0.25	177
10308	201	238	< 1	1.42	0.2	< 5	780	< 0.5	< 2	0.25	0.5	5	9	6	1.28	< 10	< 1	0.16	20	0.19	449
10309	201	238	< 1	0.70	0.2	< 5	350	< 0.5	< 2	0.14	< 0.5	2	5	5	0.82	< 10	< 1	0.13	10	0.11	70
10310	201	238	< 1	1.06	0.2	< 5	610	< 0.5	< 2	0.25	< 0.5	6	15	6	1.36	< 10	< 1	0.14	20	0.24	414
10311	201	238	< 1	1.03	0.2	15	560	< 0.5	< 2	0.18	< 0.5	5	14	6	1.11	< 10	< 1	0.22	10	0.17	304
10312	201	238	2	1.19	0.2	10	380	< 0.5	< 2	0.24	< 0.5	7	18	5	1.50	< 10	< 1	0.14	10	0.29	255
10313	201	238	< 1	1.37	0.2	< 5	590	< 0.5	< 2	0.22	0.5	7	14	6	1.31	< 10	< 1	0.22	20	0.28	337
10314	201	238	< 1	0.60	0.2	5	310	< 0.5	< 2	0.09	< 0.5	1	2	2	0.65	< 10	< 1	0.10	10	0.08	92
10315	201	238	< 1	0.77	0.4	< 5	250	< 0.5	< 2	0.18	< 0.5	2	10	5	0.84	< 10	< 1	0.16	10	0.16	69
10316	201	238	< 1	1.99	0.2	25	510	1.0	< 2	0.45	< 0.5	16	89	19	2.79	< 10	< 1	0.13	20	0.53	462
10317	201	238	< 1	2.15	0.6	< 5	870	2.0	< 2	0.45	1.5	29	66	67	4.31	< 10	5	0.16	30	0.38	793
10318	201	238	< 1	1.79	0.6	15	410	2.0	< 2	0.41	0.5	24	66	46	4.38	< 10	1	0.13	20	0.38	660
10319	201	238	< 1	2.16	0.4	< 5	970	1.0	< 2	0.28	0.5	14	42	37	2.68	< 10	< 1	0.20	10	0.35	262
10320	201	238	< 1	2.35	0.2	10	1060	1.0	< 2	0.40	0.5	12	46	21	2.34	< 10	< 1	0.09	10	0.39	609

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10280	201	238	1	0.01	72	200	20	5	< 10	32	0.07	< 10	< 10	64	5	132
10281	201	238	1	0.01	286	260	2	< 5	< 10	30	0.04	< 10	< 10	47	5	74
10282	201	238	1	0.01	107	130	8	< 5	< 10	32	0.06	< 10	< 10	65	< 5	75
10283	201	238	< 1	0.01	86	120	10	< 5	< 10	50	0.09	< 10	< 10	52	5	51
10284	201	238	2	0.01	21	110	8	< 5	< 10	35	0.13	< 10	< 10	64	5	43
10285	201	238	1	0.01	22	170	< 2	< 5	< 10	32	0.03	< 10	< 10	85	5	70
10286	201	238	< 1	0.01	53	840	< 2	5	< 10	150	0.02	< 10	< 10	60	10	84
10287	201	238	1	0.01	22	350	6	< 5	< 10	33	0.07	< 10	< 10	58	< 5	62
10288	201	238	3	0.01	26	670	10	< 5	< 10	40	0.03	< 10	< 10	86	5	119
10289	201	238	2	0.01	14	290	18	< 5	< 10	33	0.06	< 10	< 10	60	< 5	51
10290	201	238	< 1	0.01	11	600	22	5	< 10	42	0.04	< 10	< 10	55	< 5	63
10291	201	238	1	0.01	18	160	16	< 5	< 10	29	0.07	< 10	< 10	56	< 5	61
10292	201	238	2	0.01	28	280	6	< 5	< 10	26	0.03	< 10	< 10	65	< 5	97
10293	201	238	4	0.01	40	550	14	< 5	< 10	30	0.02	< 10	< 10	55	5	144
10294	201	238	1	0.02	19	160	6	< 5	< 10	32	0.10	< 10	< 10	65	5	60
10295	201	238	2	0.01	15	260	12	< 5	< 10	27	0.08	< 10	< 10	59	< 5	55
10296	201	238	< 1	0.01	18	410	12	< 5	< 10	27	0.04	< 10	< 10	50	< 5	71
10297	201	238	2	0.02	31	500	14	< 5	< 10	61	0.04	< 10	< 10	48	5	94
10298	201	238	1	0.02	19	560	2	< 5	< 10	33	0.06	< 10	< 10	55	< 5	81
10299	201	238	< 1	0.02	34	840	6	< 5	< 10	81	0.04	< 10	< 10	46	< 5	95
10300	201	238	2	0.01	21	1070	< 2	< 5	< 10	37	0.02	< 10	< 10	44	< 5	107
10302	201	238	< 1	0.02	20	600	16	< 5	< 10	36	0.07	< 10	< 10	54	5	79
10303	201	238	1	0.02	27	520	8	< 5	< 10	43	0.07	< 10	< 10	48	< 5	104
10304	201	238	1	0.04	28	540	2	< 5	< 10	51	0.09	< 10	< 10	65	5	90
10305	201	238	1	0.01	24	360	16	< 5	< 10	24	0.07	< 10	< 10	56	5	93
10306	201	238	< 1	0.01	4	150	22	< 5	< 10	37	0.01	< 10	< 10	17	< 5	43
10307	201	238	< 1	0.01	7	70	16	< 5	< 10	17	0.03	< 10	< 10	31	< 5	37
10308	201	238	1	0.01	2	220	96	< 5	< 10	24	0.01	< 10	< 10	20	< 5	60
10309	201	238	< 1	< 0.01	3	60	30	< 5	< 10	14	< 0.01	< 10	< 10	10	< 5	32
10310	201	238	< 1	0.01	8	100	30	< 5	< 10	20	0.03	< 10	< 10	28	< 5	35
10311	201	238	1	0.01	11	150	14	< 5	< 10	45	0.01	< 10	< 10	19	< 5	42
10312	201	238	< 1	0.01	11	80	22	< 5	10	21	0.06	< 10	< 10	35	< 5	39
10313	201	238	< 1	0.01	9	120	76	< 5	< 10	20	0.03	< 10	< 10	25	< 5	44
10314	201	238	1	< 0.01	2	50	28	< 5	< 10	12	< 0.01	< 10	< 10	4	< 5	42
10315	201	238	1	0.01	9	110	38	< 5	< 10	16	0.01	< 10	< 10	13	< 5	34
10316	201	238	2	0.02	65	180	6	5	< 10	42	0.07	< 10	< 10	63	5	73
10317	201	238	4	0.01	104	560	8	5	10	42	0.02	< 10	< 10	109	< 5	278
10318	201	238	3	0.01	72	560	8	< 5	< 10	31	0.04	< 10	< 10	102	< 5	218
10319	201	238	2	0.01	38	320	2	< 5	< 10	24	0.03	< 10	< 10	57	< 5	96
10320	201	238	1	< 0.01	22	210	18	< 5	< 10	25	0.05	< 10	< 10	80	< 5	103

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10321	201	238	< 1	1.45	0.2	10	420	0.5	< 2	0.16	< 0.5	13	11	31	2.59	< 10	3	0.18	< 10	0.54	433
10322	201	238	< 1	1.85	0.2	5	630	1.0	< 2	0.28	< 0.5	15	17	39	3.11	< 10	< 1	0.22	20	0.55	1020
10323	201	238	2	1.64	0.2	< 5	640	1.0	4	0.30	< 0.5	16	23	44	2.99	< 10	< 1	0.15	10	0.46	646
10324	201	238	< 1	1.63	0.2	< 5	930	1.0	< 2	0.34	< 0.5	12	32	21	2.43	< 10	4	0.14	20	0.33	421
10325	201	238	< 1	1.73	0.2	< 5	610	1.0	4	0.22	0.5	19	11	70	3.40	< 10	2	0.19	< 10	0.69	927
10326	201	238	< 1	1.69	0.2	< 5	1150	1.0	< 2	0.25	< 0.5	18	13	71	2.81	< 10	< 1	0.15	10	0.82	896
10327	201	238	< 1	0.72	0.2	15	360	0.5	< 2	0.36	< 0.5	6	9	9	1.35	< 10	< 1	0.18	30	0.25	118
10328	201	238	< 1	0.79	0.2	< 5	520	0.5	< 2	1.74	< 0.5	4	10	10	1.04	< 10	< 1	0.21	40	0.28	159
10329	201	238	< 1	0.83	0.2	< 5	450	< 0.5	< 2	0.85	0.5	6	9	10	0.98	< 10	< 1	0.16	40	0.23	212
10330	201	238	2	0.61	0.2	< 5	310	< 0.5	< 2	0.67	< 0.5	4	6	6	0.88	< 10	< 1	0.17	40	0.18	95
10331	201	238	< 1	0.55	0.2	5	130	< 0.5	< 2	0.37	< 0.5	2	4	5	0.59	< 10	< 1	0.14	20	0.09	49
10332	201	238	< 1	1.07	0.2	< 5	310	< 0.5	< 2	0.22	< 0.5	3	9	4	0.94	< 10	< 1	0.18	10	0.21	108
10333	201	238	< 1	1.16	0.2	< 5	320	< 0.5	< 2	0.25	< 0.5	5	9	3	1.02	< 10	2	0.16	10	0.22	158
10334	201	238	< 1	1.54	0.2	< 5	460	0.5	< 2	0.35	< 0.5	8	21	5	1.79	< 10	< 1	0.19	20	0.37	261
10335	201	238	< 1	1.78	0.2	15	730	1.0	< 2	0.26	< 0.5	8	21	9	1.81	< 10	< 1	0.13	100	0.35	471
10336	201	238	< 1	1.44	0.2	10	250	< 0.5	< 2	0.15	< 0.5	6	19	4	1.64	< 10	< 1	0.10	10	0.29	146
10337	201	238	< 1	2.14	0.2	< 5	460	0.5	< 2	0.19	< 0.5	8	25	5	2.08	< 10	4	0.11	20	0.37	268
10338	201	238	< 1	0.45	0.2	< 5	120	0.5	< 2	0.01	< 0.5	1	< 1	2	0.74	< 10	< 1	0.10	10	0.03	22
10339	201	238	< 1	0.54	0.2	< 5	230	< 0.5	< 2	0.04	< 0.5	< 1	1	3	0.28	< 10	< 1	0.15	10	0.04	18
10340	201	238	< 1	0.36	0.2	< 5	110	< 0.5	< 2	0.03	< 0.5	< 1	2	1	0.24	< 10	< 1	0.14	< 10	0.03	15
10341	201	238	< 1	2.03	0.2	< 5	300	< 0.5	< 2	0.20	< 0.5	8	34	14	2.37	< 10	2	0.13	20	0.40	192
10342	201	238	< 1	0.49	0.2	< 5	190	< 0.5	< 2	0.05	< 0.5	< 1	1	1	0.33	< 10	< 1	0.11	< 10	0.06	45
10343	201	238	< 1	1.41	0.2	< 5	380	< 0.5	< 2	0.14	< 0.5	5	12	4	1.36	< 10	1	0.13	10	0.24	238
10344	201	238	< 1	1.62	0.2	5	270	< 0.5	< 2	0.16	< 0.5	4	21	6	1.75	< 10	1	0.11	10	0.30	128
10345	201	238	< 1	1.12	0.2	< 5	260	< 0.5	< 2	0.10	< 0.5	3	12	4	1.12	< 10	< 1	0.11	10	0.19	82
10346	201	238	11	1.81	0.2	15	340	< 0.5	< 2	2.92	< 0.5	17	50	67	3.57	10	1	0.22	10	1.30	783
10347	201	238	3	0.60	0.2	5	420	< 0.5	< 2	9.08	0.5	7	28	39	0.99	20	1	0.05	< 10	0.92	981
10348	201	238	2	0.30	0.2	25	260	< 0.5	< 2	10.15	< 0.5	16	13	16	0.94	20	< 1	0.06	< 10	0.97	5290
10349	201	238	< 1	2.84	0.2	45	510	< 0.5	< 2	2.36	< 0.5	27	226	71	4.80	10	1	0.11	20	2.66	986
10350	201	238	< 1	2.19	0.2	105	570	< 0.5	< 2	2.74	< 0.5	19	128	64	4.92	10	< 1	0.13	10	1.67	843
10351	201	238	< 1	1.27	0.2	15	520	< 0.5	< 2	0.88	< 0.5	15	40	45	3.03	< 10	1	0.11	20	0.77	355
10352	201	238	< 1	1.34	0.2	5	360	< 0.5	< 2	0.93	< 0.5	8	25	23	2.24	< 10	< 1	0.08	20	0.68	399
10353	201	238	3	1.00	0.2	< 5	220	< 0.5	< 2	0.52	0.5	5	21	15	1.44	< 10	1	0.07	20	0.36	142
10354	201	238	2	1.35	0.2	5	300	< 0.5	< 2	0.50	< 0.5	9	26	25	2.13	< 10	< 1	0.08	20	0.43	278
10355	201	238	1	1.41	0.4	90	400	< 0.5	< 2	0.65	0.5	24	326	49	3.10	< 10	1	0.06	20	1.38	452
10356	201	238	2	2.01	0.2	435	790	< 0.5	< 2	0.85	1.0	61	1240	46	3.07	< 10	1	< 0.01	10	3.77	450
10357	201	238	6	1.26	0.2	10	330	< 0.5	< 2	0.68	0.5	9	28	23	1.96	< 10	< 1	0.10	20	0.39	369
10358	201	238	4	1.38	0.2	< 5	390	< 0.5	< 2	0.63	0.5	11	28	29	2.14	< 10	1	0.10	20	0.47	392
10359	201	238	< 1	1.57	0.2	< 5	380	< 0.5	< 2	0.61	0.5	10	28	27	2.36	< 10	2	0.14	20	0.51	499
10360	201	238	< 1	1.62	0.2	5	440	< 0.5	< 2	0.75	0.5	13	31	36	2.61	< 10	< 1	0.12	20	0.58	435

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P-53
Comments:

Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10321	201	238	2	< 0.01	7	120	4	< 5	< 10	9	0.02	< 10	< 10	44	< 5	57
10322	201	238	2	0.01	9	120	< 2	< 5	< 10	18	0.03	< 10	< 10	56	5	68
10323	201	238	1	0.01	24	130	4	< 5	< 10	21	0.03	< 10	< 10	56	< 5	81
10324	201	238	2	0.01	20	240	< 2	< 5	< 10	25	0.04	< 10	< 10	60	< 5	84
10325	201	238	1	< 0.01	24	400	6	< 5	< 10	11	0.01	< 10	< 10	48	5	79
10326	201	238	1	< 0.01	23	180	2	< 5	< 10	15	0.01	< 10	< 10	34	5	74
10327	201	238	< 1	0.01	12	260	40	< 5	< 10	32	< 0.01	< 10	< 10	16	< 5	50
10328	201	238	< 1	0.01	11	280	28	< 5	< 10	83	0.01	< 10	< 10	15	< 5	39
10329	201	238	< 1	0.01	22	300	50	< 5	< 10	57	0.01	< 10	< 10	16	< 5	38
10330	201	238	1	0.01	15	120	40	< 5	< 10	37	0.01	< 10	< 10	11	< 5	32
10331	201	238	1	< 0.01	9	100	46	< 5	< 10	20	< 0.01	< 10	< 10	5	< 5	36
10332	201	238	< 1	0.01	9	40	18	< 5	< 10	18	0.01	< 10	< 10	16	< 5	38
10333	201	238	< 1	0.01	20	60	14	< 5	< 10	19	0.02	< 10	< 10	19	< 5	41
10334	201	238	1	0.01	10	90	20	< 5	< 10	35	0.05	< 10	< 10	40	< 5	44
10335	201	238	< 1	0.01	16	130	60	< 5	< 10	26	0.06	< 10	< 10	39	< 5	47
10336	201	238	2	0.01	11	60	12	< 5	< 10	16	0.06	< 10	< 10	40	5	42
10337	201	238	1	0.01	9	110	20	5	< 10	20	0.08	< 10	< 10	55	< 5	76
10338	201	238	1	< 0.01	< 1	30	34	< 5	< 10	5	< 0.01	< 10	< 10	1	< 5	31
10339	201	238	< 1	< 0.01	< 1	50	12	< 5	< 10	8	< 0.01	< 10	< 10	3	< 5	18
10340	201	238	< 1	0.01	< 1	60	6	< 5	< 10	4	< 0.01	< 10	< 10	5	< 5	11
10341	201	238	< 1	0.01	17	130	10	< 5	< 10	20	0.08	< 10	< 10	53	< 5	55
10342	201	238	< 1	0.01	< 1	30	8	< 5	< 10	5	< 0.01	< 10	< 10	6	< 5	18
10343	201	238	< 1	0.01	4	120	24	< 5	< 10	12	0.05	< 10	< 10	31	< 5	79
10344	201	238	< 1	0.01	5	80	20	< 5	< 10	16	0.06	< 10	< 10	36	< 5	54
10345	201	238	< 1	0.01	4	60	14	< 5	< 10	12	0.04	< 10	< 10	26	< 5	26
10346	201	238	< 1	0.01	41	950	< 2	< 5	< 10	86	0.03	< 10	< 10	50	10	79
10347	201	238	< 1	0.03	31	1320	< 2	< 5	10	421	0.01	< 10	10	16	5	69
10348	201	238	< 1	0.03	44	2230	6	< 5	< 10	286	< 0.01	< 10	< 10	7	< 5	82
10349	201	238	< 1	0.01	151	690	8	< 5	< 10	120	0.02	< 10	< 10	87	10	98
10350	201	238	< 1	0.02	96	330	2	< 5	< 10	115	0.03	10	< 10	67	10	84
10351	201	238	< 1	0.02	54	730	< 2	< 5	< 10	81	< 0.01	10	< 10	28	5	71
10352	201	238	< 1	0.02	17	750	8	< 5	< 10	60	0.06	10	< 10	42	10	56
10353	201	238	< 1	0.02	12	650	< 2	< 5	< 10	31	0.06	< 10	< 10	35	5	49
10354	201	238	< 1	0.02	19	670	8	< 5	< 10	31	0.06	10	< 10	42	5	62
10355	201	238	< 1	0.02	268	700	8	< 5	< 10	54	0.03	< 10	< 10	58	5	130
10356	201	238	2	0.01	661	710	16	< 5	< 10	72	0.01	< 10	< 10	123	20	247
10357	201	238	< 1	0.02	24	700	< 2	< 5	< 10	43	0.06	10	< 10	43	5	63
10358	201	238	< 1	0.02	26	670	8	< 5	< 10	43	0.07	< 10	< 10	49	< 5	81
10359	201	238	< 1	0.03	24	620	6	< 5	< 10	44	0.08	10	< 10	53	< 5	80
10360	201	238	< 1	0.05	29	700	6	< 5	< 10	51	0.09	10	< 10	55	5	86

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: LIMITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Page No : A
Tot. Pa :
Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10361	201	238	4	1.40	0.2	10	400	< 0.5	< 2	0.79	< 0.5	10	30	27	2.26	< 10	< 1	0.12	20	0.49	415
10362	201	238	2	1.31	0.2	10	510	< 0.5	< 2	1.76	< 0.5	11	28	25	2.30	10	1	0.14	20	0.84	406
10363	201	238	< 1	1.46	0.2	5	440	< 0.5	< 2	1.07	< 0.5	10	30	22	2.13	< 10	1	0.13	10	0.53	450
10364	203	238	1	0.54	0.2	5	440	< 0.5	< 2	3.67	0.5	3	23	25	0.64	10	< 1	0.03	< 10	0.40	294
10365	201	238	1	0.94	0.2	10	420	< 0.5	< 2	2.09	0.5	6	18	33	1.56	< 10	1	0.07	10	0.53	420
10366	201	238	2	1.45	0.2	5	310	< 0.5	< 2	0.88	< 0.5	9	28	18	2.38	< 10	< 1	0.12	20	0.57	397
10367	201	238	2	1.46	0.2	10	280	< 0.5	< 2	0.94	< 0.5	10	30	29	2.35	< 10	1	0.15	10	0.67	254
10368	201	238	2	1.38	0.2	< 5	330	< 0.5	< 2	0.96	1.5	15	27	39	2.22	< 10	< 1	0.12	10	0.49	1230
10369	201	238	< 1	1.41	0.2	10	410	< 0.5	< 2	0.97	0.5	12	28	33	2.34	< 10	< 1	0.14	20	0.54	1065
10370	201	238	4	1.24	0.2	30	250	< 0.5	< 2	1.56	1.5	18	45	56	3.16	10	< 1	0.12	20	0.84	1000
10371	201	238	34	1.44	0.2	20	240	< 0.5	< 2	0.73	0.5	13	49	58	2.99	< 10	< 1	0.15	20	0.68	486
10372	201	238	2	1.62	0.2	10	210	< 0.5	< 2	0.95	< 0.5	13	58	35	2.73	10	< 1	0.13	20	0.76	316
10373	201	238	13	1.26	0.2	10	470	< 0.5	< 2	0.87	< 0.5	12	33	35	2.48	< 10	< 1	0.14	20	0.53	580
10374	201	238	6	1.94	0.2	< 5	420	< 0.5	< 2	2.25	1.0	19	145	44	3.62	10	1	0.13	10	0.95	529
10375	203	238	< 1	0.36	0.2	50	240	< 0.5	< 2	1.09	1.5	13	228	73	2.67	< 10	< 1	0.09	10	0.33	345
10376	203	238	53	1.39	2.2	100	620	< 0.5	< 2	1.55	8.0	16	204	149	3.51	< 10	1	0.40	20	0.61	695
10377	201	238	< 1	0.60	0.2	5	330	< 0.5	< 2	0.49	< 0.5	6	24	13	1.37	< 10	< 1	0.05	20	0.37	205
10378	201	238	4	2.55	0.2	20	330	< 0.5	< 2	2.78	< 0.5	31	173	44	4.28	10	1	0.34	10	2.57	738
10379	201	238	< 1	2.17	0.2	10	300	< 0.5	< 2	3.10	< 0.5	35	168	50	4.79	10	< 1	0.44	10	2.53	666
10380	201	238	6	1.32	0.2	55	300	< 0.5	< 2	2.58	< 0.5	22	138	37	2.89	10	< 1	0.23	10	1.60	397
10381	203	238	4	1.46	0.2	15	320	< 0.5	< 2	1.91	< 0.5	26	347	43	2.77	10	< 1	0.19	10	1.96	507
10382	201	238	7	1.32	0.2	20	340	< 0.5	< 2	1.07	0.5	16	65	38	2.64	< 10	< 1	0.11	20	1.11	468
10383	201	238	2	0.94	0.2	5	300	< 0.5	< 2	0.86	< 0.5	11	36	29	2.08	< 10	< 1	0.09	20	0.75	363
[illegible]	201	238	2	1.18	0.2	5	210	< 0.5	< 2	0.26	< 0.5	9	26	21	1.77	< 10	< 1	0.05	10	0.64	186
10385	201	238	4	1.78	0.2	< 5	450	< 0.5	< 2	0.23	< 0.5	9	33	32	2.48	< 10	1	0.15	20	0.52	190
10386	201	238	< 1	0.39	0.2	< 5	250	< 0.5	< 2	0.23	< 0.5	3	10	9	0.85	< 10	< 1	0.06	20	0.25	73
10387	203	238	2	0.72	0.2	5	400	< 0.5	< 2	0.21	< 0.5	4	287	9	0.98	< 10	< 1	0.32	20	0.24	144
10388	201	238	< 1	0.62	0.2	5	160	< 0.5	< 2	0.29	< 0.5	4	13	8	0.82	< 10	< 1	0.10	20	0.24	113
10389	201	238	5	1.02	0.2	5	190	< 0.5	< 2	0.31	< 0.5	8	24	16	1.59	< 10	1	0.08	10	0.55	206
10390	201	238	< 1	1.35	0.2	5	170	< 0.5	< 2	0.11	< 0.5	5	20	8	1.91	< 10	1	0.08	10	0.27	115
10391	201	238	2	2.15	0.2	10	230	< 0.5	< 2	0.13	< 0.5	7	35	12	3.12	< 10	1	0.08	20	0.39	198
10392	201	238	< 1	0.51	0.2	< 5	70	< 0.5	< 2	0.17	< 0.5	2	2	7	0.77	< 10	< 1	0.08	10	0.11	61
10393	201	238	< 1	0.81	0.2	5	110	< 0.5	< 2	0.08	< 0.5	3	10	6	1.80	< 10	< 1	0.11	10	0.19	91
10400	201	238	4	1.38	0.2	15	510	< 0.5	< 2	0.47	0.5	13	33	50	3.07	< 10	< 1	0.14	20	0.44	536
10401	201	238	< 1	1.79	0.2	15	800	< 0.5	< 2	0.46	0.5	16	48	58	3.81	< 10	< 1	0.12	20	0.41	544
10402	201	238	4	0.93	1.0	30	580	< 0.5	< 2	0.29	< 0.5	9	23	57	2.97	< 10	< 1	0.21	10	0.24	513
10403	201	238	4	0.97	1.6	20	480	< 0.5	< 2	0.36	< 0.5	6	26	27	1.90	< 10	< 1	0.18	20	0.19	209
10404	201	238	< 1	1.95	0.2	20	620	< 0.5	2	0.43	< 0.5	12	50	22	2.72	< 10	1	0.15	20	0.49	449
10405	201	238	10	1.42	0.4	15	520	< 0.5	< 2	1.68	0.5	14	47	56	2.92	10	< 1	0.15	20	0.55	497
10406	201	238	2	1.75	0.4	20	670	< 0.5	< 2	0.66	< 0.5	12	50	46	2.93	< 10	< 1	0.13	20	0.49	370

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P-53
Comments:

Page No : -B
Tot. Pa : o
Date : 13-AUG-87
Invoice # : I-8718558
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718558

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10361	201	238	< 1	0.04	24	680	10	< 5	< 10	52	0.07	10	< 10	50	5	77
10362	201	238	< 1	0.04	21	790	6	< 5	< 10	64	0.09	< 10	< 10	53	5	73
10363	201	238	< 1	0.04	20	560	4	< 5	< 10	51	0.08	10	< 10	54	< 5	61
10364	203	238	< 1	0.04	15	810	4	< 5	< 10	156	0.01	< 10	< 10	14	5	25
10365	201	238	< 1	0.03	21	870	2	< 5	< 10	82	0.04	< 10	< 10	31	5	63
10366	201	238	< 1	0.03	19	800	8	< 5	< 10	52	0.09	< 10	< 10	57	< 5	71
10367	201	238	< 1	0.03	25	730	8	< 5	< 10	50	0.09	< 10	< 10	55	5	97
10368	201	238	1	0.02	34	750	6	< 5	< 10	53	0.07	< 10	< 10	52	5	71
10369	201	238	1	0.02	28	800	6	< 5	< 10	55	0.08	< 10	< 10	55	5	82
10370	201	238	1	0.01	53	1150	16	< 5	< 10	63	< 0.01	< 10	< 10	36	5	190
10371	201	238	3	0.01	33	840	18	< 5	< 10	44	0.01	< 10	< 10	50	< 5	128
10372	201	238	< 1	0.02	32	880	16	< 5	< 10	44	0.03	< 10	< 10	59	5	94
10373	201	238	< 1	0.03	26	790	12	< 5	< 10	48	0.09	10	< 10	56	5	73
10374	201	238	< 1	0.02	115	1170	8	< 5	< 10	70	0.02	< 10	< 10	69	5	114
10375	203	238	1	0.01	87	530	2	< 5	< 10	33	< 0.01	< 10	< 10	15	5	339
10376	203	238	17	0.02	156	1360	32	< 5	< 10	57	0.01	< 10	< 10	144	< 5	949
10377	201	238	< 1	0.01	13	880	6	< 5	< 10	28	0.06	10	< 10	27	< 5	47
10378	201	238	< 1	0.02	130	1140	8	< 5	< 10	89	0.05	< 10	< 10	95	5	78
10379	201	238	< 1	0.01	118	1670	4	< 5	< 10	75	0.03	10	< 10	92	< 5	99
10380	201	238	< 1	0.02	223	870	10	< 5	< 10	107	0.03	10	< 10	47	5	82
10381	203	238	< 1	0.02	242	550	10	< 5	< 10	65	0.02	< 10	< 10	47	5	86
10382	201	238	< 1	0.01	66	600	24	< 5	< 10	45	0.05	10	< 10	43	< 5	93
10383	201	238	< 1	0.01	38	560	10	< 5	< 10	36	0.04	< 10	< 10	34	< 5	74
10384	201	238	< 1	0.01	12	360	18	< 5	< 10	15	0.06	< 10	< 10	34	< 5	61
10385	201	238	< 1	0.01	17	480	32	< 5	< 10	20	0.05	< 10	< 10	49	< 5	79
10386	201	238	< 1	0.01	4	410	24	< 5	< 10	15	0.03	10	< 10	16	< 5	37
10387	203	238	< 1	0.02	7	290	14	< 5	< 10	18	0.02	< 10	< 10	15	< 5	42
10388	201	238	< 1	0.01	4	460	6	< 5	< 10	25	0.04	< 10	< 10	16	< 5	29
10389	201	238	< 1	0.01	12	440	16	< 5	< 10	19	0.06	< 10	< 10	29	< 5	56
10390	201	238	< 1	0.01	8	170	8	< 5	< 10	15	0.06	10	< 10	41	< 5	32
10391	201	238	< 1	0.01	7	420	16	< 5	< 10	15	0.10	10	< 10	71	< 5	45
10392	201	238	< 1	0.01	< 1	190	14	< 5	< 10	19	0.09	< 10	< 10	17	< 5	20
10393	201	238	< 1	0.01	2	380	16	< 5	< 10	13	0.05	< 10	< 10	32	< 5	32
10400	201	238	< 1	0.02	32	400	2	< 5	< 10	39	0.05	10	< 10	61	< 5	82
10401	201	238	< 1	0.02	52	660	6	< 5	< 10	43	0.03	10	< 10	82	< 5	131
10402	201	238	10	0.01	17	760	10	< 5	< 10	71	0.01	10	< 10	48	< 5	69
10403	201	238	5	0.01	20	530	10	< 5	< 10	49	0.02	10	< 10	43	< 5	55
10404	201	238	< 1	0.02	29	210	10	< 5	< 10	34	0.06	10	< 10	63	< 5	50
10405	201	238	< 1	0.01	48	690	10	< 5	< 10	59	0.04	10	< 10	58	< 5	92
10406	201	238	< 1	0.02	43	490	12	< 5	< 10	54	0.04	10	< 10	64	< 5	86

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

7 UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10407	201	238	< 1	1.68	0.4	55	630	< 0.5	< 2	0.53	< 0.5	18	205	38	3.56	10	< 1	0.13	40	1.17	269
10408	201	238	< 1	0.63	0.2	5	270	< 0.5	< 2	0.42	< 0.5	3	11	9	1.14	< 10	< 1	0.11	40	0.19	87
10409	201	238	1	0.79	0.4	15	390	< 0.5	< 2	0.72	0.5	8	28	36	1.90	< 10	< 1	0.14	30	0.35	216
10410	201	238	13	1.63	0.4	< 5	590	< 0.5	< 2	0.91	0.5	9	30	44	2.25	< 10	1	0.07	20	0.58	385
10411	201	238	< 1	1.47	0.4	10	940	< 0.5	< 2	1.45	1.0	10	28	57	2.38	10	1	0.10	20	0.59	331
10412	201	238	< 1	1.14	0.2	5	430	1.5	< 2	1.55	0.5	10	24	31	1.93	10	< 1	0.11	20	0.48	443
10413	201	238	6	1.19	0.2	5	750	< 0.5	< 2	3.40	1.0	21	27	66	2.66	10	1	0.13	10	0.57	1545
10414	201	238	15	1.20	0.2	10	650	< 0.5	< 2	3.56	1.0	20	28	52	2.60	10	< 1	0.13	10	0.49	1435
10415	201	238	6	1.28	0.2	20	740	< 0.5	< 2	3.43	0.5	20	28	62	2.67	10	1	0.15	10	0.60	1275
10417	201	238	< 1	2.64	0.2	10	510	< 0.5	< 2	0.74	< 0.5	13	37	39	3.52	10	2	0.19	30	0.82	314
10418	201	238	< 1	0.31	0.2	< 5	490	< 0.5	< 2	4.83	< 0.5	4	4	20	0.35	10	< 1	< 0.01	< 10	0.52	597
10419	201	238	6	1.19	0.2	10	930	0.5	< 2	1.27	< 0.5	7	18	23	1.66	10	< 1	0.20	40	0.43	445
10420	201	238	< 1	0.82	0.4	< 5	750	< 0.5	< 2	3.29	2.5	6	17	29	0.96	10	< 1	0.15	20	0.79	248
10421	201	238	2	0.51	0.2	15	390	< 0.5	< 2	2.98	0.5	4	10	20	0.96	10	< 1	0.19	30	0.57	123
10422	201	238	< 1	1.70	0.2	10	1270	< 0.5	< 2	0.81	< 0.5	12	16	60	2.90	< 10	< 1	0.11	20	0.56	844
10423	201	238	< 1	1.05	0.2	15	320	< 0.5	< 2	0.54	< 0.5	10	25	18	1.94	< 10	< 1	0.08	20	0.53	328
10424	201	238	2	1.23	0.2	5	460	< 0.5	< 2	1.71	1.0	15	31	37	2.50	< 10	< 1	0.18	20	0.50	903
10425	201	238	29	1.39	0.2	20	470	2.0	< 2	0.93	0.5	12	38	33	2.90	10	1	0.15	20	0.45	558
10428	201	238	6	0.92	0.2	30	580	< 0.5	< 2	1.53	0.5	12	28	42	2.18	< 10	< 1	0.16	20	0.38	520
10429	201	238	< 1	1.20	0.2	5	340	0.5	< 2	0.66	< 0.5	9	26	23	1.91	< 10	< 1	0.13	20	0.39	290
10430	201	238	4	1.89	0.2	< 5	680	< 0.5	< 2	1.26	< 0.5	11	27	49	3.14	< 10	1	0.13	20	0.59	451
10431	201	238	11	2.03	0.2	30	410	< 0.5	< 2	1.20	< 0.5	20	136	71	3.31	< 10	1	0.10	10	1.64	376
10432	201	238	7	2.17	0.2	25	400	< 0.5	< 2	1.07	< 0.5	21	140	60	3.50	< 10	< 1	0.08	20	1.72	478
10433	201	238	2	1.07	0.2	15	340	< 0.5	< 2	0.66	0.5	11	25	28	2.75	< 10	< 1	0.09	20	0.42	434
10434	201	238	5	1.63	0.2	15	460	< 0.5	< 2	0.69	< 0.5	12	41	36	2.85	< 10	< 1	0.11	20	0.56	466
10435	201	238	2	1.17	0.2	5	350	< 0.5	< 2	0.66	< 0.5	10	25	24	2.13	< 10	< 1	0.09	20	0.43	452
10436	201	238	1	1.08	0.2	< 5	290	< 0.5	< 2	0.52	< 0.5	8	24	20	1.71	< 10	< 1	0.10	20	0.39	242
10437	201	238	< 1	1.16	0.2	15	350	< 0.5	< 2	0.65	0.5	11	26	25	2.13	< 10	1	0.12	20	0.43	593
10438	201	238	2	1.12	0.2	< 5	240	< 0.5	< 2	0.46	< 0.5	8	24	17	1.84	< 10	< 1	0.09	20	0.32	276
10439	201	238	12	1.26	0.2	10	300	< 0.5	< 2	0.50	< 0.5	8	25	24	2.13	< 10	< 1	0.08	20	0.37	447
10440	201	238	4	0.75	0.2	15	340	< 0.5	< 2	1.22	0.5	18	20	82	3.15	< 10	< 1	0.10	20	0.30	574
10441	201	238	2	1.39	0.2	5	620	< 0.5	< 2	0.82	1.0	11	25	45	2.73	< 10	< 1	0.11	20	0.27	392
10442	201	238	< 1	1.15	0.2	5	510	< 0.5	< 2	1.65	0.5	8	22	46	1.91	< 10	< 1	0.08	10	0.61	296
10443	201	238	17	1.12	0.2	5	410	< 0.5	< 2	1.06	0.5	10	24	32	2.16	< 10	1	0.10	20	0.46	408
10444	201	238	6	1.77	0.2	10	520	< 0.5	< 2	0.74	< 0.5	11	31	37	2.04	< 10	< 1	0.18	20	0.51	263
10445	201	238	< 1	1.22	0.2	20	330	< 0.5	< 2	0.71	0.5	11	28	40	2.75	< 10	1	0.16	30	0.43	292
10446	201	238	6	0.38	1.0	55	280	< 0.5	< 2	1.03	1.5	25	11	92	3.77	< 10	< 1	0.07	20	0.42	1420
10447	201	238	6	0.50	0.6	35	240	< 0.5	< 2	1.06	0.5	14	17	82	2.85	< 10	< 1	0.08	20	0.67	513
10448	201	238	5	0.53	0.6	40	250	< 0.5	< 2	0.55	1.0	13	14	63	2.88	< 10	< 1	0.08	20	0.17	428
10449	201	238	4	1.42	0.2	< 5	340	< 0.5	< 2	0.70	< 0.5	12	33	25	2.42	< 10	1	0.13	20	0.56	451

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10407	201	238	1	0.01	149	650	22	< 5	< 10	87	< 0.01	10	< 10	61	< 5	115
10408	201	238	< 1	0.01	8	250	34	< 5	< 10	33	0.01	20	< 10	15	< 5	39
10409	201	238	1	0.01	33	600	28	< 5	< 10	55	0.01	10	< 10	29	< 5	91
10410	201	238	< 1	0.02	25	520	10	< 5	< 10	85	0.06	< 10	< 10	55	< 5	42
10411	201	238	1	0.03	32	680	10	< 5	< 10	116	0.03	< 10	< 10	47	< 5	75
10412	201	238	< 1	0.02	25	650	10	< 5	< 10	64	0.06	10	< 10	39	< 5	80
10413	201	238	< 1	0.02	64	860	2	< 5	< 10	56	0.03	< 10	< 10	47	< 5	165
10414	201	238	< 1	0.02	56	730	8	< 5	< 10	59	0.04	< 10	< 10	45	< 5	149
10415	201	238	< 1	0.02	54	850	40	< 5	< 10	61	0.04	< 10	< 10	49	5	153
10417	201	238	< 1	0.02	31	440	16	< 5	< 10	50	0.01	10	< 10	48	< 5	74
10418	201	238	< 1	0.02	8	850	2	< 5	< 10	167	0.01	< 10	10	7	5	18
10419	201	238	< 1	0.02	35	400	28	< 5	< 10	117	0.02	20	< 10	22	< 5	45
10420	201	238	< 1	0.02	54	790	12	< 5	< 10	211	0.01	10	< 10	16	< 5	94
10421	201	238	< 1	0.02	36	310	36	< 5	< 10	110	< 0.01	20	< 10	12	< 5	53
10422	201	238	< 1	0.02	14	240	4	< 5	< 10	58	0.03	< 10	< 10	52	< 5	46
10423	201	238	< 1	0.02	19	630	12	< 5	< 10	42	0.07	10	< 10	41	< 5	57
10424	201	238	< 1	0.02	42	800	2	< 5	< 10	41	0.06	10	< 10	46	< 5	138
10425	201	238	< 1	0.02	26	840	32	< 5	< 10	52	0.03	10	< 10	46	< 5	138
10428	201	238	< 1	0.01	39	670	16	< 5	< 10	44	0.03	10	< 10	34	< 5	113
10429	201	238	< 1	0.02	19	690	6	< 5	< 10	37	0.07	10	< 10	48	< 5	63
10430	201	238	< 1	0.02	20	420	2	< 5	< 10	67	0.04	< 10	< 10	59	< 5	51
10431	201	238	< 1	0.02	115	1040	6	< 5	< 10	65	0.04	< 10	< 10	57	< 5	93
10432	201	238	< 1	0.01	114	970	10	< 5	< 10	72	0.04	< 10	< 10	61	< 5	96
10433	201	238	< 1	0.02	26	650	2	< 5	< 10	42	0.06	< 10	< 10	44	< 5	75
10434	201	238	1	0.03	38	640	6	< 5	< 10	45	0.05	< 10	< 10	52	< 5	83
10435	201	238	< 1	0.02	23	740	4	< 5	< 10	42	0.07	10	< 10	45	< 5	71
10436	201	238	< 1	0.02	21	660	6	< 5	< 10	35	0.07	10	< 10	40	< 5	65
10437	201	238	< 1	0.02	29	710	8	< 5	< 10	42	0.06	10	< 10	42	< 5	88
10438	201	238	< 1	0.02	15	590	6	< 5	< 10	31	0.08	10	< 10	42	< 5	52
10439	201	238	< 1	0.02	19	600	< 2	< 5	< 10	32	0.06	10	< 10	43	< 5	63
10440	201	238	3	0.01	51	820	8	< 5	< 10	70	0.02	< 10	< 10	30	< 5	143
10441	201	238	3	0.01	32	560	10	< 5	< 10	59	0.01	10	< 10	48	< 5	108
10442	201	238	1	0.03	27	600	4	< 5	< 10	60	0.02	10	< 10	35	< 5	67
10443	201	238	< 1	0.03	23	760	6	< 5	< 10	59	0.07	< 10	< 10	46	< 5	66
10444	201	238	< 1	0.03	23	610	8	< 5	< 10	59	0.07	10	< 10	58	< 5	68
10445	201	238	5	0.02	30	840	12	< 5	< 10	50	0.06	10	< 10	56	< 5	139
10446	201	238	20	0.01	60	950	16	5	< 10	46	< 0.01	< 10	< 10	33	< 5	247
10447	201	238	13	0.01	57	930	20	< 5	< 10	42	0.02	< 10	< 10	29	5	234
10448	201	238	13	0.01	39	910	8	< 5	< 10	40	0.01	10	< 10	33	< 5	179
10449	201	238	< 1	0.03	24	690	2	< 5	< 10	42	0.09	< 10	< 10	57	< 5	71

CERTIFICATION : BC Geo

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10450	201	238	2	1.59	0.4	10	390	< 0.5	< 2	0.83	0.5	10	32	31	2.32	< 10	< 1	0.15	20	0.59	450
10451	201	238	< 1	1.20	0.2	10	350	< 0.5	< 2	0.82	2.5	9	26	32	2.01	< 10	< 1	0.12	20	0.44	449
10452	201	238	1	0.54	0.2	10	180	< 0.5	< 2	0.82	< 0.5	12	28	33	3.17	10	< 1	0.06	50	0.23	249
10453	201	238	< 1	0.77	0.2	10	200	< 0.5	< 2	0.77	< 0.5	13	26	34	2.99	10	< 1	0.10	40	0.23	400
10454	201	238	< 1	0.65	0.4	5	190	< 0.5	< 2	2.22	1.0	8	15	26	1.64	10	< 1	0.07	20	0.34	379
10455	201	238	< 1	0.52	0.4	15	150	< 0.5	< 2	1.33	< 0.5	11	21	35	3.18	10	< 1	0.08	40	0.23	317
10456	201	238	2	0.55	0.4	15	150	< 0.5	< 2	0.55	< 0.5	15	24	38	3.89	< 10	< 1	0.07	50	0.15	436
10457	201	238	< 1	1.76	0.2	25	290	< 0.5	< 2	1.34	< 0.5	18	63	91	3.51	10	< 1	0.15	10	1.05	544
10458	201	238	3	1.51	0.4	30	270	< 0.5	< 2	2.72	< 0.5	24	100	75	3.68	10	< 1	0.15	10	1.69	795
10459	201	238	< 1	1.75	0.2	20	610	< 0.5	< 2	1.08	< 0.5	35	207	26	2.59	< 10	< 1	0.15	20	2.05	577
10460	201	238	< 1	1.22	0.2	30	310	< 0.5	< 2	2.29	< 0.5	55	779	39	3.26	10	< 1	0.07	10	4.68	463
10461	201	238	50	1.30	0.2	5	230	< 0.5	< 2	0.47	< 0.5	7	16	19	1.67	< 10	1	0.15	10	0.68	128
10462	201	238	< 1	1.45	0.2	5	310	< 0.5	< 2	0.40	< 0.5	13	26	31	2.57	< 10	< 1	0.07	10	0.90	255
10463	201	238	< 1	0.21	0.2	< 5	90	< 0.5	< 2	0.11	< 0.5	< 1	1	2	0.10	< 10	< 1	0.17	30	0.01	6
10464	201	238	< 1	0.81	0.2	35	120	< 0.5	< 2	0.23	< 0.5	13	6	53	2.82	< 10	< 1	0.12	20	0.28	111
10465	201	238	5	1.59	0.2	30	60	< 0.5	< 2	0.58	< 0.5	19	7	48	2.90	< 10	< 1	0.05	< 10	1.12	406
10466	201	238	805	1.27	0.2	5	230	< 0.5	< 2	0.28	< 0.5	12	24	24	2.02	< 10	1	0.07	10	0.58	267
10467	201	238	5	1.30	0.2	< 5	80	< 0.5	< 2	0.56	< 0.5	13	7	62	2.23	< 10	< 1	0.16	< 10	0.79	241
10469	201	238	9	1.84	0.2	10	190	< 0.5	< 2	0.42	< 0.5	17	43	53	2.98	< 10	1	0.11	10	1.36	304
10470	201	238	13	0.96	0.2	20	150	< 0.5	< 2	0.30	< 0.5	8	16	56	2.93	< 10	< 1	0.14	20	0.43	86
10471	201	238	3	1.37	0.2	< 5	120	< 0.5	< 2	0.19	< 0.5	10	24	12	2.08	< 10	< 1	0.05	10	0.87	186
10472	201	238	2	2.41	0.2	5	400	< 0.5	< 2	0.23	< 0.5	13	40	25	2.94	< 10	< 1	0.12	10	0.85	260
10473	201	238	< 1	1.01	0.2	10	130	< 0.5	< 2	0.28	< 0.5	10	22	16	1.84	< 10	< 1	0.06	10	0.49	182
10474	201	238	2	1.25	0.2	15	200	< 0.5	< 2	0.48	< 0.5	12	20	53	2.20	< 10	< 1	0.17	10	0.73	250
10475	201	238	34	2.23	0.2	5	20	< 0.5	< 2	1.15	< 0.5	27	189	32	2.85	< 10	2	< 0.01	< 10	2.48	388
10476	201	238	4	2.00	0.2	10	230	< 0.5	< 2	0.84	< 0.5	19	39	74	3.53	10	< 1	0.08	10	1.27	845
10477	201	238	34	1.62	0.2	< 5	200	< 0.5	< 2	0.57	< 0.5	17	53	42	2.64	< 10	< 1	0.09	10	1.04	403
10478	201	238	18	1.24	0.2	< 5	160	< 0.5	< 2	0.41	< 0.5	16	83	20	1.91	< 10	< 1	0.06	10	1.10	202
10479	201	238	< 1	2.15	0.2	5	250	< 0.5	< 2	0.43	< 0.5	17	47	31	3.33	< 10	< 1	0.08	20	0.72	480
10480	201	238	< 1	2.28	0.2	10	350	< 0.5	< 2	0.40	< 0.5	14	61	39	3.16	< 10	1	0.07	20	0.80	285
10481	201	238	21	1.56	0.2	5	160	< 0.5	< 2	0.29	< 0.5	14	60	31	2.41	< 10	1	0.04	10	1.06	200
10482	201	238	54	0.95	0.2	< 5	90	< 0.5	< 2	0.23	< 0.5	10	39	16	1.55	< 10	< 1	0.04	10	0.67	155
10483	201	238	< 1	1.12	0.2	< 5	140	< 0.5	< 2	0.12	< 0.5	4	11	9	1.61	< 10	< 1	0.04	10	0.38	112
10484	201	238	6	1.56	0.2	10	170	< 0.5	< 2	0.15	< 0.5	13	92	41	4.03	< 10	2	0.03	10	1.65	323
10485	201	238	16	1.30	0.2	< 5	330	< 0.5	< 2	0.36	0.5	21	46	29	2.95	< 10	< 1	0.09	10	0.72	376
10486	201	238	6	1.18	0.2	< 5	360	< 0.5	< 2	0.32	0.5	16	39	26	2.33	< 10	1	0.09	10	0.63	333
10487	201	238	38	0.48	0.2	< 5	110	< 0.5	< 2	0.08	< 0.5	2	4	7	0.49	< 10	< 1	0.14	60	0.12	26
10488	201	238	< 1	0.32	0.2	< 5	100	< 0.5	< 2	0.06	< 0.5	< 1	3	2	0.33	< 10	< 1	0.19	80	0.06	24
10489	201	238	< 1	0.34	0.2	< 5	90	< 0.5	< 2	0.06	< 0.5	1	3	4	0.35	< 10	< 1	0.10	30	0.12	29
10490	201	238	3	0.96	0.2	5	200	< 0.5	< 2	0.34	< 0.5	9	33	14	1.88	< 10	< 1	0.20	10	0.58	186

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10450	201 238	< 1	0.03	25	700	10	< 5	< 10	50	0.08	10	< 10	58	5	95
10451	201 238	< 1	0.02	24	700	< 2	< 5	< 10	45	0.07	< 10	< 10	50	< 5	145
10452	201 238	< 1	0.02	42	640	2	< 5	< 10	53	< 0.01	20	< 10	20	< 5	70
10453	201 238	< 1	0.02	43	660	12	< 5	< 10	54	< 0.01	10	< 10	23	< 5	76
10454	201 238	< 1	0.02	26	860	4	< 5	< 10	70	< 0.01	< 10	< 10	15	< 5	60
10455	201 238	< 1	0.02	35	840	6	< 5	< 10	59	< 0.01	20	< 10	18	5	81
10456	201 238	< 1	0.02	38	780	2	< 5	< 10	49	< 0.01	20	< 10	21	< 5	88
10457	201 238	< 1	0.01	87	600	< 2	< 5	< 10	45	< 0.01	< 10	< 10	53	< 5	57
10458	201 238	< 1	0.01	81	670	4	< 5	< 10	67	0.02	< 10	< 10	62	5	76
10459	201 238	< 1	0.03	453	390	16	< 5	< 10	62	0.07	< 10	< 10	50	< 5	53
10460	201 238	< 1	0.01	767	420	14	< 5	< 10	63	0.01	< 10	< 10	38	10	59
10461	201 238	< 1	0.01	8	570	18	< 5	< 10	32	0.09	10	< 10	29	< 5	95
10462	201 238	< 1	0.01	14	640	40	< 5	< 10	23	0.07	< 10	< 10	41	< 5	94
10463	201 238	< 1	< 0.01	< 1	450	12	< 5	< 10	7	< 0.01	20	< 10	< 1	< 5	5
10464	201 238	< 1	0.01	7	1310	12	< 5	< 10	12	< 0.01	10	< 10	20	< 5	71
10465	201 238	< 1	0.01	6	990	2	< 5	< 10	38	0.12	< 10	< 10	73	< 5	50
10466	201 238	< 1	0.01	12	360	154	< 5	< 10	18	0.07	10	< 10	39	< 5	56
10467	201 238	< 1	0.02	6	790	< 2	< 5	< 10	18	0.08	< 10	< 10	63	< 5	45
10469	201 238	< 1	0.01	25	670	4	< 5	< 10	27	0.11	< 10	< 10	71	5	63
10470	201 238	< 1	0.02	16	1490	10	< 5	< 10	41	< 0.01	10	< 10	39	< 5	46
10471	201 238	< 1	0.01	11	390	4	< 5	< 10	16	0.03	< 10	< 10	30	< 5	41
10472	201 238	< 1	0.01	21	300	14	< 5	< 10	22	0.07	10	< 10	68	< 5	61
10473	201 238	< 1	0.01	14	600	8	< 5	< 10	16	0.04	< 10	< 10	28	< 5	44
10474	201 238	< 1	0.01	9	830	2	< 5	< 10	29	0.07	< 10	< 10	53	< 5	44
10475	201 238	< 1	< 0.01	69	370	< 2	< 5	< 10	21	0.12	< 10	< 10	33	5	44
10476	201 238	< 1	0.02	19	390	14	< 5	< 10	16	0.09	< 10	< 10	96	< 5	59
10477	201 238	< 1	0.01	28	470	8	< 5	< 10	31	0.13	< 10	< 10	67	< 5	56
10478	201 238	< 1	0.01	46	440	20	< 5	< 10	21	0.08	< 10	< 10	42	5	50
10479	201 238	< 1	0.02	34	250	14	< 5	< 10	28	0.09	< 10	< 10	60	< 5	58
10480	201 238	< 1	0.01	36	230	< 2	< 5	< 10	28	0.08	< 10	< 10	71	< 5	60
10481	201 238	< 1	0.01	30	360	10	< 5	< 10	18	0.09	< 10	< 10	60	< 5	53
10482	201 238	< 1	0.01	19	500	10	< 5	< 10	12	0.06	< 10	< 10	35	< 5	36
10483	201 238	< 1	0.01	9	130	4	< 5	< 10	29	0.02	< 10	< 10	22	< 5	42
10484	201 238	< 1	0.01	31	200	2	< 5	< 10	19	0.21	< 10	< 10	120	< 5	68
10485	201 238	< 1	0.01	28	560	36	< 5	< 10	23	0.09	< 10	< 10	57	< 5	79
10486	201 238	< 1	0.01	25	480	30	< 5	< 10	22	0.08	< 10	< 10	45	5	69
10487	201 238	< 1	0.01	3	230	26	< 5	< 10	8	< 0.01	20	< 10	2	< 5	31
10488	201 238	< 1	0.01	< 1	220	28	< 5	< 10	7	< 0.01	20	< 10	1	< 5	18
10489	201 238	< 1	0.01	1	190	16	< 5	< 10	10	0.01	10	< 10	2	< 5	21
10490	201 238	< 1	0.01	19	680	14	< 5	< 10	19	0.08	< 10	< 10	34	< 5	65

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To HITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10491	201	238	< 1	1.06	0.2	5	230	< 0.5	< 2	0.23	< 0.5	4	16	11	0.90	< 10	< 1	0.15	30	0.28	94
10492	201	238	1	1.31	0.2	< 5	260	< 0.5	< 2	0.33	< 0.5	7	18	11	1.98	< 10	< 1	0.37	10	0.51	205
10493	201	238	< 1	0.66	0.2	< 5	230	< 0.5	< 2	0.15	< 0.5	2	3	6	1.17	< 10	< 1	0.25	50	0.20	190
10494	201	238	9	2.03	0.2	< 5	160	< 0.5	< 2	0.39	< 0.5	20	61	27	3.48	< 10	1	0.15	10	1.55	551
10495	201	238	14	1.71	0.2	15	230	< 0.5	< 2	0.68	< 0.5	18	62	29	2.87	< 10	< 1	0.12	20	1.27	498
10496	201	238	3	2.53	0.2	10	110	< 0.5	< 2	0.43	< 0.5	32	59	70	5.04	< 10	1	0.06	10	2.14	909
10497	201	238	12	0.79	0.2	30	620	< 0.5	< 2	0.05	< 0.5	9	19	57	2.51	< 10	< 1	0.10	20	0.12	281
10498	201	238	< 1	0.98	0.2	< 5	470	< 0.5	< 2	0.37	< 0.5	3	7	10	1.14	< 10	< 1	0.21	50	0.17	283
10499	201	238	3	1.53	0.2	15	560	< 0.5	< 2	0.55	< 0.5	11	36	38	2.82	< 10	< 1	0.21	20	0.43	452
10500	201	238	10	1.44	0.2	15	710	< 0.5	< 2	0.29	0.5	12	32	107	2.39	< 10	< 1	0.11	20	0.28	252
10501	201	238	5	1.87	0.2	15	630	< 0.5	< 2	0.28	< 0.5	11	31	45	2.58	< 10	< 1	0.13	20	0.41	332
10502	201	238	24	1.59	0.2	5	330	< 0.5	< 2	0.14	< 0.5	8	26	20	2.32	< 10	< 1	0.09	20	0.36	168
10503	201	238	6	1.28	0.2	10	500	< 0.5	< 2	0.10	< 0.5	8	15	61	1.93	< 10	< 1	0.09	20	0.22	174
10504	203	238	4	1.08	0.2	10	1460	< 0.5	< 2	2.74	< 0.5	9	113	57	1.76	< 10	3	0.10	10	0.54	603
10505	203	238	< 4	0.03	0.2	< 5	70	< 0.5	< 2	1.45	0.5	< 1	12	5	0.06	< 10	< 1	0.05	10	0.11	72
10506	201	238	3	1.46	0.2	< 5	530	< 0.5	< 2	0.86	1.0	15	26	27	2.37	< 10	< 1	0.12	20	0.47	838
10507	201	238	4	1.37	0.2	< 5	890	< 0.5	2	0.85	1.0	14	24	30	2.30	< 10	< 1	0.10	20	0.48	482
10508	201	238	4	1.38	0.2	< 5	590	< 0.5	< 2	0.56	0.5	13	24	33	2.34	< 10	< 1	0.10	20	0.47	562
10509	201	238	5	1.15	0.2	5	330	< 0.5	< 2	0.31	< 0.5	8	22	17	2.00	< 10	< 1	0.10	20	0.39	332
10510	201	238	8	1.20	0.2	< 5	580	< 0.5	< 2	0.78	0.5	11	20	45	2.18	< 10	< 1	0.12	20	0.35	360
10511	201	238	< 1	0.88	0.2	5	500	< 0.5	< 2	1.24	< 0.5	9	17	25	1.41	< 10	< 1	0.06	20	0.35	575
10512	201	238	5	1.39	0.2	5	490	< 0.5	< 2	0.57	< 0.5	9	26	20	2.09	< 10	3	0.10	20	0.42	489
10513	201	238	7	1.28	0.2	< 5	360	< 0.5	< 2	0.41	< 0.5	11	19	42	2.58	< 10	< 1	0.13	20	0.46	305
10514	201	238	5	1.55	0.2	< 5	480	< 0.5	< 2	0.59	< 0.5	15	13	62	2.87	< 10	< 1	0.14	20	0.94	714
10515	203	238	6	1.13	0.2	< 5	680	< 0.5	< 2	0.69	< 0.5	17	177	72	3.33	< 10	< 1	0.30	20	0.20	697
10516	201	238	17	0.80	0.2	< 5	460	< 0.5	< 2	0.54	0.5	15	17	47	3.01	< 10	1	0.16	30	0.20	591
10517	203	238	< 1	0.21	0.2	< 5	620	< 0.5	< 2	4.11	< 0.5	2	7	21	0.31	< 10	< 1	0.03	< 10	0.17	219
10518	201	238	< 1	1.84	0.2	< 5	440	< 0.5	< 2	1.37	0.5	14	32	24	2.84	< 10	< 1	0.05	20	0.41	646
10519	201	238	2	1.74	0.2	15	610	< 0.5	< 2	0.66	< 0.5	14	23	40	2.83	< 10	< 1	0.12	20	0.30	708
10520	201	238	3	0.74	0.2	15	310	< 0.5	2	7.63	1.0	19	14	37	2.15	< 10	1	0.04	< 10	0.23	589
10521	201	238	< 1	1.66	0.2	< 5	660	< 0.5	< 2	1.08	0.5	13	28	22	2.43	< 10	1	0.04	20	0.41	594
10522	201	238	11	0.77	0.2	20	490	< 0.5	2	7.56	< 0.5	15	15	71	1.83	< 10	< 1	0.07	< 10	0.59	389
10523	201	238	13	0.54	0.2	10	450	< 0.5	2	2.78	1.0	15	20	58	2.54	< 10	< 1	0.11	10	0.36	607
10524	201	238	1	1.16	0.2	< 5	370	< 0.5	< 2	1.20	0.5	15	42	35	2.48	< 10	< 1	0.16	30	0.70	616
10525	201	238	18	0.92	0.6	< 5	360	< 0.5	< 2	3.72	< 0.5	18	18	53	2.90	< 10	2	0.14	20	0.73	686
10526	201	238	1	1.53	0.2	< 5	500	< 0.5	2	0.53	0.5	12	32	17	2.43	< 10	1	0.09	20	0.52	538
10527	201	238	< 1	1.77	0.2	< 5	510	< 0.5	< 2	0.50	< 0.5	14	58	19	2.45	< 10	< 1	0.12	20	0.80	593
10528	201	238	< 1	0.52	0.2	140	120	< 0.5	< 2	0.38	< 0.5	39	1375	8	1.96	< 10	< 1	< 0.01	< 10	1.12	374
10529	201	238	5	1.65	0.2	80	910	< 0.5	< 2	0.66	< 0.5	19	129	17	2.97	< 10	< 1	0.18	20	0.46	603
10530	201	238	< 1	1.90	0.2	90	690	< 0.5	< 2	0.85	0.5	22	102	20	2.98	< 10	< 1	0.08	20	0.60	456

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10491	201	238	< 1	0.01	5	220	32	< 5	< 10	21	0.09	10	< 10	17	< 5	42
10492	201	238	< 1	0.01	7	280	10	< 5	< 10	29	0.08	< 10	< 10	29	< 5	57
10493	201	238	< 1	0.01	< 1	240	20	< 5	< 10	11	< 0.01	< 10	< 10	3	< 5	53
10494	201	238	< 1	0.01	34	870	8	< 5	< 10	23	0.05	< 10	< 10	46	< 5	64
10495	201	238	< 1	0.01	28	650	92	< 5	< 10	33	0.06	< 10	< 10	46	< 5	52
10496	201	238	< 1	0.01	30	710	4	< 5	< 10	25	0.08	< 10	< 10	127	5	68
10497	201	238	2	< 0.01	52	520	6	< 5	< 10	14	0.01	10	< 10	31	< 5	177
10498	201	238	< 1	0.01	6	230	46	< 5	< 10	29	< 0.01	20	< 10	14	< 5	57
10499	201	238	< 1	0.02	28	500	10	< 5	< 10	43	0.04	< 10	< 10	57	< 5	67
10500	201	238	1	0.01	35	710	10	< 5	< 10	29	0.04	10	< 10	70	< 5	144
10501	201	238	< 1	0.02	20	430	10	< 5	< 10	25	0.08	10	< 10	61	< 5	65
10502	201	238	1	0.01	15	190	< 2	< 5	< 10	19	0.06	< 10	< 10	53	< 5	49
10503	201	238	< 1	0.01	20	290	2	< 5	40	11	0.03	< 10	< 10	47	< 5	98
10504	203	238	< 1	0.02	36	840	10	5	< 10	144	0.03	< 10	< 10	33	5	88
10505	203	238	< 1	0.02	< 1	490	4	< 5	10	66	0.01	< 10	< 10	1	< 5	114
10506	201	238	< 1	0.02	22	510	< 2	5	< 10	62	0.07	< 10	< 10	56	5	118
10507	201	238	< 1	0.02	30	670	8	< 5	< 10	68	0.05	< 10	< 10	48	5	102
10508	201	238	< 1	0.01	23	600	4	< 5	< 10	42	0.05	< 10	< 10	45	5	84
10509	201	238	1	0.01	14	460	2	< 5	< 10	27	0.05	< 10	< 10	45	< 5	60
10510	201	238	1	0.01	23	730	6	< 5	< 10	64	0.03	< 10	< 10	42	< 5	98
10511	201	238	1	0.02	20	810	< 2	5	< 10	77	0.04	< 10	< 10	32	< 5	58
10512	201	238	1	0.02	19	510	< 2	< 5	< 10	42	0.06	< 10	< 10	46	5	67
10513	201	238	1	0.01	15	710	< 2	< 5	< 10	27	0.05	< 10	< 10	52	< 5	81
10514	201	238	< 1	0.01	11	910	< 2	< 5	< 10	35	0.04	< 10	< 10	57	< 5	75
10515	203	238	< 1	0.02	27	720	6	5	< 10	35	0.01	< 10	< 10	43	< 5	90
10516	201	238	4	0.01	33	890	20	< 5	< 10	28	0.01	< 10	< 10	31	< 5	106
10517	203	238	< 1	0.01	7	700	2	5	< 10	106	< 0.01	< 10	< 10	7	< 5	37
10518	201	238	< 1	0.01	33	280	2	< 5	< 10	30	0.06	< 10	< 10	57	5	78
10519	201	238	< 1	0.01	37	330	< 2	< 5	< 10	19	0.04	< 10	< 10	47	< 5	99
10520	201	238	< 1	0.01	61	490	8	5	< 10	61	0.01	< 10	< 10	22	< 5	165
10521	201	238	1	0.01	19	210	12	5	< 10	39	0.06	< 10	< 10	51	5	60
10522	201	238	< 1	0.01	31	860	6	5	< 10	74	0.01	< 10	< 10	24	5	90
10523	201	238	1	0.01	45	700	26	< 5	10	50	0.01	< 10	< 10	24	< 5	132
10524	201	238	1	0.01	46	550	16	< 5	< 10	50	0.02	< 10	< 10	30	< 5	71
10525	201	238	2	0.01	40	850	16	10	< 10	116	0.01	< 10	< 10	21	< 5	78
10526	201	238	1	0.01	26	170	4	< 5	< 10	38	0.07	< 10	< 10	48	< 5	49
10527	201	238	< 1	0.01	42	190	2	< 5	< 10	39	0.04	< 10	< 10	39	< 5	53
10528	201	238	< 1	< 0.01	586	120	< 2	< 5	< 10	29	< 0.01	< 10	< 10	20	10	15
10529	201	238	< 1	0.01	147	430	22	< 5	< 10	81	0.01	< 10	< 10	43	5	91
10530	201	238	< 1	0.01	183	270	4	< 5	< 10	69	0.05	< 10	< 10	51	< 5	70

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10531	201	238	< 1	1.25	0.2	10	760	< 0.5	< 2	0.84	< 0.5	7	10	17	1.09	< 10	< 1	0.19	50	0.25	793
10532	201	238	< 1	0.81	0.2	20	400	< 0.5	< 2	0.41	< 0.5	5	11	10	1.31	< 10	< 1	0.15	30	0.21	165
10533	201	238	4	1.17	0.2	< 5	290	< 0.5	< 2	0.27	< 0.5	7	18	13	1.87	< 10	3	0.11	20	0.34	170
10534	201	238	< 1	1.31	0.2	< 5	350	0.5	< 2	0.20	< 0.5	7	19	9	1.87	< 10	< 1	0.08	20	0.31	202
10535	201	238	2	1.11	0.2	< 5	300	< 0.5	< 2	0.16	< 0.5	6	15	7	1.73	< 10	< 1	0.08	10	0.25	118
10536	201	238	2	1.24	0.2	5	260	< 0.5	< 2	0.15	< 0.5	7	19	10	1.85	< 10	2	0.08	20	0.32	163
10537	201	238	< 1	1.08	0.2	5	250	< 0.5	< 2	0.15	< 0.5	6	17	13	1.67	< 10	1	0.07	20	0.30	133
10538	201	238	< 1	1.00	0.2	< 5	250	< 0.5	< 2	0.17	0.5	7	17	14	1.82	< 10	1	0.06	20	0.30	191
10539	201	238	< 1	0.88	0.2	< 5	210	< 0.5	< 2	0.08	< 0.5	4	12	6	1.22	< 10	< 1	0.08	10	0.17	80
10540	201	238	< 1	0.94	0.2	< 5	270	< 0.5	< 2	0.10	< 0.5	5	11	6	1.22	< 10	2	0.09	20	0.19	83
10541	201	238	< 1	1.04	0.2	< 5	310	< 0.5	< 2	0.11	< 0.5	5	14	9	1.42	< 10	< 1	0.10	10	0.22	106
10542	201	238	< 1	0.84	0.2	< 5	200	< 0.5	< 2	0.09	< 0.5	5	10	7	1.46	< 10	< 1	0.10	20	0.18	100
10543	201	238	< 1	0.81	0.2	5	450	< 0.5	< 2	0.18	< 0.5	5	8	7	1.14	< 10	< 1	0.15	40	0.10	149
10544	201	238	3	0.85	0.2	25	570	< 0.5	2	1.15	1.0	14	43	98	2.79	< 10	< 1	0.12	20	0.47	478
10545	201	238	< 1	1.98	0.4	15	1470	0.5	< 2	0.89	< 0.5	13	38	42	2.34	< 10	3	0.07	20	0.52	1015
10546	201	238	5	0.79	0.2	< 5	260	< 0.5	< 2	0.54	< 0.5	8	27	15	1.52	< 10	< 1	0.07	20	0.53	256
10547	201	238	2	1.40	0.2	< 5	490	< 0.5	< 2	1.53	0.5	18	56	51	2.82	< 10	1	0.13	20	1.03	608
10548	201	238	< 1	1.59	0.2	< 5	510	< 0.5	< 2	0.81	< 0.5	18	445	43	2.41	< 10	< 1	0.05	10	1.64	297
10549	201	238	2	1.38	0.2	< 5	330	< 0.5	< 2	0.73	< 0.5	10	31	35	2.39	< 10	2	0.10	20	0.67	173
10550	201	238	< 1	1.08	0.2	< 5	300	< 0.5	< 2	0.84	0.5	11	25	19	2.07	< 10	3	0.08	20	0.71	321
10551	201	238	2	1.75	0.2	25	530	< 0.5	< 2	3.86	< 0.5	21	30	73	3.46	< 10	< 1	0.12	< 10	1.30	810
10552	201	238	< 1	1.29	0.2	< 5	300	< 0.5	< 2	0.53	< 0.5	11	23	17	2.22	< 10	< 1	0.06	30	0.55	360
10553	201	238	< 1	1.55	0.2	< 5	330	< 0.5	< 2	0.46	< 0.5	13	26	32	2.58	< 10	2	0.09	30	0.50	324
10554	201	238	7	1.35	0.2	5	340	< 0.5	< 2	0.64	< 0.5	10	24	24	2.29	< 10	< 1	0.07	20	0.47	358
10555	201	238	2	1.50	0.2	10	380	< 0.5	< 2	0.43	< 0.5	12	25	27	2.40	< 10	< 1	0.11	20	0.42	276
10556	201	238	10	1.33	0.2	20	410	< 0.5	< 2	1.09	0.5	14	66	29	2.51	< 10	6	0.09	20	0.84	336
10557	201	238	< 1	1.22	0.2	< 5	300	< 0.5	< 2	0.60	0.5	10	22	25	2.20	< 10	< 1	0.06	20	0.50	533
10558	201	238	1	1.60	0.2	< 5	400	< 0.5	< 2	0.51	0.5	15	29	30	2.72	< 10	1	0.08	20	0.54	665
10559	201	238	< 1	1.41	0.2	5	380	< 0.5	< 2	0.53	< 0.5	12	26	27	2.39	< 10	< 1	0.07	20	0.45	493
10560	201	238	< 1	2.65	0.2	< 5	730	< 0.5	< 2	0.64	< 0.5	13	31	23	2.70	< 10	4	0.07	30	0.39	387
10561	201	238	< 1	0.44	0.2	< 5	170	< 0.5	< 2	1.14	< 0.5	25	20	40	5.10	< 10	< 1	0.05	40	0.43	592
10562	201	238	< 1	1.10	0.2	< 5	550	< 0.5	< 2	0.52	< 0.5	11	20	28	2.84	< 10	< 1	0.05	20	0.35	304
10563	201	238	5	0.73	0.6	10	270	< 0.5	< 2	0.82	1.0	13	16	58	2.72	< 10	< 1	0.09	20	0.45	1615
10564	201	238	< 1	1.25	0.4	5	390	< 0.5	< 2	0.89	0.5	11	25	27	2.01	< 10	< 1	0.08	10	0.54	784
10565	201	238	2	0.73	0.6	25	270	< 0.5	< 2	0.75	1.0	12	16	56	2.54	< 10	< 1	0.07	20	0.34	595
10566	201	238	5	0.71	2.0	20	230	< 0.5	< 2	1.24	2.0	11	18	97	2.59	< 10	< 1	0.07	20	0.53	267
10567	201	238	4	0.59	1.2	20	170	< 0.5	< 2	1.21	1.0	10	14	51	2.55	< 10	< 1	0.06	20	0.39	369
10568	201	238	4	0.53	0.8	15	230	< 0.5	< 2	0.42	< 0.5	9	15	26	2.56	< 10	< 1	0.05	30	0.17	235
10569	201	238	11	0.41	1.0	15	150	< 0.5	< 2	0.44	< 0.5	9	16	35	2.68	< 10	< 1	0.06	30	0.16	213
10570	201	238	38	0.54	1.0	5	220	< 0.5	< 2	0.49	0.5	9	15	45	2.45	< 10	< 1	0.10	30	0.28	209

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10531	201	238	2	0.01	5	210	42	< 5	< 10	69	< 0.01	< 10	< 10	17	< 5	35
10532	201	238	1	0.01	10	150	36	< 5	< 10	30	0.01	< 10	< 10	18	5	43
10533	201	238	< 1	0.01	15	130	14	< 5	10	24	0.04	< 10	< 10	34	< 5	38
10534	201	238	< 1	< 0.01	10	90	20	< 5	< 10	19	0.05	< 10	< 10	41	< 5	39
10535	201	238	< 1	< 0.01	8	110	14	< 5	10	17	0.04	< 10	< 10	37	< 5	37
10536	201	238	1	0.01	14	100	2	< 5	< 10	15	0.05	< 10	< 10	37	< 5	42
10537	201	238	1	0.01	12	170	24	< 5	< 10	14	0.05	< 10	< 10	32	< 5	44
10538	201	238	< 1	0.01	11	270	22	< 5	10	16	0.05	< 10	< 10	33	< 5	48
10539	201	238	< 1	< 0.01	7	110	34	< 5	20	9	0.03	< 10	< 10	23	< 5	32
10540	201	238	< 1	0.01	6	120	42	< 5	< 10	11	0.03	< 10	< 10	24	< 5	34
10541	201	238	< 1	0.01	11	210	18	< 5	10	13	0.03	< 10	< 10	28	< 5	44
10542	201	238	< 1	0.01	6	120	36	< 5	20	17	0.02	< 10	< 10	21	< 5	53
10543	201	238	< 1	0.01	4	180	34	< 5	< 10	15	< 0.01	< 10	< 10	13	< 5	51
10544	201	238	3	0.01	52	1080	8	5	< 10	68	0.02	< 10	< 10	49	< 5	154
10545	201	238	2	0.01	24	450	< 2	5	20	82	0.06	< 10	< 10	62	< 5	72
10546	201	238	< 1	0.01	21	540	6	< 5	20	33	0.05	< 10	< 10	28	< 5	50
10547	201	238	1	0.01	47	470	6	< 5	10	77	0.04	< 10	< 10	44	< 5	76
10548	201	238	< 1	0.01	142	250	12	< 5	< 10	56	0.03	< 10	< 10	40	5	58
10549	201	238	1	0.02	28	550	< 2	< 5	20	66	0.05	< 10	< 10	43	< 5	98
10550	201	238	< 1	0.02	19	640	4	5	< 10	50	0.07	< 10	< 10	39	< 5	70
10551	201	238	< 1	0.01	59	700	< 2	5	< 10	116	0.02	< 10	< 10	52	< 5	76
10552	201	238	< 1	0.01	20	630	4	< 5	< 10	41	0.06	< 10	< 10	42	< 5	62
10553	201	238	< 1	0.01	28	620	< 2	< 5	< 10	33	0.05	< 10	< 10	39	< 5	78
10554	201	238	1	0.02	24	680	4	< 5	< 10	45	0.06	< 10	< 10	42	< 5	68
10555	201	238	< 1	0.02	24	610	10	< 5	< 10	35	0.06	< 10	< 10	46	< 5	69
10556	201	238	< 1	0.02	87	460	2	< 5	< 10	51	0.08	< 10	< 10	54	< 5	69
10557	201	238	1	0.02	24	540	< 2	< 5	< 10	42	0.06	< 10	< 10	44	< 5	64
10558	201	238	1	0.01	30	610	10	< 5	< 10	40	0.05	< 10	< 10	47	< 5	83
10559	201	238	1	0.01	25	690	6	< 5	< 10	40	0.06	< 10	< 10	42	< 5	79
10560	201	238	< 1	0.03	28	310	4	< 5	< 10	43	0.03	< 10	< 10	41	< 5	53
10561	201	238	< 1	0.01	55	500	< 2	< 5	< 10	32	< 0.01	< 10	< 10	20	< 5	126
10562	201	238	< 1	0.02	25	390	10	< 5	< 10	39	< 0.01	< 10	< 10	22	< 5	61
10563	201	238	6	0.01	42	770	8	< 5	< 10	42	0.01	< 10	< 10	26	< 5	147
10564	201	238	1	0.02	23	680	6	< 5	< 10	52	0.06	< 10	< 10	41	< 5	85
10565	201	238	9	0.02	37	860	12	< 5	< 10	42	0.02	10	< 10	34	< 5	153
10566	201	238	12	0.01	53	700	34	< 5	< 10	55	0.02	< 10	< 10	36	5	218
10567	201	238	3	0.01	35	510	8	< 5	< 10	48	0.01	< 10	< 10	24	< 5	119
10568	201	238	< 1	0.01	25	300	16	< 5	< 10	31	< 0.01	10	< 10	14	< 5	64
10569	201	238	1	0.01	27	360	10	< 5	< 10	31	< 0.01	10	< 10	17	< 5	81
10570	201	238	3	0.01	33	600	2	< 5	< 10	51	0.01	10	< 10	23	< 5	107

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date :12-AUG-87
Invoice # :I-8718561
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10571	201	238	< 1	0.26	0.2	< 5	280	< 0.5	< 2	3.57	2.0	4	5	29	0.43	< 10	< 1	0.02	< 10	1.11	431
10572	201	238	3	0.56	0.6	15	240	< 0.5	< 2	1.32	0.5	12	18	37	2.40	< 10	< 1	0.06	20	0.46	705
10573	201	238	< 1	0.52	0.4	25	150	< 0.5	< 2	0.50	< 0.5	16	25	33	3.96	< 10	< 1	0.05	20	0.33	662
10574	201	238	< 1	1.46	0.2	5	310	< 0.5	< 2	2.68	0.5	20	68	42	3.93	10	< 1	0.16	10	1.13	427
10575	201	238	< 1	0.71	0.2	10	180	< 0.5	< 2	1.04	< 0.5	9	31	20	1.75	< 10	< 1	0.05	10	0.56	259
10576	201	238	2	1.11	0.2	35	220	< 0.5	< 2	2.22	< 0.5	47	301	39	3.30	10	< 1	0.09	10	2.52	603
10577	201	238	3	0.78	0.2	40	140	< 0.5	< 2	2.90	< 0.5	51	473	45	3.36	10	< 1	0.04	< 10	2.96	635
10578	201	238	< 1	0.22	0.2	< 5	70	< 0.5	< 2	0.13	< 0.5	< 1	2	2	0.21	< 10	< 1	0.10	10	0.09	38
10579	201	238	< 1	0.51	0.2	< 5	140	< 0.5	< 2	0.14	< 0.5	4	8	10	0.85	< 10	< 1	0.08	20	0.27	89
10580	201	238	< 1	0.13	0.2	< 5	50	< 0.5	< 2	0.02	< 0.5	< 1	2	2	0.05	< 10	< 1	0.09	40	0.01	3
10581	201	238	< 1	1.33	0.2	10	240	0.5	< 2	0.50	0.5	8	8	21	1.49	< 10	< 1	0.54	20	0.50	140
10582	201	238	141	1.29	0.2	10	260	< 0.5	< 2	0.44	< 0.5	11	27	25	2.05	< 10	< 1	0.18	20	0.70	258
10583	201	238	2	0.37	0.2	< 5	90	< 0.5	< 2	0.12	< 0.5	1	6	5	0.34	< 10	< 1	0.08	20	0.09	32
10584	201	238	< 1	0.79	0.2	10	280	< 0.5	< 2	0.74	< 0.5	6	7	11	1.33	< 10	< 1	0.37	10	0.34	154
10585	201	238	2	2.04	0.2	15	250	< 0.5	< 2	0.26	< 0.5	11	20	16	3.03	< 10	< 1	0.36	10	0.57	267
10586	201	238	< 1	0.32	0.2	< 5	70	< 0.5	< 2	0.08	< 0.5	1	2	3	0.39	< 10	< 1	0.18	70	0.04	14
10587	201	238	< 1	1.45	0.2	10	350	< 0.5	< 2	0.23	< 0.5	11	19	34	2.50	< 10	< 1	0.20	10	0.58	223
10588	201	238	< 1	1.37	0.2	< 5	210	< 0.5	< 2	0.28	< 0.5	12	12	41	2.81	< 10	< 1	0.12	< 10	0.73	224
10589	201	238	< 1	1.59	0.2	5	480	< 0.5	< 2	0.45	< 0.5	18	15	96	3.91	< 10	< 1	0.15	< 10	0.89	415
10590	201	238	< 1	1.85	0.2	10	180	< 0.5	< 2	1.51	< 0.5	18	61	48	3.37	< 10	< 1	0.06	20	1.42	502
10591	201	238	7	2.47	0.2	10	200	< 0.5	< 2	0.48	< 0.5	32	53	256	5.11	< 10	1	0.15	10	1.78	1065
10592	201	238	2	2.16	0.2	15	100	< 0.5	< 2	0.35	< 0.5	24	15	76	5.24	< 10	1	0.04	< 10	1.55	547
10593	201	238	< 1	2.65	0.2	< 5	190	< 0.5	< 2	0.61	< 0.5	30	110	78	4.71	< 10	< 1	0.05	10	1.82	640
10594	201	238	< 1	2.62	0.2	< 5	250	< 0.5	< 2	0.80	< 0.5	33	140	61	4.09	< 10	2	0.02	10	2.01	1775
10595	201	238	2	3.31	0.2	15	230	< 0.5	< 2	0.37	< 0.5	45	301	35	5.11	< 10	2	0.02	< 10	3.02	655
10596	201	238	27	1.16	0.2	< 5	120	< 0.5	< 2	0.38	< 0.5	14	48	20	1.77	< 10	< 1	0.08	10	0.80	190
10597	201	238	21	2.78	0.2	< 5	390	< 0.5	< 2	0.29	< 0.5	32	122	36	4.40	< 10	1	0.04	10	1.95	741
10598	201	238	108	1.68	0.2	< 5	460	< 0.5	< 2	0.41	< 0.5	19	61	26	2.37	< 10	1	0.10	20	0.93	653
10599	201	238	42	0.94	0.2	< 5	130	< 0.5	< 2	0.38	< 0.5	12	50	16	1.67	< 10	< 1	0.06	20	0.65	144
10600	201	238	1	2.01	0.2	10	270	< 0.5	< 2	0.54	< 0.5	18	93	28	3.06	< 10	< 1	0.17	30	1.53	337
10623	201	238	< 1	2.09	0.2	10	260	< 0.5	< 2	1.16	< 0.5	22	58	48	3.69	< 10	< 1	0.17	20	1.56	632
10624	201	238	< 1	2.02	0.2	5	160	< 0.5	< 2	0.56	< 0.5	20	51	33	3.49	< 10	< 1	0.04	20	1.27	841
10625	201	238	< 1	1.71	0.2	20	340	< 0.5	< 2	0.53	< 0.5	15	31	32	3.06	< 10	< 1	0.08	30	0.47	1025
10626	201	238	2	2.09	0.2	5	430	< 0.5	< 2	0.51	< 0.5	15	45	20	3.03	< 10	< 1	0.05	20	0.54	780
10627	201	238	6	1.72	0.2	< 5	370	< 0.5	< 2	0.50	< 0.5	15	54	25	2.63	< 10	< 1	0.08	10	0.80	449
10628	201	238	3	2.37	0.2	< 5	760	< 0.5	< 2	0.52	0.5	33	105	53	3.47	< 10	< 1	0.08	10	1.14	1165
10629	201	238	< 1	2.07	0.2	10	280	< 0.5	< 2	0.22	< 0.5	10	34	33	3.87	< 10	< 1	0.08	10	1.01	248
10630	201	238	< 1	1.68	0.2	5	280	< 0.5	< 2	0.15	< 0.5	10	36	17	2.57	< 10	< 1	0.04	10	0.61	191
10631	201	238	5	2.49	0.2	10	260	< 0.5	< 2	0.15	< 0.5	16	75	59	4.34	< 10	1	0.09	10	1.37	256
10632	201	238	5	2.23	0.2	10	190	< 0.5	< 2	0.15	< 0.5	9	36	43	4.71	< 10	1	0.07	< 10	1.55	318

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10571	201	238	< 1	0.04	19	770	2	< 5	20	118	< 0.01	< 10	30	7	< 5	48
10572	201	238	< 1	0.03	35	750	4	< 5	< 10	60	0.01	< 10	< 10	19	< 5	118
10573	201	238	1	0.02	41	780	8	< 5	< 10	35	0.02	10	< 10	28	< 5	99
10574	201	238	< 1	0.01	62	1200	4	< 5	< 10	59	0.04	< 10	< 10	59	< 5	80
10575	201	238	< 1	0.01	29	1040	10	< 5	< 10	29	0.03	< 10	< 10	29	< 5	58
10576	201	238	< 1	0.01	677	550	8	< 5	< 10	61	0.01	< 10	< 10	38	5	86
10577	201	238	< 1	0.01	786	640	8	5	< 10	66	0.01	< 10	< 10	37	5	80
10578	201	238	< 1	< 0.01	< 1	350	10	< 5	< 10	12	0.02	< 10	< 10	1	< 5	14
10579	201	238	< 1	< 0.01	5	330	28	< 5	< 10	11	0.01	< 10	< 10	13	< 5	37
10580	201	238	< 1	< 0.01	< 1	110	8	< 5	< 10	6	< 0.01	10	< 10	< 1	< 5	4
10581	201	238	< 1	0.01	5	1390	8	< 5	< 10	25	0.03	10	< 10	33	< 5	68
10582	201	238	< 1	< 0.01	13	840	26	< 5	< 10	25	0.09	< 10	< 10	35	< 5	78
10583	201	238	< 1	< 0.01	2	190	6	< 5	< 10	16	0.02	< 10	< 10	4	< 5	18
10584	201	238	< 1	< 0.01	2	1780	6	< 5	< 10	66	0.10	< 10	< 10	17	< 5	31
10585	201	238	< 1	0.01	8	200	6	< 5	< 10	19	0.20	< 10	< 10	49	< 5	55
10586	201	238	< 1	< 0.01	< 1	310	26	< 5	< 10	7	< 0.01	20	< 10	3	< 5	18
10587	201	238	< 1	0.01	8	380	< 2	< 5	< 10	21	0.04	< 10	< 10	64	< 5	37
10588	201	238	< 1	0.01	7	440	< 2	< 5	< 10	17	0.08	< 10	< 10	84	< 5	44
10589	201	238	< 1	0.01	12	420	< 2	< 5	< 10	28	0.10	< 10	< 10	119	5	62
10590	201	238	< 1	0.01	34	680	4	< 5	< 10	46	0.05	< 10	< 10	52	5	66
10591	201	238	< 1	0.01	31	720	4	< 5	< 10	40	0.07	< 10	< 10	130	5	74
10592	201	238	< 1	0.01	8	590	< 2	< 5	< 10	28	0.07	< 10	< 10	157	< 5	69
10593	201	238	< 1	0.01	63	390	< 2	< 5	< 10	29	0.18	10	< 10	107	< 5	71
10594	201	238	< 1	0.01	84	430	< 2	< 5	< 10	26	0.33	< 10	< 10	101	5	62
10595	201	238	< 1	0.01	194	430	10	< 5	< 10	16	0.15	< 10	< 10	132	5	74
10596	201	238	< 1	0.01	26	720	20	< 5	< 10	21	0.08	< 10	< 10	38	< 5	47
10597	201	238	< 1	0.01	63	520	8	< 5	< 10	18	0.13	< 10	< 10	118	5	72
10598	201	238	< 1	0.01	37	810	12	< 5	< 10	25	0.09	10	< 10	51	< 5	62
10599	201	238	< 1	0.01	28	800	20	< 5	< 10	21	0.06	< 10	< 10	30	< 5	50
10600	201	238	< 1	0.01	51	780	4	< 5	< 10	29	0.04	10	< 10	45	< 5	66
10623	201	238	< 1	0.01	27	950	6	< 5	< 10	42	0.16	< 10	< 10	60	< 5	76
10624	201	238	< 1	0.01	21	420	6	< 5	< 10	27	0.03	< 10	< 10	60	< 5	51
10625	201	238	< 1	0.02	26	260	8	< 5	< 10	35	0.08	< 10	< 10	53	< 5	50
10626	201	238	< 1	0.01	24	280	4	< 5	< 10	39	0.07	< 10	< 10	61	< 5	46
10627	201	238	< 1	0.01	34	400	14	< 5	< 10	34	0.07	< 10	< 10	56	< 5	56
10628	201	238	< 1	0.01	72	730	2	< 5	< 10	42	0.09	< 10	< 10	80	< 5	70
10629	201	238	< 1	0.01	22	410	4	< 5	< 10	37	0.06	< 10	< 10	76	< 5	62
10630	201	238	< 1	0.01	15	280	< 2	< 5	< 10	14	0.07	< 10	< 10	56	< 5	44
10631	201	238	< 1	0.01	41	270	< 2	< 5	< 10	26	0.14	< 10	< 10	98	< 5	64
10632	201	238	< 1	0.02	19	500	< 2	< 5	< 10	58	0.10	< 10	< 10	91	< 5	73

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

JNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718561
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10633	201	238	5	1.55	0.2	30	220	< 0.5	< 2	0.30	< 0.5	10	17	73	3.54	< 10	< 1	0.07	10	0.96	154
10634	201	238	72	1.50	0.2	5	140	< 0.5	< 2	0.48	< 0.5	14	57	33	2.44	< 10	< 1	0.03	10	0.83	231
10635	201	238	3	2.81	0.2	10	140	< 0.5	< 2	0.29	< 0.5	23	65	36	4.29	< 10	< 1	0.07	30	1.98	369
10636	201	238	< 1	2.48	0.2	5	70	< 0.5	< 2	0.32	< 0.5	18	90	12	3.93	< 10	1	0.02	10	2.04	364
10637	201	238	4	1.68	0.2	10	160	< 0.5	< 2	0.36	0.5	12	22	18	3.23	< 10	< 1	0.07	50	0.77	148
10638	201	238	< 1	0.74	0.2	< 5	210	< 0.5	< 2	0.31	< 0.5	8	17	14	1.29	< 10	< 1	0.08	20	0.26	220
10639	201	238	2	1.10	0.2	5	340	< 0.5	< 2	0.33	< 0.5	10	25	20	1.80	< 10	1	0.12	20	0.44	227
10640	201	238	< 1	0.59	0.2	< 5	80	< 0.5	< 2	0.31	< 0.5	2	9	7	0.79	< 10	< 1	0.25	30	0.19	114
10641	201	238	< 1	1.36	0.2	< 5	230	< 0.5	< 2	0.26	< 0.5	12	36	16	2.01	< 10	< 1	0.11	20	0.63	207
10642	201	238	4	1.48	0.2	5	280	< 0.5	< 2	0.33	< 0.5	13	57	31	2.36	< 10	< 1	0.10	20	0.79	243
10643	201	238	7	2.58	0.2	10	220	< 0.5	< 2	0.28	< 0.5	26	48	124	4.82	< 10	< 1	0.13	10	2.02	361
10644	203	238	4	1.13	0.2	10	370	< 0.5	< 2	0.31	< 0.5	12	267	14	1.83	< 10	< 1	0.16	10	1.17	187
10645	201	238	42	1.67	0.2	< 5	370	< 0.5	< 2	0.24	< 0.5	23	45	24	2.57	< 10	1	0.05	10	0.70	853
10646	201	238	61	1.32	0.2	< 5	90	< 0.5	< 2	0.29	< 0.5	16	60	22	2.20	< 10	< 1	0.08	10	1.08	224
10647	201	238	12	1.70	0.2	10	140	< 0.5	< 2	0.32	< 0.5	20	67	48	3.21	< 10	1	0.05	10	1.23	357
10648	201	238	2	2.63	0.2	< 5	130	< 0.5	< 2	0.48	< 0.5	31	116	39	4.46	< 10	1	0.09	< 10	2.20	373
10649	201	238	127	2.05	0.2	< 5	490	< 0.5	< 2	0.47	< 0.5	22	67	31	3.24	< 10	1	0.05	10	1.12	593
10650	201	238	< 1	3.83	0.2	< 5	150	< 0.5	< 2	0.86	0.5	44	199	55	6.35	< 10	1	0.03	10	3.49	874
10651	201	238	< 1	3.06	0.2	5	230	< 0.5	< 2	1.18	< 0.5	34	109	59	5.15	< 10	2	0.12	10	2.53	1020
10652	201	238	< 1	2.48	0.2	< 5	330	< 0.5	< 2	1.24	< 0.5	26	76	44	4.03	< 10	1	0.05	10	1.63	1105
10653	201	238	4	3.46	0.2	< 5	190	< 0.5	< 2	0.92	< 0.5	38	144	53	5.89	< 10	1	0.19	10	3.04	846
10654	203	238	3	1.62	0.2	5	230	< 0.5	< 2	1.28	< 0.5	20	104	40	2.41	< 10	< 1	0.20	10	1.19	395
10655	201	238	22	2.16	0.2	< 5	70	< 0.5	< 2	1.44	< 0.5	31	120	54	3.58	< 10	2	0.02	< 10	2.27	511
10745	201	238	4	0.80	0.2	30	150	< 0.5	< 2	0.17	< 0.5	47	37	119	4.80	< 10	< 1	0.03	60	0.22	205
10746	201	238	7	1.36	0.2	5	380	< 0.5	< 2	0.21	< 0.5	13	35	22	2.21	< 10	< 1	0.07	20	0.52	510
10748	201	238	11	2.24	0.2	5	110	< 0.5	< 2	0.25	< 0.5	20	119	56	3.91	< 10	1	0.01	10	1.94	278
10749	201	238	7	1.93	0.2	< 5	350	< 0.5	< 2	0.32	< 0.5	28	34	100	2.94	10	< 1	0.19	20	1.36	185
10751	201	238	< 1	1.62	0.2	< 5	240	< 0.5	< 2	0.79	< 0.5	23	51	20	2.94	< 10	< 1	0.21	20	0.85	276
10752	201	238	14	1.61	0.2	< 5	560	< 0.5	< 2	0.26	0.5	16	29	16	2.48	< 10	< 1	0.14	20	0.47	1080
10753	201	238	< 1	1.55	0.2	< 5	580	< 0.5	< 2	0.36	< 0.5	14	35	11	2.43	< 10	1	0.11	20	0.49	707
10754	201	238	60	0.78	0.2	< 5	210	< 0.5	< 2	0.23	< 0.5	10	24	13	1.74	< 10	3	0.19	40	0.44	250
10758	201	238	43	2.07	0.2	< 5	210	< 0.5	< 2	0.23	< 0.5	15	45	14	3.10	< 10	< 1	0.10	20	1.13	221
10759	201	238	4	1.99	0.2	5	180	< 0.5	< 2	0.77	< 0.5	23	59	60	3.70	< 10	< 1	0.06	20	1.35	321
10760	201	238	1	3.19	0.2	< 5	60	< 0.5	< 2	0.62	1.0	36	108	37	5.38	< 10	2	0.03	10	2.38	423
10761	201	238	< 1	3.16	0.2	< 5	70	< 0.5	< 2	0.46	< 0.5	46	108	53	6.44	< 10	1	0.03	10	2.16	660
10762	201	238	3	1.62	0.2	< 5	300	< 0.5	< 2	2.32	0.5	19	55	46	2.93	< 10	< 1	0.04	< 10	1.17	765
10763	201	238	< 1	2.55	0.2	< 5	350	< 0.5	< 2	0.88	0.5	35	94	51	4.70	< 10	< 1	0.08	10	2.26	1015
10800	201	238	4	0.40	0.4	5	150	< 0.5	< 2	0.75	< 0.5	12	17	27	2.88	< 10	2	0.04	30	0.22	351
10801	201	238	99	0.39	0.4	< 5	110	< 0.5	< 2	0.35	< 0.5	14	18	29	3.24	< 10	< 1	0.04	40	0.16	289
10802	201	238	11	0.48	3.2	35	280	< 0.5	< 2	1.01	1.0	13	14	93	2.28	< 10	< 1	0.07	20	0.43	198

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date :12-AUG-87
Invoice # :I-8718561
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718561

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10633	201	238	2	< 0.01	15	1120	8	< 5	< 10	25	0.03	< 10	< 10	120	< 5	45
10634	201	238	< 1	0.01	31	300	4	< 5	< 10	22	0.24	< 10	< 10	63	< 5	39
10635	201	238	< 1	0.01	59	1050	4	< 5	< 10	14	0.01	10	< 10	49	< 5	101
10636	201	238	< 1	< 0.01	52	960	4	< 5	< 10	10	0.09	< 10	< 10	39	5	109
10637	201	238	< 1	0.01	14	1360	22	< 5	< 10	27	0.02	20	< 10	28	< 5	82
10638	201	238	< 1	0.01	11	680	10	< 5	< 10	22	0.07	< 10	< 10	26	< 5	32
10639	201	238	< 1	0.01	13	660	4	< 5	< 10	25	0.08	< 10	< 10	31	< 5	49
10640	201	238	< 1	0.01	2	580	12	< 5	< 10	57	0.05	10	< 10	5	< 5	36
10641	201	238	< 1	0.01	19	220	4	< 5	< 10	20	0.11	< 10	< 10	38	< 5	49
10642	201	238	< 1	0.01	32	310	10	< 5	< 10	26	0.09	< 10	< 10	52	< 5	60
10643	201	238	< 1	0.01	17	1020	4	< 5	< 10	24	0.05	< 10	< 10	174	5	77
10644	203	238	< 1	0.02	52	260	10	< 5	< 10	20	0.06	< 10	< 10	43	< 5	44
10645	201	238	< 1	0.01	25	640	16	< 5	< 10	16	0.07	< 10	< 10	54	5	61
10646	201	238	< 1	0.01	29	610	10	< 5	< 10	15	0.09	< 10	< 10	49	5	51
10647	201	238	< 1	0.01	29	550	8	< 5	< 10	17	0.14	< 10	< 10	70	5	59
10648	201	238	< 1	0.01	61	620	< 2	< 5	< 10	20	0.18	< 10	< 10	114	5	65
10649	201	238	< 1	0.01	41	560	10	< 5	< 10	25	0.08	< 10	< 10	72	< 5	62
10650	201	238	< 1	0.01	135	780	< 2	< 5	< 10	21	0.09	< 10	< 10	168	10	76
10651	201	238	< 1	0.01	55	890	< 2	< 5	< 10	27	0.12	< 10	< 10	136	5	73
10652	201	238	< 1	0.01	45	590	< 2	< 5	< 10	44	0.13	< 10	< 10	97	< 5	59
10653	201	238	< 1	0.01	75	760	< 2	< 5	< 10	25	0.22	< 10	< 10	173	5	78
10654	203	238	< 1	0.01	42	560	8	< 5	< 10	40	0.08	< 10	< 10	50	< 5	65
10655	201	238	< 1	0.01	52	690	6	< 5	< 10	26	0.24	< 10	< 10	94	5	55
10745	201	238	4	0.01	66	1330	30	< 5	< 10	27	0.01	30	< 10	45	< 5	142
10746	201	238	< 1	0.01	18	350	10	< 5	< 10	17	0.07	10	< 10	41	< 5	51
10748	201	238	< 1	< 0.01	34	1000	2	< 5	< 10	11	0.03	< 10	< 10	137	< 5	74
10749	201	238	< 1	0.01	29	1170	< 2	< 5	< 10	16	0.03	10	< 10	103	< 5	80
10751	201	238	< 1	< 0.01	23	1040	4	< 5	< 10	40	0.16	< 10	< 10	46	< 5	52
10752	201	238	< 1	0.01	18	530	14	< 5	< 10	23	0.08	< 10	< 10	48	< 5	61
10753	201	238	< 1	0.01	21	670	< 2	< 5	< 10	32	0.07	< 10	< 10	49	< 5	54
10754	201	238	< 1	< 0.01	19	490	30	< 5	< 10	17	0.06	< 10	< 10	21	< 5	46
10758	201	238	1	0.01	17	310	< 2	< 5	< 10	23	0.05	< 10	< 10	65	< 5	60
10759	201	238	2	0.01	31	560	6	< 5	< 10	44	0.05	< 10	< 10	78	< 5	67
10760	201	238	< 1	0.01	54	230	< 2	< 5	< 10	25	0.33	< 10	< 10	147	< 5	75
10761	201	238	1	< 0.01	73	410	< 2	5	< 10	18	0.09	< 10	< 10	133	< 5	69
10762	201	238	< 1	0.01	36	710	< 2	< 5	< 10	63	0.04	< 10	< 10	62	< 5	40
10763	201	238	1	< 0.01	49	610	< 2	< 5	< 10	24	0.20	< 10	< 10	119	< 5	132
10800	201	238	< 1	0.01	35	640	8	< 5	< 10	43	< 0.01	< 10	< 10	15	< 5	86
10801	201	238	1	< 0.01	36	550	< 2	< 5	20	34	< 0.01	< 10	< 10	17	< 5	79
10802	201	238	4	< 0.01	53	490	8	< 5	20	69	< 0.01	< 10	< 10	20	< 5	158

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10803	201 238	15	0.29	3.0	40	160	< 0.5	< 2	1.37	0.5	15	10	103	2.50	< 10	< 1	0.08	30	0.69	255
10804	201 238	11	0.27	2.8	20	200	< 0.5	< 2	1.28	1.5	11	10	95	2.18	< 10	< 1	0.08	20	0.51	204
10805	201 238	3	0.87	1.4	55	310	< 0.5	< 2	0.54	0.5	11	21	63	2.53	< 10	< 1	0.08	30	0.18	283
10806	201 238	3	0.81	0.8	45	220	< 0.5	< 2	0.55	0.5	17	20	109	3.11	< 10	< 1	0.06	30	0.22	223
10807	201 238	13	0.99	2.2	5	250	< 0.5	< 2	0.70	0.5	10	19	70	2.43	< 10	< 1	0.06	30	0.32	273
10808	201 238	8	0.95	1.6	5	180	< 0.5	< 2	0.51	1.5	14	23	86	2.61	< 10	2	0.08	20	0.29	270
10809	201 238	10	0.26	2.0	30	140	< 0.5	4	2.05	1.5	16	10	112	2.82	< 10	1	0.07	40	0.95	319
10810	201 238	12	0.62	2.8	25	260	< 0.5	< 2	0.50	< 0.5	13	15	108	2.69	< 10	< 1	0.08	30	0.28	431
10811	201 238	24	0.85	1.8	15	360	< 0.5	< 2	1.11	1.0	11	18	66	2.48	< 10	< 1	0.08	30	0.35	296
10812	201 238	8	0.99	1.2	< 5	390	< 0.5	4	0.51	1.0	13	19	71	2.79	< 10	< 1	0.07	30	0.33	524
10813	201 238	5	0.88	1.4	< 5	400	< 0.5	4	0.47	1.0	9	18	56	2.44	< 10	< 1	0.08	30	0.29	346
10814	201 238	1	1.13	1.2	5	390	< 0.5	< 2	0.92	1.0	10	21	32	2.34	< 10	< 1	0.07	20	0.42	403
10815	201 238	10	1.12	1.2	20	380	< 0.5	< 2	0.43	0.5	14	24	65	2.82	< 10	< 1	0.09	30	0.33	226
10816	201 238	4	1.22	0.8	< 5	420	< 0.5	< 2	0.51	1.0	13	24	51	2.73	< 10	< 1	0.09	30	0.35	291
10817	201 238	5	1.47	0.4	< 5	390	< 0.5	2	0.55	< 0.5	13	27	30	2.64	< 10	< 1	0.09	30	0.48	302
10818	201 238	196	0.87	0.2	< 5	430	< 0.5	2	1.55	1.5	9	128	71	1.59	< 10	< 1	0.07	20	0.50	514
10819	201 238	2	1.31	0.4	10	350	0.5	< 2	0.72	< 0.5	8	21	27	2.41	< 10	3	0.08	20	0.38	341
10821	201 238	6	0.99	0.4	30	240	0.5	< 2	1.26	1.5	16	15	76	3.30	< 10	< 1	0.14	20	0.25	914
80923	201 238	7	1.41	0.2	5	360	0.5	< 2	0.72	< 0.5	14	23	18	2.39	< 10	< 1	0.10	20	0.55	568
80924	201 238	< 1	1.44	0.2	20	420	0.5	< 2	0.77	< 0.5	12	27	24	2.45	< 10	< 1	0.10	20	0.64	457
80925	201 238	6	1.65	0.2	< 5	400	< 0.5	< 2	0.60	< 0.5	6	30	21	2.67	< 10	< 1	0.12	20	0.54	507
80926	201 238	6	1.60	0.2	10	400	0.5	2	0.57	< 0.5	5	30	24	2.60	< 10	< 1	0.12	20	0.57	419
80927	201 238	3	0.76	0.2	< 5	380	< 0.5	< 2	1.84	< 0.5	< 1	31	20	1.16	< 10	< 1	0.10	10	0.40	159
80928	201 238	< 1	1.56	0.2	25	270	0.5	< 2	0.33	< 0.5	< 1	26	20	2.28	< 10	3	0.08	20	0.45	235
80929	201 238	< 1	1.51	0.2	< 5	510	1.0	< 2	0.41	< 0.5	< 1	26	20	2.57	< 10	< 1	0.11	20	0.41	488
80930	201 238	34	1.20	0.2	5	450	0.5	< 2	0.86	< 0.5	< 1	25	25	2.23	< 10	< 1	0.07	20	0.48	430
80931	201 238	2	0.94	0.2	5	430	0.5	< 2	1.97	< 0.5	< 1	20	27	1.73	< 10	< 1	0.06	10	0.56	396
80932	201 238	< 1	0.86	0.2	5	540	< 0.5	< 2	2.10	< 0.5	8	16	27	1.56	< 10	< 1	0.05	10	0.46	1315
80933	201 238	< 1	0.88	0.2	10	530	< 0.5	< 2	2.19	< 0.5	< 1	17	26	1.38	< 10	< 1	0.06	< 10	0.45	337
80934	201 238	2	1.32	0.4	< 5	410	0.5	< 2	0.85	< 0.5	< 1	25	27	2.45	< 10	< 1	0.10	20	0.57	443
80935	201 238	< 1	1.41	0.4	20	360	0.5	< 2	0.61	< 0.5	< 1	26	18	2.41	< 10	< 1	0.09	20	0.54	259
80936	201 238	2	1.30	0.4	< 5	390	< 0.5	< 2	1.11	< 0.5	< 1	24	24	2.05	< 10	< 1	0.08	10	0.55	247
80937	201 238	2	1.10	0.2	5	280	0.5	< 2	0.51	< 0.5	< 1	21	13	1.88	< 10	< 1	0.07	20	0.43	228
80938	201 238	< 1	1.14	0.4	15	430	< 0.5	< 2	0.86	< 0.5	< 1	21	19	1.87	< 10	< 1	0.08	20	0.44	345
80939	201 238	< 1	1.05	0.2	< 5	380	< 0.5	< 2	0.33	< 0.5	< 1	16	13	1.46	< 10	< 1	0.10	20	0.30	267
80940	201 238	< 1	1.17	0.2	15	420	< 0.5	< 2	0.46	< 0.5	< 1	25	17	1.73	< 10	1	0.11	20	0.33	248
80941	201 238	2	1.25	0.2	< 5	350	< 0.5	< 2	0.35	< 0.5	< 1	23	16	2.20	< 10	< 1	0.09	20	0.43	254
80942	201 238	2	1.64	0.2	10	590	0.5	< 2	0.71	< 0.5	< 1	42	35	2.30	< 10	< 1	0.10	20	0.56	304
80943	201 238	5	1.61	0.2	< 5	620	0.5	< 2	1.00	0.5	< 1	108	39	2.30	< 10	< 1	0.17	40	0.53	474
80944	201 238	4	1.45	0.2	< 5	610	< 0.5	< 2	0.70	< 0.5	< 1	17	39	2.21	< 10	< 1	0.10	20	0.39	640

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10803	201 238	4	0.01	54	710	20	< 5	30	70	< 0.01	< 10	< 10	12	< 5	165
10804	201 238	8	< 0.01	55	600	10	< 5	< 10	66	< 0.01	< 10	< 10	17	< 5	187
10805	201 238	9	< 0.01	44	430	32	< 5	< 10	73	< 0.01	< 10	< 10	29	< 5	139
10806	201 238	8	< 0.01	77	390	16	< 5	< 10	36	< 0.01	< 10	< 10	26	< 5	212
10807	201 238	15	< 0.01	50	410	10	< 5	20	50	0.02	< 10	< 10	34	< 5	171
10808	201 238	11	0.01	69	310	12	< 5	< 10	37	0.02	< 10	< 10	34	< 5	197
10809	201 238	7	0.01	61	870	16	5	< 10	93	< 0.01	< 10	< 10	10	< 5	186
10810	201 238	5	0.01	52	410	2	5	< 10	57	0.01	< 10	< 10	22	5	139
10811	201 238	11	0.01	47	620	6	< 5	10	69	0.03	< 10	< 10	36	10	151
10812	201 238	6	0.01	44	420	6	< 5	< 10	43	0.03	< 10	< 10	39	5	114
10813	201 238	8	0.01	35	400	12	< 5	< 10	44	0.03	< 10	< 10	36	5	107
10814	201 238	7	0.01	28	660	20	< 5	< 10	57	0.05	< 10	< 10	43	5	87
10815	201 238	20	0.01	41	420	12	5	< 10	43	0.05	< 10	< 10	56	5	160
10816	201 238	9	0.02	32	450	20	< 5	< 10	47	0.05	< 10	< 10	50	10	102
10817	201 238	7	0.02	25	570	16	5	< 10	41	0.08	< 10	< 10	58	< 5	81
10818	201 238	3	0.03	204	690	16	5	< 10	82	0.03	< 10	< 10	27	10	99
10819	201 238	4	0.01	19	620	14	< 5	< 10	46	0.05	< 10	< 10	45	< 5	87
10821	201 238	22	0.01	49	810	4	< 5	< 10	71	0.01	< 10	< 10	46	< 5	242
80923	201 238	< 1	0.02	20	520	8	< 5	< 10	42	0.08	< 10	< 10	48	< 5	73
80924	201 238	< 1	0.02	24	620	4	5	< 10	50	0.07	< 10	< 10	52	< 5	68
80925	201 238	1	0.02	20	600	< 2	< 5	< 10	40	0.09	< 10	< 10	59	< 5	71
80926	201 238	2	0.02	23	450	2	< 5	< 10	40	0.10	< 10	< 10	59	< 5	67
80927	201 238	< 1	0.01	13	660	< 2	< 5	< 10	80	0.03	< 10	< 10	27	5	81
80928	201 238	1	0.01	15	380	16	< 5	< 10	26	0.08	< 10	< 10	51	< 5	45
80929	201 238	< 1	0.01	17	260	< 2	< 5	< 10	34	0.07	< 10	< 10	50	< 5	52
80930	201 238	< 1	0.02	22	560	22	< 5	< 10	49	0.05	< 10	< 10	42	< 5	63
80931	201 238	< 1	0.02	19	790	< 2	< 5	< 10	86	0.04	< 10	< 10	31	5	88
80932	201 238	2	0.02	19	790	< 2	5	< 10	101	0.03	< 10	< 10	28	< 5	46
80933	201 238	1	0.01	17	840	< 2	5	< 10	103	0.03	< 10	< 10	27	< 5	56
80934	201 238	< 1	0.02	22	650	6	< 5	< 10	45	0.08	< 10	< 10	50	< 5	76
80935	201 238	2	0.02	16	560	6	< 5	< 10	43	0.07	< 10	< 10	52	< 5	60
80936	201 238	< 1	0.02	20	730	8	< 5	< 10	69	0.06	< 10	< 10	44	< 5	97
80937	201 238	1	0.02	15	460	2	< 5	< 10	32	0.07	< 10	< 10	40	< 5	47
80938	201 238	< 1	0.01	17	620	4	< 5	< 10	56	0.06	< 10	< 10	39	< 5	48
80939	201 238	< 1	0.01	10	270	40	< 5	< 10	30	0.04	< 10	< 10	28	< 5	35
80940	201 238	1	0.01	27	350	24	5	10	37	0.04	< 10	< 10	30	< 5	52
80941	201 238	1	0.01	16	410	10	< 5	< 10	30	0.07	< 10	< 10	42	< 5	59
80942	201 238	2	0.01	76	690	8	< 5	< 10	63	0.04	< 10	< 10	40	< 5	95
80943	201 238	1	0.02	59	830	8	< 5	< 10	75	0.02	< 10	< 10	26	< 5	59
80944	201 238	< 1	0.01	29	470	6	< 5	< 10	48	0.03	< 10	< 10	35	< 5	58

CERTIFICATION : B C S

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Page N : 5-A
Tot. F : 5
Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
89431	201	238	< 1	1.60	< 0.2	< 5	220	< 0.5	< 2	0.26	< 0.5	5	25	16	1.93	< 10	< 1	0.06	10	0.35	111
89432	201	238	5	1.63	< 0.2	10	240	< 0.5	< 2	0.28	< 0.5	7	28	20	2.23	< 10	< 1	0.07	20	0.38	148
89433	201	238	< 1	1.98	< 0.2	5	470	< 0.5	2	0.47	< 0.5	10	31	28	2.51	< 10	< 1	0.11	20	0.40	230
89434	201	238	2	2.16	< 0.2	10	730	< 0.5	4	0.56	< 0.5	12	36	38	2.97	< 10	< 1	0.13	20	0.51	331
89435	201	238	< 1	1.93	< 0.2	10	680	< 0.5	4	0.39	< 0.5	9	28	29	2.38	< 10	< 1	0.15	30	0.47	213
89436	201	238	2	1.43	< 0.2	< 5	420	< 0.5	< 2	0.29	< 0.5	8	25	23	2.02	< 10	< 1	0.12	30	0.39	175
89437	201	238	1	1.04	< 0.2	< 5	400	< 0.5	< 2	0.18	< 0.5	7	16	17	1.51	< 10	< 1	0.17	40	0.39	274
89438	201	238	< 1	1.53	< 0.2	< 5	510	< 0.5	< 2	0.23	< 0.5	6	22	22	1.79	< 10	< 1	0.15	30	0.32	141
89439	201	238	< 1	1.26	< 0.2	< 5	310	< 0.5	< 2	0.18	< 0.5	4	20	11	1.58	< 10	< 1	0.10	20	0.31	106
89440	201	238	1	1.40	< 0.2	5	380	< 0.5	< 2	0.20	< 0.5	6	22	19	1.75	< 10	< 1	0.11	30	0.36	124
89441	201	238	< 1	0.59	< 0.2	< 5	100	< 0.5	< 2	0.09	< 0.5	4	10	8	0.83	< 10	< 1	0.09	30	0.18	134
89442	201	238	1	1.64	< 0.2	< 5	230	< 0.5	< 2	0.13	< 0.5	6	27	15	2.10	< 10	< 1	0.08	20	0.39	151
89443	201	238	< 1	1.36	< 0.2	< 5	170	< 0.5	2	0.14	< 0.5	5	23	14	1.81	< 10	< 1	0.07	20	0.45	111
89444	201	238	< 1	1.66	< 0.2	< 5	200	< 0.5	< 2	0.15	< 0.5	6	30	14	2.17	< 10	< 1	0.09	20	0.47	131
89445	201	238	< 1	1.04	< 0.2	< 5	120	< 0.5	< 2	0.03	< 0.5	4	18	9	1.21	< 10	< 1	0.14	20	0.34	70
89446	201	238	< 1	1.65	< 0.2	10	220	< 0.5	2	0.24	< 0.5	7	27	11	2.26	< 10	3	0.07	10	0.38	204
89447	201	238	< 1	1.74	< 0.2	< 5	250	< 0.5	< 2	0.25	< 0.5	9	29	18	2.32	< 10	< 1	0.06	20	0.44	214
89448	201	238	2	1.67	< 0.2	< 5	210	< 0.5	< 2	0.30	< 0.5	8	30	23	2.20	< 10	< 1	0.06	20	0.41	155
89449	201	238	2	1.74	< 0.2	< 5	290	< 0.5	< 2	0.32	< 0.5	7	27	21	2.13	< 10	< 1	0.08	20	0.36	148
89450	201	238	< 1	1.96	< 0.2	< 5	470	< 0.5	2	0.43	< 0.5	9	33	30	2.58	< 10	< 1	0.10	20	0.43	231
89451	201	238	6	1.73	< 0.2	< 5	490	< 0.5	< 2	0.44	< 0.5	11	34	31	2.41	< 10	< 1	0.08	20	0.53	257
89452	201	238	1	1.78	< 0.2	< 5	460	< 0.5	< 2	0.41	< 0.5	11	31	29	2.37	< 10	1	0.11	20	0.48	312
89453	201	238	< 1	1.63	< 0.2	< 5	440	< 0.5	< 2	0.41	< 0.5	10	31	26	2.13	< 10	< 1	0.12	30	0.52	294
89454	201	238	< 1	1.39	< 0.2	< 5	360	< 0.5	< 2	0.30	< 0.5	6	23	20	1.77	< 10	< 1	0.12	30	0.46	187
89455	201	238	1	1.52	< 0.2	< 5	230	< 0.5	< 2	0.28	< 0.5	6	26	13	1.87	< 10	< 1	0.09	20	0.38	157
89456	201	238	< 1	1.75	< 0.2	5	370	< 0.5	< 2	0.34	< 0.5	10	33	24	2.28	< 10	< 1	0.10	20	0.47	305
89457	201	238	< 1	1.59	< 0.2	< 5	360	< 0.5	< 2	0.36	< 0.5	9	35	22	2.12	< 10	< 1	0.09	20	0.54	236
89458	201	238	< 1	1.59	< 0.2	< 5	220	< 0.5	< 2	0.21	< 0.5	6	28	19	2.05	< 10	< 1	0.08	10	0.42	161
89459	201	238	2	1.47	< 0.2	< 5	300	< 0.5	< 2	0.27	< 0.5	7	27	22	2.06	< 10	< 1	0.08	20	0.41	210
89460	201	238	< 1	1.25	< 0.2	< 5	250	< 0.5	< 2	0.26	< 0.5	7	22	20	1.72	< 10	< 1	0.06	20	0.37	158
89461	201	238	< 1	1.33	0.4	< 5	310	< 0.5	2	0.25	< 0.5	10	22	14	1.91	< 10	< 1	0.07	20	0.34	156
89462	201	238	2	1.20	0.2	10	340	< 0.5	< 2	0.31	< 0.5	10	23	18	2.08	< 10	< 1	0.05	20	0.39	209

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P53
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
89431	201 238	< 1	< 0.01	11	360	12	< 5	< 10	20	0.09	< 10	< 10	40	5	42
89432	201 238	< 1	0.01	15	390	12	5	< 10	22	0.08	< 10	< 10	45	5	47
89433	201 238	< 1	0.01	16	400	12	5	< 10	36	0.07	< 10	< 10	50	10	59
89434	201 238	< 1	0.01	24	470	12	< 5	< 10	42	0.08	< 10	< 10	57	10	78
89435	201 238	< 1	0.01	14	320	20	5	< 10	32	0.08	< 10	< 10	46	5	65
89436	201 238	< 1	0.01	11	250	18	< 5	< 10	24	0.08	< 10	< 10	41	5	51
89437	201 238	< 1	0.01	6	180	20	< 5	< 10	18	0.05	< 10	< 10	24	5	64
89438	201 238	< 1	< 0.01	8	290	16	5	< 10	22	0.07	< 10	< 10	35	10	48
89439	201 238	< 1	< 0.01	8	140	20	< 5	< 10	18	0.07	< 10	< 10	36	5	37
89440	201 238	< 1	< 0.01	11	190	28	< 5	< 10	18	0.08	< 10	< 10	36	10	43
89441	201 238	< 1	< 0.01	2	100	16	< 5	< 10	9	0.04	< 10	< 10	14	5	25
89442	201 238	< 1	< 0.01	10	160	12	< 5	< 10	13	0.08	< 10	< 10	45	10	49
89443	201 238	< 1	< 0.01	7	120	8	5	< 10	14	0.08	< 10	< 10	37	5	54
89444	201 238	< 1	< 0.01	11	160	8	< 5	< 10	16	0.08	< 10	< 10	45	10	55
89445	201 238	< 1	< 0.01	6	80	6	< 5	< 10	6	0.03	< 10	< 10	18	< 5	42
89446	201 238	< 1	< 0.01	11	300	4	5	< 10	20	0.09	< 10	< 10	51	5	45
89447	201 238	< 1	< 0.01	11	270	6	< 5	< 10	20	0.09	< 10	< 10	48	10	49
89448	201 238	< 1	< 0.01	12	380	10	5	< 10	22	0.09	< 10	< 10	42	5	58
89449	201 238	< 1	0.01	13	330	12	< 5	< 10	25	0.09	< 10	< 10	44	5	51
89450	201 238	< 1	0.01	16	430	12	5	< 10	34	0.09	< 10	< 10	50	10	64
89451	201 238	< 1	0.01	21	410	8	< 5	< 10	33	0.09	< 10	< 10	49	5	72
89452	201 238	< 1	0.01	19	360	18	5	< 10	33	0.10	< 10	< 10	52	10	60
89453	201 238	< 1	0.01	14	280	12	5	< 10	33	0.10	< 10	< 10	49	10	61
89454	201 238	< 1	0.01	12	210	10	5	< 10	25	0.08	< 10	< 10	38	5	51
89455	201 238	< 1	0.01	12	250	8	< 5	< 10	23	0.09	< 10	< 10	45	5	53
89456	201 238	< 1	0.01	15	270	2	5	< 10	28	0.10	< 10	< 10	50	5	50
89457	201 238	< 1	0.01	15	240	6	< 5	< 10	27	0.11	< 10	< 10	48	5	56
89458	201 238	< 1	< 0.01	14	160	10	< 5	< 10	18	0.09	< 10	< 10	45	5	54
89459	201 238	< 1	< 0.01	13	320	2	< 5	< 10	21	0.08	< 10	< 10	42	5	51
89460	201 238	< 1	< 0.01	11	260	8	< 5	< 10	20	0.07	< 10	< 10	34	5	43
89461	201 238	< 1	< 0.01	11	300	< 2	< 5	< 10	21	0.06	< 10	< 10	37	5	45
89462	201 238	< 1	< 0.01	18	500	< 2	< 5	< 10	24	0.06	< 10	< 10	37	5	53

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page Nr : 1-A
Tot. P. : 6
Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
101	201	238	< 1	3.08	0.2	5	180	1.5	< 2	1.32	< 0.5	20	42	23	5.18	10	< 1	0.13	50	1.35	576
102	201	238	2	3.00	0.2	5	140	1.0	< 2	1.63	0.5	24	40	54	6.25	10	1	0.14	30	1.38	1425
103	201	238	< 1	1.66	0.2	< 5	260	0.5	< 2	0.33	< 0.5	9	27	13	2.22	< 10	1	0.09	20	0.43	320
104	201	238	< 1	2.94	0.2	10	1280	2.0	< 2	0.49	< 0.5	15	38	28	4.08	< 10	< 1	0.11	40	0.85	437
105	201	238	< 1	2.26	0.2	10	270	1.5	< 2	1.07	0.5	16	31	37	3.92	10	< 1	0.13	40	0.89	726
106	201	238	4	2.21	0.2	10	360	2.0	< 2	0.79	< 0.5	13	30	36	3.19	< 10	< 1	0.18	30	0.63	523
107	201	238	< 1	2.11	0.2	5	220	1.5	< 2	0.44	< 0.5	13	31	28	3.57	< 10	< 1	0.12	30	0.76	492
108	201	238	< 1	1.97	0.2	< 5	190	1.0	< 2	0.74	0.5	16	29	38	3.69	< 10	< 1	0.14	30	0.81	664
109	201	238	< 1	2.41	0.2	5	270	1.5	< 2	0.52	< 0.5	16	35	35	4.06	< 10	1	0.11	40	0.90	590
110	201	238	< 1	2.69	0.2	< 5	200	1.0	< 2	0.45	< 0.5	18	38	35	4.60	10	< 1	0.19	50	1.10	497
111	201	238	< 1	2.48	0.2	< 5	270	1.0	< 2	0.94	0.5	16	35	39	3.94	10	1	0.16	40	0.95	581
112	201	238	2	2.56	0.6	5	340	1.0	< 2	0.69	1.5	16	38	54	3.99	10	< 1	0.17	40	0.85	710
113	201	238	< 1	3.02	0.2	10	390	1.5	< 2	0.61	< 0.5	18	42	41	4.25	10	< 1	0.14	40	0.90	675
114	201	238	3	2.41	0.2	< 5	250	1.0	< 2	0.83	0.5	16	37	42	3.94	< 10	1	0.18	30	0.90	482
115	201	238	3	2.42	0.2	< 5	230	1.0	< 2	0.48	< 0.5	15	36	36	3.97	< 10	< 1	0.15	40	0.90	434
116	201	238	2	2.77	0.2	< 5	250	1.0	< 2	0.50	0.5	16	39	35	4.18	< 10	< 1	0.18	40	1.00	468
117	201	238	< 1	3.38	0.2	< 5	310	1.5	< 2	0.44	< 0.5	21	46	38	4.48	10	< 1	0.16	40	0.95	480
118	201	238	1	3.48	0.2	10	240	1.5	< 2	0.59	< 0.5	19	44	39	4.89	10	1	0.25	40	1.14	559
119	201	238	< 1	2.35	0.2	5	330	1.5	< 2	1.17	< 0.5	13	35	36	2.94	< 10	2	0.15	20	0.63	550
120	201	238	< 1	3.01	0.4	< 5	240	1.5	< 2	0.61	0.5	19	41	41	4.61	10	< 1	0.30	40	1.13	505
121	201	238	1	2.86	0.2	< 5	270	1.0	< 2	1.24	0.5	17	38	44	4.21	10	1	0.26	40	1.04	548
122	201	238	< 1	1.41	0.2	15	240	0.5	< 2	0.59	< 0.5	9	34	19	2.56	< 10	< 1	0.16	20	0.48	300
123	201	238	< 1	1.22	0.2	5	190	0.5	< 2	0.93	0.5	10	77	35	2.60	< 10	< 1	0.10	20	0.66	178
124	201	238	2	1.29	0.2	10	250	0.5	< 2	1.34	0.5	10	46	30	2.57	< 10	< 1	0.12	20	0.66	173
125	201	238	4	1.70	0.2	10	290	0.5	< 2	0.63	< 0.5	13	91	30	3.05	< 10	< 1	0.14	30	0.71	221
126	201	238	2	1.44	0.2	10	310	1.0	< 2	1.15	1.0	11	47	37	2.46	< 10	< 1	0.11	20	0.61	357
127	201	238	2	1.70	0.2	15	420	1.0	< 2	0.74	< 0.5	13	55	31	2.72	< 10	< 1	0.14	30	0.60	477
128	201	238	3	1.40	0.2	10	300	0.5	< 2	0.76	0.5	10	49	26	2.37	< 10	< 1	0.13	20	0.60	347
129	201	238	28	1.53	0.2	10	540	1.0	< 2	1.20	0.5	10	29	32	2.36	< 10	1	0.15	20	0.52	561
130	201	238	< 1	1.64	0.2	15	420	0.5	< 2	0.93	< 0.5	10	28	33	2.43	< 10	< 1	0.18	20	0.50	407
131	201	238	20	1.63	0.2	10	420	1.0	< 2	0.74	0.5	12	53	35	2.65	< 10	< 1	0.14	20	0.65	384
132	201	238	2	1.61	0.2	10	440	0.5	< 2	0.64	< 0.5	12	27	43	2.59	< 10	1	0.16	20	0.42	461
133	201	238	< 1	2.34	0.2	5	260	1.5	< 2	0.91	0.5	15	33	41	3.79	< 10	1	0.17	40	0.83	511
134	201	238	1	1.96	0.2	10	230	1.0	< 2	0.68	0.5	13	30	35	3.20	< 10	< 1	0.17	30	0.67	423
135	201	238	5	1.99	0.2	< 5	250	1.0	< 2	0.65	0.5	13	29	43	3.35	< 10	< 1	0.15	30	0.67	511
136	201	238	< 1	2.07	0.2	< 5	290	1.0	< 2	0.47	0.5	17	31	48	3.54	< 10	< 1	0.15	30	0.69	595
137 (400-25)	201	238	< 1	1.96	0.2	10	270	1.5	< 2	0.70	< 0.5	13	29	48	3.19	< 10	1	0.14	30	0.60	545
??? (400-50)	201	238	1	1.89	0.2	5	240	1.0	< 2	0.51	0.5	13	27	44	3.33	< 10	< 1	0.17	30	0.64	430
139	201	238	2	1.55	0.2	< 5	190	0.5	< 2	0.31	< 0.5	10	26	28	2.77	< 10	< 1	0.13	30	0.53	250
140	201	238	< 1	1.53	0.2	5	210	0.5	< 2	0.39	< 0.5	10	31	34	2.51	< 10	< 1	0.11	30	0.53	212

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
09 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No. -B
Tot. Pa
Date 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
101	201	238	< 1	0.02	39	730	6	< 5	< 10	47	< 0.01	10	< 10	23	10	111
102	201	238	2	0.02	46	840	40	< 5	< 10	120	< 0.01	< 10	< 10	32	15	126
103	201	238	< 1	0.01	15	140	10	< 5	< 10	24	0.07	< 10	< 10	46	< 5	46
104	201	238	< 1	0.02	30	420	8	< 5	< 10	35	0.01	10	< 10	37	10	71
105	201	238	< 1	0.02	33	810	16	< 5	< 10	61	0.01	10	< 10	28	5	89
106	201	238	< 1	0.02	30	560	16	< 5	< 10	56	0.02	10	< 10	33	5	80
107	201	238	< 1	0.01	27	470	12	< 5	< 10	30	0.02	< 10	< 10	36	5	81
108	201	238	< 1	0.02	29	730	18	< 5	< 10	43	0.01	10	< 10	25	5	84
109	201	238	< 1	0.01	31	620	16	< 5	< 10	40	0.01	10	< 10	31	5	85
110	201	238	< 1	0.02	39	650	12	< 5	< 10	34	< 0.01	10	< 10	30	10	94
111	201	238	< 1	0.02	36	660	18	< 5	< 10	62	< 0.01	10	< 10	33	10	91
112	201	238	< 1	0.02	43	540	14	< 5	< 10	62	< 0.01	10	< 10	35	5	96
113	201	238	< 1	0.02	40	420	10	< 5	< 10	54	0.01	10	< 10	46	5	93
114	201	238	< 1	0.02	42	620	12	< 5	< 10	61	< 0.01	10	< 10	29	5	87
115	201	238	< 1	0.02	34	420	12	< 5	< 10	39	0.01	10	< 10	35	10	82
116	201	238	< 1	0.02	38	590	18	< 5	< 10	39	< 0.01	10	< 10	32	5	82
117	201	238	< 1	0.02	40	250	18	< 5	< 10	43	0.01	< 10	< 10	52	10	80
118	201	238	< 1	0.03	39	460	10	< 5	< 10	53	< 0.01	10	< 10	34	10	84
119	201	238	< 1	0.03	27	550	6	< 5	< 10	90	0.05	< 10	< 10	55	5	42
120	201	238	< 1	0.03	42	780	14	< 5	< 10	51	< 0.01	10	< 10	32	10	102
121	201	238	< 1	0.03	38	640	18	< 5	< 10	74	< 0.01	10	< 10	34	10	94
122	201	238	< 1	0.01	25	580	14	< 5	< 10	37	0.03	< 10	< 10	37	5	72
123	201	238	< 1	0.01	55	580	18	< 5	< 10	48	0.01	< 10	< 10	29	5	69
124	201	238	< 1	0.02	45	800	10	< 5	< 10	63	0.02	< 10	< 10	33	5	70
125	201	238	< 1	0.02	63	510	10	< 5	< 10	44	0.03	< 10	< 10	40	5	66
126	201	238	< 1	0.02	52	680	10	< 5	< 10	63	0.03	< 10	< 10	36	5	65
127	201	238	< 1	0.02	40	420	10	< 5	< 10	53	0.04	< 10	< 10	43	< 5	61
128	201	238	< 1	0.02	39	630	6	< 5	< 10	50	0.05	< 10	< 10	41	5	70
129	201	238	< 1	0.02	28	750	12	< 5	< 10	79	0.04	< 10	< 10	41	5	73
130	201	238	< 1	0.02	25	590	8	< 5	< 10	54	0.05	< 10	< 10	45	5	79
131	201	238	< 1	0.02	49	540	10	< 5	< 10	50	0.06	< 10	< 10	46	5	72
132	201	238	< 1	0.02	30	670	12	< 5	< 10	44	0.04	< 10	< 10	44	5	78
133	201	238	< 1	0.03	33	640	16	< 5	< 10	53	0.02	10	< 10	39	< 5	95
134	201	238	< 1	0.02	29	640	12	< 5	< 10	43	0.03	10	< 10	39	5	91
135	201	238	< 1	0.02	31	600	14	< 5	< 10	43	0.03	10	< 10	41	5	95
136	201	238	1	0.02	32	560	18	< 5	< 10	35	0.02	< 10	< 10	43	5	113
137 (400-25)	201	238	2	0.02	33	580	16	< 5	< 10	44	0.02	< 10	< 10	41	5	89
??? (400-50)	201	238	2	0.02	30	610	14	< 5	< 10	35	0.02	< 10	< 10	40	5	105
139	201	238	< 1	0.01	21	480	16	< 5	< 10	26	0.02	< 10	< 10	30	5	66
140	201	238	< 1	0.01	26	410	12	< 5	< 10	32	0.03	10	< 10	32	5	75

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page № 2-A
Tot. P 6
Date :12-AUG-87
Invoice # :I-8718556
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
141	201	238	2	1.74	0.2	< 5	240	0.5	< 2	0.43	0.5	13	31	32	3.19	< 10	< 1	0.16	30	0.53	409
142	201	238	< 1	1.43	0.2	5	300	0.5	< 2	0.76	< 0.5	7	28	19	2.17	< 10	< 1	0.17	20	0.46	251
143	201	238	1	1.91	0.2	25	410	1.0	< 2	0.59	< 0.5	15	96	35	3.02	< 10	< 1	0.17	30	0.89	308
144	203	238	2	1.92	0.2	10	420	1.0	< 2	0.53	< 0.5	11	256	20	2.54	< 10	1	0.20	20	0.50	393
145	201	238	4	1.87	0.2	10	330	1.0	< 2	0.55	< 0.5	14	59	33	2.89	< 10	1	0.16	30	0.69	310
146	203	238	< 1	1.98	0.2	15	400	1.0	< 2	0.69	0.5	18	197	42	3.41	< 10	2	0.26	30	0.78	433
147	201	238	1	1.65	0.2	< 5	370	1.0	< 2	0.58	< 0.5	10	53	27	2.67	< 10	< 1	0.14	30	0.62	307
148	201	238	< 1	1.46	0.2	< 5	460	0.5	< 2	0.75	0.5	10	30	26	2.15	< 10	< 1	0.11	20	0.50	926
149	201	238	1	1.61	0.2	10	390	1.0	< 2	0.62	< 0.5	14	91	30	2.64	< 10	< 1	0.11	30	0.72	569
150	201	238	< 1	1.42	0.2	5	270	1.0	< 2	0.81	0.5	16	144	29	2.87	< 10	< 1	0.11	30	0.78	408
151	203	238	2	1.99	0.2	30	390	1.0	< 2	1.11	< 0.5	21	475	34	3.04	< 10	< 1	0.24	30	1.13	419
152	203	238	2	2.21	0.2	15	360	1.0	< 2	0.53	< 0.5	15	150	35	3.60	< 10	< 1	0.29	30	0.82	380
153	201	238	2	1.50	0.2	15	250	1.5	< 2	0.52	< 0.5	15	46	34	3.53	< 10	< 1	0.13	40	0.62	405
154	201	238	4	1.67	0.2	5	490	1.0	< 2	0.67	< 0.5	13	59	41	3.17	< 10	< 1	0.15	30	0.64	434
155	201	238	< 1	1.56	0.2	10	200	1.0	< 2	0.61	< 0.5	15	75	33	3.38	< 10	4	0.13	40	0.76	320
156	203	238	< 1	0.82	0.2	< 5	210	0.5	< 2	0.26	< 0.5	6	337	11	1.85	< 10	< 1	0.09	10	0.19	242
157	201	238	< 1	1.50	0.2	< 5	390	1.0	4	0.43	< 0.5	6	31	17	2.04	< 10	< 1	0.11	20	0.44	244
158	201	238	2	1.49	0.2	< 5	430	1.0	< 2	0.32	< 0.5	6	32	24	2.04	< 10	1	0.10	20	0.46	250
159	201	238	< 1	1.51	0.2	5	360	0.5	< 2	0.28	< 0.5	6	29	13	1.96	< 10	< 1	0.10	20	0.46	193
160	201	238	2	1.51	0.2	15	270	0.5	< 2	0.32	< 0.5	10	109	17	2.04	< 10	2	0.07	20	0.78	199
161	203	238	91	2.06	0.2	55	430	1.0	< 2	0.75	< 0.5	18	392	38	2.88	< 10	< 1	0.12	20	1.40	382
162	201	238	4	2.30	0.4	30	500	1.0	< 2	0.81	0.5	19	200	49	3.06	< 10	< 1	0.08	30	1.06	648
163	203	238	1	2.02	0.2	< 5	500	1.0	< 2	0.63	< 0.5	15	173	38	3.15	< 10	1	0.16	30	0.64	590
164	201	238	< 1	1.81	0.2	< 5	480	0.5	< 2	0.50	0.5	10	47	22	2.54	< 10	< 1	0.11	20	0.53	347
165	201	238	2	1.95	0.2	25	520	0.5	< 2	0.48	< 0.5	10	37	23	2.55	< 10	< 1	0.13	20	0.51	382
166	201	238	< 1	2.26	0.2	25	550	1.0	< 2	0.48	< 0.5	13	55	22	2.80	< 10	< 1	0.15	30	0.55	589
167	201	238	< 1	2.02	0.2	< 5	570	1.0	< 2	0.51	< 0.5	10	39	18	2.48	< 10	< 1	0.14	20	0.47	633
168	201	238	2	2.19	0.2	15	580	1.0	< 2	0.36	< 0.5	10	72	14	2.34	< 10	1	0.17	20	0.73	376
169	201	238	< 1	2.35	0.2	35	580	0.5	< 2	0.33	< 0.5	23	155	30	3.67	< 10	1	0.15	20	0.85	727
170	201	238	< 1	2.14	0.2	15	440	0.5	< 2	0.35	< 0.5	19	100	36	3.72	< 10	1	0.18	20	0.83	609
171	201	238	< 1	2.09	0.2	45	690	1.0	< 2	0.51	< 0.5	19	117	26	3.55	< 10	< 1	0.19	20	0.62	750
172	201	238	< 1	1.91	0.2	20	540	1.0	< 2	0.46	< 0.5	14	37	36	3.36	< 10	< 1	0.17	20	0.42	638
173	201	238	< 1	1.86	0.2	55	920	1.0	< 2	0.50	0.5	13	39	41	3.00	< 10	< 1	0.21	20	0.31	561
174	201	238	3	1.52	0.2	60	500	0.5	< 2	1.56	< 0.5	18	188	37	2.54	< 10	< 1	0.13	20	0.74	479
175	201	238	< 1	2.31	0.2	50	720	0.5	< 2	0.46	< 0.5	18	166	28	3.02	< 10	1	0.16	10	0.67	633
176	201	238	< 1	2.72	0.2	95	550	1.0	< 2	0.52	< 0.5	45	542	25	4.38	< 10	< 1	0.07	20	1.39	1085
177	201	238	11	1.07	0.2	55	360	0.5	< 2	2.41	< 0.5	26	102	64	3.23	10	< 1	0.15	20	0.95	630
178	201	238	< 1	2.58	0.2	35	530	1.0	< 2	0.42	< 0.5	26	233	37	3.88	< 10	< 1	0.27	20	1.42	827
179	201	238	< 1	1.78	0.2	80	710	1.5	< 2	0.43	< 0.5	18	105	45	3.49	< 10	< 1	0.26	20	0.48	611
180	201	238	2	2.91	0.2	10	420	1.0	< 2	0.32	< 0.5	21	162	51	4.01	< 10	1	0.14	20	1.58	368

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
141	201 238	1	0.02	30	550	18	< 5	< 10	33	0.05	< 10	< 10	44	5	94
142	201 238	< 1	0.02	17	390	10	< 5	< 10	50	0.08	< 10	< 10	48	5	81
143	201 238	< 1	0.02	83	530	14	< 5	< 10	44	0.03	< 10	< 10	44	5	81
144	203 238	< 1	0.04	27	310	10	< 5	< 10	38	0.06	< 10	< 10	52	< 5	54
145	201 238	< 1	0.02	62	450	12	< 5	< 10	42	0.06	< 10	< 10	53	< 5	70
146	203 238	< 1	0.04	79	560	14	< 5	< 10	51	0.03	< 10	< 10	51	5	82
147	201 238	1	0.02	38	500	12	< 5	< 10	46	0.05	< 10	< 10	47	10	65
148	201 238	2	0.03	30	490	2	< 5	< 10	56	0.07	< 10	< 10	46	5	62
149	201 238	1	0.02	68	410	14	< 5	10	43	0.06	< 10	< 10	48	5	68
150	201 238	1	0.01	117	520	16	< 5	< 10	49	0.01	< 10	< 10	31	10	77
151	203 238	2	0.05	259	580	10	< 5	10	56	0.01	< 10	< 10	40	15	66
152	203 238	1	0.05	72	460	10	< 5	10	48	< 0.01	< 10	< 10	35	15	87
153	201 238	1	0.02	54	660	16	< 5	10	34	< 0.01	< 10	< 10	30	20	78
154	201 238	2	0.02	63	480	6	5	< 10	42	0.06	< 10	< 10	66	10	86
155	201 238	1	0.02	68	670	12	< 5	20	45	< 0.01	< 10	< 10	25	10	84
156	203 238	1	0.02	17	220	6	< 5	10	23	0.05	< 10	< 10	34	5	39
157	201 238	< 1	0.02	17	380	< 2	< 5	< 10	35	0.07	< 10	< 10	47	5	53
158	201 238	1	0.02	20	250	14	< 5	< 10	28	0.07	< 10	< 10	44	5	51
159	201 238	< 1	0.02	17	230	8	< 5	< 10	25	0.07	< 10	< 10	44	5	51
160	201 238	< 1	0.02	63	310	10	< 5	10	28	0.06	< 10	< 10	44	5	57
161	203 238	1	0.02	176	330	< 2	< 5	< 10	50	0.03	< 10	< 10	48	10	75
162	201 238	2	0.02	156	390	18	< 5	< 10	56	0.04	< 10	< 10	56	10	71
163	203 238	2	0.04	39	510	16	< 5	< 10	54	0.02	< 10	< 10	35	15	70
164	201 238	2	0.02	30	330	6	< 5	< 10	32	0.07	< 10	< 10	54	10	65
165	201 238	1	0.02	27	170	8	< 5	< 10	34	0.08	< 10	< 10	62	10	63
166	201 238	1	0.02	47	230	10	< 5	< 10	39	0.07	< 10	< 10	62	10	67
167	201 238	< 1	0.02	22	190	8	< 5	10	39	0.08	< 10	< 10	62	10	56
168	201 238	< 1	0.01	35	170	6	< 5	20	30	0.06	< 10	< 10	68	5	62
169	201 238	< 1	0.01	149	260	12	< 5	< 10	28	0.02	< 10	< 10	58	< 5	80
170	201 238	< 1	0.01	99	320	12	< 5	< 10	26	0.03	10	< 10	59	< 5	90
171	201 238	< 1	0.01	85	270	14	< 5	< 10	29	0.03	10	< 10	53	< 5	71
172	201 238	< 1	0.01	29	230	6	< 5	< 10	27	0.05	< 10	< 10	57	< 5	63
173	201 238	1	0.01	37	370	10	< 5	< 10	32	0.02	< 10	< 10	71	< 5	130
174	201 238	< 1	0.01	140	350	14	< 5	< 10	55	0.05	10	< 10	59	< 5	86
175	201 238	< 1	0.01	99	190	4	< 5	< 10	31	0.03	< 10	< 10	64	< 5	72
176	201 238	< 1	0.01	376	240	24	< 5	< 10	30	0.05	< 10	< 10	80	< 5	147
177	201 238	< 1	0.01	159	770	20	< 5	< 10	73	< 0.01	< 10	< 10	35	< 5	153
178	201 238	< 1	0.01	170	250	12	< 5	< 10	27	0.02	< 10	< 10	71	< 5	84
179	201 238	< 1	0.01	106	270	8	< 5	< 10	26	0.01	10	< 10	51	< 5	73
180	201 238	< 1	0.01	90	220	16	< 5	< 10	24	0.03	10	< 10	82	< 5	95

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page No : 3-A
Tot. P: 6
Date : 12-AUG-87
Invoice # : I-8718556
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
181	201	238	< 1	2.23	0.2	15	400	1.0	< 2	0.31	< 0.5	15	116	26	2.96	< 10	< 1	0.14	10	1.10	374
182	201	238	2	2.27	0.2	15	450	1.0	< 2	0.45	0.5	18	120	45	3.36	< 10	< 1	0.11	20	1.12	494
183	201	238	< 1	1.34	0.2	5	360	0.5	< 2	0.39	< 0.5	8	38	15	1.63	< 10	< 1	0.14	10	0.45	386
184	201	238	< 1	1.23	0.2	5	400	0.5	< 2	0.29	< 0.5	6	36	13	1.20	< 10	< 1	0.15	10	0.47	288
185	201	238	< 1	1.99	0.2	5	440	1.0	< 2	0.38	< 0.5	10	39	22	2.46	< 10	< 1	0.15	20	0.48	328
186	201	238	< 1	1.13	0.2	< 5	310	0.5	< 2	0.25	< 0.5	6	26	9	1.42	< 10	< 1	0.11	10	0.37	278
187	201	238	3	1.66	0.2	< 5	360	1.0	< 2	0.28	< 0.5	10	34	22	2.24	< 10	< 1	0.09	10	0.48	243
188	201	238	< 1	0.98	0.2	20	140	0.5	< 2	0.18	< 0.5	6	36	21	0.91	< 10	< 1	0.10	20	0.50	107
189	201	238	4	1.24	0.2	5	160	0.5	< 2	0.18	< 0.5	7	41	31	1.65	< 10	< 1	0.11	20	0.56	129
190	201	238	2	1.18	0.2	15	210	0.5	2	0.18	< 0.5	7	31	19	1.75	< 10	< 1	0.07	20	0.43	177
191	201	238	7	1.07	0.2	< 5	190	0.5	< 2	0.19	< 0.5	6	25	12	1.70	< 10	< 1	0.09	10	0.37	137
192	201	238	5	1.74	0.2	5	290	1.0	< 2	0.21	< 0.5	9	36	20	2.43	< 10	1	0.10	20	0.47	177
193	201	238	< 1	0.96	0.2	10	130	0.5	< 2	0.16	< 0.5	6	26	13	1.68	< 10	< 1	0.07	10	0.39	132
194	201	238	2	2.11	0.2	10	160	1.0	< 2	0.22	< 0.5	17	229	44	3.07	< 10	< 1	0.05	10	1.75	181
195	201	238	9	0.93	0.2	5	240	0.5	< 2	0.22	< 0.5	4	29	14	1.15	< 10	< 1	0.06	10	0.37	91
196	201	238	4	1.39	0.2	5	530	1.0	< 2	0.50	< 0.5	10	30	28	2.42	< 10	< 1	0.11	20	0.46	298
197	201	238	< 1	1.46	0.2	5	370	1.0	< 2	0.32	< 0.5	9	27	22	1.99	< 10	1	0.10	20	0.37	205
10002	201	238	8	0.56	0.6	5	230	1.0	< 2	0.49	< 0.5	10	20	85	2.28	< 10	< 1	0.12	30	0.17	467
10003	201	238	15	0.53	0.4	35	230	1.0	< 2	0.15	< 0.5	12	28	114	2.62	< 10	< 1	0.10	40	0.11	533
10004	201	238	1	1.59	0.6	< 5	550	1.0	< 2	0.41	0.5	11	51	52	2.36	< 10	< 1	0.17	20	0.28	509
10005	201	238	2	1.75	0.4	5	420	1.5	< 2	0.37	< 0.5	10	34	28	2.57	< 10	1	0.17	20	0.35	379
10006	201	238	< 1	1.63	0.6	< 5	560	1.0	< 2	0.43	0.5	13	28	48	2.40	< 10	1	0.22	20	0.29	660
10007	201	238	< 1	2.67	0.4	5	640	1.5	< 2	0.47	< 0.5	12	37	20	2.68	10	1	0.16	20	0.37	740
10008	201	238	< 1	1.18	0.2	5	380	1.0	< 2	0.23	< 0.5	13	23	49	2.59	< 10	< 1	0.17	40	0.16	471
10009	201	238	< 1	1.23	0.2	15	520	1.5	< 2	0.27	0.5	16	23	85	3.19	< 10	< 1	0.18	40	0.16	525
10010	201	238	< 1	1.64	0.4	5	530	1.5	< 2	0.35	< 0.5	12	35	52	2.49	< 10	< 1	0.18	20	0.29	474
10011	201	238	< 1	0.81	0.4	10	350	1.0	< 2	0.24	< 0.5	11	21	90	2.43	< 10	< 1	0.14	30	0.12	363
10012	201	238	< 1	1.39	0.2	5	550	1.5	< 2	0.43	0.5	14	24	57	3.28	< 10	< 1	0.17	30	0.26	1985
10013	201	238	< 1	0.69	0.6	40	530	1.5	< 2	0.84	1.0	17	38	95	3.19	< 10	< 1	0.18	30	0.18	633
10014	201	238	2	1.42	0.6	20	700	1.5	< 2	0.48	0.5	16	48	81	3.40	< 10	1	0.17	30	0.23	642
10015	201	238	1	1.48	0.6	20	640	1.5	< 2	0.63	1.5	19	37	65	3.67	10	< 1	0.15	30	0.24	1320
10016	201	238	3	2.18	0.4	5	640	1.0	< 2	0.51	0.5	12	36	21	2.60	10	< 1	0.11	20	0.42	518
10017	201	238	< 1	1.57	0.2	5	280	0.5	2	0.35	< 0.5	9	30	14	1.93	< 10	< 1	0.08	20	0.42	180
10018	201	238	< 1	2.15	0.6	15	670	1.0	< 2	0.43	< 0.5	11	35	26	2.51	10	1	0.10	20	0.36	556
10019	201	238	4	1.67	0.6	95	850	2.5	< 2	0.42	< 0.5	18	31	115	3.99	< 10	< 1	0.13	30	0.21	743
10020	203	238	< 1	1.58	0.4	15	680	1.5	< 2	0.56	1.5	12	179	60	2.78	< 10	< 1	0.36	20	0.17	400
10021	201	238	< 1	1.91	0.4	25	780	1.5	< 2	0.57	0.5	14	30	61	2.79	10	< 1	0.23	30	0.28	383
10022	201	238	< 1	1.13	1.0	10	680	1.0	< 2	0.46	0.5	15	26	84	3.02	10	< 1	0.20	40	0.14	961
10023	201	238	< 1	1.08	0.2	15	490	1.0	< 2	0.28	0.5	15	19	73	3.21	< 10	< 1	0.18	30	0.12	371
10024	201	238	< 1	1.62	0.2	< 5	600	1.0	< 2	0.60	0.5	13	29	49	2.51	10	< 1	0.10	20	0.27	865

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To IITED KENO HILL MINES LIMITED
,09 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

CERTIFICATE OF ANALYSIS A8718556

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
181	201	238	< 1	0.01	52	300	14	< 5	< 10	22	0.04	< 10	< 10	67	< 5	76
182	201	238	< 1	0.01	69	450	20	< 5	< 10	32	0.02	10	< 10	67	< 5	92
183	201	238	< 1	0.01	21	250	12	< 5	< 10	25	0.05	< 10	< 10	40	< 5	43
184	201	238	< 1	0.01	18	240	18	< 5	< 10	20	0.04	< 10	< 10	28	< 5	44
185	201	238	< 1	0.01	24	270	12	< 5	< 10	27	0.09	< 10	< 10	64	< 5	54
186	201	238	< 1	0.01	12	250	10	< 5	< 10	20	0.06	< 10	< 10	35	< 5	41
187	201	238	< 1	0.01	20	170	14	< 5	< 10	26	0.08	< 10	< 10	59	< 5	57
188	201	238	< 1	< 0.01	22	160	12	< 5	< 10	15	0.03	< 10	< 10	13	< 5	55
189	201	238	1	< 0.01	29	260	12	< 5	< 10	16	0.01	10	< 10	16	< 5	70
190	201	238	< 1	0.01	19	120	18	< 5	< 10	16	0.06	< 10	< 10	37	< 5	44
191	201	238	< 1	< 0.01	12	100	14	< 5	< 10	16	0.06	10	< 10	36	< 5	36
192	201	238	< 1	0.01	22	100	12	< 5	< 10	22	0.08	< 10	< 10	55	< 5	45
193	201	238	< 1	< 0.01	14	120	10	< 5	< 10	12	0.04	< 10	< 10	27	< 5	39
194	201	238	< 1	< 0.01	113	480	12	< 5	< 10	14	0.03	10	< 10	64	< 5	86
195	201	238	< 1	< 0.01	14	80	10	< 5	< 10	18	0.05	10	< 10	26	< 5	29
196	201	238	< 1	0.02	22	720	10	< 5	< 10	38	0.07	10	< 10	51	< 5	66
197	201	238	< 1	0.01	17	300	14	< 5	< 10	26	0.07	< 10	< 10	45	< 5	45
10002	201	238	2	< 0.01	48	620	16	< 5	< 10	32	< 0.01	10	< 10	17	< 5	117
10003	201	238	1	< 0.01	73	260	12	< 5	< 10	16	< 0.01	20	< 10	17	< 5	133
10004	201	238	3	0.01	43	260	10	< 5	< 10	31	0.01	10	< 10	48	< 5	106
10005	201	238	5	0.01	30	230	14	< 5	< 10	27	0.06	< 10	< 10	66	< 5	114
10006	201	238	3	0.01	33	290	6	< 5	< 10	32	0.02	10	< 10	74	< 5	118
10007	201	238	2	0.01	23	370	12	< 5	< 10	29	0.07	10	< 10	74	< 5	79
10008	201	238	6	0.01	28	330	4	< 5	< 10	29	0.01	20	< 10	44	< 5	105
10009	201	238	15	< 0.01	44	550	16	< 5	< 10	30	< 0.01	10	< 10	66	< 5	240
10010	201	238	10	0.01	41	300	6	< 5	< 10	36	0.01	10	< 10	78	< 5	140
10011	201	238	4	< 0.01	46	340	8	< 5	< 10	35	< 0.01	10	< 10	23	< 5	140
10012	201	238	15	< 0.01	49	480	20	< 5	< 10	32	0.02	10	< 10	66	< 5	168
10013	201	238	18	< 0.01	71	1080	14	5	< 10	70	< 0.01	10	< 10	43	< 5	233
10014	201	238	14	0.01	57	580	10	< 5	< 10	44	0.01	10	< 10	64	< 5	187
10015	201	238	10	0.01	56	710	< 2	< 5	< 10	42	0.03	10	< 10	61	< 5	253
10016	201	238	4	0.01	21	340	4	< 5	< 10	33	0.08	< 10	< 10	79	< 5	87
10017	201	238	2	0.01	13	140	4	< 5	< 10	25	0.09	10	< 10	50	< 5	44
10018	201	238	6	0.01	32	360	14	< 5	< 10	27	0.07	10	< 10	82	< 5	70
10019	201	238	15	< 0.01	68	490	14	< 5	< 10	52	< 0.01	10	< 10	70	< 5	178
10020	203	238	18	0.02	39	570	14	< 5	< 10	56	0.01	10	< 10	93	< 5	181
10021	201	238	8	0.01	38	510	8	< 5	< 10	59	0.03	10	< 10	71	< 5	102
10022	201	238	12	< 0.01	51	710	20	< 5	< 10	55	< 0.01	10	< 10	59	< 5	209
10023	201	238	41	< 0.01	46	540	8	< 5	< 10	33	< 0.01	20	< 10	78	< 5	177
10024	201	238	7	0.01	35	310	12	< 5	< 10	32	0.03	10	< 10	63	< 5	120

CERTIFICATION : B C

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
10803	201 238	15	0.29	3.0	40	160	< 0.5	< 2	1.37	0.5	15	10	103	2.50	< 10	< 1	0.08	30	0.69	255
10804	201 238	11	0.27	2.8	20	200	< 0.5	< 2	1.28	1.5	11	10	95	2.18	< 10	< 1	0.08	30	0.51	204
10805	201 238	3	0.87	1.4	55	310	< 0.5	< 2	0.54	0.5	11	21	63	2.53	< 10	< 1	0.08	30	0.18	283
10806	201 238	3	0.81	0.8	45	220	< 0.5	< 2	0.55	0.5	17	20	109	3.11	< 10	< 1	0.06	30	0.22	223
10807	201 238	13	0.99	2.2	5	250	< 0.5	< 2	0.70	0.5	10	19	70	2.43	< 10	< 1	0.06	30	0.32	273
10808	201 238	8	0.95	1.6	5	180	< 0.5	< 2	0.51	1.5	14	23	86	2.61	< 10	2	0.08	20	0.29	270
10809	201 238	10	0.26	2.0	30	140	< 0.5	4	2.05	1.5	16	10	112	2.82	< 10	1	0.07	40	0.95	319
10810	201 238	12	0.62	2.8	25	260	< 0.5	< 2	0.50	< 0.5	13	15	108	2.69	< 10	< 1	0.08	30	0.28	431
10811	201 238	24	0.85	1.8	15	360	< 0.5	< 2	1.11	1.0	11	18	66	2.48	< 10	< 1	0.08	30	0.35	296
10812	201 238	8	0.99	1.2	< 5	390	< 0.5	4	0.51	1.0	13	19	71	2.79	< 10	< 1	0.07	30	0.33	524
10813	201 238	5	0.88	1.4	< 5	400	< 0.5	4	0.47	1.0	9	18	56	2.44	< 10	< 1	0.08	30	0.29	346
10814	201 238	1	1.13	1.2	5	390	< 0.5	< 2	0.92	1.0	10	21	32	2.34	< 10	< 1	0.07	20	0.42	403
10815	201 238	10	1.12	1.2	20	380	< 0.5	< 2	0.43	0.5	14	24	65	2.82	< 10	< 1	0.09	30	0.33	226
10816	201 238	4	1.22	0.8	< 5	420	< 0.5	< 2	0.51	1.0	13	24	51	2.73	< 10	< 1	0.09	30	0.35	291
10817	201 238	5	1.47	0.4	< 5	390	< 0.5	2	0.55	< 0.5	13	27	30	2.64	< 10	< 1	0.09	30	0.48	302
10818	201 238	196	0.87	0.2	< 5	430	< 0.5	2	1.55	1.5	9	128	71	1.59	< 10	< 1	0.07	20	0.50	514
10819	201 238	2	1.31	0.4	10	350	0.5	< 2	0.72	< 0.5	8	21	27	2.41	< 10	3	0.08	20	0.38	341
10821	201 238	6	0.99	0.4	30	240	0.5	< 2	1.26	1.5	16	15	76	3.30	< 10	< 1	0.14	20	0.25	914
80923	201 238	7	1.41	0.2	5	360	0.5	< 2	0.72	< 0.5	14	23	18	2.39	< 10	< 1	0.10	20	0.55	568
80924	201 238	< 1	1.44	0.2	20	420	0.5	< 2	0.77	< 0.5	12	27	24	2.45	< 10	< 1	0.10	20	0.54	457
80925	201 238	6	1.65	0.2	< 5	400	< 0.5	< 2	0.60	< 0.5	6	30	21	2.67	< 10	< 1	0.13	20	0.54	507
80926	201 238	6	1.60	0.2	10	400	0.5	2	0.57	< 0.5	5	30	24	2.60	< 10	< 1	0.12	20	0.57	419
80927	201 238	3	0.76	0.2	< 5	380	< 0.5	< 2	1.84	< 0.5	< 1	31	20	1.16	< 10	< 1	0.10	10	0.40	159
80928	201 238	< 1	1.30	0.2	25	270	0.5	< 2	0.33	< 0.5	< 1	26	20	2.28	< 10	3	0.08	20	0.45	235
80929	201 238	< 1	1.51	0.2	< 5	510	1.0	< 2	0.41	< 0.5	< 1	26	20	2.37	< 10	< 1	0.11	20	0.41	488
80930	201 238	34	1.20	0.2	5	450	0.5	< 2	0.86	< 0.5	< 1	23	25	2.23	< 10	< 1	0.07	20	0.48	430
80931	201 238	2	0.94	0.2	5	430	0.5	< 2	1.97	< 0.5	< 1	20	27	1.73	< 10	< 1	0.06	10	0.56	396
80932	201 238	< 1	0.86	0.2	5	540	< 0.5	< 2	2.10	< 0.5	8	16	27	1.56	< 10	< 1	0.05	10	0.46	1315
80933	201 238	< 1	0.88	0.2	10	530	< 0.5	< 2	2.19	< 0.5	< 1	17	26	1.38	< 10	< 1	0.06	< 10	0.45	337
80934	201 238	2	1.32	0.4	< 5	410	0.5	< 2	0.65	< 0.5	< 1	25	27	2.45	< 10	< 1	0.10	20	0.57	443
80935	201 238	< 1	1.41	0.4	20	360	0.5	< 2	0.61	< 0.5	< 1	26	18	2.41	< 10	< 1	0.09	20	0.54	259
80936	201 238	2	1.30	0.4	< 5	390	< 0.5	< 2	1.11	< 0.5	< 1	24	24	2.05	< 10	< 1	0.08	10	0.55	247
80937	201 238	2	1.10	0.2	5	280	0.5	< 2	0.51	< 0.5	< 1	21	13	1.88	< 10	< 1	0.07	20	0.43	228
80938	201 238	< 1	1.14	0.4	15	430	< 0.5	< 2	0.86	< 0.5	< 1	21	19	1.87	< 10	< 1	0.08	20	0.44	345
80939	201 238	< 1	1.05	0.2	< 5	380	< 0.5	< 2	0.33	< 0.5	< 1	16	13	1.46	< 10	< 1	0.10	20	0.30	267
80940	201 238	< 1	1.17	0.2	15	420	< 0.5	< 2	0.46	< 0.5	< 1	25	17	1.73	< 10	1	0.11	20	0.33	248
80941	201 238	2	1.25	0.2	< 5	350	< 0.5	< 2	0.35	< 0.5	< 1	23	16	2.20	< 10	< 1	0.09	20	0.43	254
80942	201 238	2	1.64	0.2	10	590	0.5	< 2	0.71	< 0.5	< 1	42	35	2.30	< 10	< 1	0.10	20	0.56	304
80943	201 238	5	1.61	0.2	< 5	620	0.5	< 2	1.00	0.5	< 1	108	39	2.30	< 10	< 1	0.17	40	0.53	474
80944	201 238	4	1.45	0.2	< 5	610	< 0.5	< 2	0.70	< 0.5	< 1	17	39	2.21	< 10	< 1	0.10	20	0.39	640

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DI/HUN/S/6/P-53
Comments:

Page No. : 1-B
Tot. P. : 6
Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
10803	201 238	4	0.01	54	710	20	< 5	30	70	< 0.01	< 10	< 10	12	< 5	165
10804	201 238	8	< 0.01	55	600	10	< 5	< 10	66	< 0.01	< 10	< 10	17	< 5	187
10805	201 238	9	< 0.01	44	430	32	< 5	< 10	73	< 0.01	< 10	< 10	29	< 5	139
10806	201 238	8	< 0.01	77	390	16	< 5	< 10	36	< 0.01	< 10	< 10	26	< 5	212
10807	201 238	15	< 0.01	50	410	10	< 5	20	50	0.02	< 10	< 10	34	< 5	171
10808	201 238	11	0.01	69	510	12	< 5	< 10	37	0.02	< 10	< 10	34	< 5	197
10809	201 238	7	0.01	61	870	16	5	< 10	93	< 0.01	< 10	< 10	10	< 5	186
10810	201 238	5	0.01	52	410	2	5	< 10	57	0.01	< 10	< 10	22	5	139
10811	201 238	11	0.01	47	620	6	< 5	10	69	0.03	< 10	< 10	36	10	151
10812	201 238	6	0.01	44	420	6	< 5	< 10	45	0.03	< 10	< 10	39	5	114
10813	201 238	8	0.01	35	400	12	< 5	< 10	44	0.03	< 10	< 10	36	5	107
10814	201 238	7	0.01	28	660	20	< 5	< 10	57	0.05	< 10	< 10	43	5	87
10815	201 238	20	0.01	41	420	12	5	< 10	43	0.05	< 10	< 10	58	5	160
10816	201 238	9	0.02	32	450	20	< 5	< 10	47	0.05	< 10	< 10	50	10	102
10817	201 238	7	0.02	25	570	16	5	< 10	41	0.08	< 10	< 10	58	< 5	81
10818	201 238	3	0.03	204	690	16	5	< 10	82	0.03	< 10	< 10	27	10	99
10819	201 238	4	0.01	19	620	14	< 5	< 10	46	0.05	< 10	< 10	45	< 5	87
10821	201 238	22	0.01	49	810	4	< 5	< 10	71	0.01	< 10	< 10	46	< 5	242
80923	201 238	< 1	0.02	20	520	8	< 5	< 10	42	0.08	< 10	< 10	48	< 5	73
80924	201 238	< 1	0.02	24	620	4	5	< 10	50	0.07	< 10	< 10	52	< 5	68
80925	201 238	1	0.02	20	600	< 2	< 5	< 10	40	0.09	< 10	< 10	59	< 5	71
80926	201 238	2	0.02	23	450	2	< 5	< 10	40	0.10	< 10	< 10	59	< 5	67
80927	201 238	< 1	0.01	13	660	< 2	< 5	< 10	80	0.03	< 10	< 10	27	5	81
80928	201 238	1	0.01	15	380	16	< 5	< 10	26	0.08	< 10	< 10	51	< 5	45
80929	201 238	< 1	0.01	17	260	< 2	< 5	< 10	34	0.07	< 10	< 10	50	< 5	52
80930	201 238	< 1	0.02	22	560	22	< 5	< 10	49	0.05	< 10	< 10	42	< 5	63
80931	201 238	< 1	0.02	19	790	< 2	< 5	< 10	86	0.04	< 10	< 10	31	5	88
80932	201 238	2	0.02	19	790	< 2	5	< 10	101	0.03	< 10	< 10	28	< 5	46
80933	201 238	1	0.01	17	840	< 2	5	< 10	103	0.03	< 10	< 10	27	< 5	56
80934	201 238	< 1	0.02	22	650	6	< 5	< 10	43	0.08	< 10	< 10	50	< 5	76
80935	201 238	2	0.02	16	560	6	< 5	< 10	43	0.07	< 10	< 10	52	< 5	60
80936	201 238	< 1	0.02	20	730	8	< 5	< 10	69	0.06	< 10	< 10	44	< 5	97
80937	201 238	1	0.02	15	460	2	< 5	< 10	32	0.07	< 10	< 10	40	< 5	47
80938	201 238	< 1	0.01	17	620	4	< 5	< 10	56	0.06	< 10	< 10	39	< 5	48
80939	201 238	< 1	0.01	10	270	40	< 5	< 10	30	0.04	< 10	< 10	28	< 5	35
80940	201 238	1	0.01	27	350	24	5	10	37	0.04	< 10	< 10	30	< 5	52
80941	201 238	1	0.01	16	410	10	< 5	< 10	30	0.07	< 10	< 10	42	< 5	59
80942	201 238	2	0.01	76	690	8	< 5	< 10	63	0.04	< 10	< 10	40	< 5	95
80943	201 238	1	0.02	59	830	8	< 5	< 10	75	0.02	< 10	< 10	26	< 5	59
80944	201 238	< 1	0.01	29	470	6	< 5	< 10	48	0.03	< 10	< 10	35	< 5	58

CERTIFICATION : BCG

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page N : 2-A
Tot. P : 6
Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
80945	201 238	< 1	1.58	0.2	5	580	< 0.5	< 2	0.42	< 0.5	< 1	27	12	2.32	< 10	< 1	0.05	10	0.40	257
80946	201 238	17	0.74	0.2	25	580	< 0.5	< 2	0.53	2.5	< 1	21	97	2.93	< 10	< 1	0.08	20	0.18	411
80947	217 238	5	1.10	0.2	< 5	890	< 0.5	< 2	0.34	< 0.5	< 1	56	31	2.16	< 10	< 1	0.09	10	0.22	589
80948	201 238	2	1.41	0.2	< 5	940	< 0.5	< 2	0.38	< 0.5	< 1	22	28	2.28	< 10	< 1	0.10	10	0.30	226
80949	201 238	3	1.66	0.2	< 5	830	< 0.5	< 2	0.58	< 0.5	< 1	29	13	2.24	< 10	2	0.11	10	0.45	620
80950	201 238	< 1	2.11	0.8	5	620	< 0.5	< 2	0.75	< 0.5	18	45	44	3.23	< 10	< 1	0.15	30	0.95	599
80951	201 238	< 1	1.22	0.4	< 5	380	< 0.5	< 2	0.89	< 0.5	< 1	23	17	2.23	< 10	< 1	0.11	20	0.50	356
80952	201 238	3	1.25	0.2	10	350	< 0.5	< 2	0.68	< 0.5	< 1	25	18	2.29	< 10	< 1	0.09	20	0.47	431
80953	201 238	< 1	1.41	0.2	< 5	420	< 0.5	< 2	0.84	< 0.5	< 1	26	16	2.22	< 10	< 1	0.10	20	0.50	311
80954	201 238	2	1.44	0.2	10	560	< 0.5	< 2	0.95	< 0.5	< 1	26	21	2.18	< 10	< 1	0.09	20	0.46	323
80955	201 238	1	1.35	0.2	10	370	< 0.5	< 2	0.79	< 0.5	< 1	25	16	2.18	< 10	< 1	0.10	20	0.50	215
80956	201 238	< 1	1.42	0.2	< 5	430	< 0.5	< 2	1.02	< 0.5	< 1	26	15	2.10	< 10	< 1	0.10	20	0.51	347
80957	201 238	< 1	1.35	0.2	5	350	< 0.5	< 2	0.62	< 0.5	< 1	25	18	2.24	< 10	< 1	0.08	20	0.50	243
80958	201 238	2	1.25	0.2	< 5	330	< 0.5	< 2	0.79	< 0.5	< 1	24	13	2.26	< 10	< 1	0.09	20	0.50	314
80959	201 238	1	1.33	0.2	5	380	< 0.5	< 2	0.58	< 0.5	12	25	25	2.41	< 10	< 1	0.09	20	0.51	328
80960	201 238	8	1.18	< 0.2	10	390	< 0.5	< 2	1.11	< 0.5	< 1	22	25	2.08	< 10	< 1	0.08	10	0.54	376
80961	201 238	< 1	1.28	0.2	15	400	< 0.5	< 2	0.89	< 0.5	5	24	23	2.31	< 10	< 1	0.08	20	0.56	438
80962	201 238	< 1	1.17	0.2	5	330	< 0.5	< 2	0.59	< 0.5	< 1	23	18	2.25	< 10	< 1	0.07	20	0.46	229
80963	201 238	1	1.25	0.2	< 5	370	< 0.5	< 2	0.65	< 0.5	< 1	23	14	2.15	< 10	< 1	0.08	20	0.47	350
80964	201 238	< 1	1.40	0.2	< 5	410	< 0.5	< 2	0.66	< 0.5	< 1	23	20	2.40	< 10	< 1	0.11	20	0.51	417
80965	201 238	< 1	1.37	< 0.2	5	550	< 0.5	< 2	1.15	< 0.5	6	29	31	2.19	< 10	< 1	0.07	20	0.51	564
80966	201 238	< 1	1.28	0.2	5	340	< 0.5	< 2	0.48	< 0.5	< 1	30	22	2.29	< 10	< 1	0.08	20	0.46	380
80967	201 238	3	1.69	0.4	10	580	< 0.5	< 2	0.70	< 0.5	5	46	34	2.75	< 10	< 1	0.12	30	0.55	427
80968	201 238	2	1.54	< 0.2	20	540	< 0.5	< 2	0.41	< 0.5	13	159	39	2.78	< 10	1	0.10	20	0.75	327
80969	201 238	2	0.98	0.2	25	310	< 0.5	< 2	0.44	< 0.5	27	1465	14	1.51	< 10	< 1	< 0.01	< 10	1.91	146
80970	201 238	5	1.14	0.2	< 5	910	< 0.5	< 2	0.55	< 0.5	14	71	42	2.84	< 10	< 1	0.12	20	0.34	485
80971	201 238	< 1	2.55	0.2	< 5	410	< 0.5	< 2	0.63	< 0.5	16	43	24	4.12	< 10	1	0.14	40	0.67	423
80972	201 238	< 1	3.14	0.2	10	270	< 0.5	< 2	0.46	< 0.5	21	86	26	4.86	< 10	< 1	0.18	40	1.16	533
80973	201 238	< 1	2.71	0.2	< 5	280	< 0.5	< 2	0.50	0.5	21	72	37	5.30	< 10	< 1	0.20	40	0.84	622
80974	201 238	< 1	3.21	0.4	5	270	< 0.5	< 2	0.40	< 0.5	19	38	29	4.82	10	1	0.18	50	1.06	516
80975	201 238	10	2.56	0.8	< 5	280	< 0.5	< 2	0.47	1.0	19	38	88	4.28	< 10	1	0.18	40	1.15	419
80976	201 238	< 1	2.95	0.2	10	380	< 0.5	< 2	0.70	0.5	18	54	42	4.25	10	< 1	0.15	50	0.91	559
80977	201 238	< 1	2.03	0.4	5	260	< 0.5	< 2	1.16	1.5	13	30	34	3.11	< 10	1	0.12	30	0.73	388
80978	201 238	< 1	1.31	< 0.2	5	330	< 0.5	< 2	0.45	< 0.5	12	46	24	2.41	< 10	< 1	0.11	20	0.48	337
80979	201 238	< 1	1.50	< 0.2	< 5	450	< 0.5	< 2	0.42	< 0.5	11	46	20	2.39	< 10	< 1	0.13	20	0.42	298
80980	201 238	< 1	1.27	< 0.2	10	720	< 0.5	< 2	1.68	0.5	10	26	30	2.11	< 10	< 1	0.07	20	0.51	546
80981	201 238	< 1	1.21	< 0.2	10	380	< 0.5	< 2	0.87	< 0.5	10	27	22	2.26	< 10	1	0.10	20	0.51	360
80982	201 238	< 1	1.33	< 0.2	15	290	< 0.5	< 2	0.59	< 0.5	8	26	23	2.13	< 10	< 1	0.11	10	0.56	198
80983	201 238	< 1	1.12	< 0.2	< 5	660	< 0.5	< 2	2.08	< 0.5	9	21	40	1.76	< 10	< 1	0.07	10	0.50	1810
80984	201 238	3	1.36	< 0.2	5	470	< 0.5	< 2	0.83	< 0.5	11	31	30	2.38	< 10	< 1	0.11	20	0.49	366

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

JNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
80945	201	238	1	< 0.01	19	190	2	< 5	< 10	29	0.06	< 10	< 10	49	< 5	53
80946	201	238	11	< 0.01	78	1590	44	< 5	< 10	66	0.01	< 10	< 10	54	< 5	529
80947	217	238	2	< 0.01	30	280	2	5	< 10	34	0.01	< 10	< 10	28	< 5	66
80948	201	238	1	< 0.01	23	140	< 2	5	< 10	28	0.02	< 10	< 10	36	< 5	57
80949	201	238	1	0.01	18	260	< 2	< 5	< 10	35	0.05	< 10	< 10	48	< 5	44
80950	201	238	3	0.01	51	430	34	< 5	< 10	44	0.02	< 10	< 10	39	< 5	85
80951	201	238	1	0.02	18	690	2	< 5	< 10	49	0.08	< 10	< 10	49	< 5	77
80952	201	238	1	0.01	16	570	< 2	< 5	< 10	42	0.09	< 10	< 10	53	< 5	59
80953	201	238	< 1	0.02	17	560	4	< 5	< 10	50	0.08	< 10	< 10	54	< 5	54
80954	201	238	< 1	0.02	17	710	2	5	< 10	58	0.08	< 10	< 10	53	< 5	66
80955	201	238	1	0.02	14	690	< 2	< 5	< 10	49	0.09	< 10	< 10	53	< 5	55
80956	201	238	1	0.02	17	700	4	5	10	58	0.08	< 10	< 10	52	< 5	50
80957	201	238	1	0.01	15	550	4	< 5	< 10	40	0.08	< 10	< 10	50	< 5	53
80958	201	238	2	0.02	18	590	< 2	< 5	20	48	0.08	< 10	< 10	49	< 5	64
80959	201	238	< 1	0.01	23	550	12	< 5	< 10	37	0.08	< 10	< 10	51	< 5	58
80960	201	238	< 1	0.01	23	690	< 2	< 5	10	61	0.06	< 10	< 10	41	< 5	58
80961	201	238	1	0.02	22	620	4	5	< 10	50	0.07	< 10	< 10	45	< 5	65
80962	201	238	< 1	0.02	14	590	2	< 5	< 10	37	0.09	< 10	< 10	49	< 5	55
80963	201	238	1	0.01	17	570	< 2	< 5	< 10	42	0.07	< 10	< 10	46	< 5	57
80964	201	238	2	0.02	20	640	8	5	< 10	45	0.07	< 10	< 10	51	< 5	75
80965	201	238	< 1	0.01	50	700	< 2	5	< 10	80	0.05	< 10	< 10	38	< 5	79
80966	201	238	2	0.01	35	430	14	< 5	< 10	35	0.04	< 10	< 10	37	< 5	58
80967	201	238	1	0.01	53	530	4	< 5	< 10	56	0.05	< 10	< 10	46	< 5	60
80968	201	238	< 1	0.01	89	280	14	< 5	< 10	37	0.06	< 10	< 10	50	< 5	83
80969	201	238	< 1	0.01	294	200	6	< 5	< 10	28	< 0.01	< 10	< 10	27	5	40
80970	201	238	< 1	0.01	56	360	16	< 5	< 10	34	< 0.01	10	< 10	28	< 5	101
80971	201	238	< 1	0.02	30	480	4	< 5	< 10	47	0.03	10	< 10	61	< 5	56
80972	201	238	< 1	0.01	68	440	8	< 5	< 10	40	< 0.01	20	< 10	29	< 5	89
80973	201	238	1	0.02	57	580	6	< 5	< 10	46	< 0.01	10	< 10	54	< 5	78
80974	201	238	< 1	0.02	35	430	2	< 5	< 10	45	< 0.01	10	< 10	31	< 5	85
80975	201	238	11	0.01	69	480	62	< 5	< 10	38	< 0.01	20	< 10	72	< 5	146
80976	201	238	< 1	0.02	46	450	14	< 5	< 10	52	< 0.01	20	< 10	46	< 5	82
80977	201	238	< 1	0.02	36	660	8	< 5	10	72	< 0.01	10	< 10	35	< 5	93
80978	201	238	< 1	0.02	32	510	2	< 5	< 10	30	0.08	< 10	< 10	55	< 5	56
80979	201	238	< 1	0.01	28	330	6	< 5	< 10	26	0.07	< 10	< 10	56	< 5	50
80980	201	238	< 1	0.03	27	690	8	< 5	< 10	78	0.06	< 10	< 10	47	< 5	57
80981	201	238	< 1	0.03	18	790	8	< 5	< 10	49	0.09	< 10	< 10	52	< 5	67
80982	201	238	< 1	0.02	16	530	10	< 5	< 10	37	0.08	< 10	< 10	49	< 5	67
80983	201	238	< 1	0.02	23	1090	< 2	< 5	< 10	97	0.04	< 10	< 10	35	< 5	39
80984	201	238	< 1	0.02	22	730	8	< 5	< 10	52	0.08	10	< 10	52	< 5	64

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
80985	201 238	17	1.09	< 0.2	5	440	< 0.5	< 2	0.96	< 0.5	9	24	19	2.20	< 10	< 1	0.12	30	0.60	355
80986	201 238	< 1	1.31	0.2	5	280	< 0.5	< 2	0.48	< 0.5	14	24	25	3.03	< 10	< 1	0.09	30	0.57	386
80987	201 238	3	1.30	< 0.2	< 5	580	< 0.5	< 2	1.03	1.0	10	38	32	2.17	< 10	< 1	0.09	20	0.46	489
80988	201 238	10	1.59	< 0.2	10	330	< 0.5	< 2	0.46	0.5	16	28	32	3.10	< 10	< 1	0.11	30	0.55	874
80989	201 238	2	2.19	< 0.2	< 5	280	< 0.5	< 2	0.20	0.5	22	45	83	4.60	< 10	< 1	0.06	40	0.99	308
80990	201 238	< 1	2.32	< 0.2	< 5	290	< 0.5	< 2	0.42	< 0.5	11	35	16	3.20	< 10	< 1	0.08	20	0.66	309
80991	201 238	< 1	2.34	0.4	5	310	< 0.5	< 2	0.49	0.5	17	32	30	3.71	< 10	< 1	0.13	30	0.69	814
80992	201 238	< 1	2.11	0.2	< 5	140	< 0.5	< 2	0.35	0.5	17	30	34	3.88	< 10	< 1	0.12	30	0.88	440
80993	201 238	2	3.06	0.4	10	200	< 0.5	< 2	0.49	< 0.5	23	42	40	5.21	10	< 1	0.21	50	1.19	616
80994	201 238	< 1	2.52	0.2	10	350	< 0.5	< 2	0.68	0.5	17	36	39	3.98	< 10	1	0.18	30	0.84	710
80995	201 238	< 1	3.71	0.2	< 5	380	< 0.5	< 2	0.63	< 0.5	18	48	39	4.86	10	< 1	0.14	40	0.98	410
80996	201 238	< 1	3.34	0.4	< 5	560	< 0.5	< 2	0.93	0.5	25	71	31	6.04	10	1	0.14	40	0.73	1485
80998	203 238	3	2.26	0.2	< 5	330	< 0.5	< 2	0.61	1.0	12	34	33	3.19	< 10	1	0.16	30	0.74	539
80999	201 238	< 1	3.19	0.4	< 5	440	< 0.5	< 2	0.47	0.5	17	45	29	4.50	< 10	1	0.20	30	0.91	574
81000	201 238	< 1	2.44	0.2	< 5	320	< 0.5	< 2	0.39	< 0.5	15	38	24	3.36	< 10	< 1	0.11	30	0.69	410
84779	201 238	< 1	2.57	< 0.2	< 5	440	< 0.5	< 2	0.22	< 0.5	9	39	18	2.97	< 10	1	0.08	20	0.46	155
84780	201 238	< 1	2.49	< 0.2	< 5	790	< 0.5	< 2	0.42	< 0.5	13	40	22	2.99	< 10	1	0.10	20	0.51	428
84781	201 238	< 1	2.36	< 0.2	10	590	< 0.5	< 2	0.23	< 0.5	14	37	19	2.87	< 10	< 1	0.04	20	0.43	543
84782	201 238	< 1	1.68	< 0.2	10	460	< 0.5	< 2	0.24	< 0.5	10	28	12	2.43	< 10	< 1	0.07	10	0.39	386
84783	201 238	2	1.54	< 0.2	< 5	360	< 0.5	< 2	0.16	< 0.5	9	24	21	2.28	< 10	< 1	0.05	10	0.32	180
84784	201 238	< 1	1.46	< 0.2	< 5	380	< 0.5	< 2	0.19	< 0.5	7	27	21	1.99	< 10	< 1	0.05	20	0.34	141
84785	201 238	< 1	1.14	< 0.2	5	190	< 0.5	< 2	0.17	< 0.5	5	21	14	1.71	< 10	< 1	0.05	10	0.28	105
84786	201 238	< 1	1.23	< 0.2	5	240	< 0.5	< 2	0.28	< 0.5	5	21	15	1.85	< 10	< 1	0.06	20	0.31	100
84787	201 238	< 1	1.31	< 0.2	< 5	260	< 0.5	< 2	0.27	< 0.5	6	22	13	1.99	< 10	< 1	0.08	10	0.31	128
84788	201 238	2	1.00	< 0.2	5	260	< 0.5	< 2	0.21	< 0.5	7	19	19	1.78	< 10	< 1	0.08	20	0.27	188
84789	201 238	4	1.16	< 0.2	< 5	240	< 0.5	< 2	0.27	< 0.5	7	21	13	1.68	< 10	< 1	0.08	20	0.29	136
84790	201 238	< 1	1.34	< 0.2	< 5	300	< 0.5	< 2	0.27	< 0.5	7	25	19	2.06	< 10	< 1	0.09	20	0.33	149
84791	201 238	< 1	1.86	< 0.2	< 5	500	< 0.5	< 2	0.42	< 0.5	10	33	24	2.60	< 10	< 1	0.13	20	0.45	248
84792	201 238	1	1.61	< 0.2	10	460	< 0.5	< 2	0.33	< 0.5	11	28	23	2.45	< 10	< 1	0.09	20	0.42	291
84793	201 238	< 1	1.50	< 0.2	< 5	430	< 0.5	< 2	0.34	< 0.5	8	26	16	2.27	< 10	< 1	0.08	20	0.40	208
84794	201 238	< 1	1.29	< 0.2	5	340	< 0.5	< 2	0.37	< 0.5	7	24	15	1.97	< 10	< 1	0.08	20	0.40	215
84795	201 238	< 1	1.23	< 0.2	< 5	340	< 0.5	< 2	0.29	< 0.5	7	22	17	1.86	< 10	< 1	0.09	20	0.34	165
84796	201 238	< 1	1.19	< 0.2	5	380	< 0.5	< 2	0.27	< 0.5	6	20	16	1.79	< 10	< 1	0.07	20	0.32	140
84797	201 238	< 1	1.94	< 0.2	10	810	< 0.5	< 2	0.49	< 0.5	12	34	47	3.12	< 10	< 1	0.11	20	0.40	423
84798	201 238	2	1.77	< 0.2	5	600	< 0.5	< 2	0.58	< 0.5	14	30	28	2.54	< 10	< 1	0.09	20	0.44	503
84799	201 238	2	1.60	< 0.2	15	470	< 0.5	< 2	0.48	< 0.5	11	28	34	2.72	< 10	1	0.13	20	0.43	337
84800	201 238	2	1.15	< 0.2	5	280	< 0.5	< 2	0.35	< 0.5	8	21	18	2.05	< 10	< 1	0.10	20	0.32	206
84801	201 238	3	1.55	< 0.2	10	410	< 0.5	2	0.39	< 0.5	10	29	31	2.70	< 10	< 1	0.11	20	0.41	326
84802	201 238	< 1	1.63	< 0.2	10	310	< 0.5	< 2	0.32	< 0.5	8	26	14	2.30	< 10	< 1	0.10	10	0.35	199
84804	201 238	7	1.62	< 0.2	< 5	300	< 0.5	< 2	0.25	< 0.5	9	27	10	2.36	< 10	< 1	0.11	10	0.36	290

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

JNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/S/6/P-53
Comments:

Page N .3-B
Tot. P s:6
Date :19-AUG-87
Invoice # :I-8718569
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
80985	201	238	< 1	0.02	21	860	10	< 5	< 10	47	0.08	10	< 10	48	< 5	66
80986	201	238	< 1	0.01	24	810	8	< 5	< 10	33	0.04	10	< 10	37	< 5	74
80987	201	238	< 1	0.02	40	730	2	< 5	< 10	64	0.05	< 10	< 10	45	< 5	95
80988	201	238	< 1	0.01	28	780	16	< 5	< 10	34	0.04	10	20	41	< 5	84
80989	201	238	< 1	0.07	94	670	28	< 5	< 10	16	< 0.01	10	< 10	35	< 5	255
80990	201	238	< 1	0.01	20	230	10	< 5	< 10	29	0.04	10	< 10	49	< 5	66
80991	201	238	< 1	0.01	31	400	6	< 5	< 10	38	< 0.01	10	< 10	37	< 5	75
80992	201	238	2	0.01	35	510	14	< 5	< 10	30	< 0.01	10	< 10	26	< 5	105
80993	201	238	< 1	0.02	43	800	10	< 5	< 10	37	< 0.01	20	< 10	29	< 5	102
80994	201	238	< 1	0.01	39	500	14	< 5	< 10	67	< 0.01	10	< 10	41	< 5	91
80995	201	238	< 1	0.02	42	360	14	< 5	< 10	55	< 0.01	20	< 10	53	< 5	83
80996	201	238	< 1	0.04	32	890	< 2	< 5	< 10	82	0.05	10	< 10	100	< 5	80
80998	203	238	2	0.01	36	320	14	< 5	< 10	39	0.03	< 10	< 10	53	< 5	115
80999	201	238	< 1	0.01	38	330	10	< 5	< 10	44	0.01	10	< 10	43	< 5	98
81000	201	238	< 1	0.01	30	220	6	< 5	< 10	33	0.04	< 10	< 10	47	< 5	72
84779	201	238	< 1	0.01	17	190	4	< 5	< 10	22	0.10	< 10	< 10	73	< 5	44
84780	201	238	< 1	0.01	28	270	4	< 5	< 10	36	0.11	< 10	< 10	75	< 5	51
84781	201	238	< 1	0.01	25	260	8	< 5	< 10	19	0.08	< 10	< 10	71	< 5	48
84782	201	238	< 1	0.01	17	340	6	< 5	< 10	23	0.07	< 10	< 10	52	< 5	43
84783	201	238	< 1	< 0.01	16	240	2	< 5	< 10	16	0.05	< 10	< 10	39	< 5	44
84784	201	238	< 1	0.01	17	190	2	< 5	< 10	18	0.06	< 10	< 10	40	< 5	39
84785	201	238	< 1	0.01	11	190	4	< 5	< 10	14	0.06	10	< 10	34	< 5	33
84786	201	238	< 1	0.01	10	390	6	< 5	< 10	20	0.07	< 10	< 10	38	< 5	34
84787	201	238	< 1	0.01	12	350	4	< 5	< 10	22	0.06	< 10	< 10	38	< 5	40
84788	201	238	< 1	0.01	14	330	2	< 5	< 10	18	0.04	< 10	< 10	30	< 5	43
84789	201	238	< 1	0.01	11	360	4	< 5	< 10	22	0.06	< 10	< 10	34	< 5	37
84790	201	238	< 1	0.01	16	310	8	< 5	< 10	22	0.06	10	< 10	39	< 5	44
84791	201	238	< 1	0.01	19	350	6	< 5	< 10	32	0.07	< 10	< 10	55	< 5	50
84792	201	238	< 1	0.01	21	260	14	< 5	< 10	27	0.06	< 10	< 10	50	< 5	53
84793	201	238	< 1	0.01	15	290	8	< 5	< 10	27	0.07	< 10	< 10	49	< 5	39
84794	201	238	< 1	0.01	13	430	8	< 5	< 10	28	0.07	< 10	< 10	43	< 5	40
84795	201	238	< 1	0.01	13	290	10	< 5	< 10	24	0.06	10	< 10	40	< 5	43
84796	201	238	< 1	0.01	12	220	4	< 5	< 10	24	0.07	< 10	< 10	42	< 5	38
84797	201	238	< 1	0.01	31	350	12	< 5	< 10	45	0.06	10	< 10	64	< 5	60
84798	201	238	< 1	0.02	20	360	2	< 5	< 10	44	0.07	< 10	< 10	54	< 5	50
84799	201	238	< 1	0.01	24	410	10	< 5	< 10	38	0.05	< 10	< 10	50	< 5	67
84800	201	238	< 1	0.01	15	450	8	< 5	< 10	26	0.06	10	< 10	39	< 5	52
84801	201	238	< 1	0.01	24	390	12	< 5	< 10	30	0.07	10	< 10	49	< 5	64
84802	201	238	< 1	0.01	14	350	8	< 5	< 10	27	0.08	< 10	< 10	54	< 5	49
84804	201	238	< 1	0.01	12	340	12	< 5	< 10	22	0.09	< 10	< 10	61	< 5	57

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84805	201 238	< 1	1.03	< 0.2	< 5	260	< 0.5	< 2	0.21	< 0.5	17	20	9	2.05	< 10	< 1	0.11	10	0.26	701
84806	201 238	6	1.72	< 0.2	5	520	< 0.5	< 2	0.25	< 0.5	11	30	17	2.50	< 10	< 1	0.07	10	0.41	355
84807	201 238	3	1.02	< 0.2	15	320	< 0.5	< 2	0.21	< 0.5	8	21	21	2.53	< 10	< 1	0.10	10	0.22	280
84808	201 238	< 1	0.67	< 0.2	< 5	180	< 0.5	< 2	0.19	< 0.5	2	12	6	0.80	< 10	< 1	0.08	10	0.13	91
84809	201 238	7	2.08	< 0.2	< 5	560	< 0.5	< 2	0.27	< 0.5	11	35	20	2.66	< 10	< 1	0.07	20	0.43	250
84810	201 238	< 1	2.32	< 0.2	10	640	< 0.5	< 2	0.28	< 0.5	14	38	37	2.92	< 10	< 1	0.11	20	0.45	283
84811	201 238	< 1	1.78	< 0.2	< 5	340	< 0.5	< 2	0.22	< 0.5	9	30	26	2.32	< 10	< 1	0.09	20	0.42	282
84812	201 238	< 1	1.85	< 0.2	5	660	< 0.5	< 2	0.28	< 0.5	9	31	19	2.48	< 10	< 1	0.09	10	0.36	285
84813	201 238	4	1.69	< 0.2	10	640	< 0.5	< 2	0.30	< 0.5	11	29	22	2.47	< 10	1	0.05	20	0.36	469
84814	201 238	16	2.04	< 0.2	< 5	840	< 0.5	< 2	0.38	< 0.5	13	31	15	2.56	< 10	1	0.07	10	0.40	1045
84815	201 238	< 1	2.69	< 0.2	10	690	< 0.5	< 2	0.44	< 0.5	15	43	16	3.21	< 10	2	0.09	20	0.49	495
84816	201 238	2	2.32	< 0.2	10	510	< 0.5	< 2	0.31	< 0.5	12	38	21	2.80	< 10	1	0.09	20	0.43	610
84817	201 238	2	1.15	< 0.2	10	260	< 0.5	2	0.23	< 0.5	9	27	22	2.42	< 10	< 1	0.09	20	0.39	221
84818	201 238	< 1	1.29	< 0.2	10	320	< 0.5	< 2	0.24	< 0.5	9	30	27	2.31	< 10	< 1	0.09	20	0.44	225
84819	201 238	13	2.78	1.2	25	1080	< 0.5	< 2	0.65	< 0.5	22	47	77	4.98	< 10	1	0.15	30	0.51	498
84820	201 238	2	1.39	< 0.2	15	350	< 0.5	< 2	0.23	< 0.5	10	50	27	2.90	< 10	< 1	0.12	10	0.34	404
84821	201 238	< 1	1.03	< 0.2	10	380	< 0.5	< 2	0.19	< 0.5	9	31	16	2.29	< 10	< 1	0.10	10	0.27	704
84822	201 238	< 1	1.29	< 0.2	5	260	< 0.5	< 2	0.16	< 0.5	9	23	18	2.50	< 10	< 1	0.12	20	0.35	347
84823	201 238	11	1.49	< 0.2	5	440	< 0.5	< 2	0.27	< 0.5	7	28	15	2.29	< 10	< 1	0.11	10	0.30	172
84824	201 238	9	1.40	< 0.2	10	480	< 0.5	< 2	0.15	< 0.5	9	24	20	2.25	< 10	1	0.15	10	0.29	236
84825	201 238	< 1	1.02	< 0.2	10	270	< 0.5	< 2	0.16	< 0.5	7	27	18	2.14	< 10	< 1	0.11	10	0.23	214
84826	201 238	< 1	1.54	< 0.2	5	410	< 0.5	< 2	0.25	< 0.5	9	31	27	2.24	< 10	< 1	0.08	10	0.39	214
84827	201 238	< 1	1.63	< 0.2	10	390	< 0.5	< 2	0.24	< 0.5	9	30	17	2.27	< 10	< 1	0.07	10	0.34	214
84829	201 238	5	1.46	< 0.2	10	480	< 0.5	< 2	0.38	< 0.5	9	27	32	2.54	< 10	< 1	0.07	20	0.36	208
84830	201 238	6	1.51	< 0.2	5	410	< 0.5	< 2	0.40	< 0.5	11	26	33	2.77	< 10	< 1	0.08	20	0.36	389
84831	201 238	7	1.32	< 0.2	< 5	560	< 0.5	< 2	0.79	< 0.5	12	27	31	2.48	< 10	< 1	0.06	20	0.38	562
84832	201 238	3	1.63	< 0.2	10	490	< 0.5	< 2	0.54	< 0.5	11	32	37	2.63	< 10	< 1	0.11	20	0.46	354
84833	201 238	< 1	1.55	< 0.2	< 5	430	< 0.5	< 2	0.53	< 0.5	10	28	28	2.60	< 10	1	0.09	20	0.42	276
84834	201 238	3	1.34	< 0.2	< 5	380	< 0.5	< 2	0.50	< 0.5	8	26	19	2.27	< 10	< 1	0.13	20	0.40	201
84835	201 238	2	1.81	< 0.2	< 5	580	< 0.5	< 2	0.55	< 0.5	10	32	31	2.86	< 10	< 1	0.12	20	0.41	245
84836	201 238	4	1.65	< 0.2	< 5	820	< 0.5	< 2	1.10	1.5	13	28	51	2.90	< 10	< 1	0.14	20	0.45	1185
84837	201 238	< 1	1.53	< 0.2	< 5	430	< 0.5	< 2	0.47	< 0.5	10	28	31	2.53	< 10	1	0.11	20	0.41	311
84838	201 238	3	1.51	< 0.2	5	390	< 0.5	< 2	0.37	< 0.5	10	24	32	2.58	< 10	< 1	0.08	20	0.31	297
84840	201 238	3	1.38	< 0.2	10	310	< 0.5	< 2	0.44	< 0.5	10	22	20	2.18	< 10	1	0.08	20	0.30	269
84841	201 238	2	1.31	< 0.2	< 5	290	< 0.5	< 2	0.25	< 0.5	8	23	20	2.18	< 10	< 1	0.07	20	0.25	268
84842	201 238	2	2.15	< 0.2	15	530	< 0.5	< 2	0.21	0.5	19	33	37	4.56	< 10	< 1	0.10	10	0.28	645
84843	201 238	< 1	1.11	< 0.2	10	190	< 0.5	< 2	0.14	< 0.5	5	20	16	1.86	< 10	< 1	0.06	20	0.20	91
84844	201 238	< 1	0.96	< 0.2	30	210	< 0.5	< 2	0.12	< 0.5	8	25	20	3.15	< 10	< 1	0.05	10	0.25	128
84845	201 238	3	1.61	< 0.2	15	330	< 0.5	< 2	0.22	< 0.5	11	30	24	2.58	< 10	1	0.07	20	0.42	350
84846	201 238	< 1	1.20	< 0.2	< 5	430	< 0.5	< 2	0.21	< 0.5	9	22	15	2.23	< 10	< 1	0.07	10	0.27	312

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page N : 4-B
Tot. P. : 6
Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84805	201 238	< 1	0.01	7	500	6	< 5	< 10	20	0.08	< 10	< 10	52	< 5	40
84806	201 238	< 1	0.01	19	280	2	< 5	< 10	23	0.08	< 10	< 10	56	< 5	50
84807	201 238	< 1	0.01	15	670	6	< 5	< 10	19	0.05	< 10	< 10	55	< 5	56
84808	201 238	< 1	0.01	4	220	< 2	< 5	< 10	13	0.06	< 10	< 10	26	< 5	18
84809	201 238	< 1	0.01	24	210	6	< 5	< 10	27	0.08	< 10	< 10	62	< 5	57
84810	201 238	< 1	0.01	30	260	6	< 5	< 10	28	0.09	< 10	< 10	68	< 5	52
84811	201 238	< 1	0.01	14	290	10	< 5	< 10	21	0.08	< 10	< 10	52	< 5	43
84812	201 238	< 1	0.01	17	450	16	< 5	< 10	23	0.07	< 10	< 10	55	< 5	56
84813	201 238	< 1	0.01	17	210	< 2	< 5	< 10	25	0.08	< 10	< 10	53	< 5	42
84814	201 238	< 1	0.01	20	310	8	< 5	< 10	29	0.09	< 10	< 10	64	< 5	54
84815	201 238	< 1	0.01	22	300	4	< 5	< 10	32	0.11	< 10	< 10	83	< 5	66
84816	201 238	< 1	0.01	24	310	4	< 5	< 10	25	0.10	< 10	< 10	71	< 5	68
84817	201 238	1	0.01	21	340	8	< 5	< 10	18	0.06	10	< 10	38	< 5	56
84818	201 238	< 1	0.01	21	290	8	< 5	< 10	20	0.06	< 10	< 10	42	< 5	65
84819	201 238	1	0.01	55	890	20	< 5	< 10	52	0.04	10	< 10	72	< 5	101
84820	201 238	1	0.01	35	590	10	< 5	< 10	21	0.05	< 10	< 10	47	< 5	68
84821	201 238	< 1	0.01	22	570	6	< 5	< 10	18	0.05	< 10	< 10	41	< 5	62
84822	201 238	< 1	0.01	17	470	6	< 5	< 10	17	0.04	< 10	< 10	42	< 5	53
84823	201 238	< 1	0.01	16	250	2	< 5	< 10	23	0.08	< 10	< 10	54	< 5	37
84824	201 238	< 1	< 0.01	19	500	6	< 5	< 10	18	0.03	< 10	< 10	51	< 5	60
84825	201 238	< 1	0.01	19	470	6	< 5	< 10	16	0.04	10	< 10	36	< 5	54
84826	201 238	< 1	0.01	23	170	4	< 5	< 10	24	0.08	< 10	< 10	51	< 5	45
84827	201 238	< 1	0.01	19	180	4	< 5	< 10	23	0.07	< 10	< 10	51	< 5	47
84829	201 238	< 1	0.01	22	390	10	< 5	< 10	31	0.07	10	< 10	45	< 5	57
84830	201 238	< 1	0.01	24	490	14	< 5	< 10	30	0.07	< 10	< 10	47	< 5	69
84831	201 238	< 1	0.02	24	750	10	< 5	< 10	55	0.06	< 10	< 10	47	< 5	46
84832	201 238	< 1	0.02	27	470	6	< 5	< 10	39	0.07	10	< 10	55	< 5	57
84833	201 238	< 1	0.01	21	510	6	< 5	< 10	39	0.07	< 10	< 10	52	< 5	48
84834	201 238	< 1	0.01	18	590	12	< 5	< 10	42	0.04	< 10	< 10	39	< 5	73
84835	201 238	< 1	0.01	22	410	12	< 5	< 10	44	0.06	< 10	< 10	59	< 5	70
84836	201 238	< 1	0.01	35	980	10	< 5	< 10	85	0.03	10	< 10	44	< 5	96
84837	201 238	< 1	0.01	19	490	10	< 5	< 10	36	0.07	< 10	< 10	49	< 5	59
84838	201 238	< 1	0.01	19	390	4	< 5	< 10	33	0.05	10	< 10	43	< 5	54
84840	201 238	< 1	0.01	14	490	10	< 5	< 10	35	0.06	< 10	< 10	39	< 5	49
84841	201 238	1	0.01	16	380	6	< 5	< 10	24	0.07	< 10	< 10	43	< 5	44
84842	201 238	2	0.01	25	550	6	< 5	< 10	25	0.06	< 10	< 10	68	< 5	84
84843	201 238	< 1	0.01	11	140	8	< 5	< 10	18	0.05	< 10	< 10	32	< 5	35
84844	201 238	1	< 0.01	20	340	10	< 5	< 10	13	0.02	< 10	< 10	27	< 5	58
84845	201 238	< 1	0.01	22	220	10	< 5	< 10	22	0.08	< 10	< 10	53	< 5	47
84846	201 238	< 1	0.01	17	230	2	< 5	< 10	18	0.04	< 10	< 10	38	< 5	61

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Page No. : A-A
Tot. P. : 6
Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84847	201 238	< 1	1.42	< 0.2	10	420	< 0.5	< 2	0.24	< 0.5	11	26	20	2.69	< 10	1	0.07	10	0.32	241
84848	203 238	2	1.47	< 0.2	15	420	< 0.5	< 2	0.26	< 0.5	14	140	27	3.20	< 10	1	0.10	10	0.24	579
84849	201 238	< 1	1.50	< 0.2	< 5	600	< 0.5	< 2	0.36	< 0.5	10	26	18	2.41	< 10	< 1	0.09	20	0.33	655
84850	201 238	< 1	1.07	< 0.2	10	230	< 0.5	< 2	0.27	< 0.5	7	20	12	1.97	< 10	< 1	0.10	10	0.28	291
84851	201 238	< 1	1.15	< 0.2	< 5	230	< 0.5	< 2	0.22	< 0.5	7	21	13	1.86	< 10	< 1	0.05	10	0.33	199
84852	201 238	< 1	0.88	< 0.2	< 5	170	< 0.5	< 2	0.20	< 0.5	7	31	19	1.92	< 10	< 1	0.07	10	0.39	187
84853	201 238	1	1.93	< 0.2	5	500	< 0.5	< 2	0.24	< 0.5	11	33	20	2.62	< 10	< 1	0.07	10	0.44	242
84854	201 238	< 1	0.81	< 0.2	5	150	< 0.5	< 2	0.22	< 0.5	4	17	8	1.35	< 10	< 1	0.06	20	0.25	108
84950	201 238	6	1.79	< 0.2	10	230	< 0.5	< 2	0.49	< 0.5	11	33	25	2.74	< 10	< 1	0.11	30	0.41	437
84952	201 238	6	1.66	< 0.2	5	310	< 0.5	< 2	0.38	< 0.5	8	27	15	2.34	< 10	< 1	0.10	20	0.32	238
84953	201 238	10	1.87	< 0.2	< 5	350	< 0.5	< 2	0.39	< 0.5	8	31	13	2.49	< 10	< 1	0.13	20	0.34	227
84954	201 238	2	1.69	< 0.2	< 5	380	< 0.5	< 2	0.37	< 0.5	10	26	8	2.12	< 10	< 1	0.08	20	0.29	402
84955	201 238	< 1	1.58	< 0.2	< 5	380	< 0.5	< 2	0.41	< 0.5	8	22	12	2.06	< 10	< 1	0.10	10	0.25	404
84956	201 238	2	1.66	< 0.2	< 5	320	0.5	< 2	0.35	< 0.5	7	21	16	2.24	< 10	1	0.13	20	0.25	444
84957	201 238	< 1	1.33	< 0.2	< 5	350	< 0.5	< 2	0.36	< 0.5	6	22	9	2.04	< 10	< 1	0.09	10	0.25	306
84958	201 238	< 1	1.44	< 0.2	< 5	460	< 0.5	< 2	0.34	< 0.5	9	26	14	2.30	< 10	< 1	0.06	20	0.35	528
84959	201 238	< 1	1.61	< 0.2	< 5	380	< 0.5	< 2	0.39	< 0.5	10	29	18	2.49	< 10	< 1	0.12	20	0.40	283
84960	201 238	< 1	1.35	< 0.2	< 5	300	< 0.5	< 2	0.26	< 0.5	6	22	8	1.95	< 10	< 1	0.11	10	0.25	221
84961	201 238	2	1.28	< 0.2	< 5	340	< 0.5	< 2	0.30	< 0.5	8	24	9	2.10	< 10	< 1	0.07	20	0.27	269
84962	201 238	< 1	1.34	< 0.2	< 5	330	< 0.5	< 2	0.26	< 0.5	7	24	8	2.13	< 10	< 1	0.09	10	0.30	393
84963	201 238	< 1	1.39	< 0.2	< 5	330	< 0.5	< 2	0.28	< 0.5	8	25	7	2.05	< 10	< 1	0.11	20	0.29	463
84964	201 238	14	1.56	< 0.2	< 5	350	< 0.5	< 2	0.27	< 0.5	7	24	7	2.05	< 10	< 1	0.09	20	0.30	332
84965	201 238	< 1	1.74	< 0.2	5	370	< 0.5	< 2	0.36	< 0.5	10	26	8	2.26	< 10	< 1	0.11	20	0.32	590
84966	201 238	< 1	1.43	< 0.2	< 5	310	< 0.5	< 2	0.32	< 0.5	7	25	8	2.17	< 10	< 1	0.08	20	0.30	243
84967	201 238	< 1	1.61	< 0.2	< 5	360	< 0.5	< 2	0.33	< 0.5	9	24	8	2.07	< 10	< 1	0.10	20	0.28	659
84968	201 238	< 1	1.82	< 0.2	5	490	< 0.5	< 2	0.32	< 0.5	9	26	10	2.32	< 10	1	0.12	30	0.30	683
84969	201 238	< 1	1.29	< 0.2	10	400	< 0.5	< 2	0.43	< 0.5	9	27	20	2.29	< 10	1	0.07	20	0.43	264
84970	201 238	3	1.15	< 0.2	< 5	380	< 0.5	< 2	0.63	< 0.5	8	25	19	2.12	< 10	< 1	0.06	10	0.43	304
84972	201 238	< 1	1.14	< 0.2	10	320	< 0.5	< 2	0.45	< 0.5	10	25	26	2.39	< 10	< 1	0.09	10	0.45	369
84973	201 238	< 1	1.27	< 0.2	< 5	370	< 0.5	< 2	0.44	< 0.5	9	24	20	2.25	< 10	< 1	0.07	10	0.41	386
84974	201 238	< 1	1.30	< 0.2	10	370	< 0.5	< 2	0.40	< 0.5	9	26	22	2.40	< 10	< 1	0.07	10	0.42	285
84975	201 238	4	1.14	< 0.2	10	420	< 0.5	< 2	0.82	< 0.5	11	24	21	2.18	< 10	1	0.06	20	0.42	799
84976	201 238	1	1.19	< 0.2	10	360	< 0.5	< 2	0.62	< 0.5	10	26	22	2.48	< 10	< 1	0.07	10	0.49	350
84977	201 238	< 1	1.10	< 0.2	10	420	< 0.5	< 2	0.91	< 0.5	10	24	22	2.31	< 10	< 1	0.06	20	0.46	358
84978	201 238	< 1	1.25	< 0.2	5	320	< 0.5	< 2	0.85	< 0.5	11	28	17	2.42	< 10	1	0.09	20	0.51	391
84979	201 238	4	1.18	< 0.2	< 5	400	< 0.5	< 2	1.17	0.5	10	25	24	2.17	< 10	< 1	0.08	10	0.49	404
84980	201 238	3	1.16	< 0.2	10	420	< 0.5	< 2	1.43	0.5	15	23	30	2.56	< 10	1	0.09	20	0.51	1135
84982	217 238	7	0.86	< 0.2	5	420	< 0.5	< 2	1.38	1.0	15	55	39	2.19	< 10	< 1	0.11	20	0.29	1180
84983	201 238	3	1.36	< 0.2	5	450	< 0.5	< 2	0.99	0.5	16	21	33	2.92	< 10	< 1	0.11	30	0.32	1795
84984	201 238	2	0.89	< 0.2	15	240	< 0.5	< 2	0.62	0.5	19	26	42	4.44	< 10	< 1	0.08	40	0.26	831

CERTIFICATION : 

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA. CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84847	201 238	< 1	0.01	23	230	< 2	< 5	< 10	22	0.05	< 10	< 10	47	< 5	64
84848	203 238	1	0.02	22	370	10	< 5	< 10	27	0.05	< 10	< 10	50	< 5	63
84849	201 238	< 1	0.01	17	410	4	< 5	< 10	31	0.05	< 10	< 10	47	< 5	68
84850	201 238	< 1	0.01	9	310	8	< 5	< 10	23	0.06	< 10	< 10	39	< 5	47
84851	201 238	< 1	0.01	11	240	14	< 5	< 10	19	0.06	< 10	< 10	36	< 5	43
84852	201 238	< 1	0.01	21	290	6	< 5	< 10	16	0.04	< 10	< 10	26	< 5	64
84853	201 238	< 1	0.01	17	280	4	< 5	< 10	22	0.06	< 10	< 10	53	< 5	57
84854	201 238	< 1	0.01	7	190	6	< 5	< 10	18	0.07	< 10	< 10	31	< 5	29
84950	201 238	< 1	0.01	21	350	16	< 5	< 10	32	0.09	10	10	60	< 5	62
84952	201 238	< 1	0.01	15	170	12	< 5	< 10	26	0.07	< 10	< 10	52	< 5	59
84953	201 238	< 1	0.01	18	270	8	< 5	< 10	26	0.07	< 10	< 10	53	< 5	67
84954	201 238	< 1	0.01	12	180	14	< 5	< 10	24	0.09	10	< 10	55	< 5	46
84955	201 238	< 1	0.01	13	120	24	< 5	< 10	22	0.07	< 10	< 10	47	< 5	55
84956	201 238	< 1	0.01	13	180	48	< 5	< 10	23	0.06	10	< 10	43	< 5	75
84957	201 238	< 1	0.01	11	120	12	< 5	< 10	20	0.06	< 10	< 10	44	< 5	38
84958	201 238	< 1	0.01	16	350	10	< 5	< 10	24	0.07	< 10	< 10	51	< 5	50
84959	201 238	< 1	0.01	19	270	12	< 5	< 10	26	0.07	10	< 10	54	< 5	59
84960	201 238	< 1	0.01	11	130	24	< 5	< 10	19	0.06	< 10	< 10	43	< 5	48
84961	201 238	< 1	0.01	13	110	12	< 5	< 10	20	0.07	< 10	< 10	46	< 5	32
84962	201 238	< 1	0.01	12	130	14	< 5	< 10	21	0.07	< 10	< 10	48	< 5	43
84963	201 238	< 1	0.01	11	210	20	< 5	< 10	22	0.08	< 10	< 10	48	< 5	51
84964	201 238	< 1	0.01	9	200	18	< 5	< 10	23	0.08	< 10	< 10	50	< 5	61
84965	201 238	< 1	0.01	12	240	14	< 5	< 10	29	0.09	< 10	< 10	54	< 5	65
84966	201 238	< 1	0.01	11	140	4	< 5	< 10	25	0.09	10	< 10	53	< 5	48
84967	201 238	< 1	0.01	13	220	12	< 5	< 10	26	0.08	< 10	< 10	48	< 5	65
84968	201 238	< 1	0.01	15	290	22	< 5	< 10	27	0.09	10	< 10	53	< 5	70
84969	201 238	< 1	0.02	22	430	6	< 5	< 10	28	0.08	< 10	< 10	51	< 5	49
84970	201 238	< 1	0.02	16	580	6	< 5	< 10	36	0.07	< 10	< 10	47	< 5	51
84972	201 238	< 1	0.02	24	350	< 2	< 5	< 10	27	0.08	< 10	< 10	49	< 5	54
84973	201 238	< 1	0.01	19	450	< 2	< 5	< 10	29	0.07	< 10	< 10	50	< 5	51
84974	201 238	< 1	0.01	21	410	< 2	< 5	< 10	26	0.07	< 10	< 10	51	< 5	50
84975	201 238	< 1	0.02	18	760	< 2	< 5	< 10	41	0.06	< 10	< 10	44	< 5	53
84976	201 238	< 1	0.02	18	610	4	< 5	< 10	38	0.07	< 10	< 10	51	< 5	60
84977	201 238	< 1	0.02	22	680	4	< 5	< 10	45	0.07	< 10	< 10	46	< 5	60
84978	201 238	< 1	0.02	17	830	6	< 5	< 10	47	0.09	< 10	< 10	53	< 5	66
84979	201 238	< 1	0.02	22	800	< 2	< 5	< 10	54	0.06	< 10	< 10	41	< 5	84
84980	201 238	< 1	0.02	25	980	10	< 5	< 10	67	0.05	< 10	< 10	41	< 5	85
84982	217 238	1	0.03	32	1030	4	< 5	< 10	83	0.01	10	< 10	19	< 5	79
84983	201 238	1	0.01	33	780	12	< 5	< 10	71	0.02	10	< 10	29	< 5	112
84984	201 238	4	0.01	42	680	8	< 5	< 10	46	0.01	10	< 10	28	< 5	137

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date : 19-AUG-87
Invoice # : I-8718569
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84985	201	238	2	1.50	0.2	< 5	280	0.5	< 2	0.62	< 0.5	< 1	23	24	2.09	< 10	< 1	0.12	30	0.34	134
84987	201	238	< 1	1.38	< 0.2	< 5	360	< 0.5	< 2	0.30	< 0.5	< 1	30	7	1.95	< 10	< 1	0.11	20	0.27	216
84988	201	238	< 1	1.25	< 0.2	5	490	< 0.5	< 2	1.10	< 0.5	< 1	27	21	2.07	< 10	< 1	0.08	20	0.46	245
84989	201	238	< 1	1.40	< 0.2	< 5	430	< 0.5	< 2	0.77	< 0.5	< 1	47	19	2.49	< 10	< 1	0.11	20	0.48	228
84990	201	238	< 1	1.27	0.2	15	720	< 0.5	< 2	1.87	< 0.5	6	40	47	2.35	< 10	< 1	0.10	10	0.39	685
84991	201	238	< 1	1.48	< 0.2	10	660	< 0.5	< 2	1.80	< 0.5	12	25	35	2.34	< 10	< 1	0.08	10	0.49	636
84992	201	238	< 1	1.37	< 0.2	< 5	630	< 0.5	< 2	1.38	< 0.5	5	28	25	2.13	< 10	< 1	0.07	20	0.51	568
84993	201	238	< 1	1.62	< 0.2	5	560	< 0.5	< 2	0.76	< 0.5	14	47	32	2.99	< 10	< 1	0.12	20	0.60	478
84994	201	238	< 1	1.60	< 0.2	15	770	< 0.5	< 2	0.70	< 0.5	12	37	25	2.57	< 10	< 1	0.09	20	0.50	488
84995	201	238	< 1	1.50	< 0.2	5	670	< 0.5	< 2	0.75	< 0.5	12	34	22	2.43	< 10	< 1	0.09	20	0.47	472
84996	201	238	< 1	1.50	< 0.2	< 5	520	< 0.5	< 2	0.88	< 0.5	11	34	22	2.52	< 10	< 1	0.12	20	0.56	497
84997	201	238	< 1	1.36	< 0.2	20	540	< 0.5	< 2	1.07	< 0.5	12	27	30	2.39	< 10	< 1	0.12	20	0.53	699
84998	201	238	< 1	1.24	< 0.2	< 5	380	< 0.5	< 2	0.75	< 0.5	11	24	18	2.36	< 10	< 1	0.09	20	0.48	274
84999	201	238	< 1	1.30	< 0.2	< 5	470	< 0.5	< 2	0.76	< 0.5	13	23	30	2.34	< 10	< 1	0.10	20	0.44	598

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/S/6/P-53
Comments:

Date :19-AUG-87
Invoice # :I-8718569
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8718569

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84985	201 238	1	0.01	20	680	16	< 5	< 10	45	0.03	< 10	< 10	32	< 5	81
84987	201 238	< 1	0.01	13	210	12	< 5	< 10	26	0.06	< 10	< 10	47	< 5	52
84988	201 238	2	0.01	18	810	< 2	< 5	< 10	57	0.06	< 10	< 10	45	< 5	59
84989	201 238	1	0.01	26	570	10	5	< 10	44	0.06	< 10	< 10	48	< 5	75
84990	201 238	1	0.02	44	690	< 2	< 5	< 10	78	0.04	< 10	< 10	39	< 5	112
84991	201 238	< 1	0.02	21	680	< 2	< 5	10	79	0.06	< 10	< 10	43	< 5	69
84992	201 238	< 1	0.02	23	650	2	5	< 10	77	0.05	< 10	< 10	41	< 5	68
84993	201 238	2	0.02	34	630	< 2	< 5	< 10	47	0.09	< 10	< 10	60	< 5	84
84994	201 238	2	0.02	22	470	8	< 5	< 10	43	0.07	< 10	< 10	53	< 5	66
84995	201 238	2	0.02	20	650	4	< 5	< 10	44	0.08	< 10	< 10	51	< 5	64
84996	201 238	< 1	0.03	26	560	4	< 5	10	53	0.09	< 10	< 10	56	< 5	69
84997	201 238	1	0.02	27	680	< 2	< 5	30	57	0.08	< 10	< 10	52	< 5	94
84998	201 238	1	0.02	17	510	16	5	< 10	44	0.07	< 10	< 10	51	< 5	50
84999	201 238	1	0.02	25	720	< 2	< 5	< 10	44	0.08	< 10	< 10	48	< 5	84

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Page No. : 3-A
Tot. Pg. : 6
Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
80916	201 238	4	2.02	< 0.2	< 5	270	0.5	< 2	0.19	< 0.5	10	35	14	2.43	< 10	< 1	0.08	20	0.44	196
80917	201 238	< 1	2.89	< 0.2	10	380	0.5	< 2	0.17	< 0.5	12	40	18	3.15	< 10	< 1	0.08	20	0.50	246
80918	201 238	3	2.42	< 0.2	15	290	0.5	2	0.17	< 0.5	12	35	20	3.17	< 10	< 1	0.09	20	0.51	223
80919	201 238	< 1	0.98	< 0.2	5	110	< 0.5	< 2	0.19	< 0.5	< 1	17	4	1.41	< 10	< 1	0.06	20	0.31	140
80920	201 238	2	1.54	< 0.2	< 5	200	< 0.5	< 2	0.26	< 0.5	13	22	21	2.03	< 10	< 1	0.09	40	0.71	211
[illegible]	201 238	< 1	0.54	0.2	< 5	620	< 0.5	2	0.15	< 0.5	< 1	6	4	0.66	< 10	< 1	0.08	10	0.20	59
84574	201 238	< 1	1.38	< 0.2	< 5	280	0.5	< 2	0.19	< 0.5	10	23	19	2.28	< 10	< 1	0.11	20	0.32	246
84575	203 238	1	1.27	< 0.2	5	420	< 0.5	< 2	0.18	< 0.5	< 1	79	18	1.69	< 10	< 1	0.27	10	0.32	135
84576	201 238	< 1	0.85	< 0.2	5	190	< 0.5	< 2	0.24	< 0.5	< 1	21	9	1.83	< 10	< 1	0.14	20	0.28	162
84577	201 238	5	2.12	< 0.2	5	500	< 0.5	< 2	0.30	< 0.5	15	34	13	2.70	< 10	< 1	0.13	20	0.41	1065
84578	201 238	< 1	2.12	< 0.2	10	600	< 0.5	< 2	0.30	< 0.5	13	32	12	2.47	< 10	< 1	0.09	20	0.42	658
84579	201 238	< 1	1.59	< 0.2	5	470	< 0.5	< 2	0.28	< 0.5	7	25	8	1.68	< 10	< 1	0.06	20	0.34	269
84580	201 238	< 1	2.18	< 0.2	10	620	0.5	2	0.29	< 0.5	12	34	16	2.37	< 10	1	0.08	20	0.41	322
84581	201 238	< 1	2.38	< 0.2	< 5	620	0.5	< 2	0.30	< 0.5	10	36	21	2.39	< 10	< 1	0.08	20	0.41	258
84582	201 238	2	2.49	< 0.2	10	520	< 0.5	< 2	0.28	< 0.5	10	36	18	2.62	< 10	< 1	0.07	20	0.44	191
84583	201 238	< 1	2.53	< 0.2	15	770	0.5	2	0.36	< 0.5	13	40	18	2.77	< 10	< 1	0.08	20	0.47	565
84584	201 238	< 1	2.15	< 0.2	5	640	< 0.5	< 2	0.26	< 0.5	14	31	11	2.35	< 10	< 1	0.05	20	0.39	361
84585	201 238	1	2.14	< 0.2	< 5	540	< 0.5	< 2	0.33	< 0.5	12	32	19	2.42	< 10	3	0.13	20	0.38	470
84586	201 238	< 1	1.72	< 0.2	< 5	380	< 0.5	< 2	0.19	< 0.5	14	25	13	2.28	< 10	2	0.13	10	0.32	723
84587	201 238	1	1.41	0.8	< 5	640	< 0.5	< 2	0.33	0.5	11	26	25	2.49	< 10	< 1	0.22	20	0.36	924
84588	201 238	49	2.48	< 0.2	15	760	0.5	< 2	0.44	< 0.5	14	39	35	3.61	< 10	< 1	0.18	20	0.48	997
84589	201 238	3	1.55	< 0.2	10	350	< 0.5	< 2	0.30	< 0.5	10	26	16	2.26	< 10	3	0.09	20	0.41	219
84590	201 238	3	1.35	< 0.2	< 5	370	< 0.5	< 2	0.38	< 0.5	10	24	17	2.24	< 10	< 1	0.08	20	0.42	269
84591	201 238	4	1.51	< 0.2	< 5	560	< 0.5	< 2	1.09	0.5	13	28	29	2.03	< 10	< 1	0.07	20	0.45	770
84592	201 238	2	1.21	< 0.2	< 5	300	< 0.5	< 2	0.27	< 0.5	9	27	23	1.73	< 10	< 1	0.07	20	0.32	225
84593	201 238	3	1.64	< 0.2	< 5	400	< 0.5	< 2	0.27	< 0.5	9	29	23	2.25	< 10	< 1	0.08	20	0.42	222
84594	201 238	4	1.39	< 0.2	5	290	< 0.5	< 2	0.25	< 0.5	9	24	15	1.92	< 10	< 1	0.09	20	0.35	200
84595	201 238	3	1.21	< 0.2	< 5	240	< 0.5	< 2	0.29	0.5	9	22	16	1.89	< 10	1	0.12	20	0.31	267
84596	201 238	3	1.85	< 0.2	< 5	750	< 0.5	< 2	0.33	< 0.5	11	29	15	2.32	< 10	< 1	0.13	20	0.39	451
84597	201 238	13	1.66	< 0.2	10	640	< 0.5	< 2	0.60	< 0.5	11	172	38	2.42	< 10	< 1	0.13	20	0.37	485
84598	201 238	3	1.34	< 0.2	< 5	320	< 0.5	< 2	0.29	< 0.5	8	25	16	1.81	< 10	< 1	0.08	20	0.35	158
84599	201 238	4	2.23	< 0.2	< 5	550	< 0.5	< 2	0.52	< 0.5	13	37	35	3.02	< 10	< 1	0.14	20	0.50	615
84600	201 238	3	1.54	< 0.2	< 5	220	< 0.5	< 2	0.23	0.5	15	27	35	3.58	< 10	< 1	0.09	30	0.50	640
84601	201 238	2	1.38	< 0.2	10	140	< 0.5	< 2	0.22	< 0.5	15	27	45	3.81	< 10	< 1	0.07	40	0.61	469
84602	201 238	2	1.47	< 0.2	5	280	< 0.5	< 2	1.23	< 0.5	13	27	32	2.62	< 10	< 1	0.08	30	0.51	543
84603	201 238	4	1.74	< 0.2	< 5	400	< 0.5	< 2	0.48	< 0.5	14	33	39	2.89	< 10	3	0.09	30	0.57	443
84604	201 238	5	1.80	0.6	< 5	390	< 0.5	< 2	0.90	0.5	13	29	41	2.72	< 10	< 1	0.10	30	0.62	503
84605	201 238	3	1.56	< 0.2	5	240	< 0.5	< 2	0.56	< 0.5	11	27	26	2.54	< 10	1	0.09	30	0.47	276
84606	201 238	3	1.84	< 0.2	< 5	530	< 0.5	< 2	0.78	< 0.5	13	27	34	2.37	< 10	< 1	0.11	30	0.42	456
84607	201 238	5	2.12	0.2	5	340	0.5	< 2	0.51	< 0.5	14	31	43	3.20	< 10	< 1	0.17	40	0.60	428

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Page # : 3-B
Tot. # : 6
Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
80916	201 238	< 1	0.01	16	160	< 2	< 5	< 10	22	0.10	< 10	< 10	61	< 5	43
80917	201 238	< 1	0.01	26	290	< 2	< 5	< 10	19	0.10	< 10	< 10	71	< 5	61
80918	201 238	< 1	< 0.01	22	170	< 2	< 5	< 10	19	0.10	< 10	< 10	74	< 5	51
80919	201 238	< 1	< 0.01	5	180	< 2	< 5	< 10	17	0.10	< 10	< 10	47	< 5	29
80920	201 238	< 1	< 0.01	14	300	10	< 5	10	19	0.08	< 10	< 10	37	< 5	81
[illegible]	201 238	< 1	< 0.01	3	290	8	< 5	< 10	14	0.02	< 10	< 10	10	< 5	32
84574	201 238	< 1	< 0.01	20	340	< 2	< 5	< 10	20	0.06	< 10	< 10	43	< 5	56
84575	203 238	1	0.01	19	580	< 2	< 5	10	23	0.02	< 10	< 10	54	< 5	54
84576	201 238	< 1	< 0.01	14	380	2	< 5	< 10	20	0.06	< 10	< 10	37	< 5	43
84577	201 238	< 1	0.01	22	660	10	< 5	< 10	27	0.09	< 10	< 10	64	< 5	106
84578	201 238	< 1	0.01	17	280	< 2	< 5	< 10	29	0.09	< 10	< 10	67	< 5	59
84579	201 238	< 1	< 0.01	13	220	< 2	< 5	< 10	24	0.09	< 10	< 10	51	< 5	33
84580	201 238	< 1	0.01	23	140	< 2	< 5	10	27	0.09	< 10	< 10	61	< 5	37
84581	201 238	< 1	0.01	24	160	< 2	< 5	< 10	28	0.10	< 10	< 10	65	< 5	39
84582	201 238	< 1	0.01	23	170	< 2	< 5	< 10	29	0.10	< 10	< 10	69	< 5	46
84583	201 238	< 1	0.01	22	170	< 2	< 5	< 10	32	0.10	< 10	< 10	72	< 5	46
84584	201 238	< 1	< 0.01	20	160	< 2	< 5	10	25	0.09	< 10	< 10	63	< 5	52
84585	201 238	< 1	0.01	23	250	2	< 5	< 10	31	0.09	< 10	< 10	63	< 5	59
84586	201 238	< 1	< 0.01	15	660	< 2	< 5	10	19	0.07	< 10	< 10	53	< 5	66
84587	201 238	< 1	0.01	23	690	< 2	< 5	10	33	0.05	< 10	< 10	46	< 5	73
84588	201 238	< 1	0.01	31	730	2	< 5	< 10	48	0.07	< 10	< 10	62	< 5	87
84589	201 238	< 1	0.01	17	470	< 2	< 5	< 10	27	0.07	< 10	< 10	49	< 5	55
84590	201 238	< 1	0.01	18	620	4	< 5	< 10	33	0.07	< 10	< 10	44	< 5	58
84591	201 238	< 1	0.01	26	610	< 2	< 5	20	83	0.05	< 10	< 10	43	< 5	47
84592	201 238	< 1	< 0.01	24	210	4	< 5	10	24	0.05	< 10	< 10	31	< 5	39
84593	201 238	< 1	0.01	19	230	< 2	< 5	< 10	24	0.07	< 10	< 10	47	< 5	47
84594	201 238	< 1	0.01	14	270	8	< 5	< 10	25	0.07	< 10	< 10	41	< 5	46
84595	201 238	1	< 0.01	14	360	< 2	< 5	10	25	0.07	< 10	< 10	39	< 5	45
84596	201 238	< 1	0.01	22	200	< 2	< 5	< 10	31	0.07	< 10	< 10	55	< 5	52
84597	201 238	< 1	0.01	47	440	10	< 5	10	52	0.04	< 10	< 10	43	< 5	58
84598	201 238	1	0.01	16	270	8	< 5	< 10	26	0.07	< 10	< 10	40	< 5	43
84599	201 238	< 1	0.01	30	440	2	< 5	< 10	43	0.07	< 10	< 10	59	< 5	74
84600	201 238	1	0.01	38	480	4	< 5	< 10	22	0.02	< 10	< 10	35	< 5	95
84601	201 238	1	< 0.01	42	640	10	< 5	< 10	22	0.01	< 10	< 10	30	< 5	114
84602	201 238	< 1	0.01	28	410	2	5	10	53	0.03	< 10	< 10	33	< 5	71
84603	201 238	1	0.01	30	420	4	< 5	10	51	0.03	< 10	< 10	38	< 5	74
84604	201 238	< 1	0.01	37	590	< 2	5	< 10	67	0.03	< 10	< 10	38	< 5	76
84605	201 238	< 1	0.01	23	450	< 2	< 5	< 10	38	0.04	< 10	< 10	38	< 5	57
84606	201 238	< 1	0.02	27	610	< 2	< 5	< 10	55	0.06	< 10	< 10	51	< 5	54
84607	201 238	1	0.02	38	560	6	< 5	< 10	43	0.05	< 10	< 10	49	< 5	90

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE	Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84608	201 238	5	1.32	< 0.2	5	390	0.5	< 2	1.54	0.5	7	21	33	1.82	< 10	< 1	0.11	30	0.41	257
84609	201 238	< 1	1.77	< 0.2	5	150	< 0.5	2	0.47	< 0.5	13	25	40	3.26	< 10	< 1	0.13	40	0.62	277
84610	201 238	3	2.62	0.2	5	230	0.5	< 2	0.53	< 0.5	14	35	45	4.26	< 10	1	0.11	40	0.93	569
84611	201 238	2	2.93	0.8	5	460	1.0	2	0.62	< 0.5	15	34	42	3.76	< 10	< 1	0.16	40	0.64	631
84612	201 238	< 1	1.96	0.6	10	390	2.5	< 2	0.90	< 0.5	14	28	47	2.73	< 10	< 1	0.14	50	0.41	828
84613	201 238	2	2.44	0.2	15	190	0.5	2	0.58	< 0.5	14	33	39	4.24	< 10	1	0.14	50	0.90	507
84614	201 238	1	2.67	< 0.2	5	430	0.5	< 2	0.40	< 0.5	14	35	19	3.56	< 10	< 1	0.13	30	0.70	496
84615	201 238	2	3.30	< 0.2	10	180	< 0.5	< 2	0.25	< 0.5	14	41	47	4.97	< 10	< 1	0.15	60	1.08	486
84616	201 238	2	2.12	< 0.2	5	540	1.5	< 2	0.65	< 0.5	14	34	31	2.67	< 10	< 1	0.11	40	0.44	849
84617	201 238	< 1	2.46	0.2	5	470	< 0.5	< 2	1.76	< 0.5	15	36	21	3.43	< 10	< 1	0.11	40	0.71	449
84618	201 238	1	2.71	0.2	< 5	260	< 0.5	< 2	0.81	< 0.5	14	37	27	4.50	< 10	< 1	0.15	50	0.91	583
84619	201 238	< 1	2.70	0.4	5	230	1.0	2	0.54	< 0.5	14	35	28	4.82	< 10	< 1	0.18	60	0.97	672
84620	201 238	7	1.97	0.2	< 5	290	1.0	< 2	0.64	< 0.5	12	29	22	2.50	< 10	< 1	0.14	40	0.49	365
84623	201 238	2	1.23	< 0.2	5	360	< 0.5	< 2	0.67	< 0.5	11	25	17	2.14	< 10	< 1	0.11	20	0.51	294
84624	201 238	1	1.28	< 0.2	5	390	< 0.5	2	0.69	< 0.5	11	26	21	2.25	< 10	< 1	0.11	30	0.50	333
84625	201 238	< 1	1.46	< 0.2	< 5	450	< 0.5	< 2	0.78	< 0.5	14	29	19	2.34	< 10	< 1	0.13	30	0.47	575
84626	201 238	2	1.58	0.2	10	450	< 0.5	2	0.89	< 0.5	12	32	25	2.46	< 10	< 1	0.13	30	0.51	450
84627	201 238	< 1	1.43	< 0.2	5	520	< 0.5	< 2	1.25	< 0.5	9	28	23	2.03	< 10	< 1	0.10	30	0.48	276
84628	201 238	6	1.47	< 0.2	5	380	< 0.5	< 2	0.65	< 0.5	9	30	20	2.24	< 10	< 1	0.13	30	0.50	243
84629	201 238	3	1.51	0.2	15	560	< 0.5	2	1.59	< 0.5	13	29	33	2.32	< 10	< 1	0.13	30	0.56	609
84630	201 238	2	1.36	< 0.2	5	500	< 0.5	< 2	0.91	< 0.5	11	26	24	2.19	< 10	< 1	0.12	30	0.47	340
84631	201 238	1	1.60	< 0.2	10	400	< 0.5	2	0.26	< 0.5	11	28	21	2.48	< 10	< 1	0.09	20	0.36	416
84632	201 238	< 1	1.23	< 0.2	10	310	< 0.5	< 2	0.23	< 0.5	9	24	12	1.94	< 10	< 1	0.11	20	0.34	284
84633	201 238	1	1.71	< 0.2	5	550	< 0.5	< 2	0.28	< 0.5	11	29	18	2.26	< 10	2	0.10	20	0.42	398
84634	201 238	< 1	1.20	< 0.2	10	330	< 0.5	2	0.19	< 0.5	8	22	8	1.85	< 10	< 1	0.09	10	0.34	267
84635	201 238	5	2.52	0.2	20	350	< 0.5	4	0.20	< 0.5	13	45	37	3.30	< 10	< 1	0.09	20	0.52	285
84636	201 238	30	1.08	< 0.2	5	200	< 0.5	< 2	0.15	< 0.5	8	18	8	1.52	< 10	1	0.08	10	0.27	261
84637	201 238	< 1	1.64	< 0.2	15	320	< 0.5	< 2	0.18	< 0.5	9	27	12	2.02	< 10	< 1	0.06	20	0.37	186
84638	201 238	< 1	1.40	< 0.2	20	390	< 0.5	< 2	0.15	< 0.5	10	24	12	1.76	< 10	< 1	0.09	20	0.31	405
84639	201 238	< 1	1.59	0.2	10	620	< 0.5	< 2	0.33	< 0.5	15	28	13	2.25	< 10	< 1	0.17	20	0.46	689
84640	201 238	< 1	1.43	0.2	10	400	< 0.5	< 2	0.26	< 0.5	11	27	9	2.01	< 10	< 1	0.13	20	0.43	359
84641	201 238	< 1	1.21	< 0.2	15	400	< 0.5	< 2	0.24	< 0.5	12	26	9	1.90	< 10	2	0.12	20	0.36	524
84642	201 238	3	1.99	0.4	20	640	< 0.5	4	0.42	< 0.5	13	38	14	2.25	< 10	< 1	0.17	20	0.50	547
84643	201 238	< 1	2.26	0.2	35	540	< 0.5	2	0.44	< 0.5	15	41	15	2.87	< 10	< 1	0.14	20	0.46	626
84644	201 238	< 1	2.13	0.2	25	570	< 0.5	< 2	0.50	< 0.5	14	37	17	2.54	< 10	< 1	0.13	20	0.47	660
84645	201 238	< 1	1.99	0.2	15	460	< 0.5	< 2	0.43	< 0.5	13	36	14	2.34	< 10	< 1	0.16	20	0.45	683
84646	201 238	< 1	1.91	< 0.2	30	500	< 0.5	< 2	0.34	< 0.5	13	32	13	2.20	< 10	< 1	0.11	20	0.41	622
84647	201 238	1	2.51	< 0.2	20	420	< 0.5	< 2	0.33	< 0.5	15	84	32	3.48	< 10	2	0.15	10	1.28	569
84648	201 238	< 1	2.70	0.2	15	380	< 0.5	< 2	0.35	< 0.5	23	106	45	3.94	< 10	< 1	0.16	10	1.50	494
84649	201 238	3	2.77	< 0.2	15	510	< 0.5	< 2	0.51	< 0.5	18	77	52	3.96	< 10	< 1	0.14	20	1.31	778

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED
,09 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2
Project : DL/HUN/5/6/P53
Comments:

Page No : -B
Tot. Pa :
Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84608	201 238	1	0.01	26	830	< 2	< 5	10	92	0.02	< 10	< 10	29	< 5	65
84609	201 238	3	0.01	31	690	< 2	< 5	< 10	34	0.03	< 10	< 10	39	< 5	97
84610	201 238	2	0.01	47	510	< 2	< 5	< 10	40	0.01	< 10	< 10	43	< 5	103
84611	201 238	1	0.01	35	300	< 2	< 5	< 10	48	0.01	< 10	< 10	50	< 5	75
84612	201 238	< 1	0.02	33	640	8	< 5	< 10	58	0.04	< 10	< 10	46	< 5	66
84613	201 238	< 1	0.02	38	770	< 2	< 5	< 10	38	0.02	< 10	< 10	39	< 5	92
84614	201 238	< 1	0.01	26	290	< 2	< 5	< 10	32	0.04	< 10	< 10	50	< 5	70
84615	201 238	< 1	0.02	47	350	< 2	< 5	< 10	22	< 0.01	< 10	< 10	32	< 5	76
84616	201 238	< 1	0.02	24	250	< 2	< 5	< 10	43	0.09	< 10	< 10	63	< 5	64
84617	201 238	< 1	0.02	26	250	< 2	< 5	< 10	89	0.06	< 10	< 10	56	< 5	54
84618	201 238	< 1	0.02	41	810	< 2	< 5	< 10	48	< 0.01	< 10	< 10	41	< 5	75
84619	201 238	1	0.02	43	790	< 2	< 5	< 10	32	< 0.01	< 10	< 10	33	< 5	87
84620	201 238	< 1	0.02	25	230	< 2	< 5	< 10	43	0.07	< 10	30	55	< 5	65
84623	201 238	1	0.02	22	670	< 2	< 5	< 10	43	0.08	< 10	< 10	51	< 5	66
84624	201 238	< 1	0.03	21	670	< 2	< 5	10	43	0.08	< 10	< 10	55	< 5	64
84625	201 238	< 1	0.02	19	660	< 2	< 5	10	50	0.08	< 10	< 10	59	< 5	60
84626	201 238	< 1	0.02	23	690	< 2	< 5	< 10	55	0.08	< 10	< 10	58	< 5	58
84627	201 238	< 1	0.02	17	700	< 2	< 5	< 10	66	0.07	< 10	< 10	51	< 5	51
84628	201 238	< 1	0.02	21	590	< 2	< 5	< 10	43	0.08	< 10	< 10	54	< 5	58
84629	201 238	< 1	0.02	28	780	< 2	< 5	< 10	78	0.08	< 10	< 10	53	< 5	78
84630	201 238	< 1	0.02	22	690	< 2	< 5	< 10	52	0.07	< 10	< 10	49	< 5	77
84631	201 238	< 1	0.01	23	340	< 2	< 5	< 10	23	0.06	< 10	< 10	47	< 5	54
84632	201 238	1	0.01	16	370	6	< 5	10	19	0.06	< 10	< 10	42	< 5	43
84633	201 238	< 1	0.01	20	290	2	< 5	< 10	28	0.07	< 10	< 10	53	< 5	46
84634	201 238	1	< 0.01	12	280	14	5	< 10	18	0.06	< 10	< 10	39	< 5	45
84635	201 238	< 1	< 0.01	25	180	2	< 5	< 10	22	0.09	< 10	< 10	68	< 5	62
84636	201 238	< 1	< 0.01	10	320	6	< 5	< 10	14	0.04	< 10	< 10	30	< 5	46
84637	201 238	< 1	< 0.01	15	120	< 2	< 5	< 10	19	0.07	< 10	< 10	51	< 5	60
84638	201 238	< 1	< 0.01	15	320	8	< 5	< 10	14	0.05	< 10	< 10	35	< 5	74
84639	201 238	< 1	< 0.01	18	590	18	< 5	< 10	29	0.07	< 10	< 10	47	< 5	96
84640	201 238	< 1	< 0.01	19	280	< 2	< 5	< 10	23	0.07	< 10	< 10	46	< 5	70
84641	201 238	< 1	< 0.01	16	170	10	< 5	< 10	23	0.07	< 10	< 10	45	< 5	49
84642	201 238	< 1	0.01	20	310	12	< 5	< 10	35	0.09	< 10	< 10	59	< 5	61
84643	201 238	< 1	0.01	24	250	6	< 5	< 10	32	0.10	< 10	< 10	67	< 5	60
84644	201 238	< 1	0.01	25	220	4	< 5	< 10	34	0.09	< 10	< 10	61	< 5	61
84645	201 238	< 1	0.01	21	170	12	< 5	< 10	31	0.08	< 10	< 10	57	< 5	55
84646	201 238	< 1	0.01	16	240	4	< 5	< 10	27	0.08	< 10	< 10	53	< 5	47
84647	201 238	< 1	< 0.01	46	230	2	< 5	10	22	0.06	< 10	< 10	79	< 5	68
84648	201 238	< 1	< 0.01	62	240	8	< 5	< 10	23	0.04	< 10	< 10	89	< 5	81
84649	201 238	< 1	0.01	50	400	< 2	< 5	< 10	36	0.04	< 10	< 10	86	< 5	78

CERTIFICATION : BC

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED

.09 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/5/6/P53
Comments:

Page No : -A
Tot. Pa
Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84650	201	238	2	2.81	0.2	< 5	590	< 0.5	4	0.42	0.5	19	75	47	3.79	< 10	< 1	0.14	20	1.17	631
84651	201	238	4	1.93	< 0.2	50	470	< 0.5	< 2	0.81	0.5	16	130	63	3.06	< 10	< 1	0.16	20	0.91	373
84652	201	238	3	3.19	0.4	10	440	< 0.5	6	1.03	< 0.5	28	124	78	5.12	< 10	< 1	0.12	30	2.16	618
84653	201	238	< 1	2.80	< 0.2	15	520	0.5	< 2	0.71	< 0.5	22	82	39	4.09	< 10	< 1	0.15	20	1.24	715
84654	201	238	13	2.15	< 0.2	15	540	< 0.5	2	1.07	< 0.5	15	66	47	3.29	< 10	< 1	0.15	30	1.09	789
84655	201	238	2	1.96	< 0.2	10	300	< 0.5	2	0.47	< 0.5	14	55	51	2.91	< 10	< 1	0.14	20	0.89	285
84656	201	238	3	2.18	< 0.2	15	470	0.5	4	0.60	< 0.5	14	45	44	2.92	< 10	< 1	0.15	30	0.67	449
84657	201	238	< 1	1.71	< 0.2	20	380	< 0.5	< 2	0.49	< 0.5	13	39	29	2.68	< 10	< 1	0.15	20	0.59	458
84658	201	238	1	1.58	< 0.2	15	470	< 0.5	4	0.39	< 0.5	10	31	23	2.22	< 10	< 1	0.11	20	0.41	553
84659	201	238	20	1.49	< 0.2	15	440	< 0.5	< 2	0.48	< 0.5	12	29	31	2.30	< 10	< 1	0.10	30	0.41	483
84660	201	238	2	1.43	< 0.2	5	350	< 0.5	< 2	0.36	< 0.5	10	27	21	2.24	< 10	< 1	0.12	20	0.42	336
84661	201	238	2	1.26	< 0.2	< 5	310	< 0.5	2	0.34	< 0.5	9	26	17	1.91	< 10	< 1	0.10	20	0.38	238
84662	201	238	6	2.84	< 0.2	35	640	0.5	2	0.28	< 0.5	13	84	62	2.94	< 10	< 1	0.17	30	1.15	309
84663	201	238	3	1.47	< 0.2	15	450	< 0.5	2	0.37	< 0.5	11	28	12	2.21	< 10	< 1	0.13	20	0.36	442
84664	201	238	< 1	1.72	< 0.2	5	530	< 0.5	< 2	0.35	< 0.5	12	28	14	2.32	< 10	< 1	0.14	20	0.42	485
84665	201	238	< 1	1.58	< 0.2	10	390	< 0.5	2	0.35	< 0.5	12	29	21	2.41	< 10	1	0.13	20	0.38	379
84666	201	238	2	1.62	< 0.2	5	310	< 0.5	< 2	0.20	< 0.5	13	27	22	2.53	< 10	1	0.14	10	0.30	443
84667	201	238	< 1	2.21	< 0.2	5	440	< 0.5	< 2	0.23	< 0.5	13	32	12	2.49	< 10	< 1	0.06	20	0.37	518
84668	201	238	< 1	2.33	< 0.2	5	560	< 0.5	< 2	0.35	< 0.5	11	33	13	2.41	< 10	< 1	0.10	20	0.39	251
84669	201	238	< 1	2.43	< 0.2	20	630	< 0.5	< 2	0.38	< 0.5	14	36	14	2.70	< 10	< 1	0.10	20	0.43	677
84670	201	238	< 1	2.31	< 0.2	5	660	< 0.5	< 2	0.39	< 0.5	15	33	14	2.57	< 10	1	0.11	20	0.43	620
84671	201	238	2	2.45	< 0.2	15	760	< 0.5	2	0.44	< 0.5	14	36	18	2.72	< 10	1	0.10	20	0.43	989
84672	201	238	< 1	2.05	< 0.2	20	510	< 0.5	< 2	0.27	< 0.5	14	30	12	2.38	< 10	< 1	0.09	20	0.38	694
84673	201	238	< 1	2.04	< 0.2	10	600	< 0.5	< 2	0.32	< 0.5	11	29	12	2.23	< 10	< 1	0.08	20	0.36	494
84674	201	238	< 1	2.19	< 0.2	10	560	< 0.5	< 2	0.33	< 0.5	12	33	12	2.22	< 10	< 1	0.06	20	0.39	277
84675	201	238	< 1	1.93	< 0.2	20	370	< 0.5	< 2	0.25	< 0.5	8	27	10	2.16	< 10	1	0.03	20	0.34	217
84676	201	238	< 1	2.45	< 0.2	20	530	< 0.5	< 2	0.29	< 0.5	10	37	23	2.59	< 10	< 1	0.07	20	0.43	163
84677	201	238	< 1	1.94	< 0.2	5	560	< 0.5	< 2	0.33	< 0.5	11	30	11	2.24	< 10	< 1	0.05	20	0.39	550
84678	201	238	< 1	1.63	< 0.2	15	510	< 0.5	< 2	0.29	< 0.5	10	24	10	1.89	< 10	< 1	0.05	20	0.32	493
84679	201	238	< 1	1.20	< 0.2	< 5	440	< 0.5	< 2	0.19	< 0.5	8	19	10	1.76	< 10	3	0.11	10	0.26	314
84680	201	238	2	1.53	< 0.2	20	730	< 0.5	< 2	0.24	0.5	14	24	15	2.06	< 10	1	0.13	20	0.32	332
84681	201	238	< 1	1.08	< 0.2	5	430	< 0.5	< 2	0.20	< 0.5	12	21	13	1.96	< 10	< 1	0.11	20	0.31	244
84682	201	238	14	1.14	< 0.2	5	340	< 0.5	2	0.20	< 0.5	13	24	7	1.68	< 10	< 1	0.12	10	0.39	351
84683	201	238	3	1.08	< 0.2	10	200	< 0.5	< 2	0.15	< 0.5	9	30	26	1.13	< 10	< 1	0.12	20	0.44	168
84684	201	238	< 1	1.36	< 0.2	5	400	< 0.5	2	0.24	< 0.5	11	26	8	1.93	< 10	1	0.07	20	0.38	342
84685	201	238	1	1.21	< 0.2	< 5	310	< 0.5	< 2	0.21	< 0.5	9	25	10	1.74	< 10	< 1	0.10	20	0.38	214
84686	201	238	2	1.26	< 0.2	10	490	< 0.5	< 2	0.27	< 0.5	14	26	10	1.72	< 10	< 1	0.15	20	0.37	833
84687	201	238	< 1	1.13	< 0.2	< 5	330	< 0.5	< 2	0.21	< 0.5	8	24	6	1.32	< 10	< 1	0.12	20	0.38	198
84688	201	238	< 1	0.85	< 0.2	5	240	< 0.5	< 2	0.15	< 0.5	6	22	8	0.91	< 10	1	0.12	20	0.35	105
84689	201	238	< 1	1.18	< 0.2	5	720	< 0.5	< 2	0.17	< 0.5	9	12	12	0.85	< 10	< 1	0.16	20	0.26	266

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/5/6/P53
Comments:

Page No : -B
Tot. Pa :
Date : 2-AUG-87
Invoice # : I-8717387
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84650	201	238	< 1	0.01	46	330	< 2	< 5	< 10	28	0.05	< 10	< 10	88	< 5	75
84651	201	238	< 1	0.01	141	530	2	< 5	< 10	43	0.02	< 10	< 10	71	< 5	75
84652	201	238	< 1	0.01	72	790	< 2	< 5	10	86	0.05	< 10	< 10	121	< 5	95
84653	201	238	< 1	0.01	43	290	< 2	< 5	10	63	0.07	< 10	< 10	100	< 5	73
84654	201	238	< 1	0.01	40	440	2	< 5	10	91	0.06	< 10	< 10	76	5	65
84655	201	238	< 1	0.01	34	240	< 2	< 5	10	44	0.06	< 10	< 10	62	5	63
84656	201	238	< 1	0.01	37	230	8	< 5	10	53	0.08	< 10	< 10	65	< 5	57
84657	201	238	< 1	0.01	27	440	10	< 5	< 10	38	0.07	< 10	< 10	55	< 5	57
84658	201	238	< 1	0.01	22	340	< 2	< 5	< 10	33	0.07	< 10	< 10	47	< 5	52
84659	201	238	< 1	0.01	28	520	8	< 5	< 10	38	0.08	< 10	< 10	49	< 5	50
84660	201	238	< 1	0.01	22	410	8	< 5	10	30	0.07	< 10	< 10	48	< 5	50
84661	201	238	1	0.01	20	360	< 2	< 5	10	28	0.07	< 10	< 10	42	< 5	41
84662	201	238	< 1	0.01	60	450	32	< 5	20	25	0.04	< 10	< 10	53	< 5	103
84663	201	238	< 1	0.01	17	290	< 2	< 5	20	31	0.08	< 10	< 10	53	< 5	42
84664	201	238	< 1	0.01	17	420	6	< 5	< 10	26	0.06	< 10	< 10	50	< 5	51
84665	201	238	< 1	0.01	23	290	6	< 5	10	29	0.08	< 10	< 10	52	< 5	46
84666	201	238	< 1	< 0.01	21	600	< 2	< 5	< 10	19	0.06	< 10	< 10	52	< 5	60
84667	201	238	< 1	0.01	17	250	2	< 5	10	22	0.09	< 10	< 10	67	< 5	68
84668	201	238	< 1	0.01	19	180	< 2	< 5	< 10	28	0.08	< 10	< 10	64	< 5	43
84669	201	238	< 1	0.01	20	180	< 2	< 5	10	31	0.09	< 10	< 10	71	< 5	52
84670	201	238	< 1	0.01	22	230	10	< 5	< 10	35	0.09	< 10	< 10	68	5	53
84671	201	238	< 1	0.01	25	300	< 2	< 5	< 10	37	0.09	< 10	< 10	71	< 5	60
84672	201	238	< 1	0.01	17	240	< 2	< 5	< 10	24	0.09	< 10	< 10	64	< 5	69
84673	201	238	< 1	0.01	18	150	< 2	< 5	10	30	0.09	< 10	< 10	62	< 5	36
84674	201	238	< 1	0.01	21	120	< 2	< 5	10	31	0.11	< 10	< 10	66	< 5	38
84675	201	238	< 1	< 0.01	15	130	2	< 5	10	23	0.09	< 10	< 10	58	< 5	36
84676	201	238	< 1	< 0.01	29	120	< 2	< 5	10	26	0.09	< 10	< 10	64	< 5	40
84677	201	238	< 1	< 0.01	19	140	< 2	< 5	10	26	0.09	< 10	< 10	60	< 5	49
84678	201	238	< 1	< 0.01	15	150	< 2	< 5	10	25	0.07	< 10	< 10	53	< 5	59
84679	201	238	1	< 0.01	12	460	12	< 5	10	16	0.04	< 10	< 10	38	< 5	69
84680	201	238	1	< 0.01	18	590	< 2	< 5	< 10	23	0.05	< 10	< 10	43	< 5	106
84681	201	238	< 1	< 0.01	18	300	14	< 5	10	20	0.04	< 10	< 10	36	< 5	68
84682	201	238	< 1	< 0.01	14	200	6	< 5	10	18	0.05	< 10	< 10	33	< 5	51
84683	201	238	< 1	< 0.01	21	130	18	< 5	20	16	0.03	< 10	< 10	20	< 5	50
84684	201	238	< 1	0.01	16	170	< 2	< 5	10	21	0.08	< 10	< 10	48	< 5	47
84685	201	238	< 1	0.01	16	130	10	< 5	< 10	20	0.08	< 10	< 10	42	< 5	41
84686	201	238	< 1	0.01	18	250	4	< 5	< 10	25	0.07	< 10	< 10	41	< 5	49
84687	201	238	< 1	< 0.01	16	140	6	< 5	< 10	20	0.06	< 10	< 10	33	< 5	45
84688	201	238	< 1	< 0.01	13	90	14	< 5	20	16	0.03	< 10	< 10	19	< 5	31
84689	201	238	< 1	< 0.01	13	110	28	< 5	10	26	0.01	< 10	< 10	14	< 5	37

CERTIFICATION : B. C. [illegible]

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Page No :-A
Tot. Pa 5
Date : 2-AUG-87
Invoice # :I-8717387
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84690	201	238	< 1	0.72	< 0.2	< 5	340	< 0.5	< 2	0.13	< 0.5	3	11	8	0.65	< 10	1	0.12	20	0.14	187
84691	201	238	< 1	1.10	0.2	10	400	< 0.5	4	0.31	< 0.5	7	21	16	1.06	< 10	< 1	0.13	30	0.30	122
84692	201	238	< 1	0.88	0.2	10	270	< 0.5	< 2	0.19	< 0.5	7	9	11	1.30	< 10	2	0.18	30	0.27	147
84693	201	238	2	1.17	0.4	15	330	< 0.5	< 2	0.46	< 0.5	8	21	21	1.40	< 10	< 1	0.16	40	0.35	175
84694	201	238	< 1	1.19	0.2	15	330	< 0.5	< 2	0.91	< 0.5	7	22	21	1.39	< 10	< 1	0.17	40	0.38	158
84695	201	238	4	1.27	< 0.2	15	440	< 0.5	< 2	4.05	0.5	9	23	27	1.35	< 10	3	0.13	10	0.46	665
84696	201	238	4	1.12	1.0	45	850	< 0.5	2	0.95	2.0	13	35	65	2.54	< 10	< 1	0.15	40	0.33	518
84697	201	238	3	1.43	0.2	15	610	< 0.5	2	0.61	1.0	12	27	51	2.25	< 10	1	0.11	30	0.45	663
84698	201	238	11	0.77	< 0.2	5	270	< 0.5	< 2	0.25	0.5	8	19	26	1.50	< 10	< 1	0.09	20	0.22	220
84699	201	238	< 1	1.05	0.2	15	420	< 0.5	< 2	0.53	1.0	10	21	24	1.91	< 10	1	0.13	20	0.33	271
84700	201	238	< 1	1.09	< 0.2	10	450	< 0.5	< 2	0.14	< 0.5	1	7	5	1.14	< 10	2	0.16	30	0.21	57
84701	201	238	< 1	1.28	< 0.2	5	570	< 0.5	< 2	0.24	< 0.5	8	12	8	1.50	< 10	< 1	0.18	30	0.20	194
84702	201	238	1	1.58	< 0.2	10	480	< 0.5	2	0.28	< 0.5	10	23	8	1.99	< 10	1	0.17	20	0.31	542
84703	201	238	< 1	1.59	< 0.2	20	640	< 0.5	< 2	0.20	< 0.5	7	14	6	1.40	< 10	< 1	0.08	30	0.23	141
84704	201	238	7	1.39	< 0.2	15	450	< 0.5	< 2	0.26	< 0.5	9	23	8	1.60	< 10	< 1	0.09	20	0.32	226
84705	201	238	< 1	1.19	0.2	5	370	< 0.5	< 2	0.20	< 0.5	7	22	9	1.22	< 10	< 1	0.11	20	0.32	116
84706	201	238	2	1.85	< 0.2	15	490	< 0.5	2	0.39	< 0.5	13	34	25	2.51	< 10	< 1	0.16	20	0.44	634
84707	201	238	< 1	1.97	< 0.2	15	540	< 0.5	< 2	0.41	< 0.5	14	34	19	2.68	< 10	< 1	0.13	20	0.45	585
84708	201	238	2	1.78	< 0.2	5	550	< 0.5	< 2	0.42	< 0.5	13	31	18	2.42	< 10	2	0.10	20	0.43	567
84709	201	238	2	0.99	< 0.2	10	220	< 0.5	< 2	0.25	< 0.5	6	25	17	1.87	< 10	< 1	0.10	20	0.38	161
84710	201	238	< 1	1.66	< 0.2	< 5	560	< 0.5	< 2	0.44	< 0.5	10	30	10	2.32	< 10	< 1	0.14	20	0.38	525
84711	201	238	< 1	1.23	< 0.2	< 5	370	< 0.5	< 2	0.30	< 0.5	8	26	19	2.14	< 10	1	0.07	20	0.38	258
84712	201	238	19	1.67	< 0.2	< 5	560	< 0.5	2	0.44	< 0.5	10	29	10	2.34	< 10	< 1	0.14	20	0.38	525
84713	201	238	< 1	1.68	< 0.2	5	540	< 0.5	2	0.44	< 0.5	10	30	10	2.50	< 10	< 1	0.13	20	0.40	419
84714	201	238	< 1	1.41	< 0.2	15	440	< 0.5	< 2	0.39	< 0.5	7	26	16	2.19	< 10	< 1	0.08	20	0.36	383
84715	201	238	< 1	2.51	< 0.2	15	620	0.5	< 2	0.42	< 0.5	12	38	21	3.13	< 10	< 1	0.15	20	0.51	315
84716	201	238	< 1	2.01	< 0.2	5	580	0.5	< 2	0.38	< 0.5	10	33	20	2.70	< 10	< 1	0.15	20	0.47	334
84717	201	238	< 1	1.85	< 0.2	5	460	< 0.5	< 2	0.37	< 0.5	8	31	16	2.35	< 10	< 1	0.11	20	0.45	253
84718	201	238	< 1	1.97	< 0.2	< 5	490	0.5	< 2	0.36	< 0.5	10	35	20	2.70	< 10	< 1	0.10	20	0.48	301
84719	201	238	5	1.54	< 0.2	15	590	0.5	< 2	0.35	< 0.5	6	19	11	1.60	< 10	< 1	0.20	30	0.28	253
84720	201	238	< 1	0.80	< 0.2	< 5	470	< 0.5	< 2	0.17	< 0.5	2	7	7	0.60	< 10	< 1	0.20	30	0.13	109
84721	201	238	< 1	1.07	< 0.2	5	470	< 0.5	< 2	0.19	< 0.5	5	17	7	1.05	< 10	< 1	0.15	20	0.26	181
84722	201	238	4	1.98	0.2	10	800	0.5	< 2	0.38	1.5	11	28	20	2.15	< 10	< 1	0.16	30	0.37	750
84723	201	238	2	1.17	< 0.2	< 5	280	< 0.5	< 2	0.25	< 0.5	6	27	15	1.48	< 10	< 1	0.10	20	0.39	175
84724	201	238	< 1	1.09	< 0.2	5	340	< 0.5	< 2	0.21	< 0.5	5	24	10	1.30	< 10	< 1	0.11	10	0.35	135
84725	201	238	< 1	1.31	< 0.2	< 5	440	< 0.5	< 2	0.30	0.5	8	28	11	1.68	< 10	< 1	0.13	20	0.43	260
84726	201	238	2	0.79	< 0.2	15	540	< 0.5	< 2	0.29	1.0	9	28	34	2.71	< 10	< 1	0.13	30	0.21	236
84727	201	238	< 1	1.58	< 0.2	15	510	< 0.5	< 2	0.36	< 0.5	8	29	14	1.94	< 10	< 1	0.14	20	0.41	383
84728	201	238	< 1	0.71	< 0.2	10	150	< 0.5	< 2	0.15	< 0.5	3	20	9	0.73	< 10	< 1	0.09	10	0.30	79
84729	201	238	2	1.64	< 0.2	20	480	0.5	< 2	0.32	0.5	6	32	26	2.10	< 10	1	0.15	20	0.47	147

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To VITED KENO HILL MINES LIMITED
09 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2
Project : DL/HUN/5/6/P53
Comments:

CERTIFICATE OF ANALYSIS A8717387

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84690	201	238	< 1	< 0.01	8	120	16	< 5	10	24	0.01	< 10	< 10	9	< 5	32
84691	201	238	< 1	< 0.01	16	130	24	< 5	20	42	0.02	< 10	< 10	17	< 5	40
84692	201	238	< 1	< 0.01	11	180	24	< 5	< 10	30	0.01	< 10	< 10	14	< 5	56
84693	201	238	< 1	0.01	20	190	24	< 5	10	53	0.03	< 10	< 10	22	< 5	54
84694	201	238	< 1	0.01	19	220	24	< 5	< 10	88	0.03	< 10	< 10	22	< 5	52
84695	201	238	< 1	0.01	18	590	8	< 5	10	283	0.04	< 10	< 10	28	< 5	47
84696	201	238	7	0.01	73	710	78	< 5	20	192	0.01	< 10	< 10	41	< 5	294
84697	201	238	< 1	0.01	37	360	32	< 5	10	82	0.04	< 10	< 10	42	< 5	108
84698	201	238	< 1	< 0.01	23	300	18	< 5	10	36	0.02	< 10	< 10	22	< 5	104
84699	201	238	1	0.01	25	410	28	< 5	< 10	56	0.03	< 10	< 10	30	< 5	138
84700	201	238	< 1	< 0.01	4	90	18	< 5	10	18	< 0.01	< 10	< 10	14	< 5	50
84701	201	238	< 1	0.01	10	110	12	< 5	< 10	30	0.02	< 10	< 10	22	< 5	52
84702	201	238	< 1	0.01	12	120	6	< 5	10	28	0.07	< 10	< 10	42	< 5	44
84703	201	238	< 1	< 0.01	9	70	4	< 5	< 10	20	0.03	< 10	< 10	27	< 5	43
84704	201	238	< 1	0.01	12	100	10	< 5	< 10	21	0.06	< 10	< 10	39	< 5	33
84705	201	238	< 1	< 0.01	12	160	8	< 5	< 10	19	0.04	< 10	< 10	31	< 5	34
84706	201	238	< 1	0.01	29	240	12	< 5	10	26	0.07	< 10	< 10	56	< 5	56
84707	201	238	< 1	0.01	27	230	2	< 5	< 10	31	0.09	< 10	< 10	65	< 5	54
84708	201	238	< 1	0.01	22	290	4	< 5	20	31	0.08	< 10	< 10	59	< 5	51
84709	201	238	< 1	< 0.01	21	230	8	< 5	< 10	18	0.05	< 10	< 10	34	< 5	49
84710	201	238	< 1	< 0.01	16	290	4	< 5	< 10	31	0.09	< 10	< 10	56	< 5	50
84711	201	238	< 1	< 0.01	22	200	6	< 5	< 10	25	0.08	< 10	< 10	48	< 5	43
84712	201	238	< 1	0.01	16	280	2	< 5	< 10	31	0.09	< 10	< 10	56	< 5	50
84713	201	238	< 1	0.01	18	390	2	< 5	< 10	32	0.08	< 10	< 10	56	< 5	49
84714	201	238	< 1	< 0.01	19	360	8	< 5	< 10	33	0.07	< 10	< 10	51	< 5	40
84715	201	238	< 1	0.01	28	490	8	< 5	< 10	35	0.10	< 10	< 10	79	< 5	77
84716	201	238	< 1	0.01	25	350	8	< 5	< 10	33	0.09	< 10	< 10	66	< 5	60
84717	201	238	< 1	0.01	16	210	4	< 5	< 10	31	0.11	< 10	< 10	62	< 5	50
84718	201	238	< 1	0.01	25	230	10	< 5	< 10	35	0.11	< 10	< 10	69	< 5	63
84719	201	238	< 1	< 0.01	14	120	20	< 5	< 10	29	0.04	10	< 10	32	< 5	39
84720	201	238	< 1	< 0.01	3	120	10	< 5	< 10	18	0.01	10	< 10	11	< 5	24
84721	201	238	< 1	< 0.01	11	110	22	< 5	< 10	20	0.03	< 10	< 10	22	< 5	56
84722	201	238	< 1	0.01	23	240	14	< 5	< 10	31	0.06	10	< 10	47	< 5	73
84723	201	238	< 1	< 0.01	18	160	8	< 5	< 10	19	0.06	< 10	< 10	33	< 5	47
84724	201	238	< 1	< 0.01	12	230	12	< 5	< 10	18	0.06	< 10	< 10	32	< 5	40
84725	201	238	< 1	< 0.01	17	310	12	< 5	< 10	24	0.06	< 10	< 10	41	< 5	52
84726	201	238	8	< 0.01	55	520	50	< 5	< 10	137	0.01	< 10	< 10	29	< 5	263
84727	201	238	< 1	< 0.01	19	250	14	< 5	< 10	24	0.07	< 10	< 10	46	5	61
84728	201	238	< 1	< 0.01	10	120	8	< 5	< 10	11	0.02	< 10	< 10	16	< 5	28
84729	201	238	< 1	0.01	21	360	18	< 5	< 10	30	0.07	< 10	< 10	51	< 5	59

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P51
Comments:

Page : 1-A
Tot. Pages: 5
Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84730	201	238	< 1	0.74	< 0.2	15	160	< 0.5	< 2	0.19	< 0.5	3	22	12	0.78	< 10	1	0.09	10	0.32	71
84731	201	238	< 1	1.46	< 0.2	20	310	< 0.5	< 2	0.28	< 0.5	6	26	14	1.93	< 10	< 1	0.13	20	0.39	145
84732	201	238	2	1.47	< 0.2	15	360	< 0.5	< 2	0.23	< 0.5	6	36	24	1.74	< 10	< 1	0.10	20	0.42	119
84733	201	238	< 1	1.74	< 0.2	15	490	< 0.5	< 2	0.48	< 0.5	9	33	23	2.29	< 10	< 1	0.11	20	0.42	168
84734	201	238	3	1.85	< 0.2	15	700	0.5	< 2	0.62	0.5	11	33	36	2.74	< 10	< 1	0.13	20	0.39	354
84735	201	238	< 1	1.02	0.2	30	380	< 0.5	< 2	0.42	0.5	10	27	29	1.74	< 10	1	0.15	30	0.37	337
84736	201	238	< 1	0.93	< 0.2	35	250	< 0.5	2	0.28	< 0.5	5	38	22	1.01	< 10	< 1	0.09	20	0.48	117
84737	201	238	5	1.43	< 0.2	10	390	< 0.5	< 2	0.47	< 0.5	7	26	17	2.24	< 10	< 1	0.07	20	0.41	208
84738	201	238	1	1.51	< 0.2	< 5	390	< 0.5	2	0.45	< 0.5	7	27	15	2.15	< 10	< 1	0.07	20	0.42	391
84739	201	238	2	1.39	< 0.2	5	300	< 0.5	< 2	0.50	< 0.5	9	31	23	2.43	< 10	< 1	0.10	20	0.44	312
84740	201	238	1	1.53	< 0.2	5	380	< 0.5	< 2	0.41	< 0.5	8	27	19	2.35	< 10	< 1	0.09	20	0.44	210
84741	201	238	< 1	1.75	< 0.2	5	430	< 0.5	< 2	0.54	< 0.5	10	31	20	2.65	< 10	< 1	0.10	20	0.50	337
84742	201	238	2	1.63	< 0.2	< 5	450	< 0.5	< 2	0.53	< 0.5	9	29	23	2.39	< 10	< 1	0.10	20	0.49	278
84744	201	238	< 1	1.51	< 0.2	15	430	< 0.5	< 2	0.57	< 0.5	8	26	21	2.43	< 10	< 1	0.10	20	0.47	236
84745	201	238	1	1.71	< 0.2	5	850	< 0.5	2	1.28	0.5	10	29	30	2.79	< 10	1	0.10	20	0.50	1090
84746	201	238	< 1	2.17	< 0.2	10	670	< 0.5	2	0.95	< 0.5	12	35	34	2.93	< 10	< 1	0.15	20	0.51	537
84747	201	238	3	1.88	< 0.2	10	490	< 0.5	2	0.71	< 0.5	12	33	28	2.91	< 10	< 1	0.13	30	0.51	416
84748	201	238	5	1.95	< 0.2	5	510	< 0.5	2	0.59	< 0.5	12	35	28	2.87	< 10	< 1	0.15	20	0.49	468
84749	201	238	< 1	1.89	< 0.2	15	580	< 0.5	< 2	0.58	< 0.5	11	34	20	2.69	< 10	< 1	0.12	20	0.50	416
84750	201	238	1	1.92	< 0.2	15	440	< 0.5	< 2	0.56	< 0.5	10	34	24	2.84	< 10	< 1	0.15	20	0.52	338
84751	201	238	4	1.71	< 0.2	10	510	< 0.5	2	0.49	< 0.5	10	30	30	2.70	< 10	< 1	0.09	20	0.48	368
84752	201	238	< 1	2.00	< 0.2	5	720	0.5	< 2	0.58	< 0.5	11	32	28	2.72	< 10	< 1	0.08	20	0.46	510
84753	201	238	< 1	1.74	< 0.2	5	530	< 0.5	< 2	0.44	< 0.5	9	31	22	2.54	< 10	< 1	0.09	20	0.46	259
84754	201	238	< 1	1.91	< 0.2	< 5	580	< 0.5	< 2	0.43	< 0.5	10	31	22	2.61	< 10	< 1	0.10	20	0.44	249
84755	201	238	15	1.92	< 0.2	10	570	< 0.5	< 2	0.41	< 0.5	10	33	28	2.72	< 10	< 1	0.11	20	0.46	320
84756	201	238	< 1	1.59	< 0.2	10	470	< 0.5	< 2	0.38	< 0.5	7	29	21	2.31	< 10	< 1	0.09	20	0.41	188
84757	201	238	6	2.34	< 0.2	5	670	< 0.5	< 2	0.47	< 0.5	12	35	23	2.83	< 10	< 1	0.14	20	0.43	704
84758	201	238	< 1	1.93	< 0.2	10	580	< 0.5	< 2	0.43	< 0.5	9	33	23	2.71	< 10	< 1	0.16	20	0.44	268
84759	201	238	< 1	1.30	< 0.2	5	390	< 0.5	2	0.29	< 0.5	7	25	20	2.10	< 10	< 1	0.10	20	0.35	180
84760	201	238	2	1.92	< 0.2	5	600	< 0.5	< 2	0.33	< 0.5	10	31	23	2.53	< 10	< 1	0.11	20	0.38	454
84761	201	238	< 1	1.36	< 0.2	10	430	< 0.5	2	0.33	< 0.5	7	25	19	2.26	< 10	< 1	0.09	20	0.36	171
84762	201	238	6	1.64	< 0.2	< 5	460	< 0.5	2	0.35	< 0.5	7	28	23	2.36	< 10	< 1	0.13	20	0.37	187
84763	201	238	5	1.71	< 0.2	5	450	< 0.5	< 2	0.34	< 0.5	8	30	22	2.36	< 10	< 1	0.11	20	0.41	202
84764	201	238	4	2.33	< 0.2	10	630	0.5	< 2	0.49	< 0.5	11	39	37	2.90	< 10	< 1	0.13	30	0.48	292
84765	201	238	9	1.87	< 0.2	20	550	< 0.5	4	0.47	< 0.5	8	33	25	2.58	< 10	1	0.14	20	0.47	246
84766	201	238	< 1	1.79	< 0.2	15	500	< 0.5	< 2	0.49	< 0.5	9	33	19	2.52	< 10	< 1	0.15	20	0.48	307
84767	201	238	< 1	1.89	< 0.2	20	460	< 0.5	< 2	0.51	< 0.5	11	33	22	2.73	< 10	< 1	0.12	20	0.55	383
84768	201	238	3	1.49	< 0.2	5	370	< 0.5	2	0.37	< 0.5	7	27	16	2.26	< 10	< 1	0.09	20	0.42	214
84769	201	238	< 1	1.87	< 0.2	5	450	< 0.5	< 2	0.36	< 0.5	8	32	20	2.52	< 10	< 1	0.10	20	0.44	218
84770	201	238	4	2.22	< 0.2	15	730	< 0.5	2	0.44	< 0.5	10	37	28	2.84	< 10	1	0.10	20	0.47	490

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DI/HUN/S/A/P&I
Comments:

Page : 1-B
Total Pages: 5
Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84730	201	238	1	< 0.01	14	100	14	< 5	< 10	17	0.03	< 10	< 10	15	< 5	36
84731	201	238	< 1	< 0.01	16	210	4	< 5	< 10	23	0.07	< 10	< 10	48	< 5	50
84732	201	238	< 1	< 0.01	22	180	26	< 5	< 10	21	0.05	< 10	< 10	34	< 5	48
84733	201	238	< 1	0.01	17	430	12	< 5	< 10	37	0.08	< 10	< 10	58	< 5	53
84734	201	238	< 1	0.01	31	930	10	< 5	< 10	48	0.07	10	< 10	61	< 5	73
84735	201	238	3	< 0.01	40	480	34	< 5	< 10	47	0.02	< 10	< 10	25	< 5	120
84736	201	238	< 1	< 0.01	24	120	20	< 5	< 10	21	0.04	< 10	< 10	19	< 5	36
84737	201	238	< 1	0.01	19	340	12	< 5	< 10	35	0.09	< 10	< 10	51	< 5	46
84738	201	238	< 1	0.01	17	450	2	< 5	< 10	35	0.09	< 10	< 10	52	< 5	44
84739	201	238	< 1	0.02	20	620	< 2	< 5	< 10	39	0.10	< 10	< 10	60	< 5	52
84740	201	238	< 1	0.01	17	550	8	< 5	< 10	34	0.09	< 10	< 10	54	< 5	61
84741	201	238	< 1	0.02	18	460	12	< 5	< 10	43	0.10	< 10	< 10	61	< 5	59
84742	201	238	< 1	0.01	19	630	8	< 5	< 10	43	0.09	< 10	< 10	54	< 5	66
84744	201	238	< 1	0.01	19	650	12	5	< 10	44	0.08	10	< 10	53	< 5	68
84745	201	238	< 1	0.02	27	610	8	< 5	< 10	91	0.07	< 10	< 10	60	5	64
84746	201	238	< 1	0.02	29	490	6	< 5	< 10	61	0.08	< 10	< 10	65	< 5	70
84747	201	238	< 1	0.02	25	510	8	< 5	< 10	49	0.09	< 10	< 10	67	< 5	73
84748	201	238	< 1	0.01	26	440	8	< 5	< 10	43	0.09	10	< 10	70	< 5	66
84749	201	238	< 1	0.01	23	400	6	< 5	< 10	43	0.10	< 10	< 10	63	5	52
84750	201	238	< 1	0.01	24	380	6	< 5	< 10	43	0.09	< 10	< 10	66	5	68
84751	201	238	< 1	0.01	26	380	2	5	< 10	36	0.07	< 10	< 10	59	< 5	61
84752	201	238	< 1	0.01	24	370	8	< 5	< 10	42	0.07	< 10	< 10	65	5	53
84753	201	238	< 1	0.01	23	310	4	5	< 10	35	0.08	< 10	< 10	58	< 5	50
84754	201	238	< 1	0.01	22	290	6	< 5	< 10	33	0.09	< 10	< 10	66	< 5	55
84755	201	238	< 1	0.01	29	320	4	< 5	< 10	33	0.09	< 10	< 10	65	5	58
84756	201	238	< 1	0.01	20	270	2	< 5	< 10	30	0.08	< 10	< 10	55	< 5	46
84757	201	238	< 1	0.01	26	350	8	< 5	< 10	38	0.10	< 10	< 10	72	< 5	68
84758	201	238	< 1	0.01	22	430	6	< 5	< 10	38	0.08	< 10	< 10	66	< 5	61
84759	201	238	< 1	< 0.01	18	320	2	< 5	< 10	27	0.07	< 10	< 10	49	< 5	52
84760	201	238	< 1	< 0.01	22	300	2	< 5	< 10	33	0.08	< 10	< 10	62	< 5	56
84761	201	238	< 1	< 0.01	17	350	8	< 5	< 10	30	0.07	< 10	< 10	48	< 5	53
84762	201	238	< 1	< 0.01	19	290	10	< 5	< 10	32	0.07	< 10	< 10	54	< 5	54
84763	201	238	< 1	0.01	22	190	10	< 5	< 10	30	0.09	< 10	< 10	59	5	48
84764	201	238	< 1	0.01	26	240	10	< 5	< 10	39	0.10	10	< 10	74	< 5	61
84765	201	238	< 1	0.01	23	360	8	< 5	< 10	38	0.08	< 10	< 10	63	< 5	59
84766	201	238	< 1	0.01	20	410	6	< 5	< 10	39	0.09	< 10	< 10	61	< 5	60
84767	201	238	< 1	0.01	25	360	8	< 5	< 10	38	0.09	< 10	< 10	64	< 5	56
84768	201	238	< 1	0.01	15	340	10	< 5	< 10	29	0.08	< 10	< 10	52	< 5	46
84769	201	238	< 1	0.01	21	230	10	< 5	< 10	29	0.09	< 10	< 10	58	< 5	46
84770	201	238	< 1	0.01	33	220	10	< 5	< 10	39	0.09	< 10	< 10	65	< 5	57

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DI/HUN/5/6/P51
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84771	201	238	1	1.49	< 0.2	< 5	510	< 0.5	< 2	0.30	< 0.5	8	24	12	2.17	< 10	< 1	0.12	20	0.34	375
84772	201	238	< 1	1.72	< 0.2	20	470	< 0.5	4	0.32	< 0.5	10	29	13	2.38	< 10	< 1	0.14	10	0.37	451
84773	201	238	< 1	1.80	< 0.2	25	610	< 0.5	2	0.26	< 0.5	10	30	22	2.80	< 10	1	0.11	10	0.37	368
84774	201	238	3	1.82	< 0.2	15	300	< 0.5	2	0.18	< 0.5	8	31	26	2.75	< 10	< 1	0.11	20	0.39	189
84775	201	238	< 1	1.07	< 0.2	20	220	< 0.5	< 2	0.17	< 0.5	10	23	25	2.48	< 10	< 1	0.08	20	0.42	381
84776	201	238	< 1	1.75	< 0.2	15	580	< 0.5	< 2	0.39	< 0.5	9	31	39	3.26	< 10	< 1	0.21	20	0.47	321
84777	201	238	5	1.62	< 0.2	5	340	< 0.5	4	0.41	< 0.5	7	30	24	2.14	< 10	< 1	0.09	20	0.47	148
84778	201	238	< 1	1.95	< 0.2	15	400	< 0.5	4	0.19	< 0.5	8	31	28	3.04	< 10	1	0.14	20	0.41	312
84855	201	238	< 1	1.55	< 0.2	20	300	< 0.5	2	0.31	< 0.5	11	29	21	2.46	< 10	< 1	0.08	30	0.44	380
84856	201	238	< 1	1.45	< 0.2	5	210	< 0.5	2	0.25	< 0.5	11	28	29	3.15	< 10	< 1	0.08	40	0.48	332
84857	201	238	1	1.24	< 0.2	10	200	< 0.5	2	0.62	0.5	10	21	36	2.73	< 10	< 1	0.07	30	0.49	374
84858	201	238	4	2.88	0.4	25	430	0.5	< 2	0.55	< 0.5	27	44	59	4.81	10	1	0.16	40	0.64	882
84859	201	238	2	2.45	< 0.2	5	270	< 0.5	2	0.43	0.5	22	38	62	5.13	10	< 1	0.11	50	0.79	732
84860	201	238	< 1	1.06	< 0.2	< 5	130	< 0.5	2	0.19	< 0.5	3	16	13	1.02	< 10	< 1	0.08	10	0.15	82
84861	201	238	< 1	2.61	< 0.2	5	260	0.5	2	0.48	< 0.5	10	35	27	3.26	10	< 1	0.09	30	0.65	284
84862	201	238	< 1	0.89	< 0.2	5	70	< 0.5	< 2	0.08	< 0.5	5	14	10	0.90	< 10	< 1	0.06	10	0.14	89
84863	201	238	14	1.85	< 0.2	15	150	< 0.5	< 2	0.29	< 0.5	12	26	27	2.57	< 10	< 1	0.10	30	0.53	301
84864	201	238	12	2.09	< 0.2	15	170	< 0.5	< 2	0.22	< 0.5	16	28	36	2.87	< 10	1	0.08	30	0.52	389
84865	201	238	8	3.67	< 0.2	45	760	1.0	< 2	0.72	< 0.5	14	46	60	4.43	< 10	< 1	0.18	30	0.35	828
84866	201	238	3	1.95	< 0.2	10	370	< 0.5	2	0.31	< 0.5	9	26	33	2.70	< 10	< 1	0.12	20	0.30	228
84867	201	238	3	1.68	< 0.2	10	630	< 0.5	< 2	0.50	< 0.5	10	26	35	2.35	< 10	1	0.20	20	0.41	237
84868	201	238	3	1.51	< 0.2	5	420	< 0.5	2	0.54	< 0.5	16	23	28	2.51	< 10	< 1	0.12	30	0.29	1465
84869	201	238	2	1.83	0.2	5	340	< 0.5	< 2	0.40	< 0.5	10	27	21	2.65	< 10	1	0.14	20	0.40	318
84870	201	238	1	1.50	0.2	10	430	< 0.5	2	0.52	0.5	15	23	31	2.43	< 10	1	0.12	30	0.27	715
84871	201	238	2	2.08	0.4	20	540	< 0.5	4	0.52	1.0	15	31	52	3.20	< 10	1	0.16	30	0.34	805
84872	201	238	1	1.66	< 0.2	10	380	< 0.5	< 2	0.29	< 0.5	12	25	32	2.78	< 10	2	0.14	30	0.30	385
84873	201	238	2	1.23	0.2	15	340	< 0.5	< 2	0.32	< 0.5	11	18	33	2.55	< 10	< 1	0.08	20	0.24	432
84874	201	238	2	1.43	< 0.2	10	250	< 0.5	< 2	0.43	< 0.5	11	26	25	2.49	< 10	< 1	0.07	30	0.45	288
84875	201	238	< 1	1.11	< 0.2	5	210	< 0.5	< 2	0.48	< 0.5	12	19	24	2.28	< 10	< 1	0.05	20	0.36	381
84876	201	238	3	1.33	< 0.2	5	90	< 0.5	< 2	0.28	< 0.5	13	19	26	2.56	< 10	< 1	0.05	30	0.50	391
84877	201	238	2	1.55	< 0.2	20	330	< 0.5	< 2	0.47	< 0.5	14	25	36	2.78	< 10	< 1	0.08	30	0.51	853
84878	201	238	1	1.18	< 0.2	5	260	< 0.5	< 2	0.52	< 0.5	7	18	20	1.68	< 10	< 1	0.07	20	0.31	197
84879	201	238	8	1.89	0.2	15	270	< 0.5	< 2	0.56	< 0.5	15	26	38	3.56	< 10	< 1	0.10	40	0.66	660
84880	201	238	1	2.24	0.4	30	160	< 0.5	< 2	0.48	< 0.5	15	29	34	4.18	< 10	< 1	0.13	50	0.90	592
84881	201	238	1	2.22	0.2	20	210	0.5	2	0.39	< 0.5	15	28	31	4.07	< 10	< 1	0.11	50	0.87	910
84882	201	238	< 1	2.47	0.2	45	340	0.5	< 2	0.70	< 0.5	13	30	42	3.38	< 10	1	0.10	40	0.67	635
84883	201	238	3	2.00	0.2	10	240	< 0.5	< 2	0.71	< 0.5	14	24	42	3.23	< 10	< 1	0.10	40	0.69	373
84884	201	238	1	2.24	0.4	15	180	< 0.5	< 2	0.37	0.5	15	29	32	3.97	< 10	2	0.09	50	0.85	731
84885	201	238	2	1.60	0.2	5	230	0.5	2	0.92	0.5	11	21	28	2.73	< 10	< 1	0.06	40	0.62	385
84886	201	238	3	1.92	< 0.2	20	260	< 0.5	< 2	0.30	< 0.5	13	25	44	3.25	< 10	2	0.07	30	0.58	262

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DI/HUN/5/6/P51
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84771	201	238	< 1	< 0.01	17	340	4	< 5	< 10	25	0.06	< 10	< 10	47	< 5	54
84772	201	238	< 1	< 0.01	18	310	< 2	< 5	< 10	29	0.07	< 10	< 10	53	5	59
84773	201	238	< 1	< 0.01	21	800	8	5	< 10	21	0.05	< 10	< 10	60	< 5	69
84774	201	238	< 1	< 0.01	20	460	14	< 5	< 10	18	0.06	< 10	< 10	54	< 5	60
84775	201	238	1	< 0.01	21	380	10	< 5	< 10	16	0.06	< 10	< 10	39	5	63
84776	201	238	< 1	< 0.01	34	920	14	< 5	< 10	39	0.04	< 10	< 10	61	< 5	92
84777	201	238	< 1	0.01	16	490	6	< 5	< 10	33	0.10	10	< 10	55	< 5	65
84778	201	238	< 1	< 0.01	25	1060	16	< 5	< 10	19	0.05	< 10	< 10	61	< 5	78
84855	201	238	< 1	< 0.01	27	460	6	< 5	< 10	27	0.05	< 10	< 10	37	< 5	67
84856	201	238	< 1	< 0.01	28	460	14	< 5	< 10	25	0.03	10	< 10	32	< 5	77
84857	201	238	< 1	0.01	35	490	10	< 5	< 10	47	0.01	< 10	< 10	25	< 5	77
84858	201	238	7	0.01	55	530	40	< 5	10	52	0.01	10	< 10	46	5	112
84859	201	238	5	0.01	56	600	14	< 5	< 10	31	0.01	10	< 10	38	5	122
84860	201	238	< 1	< 0.01	11	130	6	< 5	< 10	17	0.02	< 10	< 10	16	< 5	53
84861	201	238	< 1	0.01	32	480	14	< 5	< 10	34	0.01	10	< 10	36	< 5	92
84862	201	238	< 1	< 0.01	9	110	8	< 5	< 10	11	0.01	< 10	< 10	12	< 5	49
84863	201	238	< 1	< 0.01	24	320	< 2	< 5	< 10	28	0.01	< 10	< 10	25	< 5	89
84864	201	238	1	< 0.01	32	260	16	< 5	< 10	23	0.01	< 10	< 10	28	< 5	78
84865	201	238	3	0.01	44	750	24	5	< 10	70	0.02	< 10	< 10	62	< 5	92
84866	201	238	< 1	0.01	22	310	< 2	< 5	< 10	34	0.05	< 10	< 10	46	< 5	65
84867	201	238	< 1	0.01	25	520	8	< 5	< 10	53	0.05	< 10	< 10	52	< 5	73
84868	201	238	1	0.01	25	690	4	< 5	< 10	56	0.04	< 10	< 10	45	< 5	59
84869	201	238	< 1	0.01	22	420	6	< 5	< 10	40	0.06	< 10	< 10	52	< 5	71
84870	201	238	< 1	0.01	26	510	18	< 5	< 10	55	0.03	< 10	< 10	44	< 5	79
84871	201	238	< 1	0.01	41	870	18	< 5	< 10	55	0.03	< 10	< 10	56	< 5	92
84872	201	238	< 1	0.01	29	330	12	< 5	< 10	38	0.05	< 10	< 10	48	< 5	77
84873	201	238	< 1	< 0.01	30	400	6	< 5	< 10	36	0.03	< 10	< 10	36	< 5	77
84874	201	238	< 1	0.01	23	380	16	< 5	10	29	0.04	< 10	< 10	36	< 5	62
84875	201	238	1	< 0.01	23	330	12	< 5	< 10	29	0.02	< 10	< 10	30	< 5	66
84876	201	238	< 1	< 0.01	24	490	12	< 5	< 10	18	0.01	< 10	< 10	22	< 5	69
84877	201	238	1	0.01	29	560	6	< 5	< 10	37	0.03	< 10	< 10	35	< 5	77
84878	201	238	< 1	< 0.01	16	500	6	< 5	< 10	41	0.03	< 10	< 10	30	< 5	49
84879	201	238	< 1	0.01	36	640	10	< 5	< 10	39	0.01	< 10	< 10	33	< 5	90
84880	201	238	< 1	0.01	39	710	6	< 5	< 10	33	< 0.01	< 10	< 10	27	< 5	99
84881	201	238	< 1	0.01	37	530	4	< 5	< 10	26	< 0.01	< 10	< 10	29	< 5	95
84882	201	238	< 1	0.01	38	490	14	< 5	< 10	50	0.02	< 10	< 10	39	< 5	81
84883	201	238	< 1	0.01	37	560	10	< 5	< 10	43	0.01	< 10	< 10	29	< 5	91
84884	201	238	< 1	0.01	36	460	2	< 5	< 10	27	< 0.01	< 10	< 10	29	< 5	95
84885	201	238	< 1	0.01	33	730	8	< 5	< 10	54	0.01	< 10	< 10	24	< 5	78
84886	201	238	1	0.01	31	450	4	< 5	< 10	23	0.02	< 10	< 10	32	< 5	101

CERTIFICATION : B. Cyr

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84887	201	238	4	1.91	0.2	< 5	460	< 0.5	< 2	0.64	0.5	10	26	31	2.39	< 10	< 1	0.08	30	0.46	543
84888	201	238	16	1.93	< 0.2	15	460	0.5	< 2	0.48	< 0.5	11	25	29	2.46	< 10	< 1	0.07	30	0.37	589
84889	201	238	1	1.64	0.2	10	350	< 0.5	< 2	0.35	< 0.5	8	22	18	2.05	< 10	< 1	0.06	20	0.37	285
84890	201	238	1	1.63	< 0.2	15	370	< 0.5	< 2	0.32	< 0.5	8	22	19	2.05	< 10	1	0.06	20	0.32	356
84891	201	238	< 1	1.60	< 0.2	15	470	< 0.5	< 2	0.45	< 0.5	10	22	21	1.94	< 10	1	0.06	20	0.38	628
84892	201	238	< 1	1.39	< 0.2	15	210	< 0.5	< 2	0.23	< 0.5	6	19	11	1.75	< 10	2	0.06	10	0.30	117
84893	201	238	2	1.75	0.2	10	350	0.5	< 2	0.69	< 0.5	10	25	36	2.48	< 10	2	0.10	30	0.51	434
84894	201	238	4	1.92	0.4	15	340	0.5	< 2	0.51	< 0.5	13	28	32	2.72	< 10	< 1	0.13	30	0.55	865
84895	201	238	< 1	1.86	0.4	15	340	0.5	< 2	0.49	< 0.5	10	27	24	2.48	< 10	< 1	0.14	30	0.46	428
84896	201	238	< 1	1.86	0.4	10	280	1.0	< 2	0.45	< 0.5	13	30	31	2.81	< 10	2	0.14	30	0.56	357
84897	201	238	1	2.00	0.2	< 5	300	< 0.5	< 2	0.47	< 0.5	12	28	26	2.80	< 10	< 1	0.14	30	0.52	402
84898	201	238	24	1.92	0.2	15	390	< 0.5	< 2	0.66	< 0.5	10	30	28	2.39	< 10	< 1	0.11	30	0.45	432
84899	201	238	1	2.17	0.4	10	390	< 0.5	< 2	0.50	< 0.5	10	29	26	2.43	< 10	< 1	0.12	40	0.42	347
84900	201	238	6	1.71	0.2	15	320	< 0.5	2	0.44	< 0.5	10	23	18	1.96	< 10	< 1	0.09	30	0.31	408
84901	201	238	12	1.71	0.2	10	280	< 0.5	< 2	0.37	< 0.5	11	26	21	2.36	< 10	< 1	0.12	30	0.40	353
84902	201	238	< 1	1.51	0.2	< 5	280	< 0.5	< 2	0.45	< 0.5	9	25	18	1.97	< 10	< 1	0.11	30	0.36	236
84903	201	238	< 1	1.47	0.2	< 5	260	< 0.5	< 2	0.32	< 0.5	9	20	14	1.77	< 10	< 1	0.09	20	0.28	291
84904	201	238	< 1	1.67	0.2	10	300	< 0.5	4	0.35	< 0.5	9	24	20	2.10	< 10	< 1	0.09	30	0.34	250
84905	201	238	1	1.75	0.2	10	380	< 0.5	< 2	0.42	< 0.5	9	25	17	2.13	< 10	3	0.08	30	0.39	348
84906	201	238	< 1	1.76	0.2	5	320	< 0.5	2	0.35	< 0.5	1	26	17	1.85	< 10	< 1	0.09	30	0.36	183
84907	201	238	6	1.37	0.4	10	230	< 0.5	< 2	0.28	< 0.5	< 1	20	16	1.49	< 10	< 1	0.09	30	0.29	130
84908	201	238	< 1	3.45	0.2	20	520	3.5	< 2	0.39	< 0.5	11	26	33	2.77	10	< 1	0.12	80	0.30	786
84909	201	238	< 1	2.41	0.2	15	230	1.0	2	0.17	< 0.5	< 1	16	13	1.95	< 10	< 1	0.10	30	0.21	208
84910	201	238	3	1.09	< 0.2	5	100	< 0.5	< 2	0.13	< 0.5	< 1	9	5	1.04	< 10	< 1	0.06	10	0.14	94
84911	201	238	< 1	1.75	0.2	5	290	0.5	< 2	0.24	< 0.5	9	23	25	2.24	< 10	< 1	0.09	20	0.36	270
84912	201	238	1	2.21	0.4	25	260	< 0.5	< 2	0.46	< 0.5	15	32	35	3.72	< 10	< 1	0.11	40	0.73	435
84913	201	238	< 1	2.64	0.2	10	190	< 0.5	4	0.44	< 0.5	15	32	34	4.22	< 10	< 1	0.14	50	0.87	430
84914	201	238	< 1	1.97	0.2	< 5	350	< 0.5	< 2	0.46	< 0.5	9	30	13	2.36	< 10	< 1	0.11	20	0.41	334
84915	201	238	< 1	1.48	0.4	10	310	< 0.5	4	0.33	< 0.5	8	23	16	1.89	< 10	< 1	0.12	30	0.29	271
84916	201	238	< 1	1.16	0.4	5	170	< 0.5	< 2	0.20	< 0.5	1	13	6	1.40	< 10	< 1	0.10	10	0.16	98
84917	201	238	< 1	2.45	0.2	< 5	450	0.5	4	0.38	< 0.5	12	35	16	2.79	< 10	< 1	0.14	30	0.45	320
84918	201	238	5	1.42	< 0.2	5	260	< 0.5	2	0.34	< 0.5	8	21	9	2.02	< 10	< 1	0.11	20	0.28	339
84919	201	238	< 1	1.26	< 0.2	< 5	220	< 0.5	< 2	0.21	< 0.5	6	17	7	1.75	< 10	< 1	0.07	10	0.23	200
84920	201	238	< 1	1.28	< 0.2	5	280	< 0.5	< 2	0.24	< 0.5	7	21	11	1.86	< 10	< 1	0.06	10	0.30	135
84921	201	238	< 1	1.77	< 0.2	5	360	< 0.5	< 2	0.32	< 0.5	8	29	15	2.53	< 10	< 1	0.09	20	0.40	283
84922	201	238	1	1.53	< 0.2	< 5	280	0.5	< 2	0.23	< 0.5	4	21	11	1.84	< 10	< 1	0.10	20	0.28	183
84923	201	238	< 1	2.11	< 0.2	10	340	< 0.5	< 2	0.22	< 0.5	8	29	17	2.39	< 10	1	0.10	10	0.37	299
84924	201	238	< 1	1.36	< 0.2	5	240	< 0.5	< 2	0.22	< 0.5	5	21	14	1.82	< 10	1	0.07	20	0.30	240
84925	201	238	< 1	1.52	< 0.2	10	210	< 0.5	< 2	0.17	< 0.5	4	21	11	1.80	< 10	< 1	0.04	10	0.28	154
84926	201	238	< 1	1.04	< 0.2	< 5	100	0.5	2	0.16	< 0.5	1	10	8	1.20	< 10	< 1	0.09	10	0.12	92

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P53
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84887	201	238	< 1	0.01	28	820	< 2	< 5	< 10	50	0.02	< 10	< 10	35	< 5	69
84888	201	238	1	0.01	23	550	14	< 5	< 10	40	0.03	< 10	< 10	40	< 5	60
84889	201	238	< 1	0.01	13	380	8	< 5	< 10	29	0.04	< 10	< 10	40	< 5	51
84890	201	238	< 1	0.01	15	420	10	< 5	< 10	27	0.04	< 10	< 10	39	< 5	49
84891	201	238	< 1	0.01	19	560	8	< 5	< 10	38	0.04	< 10	< 10	40	< 5	52
84892	201	238	1	< 0.01	11	220	10	< 5	< 10	19	0.05	< 10	< 10	34	< 5	44
84893	201	238	< 1	0.01	30	590	6	< 5	< 10	46	0.04	< 10	< 10	40	< 5	67
84894	201	238	< 1	0.01	31	440	10	< 5	< 10	38	0.05	< 10	< 10	46	< 5	74
84895	201	238	< 1	0.01	26	350	2	< 5	< 10	37	0.05	< 10	< 10	47	< 5	65
84896	201	238	1	0.02	28	420	14	< 5	< 10	34	0.06	< 10	< 10	45	< 5	78
84897	201	238	< 1	0.02	22	410	10	< 5	10	34	0.06	< 10	< 10	48	20	73
84898	201	238	< 1	0.01	24	340	< 2	< 5	< 10	46	0.06	< 10	< 10	52	20	60
84899	201	238	< 1	0.02	22	330	10	< 5	10	37	0.08	< 10	< 10	57	20	64
84900	201	238	< 1	0.01	17	420	16	< 5	10	33	0.07	< 10	< 10	46	20	60
84901	201	238	< 1	0.01	19	360	12	< 5	< 10	29	0.08	< 10	< 10	49	10	71
84902	201	238	2	0.02	17	390	6	< 5	< 10	32	0.08	< 10	< 10	46	5	55
84903	201	238	1	0.01	13	180	12	< 5	< 10	24	0.06	< 10	< 10	37	5	60
84904	201	238	< 1	0.01	17	250	10	< 5	< 10	27	0.07	< 10	< 10	43	10	61
84905	201	238	< 1	0.01	18	360	2	< 5	< 10	32	0.07	< 10	< 10	46	10	51
84906	201	238	< 1	0.01	15	360	6	< 5	< 10	30	0.08	< 10	< 10	43	5	51
84907	201	238	< 1	0.01	11	220	6	< 5	< 10	24	0.07	< 10	< 10	34	10	48
84908	201	238	< 1	0.01	24	600	18	< 5	< 10	39	0.05	< 10	< 10	48	15	109
84909	201	238	< 1	0.01	9	230	26	< 5	< 10	17	0.05	< 10	< 10	34	15	82
84910	201	238	< 1	< 0.01	3	160	2	< 5	< 10	12	0.04	< 10	< 10	19	5	47
84911	201	238	1	0.01	19	330	< 2	< 5	< 10	22	0.06	< 10	< 10	45	< 5	80
84912	201	238	< 1	0.01	33	460	4	< 5	< 10	32	0.03	< 10	< 10	44	5	90
84913	201	238	< 1	0.01	38	490	2	< 5	20	32	0.01	< 10	< 10	35	5	93
84914	201	238	1	0.01	17	170	6	< 5	< 10	31	0.08	< 10	< 10	54	5	59
84915	201	238	2	0.01	14	290	14	< 5	10	26	0.07	< 10	< 10	44	< 5	60
84916	201	238	< 1	0.01	7	250	10	< 5	< 10	15	0.05	< 10	< 10	29	5	76
84917	201	238	< 1	0.01	18	290	8	< 5	10	29	0.09	< 10	< 10	67	< 5	75
84918	201	238	2	0.01	11	330	2	< 5	< 10	23	0.07	< 10	< 10	45	< 5	65
84919	201	238	< 1	0.01	9	190	12	< 5	< 10	17	0.06	< 10	< 10	39	< 5	91
84920	201	238	< 1	< 0.01	13	260	< 2	< 5	< 10	20	0.06	< 10	< 10	43	< 5	55
84921	201	238	< 1	0.01	17	240	10	< 5	< 10	24	0.08	< 10	< 10	59	< 5	54
84922	201	238	< 1	0.01	15	180	12	< 5	< 10	18	0.07	< 10	< 10	44	5	73
84923	201	238	< 1	0.01	21	180	16	< 5	< 10	20	0.08	< 10	< 10	58	< 5	71
84924	201	238	< 1	< 0.01	16	200	12	< 5	< 10	18	0.06	< 10	< 10	44	< 5	56
84925	201	238	< 1	< 0.01	12	140	20	< 5	< 10	15	0.07	< 10	< 10	45	< 5	56
84926	201	238	< 1	< 0.01	8	130	30	< 5	< 10	14	0.05	< 10	< 10	21	< 5	60

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DI/HUN/5/6/P51
Comments:

Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
84927	201	238	< 1	1.87	< 0.2	5	300	0.5	< 2	0.28	< 0.5	5	27	16	2.19	10	< 1	0.10	30	0.37	190
84928	201	238	< 1	1.59	< 0.2	< 5	260	< 0.5	< 2	0.23	< 0.5	5	24	12	1.80	< 10	2	0.07	30	0.33	153
84929	201	238	3	2.61	0.4	< 5	360	1.5	< 2	0.26	< 0.5	7	32	34	2.61	10	1	0.16	40	0.40	261
84930	201	238	< 1	1.70	< 0.2	5	170	< 0.5	< 2	0.15	< 0.5	3	18	9	1.77	10	< 1	0.10	10	0.24	153
84931	201	238	< 1	1.98	< 0.2	5	440	2.0	< 2	0.52	< 0.5	6	28	24	2.45	10	< 1	0.15	30	0.36	462
84932	201	238	< 1	2.82	< 0.2	< 5	370	0.5	2	0.31	< 0.5	8	42	24	2.98	10	< 1	0.10	20	0.48	237
84933	201	238	< 1	2.11	< 0.2	< 5	620	0.5	< 2	0.34	0.5	8	29	15	2.43	10	< 1	0.10	20	0.36	628
84934	201	238	< 1	1.94	< 0.2	< 5	370	< 0.5	< 2	0.32	< 0.5	7	31	15	2.43	< 10	1	0.09	20	0.35	341
84935	201	238	5	2.03	< 0.2	5	430	< 0.5	< 2	0.31	< 0.5	8	29	12	2.30	< 10	< 1	0.09	20	0.34	420
84936	201	238	< 1	1.66	< 0.2	5	380	< 0.5	< 2	0.29	< 0.5	6	23	8	1.92	< 10	1	0.05	10	0.27	866
84937	201	238	< 1	2.05	< 0.2	< 5	440	0.5	< 2	0.32	< 0.5	8	27	8	2.15	10	< 1	0.09	20	0.32	596
84938	201	238	< 1	1.62	< 0.2	< 5	250	0.5	< 2	0.19	< 0.5	4	18	6	1.69	< 10	< 1	0.05	10	0.21	326
84939	201	238	< 1	1.63	< 0.2	< 5	250	0.5	< 2	0.20	< 0.5	5	17	5	1.70	< 10	1	0.05	10	0.22	404
84940	201	238	< 1	2.06	< 0.2	< 5	250	< 0.5	< 2	0.25	< 0.5	7	29	11	2.11	< 10	2	0.08	10	0.33	203
84941	201	238	< 1	1.88	< 0.2	5	320	< 0.5	2	0.29	< 0.5	7	28	9	1.95	< 10	< 1	0.06	20	0.31	290
84942	201	238	< 1	1.82	< 0.2	< 5	420	0.5	< 2	0.34	< 0.5	9	23	8	1.85	< 10	< 1	0.06	10	0.27	1375
84943	201	238	2	2.36	< 0.2	10	390	< 0.5	2	0.24	< 0.5	9	38	19	2.71	< 10	1	0.09	30	0.44	223
84944	201	238	< 1	1.90	< 0.2	< 5	290	< 0.5	2	0.27	< 0.5	6	26	9	2.15	< 10	1	0.07	20	0.30	207
84945	201	238	< 1	1.80	< 0.2	< 5	310	< 0.5	< 2	0.19	< 0.5	7	25	11	1.92	< 10	1	0.08	10	0.30	221
84946	201	238	3	1.95	< 0.2	< 5	300	< 0.5	< 2	0.20	< 0.5	7	24	8	2.18	< 10	< 1	0.07	10	0.33	497
84947	201	238	< 1	2.04	< 0.2	< 5	310	< 0.5	< 2	0.23	< 0.5	10	30	12	2.25	< 10	3	0.05	20	0.38	477
84948	201	238	< 1	1.93	< 0.2	< 5	270	< 0.5	2	0.19	< 0.5	8	30	12	2.36	< 10	1	0.05	10	0.38	178
84949	201	238	< 1	1.69	< 0.2	< 5	200	< 0.5	< 2	0.19	< 0.5	7	26	11	1.98	< 10	< 1	0.04	10	0.33	179
[illegible]	201	238	3	2.11	< 0.2	5	370	< 0.5	2	0.18	< 0.5	9	32	39	2.59	< 10	< 1	0.06	20	0.47	[illegible]
89415	201	238	3	2.43	< 0.2	< 5	350	< 0.5	< 2	0.20	< 0.5	11	38	25	2.85	< 10	< 1	0.07	10	0.48	239
89416	201	238	2	1.90	< 0.2	< 5	280	< 0.5	< 2	0.17	< 0.5	10	28	19	2.47	< 10	< 1	0.06	10	0.44	264
89417	201	238	1	1.64	< 0.2	5	310	< 0.5	< 2	0.18	< 0.5	8	23	25	1.81	< 10	1	0.06	20	0.52	223
89418	201	238	< 1	1.68	< 0.2	< 5	230	< 0.5	< 2	0.23	< 0.5	7	26	15	2.24	< 10	< 1	0.07	20	0.39	150
89419	201	238	3	1.83	< 0.2	< 5	300	< 0.5	< 2	0.26	< 0.5	8	27	19	2.24	< 10	< 1	0.11	20	0.37	190
89420	201	238	1	1.62	< 0.2	< 5	230	< 0.5	< 2	0.25	< 0.5	7	26	21	1.97	< 10	< 1	0.09	20	0.37	148
89421	201	238	3	1.68	< 0.2	< 5	310	< 0.5	< 2	0.27	< 0.5	6	25	19	2.11	< 10	< 1	0.10	20	0.39	142
89422	201	238	< 1	1.55	< 0.2	5	310	< 0.5	2	0.26	< 0.5	7	25	21	2.02	< 10	< 1	0.12	20	0.39	142
89423	201	238	< 1	1.64	< 0.2	5	300	< 0.5	< 2	0.23	< 0.5	7	25	19	1.94	< 10	< 1	0.11	30	0.39	123
89424	217	238	2	2.72	< 0.2	5	1170	< 0.5	< 2	0.33	0.5	9	39	47	3.02	< 10	1	0.20	40	0.23	101
89425	201	238	< 1	0.56	< 0.2	< 5	240	< 0.5	< 2	0.02	< 0.5	1	5	5	0.55	< 10	< 1	0.09	20	0.10	37
89426	201	238	< 1	1.48	< 0.2	< 5	220	< 0.5	< 2	0.18	< 0.5	6	23	11	1.96	< 10	< 1	0.11	20	0.36	148
89427	201	238	5	0.71	< 0.2	< 5	140	< 0.5	2	0.03	< 0.5	3	9	15	0.94	< 10	< 1	0.11	20	0.20	76
89428	201	238	< 1	0.65	< 0.2	< 5	730	< 0.5	< 2	0.06	< 0.5	6	191	11	1.00	< 10	< 1	0.29	30	0.15	360
89429	201	238	< 1	0.70	< 0.2	< 5	100	< 0.5	< 2	0.04	< 0.5	1	9	6	0.77	< 10	< 1	0.14	30	0.11	46
[illegible]	201	238	< 1	1.79	< 0.2	< 5	270	< 0.5	< 2	0.23	< 0.5	7	27	15	2.27	< 10	1	0.05	10	0.39	[illegible]

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE. NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/5/6/P51
Comments:

Page N : 4-B
Tot. l s: 5
Date : 3-AUG-87
Invoice # : I-8717388
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8717388

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
84927	201	238	< 1	0.01	19	140	18	< 5	< 10	25	0.08	10	< 10	51	< 5	67
84928	201	238	< 1	0.01	12	120	20	< 5	< 10	21	0.08	10	< 10	47	< 5	50
84929	201	238	< 1	0.01	21	210	18	< 5	< 10	26	0.08	20	< 10	59	< 5	86
84930	201	238	< 1	< 0.01	10	150	18	< 5	< 10	16	0.07	< 10	< 10	41	< 5	70
84931	201	238	< 1	0.01	18	400	20	< 5	< 10	33	0.06	10	< 10	54	< 5	86
84932	201	238	< 1	0.01	27	180	16	< 5	< 10	25	0.09	< 10	< 10	77	< 5	73
84933	201	238	< 1	0.01	20	310	20	< 5	< 10	27	0.07	< 10	< 10	58	< 5	127
84934	201	238	< 1	< 0.01	16	140	8	< 5	< 10	22	0.07	< 10	< 10	57	< 5	74
84935	201	238	< 1	< 0.01	18	240	20	< 5	< 10	22	0.06	< 10	< 10	57	< 5	96
84936	201	238	< 1	0.01	14	250	12	< 5	< 10	20	0.06	< 10	< 10	48	< 5	117
84937	201	238	< 1	< 0.01	14	230	26	< 5	< 10	21	0.06	< 10	< 10	51	< 5	132
84938	201	238	< 1	< 0.01	10	170	20	< 5	< 10	13	0.05	< 10	< 10	37	< 5	132
84939	201	238	< 1	< 0.01	9	230	22	< 5	< 10	15	0.06	< 10	< 10	39	< 5	148
84940	201	238	< 1	< 0.01	14	160	12	< 5	< 10	21	0.09	< 10	< 10	57	10	87
84941	201	238	< 1	< 0.01	12	150	10	< 5	< 10	24	0.09	< 10	< 10	54	5	74
84942	201	238	< 1	0.01	11	250	16	< 5	< 10	27	0.08	< 10	< 10	49	5	104
84943	201	238	< 1	< 0.01	22	160	8	< 5	< 10	24	0.10	< 10	< 10	64	5	62
84944	201	238	< 1	< 0.01	10	150	8	< 5	< 10	23	0.09	< 10	< 10	60	5	56
84945	201	238	< 1	0.01	15	120	4	< 5	< 10	18	0.07	< 10	< 10	45	5	55
84946	201	238	< 1	< 0.01	11	230	16	< 5	< 10	18	0.08	< 10	< 10	51	5	70
84947	201	238	< 1	< 0.01	15	140	10	5	< 10	21	0.09	< 10	< 10	59	10	67
84948	201	238	< 1	< 0.01	15	130	4	< 5	< 10	17	0.08	< 10	< 10	56	5	53
84949	201	238	< 1	< 0.01	9	100	14	< 5	< 10	17	0.07	< 10	< 10	45	5	64
89414	201	238	< 1	< 0.01	19	130	10	< 5	< 10	19	0.08	< 10	< 10	55	10	52
89415	201	238	< 1	< 0.01	20	190	6	< 5	< 10	19	0.09	< 10	< 10	64	10	54
89416	201	238	< 1	< 0.01	16	240	10	< 5	< 10	15	0.07	< 10	< 10	55	5	49
89417	201	238	< 1	< 0.01	13	100	10	< 5	< 10	16	0.06	< 10	< 10	32	5	47
89418	201	238	< 1	< 0.01	12	280	6	< 5	< 10	19	0.08	< 10	< 10	47	10	44
89419	201	238	< 1	0.01	16	380	18	< 5	< 10	23	0.09	< 10	< 10	49	5	48
89420	201	238	< 1	< 0.01	11	240	10	5	< 10	21	0.09	< 10	< 10	42	5	44
89421	201	238	< 1	< 0.01	9	320	12	5	< 10	22	0.08	< 10	< 10	42	5	48
89422	201	238	< 1	0.01	11	390	14	< 5	< 10	23	0.08	< 10	< 10	39	5	50
89423	201	238	< 1	< 0.01	12	350	14	< 5	< 10	20	0.07	< 10	< 10	37	5	54
89424	217	238	< 1	0.02	20	1100	30	5	10	39	0.05	< 10	< 10	34	15	60
89425	201	238	< 1	< 0.01	1	90	2	< 5	< 10	4	0.01	< 10	< 10	9	< 5	15
89426	201	238	< 1	< 0.01	8	210	12	< 5	< 10	16	0.08	< 10	< 10	39	10	46
89427	201	238	< 1	< 0.01	2	100	10	< 5	< 10	5	0.02	< 10	< 10	13	< 5	70
89428	201	238	< 1	0.01	4	110	20	5	< 10	8	0.01	< 10	< 10	9	5	31
89429	201	238	< 1	< 0.01	3	100	10	< 5	< 10	5	0.02	< 10	< 10	13	< 5	18
89430	201	238	< 1	< 0.01	12	250	8	5	< 10	20	0.09	< 10	< 10	56	10	43

CERTIFICATION :

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 BROOKSBANK AVE., NORTH VANCOUVER, BRITISH COLUMBIA, CANADA V7J-2C1

PHONE (604) 984-0221

To NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6-P-53
Comments:

Date : 14-SEP-87
Invoice # : I-8719947
P.O. # : NONE

BEN LEVY ADIT CHANNEL SAMPLES

CERTIFICATE OF ANALYSIS A8719947

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13129	212	238	2	0.05	0.2	35	60	< 0.5	< 2	>15.00	< 0.5	13	9	1	0.84	30	< 1	0.01	< 10	9.04	265
13130	212	238	< 1	0.02	0.2	5	30	< 0.5	< 2	>15.00	< 0.5	12	8	3	0.74	30	< 1	< 0.01	< 10	9.30	222
13131	212	238	1	0.01	0.2	10	100	< 0.5	< 2	>15.00	< 0.5	12	8	1	0.72	40	< 1	< 0.01	< 10	9.71	199
13132	212	238	1	0.01	0.2	15	50	< 0.5	< 2	>15.00	< 0.5	13	4	1	0.85	40	1	< 0.01	< 10	9.86	355
13133	212	238	2	< 0.01	0.2	< 5	30	< 0.5	< 2	>15.00	< 0.5	11	3	1	0.42	40	< 1	< 0.01	< 10	9.00	154
13134	212	238	< 1	< 0.01	0.2	20	40	< 0.5	< 2	>15.00	< 0.5	12	4	1	0.78	40	< 1	< 0.01	< 10	9.23	312
13135	212	238	1	< 0.01	0.2	< 5	20	< 0.5	< 2	>15.00	< 0.5	13	5	1	0.75	30	< 1	< 0.01	< 10	9.49	223
13136	212	238	16	0.02	0.2	20	80	< 0.5	< 2	>15.00	< 0.5	14	13	1	1.34	40	< 1	< 0.01	< 10	9.85	489
13137	212	238	3	0.03	0.2	110	70	< 0.5	< 2	>15.00	< 0.5	15	18	2	1.81	40	< 1	< 0.01	< 10	8.71	416
13138	212	238	< 1	0.24	0.2	70	190	< 0.5	< 2	>15.00	< 0.5	14	12	31	1.67	40	< 1	0.11	< 10	7.42	429
13139	212	238	< 1	0.11	0.2	45	90	< 0.5	< 2	>15.00	< 0.5	15	8	7	1.20	40	< 1	0.03	< 10	8.90	424
13140	212	238	< 1	0.32	0.2	35	120	< 0.5	< 2	>15.00	< 0.5	15	14	28	1.84	30	< 1	0.10	< 10	6.89	514
13141	212	238	4	2.61	0.2	50	120	< 0.5	< 2	3.53	0.5	22	89	26	2.34	10	3	0.34	20	2.12	392
13142	212	238	4	0.39	0.2	75	150	< 0.5	< 2	14.35	< 0.5	21	11	43	2.03	30	< 1	0.18	< 10	6.40	710
13143	212	238	3	0.30	0.2	90	280	0.5	< 2	>15.00	< 0.5	20	10	18	1.71	40	< 1	0.13	< 10	7.65	616
13144	212	238	< 1	0.52	0.2	80	110	< 0.5	< 2	11.05	< 0.5	15	8	54	2.26	30	< 1	0.21	< 10	4.92	646
13145	212	238	10	0.68	0.2	50	3610	0.5	< 2	13.40	< 0.5	18	14	29	2.46	30	< 1	0.18	< 10	5.77	904
13146	212	238	< 1	0.47	0.2	55	210	< 0.5	< 2	11.40	< 0.5	16	7	51	2.24	30	< 1	0.18	< 10	5.16	543
13147	212	238	< 1	0.75	0.2	25	160	< 0.5	< 2	9.36	< 0.5	22	13	60	2.60	20	< 1	0.29	< 10	4.50	647
13148	212	238	8	1.16	0.2	35	160	< 0.5	< 2	1.91	< 0.5	27	34	58	2.36	10	1	0.29	30	0.96	339
13149	212	238	1	1.76	0.2	15	230	0.5	< 2	5.94	< 0.5	24	61	44	2.36	20	1	0.41	< 10	2.72	614
13150	212	238	1	0.59	0.2	110	110	< 0.5	< 2	11.35	< 0.5	17	7	80	3.31	30	< 1	0.26	< 10	4.91	766
13151	212	238	< 1	0.72	0.2	70	130	< 0.5	< 2	9.99	< 0.5	19	24	90	3.52	20	1	0.23	< 10	4.15	873
13152	212	238	1	0.63	0.2	10	150	< 0.5	< 2	6.52	< 0.5	18	11	82	2.71	20	< 1	0.24	< 10	2.29	628
13153	212	238	< 1	1.90	0.2	15	130	0.5	< 2	6.67	< 0.5	19	39	45	2.13	20	< 1	0.53	< 10	2.66	610
13154	212	238	< 1	0.59	0.2	20	90	< 0.5	< 2	8.48	< 0.5	20	6	93	2.49	20	< 1	0.24	< 10	4.13	483
13155	212	238	< 1	0.65	0.2	35	110	< 0.5	< 2	4.20	< 0.5	17	19	92	2.20	10	1	0.25	10	1.94	410
13156	212	238	3	0.58	0.2	35	100	< 0.5	< 2	6.52	0.5	17	16	85	2.41	20	2	0.28	< 10	2.70	586
13157	212	238	6	0.58	0.2	355	150	< 0.5	< 2	10.80	< 0.5	21	20	61	3.02	30	1	0.26	< 10	4.61	728
13158	212	238	< 1	0.78	0.2	10	120	< 0.5	< 2	4.98	< 0.5	25	21	90	3.17	10	1	0.24	< 10	2.01	778
13159	212	238	< 1	0.62	0.2	90	150	< 0.5	< 2	10.55	< 0.5	16	7	80	2.82	30	< 1	0.30	< 10	4.06	696
13160	212	238	1	0.52	0.2	135	120	< 0.5	< 2	9.87	< 0.5	16	9	101	2.87	30	< 1	0.30	< 10	3.20	768
13161	212	238	< 1	0.53	0.2	65	100	< 0.5	< 2	7.67	< 0.5	16	7	104	2.82	20	< 1	0.28	< 10	2.51	657
13162	212	238	< 1	0.38	0.2	105	160	< 0.5	< 2	>15.00	< 0.5	15	5	59	2.77	40	< 1	0.20	< 10	6.26	685
13163	212	238	3	3.06	0.2	< 5	70	0.5	< 2	3.47	0.5	19	92	23	3.10	10	< 1	0.32	20	1.74	537
13164	212	238	256	0.54	0.2	20	410	0.5	< 2	>15.00	0.5	18	12	12	3.12	40	< 1	0.18	< 10	6.75	798
13166	212	238	2	0.40	0.2	25	220	< 0.5	< 2	>15.00	< 0.5	15	4	46	2.89	40	< 1	0.22	< 10	5.99	716
13167	212	238	2	0.50	0.2	< 5	130	< 0.5	6	6.55	0.5	14	11	78	2.77	20	1	0.28	< 10	2.73	750
13168	212	238	< 1	0.17	0.2	10	500	< 0.5	< 2	>15.00	< 0.5	14	7	13	2.13	40	< 1	0.08	< 10	8.59	573
13169	212	238	< 1	0.25	0.2	20	150	< 0.5	< 2	>15.00	< 0.5	15	4	24	2.98	40	< 1	0.18	< 10	6.08	736

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6-P-53
Comments:

Date : 14-SEP-87
Invoice # : I-8719947
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719947

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13129	212 238	< 1	0.01	117	< 10	18	5	< 10	181	< 0.01	< 10	< 10	2	10	53
13130	212 238	< 1	< 0.01	40	< 10	34	5	< 10	195	< 0.01	< 10	< 10	< 1	5	47
13131	212 238	< 1	< 0.01	34	< 10	< 2	10	< 10	173	< 0.01	< 10	< 10	< 1	5	23
13132	212 238	1	< 0.01	36	< 10	62	5	< 10	198	< 0.01	< 10	< 10	< 1	5	60
13133	212 238	< 1	< 0.01	18	< 10	< 2	5	< 10	138	< 0.01	< 10	< 10	< 1	< 5	13
13134	212 238	< 1	< 0.01	39	< 10	< 2	10	< 10	184	< 0.01	< 10	< 10	< 1	< 5	18
13135	212 238	< 1	< 0.01	40	< 10	< 2	5	< 10	164	< 0.01	< 10	< 10	< 1	< 5	12
13136	212 238	< 1	< 0.01	53	< 10	< 2	5	< 10	274	< 0.01	< 10	< 10	4	< 5	21
13137	212 238	< 1	< 0.01	96	< 10	< 2	10	< 10	228	< 0.01	< 10	< 10	3	< 5	19
13138	212 238	< 1	0.01	40	160	< 2	5	< 10	267	< 0.01	< 10	< 10	11	< 5	24
13139	212 238	< 1	0.01	56	< 10	< 2	5	< 10	282	< 0.01	< 10	< 10	4	< 5	25
13140	212 238	1	0.01	63	240	< 2	5	< 10	232	< 0.01	< 10	< 10	18	< 5	37
13141	212 238	1	< 0.01	116	990	32	5	< 10	91	< 0.01	< 10	< 10	50	< 5	130
13142	212 238	< 1	0.01	227	360	< 2	5	< 10	229	< 0.01	< 10	< 10	11	< 5	36
13143	212 238	1	0.01	146	190	< 2	5	< 10	252	< 0.01	< 10	< 10	7	< 5	35
13144	212 238	< 1	< 0.01	100	410	10	5	< 10	131	< 0.01	< 10	< 10	17	< 5	36
13145	212 238	< 1	0.01	72	290	8	5	< 10	296	< 0.01	< 10	< 10	15	< 5	65
13146	212 238	1	0.01	42	330	< 2	5	< 10	162	< 0.01	< 10	< 10	12	< 5	35
13147	212 238	< 1	< 0.01	142	600	2	< 5	< 10	94	< 0.01	< 10	< 10	13	< 5	44
13148	212 238	3	0.01	281	740	8	5	< 10	62	< 0.01	< 10	< 10	21	< 5	114
13149	212 238	1	0.01	173	750	2	< 5	< 10	122	< 0.01	< 10	< 10	37	< 5	65
13150	212 238	< 1	0.01	18	420	< 2	5	10	202	< 0.01	< 10	< 10	20	< 5	41
13151	212 238	< 1	< 0.01	32	480	< 2	5	10	285	< 0.01	< 10	< 10	20	< 5	64
13152	212 238	< 1	< 0.01	48	1260	< 2	5	< 10	165	< 0.01	< 10	< 10	19	< 5	58
13153	212 238	< 1	0.01	56	610	8	5	< 10	258	< 0.01	< 10	< 10	34	< 5	61
13154	212 238	< 1	< 0.01	22	530	< 2	5	10	93	< 0.01	< 10	< 10	21	< 5	52
13155	212 238	1	< 0.01	34	610	4	5	< 10	82	< 0.01	< 10	< 10	17	< 5	57
13156	212 238	< 1	< 0.01	23	650	2	< 5	< 10	117	< 0.01	< 10	< 10	20	< 5	101
13157	212 238	< 1	0.01	54	580	< 2	5	10	220	< 0.01	< 10	< 10	22	< 5	62
13158	212 238	1	< 0.01	63	770	4	< 5	10	144	< 0.01	< 10	< 10	27	< 5	93
13159	212 238	< 1	< 0.01	17	500	< 2	10	< 10	443	< 0.01	< 10	< 10	18	< 5	40
13160	212 238	< 1	< 0.01	21	650	< 2	5	< 10	651	< 0.01	< 10	< 10	14	< 5	52
13161	212 238	< 1	< 0.01	24	610	< 2	5	10	330	< 0.01	< 10	< 10	17	< 5	51
13162	212 238	< 1	< 0.01	11	310	< 2	< 5	< 10	468	< 0.01	< 10	< 10	15	< 5	33
13163	212 238	< 1	0.02	59	850	< 2	5	< 10	245	< 0.01	< 10	< 10	59	< 5	41
13164	212 238	< 1	0.01	23	260	< 2	5	< 10	563	< 0.01	< 10	< 10	15	< 5	78
13166	212 238	< 1	< 0.01	10	400	6	5	10	649	< 0.01	< 10	< 10	14	< 5	30
13167	212 238	< 1	0.01	21	660	10	5	10	197	< 0.01	< 10	< 10	14	< 5	46
13168	212 238	< 1	0.01	12	70	< 2	5	< 10	417	< 0.01	< 10	< 10	6	< 5	18
13169	212 238	< 1	< 0.01	9	330	< 2	5	< 10	724	< 0.01	< 10	< 10	10	< 5	27

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
211 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6-P-53
Comments:

Page . . : 2-A
Tot. Pages: 2
Date : 14-SEP-87
Invoice # : I-8719947
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719947

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13170	212	238	2	0.81	0.2	< 5	140	< 0.5	8	3.88	< 0.5	16	11	56	2.78	10	< 1	0.21	10	1.57	600
13171	212	238	2	0.32	0.2	295	310	< 0.5	< 2	>15.00	< 0.5	16	5	8	5.33	40	< 1	0.13	< 10	7.39	601
13172	212	238	< 1	0.57	0.2	55	250	< 0.5	< 2	>15.00	< 0.5	15	9	34	2.44	40	1	0.26	< 10	6.82	573
13173	212	238	< 1	1.20	0.2	30	140	< 0.5	2	7.93	< 0.5	17	21	91	3.36	20	< 1	0.24	< 10	3.16	671
13174	212	238	< 1	0.87	0.2	75	180	< 0.5	< 2	11.50	< 0.5	21	19	69	3.03	30	1	0.27	< 10	4.93	667
13175	212	238	< 1	0.56	0.2	80	220	< 0.5	< 2	>15.00	< 0.5	16	13	33	2.05	30	1	0.24	< 10	7.52	546
13176	212	238	3	0.50	0.2	320	160	< 0.5	< 2	14.80	< 0.5	15	4	65	2.73	30	< 1	0.26	< 10	6.58	634
13177	212	238	< 1	0.53	0.2	430	170	< 0.5	< 2	13.85	< 0.5	18	9	42	4.11	30	1	0.20	< 10	6.41	581
13178	212	238	< 1	0.47	0.2	20	140	< 0.5	< 2	>15.00	< 0.5	14	4	30	2.30	40	1	0.20	< 10	6.84	570
13179	212	238	2	0.15	0.2	5	100	< 0.5	< 2	>15.00	< 0.5	14	3	6	1.03	40	< 1	0.05	< 10	8.81	248
13180	212	238	3	0.77	0.2	45	100	< 0.5	< 2	10.30	< 0.5	17	12	73	2.36	30	< 1	0.18	< 10	4.68	467
13181	212	238	< 1	0.43	0.2	15	350	< 0.5	< 2	>15.00	< 0.5	15	10	26	3.00	40	< 1	0.22	< 10	6.56	706
13182	212	238	5	0.24	0.2	5	120	< 0.5	< 2	>15.00	< 0.5	14	2	10	2.06	40	< 1	0.11	< 10	7.27	526
13183	212	238	3	0.22	0.2	25	270	0.5	< 2	>15.00	< 0.5	15	4	11	1.94	40	1	0.10	< 10	7.96	506
13184	212	238	5	0.28	0.2	5	140	< 0.5	< 2	>15.00	< 0.5	13	6	19	2.60	40	< 1	0.16	< 10	6.77	600
13185	212	238	8	0.05	0.2	< 5	160	< 0.5	< 2	>15.00	< 0.5	12	3	4	0.68	30	< 1	0.02	< 10	8.53	162
13186	212	238	4	0.26	0.2	10	140	0.5	< 2	>15.00	< 0.5	14	6	9	1.77	40	< 1	0.13	< 10	7.83	407
13187	212	238	229	0.09	0.2	5	50	0.5	< 2	>15.00	< 0.5	13	4	7	0.86	40	< 1	0.04	< 10	8.82	232

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

: UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/S/6-P-53
Comments:

Date : 14-SEP-87
Invoice # : I-8719947
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8719947

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13170	212	238	< 1	< 0.01	25	570	2	< 5	10	101	< 0.01	< 10	< 10	20	< 5	60
13171	212	238	< 1	0.01	20	100	< 2	15	10	387	< 0.01	< 10	< 10	10	< 5	27
13172	212	238	< 1	< 0.01	5	310	< 2	5	< 10	505	< 0.01	< 10	< 10	14	< 5	23
13173	212	238	1	< 0.01	23	580	< 2	5	< 10	209	< 0.01	< 10	< 10	42	< 5	48
13174	212	238	< 1	0.01	27	430	< 2	5	< 10	333	< 0.01	< 10	< 10	25	< 5	60
13175	212	238	< 1	0.01	17	210	< 2	< 5	< 10	285	< 0.01	< 10	< 10	13	< 5	31
13176	212	238	< 1	0.01	10	290	< 2	5	< 10	379	< 0.01	< 10	< 10	10	< 5	33
13177	212	238	< 1	0.01	19	260	< 2	10	< 10	339	< 0.01	< 10	< 10	15	< 5	47
13178	212	238	< 1	0.01	7	230	< 2	5	< 10	411	< 0.01	< 10	< 10	12	< 5	29
13179	212	238	< 1	0.01	4	< 10	< 2	< 5	< 10	383	< 0.01	< 10	< 10	2	< 5	19
13180	212	238	< 1	< 0.01	18	490	< 2	5	< 10	184	< 0.01	< 10	< 10	31	< 5	55
13181	212	238	< 1	0.01	8	240	< 2	5	< 10	537	< 0.01	< 10	< 10	14	< 5	34
13182	212	238	< 1	0.01	8	130	< 2	5	< 10	524	< 0.01	< 10	< 10	10	< 5	32
13183	212	238	< 1	0.01	9	80	< 2	< 5	< 10	515	< 0.01	< 10	< 10	10	< 5	37
13184	212	238	< 1	< 0.01	5	210	< 2	5	< 10	605	< 0.01	< 10	< 10	10	< 5	25
13185	212	238	< 1	< 0.01	1	< 10	< 2	5	< 10	180	< 0.01	< 10	< 10	< 1	< 5	16
13186	212	238	< 1	0.01	10	120	< 2	5	< 10	442	< 0.01	< 10	< 10	8	< 5	23
13187	212	238	< 1	< 0.01	5	10	< 2	10	< 10	196	< 0.01	< 10	< 10	1	< 5	27

CERTIFICATION : _____

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/R/A/P-53
Comments:

Date :20-SEP-87
Invoice # :I-8720250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13188	212	238	5	0.71	0.2	40	280	<0.5	<2	14.60	<0.5	17	6	73	2.99	<10	<1	0.31	<10	5.78	822
13189	212	238	4	0.52	0.2	25	160	<0.5	<2	14.90	<0.5	15	6	45	1.62	<10	<1	0.24	<10	6.45	387
13190	212	238	3	0.66	0.2	185	100	<0.5	<2	11.20	<0.5	18	10	90	2.92	<10	<1	0.28	<10	4.62	635
13191	212	238	4	0.41	0.2	130	150	<0.5	<2	>15.00	<0.5	17	5	19	2.24	<10	<1	0.18	<10	7.27	576
13192	212	238	<1	0.40	0.2	75	110	<0.5	<2	>15.00	<0.5	13	3	26	2.43	<10	<1	0.18	<10	6.62	637
13193	212	238	3	0.06	0.2	40	90	<0.5	<2	>15.00	<0.5	14	1	5	0.58	<10	<1	0.02	<10	9.07	176
13194	212	238	2	0.66	0.2	30	150	<0.5	<2	>15.00	<0.5	14	4	30	1.90	<10	<1	0.29	<10	7.32	436
13195	212	238	5	0.51	0.2	325	170	<0.5	<2	13.00	0.5	17	5	56	2.86	<10	<1	0.26	<10	5.39	719
13196	212	238	3	0.31	0.2	245	2390	<0.5	<2	>15.00	<0.5	17	5	22	1.93	<10	<1	0.13	<10	7.75	479
13197	212	238	<1	0.30	0.2	100	230	<0.5	<2	>15.00	<0.5	13	3	19	1.88	<10	<1	0.13	<10	7.88	453
13198	212	238	<1	0.07	0.2	40	380	<0.5	<2	>15.00	<0.5	13	<1	4	0.53	<10	<1	0.02	<10	9.07	155
13199	212	238	1	0.49	0.2	90	190	<0.5	<2	>15.00	<0.5	14	3	35	2.01	<10	<1	0.24	<10	7.06	441
13200	212	238	<1	0.15	0.2	15	80	<0.5	<2	>15.00	<0.5	13	2	7	0.45	<10	<1	0.06	<10	9.01	125
13201	212	238	<1	0.64	0.2	30	170	<0.5	<2	9.38	<0.5	14	8	77	2.60	<10	<1	0.24	<10	4.04	630
13202	212	238	<1	0.23	0.2	20	310	<0.5	<2	>15.00	<0.5	14	1	9	0.72	<10	<1	0.10	<10	8.52	213
13203	212	238	<1	0.43	0.2	35	200	<0.5	<2	12.80	<0.5	15	4	30	2.09	<10	<1	0.24	<10	5.65	576
13204	212	238	<1	0.40	0.2	65	100	<0.5	<2	13.35	<0.5	16	5	53	2.72	<10	<1	0.20	<10	5.52	633
13205	212	238	<1	0.48	0.2	40	190	<0.5	<2	>15.00	<0.5	18	3	33	1.70	<10	<1	0.22	<10	7.56	407
13206	212	238	<1	0.23	0.2	55	110	<0.5	<2	>15.00	<0.5	13	2	8	0.76	<10	<1	0.09	<10	8.95	216
13207	212	238	4	0.35	0.2	75	110	<0.5	<2	>15.00	<0.5	14	52	15	2.00	<10	<1	0.15	<10	7.42	509
13208	212	238	<1	0.51	0.2	60	230	<0.5	<2	14.65	<0.5	17	5	62	2.20	<10	<1	0.23	<10	6.72	555
13209	212	238	<1	0.67	0.2	55	110	<0.5	<2	13.35	<0.5	14	5	79	2.80	<10	<1	0.32	<10	5.63	626
13210	212	238	2	0.44	0.2	65	150	<0.5	<2	>15.00	<0.5	19	5	35	1.55	<10	<1	0.18	<10	8.24	383
13211	212	238	<1	0.61	0.2	20	190	<0.5	<2	>15.00	<0.5	15	6	26	1.73	<10	<1	0.25	<10	7.60	408
13212	212	238	34	0.56	0.2	55	130	<0.5	<2	13.55	<0.5	16	3	67	2.69	<10	<1	0.26	<10	5.86	665
13213	212	238	<1	0.56	0.2	75	120	<0.5	<2	13.35	<0.5	16	3	86	2.85	<10	<1	0.26	<10	5.85	639
13214	212	238	<1	0.72	0.2	65	140	<0.5	<2	14.45	<0.5	20	3	46	2.82	<10	<1	0.32	<10	6.69	654
13215	212	238	<1	0.68	0.2	20	1700	<0.5	<2	13.95	0.5	19	5	18	3.25	<10	<1	0.31	<10	6.29	938
13216	212	238	<1	0.27	0.2	65	230	<0.5	<2	>15.00	<0.5	14	4	12	2.11	<10	<1	0.10	<10	8.73	639
13217	212	238	1	0.51	0.2	45	250	<0.5	<2	14.90	<0.5	15	3	51	2.70	<10	<1	0.23	<10	6.80	665
13218	212	238	<1	0.16	0.2	50	80	<0.5	<2	>15.00	<0.5	16	4	12	1.47	<10	<1	0.05	<10	9.32	438
13219	212	238	<1	1.05	0.2	30	170	<0.5	<2	8.05	<0.5	20	18	86	2.75	<10	<1	0.25	<10	3.75	574
13220	212	238	<1	0.79	0.2	10	130	<0.5	<2	6.22	<0.5	15	11	129	2.75	<10	<1	0.27	<10	2.87	534
13221	212	238	<1	0.73	0.2	40	140	<0.5	<2	6.07	<0.5	16	13	94	2.60	<10	<1	0.24	<10	2.63	576
13222	212	238	3	0.93	0.2	40	130	<0.5	<2	3.82	<0.5	26	16	148	2.80	<10	<1	0.27	10	1.71	494
13223	212	238	<1	0.54	0.2	40	150	<0.5	<2	8.15	<0.5	17	8	95	2.83	<10	<1	0.26	<10	3.61	704
13224	212	238	1	0.25	0.2	30	80	<0.5	<2	>15.00	<0.5	15	4	8	3.46	<10	<1	0.11	<10	6.87	1035
13225	212	238	3	0.64	0.2	10	170	<0.5	<2	10.70	<0.5	14	7	78	2.88	<10	<1	0.37	<10	4.23	708
13226	212	238	<1	0.74	0.2	25	210	<0.5	<2	8.29	<0.5	16	13	61	2.32	<10	<1	0.39	<10	3.62	613
13227	212	238	6	1.07	0.2	30	260	<0.5	<2	7.03	<0.5	20	17	83	2.87	<10	<1	0.40	<10	2.81	670

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To IITED KENO HILL MINES LIMITED
709 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/R/A/P-53
Comments:

Page No. -B
Tot. Pag
Date 20-SEP-87
Invoice # : I-8720250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13188	212	238	< 1	0.01	11	900	4	< 5	< 10	551	< 0.01	< 10	< 10	20	< 5	57
13189	212	238	< 1	0.01	5	210	< 2	5	< 10	346	< 0.01	< 10	< 10	12	< 5	41
13190	212	238	< 1	< 0.01	14	500	< 2	< 5	< 10	368	< 0.01	< 10	< 10	24	< 5	59
13191	212	238	< 1	0.01	15	160	< 2	5	< 10	458	< 0.01	< 10	< 10	8	< 5	55
13192	212	238	< 1	0.01	9	210	< 2	5	< 10	358	< 0.01	< 10	< 10	8	< 5	39
13193	212	238	< 1	0.01	8	< 10	< 2	< 5	< 10	271	< 0.01	< 10	< 10	< 1	< 5	36
13194	212	238	< 1	0.01	15	140	< 2	< 5	< 10	396	< 0.01	< 10	< 10	14	< 5	43
13195	212	238	< 1	0.01	18	370	12	5	< 10	472	< 0.01	< 10	< 10	11	< 5	61
13196	212	238	< 1	0.01	14	90	< 2	< 5	< 10	465	< 0.01	< 10	< 10	7	< 5	55
13197	212	238	< 1	0.01	7	50	< 2	10	< 10	370	< 0.01	< 10	< 10	5	< 5	29
13198	212	238	1	0.01	5	< 10	< 2	5	< 10	228	< 0.01	< 10	< 10	< 1	< 5	20
13199	212	238	< 1	0.01	14	130	< 2	< 5	< 10	411	< 0.01	< 10	< 10	10	< 5	37
13200	212	238	< 1	0.01	8	< 10	< 2	5	< 10	243	< 0.01	< 10	< 10	1	< 5	28
13201	212	238	< 1	0.01	28	610	12	5	< 10	256	< 0.01	< 10	< 10	20	< 5	53
13202	212	238	< 1	0.01	9	< 10	< 2	5	< 10	205	< 0.01	< 10	< 10	3	< 5	24
13203	212	238	< 1	0.01	32	380	< 2	5	< 10	315	< 0.01	< 10	< 10	6	< 5	40
13204	212	238	< 1	0.01	14	440	< 2	< 5	< 10	398	< 0.01	< 10	< 10	10	< 5	51
13205	212	238	< 1	0.01	16	100	< 2	5	< 10	319	< 0.01	< 10	< 10	9	< 5	54
13206	212	238	< 1	0.01	11	< 10	< 2	5	< 10	313	< 0.01	< 10	< 10	4	< 5	37
13207	212	238	< 1	0.01	13	220	< 2	< 5	< 10	534	< 0.01	< 10	< 10	9	< 5	38
13208	212	238	< 1	0.02	11	280	< 2	10	< 10	360	< 0.01	< 10	< 10	10	< 5	44
13209	212	238	< 1	0.01	12	370	< 2	5	< 10	514	< 0.01	< 10	< 10	14	< 5	48
13210	212	238	< 1	0.01	39	20	< 2	5	< 10	245	< 0.01	< 10	< 10	10	< 5	77
13211	212	238	< 1	0.01	13	70	< 2	5	< 10	329	< 0.01	< 10	< 10	13	5	43
13212	212	238	< 1	0.01	11	400	< 2	< 5	< 10	396	< 0.01	< 10	< 10	10	< 5	51
13213	212	238	< 1	0.01	14	330	< 2	5	< 10	390	< 0.01	< 10	< 10	9	< 5	53
13214	212	238	< 1	0.01	20	140	< 2	5	< 10	389	< 0.01	< 10	< 10	12	< 5	82
13215	212	238	< 1	0.01	39	310	< 2	5	< 10	479	< 0.01	< 10	< 10	16	5	78
13216	212	238	< 1	0.01	9	< 10	< 2	5	< 10	302	< 0.01	< 10	< 10	7	< 5	29
13217	212	238	< 1	0.01	11	250	< 2	10	< 10	394	< 0.01	< 10	< 10	10	< 5	40
13218	212	238	< 1	0.01	13	< 10	< 2	5	< 10	235	< 0.01	< 10	< 10	4	< 5	40
13219	212	238	< 1	0.01	22	840	< 2	5	< 10	137	< 0.01	< 10	< 10	31	< 5	75
13220	212	238	1	0.01	15	750	4	5	< 10	119	< 0.01	< 10	< 10	23	< 5	52
13221	212	238	< 1	0.01	17	610	< 2	< 5	< 10	134	< 0.01	< 10	< 10	21	< 5	57
13222	212	238	< 1	< 0.01	44	810	< 2	5	< 10	76	< 0.01	< 10	< 10	20	< 5	138
13223	212	238	< 1	0.01	14	530	< 2	5	< 10	187	< 0.01	< 10	< 10	13	< 5	59
13224	212	238	< 1	0.01	12	250	< 2	5	< 10	830	< 0.01	< 10	< 10	16	< 5	32
13225	212	238	< 1	0.01	12	560	2	< 5	< 10	492	< 0.01	< 10	< 10	15	< 5	40
13226	212	238	< 1	0.01	19	530	< 2	< 5	< 10	205	< 0.01	< 10	< 10	11	< 5	58
13227	212	238	< 1	0.01	22	670	< 2	< 5	< 10	207	< 0.01	< 10	< 10	27	< 5	93

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T: NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/R/A/P-53
Comments:

Date : 20-SEP-87
Invoice # : I-8720250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13228	212	238	< 1	0.40	0.2	55	190	< 0.5	< 2	10.95	< 0.5	14	5	40	2.10	< 10	< 1	0.22	< 10	4.73	519
13229	212	238	< 1	0.16	0.2	30	130	< 0.5	< 2	>15.00	< 0.5	14	2	16	1.14	< 10	< 1	0.07	< 10	8.34	313
13230	212	238	< 1	0.38	0.2	25	110	< 0.5	< 2	7.76	< 0.5	15	9	57	2.04	< 10	< 1	0.15	< 10	3.59	477
13231	212	238	< 1	0.49	0.2	35	100	< 0.5	< 2	13.00	< 0.5	20	8	71	2.57	< 10	< 1	0.16	< 10	5.95	626
13232	212	238	< 1	0.38	0.2	20	170	< 0.5	< 2	14.15	< 0.5	16	8	45	2.24	< 10	< 1	0.15	< 10	5.92	552
13233	212	238	< 1	0.08	0.2	30	130	< 0.5	< 2	>15.00	< 0.5	14	5	9	0.55	< 10	< 1	0.03	< 10	9.73	148
13234	212	238	< 1	1.24	0.2	35	140	< 0.5	< 2	3.82	< 0.5	18	18	95	2.44	< 10	< 1	0.27	< 10	1.97	285
13235	212	238	< 1	0.37	0.2	55	100	< 0.5	< 2	13.40	< 0.5	20	11	40	2.47	< 10	< 1	0.14	< 10	5.68	575
13236	212	238	< 1	0.30	0.2	45	80	< 0.5	< 2	13.10	< 0.5	21	7	37	3.77	< 10	< 1	0.09	< 10	6.77	422
13237	212	238	< 1	0.71	0.2	15	120	< 0.5	< 2	6.22	< 0.5	20	12	108	3.59	< 10	2	0.13	< 10	2.84	656
13238	212	238	< 1	0.81	0.2	50	140	< 0.5	< 2	10.40	< 0.5	18	12	47	2.19	< 10	< 1	0.17	< 10	5.23	389
13239	212	238	< 1	0.66	0.2	20	110	< 0.5	< 2	3.68	< 0.5	16	9	98	4.06	< 10	< 1	0.19	10	1.20	855
13240	212	238	< 1	0.78	0.2	50	140	< 0.5	< 2	5.59	< 0.5	20	11	169	4.34	< 10	< 1	0.17	< 10	2.18	841
13241	212	238	< 1	0.98	0.2	35	120	< 0.5	< 2	4.94	< 0.5	20	11	138	4.63	< 10	< 1	0.14	< 10	1.95	914
13242	212	238	< 1	0.12	0.2	40	70	< 0.5	< 2	>15.00	< 0.5	12	2	6	0.59	< 10	< 1	0.01	< 10	9.28	160
13243	212	238	< 1	0.93	0.2	45	150	< 0.5	< 2	6.00	< 0.5	16	9	93	3.71	< 10	< 1	0.13	< 10	2.41	834
13244	212	238	< 1	1.64	0.2	40	100	< 0.5	< 2	2.30	< 0.5	22	19	128	5.20	< 10	< 1	0.22	20	1.31	565
13245	212	238	2	0.71	0.2	10	170	< 0.5	< 2	3.03	< 0.5	16	13	71	3.27	< 10	< 1	0.16	10	1.27	664
13246	212	238	< 1	0.97	0.2	< 5	140	< 0.5	< 2	2.05	< 0.5	16	22	69	4.21	< 10	< 1	0.19	20	0.84	586
13247	212	238	< 1	0.77	0.2	< 5	110	< 0.5	< 2	3.09	< 0.5	17	17	73	4.20	< 10	< 1	0.16	20	1.18	601
13248	212	238	< 1	0.76	0.2	40	90	< 0.5	< 2	4.82	< 0.5	19	12	84	3.90	< 10	< 1	0.12	< 10	2.12	654
13249	212	238	< 1	0.70	0.2	5	150	< 0.5	< 2	3.70	< 0.5	15	11	91	3.47	< 10	< 1	0.18	10	1.54	696
13250	212	238	< 1	1.29	0.2	15	130	< 0.5	< 2	3.43	< 0.5	19	20	81	3.84	< 10	< 1	0.21	10	1.77	719
13251	212	238	6	0.34	0.2	65	1140	< 0.5	< 2	14.60	< 0.5	18	6	49	2.35	< 10	< 1	0.10	< 10	7.27	556
13252	212	238	< 1	0.34	0.2	65	350	< 0.5	< 2	>15.00	< 0.5	17	5	29	3.39	< 10	< 1	0.17	< 10	6.11	858
13253	212	238	< 1	1.21	0.2	10	200	< 0.5	< 2	3.69	< 0.5	25	29	70	3.23	< 10	< 1	0.21	10	1.77	559
13254	212	238	< 1	0.52	0.2	50	110	< 0.5	< 2	7.06	< 0.5	19	11	82	3.10	< 10	< 1	0.22	< 10	2.91	765
13255	212	238	< 1	0.18	0.2	25	110	< 0.5	< 2	>15.00	< 0.5	13	5	3	1.32	< 10	< 1	0.05	< 10	8.46	329
13256	212	238	< 1	0.45	0.2	155	160	< 0.5	< 2	11.45	< 0.5	21	4	85	3.61	< 10	< 1	0.23	< 10	4.37	814
13257	212	238	< 1	0.51	0.2	55	130	< 0.5	< 2	10.45	< 0.5	24	1	159	3.68	< 10	< 1	0.27	< 10	3.90	813
13258	212	238	< 1	0.40	0.2	55	190	< 0.5	< 2	14.10	< 0.5	16	3	63	2.95	< 10	< 1	0.20	< 10	5.75	726
13259	212	238	< 1	3.14	0.2	25	60	< 0.5	< 2	2.94	< 0.5	22	90	23	3.21	< 10	< 1	0.16	10	1.95	447
13260	212	238	< 1	2.34	0.2	20	120	< 0.5	< 2	6.23	< 0.5	22	75	31	2.85	< 10	< 1	0.27	< 10	2.73	610
13261	212	238	2	0.51	0.2	335	140	< 0.5	< 2	12.25	0.5	16	5	65	4.09	< 10	< 1	0.26	< 10	4.70	983
13262	212	238	< 1	0.49	0.2	30	480	< 0.5	< 2	10.70	< 0.5	17	8	37	3.64	< 10	< 1	0.19	< 10	4.79	1205
13263	212	238	26	3.26	0.2	30	130	< 0.5	< 2	2.91	< 0.5	26	80	45	3.38	< 10	3	0.33	20	1.89	514
13264	212	238	< 1	0.44	0.2	20	220	< 0.5	< 2	9.12	< 0.5	17	4	80	3.56	< 10	< 1	0.24	< 10	3.78	878
13265	212	238	1	0.46	0.2	30	80	< 0.5	2	6.19	< 0.5	14	3	119	2.87	< 10	< 1	0.26	< 10	2.42	723
13266	212	238	< 1	3.19	0.2	25	80	< 0.5	2	1.73	0.5	32	92	29	3.40	< 10	< 1	0.24	< 10	1.57	424
13267	212	238	4	0.67	0.2	20	240	< 0.5	4	5.15	< 0.5	18	5	128	3.42	< 10	< 1	0.24	< 10	2.15	622

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/R/A/P-53
Comments:

Date :20-SEP-87
Invoice # :I-8720250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13228	212	238	< 1	0.01	11	350	< 2	< 5	< 10	299	< 0.01	< 10	< 10	8	< 5	40
13229	212	238	< 1	0.01	3	< 10	< 2	5	< 10	258	< 0.01	< 10	< 10	3	< 5	27
13230	212	238	< 1	0.01	13	440	< 2	< 5	< 10	104	< 0.01	< 10	< 10	13	< 5	55
13231	212	238	< 1	0.01	22	420	< 2	< 5	< 10	232	< 0.01	< 10	< 10	20	< 5	84
13232	212	238	< 1	0.01	10	370	< 2	5	< 10	383	< 0.01	10	< 10	20	< 5	51
13233	212	238	< 1	0.01	4	< 10	< 2	5	< 10	193	< 0.01	< 10	< 10	< 1	< 5	30
13234	212	238	< 1	0.01	53	790	10	< 5	< 10	76	< 0.01	< 10	< 10	25	< 5	118
13235	212	238	< 1	0.01	29	280	< 2	< 5	< 10	431	< 0.01	< 10	< 10	10	< 5	95
13236	212	238	< 1	0.01	30	140	< 2	< 5	< 10	157	< 0.01	< 10	< 10	10	< 5	45
13237	212	238	< 1	0.01	28	620	4	< 5	< 10	116	< 0.01	< 10	< 10	36	< 5	75
13238	212	238	< 1	0.01	19	310	< 2	< 5	< 10	124	< 0.01	< 10	< 10	20	< 5	56
13239	212	238	< 1	< 0.01	16	800	< 2	< 5	< 10	133	< 0.01	10	< 10	33	< 5	69
13240	212	238	< 1	0.01	23	830	2	< 5	< 10	192	< 0.01	< 10	< 10	44	< 5	85
13241	212	238	< 1	< 0.01	23	720	4	< 5	< 10	104	< 0.01	< 10	< 10	52	< 5	72
13242	212	238	< 1	0.01	< 1	< 10	< 2	< 5	< 10	182	< 0.01	< 10	< 10	2	< 5	8
13243	212	238	< 1	< 0.01	14	970	< 2	5	< 10	195	< 0.01	< 10	< 10	40	< 5	51
13244	212	238	< 1	0.01	44	880	< 2	< 5	< 10	54	< 0.01	< 10	< 10	60	< 5	89
13245	212	238	< 1	< 0.01	23	470	2	5	< 10	44	< 0.01	< 10	< 10	38	< 5	56
13246	212	238	< 1	0.01	27	720	6	< 5	< 10	69	< 0.01	10	< 10	37	< 5	69
13247	212	238	< 1	0.01	38	710	6	< 5	< 10	56	< 0.01	10	< 10	29	< 5	72
13248	212	238	< 1	0.01	27	1340	2	5	< 10	141	< 0.01	10	< 10	52	< 5	76
13249	212	238	< 1	0.01	18	700	< 2	< 5	< 10	65	< 0.01	10	< 10	21	< 5	59
13250	212	238	< 1	0.01	32	620	< 2	< 5	< 10	73	< 0.01	< 10	< 10	29	< 5	73
13251	212	238	< 1	0.01	14	110	< 2	5	< 10	214	< 0.01	< 10	< 10	13	< 5	37
13252	212	238	< 1	0.01	15	260	< 2	< 5	< 10	687	< 0.01	< 10	< 10	12	< 5	29
13253	212	238	< 1	0.01	49	730	< 2	5	< 10	136	< 0.01	< 10	< 10	27	< 5	71
13254	212	238	< 1	0.01	28	720	< 2	< 5	< 10	205	< 0.01	< 10	< 10	9	< 5	57
13255	212	238	< 1	0.01	6	< 10	< 2	5	< 10	350	< 0.01	< 10	< 10	3	< 5	11
13256	212	238	< 1	0.01	19	490	< 2	< 5	< 10	619	< 0.01	< 10	< 10	13	10	55
13257	212	238	< 1	0.01	19	580	4	< 5	< 10	508	< 0.01	< 10	< 10	13	< 5	72
13258	212	238	< 1	0.01	13	510	< 2	5	< 10	625	< 0.01	< 10	< 10	12	< 5	38
13259	212	238	< 1	0.01	84	850	< 2	< 5	< 10	129	< 0.01	< 10	< 10	53	< 5	61
13260	212	238	< 1	0.01	53	680	< 2	< 5	< 10	403	< 0.01	< 10	< 10	40	< 5	49
13261	212	238	< 1	0.01	11	510	< 2	5	< 10	492	< 0.01	< 10	< 10	11	< 5	40
13262	212	238	< 1	0.01	24	480	< 2	5	< 10	334	< 0.01	< 10	< 10	9	5	43
13263	212	238	< 1	0.02	70	800	2	< 5	< 10	98	< 0.01	< 10	< 10	54	< 5	76
13264	212	238	< 1	0.01	16	490	< 2	< 5	< 10	343	< 0.01	< 10	< 10	12	< 5	54
13265	212	238	< 1	< 0.01	18	630	6	< 5	10	185	< 0.01	< 10	< 10	11	< 5	50
13266	212	238	< 1	0.01	114	890	8	< 5	< 10	77	< 0.01	< 10	< 10	52	< 5	90
13267	212	238	< 1	< 0.01	41	680	6	< 5	10	243	< 0.01	< 10	< 10	19	< 5	63

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/R/A/P-53
Comments:

Page No :-A
Tot. Pag. :4
Date :20-SEP-87
Invoice # :I-8720250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13268	212	238	138	0.65	0.2	95	140	< 0.5	< 2	9.31	< 0.5	18	9	71	4.46	< 10	< 1	0.28	< 10	3.27	1205
13269	212	238	1	0.67	0.2	115	130	< 0.5	2	8.72	< 0.5	12	1	79	3.14	< 10	< 1	0.36	< 10	3.14	777
13270	212	238	3	0.69	0.2	25	110	< 0.5	< 2	9.42	< 0.5	14	3	70	2.86	< 10	< 1	0.29	< 10	4.16	650
13271	212	238	< 1	1.25	0.2	< 5	350	< 0.5	2	5.68	0.5	14	11	73	2.83	< 10	< 1	0.38	< 10	2.30	658
13272	212	238	7	0.91	0.2	15	130	< 0.5	2	2.58	< 0.5	19	21	53	1.94	< 10	< 1	0.26	< 10	1.27	336
13273	212	238	< 1	0.66	0.2	115	290	< 0.5	< 2	7.72	< 0.5	30	26	46	2.76	< 10	< 1	0.22	< 10	3.92	805
13274	212	238	1	0.09	0.2	160	90	< 0.5	< 2	12.00	< 0.5	24	203	6	2.00	< 10	< 1	0.01	< 10	5.68	770
13275	212	238	3	0.36	0.2	150	110	< 0.5	< 2	>15.00	< 0.5	19	92	33	2.39	< 10	< 1	0.13	< 10	6.20	763
13276	212	238	2	0.56	0.2	50	450	< 0.5	< 2	10.90	< 0.5	14	5	76	2.45	< 10	< 1	0.27	< 10	4.30	897
13277	212	238	< 1	0.36	0.2	95	390	< 0.5	< 2	14.75	< 0.5	13	6	33	2.12	< 10	< 1	0.20	< 10	6.01	594
13278	212	238	1	0.37	0.2	225	140	< 0.5	< 2	>15.00	< 0.5	20	145	25	2.61	< 10	< 1	0.19	< 10	6.40	687
13279	212	238	< 1	0.03	0.2	30	180	< 0.5	< 2	>15.00	< 0.5	8	10	3	0.78	< 10	< 1	< 0.01	< 10	8.67	262
13280	212	238	< 1	0.20	0.2	105	260	< 0.5	< 2	>15.00	< 0.5	14	36	13	1.70	< 10	< 1	0.08	< 10	7.69	490
13281	212	238	< 1	0.13	0.2	35	120	< 0.5	< 2	>15.00	< 0.5	10	7	12	1.09	< 10	< 1	0.04	< 10	7.93	264
13282	212	238	< 1	0.38	0.2	55	120	< 0.5	< 2	14.70	< 0.5	11	5	37	1.89	< 10	< 1	0.18	< 10	6.43	580
13283	212	238	< 1	2.08	0.2	45	140	< 0.5	2	7.07	< 0.5	16	71	39	1.78	< 10	< 1	0.49	< 10	3.33	538
13284	212	238	2	0.23	0.2	60	130	< 0.5	< 2	13.40	< 0.5	11	5	22	1.23	< 10	< 1	0.08	< 10	6.25	275
13285	212	238	< 1	0.05	0.2	25	580	< 0.5	< 2	>15.00	< 0.5	8	6	5	0.63	< 10	< 1	0.01	< 10	8.76	198
13286	212	238	< 1	0.01	0.2	5	70	< 0.5	< 2	>15.00	< 0.5	8	< 1	2	0.80	< 10	< 1	< 0.01	< 10	8.89	350
13287	212	238	< 1	0.01	0.2	< 5	40	< 0.5	< 2	>15.00	< 0.5	8	< 1	2	0.39	< 10	< 1	< 0.01	< 10	8.79	113
13288	212	238	2	0.01	0.2	5	30	< 0.5	< 2	>15.00	< 0.5	8	< 1	2	0.50	< 10	< 1	< 0.01	< 10	9.04	135
13289	212	238	< 1	< 0.01	0.2	< 5	30	< 0.5	< 2	>15.00	< 0.5	8	< 1	2	0.56	< 10	< 1	< 0.01	< 10	9.74	157
13290	212	238	< 1	0.01	0.2	5	40	< 0.5	< 2	>15.00	< 0.5	7	< 1	3	1.07	< 10	< 1	< 0.01	< 10	8.66	504
13291	212	238	< 1	0.01	0.2	5	40	0.5	< 2	>15.00	< 0.5	8	< 1	2	0.71	< 10	< 1	< 0.01	< 10	8.42	245
13292	212	238	< 1	0.70	0.2	15	120	< 0.5	< 2	8.48	< 0.5	14	5	63	3.25	< 10	< 1	0.31	< 10	2.85	831
13293	212	238	< 1	0.26	0.2	5	120	< 0.5	< 2	>15.00	< 0.5	11	< 1	13	2.32	< 10	< 1	0.13	< 10	6.66	586
13294	212	238	2	0.62	0.2	30	140	< 0.5	2	10.65	< 0.5	13	4	83	2.36	< 10	< 1	0.33	< 10	4.25	643
13295	212	238	< 1	0.52	0.2	125	180	< 0.5	< 2	12.55	< 0.5	14	2	71	2.43	< 10	< 1	0.29	< 10	5.30	609
13296	212	238	1	0.58	0.2	30	170	< 0.5	2	11.65	< 0.5	12	2	59	2.31	< 10	< 1	0.32	< 10	4.61	574
13297	212	238	< 1	4.28	0.2	< 5	110	< 0.5	< 2	2.84	0.5	27	148	30	3.78	< 10	< 1	0.33	< 10	2.25	415
13298	212	238	3	0.70	0.2	65	130	< 0.5	4	7.45	< 0.5	15	6	80	2.50	< 10	< 1	0.28	< 10	3.22	560
13299	212	238	< 1	0.66	0.2	35	140	< 0.5	2	8.94	< 0.5	14	9	97	2.48	< 10	< 1	0.24	< 10	4.02	516
13300	212	238	2	0.35	0.2	95	100	< 0.5	< 2	14.10	< 0.5	11	4	50	1.57	< 10	< 1	0.12	< 10	6.26	347
13301	212	238	< 1	0.10	0.2	< 5	90	< 0.5	< 2	>15.00	< 0.5	8	< 1	6	0.56	< 10	< 1	0.02	< 10	8.82	157
13302	212	238	2	0.24	0.2	70	190	< 0.5	< 2	>15.00	< 0.5	11	3	28	1.29	< 10	< 1	0.08	< 10	7.81	302
13303	212	238	< 1	4.99	0.2	15	120	< 0.5	< 2	2.84	0.5	24	128	33	2.73	< 10	< 1	0.47	< 10	2.15	389
13304	212	238	4	0.32	0.2	20	180	< 0.5	< 2	>15.00	< 0.5	7	4	28	1.32	< 10	< 1	0.12	< 10	7.18	385
13305	212	238	2	0.03	0.2	5	90	0.5	< 2	>15.00	< 0.5	6	< 1	2	1.03	< 10	< 1	< 0.01	< 10	8.68	381
13306	212	238	< 1	1.84	0.2	15	90	0.5	< 2	6.14	< 0.5	14	48	25	2.16	< 10	< 1	0.25	< 10	2.92	409
13307	212	238	< 1	0.36	0.2	20	120	< 0.5	< 2	>15.00	< 0.5	7	4	60	1.62	< 10	< 1	0.16	< 10	6.51	340

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

T NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/R/A/P-53
Comments:

Date : 20-SEP-87
Invoice # : I-8720250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13268	212	238	< 1	< 0.01	21	590	8	< 5	20	416	< 0.01	< 10	< 10	20	< 5	57
13269	212	238	< 1	< 0.01	9	580	< 2	< 5	10	221	< 0.01	< 10	< 10	17	< 5	34
13270	212	238	< 1	0.01	22	400	6	< 5	10	182	< 0.01	< 10	< 10	16	< 5	41
13271	212	238	< 1	0.01	41	540	< 2	< 5	10	201	< 0.01	< 10	< 10	22	< 5	66
13272	212	238	2	0.01	53	620	12	< 5	< 10	68	< 0.01	< 10	< 10	14	< 5	93
13273	212	238	2	0.01	438	520	4	< 5	10	85	< 0.01	< 10	< 10	17	< 5	70
13274	212	238	< 1	< 0.01	288	50	8	5	10	555	< 0.01	< 10	< 10	6	< 5	16
13275	212	238	< 1	0.01	196	270	10	< 5	10	413	< 0.01	< 10	< 10	14	5	31
13276	212	238	< 1	0.01	116	550	8	< 5	< 10	337	< 0.01	< 10	< 10	18	< 5	26
13277	212	238	< 1	< 0.01	45	300	4	5	10	534	< 0.01	< 10	< 10	10	< 5	26
13278	212	238	< 1	0.01	131	420	2	5	10	576	< 0.01	< 10	< 10	16	< 5	22
13279	212	238	< 1	0.01	32	20	10	< 5	< 10	229	< 0.01	< 10	< 10	1	< 5	10
13280	212	238	< 1	0.01	104	160	8	< 5	< 10	470	< 0.01	< 10	< 10	10	< 5	24
13281	212	238	< 1	0.01	37	50	4	< 5	< 10	237	< 0.01	< 10	< 10	5	< 5	18
13282	212	238	< 1	0.01	20	230	8	< 5	10	212	< 0.01	< 10	< 10	10	< 5	33
13283	212	238	< 1	0.01	66	690	8	< 5	< 10	127	< 0.01	< 10	< 10	38	< 5	104
13284	212	238	1	0.01	48	190	10	< 5	< 10	171	< 0.01	< 10	< 10	8	< 5	27
13285	212	238	< 1	0.01	21	10	8	< 5	< 10	169	< 0.01	< 10	< 10	2	< 5	16
13286	212	238	< 1	< 0.01	35	20	10	< 5	< 10	227	< 0.01	< 10	< 10	< 1	< 5	16
13287	212	238	< 1	< 0.01	13	< 10	8	< 5	< 10	147	< 0.01	< 10	< 10	< 1	< 5	12
13288	212	238	< 1	< 0.01	41	< 10	4	< 5	< 10	153	< 0.01	< 10	< 10	< 1	< 5	11
13289	212	238	< 1	< 0.01	36	< 10	14	< 5	< 10	163	< 0.01	< 10	< 10	< 1	< 5	15
13290	212	238	< 1	< 0.01	31	20	8	< 5	< 10	192	< 0.01	< 10	< 10	< 1	< 5	16
13291	212	238	< 1	< 0.01	24	< 10	6	< 5	< 10	190	< 0.01	< 10	< 10	< 1	< 5	18
13292	212	238	< 1	< 0.01	26	640	12	< 5	20	556	< 0.01	< 10	< 10	15	< 5	53
13293	212	238	< 1	0.01	10	270	6	< 5	10	565	< 0.01	< 10	< 10	7	5	23
13294	212	238	< 1	< 0.01	10	560	6	< 5	10	424	< 0.01	< 10	< 10	15	< 5	47
13295	212	238	< 1	< 0.01	21	420	< 2	< 5	< 10	427	< 0.01	< 10	< 10	13	< 5	39
13296	212	238	< 1	< 0.01	10	570	4	< 5	< 10	476	< 0.01	< 10	< 10	16	< 5	38
13297	212	238	< 1	0.01	119	930	8	< 5	< 10	148	< 0.01	< 10	< 10	71	< 5	92
13298	212	238	< 1	0.01	23	560	6	< 5	< 10	111	< 0.01	< 10	< 10	17	< 5	62
13299	212	238	< 1	0.01	18	480	4	< 5	< 10	115	< 0.01	< 10	< 10	19	< 5	48
13300	212	238	< 1	0.01	6	260	4	< 5	< 10	212	< 0.01	< 10	< 10	13	< 5	25
13301	212	238	< 1	0.01	5	30	6	< 5	< 10	157	< 0.01	< 10	< 10	1	< 5	12
13302	212	238	< 1	0.01	14	190	6	< 5	< 10	249	< 0.01	< 10	< 10	11	< 5	33
13303	212	238	< 1	0.01	118	870	8	< 5	< 10	152	< 0.01	< 10	< 10	68	< 5	151
13304	212	238	< 1	0.01	25	210	8	< 5	< 10	145	< 0.01	< 10	< 10	7	< 5	28
13305	212	238	< 1	0.01	16	30	10	< 5	< 10	173	< 0.01	< 10	< 10	1	< 5	21
13306	212	238	< 1	0.01	52	600	10	< 5	< 10	234	< 0.01	< 10	< 10	30	< 5	55
13307	212	238	< 1	< 0.01	11	270	10	< 5	< 10	216	< 0.01	< 10	< 10	13	< 5	29

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To: NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/R/A/P-53
Comments:

Page No : -A
Tot. Pag :
Date : 20-SEP-87
Invoice # : I-8720250
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13308	212	238	3	0.43	0.2	70	130	0.5	< 2	12.45	< 0.5	13	< 1	99	2.81	< 10	< 1	0.28	< 10	4.45	653
13309	212	238	< 1	0.74	0.2	10	130	< 0.5	< 2	8.49	< 0.5	13	23	40	2.12	< 10	< 1	0.22	< 10	3.86	712
13310	212	238	2	0.29	0.2	5	120	< 0.5	< 2	>15.00	< 0.5	7	< 1	20	1.44	< 10	< 1	0.12	< 10	7.55	310
13311	212	238	< 1	0.40	0.2	10	180	0.5	< 2	>15.00	0.5	8	< 1	7	3.87	< 10	< 1	0.22	< 10	5.71	1020
13312	212	238	< 1	0.56	0.2	95	120	< 0.5	< 2	10.35	< 0.5	15	1	123	2.86	< 10	< 1	0.35	< 10	3.81	660

Bedrock Adit
Au

CERTIFICATION : [signature]

Chemex Labs Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

I NITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
YIA 2N2

Project : DL/HUN/R/A/P-53
Comments:

Date :20-SEP-87
Invoice # :I-8720250
P.O. # :NONE

CERTIFICATE OF ANALYSIS A8720250

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13308	212	238	< 1	< 0.01	14	630	4	< 5	< 10	498	< 0.01	< 10	< 10	14	< 5	52
13309	212	238	< 1	0.01	36	540	10	< 5	< 10	169	< 0.01	< 10	< 10	20	< 5	72
13310	212	238	< 1	< 0.01	6	110	4	< 5	< 10	344	< 0.01	< 10	< 10	9	< 5	17
13311	212	238	< 1	< 0.01	16	320	14	< 5	10	1080	< 0.01	< 10	< 10	16	< 5	42
13312	212	238	< 1	< 0.01	17	730	6	< 5	< 10	346	< 0.01	< 10	< 10	21	< 5	65

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ..NITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : DL/HUN/R/A
Comments:

Date : 19-JUN-87
Invoice # : I-8715753
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715753

BEN LEVY SURFACE SAMPLES

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13076	205	238	2	0.36	0.2	20	30	< 0.5	< 2	12.90	< 0.5	72	1050	7	2.93	< 10	< 1	< 0.01	< 10	6.83	396
13077	205	238	4	0.10	0.2	10	30	< 0.5	< 2	13.05	< 0.5	43	981	4	2.88	< 10	< 1	< 0.01	< 10	8.28	250
13501	205	238	< 1	0.45	0.2	45	120	< 0.5	2	14.00	< 0.5	17	14	104	2.85	< 10	< 1	0.28	< 10	6.07	624
13502	205	238	< 1	0.41	0.2	20	110	< 0.5	< 2	>15.00	< 0.5	13	9	34	2.53	< 10	< 1	0.24	< 10	6.79	619
13503	205	238	< 1	0.43	0.2	20	110	< 0.5	< 2	>15.00	< 0.5	13	4	29	1.71	< 10	< 1	0.25	< 10	8.08	418
13504	205	238	< 1	0.58	0.2	5	320	< 0.5	< 2	12.15	< 0.5	15	32	61	2.59	< 10	< 1	0.24	< 10	5.06	539
13505	205	238	< 1	0.05	0.2	10	40	< 0.5	< 2	>15.00	< 0.5	10	7	3	0.43	40	< 1	< 0.01	< 10	10.65	124
13506	205	238	< 1	0.23	0.2	220	160	< 0.5	< 2	8.99	1.5	39	378	3	2.85	20	< 1	< 0.01	< 10	9.02	2680
13507	205	238	< 1	0.01	0.2	70	110	< 0.5	< 2	13.35	< 0.5	35	303	< 1	1.38	30	< 1	< 0.01	< 10	8.02	623
13508	205	238	< 1	0.04	0.2	5	70	< 0.5	< 2	>15.00	< 0.5	8	17	1	0.34	30	< 1	0.01	< 10	8.33	104
13509	205	238	< 1	0.44	0.2	10	110	< 0.5	< 2	10.30	< 0.5	10	63	48	2.45	20	< 1	0.09	< 10	4.32	570
13510	205	238	< 1	0.03	0.2	10	40	0.5	< 2	>15.00	< 0.5	10	8	1	0.36	40	< 1	< 0.01	< 10	10.25	142
13511	205	238	< 1	0.13	0.2	10	60	< 0.5	2	9.92	< 0.5	9	120	26	3.20	20	< 1	0.05	< 10	4.20	930
13512	205	238	< 1	0.40	0.2	20	120	0.5	< 2	11.80	< 0.5	14	7	64	3.14	30	< 1	0.47	< 10	4.75	746
13513	205	238	< 1	0.19	0.2	20	60	< 0.5	< 2	6.45	0.5	37	765	3	1.47	10	< 1	< 0.01	< 10	3.02	280
13514	205	238	< 1	0.01	0.2	< 5	20	0.5	< 2	>15.00	< 0.5	9	16	< 1	0.33	30	< 1	< 0.01	< 10	10.05	126
13515	205	238	< 1	0.06	0.2	10	60	< 0.5	< 2	>15.00	< 0.5	11	10	10	1.43	40	< 1	0.01	< 10	9.50	384
13516	205	238	< 1	0.46	0.2	50	110	< 0.5	< 2	14.10	< 0.5	13	7	100	2.21	30	< 1	0.27	< 10	6.52	493
13517	205	238	4	0.34	0.2	45	50	< 0.5	< 2	8.67	< 0.5	42	688	28	2.39	20	< 1	< 0.01	< 10	6.17	540
13518	205	238	1	1.06	0.2	< 5	1610	1.0	2	0.65	< 0.5	10	18	15	1.66	< 10	< 1	0.25	< 10	0.49	283
13519	205	238	4	0.10	0.2	10	20	< 0.5	< 2	0.11	< 0.5	2	209	7	1.31	< 10	< 1	0.02	< 10	0.04	38

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To : UNITED KENO HILL MINES LIMITED

409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2

Project : DL/HUN/R/A
Comments:

Page No. : 1-B
Tot. Pages: 1
Date : 19-JUN-87
Invoice # : I-8715753
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715753

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13076	205	238	< 1	0.01	1095	10	< 2	< 5	40	329	< 0.01	20	< 10	17	20	38
13077	205	238	< 1	< 0.01	783	< 10	< 2	< 5	40	438	< 0.01	10	< 10	12	15	8
13501	205	238	< 1	0.01	16	300	< 2	5	30	392	< 0.01	< 10	< 10	11	5	44
13502	205	238	< 1	0.01	16	330	< 2	5	30	402	< 0.01	< 10	< 10	9	5	34
13503	205	238	1	0.01	6	210	< 2	< 5	40	386	< 0.01	< 10	< 10	11	< 5	34
13504	205	238	< 1	0.01	9	480	< 2	< 5	30	328	< 0.01	< 10	< 10	27	5	30
13505	205	238	< 1	0.01	1	< 10	< 2	< 5	< 10	188	< 0.01	< 10	< 10	< 1	< 5	6
13506	205	238	< 1	< 0.01	669	10	4	< 5	< 10	576	< 0.01	< 10	< 10	36	10	116
13507	205	238	< 1	< 0.01	672	70	< 2	< 5	< 10	566	< 0.01	< 10	< 10	2	5	8
13508	205	238	< 1	0.01	13	10	2	< 5	< 10	209	< 0.01	< 10	< 10	< 1	< 5	4
13509	205	238	< 1	< 0.01	14	570	2	< 5	< 10	344	< 0.01	< 10	< 10	37	< 5	20
13510	205	238	< 1	< 0.01	30	< 10	< 2	< 5	< 10	176	< 0.01	< 10	< 10	< 1	< 5	12
13511	205	238	< 1	< 0.01	5	100	16	< 5	< 10	385	< 0.01	10	< 10	11	5	14
13512	205	238	< 1	0.01	9	770	4	< 5	< 10	533	< 0.01	< 10	< 10	9	10	48
13513	205	238	< 1	0.01	835	80	2	< 5	< 10	145	< 0.01	< 10	< 10	55	10	58
13514	205	238	< 1	0.01	15	< 10	< 2	< 5	< 10	118	< 0.01	< 10	< 10	< 1	< 5	8
13515	205	238	< 1	0.01	5	20	< 2	< 5	< 10	219	< 0.01	< 10	< 10	3	< 5	24
13516	205	238	< 1	0.01	10	320	10	< 5	< 10	320	< 0.01	< 10	< 10	10	5	38
13517	205	238	< 1	< 0.01	623	170	< 2	< 5	< 10	333	< 0.01	< 10	< 10	18	10	36
13518	205	238	< 1	0.01	17	400	14	< 5	< 10	212	< 0.01	< 10	< 10	16	< 5	58
13519	205	238	< 1	< 0.01	10	110	2	< 5	< 10	6	< 0.01	< 10	< 10	2	< 5	2

CERTIFICATION : 

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. -A
Tot. Pages: 1
Date : 17-JUN-87
Invoice # : I-8715767
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715767

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Al %	Ag ppm	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
13078	212	238	5	0.89	0.2	20	340	0.5	6	3.01	1.0	20	110	71	3.81	10	< 1	0.14	< 10	1.64	802
13079	212	238	1	0.57	0.4	15	520	< 0.5	4	1.93	1.0	24	27	51	6.01	10	< 1	0.10	< 10	0.80	1005
13080	212	238	< 1	1.77	0.2	35	510	6.5	2	0.45	0.5	5	19	24	1.74	10	< 1	0.30	10	0.48	357
13081	212	238	< 1	4.42	0.2	30	260	11.0	< 2	3.10	0.5	7	53	6	1.86	20	< 1	1.61	< 10	0.46	273
13082	212	238	< 1	2.88	0.2	< 5	110	6.0	4	0.51	< 0.5	2	5	2	0.69	10	< 1	0.84	10	0.44	51
13083	212	238	< 1	0.72	0.2	< 5	90	< 0.5	4	3.46	< 0.5	18	16	136	4.88	10	< 1	0.22	< 10	0.95	914
13084	212	238	< 1	0.99	0.2	10	110	< 0.5	4	11.65	0.5	24	222	63	3.62	30	< 1	0.14	< 10	1.74	960

CERTIFICATION :

Chemex Labs Ltd.
Analytical Chemists • Geochemists • Registered Assayers
212 BROOKSBANK AVE., NORTH VANCOUVER,
BRITISH COLUMBIA, CANADA V7J-2C1
PHONE (604) 984-0221

To ITED KENO HILL MINES LIMITED
409 BLACK ST.
WHITEHORSE, YUKON
Y1A 2N2
Project : P53
Comments:

Page No. : B
Tot. Pages: 1
Date : 17-JUN-87
Invoice # : I-8715767
P.O. # : NONE

CERTIFICATE OF ANALYSIS A8715767

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
13078	212 238	2	0.02	143	940	12	< 5	< 10	98	< 0.01	< 10	< 10	64	< 5	150
13079	212 238	< 1	0.01	69	1060	12	< 5	< 10	68	< 0.01	< 10	< 10	75	< 5	144
13080	212 238	1	0.03	31	250	58	< 5	< 10	25	< 0.01	< 10	< 10	11	< 5	208
13081	212 238	1	0.07	39	150	32	< 5	< 10	122	0.01	< 10	< 10	26	< 5	286
13082	212 238	< 1	0.02	5	20	54	< 5	< 10	24	< 0.01	< 10	< 10	< 1	< 5	126
13083	212 238	< 1	0.01	22	820	10	< 5	< 10	178	< 0.01	< 10	< 10	63	< 5	78
13084	212 238	< 1	0.02	113	610	< 2	< 5	< 10	258	< 0.01	< 10	< 10	60	< 5	96

CERTIFICATION :

REFERENCES

ARCHER-CATHRO Mineral Inventory, 1987 edition.

CAIRNES, D.D. 1911. Quartz Mining in the Klondike District. GSC summary report.

DAWSON DAILY NEWS. Circa 1901. Golden Clean-up Edition.

DEBICKI, R. 1984 and 1985. Bedrock Geology and Mineralization of the Klondike Area (West)(East). DIAND open file.

McCONNELL, R. G. 1901. Report on the Klondike gold fields. G.S.C. annual report.

McCONNELL, R. G. 1907. Report on gold values in the Klondike high level gravels. GSC No. 979.

McFAULL, A. J. 1982. Exploration proposal for the Dawson Area. Internal UHKM report.

MORTENSEN, J. K. 1984. Summary report on bedrock geology and soil geochemistry, Klondike District, Y.T. Internal UKHM report.

PRINCE, D. R. 1985. Report on the 1984 Exploration Program in the Klondike Gold Fields. Internal UKHM report.

CERTIFICATE OF QUALIFICATIONS

I, Jim McFaull, with business address of:

United Keno Hill Mines Limited
409 Black Street
Whitehorse, Yukon
Y1A 2N2

and residential address:

5-100 Lewes Boulevard
Whitehorse, Yukon
Y1A 3W1
Telephone: (403) 667-7935

do hereby certify that:

1. I am a practicing geologist.

2. I hold a Bachelor of Science Degree (1976) in Exploration Geology from the University of British Columbia.

3. I am a Fellow of the Geological Association of Canada.

4. I have been practicing my profession since 1972, for several companies in British Columbia, and with United Keno Hill Mines Limited since 1975. I am currently employed as Senior Exploration Geologist in UKHM's Whitehorse Exploration Department.

5. This report, entitled "Geological, Geochemical, Geophysical and Underground Exploration of the Ben Levy, HUN II, Hunker Extension and Hattie Grids - Lower Hunker Creek," is based on work supervised by me as an employee of United Keno Hill Mines Limited.

6. I have not received, nor do I expect to receive, any interest, either directly or indirectly, in the properties concerned in this report or in United Keno Hill Mines Limited.

Respectfully submitted,

Jim McFaull, B.Sc., F.G.A.C.
Senior Exploration Geologist

092591



UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

LOCATION OF DAWSON CLAIM GROUP

Mining District DAWSON

N.T.S. Sheet No. 115-O-10, 115-O-15, 115-O-14, 116-B-3

Scale 1" = 40miles

Drawn by H.D.P.	***Date*** 84/12/06

BCIL - 3042 - U.K.H.M.

092591

GROUSE MOUNTAIN

DAWSON

AUSTRALIAN HILL

MT. BRONSON

MT. LEOTTA

BEAR CREEK

UPPER SULPHUR CREEK

DOMINION MOUNTAIN

GOLD RUN

RUBY MOUNTAIN

HAYSTACK MOUNTAIN

RIJ

YUKON RIVER

KLONDIKE RIVER

INDIAN RIVER

NORTH KLONDIKE RIVER

Quebec Creek
Fourth Creek
Clear Creek
Moosehide Creek
Dagdwood Creek
Empire Creek
Bryant Creek
Hunker Creek
Bonanza Creek
Bell Creek
Garner Creek
Ensley Creek
Galena Creek
Reindeer Creek
Ruby Creek
Lepine Creek
Bradley Creek
Rock Creek
Coal Creek
Rabbit Creek
Gilchar Creek
Dominion Creek
Fish Creek
Lee Creek
Laura Creek
Florence Creek
Medrich Creek
All Gold Creek
Flat Creek
Jensen Creek
Bull Run Creek
Sulphur Creek
Hunker Creek
Nine Mile Creek
Indian River

HUN-144 1550'
HUN-55 1220'
HUN-25,26 1570'
BON-13 1580'
BON-1,2,9 1980'
CAN-40 1440'
SUL-112 1980'
SUL-76 1750'
QUA-60 2000'
DOM-75,77 1810'
DOM-27,28 2000'
RUN-42 1230'
RUN-1,12 1180'

LEGEND

- CHLORITE SCHIST
- PRIMARY (Unworn Placer Au)
- HARDROCK Au SHOWING
- AIRBORNE GEOPHYSICAL TEST SURVEYS
- HUN-144 (claim) 1550' (footage drilled) DRILL LINE LOCATION
- CLAIM BOUNDARY

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE - YUKON

DAWSON LODE PROJECT
CLAIM LOCATION MAP

Mining District DAWSON
N.T.S. Sheet No. 115-0
Scale 1:250,000

Drawn by H.D.P.

Date 84/12/06 REVISED 86/07/10

092591

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

LOWER HUNKER CREEK CLAIM LOCATION

Mining District	DAWSON
N.T.S. Sheet No.	116-B-3
Scale	1:31,680
Drawn by McFAULL	***Date*** Nov9/88

BCIL - 3042 - U.K.H.M.



LEGEND

- 0 - 10
- 10-20
- 20-30
- +30

SCALE

25m 0 25m 50m 100m 200m

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

BEN LEVY GRID

FRASER FILTERED VLF-EM Tx-HAWAII (23.4 kHz)

Mining District	DAWSON
N.T.S. Sheet No.	116 - B - 3
Scale	1:2,500 — 1cm = 25m
Drawn by	H.D.P.
Date	88/09/20

698

092591

092591

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

BEN LEVY GRID

FRASER FILTERED VLF-EM Tx SEATTLE (24.8kHz)

Mining District DAWSON
N.T.S. Sheet No. 116-B-3
Scale 1:2,500 1cm = 25m

Drawn by H.D.P. Date 88/09/20

669

LEGEND

- 0-10
- 10-20
- 20-30
- + 30

SCALE

25m 0 25m 50m 100m 200m

Baseline Azimuth 315°

-500 -400 -300 -200 -100 0 100 200 300 400 500 600 700 800 900 1000

0 -100 -200 -300 -400 -500 -600 -700 -800 -900

09251

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

BEN LEVY GRID
SAMPLE LOCATIONS

Mining District DAWSON
N.T.S. Sheet No. 116 - B - 3
Scale 1:2,500 1cm = 25m
Drawn by H.D.F Date 88/09/20

LEGEND

SCALE
25m 0 25m 50m 100m 200m

Baseline Azimuth 315° (T)

-500 -400 -300 -100 100 200 300 400 500 600 700 800 900 1000

0 -100 -200 -300 -400 -500 -600 -700 -800 -900

10459 10460 10461 10462 10463 10464 10465 10466 10467 10468 10469 10470 10471 10472 10473 10474 10475 10476 10477 10478 10479 10480 10481 10482 10483 10484 10485 10486 10487 10488 10489 10490 10491 10492 10493 10494 10495 10496 10497 10498


-900
-800
-700
-600
-500
-400
-300
-200
-100
0
1000
900
800
700
600
500
400
300
200
100
-100
-200
-300
-400
-500
Baseline
Azimuth 315°
LEGEND
0 - 5 p.p.b.
6 - 10 p.p.b.
11 - 25 p.p.b.
< 25 p.p.b.
SCALE
25m 0 25m 50m 100m 200m
UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON
BEN LEVY GRID
GOLD GEOCHEMISTRY IN p.p.b.
Mining District DAWSON
N.T.S. Sheet No. 116 - B - 3
Scale 1:2,500 1cm = 25m
701
Drawn by H.D.P.
Date 88/09/20

092591

092591



SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER II GRID
SAMPLE LOCATION MAP

DRAWN BY: Roland DXY	DATE: Sept 22 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-5 ppb
- □ 6-10 ppb
- □ 11-25 ppb
- □ <25 ppb

Detection limit -1 ppb
Upper limit -10000 ppb
Minimum assay - 0 ppb
Maximum assay - 113 ppb

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER II GRID
GOLD SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: Sept 21 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

□ 0-50 ppm
□ 51-100 ppm
□ 101-200 ppm
□ <200 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 6 ppm
Maximum assay - 375 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER II GRID
CHROMIUM SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: Sept 21 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-25 ppm
- □ 26-75 ppm
- □ 76-175 ppm
- □ <175 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 5 ppm
Maximum assay - 351 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER II GRID
NICKEL SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: Sept 21 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-.50 %
- □ .51-1.00 %
- □ 1.01-1.75%
- □ <1.75 %

Minimum assay - .05 %
Maximum assay - 2.11 %

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER II GRID
MAGNESIUM SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: Sept 21 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
SAMPLE LOCATION MAP

DRAWN BY: Roland DXY	DATE: Sept 22 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-5 ppb
- □ 6-10 ppb
- □ 11-25 ppb
- □ <25 ppb

Detection limit -1 ppb
Upper limit -10000 ppb
Minimum assay - 0 ppb
Maximum assay - 38 ppb

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
GOLD SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: April 7/88
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

□ 0-25 ppm
□ 26-75 ppm
□ 76-150 ppm
□ (151 ppm

Detection limit - 5 ppm
Upper limit - 10000 ppm
Minimum assay - 0 ppm
Maximum assay - 435 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
ARSENIC SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: April 7/88
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-25 ppm
- □ 26-50 ppm
- □ 51-75 ppm
- □ <75 ppm

Detection limit -2 ppm
Upper limit -10000 ppm
Minimum assay - 0 ppm
Maximum assay - 96 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
LEAD SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: April 7/88
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-75 ppm
- □ 76-150 ppm
- □ 151-225 ppm
- □ 226-300ppm
- □ <300ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 11 ppm
Maximum assay - 413 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED EXPLORATION DEPARTMENT	
HUNKER EXTENSION GRID ZINC SOIL GEOCHEMISTRY	
DRAWN BY: Roland DXY	DATE: April 7/88
N.T.S.: 116 B/3	FIGURE NO.1

092591



LEGEND

- □ 0-50 ppm
- □ 51-100 ppm
- □ 101-500 ppm
- □ 501-1000ppm
- <1000ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 0 ppm
Maximum assay - 1376 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
CHROMIUM SOIL GEOCHEMISTRY

DRAWN BY: Roland OXY	DATE: April 8/88
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

□ 0-500 ppm
□ 501-1000 ppm
□ 1001-1500 ppm
□ <1500 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 15 ppm
Maximum assay - 5285 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HUNKER EXTENSION GRID
MANGANESE SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: April 8/88
N.T.S.: 116 B/3	FIGURE NO.:

092591



SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
SAMPLE LOCATION MAP

DRAWN BY: RHS / DXY	DATE: October 4 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-5 ppb
- □ 6-10 ppb
- □ 11-25 ppb
- □ <25 ppb

Detection limit -1 ppb
Upper limit -10000 ppb
Minimum assay - 0 ppb
Maximum assay - 91 ppb

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
GOLD SOIL GEOCHEMISTRY

DRAWN BY: RHS / DXY	DATE: Oct 3 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-10 ppm
- □ 11-20 ppm
- □ 21-50 ppm
- □ <50 ppm

Detection limit - 5 ppm
Upper limit - 10000 ppm
Minimum assay - 0 ppm
Maximum assay - 95 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
ARSENIC SOIL GEOCHEMISTRY

DRAWN BY: R. Stirling	DATE: Sept 30 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0 - 10 ppm
- □ 11 - 20 ppm
- □ 21 - 40 ppm
- □ ‹40 ppm

Detection limit -2 ppm
Upper limit -10000 ppm
Minimum assay - 0 ppm
Maximum assay - 78 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
LEAD SOIL GEOCHEMISTRY

DRAWN BY: Roland DXY	DATE: SEPT 30 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



BL -Azimuth 108

LEGEND

- ☐ 0-50 ppm
- ☐ 51-100 ppm
- ☐ 101-150 ppm
- ☐ <150 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 18 ppm
Maximum assay - 529 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
ZINC SOIL GEOCHEMISTRY

DRAWN BY: R. Stirling	DATE: Sept 30 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 0-25 ppm
- □ 26-75 ppm
- □ 76-150 ppm
- □ <150 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 7 ppm
Maximum assay - 1464 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
CHROMIUM SOIL GEOCHEMISTRY

DRAWN BY: R. Stirling	DATE: Sept 30 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

092591



LEGEND

- □ 1-250 ppm
- □ 251-500 ppm
- □ 501-750 ppm
- □ (751 ppm

Detection limit -1 ppm
Upper limit -10000 ppm
Minimum assay - 57 ppm
Maximum assay - 1809 ppm

SCALE 1:7500

0 50 100 200 300m

UNITED KENO HILL MINES LIMITED
EXPLORATION DEPARTMENT

HATTIE GRID (Bordeleau Gulch)
MANGANESE SOIL GEOCHEMISTRY

DRAWN BY: R. Stirling	DATE: Sept 30 - 1988
N.T.S.: 116 B/3	FIGURE NO.:

-900 -800 -700 -600 -500 -400 -300 -200 -100 0

1000 900 800 700 600 500 400 300 200 100 -100 -200 -300 -400 -500

HUN169 HUN170

Baseline
Azimuth 315°

HUN161 HUN160 HUN146 HUN144 HUN145 HUN143

HUNKER ROAD

HUN160 HUN159 HUN144 HUN142 HUN143 HUN141

HUN159 HUN142 HUN141

HUN 30 HUN 31 HUN 34 HUN 33

HUNKER ROAD

700

HUNKER CREEK

LEGEND

- QUARTZ-FELDSPAR PORPHYRY RHYOLITE
- BLACK GRAPHITE SCHIST
- TAN QUARTZ CHLORITE MUSCOVITE SCHIST
- ULTRAMAFIC (SERPENTINITE, BRUCITE, LISTWANITE)
- GEOLOGICAL CONTACT (KNOWN, ASSUMED)
- FAULT (KNOWN, ASSUMED)
- BEN LEVY QUARTZ-CARBONATE VEINS (KNOWN, ASSUMED)
- CLAIM POST
- BEN LEVY ADIT
- 1984 U.K.H.M. PERCUSSION DRILL HOLE

SCALE

25m 0 25m 50m 100m 200m

UNITED KENO HILL MINES LTD.
EXPLORATION DEPARTMENT
WHITEHORSE — YUKON

BEN LEVY GRID
SURFACE GEOLOGY PLAN

Mining District DAWSON
N.T.S. Sheet No. 116-B-3
Scale 1:2,500 1cm = 25m

702

Drawn by H.D.P.
Date 88/09/20

092591

240°

60°

LEGEND

- BLACK GRAPHITE SCHIST
- TAN QUARTZ CHLORITE MUSCOVITE SCHIST
- ULTRAMAFIC (SERPENTINITE, BRUCITE, LISTWANITE)
- BANDED QUARTZ-CARBONATE VEIN-FAULT
- FELDSPAR PORPHYRY TRAP DIKE
- GOVERNMENT SURVEY POST
- FAULT



UNITED KENO HILL MINES LTD.	
EXPLORATION DEPARTMENT WHITEHORSE — YUKON	
BEN LEVY ADIT & 1984 DRILL HOLE GEOLOGY CROSS SECTION BEARING 240° / 060° LOWER HUNKER CREEK DAWSON LODE PROJECT	
Mining District DAWSON	
N.T.S. Sheet No. 116-B-3	
Scale 1:600 (1"= 50')	
Drawn by McFAULL	*Date* NOV. 1, 1988

092591

BCIL - 3043 - U.K.H.M.



UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT – 1987

BEN LEVY ADIT – HUNKER CREEK

MODIFIED PLAN VIEW 703

DRAWN BY: CHERYL SQUAIR | DATE: OCTOBER 6/88

N.T.S. 116 B 3

SCALE 1:30

0m .25m .50m 1.0m 2.0m

092591



LEGEND

- Tan Muscovite Schist
- Black Graphite Schist
- Creamy-White Banded Quartz-Carbonate Vein
- Creamy-White Banded Quartz-Carbonate Stockwork
- Zone of Graphitic (?) Black Fault Gouge
- Zone of Stockwork Hairline Fractures
- Heavily Gouged and Weathered — Major Fault Zone
- Vuggy Zone in Quartz-Carbonate Vein
- Fault Brecciated Quartz-Carbonate Vein
- Feldspar Porphyry Trap Dyke
- Muck Pile from Cave In
- Old Timber

N.B.: Au ppb / Sample Width / Sample Number & Location

e.g. 3 ppb | 12345

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1987 704

BEN LEVY ADIT — HUNKER CREEK

CROSS-SECTION OF LEFT RIB & ISOMETRIC PERSPECTIVE OF MIDDLE & LOWER WINZES & DRIFT — SECTION A - A

DRAWN BY: ... SCALE: ...

REVISED BY: ... DATE: ... NTS 1:50 IN S

SCALE 1:50

0m .25m .50m .75m 1.0m

092591



LEGEND

- Tan Muscovite Schist
- Altered Muscovite Schist
- Creamy - White Banded Quartz - Carbonate Vein
- Zone of Graphitic(?) Black Fault Gouge
- Black Graphite Schist
- Fault Brecciated Quartz - Carbonate Vein
- Feldspar Porphyry Trap Dyke
- Zone of Stockwork Hairline Fractures
- Muck Pile from Cave-In

N.B.: Au ppb / Sample Width / Sample Number & Location

e.g. 3 ppb | 12345

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1988

BEN LEVY ADIT - HUNKER CREEK
SIDE DRIFT - RIGHT RIB
SECTION F-F'

DRAWN BY: CHERYL SQUAIR | DATE: OCTOBER 25/88

N.T.S.: 116 B 3

SCALE 1:30

0m 25m 50m 1.0m 2.0m

092591



LEGEND

- Tan Muscovite Schist
- Altered Tan Muscovite Schist
- Black Graphite Schist
- Creamy - White Banded Quartz - Carbonate Vein
- Creamy - White Banded Quartz - Carbonate Stockwork
- Zone of Graphitic(?) Black Fault Gouge
- Zone of Stockwork Hairline Fractures
- Heavily Gouged and Weathered - Major Fault Zone
- Vuggy Zone in Quartz - Carbonate Vein
- Fault Brecciated Quartz - Carbonate Vein
- Feldspar Porphyry Trap Dyke
- Muck Pile from Cave In

N.B.: Au ppb / Sample Width / Sample Number & Location

e.g. Au ppb | 12345

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1987

BEN LEVY ADIT - HUNKER CREEK

CROSS-SECTION OF RIGHT RIB

SECTION B - B'

705

DRAWN BY: CHERYL SQUAIR | DATE: OCTOBER 17/88

N.T.S. 116 B 3

SCALE 1:30

0m 20m 50m 110m 210m

092591



LEGEND

- Tan Muscovite Schist
- Altered Muscovite Schist
- Creamy - White Banded Quartz - Carbonate Vein
- Black Graphite Schist
- Zone of Graphitic (?) Black Fault Gouge
- Fault Brecciated Quartz - Carbonate Vein
- Feldspar Porphyry Trap Dyke
- Zone of Stockwork Hairline Fractures
- Muck Pile from Cave-In

N.B.: Au ppb / Sample Width / Sample Number & Location

e.g. 3 ppb | 12345

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1987

BEN LEVY ADIT - HUNKER CREEK

SIDE DRIFT - LEFT RIB

SECTION E-E'

DRAWN BY CHERYL SQUAIR | DATE: OCTOBER 25/88

N.T.S.: 116 B 3

SCALE 1:30

0m .25m .50m 1.0m 2.0m

092591



LEGEND

- Tan Muscovite Schist
- Pale Grey-Green Sericite Schist
- Black Graphite Schist
- Creamy White Banded Quartz - Carbonate Vein
- Fault Brecciated Quartz - Carbonate Vein
- Heavily Gouged and Weathered - Major Fault Zone
- Zone of Graphitic(?) Black Fault Gouge

N.B.: Au ppb / Sample Width / Sample Number & Location

e.g. 3 ppb | 12345

706

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1987

BEN LEVY ADIT - HUNKER CREEK
CROSS-SECTION OF LEFT RIB OF MIDDLE WINZE & RIGHT RIB OF LOWER WINZE
SECTION C - C' - C"

DRAWN BY: CHERYL SQUAIR | DATE: OCTOBER 28/88

N.T.S.: 116 B 3

SCALE 1:30

0m .25m .50m 1.0m 2.0m

092591



LEGEND

- Tan Muscovite Schist
- Pale Grey-Green Sericite Schist
- Black Graphite Schist
- Creamy White Banded Quartz - Carbonate Vein
- Fault Brecciated Quartz - Carbonate Vein
- Heavily Gouged and Weathered - Major Fault Zone
- Zone of Graphitic(?) Black Fault Gouge

N.B. : Au ppb / Sample Width / Sample Number & Location

e.g. 3 ppb | 12345

707

UNITED KENO HILL MINES LIMITED

DAWSON LODE PROJECT - 1987

BEN LEVY ADIT - HUNKER CREEK

CROSS-SECTION OF RIGHT RIB OF MIDDLE WINZE & LEFT RIB OF LOWER WINZE
SECTION D - D' - D"

DRAWN BY: CHERYL SQUAIR | DATE: OCTOBER 27/88

N.T.S.: 116 B 3

SCALE 1:30

0m .25m .50m 1.0m 2.0m

DAWSON LODE PROJECT
LOWER HUNKER CREEK

(JOINS LOWER BONANZA/KLONDIKE RIVER)

(JOINS UPPER BONANZA)

WELLS' CYANIDE MILL

GREAT EASTERN

Ditch (abandoned)

Bradshaw Creek

LEPINE CREEK

VEIN

Lepine Creek

Coal Creek

Bradshaw Creek

Sheep Creek

Hunker Creek

Rock Creek

Dawson Airfield

Australian Hill

Arlington

Dago Hill

Pregdo Hill

Eldorado

Bonanza

Hunker

Sulphur

Gold

Quartz

Placer

Tailings

GUYSBORO GULCH

BELCHER GULCH

RABBIT GULCH

HATTIE GRID

HATTIE GULCH

BOURGEAU GULCH

BERMUDA GULCH

MORNING STAR Au Cu

UKHM CAMP

AMERICAN GIRL

PLACER CAMP

FITZGERALD Au

HEYDON SHAFT 170'

DAGO GULCH

HENRY GULCH

HUN EXTENSION GRID

WET GULCH

PLACER CAMP

HUN II GRID

4 ABOVE PUP

No.11 DREDGE

UNEXPECTED GULCH

BENLEVY GRID

UNEXPECTED ANOMALY 'C'

UNEXPECTED ANOMALY 'B'

LAST CHANCE CREEK

PLACER CAMP

HUN 30/31

HUN 33/34

BEN LEVY ADIT

70°

8 PUP

SAVOY HILL

VIRGIN Au Pb Py

DISCOVERY WEST

GORDON Cu Pb

DISCOVERY PUP EAST

LEGEND

- U.K.H.M. CLAIM BOUNDARIES
- OTHER CLAIM BOUNDARIES
- U.K.H.M. GRID AREA
- SHOWING
- VEIN
- FAULT
- ROAD
- 4x4 TRAIL
- POWER LINE
- PHONE LINE
- CLAIM POST
- 1984 DRILL HOLE

SCALE

0 100m 200m 300m 500m 1km

1:2,500

TRUE NORTH = 0°
GRID NORTH = 2°
MAGNETIC NORTH = 31°

CONTOUR INTERVAL = 100 FEET

UNITED KENO HILL MINES LTD.	
EXPLORATION DEPARTMENT WHITEHORSE YUKON TERRITORY	
GRID LOCATION PLAN & CLAIM OUTLINES 708	
DAWSON MINING DISTRICT	
N.T.S. SHEET No. 116-B-3	
DATA BY J. McFAUL	DATE JUNE/87-MARCH/88
DRAWN BY J. McFAUL	DATE 30 MARCH 1988
REVISED BY	DATE
REVISED BY	DATE

092591