

MAP NO.: ASSESSMENT REPORT X
105 D 16 PROSPECTUS CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 092714
MINING DISTRICT: Whitehorse
TYPE OF WORK: Geochemical

REPORT FILED UNDER: Carlyle Geological Services Ltd.

DATE PERFORMED: 6-21 July, 24-29 August, 1988 DATE FILED: 12 April, 1989

LOCATION: LAT.: 60 55'N AREA: Mt Byng

LONG.: 134 25'W VALUE \$: 7675.00

CLAIM NAME & NO.: BM 1-43 (4995347-90)

WORK DONE BY: L.W. Carlyle


WORK DONE FOR: L.W. Carlyle, D. MacDonald

DATE TO GOOD STANDING:

REMARKS: MT BYNG # 273

Gold occurs in malachite-stained vuggy quartz veins associated with rhyolite dykes cutting basic volcanic rocks. Work in 1988 included soil sampling and VLF-EM surveys. The veins strike northeast, and are up to 800 m long. Soil samples contained up to 1660 ppb Au, 1018 ppm As.

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quar
Mining Act and is allowed as
representation work in the amount
of \$ 7675.00.




for

Regional Manager, Exploration and
Geological Services for Commissio
of Yukon Territory.

LAT 60 55' N
LONG 134 25' W

092714



ASSESSMENT REPORT ON THE BM CLAIMS 1 TO 45

Prospecting in the Mt. Byng area was first done in 1986 by Carlyle and his partner, S. Drew MacDonald. The BM 1 to 4 claims were staked on a copper-gold showing in July, 1986. Mr. MacDonald staked the BM 5 and 6 claims in April, 1987. Carlyle and MacDonald each own 50 % of the BM 1 to 6 claims.

During 1988, Carlyle and his field assistant, John Blackburn, both of Whitehorse, spent two periods of time in the Mt. Byng area. The first period was from July 6, 1988 to July 21, 1988. During this time, claims BM 7 to 19 were staked, VLF-EM and soil sampling were performed over the Main and R-12 Zones (See Figures 4 to 13), additional trenches were dug (Figure 3A) and some preliminary geological mapping was done (Figures 2 and 3). The VLF-EM survey readings were taken at 30 metre intervals along lines established at 100 metre spacings and perpendicular to the baselines. The baselines ran true north. Soil samples were taken at 50 metre intervals along the same cross-lines as the VLF-EM readings. Soil and rock samples were analysed by 31 element ICP and gold geochemical methods. The greatest part of the cost for these analyses was paid by Noranda Exploration, Whitehorse.

Hand trenching representing 19.3 cubic yards was done in 4 trenches (Figure 3A). Trenches 3 and 6 were originally excavated in 1986. These trenches were reopened, lengthened and deepened in 1988. Trenches 8 and 9 were excavated in 1988. Table 1 shows the dimensions of the trenches. Bedrock was exposed in only

Trench # 3. Samples BM # 10 and # 11 are samples of malachite stained vuggy quartz veins from Trenches # 3 and # 4 respectively. Hand trenching is too slow; use of a small backhoe during further trenching would be very beneficial.

TABLE 1

Trench	Length(ft)	Width(ft)	Depth(ft)	Cubic Feet	Cubic Yards
# 3	30	3	3	270	10.0
# 6	10	3	3	90	3.3
# 8	10	3	3	90	3.3
# 9	8	3	3	72	2.7
				Total	19.3

Carlyle spent two days doing a preliminary geological mapping of the claim area. Figures 2 and 3 show the geology. The rocks called a diorite may be a monzonite, rocks called peridotite are most probably gabbros. Doug Rawsthorn, a geologist formerly with Total Erickson Resources believes the rocks mapped as basalt may be andesitic. Mineralization seems to be in rhyolite or diorite filled vein faults which cut the basalt and gabbros. The best gold values occur with copper in vuggy quartz veinlets up to 2 feet thick. During later visits to the property, some inaccuracies were discovered in the mapping. Detailed surface geological mapping and some petrographic work should be done on the property.

Carlyle and his field assistant revisited the property from August 24, 1988 to August 29, 1988. During this time, the BM 20 to 43 claims were staked. Staking was very time consuming since claim posts occasionally had to be carried up to 1 1/2 miles. A

VLF-EM survey was done over the R-7 Zone using the same spacings and orientation as the previous surveys. The Seattle transmitter was off the air on August 28, 1988 so the Hawaii transmitter was employed (Figures 14 and 15). The Hawaii transmitter does not seem to couple as well with the structures as the Seattle transmitter. An extension to the R-7 Showing located approximately 250 metres south of the original discovery indicates more work is needed in the area; part of this work should probably include re-doing the VLF-EM survey using the Seattle transmitter and extending the grid to the south. Minor geological mapping was also performed during this property visit.

Carlyle revisited the property on September 12, 1988 in the company of Hugh Copland, a geologist with Noranda Exploration at Whitehorse.

The property was again revisited on September 16, 1988 in the company of Drew MacDonald and Doug Rawsthorn, a geologist formerly with Total Erickson Resources Ltd. of Whitehorse.

CONCLUSIONS

VLF-EM surveys and soil sampling over two areas on the BM Claims have given indications of geological structures at these locations. In the Main Zone area, a structure has been traced for 800 metres. This structure is still open along strike in both directions. In the R-12 Zone, a structure has been traced for 400 metres. This structure is also open along strike in both

directions and probably represents the contact between the basalt and the diorite. Indications at this time are that vein structures in this area strike northeast into the basalt from the contact. Soil and rock sampling have also demonstrated the existence of highly anomalous values in gold and copper at both locations.

Geological work and prospecting have also given strong indications of at least two other significant structures on the property. These are at the R-7 and the R-17(88) Zones. The R-7 Zone has been discussed previously and is located on Figure 1. The R-17(88) Zone is shown on Figure 2 at the western contact between the peridotite (gabbro) and the basalt. These zones should have VLF-EM and soil sampling performed over them to demonstrate their significance. Trenching should be done over anomalous areas using a small blade and backhoe equipped bulldozer.

RECOMMENDATIONS

1. Detailed geological mapping, including some petrographic work, over the claim area.
2. VLF-EM surveys and soil sampling over the R-7 and R-17(88) areas and newly discovered areas.
3. Bulldozer trenching in all anomalous areas in the Main, R-12, R-7, R-17(88) and other zones. This work would be as a second phase, contingent upon success in the previous work.

PROPOSED 1989 BUDGET

Phase One

Helicopter	\$ 2,000.00
Wages and Benefits	\$ 5,000.00
Food and Lodgings	\$ 1,500.00
Analyses	\$ 1,200.00
Fuel and Supplies	\$ 800.00
Contingencies	\$ 2,000.00

Total	\$ 12,500.00

Phase Two

Helicopter	\$ 1,000.00
Wages and Benefits	\$ 2,500.00
Food and Lodgings	\$ 800.00
Bulldozer Mob and Demobilization	\$ 1,500.00
Bulldozer Rental	\$ 6,000.00
Analyses	\$ 1,000.00
Fuel and Supplies	\$ 2,200.00
Contingencies	\$ 3,000.00

Total	\$ 18,000.00

1988 STATEMENT OF COSTS

Helicopter	\$ 1,540.00
Wages and Benefits	\$ 4,120.00
Food and Lodgings	\$ 2,400.00
2-way radio and licence	\$ 200.00
Analyses	\$ 30.20
Fuel and Supplies	\$ 282.02


Total	\$ 8,572.22

STATEMENT OF QUALIFICATIONS

I, LARRY W. CARLYLE, do certify:

1. That I am a professional geologist operating a business registered as CARLYLE GEOLOGICAL SERVICES LTD. with an office at 74 Tamarack Drive, Whitehorse, Yukon Y1A 4Y6.
2. That I hold a B. Sc. degree in geology from the University of British Columbia (1970).
3. That I am a Fellow of the Geological Association of Canada (F - 4355).
4. That I am a Registered Professional Geologist in the Association of Professional Engineers, Geologists and Geophysicists of the Province of Alberta (41097).
5. That I am a Member of the Canadian Institute of Mining and Metallurgy.
6. That I have practiced my profession as a mine and exploration geologist for fifteen years.
7. That the conclusions and recommendations in the attached report are based on work done or supervised by the writer.
8. That the BM Claims 1 to 6 are owned 50 % by Larry W. Carlyle and 50 % by S. Drew MacDonald. BM Claims 7 to 43 are totally owned by Larry W. Carlyle.

DATED at Whitehorse, Yukon, this 10th day of April, 1989.



BM CLAIMS
VLF and SOIL SURVEY AREAS

SCALE: 1=2000






FIGURE 1








LEGEND

- 1 BASALT
- 2 PERIDOTITE
- 3 DIORITE
- 4 LEWES RIVER SEDIMENTS

SCALE: 1: 31,680


LOCATION AND GEOLOGY MAP

FIGURE 2



LONGITUDINAL SECTION

LOOKING NORTH



VERTICAL SCALE: 1:10,000

HORIZONTAL SCALE: Approx. 1:25,000


LEGEND

- 1 BASALT
- 2 PERIDOTITE (Altered Basalt)
- 3 DIORITE (Altered toward Peridotite)

FIGURE 3

1+00 N 0+50 N 0+00 0+50 S 1+00 S 1+50 S

FLOAT MAPPING & TRENCH LOCATIONS



LEGEND

- #1 TRENCH
- (m) MALACHITE
- CHALCOPYRITE
- === VUGGY QTZ VEIN
- ⊙ QTZ + PYRITE
- ⊗ QTZ

2+50 E

2+00 E

1+50 E

1+00 E

0+50 E

0+00

0+50 W

1+00 W

1+50 W

#8

0+00

1988
BASELINE

1+00 S

1+00 N

#1

#4

#5

#5

#5

#5

#2

#5

#5

#5

#5

#5

#5

#5

#5

#5

#5

#5

#5

#5

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#6

#7

#7

#7

#7

#7

#7

#7


#7

(m)

FIGURE 3A
1986 GRID

1+00 N 0+50 N 0+00 0+50 S 1+00 S 1+50 S







BASELINE

+2° +6° +7° +8° +10° +9° +12° +8° +5° +4° +5° +7° +10° +8° +8° +2° +2° +3° +3° +5° -2°	6+00 N
-7° -1° -2° 0° +3° +10° +9° +9° +7° +6° +3° +3° +5° +9° +9° +5° +3° +3° +4° +4° +2°	5+00 N
-4° -5° -4° -3° -2° +1° +1° +5° +6° +7° +7° +7° +9° +9° +5° -1° -2° 0° 0° +4° -1°	4+00 N
-2° -2° -3° -1° +1° +2° +1° -3° -1° +6° +6° +10° +9° +8° +3° +2° +1° +5° +7° +5° +3°	3+00 N
-3° -2° 0° +2° +4° +2° +5° +4° +7° +6° +7° +12° +12° +14° +9° +1° -2° -1° +5° +3° +5°	2+00 N
+5° +6° +4° +7° +6° +7° +5° +5° +8° +10° +13° +14° +13° +14° +4° +2° +1° +1° -1° -1° +3°	1+00 N
+5° +3° +4° +6° +2° +3° +9° +3° +9° +10° +6° +9° +12° +12° +12° +10° +9° +5° +5° +6° +1°	0+00
+10° +11° +11° +7° +11° +9° +10° +9° +7° +11° +12° +13° +13° +14° +14° +15° +16° +15° +16° +13° +12° +9° -7° -9° -7° -7°	1+00 S
+11° +11° +6° +11° +7° +10° +9° +9° +9° +10° +9° +12° +15° +16° +16° +17° +19° +19° +20° +17° +18° +17° +14° +10° -7° -8°	2+00 S
+13° +12° +12° +12° +13° +15° +13° +13° +12° +11° +14° +11° +14° +18° +17° +19° +12° +21° +24° +24° +25°	3+00 S
+14° +11° +11° +16° +12° +13° +15° +14° +12° +9° +11° +15° +17° +18° +15° +15° +19° +17° +18° +18° +19°	4+00 S





MAIN ZONE
DIP ANGLE DATA
SCALE: 1:5000



SEATTLE TRANSMITTER

FIGURE 4

MAIN ZONE
FRASER FILTERED
VLF DATA
SCALE: 1:5000



% OF ADJUSTED FIELD STRENGTH
 BASE: 4+00S, 3+00W = 40

FIGURE 5

MAIN ZONE
 CONTOURED FIELD
 STRENGTH DATA
 SCALE: 1:5000





FIGURE 6

MAIN ZONE
 SOIL SAMPLES
 ELEMENT: Au (PPb)
 SCALE: 1:5000





FIGURE 7

MAIN ZONE
 SOIL SAMPLES
 ELEMENT: As(PPM)
 SCALE: 1:5000









FIGURE 8


MAIN ZONE
 SOIL SAMPLES
 ELEMENT: Cu (PPM)
 SCALE: 1:5000




MAIN ZONE
 SOIL SAMPLES
 ELEMENT: Ba(PPM)
 SCALE: 1:5000



MAIN ZONE
 SOIL SAMPLES
 ELEMENT: Ni (PPM)
 SCALE: 1:5000





BASELINE





3+00W 2+00W 1+00W BASELINE 1+00E 2+00E 3+00E 4+00E 5+00E

MAIN ZONE
 SOIL SAMPLES
 ELEMENT: Co (PPM)
 SCALE: 1:5000





MAIN ZONE
SOIL SAMPLES
ELEMENT: Cr (PPM)
SCALE: 1:5000



SEATTLE TRANSMITTER

FIGURE 9

R ZONE
FRASER FILTERED
VLF DATA
SCALE: 1: 5000



R ZONE
 CONTOURED FIELD
 STRENGTH DATA

FIGURE 10

SCALE: 1:5000





FIGURE 11

R ZONE
 SOIL SAMPLES
 ELEMENT : Au(PPb)
 SCALE : 1 : 5000









FIGURE 12

R ZONE
 SOIL SAMPLES
 ELEMENT : As(PPM)
 SCALE: 1:5000





R ZONE
 SOIL SAMPLES
 ELEMENT: Cu(PPM)
 SCALE: 1:5000



FIGURE 13



R ZONE
 SOIL SAMPLES
 ELEMENT: Ba(PPM)
 SCALE: 1:5000



R ZONE
 SOIL SAMPLES
 ELEMENT : Ni (PPM)
 SCALE : 1 : 5000





R ZONE


SOIL SAMPLES

ELEMENT: Co(PPM)


SCALE: 1:5000



R ZONE
 SOIL SAMPLES
 ELEMENT : Cr (PPM)
 SCALE : 1 : 5000




BASELINE



HAWAII TRANSMITTER
FIGURE 14

R-7 ZONE
FRASER FILTERED
DIP ANGLE DATA

SCALE: 1=5000



% of Adjusted Field Strength
 BASE: B.L. 5+00 N = 154

R-7 ZONE
 DIURNAL ADJUSTED
 FIELD STRENGTH DATA

FIGURE 15

SCALE: 1 = 5000

THIS LEACH IS PARTIAL FOR MN, FE, SR, CA, P, LA, CR, MG, BA, TI, B, W AND LIMITED FOR NA, K AND AL. AU DETECTION LIMIT BY ICF IS 3 PPM.
 - SAMPLE TYPE: P1 ROCK P2-P6 SOIL AO* ANALYSIS BY ACID LEACH/AA FROM 10 GM SAMPLE. HG ANALYSIS BY FLAMELESS AA.

RECEIVED: SEP 7 1988 DATE REPORT MAILED: *Sept 15/88* ASSAYER: *C. Long* D. TOYE OR C. LEONG, CERTIFIED B.C. ASSAYERS

NORANDA EXPLORATION PROJECT 312/8809-027 File # 88-4292 Page 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	Le	Cr	Mg	Se	Ti	B	Al	Na	K	W	Au*	Hg
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	%	%	%	%	PPM	PPB	PPB
<i>BM #8</i> 10167	1	3	2	19	.1	15	9	957	4.27	129	5	ND	1	137	2	9	2	18	7.27	.023	2	11	1.13	44	.01	4	.14	.01	.08	3	7	20
<i>#10</i> 10168	4	86	43	16	6.2	7	6	127	2.13	523	5	ND	1	3	1	10	2	4	.03	.003	2	2	.01	23	.01	2	.06	.01	.02	1	1045	30
<i>#12</i> 10169	1	3	2	6	.1	1	2	172	.79	2	5	ND	7	6	1	2	2	2	.09	.009	13	3	.23	44	.01	2	.42	.04	.04	1	1	10
<i>#4</i> 10170	4	99	11	17	.1	59	18	164	1.36	9	5	ND	1	54	1	2	2	18	4.00	.003	2	74	1.08	32	.02	4	4.62	.13	.08	3	6	5
<i>BM #5</i> 10171	1	6	2	29	.1	1	1	199	.73	5	5	ND	6	7	1	2	2	1	.18	.024	15	2	.08	106	.01	3	.37	.03	.08	1	1	5
<i>BM #7</i> 10172	10	159	2	29	.1	31	25	215	3.34	3	5	ND	1	9	1	2	2	67	1.34	.051	2	23	.76	12	.24	2	1.11	.11	.13	1	1	10
<i>#2</i> 10173	1	17	7	26	.1	9	8	992	3.96	1106	5	ND	1	446	1	8	2	24	15.90	.007	2	7	4.53	97	.01	2	.21	.01	.06	3	54	20
<i>R-12(52)</i> 39764	2	34	2	59	.2	11	10	1228	4.67	155	5	ND	2	233	1	2	2	45	13.84	.017	2	20	4.16	13	.01	2	1.30	.01	.06	1	6	5
<i>BM #3</i> 39765	71	672	499	22	70.6	3	9	82	5.40	1474	5	65	2	9	2	373	130	4	.16	.012	2	9	.07	61	.01	11	.13	.01	.07	2	86105	1050
<i>BM #1</i> 39766	2	78	3	49	.4	30	12	354	2.08	20	7	ND	3	163	2	9	2	39	14.47	.087	7	20	.42	99	.09	2	.67	.07	.03	4	30	5
<i>BM #3</i> 39767	12	66	3	12	.2	3	4	95	1.10	10	5	ND	10	9	1	2	2	12	.19	.034	24	8	.42	99	.04	16	.55	.04	.07	1	203	10
<i>#2</i> 39768	1	35	2	25	.1	32	10	448	1.59	4	5	ND	1	53	2	2	2	42	10.65	.022	2	62	1.29	95	.12	2	1.96	.12	.10	2	4	5
<i>R-17(8)</i> 39769	2	34	2	29	.1	70	17	600	3.36	48	5	ND	1	259	1	2	2	55	15.85	.004	2	52	3.49	19	.01	2	.26	.01	.01	1	5	10
<i>BM #3</i> 39770	26	295	2	52	.1	45	21	529	3.67	16	6	ND	1	399	1	2	2	67	5.03	.055	2	59	1.14	40	.17	2	2.23	.20	.09	1	1	5
STD C/AU-R	18	57	42	131	7.1	67	30	946	3.93	44	18	7	37	47	19	17	19	57	.44	.092	37	55	.85	175	.06	31	1.85	.06	.14	11	510	1300

ME. Bury

15 Sept 88

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Tb	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	S	Al	Na	K	M	Au*	Hg
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	PPM	PPM	PPM	PPM
L500N 300W	1	23	7	34	.1	24	8	306	2.02	4	5	ND	1	17	1	2	3	44	.36	.056	14	32	.52	92	.05	2	.89	.01	.04	1	6	10
L600N 250W	1	15	2	26	.2	19	6	164	1.81	4	5	ND	1	16	1	2	2	40	.32	.040	10	30	.41	84	.04	2	.83	.01	.02	1	5	5
L600N 200W	2	16	4	29	.5	14	7	395	1.44	51	5	ND	1	17	1	2	3	29	.30	.041	5	21	.30	83	.02	2	.92	.02	.03	1	17	20
L600N 150W	3	59	12	73	.2	41	11	349	2.98	206	5	ND	1	34	1	22	2	56	.69	.079	11	53	.87	203	.03	2	2.06	.02	.09	1	31	20
L600N 100W	2	42	8	55	.4	29	10	307	2.44	94	5	ND	3	34	1	4	2	47	.70	.033	12	38	.70	173	.05	2	1.46	.03	.10	1	17	20
L600N 050W	2	50	5	66	.3	37	13	349	3.11	155	5	ND	3	33	1	6	2	62	.60	.033	10	51	.88	174	.06	2	1.57	.03	.13	1	27	20
L600N 000	1	51	2	62	.2	28	10	328	2.69	100	5	ND	3	35	1	2	2	53	.67	.065	16	38	.69	171	.05	2	1.52	.02	.13	1	13	30
L600N 050E	2	58	8	59	.3	32	12	524	2.87	83	5	ND	2	38	1	2	3	59	.78	.061	15	46	.88	190	.07	2	1.76	.03	.15	1	24	30
L600N 100E	1	41	5	49	.2	29	10	370	2.52	45	5	ND	5	28	1	2	2	52	.50	.064	17	40	.73	131	.08	2	1.30	.02	.12	1	19	10
L600N 150E	2	54	8	73	.5	32	11	411	3.13	119	5	ND	3	36	2	3	2	63	.53	.067	13	44	.86	172	.07	2	1.59	.03	.14	1	27	20
L600N 200E	3	77	3	72	.2	42	15	516	3.76	103	5	ND	2	44	1	2	2	86	.79	.049	12	66	1.34	206	.10	2	2.34	.04	.18	1	18	50
L600N 250E	3	99	7	81	.4	51	17	613	3.69	116	5	ND	3	41	1	4	2	72	.95	.066	13	64	1.42	233	.07	2	2.52	.03	.15	1	46	50
L600N 300E	3	86	8	59	.3	45	14	459	3.14	84	5	ND	2	38	1	2	2	64	.79	.047	12	57	1.16	204	.07	2	2.23	.04	.12	1	44	30
L500N 300W	1	12	2	21	.2	8	5	371	.97	2	5	ND	1	22	1	2	2	21	.32	.065	10	12	.17	89	.02	2	.84	.02	.02	1	1	40
L500N 250W	2	21	4	46	.1	23	7	305	2.21	5	5	ND	1	16	1	2	3	50	.21	.062	11	34	.44	93	.06	2	1.56	.01	.04	1	13	30
L500N 200W	1	22	4	38	.2	15	8	341	2.03	17	5	ND	3	18	2	2	3	40	.31	.055	13	40	.60	124	.05	2	1.21	.01	.06	1	7	20
L500N 150W	2	42	6	47	.4	39	9	471	1.83	51	5	ND	2	34	2	2	2	32	1.21	.100	9	38	.62	306	.02	5	1.54	.01	.04	1	10	30
L500N 100W	2	49	12	63	.4	42	11	381	2.59	68	5	ND	5	41	3	2	2	56	.69	.048	12	58	.91	213	.05	6	1.48	.02	.12	1	13	10
L500N 050W	4	83	27	86	.4	65	18	682	3.63	269	5	ND	3	40	1	10	2	59	.59	.059	12	79	1.21	292	.02	2	2.59	.02	.11	1	23	20
L500N 000	3	76	11	68	.4	40	14	463	3.23	180	5	ND	4	39	2	4	3	60	.85	.060	13	53	.86	165	.03	7	1.89	.02	.11	1	8	20
L500N 050E	4	75	8	72	.5	43	12	383	3.09	111	5	ND	5	40	2	2	2	55	.78	.074	15	50	.90	240	.02	7	2.13	.02	.08	1	18	30
L500N 100E	3	69	11	68	.2	44	14	592	3.11	230	5	ND	4	41	1	67	2	44	.72	.076	16	50	.83	255	.02	4	2.04	.02	.08	1	16	30
L500N 150E	3	79	6	67	.3	50	13	588	3.17	98	5	ND	3	63	3	3	4	60	.74	.067	14	51	.94	172	.05	7	2.40	.05	.08	1	15	40
L500N 200E	5	94	9	75	.4	51	16	734	3.59	133	5	ND	3	39	1	4	2	62	.83	.097	14	56	.99	191	.04	3	2.15	.02	.08	1	30	40
L500N 250E	5	84	8	62	.4	40	11	445	3.16	193	5	ND	3	32	1	9	2	56	.51	.065	13	48	.82	182	.03	4	1.76	.02	.07	1	27	20
L500N 300E	6	69	8	59	.4	46	13	458	2.80	74	5	ND	4	44	2	2	2	50	.83	.058	13	50	1.03	176	.04	4	2.18	.03	.06	1	15	20
L400N 300W	1	25	6	49	.3	47	8	317	2.07	9	5	ND	5	17	3	2	2	40	.51	.059	13	48	.71	115	.05	9	1.53	.01	.06	2	10	10
L400N 250W	2	24	11	59	.4	49	9	388	2.14	12	5	ND	3	15	3	2	2	40	.23	.055	15	53	.71	141	.04	7	1.70	.01	.07	2	2	10
L400N 200W	2	38	10	50	.3	40	9	506	1.81	22	5	ND	3	20	2	4	3	31	.25	.069	11	39	.59	232	.03	8	1.52	.02	.05	1	8	40
L400N 150W	2	42	6	50	.3	50	9	318	1.94	29	5	ND	4	20	2	2	2	34	.33	.052	11	44	.71	160	.05	11	1.40	.02	.06	2	15	10
L400N 100W	3	73	13	71	.6	78	13	499	2.47	38	5	ND	6	22	4	5	2	40	.33	.064	13	60	1.01	281	.04	9	2.42	.02	.09	2	15	20
L400N 050W	2	36	8	74	.2	33	9	394	1.99	96	5	ND	3	38	2	2	3	34	.51	.057	8	38	.58	175	.02	3	1.19	.01	.06	1	24	30
L400N 000	3	37	62	107	.5	31	10	567	2.21	233	5	ND	5	41	3	5	3	27	.76	.090	12	38	.52	329	.01	8	1.45	.01	.07	1	13	50
L400N 050E	3	35	21	72	.2	66	12	493	1.92	128	5	ND	4	75	3	2	2	20	1.23	.072	8	73	.75	793	.01	8	1.39	.01	.07	1	9	60
L400N 100E	5	75	43	109	.5	77	19	842	3.25	403	5	ND	7	45	3	18	2	39	.76	.049	11	91	.89	365	.01	10	1.98	.02	.10	1	105	30
L400N 150E	2	42	20	47	.2	48	13	802	2.15	202	5	ND	7	32	2	2	2	23	.40	.025	13	49	.84	234	.01	11	1.96	.01	.08	1	24	20
STD C/AD-S	18	57	36	131	7.0	66	29	1012	3.82	38	23	7	37	47	18	17	18	56	.43	.088	37	55	.84	176	.06	32	1.87	.06	.14	12	50	1300

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	W PPM	Au* PPB	Hg PPB
L400N 200E	3	102	7	68	.2	40	20	533	3.42	136	5	ND	4	41	1	2	2	52	.56	.043	10	44	.96	147	.06	2	1.47	.02	.19	1	46	30
L400N 250E	4	126	10	61	.1	65	21	793	3.23	135	5	ND	4	26	1	2	2	48	.41	.041	10	76	1.31	310	.01	2	2.54	.02	.10	1	37	30
L400N 300E	4	136	14	68	.2	42	17	923	3.41	195	5	ND	6	21	1	2	2	47	.34	.055	11	51	.70	454	.01	2	2.48	.01	.09	1	77	30
L300N 150W	1	32	2	40	.1	48	8	273	2.03	13	5	ND	5	17	1	2	2	59	.34	.054	15	52	.71	124	.05	2	1.11	.02	.05	1	21	20
L300N 100W	2	64	13	59	.2	65	11	347	2.27	33	5	ND	3	18	1	2	2	59	.35	.055	12	55	1.04	170	.05	2	1.71	.02	.08	1	60	30
L300N 050W	1	51	4	32	.2	42	9	297	2.03	26	5	ND	5	30	1	2	2	37	.41	.056	15	49	.74	145	.04	2	1.28	.03	.05	1	95	10
L300N 000	2	40	2	35	.1	61	13	388	2.00	51	5	ND	4	32	2	2	2	22	.75	.036	14	39	1.28	329	.01	2	2.48	.04	.07	1	2	20
L300N 050E	2	51	12	47	.1	63	14	470	2.28	348	5	ND	2	70	1	2	3	26	1.30	.068	9	58	1.10	454	.01	2	2.22	.03	.06	2	1660	30
L300N 100E	1	50	6	38	.4	94	22	663	2.30	51	5	ND	4	89	2	2	2	28	1.71	.017	5	233	1.57	2755	.01	4	2.79	.02	.10	1	10	20
L300N 150E	3	55	23	51	.2	56	15	615	2.41	356	5	ND	3	30	1	2	2	33	.54	.083	12	78	.94	206	.02	2	2.50	.02	.06	2	48	40
L300N 200E	3	63	11	55	.1	54	18	822	2.57	223	5	ND	4	30	1	2	2	35	.60	.074	13	89	.95	482	.01	2	2.46	.03	.07	1	33	30
L200N 300W	1	51	3	59	.1	62	11	411	2.07	9	5	ND	3	49	1	2	2	37	1.63	.092	18	55	.97	283	.04	3	1.75	.02	.11	1	5	60
L200N 250W	1	26	2	50	.2	66	10	272	1.93	0	6	ND	6	27	3	2	2	35	.72	.060	11	64	1.12	198	.04	6	1.71	.02	.07	1	10	20
L200N 200W	1	33	3	59	.2	62	10	369	2.23	6	5	ND	4	24	1	2	3	43	.43	.059	19	57	.80	177	.05	5	1.59	.02	.07	1	11	30
L200N 150W	2	49	9	43	.1	74	11	319	1.97	13	5	ND	5	19	1	2	2	33	.44	.043	12	79	1.10	151	.04	2	2.15	.03	.07	1	16	20
L200N 100W	1	50	4	57	.2	49	10	351	2.26	17	5	ND	4	22	1	2	2	45	.47	.058	12	45	.66	163	.05	3	1.20	.02	.08	1	7	30
L200N 050W	2	89	16	45	.4	52	12	338	2.08	36	5	ND	4	20	1	2	2	34	.39	.056	13	49	1.05	183	.04	2	1.93	.03	.07	1	6	20
L200N 000	2	95	10	44	.4	42	12	379	2.04	30	5	ND	5	22	2	2	2	35	.43	.062	13	41	.95	161	.04	2	1.74	.03	.08	1	1	20
L200N 050E	2	79	2	42	.2	94	17	348	1.95	26	5	ND	5	84	1	2	2	22	1.09	.051	9	58	2.10	139	.01	2	3.80	.03	.11	1	7	40
L200N 100E	5	91	2	41	.2	132	25	399	2.34	35	5	ND	3	99	1	2	2	22	1.30	.021	5	57	2.73	1007	.01	2	4.39	.06	.07	1	39	10
L200N 150E	1	51	5	46	.1	115	23	561	2.26	29	5	ND	3	80	2	2	2	26	1.44	.076	6	51	2.55	131	.02	2	5.42	.11	.10	1	1	40
L100N 300W	2	28	2	44	.1	38	9	319	2.15	6	5	ND	4	19	1	2	3	44	.33	.035	14	47	.80	141	.07	2	1.36	.01	.08	1	10	30
L100N 250W	1	26	2	45	.3	48	8	307	2.12	6	5	ND	8	19	1	2	2	43	.34	.032	15	47	.72	155	.06	2	1.21	.01	.07	1	1	20
L100N 200W	1	22	9	42	.2	40	9	378	1.96	5	5	ND	5	19	2	2	2	39	.34	.049	13	44	.65	120	.05	5	1.10	.01	.07	1	6	40
L100N 150W	3	57	11	50	.2	59	12	552	2.34	23	5	ND	5	18	2	3	2	36	.32	.082	17	57	.95	192	.03	3	2.22	.01	.08	3	12	60
L100N 100W	1	90	9	53	.4	126	17	344	2.30	23	5	ND	5	26	1	3	2	34	.66	.045	9	120	2.29	242	.03	2	3.71	.06	.07	1	2	20
L100N 050W	1	127	18	54	.9	131	19	353	2.28	62	5	ND	4	28	2	3	2	33	.91	.044	7	101	2.63	218	.04	2	3.38	.04	.12	1	725	30
L100N 000	2	44	9	44	.2	35	10	334	2.05	24	5	ND	6	21	1	2	2	37	.43	.054	15	40	.80	208	.05	2	1.65	.03	.06	2	91	20
L100N 050E	6	69	10	82	.1	36	12	419	2.25	16	5	ND	3	37	1	2	2	36	.46	.077	14	47	1.00	226	.04	2	2.19	.02	.08	1	49	30
L100N 100E	6	61	7	70	.2	40	15	531	2.47	20	5	ND	5	37	2	2	2	40	.40	.081	13	57	1.02	231	.03	4	2.27	.02	.08	2	40	40
L100N 150E	4	66	6	45	.1	32	16	476	2.25	31	5	ND	6	81	1	2	3	42	.49	.048	11	38	.93	159	.03	3	2.32	.02	.06	2	9	10
L000 300W	3	31	6	49	.2	40	11	543	2.14	6	5	ND	3	31	1	2	2	41	.68	.115	12	57	.82	232	.04	3	1.56	.02	.10	1	1	60
L000 250W	2	29	2	33	.4	26	7	240	1.83	5	5	ND	5	16	2	3	2	36	.28	.036	12	37	.56	139	.04	3	1.09	.01	.06	2	15	10
L000 200W	1	50	5	47	.2	39	10	415	2.14	14	5	ND	5	19	2	2	2	34	.29	.059	16	39	.74	200	.03	7	1.46	.01	.07	3	5	40
L000 150W	1	31	3	48	.2	41	9	394	2.28	6	5	ND	8	16	2	2	2	43	.25	.022	13	44	.74	192	.07	4	1.67	.01	.10	1	9	10
L000 100W	2	26	4	34	.2	20	7	274	1.86	4	5	ND	2	14	1	2	2	39	.17	.058	9	32	.40	115	.04	3	1.40	.01	.05	1	9	50
STD C/AU-S	18	58	37	127	6.8	65	29	1008	3.66	36	22	7	36	47	17	19	18	55	.46	.086	37	57	.95	175	.06	38	1.78	.06	.14	11	52	1300

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Th PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	N PPM	Au* PPB	Hg PPB
L000 050W	8	32	12	38	.2	43	12	392	1.76	119	5	ND	3	18	1	4	3	23	.43	.042	11	42	.60	441	.01	5	1.28	.02	.06	1	19	40
L000 050E	13	62	11	72	.1	26	12	736	3.00	15	5	ND	2	14	1	2	2	43	.27	.075	20	30	.83	165	.04	2	1.52	.01	.04	1	9	30
L000 100E	15	33	13	41	.1	22	10	552	2.25	26	5	ND	2	12	1	2	2	27	.16	.050	9	31	.25	110	.01	2	.91	.01	.04	3	3	30
L000 150E	14	33	11	54	.1	31	11	538	1.96	11	5	ND	1	65	1	2	3	36	.30	.083	9	35	.59	228	.03	3	1.96	.01	.04	5	2	50
L000 200E	9	70	9	39	.1	36	13	453	2.03	79	5	ND	5	58	1	2	2	31	.61	.046	13	42	1.25	96	.01	3	1.95	.02	.05	66	3	20
L000 250E	18	261	12	40	.2	92	41	753	4.25	215	5	ND	2	529	1	12	2	52	1.50	.025	2	68	1.70	90	.01	2	3.12	.04	.09	3	6	10
L000 300E	15	131	11	81	.1	40	24	509	3.17	56	5	ND	3	163	1	2	2	48	.89	.043	7	36	1.23	173	.02	4	2.58	.02	.08	1	2	10
L100S 300W	6	46	18	58	.1	30	10	811	2.00	11	5	ND	1	26	1	2	2	34	.46	.154	14	39	.55	238	.02	5	1.66	.01	.07	1	4	120
L100S 250W	1	43	11	48	.3	49	11	461	2.10	14	5	ND	4	23	1	2	2	35	.46	.072	15	56	.91	230	.03	8	2.07	.02	.08	1	3	50
L100S 200W	9	74	15	79	.1	87	19	790	2.84	21	5	ND	3	28	1	4	2	34	.70	.147	14	52	2.00	241	.02	4	2.53	.01	.08	1	3	60
L100S 150W	3	38	11	32	.1	15	5	215	1.73	5	5	ND	1	11	1	3	3	35	.16	.105	15	31	.34	87	.03	3	1.31	.01	.04	1	1	40
L100S 100W	9	31	14	48	.1	29	8	459	1.95	6	5	ND	2	20	1	2	2	37	.26	.088	12	46	.60	113	.03	5	1.75	.01	.06	4	3	40
L100S 050W	3	51	15	51	.1	55	12	509	2.44	26	5	ND	3	16	1	2	2	32	.28	.063	17	55	1.08	157	.03	3	1.87	.01	.06	2	31	30
L100S 000	9	39	3	59	.2	12	8	432	2.42	6	5	ND	7	6	1	2	2	35	.15	.036	18	16	1.09	128	.14	6	1.48	.01	.15	1	3	10
L100S 050E	7	27	14	42	.2	19	6	306	2.03	6	5	ND	1	16	1	2	2	41	.23	.086	9	31	.46	99	.03	3	1.38	.01	.04	1	5	40
L100S 100E	5	21	12	41	.1	24	7	289	2.09	9	5	ND	1	15	1	2	2	41	.19	.055	8	33	.45	105	.03	6	1.20	.01	.05	1	4	40
L100S 150E	3	36	7	43	.1	34	12	502	2.12	13	5	ND	1	25	1	2	2	42	.48	.083	8	52	1.07	110	.02	2	2.33	.01	.05	2	4	50
L100S 200E	4	59	14	60	.3	67	21	1169	4.11	1018	5	ND	3	44	1	2	2	49	2.57	.030	4	89	1.44	81	.01	5	1.65	.02	.06	1	58	50
L100S 250E	3	113	9	61	.1	50	29	1410	4.04	145	5	ND	3	32	1	2	2	58	1.29	.047	8	50	1.37	56	.01	4	2.08	.02	.08	1	1	70
L100S 300E	1	38	4	43	.1	20	13	480	2.24	17	5	ND	3	56	1	2	2	38	.42	.040	10	25	1.14	163	.03	5	2.01	.01	.10	1	4	10
L200S 300W	2	24	11	40	.1	24	7	298	1.95	6	5	ND	4	17	1	2	2	39	.28	.046	14	29	.55	142	.05	3	1.29	.01	.05	1	14	20
L200S 250W	1	18	13	39	.2	20	6	266	1.95	5	5	ND	2	14	1	2	2	40	.17	.050	10	30	.45	57	.04	6	1.26	.01	.06	1	4	50
L200S 200W	1	19	11	39	.2	20	6	325	1.89	8	5	ND	2	15	1	3	2	39	.18	.047	14	30	.44	112	.04	4	1.46	.01	.06	1	3	20
L200S 150W	1	19	13	46	.1	35	8	371	2.39	6	5	ND	2	13	1	2	2	46	.16	.049	13	41	.59	101	.05	3	1.47	.01	.07	1	3	30
L200S 100W	1	65	12	65	.2	277	36	371	3.55	13	5	ND	4	17	1	13	2	30	.62	.034	6	32	6.05	89	.04	7	3.98	.02	.20	1	2	10
L200S 050W	4	20	13	40	.1	22	7	406	2.13	6	5	ND	2	16	3	2	2	44	.30	.054	10	33	.50	114	.05	4	1.05	.01	.07	1	2	40
L200S 000	4	78	14	57	.2	44	13	289	2.73	8	5	ND	4	13	2	2	2	48	.18	.022	10	39	.94	94	.09	5	1.55	.01	.07	1	3	20
L200S 050E	7	35	6	45	.2	20	10	307	2.44	7	5	ND	4	8	2	2	2	48	.14	.042	21	29	.57	197	.10	6	1.34	.01	.24	1	2	20
L200S 100E	2	98	9	51	.4	55	15	266	2.32	11	5	ND	4	26	1	2	2	34	.23	.036	8	40	1.54	80	.06	5	2.44	.04	.08	3	3	30
L200S 150E	5	131	4	57	.2	15	12	465	3.42	16	5	ND	6	10	2	2	2	63	.14	.044	33	33	1.52	109	.18	5	1.95	.01	.05	1	2	20
L200S 200E	5	70	7	36	.2	39	13	347	2.13	39	5	ND	4	39	1	2	2	40	.37	.040	10	41	.92	233	.03	4	2.18	.01	.06	1	5	10
L200S 250E	1	45	9	35	.3	29	12	296	1.99	19	5	ND	5	125	2	2	2	40	.73	.043	13	58	.77	155	.03	6	1.90	.02	.06	1	1	10
L200S 300E	1	49	12	50	.4	36	14	480	2.42	30	5	ND	4	33	2	2	4	45	.39	.051	11	48	1.05	155	.03	7	2.08	.02	.06	1	1	20
L300S 300W	1	16	8	45	.4	15	7	262	2.02	6	5	ND	2	16	3	2	4	41	.17	.059	12	26	.49	141	.03	8	1.35	.01	.05	2	3	40
L300S 250W	2	30	8	42	.2	16	8	491	1.99	8	5	ND	4	19	1	2	2	28	.41	.076	18	17	.35	207	.01	8	1.02	.01	.07	1	2	20
L300S 200W	1	17	7	31	.2	18	7	227	1.96	5	5	ND	3	13	3	2	2	41	.20	.036	14	27	.46	84	.05	6	1.40	.01	.05	1	2	40
STD C/AD-S	18	57	40	132	7.0	68	29	1017	4.08	38	18	7	37	45	17	20	19	56	.44	.089	37	56	.87	175	.06	31	1.79	.06	.14	11	47	1400

SAMPLE#	Mg	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au*	Hg
	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	%	%	PPM	PPM	%	PPM	%	PPM	%	%	%	PPM	PPM	PPM
L300S 150W	6	39	13	42	.2	39	10	488	2.04	9	5	ND	4	21	2	2	3	40	.34	.088	15	38	.56	190	.03	7	1.51	.02	.08	1	1	50
L300S 100W	3	16	14	34	.1	28	6	296	1.95	7	5	ND	3	17	2	2	2	42	.18	.061	12	36	.42	110	.04	5	1.30	.01	.07	1	1	30
L300S 050W	2	21	25	57	.1	54	11	665	2.80	7	5	ND	3	19	3	2	2	56	.22	.058	15	52	.74	154	.05	7	1.88	.01	.09	1	1	30
L300S 000	2	24	13	60	.1	52	10	584	2.21	7	5	ND	2	15	1	2	2	44	.21	.073	16	48	.69	143	.05	3	1.72	.01	.08	1	1	50
L300S 050E	4	24	13	46	.2	43	10	407	2.30	8	5	ND	5	15	1	2	2	45	.19	.042	14	40	.61	134	.06	4	1.50	.01	.08	1	2	20
L300S 100E	12	47	20	48	.2	27	10	818	2.24	21	6	ND	4	21	2	2	3	34	.33	.121	17	33	.45	439	.01	8	1.59	.01	.07	1	1	60
L300S 150E	10	61	13	52	.2	64	17	847	4.00	8	5	ND	4	20	1	2	2	69	.36	.030	10	84	.73	425	.02	7	1.78	.02	.09	3	2	30
L300S 200E	9	39	11	52	.2	45	12	635	2.85	33	5	ND	3	24	1	2	2	36	.27	.047	15	38	.43	710	.01	3	1.53	.01	.07	1	3	40
L300S 250E	4	24	47	39	.4	34	9	1022	1.83	146	5	ND	8	14	3	3	2	28	.19	.034	23	32	.54	202	.02	6	1.29	.01	.07	1	51	30
L300S 300E	9	62	17	70	.3	99	28	1023	3.82	48	6	ND	3	26	1	2	3	44	.37	.102	7	117	2.02	217	.02	4	3.02	.01	.10	1	2	50
L300S 350E	4	59	9	47	.1	45	14	490	2.26	24	5	ND	4	57	1	2	2	44	.65	.064	11	55	.92	176	.02	2	2.98	.02	.07	1	1	30
L300S 400E	4	43	11	57	.1	54	14	620	2.58	24	5	ND	4	20	3	2	2	49	.28	.052	15	45	.79	130	.05	5	1.97	.02	.08	1	1	20
L300S 450E	2	35	14	49	.1	37	12	570	2.51	13	19	ND	5	17	3	2	2	49	.27	.065	18	39	.65	102	.04	7	1.99	.02	.07	1	4	50
L300S 500E	3	59	14	52	.2	58	21	838	3.24	29	5	ND	6	24	2	2	3	56	.45	.066	15	50	.94	96	.04	11	2.16	.03	.07	1	32	40
L400S 300W	2	42	12	50	.1	30	12	365	2.69	4	5	ND	5	33	2	2	4	74	.40	.045	10	43	1.09	202	.13	6	1.47	.01	.15	1	1	20
L400S 250W	3	27	11	43	.2	27	8	393	1.98	7	5	ND	6	16	3	2	2	38	.27	.055	17	28	.52	193	.04	10	1.41	.01	.07	3	16	20
L400S 200W	4	37	7	42	.1	24	9	479	1.99	10	5	ND	3	33	2	2	4	39	.39	.092	16	30	.45	342	.03	4	1.63	.01	.06	1	1	70
L400S 150W	3	17	11	40	.1	22	7	614	1.88	6	5	ND	2	14	2	2	2	41	.17	.058	11	27	.42	108	.04	5	1.36	.01	.06	1	1	30
L400S 100W	7	28	7	46	.1	25	6	297	1.95	6	5	ND	3	17	2	2	3	44	.23	.063	10	34	.41	145	.04	6	1.18	.01	.07	1	1	30
L400S 050W	2	30	12	45	.2	31	7	297	1.76	8	5	ND	7	20	2	2	2	36	.29	.041	14	30	.60	128	.05	6	1.30	.02	.07	1	1	10
L400S 000	6	19	11	52	.2	37	8	484	2.15	8	5	ND	4	14	3	2	2	44	.19	.074	11	38	.55	123	.04	10	1.61	.01	.09	1	1	50
L400S 050E	2	27	6	37	.2	26	7	262	1.83	9	6	ND	5	14	3	2	4	38	.20	.036	16	29	.52	111	.06	11	1.05	.01	.06	1	3	20
L400S 100E	7	43	8	44	.4	32	8	362	2.04	17	5	ND	6	17	3	2	4	40	.28	.039	17	35	.61	162	.04	11	1.29	.01	.06	1	1	20
L400S 150E	8	52	6	75	.2	22	11	707	2.86	19	5	ND	6	19	1	2	2	45	.39	.044	15	24	1.24	244	.11	4	1.73	.01	.26	1	1	10
L400S 200E	1	23	8	40	.1	36	9	425	2.09	10	5	ND	4	14	2	2	2	40	.21	.047	15	36	.59	189	.05	9	2.00	.01	.06	1	4	30
L400S 250E	3	18	14	37	.1	21	6	288	2.18	14	5	ND	3	13	1	2	2	45	.19	.036	18	30	.39	79	.05	5	1.17	.01	.04	2	9	20
L400S 300E	3	39	44	59	.1	31	10	581	2.22	14	5	ND	4	15	3	2	2	45	.17	.044	15	36	.70	152	.04	4	1.95	.01	.06	1	2	20
L400S 350E	3	29	11	44	.1	29	9	342	2.18	13	5	ND	4	15	2	2	2	45	.20	.045	14	35	.55	114	.04	4	1.85	.01	.04	1	13	30
L400S 400E	1	34	5	51	.1	52	17	683	2.45	13	5	ND	6	38	2	2	2	47	.56	.032	12	70	1.89	169	.01	5	2.75	.02	.08	1	1	20
L400S 450E	3	27	12	47	.3	35	10	441	2.36	31	5	ND	4	16	2	6	2	46	.28	.051	13	41	.54	119	.03	8	1.84	.01	.05	3	1	20
L400S 500E	4	28	9	45	.5	26	9	356	2.13	30	5	ND	5	18	3	2	2	42	.27	.074	11	33	.43	101	.02	12	1.68	.01	.05	1	1	50
R400N 200W	1	51	5	59	.3	40	11	558	2.45	10	5	ND	4	13	3	2	4	54	.34	.079	14	53	.89	239	.05	7	1.97	.02	.07	1	1	80
R400N 150W	1	119	9	68	.4	50	17	839	2.89	23	6	ND	4	34	3	2	2	67	.77	.101	11	74	1.36	184	.06	6	2.52	.03	.12	1	1	50
R400N 100W	1	131	11	75	.4	53	17	747	3.20	15	5	ND	4	49	2	2	3	67	.46	.059	11	76	1.63	184	.08	6	2.68	.03	.20	1	1	20
R400N 050W	1	118	15	79	.1	59	20	789	3.46	10	5	ND	4	39	3	2	3	85	.47	.065	9	92	1.83	128	.12	8	3.26	.05	.23	1	1	50
R400N 000	1	56	4	51	.1	39	12	386	2.48	8	5	ND	2	17	2	2	2	62	.30	.054	8	69	1.14	77	.08	4	2.10	.03	.12	1	8	40
STD C/AU-S	18	57	38	132	2.1	70	28	1093	3.67	38	22	7	37	45	19	18	18	55	.45	.084	37	55	.82	174	.06	33	1.74	.06	.14	11	48	1400

SAMPLE#	Mo PPM	Cu PPM	Pb PPM	Zn PPM	Ag PPM	Ni PPM	Co PPM	Mn PPM	Fe %	As PPM	U PPM	Au PPM	Tl PPM	Sr PPM	Cd PPM	Sb PPM	Bi PPM	V PPM	Ca %	P %	La PPM	Cr PPM	Mg %	Ba PPM	Ti %	B PPM	Al %	Na %	K %	N PPM	Au* PPB	Hg PPB
R400N 050E	1	62	5	52	.1	40	18	560	3.55	15	5	ND	1	22	1	2	2	84	.31	.048	7	70	1.90	87	.11	2	2.84	.02	.35	1	4	30
R400N 100E	1	84	6	67	.3	66	27	656	4.70	15	5	ND	2	23	1	9	2	112	.51	.032	4	111	3.38	59	.22	2	3.57	.03	.98	1	10	20
R300N 200W	1	92	8	73	.2	54	19	559	3.92	9	5	ND	3	27	1	3	2	87	.55	.051	8	112	2.37	173	.13	3	3.39	.03	.14	1	5	40
R300N 150W	1	139	2	64	.1	56	20	466	3.79	6	5	ND	1	25	1	2	2	86	.53	.042	6	119	2.30	184	.14	2	3.03	.04	.21	1	10	20
R300N 100W	1	143	2	70	.3	71	23	554	4.03	4	5	ND	2	52	1	9	2	95	.78	.025	4	136	3.29	263	.19	5	3.36	.04	.41	1	1	10
R300N 050W	1	104	2	71	.3	65	22	598	4.77	6	5	ND	4	22	1	2	2	104	.93	.040	9	136	2.69	257	.16	2	3.37	.05	.44	1	1	20
R300N 000	1	24	8	62	.1	24	9	415	2.78	6	5	ND	2	15	1	2	2	51	.22	.048	11	49	.65	100	.07	2	1.81	.01	.06	1	1	40
R300N 050E	1	35	9	51	.1	30	9	275	2.58	6	5	ND	4	22	1	2	2	52	.36	.043	13	54	.82	106	.09	2	1.94	.02	.15	1	1	20
R300N 100E	1	29	3	41	.1	30	9	158	1.92	3	5	ND	4	17	1	2	2	47	.34	.048	14	51	.81	60	.10	2	1.58	.02	.10	1	1	10
R300N 150E	1	24	6	43	.1	26	8	277	2.29	7	5	ND	4	16	1	2	2	46	.32	.049	14	45	.71	88	.08	3	1.41	.02	.09	1	3	20
R200N 200E	1	56	8	74	.5	35	17	474	4.14	29	5	ND	4	20	1	2	2	97	.42	.044	10	97	1.93	123	.14	4	2.39	.03	.43	1	4	10
R200N 200W	1	27	11	44	.1	19	7	344	2.63	6	5	ND	1	18	1	2	2	51	.19	.069	11	41	.54	119	.05	2	1.81	.01	.05	1	1	40
R200N 150W	1	33	6	48	.1	25	9	434	2.75	7	5	ND	2	16	1	2	2	56	.23	.075	10	53	.66	107	.05	5	2.03	.01	.06	1	4	40
R200N 100W	1	90	5	66	.2	65	22	767	4.69	29	5	ND	3	33	1	3	2	88	1.07	.050	8	99	1.60	229	.08	2	2.38	.04	.14	1	1	20
R200N 050W	1	94	2	58	.3	61	20	624	4.18	53	5	ND	3	27	1	2	2	85	.78	.043	8	113	1.92	92	.12	2	2.65	.06	.16	1	15	30
R200N 000	1	29	4	47	.3	27	8	364	2.56	9	5	ND	4	17	2	2	2	49	.29	.043	12	47	.71	90	.06	7	1.91	.02	.07	1	3	20
R200N 050E	1	88	7	52	.2	41	11	339	2.54	27	5	ND	3	22	1	2	2	46	.48	.045	10	60	.96	78	.08	2	1.81	.03	.12	1	8	20
R200N 100E	1	47	2	39	.2	38	10	285	1.91	11	5	ND	4	24	1	2	2	38	.49	.047	13	50	.70	50	.09	3	1.18	.03	.12	1	4	10
R200N 150E	1	49	8	41	.1	22	9	251	2.27	53	5	ND	5	18	1	2	2	43	.33	.049	14	33	.60	54	.07	2	1.22	.01	.07	1	17	10
R200N 200E	5	102	10	74	.3	65	24	463	5.19	81	5	ND	3	16	1	8	2	152	.36	.030	6	130	2.48	59	.15	2	3.13	.04	.41	2	31	20
R100N 200W	1	26	8	59	.3	15	8	536	2.98	9	5	ND	2	9	1	2	2	37	.12	.049	12	30	.57	89	.08	6	1.50	.01	.09	1	2	40
R100N 150W	1	121	8	69	.3	58	19	760	4.03	10	5	ND	3	29	1	2	2	92	.66	.078	9	102	1.85	232	.07	5	3.17	.02	.06	1	4	60
R100N 100W	3	110	11	80	.7	72	20	469	4.40	12	5	ND	3	30	1	3	2	92	.49	.084	7	115	1.74	110	.12	3	3.32	.02	.16	1	1	40
R100N 050W	1	90	11	82	.3	59	21	700	4.09	9	5	ND	2	27	1	3	2	93	.42	.072	10	93	1.69	128	.10	2	3.37	.02	.16	1	1	40
R100N 000	1	115	5	43	.2	29	14	272	3.05	4	5	ND	3	17	1	2	2	74	.28	.028	9	59	.99	69	.09	5	1.82	.02	.07	2	12	20
R100N 050E	1	63	2	60	.3	63	19	293	3.47	4	5	ND	3	20	1	2	2	107	.33	.045	6	110	1.70	78	.12	3	2.56	.03	.24	1	1	10
R100N 100E	1	24	8	43	.2	27	8	301	2.30	5	5	ND	2	13	1	2	2	46	.22	.042	11	42	.60	76	.06	5	1.61	.01	.05	2	99	30
R100N 150E	1	78	9	41	.3	31	9	250	2.04	5	9	ND	6	17	3	2	2	40	.34	.035	11	40	.71	228	.07	6	1.41	.02	.05	1	1	10
R100N 200E	3	102	8	49	.1	49	14	496	3.26	16	5	ND	4	18	1	2	2	68	.47	.049	13	65	1.03	146	.04	2	2.12	.01	.09	1	12	20
R000N 200W	5	130	3	55	.3	34	20	297	4.47	14	5	ND	2	10	1	2	2	118	.29	.033	5	73	1.75	76	.21	2	2.16	.02	.32	1	1	20
R000N 150W	1	33	7	85	.7	52	20	491	4.48	4	5	ND	3	21	2	7	2	124	.42	.047	3	162	2.55	78	.23	6	3.21	.03	.83	2	19	40
R000N 100W	1	77	14	84	.4	42	29	930	4.93	21	5	ND	4	24	1	8	2	167	.41	.076	5	79	1.90	122	.08	4	3.26	.02	.17	1	6	40
R000N 050W	1	121	8	63	.4	47	22	556	4.35	9	5	ND	3	29	1	4	2	107	.47	.042	7	94	2.02	184	.10	5	2.85	.04	.21	1	55	20
R000N 050E	1	51	13	64	.4	53	16	376	3.62	7	5	ND	3	17	1	2	2	86	.27	.045	7	88	1.45	78	.10	6	2.89	.02	.11	1	6	40
R000N 100E	1	135	8	52	.4	26	25	1265	3.71	22	5	ND	4	64	2	2	2	61	.39	.048	10	49	1.27	241	.07	5	2.36	.01	.13	2	1	40
R000N 150E	1	57	9	56	.4	32	16	298	3.46	4	5	ND	5	20	3	2	2	67	.45	.044	10	53	2.01	76	.14	4	2.51	.03	.35	1	3	10
R000N 200E	3	125	11	51	.3	36	14	525	2.89	22	5	ND	3	41	1	2	2	49	.25	.047	12	44	.80	165	.07	2	1.72	.01	.06	1	1	40
STD C/AU-S	16	57	41	132	6.8	67	28	1010	4.15	40	17	8	36	45	17	16	18	55	.47	.065	57	58	.86	175	.06	38	1.87	.06	.14	12	47	1300

PROPERTY MT BARRY

N.T.S. _____

DATE Sept/98

ROCK SAMPLE REPORT

PROJECT _____

SAMPLE NO.	LOCATION & DESCRIPTION	% SULPHIDES	TYPE	WIDTH	G	A	G	A	G	A	G	A	G	A	SAMPLED BY
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
10167	(BM #8) Qtz boxwork in gossanous almost limy looking rx														
10168	(BM #10) coarse grained wavy Qtz vein material limonite btw grains														
10169	(BM #12) Felsic fine gr intrusive or volc minor silicification minor Qtz Feldspar phenocrysts														
10170	(BM #4) mafic rx peridotite-gabbro? with felsic grd shears inside														
10171	(BM #5) fine gr intermediate intrusive														

21

PROPERTY 76 Bygg

N.T.S. _____

DATE _____

ROCK SAMPLE REPORT

PROJECT _____

SAMPLE NO.	LOCATION & DESCRIPTION	% SULPHIDES	TYPE	WIDTH	G	A	G	A	G	A	G	A	G	A	G	A	SAMPLED BY	
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
10172	(BM# 7) andesite, gossans on w.s.																	
10173	(BM# 2) carbonate cut by Qtz veins, gossans																	
39764	(R-12) brx andesite with Qtz-calcite matrix																	
39765	(BM-11) vuggy Qtz carb-brx																	
39766	(BM-1) highly silicified andesite, blotchy textures																	
39767	(BM-3) Qtz-eye porphyry, rhyolite																	
39768	(BM-6) dk green recrystallized rx - shonokite																	

G = GEOCHEM A = ASSAY



FLIGHT TICKET / INVOICE
CAPITAL HELICOPTERS INC.
 4193 - 104TH STREET, DELTA, B.C. V4K 3N3
 (604) 596-2423

CHARTERER	DATE <u>29-8-88</u>
<u>CARLYLE GEOLOGICAL</u>	A/C <u>C-FC110</u>
ADDRESS	TYPE <u>20613</u>
	BASE <u>W44E</u>

TELEPHONE <u>WHITEHORSE</u>	CHEQUE	CASH	CHARGE
	P.O.		

REMARKS	PASS	CARGO	TIME
<u>W44E - INT. Bldg - W44E</u>			
<u>PAID BY CHEQUE No. 076</u>			
<u>29-8-88</u>			<u>0.6</u>

RATE PER HOUR \$ 550.- FLYING TOTAL 330.00

FUEL SUPPLIED BY: CUST. CHI

CAPITAL FUEL

15 GALS FROM W44E AT 2.90 PER GAL = 43.50

GALS FROM _____ AT _____ PER GAL = _____

GALS FROM _____ AT _____ PER GAL = Ch. # 076

PAID AUG 29 1988

FUEL TOTAL 747.00

TOTAL \$ 515.50

AUTHORIZED BY PRINT _____ SIGNATURE [Signature]

PILOTS NAME Richard Field

SIGNATURE [Signature]

FLIGHT TICKET C 3228

JIM'S TOY & GIFT LTD.
 208 Main Street
 WHITEHORSE, Y.T. Y1A 2A9
 (403) 667-2606

CUSTOMER'S ORDER NO	PHONE	DATE <u>July 4/88</u>				
NAME <u>Cash CARLYLE GEOLOGICAL SERVICES LTD.</u>						
ADDRESS <u>74 TAMARACK DRIVE</u> <u>WHITEHORSE, YUKON</u> <u>VIA 4Y6</u>						
SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MOSE. RET'D	PAID OUT
QTY.	DESCRIPTION				PRICE	AMOUNT
<u>1</u>	<u>map</u>					<u>3 50</u>
<u>Paid</u>						TAX
RECEIVED BY <u>P/A</u>					TOTAL	<u>3 50</u>

5378

All claims and returned goods
 MUST be accompanied by this bill.

Thank You.

FLIGHT TICKET / INVOICE
CAPITAL HELICOPTERS INC.
 4193 - 104TH STREET, DELTA, B.C. V4K 3N3
 (604) 596 - 2423



FLIGHT TICKET / INVOICE
CAPITAL HELICOPTERS INC.
 4193 - 104TH STREET, DELTA, B.C. V4K 3N3
 (604) 596-2423

CHARTERER CARLYLE GEOLOGICAL SERVICES LTD.	DATE 21-7-88
ADDRESS 74 TAMARACK DR WHITEHORSE Y.T.	A/C C-FCHQ
	TYPE 206B
	BASE LOUSE
	CHEQUE <input type="checkbox"/> CASH <input type="checkbox"/> CHARGE <input checked="" type="checkbox"/>
	P.O.
REMARKS	PASS CARGO TIME
LOUSE - MNT RING - LOUSE	
PAID JUL 21 1988	
PAID BY CHEQUE NO 56	
also paid TICKET NO 2600	
21-7-88 B. fil	
TERMS: NET 10 DAYS	TOTALS 0.6

FUEL COST \$ **43.50**
 FLYING **0.6** HRS. AT \$ **532.00** = \$ **319.20**
TOTAL \$ 373.50

AUTHORIZED BY PRINT SIGNATURE *Larry H. Carlyle*

CONTRACT HRS. _____
 DATE _____
 MONTH _____
 YEAR _____

FUEL SUPPLIED BY: CUST. CHI

CAPITAL FUEL

15 GALS. FROM **LOUSE** AT **2.90** PER GAL

_____ GALS. FROM _____ AT _____ PER GAL

_____ GALS. FROM _____ AT _____ PER GAL

_____ GALS. FROM _____ AT _____ PER GAL

PILOTS NAME **BRUNO MELI**
 SIGNATURE *Bruno Meli*

FLIGHT TICKET NO. **No 01059** ✓

- LIN. B.C.
- WHITEHORSE, Y.T.
- PRINCE GEO., B.C.
- DELTA, B.C.

CHARTERER Carlyle Geological Services Ltd.	DATE 6-7-88
ADDRESS 74 Tamarack Drive Whitehorse Y1A 4Y6	A/C FBYD
TELEPHONE 633-3910	TYPE Bell 206
	BASE White
	CHEQUE <input type="checkbox"/> CASH <input type="checkbox"/> CHARGE <input checked="" type="checkbox"/>
	P.O.

REMARKS	PASS	CARGO	TIME
YXY - Mt. Byng - YXY	2		.7
PAID BY CHEQUE 056			
PAID JUL 21 1988			

RATE PER HOUR \$ **525.00** FLYING TOTAL **.7**

FUEL SUPPLIED BY: CUST. CHI

CAPITAL FUEL



0.7 hrs. GALS FROM YXY AT 75/Hr. PER GAL = 52.50
_____ GALS FROM _____ AT _____ PER GAL = _____
_____ GALS FROM _____ AT _____ PER GAL = _____

FUEL TOTAL **52.50**
TOTAL \$ 420.00

AUTHORIZED BY PRINT SIGNATURE *Larry H. Carlyle*

PILOTS NAME **M. Sanderson**
 SIGNATURE *M. Sanderson*

FLIGHT TICKET C No **2600** ✓



CARLYLE GEOLOGICAL SERVICES
74 TAMARACK DRIVE
WHITEHORSE, Y.T.
Y1A 4Y6

Invoice : V052066, Page 1

Date : 21-SEP-88

Report No: V88-05626.1

Project : NONE GIVEN

Reference:

2 Analyses of Gold - Fire Assay	at \$ 7.50	\$ 15.00		
Subtotal		\$ 15.00	\$	15.00
Sample Preparation				
2 Samples of DRY, SIEVE -80	at \$ 0.00	\$ 0.00		
Subtotal		\$ 0.00	\$	0.00
Invoice Total:			\$	15.00 Cdn

PAID BY CHEQUE #084

JR

Oct. 15/88



CANADA MAP OFFICE
200 RANGE ROAD
WHITEHORSE, YUKON

RECEIPT

No 019285

DATE <i>June 14/88</i>	NATURE AND NUMBER OF REMITTANCE <i>Cash</i>	INVOICE NO.	LOCATION
RECEIVED THE SUM OF		/100 DOLLARS \$ <i>8⁰⁰</i>	

FROM <i>Carlyle Geological</i>	FOR <i>2 X 1:50,000</i>
<i>P/A</i>	<i>B. Phillips</i> AUTHORIZED OFFICER



CANADA MAP OFFICE
200 RANGE ROAD
WHITEHORSE, YUKON

RECEIPT

No 019253

DATE <i>June 8/88</i>	NATURE AND NUMBER OF REMITTANCE <i>Cash</i>	INVOICE NO.	LOCATION
RECEIVED THE SUM OF		/100 DOLLARS \$ <i>4⁰⁰</i>	

FROM <i>Carlyle Geological Services</i>	FOR <i>1 X 1:50,000</i>
<i>Prospector's Assistance</i>	<i>B. Phillips</i> AUTHORIZED OFFICER

INVOICE NO. 10097

JOB PHONE 668-4884 DATE OF ORDER Jan. 11/88

JOB NAME / LOCATION Tent Poles

OSCAR'S ELECTRIC LTD.
310 Alexander Street
WHITEHORSE, Y.T. Y1A 2L6

(403) 667-2330

TO Larry W. Carlyle Carlyle Geological Services Ltd.
74 Tamarack Drive
Whitehorse, Yukon

PHONE Home 633-3910
ORDER TAKEN BY

QTY.	MATERIAL	PRICE	AMOUNT
1	10' steel EMT coupling		7.70
3.5	3/4" EMT Conduit	245.	8.57
3.5	3/4" roof rack pipe		5.00
			21.27

TERMS:

DESCRIPTION OF WORK	AMOUNT
Straighten Tent poles so they will telescope as the other set provided for example. could not get apart so made up a new - telescopic pole using 1" EMT conduit and piece of 3/4" car top carry pipe which fit ok.	

Bill thank you
w/ by cheque # 217
Royal Bank

LABOUR	HOURS	RATE	AMOUNT	TOTAL MATERIAL	21.27
				TOTAL LABOUR	30.00
PAID				31 1988	51.27
WORK ORDERED BY Larry W. Carlyle				DATE COMPLETED	
SIGNATURE				TAX	
				Thank You! PAY THIS AMOUNT → 51.27	

GEOPHYSICAL INSTRUMENTS

4245 E. HASTINGS ST.
N. BURNABY, B.C.
V5C 2J5

PHONE: 291-1617

SABRE ELECTRONIC INSTRUMENTS LTD.

TO Carlyle Geological Services Ltd.,
74 Tamarack Drive,
Whitehorse, Yukon
Y1A 4Y6

DATE March 15, 1988

SHIP TO _____

ORDER NO	TERMS	SHIPPED VIA	S.S. TAX NO	
QUANTITY	DESCRIPTION		PRICE	AMOUNT
	Service to VLF receiver			
	Materials:			
	2 battery holders		4.00	
	Labor:			
	Check complete circuitry, test and re-align			
	all channels.		40.00	
			44.00	\$44.00

PAID MAR 25 1988

INVOICE NO
2066

RECEIVED BY

Paid Cheque # 219

55759303

018-55759303

Address
expéditeur

Shipper's Account Number
Numéro de compte de l'expéditeur

Not negotiable / Non négociable

Air Waybill Lettre de transport aérien

Issued by / Émise par

CANADIAN AIRLINES
INTERNATIONAL
CALGARY ALBERTA

/LE GEOLOGICAL SERVICES LTD
AMARACK DR
TEHORSE

Copies 1, 2 and 3 of this Air Waybill are originals and have the same validity
Les exemplaires 1, 2 et 3 de cette lettre de transport aérien sont originaux et ont la même validité

Consignee Name and Address
adresse du destinataire

Consignee's Account Number
Numéro de compte du destinataire

It is agreed that the goods described herein are accepted in apparent good order and condition (except as noted) for carriage SUBJECT TO THE CONDITIONS OF CONTRACT ON THE REVERSE HEREOF. THE SHIPPER'S ATTENTION IS DRAWN TO THE NOTICE CONCERNING CARRIER'S LIMITATION OF LIABILITY. Shipper may increase such limitation of liability by declaring a higher value for carriage and paying a supplemental charge if required.

Il est convenu que les marchandises décrites dans le présent document sont acceptées pour le transport en bon état apparent (sauf annotation contraire) et que le transport est SOUMIS AUX CONDITIONS DU CONTRAT QUI FIGURENT AU VERSO. L'ATTENTION DE L'EXPÉDITEUR EST ATTIRÉE SUR L'AVIS CONCERNANT LA LIMITATION DE RESPONSABILITÉ DU TRANSPORTEUR. L'expéditeur peut augmenter cette limitation de responsabilité en déclarant une valeur pour le transport plus élevée et en payant des frais supplémentaires s'il y a lieu.

SABRE ELECTRONICS INSTRUMENTS LTD
4245 EAST HASTINGS ST
NORTH BURNABY
BC

Issuing Carrier's Agent Name and City / Nom et ville de l'agent du transporteur émetteur

Accounting Information / Renseignements comptables

CANADIAN AIRLINES INTL YXYFF

CC S VI 000004510409427444
0 SAR 14MAR

Agent's IATA Code / Code IATA de l'agent

Account No. / Numéro de compte

71 9 9020

Airport of Departure (Addr. of first Carrier) and Requested Routing
Aéroport de départ (Adresse du premier transporteur) et itinéraire demandé

WHITEHORSE YT CA

To / A	By first Carrier Par premier transporteur	Routing and Destination Routage et dest	To / A	by / par	To / A	by / par	Currency Monnaie	Charge Taux	WT. Pkgs. Val PDS COLI Gross Net	Other/Autres FRG COLI Taxes	Declared Value for Carriage Valeur déclarée pour le transport	Declared Value for Customs Valeur déclarée pour la douane
YVR	CP		CAD	FFX							NVL	NEV

Airport of Destination / Aéroport de destination

Flight Date
Vol / Date

For Carrier Use Only
Réserve au transporteur

Flight Date
Vol / Date

Amount of Insurance
Montant de l'assurance

INSURANCE - If Carrier offers insurance, and such insurance is requested in accordance with conditions on reverse hereof, indicate amount to be insured in figure in box marked Amount of Insurance. Si le transporteur propose une assurance et que l'expéditeur en fait la demande conformément aux conditions figurant au verso indiquer le montant à assurer en chiffres dans le case. Montant de l'assurance.

VANCOUVER BC CA

XXXXX

Handling Information / Renseignements pour le traitement de l'expédition

No of Pieces Nombre de colis	Gross Weight Poids brut	Vol	Rate Class / Classe de tarif	Chargeable Weight Poids de taxation	Rate / Charge Taux / Montant	Total	Nature and Quantity of Goods (inc. Dimensions or Volume) Nature et quantité des marchandises (y compris dimensions ou volume)
1	3.00	M		3.00	17.50	17.50	GEOPHYSICAL INSTRUMENT
			AIR EXPRESS				
1	3.00					17.50	TIME ACCEPTED 1047L

PAID MAR 14 1988
[Signature]

Prepaid / Port payé / Weight Charge / Taxation au poids / Collect / Port dû / Other Charges / Autres frais

17.50

Valuation charge / Taxation à la valeur

Tax / Taxe

Total other Charges Due Agent / Total des autres frais dus à l'agent

Total other Charges Due Carrier / Total des autres frais dus au transporteur

Shipper certifies that the particulars on the face hereof are correct and that insofar as any part of the consignment contains dangerous goods, such part is properly described by name and is in proper condition for carriage by air according to the applicable Dangerous Goods Regulations.

L'expéditeur certifie que les indications portées sur le présent document sont exactes et que dans la mesure où une partie quelconque de l'expédition contient des marchandises dangereuses, cette partie d'expédition est correctement dénommée et bien préparée pour le transport par air conformément à la réglementation applicable.

[Signature]
Signature of Shipper or his Agent

Signature of Issuing Carrier or its Agent

Total prepaid / Total port payé

Total collect / Total port dû

17.50

Currency Conversion Rates
Taux conversion monnaie

CC Charges in Dest. Currency
Port dû en monnaie du pays de destination

14 MAR 1988

Issued on
Émis le

(Date)

at

(Place)

(Lieu)

Signature of Issuing Carrier or its Agent
Signature du transporteur émetteur ou de son agent

For Carrier's Use Only - Destination
Réserve au transporteur à destination

Weight and Volume / Poids et volume

Total Charges / Total des frais

CAD

018 55759303

TAT-C 09/86

DILMAN COMMUNICATIONS LTD.
510 Elliot St., Whitehorse,
Yukon. Y1A 2A5 ph 668-5803

DATE June 21, 1988

INVOICE # 0305

CABLE TELEVISION SERVICES LTD.
74 TAMARACK DRIVE
WHITEHORSE YUKON
Y1A 4Y6

QTY	DESCRIPTION	UNIT	AMT
1	RENTAL ON RENTAL TUBE TO RENT	500.00	600.00
1	PURCHASE STA 122 ANTENNA	118.00	118.00

HRS	LABOUR	RATE	AMT
-----	--------	------	-----

PLEASE PAY TOTAL

718.00

TERMS NET 30 DAYS

1.5% INTEREST PER MONTH (18% PER YEAR)
CHARGED ON OVERDUE ACCOUNTS

FOR YOUR RECORDS ONLY INVOICE ALREADY PAID THANK YOU

PAID MAY 19 1988
cheque # 015

integraphics LTD.

302 Jarvis St., Whitehorse, Yukon Y1A 2H2
Phone (403) 667-4639 Fax 668-2734

INVOICE No. 2943

DATE: 1 JUNE 88

W AUTHORIZED DEALER
DRAFTING & SURVEY SUPPLIES

COMPLETE ENGINEERING SUPPLY,
REPRODUCTION & DRAFTING CENTRE

S CARLYLE GEOLOGICAL SERVICES LTD. S
O 74 TAMARACK DRIVE H
L WHITEHORSE, YUKON I
D VIA A46 P
T 633-3910 T
O O
O VIA

ORDER NO.	P.O. NO.	CUST. REQ'D NO.	QTY.	DESCRIPTION	UNIT COST	EXT. COST
			1 Box	HIP CUPPIN THREAD <i>L</i> <i>authentic</i>	49.50	49.50
			10 PL	FL. ORANGE FLAGGING <i>L</i> <i>authentic</i>	2.15	21.50
			1	METRIC SCALE MAPS 987 18-6 <i>L</i>	9.75	9.75
			* 2	HAMMER MATTOCK COMPLETE & HANDLE <i>L</i>	21.45 ea	42.90
PAID JUN 7 1988						
PAID # 036						
SUB-TOTAL						123.65
F.S.T						N/C
TOTAL						123.65

TERMS: NET 30 DAYS FROM DATE OF INVOICE
2% PER MONTH CHARGED ON OVERDUE ACCOUNTS