MAP NO.: 116C/08

ASSESSMENT REPORT X
PROSPECTUS
CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 092955
MINING DISTRICT: Dawson
TYPE OF WORK: Geology, geochemistry, trenching

REPORT FILED UNDER: Archer, Cathro and Associates (1981) Ltd. (YGC Resources Ltd.)

DATE PERFORMED: August 4 to September 12, 1990
DATE FILED: May 3,1991

LOCATION: LAT.: 64°19'N
LONG.: 140°28'W
AREA: Mickey Creek
VALUE $: 10,250.00

CLAIM NAME & NO.: MIC 1-14, YB 30547 - YB 30560
MIC 15-22 YB 38785 - YB 38792

WORK DONE BY: K. Sax, R.C. Carne (Archer Cathro and Associates (1981) Ltd.)

WORK DONE FOR: Archer Cathro and Associates (1981) Ltd. (YGC Resources Ltd.)

DATE TO GOOD STANDING:

REMARKS: #116 MICKEY
Exploration in 1990 consisted of line cutting, prospecting, soil sampling, bulldozer trenching, trench mapping and trench sampling. A lead-zinc soil anomaly parallels a homoclinal sequence of quartz-graphite phyllite, quartz-chlorite phyllite, quartzite and minor marble. This metasedimentary sequence has been assigned a Devonian age The target is a metamorphosed Devonian sedex barite-lead-zinc deposit.

Summarized July 4/91
Indexed July 16/91

ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016-510 WEST HASTINGS STREET
VANCOUVER, B.C. V6B 1L8

(604) 688-2568

SUMMARY REPORT

on

1990 EXPLORATION

MICKEY CREEK PROPERTY

(MIC CLAIMS)


Latitude 64°19′ North; Longitude 140°28′ West

NTS 116C/8

Dawson Mining District


MIC 1-14 - YB30547-YB30560
MIC 15-22 - YB38785-YB38792

092955



for

YGC RESOURCES LTD.



K. Sax, B.A.Sc.

R.C. Carne, M.Sc.

December, 1990

BOX 4127 3125 THIRD AVENUE, WHITEHORSE, Y.T. Y1A 3S9

(403) 667-4415

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 10,250.00.

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

01

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY	2
GEOLOGY	3
MINERALIZATION	4
GEOCHEMISTRY	5
TRENCHING	8
SUMMARY AND RECOMMENDATIONS	9
PROPOSED MICKEY CREEK PROPERTY 1991 EXPLORATION BUDGET	10

APPENDICES

I Authors' Statements of Qualifications

II List of Personnel

III Analytical Certificates

092955

FIGURES

NO.		LOCATION
1	Location Map	Following Page 1
2	Claim Locations	Following Page 1
3	Sample Locations	In Pocket
4	Lead Geochemistry	In Pocket
5	Zinc Geochemistry	In Pocket
6	Copper Geochemistry	In Pocket
7	Geochemical Compilation	Following Page 6
8	Lead Soil Geochemistry, Bulldozer Trenches	Following Page 6
9	Zinc Soil Geochemistry, Bulldozer Trenches	Following Page 6
10	Rock Geochemistry, Bulldozer Trenches	Following Page 6

INTRODUCTION

The Mickey Creek property was staked in May, 1990 by Archer, Cathro & Associates (1981) Limited and sold to YGC Resources Ltd. at cost in June. Additional claims were staked in September by YGC. The claims were acquired to cover an extensive coincident lead-zinc soil geochemical anomaly resulting from previous exploration.

The 1990 field program was funded by YGC and included linecutting, prospecting, soil sampling, bulldozer trenching, trench mapping and trench sampling carried out between August 4 to September 12.

Appendix I includes the Authors' Statements of Qualifications while a list of personnel who worked on the project is included as Appendix II.


PROPERTY, LOCATION AND ACCESS

The Mickey Creek property straddles the Clinton Creek Road in west-central Yukon, about 10 km from the Top of the World Highway and 40 km northwest of Dawson City (Figure 1). Coordinates for the central part of the property are 64°19′ north latitude and 140°28′ west longitude.

The Mickey Creek property consists of twenty-two claims registered with the Dawson City Mining Recorder in the name of Archer, Cathro as follows:

Claim Name	Grant Numbers	Expiry Date
Mic 1-14	YB30547-YB30560	June 4, 1991
Mic 15-22	YB38785-YB38792	September 17, 1991

Claim locations are shown on Figure 2 on the following page.


MICKEY CREEK PROPERTY
MATSON CREEK PROPERTY
TOP OF THE WORLD HIGHWAY
CLINTON CREEK ROAD
YUKON RIVER
Clinton Creek
Cassiar Dome
Swede Dome
Baldy Mtn
Sixtymile
Dawson
Moosehide (Indian Village)
Bedrock Hill
Mt Nolan
Mt Hart
Crag Mtn
Mt Ina
Mt Bronson
Grand Forks
Ruby Mtn
Haystack Mtn
Raindeer Mtn
Bear Creek
Rock Creek
Klondike
Indian
Sixty Mile
Fifty Mile
Matson
Quebec Cr
Ballarat Creek
Chandindu
Lepine Creek
Garnet Ck
Galena Ck
Jim Ck
Ruby Creek
Bismarck
Daisy
Figure 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
YGC RESOURCES LTD.
LOCATION MAP
MICKEY CREEK PROPERTY
0 5 10 15 Km
0 5 10 Miles




Figure 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

YGC RESOURCES LTD.

CLAIM LOCATIONS

MICKEY CREEK PROPERTY

WEST-CENTRAL YUKON

0 500 m

0 1000 2000 ft

HISTORY AND PREVIOUS WORK

The area was first staked in 1978 by Cominco Ltd. which explored the property with soil sampling and bulldozer trenching in 1979-80 and one 183 m drill hole in 1981. Archer, Cathro restaked the area of the geochemical anomaly in May, 1990 and enlarged the property in September, 1990 for YGC.

GEOMORPHOLOGY

The Mickey Creek property lies along the east side of a northerly-trending ridge. Topography is subdued with elevations locally ranging from 650 to 900 m above sea level. The relatively gentle upper part of the slope is underlain by black spruce bog, giving way to mixed mature balsam, fir and aspen forest as the slope steepens at lower elevations to the east.

Residual overburden cover ranges between one and four metres thick. Because the area escaped Pleistocene glaciation, bedrock exposures are limited to resistant strata in cliffs along the sides of creeks draining the area to the east. Actual in-place outcrop probably forms less than 1% of the area. The soil cover consists of a thick, frozen layer of organic-rich clay in the relatively gentle upper slopes and better drained residual mineral soil cover on steeper lower slopes. Continuous permafrost on the ridge crest gives way to the east with increasing slope angle and lower elevations to discontinuous permafrost.

Sulphide minerals are nearly completely oxidized on surface. According to the Cominco drill logs, oxidation extends to at least 60 m from surface.

GEOLOGY

The Mickey Creek area is underlain by intercalated metasedimentary and metavolcanic(?) rocks including quartz-graphite phyllite and quartz-chlorite phyllite with lesser quartz, muscovite phyllite, quartzite and minor marble. These have been assigned a Devonian age through U-Pb isotopic dating of zircons by J. Mortensen of the Geological Survey of Canada (GSC). A number of serpentinite bodies are present at the north end of the grid area. It is not clear what relationship these bear to the Devonian metasedimentary sequence.

Very little bedrock is exposed on the property and no property-scale geological mapping was carried out in 1990. Results of geological mapping of the floors and walls of trenches cut in 1990 are inconclusive as most trenches bottomed in frozen rubble or frost-riven bedrock. Examination of exposures along the Clinton Creek Road cut and of isolated outcrops and bedrock in trenches, however, suggests that the sequence has been deformed by small-scale isoclinal folds although the overall orientation appears to be a homoclinal sequence that strikes north-northwest and dips gently west.

MINERALIZATION

The Mickey Creek property covers a metamorphosed sedimentary-exhalative (sedex) or volcanogenic massive sulphide (VMS) barite-lead-zinc exploration target. No sulphide mineralization has been located in bedrock on the property, however a single piece of laminated barite with thin seams of galena and sphalerite was located in overburden at the uphill end of Trench 90M-6. Similar mineralized float was found in the old Cominco trenches in 1989 by Mortensen of the GSC. Mortensen carried out lead isotopic analysis on galena separates from the samples and the resulting 207 Pb/204 Pb vs 206 Pb/204 Pb ratios fall on the "Shale Curve" and plot closely to ratios determined for galena separates from mineralization at the Tom and Jason sedex deposit in east-central Yukon. In other words, the barite float mineralization is most likely to have been derived from a Devonian sedex barite-lead-zinc deposit. Since the area is unglaciated, the source is likely to be a relatively short distance upslope from the float location in Trench 90M-6.

GEOCHEMISTRY

The central part of the Mickey Creek property was grid soil sampled by Cominco in 1979. Approximately 330 samples were taken at 25 m intervals along lines spaced about 150 m apart. Results were filed for assessment credit and are publicly available. The 1979 grid was relocated and extended by YGC in 1990 and 420 soil samples were collected at the same sample spacing. Sample locations are shown on Figure 3.

The 1990 soil samples were collected in pre-numbered Kraft paper bags and sent to Chemex Labs Ltd. in North Vancouver where they were prepared by drying and sieving to minus 80 mesh. Thirty-two element analyses, including those for all the major base metals and silver, were carried out on nitric aqua-regia digestion of two gram samples with induced coupled plasma (ICP) determination.

Gold analyses were carried out on a separate ten gram sample split by fire assay with atomic absorption spectroscopy finish (FA-AA). The Cominco analytical techniques for lead, zinc and silver were not described in the reports filed for assessment credit. Analytical certificates for the 1990 geochemical determinations are reproduced in Appendix III.


In 1990, soil samples were collected from the B Horizon where possible. Soil samples taken on the upper slopes between the old grid and the Clinton Creek Road were nearly all collected from organic-rich grey clay soils. Bulldozer stripping in the same area later in September revealed that the B Horizon, if present, lies in permafrost at least one metre below surface under thick moss and frozen muck cover. Soil samples collected at 50 m intervals along the uphill slope of the Clinton Creek Road were taken from the B Horizon just above the bedrock-overburden interface.

Results of the 1979 and 1990 geochemical surveys are compiled on Figures 4, 5 and 6 in the pocket and summarized on Figure 7 on the following page. Contour intervals are established based on previous statistical analyses of geochemical data by Archer, Cathro on results of similar geochemical sampling programs in the area.

Lead values have the highest contrast, ranging from <2 to 1320 ppm (Figure 4). Background values are less than 50 ppm. Contoured lead data reveals a number of southeast to east-southeast trending anomalies. These are elongate downslope, with the uphill terminations lying along a single northerly trend. A single-sample anomaly of 1075 ppm Pb occurs near the west end of Line 1+40N on the west side of the Clinton Creek Road. The 1981 drill hole tested the strongest lead geochemical anomaly about halfway down the slope from the uphill termination of the anomaly. The hole intersected a few thin sphalerite bands in phyllite but no lead mineralization was evident in the core. The entire hole was split for assay and the only anomalous values were related to weak zinc mineralization in phyllite (0.03% Pb, 0.34% Zn over 5.2 m).

Zinc values in soils range between 14 and 650 ppm (Figure 5). Zinc values do not have the contrast between background and peak values present for the lead data, however, the highest values correlate well with lead. Zinc anomalies are more widespread than lead anomalies although they terminate uphill along the same northerly trend.

Copper determinations were not carried out in 1979 and only the 1990 results are plotted on Figure 6. Copper values in soils range from 10 to 86 ppm. These appear to form a single population representing background values.



75-1320 ppm Pb in soils

100-650 ppm Zn in soils

1990 bulldozer trench

★ Barite float with minor galena and sphalerite

0 500 m

0 1000 2000 ft

Figure 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

YGC RESOURCES LTD.

GEOCHEMICAL COMPILATION

MICKEY CREEK PROPERTY

WEST-CENTRAL YUKON




Figure 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD SOIL GEOCHEMISTRY

BULLDOZER TRENCHES

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

SCALE 1:5,000

0 50 100 200 300 400 m

0 200 500 1000 ft.




Figure 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY

BULLDOZER TRENCHES

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

CAT TRENCH (1990)

CAT TRAIL (1980)

STRIPPED IN 1990


TRENCH SOIL SAMPLE (1980)

(Values in P.P.M. Zinc.)

SCALE 1:5,000

0 50 100 200 300 400 m

0 200 500 1000 ft



LOCATION	SAMPLE	WIDTH (m)	REMARKS
A	T12716	3.0	quartz muscovite schist
B	T12729	5.0	quartz muscovite schist
C	T12730	5.0	- overburden - or above
D	T12732	0.1	quartz muscovite schist
E	T12733	0.6	highly altered wallrock
	T12734	0.4	quartz muscovite schist
	T12735	1.2	quartz chlorite schist
	T12736	0.8	highly altered quartz muscovite schist
F	T12738	4.0	quartz muscovite schist
G	T12738	3.0	quartz muscovite phyllite, strong limonite
H	T12739	1.5	gougy, strong clay, strong quartz
I	T12740	2.0	limonite quartz muscovite phyllite, strong yellow clay
J	T12741	5.5	quartz muscovite schist - weak limonite, strong clay alteration
K	T12742	0.1	oxidized quartz muscovite phyllite
L	T12743	Grab	float - quartz muscovite phyllite, weak limonite
M	T12744	3.0	float - quartz muscovite phyllite, weak limonite
N	T12747	2.0	quartz muscovite phyllite, highly porous, moderate limonite
Ø	T12748	5.0	quartz muscovite phyllite, quartzite, weak limonite
P	T12751	9.0	chloritic quartzite, quartz chlorite schist cut by <5 mm quartz veinlets with in-situ fair limonite
Q	T12752	2.0	quartz muscovite phyllite with cavities in quartz veins, best limonite seen on property
R	T12754	Grab	float - as above

Figure 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK GEOCHEMISTRY

BULLDOZER TRENCHES

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

SCALE 1:2,500

50 25 0 25 50 75 100 Metres

100 50 0 100 200 300 Ft.

Values for lead and zinc in soils taken in 1980 from the walls and floors of bulldozer trenches by Cominco are plotted on Figures 8 and 9. The ranges for both metals are similar to those for samples taken from surficial soils. The trench results do, however, extend the area of lead and zinc response uphill from the main anomaly, terminating against the observed northerly trend of the other soil geochemical anomalies.

Samples taken from the floors of trenches deepened in 1990 are located and described on Figure 10. Multi-element geochemical values are listed in Appendix III. A number of samples returned anomalous values, with lead and zinc response ranging up to 7520 and 2240 ppm, respectively. All bedrock samples were taken from oxidized material which carries up to 10% limonitic material, usually as coatings and fracture fillings. The anomalous values of lead and zinc probably represent hydromorphic dispersion downslope from the source area and absorption onto limonite at the overburden-bedrock interface.

The 1979 soil survey was extended and 1980 bulldozer trenches were deepened in 1990. Results of this work, taken in conjunction with results of research carried out by the GSC in 1989 and 1990, indicates that the source of the geochemical anomaly on the Mickey Creek property is a northerly-trending barite-lead-zinc sedex deposit that lies just uphill of the soil geochemical anomalies. The area of probable mineralization lies in an area of relatively flat topography near the top of a relatively steep easterly-facing slope. Geochemical response immediately over the probably mineralization is masked by deep, frozen, residual overburden cover and is complicated by oxidation and leaching. The main geochemical anomaly, which was the focus for bulldozer trenching in 1979, 1980 and 1990 and diamond drilling in 1981, is most certainly a result of downslope hydromorphic dispersion.

TRENCHING

Trenching was carried out with a Caterpillar D7-E, ripper-equipped bulldozer supplied by E. Caron Diamond Drilling Ltd. of Whitehorse. Volume of material removed by the 1990 trenching program is tabulated below.

Trench	Length (m)	Width (m)	Average Depth (m)	Volume (m3)
90M-1	58	3	3.0	522
90M-2	85	3	3.0	765
90M-3	40	3	2.5	300
90M-4	150	3	2.5	1125
90M-5	123	3	2.0	738
90M-6	185	3	1.0	555
90M-7	147	3	1.0	441
90M-8	161	3	1.0	483
				4929 m3

SUMMARY AND RECOMMENDATIONS

The Mickey Creek property is 100% owned by YGC Resources Ltd. The claim group covers coincident lead-zinc geochemical anomalies explored by Cominco Ltd. in 1979-83.

The property area is an unglaciated peneplain. The claims occur near a ridge crest which represents the original peneplain elevation. Oxidation likely exceeds several tens of metres and surface exposures are completely leached of metals.

Geochemical surveys carried out in 1979 by Cominco were augmented by additional sampling in 1990. This work confirmed and extended the original geochemical anomalies which consist of a number of areas of coincident, moderate to strong lead-zinc response which are elongated in a southeasterly direction, down the slope. Trenching in 1979, 1980 and 1990 and diamond drilling in 1981 within the strongest anomaly failed to discover the source of the high metal values. Furthermore, the only significant mineralization seen on the property, laminated galena and sphalerite in barite, occurs in overburden within a trench cut near the top of the main geochemical anomaly. Soil samples taken from overburden in all the trenches are anomalous and it is certain that the source of the lead and zinc lies uphill from the surface geochemical response and that the anomalies are a result of hydromorphic and/or clastic dispersion. The uphill terminations of the geochemical anomalies lie along a 2 km long, northerly-trending belt conformable with regional stratigraphy. This area is heavily vegetated and covered by frozen organic-rich soil so that geochemical surveys are not effective in outlining in place mineralization.

The available geochemical and geological data outlines a 2 km long area of interest that probably represents a Devonian sedex barite-lead-zinc deposit similar to those in Selwyn Basin and Kechika Trough in Yukon and northeastern

British Columbia. Sedex deposits are attractive exploration targets because of their relatively large tonnage of economic grades of zinc and lead.

Further exploration should consist of trenching along the interpreted trend of potential mineralization to define targets for diamond drilling. A number of trench sites were pre-stripped of vegetation in September, 1990 to allow thawing of permafrost to facilitate this program. A proposed budget for further work follows.

PROPOSED MICKEY CREEK PROPERTY 1991 EXPLORATION BUDGET

Trenching Excavator, 75 hours @ $120/hr, including fuel	$ 9,000
Salaries	4,000
Camp Costs - 25 mandays @ $70/day	1,750
Assaying and Geochemical	1,000
Transportation	2,000
Assessment Filing	1,250
Management	1,000
TOTAL -	$20,000

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

K. Sax, B.A.Sc.

R.C. Carne, M.Sc.


APPENDIX I

AUTHORS' STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Kelinda Sax, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia do hereby certify that:

1. I graduated from the Michigan Technological University in 1989 with a B.Sc. in geological engineering.
2. I graduated from the Haileybury School of Mines in 1986 as a Mining Engineering Technician.
3. From 1981 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
4. I have personally participated in and supervised the field work reported herein.




K. Sax, B.Sc.

STATEMENT OF QUALIFICATIONS

I, Robert C. Carne, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Burnaby, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 1974 with a B.Sc. and in 1979 with an M.Sc. majoring in Geological Sciences.
2. I am a member of the Geological Association of Canada.
3. From 1974 to present, I have been actively engaged as a geologist in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981 became a partner of Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



Robert C. Carne, B.Sc.,M.Sc.

APPENDIX II

LIST OF PERSONNEL

LIST OF PERSONNEL

NAME	POSITION
R. Carne	Senior Geologist
K. Sax	Geologist
M.P. Phillips	Geologist
T. Becker	Geologist
C. Getz	Geologist
K. Owerko	Field Assistant
C. Vig	Catskinner

APPENDIX III

ANALYTICAL CERTIFICATES

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Page Num. : 1-A
Total Pages : 7
Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12003	201	238	5	0.2	1.57	5	140	< 0.5	< 2	0.08	< 0.5	3	26	18	2.37	10	< 1	0.12	20	0.23	150
T12004	201	238	< 5	0.2	1.33	< 5	280	< 0.5	< 2	0.08	< 0.5	9	21	27	2.29	10	< 1	0.15	20	0.16	670
T12005	201	238	< 5	0.2	1.16	< 5	190	< 0.5	< 2	0.14	< 0.5	15	24	34	3.38	10	< 1	0.16	30	0.25	925
T12006	201	238	< 5	< 0.2	1.32	< 5	170	< 0.5	< 2	0.11	< 0.5	4	23	27	2.23	< 10	< 1	0.09	20	0.26	185
T12007	201	238	< 5	< 0.2	1.13	< 5	90	< 0.5	< 2	0.08	< 0.5	3	21	16	1.62	< 10	< 1	0.06	10	0.20	90
T12008	201	238	< 5	< 0.2	1.17	< 5	130	< 0.5	< 2	0.11	< 0.5	4	23	17	2.26	< 10	< 1	0.07	20	0.26	220
T12009	201	238	< 5	< 0.2	1.87	< 5	130	< 0.5	< 2	0.10	< 0.5	4	29	13	2.83	10	< 1	0.05	10	0.35	165
T12010	201	238	< 5	< 0.2	1.33	5	140	< 0.5	< 2	0.13	< 0.5	6	23	26	2.36	< 10	< 1	0.09	20	0.28	300
T12011	201	238	< 5	< 0.2	1.43	< 5	170	< 0.5	< 2	0.13	< 0.5	3	25	24	2.16	< 10	< 1	0.09	20	0.27	125
T12012	201	238	< 5	< 0.2	1.38	5	140	< 0.5	< 2	0.15	< 0.5	3	26	17	2.53	< 10	< 1	0.10	20	0.30	140
T12013	201	238	< 5	< 0.2	1.47	< 5	170	< 0.5	2	0.14	< 0.5	4	29	20	2.54	< 10	< 1	0.09	20	0.31	185
T12014	201	238	< 5	< 0.2	1.42	10	140	< 0.5	< 2	0.16	< 0.5	7	27	15	2.80	< 10	< 1	0.09	20	0.36	395
T12015	201	238	< 5	< 0.2	1.46	10	140	< 0.5	< 2	0.16	< 0.5	3	29	15	2.35	< 10	< 1	0.11	20	0.33	170
T12016	201	238	< 5	< 0.2	1.41	5	150	< 0.5	< 2	0.17	< 0.5	6	26	20	2.50	10	< 1	0.11	30	0.34	315
T12017	201	238	< 5	< 0.2	1.71	< 5	170	< 0.5	< 2	0.15	< 0.5	3	30	22	2.25	< 10	< 1	0.10	20	0.35	105
T12018	201	238	< 5	< 0.2	1.64	< 5	170	< 0.5	< 2	0.16	< 0.5	4	30	20	2.36	10	< 1	0.11	20	0.34	145
T12019	201	238	< 5	< 0.2	1.36	5	150	< 0.5	< 2	0.10	< 0.5	3	27	24	2.25	< 10	< 1	0.07	10	0.29	155
T12020	201	238	< 5	< 0.2	1.38	5	140	< 0.5	< 2	0.14	< 0.5	10	30	18	3.09	< 10	< 1	0.07	20	0.40	560
T12021	201	238	< 5	< 0.2	1.39	< 5	150	< 0.5	< 2	0.13	< 0.5	7	29	18	2.52	< 10	< 1	0.09	20	0.38	300
T12022	201	238	< 5	< 0.2	1.00	< 5	100	< 0.5	< 2	0.07	< 0.5	4	24	19	1.98	< 10	< 1	0.05	10	0.23	290
T12023	201	238	< 5	< 0.2	1.60	< 5	190	< 0.5	< 2	0.13	< 0.5	5	32	26	2.39	< 10	< 1	0.08	20	0.35	170
T12024	201	238	< 5	< 0.2	1.26	< 5	140	< 0.5	< 2	0.18	< 0.5	6	29	21	2.59	< 10	< 1	0.10	30	0.36	250
T12025	201	238	< 5	< 0.2	1.05	< 5	100	< 0.5	< 2	0.08	< 0.5	2	21	11	1.39	< 10	< 1	0.06	10	0.17	70
T12026	201	238	< 5	< 0.2	1.32	< 5	160	< 0.5	< 2	0.13	< 0.5	2	25	11	1.43	< 10	< 1	0.07	20	0.25	75
T12027	201	238	< 5	< 0.2	1.52	< 5	160	< 0.5	< 2	0.10	< 0.5	3	24	16	1.94	< 10	< 1	0.08	20	0.27	125
T12028	201	238	< 5	< 0.2	1.65	< 5	260	< 0.5	2	0.17	< 0.5	7	29	18	2.73	< 10	< 1	0.10	20	0.36	385
T12029	201	238	< 5	< 0.2	1.33	< 5	200	< 0.5	< 2	0.24	< 0.5	8	27	29	2.77	< 10	< 1	0.11	30	0.36	350
T12030	201	238	< 5	< 0.2	1.71	< 5	220	< 0.5	< 2	0.19	< 0.5	7	32	28	2.63	< 10	< 1	0.12	20	0.37	295
T12031	201	238	< 5	< 0.2	2.36	< 5	460	< 0.5	< 2	0.22	< 0.5	11	39	38	3.15	< 10	< 1	0.11	20	0.44	525
T12032	201	238	< 5	< 0.2	2.52	5	480	< 0.5	2	0.23	< 0.5	12	46	44	3.75	< 10	< 1	0.16	20	0.55	530
T12033	201	238	< 5	< 0.2	1.76	< 5	190	< 0.5	< 2	0.19	< 0.5	6	32	25	2.58	< 10	< 1	0.09	20	0.41	245
T12034	201	238	< 5	< 0.2	1.83	5	210	< 0.5	< 2	0.22	< 0.5	8	34	25	2.82	10	< 1	0.10	20	0.46	325
T12035	201	238	< 5	< 0.2	2.01	10	210	< 0.5	< 2	0.20	< 0.5	6	36	28	2.59	10	< 1	0.10	20	0.47	190
T12036	201	238	55	0.6	1.35	< 5	150	< 0.5	< 2	0.21	< 0.5	7	26	23	2.26	10	< 1	0.08	20	0.36	265
T12037	201	238	20	< 0.2	0.71	< 5	100	< 0.5	< 2	0.06	< 0.5	1	12	7	0.75	< 10	< 1	0.04	10	0.07	40
T12038	201	238	10	0.2	1.59	< 5	170	< 0.5	< 2	0.20	< 0.5	6	30	27	2.56	10	< 1	0.10	20	0.40	195
T12039	201	238	< 5	< 0.2	1.88	10	210	< 0.5	< 2	0.24	< 0.5	10	34	36	3.05	10	< 1	0.09	20	0.46	345
T12040	201	238	15	< 0.2	1.58	10	80	< 0.5	< 2	0.14	< 0.5	3	30	12	2.84	10	< 1	0.05	10	0.34	165
T12041	201	238	10	< 0.2	1.40	< 5	200	< 0.5	< 2	0.24	< 0.5	7	30	19	2.26	10	< 1	0.08	20	0.42	300
T12042	201	238	< 5	< 0.2	1.67	< 5	150	< 0.5	< 2	0.21	< 0.5	5	31	20	2.44	< 10	< 1	0.06	20	0.43	190

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12003	201	238	1	< 0.01	13	390	36	< 5	2	14	0.03	< 10	< 10	44	< 10	56
T12004	201	238	1	0.01	20	690	20	< 5	1	16	0.01	< 10	< 10	43	< 10	78
T12005	201	238	1	< 0.01	33	810	48	< 5	3	19	0.03	< 10	< 10	39	< 10	128
T12006	201	238	< 1	0.01	18	460	18	< 5	1	15	0.03	< 10	< 10	38	< 10	66
T12007	201	238	< 1	0.01	11	380	12	< 5	1	12	0.03	< 10	< 10	32	< 10	40
T12008	201	238	< 1	< 0.01	14	370	14	< 5	2	14	0.04	< 10	< 10	45	< 10	60
T12009	201	238	1	< 0.01	12	160	12	< 5	2	12	0.06	< 10	< 10	55	< 10	50
T12010	201	238	< 1	0.01	17	460	14	< 5	2	15	0.03	< 10	< 10	39	< 10	60
T12011	201	238	1	0.01	13	510	12	< 5	2	15	0.03	< 10	< 10	35	< 10	52
T12012	201	238	1	0.01	16	580	14	< 5	2	16	0.04	< 10	< 10	39	< 10	62
T12013	201	238	< 1	0.01	16	520	20	< 5	2	16	0.04	< 10	< 10	44	< 10	64
T12014	201	238	< 1	0.01	16	500	12	< 5	2	16	0.05	< 10	< 10	50	< 10	70
T12015	201	238	1	0.01	14	490	14	< 5	2	17	0.05	< 10	< 10	45	< 10	60
T12016	201	238	1	0.01	16	580	12	< 5	2	17	0.05	< 10	< 10	49	< 10	68
T12017	201	238	< 1	0.01	15	610	18	< 5	2	17	0.04	< 10	< 10	36	< 10	60
T12018	201	238	1	0.01	15	540	16	< 5	2	17	0.04	< 10	< 10	40	< 10	66
T12019	201	238	1	0.01	15	600	16	< 5	1	12	0.02	< 10	< 10	38	< 10	54
T12020	201	238	1	0.01	19	630	14	< 5	2	13	0.04	< 10	< 10	45	< 10	84
T12021	201	238	1	< 0.01	18	580	20	< 5	2	13	0.02	< 10	< 10	41	< 10	76
T12022	201	238	< 1	0.01	11	410	12	< 5	1	9	0.02	< 10	< 10	35	< 10	48
T12023	201	238	1	0.01	18	540	26	< 5	2	15	0.03	< 10	< 10	47	< 10	70
T12024	201	238	1	0.01	20	570	14	< 5	2	15	0.05	< 10	< 10	39	< 10	90
T12025	201	238	< 1	0.02	7	380	16	< 5	1	10	0.03	< 10	< 10	27	< 10	38
T12026	201	238	< 1	0.01	11	460	26	< 5	1	15	0.03	< 10	< 10	25	< 10	48
T12027	201	238	< 1	0.01	13	530	30	< 5	2	13	0.03	< 10	< 10	35	< 10	58
T12028	201	238	1	0.01	20	680	28	< 5	3	19	0.04	< 10	< 10	50	< 10	88
T12029	201	238	1	0.01	27	640	20	< 5	4	21	0.07	< 10	< 10	45	< 10	106
T12030	201	238	1	0.01	24	680	28	< 5	3	20	0.05	< 10	< 10	46	< 10	94
T12031	201	238	1	0.01	31	880	32	< 5	5	26	0.05	< 10	< 10	54	< 10	108
T12032	201	238	1	0.01	35	890	28	< 5	6	27	0.05	< 10	< 10	57	< 10	134
T12033	201	238	< 1	0.01	20	570	18	< 5	4	16	0.06	< 10	< 10	46	< 10	84
T12034	201	238	< 1	0.01	23	600	26	< 5	4	19	0.07	< 10	< 10	55	< 10	90
T12035	201	238	< 1	0.01	21	690	36	< 5	4	19	0.06	< 10	< 10	54	< 10	88
T12036	201	238	1	0.01	20	620	44	< 5	3	16	0.05	< 10	< 10	40	< 10	88
T12037	201	238	< 1	0.02	4	340	16	< 5	< 1	9	0.02	< 10	< 10	21	< 10	16
T12038	201	238	1	0.01	23	650	30	< 5	3	18	0.06	< 10	< 10	49	< 10	86
T12039	201	238	1	0.01	26	730	32	< 5	4	22	0.06	< 10	< 10	54	< 10	92
T12040	201	238	< 1	0.01	12	450	40	< 5	2	12	0.06	< 10	< 10	74	< 10	48
T12041	201	238	< 1	0.01	20	630	24	< 5	3	20	0.06	< 10	< 10	43	< 10	76
T12042	201	238	< 1	0.01	16	630	20	< 5	3	16	0.06	< 10	< 10	50	< 10	62

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12043	201	238	< 5	< 0.2	1.40	5	200	< 0.5	< 2	0.16	< 0.5	3	25	21	2.16	< 10	< 1	0.09	20	0.27	130
T12044	201	238	< 5	< 0.2	1.31	5	150	< 0.5	< 2	0.15	< 0.5	4	25	19	2.25	10	< 1	0.08	20	0.27	190
T12045	201	238	< 5	< 0.2	1.46	< 5	170	< 0.5	< 2	0.17	< 0.5	3	25	13	1.89	10	< 1	0.08	20	0.29	110
T12046	201	238	< 5	< 0.2	1.57	5	210	< 0.5	< 2	0.17	< 0.5	4	27	18	2.14	10	< 1	0.09	20	0.31	145
T12047	201	238	< 5	< 0.2	1.60	5	180	< 0.5	< 2	0.15	< 0.5	9	27	15	2.72	10	< 1	0.08	20	0.31	575
T12048	201	238	40	< 0.2	1.52	5	200	< 0.5	< 2	0.15	< 0.5	3	26	15	2.21	< 10	< 1	0.08	20	0.31	115
T12049	201	238	< 5	< 0.2	1.51	< 5	210	< 0.5	< 2	0.15	< 0.5	4	25	17	2.12	< 10	< 1	0.08	20	0.30	170
T12050	201	238	< 5	< 0.2	1.47	10	240	< 0.5	< 2	0.17	< 0.5	3	25	18	2.43	< 10	< 1	0.07	20	0.29	125
T12051	201	238	30	< 0.2	1.56	10	260	< 0.5	< 2	0.17	< 0.5	3	27	15	2.58	< 10	< 1	0.08	20	0.33	115
T12052	201	238	< 5	< 0.2	1.50	10	190	< 0.5	< 2	0.20	< 0.5	4	27	15	2.56	10	< 1	0.08	20	0.35	115
T12053	201	238	< 5	0.2	1.80	5	260	< 0.5	< 2	0.21	< 0.5	6	32	22	2.55	10	< 1	0.10	20	0.42	165
T12054	201	238	< 5	0.2	1.69	< 5	210	< 0.5	< 2	0.24	< 0.5	6	30	19	2.51	10	< 1	0.10	20	0.42	185
T12055	201	238	< 5	0.2	1.81	< 5	240	< 0.5	< 2	0.22	< 0.5	6	31	21	2.64	10	< 1	0.10	30	0.41	160
T12056	201	238	10	< 0.2	1.64	5	240	< 0.5	< 2	0.22	< 0.5	7	30	21	2.60	10	< 1	0.09	20	0.41	180
T12057	201	238	30	< 0.2	1.73	< 5	250	< 0.5	< 2	0.19	< 0.5	7	33	23	2.62	< 10	< 1	0.09	20	0.41	220
T12058	201	238	10	< 0.2	1.51	5	200	< 0.5	< 2	0.17	< 0.5	9	27	21	2.49	< 10	< 1	0.09	20	0.31	455
T12059	201	238	30	< 0.2	1.54	10	170	< 0.5	< 2	0.21	< 0.5	7	28	20	2.64	10	1	0.09	20	0.40	230
T12060	201	238	15	< 0.2	2.13	5	230	< 0.5	< 2	0.22	< 0.5	11	37	24	3.20	10	< 1	0.11	20	0.49	515
T12061	201	238	100	< 0.2	1.53	5	170	< 0.5	< 2	0.20	< 0.5	9	28	22	2.60	10	< 1	0.08	20	0.39	360
T12062	201	238	20	< 0.2	1.53	5	170	< 0.5	< 2	0.20	< 0.5	6	29	26	2.45	10	< 1	0.08	30	0.41	195
T12063	201	238	< 5	0.2	1.93	< 5	220	< 0.5	< 2	0.22	< 0.5	6	35	32	2.75	10	< 1	0.09	20	0.47	215
T12064	201	238	< 5	0.2	1.88	< 5	190	< 0.5	< 2	0.23	< 0.5	5	32	23	2.63	10	< 1	0.09	20	0.44	185
T12065	201	238	< 5	0.4	1.60	5	160	< 0.5	< 2	0.23	< 0.5	6	29	21	2.43	10	< 1	0.10	30	0.39	255
T12066	201	238	< 5	0.2	1.62	< 5	180	< 0.5	< 2	0.24	< 0.5	5	28	18	2.20	10	< 1	0.08	20	0.40	160
T12067	201	238	< 5	0.2	2.04	< 5	170	< 0.5	< 2	0.26	< 0.5	6	35	28	2.74	10	< 1	0.09	20	0.47	155
T12068	201	238	< 5	0.6	1.35	5	160	< 0.5	< 2	0.23	< 0.5	5	26	24	2.18	10	< 1	0.08	20	0.37	200
T12069	201	238	< 5	0.2	1.83	5	150	< 0.5	< 2	0.27	< 0.5	5	32	21	2.47	10	< 1	0.09	20	0.45	160
T12070	201	238	15	0.4	1.35	5	200	< 0.5	< 2	0.29	< 0.5	5	28	23	1.99	10	< 1	0.07	30	0.41	165
T12071	201	238	10	0.2	1.17	< 5	140	< 0.5	< 2	0.12	< 0.5	2	18	11	1.33	10	< 1	0.07	20	0.21	65
T12072	201	238	< 5	< 0.2	1.18	5	130	< 0.5	< 2	0.13	< 0.5	2	19	14	1.93	10	< 1	0.09	30	0.22	75
T12073	201	238	< 5	< 0.2	1.20	5	170	< 0.5	< 2	0.10	< 0.5	4	19	22	1.70	< 10	< 1	0.15	30	0.19	140
T12074	201	238	15	0.4	1.05	5	140	< 0.5	< 2	0.09	< 0.5	17	20	45	3.57	10	< 1	0.22	50	0.19	835
T12075	201	238	15	0.4	1.43	5	180	< 0.5	< 2	0.11	< 0.5	16	25	40	3.59	10	< 1	0.21	40	0.29	925
T12076	201	238	< 5	0.2	1.72	10	170	< 0.5	< 2	0.08	< 0.5	16	26	35	3.22	10	< 1	0.15	40	0.31	825
T12077	201	238	< 5	< 0.2	1.46	< 5	170	< 0.5	< 2	0.12	< 0.5	3	24	14	2.10	10	< 1	0.07	20	0.28	90
T12078	201	238	< 5	< 0.2	1.48	< 5	160	< 0.5	< 2	0.12	< 0.5	5	25	17	2.71	10	< 1	0.09	20	0.28	290
T12079	201	238	< 5	< 0.2	1.37	< 5	150	< 0.5	< 2	0.11	< 0.5	3	23	18	2.32	10	< 1	0.08	20	0.25	115
T12080	201	238	30	< 0.2	1.21	< 5	170	< 0.5	< 2	0.12	< 0.5	7	24	19	2.32	10	< 1	0.10	20	0.25	345
T12081	201	238	< 5	< 0.2	1.43	< 5	180	< 0.5	< 2	0.12	< 0.5	2	23	13	1.35	< 10	< 1	0.06	20	0.26	75
T12082	201	238	< 5	< 0.2	1.33	< 5	190	< 0.5	< 2	0.15	< 0.5	3	23	12	1.68	< 10	< 1	0.06	20	0.27	85

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12043	201	238	< 1	0.01	15	630	16	< 5	2	17	0.03	< 10	< 10	36	< 10	56
T12044	201	238	1	0.01	13	620	14	< 5	2	15	0.04	< 10	< 10	40	< 10	56
T12045	201	238	< 1	0.01	11	520	22	< 5	2	18	0.04	< 10	< 10	37	< 10	48
T12046	201	238	< 1	0.01	15	500	20	< 5	2	18	0.03	< 10	< 10	45	< 10	58
T12047	201	238	1	0.01	13	530	24	< 5	2	16	0.03	< 10	< 10	55	< 10	60
T12048	201	238	< 1	0.01	13	570	28	< 5	2	17	0.03	< 10	< 10	40	< 10	58
T12049	201	238	< 1	0.01	14	520	28	< 5	2	15	0.03	< 10	< 10	40	< 10	58
T12050	201	238	1	0.01	15	650	28	< 5	2	19	0.02	< 10	< 10	41	< 10	64
T12051	201	238	1	0.01	16	610	32	< 5	2	18	0.03	< 10	< 10	46	< 10	74
T12052	201	238	1	0.01	16	610	28	< 5	2	18	0.04	< 10	< 10	46	< 10	70
T12053	201	238	1	0.01	20	680	32	< 5	4	20	0.05	< 10	< 10	51	< 10	86
T12054	201	238	1	0.01	18	630	26	< 5	3	20	0.06	< 10	< 10	49	< 10	78
T12055	201	238	1	0.01	18	720	26	< 5	4	20	0.06	< 10	< 10	51	< 10	78
T12056	201	238	1	0.01	19	670	26	< 5	4	19	0.06	< 10	< 10	47	< 10	78
T12057	201	238	1	0.01	19	710	22	< 5	4	20	0.05	< 10	< 10	49	< 10	84
T12058	201	238	1	0.01	17	780	32	< 5	2	18	0.04	< 10	< 10	44	< 10	70
T12059	201	238	1	0.01	19	710	20	< 5	3	18	0.06	< 10	< 10	44	< 10	88
T12060	201	238	1	0.01	23	670	30	< 5	4	21	0.07	< 10	< 10	60	< 10	94
T12061	201	238	1	0.01	19	620	20	< 5	3	18	0.06	< 10	< 10	48	< 10	78
T12062	201	238	1	0.01	19	630	28	< 5	3	17	0.06	< 10	< 10	43	< 10	76
T12063	201	238	1	0.01	21	640	24	< 5	5	18	0.07	< 10	< 10	54	< 10	80
T12064	201	238	< 1	0.01	18	530	22	< 5	4	19	0.08	< 10	< 10	53	< 10	68
T12065	201	238	1	0.01	18	510	24	< 5	3	21	0.07	< 10	< 10	49	< 10	68
T12066	201	238	< 1	0.02	16	500	18	< 5	3	21	0.07	< 10	< 10	48	< 10	58
T12067	201	238	< 1	0.01	20	510	22	< 5	4	22	0.09	< 10	< 10	58	< 10	68
T12068	201	238	< 1	0.01	17	480	22	< 5	3	20	0.07	< 10	< 10	44	< 10	60
T12069	201	238	< 1	0.01	18	570	20	< 5	3	22	0.08	< 10	< 10	54	< 10	64
T12070	201	238	< 1	0.01	18	530	18	< 5	4	24	0.08	< 10	< 10	43	< 10	60
T12071	201	238	< 1	0.01	10	450	18	< 5	2	14	0.02	< 10	< 10	27	< 10	34
T12072	201	238	< 1	0.01	10	490	22	< 5	2	15	0.03	< 10	< 10	34	< 10	44
T12073	201	238	< 1	0.01	14	680	16	< 5	2	16	0.01	< 10	< 10	30	< 10	48
T12074	201	238	1	0.01	36	660	22	< 5	2	15	0.01	< 10	< 10	35	< 10	130
T12075	201	238	1	0.01	33	710	24	< 5	3	17	0.02	< 10	< 10	42	< 10	120
T12076	201	238	1	0.01	26	720	18	< 5	2	16	0.02	< 10	< 10	45	< 10	94
T12077	201	238	< 1	0.01	12	520	18	< 5	2	14	0.02	< 10	< 10	40	< 10	54
T12078	201	238	1	0.01	14	520	22	< 5	2	14	0.03	< 10	< 10	56	< 10	60
T12079	201	238	< 1	0.01	12	610	20	< 5	2	13	0.02	< 10	< 10	39	< 10	52
T12080	201	238	< 1	0.01	16	500	20	< 5	2	14	0.03	< 10	< 10	39	< 10	64
T12081	201	238	< 1	0.01	9	400	18	< 5	2	13	0.03	< 10	< 10	26	< 10	44
T12082	201	238	< 1	0.01	11	530	18	< 5	2	16	0.03	< 10	< 10	32	< 10	48

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

*Analytical Chemists * Geochemists * Registered Assayers*

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Page Num. 3-A
Total Pages : 7
Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12083	201	238	< 5	< 0.2	1.42	< 5	190	< 0.5	< 2	0.18	< 0.5	3	25	13	1.69	10	< 1	0.08	20	0.29	95
T12084	201	238	15	< 0.2	1.61	5	210	< 0.5	< 2	0.19	< 0.5	5	26	14	2.52	10	< 1	0.08	20	0.35	160
T12085	201	238	20	< 0.2	1.58	< 5	300	< 0.5	< 2	0.22	< 0.5	4	26	16	2.32	10	1	0.08	20	0.34	120
T12086	201	238	< 5	< 0.2	1.60	5	210	< 0.5	< 2	0.18	< 0.5	4	28	16	2.31	10	< 1	0.07	20	0.35	110
T12087	201	238	< 5	< 0.2	1.82	< 5	250	< 0.5	< 2	0.19	< 0.5	4	30	20	2.70	10	< 1	0.07	20	0.37	105
T12088	201	238	< 5	< 0.2	1.59	< 5	190	< 0.5	2	0.17	< 0.5	4	27	19	2.16	10	< 1	0.07	20	0.31	90
T12089	201	238	< 5	0.2	1.46	< 5	210	< 0.5	< 2	0.24	< 0.5	5	27	20	2.20	10	< 1	0.08	20	0.37	165
T12090	201	238	< 5	0.2	1.64	< 5	220	< 0.5	< 2	0.24	< 0.5	6	29	21	2.35	10	< 1	0.07	20	0.41	160
T12091	201	238	< 5	0.4	1.52	< 5	260	< 0.5	< 2	0.25	< 0.5	6	29	25	2.18	10	< 1	0.07	20	0.41	170
T12092	201	238	< 5	0.4	1.39	5	230	< 0.5	< 2	0.21	< 0.5	5	28	30	2.59	10	< 1	0.12	30	0.36	185
T12093	201	238	< 5	0.4	1.83	10	200	< 0.5	< 2	0.23	< 0.5	7	32	28	2.57	10	< 1	0.09	20	0.41	235
T12094	201	238	10	0.2	2.16	5	390	< 0.5	< 2	0.26	< 0.5	7	43	36	2.95	10	< 1	0.11	20	0.43	265
T12095	201	238	< 5	0.4	1.77	< 5	270	< 0.5	< 2	0.30	< 0.5	5	32	27	2.36	10	< 1	0.08	30	0.46	175
T12096	201	238	< 5	0.4	1.47	5	250	< 0.5	< 2	0.28	< 0.5	6	28	25	2.21	10	< 1	0.09	30	0.39	170
T12097	201	238	< 5	0.4	1.70	5	220	< 0.5	< 2	0.27	< 0.5	5	31	25	2.34	10	< 1	0.08	20	0.43	160
T12098	201	238	< 5	0.4	1.74	< 5	320	< 0.5	< 2	0.34	< 0.5	6	35	26	2.43	10	< 1	0.09	20	0.47	190
T12099	201	238	< 5	0.2	1.58	10	240	< 0.5	< 2	0.21	< 0.5	5	30	28	2.41	10	< 1	0.11	20	0.34	165
T12100	201	238	< 5	< 0.2	1.94	< 5	300	< 0.5	< 2	0.40	< 0.5	6	29	15	2.84	10	< 1	0.14	20	0.34	360
T12101	201	238	30	< 0.2	2.34	10	320	< 0.5	< 2	0.19	< 0.5	6	33	16	2.71	10	< 1	0.11	20	0.38	430
T12102	201	238	< 5	< 0.2	1.96	< 5	180	< 0.5	< 2	0.14	< 0.5	5	29	14	2.58	10	< 1	0.12	20	0.30	540
T12103	201	238	45	< 0.2	1.73	< 5	270	< 0.5	< 2	0.24	< 0.5	15	29	15	3.03	10	< 1	0.15	20	0.35	1045
T12104	201	238	65	< 0.2	1.59	< 5	220	< 0.5	< 2	0.18	< 0.5	15	28	19	2.86	10	< 1	0.12	30	0.34	1280
T12105	201	238	< 5	< 0.2	2.09	10	230	< 0.5	2	0.23	< 0.5	18	35	15	3.14	10	< 1	0.11	20	0.45	1075
T12106	201	238	< 5	< 0.2	1.79	5	210	< 0.5	< 2	0.14	0.5	10	25	13	2.35	10	< 1	0.12	10	0.21	2510
T12107	201	238	< 5	< 0.2	1.99	< 5	280	< 0.5	< 2	0.26	< 0.5	13	33	13	2.88	10	< 1	0.15	30	0.40	725
T12108	201	238	< 5	< 0.2	1.72	5	250	< 0.5	2	0.27	< 0.5	8	32	11	2.60	10	< 1	0.16	20	0.42	485
T12109	201	238	< 5	< 0.2	1.95	10	150	< 0.5	< 2	0.14	< 0.5	9	34	12	2.83	10	< 1	0.14	20	0.40	660
T12110	201	238	< 5	< 0.2	2.08	5	170	< 0.5	< 2	0.20	< 0.5	11	34	11	2.80	10	< 1	0.09	20	0.41	455
T12111	201	238	< 5	< 0.2	1.52	< 5	230	< 0.5	< 2	0.17	< 0.5	3	25	13	2.26	10	< 1	0.07	20	0.29	105
T12112	201	238	25	< 0.2	1.72	5	240	< 0.5	< 2	0.20	< 0.5	8	29	14	3.19	10	< 1	0.09	20	0.35	495
T12113	201	238	< 5	< 0.2	1.69	< 5	210	< 0.5	< 2	0.18	< 0.5	3	28	13	2.25	10	< 1	0.08	20	0.33	95
T12114	201	238	< 5	< 0.2	1.70	< 5	220	< 0.5	< 2	0.20	< 0.5	4	29	16	2.33	10	< 1	0.08	20	0.33	110
T12115	201	238	< 5	0.2	1.70	10	260	< 0.5	< 2	0.21	< 0.5	5	30	20	2.94	10	< 1	0.10	30	0.34	150
T12116	201	238	< 5	< 0.2	1.62	10	230	< 0.5	2	0.19	< 0.5	5	29	14	2.54	10	< 1	0.07	20	0.35	110
T12117	201	238	< 5	< 0.2	1.67	< 5	230	< 0.5	< 2	0.18	< 0.5	4	29	14	2.22	< 10	< 1	0.06	10	0.35	100
T12118	201	238	< 5	< 0.2	1.64	< 5	190	< 0.5	< 2	0.20	< 0.5	4	31	17	2.40	10	< 1	0.07	20	0.38	115
T12119	201	238	5	< 0.2	1.56	< 5	200	< 0.5	< 2	0.17	< 0.5	4	29	16	2.25	< 10	< 1	0.06	10	0.33	100
T12120	201	238	< 5	< 0.2	2.05	5	330	< 0.5	< 2	0.17	< 0.5	5	36	25	2.79	10	< 1	0.09	10	0.35	140
T12121	201	238	< 5	< 0.2	1.28	5	170	< 0.5	< 2	0.17	< 0.5	4	25	17	2.01	< 10	< 1	0.07	20	0.33	150
T12122	201	238	< 5	< 0.2	1.58	< 5	210	< 0.5	< 2	0.21	< 0.5	5	30	22	2.36	10	< 1	0.09	20	0.39	160

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12083	201	238	< 1	0.01	12	500	16	< 5	2	19	0.03	< 10	< 10	33	< 10	52
T12084	201	238	1	0.01	14	540	18	< 5	2	18	0.04	< 10	< 10	47	< 10	66
T12085	201	238	< 1	0.01	15	620	22	< 5	2	22	0.04	< 10	< 10	45	< 10	66
T12086	201	238	< 1	0.01	14	600	20	< 5	3	17	0.05	< 10	< 10	44	< 10	64
T12087	201	238	1	0.01	16	700	42	< 5	4	18	0.05	< 10	< 10	51	< 10	70
T12088	201	238	< 1	0.01	14	690	46	< 5	2	17	0.04	< 10	< 10	44	< 10	56
T12089	201	238	< 1	0.01	15	540	32	< 5	3	21	0.07	< 10	< 10	44	< 10	66
T12090	201	238	< 1	0.01	17	560	40	< 5	4	20	0.07	< 10	< 10	46	< 10	68
T12091	201	238	1	0.01	18	550	30	< 5	5	21	0.07	< 10	< 10	44	< 10	68
T12092	201	238	< 1	0.01	21	540	42	< 5	4	21	0.06	< 10	< 10	44	< 10	78
T12093	201	238	1	0.01	20	620	42	< 5	5	19	0.07	< 10	< 10	49	< 10	80
T12094	201	238	1	0.01	24	560	60	< 5	5	25	0.07	< 10	< 10	60	< 10	86
T12095	201	238	< 1	0.01	19	590	72	< 5	5	24	0.09	< 10	< 10	50	< 10	70
T12096	201	238	1	0.01	18	540	72	< 5	4	24	0.07	< 10	< 10	45	< 10	66
T12097	201	238	< 1	0.01	20	570	74	< 5	5	22	0.08	< 10	< 10	50	< 10	64
T12098	201	238	< 1	0.01	21	560	50	< 5	5	28	0.09	< 10	< 10	53	< 10	64
T12099	201	238	1	0.01	22	620	88	< 5	3	21	0.05	< 10	< 10	46	< 10	68
T12100	201	238	< 1	0.01	16	260	104	< 5	3	33	0.04	< 10	< 10	54	< 10	128
T12101	201	238	1	0.01	20	240	18	< 5	3	21	0.06	< 10	< 10	64	< 10	142
T12102	201	238	1	0.01	13	340	22	< 5	3	14	0.04	< 10	< 10	56	< 10	68
T12103	201	238	1	0.01	15	320	22	< 5	3	23	0.04	< 10	< 10	55	< 10	64
T12104	201	238	1	0.01	17	450	32	< 5	3	17	0.04	< 10	< 10	50	< 10	94
T12105	201	238	1	0.01	17	370	14	< 5	4	23	0.05	< 10	< 10	61	< 10	64
T12106	201	238	< 1	0.02	11	430	14	< 5	2	13	0.05	< 10	< 10	63	< 10	114
T12107	201	238	1	0.01	15	290	14	< 5	4	25	0.06	< 10	< 10	61	< 10	68
T12108	201	238	1	0.01	14	350	72	< 5	3	22	0.06	< 10	< 10	57	< 10	68
T12109	201	238	< 1	0.01	15	270	16	< 5	3	16	0.06	< 10	< 10	66	< 10	62
T12110	201	238	< 1	0.01	15	220	18	< 5	3	19	0.06	< 10	< 10	64	< 10	62
T12111	201	238	< 1	0.01	14	480	10	< 5	2	18	0.03	< 10	< 10	43	< 10	50
T12112	201	238	1	0.01	16	590	14	< 5	2	20	0.04	< 10	< 10	65	< 10	62
T12113	201	238	< 1	0.01	13	480	12	< 5	2	18	0.04	< 10	< 10	44	< 10	54
T12114	201	238	< 1	0.01	14	500	12	< 5	3	19	0.05	< 10	< 10	47	< 10	56
T12115	201	238	1	0.01	17	660	36	< 5	3	20	0.04	< 10	< 10	50	< 10	70
T12116	201	238	< 1	0.01	15	520	10	< 5	2	18	0.05	< 10	< 10	49	< 10	60
T12117	201	238	< 1	0.01	15	630	12	< 5	2	18	0.04	< 10	< 10	42	< 10	60
T12118	201	238	< 1	0.01	17	560	10	< 5	3	17	0.05	< 10	< 10	43	< 10	62
T12119	201	238	< 1	0.01	15	590	12	< 5	2	16	0.05	< 10	< 10	41	< 10	56
T12120	201	238	< 1	0.01	20	670	10	< 5	3	20	0.03	< 10	< 10	48	< 10	72
T12121	201	238	< 1	< 0.01	16	470	10	< 5	2	15	0.05	< 10	< 10	37	< 10	54
T12122	201	238	< 1	0.01	19	500	8	< 5	3	18	0.06	< 10	< 10	44	< 10	64

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12201	201	238	< 5	0.2	1.64	5	260	< 0.5	2	0.22	< 0.5	5	30	24	2.31	10	< 1	0.08	20	0.40	215
T12202	201	238	< 5	0.2	1.57	< 5	220	< 0.5	< 2	0.17	< 0.5	3	26	22	2.00	10	< 1	0.11	30	0.33	125
T12203	201	238	< 5	0.2	1.95	< 5	250	< 0.5	< 2	0.18	< 0.5	5	32	27	2.60	10	< 1	0.13	30	0.44	185
T12204	201	238	< 5	< 0.2	1.88	5	300	< 0.5	< 2	0.20	< 0.5	7	32	29	2.66	10	< 1	0.11	30	0.49	265
T12205	201	238	< 5	0.2	1.87	< 5	240	< 0.5	< 2	0.17	< 0.5	6	31	24	2.46	10	< 1	0.09	30	0.44	190
T12206	201	238	< 5	< 0.2	1.87	< 5	210	< 0.5	< 2	0.16	< 0.5	6	32	24	2.54	10	< 1	0.09	30	0.47	215
T12207	201	238	< 5	< 0.2	1.82	< 5	200	< 0.5	2	0.14	< 0.5	5	28	21	2.33	10	< 1	0.10	20	0.41	190
T12208	201	238	< 5	< 0.2	2.07	< 5	220	< 0.5	< 2	0.17	< 0.5	7	35	31	2.70	10	< 1	0.10	30	0.51	215
T12209	201	238	< 5	0.2	1.90	< 5	150	< 0.5	2	0.12	< 0.5	5	33	21	3.19	10	< 1	0.11	20	0.47	260
T12210	201	238	< 5	< 0.2	1.80	5	190	< 0.5	2	0.13	< 0.5	7	30	27	2.86	10	< 1	0.15	30	0.44	295
T12211	201	238	< 5	< 0.2	2.08	5	170	< 0.5	< 2	0.14	< 0.5	8	35	27	3.04	10	< 1	0.10	20	0.50	280
T12212	201	238	< 5	< 0.2	1.53	5	210	< 0.5	2	0.14	< 0.5	4	26	21	2.36	10	< 1	0.10	20	0.32	200
T12213	201	238	< 5	< 0.2	1.71	5	220	< 0.5	< 2	0.19	< 0.5	6	31	27	2.55	10	< 1	0.09	20	0.46	205
T12214	201	238	< 5	< 0.2	1.90	< 5	220	< 0.5	< 2	0.15	< 0.5	4	31	29	2.34	10	< 1	0.06	20	0.34	170
T12215	201	238	< 5	< 0.2	1.90	5	200	< 0.5	2	0.21	< 0.5	6	32	31	2.77	10	< 1	0.10	30	0.44	220
T12216	201	238	< 5	< 0.2	1.82	5	190	< 0.5	2	0.19	< 0.5	7	32	26	2.91	10	< 1	0.08	20	0.45	320
T12217	201	238	< 5	0.2	1.61	< 5	250	< 0.5	< 2	0.14	1.0	10	27	48	3.39	10	< 1	0.20	50	0.42	555
T12218	201	238	< 5	< 0.2	1.82	10	180	< 0.5	< 2	0.13	< 0.5	3	29	25	2.66	10	< 1	0.07	20	0.35	195
T12219	201	238	< 5	0.4	2.02	10	260	< 0.5	< 2	0.13	0.5	6	31	45	3.23	10	< 1	0.22	40	0.37	325
T12220	201	238	< 5	0.4	1.32	5	180	< 0.5	< 2	0.13	1.0	13	22	53	3.61	10	< 1	0.27	60	0.28	735
T12221	201	238	< 5	0.8	0.90	5	210	< 0.5	< 2	0.08	1.5	21	18	79	4.10	10	< 1	0.31	70	0.09	1425
T12222	201	238	< 5	0.6	0.91	10	230	< 0.5	< 2	0.08	1.5	21	17	59	3.57	10	< 1	0.23	50	0.12	1395
T12223	201	238	< 5	0.4	1.04	5	190	< 0.5	< 2	0.09	1.5	18	18	59	3.56	10	< 1	0.22	50	0.17	1110
T12224	201	238	< 5	0.8	0.53	15	370	< 0.5	< 2	0.05	2.0	35	10	61	4.49	10	< 1	0.20	70	0.04	3040
T12225	201	238	< 5	0.6	0.37	40	300	< 0.5	< 2	0.17	1.0	10	15	42	2.91	10	< 1	0.27	60	0.05	670
T12226	201	238	< 5	0.6	0.72	155	410	< 0.5	< 2	0.13	0.5	13	63	36	2.95	10	< 1	0.28	60	0.18	650
T12227	201	238	< 5	< 0.2	0.65	20	70	< 0.5	< 2	0.59	< 0.5	138	919	13	4.64	< 10	< 1	< 0.01	< 10	>15.00	1610
T12228	201	238	< 5	< 0.2	1.18	190	140	< 0.5	< 2	1.25	< 0.5	104	928	65	4.19	< 10	< 1	< 0.01	10	10.10	1210
T12229	201	238	< 5	< 0.2	1.41	235	230	< 0.5	< 2	0.54	0.5	83	687	54	4.41	< 10	< 1	0.03	20	7.47	1090
T12230	201	238	< 5	< 0.2	0.90	45	110	< 0.5	< 2	0.48	< 0.5	128	900	19	5.62	< 10	< 1	< 0.01	< 10	14.25	1925
T12231	201	238	< 5	0.2	2.64	740	350	< 0.5	< 2	0.41	0.5	26	124	103	4.78	10	< 1	0.11	30	1.89	855
T12232	201	238	10	0.6	1.81	1695	280	< 0.5	< 2	0.37	2.0	22	97	76	5.81	10	< 1	0.11	50	1.04	860
T12233	201	238	25	< 0.2	2.23	265	170	< 0.5	< 2	0.15	0.5	61	583	35	4.83	< 10	< 1	< 0.01	10	3.47	930
T12234	201	238	< 5	0.6	2.23	1485	350	< 0.5	2	0.48	2.5	25	129	72	5.25	10	< 1	0.10	40	1.20	1120
T12235	201	238	< 5	< 0.2	2.32	330	310	< 0.5	< 2	0.44	1.5	16	49	55	4.45	10	< 1	0.11	30	1.10	740
T12236	201	238	< 5	0.6	1.95	55	240	< 0.5	< 2	0.66	1.5	17	63	71	4.47	10	< 1	0.06	50	0.95	505
T12237	201	238	< 5	0.2	2.05	30	380	< 0.5	< 2	0.47	1.5	14	34	64	4.23	10	< 1	0.07	40	0.80	740
T12238	201	238	< 5	0.2	1.76	145	290	< 0.5	< 2	0.30	0.5	10	29	37	3.41	10	< 1	0.09	20	0.67	450
T12239	201	238	< 5	< 0.2	2.01	110	200	< 0.5	< 2	0.15	0.5	14	30	32	3.71	< 10	< 1	0.07	20	0.86	535
T12240	201	238	< 5	0.2	1.91	165	170	< 0.5	< 2	0.16	1.0	27	33	86	5.92	10	< 1	0.05	40	0.85	1030

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12201	201	238	1	0.01	18	370	154	< 5	3	19	0.05	< 10	< 10	45	< 10	134
T12202	201	238	< 1	0.01	16	500	46	< 5	2	18	0.03	< 10	< 10	35	< 10	86
T12203	201	238	< 1	0.01	23	480	36	< 5	3	18	0.04	< 10	< 10	42	< 10	106
T12204	201	238	1	0.01	25	360	18	< 5	3	20	0.05	< 10	< 10	45	< 10	98
T12205	201	238	< 1	0.01	21	380	22	< 5	3	17	0.05	< 10	< 10	44	< 10	94
T12206	201	238	< 1	0.01	22	370	14	< 5	3	16	0.05	< 10	< 10	45	< 10	84
T12207	201	238	1	0.01	19	310	10	< 5	2	14	0.05	< 10	< 10	42	< 10	68
T12208	201	238	< 1	0.01	25	410	10	< 5	4	16	0.05	< 10	< 10	48	< 10	74
T12209	201	238	< 1	< 0.01	22	290	8	< 5	3	14	0.06	< 10	< 10	59	< 10	68
T12210	201	238	1	< 0.01	26	340	12	< 5	3	15	0.05	< 10	< 10	44	< 10	74
T12211	201	238	1	0.01	26	260	6	< 5	3	15	0.07	< 10	< 10	56	< 10	68
T12212	201	238	< 1	0.01	16	380	8	< 5	1	18	0.03	< 10	< 10	49	< 10	52
T12213	201	238	< 1	0.01	21	420	10	< 5	4	18	0.05	< 10	< 10	48	< 10	62
T12214	201	238	< 1	< 0.01	16	540	14	< 5	3	19	0.05	< 10	< 10	46	< 10	50
T12215	201	238	1	0.01	22	630	22	< 5	4	19	0.05	< 10	< 10	47	< 10	78
T12216	201	238	1	0.01	22	530	38	< 5	4	20	0.06	< 10	< 10	52	< 10	112
T12217	201	238	2	< 0.01	31	750	34	< 5	2	32	0.03	< 10	< 10	35	< 10	346
T12218	201	238	1	< 0.01	16	480	22	< 5	3	19	0.05	< 10	< 10	53	< 10	110
T12219	201	238	1	0.01	22	990	36	< 5	3	27	0.02	< 10	< 10	45	< 10	200
T12220	201	238	2	< 0.01	35	1080	32	< 5	2	25	0.01	< 10	< 10	33	< 10	466
T12221	201	238	3	< 0.01	68	1060	242	< 5	2	19	< 0.01	< 10	< 10	32	< 10	1070
T12222	201	238	3	0.01	51	940	92	< 5	1	20	< 0.01	< 10	< 10	26	< 10	672
T12223	201	238	2	< 0.01	45	930	216	< 5	1	20	0.01	< 10	< 10	28	< 10	630
T12224	201	238	4	< 0.01	60	940	110	< 5	1	33	< 0.01	< 10	< 10	15	< 10	666
T12225	201	238	2	< 0.01	48	1040	64	< 5	2	37	< 0.01	< 10	< 10	11	< 10	366
T12226	201	238	2	0.01	118	750	44	< 5	2	38	< 0.01	< 10	< 10	17	< 10	218
T12227	201	238	< 1	< 0.01	2280	180	< 2	< 5	9	72	0.01	20	< 10	23	< 10	42
T12228	201	238	1	< 0.01	1770	180	< 2	5	10	99	< 0.01	10	< 10	39	< 10	56
T12229	201	238	1	< 0.01	1320	350	< 2	< 5	8	67	< 0.01	< 10	< 10	37	< 10	106
T12230	201	238	< 1	< 0.01	1935	70	< 2	< 5	11	66	< 0.01	20	< 10	38	< 10	40
T12231	201	238	2	< 0.01	126	590	62	< 5	9	23	0.02	< 10	< 10	60	< 10	140
T12232	201	238	15	< 0.01	117	830	204	< 5	6	26	0.01	< 10	< 10	46	< 10	360
T12233	201	238	2	0.01	797	270	114	< 5	8	12	0.03	< 10	< 10	55	< 10	122
T12234	201	238	10	0.01	109	760	294	< 5	6	32	0.01	< 10	< 10	49	< 10	360
T12235	201	238	6	0.01	47	600	76	< 5	7	31	0.02	< 10	< 10	63	< 10	170
T12236	201	238	9	< 0.01	124	610	52	< 5	6	38	0.01	< 10	< 10	45	< 10	184
T12237	201	238	7	0.01	48	550	48	< 5	6	29	0.01	< 10	< 10	54	< 10	138
T12238	201	238	4	0.01	27	330	44	< 5	4	21	0.02	< 10	< 10	53	< 10	110
T12239	201	238	4	0.01	29	370	38	< 5	4	16	0.03	< 10	< 10	56	< 10	116
T12240	201	238	17	< 0.01	84	900	60	< 5	4	16	0.01	< 10	< 10	41	< 10	240

CERTIFICATION: B. Cargill

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Page Numb -A
Total Pages : 7
Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12241	201	238	< 5	< 0.2	1.67	25	150	< 0.5	< 2	0.15	< 0.5	9	25	27	2.71	10	< 1	0.08	20	0.78	340
T12242	201	238	< 5	< 0.2	1.98	5	190	< 0.5	< 2	0.16	< 0.5	11	29	30	3.07	10	< 1	0.09	20	0.70	530
T12243	201	238	< 5	< 0.2	1.65	25	130	< 0.5	< 2	0.12	< 0.5	9	25	19	2.99	10	< 1	0.10	20	0.64	455
T12244	201	238	< 5	< 0.2	1.30	5	140	< 0.5	< 2	0.14	< 0.5	4	22	16	2.02	< 10	< 1	0.07	20	0.34	120
T12245	201	238	< 5	< 0.2	1.27	< 5	150	< 0.5	< 2	0.14	< 0.5	4	25	14	1.97	< 10	< 1	0.07	20	0.38	115
T12246	201	238	15	< 0.2	1.63	< 5	180	< 0.5	< 2	0.18	< 0.5	4	26	17	2.40	10	< 1	0.10	20	0.39	135
T12247	201	238	< 5	< 0.2	1.62	5	150	< 0.5	< 2	0.18	< 0.5	4	27	16	2.34	10	< 1	0.10	30	0.41	145
T12248	201	238	< 5	< 0.2	1.52	< 5	140	< 0.5	< 2	0.15	< 0.5	3	25	13	2.09	10	< 1	0.08	20	0.35	105
T12249	201	238	< 5	0.2	1.78	< 5	170	< 0.5	< 2	0.19	< 0.5	6	29	16	2.62	10	< 1	0.10	30	0.42	150
T12250	201	238	10	0.2	1.70	< 5	170	< 0.5	< 2	0.17	< 0.5	3	27	14	2.20	10	< 1	0.10	20	0.35	110
T12251	201	238	< 5	0.2	1.86	< 5	180	< 0.5	< 2	0.20	< 0.5	5	29	17	2.56	10	< 1	0.11	30	0.44	155
T12252	201	238	< 5	< 0.2	1.71	< 5	210	< 0.5	< 2	0.17	< 0.5	6	28	17	2.24	10	< 1	0.12	20	0.35	200
T12253	201	238	< 5	< 0.2	1.65	< 5	160	< 0.5	< 2	0.15	< 0.5	5	26	17	2.23	10	< 1	0.12	30	0.37	160
T12254	201	238	< 5	< 0.2	1.86	< 5	180	< 0.5	< 2	0.15	< 0.5	4	29	18	2.19	10	< 1	0.11	30	0.43	115
T12255	201	238	10	< 0.2	1.75	< 5	160	< 0.5	< 2	0.16	< 0.5	4	29	19	2.26	10	< 1	0.12	30	0.42	125
T12256	201	238	< 5	< 0.2	1.68	< 5	170	< 0.5	< 2	0.18	< 0.5	4	28	19	2.39	10	< 1	0.09	20	0.41	120
T12257	201	238	< 5	< 0.2	1.82	< 5	160	< 0.5	2	0.13	< 0.5	4	27	21	2.09	10	< 1	0.08	20	0.35	100
T12258	201	238	< 5	< 0.2	1.85	< 5	150	< 0.5	< 2	0.17	< 0.5	5	28	19	2.41	10	< 1	0.08	20	0.46	130
T12259	201	238	< 5	0.2	1.88	< 5	200	< 0.5	< 2	0.19	< 0.5	5	30	24	2.41	10	< 1	0.11	30	0.48	145
T12260	201	238	< 5	0.2	1.95	< 5	230	< 0.5	2	0.22	< 0.5	6	32	27	2.52	10	< 1	0.14	40	0.52	165
T12261	201	238	< 5	< 0.2	1.52	< 5	180	< 0.5	< 2	0.20	< 0.5	6	28	24	2.32	10	< 1	0.16	30	0.43	215
T12401	201	238	< 5	0.4	1.64	10	230	< 0.5	< 2	0.11	< 0.5	7	28	37	3.23	10	< 1	0.19	30	0.28	360
T12402	201	238	< 5	< 0.2	1.53	< 5	180	< 0.5	2	0.09	< 0.5	4	23	22	2.21	10	1	0.11	20	0.24	150
T12403	201	238	< 5	< 0.2	1.54	< 5	210	< 0.5	< 2	0.11	< 0.5	8	25	22	2.60	10	< 1	0.16	30	0.26	470
T12404	201	238	< 5	< 0.2	1.64	< 5	160	< 0.5	< 2	0.11	< 0.5	5	25	22	2.10	< 10	< 1	0.09	20	0.29	145
T12405	201	238	< 5	< 0.2	1.45	< 5	160	< 0.5	< 2	0.11	< 0.5	5	22	17	1.94	< 10	< 1	0.08	20	0.29	130
T12406	201	238	< 5	< 0.2	1.52	< 5	160	< 0.5	< 2	0.10	< 0.5	4	25	18	2.38	< 10	< 1	0.07	20	0.31	165
T12407	201	238	< 5	< 0.2	1.22	< 5	130	< 0.5	2	0.09	< 0.5	4	23	17	2.10	< 10	< 1	0.08	20	0.24	135
T12408	201	238	< 5	< 0.2	1.09	5	140	< 0.5	< 2	0.05	< 0.5	4	18	21	2.64	< 10	< 1	0.12	20	0.15	240
T12409	201	238	< 5	0.4	1.01	5	190	< 0.5	< 2	0.09	< 0.5	10	20	39	2.98	10	< 1	0.18	40	0.17	940
T12410	201	238	< 5	0.2	1.07	< 5	170	< 0.5	< 2	0.08	< 0.5	15	18	43	3.23	10	< 1	0.17	40	0.16	1150
T12411	201	238	< 5	0.2	1.48	< 5	210	< 0.5	< 2	0.08	< 0.5	21	32	30	3.09	10	< 1	0.17	30	0.23	1675
T12412	201	238	< 5	0.4	1.54	5	290	< 0.5	< 2	0.07	< 0.5	17	26	34	2.76	10	< 1	0.17	30	0.19	990
T12413	201	238	< 5	0.4	1.22	5	280	< 0.5	< 2	0.06	< 0.5	38	21	37	3.38	10	< 1	0.21	40	0.13	5100
T12414	201	238	< 5	< 0.2	1.39	< 5	200	< 0.5	< 2	0.10	< 0.5	12	24	17	2.31	< 10	< 1	0.13	20	0.23	385
T12415	201	238	< 5	0.6	1.38	< 5	300	< 0.5	< 2	0.12	0.5	4	24	46	2.89	10	< 1	0.22	40	0.17	215
T12416	201	238	< 5	0.4	1.22	< 5	300	< 0.5	4	0.14	0.5	6	19	40	2.82	10	< 1	0.21	40	0.18	300
T12417	201	238	< 5	0.8	1.27	< 5	300	< 0.5	< 2	0.17	1.0	13	24	43	3.21	10	< 1	0.19	40	0.21	920
T12418	201	238	< 5	1.4	1.56	< 5	360	< 0.5	< 2	0.17	1.0	6	26	59	2.53	10	< 1	0.19	30	0.24	335
T12419	201	238	< 5	0.6	1.19	< 5	270	< 0.5	< 2	0.17	1.0	4	22	33	2.72	10	< 1	0.18	40	0.22	200

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Page Numb. : 3-B
Total Pages : 7
Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12241	201	238	1	< 0.01	16	400	58	< 5	4	14	0.03	< 10	< 10	62	< 10	72
T12242	201	238	1	0.01	18	510	88	< 5	3	16	0.03	< 10	< 10	57	< 10	86
T12243	201	238	1	< 0.01	16	560	84	< 5	3	13	0.03	< 10	< 10	51	< 10	76
T12244	201	238	< 1	< 0.01	13	470	12	< 5	1	15	0.02	< 10	< 10	34	< 10	52
T12245	201	238	< 1	0.01	26	430	14	< 5	1	15	0.03	< 10	< 10	33	< 10	50
T12246	201	238	< 1	0.01	16	550	14	< 5	2	18	0.04	< 10	< 10	40	< 10	62
T12247	201	238	< 1	0.01	16	530	14	< 5	2	18	0.04	< 10	< 10	41	< 10	62
T12248	201	238	< 1	0.01	13	420	16	< 5	2	16	0.04	< 10	< 10	39	< 10	52
T12249	201	238	< 1	0.01	18	510	14	< 5	3	18	0.05	< 10	< 10	45	< 10	68
T12250	201	238	< 1	0.01	15	470	10	< 5	2	18	0.04	< 10	< 10	42	< 10	56
T12251	201	238	< 1	0.01	18	500	12	< 5	3	20	0.06	< 10	< 10	47	< 10	70
T12252	201	238	< 1	0.01	17	620	12	< 5	2	20	0.04	< 10	< 10	43	< 10	62
T12253	201	238	< 1	0.01	16	430	10	< 5	2	17	0.04	< 10	< 10	39	< 10	60
T12254	201	238	< 1	0.01	18	480	18	< 5	2	18	0.03	< 10	< 10	39	< 10	62
T12255	201	238	< 1	0.01	18	510	14	< 5	2	17	0.03	< 10	< 10	38	< 10	62
T12256	201	238	< 1	0.01	19	520	16	< 5	2	20	0.03	< 10	< 10	40	< 10	60
T12257	201	238	< 1	0.01	17	470	10	< 5	2	15	0.03	< 10	< 10	37	< 10	54
T12258	201	238	< 1	0.01	19	400	14	< 5	2	17	0.05	< 10	< 10	42	< 10	62
T12259	201	238	< 1	0.01	21	390	16	< 5	3	19	0.06	< 10	< 10	42	< 10	64
T12260	201	238	< 1	0.01	21	430	12	< 5	4	23	0.07	< 10	< 10	45	< 10	70
T12261	201	238	1	0.01	24	530	16	< 5	3	22	0.05	< 10	< 10	37	< 10	66
T12401	201	238	1	0.01	32	670	328	< 5	3	19	0.03	< 10	< 10	51	< 10	134
T12402	201	238	< 1	0.01	19	370	20	< 5	2	15	0.03	< 10	< 10	53	< 10	70
T12403	201	238	1	0.01	25	540	26	< 5	2	18	0.02	< 10	< 10	48	< 10	88
T12404	201	238	< 1	0.01	16	500	26	< 5	2	14	0.02	< 10	< 10	47	< 10	56
T12405	201	238	< 1	0.01	14	500	20	< 5	2	14	0.02	< 10	< 10	39	< 10	56
T12406	201	238	1	0.01	15	480	14	< 5	2	12	0.02	< 10	< 10	43	< 10	58
T12407	201	238	< 1	0.01	13	470	14	< 5	1	12	0.02	< 10	< 10	37	< 10	52
T12408	201	238	1	0.01	19	570	18	< 5	1	13	0.02	< 10	< 10	42	< 10	74
T12409	201	238	1	< 0.01	36	930	28	< 5	2	25	0.02	< 10	< 10	33	< 10	142
T12410	201	238	2	< 0.01	40	870	34	< 5	2	20	0.02	< 10	< 10	33	< 10	158
T12411	201	238	1	0.01	25	760	28	< 5	2	18	0.02	< 10	< 10	41	< 10	112
T12412	201	238	1	0.01	40	930	24	< 5	2	24	0.01	< 10	< 10	35	< 10	130
T12413	201	238	2	0.01	41	1040	46	< 5	2	24	0.01	< 10	< 10	34	< 10	152
T12414	201	238	1	0.01	18	540	36	< 5	2	19	0.02	< 10	< 10	38	< 10	84
T12415	201	238	1	< 0.01	25	670	254	< 5	2	22	0.01	< 10	< 10	36	< 10	382
T12416	201	238	2	0.01	29	730	264	< 5	2	21	0.01	< 10	< 10	36	< 10	368
T12417	201	238	2	< 0.01	29	790	486	< 5	2	25	0.01	< 10	< 10	42	< 10	488
T12418	201	238	1	0.01	27	770	536	< 5	2	24	0.01	< 10	< 10	43	< 10	380
T12419	201	238	2	0.01	26	740	346	< 5	2	24	0.01	< 10	< 10	35	< 10	414

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12420	201	238	10	0.6	1.31	< 5	300	< 0.5	< 2	0.16	0.5	16	24	43	3.12	10	< 1	0.17	30	0.23	1180
T12421	201	238	< 5	0.6	1.16	< 5	290	< 0.5	< 2	0.18	0.5	8	20	53	3.17	10	1	0.19	40	0.21	535
T12422	201	238	< 5	0.8	1.53	< 5	420	< 0.5	< 2	0.28	0.5	7	26	44	3.20	10	< 1	0.23	40	0.27	530
T12423	201	238	< 5	0.8	1.84	< 5	460	< 0.5	< 2	0.41	0.5	6	29	33	2.72	10	< 1	0.17	30	0.39	350
T12424	201	238	< 5	0.2	1.32	< 5	310	< 0.5	2	0.44	< 0.5	4	24	27	2.75	10	< 1	0.16	40	0.32	225
T12425	201	238	< 5	0.4	1.69	< 5	430	< 0.5	< 2	0.54	0.5	7	28	36	3.02	10	< 1	0.19	30	0.37	465
T12426	201	238	< 5	0.4	1.83	5	400	< 0.5	< 2	0.41	< 0.5	7	29	27	2.80	10	< 1	0.15	30	0.41	370
T12427	201	238	< 5	0.8	1.76	< 5	400	< 0.5	< 2	0.37	1.0	10	29	45	3.18	10	< 1	0.22	40	0.36	585
T12428	201	238	< 5	0.2	1.90	< 5	440	< 0.5	< 2	0.40	< 0.5	7	31	31	2.85	10	< 1	0.16	30	0.42	375
T12429	201	238	15	0.2	1.89	< 5	440	< 0.5	< 2	0.41	< 0.5	6	30	29	2.76	10	< 1	0.14	30	0.42	325
T12430	201	238	< 5	0.4	1.97	< 5	450	< 0.5	< 2	0.42	< 0.5	5	30	29	2.61	10	< 1	0.16	30	0.41	205
T12431	201	238	< 5	0.2	1.68	< 5	430	< 0.5	< 2	0.50	< 0.5	5	25	23	2.26	10	< 1	0.11	30	0.37	245
T12432	201	238	< 5	0.2	1.66	< 5	300	< 0.5	2	0.28	0.5	5	29	24	2.31	10	< 1	0.11	20	0.37	245
T12433	201	238	< 5	0.2	1.78	< 5	300	< 0.5	< 2	0.24	0.5	8	27	23	2.49	10	< 1	0.10	20	0.36	455
T12434	201	238	< 5	< 0.2	1.84	< 5	240	< 0.5	< 2	0.19	< 0.5	4	29	20	2.49	10	< 1	0.09	20	0.41	175
T12435	201	238	< 5	0.2	1.46	< 5	250	< 0.5	< 2	0.21	0.5	8	24	27	2.42	10	< 1	0.12	30	0.43	395
T12436	201	238	< 5	0.2	1.24	< 5	220	< 0.5	< 2	0.19	0.5	8	22	28	2.36	10	< 1	0.09	30	0.34	330
T12437	201	238	< 5	0.2	1.29	< 5	190	< 0.5	< 2	0.17	< 0.5	5	22	18	2.18	10	< 1	0.06	20	0.32	260
T12438	201	238	< 5	< 0.2	1.70	< 5	270	< 0.5	< 2	0.18	< 0.5	6	27	21	2.36	10	< 1	0.07	20	0.39	250
T12439	201	238	< 5	< 0.2	1.86	< 5	260	< 0.5	< 2	0.18	< 0.5	6	29	20	2.41	10	< 1	0.08	20	0.41	245
T12440	201	238	< 5	0.2	1.43	< 5	250	< 0.5	< 2	0.24	< 0.5	7	26	20	2.22	10	< 1	0.07	20	0.40	270
T12441	201	238	< 5	0.2	1.48	< 5	220	< 0.5	2	0.22	< 0.5	6	26	19	2.44	10	1	0.09	20	0.40	295
T12442	201	238	< 5	1.8	2.36	5	120	< 0.5	2	0.09	0.5	4	28	37	3.27	10	< 1	0.05	10	0.25	185
T12443	201	238	< 5	0.2	2.58	< 5	160	< 0.5	< 2	0.10	0.5	7	38	28	3.61	10	< 1	0.05	10	0.39	285
T12444	201	238	< 5	< 0.2	2.63	< 5	180	< 0.5	< 2	0.15	0.5	13	41	25	3.54	10	< 1	0.07	20	0.51	315
T12445	201	238	< 5	< 0.2	2.30	< 5	210	< 0.5	< 2	0.09	< 0.5	9	30	20	3.38	< 10	< 1	0.03	10	0.30	350
T12446	201	238	< 5	< 0.2	2.15	5	240	< 0.5	< 2	0.12	< 0.5	15	32	33	3.25	10	< 1	0.06	20	0.29	605
T12447	201	238	< 5	< 0.2	2.53	5	250	< 0.5	< 2	0.12	< 0.5	6	36	19	3.89	10	< 1	0.06	20	0.34	380
T12448	201	238	< 5	< 0.2	0.85	< 5	60	< 0.5	< 2	0.06	< 0.5	1	11	7	1.04	< 10	< 1	0.03	< 10	0.07	80
T12449	201	238	< 5	0.2	1.85	< 5	270	< 0.5	< 2	0.20	< 0.5	10	29	18	2.16	10	< 1	0.07	20	0.33	195
T12450	201	238	< 5	< 0.2	1.87	< 5	310	< 0.5	< 2	0.24	< 0.5	14	31	20	2.37	< 10	< 1	0.07	20	0.36	365
T12451	201	238	< 5	< 0.2	1.85	< 5	190	< 0.5	2	0.15	< 0.5	19	32	15	2.87	< 10	< 1	0.06	20	0.34	775
T12452	201	238	< 5	< 0.2	1.41	< 5	150	< 0.5	< 2	0.11	< 0.5	5	21	11	2.20	< 10	< 1	0.04	10	0.25	140
T12453	201	238	< 5	< 0.2	1.72	< 5	210	< 0.5	< 2	0.16	< 0.5	5	26	11	2.44	< 10	< 1	0.05	10	0.37	130
T12454	201	238	< 5	< 0.2	1.25	< 5	150	< 0.5	< 2	0.16	< 0.5	4	21	10	2.18	< 10	< 1	0.05	20	0.29	100
T12455	201	238	< 5	< 0.2	1.47	< 5	180	< 0.5	< 2	0.18	< 0.5	5	26	17	2.42	< 10	< 1	0.05	20	0.37	150
T12456	201	238	< 5	< 0.2	1.77	< 5	220	< 0.5	< 2	0.23	< 0.5	7	32	20	2.74	10	< 1	0.07	20	0.42	185
T12457	201	238	< 5	0.2	1.68	< 5	140	< 0.5	< 2	0.24	< 0.5	5	31	20	2.40	10	< 1	0.09	30	0.42	150
T12458	201	238	< 5	< 0.2	1.89	< 5	170	< 0.5	2	0.20	< 0.5	5	32	24	2.58	10	< 1	0.09	20	0.39	130
T12459	201	238	< 5	< 0.2	1.81	< 5	170	< 0.5	< 2	0.19	< 0.5	6	30	32	2.65	10	< 1	0.08	30	0.39	150

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12420	201	238	2	< 0.01	30	810	656	< 5	2	23	0.01	< 10	< 10	41	< 10	518
T12421	201	238	2	< 0.01	31	910	590	< 5	2	27	0.01	< 10	< 10	37	< 10	592
T12422	201	238	2	0.01	35	840	310	< 5	2	34	0.01	< 10	< 10	39	< 10	512
T12423	201	238	1	0.01	27	710	142	< 5	3	36	0.02	< 10	< 10	46	< 10	294
T12424	201	238	1	< 0.01	25	450	52	< 5	2	37	0.02	< 10	< 10	41	< 10	256
T12425	201	238	1	0.01	31	740	74	< 5	3	45	0.02	< 10	< 10	44	< 10	294
T12426	201	238	1	0.01	24	580	62	< 5	3	36	0.02	< 10	< 10	49	< 10	212
T12427	201	238	2	0.01	33	800	408	< 5	3	35	0.02	< 10	< 10	46	< 10	490
T12428	201	238	2	0.01	24	570	76	< 5	3	38	0.03	< 10	< 10	51	< 10	164
T12429	201	238	1	0.01	23	620	64	< 5	3	38	0.03	< 10	< 10	50	< 10	138
T12430	201	238	1	0.01	23	650	64	< 5	3	40	0.02	< 10	< 10	47	< 10	126
T12431	201	238	1	0.01	20	730	58	< 5	2	44	0.02	< 10	< 10	38	< 10	114
T12432	201	238	1	0.01	19	490	88	< 5	2	26	0.03	< 10	< 10	45	< 10	152
T12433	201	238	1	0.01	19	560	114	< 5	3	23	0.03	< 10	< 10	45	< 10	152
T12434	201	238	1	< 0.01	18	330	82	< 5	3	18	0.04	< 10	< 10	46	< 10	138
T12435	201	238	1	< 0.01	31	540	64	< 5	2	22	0.04	< 10	< 10	36	< 10	554
T12436	201	238	1	< 0.01	24	450	68	< 5	2	21	0.04	< 10	< 10	35	< 10	328
T12437	201	238	1	< 0.01	14	380	94	< 5	2	18	0.05	< 10	< 10	39	< 10	130
T12438	201	238	1	< 0.01	17	340	78	< 5	3	18	0.05	< 10	< 10	45	< 10	138
T12439	201	238	1	0.01	17	360	94	< 5	3	17	0.05	< 10	< 10	47	< 10	142
T12440	201	238	< 1	0.01	16	380	164	< 5	3	21	0.06	< 10	< 10	42	< 10	148
T12441	201	238	1	0.01	17	420	120	< 5	3	20	0.06	< 10	< 10	44	< 10	150
T12442	201	238	1	0.01	16	680	888	< 5	3	14	0.06	< 10	< 10	59	< 10	210
T12443	201	238	2	0.01	21	570	136	< 5	4	13	0.08	< 10	< 10	68	< 10	152
T12444	201	238	1	0.01	28	350	110	< 5	4	17	0.09	< 10	< 10	65	< 10	114
T12445	201	238	1	< 0.01	19	370	52	< 5	3	11	0.07	< 10	< 10	65	< 10	118
T12446	201	238	1	< 0.01	30	390	38	< 5	3	16	0.08	< 10	< 10	60	< 10	140
T12447	201	238	1	0.01	18	450	28	< 5	3	16	0.10	< 10	< 10	74	< 10	124
T12448	201	238	< 1	0.04	3	150	34	< 5	1	8	0.05	< 10	< 10	29	< 10	20
T12449	201	238	< 1	0.01	18	510	68	< 5	3	25	0.06	< 10	< 10	44	< 10	74
T12450	201	238	1	0.01	18	610	38	< 5	3	29	0.06	< 10	< 10	44	< 10	90
T12451	201	238	1	0.01	17	500	36	< 5	2	21	0.06	< 10	< 10	52	< 10	78
T12452	201	238	< 1	0.01	11	290	18	< 5	2	12	0.05	< 10	< 10	44	< 10	46
T12453	201	238	1	0.01	14	500	26	< 5	2	17	0.05	< 10	< 10	43	< 10	64
T12454	201	238	1	0.01	13	500	22	< 5	2	15	0.04	< 10	< 10	37	< 10	52
T12455	201	238	< 1	< 0.01	17	540	18	< 5	3	15	0.05	< 10	< 10	40	< 10	62
T12456	201	238	< 1	0.01	18	600	22	< 5	4	21	0.07	< 10	< 10	47	< 10	72
T12457	201	238	< 1	0.01	17	500	22	< 5	3	21	0.08	< 10	< 10	44	< 10	62
T12458	201	238	1	0.01	19	530	22	< 5	3	19	0.06	< 10	< 10	45	< 10	64
T12459	201	238	1	0.01	18	560	20	< 5	3	18	0.06	< 10	< 10	44	< 10	66

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

*Analytical Chemists * Geochemists * Registered Assayers*

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Page Num. : 7-A
Total Pages : 7
Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12460	201	238	< 5	< 0.2	2.94	< 5	310	< 0.5	2	0.15	< 0.5	8	42	38	3.46	10	< 1	0.12	20	0.43	240
T12461	201	238	< 5	0.2	1.48	< 5	150	< 0.5	< 2	0.19	< 0.5	8	28	26	2.23	10	< 1	0.08	30	0.35	210
T12462	201	238	< 5	< 0.2	1.61	< 5	170	< 0.5	< 2	0.20	< 0.5	5	29	22	2.26	10	< 1	0.07	20	0.37	160
T12463	201	238	< 5	0.2	2.01	< 5	290	< 0.5	< 2	0.35	< 0.5	7	32	21	2.60	10	< 1	0.12	30	0.43	400
T12464	201	238	< 5	< 0.2	1.82	< 5	320	< 0.5	< 2	0.62	< 0.5	5	27	26	1.95	10	< 1	0.11	30	0.41	200
T12465	201	238	< 5	< 0.2	2.09	< 5	360	< 0.5	< 2	0.79	< 0.5	9	31	20	2.36	10	< 1	0.12	30	0.47	520
T12466	201	238	< 5	< 0.2	2.03	< 5	340	< 0.5	< 2	0.65	< 0.5	9	31	20	2.52	10	< 1	0.12	30	0.47	525
T12467	201	238	< 5	< 0.2	1.82	< 5	300	< 0.5	< 2	0.64	< 0.5	8	26	21	2.59	10	< 1	0.11	40	0.40	490
T12468	201	238	< 5	< 0.2	1.87	< 5	330	< 0.5	< 2	0.66	< 0.5	8	27	22	2.44	10	< 1	0.11	30	0.42	465
T12469	201	238	< 5	< 0.2	1.95	< 5	230	< 0.5	< 2	0.30	< 0.5	5	27	18	2.44	10	< 1	0.09	20	0.39	185
T12470	201	238	< 5	< 0.2	2.01	< 5	290	< 0.5	< 2	0.39	< 0.5	6	30	17	2.47	10	< 1	0.11	30	0.44	220
T12471	201	238	< 5	0.2	1.80	< 5	270	< 0.5	2	0.46	< 0.5	7	28	17	2.44	10	< 1	0.10	30	0.42	290
T12472	201	238	< 5	0.2	2.08	< 5	420	< 0.5	< 2	0.40	< 0.5	10	29	18	2.78	10	< 1	0.11	30	0.39	600
T12473	201	238	< 5	< 0.2	2.07	< 5	280	< 0.5	< 2	0.22	< 0.5	10	31	12	2.75	10	< 1	0.11	30	0.46	510
T12474	201	238	< 5	< 0.2	2.31	< 5	290	< 0.5	< 2	0.23	< 0.5	13	35	18	3.25	10	< 1	0.11	30	0.48	570
T12475	201	238	< 5	< 0.2	1.81	< 5	230	< 0.5	< 2	0.21	< 0.5	11	28	15	2.79	10	< 1	0.08	30	0.41	480
T12476	201	238	< 5	< 0.2	2.09	< 5	230	< 0.5	< 2	0.21	< 0.5	10	34	15	3.10	10	< 1	0.09	30	0.46	360
T12477	201	238	< 5	< 0.2	1.81	< 5	240	< 0.5	< 2	0.24	< 0.5	8	30	14	2.66	10	< 1	0.08	30	0.44	245
T12478	201	238	< 5	0.2	1.89	5	250	< 0.5	< 2	0.23	< 0.5	10	30	16	2.74	10	< 1	0.09	30	0.41	375
T12479	201	238	< 5	< 0.2	1.97	< 5	230	< 0.5	< 2	0.23	< 0.5	8	34	16	3.02	10	< 1	0.09	30	0.46	180
T12480	201	238	< 5	< 0.2	1.53	< 5	190	< 0.5	2	0.34	< 0.5	6	31	15	3.04	10	< 1	0.09	30	0.40	160
T12481	201	238	< 5	< 0.2	1.91	5	210	< 0.5	< 2	0.21	< 0.5	6	33	14	2.70	10	< 1	0.08	20	0.40	190
T12482	201	238	< 5	< 0.2	1.61	< 5	210	< 0.5	2	0.26	< 0.5	6	30	18	2.36	10	< 1	0.07	20	0.40	155

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To. ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : MIC
Comments:

Invoice Date: 30-AUG-90
Invoice No. : I-9021537
P.O. Number :

CERTIFICATE OF ANALYSIS A9021537

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12460	201	238	1	0.01	27	560	22	< 5	3	21	0.05	< 10	< 10	63	< 10	84
T12461	201	238	< 1	< 0.01	16	480	14	< 5	3	17	0.06	< 10	< 10	39	< 10	54
T12462	201	238	< 1	< 0.01	16	490	10	< 5	3	18	0.07	< 10	< 10	45	< 10	52
T12463	201	238	1	0.01	18	430	318	< 5	3	27	0.03	< 10	< 10	49	< 10	88
T12464	201	238	< 1	0.01	19	490	46	< 5	2	41	0.02	< 10	< 10	38	< 10	64
T12465	201	238	< 1	0.01	21	570	12	< 5	3	51	0.03	< 10	< 10	43	< 10	72
T12466	201	238	< 1	0.01	19	620	16	< 5	3	44	0.02	< 10	< 10	43	< 10	68
T12467	201	238	1	0.01	19	640	14	< 5	3	43	0.02	< 10	< 10	38	< 10	64
T12468	201	238	< 1	0.01	18	640	14	< 5	3	46	0.02	< 10	< 10	37	< 10	62
T12469	201	238	1	0.01	15	310	12	< 5	3	24	0.03	< 10	< 10	45	< 10	52
T12470	201	238	< 1	0.01	19	530	16	< 5	3	30	0.03	< 10	< 10	41	< 10	62
T12471	201	238	< 1	0.01	19	630	12	< 5	3	31	0.03	< 10	< 10	38	< 10	58
T12472	201	238	1	0.01	20	670	12	< 5	4	35	0.02	< 10	< 10	45	< 10	62
T12473	201	238	< 1	0.01	19	570	14	< 5	3	20	0.02	< 10	< 10	42	< 10	64
T12474	201	238	< 1	0.01	22	570	16	< 5	4	22	0.03	< 10	< 10	45	< 10	60
T12475	201	238	< 1	0.01	17	520	14	< 5	3	18	0.03	< 10	< 10	40	< 10	54
T12476	201	238	< 1	0.01	20	510	12	< 5	3	19	0.04	< 10	< 10	46	< 10	60
T12477	201	238	< 1	0.01	19	500	12	< 5	3	23	0.04	< 10	< 10	41	< 10	60
T12478	201	238	< 1	0.01	19	460	22	< 5	3	20	0.03	< 10	< 10	40	< 10	56
T12479	201	238	< 1	0.01	18	450	14	< 5	4	20	0.05	< 10	< 10	46	< 10	58
T12480	201	238	< 1	0.01	18	480	10	< 5	3	25	0.05	< 10	< 10	44	< 10	54
T12481	201	238	< 1	0.01	18	510	14	< 5	3	19	0.05	< 10	< 10	50	< 10	58
T12482	201	238	< 1	0.01	18	380	14	< 5	3	21	0.06	< 10	< 10	44	< 10	50

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

*Analytical Chemists * Geochemists * Registered Assayers*

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Num 1-A
Total Page 3
Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T3787	203	205	35	17.0	1.76	95	30	< 0.5	312	1.02	>100.0	< 1	30	2700	>15.00	10	< 1	0.02	10	0.32	405
T3794	203	205	< 5	33.6	1.10	1515	340	< 0.5	128	0.19	6.5	1	83	593	7.44	< 10	1	0.18	10	0.34	175
T12849	203	205	< 5	0.2	2.14	< 5	160	< 0.5	< 2	2.72	2.5	14	191	143	2.59	< 10	< 1	0.06	< 10	1.28	345
T12850	203	205	< 5	0.2	1.20	10	120	< 0.5	< 2	3.84	< 0.5	9	131	92	1.14	< 10	< 1	0.05	< 10	0.54	400
T12851	203	205	< 5	< 0.2	3.35	< 5	140	< 0.5	2	1.33	1.0	19	187	38	4.79	< 10	< 1	0.16	< 10	1.74	580
T12852	203	205	< 5	< 0.2	3.44	< 5	230	< 0.5	< 2	1.42	< 0.5	24	168	288	4.39	< 10	< 1	0.12	10	2.04	505
T12853	203	205	< 5	< 0.2	3.28	< 5	220	< 0.5	< 2	1.58	< 0.5	27	153	319	4.30	< 10	< 1	0.11	10	2.01	690
T12854	203	205	30	< 0.2	3.26	15	230	< 0.5	< 2	1.55	< 0.5	32	156	553	4.60	< 10	< 1	0.11	10	2.00	1170
T12855	203	205	< 5	< 0.2	1.64	10	220	< 0.5	< 2	1.54	< 0.5	14	95	87	2.55	< 10	1	0.09	10	0.95	615
T12856	203	205	20	< 0.2	2.07	5	250	< 0.5	< 2	1.41	< 0.5	17	170	64	2.94	< 10	< 1	0.12	10	1.37	595
T12857	203	205	< 5	< 0.2	2.07	< 5	210	< 0.5	< 2	1.00	< 0.5	20	153	69	3.18	< 10	< 1	0.10	10	1.43	725
T12858	203	205	< 5	< 0.2	1.73	5	160	< 0.5	< 2	0.78	< 0.5	13	115	30	2.70	< 10	1	0.09	20	1.20	370
T12859	203	205	< 5	< 0.2	2.22	15	150	< 0.5	< 2	0.49	0.5	13	141	31	4.62	< 10	< 1	0.11	10	1.12	475
T12860	203	205	< 5	< 0.2	2.34	< 5	210	< 0.5	< 2	1.19	0.5	19	145	64	3.06	< 10	< 1	0.10	10	1.58	520
T12861	203	205	< 5	0.4	1.97	5	160	< 0.5	< 2	0.28	< 0.5	10	93	21	3.43	< 10	< 1	0.06	10	0.80	290
T12862	203	205	< 5	< 0.2	2.35	5	160	< 0.5	< 2	0.37	< 0.5	13	122	22	3.65	< 10	< 1	0.05	10	1.20	415
T12863	203	205	< 5	0.2	2.15	10	150	< 0.5	< 2	0.44	0.5	11	104	17	3.46	< 10	< 1	0.05	10	0.91	395
T12864	203	205	< 5	< 0.2	2.58	< 5	220	< 0.5	< 2	0.56	< 0.5	13	141	21	3.77	< 10	< 1	0.07	10	1.25	445
T12865	203	205	< 5	< 0.2	2.29	< 5	200	< 0.5	< 2	0.81	0.5	14	127	25	3.54	< 10	< 1	0.09	10	1.25	585
T12866	203	205	< 5	0.2	2.18	< 5	130	< 0.5	< 2	0.84	0.5	10	134	24	3.25	< 10	< 1	0.08	10	0.94	340
T12867	203	205	< 5	< 0.2	2.66	5	190	< 0.5	2	0.83	< 0.5	14	127	33	3.82	< 10	< 1	0.11	10	1.35	550
T13158	203	205	< 5	1.2	0.53	5	390	< 0.5	< 2	0.01	< 0.5	1	54	5	1.89	10	< 1	0.22	50	0.02	5
T13159	203	205	< 5	0.6	0.33	460	100	< 0.5	< 2	0.01	< 0.5	< 1	18	13	>15.00	10	< 1	3.50	< 10	0.04	20
T13160	203	205	< 5	2.2	0.55	110	400	< 0.5	< 2	0.02	< 0.5	< 1	30	33	>15.00	20	< 1	0.42	10	0.06	115
T13219	203	205	< 5	1.6	1.14	405	110	< 0.5	< 2	1.90	2.5	45	81	191	6.44	10	< 1	0.19	20	0.91	1365
T13220	203	205	< 5	< 0.2	2.34	5	140	< 0.5	< 2	0.65	< 0.5	12	136	30	4.00	< 10	< 1	0.07	< 10	1.10	455
T13221	203	205	< 5	< 0.2	2.27	< 5	90	< 0.5	< 2	0.95	< 0.5	17	121	38	3.28	< 10	< 1	0.08	< 10	1.54	520
T13222	203	205	< 5	< 0.2	2.65	< 5	120	< 0.5	< 2	0.98	< 0.5	18	158	46	3.57	< 10	< 1	0.11	< 10	1.66	500
T13223	203	205	< 5	0.6	2.28	10	350	< 0.5	< 2	2.20	< 0.5	24	128	134	2.62	< 10	< 1	0.06	40	0.99	740
T13224	203	205	< 5	< 0.2	3.06	< 5	140	< 0.5	< 2	1.10	< 0.5	25	160	107	4.15	< 10	< 1	0.07	< 10	1.84	605
T13225	203	205	< 5	< 0.2	3.16	< 5	130	< 0.5	< 2	1.37	< 0.5	22	158	89	4.29	< 10	< 1	0.06	< 10	1.88	525
T13226	203	205	< 5	< 0.2	3.07	< 5	110	< 0.5	< 2	1.45	< 0.5	25	182	129	4.53	< 10	< 1	0.12	< 10	1.92	665
T13227	203	205	< 5	< 0.2	3.26	< 5	90	< 0.5	< 2	1.51	< 0.5	28	165	108	4.46	< 10	< 1	0.08	< 10	2.09	690
T13228	203	205	< 5	< 0.2	3.05	10	140	< 0.5	< 2	1.43	< 0.5	22	160	105	4.02	< 10	< 1	0.08	< 10	1.91	535
T13229	203	205	< 5	< 0.2	2.94	< 5	270	< 0.5	< 2	1.42	0.5	26	160	81	3.52	< 10	< 1	0.08	10	1.28	1600
T13230	203	205	< 5	< 0.2	3.38	15	220	< 0.5	< 2	0.18	< 0.5	26	198	52	7.58	10	< 1	0.13	10	1.51	1515
T13231	203	205	< 5	< 0.2	2.27	< 5	250	< 0.5	< 2	0.77	0.5	10	119	33	4.80	< 10	< 1	0.18	10	0.93	395
T13232	203	205	< 5	< 0.2	3.20	< 5	120	< 0.5	< 2	0.88	< 0.5	20	213	38	5.24	< 10	< 1	0.14	10	1.78	480
T13233	203	205	< 5	< 0.2	3.15	< 5	210	< 0.5	< 2	1.05	< 0.5	26	197	72	3.97	< 10	< 1	0.10	10	2.10	580
T13234	203	205	< 5	< 0.2	3.23	< 5	200	< 0.5	< 2	1.10	< 0.5	27	196	81	3.79	< 10	< 1	0.10	10	2.13	550

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Num. : 1-B
Total Pages . 3
Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T3787	203	205	3	0.01	4	960	508	< 5	2	68	0.05	< 10	< 10	15	650	>10000
T3794	203	205	2	0.03	14	920	4930	5	3	32	0.06	< 10	< 10	56	< 10	1170
T12849	203	205	< 1	0.02	71	1060	28	< 5	9	46	0.09	< 10	< 10	62	< 10	194
T12850	203	205	< 1	0.03	47	1020	30	< 5	4	41	0.04	< 10	< 10	33	< 10	36
T12851	203	205	< 1	0.03	62	710	18	< 5	10	21	0.32	< 10	< 10	150	< 10	118
T12852	203	205	< 1	0.02	60	740	18	< 5	14	22	0.23	< 10	< 10	105	< 10	106
T12853	203	205	< 1	0.02	60	710	8	5	14	24	0.23	< 10	< 10	103	< 10	108
T12854	203	205	1	0.01	66	700	10	< 5	14	22	0.19	< 10	< 10	102	< 10	130
T12855	203	205	1	0.01	51	680	16	< 5	6	28	0.10	< 10	< 10	50	< 10	78
T12856	203	205	1	0.01	75	600	10	5	9	27	0.11	< 10	< 10	59	< 10	82
T12857	203	205	3	0.02	93	570	12	< 5	8	28	0.15	< 10	< 10	67	< 10	80
T12858	203	205	1	0.01	48	640	6	< 5	5	21	0.17	< 10	< 10	63	< 10	66
T12859	203	205	3	0.01	44	810	12	< 5	5	11	0.21	< 10	< 10	121	< 10	86
T12860	203	205	1	0.01	64	580	6	< 5	9	24	0.21	< 10	< 10	73	< 10	100
T12861	203	205	3	0.01	35	260	10	< 5	4	9	0.15	< 10	< 10	84	< 10	62
T12862	203	205	< 1	< 0.01	48	300	4	< 5	4	8	0.19	< 10	< 10	84	< 10	64
T12863	203	205	2	0.01	39	360	8	< 5	4	10	0.17	< 10	< 10	96	< 10	68
T12864	203	205	< 1	0.01	44	340	14	< 5	5	14	0.21	< 10	< 10	91	< 10	76
T12865	203	205	< 1	0.01	39	400	8	< 5	6	20	0.31	< 10	< 10	98	< 10	72
T12866	203	205	< 1	0.01	31	1190	12	< 5	6	20	0.32	< 10	< 10	90	< 10	82
T12867	203	205	< 1	0.01	41	380	10	< 5	7	22	0.30	< 10	< 10	105	< 10	74
T13158	203	205	6	< 0.01	1	60	30	< 5	< 1	2	< 0.01	20	< 10	2	< 10	22
T13159	203	205	< 1	0.02	4	1170	316	20	2	89	< 0.01	< 10	10	8	< 50	308
T13160	203	205	< 1	0.01	12	850	342	< 5	2	18	< 0.01	< 10	< 10	21	< 50	802
T13219	203	205	< 1	0.01	86	2210	338	10	18	23	< 0.01	< 10	< 10	90	< 10	912
T13220	203	205	< 1	0.01	38	1100	10	< 5	5	16	0.30	< 10	< 10	102	< 10	68
T13221	203	205	< 1	0.01	43	230	8	< 5	6	17	0.38	< 10	< 10	82	< 10	72
T13222	203	205	< 1	0.01	51	410	14	< 5	7	25	0.36	< 10	< 10	90	< 10	72
T13223	203	205	< 1	0.01	47	1230	4	< 5	10	59	0.07	< 10	< 10	62	< 10	52
T13224	203	205	< 1	0.01	47	490	4	< 5	9	19	0.31	< 10	< 10	98	< 10	90
T13225	203	205	< 1	0.01	52	280	6	< 5	9	24	0.37	< 10	< 10	106	< 10	80
T13226	203	205	< 1	0.02	52	410	< 2	< 5	11	31	0.38	< 10	< 10	115	< 10	80
T13227	203	205	< 1	0.01	52	360	10	< 5	11	25	0.41	< 10	< 10	115	< 10	90
T13228	203	205	< 1	0.01	52	310	6	< 5	11	26	0.35	< 10	< 10	103	< 10	80
T13229	203	205	< 1	0.03	66	420	10	< 5	11	26	0.22	< 10	< 10	105	< 10	104
T13230	203	205	1	0.01	78	1320	12	< 5	9	8	0.07	< 10	< 10	139	< 10	116
T13231	203	205	1	0.01	34	910	8	< 5	6	20	0.19	< 10	< 10	127	< 10	80
T13232	203	205	< 1	0.02	78	1070	10	< 5	7	16	0.24	< 10	< 10	123	< 10	80
T13233	203	205	< 1	0.02	119	500	10	< 5	8	23	0.26	< 10	< 10	94	< 10	84
T13234	203	205	< 1	0.02	125	460	12	< 5	8	25	0.26	< 10	< 10	89	< 10	74

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T13235	203	205	< 5	< 0.2	0.36	< 5	80	< 0.5	< 2	1.05	< 0.5	2	30	15	0.36	< 10	1	0.03	< 10	0.08	75
T13236	203	205	< 5	< 0.2	2.78	10	140	< 0.5	< 2	0.67	< 0.5	15	146	114	5.86	< 10	< 1	0.18	10	1.18	540
T13237	203	205	< 5	< 0.2	2.21	10	160	< 0.5	< 2	0.48	< 0.5	12	91	32	4.36	< 10	1	0.17	10	0.73	655
T13238	203	205	5	< 0.2	2.82	< 5	90	< 0.5	< 2	0.74	< 0.5	26	141	177	5.25	< 10	< 1	0.11	< 10	1.73	895
T13239	203	205	< 5	< 0.2	3.27	< 5	160	< 0.5	< 2	1.51	< 0.5	27	138	190	4.85	< 10	< 1	0.10	10	2.09	860
T13240	203	205	< 5	< 0.2	0.41	< 5	20	< 0.5	< 2	0.52	< 0.5	2	35	12	0.56	< 10	1	0.03	< 10	0.08	50
T13241	203	205	< 5	0.2	2.32	10	240	< 0.5	< 2	0.69	0.5	14	103	29	3.70	< 10	< 1	0.18	10	0.75	425
T13242	203	205	< 5	< 0.2	2.84	15	210	< 0.5	< 2	0.73	< 0.5	14	144	42	4.99	< 10	< 1	0.19	20	1.25	470
T13243	203	205	< 5	< 0.2	2.43	10	190	< 0.5	< 2	0.63	< 0.5	10	127	35	4.91	< 10	< 1	0.23	10	0.90	630
T14469	203	205	< 5	< 0.2	1.17	20	570	< 0.5	< 2	0.99	1.0	10	180	15	1.50	< 10	< 1	0.16	10	0.33	770
T14470	203	205	< 5	< 0.2	0.73	5	230	< 0.5	2	0.60	1.0	5	54	103	1.09	< 10	< 1	0.06	10	0.14	110
T14471	203	205	< 5	< 0.2	0.32	5	120	< 0.5	< 2	1.56	5.5	1	32	34	0.42	< 10	1	0.03	< 10	0.06	130
T14472	203	205	< 5	0.2	0.83	15	180	< 0.5	< 2	1.51	1.0	3	47	18	1.23	< 10	< 1	0.06	< 10	0.22	195
T14473	203	205	< 5	< 0.2	0.72	10	110	< 0.5	6	0.70	14.0	4	63	107	1.10	< 10	1	0.05	< 10	0.18	170
T14474	203	205	< 5	< 0.2	0.38	< 5	70	< 0.5	< 2	0.53	2.0	2	42	15	0.68	< 10	1	0.03	< 10	0.06	45
T14475	203	205	< 5	< 0.2	0.71	10	170	< 0.5	2	3.17	3.0	4	59	46	0.94	< 10	< 1	0.04	< 10	0.16	470
T14476	203	205	< 5	< 0.2	0.35	< 5	80	< 0.5	< 2	0.85	1.5	2	42	13	0.49	< 10	< 1	0.02	< 10	0.06	85
T14477	203	205	< 5	< 0.2	0.65	10	80	< 0.5	2	0.58	4.0	4	40	29	0.93	< 10	1	0.03	< 10	0.15	100
T14478	203	205	< 5	0.6	1.47	85	310	< 0.5	< 2	1.19	1.0	5	71	61	1.56	< 10	< 1	0.06	10	0.47	355
T14479	203	205	< 5	< 0.2	0.29	< 5	30	< 0.5	< 2	0.34	< 0.5	3	42	12	0.74	< 10	< 1	0.03	< 10	0.11	45
T14480	203	205	< 5	0.4	0.74	20	170	< 0.5	< 2	2.48	2.5	5	50	26	0.97	< 10	< 1	0.05	< 10	0.19	290
T14481	203	205	< 5	0.2	0.49	10	100	< 0.5	< 2	1.79	2.0	4	42	25	0.76	< 10	1	0.03	< 10	0.13	120
T14482	203	205	< 5	0.6	1.57	105	640	< 0.5	8	1.06	4.5	11	83	84	2.07	< 10	< 1	0.16	10	0.45	305
T14483	203	205	< 5	0.6	1.01	30	290	< 0.5	4	0.95	1.5	4	56	62	1.33	< 10	< 1	0.08	< 10	0.27	105
T14484	203	205	< 5	0.4	0.99	45	240	< 0.5	2	0.53	0.5	4	78	17	1.26	< 10	< 1	0.11	10	0.28	130
T14485	203	205	< 5	< 0.2	0.16	25	60	< 0.5	< 2	1.78	1.5	1	21	11	0.45	< 10	1	0.03	< 10	0.05	30
T14486	203	205	< 5	< 0.2	0.27	5	40	< 0.5	< 2	0.52	0.5	3	33	16	0.76	< 10	< 1	0.04	< 10	0.12	45
T14487	203	205	< 5	2.2	0.76	155	170	< 0.5	6	1.38	29.0	4	76	223	1.19	< 10	< 1	0.06	< 10	0.21	240
T14488	203	205	5	< 0.2	0.35	< 5	50	< 0.5	< 2	0.91	0.5	2	39	13	0.73	< 10	1	0.04	< 10	0.11	55
T14489	203	205	< 5	< 0.2	0.24	< 5	10	< 0.5	< 2	0.21	< 0.5	2	33	9	0.89	< 10	< 1	0.04	< 10	0.10	45
T14490	203	205	< 5	< 0.2	0.29	< 5	30	< 0.5	< 2	0.20	0.5	3	40	9	0.88	< 10	< 1	0.03	< 10	0.13	45
T14491	203	205	< 5	7.0	1.26	380	280	< 0.5	16	1.66	80.5	11	135	512	1.94	< 10	< 1	0.10	< 10	0.38	1205
T14492	203	205	< 5	< 0.2	0.22	< 5	20	< 0.5	< 2	0.18	< 0.5	2	29	3	0.46	< 10	< 1	0.04	< 10	0.11	35
T14493	203	205	5	0.4	1.69	20	920	< 0.5	< 2	1.15	1.5	7	134	34	2.30	< 10	< 1	0.21	10	0.60	250
T14494	203	205	< 5	< 0.2	0.39	< 5	110	< 0.5	< 2	1.47	0.5	2	25	24	0.51	< 10	< 1	0.03	< 10	0.13	35
T14495	203	205	< 5	< 0.2	2.24	15	530	0.5	< 2	0.21	< 0.5	7	86	32	2.51	< 10	< 1	0.20	20	0.46	110
T14496	203	205	< 5	< 0.2	0.55	5	340	< 0.5	< 2	0.80	< 0.5	4	51	8	1.01	< 10	< 1	0.07	< 10	0.16	1240
T14497	203	205	< 5	< 0.2	0.47	< 5	110	< 0.5	< 2	0.71	1.0	5	39	32	0.68	< 10	< 1	0.02	< 10	0.09	35
T14498	203	205	< 5	< 0.2	0.66	< 5	90	< 0.5	< 2	0.24	< 0.5	3	29	9	0.90	< 10	< 1	0.07	< 10	0.11	40
T14499	203	205	< 5	< 0.2	0.86	15	240	< 0.5	< 2	0.24	1.0	3	108	17	1.10	< 10	< 1	0.15	10	0.14	50

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Number : B
Total Pages : 3
Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T13235	203	205	< 1	0.11	5	670	2	< 5	1	17	0.02	< 10	< 10	11	< 10	4
T13236	203	205	< 1	0.01	38	1520	6	< 5	8	20	0.24	< 10	< 10	144	< 10	104
T13237	203	205	< 1	0.02	23	1310	12	< 5	5	18	0.16	< 10	< 10	104	< 10	78
T13238	203	205	< 1	0.02	46	710	2	< 5	8	16	0.28	< 10	< 10	120	< 10	102
T13239	203	205	< 1	0.01	49	560	6	< 5	12	21	0.25	< 10	< 10	126	< 10	116
T13240	203	205	< 1	0.12	4	290	< 2	< 5	1	11	0.04	< 10	< 10	18	< 10	6
T13241	203	205	< 1	0.01	28	490	8	< 5	5	13	0.14	< 10	< 10	92	< 10	138
T13242	203	205	< 1	0.01	41	760	12	< 5	7	17	0.17	< 10	< 10	112	< 10	104
T13243	203	205	< 1	0.01	32	1540	14	< 5	6	13	0.18	< 10	< 10	122	< 10	104
T14469	203	205	2	0.02	16	810	26	< 5	3	53	0.04	< 10	< 10	60	< 10	120
T14470	203	205	1	0.04	13	550	8	< 5	2	30	0.03	< 10	< 10	23	< 10	36
T14471	203	205	2	0.01	11	790	8	< 5	< 1	38	0.01	< 10	< 10	6	< 10	92
T14472	203	205	< 1	0.04	8	350	40	< 5	2	37	0.04	< 10	< 10	28	< 10	208
T14473	203	205	< 1	0.05	10	590	18	< 5	1	26	0.04	< 10	< 10	23	< 10	380
T14474	203	205	< 1	0.05	4	470	12	< 5	1	20	0.03	< 10	< 10	14	< 10	50
T14475	203	205	< 1	0.03	14	560	20	< 5	1	37	0.02	< 10	< 10	19	< 10	134
T14476	203	205	< 1	0.02	4	460	8	< 5	< 1	33	0.01	< 10	< 10	6	< 10	68
T14477	203	205	< 1	0.06	9	440	14	< 5	1	27	0.02	< 10	< 10	23	< 10	162
T14478	203	205	< 1	0.03	14	880	36	< 5	4	57	0.04	< 10	< 10	47	< 10	200
T14479	203	205	< 1	0.11	4	150	2	< 5	1	20	0.06	< 10	< 10	26	< 10	16
T14480	203	205	< 1	0.05	13	920	42	< 5	2	52	0.03	< 10	< 10	23	< 10	164
T14481	203	205	< 1	0.08	9	690	30	< 5	1	39	0.04	< 10	< 10	22	< 10	162
T14482	203	205	4	0.03	25	1020	72	5	3	81	0.06	< 10	< 10	64	< 10	534
T14483	203	205	1	0.05	13	650	46	< 5	2	51	0.05	< 10	< 10	43	< 10	172
T14484	203	205	1	0.06	9	690	26	< 5	2	32	0.06	< 10	< 10	48	< 10	94
T14485	203	205	5	0.01	4	810	18	< 5	< 1	43	< 0.01	< 10	< 10	4	< 10	54
T14486	203	205	< 1	0.14	5	180	10	< 5	1	25	0.07	< 10	< 10	26	< 10	46
T14487	203	205	1	0.07	18	550	232	< 5	1	48	0.04	< 10	< 10	34	< 10	1125
T14488	203	205	< 1	0.12	6	290	10	< 5	1	30	0.05	< 10	< 10	23	< 10	38
T14489	203	205	< 1	0.12	4	90	6	< 5	1	17	0.07	< 10	< 10	32	< 10	34
T14490	203	205	< 1	0.09	3	210	10	< 5	1	17	0.06	< 10	< 10	29	< 10	18
T14491	203	205	3	0.04	34	650	724	< 5	2	59	0.05	< 10	< 10	52	< 10	2970
T14492	203	205	< 1	0.14	< 1	80	< 2	< 5	< 1	18	0.05	< 10	< 10	15	< 10	12
T14493	203	205	1	0.04	39	970	24	< 5	4	69	0.12	< 10	< 10	88	< 10	266
T14494	203	205	< 1	0.09	4	340	< 2	< 5	< 1	62	0.03	< 10	< 10	15	< 10	32
T14495	203	205	2	0.01	35	180	20	< 5	4	24	0.05	< 10	< 10	75	< 10	88
T14496	203	205	3	0.11	6	420	< 2	< 5	1	39	0.05	< 10	< 10	34	< 10	36
T14497	203	205	< 1	0.08	24	400	< 2	< 5	1	45	0.03	< 10	< 10	14	< 10	46
T14498	203	205	< 1	0.10	8	280	2	< 5	< 1	27	0.04	< 10	< 10	26	< 10	38
T14499	203	205	< 1	0.04	13	390	22	< 5	1	23	0.03	< 10	< 10	32	< 10	84

CERTIFICATION: B. Caplette

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Num... A
Total Pages . 3
Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T14500	203	205	< 5	< 0.2	0.77	10	160	< 0.5	< 2	0.32	1.0	4	32	24	0.90	< 10	< 1	0.07	10	0.09	30

CERTIFICATION: B. Campbell

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Invoice Date: 6-SEP-90
Invoice No. : I-9021835
P.O. Number :

CERTIFICATE OF ANALYSIS A9021835

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T14500	203	205	< 1	0.05	17	590	6	< 5	1	26	0.02	< 10	< 10	13	< 10	94

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Num 1-A
Total Page 1
Invoice Date: 23-SEP-90
Invoice No. : I-9022370
P.O. Number :

CERTIFICATE OF ANALYSIS A9022370

SAMPLE DESCRIPTION	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
R5258	205	294	26	0.6	1.58	25	10	< 0.5	< 2	0.04	< 0.5	24	194	177	>15.00	< 10	< 1	0.05	< 10	1.26	160
R5259	205	294	4	< 0.2	1.02	10	10	< 0.5	< 2	0.02	< 0.5	140	68	382	14.75	< 10	< 1	0.01	< 10	0.98	125
R5260	205	294	25	8.8	0.08	10	100	< 0.5	6	1.86	>100.0	1	8	475	1.66	< 10	< 1	0.02	< 10	0.02	40
R5261	205	294	16	18.6	0.01	5	260	< 0.5	4	0.02	37.5	< 1	3	262	0.81	< 10	< 1	< 0.01	< 10	< 0.01	< 5
R5262	205	294	44	57.0	0.27	195	1320	< 0.5	< 2	0.01	1.5	< 1	28	62	14.15	< 10	7	0.13	< 10	0.02	15
R5263	205	294	13	4.0	0.29	5	4540	< 0.5	6	0.06	1.0	1	111	80	2.31	< 10	16	0.10	20	0.04	75
R5264	205	294	1	1.8	0.24	< 5	4050	< 0.5	< 2	0.02	3.0	3	76	114	3.75	< 10	< 1	0.09	10	0.02	500
R5265	205	294	2	1.6	0.35	5	2440	< 0.5	< 2	0.02	5.0	6	55	226	6.65	< 10	< 1	0.07	10	0.01	1010
R5266	205	294	3	1.0	0.27	5	5120	< 0.5	< 2	0.02	1.0	< 1	136	185	4.25	< 10	< 1	0.17	10	0.04	110
R5267	205	294	13	22.8	0.53	10	3940	< 0.5	66	0.02	< 0.5	< 1	225	1315	6.52	< 10	< 1	0.06	< 10	0.11	65
R5268	205	294	13	1.0	0.56	15	990	< 0.5	< 2	0.01	< 0.5	< 1	119	910	>15.00	< 10	< 1	0.36	10	0.03	40
T14414	205	294	< 1	< 0.2	0.38	< 5	1190	< 0.5	< 2	0.05	< 0.5	< 1	35	455	>15.00	< 10	< 1	< 0.01	< 10	0.11	200
T14415	205	294	< 1	< 0.2	0.54	< 5	580	< 0.5	< 2	0.11	< 0.5	< 1	110	890	>15.00	< 10	< 1	< 0.01	< 10	0.25	555
T14416	205	294	< 1	< 0.2	2.00	5	430	< 0.5	< 2	0.06	< 0.5	1	155	22	5.91	< 10	< 1	0.62	30	0.66	330

CERTIFICATION: D. Lang

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC
Comments:

Page Num -B
Total Page 1
Invoice Date: 23-SEP-90
Invoice No. : I-9022370
P.O. Number :

CERTIFICATE OF ANALYSIS A9022370

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
R5258	205	294	9	0.01	13	60	4	5	5	1	0.12	< 10	< 10	135	< 50	76
R5259	205	294	10	0.01	6	40	< 2	5	4	< 1	< 0.01	< 10	< 10	68	30	26
R5260	205	294	1	0.05	< 1	70	2410	< 5	< 1	136	< 0.01	< 10	< 10	1	50	>10000
R5261	205	294	< 1	0.01	< 1	20	>10000	10	< 1	133	< 0.01	< 10	< 10	< 1	10	6800
R5262	205	294	18	0.01	< 1	50	9680	95	< 1	49	< 0.01	< 10	< 10	< 1	40	780
R5263	205	294	2	0.01	10	450	1070	5	1	27	< 0.01	< 10	< 10	14	< 10	1025
R5264	205	294	2	0.01	10	1130	3450	5	< 1	41	< 0.01	< 10	< 10	5	< 10	800
R5265	205	294	4	0.01	29	1870	4780	25	1	30	< 0.01	< 10	< 10	5	10	1600
R5266	205	294	9	0.03	4	230	654	< 5	< 1	35	< 0.01	< 10	< 10	< 1	< 10	380
R5267	205	294	3	0.01	3	550	1130	< 5	< 1	38	0.01	< 10	60	14	< 10	460
R5268	205	294	23	0.05	3	1350	1895	5	1	97	< 0.01	< 10	< 10	< 1	< 50	452
T14414	205	294	1	0.01	14	180	30	5	2	9	0.01	< 10	< 10	< 1	50	494
T14415	205	294	< 1	0.01	28	270	< 2	5	3	6	0.03	< 10	< 10	3	50	488
T14416	205	294	3	0.03	7	320	24	< 5	4	28	0.07	< 10	< 10	29	< 10	132

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page Number : 1-A
Total Pages : 1
Invoice Date: 26-SEP-90
Invoice No. : I-9023247
P.O. Number :

CERTIFICATE OF ANALYSIS A9023247

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12495	205	294	40	119.0	0.11	< 5	220	< 0.5	4	0.01	39.0	1	134	136	0.33	< 10	6	0.05	10	0.01	20
T12523	205	294	< 5	4.2	0.69	< 5	100	< 0.5	2	0.04	1.0	5	248	51	1.39	< 10	< 1	0.06	< 10	0.03	265
T12524	205	294	< 5	1.4	1.07	5	390	< 0.5	< 2	0.05	2.5	9	69	165	>15.00	< 10	< 1	0.37	20	0.06	330
T12525	205	294	< 5	3.2	0.47	< 5	840	< 0.5	< 2	0.03	< 0.5	3	331	44	2.26	< 10	< 1	0.14	10	0.04	165
T12526	205	294	< 5	0.8	0.36	< 5	210	< 0.5	< 2	0.02	2.5	3	207	58	4.64	< 10	< 1	0.11	< 10	0.02	1170
T12527	205	294	< 5	0.4	0.43	< 5	50	< 0.5	< 2	0.03	< 0.5	3	287	12	1.70	< 10	< 1	0.05	< 10	0.05	320
T12528	205	294	< 5	2.6	0.67	< 5	760	< 0.5	4	0.01	< 0.5	1	244	32	0.66	< 10	< 1	0.36	30	0.05	190
T12529	205	294	10	0.8	0.30	5	110	< 0.5	< 2	0.02	2.0	6	255	67	5.60	< 10	< 1	0.10	10	0.01	470
T12530	205	294	< 5	0.4	0.24	< 5	90	< 0.5	< 2	0.01	1.0	5	188	39	2.52	< 10	< 1	0.08	< 10	0.01	255

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page N r : 1-B
Total P : 1
Invoice Date: 26-SEP-90
Invoice No. : I-9023247
P.O. Number :

CERTIFICATE OF ANALYSIS A9023247

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12495	205	294	< 1	< 0.01	2	100	>10000	85	< 1	23	< 0.01	< 10	< 10	3	10	2310
T12523	205	294	< 1	< 0.01	17	220	2320	< 5	< 1	5	< 0.01	< 10	< 10	6	< 10	226
T12524	205	294	3	0.01	82	1800	374	< 5	3	9	< 0.01	< 10	< 10	42	< 50	1890
T12525	205	294	1	0.01	25	350	1190	5	1	6	< 0.01	< 10	< 10	23	< 10	420
T12526	205	294	1	< 0.01	24	670	134	< 5	< 1	5	< 0.01	< 10	< 10	8	< 10	532
T12527	205	294	1	0.11	9	150	56	< 5	1	3	< 0.01	< 10	< 10	5	< 10	34
T12528	205	294	< 1	0.01	5	230	1085	< 5	1	5	< 0.01	< 10	< 10	14	< 10	90
T12529	205	294	1	< 0.01	21	660	994	10	1	3	< 0.01	< 10	< 10	14	< 10	1145
T12530	205	294	1	< 0.01	17	340	254	< 5	< 1	2	< 0.01	< 10	< 10	4	< 10	544

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page [illegible] : 1-A
Total P[illegible] : 4
Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12123	203	205	< 5	0.4	0.55	< 5	60	< 0.5	< 2	0.09	< 0.5	1	100	15	1.09	< 10	< 1	0.05	< 10	0.08	60
T12124	203	205	< 5	< 0.2	1.54	15	320	0.5	< 2	0.13	0.5	10	139	39	2.85	< 10	< 1	0.19	20	0.29	500
T12125	203	205	< 5	0.4	2.03	10	280	< 0.5	< 2	0.38	< 0.5	5	204	17	2.91	< 10	< 1	0.29	30	0.45	280
T12126	203	205	< 5	< 0.2	2.13	5	250	< 0.5	< 2	0.31	< 0.5	5	252	16	2.61	< 10	< 1	0.26	30	0.46	160
T12127	203	205	< 5	< 0.2	2.15	< 5	220	< 0.5	< 2	0.24	< 0.5	3	207	18	1.87	< 10	< 1	0.23	30	0.35	120
T12128	203	205	< 5	< 0.2	1.82	5	200	< 0.5	< 2	0.21	< 0.5	2	176	19	1.69	< 10	< 1	0.21	20	0.27	95
T12129	203	205	< 5	< 0.2	1.60	< 5	180	< 0.5	< 2	0.22	< 0.5	5	159	31	2.25	< 10	< 1	0.26	30	0.28	185
T12130	203	205	< 5	< 0.2	1.74	< 5	200	< 0.5	< 2	0.40	< 0.5	4	188	14	1.91	< 10	< 1	0.23	30	0.34	140
T12131	203	205	< 5	< 0.2	1.59	10	270	< 0.5	< 2	1.09	< 0.5	3	86	31	2.31	< 10	< 1	0.19	20	0.35	155
T12132	203	205	< 5	< 0.2	1.59	< 5	240	< 0.5	< 2	0.65	< 0.5	8	145	29	2.91	< 10	< 1	0.23	30	0.38	415
T12133	203	205	< 5	< 0.2	1.66	< 5	230	< 0.5	< 2	0.26	< 0.5	5	162	21	2.40	< 10	< 1	0.20	20	0.28	220
T12262	203	205	< 5	< 0.2	2.37	5	350	< 0.5	2	0.76	< 0.5	9	149	22	2.61	10	< 1	0.26	30	0.45	375
T12263	203	205	< 5	< 0.2	2.77	10	490	< 0.5	2	0.89	< 0.5	8	146	27	2.50	10	< 1	0.32	30	0.46	265
T12264	203	205	< 5	< 0.2	2.11	< 5	380	< 0.5	2	0.42	< 0.5	8	129	29	2.75	10	< 1	0.26	40	0.50	345
T12265	203	205	< 5	< 0.2	2.97	10	420	< 0.5	4	0.46	< 0.5	9	160	21	2.78	10	< 1	0.48	30	0.55	245
T12266	203	205	< 5	< 0.2	2.09	5	350	< 0.5	2	0.56	< 0.5	8	142	27	2.65	10	< 1	0.22	30	0.37	230
T12267	203	205	< 5	< 0.2	2.48	< 5	350	< 0.5	< 2	0.40	< 0.5	10	220	18	2.88	10	< 1	0.35	30	0.49	260
T12268	203	205	< 5	< 0.2	1.78	5	260	< 0.5	2	0.40	< 0.5	9	114	19	2.72	10	< 1	0.19	30	0.42	380
T12269	203	205	< 5	< 0.2	2.00	5	260	< 0.5	< 2	0.48	< 0.5	7	126	12	2.61	< 10	< 1	0.22	30	0.49	205
T12270	203	205	< 5	< 0.2	2.52	15	320	< 0.5	< 2	0.48	< 0.5	12	137	17	3.20	10	< 1	0.30	40	0.60	380
T12271	203	205	< 5	< 0.2	2.07	15	260	< 0.5	2	0.62	< 0.5	27	144	15	3.77	10	< 1	0.17	40	0.52	1110
T12272	203	205	< 5	< 0.2	2.33	10	370	< 0.5	< 2	0.46	< 0.5	12	102	17	2.58	10	< 1	0.24	30	0.50	905
T12273	203	205	< 5	< 0.2	2.20	5	260	< 0.5	2	0.35	< 0.5	11	95	17	2.84	10	< 1	0.22	40	0.66	375
T12274	203	205	< 5	< 0.2	2.15	5	420	< 0.5	4	0.40	< 0.5	9	103	19	2.04	10	< 1	0.35	30	0.53	180
T12275	203	205	< 5	< 0.2	2.27	10	300	< 0.5	2	0.53	< 0.5	13	114	23	3.27	10	< 1	0.26	40	0.51	285
T12276	203	205	< 5	< 0.2	2.41	15	280	< 0.5	4	0.39	< 0.5	9	113	16	2.60	10	< 1	0.28	30	0.54	210
T12277	203	205	< 5	< 0.2	2.75	10	480	< 0.5	< 2	0.64	< 0.5	16	126	23	2.95	10	< 1	0.25	30	0.47	1325
T12278	203	205	< 5	0.4	2.02	< 5	350	< 0.5	2	1.30	< 0.5	10	96	26	2.71	10	< 1	0.23	30	0.41	525
T12279	203	205	< 5	0.4	2.03	5	340	< 0.5	< 2	1.16	< 0.5	11	469	35	2.90	10	< 1	0.28	40	0.44	510
T12280	203	205	< 5	< 0.2	1.71	5	230	< 0.5	< 2	1.35	< 0.5	11	166	26	2.83	10	< 1	0.19	40	0.41	600
T12281	203	205	< 5	< 0.2	1.42	5	180	< 0.5	2	1.12	< 0.5	9	211	17	2.44	10	< 1	0.15	30	0.31	480
T12282	203	205	< 5	< 0.2	2.02	10	250	< 0.5	2	0.59	< 0.5	11	137	23	3.02	10	< 1	0.19	40	0.51	370
T12283	203	205	< 5	< 0.2	1.81	5	130	< 0.5	4	0.39	< 0.5	11	66	27	3.19	10	< 1	0.27	60	0.56	180
T12284	203	205	< 5	< 0.2	2.37	15	270	< 0.5	2	0.55	< 0.5	17	285	35	3.73	10	< 1	0.25	40	0.63	335
T12285	203	205	< 5	< 0.2	2.36	10	270	< 0.5	< 2	0.59	< 0.5	18	115	37	3.67	10	< 1	0.21	40	0.65	355
T12286	203	205	< 5	< 0.2	2.18	5	220	< 0.5	4	0.56	< 0.5	13	110	35	2.91	10	< 1	0.17	40	0.59	225
T12287	203	205	< 5	< 0.2	0.92	5	140	< 0.5	2	0.30	< 0.5	6	207	17	1.76	< 10	< 1	0.17	20	0.32	270
T12288	203	205	< 5	< 0.2	2.06	10	300	< 0.5	< 2	0.35	< 0.5	8	145	21	3.42	10	< 1	0.25	40	0.42	200
T12289	203	205	< 5	< 0.2	2.10	10	410	< 0.5	2	0.35	< 0.5	9	113	30	2.90	10	< 1	0.27	40	0.35	285
T12290	203	205	< 5	< 0.2	2.38	10	360	1.0	2	0.48	< 0.5	8	195	20	2.77	20	< 1	0.30	40	0.52	225

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12123	203 205	< 1	0.08	5	360	96	< 5	< 1	13	0.04	< 10	< 10	26	< 10	26
T12124	203 205	1	0.02	23	600	248	< 5	2	19	0.05	< 10	< 10	50	< 10	258
T12125	203 205	1	0.01	19	770	12	< 5	3	29	0.02	< 10	< 10	54	< 10	74
T12126	203 205	1	0.02	22	580	10	< 5	3	25	0.04	< 10	< 10	47	< 10	70
T12127	203 205	1	0.03	17	520	8	< 5	3	23	0.03	< 10	< 10	36	< 10	54
T12128	203 205	< 1	0.02	13	490	8	< 5	2	20	0.02	< 10	< 10	30	< 10	42
T12129	203 205	1	0.03	21	610	10	< 5	2	22	0.02	< 10	< 10	36	< 10	66
T12130	203 205	1	0.03	16	520	10	< 5	3	29	0.03	< 10	< 10	31	< 10	56
T12131	203 205	2	0.01	18	760	14	< 5	3	63	0.01	< 10	< 10	29	10	60
T12132	203 205	1	0.02	21	640	10	< 5	3	44	0.02	< 10	< 10	33	10	78
T12133	203 205	1	0.03	18	490	14	< 5	3	25	0.02	< 10	< 10	36	< 10	58
T12262	203 205	1	0.04	22	630	18	< 5	4	50	0.04	< 10	< 10	60	< 10	80
T12263	203 205	1	0.04	23	750	18	< 5	5	59	0.04	< 10	< 10	63	< 10	74
T12264	203 205	1	0.02	28	480	10	< 5	4	32	0.05	< 10	< 10	57	< 10	94
T12265	203 205	1	0.05	24	440	14	< 5	5	39	0.06	< 10	< 10	74	< 10	86
T12266	203 205	1	0.04	23	710	14	< 5	4	43	0.04	< 10	< 10	49	< 10	60
T12267	203 205	< 1	0.04	23	540	14	< 5	4	33	0.04	< 10	< 10	58	< 10	70
T12268	203 205	< 1	0.02	20	570	10	< 5	3	26	0.02	< 10	< 10	42	< 10	64
T12269	203 205	< 1	0.03	18	580	8	< 5	3	31	0.03	< 10	< 10	42	< 10	58
T12270	203 205	1	0.04	22	540	14	< 5	4	34	0.03	< 10	< 10	48	< 10	60
T12271	203 205	1	0.03	19	720	16	< 5	4	37	0.03	< 10	< 10	41	< 10	50
T12272	203 205	< 1	0.05	19	650	14	< 5	4	35	0.04	< 10	< 10	41	< 10	50
T12273	203 205	< 1	0.02	21	530	22	< 5	4	23	0.04	< 10	< 10	38	< 10	52
T12274	203 205	< 1	0.04	19	480	22	< 5	4	28	0.04	< 10	< 10	32	< 10	62
T12275	203 205	1	0.03	24	460	16	< 5	5	32	0.05	< 10	< 10	50	< 10	54
T12276	203 205	< 1	0.03	21	370	14	< 5	4	29	0.07	< 10	< 10	52	< 10	48
T12277	203 205	< 1	0.03	25	880	20	< 5	5	45	0.04	< 10	< 10	55	< 10	56
T12278	203 205	1	0.03	24	640	26	< 5	4	82	0.03	< 10	< 10	44	< 10	106
T12279	203 205	1	0.04	27	690	34	< 5	4	78	0.03	< 10	< 10	40	< 10	84
T12280	203 205	< 1	0.02	24	740	20	< 5	4	86	0.03	< 10	< 10	36	< 10	72
T12281	203 205	< 1	0.02	19	670	18	< 5	3	71	0.02	< 10	< 10	31	< 10	56
T12282	203 205	< 1	0.03	22	460	18	< 5	4	41	0.04	< 10	< 10	42	< 10	62
T12283	203 205	< 1	0.02	20	580	18	< 5	2	25	< 0.01	< 10	< 10	15	< 10	64
T12284	203 205	1	0.04	35	420	18	< 5	5	42	0.04	< 10	< 10	52	< 10	74
T12285	203 205	1	0.03	34	460	16	< 5	5	43	0.05	< 10	< 10	52	< 10	76
T12286	203 205	1	0.03	30	430	18	< 5	5	41	0.07	< 10	< 10	51	< 10	68
T12287	203 205	1	0.02	22	530	12	< 5	2	20	0.02	< 10	< 10	19	< 10	44
T12288	203 205	1	0.02	21	660	16	< 5	3	29	0.04	< 10	< 10	57	< 10	74
T12289	203 205	1	0.03	23	740	16	< 5	4	28	0.02	< 10	< 10	49	< 10	74
T12290	203 205	< 1	0.02	26	650	16	< 5	4	33	0.04	< 10	< 10	59	< 10	84

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12291	203	205	< 5	0.2	2.40	5	300	< 0.5	< 2	0.38	< 0.5	10	131	26	2.68	10	< 1	0.24	40	0.57	265
T12292	203	205	< 5	0.4	2.26	5	320	< 0.5	< 2	0.42	< 0.5	18	194	23	2.66	10	< 1	0.22	40	0.46	1045
T12293	203	205	< 5	0.2	1.84	5	280	< 0.5	< 2	0.20	< 0.5	13	134	43	3.66	10	< 1	0.32	50	0.43	520
T12294	203	205	< 5	< 0.2	1.04	< 5	150	< 0.5	< 2	0.11	< 0.5	2	135	19	1.38	< 10	< 1	0.11	10	0.09	90
T12295	203	205	< 5	< 0.2	1.79	5	380	< 0.5	< 2	0.17	< 0.5	12	172	34	3.45	10	< 1	0.31	40	0.33	435
T12296	203	205	< 5	< 0.2	1.64	5	250	< 0.5	< 2	0.29	< 0.5	5	244	15	2.24	< 10	< 1	0.19	30	0.31	185
T12297	203	205	< 5	0.2	2.22	< 5	300	< 0.5	< 2	0.47	< 0.5	10	143	22	2.43	10	< 1	0.26	30	0.48	505
T12298	203	205	< 5	< 0.2	2.20	< 5	250	< 0.5	< 2	0.33	< 0.5	9	199	22	2.48	10	< 1	0.25	30	0.55	320
T12299	203	205	5	< 0.2	1.27	5	100	< 0.5	< 2	0.11	< 0.5	4	179	27	1.77	10	< 1	0.17	20	0.18	100
T12300	203	205	10	0.2	1.50	10	200	< 0.5	< 2	0.31	< 0.5	9	249	37	2.65	10	< 1	0.29	40	0.46	345
T12301	203	205	5	0.4	1.62	5	230	< 0.5	< 2	0.30	< 0.5	10	269	41	2.81	10	< 1	0.34	40	0.48	410
T12302	203	205	< 5	0.6	2.12	15	480	< 0.5	2	0.37	< 0.5	8	167	32	2.79	10	< 1	0.27	20	0.44	275
T12303	203	205	< 5	< 0.2	2.09	< 5	330	< 0.5	< 2	0.33	< 0.5	8	119	28	2.71	10	< 1	0.23	20	0.44	215
T12304	203	205	< 5	0.2	2.20	5	330	< 0.5	2	0.40	< 0.5	8	132	24	2.56	10	< 1	0.26	30	0.49	205
T12305	203	205	< 5	0.4	2.54	5	500	< 0.5	< 2	0.39	< 0.5	9	129	31	2.98	10	< 1	0.29	30	0.54	285
T12306	203	205	< 5	0.4	2.14	5	330	< 0.5	2	0.32	< 0.5	8	150	30	2.81	10	< 1	0.28	30	0.41	250
T12307	203	205	10	0.4	2.26	5	430	< 0.5	< 2	0.38	< 0.5	9	142	33	3.08	10	< 1	0.35	30	0.43	285
T12308	203	205	< 5	0.2	1.88	< 5	380	< 0.5	< 2	0.36	< 0.5	9	134	30	2.80	10	< 1	0.25	30	0.43	315
T12309	203	205	10	0.4	2.36	5	440	< 0.5	< 2	0.34	< 0.5	9	130	35	3.06	10	< 1	0.31	30	0.44	270
T12310	203	205	< 5	0.6	1.65	5	390	< 0.5	< 2	0.22	< 0.5	11	127	42	3.31	10	< 1	0.31	40	0.30	590
T12311	203	205	< 5	0.4	1.34	5	250	< 0.5	2	0.30	< 0.5	7	200	26	2.27	10	< 1	0.22	30	0.31	215
T12312	203	205	< 5	0.4	2.21	10	360	< 0.5	< 2	0.37	< 0.5	10	183	35	3.26	10	< 1	0.37	40	0.44	310
T12313	203	205	< 5	< 0.2	2.40	5	350	< 0.5	2	0.35	< 0.5	11	132	24	2.75	10	< 1	0.27	30	0.45	320
T12314	203	205	< 5	0.4	2.61	15	330	< 0.5	2	0.35	< 0.5	10	250	24	3.08	10	< 1	0.46	40	0.55	385
T12315	203	205	< 5	0.4	1.93	< 5	290	< 0.5	2	0.32	< 0.5	8	132	22	2.44	10	< 1	0.31	40	0.46	400
T12316	203	205	30	< 0.2	< 0.01	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	< 1	< 1	< 0.01	< 10	< 1	< 0.01	< 10	< 0.01	< 5
T12317	203	205	< 5	1.0	2.76	< 5	390	< 0.5	4	0.26	< 0.5	15	176	35	3.03	20	< 1	0.65	70	0.64	630
T12318	203	205	< 5	1.2	2.88	5	180	< 0.5	2	0.25	< 0.5	18	95	68	4.43	20	< 1	0.59	60	0.73	315
T12319	203	205	< 5	1.0	2.14	10	320	< 0.5	< 2	0.24	< 0.5	11	191	31	3.18	20	< 1	0.65	70	0.34	455
T12320	203	205	< 5	0.6	2.04	5	200	< 0.5	2	0.32	< 0.5	11	129	30	2.95	10	< 1	0.40	50	0.56	480
T12321	203	205	< 5	1.2	2.18	< 5	170	< 0.5	4	0.37	< 0.5	16	164	76	4.74	20	< 1	0.47	70	0.53	475
T12322	203	205	15	0.8	2.34	< 5	240	< 0.5	< 2	0.36	< 0.5	13	176	33	3.26	20	< 1	0.55	70	0.67	465
T12323	203	205	25	0.8	2.32	15	270	< 0.5	< 2	0.46	< 0.5	13	182	73	4.15	10	< 1	0.51	60	0.62	250
T12324	203	205	5	0.2	2.00	10	230	< 0.5	2	0.30	< 0.5	10	183	26	2.95	10	< 1	0.27	40	0.53	255
T12325	203	205	< 5	1.4	1.82	15	450	< 0.5	< 2	0.37	< 0.5	29	144	92	3.76	20	< 1	0.41	100	0.57	1925
T12326	203	205	< 5	1.6	2.21	15	320	< 0.5	< 2	0.37	< 0.5	37	212	78	4.06	20	< 1	0.51	90	0.64	1105
T12327	203	205	< 5	0.4	1.46	< 5	190	< 0.5	< 2	0.31	< 0.5	8	134	28	2.30	10	< 1	0.29	40	0.44	335
T12328	203	205	< 5	0.6	1.53	< 5	190	< 0.5	< 2	0.28	< 0.5	9	129	30	2.47	10	< 1	0.42	40	0.44	330
T12329	203	205	< 5	0.6	2.12	10	300	< 0.5	< 2	0.46	< 0.5	10	263	40	3.41	10	< 1	0.49	50	0.48	350
T12330	203	205	< 5	0.8	2.12	15	290	< 0.5	< 2	0.31	< 0.5	11	218	46	3.44	10	< 1	0.48	50	0.47	350

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12291	203 205	< 1	0.02	25	550	16	< 5	4	28	0.06	< 10	< 10	53	< 10	82
T12292	203 205	< 1	0.04	24	640	12	< 5	4	36	0.05	< 10	< 10	51	< 10	72
T12293	203 205	1	0.02	36	720	24	< 5	3	22	0.04	< 10	< 10	44	< 10	120
T12294	203 205	< 1	0.06	9	520	12	< 5	1	14	0.03	< 10	< 10	29	< 10	26
T12295	203 205	1	0.03	33	740	38	< 5	2	22	0.04	< 10	< 10	55	< 10	138
T12296	203 205	< 1	0.03	17	680	38	< 5	3	25	0.02	< 10	< 10	38	< 10	92
T12297	203 205	1	0.03	24	760	16	< 5	3	35	0.02	< 10	< 10	50	< 10	82
T12298	203 205	< 1	0.03	24	730	14	< 5	3	26	0.04	< 10	< 10	53	< 10	74
T12299	203 205	1	0.04	16	530	10	< 5	1	14	0.04	< 10	< 10	42	< 10	42
T12300	203 205	1	0.02	33	790	14	< 5	2	25	0.03	< 10	< 10	31	< 10	82
T12301	203 205	1	0.02	36	730	16	< 5	2	25	0.03	< 10	< 10	33	< 10	90
T12302	203 205	1	0.05	22	760	1075	5	6	38	0.09	< 10	< 10	66	< 10	84
T12303	203 205	1	0.05	22	600	74	< 5	5	32	0.10	< 10	< 10	61	< 10	74
T12304	203 205	1	0.06	20	540	54	< 5	6	37	0.12	< 10	< 10	65	< 10	68
T12305	203 205	1	0.06	23	560	24	< 5	7	39	0.12	< 10	< 10	74	< 10	76
T12306	203 205	1	0.04	24	670	24	< 5	6	35	0.08	< 10	< 10	61	< 10	66
T12307	203 205	1	0.05	29	680	12	< 5	6	40	0.09	< 10	< 10	66	< 10	86
T12308	203 205	1	0.04	28	610	10	< 5	5	33	0.09	< 10	< 10	59	< 10	78
T12309	203 205	1	0.04	28	650	12	< 5	6	35	0.08	< 10	< 10	67	< 10	84
T12310	203 205	< 1	0.02	36	700	14	< 5	5	26	0.04	< 10	< 10	53	< 10	102
T12311	203 205	< 1	0.04	24	580	18	< 5	3	27	0.07	< 10	< 10	44	< 10	64
T12312	203 205	< 1	0.05	33	640	14	< 5	6	35	0.08	< 10	< 10	62	< 10	86
T12313	203 205	< 1	0.06	24	450	12	< 5	5	30	0.07	< 10	< 10	50	< 10	52
T12314	203 205	< 1	0.07	26	500	14	5	5	32	0.08	< 10	< 10	50	< 10	58
T12315	203 205	< 1	0.06	20	410	16	< 5	4	28	0.08	< 10	< 10	44	< 10	50
T12316	203 205	< 1	< 0.01	< 1	< 10	2	< 5	< 1	< 1	< 0.01	< 10	< 10	< 1	< 10	< 2
T12317	203 205	< 1	0.13	28	450	30	< 5	4	27	0.05	< 10	< 10	27	< 10	66
T12318	203 205	< 1	0.05	45	690	18	< 5	4	19	0.02	< 10	< 10	21	< 10	84
T12319	203 205	< 1	0.04	32	460	68	< 5	4	20	0.02	< 10	< 10	17	< 10	48
T12320	203 205	< 1	0.05	26	580	12	< 5	3	23	0.03	< 10	< 10	23	< 10	64
T12321	203 205	4	0.04	44	740	24	< 5	5	38	0.02	< 10	< 10	25	< 10	88
T12322	203 205	< 1	0.05	28	510	22	< 5	4	30	0.06	< 10	< 10	34	< 10	76
T12323	203 205	1	0.02	46	1060	22	< 5	4	38	0.01	< 10	< 10	46	< 10	144
T12324	203 205	< 1	0.03	25	480	14	< 5	4	23	0.05	< 10	< 10	41	< 10	82
T12325	203 205	2	0.01	100	1160	26	< 5	3	32	0.02	< 10	< 10	33	< 10	172
T12326	203 205	2	0.01	94	1140	16	< 5	3	32	< 0.01	< 10	< 10	40	< 10	232
T12327	203 205	< 1	0.03	26	680	16	< 5	3	26	0.04	< 10	< 10	29	< 10	64
T12328	203 205	< 1	0.02	28	760	16	< 5	2	26	0.03	< 10	< 10	31	< 10	76
T12329	203 205	< 1	0.03	30	840	22	< 5	4	41	0.03	< 10	< 10	42	< 10	96
T12330	203 205	1	0.03	31	860	22	< 5	4	34	0.03	< 10	< 10	46	< 10	102

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12331	203	205	< 5	0.6	2.08	5	280	< 0.5	< 2	0.24	< 0.5	10	110	40	3.13	10	< 1	0.42	50	0.49	255
T12332	203	205	< 5	0.2	1.87	5	280	< 0.5	< 2	0.24	< 0.5	12	224	27	2.81	10	1	0.27	30	0.38	440
T12351	203	205	< 5	< 0.2	1.53	50	130	< 0.5	< 2	0.18	< 0.5	102	961	39	4.46	< 10	< 1	< 0.01	< 10	9.21	955
T12352	203	205	10	< 0.2	1.92	350	190	< 0.5	< 2	0.26	1.0	13	258	24	3.35	< 10	< 1	0.65	10	1.04	655
T12353	203	205	< 5	0.2	2.47	400	340	< 0.5	< 2	0.25	1.0	20	137	55	3.88	< 10	< 1	0.53	30	1.04	470
T12354	203	205	10	0.4	2.28	1490	270	< 0.5	< 2	0.15	2.5	18	167	59	4.95	< 10	< 1	0.23	30	0.94	390
T12355	203	205	< 5	< 0.2	2.78	65	400	< 0.5	2	0.57	1.0	21	144	69	4.23	10	< 1	0.23	30	1.38	590
T12356	203	205	< 5	0.4	2.29	15	450	< 0.5	< 2	0.35	< 0.5	10	136	36	3.15	10	< 1	0.28	30	0.58	280
T12357	203	205	< 5	1.2	1.81	5	570	< 0.5	< 2	0.36	< 0.5	6	108	36	2.56	10	< 1	0.26	40	0.35	145
T12358	203	205	< 5	1.4	1.90	5	350	< 0.5	< 2	0.19	< 0.5	7	137	42	3.28	10	< 1	0.34	40	0.46	215
T12359	203	205	< 5	0.2	2.01	15	250	< 0.5	2	0.18	< 0.5	13	103	32	3.41	10	< 1	0.30	40	0.46	440
T12360	203	205	< 5	< 0.2	1.88	5	240	< 0.5	2	0.15	< 0.5	7	129	23	2.65	10	< 1	0.25	30	0.35	255
T12361	203	205	< 5	0.2	2.25	< 5	270	< 0.5	2	0.17	< 0.5	8	115	23	3.03	10	< 1	0.29	30	0.46	255
T12362	203	205	< 5	0.2	2.49	< 5	290	< 0.5	2	0.18	< 0.5	6	102	25	2.76	10	< 1	0.27	30	0.44	170
T12363	203	205	< 5	0.2	2.17	5	250	< 0.5	2	0.18	< 0.5	6	111	19	2.46	10	< 1	0.26	30	0.44	165
T12364	203	205	< 5	0.2	2.18	< 5	310	< 0.5	4	0.22	< 0.5	8	126	24	2.94	10	< 1	0.35	40	0.52	245
T12365	203	205	< 5	0.2	2.23	10	260	< 0.5	2	0.22	< 0.5	9	139	24	2.75	10	< 1	0.25	30	0.48	235
T12366	203	205	< 5	0.2	2.10	< 5	210	< 0.5	4	0.19	< 0.5	10	105	22	3.06	10	< 1	0.23	30	0.50	330
T12367	203	205	< 5	0.2	1.85	10	190	< 0.5	< 2	0.19	< 0.5	8	112	23	2.79	10	< 1	0.22	40	0.45	215
T12368	203	205	< 5	< 0.2	1.86	5	230	< 0.5	2	0.18	< 0.5	5	101	21	2.31	10	< 1	0.19	20	0.38	120
T12369	203	205	< 5	0.2	2.13	10	210	< 0.5	< 2	0.19	< 0.5	7	91	24	2.73	10	< 1	0.18	30	0.46	150
T12370	203	205	< 5	0.2	2.11	< 5	220	< 0.5	< 2	0.23	< 0.5	7	96	24	2.73	10	< 1	0.20	30	0.49	165
T12371	203	205	< 5	< 0.2	0.70	25	110	< 0.5	< 2	0.38	< 0.5	165	1050	15	4.95	< 10	< 1	< 0.01	< 10	7.09	1150
T12372	203	205	< 5	< 0.2	3.36	125	300	< 0.5	< 2	0.08	< 0.5	46	433	61	5.95	< 10	< 1	0.17	10	3.06	615
T12373	203	205	< 5	0.2	1.52	10	460	< 0.5	2	2.44	< 0.5	15	102	47	2.62	< 10	< 1	0.18	10	0.82	580
T12374	203	205	< 5	0.6	1.54	10	540	< 0.5	< 2	0.63	< 0.5	15	181	46	3.29	10	< 1	0.31	50	0.60	355
T12375	203	205	< 5	0.4	2.45	5	610	< 0.5	< 2	0.89	< 0.5	18	117	74	3.37	10	< 1	0.27	30	1.01	625
T12376	203	205	< 5	< 0.2	3.01	5	510	< 0.5	< 2	0.63	< 0.5	26	159	80	4.57	10	< 1	0.29	30	1.63	735
T12377	203	205	< 5	0.4	2.23	15	300	< 0.5	< 2	0.26	< 0.5	9	115	40	3.06	10	< 1	0.30	40	0.59	195
T12378	203	205	< 5	0.4	2.37	10	310	< 0.5	2	0.14	< 0.5	5	134	30	2.52	10	< 1	0.31	40	0.37	120
T12379	203	205	10	0.6	2.24	< 5	320	< 0.5	2	0.19	< 0.5	7	147	35	2.71	10	< 1	0.33	40	0.39	145
T12380	203	205	15	0.6	2.32	5	320	< 0.5	2	0.19	< 0.5	7	124	29	2.21	10	< 1	0.26	30	0.38	125
T12381	203	205	< 5	0.4	2.32	< 5	300	< 0.5	< 2	0.18	< 0.5	6	111	30	2.50	10	< 1	0.22	30	0.39	130
T12382	203	205	< 5	0.6	2.16	5	260	< 0.5	< 2	0.16	< 0.5	6	98	35	2.40	10	< 1	0.21	30	0.34	170
T12383	203	205	< 5	0.4	2.04	5	210	< 0.5	2	0.12	< 0.5	9	262	29	3.39	10	< 1	0.34	40	0.41	330
T12384	203	205	< 5	0.4	1.81	< 5	270	< 0.5	2	0.18	< 0.5	3	114	24	1.75	10	< 1	0.24	30	0.27	115
T12385	203	205	< 5	0.6	1.96	10	290	< 0.5	< 2	0.24	< 0.5	5	96	36	2.23	10	< 1	0.22	30	0.31	120
T12386	203	205	< 5	0.2	1.88	5	170	< 0.5	< 2	0.12	< 0.5	5	255	18	2.05	10	< 1	0.24	20	0.29	175
T12387	203	205	< 5	< 0.2	0.06	< 5	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	8	< 1	0.07	< 10	< 1	0.01	< 10	< 0.01	5
T12388	203	205	< 5	0.2	2.36	5	250	< 0.5	< 2	0.22	< 0.5	9	186	20	3.35	10	< 1	0.31	30	0.48	305

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page ' ber : 3-B
Total : 4
Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12331	203	205	1	0.02	28	810	18	< 5	3	26	0.03	< 10	< 10	41	< 10	94
T12332	203	205	1	0.02	25	720	16	< 5	3	25	0.03	< 10	< 10	46	< 10	74
T12351	203	205	2	0.02	1670	210	6	5	9	15	0.03	20	< 10	46	< 10	72
T12352	203	205	5	0.04	95	560	82	< 5	3	23	0.04	< 10	< 10	52	< 10	206
T12353	203	205	4	0.02	34	1030	164	5	7	23	0.02	< 10	< 10	68	< 10	142
T12354	203	205	15	0.02	49	650	178	< 5	6	16	0.02	< 10	< 10	68	< 10	258
T12355	203	205	1	0.01	31	540	128	5	7	30	0.03	< 10	< 10	62	< 10	242
T12356	203	205	1	0.02	25	670	148	< 5	4	26	0.03	< 10	< 10	56	< 10	112
T12357	203	205	2	0.02	21	800	362	5	3	24	0.02	< 10	< 10	42	< 10	110
T12358	203	205	1	0.02	22	790	554	< 5	3	21	0.03	< 10	< 10	41	< 10	230
T12359	203	205	1	0.02	28	640	22	< 5	3	20	0.04	< 10	< 10	47	< 10	92
T12360	203	205	1	0.04	18	570	20	< 5	2	20	0.04	< 10	< 10	55	< 10	60
T12361	203	205	1	0.03	22	510	16	< 5	3	21	0.05	< 10	< 10	62	< 10	72
T12362	203	205	1	0.04	20	570	18	< 5	3	22	0.05	< 10	< 10	58	< 10	66
T12363	203	205	< 1	0.03	19	510	14	< 5	3	22	0.05	< 10	< 10	55	< 10	62
T12364	203	205	1	0.03	25	590	18	< 5	3	25	0.07	< 10	< 10	51	< 10	84
T12365	203	205	1	0.04	23	490	22	< 5	3	25	0.06	< 10	< 10	56	< 10	74
T12366	203	205	1	0.03	22	540	14	< 5	3	21	0.06	< 10	< 10	59	< 10	78
T12367	203	205	1	0.02	22	520	16	< 5	3	21	0.06	< 10	< 10	50	< 10	72
T12368	203	205	< 1	0.02	17	470	14	< 5	3	21	0.05	< 10	< 10	47	< 10	56
T12369	203	205	< 1	0.02	20	480	14	< 5	3	19	0.06	< 10	< 10	51	< 10	72
T12370	203	205	< 1	0.02	20	490	14	< 5	4	21	0.07	< 10	< 10	52	< 10	72
T12371	203	205	< 1	< 0.01	2390	80	4	5	12	32	< 0.01	40	< 10	34	< 10	30
T12372	203	205	< 1	0.02	360	220	18	< 5	9	14	0.01	< 10	< 10	75	< 10	104
T12373	203	205	1	0.02	42	730	10	< 5	5	95	< 0.01	< 10	< 10	38	< 10	76
T12374	203	205	1	0.01	41	640	16	< 5	6	55	0.01	< 10	< 10	45	< 10	146
T12375	203	205	< 1	0.01	27	700	20	< 5	6	39	0.01	< 10	< 10	55	< 10	96
T12376	203	205	< 1	0.01	34	570	22	< 5	9	31	0.02	< 10	< 10	66	< 10	144
T12377	203	205	< 1	0.02	23	740	24	< 5	3	22	0.02	< 10	< 10	53	< 10	88
T12378	203	205	< 1	0.02	17	680	26	< 5	3	18	0.02	< 10	< 10	48	< 10	66
T12379	203	205	1	0.02	23	790	34	< 5	3	23	0.02	< 10	< 10	51	< 10	80
T12380	203	205	< 1	0.03	20	680	30	< 5	3	22	0.03	< 10	< 10	43	< 10	66
T12381	203	205	1	0.02	22	710	20	< 5	3	22	0.03	< 10	< 10	45	< 10	70
T12382	203	205	1	0.02	19	690	18	< 5	3	20	0.03	< 10	< 10	47	< 10	62
T12383	203	205	1	0.02	27	590	20	< 5	2	18	0.03	< 10	< 10	56	< 10	94
T12384	203	205	< 1	0.03	15	740	16	< 5	2	22	0.02	< 10	< 10	32	< 10	48
T12385	203	205	< 1	0.03	20	910	20	< 5	2	26	0.02	< 10	< 10	39	< 10	60
T12386	203	205	1	0.07	16	570	18	< 5	2	18	0.03	< 10	< 10	52	< 10	52
T12387	203	205	< 1	< 0.01	< 1	10	< 2	< 5	< 1	< 1	< 0.01	< 10	< 10	1	< 10	< 2
T12388	203	205	2	0.03	23	510	26	< 5	3	24	0.07	< 10	< 10	69	< 10	90

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page er : 4-A
Total P...s : 4
Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T12389	203	205	< 5	0.4	2.28	15	250	< 0.5	2	0.15	< 0.5	8	253	22	3.55	10	< 1	0.33	30	0.44	245
T12390	203	205	< 5	0.4	2.24	10	250	< 0.5	4	0.26	< 0.5	6	94	22	2.70	10	< 1	0.19	30	0.47	135
T12391	203	205	< 5	0.6	2.14	< 5	450	< 0.5	2	0.27	< 0.5	10	173	34	2.88	10	< 1	0.22	30	0.39	225
T12483	203	205	< 5	0.2	1.47	5	190	< 0.5	< 2	0.14	< 0.5	4	163	21	2.30	< 10	< 1	0.22	30	0.28	105
T12484	203	205	10	0.4	1.40	5	230	< 0.5	< 2	0.15	< 0.5	3	78	28	2.07	< 10	< 1	0.20	30	0.20	85
T12485	203	205	< 5	0.4	1.68	5	180	< 0.5	2	0.13	< 0.5	3	100	25	2.27	10	< 1	0.23	40	0.25	85
T12486	203	205	< 5	0.2	1.79	< 5	160	< 0.5	2	0.14	< 0.5	4	107	26	2.28	10	< 1	0.18	30	0.32	95
T12487	203	205	< 5	0.2	1.64	5	190	< 0.5	2	0.15	< 0.5	4	135	20	2.06	10	< 1	0.12	30	0.30	100
T12488	203	205	< 5	0.2	1.96	< 5	180	< 0.5	< 2	0.15	< 0.5	4	135	22	2.34	10	< 1	0.15	30	0.33	100
T12489	203	205	< 5	0.4	1.91	5	180	< 0.5	2	0.16	< 0.5	4	89	20	2.32	10	< 1	0.15	30	0.32	95
T12490	203	205	< 5	0.4	1.70	< 5	180	< 0.5	< 2	0.18	< 0.5	3	105	16	1.75	10	< 1	0.14	20	0.29	85
T12491	203	205	< 5	0.2	1.74	10	190	< 0.5	2	0.17	< 0.5	3	86	18	1.94	10	< 1	0.14	20	0.29	85
T12492	203	205	< 5	0.4	1.97	5	220	< 0.5	< 2	0.18	< 0.5	5	115	19	2.75	10	< 1	0.16	20	0.36	165
T12493	203	205	< 5	0.2	1.65	5	200	< 0.5	4	0.16	< 0.5	6	217	17	2.45	10	< 1	0.24	30	0.33	145
T12494	203	205	< 5	0.2	1.53	5	610	< 0.5	< 2	0.74	< 0.5	5	103	29	1.41	10	< 1	0.16	20	0.27	200
T12501	203	205	< 5	0.4	1.95	10	260	< 0.5	< 2	0.27	< 0.5	7	125	24	2.85	10	< 1	0.23	30	0.40	145
T12502	203	205	< 5	0.2	2.09	5	280	< 0.5	< 2	0.24	< 0.5	7	200	22	2.72	10	< 1	0.28	30	0.39	190
T12503	203	205	< 5	0.6	2.19	10	340	< 0.5	2	0.28	< 0.5	6	111	28	2.45	10	< 1	0.24	30	0.36	110
T12504	203	205	< 5	0.4	1.79	15	280	< 0.5	< 2	0.38	< 0.5	8	168	26	3.16	10	< 1	0.27	30	0.31	350
T12505	203	205	5	0.2	1.55	5	340	< 0.5	< 2	0.58	< 0.5	7	73	18	2.10	10	< 1	0.23	30	0.28	335
T12506	203	205	< 5	< 0.2	1.41	5	350	< 0.5	< 2	0.73	< 0.5	9	154	22	2.80	10	< 1	0.22	30	0.26	435
T12507	203	205	< 5	0.2	1.53	5	340	< 0.5	< 2	0.50	< 0.5	13	166	20	3.06	10	< 1	0.24	30	0.26	690
T12508	203	205	< 5	< 0.2	1.46	5	240	< 0.5	< 2	1.35	< 0.5	9	150	16	2.40	10	< 1	0.17	30	0.22	760
T12509	203	205	< 5	< 0.2	1.97	10	160	< 0.5	2	0.15	< 0.5	10	97	22	3.41	10	< 1	0.24	40	0.40	440
T12510	203	205	< 5	< 0.2	3.32	10	340	< 0.5	< 2	0.19	< 0.5	10	128	36	4.50	10	< 1	0.27	30	0.38	325
T12511	203	205	5	< 0.2	2.06	< 5	210	< 0.5	2	0.28	< 0.5	7	110	21	2.79	10	< 1	0.20	30	0.47	200
T12512	203	205	< 5	0.2	1.84	5	180	< 0.5	2	0.18	< 0.5	6	96	22	2.45	10	< 1	0.24	30	0.36	185
T12513	203	205	< 5	0.6	1.87	< 5	290	< 0.5	4	0.29	< 0.5	8	91	27	2.51	10	< 1	0.24	40	0.44	230
T12514	203	205	< 5	0.2	2.30	5	210	< 0.5	2	0.19	< 0.5	6	124	19	2.81	10	< 1	0.27	30	0.36	160
T12515	203	205	5	< 0.2	1.85	< 5	210	< 0.5	< 2	0.22	< 0.5	7	82	20	2.36	10	< 1	0.23	30	0.40	195
T12516	203	205	< 5	< 0.2	1.95	5	170	< 0.5	2	0.20	< 0.5	7	152	18	2.50	10	< 1	0.15	20	0.35	175
T12517	203	205	< 5	< 0.2	2.28	10	220	< 0.5	2	0.28	< 0.5	7	108	17	3.02	10	< 1	0.13	20	0.50	190
T12518	203	205	< 5	< 0.2	2.17	5	180	< 0.5	< 2	0.24	< 0.5	7	95	26	3.02	10	< 1	0.14	20	0.46	185
T12519	203	205	< 5	< 0.2	2.25	10	220	< 0.5	< 2	0.20	< 0.5	8	98	28	2.61	10	< 1	0.16	20	0.42	200
T12520	203	205	5	< 0.2	2.06	5	170	< 0.5	< 2	0.21	< 0.5	8	91	18	2.69	10	< 1	0.17	30	0.40	230
T12521	203	205	< 5	< 0.2	2.25	10	150	< 0.5	< 2	0.18	< 0.5	8	67	17	3.00	10	< 1	0.16	20	0.46	215
T12522	203	205	< 5	< 0.2	2.67	20	210	< 0.5	2	0.17	< 0.5	7	91	20	3.19	10	< 1	0.19	20	0.47	205

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 27-SEP-90
Invoice No. : I-9023249
P.O. Number :

CERTIFICATE OF ANALYSIS A9023249

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12389	203	205	1	0.03	24	630	20	< 5	3	21	0.05	< 10	< 10	67	< 10	82
T12390	203	205	< 1	0.02	18	540	18	< 5	4	24	0.07	< 10	< 10	59	< 10	70
T12391	203	205	1	0.02	25	980	16	< 5	3	32	0.04	< 10	< 10	52	< 10	76
T12483	203	205	1	0.02	14	680	14	< 5	2	17	0.01	< 10	< 10	34	< 10	48
T12484	203	205	< 1	0.02	14	880	14	< 5	2	19	0.01	< 10	< 10	23	< 10	36
T12485	203	205	< 1	0.02	13	800	18	< 5	2	16	0.01	< 10	< 10	30	< 10	42
T12486	203	205	< 1	0.02	15	720	16	< 5	2	17	0.02	< 10	< 10	41	< 10	48
T12487	203	205	< 1	0.02	15	550	14	< 5	2	16	0.02	< 10	< 10	36	< 10	46
T12488	203	205	< 1	0.02	14	520	18	< 5	2	17	0.03	< 10	< 10	48	< 10	50
T12489	203	205	< 1	0.02	14	590	20	< 5	2	18	0.03	< 10	< 10	52	< 10	48
T12490	203	205	1	0.02	13	580	16	< 5	2	20	0.03	< 10	< 10	36	< 10	42
T12491	203	205	< 1	0.02	13	610	18	< 5	2	19	0.03	< 10	< 10	36	< 10	42
T12492	203	205	1	0.02	16	720	16	< 5	2	19	0.04	< 10	< 10	56	< 10	60
T12493	203	205	1	0.02	17	540	14	< 5	2	20	0.03	< 10	< 10	48	< 10	60
T12494	203	205	< 1	0.03	19	960	14	< 5	2	65	0.03	< 10	< 10	35	< 10	46
T12501	203	205	1	0.03	19	700	16	< 5	4	25	0.07	< 10	< 10	56	< 10	76
T12502	203	205	2	0.03	24	640	12	< 5	3	27	0.04	< 10	< 10	61	< 10	72
T12503	203	205	1	0.02	22	720	18	< 5	4	28	0.04	< 10	< 10	54	< 10	70
T12504	203	205	1	0.03	26	730	16	< 5	3	28	0.04	< 10	< 10	52	< 10	86
T12505	203	205	< 1	0.03	15	600	22	< 5	2	42	0.03	< 10	< 10	40	< 10	94
T12506	203	205	1	0.02	21	750	22	< 5	3	48	0.02	< 10	< 10	42	< 10	104
T12507	203	205	< 1	0.02	20	680	24	< 5	3	39	0.03	< 10	< 10	47	< 10	84
T12508	203	205	< 1	0.02	18	640	16	< 5	3	68	0.01	< 10	< 10	25	< 10	60
T12509	203	205	< 1	0.02	22	350	20	< 5	3	15	0.05	< 10	< 10	45	< 10	56
T12510	203	205	< 1	0.03	26	680	20	< 5	5	25	0.05	< 10	< 10	90	< 10	76
T12511	203	205	< 1	0.03	20	490	10	< 5	5	25	0.09	< 10	< 10	64	< 10	62
T12512	203	205	< 1	0.02	17	340	12	< 5	3	21	0.07	< 10	< 10	53	< 10	54
T12513	203	205	< 1	0.03	21	410	14	< 5	5	28	0.09	< 10	< 10	61	< 10	62
T12514	203	205	< 1	0.02	16	360	14	< 5	4	21	0.08	< 10	< 10	64	< 10	52
T12515	203	205	< 1	0.03	17	310	8	< 5	4	25	0.08	< 10	< 10	56	< 10	48
T12516	203	205	< 1	0.03	17	310	12	< 5	3	22	0.09	< 10	< 10	58	< 10	40
T12517	203	205	< 1	0.03	21	370	8	< 5	5	27	0.11	< 10	< 10	71	< 10	54
T12518	203	205	< 1	0.02	20	390	10	< 5	4	22	0.10	< 10	< 10	67	< 10	50
T12519	203	205	< 1	0.03	18	360	10	< 5	5	22	0.08	< 10	< 10	61	< 10	46
T12520	203	205	< 1	0.02	20	300	14	< 5	4	21	0.09	< 10	< 10	59	< 10	42
T12521	203	205	< 1	0.02	20	340	10	< 5	4	16	0.08	< 10	< 10	58	< 10	50
T12522	203	205	1	0.03	20	390	18	< 5	5	19	0.09	< 10	< 10	68	< 10	64

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Page / : 1-A
Total P : 1
Invoice Date: 23-OCT-90
Invoice No. : I-9024991
P.O. Number :

CERTIFICATE OF ANALYSIS A9024991

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T12716	205	294	< 0.2	0.29	< 5	150	< 0.5	4	0.08	2.0	4	85	21	2.16	< 10	< 1	0.22	20	0.02	330	< 1
T12729	205	294	0.4	2.20	20	310	< 0.5	6	0.81	5.0	35	139	169	8.43	< 10	< 1	0.13	30	1.25	1670	< 1
T12730	205	294	< 0.2	0.74	< 5	540	< 0.5	4	0.10	2.5	12	187	67	3.74	< 10	< 1	0.43	30	0.05	520	< 1
T12732	205	294	< 0.2	0.63	10	210	< 0.5	2	0.30	2.0	5	326	70	2.25	< 10	< 1	0.13	10	0.04	160	< 1
T12733	205	294	0.8	0.44	10	380	< 0.5	< 2	0.06	< 0.5	1	185	46	0.64	< 10	< 1	0.15	10	0.02	35	< 1
T12734	205	294	3.2	0.27	< 5	650	< 0.5	< 2	0.03	< 0.5	1	174	76	0.79	< 10	16	0.08	10	0.01	30	< 1
T12735	205	294	9.2	0.37	< 5	1220	< 0.5	2	0.06	< 0.5	1	206	53	0.65	< 10	22	0.14	10	0.02	30	8
T12736	205	294	6.2	0.51	5	890	< 0.5	2	0.05	1.0	2	183	174	2.22	< 10	20	0.12	10	0.05	60	2
T12737	205	294	< 0.2	0.78	5	360	< 0.5	2	0.07	1.5	6	183	25	2.30	< 10	< 1	0.44	30	0.06	390	< 1
T12738	205	294	< 0.2	3.06	50	350	< 0.5	4	1.01	3.5	23	217	74	8.57	< 10	< 1	0.18	40	2.01	1120	< 1
T12739	205	294	< 0.2	1.33	5	220	< 0.5	2	0.20	1.0	7	174	38	3.04	< 10	< 1	0.19	20	0.13	170	< 1
T12740	205	294	< 0.2	1.23	30	220	< 0.5	2	0.62	3.5	28	109	48	6.93	< 10	< 1	0.13	30	0.56	1050	< 1
T12741	205	294	< 0.2	1.91	< 5	380	< 0.5	< 2	0.30	1.5	13	161	9	2.91	< 10	< 1	0.68	50	0.80	600	< 1
T12742	205	294	< 0.2	3.89	105	120	< 0.5	< 2	0.31	2.5	27	914	74	4.90	< 10	< 1	< 0.01	20	4.48	795	< 1
T12743	205	294	1.0	0.48	< 5	2050	< 0.5	< 2	0.01	< 0.5	2	149	21	0.39	< 10	< 1	0.07	10	0.02	50	3
T12744	205	294	0.6	0.29	< 5	400	< 0.5	2	0.05	2.0	9	77	42	1.86	< 10	< 1	0.17	20	0.02	430	3
T12747	205	294	11.4	0.36	< 5	530	< 0.5	2	0.02	0.5	< 1	210	60	1.33	< 10	12	0.14	20	0.03	75	1
T12748	205	294	1.4	0.38	15	840	< 0.5	< 2	0.02	< 0.5	1	283	17	0.73	< 10	1	0.10	10	0.03	65	< 1
T12751	205	294	3.6	0.24	15	280	< 0.5	< 2	0.03	6.5	8	254	42	1.26	< 10	5	0.10	10	0.01	970	< 1
T12752	205	294	8.0	0.45	10	240	< 0.5	2	0.03	< 0.5	7	234	66	2.47	< 10	< 1	0.15	40	0.03	640	< 1
T12754	205	294	30.4	0.70	< 5	670	< 0.5	2	0.02	0.5	< 1	232	68	1.66	< 10	14	0.24	10	0.05	55	< 1

CERTIFICATION: B. Campbell

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : YGC-MIC
Comments:

Invoice Date: 23-OCT-90
Invoice No. : I-9024991
P.O. Number :

CERTIFICATE OF ANALYSIS A9024991

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T12716	205	294	< 0.01	20	460	16	< 5	1	9	< 0.01	< 10	< 10	5	< 10	942
T12729	205	294	< 0.01	118	3930	60	< 5	30	84	< 0.01	< 10	< 10	160	< 10	2240
T12730	205	294	0.01	50	700	32	< 5	2	23	< 0.01	< 10	< 10	29	< 10	670
T12732	205	294	< 0.01	49	1620	154	< 5	7	29	< 0.01	< 10	< 10	63	< 10	722
T12733	205	294	< 0.01	4	800	2000	< 5	1	11	< 0.01	< 10	< 10	14	< 10	230
T12734	205	294	< 0.01	3	610	3510	< 5	< 1	7	< 0.01	< 10	< 10	7	< 10	316
T12735	205	294	< 0.01	2	990	6510	< 5	1	12	< 0.01	< 10	< 10	12	< 10	224
T12736	205	294	< 0.01	8	1230	5310	< 5	1	22	< 0.01	< 10	< 10	20	< 10	688
T12737	205	294	0.01	23	330	32	< 5	2	11	< 0.01	< 10	< 10	5	< 10	516
T12738	205	294	0.01	131	4750	74	< 5	24	117	< 0.01	< 10	< 10	135	10	1720
T12739	205	294	0.01	41	640	26	< 5	2	19	< 0.01	< 10	< 10	13	< 10	566
T12740	205	294	< 0.01	92	3400	46	< 5	22	65	< 0.01	< 10	< 10	108	10	1555
T12741	205	294	0.02	45	1130	16	< 5	4	25	0.05	< 10	< 10	27	< 10	700
T12742	205	294	< 0.01	314	1320	198	< 5	10	26	0.01	< 10	< 10	84	< 10	1285
T12743	205	294	< 0.01	4	1030	4580	< 5	< 1	37	< 0.01	< 10	< 10	8	< 10	46
T12744	205	294	< 0.01	16	640	342	< 5	1	11	< 0.01	< 10	< 10	9	< 10	574
T12747	205	294	< 0.01	6	600	3420	15	1	4	< 0.01	< 10	< 10	7	< 10	220
T12748	205	294	< 0.01	7	220	720	5	< 1	17	< 0.01	< 10	< 10	7	< 10	48
T12751	205	294	< 0.01	11	240	1055	< 5	1	7	< 0.01	< 10	< 10	8	< 10	1790
T12752	205	294	< 0.01	22	1110	7420	10	3	4	< 0.01	< 10	< 10	13	< 10	366
T12754	205	294	0.01	5	670	5240	10	1	4	< 0.01	< 10	< 10	12	< 10	340

CERTIFICATION: B. Caughlin

140°30'

64°20'

N

E 0+00


18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S

Mickey Creek

CAT ROAD

CLINTON CREEK ROAD

2500
3000
3500



- 1990 soil sample location
- 1980 soil sample location
- coincident location of 1990 + 1980 soil sample
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

Figure 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

MIC PROPERTY

YGC RESOURCES LTD.

DWG 117

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

MAP# 116 C/8 Doc# 092955 (21) to accompany report dated Dec, 80.

140°30'

64°20'

Mickey Creek


E 0+00

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S

2500
3000
3200
3500

CAT ROAD

CLINTON CREEK ROAD



- 1990 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- coincident location of 1990 + 1980 soil sample with metal values in ppm
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

- ≥ 1200 lead values in ppm
- 600-1199 lead values in ppm
- 300-599 lead values in ppm
- 150-299 lead values in ppm
- 75-149 lead values in ppm

Figure 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

Dwg 118

MAP#116 C/8 Doc# 092955 (22) To accompany report dated Dec, 90.

140°30'

64°20'

Mickey Creek

0+00 E

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S

CAT ROAD

CLINTON CREEK ROAD

2500
3000
3200
3500



LOCATION MAP

- 1990 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- coincident location of 1990 + 1980 soil sample with metal values in ppm
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

- ≥ 400 zinc values in ppm
- 200-399 zinc values in ppm
- 100-199 zinc values in ppm

Figure4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

DWG 119

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

MAP# 116C/8

Doc # 092955 (23) accompany report dated Dec, 90.

140°30'

64°20'

N

E 0+00

18+50 N

17+00 N

15+50 N

14+40 N

13+57 N

12+00 N

10+50 N

9+00 N

7+56 N

5+92 N

4+40 N

2+94 N

1+40 N

0+00 N

1+50 S

MICKEY Creek

2500


3000

3200

3500

CAT ROAD

CLINTON CREEK ROAD



- 1990 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- coincident location of 1990 + 1980 soil sample with metal values in ppm
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

Figure 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

DWG 120

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

MAP #116C/8 Doc #092955 (84)

To accompany report dated Dec, 90.