MAP NO.:	ASSESSMENT REPORT X	DOCUMENT NO: 092997
116 C /08	PROSPECTUS	MINING DISTRICT: Dawson
	CONFIDENTIAL X	TYPE OF WORK: Geochemical Survey
	OPEN FILE	

REPORT FILED UNDER: Archer Cathro & Associates (1981) Ltd.

DATE PERFORMED: June 25 - August 7, 1991 **DATE FILED:** January 17, 1992

LOCATION: **LAT.:** 64°19'N **AREA:** Clinton Creek Area

LONG.: 140°28'W **VALUE $:** 6,894.00

CLAIM NAME & NO.: Mic 23 - 30 YB40069 - YB40076, Mic 31 - YB40077, Mic 33 YB40079.

WORK DONE BY: Robert C. Carne

WORK DONE FOR: Archer Cathro & Associates (1981) Ltd.

DATE TO GOOD STANDING:	

REMARKS: # 116 C

A geochemical survey consisting of 197 soil samples was carried out on the property in the summer of 1991. Several moderate to strong lead-zinc soil geochemical anomalies were outlined on the property. The property is being examined for volcanogenic massive sulfide and sedimentary exhalative mineralization.

ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET
VANCOUVER, B. C. V6B 1L8
(604) 688-2568

SUMMARY REPORT

on

1991 EXPLORATION

MICKEY CREEK PROPERTY

(MIC CLAIMS)

Latitude 64°19′ North; Longitude 140°28′ West

NTS 116C/8

Dawson Mining District

MIC 1-14 - YB30547-YB30560
MIC 15-22 - YB38785-YB38792
MIC 23-38 - YB40069-YB40084

for

YGC RESOURCES LTD.

R.C. Carne, M.Sc.

December, 1991

Work performed between June 25 and August 7, 1991

092997

BOX 4127, 3125 THIRD AVENUE, WHITEHORSE, Y. T. Y1A 3S9
(403) 667-4415

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 6,894.00

Robert Diblick

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

TABLE OF CONTENTS

APPENDICES

FIGURES

SUMMARY AND RECOMMENDATIONS

The Mickey Creek property is 100% owned by YGC Resources Ltd. The claim group covers coincident lead-zinc geochemical anomalies explored by Cominco Ltd. in 1979-81.

The property lies within an unglaciated upland near a ridge crest which represents the original elevation of a Tertiary peneplain. Oxidation likely exceeds several tens of metres and surface exposures are completely leached of metals.

Geochemical surveys originally carried out in 1979 by Cominco were augmented by additional sampling by YGC in 1990. This work confirmed and extended the original geochemical anomalies in the north part of the property. These consist of a number of areas of coincident, moderate to strong lead-zinc response which are elongated in a southeasterly direction, down the slope. Trenching by Cominco in 1979, 1980 and YGC in 1990 and diamond drilling by Cominco in 1981 within the strongest geochemical anomaly failed to discover the source of the high metal values. The only significant mineralization found by YGC on the property, laminated galena and sphalerite in barite, occurs in overburden within a trench cut near the upslope termination of the main anomaly. Soil samples taken from overburden in all the trenches are anomalous and it now appears that the source of the lead and zinc lies uphill from the surface geochemical response and the previous surface work and that the anomalies are a result of hydromorphic and/or detrital dispersion. The upslope terminations of the main geochemical anomalies lie along a 2 km long, northerly-trending belt conformable with regional stratigraphy. This area is heavily vegetated and covered by frozen organic-rich soil and it is unlikely that geochemical surveys will be effective in outlining in-place mineralization. Grid soil geochemical sampling in 1991 also outlined a strong south-southeasterly trending lead-zinc-copper geochemical anomaly that lies along strike 1.5 km to the south of the previously defined main zone.

The results to date outline a 3.5 km long area of interest that is an exploration target for mineralization similar to Devonian VMS or sedex within Selwyn Basin in eastern Yukon and Kechika Trough in northeastern British Columbia.

Further exploration should consist of excavator trenching and a modest diamond drill program along the interpreted trend of potential mineralization. A number of trench sites upslope of the main zone were pre-stripped of vegetation in September, 1990 to allow thawing of permafrost to facilitate this program. The claim block should be extended 2 km to the southeast to cover possible extensions to the geochemical anomalies and additional grid soil sampling should be carried out. A proposed budget for further work follows.

PROPOSED MICKEY CREEK PROPERTY 1992 EXPLORATION BUDGET

Diamond Drilling - 500 m NQ @ $120/m	$ 60,000
Salaries - geologist for 6 weeks; 2 labourers and cook for 3 weeks; 10 days senior supervision; expediting, accounting and secretarial	35,000
Excavator - 200 hours @ $125/hr, including fuel	25,000
Field Room and Board - 200 mandays @ $80/day	16,000
Assaying and Geochemical	11,000
Travel and Freight	5,000
Drafting and Printing	5,000
Assessment Filing	3,000
Truck Rental	2,500
Management	7,500
	$170,000
Plus 7% GST -	11,900
TOTAL -	$181,900

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

R.C. Carne, M.Sc.

/mc

INTRODUCTION

The Mickey Creek property was staked in May, 1990 by Archer, Cathro & Associates (1981) Limited and sold to YGC Resources Ltd. at cost in June. Additional claims were staked in September, 1990 and June, 1991 by YGC. The initial claims were acquired to cover an extensive coincident lead-zinc soil geochemical anomaly resulting from previous exploration.

The 1991 field program was funded by YGC and included linecutting, prospecting and soil sampling carried out between June 25 and August 7.

Appendix I includes the Author's Statement of Qualifications while a list of personnel who worked on the project is included as Appendix II.

PROPERTY, LOCATION AND ACCESS

The Mickey Creek property straddles the Clinton Creek Road in west-central Yukon, about 10 km from the Top of the World Highway and 40 km northwest of Dawson City (Figure 1). Coordinates for the central part of the property are 64°19′ north latitude and 140°28′ west longitude.

The Mickey Creek property consists of thirty-eight claims registered with the Dawson Mining Recorder in the name of Archer, Cathro as follows:

Claim Name	Grant Numbers	Expiry Date
Mic 1-14	YB30547-YB30560	March 4, 1996
15-22	YB38785-YB38792	March 4, 1996
23-38	YB40069-YB40084	June 20, 1992

Claim locations are shown on Figure 2.



Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

YGC RESOURCES LTD.

LOCATION MAP

MICKEY CREEK PROPERTY

0 5 10 15 Km

0 5 10 Miles



0 500m

0 1000 2000 ft

Figure 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

WEST-CENTRAL YUKON

HISTORY AND PREVIOUS WORK

The area was first staked in 1978 by Cominco Ltd. which explored the property with soil sampling and bulldozer trenching in 1979-80 and one 183 m drill hole in 1981. Archer, Cathro restaked the area of the geochemical anomaly in May, 1990 and enlarged the property in September, 1990 for YGC. Exploration carried out on the property in 1990 included linecutting, prospecting, grid soil sampling and bulldozer trenching.

GEOMORPHOLOGY

The Mickey Creek property lies along the east side of a northerly-trending ridge. Topography is subdued with elevations locally ranging from 650 to 1100 m above sea level. The relatively gentle upper part of the slope is underlain by black spruce bog, giving way to mixed mature balsam, fir and aspen forest as the slope steepens at lower elevations to the east.

Residual overburden cover ranges from one to greater than four metres thick. Because the area escaped Pleistocene glaciation, bedrock exposures are limited to resistant strata in cliffs along the sides of creeks draining the area to the east. Actual in-place outcrop probably forms less than 1% of the area. The soil cover consists of a thick, frozen layer of organic-rich clay in the relatively gentle upper slopes and better drained residual mineral soil cover on steeper lower slopes. Continuous permafrost on the ridge crest gives way to discontinuous permafrost to the east with increasing slope angle and lower elevations.

Sulphide minerals are nearly completely oxidized at surface. According to the Cominco drill log, oxidation locally extends to at least 60 m depth.

GEOLOGY

The Mickey Creek area is underlain by intercalated metasedimentary and metavolcanic(?) rocks of the Nasina Group including quartz-graphite phyllite and quartz-chlorite phyllite with lesser quartz-muscovite phyllite, quartzite and minor marble. These have been assigned a Devonian age through U-Pb isotopic dating of zircons by J. Mortensen of the Geological Survey of Canada (GSC). A number of serpentinite bodies are present at the north end of the grid area. These occur along a north-northwesterly trending, southerly-dipping thrust fault which separates the Nasina Group rocks from an unnamed Proterozoic(?) and Paleozoic sequence of schist, quartzite and gneisses.

Very little bedrock is exposed on the property and no property-scale geological mapping has been carried out during any of the exploration programs to date. Results of geological mapping of the floors and walls of trenches cut in 1990 are inconclusive as most trenches bottomed in frozen rubble or frost-riven bedrock. Examination of exposures along the Clinton Creek Road cut and of isolated outcrops and bedrock in trenches, however, suggests that the sequence has been deformed by small-scale isoclinal folds although the overall orientation of compositional layering appears to be a homoclinal sequence that strikes north-northwest and dips gently west.

MINERALIZATION

The Mickey Creek property covers a metamorphosed sedimentary-exhalative (sedex) or volcanogenic massive sulphide (VMS) barite-lead-zinc exploration target. No sulphide mineralization has been located in bedrock on the property however, a single piece of laminated barite with thin seams of galena and sphalerite was located in overburden at the uphill end of Trench 90M-6. Float of quartz-muscovite phyllite mineralized with seams of galena was found in the old Cominco trenches in 1989 by J.K. Mortensen of the GSC. Mortensen carried out lead isotopic analysis on galena separates from the samples and the resulting 207 Pb/204 Pb vs 206 Pb/204 Pb ratios fall on the "Shale Curve" and plot closely to ratios determined for galena separates from mineralization at the Tom and Jason sedex deposit in east-central Yukon. In other words, the barite float mineralization is most likely to have been derived from a Devonian sedex barite-lead-zinc deposit. Since the area is unglaciated, the source is likely to be a relatively short distance upslope from the float location in Trench 90M-6. Hand pits dug in 1991 in the floors of trenches pre-stripped in 1990 between Trench 90M-6 and the highway recovered significantly more rusty weathering quartz-muscovite phyllite float than that exposed in overburden downslope by the bulldozer trenches. Although no mineralized fragments were recovered from the hand pits, the presence of abundant pyritic quartz-muscovite phyllite is encouraging.

Mortensen feels that the association of quartz-muscovite phyllite with anomalous geochemical response and lead-zinc mineralization on the Mickey Creek property and elsewhere in the district is evidence of a short-lived felsic volcanic episode accompanied by sedex or VMS-style mineralization. Alternatively, the muscovite may be the metamorphosed equivalent of an illite-rich, synsedimentary alteration zone related to sedex hydrothermal activity. A similar regional-scale alteration zone marks the stratigraphic position of the Sullivan deposit in British Columbia.

GEOCHEMISTRY

The central part of the Mickey Creek property was grid soil sampled by Cominco in 1979. Approximately 330 samples were taken at 25 m intervals along lines spaced about 150 m apart. Results were filed for assessment credit and are publicly available. The 1979 grid was relocated and extended by YGC in 1990 and 420 additional soil samples were collected at the same sample spacing. The grid was extended a further 1.5 km to the south in 1991 with a total of 197 soil samples collected at 50 m intervals from lines spaced 150 m apart. Sample locations are shown on Figures 3 and 4.

The 1990 and 1991 soil samples were collected from the B horizon where possible in pre-numbered Kraft paper bags and sent to Chemex Labs Ltd. in North Vancouver where they were prepared by drying and sieving to minus 35 mesh. Thirty-two element analyses, including those for all the major base metals and silver, were carried out on nitric acid-aqua regia digestion of two gram samples with induced coupled plasma (ICP) determination. The Cominco analytical techniques for lead, zinc and silver were not described in the reports filed for assessment credit.

Results of the 1979, 1990 and 1991 geochemical surveys are given in detail on Figures 5, 6 and 7 and summarized with regional data resulting from previous exploration carried out in the area by Archer, Cathro in 1980-81 on Figures 8, 9 and 10. Analytical certificates for the 1991 geochemical determinations are reproduced in Appendix III. Contour intervals are established based on previous statistical analyses of geochemical data by Archer, Cathro on results of similar geochemical sampling programs in the area.

Lead values have the highest contrast, ranging from <2 to 1320 ppm (Figure 5). Background values are less than 50 ppm. Contoured lead data from the north part of the property reveals a number of southeast to east-southeast

trending anomalies. These are elongate downslope, with the uphill terminations lying along a single northerly trend. The 1981 drill hole tested the strongest lead geochemical anomaly about halfway down the slope from the uphill termination of the anomaly. The hole intersected a few thin sphalerite bands in phyllite but no lead mineralization was evident in the core. The entire hole was split for assay and the only anomalous values were related to the weak zinc mineralization in phyllite (0.03% Pb, 0.34% Zn over 5.2 m).

Soil sampling over the south part of the property in 1991 outlined an 800 m long, southeast-trending lead geochemical anomaly with values ranging up to 528 ppm. The anomaly lies roughly along strike with the main area of investigation 900 m to the north. Strongest response coincides with an abrupt steepening of the northeast-facing slope and probably reflects either hydromorphic or detrital dispersion from a southeast-trending mineralized zone upslope near the Clinton Creek Road.

Zinc values in soils on the property range between 14 and 650 ppm (Figure 6). Zinc results do not have the contrast between background and peak values present for the lead data however, the highest values correlate well with lead. Zinc anomalies in the main zone are more widespread than lead anomalies although they terminate uphill along the same northerly trend. Zinc response in the south part of the property also correlates well with lead and values range up to 1230 ppm.

Copper determinations were not carried out in 1979 and only the 1990 and 1991 results are plotted on Figure 7. Copper values in soils in the north part of the property range from 10 to 86 ppm. These largely appear to form a single population representing background values. Copper values in the south part of the property range up to 100 ppm and best values correlate well with strongest lead-zinc response.

Values for lead and zinc in soils taken in 1980 from the walls and floors of bulldozer trenches by Cominco are plotted on Figures 11 and 12. The ranges for both metals are similar to those for samples taken from surficial soils. The trench results do, however, extend the area of lead and zinc response in the main zone uphill from the main anomaly, terminating against the observed northerly trend of the tops of other soil geochemical anomalies. Anomalous values of lead and zinc in rock samples taken from the floors of bulldozer trenches in 1990 probably represent hydromorphic dispersion downslope from the source area and adsorption onto limonite at the overburden-bedrock interface.

The 1979 soil survey was extended and 1980 bulldozer trenches were deepened in 1990. Additional soil sampling was carried out south of the main area of exploration in 1991. Results of 1979-1980 and 1990-1991 exploration, taken in conjunction with conclusions from research carried out by the GSC in 1989 and 1990, indicate that the source of the geochemical anomaly on the Mickey Creek property is a 3.5 km long, northerly-trending zone of barite-lead-zinc sedex mineralization that lies just uphill of the soil geochemical anomalies. The area of probable mineralization lies in an area of relatively flat topography near the top of a steep easterly-facing slope. Geochemical response immediately over the probable mineralization is masked by deep, frozen, residual overburden cover and is complicated by oxidation and leaching. The main geochemical anomaly, which was the focus for bulldozer trenching in 1979, 1980 and 1990 and diamond drilling in 1981, is most certainly a result of downslope hydromorphic and/or detrital dispersion.



Figure II

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD SOIL GEOCHEMISTRY

BULLDOZER TRENCHES

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

CAT TRENCH (1990)

CAT TRAIL (1980)

STRIPPED IN (1990)

TRENCH SOIL SAMPLE (1980)

(Values in P.P.M. Lead)

SCALE 1:5,000

0 50 100 200 300 400 m

0 200 500 1000 ft.



Figure 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC SOIL GEOCHEMISTRY

BULLDOZER TRENCHES

MICKEY CREEK PROPERTY

YGC RESOURCES LTD.

CAT TRENCH (1990)

CAT TRAIL (1980)

STRIPPED IN 1990

TRENCH SOIL SAMPLE (1980)

(Values in P.P.M. Zinc.)

SCALE 1:5,000

0 50 100 200 300 400 m

0 200 500 1000 ft

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Robert C. Carne, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Burnaby, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 1974 with a B.Sc. and in 1979 with an M.Sc. majoring in Geological Sciences.
2. I am a member of the Geological Association of Canada.
3. From 1974 to present, I have been actively engaged as a geologist in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981 became a partner of Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



Robert C. Carne, B.Sc.,M.Sc.

APPENDIX II

LIST OF PERSONNEL

LIST OF PERSONNEL

NAME	POSITION	DATES ON PROPERTY
R. Carne	Senior Geologist	June 25, August 2-4
T. Becker	Geologist	August 2-4, 7
K. Owerko	Assistant	June 25-27
M. Sze	Assistant	August 2-4, 7
B. Wengzynowski	Assistant	June 25-27

APPENDIX III

GEOCHEMICAL CERTIFICATES

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Page Number :1-A
Total Pages :5
Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T19830	203	205	< 0.2	1.68	< 5	240	< 0.5	6	0.12	< 0.5	4	293	37	3.17	< 10	3	0.37	20	0.22	95	2
T19831	203	205	0.2	1.61	10	230	< 0.5	< 2	0.13	< 0.5	4	170	29	2.90	< 10	< 1	0.37	20	0.26	90	1
T19832	203	205	< 0.2	1.01	< 5	220	< 0.5	2	0.05	< 0.5	2	331	43	2.74	< 10	2	0.39	20	0.11	90	< 1
T19833	203	205	< 0.2	1.65	5	230	< 0.5	< 2	0.11	< 0.5	3	131	40	2.84	< 10	< 1	0.26	10	0.25	165	< 1
T19834	203	205	< 0.2	1.41	10	190	< 0.5	2	0.12	< 0.5	2	138	30	2.39	< 10	< 1	0.17	20	0.24	90	< 1
T19835	203	205	< 0.2	1.67	10	190	< 0.5	< 2	0.11	< 0.5	3	133	24	2.51	< 10	2	0.16	20	0.25	95	< 1
T19836	203	205	< 0.2	1.47	5	220	< 0.5	< 2	0.12	< 0.5	3	198	28	2.22	< 10	< 1	0.24	20	0.23	105	< 1
T19837	203	205	< 0.2	1.19	10	180	< 0.5	< 2	0.12	< 0.5	5	174	25	2.59	< 10	1	0.24	20	0.20	125	1
T19838	203	205	< 0.2	1.17	20	180	< 0.5	< 2	0.11	< 0.5	5	153	23	2.78	< 10	< 1	0.23	20	0.22	85	< 1
T19839	203	205	< 0.2	1.18	5	240	< 0.5	< 2	0.15	< 0.5	1	178	18	1.50	< 10	1	0.23	10	0.18	60	< 1
T19840	203	205	0.2	1.99	< 5	310	< 0.5	< 2	0.12	< 0.5	6	184	30	2.91	< 10	< 1	0.32	20	0.28	180	< 1
T19841	203	205	< 0.2	1.71	30	170	< 0.5	2	0.11	< 0.5	2	94	15	3.63	< 10	< 1	0.15	10	0.28	140	< 1
T19842	203	205	< 0.2	1.61	5	270	< 0.5	< 2	0.15	< 0.5	13	191	41	3.87	< 10	< 1	0.38	30	0.28	495	< 1
T19843	203	205	< 0.2	2.83	20	320	< 0.5	< 2	0.18	< 0.5	9	86	24	3.15	< 10	< 1	0.21	20	0.39	340	< 1
T19844	203	205	< 0.2	1.55	< 5	260	< 0.5	< 2	0.14	< 0.5	9	217	32	3.55	< 10	< 1	0.35	20	0.24	365	< 1
T19845	203	205	< 0.2	2.17	5	240	< 0.5	2	0.18	< 0.5	11	122	29	3.67	< 10	4	0.22	20	0.45	465	< 1
T19846	203	205	< 0.2	1.90	< 5	170	< 0.5	2	0.13	< 0.5	3	121	9	2.09	< 10	< 1	0.13	10	0.23	140	< 1
T19847	203	205	< 0.2	1.90	< 5	270	< 0.5	< 2	0.23	< 0.5	8	107	34	3.01	< 10	3	0.22	20	0.46	350	1
T19848	203	205	< 0.2	2.13	10	290	< 0.5	< 2	0.27	< 0.5	7	114	32	2.89	< 10	< 1	0.18	20	0.51	275	< 1
T19849	203	205	< 0.2	1.90	< 5	270	< 0.5	< 2	0.25	< 0.5	7	73	27	2.63	< 10	< 1	0.12	20	0.50	230	1
T19850	203	205	< 0.2	1.63	< 5	300	< 0.5	< 2	0.29	< 0.5	5	91	26	2.40	< 10	< 1	0.13	20	0.45	185	< 1
T19851	203	205	< 0.2	1.54	20	290	< 0.5	< 2	0.29	< 0.5	5	81	28	2.35	< 10	1	0.13	20	0.47	185	< 1
T19852	203	205	< 0.2	1.49	15	640	< 0.5	< 2	0.10	< 0.5	29	190	44	4.75	< 10	< 1	0.29	20	0.22	2240	1
T19853	203	205	< 0.2	1.60	< 5	350	< 0.5	< 2	0.12	< 0.5	13	176	39	4.85	< 10	< 1	0.29	10	0.24	700	1
T19854	203	205	< 0.2	1.01	15	290	< 0.5	< 2	0.06	< 0.5	6	204	35	3.61	< 10	< 1	0.45	20	0.08	200	1
T19855	203	205	< 0.2	1.54	< 5	300	< 0.5	< 2	0.12	< 0.5	10	176	37	3.94	< 10	< 1	0.42	20	0.18	295	1
T19856	203	205	< 0.2	1.08	< 5	260	< 0.5	< 2	0.10	< 0.5	12	200	47	4.36	< 10	< 1	0.47	20	0.09	510	2
T19857	203	205	0.4	1.41	< 5	270	< 0.5	< 2	0.19	< 0.5	4	243	23	2.10	< 10	2	0.19	10	0.19	115	< 1
T19858	203	205	< 0.2	1.69	5	300	< 0.5	2	0.17	< 0.5	4	300	18	2.36	< 10	< 1	0.24	10	0.25	105	< 1
T19859	203	205	0.4	2.33	15	450	< 0.5	< 2	0.14	< 0.5	3	232	18	2.05	< 10	< 1	0.38	20	0.26	85	< 1
T19860	203	205	0.4	1.41	< 5	330	< 0.5	< 2	0.11	< 0.5	3	151	20	1.70	< 10	< 1	0.25	10	0.14	80	< 1
T19861	203	205	0.2	1.08	< 5	300	< 0.5	4	0.07	< 0.5	8	125	38	3.15	< 10	< 1	0.40	30	0.09	340	1
T19862	203	205	0.2	1.04	20	370	< 0.5	< 2	0.07	< 0.5	7	186	45	3.18	< 10	1	0.41	20	0.07	415	< 1
T19863	203	205	0.2	1.26	25	330	< 0.5	< 2	0.06	< 0.5	6	75	60	2.94	< 10	< 1	0.32	20	0.10	475	< 1
T19864	203	205	< 0.2	0.90	< 5	320	< 0.5	< 2	0.05	< 0.5	6	154	62	3.33	< 10	< 1	0.42	20	0.07	285	2
T19865	203	205	< 0.2	0.82	5	390	< 0.5	< 2	0.11	0.5	9	130	56	3.58	< 10	< 1	0.38	20	0.08	450	< 1
T19866	203	205	< 0.2	1.31	20	490	< 0.5	< 2	0.04	< 0.5	4	202	47	3.14	< 10	< 1	0.40	10	0.09	90	2
T19867	203	205	< 0.2	0.79	5	580	< 0.5	< 2	0.07	0.5	9	140	69	3.38	< 10	< 1	0.45	20	0.07	1470	1
T19868	203	205	0.2	1.23	< 5	310	< 0.5	4	0.18	< 0.5	8	151	40	2.51	< 10	< 1	0.25	20	0.25	345	1
T19869	203	205	< 0.2	2.24	10	250	< 0.5	< 2	0.13	< 0.5	8	129	25	3.27	< 10	< 1	0.18	10	0.34	410	< 1

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T19830	203	205	0.03	16	520	22	< 5	2	22	0.03	< 10	< 10	58	< 10	46
T19831	203	205	0.02	15	490	22	< 5	2	20	0.04	< 10	< 10	59	< 10	52
T19832	203	205	0.02	18	420	16	< 5	2	13	0.01	< 10	< 10	39	< 10	48
T19833	203	205	0.03	15	500	18	< 5	2	17	0.03	< 10	< 10	54	< 10	58
T19834	203	205	0.02	15	480	22	< 5	2	15	0.03	< 10	< 10	42	< 10	48
T19835	203	205	0.02	13	420	16	< 5	2	15	0.03	< 10	< 10	51	< 10	50
T19836	203	205	0.03	16	440	12	< 5	2	18	0.03	< 10	< 10	45	< 10	50
T19837	203	205	0.02	19	420	22	< 5	2	16	0.02	< 10	< 10	41	< 10	58
T19838	203	205	0.01	14	440	18	< 5	2	16	0.03	< 10	< 10	50	< 10	54
T19839	203	205	0.03	12	560	12	< 5	1	22	0.03	< 10	< 10	28	< 10	30
T19840	203	205	0.03	17	530	30	< 5	3	19	0.04	< 10	< 10	52	< 10	58
T19841	203	205	0.02	11	350	16	< 5	3	15	0.10	< 10	< 10	100	< 10	46
T19842	203	205	0.03	37	650	26	< 5	3	22	0.03	< 10	< 10	46	< 10	146
T19843	203	205	0.02	20	380	20	< 5	4	24	0.07	< 10	< 10	64	< 10	82
T19844	203	205	0.02	29	520	18	< 5	3	24	0.03	< 10	< 10	49	< 10	128
T19845	203	205	0.02	37	660	24	< 5	4	20	0.06	< 10	< 10	61	< 10	134
T19846	203	205	0.03	10	200	18	< 5	2	17	0.09	< 10	< 10	63	< 10	52
T19847	203	205	0.02	25	650	58	< 5	4	24	0.08	< 10	< 10	60	< 10	126
T19848	203	205	0.03	23	680	36	< 5	4	25	0.08	< 10	< 10	60	< 10	84
T19849	203	205	0.02	21	640	30	< 5	4	23	0.07	< 10	< 10	56	< 10	70
T19850	203	205	0.03	19	610	30	< 5	4	26	0.07	< 10	< 10	50	< 10	58
T19851	203	205	0.03	19	570	42	< 5	4	25	0.07	< 10	< 10	48	< 10	66
T19852	203	205	0.03	51	670	78	< 5	3	20	0.03	< 10	< 10	53	< 10	316
T19853	203	205	0.02	42	790	78	< 5	3	18	0.03	< 10	< 10	53	< 10	224
T19854	203	205	0.02	29	580	24	< 5	2	15	0.01	< 10	< 10	37	< 10	190
T19855	203	205	0.03	31	730	56	< 5	2	21	0.02	< 10	< 10	51	< 10	182
T19856	203	205	0.02	40	760	30	< 5	3	19	< 0.01	< 10	< 10	37	< 10	164
T19857	203	205	0.03	16	690	94	< 5	2	23	0.04	< 10	< 10	36	< 10	96
T19858	203	205	0.04	14	620	76	< 5	3	22	0.04	< 10	< 10	45	< 10	64
T19859	203	205	0.03	17	740	108	< 5	4	27	0.02	< 10	< 10	47	< 10	104
T19860	203	205	0.02	14	660	80	< 5	2	20	0.01	< 10	< 10	25	< 10	70
T19861	203	205	0.02	25	680	78	< 5	2	21	< 0.01	< 10	< 10	33	< 10	230
T19862	203	205	0.02	25	780	80	< 5	2	18	< 0.01	< 10	< 10	28	< 10	332
T19863	203	205	0.02	18	790	210	< 5	2	19	< 0.01	< 10	< 10	40	< 10	186
T19864	203	205	0.02	29	760	48	< 5	2	23	< 0.01	< 10	< 10	35	< 10	220
T19865	203	205	0.02	31	890	224	< 5	3	28	< 0.01	< 10	< 10	31	< 10	324
T19866	203	205	0.02	14	830	276	< 5	3	23	0.01	< 10	< 10	52	< 10	228
T19867	203	205	0.01	30	770	138	< 5	3	25	< 0.01	< 10	< 10	26	< 10	324
T19868	203	205	0.02	21	880	40	< 5	3	26	0.04	< 10	< 10	43	< 10	82
T19869	203	205	0.03	16	560	18	< 5	3	17	0.05	< 10	< 10	62	< 10	64

CERTIFICATION: B. Caplin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :I9120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T19870	203 205	< 0.2	1.94	< 5	230	< 0.5	< 2	0.20	< 0.5	7	153	32	3.14	< 10	< 1	0.24	20	0.41	250	< 1
T19871	203 205	< 0.2	2.13	30	270	< 0.5	2	0.28	< 0.5	9	98	34	3.06	< 10	< 1	0.20	20	0.52	275	< 1
T19872	203 205	< 0.2	1.68	5	290	< 0.5	< 2	0.12	< 0.5	9	224	26	2.88	< 10	< 1	0.34	10	0.26	290	< 1
T19873	203 205	< 0.2	2.42	5	230	< 0.5	< 2	0.12	< 0.5	5	94	26	3.07	< 10	< 1	0.21	10	0.32	165	2
T19874	203 205	< 0.2	1.49	10	490	< 0.5	4	0.07	< 0.5	5	311	73	2.88	< 10	< 1	0.56	20	0.13	120	1
T19875	203 205	1.0	1.70	10	380	< 0.5	< 2	0.09	< 0.5	9	189	39	3.11	< 10	< 1	0.51	20	0.14	490	1
T19876	203 205	< 0.2	1.24	< 5	310	< 0.5	< 2	0.19	< 0.5	12	191	38	3.29	< 10	< 1	0.31	30	0.19	660	2
T19877	203 205	0.2	1.47	< 5	270	< 0.5	< 2	0.06	< 0.5	12	109	53	2.99	< 10	1	0.36	40	0.14	690	3
T19878	203 205	0.4	1.83	25	320	< 0.5	< 2	0.11	< 0.5	8	167	57	3.17	< 10	1	0.31	30	0.19	385	4
T19879	203 205	< 0.2	1.20	5	200	< 0.5	< 2	0.10	< 0.5	4	172	44	2.73	< 10	1	0.30	20	0.12	205	2
T19880	203 205	< 0.2	1.39	25	230	< 0.5	< 2	0.08	< 0.5	6	219	42	3.98	< 10	< 1	0.41	30	0.18	225	2
T19881	203 205	< 0.2	1.53	< 5	240	< 0.5	< 2	0.11	< 0.5	5	87	51	3.04	< 10	1	0.19	10	0.17	145	< 1
T19882	203 205	< 0.2	1.14	15	150	< 0.5	< 2	0.06	< 0.5	4	183	44	3.09	< 10	< 1	0.21	20	0.15	130	2
T19883	203 205	0.4	1.63	5	240	< 0.5	2	0.09	< 0.5	3	101	38	2.23	< 10	< 1	0.20	10	0.21	65	1
T19884	203 205	< 0.2	1.48	10	210	< 0.5	< 2	0.12	< 0.5	6	141	47	3.98	< 10	< 1	0.25	20	0.23	195	2
T19885	203 205	< 0.2	1.53	< 5	260	< 0.5	< 2	0.12	< 0.5	3	117	42	2.50	< 10	1	0.25	20	0.20	150	1
T19886	203 205	< 0.2	1.48	15	250	< 0.5	6	0.09	< 0.5	5	295	49	3.40	< 10	< 1	0.32	20	0.21	190	2
T19887	203 205	< 0.2	2.28	< 5	290	< 0.5	4	0.11	< 0.5	4	80	26	2.66	< 10	1	0.20	10	0.30	125	< 1
T19888	203 205	< 0.2	2.05	20	300	< 0.5	4	0.16	< 0.5	6	114	32	2.90	< 10	< 1	0.26	20	0.37	255	< 1
T19889	203 205	< 0.2	2.63	< 5	300	< 0.5	2	0.15	< 0.5	10	99	30	3.72	< 10	< 1	0.30	20	0.49	400	1
T19890	203 205	< 0.2	1.91	25	260	< 0.5	6	0.12	< 0.5	4	129	19	1.83	< 10	< 1	0.23	10	0.25	100	< 1
T19891	203 205	< 0.2	2.04	15	340	< 0.5	< 2	0.18	< 0.5	7	119	36	3.39	< 10	< 1	0.29	20	0.38	330	< 1
T19892	203 205	< 0.2	2.08	15	290	< 0.5	< 2	0.22	< 0.5	7	126	34	3.20	< 10	< 1	0.23	20	0.47	285	< 1
T19893	203 205	< 0.2	1.61	10	320	< 0.5	< 2	0.17	< 0.5	5	123	32	2.64	< 10	< 1	0.25	20	0.34	210	< 1
T19894	203 205	< 0.2	1.94	10	300	< 0.5	2	0.23	< 0.5	7	114	36	3.01	< 10	1	0.24	20	0.47	270	< 1
T19895	203 205	< 0.2	1.70	15	170	< 0.5	< 2	0.09	< 0.5	4	124	19	2.30	< 10	< 1	0.16	20	0.16	110	< 1
T19896	203 205	< 0.2	2.33	< 5	310	< 0.5	< 2	0.21	< 0.5	10	172	40	4.07	< 10	< 1	0.26	20	0.45	450	< 1
T19897	203 205	< 0.2	2.33	< 5	340	< 0.5	< 2	0.20	< 0.5	10	114	30	3.18	< 10	< 1	0.29	20	0.37	505	< 1
T19898	203 205	< 0.2	2.30	10	350	< 0.5	4	0.18	< 0.5	5	135	30	2.56	< 10	3	0.38	20	0.29	250	1
T19899	203 205	< 0.2	1.78	< 5	260	< 0.5	< 2	0.13	< 0.5	9	202	33	3.25	< 10	< 1	0.42	20	0.23	415	< 1
T19900	203 205	< 0.2	1.89	< 5	340	< 0.5	< 2	0.15	< 0.5	7	123	31	2.52	< 10	< 1	0.34	20	0.24	335	1
T19901	203 205	0.4	0.98	< 5	190	< 0.5	< 2	0.11	< 0.5	2	108	24	1.46	< 10	< 1	0.28	10	0.09	135	1
T19902	203 205	< 0.2	1.50	5	210	< 0.5	< 2	0.06	< 0.5	7	150	50	3.21	< 10	< 1	0.44	30	0.12	300	1
T19903	203 205	< 0.2	1.04	< 5	180	< 0.5	< 2	0.05	< 0.5	7	162	42	2.74	< 10	< 1	0.41	20	0.08	380	1
T19904	203 205	< 0.2	0.84	5	110	< 0.5	< 2	0.06	< 0.5	2	123	16	1.61	< 10	< 1	0.18	10	0.06	210	< 1
T19905	203 205	0.4	1.80	< 5	370	< 0.5	< 2	0.12	0.5	2	99	25	1.88	< 10	1	0.20	10	0.22	60	< 1
T19906	203 205	0.6	1.95	15	500	< 0.5	< 2	0.18	< 0.5	7	142	43	3.00	< 10	< 1	0.38	10	0.23	275	< 1
T19907	203 205	0.4	1.53	< 5	290	< 0.5	4	0.10	< 0.5	6	115	43	2.82	< 10	2	0.35	10	0.18	255	1
T19908	203 205	< 0.2	1.49	< 5	230	< 0.5	< 2	0.10	0.5	9	189	42	3.14	< 10	< 1	0.35	10	0.16	500	< 1
T19909	203 205	< 0.2	1.48	< 5	290	< 0.5	< 2	0.13	< 0.5	5	234	22	2.29	< 10	< 1	0.29	10	0.18	195	< 1

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

*Analytical Chemists * Geochemists * Registered Assayers*

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T19870	203	205	0.03	22	460	10	< 5	4	23	0.07	< 10	< 10	60	10	68
T19871	203	205	0.03	24	580	< 2	< 5	5	28	0.08	< 10	< 10	62	10	62
T19872	203	205	0.03	19	510	22	< 5	3	18	0.03	< 10	< 10	50	< 10	66
T19873	203	205	0.03	15	310	12	< 5	4	17	0.06	< 10	< 10	76	< 10	54
T19874	203	205	0.04	22	550	30	< 5	3	34	0.01	< 10	< 10	58	< 10	50
T19875	203	205	0.03	26	620	166	< 5	3	25	0.01	< 10	< 10	47	< 10	178
T19876	203	205	0.02	28	710	42	< 5	3	25	0.02	< 10	< 10	42	< 10	140
T19877	203	205	0.04	19	530	28	< 5	2	27	0.01	< 10	< 10	35	< 10	58
T19878	203	205	0.02	26	830	20	< 5	3	29	0.02	< 10	< 10	49	< 10	74
T19879	203	205	0.02	26	570	14	< 5	2	21	0.02	< 10	< 10	44	< 10	76
T19880	203	205	0.03	28	630	24	< 5	3	24	0.02	< 10	< 10	51	10	106
T19881	203	205	0.02	18	670	24	< 5	2	22	0.02	< 10	< 10	45	< 10	48
T19882	203	205	0.02	21	380	12	< 5	2	17	0.02	< 10	< 10	40	< 10	68
T19883	203	205	0.03	16	530	14	< 5	2	22	0.03	< 10	< 10	40	< 10	36
T19884	203	205	0.02	30	610	20	< 5	3	23	0.04	< 10	< 10	53	< 10	110
T19885	203	205	0.05	21	480	16	< 5	2	21	0.05	< 10	< 10	55	< 10	58
T19886	203	205	0.04	29	510	18	< 5	2	21	0.04	< 10	< 10	59	< 10	90
T19887	203	205	0.05	16	360	12	< 5	3	19	0.06	< 10	< 10	57	< 10	50
T19888	203	205	0.03	20	510	24	< 5	3	24	0.05	< 10	< 10	56	< 10	82
T19889	203	205	0.03	26	500	24	< 5	4	22	0.07	< 10	< 10	74	10	102
T19890	203	205	0.05	11	410	8	< 5	2	21	0.05	< 10	< 10	53	< 10	38
T19891	203	205	0.03	30	500	34	< 5	3	25	0.06	< 10	< 10	68	< 10	122
T19892	203	205	0.02	24	490	16	< 5	4	25	0.08	< 10	< 10	62	< 10	110
T19893	203	205	0.04	23	450	18	< 5	3	26	0.05	< 10	< 10	51	< 10	86
T19894	203	205	0.02	27	630	50	< 5	5	25	0.07	< 10	< 10	58	< 10	114
T19895	203	205	0.03	9	280	24	< 5	2	17	0.08	< 10	< 10	77	< 10	50
T19896	203	205	0.03	34	720	24	< 5	4	25	0.07	< 10	< 10	69	10	122
T19897	203	205	0.03	23	570	54	< 5	4	25	0.06	< 10	< 10	64	10	134
T19898	203	205	0.03	19	590	48	< 5	3	26	0.05	< 10	< 10	58	< 10	88
T19899	203	205	0.03	25	580	28	< 5	3	22	0.03	< 10	< 10	54	< 10	118
T19900	203	205	0.04	17	660	26	< 5	3	24	0.03	< 10	< 10	49	< 10	72
T19901	203	205	0.06	10	640	18	< 5	1	24	0.01	< 10	< 10	26	< 10	36
T19902	203	205	0.04	28	510	24	< 5	2	25	0.01	< 10	< 10	39	< 10	92
T19903	203	205	0.03	29	470	14	< 5	2	20	< 0.01	< 10	< 10	28	< 10	96
T19904	203	205	0.10	13	450	8	< 5	< 1	16	0.02	< 10	< 10	25	< 10	32
T19905	203	205	0.02	14	730	256	< 5	2	21	0.02	< 10	< 10	38	< 10	86
T19906	203	205	0.03	29	970	196	< 5	3	33	0.02	< 10	< 10	54	< 10	172
T19907	203	205	0.04	27	870	112	< 5	2	23	0.02	< 10	< 10	53	< 10	168
T19908	203	205	0.03	29	980	42	< 5	1	18	0.02	< 10	< 10	51	< 10	156
T19909	203	205	0.04	13	600	22	< 5	1	21	0.04	< 10	< 10	53	< 10	64

CERTIFICATION: B. Caughlin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T19910	203	205	< 0.2	1.36	< 5	220	< 0.5	4	0.12	< 0.5	3	45	26	1.56	< 10	< 1	0.11	10	0.20	105	< 1
T19911	203	205	< 0.2	2.01	10	370	< 0.5	< 2	0.17	< 0.5	6	59	62	2.87	< 10	< 1	0.14	20	0.41	400	< 1
T19912	203	205	< 0.2	0.75	< 5	90	< 0.5	4	0.10	< 0.5	1	40	10	1.13	< 10	< 1	0.05	< 10	0.10	85	< 1
T19913	203	205	< 0.2	1.05	< 5	70	< 0.5	< 2	0.05	< 0.5	1	28	10	1.30	< 10	< 1	0.05	< 10	0.07	310	< 1
T19914	203	205	0.2	1.23	< 5	150	< 0.5	< 2	0.07	< 0.5	7	44	30	2.46	< 10	< 1	0.12	10	0.14	690	1
T19915	203	205	0.2	1.28	< 5	180	< 0.5	< 2	0.12	< 0.5	9	115	25	2.62	< 10	< 1	0.17	10	0.22	750	1
T19916	203	205	< 0.2	1.21	20	110	< 0.5	< 2	0.08	< 0.5	8	58	18	2.14	< 10	1	0.09	10	0.20	675	< 1
T19917	203	205	< 0.2	0.53	< 5	40	< 0.5	< 2	0.05	< 0.5	< 1	29	3	0.74	< 10	< 1	0.05	< 10	0.09	55	< 1
T19918	203	205	< 0.2	1.67	25	350	< 0.5	< 2	0.25	< 0.5	13	54	29	2.96	< 10	< 1	0.16	10	0.36	745	1
T19919	203	205	< 0.2	1.50	15	230	< 0.5	< 2	0.19	< 0.5	8	74	35	2.94	< 10	3	0.14	10	0.35	460	< 1
T19920	203	205	< 0.2	1.75	15	260	< 0.5	< 2	0.18	< 0.5	5	52	31	2.59	< 10	1	0.11	20	0.41	150	< 1
T19921	203	205	< 0.2	1.38	10	230	< 0.5	2	0.21	< 0.5	8	123	28	2.38	< 10	2	0.15	20	0.37	285	< 1
T19922	203	205	< 0.2	1.31	< 5	210	< 0.5	< 2	0.14	< 0.5	6	56	25	2.19	< 10	< 1	0.17	30	0.26	245	< 1
T19923	203	205	< 0.2	0.75	5	220	< 0.5	2	0.13	< 0.5	6	171	21	1.89	< 10	< 1	0.11	10	0.39	200	< 1
T19924	203	205	< 0.2	1.18	< 5	140	< 0.5	< 2	0.12	< 0.5	2	36	17	1.60	< 10	< 1	0.09	10	0.15	175	< 1
T19925	203	205	< 0.2	1.75	< 5	210	< 0.5	< 2	0.16	< 0.5	9	94	17	2.91	< 10	< 1	0.17	20	0.37	690	< 1
T19926	203	205	< 0.2	1.84	< 5	310	< 0.5	< 2	0.21	< 0.5	13	65	24	3.19	< 10	3	0.16	20	0.40	880	< 1
T19927	203	205	0.2	1.46	< 5	130	< 0.5	< 2	0.13	< 0.5	3	37	22	1.50	< 10	< 1	0.09	10	0.20	80	< 1
T19928	203	205	< 0.2	1.17	15	180	< 0.5	< 2	0.14	< 0.5	11	259	35	3.32	< 10	< 1	0.35	30	0.20	495	< 1
T19929	203	205	< 0.2	1.16	< 5	160	< 0.5	2	0.17	< 0.5	10	81	35	3.19	< 10	< 1	0.17	20	0.29	430	< 1
T19930	203	205	< 0.2	1.34	< 5	140	< 0.5	< 2	0.12	< 0.5	7	137	27	2.89	< 10	2	0.19	20	0.28	225	< 1
T19931	203	205	< 0.2	1.33	< 5	190	< 0.5	< 2	0.24	< 0.5	10	50	33	2.91	< 10	< 1	0.14	30	0.38	435	1
T19932	203	205	< 0.2	1.63	< 5	180	< 0.5	< 2	0.22	< 0.5	8	76	28	2.71	< 10	< 1	0.12	20	0.47	275	< 1
T19933	203	205	< 0.2	1.59	5	260	< 0.5	2	0.20	< 0.5	6	52	28	2.51	< 10	< 1	0.10	20	0.41	250	< 1
T19934	203	205	< 0.2	0.65	5	140	< 0.5	< 2	0.13	< 0.5	5	84	19	1.89	< 10	< 1	0.11	10	0.21	255	< 1
T32001	203	205	< 0.2	0.88	5	170	< 0.5	< 2	0.08	< 0.5	4	48	27	1.37	< 10	2	0.08	10	0.12	235	< 1
T32002	203	205	< 0.2	0.89	5	180	< 0.5	< 2	0.09	< 0.5	2	49	18	1.82	< 10	< 1	0.10	10	0.13	65	< 1
T32003	203	205	< 0.2	0.76	10	180	< 0.5	< 2	0.05	< 0.5	21	49	57	3.77	< 10	< 1	0.25	40	0.12	1350	1
T32004	203	205	0.2	1.07	10	180	< 0.5	< 2	0.09	< 0.5	4	133	39	3.02	< 10	< 1	0.14	10	0.17	125	< 1
T32005	203	205	< 0.2	1.08	5	170	< 0.5	< 2	0.06	< 0.5	2	35	42	1.89	< 10	1	0.10	10	0.09	105	< 1
T32006	203	205	< 0.2	1.48	10	250	< 0.5	< 2	0.10	< 0.5	4	158	55	3.14	< 10	< 1	0.18	20	0.22	115	< 1
T32007	203	205	< 0.2	1.14	10	170	< 0.5	< 2	0.07	< 0.5	3	63	37	2.42	< 10	< 1	0.14	10	0.12	105	1
T32008	203	205	0.2	1.35	< 5	260	< 0.5	2	0.09	< 0.5	4	50	44	2.28	< 10	1	0.14	20	0.17	70	< 1
T32009	203	205	< 0.2	1.33	5	150	< 0.5	< 2	0.09	< 0.5	5	48	30	2.46	< 10	4	0.12	20	0.21	120	1
T32010	203	205	< 0.2	1.33	< 5	140	< 0.5	< 2	0.07	< 0.5	4	58	28	2.54	< 10	< 1	0.10	10	0.18	105	< 1
T32011	203	205	< 0.2	1.88	5	240	< 0.5	< 2	0.12	< 0.5	7	99	27	2.73	< 10	< 1	0.13	10	0.28	250	1
T32012	203	205	< 0.2	1.61	< 5	410	< 0.5	< 2	0.14	< 0.5	5	55	27	3.05	< 10	< 1	0.17	20	0.30	235	< 1
T32013	203	205	< 0.2	1.76	15	360	< 0.5	< 2	0.13	< 0.5	5	90	16	2.48	< 10	< 1	0.11	10	0.31	230	< 1
T32014	203	205	< 0.2	1.63	< 5	200	< 0.5	< 2	0.12	< 0.5	7	112	34	3.71	< 10	< 1	0.14	20	0.29	200	1
T32015	203	205	< 0.2	1.33	10	190	< 0.5	< 2	0.12	< 0.5	7	161	47	2.98	< 10	3	0.20	20	0.23	245	1

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

fo: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T19910	203	205	0.04	12	450	30	< 5	< 1	17	0.02	< 10	< 10	38	< 10	36
T19911	203	205	0.01	22	450	128	< 5	6	24	0.08	< 10	< 10	62	10	76
T19912	203	205	0.07	5	330	< 2	< 5	< 1	12	0.05	< 10	< 10	30	< 10	18
T19913	203	205	0.07	2	240	12	< 5	1	9	0.03	< 10	< 10	27	< 10	18
T19914	203	205	0.02	19	460	10	< 5	1	11	0.03	< 10	< 10	44	< 10	74
T19915	203	205	0.02	21	870	20	< 5	2	14	0.02	< 10	< 10	41	< 10	82
T19916	203	205	0.02	13	420	16	< 5	1	11	0.03	< 10	< 10	37	< 10	60
T19917	203	205	0.05	2	330	6	< 5	< 1	7	0.03	< 10	< 10	17	< 10	12
T19918	203	205	0.01	30	650	16	< 5	4	29	0.03	< 10	< 10	52	< 10	106
T19919	203	205	0.01	24	600	10	< 5	2	25	0.05	< 10	< 10	55	< 10	76
T19920	203	205	0.01	19	500	14	< 5	4	19	0.05	< 10	< 10	49	< 10	62
T19921	203	205	0.02	21	500	16	< 5	4	22	0.05	< 10	< 10	43	< 10	64
T19922	203	205	0.01	16	430	10	< 5	3	19	0.03	< 10	< 10	39	< 10	54
T19923	203	205	0.01	39	370	28	< 5	2	16	0.03	< 10	< 10	26	< 10	68
T19924	203	205	0.03	9	790	4	< 5	1	13	0.03	< 10	< 10	33	< 10	32
T19925	203	205	0.03	17	650	16	< 5	2	18	0.05	< 10	< 10	59	< 10	68
T19926	203	205	0.01	20	780	18	< 5	4	21	0.05	< 10	< 10	56	< 10	92
T19927	203	205	0.03	11	920	6	< 5	1	16	0.04	< 10	< 10	34	< 10	28
T19928	203	205	0.02	33	760	18	< 5	3	20	0.01	< 10	< 10	40	< 10	100
T19929	203	205	0.02	33	710	6	< 5	3	15	0.02	< 10	< 10	37	< 10	96
T19930	203	205	0.01	25	560	16	< 5	3	14	0.02	< 10	< 10	46	< 10	76
T19931	203	205	0.01	26	800	12	< 5	5	19	0.05	< 10	< 10	48	< 10	80
T19932	203	205	0.01	20	650	8	< 5	4	17	0.07	< 10	< 10	53	< 10	68
T19933	203	205	0.02	22	560	16	< 5	3	19	0.05	< 10	< 10	51	< 10	60
T19934	203	205	0.01	21	400	12	< 5	2	13	0.02	< 10	< 10	24	< 10	52
T32001	203	205	0.02	9	530	52	< 5	< 1	14	0.01	< 10	< 10	25	< 10	68
T32002	203	205	0.01	11	590	48	< 5	1	15	0.01	< 10	< 10	23	< 10	52
T32003	203	205	0.01	47	730	20	< 5	3	23	< 0.01	< 10	< 10	34	< 10	232
T32004	203	205	0.02	18	540	12	< 5	2	17	0.02	< 10	< 10	36	< 10	58
T32005	203	205	0.03	15	340	14	< 5	1	11	0.02	< 10	< 10	36	< 10	38
T32006	203	205	0.02	23	440	12	< 5	2	19	0.03	< 10	< 10	49	< 10	68
T32007	203	205	0.03	14	380	12	< 5	1	16	0.03	< 10	< 10	45	< 10	62
T32008	203	205	0.01	17	600	20	< 5	1	19	0.02	< 10	< 10	33	< 10	44
T32009	203	205	0.01	16	400	12	< 5	2	16	0.03	< 10	< 10	48	< 10	54
T32010	203	205	0.02	15	240	20	< 5	2	13	0.05	< 10	< 10	50	< 10	54
T32011	203	205	0.03	20	420	10	< 5	2	19	0.04	< 10	< 10	54	< 10	66
T32012	203	205	0.02	20	500	20	< 5	2	25	0.04	< 10	< 10	52	< 10	88
T32013	203	205	0.02	16	260	10	< 5	2	18	0.06	< 10	< 10	62	< 10	52
T32014	203	205	0.02	28	410	14	< 5	3	20	0.06	< 10	< 10	62	10	92
T32015	203	205	0.02	25	440	24	< 5	2	23	0.03	< 10	< 10	43	< 10	100

CERTIFICATION: B. Cargl

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T32016	203 205	0.2	1.58	20	240	< 0.5	4	0.50	< 0.5	5	51	86	3.16	< 10	4	0.11	10	0.35	300	2
T32017	203 205	< 0.2	1.61	< 5	180	< 0.5	< 2	0.14	< 0.5	3	147	23	2.22	< 10	< 1	0.11	10	0.21	130	< 1
T32018	203 205	< 0.2	1.63	15	170	< 0.5	< 2	0.11	< 0.5	2	58	20	2.15	< 10	< 1	0.13	10	0.25	115	< 1
T32019	203 205	< 0.2	1.71	< 5	260	< 0.5	< 2	0.15	< 0.5	6	65	41	2.93	< 10	< 1	0.19	20	0.29	190	1
T32020	203 205	< 0.2	1.50	20	190	< 0.5	< 2	0.16	< 0.5	4	66	30	2.68	< 10	2	0.17	20	0.32	195	< 1
T32021	203 205	< 0.2	1.34	< 5	180	< 0.5	< 2	0.31	< 0.5	6	41	16	1.94	< 10	< 1	0.20	30	0.36	190	< 1
T32022	203 205	< 0.2	1.34	5	200	< 0.5	< 2	0.30	< 0.5	7	60	24	2.57	< 10	< 1	0.14	20	0.45	425	< 1
T32023	203 205	< 0.2	1.59	< 5	260	< 0.5	< 2	0.30	< 0.5	8	52	22	2.62	< 10	< 1	0.13	30	0.41	260	< 1
T32024	203 205	< 0.2	0.90	5	250	< 0.5	< 2	0.29	< 0.5	7	58	88	3.66	< 10	< 1	0.26	40	0.19	290	< 1
T32025	203 205	< 0.2	1.61	< 5	280	< 0.5	< 2	0.20	< 0.5	4	118	18	2.53	< 10	< 1	0.11	20	0.34	340	< 1
T32026	203 205	< 0.2	1.57	5	250	< 0.5	< 2	0.19	< 0.5	9	57	14	1.94	< 10	3	0.13	20	0.32	390	< 1
T32027	203 205	< 0.2	1.53	< 5	300	< 0.5	< 2	0.35	< 0.5	9	134	28	2.74	< 10	1	0.14	20	0.35	320	1
T32028	203 205	0.2	1.66	< 5	350	< 0.5	< 2	0.42	< 0.5	12	149	35	3.72	10	< 1	0.22	30	0.37	415	1
T32029	203 205	0.2	1.46	5	250	< 0.5	< 2	0.38	< 0.5	9	54	31	2.77	< 10	< 1	0.15	40	0.44	320	< 1
T32030	203 205	< 0.2	1.50	10	230	< 0.5	6	0.34	< 0.5	9	72	29	3.16	< 10	< 1	0.14	30	0.45	415	1
T32031	203 205	< 0.2	1.78	< 5	280	< 0.5	< 2	0.35	< 0.5	12	97	27	3.21	10	< 1	0.17	30	0.51	340	1
T32032	203 205	< 0.2	2.05	5	280	< 0.5	< 2	0.42	< 0.5	12	107	31	3.32	10	< 1	0.12	40	0.55	330	< 1
T32033	203 205	< 0.2	1.84	25	230	< 0.5	< 2	0.40	< 0.5	11	63	29	2.94	< 10	< 1	0.15	30	0.58	410	< 1
T32034	203 205	0.2	0.95	< 5	120	< 0.5	< 2	0.29	< 0.5	8	25	31	2.33	10	< 1	0.18	50	0.31	525	1
T32035	203 205	< 0.2	1.83	< 5	270	< 0.5	6	0.40	< 0.5	12	141	30	3.16	< 10	< 1	0.20	30	0.55	370	< 1
T32036	203 205	< 0.2	1.44	< 5	250	< 0.5	< 2	0.35	< 0.5	9	70	34	3.08	< 10	< 1	0.17	30	0.45	335	< 1
T32037	203 205	0.4	1.84	< 5	340	< 0.5	< 2	0.50	< 0.5	9	61	36	2.91	10	< 1	0.16	40	0.40	345	< 1
T32038	203 205	< 0.2	1.39	< 5	270	< 0.5	< 2	0.35	< 0.5	10	73	40	3.24	< 10	< 1	0.18	30	0.41	385	1
T32051	203 205	0.2	0.73	< 5	180	< 0.5	< 2	0.10	< 0.5	15	163	58	4.19	< 10	< 1	0.21	30	0.10	780	4
T32052	203 205	0.2	0.72	< 5	90	< 0.5	< 2	0.04	< 0.5	2	98	15	1.26	< 10	1	0.07	< 10	0.04	65	< 1
T32053	203 205	0.2	0.88	< 5	170	< 0.5	< 2	0.15	< 0.5	13	96	49	3.53	< 10	< 1	0.20	10	0.15	575	< 1
T32054	203 205	0.2	0.93	< 5	270	< 0.5	< 2	0.10	< 0.5	11	111	43	3.46	< 10	< 1	0.28	20	0.13	350	< 1
T32055	203 205	< 0.2	1.07	< 5	160	< 0.5	< 2	0.08	< 0.5	11	71	37	3.12	< 10	< 1	0.18	20	0.15	640	1
T32056	203 205	1.0	0.88	10	270	< 0.5	< 2	0.17	3.0	15	78	75	4.41	< 10	< 1	0.31	20	0.12	750	< 1
T32057	203 205	0.8	0.96	5	350	< 0.5	< 2	0.17	5.5	15	169	100	4.57	< 10	< 1	0.32	20	0.12	820	1
T32058	203 205	0.2	1.66	10	120	< 0.5	2	0.13	< 0.5	4	66	12	2.41	< 10	< 1	0.09	10	0.19	185	1
T32059	203 205	0.2	2.04	10	190	< 0.5	< 2	0.13	< 0.5	4	178	32	2.76	< 10	< 1	0.12	10	0.20	205	2
T32060	203 205	0.2	1.25	20	220	< 0.5	< 2	0.13	< 0.5	6	135	37	3.20	< 10	1	0.21	20	0.20	225	1
T32061	203 205	< 0.2	2.24	10	230	< 0.5	< 2	0.14	< 0.5	10	59	33	3.33	< 10	< 1	0.10	20	0.43	455	< 1
T32062	203 205	< 0.2	2.63	30	250	< 0.5	< 2	0.16	< 0.5	13	123	27	3.76	< 10	< 1	0.14	20	0.44	355	1
T32118	203 205	< 0.2	1.64	< 5	140	< 0.5	< 2	0.10	< 0.5	6	191	40	3.98	< 10	< 1	0.16	20	0.29	225	2
T32119	203 205	0.2	1.10	< 5	120	< 0.5	2	0.05	< 0.5	3	164	28	2.10	< 10	< 1	0.16	20	0.08	80	1
T32120	203 205	0.8	1.39	10	270	< 0.5	6	0.22	< 0.5	4	51	36	2.17	< 10	< 1	0.15	20	0.16	95	1
T32121	203 205	0.6	1.68	< 5	400	< 0.5	< 2	0.37	0.5	14	120	36	2.79	< 10	< 1	0.21	20	0.32	1315	1
T32122	203 205	0.6	0.55	< 5	160	< 0.5	2	0.07	< 0.5	15	66	80	4.71	< 10	1	0.18	20	0.06	735	6

CERTIFICATION: B. Caplan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :I9120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T32016	203	205	0.02	23	460	90	75	2	23	0.05	< 10	< 10	59	< 10	170
T32017	203	205	0.02	10	250	12	< 5	2	19	0.07	< 10	< 10	57	< 10	40
T32018	203	205	0.03	9	530	26	< 5	2	16	0.06	< 10	< 10	50	< 10	38
T32019	203	205	0.02	20	500	52	< 5	3	21	0.05	< 10	< 10	55	< 10	70
T32020	203	205	0.01	16	450	28	< 5	2	17	0.05	< 10	< 10	51	< 10	62
T32021	203	205	0.01	14	370	18	< 5	2	21	0.02	< 10	< 10	22	< 10	32
T32022	203	205	0.01	20	470	12	< 5	4	21	0.04	< 10	< 10	35	< 10	54
T32023	203	205	0.01	20	450	12	< 5	3	22	0.02	< 10	< 10	32	< 10	48
T32024	203	205	0.01	45	840	20	< 5	3	29	0.01	< 10	< 10	34	< 10	124
T32025	203	205	0.01	16	510	14	< 5	2	18	0.02	< 10	< 10	36	< 10	58
T32026	203	205	0.02	11	450	18	< 5	2	20	0.02	< 10	< 10	33	< 10	44
T32027	203	205	0.02	22	510	8	< 5	3	30	0.03	< 10	< 10	42	< 10	74
T32028	203	205	0.01	31	670	16	< 5	3	34	0.02	< 10	< 10	43	< 10	90
T32029	203	205	0.01	28	550	14	< 5	3	27	0.03	< 10	< 10	38	< 10	84
T32030	203	205	0.01	25	550	12	< 5	2	25	0.02	< 10	< 10	37	< 10	80
T32031	203	205	0.01	27	590	10	< 5	3	26	0.02	< 10	< 10	38	< 10	76
T32032	203	205	0.02	25	540	10	< 5	4	34	0.04	< 10	< 10	44	< 10	62
T32033	203	205	0.02	24	430	20	< 5	3	29	0.04	< 10	< 10	32	< 10	62
T32034	203	205	0.01	19	640	2	< 5	1	19	< 0.01	< 10	< 10	5	< 10	50
T32035	203	205	0.02	32	530	8	< 5	4	30	0.04	< 10	< 10	39	< 10	78
T32036	203	205	0.01	29	560	4	< 5	3	26	0.03	< 10	< 10	38	< 10	86
T32037	203	205	0.01	25	790	10	< 5	3	39	0.02	< 10	< 10	39	< 10	74
T32038	203	205	0.01	34	690	8	< 5	3	29	0.04	< 10	< 10	43	< 10	98
T32051	203	205	0.01	39	660	60	< 5	3	24	0.01	< 10	< 10	34	< 10	322
T32052	203	205	0.05	9	310	10	< 5	< 1	11	0.03	< 10	< 10	29	< 10	38
T32053	203	205	0.01	34	850	188	< 5	2	22	0.02	< 10	< 10	39	< 10	400
T32054	203	205	0.01	38	790	56	< 5	2	28	0.01	< 10	< 10	37	< 10	320
T32055	203	205	0.01	28	530	46	< 5	2	15	0.03	< 10	< 10	39	< 10	240
T32056	203	205	0.01	55	1030	528	< 5	4	26	0.01	< 10	< 10	34	< 10	1100
T32057	203	205	0.02	61	1080	470	< 5	4	33	0.01	< 10	< 10	45	< 10	1230
T32058	203	205	0.02	8	300	32	< 5	3	18	0.12	< 10	< 10	92	< 10	46
T32059	203	205	0.02	18	580	88	< 5	2	22	0.06	< 10	< 10	78	< 10	104
T32060	203	205	0.02	20	770	246	< 5	2	23	0.04	< 10	< 10	58	< 10	220
T32061	203	205	0.01	24	370	32	< 5	4	16	0.08	< 10	< 10	63	< 10	88
T32062	203	205	0.02	26	440	16	< 5	4	21	0.07	< 10	< 10	68	< 10	84
T32118	203	205	0.02	23	490	10	< 5	3	15	0.05	< 10	< 10	61	< 10	68
T32119	203	205	0.03	14	320	24	< 5	1	13	0.04	< 10	< 10	50	< 10	36
T32120	203	205	0.02	18	810	18	< 5	3	31	0.02	< 10	< 10	26	< 10	40
T32121	203	205	0.02	30	840	20	< 5	3	37	0.02	< 10	< 10	45	< 10	98
T32122	203	205	0.01	48	550	24	< 5	2	17	< 0.01	< 10	< 10	32	< 10	170

CERTIFICATION: B. Caufield

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :19120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T32123	203	205	< 0.2	2.01	< 5	490	< 0.5	4	0.09	< 0.5	17	261	43	3.95	< 10	< 1	0.54	20	0.21	1190	1
T32124	203	205	0.4	1.53	10	560	< 0.5	< 2	0.10	< 0.5	8	492	36	3.29	< 10	< 1	0.55	20	0.14	370	2
T32125	203	205	0.2	1.63	5	400	< 0.5	< 2	0.15	< 0.5	13	232	63	4.46	< 10	< 1	0.56	20	0.17	615	1
T32126	203	205	0.2	1.68	5	400	< 0.5	< 2	0.28	< 0.5	15	225	55	3.93	< 10	< 1	0.47	20	0.28	730	1
T32127	203	205	0.2	1.85	< 5	390	< 0.5	< 2	0.17	< 0.5	15	269	41	3.90	< 10	< 1	0.50	20	0.23	620	< 1
T32128	203	205	< 0.2	3.01	15	280	< 0.5	< 2	0.20	< 0.5	12	121	18	3.89	< 10	< 1	0.21	20	0.47	365	< 1
T32129	203	205	< 0.2	2.03	5	250	< 0.5	< 2	0.11	< 0.5	6	116	16	3.19	< 10	< 1	0.14	20	0.20	185	1
T32130	203	205	0.2	2.04	10	360	< 0.5	< 2	0.32	< 0.5	8	102	31	3.08	< 10	< 1	0.16	20	0.53	335	< 1
T32131	203	205	< 0.2	3.20	25	240	< 0.5	2	0.22	< 0.5	11	104	17	3.51	< 10	< 1	0.14	10	0.58	395	< 1
T32132	203	205	0.4	1.43	10	380	< 0.5	< 2	0.82	< 0.5	13	114	38	2.89	< 10	< 1	0.30	30	0.21	1095	1
T32133	203	205	0.2	1.43	5	320	< 0.5	< 2	0.21	< 0.5	13	235	32	3.58	< 10	< 1	0.37	30	0.22	855	1
T32134	203	205	< 0.2	1.73	20	250	< 0.5	< 2	0.20	< 0.5	10	198	36	3.31	< 10	< 1	0.32	20	0.28	630	1
T32135	203	205	0.6	2.37	15	500	< 0.5	< 2	0.21	< 0.5	50	171	26	3.19	10	< 1	0.34	30	0.36	4580	< 1
T32136	203	205	0.6	1.94	< 5	540	< 0.5	< 2	0.24	< 0.5	12	168	48	3.39	< 10	< 1	0.39	30	0.33	675	1
T32137	203	205	0.2	2.10	5	320	< 0.5	< 2	0.26	< 0.5	11	125	30	3.45	< 10	< 1	0.28	30	0.47	510	< 1
T32138	203	205	0.2	1.83	5	400	< 0.5	< 2	0.38	< 0.5	11	153	29	2.74	< 10	< 1	0.22	30	0.49	340	< 1
T32139	203	205	0.6	2.27	20	290	< 0.5	4	0.25	< 0.5	12	130	42	3.51	< 10	< 1	0.23	20	0.49	450	2
T32140	203	205	< 0.2	2.15	< 5	390	< 0.5	< 2	0.37	< 0.5	10	115	31	3.29	< 10	< 1	0.21	20	0.57	320	1
T32141	203	205	0.2	2.03	5	400	< 0.5	2	0.33	< 0.5	11	108	36	2.91	< 10	< 1	0.24	30	0.51	500	< 1
T32142	203	205	< 0.2	2.39	< 5	270	< 0.5	< 2	0.33	< 0.5	9	141	29	3.14	< 10	1	0.22	20	0.57	325	1
T32143	203	205	0.4	2.16	< 5	470	< 0.5	< 2	0.35	< 0.5	10	146	39	3.13	< 10	2	0.32	30	0.48	320	< 1
T32144	203	205	< 0.2	1.91	5	240	< 0.5	< 2	0.26	< 0.5	7	104	24	2.56	< 10	< 1	0.20	20	0.45	180	1
T32145	203	205	0.2	2.11	5	230	< 0.5	2	0.26	< 0.5	7	90	28	2.71	< 10	< 1	0.16	20	0.47	145	< 1
T32146	203	205	< 0.2	1.57	10	310	< 0.5	< 2	0.28	< 0.5	6	101	28	2.40	< 10	< 1	0.18	30	0.41	220	< 1
T32147	203	205	< 0.2	2.00	15	300	< 0.5	< 2	0.25	< 0.5	6	119	26	2.53	< 10	< 1	0.17	20	0.43	175	1
T32148	203	205	0.2	1.48	< 5	320	< 0.5	< 2	0.29	< 0.5	5	149	32	2.57	< 10	< 1	0.20	30	0.38	240	1
T32149	203	205	0.2	1.91	< 5	400	< 0.5	6	0.29	< 0.5	8	178	37	2.62	< 10	< 1	0.36	30	0.40	200	1
T32150	203	205	0.2	1.62	5	350	< 0.5	< 2	0.33	< 0.5	6	175	27	2.47	< 10	< 1	0.22	20	0.40	210	< 1
T32151	203	205	0.2	1.64	< 5	430	< 0.5	4	0.33	< 0.5	5	131	30	2.53	< 10	1	0.22	20	0.46	270	< 1
T32152	203	205	< 0.2	2.01	< 5	320	< 0.5	< 2	0.29	< 0.5	9	167	29	2.99	< 10	< 1	0.26	20	0.48	295	< 1
T32153	203	205	0.2	1.89	10	340	< 0.5	2	0.26	< 0.5	9	225	30	2.88	< 10	< 1	0.37	30	0.40	325	< 1
T32154	203	205	< 0.2	2.04	< 5	360	< 0.5	< 2	0.25	< 0.5	11	182	35	3.17	< 10	1	0.36	30	0.42	340	< 1
T32155	203	205	0.4	2.24	10	400	< 0.5	4	0.35	< 0.5	9	204	31	3.08	< 10	< 1	0.32	30	0.50	335	< 1
T32156	203	205	0.2	1.87	10	420	< 0.5	2	0.44	< 0.5	10	162	29	2.88	< 10	< 1	0.28	30	0.53	365	< 1
T32157	203	205	0.2	2.04	15	430	< 0.5	4	0.30	< 0.5	9	178	37	2.91	< 10	< 1	0.32	30	0.46	285	1
T32158	203	205	0.4	1.57	5	300	< 0.5	< 2	0.26	< 0.5	7	149	28	2.59	< 10	< 1	0.30	30	0.39	285	< 1
T32159	203	205	0.2	1.83	10	370	< 0.5	< 2	0.30	< 0.5	8	179	34	2.80	< 10	< 1	0.38	30	0.41	265	< 1

CERTIFICATION: B. Cargl

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : YGC (MIC)
Comments:

Certificate Date: 26-AUG-91
Invoice No. :I9120035
P.O. Number :

CERTIFICATE OF ANALYSIS A9120035

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T32123	203	205	0.03	34	700	104	< 5	4	31	0.02	< 10	< 10	58	< 10	216
T32124	203	205	0.04	31	570	56	< 5	3	28	0.01	< 10	< 10	46	< 10	162
T32125	203	205	0.03	57	950	72	< 5	4	33	0.01	< 10	< 10	58	< 10	308
T32126	203	205	0.03	51	890	52	< 5	5	39	0.05	< 10	< 10	65	< 10	298
T32127	203	205	0.03	40	800	196	< 5	4	35	0.04	< 10	< 10	61	< 10	330
T32128	203	205	0.03	25	430	38	< 5	5	23	0.12	< 10	< 10	83	< 10	72
T32129	203	205	0.02	12	280	14	< 5	3	18	0.09	< 10	< 10	86	< 10	48
T32130	203	205	0.03	25	510	18	< 5	6	32	0.10	< 10	< 10	67	< 10	68
T32131	203	205	0.04	22	440	14	< 5	5	26	0.10	< 10	< 10	75	< 10	52
T32132	203	205	0.05	25	730	34	< 5	3	59	0.02	< 10	< 10	38	< 10	134
T32133	203	205	0.03	33	730	20	< 5	3	24	0.03	< 10	< 10	47	< 10	112
T32134	203	205	0.06	29	740	8	< 5	3	23	0.04	< 10	< 10	59	< 10	88
T32135	203	205	0.04	24	850	36	< 5	5	25	0.03	< 10	< 10	63	< 10	64
T32136	203	205	0.03	37	740	62	< 5	5	35	0.03	< 10	< 10	58	< 10	172
T32137	203	205	0.03	26	660	6	< 5	4	27	0.05	< 10	< 10	61	< 10	98
T32138	203	205	0.04	27	650	12	< 5	6	35	0.08	< 10	< 10	58	< 10	76
T32139	203	205	0.03	31	810	20	< 5	5	29	0.07	< 10	< 10	71	< 10	114
T32140	203	205	0.04	26	660	8	< 5	6	34	0.11	< 10	< 10	70	< 10	82
T32141	203	205	0.03	25	630	4	< 5	6	32	0.09	< 10	< 10	62	< 10	76
T32142	203	205	0.04	23	620	24	< 5	6	32	0.10	< 10	< 10	70	< 10	76
T32143	203	205	0.05	26	630	184	< 5	6	41	0.08	< 10	< 10	66	< 10	84
T32144	203	205	0.03	16	500	22	< 5	4	28	0.07	< 10	< 10	57	< 10	56
T32145	203	205	0.02	18	620	18	< 5	4	25	0.07	< 10	< 10	58	< 10	60
T32146	203	205	0.03	19	530	22	< 5	4	28	0.08	< 10	< 10	52	< 10	58
T32147	203	205	0.04	19	580	64	< 5	4	27	0.08	< 10	< 10	58	< 10	58
T32148	203	205	0.03	20	660	140	5	4	29	0.08	< 10	< 10	53	< 10	72
T32149	203	205	0.04	21	610	70	< 5	5	36	0.07	< 10	< 10	57	< 10	76
T32150	203	205	0.05	19	520	38	< 5	4	32	0.08	< 10	< 10	55	< 10	66
T32151	203	205	0.04	20	530	46	< 5	5	32	0.09	< 10	< 10	57	< 10	70
T32152	203	205	0.04	23	640	18	< 5	5	29	0.07	< 10	< 10	60	< 10	76
T32153	203	205	0.05	26	590	82	5	4	31	0.07	< 10	< 10	56	< 10	96
T32154	203	205	0.04	26	500	70	< 5	5	29	0.08	< 10	< 10	62	< 10	104
T32155	203	205	0.06	23	550	270	< 5	6	37	0.11	< 10	< 10	74	< 10	82
T32156	203	205	0.06	23	600	2	< 5	6	41	0.12	< 10	< 10	70	< 10	66
T32157	203	205	0.05	23	530	14	5	5	34	0.08	< 10	< 10	67	< 10	64
T32158	203	205	0.04	22	440	22	< 5	4	27	0.08	< 10	< 10	56	< 10	62
T32159	203	205	0.06	24	440	12	< 5	5	36	0.08	< 10	< 10	62	< 10	62

CERTIFICATION: B. Caughlin

140°30'

64°20'

Mickey Creek

0+00 E

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S
3+00 S
4+50 S
6+00 S
7+50 S
9+00 S
10+50 S
12+00S
13+50 S
15+00 S
16+50S

CAT ROAD

CLINTON CREEK ROAD

2500
3000
3200
3500



- 1990-91 soil sample location
- 1980 soil sample location
- coincident location of 1990 + 1980 soil sample
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

Figure 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

MIC PROPERTY

YGC RESOURCES LTD.

DWG 302

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

092997

MAP # 116 C/8 (298)

To accompany report dated Dec, '91

140°30'

CLINTON CREEK ROAD

Mickey Creek

MIC PROPERTY

AREA OF GRID SOIL SAMPLING (see Fig.3 for details)

1500 2000 2500 3000 3400 3100 3200 3000 2500 3000 2000 3000 2500

140°30'



SYMBOLS

⊗ GSC silt sample

x 1980 Archer Cathro silt sample

Figure 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATIONS

MIC PROPERTY

YGC RESOURCES LTD.

DWG 303

SCALE 1:10,000

0 100 200 300 400 500 1000 Metres

0 500 1000 2000 3000 Feet

092997

MAP# 116G/8 (299)

To accompany report dated Dec./91

140°30'

64°20'

Mickey Creek

E 0+00

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S
3+00 S
4+50 S
6+00 S
7+50 S
9+00 S
10+50 S
12+00 S
13+50 S
15+00 S
16+50S

2500
3000
3200
3500

CAT ROAD

CLINTON CREEK ROAD



LOCATION MAP

- 1990-91 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- coincident location of 1990 + 1980 soil sample with metal values in ppm
- soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

- ≥ 1200 lead values in ppm
- 600-1199 lead values in ppm
- 300-599 lead values in ppm
- 150-299 lead values in ppm
- 75-149 lead values in ppm

Figure 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

DWG 304

SCALE 1:5000
0 50 100 200 300 400 500 Metres
0 100 500 1000 1500 Feet

092997

MAP #116 C/8 (300)

To accompany report dated Dec, '91

140°30'

64°20'

N

0+00 E

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S
3+00 S
4+50 S
6+00 S
7+50 S
9+00 S
10+50 S
12+00 S
13+50 S
15+00 S
16+50S

MICKEY Creek

CAT ROAD

CLINTON CREEK ROAD

2500
3000
3200
3500

LOCATION MAP

- 1990-91 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- ⊙ coincident location of 1990 + 1980 soil sample with metal values in ppm
- ▲ soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

- ☐ ≥ 400 zinc values in ppm
- ☐ 200-399 zinc values in ppm
- ☐ 100-199 zinc values in ppm

Figure 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

DWG 305

SCALE 1:5000
0 50 100 200 300 400 500 Metres
0 100 500 1000 1500 Feet

092997

MAP 116 G/8 (301)

To accompany report dated Dec., '91

140°30'

64°20'

N

E 0+00

18+50 N
17+00 N
15+50 N
14+40 N
13+57 N
12+00 N
10+50 N
9+00 N
7+56 N
5+92 N
4+40 N
2+94 N
1+40 N
0+00 N
1+50 S
3+00 S
4+50 S
6+00 S
7+50 S
9+00 S
10+50 S
12+00 S
13+50 S
15+00 S
16+50S

Mickey Creek

2500
3000
3200
3500

CAT ROAD

CLINTON CREEK ROAD

- 1990-91 soil sample location with metal value in ppm
- 1980 soil sample location with metal value in ppm
- coincident location of 1990 + 1980 soil sample with metal values in ppm
- ▲ soil sample located in trench (see detailed map in text)
- 1990 trench
- cat trail, 1980 trench
- stripped (1990)
- claim post

Figure 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

DWG 306

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

092997

MAP #1169/8 (302)

To accompany report dated Dec, '91

140°30'

CLINTON CREEK ROAD

Mickey Creek

MIC PROPERTY

AREA OF GRID SOIL SAMPLING
(see Fig.5 for details)

1500
2000
2500
3000
3100
3200
3400

140°30'



LOCATION MAP

SYMBOLS

- contoured 1978-79, 1990-91 soil geochemical data (contour intervals at 75, 150 and 300 ppm Pb)
- ⊗ 85 GSC silt sample; values in ppm Pb
- x 60 1980 Archer Cathro silt sample; values in ppm Pb

Figure 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

SCALE 1:10,000

0 100 200 300 400 500 1000 Metres

0 500 1000 2000 3000 Feet

092997

DWG 307

MAP 116 G/8 (308)

To accompany report dated Dec./91

140°30'

CLINTON CREEK ROAD

Mickey Creek

MIC PROPERTY

AREA OF GRID SOIL SAMPLING (see Fig.6 for details)

1500
2000
2500
3000
3100
3200
3400

140° 30'



LOCATION MAP

SYMBOLS

- contoured 1978-79, 1990-91 soil geochemical data (contour intervals at 100, 200 and 400 ppm Zn)
- ⊗136 GSC silt sample; values in ppm Zn
- x 1980 Archer Cathro silt sample (not analyzed for Zn)

Figure 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

SCALE 1:10,000

0 100 200 300 400 500 1000 Metres

0 500 1000 2000 3000 Feet

DW4 308

092997

MAP# 1164 (304)

To accompany report dated Dec./91

140°30'

CLINTON CREEK ROAD

Mickey Creek

MIC PROPERTY

AREA OF GRID SOIL SAMPLING (see Fig.7 for details)

3100
3200
3000
2500
2000
1500
3400

140°30'



LOCATION MAP

SYMBOLS

⊗ 24 GSC silt sample; values in ppm Cu

x 12 1980 Archer Cathro silt sample; values in ppm Cu

Figure 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

MIC PROPERTY

YGC RESOURCES LTD.

SCALE 1:10,000

0 100 200 300 400 500 1000 Metres

0 500 1000 2000 3000 Feet

DWG 309

092997

MAP #116 C/8 (305)

To accompany report dated Dec./91