

MAP NO.: ASSESSMENT REPORT X

DOCUMENT NO: 093005

106 D/7 PROSPECTUS

MINING DISTRICT: Mayo

CONFIDENTIAL X

TYPE OF WORK: Dimond Drilling

OPEN FILE

REPORT FILED UNDER: NDU Resources Ltd. and Billiton Metals Canada Inc.

DATE PERFORMED: May 28 - August 19 1991

DATE FILED: December 27, 1991

LOCATION: LAT.: 64°24'N

AREA: Mount Williams Area

LONG.: 134°40'W

VALUE \$: N/A

CLAIM NAME & NO.: Blende 123 - 128 YB03863 - YB03868,
Blende 129 - 169 YB18179 - YB18219,
FR 1 - 28 YB03869 - YB03896,
Zinc 1 - 48 YB18553 - YB18600.

WORK DONE BY: W.D. Eaton, Archer, Cathro & Associates (1981).

WORK DONE FOR: NDU Resources Ltd. and Billiton Metals Canada Inc.

DATE TO GOOD STANDING:

REMARKS: # 106 D - Blende Property
A total of 62 holes totalling 11,525.1 m were drilled on the prpoerty in 1991. Eleven drill holes totalling appproximately 2,111 m were filed for assessment credit. The target is a large epigenetic zinc-lead-silver deposit hosted by brecciated middle Proterozoic dolomite. Hole B91-75 returned 4.01% Pb, 5.06% Zn and 1.32% Ag over 19.15 m. and hole B91-68 returned 2.41% Pb, 3.02% Zn and 0.69% Ag over 56.05 m.

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016-510 WEST HASTINGS STREET
VANCOUVER, B. C. V6B 1L8



(604) 688-2568

ASSESSMENT REPORT

BLENDE 123-169, FR 1 TO 28 AND ZINC 1-48 CLAIMS
YB03863-YB03868
YB18179-YB18219
YB03869-YB03896
YB18553-YB18600

MAYO MINING DISTRICT

Latitude 64°24'N; Longitude 134°40'W

NTS 106D/7

NDU RESOURCES LTD.

BILLITON METALS CANADA INC.



November, 1991

W.D. Eaton, B.A., B.Sc.

For work conducted between June 19 and August 15, 1991

093005

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$.

Robert Debluck
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

*Approved for content
only!*

Robert Debluck.

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016-510 WEST HASTINGS STREET
VANCOUVER, B. C. V6B 1L8

(604) 688-2568

SUMMARY

The 1991 drill program at the Blende property was conducted between May 28 and August 19. It consists of 62 holes totalling 11,525.1 m. The drilling was contracted to E. Caron Diamond Drilling Ltd. of Whitehorse and was done with two, bulldozer supported Longyear 38 drills which used NQ equipment and a helicopter supported Craelius Diamec 350 drill which used thin-wall BQ equipment.

The core was logged on site by geologists G. Lutes and G. Evancio or geological students M. Robinson and G. MacIntosh. Mineralized intervals were split or sawn in half. All samples were sent to Chemex Labs in North Vancouver where they were assayed for total and non-sulphide lead, total and non-sulphide zinc and silver. The remaining core is stored on the property.

This report describes eleven drill holes (DDH91-33, 40, 46, 49, 65, 68, 69, 72, 75, 77 and 78) which are filed for assessment credit in a Statement of Expenditures dated November 26, 1991.

The report consists of a claim map showing the locations of the holes, drill logs and certificates of analysis.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W.D. Eaton.

/mc



ZINC 1-48
CLAIMS

BLENDE
CLAIMS

64°25'

9
NOVEMBER 29/1991

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

BLENDE PROPERTY

BLENDE 123-169

BLENDE FR 1-28

ZINC 1-48

106D/7

MAYO MINING DISTRICT

NDU RESOURCES LTD.

BILLITON METALS CANADA INC.

SCALE 1 Inch = 1/2 Mile

⊙ 91-78 Diamond drill hole

093005

134°40'

[illegible]

File: LGB91-40.wk3

From - To (m)	Description	Smpl#	(m) From	(m) To	(m) Width	(%) Rec	(%) Pb	(%) PbO	(%) Zn	(%) ZnO	(opt) Ag
0-3.5	Overburden	11049	6.80	9.80	3.00	100	0.08	0.06	0.04	0.02	0.03
		11050	9.80	12.80	3.00	100	6.55	2.92	1.72	0.82	2.04
3.5-51.83	Dolosiltite: Medium grey to black, locally graphitic. Locally brecciated and sheared.	11051	12.80	15.80	3.00	100	1.08	0.73	1.13	0.84	0.36
	Abundant quartz-siderite veins. Locally oxidized, locally mineralized.	11052	15.80	18.80	3.00	100	1.30	1.00	0.57	0.45	0.38
		11053	18.80	21.80	3.00	100	0.37	0.27	0.16	0.11	0.11
	5.48: Cleavage is 45 degrees to core axis.	11054	21.80	24.80	3.00	99	0.70	0.46	1.18	0.78	0.19
		11055	24.80	26.80	2.00	100	0.49	0.37	0.17	0.13	0.10
	* 9-19.67: Limonitic quartz-siderite veins and vein-breccias. Est. 2-5% Pb+Zn.	11056	26.80	29.80	3.00	100	0.14	0.11	0.07	0.04	0.03
		11057	29.80	32.80	3.00	100	0.09	0.04	0.10	0.07	0.01
	* 22.8-26.85: Mineralized as above.	11058	32.80	35.80	3.00	100	0.47	0.32	0.28	0.25	0.09
		11059	35.80	38.80	3.00	100	0.17	0.09	0.06	0.04	0.05
	27.50-29.80: Abundant pygmatically folded quartz-siderite veins in	11060	38.80	41.80	3.00	100	0.26	0.18	0.08	0.07	0.07
	argillaceous dolomite. Sheared at 70 degrees to core axis.	11061	41.80	44.80	3.00	100	0.08	0.05	0.40	0.37	0.02
		11062	44.80	47.80	3.00	100	0.09	0.04	0.33	0.15	0.04
	29.80-36.05: Sheared and brecciated dolosiltite in an argillaceous matrix.	11063	47.80	50.80	3.00	100	0.01	0.01	0.04	0.02	0.01
	Local quartz-siderite veins with minor galena.	11064	118.00	121.00	3.00	90	0.01	0.01	0.12	0.04	0.01
		11065	121.00	124.00	3.00	99	0.01	0.01	0.46	0.19	0.01
	36.05-44: Occassional quartz-siderite viens containing trace of oxidized	11066	124.00	127.00	3.00	99	0.02	0.01	0.72	0.21	0.02
	galena-sphalerite.	11067	127.00	130.00	3.00	100	0.01	0.01	0.17	0.07	0.01
		11068	130.00	133.00	3.00	100	0.01	0.01	0.24	0.09	0.01
	44-51.83: Bedding is 55 degrees to core axis. tops uphole.	11069	133.00	136.00	3.00	100	0.01	0.01	0.24	0.07	0.01
		11070	173.20	176.20	3.00	68	1.59	0.76	0.63	0.31	0.50
51.83-73.37	Doloarenite: Light grey, coarser grained and massive. Occassional quartz-siderite veins.	11071	176.20	179.20	3.00	88	0.54	0.33	1.37	0.62	0.24
		11072	179.20	182.10	2.90	80	0.39	0.24	0.76	0.36	0.17
73.37-151.60	Dolosiltite:	11073	182.10	185.10	3.00	81	0.44	0.27	0.25	0.17	0.19
	84.40: Bedding is 50 degrees to core axis.	11074	185.10	188.10	3.00	94	0.70	0.26	0.17	0.11	0.28
		11075	188.10	191.10	3.00	90	0.21	0.11	0.05	0.04	0.10
	87.55-90.05: Rusty brown to olive and grey dolostone. Occassional pyritic	11076	191.10	194.10	3.00	94	0.41	0.20	0.13	0.07	0.09
	quartz-siderite veins. Upper contact gradational.	11077	194.10	197.10	3.00	97	1.78	0.70	3.87	1.76	0.84
		11078	197.10	200.10	3.00	99	0.73	0.31	0.19	0.10	0.24
	94.55: 5 cm of gouge.	11079	200.10	203.10	3.00	98	0.23	0.11	0.07	0.04	0.09
	* 111-130: Periodic rusty quartz-siderite veins-react to zinc zap. Est. 1% Zn+Pb	AVG:									
			9.80	15.80	6.00		3.82		1.43		1.20
	* 130-145.35: Pale grey-green to bluish altered dolostone. Talc-brucite along		173.20	176.20	3.00		1.59		0.63		0.50
	cleavage at 70 degrees to core axis. Est. 1-2% Zn+Pb.		194.10	197.10	3.00		1.78		3.87		0.84
	145.35-146: Altered to limonite-calcite.										
	146-146.88: Altered and bleached dolostone in aureole of gabbro.										

Billiton Metals Canada Inc. Blende Project
 Drillhole No: B91-46 Commenced: July 4, 1991 Dip: -50 Page: 1 of 2
 Grid Coord: 12+750.18E \ 19+820.65N Direction: 036 Completed: July 6, 1991 Core Size: NQ
 Casing (ft): 16' Length (m): 227.67 m Collar Elev: 1329.88 m Logged By: Greg Evancio
 Surveys (depth,dip,az): 83/-48 / 037 181/-51 / 034 / / / / / / File: LGB91-46.wk3

From - To (m)	Description	Sampl#	(m) From	(m) To	(m) Width	(%) Rec	(%) Pb	(%) PbO	(%) Zn	(%) ZnO	(opt) Ag
0-5.64	Overburden	11201	12.00	15.00	3.00	61	0.01	0.01	0.36	0.04	0.01
		11202	15.00	18.00	3.00	89	0.01	0.01	0.24	0.03	0.01
		11203	18.00	21.00	3.00	100	0.01	0.01	0.02	0.01	0.01
5.64-227.67	Dolosiltite: Medium to dark grey. Local interbeds of oolite and stromatolite. Argillaceous interbeds are locally graphitic.	11204	21.00	24.00	3.00	76	0.02	0.01	0.08	0.02	0.02
		11205	24.00	27.00	3.00	74	0.01	0.01	0.70	0.06	0.01
		11206	27.00	30.00	3.00	72	0.02	0.01	0.52	0.06	0.02
	15.24: Cleavage is 65 degrees to core axis.	11207	30.00	33.00	3.00	96	0.01	0.01	0.62	0.04	0.01
		11208	33.00	36.00	3.00	97	0.01	0.01	0.07	0.01	0.01
	26-29.26: broken ground.	11209	36.00	39.00	3.00	92	0.01	0.01	1.18	0.03	0.02
		11210	39.00	42.00	3.00	92	0.01	0.01	0.82	0.04	0.01
	* 30.72-32.51: Sphalerite-pyrite veining. Est. 2-3% Zn.	11211	42.00	45.00	3.00	76	0.03	0.01	2.80	0.06	0.22
		11212	45.00	48.00	3.00	77	0.02	0.01	1.31	0.04	0.05
	35.21: Cleavage is 68 degrees to core axis.	11213	48.00	51.00	3.00	79	0.04	0.01	1.02	0.02	0.05
		11214	51.00	52.65	1.65	100	0.09	0.03	0.50	0.02	0.06
	* 37.55-39.61: Sphalerite and pyrite stringers. Est. 2% Zn.	11215	52.65	54.85	2.20	90	0.78	0.13	5.51	0.08	0.40
		11216	54.85	57.85	3.00	93	0.01	0.01	0.04	0.01	0.01
	* 40.92-46.46: Sphalerite-pyrite veins and veinlets. Est. 2-3% Zn.	11217	57.85	60.85	3.00	98	0.01	0.01	0.03	0.01	0.01
		11218	60.85	63.85	3.00	95	0.02	0.01	0.59	0.02	0.01
	47.27: 30 cm fracture zone.	11219	63.85	66.85	3.00	92	0.15	0.05	0.53	0.01	0.11
		11220	66.85	69.85	3.00	100	0.32	0.09	2.94	0.07	0.30
	* 52.51-54.71: sphalerite and pyrite stringers. Est. 5-10% Zn.	11221	69.85	73.60	3.75	86	0.02	0.01	2.70	0.04	0.13
		11222	73.60	76.60	3.00	90	0.01	0.01	0.19	0.01	0.02
	54.71: talc developed along fractures.	11223	76.60	79.60	3.00	98	0.01	0.01	0.05	0.01	0.01
		11224	79.60	82.60	3.00	94	0.01	0.01	0.29	0.01	0.01
	56.85: Cleavage is 64 degrees to core axis.	11225	82.60	85.60	3.00	95	0.01	0.01	0.82	0.02	0.02
		11226	85.60	88.60	3.00	98	0.01	0.01	0.30	0.01	0.01
	* 68.5-73.95: Sphalerite and pyrite veins with local minor galena. Est. 3-5% Zn	11227	88.60	91.60	3.00	99	0.01	0.01	0.30	0.01	0.02
		11228	91.60	94.60	3.00	100	0.01	0.01	0.70	0.02	0.04
	73.95-74.07: Fault.	11229	94.60	97.60	3.00	98	0.01	0.01	0.30	0.01	0.02
		11230	97.60	100.60	3.00	96	0.01	0.01	1.07	0.01	0.03
	90.53: Cleavage is 58 degrees to core axis.	11231	118.00	121.00	3.00	100	0.01	0.01	1.31	0.02	0.02
		11232	121.00	124.00	3.00	99	0.01	0.01	0.27	0.01	0.01
	94.8: 60 cm oolite bed.	11233	124.00	127.00	3.00	100	0.01	0.01	0.20	0.01	0.01
		11234	127.00	130.00	3.00	100	0.01	0.01	0.06	0.01	0.01
	97.10-101.94: Interbedded stromatolites and oolites.	11235	130.00	133.00	3.00	97	0.01	0.01	0.12	0.01	0.02
		11236	133.00	136.00	3.00	91	0.01	0.01	0.15	0.01	0.02
	101.94-103.17: Fractured. Probable fault.	11237	136.00	139.00	3.00	89	0.01	0.01	0.32	0.01	0.02
		11238	139.00	142.00	3.00	92	0.01	0.01	0.97	0.03	0.05
	109.62: 20 cm calcite vein.	11239	142.00	145.00	3.00	100	0.01	0.01	0.09	0.01	0.01
		11240	145.00	148.00	3.00	92	0.01	0.01	1.40	0.03	0.06

[illegible]

		(m)	(m)	(m)	(%)	(%)	(%)	(%)	(%)	(opt)	
From – To (m)	Description	Smpl#	From	To	Width	Rec	Pb	PbO	Zn	ZnO	Ag
0–2.00	Overburden	11855	10.20	13.20	3.00	95	0.03	0.01	0.04	0.01	0.02
		11856	13.20	14.71	1.51	96	10.60	1.62	4.50	0.16	2.97
		11857	14.71	17.07	2.36	91	0.17	0.07	0.13	0.04	0.05
2.00–101.50	Dolosiltite: Medium to light grey with local stromatolites, local doloarenite. Locally graphitic.	11858	17.07	19.65	2.58	85	0.09	0.04	0.91	0.06	0.04
		11859	19.65	22.65	3.00	82	0.07	0.03	0.11	0.01	0.02
	2.00–6.60: Abundant oxidized quartz–carbonate stringers.	11860	22.65	25.25	2.60	87	0.09	0.03	0.22	0.01	0.03
		11861	25.25	27.85	2.60	82	0.62	0.13	1.75	0.04	0.15
	6.60–12.84: Stromatolites	11862	27.85	31.90	4.05	90	0.40	0.12	0.64	0.04	0.09
		11863	31.90	34.55	2.65	91	6.55	0.79	3.63	0.08	1.32
	* 13.08–14.69: Mineralized veins and vein breccias. Est. 15% Pb+Zn.	11864	34.55	36.50	1.95	95	0.25	0.06	0.15	0.01	0.07
		11865	36.50	39.50	3.00	98	15.40	1.31	7.07	0.07	4.25
	14.60–19.78: Sporadic sphalerite–pyrite veins and stringers. Trace galena.	11866	39.50	41.50	2.00	96	8.60	1.25	7.38	0.09	2.98
		11867	41.50	45.30	3.80	96	1.07	0.18	1.39	0.03	0.33
	16.59: Cleavage is 60 degrees to core axis.	11868	45.30	48.30	3.00	98	4.05	0.41	4.11	0.04	1.09
		11869	48.30	51.30	3.00	99	2.43	0.36	1.59	0.03	0.67
	* 17.07: 10 cm sphalerite–pyrite vein.	11870	51.30	54.30	3.00	98	2.00	0.22	2.88	0.03	0.55
		11871	54.30	57.30	3.00	98	4.27	0.48	4.18	0.05	1.11
	* 19.35–19.60: Sphalerite veins. Est. 15% Zn.	11872	57.30	60.30	3.00	97	0.78	0.12	6.52	0.05	0.35
		11873	60.30	63.30	3.00	100	0.17	0.03	2.23	0.03	0.14
	19.78–20.22: Graphitic laminae and intraclastic breccia.	11874	63.30	66.30	3.00	98	0.16	0.04	2.74	0.03	0.07
		11875	66.30	69.30	3.00	93	0.29	0.08	2.73	0.04	0.16
	23.47–25.09: Stromatolites and oolites.	11876	69.30	72.30	3.00	100	0.20	0.04	1.95	0.03	0.10
		11877	72.30	75.30	3.00	95	0.47	0.12	3.53	0.06	0.23
	* 25.09–25.56: Sphalerite–pyrite veins. Est. 5–7% Zn.	11878	75.30	78.30	3.00	75	0.22	0.06	2.74	0.04	0.17
		11879	78.30	81.30	3.00	87	0.45	0.07	1.81	0.03	0.12
	* 27.50–28.30: Sphalerite and minor galena in veins. Est. 2% Zn+Pb.	11880	81.30	84.30	3.00	92	0.17	0.04	1.01	0.03	0.06
	* 31.27–32.90: Galena–sphalerite–pyrite in veins parallel to cleavage. Est. 5–7% Pb+Zn.	AVG:									
			13.20	14.71	1.51		10.60		4.50		2.97
			25.25	81.30	56.05		2.41		3.02		0.69
	32.90–36.52: Local oolites.		36.50	41.50	5.00		12.68		7.19		3.74
	* 36.52–42.37: Galena–sphalerite–pyrite veins and breccias. Est. 15% Pb+Zn.										
	* 43.38–48.08: Est. 2–3% Zn+Pb.										
	* 48.08–54.78: Est. 1% Pb+Zn in sheared dolosiltite.										

Billiton Metals Canada Inc. Blende Project			Drillhole No:	B91-69	Commenced:	Aug 1, 1991	Dip:	-50	Page:	1	of	2
Grid Coord: 12790.67E \ 19801.37N			Direction:	035	Completed:	Aug 3, 1991	Core Size:	NQ				
Casing (ft): 10'		Length (m): 222.80 m	Collar Elev:	1331.35 m	Logged By:	Greg Evancio						
Surveys (depth,dip,az):		115/-46 / 035	215/-46 / 033	/ /	/ /	/ /	File: LGB91-69.wk3					

From - To (m)	Description	Smpl#	(m) From	(m) To	(m) Width	(%) Rec	(%) Pb	(%) PbO	(%) Zn	(%) ZnO	(opt) Ag
0-4.8	Overburden	11881	49.00	52.00	3.00	95	0.01	0.01	0.08	0.01	0.02
		11882	52.00	55.00	3.00	93	0.01	0.01	0.57	0.02	0.03
		11883	55.00	59.00	4.00	83	0.01	0.01	0.85	0.02	0.04
4.80-222.81	Dolosiltite: Light to medium grey with interbedded dololutite. Local oolites.	11884	59.00	62.00	3.00	92	0.03	0.01	4.00	0.04	0.14
		11885	62.00	65.00	3.00	96	0.30	0.10	3.58	0.05	0.24
	4.80-9.91: Oolites.	11886	65.00	68.00	3.00	95	0.07	0.04	1.67	0.03	0.08
		11887	68.00	71.00	3.00	98	0.01	0.01	0.42	0.01	0.01
	20.42: Cleavage is 70 degrees to core axis.	11888	71.00	72.50	1.50	98	0.01	0.01	0.40	0.01	0.01
		11889	72.50	76.30	3.80	85	0.03	0.01	1.32	0.03	0.06
	45.27: 20 cm of gouge.	11890	76.30	79.30	3.00	72	0.01	0.01	0.71	0.02	0.03
		11891	79.30	82.78	3.48	85	0.03	0.01	4.02	0.04	0.09
	47.49: Cleavage is 55 degrees to core axis.	11892	82.78	86.00	3.22	74	0.02	0.01	1.69	0.03	0.09
		11893	86.00	89.00	3.00	89	0.02	0.01	0.99	0.02	0.05
	* 48.86: 40 cm of sphalerite-pyrite veins. Est. 3-4% Zn.	11894	89.00	91.10	2.10	81	0.03	0.01	0.53	0.02	0.04
		11895	91.10	94.10	3.00	98	0.01	0.01	2.00	0.03	0.06
	* 58.88-62.42: Sphalerite-pyrite veins. Est. 3-5% Zn.	11896	94.10	97.10	3.00	91	0.02	0.01	0.89	0.02	0.04
		11897	97.10	100.75	3.65	99	0.01	0.01	0.22	0.01	0.03
	* 62.90-65.22: Mineralized veins and stringers. Est. 1-2% Zn.	11898	100.75	103.75	3.00	98	0.02	0.01	3.11	0.03	0.15
		11899	103.75	106.75	3.00	93	0.01	0.01	1.39	0.02	0.03
	65.35-75.60: Thinly bedded dolosiltite and dololutite. Local Sphalerite stringers.	11900	106.75	109.75	3.00	94	0.01	0.01	1.61	0.03	0.20
		11901	118.45	120.45	2.00	95	0.01	0.01	0.17	0.01	0.02
	* 66.79-67.48: Mineralized veins and stringers. Est. 3-5% Zn.	11902	120.45	123.45	3.00	97	0.01	0.01	0.57	0.01	0.03
		11903	123.45	126.45	3.00	94	0.01	0.01	0.02	0.01	0.01
	71.96: Cleavage is 62 degrees to core axis.	11904	126.45	129.45	3.00	83	0.01	0.01	0.05	0.01	0.01
		11905	129.45	132.45	3.00	84	0.01	0.01	0.12	0.01	0.02
	75.60-82.83: Interbedded black graphitic dololutite. Common sheared and broken. Sporadic sphalerite-pyrite stringers.	11906	132.45	135.45	3.00	100	0.01	0.01	0.47	0.01	0.03
		11907	135.45	138.45	3.00	100	0.01	0.01	0.20	0.01	0.01
		11908	138.45	141.45	3.00	100	0.01	0.01	0.61	0.01	0.02
	* 79.54-82.83: Sphalerite-pyrite veins and stringers. Est. 2-3% Zn.	11909	141.45	144.45	3.00	96	0.01	0.01	0.03	0.01	0.01
		11910	144.45	147.30	2.85	96	0.01	0.01	0.03	0.01	0.01
	82.83-94.58: Interlaminated dolosiltite-dololutite with local mineralized stringers.	11911	147.30	150.30	3.00	94	0.01	0.01	0.11	0.01	0.01
		11912	150.30	153.30	3.00	96	0.01	0.01	3.16	0.03	0.06
	* 90.83-92.09: Est. 2-3% Zn.	11913	153.30	156.10	2.80	100	0.01	0.01	0.22	0.01	0.02
		11914	156.10	158.80	2.70	100	0.01	0.01	0.74	0.02	0.03
	* 92.09-94.58: Est. 1-2% Zn.	11915	158.80	162.00	3.20	89	0.01	0.01	0.08	0.01	0.01
		11916	162.00	165.00	3.00	98	0.01	0.01	1.53	0.02	0.05
	* 94.58-96.42: Interbedded stromatolites. Molar-tooth texture. Est. 1-2% Zn.	11917	165.00	168.00	3.00	98	0.02	0.01	0.80	0.02	0.05
		11918	168.00	171.00	3.00	97	0.01	0.01	0.50	0.01	0.02
	* 100.50-105.01: Mineralized veins and stringers. Est. 1-2% Zn.	11919	171.00	174.00	3.00	97	0.01	0.01	0.20	0.01	0.01
		11920	174.00	177.00	3.00	96	0.01	0.01	0.41	0.01	0.02

[illegible]

[illegible]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Page 1 of 1
Total 1
Certificate Date: 19-JUL-91
Invoice No. 19117896
P.O. Number :

Project : BLENDE
Comments:

CERTIFICATE OF ANALYSIS

A9117896

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %	Cu %				
T10838	208 272	0.01	0.01	0.01	< 0.01	0.01	-----				
T10839	208 272	0.02	0.01	0.05	< 0.01	< 0.01	-----				
T10840	208 272	< 0.01	0.01	0.01	< 0.01	< 0.01	-----				
T10841	208 272	0.01	0.01	0.01	< 0.01	< 0.01	-----				
T10842	208 272	< 0.01	0.01	0.01	< 0.01	< 0.01	-----				
T10896	208 272	0.18	0.71	0.71	0.03	0.02	0.67				
T10897	208 272	0.32	0.83	8.62	0.04	0.02	2.23				
T10898	208 272	0.24	0.96	1.91	0.05	0.11	1.62				
T10899	208 272	0.13	1.98	1.47	0.03	0.09	0.87				

CERTIFICATION:

A. Christie



Chemex Labs Ltd.

Analytical Chemists *Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project : BLENDE
Comments:

Page N° : 1
Total P : 1
Certificate Date: 19-JUL-91
Invoice No. : 19117903
P.O. Number :

CERTIFICATE OF ANALYSIS

A9117903

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
T11049	208 272	0.08	0.04	0.03	0.06	0.02					
T11050	208 272	6.55	1.72	2.04	2.92	0.82					
T11051	208 272	1.08	1.13	0.36	0.73	0.84					
T11052	208 272	1.30	0.57	0.38	1.00	0.45					
T11053	208 272	0.37	0.16	0.11	0.27	0.11					
T11054	208 272	0.70	1.18	0.19	0.46	0.78					
T11055	208 294	0.49	0.17	0.10	0.37	0.13					
T11056	208 272	0.14	0.07	0.03	0.11	0.04					
T11057	208 272	0.09	0.10	< 0.01	0.04	0.07					
T11058	208 272	0.47	0.28	0.09	0.32	0.25					
T11059	208 272	0.17	0.06	0.05	0.09	0.04					
T11060	208 272	0.26	0.08	0.07	0.18	0.07					
T11061	208 272	0.08	0.40	0.02	0.05	0.37					
T11062	208 272	0.09	0.33	0.04	0.04	0.15					
T11063	208 272	0.01	0.04	< 0.01	0.01	0.02					
T11064	208 272	0.01	0.12	< 0.01	0.01	0.04					
T11065	208 272	0.01	0.46	< 0.01	0.01	0.19					
T11066	208 272	0.02	0.72	0.02	0.01	0.21					
T11067	208 272	0.01	0.17	< 0.01	< 0.01	0.07					
T11068	208 272	0.01	0.24	< 0.01	< 0.01	0.09					
T11069	208 272	< 0.01	0.24	< 0.01	< 0.01	0.07					
T11070	208 272	1.59	0.63	0.50	0.76	0.31					
T11071	208 272	0.54	1.37	0.24	0.33	0.62					
T11072	208 272	0.39	0.76	0.17	0.24	0.36					
T11073	208 272	0.44	0.25	0.19	0.27	0.17					
T11074	208 272	0.70	0.17	0.28	0.26	0.11					
T11075	208 272	0.21	0.05	0.10	0.11	0.04					
T11076	208 272	0.41	0.13	0.09	0.20	0.07					
T11077	208 272	1.78	3.87	0.84	0.70	1.76					
T11078	208 272	0.73	0.19	0.24	0.31	0.10					
T11079	208 272	0.23	0.07	0.09	0.11	0.04					

CERTIFICATION:

OK note



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

to: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Page No. : 1
Total : 3
Certifi. Date: 29-JUL-91
Invoice No. : 19118334
P.O. Number :

Project : BLENDE
Comments :

CERTIFICATE OF ANALYSIS

A9118334

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11201	208	272	< 0.01	0.36	0.01	< 0.01	0.04					
11202	208	272	0.01	0.24	< 0.01	< 0.01	0.03					
11203	208	272	0.01	0.02	< 0.01	< 0.01	0.01					
11204	208	272	0.02	0.08	0.02	0.01	0.02					
11205	208	272	0.01	0.70	0.01	< 0.01	0.06					
11206	208	272	0.02	0.52	0.02	< 0.01	0.06					
11207	208	272	0.01	0.62	0.01	< 0.01	0.04					
11208	208	272	< 0.01	0.07	< 0.01	< 0.01	< 0.01					
11209	208	272	< 0.01	1.18	0.02	< 0.01	0.03					
11210	208	272	< 0.01	0.82	0.01	< 0.01	0.04					
11211	208	272	0.03	2.80	0.22	0.01	0.06					
11212	208	272	0.02	1.31	0.05	0.01	0.04					
11213	208	272	0.04	1.02	0.05	0.01	0.02					
11214	208	272	0.09	0.50	0.06	0.03	0.02					
11215	208	272	0.78	5.51	0.40	0.13	0.08					
11216	208	272	< 0.01	0.04	0.01	< 0.01	0.01					
11217	208	272	0.01	0.03	0.01	< 0.01	< 0.01					
11218	208	272	0.02	0.59	0.01	< 0.01	0.02					
11219	208	272	0.15	0.53	0.11	0.05	0.01					
11220	208	272	0.32	2.94	0.30	0.09	0.07					
11221	208	272	0.02	2.70	0.13	< 0.01	0.04					
11222	208	272	0.01	0.19	0.02	< 0.01	0.01					
11223	208	272	< 0.01	0.05	0.01	< 0.01	< 0.01					
11224	208	272	0.01	0.29	0.01	< 0.01	0.01					
11225	208	272	< 0.01	0.82	0.02	< 0.01	0.02					
11226	208	272	< 0.01	0.30	0.01	< 0.01	0.01					
11227	208	272	< 0.01	0.30	0.02	< 0.01	0.01					
11228	208	272	0.01	0.70	0.04	< 0.01	0.02					
11229	208	272	0.01	0.30	0.02	< 0.01	< 0.01					
11230	208	272	0.01	1.07	0.03	< 0.01	0.01					
11231	208	272	< 0.01	1.31	0.02	< 0.01	0.02					
11232	208	272	< 0.01	0.27	< 0.01	< 0.01	< 0.01					
11233	208	272	< 0.01	0.20	0.01	< 0.01	0.01					
11234	208	272	< 0.01	0.06	0.01	< 0.01	0.01					
11235	208	272	< 0.01	0.12	0.02	< 0.01	0.01					
11236	208	272	< 0.01	0.15	0.02	< 0.01	0.01					
11237	208	272	< 0.01	0.32	0.02	< 0.01	0.01					
11238	208	272	< 0.01	0.97	0.05	< 0.01	0.03					
11239	208	272	< 0.01	0.09	0.01	< 0.01	< 0.01					
11240	208	272	< 0.01	1.40	0.06	< 0.01	0.03					

CERTIFICATION:

Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

to: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project: BLENDE
Comments:

Page Number: 2
Total: 3
Certificate Date: 29-JUL-91
Invoice No.: 19118334
P.O. Number:

CERTIFICATE OF ANALYSIS

A9118334

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11241	208	272	0.01	0.23	0.03	< 0.01	0.01					
11242	208	272	< 0.01	0.26	0.01	< 0.01	0.01					
11243	208	272	0.01	0.14	0.01	< 0.01	< 0.01					
11244	208	272	0.01	0.04	< 0.01	< 0.01	< 0.01					
11245	208	272	0.01	1.29	0.04	< 0.01	0.03					
11246	208	272	0.01	0.68	0.02	< 0.01	0.02					
11247	208	272	< 0.01	0.16	0.05	< 0.01	< 0.01					
11248	208	272	0.01	0.93	0.02	< 0.01	0.03					
11249	208	272	0.01	1.36	0.06	< 0.01	0.05					
11250	208	272	< 0.01	1.35	0.03	< 0.01	0.04					
11251	208	272	< 0.01	0.50	< 0.01	< 0.01	0.01					
11252	208	272	< 0.01	0.13	0.01	< 0.01	0.01					
11253	208	272	< 0.01	1.58	0.09	< 0.01	0.04					
11254	208	272	< 0.01	0.56	0.01	0.01	0.03					
11255	208	272	0.01	0.54	0.02	< 0.01	0.02					
11256	208	272	0.01	0.83	0.03	< 0.01	0.02					
11257	208	272	< 0.01	0.16	0.03	< 0.01	< 0.01					
11258	208	272	< 0.01	0.86	0.04	< 0.01	0.03					
11259	208	272	< 0.01	0.09	< 0.01	< 0.01	< 0.01					
11260	208	272	0.01	0.27	< 0.01	< 0.01	0.26					
11261	208	272	0.02	0.58	< 0.01	< 0.01	0.53					
11262	208	272	0.01	0.03	< 0.01	< 0.01	0.02					
11263	208	272	0.03	0.89	0.02	0.01	0.61					
11264	208	272	0.04	0.87	0.01	0.01	0.85					
11265	208	272	0.07	1.04	0.02	0.02	0.48					
11266	208	272	0.09	0.11	0.02	0.02	0.09					
11267	208	272	0.03	0.15	< 0.01	< 0.01	0.10					
11268	208	272	1.87	3.87	1.20	0.93	1.49					
11269	208	272	0.97	1.87	0.66	0.50	0.85					
11270	208	272	2.17	3.25	1.19	0.68	0.69					
11271	208	272	3.15	1.00	1.68	0.84	0.15					
11272	208	272	1.00	0.31	0.82	0.32	0.06					
11273	208	272	1.03	0.48	0.75	0.34	0.06					
11274	208	272	3.26	3.16	2.30	0.64	0.21					
11275	208	272	1.15	0.98	0.70	0.46	0.39					
11276	208	272	0.46	0.10	0.28	0.16	0.02					
11277	208	272	0.44	0.41	0.36	0.14	0.06					
11278	208	272	2.33	1.40	2.96	0.38	0.16					
11279	208	272	1.08	1.37	0.64	0.58	0.75					
11280	208	272	2.32	1.40	1.14	0.94	0.58					

CERTIFICATION:

Christie

Note
B91-46



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Page 1 of 2
Total : 2
Certificate Date: 01-AUG-91
Invoice No. : 19118587
P.O. Number :

Project : BLENDE
Comments:

CERTIFICATE OF ANALYSIS

A9118587

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11410	208	272	< 0.01	0.18	0.01	< 0.01	0.07					
11411	208	272	0.08	3.79	0.07	0.04	2.31					
11412	208	272	0.03	0.62	0.01	0.01	0.31					
11413	208	272	< 0.01	0.06	< 0.01	< 0.01	0.03					
11414	208	272	0.01	0.02	< 0.01	< 0.01	0.01					
11415	208	272	0.02	0.05	0.01	0.01	0.02					
11416	208	272	0.01	0.07	< 0.01	< 0.01	0.03					
11417	208	272	< 0.01	0.05	< 0.01	< 0.01	0.02					
11418	208	272	< 0.01	0.17	< 0.01	< 0.01	0.02					
11419	208	272	< 0.01	0.03	< 0.01	< 0.01	0.01					
11420	208	272	< 0.01	0.13	< 0.01	< 0.01	0.03					
11421	208	272	0.01	0.05	< 0.01	< 0.01	0.02					
11422	208	272	0.01	0.02	< 0.01	< 0.01	< 0.01					
11423	208	272	0.02	0.02	0.01	0.01	< 0.01					

CERTIFICATION:

D. Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

to: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Page : 1
Total : 2
Certificate Date: 21-AUG-91
Invoice No. : 19119690
P.O. Number :

Project : BLENDE
Comments:

CERTIFICATE OF ANALYSIS

A9119690

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11766	208	294	3.29	1.63	0.78	0.93	0.47					
11767	208	272	0.15	0.21	0.06	0.06	0.02					
11768	208	294	0.06	0.75	0.04	0.03	0.09					
11769	208	272	0.06	1.79	0.05	0.01	0.02					
11770	208	272	0.02	1.13	0.03	0.01	0.02					
11771	208	272	0.06	1.24	0.06	0.02	0.01					
11772	208	272	0.03	1.95	0.06	0.01	0.02					
11773	208	272	0.01	0.43	0.03	< 0.01	0.01					
11774	208	272	0.02	0.56	0.03	< 0.01	0.02					
11775	208	272	0.02	1.49	0.04	0.01	0.03					
11776	208	294	0.01	2.12	0.03	< 0.01	< 0.03					
11777	208	272	0.01	0.21	0.02	0.01	< 0.01					
11778	208	294	< 0.01	0.02	0.05	< 0.01	< 0.01					
11779	208	272	0.01	0.03	0.04	< 0.01	< 0.01					
11780	208	272	< 0.01	0.02	0.03	< 0.01	< 0.01					
11781	208	272	< 0.01	0.01	0.01	0.01	< 0.01					
11782	208	272	0.41	0.09	0.21	0.07	< 0.01					
11783	208	294	< 0.01	0.14	0.01	< 0.01	< 0.01					
11784	208	294	< 0.01	0.01	< 0.01	< 0.01	< 0.01					
11785	208	294	< 0.01	0.01	< 0.01	< 0.01	< 0.01					
11786	208	272	< 0.01	0.01	< 0.01	< 0.01	< 0.01					
11787	208	272	< 0.01	0.01	0.01	< 0.01	< 0.01					
11788	208	294	< 0.01	0.01	< 0.01	< 0.01	< 0.01					
11789	208	272	0.21	0.72	0.17	0.03	0.02					
11790	208	272	< 0.01	0.01	< 0.01	< 0.01	< 0.01					
11791	208	294	0.28	0.11	0.05	0.14	0.03					
11792	208	294	0.76	0.38	0.13	0.35	0.13					
11793	208	272	0.01	0.03	0.01	0.01	0.01					
11794	208	272	< 0.01	0.03	< 0.01	< 0.01	0.01					
11795	208	272	0.10	0.23	0.04	0.03	0.01					
11796	208	272	0.33	0.51	0.12	0.07	0.01					
11797	208	272	0.14	0.19	0.08	0.04	0.01					
11798	208	272	0.03	0.09	0.01	0.02	0.02					
11799	208	272	0.80	3.44	0.37	0.18	0.10					
11800	208	272	0.52	1.94	0.22	0.14	0.11					
11801	208	294	0.25	1.46	0.11	0.09	0.34					
11802	208	272	0.20	0.77	0.07	0.05	0.05					
11803	208	272	0.09	1.22	0.07	0.02	0.12					
11804	208	294	< 0.01	0.09	< 0.01	< 0.01	0.01					
11805	208	294	< 0.01	0.06	< 0.01	< 0.01	0.02					

CERTIFICATION:

Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project : BLENDE
Comments:

Page 1 of 1
Total : 1
Certificate Date: 02-AUG-91
Invoice No. : 19118656
P.O. Number :

CERTIFICATE OF ANALYSIS

A9118656

SAMPLE DESCRIPTION	PREP CODE		Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %	Cu %				
26552	208	272	0.15	2.58	2.14	0.03	0.07	1.25				

CERTIFICATION:

AKH



Chemex Labs Ltd.

Analytical Chemists * Geochemists **Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project : BLENDE
Comments:

Page 1 of 1
Total : 1
Certificate Date: 23-AUG-91
Invoice No. : 19120038
P.O. Number :

CERTIFICATE OF ANALYSIS

A9120038

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11855	208 294	0.03	0.04	0.02	0.01	0.01					
11856	208 294	10.60	4.50	2.97	1.62	0.16					
11857	208 294	0.17	0.13	0.05	0.07	0.04					
11858	208 294	0.09	0.91	0.04	0.04	0.06					
11859	208 294	0.07	0.11	0.02	0.03	0.01					
11860	208 294	0.09	0.22	0.03	0.03	0.01					
11861	208 294	0.62	1.75	0.15	0.13	0.04					
11862	208 294	0.40	0.64	0.09	0.12	0.04					
11863	208 294	6.55	3.63	1.32	0.79	0.08					
11864	208 294	0.25	0.15	0.07	0.06	0.01					
11865	208 294	15.40	7.07	4.25	1.31	0.07					
11866	208 294	8.60	7.38	2.98	1.25	0.09					
11867	208 272	1.07	1.39	0.33	0.18	0.03					
11868	208 272	4.05	4.11	1.09	0.41	0.04					
11869	208 272	2.43	1.59	0.67	0.36	0.03					
11870	208 272	2.00	2.88	0.55	0.22	0.03					
11871	208 272	4.27	4.18	1.11	0.48	0.05					
11872	208 272	0.78	6.52	0.35	0.12	0.05					
11873	208 272	0.17	2.23	0.14	0.03	0.03					
11874	208 272	0.16	2.74	0.07	0.04	0.03					
11875	208 272	0.29	2.73	0.16	0.08	0.04					
11876	208 272	0.20	1.95	0.10	0.04	0.03					
11877	208 272	0.47	3.53	0.23	0.12	0.06					
11878	208 294	0.22	2.74	0.17	0.06	0.04					
11879	208 294	0.45	1.81	0.12	0.07	0.03					
11880	208 294	0.17	1.01	0.06	0.04	0.03					

CERTIFICATION:

J. Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project: BLENDE
Comments:

Page 1 of 1
Total 2
Certificate Date: 28-AUG-91
Invoice No. 19120141
P.O. Number :

CERTIFICATE OF ANALYSIS

A9120141

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
11881	208 272	0.01	0.08	0.02	< 0.01	0.01					
11882	208 272	0.01	0.57	0.03	< 0.01	0.02					
11883	208 272	0.01	0.85	0.04	0.01	0.02					
11884	208 272	0.03	4.00	0.14	< 0.01	0.04					
11885	208 272	0.30	3.58	0.24	0.10	0.05					
11886	208 272	0.07	1.67	0.08	0.04	0.03					
11887	208 272	0.01	0.42	0.01	< 0.01	0.01					
11888	208 294	0.01	0.40	0.01	< 0.01	0.01					
11889	208 272	0.03	1.32	0.06	< 0.01	0.03					
11890	208 272	0.01	0.71	0.03	< 0.01	0.02					
11891	208 272	0.03	4.02	0.09	< 0.01	0.04					
11892	208 272	0.02	1.69	0.09	< 0.01	0.03					
11893	208 272	0.02	0.99	0.05	< 0.01	0.02					
11894	208 272	0.03	0.53	0.04	< 0.01	0.02					
11895	208 272	0.01	2.00	0.06	0.01	0.03					
11896	208 272	0.02	0.89	0.04	0.01	0.02					
11897	208 272	0.01	0.22	0.03	< 0.01	0.01					
11898	208 272	0.02	3.11	0.15	< 0.01	0.03					
11899	208 272	0.01	1.39	0.03	< 0.01	0.02					
11900	208 272	0.01	1.61	0.20	< 0.01	0.03					
11901	208 294	0.01	0.17	0.02	< 0.01	0.01					
11902	208 272	0.01	0.57	0.03	< 0.01	0.01					
11903	208 272	< 0.01	0.02	< 0.01	< 0.01	< 0.01					
11904	208 272	0.01	0.05	0.01	< 0.01	< 0.01					
11905	208 272	0.01	0.12	0.02	0.01	0.01					
11906	208 272	< 0.01	0.47	0.03	< 0.01	0.01					
11907	208 272	< 0.01	0.20	0.01	< 0.01	0.01					
11908	208 272	0.01	0.61	0.02	< 0.01	0.01					
11909	208 272	< 0.01	0.03	0.01	< 0.01	< 0.01					
11910	208 272	0.01	0.03	< 0.01	< 0.01	< 0.01					
11911	208 272	0.01	0.11	0.01	< 0.01	< 0.01					
11912	208 272	0.01	3.16	0.06	< 0.01	0.03					
11913	208 272	< 0.01	0.22	0.02	< 0.01	0.01					
11914	208 272	< 0.01	0.74	0.03	< 0.01	0.02					
11915	208 272	0.01	0.08	0.01	< 0.01	0.01					
11916	208 272	< 0.01	1.53	0.05	< 0.01	0.02					
11917	208 272	0.02	0.80	0.05	< 0.01	0.02					
11918	208 272	0.01	0.50	0.02	< 0.01	0.01					
11919	208 272	0.01	0.20	0.01	< 0.01	0.01					
11920	208 272	0.01	0.41	0.02	0.01	0.01					

CERTIFICATION:

A. Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project: BLENDE
Comments:

Page 1 of 1
Total 1
Certificate Date: 27-AUG-91
Invoice No. 19120140
P.O. Number :

CERTIFICATE OF ANALYSIS

A9120140

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
26600	208 272	0.01	0.26	0.02	< 0.01	0.03					
26601	208 272	0.01	0.02	0.01	< 0.01	0.01					
26602	208 272	0.01	0.21	0.02	< 0.01	0.02					
26603	208 272	0.01	0.08	0.01	< 0.01	0.01					
26604	208 272	0.01	0.41	0.03	< 0.01	0.02					
26605	208 272	0.02	0.83	0.06	< 0.01	0.02					
26606	208 272	0.01	0.36	0.02	< 0.01	0.02					
26607	208 272	0.01	0.12	0.02	< 0.01	0.01					
26608	208 272	0.01	0.21	0.02	< 0.01	0.01					
26609	208 272	0.02	1.21	0.06	0.01	0.03					
26610	208 272	0.01	0.03	0.02	< 0.01	< 0.01					
26611	208 273	0.01	1.03	0.07	< 0.01	0.03					
26612	208 273	0.02	2.43	0.07	< 0.01	0.06					
26613	208 272	0.01	0.27	0.03	< 0.01	0.02					
26614	208 272	0.01	0.05	0.01	< 0.01	0.01					
26615	208 272	0.01	0.13	0.02	< 0.01	0.01					
26616	208 294	0.01	0.88	0.07	< 0.01	0.04					
26617	208 294	0.02	0.70	0.05	< 0.01	0.03					
26618	208 272	0.02	1.23	0.05	< 0.01	0.03					
26619	208 272	0.01	0.73	0.07	< 0.01	0.02					
26620	208 272	0.01	0.23	0.02	< 0.01	0.01					
26621	208 272	0.01	0.86	0.03	< 0.01	0.02					
26622	208 272	0.01	0.03	0.01	< 0.01	< 0.01					
26623	208 272	0.01	0.01	0.01	< 0.01	< 0.01					
26624	208 272	0.01	0.04	0.02	< 0.01	< 0.01					
26625	208 272	0.01	2.08	0.09	< 0.01	0.04					
26626	208 272	0.01	0.05	0.02	< 0.01	< 0.01					
26627	208 272	0.01	0.76	0.03	< 0.01	0.02					
26628	208 272	0.01	0.14	0.02	< 0.01	0.01					
26629	208 272	0.02	0.50	0.03	< 0.01	0.02					
26630	208 272	0.01	0.29	0.03	< 0.01	0.01					
26631	208 272	0.02	5.53	0.18	< 0.01	0.06					
26632	208 272	0.01	0.13	0.03	< 0.01	0.01					
26633	208 272	0.01	0.73	0.05	< 0.01	0.03					
26634	208 272	0.01	0.56	0.03	< 0.01	0.02					
26635	208 272	0.01	1.21	0.04	< 0.01	0.03					
26636	208 272	0.01	0.44	0.02	< 0.01	0.02					

CERTIFICATION:

Signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Project: BLENDE
Comments:

Page: 1
Total: 1
Certificate Date: 28-AUG-9
Invoice No.: 19120213
P.O. Number:

CERTIFICATE OF ANALYSIS

A9120213

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
26637	208 272	0.42	0.15	0.07	0.09	< 0.01					
26638	208 272	0.09	0.02	0.02	0.03	< 0.01					
26639	208 272	0.02	0.01	< 0.01	< 0.01	< 0.01					
26640	208 272	0.01	0.01	< 0.01	< 0.01	< 0.01					
26641	208 272	0.04	0.27	0.01	0.01	0.01					
26642	208 272	0.30	0.40	0.06	0.08	0.02					
26643	208 272	0.70	1.06	0.16	0.18	0.02					
26645A	208 272	0.98	1.18	0.20	0.20	0.03					
26645B	208 272	1.55	1.58	0.33	0.29	0.04					
26646	208 272	0.34	0.53	0.06	0.06	0.02					
26647	208 272	0.08	0.09	0.02	0.02	< 0.01					
26648	208 272	0.35	0.26	0.05	0.05	0.01					
26649	208 272	0.28	0.37	0.09	0.05	0.01					
26650	208 272	1.01	3.77	0.23	0.22	0.05					
26651	208 272	1.17	4.89	0.37	0.26	0.06					
26652	208 273	5.40	2.85	1.35	0.64	0.05					
26653	208 272	8.66	6.78	2.80	0.90	0.08					
26654	208 272	2.72	9.01	1.18	0.40	0.07					
26655	208 272	2.40	3.64	1.06	0.46	0.06					
26656	208 272	7.70	9.18	3.42	0.85	0.07					
26657	208 272	0.41	0.27	0.17	0.08	0.01					
26658	208 272	0.01	0.01	0.01	0.01	< 0.01					
26659	208 272	0.01	0.01	0.01	< 0.01	< 0.01					

CERTIFICATION:

Alhnske



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOCIATES (1981) LTD.,
ATTN: BLENDE PROJECT
BOX 4127
WHITEHORSE, Y.T.
Y1A 3S9

Page No. : 1
Total : 2
Certificate Date: 09-SEP-9
Invoice No. : 19120647
P.O. Number :

Project : BLENDE
Comments:

CERTIFICATE OF ANALYSIS A9120647

SAMPLE DESCRIPTION	PREP CODE	Pb %	Zn %	Ag oz/T	Pb nsul %	Zn nsul %					
26660	208 294	0.01	0.32	0.01	< 0.01	< 0.01					
26661	208 294	0.01	0.09	< 0.01	< 0.01	< 0.01					
26662	208 294	0.02	0.50	0.01	0.01	0.01					
26663	208 294	0.01	0.87	0.01	< 0.01	0.02					
26664	208 294	< 0.01	0.07	< 0.01	< 0.01	< 0.01					
26665	208 294	< 0.01	0.62	0.01	< 0.01	0.01					
26666	208 294	< 0.01	0.16	< 0.01	< 0.01	0.01					
26667	208 294	< 0.01	0.23	0.01	< 0.01	< 0.01					
26668	208 294	0.01	0.53	0.01	< 0.01	0.01					
26669	208 294	< 0.01	0.22	< 0.01	< 0.01	< 0.01					
26670	208 294	0.01	1.60	0.03	< 0.01	0.01					
26671	208 294	0.01	0.70	0.02	0.01	< 0.01					
26672	208 294	0.01	0.53	0.02	< 0.01	< 0.01					
26673	208 294	0.01	0.22	0.01	< 0.01	< 0.01					
26674	208 294	0.01	0.34	0.01	0.01	< 0.01					
26675	208 294	0.01	0.21	0.01	< 0.01	< 0.01					
26676	208 294	0.01	1.13	0.04	< 0.01	0.01					
26677	208 294	0.01	0.17	< 0.01	< 0.01	< 0.01					
26678	208 294	0.01	0.35	0.02	< 0.01	< 0.01					
26679	208 294	0.02	0.01	0.01	0.02	< 0.01					
26680	208 294	4.13	0.29	0.66	2.42	0.20					
26681	208 294	0.04	0.04	0.01	0.01	0.01					
26682	208 294	0.03	0.03	0.01	0.01	< 0.01					
26683	208 294	0.10	0.01	0.02	0.08	< 0.01					
26684	208 294	2.90	0.20	0.52	1.80	0.14					
26685	208 294	0.06	0.02	0.02	0.03	< 0.01					
26686	208 294	0.05	0.02	0.01	0.02	< 0.01					
26687	208 294	0.08	0.19	0.02	0.05	0.07					
26688	208 294	0.03	0.03	0.01	0.02	0.01					
26689	208 294	0.02	0.01	0.01	0.01	< 0.01					
26690	208 294	0.39	0.15	0.09	0.04	< 0.01					
26691	208 294	0.14	0.01	0.02	0.01	< 0.01					
26692	208 294	1.03	0.16	0.09	0.11	< 0.01					
26693	208 294	0.02	0.01	0.01	< 0.01	< 0.01					
26694	208 294	0.21	0.01	0.05	0.05	< 0.01					
26695	208 294	0.46	0.05	0.09	0.08	< 0.01					
26696	208 294	2.48	0.91	0.52	0.55	0.03					
26697	208 294	0.46	0.06	0.12	0.14	0.01					
26698	208 294	0.09	0.26	0.02	0.02	0.02					
26699	208 294	0.71	0.80	0.14	0.07	< 0.01					

CERTIFICATION:

C. Christie