

MAP NO.: ASSESSMENT REPORT X
115 0 10 PROSPECTUS
115 0 07 CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 093132
MINING DISTRICT: Dawson
TYPE OF WORK: Geological Mapping
Geochemical Surveys
Prospecting

REPORT FILED UNDER: James S. Christie

DATE PERFORMED: Aug - Sept. 1992. DATE FILED: Aug. 25. 1993


LOCATION: LAT.: 63°32'N AREA: Childs Creek
LONG.: 138°50'W VALUE \$: 6,300.00

CLAIM NAME & NO.: CHI 1 -8, YA89771 - YA89778. CHI 10 - 16, YA89779 - YA89785
CG 1 - 20, YB41469 - YB41488, CG 33 - 36, YB41489 - YB41492.

WORK DONE BY: James S. Christie, Ph. D.

WORK DONE FOR: James S. Christie and Fred Dorward.

DATE TO GOOD STANDING:	REMARKS: # 115 0 - Childs Creek The company carried out an reconnaissance geology, geochemistry and prospecting program in an attempt to find the bedrock source of the Childs Creek placer gold. Soil sampling revealed a large gold anomaly in the northwest part of the upper drainage. A high arsenic, antimony and mercury anomaly occurs east of the gold anomaly. The results indicate possible epithermal mineralization. A gold anomaly was poorly defined south of the main anomaly however the presence of permafrost makes the results uncertain. This was a perliminary program and a more detailed program is suggested to follow up the results.



CHI and CG CLAIMS

CHILDS CREEK

YUKON

115-0-10

11507

RECONNAISSANCE GEOLOGY

and

GEOCHEMISTRY

November 12, 1992

Prepared by James S. Christie Ph.D.

Geologist

Centre of Block

Long W 138°, 50'

Lat N 63°, 32'

093132

TABLE OF CONTENTS

	Page
INTRODUCTION	1
LOCATION AND ACCESS	1
TOPOGRAPHY AND VEGETATION	1
LOCATION MAP	1a
CLAIMS	2
GEOLOGY	
GENERAL	2
LOCAL	2
CLAIM MAP	2a
GEOCHEMISTRY	3
GOLD	4
ARSENIC	4
SILVER	4
CHROMIUM	5
COPPER LEAD ZINC	5
CONCLUSIONS	5
RECOMMENDATIONS	6
COST STATEMENT	7
STATEMENT OF QUALIFICATIONS	8
APPENDIX	
GEOCHEMICAL DATA	9
MAP 1"=300'	
RECONNAISSANCE GEOLOGY AND GEOCHEMISTRY	POCKET

INTRODUCTION

The CHI and CG Quartz Claims cover a major part of the drainage basin of Childs Creek (Gulch) including the upper part of the basin which appears to be the source area for placer gold deposits downstream. Current reconnaissance geology, geochemistry, and prospecting have been undertaken in an attempt to find a bedrock source of the Childs Creek gold.

Childs Gulch is a left limit tributary of upper Black Hills Creek where placer gold was discovered and first mined at the turn of the century. Dorados Development Ltd. has operated a small placer mining operation on Childs since 1986. It is a relatively small creek of about 5 km in length, and Placer deposits mined to date indicate that there must be a gold source in the upper 3 km of the drainage. The area of this upper drainage is about 12 sq km and the valley slopes are moderate to steep. Bedrock exposures are infrequent and permafrost locally is a problem especially on north and west facing slopes. Childs was deemed to be a good target for a geochem based exploration effort despite the permafrost problem, and the work was done in August and September 1992. Results are encouraging as 3 relatively large areas were shown to be of interest and worthy of much more detailed exploration. The next phase of work would consist of grid soil sampling and geological mapping of bedrock, and float. This would be followed by trenching and or drilling as warranted by the grid results.

LOCATION AND ACCESS

Childs Creek is located about 100km by road southeast of Dawson City, Yukon. This road is gravel beyond the Hunker Creek turnoff and deteriorates south of Granville from which point there is no government road maintenance. Driving time from Dawson is 2.5 to 3.5 hours depending on road conditions. A property location map is included.

TOPOGRAPHY AND VEGETATION


The property is on the southwest flank of Eureka Dome elevation 4327 feet and the area of interest lies between 2500-3500 feet. The valley slopes vary from moderate along parts of the lower valley to steep. Drainage is to the south into Black Hills Creek and Stewart River.

The gold bearing gravels on the valley floor are up to 8 feet thick and are overlain by an average of 8-10 feet of frozen black mud. Typically the mud is covered with a thick insulating moss blanket with dense to open spruce forest and willow underbrush. On the lower slopes the black mud thins rapidly and interfingers with talus and

PROPERTY LOCATION

CHI-CG CLAIMS

CHILDS GULCH
YUKON



115-0-11 PL

slide debris on the slopes. Moss is less and spruce vegetation gives way to poplar-willow-birch on dryer less frozen parts of the mid and upper slopes.

Childs Creek lies in an unglaciated part of the Yukon and therefore erosional and weathering processes have gone on without interruption for a long time.

CLAIMS

The property consists of the Quartz claims listed below and shown on the accompanying claim map.

CHI 1-8	YA89771-78	<i>Fred Dorward</i>	} Owners.
CHI 10-16	YA89779-85	<i>Fred Dorward</i>	
CG 1-20	in process	<i>James Christie</i>	
CG 33-36	in process	<i>James Christie</i>	

GEOLOGY

GENERAL


Regional mapping by Bostock 1935-37 indicated that Childs Creek is underlain by gneiss schist quartzite and slate of the Yukon Group of Precambrian and Later age. Generally, this was found to be correct in the course of present traversing but based on float and outcrop shown on the enclosed map sizeable areas of gneissic granite also occur.

Bedrock exposures are sparse despite the steepness of the slope. Only the hardest most resistant gneiss and granite gneiss form outcrops.



LOCAL

Some details of the local geology may be obtained from the placer mining cuts in progress but they soon become backfilled with tailings or are used as settling ponds so the opportunity to observe and sample is brief. The information shown on the accompanying map is based on 4 visits to the mining area in August and September.

Striking clay silica alteration occurs along a strong northerly trending fault zone which runs through the cuts mined in 1992 and is exposed over 2500 feet of strike length, and a width of 125 feet. This alteration zone is characterized by well fractured very rusty weathering granite gneiss containing up to 15% pyrite and traces of galena and chalcopryrite. Much of the alteration (bleaching and silicification) is very intense and has destroyed original texture. Late stage Quartz veins bearing pyrite are developed.



SCALE 1:31,680



EUREKA
DOME
Δ 4327

CG and CHI
CLAIMS

CLAIM MAP

The east side of this zone is marked by a strong gouge zone up to 5 feet in width beyond which the lithology changes abruptly to chlorite mica schist and gneissic schist of Yukon Group. This alteration zone is open to the north and northeast. To the south it is also open but the width is limited to the east and downstream to the south by outcrop.

Samples representative of the alteration and quartz veins were taken from the cuts and other exposures over the length of the alteration zone. Sample sites and results are shown on the accompanying map.

Two small outcrops of similar but less intensely altered granite gneiss were mapped upstream of the mining area on Childs. There is no quartz veining at these locations.

Rusty weathering pyritic float was found in both forks of the creek above the placer mining area. These included varieties of fine grained silicified looking rocks with fine disseminated pyrite that could be silicified rhyolite or possibly quartzite?. Rusty weathering float sampled on the ridge north of the headwaters is brecciated granitic ? rock that appears to have been strongly pyritized prior to weathering. All of these float samples returned interesting geochemical analyses as described in the next section.

GEOCHEMISTRY

Soil sampling was used as the basic tool to try to evaluate the soil covered slopes of Childs Creek. Reconnaissance sample lines were run at or near the base of slope where soil conditions permitted collection of acceptable samples. Widespaced lines were run at higher elevations where it was judged that the base of slope line would be inadequate. Samples were collected at 150-300 foot intervals on these lines.

Soil samples were dug with a narrow blade track shovel to depths of 12-24 inches or to well below all organic layers. Material was sought that contained small angular rock chips derived from the breakdown of bedrock on the slopes above. Preference was given to soils with rusty brown colours, and damp soils in areas of seepage off the slopes. Permafrost was avoided as much as possible by altering the sample site but on a few of the slopes in local areas it was necessary to take a seepage soil directly off frost. Most of the soils were very high in clay content and dried to hard blocks. These had to be broken up at the lab prior to sieving.

All samples were prepared and analysed by Chemex Labs of Vancouver, B.C. Analysis for gold was by fusion of a 10 g sample (fire assay) with an AA finish. A 32 element ICP package was also run utilizing a nitric aqua-regia digestion. The analytical procedures and

analyses are given in the appendix. Results considered to be anomalous are plotted on the accompanying map. In total 238 soils or silt samples and 17 rock chip samples were submitted for analysis.

GOLD

Background values returned by most of the samples are below the 5ppb detection limit of the analytical technique. Anomalous values of 10-170 ppb were obtained from 21 soils or silts and 30-250ppb from 4 rocks. A significant gold anomaly in soils occurs on 2 lines shown on the northwest corner of the map. This anomaly is 2500 feet wide on the upper line and 1000 feet on the lower and these lines are 1200-1500 feet apart. Spotty silver lead and zinc occur with some of the gold kicks but no consistent pattern is apparent.

Gold in silts as single element anomalies occurred in three small seepage creeks draining the frozen slope south of Barite Pup at the south boundary of the map. These may or may not be meaningful, but a few samples higher on the slope in these areas are in order. A silt off the north slope of Barite, C 526, which ran 170 ppb gold and is strongly anomalous in silver, lead, zinc and uranium, is clearly worth serious follow-up.

Gold values from rocks of the prominent alteration zone in Childs Creek were disappointing with the high of 11 samples at 250ppb. All of the anomalous values were obtained from the more strongly pyritized rocks with minor visible galena or lead geochemically anomalous. Spotty anomalous silver, copper arsenic and chromium values occur with the higher golds.

ARSENIC

Arsenic values in soils are low with background values at the 10-20 ppm level and 40 ppm or greater is considered to be anomalous. At the north end of the map on the north slope of Childs creek a spotty arsenic anomaly about 1000 feet in width occurs along the east side of the gold soil anomaly and trends south into a much larger but even less defined arsenic feature (see map). Float from the north slope and the creek (within the arsenic feature) ran 180, 1830 and 236 ppm arsenic and anomalous antimony mercury and chromium is indicated. Float from the creek at the south end of the larger feature FC 414 ran 254ppm arsenic.

Arsenic is not prominent within the mapped alteration area with 2 of 11 rock samples returning anomalous values of 48 and 122.

SILVER

Anomalous silver values (over .6 ppm) occur in several areas with other metals and in isolated samples. A high silver--63 ppm occurs

in one of the rocks of the alteration zone with high gold lead arsenic and copper. There appears to be a correlation between gold and silver.

CHROMIUM

Anomalous Cr (over 100ppm) values occur in several areas including rocks of the alteration zone and the arsenic soil anomaly. Cr is also anomalous within soils in a spotty way but seems to have some correlation with arsenic and zinc in some areas. Chromium could be indicative of the alteration particularly if it is occurring in the Cr - mica Fuchsite which is characteristic of some gold deposits of the Canadian Shield (Superior Province).

COPPER LEAD ZINC

Spotty lead and a few copper anomalies occur in isolated areas and are probably indicative of the type of alteration found in the Childs Creek zone. These anomalies do not warrant follow-up. Low level zinc anomalies in the 100-200 ppm range do form consistent patterns that mirror the arsenic patterns to a large extent. The significance or usefulness of zinc as an indicator of gold mineralization is uncertain.

CONCLUSIONS

Placer mining on Childs Creek has clearly indicated that a source of gold must exist within the upper 3 km of the drainage the total area of which is about 12 sq km. Slopes in this relatively small area are such that geochemical soil sampling should be an effective means of finding this gold source area.

Initial reconnaissance geochem has outlined a large gold anomaly in soil in the northwest part of the upper drainage. This is flanked to the east by an arsenic anomaly in soil and rock float that also contains high antimony and mercury values. Together these metals are indicative of the geochemical environment of epithermal gold deposits. This entire area requires detailed grid soil sampling and careful mapping.

South of the above anomalous area and east of Childs creek a large arsenic feature [4000 x 2000 feet] is poorly defined by 2 soil lines. In a general way it connects the gold soil anomaly with the strong alteration zone mapped to the south. This lower part of the slope off Eureka Dome is fairly badly frozen and the effectiveness of soil geochem is uncertain, but at least 2 more soil lines should be tried, equally spaced between the existing lines.

Rock samples from the alteration zone itself [2500 x 150 feet minimum] gave disappointing results although it is anomalous for

gold and several other metals. It is more like the assemblage of base metals that would be expected at a deeper level in an epithermal system. The occurrence of this large intense hydrothermal zone on the property is encouraging despite the results as it demonstrates that the processes which could form an epithermal gold deposit were active in the area.

In the south central part of the map area a highly anomalous silt sample C 526 [gold silver lead zinc uranium] was collected from a small tributary of Barite Pup. This sample is unique among all those collected and clearly warrants follow-up with a small soil grid covering its drainage.

RECOMMENDATIONS

A program of grid soil sampling and geological mapping is recommended as follows.

NORTH GOLD ARSENIC AREA

4000 x 2000 foot grid with 11 lines 200 feet apart	
sample interval on lines --100 feet--yields	440 samples
Recon. samples to establish limits	60

CENTRAL ARSENIC AREA

2 lines 400 feet apart 100 foot interval	100
--	-----

FOLLOWUP SOUTH SILT C 526

2000 x 1600 foot grid with 11 lines 22 feet apart	
sample interval on lines -- 100 feet --yields	187

TOTAL SOIL SAMPLES	787
--------------------	-----

BUDGET

Geologist	15 days @ \$350	\$ 5250
Sampler	15 days @ \$200	3000
Travel		2000
Accom\meals	30 mandays @ \$55	1650
Truck 4x4	15 days @ \$75	1125
Geochem	800 samples @ \$15	12000
Freight on samples		500
Field Supplies	bags flagging string etc.	250
Maps and Reports		3000
Contingency		1225

TOTAL		\$30,000

COST STATEMENT CHI and GC CLAIMS 1992 WORK

J.S. Christie Ph.D. Geologist		
Aug 25-28, Sept 1/2 (1,8,9		
Oct 27, Nov 12,13	8.5 days @ \$350	\$ 2975.00
T.M. Christie Field Asst.		
Aug 25-28	4 days @ \$150	600.00
Chemex Labs geochem analyses		3611.51
Field supplies bags,string,flagging etc.		75.00
Living costs --field (excl. report)		
8 mandays @ \$ 52.85		422.80
Milage 4x4 371 k \$.385		142,83
Map enlargements, drafting sup. duplication		150.00

TOTAL		\$ 7977.14

Respectfully submitted this 12th day
of November, 1992.




James S. Christie

STATEMENT OF QUALIFICATIONS

I, James S. Christie of Dawson City, Yukon and Vancouver, British Columbia, do hereby certify that:

1. I am a Professional Geologist residing at 25 Callison Way, Dawson City, Yukon, Y0B 1G0, or 3921 West 31st Avenue, Vancouver, B.C. V6S 1Y4.
2. I am a graduate of the University of British Columbia, B.Sc., Honours Geology, 1965; Ph.D. Geology, 1973.
3. I have practised my profession as a mining exploration geologist, continuously since 1965.
4. I am a Fellow of the Geological Association of Canada.
5. This report is based on my knowledge of the district, and personally soil sampling and mapping the geology of the property.
6. I am the recorded owner of the CG Claims and have an interest in the CHI Claims by agreement.



Nov 12/92

CHI and CG CLAIMS - CHILDS CREEK
YUKON 115-0-10
RECONNAISSANCE GEOLOGY AND GEOCHEMISTRY


093132

DWG 186

- SOIL SAMPLE
- SILT SAMPLE
- △ ROCK SAMPLE
- F FLOAT
- Au GOLD ppb
- Ag SILVER ppm
- Pb LEAD "
- Cu COPPER "
- Zn ZINC "
- Gb GERMANIUM "
- Hg MERCURY "
- CLAIM POST
- GOLD ANOMALOUS
- ARSENIC ANOMALOUS
- OUTCROP AREA
- Gn GNEISS
- Gv Gr GNEISS
- S SCHIST
- FAULT
- GOLD TARGET AREA
- ARSENIC TARGET AREA



J.S. CHRISTIE
OCT. 30, 1992



APPENDIX

Geochemical Data



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

CHILDS

INVOICE NUMBER

I 9 2 2 1 2 7 4

BILLING INFORMATION

Date: 23-SEP-92
Project: YUKON
P.O. No.:
Account: FGF

Comments:

Billing: For analysis performed on
Certificate A9221274

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
366	201 - Dry, sieve to -80 mesh ICP-32	1.00	5.95	
	100 - Au ppb FA+AA	7.50	14.45	5288.70
				Total Cost \$ 5288.70
				Client Discount (10%) \$ <u>-528.87</u>
				Net Cost \$ 4759.83
				(Reg# R100938885) GST \$ <u>333.19</u>
				TOTAL PAYABLE (CDN) \$ 5093.02

168 Go CLAIMS \$ 2337.25
 198 CHILDS \$ 2755.24

 5093.02

CHILDS TOTALS

17 ROCKS
 238 SOILS & SILTS
 \$ 3611.51



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221


To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

INVOICE NUMBER

I 9 2 8 0 8 7 5

BILLING INFORMATION	
Date:	12-OCT-92
Project:	
P.O. No.:	
Account:	FGF
Comments:	
Billing:	For services regarding faxing
Terms:	Payment due on receipt of invoice 1.5% per month (18% per annum) charged on overdue accounts
Please Remit Payments to:	
	CHEMEX LABS LTD. 212 Brooksbank Ave., North Vancouver, B.C. Canada V7J-2C1

DESCRIPTION OF SERVICES	AMOUNT *
Re: Faxing Charges	
Faxing charges for the month of September	
22 pages @ \$0.50/page	11.00
<hr/>	
Total Cost \$	11.00
(Reg# R100938885) GST \$	0.77
TOTAL PAYABLE (CDN) \$	11.77
 <i>GO CLAIMS \$ 5.77</i> <i>UTILS 6.00</i> <hr/> <i>11.77</i>	



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

INVOICE NUMBER

I 9 2 2 1 2 7 6

BILLING INFORMATION

Date: 21-SEP-92
Project: YUKON
P.O. No.:
Account: FGF

Comments:

Billing: For analysis performed on
Certificate A9221276

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:


CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
10	205 - Geochem ring to approx 150 mesh	1.95		
	274 - 0-15 lb crush and split	2.95		
	ICP-32	5.95		
	100 - Au ppb FA+AA	7.50	18.35	183.50

Total Cost \$	183.50
Client Discount (10%) \$	-18.35
Net Cost \$	165.15
(Reg# R100938885) GST \$	11.56
TOTAL PAYABLE (CDN) \$	176.71

10 CHLOS # 176.71

pd. Oct 19/92
#751.
5269.73



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

INVOICE NUMBER

I 9 2 2 3 7 2 1

BILLING INFORMATION

Date: 4-NOV-92
Project: YUKON
P.O. No.:
Account: FGF

Comments:

Billing: For analysis performed on
Certificate A9223721

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts


Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
7	205 - Geochem ring to approx 150 mesh	1.95		
	226 - 0-5 lb crush and split	1.95		
	ICP-32	5.95		
	100 - Au ppb FA+AA	7.50	17.35	121.45
4	205 - Geochem ring to approx 150 mesh	1.95		
	226 - 0-5 lb crush and split	1.95		
	ICP-32	5.95		
	100 - Au ppb FA+AA	7.50		
	983 - Au ppb FA+AA	9.00	26.35	105.40

Total Cost \$	226.85
Client Discount (10%) \$	-22.69
Net Cost \$	204.16
(Reg# R100938885) GST \$	14.29
TOTAL PAYABLE (CDN) \$	218.45

4 GO CLAIMS \$101.50
 7 CHILDS 116.95
218.45



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

INVOICE NUMBER

I 9 2 2 3 7 2 0

BILLING INFORMATION

Date: 4-NOV-92
Project: YUKON
P.O. No.:
Account: FGF

Comments:

Billing: For analysis performed on
Certificate A9223720

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:


CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
56	201 - Dry, sieve to -80 mesh ICP-32	1.00 5.95		
	100 - Au ppb FA+AA	7.50	14.45	809.20

Total Cost \$	809.20
Client Discount (10%) \$	<u>-80.92</u>
Net Cost \$	728.28
(Reg# R100938885) GST \$	<u>50.98</u>

TOTAL PAYABLE (CDN) \$ 779.26

16	GO CLAIMS	\$ 222.65
40	CHILDS	556.61
		<u>779.26</u>



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

A9221274

Comments: CC: J.S. CHRISTIE

CERTIFICATE

A9221274

GIMLEX ENTERPRISES LTD.

Project: YUKON
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 23-SEP-92.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	366	Dry, sieve to -80 mesh
229	366	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	366	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	366	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	366	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	366	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	366	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	366	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	366	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	366	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	366	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	366	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	366	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	366	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	366	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	366	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	366	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	366	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	366	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	366	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	366	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	366	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	366	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	366	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	366	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	366	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	366	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	366	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	366	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	366	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	366	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	366	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	366	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	366	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	366	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHIKOS - ROCKS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 19-SEP-92
 Invoice No. : 19221276
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments: CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221276

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
92C414 (SVP) FLT	205 274	< 5	0.4	0.58	254	210	< 0.5	< 2	0.14	0.5	6	260	55	1.98	< 10	< 1	0.04	10	0.06	170
92C472	205 274	< 5	0.4	0.55	236	300	< 0.5	< 2	0.19	< 0.5	3	199	28	1.56	< 10	1	0.06	10	0.09	155
92C554	205 274	< 5	0.6	0.07	28	120	< 0.5	< 2	0.03	< 0.5	6	227	27	1.87	< 10	< 1	< 0.01	< 10	0.04	390
92C555	205 274	250	6.8	1.14	20	110	< 0.5	2	0.15	< 0.5	13	196	84	2.81	< 10	< 1	0.75	20	0.61	300
92C556	205 274	5	0.2	0.43	22	280	< 0.5	< 2	0.02	< 0.5	1	115	14	0.62	< 10	1	0.02	10	0.01	65
92C557	205 274	100	13.2	0.17	14	160	< 0.5	14	0.01	< 0.5	2	297	19	0.84	< 10	< 1	< 0.01	< 10	< 0.01	20
92C558	205 274	< 5	0.4	0.46	42	50	< 0.5	2	0.06	< 0.5	2	116	35	1.82	< 10	< 1	0.06	40	0.01	60
92C559	205 274	< 5	0.2	1.06	36	120	< 0.5	< 2	0.10	< 0.5	3	112	7	0.73	10	1	0.20	50	0.04	160
92C560	205 274	< 5	< 0.2	0.68	8	180	< 0.5	< 2	0.14	< 0.5	1	266	4	1.38	< 10	< 1	0.13	30	0.10	45
92C600	205 274	170	63.0	0.07	122	50	< 0.5	44	0.01	4.0	4	297	1405	1.78	< 10	< 1	< 0.01	< 10	< 0.01	30

CERTIFICATION: *Jhai D Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. *CHILD'S ROCKS*
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 1-B
Total Pages : 1
Certificate Date: 19-SEP-92
Invoice No. : 19221276
P.O. Number :
Account : FGF

Project : YUKON
Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221276

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
92C414 (SVP) FLT	205	274	19 < 0.01		19	230	22	18	5	17 < 0.01	< 10	< 10	< 10	37	< 10	50
92C472	205	274	3 < 0.01		8	530	18	60	3	443 < 0.01	< 10	< 10	< 10	30	< 10	20
92C554	205	274	15 < 0.01		10	20	10	< 2	2	3 < 0.01	< 10	< 10	< 10	8	< 10	34
92C555	205	274	15 < 0.01		21	300	120	< 2	7	11 0.07	< 10	< 10	< 10	35	< 10	72
92C556	205	274	19 < 0.01		2	40	18	2	1	4 < 0.01	< 10	< 10	< 10	1	< 10	8
92C557	205	274	13 < 0.01		5	10	320	4	< 1	4 < 0.01	< 10	< 10	< 10	2	< 10	6
92C558	205	274	13 < 0.01		11	310	62	4	2	21 < 0.01	< 10	< 10	< 10	7	< 10	40
92C559	205	274	1 < 0.01		3	350	28	2	4	4 < 0.01	< 10	< 10	< 10	6	< 10	20
92C560	205	274	29 0.01		4	150	8	< 2	2	10 < 0.01	< 10	< 10	< 10	7	< 10	24
92C600	205	274	63 < 0.01		18	10	>10000	14	< 1	1 < 0.01	< 10	< 10	< 10	< 1	< 10	34

CERTIFICATION: *Jhai D Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS - SOICS - SILTS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 5-A
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : I9221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments: CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221274

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	
	FA+AA		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	
92C 385	201	229																				
92C 386	201	229																				
92C 387	201	229																				
92C 388	201	229																				
92C 389	201	229																				
92C 390	201	229																				
92C 391	201	229																				
92C 392	201	229																				
92C 393	201	229	< 5	< 0.2	1.47	< 2	390	< 0.5	< 2	1.25	< 0.5	11	26	30	2.62	< 10	< 1	0.09	10	0.79	385	
92C 394	201	229	< 5	< 0.2	1.51	14	370	< 0.5	< 2	0.83	< 0.5	11	26	33	2.72	< 10	< 1	0.10	20	0.73	385	
92C 395	201	229	< 5	< 0.2	1.67	12	520	< 0.5	< 2	2.00	< 0.5	11	29	35	2.78	10	< 1	0.11	10	0.97	430	
92C 396	201	229	< 5	< 0.2	1.33	12	340	< 0.5	< 2	0.56	< 0.5	12	27	22	2.54	10	1	0.08	20	0.52	455	
92C 397	201	229	< 5	< 0.2	1.66	6	480	< 0.5	2	0.67	< 0.5	10	30	34	2.85	10	< 1	0.12	20	0.67	400	
92C 398	201	229	< 5	< 0.2	1.86	20	440	< 0.5	< 2	1.76	< 0.5	13	34	49	3.09	10	< 1	0.13	10	0.87	450	
92C 400	201	229	< 5	< 0.2	1.68	18	410	< 0.5	< 2	0.91	< 0.5	11	30	37	2.89	10	< 1	0.09	10	0.73	495	
92C 401	201	229	< 5	< 0.2	1.91	12	410	< 0.5	< 2	0.82	< 0.5	11	34	39	3.05	10	< 1	0.14	20	0.75	310	
92C 402	201	229	< 5	0.2	2.23	2	460	< 0.5	< 2	0.77	< 0.5	11	39	44	3.15	10	< 1	0.12	20	0.80	365	
92C 403	201	229	< 5	< 0.2	2.12	12	470	< 0.5	< 2	0.82	< 0.5	10	40	42	3.23	10	< 1	0.15	20	0.85	345	
92C 404	201	229	< 5	< 0.2	1.77	8	460	< 0.5	< 2	0.64	< 0.5	12	32	31	2.96	10	< 1	0.12	20	0.67	365	
92C 405	201	229	< 5	0.2	2.51	14	500	< 0.5	< 2	0.51	< 0.5	18	46	53	4.17	10	< 1	0.16	20	0.85	585	
92C 406	201	229	< 5	< 0.2	1.80	8	400	< 0.5	< 2	0.55	< 0.5	9	37	37	3.05	10	< 1	0.12	20	0.69	335	
92C 407	201	229	< 5	< 0.2	2.07	12	390	< 0.5	< 2	0.41	< 0.5	9	32	28	2.86	10	< 1	0.09	20	0.59	190	
92C 408	201	229	< 5	< 0.2	1.74	16	360	< 0.5	< 2	0.44	< 0.5	10	32	30	2.71	10	< 1	0.14	20	0.53	235	
92C 409	201	229	< 5	0.6	2.69	24	660	< 0.5	< 2	0.54	< 0.5	14	44	60	3.89	10	< 1	0.13	20	0.66	270	
92C 410	201	229	< 5	< 0.2	2.06	< 2	370	< 0.5	< 2	0.43	< 0.5	9	35	32	2.92	10	< 1	0.10	20	0.64	240	
92C 411	201	229	< 5	< 0.2	2.01	< 2	360	< 0.5	< 2	0.51	< 0.5	10	34	27	2.71	10	< 1	0.10	20	0.69	245	
92C 412	201	229	< 5	0.2	1.74	12	400	< 0.5	< 2	0.93	< 0.5	11	32	33	2.80	10	1	0.13	20	0.78	405	
92C 413	201	229	< 5	< 0.2	2.00	< 2	460	< 0.5	< 2	0.65	< 0.5	12	33	27	2.91	10	< 1	0.12	20	0.67	325	
92C 414	201	229	< 5	< 0.2	1.30	< 2	200	< 0.5	< 2	0.50	< 0.5	9	32	15	1.92	< 10	< 1	0.15	10	0.51	265	
92C 415	201	229	< 5	0.2	2.18	62	350	< 0.5	< 2	0.19	< 0.5	20	38	21	5.42	10	< 1	0.08	10	0.48	1615	
92C 416	201	229	< 5	0.2	0.82	18	50	0.5	< 2	0.12	< 0.5	1	< 1	9	0.97	10	< 1	0.04	80	0.13	65	
92C 417	201	229	< 5	< 0.2	2.11	16	260	< 0.5	< 2	0.40	< 0.5	12	31	24	3.11	10	< 1	0.28	30	0.67	335	
92C 418	201	229	< 5	< 0.2	1.92	18	140	0.5	< 2	0.17	< 0.5	6	31	23	3.17	10	< 1	0.19	20	0.39	270	
92C 419	201	229	< 5	< 0.2	2.41	6	230	< 0.5	< 2	0.28	< 0.5	9	28	14	3.37	10	< 1	0.32	10	0.56	350	
92C 420	201	229	< 5	< 0.2	1.85	6	180	< 0.5	< 2	0.36	< 0.5	10	22	16	2.71	10	< 1	0.30	30	0.58	325	
92C 421	201	229	< 5	< 0.2	2.22	6	210	< 0.5	< 2	0.36	< 0.5	8	31	19	3.14	10	< 1	0.31	30	0.66	285	
92C 422	201	229	< 5	< 0.2	2.56	< 2	230	0.5	< 2	0.39	< 0.5	13	30	31	3.77	10	< 1	0.65	40	0.89	450	
92C 423	201	229	< 5	< 0.2	2.77	2	230	0.5	< 2	0.43	< 0.5	21	34	116	5.10	20	< 1	0.93	40	0.94	620	
92C 424	201	229	< 5	< 0.2	2.22	16	240	< 0.5	< 2	0.42	< 0.5	11	35	24	3.09	10	< 1	0.34	30	0.73	300	
92C 425	201	229	< 5	< 0.2	2.31	< 2	170	< 0.5	< 2	0.33	< 0.5	9	28	19	3.33	10	< 1	0.42	20	0.70	305	

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. C1103 3003-37013
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 5-B
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments: CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
92C 385	201	229														
92C 386	201	229														
92C 387	201	229														
92C 388	201	229														
92C 389	201	229														
92C 390	201	229														
92C 391	201	229														
92C 392	201	229														
92C 393	201	229	< 1	0.02	23	800	16	< 2	4	45	0.08	< 10	< 10	54	10	70
92C 394	201	229	< 1	0.03	24	860	16	< 2	5	40	0.09	< 10	< 10	56	10	74
92C 395	201	229	< 1	0.04	24	820	10	< 2	5	72	0.10	< 10	< 10	63	20	76
92C 396	201	229	< 1	0.02	17	810	16	< 2	4	34	0.09	< 10	< 10	59	10	66
92C 397	201	229	< 1	0.03	25	840	16	< 2	6	41	0.09	< 10	< 10	67	10	80
92C 398	201	229	< 1	0.04	31	640	18	< 2	6	63	0.10	< 10	< 10	68	20	84
92C 400	201	229	< 1	0.02	25	720	8	< 2	6	46	0.09	< 10	< 10	61	10	76
92C 401	201	229	< 1	0.04	25	830	16	< 2	6	50	0.11	< 10	< 10	71	10	84
92C 402	201	229	< 1	0.02	28	730	14	< 2	7	47	0.09	< 10	< 10	73	10	76
92C 403	201	229	< 1	0.04	26	840	16	< 2	7	48	0.11	< 10	< 10	78	10	86
92C 404	201	229	< 1	0.03	23	870	14	< 2	6	42	0.10	< 10	< 10	69	10	82
92C 405	201	229	2	0.02	37	740	28	< 2	7	36	0.12	< 10	< 10	84	10	108
92C 406	201	229	< 1	0.02	22	890	24	< 2	6	38	0.11	< 10	< 10	70	10	86
92C 407	201	229	< 1	0.01	18	650	22	< 2	5	32	0.09	< 10	< 10	66	10	74
92C 408	201	229	1	0.01	18	700	16	< 2	5	33	0.11	< 10	< 10	65	< 10	78
92C 409	201	229	2	0.02	33	800	14	< 2	8	42	0.09	< 10	< 10	86	10	102
92C 410	201	229	1	0.01	16	670	14	< 2	5	34	0.11	< 10	< 10	72	< 10	74
92C 411	201	229	< 1	0.02	19	670	8	< 2	6	38	0.11	< 10	< 10	67	10	78
92C 412	201	229	< 1	0.04	24	860	14	< 2	6	51	0.10	< 10	< 10	69	10	72
92C 413	201	229	< 1	0.03	22	850	16	< 2	6	44	0.11	< 10	< 10	69	< 10	80
92C 414	201	229	< 1	0.01	11	1020	18	< 2	4	21	0.10	< 10	< 10	41	10	50
92C 415	201	229	3	0.01	40	600	8	< 2	5	16	0.14	< 10	< 10	79	10	96
92C 416	201	229	5	< 0.01	< 1	180	30	< 2	2	9	< 0.01	< 10	< 10	4	< 10	36
92C 417	201	229	< 1	0.01	20	510	24	< 2	6	28	0.14	< 10	< 10	57	< 10	66
92C 418	201	229	< 1	< 0.01	23	180	38	< 2	4	24	0.06	< 10	< 10	38	< 10	72
92C 419	201	229	< 1	0.01	9	250	14	< 2	5	26	0.15	< 10	< 10	76	10	82
92C 420	201	229	< 1	0.01	15	790	12	< 2	4	23	0.11	< 10	< 10	43	< 10	64
92C 421	201	229	< 1	0.01	16	660	24	< 2	5	26	0.14	< 10	< 10	59	10	64
92C 422	201	229	1	0.01	20	690	14	< 2	6	26	0.17	< 10	< 10	53	< 10	78
92C 423	201	229	< 1	0.01	34	1100	26	< 2	7	24	0.18	< 10	< 10	48	10	122
92C 424	201	229	< 1	0.01	16	700	22	< 2	6	28	0.16	< 10	< 10	55	10	68
92C 425	201	229	< 1	0.01	16	550	16	< 2	4	22	0.16	< 10	< 10	56	10	66

CERTIFICATION: *Jhai J Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHIKO'S SOLES-SICTS
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 6-A
Total Pages : 10
Certificate Date: 23-SEP-92
Invoice No. : I9221274
P.O. Number :
Account : FGF

Project : YUKON
Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
92C 426	201	229	< 5	0.6	2.04	12	250	< 0.5	< 2	0.37	< 0.5	11	48	20	2.93	10	< 1	0.58	30	0.80	310
92C 427	201	229	< 5	< 0.2	2.06	14	250	< 0.5	< 2	0.26	< 0.5	10	37	19	2.88	10	< 1	0.20	20	0.59	235
92C 428	201	229	< 5	1.2	2.65	22	200	< 0.5	< 2	0.34	< 0.5	16	46	25	4.02	20	< 1	1.10	50	1.11	725
92C 429	201	229	< 5	0.2	1.85	14	240	< 0.5	< 2	0.37	< 0.5	10	33	21	2.81	10	< 1	0.23	20	0.59	240
92C 430	201	229	< 5	0.2	1.94	12	240	< 0.5	< 2	0.34	< 0.5	10	34	23	2.85	10	< 1	0.26	20	0.61	255
92C 431	201	229	< 5	< 0.2	2.16	12	190	< 0.5	< 2	0.32	< 0.5	12	34	22	3.09	10	< 1	0.25	20	0.62	230
92C 432	201	229	< 5	< 0.2	2.02	20	220	< 0.5	< 2	0.32	< 0.5	10	34	17	2.79	10	< 1	0.13	20	0.57	225
92C 433	201	229	< 5	0.2	1.63	4	100	0.5	< 2	0.48	< 0.5	3	24	12	1.24	10	< 1	0.06	10	0.50	160
92C 434	201	229	< 5	< 0.2	2.17	18	200	< 0.5	< 2	0.27	< 0.5	9	33	15	2.73	10	< 1	0.10	20	0.52	270
92C 435	201	229	< 5	0.2	2.13	18	170	< 0.5	< 2	0.23	< 0.5	12	36	17	3.18	10	< 1	0.15	20	0.53	360
92C 436	201	229	< 5	0.2	1.63	20	170	< 0.5	< 2	0.22	< 0.5	10	25	16	2.49	10	< 1	0.10	20	0.35	600
92C 437	201	229	< 5	0.2	2.20	14	270	0.5	< 2	0.31	< 0.5	10	35	21	2.74	10	< 1	0.20	30	0.59	255
92C 438	201	229	< 5	0.2	2.15	20	240	< 0.5	2	0.25	< 0.5	10	38	21	3.03	10	< 1	0.22	30	0.59	225
92C 439	201	229	< 5	0.2	2.11	6	240	< 0.5	< 2	0.29	< 0.5	12	35	20	3.16	10	< 1	0.26	30	0.65	375
92C 440	201	229	< 5	< 0.2	1.59	20	220	< 0.5	< 2	0.30	< 0.5	10	29	21	2.69	10	< 1	0.16	20	0.50	400
92C 441	201	229	< 5	0.2	1.59	12	260	< 0.5	< 2	0.29	< 0.5	12	36	23	2.45	10	< 1	0.17	30	0.52	245
92C 442	201	229	< 5	< 0.2	1.43	24	200	< 0.5	2	0.28	< 0.5	13	27	22	3.27	10	< 1	0.19	20	0.46	460
92C 443	201	229	< 5	0.2	1.68	18	220	< 0.5	< 2	0.25	< 0.5	12	30	20	2.72	10	< 1	0.16	20	0.52	375
92C 444	201	229	< 5	< 0.2	1.90	26	220	< 0.5	< 2	0.25	< 0.5	13	34	21	2.99	10	< 1	0.10	20	0.54	310
92C 445	201	229	< 5	0.2	1.47	16	160	< 0.5	< 2	0.24	< 0.5	12	29	20	2.64	10	< 1	0.31	20	0.55	325
92C 446	201	229	< 5	0.2	1.83	16	200	< 0.5	< 2	0.28	< 0.5	14	35	24	3.02	10	< 1	0.30	30	0.67	385
92C 447	201	229	< 5	0.2	2.32	54	230	< 0.5	< 2	0.10	< 0.5	8	38	49	4.15	10	< 1	0.45	40	0.61	255
92C 448	201	229	< 5	0.8	2.33	28	160	< 0.5	< 2	0.39	< 0.5	19	32	30	3.69	10	< 1	0.98	60	1.00	800
92C 449	201	229	30	0.4	1.37	48	160	< 0.5	< 2	0.27	< 0.5	18	47	53	4.28	10	< 1	0.51	60	0.59	695
92C 450	201	229	< 5	0.2	1.49	24	150	< 0.5	< 2	0.14	< 0.5	13	42	32	3.22	10	< 1	0.32	30	0.51	380
92C 451	201	229	< 5	0.2	1.96	34	320	< 0.5	< 2	0.27	< 0.5	11	48	26	3.20	10	< 1	0.14	20	0.54	365
92C 452	201	229	< 5	0.2	1.82	30	310	< 0.5	< 2	0.34	< 0.5	12	46	31	2.99	10	< 1	0.21	30	0.59	425
92C 453	201	229	< 5	< 0.2	1.67	16	250	< 0.5	< 2	0.39	< 0.5	13	33	26	2.83	10	< 1	0.19	30	0.54	445
92C 454	201	229	< 5	< 0.2	1.69	22	290	< 0.5	< 2	0.35	< 0.5	12	35	22	2.80	10	< 1	0.12	20	0.53	425
92C 455	201	229	< 5	< 0.2	1.82	24	260	< 0.5	< 2	0.25	< 0.5	12	36	25	3.03	10	< 1	0.12	20	0.54	400
92C 456	201	229	< 5	< 0.2	1.97	24	240	< 0.5	< 2	0.26	< 0.5	12	38	26	3.27	10	< 1	0.20	20	0.61	390
92C 457	201	229	< 5	< 0.2	1.84	22	260	< 0.5	< 2	0.21	< 0.5	11	39	22	2.90	10	< 1	0.10	20	0.48	315
92C 458	201	229	< 5	< 0.2	1.84	28	260	< 0.5	< 2	0.39	< 0.5	12	34	25	3.20	10	< 1	0.10	20	0.49	490
92C 459	201	229	< 5	< 0.2	1.78	40	420	< 0.5	< 2	0.58	< 0.5	14	39	29	3.51	10	< 1	0.08	20	0.52	625
92C 460	201	229	< 5	0.2	1.89	38	400	< 0.5	< 2	0.41	< 0.5	12	38	33	3.25	10	< 1	0.13	30	0.51	480
92C 461	201	229	< 5	0.4	1.80	38	370	< 0.5	< 2	0.41	< 0.5	14	36	37	3.22	10	< 1	0.13	40	0.41	580
92C 462	201	229	< 5	0.2	1.60	24	330	< 0.5	< 2	0.35	< 0.5	9	31	23	2.77	10	< 1	0.09	30	0.43	280
92C 463	201	229	45	0.2	1.63	38	300	< 0.5	< 2	0.28	< 0.5	11	32	28	3.23	< 10	< 1	0.07	20	0.41	380
92C 464	201	229	15	< 0.2	1.51	26	360	< 0.5	< 2	0.29	< 0.5	11	32	27	2.64	< 10	< 1	0.04	20	0.46	295
92C 465	201	229	20	< 0.2	1.80	34	240	< 0.5	< 2	0.17	< 0.5	11	36	27	3.27	< 10	< 1	0.10	30	0.48	255

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS - SOLES - SIC 75
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 6-B
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FG


Project : YUKON
 Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221274

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
92C 426	201 229	< 1	0.01	21	700	12	< 2	6	23	0.15	< 10	< 10	46	< 10	70
92C 427	201 229	< 1	0.01	19	320	12	2	5	21	0.12	< 10	< 10	53	< 10	60
92C 428	201 229	< 1	0.01	27	1050	16	2	7	15	0.21	< 10	< 10	50	< 10	90
92C 429	201 229	< 1	0.01	19	520	14	< 2	5	25	0.11	< 10	< 10	49	< 10	64
92C 430	201 229	< 1	0.01	20	490	12	< 2	6	24	0.12	< 10	< 10	49	< 10	62
92C 431	201 229	< 1	0.01	22	570	14	< 2	4	21	0.11	< 10	< 10	49	< 10	58
92C 432	201 229	< 1	0.01	19	340	12	2	5	24	0.12	< 10	< 10	57	< 10	54
92C 433	201 229	1	< 0.01	10	130	18	2	3	25	< 0.01	< 10	< 10	2	< 10	56
92C 434	201 229	3	0.01	17	260	22	2	5	22	0.07	< 10	< 10	46	< 10	66
92C 435	201 229	1	0.01	18	400	20	2	4	19	0.09	< 10	< 10	53	< 10	66
92C 436	201 229	3	0.01	11	440	24	< 2	4	18	0.07	< 10	< 10	55	< 10	56
92C 437	201 229	2	0.01	21	430	20	2	6	23	0.10	< 10	< 10	49	< 10	70
92C 438	201 229	1	0.01	20	500	22	< 2	6	20	0.10	< 10	< 10	51	< 10	70
92C 439	201 229	1	0.01	20	450	16	< 2	5	20	0.11	< 10	< 10	46	< 10	78
92C 440	201 229	1	0.01	20	520	14	2	4	20	0.09	< 10	< 10	44	< 10	62
92C 441	201 229	< 1	0.01	24	600	18	< 2	5	20	0.08	< 10	< 10	49	< 10	80
92C 442	201 229	1	< 0.01	22	570	14	< 2	4	19	0.09	< 10	< 10	41	< 10	64
92C 443	201 229	< 1	0.01	19	580	10	< 2	4	18	0.09	< 10	< 10	45	< 10	64
92C 444	201 229	1	0.01	20	470	14	6	4	18	0.09	< 10	< 10	55	< 10	70
92C 445	201 229	1	< 0.01	22	550	14	2	4	17	0.10	< 10	< 10	36	< 10	74
92C 446	201 229	< 1	0.01	25	490	14	< 2	5	22	0.12	< 10	< 10	46	< 10	86
92C 447	201 229	1	< 0.01	24	440	22	4	6	14	0.06	< 10	< 10	52	< 10	100
92C 448	201 229	< 1	< 0.01	34	690	36	2	4	12	0.10	< 10	< 10	28	< 10	112
92C 449	201 229	2	< 0.01	47	990	26	2	6	20	0.08	< 10	< 10	45	< 10	234
92C 450	201 229	< 1	< 0.01	31	410	14	2	4	17	0.07	< 10	< 10	37	< 10	116
92C 451	201 229	1	0.01	26	610	18	2	5	24	0.08	< 10	< 10	53	< 10	78
92C 452	201 229	< 1	0.01	27	540	18	< 2	6	24	0.10	< 10	< 10	51	< 10	98
92C 453	201 229	< 1	0.01	25	500	16	2	6	22	0.10	< 10	< 10	48	< 10	96
92C 454	201 229	< 1	0.01	22	560	20	< 2	5	25	0.09	< 10	< 10	50	< 10	112
92C 455	201 229	< 1	0.01	23	460	22	2	5	21	0.09	< 10	< 10	51	< 10	114
92C 456	201 229	< 1	0.01	25	440	16	2	6	21	0.10	< 10	< 10	52	< 10	124
92C 457	201 229	1	0.01	22	410	18	2	5	20	0.08	< 10	< 10	54	< 10	92
92C 458	201 229	1	0.01	24	390	18	2	6	23	0.09	< 10	< 10	61	< 10	64
92C 459	201 229	1	0.01	26	630	36	4	6	28	0.06	< 10	< 10	57	< 10	92
92C 460	201 229	1	0.01	27	550	26	2	7	23	0.06	< 10	< 10	54	< 10	98
92C 461	201 229	1	0.01	29	630	30	2	6	25	0.06	< 10	< 10	54	< 10	90
92C 462	201 229	< 1	0.01	22	530	18	< 2	5	23	0.05	< 10	< 10	47	< 10	76
92C 463	201 229	< 1	0.01	25	680	24	2	5	20	0.04	< 10	< 10	62	< 10	98
92C 464	201 229	< 1	0.01	20	480	16	2	6	26	0.06	< 10	< 10	49	< 10	64
92C 465	201 229	< 1	< 0.01	24	370	16	4	5	18	0.08	< 10	< 10	54	< 10	76

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS, SOILS - SILTS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 7-A
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments: CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221274

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
92C 466	201	229	15	< 0.2	2.23	30	330	< 0.5	< 2	0.38	< 0.5	12	40	28	3.45	10	< 1	0.12	20	0.61	340
92C 467	201	229	< 5	< 0.2	2.03	16	220	< 0.5	< 2	0.25	< 0.5	11	36	30	3.38	10	< 1	0.18	20	0.56	325
92C 468	201	229	< 5	< 0.2	1.82	60	300	< 0.5	< 2	0.37	< 0.5	17	36	25	3.79	10	< 1	0.10	20	0.52	640
92C 469	201	229	< 5	< 0.2	2.13	62	390	< 0.5	< 2	0.34	< 0.5	12	35	28	3.51	10	< 1	0.10	20	0.48	305
92C 470	201	229	< 5	< 0.2	2.00	30	370	< 0.5	< 2	0.26	< 0.5	11	44	32	3.20	10	< 1	0.11	10	0.63	355
92C 471	201	229	< 5	< 0.2	1.22	18	250	0.5	< 2	0.24	< 0.5	6	27	20	2.12	10	< 1	0.11	10	0.44	165
92C 473	201	229	< 5	< 0.2	1.71	28	420	< 0.5	< 2	0.27	0.5	11	35	27	2.64	10	< 1	0.10	10	0.53	335
92C 474	201	229	< 5	0.8	2.29	12	470	< 0.5	< 2	0.34	1.0	10	43	48	2.83	10	< 1	0.17	30	0.74	200
92C 475	201	229	< 5	< 0.2	1.70	26	250	< 0.5	< 2	0.26	< 0.5	14	34	29	3.11	10	< 1	0.10	40	0.46	475
92C 476	201	229	< 5	< 0.2	1.79	12	260	< 0.5	< 2	0.34	< 0.5	15	33	21	3.13	10	< 1	0.18	40	0.56	420
92C 477	201	229	< 5	< 0.2	1.89	16	250	< 0.5	6	0.31	< 0.5	12	35	26	3.40	10	< 1	0.31	50	0.59	370
92C 478	201	229	< 5	< 0.2	1.20	20	160	< 0.5	< 2	0.38	< 0.5	7	23	13	2.12	10	< 1	0.21	30	0.42	310
92C 479	201	229	< 5	< 0.2	1.91	22	290	< 0.5	< 2	0.31	< 0.5	11	36	22	2.84	10	< 1	0.15	40	0.50	380
92C 480	201	229	< 5	< 0.2	1.66	30	390	< 0.5	< 2	0.44	< 0.5	11	36	24	2.55	10	< 1	0.10	20	0.53	305
92C 481	201	229	< 5	< 0.2	1.71	118	330	< 0.5	< 2	0.29	< 0.5	16	36	22	6.82	10	< 1	0.12	20	0.48	785
92C 482	201	229	< 5	< 0.2	2.10	38	490	< 0.5	< 2	0.46	< 0.5	17	79	45	3.05	10	< 1	0.10	20	0.71	390
92C 483	201	229	< 5	< 0.2	2.21	178	410	< 0.5	< 2	0.49	< 0.5	18	64	45	4.32	20	< 1	0.45	60	1.00	415
92C 484	201	229	< 5	< 0.2	2.25	50	460	< 0.5	< 2	0.56	< 0.5	15	89	44	3.25	10	< 1	0.11	20	0.74	400
92C 485	201	229	< 5	< 0.2	1.75	46	430	< 0.5	< 2	0.47	< 0.5	10	54	29	3.19	10	< 1	0.08	10	0.53	205
92C 486	201	229	< 5	< 0.2	1.73	22	390	< 0.5	< 2	0.56	< 0.5	14	98	34	2.77	10	< 1	0.07	20	0.59	250
92C 487	201	229	< 5	< 0.2	1.64	16	340	< 0.5	< 2	0.55	< 0.5	16	87	48	2.81	10	< 1	0.05	10	0.70	310
92C 488	201	229	< 5	< 0.2	1.43	18	280	< 0.5	< 2	0.54	< 0.5	16	114	54	2.82	10	< 1	0.04	10	0.58	300
92C 489	201	229	< 5	< 0.2	1.50	20	310	< 0.5	< 2	0.62	< 0.5	14	73	39	2.61	10	< 1	0.04	10	0.54	400
92C 490	201	229	< 5	< 0.2	1.77	18	340	< 0.5	< 2	0.59	< 0.5	14	69	45	2.84	10	< 1	0.05	10	0.56	360
92C 491	201	229	< 5	< 0.2	1.61	16	350	< 0.5	< 2	0.71	< 0.5	14	62	41	2.85	10	< 1	0.08	10	0.58	415
92C 492	201	229	< 5	< 0.2	2.23	12	160	< 0.5	< 2	0.28	< 0.5	13	37	25	3.38	10	< 1	0.48	20	0.73	440
92C 493	201	229	< 5	< 0.2	2.15	34	270	< 0.5	< 2	0.24	< 0.5	10	36	29	3.19	10	< 1	0.20	30	0.49	270
92C 494	201	229	< 5	< 0.2	2.06	44	170	< 0.5	< 2	0.25	< 0.5	7	38	20	2.89	10	< 1	0.21	30	0.53	200
92C 495	201	229	10	0.6	2.00	30	260	< 0.5	< 2	0.40	< 0.5	10	38	42	3.08	10	< 1	0.26	30	0.56	300
92C 496	201	229	< 5	< 0.2	2.33	24	260	< 0.5	< 2	0.38	< 0.5	14	38	27	3.27	10	< 1	0.26	30	0.71	675
92C 497	201	229	< 5	< 0.2	1.70	24	360	< 0.5	< 2	0.70	< 0.5	13	81	52	2.94	10	< 1	0.07	10	0.56	330
92C 498	201	229	< 5	0.2	1.79	28	360	< 0.5	< 2	0.69	< 0.5	16	81	46	2.89	10	< 1	0.08	20	0.58	265
92C 499	201	229	< 5	< 0.2	1.38	118	230	< 0.5	< 2	0.61	< 0.5	27	280	56	4.26	10	< 1	0.06	10	0.63	470
92C 500	201	229	< 5	< 0.2	2.03	56	340	< 0.5	< 2	0.48	< 0.5	17	86	33	3.71	10	< 1	0.08	20	0.55	405
92C 501	201	229	< 5	< 0.2	2.20	26	370	< 0.5	< 2	0.51	< 0.5	13	78	33	3.23	10	< 1	0.09	20	0.63	355
92C 502	201	229	< 5	0.2	1.77	20	270	< 0.5	< 2	0.42	< 0.5	11	39	27	2.75	10	< 1	0.21	20	0.69	315
92C 503	201	229	< 5	0.4	2.02	52	620	< 0.5	< 2	0.74	0.5	19	132	78	3.86	10	< 1	0.10	20	0.66	410
92C 504	201	229	< 5	< 0.2	1.37	84	680	< 0.5	< 2	0.88	0.5	22	180	53	3.53	10	< 1	0.08	10	0.56	625
92C 505	201	229	< 5	< 0.2	2.01	74	390	< 0.5	< 2	0.44	< 0.5	15	94	28	3.33	10	< 1	0.15	10	0.64	495
92C 506	201	229	< 5	0.4	2.23	14	460	< 0.5	< 2	0.37	< 0.5	13	45	42	2.53	10	< 1	0.20	20	0.66	255

CERTIFICATION:

J. S. Christie



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. (7107) 2073
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 7-B
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221274

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
92C 466	201 229	< 1	0.01	26	630	14	< 2	6	33	0.10	< 10	10	75	< 10	82
92C 467	201 229	< 1	0.01	27	370	16	< 2	5	26	0.11	< 10	< 10	62	< 10	82
92C 468	201 229	1	0.01	23	710	16	2	6	31	0.09	< 10	< 10	66	< 10	74
92C 469	201 229	2	0.01	26	600	18	2	7	30	0.08	< 10	< 10	63	< 10	82
92C 470	201 229	1	0.01	23	550	10	< 2	5	23	0.10	< 10	< 10	83	< 10	92
92C 471	201 229	1	< 0.01	18	660	12	< 2	3	19	0.08	< 10	< 10	52	< 10	68
92C 473	201 229	1	0.01	21	630	12	< 2	4	22	0.09	< 10	< 10	67	< 10	82
92C 474	201 229	2	0.01	31	990	14	< 2	8	28	0.10	< 10	< 10	70	< 10	144
92C 475	201 229	< 1	0.01	27	510	16	< 2	6	26	0.10	< 10	< 10	59	< 10	90
92C 476	201 229	< 1	0.01	26	630	18	< 2	6	26	0.11	< 10	< 10	56	< 10	120
92C 477	201 229	< 1	0.01	30	610	18	2	6	21	0.11	< 10	< 10	55	< 10	114
92C 478	201 229	< 1	0.01	16	720	12	2	4	20	0.11	< 10	< 10	45	< 10	54
92C 479	201 229	< 1	0.01	26	580	16	< 2	5	26	0.10	< 10	< 10	59	< 10	84
92C 480	201 229	< 1	0.01	23	700	10	< 2	5	32	0.10	< 10	< 10	63	< 10	76
92C 481	201 229	6	0.01	21	940	18	2	6	24	0.08	< 10	< 10	100	< 10	80
92C 482	201 229	< 1	0.01	55	630	14	< 2	7	29	0.10	< 10	< 10	69	< 10	86
92C 483	201 229	1	0.01	51	1470	14	2	12	20	0.11	< 10	< 10	96	< 10	120
92C 484	201 229	1	0.01	57	640	16	6	9	30	0.09	< 10	< 10	75	< 10	92
92C 485	201 229	1	0.01	34	620	12	2	6	30	0.08	< 10	< 10	76	< 10	86
92C 486	201 229	< 1	0.01	53	570	14	2	8	30	0.09	< 10	< 10	67	< 10	76
92C 487	201 229	< 1	0.01	44	520	12	< 2	8	26	0.09	< 10	< 10	64	< 10	64
92C 488	201 229	< 1	0.01	52	680	12	< 2	8	24	0.08	< 10	< 10	59	< 10	70
92C 489	201 229	< 1	0.01	37	680	12	2	7	26	0.09	< 10	10	55	< 10	56
92C 490	201 229	< 1	0.01	36	610	12	2	8	29	0.11	< 10	10	62	< 10	58
92C 491	201 229	< 1	0.02	36	720	12	2	7	35	0.12	< 10	< 10	65	< 10	70
92C 492	201 229	< 1	0.01	23	630	18	4	5	19	0.14	< 10	< 10	49	< 10	86
92C 493	201 229	< 1	0.01	24	560	24	4	4	22	0.08	< 10	< 10	52	< 10	126
92C 494	201 229	< 1	0.01	17	670	22	4	4	23	0.13	< 10	< 10	57	< 10	86
92C 495	201 229	< 1	0.01	30	570	18	4	6	28	0.11	< 10	< 10	62	< 10	94
92C 496	201 229	1	0.01	28	230	20	2	6	26	0.13	< 10	< 10	54	< 10	72
92C 497	201 229	< 1	0.01	40	560	14	< 2	8	30	0.10	< 10	< 10	68	< 10	64
92C 498	201 229	< 1	0.01	37	610	16	2	8	31	0.09	< 10	< 10	65	< 10	72
92C 499	201 229	< 1	0.01	188	600	14	2	13	27	0.08	< 10	< 10	67	< 10	100
92C 500	201 229	< 1	0.01	47	600	18	2	8	30	0.10	< 10	< 10	70	< 10	84
92C 501	201 229	< 1	0.01	38	490	14	2	8	31	0.12	< 10	< 10	68	< 10	74
92C 502	201 229	< 1	0.01	25	740	14	2	5	27	0.12	< 10	< 10	57	< 10	70
92C 503	201 229	1	0.01	96	540	18	2	11	35	0.09	< 10	< 10	78	< 10	98
92C 504	201 229	1	0.01	95	840	18	2	12	71	0.06	< 10	< 10	77	< 10	112
92C 505	201 229	1	0.01	35	350	16	2	6	35	0.13	< 10	< 10	80	< 10	80
92C 506	201 229	< 1	0.01	30	720	12	< 2	6	29	0.13	< 10	< 10	76	< 10	114

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS - SOILS - SLTTS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 8-A
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments: CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS A9221274

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
92C 507	201	229	< 5	< 0.2	3.13	14	250	< 0.5	< 2	0.48	< 0.5	25	58	57	5.14	20	< 1	0.98	30	1.60	785
92C 508	201	229	5	0.2	1.62	10	250	< 0.5	< 2	0.55	< 0.5	10	39	19	2.25	10	< 1	0.20	20	0.62	350
92C 509	201	229	< 5	0.2	2.18	6	220	< 0.5	< 2	0.34	< 0.5	12	32	24	3.16	10	< 1	0.17	30	0.64	500
92C 510	201	229	< 5	0.2	2.49	10	310	< 0.5	< 2	0.41	< 0.5	17	39	42	3.43	20	< 1	0.36	40	0.79	580
92C 511	201	229	< 5	< 0.2	2.17	4	320	< 0.5	< 2	0.50	< 0.5	10	36	24	3.00	10	< 1	0.17	20	0.63	435
92C 512	201	229	< 5	< 0.2	2.46	6	200	< 0.5	< 2	0.32	< 0.5	10	31	23	3.13	10	< 1	0.16	10	0.58	215
92C 513	201	229	< 5	0.2	2.66	6	270	< 0.5	< 2	0.60	< 0.5	10	39	22	3.54	20	1	0.46	90	0.90	375
92C 514	201	229	< 5	< 0.2	2.55	4	250	0.5	< 2	0.46	< 0.5	9	27	16	3.06	20	< 1	0.44	60	0.81	455
92C 515	201	229	< 5	< 0.2	2.70	4	170	0.5	< 2	0.33	< 0.5	7	29	19	3.19	20	< 1	0.32	50	0.81	255
92C 516	201	229	< 5	< 0.2	2.27	< 2	100	< 0.5	< 2	0.11	< 0.5	1	6	10	2.15	10	< 1	0.21	10	0.36	135
92C 517	201	229	< 5	0.2	1.80	6	60	1.0	< 2	0.42	< 0.5	1	2	8	1.59	10	< 1	0.07	90	0.27	65
92C 518	201	229	< 5	< 0.2	2.41	14	190	< 0.5	< 2	0.52	< 0.5	7	22	16	2.91	10	< 1	0.28	30	0.47	265
92C 519	201	229	< 5	< 0.2	2.78	6	490	1.5	< 2	0.58	< 0.5	8	21	15	3.13	20	< 1	0.46	80	0.76	300
92C 520	201	229	10	0.2	2.65	6	500	1.0	< 2	0.49	< 0.5	7	29	17	3.06	20	< 1	0.30	70	0.72	315
92C 521	201	229	< 5	0.2	1.00	12	1080	1.5	< 2	0.62	< 0.5	4	1	9	2.87	10	< 1	0.24	80	0.17	610
92C 522	201	229	10	< 0.2	2.53	18	510	0.5	< 2	0.43	< 0.5	9	30	28	3.28	10	< 1	0.22	40	0.64	385
92C 523	201	229	< 5	< 0.2	1.72	40	530	< 0.5	< 2	0.30	< 0.5	10	33	34	2.68	10	< 1	0.12	20	0.46	280
92C 524	201	229	< 5	0.4	1.79	56	490	< 0.5	< 2	0.32	< 0.5	10	34	39	2.98	10	< 1	0.26	30	0.54	455
92C 525	201	229	< 5	0.4	2.93	12	140	< 0.5	< 2	0.40	< 0.5	24	37	74	5.08	20	< 1	0.87	70	1.19	740
92C 526	201	229	170	14.2	1.93	8	200	< 0.5	< 2	1.46	0.5	10	31	91	3.01	10	< 1	0.38	20	0.81	665
92C 527	201	229	< 5	< 0.2	2.63	16	300	< 0.5	< 2	0.39	< 0.5	24	59	72	4.43	10	< 1	0.75	20	1.42	625
92C 528	201	229	< 5	0.2	1.96	< 2	420	< 0.5	< 2	0.53	< 0.5	9	39	44	2.94	10	< 1	0.18	20	0.76	345
92C 529	201	229	< 5	< 0.2	2.62	16	390	< 0.5	< 2	0.43	< 0.5	12	37	33	3.72	10	< 1	0.38	30	0.93	395
92C 530	201	229	< 5	< 0.2	2.33	12	280	< 0.5	< 2	0.44	< 0.5	13	37	41	3.26	10	< 1	0.34	30	0.87	465
92C 531	201	229	< 5	< 0.2	2.47	2	410	< 0.5	< 2	0.54	< 0.5	13	117	21	3.29	10	< 1	0.63	30	1.45	390
92C 532	201	229	< 5	< 0.2	2.52	< 2	370	< 0.5	2	0.44	< 0.5	12	94	16	3.09	10	< 1	0.28	20	1.04	310
92C 533	201	229	< 5	< 0.2	2.34	16	390	< 0.5	< 2	0.46	< 0.5	12	68	21	3.06	10	< 1	0.42	20	1.23	290
92C 534	201	229	< 5	< 0.2	2.52	2	270	< 0.5	< 2	0.36	< 0.5	10	44	16	3.30	20	< 1	0.33	40	0.85	275
92C 535	201	229	< 5	0.4	1.90	< 2	150	< 0.5	< 2	0.81	< 0.5	16	772	21	3.57	20	< 1	0.38	60	2.10	405
92C 536	201	229	< 5	< 0.2	2.03	4	250	< 0.5	< 2	0.41	< 0.5	8	35	28	2.80	10	< 1	0.11	20	0.66	275
92C 537	201	229	< 5	< 0.2	2.47	4	210	< 0.5	< 2	0.30	< 0.5	8	45	18	3.08	10	< 1	0.11	20	0.64	260
92C 538	201	229	< 5	< 0.2	2.04	16	400	< 0.5	< 2	0.68	< 0.5	14	134	27	2.74	10	< 1	0.17	20	1.02	625
92C 539	201	229	< 5	0.2	1.79	8	230	< 0.5	< 2	0.35	< 0.5	7	67	11	2.35	10	< 1	0.12	20	0.62	205
92C 540	201	229	< 5	< 0.2	1.50	2	140	< 0.5	< 2	0.29	< 0.5	7	39	11	2.41	10	< 1	0.09	20	0.47	250
92C 541	201	229	< 5	< 0.2	1.83	< 2	200	< 0.5	< 2	0.29	< 0.5	7	29	17	2.71	10	< 1	0.20	40	0.58	240
92C 542	201	229	50	< 0.2	1.38	2	120	< 0.5	< 2	0.34	< 0.5	5	33	8	1.74	< 10	< 1	0.12	10	0.52	155
92C 543	201	229	< 5	< 0.2	1.17	8	110	< 0.5	< 2	0.29	< 0.5	3	18	6	1.51	< 10	< 1	0.10	10	0.40	125
92C 544	201	229	< 5	< 0.2	1.34	4	140	< 0.5	< 2	0.31	< 0.5	7	31	9	1.85	< 10	< 1	0.09	10	0.51	185
92C 545	201	229	< 5	< 0.2	1.87	2	320	< 0.5	< 2	0.38	< 0.5	14	55	51	2.65	10	< 1	0.14	20	0.69	260
92C 546	201	229	< 5	< 0.2	1.13	< 2	200	< 0.5	< 2	0.50	< 0.5	7	27	10	1.92	< 10	< 1	0.07	20	0.43	265

CERTIFICATION: *Jhai D Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. *CHILDS - SOILS - SILTS*
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 8-B
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : I9221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
92C 507	201	229	1	0.01	51	1110	12	< 2	11	27	0.16	< 10	< 10	97	20	124
92C 508	201	229	< 1	0.01	13	740	20	< 2	5	26	0.08	< 10	< 10	49	10	68
92C 509	201	229	< 1	0.01	20	680	28	< 2	5	25	0.12	< 10	< 10	68	10	90
92C 510	201	229	< 1	0.01	36	640	22	< 2	7	30	0.09	< 10	< 10	51	20	122
92C 511	201	229	< 1	0.02	19	370	18	< 2	7	38	0.12	< 10	< 10	71	10	60
92C 512	201	229	< 1	0.01	19	200	18	< 2	6	26	0.12	< 10	< 10	67	10	60
92C 513	201	229	< 1	0.02	17	440	16	< 2	8	34	0.18	< 10	< 10	69	20	82
92C 514	201	229	< 1	0.01	8	710	16	< 2	6	31	0.11	< 10	< 10	50	10	70
92C 515	201	229	< 1	0.01	14	340	16	< 2	8	26	0.12	< 10	< 10	59	10	66
92C 516	201	229	< 1	< 0.01	1	210	28	< 2	4	11	0.03	< 10	< 10	26	< 10	58
92C 517	201	229	< 1	< 0.01	< 1	130	18	2	3	13	< 0.01	< 10	< 10	7	< 10	26
92C 518	201	229	< 1	0.01	7	160	14	< 2	8	19	0.08	< 10	< 10	40	10	94
92C 519	201	229	< 1	0.01	6	390	28	< 2	8	43	0.07	< 10	< 10	44	20	74
92C 520	201	229	< 1	0.01	9	250	12	< 2	7	26	0.11	< 10	< 10	56	10	60
92C 521	201	229	< 1	< 0.01	1	650	22	2	6	49	< 0.01	< 10	< 10	8	10	86
92C 522	201	229	< 1	0.01	17	370	16	< 2	7	32	0.09	< 10	< 10	57	10	76
92C 523	201	229	1	0.01	22	450	12	2	6	65	0.08	< 10	< 10	66	10	70
92C 524	201	229	2	0.01	25	690	20	< 2	7	60	0.08	< 10	< 10	65	10	84
92C 525	201	229	1	0.01	48	600	34	< 2	7	17	0.14	< 10	< 10	60	20	132
92C 526	201	229	3	0.01	38	750	152	< 2	7	43	0.10	< 10	40	69	20	104
92C 527	201	229	< 1	0.01	45	630	20	< 2	8	20	0.17	< 10	< 10	86	20	110
92C 528	201	229	< 1	0.02	23	560	20	< 2	7	35	0.14	< 10	< 10	63	10	80
92C 529	201	229	< 1	0.01	21	390	16	< 2	6	30	0.21	< 10	< 10	67	10	76
92C 530	201	229	1	0.02	30	280	18	< 2	8	31	0.15	< 10	< 10	66	10	66
92C 531	201	229	< 1	0.01	29	660	6	< 2	6	26	0.26	< 10	< 10	74	20	60
92C 532	201	229	< 1	0.01	20	680	16	< 2	4	28	0.22	< 10	< 10	76	10	58
92C 533	201	229	< 1	0.01	23	370	16	< 2	4	28	0.26	< 10	< 10	72	20	56
92C 534	201	229	< 1	0.01	21	300	24	< 2	6	28	0.17	< 10	< 10	64	10	76
92C 535	201	229	< 1	0.01	189	1180	22	< 2	7	34	0.11	< 10	20	51	20	72
92C 536	201	229	< 1	0.02	18	500	12	< 2	7	30	0.13	< 10	< 10	68	10	74
92C 537	201	229	< 1	0.01	15	330	18	< 2	6	24	0.13	< 10	< 10	73	10	56
92C 538	201	229	< 1	0.02	53	910	10	2	8	26	0.14	< 10	< 10	62	10	74
92C 539	201	229	< 1	0.01	17	680	14	< 2	4	24	0.13	< 10	< 10	47	10	64
92C 540	201	229	< 1	0.01	11	680	14	< 2	3	20	0.11	< 10	< 10	49	10	58
92C 541	201	229	< 1	0.01	9	620	20	< 2	4	20	0.13	< 10	< 10	49	10	70
92C 542	201	229	< 1	< 0.01	11	820	6	< 2	3	20	0.11	< 10	< 10	38	< 10	46
92C 543	201	229	< 1	0.01	2	710	14	< 2	2	18	0.10	< 10	< 10	31	10	38
92C 544	201	229	< 1	0.01	6	590	18	< 2	3	18	0.10	< 10	< 10	44	< 10	46
92C 545	201	229	< 1	0.01	33	750	20	< 2	6	25	0.12	< 10	< 10	60	10	70
92C 546	201	229	< 1	0.01	9	860	4	< 2	3	28	0.09	< 10	< 10	51	20	48

CERTIFICATION: *Yhai D Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. *CHILDS - SOILS - SILTS*
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 9-A
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	CODE		FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
92C 547	201	229	< 5	< 0.2	1.29	2	260	< 0.5	< 2	0.69	< 0.5	7	28	16	2.13	10	< 1	0.10	20	0.51	260
92C 548	201	229	< 5	< 0.2	1.72	< 2	210	< 0.5	< 2	0.52	< 0.5	8	30	13	2.38	10	< 1	0.18	20	0.65	275
92C 549	201	229	< 5	< 0.2	1.75	10	220	< 0.5	< 2	0.74	< 0.5	9	31	10	2.41	10	< 1	0.19	20	0.68	290
92C 550	201	229	35	< 0.2	1.20	6	190	< 0.5	< 2	0.54	< 0.5	7	22	11	2.15	10	< 1	0.09	20	0.44	255
92C 551	201	229	5	< 0.2	1.25	6	200	< 0.5	< 2	0.62	< 0.5	6	26	10	2.06	10	< 1	0.08	20	0.44	280
92C 552	201	229	35	< 0.2	1.25	< 2	210	< 0.5	2	0.57	< 0.5	7	24	11	2.01	< 10	< 1	0.08	20	0.44	275
92C 553	201	229	< 5	< 0.2	2.46	10	230	< 0.5	< 2	0.60	< 0.5	10	46	39	4.32	20	< 1	0.87	80	0.82	660
92C 561	201	229	5	< 0.2	1.53	4	220	< 0.5	< 2	0.55	< 0.5	9	24	13	2.35	10	< 1	0.20	20	0.54	390
92C 562	201	229	< 5	< 0.2	1.85	12	320	< 0.5	2	0.69	< 0.5	11	39	26	2.74	10	1	0.20	20	0.70	250
92C 563	201	229	< 5	< 0.2	1.47	10	190	< 0.5	< 2	0.48	< 0.5	8	24	11	2.12	10	< 1	0.15	30	0.47	250
92C 564	201	229	< 5	< 0.2	1.37	6	160	< 0.5	2	0.48	< 0.5	7	20	10	2.00	10	< 1	0.14	20	0.46	245
92C 565	201	229	< 5	< 0.2	1.78	8	180	< 0.5	< 2	0.59	< 0.5	9	28	15	2.62	10	< 1	0.33	30	0.62	295
92C 566	201	229	< 5	0.2	3.35	6	440	< 0.5	< 2	0.32	< 0.5	11	43	21	3.69	10	< 1	0.12	10	0.67	335
92C 567	201	229	< 5	< 0.2	1.87	30	340	< 0.5	2	0.38	< 0.5	11	37	37	2.93	10	< 1	0.10	20	0.58	275
92C 568	201	229	< 5	0.2	2.19	32	330	< 0.5	< 2	0.32	< 0.5	9	36	30	3.14	10	< 1	0.12	10	0.57	230
92C 569	201	229	< 5	0.2	2.26	46	510	< 0.5	< 2	0.39	< 0.5	10	39	36	3.38	10	< 1	0.14	20	0.68	235
92C 570	201	229	< 5	< 0.2	2.75	54	590	< 0.5	< 2	0.37	< 0.5	13	54	45	3.81	10	< 1	0.14	20	0.79	320
92C 571	201	229	< 5	< 0.2	2.31	30	430	< 0.5	< 2	0.34	< 0.5	12	40	32	3.27	10	< 1	0.09	20	0.59	360
92C 572	201	229	< 5	0.2	2.75	28	400	< 0.5	< 2	0.29	< 0.5	10	47	26	3.72	10	< 1	0.11	10	0.58	345
92C 573	201	229	< 5	0.2	3.05	54	710	< 0.5	< 2	0.30	< 0.5	12	57	42	4.13	10	< 1	0.13	20	0.62	495
92C 574	201	229	< 5	0.4	2.80	92	790	< 0.5	< 2	0.28	< 0.5	28	53	67	4.91	10	< 1	0.13	20	0.57	1270
92C 575	201	229	< 5	0.2	2.15	74	540	< 0.5	< 2	0.24	< 0.5	16	42	48	4.05	10	1	0.11	20	0.56	400
92C 576	201	229	< 5	0.2	2.49	56	580	< 0.5	< 2	0.34	< 0.5	10	47	42	3.91	10	< 1	0.12	20	0.71	300
92C 577	201	229	< 5	< 0.2	1.84	44	330	< 0.5	< 2	0.31	< 0.5	8	34	32	3.03	< 10	< 1	0.08	20	0.56	240
92C 578	201	229	< 5	< 0.2	2.16	24	380	< 0.5	< 2	0.31	< 0.5	9	36	30	2.93	10	< 1	0.09	20	0.61	260
92C 579	201	229	< 5	< 0.2	2.15	116	300	< 0.5	< 2	0.34	< 0.5	10	43	27	3.32	10	< 1	0.11	20	0.63	320
92C 580	201	229	< 5	0.2	2.87	14	470	< 0.5	< 2	0.37	< 0.5	12	41	34	4.23	10	< 1	0.45	30	0.97	380
92C 581	201	229	< 5	< 0.2	3.54	< 2	230	< 0.5	< 2	0.39	< 0.5	14	46	21	5.52	20	< 1	1.30	20	1.27	805
92C 582	201	229	10	< 0.2	2.42	24	290	< 0.5	< 2	0.35	< 0.5	12	44	39	3.74	10	1	0.33	30	0.82	455
92C 583	201	229	< 5	< 0.2	1.24	24	210	< 0.5	< 2	0.31	< 0.5	6	21	16	1.99	10	< 1	0.11	10	0.37	170
92C 584	201	229	< 5	< 0.2	2.88	62	320	< 0.5	< 2	0.26	< 0.5	9	41	28	3.86	10	1	0.12	10	0.59	245
92C 585	201	229	< 5	< 0.2	3.01	30	250	< 0.5	< 2	0.29	< 0.5	10	42	18	3.85	10	< 1	0.14	10	0.57	340
92C 586	201	229	< 5	< 0.2	1.98	78	280	< 0.5	< 2	0.25	< 0.5	11	32	30	3.63	10	< 1	0.17	30	0.51	465
92C 587	201	229	5	< 0.2	2.09	36	310	< 0.5	< 2	0.30	< 0.5	12	40	32	3.53	10	< 1	0.11	20	0.51	600
92C 588	201	229	10	< 0.2	2.43	22	210	< 0.5	< 2	0.20	< 0.5	11	39	31	3.47	10	< 1	0.12	20	0.55	270
92C 589	201	229	< 5	0.2	2.13	18	270	< 0.5	< 2	0.29	< 0.5	15	31	24	3.27	10	< 1	0.18	20	0.47	1345
92C 590	201	229	80	1.0	2.81	20	190	< 0.5	< 2	0.11	< 0.5	14	39	34	5.13	10	< 1	0.53	30	0.68	440
92C 591	201	229	15	< 0.2	1.86	30	240	< 0.5	< 2	0.18	< 0.5	11	35	35	3.70	10	< 1	0.20	30	0.47	320
92C 592	201	229	45	< 0.2	2.69	18	340	< 0.5	< 2	0.25	< 0.5	9	39	32	3.41	10	< 1	0.12	20	0.62	240
92C 593	201	229	20	< 0.2	2.74	36	530	< 0.5	< 2	0.25	< 0.5	10	41	29	3.33	10	< 1	0.10	20	0.61	325

CERTIFICATION: *J. S. Christie*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. *CHC03 - SOLS - SIKTS*
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 9-B
Total Pages : 10
Certificate Date: 23-SEP-92
Invoice No. : I9221274
P.O. Number :
Account : FGF

Project : YUKON
Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
92C 547	201 229	< 1	0.02	12	890	6	< 2	4	37	0.11	< 10	< 10	57	10	50
92C 548	201 229	< 1	0.02	10	970	6	< 2	5	27	0.14	< 10	< 10	52	10	62
92C 549	201 229	< 1	0.02	8	1440	6	< 2	6	31	0.12	< 10	< 10	53	10	58
92C 550	201 229	< 1	0.02	11	1020	6	< 2	3	32	0.10	< 10	< 10	52	10	52
92C 551	201 229	< 1	0.02	8	1000	4	2	4	33	0.11	< 10	< 10	50	10	50
92C 552	201 229	< 1	0.01	10	970	< 2	2	4	32	0.10	< 10	< 10	48	10	54
92C 553	201 229	2	< 0.01	22	1120	14	< 2	13	20	0.11	< 10	< 10	46	20	162
92C 561	201 229	< 1	0.01	12	920	2	< 2	4	30	0.11	< 10	< 10	46	10	62
92C 562	201 229	< 1	0.02	21	830	10	< 2	6	39	0.13	< 10	< 10	60	10	86
92C 563	201 229	1	0.01	9	670	10	< 2	4	31	0.12	< 10	< 10	50	10	54
92C 564	201 229	< 1	0.02	8	640	< 2	< 2	4	27	0.11	< 10	< 10	46	10	48
92C 565	201 229	< 1	0.02	16	820	2	2	4	33	0.12	< 10	< 10	47	10	66
92C 566	201 229	< 1	0.01	27	290	14	< 2	6	33	0.14	< 10	< 10	96	10	70
92C 567	201 229	1	0.01	20	590	14	< 2	6	32	0.12	< 10	< 10	75	10	76
92C 568	201 229	1	0.01	20	550	8	< 2	5	29	0.11	< 10	< 10	82	10	84
92C 569	201 229	2	0.01	27	910	16	< 2	6	28	0.14	< 10	< 10	80	10	122
92C 570	201 229	1	0.01	38	410	12	< 2	7	31	0.14	< 10	< 10	109	20	130
92C 571	201 229	1	0.01	34	480	4	< 2	6	29	0.13	< 10	< 10	80	10	110
92C 572	201 229	2	0.01	22	570	8	< 2	7	26	0.14	< 10	< 10	102	20	104
92C 573	201 229	3	0.01	31	530	8	< 2	8	31	0.13	< 10	< 10	118	20	128
92C 574	201 229	4	0.01	50	1070	16	2	10	35	0.09	< 10	< 10	139	10	216
92C 575	201 229	2	0.01	37	680	< 2	< 2	8	26	0.10	< 10	< 10	104	10	150
92C 576	201 229	4	0.01	27	1010	6	2	7	30	0.11	< 10	< 10	103	10	122
92C 577	201 229	2	0.01	16	620	8	2	6	27	0.11	< 10	< 10	76	10	90
92C 578	201 229	1	0.01	18	160	6	< 2	7	30	0.11	< 10	< 10	73	10	68
92C 579	201 229	1	0.02	20	550	8	4	7	30	0.10	< 10	< 10	79	10	86
92C 580	201 229	< 1	0.02	19	680	12	4	10	25	0.14	< 10	< 10	87	10	160
92C 581	201 229	< 1	0.01	9	1230	12	< 2	13	17	0.21	< 10	< 10	88	20	166
92C 582	201 229	1	0.01	26	660	8	< 2	6	29	0.13	< 10	< 10	74	10	110
92C 583	201 229	1	0.01	10	610	4	2	3	26	0.08	< 10	< 10	49	10	58
92C 584	201 229	4	0.01	20	470	10	2	7	26	0.12	< 10	< 10	99	10	82
92C 585	201 229	1	0.01	20	360	16	< 2	7	27	0.14	< 10	< 10	93	10	80
92C 586	201 229	2	0.01	24	310	8	< 2	8	45	0.09	< 10	< 10	63	10	88
92C 587	201 229	1	0.01	23	550	6	< 2	7	28	0.08	< 10	< 10	68	10	78
92C 588	201 229	1	0.01	22	270	12	< 2	6	23	0.12	< 10	< 10	77	10	70
92C 589	201 229	1	0.01	17	750	12	< 2	5	29	0.11	< 10	< 10	72	10	66
92C 590	201 229	1	< 0.01	34	550	12	< 2	6	14	0.15	< 10	< 10	68	10	90
92C 591	201 229	1	0.01	27	500	14	< 2	6	22	0.10	< 10	< 10	70	10	106
92C 592	201 229	1	0.01	24	240	14	< 2	7	32	0.11	< 10	< 10	77	10	72
92C 593	201 229	2	0.01	17	350	12	< 2	6	101	0.11	< 10	< 10	86	10	64

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. *CHILD'S SOILS - SICKS*
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 10-A
 Total Pages : 10
 Certificate Date: 23-SEP-92
 Invoice No. : 19221274
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
92C 594	201	229	15	< 0.2	3.10	54	230	< 0.5	< 2	0.20	< 0.5	14	44	26	4.58	10	< 1	0.15	20	0.58	450
92C 595	201	229	10	< 0.2	2.79	30	240	< 0.5	< 2	0.17	< 0.5	9	38	27	4.29	10	< 1	0.27	10	0.65	535
92C 596	201	229	10	< 0.2	3.39	50	240	< 0.5	< 2	0.20	< 0.5	14	59	39	4.06	10	< 1	0.15	20	0.66	335
92C 597	201	229	< 5	0.2	2.76	18	280	< 0.5	< 2	0.25	< 0.5	11	45	31	3.77	10	< 1	0.14	20	0.66	550
92C 598	201	229	< 5	< 0.2	3.16	22	230	< 0.5	< 2	0.22	< 0.5	11	47	37	3.85	10	< 1	0.22	20	0.74	260
92C 599	201	229	10	< 0.2	2.86	42	300	< 0.5	< 2	0.24	< 0.5	8	49	42	3.90	10	< 1	0.18	20	0.69	285

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHICDS. SOILS - SCLB
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 10-B
Total Pages : 10
Certificate Date: 23-SEP-92
Invoice No. : I9221274
P.O. Number :
Account : FGF

Project : YUKON
Comments : CC: J.S. CHRISTIE

CERTIFICATE OF ANALYSIS

A9221274

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
92C 594	201 229	< 1	0.01	22	340	24	< 2	7	19	0.10	< 10	< 10	81	10	88
92C 595	201 229	< 1	< 0.01	18	360	50	< 2	6	19	0.11	< 10	< 10	70	10	82
92C 596	201 229	1	0.01	31	250	20	< 2	7	21	0.10	< 10	< 10	81	10	112
92C 597	201 229	1	0.01	20	340	48	< 2	5	24	0.13	< 10	< 10	87	10	86
92C 598	201 229	< 1	0.01	23	170	10	2	6	24	0.13	< 10	< 10	72	10	76
92C 599	201 229	< 1	0.01	25	330	16	2	8	29	0.14	< 10	< 10	85	10	92

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS • SOILS • SILTS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 04-NOV-92
 Invoice No. : 19223720
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments :

CERTIFICATE OF ANALYSIS A9223720

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
92C 601	201 229	< 5	< 0.2	2.61	70	160	< 0.5	< 2	0.13	< 0.5	11	39	21	3.42	< 10	< 1	0.06	10	0.50	210
92C 602	201 229	< 5	0.2	2.23	22	300	< 0.5	< 2	0.19	< 0.5	9	38	26	3.15	< 10	< 1	0.09	10	0.55	245
92C 603	201 229	< 5	1.0	1.76	26	400	< 0.5	< 2	0.23	< 0.5	11	44	40	3.29	< 10	< 1	0.31	20	0.68	300
92C 604	201 229	< 5	< 0.2	0.92	18	140	< 0.5	< 2	0.19	< 0.5	2	17	9	1.16	< 10	< 1	0.05	10	0.25	85
92C 605	201 229	< 5	0.2	1.84	14	160	< 0.5	< 2	0.15	< 0.5	8	31	15	2.74	< 10	< 1	0.09	10	0.45	210
92C 606	201 229	< 5	0.2	1.92	26	200	< 0.5	< 2	0.13	< 0.5	9	33	21	3.01	< 10	< 1	0.07	10	0.53	225
92C 607	201 229	< 5	0.4	1.53	12	220	< 0.5	< 2	0.12	< 0.5	6	29	26	2.28	< 10	< 1	0.06	10	0.37	110
92C 608	201 229	< 5	0.8	1.94	< 2	330	< 0.5	< 2	0.29	< 0.5	15	40	19	2.83	< 10	< 1	0.28	10	0.98	225
92C 609	201 229	< 5	0.4	1.87	28	180	< 0.5	< 2	0.15	< 0.5	7	34	21	2.93	< 10	< 1	0.08	10	0.47	180
92C 610	201 229	< 5	0.4	2.65	32	310	< 0.5	< 2	0.12	0.5	10	44	34	3.73	< 10	< 1	0.14	20	0.59	245
92C 611	201 229	< 5	0.2	2.50	66	350	< 0.5	< 2	0.30	< 0.5	11	44	23	3.20	< 10	< 1	0.09	10	0.59	300
92C 612	201 229	< 5	0.4	1.62	40	210	< 0.5	< 2	0.14	< 0.5	8	47	31	3.02	< 10	< 1	0.09	10	0.44	290
92C 613	201 229	10	0.6	2.45	52	330	< 0.5	< 2	0.26	< 0.5	12	46	36	3.52	< 10	< 1	0.10	10	0.58	435
92C 614	201 229	< 5	0.4	1.96	22	270	< 0.5	< 2	0.17	< 0.5	9	38	32	2.85	< 10	< 1	0.11	10	0.54	250
92C 615	201 229	< 5	0.6	2.27	12	290	< 0.5	< 2	0.30	< 0.5	15	41	26	3.20	< 10	< 1	0.10	10	0.64	440
92C 616	201 229	< 5	0.6	1.86	6	210	< 0.5	< 2	0.21	< 0.5	13	35	32	3.02	10	< 1	0.15	20	0.63	580
92C 617	201 229	< 5	1.6	2.32	< 2	210	< 0.5	< 2	0.13	< 0.5	12	37	36	4.17	< 10	< 1	0.57	30	0.94	395
92C 618	201 229	< 5	1.0	2.46	< 2	240	< 0.5	< 2	0.13	< 0.5	13	42	31	3.61	< 10	< 1	0.17	10	0.75	335
92C 619	201 229	< 5	0.6	2.13	26	260	< 0.5	< 2	0.15	< 0.5	9	41	18	3.36	< 10	< 1	0.10	10	0.67	285
92C 620	201 229	15	0.8	1.91	6	270	< 0.5	< 2	0.15	0.5	9	41	27	3.14	< 10	< 1	0.12	10	0.63	370
92C 621	201 229	< 5	0.8	2.25	2	290	< 0.5	< 2	0.24	< 0.5	13	60	20	3.29	< 10	< 1	0.27	30	0.88	475
92C 622	201 229	< 5	0.4	2.40	18	190	< 0.5	< 2	0.16	< 0.5	10	40	16	3.44	< 10	< 1	0.18	10	0.69	270
92C 623	201 229	< 5	0.4	1.53	< 2	150	< 0.5	< 2	0.16	< 0.5	7	28	17	2.37	< 10	< 1	0.15	40	0.42	260
92C 624	201 229	< 5	0.6	1.80	6	200	< 0.5	< 2	0.17	< 0.5	12	35	19	3.25	< 10	< 1	0.28	50	0.54	695
92C 625	201 229	< 5	0.6	1.52	< 2	310	< 0.5	< 2	0.34	< 0.5	7	40	24	1.99	< 10	< 1	0.25	10	0.66	190
92C 626	201 229	< 5	0.4	1.87	6	400	< 0.5	< 2	0.28	< 0.5	7	54	18	2.44	< 10	< 1	0.21	10	0.80	205
92C 627	201 229	< 5	0.6	1.47	< 2	300	< 0.5	< 2	0.24	< 0.5	6	34	15	1.85	< 10	< 1	0.21	10	0.61	165
92C 628	201 229	< 5	0.2	1.83	< 2	340	< 0.5	< 2	0.25	< 0.5	9	48	19	2.69	< 10	< 1	0.11	10	0.67	270
92C 629	201 229	10	0.2	1.91	6	230	< 0.5	< 2	0.23	< 0.5	8	41	16	2.65	< 10	< 1	0.09	10	0.67	175
92C 630	201 229	< 5	< 0.2	1.55	6	240	< 0.5	2	0.29	< 0.5	8	37	18	2.35	< 10	< 1	0.08	10	0.57	215
92C 631	201 229	< 5	< 0.2	1.46	< 2	250	< 0.5	< 2	0.37	< 0.5	9	34	19	2.35	< 10	< 1	0.08	20	0.53	255
92C 632	201 229	< 5	0.2	1.65	2	290	< 0.5	2	0.32	< 0.5	8	31	16	2.30	< 10	< 1	0.08	20	0.46	235
92C 633	201 229	< 5	0.2	1.77	< 2	320	< 0.5	< 2	0.35	< 0.5	9	37	17	2.55	< 10	< 1	0.11	20	0.61	240
92C 634	201 229	< 5	1.8	1.89	2	260	< 0.5	< 2	0.22	< 0.5	12	33	41	3.07	10	< 1	0.29	60	0.56	550
92C 635	201 229	< 5	0.6	1.77	2	300	< 0.5	< 2	0.30	< 0.5	14	54	50	2.91	< 10	< 1	0.27	10	0.96	225
92C 636	201 229	< 5	3.4	2.88	4	1140	< 0.5	< 2	0.58	< 0.5	45	139	133	4.13	< 10	< 1	1.39	< 10	3.13	395
92C 637	201 229	< 5	0.4	1.54	8	240	< 0.5	< 2	0.28	< 0.5	13	63	29	2.67	< 10	< 1	0.19	10	0.88	225
92C 638	201 229	< 5	0.2	1.79	10	340	< 0.5	< 2	0.37	< 0.5	16	59	28	2.86	< 10	< 1	0.14	10	0.95	310
92C 639	201 229	< 5	0.6	1.60	6	330	< 0.5	< 2	0.38	< 0.5	15	54	31	2.73	< 10	< 1	0.29	10	1.03	235
92C 640	201 229	20	0.2	1.60	40	140	< 0.5	< 2	0.10	< 0.5	8	33	30	2.59	< 10	< 1	0.07	20	0.39	190

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS - SOILS - SLTS
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 04-NOV-92
 Invoice No. : 19223720
 P.O. Number :
 Account : FGF

Project : YUKON
 Comments:

CERTIFICATE OF ANALYSIS

A9223720

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
92C 601	201	229	< 1	< 0.01	25	340	12	4	4	13	0.08	< 10	< 10	69	< 10	62
92C 602	201	229	< 1	0.01	22	560	14	4	5	18	0.08	< 10	< 10	78	< 10	78
92C 603	201	229	2	0.01	28	660	14	2	5	23	0.10	< 10	< 10	77	< 10	116
92C 604	201	229	< 1	< 0.01	9	340	6	< 2	2	17	0.06	< 10	< 10	29	< 10	38
92C 605	201	229	< 1	< 0.01	16	250	8	< 2	4	13	0.09	< 10	< 10	63	< 10	60
92C 606	201	229	1	< 0.01	16	360	12	2	4	12	0.10	< 10	< 10	76	< 10	68
92C 607	201	229	1	0.01	12	530	12	2	2	13	0.05	< 10	< 10	62	< 10	50
92C 608	201	229	< 1	0.02	19	470	4	< 2	4	11	0.14	< 10	< 10	74	< 10	70
92C 609	201	229	1	< 0.01	18	390	12	4	4	15	0.09	< 10	< 10	81	< 10	68
92C 610	201	229	2	0.01	30	490	16	4	6	17	0.10	< 10	< 10	84	< 10	116
92C 611	201	229	1	0.01	24	460	12	4	5	25	0.10	< 10	< 10	82	< 10	76
92C 612	201	229	1	< 0.01	21	590	12	4	4	16	0.07	< 10	< 10	74	< 10	88
92C 613	201	229	1	0.01	26	630	10	6	7	24	0.09	< 10	< 10	88	< 10	84
92C 614	201	229	1	0.01	21	580	12	4	5	18	0.08	< 10	< 10	70	< 10	68
92C 615	201	229	1	0.01	23	420	10	2	4	25	0.11	< 10	< 10	88	< 10	96
92C 616	201	229	1	< 0.01	23	590	8	< 2	4	20	0.09	< 10	< 10	63	< 10	80
92C 617	201	229	1	< 0.01	28	400	156	< 2	5	16	0.16	< 10	< 10	55	10	282
92C 618	201	229	< 1	< 0.01	30	250	16	< 2	5	13	0.11	< 10	< 10	65	< 10	78
92C 619	201	229	1	0.01	20	460	22	2	6	14	0.09	< 10	< 10	78	< 10	80
92C 620	201	229	1	< 0.01	25	440	28	< 2	5	15	0.09	< 10	< 10	70	< 10	90
92C 621	201	229	1	0.01	20	450	18	2	5	20	0.15	< 10	< 10	64	< 10	88
92C 622	201	229	< 1	0.01	26	270	16	2	5	16	0.13	< 10	< 10	67	< 10	76
92C 623	201	229	< 1	0.01	10	440	8	< 2	4	12	0.08	< 10	< 10	43	< 10	68
92C 624	201	229	< 1	0.01	12	520	14	< 2	6	11	0.12	< 10	< 10	52	< 10	92
92C 625	201	229	< 1	0.01	11	680	4	< 2	5	14	0.12	< 10	< 10	43	< 10	56
92C 626	201	229	< 1	0.01	18	670	8	2	6	15	0.12	< 10	< 10	51	< 10	70
92C 627	201	229	< 1	< 0.01	8	620	8	< 2	4	12	0.11	< 10	< 10	34	< 10	56
92C 628	201	229	< 1	0.01	18	610	12	2	5	16	0.10	< 10	< 10	57	< 10	70
92C 629	201	229	< 1	0.01	24	560	8	4	4	15	0.09	< 10	< 10	55	< 10	68
92C 630	201	229	< 1	0.01	14	580	8	2	4	16	0.09	< 10	< 10	49	< 10	58
92C 631	201	229	< 1	0.01	16	570	8	< 2	5	23	0.10	< 10	< 10	50	< 10	62
92C 632	201	229	< 1	0.01	16	590	14	< 2	4	24	0.07	< 10	< 10	47	< 10	58
92C 633	201	229	< 1	0.01	17	560	14	2	5	24	0.10	< 10	< 10	51	< 10	62
92C 634	201	229	1	0.01	22	290	22	2	5	20	0.13	< 10	< 10	57	< 10	60
92C 635	201	229	< 1	0.01	24	300	8	< 2	4	20	0.16	< 10	< 10	77	< 10	54
92C 636	201	229	< 1	0.01	48	100	10	2	5	19	0.53	< 10	< 10	183	< 10	46
92C 637	201	229	< 1	0.01	21	140	8	2	3	17	0.16	< 10	< 10	77	< 10	46
92C 638	201	229	< 1	0.01	24	130	12	4	4	20	0.15	< 10	< 10	79	< 10	50
92C 639	201	229	< 1	0.01	23	130	8	2	4	21	0.19	< 10	< 10	85	< 10	48
92C 640	201	229	< 1	< 0.01	17	220	10	2	4	14	0.06	< 10	< 10	55	< 10	52

CERTIFICATION: *Jhai D Ma*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS - ROCKS (205) Page Number : 1-A
 ATTN: JIM CHRISTIE Total Pages : 1
 3921 W. 31ST AVE. Certificate Date: 04-NOV-92
 VANCOUVER, BC Invoice No. : 19223721
 V6S 1Y4 P.O. Number :
 Account : FGF

Project : YUKON
 Comments:

CERTIFICATE OF ANALYSIS A9223721

SAMPLE	PREP CODE		Au ppb	Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
	FA+AA	FA+AA	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%
92C 641	205	226	< 5	-----	< 0.2	0.53	180	80	< 0.5	2	0.01	< 0.5	5	98	36	8.59	< 10	< 1	0.09	< 10	0.03
92C 642	205	226	< 5	-----	< 0.2	0.18	1830	30	< 0.5	2	< 0.01	< 0.5	< 1	122	40	3.75	< 10	8	0.04	< 10	< 0.01
92C 643	205	226	30	-----	0.8	0.35	22	100	< 0.5	2	0.07	< 0.5	1	94	66	2.44	< 10	< 1	0.08	< 10	0.06
92C 644	205	226	< 5	-----	0.4	0.50	16	310	0.5	< 2	0.08	< 0.5	< 1	132	6	0.48	< 10	1	0.09	30	0.03
92C 645	205	226	< 5	-----	0.2	0.06	4	20	< 0.5	< 2	< 0.01	< 0.5	< 1	223	7	0.40	< 10	< 1	0.02	< 10	< 0.01
92C 646	205	226	< 5	-----	0.4	0.15	8	30	< 0.5	< 2	< 0.01	< 0.5	< 1	261	4	0.43	< 10	< 1	0.04	< 10	< 0.01
92C 647	205	226	< 5	-----	0.6	0.22	2	500	< 0.5	< 2	0.02	< 0.5	< 1	111	4	0.32	< 10	1	0.11	< 10	0.01
92C 689	205	226																			
92C 692	205	226																			
92C 693	205	226																			
92C 694	205	226																			

CERTIFICATION:

Jhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD. CHILDS + ROCKS (205)
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 1-B
Total Pages : 1
Certificate Date: 04-NOV-92
Invoice No. : I9223721
P.O. Number :
Account : FGF

Project : YUKON
Comments:

CERTIFICATE OF ANALYSIS

A9223721

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
92C 641	205	226	100	< 1	< 0.01	43	630	2	4	11	8	< 0.01	< 10	< 10	55	< 10	354
92C 642	205	226	20	< 1	< 0.01	1	160	< 2	46	< 1	6	< 0.01	< 10	< 10	15	< 10	14
92C 643	205	226	30	15	< 0.01	1	50	36	2	1	7	< 0.01	< 10	< 10	4	< 10	26
92C 644	205	226	30	2	< 0.01	2	10	6	< 2	1	6	< 0.01	< 10	< 10	1	< 10	8
92C 645	205	226	20	2	< 0.01	3	10	4	< 2	< 1	1	< 0.01	< 10	< 10	1	< 10	6
92C 646	205	226	30	2	< 0.01	3	10	2	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10	4
92C 647	205	226	15	1	< 0.01	2	30	6	2	1	7	< 0.01	< 10	< 10	1	< 10	20
92C 689	205	226															
92C 692	205	226															
92C 693	205	226															
92C 694	205	226															

CERTIFICATION:

Jhai D Ma

FORM 83-204(1-71)

NAME
NOM CHRISTIE, James S.FILE NO.
Box 85 Dawson City, Yukon YOB 1GD DOSSIER NO. W0511

DATE		SUBJECT-OBJET		
28 Jul	95	YB41150-181 / Go 48-79		Rob Roy Area 1150-10
11 Sep	95	YB41469-88 : CG 1-20		Eureka Dome Area 1150-10
11 Sep	95	YB41489-92 c CG 33-36		Eureka Dome Area 1150-10
31 May	94	YB41920-27 GO 80-87		Meiba Cr Area 1150-10
31 May	94	YB41928-37 RR 1-10		Rob Roy Cr Area 1150-10
31 May	94	YB41938-45 RR 13-20		Rob Roy Cr Area 1150-10
31 May	94	YB41946-71 RR 25-50		Rob Roy Cr Area 1150-10
18 Jun	94	YB42195-200 EG 1-6		Eureka Cr Area 1150-10
18 Jun	94	YB44801-04 EG 7-10		Eureka Cr Area 1150-10
18 Jun	94	YB44805-06 BP 1-2		Childs Gulch Area 1150-10
29 Jun	94	YB44833-54 GR 5-26		Gold Run Cr Area 1150-10
29 Jun	94	YB44855-76 GR 53-74		Gold Run Cr Area 1150-10
4 Aug	94	YB45221-24 RR 51-54		Lower Gold Run 1150-10
9 Aug	94	YB45267-68 CG F 1-2		Childs Cr Area 1150-10
9 Aug	94	YB45269-83 BP 23-37		Childs Cr Area 1150-10/07
9 Aug	94	YB45284-309 BHG 1-26		Black Hills Area 1150-10
13 Sep	94	YB45566-81 EG 11-26		Eureka Dome Area 1150-10

*needs
approval*

MINFILE: 1150 057
PAGE NO: 1 of 2
UPDATED: 06/25/94

**YUKON MINFILE
STANDARD REPORT
EXPLORATION AND GEOLOGICAL SERVICES DIVISION, DIAND
WHITEHORSE**

NAME(S): Eureka
MINFILE #: 1150 057
MAJOR COMMODITIES: -
MINOR COMMODITIES: -
TECTONIC ELEMENT: Yukon Tanana Terrane

NTS MAP SHEET: 115 O 10
LATITUDE: 63°32'29"N
LONGITUDE: 138°51'03"W
DEPOSIT TYPE: Unknown
STATUS: Anomaly

CLAIMS (PREVIOUS AND CURRENT)

JUMBO, SKUKUM, PERSHING, SILVER KING, BLACK HILLS LODGE, REKA, CHI, GO, CG, CLARA, EG, BP, CLARA B

WORK HISTORY

Staked as Jumbo cl (4608) in May, 1900 and as Skukum cl (1876) in Jun/01. Other claims in this area include Harriet Smith cl (1262) in Oct/08. The Pershing and Jumbo cl (13238) were staked to the south, on the ridge between Ida and Sprague Pups, in Jul/20.

Other nearby claims in the Black Hills Creek Valley include Silver King cl (12197) in Dec/11 by H.M. Peck, who trenched in 1912 (between Golden Gate and 28 Pups), and Black Hills Lode cl (12433) in Aug/14 by H. Porter, who trenched later in the year (between Golden Gate and Carpent Pups).

The area was restaked as Reka cl (YB4992) in May/88 by Dawson Eldorado ML and Wealth Res L, which mapped and soil sampled in 1989. F. Dorward staked CHI cl (YA89771) 3 km to the south in Aug/87 and trenched in 1988-89.

Restaked Sep/92 as CG 1-36 cl (YB41469) and GO cl (YB41153) by J.S. Christie. B. Harris and D. Moore staked Clara 1-58 cl (YB41533) 1 km to the west, also in Sept/92. J. Christie and F. Dorward conducted a geochemical soil sampling program on the CHI and CG claims in Sept/92.

In Sept/93, D. Moore performed a geological mapping program on the Clara cl. J. Christie added the EG 1-10 cl (YB42195) and the BP 1-2 cl (YB44805) in Jun/93, and the CG f 1-2 (YB45267), BHG 1-26 cl (YB45284) and BP 23-37 cl (YB45269) in Aug/93. C.R. Little added the Clara B 1-12, and 15-98 cl (YB44921) in Jul/93. J. Christie conducted a geochemical sampling program on the GO claims in Jul/93, and trenched and sampled the CG cl in Aug/93. J. Christie added the EG 11-26 cl (YB45566) in Sept/93.

GEOLOGY

The Reka claims are underlain by thin-bedded Nasina Series quartzite. Breccia zones are associated with three major north to northwest fractures which cut across the property. The breccias consist of quartzite fragments cemented by limonite and silica. Where the most prominent fracture crosses the right fork of Eureka Creek, a zone of graphitic gouge 6 m wide is flanked by bleached, argillized, and pyritized wallrocks.

Dawson Eldorado's soil sampling in 1989 outlined three anomalous areas. (1) Samples across the central breccia zone returned values up to 520 ppm As and 180 ppb Au. (2) Values up to 496 ppb Au were obtained from the head of the right fork where the westernmost lineament crosses the ridge. Baritic quartz float found in this area contained up to 208 ppb Au. (3) Soil samples adjacent to the easternmost lineament returned values up to 155 ppb Au.

The 1992 soil and rock geochemical sampling program on the CHI and CG claims outlined three areas anomalous in gold and arsenic.

MINFILE: 1150 057
PAGE NO: 2 of 2
UPDATED: 06/25/94

REFERENCES

CHRISTIE and DORWARD Sept/93. Assessment Report #093132 by J.S. Christie.

DAWSON ELDORADO MINES LTD AND WEALTH RESOURCES INC., Sep/88. Assessment Report #092720 by P.D. Van Angeren.

YUKON EXPLORATION 1989, p. 128-129.