

MAP NO.: 105J 11
ASSESSMENT REPORT
PROSPECTUS
CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 093169
MINING DISTRICT: Whitehorse
TYPE OF WORK: GEOCHEM, GEOLOGY

REPORT FILED UNDER: AURUM GEOLOGICAL

DATE PERFORMED: SEPTEMBER 15-17, 1993

DATE FILED: MARCH 14, 1994

LOCATION: LAT.: 62°43'N

AREA: MT SHELDON

LONG.: 131°05'W

VALUE \$: 4,800

CLAIM NAME & NO.: SHELDON 1-48(YB36642-699)

WORK DONE BY: R.A. DOHERTY

WORK DONE FOR: CONSOLIDATED RAMROD GOLD CORP.

DATE TO GOOD STANDING:

REMARKS: 22 ROCK AND 15 SOIL SAMPLES COLLECTED
POOR RESULTS



TRANSMITTAL FORM

M.R. file no.
R.M.M.R. file no.
Date forwarded 14 March 94

From Mining Recorder at: Whitehorse

To Regional Manager, Mineral Rights at Whitehorse, Y.T.

For action are:

- NEW APPLICATION FOR PLACER LEASE TO PROSPECT Name
- RENEWAL APPLICATION PLACER LEASE TO PROSPECT Name Lease no.
- AFFIDAVIT OF EXPENDITURE ON PLACER LEASE Name Lease no.
- SECURITY DEPOSIT
- FINANCIAL ABILITY
- ASSIGNMENT OF PLACER LEASE NO. From To

GROUPING APPLICATION UNDER SEC. 52(2) PLACER MINING ACT. Owner

DIAMOND DRILL LOGS Claims Claim sheet no.

QUARTZ ASSESSMENT REPORT Claims Claim sheet no.

Type of report G.G.C. Submitted by Aurum Geological

Cls. work performed on SHELDON 1-48 \$ req. for ren. application
\$4,800.00


Signature

REPLY ACTION

Date returned

093169

Signature



**REPORT ON THE 1993
GEOLOGICAL AND GEOCHEMICAL
ASSESSMENT WORK ON THE
MOUNT SHELDON PROPERTY**

093169

Whitehorse Mining District, Yukon
September 16, 1993

Claims: Sheldon 1-48 (YB36641-699)

Location: 1. 305 km NE of Whitehorse, Yukon
2. 105 J/11
3. Latitude: 62° 43'N
Longitude: 131° 05'W

For: CONSOLIDATED RAMROD GOLD CORPORATION
1440 - 625 Howe Street
Vancouver, B.C.,
V6C 2T6

By: R. Allan Doherty, P. Geo
J. A. vanRanden, B.Sc.,
Aurum Geological Consultants Inc.
205-100 Main Street
P.O. Box 4367
Whitehorse, Yukon
Y1A 3T5

March 1, 1994

SUMMARY

The Mount Sheldon property is an intrusive hosted gold exploration target that consists of 48 contiguous mineral claims centred on Mount Sheldon, Sheldon Lake map area, Yukon. They are accessible by helicopter, based out of Ross River (105 km to the SW) or by the Canol Road which abuts the southeast corner of the claim block.

The claims lie within the Selwyn Basin, part of the Ominica Belt. The Selwyn Basin consists of a prism of sedimentary rocks of Precambrian to Jurassic age deposited along the western margin of ancient North America.

A suite of Cretaceous granitoid intrusions intrude the Selwyn Basin as plugs, plutons and batholiths. One such pluton is found on the property intruding along the fault contact between sedimentary rocks of the Road River Group, underlying the southern half of the property, and Hyland Group rocks to the north.

Interest in the ground developed in 1991 when significant gold mineralization was discovered at Dublin Gulch, Yukon using the Fort Knox, Alaska, deposit model. The Dublin Gulch deposit is hosted by a pluton of the Selwyn Plutonic Suite.

In 1944, the Geological Survey of Canada located three gold bearing quartz veins, in and near the granite, and one sample returned 0.69 gpt gold and 0.06% tin. In 1990 the release of regional stream sediment survey results by the Geological Survey of Canada indicated a creek draining the west side of the property is anomalous in copper, molybdenite, antimony, arsenic and tungsten.

In 1992 and 1993, the claims were examined by Aurum Geological Consultants Inc. to determine their economic potential with emphases on granitic associated gold mineralization. A total of 22 rock samples were collected of which ten returned gold values between 15 and 1160 ppb gold. Anomalous silver, arsenic, bismuth, tungsten and tellurium values were also reported from samples of megacrystic granite. Alteration ranged from a weak yellow - green staining to a moderately developed stockwork of quartz veinlets.

Based on these results, a program of prospecting, geological mapping and geochemical sampling is recommended. A \$30,000 exploration program is warranted and recommended.

TABLE OF CONTENTS

	Page
SUMMARY	i
TABLE OF CONTENTS	ii
INTRODUCTION	1
LOCATION AND ACCESS	1
PHYSIOGRAPHY, CLIMATE AND VEGETATION	3
PROPERTY	3
HISTORY	5
GEOLOGY	5
Regional Geology	5
Property Geology	6
MINERALIZATION	9
GEOCHEMISTRY	10
1993 Results	10
CONCLUSIONS AND RECOMMENDATIONS	11
REFERENCES	13
STATEMENT OF QUALIFICATIONS (RAD)	14
STATEMENT OF QUALIFICATIONS (JvR)	15
STATEMENT OF COSTS	16

LIST OF FIGURES

Figure 1: Location Map; 1:1,000,000	2
Figure 2: Claim Map; 1:31,680	4
Figure 3: Geology & Geochemistry Map; 1:20,000	8

LIST OF TABLES

Table 1: Sheldon Claim Data	3
-----------------------------	---

LIST OF APPENDICES

Appendix A - Analytical Methods and Reports	
Appendix B - Rock Sample Descriptions	

INTRODUCTION

This report was prepared at the request of the directors of Consolidated Ramrod Gold Corporation, owner of the Sheldon 1-48 claims, herein after called the Mount Sheldon property. Its purpose is to assess the property's economic potential and to satisfy assessment requirements through a description of exploration work carried out in 1993.




The property is located approximately 305 kilometres NE of Whitehorse, Yukon (Figure 1) in the Whitehorse Mining District, and is accessible by road or helicopter.

Exploration work carried out in 1993 consisted of geological mapping, geochemical sampling, and prospecting for the purpose of locating gold deposits. This work was carried out on September 16, 1993 by; Al Doherty, P.Geo., Jo-Anne vanRanden, B.Sc., and Conrad Fox of Aurum Geological Consultants Inc. Previous work is summarized from published reports and maps (Hulstein, 1992; Kindle, 1945).

LOCATION AND ACCESS

The claims are located 105 km NE of Ross River, Yukon (Figure 1). The Canol Road (Yukon highway #6), leading to Macmillan Pass, abuts the southeast corner of the property. The Canol Road is currently not maintained during the winter months. The claims are centred at approximately 62° 43' N latitude and 131° 05' W longitude within NTS map area 105 J/11.

Access to the property in 1993 was by helicopter, based in Ross River, from a staging site on the North Canol Road, near Sheldon Lake. Various "Cat" trails cross the southern portion of the property. The property can also be accessed by a two hour drive northeast on the North Canol Road from Ross River. There are no services on the North Canol Road but the Ross River Band maintains a summer camp just off the road on the south side of the claim block.



CONSOLIDATED RAMROD GOLD CORP.
MOUNT SHELDON PROPERTY

LOCATION

PHYSIOGRAPHY, CLIMATE AND VEGETATION

The Mount Sheldon property covers Mount Sheldon, a prominent topographic feature of the Ross Lowland (Mathews, 1986). Elevations on the property range from 900m, on the Canol Road, to the 2107m peak of Mount Sheldon. The peak is flanked by steep slopes with local cliffs and felsenmeer covered ridges. Two tarns are located on the north side of Mount Sheldon. Some snow on the uppermost northeast facing slopes is presumed to remain year round.

An interior continental climate with moderate precipitation of 40 cm annually, warm summers and cold winters typifies the area. Permafrost is discontinuous, and is present only on the steeper north and east facing slopes and low marshy forested areas. The property is usually snow free from late June to mid September.

Approximately half of the property is above treeline. Ground cover consists of moss, alpine plants, dwarf willow and birch. White spruce and balsam fir forest covers the slopes below treeline.


Recent Pleistocene glaciation scoured the slopes of Mount Sheldon. As a result outcrop is good (20%) except on lower ridge slopes and forested areas. A large portion of the property is covered by felsenmeer and talus fines.

PROPERTY

The property consists of 48 contiguous unsurveyed two-post quartz claims, covering approximately 2401 acres (972 hectares), staked in accordance with the Yukon Quartz Mining Act (Figure 2). The claims were staked by Gordon Clark for Kokanee Explorations Ltd. (now Consolidated Ramrod Gold Corporation) on December 29, 1991 and recorded on December 31, 1991. The claims lie within the Whitehorse Mining District. The southeast corner of the claim group abuts the boundary between the Whitehorse and Watson Lake Mining Districts, which follows the Canol Road. Claim data are as follows:

TABLE 1		Red Mountain Claim Data		
CLAIM NAME	GRANT NUMBERS	No. CLAIMS	MINING DISTRICT	EXPIRY DATE*
Sheldon 1-48	YB36641-688	48	Whitehorse	Dec. 31, 1994

* subject to approval of 1993 assessment work.



LEGEND

- claim boundary
- claim number
- tag number
- staking direction
- creek
- 500 elevation contour; interval 500 ft.



CONSOLIDATED RAMROD GOLD CORP.	
MOUNT SHELDON PROPERTY	
CLAIM MAP	
<i>Aurum Geological Consultants Inc.</i>	Nov., 1993
NTS 105.1/11	DRAWN BY NH SCALE 1:31,000 FIGURE : 2

Note: adapted from D.I.A.N.D. map sheet

HISTORY

According to Yukon Minfile, (DIAND, 1993) Mount Sheldon has not been staked previously. The area was presumably prospected for placer gold prior to 1944 when the Canol Road and pipeline was built. The Geological Survey of Canada discovered mineralized gold-bearing quartz veins on the flanks of Mount Sheldon in 1944 (Kindle, 1945). It is not known who constructed the "Cat" trails across the southern portion of the property, or why they were built. There was a site pointed out by the helicopter pilot on the east side of the claims and north of the Canol Road which could be an old drill core storage site.

The Sheldon property was staked by Kokanee Explorations Ltd. (now Consolidated Ramrod Gold Corporation) to cover the known mineralized quartz veins and the source area of moderately anomalous arsenic and antimony values detected in stream sediments by the Geological Survey of Canada (Hornbrook et al., 1990). The current exploration model is focused on gold deposits hosted by granite intrusives. This became an attractive target with the discovery of the Fort Knox gold deposit, located near Fairbanks Alaska, and the discovery of similar intrusive hosted gold at Dublin Gulch, Yukon.

GEOLOGY

Regional Geology

The following is taken largely from a private company report by Cryst Exploration (1992). The Mount Sheldon property is situated within the Selwyn Basin, part of the Ominica Belt (Wheeler et al., 1991). The Selwyn Basin is imperfectly defined (Abbott et al, 1986) and is used here to describe that part of the cordilleran miogeocline comprised of a prism of sedimentary rocks, of Precambrian to Jurassic age, deposited along the western margin of ancient North America. The eastern margin of the basin is marked by the Paleozoic shale - carbonate transition zone while the western margin is defined by the Teslin fault or suture. The sedimentary basin was active from the late Proterozoic to Middle Jurassic (Abbott et al, 1986). Widespread thin mafic volcanic flows, breccias, and tuffs are found throughout the basin. All of the large stratabound, sediment hosted lead - zinc deposits in the northern Canadian Cordillera are found within the Selwyn Basin.

Sedimentation ceased in the Middle Jurassic in the outer miogeocline with the collision of a Mesozoic island-arc, the Yukon - Tanana Terrane (Tempelman-Kluit, 1979). The Teslin fault or suture is believed to define the boundary between North American miogeocline and Yukon - Tanana Terrane. The collision spread eastward with the miogeocline being over thrust by oceanic rocks and the entire package became deformed.

Two suites of orogenic granitoid intrusives, ranging in age from Paleozoic to Cenozoic, are found on both sides of the Tintina fault. Granitoid emplacement peaked during the Early - Middle Cretaceous (Tempelman-Kluit, 1981). The Western Suite granitoid intrusives found west and southwest of the Selwyn Basin are predominantly granodioritic in composition, and host porphyry copper - molybdenum and copper skarn deposits. The Eastern or Selwyn Plutonic Suite granites are distributed along a northwest trending arcuate belt within the Selwyn Basin. This belt extends from Fairbanks (Fort Knox) through the Keno Hill district (Dublin Gulch) and as far east as the MacTung Deposit. These granitic bodies commonly host tin, tungsten, and molybdenum mineralization. The Dublin Gulch deposit is hosted by a quartz monzonite pluton of the Selwyn Plutonic Suite (Tempelman-Kluit, 1981).

The Tintina fault generally follows the Mesozoic suture which separates ancestral North America from the composite accreted terrane, the Yukon - Tanana Terrane. At least 450 km of dextral strike slip movement has taken place along the Tintina fault since latest Cretaceous or Early Tertiary time (Tempelman-Kluit, 1979). This has caused western parts of the Selwyn Basin to be offset and juxtaposed against itself along the Tintina fault.

The geology of the Sheldon Lake map area has been most recently mapped by Gordey et al. (1987) at a scale of 1:250,000. The Mount Sheldon property lies within the upper panel of the Sheldon Thrust one to two kilometres south of where the Sheldon thrust outcrops. Late Proterozoic Hyland group, sandstone, quartzite, conglomerate, slate, and minor limestone are thrust over Ordovician-Silurian Road River Group shale, mudstone, and chert (Gordey et al., 1987).

Mount Sheldon is bisected by a regional northwest trending normal fault, through the upper panel of the Sheldon Thrust (Gordey et al., 1987). A small (<2 km) pluton of the Selwyn Plutonic Suite intrudes this normal fault between the Hyland and Road River Groups.


Property Geology

As shown on Figure 3, the most common sedimentary lithologies on the property are shale, slate, and chert of the Ordovician-Silurian-Devonian Road River Group. These rocks outcrop on the southern portion of the property and are in fault contact with Hyland Group rocks to the north. The Late Proterozoic Hyland Group outcrops on the northern portion of the property and consist of massive quartzite, slate, argillite and minor limestone. Rocks of both the Road River Group and the Hyland Group generally strike east to southeast and dip moderately to steeply south.


A two kilometre by one kilometre Cretaceous biotite granite to granodiorite intrudes the northwest trending normal fault that bisects the property. The intrusion is elongated in a northwest direction. A small, less than two hundred by three hundred meter, cupola is located less than a kilometre to the west of the main intrusion on the same normal fault. Rusty weathering to tan hornfels is developed in the surrounding metasedimentary rocks. The granite found on the Mount Sheldon property is typical of the Selwyn Plutonic Suite and similar to the pluton found at Dublin Gulch.

The granite is commonly grey, locally tan (due to limonite), medium grained with megacrystic feldspar crystals up to 4.0 cm long. Overall the granite is composed largely of feldspar, both medium grained and megacrystic crystals, and quartz with an average of 5% biotite and hornblende. Numerous dykes, and possibly sills, of granite, locally megacrystic but frequently fine to medium grained, are found near the margin of the intrusive. Preliminary reconnaissance mapping in 1992 and 1993 indicates that the granite contact is far more irregular than is currently shown on Figure 3.

The K-feldspar megacrysts are probably of late stage metasomatic origin. They are commonly fractured and the fractures are infilled with pyrite and pyrrhotite. A pervasive and persistent northeast joint set is the locus of quartz stockwork veining. The veins fill the joint surfaces and commonly display a thin limonite and sericite selvage.



LEGEND



Lithologies

- Kg** Cretaceous granite
- OSr** Road River Group: Ordovician chert, shale, argillite
- PEh** Hyland Group: Proterozoic quartzite, argillaceous limestone, slate


Symbols

- geological contact, approximate
- - - fault, approximate
- 1993 rock sample location
- 1993 soil sample location
- ADR93009/<5 ppb Au sample number

geology after Gordey et al., 1987.

contour interval 100 metres

**CONSOLIDATED RAMROD GOLD CORP.
MOUNT SHELDON PROPERTY**



**GEOLOGY
AND
GEOCHEMISTRY**

Aurum Geological Consultants Inc.		Feb. 1994
NTS 105 J/11	Drawn: GDS	Scale 1:20,000
		Figure 3

MINERALIZATION

Significant mineralization discovered on the property to date consists of gold-bearing arsenopyrite quartz veins hosted by the granitic intrusive and adjacent hornfelsed metasedimentary rocks (Kindle, 1945). Three separate showings were discovered in 1944 by Kindle of the Geological Survey of Canada on the east, northeast, and south sides of Mount Sheldon.

According to the Yukon Minfile (DIAND, 1993) the showing, on the east side of the mountain, consists of a 60 cm wide quartz vein cutting porphyritic granite exposed for a strike length of 15 m. A chip sample containing 5% arsenopyrite assayed 0.51 g/t gold. On the northeast side of the mountain, a chip sample from a 30 by 60 cm area of pyrrhotite in hornfelsed metasedimentary rock and limestone, assayed 0.2% copper and trace gold. On the south side of Mount Sheldon, a small quartz - arsenopyrite vein cutting granite assayed 0.69 g/t gold and 0.06% tin.

Work in 1993 was directed towards testing the granite for bulk tonnage disseminated gold potential. Disseminated pyrite (<0.5%) was the most common sulphide noted during the 1993 field season. Pyrite was locally concentrated on fractured surfaces or in quartz veinlets. Traces of arsenopyrite, molybdenite and possibly chalcopyrite were noted, along with pyrite. Quartz veinlets and penetrative fractures or joints have local sericitized, chloritized, or bleached selvages. Of the 22 rock samples collected during the 1993 property visit, 10 samples returned anomalous gold values ranging from 15 ppb to 1160 ppb gold. In an area of megacrystic granite that is quartz veined and moderately well jointed (spaced < 1.0 m), 1993 sample JvR93024 returned 1160 ppb gold, the highest gold value from the property in 1993. The sample was taken from an outcrop exposed in a south draining creek gully, near the southern contact of the intrusive body. The same sample also returned 2.2 ppm silver, 312 ppm arsenic, 48 ppm bismuth, and 3.4 ppm tellurium, all highly anomalous coincident values. Other samples taken in areas underlain by megacrystic granite returned 400 ppb gold (ARD93014) and 195 ppb gold (ADR93010). Both of these samples are located on the eastern contact of the granitic intrusion and reported coincident anomalies for several other elements including up to 146 ppm As, 114 Bi, and 2.3 ppm Te.

As is typical of the Selwyn Plutonic Suite, hornfels is moderately well developed adjacent to the granite intrusive. The hornfels commonly contain disseminated and blebs of pyrite and or pyrrhotite and locally arsenopyrite. Only one sample (ADR93018) of weakly pyritized hornfelsed metasedimentary rock was collected in 1993 and it returned background or below detection limits for most elements, including gold.

GEOCHEMISTRY

1993 Results

A total of 22 rock samples were collected on the Mount Sheldon property in 1993. Of these, 4 are from float and 18 are from outcrop. Float samples from scree and felsenmeer are representative of lithologies located upslope. All samples collected by Aurum Geological Consultants Inc. were analyzed for gold, by fire assay with an AA finish, and for 32 additional elements including As, Bi, W, and Te. Results for the work carried out in 1993 are shown on Figure 3. Complete analytical results and sample descriptions are included in Appendix A and B, respectfully.

Sample JvR93024, which returned 1160 ppb gold, the highest gold value in 1993, is described above, under the 'mineralization' section, as are all other significant rock samples.

In 1990, the Geological Survey of Canada released regional stream sediment and water geochemical data, GSC Open File 2173, for the Sheldon Lake map sheet (Hornbrook et al., 1990). Three samples collected by the GSC are from streams draining the property. Two of the samples, from creeks draining the southeast slope of Mount Sheldon returned near background values for most elements. A GSC sample from a creek draining the west slope of Mount Sheldon, returned anomalous values for a number of elements including: 82 ppm Cu, 210 ppm Mo, 8.0 ppm Sb, 323 ppm As, 10 ppm tungsten and a number of anomalous values for rare earth elements typically associated with granites.

A total of 15 soil samples were collected in 1993, (figure 3). The samples CFS93027 -CFS93034 were taken along a north-south claim line, over a creek draining the property to the west. The remainder of the soil samples were collected along a east-west line below the satellite intrusive body located to the south west of the main intrusion. Gold values for samples on either side of a west flowing creek (samples CFS93027-CFS93030) ranged from 20 to 50 ppb Au, while the remainder of the samples reported 5 ppb, or less Au. One sample (CFS93029) reported 25 ppb Au and coincident anomalous values for the following elements: 846 ppm As, 6 Bi, 178 ppm Cu, 106 ppm Zn, 0.4 ppm Ag, and 25 ppm W.

CONCLUSIONS AND RECOMMENDATIONS

The Mount Sheldon Property covers a Cretaceous granite pluton, a cupola, associated dykes hosted by sedimentary rocks of the Hyland and Road River Groups. Sulphide mineralization including arsenopyrite, pyrite, pyrrhotite, molybdenite and possibly chalcopyrite is found in, and adjacent to, the intrusive as disseminations, blebs, fracture veinlets and, as a constituent of quartz veinlets.

A large regional thrust fault, the Sheldon Thrust, lies two kilometres north of the property. A major north-northwest trending normal fault structure has been found on the property along which the granite pluton has been emplaced.

A total of 22 rock samples were collected in 1993, ten of which returned gold values between 15 and 1160 ppb. Rocks samples consisted largely of megacrystic granite variably altered, weakly mineralized, and occasionally cut by a stockwork of quartz veins.

Two creeks draining the property, sampled by the Geological Survey of Canada, returned near or below background values for most elements. A third creek, draining the west side of the property, returned anomalous values for a number of elements including copper, molybdenum, antimony, arsenic and tungsten.

A total of 15 geochemical samples reported up to 50 ppb gold in soil and coincident anomalies for several elements from stations on the western boundary of the granitic intrusion.


Weakly mineralized rock samples (mostly quartz-veined megacrystic granite), soil samples, and a stream sediment sample returned significant anomalous values for a number of elements including gold. As the property is underlain by favourable lithologies and structures it should be further explored for intrusive hosted gold mineralization.

An eight day exploration program of mapping, prospecting and sampling at an estimated cost of \$30,000 is warranted and recommended.

The following work program is recommended:

1. Compile a 1:5,000 scale map of the Mount Sheldon property incorporating all available geological, geochemical and remote sensing data to better identify potential exploration targets.
2. Further exploration consisting of prospecting, geological mapping, rock, soil, and stream sediment geochemistry should be carried out over and adjacent to the known granite intrusives.
3. Claim tagging is recommended to determine possible claim fractions.
4. Any further work (geophysics, trenching, etc.) is contingent on results of the above work.

Respectfully submitted;
Aurum Geological Consultants Inc.



R. Allan Doherty, P. Geo

A handwritten signature in cursive script, appearing to read "Jo-Anne van Randen".

Jo-Anne vanRanden, B.Sc.

March 1, 1994


REFERENCES

- Abbott J.G., Gordey S.P., Tempelman-Kluit D.J., 1986. Setting of stratiform, sediment - hosted lead - zinc deposits in Yukon and Northeastern British Columbia; in Mineral Deposits of Northern Cordillera, ed. J.A. Morin, The Canadian Institute of Mining and Metallurgy, Special volume 37, p.1-18.
- Crysi Exploration, 1992. Intrusive Hosted Gold Targets, Yukon and British Columbia, Canada. A private report prepared for Kokanee Explorations Ltd., Vancouver, B.C.
- D.I.A.N.D., 1993. Yukon Minfile, WP 5.1 Version, 15 Feb/93; Exploration and Geological Services, Department of Indian and Northern Affairs, Whitehorse Yukon.
- Gordey S.P., Irwin S.E.B., 1987. Geology of Sheldon Lake and Tay River Map Areas, Yukon Territory; Geological Survey of Canada, Map 19-1987 (3 sheets), scale 1:250,000.
- Hornbrook E.H.W., Friske P.W.B., Lynch J.J., McCurdy M.W., Gross H, Galletta A.C., Durham C.C., 1990. Regional Stream Sediment and Water Geochemical Data, East-Central Yukon; NTS 105J, Geological Survey of Canada, Open File 2173, 1:250,000 scale.
- Hulstein, R., 1992. Report on the Geological and Geochemical Assessment Work on the Mount Sheldon Property, Private report for Kokanee Exploration Ltd by Aurum Geological Consultants Inc.
- Kindle E.D., 1945. Geological Reconnaissance Along The Canol Road, From Teslin River to MacMillan Pass, Yukon; Geological Survey of Canada, Paper 45-21.
- Tempelman-Kluit D.J., 1979. Transported Cataclasite, Ophiolite and Granodiorite in Yukon: Evidence of Arc-Continent Collision; Geological Survey of Canada, Paper 79-14.
- Mathews, H. W. (Comp.) 1986. Physiography of the Canadian Cordillera, Geological Survey of Canada, Map 1701A.
- Tempelman-Kluit, 1981. Geology and Mineral Deposits of Southern Yukon: in Yukon Geology and Exploration 1979-80; Geology Section, Department of Indian and Northern Affairs, Whitehorse Yukon.
- Wheeler J.O. and McFeely P., 1991. Tectonic Assemblage Map of the Canadian Cordilleras and Adjacent parts of the United States of America; Geological Survey of Canada, Map 1712A, scale 1:2,000,000.

STATEMENT OF QUALIFICATIONS (RAD)

I, R. Allan Doherty, hereby certify that:

1. I am a geologist with AURUM GEOLOGICAL CONSULTANTS INC., 205 - 100 Main Street, P.O. Box 4367, Whitehorse, Yukon, Y1A 3T5.
2. I am a graduate of the University of New Brunswick, with a degree in geology (Hons. B.Sc., 1977) and that I attended graduate school at Memorial University of Newfoundland, 1978-80. I have been involved in geological mapping and mineral exploration continuously since then.
3. I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia, Registration No. 20564 and of the CIMM.
4. I am co-author of this report based on the Mount Sheldon Property of Consolidated Ramrod Gold Corp which is based on information collected during property work completed September 16, 1993, October 23, 1992, and on referenced sources.
5. I have no direct or indirect interest in the properties or securities of Consolidated Ramrod Gold Corporation.
6. I consent to the use of this report by Consolidated Ramrod Gold Corporation provided that no portion is used out of context in such a manner as to convey a meaning differing materially from that set out in the whole.




R. Allan Doherty
R. Allan Doherty, P.Geo.

March 1, 1994

STATEMENT OF QUALIFICATIONS (JvR)

I, Jo-Anne vanRanden, hereby certify that:

1. I am a geologist with AURUM GEOLOGICAL CONSULTANTS INC., 205 - 100 Main Street, P.O. Box 4367, Whitehorse, Yukon, Y1A 3T5.
2. I am a graduate of the University of British Columbia, with a degree in geology (B.Sc., 1989). I have been involved in mineral exploration continuously since 1982.
3. I am co-author of this report on the Mount Sheldon Property of Consolidated Ramrod Gold Corporation, which is based on my examination of the property (September 16, 1993) and on referenced sources.
4. I have no direct or indirect interest in the properties or securities of Consolidated Ramrod Gold Corporation.
5. I consent to the use of this report by Consolidated Ramrod Gold Corporation provided that no portion is used out of context in such a manner as to convey a meaning differing materially from that set out in the whole.



March 1, 1994

Jo-Anne vanRanden, B.Sc.

STATEMENT OF COSTS

1993 Assessment Work Valuation: Mount Sheldon Property (Sheldon 1-48 Claims)

1. Geological and Geochemical

A. Fieldwork

R.A. Doherty, P.Geo., of Whitehorse, Yukon.
September 15-17, 1993; 3.0 day @ \$350.00/day: 1,050.00

J.A. vanRanden, B.Sc., of Whitehorse, Yukon
September 15-17, 1993; 3.0 day @ \$280.00/day: 840.00

C. Fox, Geological Assistant, Aurum Geological Consultants Inc.
September 15-17, 1993; 3.0 day @ \$200.00/day: 600.00

B. Geochemical Analysis

37 samples @ 22.59 ea plus 50.39 shipping: 886.22

C. Support Costs

Meals & Accommodation: 360.00

Field Expenses: 25.00

4WD Truck Rental (3.0 days @ \$100.00/day) 300.00

Radio and phone charges: 38.00

Helicopter: 2039.34

D. Research and Report Preparation

A. Doherty, P. Geo.
1.0 days @ \$350.00/day: 350.00

J. vanRanden, B.Sc.
4 days @ \$300.00/day: 1200.00

Photocopies (48 @ \$0.15) 7.20

Laser Printing 20.00

Report Materials 50.00

Computer Drafting (8.75 hours x \$20/hour) 175.00

Accounting (10% of \$675.20) 67.52

Goods and Service Tax (@ 7%) on \$8008.28: 560.58

Total Valuation of 1993 Assessment Work: \$8,568.86

APPENDIX A

Analytical Methods and Reports



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

TO: CONSOLIDATED RAMROD GOLD CORPORATION
ATTN: ROBERT J. MILLER
1440 - 625 HOWE ST.
VANCOUVER, BC
V6C 2T6

A9322126

Comments: CC: A. DOHERTY

CERTIFICATE

A9322126

CONSOLIDATED RAMROD GOLD CORPORATION

Project: 12B
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 14-DEC-93.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	22	Geochem ring to approx 150 mesh 0-15 lb crush and split ICP - Aq Digestion charge
274	22	
229	22	

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	22	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	22	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	22	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	22	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	22	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	22	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	22	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	22	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	22	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	22	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	22	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	22	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	22	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	22	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	22	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	22	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	22	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	22	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	22	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	22	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	22	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	22	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	22	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	22	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	22	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	22	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	22	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	22	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	22	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	22	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	22	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	22	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	22	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
10	22	W ppm: K pyrosulfate fusion	COLORIMETRIC	3	1000
58	22	Te ppm: HBr-Br2 digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: CONSOLIDATED RAMROD GOLD CORPORATION
 ATTN: ROBERT J. MILLER
 1440 - 825 HOWE ST.
 VANCOUVER, BC
 V6C 2T6

Page Number 1-A
 Total Pages 1
 Certificate Date 06/06/00
 Invoice No. 1-03
 P.O. Number
 Account


Project: 12B
 Comments: CC: A. DOHERTY

CERTIFICATE OF ANALYSIS

A9322126

SAMPLE DESCRIPTION	PREP CODE	Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg
		FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm
JVR 93017	205 274	< 5	< 0.2	0.97	10	90	< 0.5	< 2	0.44	< 0.5	3	117	14	1.40	< 10	< 1	0.27	10	0.23
JVR 93018	205 274	< 5	0.2	1.35	8	110	< 0.5	< 2	0.51	< 0.5	6	111	16	2.17	10	1	0.22	20	0.57
JVR 93019	205 274	< 5	0.2	1.11	20	80	< 0.5	< 2	0.43	< 0.5	4	120	8	1.75	10	< 1	0.36	20	0.24
JVR 93020	205 274	< 5	0.2	1.38	2	120	< 0.5	2	0.15	< 0.5	4	109	39	2.05	10	< 1	0.41	20	0.44
JVR 93021	205 274	< 5	0.2	0.61	30	70	< 0.5	6	0.36	< 0.5	3	132	52	1.12	10	< 1	0.29	20	0.28
JVR 93022	205 274	< 5	0.8	0.77	36	110	< 0.5	6	0.14	0.5	3	171	48	1.63	< 10	< 1	0.45	20	0.15
JVR 93023	205 274	35	2.0	0.67	26	100	< 0.5	38	0.14	< 0.5	2	85	18	1.30	< 10	< 1	0.32	20	0.26
JVR 93024	205 274	1160	2.2	0.48	312	40	< 0.5	48	1.26	2.0	2	128	21	0.80	10	< 1	0.37	10	0.11
JVR 93025	205 274	15	0.6	0.43	264	60	< 0.5	10	0.25	0.5	2	87	54	1.20	< 10	< 1	0.27	20	0.05
JVR 93026	205 274	60	0.2	0.62	36	80	< 0.5	8	0.38	0.5	1	126	11	0.95	< 10	< 1	0.26	10	0.22
JVR 93027	205 274	< 5	< 0.2	0.63	32	60	< 0.5	< 2	0.20	< 0.5	1	173	8	0.96	< 10	< 1	0.21	10	0.19
ADR 93009	205 274	< 5	< 0.2	1.48	24	250	< 0.5	2	0.32	0.5	6	115	33	2.65	10	< 1	0.68	20	0.56
ADR 93010	205 274	195	1.4	0.79	26	300	< 0.5	112	0.06	< 0.5	3	78	126	3.01	< 10	< 1	0.52	10	0.15
ADR 93011	205 274	< 5	< 0.2	0.33	40	20	< 0.5	4	0.04	< 0.5	2	204	19	2.00	< 10	< 1	0.18	10	0.02
ADR 93012	205 274	30	< 0.2	0.24	40	20	< 0.5	2	0.03	< 0.5	1	213	7	0.80	< 10	< 1	0.13	< 10	0.02
ADR 93013	205 274	55	1.8	0.49	478	70	< 0.5	38	1.31	4.5	1	156	66	1.45	< 10	< 1	0.37	10	0.09
ADR 93014	205 274	400	2.6	0.77	146	90	< 0.5	114	0.62	1.0	3	140	15	1.55	10	< 1	0.37	20	0.21
ADR 93015	205 274	< 5	0.2	1.06	42	110	< 0.5	2	0.22	0.5	3	156	34	1.94	10	< 1	0.36	20	0.37
ADR 93016	205 274	35	0.2	1.09	8	110	< 0.5	4	0.17	1.5	4	141	55	2.01	10	< 1	0.44	20	0.40
ADR 93017	205 274	45	0.2	0.93	22	120	< 0.5	6	0.42	< 0.5	3	141	32	1.62	10	< 1	0.47	30	0.29
ADR 93018	205 274	< 5	< 0.2	0.04	4	< 10	< 0.5	< 2	0.01	< 0.5	1	272	3	0.35	< 10	< 1	0.01	< 10	0.01
ADR 93019	205 274	< 5	< 0.2	0.18	12	10	< 0.5	< 2	0.01	< 0.5	1	466	14	0.98	< 10	< 1	0.06	< 10	0.04

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: CONSOLIDATED RAMROD GOLD CORPORATION
 ATTN: ROBERT J. MILLER
 1440 - 625 HOWE ST.
 VANCOUVER, BC
 V6C 2T6

Page Number 1-B
 Total Pages 1
 Certificate Date 06-OCT-93
 Invoice No. I-9322126
 P.O. Number :
 Account :

Project : 12B
 Comments: CC: A. DOHERTY

CERTIFICATE OF ANALYSIS

A9322126

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
JVR 93017	205 274	2	0.09	3	350	14	< 2	1	22	0.03	< 10	< 10	7	< 10	22	< 2	< 0.1
JVR 93018	205 274	1	0.07	2	560	14	< 2	6	31	0.13	< 10	< 10	36	< 10	46	2	< 0.1
JVR 93019	205 274	1	0.08	4	350	18	2	5	15	0.06	< 10	< 10	12	< 10	48	2	< 0.1
JVR 93020	205 274	1	0.06	3	520	14	< 2	4	12	0.03	< 10	< 10	22	< 10	24	2	0.2
JVR 93021	205 274	8	0.05	1	450	6	< 2	4	18	0.05	< 10	< 10	16	110	20	115	0.1
JVR 93022	205 274	10	0.04	6	420	44	< 2	3	11	0.01	< 10	< 10	10	< 10	46	23	0.1
JVR 93023	205 274	17	0.04	2	410	26	2	3	9	0.04	< 10	< 10	13	60	20	70	1.5
JVR 93024	205 274	1	0.02	2	370	70	6	1	90	< 0.01	< 10	< 10	3	< 10	94	24	3.4
JVR 93025	205 274	1	0.03	2	420	22	2	2	15	< 0.01	< 10	< 10	4	< 10	38	22	0.1
JVR 93026	205 274	1	0.10	2	410	18	< 2	4	23	0.09	< 10	< 10	16	< 10	42	6	0.2
JVR 93027	205 274	1	0.07	3	220	10	< 2	3	12	0.03	< 10	< 10	9	< 10	24	4	0.1
ADR 93009	205 274	1	0.10	3	540	16	< 2	8	18	0.16	< 10	< 10	35	< 10	52	4	< 0.1
ADR 93010	205 274	1	0.07	1	370	78	4	3	35	0.02	< 10	< 10	12	< 10	32	12	1.4
ADR 93011	205 274	1	< 0.01	3	240	26	12	2	4	< 0.01	< 10	< 10	2	< 10	74	11	0.1
ADR 93012	205 274	2	0.03	4	60	14	12	< 1	19	< 0.01	< 10	< 10	1	< 10	4	9	0.2
ADR 93013	205 274	1	0.02	2	400	80	44	2	55	< 0.01	< 10	< 10	2	< 10	242	6	< 0.1
ADR 93014	205 274	1	0.06	2	410	108	2	4	10	0.03	< 10	< 10	13	< 10	56	6	2.3
ADR 93015	205 274	3	0.07	2	430	18	< 2	4	27	0.04	< 10	< 10	20	20	56	55	0.1
ADR 93016	205 274	1	0.06	2	470	32	2	6	11	0.08	< 10	< 10	22	10	124	14	0.2
ADR 93017	205 274	10	0.08	3	400	12	< 2	4	24	0.08	< 10	< 10	16	50	34	70	0.4
ADR 93018	205 274	1	0.01	4	< 10	2	< 2	< 1	4	< 0.01	< 10	< 10	1	< 10	4	2	0.1
ADR 93019	205 274	1	0.01	9	20	2	< 2	< 1	4	< 0.01	< 10	< 10	3	< 10	4	2	< 0.1

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

10. CONSOLIDATED RAMROD GOLD CORPORATION
ATTN: ROBERT J. MILLER
1440 - 625 HOWE ST.
VANCOUVER, BC
V6C 2T6

A9322127

Comments: CC: A. DOHERTY

CERTIFICATE

A9322127

CONSOLIDATED RAMROD GOLD CORPORATION

Project: 12B
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 14-DEC-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	14	Dry, sieve to -80 mesh
203	1	Dry, sieve to -35 mesh
205	1	Geochem ring to approx 150 mesh
229	15	ICP - AQ Digestion charge

* NOTE 1.

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Ng, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	15	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	15	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	15	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	15	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	15	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	15	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	15	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	15	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	15	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	15	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	15	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	15	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	15	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	15	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	15	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	15	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	15	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	15	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	15	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	15	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	15	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	15	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	15	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	15	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	15	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	15	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	15	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	15	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	15	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	15	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	15	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	15	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	15	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000
10	15	W ppm: K pyrosulfate fusion	COLORIMETRIC	2	1000
54	15	Ta ppm: HBr-Br2 digest, extract	AAS-BKGD CORR	0.1	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: CONSOLIDATED RAMROD GOLD CORPORATION
ATTN: ROBERT J. MILLER
1440 - 625 HOWE ST.
VANCOUVER, BC
V6C 2T6

Page Number : 1-A
Total Pages : 1
Certificate Date: 06-OCT-93
Invoice No. : 19322127
P.O. Number :
Account : EEX

Project : 12B
Comments: CC: A. DOHERTY

CERTIFICATE OF ANALYSIS A9322127

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
CFS 93027	201	229	50	0.2	0.40	140	130	< 0.5	< 2	0.03	0.5	3	9	25	1.60	< 10	< 1	0.07	10	0.04	110
CFS 93028	201	229	20	0.4	1.10	182	80	< 0.5	< 2	0.04	0.5	3	26	35	2.60	< 10	< 1	0.10	10	0.28	205
CFS 93029	201	229	25	0.4	1.97	846	120	< 0.5	6	0.14	1.5	13	29	178	3.73	< 10	< 1	0.19	10	0.58	320
CFS 93030	201	229	35	< 0.2	1.47	136	90	< 0.5	< 2	0.04	1.0	11	32	64	4.42	< 10	< 1	0.09	10	0.44	505
CFS 93031	201	229	< 5	0.4	0.67	< 2	10	< 0.5	< 2	0.10	< 0.5	< 1	2	27	0.39	< 10	< 1	0.01	< 10	0.03	15
CFS 93032	201	229	< 5	< 0.2	1.38	40	80	< 0.5	< 2	0.05	0.5	7	25	33	4.29	10	< 1	0.05	10	0.32	580
CFS 93033	201	229	< 5	< 0.2	1.64	24	150	< 0.5	< 2	0.09	1.0	9	27	50	3.92	10	< 1	0.10	30	0.27	670
CFS 93034	201	229	< 5	< 0.2	0.99	28	100	< 0.5	< 2	0.04	1.0	11	18	67	5.78	< 10	< 1	0.04	10	0.13	355
CFS 93035	201	229	< 5	< 0.2	0.68	16	40	< 0.5	2	0.06	0.5	8	12	29	3.12	< 10	< 1	0.03	< 10	0.15	285
CFS 93036	203	205	5	< 0.2	1.14	8	180	< 0.5	< 2	0.07	1.0	13	69	39	3.92	10	< 1	0.30	30	0.19	705
CFS 93037	201	229	< 5	< 0.2	1.04	22	130	< 0.5	< 2	0.04	1.0	11	18	29	2.99	< 10	< 1	0.08	10	0.20	1150
CFS 93038	201	229	< 5	0.2	1.64	114	130	< 0.5	< 2	0.05	1.0	12	26	43	3.17	< 10	< 1	0.13	10	0.37	675
CFS 93039	201	229	< 5	< 0.2	2.06	116	200	< 0.5	< 2	0.06	0.5	15	41	44	3.96	< 10	< 1	0.16	10	0.47	920
JVS 93003	201	229	< 5	< 0.2	1.68	90	90	< 0.5	< 2	0.08	0.5	13	23	54	2.97	< 10	< 1	0.11	10	0.37	770
JVS 93004	201	229	< 5	< 0.2	1.12	68	100	< 0.5	< 2	0.09	0.5	8	12	36	1.94	< 10	< 1	0.09	10	0.15	955

CERTIFICATION:

Thai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: CONSOLIDATED RAMROD GOLD CORPORATION
ATTN: ROBERT J. MILLER
1440 - 625 HOWE ST.
VANCOUVER, BC
V6C 2T6

** Page Number : 1-B
Total Pages : 1
Certificate Date: 06-OCT-93
Invoice No. : 19322127
P.O. Number :
Account : EEX

Project : 12B
Comments : CC: A. DOHERTY

CERTIFICATE OF ANALYSIS A9322127

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	W ppm	Te ppm
CFS 93027	201 229	7	< 0.01	9	320	14	2	1	8	0.01	< 10	< 10	63	10	60	38	0.1
CFS 93028	201 229	6	0.01	10	970	36	< 2	< 1	15	0.01	< 10	< 10	70	< 10	74	35	< 0.1
CFS 93029	201 229	6	0.02	24	1000	42	8	4	21	0.04	< 10	< 10	67	20	106	25	0.1
CFS 93030	201 229	3	0.01	27	630	66	2	2	25	0.01	< 10	< 10	60	10	126	5	0.1
CFS 93031	201 229	< 1	0.07	2	510	< 2	2	< 1	8	0.01	< 10	< 10	11	< 10	14	< 2	< 0.1
CFS 93032	201 229	1	< 0.01	17	650	36	4	1	9	0.01	< 10	< 10	47	< 10	78	4	< 0.1
CFS 93033	201 229	< 1	0.01	17	1190	38	< 2	1	22	< 0.01	< 10	< 10	35	10	92	2	0.1
CFS 93034	201 229	6	0.01	44	1680	28	2	3	15	< 0.01	< 10	< 10	37	10	138	3	0.1
CFS 93035	201 229	< 1	0.04	15	720	20	4	< 1	9	< 0.01	< 10	< 10	27	< 10	64	2	< 0.1
CFS 93036	203 205	1	0.02	20	1000	36	2	1	15	< 0.01	< 10	< 10	21	< 10	108	2	< 0.1
CFS 93037	201 229	< 1	0.02	14	1140	22	< 2	< 1	9	< 0.01	< 10	< 10	32	< 10	66	2	0.1
CFS 93038	201 229	1	0.02	21	810	40	6	2	18	0.02	< 10	< 10	58	< 10	108	3	0.1
CFS 93039	201 229	2	0.01	20	580	30	< 2	4	16	0.05	< 10	< 10	86	10	120	5	< 0.1
JVS 93003	201 229	< 1	0.02	18	1010	36	4	1	16	0.03	< 10	< 10	45	10	74	4	0.1
JVS 93004	201 229	1	0.03	9	700	16	< 2	< 1	15	0.02	< 10	< 10	31	< 10	42	2	< 0.1

CERTIFICATION:

Phai D Ma

APPENDIX B

Rock Sample Descriptions

ROCK SAMPLE LOCATION AND DESCRIPTION RECORD

AURUM GEOLOGICAL CONSULTANTS INC.

Date: September 16, 1993

Project: #12

Area: Mount Sheldon

Page 1 of 2

SAMPLE NO.	LOCATION	DESCRIPTION	TYPE	WIDTH
JvR93 017	See Map	Intrusive talus, silicified, hornfels, trace pyrite	grab	/
JvR93 018	"	Subcrop hornfelsed brecciated intrusive, <1% pyrite	grab	/
JvR93 019	"	Intrusive float in gully, 2% f.g. disseminated pyrite	grab	/
JvR93 020	"	Qtz stockwork intrusive float, trace sx	grab	/
JvR93 021	"	Magacrystic granite, Qtz veinlets, trace pyrite	chip	0.65m
JvR93 022	"	as above, more py, 1cm qtz stringers	chip	0.30m
JvR93 023	"	Biotite intrusive, phenos up to 1 cm, trace f.g. pyrite	chip	0.75m
JvR93 024	"	Granite, qtz stkwk, py in grey qtz phase, local sericite	grab	/
JvR93 025	"	Granite with hairlike qtz veinlets, trace pyrite	grab	/
JvR93 026	"	as above with 2% tourmaline and actinolite clots	chip	0.75m
JvR93 027	"	Older granite? lacking biotite, joining as surrounding	chip	0.40m
ADR93 009	See Map	Chip sample of granite	chip	/
ADR93 010	"	Limonite stained quartz shear in granite, minor Asp, py	chip	0.30m
ADR93 011	"	Qtz vein in altered granite	chip	0.10m
ADR93 012	"	Qtz vein and alteration zone	chip	/
ADR93 013	"	Float of qtz stkwk in granite	Float	/
ADR93 014	"	Qtz vein in granite with rare sulphides, veins 10-20 cm	chip	1.00m

MINFILE: 105J 008
PAGE NO: 1 of 1
UPDATED: 04/09/93

**YUKON MINFILE
STANDARD REPORT
EXPLORATION AND GEOLOGICAL SERVICES DIVISION, DIAND
WHITEHORSE**

NAME(S): Mt Sheldon
MINFILE #: 105J 008
MAJOR COMMODITIES: Au, Cu, Sn
MINOR COMMODITIES:
TECTONIC ELEMENT: Selwyn Plutonic Suite

NTS MAP SHEET: 105 J 11
LATITUDE: 62°43'07"N
LONGITUDE: 131°05'22"W
DEPOSIT TYPE: Vein (Ft. Knox?)
STATUS: Showing

CLAIMS (PREVIOUS AND CURRENT)

SHELDON

WORK HISTORY

Discovered by the GSC. Staked in Dec/91 as 48 Sheldon cl (YB36641) by Kokanee Explorations Ltd, which prospected, mapped and sampled in 1992. *Aurum GCI soil sampled and prospected, the property for Consolidated Ramrod in 1992 and 93. The property was evaluated using GEOLOGY the Fort Knox deposit style.*

Gold occurs with arsenopyrite in quartz veins exposed on the flanks of Mt Sheldon. The showings occur near the contact between clastic rocks of the Ordovician-Silurian Road River Formation and a small stock of Cretaceous biotite granite.

Three veins were sampled by the Geological Survey of Canada. On the east side of the mountain, a 60 cm wide quartz vein cutting porphyritic granite is exposed for 15 m. A chip sample containing 5% arsenopyrite assayed 0.51 g/t Au. On the northeast side of the mountain, a chip sample from a 30 by 60 cm area of pyrrhotite in hornfels and limestone assayed 0.2% Cu and trace Au. On the south side of the mountain, a small quartz-arsenopyrite vein in granite assayed 0.69 g/t Au and 0.06% Sn.

Kokanee Explorations assayed a specimen of quartz-veined megacrystic granite from the east flank of the mountain and obtained 230 ppm Au, 1.4 ppm Ag, 186 ppm As, 6 ppm Bi, 32 ppm W and 0.55 ppm Te.

REFERENCES

Aurum GCI soil sampled
Consolidated Ramrod Gold Corp., Mar/94. Assessment Report #093169 by R.A. Doherty

KINDLE, E.D., 1945. Geological Reconnaissance along the Canol Road, from Teslin River to Macmillan Pass, Yukon. Geological Survey of Canada, Paper 45-21, p. 25.

KOKANEE EXPLORATIONS LTD, Jan/93. Assessment Report #093063 by R.W. Hulstein.

