ASSESSMENT REPORT ON THE 1993 GEOLOGICAL AND GEOCHEMICAL INVESTIGATION OF THE CLIP PROPERTY

CLI 1-6 (YB30541-YB30546)
CLI 7-14 (YB45310-YB45317)
CLI 16 (YB45318)
CLI 18-44 (YB45319-YB45345)

093188

DAWSON MINING DISTRICT, YUKON TERRITORY
NTS MAPSHEET 116C/1

LATITUDE: 64°14'N
LONGITUDE: 140°25'W

Work Conducted August 7, August 9 - 13, August 15, 1993

OWNER:
YGC RESOURCES LTD.
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

OPERATOR:
KENNECOTT CANADA INC.
354 - 200 Granville Street
Vancouver, B.C.
V6C 1S4



Prepared by: Roger Hulstein

March 27, 1994

SUMMARY

The Clip property is located in the Dawson Mining District of Yukon Territory. The property consists of 42 mineral claims owned 100% by YGC Resources Limited and formerly under option to Kennecott Canada Inc. The property is road accessible.

The Clip property is a sedimentary-exhalative (sedex) sulphide lead-zinc-barite exploration target. It is underlain by metamorphosed clastic rocks of the Paleozoic Nasina Series. Float mineralization consists of thin, stratiform bands of dark brown sphalerite and galena hosted by a distinctive buff quartzite. Massive white barite float is found with the sulphide mineralization and barite also occurs as an interstitial component of the quartzite. The mineralized float has been traced to two discrete cutoff points in coarse felsenmeer.

Soil geochemistry in 1993 returned a 600m by 100m - 250m lead-zinc anomaly over the area of known float mineralization. An additional lead-zinc soil anomaly was located in the southeast corner of the current grid and remains open to the south and east.

Based on these results, geological mapping and geochemical sampling is recommended.

TABLE OF CONTENTS

PAGE

SUMMARY i
TABLE OF CONTENTS ii
LIST OF APPENDICES ii
LIST OF TABLES ii
LIST OF FIGURES ii

1.0 INTRODUCTION 1

2.0 LOCATION, ACCESS AND TOPOGRAPHY 1

3.0 PROPERTY STATUS 3

4.0 REGIONAL GEOLOGY 5

5.0 PREVIOUS EXPLORATION 5

6.0 PROPERTY GEOLOGY, ALTERATION AND MINERALIZATION 6

7.0 GEOCHEMISTRY 6
7.1 ROCK GEOCHEMISTRY 6
7.2 Soil Geochemistry 7

8.0 CONCLUSIONS AND RECOMMENDATIONS 8

9.0 REFERENCES 9

10.0 STATEMENT OF QUALIFICATIONS 10

LIST OF APPENDICES

Appendix A Analytical Reports

LIST OF TABLES

Table 1 List of Claims 3

LIST OF FIGURES

Figure 1: Location map 2
Figure 2: Claim map 4
Figure 3: Geology map; 1:5,000 scale . . . . . in pocket
Figure 4: Geochemistry Map; 1:5,000 scale . . . . . in pocket

1.0 INTRODUCTION

The Cli 1-6 quartz claims were staked in 1991 by Archer, Cathro and Associates (1981) Limited The claims cover a small stratiform lead-zinc-barite occurrence discovered in 1978 by Cominco Ltd. Additional claims were staked on behalf of YCG Resources in August, 1993 along the presumed strike of the mineralization. The property now consists of 42 claims and is referred to as the "Clip property". Kennecott Canada Inc. originally optioned the property in 1992 under the "Klondike Project" agreement with YGC Resources, though no fieldwork was performed until 1993.

Fieldwork in 1993 consisted of gridding, soil sampling, geological mapping and hand trenching over the lead-zinc-barite occurrence. The work was carried out by geologist K. Owerko and field assistants K. Carruthers and D. Munro of Archer, Cathro & Associates (1981) Limited; and geologist R. Hulstein of Kennecott Canada Inc. Project supervisor was geologist R. C. Carne of Archer, Cathro & Associates (1981) Limited

2.0 LOCATION, ACCESS AND TOPOGRAPHY

The Clip property is located approximately 55 km west-northwest of Dawson City in west-central Yukon (Figure 1). The property is located at 64°14'N latitude and 140°5'W longitude within NTS mapsheet 116C/1.

Access to the property is via the Top of the World Highway. This gravel highway connects Dawson City with Fairbanks, Alaska and passes within 1.5km of the southern property boundary. The highway is currently not maintained during winter months. The unmaintained Clinton Creek road, which leads from the Top of the World Highway to the abandoned Clinton Creek asbestos mine, passes within 1.5km of the eastern property boundary. Access on to the property in 1993 was by foot from the Clinton Creek road.

The Clip property lies within the Klondike Plateau, a portion of the Yukon Plateau (Green, 1972). Gentle rolling hills predominate and relief is moderate. Elevations within the property range from 600m in creek bottoms to 1000m on ridges. The district was not subjected to Pleistocene glaciation and is mantled with deeply weathered rubble overlain by Pleistocene peat ("black muck"). Natural outcrop is rare (< 1% by area) and is largely confined to ridges, creek bottoms and steep hillsides. As permafrost is found throughout the property, especially on north-facing slopes, evidence of frost heave and solifluction is common.



Kennecott Canada Inc.
Vancouver

CLIP

LOCATION MAP

YUKON, CANADA

Date:	28/02/94	Author: RH	Figure 1
File:	CLPLOC	PS:	

PROFESSIONAL ENGINEER OF R. W. HULSTEIN BRITISH COLUMBIA GEOSCIENTIST

Mar. 27 1994

HO

Most of the vegetation on the property was destroyed in a 1991 forest fire which left only buckbrush on the ridge tops and isolated live stands of white spruce and alpine fir. The (older) lack of vegetation made traversing on most of the property relatively easy.

The climate of west-central Yukon is characterized by low precipitation and a wide temperature range. Winters are cold and temperatures of -30°C to -40°C are common. Summers are moderately cool, with daily highs of 15° to 25°C. The property is generally snow-free from June to late September.

3.0 PROPERTY STATUS

The Clip property is located in the Dawson Mining District of Yukon Territory. The property consists of 42 two-post unsurveyed contiguous mineral claims staked under the Yukon Quartz Mining Act (Figure 2). The claims cover approximately 770 hectares (1900 acres). Claim data are as follows:

Table 1 - List of Claims

Claim Name	Grant No.	Rec. Date	Expiry Date*
CLI 1-6	YB30541-46	May 26, 1990	March 4, 1996
CLI 7-14	YB45310-17	August 9, 1993	March 4, 1996
CLI 16	YB45318	August 9, 1993	March 4, 1996
CLI 18-44	YB45319-45	August 9, 1993	March 4, 1996

* Subject to approval of 1993 assessment work.

The claims are owned 100% by YGC Resources Ltd. and registered with the Dawson Mining Recorder to Archer, Cathro and Associates (1981) Limited, who act as agents for YGC Resources Ltd. Kennecott Canada Inc. had an option agreement with YGC Resources Ltd. to explore the property which was terminated in December of 1993.



contour interval 100 feet

scale: 1:25,000

0 250 500 750 1250

metres

PROFESSIONAL ENGINEER
PROVINCE OF BRITISH COLUMBIA
R. W. HULSTEIN
GEOSCIENTIST

Mar 27, 1994

Kennecott Canada Inc.
Vancouver

ROSS RIVER

CLIP CLAIM MAP
NTS 116C/1

YUKON, CANADA

NTS: 116C/1	Projection: UTM (NAD27)	Drawn by: HD
Date: 25/03/94	Author: RH	Figure 2
File: CLPCLAIM	Scale:	

4.0 REGIONAL GEOLOGY

The Klondike Plateau is located on the northeastern edge of the Paleozoic Yukon-Tanana tectonostratigraphic terrane (Mortensen, 1990). This allochthonous terrane is separated from thrust-stacked parautochthonous rocks of the North American miogeocline by the Tintina Fault Zone, a major suture which has accommodated relative movement between the two crustal blocks. Initial docking of the Yukon-Tanana terrane with the North American continental margin probably occurred in Early to Middle Jurassic times (Mortensen, pers. comm., 1994). Docking was accompanied by obduction of interposed oceanic lithosphere, now represented by ophiolitic rocks of the Slide Mountain terrane.

Major relative movement between the Yukon-Tanana terrane and the North American continental margin occurred in Late Paleogene and Neogene times (Mortensen, pers. comm., 1994). A net dextral strike-slip displacement of 450km was originally suggested by Templeman-Kluit (1974) and this estimate is still endorsed by most workers. Strike-slip movement along Tintina Fault Zone appears to have been immediately preceded by an episode of bimodal basalt and topaz rhyolite volcanism. Products of this Paleocene - Eocene magmatic event are present in both the Klondike district and the Grew Creek area 400km to the southeast.

The Clip property lies within the Yukon-Tanana terrane and is underlain by rocks of the Nasina Series (McConnell, 1905; Mortensen, 1990). This unit is comprised largely of medium to dark grey carbonaceous quartz-muscovite schist and carbonaceous metaquartzite. Thin horizons of medium to dark grey marble occur locally. Recent U-Pb zircon dating indicates a Devono-Mississippian age for the unit (Mortensen, pers. comm., 1994). Protoliths were predominantly carbonaceous siliciclastic sedimentary rocks.

5.0 PREVIOUS EXPLORATION

Cominco Ltd. first staked the property as the Clip 1-10 quartz claims in July of 1978. Cominco explored the property with soil sampling in 1978 and 1979 and subsequently allowed the claims to lapse (Olfert, 1979). YGC Resources Ltd. restaked the property as the Cli 1-6 claims in 1991 and carried out a short prospecting, stream sediment sampling and soil sampling program in the same year (Carne, 1992).

6.0 PROPERTY GEOLOGY, ALTERATION AND MINERALIZATION

The Clip property is largely underlain by grey, muscovite-bearing carbonaceous metaquartzites of the Nasina Series. Subordinate rock types noted on the property include quartz-muscovite ± garnet schist and marble. Transposed bedding dips moderately to steeply southwest, though local deviations in attitude are common (Carne, 1992). Roadcut exposures along the Clinton Creek road and the Top of the World Highway suggest that the sequence has been internally deformed by southeasterly plunging isoclinal mesofolds (Carne, 1992).

Metamorphosed sedimentary-exhalative (sedex) lead-zinc-barite mineralization occurs on the property and is found as talus boulders up to 1m in size. No exposures of mineralization have been found to date. A distinctive buff coloured muscovite-bearing quartzite hosts the mineralization and is associated with minor float of laminated metaquartzite (metachert?). Mineralization consists of foliaform laminae of recrystallised dark brown sphalerite and galena (up to 7% and 2% by volume respectively). Sphalerite and galena usually occur separately, though minor pyrite is associated with the sphalerite.

Two point sources for the mineralized float, Zone "A" and Zone "B" were identified by Cominco (Olfert, 1979). These sources lie approximately 300m apart. Sphalerite and galena-bearing float is accompanied at Zone A by float of massive white crystalline barite which contains wisps of iron oxide. Massive barite has not been found as yet at Zone B. Faults adjacent to the mineralized zones were inferred by Olfert (1979) on the basis of abrupt lithological changes and topographic lineaments.

7.0 GEOCHEMISTRY

7.1 ROCK GEOCHEMISTRY

Three rock samples from Zones A and B were submitted to Chemex Labs in Vancouver for analysis. Samples were digested using mixed nitric, perchloric and hydrofluoric acid and were analysed for 32 elements by ICP-ES.

Sample Number	Sample Description	Pb	Zn	Ag
T32509	**Zone A:** Buff coloured, limonite weathering, light greenish grey quartzite with sericitic-micaceous partings. Approx. 8% diss. - blebby sphalerite, <0.5% diss. galena, trace pyrite.	124 ppm	2.23%	1.4 ppm
T32510	**Zone A:** Grey weathering, grey biotite quartzite - schist, <5% biotite, trace pyrite, minor graphite, minor specks limonite. No visible gn or sph.	68 ppm	252 ppm	<0.2 ppm
T32511	**Zone B:** Buff to tan weathering fine grained quartzite hosting thin bands (<2 mm), blebs and disseminations of galena (<5%) and <0.5% pyrite. Possible barite in quartzite noted.	3.00%	68 ppm	18.6 ppm

Sample T32510 from Zone A returned 1600 ppm barium, indicating a high barium background in otherwise unmineralized quartzite. Sample T32511 returned >10,000 ppm barium, demonstrating the close though less obvious relationship between barite and lead-zinc mineralization at Zone B.

7.2 Soil Geochemistry

A total of 291 soil samples were collected in addition to the three rock samples noted above. Samples were digested in aqua regia and analyzed at Chemex Labs in Vancouver for 32 elements by the ICP-ES method (Figure 4 and Appendix A). Soil samples collected in 1991 are also shown.

Soil samples were collected every 50m on 200m-spaced flagged lines. Sampling was hindered, especially on north and east facing slopes, by permafrost and contamination by recent volcanic ash. Due to the leached nature of the Pleistocene soil, lead and zinc values are subdued. Anomaly thresholds were visually chosen at >150 ppm zinc and >25 ppm lead.

Zinc and lead values ranged up to 1330 ppm and 332 ppm respectively. Silver values were less than 0.8 ppm. Anomalous values correlate well with the mineralized boulder float at Zones A and B. An additional anomaly, up to 264 ppm zinc and 40 ppm lead, was returned in the northeast corner of the grid. This anomaly is approximately 200m west of an anomalous soil sample (#T32084) collected in 1991 that returned 400 ppm zinc and 300 ppm lead. This anomaly remains open to the south and east.

8.0 CONCLUSIONS AND RECOMMENDATIONS

Boulder float of metamorphosed pyrite-poor sedex-style lead-zinc-barite mineralization occurs in two separate areas on the Clip property (Zones A and B). Host rocks are barite-bearing metaquartzites of the Nasina Series.

Mineralization is reflected by a lead-zinc soil geochemical anomaly approximately 600m by 250m in size. A smaller anomaly, open to the south and east, was returned from the southeast corner of the 1993 soil sampling grid. Mineralized float has yet to be found in this area.

Though lead-zinc mineralization identified to date on the property is of low tenor, some potential remains to discover new zones of higher grade mineralization. Future work on the property could include further soil, rock and stream sediment sampling and additional mapping to expand coverage of the area, particularly towards the southeast in the environs of the open lead-zinc soil anomaly.

9.0 REFERENCES

CARNE, R.C., 1992. Summary Report on 1991 Prospecting, Cli Claims. Assessment Report by Archer, Cathro & Associates (1981) Limited for YGC Resources Ltd., Assessment Report 092999.

GREEN, L.H., 1972. Geology of Nash Creek, Larsen Creek, and Dawson Creek Map Areas, Yukon Territory. Geological Survey of Canada, Memoir 364.

MORTENSEN, J.K., 1988. Geology, Southwestern Dawson Map Area, Yukon. Geological Survey of Canada, Open File 1927, scale 1:250,000.

OLFERT, E.G., 1979. Geological and Geochemical Report on the Clip Group of Mineral Claims. Assessment Report for Cominco Ltd. Assessment Report 090491.

WHEELER, J.O. and McFEELY, P., 1991. Tectonic Assemblage Map of the Canadian Cordillera and Adjacent Parts of the United States of America. Geological Survey of Canada, Map 1712A, scale 1:2,000,000.

McCONNELL, R.G. 1905. Report on the Klondike gold fields. Geological Survey of Canada, Annual Report 14, pp. B1-B17.

MORTENSEN, J.K., 1990. Geology and U-Pb geochronology of the Klondike District, west-central Yukon Territory. Canadian Journal of Earth Sciences, Volume 27, pp. 903-914.

TEMPLEMAN-KLUIT, D.J. 1974. Reconnaissance geology of Aishihik Lake, Snag, and part of Stewart River map-areas, west-central Yukon. Geology Survey of Canada, Paper 73-41.

10.0 STATEMENT OF QUALIFICATIONS

I, Roger W. Hulstein, with business address:

Kennecott Canada Inc.
#354 - 200 Granville Street
Vancouver, B.C.
V6C 1S4

and residential address in Whitehorse, Yukon Territory, do hereby certify that:

1. I am a geologist with Kennecott Canada Inc.

2. I am a graduate of Saint Mary's University, Halifax, with a degree in geology (B.Sc., 1981) and have been involved in geology and mineral exploration continuously since 1978.

3. I am a fellow of the Geological Association of Canada (F3572).

4. I am registered as a professional geoscientist (No. 19127) with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.

5. I am the author of this report on the Clip property, Dawson Mining District, Yukon, which is based on my personal examination of the ground during August 1993 and on referenced sources.

Roger Hulstein, B.Sc., FGAC, P.Geo. March 27, 1994

APPENDIX A

ANALYTICAL RESULTS

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 18401	201	229	0.4	1.90	18	170	0.5	< 2	0.13	< 0.5	8	30	23	3.43	< 10	< 1	0.10	10	0.37	290	1
T 18402	201	229	0.4	1.02	16	140	< 0.5	< 2	0.10	< 0.5	3	14	17	2.13	< 10	< 1	0.09	10	0.16	310	1
T 18403	201	229	0.6	1.93	12	360	0.5	< 2	0.35	< 0.5	11	33	32	2.79	< 10	< 1	0.11	30	0.53	490	1
T 18404	201	229	< 0.2	1.86	< 2	120	< 0.5	< 2	0.14	< 0.5	6	29	16	3.00	< 10	< 1	0.04	10	0.42	180	< 1
T 18405	201	229	< 0.2	1.71	4	250	0.5	< 2	0.18	< 0.5	8	26	23	2.39	< 10	< 1	0.07	20	0.41	230	< 1
T 18406	201	229	0.2	1.45	2	120	0.5	< 2	0.12	0.5	8	27	23	3.01	< 10	< 1	0.11	10	0.43	325	1
T 18407	201	229	0.2	1.51	< 2	190	0.5	2	0.26	0.5	13	38	41	2.94	10	< 1	0.21	30	0.58	430	1
T 18408	201	229	< 0.2	1.20	12	90	< 0.5	< 2	0.08	0.5	7	46	21	2.79	< 10	< 1	0.08	10	0.38	235	1
T 18409	201	229	0.2	1.39	2	260	0.5	< 2	0.48	< 0.5	10	21	18	2.16	< 10	< 1	0.07	10	0.39	395	1
T 18410	201	229	< 0.2	1.88	< 2	310	0.5	< 2	0.14	< 0.5	8	29	30	2.84	< 10	< 1	0.07	20	0.43	230	1
T 18411	201	229	0.2	1.65	10	230	0.5	< 2	0.11	< 0.5	7	26	24	2.55	< 10	< 1	0.07	10	0.34	260	1
T 18412	201	229	< 0.2	1.53	8	260	0.5	< 2	0.40	< 0.5	7	25	20	2.37	< 10	< 1	0.14	10	0.39	315	1
T 18413	201	229	0.2	1.91	4	220	0.5	< 2	0.16	< 0.5	6	30	24	2.73	< 10	< 1	0.06	10	0.47	265	< 1
T 18414	201	229	0.2	1.42	4	360	0.5	< 2	0.74	< 0.5	7	23	24	2.32	< 10	< 1	0.13	20	0.38	510	1
T 18415	201	229	0.2	1.55	2	230	0.5	< 2	0.18	< 0.5	6	23	18	2.20	< 10	< 1	0.07	20	0.34	220	1
T 18416	201	229	0.2	1.41	< 2	170	0.5	< 2	0.15	0.5	6	23	24	2.26	< 10	< 1	0.10	20	0.36	195	< 1
T 18417	201	229	1.2	1.03	2	190	< 0.5	< 2	0.62	1.0	9	19	26	1.93	10	< 1	0.12	30	0.26	405	< 1
T 18418	201	229	0.2	1.57	12	550	< 0.5	< 2	0.18	2.0	19	28	40	3.20	10	< 1	0.20	30	0.47	535	1
T 18419	201	229	0.6	1.46	18	110	< 0.5	< 2	0.14	0.5	6	23	22	2.99	< 10	< 1	0.10	10	0.32	180	1
T 18420	201	229	0.2	1.42	6	180	< 0.5	< 2	0.16	< 0.5	6	23	17	1.93	< 10	< 1	0.07	10	0.37	120	< 1
T 18421	201	229	0.2	1.58	8	200	< 0.5	2	0.19	< 0.5	7	26	21	2.31	< 10	< 1	0.07	10	0.44	185	< 1
T 18422	201	229	0.2	1.85	12	290	0.5	< 2	0.26	< 0.5	8	30	28	2.76	< 10	< 1	0.10	20	0.49	265	< 1
T 18423	201	229	0.2	1.84	< 2	230	0.5	< 2	0.17	0.5	8	30	27	2.71	10	< 1	0.09	20	0.43	275	1
T 18424	201	229	0.2	1.28	8	160	< 0.5	< 2	0.10	< 0.5	4	18	30	2.02	< 10	< 1	0.06	20	0.25	150	< 1
T 18425	201	229	0.4	1.47	12	200	< 0.5	2	0.21	0.5	10	61	28	2.43	< 10	< 1	0.09	20	0.56	275	1
T 18426	201	229	0.2	1.50	10	90	0.5	< 2	0.13	< 0.5	7	24	16	2.86	< 10	< 1	0.06	10	0.35	290	1
T 18427	201	229	0.4	2.05	16	140	0.5	2	0.12	< 0.5	12	31	36	3.58	10	< 1	0.12	20	0.46	325	2
T 18428	201	229	0.6	1.55	4	130	0.5	2	0.14	0.5	12	23	35	3.13	10	< 1	0.13	30	0.34	410	1
T 18429	201	229	0.4	1.53	12	130	0.5	< 2	0.12	< 0.5	8	24	26	2.79	< 10	< 1	0.14	20	0.38	200	1
T 18430	201	229	0.2	1.34	24	110	0.5	< 2	0.11	< 0.5	4	22	18	2.65	< 10	< 1	0.08	10	0.29	185	1
T 18431	201	229	< 0.2	1.43	10	80	< 0.5	< 2	0.09	< 0.5	3	21	14	2.34	< 10	< 1	0.04	10	0.25	125	< 1
T 18432	201	229	0.2	1.11	10	100	< 0.5	4	0.09	< 0.5	4	16	17	1.86	< 10	< 1	0.07	10	0.25	130	< 1
T 18433	201	229	< 0.2	1.27	2	110	< 0.5	< 2	0.13	< 0.5	6	22	19	2.15	< 10	< 1	0.10	10	0.39	155	< 1
T 18434	201	229	< 0.2	1.06	6	90	< 0.5	< 2	0.11	< 0.5	4	18	16	1.77	< 10	< 1	0.07	10	0.29	125	< 1
T 18435	201	229	0.2	2.08	20	160	0.5	2	0.12	< 0.5	9	36	34	3.61	10	< 1	0.15	20	0.53	370	1
T 18436	201	229	< 0.2	1.46	10	130	0.5	2	0.17	< 0.5	10	24	32	2.61	< 10	< 1	0.18	20	0.51	325	< 1
T 18437	201	229	0.2	1.35	4	80	< 0.5	< 2	0.11	< 0.5	5	21	14	1.97	< 10	< 1	0.07	10	0.34	135	< 1
T 18438	201	229	< 0.2	1.49	12	100	< 0.5	< 2	0.11	< 0.5	7	24	19	2.48	< 10	< 1	0.11	10	0.43	155	< 1
T 18439	201	229	< 0.2	1.44	8	170	0.5	< 2	0.23	< 0.5	9	25	40	2.43	< 10	< 1	0.13	20	0.53	415	1
T 18440	201	229	< 0.2	1.67	< 2	120	0.5	< 2	0.16	< 0.5	7	28	29	2.47	< 10	< 1	0.09	10	0.49	275	1

CERTIFICATION: Stuart Buchlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. :19319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18401	201	229	0.01	22	620	40	< 2	3	14	0.05	< 10	< 10	60	< 10	98
T 18402	201	229	0.01	8	470	32	< 2	1	12	0.04	< 10	< 10	53	< 10	92
T 18403	201	229	0.01	27	760	14	< 2	4	25	0.06	< 10	< 10	52	< 10	116
T 18404	201	229	< 0.01	16	270	16	< 2	3	10	0.07	< 10	< 10	61	< 10	60
T 18405	201	229	0.01	21	510	16	< 2	3	15	0.04	< 10	< 10	42	< 10	88
T 18406	201	229	< 0.01	22	570	16	< 2	2	10	0.06	< 10	< 10	56	< 10	82
T 18407	201	229	< 0.01	39	850	14	< 2	3	17	0.07	< 10	< 10	50	10	116
T 18408	201	229	0.01	20	400	20	< 2	2	10	0.04	< 10	< 10	60	< 10	86
T 18409	201	229	< 0.01	17	590	8	< 2	2	25	0.02	< 10	< 10	36	< 10	54
T 18410	201	229	< 0.01	21	390	8	< 2	4	15	0.04	< 10	< 10	48	< 10	60
T 18411	201	229	0.01	17	440	14	< 2	2	13	0.03	< 10	< 10	46	< 10	52
T 18412	201	229	0.01	17	550	12	< 2	3	30	0.04	< 10	< 10	43	< 10	56
T 18413	201	229	0.01	18	310	12	< 2	4	15	0.06	< 10	< 10	51	< 10	60
T 18414	201	229	< 0.01	20	820	6	< 2	3	54	0.04	< 10	< 10	41	< 10	82
T 18415	201	229	0.01	15	370	16	< 2	3	16	0.04	< 10	< 10	42	< 10	62
T 18416	201	229	< 0.01	19	420	16	< 2	3	13	0.05	< 10	< 10	40	< 10	76
T 18417	201	229	0.01	17	740	58	< 2	1	39	0.03	< 10	< 10	34	< 10	156
T 18418	201	229	< 0.01	32	1060	144	< 2	3	18	0.07	< 10	< 10	47	< 10	676
T 18419	201	229	< 0.01	19	440	14	< 2	2	12	0.04	< 10	< 10	57	< 10	72
T 18420	201	229	< 0.01	16	510	18	2	2	14	0.03	< 10	< 10	37	< 10	80
T 18421	201	229	0.01	20	510	6	< 2	2	16	0.05	< 10	< 10	49	< 10	78
T 18422	201	229	0.01	24	630	14	< 2	3	22	0.05	< 10	< 10	56	< 10	86
T 18423	201	229	0.01	22	560	20	< 2	3	17	0.04	< 10	< 10	53	< 10	80
T 18424	201	229	0.01	18	390	34	< 2	1	13	0.02	< 10	< 10	40	< 10	76
T 18425	201	229	< 0.01	30	640	42	2	3	16	0.05	< 10	< 10	47	< 10	182
T 18426	201	229	0.01	15	420	16	2	2	11	0.06	< 10	< 10	50	< 10	64
T 18427	201	229	0.01	27	470	14	< 2	3	14	0.06	< 10	< 10	57	< 10	88
T 18428	201	229	0.01	25	620	14	< 2	2	13	0.04	< 10	< 10	55	< 10	88
T 18429	201	229	< 0.01	23	550	12	< 2	2	12	0.05	< 10	< 10	51	< 10	96
T 18430	201	229	0.01	13	560	8	< 2	1	11	0.04	< 10	< 10	55	< 10	70
T 18431	201	229	< 0.01	8	380	18	< 2	1	9	0.03	< 10	< 10	54	< 10	48
T 18432	201	229	0.01	11	360	20	< 2	1	9	0.03	< 10	< 10	41	< 10	68
T 18433	201	229	< 0.01	16	370	14	< 2	2	11	0.04	< 10	< 10	44	< 10	68
T 18434	201	229	0.01	12	290	12	< 2	1	10	0.03	< 10	< 10	40	< 10	48
T 18435	201	229	< 0.01	26	540	18	< 2	4	14	0.06	< 10	< 10	60	< 10	136
T 18436	201	229	< 0.01	27	440	12	2	3	13	0.07	< 10	< 10	42	< 10	128
T 18437	201	229	< 0.01	12	310	4	< 2	1	9	0.04	< 10	< 10	34	< 10	40
T 18438	201	229	< 0.01	17	250	6	< 2	2	10	0.06	< 10	< 10	42	< 10	46
T 18439	201	229	< 0.01	22	510	12	< 2	4	18	0.08	< 10	< 10	44	< 10	62
T 18440	201	229	< 0.01	17	380	2	< 2	3	14	0.06	< 10	< 10	47	< 10	52

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number :2-A
Total Pages :8
Certificate Date: 31-AUG-93
Invoice No. :I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 18441	201	229	< 0.2	1.40	8	170	0.5	4	0.19	< 0.5	8	24	36	2.47	< 10	< 1	0.11	10	0.55	330	< 1
T 18442	201	229	< 0.2	1.45	8	120	0.5	< 2	0.12	< 0.5	9	22	32	2.27	< 10	< 1	0.15	20	0.50	535	< 1
T 18443	201	229	< 0.2	1.58	< 2	150	0.5	6	0.16	0.5	10	26	35	2.61	10	< 1	0.16	20	0.55	275	< 1
T 18444	201	229	< 0.2	1.41	6	130	< 0.5	< 2	0.13	< 0.5	5	22	24	2.04	< 10	< 1	0.10	10	0.39	125	< 1
T 18445	201	229	0.2	1.62	6	200	0.5	< 2	0.14	< 0.5	9	44	30	2.53	< 10	< 1	0.12	10	0.56	200	< 1
T 18446	201	229	< 0.2	1.80	2	280	0.5	< 2	0.17	0.5	8	55	29	2.72	< 10	< 1	0.05	10	0.56	215	< 1
T 18447	201	229	0.2	1.25	4	290	< 0.5	< 2	0.12	< 0.5	6	23	33	2.27	< 10	< 1	0.08	10	0.26	310	1
T 18448	201	229	0.2	1.42	4	140	< 0.5	< 2	0.12	< 0.5	5	23	22	2.11	< 10	< 1	0.07	10	0.36	160	1
T 18449	201	229	< 0.2	1.61	18	160	< 0.5	< 2	0.20	< 0.5	11	25	31	2.92	< 10	< 1	0.17	10	0.56	495	< 1
T 18450	201	229	< 0.2	1.62	6	190	< 0.5	4	0.35	< 0.5	7	27	38	2.74	< 10	< 1	0.17	10	0.72	255	< 1
T 18451	201	229	< 0.2	2.32	34	220	0.5	< 2	0.48	< 0.5	23	260	33	3.14	< 10	< 1	0.02	10	1.55	440	< 1
T 18452	201	229	< 0.2	1.55	18	250	0.5	< 2	1.16	< 0.5	11	29	25	2.61	< 10	< 1	0.05	10	0.49	550	< 1
T 18453	201	229	0.2	1.65	20	240	0.5	< 2	1.19	< 0.5	9	26	27	2.46	< 10	< 1	0.05	10	0.47	595	< 1
T 18454	201	229	< 0.2	1.73	8	260	0.5	< 2	0.77	< 0.5	12	33	33	2.99	< 10	< 1	0.06	10	0.52	645	< 1
T 18455	201	229	0.2	1.72	2	280	0.5	< 2	1.01	< 0.5	9	29	22	2.26	< 10	< 1	0.05	10	0.44	340	< 1
T 18456	201	229	0.2	1.72	2	150	0.5	< 2	0.29	< 0.5	7	28	22	2.64	< 10	< 1	0.08	10	0.47	195	< 1
T 18457	201	229	0.2	1.90	24	210	0.5	< 2	0.20	< 0.5	9	33	32	2.76	< 10	< 1	0.10	20	0.52	265	< 1
T 18458	201	229	0.2	1.69	16	120	0.5	4	0.17	< 0.5	8	28	25	2.60	< 10	< 1	0.14	20	0.45	190	< 1
T 18459	201	229	0.2	1.73	8	120	0.5	< 2	0.16	< 0.5	9	28	23	2.72	< 10	< 1	0.09	10	0.44	255	< 1
T 18460	201	229	0.2	0.84	8	70	< 0.5	< 2	0.08	< 0.5	2	14	15	1.46	< 10	< 1	0.08	10	0.18	105	< 1
T 18461	201	229	0.2	0.99	< 2	90	< 0.5	< 2	0.08	< 0.5	3	15	14	1.36	< 10	< 1	0.08	10	0.19	85	< 1
T 18462	201	229	< 0.2	1.45	8	120	< 0.5	< 2	0.12	< 0.5	7	24	22	2.59	< 10	< 1	0.11	10	0.38	245	1
T 18463	201	229	< 0.2	1.74	18	120	0.5	< 2	0.11	< 0.5	7	26	25	2.76	< 10	< 1	0.11	10	0.38	230	1
T 18464	201	229	< 0.2	1.65	16	120	0.5	< 2	0.11	< 0.5	7	24	23	2.73	< 10	< 1	0.10	10	0.37	190	< 1
T 18465	201	229	0.6	0.91	6	120	< 0.5	< 2	0.10	0.5	5	14	19	1.62	< 10	< 1	0.07	10	0.12	170	< 1
T 18466	201	229	< 0.2	1.68	2	190	< 0.5	< 2	0.23	0.5	12	29	28	2.76	< 10	< 1	0.08	20	0.46	385	< 1
T 18467	201	229	< 0.2	1.63	10	210	0.5	< 2	0.24	< 0.5	8	28	26	2.36	< 10	< 1	0.05	10	0.48	220	< 1
T 18468	201	229	< 0.2	1.04	16	90	< 0.5	< 2	0.08	< 0.5	2	15	12	1.51	< 10	< 1	0.04	10	0.16	70	< 1
T 18469	201	229	< 0.2	1.40	10	170	< 0.5	< 2	0.21	< 0.5	7	26	22	2.32	< 10	< 1	0.08	10	0.42	230	< 1
T 18470	201	229	< 0.2	1.62	12	240	0.5	2	0.25	< 0.5	8	30	24	2.63	< 10	< 1	0.07	10	0.49	265	< 1
T 18471	201	229	< 0.2	1.88	16	190	< 0.5	< 2	0.16	< 0.5	7	28	21	2.45	< 10	< 1	0.08	10	0.44	180	< 1
T 18472	201	229	0.4	1.54	8	210	< 0.5	< 2	0.19	< 0.5	7	23	18	2.04	< 10	< 1	0.06	10	0.39	140	< 1
T 18473	201	229	0.2	1.39	< 2	210	< 0.5	< 2	0.16	0.5	8	23	18	2.19	< 10	< 1	0.06	10	0.35	275	< 1
T 18474	201	229	0.2	1.32	6	140	< 0.5	2	0.12	< 0.5	7	24	15	1.93	< 10	< 1	0.06	10	0.37	120	< 1
T 18475	201	229	< 0.2	1.18	10	100	< 0.5	< 2	0.08	< 0.5	10	20	15	2.35	< 10	< 1	0.06	10	0.31	495	1
T 18476	201	229	0.4	1.37	6	140	< 0.5	< 2	0.11	< 0.5	4	22	12	1.57	< 10	< 1	0.07	10	0.31	85	< 1
T 18477	201	229	0.4	1.57	4	230	< 0.5	< 2	0.21	< 0.5	8	22	14	2.05	< 10	< 1	0.06	10	0.37	195	1
T 18478	201	229	0.2	1.65	4	190	0.5	< 2	0.27	< 0.5	8	26	21	2.21	< 10	< 1	0.10	20	0.44	170	< 1
T 18479	201	229	< 0.2	1.28	8	110	< 0.5	< 2	0.24	< 0.5	7	23	23	2.25	< 10	< 1	0.19	10	0.39	230	1
T 18480	201	229	< 0.2	1.61	12	140	0.5	< 2	0.20	< 0.5	8	29	25	2.57	< 10	< 1	0.15	20	0.51	235	< 1

CERTIFICATION: Stuart Buchlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. :19319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18441	201	229	< 0.01	19	540	6	< 2	4	17	0.07	< 10	< 10	46	< 10	60
T 18442	201	229	< 0.01	21	380	14	< 2	2	10	0.06	< 10	< 10	38	< 10	54
T 18443	201	229	< 0.01	23	460	8	< 2	4	13	0.08	< 10	< 10	43	< 10	66
T 18444	201	229	0.01	17	390	12	< 2	2	13	0.04	< 10	< 10	39	< 10	52
T 18445	201	229	< 0.01	28	380	6	< 2	3	12	0.07	< 10	< 10	52	< 10	70
T 18446	201	229	0.01	32	570	6	2	4	14	0.04	< 10	< 10	60	< 10	68
T 18447	201	229	0.01	15	830	12	< 2	1	18	0.01	< 10	< 10	37	< 10	52
T 18448	201	229	0.01	15	380	8	< 2	1	12	0.03	< 10	< 10	40	< 10	50
T 18449	201	229	< 0.01	26	500	6	< 2	3	16	0.07	< 10	< 10	48	< 10	68
T 18450	201	229	< 0.01	18	340	8	< 2	3	19	0.10	< 10	< 10	50	< 10	54
T 18451	201	229	0.01	238	480	6	2	7	20	0.08	< 10	< 10	66	< 10	70
T 18452	201	229	0.01	25	930	10	< 2	5	32	0.06	< 10	< 10	50	< 10	62
T 18453	201	229	0.01	23	670	4	< 2	5	32	0.06	< 10	< 10	49	< 10	56
T 18454	201	229	0.01	29	580	8	2	6	27	0.07	< 10	< 10	56	< 10	62
T 18455	201	229	0.01	20	630	12	2	3	33	0.04	< 10	< 10	43	< 10	52
T 18456	201	229	< 0.01	19	270	6	< 2	3	15	0.07	< 10	< 10	50	< 10	66
T 18457	201	229	< 0.01	25	390	8	< 2	6	15	0.08	< 10	< 10	52	< 10	68
T 18458	201	229	< 0.01	20	560	6	< 2	3	13	0.06	< 10	< 10	45	< 10	64
T 18459	201	229	< 0.01	20	440	12	< 2	3	13	0.06	< 10	< 10	49	< 10	64
T 18460	201	229	0.01	7	410	6	< 2	< 1	8	0.03	< 10	< 10	35	< 10	30
T 18461	201	229	< 0.01	9	290	2	< 2	1	10	0.03	< 10	< 10	38	< 10	36
T 18462	201	229	0.01	16	520	12	2	2	11	0.06	< 10	< 10	54	< 10	62
T 18463	201	229	0.01	16	550	10	< 2	2	11	0.04	< 10	< 10	56	< 10	62
T 18464	201	229	0.01	20	420	2	2	3	10	0.06	< 10	< 10	53	< 10	66
T 18465	201	229	0.02	9	370	14	< 2	1	10	0.03	< 10	< 10	40	< 10	34
T 18466	201	229	< 0.01	25	710	14	2	3	17	0.07	< 10	< 10	54	< 10	114
T 18467	201	229	0.01	19	540	8	< 2	4	18	0.07	< 10	< 10	48	< 10	54
T 18468	201	229	0.01	5	340	10	< 2	1	11	0.04	< 10	< 10	42	< 10	20
T 18469	201	229	< 0.01	18	580	6	< 2	3	16	0.06	< 10	< 10	46	< 10	60
T 18470	201	229	0.01	19	580	8	< 2	3	19	0.07	< 10	< 10	53	< 10	70
T 18471	201	229	0.01	18	440	14	2	3	15	0.06	< 10	< 10	51	< 10	68
T 18472	201	229	< 0.01	18	440	12	< 2	2	17	0.03	< 10	< 10	38	< 10	68
T 18473	201	229	< 0.01	20	510	18	< 2	2	14	0.02	< 10	< 10	37	< 10	84
T 18474	201	229	< 0.01	14	480	14	< 2	1	10	0.02	< 10	< 10	33	< 10	64
T 18475	201	229	< 0.01	13	520	22	2	1	8	0.02	< 10	< 10	42	< 10	100
T 18476	201	229	< 0.01	12	510	20	< 2	1	10	0.02	< 10	< 10	26	< 10	90
T 18477	201	229	0.01	15	570	22	< 2	3	16	0.03	< 10	< 10	35	< 10	154
T 18478	201	229	< 0.01	19	600	6	< 2	3	16	0.05	< 10	< 10	43	< 10	92
T 18479	201	229	0.02	18	490	16	< 2	2	16	0.06	< 10	< 10	45	< 10	66
T 18480	201	229	< 0.01	23	530	6	< 2	3	14	0.07	< 10	< 10	44	< 10	82

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 18481	201	229	< 0.2	1.69	6	180	0.5	2	0.23	< 0.5	8	36	22	2.36	< 10	< 1	0.08	10	0.53	185	< 1
T 18482	201	229	0.2	1.80	2	310	< 0.5	< 2	0.35	< 0.5	9	40	26	2.30	< 10	< 1	0.05	10	0.53	255	1
T 18483	201	229	< 0.2	1.81	2	240	< 0.5	< 2	0.20	< 0.5	9	52	26	2.69	< 10	< 1	0.05	10	0.67	245	< 1
T 18484	201	229	< 0.2	2.08	8	240	< 0.5	6	0.16	< 0.5	10	88	26	3.15	< 10	< 1	0.08	< 10	0.84	260	< 1
T 18485	201	229	< 0.2	1.50	12	120	< 0.5	< 2	0.12	< 0.5	7	62	20	2.82	< 10	< 1	0.04	< 10	0.54	215	< 1
T 18486	201	229	< 0.2	1.74	12	150	< 0.5	2	0.20	< 0.5	8	44	20	2.63	< 10	< 1	0.07	< 10	0.59	265	< 1
T 18487	201	229	< 0.2	1.32	6	150	< 0.5	< 2	0.17	< 0.5	5	23	13	2.01	< 10	< 1	0.03	10	0.36	130	< 1
T 18488	201	229	< 0.2	2.18	6	190	0.5	< 2	0.17	< 0.5	13	27	20	3.81	< 10	< 1	0.10	< 10	0.62	295	1
T 18489	201	229	0.2	2.10	6	180	0.5	< 2	0.14	< 0.5	9	31	18	3.05	< 10	< 1	0.06	10	0.53	265	1
T 18490	201	229	< 0.2	2.65	18	240	0.5	2	0.20	< 0.5	16	24	27	5.80	10	< 1	0.17	< 10	0.93	525	< 1
T 18491	201	229	< 0.2	2.25	16	210	0.5	< 2	0.23	< 0.5	14	30	34	4.02	< 10	< 1	0.10	< 10	0.75	315	< 1
T 18492	201	229	< 0.2	1.85	8	200	< 0.5	< 2	0.21	< 0.5	9	29	18	2.65	< 10	< 1	0.05	< 10	0.54	250	< 1
T 18493	201	229	0.2	2.06	12	290	< 0.5	< 2	0.21	< 0.5	10	38	35	2.90	10	< 1	0.09	20	0.72	335	< 1
T 18494	201	229	< 0.2	2.40	20	200	< 0.5	< 2	0.21	< 0.5	8	38	25	3.48	< 10	< 1	0.05	10	0.67	245	< 1
T 18495	201	229	< 0.2	2.52	16	210	< 0.5	6	0.15	< 0.5	10	47	26	3.61	< 10	< 1	0.07	10	0.68	285	1
T 18496	201	229	< 0.2	2.75	18	260	0.5	< 2	0.24	< 0.5	13	47	35	3.77	10	< 1	0.07	10	0.79	315	< 1
T 18497	201	229	< 0.2	2.41	8	240	0.5	< 2	0.21	< 0.5	11	55	24	3.50	< 10	< 1	0.05	10	0.75	310	< 1
T 18498	201	229	< 0.2	1.88	6	160	< 0.5	< 2	0.19	< 0.5	9	32	20	2.59	< 10	< 1	0.05	10	0.56	205	< 1
T 18499	201	229	0.2	2.24	10	340	0.5	< 2	0.48	< 0.5	14	36	23	2.84	10	< 1	0.04	10	0.40	925	< 1
T 18500	201	229	< 0.2	1.40	6	110	< 0.5	< 2	0.12	< 0.5	6	33	20	2.03	< 10	< 1	0.04	10	0.39	160	< 1
T 18501	201	229	< 0.2	1.60	10	100	< 0.5	< 2	0.13	< 0.5	5	27	15	2.38	< 10	< 1	0.03	10	0.40	160	< 1
T 18502	201	229	0.2	2.18	10	340	0.5	2	0.47	< 0.5	11	33	26	3.21	10	< 1	0.04	30	0.35	590	< 1
T 18503	201	229	< 0.2	1.29	8	90	< 0.5	< 2	0.09	< 0.5	4	21	11	2.55	< 10	< 1	0.03	10	0.21	175	1
T 18504	201	229	< 0.2	1.43	8	180	< 0.5	< 2	0.22	< 0.5	7	26	22	2.24	< 10	< 1	0.07	20	0.44	210	< 1
T 18505	201	229	0.2	1.55	8	140	< 0.5	4	0.20	< 0.5	7	25	29	2.38	< 10	< 1	0.11	20	0.46	200	< 1
T 18506	201	229	0.2	1.48	< 2	160	< 0.5	< 2	0.23	0.5	8	26	30	2.36	< 10	< 1	0.11	20	0.47	230	< 1
T 18507	201	229	< 0.2	1.23	4	120	< 0.5	2	0.16	0.5	7	21	24	2.09	< 10	< 1	0.12	20	0.36	170	1
T 18508	201	229	< 0.2	1.51	14	110	< 0.5	2	0.14	< 0.5	4	25	19	1.95	< 10	< 1	0.08	10	0.31	115	< 1
T 18509	201	229	0.2	1.45	16	120	< 0.5	< 2	0.19	< 0.5	9	25	28	2.46	< 10	< 1	0.15	20	0.44	290	< 1
T 18510	201	229	0.2	1.61	8	180	< 0.5	< 2	0.21	0.5	8	28	31	2.44	< 10	< 1	0.13	20	0.50	260	< 1
T 18701	201	229	< 0.2	1.27	8	210	< 0.5	2	0.19	< 0.5	8	23	22	2.17	< 10	< 1	0.06	20	0.34	235	< 1
T 18702	201	229	< 0.2	1.52	12	190	< 0.5	< 2	0.15	< 0.5	7	23	21	2.50	< 10	< 1	0.08	20	0.37	260	1
T 18703	201	229	0.2	1.38	6	200	< 0.5	< 2	0.14	< 0.5	7	21	26	2.44	< 10	< 1	0.10	20	0.36	245	1
T 18704	201	229	0.2	1.93	2	200	< 0.5	< 2	0.10	0.5	8	27	27	2.75	< 10	< 1	0.08	10	0.36	250	1
T 18705	201	229	< 0.2	1.35	14	170	< 0.5	< 2	0.15	< 0.5	6	24	20	2.30	< 10	< 1	0.07	20	0.35	185	1
T 18706	201	229	< 0.2	1.59	16	200	< 0.5	< 2	0.13	< 0.5	7	20	21	2.42	< 10	< 1	0.10	20	0.26	225	< 1
T 18707	201	229	0.2	1.67	2	180	< 0.5	< 2	0.13	0.5	7	23	16	2.44	< 10	< 1	0.08	10	0.29	240	1
T 18708	201	229	0.2	1.98	4	260	< 0.5	< 2	0.14	0.5	10	33	26	2.73	< 10	< 1	0.06	10	0.44	335	< 1
T 18709	201	229	< 0.2	1.65	8	170	< 0.5	< 2	0.13	< 0.5	7	29	20	2.56	< 10	< 1	0.07	10	0.39	240	1
T 18710	201	229	0.2	1.57	6	170	< 0.5	< 2	0.11	< 0.5	7	28	21	2.70	< 10	< 1	0.08	10	0.37	215	1

CERTIFICATION: Bart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number :3-B
Total Pages :8
Certificate Date: 31-AUG-93
Invoice No. :19319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18481	201	229	< 0.01	24	530	10	< 2	3	16	0.06	< 10	< 10	49	< 10	62
T 18482	201	229	0.01	25	510	6	< 2	4	20	0.06	< 10	< 10	54	< 10	56
T 18483	201	229	0.01	29	440	2	2	4	12	0.07	< 10	< 10	73	< 10	60
T 18484	201	229	< 0.01	40	370	8	< 2	5	11	0.08	< 10	< 10	86	< 10	68
T 18485	201	229	< 0.01	27	230	8	2	3	10	0.07	< 10	< 10	79	< 10	46
T 18486	201	229	< 0.01	23	480	12	4	3	13	0.07	< 10	< 10	56	< 10	58
T 18487	201	229	< 0.01	11	480	10	< 2	2	12	0.04	< 10	< 10	43	< 10	38
T 18488	201	229	0.01	13	620	6	< 2	6	12	0.08	< 10	< 10	77	< 10	68
T 18489	201	229	< 0.01	18	300	10	< 2	4	12	0.07	< 10	< 10	67	< 10	50
T 18490	201	229	0.02	12	1110	6	< 2	9	8	0.11	< 10	< 10	120	< 10	96
T 18491	201	229	0.02	18	520	< 2	< 2	7	10	0.10	< 10	< 10	100	< 10	66
T 18492	201	229	0.02	14	300	4	< 2	4	14	0.08	< 10	< 10	69	< 10	52
T 18493	201	229	0.01	26	250	6	< 2	7	14	0.10	< 10	< 10	76	< 10	70
T 18494	201	229	0.01	23	230	10	< 2	6	14	0.14	< 10	< 10	95	< 10	62
T 18495	201	229	0.01	30	300	6	< 2	5	13	0.09	< 10	< 10	78	< 10	68
T 18496	201	229	0.01	31	330	14	< 2	7	17	0.11	< 10	< 10	97	< 10	74
T 18497	201	229	0.01	27	280	4	< 2	7	15	0.10	< 10	< 10	94	< 10	56
T 18498	201	229	0.01	19	280	4	< 2	4	14	0.09	< 10	< 10	66	< 10	50
T 18499	201	229	0.01	31	910	6	2	4	21	0.04	< 10	< 10	55	< 10	60
T 18500	201	229	0.01	26	750	2	< 2	1	10	0.02	< 10	< 10	39	< 10	42
T 18501	201	229	< 0.01	13	240	10	< 2	3	11	0.06	< 10	< 10	48	< 10	42
T 18502	201	229	< 0.01	37	560	12	< 2	6	20	0.01	< 10	< 10	40	< 10	60
T 18503	201	229	< 0.01	7	270	4	< 2	2	9	0.05	< 10	< 10	57	< 10	28
T 18504	201	229	< 0.01	18	460	14	< 2	4	16	0.06	< 10	< 10	42	< 10	56
T 18505	201	229	< 0.01	20	480	38	< 2	3	16	0.06	< 10	< 10	44	< 10	106
T 18506	201	229	< 0.01	21	490	22	< 2	3	19	0.07	< 10	< 10	45	< 10	158
T 18507	201	229	< 0.01	16	440	24	< 2	2	17	0.05	< 10	< 10	39	< 10	120
T 18508	201	229	< 0.01	13	470	32	< 2	1	14	0.03	< 10	< 10	39	< 10	74
T 18509	201	229	< 0.01	23	550	22	< 2	3	16	0.06	< 10	< 10	41	< 10	206
T 18510	201	229	< 0.01	22	480	40	< 2	4	18	0.07	< 10	< 10	45	< 10	264
T 18701	201	229	< 0.01	18	400	14	< 2	3	17	0.05	< 10	< 10	41	< 10	64
T 18702	201	229	< 0.01	19	460	14	2	3	14	0.05	< 10	< 10	47	< 10	74
T 18703	201	229	< 0.01	22	500	12	2	2	14	0.04	< 10	< 10	40	< 10	110
T 18704	201	229	0.01	18	450	6	2	3	12	0.05	< 10	< 10	52	< 10	70
T 18705	201	229	< 0.01	17	360	6	< 2	2	14	0.05	< 10	< 10	43	< 10	64
T 18706	201	229	0.01	17	460	16	2	2	16	0.04	< 10	< 10	40	< 10	56
T 18707	201	229	0.01	11	610	12	< 2	3	13	0.06	< 10	< 10	57	< 10	48
T 18708	201	229	0.01	20	290	12	< 2	4	15	0.06	< 10	< 10	55	< 10	62
T 18709	201	229	< 0.01	19	330	6	2	3	13	0.05	< 10	< 10	50	< 10	60
T 18710	201	229	0.01	19	370	8	< 2	3	13	0.04	< 10	< 10	51	< 10	56

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. :19319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P 18711	201	229	< 0.2	1.97	4	190	< 0.5	2	0.14	< 0.5	7	32	23	2.94	< 10	< 1	0.06	10	0.49	200	1
P 18712	201	229	< 0.2	1.65	10	190	< 0.5	< 2	0.16	< 0.5	9	22	17	3.00	10	< 1	0.09	10	0.33	630	1
P 18713	201	229	< 0.2	2.37	4	220	< 0.5	< 2	0.13	< 0.5	8	34	26	3.20	10	< 1	0.07	10	0.49	225	2
P 18714	201	229	< 0.2	1.60	4	160	< 0.5	< 2	0.12	0.5	6	23	20	2.43	10	< 1	0.07	10	0.35	260	2
P 18715	201	229	< 0.2	2.34	6	300	0.5	< 2	0.30	< 0.5	9	36	29	3.50	10	< 1	0.15	10	0.42	345	1
P 18716	201	229	< 0.2	1.86	2	240	< 0.5	< 2	0.11	< 0.5	4	24	19	2.30	< 10	< 1	0.06	10	0.30	125	1
P 18717	201	229	< 0.2	1.42	4	160	0.5	< 2	0.14	< 0.5	5	24	20	2.28	< 10	< 1	0.05	10	0.35	165	1
P 18718	201	229	< 0.2	1.55	4	180	< 0.5	< 2	0.16	< 0.5	6	24	19	2.39	< 10	< 1	0.05	10	0.38	185	1
P 18719	201	229	< 0.2	0.93	2	130	< 0.5	< 2	0.10	< 0.5	5	15	18	2.15	< 10	< 1	0.06	10	0.20	180	1
P 18720	201	229	< 0.2	1.70	2	190	< 0.5	< 2	0.13	< 0.5	5	24	14	2.84	< 10	< 1	0.06	10	0.30	140	1
P 18721	201	229	< 0.2	1.78	2	210	0.5	< 2	0.16	0.5	10	23	17	2.71	< 10	< 1	0.06	10	0.34	360	2
P 18722	201	229	< 0.2	1.83	4	190	0.5	2	0.13	< 0.5	6	27	23	2.99	10	< 1	0.07	10	0.40	205	1
P 18723	201	229	< 0.2	1.89	6	210	0.5	4	0.20	< 0.5	8	32	26	2.79	10	< 1	0.07	20	0.52	225	1
P 18724	201	229	< 0.2	1.56	6	310	0.5	< 2	0.43	< 0.5	7	28	25	2.55	< 10	< 1	0.07	10	0.58	220	1
P 18725	201	229	< 0.2	1.46	4	340	0.5	< 2	0.58	0.5	10	29	34	2.60	10	< 1	0.07	10	0.62	440	1
P 18726	201	229	< 0.2	1.31	8	180	0.5	< 2	0.50	0.5	12	30	38	3.02	10	< 1	0.18	30	0.50	445	1
P 18727	201	229	< 0.2	1.53	8	140	0.5	< 2	0.17	< 0.5	11	21	40	3.22	10	< 1	0.17	30	0.38	435	2
P 18728	201	229	0.4	1.83	2	180	0.5	4	0.17	0.5	12	27	61	3.89	10	< 1	0.22	40	0.52	450	3
P 18729	201	229	0.8	2.25	4	290	0.5	< 2	0.21	0.5	12	28	15	2.97	10	< 1	0.08	10	0.31	1070	2
P 18730	201	229	< 0.2	1.94	2	330	< 0.5	< 2	0.21	0.5	8	28	16	2.67	10	< 1	0.11	10	0.44	350	1
P 18731	201	229	< 0.2	1.67	4	320	0.5	< 2	0.16	0.5	8	28	23	2.78	< 10	< 1	0.07	10	0.45	330	1
P 18732	201	229	< 0.2	1.65	2	200	0.5	< 2	0.12	< 0.5	8	23	12	2.60	< 10	< 1	0.06	< 10	0.36	395	1
P 18733	201	229	< 0.2	1.21	2	260	< 0.5	2	0.13	< 0.5	9	15	11	1.91	< 10	< 1	0.06	10	0.27	445	1
P 18734	201	229	< 0.2	2.72	10	380	0.5	< 2	0.18	< 0.5	9	39	29	3.49	< 10	< 1	0.10	10	0.58	385	1
P 18735	201	229	< 0.2	1.75	4	230	0.5	4	0.16	< 0.5	7	30	26	2.90	< 10	< 1	0.08	10	0.50	235	1
P 18736	201	229	< 0.2	2.28	6	240	0.5	4	0.15	0.5	8	37	28	3.36	10	3	0.11	10	0.52	335	2
P 18737	201	229	< 0.2	1.30	4	220	0.5	2	0.11	< 0.5	9	20	27	2.92	10	< 1	0.12	20	0.24	430	1
P 18738	201	229	< 0.2	1.83	2	190	0.5	4	0.12	0.5	8	38	30	3.04	10	< 1	0.10	10	0.54	245	1
P 18739	201	229	< 0.2	1.68	2	120	< 0.5	2	0.12	< 0.5	5	27	24	2.56	< 10	< 1	0.10	10	0.49	145	2
P 18740	201	229	< 0.2	2.32	4	190	0.5	< 2	0.14	< 0.5	9	34	26	3.25	10	< 1	0.07	10	0.50	215	1
P 18741	201	229	< 0.2	2.20	4	370	0.5	< 2	0.42	< 0.5	12	38	33	3.37	10	< 1	0.14	10	0.62	520	2
P 18742	201	229	< 0.2	1.56	2	270	0.5	< 2	0.49	< 0.5	11	36	36	2.87	10	< 1	0.16	20	0.56	455	< 1
P 18743	201	229	< 0.2	1.65	2	230	0.5	< 2	0.17	< 0.5	11	30	30	2.85	10	< 1	0.11	10	0.42	530	2
P 18744	201	229	0.4	1.68	4	250	< 0.5	< 2	0.19	< 0.5	8	36	29	2.52	< 10	< 1	0.06	10	0.49	230	1
P 18745	201	229	< 0.2	1.95	4	370	< 0.5	4	0.25	0.5	8	37	27	3.14	< 10	< 1	0.08	10	0.50	235	2
P 18746	201	229	0.2	1.60	6	630	< 0.5	2	0.26	< 0.5	6	31	22	2.40	< 10	< 1	0.04	10	0.45	195	2
P 18747	201	229	0.2	0.87	2	260	0.5	< 2	0.10	< 0.5	12	26	29	2.40	< 10	< 1	0.10	10	0.30	550	2
P 18748	201	229	< 0.2	1.68	4	190	0.5	< 2	0.14	< 0.5	6	28	24	2.53	< 10	< 1	0.06	10	0.45	155	1
P 18749	201	229	< 0.2	1.66	4	130	0.5	2	0.11	0.5	6	30	26	2.76	< 10	< 1	0.10	10	0.49	190	1
P 18750	201	229	0.2	1.89	2	260	0.5	< 2	0.18	< 0.5	7	47	29	2.53	< 10	< 1	0.10	20	0.51	155	1

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. :I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18711	201	229	< 0.01	19	290	8	< 2	3	12	0.07	< 10	< 10	59	< 10	58
T 18712	201	229	0.01	15	960	12	< 2	2	16	0.06	< 10	< 10	69	< 10	72
T 18713	201	229	0.01	23	360	10	< 2	3	14	0.07	< 10	< 10	69	< 10	68
T 18714	201	229	0.01	17	520	10	< 2	2	13	0.05	< 10	< 10	52	< 10	66
T 18715	201	229	0.03	24	780	12	< 2	3	32	0.06	< 10	< 10	72	10	86
T 18716	201	229	0.02	13	290	10	< 2	3	13	0.04	< 10	< 10	46	< 10	46
T 18717	201	229	< 0.01	16	380	10	< 2	2	13	0.04	< 10	< 10	43	< 10	62
T 18718	201	229	< 0.01	17	280	10	< 2	3	14	0.05	< 10	< 10	43	< 10	56
T 18719	201	229	< 0.01	13	480	12	< 2	1	11	0.03	< 10	< 10	38	< 10	56
T 18720	201	229	0.01	13	570	14	< 2	2	16	0.04	< 10	< 10	55	< 10	50
T 18721	201	229	0.01	15	540	10	< 2	3	17	0.04	< 10	< 10	52	< 10	66
T 18722	201	229	0.01	22	530	10	< 2	3	14	0.06	< 10	< 10	55	< 10	90
T 18723	201	229	0.01	21	370	10	< 2	4	19	0.08	< 10	< 10	53	< 10	80
T 18724	201	229	0.01	20	790	8	< 2	4	29	0.08	< 10	< 10	50	< 10	84
T 18725	201	229	0.02	28	730	8	2	4	33	0.08	< 10	< 10	54	< 10	80
T 18726	201	229	< 0.01	39	690	16	< 2	3	20	0.03	< 10	< 10	36	< 10	118
T 18727	201	229	0.01	31	820	26	< 2	2	12	0.02	< 10	< 10	44	< 10	180
T 18728	201	229	< 0.01	37	870	132	< 2	3	21	0.03	< 10	< 10	53	< 10	474
T 18729	201	229	0.01	16	470	14	< 2	3	22	0.05	< 10	< 10	62	< 10	128
T 18730	201	229	0.01	19	300	12	< 2	3	23	0.06	< 10	< 10	58	< 10	78
T 18731	201	229	< 0.01	23	380	10	< 2	3	17	0.04	< 10	< 10	49	< 10	74
T 18732	201	229	< 0.01	16	500	10	< 2	2	10	0.04	< 10	< 10	52	< 10	90
T 18733	201	229	0.01	12	190	12	< 2	2	13	0.04	< 10	< 10	40	< 10	44
T 18734	201	229	0.01	28	450	10	< 2	4	19	0.06	< 10	< 10	68	< 10	78
T 18735	201	229	< 0.01	27	350	16	< 2	3	15	0.06	< 10	< 10	56	< 10	80
T 18736	201	229	0.01	25	370	14	< 2	4	17	0.07	< 10	< 10	65	< 10	88
T 18737	201	229	0.01	24	560	20	< 2	3	17	0.03	< 10	< 10	41	< 10	138
T 18738	201	229	0.01	29	270	8	< 2	3	15	0.06	< 10	< 10	51	< 10	64
T 18739	201	229	< 0.01	19	310	6	< 2	3	12	0.07	< 10	< 10	46	< 10	56
T 18740	201	229	0.01	24	400	10	< 2	4	15	0.08	< 10	< 10	61	< 10	64
T 18741	201	229	0.01	33	390	8	< 2	5	22	0.08	< 10	< 10	58	< 10	76
T 18742	201	229	< 0.01	37	570	8	< 2	5	21	0.06	< 10	< 10	46	< 10	84
T 18743	201	229	< 0.01	24	560	8	< 2	3	18	0.06	< 10	< 10	56	< 10	82
T 18744	201	229	0.01	26	580	8	< 2	3	20	0.06	< 10	< 10	53	< 10	90
T 18745	201	229	0.01	26	890	8	< 2	3	32	0.06	< 10	< 10	71	< 10	112
T 18746	201	229	0.01	24	350	8	2	3	23	0.06	< 10	< 10	49	< 10	68
T 18747	201	229	< 0.01	29	500	6	< 2	2	12	0.03	< 10	< 10	34	< 10	82
T 18748	201	229	0.01	20	370	8	< 2	2	15	0.05	< 10	< 10	43	< 10	56
T 18749	201	229	< 0.01	27	370	6	< 2	2	12	0.06	< 10	< 10	47	< 10	74
T 18750	201	229	0.01	34	400	12	< 2	3	21	0.03	< 10	< 10	43	< 10	90

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P 18751	201 229	< 0.2	1.69	4	220	0.5	< 2	0.16	< 0.5	7	33	26	2.98	10	2	0.08	10	0.46	255	1
P 18752	201 229	0.2	1.65	8	220	0.5	2	0.13	< 0.5	6	29	22	2.62	< 10	< 1	0.06	10	0.37	215	2
P 18753	201 229	< 0.2	1.76	2	210	0.5	2	0.15	< 0.5	7	28	22	2.85	< 10	< 1	0.10	10	0.40	235	1
P 18754	201 229	< 0.2	1.78	< 2	240	< 0.5	2	0.16	0.5	7	27	21	2.83	< 10	< 1	0.07	10	0.41	225	2
P 18755	201 229	< 0.2	1.42	8	150	< 0.5	< 2	0.14	< 0.5	7	25	26	2.87	< 10	< 1	0.09	10	0.37	255	1
P 18757	201 229	< 0.2	2.23	2	260	0.5	4	0.17	< 0.5	8	35	19	3.19	10	< 1	0.09	10	0.44	460	2
P 18758	201 229	< 0.2	1.86	4	250	0.5	< 2	0.17	< 0.5	8	30	28	3.05	< 10	< 1	0.11	10	0.47	340	1
P 18759	201 229	< 0.2	1.55	4	210	0.5	< 2	0.15	< 0.5	5	23	16	2.46	< 10	< 1	0.08	10	0.33	245	1
P 18760	201 229	< 0.2	2.25	4	250	0.5	< 2	0.14	< 0.5	8	36	25	3.26	< 10	< 1	0.07	10	0.55	275	1
P 18761	201 229	< 0.2	1.54	2	160	< 0.5	< 2	0.10	< 0.5	6	26	23	2.53	< 10	< 1	0.05	10	0.44	195	1
P 18762	201 229	< 0.2	1.71	< 2	180	< 0.5	< 2	0.15	< 0.5	7	29	23	2.46	< 10	< 1	0.04	10	0.51	200	2
P 18763	201 229	< 0.2	1.93	6	270	< 0.5	< 2	0.22	< 0.5	8	33	26	2.96	10	< 1	0.07	10	0.56	235	1
P 18764	201 229	< 0.2	2.04	< 2	280	0.5	2	0.13	0.5	6	31	22	2.89	< 10	< 1	0.06	10	0.41	225	2
P 18765	201 229	< 0.2	1.53	12	150	0.5	< 2	0.11	< 0.5	6	26	30	3.13	< 10	< 1	0.07	10	0.36	235	2
P 18801	201 229	< 0.2	1.45	< 2	170	< 0.5	< 2	0.17	0.5	4	21	14	1.68	< 10	< 1	0.07	10	0.33	110	< 1
P 18802	201 229	< 0.2	1.33	12	160	< 0.5	< 2	0.17	< 0.5	3	21	13	1.64	< 10	< 1	0.06	10	0.31	100	< 1
P 18803	201 229	< 0.2	1.41	2	260	< 0.5	< 2	0.43	< 0.5	4	21	17	1.86	< 10	< 1	0.07	10	0.37	145	< 1
P 18804	201 229	0.8	1.99	2	260	0.5	< 2	0.58	0.5	12	31	36	2.86	10	< 1	0.17	40	0.44	500	2
P 18805	201 229	0.2	1.44	8	150	0.5	< 2	0.34	< 0.5	9	26	31	2.68	10	< 1	0.17	20	0.36	350	2
P 18806	201 229	0.2	1.68	8	140	0.5	< 2	0.21	< 0.5	17	30	33	3.20	10	< 1	0.26	20	0.51	860	2
P 18807	201 229	< 0.2	1.95	4	150	0.5	< 2	0.18	< 0.5	12	33	28	3.08	10	< 1	0.12	10	0.52	470	1
P 18808	201 229	< 0.2	1.72	< 2	160	0.5	2	0.19	< 0.5	11	33	33	2.88	< 10	< 1	0.15	20	0.60	395	1
P 18809	201 229	< 0.2	1.75	8	160	0.5	2	0.17	< 0.5	10	49	36	2.75	10	< 1	0.17	20	0.69	350	2
P 18810	201 229	< 0.2	1.73	4	150	< 0.5	< 2	0.15	< 0.5	7	36	31	2.68	10	1	0.20	20	0.62	270	1
P 18811	201 229	< 0.2	2.20	4	250	0.5	< 2	0.22	< 0.5	12	37	43	3.48	10	< 1	0.14	20	0.74	520	2
P 18812	201 229	< 0.2	1.78	< 2	150	0.5	< 2	0.15	< 0.5	10	38	35	3.14	10	< 1	0.18	20	0.63	475	1
P 18813	201 229	< 0.2	1.67	< 2	180	0.5	2	0.14	0.5	8	31	39	2.68	10	< 1	0.16	10	0.60	355	1
P 18814	201 229	< 0.2	2.11	< 2	190	0.5	< 2	0.14	< 0.5	10	36	33	3.14	10	< 1	0.11	20	0.51	425	1
P 18815	201 229	< 0.2	1.88	< 2	260	0.5	< 2	0.11	< 0.5	5	32	24	2.30	10	< 1	0.07	20	0.26	280	2
P 18816	201 229	< 0.2	1.89	< 2	190	0.5	< 2	0.17	< 0.5	11	37	30	2.71	10	< 1	0.09	10	0.50	405	1
P 18817	201 229	< 0.2	1.71	< 2	240	0.5	2	0.23	0.5	12	55	30	2.69	10	< 1	0.07	10	0.58	365	1
P 18818	201 229	< 0.2	2.56	16	250	0.5	< 2	0.21	< 0.5	15	145	30	3.94	10	< 1	0.09	10	0.76	405	1
P 18819	201 229	< 0.2	2.12	< 2	210	< 0.5	< 2	0.22	0.5	11	54	30	3.61	10	< 1	0.10	< 10	0.82	325	2
P 18820	201 229	< 0.2	2.44	< 2	260	0.5	< 2	0.23	< 0.5	12	40	30	3.15	10	< 1	0.10	10	0.71	335	1
P 18821	201 229	< 0.2	2.26	< 2	230	0.5	< 2	0.28	< 0.5	14	32	29	3.56	10	< 1	0.08	10	0.72	540	2
P 18822	201 229	< 0.2	2.00	< 2	450	0.5	< 2	0.26	< 0.5	12	77	33	3.13	< 10	< 1	0.08	10	0.79	385	1
P 18823	201 229	< 0.2	3.68	< 2	870	1.0	4	0.48	< 0.5	24	79	55	6.43	10	< 1	0.11	10	1.55	580	1
P 18824	201 229	< 0.2	2.46	16	200	0.5	< 2	0.18	< 0.5	18	128	32	3.56	< 10	< 1	0.09	10	1.05	465	1
P 18825	201 229	< 0.2	1.81	10	370	0.5	< 2	0.23	< 0.5	12	74	35	3.11	< 10	< 1	0.10	10	0.80	410	1
P 18826	201 229	< 0.2	1.93	< 2	260	0.5	< 2	0.21	< 0.5	9	65	28	2.88	10	< 1	0.07	10	0.74	260	1

CERTIFICATION: Stuart Bichlmaier

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number :5-B
Total Pages :8
Certificate Date: 31-AUG-93
Invoice No. :I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18751	201	229	0.01	23	520	18	< 2	3	20	0.05	< 10	< 10	58	< 10	94
T 18752	201	229	0.01	19	460	12	< 2	3	15	0.04	< 10	< 10	53	< 10	80
T 18753	201	229	0.01	19	420	14	< 2	3	16	0.04	< 10	< 10	49	< 10	102
T 18754	201	229	0.01	20	390	16	< 2	3	15	0.04	< 10	< 10	51	< 10	102
T 18755	201	229	< 0.01	20	410	8	< 2	3	13	0.05	< 10	< 10	49	< 10	100
T 18757	201	229	0.01	18	400	20	< 2	4	18	0.07	< 10	< 10	69	< 10	70
T 18758	201	229	0.01	25	530	20	< 2	3	17	0.06	< 10	< 10	58	< 10	78
T 18759	201	229	0.01	15	320	10	2	3	15	0.04	< 10	< 10	52	< 10	56
T 18760	201	229	< 0.01	24	280	12	< 2	3	15	0.06	< 10	< 10	63	< 10	68
T 18761	201	229	< 0.01	19	130	14	< 2	3	11	0.05	< 10	< 10	49	< 10	56
T 18762	201	229	< 0.01	20	180	8	< 2	3	13	0.06	< 10	< 10	48	< 10	52
T 18763	201	229	0.01	24	190	18	< 2	4	20	0.07	< 10	< 10	57	< 10	60
T 18764	201	229	0.01	20	250	18	< 2	4	14	0.06	< 10	< 10	62	< 10	60
T 18765	201	229	< 0.01	24	260	14	< 2	3	13	0.04	< 10	< 10	52	< 10	72
T 18801	201	229	0.01	15	520	14	< 2	2	17	0.04	< 10	< 10	29	< 10	54
T 18802	201	229	0.01	13	510	12	< 2	2	16	0.04	< 10	< 10	30	< 10	50
T 18803	201	229	0.01	16	610	6	< 2	2	32	0.04	< 10	< 10	33	< 10	56
T 18804	201	229	0.01	29	750	32	< 2	4	36	0.04	< 10	< 10	47	< 10	110
T 18805	201	229	0.01	25	610	16	< 2	2	22	0.05	< 10	< 10	51	< 10	80
T 18806	201	229	0.01	28	770	12	< 2	3	17	0.08	< 10	< 10	55	< 10	100
T 18807	201	229	0.01	28	480	20	< 2	4	15	0.08	< 10	< 10	56	< 10	92
T 18808	201	229	< 0.01	31	470	10	< 2	3	15	0.08	< 10	< 10	52	< 10	84
T 18809	201	229	< 0.01	41	540	4	< 2	3	15	0.07	< 10	< 10	48	< 10	72
T 18810	201	229	< 0.01	30	500	14	< 2	3	16	0.06	< 10	< 10	52	< 10	66
T 18811	201	229	0.01	33	560	8	< 2	7	20	0.10	< 10	< 10	65	< 10	78
T 18812	201	229	0.01	26	680	14	< 2	3	16	0.06	< 10	< 10	63	< 10	68
T 18813	201	229	0.01	22	350	2	< 2	3	16	0.07	< 10	< 10	50	< 10	58
T 18814	201	229	0.01	23	600	12	< 2	3	17	0.06	< 10	< 10	61	< 10	64
T 18815	201	229	< 0.01	15	390	18	< 2	3	15	0.05	< 10	< 10	54	< 10	36
T 18816	201	229	0.01	31	500	6	< 2	4	15	0.06	< 10	< 10	52	< 10	70
T 18817	201	229	0.01	40	600	4	< 2	4	17	0.07	< 10	< 10	59	< 10	68
T 18818	201	229	0.01	101	780	18	< 2	6	17	0.07	< 10	< 10	76	< 10	104
T 18819	201	229	0.01	23	610	8	< 2	7	14	0.08	< 10	< 10	116	< 10	58
T 18820	201	229	0.01	29	420	6	< 2	7	19	0.11	< 10	< 10	72	< 10	68
T 18821	201	229	0.02	21	480	14	< 2	7	16	0.15	< 10	< 10	91	< 10	56
T 18822	201	229	0.01	42	500	6	2	7	20	0.09	< 10	< 10	73	< 10	82
T 18823	201	229	0.01	41	1030	6	2	19	27	0.03	< 10	< 10	181	10	86
T 18824	201	229	< 0.01	86	520	12	< 2	6	13	0.07	< 10	< 10	84	< 10	72
T 18825	201	229	0.01	56	630	14	< 2	6	17	0.07	< 10	< 10	72	< 10	76
T 18826	201	229	0.01	38	530	12	< 2	4	16	0.08	< 10	< 10	69	< 10	70

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. :19319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
P 18827	201	229	< 0.2	1.86	2	290	0.5	< 2	0.23	< 0.5	8	56	34	2.86	< 10	< 1	0.09	10	0.72	300	1
P 18828	201	229	< 0.2	1.86	2	290	0.5	2	0.23	< 0.5	9	52	33	2.87	< 10	< 1	0.08	10	0.69	275	< 1
P 18829	201	229	< 0.2	1.66	4	280	0.5	2	0.25	< 0.5	9	45	27	2.50	< 10	1	0.05	10	0.64	270	< 1
P 18830	201	229	< 0.2	1.66	2	270	0.5	2	0.24	< 0.5	10	44	29	2.50	< 10	< 1	0.07	10	0.64	275	1
P 18831	201	229	< 0.2	1.72	2	290	0.5	< 2	0.24	< 0.5	8	51	27	2.50	< 10	< 1	0.06	10	0.68	195	< 1
P 18832	201	229	< 0.2	1.49	4	250	< 0.5	< 2	0.26	0.5	6	38	16	2.15	< 10	< 1	0.04	10	0.49	140	1
P 18833	201	229	< 0.2	1.51	2	270	< 0.5	< 2	0.27	< 0.5	5	33	16	2.07	< 10	< 1	0.04	10	0.47	140	1
P 18834	201	229	< 0.2	1.57	4	290	< 0.5	< 2	0.57	0.5	11	32	21	2.14	10	< 1	0.07	20	0.47	610	1
P 18835	201	229	< 0.2	1.46	4	180	0.5	< 2	0.10	< 0.5	14	25	35	3.21	10	< 1	0.14	20	0.39	595	1
P 18836	201	229	0.2	1.74	2	250	0.5	< 2	0.18	< 0.5	7	27	23	2.49	10	< 1	0.08	10	0.44	185	< 1
P 18837	201	229	< 0.2	2.02	4	240	0.5	< 2	0.15	0.5	14	31	27	3.16	10	< 1	0.08	10	0.47	580	2
P 18838	201	229	< 0.2	1.64	2	200	0.5	< 2	0.19	< 0.5	9	28	28	2.54	10	< 1	0.08	20	0.49	255	1
P 32623	201	229	< 0.2	1.96	4	270	0.5	< 2	0.18	< 0.5	9	30	29	2.89	10	< 1	0.08	10	0.48	305	1
P 32624	201	229	0.4	1.56	4	200	0.5	4	0.12	< 0.5	4	23	21	2.21	< 10	< 1	0.07	10	0.30	170	1
P 32625	201	229	< 0.2	1.56	2	230	< 0.5	2	0.13	< 0.5	6	20	17	2.22	10	< 1	0.07	10	0.28	190	1
P 32626	201	229	< 0.2	1.41	4	220	< 0.5	4	0.13	< 0.5	6	20	16	2.27	10	< 1	0.07	10	0.29	210	1
P 32627	201	229	< 0.2	1.68	4	210	< 0.5	< 2	0.10	< 0.5	6	23	20	2.41	< 10	< 1	0.06	10	0.33	160	1
P 32628	201	229	< 0.2	1.58	4	200	0.5	< 2	0.17	< 0.5	6	26	19	2.66	< 10	< 1	0.07	10	0.41	225	1
P 32629	201	229	< 0.2	1.58	4	190	< 0.5	2	0.15	< 0.5	6	23	22	2.47	< 10	< 1	0.08	10	0.35	230	1
P 32630	201	229	0.4	2.19	2	430	0.5	< 2	0.32	< 0.5	14	34	35	3.25	10	< 1	0.12	30	0.48	555	2
P 32631	201	229	< 0.2	1.22	2	230	< 0.5	2	0.16	< 0.5	8	23	24	2.23	< 10	< 1	0.10	10	0.40	255	2
P 32632	201	229	0.4	2.32	4	250	0.5	< 2	0.14	1.0	11	32	30	2.99	< 10	< 1	0.04	< 10	0.47	225	1
P 32633	201	229	< 0.2	1.61	2	350	0.5	< 2	0.18	< 0.5	8	27	42	2.78	< 10	< 1	0.11	10	0.55	390	1
P 32634	201	229	0.2	1.91	4	320	0.5	< 2	0.21	< 0.5	16	27	29	3.34	10	< 1	0.09	10	0.28	1735	3
P 32635	201	229	< 0.2	1.43	8	280	< 0.5	< 2	0.20	0.5	11	29	58	3.06	< 10	< 1	0.16	10	0.38	650	1
P 32636	201	229	< 0.2	1.94	6	350	< 0.5	< 2	0.25	< 0.5	13	56	58	4.37	< 10	< 1	0.71	10	0.74	760	1
P 32637	201	229	0.4	2.35	4	620	0.5	< 2	1.29	< 0.5	17	46	48	3.61	10	< 1	0.17	20	0.66	1890	1
P 32638	201	229	< 0.2	2.50	2	520	0.5	2	0.38	< 0.5	11	50	63	4.85	10	< 1	0.78	20	0.74	470	1
P 32639	201	229	< 0.2	2.13	4	460	0.5	4	0.71	0.5	16	41	58	3.48	10	< 1	0.19	20	0.56	1155	1
P 32640	201	229	< 0.2	1.44	2	230	< 0.5	< 2	0.29	< 0.5	14	38	27	2.63	< 10	< 1	0.13	20	0.63	915	2
P 32652	201	229	< 0.2	1.78	2	220	0.5	< 2	0.12	< 0.5	10	23	26	2.60	10	< 1	0.11	50	0.41	355	1
P 32653	201	229	< 0.2	2.47	16	230	< 0.5	< 2	0.19	< 0.5	22	96	60	5.22	10	< 1	0.95	< 10	1.12	945	2
P 32654	201	229	0.4	1.52	6	260	< 0.5	< 2	1.89	< 0.5	13	45	35	2.89	< 10	< 1	0.28	10	0.61	1020	1
P 32655	201	229	< 0.2	1.08	4	100	< 0.5	< 2	0.04	< 0.5	3	17	38	2.00	10	< 1	0.13	20	0.26	130	2
P 32656	201	229	0.2	1.35	4	150	< 0.5	< 2	0.11	1.0	22	32	40	3.09	10	< 1	0.32	30	0.53	1010	2
P 32657	201	229	0.8	1.97	2	320	0.5	4	0.20	< 0.5	13	46	54	3.44	10	< 1	0.20	30	0.58	595	4
P 32658	201	229	0.2	1.81	2	280	0.5	< 2	0.11	0.5	7	26	39	2.60	10	< 1	0.42	40	0.30	255	1
P 32659	201	229	< 0.2	1.01	4	120	< 0.5	2	0.09	0.5	4	57	26	1.47	< 10	< 1	0.15	20	0.33	110	2
P 32660	201	229	0.2	1.62	4	250	0.5	< 2	0.32	< 0.5	7	29	37	2.68	10	< 1	0.14	20	0.53	260	1
P 32661	201	229	< 0.2	1.55	6	190	< 0.5	< 2	0.26	0.5	8	25	36	2.61	10	< 1	0.16	20	0.42	330	2

CERTIFICATION: Ivan Bickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number :6-B
Total Pages :8
Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18827	201	229	0.01	38	540	8	< 2	6	20	0.08	< 10	< 10	63	< 10	74
T 18828	201	229	0.01	34	600	8	< 2	5	18	0.06	< 10	< 10	62	< 10	72
T 18829	201	229	< 0.01	31	510	8	< 2	4	18	0.07	< 10	< 10	53	< 10	64
T 18830	201	229	0.01	30	560	6	< 2	5	17	0.07	< 10	< 10	55	< 10	66
T 18831	201	229	0.01	32	560	8	< 2	5	16	0.07	< 10	< 10	56	< 10	72
T 18832	201	229	0.01	24	510	8	< 2	3	20	0.04	< 10	< 10	46	< 10	58
T 18833	201	229	< 0.01	22	600	12	< 2	3	20	0.03	< 10	< 10	41	< 10	72
T 18834	201	229	0.01	23	690	18	< 2	3	31	0.03	< 10	< 10	46	< 10	126
T 18835	201	229	< 0.01	24	630	24	< 2	3	14	0.04	< 10	< 10	48	< 10	132
T 18836	201	229	0.01	20	670	20	2	3	17	0.03	< 10	< 10	43	< 10	80
T 18837	201	229	0.01	24	740	18	< 2	3	15	0.04	< 10	< 10	54	< 10	92
T 18838	201	229	< 0.01	23	520	12	< 2	3	15	0.05	< 10	< 10	43	< 10	84
T 32623	201	229	0.01	24	310	10	< 2	4	18	0.07	< 10	< 10	55	< 10	72
T 32624	201	229	0.02	15	290	10	< 2	2	13	0.04	< 10	< 10	46	< 10	50
T 32625	201	229	0.01	13	230	12	< 2	3	13	0.05	< 10	< 10	45	< 10	46
T 32626	201	229	0.01	14	280	10	< 2	2	13	0.04	< 10	< 10	45	< 10	52
T 32627	201	229	0.01	17	250	12	< 2	3	11	0.04	< 10	< 10	43	< 10	58
T 32628	201	229	< 0.01	17	370	12	< 2	3	15	0.04	< 10	< 10	49	< 10	70
T 32629	201	229	0.01	17	450	16	< 2	2	14	0.03	< 10	< 10	43	< 10	68
T 32630	201	229	0.01	31	770	16	< 2	4	35	0.02	< 10	< 10	53	< 10	118
T 32631	201	229	< 0.01	25	520	6	< 2	2	15	0.04	< 10	< 10	40	< 10	76
T 32632	201	229	0.01	29	620	10	< 2	3	12	0.06	< 10	< 10	65	< 10	100
T 32633	201	229	< 0.01	29	580	6	< 2	3	15	0.05	< 10	< 10	48	< 10	110
T 32634	201	229	0.01	20	1350	14	< 2	3	20	0.03	< 10	< 10	56	< 10	78
T 32635	201	229	0.01	31	580	8	< 2	3	17	0.06	< 10	< 10	50	< 10	80
T 32636	201	229	< 0.01	47	770	6	< 2	6	17	0.18	< 10	< 10	59	< 10	98
T 32637	201	229	0.01	48	1280	8	< 2	7	42	0.09	< 10	< 10	55	10	94
T 32638	201	229	0.01	44	1140	6	< 2	8	23	0.17	< 10	< 10	56	< 10	106
T 32639	201	229	0.01	48	1140	10	< 2	8	22	0.08	< 10	< 10	53	< 10	128
T 32640	201	229	0.01	25	690	12	< 2	3	23	0.05	< 10	< 10	44	< 10	74
T 32652	201	229	0.01	21	430	12	< 2	3	11	0.04	< 10	< 10	38	< 10	58
T 32653	201	229	0.01	59	900	6	< 2	8	17	0.26	< 10	< 10	96	10	122
T 32654	201	229	0.01	42	1120	10	< 2	4	35	0.08	< 10	< 10	46	10	78
T 32655	201	229	< 0.01	17	580	12	< 2	1	11	0.02	< 10	< 10	29	< 10	44
T 32656	201	229	< 0.01	36	720	10	< 2	3	11	0.06	< 10	< 10	39	< 10	114
T 32657	201	229	0.01	53	950	12	< 2	4	27	0.04	< 10	< 10	58	< 10	142
T 32658	201	229	0.07	30	1130	10	< 2	3	27	0.02	< 10	< 10	38	< 10	82
T 32659	201	229	0.01	32	510	8	< 2	1	21	0.02	< 10	< 10	28	< 10	44
T 32660	201	229	0.01	25	660	14	< 2	4	22	0.07	< 10	< 10	46	< 10	100
T 32661	201	229	0.01	28	710	16	< 2	4	22	0.04	< 10	< 10	42	< 10	96

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 32662	201	229	< 0.2	1.19	14	200	0.5	< 2	0.18	< 0.5	8	19	34	2.52	10	< 1	0.18	30	0.33	340	1
T 32663	201	229	0.2	1.66	6	150	< 0.5	< 2	0.10	< 0.5	4	22	28	2.57	10	< 1	0.11	10	0.31	140	1
T 32664	201	229	< 0.2	1.37	8	140	< 0.5	2	0.04	< 0.5	3	19	30	2.51	< 10	< 1	0.10	10	0.24	135	2
T 32665	201	229	< 0.2	1.67	< 2	140	0.5	2	0.06	< 0.5	6	21	18	2.80	< 10	1	0.06	10	0.29	155	2
T 32666	201	229	< 0.2	1.25	4	220	0.5	< 2	0.27	< 0.5	9	22	34	2.65	10	< 1	0.24	30	0.36	365	2
T 32667	201	229	0.6	1.61	10	350	0.5	< 2	0.63	< 0.5	11	30	26	2.34	< 10	< 1	0.06	20	0.39	455	2
T 32668	201	229	0.2	2.19	8	800	0.5	< 2	0.58	0.5	13	32	38	3.03	10	< 1	0.08	20	0.39	670	1
T 32669	201	229	< 0.2	1.02	4	140	< 0.5	< 2	0.22	< 0.5	7	22	20	2.32	< 10	< 1	0.05	10	0.37	295	1
T 32670	201	229	< 0.2	1.44	10	230	0.5	4	0.23	< 0.5	10	27	25	2.58	< 10	< 1	0.06	10	0.43	460	1
T 32671	201	229	< 0.2	1.69	< 2	100	0.5	2	0.10	0.5	6	22	12	2.93	< 10	< 1	0.04	< 10	0.25	265	1
T 32672	201	229	< 0.2	2.13	< 2	130	0.5	< 2	0.14	0.5	11	30	18	3.22	< 10	< 1	0.07	10	0.40	335	2
T 32673	201	229	< 0.2	1.22	4	110	< 0.5	< 2	0.11	< 0.5	6	19	18	2.20	< 10	< 1	0.07	10	0.30	160	1
T 32674	201	229	< 0.2	1.45	8	190	< 0.5	< 2	0.14	< 0.5	6	22	20	2.35	< 10	< 1	0.04	10	0.36	180	1
T 32675	201	229	< 0.2	1.40	2	150	< 0.5	< 2	0.15	< 0.5	7	22	21	2.33	< 10	< 1	0.06	10	0.35	220	< 1
T 32676	201	229	< 0.2	1.77	4	190	< 0.5	4	0.13	< 0.5	6	25	23	2.58	10	< 1	0.06	10	0.37	160	1
T 32677	201	229	< 0.2	1.54	< 2	200	< 0.5	< 2	0.14	< 0.5	7	25	23	2.53	< 10	< 1	0.07	10	0.37	230	1
T 32678	201	229	< 0.2	1.48	< 2	160	< 0.5	< 2	0.15	< 0.5	5	24	20	2.08	< 10	< 1	0.06	10	0.37	140	1
T 32679	201	229	0.2	1.39	12	190	0.5	< 2	0.11	0.5	9	20	33	3.10	< 10	< 1	0.13	20	0.32	265	2
T 32680	201	229	0.2	1.44	8	140	< 0.5	2	0.11	0.5	11	19	24	2.83	< 10	< 1	0.09	10	0.25	370	2
T 32681	201	229	< 0.2	2.42	12	180	0.5	< 2	0.14	< 0.5	11	37	35	3.55	10	< 1	0.15	20	0.51	420	2
T 32682	201	229	< 0.2	1.58	4	160	0.5	< 2	0.15	0.5	11	26	32	2.84	< 10	1	0.11	20	0.43	375	1
T 32683	201	229	< 0.2	1.05	< 2	140	< 0.5	< 2	0.50	< 0.5	7	11	15	2.25	10	< 1	0.08	20	0.27	215	1
T 32684	201	229	0.2	1.01	2	120	< 0.5	< 2	0.25	< 0.5	2	15	9	1.27	< 10	< 1	0.08	10	0.22	65	< 1
T 32685	201	229	0.2	1.07	< 2	160	< 0.5	< 2	0.07	< 0.5	3	17	25	1.83	< 10	< 1	0.07	20	0.14	130	1
T 32686	201	229	< 0.2	0.60	8	40	< 0.5	< 2	0.03	< 0.5	1	7	11	1.11	< 10	< 1	0.04	10	0.06	65	< 1
T 32687	201	229	< 0.2	1.32	6	230	0.5	2	0.44	< 0.5	4	19	15	2.15	< 10	1	0.04	10	0.30	135	1
T 32688	201	229	< 0.2	1.12	6	90	0.5	< 2	0.12	< 0.5	6	19	28	2.37	10	< 1	0.14	20	0.28	275	2
T 32689	201	229	< 0.2	1.51	< 2	190	0.5	< 2	0.57	0.5	13	24	31	3.23	10	< 1	0.18	20	0.46	945	2
T 32690	201	229	< 0.2	1.59	4	280	0.5	2	0.63	< 0.5	8	23	25	2.72	10	< 1	0.06	10	0.41	410	1
T 32691	201	229	< 0.2	1.26	8	200	0.5	4	0.50	< 0.5	10	25	35	2.82	< 10	< 1	0.13	10	0.46	555	2
T 32692	201	229	< 0.2	1.56	< 2	350	0.5	< 2	1.04	0.5	7	23	31	2.57	< 10	< 1	0.05	< 10	0.35	475	2
T 32693	201	229	< 0.2	1.46	6	160	0.5	< 2	0.21	< 0.5	9	26	35	2.78	< 10	< 1	0.05	10	0.37	345	1
T 32694	201	229	0.2	1.14	< 2	300	0.5	< 2	0.29	0.5	8	22	37	2.67	< 10	< 1	0.10	10	0.31	320	2
T 32695	201	229	< 0.2	1.39	6	190	0.5	2	0.17	< 0.5	6	22	38	2.62	< 10	1	0.07	10	0.37	220	2
T 32696	201	229	< 0.2	1.44	< 2	200	0.5	< 2	0.11	< 0.5	13	25	45	2.83	< 10	< 1	0.14	10	0.46	635	2
T 32697	201	229	< 0.2	2.09	6	210	0.5	< 2	0.17	< 0.5	12	35	47	3.25	< 10	< 1	0.11	10	0.57	480	3
T 32698	201	229	< 0.2	1.49	2	90	0.5	< 2	0.08	< 0.5	4	18	20	2.87	< 10	< 1	0.11	10	0.37	190	1
T 32699	201	229	< 0.2	1.80	8	150	0.5	4	0.19	< 0.5	13	25	32	2.98	10	< 1	0.28	20	0.61	405	1
T 32700	201	229	< 0.2	1.54	4	100	< 0.5	< 2	0.10	< 0.5	11	23	22	3.32	< 10	< 1	0.19	20	0.51	530	1
T 32701	201	229	< 0.2	1.61	2	150	0.5	< 2	0.12	< 0.5	13	23	42	3.20	< 10	< 1	0.23	20	0.51	765	1

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 32662	201	229	< 0.01	27	620	14	< 2	3	16	0.04	< 10	< 10	35	< 10	98
T 32663	201	229	0.01	19	320	14	< 2	2	9	0.05	< 10	< 10	46	< 10	80
T 32664	201	229	< 0.01	16	400	24	< 2	2	5	0.02	< 10	< 10	35	< 10	98
T 32665	201	229	< 0.01	17	380	16	< 2	2	7	0.04	< 10	< 10	52	< 10	78
T 32666	201	229	< 0.01	27	490	16	< 2	3	18	0.03	< 10	< 10	31	< 10	100
T 32667	201	229	0.01	29	1030	16	< 2	3	33	0.01	< 10	< 10	36	< 10	90
T 32668	201	229	0.01	34	1040	20	< 2	3	56	0.02	< 10	< 10	48	< 10	88
T 32669	201	229	0.01	19	650	12	2	2	15	0.04	< 10	< 10	44	< 10	64
T 32670	201	229	0.01	26	690	12	2	3	16	0.06	< 10	< 10	48	< 10	74
T 32671	201	229	< 0.01	12	490	16	< 2	2	9	0.04	< 10	< 10	58	< 10	48
T 32672	201	229	< 0.01	19	700	18	< 2	3	12	0.06	< 10	< 10	55	< 10	70
T 32673	201	229	< 0.01	15	420	26	< 2	2	10	0.03	< 10	< 10	41	< 10	60
T 32674	201	229	< 0.01	16	500	8	< 2	2	13	0.03	< 10	< 10	40	< 10	60
T 32675	201	229	< 0.01	16	480	4	< 2	3	12	0.05	< 10	< 10	41	< 10	62
T 32676	201	229	0.01	18	480	10	< 2	2	13	0.04	< 10	< 10	49	< 10	60
T 32677	201	229	0.01	20	430	10	< 2	3	14	0.04	< 10	< 10	44	< 10	70
T 32678	201	229	0.01	16	340	8	< 2	2	13	0.04	< 10	< 10	42	< 10	50
T 32679	201	229	0.01	23	870	114	< 2	2	12	0.05	< 10	< 10	50	< 10	318
T 32680	201	229	0.01	18	720	36	< 2	2	11	0.04	< 10	< 10	55	< 10	118
T 32681	201	229	< 0.01	27	840	22	< 2	4	13	0.05	< 10	< 10	58	< 10	96
T 32682	201	229	< 0.01	28	570	14	< 2	4	12	0.05	< 10	< 10	45	< 10	96
T 32683	201	229	0.01	16	730	10	< 2	2	23	0.01	< 10	< 10	31	< 10	74
T 32684	201	229	0.01	10	530	12	< 2	1	15	0.02	< 10	< 10	23	< 10	42
T 32685	201	229	0.01	14	760	16	< 2	1	10	0.01	< 10	< 10	29	< 10	42
T 32686	201	229	< 0.01	5	220	16	< 2	< 1	6	0.02	< 10	< 10	33	< 10	32
T 32687	201	229	0.01	14	420	10	2	2	19	0.02	< 10	< 10	38	< 10	58
T 32688	201	229	< 0.01	22	510	12	2	2	12	0.03	< 10	< 10	45	< 10	96
T 32689	201	229	0.01	31	600	12	< 2	3	22	0.07	< 10	< 10	45	< 10	76
T 32690	201	229	0.01	20	370	12	< 2	3	21	0.05	< 10	< 10	44	< 10	58
T 32691	201	229	0.01	27	400	12	< 2	3	21	0.06	< 10	< 10	43	< 10	80
T 32692	201	229	0.01	19	610	12	< 2	3	31	0.03	< 10	< 10	48	< 10	102
T 32693	201	229	< 0.01	27	320	10	< 2	3	13	0.03	< 10	< 10	38	< 10	58
T 32694	201	229	< 0.01	21	530	16	< 2	2	17	0.02	< 10	< 10	41	< 10	68
T 32695	201	229	0.01	17	510	10	< 2	2	15	0.03	< 10	< 10	45	< 10	54
T 32696	201	229	< 0.01	35	470	8	< 2	3	13	0.06	< 10	< 10	45	< 10	86
T 32697	201	229	< 0.01	31	540	12	< 2	3	16	0.05	< 10	< 10	55	< 10	88
T 32698	201	229	0.01	15	260	14	< 2	2	8	0.06	< 10	< 10	45	< 10	48
T 32699	201	229	< 0.01	32	550	12	< 2	3	15	0.08	< 10	< 10	41	< 10	80
T 32700	201	229	< 0.01	21	420	14	< 2	2	11	0.07	< 10	< 10	43	< 10	64
T 32701	201	229	< 0.01	31	440	10	< 2	4	11	0.07	< 10	< 10	42	< 10	84

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number :8-A
Total Pages :8
Certificate Date: 31-AUG-93
Invoice No. :I9319697
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 32702	201	229	< 0.2	1.60	14	100	0.5	< 2	0.10	< 0.5	9	31	31	4.02	10	< 1	0.13	10	0.42	465	2
T 32703	201	229	< 0.2	1.89	12	170	0.5	4	0.24	< 0.5	16	37	60	3.63	10	< 1	0.49	30	0.88	625	1
T 32704	201	229	0.2	1.25	6	160	< 0.5	< 2	0.16	< 0.5	11	25	41	1.95	10	< 1	0.17	20	0.40	440	1
T 32705	201	229	0.8	1.25	88	230	0.5	< 2	0.89	0.5	9	20	27	1.91	10	< 1	0.09	40	0.29	530	< 1
T 32706	201	229	0.2	1.46	32	130	0.5	< 2	0.17	< 0.5	13	24	40	3.32	10	< 1	0.15	30	0.44	640	< 1
T 32707	201	229	< 0.2	1.37	8	110	< 0.5	< 2	0.11	0.5	11	21	28	2.71	< 10	< 1	0.09	10	0.31	345	1
T 32708	201	229	< 0.2	1.35	2	130	0.5	< 2	0.14	1.0	14	21	31	2.93	< 10	1	0.10	20	0.35	575	1
T 32709	201	229	0.2	1.63	4	210	0.5	< 2	0.17	1.0	15	25	36	3.18	< 10	< 1	0.09	20	0.41	660	1
T 32710	201	229	0.4	1.10	16	140	0.5	< 2	0.15	< 0.5	8	15	27	2.60	< 10	< 1	0.08	10	0.23	315	1
T 32711	201	229	0.2	1.58	6	180	0.5	< 2	0.16	2.0	15	22	33	3.27	10	< 1	0.07	20	0.30	720	1
T 32712	201	229	0.2	0.51	8	160	0.5	< 2	0.28	0.5	14	7	44	3.71	10	< 1	0.17	40	0.13	880	1

CERTIFICATION: Jan Buchlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number : 8-B
Total Pages : 8
Certificate Date: 31-AUG-93
Invoice No. : I9319697
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319697

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 32702	201	229	0.01	23	530	12	< 2	3	12	0.09	< 10	< 10	67	< 10	66
T 32703	201	229	< 0.01	45	1000	16	< 2	4	19	0.11	< 10	< 10	65	< 10	122
T 32704	201	229	0.01	26	560	4	< 2	2	18	0.03	< 10	< 10	35	< 10	54
T 32705	201	229	< 0.01	24	750	24	< 2	3	37	0.02	< 10	< 10	34	< 10	96
T 32706	201	229	< 0.01	41	780	16	< 2	3	13	0.04	< 10	< 10	45	< 10	126
T 32707	201	229	0.01	26	420	20	< 2	2	12	0.03	< 10	< 10	44	< 10	94
T 32708	201	229	< 0.01	31	650	140	< 2	2	12	0.04	< 10	< 10	44	< 10	496
T 32709	201	229	< 0.01	38	600	30	< 2	3	14	0.04	< 10	< 10	48	< 10	268
T 32710	201	229	0.02	20	360	28	< 2	1	11	0.03	< 10	< 10	41	< 10	122
T 32711	201	229	0.01	34	790	332	2	2	14	0.03	< 10	< 10	48	< 10	1330
T 32712	201	229	< 0.01	40	1220	24	< 2	3	18	< 0.01	< 10	< 10	22	< 10	182

CERTIFICATION: Stuart Bichlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 28-AUG-93
Invoice No. : 19319698
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319698

SAMPLE	PREP CODE		Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
T 32509	205	274	1.4	1.54	170	0.5	4	0.06	66.0	7	308	30	0.72	0.63	0.12	65
T 32510	205	274	< 0.2	2.49	1600	0.5	< 2	0.14	0.5	1	169	9	1.00	1.00	0.21	145
T 32511	205	274	18.6	2.66	>10000	0.5	4	0.31	< 0.5	8	259	20	1.01	0.34	0.09	165

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP-CLIP
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 28-AUG-9
Invoice No. : I9319698
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9319698

SAMPLE	PREP CODE		Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
T 32509	205	274	1	0.06	6	260	124	34	0.06	59	20	>10000
T 32510	205	274	1	0.22	6	810	68	27	0.13	73	< 10	252
T 32511	205	274	1	0.07	15	550	>10000	79	0.11	51	< 10	68

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

P.O. BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KP
Comments: ATTN: ROB CARNE

Page Number : 1
Total Pages : 1
Certificate Date: 01-OCT-93
Invoice No. : I9321740
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9321740

CLIP < > CLIP PROPERTY

SAMPLE	PREP CODE	Pb %	Zn %
T32509	244 --	-----	2.23
T32511	244 --	3.00	-----
S07206	244 --	-----	5.21
S07207	244 --	-----	1.55
S07214	244 --	-----	6.26
S07215	244 --	-----	1.50
S07216	244 --	-----	1.42
S07217	244 --	-----	1.44
S07219	244 --	-----	1.46
S07220	244 --	-----	4.33
S07221	244 --	-----	11.60
T31803	244 --	1.12	6.25
T31804	244 --	-----	5.08
T31806	244 --	-----	3.22
T31807	244 --	3.00	4.16
T31808	244 --	-----	11.00
T31809	244 --	-----	16.10
T31811	244 --	-----	8.80
T31813	244 --	-----	7.42
T31814	244 --	4.26	7.80
S7507	244 --	-----	4.55
S7508	244 --	-----	26.9
S7509	244 --	-----	3.70
S7510	244 --	-----	15.40
T31815	244 --	-----	2.83
T31816	244 --	1.67	2.05

CERTIFICATION: Said Zeinab

needs approval

Copy

YUKON MINFILE
STANDARD REPORT
EXPLORATION AND GEOLOGICAL SERVICES DIVISION, DIAND
WHITEHORSE

NAME(S): Clip
MINFILE #: 116C 115
MAJOR COMMODITIES: Zn,Pb
MINOR COMMODITIES: Ba
TECTONIC ELEMENT: Yukon Tanana Terrane
NTS MAP SHEET: 116 C 115
LATITUDE: 64°13'52"N
LONGITUDE: 140°23'45"W
DEPOSIT TYPE: Sedex
STATUS: Showing

CLAIMS (PREVIOUS AND CURRENT)

CLIP, CLI

WORK HISTORY

Staked as Clip cl (YA31481) in Jul/78 by Cominco L, which explored with mapping and soil sampling in 1978 and 1979. YGC Res L restaked the property as Cli cl (YB30541) and prospected briefly in 1991. Kennecott Canada Inc. optioned the property in 1992, and in 1993 performed soil sampling, geological mapping and hand trenching. Archer, Cathro and Associates (1981) Ltd. staked further Cli cl and fr. (YB45310) in Aug/93.

GEOLOGY

The property is underlain by Nasina Series quartzite and phyllite. Mineralized talus occurs in two areas. At one location, banded sphalerite, barite and pyrite occur in micaceous quartzite, and in the other area, bands and stringers of galena were found in quartzite. Cominco's soil sampling outlined a 600 x 150 m area of anomalous lead and zinc values.

YGC's sampling detected anomalous Pb and Zn in soil 1 km along strike to the southeast.

Kennecott's soil sampling in 1993 returned values ranging up to 1330 ppm Zn, 332 ppm Pb and < 0.8 ppm Ag, corresponding to the previously delineated areas of mineralized float. In addition, another smaller Zn-Pb anomaly (264 ppm Zn, 40 ppm Pb) was delineated in an area where mineralized float has not been found.

REFERENCES

COMINCO LTD, Jul/79. Assessment Report #090491 by E.G. Olfert.

KENNECOTT CANADA INC., Mar/94. Assessment Report #093188 by R. Hulstein.

YGC RESOURCES LTD, Jan/92. Assessment Report #092999 by R.C. Carne.

YUKON GEOLOGY AND EXPLORATION 1979-80, p. 288.

needs approval

copy

YUKON MINFILE
STANDARD REPORT
EXPLORATION AND GEOLOGICAL SERVICES DIVISION, DIAND
WHITEHORSE

NAME(S): Clip
MINFILE #: 116C 115
MAJOR COMMODITIES: Zn,Pb
MINOR COMMODITIES: Ba
TECTONIC ELEMENT: Yukon Tanana Terrane
NTS MAP SHEET: 116 C 115
LATITUDE: 64°13'52"N
LONGITUDE: 140°23'45"W
DEPOSIT TYPE: Sedex
STATUS: Showing

CLAIMS (PREVIOUS AND CURRENT)

CLIP, CLI

WORK HISTORY

Staked as Clip cl (YA31481) in Jul/78 by Cominco L, which explored with mapping and soil sampling in 1978 and 1979. YGC Res L restaked the property as Cli cl (YB30541) and prospected briefly in 1991. Kennecott Canada Inc. optioned the property in 1992, and in 1993 performed soil sampling, geological mapping and hand trenching. Archer, Cathro and Associates (1981) Ltd. staked further Cli cl and fr. (YB45310) in Aug/93.

GEOLOGY

The property is underlain by Nasina Series quartzite and phyllite. Mineralized talus occurs in two areas. At one location, banded sphalerite, barite and pyrite occur in micaceous quartzite, and in the other area, bands and stringers of galena were found in quartzite. Cominco's soil sampling outlined a 600 x 150 m area of anomalous lead and zinc values.

YGC's sampling detected anomalous Pb and Zn in soil 1 km along strike to the southeast.

Kennecott's soil sampling in 1993 returned values ranging up to 1330 ppm Zn, 332 ppm Pb and < 0.8 ppm Ag, corresponding to the previously delineated areas of mineralized float. In addition, another smaller Zn-Pb anomaly (264 ppm Zn, 40 ppm Pb) was delineated in an area where mineralized float has not been found.

REFERENCES

COMINCO LTD, Jul/79. Assessment Report #090491 by E.G. Olfert.

KENNECOTT CANADA INC., Mar/94. Assessment Report #093188 by R. Hulstein.

YGC RESOURCES LTD, Jan/92. Assessment Report #092999 by R.C. Carne.

YUKON GEOLOGY AND EXPLORATION 1979-80, p. 288.

MAP NO.: 116C 1

ASSESSMENT REPORT
PROSPECTUS
CONFIDENTIAL X
OPEN FILE

DOCUMENT NO: 093188
MINING DISTRICT: DAWSON
TYPE OF WORK: GEOLOGY, GEOCHEM

REPORT FILED UNDER: KENNECOTT

DATE PERFORMED: AUG 7, 9-13, 15, 1993 **DATE FILED:** APRIL 12, 1994

LOCATION: **LAT.:** 64°14'N **AREA:** CLINTON CREEK

LONG.: 140°25'W **VALUE $:** 6,900

CLAIM NAME & NO.: CLI 1-6(YB30541-546), CLI 7-14(YB45310-317)CLI 16(YB45318),CLI 18-44(YB45319-345)

WORK DONE BY: ROGER HULSTEIN

WORK DONE FOR: KENNECOTT CANADA INC.

DATE TO GOOD STANDING:	

REMARKS: 291 SOIL SAMPLES AND 3 ROCK SAMPLES WERE COLLECTED

CLIP CLAIM GROUP PERIMETER

ZONE B

ZONE A

TALUS (1, 2)

TALUS (1)

1978–1979 COMINCO SOIL GRID

T32511 3.00% Pb
9%, 80
99

T32509
1124, 2.23% Pb
9%, 80
90

T32512
68, 252, <0.2

7 124,000mN
7 123,000mN
7 122,000mN
7 121,000mN

558,000mE
559,000mE
560,000mE
561,000mE

1 grey micaceous quartzite, commonly carbonaceous
1a, non–micaceous quartzite

2 quartz–muscovite ± garnet schist
2a, marble

outcrop

fault, possible

compositional layering, strike & dip

foliation, schistosity

lineation

ba barite
gn galena
py pyrite
po pyrrhotite
sp sphalerite

×T32511 rock sample location
68, 252, <0.2 Pb (ppm), Zn (ppm), Ag (ppm)

contour interval 100 feet

DWG 567

scale: 1:5000
0 50 100 150 250
metres

PROFESSIONAL ENGINEER
PROVINCE OF BRITISH COLUMBIA
R. W. HULSTEIN
OCCIENGINEER
March 27 1994

Kennecott Canada Inc.
Vancouver

KLONDIKE/ROSS RIVER
093188 CLIP
GEOLOGY
YUKON, CANADA

NTS: 116C/1	Projection: UTM (NAD27)	Drawn by: HO
Date: 9/03/94	Author: RH	Figure 3
File: CLPCOMP	Scale: 1:5000	

CLIP CLAIM GROUP PERIMETER

7 124,000mN

7 123,000mN

7 122,000mN

7 121,000mN

T32100
132
180
grid soil sample location
Pb (ppm)
Zn (ppm)

NS
no sample

T32100
300
400
reconnaissance soil sample location
Pb(ppm)
Zn(ppm)

093188

contour interval 100 feet

DWG 568

scale: 1:5000

0 50 100 150 250
metres

Kennecott Canada Inc.
Vancouver

KLONDIKE/ROSS RIVER
CLIP SAMPLE LOCATIONS, LEAD & ZINC GEOCHEMISTRY
YUKON, CANADA

NTS: 116C/1	Projection: UTM (NAD27)	Drawn by: HO
Date: 9/03/94	Author: RH	Figure 4
File: CLPCOMP	Scale: 1:5000	

PROFESSIONAL ENGINEER
PROVINCE OF BRITISH COLUMBIA
R. W. HULSTEIN
March 29, 1994