MAP NO: 115O/10

ASSESSMENT REPORT: X

PROSPECTUS:

CONFIDENTIAL: X

OPEN FILE:

DOCUMENT NO: 093221

MINING DISTRICT: Dawson

TYPE OF WORK: Rotary drilling, Geochemistry

REPORT FILED UNDER: J.S. Christie

DATE PERFORMED: 1993

DATE FILED: November 23, 1994

LATITUDE: 63^0 40'N

AREA: Dominion Creek

LONGITUDE: 138^0 35'W

VALUE: $20,400

CLAIM NAME AND #: RR 1-10,13-20,25-54, GR 6,8,10,12,14,16,18,20,22,24,53,55-65,67,69,71,73,74, GO 50-61,64-74.

WORK DONE BY:J.S. Christie

WORK DONE FOR: J.S. Christie

DATE TO GOOD STANDING	

REMARKS: Reconnaisance scale contour soil geochemistry and rotary drilling. 65 drill holes approximately 815 meters. 52 soil samples. The three best assays were as follows: Hole #N8-23 5.54 g/T Au in grey sericite schist, 3.56 g/T Au in grey sericite schist, 6.34 g/T Au in greenish grey chlorite sericite schist. All the above drill samples were 1 kg samples obtained from the lower auger and bit when the drill string was pulled.

093221

THE RR - GO - GR CLAIMS

DOMINION CREEK, YUKON

NTS 115-O-10

REPORT ON 1993 DRILLING
AND
GEOCHEMISTRY

NOVEMBER 15, 1994

Prepared by

J.S. Christie, Ph.D.
Geologist

and

Tara M. Christie
3rd Year Geol. Eng. U.B.C.

RECEIVED
NOV 23 1994
MINING
RECORDER'S OFFICE
DAWSON, Y.T.

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 20,400 .

M. Burke

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

ABSTRACT

The RR-GO-GR claim block consists of 125 quartz claims located approximately 60 km southeast of Dawson City in the Yukon. Drilling and geochemical surveys conducted in 1993 showed that gold mineralization in the area is associated with nickel, chromium, lead and iron pathfinding elements. A large gold in soil anomaly has been outlined between Gyppo and Rob Roy Creeks, and probably extends northwest under cover of the Dominion Creek floodplain. Auger drilling in Dominion Creek valley about 2 km west of the soil anomaly at Gyppo Creek returned assays of 0.126 - 0.224 troy ounces of gold per tonne which is possibly "ore grade". The overall results indicate that the claim block has good potential to host a hydrothermal gold deposit. Drilling is warranted and required to delineate possible ore bodies.

TABLE OF CONTENTS

ABSTRACT ii

LIST OF ILLUSTRATIONS iv

GLOSSARY v

1.0 INTRODUCTION 1

2.0 SITE DESCRIPTION 3

2.1 LOCATION AND ACCESS 3

2.2 TOPOGRAPHY AND VEGETATION 3

2.3 GEOLOGY 6

3.0 1993 WORK, EXPLORATION TECHNIQUES AND EQUIPMENT 8

3.1 ROCK AND SOIL GEOCHEMISTRY 8

3.2 DRILLING 11

3.2.1 GYPPO PIT 12

3.2.2 SOIL ANOMALY 12

3.2.3 DOMINION CREEK 12

4.0 INFERRED MINERALOGY 14

5.0 CONCLUSION AND RECOMMENDATIONS 15

REFERENCES 16

APPENDIX A : DRILL LOGS

APPENDIX B : GROUPINGS AND WORK - COSTS

APPENDIX C : ANALYTICAL DATA

APPENDIX D : FIGURES 4 & 5

LIST OF ILLUSTRATIONS

TABLES

TABLE 1: ANOMALOUS ANALYTICAL RESULTS FROM DOMINION CREEK DRILL HOLES 13

FIGURES

FIGURE 1: RR-GO-GR CLAIM MAP
NTS 115-O-10 4

FIGURE 2: PROPERTY LOCATION RR-GO-GR CLAIMS
GYPPO CREEK, YUKON 5

FIGURE 3: EDELMAN AUGER 9

FIGURE 4: RR-GO-GR QUARTZ CLAIMS
NTS 115-O-10
EAST SHEET Appendix D

FIGURE 5: RR-GO-GR QUARTZ CLAIMS
NTS 115-O-10
WEST SHEET Appendix D

GLOSSARY

FELSENMERE	Angular bedrock boulders that are found on the surface in regions of the earth that are subject to repeated cycles of freezing and thawing. These rocks have been moved by the frost heaving action.
FELSIC	A term for an igneous rock composed primarily of light coloured minerals such as quartz, feldspar, feldspathoids and muscovite. (Complement of mafic)
HYDROTHERMAL	Pertaining to mineral deposits, hydrothermal refers to the products precipitated from hot aqueous solution.
ICP 32	Inductively Coupled Plasma Analysis. A standard geochemical analysis which examines a sample for 32 elements.
MAFIC	A term for a rock, generally igneous, which is composed primarily of dark, ferromagnesian minerals. (Complement of Felsic)
PATHFINDER ELEMENTS	In geochemistry - Metals found to be concentrated in certain mineral deposits that are used in the exploration for other deposits of the same type.
TALUS	Rock fragments, usually coarse and angular at the base of a cliff or steep slope from which they have been derived.
ULTRAMAFIC	A term for an igneous rock composed primarily of mafic minerals, such as hypersthene, augite, olivine

1.0 INTRODUCTION

Placer gold has been mined in the Klondike district of the Yukon for almost a century and recorded production is over 12 million ounces. How this gold became concentrated in the gravels of present day and ancient streams is unknown as a bedrock source of the Klondike placers has never been found. One idea is that the gold was derived from low grade gold mineralization in the Klondike schists and associated metamorphic rocks, and it became concentrated by streams during a prolonged period of erosion.

Another theory is that the Klondike gold has been derived from the weathering and erosion of hydrothermal gold deposits; some of which could still be partially intact. In support of this idea is the common occurrence of sulphide mineralization and hydrothermal alteration in the district. Geochemistry has indicated a relationship between this alteration and gold values.

Records of placer gold production show that some creeks were much richer that others and quartz claims have been staked covering the drainage basins of most of these obvious targets. However, much of the best gold production has come from larger creeks with many tributaries where it is difficult to select a staking target.

In recent years there have been several new discoveries of placer gold, some on small creeks with small drainage basins, such as

Gyppo Creek, a left limit tributary of Dominion. Placer gold recovered during drilling and the early production of Gyppo Mines was of considerable interest because of delicate crystalline textures and the high purity (90% fine). It was not at all like Dominion Creek Gold, and it was easy to speculate that Gyppo gold may have been derived from its own local source. The RR, GO and GR claims were staked for that reason, covering the entire drainage basin of Gyppo Creek.

Exploration for hydrothermal gold deposits has increased since the early 1970's when the price of gold rose dramatically. Geochemistry of gold deposits has been studied extensively to determine the suites of trace metals which may be concentrated in association with gold deposits of various types. These metals have come to be known as "pathfinder elements" and are the root of geochemical exploration for hydrothermal gold deposits. Chromium and nickel are among the pathfinder metals that occur in certain types of gold deposits in eastern Canada and appear to be important at Gyppo Creek as well.

In 1993 a geochemical orientated exploration programme was initiated on the RR-GO-GR claims to evaluate the potential for hydrothermal gold mineralization. This report presents the findings of the programme giving a site description, a discussion of the 1993 work, exploration techniques, equipment used and the inferred mineralogy.

2.0 SITE DESCRIPTION

The RR-GO-GR claim block covers 26.1 square kilometres and is composed of 125 standard 1500 ft. by 1500 ft. quartz claims (Figure 1). The claims, hereinafter also referred to as "the property" are discussed in the following subsections: location and access, topography and vegetation and geology.

2.1 LOCATION AND ACCESS

The claims are located on Dominion Creek some 60 km southeast of Dawson City, Yukon (Figure 2). The property includes parts of Dominion, Rob Roy and Gold Run Creeks as well as the entire drainage basin of the unnamed left limit tributary of Dominion Creek (0.5 km below its confluence with Rob Roy Creek), known as Gyppo Creek. The property is accessible by the Klondike Highway and 60 km of gravel road from Dawson City.

2.2 TOPOGRAPHY AND VEGETATION

The project area is within a portion of the Yukon that has not been effected by recent glaciation and the topography therefore has been developed during a long period of erosion. Recent age determination place a two million year before present date on the Hunker Creek White Channel gravel deposits, indicating that the period of erosion has continued







FIGURE 1: RR-GO-GR CLAIM MAP
NTS 115-O-10

Source: NTS 115-0-10, 1:50,000 (Geological Survery of Canada, 1994)







Property Location

FIGURE 2: PROPERTY LOCATION RR-GO-GR CLAIMS GYPPO CREEK, YUKON

for greater than this length of time.[1] Permafrost is present everywhere at shallow depths and has strongly influenced the weathering and erosion processes.

The hillsides vary from gentle to moderate sloping. Bedrock exposures are uncommon except on the steepest slopes and ridgelines or in areas where very resistant rock units are present. Felsenmere and talus deposits cover the upper and intermediate slopes but give way to mud and organic soils lower down, and to heavy mud and organic deposits on valley floors. Except in the uplands, streams have well developed moderate to wide floodplains and no bedrock exposure, and the larger streams tend to meander.

Vegetation is variable on the claims but is generally sparse. Valley floors are covered with moss, bunch grass, and brush, with patches of willow and spruce. Spruce dominates on the frozen, water saturated, lower and north facing slopes. Poplar, willow and birch dominate in drier areas and south facing slopes.

2.3 GEOLOGY

The regional geology indicates the area is underlain by rocks of Yukon Group of Precambrian and later age. These rocks are gneiss schist and quartzite locally intruded by gneissic

granite and ultramafics[2]. In the Gyppo Creek area green chlorite schist and gneiss are the predominate lithology. Micaceous, graphitic and felsic varieties are also present. Imbricate faulting controls the outcrop patterns and may be an important control and localizers of gold mineralization[3].

Since bedrock exposures are rare, rock chips in the locally derived soils, felsenmere and talus are the only guide to what the underlying bedrock may be, but these are not very reliable. In most areas bedrock tends to decompose and disintegrate during the weathering process and there has been considerable downslope movement of soil such that the nature of the bedrock is largely unkonwn. With such extensive cover buried orebodies will be difficult to locate.

3.0 1993 WORK, EXPLORATION TECHNIQUES AND EQUIPMENT

Work was done on the property from June 1 to October 31, 1993 and included rock and soil geochemistry and drilling as follows.

3.1 ROCK AND SOIL GEOCHEMISTRY

Soil characteristics and geochemistry are the keys to prospecting in the area but there are some unique problems including: permafrost near the surface making it impossible to get proper soil samples in some areas, outcrop being almost universally absent and rock chips occurring in soils can be small and difficult to work with as a guide to mineralization. Despite this there are some local features that facilitate exploration using soils and geochemistry. Gold is associated with pyritic mineralization and soils derived from these pyritic rocks are distinctive orange, yellow or rusty brown colours, which can be easily distinguished in the field. Geochemically anomalous chromium, nickel, lead and iron are associated with the pyritic gold mineralization.

Soil augers are the basic prospecting tool, and as long as the permafrost has thawed to below the organic layers, the auger allows a quick evaluation to be made. Dutch or Edelman augers (Figure 3) were found to work best. Based on soil colour, the more promising samples can then be selected for geochemical

analysis, and others retained for future analysis if warranted. Often it is possible to recognize in the field areas with little of no sulphide mineralization, and therefore little potential for gold. Work is thereby immediately focused on areas with higher potential.




Figure 3 Edelman Auger.

Source: Neville Crosby, 1994 Catalogue

Reconnaissance traverses run in 1993 were mostly near the base of slope where groundwater is close to surface and geochemistry is most likely to be effective. Samples were augered at 100ft. intervals and collected in craft soil bags. Notes were taken with sample descriptions in order to determine later which samples would be submitted for analysis. In general samples were selected from transported bedrock derived soils just below the organic layer and any zone of

surface leaching. Analyses were done for gold and/or 32 element ICP by Chemex Labs of Vancouver, B.C. ICP 32 is less expensive than individual analysis for most of the pathfinder elements.

Soil sampling by this technique in not effective on frozen, north facing or otherwise shaded slopes where permafrost never thaws to below the organic layer. Hand augers do not penetrate permafrost very well. The same is true on lower slopes and stream floodplains where organic and mud layers are thicker and remain frozen. Drilling or trenching is effective in this setting but is too costly for general prospecting.

Rock chip sampling and mapping of active placer mining pits provides good information but these pits are relatively small, and sampling has to be kept up as new areas are constantly being exposed while others are being backfilled. Rock chip samples suitable for analysis were collected from mining pits in gusset soil bags and weighed about 1 kg each. Larger 5 kg samples were collected at each site and retained for future analysis as warranted.

In total 163 soil and silt samples and 37 rock chip samples were analyzed by Chemex. In soils gold values ranged from < 5 to 240 ppb. Values of >15 ppb are considered anomalous and >50 ppb strongly anomalous. All of the strongly anomalous values

occur within an area about 1200 m x 1000 m on the low ridge between Rob Roy and Gyppo Creeks. The anomalous area appears to extend northwest under Dominion Creek Floodplain.

Anomalous gold in soil is associated with elevated chromium, nickel, and iron values, and anomalous lead values up to 228 ppb occur with the higher golds. Elevated lead values were not recognised in the 1992 work.

Rock chip samples from Gyppo pit area and a few short drill holes in the soil anomaly area gave values ranging from 5 to 630 ppb gold. ICP data is incomplete as some of these samples were analyzed for gold only. Where ICP was done, (compare samples G27-33 and G1-21 in appendix C), the strong correlation between anomalous gold and elevated Cr-Ni values is evident.

3.2 DRILLING

A diesel powered hydraulic auger drill mounted on a Nodwell was used to obtain bedrock samples for analysis. The machine is capable of drilling 6 or 8 inch holes to depths of 70 feet or more, and it works best in permafrost because there is little or no contamination from caving wall materials. Drilling was done in three areas the Gyppo Pit, the soil anomaly area and Dominion Creek.

3.2.1 GYPPO PIT

Seven 10 foot holes were drilled in the northeast corner of the Gyppo Pit shown on Gyppo pit map in Appendix A. Bedrock in this area is pyritic schist and gneissic schist that tends to weather rusty orange. Drill holes DHG 1-6 returned values up to 285 ppb gold. Rock chip samples in the same area gave values up to 680 ppb. Drilling was done after placer mining was finished, and it is believed that the values obtained relate to bedrock mineralization.

3.2.2 SOIL ANOMALY

On the GO claims 5 holes were drilled to depths up to 22 feet (Figures 4 and 5). Values up to 195 ppb gold were obtained (See Appendices A and C for drill logs, sample intervals and analytical data).

3.2.3 DOMINION CREEK

On the RR 3 and 38 claims 53 holes were drilled on a 100 x 300 foot grid. This work was done to evaluate the placer potential as well as to obtain some geological information in an area where there is no bedrock exposure or other means to make an evaluation. A sample for

analysis was obtained by drilling 5 feet or more into bedrock beyond the gravel contact, and then taking a 1 kg sample off the lower auger and bit when the string was pulled. In this way the sample was obtained from a greater depth than where placer gold would be expected to occur, and it is likely that the values obtained represent bedrock mineralization. The drill holes are shown on Figure 4 and 5 in Appendix D and analytical results are in Appendix C. Table 1, below, summarises the anomalous assay values. Three holes returned high values, in the 0.1 to 0.2 range, while most of the holes had no gold at all. Grades of 0.1 ounces per tonne and higher are common in hydrothermal ore deposits. This work has not been used for the renewal of any placer claims.

TABLE 1 : ANOMALOUS ANALYTICAL RESULTS FROM DOMINION CREEK DRILL HOLES

HOLE #	DEPTH ft	GEOCHEM ppb	ASSAY Oz/t	ROCK TYPE
N8-23	49	8430	0.196	Grey sericite schist
N6-48	44	7080	0.126	Grey sericite schist
N6-50	37	8490	0.224	Greenish grey chlorite sericite schist
N8-31	45	490	-	Green decomposed schist
N8-24	46	45	-	Greenish grey chlorite sericite schist
N8-59	46	15	-	Dark grey muscovite schist

4.0 INFERRED MINERALOGY

Long-tom testing and panning of decomposed and oxidized bedrock from the soil anomaly yielded microscopic free gold. Visible gold has not been found on the property and the nature of the gold mineralization in the unoxidized pyritic protolith has not been determined. Free gold being found in oxidized rocks suggests that the gold may occur in the pyrite structure and be released when pyrite is weathered. Bravoite, a rare mineral which forms a complete solid solution with pyrite with the substitution of nickel for iron in its lattice, also frequently carries gold in its matrix. The presence of nickeliferous pyrite might account for the anomalous nickel found in the soils.

Rock specimens from the soil anomaly are mostly green chlorite schist with a number of different green platy minerals; most of which are probably varieties of chlorite. However, because of anomalous chromium values the light green chromiferous mica, fuchsite, may also be present. Fuchsite, in the Canadian Shield, is often associated with gold mineralization in carbonated ultramafic rocks; however, it also occurs in felsic igneous rocks, at the Lamaque, Hollinger and McIntyre mines in the Superior Province[4]. Some of the gneissic schists on the property may be derived from felsic igneous rock but most are of sedimentary origin.

5.0 CONCLUSION AND RECOMMENDATIONS

The RR-GO-GR claims show high potential to host a hydrothermal gold deposit. A large gold in soils anomaly, over 1200m by 1000m, has been outlined by reconnaissance soil sampling and "ore grade" drill samples have been obtained nearby. Geochemistry results have shown that chromium, nickel, lead and iron may be used as pathfinder elements for gold mineralization in this area.

The primary recommendation for the property is a drilling program which would attempt to locate and delineated a gold deposit. An Induced Polarization (IP) Geophysical survey would be useful as it would pick up pyrite zones associated with the gold mineralization and give an indication of depth. IP could be a good tool to guide drilling but drilling outwards from presently known gold occurrences is also worthwhile. The progress of placer mining pits should be monitored and sampled as warranted.

A secondary recommendation is to prospect and test the surrounding unstaked areas for the chromium, nickel and iron pathfinders; followed by staking ground which shows potential for gold mineralization.

REFERENCES

PRIMARY REFERENCES

Christie, J.S., *1992-1994 FIELD NOTES,* Dawson City, Yukon
Christie, T.M., *1992-1994 FIELD NOTES,* Dawson City, Yukon

FOOTNOTES

1.Morrison, Steve, Chief Geologist D.I.A.N.D., Whitehorse, Personal Communication, October 14, 1994.

2.Bostock, *Geology of the Klondike, 1:250,000*,(Geological Survey of Canada, 1935-37).

3.Debicki, R.L. *Bedrock Geology and Mineralization of the Klondike Area; 115 O/10 and 116 B/2,3 1:50,000* (Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, Open file 185-1, 1985)

4.Hodder, R.W., and William Petruk, editors, *Geology of Canadaian Gold Deposits*,(Montreal, Quebec:Canadian Institute of Mining and Metallurgy, 1982), 217-18.

STATEMENT OF QUALIFICATIONS

I, James S. Christie of Dawson City, Yukon and Vancouver, British Columbia, do hereby certify that:

1. I am a Professional Geologist residing at 25 Callison Way, Dawson City , Yukon, Y0B 1G0, or 3921 West 31st Avenue, Vancouver, B.C. V6S 1Y4.

2. I am a graduate of the University of British Columbia, B.Sc., Honours Geology, 1965: Ph.D. Geology, 1973.

3. I have practised my profession as a mining exploration geologist, continuously since 1965.

4. This report is based on my knowledge of the district, and personally drilling, soil sampling and mapping the geology of the properties.

5. I am the recorded owner of the GO - RR - GR claims.

Respectfully submitted this 21st
day of November, 1994.



James S. Christie
Geologist

APPENDIX A

DRILL LOGS

1993 AUGER DRILL HOLE LOGS
DOMININON CREEK, YUKON

QUARTZ CLAIMS RR3, RR 37-38 YB 41930, YB 41958-59
(see map in appendix for drill hole locations)
93-N8 SERIES ALL 7.5 INCH DIAMETER HOLES
93-N6 SERIES ALL 6.5 INCH DIAMETER HOLES

DRILL DATES SEPTEMBER 7 - OCTOBER 8, 1993.

DRILL HOLE	MUD	GRAVEL	BEDROCK	DESCRIPTION
93-N8- 1	0-13	13-39	39-45	Med. to Dk. grey musc.biotite schist
93-N8- 2	0-14	14-40	40-45	Thawed grey clay gouge (Gumbo)
93-N8- 3	0-12	12-41.5	41.5-48	Dk. grey biot. schist (graphite)
93-N8- 4	0-18	18-42	42-50	Dk. grey biot. schist (graphite)
93-N8- 5	0-18	18-42	42-48	Grey green chlorite schist
93-N8- 6	0-15	15-41.5	41.5-47	Grey green chlorite schist
93-N8- 7	0-16	16-40	40-50	Med. grey musc. biot. schist
93-N8- 8	0-15	15-38	38-50	Med. grey musc. biot. schist
93-N8- 9	0-14	14-40	40-45	Med. grey musc. biot. schist (Gumbo)
93-N8-10	0- 5	5-33	-----	Thawed -abandoned in wet gravel
93-N8-11	0-15	15-35	35-45	Med. grey musc. biot. schist
93-N8-12	0-17	17-33	33-40	Greenish grey chl. biot. schist
93-N8-13	0-15	15-45?		Unable to distinguish bedrock (if present?)
93-N8-14	0-19	19-35	35-50	Greenish grey decomposed schist
93-N8-15	0-15	15-45	45-50	Chlorite schist - med. green grey
93-N8-16	0-10	10-27	27-40	Dk. green chlorite schist
93-N8-17	0-15	15-32	32-42	Med. grey musc. biot. schist
93-N8-18	0-17	17-37	37-45	Dk. grey chlorite-biot. schist (graphite)
93-N8-19	0-18	18-37	37-40	Greenish grey chlorite schist
93-N8-20	0-12	12-55	55-70	False graphitic schist bedrock-sand-gravel layers

DRILL HOLE	MUD	GRAVEL	BEDROCK	DESCRIPTION
93-N8-21	0-12	12-40.5	40.5-49	Greenish grey chlorite schist
93-N8-22	0-13	13-43	43-50	Med. grey musc. biot. schist
93-N8-23	0-17	17-43	43-49	Med. grey schist some hard crunchy layers
93-N8-24	0-17	17-41	41-46	Greenish grey chlorite musc. schist
93-N8-25	0-19	19-42	42-50	Med. grey musc. biot. schist
93-N8-26	0-21	21-42	42-46	Med. green-grey chlorite musc. biot. schist
93-N8-27	0-19	19-43.5	43.5-49	Dark green chlorite schist
93-N8-28	0-17	17-42	42-47	Dark green-grey chlorite biot. schist
93-N8-29	0-13	13-42	42-47	Dark grey biot. schist
93-N8-30	0-13	13-40	40-45	Dark green chlorite schist
93-N8-31	0-13	13-40	40-45	Soupy- decomposed grey schist
93-N8-32	0-13	13-44.5	44.5-49	Med. grey musc. biot. schist
93-N8-56	0-15	15-42	42-46	Dark greenish grey biot. schist
93-N8-57	0-13	13-43.5	43.5-46	Pale grey musc. schist
93-N8-58	0-17	17-42	42-46	Dark grey musc. schist
93-N8-59	0-15	15-42	42-46	Dark grey musc. schist
93-B6- 1	0-12	12-19	19-23	Med. grey musc. biot. schist
93-N6-33	0-17	17-41	41-46	Pale green chlorite sericite schist
93-N6-34	0-13	13-43	43-55	Thawed and caving - bedrock not identifiable
93-N6-35	0-16	16-42	42-46	Dark green chlorite schist
93-N6-36	0-12	12-43.5	43.5-46	Pale green chlorite sericite schist
93-N6-37	0-15	15-40	40-45	Med. grey musc. biot. schist
93-N6-38	0-15	15-39	39-45	Dark green-grey chlorite biot. schist
93-N6-39	0-13	13-38	38-43	Dark green-grey chlorite biot. schist
93-N6-40	0-15	15-39	39-45	Pale green chlorite sericite schist

DRILL HOLE	MUD	GRAVEL	BEDROCK	DESCRIPTION
93-N6-41	0-19	19-41.5	41.5-46	Dark olive green chlorite schist
93-N6-42	0-11	11-27	27-35	Green-grey chlorite sericite schist
93-N6-43	0-10	10-27	27-35	Dark green-grey chlorite biot. schist
93-N6-44	0-15	15-25	25-30	Dark green-grey chlorite biot. schist
93-N6-45	0-12	12-19	19-28	Light-dark green chlorite schist
93-N6-46	0-14	14-37	37-45	Dark green chlorite schist
93-N6-47	0-12	12-31	31-40	Dark green chlorite schist
93-N6-48	0-15	15-38	38-44	Pale greenish grey chlorite sericite schist
93-N6-49	0-12	12-36	36-40	Dark greenish grey chlorite biot. schist
93-N6-50	0-13	13-32	32-35	Greenish grey sericite chlorite schist
93-N6-51	0-9	9-36	36-41	Pale grey musc. schist
93-N6-52	0-14	14-38	38-45	Med. greenish grey chlorite musc. schist
93-N6-53	0-10	10-37	37-41	Dark green grey chlorite biot. schist
93-N6-54	0-16	16-43	43-46	Pale grey musc. schist
93-N6-55	0-17	17-43	43-46	Med. greenish grey chlorite biot. schist

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :I9324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93N-01	205	234	< 5	< 0.2	0.90	8	180	< 0.5	< 2	0.22	< 0.5	10	234	42	1.34	< 10	< 1	0.17	10	0.41	130
93N-03	205	234	< 5	< 0.2	2.79	< 2	70	< 0.5	< 2	0.30	0.5	22	164	103	4.79	< 10	< 1	0.17	10	1.76	390
93N-04	205	234	< 5	< 0.2	2.53	< 2	90	< 0.5	< 2	0.30	< 0.5	21	164	104	4.32	< 10	< 1	0.24	< 10	1.48	370
93N-05	205	234	< 5	< 0.2	2.40	4	140	< 0.5	< 2	0.50	< 0.5	16	129	7	3.74	< 10	< 1	0.23	10	1.44	375
93N-06	205	234	< 5	< 0.2	2.17	< 2	80	< 0.5	< 2	0.42	< 0.5	20	168	61	3.96	< 10	< 1	0.17	10	1.66	425
93N-07	205	234	< 5	< 0.2	1.43	< 2	450	< 0.5	< 2	0.28	< 0.5	9	255	19	2.12	< 10	< 1	0.35	20	0.69	225
93N-08	205	234	< 5	0.2	2.56	2	70	< 0.5	< 2	0.64	< 0.5	22	105	46	4.76	< 10	< 1	0.07	10	1.75	480
93N-09	205	234	< 5	< 0.2	1.78	2	240	< 0.5	< 2	0.43	< 0.5	14	316	54	3.00	< 10	< 1	0.15	10	1.09	330
93N-12	205	234	< 5	0.2	1.29	< 2	450	< 0.5	< 2	0.22	0.5	14	215	23	2.51	< 10	< 1	0.32	20	0.42	175
93N-14	205	234	< 5	0.2	1.37	14	450	< 0.5	< 2	0.33	1.0	17	281	92	4.08	< 10	< 1	0.23	20	0.56	160
93N-15	205	234	< 5	0.2	0.89	2	400	< 0.5	< 2	0.32	0.5	9	365	78	2.05	< 10	< 1	0.27	10	0.16	150
93N-16	205	234	< 5	0.4	1.57	2	340	< 0.5	< 2	0.27	1.0	18	335	65	4.22	< 10	< 1	0.26	20	0.69	315
93N-17	205	234	< 5	0.2	1.17	16	200	< 0.5	< 2	0.41	< 0.5	10	339	60	1.44	< 10	< 1	0.24	20	0.52	150
93N-18	205	234	< 5	0.4	1.39	20	390	< 0.5	< 2	0.26	1.0	22	340	60	1.87	< 10	< 1	0.30	20	0.72	240
93N-19	205	234	< 5	0.2	1.51	8	400	< 0.5	< 2	0.21	0.5	10	223	43	2.04	< 10	< 1	0.29	20	0.87	285
93N-21	205	234	< 5	0.2	2.76	2	110	< 0.5	< 2	0.47	< 0.5	28	169	78	3.88	< 10	< 1	0.13	10	2.13	435
93N-22	205	234	< 5	0.2	2.20	4	60	< 0.5	< 2	0.65	< 0.5	21	132	45	2.77	< 10	< 1	0.08	< 10	1.83	350
93N-23	205	234	8430	4.8	1.39	< 2	140	< 0.5	< 2	0.17	< 0.5	11	172	23	2.29	< 10	< 1	0.20	10	0.71	175
93N-24	205	234	45	< 0.2	2.77	6	110	< 0.5	< 2	0.18	< 0.5	25	199	12	4.20	< 10	< 1	0.16	10	2.15	265
93N-25	205	234	< 5	0.2	2.56	6	60	< 0.5	< 2	0.38	< 0.5	22	142	50	4.38	< 10	< 1	0.08	10	1.88	440
93N-26	205	234	< 5	< 0.2	2.39	2	50	< 0.5	< 2	0.48	< 0.5	22	137	49	4.04	< 10	< 1	0.06	10	1.71	440
93N-27	205	234	< 5	0.2	4.04	< 2	40	< 0.5	< 2	0.21	< 0.5	23	104	71	7.05	10	< 1	0.06	10	2.83	725
93N-28	205	234	25	0.2	2.16	< 2	50	< 0.5	< 2	0.20	< 0.5	19	110	18	4.34	10	< 1	0.12	20	0.98	195
93N-29	205	234	< 5	0.2	2.70	< 2	130	< 0.5	< 2	0.21	< 0.5	27	126	114	4.30	< 10	< 1	0.24	10	1.11	145
93N-30	205	234	< 5	0.2	2.79	8	70	< 0.5	< 2	0.42	< 0.5	27	115	14	5.22	10	< 1	0.10	10	1.54	310
93N-31	205	234	490	0.6	2.12	22	90	< 0.5	< 2	0.56	< 0.5	38	180	163	4.35	< 10	< 1	0.19	10	1.49	330
93N-32	205	234	< 5	< 0.2	0.72	2	200	< 0.5	< 2	0.11	< 0.5	6	193	8	0.89	< 10	< 1	0.36	20	0.16	70
93N6-33	205	234	< 5	0.2	2.55	< 2	80	< 0.5	< 2	0.38	0.5	29	170	28	2.91	< 10	< 1	0.11	< 10	2.33	370
93N6-34	205	234	< 5	0.4	1.93	< 2	100	< 0.5	< 2	0.46	< 0.5	19	100	123	3.73	< 10	< 1	0.16	< 10	1.14	400
93N6-35	205	234	< 5	0.4	2.39	< 2	100	< 0.5	< 2	0.16	0.5	16	223	101	4.03	< 10	< 1	0.20	10	1.47	335
93N6-36	205	234	< 5	< 0.2	1.07	2	90	< 0.5	< 2	0.36	< 0.5	9	169	20	1.51	< 10	< 1	0.08	< 10	0.74	215
93N6-37	205	234	< 5	0.2	2.40	< 2	80	< 0.5	< 2	0.24	< 0.5	18	161	22	4.23	< 10	< 1	0.11	10	1.59	385
93N6-38	205	234	< 5	0.2	1.81	2	90	< 0.5	< 2	0.27	< 0.5	14	142	24	3.02	< 10	< 1	0.13	10	1.25	320
93N6-39	205	234	< 5	0.2	2.86	< 2	20	< 0.5	< 2	0.59	< 0.5	38	68	100	4.35	< 10	< 1	0.02	10	2.25	540
93N6-40	205	234	< 5	0.2	1.99	< 2	30	< 0.5	< 2	0.18	< 0.5	17	84	24	3.42	< 10	< 1	0.03	10	1.44	280
93N6-41	205	234	< 5	0.2	0.72	< 2	90	< 0.5	< 2	0.51	< 0.5	18	149	36	2.79	< 10	< 1	0.07	10	0.31	360
93N6-42	205	234	< 5	< 0.2	1.23	< 2	130	< 0.5	< 2	0.14	< 0.5	8	120	18	2.29	< 10	< 1	0.15	10	0.70	170
93N6-43	205	234	< 5	0.2	1.37	2	110	< 0.5	< 2	0.19	< 0.5	10	160	25	2.45	< 10	< 1	0.14	< 10	0.94	260
93N6-44	205	234	< 5	0.2	2.96	< 2	50	< 0.5	< 2	0.32	< 0.5	21	99	102	5.11	< 10	< 1	0.04	< 10	2.22	445
93N6-45	205	234	< 5	0.4	2.88	< 2	60	< 0.5	< 2	0.63	< 0.5	25	113	127	5.47	< 10	< 1	0.03	10	2.19	805

DOMINION CREEK DRILL HOLES

CERTIFICATION

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :1-B
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :I9324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93N-01	205 234	1	0.01	32	770	8	< 2	2	9	< 0.01	< 10	< 10	27	< 10	132
93N-03	205 234	1	0.04	21	450	14	< 2	11	16	0.09	< 10	< 10	113	10	136
93N-04	205 234	1	0.02	17	510	26	< 2	5	13	0.08	< 10	< 10	58	< 10	118
93N-05	205 234	1	0.04	11	550	< 2	< 2	3	40	0.11	< 10	< 10	52	10	48
93N-06	205 234	1	0.06	25	590	< 2	< 2	7	30	0.11	< 10	< 10	108	10	56
93N-07	205 234	1	0.05	13	550	2	< 2	4	26	0.07	< 10	< 10	28	< 10	90
93N-08	205 234	< 1	0.05	16	440	< 2	< 2	8	74	0.20	< 10	< 10	143	10	62
93N-09	205 234	2	0.03	20	460	4	< 2	4	24	0.04	< 10	< 10	49	10	60
93N-12	205 234	< 1	0.02	42	720	4	< 2	3	12	< 0.01	< 10	< 10	27	< 10	90
93N-14	205 234	3	0.01	68	1450	14	< 2	4	17	< 0.01	< 10	< 10	55	< 10	202
93N-15	205 234	2	0.02	38	1170	42	< 2	4	18	< 0.01	< 10	< 10	44	< 10	88
93N-16	205 234	3	0.02	88	1190	8	< 2	4	13	< 0.01	< 10	< 10	56	10	344
93N-17	205 234	2	0.01	30	1630	12	< 2	2	10	< 0.01	< 10	< 10	51	< 10	100
93N-18	205 234	4	0.03	54	980	24	< 2	4	11	< 0.01	< 10	< 10	49	< 10	134
93N-19	205 234	1	0.01	36	750	6	< 2	3	9	< 0.01	< 10	< 10	44	< 10	112
93N-21	205 234	< 1	0.01	46	480	22	< 2	10	18	0.18	< 10	< 10	83	10	64
93N-22	205 234	< 1	0.03	46	110	46	< 2	7	20	0.25	< 10	< 10	63	< 10	44
93N-23	205 234	< 1	0.07	13	380	4	< 2	6	9	0.02	< 10	< 10	45	< 10	58
93N-24	205 234	1	0.03	31	450	< 2	< 2	13	7	0.03	< 10	< 10	106	10	40
93N-25	205 234	1	0.08	26	590	< 2	< 2	7	62	0.09	< 10	< 10	127	10	52
93N-26	205 234	< 1	0.05	25	540	2	< 2	7	30	0.14	< 10	< 10	111	10	50
93N-27	205 234	1	0.03	19	400	< 2	< 2	14	22	0.06	< 10	< 10	203	10	84
93N-28	205 234	< 1	0.09	22	650	< 2	< 2	12	17	< 0.01	< 10	< 10	98	< 10	82
93N-29	205 234	1	0.10	13	460	< 2	< 2	9	18	< 0.01	< 10	< 10	106	10	56
93N-30	205 234	2	0.04	20	410	< 2	< 2	12	24	0.16	< 10	< 10	145	10	54
93N-31	205 234	3	0.06	30	490	< 2	< 2	6	37	0.18	< 10	< 10	102	10	42
93N-32	205 234	3	0.03	8	260	4	< 2	2	8	< 0.01	< 10	< 10	10	< 10	14
93N6-33	205 234	< 1	0.03	99	30	< 2	< 2	4	15	0.09	< 10	< 10	29	10	50
93N6-34	205 234	< 1	0.04	11	650	< 2	< 2	5	16	0.07	< 10	< 10	67	< 10	44
93N6-35	205 234	1	0.01	42	320	26	< 2	3	8	0.02	< 10	< 10	35	10	108
93N6-36	205 234	3	0.02	19	170	12	< 2	3	14	0.10	< 10	< 10	26	< 10	32
93N6-37	205 234	1	0.03	17	550	2	< 2	12	11	0.03	< 10	< 10	128	10	54
93N6-38	205 234	1	0.01	20	480	< 2	< 2	4	21	0.03	< 10	< 10	39	< 10	72
93N6-39	205 234	< 1	0.02	29	430	< 2	< 2	6	46	0.16	< 10	< 10	112	10	82
93N6-40	205 234	< 1	0.02	16	560	2	< 2	9	21	< 0.01	< 10	< 10	62	< 10	68
93N6-41	205 234	2	0.01	15	350	2	< 2	19	26	< 0.01	< 10	< 10	90	10	48
93N6-42	205 234	< 1	0.01	17	370	< 2	< 2	3	7	< 0.01	< 10	< 10	23	< 10	52
93N6-43	205 234	2	0.02	17	410	< 2	< 2	2	8	0.03	< 10	< 10	39	< 10	34
93N6-44	205 234	< 1	0.02	29	640	< 2	< 2	11	15	0.04	< 10	< 10	157	< 10	58
93N6-45	205 234	< 1	0.04	18	570	< 2	< 2	12	19	0.11	< 10	< 10	166	10	64

Dominion Creek Drill Holes

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :2-A
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :I9324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93N6-46	205	234	< 5	0.2	2.34	< 2	100	< 0.5	< 2	0.22	< 0.5	18	152	30	3.76	< 10	< 1	0.12	10	1.42	345
93N6-47	205	234	< 5	0.2	2.63	< 2	140	< 0.5	< 2	0.49	< 0.5	26	105	70	4.20	< 10	< 1	0.17	< 10	1.61	405
93N6-48	205	234	7080	0.4	2.14	< 2	110	< 0.5	< 2	0.35	< 0.5	19	170	106	3.70	< 10	< 1	0.18	< 10	1.42	260
93N6-49	205	234	< 5	< 0.2	2.30	< 2	100	< 0.5	< 2	0.18	< 0.5	21	139	58	3.70	< 10	1	0.11	< 10	1.62	325
93N6-50	205	234	8490	0.2	1.87	< 2	140	< 0.5	< 2	0.25	< 0.5	15	137	58	2.98	< 10	< 1	0.17	< 10	1.23	305
93N6-51	205	234	< 5	< 0.2	0.91	< 2	250	< 0.5	2	0.14	< 0.5	6	177	18	1.06	< 10	< 1	0.29	10	0.28	115
93N6-52	205	234	< 5	0.2	2.02	< 2	140	< 0.5	< 2	0.16	< 0.5	12	127	63	2.42	< 10	< 1	0.24	10	1.02	85
93N6-53	205	234	< 5	0.4	2.15	20	40	< 0.5	< 2	0.27	< 0.5	20	149	38	3.71	< 10	< 1	0.06	10	1.48	330
93N6-54	205	234	< 5	0.2	0.73	2	150	< 0.5	< 2	0.12	< 0.5	7	235	12	0.94	< 10	< 1	0.19	10	0.19	110
93N8-56	205	234	< 5	0.2	2.04	2	160	< 0.5	4	0.34	< 0.5	21	195	20	2.63	< 10	1	0.34	10	1.14	225
93N8-57	205	234	< 5	0.2	0.74	< 2	160	< 0.5	2	0.11	< 0.5	5	236	9	1.08	< 10	< 1	0.22	10	0.17	110
93N8-58	205	234	< 5	0.2	2.57	< 2	190	< 0.5	< 2	0.16	< 0.5	19	191	12	3.54	< 10	< 1	0.21	10	1.86	215
93N8-59	205	234	15	0.4	3.71	< 2	30	< 0.5	< 2	0.38	1.5	30	193	154	5.85	< 10	1	0.01	< 10	3.40	670

DOMINION CREEK DRILL HOLES

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number : 2-B
Total Pages : 2
Certificate Date: 24-NOV-93
Invoice No. : I9324687
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93N6-46	205	234	1	0.04	16	440	< 2	< 2	10	29	0.02	< 10	< 10	103	< 10	52
93N6-47	205	234	1	0.06	18	590	< 2	< 2	6	38	0.17	< 10	< 10	107	< 10	54
93N6-48	205	234	3	0.05	20	330	< 2	< 2	7	52	0.13	< 10	< 10	136	10	36
93N6-49	205	234	3	0.05	12	370	4	< 2	10	22	0.03	< 10	< 10	131	10	48
93N6-50	205	234	< 1	0.03	20	380	< 2	< 2	3	21	0.06	< 10	< 10	52	< 10	46
93N6-51	205	234	1	0.06	10	310	4	< 2	2	13	0.01	< 10	< 10	12	< 10	34
93N6-52	205	234	1	0.07	7	480	< 2	< 2	4	12	< 0.01	< 10	< 10	38	< 10	58
93N6-53	205	234	2	0.08	26	820	2	< 2	10	18	0.05	< 10	< 10	116	10	42
93N6-54	205	234	2	0.03	13	170	4	< 2	1	11	0.02	< 10	< 10	11	< 10	22
93N8-56	205	234	3	0.08	20	480	2	< 2	4	20	0.09	< 10	< 10	38	< 10	42
93N8-57	205	234	5	0.06	6	200	2	< 2	2	11	0.01	< 10	< 10	11	< 10	14
93N8-58	205	234	1	0.09	28	450	< 2	< 2	15	13	0.03	< 10	< 10	114	< 10	34
93N8-59	205	234	3	0.01	47	770	200	< 2	7	11	0.16	< 10	< 10	159	10	288

DOMINION CREEK DRILL HOLES

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number : 1
Total Pages : 1
Certificate Date: 08-DEC-93
Invoice No. : I9325789
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9325789

SAMPLE	PREP CODE	Au FA oz/T
93N-23	244 --	0.196
93N6-48	244 --	0.126
93N6-50	244 --	0.224

Dominion Creek Drill Holes

CERTIFICATION:

1993 AUGER DRILL HOLE LOGS
GYPPO CREEK, YUKON

GYPPO PIT (August 10, 1993) Total 123 Feet

All 6.5 inch diameter holes


HOLES ON GO 64 - YB41166

DRILL HOLE	DEPTH	BEDROCK DESCRIPTION
DHG 1	6 ft	Hard muscovite biotite schist to gneiss -limonite
DHG 2	6 ft	Hard muscovite biotite schist to gneiss -limonite
DHG 3	6 ft	Hard muscovite biotite schist to gneiss -limonite
DHG 4	6 ft	Hard muscovite biotite schist to gneiss -limonite
DHG 5	6 ft	Choritic semi-schist - strong pyrite
DHG 6	6 ft	Soft chloritic semi-schist with mod. pyrite
TOTAL	42 ft	

GYPPO MINING PIT - 1993

ROCK CHIP and DRILL SAMPLES

FIGURE 3



Panning Results

G-1 - Trace
G2 - 3 small colours
G3 - Nil
G4 - 2 small colours
G5 - 3 small colours
G6 - Nil
- all partially decomposed bedrock samples.

⊙ DRILL HOLE - AUGER

Δ - Rock Chip Sample

0 10 50 100
FEET

J.S. Christie

Samples G27-33 not shown - from decomposed bedrock at low tom set-up to NE

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 3
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :1
Certificate Date: 01-SEP-93
Invoice No. :I9319850
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9319850

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93 C 221	205	274	45	0.4	1.75	< 2	130	< 0.5	< 2	0.26	< 0.5	12	100	61	3.87	< 10	< 1	0.14	10	0.73	625
93 C 222	205	274	< 5	< 0.2	2.04	8	110	0.5	4	0.26	< 0.5	12	70	25	3.23	10	< 1	0.08	10	1.18	1005
93 C 275	205	274	< 5	< 0.2	0.64	16	230	< 0.5	< 2	0.06	< 0.5	2	187	27	1.83	< 10	< 1	0.25	20	0.16	65
93 C 373	205	274	< 5	0.4	1.93	2	340	< 0.5	< 2	0.26	0.5	10	109	41	3.55	< 10	< 1	0.15	10	1.46	275
93 C 374	205	274	< 5	0.2	2.09	< 2	580	< 0.5	< 2	0.28	< 0.5	16	180	9	3.20	10	< 1	0.21	30	1.09	370
93 C 375	205	274	< 5	0.2	1.46	< 2	280	0.5	2	0.12	< 0.5	5	133	6	1.76	< 10	< 1	0.31	30	0.66	350
93 C 435	205	274	< 5	0.4	1.54	10	330	0.5	< 2	0.19	< 0.5	5	64	4	2.01	10	< 1	0.23	30	0.25	445
93 G 35	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 36	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 37	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 38	205	274	300	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 39	205	274	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 40	205	274	40	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 41	205	274	630	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 42	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 43	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 1	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 2	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 2B	205	274	285	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 3	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 4	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 5	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 6	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Rock Chips Gyppo Pit

Drill Holes Gyppo Pit

CERTIFICATION: Stuart Buchler

SOIL ANOMALY AREA

DRILL HOLE	DEPTH	BEDROCK DESCRIPTION
C389 A	0 - 3	Overburden
	3 - 6	Rusty oxidized siliceous semi-schist
C676	0 - 3	Overburden
	3 - 8	Rusty oxidized schist - decomposed
	8 -13	Rusty oxidized schist - decomposed
	13-18	Chlorite schist with rusty particles
	18-22	Chlorite schist with fine pyrite (HOLE THAWED - WET)
C667	0 - 3	Overburden
	3 - 8	Rusty oxidized schist - decomposed
	8 -13	Rusty oxidized schist - decomposed
	13-18	Chlorite schist with rusty particles
	18-20	Bluish green chlorite schist
	20-22	Bluish green chlorite schist (HOLE THAWED - WET)
C678	0 - 3	Overburden
	3 - 8	Rusty oxidized schist - decomposed
	8 -13	Rusty oxidized schist - decomposed
	13-18	Dark Green chlorite schist
	18-22	Dark Green chlorite schist (HOLE THAWED - DRYER)
C689	3 - 7	Hard rusty siliceous semi-schist
	7 - 9	Hard pale greenish grey semi-schist
TOTAL	81 ft	

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :1
Total Pages :1
Certificate Date: 20-NOV-93
Invoice No. :I9324688
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324688

SAMPLE	PREP CODE		Au ppb FA+AA
C389-A	205	234	80
C676-(3-8)	205	234	35
C676-(8-13)	205	234	< 5
C676-(13-18)	205	234	< 5
C676-18'	205	234	< 5
C677-(3-8)	205	234	35
C677-(8-13)	205	234	30
C677-(13-18)	205	234	< 5
C677-(18-20)	205	234	< 5
C677-(20-22)	205	234	< 5
C678-(8-13)	205	234	195
C678-(13-18)	205	234	45
C678-22'	205	234	30
C689-(3-7)	205	234	105
C689-(7-9)	205	234	20

Drill Holes - Geochem Anomaly

CERTIFICATION:

APPENDIX B

GROUPINGS AND WORK - COSTS

GROUPINGS

GROUP 1

CLAIMS IN GROUP 1

RR 37 - YB 41958	GR 59 - YB 44861
RR 39 - YB 41960	GR 61 - YB 44863
RR 40 - YB 41961	GR 63 - YB 44865
RR 41 - YB 41962	GR 65 - YB 44867
RR 51 - YB 45221	GR 67 - YB 44869
RR 53 - YB 45223	GR 69 - YB 44871
RR 54 - YB 45224	GR 71 - YB 44873
GR 57 - YB 44859	GR 73 - YB 44875

TOTAL WORK ON GROUP 1 $ 19,474.00

WORK ON RR 37 - YB 41958

Drilling (holes 7.5" dia.)(N6 Series 6.5" dia.)

HOLE	DEPTH (ft.)
N - 3	48
N - 4	50
N - 5	48
N - 6	47
N - 7	50
N - 8	50
N -23	49
N -24	46
N -25	50
N -26	46
N -27	49
N -28	47
N -31	45
N -32	49
N6-33	46
N6-34	55
N6-37	45
N6-38	45
N6-39	43
N6-40	45
N6-41	46
N6-42	35
N6-43	35
N6-44	30
N6-46	45
N6-47	40
N6-48	44
N6-49	40
N6-54	46
N6-55	46
N6-56	46
N6-57	46
N6-58	46
Total	1498 ft.

On claim RR 37 - YB 41958, a total of 33 , 6.5" and 7.5 " diamater holes were drilled with a total depth of 1498 ft. At $ 13 dollars per foot this totals $ 19 474 worth of work was performed on this claim in group 1.

Geochemistry samples were also taken on claims GR 65 - YB 44867 and GR 67 - YB 44867.

GROUP 2

CLAIMS IN GROUP 2

RR 3 - YB 41930	GR 60 - YB 44862
RR 4 - YB 41931	GR 62 - YB 44864
RR 42 - YB 41963	GR 64 - YB 44866
RR 52 - YB 45222	GR 66 - YB 44868
GR 53 - YB 44855	GR 68 - YB 44870
GR 55 - YB 44857	GR 70 - YB 44872
GR 56 - YB 44858	GR 72 - YB 44874
GR 58 - YB 44859	GR 74 - YB 44876

TOTAL WORK ON GROUP 2 $ 4,329.00

WORK ON RR 3 - YB 41930

Drilling (holes 7.5" dia.)(N6 Series 6.5")

HOLE	DEPTH (ft.)
N - 9	45
N -10	33
N -30	45
N -29	47
N6-50	35
N6-51	41
N6-53	41
N6-57	46
Total	333

On claim RR 3 - YB 41930, a total of 8 , 6.5" and 7.5 " diamater holes were drilled with a total depth of 333 ft. At $ 13 dollars per foot this totals $ 4329 worth of work was performed on this claim in group 2.

Geochemistry samples were also taken on claims GR 55 - YB 44857 and GR 56 - YB 44858.

GROUP 3

CLAIMS IN GROUP 3

RR 1 - YB 41928	GR 7 - YB 44835
RR 2 - YB 41929	GR 9 - YB 44837
RR 43 - YB 41964	GR 11 - YB 44839
RR 45 - YB 41966	GR 13 - YB 44841
RR 49 - YB 41970	GR 15 - YB 44843
RR 50 - YB 41971	GR 17 - YB 44845
GR 5 - YB 44833	GR 19 - YB 44847
GR 21 - YB 44849	

TOTAL WORK ON GROUP 3 $ 1940

WORK ON GROUP 3
GEOCHEMISTRY
RR 1 - YB 41928
21 samples assayed @ $ 30/sample
GRID on RR 1 - YB41928
6 samples assayed @ $ 30/sample
8 samples collected but not assayed @ $ 5/sample
RR 2 - YB 41929
27 samples assayed @ $ 30/sample
GRID on RR 2 - YB 4129
4 samples assayed @ $ 30/sample
32 samples collected but not assayed @ $ 5/sample

On the claims in Group 3, 58 geochemistry samples were taken an assayed at a cost of $30/sample. Another 40 geochemistry samples were collected, at $ 5/ sample, but have not yet been assayed. There was a total of $ 1940 of work done on the claims in Group 3.

GROUP 4

CLAIMS IN GROUP 4

RR 7 - YB 41934	GR 10 - YB 44838
RR 9 - YB 41936	GR 12 - YB 44840
RR 10 - YB 41937	GR 14 - YB 44842
RR 44 - YB 41965	GR 16 - YB 44844
RR 46 - YB 41967	GR 18 - YB 44846
GO 65 - YB 41167	GR 20 - YB 44848
GR 6 - YB 44834	GR 22 - YB 44850
GR 8 - YB 44836	GR 24 - YB 44852

TOTAL WORK ON GROUP 4 $ 2055

WORK ON GROUP 4
GEOCHEMISTRY
GO 65 - YB 41167
9 samples assayed @ $ 30/sample

GRID on GO 65 - YB 41167
4 samples assayed @ $ 30/sample
39 samples collected but not assayed @ $ 5/sample
RR 7 - YB 41934
20 samples assayed @ $ 30/sample
GR 22 - YB 44850
16 samples assayed @ $ 30/sample
19 samples collected but not assayed @ $ 5/sample
GR 20 - YB 44848
7 samples assayed @ $ 30/sample
17 samples collected but not assayed @ $ 5/sample

On the claims in Group 4, 59 geochemistry samples were taken an assayed at a cost of $30/sample. Another 75 geochemistry samples were collected, at $ 5/ sample, but have not yet been assayed. There was a total of $ 2055 of work done on the claims in Group 4.

GROUP 5

CLAIMS IN GROUP 5

RR 5 - YB 41932	GO 66 - YB 41168
RR 6 - YB 41933	GO 67 - YB 41169
RR 8 - YB 41935	GO 68 - YB 41170
RR 13 - YB 41938	GO 69 - YB 41171
RR 15 - YB 41940	GO 70 - YB 41172
RR 17 - YB 41942	GO 71 - YB 41173
RR 19 - YB 41944	GO 72 - YB 41174
GO 64 - YB 41166	GO 73 - YB 41175

TOTAL WORK ON GROUP 5 $ 1,849.00

WORK ON GO 64 - YB 41166
Drilling (all holes 6.5" dia.)

HOLE	DEPTH (ft.)
N3- 1	42
N3- 2	41
N3- 3	40
Total	123

Geochemistry (GO 64 - YB 41166)
2 samples assayed @ $ 30/sample
Grid -2 samples assyed @ $ 30/sample
-2 sampless collected but not assayed @ $ 5/sample
Geochemistry (RR 5 - YB 41932)
4 samples assayed @ $ 30/sample

On claim GO 64 - YB 41166, a total of 3, 6.5" diamater holes were drilled with a total depth of 123 ft. At $ 13 dollars per foot this totals $ 1599 worth of work was performed on this claim in group 5.

There were 8 geochemistry samples taken an assayed at a cost of $30/sample. Another 2 geochemistry samples were collected, at $ 5/ sample, but have not yet been assayed.

In total, $ 1849 of work was done on the claims in Group 5.

GROUP 6

CLAIMS IN GROUP 6

RR 14 - YB 41939	RR 29 - YB 41950
RR 16 - YB 41941	RR 30 - YB 41951
RR 18 - YB 41943	RR 31 - YB 41952
RR 20 - YB 41945	RR 32 - YB 41953
RR 25 - YB 41946	RR 33 - YB 41954
RR 26 - YB 41947	RR 34 - YB 41955
RR 27 - YB 41948	RR 47 - YB 41968
RR 28 - YB 41949	RR 48 - YB 41969

TOTAL WORK ON GROUP 6 $ 2000

WORK ON GROUP 6

GEOCHEMISTRY

RR 16 - YB 41941
5 samples assayed @ $ 30/sample

RR 14 - YB41939
6 samples assayed @ $ 30/sample

RR 27 - YB 41929
5 samples assayed @ $ 30/sample

RR 28 - YB 41949
10 samples assayed @ $ 30/sample

RR 25 - YB 41946
2 samples assayed @ $ 30/sample

RR 26 - YB 41947
22 samples assayed @ $ 30/sample

TRENCHING

3 ft. wide x 15 ft. long x 4 ft. deep = 180 cu. ft.

On the claims in Group 6, 50 geochemistry samples were taken an assayed at a cost of $30/sample for a total of $ 2000 of work done on the claims in Group 6.

GROUP 7

RR 35 - YB 41956	GO 55 - YB 41157
RR 36 - YB 41957	GO 56 - YB 41158
RR 38 - YB 41959	GO 57 - YB 41159
GO 50 - YB 41152	GO 58 - YB 41160
GO 51 - YB 41153	GO 59 - YB 41161
GO 52 - YB 41154	GO 60 - YB 41162
GO 53 - YB 41155	GO 61 - YB 41163
GO 54 - YB 41156	GO 74 - YB 41176

TOTAL WORK ON GROUP 7 $ 10,902.00

WORK ON RR 38 - YB 41959

Drilling (all holes 7.5" dia.)

HOLE	DEPTH (ft.)
B - 1	40
B -16	40
N - 1	45
N - 2	45
N -11	45
N -12	40
N -13	45
N -14	50
N -15	50
N -16	40
N -17	42
N -18	45
N -20	70
N -21	49
N -22	50
N -35	46
N -36	46
N -59	46
Total	834

SAMPLE COSTS

The $ 30 sample cost includes the following :

1. Chemex analytical cost $ 15.30/sample
2. Cost of collection
   J.S. Christie, Ph.D. @ $ 350/day
   T.M. Christie, student assistant @ $ 200/day
3. Meals and accommodation @ $ 50/day
4. 4X4 rental @ $ 100/day
5. Cost of field supplies - sample bags - string
6. Cost of freight on samples
7. Costs of map and report

APPENDIX C

ANALYTICAL DATA

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

A9318991

Comments: ATTN: JIM CHRISTIE

CERTIFICATE A9318991

GIMLEX ENTERPRISES LTD.

Project: DAWSON-2
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-AUG-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
214	52	Rcvd as pulp; mesh size checked
229	52	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	52	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	52	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	52	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	52	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	52	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	52	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	52	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	52	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	52	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	52	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	52	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	52	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	52	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	52	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	52	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	52	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	52	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	52	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	52	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	52	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	52	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	52	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	52	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	52	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	52	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	52	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	52	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	52	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	52	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	52	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	52	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	52	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	52	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-2
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :2
Certificate Date: 23-AUG-93
Invoice No. :I9318991
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9318991

ORIGINAL No. / SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
83C 93-JC-01 - 882	214 229	2930	14.6	1.43	72	120	1.0	< 2	0.22	1.5	20	36	427	4.91	10	< 1	0.20	50	0.39	955
93-JC-02 83	214 229	365	1.2	1.62	12	160	< 0.5	< 2	0.41	< 0.5	10	34	51	3.05	< 10	1	0.16	10	0.57	320
93-JC-03 - 88	214 229	340	0.6	1.61	6	240	< 0.5	< 2	0.31	< 0.5	11	36	41	2.74	< 10	< 1	0.21	10	0.58	615
93-JC-04 89	214 229	100	0.2	1.72	16	270	< 0.5	< 2	0.38	< 0.5	11	39	37	2.69	< 10	1	0.24	10	0.72	360
93-JC-05 - 92	214 229	70	< 0.2	1.21	14	260	< 0.5	< 2	0.23	< 0.5	11	24	19	2.51	< 10	< 1	0.04	10	0.37	575
93-JC-06 - 893	214 229	900	0.2	1.15	14	260	< 0.5	< 2	0.30	0.5	12	28	22	2.61	< 10	< 1	0.04	10	0.37	760
93-JC-07 94	214 229	2190	0.2	1.22	20	210	< 0.5	< 2	0.30	< 0.5	10	29	24	2.53	< 10	< 1	0.16	20	0.47	495
93-JC-08 - 95	214 229	360	0.2	1.01	18	210	< 0.5	< 2	0.23	< 0.5	11	25	31	2.57	< 10	< 1	0.14	10	0.41	435
93-JC-09 96	214 229	360	< 0.2	1.26	4	250	< 0.5	< 2	0.33	0.5	10	34	19	2.26	< 10	1	0.14	20	0.52	375
93C 93-JC-10 - 03	214 229	175	< 0.2	1.76	6	220	< 0.5	< 2	0.13	< 0.5	9	49	19	2.48	< 10	< 1	0.02	< 10	0.68	190
93-JC-11 - 04	214 229	130	< 0.2	2.13	< 2	160	< 0.5	< 2	0.26	< 0.5	11	74	35	3.12	< 10	< 1	0.01	< 10	1.15	370
93-JC-12 10	214 229	230	< 0.2	2.62	< 2	200	0.5	< 2	0.34	< 0.5	22	312	83	3.61	< 10	< 1	< 0.01	< 10	1.90	690
93-JC-13 - 57	214 229	90	< 0.2	1.82	8	340	< 0.5	< 2	0.44	< 0.5	8	39	34	2.83	< 10	< 1	0.06	10	0.98	250
93-JC-14 68	214 229	70	0.2	1.66	14	300	0.5	< 2	0.41	< 0.5	9	37	31	2.80	< 10	< 1	0.06	10	0.85	265
93-JC-15 - 70	214 229	90	< 0.2	1.48	< 2	300	< 0.5	4	0.29	< 0.5	9	31	32	2.25	< 10	< 1	0.03	10	0.89	230
93-JC-16 - 72	214 229	30	< 0.2	1.22	< 2	260	< 0.5	2	0.27	< 0.5	8	33	24	1.96	< 10	< 1	0.11	10	0.82	190
93-JC-17 80	214 229	40	< 0.2	1.54	< 2	230	< 0.5	< 2	0.24	< 0.5	8	42	26	2.46	< 10	1	0.04	< 10	0.88	215
93-JC-18 - 81	214 229	35	< 0.2	1.61	2	180	< 0.5	< 2	0.28	< 0.5	9	54	27	2.64	< 10	< 1	0.04	< 10	1.05	235
93-JC-19 82	214 229	40	< 0.2	1.92	< 2	200	0.5	< 2	0.26	< 0.5	10	52	30	2.81	< 10	2	0.03	< 10	1.11	295
93-JC-20 - 83	214 229	50	< 0.2	1.84	< 2	200	< 0.5	< 2	0.35	< 0.5	11	43	42	2.78	< 10	< 1	0.13	< 10	1.32	390
93-JC-21 - 84	214 229	35	< 0.2	2.14	< 2	170	0.5	< 2	0.30	< 0.5	12	66	36	3.30	< 10	< 1	0.03	< 10	1.25	300
93-JC-22 899	214 229	50	< 0.2	2.72	< 2	310	0.5	< 2	0.59	< 0.5	27	267	50	4.17	< 10	< 1	< 0.01	< 10	1.98	900
93-JC-23 - 900	214 229	50	0.2	1.76	< 2	310	< 0.5	< 2	0.49	0.5	15	105	44	3.04	< 10	< 1	0.04	10	1.01	570
93-JC-24 908	214 229	35	< 0.2	2.31	< 2	290	< 0.5	< 2	0.55	< 0.5	20	151	52	3.66	< 10	1	0.02	< 10	1.46	840
93-JC-25 - 913	214 229	55	< 0.2	2.31	< 2	410	0.5	< 2	0.61	< 0.5	20	77	47	3.79	< 10	< 1	0.04	< 10	1.29	880
84C 93-JC-26 155	214 229	55	< 0.2	3.11	< 2	410	< 0.5	< 2	0.54	< 0.5	36	470	72	5.23	< 10	< 1	< 0.01	< 10	2.40	1305
93-JC-27 706	214 229	40	< 0.2	1.50	< 2	240	< 0.5	< 2	0.28	0.5	13	75	50	3.33	< 10	2	0.02	10	0.74	445
93-JC-28 - 07	214 229	55	< 0.2	1.56	4	200	< 0.5	< 2	0.16	< 0.5	9	44	30	3.10	< 10	< 1	0.02	10	0.60	330
93-JC-29 08	214 229	240	< 0.2	1.88	< 2	330	< 0.5	< 2	0.15	< 0.5	13	58	35	3.67	< 10	< 1	0.02	< 10	0.79	365
93-JC-30 - 09	214 229	205	0.2	0.44	4	170	< 0.5	< 2	0.22	0.5	11	36	33	3.21	< 10	< 1	0.02	< 10	0.19	1320
93-JC-31 - 718	214 229	45	< 0.2	2.27	< 2	200	< 0.5	< 2	0.54	0.5	16	238	46	2.96	< 10	< 1	0.01	< 10	1.67	375
93-JC-32 22	214 229	40	< 0.2	2.09	< 2	390	0.5	< 2	0.50	0.5	14	81	40	3.33	< 10	1	0.03	10	1.12	490
85C 93-JC-33 - 32	214 229	40	< 0.2	1.68	2	350	0.5	< 2	0.35	< 0.5	19	102	49	3.42	< 10	< 1	0.03	< 10	0.89	715
93-JC-34 655	214 229	30	< 0.2	1.76	8	320	< 0.5	< 2	0.40	< 0.5	14	91	26	2.78	< 10	< 1	0.02	< 10	1.07	650
93-JC-35 - 57	214 229	35	< 0.2	1.53	2	390	0.5	< 2	0.34	< 0.5	10	22	25	2.66	< 10	< 1	0.07	10	0.70	580
93-JC-36 - 659	214 229	50	< 0.2	1.71	< 2	560	< 0.5	< 2	0.55	0.5	10	25	33	3.52	< 10	< 1	0.19	10	0.74	645
93-JC-37 65	214 229	30	< 0.2	1.73	8	220	0.5	< 2	0.40	< 0.5	12	41	26	2.70	< 10	< 1	0.03	< 10	0.92	440
93-JC-38 - 71	214 229	10	< 0.2	1.44	< 2	390	0.5	< 2	0.92	0.5	10	31	28	2.39	< 10	< 1	0.07	10	0.68	315
93-JC-39 - 85	214 229	15	< 0.2	2.98	< 2	460	0.5	< 2	0.55	0.5	20	178	59	3.99	< 10	< 1	0.02	< 10	1.94	680
93-JC-40 - 89	214 229	20	< 0.2	1.77	4	390	0.5	< 2	0.46	< 0.5	11	34	35	2.63	< 10	< 1	0.07	10	0.67	360

These samples were seived in the field and given new numbers

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-2
Comments: ATTN: JIM CHRISTIE

Page Number :1-B
Total Pages :2
Certificate Date: 23-AUG-93
Invoice No. :I9318991
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9318991

ORIGINAL SAMPLE No.	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
83C 93-JC-01 ~ 882	214	229	17	< 0.01	72	860	3440	2	10	23	0.04	< 10	< 10	60	< 10	138
93-JC-02 83	214	229	4	0.01	25	280	426	< 2	3	17	0.09	< 10	< 10	64	< 10	68
93-JC-03 ~ 88	214	229	2	< 0.01	24	420	572	< 2	4	21	0.10	< 10	< 10	60	< 10	54
93-JC-04 89	214	229	1	0.01	23	340	304	< 2	5	22	0.11	< 10	< 10	60	< 10	54
93-JC-05 ~ 92	214	229	< 1	< 0.01	19	500	96	< 2	3	16	0.05	< 10	< 10	46	< 10	76
93-JC-06 ~ 893	214	229	< 1	0.01	20	560	48	< 2	4	21	0.04	< 10	< 10	49	< 10	74
93-JC-07 94	214	229	1	< 0.01	19	720	66	4	3	18	0.06	< 10	< 10	44	< 10	80
93-JC-08 ~ 95	214	229	1	< 0.01	24	770	76	< 2	3	13	0.06	< 10	< 10	45	< 10	88
93-JC-09 96	214	229	< 1	< 0.01	22	590	66	< 2	3	15	0.07	< 10	< 10	41	< 10	88
93C 93-JC-10 ~ 03	214	229	< 1	< 0.01	21	260	152	< 2	3	9	0.03	< 10	< 10	42	< 10	56
93-JC-11 ~ 04	214	229	< 1	< 0.01	28	270	200	< 2	5	14	0.04	< 10	< 10	51	< 10	64
93-JC-12 10	214	229	< 1	< 0.01	83	550	228	2	7	18	0.07	< 10	< 10	69	< 10	58
93-JC-13 ~ 57	214	229	< 1	0.01	22	610	92	< 2	6	29	0.07	< 10	< 10	49	< 10	86
93-JC-14 58	214	229	< 1	0.01	22	710	66	< 2	5	27	0.08	< 10	< 10	49	< 10	86
93-JC-15 ~ 70	214	229	< 1	< 0.01	18	450	70	< 2	4	18	0.07	< 10	< 10	44	< 10	68
93-JC-16 ~ 72	214	229	< 1	< 0.01	15	440	56	< 2	3	15	0.06	< 10	< 10	32	< 10	62
93-JC-17 80	214	229	< 1	< 0.01	19	340	72	< 2	4	14	0.10	< 10	< 10	52	< 10	54
93-JC-18 ~ 81	214	229	< 1	< 0.01	22	400	54	< 2	4	15	0.13	< 10	< 10	61	< 10	56
93-JC-19 82	214	229	< 1	< 0.01	24	310	20	< 2	4	14	0.12	< 10	< 10	64	< 10	56
93-JC-20 ~ 83	214	229	< 1	0.01	18	440	104	< 2	4	16	0.14	< 10	< 10	64	< 10	62
93-JC-21 ~ 84	214	229	< 1	< 0.01	28	330	46	< 2	5	14	0.18	< 10	< 10	77	< 10	60
93-JC-22 899	214	229	< 1	0.01	112	530	74	< 2	13	29	0.06	< 10	< 10	84	< 10	72
93-JC-23 ~ 900	214	229	< 1	0.01	53	510	110	< 2	7	29	0.06	< 10	< 10	59	< 10	60
93-JC-24 908	214	229	< 1	0.01	91	500	62	< 2	10	26	0.09	< 10	< 10	68	< 10	74
93-JC-25 ~ 913	214	229	< 1	0.01	41	440	78	< 2	9	36	0.08	< 10	< 10	81	< 10	76
84C 93-JC-26 155	214	229	< 1	0.01	193	640	58	< 2	15	24	0.03	< 10	< 10	97	< 10	78
93-JC-27 706	214	229	< 1	< 0.01	36	590	62	< 2	6	17	0.02	< 10	< 10	48	< 10	84
93-JC-28 ~ 07	214	229	< 1	< 0.01	20	390	74	< 2	4	10	0.02	< 10	< 10	37	< 10	58
93-JC-29 08	214	229	1	< 0.01	31	270	46	2	6	12	0.01	< 10	< 10	37	< 10	70
93-JC-30 ~ 09	214	229	< 1	< 0.01	19	850	86	< 2	4	11	< 0.01	< 10	< 10	29	< 10	52
93-JC-31 718	214	229	< 1	< 0.01	84	480	106	< 2	6	35	0.12	< 10	< 10	56	< 10	60
93-JC-32 22	214	229	< 1	0.01	39	340	90	< 2	8	32	0.07	< 10	< 10	69	< 10	68
85C 93-JC-33 92	214	229	< 1	0.01	73	270	70	< 2	8	22	0.05	< 10	< 10	50	< 10	68
93-JC-34 655	214	229	< 1	< 0.01	38	270	48	< 2	8	21	0.04	< 10	< 10	45	< 10	64
93-JC-35 ~ 57	214	229	< 1	< 0.01	17	270	90	< 2	4	25	0.02	< 10	< 10	34	< 10	80
93-JC-36 ~ 659	214	229	< 1	0.01	24	480	56	2	6	29	0.02	< 10	< 10	51	< 10	86
93-JC-37 65	214	229	< 1	0.01	26	470	80	< 2	4	19	0.02	< 10	< 10	48	< 10	58
93-JC-38 ~ 71	214	229	< 1	0.01	23	290	36	2	4	41	0.07	< 10	< 10	51	< 10	54
93-JC-39 ~ 85	214	229	< 1	0.01	64	350	50	< 2	10	33	0.08	< 10	< 10	85	< 10	114
93-JC-40 ~ 89	214	229	< 1	0.01	22	300	64	2	5	27	0.04	< 10	< 10	45	< 10	78

These samples were seived in the field and given new numbers

CERTIFICATION: Garth Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-2
Comments: ATTN: JIM CHRISTIE

Page Number :2-A
Total Pages :2
Certificate Date: 23-AUG-93
Invoice No. : I9318991
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9318991

ORIGINAL SAMPLE No.	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
85C 93-JC-41 - 699	214	229	< 5	< 0.2	1.64	2	200	< 0.5	< 2	0.33	< 0.5	13	84	23	2.41	< 10	< 1	< 0.01	< 10	1.11	310
88C 93-JC-42 881	214	229	20	< 0.2	1.64	10	150	< 0.5	2	0.18	< 0.5	11	58	20	2.47	< 10	< 1	0.02	< 10	0.63	215
93C 93-JC-43 - 85	214	229	< 5	< 0.2	1.70	< 2	360	0.5	< 2	0.26	< 0.5	11	27	34	2.97	< 10	< 1	0.15	10	0.85	500
93-JC-44 - 86	214	229	15	< 0.2	2.77	12	490	0.5	< 2	0.41	< 0.5	19	122	50	3.74	10	< 1	0.06	20	1.52	545
93-JC-45 -90	214	229	< 5	< 0.2	2.91	< 2	390	< 0.5	< 2	0.56	0.5	22	159	96	4.08	< 10	1	0.01	< 10	2.02	735
93-JC-46 -891	214	229	< 5	< 0.2	3.18	< 2	320	0.5	< 2	0.69	< 0.5	26	198	45	3.93	< 10	< 1	< 0.01	< 10	2.53	785
93-JC-47 95	214	229	< 5	< 0.2	1.95	< 2	250	0.5	< 2	0.38	0.5	11	28	55	2.97	< 10	1	0.05	< 10	0.86	660
93-JC-48 -96	214	229	< 5	< 0.2	2.71	12	260	0.5	< 2	0.63	< 0.5	25	106	49	4.17	< 10	< 1	0.04	< 10	1.62	880
93-JC-49 - 115	214	229	< 5	< 0.2	1.85	2	100	0.5	< 2	0.07	0.5	6	29	23	3.38	10	< 1	0.09	20	0.41	360
93-JC-50 -116	214	229	< 5	< 0.2	1.40	< 2	120	0.5	< 2	0.13	< 0.5	6	31	14	3.20	< 10	< 1	0.17	10	0.50	270
93G 93-JC-51 -132	214	229	15	< 0.2	1.16	14	160	0.5	< 2	0.17	< 0.5	4	22	13	1.80	< 10	1	0.05	10	0.31	115
93-JC-52 - 34	214	229	15	< 0.2	2.96	< 2	380	< 0.5	< 2	0.66	0.5	20	174	39	3.96	< 10	< 1	< 0.01	< 10	2.15	820

These samples were ~~s~~ved in the field and given new numbers

CERTIFICATION: Peter H Buckle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-2
Comments: ATTN: JIM CHRISTIE

Certificate Date: 23-AUG-93
Invoice No. : I9318991
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9318991

ORIGINAL SAMPLE No.	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
85C 93-JC-41 - 699	214	229	< 1	< 0.01	34	370	36	< 2	6	18	0.03	< 10	< 10	48	< 10	52
88C 93-JC-42 - 881	214	229	< 1	< 0.01	27	320	48	2	2	13	0.04	< 10	< 10	45	< 10	50
93C 93-JC-43 85	214	229	< 1	< 0.01	17	310	50	< 2	7	18	0.04	< 10	< 10	43	< 10	102
93-JC-44 86	214	229	< 1	< 0.01	48	290	84	< 2	12	27	0.05	< 10	< 10	78	< 10	92
93-JC-45 - 90	214	229	< 1	0.01	60	330	34	< 2	10	32	0.09	< 10	< 10	85	< 10	158
93-JC-46 - 891	214	229	< 1	0.01	68	260	32	< 2	9	43	0.15	< 10	< 10	90	< 10	76
93-JC-47 95	214	229	< 1	< 0.01	21	550	32	< 2	6	21	0.01	< 10	< 10	42	< 10	94
93-JC-48 96	214	229	< 1	0.01	55	600	26	< 2	8	30	0.12	< 10	< 10	82	< 10	92
93-JC-49 - 115	214	229	1	< 0.01	17	330	222	< 2	7	9	0.03	< 10	< 10	46	< 10	84
93-JC-50 116	214	229	< 1	< 0.01	12	560	138	< 2	3	11	0.08	< 10	< 10	66	< 10	50
93G 93-JC-51 - 132	214	229	< 1	< 0.01	11	460	20	< 2	2	14	0.04	< 10	< 10	35	< 10	56
93-JC-52 - 34	214	229	< 1	0.01	54	310	22	2	8	39	0.14	< 10	< 10	82	< 10	120

These samples were seived in the field and given new numbers

CERTIFICATION: Antti Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 3
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :1
Certificate Date: 01-SEP-93
Invoice No. :I9319850
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9319850

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93 C 221	205	274	45	0.4	1.75	< 2	130	< 0.5	< 2	0.26	< 0.5	12	100	61	3.87	< 10	< 1	0.14	10	0.73	625
93 C 222	205	274	< 5	< 0.2	2.04	8	110	0.5	4	0.26	< 0.5	12	70	25	3.23	10	< 1	0.08	10	1.18	1005
93 C 275	205	274	< 5	< 0.2	0.64	16	230	< 0.5	< 2	0.06	< 0.5	2	187	27	1.83	< 10	< 1	0.25	20	0.16	65
93 C 373	205	274	< 5	0.4	1.93	2	340	< 0.5	< 2	0.26	0.5	10	109	41	3.55	< 10	< 1	0.15	10	1.46	275
93 C 374	205	274	< 5	0.2	2.09	< 2	580	< 0.5	< 2	0.28	< 0.5	16	180	9	3.20	10	< 1	0.21	30	1.09	370
93 C 375	205	274	< 5	0.2	1.46	< 2	280	0.5	2	0.12	< 0.5	5	133	6	1.76	< 10	< 1	0.31	30	0.66	350
93 C 435	205	274	< 5	0.4	1.54	10	330	0.5	< 2	0.19	< 0.5	5	64	4	2.01	10	< 1	0.23	30	0.25	445
93 G 35	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 36	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 37	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 38	205	274	300	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 39	205	274	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 40	205	274	40	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 41	205	274	630	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 42	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
93 G 43	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 1	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 2	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 2B	205	274	285	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 3	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 4	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 5	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
DHG 6	205	274	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Rock Chips Gyppo Pit

Drill Holes Gyppo Pit

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :1
Total Pages :1
Certificate Date: 20-NOV-93
Invoice No. :I9324688
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324688

SAMPLE	PREP CODE		Au ppb FA+AA
C389-A	205	234	80
C676-(3-8)	205	234	35
C676-(8-13)	205	234	< 5
C676-(13-18)	205	234	< 5
C676-18'	205	234	< 5
C677-(3-8)	205	234	35
C677-(8-13)	205	234	30
C677-(13-18)	205	234	< 5
C677-(18-20)	205	234	< 5
C677-(20-22)	205	234	< 5
C678-(8-13)	205	234	195
C678-(13-18)	205	234	45
C678-22'	205	234	30
C689-(3-7)	205	234	105
C689-(7-9)	205	234	20

Drill Holes - Geochem Anomaly

CERTIFICATION: Mark Vahl

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 3
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :2
Certificate Date: 03-SEP-93
Invoice No. :I9319849
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9319849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93 C 237	201	229	< 5	< 0.2	1.97	< 2	380	0.5	2	0.31	< 0.5	10	37	29	3.08	< 10	< 1	0.03	10	1.03	405
93 C 240	201	203	< 5	< 0.2	2.39	< 2	350	0.5	< 2	0.43	< 0.5	14	123	70	3.93	< 10	< 1	0.46	10	1.42	625
93 C 245	201	229	< 5	< 0.2	1.36	2	340	< 0.5	< 2	0.16	< 0.5	4	18	13	2.03	< 10	< 1	0.07	20	0.48	125
93 C 251	201	229	< 5	< 0.2	2.36	< 2	300	0.5	< 2	0.51	< 0.5	13	45	53	3.63	< 10	< 1	0.27	10	1.72	660
93 C 259	201	229	< 5	< 0.2	1.72	2	230	0.5	< 2	0.20	< 0.5	7	39	25	2.67	< 10	< 1	0.05	20	0.73	170
93 C 263	201	229	< 5	< 0.2	2.10	< 2	390	0.5	< 2	0.48	< 0.5	11	49	48	3.53	< 10	< 1	0.05	10	1.17	365
93 C 266	201	229	< 5	< 0.2	2.59	< 2	240	0.5	< 2	0.42	< 0.5	15	44	32	4.27	< 10	< 1	0.18	10	1.79	500
93 C 269	201	229	< 5	< 0.2	0.45	< 2	90	< 0.5	< 2	0.07	< 0.5	2	8	12	1.10	< 10	< 1	0.07	50	0.14	65
93 C 283	201	229	< 5	< 0.2	2.54	< 2	360	0.5	< 2	0.56	< 0.5	12	60	59	4.27	10	< 1	0.06	20	1.28	555
93 C 284	201	229	< 5	0.2	1.85	< 2	240	< 0.5	< 2	0.34	< 0.5	10	16	25	3.33	10	< 1	0.07	30	0.83	725
93 C 291	201	229	< 5	< 0.2	2.77	< 2	250	0.5	< 2	0.66	< 0.5	15	66	56	4.49	< 10	< 1	0.04	10	1.69	495
93 C 302	201	229	< 5	< 0.2	2.56	< 2	440	0.5	< 2	0.43	< 0.5	13	39	32	3.75	< 10	< 1	0.05	10	1.07	610
93 C 303	201	229	< 5	< 0.2	2.35	8	240	0.5	< 2	0.31	< 0.5	16	34	32	3.65	< 10	< 1	0.04	10	1.22	505
93 C 304	201	229	< 5	0.2	2.28	6	450	0.5	< 2	0.23	< 0.5	12	48	28	3.58	< 10	< 1	0.06	20	0.83	1110
93 C 308	201	229	< 5	0.2	1.25	12	350	0.5	< 2	0.17	< 0.5	7	21	14	2.12	< 10	< 1	0.12	20	0.32	290
93 C 309	201	229	< 5	0.2	0.73	16	280	< 0.5	< 2	0.22	< 0.5	3	12	9	1.78	< 10	< 1	0.13	20	0.16	240
93 C 310	201	229	< 5	0.4	1.78	18	330	0.5	< 2	0.19	< 0.5	7	28	26	2.86	< 10	< 1	0.20	20	0.50	260
93 C 324	201	229	< 5	0.6	1.83	42	450	0.5	< 2	0.34	0.5	10	34	28	3.00	< 10	< 1	0.03	10	0.43	255
93 C 325	201	229	< 5	0.4	1.71	34	260	< 0.5	< 2	0.14	< 0.5	7	29	19	2.71	< 10	< 1	0.04	10	0.48	190
93 C 326	201	229	< 5	0.2	2.21	32	280	0.5	< 2	0.30	< 0.5	17	20	80	5.35	< 10	< 1	0.06	10	1.16	555
93 C 335	201	229	< 5	< 0.2	1.03	12	290	< 0.5	< 2	0.40	< 0.5	12	23	20	2.53	< 10	< 1	0.03	20	0.48	785
93 C 339	201	229	< 5	< 0.2	1.21	4	230	< 0.5	< 2	0.14	< 0.5	4	15	12	2.07	< 10	< 1	0.16	10	0.27	155
93 C 345	201	229	< 5	< 0.2	1.66	< 2	550	0.5	< 2	0.36	< 0.5	9	28	16	2.44	< 10	< 1	0.04	10	0.47	415
93 C 352	201	229	< 5	< 0.2	2.65	< 2	330	0.5	< 2	0.34	< 0.5	16	98	41	4.12	10	< 1	0.10	20	1.61	1040
93 C 354	201	229	< 5	0.2	2.31	28	270	0.5	< 2	0.41	< 0.5	17	75	52	4.26	< 10	< 1	0.06	20	1.25	580
93 C 357	201	229	< 5	0.2	1.57	8	380	0.5	< 2	0.40	< 0.5	11	32	28	2.80	< 10	< 1	0.04	20	0.60	615
93 C 364	201	229	< 5	< 0.2	2.00	< 2	110	< 0.5	< 2	0.24	< 0.5	13	56	25	3.68	< 10	< 1	0.11	10	1.19	710
93 C 365	201	229	< 5	< 0.2	1.04	< 2	210	< 0.5	< 2	0.46	< 0.5	7	27	13	1.91	< 10	< 1	0.04	10	0.54	420
93 C 370	201	229	< 5	< 0.2	0.73	< 2	310	< 0.5	< 2	0.73	< 0.5	6	16	14	1.57	< 10	< 1	0.04	10	0.46	290
93 C 371	201	229	< 5	< 0.2	1.77	< 2	210	0.5	< 2	0.13	< 0.5	6	12	13	2.48	< 10	< 1	0.20	30	0.54	300
93 C 372	201	229	< 5	< 0.2	1.61	< 2	160	0.5	< 2	0.24	< 0.5	7	26	22	2.51	< 10	< 1	0.12	20	0.68	165
93 C 376	201	229	< 5	< 0.2	1.56	< 2	70	< 0.5	< 2	0.31	< 0.5	4	7	57	2.82	< 10	< 1	0.02	10	0.79	255
93 C 377	201	229	< 5	0.2	1.54	8	240	< 0.5	< 2	0.21	< 0.5	7	15	76	2.58	< 10	< 1	0.08	30	0.66	365
93 C 380	201	229	< 5	0.4	1.93	< 2	540	0.5	< 2	0.26	< 0.5	10	18	12	3.62	< 10	< 1	0.20	10	0.83	500
93 C 381	201	229	< 5	0.2	1.56	< 2	200	< 0.5	< 2	0.13	< 0.5	7	21	15	3.10	< 10	< 1	0.19	< 10	0.67	280
93 C 387	201	229	< 5	0.2	1.41	< 2	230	< 0.5	< 2	0.14	< 0.5	7	33	15	2.40	< 10	< 1	0.06	10	0.73	130
93 C 388	201	229	< 5	< 0.2	0.88	< 2	280	< 0.5	< 2	0.10	< 0.5	5	13	14	2.11	< 10	< 1	0.06	30	0.28	130
93 C 416	201	229	< 5	0.2	0.96	< 2	150	< 0.5	< 2	0.06	< 0.5	3	14	16	1.82	< 10	< 1	0.08	10	0.36	100
93 C 417	201	229	< 5	0.2	0.88	< 2	180	< 0.5	< 2	0.03	< 0.5	2	13	13	1.60	< 10	< 1	0.25	10	0.28	95
93 C 418	201	229	< 5	< 0.2	1.80	< 2	160	< 0.5	< 2	0.32	< 0.5	12	28	100	3.04	< 10	< 1	0.25	< 10	0.97	275

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 3
Comments: ATTN: JIM CHRISTIE

Certificate Date: 03-SEP-93
Invoice No. : I9319849
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9319849

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93 C 237	201 229	< 1	< 0.01	19	460	4	< 2	4	21	0.08	< 10	< 10	47	< 10	74
93 C 240	201 203	2	0.01	32	740	10	< 2	6	27	0.11	< 10	< 10	72	10	110
93 C 245	201 229	< 1	< 0.01	14	210	16	< 2	2	12	0.05	< 10	< 10	27	< 10	50
93 C 251	201 229	< 1	< 0.01	24	680	6	2	8	30	0.08	< 10	< 10	75	10	70
93 C 259	201 229	< 1	< 0.01	19	190	8	< 2	4	15	0.06	10	< 10	46	< 10	66
93 C 263	201 229	< 1	< 0.01	28	430	4	< 2	8	28	0.10	< 10	< 10	69	< 10	80
93 C 266	201 229	< 1	< 0.01	28	810	4	< 2	8	23	0.13	< 10	< 10	87	< 10	86
93 C 269	201 229	< 1	< 0.01	4	190	14	< 2	3	16	0.04	20	< 10	6	< 10	48
93 C 283	201 229	< 1	< 0.01	34	970	8	< 2	10	27	0.04	10	< 10	60	< 10	106
93 C 284	201 229	1	< 0.01	17	530	26	< 2	3	23	0.01	10	< 10	20	< 10	104
93 C 291	201 229	< 1	< 0.01	34	790	2	< 2	7	34	0.16	< 10	< 10	72	< 10	112
93 C 302	201 229	1	< 0.01	22	270	8	< 2	6	26	0.11	< 10	< 10	67	< 10	78
93 C 303	201 229	1	< 0.01	17	320	6	< 2	4	19	0.12	< 10	< 10	71	< 10	70
93 C 304	201 229	1	< 0.01	30	440	8	< 2	7	17	0.04	< 10	< 10	64	< 10	78
93 C 308	201 229	< 1	< 0.01	14	270	12	< 2	3	13	0.03	< 10	< 10	31	< 10	42
93 C 309	201 229	< 1	< 0.01	10	460	8	< 2	2	10	0.01	< 10	< 10	17	< 10	40
93 C 310	201 229	< 1	< 0.01	21	240	10	< 2	6	14	0.06	< 10	< 10	40	< 10	70
93 C 324	201 229	1	0.01	32	440	16	< 2	3	19	0.04	< 10	< 10	57	< 10	90
93 C 325	201 229	< 1	< 0.01	20	190	10	< 2	3	11	0.04	< 10	< 10	40	< 10	62
93 C 326	201 229	< 1	< 0.01	23	530	6	< 2	9	10	0.01	< 10	< 10	61	< 10	104
93 C 335	201 229	1	< 0.01	22	980	10	< 2	2	22	0.03	< 10	< 10	36	< 10	78
93 C 339	201 229	< 1	< 0.01	9	220	8	< 2	1	11	0.04	< 10	< 10	26	< 10	36
93 C 345	201 229	< 1	0.01	21	200	6	< 2	3	25	0.06	< 10	< 10	48	< 10	54
93 C 352	201 229	< 1	< 0.01	52	270	4	< 2	9	18	0.04	10	< 10	74	< 10	84
93 C 354	201 229	1	0.01	57	230	14	< 2	7	34	0.05	10	< 10	52	< 10	88
93 C 357	201 229	1	0.01	26	280	12	2	5	30	0.08	10	< 10	49	< 10	62
93 C 364	201 229	1	< 0.01	21	660	8	< 2	9	14	0.06	< 10	< 10	51	< 10	76
93 C 365	201 229	< 1	< 0.01	17	710	4	< 2	2	25	0.04	< 10	< 10	31	< 10	56
93 C 370	201 229	< 1	0.01	14	630	6	< 2	2	29	0.04	< 10	< 10	24	< 10	48
93 C 371	201 229	< 1	< 0.01	7	170	22	< 2	3	20	0.06	10	< 10	19	< 10	58
93 C 372	201 229	< 1	< 0.01	13	230	12	2	4	25	0.08	< 10	< 10	28	< 10	50
93 C 376	201 229	< 1	< 0.01	5	670	6	< 2	5	13	0.01	< 10	< 10	20	< 10	58
93 C 377	201 229	< 1	< 0.01	10	300	12	< 2	3	12	0.01	10	< 10	23	< 10	78
93 C 380	201 229	< 1	< 0.01	8	360	4	< 2	3	19	0.06	< 10	< 10	59	< 10	66
93 C 381	201 229	< 1	< 0.01	11	430	6	< 2	2	10	0.08	< 10	< 10	44	< 10	60
93 C 387	201 229	< 1	< 0.01	14	270	14	< 2	3	11	0.02	< 10	< 10	30	< 10	56
93 C 388	201 229	< 1	< 0.01	8	270	40	< 2	1	9	0.01	< 10	< 10	15	< 10	56
93 C 416	201 229	< 1	< 0.01	8	200	12	< 2	1	7	0.04	< 10	< 10	17	< 10	56
93 C 417	201 229	< 1	< 0.01	10	140	10	< 2	2	4	0.03	< 10	< 10	11	< 10	60
93 C 418	201 229	< 1	< 0.01	16	510	4	< 2	2	22	0.16	< 10	< 10	85	< 10	50

CERTIFICATION: Stuart Bridle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-4A
Comments: ATTN: JIM CHRISTIE

Page Number : 1-A
Total Pages : 1
Certificate Date: 21-SEP-93
Invoice No. : I9321194
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9321194

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93G-27	205	274	155	0.2	0.84	16	150	< 0.5	< 2	0.22	< 0.5	9	129	21	2.99	< 10	< 1	0.17	< 10	0.27	570
93G-28	205	274	340	< 0.2	1.02	8	180	< 0.5	< 2	0.24	< 0.5	9	79	30	3.55	< 10	< 1	0.20	< 10	0.30	665
93G-29	205	274	140	< 0.2	0.72	6	130	< 0.5	< 2	0.23	< 0.5	11	105	14	2.97	< 10	< 1	0.22	< 10	0.22	1155
93G-30	205	274	185	0.2	0.82	12	250	< 0.5	< 2	0.27	< 0.5	29	171	68	6.07	< 10	< 1	0.22	< 10	0.31	1930
93G-31	205	274	55	0.2	1.73	< 2	320	< 0.5	< 2	0.30	< 0.5	34	420	71	5.78	< 10	< 1	0.13	< 10	1.39	2130
93G-32	205	274	25	< 0.2	3.53	< 2	210	< 0.5	< 2	0.35	0.5	55	1175	22	6.25	< 10	< 1	< 0.01	< 10	3.98	1490
93G-33	205	274	20	< 0.2	2.86	4	160	< 0.5	< 2	0.35	< 0.5	33	534	111	5.51	< 10	< 1	0.07	< 10	2.49	930

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-4A
Comments: ATTN: JIM CHRISTIE

Certificate Date: 21-SEP-93
Invoice No. : I9321194
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9321194

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93G-27	205	274	1	0.06	18	660	2	< 2	3	12	< 0.01	< 10	< 10	27	< 10	50
93G-28	205	274	< 1	0.04	6	600	4	< 2	5	13	< 0.01	< 10	< 10	24	< 10	72
93G-29	205	274	< 1	0.04	7	720	< 2	< 2	3	7	< 0.01	< 10	< 10	20	< 10	44
93G-30	205	274	< 1	0.02	152	940	6	2	14	27	< 0.01	< 10	< 10	58	10	72
93G-31	205	274	< 1	0.02	216	770	8	< 2	18	52	< 0.01	< 10	< 10	75	10	66
93G-32	205	274	< 1	0.01	418	620	12	< 2	23	29	0.01	< 10	< 10	118	10	92
93G-33	205	274	< 1	0.02	159	720	4	< 2	17	19	< 0.01	< 10	< 10	106	10	64

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :6
Certificate Date: 20-NOV-93
Invoice No. :I9324696
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
83C-880	201	229	145	17.4	2.56	8	210	< 0.5	< 2	0.53	0.5	14	47	105	4.50	20	< 1	1.19	40	1.42	870
83C-884	201	229	30	0.6	2.47	8	380	< 0.5	< 2	0.80	1.0	20	75	101	4.10	10	< 1	0.73	30	1.32	1870
83C-885	201	229	< 5	< 0.2	2.27	< 2	570	< 0.5	< 2	0.40	< 0.5	23	81	91	3.48	10	< 1	0.63	10	1.63	295
83C-886	201	229	< 5	0.2	2.27	2	1070	< 0.5	< 2	0.60	< 0.5	33	91	137	3.25	10	< 1	1.05	10	2.03	350
83C-887	201	229	< 5	< 0.2	1.58	4	460	< 0.5	2	0.29	< 0.5	8	32	38	3.10	10	< 1	0.31	20	0.77	345
83C-890	201	229	< 5	< 0.2	3.11	8	380	< 0.5	< 2	0.45	< 0.5	18	149	56	4.76	20	< 1	1.31	10	1.77	570
83C-891	201	229	5	< 0.2	1.78	22	230	< 0.5	4	0.30	< 0.5	13	61	41	2.97	10	< 1	0.45	20	0.89	365
93C-01	201	229	< 5	< 0.2	1.91	2	250	< 0.5	2	0.25	< 0.5	10	33	18	2.76	< 10	< 1	0.03	< 10	0.93	445
93C-02	201	229	< 5	< 0.2	2.76	< 2	160	< 0.5	< 2	0.26	< 0.5	20	390	40	3.56	< 10	1	0.02	< 10	2.62	540
93C-05	201	229	< 5	< 0.2	0.99	2	80	< 0.5	2	0.13	< 0.5	12	14	27	3.65	< 10	< 1	0.02	10	0.61	545
93C-06	201	229	150	< 0.2	0.81	8	180	< 0.5	< 2	0.33	< 0.5	18	27	89	5.35	< 10	< 1	0.03	< 10	0.37	1550
93C-07	201	229	< 5	< 0.2	1.83	< 2	160	< 0.5	< 2	0.28	< 0.5	13	140	42	2.77	< 10	< 1	0.06	< 10	1.31	290
93C-08	201	229	< 5	< 0.2	2.01	2	130	0.5	< 2	0.34	< 0.5	16	299	39	2.56	< 10	2	0.02	< 10	1.70	330
93C-09	201	229	< 5	< 0.2	3.14	< 2	140	< 0.5	< 2	0.46	< 0.5	26	550	117	4.14	< 10	< 1	0.03	< 10	2.94	625
93C-11	201	229	30	< 0.2	2.09	2	210	< 0.5	< 2	0.43	< 0.5	14	212	43	2.64	< 10	2	0.03	10	1.37	290
93C-12	201	229	70	< 0.2	2.21	6	240	< 0.5	< 2	0.47	< 0.5	19	123	48	4.00	10	< 1	0.05	10	1.19	435
93C-13	201	229	< 5	< 0.2	1.84	< 2	220	< 0.5	< 2	0.49	< 0.5	13	93	35	2.68	< 10	< 1	0.04	10	1.23	300
93C-14	201	229	< 5	< 0.2	1.57	< 2	290	< 0.5	< 2	0.42	< 0.5	10	63	26	2.54	10	< 1	0.05	10	0.71	285
93C-15	201	229	25	< 0.2	1.71	2	440	< 0.5	2	0.51	< 0.5	11	46	33	2.90	10	< 1	0.07	10	0.66	405
93C-16	201	229	< 5	< 0.2	1.52	< 2	410	< 0.5	< 2	0.43	< 0.5	12	32	36	2.64	< 10	< 1	0.05	10	0.55	435
93C-17	201	229	< 5	< 0.2	1.49	4	390	< 0.5	< 2	0.50	< 0.5	9	29	33	2.58	10	< 1	0.05	10	0.56	330
93C-18	201	229	25	< 0.2	1.53	8	400	< 0.5	2	0.51	< 0.5	9	26	31	2.52	< 10	< 1	0.04	10	0.54	330
93C-19	201	229	< 5	< 0.2	1.62	6	460	< 0.5	< 2	0.92	< 0.5	10	32	35	2.68	10	< 1	0.06	10	0.54	385
93C-20	201	229	60	< 0.2	1.65	14	330	< 0.5	2	0.43	< 0.5	9	34	31	2.73	10	1	0.08	10	0.61	360
93C-21	201	229	< 5	< 0.2	1.95	6	410	0.5	< 2	0.46	< 0.5	12	65	35	2.96	10	1	0.07	10	0.87	345
93C-22	201	229	< 5	< 0.2	1.70	4	350	< 0.5	2	0.38	< 0.5	11	45	31	2.66	10	< 1	0.09	10	0.66	370
93C-23	201	229	< 5	< 0.2	1.49	8	330	< 0.5	< 2	0.36	< 0.5	9	31	24	2.40	< 10	1	0.07	10	0.49	320
93C-24	201	229	< 5	< 0.2	1.15	6	280	< 0.5	2	0.40	< 0.5	9	27	26	2.28	< 10	< 1	0.07	10	0.47	375
93C-25	201	229	< 5	< 0.2	1.53	14	340	< 0.5	< 2	0.59	< 0.5	10	36	32	2.65	10	< 1	0.08	20	0.60	405
93C-26	201	229	< 5	< 0.2	1.90	6	420	< 0.5	< 2	0.61	< 0.5	12	52	35	2.84	10	< 1	0.06	10	0.68	455
93C-27	201	229	< 5	< 0.2	1.58	4	380	< 0.5	< 2	0.46	< 0.5	8	29	26	2.35	10	< 1	0.04	10	0.43	290
93C-28	201	229	< 5	< 0.2	1.57	4	390	< 0.5	2	0.61	< 0.5	9	34	32	2.65	10	< 1	0.07	20	0.55	385
93C-29	201	229	< 5	< 0.2	1.31	10	400	< 0.5	< 2	0.51	< 0.5	8	24	25	2.39	< 10	< 1	0.03	10	0.45	380
93C-30	201	229	< 5	< 0.2	1.17	8	380	< 0.5	< 2	0.49	< 0.5	8	23	21	2.04	< 10	< 1	0.03	10	0.42	400
93C-31	201	229	< 5	< 0.2	1.31	2	300	< 0.5	< 2	0.59	< 0.5	10	30	28	2.41	< 10	1	0.07	10	0.56	425
93C-32	201	229	< 5	< 0.2	1.26	< 2	340	< 0.5	< 2	0.53	0.5	9	29	29	2.33	< 10	< 1	0.06	10	0.46	420
93C-33	201	229	< 5	< 0.2	1.34	8	360	< 0.5	< 2	0.63	< 0.5	9	28	28	2.28	< 10	< 1	0.05	10	0.47	365
93C-34	201	229	< 5	0.2	1.29	4	270	< 0.5	< 2	0.55	< 0.5	9	29	28	2.37	< 10	< 1	0.08	10	0.55	355
93C-35	201	229	< 5	< 0.2	1.00	4	230	< 0.5	< 2	0.45	< 0.5	7	22	15	1.79	< 10	< 1	0.04	10	0.34	305
93C-36	201	229	10	< 0.2	1.32	4	310	< 0.5	< 2	0.91	< 0.5	9	29	28	2.35	< 10	< 1	0.08	10	0.57	410

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Page Number :1-B
Total Pages :6
Certificate Date: 20-NOV-93
Invoice No. :I9324696
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
83C-880	201 229	6	0.01	48	960	248	< 2	9	27	0.14	< 10	< 10	91	10	166
83C-884	201 229	5	0.01	70	770	50	< 2	9	33	0.15	< 10	< 10	89	10	100
83C-885	201 229	1	0.01	41	290	14	< 2	7	23	0.20	< 10	< 10	107	< 10	70
83C-886	201 229	3	0.02	42	450	2	< 2	7	29	0.26	< 10	< 10	117	< 10	54
83C-887	201 229	3	0.01	17	470	14	< 2	3	32	0.10	< 10	< 10	70	< 10	58
83C-890	201 229	1	< 0.01	64	860	14	< 2	10	18	0.24	< 10	< 10	95	10	92
83C-891	201 229	1	< 0.01	35	430	8	< 2	6	16	0.14	< 10	< 10	60	< 10	62
93C-01	201 229	< 1	< 0.01	14	390	< 2	< 2	3	14	0.03	< 10	< 10	37	< 10	60
93C-02	201 229	1	< 0.01	117	310	2	< 2	6	12	0.09	< 10	< 10	71	10	70
93C-05	201 229	1	< 0.01	8	490	2	< 2	3	4	< 0.01	< 10	< 10	17	< 10	48
93C-06	201 229	2	< 0.01	10	990	4	< 2	7	7	< 0.01	< 10	< 10	13	< 10	72
93C-07	201 229	< 1	< 0.01	47	350	4	< 2	2	16	0.13	< 10	< 10	50	< 10	50
93C-08	201 229	1	< 0.01	91	360	4	< 2	2	14	0.16	< 10	< 10	46	< 10	52
93C-09	201 229	< 1	< 0.01	149	460	2	< 2	6	15	0.20	< 10	< 10	84	< 10	68
93C-11	201 229	1	< 0.01	74	450	4	< 2	5	23	0.15	< 10	< 10	53	< 10	56
93C-12	201 229	1	< 0.01	69	570	6	< 2	9	23	0.09	< 10	< 10	64	< 10	70
93C-13	201 229	< 1	< 0.01	39	470	4	< 2	6	27	0.15	< 10	< 10	54	< 10	64
93C-14	201 229	< 1	0.01	29	630	6	< 2	4	27	0.08	< 10	< 10	45	< 10	64
93C-15	201 229	< 1	0.01	28	590	6	< 2	6	35	0.07	< 10	< 10	52	< 10	76
93C-16	201 229	1	0.01	22	580	6	< 2	4	29	0.04	< 10	< 10	43	< 10	58
93C-17	201 229	< 1	0.01	21	520	6	< 2	4	27	0.06	< 10	< 10	44	< 10	66
93C-18	201 229	1	0.01	20	580	6	< 2	4	31	0.06	< 10	< 10	43	< 10	58
93C-19	201 229	1	0.01	24	590	10	< 2	5	43	0.07	< 10	< 10	48	< 10	68
93C-20	201 229	1	0.01	23	630	10	< 2	5	28	0.07	< 10	< 10	46	< 10	68
93C-21	201 229	1	0.01	32	500	10	< 2	6	29	0.08	< 10	< 10	54	< 10	74
93C-22	201 229	< 1	0.01	27	540	6	< 2	6	28	0.07	< 10	< 10	48	< 10	66
93C-23	201 229	1	< 0.01	21	560	8	< 2	6	25	0.07	< 10	< 10	45	< 10	58
93C-24	201 229	< 1	0.01	22	700	8	< 2	4	24	0.06	< 10	< 10	38	< 10	60
93C-25	201 229	< 1	0.02	26	640	8	< 2	5	30	0.09	< 10	< 10	48	< 10	72
93C-26	201 229	1	0.01	29	760	18	< 2	6	36	0.06	< 10	< 10	48	< 10	68
93C-27	201 229	1	0.01	18	640	14	< 2	4	32	0.06	< 10	< 10	43	< 10	52
93C-28	201 229	1	0.01	25	700	12	< 2	5	39	0.09	< 10	< 10	50	< 10	70
93C-29	201 229	1	0.01	20	630	14	< 2	3	34	0.04	< 10	< 10	38	< 10	52
93C-30	201 229	1	0.01	17	700	8	< 2	3	32	0.04	< 10	< 10	35	< 10	48
93C-31	201 229	1	0.01	23	730	10	< 2	4	33	0.07	< 10	< 10	44	< 10	66
93C-32	201 229	1	0.01	22	710	8	< 2	4	31	0.06	< 10	< 10	42	< 10	56
93C-33	201 229	< 1	0.01	22	700	12	< 2	4	37	0.07	< 10	< 10	42	< 10	56
93C-34	201 229	1	0.01	23	690	8	< 2	4	30	0.08	< 10	< 10	45	< 10	64
93C-35	201 229	< 1	0.01	14	660	6	< 2	3	27	0.06	< 10	< 10	35	< 10	46
93C-36	201 229	< 1	0.01	22	670	6	< 2	4	38	0.07	< 10	< 10	43	< 10	64

CERTIFICATION

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. : I9324696
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93C-37	201	229	< 5	< 0.2	1.23	14	350	< 0.5	< 2	0.55	< 0.5	9	27	28	2.36	< 10	< 1	0.07	10	0.53	310
93C-38	201	229	< 5	< 0.2	1.46	6	420	< 0.5	< 2	0.72	< 0.5	9	28	29	2.36	< 10	< 1	0.07	20	0.50	370
93C-39	201	229	< 5	< 0.2	1.26	6	360	< 0.5	< 2	0.51	< 0.5	7	25	27	2.13	< 10	< 1	0.04	20	0.45	255
93C-40	201	229	< 5	< 0.2	1.25	8	370	< 0.5	< 2	0.60	< 0.5	8	25	24	2.11	< 10	< 1	0.06	20	0.47	280
93C-41	201	229	< 5	< 0.2	1.32	8	440	< 0.5	2	0.58	< 0.5	8	27	22	2.13	< 10	< 1	0.05	20	0.42	365
93C-42	201	229	< 5	< 0.2	1.23	8	340	< 0.5	< 2	0.43	< 0.5	6	23	22	1.91	< 10	< 1	0.05	20	0.38	180
93C-43	201	229	< 5	< 0.2	1.35	8	420	< 0.5	< 2	0.52	< 0.5	8	27	28	2.38	< 10	< 1	0.06	20	0.46	305
93C-44	201	229	15	< 0.2	1.31	8	340	< 0.5	2	0.40	< 0.5	7	25	25	2.20	< 10	< 1	0.06	20	0.43	260
93C-45	201	229	< 5	< 0.2	1.35	6	350	< 0.5	< 2	0.51	< 0.5	7	27	23	2.17	< 10	< 1	0.04	20	0.49	245
93C-46	201	229	10	< 0.2	1.69	8	410	< 0.5	< 2	0.56	< 0.5	8	30	27	2.49	< 10	< 1	0.07	20	0.54	220
93C-47	201	229	< 5	< 0.2	1.95	12	450	< 0.5	< 2	0.57	< 0.5	8	39	28	2.82	< 10	< 1	0.08	20	0.68	245
93C-48	201	229	< 5	< 0.2	1.70	6	450	< 0.5	< 2	0.56	< 0.5	8	34	28	2.66	< 10	< 1	0.07	20	0.61	265
93C-49	201	229	< 5	< 0.2	0.98	8	230	< 0.5	< 2	0.44	< 0.5	5	23	19	1.95	< 10	< 1	0.07	20	0.42	195
93C-50	201	229	< 5	< 0.2	1.69	6	450	< 0.5	2	0.59	< 0.5	8	35	29	2.63	< 10	< 1	0.06	20	0.74	280
93C-51	201	229	< 5	< 0.2	1.35	12	340	< 0.5	2	0.50	< 0.5	7	29	27	2.39	< 10	< 1	0.06	20	0.68	230
93C-52	201	229	< 5	< 0.2	1.60	6	380	< 0.5	< 2	0.48	< 0.5	7	30	26	2.36	< 10	< 1	0.04	20	0.81	210
93C-53	201	229	< 5	< 0.2	1.99	4	400	< 0.5	< 2	0.41	< 0.5	9	33	30	2.49	< 10	< 1	0.08	30	0.43	285
93C-54	201	229	< 5	< 0.2	2.20	12	410	< 0.5	< 2	0.61	< 0.5	10	52	39	3.05	< 10	< 1	0.07	20	1.20	285
93C-55	201	229	< 5	< 0.2	1.69	< 2	280	< 0.5	< 2	0.34	< 0.5	6	37	29	2.36	< 10	< 1	0.08	40	1.05	240
93C-56	201	229	< 5	< 0.2	1.80	6	320	< 0.5	< 2	0.46	< 0.5	7	32	30	2.57	< 10	< 1	0.09	20	1.00	230
93C-59	201	229	< 5	< 0.2	1.54	2	270	< 0.5	< 2	0.44	< 0.5	10	36	21	2.36	< 10	< 1	0.04	10	0.92	380
93C-60	201	229	< 5	< 0.2	2.19	6	250	< 0.5	< 2	0.47	< 0.5	12	45	40	2.92	< 10	< 1	0.03	10	1.51	350
93C-61	201	229	< 5	< 0.2	1.74	6	400	< 0.5	< 2	0.29	< 0.5	9	36	25	2.89	< 10	< 1	0.05	20	0.70	220
93C-62	201	229	< 5	< 0.2	1.87	8	460	< 0.5	< 2	0.39	< 0.5	10	36	29	2.81	< 10	< 1	0.06	20	0.79	330
93C-63	201	229	< 5	< 0.2	1.69	4	280	< 0.5	< 2	0.41	< 0.5	10	29	29	2.52	< 10	< 1	0.04	20	0.89	280
93C-64	201	229	< 5	< 0.2	2.05	2	500	< 0.5	< 2	0.43	< 0.5	12	31	34	2.95	< 10	< 1	0.06	20	0.95	485
93C-65	201	229	< 5	< 0.2	1.92	< 2	110	< 0.5	< 2	0.53	< 0.5	13	15	53	2.70	< 10	< 1	0.06	10	1.30	460
93C-66	201	229	< 5	< 0.2	2.15	8	390	< 0.5	< 2	0.47	< 0.5	14	28	47	3.22	< 10	< 1	0.07	10	1.20	450
93C-67	201	229	50	< 0.2	1.62	8	360	< 0.5	< 2	0.39	< 0.5	9	28	27	2.57	< 10	< 1	0.04	20	0.83	250
93C-68	201	229	< 5	< 0.2	1.71	6	310	< 0.5	< 2	0.55	< 0.5	10	32	34	2.73	< 10	< 1	0.06	20	0.86	320
93C-69	201	229	15	< 0.2	2.32	12	390	< 0.5	< 2	0.43	< 0.5	12	53	35	3.60	< 10	< 1	0.06	20	1.22	325
93C-71	201	229	< 5	< 0.2	1.91	< 2	420	< 0.5	< 2	0.47	< 0.5	9	38	34	2.80	< 10	< 1	0.06	20	1.01	280
93C-73	201	229	< 5	< 0.2	1.89	12	500	< 0.5	< 2	0.62	< 0.5	13	41	35	2.98	< 10	< 1	0.09	20	0.80	315
93C-74	201	229	< 5	< 0.2	1.25	6	340	< 0.5	< 2	0.39	< 0.5	8	29	30	2.38	< 10	< 1	0.06	10	0.63	225
93C-75	201	229	< 5	< 0.2	1.91	8	440	< 0.5	< 2	0.48	< 0.5	9	38	34	3.02	< 10	< 1	0.10	20	0.95	260
93C-76	201	229	< 5	< 0.2	1.48	2	260	< 0.5	< 2	0.38	< 0.5	8	36	27	2.36	< 10	< 1	0.07	10	0.87	220
93C-77	201	229	< 5	< 0.2	1.58	6	280	< 0.5	< 2	0.41	< 0.5	9	38	32	2.57	< 10	< 1	0.05	10	0.99	260
93C-78	201	229	< 5	< 0.2	1.57	8	370	< 0.5	< 2	0.55	< 0.5	9	41	30	2.62	< 10	< 1	0.04	10	0.85	220
93C-79	201	229	< 5	< 0.2	1.45	6	320	< 0.5	< 2	0.35	< 0.5	9	40	24	2.57	< 10	< 1	0.08	10	0.96	250
93C-133	201	229	< 5	< 0.2	1.68	8	330	< 0.5	< 2	0.28	< 0.5	11	34	21	2.88	< 10	< 1	0.20	20	0.60	610

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. : I9324696
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93C-37	201	229	< 1	0.01	23	680	6	< 2	4	31	0.06	< 10	< 10	40	< 10	70
93C-38	201	229	< 1	0.01	22	700	12	2	5	42	0.08	< 10	< 10	44	< 10	62
93C-39	201	229	< 1	0.01	19	660	10	< 2	4	30	0.07	< 10	< 10	39	< 10	54
93C-40	201	229	< 1	0.01	20	660	8	< 2	4	32	0.07	< 10	< 10	40	< 10	56
93C-41	201	229	< 1	0.01	20	670	10	< 2	4	36	0.06	< 10	< 10	39	< 10	50
93C-42	201	229	< 1	< 0.01	16	520	8	< 2	4	26	0.06	< 10	< 10	34	< 10	50
93C-43	201	229	< 1	0.01	23	600	8	< 2	4	29	0.06	< 10	< 10	41	< 10	62
93C-44	201	229	< 1	0.01	18	530	10	< 2	4	24	0.06	< 10	< 10	39	< 10	60
93C-45	201	229	< 1	< 0.01	15	630	6	< 2	4	31	0.07	< 10	< 10	39	< 10	54
93C-46	201	229	< 1	0.01	19	580	8	< 2	6	33	0.08	< 10	< 10	47	< 10	64
93C-47	201	229	< 1	0.01	21	490	10	< 2	7	34	0.08	< 10	< 10	52	< 10	76
93C-48	201	229	< 1	0.01	21	610	12	< 2	6	35	0.09	< 10	< 10	47	< 10	72
93C-49	201	229	< 1	0.01	17	760	6	< 2	3	29	0.07	< 10	< 10	38	< 10	54
93C-50	201	229	< 1	0.01	21	640	8	< 2	6	38	0.08	< 10	< 10	47	< 10	78
93C-51	201	229	< 1	0.01	21	660	4	< 2	4	28	0.08	< 10	< 10	43	< 10	70
93C-52	201	229	< 1	< 0.01	17	490	8	< 2	4	24	0.06	< 10	< 10	42	< 10	70
93C-53	201	229	< 1	0.01	22	410	12	< 2	8	26	0.07	< 10	< 10	47	< 10	62
93C-54	201	229	< 1	< 0.01	21	630	16	< 2	7	36	0.07	< 10	< 10	52	< 10	92
93C-55	201	229	< 1	< 0.01	14	400	18	< 2	5	23	0.04	< 10	< 10	30	< 10	96
93C-56	201	229	< 1	< 0.01	18	550	6	< 2	6	32	0.08	< 10	< 10	41	< 10	86
93C-59	201	229	< 1	< 0.01	16	610	10	< 2	4	22	0.08	< 10	< 10	36	< 10	80
93C-60	201	229	< 1	< 0.01	24	540	< 2	< 2	4	21	0.11	< 10	< 10	51	< 10	80
93C-61	201	229	< 1	< 0.01	15	310	14	< 2	6	21	0.06	< 10	< 10	47	< 10	84
93C-62	201	229	< 1	< 0.01	16	490	12	< 2	6	26	0.07	< 10	< 10	48	< 10	82
93C-63	201	229	< 1	< 0.01	15	420	4	< 2	4	21	0.10	< 10	< 10	47	< 10	68
93C-64	201	229	< 1	< 0.01	17	470	6	< 2	6	29	0.08	< 10	< 10	58	< 10	78
93C-65	201	229	< 1	< 0.01	14	630	< 2	< 2	4	25	0.11	< 10	< 10	53	< 10	72
93C-66	201	229	< 1	< 0.01	23	590	2	2	5	29	0.07	< 10	< 10	61	10	80
93C-67	201	229	< 1	< 0.01	15	370	4	< 2	4	25	0.10	< 10	< 10	49	< 10	64
93C-68	201	229	< 1	0.01	19	570	4	< 2	5	29	0.11	< 10	< 10	53	< 10	72
93C-69	201	229	< 1	< 0.01	26	580	2	< 2	7	25	0.13	< 10	< 10	69	10	86
93C-71	201	229	< 1	< 0.01	21	490	4	< 2	7	25	0.12	< 10	< 10	54	< 10	80
93C-73	201	229	< 1	0.01	24	560	6	< 2	7	29	0.12	< 10	< 10	56	< 10	78
93C-74	201	229	< 1	< 0.01	18	530	6	< 2	4	20	0.06	< 10	< 10	43	< 10	64
93C-75	201	229	< 1	< 0.01	21	550	6	< 2	6	33	0.08	< 10	< 10	54	< 10	76
93C-76	201	229	< 1	0.01	16	510	2	< 2	4	22	0.10	< 10	< 10	47	< 10	62
93C-77	201	229	< 1	< 0.01	18	520	< 2	< 2	6	22	0.10	< 10	< 10	51	< 10	62
93C-78	201	229	< 1	0.01	20	580	< 2	2	5	24	0.09	< 10	< 10	50	< 10	62
93C-79	201	229	< 1	< 0.01	18	570	2	< 2	4	19	0.08	< 10	< 10	46	< 10	64
93C-133	201	229	< 1	< 0.01	18	690	6	< 2	5	17	0.09	< 10	< 10	47	< 10	62

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. :I9324696
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93C-215	201	229	< 5	< 0.2	1.65	12	420	< 0.5	< 2	0.66	< 0.5	11	34	33	2.85	< 10	< 1	0.09	20	0.56	465
93C-216	201	229	45	< 0.2	1.70	< 2	250	< 0.5	< 2	0.34	< 0.5	8	36	19	2.55	< 10	< 1	0.12	20	0.54	230
93C-217	201	229	5	< 0.2	1.27	12	280	< 0.5	< 2	0.38	< 0.5	10	32	25	2.67	< 10	< 1	0.12	20	0.44	330
93C-218	201	229	15	< 0.2	2.76	6	370	< 0.5	< 2	0.44	< 0.5	17	67	44	4.42	10	< 1	0.98	30	1.09	345
93C-219	201	229	< 5	< 0.2	1.68	6	230	< 0.5	< 2	0.29	< 0.5	8	33	15	2.64	< 10	< 1	0.08	10	0.52	185
93C-220	201	229	< 5	< 0.2	1.88	12	350	< 0.5	< 2	0.52	< 0.5	10	43	32	2.97	10	< 1	0.09	20	0.58	355
93C-236	201	229	< 5	< 0.2	2.21	2	340	< 0.5	< 2	0.46	< 0.5	16	58	63	3.25	< 10	< 1	0.04	10	1.24	310
93C-238	201	229	< 5	< 0.2	2.67	4	680	< 0.5	< 2	0.82	< 0.5	15	146	29	3.78	< 10	< 1	0.27	10	1.90	585
93C-239	201	229	< 5	< 0.2	1.12	< 2	120	< 0.5	< 2	0.10	< 0.5	3	15	31	1.68	< 10	< 1	0.06	10	0.37	100
93C-241	201	229	< 5	< 0.2	2.34	4	360	< 0.5	< 2	0.36	< 0.5	11	41	34	3.27	10	< 1	0.08	20	1.01	305
93C-242	201	229	< 5	< 0.2	2.81	2	330	< 0.5	< 2	0.61	< 0.5	15	171	34	4.61	10	< 1	0.21	20	1.77	435
93C-243	201	229	< 5	< 0.2	1.74	4	210	< 0.5	< 2	0.31	< 0.5	7	39	28	2.58	< 10	< 1	0.05	30	0.87	220
93C-244	201	229	< 5	< 0.2	1.17	2	260	< 0.5	< 2	0.30	< 0.5	3	16	18	1.94	< 10	< 1	0.07	40	0.54	130
93C-252	201	229	< 5	< 0.2	1.54	4	280	< 0.5	< 2	0.41	< 0.5	4	18	38	2.63	< 10	< 1	0.11	10	1.04	440
93C-253	201	229	< 5	< 0.2	1.61	6	270	< 0.5	< 2	0.37	< 0.5	8	24	39	2.98	< 10	< 1	0.12	10	1.00	550
93C-254	201	229	< 5	< 0.2	1.27	4	270	< 0.5	< 2	0.44	< 0.5	9	30	40	2.64	< 10	< 1	0.09	10	0.68	310
93C-255	201	229	< 5	< 0.2	2.37	4	660	0.5	< 2	0.61	< 0.5	13	79	43	3.40	< 10	< 1	0.86	20	1.48	635
93C-256	201	229	< 5	< 0.2	1.03	8	220	< 0.5	< 2	0.23	< 0.5	5	17	13	1.99	10	< 1	0.16	50	0.34	110
93C-257	201	229	< 5	< 0.2	1.29	2	250	< 0.5	< 2	0.20	< 0.5	10	24	20	2.20	10	< 1	0.15	50	0.42	305
93C-258	201	229	< 5	< 0.2	1.40	6	280	< 0.5	< 2	0.28	< 0.5	7	31	17	2.20	< 10	< 1	0.06	20	0.56	155
93C-260	201	229	30	< 0.2	2.13	< 2	290	< 0.5	< 2	0.29	< 0.5	8	44	27	2.95	< 10	< 1	0.07	20	0.99	240
93C-261	201	229	< 5	< 0.2	1.52	6	280	< 0.5	< 2	0.32	< 0.5	6	31	24	2.35	< 10	< 1	0.06	20	0.71	200
93C-262	201	229	< 5	< 0.2	1.67	8	310	< 0.5	< 2	0.35	< 0.5	8	36	25	2.50	< 10	< 1	0.07	20	0.74	220
93C-264	201	229	< 5	< 0.2	1.76	8	380	< 0.5	< 2	0.47	< 0.5	10	39	34	2.91	< 10	< 1	0.07	20	0.76	335
93C-265	201	229	< 5	< 0.2	2.35	< 2	250	< 0.5	< 2	0.54	< 0.5	13	63	40	3.46	< 10	< 1	0.22	10	1.54	495
93C-267	201	229	< 5	< 0.2	1.47	2	270	< 0.5	< 2	0.33	< 0.5	8	33	22	2.39	< 10	< 1	0.07	10	0.78	245
93C-268	201	229	< 5	< 0.2	1.40	2	310	< 0.5	< 2	0.23	< 0.5	7	29	22	2.27	< 10	< 1	0.05	20	0.54	170
93C-270	201	229	< 5	< 0.2	0.81	< 2	160	< 0.5	< 2	0.10	< 0.5	7	18	29	1.77	< 10	< 1	0.25	20	0.32	110
93C-271	201	229	< 5	< 0.2	0.41	< 2	90	< 0.5	< 2	0.06	< 0.5	8	10	8	1.02	< 10	< 1	0.07	30	0.09	55
93C-272	201	229	< 5	< 0.2	1.35	4	400	< 0.5	< 2	0.23	< 0.5	5	26	21	2.05	< 10	< 1	0.05	20	0.41	125
93C-273	201	229	< 5	< 0.2	1.74	12	380	< 0.5	< 2	0.21	< 0.5	10	35	19	2.68	< 10	< 1	0.04	20	0.52	290
93C-274	201	229	< 5	< 0.2	1.04	10	150	< 0.5	< 2	0.13	< 0.5	5	12	20	1.84	< 10	< 1	0.16	30	0.35	185
93C-276	201	229	< 5	< 0.2	1.72	8	460	< 0.5	< 2	0.47	< 0.5	13	39	33	2.87	< 10	< 1	0.04	20	0.54	410
93C-277	201	229	< 5	< 0.2	1.68	4	230	< 0.5	< 2	0.31	< 0.5	10	48	25	2.80	< 10	< 1	0.04	10	0.78	340
93C-278	201	229	< 5	< 0.2	1.54	4	270	< 0.5	< 2	0.28	< 0.5	8	36	15	2.08	< 10	< 1	0.04	10	0.62	235
93C-279	201	229	< 5	< 0.2	2.11	6	380	< 0.5	< 2	0.62	< 0.5	17	96	36	3.21	< 10	< 1	0.05	20	1.16	475
93C-280	201	229	< 5	< 0.2	1.93	4	260	< 0.5	< 2	0.36	< 0.5	9	45	18	2.77	< 10	< 1	0.03	10	0.88	250
93C-281	201	229	< 5	< 0.2	1.54	< 2	320	< 0.5	< 2	0.28	< 0.5	8	34	25	2.46	< 10	< 1	0.05	20	0.65	185
93C-282	201	229	< 5	< 0.2	2.64	< 2	360	< 0.5	< 2	0.69	< 0.5	16	109	39	4.19	< 10	< 1	0.07	10	1.72	790
93C-285	201	229	< 5	< 0.2	1.53	6	180	< 0.5	< 2	0.31	< 0.5	7	21	34	2.76	< 10	< 1	0.04	30	0.87	420

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. :19324696
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93C-215	201	229	< 1	0.01	28	650	6	< 2	6	36	0.09	< 10	< 10	60	< 10	66
93C-216	201	229	< 1	0.01	18	590	8	< 2	4	23	0.11	< 10	< 10	57	< 10	62
93C-217	201	229	< 1	< 0.01	22	830	6	< 2	5	23	0.09	< 10	< 10	56	< 10	58
93C-218	201	229	< 1	0.01	41	680	8	< 2	8	38	0.23	< 10	< 10	88	10	116
93C-219	201	229	< 1	< 0.01	19	460	6	< 2	4	21	0.09	< 10	< 10	63	< 10	58
93C-220	201	229	< 1	0.01	26	510	8	2	7	49	0.11	< 10	< 10	69	< 10	64
93C-236	201	229	< 1	< 0.01	38	340	2	2	6	42	0.12	< 10	< 10	83	< 10	60
93C-238	201	229	< 1	< 0.01	44	1100	< 2	< 2	12	48	0.13	< 10	< 10	81	10	78
93C-239	201	229	< 1	< 0.01	9	190	6	< 2	2	12	0.04	< 10	< 10	26	< 10	38
93C-241	201	229	< 1	< 0.01	19	330	6	< 2	7	27	0.06	< 10	< 10	71	< 10	60
93C-242	201	229	< 1	< 0.01	41	790	8	< 2	12	25	0.05	< 10	< 10	91	10	114
93C-243	201	229	< 1	< 0.01	23	200	10	< 2	4	16	0.04	< 10	< 10	43	< 10	68
93C-244	201	229	< 1	< 0.01	11	350	24	< 2	2	16	0.02	< 10	< 10	18	< 10	74
93C-252	201	229	< 1	< 0.01	11	1000	< 2	< 2	5	20	0.02	< 10	< 10	36	< 10	68
93C-253	201	229	< 1	< 0.01	10	990	< 2	< 2	6	17	0.03	< 10	< 10	48	< 10	68
93C-254	201	229	< 1	< 0.01	18	1110	2	< 2	4	23	0.04	< 10	< 10	57	< 10	54
93C-255	201	229	< 1	< 0.01	35	1120	8	< 2	6	32	0.18	< 10	< 10	82	10	90
93C-256	201	229	< 1	< 0.01	10	470	26	< 2	3	16	0.02	< 10	< 10	26	< 10	62
93C-257	201	229	< 1	< 0.01	18	180	12	< 2	3	14	0.01	< 10	< 10	31	< 10	88
93C-258	201	229	< 1	< 0.01	16	280	6	< 2	3	19	0.06	< 10	< 10	44	< 10	52
93C-260	201	229	< 1	< 0.01	22	310	6	< 2	5	18	0.07	< 10	< 10	54	< 10	86
93C-261	201	229	< 1	< 0.01	17	370	12	< 2	4	21	0.08	< 10	< 10	46	< 10	82
93C-262	201	229	< 1	< 0.01	21	410	8	< 2	4	23	0.08	< 10	< 10	50	< 10	60
93C-264	201	229	< 1	0.01	24	470	10	2	6	29	0.09	< 10	< 10	64	< 10	76
93C-265	201	229	< 1	< 0.01	29	1020	2	< 2	6	31	0.10	< 10	< 10	72	< 10	90
93C-267	201	229	< 1	< 0.01	17	340	4	< 2	4	22	0.08	< 10	< 10	54	< 10	58
93C-268	201	229	< 1	< 0.01	16	270	8	< 2	4	17	0.05	< 10	< 10	45	< 10	68
93C-270	201	229	< 1	< 0.01	12	200	10	< 2	7	8	0.04	< 10	< 10	40	< 10	46
93C-271	201	229	< 1	< 0.01	4	160	14	< 2	3	4	< 0.01	< 10	< 10	7	< 10	34
93C-272	201	229	< 1	< 0.01	15	140	16	< 2	3	18	0.04	< 10	< 10	39	< 10	62
93C-273	201	229	< 1	< 0.01	20	220	8	< 2	4	16	0.04	< 10	< 10	49	< 10	58
93C-274	201	229	< 1	< 0.01	10	210	20	< 2	2	9	0.02	< 10	< 10	10	< 10	66
93C-276	201	229	1	< 0.01	27	530	10	2	5	31	0.04	< 10	< 10	50	< 10	72
93C-277	201	229	< 1	< 0.01	28	350	8	< 2	5	19	0.06	< 10	< 10	63	< 10	60
93C-278	201	229	< 1	< 0.01	20	220	4	< 2	3	19	0.07	< 10	< 10	44	< 10	44
93C-279	201	229	< 1	0.01	51	670	4	< 2	7	31	0.09	< 10	< 10	73	< 10	76
93C-280	201	229	< 1	< 0.01	23	360	< 2	< 2	4	22	0.09	< 10	< 10	58	< 10	66
93C-281	201	229	< 1	< 0.01	18	320	6	< 2	4	19	0.06	< 10	< 10	54	< 10	50
93C-282	201	229	< 1	< 0.01	48	1350	< 2	< 2	10	27	0.02	< 10	< 10	87	< 10	94
93C-285	201	229	< 1	< 0.01	20	580	12	< 2	3	16	0.01	< 10	< 10	30	< 10	122

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. : I9324696
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93C-286	201	229	< 5	< 0.2	2.11	6	130	< 0.5	< 2	0.37	1.0	25	41	132	5.28	< 10	< 1	0.02	40	1.41	490
93C-287	201	229	< 5	< 0.2	2.60	< 2	200	< 0.5	< 2	0.25	< 0.5	13	71	31	4.09	< 10	< 1	0.01	30	1.69	545
93C-288	201	229	< 5	< 0.2	1.43	8	190	< 0.5	< 2	0.42	0.5	7	19	25	2.86	< 10	< 1	0.17	30	0.96	600
93C-289	201	229	< 5	< 0.2	1.08	< 2	200	< 0.5	< 2	0.41	< 0.5	4	11	10	1.38	< 10	< 1	0.16	30	0.46	85
93C-290	201	229	25	< 0.2	3.53	12	140	< 0.5	< 2	0.49	< 0.5	19	138	184	5.18	< 10	< 1	0.03	20	2.91	825
93C-292	201	229	< 5	< 0.2	1.87	10	210	< 0.5	< 2	0.52	< 0.5	13	46	35	3.12	< 10	< 1	0.14	20	1.24	505
93C-293	201	229	< 5	< 0.2	2.76	4	230	< 0.5	< 2	0.57	< 0.5	19	123	48	4.95	< 10	< 1	0.20	10	1.67	845
93C-294	201	229	< 5	< 0.2	2.36	< 2	260	< 0.5	< 2	0.51	< 0.5	15	41	39	3.16	< 10	< 1	0.02	10	1.68	435
93C-331	201	229	< 5	< 0.2	1.17	< 2	180	< 0.5	< 2	0.49	< 0.5	8	23	13	2.06	< 10	< 1	0.02	10	0.54	255
93C-334	201	229	< 5	< 0.2	0.95	4	260	< 0.5	< 2	0.61	< 0.5	8	21	13	2.03	< 10	< 1	0.04	20	0.49	360

CERTIFICATION: Gert Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 5
Comments: ATTN: JIM CHRISTIE

Certificate Date: 20-NOV-93
Invoice No. : I9324696
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93C-286	201	229	10	< 0.01	110	1250	2	< 2	5	22	< 0.01	< 10	< 10	65	10	174
93C-287	201	229	< 1	< 0.01	35	810	4	< 2	9	8	0.01	< 10	< 10	56	< 10	98
93C-288	201	229	1	< 0.01	18	1150	10	< 2	5	17	0.03	< 10	< 10	20	< 10	90
93C-289	201	229	< 1	< 0.01	6	640	6	< 2	3	28	0.02	< 10	< 10	12	< 10	56
93C-290	201	229	< 1	< 0.01	55	760	4	< 2	14	24	0.12	< 10	< 10	109	10	256
93C-292	201	229	< 1	< 0.01	29	910	2	< 2	5	24	0.08	< 10	< 10	50	< 10	92
93C-293	201	229	< 1	< 0.01	39	830	< 2	< 2	23	28	0.08	< 10	< 10	120	10	72
93C-294	201	229	< 1	< 0.01	32	440	< 2	< 2	4	28	0.13	< 10	< 10	66	< 10	72
93C-331	201	229	< 1	< 0.01	13	760	2	< 2	3	22	0.05	< 10	< 10	40	< 10	50
93C-334	201	229	< 1	0.01	16	900	2	< 2	3	27	0.06	< 10	< 10	39	< 10	60

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-1
Comments: ATTN: JIM CHRISTIE

Certificate Date: 24-AUG-93
Invoice No. :I9318990
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9318990

SAMPLE	PREP CODE		Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
83-C-881	205	274	>10000	0.414	189.5	0.08	34	40	< 0.5	36	0.02	< 0.5	< 1	175	1515	5.52	< 10	< 1	0.08	< 10	< 0.01
93-C-118	205	274	30	-----	2.8	0.38	3390	210	< 0.5	< 2	0.03	2.5	4	273	94	10.75	< 10	17	0.04	< 10	0.01
93-C-120	205	274	25	-----	0.8	0.44	1060	390	< 0.5	< 2	0.03	1.0	3	145	193	12.90	10	< 1	0.06	20	0.01
93-C-123	205	274	< 5	-----	< 0.2	1.31	84	230	< 0.5	< 2	0.02	< 0.5	10	175	21	11.60	10	< 1	< 0.01	30	0.01
93-G-01	205	274	< 5	-----	< 0.2	1.71	< 2	100	< 0.5	< 2	0.98	< 0.5	10	115	25	3.13	< 10	< 1	0.07	< 10	1.18
93-G-02	205	274	< 5	-----	< 0.2	1.95	12	140	< 0.5	< 2	0.44	< 0.5	7	188	13	3.12	< 10	< 1	0.12	< 10	1.24
93-G-03	205	274	< 5	-----	< 0.2	1.26	< 2	40	< 0.5	< 2	1.20	< 0.5	4	53	6	2.74	< 10	< 1	0.04	< 10	0.99
93-G-04	205	274	< 5	-----	< 0.2	2.03	< 2	130	< 0.5	< 2	0.24	< 0.5	8	158	11	3.23	< 10	< 1	0.11	< 10	1.39
93-G-05	205	274	< 5	-----	< 0.2	1.62	< 2	60	< 0.5	< 2	0.29	< 0.5	7	104	16	2.79	< 10	< 1	0.05	< 10	1.21
93-G-08	205	274	< 5	-----	< 0.2	1.52	< 2	190	< 0.5	< 2	2.67	1.5	13	92	6	4.21	10	< 1	0.21	< 10	1.45
93-G-09	205	274	< 5	-----	< 0.2	2.07	< 2	70	< 0.5	< 2	0.77	< 0.5	14	73	14	3.40	< 10	< 1	0.06	< 10	1.52
93-G-10	205	274	< 5	-----	< 0.2	2.47	< 2	200	< 0.5	< 2	1.64	< 0.5	12	166	46	3.81	< 10	< 1	0.21	< 10	1.61
93-G-11	205	274	< 5	-----	< 0.2	1.37	8	100	< 0.5	< 2	0.74	< 0.5	10	62	11	2.68	< 10	< 1	0.09	< 10	1.04
93-G-12	205	274	< 5	-----	< 0.2	2.98	6	90	< 0.5	< 2	2.36	< 0.5	17	115	21	4.40	10	< 1	0.15	< 10	2.33
93-G-13	205	274	< 5	-----	< 0.2	1.49	< 2	40	< 0.5	< 2	0.98	< 0.5	10	121	20	2.92	< 10	< 1	0.06	< 10	1.05
93-G-14	205	274	< 5	-----	< 0.2	1.90	8	80	< 0.5	< 2	2.61	< 0.5	9	70	4	2.57	< 10	< 1	0.23	< 10	1.25
93-G-15	205	274	< 5	-----	< 0.2	1.75	< 2	30	< 0.5	< 2	2.09	< 0.5	10	61	4	2.69	< 10	< 1	0.11	< 10	1.31
93-G-16	205	274	< 5	-----	< 0.2	2.13	< 2	160	< 0.5	< 2	1.70	< 0.5	10	110	6	2.60	< 10	< 1	0.29	< 10	1.28
93-G-17	205	274	< 5	-----	< 0.2	1.87	< 2	120	< 0.5	< 2	0.64	< 0.5	10	42	8	2.89	< 10	< 1	0.09	< 10	1.40
93-G-18	205	274	< 5	-----	< 0.2	2.32	< 2	230	< 0.5	< 2	2.13	< 0.5	12	142	7	3.04	10	< 1	0.32	< 10	1.27
93-G-19	205	274	< 5	-----	0.2	0.89	4	60	< 0.5	< 2	1.78	< 0.5	8	53	14	2.71	< 10	< 1	0.12	< 10	1.05
93-G-20	205	274	< 5	-----	< 0.2	1.23	2	90	< 0.5	< 2	3.72	< 0.5	12	91	77	3.49	< 10	< 1	0.26	< 10	1.79
93-G-21	205	274	< 5	-----	< 0.2	0.58	< 2	40	< 0.5	< 2	2.97	< 0.5	8	54	7	3.19	< 10	< 1	0.08	< 10	1.29
93-R-21	205	274	< 5	-----	1.6	1.73	4	490	< 0.5	< 2	1.00	< 0.5	11	138	119	3.37	10	< 1	0.26	10	0.94
93-R-22	205	274	< 5	-----	0.2	1.46	6	210	< 0.5	< 2	1.67	< 0.5	11	65	81	3.13	10	< 1	0.08	10	1.10
93-R-23	205	274	< 5	-----	0.2	1.75	2	440	< 0.5	< 2	1.66	< 0.5	10	142	94	3.24	10	< 1	0.30	10	0.88
93-R-24	205	274	< 5	-----	0.2	1.27	4	190	< 0.5	< 2	1.49	< 0.5	8	75	87	3.01	10	< 1	0.09	10	0.79
93-R-25	205	274	< 5	-----	0.2	1.36	12	260	< 0.5	< 2	0.95	< 0.5	8	165	99	2.77	< 10	< 1	0.15	< 10	0.82
93-R-26	205	274	< 5	-----	0.2	1.24	8	280	< 0.5	< 2	0.80	< 0.5	8	77	92	3.18	10	< 1	0.13	10	0.81
93-R-27	205	274	< 5	-----	0.4	2.51	8	150	< 0.5	< 2	3.53	< 0.5	21	166	102	4.00	< 10	< 1	0.10	< 10	2.10
93-R-28	205	274	< 5	-----	0.2	1.92	< 2	250	< 0.5	< 2	0.99	< 0.5	17	115	43	3.33	< 10	< 1	0.88	< 10	1.72
93-R-29	205	274	< 5	-----	0.4	1.59	< 2	160	< 0.5	< 2	1.01	< 0.5	33	115	164	3.27	< 10	< 1	0.92	< 10	1.17
93-R-30	205	274	35	-----	3.0	1.10	32	180	< 0.5	< 2	4.25	0.5	26	86	649	3.38	< 10	< 1	0.10	10	0.69
93-R-32	205	274	< 5	-----	0.4	1.23	14	230	< 0.5	< 2	1.28	< 0.5	13	129	147	2.78	< 10	< 1	0.15	10	0.78

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists • Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON-1
Comments: ATTN: JIM CHRISTIE

Certificate Date: 24-AUG-93
Invoice No. :I9318990
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9318990

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
83-C-881	205	274	20	175	< 0.01	5	410	>10000	56	< 1	6	< 0.01	< 10	< 10	7	< 10	16
93-C-118	205	274	105	9	< 0.01	14	940	58	72	1	23	< 0.01	< 10	< 10	22	< 10	82
93-C-120	205	274	70	16	< 0.01	29	3530	34	68	7	46	< 0.01	< 10	< 10	146	< 10	190
93-C-123	205	274	655	1	< 0.01	21	1090	8	2	9	28	< 0.01	< 10	< 10	25	< 10	264
93-G-01	205	274	795	< 1	0.01	11	650	6	< 2	4	24	< 0.01	< 10	< 10	30	< 10	72
93-G-02	205	274	600	< 1	0.08	7	610	< 2	2	5	22	0.02	< 10	< 10	32	< 10	74
93-G-03	205	274	665	< 1	0.03	2	720	2	2	3	23	0.03	< 10	< 10	14	< 10	70
93-G-04	205	274	640	< 1	0.09	6	650	< 2	< 2	6	12	0.01	< 10	< 10	40	< 10	76
93-G-05	205	274	575	< 1	0.02	2	630	< 2	2	3	23	0.01	< 10	< 10	26	< 10	68
93-G-08	205	274	1345	< 1	0.08	14	670	< 2	2	10	72	< 0.01	< 10	< 10	30	< 10	84
93-G-09	205	274	730	< 1	0.02	6	630	< 2	2	4	30	0.04	< 10	< 10	42	< 10	74
93-G-10	205	274	870	< 1	0.04	13	620	< 2	2	6	39	0.09	< 10	< 10	51	< 10	76
93-G-11	205	274	855	< 1	0.01	4	610	< 2	< 2	1	16	0.03	< 10	< 10	18	< 10	58
93-G-12	205	274	1320	< 1	0.03	17	540	< 2	< 2	7	36	0.05	< 10	< 10	64	< 10	110
93-G-13	205	274	580	< 1	0.01	17	430	< 2	2	3	20	0.01	< 10	< 10	30	< 10	60
93-G-14	205	274	710	< 1	0.04	3	550	< 2	2	3	39	0.01	< 10	< 10	28	< 10	64
93-G-15	205	274	685	< 1	0.01	1	660	< 2	2	2	31	0.02	< 10	< 10	24	< 10	66
93-G-16	205	274	695	< 1	0.06	2	600	2	2	3	38	0.10	< 10	< 10	34	< 10	62
93-G-17	205	274	450	< 1	0.02	10	1150	2	2	3	21	< 0.01	< 10	< 10	31	< 10	68
93-G-18	205	274	625	1	0.05	2	590	4	< 2	6	41	< 0.01	< 10	< 10	36	< 10	66
93-G-19	205	274	560	< 1	0.01	2	580	20	< 2	3	36	< 0.01	< 10	< 10	15	< 10	50
93-G-20	205	274	1050	3	0.03	7	620	< 2	< 2	6	88	< 0.01	< 10	< 10	22	< 10	80
93-G-21	205	274	760	< 1	0.03	4	680	< 2	2	4	74	< 0.01	< 10	< 10	9	< 10	46
93-R-21	205	274	420	3	0.08	2	590	164	< 2	7	28	0.02	< 10	< 10	41	< 10	38
93-R-22	205	274	500	< 1	0.01	2	560	< 2	< 2	6	31	0.06	< 10	< 10	46	< 10	40
93-R-23	205	274	455	1	0.07	3	550	< 2	2	5	56	0.02	< 10	< 10	31	< 10	32
93-R-24	205	274	480	1	0.01	3	570	< 2	2	4	32	0.01	< 10	< 10	22	< 10	28
93-R-25	205	274	420	2	0.08	3	550	2	< 2	4	25	0.14	< 10	< 10	32	< 10	30
93-R-26	205	274	395	1	0.01	1	780	2	< 2	5	21	0.04	< 10	< 10	39	< 10	36
93-R-27	205	274	730	< 1	0.04	18	470	4	< 2	12	63	0.13	< 10	< 10	88	< 10	40
93-R-28	205	274	465	< 1	0.01	19	460	< 2	< 2	4	33	0.20	< 10	< 10	74	< 10	56
93-R-29	205	274	305	< 1	0.14	6	570	< 2	2	6	54	0.25	< 10	< 10	67	< 10	46
93-R-30	205	274	700	17	0.01	2	480	4	4	3	133	0.01	< 10	< 10	18	< 10	44
93-R-32	205	274	460	< 1	0.07	3	570	4	< 2	6	25	0.08	< 10	< 10	35	< 10	30

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :1-A
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :I9324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93N-01	205 234	< 5	< 0.2	0.90	8	180	< 0.5	< 2	0.22	< 0.5	10	234	42	1.34	< 10	< 1	0.17	10	0.41	130
93N-03	205 234	< 5	< 0.2	2.79	< 2	70	< 0.5	< 2	0.30	0.5	22	164	103	4.79	< 10	< 1	0.17	10	1.76	390
93N-04	205 234	< 5	< 0.2	2.53	< 2	90	< 0.5	< 2	0.30	< 0.5	21	164	104	4.32	< 10	< 1	0.24	< 10	1.48	370
93N-05	205 234	< 5	< 0.2	2.40	4	140	< 0.5	< 2	0.50	< 0.5	16	129	7	3.74	< 10	< 1	0.23	10	1.44	375
93N-06	205 234	< 5	< 0.2	2.17	< 2	80	< 0.5	< 2	0.42	< 0.5	20	168	61	3.96	< 10	< 1	0.17	10	1.66	425
93N-07	205 234	< 5	< 0.2	1.43	< 2	450	< 0.5	< 2	0.28	< 0.5	9	255	19	2.12	< 10	< 1	0.35	20	0.69	225
93N-08	205 234	< 5	0.2	2.56	2	70	< 0.5	< 2	0.64	< 0.5	22	105	46	4.76	< 10	< 1	0.07	10	1.75	480
93N-09	205 234	< 5	< 0.2	1.78	2	240	< 0.5	< 2	0.43	< 0.5	14	316	54	3.00	< 10	< 1	0.15	10	1.09	330
93N-12	205 234	< 5	0.2	1.29	< 2	450	< 0.5	< 2	0.22	0.5	14	215	23	2.51	< 10	< 1	0.32	20	0.42	175
93N-14	205 234	< 5	0.2	1.37	14	450	< 0.5	< 2	0.33	1.0	17	281	92	4.08	< 10	< 1	0.23	20	0.56	160
93N-15	205 234	< 5	0.2	0.89	2	400	< 0.5	< 2	0.32	0.5	9	365	78	2.05	< 10	< 1	0.27	10	0.16	150
93N-16	205 234	< 5	0.4	1.57	2	340	< 0.5	< 2	0.27	1.0	18	335	65	4.22	< 10	< 1	0.26	20	0.69	315
93N-17	205 234	< 5	0.2	1.17	16	200	< 0.5	< 2	0.41	< 0.5	10	339	60	1.44	< 10	< 1	0.24	20	0.52	150
93N-18	205 234	< 5	0.4	1.39	20	390	< 0.5	< 2	0.26	1.0	22	340	60	1.87	< 10	< 1	0.30	20	0.72	240
93N-19	205 234	< 5	0.2	1.51	8	400	< 0.5	< 2	0.21	0.5	10	223	43	2.04	< 10	< 1	0.29	20	0.87	285
93N-21	205 234	< 5	0.2	2.76	2	110	< 0.5	< 2	0.47	< 0.5	28	169	78	3.88	< 10	< 1	0.13	10	2.13	435
93N-22	205 234	< 5	0.2	2.20	4	60	< 0.5	< 2	0.65	< 0.5	21	132	45	2.77	< 10	< 1	0.08	< 10	1.83	350
93N-23	205 234	8430	4.8	1.39	< 2	140	< 0.5	< 2	0.17	< 0.5	11	172	23	2.29	< 10	< 1	0.20	10	0.71	175
93N-24	205 234	45	< 0.2	2.77	6	110	< 0.5	< 2	0.18	< 0.5	25	199	12	4.20	< 10	< 1	0.16	10	2.15	265
93N-25	205 234	< 5	0.2	2.56	6	60	< 0.5	< 2	0.38	< 0.5	22	142	50	4.38	< 10	< 1	0.08	10	1.88	440
93N-26	205 234	< 5	< 0.2	2.39	2	50	< 0.5	< 2	0.48	< 0.5	22	137	49	4.04	< 10	< 1	0.06	10	1.71	440
93N-27	205 234	< 5	0.2	4.04	< 2	40	< 0.5	< 2	0.21	< 0.5	23	104	71	7.05	10	< 1	0.06	10	2.83	725
93N-28	205 234	25	0.2	2.16	< 2	50	< 0.5	< 2	0.20	< 0.5	19	110	18	4.34	10	< 1	0.12	20	0.98	195
93N-29	205 234	< 5	0.2	2.70	< 2	130	< 0.5	< 2	0.21	< 0.5	27	126	114	4.30	< 10	< 1	0.24	10	1.11	145
93N-30	205 234	< 5	0.2	2.79	8	70	< 0.5	< 2	0.42	< 0.5	27	115	14	5.22	10	< 1	0.10	10	1.54	310
93N-31	205 234	490	0.6	2.12	22	90	< 0.5	< 2	0.56	< 0.5	38	180	163	4.35	< 10	< 1	0.19	10	1.49	330
93N-32	205 234	< 5	< 0.2	0.72	2	200	< 0.5	< 2	0.11	< 0.5	6	193	8	0.89	< 10	< 1	0.36	20	0.16	70
93N6-33	205 234	< 5	0.2	2.55	< 2	80	< 0.5	< 2	0.38	0.5	29	170	28	2.91	< 10	< 1	0.11	< 10	2.33	370
93N6-34	205 234	< 5	0.4	1.93	< 2	100	< 0.5	< 2	0.46	< 0.5	19	100	123	3.73	< 10	< 1	0.16	< 10	1.14	400
93N6-35	205 234	< 5	0.4	2.39	< 2	100	< 0.5	< 2	0.16	0.5	16	223	101	4.03	< 10	< 1	0.20	10	1.47	335
93N6-36	205 234	< 5	< 0.2	1.07	2	90	< 0.5	< 2	0.36	< 0.5	9	169	20	1.51	< 10	< 1	0.08	< 10	0.74	215
93N6-37	205 234	< 5	0.2	2.40	< 2	80	< 0.5	< 2	0.24	< 0.5	18	161	22	4.23	< 10	< 1	0.11	10	1.59	385
93N6-38	205 234	< 5	0.2	1.81	2	90	< 0.5	< 2	0.27	< 0.5	14	142	24	3.02	< 10	< 1	0.13	10	1.25	320
93N6-39	205 234	< 5	0.2	2.86	< 2	20	< 0.5	< 2	0.59	< 0.5	38	68	100	4.35	< 10	< 1	0.02	10	2.25	540
93N6-40	205 234	< 5	0.2	1.99	< 2	30	< 0.5	< 2	0.18	< 0.5	17	84	24	3.42	< 10	< 1	0.03	10	1.44	280
93N6-41	205 234	< 5	0.2	0.72	< 2	90	< 0.5	< 2	0.51	< 0.5	18	149	36	2.79	< 10	< 1	0.07	10	0.31	360
93N6-42	205 234	< 5	< 0.2	1.23	< 2	130	< 0.5	< 2	0.14	< 0.5	8	120	18	2.29	< 10	< 1	0.15	10	0.70	170
93N6-43	205 234	< 5	0.2	1.37	2	110	< 0.5	< 2	0.19	< 0.5	10	160	25	2.45	< 10	< 1	0.14	< 10	0.94	260
93N6-44	205 234	< 5	0.2	2.96	< 2	50	< 0.5	< 2	0.32	< 0.5	21	99	102	5.11	< 10	< 1	0.04	< 10	2.22	445
93N6-45	205 234	< 5	0.4	2.88	< 2	60	< 0.5	< 2	0.63	< 0.5	25	113	127	5.47	< 10	< 1	0.03	10	2.19	805

DOMINION CREEK DRILL HOLES

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Certificate Date: 24-NOV-93
Invoice No. : I9324687
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93N-01	205 234	1	0.01	32	770	8	< 2	2	9	< 0.01	< 10	< 10	27	< 10	132
93N-03	205 234	1	0.04	21	450	14	< 2	11	16	0.09	< 10	< 10	113	10	136
93N-04	205 234	1	0.02	17	510	26	< 2	5	13	0.08	< 10	< 10	58	< 10	118
93N-05	205 234	1	0.04	11	550	< 2	< 2	3	40	0.11	< 10	< 10	52	10	48
93N-06	205 234	1	0.06	25	590	< 2	< 2	7	30	0.11	< 10	< 10	108	10	56
93N-07	205 234	1	0.05	13	550	2	< 2	4	26	0.07	< 10	< 10	28	< 10	90
93N-08	205 234	< 1	0.05	16	440	< 2	< 2	8	74	0.20	< 10	< 10	143	10	62
93N-09	205 234	2	0.03	20	460	4	< 2	4	24	0.04	< 10	< 10	49	10	60
93N-12	205 234	< 1	0.02	42	720	4	< 2	3	12	< 0.01	< 10	< 10	27	< 10	90
93N-14	205 234	3	0.01	68	1450	14	< 2	4	17	< 0.01	< 10	< 10	55	< 10	202
93N-15	205 234	2	0.02	38	1170	42	< 2	4	18	< 0.01	< 10	< 10	44	< 10	88
93N-16	205 234	3	0.02	88	1190	8	< 2	4	13	< 0.01	< 10	< 10	56	10	344
93N-17	205 234	2	0.01	30	1630	12	< 2	2	10	< 0.01	< 10	< 10	51	< 10	100
93N-18	205 234	4	0.03	54	980	24	< 2	4	11	< 0.01	< 10	< 10	49	< 10	134
93N-19	205 234	1	0.01	36	750	6	< 2	3	9	< 0.01	< 10	< 10	44	< 10	112
93N-21	205 234	< 1	0.01	46	480	22	< 2	10	18	0.18	< 10	< 10	83	10	64
93N-22	205 234	< 1	0.03	46	110	46	< 2	7	20	0.25	< 10	< 10	63	< 10	44
93N-23	205 234	< 1	0.07	13	380	4	< 2	6	9	0.02	< 10	< 10	45	< 10	58
93N-24	205 234	1	0.03	31	450	< 2	< 2	13	7	0.03	< 10	< 10	106	10	40
93N-25	205 234	1	0.08	26	590	< 2	< 2	7	62	0.09	< 10	< 10	127	10	52
93N-26	205 234	< 1	0.05	25	540	2	< 2	7	30	0.14	< 10	< 10	111	10	50
93N-27	205 234	1	0.03	19	400	< 2	< 2	14	22	0.06	< 10	< 10	203	10	84
93N-28	205 234	< 1	0.09	22	650	< 2	< 2	12	17	< 0.01	< 10	< 10	98	< 10	82
93N-29	205 234	1	0.10	13	460	< 2	< 2	9	18	< 0.01	< 10	< 10	106	10	56
93N-30	205 234	2	0.04	20	410	< 2	< 2	12	24	0.16	< 10	< 10	145	10	54
93N-31	205 234	3	0.06	30	490	< 2	< 2	6	37	0.18	< 10	< 10	102	10	42
93N-32	205 234	3	0.03	8	260	4	< 2	2	8	< 0.01	< 10	< 10	10	< 10	14
93N6-33	205 234	< 1	0.03	99	30	< 2	< 2	4	15	0.09	< 10	< 10	29	10	50
93N6-34	205 234	< 1	0.04	11	650	< 2	< 2	5	16	0.07	< 10	< 10	67	< 10	44
93N6-35	205 234	1	0.01	42	320	26	< 2	3	8	0.02	< 10	< 10	35	10	108
93N6-36	205 234	3	0.02	19	170	12	< 2	3	14	0.10	< 10	< 10	26	< 10	32
93N6-37	205 234	1	0.03	17	550	2	< 2	12	11	0.03	< 10	< 10	128	10	54
93N6-38	205 234	1	0.01	20	480	< 2	< 2	4	21	0.03	< 10	< 10	39	< 10	72
93N6-39	205 234	< 1	0.02	29	430	< 2	< 2	6	46	0.16	< 10	< 10	112	10	82
93N6-40	205 234	< 1	0.02	16	560	2	< 2	9	21	< 0.01	< 10	< 10	62	< 10	68
93N6-41	205 234	2	0.01	15	350	2	< 2	19	26	< 0.01	< 10	< 10	90	10	48
93N6-42	205 234	< 1	0.01	17	370	< 2	< 2	3	7	< 0.01	< 10	< 10	23	< 10	52
93N6-43	205 234	2	0.02	17	410	< 2	< 2	2	8	0.03	< 10	< 10	39	< 10	34
93N6-44	205 234	< 1	0.02	29	640	< 2	< 2	11	15	0.04	< 10	< 10	157	< 10	58
93N6-45	205 234	< 1	0.04	18	570	< 2	< 2	12	19	0.11	< 10	< 10	166	10	64

DOMINION CREEK DRILL HOLES

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :2-A
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :I9324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93N6-46	205	234	< 5	0.2	2.34	< 2	100	< 0.5	< 2	0.22	< 0.5	18	152	30	3.76	< 10	< 1	0.12	10	1.42	345
93N6-47	205	234	< 5	0.2	2.63	< 2	140	< 0.5	< 2	0.49	< 0.5	26	105	70	4.20	< 10	< 1	0.17	< 10	1.61	405
93N6-48	205	234	7080	0.4	2.14	< 2	110	< 0.5	< 2	0.35	< 0.5	19	170	106	3.70	< 10	< 1	0.18	< 10	1.42	260
93N6-49	205	234	< 5	< 0.2	2.30	< 2	100	< 0.5	< 2	0.18	< 0.5	21	139	58	3.70	< 10	1	0.11	< 10	1.62	325
93N6-50	205	234	8490	0.2	1.87	< 2	140	< 0.5	< 2	0.25	< 0.5	15	137	58	2.98	< 10	< 1	0.17	< 10	1.23	305
93N6-51	205	234	< 5	< 0.2	0.91	< 2	250	< 0.5	2	0.14	< 0.5	6	177	18	1.06	< 10	< 1	0.29	10	0.28	115
93N6-52	205	234	< 5	0.2	2.02	< 2	140	< 0.5	< 2	0.16	< 0.5	12	127	63	2.42	< 10	< 1	0.24	10	1.02	85
93N6-53	205	234	< 5	0.4	2.15	20	40	< 0.5	< 2	0.27	< 0.5	20	149	38	3.71	< 10	< 1	0.06	10	1.48	330
93N6-54	205	234	< 5	0.2	0.73	2	150	< 0.5	< 2	0.12	< 0.5	7	235	12	0.94	< 10	< 1	0.19	10	0.19	110
93N8-56	205	234	< 5	0.2	2.04	2	160	< 0.5	4	0.34	< 0.5	21	195	20	2.63	< 10	1	0.34	10	1.14	225
93N8-57	205	234	< 5	0.2	0.74	< 2	160	< 0.5	2	0.11	< 0.5	5	236	9	1.08	< 10	< 1	0.22	10	0.17	110
93N8-58	205	234	< 5	0.2	2.57	< 2	190	< 0.5	< 2	0.16	< 0.5	19	191	12	3.54	< 10	< 1	0.21	10	1.86	215
93N8-59	205	234	15	0.4	3.71	< 2	30	< 0.5	< 2	0.38	1.5	30	193	154	5.85	< 10	1	0.01	< 10	3.40	670

DOMINION CREEK DRILL HOLES

CERTIFICATION

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number :2-B
Total Pages :2
Certificate Date: 24-NOV-93
Invoice No. :19324687
P.O. Number :
Account :FGF

CERTIFICATE OF ANALYSIS A9324687

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93N6-46	205	234	1	0.04	16	440	< 2	< 2	10	29	0.02	< 10	< 10	103	< 10	52
93N6-47	205	234	1	0.06	18	590	< 2	< 2	6	38	0.17	< 10	< 10	107	< 10	54
93N6-48	205	234	3	0.05	20	330	< 2	< 2	7	52	0.13	< 10	< 10	136	10	36
93N6-49	205	234	3	0.05	12	370	4	< 2	10	22	0.03	< 10	< 10	131	10	48
93N6-50	205	234	< 1	0.03	20	380	< 2	< 2	3	21	0.06	< 10	< 10	52	< 10	46
93N6-51	205	234	1	0.06	10	310	4	< 2	2	13	0.01	< 10	< 10	12	< 10	34
93N6-52	205	234	1	0.07	7	480	< 2	< 2	4	12	< 0.01	< 10	< 10	38	< 10	58
93N6-53	205	234	2	0.08	26	820	2	< 2	10	18	0.05	< 10	< 10	116	10	42
93N6-54	205	234	2	0.03	13	170	4	< 2	1	11	0.02	< 10	< 10	11	< 10	22
93N8-56	205	234	3	0.08	20	480	2	< 2	4	20	0.09	< 10	< 10	38	< 10	42
93N8-57	205	234	5	0.06	6	200	2	< 2	2	11	0.01	< 10	< 10	11	< 10	14
93N8-58	205	234	1	0.09	28	450	< 2	< 2	15	13	0.03	< 10	< 10	114	< 10	34
93N8-59	205	234	3	0.01	47	770	200	< 2	7	11	0.16	< 10	< 10	159	10	288

DOMINION CREEK DRILL HOLES

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave , North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

TO: GIMLEX ENTERPRISES LTD
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Project : DAWSON 6
Comments: ATTN: JIM CHRISTIE

Page Number : 1
Total Pages : 1
Certificate Date: 08-DEC-93
Invoice No. : I9325789
P.O. Number :
Account : FGF

CERTIFICATE OF ANALYSIS A9325789

SAMPLE	PREP CODE	Au FA oz/T
93N-23	244 --	0.196
93N6-48	244 --	0.126
93N6-50	244 --	0.224

DOMINION CREEK DRILL HOLES

CERTIFICATION:

APPENDIX D

FIGURES 4 & 5

093221

RR-GO-GR
QUARTZ CLAIMS

NTS-115-O-10

YUKON TERRITORY

EAST SHEET

Dwg (1)

FIG. 4

SEE WEST SHEET FOR LEGEND

J.S. Christie Feb/94

093221

RR-GO-GR
QUARTZ CLAIMS

DOMINION - GOLD RUN - GYPPO - ROB ROY CREEKS

YUKON TERRITORY

NTS 115-O-10

WEST SHEET

RR1 | RR2 — Claim Post

J.S. Christie
Feb/94

H-14 ● Drill Hole - strongly anomalous gold (ppb)

◒ Drill Hole - anomalous gold (ppb)

⊙ (ns) Drill Hole - not anomalous - no sample

C-14 • Soil Sample - not anomalous

(225) • Soil Sample - anomalous gold (ppb)

Placer Mining Pits
Gyppo & Ross Mining
- sample sites shown on separate maps

0 100 200 300 400 800
SCALE 1"=400'

093221

FIG. 5 DWG (2)

ROAD

PROPERTY LINE

2000

RR39 | RR40

RR51 | RR52

Ross Milling Camp Area

RR41 | RR42

RR3 | RR4

0.196 oz/t (8430) ppb

0.126 oz/t (7080) ppb

0.224 oz/t

(490) ppb

(8490) ppb

DOMINION CREEK

RR3 | RR4

Go 50 | Go 51

PROPERTY LINE

RR35 | RR36

2000

2500

Gyppo Pit 1992 1993

GYPPO CREEK