MAP NO:115H/4	ASSESSMENT REPORT: X	DOCUMENT NO: 093250
	PROSPECTUS:	MINING DISTRICT: WHITEHORSE
	CONFIDENTIAL: X	TYPE OF WORK:Prospecting,Geochemistry,Trenching,Geophysics
	OPEN FILE:	

REPORT FILED UNDER: Cash Resources

DATE PERFORMED:June 24-July 8, August 22-Sept 16,1994	DATE FILED:March 14, 1995
LATITUDE:61 12	AREA:Killermun Lake
LONGITUDE:137 45	VALUE:$100,000

CLAIM NAME AND #: Delor,Malou,Shut,Angus

WORK DONE BY:Bill Wengzynowski

WORK DONE FOR:Cash Resources Ltd.

DATE TO GOOD STANDING	

REMARKS:Gold occurs with arsenopyrite and as native grains in quartz±carbonate veins and adjacent graphitic, quartz-biotite schist country rocks. Mineralized veins strike beween N30W and N20E, dip steeply to the west and typically contain between 5 and 40% arsenopyrite. 1128 soil samples were collected in 1994. Two gold-arsenic anomalies were defined. Anomaly A is a 3500 meter long by 300-1000 meter wide weak to moderate(Au 20-50ppb,As 100-200ppm) with numerous Au and As highs contained within. Anomaly A contains the DalBianco and Rikus Zones. Anomaly B is a similar zone of weak to moderate values with higher trends within a 3500 meter long, 250-1000 meter wide zone. Average of chip samples from 5 trenches in the Rikus Zone which consists of two parallel veins were 4.30 and 3.94 g/T Au over 3.2 and 3.65 m, respectively. Wallrock between the veins assayed 7.37 g/T Au over 9.5 m.


ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 West Hastings Street, Vancouver, B.C. V6B 1L8 Tel (604) 688 - 2568 • Fax (604) 688 - 2578

ASSESSMENT REPORT

describing

PROSPECTING, SOIL GEOCHEMISTRY, TRENCHING AND GEOPHYSICAL SURVEYS



at the

RUBY RANGE PROJECT

Latitude 61°12' North, Longitude 137°45 ' West
NTS 115H/4
in the

Whitehorse Mining District
Yukon Territory



owned by

CASH RESOURCES LTD.

Work conducted between June 24 to July 18 and August 22 to September 16, 1994

W. Wengzynowski, B.A.Sc.
February, 1995

Box 4127, 2054 Second Avenue, Whitehorse, Y.T. Y1A 3S9 Tel (403) 667 - 4415

TABLE OF CONTENTS

	PAGE
SUMMARY AND RECOMMENDATIONS	1
INTRODUCTION	5
PROJECT LOCATION, CLAIM DATA AND ACCESS	6
HISTORY	9
GEOMORPHOLOGY	12
REGIONAL GEOLOGY	13
PROPERTY GEOLOGY	15
Lithology	15
Structure	16
MINERALIZATION AND TRENCH RESULTS	18
DalBianco Zone	19
Rikus Zone	20
Shut Creek Zone	22
Delor Creek Zone	22
SOIL GEOCHEMISTRY	23
Results	24
Anomaly A	25
Anomaly B	25
GEOPHYSICAL SURVEY	26
DISCUSSION AND CONCLUSIONS	27
SELECTED REFERENCES	29

TABLE

1	Selected Geochemical Data	24

FIGURES

NO.	DESCRIPTION	LOCATION
1	Property Location	Following Page 6
2	Claim Location	Following Page 6
3	Area of Influence	Following Page 7
4	Geological Setting	Following Page 13
5	Regional Geology	Following Page 15
6	Detailed Geology and Trench Data: DalBianco Zone	In Pocket
7	Detailed Geology and Trench Data: Rikus Zone	In Pocket
8	Sample Location	In Pocket
9	Gold Geochemistry	In Pocket
10	Arsenic Geochemistry	In Pocket

APPENDICES

I	Author's Statement of Qualifications
II	List of Field Personnel
III	Personnel who Accompanied Excavator
IV	Certificates of Analysis
V	Geophysical Survey

SUMMARY AND RECOMMENDATIONS

The Ruby Range project is located 50 km north-northwest of Haines Junction in southwest Yukon Territory. It consists of 231 mineral claims (4250 hectares), including ten claims owned 100% by Cash Resources Ltd. (Shut property) and 221 optioned claims (Killer Gold and Arc options) in which it can earn a 100% interest subject to small net smelter royalties.

The project area is underlain by metasedimentary rocks of the Taku Terrane cut by intrusions related to the Ruby Range Plutonic Suite. Although several creeks in the area have been worked for placer gold intermittently since the late 1800's, extensive glacial till and felsenmeer cover frustrated prospecting and in situ mineralization was not discovered until 1987.

Gold occurs with arsenopyrite and as native grains in quartz±carbonate veins and adjacent graphitic, quartz-biotite schist country rocks. Mineralized veins strike between N30W and N20E, dip steeply to the west and typically contain between 5 and 40% arsenopyrite.

Exploration in 1994 consisted of grid soil geochemistry, prospecting and some geological mapping, excavator trenching, hand trenching and experimental geophysical surveys. Soil sampling covered a 13 sq km area and outlined two north-trending belts of coincident gold-arsenic response located 3000 m apart, plus numerous spot highs. The two belts are 3500 m long, range from 250 to 1000 m in width and are open along strike. Within them there are clusters of strongly anomalous values, up to 1000 m long and 100 m wide, some of which coincide with known gold-bearing veins.

The best exposed and most promising target discovered to date is the Rikus Zone where auriferous quartz±carbonate veins have been traced intermittently in bedrock for a strike length of 350 m and as float for a further 750 m. Chip samples collected from two north-striking parallel veins and adjacent schist wallrocks exposed in five hand trenches over a strike length of 60 m yielded weighted average grades of 4.30 and 3.94 g /t gold across 3.20 and 3.65 m, respectively. An additional seven chip samples were taken from natural bedrock exposures on one of the veins for a distance of 290 m south of the hand trenches and returned a weighted average grade of 16.72 g/t gold over 0.54 m. Wallrocks between the two veins are not well exposed however five continuous chip samples taken where a slump exposed schist containing anastomosing quartz veinlets assayed 7.37 g/t gold across 9.5 m.

Float occurrences located elsewhere on the property have returned numerous high assays including 193, 122 and 102 g/t gold from three areas located approximately 1500 m apart.

The Ruby Range project shares significant similarities with the Juneau Gold Belt which is also located in the Taku Terrane some 400 km to the southeast. In both cases the gold occurs in narrow, relatively high grade, quartz veins and veinlets. Deposits in the Juneau Gold Belt were in production from 1893 to 1944 and produced approximately 240,000 kg (7 million ounces) of gold. One of the deposits, Alaska-Juneau has been intensively explored since 1988 by Echo Bay Mines and is scheduled to go back into production assuming the necessary permits are granted.

Exploration in 1995 at the Ruby Range project should include 1500 m of large diameter diamond drilling in the Rikus Zone. The drilling should be done in conjunction with additional grid soil geochemical sampling and HLEM geophysical surveys to better define targets elsewhere on the property, followed by excavator or hand trenching. The program is estimated to cost $595,000 as detailed in the proposed budget on the following page. The work will be designed to test for bulk-tonnage open pit and high grade underground potential.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W. Wengzynowski, B.A.Sc.

PROPOSED 1995 BUDGET
RUBY RANGE PROJECT

Diamond Drilling - 1500 m @ $120/m, including mob, demob and fuel	$180,000
Labour - geologist, geological assistant, one fieldman and a cook for 75 days, plus final report and head office supervision	118,000
Helicopter - Bell 206B 150 hrs @ $700/hr, fuel included	105,000
Field Costs - 600 mandays @ $90/day	54,000
Excavator - 200 hrs @ $140/hr, fuel included	28,000
Analytical Costs - 800 rock samples fire assayed for gold, plus ICP geochemical analysis	20,000
Geophysical Surveys - 130 line km with Max-min, 40 mandays @ $400/day, equipment rental included	16,000
Transportation and Shipping	7,000
Communication, Drafting and Printing	2,000
Assessment Filing	2,000
Management	24,000
Sub-Total	$556,000
GST	38,920
Total	$594,920

INTRODUCTION

The Ruby Range project was created in 1994 when the Shut property, comprised of ten claims owned 100% by Cash Resources Ltd. (CRL), was combined with 221 claims in two adjoining claim blocks (Killer Gold and Arc) that are held under option from local prospector P. Ross. Auriferous quartz±carbonate veins have been discovered throughout the project area and are the main focus of exploration.


This report describes the 1994 exploration program on the Shut property and Killer Gold option. The program was funded 100% by CRL and included claim staking, geological mapping, prospecting, grid soil geochemistry, excavator trenching, hand trenching and experimental HLEM geophysical surveys. The work was done by a three to ten person crew operating from a tent camp on the property during the periods June 24 to July 18 and August 22 to September 16. Appendix I includes the Author's Statement of Qualifications while field personnel are listed in Appendix II.

The Arc option was acquired in late summer 1994 and only a few mandays of prospecting and hand trenching were done. That work is described in a separate report.

PROJECT LOCATION, CLAIM DATA AND ACCESS

The project area is located 50 km north-northwest of Haines Junction in southwestern Yukon Territory at latitude 61°12'N and longitude 137°45'W on NTS sheet 115H/4 (Figure 1). The Shut property and Killer Gold and Arc options total 231 contiguous mineral claims (Figure 2) registered with the Whitehorse Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for CRL. Data concerning claim registration is listed below.

Claim Name	Grant Numbers	Expiry Date*
Angus 1-6	YB20532-YB20537	March 10, 1995
Arc 1-4	YB07826-YB07829	September 3, 1995
9	YB07834	September 3, 1995
11	YB07836	September 3, 1995
13	YB07838	September 3, 1995
21-32	YB21587-YB21598	September 3, 1995
Delor 1-10	YB37735-YB37744	March 10, 1999
11	YB38302	March 10, 1999
12F-13F	YB38303-YB38304	March 10, 1999
14	YB38305	March 10, 1999
15F	YB38306	March 10, 1999
16	YB38307	March 10, 1999
17F	YB38308	March 10, 1999
18	YB38309	March 10, 1999
19F	YB38310	March 10, 1999
20	YB38311	March 10, 1999
21F	YB38312	March 10, 1999
22-24	YB38313-YB38316	March 10, 1999
25-48	YB47116-YB47139	July 21, 1995
49-64	YB54418-YB54433	August 29, 1995
65F	YB54434	August 29, 1995
66-95	YB54435-YB54464	August 29, 1995
96F	YB54465	August 29, 1995
97-116	YB54466-YB54485	August 29, 1995
117F	YB54486	August 29, 1995
118-120	YB54487-YB54489	August 29, 1995
121F	YB54490	August 29, 1995
122-129	YB54491-YB54498	August 29, 1995


Figure 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LOCATION
RUBY RANGE PROJECT
CASH RESOURCES LTD.
SCALE 1:5,000,000
0 50 100 150 200 km
0 20 60 100 140 miles
Precious or basemetal property owned by Cash Resources Ltd
Winter road
Mine owned by others and referred to in text
ALASKA
INUVIK
YUKON
NWT
DAWSON
GRANDE
QUEST
KLONDIKE
MAYO
HWY
YUKON
DIVISION MOUNTAIN COAL LICENCES
RUBY RANGE PROJECT
CARMACKS
UNO
ROSS RIVER
MUCHO
LOON
KLUANE
NATIONAL
PARK
ALASKA
HAINES JUNCTION
WHITEHORSE
WATSON LAKE COAL LICENCES
HYLAND GOLD
WATSON LAKE
HWY
ALASKA
SKAGWAY
HAINES
PACIFIC
OCEAN
BRITISH
COLUMBIA
JUNEAU




Figure 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

RUBY RANGE PROJECT

CASH RESOURCES LTD.

SCALE 1:50,000

0 1000 2000 3000 4000 m

0 5000 10,000 15,000 ft

Claim Name	Grant Numbers	Expiry Date*
Malou 1-6	YB35901-YB35906	June 6, 1999
7-14	YB37727-YB37734	March 10, 1999
15-20	YB38136-YB38141	March 10, 1999
21-26	YB38218-YB38223	March 10, 1999
27-34	YB38316-YB38323	March 10, 1999
35F	YB38324	March 10, 1999
36	YB38325	March 10, 1999
37F	YB38326	March 10, 1999
38	YB38327	March 10, 1999
39F-40F	YB38328-YB38329	March 10, 1999
41-52	YB47140-YB47151	July 25, 1995
Shut 1-4	YA95641-YA95644	March 10, 1999
5F	YB38330	March 10, 1999
Stroker 1-20	YB20426-YB20445	September 3, 1995

*The expiry dates do not include assessment credit for work done in 1994.

The Killer Gold option was obtained in 1993 and covers all Delor and Malou claims plus the Shut 5F fraction. The agreement allows CRL to earn a 100% interest subject to a 2% net smelter return (half of which can be purchased for $1 million) and requires a combination of cash payments and advances against net smelter royalties totalling $365,000 by January 1, 2002. A 5 km area of influence surrounds the claims initially optioned from Ross (Malou 1-26 and Delor 1-10) as illustrated in Figure 3. The Arc option, which includes the Stroker claims, was obtained in 1994 and option terms are described in a separate report.

All-weather access to Haines Junction is provided by 150 km of paved and chip sealed highway (Alaska Highway) from Whitehorse or 265 km of gravel and paved highway (Haines Road) from the deep-sea port at Haines, Alaska. In 1994 personnel and field supplies were flown 43 km to the property from the Kluane Helicopter base at Mackintosh Lodge located along the




Figure 3

R-328 Native Land Claims Block

1994 Access route

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

AREA OF INFLUENCE

RUBY RANGE PROJECT

CASH RESOURCES LTD.

SCALE 1:100,000

0 1 2 3 4 5 Km

Alaska Highway 11 km northwest of Haines Junction. Although most flights were done with a Bell 206B Jet Ranger, a Bell 206L3 Long Ranger was used occasionally when the smaller machine was unavailable. If required, float-equipped, fixed wing aircraft could use small lakes located 1 km west and east of the property, respectively (Figure 2).

In August 1994 a UOH922 Hitachi excavator contracted from E. Caron Diamond Drilling Ltd. was transported 208 km from Whitehorse to the Silver City turnoff via the Alaska Highway and hauled another 3 km along a public access dirt road to Christmas Creek. At this point the equipment was off loaded and walked 45 km along the Cultus Creek Valley access road (maintained seasonally by placer miners) to the head of the placer workings on Twelfth of July Creek. Supervised mobilization was required for the remaining 19 km which continued up Twelfth of July Creek to Ruby Lakes then over a low pass and onto the property. Mobilization of the excavator along this route was completed under the provisions of land use permit #YA4F660. Personnel who accompanied the excavator from Twelfth of July Creek to the property are listed in Appendix III.

HISTORY

Placer gold occurrences are documented on several creeks located immediately south and west of the Ruby Range project area. These creeks have been explored intermittently since the late 1800's. Early production figures are not available however the Department of Indian and Northern Affairs reports that more than 100 kg of gold have been mined from one of the creeks (Fourth of July) since 1985.

In fall 1986 a Geological Survey of Canada (GSC) stream sediment survey of the Aishihik map sheet (Open File 1219) reported anomalous gold and arsenic values from several drainages in the Ruby Range. Immediately following the open file release Silverquest Resources Ltd. (which later changed its name to Cash Resources Ltd.) staked the Shut 1-4, Kil 1-4, Kin 1-4 and Live 1-4 claims to cover four anomalies while United Keno Hill Mines Ltd. staked 28 Ruby claims to cover four additional targets. The Spruce, Cliff and Wall claim blocks were staked by P. Ross. Follow-up reconnaissance contour geochemical sampling and prospecting later that year by Silverquest located numerous gold and arsenic anomalies in the vicinity of the Shut claims but did not substantiate the GSC anomalies on the Kil, Kin and Live properties.

The first lode gold discovery was made during summer 1987 by the DalBianco Exploration Syndicate on the Lib claims, one of two claim blocks it staked that year in the Shut area. Four hand trenches were dug and exposed an arsenopyrite-rich quartz-carbonate vein system (the DalBianco Vein) for a strike length of 40 m. Selected samples assayed up to 89 g/t gold. The Lib claims were located approximately 3 km southeast of the Shut claims while the other block (Beth claims) was staked 1 km to the south.

In 1987 Silverquest added 16 claims to the Shut claim block to cover soil geochemical anomalies outlined by the previous year's work and continued reconnaissance contour geochemical sampling and prospecting on and peripheral to the property. As a result of this work a specimen of arsenopyrite-bearing quartz-carbonate float which assayed 122 g/t gold was discovered on lower Shut Creek. That same year United Keno Hill performed soil sampling and prospecting which outlined significant gold and arsenic anomalies on the Ruby 7-12 claims located at the head of Shut Creek while Ross staked the Arc claims 3 km to the northeast.

The DalBianco Exploration Syndicate optioned the Lib and Beth claims in March 1988 to Silverquest which in turn optioned them to Pezgold Resource Corp. in June. Exploration that summer consisted of grid soil geochemical surveys and prospecting on the Lib and Shut claims. The work outlined coincident north-trending gold and arsenic anomalies on both properties and located a second arsenopyrite-rich vein parallel to the DalBianco Vein on the Lib claims. In mid-summer Pezgold staked the Angus and Topgun claims to provide additional coverage around the anomalies on the Shut and Lib claim blocks, respectively.

In 1988 Ross added more Cliff claims on the east side of Killermun Lake and staked the Stroker claims adjoining the Arc claim block. The Arc and Stroker were briefly optioned in 1989 to Noranda Exploration Co. Ltd. which performed geological mapping, soil sampling and geophysical surveys. This exploration outlined widespread arsenic anomalies with sporadic gold values.

Between 1991 and 1993 Ross restaked the Ruby 7-12 and Beth as the Malou claims and the Lib as the Delor claims. Prospecting by Ross on the Malou claim block discovered quartz± carbonate vein float grading up to 102 g/t gold. In late summer 1993 CRL optioned the 36 Malou and Delor claims (Killer Gold option) amalgamating them with its 100% owned Shut and Angus claim blocks (Shut property) to create what was then called the Killer Gold property. CRL then staked additional Malou and Delor claims increasing the property to 75 claims by the end of September 1993.

GEOMORPHOLOGY

The project area is situated in the Ruby Range Mountains which lie in the rain shadow of the St. Elias Mountains to the southwest. Average annual precipitation is less than 50 cm. Creeks draining the property are tributaries of the Aishihik River which flows into the Alsek River and eventually the Pacific Ocean.

Topography over much of the area is strongly influenced by Pleistocene to Recent valley and alpine glaciation (St. Elias ice sheet). The geomorphological setting is comprised mainly of gently undulating uplands cut by broad, north-trending U-shaped valleys flanked by hanging valleys ending in cirques. Valley bottoms in the vicinity of Killermun Lake along the east side of the claim block are situated slightly below treeline at an elevation of about 1100 m. Bedrock exposures are rare on the valley floors due to a blanket of glaciofluvial outwash and till. Lower slopes are generally covered by lateral moraines up to about 1500 m and bedrock is only seen where creeks have made deep incisions through this material. Relief between 1500 and 1800 m is moderate to steep and outcrops are common where slopes exceed 30°. Ridge crests and uplands above 1800 m appear to have escaped glaciation and are capped with blocky felsenmeer boulder fields. Soil development is poor in all geomorphological zones.

REGIONAL GEOLOGY

The project area lies within the Taku Terrane which is bounded on the southwest by the Denali Fault and the northeast by a belt of intrusions related to the Coast Plutonic Complex (Figure 4). The Taku Terrane is a northwest-trending band of metasedimentary and metavolcanic rocks that extend over 1200 km from the Alaska Panhandle through western Yukon into southern Alaska. The main intrusive bodies in the vicinity of the property are related to the Ruby Range Plutonic Suite which is thought to be an extension of the Great Tonnalite Sill in Alaska.

The regional geology was mapped at 1:250,000 scale by the GSC in the early 1970's (Tempelman-Kluit, 1974). A number of more recent studies have focussed on the lithology and metamorphic history of the Taku Terrane. Two main lithological packages have been outlined in the vicinity of the project area, the Kluane Assemblage belonging to the Taku Terrane and the Ruby Range Plutonic Suite as described below.

Kluane Assemblage is comprised of two homogeneous units, biotite schist and muscovite-chlorite schist (Figure 5). Both are graphitic, exhibit coarse schistosity and contain abundant blue-grey sieve-textured porphyroblasts of graphite-filled andesine (Erdmer, 1991). Protoliths for the units are believed to be Mesozoic flysch derived from a westerly source (Erdmer and Mortensen, 1993). Biotite schist is the dominant unit in the project area. It is typically brown weathering with a purple hue and contains garnet and staurolite with lesser tourmaline. This unit is believed to occur in the upper panel of a thrust fault cutting across the southeast corner of the property. The trace of the fault is intermittently marked by a series of elongate lenses of




Figure 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GEOLOGICAL SETTING

RUBY RANGE PROJECT

CASH RESOURCES LTD.

olivine-serpentine schist (Mezger, pers. comm. 1993). Sillimanite-grade thermal overprinting is believed to be related to the emplacement of the Ruby Range Batholith.

Ruby Range Plutonic Suite includes the Ruby Range Batholith along the northeast side of the Kluane Assemblage plus smaller intrusions that cut the metasediments. It consists of grey to light brown, medium- to coarse-grained, non-foliated biotite hornblende granodiorite. The batholith appears to have been emplaced as a northeast-dipping sheet paralleling the orientation of the regional metamorphic fabric. It is believed to be analogous to the Great Tonnalite Sill situated 400 km to the south in the Alaska Panhandle. Age constraints of crystallization are reportedly between 50 and 57 Ma which suggests the batholith was a synmetamorphic pluton intruded during the latter stage of the terminal high grade metamorphic event in the region (Mortensen and Erdmer, 1992).

PROPERTY GEOLOGY


No systematic property-wide mapping has been done to date because natural exposures are limited and many of the claims have only recently been acquired. Detailed outcrop mapping at 1:2000 scale was done in 1994 in two areas located in the eastern part of the property (Figures 6 and 7) where there are good bedrock exposures and gold-bearing veins were previously documented. Observations made during the detailed mapping and several property-wide prospecting traverses are summarized below.

Lithology

The rock type underlying most of the property is a homogeneous, coarse-grained, graphitic quartz-biotite schist of the Kluane Assemblage. This unit is blocky weathering and often rusty brown on fracture surfaces. Common accessory minerals include garnet and staurolite with lesser tourmaline. Foliations consistently strike northwesterly and form a broad arc that dips gently to the northeast in the northern portion of the property and southwest in the southern part.

Marble lenses and occasional skarn zones are found within the schist on the east-facing slope above Killermun Lake. Exposures of marble are typically white to pale green on both weathered and fresh surfaces, display weak silicification and range up to 7 m thick and 100 m in length. Skarns consist of medium- to coarse-grained garnet and diopside. They are often rusty weathering making them visually difficult to distinguish from schist.

Undeformed coarse-grained granodiorite of the Ruby Range Batholith underlies the northern part of the property. The intrusive contact is obscured by a broad drift-covered valley. A few granodiorite outcrops have also been observed in the southeast corner of the property



- Biotite schist
- Muscovite schist
- Olivine–serpentine schist
- Mafic/ultramafic dyke
- Ruby Range granodiorite

- Terrane boundary
- High angle fault, inferred
- Thrust fault, known and inferred
- Placer creek

Figure 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

RUBY RANGE PROJECT

CASH RESOURCES LTD.

SCALE 1:250,000

0 5 10 15 20 Km

To accompany report dated February 95

near Killermun Lake and are believed to be part of a small plug. Finer-grained diorite and granodiorite dykes up to 3 m wide occur throughout the schist. The age relationship between these dykes and the batholith is uncertain; however, some of the diorite is weakly foliated and appears to be older than the granodiorite. A few diorite dykes follow north-trending shear zones but they are not affected by the shearing. Epidote veinlets are common in both types of dykes.

Structure

The most prominent structure is a northeast-dipping thrust fault that has been traced approximately 65 km from Granite Bay on Kluane Lake into the southern part of the project area as illustrated in Figure 5. This fault is paralleled by a second thrust 15 km to the southwest. A number of strong north-trending high angle faults have also been mapped in the area. One of these is found along the east side of the claim block where it has a north-northeast strike and extends through Shutdunmun and Killermun Lakes. Offsets and age relationships between the two sets of faults is uncertain.

Airphoto analyses have recognized numerous small north- and east-trending topographic linears cutting across the claims. Veins have been discovered in and adjacent to several of the north-trending linears which, where exposed, have proven to be recessive weathering shear zones. Outcrops in the immediate vicinity of the shears exhibit moderate to strong fracturing approximately parallel to the shear direction.

Three types of veins are found on the property. Two appear to have been deposited from high temperature metamorphic fluids while the third, which is gold-bearing, is apparently derived from younger lower temperature solutions. These temperature assumptions are based solely on textural and mineralogical field observations as fluid inclusion studies have not yet been conducted.

One set of high temperature veins exhibits an assemblage including quartz±andalusite± amphibolite±garnet±corundum±tourmaline and usually cuts obliquely across foliation. The other set are quartz sweats that generally parallel foliation and in places are weakly to moderately folded. Most of the quartz in both sets of high temperature veins forms glassy granular masses. Vein selvages often contain andalusite, muscovite and chlorite.

Gold-bearing veins, which are described in detail in the following section, consist of quartz commonly with carbonate and lesser muscovite. The quartz is typically milky white, granular to massive and weakly to strongly fractured parallel to strike. The carbonate mineral has not been identified. It is tan to cream coloured where fresh and is often leached from surface samples leaving a white powdery residue in cavities. The mineralized veins normally cut foliation and parallel the prominent bedrock fracture orientation. In a few locations these veins are found cutting diorite dykes.

MINERALIZATION AND TRENCH RESULTS

Although prospecting is strongly inhibited by extensive till and felsenmeer cover, numerous auriferous arsenopyrite-bearing quartz±carbonate veins and float occurrences have been discovered within a 4500 by 3500 m area in the south-central part of the property. Trenching in 1994 was confined to three main areas (Figure 8) targeted by the geochemical survey and prospecting. Hand trenching was carried out at the DalBianco and Rikus Zones while the excavator was used to explore geochemical anomalies at the head of Shut Creek. Prospecting discovered substantial gold-bearing float at the Delor Creek Zone.

Mineralized quartz±carbonate veins appear to be associated with north-trending recessive topographic linears. They typically strike between N30W and N20E, dip 50 to 75° west and range up to 0.85 m in width. Arsenopyrite is the only sulphide present in most veins however minor galena, chalcopyrite and pyrite were noted in two float specimens. The arsenopyrite varies from fine-grained (≤1 mm) disseminations to coarse-grained (1 to 4 mm) semi-massive to massive bands paralleling the vein walls. Specimens from the DalBianco Zone are generally coarser grained and exhibit lower gold to arsenic ratios than mineralization from the other zones. Oxidized veins are often pitted, exhibit yellow-green scorodite alteration and occasionally contain grains of native gold up to 1 mm in diameter. Gold to silver ratios range from 5:1 at the Rikus Zone to about 2:1 at the DalBianco Zone.

Tungsten-rich skarn mineralization has been located on the Delor claims adjacent to veins and as float on the Malou claims. Two chip samples taken from the Delor claims in 1993 assayed 0.18 and 0.15% tungsten across widths of 1.35 and 1.17 m, respectively. Associated gold values were as high as 3.4 g/t but there is a poor correlation between the two metals. Float specimens collected on the Malou claims assayed up to 0.60% tungsten with only a trace of gold.

In 1994, 190 rock samples were taken from various areas on the property. Of these, 163 chip samples and float specimens were collected from the DalBianco, Rikus, Shut Creek and Delor Creek Zones while 27 float samples were taken from scattered areas over the remainder of the claim block. All samples were sent to Chemex Labs Ltd. of North Vancouver, B.C. where they were ring pulverized to -150 mesh (100 micron), assayed for gold by atomic absorption and 32 other elements by the Induced Coupled Plasma technique (ICP). Gold assays greater than 17 g/t were automatically re-assayed using gravimetric fire assay procedures.

DalBianco Zone

The DalBianco Zone (the discovery locale) has received more exploration than any other area on the property. Twenty hand trenches have been excavated from 1987 to present exposing ten mineralized veins, as illustrated in Figure 6. Three veins, 400 m apart, are defined for strike lengths of about 50 m and are inferred to extend up to 150 m, as indicated by mineralized float located further along strike. Mineralization typically consists of 5 to 35 cm of semi-massive to massive, coarse-grained arsenopyrite within barren or weakly mineralized quartz±carbonate gangue. Pervasive propylitic alteration is developed up to 3 m on either side of the vein

structures. The alteration halos are rusty weathering, weakly to moderately silicified and contain hairline fractures with minor amounts of fine-grained arsenopyrite. Gold assays from the halos are low, typically between 0.20 and 1.00 g/t, but have returned up to 2.26 g/t.

Chip samples of arsenopyrite-rich vein material has assayed as high as 41.07 g/t gold across 0.15 m but most returned less than 9 g/t gold. Veins and halos sampled in seven trenches cut across the discovery vein over a 63 m strike length returned a weighted average assay of 2.03 g/t gold across 3.37 m. Gold to arsenic ratios in this zone are the lowest on the property.

Rikus Zone

This vein system is 50 to 100 m wide and has been traced in bedrock by hand trenching and prospecting for a horizontal distance of 350 m and through a vertical range of 245 m. The mineralization occurs in two relatively continuous veins plus smaller veins and fractures. Individual structures commonly strike between N8W and N10E and dip to the west at about 65°. The zone is blanketed by talus and glacial till to the south but has been traced as float for an additional 750 m to the north.

The two main veins range from 0.2 to 0.75 m in width and are composed of massive milky white quartz that is often strongly fractured parallel to strike. Sulphides consist of up to 20% arsenopyrite which is generally fine grained (≤1 mm diameter) and displays preferential alignment parallel to the fracture direction within the quartz. Most arsenopyrite in this zone has a blue-green hue which distinguishes it from a more brassy appearance at the DalBianco Zone. Weak clay-altered halos up to 1.0 m wide are developed around the veins. They are rusty brown, pale green or yellow in colour.

The two main veins and their adjacent wallrocks were sampled in five hand trenches over a strike length of 60 m and yielded weighted average grades of 4.30 g/t gold across 3.20 m and 3.94 g/t gold across 3.65 m. Individual veins in the trenches assayed up to 45.43 g/t gold over 0.6 m. Seven outcropping vein exposures sampled over a length of 290 m south of the hand trenches returned a weighted average assay of 16.72 g/t gold across 0.54 m. Mineralized veinlets were observed in wallrocks adjacent to some of the vein exposures but this material has not yet been sampled.

The two main veins are separated by about 60 m of moderately to strongly silicified and fractured biotite schist that in places is mineralized with arsenopyrite-bearing quartz veinlets and stringers. Five continuous chip samples taken across one of these areas, where a slump exposed fresh bedrock, returned 7.37 g/t gold across 9.5 m.

Visible gold was discovered in specimens taken from a massive white quartz vein located 150 m northeast of the trenched portion of the Rikus vein system. This vein is approximately parallel to foliation (N64E/36NW) and is exposed in outcrop for 21 m along strike. Coarse gold was identified within an arsenopyrite-enriched band developed in the bottom 20 cm of the 75 cm thick vein. A specimen (17 by 16 by 12 cm) taken from this section of the vein was systematically cut exposing visible gold on 13 of 14 faces. Two of six cut slabs were assayed and returned 36.48 and 79.27 g/t gold, respectively.

Shut Creek Zone

No mineralized bedrock vein exposures have been located in the Shut Creek area to date; however, four out of twenty float specimens taken over a length of 2500 m within the geochemically anomalous trend assayed greater than 80 g/t gold.

Vein material is composed of milky white, glassy or grey quartz±carbonate containing 2 to 20% fine-grained, disseminated arsenopyrite and rare galena. Twenty vein specimens collected over the length of the geochemical response averaged 21 g/t gold with individual specimens grading as high as 122 g/t gold. A 35 m long hand trench dug on the eastern slope of Shut Creek across a mineralized float train bottomed in frozen soil and talus boulders at a depth of 1.5 m. Five excavator trenches were cut on the felsenmeer-covered uplands south of Shut Creek to explore three areas of moderate to strong soil geochemical response. All encountered permafrost at shallow depths and no significant results were obtained before the trenching program was discontinued on September 6 due to poor weather at these higher elevations (2100 m).

Delor Creek Zone

Nine vein float specimens taken from a 300 by 200 m area on the north-facing slope near the head of Delor Creek yielded an arithmetic average grade of 39.05 g/t gold. This suite of specimens included scorodite- or arsenopyrite-bearing quartz-carbonate vein and silicified schist float. No trenching has been done in the area to date.

SOIL GEOCHEMISTRY

Grid soil sampling has been conducted over all of the Shut property and approximately 30% of the Killer Gold option, a total of about 13 sq km. The 1994 sampling was done in a 5600 by 1500 m block which tested between and along strike from smaller grids that were done in 1988 in the vicinity of the Shut Creek and DalBianco Zones.

Grid control is provided by five baselines each marked at 50 m intervals with 1 m wooden lath bearing aluminium tags inscribed with grid coordinates. Soil samples were collected along lines run perpendicular to the baselines and spaced approximately 100 m apart. The 1994 samples were taken at 100 m intervals while the 1988 sampling was done at 50 m intervals. Sample sites are identified by 0.5 m lath, bearing aluminum tags each inscribed with the grid coordinates and sample number, except for those in the southeast half of the 1994 grid where every second site is marked with orange flagging only.

A total of 1128 soils was taken in 1994 while 847 were collected in 1988. All were sent to Chemex Labs Ltd. in North Vancouver where they were dry sieved to -35 mesh, ring pulverized and then analyzed for gold by neutron activation and 32 other elements by the ICP technique. Sample locations are shown on Figure 8 and Certificates of Analysis are listed in Appendix IV.

Results

Grid soil geochemistry has outlined two extensive north-trending belts of anomalous gold and arsenic response as illustrated on Figures 9 and 10, respectively. Anomaly A is in the eastern portion of the grid while Anomaly B lies 3 km to the west. Neither have been completely delineated. The area between the two main anomalous trends contains smaller anomalous clusters and scattered spot highs. Some of the isolated values could be significant as geochemical response in the area is locally masked by glacial till and/or felsenmeer cover. For example, soil samples taken in the vicinity of the Delor Creek Zone returned only scattered weakly anomalous values. Anomalous thresholds and maximum values for gold and arsenic are tabulated below.

TABLE 1
SELECTED GEOCHEMICAL DATA

	Anomalous Threshold				
Element	Weak	Moderate	Strong	Extreme	Maximum Value
Gold (ppb)	20	50	100	200	3280
Arsenic (ppm)	100	200	400	800	7350

Statistical analysis shows that 4.5% of the grid soils collected from 1988 to present exceed the strongly anomalous gold threshold while 2.6% exceed the extreme threshold. Ninety-three percent of the strongly and extremely anomalous results were obtained from either Anomaly A or B.

Anomaly A

Gold and arsenic values are closely correlated within a band of weak to moderate response 3500 m long and 300 to 1000 m wide. Numerous strong to extreme values define more specific trends up to 600 m long and 100 m wide. Two of these trends coincide with the DalBianco and Rikus Zones but most are unexplained by prospecting and will require trenching.

Anomaly B

Gold soil response in this area is very similar to that observed in Anomaly A. Linear clusters of strongly and extremely anomalous values define four northwesterly trends up to 1200 m long and 100 m wide within a much larger band of weak to moderate values, 3500 m long and 250 to 1000 m in wide. Arsenic values show good correlation with gold but are substantially subdued relative to those in Anomaly A. This may indicate that arsenopyrite in this area has a higher gold to arsenic ratio or that native gold is more common here than it is in mineralization associated with Anomaly A.

Some of the vein float discovered in the Shut Creek Zone was collected in the vicinity of strongly anomalous soil samples but most of the soil anomalies are untested.

GEOPHYSICAL SURVEY

On September 7 an orientation HLEM geophysical survey was conducted by Amerok Geophysics in the vicinity of vein exposures at the Rikus and DalBianco Zones. The objective was to test the response of the veins and their alteration halos to determine whether or not geophysical surveys could be used to better define trenching targets elsewhere on the property.

Geophysical lines were oriented oblique to the veins and were spaced 50 m apart using the existing soil grid where possible. Readings were taken on three frequencies at 25 m intervals along each line for a length of 400 m. A detailed summary describing the equipment used and resultant stacked profiles is included as Appendix V.

Geophysical response appears to have defined the Rikus Zone where conductors, although weak, were intermittently traced 200 m along strike from the known vein exposures north to the edge of the test grid. Results from the DalBianco Zone are inconclusive as conductors are inferred to parallel two recessive topographic linears not yet explored.

DISCUSSION AND CONCLUSIONS

Exploration in the project area to date has discovered two gold-bearing vein systems and numerous float occurrences within and between two extensive north-trending bands of anomalous geochemical response. The anomalous trends are not fully outlined and will require additional sampling to delineate their boundaries. Soil geochemistry, prospecting and hand trenching are relatively effective in areas of moderate to steep relief. However, these techniques are less successful on the felsenmeer-covered upland plateaus and glacial till blanketed north-facing slopes and valley bottoms. In these areas HLEM geophysical surveys may help to define specific targets prior to excavator trenching or diamond drilling. At present only the Rikus Zone has been sufficiently defined on surface to warrant diamond drilling.

The Ruby Range project has considerable potential to host high grade underground and/or open pittable bulk-tonnage gold deposits. The geological setting and style of mineralization in the project area are similar to those described in mesothermal gold deposits of the Juneau Gold Belt located 400 km southeast in the Alaska Panhandle. The Juneau Gold Belt is hosted by metasediments of the Taku Terrane and granitic rocks of the Coast Plutonic Complex.

The Treadwell, Kensington and Alaska-Juneau are the most significant deposits in the belt. Past production and current reserves for the Treadwell and Kensington deposits reportedly exceed 140,000 kg of gold with grades between 1.5 and 3.7 g/t (Light, et al, 1990). The Alaska-Juneau is the largest deposit in the belt. It consists of auriferous en echelon quartz vein swarms 30 to 90 m wide extending up to 6 km along strike. The greatest density of quartz veins

are found within shear zones. Gold production from the deposit between 1886 and 1944 is reported at more than 105,000 kg while current reserves are estimated at 90.7 million tonnes grading 1.75 g/t gold (Bundtzen, et al, 1993). Echo Bay Mines Ltd. optioned the Alaska-Juneau deposit in 1988 and has conducted extensive underground diamond drilling. It is currently attempting to acquire development permits required for production.

SELECTED REFERENCES

Bundtzen, T.K., Swainbank, R.C., Clough, A.H., Henning, M.W. and Hansen, E.W.
1993: Alaska's Mineral Industry, Division of Geological and Geophysical Surveys,

Erdmer, P.
1991: Metamorphic terrane east of Denali Fault between Kluane Lake and Kusaua Lake, Yukon Territory; in Current Research, Part A, Geological Survey of Canada, Paper 91-1A, pp.37-42.

Erdmer, P. and Mortensen, J.K.
1993: A 1200 Km long Eocene Metamorphic-plutonic belt in the northwestern Cordillera: Evidence from southwest Yukon; Geology, V.21, pp.1039-1042.


Light, T.D., Brew, D.A. and Ashely, R.P.
1990: The Alaska-Juneau and Treadwell Lode Gold Systems, Southeastern Alaska, Gold Deposits in Metamorphic Rocks, Part 1, pp.27-36.

Mortensen, J.K. and Erdmer, P.
1992: U-Pb^{40}, Ar-^{39}Ar and K-Ar ages for Metamorphics of the Kluane and Aishihik Assemblages in southwestern Yukon Territory; in Radiogenic Age and Isotopic Studies, Report 6; Geological Survey of Canada, Paper 92-2, pp.135-140.

Tempelman-Kluit, D.J.
1974: Reconnaissance Geology of Aishihik Lake, Snag and part of Stewart River Map Areas, west-central Yukon, GSC Paper 73-41.

SIGNIFICANT TRENCH AND VEIN FLOAT ASSAYS

TRENCH	SAMPLE #	FROM (m)	TO (m)	WIDTH (m)	Au (g/t)	COMMENTS
D3	T23168 T8771-72	1.40 W	4.00 W	2.60	2.07	Chip sample includes 0.85 m quartz vein (50% ASPY, 1% PY, trace CPY)
D5	T23174-75 T23167	1.05 W	4.20 W	3.15	2.10	Chip sample includes 0.15 m semi-massive ASPY vein
D6	T8761-64	0.75 W	4.90 W	4.15	1.59	Sample includes 0.15 m quartz veinlets (20-30% ASPY)
including	T8762-64	2.25 W	4.90 W	2.65	2.41	
D7	T23166 T8765-70	5.50 W	15.50 W	10.00	1.53	Chip sample across vein zone includes numerous quartz veinlets & stringers (15-20% ASPY)
including	T23166 T8766-69	7.50 W	12.80 W	5.30	2.78	
D8	T8773-74	1.60 W	5.40 W	3.80	1.27	*5.4-7.0 m not completed to bedrock
D9	T23164 T8779	4.25 W	7.50 W	3.25	1.28	chip sample includes 0.25 m quartz vein (15% ASPY)
D10	T8780 T23163	1.50 W	4.35 W	2.85	2.09	chip sample includes 0.35 m quartz vein (40% ASPY)
D13	T23155	1.00 W	1.70 W	0.70	3.50	chip sample across sluffed quartz vein (8-10% ASPY)
D17	T23162	1.90 W	2.23 W	0.33	8.37	chip sample across sluffed quartz vein (25-30% ASPY)
D18	T23160	1.00 W	1.30 W	0.30	1.30	chip sample across sheared quartz vein (1-2% ASPY)
D19	T23158-59 T8787	2.55 E	4.70 E	2.15	1.37	chip sample across vein zone included (0.20 m) aggregate width of quartz veinlets
D20	T8783-84	1.80 E	6.00 E	4.20	3.05	chip sample includes 0.50 m quartz vein & limonite breccia (20% ASPY)
including	T8783	1.80 E	2.30 E	0.50	23.59	
Specimen	T23108			---	1.44	quartz carbonate vein float (10% ASPY)
Specimen	T23109			---	3.02	brecciated quartz diorite float (5-8% ASPY)
Specimen	T23110			0.15	1.89	slumped quartz vein (5-10% ASPY)
Specimen	T23111			0.10	4.11	chip sample across slumped quartz vein (20-25% ASPY)
Specimen	T23112			0.25	9.02	chip sample across slumped quartz vein (20-25% ASPY) 2 m above T23111
Natural Exposure	T23113			0.20	21.46	chip sample across 0.10 m massive ASPY + 0.10 m quartz vein (5-8% ASPY)
Natural Exposure	T23114			0.10	51.94	chip sample across massive ASPY
Natural Exposure	T23147			0.35	5.07	chip sample across quartz vein (5-10% ASPY)
Natural Exposure	N32486				2.23	quartz vein float (5-10% ASPY)
Natural Exposure	N32487			0.25	30.79	composite chip sample of 3 quartz veins within 5 m shear zone (10-15% ASPY)
Natural Exposure	N32488			0.10	5.59	chip sample across quartz vein (5-10% ASPY)



D1 — 1994 hand trench

Quartz vein trace with orientation

Quartz biotite schist outcrop

Limestone outcrop

Diorite dike with orientation

Foliation orientation

Fracture orientation

C — Chip sample

F — Float sample

Mineralized quartz vein float

Figure 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED GEOLOGY AND TRENCH DATA

DALBIANCO ZONE

RUBY RANGE PROJECT

CASH RESOURCES LTD.

DWG (3)

093250

SCALE 1:2000

0 10 20 50 100 150 200 Metres

0 100 200 300 400 500 600 Feet

To accompany report dated February 95'

SIGNIFICANT TRENCH AND VEIN FLOAT ASSAYS

TRENCH	SAMPLE #	FROM (m)	TO (m)	WIDTH (m)	Au (g/t)	COMMENTS
R1	T7612					
	T23193-98	3.50 W	14.00 W	10.50	1.87	chip sample includes approx.
including	T23193-98	3.50 W	6.60 W	3.10	6.10	0.95 m of quartz veins and stringers (7-12% ASPY)
R1A	T9615-22	41.70 W	54.30 W	12.60	1.51	chip sample includes approx.
including	T7615-19	44.70 W	50.20 W	3.50	3.15	0.6 m of quartz veins and stringers (5-10% ASPY)
R2	T8750-54	0.50 W	8.20 W	7.70	1.84	chip sample includes approx.
including	T8752-54	4.80 W	8.20 W	3.40	3.76	0.80 m of quartz veins and stringers (3-8% ASPY)
R3	T8757-60	2.00 W	10.00 W	8.00	2.23	chip sample includes approx.
including	T8759-60	6.80 W	10.00 W	3.20	3.94	0.55 m of quartz veins and stringers (5-10% ASPY)
R4	935581-83	0.90 W	4.70 W	3.80	4.74	chip sample includes approx.
including	935581	3.10 W	3.70 W	0.60	26.98	0.60 m of quartz veins and stringers (10-15% ASPY)
Natural Exposure	N32483	0.00 W	0.45 W	0.45	7.68	chip sample across bedrock exposure (2-5% ASPY)
Specimen	N32484			0.10	16.39	selective grab from same area as N32483
Natural exposure	N32485			0.25	18.58	chip sample across bedrock exposure (25-35% ASPY)
Natural Exposure	N32492			0.55	29.14	pseudo chip sample across partially sluffed vein (5-10% ASPY)
Natural Exposure	N32494				30.89	0.15 m grab from footwall of bedding parallel quartz vein
Specimen	T23149				9.60	quartz vein float (7-10% ASPY)
Specimen	935568				42.31	quartz vein float (2-5% ASPY)

TRENCH	SAMPLE #	FROM (m)	TO (m)	WIDTH (m)	Au (g/t)	COMMENTS
Natural Exposure	935570			1.40	23.49	chip sample across bedrock vein zone; 0.20 m quartz vein; 1.20 m schist
Natural Exposure	935571-72 93578-80			9.50	7.36	continuous chip sample across 9.50 m outcrop silicified schist with ASPY rich quartz stringers
Natural Exposure	935573			0.75	22.40	quartz vein (3-8% ASPY)
Natural Exposure	935574			0.40	1.85	0.20 m diorite + 0.2 m quartz vein (5-8% ASPY)
Natural Exposure	935576			0.35	7.68	quartz vein (20% ASPY)
Natural Exposure	935577			0.20	11.55	quartz vein (25% ASPY)



RI 1994 hand trench

Shear zone

Quartz vein trace with orientation

C Chip sample

F Float sample

Quartz biotite schist outcrop with foliation orientation

Diorite dike with orientation

Topographic linear

Fracture orientation

Break in slope

Figure 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED GEOLOGY AND TRENCH DATA

RIKUS ZONE

RUBY RANGE PROJECT

CASH RESOURCES, LTD.

Dwg (4)

093250

SCALE 1:2000

0 10 20 50 100 150 200 Metres

0 100 200 300 400 500 600 Feet

To accompany report dated February 95'

ANGUS CLAIMS

SHUT CLAIMS

DELOR CLAIMS

MALOU CLAIMS

DELOR CLAIMS

Shut Cr

Delor Cr

Malou Cr

Ruby Lake

Killermun Lake

FOR DETAILED TRENCH MAP OF RIKUS ZONE SEE FIGURE 7

FOR DETAILED TRENCH MAP OF DALBIANCO ZONE SEE FIGURE 6

YUKON TERRITORY

RUBY RANGE PROJECT

WHITEHORSE

B.C.

LOCATION MAP

- Soil sample location
- Quartz/quartz-carbonate vein float
- Schist wallrock float
- Property boundary
- Trench
- Vein trace

Figure 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

RUBY RANGE PROJECT

CASH RESOURCES LTD.

Dwg (5)

093250

SCALE 1:5000

To accompany report dated February, 1995

137°45'

137°40'

61°10'

ANOMALY B

ANOMALY A

Stub

Dalbi Cl

Malou Cr

Ruby Lake

Killermun Lake

PROPERTY BOUNDARY

FOR DETAILED TRENCH MAP OF RIKUS ZONE SEE FIGURE 7

FOR DETAILED TRENCH MAP OF DALBIANCO ZONE SEE FIGURE 6

5'5v (5 Sample Composite)

YUKON TERRITORY

ALASKA

Dawson

Mayo

RUBY RANGE PROJECT

Carmacks

Ross River

Haines Junction

WHITEHORSE

Watson Lake

B.C.

0 100 200 300 400 500 Km

LOCATION MAP

≥ 200 ppb Au

≥ 100 ppb Au < 200 ppb Au

≥ 50 ppb Au < 100 ppb Au

≥ 20 ppb Au < 50 ppb Au

SOIL SAMPLE LOCATION WITH GOLD VALUES IN PPB

VEIN FLOAT LOCATION WITH GOLD VALUES IN g/t

WALLROCK FLOAT LOCATION WITH GOLD VALUES IN g/t

SOIL SAMPLE LOCATION WITH GOLD VALUE LESS THAN DETECTION LIMIT

VEIN FLOAT/ WALLROCK FLOAT LOCATION WITH GOLD VALUE LESS THAN DETECTION LIMIT

TRENCH

VEIN TRACE

Figure 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

RUBY RANGE PROJECT

CASH RESOURCES LTD.

093250

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

To accompany report dated February, 1990.

137°45'

137°40'

61°10'

ANOMALY A

ANOMALY B

A 10,000 W

B 8,800 W

0+00

Dodo Cr

Malou Cr

Ruby Lake

Killermun Lake

PROPERTY BOUNDARY

FOR DETAILED TRENCH MAP OF RIKUS ZONE SEE FIGURE 7

FOR DETAILED TRENCH MAP OF BALBIANCO ZONE SEE FIGURE 6

(5 Sample Composite)

YUKON TERRITORY

ALASKA

N.W.T.

Dawson

Mt. Hoy

RUBY RANGE PROJECT

Carmacks

Ross River

Haines Junction

WHITEHORSE

Watson Lake

B.C.

0 100 200 300 400 500 Km

LOCATION MAP

≥ 800 ppm As

≥ 400 ppm As < 800 ppm As

≥ 200 ppm As < 400 ppm As

≥ 100 ppm As < 200 ppm As

SOIL SAMPLE LOCATION WITH ARSENIC VALUES IN PPM

VEIN FLOAT LOCATION WITH ARSENIC VALUES IN PPM

WALLROCK FLOAT LOCATION WITH ARSENIC VALUES IN PPM

SOIL SAMPLE LOCATION WITH ARSENIC VALUE BELOW DETECTION LIMIT

TRENCH

VEIN TRACE

Figure 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC GEOCHEMISTRY

RUBY RANGE PROJECT

CASH RESOURCES LTD.

Dwg 7

093250

SCALE 1:5000

0 50 100 200 300 400 500 Metres

0 100 500 1000 1500 Feet

To accompany report dated February, 1985

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.



W.A. Wengzynowski, B.A.Sc.

APPENDIX II

LIST OF FIELD PERSONNEL

LIST OF FIELD PERSONNEL

Personnel	Title	Dates Worked
D. Eaton	Project Supervisor	July 15-17, September 1-2, 4-5
W. Wengzynowski	Project Geologist	June 24-July 18, August 21-September 16
F. Gish	Geologist	July 15-17
T. Becker	Geologist	September 4-14
K. Sax	Geologist	September 4-5
J. Owerko	Field Assistant	June 24-July 18, August 21-September 4
I. Gibson	Field Assistant	June 24-July 18, August 21-September 16
T. Joe	First Nation Environment Monitor	August 29-30
M. Phillips	Cook	September 1-4
M. Allen	Field Assistant	September 1-16
B. Gage	Field Assistant	September 1-14
D. Robinson	Field Assistant	September 4-16
D. Barrett	Field Assistant	September 4-14
H. Hubbard	Cook	September 5-11
B. McLean	Biologist	August 29-30

APPENDIX III

PERSONNEL WHO ACCOMPANIED EXCAVATOR

PERSONNEL WHO ACCOMPANIED EXCAVATOR

Name	Title	Date
W. Wengzynowski	Project Geologist	August 29-30
R. Wabiska	Excavator Operator	August 29-30
K. Kiemle	Environmental Assessment Analyst for Yukon Territorial Government	August 30
T. Joe	First Nations Environmental Monitor	August 29-30
J. Jennings	Resource Management Officer for Yukon Territorial Government, Haines Junction	August 29-30
B. McLean	Contract Biologist/Environmental Monitor	August 29-30

APPENDIX IV

CERTIFICATES OF ANALYSIS

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-A
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T2286	203	205	25	< 0.2	2.91	24	280	< 0.5	< 2	0.43	< 0.5	22	108	63	4.20	< 10	< 1	0.63	10	1.14	650
T2287	203	205	22	< 0.2	2.51	30	240	< 0.5	< 2	0.36	0.5	14	129	47	3.53	< 10	< 1	0.57	10	0.94	490
T2288	203	205	19	< 0.2	2.56	100	240	< 0.5	2	0.39	< 0.5	13	132	39	3.43	< 10	< 1	0.48	10	0.98	450
T2289	203	205	58	< 0.2	2.47	106	220	< 0.5	< 2	0.41	< 0.5	12	129	39	3.30	< 10	< 1	0.46	10	0.97	450
T2290	203	205	27	< 0.2	2.52	106	220	< 0.5	< 2	0.39	< 0.5	12	131	40	3.44	< 10	< 1	0.43	10	0.94	430
T2291	203	205	35	< 0.2	2.18	126	210	< 0.5	2	0.45	1.0	13	127	38	3.16	< 10	< 1	0.50	10	0.85	410
T2292	203	205	52	< 0.2	2.43	140	240	< 0.5	4	0.43	0.5	16	122	49	3.40	< 10	< 1	0.51	10	0.95	480
T2293	203	205	294	< 0.2	2.89	< 2	300	< 0.5	2	0.36	< 0.5	16	152	39	3.18	< 10	< 1	0.54	< 10	1.17	475
T2294	203	205	104	< 0.2	3.06	4	350	< 0.5	< 2	0.40	< 0.5	17	166	42	3.23	< 10	< 1	0.56	< 10	1.21	490
T2295	203	205	93	< 0.2	3.04	102	270	< 0.5	< 2	0.34	0.5	16	133	49	3.97	< 10	< 1	0.53	< 10	1.15	550
T2296	203	205	9	< 0.2	2.57	72	200	< 0.5	2	0.29	< 0.5	16	133	51	3.82	< 10	< 1	0.51	< 10	1.00	515
T2297	203	205	10	< 0.2	3.06	74	250	< 0.5	4	0.37	< 0.5	22	120	66	4.23	< 10	< 1	0.44	< 10	1.15	685
T2298	203	205	2	< 0.2	2.56	32	220	< 0.5	4	0.30	< 0.5	12	131	39	3.75	< 10	< 1	0.39	10	1.00	485
T2299	203	205	19	< 0.2	2.84	50	280	< 0.5	4	0.38	< 0.5	15	155	53	3.86	< 10	< 1	0.61	10	1.07	570
T2300	203	205	9	< 0.2	3.00	52	270	< 0.5	< 2	0.46	0.5	19	121	58	4.05	< 10	< 1	0.48	< 10	1.14	680
T2301	203	205	59	< 0.2	2.69	58	260	< 0.5	4	0.36	< 0.5	14	164	47	3.56	< 10	< 1	0.53	10	1.04	525
T2302	203	205	15	< 0.2	2.85	64	230	< 0.5	< 2	0.40	0.5	13	136	44	4.02	< 10	< 1	0.46	< 10	1.10	485
T2303	203	205	3	< 0.2	2.68	60	220	< 0.5	< 2	0.40	< 0.5	17	124	47	3.75	< 10	< 1	0.45	< 10	1.09	555
T2304	203	205	2	< 0.2	2.66	52	170	< 0.5	< 2	0.24	< 0.5	13	159	40	3.67	< 10	< 1	0.38	< 10	1.17	425
T2305	203	205	35	< 0.2	2.81	94	230	< 0.5	< 2	0.35	0.5	14	160	37	3.89	< 10	1	0.37	< 10	1.12	460
T2306	203	205	23	< 0.2	2.92	82	220	< 0.5	< 2	0.30	0.5	16	110	51	4.22	< 10	< 1	0.34	< 10	1.12	530
T2307	203	205	123	< 0.2	2.42	72	230	< 0.5	< 2	0.47	< 0.5	15	152	50	3.30	< 10	< 1	0.53	10	1.08	445
T2308	203	205	10	< 0.2	2.40	58	230	< 0.5	< 2	0.47	0.5	15	148	49	3.25	< 10	< 1	0.53	10	1.07	435
T2309	203	205	23	< 0.2	2.63	124	260	< 0.5	< 2	0.50	< 0.5	17	151	51	3.55	< 10	< 1	0.58	10	1.18	515
T2310	203	205	21	< 0.2	2.65	106	240	< 0.5	< 2	0.45	< 0.5	16	166	45	3.44	< 10	< 1	0.50	10	1.25	450
T2311	203	205	384	< 0.2	2.39	48	210	< 0.5	< 2	0.41	0.5	15	128	47	3.25	< 10	< 1	0.51	10	0.98	465
T2312	203	205	9	< 0.2	2.66	56	250	< 0.5	2	0.40	< 0.5	18	127	50	3.72	< 10	< 1	0.46	10	1.06	620
T2313	203	205	233	< 0.2	2.29	120	180	< 0.5	< 2	0.32	< 0.5	12	149	40	3.25	< 10	< 1	0.45	10	0.93	465
T2314	203	205	7	< 0.2	2.85	24	250	< 0.5	< 2	0.35	0.5	16	122	46	3.80	< 10	< 1	0.42	10	1.10	600
T2315	203	205	126	< 0.2	2.69	100	240	< 0.5	4	0.36	< 0.5	15	130	48	3.64	< 10	< 1	0.60	< 10	1.04	490
T2316	203	205	288	< 0.2	2.86	42	240	< 0.5	2	0.29	< 0.5	17	118	50	3.91	< 10	< 1	0.41	< 10	1.13	610
T2317	203	205	16	< 0.2	2.29	20	170	< 0.5	< 2	0.30	< 0.5	12	105	39	3.68	< 10	< 1	0.18	< 10	0.89	470
T2318	203	205	84	< 0.2	2.28	114	190	< 0.5	< 2	0.35	0.5	20	88	60	3.38	< 10	< 1	0.39	< 10	0.92	615
T2320	203	205	3	< 0.2	1.87	6	150	< 0.5	< 2	0.40	< 0.5	12	96	36	2.83	< 10	< 1	0.34	< 10	0.83	415
T2321	203	205	35	< 0.2	2.61	102	280	< 0.5	2	0.31	0.5	23	123	57	3.89	< 10	< 1	0.69	< 10	1.01	690
T2322	203	205	97	< 0.2	2.69	352	220	< 0.5	< 2	0.28	1.0	18	111	56	4.03	< 10	< 1	0.38	< 10	1.00	600
T2323	203	205	76	< 0.2	2.49	138	220	< 0.5	< 2	0.30	0.5	17	110	51	3.74	< 10	< 1	0.48	< 10	1.00	570
T2324	203	205	15	< 0.2	2.92	90	230	< 0.5	< 2	0.26	0.5	18	109	55	4.10	< 10	< 1	0.48	< 10	1.12	635
T2325	203	205	11	< 0.2	2.45	56	230	< 0.5	2	0.40	0.5	15	116	46	3.53	< 10	< 1	0.45	< 10	0.99	570
T2326	203	205	33	< 0.2	2.37	44	210	< 0.5	< 2	0.27	< 0.5	13	94	44	3.39	< 10	< 1	0.40	< 10	0.91	500

CERTIFICATION: Ian Pitcher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page er :1-B
Total ges :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T2286	203	205	1	0.03	48	1210	2	2	11	36	0.22	< 10	< 10	115	10	108
T2287	203	205	< 1	0.03	37	1050	2	2	9	23	0.19	< 10	< 10	100	< 10	90
T2288	203	205	< 1	0.03	33	980	< 2	2	9	27	0.18	< 10	< 10	96	< 10	86
T2289	203	205	< 1	0.03	32	1060	2	2	9	27	0.17	< 10	< 10	93	< 10	80
T2290	203	205	1	0.03	33	960	< 2	2	9	28	0.17	< 10	< 10	94	< 10	84
T2291	203	205	1	0.04	31	1150	< 2	2	8	31	0.15	< 10	< 10	87	< 10	74
T2292	203	205	< 1	0.03	39	1090	4	< 2	9	30	0.18	< 10	< 10	97	< 10	90
T2293	203	205	< 1	0.03	41	640	2	< 2	8	35	0.19	< 10	< 10	95	< 10	76
T2294	203	205	< 1	0.03	40	700	< 2	< 2	9	41	0.18	< 10	< 10	98	< 10	74
T2295	203	205	< 1	0.03	40	560	< 2	2	10	29	0.18	< 10	< 10	113	< 10	88
T2296	203	205	< 1	0.03	41	470	2	2	9	24	0.19	< 10	< 10	105	10	88
T2297	203	205	1	0.03	47	1040	2	< 2	10	33	0.18	< 10	< 10	113	10	104
T2298	203	205	1	0.03	33	740	4	2	9	27	0.20	< 10	< 10	108	< 10	84
T2299	203	205	< 1	0.03	43	850	4	2	10	28	0.22	< 10	< 10	112	< 10	86
T2300	203	205	1	0.03	41	1010	< 2	2	10	40	0.20	< 10	< 10	117	10	94
T2301	203	205	< 1	0.03	38	700	< 2	< 2	10	32	0.19	< 10	< 10	103	< 10	82
T2302	203	205	1	0.03	39	650	6	4	10	32	0.21	< 10	< 10	116	< 10	86
T2303	203	205	1	0.02	38	850	6	2	9	34	0.17	< 10	< 10	108	< 10	86
T2304	203	205	1	0.03	37	570	2	< 2	10	26	0.20	< 10	< 10	114	< 10	84
T2305	203	205	1	0.02	38	770	4	4	10	24	0.20	< 10	< 10	114	< 10	84
T2306	203	205	1	0.02	47	670	6	< 2	9	25	0.15	< 10	< 10	115	10	74
T2307	203	205	< 1	0.04	49	1130	< 2	< 2	9	33	0.17	< 10	< 10	98	10	86
T2308	203	205	< 1	0.04	49	1100	< 2	< 2	9	33	0.17	< 10	< 10	97	< 10	86
T2309	203	205	< 1	0.04	50	1170	< 2	2	10	42	0.18	< 10	< 10	104	10	96
T2310	203	205	< 1	0.04	43	790	4	< 2	10	38	0.19	< 10	< 10	108	10	86
T2311	203	205	< 1	0.03	43	950	< 2	< 2	8	28	0.18	< 10	< 10	93	< 10	76
T2312	203	205	< 1	0.03	43	1150	4	2	10	28	0.18	< 10	< 10	104	< 10	102
T2313	203	205	< 1	0.02	34	720	2	4	8	26	0.16	< 10	< 10	91	10	76
T2314	203	205	< 1	0.02	36	610	4	4	10	29	0.21	< 10	< 10	107	10	94
T2315	203	205	< 1	0.03	42	900	2	< 2	9	27	0.18	< 10	< 10	103	10	82
T2316	203	205	< 1	0.02	42	730	< 2	< 2	9	27	0.18	< 10	< 10	106	10	88
T2317	203	205	1	0.02	30	650	4	2	7	25	0.16	< 10	< 10	98	< 10	84
T2318	203	205	< 1	0.02	47	810	2	2	7	25	0.16	< 10	< 10	96	10	82
T2320	203	205	< 1	0.03	32	730	< 2	2	7	25	0.17	< 10	< 10	79	< 10	68
T2321	203	205	1	0.02	55	890	6	2	10	24	0.18	< 10	< 10	104	10	92
T2322	203	205	1	0.02	42	780	8	2	9	28	0.15	< 10	< 10	98	10	92
T2323	203	205	< 1	0.02	39	850	4	< 2	9	27	0.16	< 10	< 10	99	< 10	90
T2324	203	205	1	0.02	42	730	< 2	2	10	26	0.19	< 10	< 10	111	10	98
T2325	203	205	< 1	0.02	36	890	4	4	8	32	0.16	< 10	< 10	97	10	88
T2326	203	205	< 1	0.02	35	630	4	< 2	8	22	0.16	< 10	< 10	92	< 10	74

CERTIFICATION: Ian Pochlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :2-A
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T2327	203	205	16	< 0.2	3.05	114	300	0.5	< 2	0.43	< 0.5	18	95	61	4.30	10	< 1	0.50	< 10	1.18	600
T2328	203	205	4	0.2	2.76	78	260	0.5	2	0.40	< 0.5	15	107	48	4.14	10	< 1	0.47	< 10	1.10	570
T2329	203	205	15	< 0.2	3.37	66	340	0.5	< 2	0.40	< 0.5	18	169	43	4.21	10	< 1	0.61	< 10	1.70	450
T2330	203	205	6	< 0.2	2.97	62	310	0.5	< 2	0.48	< 0.5	17	106	54	4.15	10	< 1	0.41	< 10	1.20	485
T2331	203	205	11	< 0.2	2.75	56	260	< 0.5	< 2	0.43	< 0.5	13	107	41	4.02	10	< 1	0.35	< 10	1.09	440
T2332	203	205	3	< 0.2	2.72	56	190	< 0.5	< 2	0.28	< 0.5	15	93	46	4.37	10	< 1	0.32	< 10	1.02	455
T2333	203	205	15	0.2	3.21	82	300	0.5	< 2	0.48	< 0.5	18	97	67	4.63	10	< 1	0.34	< 10	1.24	515
T2334	203	205	9	< 0.2	2.42	42	180	< 0.5	2	0.35	< 0.5	14	112	45	3.48	10	< 1	0.40	< 10	1.06	375
T2335	203	205	6	0.2	2.58	42	230	< 0.5	< 2	0.34	< 0.5	12	107	37	3.69	10	< 1	0.47	< 10	1.07	365
T2336	203	205	18	< 0.2	2.26	56	180	< 0.5	< 2	0.51	< 0.5	13	112	33	3.29	10	< 1	0.44	10	0.98	400
T2337	203	205	4	0.2	2.19	62	270	< 0.5	< 2	0.55	< 0.5	14	84	44	3.31	10	< 1	0.34	< 10	0.88	570
T2338	203	205	3	0.2	3.35	122	270	0.5	< 2	0.38	< 0.5	24	100	59	4.81	10	< 1	0.49	< 10	1.25	675
T2339	203	205	2	< 0.2	2.28	68	200	0.5	2	0.40	< 0.5	14	99	42	3.45	10	< 1	0.45	< 10	0.93	415
T2340	203	205	13	< 0.2	2.78	92	250	0.5	< 2	0.37	< 0.5	16	139	48	4.14	10	< 1	0.51	< 10	1.06	585
T2341	203	205	17	< 0.2	2.82	122	260	0.5	2	0.35	< 0.5	17	112	44	4.26	< 10	< 1	0.37	< 10	1.06	585
T2342	203	205	29	0.2	3.38	244	280	0.5	2	0.35	< 0.5	22	117	59	4.93	10	< 1	0.42	< 10	1.24	730
T2343	203	205	2	< 0.2	2.87	144	260	0.5	2	0.31	< 0.5	19	115	51	4.20	10	< 1	0.44	< 10	1.02	600
T2344	203	205	24	< 0.2	3.23	106	340	0.5	2	0.35	< 0.5	22	130	67	4.76	10	< 1	0.71	< 10	1.21	700
T2345	203	205	6	< 0.2	2.26	24	160	< 0.5	2	0.34	< 0.5	13	82	33	3.43	10	< 1	0.33	10	0.89	480
T2349	203	205	8	< 0.2	2.52	10	210	< 0.5	< 2	0.38	< 0.5	13	94	33	3.68	10	< 1	0.30	< 10	1.01	520
T2350	203	205	5	< 0.2	2.34	14	210	< 0.5	2	0.45	< 0.5	12	108	34	3.44	10	< 1	0.36	10	0.93	455
T2351	203	205	12	< 0.2	2.79	100	260	0.5	< 2	0.30	< 0.5	15	108	42	3.99	10	< 1	0.48	< 10	1.03	505
T2352	203	205	14	< 0.2	2.71	120	250	0.5	< 2	0.42	< 0.5	19	92	47	3.93	10	< 1	0.58	< 10	1.01	540
T2353	203	205	39	< 0.2	2.40	254	240	< 0.5	< 2	0.40	< 0.5	17	112	50	3.75	10	< 1	0.53	< 10	1.00	505
T2354	203	205	81	< 0.2	2.26	60	180	< 0.5	< 2	0.35	< 0.5	14	89	40	3.44	10	< 1	0.33	< 10	0.91	460
T2355	203	205	14	< 0.2	2.52	104	230	0.5	< 2	0.28	< 0.5	15	112	43	3.80	10	< 1	0.37	< 10	0.96	540
T2356	203	205	24	< 0.2	3.08	144	330	0.5	2	0.28	< 0.5	22	116	58	4.50	10	< 1	0.63	< 10	1.11	700
T2357	203	205	24	0.2	2.92	252	270	0.5	< 2	0.36	< 0.5	20	105	61	4.88	10	< 1	0.38	< 10	1.02	665
T2358	203	205	9	< 0.2	2.54	116	220	0.5	< 2	0.34	< 0.5	16	131	44	3.79	10	< 1	0.46	< 10	1.00	555
T2359	203	205	12	< 0.2	2.92	148	250	0.5	< 2	0.38	< 0.5	17	108	56	4.57	10	< 1	0.46	< 10	1.14	585
T2360	203	205	10	< 0.2	2.71	164	250	0.5	2	0.43	< 0.5	17	110	52	4.21	10	< 1	0.43	< 10	1.08	610
T2361	203	205	16	0.2	2.68	170	240	0.5	< 2	0.33	< 0.5	23	102	42	4.38	10	< 1	0.38	< 10	1.05	735
T2362	203	205	< 1	< 0.2	2.20	62	220	< 0.5	< 2	0.35	< 0.5	12	117	35	3.46	10	< 1	0.43	< 10	0.92	410
T2363	203	205	6	< 0.2	1.84	48	220	< 0.5	< 2	0.38	< 0.5	11	97	29	2.98	10	< 1	0.45	< 10	0.81	390
T2364	203	205	12	< 0.2	2.26	78	230	< 0.5	< 2	0.42	< 0.5	12	104	33	3.23	10	< 1	0.37	< 10	0.90	440
T2365	203	205	5	0.2	2.03	32	140	< 0.5	< 2	0.32	< 0.5	11	87	32	3.30	10	< 1	0.27	< 10	0.83	305
T2366	203	205	11	0.2	3.67	94	390	0.5	< 2	0.47	< 0.5	23	106	69	4.93	10	< 1	0.35	10	1.29	750
T2367	203	205	18	0.4	3.96	154	390	0.5	< 2	0.51	< 0.5	27	107	98	5.54	10	< 1	0.45	10	1.38	775
T2368	203	205	13	< 0.2	1.37	22	120	< 0.5	< 2	0.33	< 0.5	9	64	29	3.08	10	< 1	0.11	< 10	0.55	475
T2369	203	205	52	< 0.2	2.06	60	170	< 0.5	< 2	0.28	< 0.5	11	138	30	3.07	10	< 1	0.40	< 10	0.87	360

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page er :2-B
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T2327	203	205	< 1	0.02	46	990	10	< 2	9	37	0.18	< 10	< 10	124	< 10	92
T2328	203	205	< 1	0.02	42	910	< 2	< 2	8	37	0.18	< 10	< 10	118	< 10	80
T2329	203	205	< 1	0.03	49	920	6	< 2	12	45	0.22	< 10	< 10	145	< 10	98
T2330	203	205	< 1	0.02	46	930	2	< 2	9	42	0.18	< 10	< 10	116	< 10	90
T2331	203	205	< 1	0.02	39	670	< 2	< 2	8	35	0.18	< 10	< 10	116	< 10	78
T2332	203	205	< 1	0.02	43	500	8	< 2	7	27	0.16	< 10	< 10	116	< 10	98
T2333	203	205	< 1	0.02	53	630	2	< 2	8	42	0.18	< 10	< 10	131	< 10	88
T2334	203	205	< 1	0.02	44	540	4	< 2	8	27	0.17	< 10	< 10	101	< 10	70
T2335	203	205	< 1	0.02	38	480	< 2	< 2	8	27	0.19	< 10	< 10	109	< 10	76
T2336	203	205	< 1	0.03	33	970	2	< 2	7	33	0.17	< 10	< 10	93	< 10	62
T2337	203	205	< 1	0.02	33	1200	6	< 2	6	43	0.12	< 10	< 10	94	< 10	64
T2338	203	205	1	0.02	46	1060	10	< 2	9	36	0.17	< 10	< 10	133	< 10	104
T2339	203	205	< 1	0.02	37	1090	< 2	< 2	7	28	0.15	< 10	< 10	91	< 10	72
T2340	203	205	< 1	0.03	43	1000	4	< 2	9	31	0.18	< 10	< 10	112	< 10	92
T2341	203	205	1	0.02	41	830	10	< 2	8	33	0.17	< 10	< 10	112	< 10	96
T2342	203	205	< 1	0.02	52	1070	8	< 2	9	40	0.15	< 10	< 10	123	< 10	112
T2343	203	205	< 1	0.02	46	770	4	< 2	8	31	0.16	< 10	< 10	109	< 10	102
T2344	203	205	< 1	0.02	57	870	2	< 2	10	26	0.21	< 10	< 10	127	< 10	108
T2345	203	205	< 1	0.02	35	380	< 2	< 2	6	29	0.19	< 10	< 10	91	< 10	68
T2349	203	205	1	0.02	33	790	2	< 2	8	31	0.18	< 10	< 10	101	< 10	76
T2350	203	205	< 1	0.03	32	940	4	< 2	7	33	0.17	< 10	< 10	95	< 10	78
T2351	203	205	1	0.02	38	830	< 2	< 2	8	27	0.16	< 10	< 10	105	< 10	88
T2352	203	205	< 1	0.03	42	1110	8	< 2	8	38	0.17	< 10	< 10	97	< 10	96
T2353	203	205	1	0.02	42	890	< 2	< 2	8	30	0.17	< 10	< 10	102	< 10	82
T2354	203	205	< 1	0.02	39	550	2	< 2	7	26	0.17	< 10	< 10	91	< 10	72
T2355	203	205	< 1	0.02	39	680	8	< 2	8	28	0.15	< 10	< 10	101	< 10	82
T2356	203	205	< 1	0.03	60	760	8	< 2	9	25	0.16	< 10	< 10	118	< 10	122
T2357	203	205	< 1	0.03	50	1090	4	< 2	8	48	0.13	< 10	< 10	110	< 10	102
T2358	203	205	< 1	0.03	41	760	10	< 2	8	32	0.17	< 10	< 10	102	< 10	86
T2359	203	205	< 1	0.02	47	1220	< 2	< 2	8	37	0.15	< 10	< 10	119	< 10	106
T2360	203	205	< 1	0.02	42	1250	8	< 2	8	37	0.12	< 10	< 10	102	< 10	96
T2361	203	205	< 1	0.02	40	820	6	< 2	8	30	0.14	< 10	< 10	115	< 10	88
T2362	203	205	< 1	0.02	34	850	2	< 2	7	26	0.14	< 10	< 10	95	< 10	70
T2363	203	205	< 1	0.01	29	880	2	< 2	6	27	0.12	< 10	< 10	83	< 10	66
T2364	203	205	< 1	0.01	34	720	4	< 2	7	29	0.12	< 10	< 10	87	< 10	72
T2365	203	205	< 1	0.03	29	530	2	< 2	6	25	0.15	< 10	< 10	102	< 10	66
T2366	203	205	< 1	0.02	54	1020	4	< 2	10	47	0.17	< 10	< 10	136	< 10	104
T2367	203	205	1	0.02	70	780	10	< 2	11	49	0.18	< 10	< 10	144	< 10	114
T2368	203	205	< 1	0.03	22	640	8	< 2	3	27	0.11	< 10	< 10	81	< 10	60
T2369	203	205	< 1	0.02	32	680	6	< 2	6	21	0.14	< 10	< 10	85	< 10	68

CERTIFICATION: David Bachelder

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T2370	203	205	9	< 0.2	2.03	58	200	< 0.5	< 2	0.39	< 0.5	11	102	35	3.24	< 10	< 1	0.41	< 10	0.89	380
T2371	203	205	12	< 0.2	2.26	94	230	< 0.5	< 2	0.34	< 0.5	13	99	42	3.57	< 10	< 1	0.49	< 10	0.97	495
T2372	203	205	17	< 0.2	2.77	124	280	< 0.5	< 2	0.31	< 0.5	18	107	58	4.34	< 10	< 1	0.48	< 10	1.12	635
T2373	203	205	81	< 0.2	2.26	162	220	< 0.5	< 2	0.31	< 0.5	15	99	46	3.69	< 10	< 1	0.46	< 10	0.96	495
T2374	203	205	16	< 0.2	2.85	176	280	< 0.5	< 2	0.29	< 0.5	17	117	53	4.41	< 10	< 1	0.62	< 10	1.19	590
T2375	203	205	24	< 0.2	2.81	218	270	< 0.5	< 2	0.29	< 0.5	17	99	58	4.50	< 10	< 1	0.40	< 10	1.07	570
T2376	203	205	14	< 0.2	2.71	164	230	< 0.5	< 2	0.34	< 0.5	18	84	63	4.59	< 10	< 1	0.30	< 10	1.03	645
T2377	203	205	50	< 0.2	2.54	162	230	< 0.5	< 2	0.28	< 0.5	18	104	53	4.20	< 10	< 1	0.34	< 10	0.97	610
T2378	203	205	286	< 0.2	2.28	232	210	< 0.5	< 2	0.35	< 0.5	20	102	61	3.90	< 10	< 1	0.50	< 10	0.94	540
T2379	203	205	22	< 0.2	2.23	64	190	< 0.5	4	0.36	< 0.5	14	89	40	3.68	< 10	< 1	0.33	< 10	1.01	460
T2380	203	205	145	< 0.2	2.40	58	230	< 0.5	< 2	0.39	< 0.5	17	88	46	3.62	< 10	< 1	0.41	< 10	1.04	460
T2381	203	205	33	< 0.2	2.87	152	270	< 0.5	2	0.34	< 0.5	16	105	57	4.48	< 10	< 1	0.57	< 10	1.16	515
T2382	203	205	4	< 0.2	2.31	16	190	< 0.5	< 2	0.41	< 0.5	15	93	39	3.49	< 10	< 1	0.40	< 10	1.03	465
T2383	203	205	6	< 0.2	2.52	18	200	< 0.5	< 2	0.33	< 0.5	14	89	41	3.84	< 10	< 1	0.36	< 10	1.05	555
T2384	203	205	27	< 0.2	2.92	132	420	< 0.5	< 2	0.42	< 0.5	16	97	45	3.66	< 10	< 1	0.47	< 10	1.14	445
T2385	203	205	4	< 0.2	2.32	26	240	< 0.5	< 2	0.37	< 0.5	14	103	39	3.43	< 10	< 1	0.52	< 10	1.02	470
T2386	203	205	19	< 0.2	2.18	112	210	< 0.5	< 2	0.43	< 0.5	16	82	49	3.71	< 10	< 1	0.42	< 10	0.98	455
T2387	203	205	14	< 0.2	2.35	148	240	< 0.5	< 2	0.38	< 0.5	19	95	51	3.85	< 10	< 1	0.49	< 10	1.06	635
T2388	203	205	34	< 0.2	2.12	106	180	< 0.5	< 2	0.32	< 0.5	13	91	42	3.48	< 10	< 1	0.50	< 10	0.91	380
T2389	203	205	5	< 0.2	2.57	40	280	< 0.5	< 2	0.31	< 0.5	15	125	54	3.96	< 10	< 1	0.68	< 10	1.07	475
T2390	203	205	16	< 0.2	2.87	102	350	< 0.5	< 2	0.46	< 0.5	32	119	68	4.48	< 10	< 1	0.48	< 10	1.03	850
T2391	203	205	4	< 0.2	2.15	26	200	< 0.5	< 2	0.31	< 0.5	11	93	37	3.35	< 10	< 1	0.47	< 10	0.92	385
T2392	203	205	1	< 0.2	1.36	30	120	< 0.5	2	0.24	< 0.5	9	71	26	2.53	< 10	< 1	0.17	< 10	0.56	230
T2393	203	205	16	< 0.2	3.13	152	320	< 0.5	< 2	0.42	< 0.5	23	97	67	4.85	< 10	< 1	0.48	< 10	1.23	705
T2394	203	205	11	< 0.2	2.61	130	240	< 0.5	< 2	0.32	< 0.5	16	123	45	4.16	< 10	< 1	0.49	< 10	1.12	530
T2395	203	205	9	< 0.2	2.44	58	250	< 0.5	< 2	0.34	< 0.5	16	129	46	3.88	< 10	< 1	0.53	< 10	1.23	450
T2396	203	205	17	< 0.2	2.37	84	250	< 0.5	< 2	0.44	< 0.5	17	110	50	3.79	< 10	< 1	0.45	< 10	1.10	535
T2397	203	205	14	< 0.2	2.52	94	250	< 0.5	< 2	0.35	< 0.5	18	118	51	3.91	< 10	< 1	0.51	< 10	1.20	515
T2398	203	205	8	< 0.2	2.33	40	240	< 0.5	< 2	0.33	< 0.5	12	91	48	3.59	< 10	< 1	0.42	< 10	1.09	365
T2399	203	205	1	< 0.2	2.01	30	280	< 0.5	< 2	0.54	< 0.5	16	74	39	3.69	< 10	< 1	0.18	< 10	0.94	645
T2400	203	205	79	< 0.2	2.63	60	240	< 0.5	< 2	0.38	< 0.5	17	105	61	4.28	< 10	< 1	0.45	< 10	1.22	485
T23144	203	205	130	0.2	1.99	296	210	< 0.5	< 2	0.46	< 0.5	12	75	30	3.15	< 10	< 1	0.43	< 10	1.10	375
T23145	203	205	10	< 0.2	1.93	62	190	< 0.5	< 2	0.43	< 0.5	13	83	38	3.21	< 10	< 1	0.38	< 10	0.89	400
T23146	203	205	13	< 0.2	2.07	54	220	< 0.5	< 2	0.41	< 0.5	15	84	41	3.42	< 10	< 1	0.48	< 10	0.94	415
S07254	203	205	< 1	< 0.2	2.13	18	200	< 0.5	< 2	0.32	< 0.5	13	96	32	3.58	< 10	< 1	0.30	< 10	0.92	490
S07255	203	205	36	< 0.2	2.20	230	190	< 0.5	< 2	0.31	< 0.5	25	84	71	4.38	< 10	< 1	0.48	< 10	0.89	555
S07256	203	205	883	< 0.2	2.69	306	300	< 0.5	< 2	0.28	< 0.5	20	120	58	4.32	< 10	< 1	0.68	< 10	1.11	555
S07257	203	205	18	< 0.2	2.62	116	260	< 0.5	< 2	0.33	< 0.5	18	96	57	4.29	< 10	< 1	0.50	< 10	1.12	530
S07258	203	205	5	< 0.2	2.47	106	240	< 0.5	< 2	0.28	< 0.5	19	110	59	4.09	< 10	< 1	0.44	< 10	1.03	565
S07259	203	205	24	< 0.2	2.88	138	230	< 0.5	< 2	0.44	< 0.5	28	128	88	4.50	< 10	< 1	0.50	< 10	1.56	735

CERTIFICATION: H. W. Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T2370	203	205	< 1	0.01	31	790	4	4	7	25	0.16	< 10	< 10	93	< 10	76
T2371	203	205	< 1	0.02	36	840	10	2	9	26	0.16	< 10	< 10	98	< 10	88
T2372	203	205	1	0.02	44	960	12	4	10	30	0.16	< 10	< 10	115	< 10	100
T2373	203	205	1	0.02	37	990	6	2	8	26	0.14	< 10	< 10	95	< 10	84
T2374	203	205	1	0.02	43	810	14	2	11	28	0.18	< 10	< 10	120	< 10	106
T2375	203	205	1	0.02	46	1080	12	4	9	32	0.14	< 10	< 10	107	< 10	102
T2376	203	205	1	0.02	45	1210	12	2	8	34	0.14	< 10	< 10	115	< 10	100
T2377	203	205	1	0.02	43	1150	10	2	8	28	0.14	< 10	< 10	105	< 10	98
T2378	203	205	1	0.02	53	930	8	4	9	28	0.17	< 10	< 10	96	< 10	102
T2379	203	205	1	0.02	34	380	8	4	8	27	0.21	< 10	< 10	103	< 10	80
T2380	203	205	< 1	0.02	38	840	8	< 2	9	31	0.18	< 10	< 10	98	< 10	100
T2381	203	205	< 1	0.02	43	840	14	2	11	32	0.20	< 10	< 10	115	< 10	106
T2382	203	205	< 1	0.02	34	790	6	2	8	30	0.19	< 10	< 10	95	< 10	82
T2383	203	205	1	0.02	35	820	8	2	8	26	0.18	< 10	< 10	102	< 10	84
T2384	203	205	< 1	0.03	48	830	8	6	9	59	0.17	< 10	< 10	106	< 10	92
T2385	203	205	< 1	0.02	36	870	10	4	9	27	0.18	< 10	< 10	96	< 10	84
T2386	203	205	< 1	0.02	39	1090	8	< 2	9	34	0.16	< 10	< 10	93	< 10	92
T2387	203	205	< 1	0.02	42	1040	12	< 2	9	31	0.18	< 10	< 10	101	< 10	96
T2388	203	205	< 1	0.02	34	940	12	2	8	22	0.15	< 10	< 10	93	< 10	84
T2389	203	205	< 1	0.02	42	890	6	< 2	10	26	0.20	< 10	< 10	113	< 10	88
T2390	203	205	< 1	0.02	48	1460	12	6	10	50	0.14	< 10	< 10	115	< 10	98
T2391	203	205	< 1	0.02	33	650	8	4	8	23	0.17	< 10	< 10	93	< 10	76
T2392	203	205	< 1	0.05	19	500	6	2	4	21	0.11	< 10	< 10	74	< 10	48
T2393	203	205	1	0.02	51	1150	16	4	11	43	0.16	< 10	< 10	125	< 10	114
T2394	203	205	1	0.02	41	970	6	4	10	26	0.15	< 10	< 10	108	< 10	98
T2395	203	205	1	0.02	39	690	12	< 2	10	29	0.16	< 10	< 10	115	< 10	94
T2396	203	205	1	0.02	44	850	12	2	9	34	0.13	< 10	< 10	103	< 10	90
T2397	203	205	< 1	0.02	49	840	12	2	9	28	0.15	< 10	< 10	108	< 10	90
T2398	203	205	1	0.02	40	790	8	2	9	24	0.15	< 10	< 10	103	< 10	84
T2399	203	205	2	0.01	34	990	14	2	4	42	0.06	< 10	< 10	88	< 10	82
T2400	203	205	1	0.01	53	700	16	2	9	29	0.13	< 10	< 10	121	< 10	100
T23144	203	205	< 1	0.02	27	1020	16	2	8	28	0.13	< 10	< 10	87	< 10	70
T23145	203	205	< 1	0.02	31	1050	6	2	8	28	0.15	< 10	< 10	84	< 10	80
T23146	203	205	< 1	0.02	33	1010	10	< 2	8	29	0.16	< 10	< 10	91	< 10	86
S07254	203	205	1	0.02	29	720	12	< 2	8	25	0.17	< 10	< 10	98	< 10	74
S07255	203	205	< 1	0.02	60	1060	6	4	8	24	0.15	< 10	< 10	95	< 10	102
S07256	203	205	< 1	0.02	49	780	10	4	10	25	0.18	< 10	< 10	115	< 10	102
S07257	203	205	1	0.02	44	1040	8	4	10	28	0.18	< 10	< 10	112	< 10	112
S07258	203	205	< 1	0.02	47	750	6	4	9	26	0.16	< 10	< 10	103	< 10	96
S07259	203	205	< 1	0.03	90	1170	12	4	9	38	0.16	< 10	< 10	108	< 10	114

CERTIFICATION: Jno. H. Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :4-A
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S07260	203	205	16	< 0.2	3.35	160	290	< 0.5	< 2	0.36	< 0.5	30	105	89	5.22	< 10	< 1	0.46	< 10	1.41	815
S07261	203	205	8	< 0.2	2.57	98	220	< 0.5	< 2	0.27	< 0.5	18	120	58	4.00	< 10	< 1	0.44	< 10	1.09	585
S07262	203	205	24	< 0.2	2.25	38	220	< 0.5	< 2	0.40	< 0.5	12	135	42	3.49	< 10	< 1	0.49	< 10	1.01	445
S07263	203	205	20	< 0.2	2.19	58	210	< 0.5	< 2	0.33	< 0.5	13	105	43	3.35	< 10	< 1	0.45	< 10	0.96	440
S07264	203	205	8	< 0.2	2.51	46	240	< 0.5	< 2	0.45	< 0.5	18	121	67	3.74	< 10	< 1	0.51	< 10	1.25	445
S07265	203	205	10	< 0.2	3.43	116	360	< 0.5	< 2	0.56	< 0.5	31	112	80	5.37	10	< 1	0.32	< 10	1.37	1015
S07266	203	205	16	0.2	3.43	88	260	< 0.5	4	0.43	< 0.5	14	110	65	4.40	< 10	< 1	0.37	< 10	1.38	345
S07267	203	205	20	< 0.2	2.71	78	240	< 0.5	2	0.43	< 0.5	19	145	59	4.00	< 10	< 1	0.48	< 10	1.28	510
S07268	203	205	13	< 0.2	2.96	112	310	< 0.5	2	0.57	< 0.5	19	116	67	4.39	< 10	< 1	0.49	< 10	1.26	645
S07269	203	205	14	< 0.2	3.14	136	320	< 0.5	< 2	0.40	< 0.5	18	141	57	4.48	< 10	< 1	0.40	< 10	1.22	555
S07270	203	205	229	< 0.2	1.91	72	200	< 0.5	< 2	0.35	< 0.5	10	141	35	3.00	< 10	< 1	0.46	< 10	0.86	370
S07271	203	205	54	< 0.2	1.87	76	200	< 0.5	< 2	0.34	< 0.5	11	123	35	2.97	< 10	< 1	0.47	< 10	0.86	375
S07272	203	205	29	< 0.2	3.09	322	320	< 0.5	< 2	0.48	< 0.5	25	111	69	4.89	< 10	< 1	0.40	< 10	1.29	810
S07273	203	205	72	< 0.2	2.91	426	280	< 0.5	< 2	0.32	< 0.5	19	140	64	4.55	< 10	< 1	0.55	< 10	1.25	565
S07274	203	205	64	< 0.2	2.87	400	290	< 0.5	< 2	0.26	< 0.5	19	125	58	4.29	< 10	< 1	0.48	< 10	1.15	580
S07275	203	205	74	< 0.2	2.77	196	250	< 0.5	< 2	0.28	< 0.5	16	165	56	4.29	< 10	< 1	0.57	< 10	1.05	530
S07276	203	205	3	< 0.2	2.23	54	200	< 0.5	< 2	0.26	< 0.5	14	118	53	3.96	< 10	< 1	0.25	< 10	0.87	500
S07277	203	205	24	< 0.2	2.92	226	280	< 0.5	< 2	0.25	< 0.5	17	128	50	4.38	< 10	< 1	0.54	< 10	1.13	480
S07279	203	205	40	< 0.2	2.16	188	180	< 0.5	< 2	0.35	< 0.5	14	104	41	3.52	< 10	< 1	0.50	< 10	0.87	360
S07280	203	205	66	< 0.2	2.25	238	200	< 0.5	< 2	0.36	< 0.5	15	113	46	3.73	< 10	< 1	0.55	< 10	0.90	375
S07281	203	205	6	< 0.2	2.37	22	270	< 0.5	< 2	0.40	< 0.5	14	119	39	3.73	< 10	< 1	0.33	< 10	1.01	535
S07282	203	205	2	< 0.2	2.32	14	180	< 0.5	< 2	0.34	< 0.5	15	106	38	3.83	< 10	< 1	0.23	< 10	0.95	760
S07283	203	205	8	< 0.2	2.69	50	230	< 0.5	< 2	0.37	< 0.5	21	165	57	4.06	< 10	< 1	0.50	< 10	1.07	640
S07284	203	205	< 1	< 0.2	2.26	24	390	< 0.5	< 2	0.81	< 0.5	16	81	57	3.48	< 10	< 1	0.31	< 10	0.88	680
S07285	203	205	2	< 0.2	2.75	26	270	< 0.5	< 2	0.35	< 0.5	18	110	54	3.99	< 10	< 1	0.52	< 10	1.10	595
S07286	203	205	51	< 0.2	2.58	22	280	< 0.5	< 2	0.30	< 0.5	14	114	44	3.90	< 10	< 1	0.48	< 10	1.07	550
S07287	203	205	4	< 0.2	2.90	36	260	< 0.5	< 2	0.53	< 0.5	27	172	45	3.25	< 10	< 1	0.51	< 10	1.75	525
S07288	203	205	11	< 0.2	2.11	78	200	< 0.5	< 2	0.30	< 0.5	14	94	43	3.50	< 10	< 1	0.40	< 10	0.91	435
S07289	203	205	27	< 0.2	2.38	250	250	< 0.5	< 2	0.34	< 0.5	16	114	41	4.02	< 10	< 1	0.36	< 10	0.98	460
S07290	203	205	33	< 0.2	2.41	252	250	< 0.5	< 2	0.34	< 0.5	23	102	61	4.42	< 10	< 1	0.56	< 10	1.00	545
S07291	203	205	113	< 0.2	2.19	98	210	< 0.5	< 2	0.31	< 0.5	16	114	51	3.53	< 10	< 1	0.47	< 10	0.91	505
S07292	203	205	376	< 0.2	3.10	500	370	< 0.5	< 2	0.28	< 0.5	28	105	67	4.52	< 10	< 1	0.78	< 10	1.09	565
S07293	203	205	131	< 0.2	2.75	228	270	< 0.5	< 2	0.31	< 0.5	14	114	53	4.30	< 10	< 1	0.50	< 10	1.08	525
S07294	203	205	77	< 0.2	2.53	220	230	< 0.5	< 2	0.37	< 0.5	22	126	68	4.09	< 10	< 1	0.55	< 10	1.09	535
S07295	203	205	55	< 0.2	2.80	366	260	< 0.5	< 2	0.35	< 0.5	20	121	66	4.47	< 10	< 1	0.50	< 10	1.18	565
S07296	203	205	28	< 0.2	2.48	244	260	< 0.5	< 2	0.40	< 0.5	18	129	58	3.90	< 10	< 1	0.45	< 10	1.04	550
S07297	203	205	20	< 0.2	2.98	174	280	< 0.5	< 2	0.35	< 0.5	22	113	70	4.50	< 10	< 1	0.43	< 10	1.22	690
S07298	203	205	28	< 0.2	2.70	114	260	< 0.5	< 2	0.41	< 0.5	18	133	58	4.05	< 10	< 1	0.46	< 10	1.14	560
S07299	203	205	6	< 0.2	2.66	32	190	< 0.5	< 2	0.41	< 0.5	23	108	64	4.26	< 10	< 1	0.22	< 10	1.15	575
S07300	203	205	15	< 0.2	3.03	156	320	< 0.5	< 2	0.61	< 0.5	28	89	72	4.57	< 10	< 1	0.29	< 10	1.16	840

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S07260	203	205	1	0.02	64	1130	16	2	11	37	0.16	< 10	< 10	129	< 10	128
S07261	203	205	< 1	0.02	44	830	8	4	9	25	0.15	< 10	< 10	105	< 10	96
S07262	203	205	< 1	0.02	35	980	6	2	9	25	0.17	< 10	< 10	99	< 10	84
S07263	203	205	< 1	0.02	37	860	6	2	8	21	0.15	< 10	< 10	92	< 10	78
S07264	203	205	< 1	0.03	53	990	6	2	10	28	0.18	< 10	< 10	108	< 10	88
S07265	203	205	1	0.02	58	1160	12	2	11	46	0.16	< 10	< 10	139	< 10	110
S07266	203	205	< 1	0.02	54	910	14	2	11	34	0.18	< 10	< 10	142	< 10	96
S07267	203	205	< 1	0.02	56	1100	14	2	10	30	0.15	< 10	< 10	109	< 10	90
S07268	203	205	< 1	0.03	52	1070	12	2	11	45	0.17	< 10	< 10	120	< 10	96
S07269	203	205	< 1	0.02	48	790	10	4	11	35	0.19	< 10	< 10	124	10	104
S07270	203	205	< 1	0.03	33	860	6	4	8	22	0.14	< 10	< 10	85	< 10	70
S07271	203	205	< 1	0.02	32	920	6	4	7	21	0.13	< 10	< 10	83	< 10	70
S07272	203	205	1	0.02	54	1010	16	2	10	42	0.16	< 10	< 10	129	10	116
S07273	203	205	1	0.03	48	840	12	2	11	31	0.18	< 10	< 10	122	10	112
S07274	203	205	< 1	0.02	45	740	8	6	11	25	0.19	< 10	< 10	116	10	102
S07275	203	205	< 1	0.02	44	900	12	4	9	32	0.15	< 10	< 10	110	10	98
S07276	203	205	1	0.02	36	810	10	2	7	25	0.16	< 10	< 10	111	10	86
S07277	203	205	1	0.02	47	570	12	2	10	22	0.19	< 10	< 10	116	10	100
S07279	203	205	< 1	0.02	37	940	10	2	8	27	0.15	< 10	< 10	88	< 10	88
S07280	203	205	< 1	0.03	40	1010	10	2	9	29	0.15	< 10	< 10	91	< 10	96
S07281	203	205	< 1	0.02	34	870	10	2	9	30	0.19	< 10	< 10	103	10	86
S07282	203	205	1	0.02	29	1050	12	< 2	8	30	0.17	< 10	< 10	103	10	90
S07283	203	205	1	0.03	47	1030	10	< 2	10	29	0.19	< 10	< 10	111	10	102
S07284	203	205	< 1	0.02	40	1320	14	4	7	56	0.12	< 10	< 10	91	< 10	80
S07285	203	205	< 1	0.02	43	1000	8	2	10	28	0.18	< 10	< 10	106	10	98
S07286	203	205	1	0.02	35	770	10	4	10	27	0.20	< 10	< 10	110	10	92
S07287	203	205	< 1	0.06	60	780	2	2	7	60	0.15	< 10	< 10	96	10	74
S07288	203	205	< 1	0.02	35	850	14	4	8	23	0.15	< 10	< 10	89	< 10	82
S07289	203	205	< 1	0.02	36	810	14	2	9	30	0.13	< 10	< 10	99	< 10	100
S07290	203	205	< 1	0.02	51	1050	8	4	10	27	0.16	< 10	< 10	103	10	110
S07291	203	205	< 1	0.02	42	940	2	2	8	21	0.16	< 10	< 10	93	< 10	86
S07292	203	205	< 1	0.03	65	930	8	2	11	28	0.17	< 10	< 10	107	10	110
S07293	203	205	< 1	0.02	42	880	16	4	10	30	0.17	< 10	< 10	118	10	100
S07294	203	205	1	0.02	56	1120	4	4	10	27	0.16	< 10	< 10	105	10	92
S07295	203	205	1	0.03	50	820	6	2	10	32	0.17	< 10	< 10	120	10	110
S07296	203	205	1	0.03	44	920	12	2	9	33	0.15	< 10	< 10	104	< 10	92
S07297	203	205	< 1	0.03	48	920	12	4	11	33	0.17	< 10	< 10	124	10	108
S07298	203	205	1	0.02	44	880	8	< 2	10	33	0.18	< 10	< 10	114	10	98
S07299	203	205	1	0.02	68	1060	12	6	7	29	0.10	< 10	< 10	108	10	106
S07300	203	205	1	0.02	54	1210	14	4	10	49	0.13	< 10	< 10	117	10	98

CERTIFICATION: J. McPeddler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :5-A
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S07301	203	205	30	< 0.2	2.90	124	320	< 0.5	< 2	0.51	< 0.5	22	94	65	4.31	< 10	< 1	0.46	< 10	1.24	745
S07302	203	205	69	< 0.2	3.18	206	260	< 0.5	< 2	0.31	< 0.5	23	122	85	5.05	< 10	< 1	0.67	< 10	1.37	630
S07303	203	205	13	< 0.2	3.18	132	210	< 0.5	2	0.37	< 0.5	17	95	55	5.04	< 10	< 1	0.26	< 10	1.26	550
S07304	203	205	57	< 0.2	2.11	70	220	< 0.5	< 2	0.35	< 0.5	11	81	42	3.21	< 10	< 1	0.49	< 10	0.95	400
S07305	203	205	30	< 0.2	2.44	88	220	< 0.5	< 2	0.31	< 0.5	13	97	44	3.73	< 10	< 1	0.50	< 10	1.02	445
S07306	203	205	44	< 0.2	3.06	198	320	< 0.5	< 2	0.50	< 0.5	22	100	64	4.56	< 10	< 1	0.50	< 10	1.27	640
S07307	203	205	15	< 0.2	2.13	108	200	< 0.5	< 2	0.38	< 0.5	15	86	46	3.40	< 10	< 1	0.33	< 10	0.99	430
S07308	203	205	12	< 0.2	2.79	148	310	< 0.5	< 2	0.24	< 0.5	16	98	52	4.20	< 10	< 1	0.66	< 10	1.08	465
S07309	203	205	118	< 0.2	2.31	152	280	< 0.5	< 2	0.36	< 0.5	15	84	51	3.85	< 10	< 1	0.49	< 10	0.92	505
S07310	203	205	14	< 0.2	2.93	180	300	< 0.5	< 2	0.23	< 0.5	17	99	60	4.75	< 10	< 1	0.64	< 10	1.16	565
S07311	203	205	16	< 0.2	2.06	104	220	< 0.5	< 2	0.24	< 0.5	14	84	42	3.43	< 10	< 1	0.52	< 10	0.86	470
S07312	203	205	6	< 0.2	2.04	54	180	< 0.5	< 2	0.31	< 0.5	12	74	40	3.46	< 10	< 1	0.48	< 10	0.91	420
S07313	203	205	268	< 0.2	2.31	48	220	< 0.5	2	0.25	< 0.5	15	88	41	3.69	< 10	< 1	0.42	< 10	0.99	500
S07314	203	205	13	< 0.2	2.81	40	300	< 0.5	< 2	0.25	< 0.5	15	101	43	4.12	< 10	< 1	0.58	< 10	1.16	520
S07315	203	205	6	< 0.2	2.66	36	260	< 0.5	< 2	0.37	< 0.5	24	107	56	3.92	< 10	< 1	0.48	< 10	1.18	550
S07316	203	205	7	< 0.2	2.75	26	290	< 0.5	< 2	0.36	< 0.5	17	98	45	4.11	< 10	< 1	0.52	< 10	1.13	560
S07317	203	205	7	< 0.2	3.41	52	290	< 0.5	< 2	0.28	< 0.5	23	97	81	5.20	< 10	< 1	0.44	< 10	1.30	735
S07318	203	205	29	< 0.2	2.88	56	280	< 0.5	< 2	0.36	< 0.5	20	87	54	4.29	< 10	< 1	0.46	< 10	1.12	635
S07319	203	205	9	< 0.2	2.85	52	270	< 0.5	< 2	0.34	< 0.5	22	79	54	4.29	< 10	1	0.43	< 10	1.08	660
S07320	203	205	2	< 0.2	2.65	14	250	< 0.5	< 2	0.32	< 0.5	16	84	46	4.02	< 10	< 1	0.43	< 10	1.08	570
S07321	203	205	10	< 0.2	2.59	28	320	< 0.5	< 2	0.29	< 0.5	15	100	46	3.86	< 10	< 1	0.65	< 10	1.16	540
S07322	203	205	35	< 0.2	2.25	76	230	< 0.5	2	0.28	< 0.5	13	71	43	3.43	< 10	< 1	0.50	< 10	0.94	380
S07323	203	205	39	< 0.2	3.31	110	340	< 0.5	2	0.38	< 0.5	23	115	89	4.98	< 10	< 1	0.73	< 10	1.54	555
S07324	203	205	7	< 0.2	2.71	52	190	< 0.5	< 2	0.35	0.5	18	89	47	4.72	< 10	< 1	0.18	< 10	1.23	575
S07325	203	205	2	< 0.2	4.04	16	360	< 0.5	< 2	0.36	< 0.5	21	141	59	5.30	< 10	< 1	0.43	< 10	1.79	570
S07326	203	205	11	0.2	2.52	80	250	< 0.5	< 2	0.29	< 0.5	19	100	51	3.98	< 10	< 1	0.57	< 10	1.20	545
S07327	203	205	12	< 0.2	2.78	106	320	< 0.5	2	0.36	< 0.5	16	104	54	4.36	< 10	< 1	0.59	< 10	1.12	540
S07328	203	205	10	< 0.2	3.27	70	300	< 0.5	< 2	0.42	< 0.5	27	115	68	5.12	< 10	< 1	0.44	< 10	1.40	750
S07329	203	205	16	< 0.2	2.79	74	260	< 0.5	< 2	0.31	< 0.5	18	113	51	4.31	< 10	< 1	0.48	< 10	1.19	565
S07330	203	205	17	< 0.2	2.64	86	270	< 0.5	< 2	0.26	< 0.5	18	91	52	4.17	< 10	1	0.58	< 10	1.07	590
S07331	203	205	8	0.2	2.89	46	260	< 0.5	< 2	0.34	< 0.5	18	79	73	4.72	< 10	< 1	0.32	< 10	1.11	595
S07332	203	205	15	< 0.2	2.59	48	320	< 0.5	2	0.28	< 0.5	14	102	48	4.04	< 10	< 1	0.73	< 10	1.08	475
S07333	203	205	5	< 0.2	2.56	20	220	< 0.5	< 2	0.25	< 0.5	13	89	42	3.90	< 10	< 1	0.51	< 10	1.05	440
S07334	203	205	62	< 0.2	2.68	84	230	< 0.5	< 2	0.27	< 0.5	16	80	51	4.24	< 10	< 1	0.46	< 10	1.05	445
S07335	203	205	2	< 0.2	2.53	24	260	< 0.5	< 2	0.27	< 0.5	15	90	50	3.87	< 10	< 1	0.57	< 10	1.07	485
S07336	203	205	20	< 0.2	2.58	114	300	< 0.5	2	0.29	< 0.5	16	81	51	4.53	< 10	< 1	0.47	< 10	1.05	610
S07338	203	205	2	< 0.2	2.64	62	320	< 0.5	< 2	0.35	< 0.5	22	84	65	4.73	< 10	< 1	0.61	< 10	1.12	685
S07339	203	205	15	< 0.2	2.43	78	310	< 0.5	< 2	0.35	< 0.5	19	83	61	4.09	< 10	< 1	0.66	< 10	1.08	575
S07340	203	205	2	< 0.2	2.46	36	300	< 0.5	< 2	0.36	< 0.5	18	82	60	4.05	< 10	< 1	0.58	< 10	1.06	550
S07341	203	205	9	< 0.2	2.40	56	300	< 0.5	< 2	0.44	< 0.5	19	88	54	4.07	< 10	< 1	0.60	< 10	1.07	620

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :5-B
Total Pages :6
Certificate Date: 29-JUL-94
Invoice No. :I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S07301	203	205	1	0.02	54	1110	8	4	11	38	0.15	< 10	< 10	119	10	94
S07302	203	205	1	0.01	84	800	18	6	13	21	0.18	< 10	< 10	147	10	108
S07303	203	205	1	0.01	49	570	16	< 2	10	31	0.17	< 10	< 10	134	10	102
S07304	203	205	< 1	0.02	37	980	6	< 2	8	22	0.14	< 10	< 10	91	< 10	72
S07305	203	205	< 1	0.02	40	810	8	4	9	23	0.16	< 10	< 10	105	< 10	80
S07306	203	205	< 1	0.02	51	1010	14	2	11	42	0.16	< 10	< 10	125	10	110
S07307	203	205	< 1	0.03	39	730	12	2	8	30	0.14	< 10	< 10	96	< 10	82
S07308	203	205	< 1	0.01	46	840	8	4	11	24	0.18	< 10	< 10	119	10	96
S07309	203	205	1	0.02	39	1020	12	2	9	34	0.13	< 10	< 10	103	< 10	84
S07310	203	205	< 1	0.01	49	920	14	2	11	23	0.18	< 10	< 10	124	< 10	112
S07311	203	205	< 1	0.01	35	730	4	4	8	20	0.14	< 10	< 10	91	< 10	84
S07312	203	205	< 1	0.01	34	940	4	< 2	8	22	0.15	< 10	< 10	93	< 10	78
S07313	203	205	< 1	0.01	37	660	8	2	9	21	0.17	< 10	< 10	100	< 10	84
S07314	203	205	< 1	0.01	39	510	8	< 2	11	19	0.22	< 10	< 10	119	< 10	96
S07315	203	205	< 1	0.02	53	900	12	< 2	9	31	0.19	< 10	< 10	103	10	94
S07316	203	205	< 1	0.02	40	910	8	2	10	28	0.18	< 10	< 10	111	< 10	92
S07317	203	205	1	0.02	53	1290	8	4	12	30	0.20	< 10	< 10	138	10	116
S07318	203	205	1	0.02	43	990	12	2	11	29	0.19	< 10	< 10	117	< 10	100
S07319	203	205	1	0.02	43	1020	8	2	10	28	0.19	< 10	< 10	117	< 10	98
S07320	203	205	1	0.02	40	840	6	< 2	10	26	0.20	< 10	< 10	112	< 10	90
S07321	203	205	< 1	0.01	45	870	14	2	10	20	0.17	< 10	< 10	112	< 10	88
S07322	203	205	< 1	0.01	32	860	8	2	9	20	0.16	< 10	< 10	95	< 10	82
S07323	203	205	1	0.01	77	1130	14	< 2	13	25	0.17	< 10	< 10	142	10	96
S07324	203	205	1	0.01	45	480	14	4	9	27	0.14	< 10	< 10	115	< 10	126
S07325	203	205	< 1	0.01	58	590	16	< 2	17	26	0.25	< 10	< 10	175	10	110
S07326	203	205	< 1	0.01	50	740	10	2	10	24	0.17	< 10	< 10	111	< 10	98
S07327	203	205	1	0.01	43	980	12	4	11	32	0.17	< 10	< 10	120	< 10	98
S07328	203	205	1	0.02	58	1070	14	2	12	38	0.16	< 10	< 10	140	10	122
S07329	203	205	< 1	0.01	48	860	12	< 2	11	27	0.17	< 10	< 10	118	< 10	102
S07330	203	205	< 1	0.01	43	850	8	2	11	23	0.18	< 10	< 10	117	< 10	96
S07331	203	205	2	0.01	47	1310	10	2	9	34	0.14	< 10	< 10	120	< 10	98
S07332	203	205	1	0.01	42	770	14	2	11	20	0.20	< 10	< 10	114	< 10	92
S07333	203	205	1	0.01	36	670	4	2	10	20	0.20	< 10	< 10	113	< 10	84
S07334	203	205	1	0.01	40	970	16	4	10	23	0.15	< 10	< 10	111	< 10	98
S07335	203	205	1	0.01	42	850	4	2	10	19	0.17	< 10	< 10	113	< 10	90
S07336	203	205	< 1	0.01	42	970	8	2	10	29	0.13	< 10	< 10	112	< 10	108
S07338	203	205	< 1	0.01	53	960	10	4	11	30	0.17	< 10	< 10	123	< 10	112
S07339	203	205	1	0.01	45	1090	12	4	10	24	0.18	< 10	< 10	111	< 10	104
S07340	203	205	1	0.02	46	1150	8	< 2	10	28	0.18	< 10	< 10	110	< 10	102
S07341	203	205	1	0.02	47	1200	6	4	10	29	0.19	< 10	< 10	112	< 10	108

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S07342	203	205	5	< 0.2	2.31	32	200	< 0.5	< 2	0.26	< 0.5	16	84	49	3.70	< 10	< 1	0.44	< 10	0.98	440
S07343	203	205	1	< 0.2	2.84	28	240	< 0.5	< 2	0.36	< 0.5	22	85	67	4.43	< 10	< 1	0.46	< 10	1.11	585

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 29-JUL-94
Invoice No. : I9420950
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420950

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S07342	203	205	< 1	0.02	40	550	8	2	9	21	0.19	< 10	< 10	102	< 10	82
S07343	203	205	1	0.02	49	970	10	2	10	26	0.20	< 10	< 10	114	< 10	102

CERTIFICATION: Jean H Bucher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-A
Total Pages :2
Certificate Date: 01-AUG-94
Invoice No. :I9421026
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421026

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T7601	203	205	< 1	< 0.2	1.70	4	90	< 0.5	< 2	0.63	< 0.5	7	12	15	1.33	< 10	< 1	0.03	< 10	0.42	130
T7602	203	205	< 1	< 0.2	1.93	2	140	< 0.5	< 2	0.58	< 0.5	8	16	18	1.67	< 10	< 1	0.07	< 10	0.53	185
T7603	203	205	< 1	< 0.2	2.17	6	100	< 0.5	< 2	0.49	< 0.5	9	27	18	2.02	< 10	< 1	0.03	< 10	0.65	205
T7604	203	205	37	< 0.2	1.82	6	150	< 0.5	< 2	0.54	< 0.5	9	26	19	2.14	< 10	< 1	0.07	< 10	0.67	250
T7605	203	205	< 1	< 0.2	1.38	8	170	< 0.5	< 2	0.59	0.5	7	16	11	1.47	< 10	< 1	0.09	< 10	0.53	145
T7609	203	205	13	< 0.2	2.01	54	250	< 0.5	< 2	0.43	< 0.5	12	53	27	3.03	10	< 1	0.47	< 10	1.02	390
T7630	203	205	12	< 0.2	2.45	36	290	< 0.5	2	0.25	< 0.5	14	70	33	3.01	< 10	< 1	0.50	< 10	1.00	390
T7631	203	205	15	0.2	2.53	144	380	< 0.5	2	0.64	< 0.5	15	87	33	3.40	10	< 1	0.37	< 10	1.01	470
T7632	203	205	2	< 0.2	2.26	30	280	< 0.5	2	0.43	0.5	14	87	28	3.17	< 10	< 1	0.26	< 10	0.98	400
T7633	203	205	7	< 0.2	2.10	62	250	< 0.5	< 2	0.29	< 0.5	15	61	33	3.03	10	< 1	0.22	< 10	0.83	505
T7634	203	205	9	< 0.2	2.45	50	350	< 0.5	< 2	0.29	0.5	14	84	31	3.46	10	< 1	0.61	< 10	1.04	365
T7635	203	205	28	< 0.2	2.52	100	270	0.5	< 2	0.36	0.5	14	69	34	3.46	10	< 1	0.40	< 10	0.95	565
T7636	203	205	6	< 0.2	2.34	62	270	< 0.5	< 2	0.38	0.5	17	126	26	3.83	10	< 1	0.34	< 10	0.83	1070
T7637	203	205	13	< 0.2	2.03	60	230	< 0.5	< 2	0.31	< 0.5	12	63	24	2.92	10	< 1	0.48	< 10	0.96	285
T7638	203	205	9	< 0.2	1.92	56	250	< 0.5	< 2	0.22	< 0.5	10	68	17	2.84	10	< 1	0.48	< 10	0.89	255
T7639	203	205	26	< 0.2	1.94	52	190	< 0.5	< 2	0.22	< 0.5	8	54	22	2.59	< 10	< 1	0.37	< 10	0.79	195
T7640	203	205	117	< 0.2	2.05	98	180	< 0.5	< 2	0.27	< 0.5	12	60	23	3.10	10	< 1	0.37	< 10	0.99	415
T7641	203	205	25	< 0.2	1.44	62	120	< 0.5	< 2	0.28	< 0.5	10	43	12	2.39	< 10	< 1	0.15	< 10	0.68	295
T7642	203	205	22	< 0.2	2.59	142	230	< 0.5	4	0.74	< 0.5	23	88	54	3.54	10	< 1	0.30	< 10	1.09	750
T7643	203	205	26	< 0.2	2.45	134	270	< 0.5	< 2	0.37	< 0.5	16	77	41	3.38	10	< 1	0.60	< 10	1.13	390
T7644	203	205	< 1	< 0.2	2.47	186	220	< 0.5	4	1.00	< 0.5	20	260	8	3.11	10	< 1	0.18	< 10	2.50	215
T7645	203	205	21	0.2	2.13	712	150	< 0.5	< 2	0.16	< 0.5	10	47	28	3.67	10	< 1	0.28	< 10	1.03	250
T7646	203	205	5	< 0.2	2.30	138	110	< 0.5	2	0.23	< 0.5	17	67	23	3.29	10	< 1	0.16	< 10	1.43	310
T7647	203	205	8	< 0.2	1.74	144	110	< 0.5	2	0.34	< 0.5	13	48	22	2.82	10	< 1	0.21	< 10	0.73	250
T7648	203	205	22	< 0.2	2.24	172	80	< 0.5	< 2	0.27	< 0.5	13	58	19	3.05	10	< 1	0.17	< 10	0.91	205
T7649	203	205	6	< 0.2	2.61	90	140	< 0.5	2	0.35	< 0.5	12	53	26	3.05	10	< 1	0.39	< 10	1.01	335
T7650	203	205	5	< 0.2	1.96	62	140	< 0.5	< 2	0.51	< 0.5	13	41	27	2.88	10	< 1	0.22	< 10	0.98	345
T33953	203	205	95	0.2	1.78	4090	110	< 0.5	< 2	0.50	< 0.5	18	48	26	4.86	10	< 1	0.08	10	1.19	1025
T33954	203	205	15	0.2	2.78	152	280	0.5	< 2	0.33	< 0.5	20	67	89	4.71	10	< 1	0.58	< 10	1.12	380
T33955	203	205	< 1	< 0.2	2.50	22	250	0.5	2	0.17	< 0.5	13	69	43	< 0.01	10	< 1	0.38	< 10	1.02	405
T33956	203	205	5	< 0.2	2.30	38	250	< 0.5	2	0.41	< 0.5	13	61	38	3.19	10	< 1	0.53	< 10	0.98	390
T33957	203	205	22	< 0.2	2.56	54	240	< 0.5	2	0.26	< 0.5	15	66	44	3.66	10	< 1	0.50	< 10	1.04	470
T33958	203	205	11	< 0.2	3.42	50	490	0.5	2	0.33	< 0.5	14	98	52	4.38	10	< 1	1.27	< 10	1.26	455
T33959	203	205	3	0.4	1.87	32	130	< 0.5	< 2	0.55	0.5	13	53	33	3.69	10	< 1	0.21	< 10	0.87	665
T33960	203	205	16	< 0.2	2.35	134	70	0.5	2	0.11	< 0.5	19	62	69	4.92	10	< 1	0.21	< 10	0.69	270
T33961	203	205	7	< 0.2	2.86	194	400	< 0.5	2	0.40	< 0.5	18	181	47	3.86	10	< 1	0.80	< 10	1.85	420
T33962	203	205	20	< 0.2	2.58	224	140	< 0.5	< 2	0.33	< 0.5	23	63	80	4.73	10	< 1	0.31	10	1.18	535
T33963	203	205	< 1	< 0.2	1.96	12	90	< 0.5	< 2	0.25	< 0.5	14	48	36	3.32	10	< 1	0.11	< 10	0.99	505
T33964	203	205	2	< 0.2	2.40	32	70	< 0.5	< 2	0.31	< 0.5	16	58	62	3.98	10	< 1	0.19	10	1.15	405
T33965	203	205	< 1	< 0.2	2.57	16	90	< 0.5	2	0.27	< 0.5	14	65	46	4.29	10	< 1	0.21	10	1.18	520

CERTIFICATION: Ian J. Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-B
Total Pages :2
Certificate Date: 01-AUG-94
Invoice No. :I9421026
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421026

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T7601	203	205	< 1	0.06	8	1180	4	< 2	1	62	0.03	< 10	< 10	30	< 10	26
T7602	203	205	< 1	0.04	11	1350	< 2	< 2	1	49	0.06	< 10	< 10	38	< 10	36
T7603	203	205	1	0.05	14	670	6	< 2	2	54	0.07	< 10	< 10	46	< 10	38
T7604	203	205	< 1	0.02	13	620	6	< 2	2	49	0.09	< 10	< 10	48	< 10	48
T7605	203	205	< 1	0.04	5	1020	< 2	< 2	1	57	0.08	< 10	< 10	31	< 10	34
T7609	203	205	< 1	0.02	26	940	< 2	< 2	6	30	0.13	< 10	< 10	80	< 10	66
T7630	203	205	1	0.01	29	830	8	< 2	8	17	0.17	< 10	< 10	101	< 10	74
T7631	203	205	1	0.04	28	650	2	< 2	7	68	0.17	< 10	< 10	105	< 10	78
T7632	203	205	< 1	0.02	28	650	4	< 2	5	38	0.12	< 10	< 10	94	< 10	82
T7633	203	205	< 1	0.02	28	600	4	< 2	6	29	0.13	< 10	< 10	89	< 10	72
T7634	203	205	1	0.02	33	650	< 2	< 2	9	27	0.20	< 10	< 10	114	< 10	82
T7635	203	205	< 1	0.02	33	900	2	< 2	8	28	0.17	< 10	< 10	101	< 10	84
T7636	203	205	< 1	0.02	32	850	< 2	< 2	7	30	0.14	< 10	< 10	95	< 10	70
T7637	203	205	1	0.02	27	850	< 2	< 2	7	20	0.14	< 10	< 10	88	< 10	62
T7638	203	205	< 1	0.01	27	650	< 2	< 2	7	14	0.14	< 10	< 10	89	< 10	58
T7639	203	205	< 1	0.01	24	740	< 2	< 2	6	14	0.12	< 10	< 10	76	< 10	52
T7640	203	205	< 1	0.01	27	800	2	< 2	6	21	0.13	< 10	< 10	89	< 10	68
T7641	203	205	< 1	0.01	18	820	< 2	< 2	4	17	0.10	< 10	< 10	67	< 10	48
T7642	203	205	< 1	0.03	43	960	6	< 2	7	51	0.13	< 10	< 10	97	< 10	94
T7643	203	205	< 1	0.02	37	960	4	< 2	8	25	0.16	< 10	< 10	107	< 10	76
T7644	203	205	< 1	0.01	32	950	4	< 2	2	49	0.35	< 10	< 10	83	< 10	58
T7645	203	205	1	0.01	18	320	8	< 2	6	21	0.15	< 10	< 10	87	< 10	58
T7646	203	205	< 1	0.01	39	360	< 2	< 2	5	16	0.11	< 10	< 10	77	< 10	64
T7647	203	205	< 1	0.01	27	440	2	< 2	4	21	0.09	< 10	< 10	71	< 10	58
T7648	203	205	< 1	0.01	31	200	4	< 2	4	18	0.13	< 10	< 10	84	< 10	56
T7649	203	205	< 1	0.02	35	440	< 2	< 2	6	25	0.14	< 10	< 10	88	< 10	56
T7650	203	205	1	0.02	26	360	< 2	< 2	4	24	0.11	< 10	< 10	79	< 10	48
T33953	203	205	< 1	0.01	11	2100	20	< 2	7	32	0.01	< 10	< 10	51	< 10	104
T33954	203	205	< 1	0.01	69	1090	14	< 2	9	33	0.12	< 10	< 10	110	< 10	114
T33955	203	205	1	0.01	39	660	< 2	< 2	8	< 1	0.13	< 10	< 10	111	< 10	72
T33956	203	205	< 1	0.01	38	1290	< 2	< 2	8	28	0.13	< 10	< 10	94	< 10	68
T33957	203	205	< 1	0.01	39	650	2	< 2	8	24	0.16	< 10	< 10	107	< 10	78
T33958	203	205	< 1	0.02	47	1090	16	< 2	13	21	0.24	< 10	< 10	144	< 10	90
T33959	203	205	2	0.01	29	760	12	< 2	4	51	0.11	< 10	< 10	95	< 10	96
T33960	203	205	1	0.01	53	750	18	< 2	7	14	0.02	< 10	< 10	79	< 10	154
T33961	203	205	1	0.03	57	860	10	< 2	4	107	0.17	< 10	< 10	96	< 10	90
T33962	203	205	< 1	0.03	65	1190	< 2	< 2	7	44	0.09	< 10	< 10	91	< 10	124
T33963	203	205	< 1	0.01	32	560	6	< 2	4	23	0.07	< 10	< 10	70	< 10	78
T33964	203	205	< 1	0.01	55	1110	< 2	< 2	4	28	0.06	< 10	< 10	75	< 10	120
T33965	203	205	< 1	0.01	37	980	< 2	< 2	5	25	0.07	< 10	< 10	88	< 10	98

CERTIFICATION: Ivan Bachlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :2-A
Total Pages :2
Certificate Date: 01-AUG-94
Invoice No. :I9421026
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421026

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S10551	203	205	< 1	< 0.2	2.87	6	280	< 0.5	2	0.30	< 0.5	16	93	52	4.47	20	< 1	0.40	10	1.43	475
S10552	203	205	< 1	< 0.2	2.07	18	90	< 0.5	< 2	0.20	< 0.5	13	92	35	3.51	10	< 1	0.21	10	0.97	465
S10553	203	205	2	< 0.2	2.48	4	120	< 0.5	4	0.42	< 0.5	20	63	71	4.04	10	< 1	0.26	< 10	1.18	495
S10554	203	205	1	< 0.2	1.86	26	80	< 0.5	< 2	0.32	< 0.5	13	47	42	3.32	10	< 1	0.12	< 10	0.89	380
S10555	203	205	< 1	< 0.2	2.27	10	170	< 0.5	2	0.45	0.5	15	63	54	3.62	10	< 1	0.28	< 10	1.09	340
S10556	203	205	< 1	< 0.2	3.33	4	330	< 0.5	4	0.89	0.5	19	169	27	3.97	10	< 1	0.40	< 10	2.21	525
S10557	203	205	< 1	< 0.2	2.36	92	270	< 0.5	2	0.27	< 0.5	22	113	51	3.86	10	< 1	0.50	< 10	1.23	685
S10558	203	205	1	< 0.2	2.23	10	160	< 0.5	< 2	0.27	< 0.5	17	59	48	3.49	10	< 1	0.39	< 10	1.02	340
S10559	203	205	< 1	< 0.2	2.14	26	180	< 0.5	< 2	0.38	< 0.5	14	61	46	3.27	10	< 1	0.46	< 10	1.06	295
S10560	203	205	< 1	< 0.2	2.15	18	160	< 0.5	2	0.24	< 0.5	14	62	40	3.57	10	< 1	0.29	< 10	1.05	400
S10561	203	205	< 1	< 0.2	2.25	14	180	< 0.5	4	0.35	< 0.5	21	57	49	3.49	10	< 1	0.36	< 10	0.99	420
S10562	203	205	< 1	< 0.2	3.45	42	310	< 0.5	< 2	0.21	< 0.5	29	107	69	4.53	10	< 1	0.66	< 10	1.58	645
S10563	203	205	< 1	< 0.2	2.24	4	90	< 0.5	< 2	0.14	< 0.5	10	59	31	3.64	10	< 1	0.21	10	1.19	330
S10564	203	205	< 1	< 0.2	1.94	6	80	< 0.5	< 2	0.26	< 0.5	11	47	35	3.33	10	< 1	0.18	10	0.89	395
S10565	203	205	< 1	< 0.2	2.20	< 2	280	< 0.5	4	0.18	< 0.5	14	104	14	3.19	10	< 1	0.53	< 10	1.47	360
S10570	203	205	< 1	< 0.2	1.99	20	110	< 0.5	< 2	0.32	< 0.5	14	54	40	3.30	10	< 1	0.27	10	1.02	390
N33980	203	205	< 1	< 0.2	2.53	42	160	< 0.5	< 2	0.28	< 0.5	14	66	33	3.31	10	< 1	0.42	< 10	1.04	305
N33981	203	205	< 1	< 0.2	2.88	120	150	< 0.5	2	0.43	< 0.5	13	79	33	3.61	10	< 1	0.20	< 10	1.23	335
N33982	203	205	< 1	< 0.2	2.36	2	100	< 0.5	< 2	0.31	< 0.5	16	56	36	3.96	10	< 1	0.25	< 10	1.31	475
N33983	203	205	7	< 0.2	2.05	6	90	< 0.5	< 2	0.51	< 0.5	29	54	47	4.47	10	< 1	0.17	10	1.28	1200
N33984	203	205	< 1	< 0.2	1.81	6	140	< 0.5	< 2	0.74	< 0.5	13	49	35	3.22	10	< 1	0.31	< 10	0.98	395

CERTIFICATION: Frank Pardee

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page ber :2-B
Total Pages :2
Certificate Date: 01-AUG-94
Invoice No. : I9421026
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421026

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S10551	203	205	< 1	0.01	44	660	< 2	< 2	7	26	0.16	< 10	< 10	119	< 10	102
S10552	203	205	< 1	0.02	31	730	6	< 2	3	16	0.05	< 10	< 10	60	< 10	88
S10553	203	205	< 1	0.02	64	1240	2	< 2	5	34	0.11	< 10	< 10	86	< 10	100
S10554	203	205	< 1	0.01	35	890	8	< 2	4	24	0.09	< 10	< 10	71	< 10	74
S10555	203	205	1	0.01	43	1140	4	< 2	7	31	0.13	< 10	< 10	91	< 10	52
S10556	203	205	< 1	0.08	38	1140	< 2	< 2	8	104	0.15	< 10	< 10	121	< 10	48
S10557	203	205	1	0.02	51	700	2	< 2	8	21	0.13	< 10	< 10	105	< 10	62
S10558	203	205	< 1	0.02	45	750	4	< 2	7	20	0.14	< 10	< 10	92	< 10	54
S10559	203	205	< 1	0.02	51	870	< 2	< 2	7	24	0.13	< 10	< 10	91	< 10	42
S10560	203	205	< 1	0.01	40	640	< 2	< 2	6	19	0.10	< 10	< 10	91	< 10	34
S10561	203	205	1	0.01	54	970	8	< 2	6	25	0.10	< 10	< 10	87	< 10	46
S10562	203	205	< 1	0.01	105	370	2	< 2	12	14	0.15	< 10	< 10	139	< 10	136
S10563	203	205	< 1	0.01	28	480	< 2	< 2	4	16	0.08	< 10	< 10	74	< 10	86
S10564	203	205	< 1	0.01	31	750	2	< 2	4	23	0.07	< 10	< 10	67	< 10	76
S10565	203	205	< 1	0.01	28	380	< 2	< 2	6	12	0.14	< 10	< 10	91	< 10	70
S10570	203	205	1	0.01	41	970	2	< 2	4	22	0.09	< 10	< 10	70	< 10	80
N33980	203	205	< 1	0.02	38	360	< 2	< 2	7	20	0.16	< 10	< 10	98	< 10	58
N33981	203	205	1	0.02	30	260	4	< 2	9	23	0.15	< 10	< 10	110	< 10	66
N33982	203	205	< 1	0.01	40	870	8	< 2	4	20	0.08	< 10	< 10	73	< 10	92
N33983	203	205	< 1	0.02	39	800	8	< 2	5	32	0.12	< 10	< 10	86	< 10	76
N33984	203	205	< 1	0.02	31	720	4	< 2	4	32	0.11	< 10	< 10	78	< 10	66

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page Number :1-A
Total Pages :6
Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T5401	203	205	25	< 0.2	2.69	168	260	< 0.5	< 2	0.59	< 0.5	16	135	46	3.89	< 10	< 1	0.55	< 10	1.28	440
T5402	203	205	18	0.2	2.80	162	260	< 0.5	< 2	0.51	< 0.5	18	117	52	4.22	< 10	< 1	0.57	< 10	1.29	445
T5403	203	205	14	< 0.2	2.79	174	290	< 0.5	< 2	0.48	0.5	16	117	61	3.83	< 10	< 1	0.48	10	1.15	390
T5404	203	205	18	< 0.2	2.42	96	220	< 0.5	< 2	0.71	< 0.5	11	123	33	3.36	< 10	< 1	0.46	10	1.26	395
T5405	203	205	17	< 0.2	2.78	136	250	< 0.5	< 2	0.96	< 0.5	13	123	60	3.78	< 10	< 1	0.42	< 10	1.26	400
T5406	203	205	11	< 0.2	2.59	86	200	< 0.5	2	0.69	< 0.5	12	147	25	3.65	< 10	< 1	0.54	< 10	1.25	365
T5407	203	205	19	< 0.2	2.55	88	240	< 0.5	< 2	0.71	< 0.5	14	112	31	3.54	< 10	< 1	0.47	10	1.27	535
T5408	203	205	13	< 0.2	2.55	254	220	< 0.5	< 2	0.76	0.5	15	109	54	3.56	< 10	< 1	0.46	10	1.08	420
T5409	203	205	20	< 0.2	3.10	182	230	< 0.5	< 2	0.53	< 0.5	17	122	51	4.32	< 10	< 1	0.30	< 10	1.32	460
T5410	203	205	21	< 0.2	2.91	166	230	< 0.5	< 2	0.58	< 0.5	17	122	47	4.16	< 10	< 1	0.29	< 10	1.23	495
T5411	203	205	33	< 0.2	2.87	152	240	< 0.5	< 2	0.72	< 0.5	21	133	44	4.01	< 10	< 1	0.38	< 10	1.30	675
T5412	203	205	22	< 0.2	2.87	126	210	< 0.5	< 2	0.53	< 0.5	25	143	33	3.63	< 10	< 1	0.24	< 10	1.13	870
T5413	203	205	11	< 0.2	2.58	100	270	< 0.5	2	0.62	0.5	21	126	38	3.80	< 10	< 1	0.25	< 10	1.03	955
T5414	203	205	27	< 0.2	1.81	46	150	< 0.5	< 2	0.42	< 0.5	9	113	18	2.68	< 10	< 1	0.23	< 10	0.80	305
T5415	203	205	11	0.2	2.98	80	260	< 0.5	< 2	0.56	< 0.5	16	121	24	3.69	< 10	< 1	0.39	< 10	1.22	665
T5416	203	205	8	0.2	2.08	40	180	< 0.5	< 2	0.43	< 0.5	9	141	18	2.68	< 10	< 1	0.23	< 10	0.88	430
T5417	203	205	3	0.2	0.71	28	70	< 0.5	< 2	0.34	< 0.5	4	34	11	1.65	< 10	< 1	0.07	< 10	0.27	140
T5418	203	205	13	< 0.2	2.19	82	230	< 0.5	< 2	0.45	< 0.5	13	108	24	3.65	< 10	< 1	0.22	< 10	0.85	495
T5419	203	205	84	0.2	2.33	78	270	< 0.5	< 2	0.56	< 0.5	11	174	23	2.95	< 10	< 1	0.41	< 10	1.09	420
T5420	203	205	18	0.2	3.30	146	340	< 0.5	< 2	0.56	< 0.5	19	134	33	3.50	< 10	< 1	0.49	< 10	1.16	650
T5421	203	205	12	0.2	3.08	194	330	< 0.5	< 2	0.59	0.5	16	123	36	4.11	10	< 1	0.38	< 10	1.27	420
T5422	203	205	7	< 0.2	2.75	116	250	< 0.5	2	0.56	< 0.5	12	154	25	3.49	< 10	< 1	0.43	10	1.27	380
T5423	203	205	15	0.2	2.99	164	300	< 0.5	< 2	0.50	0.5	17	128	59	3.99	< 10	< 1	0.76	10	1.30	500
T5424	203	205	6	0.2	2.21	92	240	< 0.5	< 2	0.76	< 0.5	13	139	42	3.01	< 10	< 1	0.30	< 10	0.91	445
T5425	203	205	22	< 0.2	2.59	106	260	< 0.5	< 2	0.51	< 0.5	14	118	33	3.36	< 10	< 1	0.49	< 10	1.11	440
T5426	203	205	12	0.2	2.56	122	240	< 0.5	< 2	0.45	< 0.5	11	160	25	3.33	< 10	< 1	0.47	< 10	1.12	375
T5427	203	205	8	< 0.2	1.90	68	180	< 0.5	< 2	0.41	< 0.5	10	129	24	2.63	< 10	< 1	0.26	< 10	0.85	280
T5428	203	205	15	< 0.2	2.97	130	290	< 0.5	< 2	0.48	< 0.5	15	161	41	3.73	< 10	< 1	0.54	< 10	1.21	390
T5429	203	205	26	< 0.2	2.41	42	240	< 0.5	< 2	0.50	< 0.5	12	127	22	2.98	< 10	< 1	0.45	< 10	1.09	395
T5430	203	205	23	< 0.2	2.35	96	230	< 0.5	< 2	0.46	< 0.5	12	131	25	3.06	< 10	< 1	0.53	10	1.09	385
T5431	203	205	13	< 0.2	3.06	120	310	< 0.5	< 2	0.65	< 0.5	21	163	25	4.07	10	< 1	0.51	< 10	1.48	670
T5432	203	205	16	< 0.2	2.67	52	270	< 0.5	< 2	0.58	< 0.5	10	138	23	3.10	< 10	< 1	0.49	10	1.18	320
T5456	203	205	29	< 0.2	2.88	126	270	< 0.5	2	0.54	< 0.5	14	143	29	3.96	< 10	< 1	0.34	< 10	1.16	545
T5457	203	205	13	0.2	2.69	118	300	< 0.5	< 2	0.85	< 0.5	13	118	27	3.69	< 10	< 1	0.40	10	1.41	430
T5458	203	205	96	0.2	2.34	104	250	< 0.5	< 2	0.52	< 0.5	12	126	26	3.10	< 10	< 1	0.55	10	1.06	460
T5459	203	205	17	< 0.2	2.76	122	280	< 0.5	< 2	0.47	< 0.5	14	120	35	3.62	< 10	< 1	0.55	10	1.15	420
T5460	203	205	12	< 0.2	2.89	100	250	< 0.5	< 2	0.45	< 0.5	13	112	26	3.48	< 10	< 1	0.54	< 10	1.18	355
T5461	203	205	13	0.2	2.28	124	200	< 0.5	< 2	0.40	< 0.5	12	105	27	3.24	< 10	< 1	0.37	< 10	0.99	300
T5462	203	205	9	< 0.2	2.93	104	250	< 0.5	< 2	0.46	< 0.5	15	111	32	3.83	< 10	< 1	0.41	10	1.22	455
T5463	203	205	8	< 0.2	1.58	70	190	< 0.5	< 2	0.52	0.5	22	72	27	2.57	< 10	< 1	0.20	< 10	0.67	1145

CERTIFICATION: Ian Pitcher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T5401	203	205	1	0.04	46	700	8	< 2	8	44	0.22	< 10	< 10	113	< 10	94
T5402	203	205	< 1	0.03	49	500	4	< 2	8	41	0.21	< 10	< 10	124	< 10	96
T5403	203	205	< 1	0.03	48	590	4	< 2	8	40	0.19	< 10	< 10	108	< 10	78
T5404	203	205	1	0.06	32	950	6	< 2	8	50	0.18	< 10	< 10	97	< 10	66
T5405	203	205	< 1	0.03	45	720	10	< 2	8	63	0.18	< 10	< 10	102	< 10	88
T5406	203	205	< 1	0.05	36	720	6	< 2	8	44	0.18	< 10	< 10	104	< 10	84
T5407	203	205	1	0.04	37	990	4	< 2	8	45	0.18	< 10	< 10	108	< 10	76
T5408	203	205	1	0.04	46	740	6	< 2	7	51	0.16	< 10	< 10	99	< 10	76
T5409	203	205	1	0.02	45	840	8	< 2	9	36	0.20	< 10	< 10	127	< 10	86
T5410	203	205	< 1	0.03	43	790	8	< 2	9	41	0.18	< 10	< 10	123	< 10	90
T5411	203	205	< 1	0.03	45	770	8	< 2	9	49	0.18	< 10	< 10	120	< 10	102
T5412	203	205	1	0.04	37	990	12	< 2	8	40	0.15	< 10	< 10	106	< 10	80
T5413	203	205	< 1	0.06	35	870	8	< 2	8	47	0.18	< 10	< 10	114	< 10	78
T5414	203	205	< 1	0.07	23	720	4	< 2	6	31	0.14	< 10	< 10	84	< 10	54
T5415	203	205	< 1	0.04	35	790	6	< 2	9	41	0.20	< 10	< 10	113	< 10	84
T5416	203	205	< 1	0.03	27	790	4	< 2	6	30	0.13	< 10	< 10	82	< 10	62
T5417	203	205	< 1	0.14	9	680	4	< 2	1	25	0.08	< 10	< 10	50	< 10	18
T5418	203	205	< 1	0.07	28	710	6	< 2	6	37	0.18	< 10	< 10	118	< 10	78
T5419	203	205	< 1	0.04	32	780	6	2	7	43	0.16	< 10	< 10	91	< 10	76
T5420	203	205	< 1	0.03	42	1030	6	2	8	42	0.18	< 10	< 10	108	< 10	90
T5421	203	205	1	0.03	44	1010	12	< 2	9	42	0.21	< 10	< 10	126	< 10	86
T5422	203	205	< 1	0.05	38	730	8	< 2	8	38	0.19	< 10	< 10	109	< 10	82
T5423	203	205	< 1	0.04	47	530	6	< 2	9	36	0.19	< 10	< 10	121	< 10	84
T5424	203	205	< 1	0.11	33	810	6	< 2	6	52	0.14	< 10	< 10	87	< 10	72
T5425	203	205	< 1	0.04	35	900	8	< 2	8	36	0.16	< 10	< 10	101	< 10	72
T5426	203	205	1	0.04	37	900	6	< 2	7	30	0.16	< 10	< 10	100	< 10	74
T5427	203	205	< 1	0.07	26	710	4	< 2	6	30	0.13	< 10	< 10	80	< 10	52
T5428	203	205	< 1	0.03	42	800	8	2	8	33	0.17	< 10	< 10	115	< 10	82
T5429	203	205	< 1	0.03	33	790	4	< 2	7	32	0.16	< 10	< 10	90	< 10	74
T5430	203	205	< 1	0.05	31	850	4	< 2	7	32	0.16	< 10	< 10	93	< 10	58
T5431	203	205	< 1	0.03	42	800	8	2	10	38	0.22	< 10	< 10	124	< 10	106
T5432	203	205	< 1	0.04	34	960	8	2	7	37	0.18	< 10	< 10	94	< 10	86
T5456	203	205	< 1	0.02	36	860	8	< 2	9	39	0.20	< 10	< 10	120	< 10	106
T5457	203	205	< 1	0.04	34	1380	8	< 2	8	86	0.21	< 10	< 10	114	< 10	78
T5458	203	205	< 1	0.06	32	890	6	< 2	7	36	0.16	< 10	< 10	95	< 10	60
T5459	203	205	1	0.03	39	760	6	< 2	8	32	0.18	< 10	< 10	109	< 10	74
T5460	203	205	< 1	0.03	37	670	4	< 2	8	30	0.18	< 10	< 10	108	< 10	76
T5461	203	205	< 1	0.04	32	700	8	< 2	6	29	0.16	< 10	< 10	101	< 10	64
T5462	203	205	< 1	0.03	38	780	4	< 2	8	32	0.19	< 10	< 10	114	< 10	80
T5463	203	205	1	0.09	22	850	6	< 2	4	37	0.12	< 10	< 10	77	< 10	44

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T5464	203	205	12	< 0.2	2.26	108	190	< 0.5	2	0.32	< 0.5	12	105	23	3.10	< 10	< 1	0.41	< 10	1.02	385
T5465	203	205	16	< 0.2	2.36	120	200	< 0.5	< 2	0.36	< 0.5	13	104	30	3.23	10	< 1	0.48	< 10	1.07	370
T5466	203	205	29	0.2	2.27	66	200	< 0.5	< 2	0.29	< 0.5	10	111	22	3.02	< 10	< 1	0.46	< 10	1.08	295
T5467	203	205	18	< 0.2	2.62	118	250	< 0.5	< 2	0.42	< 0.5	14	114	30	3.48	< 10	< 1	0.44	10	1.15	385
T5468	203	205	29	< 0.2	2.31	54	230	< 0.5	< 2	0.44	< 0.5	9	108	21	3.02	< 10	< 1	0.50	< 10	1.13	320
T5469	203	205	26	0.2	2.75	44	270	< 0.5	< 2	0.41	< 0.5	10	114	24	3.09	10	< 1	0.55	10	1.15	315
T5470	203	205	32	< 0.2	2.72	90	290	< 0.5	< 2	0.41	< 0.5	14	115	25	3.44	< 10	< 1	0.52	10	1.13	495
T5471	203	205	23	0.2	2.34	20	210	< 0.5	< 2	0.38	< 0.5	11	110	25	2.57	< 10	< 1	0.42	10	0.98	285
T5472	203	205	29	< 0.2	2.83	54	290	< 0.5	< 2	0.49	< 0.5	14	112	27	3.44	< 10	< 1	0.55	10	1.14	435
T5473	203	205	15	< 0.2	1.91	74	170	< 0.5	< 2	0.36	< 0.5	18	100	15	3.12	< 10	< 1	0.29	< 10	0.80	670
T5474	203	205	10	< 0.2	2.78	128	210	< 0.5	2	0.42	< 0.5	33	123	25	4.22	10	< 1	0.20	< 10	1.14	1195
T5475	203	205	24	< 0.2	2.39	86	180	< 0.5	< 2	0.41	< 0.5	14	107	31	3.27	< 10	< 1	0.29	< 10	0.99	500
T5476	203	205	41	< 0.2	2.49	94	190	< 0.5	< 2	0.41	< 0.5	14	114	35	3.48	< 10	< 1	0.29	< 10	1.02	460
T5477	203	205	56	< 0.2	2.45	182	190	< 0.5	< 2	0.53	0.5	13	106	43	3.48	< 10	< 1	0.29	< 10	0.99	475
T5478	203	205	42	< 0.2	2.66	184	230	< 0.5	< 2	0.48	0.5	14	96	38	3.54	< 10	< 1	0.48	< 10	1.24	470
T5479	203	205	24	< 0.2	2.51	216	190	0.5	< 2	0.61	0.5	16	100	56	3.60	< 10	< 1	0.29	10	1.03	505
T5487	203	205	131	< 0.2	2.38	232	160	< 0.5	< 2	0.47	0.5	15	102	36	3.33	< 10	< 1	0.41	< 10	1.04	405
T5488	203	205	29	< 0.2	2.22	94	150	< 0.5	< 2	0.40	0.5	15	90	45	3.81	< 10	< 1	0.25	< 10	1.02	565
T5489	203	205	31	< 0.2	2.28	90	160	< 0.5	< 2	0.50	< 0.5	12	111	33	3.55	< 10	< 1	0.43	< 10	1.03	440
T5490	203	205	26	< 0.2	2.12	176	130	< 0.5	< 2	0.44	0.5	10	84	26	3.53	10	< 1	0.21	< 10	0.83	305
T5491	203	205	23	< 0.2	2.49	154	160	< 0.5	< 2	0.49	0.5	16	84	42	3.55	< 10	< 1	0.17	< 10	0.97	755
T5492	203	205	24	< 0.2	2.12	112	180	< 0.5	< 2	0.39	< 0.5	12	106	30	3.01	< 10	< 1	0.26	< 10	1.01	445
T5493	203	205	62	0.2	2.04	84	170	< 0.5	< 2	0.48	0.5	13	89	36	3.03	< 10	< 1	0.27	< 10	0.84	475
T5494	203	205	26	0.2	2.41	82	180	< 0.5	< 2	0.47	< 0.5	15	94	32	3.43	< 10	< 1	0.25	< 10	0.99	430
T5495	203	205	8	< 0.2	2.12	72	170	< 0.5	< 2	0.38	< 0.5	13	85	30	3.04	< 10	< 1	0.24	< 10	0.89	475
T5496	203	205	48	< 0.2	2.37	260	160	< 0.5	< 2	0.34	0.5	25	113	32	4.87	< 10	< 1	0.17	< 10	0.85	1130
T5497	203	205	15	< 0.2	2.35	34	220	< 0.5	< 2	0.34	< 0.5	11	102	20	2.93	< 10	< 1	0.41	< 10	0.96	310
T5498	203	205	222	< 0.2	2.13	40	210	< 0.5	< 2	0.34	< 0.5	9	103	20	2.72	< 10	< 1	0.41	< 10	0.85	320
T5499	203	205	13	0.2	2.41	54	200	< 0.5	< 2	0.33	< 0.5	9	120	28	2.71	< 10	< 1	0.42	< 10	0.88	245
T5500	203	205	48	< 0.2	2.35	66	240	< 0.5	< 2	0.45	< 0.5	12	123	32	3.09	< 10	< 1	0.56	10	1.07	385
T5501	203	205	15	< 0.2	2.73	112	250	0.5	2	0.45	< 0.5	17	123	38	3.58	< 10	< 1	0.49	< 10	1.08	575
T5502	203	205	80	0.2	2.67	200	270	< 0.5	< 2	0.57	0.5	14	126	31	4.01	< 10	< 1	0.55	< 10	1.11	505
T5503	203	205	29	< 0.2	2.35	72	210	< 0.5	< 2	0.44	< 0.5	11	99	27	3.11	< 10	< 1	0.46	10	1.05	360
T5504	203	205	13	< 0.2	2.43	68	240	< 0.5	< 2	0.54	< 0.5	11	108	21	3.15	< 10	< 1	0.53	10	1.11	325
T5505	203	205	16	< 0.2	2.52	100	250	< 0.5	< 2	0.51	< 0.5	12	121	27	3.31	< 10	< 1	0.50	< 10	1.11	410
T5506	203	205	21	< 0.2	2.69	148	230	< 0.5	< 2	0.47	0.5	11	122	22	3.55	< 10	< 1	0.50	10	1.11	285
T5507	203	205	109	0.2	2.36	68	230	< 0.5	< 2	0.46	< 0.5	12	115	24	3.04	< 10	< 1	0.44	< 10	0.98	375
T5508	203	205	19	0.2	2.30	50	230	< 0.5	< 2	0.48	< 0.5	12	119	24	2.94	< 10	< 1	0.50	10	1.01	420
T5509	203	205	15	< 0.2	2.54	92	250	< 0.5	< 2	0.55	< 0.5	14	124	28	3.43	< 10	< 1	0.58	10	1.13	390
T5510	203	205	23	< 0.2	2.49	90	240	< 0.5	< 2	0.50	< 0.5	14	101	33	3.42	< 10	< 1	0.54	10	1.12	385

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T5464	203	205	< 1	0.02	31	410	6	2	7	23	0.16	< 10	< 10	93	< 10	58
T5465	203	205	< 1	0.03	36	570	4	< 2	7	25	0.16	< 10	< 10	95	< 10	62
T5466	203	205	< 1	0.02	33	310	2	< 2	7	22	0.16	< 10	< 10	91	< 10	62
T5467	203	205	< 1	0.03	35	580	6	< 2	8	30	0.18	< 10	< 10	105	< 10	68
T5468	203	205	< 1	0.03	29	390	6	< 2	7	33	0.18	< 10	< 10	93	< 10	66
T5469	203	205	< 1	0.03	36	690	8	< 2	8	30	0.19	< 10	< 10	102	< 10	78
T5470	203	205	1	0.03	36	570	6	2	8	32	0.18	< 10	< 10	105	< 10	80
T5471	203	205	< 1	0.02	29	840	6	< 2	7	26	0.17	< 10	< 10	82	< 10	60
T5472	203	205	< 1	0.03	36	800	8	< 2	8	36	0.19	< 10	< 10	102	< 10	78
T5473	203	205	< 1	0.06	23	610	2	4	6	31	0.14	< 10	< 10	81	< 10	50
T5474	203	205	1	0.02	34	740	8	< 2	8	35	0.19	< 10	< 10	119	< 10	74
T5475	203	205	< 1	0.02	32	790	4	< 2	7	33	0.16	< 10	< 10	98	< 10	68
T5476	203	205	< 1	0.03	32	790	6	< 2	7	37	0.17	< 10	< 10	103	< 10	72
T5477	203	205	< 1	0.03	35	980	8	< 2	7	47	0.15	< 10	< 10	99	< 10	78
T5478	203	205	1	0.04	39	760	8	< 2	7	45	0.17	< 10	< 10	103	< 10	84
T5479	203	205	< 1	0.02	37	1190	14	2	7	54	0.14	< 10	< 10	101	< 10	88
T5487	203	205	< 1	0.02	40	620	8	2	6	40	0.14	< 10	< 10	94	< 10	72
T5488	203	205	1	0.01	35	590	8	< 2	6	34	0.16	< 10	< 10	104	< 10	100
T5489	203	205	1	0.02	33	620	10	< 2	7	37	0.17	< 10	< 10	107	< 10	72
T5490	203	205	1	0.01	28	380	10	< 2	5	36	0.18	< 10	< 10	110	< 10	76
T5491	203	205	1	0.02	31	1150	10	< 2	6	45	0.13	< 10	< 10	100	< 10	72
T5492	203	205	< 1	0.03	31	520	6	2	6	38	0.14	< 10	< 10	82	< 10	66
T5493	203	205	1	0.04	28	960	6	2	6	42	0.14	< 10	< 10	90	< 10	56
T5494	203	205	< 1	0.02	32	890	6	< 2	7	40	0.16	< 10	< 10	100	< 10	62
T5495	203	205	< 1	0.05	28	630	6	< 2	6	34	0.16	< 10	< 10	92	< 10	58
T5496	203	205	1	0.02	28	930	8	< 2	6	30	0.14	< 10	< 10	108	< 10	52
T5497	203	205	< 1	0.02	29	760	8	< 2	7	24	0.17	< 10	< 10	91	< 10	58
T5498	203	205	< 1	0.02	27	720	4	< 2	6	26	0.15	< 10	< 10	84	< 10	58
T5499	203	205	< 1	0.02	28	840	6	< 2	7	22	0.15	< 10	< 10	90	< 10	52
T5500	203	205	< 1	0.03	32	850	4	< 2	7	31	0.15	< 10	< 10	94	< 10	66
T5501	203	205	1	0.03	39	370	8	< 2	8	35	0.18	< 10	< 10	107	< 10	74
T5502	203	205	1	0.03	38	790	8	< 2	8	39	0.16	< 10	< 10	114	< 10	86
T5503	203	205	< 1	0.03	32	590	4	< 2	7	30	0.16	< 10	< 10	99	< 10	58
T5504	203	205	< 1	0.04	32	880	4	< 2	7	35	0.16	< 10	< 10	100	< 10	66
T5505	203	205	< 1	0.03	34	660	6	< 2	8	37	0.17	< 10	< 10	101	< 10	64
T5506	203	205	< 1	0.02	34	750	6	< 2	8	31	0.17	< 10	< 10	109	< 10	68
T5507	203	205	1	0.03	31	570	8	2	7	33	0.16	< 10	< 10	91	< 10	60
T5508	203	205	< 1	0.04	35	700	6	< 2	7	32	0.16	< 10	< 10	90	< 10	64
T5509	203	205	< 1	0.04	36	930	4	< 2	8	34	0.17	< 10	< 10	102	< 10	68
T5510	203	205	< 1	0.03	34	770	12	< 2	7	36	0.17	< 10	< 10	99	< 10	70

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page Number :3-A
Total Pages :6
Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T5511	203	205	100	< 0.2	2.55	72	250	< 0.5	< 2	0.50	< 0.5	12	106	27	3.30	< 10	< 1	0.52	10	1.07	345
T5512	203	205	34	< 0.2	2.74	40	260	< 0.5	< 2	0.45	< 0.5	15	142	26	3.24	< 10	< 1	0.54	10	1.03	345
T5513	203	205	52	0.2	2.81	142	270	0.5	< 2	0.49	< 0.5	26	100	29	4.90	< 10	< 1	0.48	10	1.05	1180
T5514	203	205	13	0.2	2.26	42	280	< 0.5	< 2	0.57	0.5	11	165	38	2.88	< 10	< 1	0.40	< 10	0.84	785
T5515	203	205	93	< 0.2	2.53	72	270	< 0.5	< 2	0.46	< 0.5	13	138	35	3.60	< 10	< 1	0.55	< 10	1.08	480
T5516	203	205	21	< 0.2	2.32	84	210	< 0.5	< 2	0.46	< 0.5	15	103	37	3.36	< 10	< 1	0.29	< 10	0.96	465
T5517	203	205	19	0.6	2.27	76	230	< 0.5	< 2	0.48	0.5	14	129	37	3.26	< 10	< 1	0.34	< 10	0.94	445
T5518	203	205	4	0.2	1.22	28	100	< 0.5	< 2	0.46	< 0.5	8	63	26	2.37	< 10	< 1	0.12	< 10	0.53	205
T5519	203	205	9	< 0.2	2.02	56	150	< 0.5	< 2	0.56	0.5	15	86	36	3.57	< 10	< 1	0.20	< 10	0.75	530
T5520	203	205	32	0.2	1.49	154	130	< 0.5	< 2	0.47	< 0.5	8	79	23	2.39	< 10	< 1	0.21	< 10	0.68	255
T5521	203	205	25	0.4	1.59	150	90	< 0.5	< 2	0.45	0.5	9	80	24	2.56	< 10	< 1	0.11	< 10	0.73	295
T5522	203	205	27	< 0.2	2.13	68	170	< 0.5	< 2	0.44	< 0.5	12	106	31	3.02	< 10	< 1	0.38	< 10	0.93	415
T5523	203	205	50	< 0.2	2.10	150	170	< 0.5	< 2	0.50	< 0.5	10	121	32	3.11	< 10	< 1	0.39	< 10	1.01	320
T5524	203	205	57	0.2	2.87	366	160	0.5	< 2	0.38	1.0	19	127	56	4.20	< 10	< 1	0.37	< 10	1.31	520
T8612	203	205	27	0.2	3.08	146	330	0.5	< 2	0.53	0.5	14	130	47	3.80	< 10	< 1	0.63	< 10	1.34	620
T8613	203	205	7	< 0.2	3.05	38	320	0.5	< 2	0.47	< 0.5	14	129	48	4.21	10	< 1	0.49	< 10	1.22	485
T8614	203	205	8	< 0.2	2.98	104	350	0.5	< 2	0.38	< 0.5	16	170	45	3.95	< 10	< 1	0.70	< 10	1.16	620
T8615	203	205	9	< 0.2	2.73	70	300	0.5	< 2	0.34	< 0.5	14	140	41	3.68	< 10	< 1	0.63	< 10	1.06	505
T8616	203	205	6	< 0.2	2.70	36	230	0.5	< 2	0.26	< 0.5	14	146	39	3.53	< 10	< 1	0.45	< 10	0.96	490
T8617	203	205	5	0.2	2.70	36	260	0.5	< 2	0.29	< 0.5	13	139	36	3.51	< 10	< 1	0.50	< 10	1.04	480
T8618	203	205	4	< 0.2	2.73	40	190	0.5	< 2	0.43	< 0.5	13	125	36	3.96	< 10	< 1	0.30	10	0.99	535
T8619	203	205	5	< 0.2	2.41	40	190	0.5	< 2	0.37	< 0.5	14	119	34	3.56	< 10	< 1	0.32	< 10	0.90	550
T8620	203	205	3	< 0.2	2.73	18	210	0.5	< 2	0.46	< 0.5	15	116	39	3.90	< 10	< 1	0.39	10	1.01	560
T8621	203	205	3	0.2	3.54	20	370	0.5	< 2	0.45	< 0.5	17	137	47	4.12	10	< 1	0.83	10	1.14	550
T8622	203	205	12	< 0.2	2.64	28	260	0.5	< 2	0.47	< 0.5	14	158	46	3.58	< 10	< 1	0.30	10	0.87	800
T8623	203	205	184	0.2	3.27	60	290	0.5	< 2	0.33	< 0.5	17	124	53	4.53	10	< 1	0.55	10	1.12	630
T8624	203	205	3	< 0.2	2.97	18	230	0.5	< 2	0.42	< 0.5	15	164	44	4.02	< 10	< 1	0.45	10	1.08	505
T8625	203	205	8	0.2	3.01	8	270	0.5	< 2	0.38	< 0.5	15	131	43	4.03	10	< 1	0.51	< 10	1.11	480
T8626	203	205	4	0.2	3.65	18	320	0.5	< 2	0.52	< 0.5	21	121	56	4.78	< 10	< 1	0.42	10	1.18	875
T8627	203	205	8	0.2	3.20	20	310	0.5	< 2	0.48	< 0.5	18	155	49	4.15	10	< 1	0.58	< 10	1.11	740
T8628	203	205	2	< 0.2	2.87	16	240	0.5	< 2	0.36	< 0.5	14	135	37	3.69	< 10	< 1	0.50	10	0.97	475
T8629	203	205	3	0.2	3.11	6	290	0.5	< 2	0.36	< 0.5	17	126	45	4.15	< 10	< 1	0.59	10	1.05	610
T8630	203	205	2	0.2	2.92	16	320	0.5	< 2	0.35	< 0.5	14	151	39	3.66	< 10	< 1	0.60	10	0.96	475
T8631	203	205	6	0.2	1.72	6	140	< 0.5	< 2	0.34	< 0.5	15	66	29	2.71	< 10	< 1	0.16	< 10	0.57	645
T8632	203	205	2	0.2	3.26	< 2	240	0.5	< 2	0.34	< 0.5	16	123	42	4.05	< 10	< 1	0.45	10	1.13	350
T8633	203	205	6	0.2	3.01	16	240	0.5	< 2	0.36	< 0.5	13	105	44	4.18	< 10	< 1	0.44	10	1.05	365
T8634	203	205	6	< 0.2	3.02	20	270	0.5	< 2	0.52	< 0.5	13	135	45	3.86	< 10	< 1	0.63	10	1.10	510
T8635	203	205	11	< 0.2	2.83	72	250	0.5	< 2	0.46	0.5	14	122	40	3.71	< 10	< 1	0.53	10	1.02	495
T8636	203	205	6	0.2	3.31	64	290	0.5	2	0.60	< 0.5	16	140	47	4.14	< 10	< 1	0.66	10	1.25	515
T8637	203	205	5	< 0.2	2.76	22	220	0.5	< 2	0.42	< 0.5	13	110	40	3.66	10	< 1	0.40	10	1.05	480

CERTIFICATION: Ian Bachler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page Number :3-B
Total Pages :6
Certificate Date: 27-SEP-94
Invoice No. :I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T5511	203	205	< 1	0.04	33	840	4	< 2	7	35	0.17	< 10	< 10	96	< 10	62
T5512	203	205	< 1	0.04	33	870	8	< 2	8	30	0.18	< 10	< 10	96	< 10	70
T5513	203	205	2	0.03	35	1030	14	< 2	8	36	0.25	< 10	< 10	112	< 10	68
T5514	203	205	< 1	0.03	30	1300	8	< 2	8	42	0.15	< 10	< 10	88	< 10	60
T5515	203	205	< 1	0.04	38	940	6	< 2	8	33	0.20	< 10	< 10	110	< 10	74
T5516	203	205	< 1	0.06	32	770	8	< 2	6	41	0.17	< 10	< 10	97	< 10	66
T5517	203	205	1	0.04	33	840	6	< 2	7	39	0.17	< 10	< 10	96	< 10	62
T5518	203	205	< 1	0.11	17	650	4	< 2	3	41	0.12	< 10	< 10	74	< 10	42
T5519	203	205	1	0.07	26	1020	8	< 2	5	47	0.16	< 10	< 10	106	< 10	64
T5520	203	205	< 1	0.13	20	580	6	< 2	4	44	0.13	< 10	< 10	72	< 10	42
T5521	203	205	1	0.11	21	600	12	2	4	42	0.12	< 10	< 10	76	< 10	46
T5522	203	205	< 1	0.04	32	480	8	< 2	6	37	0.16	< 10	< 10	87	< 10	56
T5523	203	205	< 1	0.03	34	390	8	< 2	7	38	0.16	< 10	< 10	94	< 10	66
T5524	203	205	2	0.03	50	640	14	< 2	7	38	0.15	< 10	< 10	116	< 10	106
T8612	203	205	< 1	0.02	35	880	10	< 2	8	90	0.19	< 10	< 10	115	< 10	76
T8613	203	205	< 1	0.02	41	1020	8	< 2	9	50	0.19	< 10	< 10	138	< 10	84
T8614	203	205	1	0.02	42	760	12	< 2	9	34	0.17	< 10	< 10	120	< 10	88
T8615	203	205	< 1	0.02	40	520	8	< 2	8	32	0.20	< 10	< 10	112	< 10	76
T8616	203	205	< 1	0.02	37	670	8	2	7	23	0.17	< 10	< 10	106	< 10	66
T8617	203	205	< 1	0.02	39	530	12	< 2	8	24	0.20	< 10	< 10	111	< 10	74
T8618	203	205	1	0.02	37	810	12	< 2	7	35	0.19	< 10	< 10	118	< 10	78
T8619	203	205	1	0.02	36	760	8	< 2	7	31	0.18	< 10	< 10	111	< 10	72
T8620	203	205	2	0.02	37	750	8	< 2	8	36	0.21	< 10	< 10	118	< 10	82
T8621	203	205	1	0.04	45	770	10	< 2	11	39	0.26	< 10	< 10	134	< 10	92
T8622	203	205	1	0.02	34	1290	12	< 2	8	38	0.16	< 10	< 10	106	< 10	60
T8623	203	205	< 1	0.02	45	990	14	< 2	10	26	0.21	< 10	< 10	135	< 10	98
T8624	203	205	< 1	0.03	41	950	12	< 2	9	30	0.22	< 10	< 10	121	< 10	88
T8625	203	205	< 1	0.03	41	780	8	4	9	32	0.23	< 10	< 10	123	< 10	90
T8626	203	205	1	0.03	48	1120	12	2	10	44	0.24	< 10	< 10	137	< 10	102
T8627	203	205	< 1	0.03	45	960	6	2	10	40	0.23	< 10	< 10	127	< 10	96
T8628	203	205	< 1	0.03	39	530	8	< 2	9	28	0.24	< 10	< 10	116	< 10	74
T8629	203	205	< 1	0.02	46	780	12	2	10	33	0.25	< 10	< 10	127	< 10	84
T8630	203	205	1	0.03	41	740	8	< 2	9	24	0.24	< 10	< 10	115	< 10	80
T8631	203	205	< 1	0.10	21	860	6	2	4	33	0.12	< 10	< 10	76	< 10	40
T8632	203	205	1	0.02	41	930	14	< 2	10	25	0.24	< 10	< 10	123	< 10	90
T8633	203	205	< 1	0.03	38	930	12	2	9	28	0.22	< 10	< 10	118	< 10	82
T8634	203	205	< 1	0.04	39	1130	10	< 2	9	37	0.23	< 10	< 10	116	< 10	88
T8635	203	205	< 1	0.03	38	850	14	< 2	9	34	0.21	< 10	< 10	113	< 10	78
T8636	203	205	1	0.08	42	820	14	< 2	10	53	0.25	< 10	< 10	125	< 10	88
T8637	203	205	1	0.03	40	450	8	< 2	8	33	0.22	< 10	< 10	109	< 10	72

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T8638	203	205	15	< 0.2	2.76	18	250	0.5	< 2	0.34	< 0.5	14	147	40	3.70	< 10	< 1	0.48	< 10	1.00	515
T8639	203	205	2	< 0.2	2.61	16	230	0.5	< 2	0.34	< 0.5	14	135	40	3.61	< 10	< 1	0.47	< 10	0.99	475
T8640	203	205	8	0.2	3.24	68	290	0.5	< 2	0.22	< 0.5	16	124	59	4.01	10	< 1	0.69	< 10	1.09	485
T8641	203	205	10	< 0.2	2.60	40	180	0.5	< 2	0.32	< 0.5	12	125	40	3.87	< 10	< 1	0.44	< 10	0.99	450
T8642	203	205	74	0.2	3.26	38	310	0.5	< 2	0.43	< 0.5	17	170	52	4.16	< 10	< 1	0.69	10	1.34	595
T8643	203	205	23	0.6	3.83	36	370	0.5	< 2	0.77	< 0.5	20	132	58	4.51	10	< 1	0.56	< 10	1.22	980
T8644	203	205	8	< 0.2	2.69	28	280	< 0.5	< 2	0.60	< 0.5	13	150	41	3.56	< 10	< 1	0.64	< 10	1.17	505
T8645	203	205	3	< 0.2	2.44	26	240	< 0.5	< 2	0.53	< 0.5	12	76	41	3.54	< 10	< 1	0.43	< 10	1.12	455
T8646	203	205	1	0.4	2.79	30	250	< 0.5	< 2	0.52	< 0.5	13	97	37	3.48	< 10	< 1	0.48	< 10	1.14	505
T8647	203	205	10	0.2	3.44	50	350	< 0.5	< 2	0.56	< 0.5	15	109	62	4.58	< 10	< 1	0.83	< 10	1.68	600
T8648	203	205	14	0.2	3.77	36	280	0.5	< 2	0.36	< 0.5	17	149	52	4.84	< 10	< 1	0.56	10	1.19	640
T8649	203	205	6	< 0.2	2.94	36	260	0.5	< 2	0.50	< 0.5	15	129	44	4.03	< 10	< 1	0.49	< 10	1.06	610
T8650	203	205	10	0.2	3.37	110	260	0.5	< 2	0.54	0.5	18	124	66	4.94	10	< 1	0.32	< 10	1.18	790
T8651	203	205	4	< 0.2	3.07	50	290	0.5	< 2	0.36	< 0.5	16	129	42	3.74	< 10	< 1	0.58	< 10	1.11	485
T8652	203	205	5	< 0.2	2.80	12	290	0.5	< 2	0.47	< 0.5	15	156	41	4.08	< 10	< 1	0.38	< 10	1.08	610
T8653	203	205	< 1	0.6	2.78	16	260	0.5	< 2	0.53	< 0.5	14	145	45	3.55	< 10	< 1	0.56	10	1.02	515
T8654	203	205	2	< 0.2	2.81	16	270	0.5	< 2	0.51	< 0.5	14	164	44	3.77	< 10	< 1	0.49	10	1.02	550
T8655	203	205	35	< 0.2	3.61	196	380	0.5	< 2	0.41	< 0.5	17	135	58	4.40	< 10	< 1	0.77	10	1.42	640
T8656	203	205	5	< 0.2	2.40	16	210	0.5	2	0.34	< 0.5	9	116	34	3.50	< 10	< 1	0.40	10	0.83	320
T8657	203	205	6	0.2	3.65	16	280	0.5	< 2	0.37	< 0.5	13	136	47	4.42	< 10	< 1	0.52	10	1.13	325
T8658	203	205	1	< 0.2	2.93	12	250	0.5	< 2	0.38	< 0.5	13	140	40	3.82	< 10	< 1	0.48	10	1.00	490
T8659	203	205	3	0.2	3.16	6	260	0.5	< 2	0.37	< 0.5	14	123	46	4.03	< 10	< 1	0.50	10	1.04	390
T8660	203	205	3	0.2	3.05	6	300	0.5	< 2	0.44	< 0.5	14	146	39	3.86	< 10	< 1	0.63	10	1.10	470
T8661	203	205	4	0.2	3.16	14	290	0.5	< 2	0.54	0.5	15	137	43	3.96	< 10	< 1	0.51	10	1.09	535
T8662	203	205	2	0.2	3.22	16	300	0.5	< 2	0.51	< 0.5	16	168	46	4.26	< 10	< 1	0.56	10	1.14	675
T8663	203	205	2	< 0.2	3.44	4	300	0.5	< 2	0.39	< 0.5	19	130	50	4.44	< 10	< 1	0.45	10	1.15	700
T8664	203	205	4	0.2	3.32	14	280	0.5	< 2	0.54	< 0.5	14	135	46	3.91	< 10	< 1	0.56	10	1.11	585
T8665	203	205	2	< 0.2	3.18	14	300	0.5	< 2	0.42	< 0.5	13	123	41	4.07	< 10	< 1	0.50	10	1.07	455
T8666	203	205	5	0.2	3.08	14	220	0.5	< 2	0.40	< 0.5	11	135	39	4.43	10	< 1	0.45	10	1.03	310
T8667	203	205	8	0.2	3.42	24	330	0.5	< 2	0.36	< 0.5	13	130	43	3.99	10	< 1	0.62	10	1.04	305
T8668	203	205	4	< 0.2	3.21	22	250	0.5	< 2	0.47	< 0.5	15	131	48	4.24	< 10	< 1	0.33	10	1.10	620
T8669	203	205	3	0.2	3.51	16	330	0.5	< 2	0.50	< 0.5	19	153	53	4.46	10	< 1	0.67	< 10	1.39	630
T8670	203	205	6	0.2	3.60	28	350	1.0	< 2	0.50	< 0.5	19	160	70	4.71	< 10	< 1	0.85	10	1.36	755
T8671	203	205	5	0.2	3.38	18	330	0.5	< 2	0.37	< 0.5	17	163	52	4.47	10	< 1	0.61	10	1.16	635
T8672	203	205	4	0.2	4.24	64	440	0.5	< 2	0.38	< 0.5	21	253	72	5.29	10	< 1	1.32	< 10	2.15	505
T8673	203	205	4	< 0.2	2.90	48	220	0.5	< 2	0.46	< 0.5	13	136	41	4.14	< 10	< 1	0.40	10	1.10	485
T8674	203	205	4	< 0.2	3.15	24	280	0.5	< 2	0.46	< 0.5	14	142	41	3.92	10	< 1	0.52	10	1.20	505
T8675	203	205	2	0.2	3.33	14	230	0.5	< 2	0.71	< 0.5	16	123	46	4.74	10	< 1	0.35	< 10	1.20	705
T8676	203	205	8	0.2	3.19	50	210	0.5	< 2	0.57	< 0.5	17	110	50	4.52	< 10	< 1	0.46	10	1.24	750
T8677	203	205	11	0.4	3.36	132	290	0.5	< 2	0.71	0.5	19	118	62	4.56	10	< 1	0.46	< 10	1.22	875

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page . ar :4-B
Total Pages :6
Certificate Date: 27-SEP-94
Invoice No. :19425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T8638	203	205	< 1	0.02	42	620	10	2	8	28	0.20	< 10	< 10	112	< 10	76
T8639	203	205	< 1	0.02	41	560	4	< 2	8	27	0.19	< 10	< 10	107	< 10	72
T8640	203	205	1	0.02	46	360	12	< 2	9	32	0.22	< 10	< 10	120	< 10	74
T8641	203	205	< 1	0.02	37	730	8	< 2	7	32	0.16	< 10	< 10	109	< 10	74
T8642	203	205	< 1	0.03	46	830	14	< 2	10	41	0.20	< 10	< 10	132	< 10	86
T8643	203	205	1	0.03	49	1360	12	< 2	10	90	0.19	< 10	< 10	137	< 10	96
T8644	203	205	< 1	0.05	32	870	10	< 2	7	57	0.21	< 10	< 10	109	< 10	60
T8645	203	205	< 1	0.03	26	750	8	2	6	45	0.19	< 10	< 10	100	< 10	62
T8646	203	205	< 1	0.05	28	620	8	< 2	6	46	0.20	< 10	< 10	98	< 10	62
T8647	203	205	1	0.03	35	490	10	< 2	9	79	0.32	< 10	< 10	139	< 10	76
T8648	203	205	1	0.03	50	620	12	< 2	10	43	0.22	< 10	< 10	143	< 10	98
T8649	203	205	< 1	0.03	46	790	8	< 2	9	44	0.22	< 10	< 10	121	< 10	78
T8650	203	205	2	0.02	48	1340	20	< 2	8	48	0.14	< 10	< 10	126	< 10	98
T8651	203	205	< 1	0.02	43	500	6	< 2	9	28	0.23	< 10	< 10	114	< 10	80
T8652	203	205	< 1	0.03	43	640	12	< 2	8	39	0.23	< 10	< 10	125	< 10	80
T8653	203	205	1	0.05	37	810	4	< 2	11	37	0.25	< 10	< 10	115	10	82
T8654	203	205	1	0.04	39	800	4	< 2	11	37	0.25	< 10	< 10	118	10	88
T8655	203	205	1	0.04	44	1020	2	< 2	13	33	0.26	< 10	< 10	132	10	112
T8656	203	205	1	0.05	26	810	< 2	2	9	23	0.20	< 10	< 10	100	10	66
T8657	203	205	1	0.02	43	1070	10	2	11	25	0.25	< 10	< 10	130	< 10	84
T8658	203	205	< 1	0.03	40	720	8	< 2	9	28	0.23	< 10	< 10	115	< 10	82
T8659	203	205	< 1	0.02	40	940	8	< 2	10	28	0.24	< 10	< 10	119	< 10	78
T8660	203	205	< 1	0.06	40	690	6	2	9	37	0.26	< 10	< 10	121	< 10	82
T8661	203	205	< 1	0.06	40	860	12	< 2	9	41	0.24	< 10	< 10	116	< 10	82
T8662	203	205	1	0.05	44	770	14	2	10	38	0.27	< 10	< 10	128	< 10	92
T8663	203	205	1	0.03	44	930	14	< 2	9	35	0.23	< 10	< 10	127	< 10	86
T8664	203	205	< 1	0.05	40	840	10	< 2	9	43	0.23	< 10	< 10	118	< 10	84
T8665	203	205	< 1	0.03	41	660	4	< 2	9	31	0.26	< 10	< 10	126	< 10	88
T8666	203	205	< 1	0.02	38	890	14	2	9	28	0.23	< 10	< 10	120	< 10	78
T8667	203	205	1	0.02	40	970	12	< 2	10	24	0.25	< 10	< 10	127	< 10	80
T8668	203	205	1	0.04	41	1070	12	< 2	8	41	0.22	< 10	< 10	122	< 10	86
T8669	203	205	1	0.04	53	970	8	< 2	11	41	0.29	< 10	< 10	142	< 10	100
T8670	203	205	2	0.03	58	930	14	< 2	11	43	0.30	< 10	< 10	149	< 10	100
T8671	203	205	1	0.03	52	760	8	< 2	10	36	0.26	< 10	< 10	138	< 10	88
T8672	203	205	< 1	0.02	77	550	10	< 2	14	38	0.32	< 10	< 10	176	< 10	126
T8673	203	205	< 1	0.03	44	500	12	< 2	9	35	0.23	< 10	< 10	126	< 10	80
T8674	203	205	< 1	0.04	45	410	8	2	9	42	0.23	< 10	< 10	117	< 10	76
T8675	203	205	< 1	0.02	47	810	10	< 2	9	61	0.22	< 10	< 10	142	< 10	98
T8676	203	205	1	0.03	42	1200	12	2	7	49	0.19	< 10	< 10	125	< 10	98
T8677	203	205	2	0.03	37	1710	18	< 2	7	59	0.16	< 10	< 10	125	< 10	94

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T8678	203	205	11	< 0.2	2.53	70	220	< 0.5	< 2	0.64	< 0.5	12	91	49	3.32	< 10	< 1	0.33	10	1.01	565
T8679	203	205	4	< 0.2	3.00	20	290	< 0.5	< 2	0.40	< 0.5	15	141	41	3.93	< 10	< 1	0.53	< 10	1.16	495
T8680	203	205	4	< 0.2	3.64	22	330	< 0.5	< 2	0.51	< 0.5	17	105	58	4.53	< 10	< 1	0.60	< 10	1.38	605
T8681	203	205	4	< 0.2	3.28	26	300	< 0.5	< 2	0.40	< 0.5	15	133	50	4.12	< 10	< 1	0.54	< 10	1.19	520
T8682	203	205	6	< 0.2	3.01	32	270	< 0.5	< 2	0.40	< 0.5	15	114	44	3.91	< 10	< 1	0.44	< 10	1.02	630
T8683	203	205	2	< 0.2	3.12	22	250	< 0.5	< 2	0.43	< 0.5	17	107	44	4.06	< 10	< 1	0.36	< 10	1.02	830
T8684	203	205	3	< 0.2	3.22	44	280	< 0.5	< 2	0.41	< 0.5	14	133	41	3.99	< 10	< 1	0.52	10	1.02	585
T8685	203	205	7	0.4	3.14	14	260	< 0.5	< 2	0.50	< 0.5	11	124	39	3.68	< 10	< 1	0.46	10	1.19	405
T8686	203	205	5	< 0.2	3.39	24	310	< 0.5	< 2	0.49	< 0.5	17	154	49	4.44	< 10	< 1	0.60	< 10	1.31	645
T8687	203	205	9	< 0.2	2.81	32	260	< 0.5	< 2	0.44	< 0.5	14	172	39	3.85	< 10	< 1	0.52	10	1.02	560
T8688	203	205	17	< 0.2	3.09	92	260	< 0.5	< 2	0.46	< 0.5	16	134	49	4.11	< 10	< 1	0.54	10	1.14	620
T8689	203	205	8	< 0.2	3.59	52	310	< 0.5	< 2	0.48	< 0.5	18	156	51	4.43	< 10	< 1	0.66	10	1.21	625
T8690	203	205	2	0.2	4.63	30	380	< 0.5	< 2	1.02	< 0.5	22	216	50	4.87	< 10	< 1	0.35	< 10	3.38	725
T8691	203	205	76	0.2	3.71	22	370	< 0.5	< 2	0.54	< 0.5	16	167	59	4.65	< 10	< 1	0.69	10	1.54	550
T8692	203	205	4	< 0.2	2.57	22	190	< 0.5	< 2	0.56	< 0.5	13	108	37	3.89	< 10	< 1	0.33	< 10	1.02	555
T8693	203	205	6	< 0.2	2.77	46	210	< 0.5	< 2	0.51	< 0.5	13	115	41	4.13	< 10	< 1	0.39	< 10	1.08	500
T8694	203	205	26	0.2	2.50	114	250	< 0.5	2	0.55	< 0.5	13	63	48	3.65	< 10	< 1	0.58	< 10	1.28	530
T8695	203	205	9	< 0.2	2.40	50	260	< 0.5	< 2	0.60	< 0.5	13	87	53	3.64	< 10	< 1	0.66	< 10	1.25	490
T8696	203	205	2	0.2	3.38	32	330	< 0.5	< 2	0.74	< 0.5	18	163	57	5.36	< 10	< 1	1.00	10	2.36	490
T8721	203	205	23	0.2	3.83	182	300	< 0.5	< 2	0.40	0.5	20	125	67	4.63	< 10	< 1	0.76	10	1.22	1010
T8723	203	205	10	0.2	3.59	78	260	< 0.5	< 2	0.53	0.5	17	116	57	4.45	< 10	< 1	0.64	10	1.20	855
T8724	203	205	86	0.2	4.11	190	340	< 0.5	< 2	0.40	0.5	19	129	57	4.62	< 10	< 1	0.85	10	1.23	1165
T8725	203	205	58	0.2	4.36	268	330	< 0.5	< 2	0.36	0.5	19	127	55	4.80	< 10	< 1	0.87	10	1.29	955
T8726	203	205	67	0.2	4.37	258	290	< 0.5	2	0.38	1.0	19	126	54	4.63	< 10	< 1	0.65	10	1.40	890
T8727	203	205	165	0.2	4.64	396	310	< 0.5	< 2	0.36	1.0	21	115	61	5.05	< 10	< 1	0.73	10	1.42	1000
T8728	203	205	88	0.2	4.59	398	280	< 0.5	< 2	0.36	1.5	21	120	67	5.13	< 10	< 1	0.69	10	1.29	950
T8729	203	205	146	1.2	4.07	258	270	< 0.5	< 2	0.42	1.0	19	120	63	4.92	< 10	< 1	0.66	10	1.33	735
T8730	203	205	124	0.2	4.84	300	340	0.5	< 2	0.29	0.5	19	126	64	4.94	< 10	< 1	0.83	10	1.32	675
T8731	203	205	39	0.2	4.23	162	330	< 0.5	2	0.43	0.5	19	129	66	4.84	< 10	< 1	0.73	10	1.34	605
T8732	203	205	68	0.2	4.65	238	350	0.5	< 2	0.37	1.0	19	119	69	4.84	< 10	< 1	0.80	10	1.29	700
T8733	203	205	44	< 0.2	4.23	142	330	< 0.5	< 2	0.33	< 0.5	16	119	60	4.23	< 10	< 1	0.82	10	1.22	610
T8734	203	205	30	0.2	3.91	122	340	< 0.5	< 2	0.37	< 0.5	18	119	61	4.32	< 10	< 1	0.77	10	1.22	540
T8735	203	205	23	0.2	4.52	142	380	< 0.5	< 2	0.35	0.5	18	135	65	4.47	< 10	< 1	0.92	10	1.27	600
T8736	203	205	25	0.2	4.83	186	420	< 0.5	< 2	0.34	0.5	21	136	69	4.88	< 10	< 1	0.97	10	1.37	675
T8737	203	205	183	0.4	5.38	212	460	0.5	< 2	0.27	< 0.5	21	124	71	4.97	< 10	< 1	1.13	10	1.43	715
T8738	203	205	47	0.2	4.97	260	450	< 0.5	< 2	0.28	0.5	19	127	66	4.92	< 10	< 1	1.01	10	1.34	765
T8739	203	205	29	0.2	5.02	268	450	< 0.5	< 2	0.26	0.5	19	114	61	4.72	< 10	< 1	1.00	10	1.27	745
T8740	203	205	36	0.4	5.01	194	400	< 0.5	< 2	0.39	0.5	20	123	73	4.90	< 10	< 1	0.93	10	1.38	770
T8741	203	205	52	0.2	6.66	388	510	0.5	< 2	0.36	1.0	24	108	77	5.41	< 10	< 1	0.96	10	1.30	885
T8742	203	205	47	0.2	5.04	156	410	0.5	< 2	0.41	< 0.5	21	153	76	5.11	< 10	< 1	1.01	10	1.52	820

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T8678	203	205	1	0.03	24	970	6	2	7	58	0.16	< 10	< 10	95	< 10	68
T8679	203	205	< 1	0.03	40	710	8	< 2	9	33	0.23	< 10	< 10	120	< 10	86
T8680	203	205	< 1	0.03	47	1070	10	< 2	10	47	0.23	< 10	< 10	130	< 10	100
T8681	203	205	1	0.03	42	850	12	< 2	10	36	0.23	< 10	< 10	121	< 10	88
T8682	203	205	< 1	0.02	40	1010	10	< 2	8	31	0.20	< 10	< 10	111	< 10	84
T8683	203	205	1	0.02	40	1100	12	< 2	8	35	0.20	< 10	< 10	115	< 10	82
T8684	203	205	1	0.03	42	910	6	< 2	9	30	0.24	< 10	< 10	122	< 10	88
T8685	203	205	< 1	0.03	40	870	6	< 2	9	38	0.25	< 10	< 10	117	< 10	82
T8686	203	205	< 1	0.04	47	950	6	2	11	39	0.25	< 10	< 10	137	< 10	98
T8687	203	205	1	0.04	43	900	8	2	9	31	0.22	< 10	< 10	118	< 10	86
T8688	203	205	< 1	0.04	48	690	8	< 2	10	36	0.22	< 10	< 10	121	< 10	96
T8689	203	205	< 1	0.04	50	860	8	2	10	44	0.25	< 10	< 10	132	< 10	94
T8690	203	205	1	0.10	87	1760	14	< 2	8	115	0.23	< 10	< 10	124	< 10	106
T8691	203	205	< 1	0.03	63	850	12	2	12	71	0.24	< 10	< 10	141	< 10	92
T8692	203	205	< 1	0.02	37	770	8	< 2	7	44	0.16	< 10	< 10	111	< 10	80
T8693	203	205	< 1	0.02	39	720	8	2	7	43	0.19	< 10	< 10	118	< 10	86
T8694	203	205	< 1	0.02	19	790	8	< 2	4	59	0.24	< 10	< 10	96	< 10	54
T8695	203	205	< 1	0.02	26	500	2	< 2	6	51	0.26	< 10	< 10	108	< 10	56
T8696	203	205	1	0.01	61	520	6	< 2	14	68	0.49	< 10	< 10	170	< 10	128
T8721	203	205	1	0.02	47	890	16	2	10	44	0.20	< 10	< 10	124	< 10	116
T8723	203	205	< 1	0.03	48	1150	12	< 2	10	49	0.23	< 10	< 10	123	< 10	104
T8724	203	205	< 1	0.03	46	900	16	< 2	11	52	0.23	< 10	< 10	131	< 10	104
T8725	203	205	< 1	0.02	45	810	16	< 2	11	47	0.21	< 10	< 10	132	< 10	108
T8726	203	205	1	0.02	55	740	16	2	10	57	0.18	< 10	< 10	118	< 10	110
T8727	203	205	1	0.02	49	730	20	< 2	11	54	0.18	< 10	< 10	131	< 10	114
T8728	203	205	< 1	0.02	50	740	12	2	11	56	0.17	< 10	< 10	125	< 10	118
T8729	203	205	< 1	0.02	47	940	18	< 2	11	56	0.20	< 10	< 10	128	< 10	114
T8730	203	205	< 1	0.02	49	630	18	2	12	61	0.23	< 10	< 10	130	< 10	116
T8731	203	205	1	0.03	52	1000	16	< 2	11	58	0.23	< 10	< 10	131	< 10	118
T8732	203	205	< 1	0.02	53	880	18	2	12	63	0.25	< 10	< 10	129	< 10	116
T8733	203	205	< 1	0.02	46	650	14	< 2	11	54	0.23	< 10	< 10	118	< 10	112
T8734	203	205	< 1	0.02	48	840	14	4	11	54	0.23	< 10	< 10	118	< 10	110
T8735	203	205	1	0.02	51	700	24	< 2	12	59	0.24	< 10	< 10	128	< 10	110
T8736	203	205	1	0.02	54	700	12	< 2	12	66	0.24	< 10	< 10	134	< 10	120
T8737	203	205	< 1	0.02	52	520	16	2	13	71	0.26	< 10	< 10	139	< 10	120
T8738	203	205	< 1	0.03	48	680	16	2	12	74	0.25	< 10	< 10	131	< 10	110
T8739	203	205	< 1	0.02	48	620	20	< 2	12	70	0.26	< 10	< 10	131	< 10	110
T8740	203	205	1	0.02	55	1040	18	< 2	12	81	0.27	< 10	< 10	135	< 10	118
T8741	203	205	< 1	0.03	55	1820	16	< 2	13	115	0.33	< 10	< 10	147	< 10	112
T8742	203	205	< 1	0.03	58	1080	16	2	13	78	0.27	< 10	< 10	150	< 10	114

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T8743	203	205	42	0.2	5.51	184	450	0.5	< 2	0.28	< 0.5	20	113	65	4.93	< 10	< 1	1.03	10	1.40	885
T8744	203	205	67	0.4	5.88	254	490	0.5	< 2	0.37	1.0	23	109	79	5.00	< 10	< 1	0.83	10	1.20	890
T8745	203	205	45	0.2	4.51	90	360	< 0.5	< 2	0.52	< 0.5	20	147	65	4.70	< 10	< 1	0.82	10	1.61	750
T8746	203	205	105	< 0.2	4.11	56	330	< 0.5	< 2	0.58	< 0.5	18	159	58	4.34	< 10	< 1	0.74	10	1.65	680
T8747	203	205	17	< 0.2	4.44	66	360	< 0.5	< 2	0.49	< 0.5	20	141	66	4.50	< 10	< 1	0.86	10	1.54	785
T8748	203	205	27	0.2	5.03	78	440	< 0.5	2	0.29	< 0.5	28	137	82	4.77	< 10	< 1	1.19	10	1.40	1080
T8749	203	205	21	0.2	4.22	68	360	< 0.5	< 2	0.42	< 0.5	20	137	67	4.44	< 10	< 1	0.83	10	1.46	785

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page :6-B
Total Pages :6
Certificate Date: 27-SEP-94
Invoice No. : I9425969
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425969

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T8743	203	205	< 1	0.02	52	650	18	< 2	12	79	0.24	< 10	< 10	139	< 10	112
T8744	203	205	1	0.03	62	1700	14	< 2	13	103	0.31	< 10	< 10	144	< 10	106
T8745	203	205	2	0.03	58	1130	20	< 2	12	76	0.24	< 10	< 10	137	< 10	106
T8746	203	205	< 1	0.04	55	1210	10	2	11	74	0.23	< 10	< 10	127	< 10	98
T8747	203	205	< 1	0.03	56	1200	14	2	11	75	0.24	< 10	< 10	135	< 10	106
T8748	203	205	1	0.02	67	780	22	< 2	13	74	0.27	< 10	< 10	142	< 10	124
T8749	203	205	< 1	0.03	56	1090	14	< 2	11	70	0.24	< 10	< 10	129	< 10	102

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S 02401	203	205	7	0.2	2.05	62	230	< 0.5	< 2	0.46	< 0.5	10	68	39	3.02	< 10	1	0.35	< 10	0.94	450
S 02402	203	205	5	< 0.2	2.71	38	280	0.5	< 2	0.46	< 0.5	15	154	46	3.70	< 10	< 1	0.54	< 10	1.15	590
S 02403	203	205	15	0.2	3.19	66	270	0.5	< 2	0.37	< 0.5	18	112	55	4.39	< 10	< 1	0.51	< 10	1.13	665
S 02404	203	205	13	0.2	2.61	28	230	0.5	< 2	0.44	< 0.5	13	112	42	3.52	< 10	< 1	0.47	10	0.97	465
S 02405	203	205	4	< 0.2	2.45	20	190	0.5	< 2	0.35	< 0.5	12	105	39	3.67	< 10	1	0.22	< 10	1.01	415
S 02406	203	205	13	< 0.2	2.86	60	270	0.5	< 2	0.40	< 0.5	14	130	48	3.85	10	< 1	0.51	< 10	1.05	480
S 02407	203	205	6	0.2	2.77	70	250	0.5	< 2	0.38	< 0.5	13	113	45	3.80	< 10	< 1	0.45	< 10	0.97	480
S 02408	203	205	10	< 0.2	3.20	30	290	0.5	2	0.41	< 0.5	17	153	46	4.46	10	< 1	0.52	< 10	1.13	820
S 02409	203	205	4	< 0.2	2.90	28	240	0.5	< 2	0.51	< 0.5	14	129	44	4.16	< 10	< 1	0.33	< 10	1.16	585
S 02410	203	205	8	< 0.2	3.00	48	290	0.5	< 2	0.54	< 0.5	17	119	52	4.00	< 10	2	0.40	10	1.04	740
S 02411	203	205	49	< 0.2	3.05	380	340	0.5	< 2	0.33	0.5	15	134	56	4.30	< 10	5	0.65	< 10	1.15	640
S 02412	203	205	2	< 0.2	2.60	14	280	0.5	< 2	0.37	< 0.5	11	128	38	3.38	< 10	< 1	0.57	< 10	0.98	480
S 02413	203	205	9	< 0.2	2.66	26	300	0.5	< 2	0.39	< 0.5	13	135	40	3.37	< 10	< 1	0.54	< 10	1.10	470
S 02414	203	205	13	< 0.2	2.69	110	240	0.5	< 2	0.44	< 0.5	13	123	43	3.55	< 10	< 1	0.51	< 10	1.03	460
S 02415	203	205	13	< 0.2	3.40	158	330	0.5	4	0.40	< 0.5	15	124	50	4.08	10	2	0.57	< 10	1.33	505
S 02416	203	205	3	< 0.2	2.79	32	300	0.5	< 2	0.45	< 0.5	15	124	43	3.64	< 10	< 1	0.56	< 10	1.02	535
S 02417	203	205	28	< 0.2	2.58	20	290	0.5	< 2	0.35	< 0.5	12	123	34	3.56	< 10	2	0.47	< 10	1.02	415
S 02418	203	205	3	0.4	3.74	22	400	0.5	8	0.60	< 0.5	18	130	55	4.29	10	4	0.74	< 10	1.45	580
S 02419	203	205	4	0.4	3.00	22	270	0.5	< 2	0.54	< 0.5	15	102	51	4.12	< 10	4	0.37	< 10	1.08	485
S 02420	203	205	8	0.2	3.16	198	350	0.5	8	0.45	< 0.5	20	154	47	4.07	10	< 1	0.75	< 10	1.30	865
S 02421	203	205	12	< 0.2	2.98	114	260	0.5	< 2	0.32	< 0.5	14	92	45	3.79	< 10	< 1	0.33	< 10	0.93	610
S 02422	203	205	4	< 0.2	3.20	54	290	0.5	< 2	0.39	< 0.5	15	139	43	4.01	< 10	2	0.52	10	1.12	620
S 02423	203	205	3	< 0.2	2.78	24	290	0.5	< 2	0.47	< 0.5	15	126	37	3.61	< 10	1	0.44	< 10	0.97	740
S 02424	203	205	< 1	< 0.2	2.82	18	240	0.5	< 2	0.40	< 0.5	10	131	33	3.49	< 10	< 1	0.40	< 10	1.07	335
S 02425	203	205	8	< 0.2	2.66	88	250	0.5	< 2	0.41	< 0.5	12	120	38	3.58	< 10	1	0.47	10	0.99	465
S 02426	203	205	6	0.2	3.24	50	280	0.5	< 2	0.53	< 0.5	17	110	55	4.25	< 10	2	0.38	10	1.14	680
S 02427	203	205	7	< 0.2	2.83	28	260	0.5	< 2	0.39	< 0.5	14	123	38	3.87	< 10	1	0.33	< 10	1.02	490
S 02428	203	205	7	< 0.2	3.07	16	210	0.5	< 2	0.50	< 0.5	17	106	53	4.48	10	< 1	0.25	10	1.11	785
S 02429	203	205	16	0.4	3.71	56	350	0.5	< 2	0.50	< 0.5	19	125	64	4.74	10	< 1	0.55	10	1.13	680
S 02430	203	205	1210	0.4	3.40	912	220	0.5	10	0.41	1.0	13	92	37	4.11	10	1	0.33	10	1.36	430
S 02431	203	205	9	< 0.2	2.71	36	250	0.5	< 2	0.34	< 0.5	13	105	38	3.46	< 10	2	0.46	10	0.93	475
S 02432	203	205	73	0.2	2.53	38	200	0.5	< 2	0.36	< 0.5	15	119	45	3.48	< 10	< 1	0.32	10	0.91	525
S 02433	203	205	3	0.2	2.93	46	210	< 0.5	< 2	0.73	< 0.5	14	102	48	3.20	< 10	< 1	0.42	< 10	1.07	445
S 02434	203	205	4	< 0.2	2.10	26	270	< 0.5	4	0.55	< 0.5	12	98	49	3.58	< 10	< 1	0.47	< 10	1.16	545
S 07344	203	205	14	< 0.2	2.89	104	290	0.5	< 2	0.58	< 0.5	15	123	45	3.61	< 10	1	0.54	10	1.10	525
S 07345	203	205	1	0.2	3.91	20	350	0.5	36	0.29	< 0.5	20	205	55	4.96	< 10	2	1.29	< 10	2.00	495
S 07346	203	205	3	0.2	2.38	22	150	< 0.5	< 2	0.40	< 0.5	11	104	33	3.54	10	< 1	0.23	< 10	0.86	415
S 07347	203	205	66	< 0.2	2.73	44	190	0.5	< 2	0.33	< 0.5	16	119	49	3.49	< 10	< 1	0.40	< 10	1.01	410
S 07348	203	205	8	0.2	2.46	22	230	0.5	< 2	0.39	< 0.5	15	102	41	3.43	< 10	< 1	0.35	< 10	0.93	505
S 07349	203	205	5	< 0.2	2.46	60	230	< 0.5	< 2	0.51	< 0.5	17	91	46	3.78	< 10	< 1	0.29	< 10	1.03	720

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-B
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
s 02401	203	205	< 1	0.02	24	810	14	2	5	41	0.16	< 10	< 10	82	< 10	58
s 02402	203	205	< 1	0.04	40	710	8	2	8	35	0.21	< 10	< 10	116	< 10	78
s 02403	203	205	1	0.02	50	760	14	< 2	10	36	0.18	< 10	< 10	125	< 10	104
s 02404	203	205	< 1	0.03	40	680	8	2	8	30	0.19	< 10	< 10	104	< 10	68
s 02405	203	205	< 1	0.02	38	520	14	2	7	28	0.19	< 10	< 10	106	< 10	68
s 02406	203	205	< 1	0.02	47	830	8	2	8	27	0.22	< 10	< 10	113	< 10	78
s 02407	203	205	< 1	0.02	43	640	6	2	8	32	0.18	< 10	< 10	120	< 10	78
s 02408	203	205	1	0.02	50	810	12	2	9	31	0.21	< 10	< 10	132	< 10	104
s 02409	203	205	1	0.02	42	890	12	< 2	9	38	0.20	< 10	< 10	119	< 10	94
s 02410	203	205	< 1	0.02	44	1190	12	6	9	43	0.18	< 10	< 10	114	< 10	84
s 02411	203	205	< 1	0.02	48	840	6	2	10	26	0.20	< 10	< 10	129	< 10	104
s 02412	203	205	< 1	0.03	35	840	6	< 2	8	25	0.21	< 10	< 10	106	< 10	72
s 02413	203	205	< 1	0.03	39	910	6	2	9	28	0.21	< 10	< 10	104	< 10	82
s 02414	203	205	< 1	0.03	39	990	8	< 2	8	38	0.19	< 10	< 10	104	< 10	86
s 02415	203	205	< 1	0.03	43	800	8	6	10	76	0.22	< 10	< 10	124	< 10	90
s 02416	203	205	< 1	0.03	42	840	6	2	9	40	0.21	< 10	< 10	115	< 10	90
s 02417	203	205	< 1	0.02	37	470	8	< 2	8	29	0.22	< 10	< 10	110	< 10	76
s 02418	203	205	1	0.06	44	940	10	2	11	52	0.27	< 10	< 10	130	< 10	100
s 02419	203	205	2	0.02	41	1250	12	< 2	8	47	0.18	< 10	< 10	109	< 10	82
s 02420	203	205	< 1	0.04	41	930	14	< 2	10	39	0.24	< 10	< 10	121	< 10	84
s 02421	203	205	< 1	0.03	37	890	10	2	8	31	0.17	< 10	< 10	104	< 10	78
s 02422	203	205	< 1	0.03	41	910	6	2	10	27	0.22	< 10	< 10	119	< 10	92
s 02423	203	205	< 1	0.03	37	930	6	6	9	37	0.20	< 10	< 10	107	< 10	86
s 02424	203	205	< 1	0.03	37	810	12	2	9	30	0.22	< 10	< 10	114	< 10	78
s 02425	203	205	< 1	0.02	40	860	4	< 2	8	30	0.18	< 10	< 10	106	< 10	82
s 02426	203	205	< 1	0.03	48	1060	6	2	9	44	0.20	< 10	< 10	121	< 10	90
s 02427	203	205	< 1	0.02	41	660	10	4	9	28	0.20	< 10	< 10	117	< 10	80
s 02428	203	205	1	0.02	42	1330	14	2	8	44	0.17	< 10	< 10	123	< 10	92
s 02429	203	205	< 1	0.02	55	1040	12	2	12	44	0.21	< 10	< 10	142	< 10	96
s 02430	203	205	1	0.02	34	670	18	< 2	9	61	0.13	< 10	< 10	116	< 10	110
s 02431	203	205	< 1	0.02	40	500	8	2	8	26	0.19	< 10	< 10	104	< 10	70
s 02432	203	205	< 1	0.03	46	610	8	2	8	27	0.17	< 10	< 10	105	< 10	72
s 02433	203	205	< 1	0.06	34	800	12	2	6	66	0.19	< 10	< 10	96	< 10	60
s 02434	203	205	1	0.03	26	890	6	4	8	47	0.19	< 10	< 10	113	< 10	68
s 07344	203	205	< 1	0.07	48	850	8	< 2	9	47	0.20	< 10	< 10	112	< 10	80
s 07345	203	205	< 1	0.02	65	440	12	< 2	15	25	0.35	< 10	< 10	170	< 10	118
s 07346	203	205	< 1	0.02	33	710	14	< 2	7	32	0.17	< 10	< 10	104	< 10	64
s 07347	203	205	< 1	0.03	45	550	10	< 2	8	28	0.19	< 10	< 10	107	< 10	72
s 07348	203	205	< 1	0.03	43	780	8	< 2	7	29	0.19	< 10	< 10	104	< 10	70
s 07349	203	205	1	0.02	34	1230	8	4	6	44	0.15	< 10	< 10	102	< 10	82

CERTIFICATION: Ivan Bridley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :2-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S 07351	203	205	2	0.2	2.60	34	190	0.5	< 2	0.38	< 0.5	13	95	38	3.74	< 10	< 1	0.31	< 10	1.10	470
S 07352	203	205	10	0.2	2.80	20	180	0.5	< 2	0.43	< 0.5	18	131	50	3.29	< 10	2	0.40	< 10	1.23	385
S 07353	203	205	5	< 0.2	2.96	20	220	0.5	< 2	0.51	< 0.5	16	102	41	4.02	< 10	1	0.30	< 10	1.26	515
S 07354	203	205	8	< 0.2	2.31	24	200	< 0.5	< 2	0.54	< 0.5	15	116	34	3.66	< 10	< 1	0.34	< 10	1.03	540
S 07355	203	205	19	0.4	3.80	20	360	1.0	< 2	0.38	< 0.5	26	120	72	4.98	< 10	< 1	0.60	< 10	1.23	875
S 07356	203	205	9	0.2	2.72	34	220	0.5	< 2	0.24	< 0.5	14	141	36	3.62	< 10	1	0.43	10	1.00	485
S 07357	203	205	11	< 0.2	2.81	44	240	0.5	< 2	0.49	< 0.5	15	101	38	3.73	< 10	< 1	0.40	< 10	1.05	535
S 07358	203	205	18	< 0.2	2.53	44	290	0.5	< 2	0.63	< 0.5	15	96	41	3.65	< 10	< 1	0.26	< 10	0.89	650
S 07359	203	205	12	< 0.2	2.57	48	250	0.5	< 2	0.50	< 0.5	14	94	43	3.66	< 10	< 1	0.24	10	0.87	575
S 07360	203	205	8	0.2	2.84	56	240	0.5	< 2	0.39	< 0.5	15	99	39	4.11	< 10	2	0.14	< 10	1.06	525
S 07361	203	205	13	0.2	2.49	68	250	0.5	< 2	0.38	< 0.5	15	108	41	3.43	< 10	< 1	0.44	< 10	1.03	485
S 07362	203	205	15	< 0.2	2.96	108	290	0.5	< 2	0.39	< 0.5	16	135	48	4.11	< 10	1	0.68	< 10	1.20	515
S 07363	203	205	30	0.2	3.03	152	260	0.5	< 2	0.37	< 0.5	16	106	52	3.95	< 10	< 1	0.41	< 10	1.14	480
S 07364	203	205	13	0.2	2.90	40	270	0.5	< 2	0.38	< 0.5	13	130	26	3.47	< 10	3	0.48	< 10	1.16	315
S 07365	203	205	13	0.2	2.92	64	320	0.5	< 2	0.44	< 0.5	13	120	46	3.70	< 10	1	0.64	10	1.21	410
S 07366	203	205	10	0.2	2.51	26	260	< 0.5	< 2	0.44	< 0.5	10	125	24	3.00	< 10	1	0.51	< 10	1.11	350
S 07367	203	205	13	0.2	3.38	16	320	0.5	< 2	0.36	< 0.5	14	123	40	3.48	< 10	< 1	0.35	< 10	1.20	340
S 07368	203	205	23	< 0.2	3.22	122	300	0.5	< 2	0.42	< 0.5	15	123	42	3.88	< 10	2	0.50	< 10	1.14	420
S 07369	203	205	8	< 0.2	3.40	44	290	0.5	< 2	0.38	< 0.5	16	125	35	3.87	< 10	1	0.35	< 10	1.23	415
S 07370	203	205	69	0.2	2.93	68	280	0.5	< 2	0.40	< 0.5	16	120	43	3.67	< 10	1	0.50	< 10	1.09	590
S 07371	203	205	18	< 0.2	2.85	106	310	0.5	< 2	0.47	< 0.5	16	125	47	3.79	< 10	1	0.62	< 10	1.17	470
S 07372	203	205	18	< 0.2	2.71	82	280	0.5	< 2	0.53	< 0.5	15	134	41	3.58	< 10	< 1	0.61	< 10	1.14	425
S 07373	203	205	11	< 0.2	2.82	84	270	0.5	< 2	0.47	< 0.5	16	120	44	3.87	< 10	1	0.64	< 10	1.19	460
S 07374	203	205	18	0.2	2.98	186	310	0.5	< 2	0.54	< 0.5	15	143	45	3.87	< 10	2	0.67	< 10	1.21	445
S 07375	203	205	10	< 0.2	2.68	104	390	< 0.5	< 2	0.40	< 0.5	14	158	44	3.81	< 10	2	0.82	< 10	1.37	405
S 07376	203	205	15	0.2	2.49	82	250	0.5	< 2	0.43	< 0.5	14	110	46	3.65	< 10	< 1	0.31	10	1.06	430
S 07377	203	205	44	< 0.2	2.83	50	350	0.5	< 2	0.28	< 0.5	14	155	36	3.85	< 10	< 1	0.67	< 10	1.10	550
S 07378	203	205	7	0.4	2.41	48	280	0.5	< 2	0.50	< 0.5	13	134	39	3.30	< 10	3	0.33	< 10	0.87	490
S 07379	203	205	26	< 0.2	2.58	40	230	0.5	< 2	0.51	< 0.5	16	102	40	3.35	< 10	< 1	0.41	< 10	1.09	410
S 07380	203	205	5	< 0.2	2.18	34	180	< 0.5	< 2	0.41	< 0.5	13	97	40	3.14	< 10	1	0.24	< 10	0.84	420
S 07381	203	205	5	0.2	2.18	36	180	< 0.5	< 2	0.45	< 0.5	12	100	39	3.41	< 10	< 1	0.18	< 10	0.93	405
S 07382	203	205	21	0.2	2.43	32	170	0.5	< 2	0.40	< 0.5	14	100	39	3.39	< 10	1	0.29	< 10	1.05	455
S 07383	203	205	5	< 0.2	2.68	32	230	0.5	< 2	0.50	< 0.5	16	125	39	4.28	< 10	2	0.33	< 10	1.15	690
S 07384	203	205	9	0.2	2.61	34	210	0.5	< 2	0.65	< 0.5	15	108	45	3.95	< 10	< 1	0.30	10	1.14	575
S 07387	203	205	16	0.2	2.07	50	150	0.5	< 2	0.51	< 0.5	12	90	42	3.02	< 10	< 1	0.15	10	0.77	390
S 07388	203	205	3	0.2	2.53	30	170	0.5	< 2	0.47	< 0.5	16	107	34	3.92	< 10	< 1	0.30	10	0.99	870
S 07389	203	205	6	< 0.2	2.33	32	180	< 0.5	< 2	0.44	< 0.5	17	92	34	3.70	< 10	< 1	0.22	10	0.88	1075
S 07390	203	205	3	0.2	2.11	40	210	0.5	< 2	0.65	0.5	18	90	42	3.53	< 10	2	0.23	< 10	0.88	780
S 07391	203	205	17	0.8	3.14	246	260	0.5	< 2	0.55	< 0.5	18	81	65	4.71	< 10	2	0.27	< 10	1.00	845
S 07392	203	205	13	0.4	1.16	130	110	< 0.5	< 2	0.48	< 0.5	7	45	38	2.11	< 10	< 1	0.10	< 10	0.45	275

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :2-B
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
s 07351	203	205	1	0.02	34	650	12	< 2	7	31	0.19	< 10	< 10	109	< 10	80
s 07352	203	205	< 1	0.05	54	420	4	2	7	36	0.20	< 10	< 10	117	< 10	64
s 07353	203	205	< 1	0.03	37	930	8	2	8	44	0.19	< 10	< 10	119	< 10	84
s 07354	203	205	< 1	0.03	34	840	10	< 2	7	44	0.18	< 10	< 10	107	< 10	64
s 07355	203	205	< 1	0.02	55	910	12	6	12	38	0.24	10	< 10	149	< 10	108
s 07356	203	205	< 1	0.02	42	450	12	2	8	19	0.15	< 10	< 10	106	< 10	70
s 07357	203	205	< 1	0.03	41	640	8	< 2	8	36	0.20	< 10	< 10	106	< 10	78
s 07358	203	205	< 1	0.02	36	1350	10	2	7	47	0.15	< 10	< 10	103	< 10	80
s 07359	203	205	1	0.02	33	1410	10	2	7	43	0.15	< 10	< 10	101	< 10	68
s 07360	203	205	< 1	0.02	38	1010	8	< 2	7	37	0.16	< 10	< 10	115	< 10	86
s 07361	203	205	< 1	0.04	40	860	8	2	8	30	0.19	< 10	< 10	108	< 10	70
s 07362	203	205	< 1	0.02	45	960	12	2	10	30	0.22	< 10	< 10	128	< 10	94
s 07363	203	205	< 1	0.02	46	930	16	4	9	30	0.18	< 10	< 10	118	< 10	80
s 07364	203	205	< 1	0.02	38	780	6	2	9	27	0.22	< 10	< 10	116	< 10	82
s 07365	203	205	1	0.03	40	880	8	2	9	32	0.21	< 10	< 10	121	< 10	76
s 07366	203	205	< 1	0.02	34	670	6	4	9	31	0.21	< 10	< 10	105	< 10	70
s 07367	203	205	< 1	0.02	44	850	12	4	10	31	0.22	< 10	< 10	121	< 10	92
s 07368	203	205	< 1	0.02	42	890	12	4	9	32	0.21	< 10	< 10	121	< 10	84
s 07369	203	205	< 1	0.02	46	840	12	2	10	32	0.23	< 10	< 10	127	< 10	92
s 07370	203	205	< 1	0.02	38	740	10	< 2	9	31	0.19	< 10	< 10	114	< 10	70
s 07371	203	205	< 1	0.02	45	780	10	< 2	9	38	0.21	< 10	< 10	123	< 10	90
s 07372	203	205	< 1	0.04	45	1000	12	4	9	38	0.21	< 10	< 10	116	< 10	82
s 07373	203	205	1	0.05	44	870	12	2	9	38	0.21	< 10	< 10	122	< 10	80
s 07374	203	205	< 1	0.04	50	1090	10	4	10	43	0.22	< 10	< 10	130	< 10	88
s 07375	203	205	< 1	0.03	40	870	4	2	10	30	0.23	< 10	< 10	129	< 10	86
s 07376	203	205	< 1	0.03	39	950	6	4	8	35	0.17	< 10	< 10	112	< 10	76
s 07377	203	205	< 1	0.03	45	730	12	< 2	10	19	0.18	< 10	< 10	127	< 10	86
s 07378	203	205	< 1	0.02	34	1180	8	< 2	8	37	0.16	< 10	< 10	110	< 10	58
s 07379	203	205	< 1	0.06	41	640	6	2	8	43	0.19	< 10	< 10	110	< 10	68
s 07380	203	205	< 1	0.05	32	720	6	4	6	35	0.16	< 10	< 10	100	< 10	62
s 07381	203	205	< 1	0.02	34	640	12	4	6	35	0.16	< 10	< 10	98	< 10	72
s 07382	203	205	1	0.02	38	500	4	2	7	32	0.18	< 10	< 10	99	< 10	66
s 07383	203	205	< 1	0.02	39	760	14	2	8	40	0.20	< 10	< 10	128	< 10	90
s 07384	203	205	< 1	0.02	36	1310	12	2	6	49	0.17	< 10	< 10	112	< 10	94
s 07387	203	205	1	0.04	29	920	6	2	6	42	0.14	< 10	< 10	90	< 10	54
s 07388	203	205	< 1	0.02	33	760	12	< 2	7	41	0.17	< 10	< 10	117	< 10	94
s 07389	203	205	2	0.02	30	950	14	< 2	7	42	0.15	< 10	< 10	113	< 10	76
s 07390	203	205	2	0.02	31	1410	12	2	6	47	0.12	< 10	< 10	93	< 10	98
s 07391	203	205	< 1	0.01	46	1610	14	< 2	6	49	0.10	< 10	< 10	121	< 10	78
s 07392	203	205	1	0.03	20	970	6	< 2	2	41	0.04	< 10	< 10	58	< 10	36

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :3-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S 07393	203	205	16	0.4	3.19	82	300	0.5	< 2	0.46	< 0.5	20	91	71	4.65	< 10	2	0.24	< 10	1.24	720
S 07394	203	205	8	0.2	2.02	32	210	< 0.5	< 2	0.37	< 0.5	11	115	31	2.99	< 10	< 1	0.44	< 10	0.96	365
S 07395	203	205	12	< 0.2	2.68	96	290	0.5	< 2	0.50	< 0.5	16	120	47	3.73	< 10	< 1	0.51	< 10	1.10	555
S 07396	203	205	10	< 0.2	2.56	40	200	0.5	< 2	0.48	< 0.5	16	109	57	3.78	< 10	< 1	0.29	10	1.07	530
S 07397	203	205	141	0.2	1.83	868	160	< 0.5	< 2	0.37	< 0.5	13	90	37	2.75	< 10	< 1	0.17	< 10	0.76	385
S 07398	203	205	32	< 0.2	2.86	530	240	0.5	< 2	0.41	< 0.5	15	131	41	3.93	< 10	1	0.46	< 10	1.25	470
S 07399	203	205	31	0.4	3.10	516	300	0.5	< 2	0.49	< 0.5	18	122	68	4.21	< 10	< 1	0.53	< 10	1.25	545
S 07400	203	205	27	< 0.2	2.71	230	290	0.5	< 2	0.52	< 0.5	15	145	41	3.68	< 10	1	0.59	< 10	1.15	435
S 07401	203	205	8	0.4	3.17	52	260	0.5	< 2	0.45	< 0.5	14	120	43	4.03	< 10	< 1	0.26	< 10	1.08	530
S 07402	203	205	28	< 0.2	3.12	56	350	0.5	< 2	0.43	< 0.5	14	124	43	3.91	< 10	< 1	0.70	10	1.14	445
S 07403	203	205	17	0.4	2.96	118	330	0.5	< 2	0.46	< 0.5	13	143	33	3.61	< 10	2	0.42	< 10	1.09	455
S 07404	203	205	24	< 0.2	3.61	80	350	0.5	< 2	0.39	< 0.5	15	152	39	3.94	< 10	< 1	0.51	< 10	1.40	395
S 07405	203	205	28	0.4	2.97	204	300	0.5	< 2	0.50	< 0.5	37	112	35	3.76	< 10	< 1	0.35	< 10	1.05	1320
S 07406	203	205	22	< 0.2	2.92	80	280	0.5	< 2	0.38	< 0.5	14	114	39	3.91	< 10	< 1	0.45	< 10	1.03	400
S 07407	203	205	7	< 0.2	2.75	52	250	0.5	< 2	0.36	< 0.5	17	109	37	3.63	< 10	< 1	0.27	< 10	0.99	655
S 07408	203	205	65	< 0.2	2.68	72	300	0.5	< 2	0.41	< 0.5	13	126	40	3.65	< 10	< 1	0.59	< 10	1.08	360
S 07409	203	205	12	< 0.2	2.98	98	280	0.5	< 2	0.46	< 0.5	15	111	45	3.99	< 10	2	0.47	< 10	1.16	390
S 07410	203	205	12	0.2	2.45	58	260	0.5	< 2	0.48	< 0.5	14	124	48	3.33	< 10	< 1	0.48	< 10	1.02	450
S 07411	203	205	20	0.4	3.59	162	290	1.0	< 2	0.50	< 0.5	28	113	70	4.96	< 10	< 1	0.36	< 10	1.27	945
S 07412	203	205	15	0.4	3.07	112	260	0.5	< 2	0.54	< 0.5	19	128	56	4.47	< 10	3	0.39	< 10	1.15	680
S 07413	203	205	25	0.2	2.66	96	240	0.5	< 2	0.50	< 0.5	15	105	46	3.78	< 10	< 1	0.39	< 10	0.94	545
S 07414	203	205	26	0.2	2.52	86	280	0.5	< 2	0.48	< 0.5	13	124	40	3.36	< 10	2	0.41	10	1.01	455
S 07415	203	205	3	0.2	1.39	42	120	< 0.5	< 2	0.41	< 0.5	10	63	27	2.99	< 10	< 1	0.11	< 10	0.51	445
S 07416	203	205	10	< 0.2	2.66	74	240	0.5	< 2	0.46	< 0.5	13	110	41	3.60	< 10	< 1	0.44	< 10	1.02	480
S 07417	203	205	5	< 0.2	2.58	26	290	0.5	< 2	0.55	< 0.5	15	106	43	3.74	< 10	< 1	0.49	10	1.07	555
S 07418	203	205	91	< 0.2	2.67	224	190	0.5	< 2	0.41	< 0.5	16	112	44	3.68	< 10	< 1	0.34	10	1.04	545
S 07419	203	205	5	0.2	2.27	30	160	0.5	< 2	0.46	< 0.5	12	83	44	3.08	< 10	< 1	0.32	10	0.93	440
S 07420	203	205	2	0.2	2.28	22	170	0.5	< 2	0.65	< 0.5	17	89	42	3.86	< 10	< 1	0.25	< 10	1.02	940
S 07421	203	205	21	< 0.2	2.67	42	240	0.5	< 2	0.43	< 0.5	16	110	46	3.67	< 10	< 1	0.43	< 10	1.05	590
S 07422	203	205	3	0.2	2.03	28	200	< 0.5	< 2	0.50	< 0.5	9	106	36	2.98	< 10	< 1	0.35	< 10	1.02	395
S 07423	203	205	5	0.2	2.59	24	210	0.5	< 2	0.50	< 0.5	14	119	40	3.02	< 10	1	0.27	< 10	1.05	425
S 07424	203	205	33	0.2	2.63	64	260	0.5	< 2	0.44	< 0.5	16	132	45	3.48	< 10	< 1	0.46	< 10	1.14	420
S 07425	203	205	7	0.4	3.05	46	390	0.5	< 2	0.57	< 0.5	21	95	56	4.17	< 10	1	0.24	< 10	1.08	850
S 07426	203	205	7	< 0.2	2.35	16	230	0.5	< 2	0.34	< 0.5	12	160	36	3.55	< 10	< 1	0.46	< 10	0.97	475
S 07427	203	205	19	< 0.2	2.57	6	320	0.5	< 2	0.48	< 0.5	15	134	40	3.69	< 10	< 1	0.61	< 10	1.31	510
S 07428	203	205	11	< 0.2	3.12	42	300	0.5	< 2	0.47	< 0.5	14	146	49	3.88	< 10	< 1	0.69	< 10	1.39	415
S 07429	203	205	3	< 0.2	2.23	18	200	< 0.5	< 2	0.58	< 0.5	18	102	41	3.96	< 10	< 1	0.19	< 10	0.91	805
S 07430	203	205	9	< 0.2	2.86	30	320	0.5	< 2	0.68	< 0.5	17	142	47	3.81	< 10	< 1	0.55	10	1.15	595
S 07431	203	205	9	0.2	2.92	28	330	0.5	< 2	0.55	< 0.5	15	210	45	3.98	< 10	< 1	0.65	10	1.11	560
S 07432	203	205	5	0.2	2.46	22	210	0.5	< 2	0.47	< 0.5	14	116	42	3.61	< 10	< 1	0.30	< 10	0.99	520

CERTIFICATION: Ian Bucher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page [illegible]er : 3-B
Total [illegible]s : 7
Certificate Date: 12-OCT-94
Invoice No. : 19426725
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
s 07393	203	205	< 1	0.02	49	1460	14	4	8	45	0.14	< 10	< 10	129	< 10	92
s 07394	203	205	< 1	0.03	33	620	8	4	7	26	0.17	< 10	< 10	93	< 10	66
s 07395	203	205	< 1	0.03	46	1150	8	2	8	36	0.16	< 10	< 10	110	< 10	76
s 07396	203	205	< 1	0.04	45	910	8	2	8	36	0.19	< 10	< 10	116	< 10	90
s 07397	203	205	< 1	0.06	30	750	8	< 2	6	34	0.12	< 10	< 10	81	< 10	52
s 07398	203	205	< 1	0.03	40	850	10	2	9	38	0.20	< 10	< 10	121	< 10	78
s 07399	203	205	< 1	0.02	48	1140	14	< 2	9	44	0.20	< 10	< 10	128	< 10	88
s 07400	203	205	< 1	0.04	44	1020	8	2	9	38	0.21	< 10	< 10	116	< 10	82
s 07401	203	205	< 1	0.02	42	1010	14	2	8	39	0.19	< 10	< 10	120	< 10	96
s 07402	203	205	< 1	0.03	43	1020	8	< 2	10	25	0.23	< 10	< 10	120	< 10	88
s 07403	203	205	< 1	0.03	36	570	8	4	9	38	0.22	< 10	< 10	116	< 10	80
s 07404	203	205	< 1	0.02	44	910	8	4	10	36	0.22	< 10	< 10	126	< 10	88
s 07405	203	205	1	0.02	29	1550	14	2	8	41	0.14	< 10	< 10	101	< 10	64
s 07406	203	205	< 1	0.02	41	720	12	2	8	25	0.21	< 10	< 10	118	< 10	72
s 07407	203	205	< 1	0.02	37	930	8	2	8	29	0.18	< 10	< 10	107	< 10	78
s 07408	203	205	< 1	0.03	42	820	8	< 2	9	28	0.21	< 10	< 10	113	< 10	78
s 07409	203	205	1	0.01	46	1040	8	2	9	37	0.20	< 10	< 10	123	< 10	80
s 07410	203	205	< 1	0.03	38	970	8	2	7	38	0.17	< 10	< 10	100	< 10	64
s 07411	203	205	1	0.02	54	1060	14	< 2	10	43	0.21	< 10	< 10	142	< 10	96
s 07412	203	205	< 1	0.03	49	1200	10	2	9	45	0.20	< 10	< 10	127	< 10	100
s 07413	203	205	< 1	0.02	41	1040	6	< 2	8	38	0.17	< 10	< 10	109	< 10	74
s 07414	203	205	< 1	0.03	38	910	6	< 2	8	31	0.18	< 10	< 10	101	< 10	72
s 07415	203	205	< 1	0.05	19	1050	10	< 2	3	36	0.10	< 10	< 10	85	< 10	40
s 07416	203	205	< 1	0.03	39	940	12	2	8	33	0.18	< 10	< 10	107	< 10	78
s 07417	203	205	1	0.03	42	1170	12	4	8	35	0.20	< 10	< 10	113	< 10	88
s 07418	203	205	< 1	0.03	44	490	8	2	8	33	0.18	< 10	< 10	105	< 10	74
s 07419	203	205	< 1	0.03	37	560	6	< 2	7	33	0.18	< 10	< 10	90	< 10	60
s 07420	203	205	1	0.02	34	1070	14	< 2	6	49	0.14	< 10	< 10	102	< 10	82
s 07421	203	205	< 1	0.01	40	820	8	2	8	32	0.19	< 10	< 10	111	< 10	88
s 07422	203	205	< 1	0.04	24	650	6	2	5	45	0.19	< 10	< 10	88	< 10	54
s 07423	203	205	< 1	0.04	43	730	8	< 2	6	41	0.16	< 10	< 10	97	< 10	64
s 07424	203	205	< 1	0.04	46	420	8	< 2	8	39	0.19	< 10	< 10	109	< 10	76
s 07425	203	205	< 1	0.02	44	1620	14	< 2	7	45	0.15	< 10	< 10	119	< 10	86
s 07426	203	205	< 1	0.03	36	670	12	4	8	26	0.17	< 10	< 10	107	< 10	72
s 07427	203	205	< 1	0.02	42	830	8	4	9	34	0.22	< 10	< 10	112	< 10	84
s 07428	203	205	< 1	0.06	43	550	10	2	10	39	0.22	< 10	< 10	131	< 10	84
s 07429	203	205	1	0.03	32	1370	16	< 2	6	44	0.16	< 10	< 10	108	< 10	82
s 07430	203	205	< 1	0.04	46	920	14	4	10	47	0.21	< 10	< 10	120	< 10	94
s 07431	203	205	< 1	0.07	46	1170	12	6	10	38	0.21	< 10	< 10	126	< 10	92
s 07432	203	205	< 1	0.09	35	960	10	2	7	38	0.19	< 10	< 10	111	< 10	80

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :4-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S 07433	203	205	5	< 0.2	3.17	36	360	< 0.5	< 2	0.40	0.5	16	139	53	4.19	< 10	< 1	0.57	< 10	1.41	455
S 07434	203	205	7	< 0.2	2.45	34	260	< 0.5	< 2	0.43	0.5	15	125	40	3.43	< 10	< 1	0.32	< 10	0.96	600
S 07435	203	205	16	< 0.2	2.69	50	220	< 0.5	< 2	0.44	< 0.5	16	102	47	3.60	< 10	< 1	0.26	< 10	1.05	435
S 07436	203	205	24	< 0.2	3.22	180	270	< 0.5	< 2	0.43	< 0.5	16	119	52	3.98	< 10	< 1	0.49	< 10	1.24	485
S 07437	203	205	11	< 0.2	3.37	30	300	< 0.5	< 2	0.65	< 0.5	15	156	48	3.69	< 10	< 1	0.52	< 10	1.21	430
S 07438	203	205	30	< 0.2	2.71	12	350	< 0.5	< 2	0.50	0.5	15	155	46	3.69	< 10	< 1	0.69	10	1.05	480
S 07439	203	205	9	< 0.2	2.71	58	280	< 0.5	< 2	0.43	0.5	14	120	42	3.48	< 10	< 1	0.46	< 10	1.05	495
S 07440	203	205	7	< 0.2	3.71	24	380	< 0.5	< 2	0.49	0.5	17	141	56	4.45	10	< 1	0.66	< 10	1.34	575
S 07441	203	205	9	< 0.2	3.52	48	340	< 0.5	< 2	0.46	0.5	17	136	53	3.86	< 10	< 1	0.63	< 10	1.19	500
S 07442	203	205	38	< 0.2	2.92	216	210	< 0.5	< 2	0.39	< 0.5	16	105	50	3.59	< 10	< 1	0.36	< 10	1.09	495
S 07443	203	205	5	< 0.2	3.10	26	320	< 0.5	< 2	0.41	0.5	15	125	48	3.87	< 10	< 1	0.55	< 10	1.24	500
S 07444	203	205	25	< 0.2	2.86	60	280	< 0.5	< 2	0.59	0.5	15	115	52	3.66	< 10	< 1	0.51	< 10	1.15	470
S 07445	203	205	16	< 0.2	3.17	66	290	< 0.5	< 2	0.42	< 0.5	16	106	48	3.79	< 10	< 1	0.41	< 10	1.11	540
S 07446	203	205	24	< 0.2	3.07	158	330	< 0.5	< 2	0.48	< 0.5	15	115	48	3.77	< 10	< 1	0.55	< 10	1.15	530
S 07447	203	205	3	< 0.2	3.19	30	420	< 0.5	< 2	0.40	< 0.5	16	198	46	4.06	10	< 1	0.82	10	1.09	565
S 07448	203	205	10	< 0.2	2.90	18	290	< 0.5	< 2	0.44	< 0.5	16	135	49	3.78	< 10	< 1	0.61	< 10	1.06	555
S 07449	203	205	9	< 0.2	2.96	30	300	< 0.5	< 2	0.46	< 0.5	15	116	49	3.75	< 10	< 1	0.60	10	1.07	535
S 07450	203	205	12	< 0.2	2.93	38	280	< 0.5	< 2	0.45	< 0.5	16	113	50	3.60	< 10	< 1	0.55	10	1.08	560
S 07451	203	205	7	< 0.2	1.99	86	130	< 0.5	< 2	0.48	< 0.5	13	79	47	3.14	< 10	1	0.16	< 10	0.85	460
S 07452	203	205	20	< 0.2	2.26	54	190	< 0.5	< 2	0.50	< 0.5	13	109	34	3.12	< 10	1	0.40	< 10	1.00	400
S 07453	203	205	19	< 0.2	2.58	88	190	< 0.5	< 2	0.50	< 0.5	13	99	38	3.69	< 10	< 1	0.34	< 10	1.17	420
S 07454	203	205	228	< 0.2	2.68	334	180	< 0.5	< 2	0.46	< 0.5	23	109	53	3.94	< 10	< 1	0.35	10	1.16	710
S 07455	203	205	125	< 0.2	3.23	628	180	< 0.5	< 2	0.70	< 0.5	24	120	132	4.53	10	< 1	0.25	10	1.70	795
S 07456	203	205	66	< 0.2	2.52	202	130	< 0.5	< 2	0.51	< 0.5	13	94	41	4.24	10	< 1	0.18	< 10	1.09	360
S 07457	203	205	14	< 0.2	2.48	92	220	< 0.5	< 2	0.50	< 0.5	17	106	37	3.34	< 10	< 1	0.39	< 10	1.09	445
S 07458	203	205	7	< 0.2	1.86	48	150	< 0.5	< 2	0.52	< 0.5	10	83	32	3.18	< 10	< 1	0.27	< 10	0.88	410
S 07459	203	205	5	< 0.2	2.04	48	150	< 0.5	< 2	0.43	< 0.5	9	92	39	3.31	< 10	< 1	0.18	< 10	0.80	330
S 07460	203	205	6	< 0.2	1.88	34	160	< 0.5	< 2	0.49	< 0.5	14	82	42	3.04	< 10	< 1	0.19	< 10	0.79	425
S 07461	203	205	8	< 0.2	2.65	56	210	< 0.5	< 2	0.49	< 0.5	17	100	51	3.87	< 10	< 1	0.31	< 10	1.06	595
S 07462	203	205	14	< 0.2	2.31	32	200	< 0.5	< 2	0.33	< 0.5	15	86	46	3.36	< 10	< 1	0.30	< 10	0.93	480
S 07463	203	205	15	< 0.2	2.21	54	210	< 0.5	< 2	0.41	< 0.5	15	100	42	3.19	< 10	1	0.37	< 10	0.96	445
S 07464	203	205	2	< 0.2	1.99	36	180	< 0.5	< 2	0.38	< 0.5	13	101	36	3.06	< 10	< 1	0.29	< 10	0.86	365
S 07465	203	205	30	< 0.2	2.39	88	230	< 0.5	< 2	0.42	< 0.5	16	122	35	3.37	< 10	2	0.39	< 10	1.06	470
S 07466	203	205	18	< 0.2	2.28	86	180	< 0.5	< 2	0.43	< 0.5	14	97	37	3.59	< 10	< 1	0.26	< 10	1.01	465
S 07467	203	205	25	< 0.2	2.53	16	220	< 0.5	< 2	0.34	< 0.5	10	118	33	2.66	< 10	< 1	0.43	< 10	1.05	260
S 07468	203	205	11	< 0.2	2.33	22	220	< 0.5	< 2	0.33	< 0.5	9	121	23	2.67	< 10	< 1	0.46	10	0.97	290
S 07469	203	205	14	< 0.2	2.45	58	260	< 0.5	< 2	0.41	< 0.5	12	124	34	3.12	< 10	< 1	0.51	10	1.00	365
S 07470	203	205	17	< 0.2	2.45	78	230	< 0.5	< 2	0.44	< 0.5	15	116	28	3.26	< 10	1	0.44	< 10	1.03	360
S 07471	203	205	17	< 0.2	2.07	48	210	< 0.5	< 2	0.42	< 0.5	8	104	22	2.62	< 10	< 1	0.47	10	0.91	305
S 07472	203	205	24	< 0.2	2.38	68	220	< 0.5	< 2	0.38	< 0.5	13	123	34	3.30	< 10	< 1	0.50	< 10	1.03	380

CERTIFICATION: Hart Richler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :4-B
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S 07433	203	205	< 1	0.04	42	950	12	< 2	12	34	0.26	< 10	< 10	133	10	96
S 07434	203	205	1	0.04	34	880	6	< 2	9	33	0.18	< 10	< 10	105	< 10	80
S 07435	203	205	1	0.04	35	860	8	2	9	36	0.19	< 10	< 10	106	10	88
S 07436	203	205	< 1	0.04	41	770	8	< 2	11	41	0.23	< 10	< 10	124	10	92
S 07437	203	205	1	0.10	34	970	6	< 2	9	68	0.22	< 10	< 10	117	10	86
S 07438	203	205	< 1	0.08	38	1040	8	2	11	38	0.24	< 10	< 10	132	10	84
S 07439	203	205	1	0.03	34	820	12	< 2	10	36	0.20	< 10	< 10	111	10	82
S 07440	203	205	< 1	0.04	44	960	6	< 2	13	60	0.25	< 10	< 10	141	10	104
S 07441	203	205	1	0.04	43	790	8	< 2	11	47	0.23	< 10	< 10	123	10	90
S 07442	203	205	< 1	0.06	38	830	8	< 2	9	36	0.19	< 10	< 10	106	10	92
S 07443	203	205	< 1	0.04	37	900	4	2	11	32	0.24	< 10	< 10	122	10	92
S 07444	203	205	1	0.05	39	1130	8	< 2	10	48	0.20	< 10	< 10	107	10	106
S 07445	203	205	< 1	0.03	38	910	6	< 2	10	34	0.21	< 10	< 10	112	10	94
S 07446	203	205	< 1	0.04	41	940	4	4	11	40	0.21	< 10	< 10	115	10	84
S 07447	203	205	< 1	0.03	47	1030	6	2	13	29	0.24	< 10	< 10	135	< 10	94
S 07448	203	205	< 1	0.03	41	880	4	< 2	11	34	0.22	< 10	< 10	120	< 10	88
S 07449	203	205	< 1	0.03	42	650	4	< 2	11	40	0.24	< 10	< 10	120	< 10	82
S 07450	203	205	< 1	0.04	43	710	6	< 2	10	35	0.22	< 10	< 10	113	< 10	84
S 07451	203	205	< 1	0.04	27	780	6	2	6	40	0.13	< 10	< 10	89	< 10	68
S 07452	203	205	< 1	0.04	32	700	2	2	8	36	0.18	< 10	< 10	93	< 10	82
S 07453	203	205	1	0.03	34	380	6	4	9	40	0.19	< 10	< 10	108	< 10	82
S 07454	203	205	1	0.03	40	910	10	2	8	41	0.14	< 10	< 10	102	10	128
S 07455	203	205	1	0.06	56	820	16	4	10	76	0.12	< 10	< 10	115	10	106
S 07456	203	205	1	0.02	32	390	6	2	8	40	0.21	< 10	< 10	123	< 10	92
S 07457	203	205	< 1	0.04	34	650	8	< 2	9	38	0.19	< 10	< 10	98	10	82
S 07458	203	205	1	0.03	25	570	10	2	6	43	0.17	< 10	< 10	103	< 10	82
S 07459	203	205	1	0.02	25	760	6	< 2	6	39	0.15	< 10	< 10	97	< 10	78
S 07460	203	205	< 1	0.06	24	860	4	2	6	38	0.15	< 10	< 10	91	< 10	66
S 07461	203	205	1	0.02	35	980	12	2	9	41	0.19	< 10	< 10	113	< 10	88
S 07462	203	205	< 1	0.03	31	760	4	2	7	29	0.17	< 10	< 10	100	< 10	76
S 07463	203	205	< 1	0.04	30	720	4	4	8	35	0.18	< 10	< 10	98	< 10	74
S 07464	203	205	< 1	0.04	26	730	4	< 2	7	31	0.16	< 10	< 10	95	< 10	72
S 07465	203	205	< 1	0.03	32	830	4	2	9	33	0.17	< 10	< 10	100	10	74
S 07466	203	205	< 1	0.04	30	870	6	4	8	33	0.18	< 10	< 10	106	< 10	74
S 07467	203	205	< 1	0.03	30	730	6	< 2	9	25	0.20	< 10	< 10	96	< 10	66
S 07468	203	205	< 1	0.03	26	600	2	< 2	8	23	0.17	< 10	< 10	88	< 10	62
S 07469	203	205	< 1	0.04	31	810	6	< 2	9	27	0.17	< 10	< 10	96	< 10	64
S 07470	203	205	< 1	0.03	30	540	2	< 2	8	32	0.18	< 10	< 10	97	< 10	70
S 07471	203	205	< 1	0.04	25	780	4	2	7	26	0.15	< 10	< 10	82	< 10	58
S 07472	203	205	< 1	0.03	30	480	4	2	8	27	0.17	< 10	< 10	99	< 10	68

CERTIFICATION: Ian K Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :5-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S 07473	203	205	9	< 0.2	2.20	36	200	< 0.5	< 2	0.38	< 0.5	10	115	17	2.81	< 10	< 1	0.40	< 10	0.99	265
S 07474	203	205	37	< 0.2	2.80	16	290	< 0.5	< 2	0.38	< 0.5	16	122	26	3.09	< 10	< 1	0.29	< 10	1.10	340
S 07475	203	205	11	< 0.2	3.04	24	290	< 0.5	< 2	0.39	< 0.5	13	137	36	3.25	< 10	< 1	0.55	< 10	1.20	295
S 07476	203	205	36	< 0.2	2.60	4	250	< 0.5	< 2	0.45	< 0.5	10	123	19	2.74	< 10	< 1	0.25	< 10	1.06	280
S 07477	203	205	56	< 0.2	3.15	94	310	< 0.5	< 2	0.44	< 0.5	17	119	39	3.81	< 10	< 1	0.29	10	1.14	490
S 07478	203	205	62	< 0.2	2.29	4	230	< 0.5	< 2	0.41	< 0.5	9	112	26	2.50	< 10	< 1	0.51	10	0.96	275
S 07479	203	205	19	< 0.2	2.62	54	260	< 0.5	< 2	0.33	< 0.5	11	98	27	2.83	< 10	< 1	0.53	< 10	1.04	285
S 07480	203	205	45	< 0.2	2.55	194	250	< 0.5	< 2	0.34	< 0.5	12	100	38	3.67	< 10	1	0.61	< 10	1.01	275
S 07481	203	205	27	< 0.2	2.26	20	210	< 0.5	< 2	0.40	< 0.5	9	97	24	2.48	< 10	< 1	0.45	< 10	0.96	260
S 07482	203	205	3280	< 0.2	2.51	80	240	< 0.5	< 2	0.38	< 0.5	14	106	36	3.37	< 10	1	0.43	< 10	1.12	375
S 07483	203	205	13	< 0.2	2.50	38	240	< 0.5	< 2	0.45	< 0.5	15	100	41	3.45	< 10	< 1	0.31	< 10	1.07	485
S 07484	203	205	58	< 0.2	2.26	30	200	< 0.5	< 2	0.43	< 0.5	14	102	46	3.74	< 10	1	0.30	< 10	0.96	405
S 07485	203	205	15	< 0.2	2.48	20	270	< 0.5	< 2	0.49	< 0.5	16	93	45	3.52	< 10	< 1	0.37	< 10	1.06	510
S 07486	203	205	12	< 0.2	2.68	40	210	< 0.5	< 2	0.38	< 0.5	16	98	56	3.89	< 10	< 1	0.24	< 10	1.08	465
S 07487	203	205	14	< 0.2	2.24	30	190	< 0.5	< 2	0.36	< 0.5	14	85	45	3.48	< 10	1	0.23	< 10	0.93	420
S 07488	203	205	3	< 0.2	2.21	36	180	< 0.5	< 2	0.35	< 0.5	19	83	51	4.01	< 10	< 1	0.28	< 10	0.93	575
S 07489	203	205	8	< 0.2	2.06	32	180	< 0.5	< 2	0.33	< 0.5	17	62	49	3.24	< 10	< 1	0.17	< 10	0.81	535
S 07490	203	205	10	< 0.2	1.70	36	150	< 0.5	< 2	0.35	< 0.5	12	86	35	3.26	< 10	< 1	0.18	< 10	0.76	620
T 05351	203	205	4	< 0.2	1.92	32	120	< 0.5	< 2	0.46	< 0.5	11	94	33	3.07	< 10	< 1	0.18	< 10	0.96	370
T 05352	203	205	10	< 0.2	2.37	38	190	< 0.5	< 2	0.51	< 0.5	16	107	39	3.75	< 10	< 1	0.22	10	1.03	610
T 05353	203	205	47	< 0.2	2.79	56	210	< 0.5	< 2	0.45	< 0.5	14	129	42	3.67	< 10	< 1	0.43	< 10	1.16	450
T 05354	203	205	21	< 0.2	2.75	168	160	< 0.5	< 2	0.44	< 0.5	14	122	45	3.71	< 10	1	0.39	< 10	1.14	435
T 05355	203	205	41	< 0.2	2.86	204	190	< 0.5	< 2	0.67	< 0.5	20	114	47	3.76	< 10	1	0.63	< 10	1.31	530
T 05356	203	205	67	< 0.2	3.24	794	380	< 0.5	< 2	0.62	< 0.5	18	91	58	4.18	< 10	< 1	0.88	< 10	1.55	590
T 05357	203	205	13	< 0.2	2.76	106	220	< 0.5	< 2	0.50	< 0.5	14	138	41	3.70	< 10	1	0.59	< 10	1.32	425
T 05358	203	205	136	0.4	2.61	1190	220	< 0.5	< 2	0.41	< 0.5	14	106	49	4.05	10	< 1	0.24	< 10	0.94	380
T 05359	203	205	17	< 0.2	2.50	66	330	< 0.5	< 2	0.55	< 0.5	18	100	42	3.52	< 10	< 1	0.40	< 10	1.10	565
T 05360	203	205	6	< 0.2	2.52	34	180	< 0.5	< 2	0.48	< 0.5	17	109	43	3.88	< 10	< 1	0.22	< 10	1.07	600
T 05361	203	205	5	< 0.2	2.67	32	240	< 0.5	< 2	0.36	< 0.5	15	105	48	3.41	< 10	< 1	0.48	< 10	1.09	400
T 05362	203	205	8	< 0.2	2.94	12	220	< 0.5	< 2	0.57	< 0.5	15	159	43	3.49	< 10	1	0.47	< 10	1.33	340
T 05363	203	205	7	< 0.2	2.82	46	180	< 0.5	< 2	0.47	< 0.5	17	128	50	3.58	< 10	< 1	0.44	< 10	1.15	490
T 05364	203	205	55	< 0.2	2.57	46	230	< 0.5	< 2	0.49	< 0.5	15	119	43	3.41	< 10	< 1	0.40	10	1.04	505
T 05365	203	205	133	< 0.2	2.76	42	270	< 0.5	< 2	0.45	< 0.5	15	125	45	3.71	< 10	1	0.67	10	1.22	475
T 05366	203	205	9	< 0.2	2.82	34	310	< 0.5	< 2	0.52	< 0.5	17	138	50	3.70	< 10	< 1	0.48	< 10	1.10	560
T 05367	203	205	14	< 0.2	2.56	32	250	< 0.5	< 2	0.50	< 0.5	15	92	43	3.54	< 10	1	0.39	< 10	1.05	530
T 05368	203	205	7	< 0.2	2.44	38	210	< 0.5	< 2	0.41	< 0.5	16	127	41	3.42	< 10	< 1	0.44	< 10	1.00	485
T 05369	203	205	11	< 0.2	2.97	42	290	< 0.5	< 2	0.62	< 0.5	22	106	56	4.08	< 10	< 1	0.53	10	1.19	625
T 05370	203	205	16	< 0.2	2.62	62	260	< 0.5	< 2	0.51	< 0.5	17	138	41	3.57	< 10	1	0.54	< 10	1.12	480
T 05371	203	205	11	< 0.2	2.63	62	250	< 0.5	< 2	0.43	< 0.5	14	111	47	3.64	< 10	1	0.29	10	1.04	405
T 05372	203	205	23	< 0.2	2.57	96	250	< 0.5	< 2	0.49	< 0.5	14	132	40	3.48	< 10	< 1	0.50	10	1.04	460

CERTIFICATION: Ian Bradburn

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :5-B
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S 07473	203 205	< 1	0.03	26	690	2	2	8	24	0.16	< 10	< 10	81	< 10	62
S 07474	203 205	< 1	0.02	35	810	6	< 2	9	27	0.19	< 10	< 10	95	< 10	86
S 07475	203 205	< 1	0.03	35	710	4	< 2	11	26	0.22	< 10	< 10	109	< 10	84
S 07476	203 205	< 1	0.03	31	730	6	< 2	9	32	0.19	< 10	< 10	89	< 10	82
S 07477	203 205	< 1	0.02	39	1070	10	4	10	33	0.18	< 10	< 10	110	< 10	82
S 07478	203 205	< 1	0.04	27	910	< 2	< 2	8	25	0.15	< 10	< 10	85	< 10	62
S 07479	203 205	< 1	0.03	32	760	4	2	9	22	0.17	< 10	< 10	99	< 10	68
S 07480	203 205	< 1	0.03	29	860	6	2	9	21	0.17	< 10	< 10	97	< 10	68
S 07481	203 205	< 1	0.03	26	810	4	< 2	8	27	0.16	< 10	< 10	82	< 10	64
S 07482	203 205	< 1	0.03	33	840	4	2	9	30	0.19	< 10	< 10	102	< 10	76
S 07483	203 205	< 1	0.04	33	830	8	2	8	36	0.19	< 10	< 10	106	< 10	82
S 07484	203 205	< 1	0.06	32	880	6	4	8	33	0.19	< 10	< 10	116	< 10	80
S 07485	203 205	< 1	0.03	34	920	4	< 2	9	39	0.19	< 10	< 10	108	< 10	80
S 07486	203 205	1	0.02	40	930	10	6	8	33	0.17	< 10	< 10	110	< 10	86
S 07487	203 205	< 1	0.02	32	820	8	2	7	32	0.17	< 10	< 10	104	< 10	82
S 07488	203 205	1	0.03	32	780	8	2	7	29	0.18	< 10	< 10	121	< 10	88
S 07489	203 205	1	0.02	29	890	4	< 2	6	30	0.11	< 10	< 10	87	< 10	70
S 07490	203 205	1	0.02	26	820	8	4	5	32	0.13	< 10	< 10	100	< 10	88
T 05351	203 205	1	0.03	27	390	4	< 2	6	32	0.17	< 10	< 10	85	< 10	62
T 05352	203 205	2	0.03	31	500	8	2	7	42	0.17	< 10	< 10	103	< 10	92
T 05353	203 205	< 1	0.03	37	570	4	< 2	9	36	0.17	< 10	< 10	107	10	78
T 05354	203 205	1	0.03	36	550	6	4	8	43	0.18	< 10	< 10	105	10	90
T 05355	203 205	< 1	0.03	50	860	8	4	9	51	0.17	< 10	< 10	107	20	96
T 05356	203 205	< 1	0.03	21	880	4	2	8	189	0.23	< 10	< 10	120	40	66
T 05357	203 205	< 1	0.03	36	580	6	< 2	9	44	0.19	< 10	< 10	111	20	86
T 05358	203 205	1	0.03	36	1000	10	8	7	61	0.08	< 10	< 10	93	< 10	86
T 05359	203 205	1	0.03	32	890	8	4	8	43	0.17	< 10	< 10	102	< 10	88
T 05360	203 205	1	0.03	32	850	8	2	8	39	0.19	< 10	< 10	109	< 10	108
T 05361	203 205	< 1	0.04	38	570	6	2	8	34	0.19	< 10	< 10	108	< 10	74
T 05362	203 205	< 1	0.10	35	590	6	2	10	49	0.22	< 10	< 10	125	< 10	78
T 05363	203 205	< 1	0.06	44	410	4	< 2	9	37	0.23	< 10	< 10	111	< 10	76
T 05364	203 205	< 1	0.04	35	680	6	4	10	37	0.20	< 10	< 10	102	< 10	74
T 05365	203 205	< 1	0.04	39	750	4	2	11	37	0.25	< 10	< 10	118	< 10	82
T 05366	203 205	1	0.04	37	920	8	4	9	44	0.18	< 10	< 10	112	< 10	78
T 05367	203 205	1	0.03	34	870	6	< 2	9	39	0.19	< 10	< 10	108	< 10	82
T 05368	203 205	< 1	0.03	37	660	8	4	9	32	0.18	< 10	< 10	102	< 10	74
T 05369	203 205	< 1	0.03	46	1100	12	4	10	47	0.22	< 10	< 10	124	< 10	92
T 05370	203 205	< 1	0.04	37	790	10	2	10	38	0.21	< 10	< 10	114	< 10	88
T 05371	203 205	< 1	0.07	37	850	6	4	9	34	0.19	< 10	< 10	114	< 10	80
T 05372	203 205	< 1	0.04	36	1080	4	4	10	32	0.18	< 10	< 10	110	< 10	80

CERTIFICATION: Ian Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page ber :6-A
Total Pages :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 05373	203	205	12	< 0.2	2.75	168	260	< 0.5	< 2	0.39	< 0.5	26	116	27	4.27	10	< 1	0.36	10	1.03	950
T 05374	203	205	34	< 0.2	2.58	62	230	< 0.5	< 2	0.36	< 0.5	19	122	24	3.70	10	< 1	0.41	10	1.00	580
T 05375	203	205	12	< 0.2	2.99	32	280	0.5	< 2	0.34	< 0.5	14	122	31	3.25	10	1	0.51	10	1.17	325
T 05376	203	205	31	< 0.2	2.44	42	260	< 0.5	< 2	0.37	< 0.5	17	104	33	3.37	10	< 1	0.34	10	0.92	485
T 05377	203	205	119	< 0.2	2.89	42	310	< 0.5	< 2	0.40	< 0.5	15	133	34	3.68	10	1	0.71	10	1.14	320
T 05378	203	205	14	< 0.2	3.64	102	380	< 0.5	< 2	0.43	< 0.5	22	126	57	4.49	20	1	0.58	10	1.15	725
T 05379	203	205	8	< 0.2	2.78	80	270	< 0.5	< 2	0.42	< 0.5	17	130	23	4.97	10	1	0.39	10	1.06	525
T 05380	203	205	11	< 0.2	2.44	28	240	< 0.5	< 2	0.34	< 0.5	12	103	23	2.70	10	< 1	0.47	10	0.98	310
T 05381	203	205	61	< 0.2	2.26	32	210	< 0.5	< 2	0.39	< 0.5	12	118	17	2.82	10	< 1	0.43	10	0.96	320
T 05382	203	205	14	< 0.2	2.17	66	200	< 0.5	< 2	0.35	< 0.5	10	127	19	3.03	10	< 1	0.34	10	0.91	280
T 05383	203	205	18	< 0.2	2.10	56	200	< 0.5	< 2	0.42	< 0.5	10	106	24	2.74	10	< 1	0.40	10	0.88	310
T 05384	203	205	33	< 0.2	2.05	104	200	< 0.5	< 2	0.41	< 0.5	17	125	27	2.97	10	< 1	0.34	10	0.83	570
T 05385	203	205	4	< 0.2	2.68	40	200	< 0.5	< 2	0.38	< 0.5	18	122	46	3.88	10	1	0.31	10	1.13	475
T 05386	203	205	10	< 0.2	2.27	36	180	< 0.5	< 2	0.43	< 0.5	17	119	39	3.62	10	< 1	0.30	10	0.92	475
T 05387	203	205	20	< 0.2	2.22	52	230	< 0.5	< 2	0.50	< 0.5	13	144	30	3.26	10	1	0.44	10	0.96	425
T 05388	203	205	131	< 0.2	2.30	102	210	< 0.5	< 2	0.45	< 0.5	17	110	40	3.54	10	< 1	0.42	10	0.98	520
T 05389	203	205	9	< 0.2	1.84	24	150	< 0.5	< 2	0.39	< 0.5	14	113	39	3.60	10	< 1	0.28	10	0.80	485
T 05390	203	205	40	< 0.2	2.50	42	230	< 0.5	< 2	0.36	< 0.5	17	114	45	3.89	10	< 1	0.46	10	1.03	530
T 05391	203	205	5	< 0.2	2.15	40	200	< 0.5	< 2	0.38	< 0.5	16	123	31	3.38	10	1	0.36	10	0.92	475
T 05392	203	205	4	< 0.2	2.21	30	190	< 0.5	< 2	0.44	< 0.5	15	93	37	3.71	10	< 1	0.16	10	0.96	460
T 05393	203	205	5	< 0.2	2.27	48	210	< 0.5	< 2	0.66	< 0.5	16	96	45	3.69	10	1	0.22	10	0.91	525
T 05394	203	205	93	< 0.2	2.46	42	210	< 0.5	< 2	0.47	< 0.5	18	135	39	3.61	10	< 1	0.51	10	1.03	535
T 05395	203	205	20	< 0.2	2.77	60	180	< 0.5	< 2	0.57	< 0.5	30	104	65	4.06	10	1	0.20	10	1.04	935
T 05443	203	205	18	< 0.2	2.70	154	210	< 0.5	< 2	0.58	< 0.5	14	122	44	3.74	10	< 1	0.48	10	1.28	400
T 05444	203	205	23	< 0.2	3.13	272	260	< 0.5	< 2	0.49	< 0.5	17	150	47	4.30	10	< 1	0.68	10	1.33	455
T 05445	203	205	20	< 0.2	2.73	158	190	< 0.5	< 2	0.35	< 0.5	17	117	48	3.87	10	< 1	0.36	10	1.14	480
T 05446	203	205	26	< 0.2	2.68	152	180	< 0.5	< 2	0.48	< 0.5	17	156	35	4.08	10	< 1	0.41	10	1.28	425
T 05447	203	205	8	< 0.2	3.57	90	240	< 0.5	< 2	0.94	< 0.5	23	243	43	4.45	10	< 1	0.34	20	2.87	545
T 05480	203	205	12	< 0.2	2.21	94	150	< 0.5	< 2	0.51	< 0.5	15	105	31	3.71	10	< 1	0.21	10	0.96	480
T 05481	203	205	18	< 0.2	2.21	126	190	< 0.5	< 2	0.68	< 0.5	18	105	47	3.85	10	1	0.24	10	0.96	720
T 05482	203	205	49	< 0.2	2.50	232	200	< 0.5	< 2	0.43	< 0.5	16	139	44	3.83	< 10	1	0.60	10	1.18	345
T 05483	203	205	41	< 0.2	2.68	282	190	< 0.5	< 2	0.49	< 0.5	17	132	51	3.83	10	< 1	0.37	10	1.33	405
T 05484	203	205	59	< 0.2	2.69	302	240	< 0.5	< 2	0.48	< 0.5	16	145	55	3.83	< 10	< 1	0.56	10	1.29	450
T 07623	203	205	3	< 0.2	2.52	52	210	< 0.5	< 2	0.30	< 0.5	15	111	48	4.30	< 10	< 1	0.30	10	1.13	515
T 07624	203	205	5	< 0.2	2.04	38	230	< 0.5	< 2	0.99	< 0.5	14	165	26	3.66	< 10	< 1	0.48	20	1.37	455
T 07625	203	205	172	0.4	2.27	>10000	250	< 0.5	< 2	0.46	< 0.5	26	70	54	7.13	10	< 1	0.20	20	0.93	1270
T 07626	203	205	9	< 0.2	2.08	118	280	< 0.5	< 2	0.59	< 0.5	13	92	23	3.66	10	< 1	0.31	10	0.97	550
T 07627	203	205	112	< 0.2	1.97	52	230	< 0.5	< 2	0.51	< 0.5	11	78	17	2.96	10	< 1	0.35	10	0.94	375
T 07628	203	205	11	0.2	1.94	292	220	< 0.5	< 2	0.66	0.5	13	100	28	3.36	10	< 1	0.40	20	0.98	545
T 07629	203	205	24	< 0.2	1.93	808	170	< 0.5	< 2	0.70	< 0.5	15	75	38	3.94	10	< 1	0.31	10	1.11	630

CERTIFICATION: Ian Bucklen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page ber :6-B
Total ges :7
Certificate Date: 12-OCT-94
Invoice No. :19426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 05373	203	205	1	0.02	39	990	4	< 2	9	30	0.18	10	< 10	118	< 10	78
T 05374	203	205	< 1	0.02	37	870	8	< 2	9	24	0.19	10	< 10	109	< 10	74
T 05375	203	205	< 1	0.02	39	790	6	2	10	23	0.23	< 10	< 10	118	< 10	80
T 05376	203	205	< 1	0.02	33	820	2	< 2	9	24	0.19	< 10	< 10	98	< 10	66
T 05377	203	205	< 1	0.04	38	860	4	2	11	26	0.24	< 10	< 10	118	< 10	84
T 05378	203	205	< 1	0.03	46	860	4	4	13	31	0.23	10	< 10	127	< 10	90
T 05379	203	205	1	0.03	36	880	4	4	10	26	0.22	10	< 10	115	< 10	88
T 05380	203	205	< 1	0.02	32	730	2	2	9	23	0.19	< 10	< 10	88	< 10	68
T 05381	203	205	< 1	0.03	29	770	2	< 2	8	27	0.18	< 10	< 10	87	< 10	64
T 05382	203	205	< 1	0.03	28	840	4	< 2	8	26	0.17	< 10	< 10	92	< 10	60
T 05383	203	205	< 1	0.04	27	820	4	< 2	7	26	0.15	< 10	< 10	81	< 10	58
T 05384	203	205	< 1	0.03	29	770	2	< 2	7	31	0.14	< 10	< 10	83	< 10	62
T 05385	203	205	1	0.05	41	910	8	< 2	9	30	0.21	< 10	< 10	111	< 10	86
T 05386	203	205	1	0.04	38	890	4	< 2	8	33	0.19	< 10	< 10	108	< 10	80
T 05387	203	205	< 1	0.04	34	880	4	2	9	35	0.18	< 10	< 10	97	< 10	74
T 05388	203	205	1	0.03	41	960	6	< 2	8	34	0.17	< 10	< 10	98	< 10	84
T 05389	203	205	2	0.02	32	820	8	< 2	6	35	0.13	< 10	< 10	97	< 10	78
T 05390	203	205	< 1	0.02	43	670	< 2	2	9	27	0.19	10	< 10	110	< 10	86
T 05391	203	205	1	0.03	33	630	6	< 2	7	28	0.17	< 10	< 10	94	< 10	70
T 05392	203	205	1	0.02	34	800	4	< 2	6	34	0.13	< 10	< 10	96	< 10	82
T 05393	203	205	1	0.04	33	1250	8	2	7	51	0.16	< 10	< 10	102	< 10	86
T 05394	203	205	< 1	0.04	43	650	2	2	9	34	0.22	< 10	< 10	105	< 10	82
T 05395	203	205	2	0.03	39	1410	8	2	8	49	0.15	< 10	< 10	98	< 10	94
T 05443	203	205	< 1	0.04	42	720	4	< 2	10	45	0.19	< 10	< 10	103	< 10	90
T 05444	203	205	1	0.04	53	540	2	2	10	39	0.20	< 10	< 10	121	< 10	96
T 05445	203	205	< 1	0.03	43	690	6	< 2	8	28	0.17	< 10	< 10	106	< 10	94
T 05446	203	205	< 1	0.05	39	250	< 2	< 2	9	39	0.22	< 10	< 10	116	< 10	86
T 05447	203	205	< 1	0.11	87	1260	6	< 2	10	113	0.17	< 10	< 10	115	< 10	98
T 05480	203	205	1	0.03	31	370	6	< 2	7	39	0.18	< 10	< 10	98	< 10	94
T 05481	203	205	1	0.02	37	1020	4	2	6	48	0.12	< 10	< 10	94	< 10	102
T 05482	203	205	1	0.03	45	440	4	< 2	9	36	0.20	< 10	< 10	105	< 10	86
T 05483	203	205	< 1	0.04	46	620	4	< 2	8	43	0.16	< 10	< 10	103	< 10	82
T 05484	203	205	< 1	0.04	46	790	2	< 2	9	38	0.18	< 10	< 10	106	< 10	86
T 07623	203	205	2	0.03	31	540	8	2	6	29	0.25	< 10	< 10	112	< 10	102
T 07624	203	205	< 1	0.07	25	530	4	2	7	49	0.33	< 10	< 10	88	< 10	76
T 07625	203	205	< 1	0.02	18	1320	58	2	11	39	0.08	< 10	< 10	63	< 10	178
T 07626	203	205	< 1	0.07	17	950	2	< 2	7	39	0.21	< 10	< 10	83	< 10	94
T 07627	203	205	< 1	0.04	14	860	4	< 2	5	30	0.15	< 10	< 10	65	< 10	64
T 07628	203	205	< 1	0.06	19	1000	6	< 2	7	42	0.19	< 10	< 10	64	< 10	150
T 07629	203	205	< 1	0.08	16	1140	4	< 2	7	44	0.16	< 10	< 10	79	< 10	116

CERTIFICATION: Ian H Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page ber :7-A
Total ges :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 08716	203	205	< 1	< 0.2	3.91	6	360	< 0.5	< 2	0.84	< 0.5	18	251	26	2.85	10	< 1	0.73	10	1.63	380
T 08717	203	205	2	< 0.2	4.52	28	340	< 0.5	< 2	0.82	< 0.5	17	149	25	3.54	20	< 1	0.72	10	2.17	950
T 08718	203	205	6	< 0.2	2.60	48	280	< 0.5	< 2	0.50	< 0.5	23	108	63	3.87	10	< 1	0.79	10	1.10	665
T 08719	203	205	4	< 0.2	3.43	22	540	< 0.5	< 2	0.40	< 0.5	20	145	70	4.40	10	< 1	1.38	10	1.26	905
T 08720	203	205	19	< 0.2	2.67	20	290	< 0.5	< 2	0.36	< 0.5	19	121	47	3.98	10	< 1	0.68	10	1.09	660

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page ber :7-B
Total ges :7
Certificate Date: 12-OCT-94
Invoice No. :I9426725
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426725

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 08716	203	205	< 1	0.11	50	920	4	< 2	7	102	0.16	10	< 10	82	< 10	66
T 08717	203	205	< 1	0.04	46	1280	< 2	< 2	10	92	0.13	10	< 10	98	< 10	94
T 08718	203	205	< 1	0.03	47	1090	2	< 2	10	47	0.19	10	< 10	114	< 10	92
T 08719	203	205	< 1	0.04	48	990	2	< 2	14	49	0.25	10	< 10	142	< 10	96
T 08720	203	205	< 1	0.02	42	820	< 2	< 2	10	34	0.21	< 10	< 10	111	< 10	84

CERTIFICATION: Jack Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Certificate Date: 12-JUL-94
Invoice No. : I9419620
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419620

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T33991	203	205	16	< 0.2	2.54	54	180	< 0.5	< 2	0.30	< 0.5	12	92	40	3.30	< 10	< 1	0.36	< 10	0.93	390
T33992	203	205	43	< 0.2	3.70	84	250	0.5	< 2	0.30	< 0.5	22	117	75	4.79	< 10	1	0.54	< 10	1.42	475
T33993	203	205	20	< 0.2	2.61	80	190	0.5	< 2	0.51	< 0.5	14	78	50	3.52	< 10	< 1	0.35	< 10	0.89	435
T33994	203	205	14	< 0.2	2.68	150	250	< 0.5	< 2	0.75	< 0.5	18	86	41	3.59	< 10	< 1	0.48	< 10	1.06	555
T33995	203	205	16	< 0.2	2.60	142	310	< 0.5	< 2	0.43	< 0.5	16	78	54	3.60	< 10	< 1	0.66	< 10	1.18	600
T33996	203	205	48	0.2	2.82	248	350	< 0.5	< 2	0.66	< 0.5	16	84	82	3.86	< 10	< 1	0.86	< 10	1.23	690
T33997	203	205	18	< 0.2	2.50	138	190	< 0.5	< 2	0.55	< 0.5	16	74	47	3.50	< 10	< 1	0.29	< 10	1.04	605
T33998	203	205	5	< 0.2	2.84	28	220	< 0.5	< 2	0.30	< 0.5	14	101	36	4.06	< 10	< 1	0.23	< 10	1.02	460
T34003	203	205	19	< 0.2	2.68	156	220	< 0.5	< 2	0.68	< 0.5	18	82	43	3.63	< 10	< 1	0.58	< 10	1.09	615
T34005	203	205	14	< 0.2	2.50	82	210	< 0.5	< 2	0.55	< 0.5	18	89	40	3.70	< 10	< 1	0.30	< 10	1.10	685
T34006	203	205	29	< 0.2	3.00	90	160	< 0.5	< 2	0.32	< 0.5	14	105	37	3.78	10	< 1	0.36	< 10	1.15	365
T34007	203	205	73	< 0.2	2.70	66	150	< 0.5	< 2	0.34	< 0.5	14	86	35	3.71	< 10	< 1	0.35	< 10	1.04	450
T34008	203	205	5	< 0.2	2.35	60	220	< 0.5	< 2	0.52	< 0.5	19	91	38	3.47	< 10	< 1	0.44	< 10	1.01	860
T34009	203	205	2	< 0.2	1.95	40	180	< 0.5	< 2	0.54	< 0.5	14	72	31	3.09	< 10	< 1	0.30	< 10	0.84	610
T34010	203	205	266	< 0.2	2.26	38	160	< 0.5	< 2	0.31	< 0.5	15	72	40	3.19	< 10	< 1	0.35	< 10	0.90	465
T34011	203	205	5	< 0.2	2.59	36	130	< 0.5	< 2	0.28	< 0.5	16	76	35	3.65	< 10	< 1	0.15	< 10	0.98	610
T34012	203	205	13	0.2	2.84	36	240	0.5	< 2	0.39	< 0.5	17	87	48	3.75	< 10	< 1	0.50	< 10	1.08	460
T34013	203	205	7	0.2	2.35	48	190	< 0.5	< 2	0.27	< 0.5	12	91	31	3.58	< 10	< 1	0.39	< 10	1.00	390
T34014	203	205	4	< 0.2	2.61	22	160	< 0.5	< 2	0.38	< 0.5	14	67	33	3.58	< 10	< 1	0.17	< 10	0.97	460
T34015	203	205	6	< 0.2	3.06	42	230	< 0.5	< 2	0.34	< 0.5	16	97	43	3.69	< 10	< 1	0.55	< 10	1.25	330
T34016	203	205	11	< 0.2	2.63	36	200	0.5	< 2	0.24	< 0.5	14	88	42	3.41	< 10	< 1	0.41	< 10	0.94	420
T34017	203	205	5	0.2	2.09	28	210	< 0.5	< 2	0.78	< 0.5	15	72	39	3.39	< 10	< 1	0.35	< 10	0.84	750
T34018	203	205	4	< 0.2	2.24	36	160	< 0.5	< 2	0.71	< 0.5	23	68	36	3.84	< 10	< 1	0.20	< 10	1.07	985
T34019	203	205	2	< 0.2	2.26	32	210	< 0.5	< 2	0.39	< 0.5	28	78	32	3.55	< 10	< 1	0.17	< 10	0.93	1235
T34020	203	205	20	< 0.2	3.14	36	200	0.5	< 2	0.35	< 0.5	19	112	47	4.06	< 10	< 1	0.20	< 10	1.18	570
T34021	203	205	6	0.2	2.53	50	170	< 0.5	< 2	0.51	< 0.5	15	86	37	3.66	< 10	< 1	0.28	< 10	1.05	550
T34022	203	205	5	< 0.2	2.32	28	170	< 0.5	< 2	0.48	< 0.5	14	71	40	3.69	< 10	< 1	0.21	< 10	0.86	540
T34023	203	205	3	< 0.2	2.32	22	180	< 0.5	< 2	0.60	< 0.5	15	66	34	3.96	< 10	< 1	0.21	< 10	0.98	655
T34024	203	205	38	< 0.2	2.93	92	210	0.5	< 2	0.45	< 0.5	18	92	54	3.48	< 10	< 1	0.46	< 10	1.06	555
T34025	203	205	7	< 0.2	2.62	56	220	< 0.5	< 2	0.65	< 0.5	13	78	42	3.62	< 10	< 1	0.43	< 10	1.03	430
T34026	203	205	17	0.2	2.81	120	160	< 0.5	< 2	0.32	< 0.5	13	81	36	3.68	< 10	< 1	0.35	< 10	1.00	405
T34027	203	205	1060	< 0.2	2.57	90	190	< 0.5	< 2	0.24	< 0.5	13	73	42	3.18	< 10	< 1	0.44	< 10	0.94	400
T34028	203	205	8	< 0.2	2.31	48	160	< 0.5	< 2	0.60	< 0.5	19	70	48	3.91	< 10	< 1	0.34	< 10	0.97	815
T34029	203	205	11	< 0.2	2.38	56	180	< 0.5	< 2	0.26	< 0.5	12	83	37	3.21	< 10	< 1	0.41	< 10	0.90	395
T34030	203	205	5	< 0.2	2.60	66	160	< 0.5	< 2	0.34	< 0.5	16	81	41	3.66	< 10	1	0.31	< 10	0.93	640
T34031	203	205	29	< 0.2	2.40	102	180	< 0.5	< 2	0.30	< 0.5	11	85	38	3.37	< 10	< 1	0.36	< 10	0.93	370
T34032	203	205	62	< 0.2	2.39	90	180	< 0.5	< 2	0.39	< 0.5	13	74	45	3.13	< 10	< 1	0.36	10	0.92	455
T34033	203	205	8	< 0.2	2.38	34	180	< 0.5	< 2	0.48	< 0.5	20	67	37	4.29	10	< 1	0.18	10	0.87	1275
T34034	203	205	8	0.2	3.43	98	230	0.5	< 2	0.30	< 0.5	16	108	46	4.23	< 10	< 1	0.36	< 10	1.18	545
T34035	203	205	45	< 0.2	3.01	78	210	0.5	< 2	0.41	< 0.5	14	93	46	3.70	< 10	< 1	0.41	< 10	0.95	495

CERTIFICATION: Ivan Bucher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :1-B
Total Pages :3
Certificate Date: 12-JUL-94
Invoice No. :I9419620
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419620

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T33991	203	205	1	0.02	34	540	2	< 2	7	31	0.18	10	< 10	102	< 10	66
T33992	203	205	< 1	0.01	75	560	6	< 2	9	44	0.16	10	< 10	140	< 10	104
T33993	203	205	1	0.02	35	1160	4	< 2	6	51	0.15	10	< 10	105	< 10	64
T33994	203	205	< 1	0.01	40	820	2	< 2	7	60	0.16	< 10	< 10	103	< 10	88
T33995	203	205	< 1	0.01	30	620	< 2	< 2	8	57	0.21	< 10	< 10	108	60	72
T33996	203	205	< 1	0.01	31	840	2	< 2	8	78	0.23	< 10	< 10	111	260	76
T33997	203	205	< 1	0.01	33	700	4	< 2	7	52	0.16	10	< 10	99	10	80
T33998	203	205	1	0.01	37	660	2	< 2	8	28	0.22	< 10	< 10	121	< 10	74
T34003	203	205	< 1	0.02	36	710	< 2	< 2	7	59	0.18	< 10	< 10	99	< 10	92
T34005	203	205	1	0.01	37	860	2	< 2	7	47	0.16	10	< 10	99	< 10	84
T34006	203	205	< 1	0.01	42	410	< 2	< 2	8	30	0.20	< 10	< 10	116	< 10	76
T34007	203	205	< 1	0.01	35	580	2	< 2	7	32	0.20	20	< 10	106	< 10	78
T34008	203	205	< 1	0.02	31	980	2	< 2	7	46	0.17	20	< 10	101	< 10	84
T34009	203	205	1	0.01	28	1030	< 2	< 2	5	46	0.12	< 10	< 10	83	< 10	68
T34010	203	205	< 1	0.01	34	670	4	< 2	6	30	0.17	< 10	< 10	90	< 10	66
T34011	203	205	1	0.01	32	720	4	< 2	6	30	0.14	< 10	< 10	103	< 10	74
T34012	203	205	< 1	0.03	43	720	6	< 2	8	35	0.23	10	< 10	117	< 10	70
T34013	203	205	< 1	0.01	32	550	< 2	< 2	7	26	0.19	< 10	< 10	108	< 10	68
T34014	203	205	1	0.02	31	770	2	< 2	6	37	0.15	10	< 10	100	< 10	66
T34015	203	205	< 1	0.02	38	750	< 2	< 2	8	26	0.23	10	< 10	119	< 10	80
T34016	203	205	1	0.01	37	370	2	< 2	8	22	0.21	10	< 10	105	< 10	68
T34017	203	205	1	0.02	29	1300	4	< 2	5	56	0.16	10	< 10	98	< 10	86
T34018	203	205	2	0.02	31	1080	8	< 2	5	60	0.13	< 10	< 10	96	< 10	104
T34019	203	205	< 1	0.02	29	900	2	< 2	6	35	0.17	10	< 10	104	< 10	78
T34020	203	205	< 1	0.01	40	870	2	< 2	9	31	0.24	10	< 10	125	< 10	76
T34021	203	205	< 1	0.02	30	800	< 2	< 2	6	43	0.17	10	< 10	100	< 10	78
T34022	203	205	1	0.01	32	950	6	< 2	4	43	0.13	< 10	< 10	100	< 10	78
T34023	203	205	1	0.01	31	780	8	< 2	6	48	0.18	< 10	< 10	110	< 10	80
T34024	203	205	< 1	0.02	41	860	4	< 2	6	45	0.18	10	< 10	100	10	72
T34025	203	205	< 1	0.02	34	950	< 2	< 2	6	51	0.18	10	< 10	107	< 10	80
T34026	203	205	1	0.02	32	890	2	< 2	6	36	0.19	< 10	< 10	102	< 10	78
T34027	203	205	< 1	0.02	31	420	< 2	< 2	6	33	0.18	10	< 10	95	< 10	58
T34028	203	205	1	0.01	34	1200	6	< 2	6	51	0.15	< 10	< 10	101	< 10	112
T34029	203	205	< 1	0.02	35	320	< 2	< 2	6	27	0.20	10	< 10	96	< 10	58
T34030	203	205	1	0.01	35	590	4	< 2	6	32	0.18	< 10	< 10	106	< 10	68
T34031	203	205	1	0.02	35	410	4	< 2	6	29	0.19	10	< 10	97	< 10	64
T34032	203	205	< 1	0.03	36	500	< 2	< 2	6	35	0.20	10	< 10	93	< 10	62
T34033	203	205	2	0.01	29	1030	8	< 2	5	45	0.15	< 10	< 10	106	< 10	82
T34034	203	205	< 1	0.02	42	480	2	< 2	8	35	0.24	10	< 10	124	< 10	86
T34035	203	205	< 1	0.02	42	570	2	< 2	8	35	0.23	< 10	< 10	111	< 10	66

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :2-A
Total Pages :3
Certificate Date: 12-JUL-94
Invoice No. :I9419620
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419620

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T34036	203	205	7	< 0.2	2.56	50	150	< 0.5	< 2	0.37	0.5	13	82	34	3.46	< 10	< 1	0.21	< 10	0.91	395
T34037	203	205	13	< 0.2	2.58	98	260	< 0.5	< 2	0.53	< 0.5	12	120	39	3.70	< 10	< 1	0.36	< 10	1.08	465
T34038	203	205	8	< 0.2	2.57	52	180	< 0.5	< 2	0.30	< 0.5	12	99	35	3.50	< 10	< 1	0.46	< 10	1.05	430
T34039	203	205	10	0.2	2.01	66	170	< 0.5	< 2	0.26	0.5	10	85	30	2.91	< 10	< 1	0.30	< 10	0.84	355
T34040	203	205	7	0.2	2.34	36	160	< 0.5	< 2	0.48	< 0.5	15	80	46	3.99	< 10	< 1	0.26	< 10	1.03	450
T34041	203	205	6	< 0.2	2.18	78	170	< 0.5	< 2	0.43	0.5	16	87	36	3.28	< 10	< 1	0.42	< 10	1.01	545
T34042	203	205	12	< 0.2	2.52	68	200	< 0.5	< 2	0.57	< 0.5	16	96	37	3.57	< 10	< 1	0.51	< 10	1.05	555
T34043	203	205	42	0.6	3.21	136	200	0.5	< 2	0.73	0.5	22	90	77	4.18	< 10	< 1	0.40	< 10	1.12	585
T34044	203	205	138	< 0.2	2.41	72	200	< 0.5	< 2	0.35	< 0.5	12	107	35	3.23	< 10	< 1	0.49	< 10	0.99	410
T34045	203	205	434	< 0.2	2.96	112	290	0.5	< 2	0.50	0.5	20	120	45	3.99	< 10	< 1	0.64	< 10	1.11	585
T34046	203	205	43	0.2	3.24	188	340	0.5	< 2	0.51	< 0.5	19	132	55	4.33	< 10	< 1	0.77	< 10	1.19	675
T34047	203	205	11	< 0.2	2.42	62	250	< 0.5	< 2	0.44	0.5	19	77	54	3.35	< 10	< 1	0.32	< 10	0.96	815
T34048	203	205	19	0.2	2.93	108	230	< 0.5	< 2	0.49	< 0.5	13	105	53	3.72	< 10	< 1	0.48	< 10	1.12	445
T34049	203	205	26	< 0.2	3.04	208	240	< 0.5	< 2	0.29	< 0.5	18	94	55	4.26	< 10	< 1	0.59	< 10	1.26	575
T34050	203	205	20	< 0.2	3.19	156	220	0.5	< 2	0.34	< 0.5	27	144	62	5.04	< 10	< 1	0.62	< 10	1.28	755
T34051	203	205	11	0.2	2.60	162	260	< 0.5	< 2	0.43	0.5	13	99	46	3.52	< 10	< 1	0.65	< 10	1.18	450
T34052	203	205	6	< 0.2	2.49	116	230	< 0.5	< 2	0.48	< 0.5	11	86	43	3.44	< 10	< 1	0.60	< 10	1.10	405
T34053	203	205	25	0.2	2.92	292	350	< 0.5	< 2	0.49	< 0.5	15	93	77	3.94	< 10	< 1	1.00	< 10	1.44	695
T34054	203	205	14	< 0.2	2.86	156	290	< 0.5	< 2	0.43	< 0.5	13	81	49	3.61	< 10	< 1	0.58	< 10	1.06	520
T34055	203	205	62	< 0.2	3.32	390	350	< 0.5	< 2	0.43	< 0.5	17	93	66	4.30	< 10	< 1	0.79	< 10	1.24	555
T34056	203	205	3	< 0.2	3.49	56	300	< 0.5	< 2	0.57	< 0.5	16	126	54	4.27	< 10	< 1	0.65	< 10	1.45	545
T34057	203	205	7	< 0.2	2.54	62	190	< 0.5	< 2	0.38	< 0.5	12	88	42	3.73	< 10	< 1	0.41	< 10	0.98	480
T34058	203	205	7	< 0.2	2.16	76	170	< 0.5	< 2	0.39	< 0.5	14	87	41	3.05	< 10	< 1	0.35	< 10	0.85	495
T34059	203	205	13	< 0.2	2.30	88	170	< 0.5	< 2	0.25	< 0.5	14	84	41	3.09	< 10	< 1	0.42	< 10	0.89	375
T34060	203	205	4	< 0.2	2.31	102	180	< 0.5	< 2	0.43	< 0.5	16	88	36	3.58	< 10	< 1	0.35	< 10	0.88	735
T34061	203	205	30	< 0.2	3.43	502	270	0.5	< 2	0.31	< 0.5	18	85	69	4.19	< 10	< 1	0.40	< 10	1.03	600
T34062	203	205	10	< 0.2	1.44	294	130	< 0.5	< 2	0.33	< 0.5	12	59	29	2.89	< 10	< 1	0.16	< 10	0.58	325
T34063	203	205	4	< 0.2	3.22	258	330	< 0.5	< 2	0.58	< 0.5	20	104	77	5.05	10	< 1	0.73	< 10	1.70	790
T34064	203	205	5	< 0.2	2.11	204	220	< 0.5	< 2	0.41	< 0.5	12	81	35	3.08	< 10	< 1	0.46	< 10	0.96	510
T34065	203	205	12	< 0.2	2.16	146	250	< 0.5	< 2	0.35	< 0.5	10	86	36	3.62	< 10	< 1	0.55	< 10	1.21	560
T34066	203	205	9	< 0.2	2.53	158	330	< 0.5	< 2	0.44	0.5	12	75	53	3.79	< 10	< 1	0.74	< 10	1.18	565
T34067	203	205	43	0.2	2.88	172	370	< 0.5	< 2	0.42	< 0.5	17	110	78	4.30	< 10	< 1	0.96	< 10	1.48	590
T34068	203	205	16	0.2	2.36	140	330	< 0.5	< 2	0.38	0.5	11	59	45	3.61	< 10	< 1	0.62	< 10	1.14	535
T34069	203	205	3	< 0.2	1.89	70	180	< 0.5	< 2	0.48	0.5	11	67	28	3.58	< 10	< 1	0.22	< 10	0.86	575
T34070	203	205	7	< 0.2	2.56	146	320	< 0.5	< 2	0.62	< 0.5	22	80	55	3.71	< 10	< 1	0.38	< 10	1.02	725
T34071	203	205	33	< 0.2	2.47	104	270	< 0.5	< 2	0.62	0.5	12	75	41	3.32	< 10	< 1	0.49	< 10	1.02	480
T34072	203	205	58	< 0.2	2.87	170	250	< 0.5	< 2	0.55	< 0.5	19	90	60	3.91	< 10	< 1	0.56	< 10	1.20	550
T34073	203	205	28	< 0.2	3.34	158	250	0.5	< 2	0.53	0.5	19	124	58	4.20	< 10	< 1	0.75	< 10	1.52	520
T34074	203	205	8	0.2	2.03	144	240	< 0.5	< 2	0.37	0.5	9	68	44	2.89	< 10	< 1	0.52	< 10	0.90	350
T34075	203	205	8	< 0.2	2.19	152	230	< 0.5	< 2	0.29	0.5	7	92	36	3.03	< 10	< 1	0.57	< 10	1.12	385

CERTIFICATION: Ian Bucklen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :2-B
Total Pages :3
Certificate Date: 12-JUL-94
Invoice No. :I9419620
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419620

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34036	203	205	2	0.01	35	570	8	< 2	6	30	0.19	< 10	< 10	101	< 10	70
T34037	203	205	1	0.02	34	980	4	< 2	7	45	0.19	< 10	< 10	113	< 10	84
T34038	203	205	1	0.02	32	600	4	< 2	6	29	0.20	< 10	< 10	103	< 10	74
T34039	203	205	1	0.01	30	450	6	< 2	5	26	0.14	< 10	< 10	85	< 10	58
T34040	203	205	2	0.01	36	560	8	< 2	6	41	0.16	< 10	< 10	103	< 10	92
T34041	203	205	3	0.01	32	670	6	< 2	6	40	0.16	< 10	< 10	96	< 10	82
T34042	203	205	1	0.01	39	830	2	< 2	7	49	0.16	< 10	< 10	107	< 10	94
T34043	203	205	2	0.02	48	1650	12	< 2	7	71	0.13	< 10	< 10	108	< 10	88
T34044	203	205	2	0.02	36	370	< 2	< 2	6	36	0.17	< 10	< 10	95	< 10	70
T34045	203	205	2	0.02	46	650	2	< 2	9	47	0.18	< 10	< 10	118	< 10	90
T34046	203	205	2	0.02	52	750	< 2	< 2	9	52	0.20	< 10	< 10	131	10	96
T34047	203	205	2	0.01	35	960	4	< 2	6	48	0.14	< 10	< 10	94	< 10	90
T34048	203	205	2	0.02	43	680	2	< 2	7	49	0.16	< 10	< 10	104	< 10	82
T34049	203	205	1	0.01	37	630	2	2	8	34	0.17	< 10	< 10	118	< 10	86
T34050	203	205	1	0.02	63	610	6	< 2	8	32	0.13	< 10	< 10	129	< 10	138
T34051	203	205	2	0.02	33	610	6	< 2	6	50	0.20	< 10	< 10	100	< 10	72
T34052	203	205	2	0.02	33	490	6	< 2	6	48	0.19	< 10	< 10	99	10	76
T34053	203	205	2	0.02	36	630	< 2	< 2	6	55	0.31	< 10	< 10	118	70	84
T34054	203	205	1	0.03	34	600	4	< 2	6	50	0.19	< 10	< 10	102	< 10	72
T34055	203	205	2	0.03	38	420	12	< 2	8	88	0.23	< 10	< 10	124	< 10	90
T34056	203	205	2	0.07	45	680	< 2	< 2	9	56	0.27	< 10	< 10	150	< 10	98
T34057	203	205	1	0.01	36	630	6	< 2	6	35	0.19	< 10	< 10	105	< 10	82
T34058	203	205	1	0.02	35	630	4	< 2	6	38	0.15	< 10	< 10	84	10	66
T34059	203	205	2	0.01	45	440	4	< 2	5	25	0.17	< 10	< 10	88	< 10	62
T34060	203	205	1	0.01	34	930	6	< 2	6	33	0.17	< 10	< 10	106	< 10	82
T34061	203	205	1	0.01	52	780	4	< 2	8	33	0.19	< 10	< 10	107	< 10	88
T34062	203	205	1	0.06	22	630	< 2	< 2	3	31	0.13	< 10	< 10	90	< 10	56
T34063	203	205	2	0.02	42	630	6	< 2	10	42	0.38	< 10	< 10	158	< 10	116
T34064	203	205	1	0.02	30	630	4	< 2	6	38	0.18	< 10	< 10	91	< 10	76
T34065	203	205	2	0.01	22	600	< 2	< 2	6	30	0.26	< 10	< 10	112	< 10	70
T34066	203	205	1	0.01	30	710	6	< 2	6	56	0.26	< 10	< 10	108	< 10	76
T34067	203	205	2	0.01	42	680	< 2	< 2	7	52	0.30	< 10	< 10	129	< 10	86
T34068	203	205	2	0.01	19	550	6	< 2	5	53	0.27	< 10	< 10	105	< 10	70
T34069	203	205	2	0.02	27	500	4	< 2	4	44	0.16	< 10	< 10	92	< 10	72
T34070	203	205	1	0.02	35	1050	2	< 2	6	63	0.14	< 10	< 10	94	10	92
T34071	203	205	2	0.02	29	940	2	< 2	6	58	0.16	< 10	< 10	87	< 10	72
T34072	203	205	1	0.02	46	570	4	< 2	7	55	0.15	< 10	< 10	104	< 10	88
T34073	203	205	2	0.01	63	780	16	< 2	8	59	0.16	< 10	< 10	112	< 10	92
T34074	203	205	< 1	0.02	29	580	< 2	< 2	4	46	0.16	< 10	< 10	76	10	54
T34075	203	205	2	0.02	28	430	2	< 2	6	34	0.22	< 10	< 10	91	< 10	62

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :3-A
Total Pages :3
Certificate Date: 12-JUL-94
Invoice No. :19419620
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419620

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T34076	203	205	3	< 0.2	2.22	58	210	< 0.5	< 2	0.38	0.5	12	111	35	3.29	< 10	< 1	0.39	< 10	1.03	405
T34077	203	205	5	< 0.2	2.37	38	240	< 0.5	< 2	0.43	0.5	13	88	42	3.49	< 10	< 1	0.46	< 10	0.90	515
T34078	203	205	6	< 0.2	3.41	194	450	0.5	< 2	0.52	< 0.5	16	116	63	4.98	< 10	< 1	0.88	< 10	1.08	515
T34082	203	205	6	0.2	2.81	154	210	< 0.5	< 2	0.37	< 0.5	9	91	45	3.12	< 10	< 1	0.48	< 10	1.19	365
T34083	203	205	6	0.2	3.06	200	260	< 0.5	< 2	0.72	1.0	21	86	79	4.57	< 10	< 1	0.39	< 10	1.21	740
T34084	203	205	4	< 0.2	3.16	302	270	0.5	< 2	0.40	< 0.5	20	88	81	4.47	< 10	< 1	0.27	< 10	1.06	635
T34085	203	205	2	< 0.2	2.31	46	230	< 0.5	< 2	0.36	< 0.5	12	71	37	3.73	< 10	< 1	0.49	< 10	1.21	505
T34086	203	205	1	< 0.2	2.25	36	250	< 0.5	< 2	0.66	< 0.5	14	73	44	3.65	< 10	< 1	0.32	< 10	0.97	475
T34087	203	205	3	< 0.2	1.86	40	260	< 0.5	< 2	0.75	< 0.5	11	88	31	2.81	< 10	< 1	0.41	< 10	0.92	435
T34088	203	205	8	< 0.2	2.24	50	280	< 0.5	< 2	0.43	< 0.5	11	70	39	3.39	< 10	< 1	0.66	< 10	1.15	470
T34089	203	205	2	< 0.2	1.95	104	290	< 0.5	< 2	0.54	< 0.5	11	83	48	3.08	< 10	< 1	0.46	< 10	0.99	475
T34090	203	205	6	0.2	2.77	152	370	< 0.5	< 2	0.89	< 0.5	16	90	72	3.94	< 10	< 1	0.62	< 10	1.24	570
T34091	203	205	5	< 0.2	2.69	158	340	< 0.5	< 2	0.39	0.5	13	102	60	4.41	< 10	< 1	1.15	< 10	1.40	655
T34092	203	205	4	< 0.2	2.96	172	350	< 0.5	< 2	0.86	< 0.5	15	95	61	4.41	< 10	< 1	0.96	< 10	1.54	740
T34093	203	205	5	< 0.2	2.24	32	300	< 0.5	< 2	0.86	< 0.5	13	80	45	3.31	< 10	< 1	0.37	< 10	0.96	580
T34094	203	205	3	< 0.2	2.07	44	220	< 0.5	< 2	0.49	< 0.5	10	73	35	3.25	< 10	< 1	0.42	< 10	0.94	420
T34183	203	205	7	< 0.2	2.75	24	290	0.5	< 2	0.31	< 0.5	13	107	45	3.75	< 10	< 1	0.55	< 10	0.96	590
T34184	203	205	4	< 0.2	3.34	20	300	0.5	< 2	0.35	< 0.5	17	104	53	4.66	< 10	< 1	0.66	< 10	1.13	570
T34185	203	205	8	< 0.2	2.37	26	240	< 0.5	< 2	0.37	< 0.5	10	86	33	3.27	< 10	< 1	0.53	< 10	0.90	410
T34186	203	205	2	< 0.2	2.87	< 2	230	0.5	< 2	0.32	< 0.5	14	94	39	4.11	< 10	< 1	0.43	< 10	1.01	660
T34187	203	205	2	< 0.2	2.62	28	220	0.5	< 2	0.26	0.5	10	100	36	3.46	< 10	< 1	0.52	< 10	0.89	405
T34188	203	205	390	0.4	3.64	848	370	0.5	< 2	0.44	0.5	16	114	63	5.11	< 10	< 1	0.70	< 10	1.19	565
T34189	203	205	30	< 0.2	2.81	30	200	0.5	< 2	0.39	0.5	13	106	39	4.04	< 10	< 1	0.38	< 10	0.97	495
T34190	203	205	12	< 0.2	3.12	106	250	0.5	< 2	0.30	< 0.5	17	107	55	4.10	< 10	< 1	0.53	< 10	1.09	650

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number : 1-A
Total Pages : 8
Certificate Date: 18-JUL-94
Invoice No. : I9419846
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34095	203	205	2	< 0.2	1.65	36	160	< 0.5	< 2	0.64	< 0.5	8	85	33	2.41	< 10	2	0.26	< 10	0.67	310
T 34096	203	205	9	0.2	2.10	50	260	< 0.5	< 2	1.22	< 0.5	10	76	39	2.63	< 10	< 1	0.33	< 10	0.89	465
T 34097	203	205	4	< 0.2	1.91	28	200	< 0.5	< 2	0.72	< 0.5	15	84	37	2.75	< 10	< 1	0.32	< 10	0.82	535
T 34098	203	205	6	< 0.2	2.41	64	230	< 0.5	< 2	0.92	< 0.5	13	84	58	3.07	< 10	< 1	0.38	< 10	1.08	495
T 34099	203	205	3	< 0.2	2.03	48	240	< 0.5	< 2	1.51	< 0.5	14	102	49	2.67	< 10	1	0.40	< 10	0.99	810
T 34100	203	205	5	< 0.2	3.04	50	270	< 0.5	< 2	0.95	< 0.5	16	119	39	3.33	< 10	< 1	0.42	< 10	1.09	545
T 34101	203	205	6	< 0.2	2.62	42	230	< 0.5	< 2	0.87	< 0.5	13	115	54	3.19	< 10	< 1	0.47	< 10	1.15	340
T 34102	203	205	4	< 0.2	2.30	42	210	< 0.5	< 2	0.63	< 0.5	12	95	31	3.13	< 10	< 1	0.59	< 10	1.12	425
T 34103	203	205	625	< 0.2	2.18	26	190	< 0.5	< 2	0.93	< 0.5	13	89	40	2.75	< 10	< 1	0.35	< 10	0.89	400
T 34104	203	205	3	< 0.2	1.69	16	250	< 0.5	< 2	1.30	< 0.5	10	60	61	2.51	< 10	< 1	0.49	< 10	0.85	355
T 34105	203	205	3	0.2	1.12	2	250	< 0.5	< 2	1.62	< 0.5	9	34	87	1.46	< 10	< 1	0.09	< 10	0.37	1380
T 34106	203	205	< 1	< 0.2	1.82	14	200	< 0.5	< 2	0.54	< 0.5	13	71	35	2.92	< 10	< 1	0.49	< 10	0.93	525
T 34107	203	205	12	< 0.2	2.38	24	260	< 0.5	< 2	0.62	< 0.5	13	86	47	3.30	< 10	< 1	0.52	< 10	1.10	430
T 34108	203	205	4	< 0.2	3.47	34	380	0.5	< 2	0.44	< 0.5	17	122	45	3.91	< 10	< 1	0.71	< 10	1.23	515
T 34109	203	205	10	0.6	4.28	32	390	< 0.5	< 2	0.52	< 0.5	23	115	73	4.75	< 10	< 1	0.63	< 10	1.25	815
T 34110	203	205	8	0.4	3.47	62	270	0.5	< 2	0.47	< 0.5	18	86	66	4.58	< 10	3	0.33	< 10	0.97	600
T 34111	203	205	8	< 0.2	3.01	46	290	0.5	< 2	0.38	< 0.5	19	117	49	4.07	< 10	< 1	0.42	< 10	1.00	575
T 34112	203	205	6	< 0.2	3.54	48	330	0.5	< 2	0.36	< 0.5	18	135	52	4.63	10	< 1	0.73	< 10	1.30	555
T 34113	203	205	9	< 0.2	3.41	64	280	0.5	< 2	0.37	< 0.5	17	130	48	4.19	< 10	< 1	0.63	< 10	1.08	570
T 34114	203	205	14	< 0.2	2.37	106	220	< 0.5	< 2	0.36	< 0.5	13	108	32	3.35	< 10	< 1	0.50	< 10	0.88	405
T 34115	203	205	9	< 0.2	2.38	32	200	< 0.5	< 2	0.34	< 0.5	14	103	32	3.37	< 10	< 1	0.35	< 10	0.89	435
T 34116	203	205	4	< 0.2	2.62	6	190	< 0.5	< 2	0.34	< 0.5	14	91	33	3.59	< 10	< 1	0.32	< 10	0.92	420
T 34117	203	205	1	0.2	3.90	8	400	0.5	< 2	0.34	< 0.5	23	187	58	4.97	10	< 1	0.84	< 10	1.66	580
T 34118	203	205	2	< 0.2	3.58	< 2	330	0.5	< 2	0.43	< 0.5	19	138	58	4.36	< 10	< 1	0.71	< 10	1.41	635
T 34119	203	205	28	< 0.2	3.04	< 2	260	0.5	< 2	0.37	< 0.5	16	122	47	4.00	< 10	< 1	0.53	< 10	1.10	535
T 34120	203	205	1	< 0.2	3.29	6	310	0.5	< 2	0.31	0.5	16	122	46	4.00	< 10	< 1	0.65	< 10	1.07	565
T 34121	203	205	2	< 0.2	2.77	2	250	< 0.5	< 2	0.34	0.5	14	142	39	3.60	< 10	< 1	0.50	< 10	0.99	505
T 34122	203	205	1	< 0.2	2.54	12	240	< 0.5	< 2	0.30	< 0.5	15	106	40	3.45	< 10	3	0.40	< 10	0.85	515
T 34123	203	205	4	< 0.2	2.92	8	290	0.5	< 2	0.30	< 0.5	14	143	39	3.67	< 10	< 1	0.58	< 10	0.98	520
T 34124	203	205	3	< 0.2	2.59	2	240	< 0.5	< 2	0.35	< 0.5	12	100	33	3.37	< 10	< 1	0.49	< 10	0.90	460
T 34125	203	205	2	< 0.2	2.40	14	190	< 0.5	< 2	0.34	< 0.5	13	121	32	3.44	< 10	< 1	0.32	< 10	0.85	455
T 34126	203	205	4	< 0.2	2.84	18	210	< 0.5	< 2	0.39	< 0.5	16	90	41	3.73	< 10	< 1	0.18	< 10	1.00	620
T 34127	203	205	8	< 0.2	2.99	14	260	0.5	< 2	0.35	< 0.5	16	138	47	3.76	< 10	< 1	0.59	< 10	0.94	595
T 34128	203	205	10	< 0.2	2.83	16	240	< 0.5	< 2	0.40	< 0.5	15	121	42	3.60	< 10	< 1	0.57	< 10	1.07	515
T 34129	203	205	< 1	< 0.2	2.87	10	260	0.5	< 2	0.43	< 0.5	15	145	38	3.59	< 10	1	0.49	< 10	1.02	495
T 34130	203	205	< 1	< 0.2	2.78	10	250	0.5	< 2	0.32	< 0.5	16	117	42	3.71	< 10	< 1	0.55	< 10	1.06	565
T 34131	203	205	2	< 0.2	2.93	12	220	0.5	< 2	0.36	< 0.5	16	141	50	4.03	< 10	1	0.40	< 10	1.14	545
T 34132	203	205	4	< 0.2	3.10	< 2	280	0.5	< 2	0.40	< 0.5	15	111	46	3.74	< 10	< 1	0.46	< 10	1.00	615
T 34133	203	205	2	< 0.2	2.96	4	200	0.5	< 2	0.31	< 0.5	14	127	41	3.70	< 10	1	0.41	< 10	1.03	430
T 34134	203	205	1460	< 0.2	2.87	100	190	< 0.5	< 2	0.22	< 0.5	15	108	40	3.61	< 10	< 1	0.36	< 10	0.99	490

CERTIFICATION: Stuart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :1-B
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34095	203	205	1	0.02	20	1130	< 2	< 2	3	51	0.10	< 10	< 10	70	< 10	52
T 34096	203	205	< 1	0.03	24	830	2	< 2	5	92	0.13	< 10	< 10	75	< 10	66
T 34097	203	205	1	0.04	22	890	< 2	< 2	4	61	0.13	< 10	< 10	75	< 10	64
T 34098	203	205	< 1	0.02	31	760	< 2	< 2	7	74	0.14	< 10	< 10	91	< 10	70
T 34099	203	205	2	0.02	26	1130	< 2	< 2	5	100	0.17	< 10	< 10	81	< 10	74
T 34100	203	205	< 1	0.02	40	710	< 2	< 2	7	133	0.17	< 10	< 10	101	< 10	104
T 34101	203	205	1	0.05	33	690	< 2	< 2	7	68	0.21	< 10	< 10	95	< 10	70
T 34102	203	205	< 1	0.05	29	550	< 2	< 2	6	63	0.20	< 10	< 10	90	< 10	74
T 34103	203	205	< 1	0.04	25	620	< 2	< 2	5	78	0.15	< 10	< 10	76	< 10	58
T 34104	203	205	< 1	0.02	20	810	< 2	< 2	4	69	0.16	< 10	< 10	72	10	52
T 34105	203	205	2	0.01	22	1960	4	4	1	90	0.02	< 10	< 10	44	< 10	52
T 34106	203	205	1	0.02	20	880	< 2	< 2	4	48	0.18	< 10	< 10	77	< 10	56
T 34107	203	205	< 1	0.03	25	570	< 2	2	6	94	0.19	< 10	< 10	89	< 10	62
T 34108	203	205	< 1	0.03	40	890	< 2	< 2	10	48	0.21	< 10	< 10	117	< 10	88
T 34109	203	205	2	0.01	48	1360	2	< 2	11	59	0.19	< 10	< 10	140	< 10	104
T 34110	203	205	1	0.01	44	1440	6	< 2	8	58	0.13	< 10	< 10	120	< 10	88
T 34111	203	205	< 1	0.01	43	930	8	< 2	9	38	0.17	< 10	< 10	119	< 10	86
T 34112	203	205	< 1	0.03	46	650	4	< 2	11	60	0.22	< 10	< 10	134	< 10	100
T 34113	203	205	< 1	0.03	45	610	< 2	< 2	9	41	0.22	< 10	< 10	122	< 10	90
T 34114	203	205	< 1	0.02	33	780	< 2	< 2	8	26	0.18	< 10	< 10	97	< 10	74
T 34115	203	205	< 1	0.02	34	480	< 2	< 2	7	25	0.19	< 10	< 10	94	< 10	74
T 34116	203	205	< 1	0.02	36	540	2	< 2	8	26	0.22	< 10	< 10	104	< 10	76
T 34117	203	205	1	0.02	56	820	< 2	< 2	14	26	0.31	< 10	< 10	163	< 10	108
T 34118	203	205	2	0.03	46	1100	< 2	< 2	12	32	0.27	< 10	< 10	144	< 10	110
T 34119	203	205	2	0.03	39	970	< 2	< 2	9	28	0.23	< 10	< 10	119	< 10	100
T 34120	203	205	< 1	0.02	39	1200	< 2	< 2	10	19	0.24	< 10	< 10	120	< 10	104
T 34121	203	205	< 1	0.03	35	900	6	< 2	9	23	0.21	< 10	< 10	114	< 10	90
T 34122	203	205	< 1	0.02	33	890	8	< 2	8	23	0.20	< 10	< 10	109	< 10	88
T 34123	203	205	1	0.02	36	790	6	< 2	9	24	0.23	< 10	< 10	114	< 10	86
T 34124	203	205	< 1	0.02	34	910	< 2	< 2	8	27	0.21	< 10	< 10	107	< 10	86
T 34125	203	205	1	0.02	31	530	4	< 2	7	27	0.19	< 10	< 10	101	< 10	76
T 34126	203	205	1	0.01	32	800	2	< 2	7	32	0.16	< 10	< 10	109	< 10	84
T 34127	203	205	< 1	0.03	36	1010	< 2	< 2	9	27	0.23	< 10	< 10	121	< 10	96
T 34128	203	205	< 1	0.02	37	1100	< 2	< 2	9	28	0.21	< 10	< 10	112	< 10	92
T 34129	203	205	< 1	0.03	35	880	< 2	< 2	9	30	0.22	< 10	< 10	110	< 10	90
T 34130	203	205	< 1	0.01	38	760	< 2	< 2	9	22	0.23	< 10	< 10	114	< 10	94
T 34131	203	205	1	0.02	42	770	< 2	< 2	9	26	0.23	< 10	< 10	126	< 10	96
T 34132	203	205	< 1	0.02	41	760	< 2	< 2	10	33	0.22	< 10	< 10	120	< 10	88
T 34133	203	205	1	0.02	37	520	< 2	2	9	26	0.22	< 10	< 10	120	< 10	82
T 34134	203	205	< 1	0.01	38	560	< 2	< 2	8	21	0.17	< 10	< 10	107	< 10	82

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page :2-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :19419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34135	203	205	2	< 0.2	2.65	22	180	< 0.5	< 2	0.42	< 0.5	15	90	39	3.89	< 10	1	0.23	< 10	0.94	665
T 34136	203	205	7	< 0.2	2.84	62	230	0.5	< 2	0.28	< 0.5	14	108	39	3.63	< 10	< 1	0.31	< 10	0.92	535
T 34137	203	205	11	< 0.2	3.45	42	350	0.5	< 2	0.24	< 0.5	17	140	54	4.50	< 10	< 1	0.73	< 10	1.09	650
T 34138	203	205	5	< 0.2	3.23	32	370	0.5	< 2	0.41	< 0.5	16	134	48	4.30	< 10	< 1	0.69	< 10	1.22	625
T 34139	203	205	3	< 0.2	2.97	40	290	0.5	< 2	0.33	< 0.5	13	133	41	3.88	< 10	< 1	0.64	< 10	1.08	470
T 34140	203	205	15	< 0.2	3.79	76	310	0.5	< 2	0.41	< 0.5	18	140	65	4.75	< 10	< 1	0.63	< 10	1.34	645
T 34141	203	205	7	< 0.2	3.37	52	350	0.5	< 2	0.37	< 0.5	16	156	47	4.39	< 10	< 1	0.74	< 10	1.35	595
T 34142	203	205	8	< 0.2	3.34	100	260	0.5	< 2	0.48	< 0.5	15	163	57	4.48	10	< 1	0.65	< 10	1.16	570
T 34143	203	205	6	< 0.2	2.69	16	220	0.5	< 2	0.47	< 0.5	17	124	47	4.15	< 10	< 1	0.53	< 10	1.01	680
T 34144	203	205	4	< 0.2	2.65	16	260	0.5	< 2	0.34	< 0.5	13	140	40	3.65	< 10	< 1	0.49	< 10	0.96	525
T 34145	203	205	7	< 0.2	2.73	22	240	< 0.5	< 2	0.30	< 0.5	11	148	33	3.50	< 10	< 1	0.47	< 10	0.99	360
T 34146	203	205	3	< 0.2	2.43	24	220	< 0.5	< 2	0.32	< 0.5	10	141	34	3.37	< 10	< 1	0.48	< 10	0.93	395
T 34147	203	205	5	0.2	3.21	20	270	0.5	< 2	0.39	< 0.5	19	131	48	4.16	< 10	< 1	0.47	< 10	1.12	685
T 34148	203	205	4	< 0.2	2.65	< 2	210	0.5	< 2	0.31	< 0.5	13	130	41	3.59	< 10	1	0.38	< 10	0.95	525
T 34149	203	205	5	< 0.2	3.71	12	310	0.5	< 2	0.58	< 0.5	26	98	75	4.41	10	< 1	0.34	< 10	1.16	960
T 34150	203	205	20	< 0.2	2.96	6	230	0.5	< 2	0.38	< 0.5	15	153	52	3.81	< 10	< 1	0.60	< 10	1.04	660
T 34151	203	205	2	< 0.2	2.95	16	240	0.5	< 2	0.32	< 0.5	16	138	46	3.78	< 10	1	0.41	< 10	1.01	590
T 34152	203	205	3	< 0.2	2.74	16	220	0.5	< 2	0.38	< 0.5	15	125	43	3.89	< 10	< 1	0.45	< 10	0.97	565
T 34153	203	205	5	< 0.2	3.01	6	270	0.5	< 2	0.46	< 0.5	16	124	45	3.81	< 10	< 1	0.49	< 10	0.99	550
T 34154	203	205	1	< 0.2	2.93	4	250	0.5	< 2	0.60	< 0.5	13	124	39	3.69	< 10	1	0.60	< 10	1.00	530
T 34155	203	205	3	< 0.2	3.16	22	240	0.5	< 2	0.46	0.5	22	128	53	4.28	< 10	1	0.54	< 10	1.14	745
T 34156	203	205	6	< 0.2	2.74	26	330	0.5	< 2	0.34	< 0.5	15	135	39	3.76	< 10	1	0.69	< 10	0.93	465
T 34157	203	205	1	< 0.2	2.70	< 2	290	0.5	< 2	0.29	< 0.5	14	142	33	3.49	< 10	< 1	0.52	< 10	0.92	480
T 34158	203	205	7	< 0.2	2.88	2	280	0.5	< 2	0.31	< 0.5	17	137	39	3.71	< 10	< 1	0.50	< 10	1.01	655
T 34159	203	205	25	< 0.2	2.58	114	210	< 0.5	< 2	0.31	< 0.5	19	134	42	3.73	< 10	< 1	0.40	< 10	0.93	685
T 34160	203	205	3	< 0.2	2.38	32	160	< 0.5	< 2	0.40	0.5	21	114	37	4.24	< 10	< 1	0.35	< 10	0.88	910
T 34161	203	205	6	< 0.2	2.49	20	220	< 0.5	< 2	0.33	< 0.5	13	130	37	3.63	< 10	1	0.42	< 10	0.91	400
T 34162	203	205	6	0.2	3.71	20	300	0.5	< 2	0.32	< 0.5	19	153	52	4.68	10	< 1	0.74	< 10	1.26	570
T 34163	203	205	4	0.2	3.46	26	360	0.5	< 2	0.32	< 0.5	19	155	50	4.18	< 10	< 1	0.69	< 10	1.18	595
T 34164	203	205	3	< 0.2	2.80	16	260	0.5	< 2	0.42	< 0.5	17	150	43	3.87	< 10	< 1	0.45	< 10	0.99	580
T 34165	203	205	5	< 0.2	3.01	14	240	0.5	< 2	0.31	< 0.5	18	153	40	3.83	< 10	1	0.36	< 10	1.04	530
T 34166	203	205	60	< 0.2	2.81	2	220	0.5	< 2	0.27	< 0.5	16	168	40	3.83	< 10	1	0.42	< 10	0.95	515
T 34167	203	205	6	< 0.2	4.23	< 2	390	0.5	< 2	0.68	< 0.5	19	108	58	4.15	< 10	< 1	0.82	< 10	1.40	560
T 34168	203	205	4	< 0.2	2.68	8	200	0.5	< 2	0.42	< 0.5	14	124	36	3.32	< 10	1	0.38	< 10	0.92	450
T 34169	203	205	< 1	< 0.2	3.31	2	320	0.5	< 2	0.38	< 0.5	21	151	52	4.36	< 10	< 1	0.66	< 10	1.22	580
T 34170	203	205	3	< 0.2	3.20	14	260	0.5	< 2	0.42	< 0.5	22	136	50	4.26	< 10	< 1	0.39	< 10	1.06	725
T 34171	203	205	4	< 0.2	3.01	6	220	0.5	< 2	0.34	< 0.5	21	138	46	4.19	< 10	1	0.35	< 10	0.98	670
T 34172	203	205	9	< 0.2	3.06	< 2	250	0.5	< 2	0.47	0.5	15	133	46	3.81	< 10	2	0.53	< 10	1.03	570
T 34173	203	205	5	< 0.2	3.08	4	290	0.5	< 2	0.34	< 0.5	18	136	46	3.93	< 10	< 1	0.52	< 10	1.02	590
T 34174	203	205	19	< 0.2	3.15	50	280	0.5	< 2	0.31	< 0.5	14	135	47	3.87	< 10	< 1	0.56	< 10	1.03	450

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :2-B
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :19419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34135	203	205	< 1	0.01	31	1290	< 2	< 2	6	38	0.13	< 10	< 10	105	< 10	86
T 34136	203	205	< 1	0.01	37	580	2	2	9	25	0.19	< 10	< 10	108	< 10	80
T 34137	203	205	2	0.01	49	580	< 2	< 2	11	31	0.25	< 10	< 10	138	< 10	96
T 34138	203	205	< 1	0.01	42	820	< 2	2	11	40	0.25	< 10	< 10	129	< 10	102
T 34139	203	205	< 1	0.02	40	630	4	< 2	10	31	0.22	< 10	< 10	118	< 10	84
T 34140	203	205	1	0.02	51	940	2	< 2	11	40	0.21	< 10	< 10	144	< 10	110
T 34141	203	205	< 1	0.02	48	770	2	< 2	10	46	0.20	< 10	< 10	130	< 10	102
T 34142	203	205	< 1	0.02	50	520	< 2	< 2	9	53	0.21	< 10	< 10	132	< 10	108
T 34143	203	205	1	0.01	41	1000	4	2	8	43	0.16	< 10	< 10	113	< 10	104
T 34144	203	205	< 1	0.02	39	600	< 2	< 2	8	36	0.17	< 10	< 10	109	< 10	84
T 34145	203	205	1	0.01	35	760	< 2	< 2	9	26	0.17	< 10	< 10	107	< 10	78
T 34146	203	205	< 1	0.02	34	720	2	< 2	8	25	0.18	< 10	< 10	98	< 10	76
T 34147	203	205	1	0.02	39	990	< 2	< 2	9	34	0.19	< 10	< 10	121	< 10	94
T 34148	203	205	1	0.02	35	770	2	4	8	27	0.18	< 10	< 10	108	< 10	78
T 34149	203	205	1	0.03	47	1540	< 2	< 2	9	52	0.18	< 10	< 10	124	10	100
T 34150	203	205	< 1	0.02	40	900	< 2	< 2	10	33	0.22	< 10	< 10	119	< 10	86
T 34151	203	205	< 1	0.02	40	690	2	< 2	9	26	0.22	< 10	< 10	115	< 10	90
T 34152	203	205	< 1	0.02	39	610	< 2	< 2	9	31	0.23	< 10	< 10	115	< 10	86
T 34153	203	205	< 1	0.04	36	1000	< 2	< 2	9	39	0.22	< 10	< 10	111	< 10	86
T 34154	203	205	< 1	0.04	35	1230	4	< 2	10	48	0.23	< 10	< 10	112	< 10	86
T 34155	203	205	2	0.03	44	990	2	< 2	10	47	0.23	< 10	< 10	125	< 10	114
T 34156	203	205	< 1	0.03	35	910	< 2	< 2	9	27	0.22	< 10	< 10	111	< 10	94
T 34157	203	205	< 1	0.02	34	770	6	< 2	9	24	0.21	< 10	< 10	109	< 10	92
T 34158	203	205	1	0.02	40	900	2	< 2	9	28	0.19	< 10	< 10	113	< 10	94
T 34159	203	205	< 1	0.01	40	640	< 2	< 2	7	27	0.16	< 10	< 10	109	< 10	98
T 34160	203	205	1	0.02	32	500	< 2	< 2	6	33	0.19	< 10	< 10	113	< 10	92
T 34161	203	205	< 1	0.02	37	670	< 2	4	8	32	0.19	< 10	< 10	107	< 10	80
T 34162	203	205	< 1	0.01	49	740	< 2	< 2	12	30	0.24	< 10	< 10	142	< 10	106
T 34163	203	205	1	0.02	50	770	< 2	< 2	11	34	0.24	< 10	< 10	136	< 10	102
T 34164	203	205	1	0.02	37	890	< 2	< 2	9	37	0.21	< 10	< 10	113	< 10	88
T 34165	203	205	1	0.02	39	640	< 2	< 2	9	27	0.22	< 10	< 10	121	< 10	88
T 34166	203	205	< 1	0.02	37	750	< 2	2	8	25	0.20	< 10	< 10	109	< 10	86
T 34167	203	205	1	0.10	31	1060	< 2	2	9	76	0.28	< 10	< 10	115	< 10	108
T 34168	203	205	1	0.03	34	590	< 2	< 2	7	34	0.21	< 10	< 10	99	< 10	76
T 34169	203	205	< 1	0.03	46	770	< 2	< 2	11	27	0.27	< 10	< 10	131	< 10	114
T 34170	203	205	1	0.03	44	1010	2	2	9	36	0.20	< 10	< 10	113	< 10	102
T 34171	203	205	1	0.02	40	710	2	2	9	29	0.21	< 10	< 10	121	< 10	98
T 34172	203	205	< 1	0.04	36	1000	< 2	< 2	10	39	0.23	< 10	< 10	116	< 10	98
T 34173	203	205	< 1	0.02	39	1010	< 2	< 2	10	30	0.22	< 10	< 10	119	< 10	104
T 34174	203	205	< 1	0.02	39	830	< 2	< 2	10	25	0.20	< 10	< 10	108	< 10	92

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :3-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34175	203	205	8	< 0.2	2.55	18	260	0.5	< 2	0.37	< 0.5	13	126	35	3.39	< 10	< 1	0.47	< 10	0.88	470
T 34176	203	205	5	< 0.2	2.84	34	280	0.5	< 2	0.34	< 0.5	14	146	40	3.72	< 10	< 1	0.56	10	0.96	505
T 34177	203	205	3	< 0.2	2.63	16	220	0.5	< 2	0.51	< 0.5	15	118	44	3.76	< 10	< 1	0.47	10	0.98	525
T 34178	203	205	5	< 0.2	2.89	18	220	0.5	< 2	0.59	< 0.5	16	109	38	3.64	10	< 1	0.52	10	1.01	535
T 34179	203	205	4	< 0.2	2.66	8	200	0.5	< 2	0.49	< 0.5	16	117	38	3.52	< 10	1	0.38	10	0.98	625
T 34180	203	205	3	< 0.2	2.40	10	240	0.5	< 2	0.47	< 0.5	14	146	39	3.36	< 10	< 1	0.58	10	0.89	495
T 34181	203	205	9	< 0.2	3.15	2	320	0.5	< 2	0.52	< 0.5	16	136	45	3.77	< 10	< 1	0.67	< 10	1.30	455
T 34182	203	205	< 1	0.2	2.75	12	240	0.5	< 2	0.36	< 0.5	15	137	42	3.62	< 10	< 1	0.52	< 10	0.97	490
T 34191	203	205	310	< 0.2	2.81	46	240	< 0.5	< 2	0.31	< 0.5	13	149	40	3.70	< 10	< 1	0.53	< 10	1.04	475
T 34192	203	205	11	0.2	2.53	76	230	0.5	< 2	0.29	< 0.5	11	141	33	3.44	< 10	< 1	0.56	< 10	0.97	375
T 34193	203	205	15	< 0.2	2.68	94	260	0.5	< 2	0.34	< 0.5	17	138	42	3.83	10	< 1	0.47	< 10	0.97	625
T 34194	203	205	22	< 0.2	2.65	100	240	0.5	< 2	0.36	< 0.5	17	133	46	3.84	< 10	< 1	0.51	< 10	1.02	610
T 34195	203	205	7	< 0.2	2.90	24	300	0.5	< 2	0.29	< 0.5	15	124	48	3.82	< 10	< 1	0.67	< 10	0.99	515
T 34196	203	205	1	< 0.2	2.59	14	230	0.5	2	0.28	< 0.5	13	123	37	3.40	< 10	< 1	0.46	< 10	0.84	475
T 34197	203	205	4	< 0.2	3.28	20	270	0.5	< 2	0.43	< 0.5	22	115	63	4.27	10	< 1	0.42	< 10	1.19	765
T 34198	203	205	2	< 0.2	2.68	10	250	0.5	< 2	0.26	< 0.5	17	161	47	3.67	< 10	< 1	0.54	< 10	1.06	535
T 34199	203	205	4	0.2	3.27	28	270	0.5	< 2	0.39	< 0.5	27	89	68	4.60	10	< 1	0.32	< 10	1.12	915
T 34200	203	205	5	< 0.2	2.77	8	230	0.5	< 2	0.33	< 0.5	18	123	47	3.82	< 10	< 1	0.26	< 10	0.99	590
T 34201	203	205	9	< 0.2	2.58	16	210	0.5	< 2	0.28	< 0.5	15	116	40	3.30	< 10	< 1	0.39	10	0.87	515
T 34202	203	205	63	< 0.2	2.81	12	280	0.5	< 2	0.36	< 0.5	16	140	41	3.67	< 10	< 1	0.59	< 10	1.05	530
T 34203	203	205	5	< 0.2	2.38	8	210	0.5	< 2	0.42	< 0.5	14	100	41	3.34	< 10	< 1	0.37	10	1.01	445
T 34204	203	205	3	< 0.2	3.01	14	290	0.5	< 2	0.38	< 0.5	15	126	42	3.94	< 10	< 1	0.65	< 10	0.96	580
T 34205	203	205	2	< 0.2	3.31	8	340	0.5	< 2	0.48	< 0.5	16	128	43	4.07	< 10	< 1	0.86	< 10	1.03	530
T 34206	203	205	7	< 0.2	3.08	10	300	0.5	< 2	0.38	< 0.5	15	152	42	3.87	< 10	1	0.58	10	0.96	545
T 34207	203	205	4	< 0.2	2.81	14	240	0.5	< 2	0.37	< 0.5	15	107	40	3.66	< 10	< 1	0.39	< 10	0.86	530
T 34208	203	205	4	< 0.2	2.88	10	270	0.5	< 2	0.32	< 0.5	14	123	41	3.67	< 10	< 1	0.53	< 10	0.87	495
T 34209	203	205	3	< 0.2	2.74	10	300	0.5	< 2	0.37	< 0.5	12	140	34	3.38	< 10	< 1	0.61	10	0.83	425
T 34210	203	205	42	< 0.2	2.95	176	230	0.5	< 2	0.44	< 0.5	16	126	65	3.92	< 10	< 1	0.45	10	0.96	535
T 34211	203	205	4	< 0.2	3.01	26	240	0.5	< 2	0.53	< 0.5	16	101	46	3.67	< 10	< 1	0.57	< 10	1.07	550
T 34212	203	205	6	< 0.2	2.53	18	180	0.5	< 2	0.51	< 0.5	14	127	35	3.49	< 10	< 1	0.41	10	0.89	560
T 34213	203	205	2	< 0.2	2.94	14	250	0.5	< 2	0.38	< 0.5	17	123	38	3.68	< 10	1	0.48	< 10	1.05	545
T 34214	203	205	30	< 0.2	2.85	76	210	0.5	< 2	0.32	< 0.5	17	152	43	4.06	< 10	< 1	0.57	10	0.91	560
T 34215	203	205	11	0.2	3.67	62	290	0.5	< 2	0.46	< 0.5	23	115	60	4.65	10	< 1	0.48	< 10	1.08	860
T 34216	203	205	5	0.2	3.69	30	330	0.5	< 2	0.35	< 0.5	23	148	57	4.74	10	< 1	0.67	< 10	1.38	735
T 34217	203	205	5	< 0.2	3.41	20	330	0.5	< 2	0.38	< 0.5	19	165	53	4.37	< 10	< 1	0.69	< 10	1.06	715
T 34218	203	205	5	< 0.2	3.20	28	290	0.5	< 2	0.43	< 0.5	20	159	47	4.30	< 10	< 1	0.58	< 10	1.14	655
T 34219	203	205	2	< 0.2	2.93	20	260	0.5	< 2	0.44	< 0.5	18	167	46	4.12	< 10	< 1	0.48	< 10	1.02	700
T 34220	203	205	5	< 0.2	3.45	12	370	0.5	< 2	0.28	< 0.5	15	192	46	4.32	10	< 1	0.77	< 10	1.07	540
T 34221	203	205	27	< 0.2	3.21	202	270	0.5	< 2	0.42	< 0.5	17	139	45	4.33	< 10	1	0.51	< 10	0.97	635
T 34222	203	205	29	< 0.2	2.72	140	240	0.5	< 2	0.37	< 0.5	11	152	34	3.57	< 10	< 1	0.58	< 10	0.97	365

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page ber :3-B
Total ges :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34175	203	205	< 1	0.02	32	700	2	2	8	30	0.20	< 10	< 10	104	< 10	72
T 34176	203	205	< 1	0.03	36	800	2	< 2	9	26	0.21	< 10	< 10	113	< 10	84
T 34177	203	205	< 1	0.03	37	1060	8	< 2	9	35	0.21	< 10	< 10	115	< 10	90
T 34178	203	205	< 1	0.07	34	1030	6	2	8	47	0.17	< 10	< 10	101	< 10	90
T 34179	203	205	1	0.05	36	570	6	2	8	44	0.20	< 10	< 10	107	< 10	78
T 34180	203	205	< 1	0.04	34	890	2	2	8	33	0.21	< 10	< 10	106	< 10	76
T 34181	203	205	< 1	0.06	38	680	6	4	9	38	0.25	< 10	< 10	119	< 10	86
T 34182	203	205	1	0.03	37	730	2	2	8	30	0.20	< 10	< 10	110	< 10	74
T 34191	203	205	< 1	0.02	38	460	8	< 2	8	30	0.17	< 10	< 10	112	< 10	90
T 34192	203	205	1	0.02	33	790	4	2	8	22	0.17	< 10	< 10	103	< 10	72
T 34193	203	205	1	0.01	41	860	6	4	8	30	0.15	< 10	< 10	106	< 10	100
T 34194	203	205	1	0.01	39	870	2	2	8	33	0.15	< 10	< 10	114	< 10	86
T 34195	203	205	1	0.01	40	690	4	2	9	29	0.21	< 10	< 10	119	< 10	84
T 34196	203	205	< 1	0.02	35	480	4	2	7	25	0.19	< 10	< 10	97	< 10	68
T 34197	203	205	< 1	0.02	45	1090	4	2	10	37	0.20	< 10	< 10	133	< 10	104
T 34198	203	205	< 1	0.02	41	560	6	2	9	24	0.21	< 10	< 10	118	< 10	78
T 34199	203	205	1	0.02	48	1330	4	6	8	36	0.17	< 10	< 10	124	< 10	102
T 34200	203	205	1	0.02	39	760	4	2	8	28	0.18	< 10	< 10	112	< 10	86
T 34201	203	205	1	0.02	36	420	4	< 2	7	23	0.20	< 10	< 10	101	< 10	68
T 34202	203	205	1	0.03	39	750	2	< 2	9	28	0.21	< 10	< 10	113	< 10	84
T 34203	203	205	< 1	0.03	36	620	6	2	8	37	0.20	< 10	< 10	98	< 10	70
T 34204	203	205	< 1	0.03	38	820	4	2	9	33	0.24	< 10	< 10	116	< 10	86
T 34205	203	205	< 1	0.06	34	1010	< 2	2	10	42	0.26	< 10	< 10	121	< 10	90
T 34206	203	205	1	0.03	37	830	4	2	9	30	0.23	< 10	< 10	119	< 10	92
T 34207	203	205	< 1	0.04	33	790	4	< 2	8	34	0.19	< 10	< 10	104	< 10	78
T 34208	203	205	1	0.05	33	760	2	< 2	8	29	0.20	< 10	< 10	106	< 10	78
T 34209	203	205	< 1	0.05	30	910	4	< 2	8	29	0.21	< 10	< 10	101	< 10	74
T 34210	203	205	< 1	0.03	35	1000	6	4	8	36	0.16	< 10	< 10	103	< 10	98
T 34211	203	205	< 1	0.04	32	880	4	< 2	9	49	0.23	< 10	< 10	105	< 10	86
T 34212	203	205	< 1	0.04	32	720	4	< 2	7	39	0.20	< 10	< 10	98	< 10	72
T 34213	203	205	< 1	0.03	43	600	6	< 2	8	38	0.22	< 10	< 10	106	< 10	80
T 34214	203	205	< 1	0.03	38	580	4	2	8	32	0.21	< 10	< 10	111	< 10	86
T 34215	203	205	< 1	0.02	46	1130	8	< 2	10	42	0.20	< 10	< 10	129	< 10	104
T 34216	203	205	2	0.02	50	820	8	< 2	11	31	0.26	10	< 10	145	< 10	108
T 34217	203	205	1	0.03	45	880	4	< 2	10	33	0.24	< 10	< 10	128	< 10	96
T 34218	203	205	< 1	0.02	43	880	6	2	10	34	0.23	< 10	< 10	133	< 10	100
T 34219	203	205	< 1	0.02	38	1040	6	2	9	38	0.18	< 10	< 10	123	< 10	86
T 34220	203	205	< 1	0.02	45	570	6	2	10	29	0.25	< 10	< 10	131	< 10	94
T 34221	203	205	1	0.02	45	980	4	2	8	38	0.17	< 10	< 10	116	< 10	94
T 34222	203	205	< 1	0.02	37	770	6	4	8	27	0.17	< 10	< 10	104	< 10	76

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :4-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34223	203	205	6	0.2	3.60	28	310	0.5	< 2	0.45	< 0.5	18	153	42	4.69	10	< 1	0.50	< 10	1.23	550
T 34224	203	205	6	0.2	3.83	44	370	0.5	< 2	0.56	< 0.5	22	126	45	4.92	10	< 1	0.52	< 10	1.44	715
T 34225	203	205	14	< 0.2	3.61	182	260	0.5	< 2	0.55	< 0.5	20	146	51	4.11	< 10	< 1	0.59	< 10	1.12	540
T 34226	203	205	6	< 0.2	3.07	108	180	< 0.5	< 2	0.32	< 0.5	14	111	43	4.28	< 10	< 1	0.51	< 10	1.11	420
T 34227	203	205	3	< 0.2	3.78	38	400	0.5	< 2	0.37	< 0.5	17	179	51	4.51	10	< 1	0.95	< 10	1.41	585
T 34228	203	205	2	0.2	3.45	28	290	0.5	< 2	0.45	< 0.5	22	105	55	4.64	< 10	< 1	0.48	< 10	1.16	740
T 34229	203	205	7	0.4	3.62	36	320	0.5	< 2	0.53	< 0.5	22	110	63	4.92	< 10	1	0.46	< 10	1.23	765
T 34230	203	205	1	< 0.2	2.96	26	250	0.5	< 2	0.41	< 0.5	18	100	45	4.07	< 10	1	0.37	< 10	1.02	620
T 34231	203	205	6	0.2	2.41	24	170	0.5	< 2	0.26	< 0.5	13	153	36	3.22	< 10	< 1	0.36	< 10	0.89	440
T 34232	203	205	10	< 0.2	2.71	80	190	0.5	< 2	0.27	< 0.5	15	78	38	3.67	< 10	< 1	0.33	< 10	0.84	580
T 34233	203	205	27	< 0.2	3.15	46	260	0.5	< 2	0.42	< 0.5	15	135	43	4.26	< 10	< 1	0.35	< 10	0.97	575
T 34234	203	205	7	< 0.2	2.42	40	190	0.5	< 2	0.34	< 0.5	12	106	29	3.29	< 10	< 1	0.41	< 10	0.90	405
T 34235	203	205	6	< 0.2	2.70	24	220	0.5	< 2	0.42	< 0.5	16	127	43	3.66	< 10	< 1	0.39	< 10	0.93	615
T 34236	203	205	10	< 0.2	3.11	60	200	0.5	< 2	0.32	< 0.5	18	111	44	4.05	< 10	< 1	0.49	< 10	1.01	610
T 34237	203	205	1	< 0.2	2.87	12	230	0.5	< 2	0.50	< 0.5	14	134	37	3.84	< 10	< 1	0.47	10	0.94	530
T 34238	203	205	5	< 0.2	2.85	6	240	0.5	< 2	0.48	< 0.5	14	89	34	3.81	< 10	1	0.37	10	0.99	495
T 34239	203	205	67	< 0.2	2.96	18	270	0.5	< 2	0.53	< 0.5	18	156	47	3.91	< 10	< 1	0.61	10	1.08	620
T 34240	203	205	4	< 0.2	2.91	12	280	0.5	< 2	0.42	< 0.5	17	134	42	3.78	< 10	1	0.59	< 10	1.01	565
T 34241	203	205	8	0.2	3.39	44	300	0.5	< 2	0.38	< 0.5	19	156	56	4.44	10	1	0.77	10	1.13	615
T 34245	203	205	2	< 0.2	2.69	20	280	0.5	< 2	0.39	< 0.5	14	145	42	3.53	< 10	< 1	0.61	10	1.08	460
T 34246	203	205	9	< 0.2	3.12	24	290	0.5	< 2	0.48	< 0.5	17	151	50	4.15	< 10	< 1	0.69	10	1.10	610
T 34247	203	205	3	< 0.2	3.19	18	330	0.5	< 2	0.50	< 0.5	17	127	52	4.29	< 10	< 1	0.70	10	1.22	625
T 34248	203	205	2	< 0.2	2.90	10	280	0.5	< 2	0.66	< 0.5	14	135	36	3.75	< 10	< 1	0.61	10	1.05	510
T 34249	203	205	< 1	< 0.2	3.19	2	310	0.5	< 2	0.61	< 0.5	16	94	37	3.70	< 10	1	0.55	< 10	1.13	460
T 34250	203	205	2	< 0.2	3.89	22	310	0.5	< 2	0.70	< 0.5	17	161	50	3.67	< 10	< 1	0.53	10	1.43	580
T 34251	203	205	83	< 0.2	2.77	14	240	0.5	< 2	0.44	< 0.5	16	117	44	3.87	10	< 1	0.55	10	0.97	600
T 34252	203	205	70	< 0.2	3.13	20	270	0.5	< 2	0.36	< 0.5	18	152	52	4.22	10	< 1	0.42	< 10	1.28	565
T 34253	203	205	16	< 0.2	2.65	12	240	0.5	< 2	0.36	< 0.5	15	120	39	3.43	< 10	< 1	0.48	< 10	0.95	495
T 34254	203	205	5	< 0.2	2.59	16	230	0.5	< 2	0.50	< 0.5	14	178	38	3.74	< 10	< 1	0.57	10	1.00	525
T 34255	203	205	11	0.2	2.69	4	250	0.5	< 2	0.38	< 0.5	16	121	39	3.80	< 10	2	0.54	< 10	1.00	580
T 34256	203	205	137	< 0.2	3.22	356	320	0.5	< 2	0.39	< 0.5	19	196	47	4.52	< 10	< 1	0.76	10	1.14	620
T 34257	203	205	17	0.2	2.87	48	220	0.5	< 2	0.42	< 0.5	13	129	38	3.68	< 10	1	0.50	< 10	1.02	425
T 34258	203	205	6	< 0.2	2.50	22	230	0.5	< 2	0.47	< 0.5	10	137	33	3.15	< 10	< 1	0.49	10	0.94	395
T 34259	203	205	5	< 0.2	3.02	36	260	0.5	< 2	0.36	< 0.5	16	120	50	4.05	< 10	< 1	0.55	< 10	1.05	605
T 34260	203	205	50	< 0.2	3.18	70	230	0.5	< 2	0.47	< 0.5	18	153	48	4.28	< 10	< 1	0.54	< 10	1.06	620
T 34261	203	205	33	< 0.2	2.87	156	270	0.5	< 2	0.46	< 0.5	15	139	42	3.98	< 10	< 1	0.53	< 10	1.01	585
T 34262	203	205	23	< 0.2	3.38	138	300	0.5	< 2	0.52	< 0.5	17	142	47	4.32	< 10	< 1	0.61	< 10	1.12	615
T 34263	203	205	7	0.4	3.52	48	290	0.5	< 2	0.49	< 0.5	21	110	53	4.67	< 10	< 1	0.57	< 10	1.18	770
T 34264	203	205	5	0.4	3.66	18	400	0.5	< 2	0.51	< 0.5	20	176	53	4.57	< 10	< 1	0.77	< 10	1.15	745
T 34265	203	205	6	< 0.2	3.21	36	280	0.5	< 2	0.36	< 0.5	19	119	46	4.54	< 10	< 1	0.56	< 10	1.05	725

CERTIFICATION: Ian R Bucklen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Certificate Date: 18-JUL-94
Invoice No. :19419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34223	203	205	1	0.02	46	530	8	2	11	37	0.26	< 10	< 10	145	< 10	102
T 34224	203	205	1	0.02	52	820	10	4	11	41	0.23	10	< 10	141	< 10	112
T 34225	203	205	1	0.02	51	670	8	4	8	54	0.14	< 10	< 10	108	< 10	94
T 34226	203	205	2	0.01	42	530	6	2	8	27	0.16	< 10	< 10	115	< 10	98
T 34227	203	205	< 1	0.03	46	700	6	4	11	40	0.23	< 10	< 10	133	< 10	100
T 34228	203	205	< 1	0.02	47	1080	4	< 2	10	40	0.22	< 10	< 10	132	< 10	100
T 34229	203	205	1	0.02	52	1390	12	2	10	48	0.21	< 10	< 10	131	< 10	110
T 34230	203	205	< 1	0.01	41	620	4	< 2	8	34	0.20	< 10	< 10	113	< 10	84
T 34231	203	205	< 1	0.03	37	480	4	< 2	7	23	0.17	< 10	< 10	91	< 10	66
T 34232	203	205	< 1	0.01	34	820	4	2	7	29	0.15	< 10	< 10	95	< 10	74
T 34233	203	205	1	0.03	39	800	4	2	9	40	0.20	< 10	< 10	118	< 10	82
T 34234	203	205	1	0.02	32	540	4	< 2	7	29	0.19	< 10	< 10	92	< 10	68
T 34235	203	205	1	0.02	36	1000	6	< 2	8	34	0.18	< 10	< 10	102	< 10	80
T 34236	203	205	1	0.02	40	600	6	< 2	8	29	0.22	< 10	< 10	113	< 10	90
T 34237	203	205	< 1	0.04	36	820	6	2	8	35	0.23	< 10	< 10	111	< 10	80
T 34238	203	205	< 1	0.03	36	380	6	< 2	8	38	0.24	< 10	< 10	107	< 10	76
T 34239	203	205	< 1	0.04	43	890	2	2	9	42	0.24	< 10	< 10	119	< 10	92
T 34240	203	205	< 1	0.02	39	910	6	< 2	9	30	0.22	< 10	< 10	116	< 10	88
T 34241	203	205	< 1	0.03	50	850	6	< 2	11	38	0.24	< 10	< 10	140	< 10	100
T 34245	203	205	1	0.03	38	990	2	2	9	30	0.21	< 10	< 10	118	< 10	86
T 34246	203	205	< 1	0.04	42	1110	6	< 2	10	41	0.24	< 10	< 10	128	< 10	100
T 34247	203	205	< 1	0.03	46	1140	2	< 2	10	51	0.24	< 10	< 10	134	< 10	98
T 34248	203	205	< 1	0.06	36	1020	4	< 2	9	52	0.23	< 10	< 10	115	< 10	82
T 34249	203	205	< 1	0.07	33	790	2	2	8	46	0.23	< 10	< 10	106	< 10	76
T 34250	203	205	1	0.06	41	1040	2	2	9	67	0.22	< 10	< 10	124	< 10	78
T 34251	203	205	< 1	0.02	41	730	4	4	9	34	0.23	< 10	< 10	120	< 10	84
T 34252	203	205	< 1	0.02	46	730	2	< 2	10	27	0.24	< 10	< 10	134	< 10	92
T 34253	203	205	< 1	0.03	37	550	2	< 2	8	30	0.22	< 10	< 10	109	< 10	74
T 34254	203	205	1	0.04	37	680	2	2	9	37	0.22	< 10	< 10	117	< 10	72
T 34255	203	205	< 1	0.02	39	640	2	< 2	8	29	0.22	< 10	< 10	119	< 10	76
T 34256	203	205	< 1	0.02	58	920	6	2	10	28	0.18	< 10	< 10	134	< 10	108
T 34257	203	205	< 1	0.02	39	860	4	4	9	32	0.20	< 10	< 10	114	< 10	78
T 34258	203	205	1	0.02	35	740	2	< 2	8	31	0.20	< 10	< 10	100	< 10	70
T 34259	203	205	< 1	0.01	43	700	6	< 2	9	37	0.17	< 10	< 10	118	< 10	90
T 34260	203	205	1	0.02	47	540	6	4	9	52	0.20	< 10	< 10	120	< 10	84
T 34261	203	205	1	0.01	42	990	6	< 2	8	36	0.15	< 10	< 10	106	< 10	94
T 34262	203	205	1	0.02	46	990	6	< 2	10	47	0.18	< 10	< 10	126	< 10	90
T 34263	203	205	< 1	0.01	47	970	10	4	10	43	0.21	< 10	< 10	132	< 10	98
T 34264	203	205	< 1	0.03	51	980	6	4	11	45	0.24	< 10	< 10	137	< 10	102
T 34265	203	205	< 1	0.01	44	910	6	2	9	31	0.21	< 10	< 10	126	< 10	94

CERTIFICATION: Stan Butler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :5-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34266	203	205	29	< 0.2	3.02	16	230	0.5	< 2	0.33	< 0.5	17	147	47	3.98	< 10	< 1	0.30	< 10	1.00	625
T 34267	203	205	4	< 0.2	2.94	10	280	0.5	< 2	0.39	< 0.5	15	171	39	3.89	< 10	< 1	0.49	< 10	1.00	600
T 34268	203	205	4	< 0.2	2.87	18	290	0.5	< 2	0.43	< 0.5	14	224	34	3.53	< 10	< 1	0.61	< 10	1.11	445
T 34269	203	205	6	< 0.2	3.19	32	280	0.5	< 2	0.47	< 0.5	16	160	40	3.94	< 10	< 1	0.55	10	0.99	590
T 34270	203	205	3	< 0.2	2.72	24	220	0.5	< 2	0.46	< 0.5	13	166	33	3.57	< 10	< 1	0.48	10	0.89	475
T 34271	203	205	8	< 0.2	2.73	24	220	0.5	< 2	0.41	< 0.5	13	130	41	3.67	< 10	< 1	0.34	10	0.91	510
T 34272	203	205	2	< 0.2	2.68	16	210	0.5	< 2	0.41	< 0.5	14	169	37	3.61	< 10	< 1	0.40	10	0.96	510
T 34273	203	205	4	< 0.2	2.61	30	220	0.5	< 2	0.53	< 0.5	14	154	38	3.71	< 10	< 1	0.43	10	0.96	510
T 34274	203	205	< 1	< 0.2	2.88	18	260	0.5	< 2	0.59	< 0.5	16	163	46	3.86	< 10	< 1	0.52	10	1.08	505
T 34275	203	205	1	< 0.2	3.61	16	300	1.0	< 2	0.50	< 0.5	21	156	57	4.66	10	< 1	0.83	10	1.05	900
T 34276	203	205	18	< 0.2	2.93	2	270	0.5	< 2	0.45	< 0.5	15	175	37	3.80	< 10	< 1	0.53	10	0.96	550
T 34277	203	205	8	< 0.2	3.13	68	260	0.5	< 2	0.39	< 0.5	16	174	44	4.19	< 10	< 1	0.61	10	0.93	580
T 34278	203	205	29	< 0.2	2.34	18	180	0.5	< 2	0.57	< 0.5	13	184	39	3.38	< 10	< 1	0.46	10	0.96	475
T 34279	203	205	2	< 0.2	2.31	14	180	0.5	< 2	0.37	< 0.5	13	151	38	3.30	< 10	< 1	0.37	< 10	0.86	475
T 34280	203	205	6	< 0.2	2.74	26	200	0.5	2	0.36	< 0.5	13	154	42	3.64	10	1	0.45	< 10	0.91	490
T 34281	203	205	4	0.2	3.12	22	240	0.5	< 2	0.47	< 0.5	16	97	43	4.14	< 10	< 1	0.28	< 10	0.96	675
T 34282	203	205	16	< 0.2	2.50	22	190	0.5	< 2	0.34	< 0.5	15	200	41	3.46	< 10	< 1	0.44	10	0.93	530
T 34283	203	205	7	0.2	2.83	40	220	0.5	< 2	0.44	< 0.5	17	117	43	3.99	< 10	< 1	0.36	< 10	0.97	670
T 34284	203	205	12	< 0.2	2.94	62	220	0.5	< 2	0.43	< 0.5	16	184	42	4.01	< 10	< 1	0.46	10	1.04	590
T 34285	203	205	7	< 0.2	2.82	32	260	0.5	< 2	0.43	< 0.5	17	172	46	3.92	< 10	1	0.55	< 10	1.05	610
T 34286	203	205	5	< 0.2	2.98	38	290	0.5	< 2	0.55	< 0.5	20	170	63	4.06	< 10	< 1	0.62	< 10	1.13	730
T 34287	203	205	7	< 0.2	2.58	22	210	0.5	< 2	0.36	< 0.5	15	201	44	3.61	< 10	< 1	0.59	< 10	1.06	465
T 34288	203	205	26	< 0.2	2.42	24	220	0.5	< 2	0.49	< 0.5	13	214	36	3.39	< 10	< 1	0.62	< 10	1.01	475
T 34289	203	205	12	0.2	3.00	80	220	0.5	< 2	0.57	< 0.5	21	116	50	3.98	< 10	< 1	0.49	< 10	0.98	760
T 34290	203	205	15	< 0.2	2.87	104	230	0.5	< 2	0.65	< 0.5	15	136	45	3.84	< 10	< 1	0.47	< 10	1.05	495
T 34291	203	205	82	< 0.2	3.31	40	290	0.5	< 2	0.55	< 0.5	20	143	53	4.35	< 10	< 1	0.56	< 10	1.18	655
T 34292	203	205	3	< 0.2	2.86	38	270	0.5	< 2	0.45	< 0.5	16	197	40	3.75	< 10	< 1	0.57	< 10	1.11	520
T 34293	203	205	12	< 0.2	2.93	34	250	0.5	< 2	0.55	< 0.5	16	177	43	3.85	< 10	< 1	0.59	< 10	1.04	575
T 34294	203	205	11	< 0.2	2.49	38	210	0.5	< 2	0.46	< 0.5	14	204	44	3.51	< 10	< 1	0.48	10	0.99	535
T 34295	203	205	8	< 0.2	2.34	52	180	0.5	< 2	0.46	< 0.5	14	183	35	3.42	< 10	< 1	0.46	10	0.91	520
T 34296	203	205	12	< 0.2	2.98	54	230	0.5	< 2	0.38	< 0.5	16	203	42	3.91	< 10	< 1	0.45	10	1.00	590
T 34297	203	205	14	< 0.2	3.19	62	250	0.5	< 2	0.40	< 0.5	16	153	45	4.11	< 10	< 1	0.42	< 10	1.11	570
T 34298	203	205	12	< 0.2	2.79	26	210	0.5	< 2	0.42	< 0.5	15	184	38	3.71	< 10	< 1	0.41	10	1.02	510
T 34299	203	205	24	< 0.2	2.92	84	240	0.5	< 2	0.48	< 0.5	19	140	40	3.96	< 10	< 1	0.38	< 10	1.21	640
T 34300	203	205	4	< 0.2	2.47	12	190	0.5	< 2	0.44	< 0.5	13	204	36	3.41	< 10	< 1	0.36	10	0.90	490
T 34301	203	205	4	< 0.2	2.44	24	190	0.5	< 2	0.57	< 0.5	13	147	35	3.43	< 10	< 1	0.45	10	0.87	510
T 34302	203	205	4	< 0.2	3.20	16	240	0.5	< 2	0.40	< 0.5	17	170	50	4.23	< 10	< 1	0.46	10	1.07	665
T 34304	203	205	18	< 0.2	2.44	12	190	0.5	2	0.58	< 0.5	14	146	37	3.40	< 10	< 1	0.44	10	0.93	495
T 34305	203	205	5	< 0.2	2.82	26	230	0.5	< 2	0.49	< 0.5	18	181	41	3.94	< 10	< 1	0.44	10	0.97	620
T 34306	203	205	2	< 0.2	3.26	18	280	0.5	< 2	0.44	< 0.5	17	174	43	4.36	< 10	< 1	0.48	< 10	0.98	635

CERTIFICATION: Ian Bucher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Certificate Date: 18-JUL-94
Invoice No. : I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34266	203	205	1	0.02	38	940	8	4	9	31	0.19	< 10	< 10	117	< 10	86
T 34267	203	205	1	0.03	38	780	8	2	9	32	0.22	< 10	< 10	113	< 10	84
T 34268	203	205	1	0.06	43	550	2	< 2	9	37	0.22	< 10	< 10	106	< 10	72
T 34269	203	205	< 1	0.05	39	650	4	< 2	9	46	0.23	< 10	< 10	112	< 10	82
T 34270	203	205	< 1	0.04	33	910	4	< 2	8	36	0.20	< 10	< 10	104	< 10	70
T 34271	203	205	< 1	0.03	35	790	4	< 2	8	35	0.20	< 10	< 10	102	< 10	72
T 34272	203	205	< 1	0.04	36	420	4	< 2	8	32	0.21	< 10	< 10	107	< 10	72
T 34273	203	205	1	0.04	35	890	4	2	8	36	0.20	< 10	< 10	110	< 10	82
T 34274	203	205	< 1	0.05	38	860	4	< 2	10	44	0.23	< 10	< 10	117	< 10	88
T 34275	203	205	1	0.04	44	1130	2	< 2	11	42	0.29	< 10	< 10	132	< 10	106
T 34276	203	205	< 1	0.05	35	860	2	< 2	9	32	0.24	< 10	< 10	108	< 10	86
T 34277	203	205	< 1	0.03	39	1030	2	< 2	9	29	0.22	< 10	< 10	119	< 10	88
T 34278	203	205	< 1	0.05	34	760	2	2	8	37	0.21	< 10	< 10	106	< 10	76
T 34279	203	205	< 1	0.02	33	660	2	< 2	7	25	0.19	< 10	< 10	100	< 10	68
T 34280	203	205	1	0.02	36	850	6	2	8	27	0.19	< 10	< 10	105	< 10	74
T 34281	203	205	1	0.02	37	1270	2	2	8	38	0.17	< 10	< 10	114	< 10	82
T 34282	203	205	< 1	0.03	37	590	6	< 2	7	30	0.18	< 10	< 10	106	< 10	74
T 34283	203	205	1	0.02	36	1170	2	2	8	40	0.16	< 10	< 10	113	< 10	76
T 34284	203	205	< 1	0.03	40	840	4	< 2	8	36	0.19	< 10	< 10	115	< 10	86
T 34285	203	205	< 1	0.02	43	880	2	< 2	9	29	0.20	< 10	< 10	118	< 10	90
T 34286	203	205	1	0.04	44	1300	10	2	9	41	0.19	< 10	< 10	128	< 10	102
T 34287	203	205	< 1	0.02	40	710	2	< 2	8	26	0.19	< 10	< 10	114	< 10	78
T 34288	203	205	< 1	0.04	36	980	4	< 2	8	32	0.18	< 10	< 10	105	< 10	72
T 34289	203	205	1	0.02	43	1040	10	2	7	44	0.14	< 10	< 10	110	< 10	94
T 34290	203	205	< 1	0.02	42	910	8	< 2	8	51	0.15	< 10	< 10	106	< 10	88
T 34291	203	205	< 1	0.02	45	930	< 2	< 2	9	45	0.20	< 10	< 10	130	< 10	98
T 34292	203	205	< 1	0.03	40	930	4	2	8	37	0.17	< 10	< 10	110	< 10	82
T 34293	203	205	1	0.04	40	1010	4	< 2	8	39	0.18	< 10	< 10	110	< 10	80
T 34294	203	205	< 1	0.03	37	880	4	2	8	32	0.18	< 10	< 10	109	< 10	76
T 34295	203	205	< 1	0.03	36	620	6	< 2	7	34	0.18	< 10	< 10	102	< 10	70
T 34296	203	205	1	0.04	40	780	6	< 2	8	37	0.19	< 10	< 10	107	< 10	84
T 34297	203	205	1	0.03	46	890	4	2	9	40	0.19	< 10	< 10	117	< 10	88
T 34298	203	205	< 1	0.04	38	680	2	< 2	8	44	0.19	< 10	< 10	106	< 10	72
T 34299	203	205	< 1	0.05	46	740	2	4	7	60	0.19	< 10	< 10	107	< 10	82
T 34300	203	205	1	0.04	33	420	6	< 2	7	34	0.21	< 10	< 10	101	< 10	66
T 34301	203	205	1	0.06	33	790	2	< 2	7	42	0.21	< 10	< 10	97	< 10	70
T 34302	203	205	< 1	0.03	41	840	4	< 2	9	32	0.22	< 10	< 10	123	< 10	94
T 34304	203	205	< 1	0.05	35	1000	2	< 2	8	38	0.20	< 10	< 10	104	< 10	76
T 34305	203	205	< 1	0.04	41	960	6	2	8	35	0.21	< 10	< 10	110	< 10	90
T 34306	203	205	1	0.03	41	880	2	2	9	35	0.23	< 10	< 10	122	< 10	92

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :6-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34307	203	205	4	< 0.2	3.26	16	250	0.5	< 2	0.34	< 0.5	15	135	43	4.02	< 10	< 1	0.41	< 10	1.01	470
T 34308	203	205	4	< 0.2	3.03	14	240	0.5	< 2	0.32	< 0.5	16	108	41	3.83	< 10	< 1	0.36	< 10	0.97	505
T 34309	203	205	4	< 0.2	3.01	16	260	0.5	< 2	0.49	< 0.5	15	161	45	3.98	< 10	< 1	0.49	10	1.01	605
T 34310	203	205	8	< 0.2	3.39	20	270	0.5	< 2	0.52	< 0.5	16	117	43	4.03	< 10	< 1	0.61	< 10	1.03	580
T 34311	203	205	2	< 0.2	3.12	12	270	0.5	< 2	0.46	< 0.5	19	162	45	4.19	< 10	< 1	0.59	10	1.08	680
T 34312	203	205	8	< 0.2	2.69	14	190	< 0.5	< 2	0.44	< 0.5	16	112	46	3.65	< 10	< 1	0.49	10	1.03	530
T 34313	203	205	4	0.2	3.42	16	290	0.5	< 2	0.32	< 0.5	17	168	50	4.44	< 10	< 1	0.66	< 10	1.15	645
T 34314	203	205	7	< 0.2	2.57	20	200	0.5	< 2	0.36	< 0.5	16	129	41	3.51	< 10	< 1	0.43	10	0.96	530
T 34315	203	205	7	< 0.2	3.50	36	310	0.5	< 2	0.50	< 0.5	20	126	53	4.67	10	< 1	0.47	< 10	1.22	705
T 34316	203	205	12	< 0.2	2.51	54	210	0.5	< 2	0.38	< 0.5	13	114	34	3.46	< 10	< 1	0.51	10	0.91	445
T 34317	203	205	11	< 0.2	2.79	60	200	0.5	< 2	0.36	< 0.5	13	156	38	3.74	< 10	< 1	0.48	10	0.95	490
T 34318	203	205	38	< 0.2	3.28	96	230	0.5	< 2	0.39	< 0.5	17	90	54	4.22	< 10	< 1	0.29	< 10	1.08	570
T 34319	203	205	13	< 0.2	2.83	114	230	0.5	< 2	0.40	< 0.5	16	141	43	3.75	< 10	< 1	0.38	< 10	1.00	580
T 34320	203	205	19	< 0.2	2.86	98	260	0.5	< 2	0.50	< 0.5	19	134	54	3.65	< 10	< 1	0.41	< 10	1.29	555
T 34321	203	205	11	< 0.2	2.65	90	230	0.5	< 2	0.50	< 0.5	16	168	42	3.47	< 10	< 1	0.47	< 10	1.10	525
T 34322	203	205	23	< 0.2	2.90	66	200	0.5	< 2	0.46	< 0.5	16	104	43	4.08	< 10	1	0.51	10	1.06	630
T 34323	203	205	3	< 0.2	2.84	22	230	0.5	< 2	0.45	< 0.5	15	163	39	3.74	< 10	1	0.51	10	0.93	565
T 34324	203	205	6	< 0.2	2.63	46	240	0.5	< 2	0.39	< 0.5	14	128	39	3.70	< 10	< 1	0.51	< 10	0.93	505
T 34325	203	205	6	< 0.2	3.17	44	280	0.5	< 2	0.35	< 0.5	15	192	39	3.98	< 10	1	0.64	10	0.95	570
T 34326	203	205	8	< 0.2	3.02	14	210	0.5	< 2	0.28	< 0.5	13	119	38	3.39	< 10	< 1	0.45	< 10	0.96	295
T 34327	203	205	7	< 0.2	2.98	8	200	0.5	< 2	0.24	< 0.5	12	161	34	3.32	10	< 1	0.44	< 10	0.90	290
T 34328	203	205	42	< 0.2	3.34	28	210	0.5	< 2	0.21	< 0.5	12	98	42	4.00	10	1	0.46	< 10	1.04	270
T 34329	203	205	11	< 0.2	2.78	36	230	0.5	< 2	0.41	< 0.5	15	150	48	3.94	10	< 1	0.53	< 10	0.95	520
T 34330	203	205	7	< 0.2	3.24	16	260	0.5	2	0.42	< 0.5	15	102	50	4.13	< 10	< 1	0.73	< 10	1.13	560
T 34331	203	205	3	< 0.2	2.49	14	190	0.5	< 2	0.57	< 0.5	14	145	40	3.46	< 10	< 1	0.41	10	0.89	515
T 34332	203	205	7	< 0.2	2.99	16	220	0.5	< 2	0.34	< 0.5	14	108	44	3.94	< 10	1	0.57	< 10	0.95	470
T 34333	203	205	< 1	< 0.2	2.59	4	180	0.5	< 2	0.30	< 0.5	13	134	31	3.43	< 10	< 1	0.39	< 10	0.84	445
T 34334	203	205	6	< 0.2	3.30	14	220	0.5	< 2	0.35	< 0.5	21	114	46	4.08	< 10	< 1	0.30	< 10	1.29	585
T 34335	203	205	18	< 0.2	3.13	44	220	0.5	2	0.41	< 0.5	20	108	50	4.26	< 10	< 1	0.29	< 10	1.08	715
T 34336	203	205	7	< 0.2	2.28	26	160	0.5	< 2	0.26	< 0.5	13	103	37	3.59	< 10	< 1	0.24	< 10	0.87	440
T 34337	203	205	11	< 0.2	2.92	44	270	0.5	< 2	0.58	< 0.5	18	172	40	3.79	< 10	< 1	0.46	< 10	1.19	585
T 34338	203	205	31	< 0.2	3.24	128	240	0.5	< 2	0.57	< 0.5	25	99	68	4.44	10	< 1	0.34	< 10	1.25	825
T 34339	203	205	9	< 0.2	3.02	94	230	0.5	< 2	0.48	< 0.5	19	162	44	3.94	< 10	< 1	0.40	< 10	1.08	630
T 34340	203	205	49	< 0.2	2.79	94	260	0.5	< 2	0.43	< 0.5	16	129	40	3.68	< 10	1	0.52	< 10	1.08	515
T 34341	203	205	11	< 0.2	2.82	68	280	0.5	< 2	0.45	< 0.5	16	186	42	3.80	< 10	< 1	0.65	< 10	1.03	555
T 34342	203	205	12	< 0.2	3.17	96	280	0.5	< 2	0.46	< 0.5	22	114	50	4.23	< 10	< 1	0.45	< 10	1.11	685
T 34343	203	205	3	< 0.2	2.63	24	260	0.5	< 2	0.47	< 0.5	15	183	36	3.47	< 10	1	0.54	< 10	0.98	505
T 34344	203	205	8	0.2	3.91	48	400	0.5	< 2	0.51	< 0.5	17	133	47	4.45	< 10	< 1	0.71	< 10	1.33	525
T 34345	203	205	10	0.2	3.55	66	380	0.5	2	0.53	< 0.5	23	173	58	4.71	10	< 1	0.56	< 10	1.51	610
T 34346	203	205	7	< 0.2	3.49	48	220	0.5	< 2	0.41	< 0.5	23	105	54	4.53	< 10	< 1	0.37	< 10	1.17	705

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :6-B
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34307	203	205	< 1	0.02	39	920	6	< 2	9	29	0.20	< 10	< 10	114	< 10	90
T 34308	203	205	1	0.02	36	970	6	4	8	26	0.19	< 10	< 10	109	< 10	84
T 34309	203	205	< 1	0.04	39	970	< 2	2	9	38	0.22	< 10	< 10	116	< 10	100
T 34310	203	205	< 1	0.06	37	1010	6	< 2	9	43	0.23	< 10	< 10	112	< 10	90
T 34311	203	205	1	0.03	41	850	6	4	10	37	0.25	< 10	< 10	127	< 10	96
T 34312	203	205	< 1	0.03	40	820	2	< 2	8	32	0.20	< 10	< 10	107	< 10	76
T 34313	203	205	< 1	0.03	46	700	6	4	9	29	0.21	< 10	< 10	122	< 10	98
T 34314	203	205	< 1	0.02	40	740	2	2	7	28	0.19	< 10	< 10	100	< 10	84
T 34315	203	205	2	0.03	44	1080	12	4	9	45	0.20	< 10	< 10	121	< 10	100
T 34316	203	205	< 1	0.03	32	870	4	< 2	7	26	0.18	< 10	< 10	94	< 10	74
T 34317	203	205	< 1	0.03	35	730	4	< 2	7	30	0.17	< 10	< 10	99	< 10	76
T 34318	203	205	< 1	0.03	44	940	6	4	8	42	0.16	< 10	< 10	109	< 10	88
T 34319	203	205	1	0.03	38	880	6	2	8	36	0.16	< 10	< 10	101	< 10	78
T 34320	203	205	< 1	0.06	54	950	8	< 2	8	70	0.17	< 10	< 10	106	< 10	92
T 34321	203	205	< 1	0.04	47	1040	6	4	7	47	0.17	< 10	< 10	96	< 10	78
T 34322	203	205	< 1	0.02	40	940	8	< 2	8	33	0.21	< 10	< 10	108	< 10	92
T 34323	203	205	< 1	0.04	38	780	2	< 2	8	32	0.23	< 10	< 10	109	< 10	90
T 34324	203	205	1	0.03	35	970	10	< 2	8	28	0.19	< 10	< 10	103	< 10	92
T 34325	203	205	1	0.04	40	860	6	< 2	9	28	0.21	< 10	< 10	111	< 10	94
T 34326	203	205	< 1	0.01	33	840	< 2	< 2	9	19	0.21	< 10	< 10	108	< 10	74
T 34327	203	205	1	0.02	32	850	4	2	9	18	0.20	< 10	< 10	102	< 10	70
T 34328	203	205	1	0.01	36	840	6	< 2	9	18	0.20	< 10	< 10	118	< 10	80
T 34329	203	205	1	0.04	39	1340	4	2	8	27	0.19	< 10	< 10	111	< 10	96
T 34330	203	205	1	0.02	36	1110	6	< 2	9	31	0.23	< 10	< 10	121	< 10	88
T 34331	203	205	< 1	0.05	34	920	6	< 2	7	37	0.22	< 10	< 10	98	< 10	74
T 34332	203	205	< 1	0.02	39	740	4	< 2	8	27	0.23	< 10	< 10	109	< 10	86
T 34333	203	205	< 1	0.03	32	440	2	< 2	7	26	0.21	< 10	< 10	93	< 10	66
T 34334	203	205	< 1	0.02	50	880	4	2	8	35	0.18	< 10	< 10	115	< 10	90
T 34335	203	205	1	0.02	40	1320	2	2	8	39	0.15	< 10	< 10	115	< 10	96
T 34336	203	205	1	0.01	31	490	6	< 2	7	22	0.16	< 10	< 10	104	< 10	72
T 34337	203	205	< 1	0.07	49	1040	6	< 2	7	62	0.19	< 10	< 10	101	< 10	86
T 34338	203	205	2	0.02	53	1180	12	4	8	50	0.15	< 10	< 10	117	< 10	114
T 34339	203	205	< 1	0.04	46	990	4	< 2	8	45	0.18	< 10	< 10	105	< 10	88
T 34340	203	205	< 1	0.03	41	970	4	< 2	8	34	0.19	< 10	< 10	103	< 10	82
T 34341	203	205	< 1	0.04	41	750	2	< 2	9	35	0.20	< 10	< 10	112	< 10	88
T 34342	203	205	1	0.03	47	870	4	4	8	42	0.19	< 10	< 10	113	< 10	94
T 34343	203	205	< 1	0.05	40	1010	4	4	8	34	0.18	< 10	< 10	102	< 10	76
T 34344	203	205	1	0.02	43	710	6	2	9	123	0.20	< 10	< 10	122	< 10	92
T 34345	203	205	< 1	0.04	53	840	8	< 2	11	47	0.24	< 10	< 10	144	< 10	100
T 34346	203	205	1	0.02	47	760	4	2	9	37	0.20	< 10	< 10	124	< 10	98

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

): ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :7-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :19419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34347	203	205	29	< 0.2	3.25	32	220	0.5	< 2	0.44	< 0.5	24	126	54	4.20	< 10	< 1	0.42	< 10	1.12	725
T 34348	203	205	9	< 0.2	3.23	62	310	0.5	< 2	0.50	< 0.5	20	163	54	3.95	< 10	< 1	0.59	< 10	1.16	660
T 34349	203	205	22	< 0.2	2.41	26	210	< 0.5	< 2	0.48	< 0.5	14	155	37	3.26	< 10	1	0.45	< 10	0.91	470
T 34350	203	205	14	< 0.2	3.31	38	290	0.5	< 2	0.50	< 0.5	21	136	47	4.49	10	1	0.42	< 10	1.26	700
T 34351	203	205	9	< 0.2	3.09	40	310	< 0.5	< 2	0.62	< 0.5	19	137	40	4.03	10	< 1	0.41	< 10	1.43	655
T 34352	203	205	5	< 0.2	2.76	32	210	0.5	< 2	0.42	< 0.5	14	154	34	3.67	10	< 1	0.48	< 10	0.90	475
T 34353	203	205	33	< 0.2	3.03	170	210	0.5	< 2	0.36	< 0.5	20	140	48	4.43	10	< 1	0.49	< 10	0.96	695
T 34354	203	205	2	< 0.2	2.34	10	190	< 0.5	< 2	0.31	< 0.5	12	125	30	3.17	< 10	1	0.39	< 10	0.86	455
T 34355	203	205	7	< 0.2	3.10	16	240	0.5	< 2	0.39	< 0.5	21	132	51	4.20	< 10	< 1	0.47	< 10	1.14	710
T 34356	203	205	9	< 0.2	2.47	2	210	< 0.5	< 2	0.45	< 0.5	14	126	37	3.83	< 10	< 1	0.30	< 10	0.89	475
T 34357	203	205	4	< 0.2	3.01	24	250	0.5	< 2	0.63	< 0.5	17	147	54	4.14	10	< 1	0.57	< 10	1.05	645
T 34358	203	205	3	< 0.2	2.56	8	230	< 0.5	< 2	0.51	< 0.5	15	152	43	3.78	< 10	< 1	0.49	< 10	0.90	600
T 34359	203	205	28	< 0.2	3.83	60	320	0.5	< 2	0.62	< 0.5	20	170	62	4.80	10	< 1	0.64	< 10	1.51	785
T 34360	203	205	< 1	< 0.2	0.68	6	20	< 0.5	< 2	0.42	< 0.5	4	59	7	1.39	< 10	< 1	0.07	< 10	0.42	115
T 34361	203	205	80	< 0.2	2.46	32	200	< 0.5	< 2	0.60	< 0.5	13	130	35	3.57	10	< 1	0.33	< 10	0.97	480
T 34362	203	205	11	< 0.2	2.57	66	230	< 0.5	< 2	0.56	< 0.5	16	150	40	3.84	< 10	1	0.42	< 10	1.01	565
T 34363	203	205	9	0.4	2.71	14	240	< 0.5	< 2	0.62	< 0.5	15	137	41	3.71	< 10	< 1	0.48	< 10	1.08	550
T 34364	203	205	6	< 0.2	2.51	16	210	< 0.5	< 2	0.52	< 0.5	16	121	38	3.54	10	< 1	0.39	< 10	0.92	555
T 34365	203	205	85	< 0.2	2.72	16	230	0.5	< 2	0.71	0.5	20	126	53	4.24	< 10	< 1	0.54	< 10	1.05	810
T 34366	203	205	< 1	< 0.2	2.61	12	240	< 0.5	< 2	0.51	< 0.5	17	137	36	4.03	10	< 1	0.34	< 10	0.97	795
T 34367	203	205	4	< 0.2	2.76	32	200	0.5	< 2	0.36	< 0.5	18	148	44	3.83	< 10	< 1	0.45	< 10	1.04	520
T 34368	203	205	4	< 0.2	2.54	18	200	< 0.5	< 2	0.41	< 0.5	13	138	32	3.57	< 10	1	0.35	< 10	0.91	490
T 34369	203	205	5	< 0.2	2.68	14	210	< 0.5	< 2	0.42	< 0.5	14	132	35	3.64	< 10	< 1	0.35	< 10	0.94	505
T 34370	203	205	18	< 0.2	3.60	98	240	0.5	< 2	0.48	< 0.5	24	121	65	4.54	10	< 1	0.33	< 10	1.22	725
T 34371	203	205	63	< 0.2	2.92	298	250	0.5	< 2	0.47	< 0.5	19	151	53	4.04	< 10	1	0.39	< 10	1.08	600
T 34372	203	205	11	< 0.2	3.03	132	260	0.5	< 2	0.50	< 0.5	21	149	56	4.01	10	< 1	0.46	< 10	1.20	645
T 34373	203	205	19	< 0.2	3.51	172	290	0.5	< 2	0.70	0.5	26	126	69	4.78	10	2	0.52	< 10	1.32	790
T 34374	203	205	9	< 0.2	2.97	114	280	0.5	< 2	0.50	< 0.5	20	167	47	4.01	10	< 1	0.49	< 10	1.24	585
T 34375	203	205	21	< 0.2	3.17	136	280	0.5	< 2	0.52	< 0.5	21	148	56	4.11	< 10	< 1	0.50	< 10	1.20	665
T 34376	203	205	19	< 0.2	3.28	92	280	0.5	< 2	0.47	< 0.5	20	151	59	4.25	< 10	< 1	0.43	< 10	1.21	565
T 34377	203	205	21	< 0.2	3.11	62	240	0.5	< 2	0.46	< 0.5	16	177	45	4.12	10	< 1	0.43	< 10	1.12	465
T 34378	203	205	11	< 0.2	2.59	90	220	< 0.5	< 2	0.49	< 0.5	19	175	41	3.55	< 10	< 1	0.45	< 10	1.06	525
T 34379	203	205	13	0.2	2.93	98	260	< 0.5	< 2	0.58	< 0.5	19	149	50	4.04	10	< 1	0.41	< 10	1.14	605
T 34380	203	205	52	< 0.2	3.05	104	260	0.5	< 2	0.68	< 0.5	19	167	59	3.88	10	1	0.50	< 10	1.12	630
T 34381	203	205	33	< 0.2	2.98	110	260	0.5	< 2	0.69	< 0.5	19	166	57	3.84	10	< 1	0.52	< 10	1.10	620
T 34382	203	205	23	< 0.2	3.48	90	290	0.5	< 2	0.58	< 0.5	21	166	66	4.29	10	2	0.57	< 10	1.37	625
T 34383	203	205	53	< 0.2	3.25	74	260	0.5	< 2	0.56	< 0.5	22	153	60	4.19	10	1	0.50	< 10	1.30	615
T 34384	203	205	4	< 0.2	2.87	36	230	< 0.5	< 2	0.44	< 0.5	15	157	37	3.99	10	< 1	0.19	< 10	1.00	690
T 34385	203	205	383	< 0.2	2.79	20	250	< 0.5	< 2	0.45	< 0.5	16	139	36	4.22	10	< 1	0.22	< 10	0.99	765
T 34386	203	205	9	< 0.2	2.80	32	210	< 0.5	< 2	0.40	0.5	16	145	37	4.12	< 10	1	0.32	< 10	1.04	710

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :7-B
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :19419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34347	203	205	< 1	0.03	44	780	< 2	< 2	7	40	0.18	< 10	< 10	119	< 10	98
T 34348	203	205	< 1	0.04	48	1060	< 2	4	8	45	0.19	< 10	< 10	116	< 10	100
T 34349	203	205	< 1	0.06	36	670	< 2	2	6	41	0.18	< 10	< 10	92	< 10	74
T 34350	203	205	< 1	0.03	43	870	< 2	< 2	9	47	0.22	< 10	< 10	130	< 10	102
T 34351	203	205	1	0.07	51	1050	< 2	2	7	83	0.18	< 10	< 10	113	< 10	92
T 34352	203	205	< 1	0.03	33	780	< 2	< 2	7	33	0.19	< 10	< 10	103	< 10	80
T 34353	203	205	< 1	0.03	43	780	< 2	< 2	7	31	0.17	< 10	< 10	111	< 10	94
T 34354	203	205	< 1	0.02	34	480	< 2	< 2	6	27	0.18	< 10	< 10	88	< 10	70
T 34355	203	205	< 1	0.03	50	770	< 2	4	7	36	0.22	< 10	< 10	113	< 10	98
T 34356	203	205	< 1	0.04	35	640	< 2	2	7	37	0.21	< 10	< 10	108	< 10	78
T 34357	203	205	< 1	0.05	42	1440	< 2	< 2	8	42	0.21	< 10	< 10	123	< 10	98
T 34358	203	205	1	0.05	38	1300	< 2	2	7	33	0.19	< 10	< 10	116	< 10	90
T 34359	203	205	1	0.04	53	1290	< 2	2	9	69	0.21	< 10	< 10	129	< 10	118
T 34360	203	205	< 1	0.21	4	350	< 2	< 2	2	37	0.10	< 10	< 10	48	< 10	22
T 34361	203	205	< 1	0.04	33	1040	< 2	< 2	7	44	0.19	< 10	< 10	101	< 10	82
T 34362	203	205	< 1	0.05	38	1040	4	< 2	7	46	0.20	< 10	< 10	106	< 10	90
T 34363	203	205	< 1	0.06	43	1260	< 2	< 2	7	55	0.19	< 10	< 10	112	< 10	88
T 34364	203	205	1	0.04	38	890	< 2	2	7	36	0.20	< 10	< 10	102	< 10	80
T 34365	203	205	< 1	0.06	43	1660	< 2	2	7	53	0.19	< 10	< 10	113	10	106
T 34366	203	205	< 1	0.03	32	1020	4	< 2	7	40	0.17	< 10	< 10	117	< 10	80
T 34367	203	205	< 1	0.03	43	710	< 2	< 2	7	30	0.20	< 10	< 10	107	< 10	92
T 34368	203	205	1	0.03	32	570	4	4	6	32	0.19	< 10	< 10	94	< 10	78
T 34369	203	205	< 1	0.02	33	590	< 2	< 2	6	33	0.18	< 10	< 10	99	< 10	80
T 34370	203	205	1	0.04	46	1070	< 2	< 2	8	47	0.17	< 10	< 10	116	< 10	114
T 34371	203	205	< 1	0.03	44	800	< 2	2	7	40	0.18	< 10	< 10	110	< 10	94
T 34372	203	205	1	0.04	50	870	< 2	2	8	51	0.19	< 10	< 10	111	< 10	98
T 34373	203	205	1	0.04	58	1050	2	< 2	8	63	0.20	< 10	< 10	123	< 10	116
T 34374	203	205	< 1	0.04	49	760	< 2	2	8	50	0.19	< 10	< 10	109	< 10	94
T 34375	203	205	1	0.04	53	850	< 2	< 2	8	51	0.19	< 10	< 10	114	< 10	102
T 34376	203	205	1	0.03	50	600	< 2	< 2	8	43	0.21	< 10	< 10	120	< 10	96
T 34377	203	205	< 1	0.03	42	820	2	2	8	34	0.21	< 10	< 10	119	< 10	98
T 34378	203	205	1	0.04	40	820	< 2	< 2	6	37	0.17	< 10	< 10	98	< 10	88
T 34379	203	205	1	0.03	44	800	< 2	< 2	7	48	0.18	< 10	< 10	112	< 10	92
T 34380	203	205	< 1	0.07	50	1140	2	2	7	63	0.18	< 10	< 10	103	< 10	96
T 34381	203	205	< 1	0.07	50	1150	< 2	4	7	63	0.18	< 10	< 10	99	< 10	96
T 34382	203	205	< 1	0.07	58	900	< 2	2	8	60	0.21	< 10	< 10	117	< 10	100
T 34383	203	205	< 1	0.06	58	940	< 2	2	8	56	0.20	< 10	< 10	113	< 10	98
T 34384	203	205	< 1	0.02	31	860	6	< 2	7	37	0.17	< 10	< 10	114	< 10	84
T 34385	203	205	< 1	0.02	32	930	< 2	2	7	38	0.17	< 10	< 10	111	< 10	86
T 34386	203	205	2	0.03	37	730	< 2	< 2	7	36	0.19	< 10	< 10	112	< 10	88

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :8-A
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 34387	203	205	3	< 0.2	2.49	24	180	< 0.5	< 2	0.39	< 0.5	13	152	34	3.40	< 10	< 1	0.43	< 10	0.90	490
T 34388	203	205	6	< 0.2	2.79	16	220	0.5	< 2	0.44	< 0.5	16	107	42	4.10	< 10	1	0.44	< 10	0.99	595
T 34389	203	205	7	0.2	3.13	22	220	< 0.5	< 2	0.35	< 0.5	12	109	48	4.10	10	1	0.44	< 10	1.03	320
T 34390	203	205	42	< 0.2	2.71	32	200	0.5	< 2	0.43	< 0.5	20	87	55	3.91	10	< 1	0.34	< 10	0.99	610
T 34391	203	205	9	< 0.2	2.96	40	220	0.5	< 2	0.57	< 0.5	21	122	55	4.01	10	1	0.40	< 10	1.23	700
T 34392	203	205	84	0.2	4.34	222	420	0.5	< 2	0.35	0.5	20	120	61	4.62	10	2	0.99	< 10	1.22	825
T 34393	203	205	15	< 0.2	3.33	68	180	0.5	< 2	0.34	< 0.5	13	109	43	4.06	< 10	< 1	0.31	< 10	1.03	390
T 34394	203	205	16	< 0.2	2.38	104	170	< 0.5	< 2	0.36	0.5	15	107	35	3.50	10	< 1	0.31	< 10	0.89	470
T 34395	203	205	43	< 0.2	2.88	96	210	0.5	< 2	0.38	< 0.5	18	137	52	4.04	10	1	0.44	< 10	1.05	620
T 34396	203	205	39	0.2	2.87	604	300	0.5	< 2	0.39	0.5	20	99	64	4.19	10	< 1	0.56	< 10	1.05	645
T 34397	203	205	3	< 0.2	3.53	6	360	< 0.5	< 2	0.35	< 0.5	16	170	61	4.75	10	< 1	0.88	< 10	1.57	485

CERTIFICATION: Ward Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :B-B
Total Pages :8
Certificate Date: 18-JUL-94
Invoice No. :I9419846
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419846

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 34387	203	205	1	0.03	35	510	< 2	< 2	7	30	0.19	< 10	< 10	98	< 10	80
T 34388	203	205	1	0.02	39	640	< 2	2	7	36	0.21	< 10	< 10	111	< 10	100
T 34389	203	205	1	0.02	37	1250	< 2	< 2	8	29	0.18	< 10	< 10	121	< 10	80
T 34390	203	205	1	0.02	45	1120	2	< 2	6	31	0.17	< 10	< 10	101	< 10	98
T 34391	203	205	< 1	0.05	49	1300	6	< 2	7	46	0.19	< 10	< 10	104	< 10	108
T 34392	203	205	< 1	0.01	43	960	< 2	2	11	56	0.22	< 10	< 10	135	< 10	106
T 34393	203	205	1	0.02	35	890	< 2	2	8	29	0.19	< 10	< 10	107	< 10	86
T 34394	203	205	< 1	0.02	34	860	< 2	< 2	6	24	0.17	< 10	< 10	100	< 10	88
T 34395	203	205	< 1	0.03	43	910	< 2	< 2	7	33	0.19	< 10	< 10	108	< 10	98
T 34396	203	205	< 1	0.02	41	1260	< 2	< 2	8	32	0.18	< 10	< 10	108	< 10	102
T 34397	203	205	1	0.03	51	530	< 2	2	13	49	0.25	< 10	< 10	143	10	100

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :1-A
Total Pages :2
Certificate Date: 16-JUL-94
Invoice No. :I9419848
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419848

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 2235	203	205	13	0.2	2.56	70	220	< 0.5	< 2	0.38	< 0.5	15	122	47	3.43	< 10	1	0.45	< 10	1.00	490
T 2236	203	205	32	< 0.2	2.94	106	160	< 0.5	< 2	0.33	< 0.5	15	117	47	4.12	< 10	< 1	0.42	< 10	1.08	480
T 2237	203	205	11	0.2	2.82	72	230	< 0.5	< 2	0.40	< 0.5	16	119	52	3.97	< 10	< 1	0.28	< 10	1.02	510
T 2238	203	205	11	0.2	3.26	74	210	< 0.5	< 2	0.42	< 0.5	16	125	64	4.48	< 10	1	0.57	< 10	1.19	425
T 2239	203	205	6	0.2	2.86	76	220	< 0.5	< 2	0.45	< 0.5	17	158	60	4.10	< 10	< 1	0.63	< 10	1.12	440
T 2240	203	205	14	0.2	4.03	124	310	0.5	< 2	0.69	< 0.5	29	173	86	4.86	< 10	< 1	0.52	< 10	1.92	725
T 2241	203	205	27	0.2	3.53	134	330	0.5	< 2	0.68	< 0.5	30	158	78	4.52	< 10	< 1	0.44	< 10	1.73	680
T 2242	203	205	23	0.2	3.49	160	320	0.5	< 2	0.57	< 0.5	30	147	82	4.55	< 10	< 1	0.56	< 10	1.41	760
T 2243	203	205	22	< 0.2	3.24	176	260	0.5	< 2	0.49	< 0.5	24	145	68	4.16	< 10	< 1	0.54	< 10	1.16	685
T 2244	203	205	88	0.2	3.10	178	260	0.5	< 2	0.39	< 0.5	25	123	64	4.58	< 10	< 1	0.37	< 10	1.22	745
T 2245	203	205	7	< 0.2	2.95	50	220	0.5	< 2	0.39	< 0.5	17	107	50	4.19	< 10	< 1	0.33	< 10	1.01	610
T 2246	203	205	23	< 0.2	2.78	178	260	0.5	< 2	0.31	0.5	18	147	46	3.86	< 10	< 1	0.42	< 10	0.96	640
T 2247	203	205	15	< 0.2	2.92	46	290	0.5	< 2	0.44	0.5	20	141	55	4.26	< 10	< 1	0.57	< 10	1.12	695
T 2248	203	205	39	< 0.2	2.36	28	190	0.5	< 2	0.41	< 0.5	15	143	42	3.56	< 10	< 1	0.47	< 10	1.02	505
T 2249	203	205	5	< 0.2	2.58	26	190	< 0.5	< 2	0.32	< 0.5	18	141	47	3.72	< 10	< 1	0.37	< 10	1.04	585
T 2250	203	205	6	< 0.2	2.89	28	210	0.5	< 2	0.38	< 0.5	20	129	60	3.97	< 10	< 1	0.30	< 10	1.05	585
T 2251	203	205	5	< 0.2	2.35	6	200	< 0.5	< 2	0.56	0.5	18	134	45	3.69	10	< 1	0.48	10	1.05	540
T 2252	203	205	4	< 0.2	2.91	38	200	< 0.5	< 2	0.35	< 0.5	22	133	49	4.21	< 10	< 1	0.31	10	1.07	650
T 2253	203	205	7	< 0.2	3.45	30	270	< 0.5	< 2	0.47	< 0.5	28	117	60	4.88	10	< 1	0.31	10	1.30	940
T 2254	203	205	9	< 0.2	2.91	46	240	< 0.5	< 2	0.42	< 0.5	23	131	49	4.18	< 10	< 1	0.38	10	1.27	710
T 2255	203	205	12	< 0.2	2.14	26	190	< 0.5	< 2	0.35	< 0.5	15	182	27	3.24	< 10	< 1	0.42	10	0.84	500
T 2257	203	205	5	< 0.2	2.83	34	220	< 0.5	< 2	0.38	< 0.5	21	119	40	4.12	< 10	< 1	0.32	10	1.15	630
T 2258	203	205	8	< 0.2	2.07	60	140	< 0.5	< 2	0.38	< 0.5	20	111	37	3.12	< 10	1	0.28	< 10	0.84	465
T 2259	203	205	8	< 0.2	2.74	90	230	< 0.5	< 2	0.36	< 0.5	22	172	45	3.90	10	< 1	0.47	< 10	1.17	565
T 2260	203	205	12	< 0.2	2.92	172	230	< 0.5	< 2	0.35	< 0.5	27	145	52	4.36	< 10	< 1	0.47	< 10	1.26	700
T 2261	203	205	10	< 0.2	2.40	92	200	< 0.5	< 2	0.41	< 0.5	17	156	35	3.59	< 10	< 1	0.47	< 10	1.11	430
T 2262	203	205	21	< 0.2	3.44	136	280	< 0.5	< 2	0.42	< 0.5	28	142	59	4.87	< 10	< 1	0.31	10	1.38	720
T 2263	203	205	17	< 0.2	3.14	70	290	< 0.5	< 2	0.48	< 0.5	21	140	59	4.30	< 10	< 1	0.49	10	1.43	460
T 2264	203	205	23	< 0.2	3.32	164	340	< 0.5	< 2	0.71	< 0.5	28	112	68	4.74	< 10	< 1	0.33	10	1.34	665
T 2265	203	205	11	< 0.2	2.83	100	230	< 0.5	< 2	0.38	< 0.5	22	112	43	4.28	10	< 1	0.22	10	1.15	610
T 2266	203	205	12	< 0.2	2.77	132	220	< 0.5	< 2	0.48	< 0.5	25	144	55	4.30	10	< 1	0.39	10	1.16	685
T 2267	203	205	13	< 0.2	2.77	90	250	< 0.5	< 2	0.50	< 0.5	26	166	50	4.14	10	< 1	0.49	10	1.20	695
T 2268	203	205	362	< 0.2	2.86	114	240	< 0.5	< 2	0.40	< 0.5	24	159	45	4.32	< 10	< 1	0.44	10	1.25	685
T 2269	203	205	7	< 0.2	2.41	52	230	< 0.5	< 2	0.42	< 0.5	17	154	30	3.72	10	< 1	0.36	10	1.00	490
T 2270	203	205	8	< 0.2	2.51	60	220	< 0.5	< 2	0.41	< 0.5	17	151	31	3.85	10	< 1	0.44	10	1.07	560
T 2271	203	205	24	< 0.2	2.78	196	230	< 0.5	< 2	0.40	< 0.5	19	148	41	4.27	< 10	< 1	0.48	10	1.16	585
T 2272	203	205	9	< 0.2	2.36	42	190	< 0.5	< 2	0.32	< 0.5	17	159	34	3.63	10	< 1	0.39	10	0.96	540
T 2273	203	205	9	< 0.2	2.65	50	290	< 0.5	< 2	0.28	< 0.5	18	180	35	3.96	< 10	< 1	0.67	10	1.07	590
T 2274	203	205	9	< 0.2	2.17	32	170	< 0.5	2	0.38	< 0.5	19	147	42	3.48	10	< 1	0.49	10	0.91	555
T 2275	203	205	9	< 0.2	2.67	22	190	0.5	< 2	0.31	< 0.5	15	145	41	3.63	< 10	< 1	0.33	< 10	0.97	480

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page er :1-B
Total Pages :2
Certificate Date: 16-JUL-94
Invoice No. :I9419848
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419848

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 2235	203	205	< 1	0.03	43	740	< 2	< 2	7	33	0.17	< 10	< 10	101	< 10	86
T 2236	203	205	< 1	0.02	43	790	< 2	< 2	7	38	0.18	< 10	< 10	119	< 10	90
T 2237	203	205	< 1	0.03	43	840	4	< 2	7	36	0.13	< 10	< 10	109	< 10	84
T 2238	203	205	1	0.02	43	350	< 2	6	8	36	0.21	< 10	< 10	122	< 10	90
T 2239	203	205	1	0.02	53	730	< 2	< 2	8	33	0.18	< 10	< 10	122	< 10	84
T 2240	203	205	< 1	0.04	82	930	4	< 2	10	70	0.22	< 10	< 10	151	< 10	130
T 2241	203	205	< 1	0.05	78	890	< 2	14	9	76	0.20	< 10	< 10	134	< 10	120
T 2242	203	205	< 1	0.04	70	1110	2	12	10	46	0.21	< 10	< 10	132	< 10	144
T 2243	203	205	< 1	0.06	58	970	6	2	8	51	0.17	< 10	< 10	113	< 10	106
T 2244	203	205	2	0.02	57	1030	< 2	< 2	7	41	0.13	< 10	< 10	120	< 10	104
T 2245	203	205	< 1	0.02	36	1200	4	2	7	37	0.15	< 10	< 10	113	< 10	98
T 2246	203	205	< 1	0.03	38	880	< 2	< 2	7	32	0.17	< 10	< 10	107	< 10	86
T 2247	203	205	< 1	0.03	48	1020	2	< 2	7	36	0.19	< 10	< 10	111	< 10	106
T 2248	203	205	< 1	0.03	40	1010	< 2	< 2	6	31	0.17	< 10	< 10	96	< 10	86
T 2249	203	205	< 1	0.03	39	690	< 2	< 2	7	31	0.17	< 10	< 10	97	< 10	88
T 2250	203	205	< 1	0.02	44	820	< 2	< 2	7	30	0.20	< 10	< 10	109	< 10	102
T 2251	203	205	< 1	0.03	41	1150	6	< 2	9	33	0.22	< 10	< 10	96	< 10	92
T 2252	203	205	< 1	0.03	48	1090	6	< 2	8	29	0.19	< 10	< 10	102	< 10	106
T 2253	203	205	< 1	0.03	53	1170	6	< 2	10	43	0.21	< 10	< 10	117	< 10	120
T 2254	203	205	< 1	0.03	47	1010	4	< 2	9	45	0.21	< 10	< 10	108	< 10	102
T 2255	203	205	< 1	0.02	35	920	4	< 2	7	25	0.17	< 10	< 10	85	< 10	82
T 2257	203	205	< 1	0.03	42	830	6	< 2	9	35	0.18	< 10	< 10	109	< 10	98
T 2258	203	205	< 1	0.06	37	960	6	< 2	6	32	0.13	< 10	< 10	81	< 10	80
T 2259	203	205	< 1	0.02	56	870	< 2	< 2	10	25	0.21	< 10	< 10	106	< 10	102
T 2260	203	205	< 1	0.02	57	770	6	< 2	9	33	0.18	< 10	< 10	114	< 10	112
T 2261	203	205	< 1	0.03	47	930	2	< 2	8	32	0.18	< 10	< 10	98	< 10	92
T 2262	203	205	< 1	0.02	64	790	6	< 2	11	37	0.20	< 10	< 10	130	< 10	106
T 2263	203	205	< 1	0.03	62	1020	4	< 2	11	40	0.22	< 10	< 10	120	< 10	116
T 2264	203	205	< 1	0.02	69	1360	4	< 2	10	59	0.17	< 10	< 10	123	< 10	118
T 2265	203	205	< 1	0.02	48	770	6	< 2	9	33	0.18	< 10	< 10	108	< 10	110
T 2266	203	205	< 1	0.02	57	920	2	< 2	9	36	0.19	< 10	< 10	113	< 10	118
T 2267	203	205	< 1	0.03	55	1250	2	< 2	10	36	0.19	< 10	< 10	107	< 10	118
T 2268	203	205	< 1	0.03	53	1010	4	< 2	10	38	0.19	< 10	< 10	109	< 10	110
T 2269	203	205	1	0.02	37	790	8	< 2	8	34	0.19	< 10	< 10	99	< 10	82
T 2270	203	205	< 1	0.03	39	770	6	< 2	9	34	0.20	< 10	< 10	105	< 10	90
T 2271	203	205	< 1	0.02	46	1210	6	< 2	8	33	0.16	< 10	< 10	106	< 10	98
T 2272	203	205	< 1	0.02	39	740	4	< 2	8	24	0.19	< 10	< 10	96	< 10	84
T 2273	203	205	< 1	0.02	43	640	4	< 2	10	21	0.23	< 10	< 10	108	< 10	94
T 2274	203	205	< 1	0.02	42	890	4	< 2	8	23	0.19	< 10	< 10	90	< 10	82
T 2275	203	205	< 1	0.01	35	640	2	< 2	7	25	0.19	< 10	< 10	103	< 10	88

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page Number :2-A
Total Pages :2
Certificate Date: 16-JUL-94
Invoice No. :I9419848
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419848

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 2276	203	205	21	< 0.2	2.96	64	220	< 0.5	< 2	0.60	< 0.5	17	127	47	3.62	< 10	< 1	0.37	< 10	1.07	525
T 2277	203	205	14	< 0.2	2.14	20	180	< 0.5	< 2	0.61	< 0.5	14	119	38	3.34	< 10	< 1	0.29	< 10	0.86	555
T 2278	203	205	9	< 0.2	2.92	32	190	0.5	< 2	0.54	< 0.5	17	133	49	3.84	< 10	< 1	0.37	< 10	1.03	570
T 2279	203	205	15	< 0.2	2.81	52	200	< 0.5	< 2	0.51	< 0.5	16	149	47	3.81	< 10	< 1	0.34	< 10	1.08	410
T 2280	203	205	11	< 0.2	3.08	< 2	200	< 0.5	< 2	0.37	< 0.5	15	129	46	2.76	< 10	< 1	0.30	< 10	1.10	345
T 2281	203	205	22	0.2	2.83	124	210	< 0.5	< 2	0.36	< 0.5	16	157	49	3.54	< 10	< 1	0.39	< 10	1.02	470
T 2282	203	205	235	< 0.2	3.37	22	260	0.5	< 2	0.37	< 0.5	16	160	57	3.95	< 10	< 1	0.56	< 10	1.09	545
T 2283	203	205	13	< 0.2	2.34	48	220	< 0.5	< 2	0.36	< 0.5	14	142	39	3.45	< 10	< 1	0.45	< 10	0.87	445
T 2284	203	205	34	< 0.2	2.44	120	190	< 0.5	< 2	0.38	< 0.5	15	125	42	3.69	< 10	< 1	0.38	< 10	0.85	405
T 2285	203	205	64	< 0.2	3.04	38	260	0.5	< 2	0.38	< 0.5	19	152	62	3.81	< 10	< 1	0.50	< 10	1.07	685
T 23123	203	205	23	< 0.2	3.15	30	270	0.5	< 2	0.28	< 0.5	17	130	50	4.11	< 10	< 1	0.56	< 10	1.01	550
T 23124	203	205	42	< 0.2	3.49	16	280	< 0.5	< 2	0.47	< 0.5	16	119	51	3.49	< 10	< 1	0.50	< 10	1.24	510
T 23125	203	205	10	< 0.2	3.93	8	480	< 0.5	< 2	1.09	< 0.5	18	207	49	4.35	< 10	< 1	0.38	< 10	3.01	530
T 23126	203	205	55	0.2	3.82	54	250	0.5	< 2	0.33	< 0.5	16	165	51	4.25	< 10	< 1	0.56	< 10	1.11	380
T 23127	203	205	8	< 0.2	3.02	34	260	0.5	< 2	0.37	< 0.5	17	153	44	3.76	< 10	< 1	0.47	< 10	0.94	495
T 23128	203	205	6	0.2	3.35	22	330	0.5	< 2	0.40	< 0.5	15	164	48	3.87	< 10	< 1	0.61	< 10	1.10	495
T 23129	203	205	15	< 0.2	3.13	58	400	0.5	< 2	0.34	< 0.5	17	176	48	4.45	< 10	< 1	0.93	< 10	1.00	490
T 23130	203	205	20	0.4	2.63	108	260	< 0.5	< 2	0.64	< 0.5	16	97	55	3.99	< 10	< 1	0.37	< 10	0.87	470
T 23131	203	205	4	< 0.2	3.27	88	270	< 0.5	< 2	0.44	< 0.5	22	120	82	4.71	< 10	< 1	0.87	< 10	1.12	415
T 23132	203	205	17	0.2	3.45	86	330	0.5	< 2	0.33	< 0.5	14	164	53	4.29	< 10	< 1	0.86	< 10	1.08	355
T 23133	203	205	6	0.2	2.76	28	300	0.5	< 2	0.43	0.5	15	115	45	3.88	< 10	< 1	0.50	< 10	0.87	535
T 23134	203	205	5	< 0.2	3.17	30	340	< 0.5	< 2	0.51	< 0.5	14	144	46	3.78	< 10	< 1	0.77	< 10	1.03	505
T 23135	203	205	11	< 0.2	3.13	38	340	< 0.5	< 2	0.38	< 0.5	15	148	49	3.96	< 10	< 1	0.62	< 10	0.99	475

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

: ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : KILLER GOLD
Comments:

Page er :2-B
Total Pages :2
Certificate Date: 16-JUL-94
Invoice No. :I9419848
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9419848

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 2276	203	205	< 1	0.04	37	940	2	< 2	8	48	0.19	< 10	< 10	99	< 10	92
T 2277	203	205	< 1	0.03	32	1060	< 2	4	6	37	0.17	< 10	< 10	90	< 10	88
T 2278	203	205	< 1	0.03	37	1100	2	< 2	8	36	0.21	< 10	< 10	105	< 10	104
T 2279	203	205	< 1	0.02	37	1180	< 2	2	8	34	0.20	< 10	< 10	104	< 10	114
T 2280	203	205	1	0.02	36	790	< 2	< 2	8	27	0.21	< 10	< 10	102	< 10	102
T 2281	203	205	< 1	0.03	36	940	4	2	8	27	0.18	< 10	< 10	105	< 10	96
T 2282	203	205	1	0.02	41	1140	< 2	< 2	9	25	0.23	< 10	< 10	122	< 10	106
T 2283	203	205	< 1	0.02	35	930	< 2	< 2	7	25	0.15	< 10	< 10	95	< 10	90
T 2284	203	205	< 1	0.03	34	880	< 2	2	7	39	0.14	< 10	< 10	92	< 10	98
T 2285	203	205	< 1	0.02	42	930	< 2	< 2	9	27	0.21	< 10	< 10	117	< 10	102
T 23123	203	205	< 1	0.02	48	600	< 2	< 2	9	29	0.20	< 10	< 10	128	< 10	96
T 23124	203	205	< 1	0.02	38	780	< 2	2	9	63	0.18	< 10	< 10	116	< 10	88
T 23125	203	205	< 1	0.05	97	2370	< 2	6	7	79	0.20	< 10	< 10	108	< 10	92
T 23126	203	205	< 1	0.01	50	720	6	< 2	10	25	0.19	< 10	< 10	145	< 10	100
T 23127	203	205	1	0.02	45	670	2	< 2	9	30	0.22	< 10	< 10	125	< 10	92
T 23128	203	205	< 1	0.02	46	740	4	2	11	35	0.25	< 10	< 10	133	< 10	102
T 23129	203	205	< 1	0.03	58	840	< 2	< 2	11	33	0.26	< 10	< 10	140	< 10	100
T 23130	203	205	1	0.01	40	1570	8	< 2	7	60	0.11	< 10	< 10	115	< 10	78
T 23131	203	205	< 1	0.02	56	1310	< 2	4	10	43	0.22	< 10	< 10	134	< 10	108
T 23132	203	205	< 1	0.03	53	840	< 2	< 2	11	35	0.25	< 10	< 10	139	< 10	96
T 23133	203	205	1	0.02	44	790	4	< 2	8	40	0.18	< 10	< 10	113	< 10	80
T 23134	203	205	< 1	0.04	40	970	< 2	< 2	10	70	0.22	< 10	< 10	121	< 10	88
T 23135	203	205	< 1	0.02	46	1000	< 2	6	10	41	0.20	< 10	< 10	131	< 10	90

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 14-JUL-94
Invoice No. :I9419621
P.O. Number :
Account :F

CORRECTED COPY

CERTIFICATE OF ANALYSIS A9419621

SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T23101	208	274	< 0.001	< 0.2	0.12	40	10	< 0.5	< 2	0.03	< 0.5	< 1	410	4	0.41	< 10	< 1	0.07	< 10	0.01	30
T23102	208	274	< 0.001	< 0.2	0.06	2	10	< 0.5	< 2	< 0.01	< 0.5	< 1	290	2	0.27	< 10	< 1	0.01	< 10	0.01	70
T23103	208	274	< 0.001	< 0.2	0.01	20	< 10	< 0.5	< 2	< 0.01	< 0.5	1	436	2	0.39	< 10	< 1	< 0.01	< 10	< 0.01	55
T23104	208	274	< 0.001	< 0.2	0.02	22	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	375	1	0.34	< 10	< 1	< 0.01	< 10	< 0.01	20
T23105	208	274	< 0.001	0.6	0.47	6	20	< 0.5	< 2	0.72	< 0.5	3	421	8	0.75	< 10	< 1	< 0.01	< 10	0.01	895
T23106	208	274	< 0.001	< 0.2	0.06	16	< 10	< 0.5	< 2	0.04	< 0.5	1	384	5	0.49	< 10	< 1	< 0.01	< 10	< 0.01	45
T23107	208	274	< 0.001	< 0.2	0.12	70	10	< 0.5	< 2	0.07	< 0.5	< 1	496	13	0.78	< 10	< 1	0.02	< 10	0.01	75
T23108	208	274	0.042	0.4	0.27	>10000	30	< 0.5	4	0.06	< 0.5	3	231	1	1.89	< 10	< 1	0.04	< 10	0.18	55
T23109	208	274	0.088	1.4	0.74	>10000	40	< 0.5	20	0.28	< 0.5	20	186	1	4.68	< 10	< 1	0.08	< 10	0.51	170
T23110	208	274	0.055	0.6	0.25	>10000	< 10	< 0.5	12	0.07	< 0.5	13	281	2	2.49	< 10	< 1	0.03	< 10	0.17	60
T23111	208	274	0.120	2.6	0.17	>10000	10	< 0.5	28	0.02	< 0.5	10	157	1	5.80	< 10	< 1	0.03	< 10	0.08	35
T23112	208	274	0.263	9.6	0.19	>10000	10	< 0.5	40	0.03	< 0.5	8	164	4	5.20	< 10	< 1	0.02	< 10	0.11	40
T23113	208	274	0.626	7.6	1.64	>10000	10	< 0.5	110	0.78	< 0.5	17	106	453	12.90	< 10	< 1	0.09	< 10	0.66	190
T23114	208	274	1.515	19.6	1.26	>10000	10	< 0.5	216	0.09	< 0.5	39	14	282	>15.00	< 10	< 1	0.10	< 10	0.61	175
T23115	208	274	0.016	0.2	2.70	5890	80	< 0.5	< 2	3.00	< 0.5	3	216	29	1.66	< 10	< 1	0.17	< 10	0.41	380
T23116	208	274	0.029	< 0.2	0.15	1205	20	< 0.5	< 2	0.02	< 0.5	< 1	332	2	0.53	< 10	< 1	0.04	< 10	0.06	30
T23117	208	274	0.067	1.2	1.80	>10000	120	< 0.5	14	0.09	< 0.5	67	195	3	6.80	< 10	< 1	0.18	< 10	0.89	325

CERTIFICATION: Stuart Buchan

INTERNAL CALCULATION CODE DELETED

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 14-JUL-94
Invoice No. : I9419621
P.O. Number :
Account :F

CORRECTED COPY

CERTIFICATE OF ANALYSIS A9419621

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T23101	208	274	1	0.03	6	80	< 2	< 2	< 1	3	< 0.01	< 10	< 10	2	< 10	2
T23102	208	274	< 1	< 0.01	3	< 10	< 2	< 2	< 1	< 1	< 0.01	< 10	< 10	1	< 10	< 2
T23103	208	274	< 1	< 0.01	6	10	< 2	< 2	< 1	< 1	< 0.01	< 10	< 10	2	< 10	< 2
T23104	208	274	< 1	< 0.01	5	10	< 2	< 2	< 1	< 1	< 0.01	< 10	< 10	3	< 10	< 2
T23105	208	274	< 1	< 0.01	15	170	164	< 2	2	24	< 0.01	< 10	< 10	4	10	26
T23106	208	274	< 1	< 0.01	5	40	< 2	< 2	< 1	< 1	< 0.01	< 10	< 10	3	< 10	2
T23107	208	274	1	< 0.01	7	80	< 2	< 2	< 1	13	0.01	< 10	< 10	4	< 10	6
T23108	208	274	2	< 0.01	4	130	< 2	< 2	1	4	< 0.01	< 10	< 10	11	910	4
T23109	208	274	8	< 0.01	12	130	4	< 2	2	12	< 0.01	10	< 10	33	430	20
T23110	208	274	3	< 0.01	9	80	2	< 2	< 1	6	< 0.01	< 10	< 10	11	550	6
T23111	208	274	11	< 0.01	2	40	32	< 2	< 1	3	< 0.01	10	< 10	10	100	< 2
T23112	208	274	11	< 0.01	6	50	64	< 2	< 1	3	< 0.01	10	< 10	10	20	< 2
T23113	208	274	18	< 0.01	17	280	24	< 2	3	23	0.01	10	< 10	52	60	40
T23114	208	274	31	< 0.01	28	220	32	< 2	3	15	0.01	20	< 10	58	650	24
T23115	208	274	1	0.18	6	1310	2	< 2	2	143	0.02	< 10	< 10	21	< 10	18
T23116	208	274	1	< 0.01	6	10	< 2	< 2	< 1	1	< 0.01	< 10	< 10	7	< 10	4
T23117	208	274	10	< 0.01	63	400	< 2	< 2	4	11	0.01	< 10	< 10	94	< 10	36

CERTIFICATION: Hart Bichler

INTERNAL CALCULATION CODE DELETED

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page : 1-A
Total Pages : 1
Certificate Date: 20-JUL-94
Invoice No. : I9419849
P.O. Number :
Account : F

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9419849

SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 23118	205	226	< 0.001	< 0.2	0.15	4	20	< 0.5	< 2	0.08	< 0.5	1	289	11	0.44	< 10	< 1	0.03	< 10	0.05	40
T 23136	205	226	< 0.001	< 0.2	0.17	6	30	< 0.5	< 2	0.04	< 0.5	1	287	4	0.35	< 10	< 1	0.04	< 10	0.02	375
T 23137	205	226	< 0.001	< 0.2	0.03	64	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	359	1	0.37	< 10	< 1	< 0.01	< 10	0.01	20
T 23138	205	226	0.104	1.0	0.15	2410	140	< 0.5	< 2	0.02	< 0.5	< 1	271	3	0.55	< 10	< 1	0.08	< 10	0.01	15
T 23139	205	226	2.623	43.6	0.42	>10000	200	< 0.5	72	0.07	>100.0	2	170	21	3.30	< 10	7	0.09	< 10	0.20	55
N 32482	205	226	0.004	< 0.2	0.36	130	60	< 0.5	< 2	0.08	1.5	1	209	15	0.47	< 10	1	0.08	< 10	0.07	50
N 32483	205	226	0.244	0.6	0.11	4240	10	< 0.5	< 2	0.02	< 0.5	< 1	254	2	0.71	< 10	< 1	0.03	< 10	0.03	20
N 32484	205	226	0.478	2.6	0.03	8070	< 10	< 0.5	20	< 0.01	0.5	< 1	216	2	0.92	< 10	1	0.02	< 10	< 0.01	10
N 32485	205	226	0.542	2.6	0.21	>10000	10	< 0.5	18	0.07	< 0.5	1	137	5	8.90	10	17	0.05	< 10	0.07	55
N 32486	205	226	0.065	3.0	0.16	>10000	20	< 0.5	14	0.07	< 0.5	9	191	19	4.33	< 10	8	0.03	< 10	0.08	35
N 32487	205	226	0.898	12.0	0.17	>10000	10	< 0.5	132	0.03	< 0.5	58	108	1	13.35	10	29	0.04	< 10	0.01	5
N 32488	205	226	0.163	3.6	0.37	>10000	20	< 0.5	16	0.11	< 0.5	4	146	69	5.85	< 10	11	0.08	< 10	0.15	45
N 32489	205	226	0.002	< 0.2	1.08	460	70	< 0.5	< 2	1.34	< 0.5	< 1	181	2	0.36	< 10	< 1	0.01	< 10	0.01	55
N 32490	205	226	0.001	< 0.2	0.01	224	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	311	2	0.34	< 10	< 1	< 0.01	< 10	< 0.01	20
N 32491	205	226	0.009	< 0.2	0.21	198	20	< 0.5	< 2	0.02	< 0.5	1	203	2	0.72	< 10	< 1	0.06	< 10	0.02	45
N 32492	205	226	0.850	4.2	0.09	>10000	10	< 0.5	12	< 0.01	< 0.5	2	174	1	1.82	< 10	3	0.01	< 10	0.02	15
N 32493	205	226	0.002	< 0.2	1.18	4660	150	< 0.5	< 2	0.99	< 0.5	5	66	41	2.14	< 10	< 1	0.24	< 10	0.47	230
N 32494	205	226	0.901	3.4	0.16	6640	10	< 0.5	88	0.01	< 0.5	4	211	1	0.97	< 10	< 1	0.01	< 10	0.10	40
N 32495	205	226	0.003	< 0.2	0.14	72	20	< 0.5	< 2	0.06	< 0.5	5	290	82	0.69	< 10	< 1	0.04	< 10	0.03	45
N 32496	205	226	0.495	2.6	0.08	>10000	110	< 0.5	10	0.02	< 0.5	1	163	2	2.57	< 10	7	0.02	< 10	0.02	10
N 32497	205	226	1.670	6.8	0.04	>10000	310	< 0.5	72	0.04	< 0.5	< 1	201	14	2.74	< 10	4	0.01	< 10	< 0.01	10
N 32498	205	226	5.646	19.8	0.05	>10000	200	< 0.5	90	0.12	< 0.5	< 1	128	4	4.75	< 10	8	0.04	< 10	< 0.01	20
N 32499	205	226	0.105	0.6	0.04	4320	30	< 0.5	2	< 0.01	< 0.5	< 1	253	8	0.78	< 10	< 1	0.02	< 10	< 0.01	15
N 32500	205	226	0.356	7.8	0.05	1720	20	< 0.5	2	0.72	1.0	< 1	209	8	0.51	< 10	< 1	0.01	< 10	0.01	440

CERTIFICATION: Hart Bichler

* Samples with this range of Au concentration should be doneusing GRAVIMETRIC FINISH

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 20-JUL-94
Invoice No. : I9419849
P.O. Number :
Account : F

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9419849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 23118	205	226	1	0.01	6	260	< 2	< 2	< 1	4	< 0.01	< 10	< 10	4	< 10	4
T 23136	205	226	< 1	0.01	7	100	< 2	< 2	< 1	9	< 0.01	< 10	< 10	2	< 10	4
T 23137	205	226	1	< 0.01	3	< 10	< 2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	< 2
T 23138	205	226	< 1	< 0.01	2	20	< 2	< 2	< 1	17	< 0.01	< 10	< 10	4	< 10	4
T 23139	205	226	2	< 0.01	< 1	170	9640	2030	1	30	< 0.01	< 10	< 10	19	30	4160
N 32482	205	226	< 1	0.04	4	180	52	12	< 1	9	< 0.01	< 10	< 10	4	< 10	30
N 32483	205	226	< 1	< 0.01	3	40	22	4	< 1	7	< 0.01	< 10	< 10	3	< 10	8
N 32484	205	226	< 1	< 0.01	2	10	8	2	< 1	2	< 0.01	< 10	< 10	1	< 10	8
N 32485	205	226	7	< 0.01	10	50	24	8	< 1	14	< 0.01	< 10	< 10	7	1340	< 2
N 32486	205	226	4	< 0.01	< 1	60	60	< 2	< 1	8	< 0.01	< 10	< 10	7	20	2
N 32487	205	226	18	< 0.01	14	< 10	28	12	< 1	7	< 0.01	< 10	< 10	4	20	6
N 32488	205	226	4	< 0.01	< 1	520	< 2	2	1	21	< 0.01	< 10	< 10	16	1090	2
N 32489	205	226	< 1	0.04	10	2580	< 2	< 2	< 1	890	< 0.01	< 10	< 10	1	10	6
N 32490	205	226	< 1	< 0.01	3	10	< 2	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	< 2
N 32491	205	226	< 1	0.06	2	40	< 2	< 2	< 1	3	< 0.01	< 10	< 10	6	< 10	6
N 32492	205	226	1	< 0.01	3	30	2	< 2	< 1	2	< 0.01	< 10	< 10	4	< 10	< 2
N 32493	205	226	2	0.08	< 1	550	< 2	< 2	1	57	< 0.01	< 10	< 10	6	< 10	30
N 32494	205	226	< 1	< 0.01	6	20	< 2	2	< 1	2	< 0.01	< 10	< 10	7	< 10	4
N 32495	205	226	1	< 0.01	35	60	< 2	< 2	< 1	9	< 0.01	< 10	< 10	3	< 10	4
N 32496	205	226	2	< 0.01	< 1	20	< 2	2	< 1	4	< 0.01	< 10	< 10	3	< 10	4
N 32497	205	226	2	< 0.01	< 1	20	< 2	6	< 1	11	< 0.01	< 10	< 10	5	< 10	2
N 32498	205	226	3	< 0.01	< 1	120	< 2	14	< 1	43	< 0.01	< 10	< 10	11	< 10	2
N 32499	205	226	< 1	< 0.01	3	10	14	2	< 1	4	< 0.01	< 10	< 10	1	< 10	< 2
N 32500	205	226	< 1	< 0.01	5	20	50	4	< 1	17	< 0.01	< 10	< 10	1	< 10	30

CERTIFICATION: Hart Bichler

* Samples with this range of Au concentration should be doneusing GRAVIMETRIC FINISH

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

P[illegible]nber :1-A
T[illegible]ages :1
Certificate Date: 29-JUL-94
Invoice No. :19420951
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9420951

TRENCH	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	T23140	208	226	< 0.001	< 0.2	0.08	36	10	< 0.5	< 2	0.01	< 0.5	< 1	228	1	0.30	< 10	< 1	0.03	< 10	< 0.01	130
	T23141	208	226	0.154	1.0	0.17	5040	180	< 0.5	< 2	0.04	< 0.5	1	221	41	1.07	< 10	< 1	< 0.01	< 10	0.10	40
	T23142	208	226	< 0.001	< 0.2	0.07	14	20	< 0.5	< 2	0.02	< 0.5	1	415	6	0.60	< 10	< 1	< 0.01	< 10	0.02	1345
	T23143	208	226	< 0.001	< 0.2	0.04	4	< 10	< 0.5	< 2	< 0.01	< 0.5	2	420	4	0.50	< 10	< 1	< 0.01	< 10	< 0.01	70
	T23147	208	226	0.148	1.8	0.22	>10000	10	< 0.5	16	0.16	< 0.5	6	301	4	3.48	< 10	< 1	0.02	< 10	0.17	60
	T23148	208	226	0.015	0.6	0.55	1065	80	< 0.5	< 2	0.07	< 0.5	1	249	6	2.95	< 10	< 1	0.22	< 10	0.06	90
	T23149	208	226	0.280	2.2	0.93	>10000	180	< 0.5	4	0.10	< 0.5	6	363	3	2.80	< 10	< 1	0.14	< 10	0.46	190
	T23150	208	226	0.155	0.4	0.10	>10000	170	< 0.5	2	0.02	< 0.5	1	229	4	1.43	< 10	< 1	0.01	< 10	0.03	30
	T23151	208	226	0.008	0.2	1.55	>10000	140	< 0.5	< 2	0.21	< 0.5	5	197	4	3.63	< 10	< 1	0.23	< 10	0.90	295
D12	T23154	208	226	0.033	< 0.2	0.78	>10000	160	< 0.5	4	0.08	< 0.5	6	112	2	3.10	< 10	< 1	0.39	< 10	0.63	165
D13																						
D15	T23155	208	226	0.102	0.8	0.23	>10000	20	< 0.5	< 2	0.09	< 0.5	7	103	3	2.29	< 10	< 1	0.04	< 10	0.15	60
	T23156	208	226	0.005	0.2	1.22	>10000	40	< 0.5	< 2	0.31	< 0.5	8	144	80	3.97	< 10	< 1	0.16	< 10	0.92	270
	T23157	208	226	0.083	0.6	0.83	>10000	40	< 0.5	4	0.93	< 0.5	26	109	162	6.13	< 10	< 1	0.16	< 10	0.70	390
D19	T23158	208	226	0.157	4.0	0.12	>10000	< 10	< 0.5	28	0.04	< 0.5	18	73	6	7.40	< 10	< 1	0.03	< 10	0.10	30
	T23159	208	226	0.645	41.8	0.91	>10000	20	< 0.5	72	0.08	< 0.5	34	73	4640	11.15	< 10	< 1	0.11	< 10	0.64	135
D18																						
D16	T23160	208	226	0.038	0.8	1.15	>10000	20	< 0.5	2	0.76	< 0.5	12	111	51	3.63	< 10	< 1	0.06	< 10	0.98	325
D17	T23161	208	226	0.017	0.6	0.13	6610	30	< 0.5	< 2	0.17	< 0.5	3	143	20	1.12	< 10	< 1	< 0.01	< 10	0.08	70
D10	T23162	208	226	0.244	2.8	0.61	>10000	60	< 0.5	2	0.26	< 0.5	6	146	36	3.83	< 10	< 1	0.16	< 10	0.49	160
D9	T23163	208	226	0.476	0.2	0.68	>10000	20	< 0.5	30	0.12	< 0.5	11	75	8	13.85	< 10	< 1	0.13	< 10	0.61	115
	T23164	208	226	0.187	1.6	0.04	>10000	40	< 0.5	28	0.02	< 0.5	15	61	4	9.39	< 10	< 1	0.02	< 10	0.04	15
D7	T23165	208	226	0.388	6.6	1.01	>10000	20	< 0.5	24	0.09	< 0.5	36	59	119	12.95	< 10	< 1	0.16	< 10	0.68	155
	T23166	208	226	0.133	1.4	0.22	>10000	10	< 0.5	< 2	0.08	< 0.5	31	51	26	>15.00	< 10	< 1	0.06	< 10	0.23	60
D5	T23167	208	226	1.198	1.4	< 0.01	>10000	< 10	< 0.5	142	0.01	< 0.5	< 1	23	24	>15.00	< 10	< 1	0.01	< 10	< 0.01	10
D3	T23168	208	226	0.186	0.8	0.47	>10000	30	< 0.5	< 2	0.10	< 0.5	15	52	286	11.95	< 10	< 1	0.11	< 10	0.32	85

CERTIFICATION: Jean Büchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Par ber : 1-B
Tot ges : 1
Certificate Date: 29-JUL-94
Invoice No. : 19420951
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9420951

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T23140	208	226	< 1	< 0.01	4	50	2	2	< 1	6	< 0.01	< 10	< 10	1	< 10	4
T23141	208	226	< 1	0.01	5	80	4	2	< 1	8	< 0.01	< 10	< 10	10	40	36
T23142	208	226	1	< 0.01	8	< 10	2	< 2	< 1	13	< 0.01	< 10	< 10	3	< 10	12
T23143	208	226	1	< 0.01	7	30	< 2	< 2	< 1	< 1	< 0.01	< 10	< 10	2	< 10	2
T23147	208	226	1	0.02	6	180	14	8	1	8	< 0.01	< 10	< 10	11	140	16
T23148	208	226	1	< 0.01	9	300	6	6	2	21	< 0.01	< 10	< 10	112	< 10	22
T23149	208	226	1	0.03	21	350	146	6	2	8	< 0.01	< 10	< 10	32	< 10	32
T23150	208	226	< 1	0.01	6	80	2	< 2	< 1	7	< 0.01	< 10	< 10	6	70	8
T23151	208	226	1	0.06	20	590	4	4	5	165	< 0.01	< 10	< 10	66	< 10	48
T23154	208	226	< 1	0.02	16	180	6	4	4	8	0.05	< 10	< 10	49	< 10	30
T23155	208	226	< 1	0.01	9	130	20	6	< 1	9	< 0.01	< 10	< 10	11	< 10	10
T23156	208	226	< 1	0.03	19	360	8	4	5	40	0.02	< 10	< 10	56	10	36
T23157	208	226	< 1	0.01	21	240	12	8	3	93	0.02	< 10	< 10	43	230	28
T23158	208	226	2	< 0.01	9	60	26	16	1	4	< 0.01	< 10	< 10	10	10	4
T23159	208	226	1	0.01	28	390	48	30	5	4	< 0.01	< 10	< 10	52	10	64
T23160	208	226	< 1	0.02	12	410	30	4	6	35	0.01	< 10	< 10	64	30	38
T23161	208	226	< 1	0.01	7	80	40	2	< 1	11	< 0.01	< 10	< 10	6	< 10	6
T23162	208	226	1	0.01	6	330	20	4	3	14	0.02	< 10	< 10	33	440	24
T23163	208	226	< 1	0.01	12	240	< 2	24	4	6	0.02	< 10	< 10	45	770	18
T23164	208	226	2	< 0.01	4	40	16	22	< 1	4	< 0.01	< 10	< 10	5	< 10	2
T23165	208	226	1	0.01	20	320	70	28	5	7	0.02	< 10	< 10	54	100	34
T23166	208	226	1	0.01	11	190	16	42	3	3	< 0.01	< 10	< 10	19	1880	10
T23167	208	226	< 1	< 0.01	< 1	30	12	44	1	< 1	< 0.01	< 10	< 10	3	10	2
T23168	208	226	< 1	0.01	4	250	< 2	30	3	9	< 0.01	< 10	< 10	27	920	18

CERTIFICATION: Ian R Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 01-AUG-94
Invoice No. :I9421027
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421027

SAMPLE	PREP CODE		Au NAA ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S10524	205	226	6	< 0.2	1.94	184	860	< 0.5	< 2	0.62	< 0.5	10	49	24	3.12	10	< 1	0.89	< 10	1.09	290
S10526	205	226	108	< 0.2	3.03	2550	250	< 0.5	4	0.17	< 0.5	10	120	18	5.18	20	< 1	0.56	< 10	1.67	570

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 01-AUG-94
Invoice No. :I9421027
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421027

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S10524	205	226	< 1	0.12	2	1020	6	< 2	5	49	0.25	< 10	< 10	64	< 10	42
S10526	205	226	< 1	0.02	32	620	< 2	< 2	10	7	0.13	< 10	< 10	130	< 10	108

CERTIFICATION: Stan J. Butler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 01-AUG-94
Invoice No. :I9421028
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421028

SAMPLE	PREP CODE		Au oz/T FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S10525	205	226	0.2650	7.6	0.13	>10000	20	< 0.5	162	0.03	< 0.5	17	76	43	13.65	30	< 1	0.04	< 10	0.04	20
T7606	205	226	0.0025	3.4	0.35	3950	70	< 0.5	6	0.40	< 0.5	3	103	10	1.29	< 10	< 1	0.11	< 10	0.21	220
T7607	205	226	0.0015	< 0.2	0.78	1490	20	< 0.5	2	0.08	< 0.5	3	146	11	1.62	< 10	< 1	0.03	< 10	0.41	135
T7608	205	226	0.0025	< 0.2	2.46	3350	530	< 0.5	2	0.20	< 0.5	9	155	22	4.06	10	< 1	0.81	< 10	1.67	465
T7610	205	226	0.0080	0.4	0.02	>10000	90	< 0.5	8	0.01	< 0.5	2	156	14	1.92	< 10	< 1	0.01	< 10	0.01	10
T7611	205	226	0.0065	0.2	2.59	>10000	110	< 0.5	4	0.43	< 0.5	19	72	67	6.44	20	< 1	0.24	< 10	1.96	240
T33966	205	226	0.0045	0.2	0.15	8800	40	< 0.5	4	0.04	< 0.5	7	181	3	1.23	< 10	< 1	0.03	< 10	0.08	95
T33966	205	226	0.0040	0.8	0.13	8570	40	< 0.5	4	0.04	< 0.5	7	162	2	1.17	< 10	< 1	0.03	< 10	0.07	90
T33967	205	226	0.0630	45.4	0.71	>10000	70	< 0.5	132	0.17	< 0.5	10	37	740	11.65	30	< 1	0.28	< 10	0.25	100
T33968	205	226	0.0695	4.8	0.27	>10000	30	< 0.5	6	0.04	< 0.5	2	114	218	2.52	< 10	< 1	0.12	< 10	0.12	50

CERTIFICATION: David Bickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 01-AUG-94
Invoice No. :I9421028
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421028

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S10525	205	226	4	0.09	3	130	24	28	< 1	9	< 0.01	10	< 10	6	< 10	2
T7606	205	226	< 1	0.01	3	260	292	8	1	28	< 0.01	< 10	< 10	11	< 10	272
T7607	205	226	< 1	0.03	9	190	< 2	< 2	2	9	< 0.01	< 10	< 10	21	10	22
T7608	205	226	1	0.03	18	880	< 2	< 2	13	7	0.15	< 10	< 10	155	< 10	92
T7610	205	226	< 1	0.01	4	20	2	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	< 2
T7611	205	226	< 1	0.03	7	1940	12	6	12	21	< 0.01	< 10	< 10	90	< 10	44
T33966	205	226	< 1	0.01	4	130	10	4	< 1	9	< 0.01	< 10	< 10	4	< 10	8
T33966	205	226	< 1	0.01	4	130	50	4	< 1	9	< 0.01	< 10	< 10	4	< 10	8
T33967	205	226	< 1	0.07	2	860	1175	46	1	12	< 0.01	10	< 10	14	30	2880
T33968	205	226	< 1	0.01	3	240	270	4	< 1	12	< 0.01	< 10	< 10	7	10	3300

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1
Total Pages :1
Certificate Date: 26-JUL-94
Invoice No. : I9421165
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421165

SAMPLE	PREP CODE		Au tot oz/T	Au - oz/T	Au + mg	Wt. - grams	Wt. + grams	Au FA oz/T	Weight grams			
T 18699	236	295	1.064	0.892	2.240	345	5.50	0.945	849.2			
T 18700	236	295	2.312	1.970	3.815	279	6.90	1.989	720.9			

CERTIFICATION: Mark Vorl

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 28-JUL-94
Invoice No. :19421213
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421213

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T 18699	299	233	4.0	0.06	92	< 10	< 0.5	118	0.07	< 0.5	1	20	29	1.00	< 10	< 1	0.03	< 10	0.05	75	1
T 18700	299	233	10.6	0.07	94	< 10	< 0.5	228	0.01	< 0.5	2	21	23	0.94	< 10	< 1	0.03	< 10	0.03	70	1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 28-JUL-94
Invoice No. :19421213
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9421213

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 18699	299	233	0.02	7	10	18	2	< 1	1	< 0.01	< 10	< 10	2	< 10	4
T 18700	299	233	0.02	7	20	6	2	< 1	1	< 0.01	< 10	10	3	< 10	< 2

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 15-AUG-94
Invoice No. : I9422379
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9422379

SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T 7232	208	226	2.730	10.6	0.08	>10000	130	< 0.5	16	0.01	< 0.5	16	200	17	7.74	< 10	< 1	0.02	< 10	0.01	20
T 7233	208	226	0.809	1.8	0.27	>10000	30	< 0.5	150	0.05	< 0.5	40	243	4	3.02	< 10	1	0.10	< 10	0.15	45
T 7234	208	226	0.440	0.8	0.45	>10000	60	< 0.5	70	0.06	< 0.5	24	222	1	3.60	< 10	2	0.13	< 10	0.24	80

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 15-AUG-94
Invoice No. : I9422379
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9422379

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 7232	208	226	2	0.02	7	10	< 2	12	< 1	12	< 0.01	< 10	< 10	< 1	150	2
T 7233	208	226	2	0.04	20	110	6	6	1	4	0.01	< 10	< 10	15	< 10	8
T 7234	208	226	1	0.04	18	110	2	4	2	5	0.01	< 10	< 10	24	< 10	24

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 09-SEP-94
Invoice No. :I9424548
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9424548

SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
T8607	208	226	0.050	0.4	1.85	>10000	490	< 0.5	14	0.21	< 0.5	10	119	22	3.58	< 10	< 1	0.26	10	1.21	335
T8608	208	226	0.974	3.6	0.07	>10000	150	< 0.5	72	0.03	< 0.5	4	142	67	3.89	< 10	< 1	0.03	< 10	0.01	20
T8609	208	226	2.848	10.8	0.06	>10000	110	< 0.5	114	0.02	< 0.5	3	113	10	4.64	< 10	< 1	0.02	< 10	0.01	15
T8610	208	226	0.052	0.6	0.15	5440	80	< 0.5	< 2	0.03	< 0.5	3	157	6	0.90	< 10	< 1	0.06	< 10	0.06	40
T8611	208	226	0.016	0.4	3.08	530	320	0.5	< 2	0.23	< 0.5	24	135	56	5.23	< 10	< 1	0.72	10	1.46	650

CERTIFICATION: Ian Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 09-SEP-94
Invoice No. :I9424548
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9424548

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T8607	208	226	< 1	0.03	22	700	22	6	4	39	0.01	< 10	< 10	60	< 10	56
T8608	208	226	< 1	0.01	3	10	< 2	4	< 1	5	< 0.01	< 10	< 10	< 1	< 10	14
T8609	208	226	< 1	0.01	3	30	2	6	< 1	2	< 0.01	< 10	< 10	< 1	< 10	16
T8610	208	226	1	0.01	6	50	4	< 2	< 1	18	< 0.01	< 10	< 10	3	40	8
T8611	208	226	1	0.03	59	800	< 2	1790	13	11	0.19	< 10	< 10	145	< 10	118

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Page : 1-A
Total Pages : 1
Certificate Date: 24-SEP-94
Invoice No. : 19425973
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9425973

TRENCH	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
S2	935551	208	274	0.017	0.6	5.15	870	180	< 0.5	6	0.50	0.5	31	78	35	6.57	20	1	0.35	10	2.78	1150
	935552	208	274	< 0.001	1.0	3.47	< 2	520	< 0.5	6	0.28	0.5	21	151	61	4.85	40	< 1	1.60	20	1.41	690
	935553	208	274	2.339	13.4	0.65	>10000	80	< 0.5	18	0.11	< 0.5	11	72	53	6.30	< 10	< 1	0.06	< 10	0.43	110
S3	935554	208	274	0.002	0.8	2.95	660	380	< 0.5	10	0.24	< 0.5	15	138	53	4.54	30	1	1.34	20	1.31	660
	935555	208	274	0.033	2.0	2.00	>10000	230	< 0.5	18	0.28	< 0.5	10	100	67	3.82	20	< 1	0.44	10	0.98	330
	935556	208	274	0.004	1.0	4.32	6270	250	< 0.5	8	1.79	< 0.5	25	69	33	5.29	30	< 1	0.45	10	2.87	825
	935557	208	274	0.038	1.4	3.82	4640	100	< 0.5	4	0.63	< 0.5	18	54	35	4.76	10	< 1	0.34	20	2.32	635
	935558	208	274	0.004	1.4	3.01	366	270	< 0.5	2	0.29	< 0.5	18	121	46	4.37	20	< 1	0.76	20	1.29	565
S4	935559	208	274	0.002	0.2	7.74	24	650	< 0.5	8	2.41	< 0.5	21	153	15	3.50	40	< 1	0.96	20	2.15	360
	935560	208	274	0.001	0.6	3.07	22	460	< 0.5	2	0.29	0.5	17	160	39	4.13	30	< 1	1.42	20	1.23	675
S6	935561	208	274	0.011	0.4	3.32	22	680	< 0.5	4	0.25	< 0.5	16	146	52	4.97	30	< 1	1.46	20	1.46	660
	935562	208	274	0.007	1.0	2.47	1650	250	< 0.5	4	0.46	< 0.5	13	120	35	4.07	20	< 1	0.56	20	1.08	355
	935563	208	274	0.003	0.6	2.13	1045	300	< 0.5	< 2	0.30	0.5	15	105	44	4.20	10	< 1	0.65	20	0.79	355
S5	935564	208	274	0.002	0.8	2.46	542	210	< 0.5	2	0.22	1.0	30	108	55	4.49	10	< 1	0.60	20	0.87	675
	935565	208	274	0.004	0.8	1.02	2300	100	< 0.5	< 2	0.10	< 0.5	15	74	31	4.63	10	< 1	0.28	10	0.18	180
	935566	208	274	0.011	1.2	0.80	1630	120	< 0.5	< 2	0.10	< 0.5	7	117	22	2.00	10	< 1	0.24	10	0.16	90
	935567	208	274	0.005	1.2	1.31	450	120	< 0.5	4	0.11	< 0.5	21	152	25	2.12	10	< 1	0.32	10	0.45	555

CERTIFICATION: Jean Pichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER-GOLD
Comments:

Certificate Date: 24-SEP-94
Invoice No. : I9425973
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9425973

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935551	208	274	< 1	0.04	19	720	4	4	25	78	0.07	< 10	< 10	203	< 10	120
935552	208	274	1	0.09	49	1050	2	< 2	16	25	0.35	< 10	< 10	160	< 10	114
935553	208	274	2	0.07	11	320	12	24	2	34	< 0.01	< 10	< 10	30	< 10	20
935554	208	274	2	0.07	35	910	2	4	12	23	0.25	< 10	< 10	129	< 10	102
935555	208	274	< 1	0.06	21	730	6	8	6	161	0.02	10	< 10	80	< 10	66
935556	208	274	< 1	0.18	15	1390	2	4	18	186	0.12	< 10	< 10	179	< 10	86
935557	208	274	< 1	0.03	23	1180	8	< 2	10	57	< 0.01	< 10	< 10	100	< 10	84
935558	208	274	< 1	0.06	41	890	2	< 2	9	26	0.12	< 10	< 10	107	< 10	96
935559	208	274	< 1	0.57	39	1820	8	< 2	10	425	0.25	< 10	< 10	122	< 10	92
935560	208	274	< 1	0.08	39	900	2	< 2	14	28	0.29	< 10	< 10	133	< 10	100
935561	208	274	< 1	0.08	34	930	4	< 2	15	18	0.29	< 10	< 10	152	< 10	108
935562	208	274	1	0.07	27	840	8	2	10	64	0.08	< 10	< 10	92	< 10	80
935563	208	274	< 1	0.05	39	920	4	2	8	38	0.09	< 10	< 10	83	< 10	98
935564	208	274	1	0.06	91	730	8	< 2	7	25	0.07	< 10	< 10	80	< 10	142
935565	208	274	2	0.08	58	700	30	4	3	33	< 0.01	< 10	< 10	41	< 10	84
935566	208	274	< 1	0.09	20	310	14	< 2	2	42	< 0.01	< 10	< 10	20	< 10	40
935567	208	274	1	0.04	56	320	12	< 2	3	15	0.04	< 10	< 10	44	< 10	64

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: RCHER CATHRO & ASSOC. (1981) LTD.
BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Num :1-A
Total Pages :3
Certificate Date: 03-OCT-94
Invoice No. :19426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

BENCH	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
R1	7612	208	274	0.004	< 0.2	2.54	764	50	1.0	< 2	0.28	< 0.5	19	83	38	4.70	10	< 1	0.16	10	1.48	775
	7613	208	274	< 0.001	< 0.2	3.33	178	300	< 0.5	< 2	1.04	< 0.5	19	124	27	5.48	20	< 1	0.54	20	2.02	740
	7614	208	274	0.001	< 0.2	2.74	356	210	< 0.5	< 2	0.19	< 0.5	12	152	31	4.61	10	< 1	0.52	10	1.50	520
	7615	208	274	0.006	< 0.2	2.81	1295	270	< 0.5	< 2	0.22	< 0.5	14	203	29	4.49	10	< 1	0.61	10	1.53	520
	7616	208	274	0.316	2.8	0.62	>10000	40	< 0.5	18	0.08	2.0	7	107	3	2.91	< 10	< 1	0.07	< 10	0.34	115
R1A	7617	208	274	0.044	0.2	2.48	2780	200	< 0.5	< 2	0.21	< 0.5	13	200	22	3.95	10	< 1	0.46	10	1.31	450
	7618	208	274	0.240	1.8	0.75	>10000	20	< 0.5	4	0.11	< 0.5	7	94	4	2.73	< 10	< 1	0.10	< 10	0.47	180
	7619	208	274	0.057	0.2	2.04	1415	120	< 0.5	< 2	0.16	< 0.5	13	201	15	3.42	10	< 1	0.29	< 10	1.19	390
	7620	208	274	0.005	< 0.2	2.28	492	180	< 0.5	< 2	0.19	< 0.5	15	158	18	3.88	10	< 1	0.50	< 10	1.35	465
	7621	208	274	0.102	0.4	1.61	9190	180	< 0.5	4	0.20	< 0.5	10	201	16	3.43	10	< 1	0.27	< 10	0.80	330
R2	7622	208	274	0.020	< 0.2	2.50	428	210	< 0.5	< 2	0.18	< 0.5	14	176	21	4.23	10	< 1	0.53	< 10	1.37	505
	8750	208	274	0.011	< 0.2	2.73	264	200	< 0.5	< 2	0.18	< 0.5	16	215	36	4.55	10	< 1	0.45	10	1.41	595
	8751	208	274	0.003	< 0.2	2.96	1285	130	< 0.5	< 2	0.21	< 0.5	10	183	42	5.42	10	< 1	0.33	20	1.57	545
	8752	208	274	0.232	1.2	1.24	4110	70	< 0.5	4	0.14	< 0.5	13	263	18	2.37	< 10	< 1	0.23	10	0.61	275
	8753	208	274	0.020	< 0.2	2.94	1400	80	< 0.5	< 2	0.24	< 0.5	21	171	44	5.39	10	< 1	0.20	20	1.61	720
R3	8754	208	274	0.080	0.4	2.38	714	120	< 0.5	< 2	0.22	< 0.5	14	240	32	3.76	10	< 1	0.31	10	1.16	460
	8755	208	274	0.002	< 0.2	5.63	128	440	< 0.5	< 2	2.00	< 0.5	18	96	27	4.72	20	1	0.88	10	2.21	675
	8756	208	274	0.004	< 0.2	3.30	520	170	< 0.5	< 2	0.23	< 0.5	19	178	38	5.39	10	< 1	0.38	20	1.63	720
	8757	208	274	0.040	2.2	2.11	6240	80	< 0.5	< 2	0.21	0.5	12	151	35	4.30	10	< 1	0.24	10	1.09	495
	8758	208	274	0.029	< 0.2	2.38	3420	90	< 0.5	< 2	0.21	0.5	18	179	53	4.53	10	< 1	0.27	10	1.28	620
D6	8759	208	274	0.557	5.0	1.20	>10000	70	< 0.5	8	0.14	0.5	6	141	28	3.09	10	< 1	0.26	< 10	0.49	160
	8760	208	274	0.033	0.2	2.92	1455	180	< 0.5	< 2	0.25	< 0.5	12	209	23	4.26	10	< 1	0.40	20	1.45	485
	8761	208	274	0.004	< 0.2	3.23	2270	280	< 0.5	< 2	1.67	< 0.5	18	147	89	4.17	10	< 1	1.14	10	1.80	395
	8762	208	274	0.256	< 0.2	1.50	>10000	10	< 0.5	24	0.20	< 0.5	14	114	35	12.35	10	< 1	0.50	< 10	0.92	185
	8763	208	274	0.102	< 0.2	2.41	>10000	120	< 0.5	6	1.39	< 0.5	15	128	56	5.82	20	< 1	0.85	10	1.44	355
D7	8764	208	274	0.010	< 0.2	3.75	2410	180	< 0.5	2	4.61	< 0.5	12	109	62	2.67	10	< 1	0.72	< 10	1.10	370
	8765	208	274	0.003	< 0.2	2.97	1020	480	< 0.5	< 2	0.99	< 0.5	21	153	50	4.64	10	< 1	1.27	10	1.96	450
	8766	208	274	0.153	4.8	2.54	>10000	40	< 0.5	12	0.97	< 0.5	18	124	134	6.92	10	< 1	0.58	10	1.40	430
	8767	208	274	0.005	0.8	2.44	2740	230	< 0.5	< 2	0.91	< 0.5	14	92	121	4.10	10	< 1	0.60	10	1.50	510
	8768	208	274	0.064	0.8	2.36	>10000	130	< 0.5	< 2	0.34	< 0.5	14	123	109	6.70	10	< 1	0.92	10	1.49	370
D3	8769	208	274	0.123	2.0	1.97	>10000	150	< 0.5	4	0.31	< 0.5	20	94	107	6.37	10	< 1	0.43	10	1.34	380
	8770	208	274	0.004	< 0.2	3.47	1430	520	< 0.5	< 2	1.03	< 0.5	16	165	68	4.66	< 10	< 1	1.48	10	1.85	460
	8771	208	274	0.005	< 0.2	3.41	4120	410	< 0.5	< 2	1.89	< 0.5	19	191	17	4.16	10	< 1	1.13	10	2.90	490
	8772	208	274	0.007	< 0.2	3.73	2350	640	< 0.5	< 2	0.85	< 0.5	15	194	75	5.62	< 10	< 1	2.22	10	2.40	540
	8773	208	274	0.005	< 0.2	3.16	1820	420	< 0.5	< 2	1.00	< 0.5	18	161	62	4.94	10	< 1	0.76	10	2.31	600
D8	8774	208	274	0.066	0.4	1.88	>10000	70	< 0.5	< 2	0.96	< 0.5	19	128	113	6.65	10	< 1	0.19	10	1.38	515
	8775	208	274	0.039	1.8	2.45	>10000	230	< 0.5	< 2	0.65	< 0.5	16	139	387	5.43	10	< 1	1.06	10	1.62	365
	8776	208	274	< 0.001	< 0.2	2.83	758	290	< 0.5	< 2	1.42	< 0.5	12	111	47	2.65	< 10	< 1	0.86	10	1.00	265
	8777	208	274	< 0.001	< 0.2	4.42	374	320	< 0.5	< 2	1.98	< 0.5	12	99	54	3.42	10	< 1	0.77	10	1.30	340
D9	8778	208	274	< 0.001	< 0.2	2.74	1735	190	< 0.5	< 2	0.73	< 0.5	11	122	104	4.22	10	< 1	0.49	< 10	1.40	475

CERTIFICATION: Ian H Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Nur :1-B
Total Pag :3
Certificate Date: 03-OCT-94
Invoice No. :I9426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
7612	208	274	< 1	0.01	45	1120	18	4	7	11	< 0.01	< 10	< 10	82	< 10	110
7613	208	274	< 1	0.07	31	2150	6	2	11	48	0.07	< 10	< 10	112	< 10	136
7614	208	274	< 1	0.02	37	700	4	< 2	10	7	0.09	< 10	< 10	131	< 10	98
7615	208	274	< 1	0.04	40	850	4	< 2	11	10	0.09	< 10	< 10	136	< 10	94
7616	208	274	< 1	0.01	14	300	6	< 2	2	4	< 0.01	< 10	< 10	28	260	18
7617	208	274	< 1	0.03	34	790	6	2	8	10	0.03	< 10	< 10	104	< 10	102
7618	208	274	< 1	0.01	15	390	8	2	2	10	< 0.01	< 10	< 10	34	< 10	42
7619	208	274	< 1	0.03	35	590	4	< 2	6	7	0.02	< 10	< 10	86	< 10	74
7620	208	274	< 1	0.02	38	740	2	< 2	8	7	0.08	< 10	< 10	108	< 10	84
7621	208	274	< 1	0.02	23	540	12	< 2	4	23	< 0.01	< 10	< 10	54	< 10	48
7622	208	274	< 1	0.02	38	620	4	2	9	8	0.09	< 10	< 10	114	< 10	84
8750	208	274	1	0.04	47	660	2	< 2	9	9	0.04	< 10	< 10	120	< 10	98
8751	208	274	< 1	0.03	39	840	8	4	8	22	0.01	< 10	< 10	117	< 10	96
8752	208	274	< 1	0.03	27	440	6	< 2	3	20	< 0.01	< 10	< 10	39	< 10	50
8753	208	274	< 1	0.02	60	860	12	6	7	11	< 0.01	< 10	< 10	106	< 10	130
8754	208	274	1	0.04	49	730	8	< 2	6	14	< 0.01	< 10	< 10	76	< 10	104
8755	208	274	< 1	0.35	33	1060	6	< 2	15	179	0.12	10	< 10	107	< 10	116
8756	208	274	< 1	0.04	48	870	4	< 2	9	17	< 0.01	< 10	< 10	121	< 10	136
8757	208	274	< 1	0.03	35	710	22	2	6	57	< 0.01	< 10	< 10	71	< 10	110
8758	208	274	< 1	0.03	43	870	12	2	6	35	< 0.01	< 10	< 10	85	< 10	176
8759	208	274	< 1	0.02	15	320	34	6	2	44	< 0.01	< 10	< 10	33	< 10	228
8760	208	274	< 1	0.04	35	830	4	< 2	9	27	0.02	< 10	< 10	116	< 10	98
8761	208	274	< 1	0.12	43	680	< 2	< 2	12	122	0.21	10	< 10	152	20	74
8762	208	274	< 1	0.03	21	360	2	14	8	19	0.03	< 10	< 10	77	270	32
8763	208	274	< 1	0.06	40	660	< 2	< 2	10	99	0.04	10	< 10	105	590	58
8764	208	274	< 1	0.22	38	770	< 2	< 2	7	244	0.16	10	< 10	81	30	52
8765	208	274	< 1	0.08	36	750	< 2	< 2	14	53	0.27	< 10	< 10	171	< 10	92
8766	208	274	< 1	0.09	28	550	112	6	11	59	0.04	< 10	< 10	111	10	118
8767	208	274	< 1	0.09	23	800	8	< 2	12	57	0.13	< 10	< 10	130	20	84
8768	208	274	< 1	0.07	21	600	< 2	< 2	12	24	0.01	< 10	< 10	121	130	62
8769	208	274	< 1	0.03	20	630	34	< 2	10	36	0.04	< 10	< 10	109	230	60
8770	208	274	< 1	0.14	37	850	< 2	< 2	15	88	0.29	< 10	< 10	156	10	96
8771	208	274	< 1	0.24	80	1160	2	< 2	10	174	0.16	< 10	< 10	113	< 10	68
8772	208	274	< 1	0.12	44	830	< 2	< 2	21	68	0.36	10	< 10	197	10	92
8773	208	274	< 1	0.08	53	990	< 2	2	14	57	0.15	10	< 10	158	< 10	76
8774	208	274	< 1	0.03	28	520	4	< 2	10	57	0.01	< 10	< 10	101	40	56
8775	208	274	< 1	0.09	31	700	< 2	< 2	11	57	0.10	< 10	< 10	122	140	60
8776	208	274	< 1	0.18	24	810	2	< 2	5	108	0.18	< 10	< 10	85	< 10	58
8777	208	274	< 1	0.24	20	800	< 2	< 2	11	155	0.13	< 10	< 10	112	10	62
8778	208	274	< 1	0.08	23	980	2	< 2	13	63	0.06	10	< 10	127	< 10	60

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

T \RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page Nu :2-A
Total Page :3
Certificate Date: 03-OCT-94
Invoice No. :19426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

TRENCH	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D9	8779	208	274	0.025	< 0.2	2.79	>10000	210	1.0	< 2	0.84	< 0.5	11	86	66	4.55	10	2	0.69	10	1.37	400
D10	8780	208	274	0.003	< 0.2	2.67	2940	280	< 0.5	< 2	0.88	< 0.5	13	110	79	3.99	10	< 1	0.91	10	1.41	455
	8781	208	274	< 0.001	< 0.2	1.58	94	480	< 0.5	< 2	0.62	< 0.5	9	53	16	2.30	< 10	< 1	0.78	10	0.85	430
	8782	208	274	< 0.001	< 0.2	4.33	148	70	0.5	2	9.11	< 0.5	4	31	13	0.52	< 10	< 1	0.07	< 10	0.23	135
D20	8783	208	274	0.688	9.2	1.43	>10000	20	< 0.5	62	3.27	< 0.5	21	96	138	10.35	10	< 1	0.12	< 10	0.59	210
	8784	208	274	0.008	< 0.2	3.55	1290	60	< 0.5	2	8.63	< 0.5	7	45	24	1.19	< 10	< 1	0.14	< 10	0.47	195
	8785	208	274	0.073	< 0.2	0.42	>10000	30	< 0.5	8	2.34	< 0.5	4	101	13	6.53	10	< 1	0.03	< 10	0.12	125
D19	8786	208	274	< 0.001	< 0.2	3.08	364	160	< 0.5	< 2	2.26	< 0.5	12	88	46	2.62	10	< 1	0.91	10	1.06	270
	8787	208	274	0.003	< 0.2	2.71	1800	160	< 0.5	< 2	1.81	< 0.5	12	109	71	2.98	10	< 1	0.69	10	1.09	350
D5	23174	208	274	0.004	< 0.2	3.73	1890	340	< 0.5	< 2	3.27	< 0.5	13	110	35	3.56	10	< 1	0.85	10	1.52	510
	23175	208	274	0.005	< 0.2	3.33	1815	110	< 0.5	< 2	3.56	< 0.5	10	69	39	1.93	10	< 1	0.19	< 10	0.59	290
	23176	208	274	0.001	0.2	1.07	476	140	< 0.5	< 2	0.15	< 0.5	6	205	8	1.77	< 10	< 1	0.44	< 10	0.53	205
	23177	208	274	< 0.001	< 0.2	2.79	294	400	< 0.5	< 2	0.19	< 0.5	14	204	12	4.17	< 10	< 1	1.34	10	1.40	465
	23178	208	274	< 0.001	< 0.2	1.32	122	260	< 0.5	< 2	0.08	< 0.5	8	269	1	2.03	< 10	< 1	0.81	10	0.68	195
	23179	208	274	< 0.001	< 0.2	3.38	60	270	< 0.5	< 2	0.21	< 0.5	16	193	19	5.30	10	< 1	0.75	10	1.67	580
	23180	208	274	< 0.001	< 0.2	2.99	180	270	< 0.5	< 2	0.25	< 0.5	13	202	25	4.82	10	< 1	0.80	20	1.58	500
	23181	208	274	0.107	0.2	0.78	176	140	< 0.5	4	0.05	< 0.5	4	213	1	1.27	< 10	< 1	0.40	< 10	0.40	120
	23182	208	274	< 0.001	< 0.2	3.50	36	330	< 0.5	< 2	0.27	< 0.5	17	176	26	5.09	10	< 1	1.00	20	1.57	565
	23183	208	274	< 0.001	< 0.2	4.64	108	400	< 0.5	< 2	1.33	< 0.5	20	104	25	5.43	20	< 1	0.82	10	2.03	555
	23184	208	274	0.028	0.4	1.10	312	110	< 0.5	2	0.11	< 0.5	7	237	3	1.80	< 10	< 1	0.30	< 10	0.59	205
	23185	208	274	< 0.001	< 0.2	3.19	198	230	2.0	< 2	0.28	< 0.5	16	169	32	5.27	10	< 1	0.58	20	1.72	575
	23186	208	274	< 0.001	< 0.2	3.06	264	280	2.0	< 2	0.27	< 0.5	14	202	25	4.87	10	< 1	0.73	10	1.65	560
	23187	208	274	0.009	0.2	0.15	376	10	< 0.5	< 2	0.02	< 0.5	2	185	2	0.37	< 10	< 1	0.03	< 10	0.06	35
	23188	208	274	< 0.001	0.2	0.17	22	20	< 0.5	< 2	0.02	< 0.5	1	232	7	0.43	< 10	< 1	0.07	< 10	0.04	40
	23189	208	274	< 0.001	0.2	0.14	36	10	< 0.5	< 2	0.02	< 0.5	1	193	6	0.45	< 10	< 1	0.05	< 10	0.06	30
	23190	208	274	< 0.001	< 0.2	1.87	448	120	< 0.5	< 2	0.12	< 0.5	4	188	32	3.49	10	< 1	0.45	10	0.98	330
	23191	208	274	< 0.001	< 0.2	0.52	4	30	< 0.5	< 2	0.37	< 0.5	3	232	2	0.89	< 10	< 1	0.09	< 10	0.23	170
	23192	208	274	< 0.001	< 0.2	3.15	144	290	< 0.5	< 2	0.28	< 0.5	15	209	42	4.98	10	< 1	0.82	10	1.52	585
	23193	208	274	0.080	2.6	3.18	>10000	140	1.0	2	0.44	1.5	17	157	44	5.86	10	< 1	0.35	10	1.54	570
	23194	208	274	0.035	0.4	2.86	1190	160	0.5	< 2	0.25	< 0.5	17	173	47	4.60	10	< 1	0.40	10	1.48	540
R1	23195	208	274	1.325	7.4	0.52	9140	20	< 0.5	4	0.08	< 0.5	3	195	2	1.57	< 10	< 1	0.10	< 10	0.29	125
	23196	208	274	0.046	0.6	2.93	1940	90	< 0.5	< 2	0.30	< 0.5	18	112	41	5.12	10	< 1	0.28	10	1.65	705
	23197	208	274	0.004	0.2	4.07	710	240	< 0.5	< 2	0.71	< 0.5	18	159	41	5.01	20	< 1	0.55	20	1.70	725
	23198	208	274	0.001	0.2	5.66	348	320	0.5	< 2	1.72	< 0.5	17	68	33	4.88	20	< 1	0.62	10	1.82	665
	935451	208	274	< 0.001	38.8	0.64	9880	20	< 0.5	2	2.03	30.0	4	183	38	2.62	< 10	< 1	0.22	< 10	0.28	820
	935452	208	274	0.004	17.4	0.33	>10000	30	< 0.5	2	5.25	39.0	4	145	17	2.51	< 10	< 1	0.17	< 10	0.11	755
	935453	208	274	< 0.001	0.6	0.24	236	90	< 0.5	< 2	0.42	< 0.5	20	76	132	2.23	10	< 1	0.18	20	0.06	60
	935454	208	274	0.003	2.2	0.87	382	40	< 0.5	< 2	10.85	< 0.5	18	40	162	8.37	< 10	< 1	0.12	< 10	0.34	2900
	935455	208	274	< 0.001	1.2	0.42	130	50	< 0.5	< 2	0.12	< 0.5	4	262	35	1.76	< 10	< 1	0.20	< 10	0.14	90
	935456	208	274	0.029	3.2	0.63	>10000	60	< 0.5	2	0.12	25.0	16	256	9	4.70	< 10	< 1	0.32	< 10	0.19	220

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 03-OCT-94
Invoice No. : I9426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
8779	208	274	< 1	0.12	26	700	4	6	11	62	0.11	10	< 10	121	10	52
8780	208	274	< 1	0.13	30	720	< 2	2	11	58	0.16	< 10	< 10	116	< 10	58
8781	208	274	< 1	0.11	8	490	< 2	< 2	4	39	0.18	< 10	< 10	66	< 10	32
8782	208	274	< 1	0.36	13	770	< 2	2	1	397	0.16	< 10	< 10	20	< 10	22
8783	208	274	1	0.01	23	260	24	14	4	84	0.02	< 10	< 10	41	40	38
8784	208	274	< 1	0.26	20	760	< 2	< 2	2	322	0.10	< 10	< 10	36	< 10	30
8785	208	274	< 1	0.01	6	250	< 2	< 2	1	155	0.01	< 10	< 10	13	440	6
8786	208	274	< 1	0.22	24	900	2	< 2	6	118	0.23	< 10	< 10	95	< 10	70
8787	208	274	< 1	0.22	26	830	< 2	< 2	7	84	0.17	< 10	< 10	98	< 10	62
23174	208	274	< 1	0.24	24	1050	< 2	< 2	9	159	0.21	10	< 10	89	40	74
23175	208	274	< 1	0.27	26	1000	< 2	< 2	3	207	0.16	< 10	< 10	49	10	48
23176	208	274	< 1	0.03	19	440	< 2	< 2	4	7	0.07	< 10	< 10	53	< 10	34
23177	208	274	< 1	0.06	50	590	< 2	< 2	13	9	0.20	< 10	< 10	141	< 10	88
23178	208	274	< 1	0.04	26	170	2	< 2	7	5	0.13	< 10	< 10	80	< 10	38
23179	208	274	< 1	0.04	58	800	< 2	< 2	14	8	0.12	< 10	< 10	178	< 10	108
23180	208	274	< 1	0.05	44	920	< 2	< 2	11	11	0.11	< 10	< 10	143	< 10	106
23181	208	274	< 1	0.03	16	130	< 2	< 2	4	3	0.06	< 10	< 10	45	< 10	22
23182	208	274	< 1	0.06	56	1040	< 2	< 2	13	9	0.16	< 10	< 10	158	< 10	108
23183	208	274	< 1	0.28	32	1260	< 2	< 2	14	110	0.10	10	< 10	110	< 10	118
23184	208	274	< 1	0.03	22	280	2	< 2	4	6	0.03	< 10	< 10	54	< 10	36
23185	208	274	1	0.04	51	930	4	< 2	11	12	0.08	< 10	< 10	147	< 10	116
23186	208	274	< 1	0.04	51	850	< 2	2	11	20	0.10	< 10	< 10	135	< 10	118
23187	208	274	< 1	0.01	7	30	< 2	< 2	< 1	2	< 0.01	< 10	< 10	6	< 10	4
23188	208	274	< 1	< 0.01	7	60	< 2	< 2	< 1	2	< 0.01	< 10	< 10	6	< 10	4
23189	208	274	< 1	< 0.01	4	90	< 2	< 2	< 1	1	< 0.01	< 10	< 10	7	< 10	2
23190	208	274	< 1	0.02	13	510	2	< 2	4	12	0.01	< 10	< 10	66	< 10	48
23191	208	274	< 1	0.02	10	180	< 2	< 2	1	14	< 0.01	< 10	< 10	13	< 10	14
23192	208	274	< 1	0.04	44	1060	< 2	< 2	11	11	0.12	< 10	< 10	144	< 10	108
23193	208	274	< 1	0.09	42	740	32	6	8	43	0.01	< 10	< 10	103	< 10	138
23194	208	274	< 1	0.03	48	890	< 2	< 2	7	12	0.01	< 10	< 10	101	< 10	118
23195	208	274	< 1	0.01	7	160	4	< 2	1	11	< 0.01	< 10	< 10	16	110	14
23196	208	274	< 1	0.02	45	1130	4	< 2	8	14	0.01	< 10	< 10	114	< 10	106
23197	208	274	< 1	0.17	47	970	< 2	< 2	12	57	0.03	< 10	< 10	116	< 10	116
23198	208	274	< 1	0.48	32	1130	2	< 2	15	158	0.05	10	< 10	81	< 10	116
935451	208	274	< 1	0.01	3	250	8690	28	1	24	< 0.01	< 10	< 10	13	< 10	3270
935452	208	274	< 1	0.01	2	150	4710	62	1	121	< 0.01	< 10	< 10	5	< 10	3050
935453	208	274	1	0.05	38	590	70	< 2	1	19	0.17	< 10	< 10	14	< 10	38
935454	208	274	< 1	< 0.01	11	240	14	< 2	2	741	< 0.01	< 10	< 10	6	< 10	114
935455	208	274	1	< 0.01	3	240	32	< 2	2	7	< 0.01	< 10	< 10	8	< 10	66
935456	208	274	< 1	< 0.01	5	260	116	64	2	12	< 0.01	< 10	< 10	12	< 10	1795

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

T RCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 03-OCT-94
Invoice No. :19426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
TRENCH	935457	208	274	< 0.001	0.8	0.54	1100	50	< 0.5	< 2	0.12	21.0	6	301	37	1.89	< 10	1	0.12	< 10	0.29	260
	935458	208	274	< 0.001	1.0	0.09	4760	100	< 0.5	< 2	0.04	1.0	1	275	3	0.76	< 10	< 1	0.04	< 10	0.01	50
	935459	208	274	0.005	0.8	0.11	>10000	10	< 0.5	< 2	1.20	9.0	2	205	6	1.63	< 10	< 1	0.06	< 10	0.08	330
	935460	208	274	0.014	8.4	1.37	>10000	40	< 0.5	< 2	4.20	2.0	13	124	1	5.88	< 10	9	0.28	< 10	1.31	1300
	935461	208	274	0.011	75.2	1.95	>10000	20	< 0.5	72	1.94	>100.0	14	134	201	9.90	< 10	7	0.39	< 10	1.41	810
	935462	208	274	0.013	5.2	1.28	>10000	50	< 0.5	< 2	1.15	>100.0	18	112	55	8.71	< 10	15	0.33	< 10	0.78	455
	935463	208	274	0.005	1.4	0.50	3570	100	< 0.5	< 2	0.09	1.5	2	234	11	0.97	< 10	< 1	0.33	10	0.04	105
	935464	208	274	0.019	23.8	1.43	>10000	60	< 0.5	14	0.26	32.0	17	85	106	7.38	< 10	10	0.69	< 10	0.43	180
	935465	208	274	< 0.001	5.6	2.11	1570	50	< 0.5	< 2	0.11	< 0.5	4	136	101	8.44	10	< 1	0.25	10	1.17	470
	935466	208	274	< 0.001	0.8	1.53	1250	180	< 0.5	< 2	1.51	1.0	9	73	25	3.37	< 10	< 1	0.54	10	0.62	580
	935467	208	274	< 0.001	0.8	2.19	656	170	< 0.5	< 2	4.21	3.0	16	29	44	5.87	< 10	< 1	0.45	10	2.11	1170
	935468	208	274	< 0.001	0.2	1.25	138	140	< 0.5	< 2	1.66	0.5	5	95	17	2.56	< 10	< 1	0.31	20	0.55	440
	935469	208	274	0.007	5.2	0.87	9820	110	< 0.5	2	3.55	35.0	7	39	53	3.34	< 10	< 1	0.42	< 10	0.56	1280
	935470	208	274	< 0.001	0.4	2.30	502	150	< 0.5	< 2	4.13	2.5	15	70	26	4.76	< 10	< 1	0.35	10	2.28	900
	935471	208	274	0.163	7.8	0.82	>10000	40	< 0.5	12	4.49	24.0	8	55	9	4.10	< 10	4	0.28	< 10	0.60	1055
	935472	208	274	< 0.001	0.2	0.45	142	60	< 0.5	< 2	0.10	< 0.5	2	149	24	0.81	< 10	< 1	0.19	10	0.11	90
	935473	208	274	< 0.001	0.4	3.13	92	40	< 0.5	< 2	4.52	< 0.5	31	61	276	5.85	< 10	< 1	0.09	< 10	0.07	565
	935474	208	274	< 0.001	< 0.2	1.57	76	10	< 0.5	< 2	10.25	< 0.5	2	138	1	7.97	< 10	2	0.02	< 10	0.07	2310
	935475	208	274	< 0.001	< 0.2	2.13	38	70	< 0.5	< 2	1.93	< 0.5	1	80	7	0.65	< 10	< 1	0.10	10	0.21	200
	935568	208	274	1.234	5.2	0.10	>10000	80	< 0.5	< 2	0.07	< 0.5	1	234	1	1.62	< 10	< 1	0.02	< 10	0.04	45
	935569	208	274	0.014	< 0.2	3.22	772	250	< 0.5	< 2	0.22	< 0.5	9	203	37	4.95	10	< 1	0.61	10	1.62	570
	935570	208	274	0.685	4.2	1.81	4320	150	< 0.5	< 2	0.13	< 0.5	6	226	20	3.19	< 10	1	0.33	< 10	0.93	330
	935571	208	274	0.024	< 0.2	2.85	1360	190	< 0.5	6	0.25	< 0.5	8	202	30	4.23	< 10	< 1	0.50	10	1.38	495
	935572	208	274	0.145	1.2	2.75	4670	230	< 0.5	8	0.16	< 0.5	8	191	29	4.41	< 10	< 1	0.58	10	1.45	480
	935573	208	274	0.654	4.8	0.43	>10000	30	< 0.5	46	0.06	< 0.5	< 1	303	3	1.49	< 10	1	0.09	< 10	0.21	70
	935574	208	274	0.054	0.6	1.62	>10000	20	< 0.5	< 2	0.24	< 0.5	3	178	3	2.42	< 10	< 1	0.13	< 10	1.01	235
	935575	208	274	0.022	0.4	0.65	6690	50	< 0.5	< 2	0.06	< 0.5	3	272	1	1.55	< 10	< 1	0.09	< 10	0.38	145
	935576	208	274	0.224	1.4	0.24	8300	10	< 0.5	< 2	0.02	< 0.5	1	279	5	1.10	< 10	< 1	0.06	< 10	0.08	45
	935577	208	274	0.337	2.2	0.39	8580	30	< 0.5	< 2	0.07	< 0.5	1	214	3	1.26	< 10	< 1	0.09	< 10	0.18	70
	935578	208	274	0.360	2.6	2.27	>10000	180	< 0.5	9	0.20	< 0.5	4	167	23	3.79	< 10	1	0.44	10	1.25	375
	935579	208	274	0.200	3.0	1.71	>10000	100	< 0.5	4	0.18	< 0.5	8	157	21	3.51	< 10	< 1	0.22	< 10	0.92	315
	935580	208	274	0.353	3.4	2.17	6980	160	< 0.5	< 2	0.14	< 0.5	7	184	20	3.68	< 10	< 1	0.30	10	1.15	360
	935581	208	274	0.787	4.8	0.57	>10000	40	< 0.5	2	0.06	< 0.5	4	233	5	2.74	< 10	3	0.12	< 10	0.28	100
RH	935582	208	274	0.015	0.2	2.73	598	160	< 0.5	< 2	0.18	< 0.5	6	184	32	4.19	< 10	< 1	0.35	10	1.38	415
	935583	208	274	0.020	0.4	2.97	1950	190	< 0.5	< 2	0.19	0.5	7	202	29	4.56	< 10	< 1	0.43	10	1.49	505
	935584	208	274	0.004	0.2	1.50	4470	90	< 0.5	< 2	0.35	< 0.5	8	102	13	2.75	< 10	2	0.49	< 10	1.06	410
	935585	208	274	0.004	0.2	1.92	3760	110	< 0.5	< 2	0.77	0.5	12	103	12	3.19	< 10	< 1	0.52	10	1.49	515
D1	935586	208	274	< 0.001	< 0.2	2.66	260	280	< 0.5	< 2	1.01	< 0.5	12	47	19	4.08	< 10	< 1	1.02	< 10	1.87	745
	935587	208	274	< 0.001	0.2	1.82	2290	100	< 0.5	< 2	0.38	< 0.5	7	112	20	2.93	< 10	< 1	0.32	10	1.27	415
	935588	208	274	< 0.001	< 0.2	3.36	1430	380	< 0.5	< 2	0.97	< 0.5	14	43	27	4.48	< 10	< 1	0.97	< 10	1.94	650

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 03-OCT-94
Invoice No. : 19426696
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426696

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935457	208	274	1	< 0.01	4	170	24	2	2	6	< 0.01	< 10	< 10	15	< 10	2090
935458	208	274	1	< 0.01	3	50	30	4	< 1	7	< 0.01	< 10	< 10	2	< 10	38
935459	208	274	< 1	< 0.01	3	60	34	12	< 1	53	< 0.01	< 10	< 10	3	< 10	754
935460	208	274	< 1	< 0.01	< 1	380	1055	58	4	209	< 0.01	< 10	20	48	< 10	234
935461	208	274	< 1	< 0.01	< 1	750	8320	106	8	82	< 0.01	10	20	87	< 10	>10000
935462	208	274	1	< 0.01	< 1	410	82	44	4	51	< 0.01	20	20	51	< 10	>10000
935463	208	274	< 1	< 0.01	2	240	120	2	< 1	7	< 0.01	< 10	< 10	2	< 10	122
935464	208	274	2	< 0.01	< 1	1070	2830	52	1	35	< 0.01	10	20	20	< 10	2400
935465	208	274	6	0.03	1	1010	190	8	5	13	0.01	< 10	< 10	58	< 10	80
935466	208	274	< 1	0.02	6	970	82	8	4	128	< 0.01	< 10	< 10	21	< 10	206
935467	208	274	< 1	0.01	5	2030	132	6	10	272	< 0.01	< 10	< 10	76	< 10	442
935468	208	274	< 1	0.05	3	600	40	2	4	128	< 0.01	< 10	< 10	18	< 10	110
935469	208	274	< 1	0.01	6	690	768	16	3	255	< 0.01	< 10	< 10	10	< 10	2760
935470	208	274	< 1	0.01	24	1470	40	4	9	318	< 0.01	< 10	< 10	58	< 10	308
935471	208	274	< 1	< 0.01	< 1	1220	370	28	2	192	< 0.01	< 10	10	26	< 10	1890
935472	208	274	< 1	0.07	2	80	10	< 2	1	10	0.01	< 10	< 10	5	< 10	40
935473	208	274	< 1	0.09	16	570	8	< 2	1	285	0.08	< 10	< 10	26	< 10	52
935474	208	274	< 1	< 0.01	1	70	6	4	< 1	< 1	< 0.01	< 10	< 10	11	< 10	124
935475	208	274	< 1	0.24	3	420	6	< 2	< 1	132	0.05	< 10	< 10	5	< 10	44
935568	208	274	1	< 0.01	4	110	4	2	< 1	3	< 0.01	< 10	< 10	4	< 10	2
935569	208	274	1	0.03	36	780	8	< 2	10	14	0.08	< 10	< 10	150	< 10	96
935570	208	274	1	0.03	20	540	4	< 2	5	13	0.03	< 10	< 10	81	< 10	60
935571	208	274	< 1	0.02	29	990	4	< 2	8	13	0.05	< 10	< 10	127	< 10	78
935572	208	274	< 1	0.04	24	680	8	2	9	18	0.06	< 10	< 10	125	< 10	76
935573	208	274	1	0.01	6	80	40	2	2	9	< 0.01	< 10	< 10	22	1500	14
935574	208	274	< 1	0.03	7	280	4	< 2	4	53	0.01	< 10	< 10	56	110	38
935575	208	274	< 1	0.02	14	160	2	< 2	2	9	< 0.01	< 10	< 10	35	< 10	18
935576	208	274	2	0.01	4	80	4	< 2	< 1	14	< 0.01	< 10	< 10	9	< 10	4
935577	208	274	< 1	0.01	6	90	12	2	1	18	< 0.01	< 10	< 10	13	< 10	14
935578	208	274	< 1	0.03	18	780	12	< 2	7	15	0.03	< 10	< 10	99	< 10	58
935579	208	274	< 1	0.03	23	660	14	6	4	17	< 0.01	< 10	< 10	73	< 10	52
935580	208	274	< 1	0.04	27	580	14	2	6	14	0.01	< 10	< 10	92	< 10	62
935581	208	274	1	0.01	12	170	46	2	1	27	< 0.01	< 10	< 10	25	< 10	18
935582	208	274	< 1	0.03	28	730	8	< 2	7	17	0.01	< 10	< 10	117	< 10	66
935583	208	274	1	0.04	30	870	8	2	8	19	0.02	< 10	< 10	125	< 10	74
935584	208	274	< 1	0.10	7	410	4	< 2	6	18	0.11	< 10	< 10	70	< 10	32
935585	208	274	< 1	0.12	13	500	6	2	8	30	0.13	< 10	< 10	88	10	40
935586	208	274	< 1	0.19	8	840	2	< 2	10	53	0.23	< 10	< 10	136	< 10	48
935587	208	274	< 1	0.10	7	450	4	< 2	7	21	0.08	< 10	< 10	76	10	38
935588	208	274	< 1	0.18	4	1050	8	< 2	13	51	0.24	< 10	< 10	88	< 10	70

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Page : 1-A
Total : 1
Certificate Date: 30-SEP-94
Invoice No. : 19426726
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9426726

TRENCH	SAMPLE	PREP CODE		Au oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
D2	T 08788	208	274	< 0.001	< 0.2	2.13	526	170	< 0.5	< 2	3.19	< 0.5	10	69	53	3.29	< 10	< 1	0.32	< 10	1.37	500
	T 08789	208	274	< 0.001	< 0.2	2.51	198	110	< 0.5	< 2	2.74	< 0.5	13	29	29	4.30	< 10	< 1	0.16	< 10	1.67	745

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : KILLER GOLD
Comments:

Certificate Date: 30-SEP-94
Invoice No. :19426726
P.O. Number :
Account :F

CERTIFICATE OF ANALYSIS A9426726

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T 08788	208	274	< 1	0.05	22	790	4	< 2	8	83	0.07	< 10	< 10	82	< 10	72
T 08789	208	274	< 1	0.03	12	750	2	< 2	12	74	< 0.01	< 10	< 10	111	< 10	68

CERTIFICATION: Ivan Bichler

APPENDIX V

GEOPHYSICAL SURVEY

Geophysical Survey

Introduction

An orientation HLEM survey was conducted on two small grids on the Killer Gold Property in order to assess whether a high frequency EM system might be useful in mapping the structures hosting mineralization. This section describes the survey and results.


Survey Description

Two grids were established on the property for the purposes of the trial survey. The South Grid was centred on the showings near the 1994 base camp and the North Grid was approximately 1 km north of this location. Each grid consisted of 3 or 4 lines approximately 400 m long picketed at 50 m intervals. Grids were straight chained and not slope corrected. The survey was conducted with a Maxmin I-9 (s/n 10357) manufactured by Apex Parametrics of Mississauga ON using a 100 m coil spacing and frequencies of 7040, 14,080 and 28,160 Hz. The data was collected using an attached MMC and down-loaded to a laptop computer on completion of the survey. The slopes between reading stations were measured and the data corrected for terrain effect using the standard corrections for slope-chained grids.

Results


Stacked profile plots for each frequency are shown in Figure 1 (North Grid) and Figure 2 (South Grid). The in-phase responses are solid lines and the quadrature responses are dashed lines with deflections above the survey line positive and deflections below negative. A steeply-dipping tabular bedrock conductor such as a mineralized vein or fault zone will produce negative responses with a distance between zero-crossings equal to the coil spacing. The responses amplitude will increase with frequency. Good conductors will deflect both the in-phase and quadrature components at all frequencies while poor conductors will often deflect only the high frequency quadrature channels. The location of apparent bedrock conductors detected by the survey are indicated on each stacked profile. These are best seen in the 28 KHz data. The weak to absent in-phase response, even at these high frequencies, indicates that these conductors are poor and thus there is a chance that they may be caused by overburden effects since the conductivity range of these two types of conductors overlap. The location of these conductors should be checked against the known geology to establish whether the survey is providing any useful geological information.

Respectfully Submitted,




M.A. Power M. Sc. P. Geo.
Geophysicist


7040 Hz



14 KHz



28 KHz



DWG ②


~ - **HLEM Conductor axis**

0 100
metres


CASH RESOURCES	Killer Gold Property
Maxmin I-9 Survey North Grid	Mining District: Whitehorse
	NTS: Scale: 1:2500
AMEROK GEOPHYSICS	OPERATOR: M. Power
	DATE: 08 SEP 94 Figure: 1

093250


7040 Hz



14 KHz



28 KHz



N

093250

093250

DWG (1)

~ - HLEM Conductor axis

0 100 metres

CASH RESOURCES	Killer Gold Property
Maxmin I-9 Survey South Grid	Mining District: Whitehorse
	NTS: Scale: 1:2500
AMEROK GEOPHYSICS	OPERATOR: M. Power
	DATE: 08 SEP 94 Figure: 2