

093279

**EG and BP CLAIMS
CHILDS AND EUREKA CREEKS**

YUKON

115-0-10

63° 32' N 138° 50' W

**RECONNAISSANCE GEOLOGY
AND
GEOCHEMISTRY**

December 12, 1994

Dates of Field Work
July 15-16, 1/2 (August 2, 4), 1993

Prepared by

James S. Christie Ph.D.

Geologist

TABLE OF CONTENTS

	Page
INTRODUCTION	1
LOCATION AND ACCESS	1
TOPOGRAPHY AND VEGETATION	1
LOCATION MAP	2
CLAIM MAP	3
CLAIMS	4
GEOLOGY	
GEOCHEMISTRY	5
EG CLAIMS	5
BP CLAIMS	5
MAP EG 1-18 RECONNAISSANCE GEOCHEMISTRY	6
MAP BP 1-2 RECONNAISSANCE GEOCHEMISTRY	7
CONCLUSIONS	8
RECOMMENDATIONS	8
COST STATEMENT	9
STATEMENT OF QUALIFICATIONS	10
APPENDIX	
GEOCHEMICAL DATA	11

INTRODUCTION

The CHI, BP, CG and EG Quartz Claims cover a major part of the drainage basin of Childs Creek (Gulch), and the headwaters of Eureka Creek both of which have been significant placer gold producing creeks. Current reconnaissance geology, geochemistry, and prospecting have been undertaken to follow up on previous geochemical results and to examine new areas that were thought to have potential for gold mineralization.

Childs Gulch is a left limit tributary of upper Black Hills Creek where placer gold was discovered and first mined at the turn of the century. Dorados Development Ltd. has operated a small placer mining operation on Childs since 1986. It is a relatively small creek of about 5 km in length and Placer deposits mined to date indicate that there must be a gold source in the upper 3 km of the drainage. The BP 1-2 claims cover a silt anomaly in the southeast part of the property, on Barite pup that was identified in a 1992 geochemical reconnaissance. The EG 1 - 26 claims cover the projected trend of geochemical anomalies into the drainage of Eureka Creek where they appeared to go further north beyond the boundary of the CG claims. Eureka Creek is a tributary of Indian River and the headwaters in the Eureka Dome area are very similar to Childs Creek. Slopes are moderate to steep, and bedrock exposures are infrequent and permafrost locally is a problem especially on north and west facing slopes.




LOCATION AND ACCESS

The claims are located about 100km by road southeast of Dawson City, Yukon. This road is gravel beyond the Hunker Creek turnoff and deteriorates south of Granville from which point there is no government road maintenance. Driving time from Dawson is 2.5 to 3.5 hours depending on road conditions. A property location map is included (Figure 1).

TOPOGRAPHY AND VEGETATION

The property is on the flanks of Eureka Dome elevation 4327 feet and the areas of interest lie between 2500-3500 feet. The valley slopes vary from moderate along parts of the lower valley to steep. Drainage of Childs is to the south into Black Hills Creek and Stewart River, but Eureka flows north into Indian River.

Placer gold occurs in the gravels on the valley floors which are up to 8 feet thick and are overlain typically by an average of 8-10 feet of frozen black mud. Usually the mud layer is covered with a thick insulating moss blanket with dense to open spruce forest and willow underbrush. On the lower slopes the black mud thins rapidly and interfingers with talus and slide debris on the slopes. Moss is less and spruce vegetation gives way to poplar-willow-birch on dryer less frozen parts of the mid and upper slopes.




- Type I
- Type II
- Type III
- Type IV
- Type V

PROPERTY
LOCATION
MAP

BP and EG
Quartz Claims

FIG. 1:



CLAIM MAP
115-0-10
SCALE 1:30,000

BP #1-2
EG #1-26 Quartz Claims

FIGURE 2.

The claims lies in an unglaciated part of the Yukon and therefore erosional and weathering processes have gone on without interruption for a long time.

CLAIMS

The property consists of the Quartz claims listed below and shown on the accompanying claim map(Figure 2).

CHI 1-8	YA89771-78
CHI 10-16	YA89779-85
CG 1-20	YB41469-88
CG 33-36	YB41489-92
BP 1-2	YB44805-6
EG 1-10	YB42195-204
EG 11-26	YB45566-81

This report covers work done on or near the BP 1-2 and EG 1-10 claims during 1993.

GEOLOGY

Regional mapping by Bostock 1935-37 indicated that Childs Creek is underlain by gneiss schist quartzite and slate of the Yukon Group of Precambrian and Later age. Generally , this was found to be correct in the course of present traversing but based on float and outcrop sizeable areas of gneissic granite also occur. Bedrock exposures are sparse despite the steepness of the slope. Only the hardest most resistant gneiss, granite gneiss and quartzite form outcrops.

No outcrops were found during the course of the present work and the rock samples taken and shown on the accompanying maps are all of angular float from moderate to steep slopes. On the EG claims the mineralized float samples were rusty weathering pyritic breccias derived from granitic gneiss and quartzite. Unmineralized chloritic semischist and gneiss float was common on the same slopes.

On the BP claims the gold mineralized float sampled was white quartz vein material with pyrite, galena and traces of chalcopyrite and sphalerite. These rocks have a tendency to be rusty weathering and are very similar to the vein material which occurs in a large alteration zone mapped previously along Childs Creek, except that gold values are much lower at Childs. Unmineralized float on the slope was granitic gneiss, schistose gneiss, and schist.

GEOCHEMISTRY

Soil sampling was used as the basic tool to try to evaluate the soil covered slopes in the areas of interest, and where applicable stream sediment a (silt) samples were taken to give a broader perspective. Soil samples were collected using an Eidelman auger at various depths well below all organic layers. Most of the soils were brown to rusty brown in color and contained sand or small angular rock chips. Samples were prepared and analyzed by Chemex Labs of Vancouver, B.C. Analysis for gold was by fusion of a 10 g sample (fire assay) with an AA finish. A 32 element ICP package was also run utilizing a nitric aqua-regia digestion. The analytical procedures and analyses are given in the appendix. Results considered to be anomalous are plotted on the accompanying maps (Figures 3 and 4). In total 12 soils or silt samples and 1 rock chip, and 20 soil/silt and 7 rock chip samples were taken from the BP and EG claims respectively and submitted for analysis.

EG CLAIMS

Anomalous sample results from the EG Claims are shown on Figure 3. The most striking feature of the geochemistry is the strong gold in silt anomaly in the major tributaries of the headwaters Eureka Creek. Values of 70, 900, 2190, 360, and 360 ppb gold were obtained, and all samples also gave low level lead anomalies in the 50 - 100 ppm range. These values are extremely anomalous for the district.

Soil and float sample results mostly from near the top of the slope showed high lead, arsenic, antimony and mercury values across about 3500 feet of the hillside. The anomaly is not continuous in soil indicating that the mineralization probably occurs in narrow or discontinuous fracture zones from which the anomalous rock float has been derived. Since the sample spacing is very large (300-400 feet) it is possible that closer spaced sampling would yield more continuous patterns.

BP CLAIMS

Float of mineralized quartz vein material was found just upstream of the anomalous silt sample (C526) collected in 1992. The assay from this material was 0.414 oz/t gold, and anomalous silver, lead, copper, molybdenum, arsenic and antimony were associated. Soil samples from a line about 500 feet upslope indicates two separate zones of mineralization that were quite evident in the field on the basis of rusty coloured soil, and from anomalous gold/lead values obtained from Chemex (Figure 4).

(6)

EG 1-18 QUARTZ CLAIMS
 Eureka Creek - Yukon
 115-0-10
 RECONNAISSANCE GEOCHEMISTRY

- Soil sample
- x Silt sample
- △ Rock float sample
- Claim Posts

Au 70 - gold ppb
 Pb 96 - lead ppm
 Sb 20 - antimony ppm
 As 50 - arsenic ppm
 Hg -17 - mercury ppm






FIGURE 3.

(7)

BP# 1-2 QUARTZ CLAIMS Childs Creek - Yukon GEOCHEMISTRY

115-0-10



LEGEND

- Soil Sample
- X Silt Sample
- △ Rock Chip Sample (float)

Au 340 - Gold 340 ppb
 Pb 572 - Lead 572 ppm

- see Appendix for other results





FIGURE 4.

CONCLUSIONS

Geochem and assay results from the reconnaissance sampling are encouraging from both areas. On the EG claims very high gold values in silts from the headwaters of Eureka Creek are of interest and require follow-up work. Anomalous lead, arsenic, antimony and mercury values obtained from samples near the top of the slope are indicative of the geochemical environment in which epithermal gold deposits are found and lend credence to the gold anomaly in the creeks below. The headwater slopes of Eureka Creek need to be explored and evaluated, but this may not be a simple matter on account of much of the slope being north facing and adversely affected by permafrost and therefore difficult to soil sample. Soil sampling is however the best and cheapest first approach and should yield some useful information. Geophysical surveys such as induced polarization and resistivity surveys would likely follow.

On the BP Claims the reconnaissance work has shown that two zones of gold mineralization exist and that soil sampling will be an effective means of defining targets on the south facing slope.

RECOMMENDATIONS

EG CLAIMS

Control lines should be run up each of the tributary creeks forming the headwaters of Eureka with stations at 100 foot intervals. Soil samples would be taken from each side of these tributaries at 100 foot intervals or when a suitable sample site is found. Sample lines would then be run 400 feet apart across the slope parallel to the contours and soil samples taken at 100 foot intervals or as allowed by permafrost conditions. These lines would be tied into the control lines in each creek. Soil samples obtained should be well described at each site so that the samples most suitable for analysis can be selected at the end of the program. A second phase of sampling would be done to tighten up the spacing in areas of interest and to run intermediate lines between the 400 foot spaced lines. Gold analyses and 32 element ICP should be run.

BP CLAIMS

A soil grid should be established in the area of interest with the lines run 200 feet apart parallel to the contours. Soil samples should be taken at 100 foot intervals but tightened to 50 foot intervals in areas of rusty soil associated with mineralization. The grid should consist of at least 6 lines but could be extended upslope as far as evidence of mineralization can be traced and indicated by the nature of the soil or by float. Samples should be analyzed for gold and lead.

COST STATEMENT EG and BP CLAIMS - 1993 WORK

EG CLAIMS

J.S. Christie Ph.D. Geologist - 2 days	700.00
T.M. Christie Field Asst. - 2 days	400.00
Chemex Labs geochem analyses	
20 soil/silt @ \$14.73	294.60
7 rocks @ \$17.41	121.87
Field supplies bags, string, flagging etc.	50.00
Living costs --field (excl. report)	
4 mandays @ \$ 50.00	200.00
Milage 4x4 2 days	100.00
Report, maps, drafting, duplication	666.00


TOTAL	\$ 2,532.47

BP CLAIMS

J.S. Christie, Geologist - 1 day	350.00
T.M. Christie, Field Asst. - 1day	200.00
Chemex Labs geochem analyses	
11 soil/silt @ \$ 14.73	162.03
1 rock @ \$ 17.41	17.41
Living costs 2 mandays	100.00
Vehicle 4x4 1 day	50.00
Report, maps , duplication	333.00

TOTAL	\$1,381.32

Respectfully submitted this 12th day
of December, 1994.



James S. Christie Ph.D.,
Geologist

STATEMENT OF QUALIFICATIONS

I, James S. Christie of Dawson City, Yukon and Vancouver, British Columbia, do hereby certify that:

1. I am a Professional Geologist residing at 25 Callison Way, Dawson City , Yukon, Y0B 1G0, or 3921 West 31st Avenue, Vancouver, B.C. V6S 1Y4.
2. I am a graduate of the University of British Columbia, B.Sc., Honours Geology, 1965: Ph.D. Geology, 1973.
3. I have practised my profession as a mining exploration geologist, continuously since 1965.
4. I am a Fellow of the Geological Association of Canada.
5. This report is based on my knowledge of the district, and personally soil sampling and mapping the geology of the property.
6. I am the recorded owner of the CG, EG, and BP Claims and have an interest in the CHI Claims by agreement.

APPENDIX

Geochemical Data



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

A9321194

Comments: ATTN: JIM CHRISTIE

CERTIFICATE

A9321194

GIMLEX ENTERPRISES LTD.

Project: DAWSON-4A
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 is report was printed on 21-SEP-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	7	Geochem ring to approx 150 mesh
274	7	0-15 lb crush and split
229	7	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	7	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	7	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	7	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	7	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	7	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	7	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	7	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	7	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	7	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	7	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	7	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	7	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	7	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	7	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	7	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	7	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	7	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	7	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	7	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	7	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	7	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	7	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	7	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	7	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	7	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	7	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	7	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	7	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	7	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	7	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	7	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	7	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	7	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

A9324696

Comments: ATTN: JIM CHRISTIE

CERTIFICATE

A9324696

GIMLEX ENTERPRISES LTD.

Project: DAWSON 5
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 20-NOV-93.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	210	Dry, sieve to -80 mesh
229	210	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	210	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	210	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	210	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	210	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	210	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	210	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	210	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	210	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	210	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	210	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	210	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	210	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	210	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	210	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	210	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	210	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	210	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	210	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	210	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	210	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	210	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	210	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	210	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	210	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	210	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	210	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	210	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	210	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	210	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	210	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	210	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	210	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	210	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 24-AUG-93
 Invoice No. : I9318990
 P.O. Number :
 Account : FGF

Project : DAWSON-1
 Comments: ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9318990

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
83-C-881 BP	205 274	>10000	0.414	189.5	0.08	34	40	< 0.5	36	0.02	< 0.5	< 1	175	1515	5.52	< 10	< 1	0.08	< 10	< 0.01
93-C-118	205 274	30	-----	2.8	0.38	3390	210	< 0.5	< 2	0.03	2.5	4	273	94	10.75	< 10	17	0.04	< 10	0.01
93-C-120 EG	205 274	25	-----	0.8	0.44	1060	390	< 0.5	< 2	0.03	1.0	3	145	193	12.90	10	< 1	0.06	20	0.01
93-C-123	205 274	< 5	-----	< 0.2	1.31	84	230	< 0.5	< 2	0.02	< 0.5	10	175	21	11.60	10	< 1	< 0.01	30	0.01
93-G-01	205 274	< 5	-----	< 0.2	1.71	< 2	100	< 0.5	< 2	0.98	< 0.5	10	115	25	3.13	< 10	< 1	0.07	< 10	1.18
93-G-02	205 274	< 5	-----	< 0.2	1.95	12	140	< 0.5	< 2	0.44	< 0.5	7	188	13	3.12	< 10	< 1	0.12	< 10	1.24
93-G-03	205 274	< 5	-----	< 0.2	1.26	< 2	40	< 0.5	< 2	1.20	< 0.5	4	53	6	2.74	< 10	< 1	0.04	< 10	0.99
93-G-04	205 274	< 5	-----	< 0.2	2.03	< 2	130	< 0.5	< 2	0.24	< 0.5	8	158	11	3.23	< 10	< 1	0.11	< 10	1.39
93-G-05	205 274	< 5	-----	< 0.2	1.62	< 2	60	< 0.5	< 2	0.29	< 0.5	7	104	16	2.79	< 10	< 1	0.05	< 10	1.21
93-G-08	205 274	< 5	-----	< 0.2	1.52	< 2	190	< 0.5	< 2	2.67	1.5	13	92	6	4.21	10	< 1	0.21	< 10	1.45
93-G-09	205 274	< 5	-----	< 0.2	2.07	< 2	70	< 0.5	< 2	0.77	< 0.5	14	73	14	3.40	< 10	< 1	0.06	< 10	1.52
93-G-10	205 274	< 5	-----	< 0.2	2.47	< 2	200	< 0.5	< 2	1.64	< 0.5	12	166	46	3.81	< 10	< 1	0.21	< 10	1.61
93-G-11	205 274	< 5	-----	< 0.2	1.37	8	100	< 0.5	< 2	0.74	< 0.5	10	62	11	2.68	< 10	< 1	0.09	< 10	1.04
93-G-12	205 274	< 5	-----	< 0.2	2.98	6	90	< 0.5	< 2	2.36	< 0.5	17	115	21	4.40	10	< 1	0.15	< 10	2.33
93-G-13	205 274	< 5	-----	< 0.2	1.49	< 2	40	< 0.5	< 2	0.98	< 0.5	10	121	20	2.92	< 10	< 1	0.06	< 10	1.05
93-G-14	205 274	< 5	-----	< 0.2	1.90	8	80	< 0.5	< 2	2.61	< 0.5	9	70	4	2.57	< 10	< 1	0.23	< 10	1.25
93-G-15	205 274	< 5	-----	< 0.2	1.75	< 2	30	< 0.5	< 2	2.09	< 0.5	10	61	4	2.69	< 10	< 1	0.11	< 10	1.31
93-G-16	205 274	< 5	-----	< 0.2	2.13	< 2	160	< 0.5	< 2	1.70	< 0.5	10	110	6	2.60	< 10	< 1	0.29	< 10	1.28
93-G-17	205 274	< 5	-----	< 0.2	1.87	< 2	120	< 0.5	< 2	0.64	< 0.5	10	42	8	2.89	< 10	< 1	0.09	< 10	1.40
93-G-18	205 274	< 5	-----	< 0.2	2.32	< 2	230	< 0.5	< 2	2.13	< 0.5	12	142	7	3.04	10	< 1	0.32	< 10	1.27
93-G-19	205 274	< 5	-----	0.2	0.89	4	60	< 0.5	< 2	1.78	< 0.5	8	53	14	2.71	< 10	< 1	0.12	< 10	1.05
93-G-20	205 274	< 5	-----	< 0.2	1.23	2	90	< 0.5	< 2	3.72	< 0.5	12	91	77	3.49	< 10	< 1	0.26	< 10	1.79
93-G-21	205 274	< 5	-----	< 0.2	0.58	< 2	40	< 0.5	< 2	2.97	< 0.5	8	54	7	3.19	< 10	< 1	0.08	< 10	1.29
93-R-21	205 274	< 5	-----	1.6	1.73	4	490	< 0.5	< 2	1.00	< 0.5	11	138	119	3.37	10	< 1	0.26	10	0.94
93-R-22	205 274	< 5	-----	0.2	1.46	6	210	< 0.5	< 2	1.67	< 0.5	11	65	81	3.13	10	< 1	0.08	10	1.10
93-R-23	205 274	< 5	-----	0.2	1.75	2	440	< 0.5	< 2	1.66	< 0.5	10	142	94	3.24	10	< 1	0.30	10	0.88
93-R-24	205 274	< 5	-----	0.2	1.27	4	190	< 0.5	< 2	1.49	< 0.5	8	75	87	3.01	10	< 1	0.09	10	0.79
93-R-25	205 274	< 5	-----	0.2	1.36	12	260	< 0.5	< 2	0.95	< 0.5	8	165	99	2.77	< 10	< 1	0.15	< 10	0.82
93-R-26	205 274	< 5	-----	0.2	1.24	8	280	< 0.5	< 2	0.80	< 0.5	8	77	92	3.18	10	< 1	0.13	10	0.81
93-R-27	205 274	< 5	-----	0.4	2.51	8	150	< 0.5	< 2	3.53	< 0.5	21	166	102	4.00	< 10	< 1	0.10	< 10	2.10
93-R-28	205 274	< 5	-----	0.2	1.92	< 2	250	< 0.5	< 2	0.99	< 0.5	17	115	43	3.33	< 10	< 1	0.88	< 10	1.72
93-R-29	205 274	< 5	-----	0.4	1.59	< 2	160	< 0.5	< 2	1.01	< 0.5	33	115	164	3.27	< 10	< 1	0.92	< 10	1.17
93-R-30	205 274	35	-----	3.0	1.10	32	180	< 0.5	< 2	4.25	0.5	26	86	649	3.38	< 10	< 1	0.10	10	0.69
93-R-32	205 274	< 5	-----	0.4	1.23	14	230	< 0.5	< 2	1.28	< 0.5	13	129	147	2.78	< 10	< 1	0.15	10	0.78

CERTIFICATION: Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 24-AUG-93
 Invoice No. : 19318990
 P.O. Number :
 Account : FGF


Project : DAWSON-1
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9318990

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93-C-881 BP	205 274	20	175	< 0.01	5	410	>10000	56	< 1	6	< 0.01	< 10	< 10	7	< 10	16
93-C-118	205 274	105	9	< 0.01	14	940	58	72	1	23	< 0.01	< 10	< 10	22	< 10	82
93-C-120 EG	205 274	70	16	< 0.01	29	3530	34	68	7	46	< 0.01	< 10	< 10	146	< 10	190
93-C-123	205 274	655	1	< 0.01	21	1090	8	2	9	28	< 0.01	< 10	< 10	25	< 10	264
93-G-01	205 274	795	< 1	0.01	11	650	6	< 2	4	24	< 0.01	< 10	< 10	30	< 10	72
93-G-02	205 274	600	< 1	0.08	7	610	< 2	2	5	22	0.02	< 10	< 10	32	< 10	74
93-G-03	205 274	665	< 1	0.03	2	720	2	2	3	23	0.03	< 10	< 10	14	< 10	70
93-G-04	205 274	640	< 1	0.09	6	650	< 2	< 2	6	12	0.01	< 10	< 10	40	< 10	76
93-G-05	205 274	575	< 1	0.02	2	630	< 2	2	3	23	0.01	< 10	< 10	26	< 10	68
93-G-08	205 274	1345	< 1	0.08	14	670	< 2	2	10	72	< 0.01	< 10	< 10	30	< 10	84
93-G-09	205 274	730	< 1	0.02	6	630	< 2	2	4	30	0.04	< 10	< 10	42	< 10	74
93-G-10	205 274	870	< 1	0.04	13	620	< 2	2	6	39	0.09	< 10	< 10	51	< 10	76
93-G-11	205 274	855	< 1	0.01	4	610	< 2	< 2	1	16	0.03	< 10	< 10	18	< 10	58
93-G-12	205 274	1320	< 1	0.03	17	540	< 2	< 2	7	36	0.05	< 10	< 10	64	< 10	110
93-G-13	205 274	580	< 1	0.01	17	430	< 2	2	3	20	0.01	< 10	< 10	30	< 10	60
93-G-14	205 274	710	< 1	0.04	3	550	< 2	2	3	39	0.01	< 10	< 10	28	< 10	64
93-G-15	205 274	685	< 1	0.01	1	660	< 2	2	2	31	0.02	< 10	< 10	24	< 10	66
93-G-16	205 274	695	< 1	0.06	2	600	2	2	3	38	0.10	< 10	< 10	34	< 10	62
93-G-17	205 274	450	< 1	0.02	10	1150	2	2	3	21	< 0.01	< 10	< 10	31	< 10	68
93-G-18	205 274	625	1	0.05	2	590	4	< 2	6	41	< 0.01	< 10	< 10	36	< 10	66
93-G-19	205 274	560	< 1	0.01	2	580	20	< 2	3	36	< 0.01	< 10	< 10	15	< 10	50
93-G-20	205 274	1050	3	0.03	7	620	< 2	< 2	6	88	< 0.01	< 10	< 10	22	< 10	80
93-G-21	205 274	760	< 1	0.03	4	680	< 2	2	4	74	< 0.01	< 10	< 10	9	< 10	46
93-R-21	205 274	420	3	0.08	2	590	164	< 2	7	28	0.02	< 10	< 10	41	< 10	38
93-R-22	205 274	500	< 1	0.01	2	560	< 2	< 2	6	31	0.06	< 10	< 10	46	< 10	40
93-R-23	205 274	455	1	0.07	3	550	< 2	2	5	56	0.02	< 10	< 10	31	< 10	32
93-R-24	205 274	480	1	0.01	3	570	< 2	2	4	32	0.01	< 10	< 10	22	< 10	28
93-R-25	205 274	420	2	0.08	3	550	2	< 2	4	25	0.14	< 10	< 10	32	< 10	30
93-R-26	205 274	395	1	0.01	1	780	2	< 2	5	21	0.04	< 10	< 10	39	< 10	36
93-R-27	205 274	730	< 1	0.04	18	470	4	< 2	12	63	0.13	< 10	< 10	88	< 10	40
93-R-28	205 274	465	< 1	0.01	19	460	< 2	< 2	4	33	0.20	< 10	< 10	74	< 10	56
93-R-29	205 274	305	< 1	0.14	6	570	< 2	2	6	54	0.25	< 10	< 10	67	< 10	46
93-R-30	205 274	700	17	0.01	2	480	4	4	3	133	0.01	< 10	< 10	18	< 10	44
93-R-32	205 274	460	< 1	0.07	3	570	4	< 2	6	25	0.08	< 10	< 10	35	< 10	30

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 6
 Certificate Date: 20-NOV-93
 Invoice No. : 19324696
 P.O. Number :
 Account : FGF

Project : DAWSON 5
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9324696

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
83C-880	201	229	145	17.4	2.56	8	210	< 0.5	< 2	0.53	0.5	14	47	105	4.50	20	< 1	1.19	40	1.42	870
83C-884	201	229	30	0.6	2.47	8	380	< 0.5	< 2	0.80	1.0	20	75	101	4.10	10	< 1	0.73	30	1.32	1870
83C-885	201	229	< 5	< 0.2	2.27	< 2	570	< 0.5	< 2	0.40	< 0.5	23	81	91	3.48	10	< 1	0.63	10	1.63	295
83C-886	201	229	< 5	0.2	2.27	2	1070	< 0.5	< 2	0.60	< 0.5	33	91	137	3.25	10	< 1	1.05	10	2.03	350
83C-887	201	229	< 5	< 0.2	1.58	4	460	< 0.5	2	0.29	< 0.5	8	32	38	3.10	10	< 1	0.31	20	0.77	345
83C-890	201	229	< 5	< 0.2	3.11	8	380	< 0.5	< 2	0.45	< 0.5	18	149	56	4.76	20	< 1	1.31	10	1.77	570
83C-891	201	229	5	< 0.2	1.78	22	230	< 0.5	4	0.30	< 0.5	13	61	41	2.97	10	< 1	0.45	20	0.89	365
93C-01	201	229	< 5	< 0.2	1.91	2	250	< 0.5	2	0.25	< 0.5	10	33	18	2.76	< 10	< 1	0.03	< 10	0.93	445
93C-02	201	229	< 5	< 0.2	2.76	< 2	160	< 0.5	< 2	0.26	< 0.5	20	390	40	3.56	< 10	1	0.02	< 10	2.62	540
93C-05	201	229	< 5	< 0.2	0.99	2	80	< 0.5	2	0.13	< 0.5	12	14	27	3.65	< 10	< 1	0.02	10	0.61	545
93C-06	201	229	150	< 0.2	0.81	8	180	< 0.5	< 2	0.33	< 0.5	18	27	89	5.35	< 10	< 1	0.03	< 10	0.37	1550
93C-07	201	229	< 5	< 0.2	1.83	< 2	160	< 0.5	< 2	0.28	< 0.5	13	140	42	2.77	< 10	< 1	0.06	< 10	1.31	290
93C-08	201	229	< 5	< 0.2	2.01	2	130	0.5	< 2	0.34	< 0.5	16	299	39	2.56	< 10	2	0.02	< 10	1.70	330
93C-09	201	229	< 5	< 0.2	3.14	< 2	140	< 0.5	< 2	0.46	< 0.5	26	550	117	4.14	< 10	< 1	0.03	< 10	2.94	625
93C-11	201	229	30	< 0.2	2.09	2	210	< 0.5	< 2	0.43	< 0.5	14	212	43	2.64	< 10	2	0.03	10	1.37	290
93C-12	201	229	70	< 0.2	2.21	6	240	< 0.5	< 2	0.47	< 0.5	19	123	48	4.00	10	< 1	0.05	10	1.19	435
93C-13	201	229	< 5	< 0.2	1.84	< 2	220	< 0.5	< 2	0.49	< 0.5	13	93	35	2.68	< 10	< 1	0.04	10	1.23	300
93C-14	201	229	< 5	< 0.2	1.57	< 2	290	< 0.5	< 2	0.42	< 0.5	10	63	26	2.54	10	< 1	0.05	10	0.71	285
93C-15	201	229	25	< 0.2	1.71	2	440	< 0.5	2	0.51	< 0.5	11	46	33	2.90	10	< 1	0.07	10	0.66	405
93C-16	201	229	< 5	< 0.2	1.52	< 2	410	< 0.5	< 2	0.43	< 0.5	12	32	36	2.64	< 10	< 1	0.05	10	0.55	435
93C-17	201	229	< 5	< 0.2	1.49	4	390	< 0.5	< 2	0.50	< 0.5	9	29	33	2.58	10	< 1	0.05	10	0.56	330
93C-18	201	229	25	< 0.2	1.53	8	400	< 0.5	2	0.51	< 0.5	9	26	31	2.52	< 10	< 1	0.04	10	0.54	330
93C-19	201	229	< 5	< 0.2	1.62	6	460	< 0.5	< 2	0.92	< 0.5	10	32	35	2.68	10	< 1	0.06	10	0.54	385
93C-20	201	229	60	< 0.2	1.65	14	330	< 0.5	2	0.43	< 0.5	9	34	31	2.73	10	1	0.08	10	0.61	360
93C-21	201	229	< 5	< 0.2	1.95	6	410	0.5	< 2	0.46	< 0.5	12	65	35	2.96	10	1	0.07	10	0.87	345
93C-22	201	229	< 5	< 0.2	1.70	4	350	< 0.5	2	0.38	< 0.5	11	45	31	2.66	10	< 1	0.09	10	0.66	370
93C-23	201	229	< 5	< 0.2	1.49	8	330	< 0.5	< 2	0.36	< 0.5	9	31	24	2.40	< 10	1	0.07	10	0.49	320
93C-24	201	229	< 5	< 0.2	1.15	6	280	< 0.5	2	0.40	< 0.5	9	27	26	2.28	< 10	< 1	0.07	10	0.47	375
93C-25	201	229	< 5	< 0.2	1.53	14	340	< 0.5	< 2	0.59	< 0.5	10	36	32	2.65	10	< 1	0.08	20	0.60	405
93C-26	201	229	< 5	< 0.2	1.90	6	420	< 0.5	< 2	0.61	< 0.5	12	52	35	2.84	10	< 1	0.06	10	0.68	455
93C-27	201	229	< 5	< 0.2	1.58	4	380	< 0.5	< 2	0.46	< 0.5	8	29	26	2.35	10	< 1	0.04	10	0.43	290
93C-28	201	229	< 5	< 0.2	1.57	4	390	< 0.5	2	0.61	< 0.5	9	34	32	2.65	10	< 1	0.07	20	0.55	385
93C-29	201	229	< 5	< 0.2	1.31	10	400	< 0.5	< 2	0.51	< 0.5	8	24	25	2.39	< 10	< 1	0.03	10	0.45	380
93C-30	201	229	< 5	< 0.2	1.17	8	380	< 0.5	< 2	0.49	< 0.5	8	23	21	2.04	< 10	< 1	0.03	10	0.42	400
93C-31	201	229	< 5	< 0.2	1.31	2	300	< 0.5	< 2	0.59	< 0.5	10	30	28	2.41	< 10	1	0.07	10	0.56	425
93C-32	201	229	< 5	< 0.2	1.26	< 2	340	< 0.5	< 2	0.53	0.5	9	29	29	2.33	< 10	< 1	0.06	10	0.46	420
93C-33	201	229	< 5	< 0.2	1.34	8	360	< 0.5	< 2	0.63	< 0.5	9	28	28	2.28	< 10	< 1	0.05	10	0.47	365
93C-34	201	229	< 5	0.2	1.29	4	270	< 0.5	< 2	0.55	< 0.5	9	29	28	2.37	< 10	< 1	0.08	10	0.55	355
93C-35	201	229	< 5	< 0.2	1.00	4	230	< 0.5	< 2	0.45	< 0.5	7	22	15	1.79	< 10	< 1	0.04	10	0.34	305
93C-36	201	229	10	< 0.2	1.32	4	310	< 0.5	< 2	0.91	< 0.5	9	29	28	2.35	< 10	< 1	0.08	10	0.57	410

CERTIFICATION: *Hart Bickler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-B
 Total Pages : 6
 Certificate Date: 20-NOV-93
 Invoice No. : 19324696
 P.O. Number :
 Account : FGF

Project : DAWSON 5
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS

A9324696

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
83C-880	201 229	6	0.01	48	960	248	< 2	9	27	0.14	< 10	< 10	91	10	166
83C-884	201 229	5	0.01	70	770	50	< 2	9	33	0.15	< 10	< 10	89	10	100
83C-885	201 229	1	0.01	41	290	14	< 2	7	23	0.20	< 10	< 10	107	< 10	70
83C-886	201 229	3	0.02	42	450	2	< 2	7	29	0.26	< 10	< 10	117	< 10	54
83C-887	201 229	3	0.01	17	470	14	< 2	3	32	0.10	< 10	< 10	70	< 10	58
83C-890	201 229	1	< 0.01	64	860	14	< 2	10	18	0.24	< 10	< 10	95	10	92
83C-891	201 229	1	< 0.01	35	430	8	< 2	6	16	0.14	< 10	< 10	60	< 10	62
93C-01	201 229	< 1	< 0.01	14	390	< 2	< 2	3	14	0.03	< 10	< 10	37	< 10	60
93C-02	201 229	1	< 0.01	117	310	2	< 2	6	12	0.09	< 10	< 10	71	10	70
93C-05	201 229	1	< 0.01	8	490	2	< 2	3	4	< 0.01	< 10	< 10	17	< 10	48
93C-06	201 229	2	< 0.01	10	990	4	< 2	7	7	< 0.01	< 10	< 10	13	< 10	72
93C-07	201 229	< 1	< 0.01	47	350	4	< 2	2	16	0.13	< 10	< 10	50	< 10	50
93C-08	201 229	1	< 0.01	91	360	4	< 2	2	14	0.16	< 10	< 10	46	< 10	52
93C-09	201 229	< 1	< 0.01	149	460	2	< 2	6	15	0.20	< 10	< 10	84	< 10	68
93C-11	201 229	1	< 0.01	74	450	4	< 2	5	23	0.15	< 10	< 10	53	< 10	56
93C-12	201 229	1	< 0.01	69	570	6	< 2	9	23	0.09	< 10	< 10	64	< 10	70
93C-13	201 229	< 1	< 0.01	39	470	4	< 2	6	27	0.15	< 10	< 10	54	< 10	64
93C-14	201 229	< 1	0.01	29	630	6	< 2	4	27	0.08	< 10	< 10	45	< 10	64
93C-15	201 229	< 1	0.01	28	590	6	< 2	6	35	0.07	< 10	< 10	52	< 10	76
93C-16	201 229	1	0.01	22	580	6	< 2	4	29	0.04	< 10	< 10	43	< 10	58
93C-17	201 229	< 1	0.01	21	520	6	< 2	4	27	0.06	< 10	< 10	44	< 10	66
93C-18	201 229	1	0.01	20	580	6	< 2	4	31	0.06	< 10	< 10	43	< 10	58
93C-19	201 229	1	0.01	24	590	10	< 2	5	43	0.07	< 10	< 10	48	< 10	68
93C-20	201 229	1	0.01	23	630	10	< 2	5	28	0.07	< 10	< 10	46	< 10	68
93C-21	201 229	1	0.01	32	500	10	< 2	6	29	0.08	< 10	< 10	54	< 10	74
93C-22	201 229	< 1	0.01	27	540	6	< 2	6	28	0.07	< 10	< 10	48	< 10	66
93C-23	201 229	1	< 0.01	21	560	8	< 2	6	25	0.07	< 10	< 10	45	< 10	58
93C-24	201 229	< 1	0.01	22	700	8	< 2	4	24	0.06	< 10	< 10	38	< 10	60
93C-25	201 229	< 1	0.02	26	640	8	< 2	5	30	0.09	< 10	< 10	48	< 10	72
93C-26	201 229	1	0.01	29	760	18	< 2	6	36	0.06	< 10	< 10	48	< 10	68
93C-27	201 229	1	0.01	18	640	14	< 2	4	32	0.06	< 10	< 10	43	< 10	52
93C-28	201 229	1	0.01	25	700	12	< 2	5	39	0.09	< 10	< 10	50	< 10	70
93C-29	201 229	1	0.01	20	630	14	< 2	3	34	0.04	< 10	< 10	38	< 10	52
93C-30	201 229	1	0.01	17	700	8	< 2	3	32	0.04	< 10	< 10	35	< 10	48
93C-31	201 229	1	0.01	23	730	10	< 2	4	33	0.07	< 10	< 10	44	< 10	66
93C-32	201 229	1	0.01	22	710	8	< 2	4	31	0.06	< 10	< 10	42	< 10	56
93C-33	201 229	< 1	0.01	22	700	12	< 2	4	37	0.07	< 10	< 10	42	< 10	56
93C-34	201 229	1	0.01	23	690	8	< 2	4	30	0.08	< 10	< 10	45	< 10	64
93C-35	201 229	< 1	0.01	14	660	6	< 2	3	27	0.06	< 10	< 10	35	< 10	46
93C-36	201 229	< 1	0.01	22	670	6	< 2	4	38	0.07	< 10	< 10	43	< 10	64

CERTIFICATION: Paul Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

to: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 23-AUG-93
 Invoice No. : 19318991
 P.O. Number :
 Account : FGF

Project : DAWSON-2
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS

A9318991

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
93-JC-01	214 229	17	< 0.01	72	860	3440	2	10	23	0.04	< 10	< 10	60	< 10	138
93-JC-02	214 229	4	0.01	25	280	426	< 2	3	17	0.09	< 10	< 10	64	< 10	68
93-JC-03	214 229	2	< 0.01	24	420	572	< 2	4	21	0.10	< 10	< 10	60	< 10	54
93-JC-04	214 229	1	0.01	23	340	304	< 2	5	22	0.11	< 10	< 10	60	< 10	54
93-JC-05	214 229	< 1	< 0.01	19	500	96	< 2	3	16	0.05	< 10	< 10	46	< 10	76
93-JC-06	214 229	< 1	0.01	20	560	48	< 2	4	21	0.04	< 10	< 10	49	< 10	74
93-JC-07	214 229	1	< 0.01	19	720	66	4	3	18	0.06	< 10	< 10	44	< 10	80
93-JC-08	214 229	1	< 0.01	24	770	76	< 2	3	13	0.06	< 10	< 10	45	< 10	88
93-JC-09	214 229	< 1	< 0.01	22	590	66	< 2	3	15	0.07	< 10	< 10	41	< 10	88
93-JC-10	214 229	< 1	< 0.01	21	260	152	< 2	3	9	0.03	< 10	< 10	42	< 10	56
93-JC-11	214 229	< 1	< 0.01	28	270	200	< 2	5	14	0.04	< 10	< 10	51	< 10	64
93-JC-12	214 229	< 1	< 0.01	83	550	228	2	7	18	0.07	< 10	< 10	69	< 10	58
93-JC-13	214 229	< 1	0.01	22	610	92	< 2	6	29	0.07	< 10	< 10	49	< 10	86
93-JC-14	214 229	< 1	< 0.01	22	710	66	< 2	5	27	0.08	< 10	< 10	49	< 10	86
93-JC-15	214 229	< 1	< 0.01	18	450	70	< 2	4	18	0.07	< 10	< 10	44	< 10	68
93-JC-16	214 229	< 1	< 0.01	15	440	56	< 2	3	15	0.06	< 10	< 10	32	< 10	62
93-JC-17	214 229	< 1	< 0.01	19	340	72	< 2	4	14	0.10	< 10	< 10	52	< 10	54
93-JC-18	214 229	< 1	< 0.01	22	400	54	< 2	4	15	0.13	< 10	< 10	61	< 10	56
93-JC-19	214 229	< 1	< 0.01	24	310	20	< 2	4	14	0.12	< 10	< 10	64	< 10	56
93-JC-20	214 229	< 1	0.01	18	440	104	< 2	4	16	0.14	< 10	< 10	64	< 10	62
93-JC-21	214 229	< 1	< 0.01	28	330	46	< 2	5	14	0.18	< 10	< 10	77	< 10	60
93-JC-22	214 229	< 1	0.01	112	530	74	< 2	13	29	0.06	< 10	< 10	84	< 10	72
93-JC-23	214 229	< 1	0.01	53	510	110	< 2	7	29	0.06	< 10	< 10	59	< 10	60
93-JC-24	214 229	< 1	0.01	91	500	62	< 2	10	26	0.09	< 10	< 10	68	< 10	74
93-JC-25	214 229	< 1	0.01	41	440	78	< 2	9	36	0.08	< 10	< 10	81	< 10	76
93-JC-26	214 229	< 1	0.01	193	640	58	< 2	15	24	0.03	< 10	< 10	97	< 10	78
93-JC-27	214 229	< 1	< 0.01	36	590	62	< 2	6	17	0.02	< 10	< 10	48	< 10	84
93-JC-28	214 229	< 1	< 0.01	20	390	74	< 2	4	10	0.02	< 10	< 10	37	< 10	58
93-JC-29	214 229	1	< 0.01	31	270	46	2	6	12	0.01	< 10	< 10	37	< 10	70
93-JC-30	214 229	< 1	< 0.01	19	850	86	< 2	4	11	< 0.01	< 10	< 10	29	< 10	52
93-JC-31	214 229	< 1	< 0.01	84	480	106	< 2	6	35	0.12	< 10	< 10	56	< 10	60
93-JC-32	214 229	< 1	0.01	39	340	90	< 2	8	32	0.07	< 10	< 10	69	< 10	68
93-JC-33	214 229	< 1	0.01	73	270	70	< 2	8	22	0.05	< 10	< 10	50	< 10	68
93-JC-34	214 229	< 1	< 0.01	38	270	48	< 2	8	21	0.04	< 10	< 10	45	< 10	64
93-JC-35	214 229	< 1	< 0.01	17	270	90	< 2	4	25	0.02	< 10	< 10	34	< 10	80
93-JC-36	214 229	< 1	0.01	24	480	56	2	6	29	0.02	< 10	< 10	51	< 10	86
93-JC-37	214 229	< 1	0.01	26	470	80	< 2	4	19	0.02	< 10	< 10	48	< 10	58
93-JC-38	214 229	< 1	0.01	23	290	36	2	4	41	0.07	< 10	< 10	51	< 10	54
93-JC-39	214 229	< 1	0.01	64	350	50	< 2	10	33	0.08	< 10	< 10	85	< 10	114
93-JC-40	214 229	< 1	0.01	22	300	64	2	5	27	0.04	< 10	< 10	45	< 10	78

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 23-AUG-93
 Invoice No. : 19318991
 P.O. Number :
 Account : FGF

Project : DAWSON-2
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9318991

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93-JC-01	214 229	2930	14.6	1.43	72	120	1.0	< 2	0.22	1.5	20	36	427	4.91	10	< 1	0.20	50	0.39	955
93-JC-02	214 229	365	1.2	1.62	12	160	< 0.5	< 2	0.41	< 0.5	10	34	51	3.05	< 10	< 1	0.16	10	0.57	320
93-JC-03	214 229	340	0.6	1.61	6	240	< 0.5	< 2	0.31	< 0.5	11	36	41	2.74	< 10	< 1	0.21	10	0.58	615
93-JC-04	214 229	100	0.2	1.72	16	270	< 0.5	< 2	0.38	< 0.5	11	39	37	2.69	< 10	< 1	0.24	10	0.72	360
93-JC-05	214 229	70	< 0.2	1.21	14	260	< 0.5	< 2	0.23	< 0.5	11	24	19	2.51	< 10	< 1	0.04	10	0.37	575
93-JC-06	214 229	900	0.2	1.15	14	260	< 0.5	< 2	0.30	0.5	12	28	22	2.61	< 10	< 1	0.04	10	0.37	760
93-JC-07	214 229	2190	0.2	1.22	20	210	< 0.5	< 2	0.30	< 0.5	10	29	24	2.53	< 10	< 1	0.16	20	0.47	495
93-JC-08	214 229	360	0.2	1.01	18	210	< 0.5	< 2	0.23	< 0.5	11	25	31	2.57	< 10	< 1	0.14	10	0.41	435
93-JC-09	214 229	360	< 0.2	1.26	4	250	< 0.5	< 2	0.33	0.5	10	34	19	2.26	< 10	< 1	0.14	20	0.52	375
93-JC-10	214 229	175	< 0.2	1.76	6	220	< 0.5	< 2	0.13	< 0.5	9	49	19	2.48	< 10	< 1	0.02	< 10	0.68	190
93-JC-11	214 229	130	< 0.2	2.13	< 2	160	< 0.5	< 2	0.26	< 0.5	11	74	35	3.12	< 10	< 1	0.01	< 10	1.15	370
93-JC-12	214 229	230	< 0.2	2.62	< 2	200	0.5	< 2	0.34	< 0.5	22	312	83	3.61	< 10	< 1	< 0.01	< 10	1.90	690
93-JC-13	214 229	90	< 0.2	1.82	8	340	< 0.5	< 2	0.44	< 0.5	8	39	34	2.83	< 10	< 1	0.06	10	0.98	250
93-JC-14	214 229	70	0.2	1.66	14	300	0.5	< 2	0.41	< 0.5	9	37	31	2.80	< 10	< 1	0.06	10	0.85	265
93-JC-15	214 229	90	< 0.2	1.48	< 2	300	< 0.5	4	0.29	< 0.5	9	31	32	2.25	< 10	< 1	0.03	10	0.89	230
93-JC-16	214 229	30	< 0.2	1.22	< 2	260	< 0.5	2	0.27	< 0.5	8	33	24	1.96	< 10	< 1	0.11	10	0.82	190
93-JC-17	214 229	40	< 0.2	1.54	< 2	230	< 0.5	< 2	0.24	< 0.5	8	42	26	2.46	< 10	< 1	0.04	< 10	0.88	215
93-JC-18	214 229	35	< 0.2	1.61	2	180	< 0.5	< 2	0.28	< 0.5	9	54	27	2.64	< 10	< 1	0.04	< 10	1.05	235
93-JC-19	214 229	40	< 0.2	1.92	< 2	200	0.5	< 2	0.26	< 0.5	10	52	30	2.81	< 10	2	0.03	< 10	1.11	295
93-JC-20	214 229	50	< 0.2	1.84	< 2	200	< 0.5	< 2	0.35	< 0.5	11	43	42	2.78	< 10	< 1	0.13	< 10	1.32	390
93-JC-21	214 229	35	< 0.2	2.14	< 2	170	0.5	< 2	0.30	< 0.5	12	66	36	3.30	< 10	< 1	0.03	< 10	1.25	300
93-JC-22	214 229	50	< 0.2	2.72	< 2	310	0.5	< 2	0.59	< 0.5	27	267	50	4.17	< 10	< 1	< 0.01	< 10	1.98	900
93-JC-23	214 229	50	0.2	1.76	< 2	310	< 0.5	< 2	0.49	0.5	15	105	44	3.04	< 10	< 1	0.04	10	1.01	570
93-JC-24	214 229	35	< 0.2	2.31	< 2	290	< 0.5	< 2	0.55	< 0.5	20	151	52	3.66	< 10	< 1	0.02	< 10	1.46	840
93-JC-25	214 229	55	< 0.2	2.31	< 2	410	0.5	< 2	0.61	< 0.5	20	77	47	3.79	< 10	< 1	0.04	< 10	1.29	880
93-JC-26	214 229	55	< 0.2	3.11	< 2	410	< 0.5	< 2	0.54	< 0.5	36	470	72	5.23	< 10	< 1	< 0.01	< 10	2.40	1305
93-JC-27	214 229	40	< 0.2	1.50	< 2	240	< 0.5	< 2	0.28	0.5	13	75	50	3.33	< 10	2	0.02	10	0.74	445
93-JC-28	214 229	55	< 0.2	1.56	4	200	< 0.5	< 2	0.16	< 0.5	9	44	30	3.10	< 10	< 1	0.02	10	0.60	330
93-JC-29	214 229	240	< 0.2	1.88	< 2	330	< 0.5	< 2	0.15	< 0.5	13	58	35	3.67	< 10	< 1	0.02	< 10	0.79	365
93-JC-30	214 229	205	0.2	0.44	4	170	< 0.5	< 2	0.22	0.5	11	36	33	3.21	< 10	< 1	0.02	< 10	0.19	1320
93-JC-31	214 229	45	< 0.2	2.27	< 2	200	< 0.5	< 2	0.54	0.5	16	238	46	2.96	< 10	< 1	0.01	< 10	1.67	375
93-JC-32	214 229	40	< 0.2	2.09	< 2	390	0.5	< 2	0.50	0.5	14	81	40	3.33	< 10	< 1	0.03	10	1.12	490
93-JC-33	214 229	40	< 0.2	1.68	2	350	0.5	< 2	0.35	< 0.5	19	102	49	3.42	< 10	< 1	0.03	< 10	0.89	715
93-JC-34	214 229	30	< 0.2	1.76	8	320	< 0.5	< 2	0.40	< 0.5	14	91	26	2.78	< 10	< 1	0.02	< 10	1.07	650
93-JC-35	214 229	35	< 0.2	1.53	2	390	0.5	< 2	0.34	< 0.5	10	22	25	2.66	< 10	< 1	0.07	10	0.70	580
93-JC-36	214 229	50	< 0.2	1.71	< 2	560	< 0.5	< 2	0.55	0.5	10	25	33	3.52	< 10	< 1	0.19	10	0.74	645
93-JC-37	214 229	30	< 0.2	1.73	8	220	0.5	< 2	0.40	< 0.5	12	41	26	2.70	< 10	< 1	0.03	< 10	0.92	440
93-JC-38	214 229	10	< 0.2	1.44	< 2	390	0.5	< 2	0.92	0.5	10	31	28	2.39	< 10	< 1	0.07	10	0.68	315
93-JC-39	214 229	15	< 0.2	2.98	< 2	460	0.5	< 2	0.55	0.5	20	178	59	3.99	< 10	< 1	0.02	< 10	1.94	680
93-JC-40	214 229	20	< 0.2	1.77	4	390	0.5	< 2	0.46	< 0.5	11	34	35	2.63	< 10	< 1	0.07	10	0.67	360

CERTIFICATION:

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
ATTN: JIM CHRISTIE
3921 W. 31ST AVE.
VANCOUVER, BC
V6S 1Y4

Page Number : 2-B
Total Pages : 2
Certificate Date: 23-AUG-93
Invoice No. : 19318991
P.O. Number :
Account : FGF

Project : DAWSON-2
Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS

A9318991

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
93-JC-41	214	229	< 1	< 0.01	34	370	36	< 2	6	18	0.03	< 10	< 10	48	< 10	52
93-JC-42	214	229	< 1	< 0.01	27	320	48	2	2	13	0.04	< 10	< 10	45	< 10	50
93-JC-43	214	229	< 1	< 0.01	17	310	50	< 2	7	18	0.04	< 10	< 10	43	< 10	102
93-JC-44	214	229	< 1	< 0.01	48	290	84	< 2	12	27	0.05	< 10	< 10	78	< 10	92
93-JC-45	214	229	< 1	0.01	60	330	34	< 2	10	32	0.09	< 10	< 10	85	< 10	158
93-JC-46	214	229	< 1	0.01	68	260	32	< 2	9	43	0.15	< 10	< 10	90	< 10	76
93-JC-47	214	229	< 1	< 0.01	21	550	32	< 2	6	21	0.01	< 10	< 10	42	< 10	94
93-JC-48	214	229	< 1	0.01	55	600	26	< 2	8	30	0.12	< 10	< 10	82	< 10	92
93-JC-49	214	229	1	< 0.01	17	330	222	< 2	7	9	0.03	< 10	< 10	46	< 10	84
93-JC-50	214	229	< 1	< 0.01	12	560	138	< 2	3	11	0.08	< 10	< 10	66	< 10	50
93-JC-51	214	229	< 1	< 0.01	11	460	20	< 2	2	14	0.04	< 10	< 10	35	< 10	56
93-JC-52	214	229	< 1	0.01	54	310	22	2	8	39	0.14	< 10	< 10	82	< 10	120
93C-117	201	229	1	0.02	19	470	8	< 2	8	33	0.14	< 10	< 10	71	< 10	98
93C-119	201	229	1	0.02	21	610	8	2	7	25	0.13	< 10	< 10	88	< 10	100
93C-122	201	229	1	< 0.01	23	630	2	2	10	23	0.12	< 10	< 10	59	< 10	94
93C-124	201	229	1	0.01	16	1010	14	< 2	3	15	0.05	< 10	< 10	66	< 10	66
93C-125	201	229	1	< 0.01	30	210	20	2	6	16	0.08	< 10	< 10	61	< 10	94
93C-126	201	229	11	< 0.01	19	580	34	2	5	11	0.06	< 10	< 10	69	< 10	90
93C-127	201	229	2	< 0.01	20	280	8	< 2	7	20	0.07	< 10	< 10	67	< 10	62
93C-128	201	229	1	< 0.01	25	390	14	< 2	5	16	0.08	< 10	< 10	61	< 10	74
93C-129	201	229	1	< 0.01	28	530	16	2	5	15	0.10	< 10	< 10	52	< 10	94
93C-130	201	229	1	< 0.01	35	620	14	2	6	23	0.10	< 10	< 10	55	< 10	94
93C-131	201	229	< 1	0.01	20	550	20	< 2	5	26	0.08	< 10	< 10	55	< 10	86
93C-121	205	226	4	< 0.01	30	610	16	82	3	62	< 0.01	< 10	< 10	31	< 10	112

The 93-JC Series samples were sieved to -80 mesh in the field and were re-numbered.

93 JC-01 = C882
02 = C883
03 = C888
04 = C889
05 = C892

06 = 893
07 = 894
08 = 895
09 = 896

049 = C115
50 = C116
51 = C132
52 = C34

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number :2-A
 Total Pages :2
 Certificate Date: 23-AUG-93
 Invoice No. : I9318991
 P.O. Number :
 Account : FGF

Project : DAWSON-2
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9318991

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93-JC-41	214 229	< 5	< 0.2	1.64	2	200	< 0.5	< 2	0.33	< 0.5	13	84	23	2.41	< 10	< 1	< 0.01	< 10	1.11	310
93-JC-42	214 229	20	< 0.2	1.64	10	150	< 0.5	2	0.18	< 0.5	11	58	20	2.47	< 10	< 1	0.02	< 10	0.63	215
93-JC-43	214 229	< 5	< 0.2	1.70	< 2	360	0.5	< 2	0.26	< 0.5	11	27	34	2.97	< 10	< 1	0.15	10	0.85	500
93-JC-44	214 229	15	< 0.2	2.77	12	490	0.5	< 2	0.41	< 0.5	19	122	50	3.74	10	< 1	0.06	20	1.52	545
93-JC-45	214 229	< 5	< 0.2	2.91	< 2	390	< 0.5	< 2	0.56	0.5	22	159	96	4.08	< 10	1	0.01	< 10	2.02	735
93-JC-46	214 229	< 5	< 0.2	3.18	< 2	320	0.5	< 2	0.69	< 0.5	26	198	45	3.93	< 10	< 1	< 0.01	< 10	2.53	785
93-JC-47	214 229	< 5	< 0.2	1.95	< 2	250	0.5	< 2	0.38	0.5	11	28	55	2.97	< 10	1	0.05	< 10	0.86	660
93-JC-48	214 229	< 5	< 0.2	2.71	12	260	0.5	< 2	0.63	< 0.5	25	106	49	4.17	< 10	< 1	0.04	< 10	1.62	880
93-JC-49	214 229	< 5	< 0.2	1.85	2	100	0.5	< 2	0.07	0.5	6	29	23	3.38	10	< 1	0.09	20	0.41	360
93-JC-50	214 229	< 5	< 0.2	1.40	< 2	120	0.5	< 2	0.13	< 0.5	6	31	14	3.20	< 10	< 1	0.17	10	0.50	270
93-JC-51	214 229	15	< 0.2	1.16	14	160	0.5	< 2	0.17	< 0.5	4	22	13	1.80	< 10	1	0.05	10	0.31	115
93-JC-52	214 229	15	< 0.2	2.96	< 2	380	< 0.5	< 2	0.66	0.5	20	174	39	3.96	< 10	< 1	< 0.01	< 10	2.15	820
93C-117	201 229	< 5	< 0.2	2.97	4	470	< 0.5	10	0.22	< 0.5	8	48	44	4.09	10	< 1	0.32	30	0.80	345
93C-119	201 229	< 5	< 0.2	1.92	24	310	< 0.5	< 2	0.31	0.5	13	50	34	3.34	< 10	< 1	0.14	10	0.82	325
93C-122	201 229	< 5	< 0.2	2.20	34	360	< 0.5	2	0.31	< 0.5	11	41	32	3.65	10	< 1	0.37	40	0.80	530
93C-124	201 229	< 5	< 0.2	1.77	26	160	< 0.5	< 2	0.13	< 0.5	7	35	23	3.09	10	< 1	0.07	10	0.41	285
93C-125	201 229	< 5	< 0.2	2.26	20	170	< 0.5	< 2	0.18	0.5	10	44	33	3.80	10	< 1	0.11	10	0.63	315
93C-126	201 229	< 5	< 0.2	1.34	62	100	< 0.5	< 2	0.07	0.5	14	30	22	4.55	10	< 1	0.06	10	0.31	590
93C-127	201 229	< 5	< 0.2	2.21	42	230	< 0.5	< 2	0.14	< 0.5	8	38	31	3.16	10	< 1	0.07	20	0.42	230
93C-128	201 229	< 5	< 0.2	1.93	14	170	< 0.5	< 2	0.17	0.5	10	38	32	3.26	10	< 1	0.12	20	0.54	285
93C-129	201 229	< 5	< 0.2	1.79	10	140	< 0.5	2	0.15	0.5	13	35	35	3.79	< 10	< 1	0.33	20	0.55	375
93C-130	201 229	< 5	< 0.2	1.63	6	190	< 0.5	2	0.23	< 0.5	12	45	35	3.40	10	< 1	0.22	30	0.52	385
93C-131	201 229	< 5	0.2	1.65	14	290	< 0.5	< 2	0.27	< 0.5	10	32	24	2.78	< 10	< 1	0.08	20	0.50	235
93C-121	205 226	< 5	0.2	0.42	1580	330	< 0.5	4	0.02	2.0	4	206	206	6.52	< 10	< 1	0.10	< 10	0.02	110

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 20-NOV-93
 Invoice No. : I9324697
 P.O. Number :
 Account : FGF

Project : DAWSON 5
 Comments: ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS A9324697

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
93C-436) EG	205 274	< 5	< 0.2	0.13	276	20	< 0.5	< 2	0.01	0.5	1	264	26	1.46	< 10	< 1	0.02	< 10	0.03	50
	205 274	< 5	< 0.2	0.68	168	180	< 0.5	< 2	0.02	0.5	1	117	37	3.00	< 10	< 1	0.11	< 10	0.04	70
	205 274	< 5	0.8	0.63	494	110	< 0.5	< 2	0.02	4.0	10	178	176	6.39	< 10	< 1	0.04	< 10	0.02	85
	205 274	< 5	2.6	4.04	12	20	< 0.5	< 2	0.13	1.5	99	67	824	10.00	10	< 1	0.05	< 10	3.08	910
93R-33	205 274	< 5	0.6	1.02	< 2	40	< 0.5	< 2	0.15	0.5	8	70	206	2.00	< 10	< 1	0.11	< 10	0.52	215
93R-34	205 274	< 5	< 0.2	1.79	< 2	120	< 0.5	< 2	0.36	< 0.5	5	37	13	2.77	< 10	< 1	0.15	< 10	1.15	485
93R-35	205 274	< 5	< 0.2	4.04	2	30	< 0.5	< 2	0.21	< 0.5	36	24	183	8.42	10	2	0.03	< 10	3.06	800
93R-37	205 274	< 5	< 0.2	3.86	< 2	40	< 0.5	< 2	0.27	< 0.5	33	24	22	7.20	10	< 1	0.06	< 10	2.66	730
93R-39	205 274	< 5	< 0.2	3.59	< 2	20	< 0.5	< 2	0.23	< 0.5	45	42	106	7.48	< 10	< 1	0.03	< 10	2.59	720
93R-42	205 274	< 5	< 0.2	1.65	< 2	80	< 0.5	< 2	0.41	< 0.5	19	73	49	2.13	< 10	< 1	0.07	< 10	1.83	365
93R-49	205 274	< 5	< 0.2	1.33	< 2	50	< 0.5	< 2	0.15	< 0.5	11	56	10	2.94	< 10	< 1	0.14	< 10	0.98	275
93R-50	205 274	< 5	0.2	0.75	< 2	150	< 0.5	< 2	0.23	< 0.5	7	85	12	0.99	< 10	< 1	0.17	10	0.14	50
93R-51	205 274	< 5	0.4	1.17	< 2	110	< 0.5	< 2	0.59	< 0.5	7	33	19	3.98	< 10	< 1	0.22	10	0.18	125
93R-52	205 274	< 5	0.4	0.75	4	60	< 0.5	< 2	0.25	0.5	9	62	58	4.06	< 10	< 1	0.14	< 10	0.07	155
93R-53	205 274	< 5	0.2	2.26	< 2	30	< 0.5	< 2	0.21	< 0.5	13	41	42	4.25	10	< 1	0.09	< 10	1.37	440
93R-54	205 274	< 5	0.2	1.06	< 2	150	< 0.5	< 2	0.62	< 0.5	11	45	35	1.61	< 10	< 1	0.04	< 10	0.58	180
93R-56	205 274	< 5	0.2	1.24	4	110	< 0.5	< 2	0.61	< 0.5	14	68	41	2.02	< 10	< 1	0.03	< 10	0.75	265
93R-57	205 274	< 5	< 0.2	1.60	< 2	200	< 0.5	< 2	0.63	< 0.5	17	60	43	2.78	< 10	< 1	0.07	< 10	1.13	360
93R-58	205 274	< 5	0.2	2.15	< 2	230	< 0.5	< 2	0.32	< 0.5	32	19	56	5.36	10	< 1	0.18	< 10	1.64	385
93R-59	205 274	< 5	0.2	1.16	2	320	< 0.5	< 2	0.76	< 0.5	9	48	85	2.99	< 10	< 1	0.27	< 10	0.70	365
93R-60	205 274	< 5	0.2	2.55	< 2	320	< 0.5	< 2	0.59	< 0.5	40	44	78	5.17	10	< 1	0.23	< 10	2.36	630
93R-61	205 274	< 5	0.2	2.55	< 2	320	< 0.5	< 2	0.59	< 0.5	40	44	78	5.17	10	< 1	0.23	< 10	2.36	630

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: GIMLEX ENTERPRISES LTD.
 ATTN: JIM CHRISTIE
 3921 W. 31ST AVE.
 VANCOUVER, BC
 V6S 1Y4

(5)

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 20-NOV-93
 Invoice No. : I9324697
 P.O. Number :
 Account : FGF

Project : DAWSON 5
 Comments : ATTN: JIM CHRISTIE

CERTIFICATE OF ANALYSIS

A9324697

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
93C-436	205	274	< 1	< 0.01	8	110	2	4	< 1	5	< 0.01	10	< 10	7	< 10	10
93C-437	205	274	3	0.01	8	740	12	20	10	13	< 0.01	< 10	< 10	80	< 10	30
93C-438	205	274	6	< 0.01	121	1350	6	24	9	7	< 0.01	< 10	< 10	178	< 10	408
93R-33	205	274	3	< 0.01	40	280	4	< 2	7	2	0.03	20	< 10	148	< 10	120
93R-34	205	274	2	0.06	15	470	< 2	< 2	< 1	6	0.01	< 10	< 10	7	< 10	50
93R-35	205	274	< 1	0.06	1	740	< 2	< 2	1	18	0.09	< 10	< 10	10	< 10	48
93R-37	205	274	2	0.01	15	250	< 2	< 2	3	6	0.10	10	< 10	155	< 10	136
93R-39	205	274	< 1	0.01	9	260	< 2	< 2	3	9	0.12	10	< 10	134	< 10	60
93R-42	205	274	< 1	0.02	12	290	< 2	< 2	3	11	0.08	20	< 10	114	< 10	96
93R-49	205	274	< 1	0.03	26	620	< 2	< 2	2	22	0.13	< 10	< 10	36	< 10	54
93R-50	205	274	2	0.04	4	570	< 2	< 2	1	3	< 0.01	10	< 10	21	< 10	58
93R-51	205	274	< 1	0.03	6	910	2	< 2	15	9	< 0.01	< 10	< 10	34	< 10	26
93R-52	205	274	1	0.02	6	1890	6	< 2	11	48	< 0.01	< 10	< 10	56	< 10	68
93R-53	205	274	1	0.02	8	1060	4	< 2	15	17	< 0.01	< 10	< 10	79	< 10	48
93R-54	205	274	< 1	0.04	7	690	2	< 2	10	13	< 0.01	< 10	< 10	71	< 10	94
93R-56	205	274	< 1	0.03	16	380	< 2	< 2	3	29	0.12	< 10	< 10	35	< 10	20
93R-57	205	274	< 1	0.03	26	380	< 2	< 2	3	27	0.13	< 10	< 10	42	< 10	40
93R-58	205	274	< 1	0.03	24	340	< 2	< 2	3	37	0.18	< 10	< 10	47	< 10	34
93R-59	205	274	< 1	0.03	8	560	< 2	< 2	11	15	0.06	10	< 10	140	< 10	50
93R-60	205	274	1	0.04	2	540	2	< 2	3	23	0.09	< 10	< 10	28	< 10	30
93R-61	205	274	1	0.03	22	410	2	< 2	10	29	0.24	< 10	< 10	125	< 10	54

CERTIFICATION: Hart Buchler