

093290

GEOCHEMICAL AND TRENCHING REPORT
ON THE
EUREKA CREEK PROPERTY

Dawson Mining Division, Yukon

NTS 115 0/10

Latitude: 63° 30'N

Longitude: 138° 54'W



OWNER:

Pacific Mariner Exploration Ltd.
and
Wealth Resources Ltd.
#1000 - 675 West Hastings Street
Vancouver, B.C.
V6B 1N6

BY

P. SOUTHAM, P. Geo. (B.C.)

March, 1995



YUKON ASSESSMENT REPORT

PROPERTY: EUREKA CREEK PROPERTY

NTS MAP SHEET: 115 O/10

LATITUDE: 63° 30'N

LONGITUDE: 138° 54'W

CLAIMS AND GRANT NUMBERS WORKED: CLARA 16, 18, 20, 26, 37, 39, 41, 43-48, 53, 54, 55, 57; CLARA B 11-14, 90

OWNER OF PROPERTY: Pacific Mariner Exploration Ltd. (50%)
Wealth Resources Ltd. (50%)

ADDRESS: #1000 - 675 West Hastings Street
Vancouver, B.C.
V6B 1N6

TELEPHONE: (604) 685-2222

OPERATOR: Hastings Management Corp.

TYPE OF WORK: Geochemical sampling, trenching

DATE WORK WAS DONE: Between May 29 and October 3, 1994

AUTHOR OF REPORT: Philip Southam, P. Geo.

LIST OF PERSONNEL:

Philip Southam, Hastings Management Corp.
Lee Persinger, Hastings Management Corp.

TABLE OF CONTENTS

	<u>Pg</u>
INTRODUCTION	
LOCATION AND ACCESS	1
TOPOGRAPHY AND VEGETATION	1
PROPERTY STATUS	4
HISTORY	4
REGIONAL GEOLOGY	6
PROPERTY GEOLOGY	6
STRUCTURAL GEOLOGY	9
WORK PROGRAM	10
GEOCHEMICAL SURVEY METHOD	10
GEOCHEMICAL SURVEY RESULTS	10
LITHOGEOCHEMICAL RESULTS	16
TRENCHING RESULTS	16
CONCLUSIONS AND RECOMMENDATIONS	18
<u>LIST OF TABLES</u>	
Table 1 - Claims List	4
Table 2 - Geochemical Survey Program	10

LIST OF FIGURES

	<u>Pg</u>
Figure 1 - Location Map	2
Figure 2 - Road Access Map	3
Figure 3 - Claim Map	5
Figure 4 - Regional Geology	7
Figure 5 - Grid and Trench Location Map	8
Figure 6 - EC2 Grid, 1994 Au Geochemistry and Trench Locations	in pocket
Figure 7 - Trench EC-TR1E Geology and Sample Results	11
Figure 8 - Trench EC-TR5 Geology and Sample Results	12
Figure 9 - EC10 Grid Au and Ag Geochemistry	13
Figure 10 - Trench EC-TR6 Geology and Sample Results	14
Figure 11 - EC11 Contour Line, Au and Ag Geochemistry	15
Figure 12 - Structural Interpretation Map	17

APPENDICES

- Appendix I - Statement of Expenditures
- Appendix II - Statement of Qualifications
- Appendix III - Geochemical Assays
- Appendix IV - Lithochemical Descriptions

INTRODUCTION

Pacific Mariner Explorations Ltd. and Wealth Resources Ltd. have been actively exploring the mineral potential of the Dawson area and in 1992 staked the Eureka Creek property because of its significant gold production from placer mining operations. In 1994 the companies sought to develop the property by trenching several gold-silver soil anomalies discovered in the previous season and continue prospecting for new targets on the property. They were awarded a grant under the Yukon Mining Incentive Program (YMIP) to assist in the exploration costs.

LOCATION AND ACCESS

The property is located 62 kilometers southeast of Dawson City, Yukon (figure 1) centered on 63° 30' north latitude and 138° 54' west longitude on NTS sheet 115 O/10. It is accessible by the Black Hills Creek gravel road (figure 2) from spring to fall or by helicopter from Dawson City in the winter.

TOPOGRAPHY AND VEGETATION

The topography is rolling hills ranging in elevation from 560 meters (1700 ft.) ASL to 1300 meters (4300 ft.) ASL covered with spruce, poplar and birch trees. The area escaped glaciation, thus the valleys are V-shaped and there is less than 1% natural outcrop exposure. The best exposure of bedrock is usually found in placer mine cuts and along road cuts.

On north facing slopes and shaded areas the vegetation consists of spruce trees and thick moss due to permafrost in the underlying soil. Spruce trees are also found in damp soil conditions on the property, such as recessive fault zones or creek gullies. Poplar and birch trees grow on the dry, thawed south, east and west facing slopes. Alder thickets are commonly found along creeks and gullies.


PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.

EUREKA CREEK PROPERTY
DAWSON M.D., YUKON NTS 115-O-10

LOCATION MAP

DATE: FEB/95
BY: P.S.

FIGURE 1



Dawson 5 m

Dawson 13 m


Dawson 24 m

15°

139°00'

45°

30'



PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.

EUREKA CREEK PROPERTY
DAWSON M.D., YUKON NTS 115-0-10

ROAD ACCESS MAP

SCALE 1 : 250,000

DATE: FEB/95
BY: P.S.

FIGURE 2

EUREKA CREEK PROPERTY

EUREKA
DOME 4117

WOUNDED MOOSE
DOME 4159

PROPERTY STATUS

The property consists of 156 quartz claims staked as the Clara and Clara B (figure 3). They are:

Table 1

<u>CLAIM NAME</u>	<u>GRANT NUMBER</u>	<u>EXPIRY DATE*</u>	<u>OWNER**</u>
Clara 1 - 14	YB41497 - 510	31 Dec. 95	C. Little, Wealth Res.
Clara 15 - 36	YB41511 - 32	31 Dec. 95	C. Little
Clara 37 - 58	YB41533 - 54	31 Dec. 95	C. Little
Clara B 1 - 12	YB44921 - 32	31 Dec. 95	C. Little, Wealth Res.
Clara B 15 - 60	YB44933 - 78	31 Dec. 95	C. Little, Wealth Res.
Clara B 75 - 86	YB44979 - 90	31 Dec. 95	C. Little, Wealth Res.
Clara B 61 - 74	YB45005 - 18	31 Dec. 95	C. Little, Wealth Res.
Clara B 87 - 100	YB44991 - 45004	31 Dec. 95	C. Little, Wealth Res.

* With acceptance of this report.


** Pacific Mariner's interest held by C. Little.

HISTORY

The property is located in the historic Klondike region where more than eleven million ounces of gold has been mined from placer deposits in the creeks and on the benches. Placer gold was discovered in 1896 and mining of the creek and bench deposits continues to this day.

Eureka Creek was mined for placer gold in the early days by shafting and ground sluicing and more recently by mechanized mining methods. Between 1978 and 1982 it was the first-ranked placer creek in the Yukon (Y.T.G. Placer Mining, 1978-1982).

Lode gold exploration in the area has been sporadic; many oldtimers probably looked for the hard rock source of the placer gold but little work was ever documented. Phil Van Angeren conducted initial prospecting and soil sampling over the area in 1988 for Arbor Resources Inc. and reported his findings in a




EUREKA
DOMES
4327

NTS 115-O-10c

CREEK

2000



==== EUREKA CREEK PROPERTY BOUNDARY (CLARA AND CLARA B CLAIMS)
==== CLARA CLAIMS BOUNDARY

PACIFIC MARINER EXPLORATION LTD. WEALTH RESOURCES LTD.	
EUREKA CREEK PROPERTY DAWSON M.D., YUKON	NTS 115-O-10
CLAIM LOCATION MAP	
SCALE 1 : 31,680	
DATE: FEB/95 BY: P.S.	
FIGURE 3	

private report. The results were encouraging, but follow-up work was not continued until 1993, after the claims lapsed and were restaked for Pacific Mariner Explorations Ltd. and Wealth Resources Ltd. Detailed soil sampling of several areas identified four gold anomalies, including the Crescent anomaly which was over a kilometer long. Follow-up work on these anomalies has been the focus of activity on this property in 1994.

REGIONAL GEOLOGY

The Klondike region is underlain by a group of moderately metamorphosed rocks of late-Paleozoic age known as the Klondike Series and Nasina Series (represented as Klondike schist and Yukon Group in figure 4). They form part of the Yukon-Tanana Terrane (YTT) on the southwest side of the Tintina Trench. The YTT is formed from the merging of the Omineca Crystalline Belt and the Coast Plutonic Complex into the Intermontane Belt (Tempelman-Kluit, 1977). The Tintina Trench is a major transcurrent fault along which at least 450 km of dextral offset has occurred (Mortensen, 1990).

The gross lithologic assemblages within the YTT consist of Proterozoic and Paleozoic strata which can be correlated with the Omineca Crystalline Belt (OCB). The OCB includes a succession of clastic and carbonate rocks equivalent to miogeoclinal sequences to the east. The western part of the belt is overlain by upper Paleozoic mafic and felsic volcanic rocks with intercalated chert and slate (Tempelman-Kluit, 1977).

Mortensen (1990) describes the Klondike and Nasina series geology as several imbricated thrust panels of polydeformed metavolcanics and metasediments of a buried island arc which can be subdivided into three assemblages. Assemblage I, the uppermost and more widely extensive thrust panel, is metamorphosed mid-Permian felsic plutonic, subvolcanic, and tuffaceous rocks. Assemblage II is mid-Paleozoic or older metasedimentary and mafic and felsic metavolcanic rocks intruded by a large body of latest Devonian - Early Mississippian granitic augen orthogneiss. Assemblage III underlies I and II structurally in the northern and southwestern part of the area and consists of carbonaceous schists and phyllite.

PROPERTY GEOLOGY

The property is underlain by grey micaceous schistose quartzite with horizons of chloritic muscovite schist and small lenses of white to grey quartz. The area has been extensively faulted allowing moderate to strong alteration of the surrounding bedrock. The alteration includes limonite cementing of breccia fragments forming ferricrete, quartz veining and complete obliteration of the host rock into a tan or grey clay gouge. The

PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.

EUREKA CREEK PROPERTY
DAWSON M.D., YUKON NTS 115-0-10




REGIONAL GEOLOGY MAP

(from Map 711A - Bostock, 1942)

SCALE 1 : 253,400

DATE: FEB/95
BY: P.S.

FIGURE 4



PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.


EUREKA CREEK PROPERTY
DAWSON M.D., YUKON NTS 115-0-10

GRID AND TRENCH LOCATION MAP

SCALE 1 : 50,000

DATE: FEB/95
BY: P.S.

FIGURE 5



clay gouge varies in width from half a meter to greater than three meters and appears to correlate directly with anomalous soil samples on the Crescent and Lee anomalies.

STRUCTURAL GEOLOGY

Several fault traces have been identified from bed rock exposure in placer mine cuts and trenching and by interpretation of topographic features (figure 12). The most dominant trend is the 300-318°/18-58° SW orientation. It has been identified in trenches on the Crescent and Lee anomalies and interpreted to occur in at least three other places on the property. The trenches exposed one-half meter to three meter wide gouge zones underlying anomalous soil samples.

The second most obvious trend is 358-022°/vertical which forms the main path of the left fork and upper right fork of Eureka Creek as well as several smaller topographic and geochemical features. This trend was originally thought to be the main mineralized trend on the property. One-half meter to one meter gouge zones have been associated with this trend on the Crescent anomaly and much wider thicknesses of gouge have been observed on the Allen anomaly just 1.5 kilometers west of the main fork in Eureka Creek.

The lower right fork and lower trunk of Eureka Creek has been interpreted to be part of a major low angle thrust oriented approximately 057°/07° SE. The structure has evidently displaced the north-south trending Allen anomaly seen as a 40 meter wide recessive zone on the south side of the right fork. Trenching on strike to the north of the creek (under the YMIP program) failed to locate the zone.

The lower right fork appears to have been "flexed" 18° in a clockwise direction between two major faults striking 345°. The western fault is clearly evident as a recessive zone over the center ridge of the property. The eastern fault can be traced as far north as New Zealand Creek on the north side of Indian River by topographic features and makes a significant impression on the left fork of Eureka Creek just above the main fork.

Several topographic features suggest the presence of a fourth structural trend at 278-285°/40-53° N. The trend is seen best on the upper right fork and on the lower left fork of Eureka Creek. A similar zone may exist lower down on the left fork where the placer mine cut was unable to reach bedrock in a zone that was roughly perpendicular to the creek (R. Allen, pers. comm.).

The intersections of these various faults are believed to be favourable targets for mineralization. There seems to be a strong correlation between the interpreted fault intersections and stretches of richer placer gold cleanups in the creek indicated by

Richard Allen, the local placer miner. Most of the placer gold on the creek is fine and angular to rounded with a fineness of 690 to 720, all good indications that the gold is close to its source.

WORK PROGRAM

The 1994 work program (figure 5) involved soil sampling on line extension and infill lines of the EC2 Grid, the EC10 grid and EC11 contour line, and phase 2 trenching on several anomalies across the property.

Additional work was also completed under a Yukon Mining Incentive Program which has been filed as a separate report with the MDA office. Work completed for YMIP included phase 1 trenching and prospecting on the Crescent Anomaly, prospecting west of the main fork in Eureka Creek and soil sampling in the northwest corner and south end of the property. All expenditures reported for the YMIP are above and beyond those reported here for assessment purposes.

Table 2 - Geochemical Survey Program


<u>Grid Name</u>	<u>Line Kilometers</u>	<u>No. of Samples</u>	<u>Sample Spacing</u>	<u>Line Spacing</u>
EC2 (ext)	5.6	223	25 m	250 m
EC10	2.6	105	25 m	500 m
EC11	1.95	40	50 m	contour
TOTAL	8.15	368		

GEOCHEMICAL SURVEY METHOD


Sample stations on the cross lines of the grids and contour lines were marked with flagging ribbon. Soil samples were taken from the B-horizon, found at depths of 5 to 40 centimeters, using a standard mattock. The samples were placed in kraft soil sample bags and dried prior to shipping. All samples were delivered to Northern Analytical Labs for assay for gold and silver.

GEOCHEMICAL SURVEY RESULTS

The results of the EC2 grid extensions (figure 6) gave some clarity to the Crescent anomaly and identified three other anomalous zones. Two of these zones are narrow, but have high geochemical values; the third zone is much broader and has traces of fault gouge in rubble crop but low geochemical values. All three zones trend north to north-northeast, sub-parallel to the




PACIFIC MARINER EXPLORATION LTD. WEALTH RESOURCES LTD.	
EUREKA CREEK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
TRENCH EC-TR1E GEOLOGY AND SAMPLE RESULTS	
SCALE 1 : 200	
DATE: FEB/95	
BY: P.S.	
FIGURE 7	




Trench Geology

The bedrock for the entire length of the trench is a grey graphitic gouge with lenses and pods of strongly altered schist and white to grey quartz vein fragments. The zone is nearly horizontal with an apparent slight dip (5-7°) to the south.

SAMPLE	Au ppb FA+AA	Ag ppm
EC-TR5-01	< 5	0.4
EC-TR5-02	< 5	0.2
EC-TR5-03	10	< 0.2
EC-TR5-04	< 5	0.2
EC-TR5-05	30	< 0.2
EC-TR5-06	120	0.2
EC-TR5-07	30	0.2
EC-TR5-08	640	0.4
EC-TR5-09	55	0.4
EC-TR5-10	< 5	0.2
EC-TR5-11	< 5	0.2
EC-TR5-12	< 5	0.6
EC-TR5-13	< 5	0.2
EC-TR5-14	< 5	< 0.2
EC-TR5-15	< 5	< 0.2
EC-TR5-16	< 5	< 0.2
EC-TR5-17	< 5	< 0.2
EC-TR5-18	< 5	< 0.2
EC-TR5-19	< 5	0.4
EC-TR5-20	< 5	< 0.2
EC-TR5-21	< 5	< 0.2
EC-TR5-22	< 5	< 0.2
EC-TR5-23	< 5	< 0.2
EC-TR5-24	< 5	< 0.2






⊗ Grab Samples



PACIFIC MARINER EXPLORATION LTD. WEALTH RESOURCES LTD.	
EUREKA CREEK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
TRENCH EC-TR5 GEOLOGY AND SAMPLE RESULTS	
SCALE 1 : 200	
DATE: FEB/95 BY: P.S.	

FIGURE 8

Sample #	Au ppb	Ag ppm	Sample #	Au ppb	Ag ppm
0 N 5+00W	<5	<0.1	5+00N 5+00W	<5	0.3
0 N 4+75W	10	<0.1	5+00N 4+75W	<5	0.5
0 N 4+50W	6	<0.1	5+00N 4+50W	<5	0.4
0 N 4+25W	6	<0.1	5+00N 4+25W	<5	0.3
0 N 4+00W	5	<0.1	5+00N 4+00W	<5	0.3
0 N 3+75W	12	0.1	5+00N 3+75W	<5	0.6
0 N 3+50W	7	<0.1	5+00N 3+50W	10	0.4
0 N 3+25W	<5	<0.1	5+00N 3+25W	<5	0.5
0 N 3+00W	10	0.1	5+00N 3+00W	6	0.3
0 N 2+75W	7	0.1	5+00N 2+75W	<5	0.4
0 N 2+50W	10	<0.1	5+00N 2+50W	12	0.8
0 N 2+25W	5	<0.1	5+00N 2+25W	10	0.4
0 N 2+00W	<5	0.3	5+00N 2+00W	<5	0.4
0 N 1+75W	5	0.2	5+00N 1+75W	6	0.6
0 N 1+50W	6	0.3	5+00N 1+50W	13	1.0
0 N 1+25W	<5	<0.1	5+00N 1+00W	7	0.5
0 N 1+00W	<5	0.2	5+00N 0+75W	6	0.6
0 N 0+75W	<5	<0.1	5+00N 0+50W	12	1.1
0 N 0+50W	5	0.3	5+00N 0+25W	6	0.5
0 N 0+25W	6	0.9	5+00N 0+00W	<5	0.3
0 N 0+00	10	0.4	5+00N 0+25E	5	0.2
0 N 0+25E	10	0.9	5+00N 0+50E	<5	0.2
0 N 0+50E	6	0.7	5+00N 0+75E	6	0.2
0 N 0+75E	5	<0.1	5+00N 1+00E	5	0.6
0 N 1+00E	<5	0.3	5+00N 1+25E	5	0.3
0 N 1+25E	<5	0.2	5+00N 1+50E	8	0.8
0 N 1+50E	7	0.1	5+00N 1+75E	7	0.7
0 N 1+75E	8	0.1	5+00N 2+00E	9	0.5
0 N 2+00E	<5	0.1	5+00N 2+25E	11	0.4
0 N 2+25E	<5	0.2	5+00N 2+50E	36	0.4
0 N 2+50E	27	0.5	5+00N 2+75E	6	0.4
0 N 2+75E	8	0.1	5+00N 3+00E	6	0.4
0 N 3+00E	11	0.2	5+00N 3+25E	10	0.4
0 N 3+25E	<5	0.3	5+00N 3+50E	<5	0.4
0 N 3+50E	8	0.3	5+00N 3+75E	<5	0.4
0 N 3+75E	6	0.2	5+00N 4+00E	<5	0.2
0 N 4+00E	7	0.3	5+00N 4+25E	<5	0.6
0 N 4+25E	8	0.2	5+00N 4+50E	<5	0.4
0 N 4+50E	11	0.4	5+00N 4+75E	<5	0.3
0 N 4+75E	8	0.2	5+00N 5+00E	<5	0.2
0 N 5+00E	25	0.3	5+00N 5+25E	<5	0.3
0 N 5+25E	13	0.5	5+00N 5+50E	11	0.7
0 N 5+50E	11	0.4	5+00N 5+75E	<5	0.5
0 N 6+00E	10	0.2	5+00N 6+00E	<5	0.1
0 N 6+25E	8	0.3	5+00N 6+25E	<5	0.5
0 N 6+50E	6	0.1	5+00N 6+50E	13	0.2
0 N 6+75E	6	0.2	5+00N 6+75E	19	0.3
0 N 7+00E	6	0.2	5+00N 7+00E	8	0.2
0 N 7+25E	12	0.1	5+00N 7+25E	15	1.5
0 N 7+50E	8	0.4	5+00N 7+50E	18	0.4
0 N 7+75E	8	<0.1	5+00N 7+75E	5	0.2
0 N 8+00E	6	0.1	5+00N 8+00E	7	0.3





PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.

EUREKA CREEK PROPERTY
 DAWSON M.D., YUKON NTS 115-0-10

EC10 GRID
Au AND Ag GEOCHEMISTRY

SCALE 1 : 10,000

DATE: FEB/95
 BY: P.S. FIGURE 9



SAMPLE	Au ppb FA+AA	Ag ppm
EC-TR6-1	< 5	< 0.2
EC-TR6-2	< 5	0.2
EC-TR6-3	10	0.4
EC-TR6-4	< 5	0.6
EC-TR6-5	< 5	0.2

PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.


EUREKA CREEK PROPERTY
DAWSON M.D., YUKON NTS 115-O-10

TRENCH EC-TR6
GEOLOGY AND SAMPLE RESULTS


SCALE 1 : 200

DATE: FEB/95
BY: P.S.

FIGURE 10



Sample #	Au ppb	Ag ppm
D 1	13	0.4
D 2	5	0.3
D 3	<5	0.5
D 4	7	1.0
D 5	<5	0.1
D 6	<5	0.2
D 7	<5	0.2
D 8	<5	0.4
D 9	<5	0.2
D 10	5	0.4
D 11	<5	0.1
D 12	<5	0.1
D 13	<5	0.1
D 14	12	0.1
D 15	<5	<0.1
D 16	<5	0.2
D 17	6	0.1
D 18	11	0.1
D 19	6	0.3
D 20	9	0.2
D 21	<5	0.5
D 22	5	0.1
D 23	<5	0.2
D 24	<5	0.2
D 25	5	0.2
D 26	11	0.3
D 27	16	1.0
D 28	9	0.7
D 29	12	0.3
D 30	18	0.4
D 31	7	0.1
D 32	8	0.1
D 33	17	0.8
D 34	14	0.3
D 35	16	0.1
D 36	9	0.3
D 37	6	0.2
D 38	<5	0.1
D 39	7	0.1
D 40	<5	0.2



PACIFIC MARINER EXPLORATION LTD.
WEALTH RESOURCES LTD.

EUREKA CREEK PROPERTY
 DAWSON M.D., YUKON NTS 115-O-10

EC11 CONTOUR LINE
Au AND Ag GEOCHEMISTRY

SCALE 1 : 10,000

DATE: FEB/95 FIGURE 11
 BY: P.S.

north arm of the Crescent anomaly, possibly representing a series of parallel mineralized fault structures on the 358-022° trend.

The EC10 grid (figure 9) and EC11 contour line (figure 11) did not have any significant gold or silver results.

LITHOGEOCHEMICAL RESULTS

Fifteen rock samples were taken during the course of the soil sampling program. The sample locations and gold/silver results are listed on figures 6 and 11. Sample R4 returned 8.7 ppm Ag. All other samples returned background level results.


TRENCHING RESULTS

Five trenches were attempted during a late September program on the Eureka Creek property, two of which were abandoned due to frozen ground. Of the remaining three, two were on the EC2 grid (figure 6) and one was on the EC10 grid (figure 9).


Trench EC-TR1E was an extension to the side of trench EC-TR1 where a thick clay gouge zone was partially exposed (figure 7). The extension cut through folded, broken, altered quartzite and graphitic gouge. The extension exposed the true strike of the clay gouge zone to be northwest at 310°, dipping 54° to the south, an orientation which is, as mentioned above, observed elsewhere on the property.

Trench EC-TR5 (figure 8) tested the weakly mineralized rubble zone discovered on line 15+00 N, station 9+25 E of the EC2 grid extension. The width of the gouge exposed was an impressive 55 meters and still open on both ends, however this trench may actually be along strike. Although the zone appears to have a north trend, the trench itself also lies on strike with a northwest (310°) trending zone that coincides with a creek to the southeast. This creek, forming part of the headwaters of the left fork of Eureka Creek, was extensively worked by placer miners at the turn of the century (R. Allen, pers. comm.) and may represent a mineralized fault zone.

The Lee anomaly (figure 9) was tested by trench EC-TR6 (figure 10). The trench exposed a blue grey graphitic gouge zone trending 318°/58° SW, lying directly on strike from a significant creek valley to the southeast. This zone was anticipated in the 1993 assessment report on Eureka Creek based on topographic expression. Sample results from the trench did not return any gold or silver values.



PACIFIC MARINER EXPLORATION LTD. WEALTH RESOURCES LTD.	
EUREKA CREEK PROPERTY	
DAWSON M.D., YUKON	NTS 115-O-10
STRUCTURAL INTERPRETATION MAP	
SCALE 1 : 50,000	
DATE: FEB/95	FIGURE 12
BY: P.S.	



CONCLUSIONS AND RECOMMENDATIONS

Eureka Creek and area has undergone extensive faulting forming numerous gouge and/or brecciated zones. This has been confirmed by local placer miners who say the mine cuts were often underlain by clay gouge which is very difficult, if not impossible, to wash. Most of the fault structures have been obscured by a veneer of soil and valley-bottom muck, making it difficult to locate and identify them as faults.

The most encouraging results of the 1994 season was the confirmation of at least two of the major fault trends and the interpreted connection between fault intersections and the big placer gold cleanups and old workings on the creek. Minor gold mineralization was confirmed in the trench sampling over gouge and brecciated zones on the Crescent anomaly, indicating that the system is, indeed, mineralized.

It is recommended that this property be tested by a minimum 900 meters of diamond drilling. Priority targets are the four-way fault intersection just above the main fork to the left and the Crescent anomaly. Other targets include the Allen anomaly and other similar interpreted fault intersections. An on-going program of prospecting and soil sampling, guided by the structural interpretations, will also help to increase the understanding of this complex property.

BIBLIOGRAPHY

- MacLean, T.A., 1914. Lode mining in the Yukon: an investigation of quartz deposits in the Klondike division; Canada Dept. of Mines, Mines Branch Publication 222, Ottawa.
- Mortensen, J.K., 1990. Geology and U-Pb geochronology of the Klondike district, west-central Yukon Territory; Canadian Journal of Earth Sciences, Vol. 27, p. 903-914.
- Southam, P.S., 1994. Geochemical and prospecting report on the Eureka Creek property; Yukon assessment report.
- Templeman-Kluit, D., 1976. The Yukon crystalline terrane: Enigma in the Canadian Cordillera; Geol. Soc. America Bull., v. 87, p. 1343-1357.
- Van Angeren, P., 1988. Geology and geochemistry report on the REKA 1-146 claims; In-house report for Arbor Resources Ltd.

APPENDIX I

STATEMENT OF EXPENDITURES

EUREKA CLAIMS - EXPENDITURES

SALARIES

Before July 13/95	
Phil Southam - 4 mandays @ \$180/day	720
Lee Persinger - 2 mandays @ \$150/day	300
After July 13/95	
Philip Southam - 3 mandays @ \$180/day	540
Lee Persinger - 3 mandays @ \$150/day	450
Report preparation - P. Southam - 7 mandays @ \$180/day	1260

GEOCHEMICAL ANALYSIS

Before July 13/95	
348 soil samples and 16 rock samples	5013
After July 13/95	
40 rock samples @ \$20.35/sample	814

TRENCHING

After July 13/95	
24 hrs @ \$140/hr	3360

LOGISTICAL COSTS

Food and lodging - 12 mandays @ \$50/day	600
Vehicle fuel and maintenance	250

SUBTOTAL	<u>13307</u>
----------	--------------

Administration Fee (15%)	1996
GST on Administration (#129350518)	140

TOTAL	<u>15443</u>
-------	--------------

EUREKA CLAIMS - YMIP EXPENDITURES

SALARIES

Phil Southam - 8 mandays @ \$180/day	1440
Lee Persinger - 4 mandays @ \$150/day	600
Report Prep. and Drafting - 5 mandays @ \$180/day	900

GEOCHEMICAL ANALYSIS

5 rock samples @ \$18.75/sample	94
98 trench samples @ \$16.10/sample	1688
114 soil samples @ \$12.81/sample	1460
6 rock samples @ \$20.35/sample	122

TRENCHING

25 hrs @ \$160/hr	4000
5 hrs @ \$160/hr	800

TRANSPORTATION

Gas	131
-----	-----

SUPPLIES

42

TOTAL

11277


APPENDIX II


STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Philip James Southam of 103 - 6615 Telford Avenue, Burnaby, British Columbia, do hereby certify:

1. I am a geologist registered with the Association of Professional Engineers and Geoscientists of British Columbia.
2. I graduated from Brandon University in 1987 with a Bachelor of Science degree majoring in geology.
3. I have practised my profession continuously since graduation in British Columbia, Manitoba, Yukon Territory and California in the field of mineral exploration.
4. I was employed by Hastings Management Corporation to provide geological services for Pacific Mariner Exploration Ltd. and Wealth Resources Ltd.
5. All work completed for the purpose of this report was done under my supervision.


Philip Southam



The seal is an octagonal stamp with a double border. The text inside the seal reads: "PROFESSIONAL" at the top, "PROVINCE OF" in the middle, "P. J. SOUTHAM" in the center, "BRITISH COLUMBIA" below that, and "GEOSCIENTIST" at the bottom.

APPENDIX III

GEOCHEMICAL ASSAYS

21/06/94

Assay Certificate

Page 1

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	2+50S	0+00E	6	0.4
EC 2	2+50S	0+25E	12	0.4
EC 2	2+50S	0+50E	<5	0.5
EC 2	2+50S	0+75E	8	0.4
EC 2	2+50S	1+00E	7	0.3
EC 2	2+50S	1+25E	I.S.	I.S.
EC 2	2+50S	1+50E	13	0.4
EC 2	2+50S	1+75E	35	0.4
EC 2	2+50S	2+00E	119	1.0
EC 2	2+50S	2+35E	<5	0.7
EC 2	2+50S	2+50E	<5	0.6
EC 2	2+50S	2+75E	18	0.4
EC 2	2+50S	3+00E	13	0.4
EC 2	2+50S	3+25E	6	0.5
EC 2	2+50S	3+50E	15	0.6
EC 2	2+50S	3+75E	11	0.6
EC 2	2+50S	4+00E	31	0.6
EC 2	2+50S	4+25E	27	0.6
EC 2	2+50S	4+50E	10	0.4
EC 2	2+50S	4+75E	I.S.	I.S.
EC 2	2+50S	5+00E	I.S.	I.S.
EC 2	2+50S	5+25E	I.S.	I.S.
EC 2	2+50S	5+50E	I.S.	I.S.
EC 2	2+50S	5+75E	I.S.	I.S.
EC 2	2+50S	6+00E	I.S.	I.S.
EC 2	2+50S	6+25E	I.S.	I.S.
EC 2	2+50S	6+50E	I.S.	I.S.
EC 2	2+50S	6+90E	7	0.4
EC 2	2+50S	7+00E	I.S.	I.S.
EC 2	2+50S	7+25E	I.S.	I.S.
EC 2	2+50S	7+50E	I.S.	I.S.
EC 2	2+50S	7+75E	I.S.	I.S.
EC 2	2+50S	8+00E	16	0.6
EC 2	2+50S	8+25E	I.S.	I.S.
EC 2	2+50S	8+50E	20	0.7

Certified by

21/06/94

Assay Certificate

Page 2

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	2+50S	8+75E	I.S.	I.S.
EC 2	2+50S	9+00E	I.S.	I.S.
EC 2	2+50S	9+25E	17	0.7
EC 2	2+50S	9+50E	8	0.7
EC 2	2+50S	9+75E	11	0.8
EC 2	2+50S	10+00E	<5	0.5
EC 2	2+50S	10+25E	27	0.5
EC 2	2+50S	10+50E	12	0.6
EC 2	2+50S	10+75E	16	0.5
EC 2	2+50S	11+00E	12	0.9
EC 2	1+00S	0+00E	<5	0.8
EC 2	1+00S	0+25E	<5	0.5
EC 2	1+00S	0+50E	<5	0.4
EC 2	1+00S	0+75E	6	0.4
EC 2	1+00S	1+00E	10	0.3
EC 2	1+00S	1+25E	9	0.3
EC 2	1+00S	1+50E	<5	1.0
EC 2	1+00S	1+75E	<5	0.9
EC 2	1+00S	2+00E	8	0.4
EC 2	1+00S	2+25E	9	0.6
EC 2	1+00S	2+50E	8	0.3
EC 2	1+00S	2+75E	30	0.4
EC 2	1+00S	3+00E	16	0.3
EC 2	1+00S	3+25E	13	0.7
EC 2	1+00S	3+50E	32	0.4
EC 2	1+00S	3+75E	48	0.6
EC 2	1+00S	4+00E	12	0.5
EC 2	1+00S	4+25E	26	1.0
EC 2	1+00S	4+50E	16	0.8
EC 2	1+00S	4+75E	15	0.6
EC 2	1+00S	5+00E	11	0.5
EC 2	1+00S	5+25E	39	1.8
EC 2	1+00S	5+50E	15	0.6
EC 2	1+00S	5+75E	17	0.7
EC 2	1+00S	6+00E	19	0.5

Certified by

21/06/94

Assay Certificate

Page 3

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	1+00S	6+25E	16	0.4
EC 2	1+00S	6+50E	12	0.5
EC 2	1+00S	6+75E	23	0.4
EC 2	1+00S	7+00E	20	0.6
EC 2	3+50N	0+00	26	0.4
EC 2	3+50N	0+25E	41	0.5
EC 2	3+50N	0+50E	13	0.3
EC 2	3+50N	0+75E	37	0.3
EC 2	3+50N	1+00E	12	0.3
EC 2	3+50N	1+25E	6	0.6
EC 2	3+50N	1+50E	10	0.6
EC 2	3+50N	1+75E	54	1.5
EC 2	3+50N	2+00E	10	0.5
EC 2	3+50N	2+25E	<5	0.6
EC 2	3+50N	2+50E	12	0.4
EC 2	3+50N	2+75E	26	0.5
EC 2	3+50N	3+00E	7	1.0
EC 2	3+50N	3+25E	15	0.5
EC 2	3+50N	3+50E	82	0.6
EC 2	5+00N	5+25E	12	0.5
EC 2	5+00N	5+50E	<5	0.7
EC 2	5+00N	5+75E	<5	0.6
EC 2	5+00N	6+00E	5	0.5
EC 2	5+00N	6+25E	7	0.4
EC 2	5+00N	6+50E	<5	0.4
EC 2	5+00N	6+75E	<5	0.6
EC 2	5+00N	7+00E	87	0.4
EC 2	5+00N	7+25E	64	0.4
EC 2	5+00N	7+50E	<5	0.5
EC 2	5+00N	7+75E	8	0.4
EC 2	5+00N	8+00E	11	0.4
EC 2	5+00N	8+25E	5	0.4
EC 2	5+00N	8+50E	<5	0.9
EC 2	5+00N	8+75E	15	0.9
EC 2	5+00N	9+00E	15	0.9

Certified by

21/06/94

Assay Certificate

Page 4

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	5+00N	9+25E	11	0.6
EC 2	5+00N	9+50E	11	0.6
EC 2	7+50N	5+25E	97	0.5
EC 2	7+50N	5+50E	5	0.4
EC 2	7+50N	5+75E	<5	0.4
EC 2	7+50N	6+00E	5	0.6
EC 2	7+50N	6+25E	<5	0.4
EC 2	7+50N	6+50E	<5	0.6
EC 2	7+50N	6+75E	<5	0.5
EC 2	7+50N	7+00E	<5	0.4
EC 2	7+50N	7+25E	<5	0.6
EC 2	7+50N	7+50E	13	0.6
EC 2	7+50N	7+75E	<5	0.2
EC 2	7+50N	8+00E	<5	0.5
EC 2	7+50N	8+25E	<5	0.4
EC 2	7+50N	8+50E	6	0.2
EC 2	7+50N	8+75E	<5	0.3
EC 2	7+50N	9+00E	8	0.2
EC 2	7+50N	9+25E	10	0.3
EC 2	10+00N	5+25E	142	0.3
EC 2	10+00N	5+50E	I.S.	I.S.
EC 2	10+00N	5+75E	13	0.2
EC 2	10+00N	6+00E	<5	0.1
EC 2	10+00N	6+25E	6	0.1
EC 2	10+00N	6+50E	<5	0.1
EC 2	10+00N	6+75E	<5	0.1
EC 2	10+00N	7+00E	8	0.2
EC 2	10+00N	7+25E	<5	0.4
EC 2	10+00N	7+50E	<5	0.3
EC 2	10+00N	7+75E	<5	0.4
EC 2	10+00N	8+00E	<5	0.2
EC 2	10+00N	8+25E	<5	0.4
EC 2	10+00N	8+50E	<5	0.1
EC 2	10+00N	8+75E	11	0.4
EC 2	10+00N	9+00E	8	0.3

Certified by

21/06/94

Assay Certificate

Page 5

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	10+00N	9+25E	13	0.1
EC 2	10+00N	9+50E	<5	<0.1
EC 2	10+00N	9+75E	7	<0.1
EC 2	10+00N	10+00E	11	<0.1
EC 2	10+00N	10+25E	18	0.1
EC 2	10+00N	10+50E	25	0.1
EC 2	10+00N	10+75E	17	0.1
EC 2	10+00N	11+00E	25	0.1
EC 2	12+50N	5+25E	8	0.3
EC 2	12+50N	5+50E	20	0.2
EC 2	12+50N	5+75E	16	0.3
EC 2	12+50N	6+00E	556	0.3
EC 2	12+50N	6+25E	I.S.	I.S.
EC 2	12+50N	6+50E	I.S.	I.S.
EC 2	12+50N	6+75E	7	0.1
EC 2	12+50N	7+00E	I.S.	I.S.
EC 2	12+50N	7+25E	<5	0.1
EC 2	12+50N	7+50E	<5	0.2
EC 2	12+50N	7+75E	7	0.2
EC 2	12+50N	8+00E	<5	<0.1
EC 2	12+50N	8+25E	5	<0.1
EC 2	12+50N	8+50E	<5	0.3
EC 2	12+50N	8+75E	<5	0.2
EC 2	12+50N	9+00E	10	0.2
EC 2	12+50N	9+25E	10	0.2
EC 2	12+50N	9+50E	<5	0.2
EC 2	12+50N	9+75E	<5	0.2
EC 2	12+50N	10+00E	33	0.3
EC 2	12+50N	10+25E	15	0.2
EC 2	12+50N	10+50E	16	0.2
EC 2	12+50N	10+75E	23	0.1
EC 2	12+50N	11+00E	14	0.4
EC 2	12+50N	11+25E	7	0.1
EC 2	12+50N	11+50E	9	0.1
EC 2	12+50N	11+75E	20	0.3

Certified by

21/06/94

Assay Certificate

Page 6

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	12+50N	12+00E	10	0.3
EC 2	15+00N	0+00E	5	0.1
EC 2	15+00N	0+25E	<5	0.1
EC 2	15+00N	0+50E	<5	<0.1
EC 2	15+00N	0+75E	<5	0.1
EC 2	15+00N	1+00E	<5	0.1
EC 2	15+00N	1+25E	<5	<0.1
EC 2	15+00N	1+50E	7	<0.1
EC 2	15+00N	1+75E	<5	<0.1
EC 2	15+00N	2+00E	6	<0.1
EC 2	15+00N	2+25E	7	0.3
EC 2	15+00N	2+50E	<5	0.1
EC 2	15+00N	2+75E	<5	<0.1
EC 2	15+00N	3+00E	5	0.4
EC 2	15+00N	3+25E	<5	0.1
EC 2	15+00N	3+50E	<5	0.3
EC 2	15+00N	3+75E	<5	0.3
EC 2	15+00N	4+00E	<5	0.2
EC 2	15+00N	4+25E	<5	0.3
EC 2	15+00N	4+50E	<5	0.2
EC 2	15+00N	4+75E	<5	0.2
EC 2	15+00N	5+00E	7	0.2
EC 2	15+00N	5+25E	<5	0.1
EC 2	15+00N	5+50E	<5	0.2
EC 2	15+00N	5+75E	<5	0.1
EC 2	15+00N	6+00E	<5	0.3
EC 2	15+00N	6+25E	61	0.2
EC 2	15+00N	6+50E	13	0.3
EC 2	15+00N	6+75E	11	0.3
EC 2	15+00N	7+00E	10	0.2
EC 2	15+00N	7+25E	16	0.7
EC 2	15+00N	7+75E	I.S.	1.3
EC 2	15+00N	9+00E	13	0.3
EC 2	15+00N	9+25E	20	0.3
EC 2	15+00N	9+50E	23	0.1

Certified by

21/06/94

Assay Certificate

Page 7

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 2	15+00N	9+75E	16	0.3
EC 2	15+00N	10+00E	25	0.3
EC 2	15+00N	10+25E	26	0.3
EC 2	15+00N	10+50E	<5	0.2
EC 2	15+00N	10+75E	7	0.7
EC 2	15+00N	11+00E	<5	0.6
EC 2	15+00N	11+25E	9	0.7
EC 2	15+00N	11+50E	5	1.3
EC 2	15+00N	11+75E	6	0.4
EC 2	15+00N	12+00E	28	0.5
EC 2	15+00N	12+25E	17	0.6
EC 2	15+00N	12+50E	21	0.6
EC 2	15+00N	12+75E	42	0.1
EC 10	0 N	5+00W	<5	<0.1
EC 10	0 N	4+75W	10	<0.1
EC 10	0 N	4+50W	6	<0.1
EC 10	0 N	4+25W	6	<0.1
EC 10	0 N	4+00W	5	<0.1
EC 10	0 N	3+75W	12	0.1
EC 10	0 N	3+50W	7	<0.1
EC 10	0 N	3+25W	<5	<0.1
EC 10	0 N	3+00W	10	0.1
EC 10	0 N	2+75W	7	0.1
EC 10	0 N	2+50W	10	<0.1
EC 10	0 N	2+25W	5	<0.1
EC 10	0 N	2+00W	<5	0.3
EC 10	0 N	1+75W	5	0.2
EC 10	0 N	1+50W	6	0.3
EC 10	0 N	1+25W	<5	<0.1
EC 10	0 N	1+00W	<5	0.2
EC 10	0 N	0+75W	<5	<0.1
EC 10	0 N	0+50W	5	0.3
EC 10	0 N	0+25W	6	0.9
EC 10	0 N	0+00	10	0.4
EC 10	0 N	0+25E	10	0.9

Certified by

21/06/94

Assay Certificate

Page 8

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 10	0 N	0+50E	6	0.7
EC 10	0 N	0+75E	5	<0.1
EC 10	0 N	1+00E	<5	0.3
EC 10	0 N	1+25E	<5	0.2
EC 10	0 N	1+50E	7	0.1
EC 10	0 N	1+75E	8	0.1
EC 10	0 N	2+00E	<5	0.1
EC 10	0 N	2+25E	<5	0.2
EC 10	0 N	2+50E	27	0.5
EC 10	0 N	2+75E	8	0.1
EC 10	0 N	3+00E	11	0.2
EC 10	0 N	3+25E	<5	0.3
EC 10	0 N	3+50E	8	0.3
EC 10	0 N	3+75E	6	0.2
EC 10	0 N	4+00E	7	0.3
EC 10	0 N	4+25E	8	0.2
EC 10	0 N	4+50E	11	0.4
EC 10	0 N	4+75E	8	0.2
EC 10	0 N	5+00E	25	0.3
EC 10	0 N	5+25E	13	0.5
EC 10	0 N	5+50E	11	0.4
EC 10	0 N	5+75E	14	0.3
EC 10	0 N	6+00E	10	0.2
EC 10	0 N	6+25E	8	0.3
EC 10	0 N	6+50E	6	0.1
EC 10	0 N	6+75E	6	0.2
EC 10	0 N	7+00E	6	0.2
EC 10	0 N	7+25E	12	0.1
EC 10	0 N	7+50E	8	0.4
EC 10	0 N	7+75E	8	<0.1
EC 10	0 N	8+00E	6	0.1
EC 10	5+00N	5+00W	<5	0.3
EC 10	5+00N	4+75W	<5	0.5
EC 10	5+00N	4+50W	<5	0.4
EC 10	5+00N	4+25W	<5	0.3

Certified by

21/06/94

Assay Certificate

Page 9

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 10	5+00N	4+00W	<5	0.3
EC 10	5+00N	3+75W	<5	0.6
EC 10	5+00N	3+50W	10	0.4
EC 10	5+00N	3+25W	<5	0.5
EC 10	5+00N	3+00W	6	0.3
EC 10	5+00N	2+75W	<5	0.4
EC 10	5+00N	2+50W	12	0.8
EC 10	5+00N	2+25W	10	0.4
EC 10	5+00N	2+00W	<5	0.4
EC 10	5+00N	1+75W	6	0.6
EC 10	5+00N	1+50W	13	1.0
EC 10	5+00N	1+00W	7	0.5
EC 10	5+00N	0+75W	6	0.6
EC 10	5+00N	0+50W	12	1.1
EC 10	5+00N	0+25W	6	0.5
EC 10	5+00N	0+00W	<5	0.3
EC 10	5+00N	0+25E	5	0.2
EC 10	5+00N	0+50E	<5	0.2
EC 10	5+00N	0+75E	6	0.2
EC 10	5+00N	1+00E	5	0.6
EC 10	5+00N	1+25E	5	0.3
EC 10	5+00N	1+50E	8	0.8
EC 10	5+00N	1+75E	7	0.7
EC 10	5+00N	2+00E	9	0.5
EC 10	5+00N	2+25E	11	0.4
EC 10	5+00N	2+50E	36	0.4
EC 10	5+00N	2+75E	6	0.4
EC 10	5+00N	3+00E	6	0.4
EC 10	5+00N	3+25E	10	0.4
EC 10	5+00N	3+50E	<5	0.4
EC 10	5+00N	3+75E	<5	0.4
EC 10	5+00N	4+00E	<5	0.2
EC 10	5+00N	4+25E	<5	0.6
EC 10	5+00N	4+50E	<5	0.4
EC 10	5+00N	4+75E	<5	0.3

Certified by

21/06/94

Assay Certificate

Page 10

Wealth Resources

WO#00485

Sample #			Au ppb	Ag ppm
EC 10	5+00N	5+00E	<5	0.2
EC 10	5+00N	5+25E	<5	0.3
EC 10	5+00N	5+50E	11	0.7
EC 10	5+00N	5+75E	<5	0.5
EC 10	5+00N	6+00E	<5	0.1
EC 10	5+00N	6+25E	<5	0.5
EC 10	5+00N	6+50E	13	0.2
EC 10	5+00N	6+75E	19	0.3
EC 10	5+00N	7+00E	8	0.2
EC 10	5+00N	7+25E	I.S.	I.S.
EC 10	5+00N	7+50E	18	0.4
EC 10	5+00N	7+75E	5	0.2
EC 10	5+00N	8+00E	7	0.3
EC 11	D 1		13	0.4
EC 11	D 2		5	0.3
EC 11	D 3		<5	0.5
EC 11	D 4		7	1.0
EC 11	D 5		<5	0.1
EC 11	D 6		<5	0.2
EC 11	D 7		<5	0.2
EC 11	D 8		<5	0.4
EC 11	D 9		<5	0.2
EC 11	D 10		5	0.4
EC 11	D 11		<5	0.1
EC 11	D 12		<5	0.1
EC 11	D 13		<5	0.1
EC 11	D 14		12	0.1
EC 11	D 15		<5	<0.1
EC 11	D 16		<5	0.2
EC 11	D 17		6	0.1
EC 11	D 18		11	0.1
EC 11	D 19		6	0.3
EC 11	D 20		9	0.2
EC 11	D 21		<5	0.5
EC 11	D 22		5	0.1

Certified by

21/06/94

Assay Certificate

Page 11

Wealth Resources

WO#00485

Sample #		Au ppb	Ag ppm
EC 11	D 23	<5	0.2
EC 11	D 24	<5	0.2
EC 11	D 25	5	0.2
EC 11	D 26	11	0.3
EC 11	D 27	16	1.0
EC 11	D 28	9	0.7
EC 11	D 29	12	0.3
EC 11	D 30	18	0.4
EC 11	D 31	7	0.1
EC 11	D 32	8	0.1
EC 11	D 33	17	0.8
EC 11	D 34	14	0.3
EC 11	D 35	16	0.1
EC 11	D 36	9	0.3
EC 11	D 37	6	0.2
EC 11	D 38	<5	0.1
EC 11	D 39	7	0.1
EC 11	D 40	<5	0.2
94PEC - R 1		35	0.4
94PEC - R 2		25	0.7
94PEC - R 3		20	1.3
94PEC - R 4		13	8.7
94PEC - R 5		16	0.5
94PEC - R 6		113	0.6
94PEC - R 7		23	0.5
94PEC - R 8		5	0.3
94PEC - R 9		29	0.2
94PEC - R 10		20	0.2
94PEC - R 11		11	0.2
94PEC - R 12		22	1.2
94PEC - R 13		5	0.5
94PEC - R 14		8	0.2
CELP 1		13	0.4

Certified by

21/06/94

Assay Certificate

Page 12

Wealth Resources

WO#00485


Sample #

Au ppb

Ag ppm

Note: "I.S." means insufficient sample or no sample.

Certified by



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6

INVOICE NUMBER

I 9 4 2 8 5 6 3

BILLING INFORMATION

Date: 24-OCT-94
Project: DAWSON-EUREKA
P.O. No.:
Account: GDR

Comments:


Billing: For analysis performed on
Certificate A9428563

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
88	205 - Geochem ring to approx 150 mesh	2.50		
	274 - 11-15 lb crush and split	3.65		
	ICP-32	6.25		
	100 - Au ppb FA+AA	7.95	20.35	1790.80
			Total Cost \$	1790.80
			(Reg# R100938885) GST \$	125.36
			TOTAL PAYABLE (CDN) \$	1916.16



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6

A9428563

Comments: ATTN: P. SOUTHAM

CERTIFICATE

A9428563

(GDR) - WEALTH RESOURCES LTD.

Project: DAWSON-EUREKA
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-OCT-94.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	88	Geochem ring to approx 150 mesh
274	88	11-15 lb crush and split
229	88	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	88	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
2118	88	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	88	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	88	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	88	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	88	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	88	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	88	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	88	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	88	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	88	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	88	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	88	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	88	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	88	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	88	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	88	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	88	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	88	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	88	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	88	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	88	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	88	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	88	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	88	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	88	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	88	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	88	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	88	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	88	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	88	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	88	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	88	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

No: WEALTH RESOURCES LTD.
1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6

Project: DAWSON-EUREKA
Comments: ATTN: P. SOUTHAM

Page Number: 1-A
Total Pages: 3
Certificate Date: 23-OCT-94
Invoice No.: I9428563
P.O. Number:
Account: GDR


CERTIFICATE OF ANALYSIS

A9428563

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
--------	--------------	-----------------	-----------	---------	-----------	-----------	-----------	-----------	---------	-----------	-----------	-----------	-----------	---------	-----------	-----------	--------	-----------	---------	-----------

94PEC-R52	205 274	< 5	0.6	0.96	90	90	< 0.5	< 2	0.03	< 0.5	15	91	17	2.58	10	< 1	0.37	30	0.10	315
-----------	---------	-----	-----	------	----	----	-------	-----	------	-------	----	----	----	------	----	-----	------	----	------	-----

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: WEALTH RESOURCES LTD.
1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6

Project: DAWSON-EUREKA
Comments: ATTN: P. SOUTHAM

Page Number : 1-B
Total Pages : 3
Certificate Date: 23-OCT-94
Invoice No. : I9428563
P.O. Number :
Account : GDR


CERTIFICATE OF ANALYSIS

A9428563

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
--------	-----------	-----------	---------	-----------	----------	-----------	-----------	-----------	-----------	---------	-----------	----------	----------	----------	-----------

94PEC-R52	205 274	< 1	0.01	22	300	12	< 2	2	6	0.01	< 10	< 10	13	< 10	76
-----------	-----------	-----	------	----	-----	----	-----	---	---	------	------	------	----	------	----

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N6

Project : DAWSON-EUREKA
 Comments: ATTN: P. SOUTHAM

Page Number : 2-A
 Total : 3
 Certificate Date: 23-OCT-94
 Invoice No. : 19428563
 P.O. Number :
 Account : GDR


CERTIFICATE OF ANALYSIS

A9428563

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
EC-TRIE-01	205 274	35	6.2	3.19	46	3290	1.0	< 2	0.30	1.5	211	117	90	9.91	< 10	1	0.56	20	0.89	8070
EC-TRIE-02	205 274	< 5	0.4	1.64	26	500	0.5	< 2	0.02	< 0.5	11	97	64	2.58	< 10	< 1	0.49	20	0.19	435
EC-TRIE-03	205 274	260	0.6	2.28	14	500	0.5	< 2	0.10	< 0.5	7	180	21	2.80	< 10	< 1	0.60	20	0.55	205
EC-TRIE-04	205 274	< 5	0.2	2.08	12	360	0.5	< 2	0.03	< 0.5	9	135	27	2.84	< 10	< 1	0.78	30	0.52	230
EC-TRIE-05	205 274	< 5	0.4	1.54	12	250	0.5	< 2	0.02	< 0.5	10	118	30	2.74	< 10	< 1	0.65	20	0.32	175
EC-TRIE-06	205 274	10	0.4	2.04	28	340	0.5	< 2	0.02	< 0.5	4	115	25	3.26	< 10	< 1	0.55	20	0.24	190
EC-TRIE-07	205 274	190	0.4	1.37	48	260	0.5	< 2	0.02	0.5	11	133	24	3.91	< 10	< 1	0.45	20	0.20	540
EC-TRIE-08	205 274	< 5	0.6	1.38	16	230	< 0.5	< 2	0.01	< 0.5	14	157	25	2.77	< 10	< 1	0.47	20	0.20	470
EC-TRIE-09	205 274	215	0.4	1.04	10	190	< 0.5	< 2	0.01	< 0.5	10	157	20	1.81	< 10	< 1	0.32	20	0.11	310
EC-TRIE-10	205 274	< 5	0.8	2.05	12	220	0.5	< 2	0.01	< 0.5	3	90	36	5.40	< 10	< 1	0.64	10	0.30	130
EC-TR5-01	205 274	< 5	0.4	0.37	34	190	< 0.5	< 2	< 0.01	< 0.5	< 1	343	16	2.11	< 10	< 1	0.10	< 10	0.01	15
EC-TR5-02	205 274	< 5	0.2	0.62	58	270	< 0.5	< 2	0.01	< 0.5	< 1	217	30	2.95	< 10	< 1	0.10	10	0.01	25
EC-TR5-03	205 274	10	< 0.2	0.93	50	320	< 0.5	< 2	0.01	< 0.5	3	123	26	2.53	< 10	< 1	0.25	20	0.03	195
EC-TR5-04	205 274	< 5	0.2	0.82	18	210	< 0.5	< 2	< 0.01	0.5	3	168	27	2.85	< 10	< 1	0.19	20	0.02	155
EC-TR5-05	205 274	30	< 0.2	1.16	32	240	0.5	< 2	0.01	< 0.5	1	111	28	2.40	< 10	< 1	0.25	30	0.02	50
EC-TR5-06	205 274	120	0.2	1.16	18	320	0.5	< 2	0.01	< 0.5	1	133	28	1.89	< 10	< 1	0.31	30	0.03	65
EC-TR5-07	205 274	30	0.2	1.14	24	310	0.5	< 2	0.01	< 0.5	1	132	42	2.55	< 10	< 1	0.32	30	0.03	35
EC-TR5-08	205 274	640	0.4	1.26	50	320	1.0	< 2	0.01	< 0.5	1	125	26	2.11	< 10	< 1	0.35	30	0.04	35
EC-TR5-09	205 274	55	0.4	0.99	42	270	0.5	< 2	< 0.01	0.5	4	115	26	3.92	< 10	< 1	0.25	20	0.02	175
EC-TR5-10	205 274	< 5	0.2	0.79	44	300	< 0.5	< 2	< 0.01	< 0.5	2	106	26	2.27	< 10	< 1	0.23	30	0.02	115
EC-TR5-11	205 274	< 5	0.2	0.70	58	490	< 0.5	< 2	< 0.01	< 0.5	< 1	154	35	2.45	< 10	< 1	0.17	10	0.01	20
EC-TR5-12	205 274	< 5	0.6	0.60	50	270	0.5	< 2	0.01	1.0	2	170	30	4.62	< 10	< 1	0.13	10	0.01	170
EC-TR5-13	205 274	< 5	0.2	0.61	72	280	< 0.5	< 2	0.01	< 0.5	1	150	32	2.50	< 10	< 1	0.22	20	0.02	40
EC-TR5-14	205 274	< 5	< 0.2	0.77	52	340	< 0.5	< 2	0.01	< 0.5	2	128	26	2.06	< 10	< 1	0.22	20	0.01	70
EC-TR5-15	205 274	< 5	< 0.2	0.83	46	290	< 0.5	< 2	0.01	< 0.5	2	108	21	1.76	< 10	< 1	0.24	20	0.02	70
EC-TR5-16	205 274	< 5	< 0.2	0.74	74	280	0.5	< 2	0.01	< 0.5	3	105	28	2.56	< 10	< 1	0.23	30	0.01	75
EC-TR5-17	205 274	< 5	< 0.2	0.64	46	190	< 0.5	< 2	0.01	< 0.5	1	111	22	1.68	< 10	< 1	0.20	20	0.01	35
EC-TR5-18	205 274	< 5	< 0.2	0.65	26	170	< 0.5	< 2	0.01	< 0.5	1	102	27	1.10	< 10	< 1	0.18	20	0.01	25
EC-TR5-19	205 274	< 5	0.4	0.62	58	250	< 0.5	< 2	0.02	0.5	9	104	37	2.31	< 10	< 1	0.21	20	0.01	215
EC-TR5-20	205 274	< 5	< 0.2	0.63	34	200	< 0.5	< 2	0.01	< 0.5	4	124	26	1.97	< 10	< 1	0.19	20	0.02	80
EC-TR5-21	205 274	< 5	< 0.2	0.73	28	220	< 0.5	< 2	0.01	< 0.5	2	128	22	1.53	< 10	< 1	0.22	30	0.03	50

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N6

Project : DAWSON-EUREKA
 Comments: ATTN: P. SOUTHAM


Page : 2-B
 Total Pages : 3
 Certificate Date: 23-OCT-94
 Invoice No. : 19428563
 P.O. Number :
 Account : GDR

CERTIFICATE OF ANALYSIS

A9428563

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
EC-TRIE-01	205 274	< 1	0.01	96	730	18	8	15	23	0.04	< 10	< 10	107	< 10	190
EC-TRIE-02	205 274	2	0.01	29	500	10	4	5	18	0.04	< 10	< 10	37	< 10	48
EC-TRIE-03	205 274	1	< 0.01	26	380	14	2	12	16	0.04	< 10	< 10	57	< 10	60
EC-TRIE-04	205 274	1	0.01	35	600	8	< 2	7	9	0.08	< 10	< 10	61	< 10	78
EC-TRIE-05	205 274	1	0.01	21	590	8	< 2	3	4	0.06	< 10	< 10	60	< 10	68
EC-TRIE-06	205 274	1	0.01	16	640	6	< 2	6	6	0.04	< 10	< 10	40	< 10	58
EC-TRIE-07	205 274	3	0.01	25	810	10	< 2	6	6	0.03	< 10	< 10	62	< 10	68
EC-TRIE-08	205 274	2	0.01	22	510	6	< 2	4	6	0.03	< 10	< 10	43	< 10	52
EC-TRIE-09	205 274	2	0.01	12	450	12	2	3	4	0.02	< 10	< 10	36	< 10	34
EC-TRIE-10	205 274	1	0.01	13	890	6	2	4	7	0.05	< 10	< 10	25	< 10	90
EC-TR5-01	205 274	1	< 0.01	7	500	8	< 2	1	7	< 0.01	< 10	< 10	23	< 10	36
EC-TR5-02	205 274	2	< 0.01	8	790	12	< 2	3	15	< 0.01	< 10	< 10	34	< 10	60
EC-TR5-03	205 274	2	< 0.01	11	610	16	2	3	22	< 0.01	< 10	< 10	31	< 10	88
EC-TR5-04	205 274	1	< 0.01	9	540	16	< 2	3	7	< 0.01	< 10	< 10	38	< 10	84
EC-TR5-05	205 274	2	0.01	8	570	26	< 2	4	10	< 0.01	< 10	< 10	47	< 10	74
EC-TR5-06	205 274	2	0.01	8	510	16	< 2	4	16	< 0.01	< 10	< 10	46	< 10	54
EC-TR5-07	205 274	2	0.01	8	580	20	2	5	21	< 0.01	< 10	< 10	54	< 10	62
EC-TR5-08	205 274	3	0.01	13	610	26	< 2	7	35	< 0.01	< 10	< 10	51	< 10	90
EC-TR5-09	205 274	6	0.01	13	690	14	< 2	5	18	< 0.01	< 10	< 10	41	< 10	138
EC-TR5-10	205 274	1	0.01	8	510	16	< 2	6	17	< 0.01	< 10	< 10	36	< 10	66
EC-TR5-11	205 274	2	< 0.01	6	480	14	2	3	19	< 0.01	< 10	< 10	27	< 10	54
EC-TR5-12	205 274	2	< 0.01	10	770	8	< 2	3	15	< 0.01	< 10	< 10	42	< 10	126
EC-TR5-13	205 274	2	0.01	7	410	14	2	3	18	< 0.01	< 10	< 10	30	< 10	54
EC-TR5-14	205 274	1	0.01	8	470	14	2	4	25	< 0.01	< 10	< 10	35	< 10	54
EC-TR5-15	205 274	1	0.01	7	480	18	< 2	3	19	< 0.01	< 10	< 10	33	< 10	44
EC-TR5-16	205 274	1	0.01	8	540	16	4	3	20	< 0.01	< 10	< 10	34	< 10	54
EC-TR5-17	205 274	1	0.01	5	400	10	< 2	4	13	< 0.01	< 10	< 10	32	< 10	36
EC-TR5-18	205 274	2	0.01	5	420	12	2	4	11	< 0.01	< 10	< 10	34	< 10	20
EC-TR5-19	205 274	2	0.01	11	470	10	< 2	3	17	< 0.01	< 10	< 10	40	< 10	46
EC-TR5-20	205 274	1	0.01	8	510	10	< 2	3	12	< 0.01	< 10	< 10	30	< 10	40
EC-TR5-21	205 274	1	0.01	7	460	12	< 2	3	13	< 0.01	< 10	< 10	28	< 10	32

CERTIFICATION: Hunter Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6


Project : DAWSON-EUREKA
Comments: ATTN: P. SOUTHAM

Page No. : 3-A
Total Pages : 3
Certificate Date: 23-OCT-94
Invoice No. : I9428563
P.O. Number :
Account : GDR

CERTIFICATE OF ANALYSIS A9428563

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
EC-TR5-22	205 274	< 5	< 0.2	1.09	32	400	0.5	< 2	0.02	< 0.5	9	113	28	1.68	< 10	< 1	0.29	30	0.07	150
EC-TR5-23	205 274	< 5	< 0.2	1.08	30	380	0.5	< 2	0.02	< 0.5	2	116	26	2.41	< 10	< 1	0.28	30	0.06	70
EC-TR5-24	205 274	< 5	< 0.2	0.82	22	350	< 0.5	< 2	0.02	< 0.5	< 1	111	25	1.29	< 10	< 1	0.22	30	0.02	15
EC-TR6-1	205 274	< 5	< 0.2	0.90	86	190	< 0.5	< 2	0.02	< 0.5	< 1	68	7	0.67	< 10	< 1	0.18	10	0.01	5
EC-TR6-2	205 274	< 5	0.2	0.57	404	400	< 0.5	< 2	0.02	< 0.5	< 1	114	17	1.61	< 10	< 1	0.22	10	0.02	10
EC-TR6-3	205 274	10	0.4	0.59	268	450	< 0.5	< 2	0.02	< 0.5	< 1	163	4	0.65	< 10	< 1	0.25	10	0.02	5
EC-TR6-4	205 274	< 5	0.6	0.62	482	580	< 0.5	< 2	0.01	0.5	< 1	134	10	1.50	< 10	< 1	0.22	20	0.02	10
EC-TR6-5	205 274	< 5	0.2	0.60	216	360	< 0.5	< 2	0.01	< 0.5	< 1	164	6	0.88	< 10	1	0.21	10	0.02	15

CERTIFICATION: Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

WEALTH RESOURCES LTD.

1000 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N6

Project : DAWSON-EUREKA
Comments: ATTN: P. SOUTHAM

Page No. : 3-B
Total Pages : 3
Certificate Date: 23-OCT-94
Invoice No. : I9428563
P.O. Number :
Account : GDR

CERTIFICATE OF ANALYSIS

A9428563

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
EC-TR5-22	205 274	1	0.01	14	610	16	2	4	26	0.01	< 10	< 10	42	< 10	68
EC-TR5-23	205 274	1	0.01	13	790	14	2	4	27	< 0.01	< 10	< 10	43	< 10	74
EC-TR5-24	205 274	1	0.01	6	430	16	< 2	4	21	< 0.01	< 10	< 10	40	< 10	30
EC-TR6-1	205 274	1	< 0.01	1	230	2	< 2	3	33	< 0.01	< 10	< 10	7	< 10	2
EC-TR6-2	205 274	1	< 0.01	1	240	10	< 2	1	81	< 0.01	< 10	< 10	19	< 10	2
EC-TR6-3	205 274	6	< 0.01	2	230	12	< 2	1	95	< 0.01	< 10	< 10	18	< 10	< 2
EC-TR6-4	205 274	50	< 0.01	2	460	24	< 2	1	64	< 0.01	< 10	< 10	27	< 10	4
EC-TR6-5	205 274	1	< 0.01	3	430	10	4	2	43	< 0.01	< 10	< 10	27	< 10	4

CERTIFICATION: Hartl Buchler

APPENDIX IV

LITHOGEOCHEMICAL DESCRIPTIONS


LITHOGEOCHEMICAL DESCRIPTIONS

- 94PEC-R1 taken @ EC2 3+50 N/0+25 E; ferricrete breccia
- 94PEC-R2 taken @ EC2 3+50 N/0+25 E; quartzite breccia
- 94PEC-R3 taken @ EC2 3+50 N/2+00 E; dark rusty brown quartzite with minor quartz veining
- 94PEC-R4 taken @ EC2 3+50 N/2+00 E; dark rust brown quartzite breccia with black inter-fracture material, possibly hematite.
- 94PEC-R5 taken @ EC2 3+50 N/2+00 E; dark rusty brown quartzite with a 1.5 cm wide quartz vein
- 94PEC-R6 taken @ EC2 3+50 N/1+75 E; ferricrete breccia
- 94PEC-R7 float in creek on line EC2 2+50 S. Rusty, weakly brecciated, light grey quartz vein
- 94PEC-R8 taken @ EC2 1+00 S/4+45 E; dark grey banded quartzite with rusty quartz veinlets 0.5 to 0.8 cm thick. Banding is very contorted.
- 94PEC-R9 taken @ EC2 1+00 S/4+45 E; float, coarse quartz vein
- 94PEC-R10 taken @ EC2 15+00 N/9+25 E; rusty brown altered rock with faint quartz eyes and creamy colored material
- 94PEC-R11 taken @ EC2 15+00 N/9+25 E; greenish grey "mushed up" host rock with quartz-carbonate veinlets, orange brown clay, graphite and rusty alteration
- 94PEC-R12 same as above
- 94PEC-R13 taken @ EC2 15+00 N/9+50 E; ferricrete breccia/healed or hardened gouge zone with small rusty fragments
- 94PEC-R14 taken @ EC11 3+75 S; ferricrete breccia
- 94PEC-R52 taken @ EC2 2+50 N/8+00 E; subcrop or float in frozen muck from attempted trench on the Creek anomaly; light buff colored micaceous schist

BASELINE

5+00 E

10+00 E




1993 soil sampling results

1993 soil sampling results

Sample #	Au ppb	Ag ppm
94PEC - R 1	35	0.4
94PEC - R 2	25	0.7
94PEC - R 3	20	1.3
94PEC - R 4	13	8.7
94PEC - R 5	16	0.5
94PEC - R 6	113	0.6
94PEC - R 7	23	0.5
94PEC - R 8	5	0.3
94PEC - R 9	29	0.2
94PEC - R 10	20	0.2
94PEC - R 11	11	0.2
94PEC - R 12	22	1.2
94PEC - R 13	5	0.5
94PEC-R52	< 5	0.6

⊗ rock sample

○ soil anomalies contours in ppb gold



PACIFIC MARINER EXPLORATION LTD. WEALTH RESOURCES LTD.	
EUREKA CREEK PROPERTY DAWSON M.D., YUKON NTS 115-0-10	
EC2 GRID 1994 Au GEOCHEMISTRY AND TRENCH LOCATIONS 093290	
SCALE 1 : 5,000	
DATE: FEB/95	FIGURE 6
BY: P.S.	

DWG 1