

093299
1994 GEOLOGICAL
REPORT
ON THE
MOVIE 1-18 CLAIMS




Located in the Ogilvie Mountains
Dawson Mining District
NTS 116B/14
64° 45'30" North Latitude
139° 17' West Longitude

-prepared for-
PENDISLE RESOURCES LIMITED

-prepared by-

Robert B. Falls, B.Sc.
Mark E. Baknes, P.Geo.

WORK PERFORMED: August, 1994
DATE OF REPORT: January, 1995



1994 GEOLOGICAL REPORT ON THE MOVIE 1-18 CLAIMS

TABLE OF CONTENTS

		<u>Page</u>
1.0	INTRODUCTION	.1.
2.0	LIST OF CLAIMS	.1.
3.0	LOCATION, ACCESS AND PHYSIOGRAPHY	.1.
4.0	AREA EXPLORATION HISTORY AND 1994 EXPLORATION PROGRAM	
4.1	Area Exploration History	.2.
4.2	1994 Exploration Program	.2.
5.0	REGIONAL GEOLOGY	.3.
6.0	PROPERTY GEOLOGY AND MINERALIZATION	
6.1	Property Geology	.4.
6.2	Mineralization	.5.
7.0	SOIL GEOCHEMISTRY	.6.
8.0	SILT GEOCHEMISTRY	.7.
9.0	CONCLUSIONS AND RECOMMENDATIONS	.8.

APPENDICES

Appendix A	Bibliography
Appendix B	List of Personnel
Appendix C	Statement of Expenditures
Appendix D	Rock Sample Descriptions
Appendix E	Certificates of Analysis
Appendix F	Geologist's Certificate

LIST OF TABLES

		<u>Page</u>
Table 2.0.1	Claim Data	.1.
Table 6.2.1	Significant Rock Samples	.5.
Table 8.0.1	Anomalous Levels for Silt Geochemistry	.7.

LIST OF FIGURES

		<u>Following Page</u>
Figure 1	Location Map	.1.
Figure 2	Claim Map	.1.
Figure 3	Regional Geology	.3.
Figure 4	Geology and Geochemistry	-Pocket-
Figure 5	Cu, Zn in Soils	-Pocket-
Figure 6	Pb, Ag in Soils	-Pocket-

1.0 INTRODUCTION

The Movie property, comprising the Movie 1-18 claims, is located in the southern Ogilvie Mountains, 78 kilometres north-northeast of Dawson in west central Yukon (Figure 1). This part of the Ogilvie Mountains is cored by the Coal Creek Inlier (Lane, 1992), an oval-shaped and east-trending window of Middle and Late Proterozoic clastic and carbonate rocks that have been penetrated by mineralized breccias and cut by mafic sills and dykes. The geological setting of the southern Ogilvie Mountains is favourable for hosting Olympic Dam copper-uranium-gold-silver breccia type deposits. The Movie property was staked to cover mineralized breccia outcroppings, discovered during regional prospecting.

Geological mapping, prospecting and geochemical sampling were carried out on the Movie property during August of 1994. This work program was conducted jointly by Pamicon Developments Ltd. and Equity Engineering Ltd. for Pendisle Resources Limited. The same companies have been retained to report on the fieldwork.

2.0 LIST OF CLAIMS

The Movie property comprises 18 contiguous quartz mineral claims, located in the Dawson Mining District (Figure 2). Government records indicate that the following claims are owned by Mark Baknes of Vancouver, British Columbia.

TABLE 2.0.1
CLAIM DATA


Claim Name	Record Numbers	Record Date	Expiry Date
Movie 1-18	YB52451-52468	Aug. 3, 1994	Dec. 31, 1998

* Subject to approval of assessment work covered by this report.

3.0 LOCATION, ACCESS AND PHYSIOGRAPHY

The Movie property is located in the southern Ogilvie Mountains of west central Yukon, 78 kilometres north-northeast of Dawson (Figure 1). The claims are situated in the Dawson Mining District, centered at 64° 45'30" north latitude and 139° 17' west longitude.


The property lies in the western portion of the southern Ogilvie Mountains approximately 60 kilometres north of the Tintina Trench. This region was unaffected by continental glaciation during the Pleistocene (Lane, 1990) resulting in rounded mountainous terrain. Elevations on the Movie property range from 1,036 metres (3,400') to 1,433 metres (4,700'). The entire area



**PROPERTY
LOCATION**



PENDISLE RESOURCES LTD.		
MOVIE 1-18 CLAIMS LOCATION MAP		
YUKON TERRITORY		
— PAMICON DEVELOPMENTS LTD. — — EQUITY ENGINEERING LTD. —		
DRAWN: J.W./R.F.	MINING DIST.: DAWSON	FIGURE 1
N.T.S.: 1168/14	SCALE: 1:500,000	
DATE: NOV. 1994	REVISED:	



PENDISLE RESOURCES LTD.			
MOVIE 1-18 CLAIMS CLAIM MAP YUKON TERRITORY			
PAMICON DEVELOPMENTS LTD. EQUITY ENGINEERING LTD.			
DRAWN:	J.W.	MINING DIST.:	DAWSON
N.T.S.:	1:16 8/14	SCALE:	AS SHOWN
DATE:	NOV. 1994	REVISED:	
			FIGURE 2

is above tree line and is covered by alpine grasses and shrubs. Thick stands of spruce are found only in the major river valleys within this region. The Movie property was accessed by helicopter from Dawson during the 1994 field program.

4.0 AREA EXPLORATION HISTORY AND 1994 EXPLORATION PROGRAM

4.1 Area Exploration History

The most concentrated exploration work in the area was carried out in the mid to late 70's by Hudson Bay, Dynasty, Cyprus Anvil and UMEX/Shell. That work was directed primarily at carbonate-hosted Pb-Zn targets in the Gillespie Lake Group. During that same period, UMEX/Shell conducted work on the breccia-hosted ID, DAS, Rob and Lala occurrences. The results of their geochemical surveys were very encouraging, but the anomalies were never thoroughly followed up. There was no further exploration recorded in the area until the recent staking of the Monster claims and the staking by Placer Dome and Major General of the Lala occurrence. In addition to their assessment of the Lala occurrence, Placer Dome conducted limited silt and rock sampling program in the Monster West and Southwest areas in 1992. In 1993, a preliminary exploration program was carried out by the Monster Joint Venture on the Monster 1-72 claims. The program focused on the two areas, the Monster East and Monster West and consisted of geological mapping, prospecting and soil geochemistry (Caulfield, 1994 a,b). In May of 1994, an additional 193 Monster claims were staked to span the area between the Monster East and West groups and to extend the claims to the southwest to cover known breccia occurrences. The Movie claims were staked during August of 1994.

4.2 1994 Exploration Program

During August of 1994, a preliminary exploration program was carried out on the Movie property, consisting of geological mapping, prospecting and geochemical sampling. The program was designed to determine the potential for an Olympic Dam copper-uranium-gold-silver breccia type deposit. Geological mapping was carried out on a scale of 1:10,000 (Figure 4). A total of 16 rock samples and 32 soil samples were taken during the field program (Figure 4). Other samples shown on Figure 4 were taken during regional prospecting and mapping completed prior to staking the Movie claims. All rock samples are described in Appendix D, and analytical certificates are attached in Appendix E. Rock samples were analyzed geochemically for gold and by ICP for 24 other elements. Samples exceeding 10,000 ppm copper, lead or zinc were assayed. In the field, sample locations were marked by a metal tag and a combination of pink and blue flagging.

A soil grid was established to cover an area of potential base metal mineralization in the northeastern part of the property.

Soil samples were collected, where possible, from "B" horizon material at depths ranging from 10 to 40 cm and placed in labelled kraft envelopes. The sample site was marked in the field with plastic flagging and the sampler recorded notes pertaining to sample horizon, colour, texture, vegetation, and local physiography.


Silt samples were taken from several streams within the region. Samples were placed in labelled kraft envelopes and sample sites were marked in the field with plastic flagging and metal tags. The sampler recorded notes pertaining to stream volume, depth and slope, sample colour and texture, and the petrology of nearby rock. Soil and silt samples were partially dried in camp and then shipped to Chemex Labs of North Vancouver, B.C. for sample preparation and analysis. Analytical procedures and a complete set of results for gold and 24-elements by ICP geochemistry may be found in the appendices.

5.0 REGIONAL GEOLOGY


The Dawson 1:250,000 map sheet (116B) was reconnaissance mapped by the Geological Survey of Canada in 1961 by Green and Roddick and published later in a memoir (Green, 1972). More recently, a smaller area which includes the Movie property, was mapped at 1:50,000 by R. Lane as part of a graduate thesis (Lane, 1990) and later as a government map release (Lane and Godwin, 1992). The Geological Survey of Canada has re-mapped the Dawson map area at a scale of 1:50,000 and this work is scheduled for release soon.

The Middle Proterozoic stratigraphy of the Coal Creek Inlier has been correlated by Lane (1990) to that of the Wernecke Supergroup as defined by Delaney (1985) in the Wernecke Mountains, some 250 kilometres to the east. The Wernecke Supergroup is a thick succession of generally fine-grained terrigenous and carbonate rocks of Helikian age that have been penetrated by mineralized breccias and cut by mafic sills and dykes (Figure 3). The entire succession has been mapped by Lane (1990) in the Coal Creek Inlier. The Wernecke Supergroup has been divided into three groups (oldest to youngest): Fairchild Lake Group, Quartet Group and Gillespie Lake Group. To the north, Cambrian to Devonian carbonate and clastic units unconformably overlie the Wernecke Supergroup stratigraphy whereas the Late Proterozoic Fifteenmile Group sediments lie unconformably over it to the south.

The Quartet Group consists of a monotonous succession of fine-grained, interbedded sandstone to siltstone and black argillite (Lane, 1990). The Gillespie Lake strata consists of a lower unit of orange-weathering dolostone and an upper unit of grey-weathering dolostone. Mafic, locally amygdaloidal, flows were mapped at the Quartet-Gillespie Lake contact. The Fairchild Lake Group rocks



Geology by: Lane and Godwin, 1992
 Legend on following page



PENDISLE RESOURCES LTD.		
MOVIE 1-18 CLAIMS		
REGIONAL GEOLOGY		
YUKON TERRITORY		
PAMICON DEVELOPMENTS LTD. EQUITY ENGINEERING LTD.		
DRAWN:	J.W.	MINING DIST.: DAWSON
N.T.S.:	116 B / 11/14	SCALE: 1:50,000
DATE:	NOV. 1994	REVISED:
		FIGURE 3

LEGEND

(to accompany Figure 3)

STRATIFIED UNITS

ORDOVICIAN TO DEVONIAN

- 8 Road River Group
black shale, chert

EARLY CAMBRIAN TO DEVONIAN

- 7 CDb Formation
pale grey dolostone
- 6 Slats Creek Group
dolostone, mudstone, sandstone, conglomerate

MIDDLE TO LATE PROTEROZOIC

- 5 Upper Fifteenmile Group
dolomitic limestone and dolostone
- 4 Lower Fifteenmile Group
c:mudstone, limestone, sandstone
b:dolostone and dolostone breccia
a:limestone, shale, sandstone, olistoliths

EARLY? TO MIDDLE PROTEROZOIC

- 3 Gillespie Lake Group
b:buff-weathering dolostone
a:orange-weathering dolostone
- 2 Quartet Group
sandstone, mudstone, argillite
- 1 Fairchild Lake Group
b:silty dolostone, mudstone, quartzite
a:platey dolomitic limestone

INTRUSIVE UNITS

PROTEROZOIC AND YOUNGER

Mafic dykes

OGILVIE MOUNTAIN BRECCIAS






PROTEROZOIC

Heterolithic Breccia
BHcb:carbonate-rich matrix
BHh:hematite-rich matrix
BHcl:chlorite-rich matrix

Monolithic Breccia
BM1:Fairchild Lake Group fragments
BM2:Quartet Group fragments
BM3:Gillespie Lake Group fragments

Unclassified Breccia

SYMBOLS

-  Bedding, Foliation, Jointing, Layering
-  Fold axis, Anticline, Syncline
-  Contacts (known, approximate, assumed)
-  Fault (ball denotes side down)
-  Disrupted bedding

consist predominantly of light grey, dolomitic limestone and pink silty dolostone. The group also includes minor mudstone and quartzite.

In the general area of the Movie property, rocks of the Fifteenmile group unconformably overly the Wernecke Supergroup strata. The Fifteenmile group consists of a lower sequence of predominantly mudstone, shale and sandstone, overlain by a thick sequence of platformal dolostone (Lane, 1992).

Strata of the Wernecke Supergroup and the Fifteenmile group are cut by two east-west, fault-related belts of hematite breccias that are enriched in iron, copper, uranium, REE, cobalt and gold. The Movie property straddles the most southerly of the two breccia belts. Lane (1992) has subdivided the breccias into two main groups: homolithic (one clast type) and heterolithic (several clast types). Other breccia types including quartz-specularite breccia, intraformational breccia and rare pebble dykes were identified. Alteration minerals associated with the breccias are hematite (specular and earthy red varieties), carbonate, chlorite, silica and potassium feldspar. Fragments are normally subangular to subrounded and average 1 to 2 centimetres. Wernecke Supergroup strata are the dominant clast lithology with rare igneous, massive specular hematite and quartz vein fragments. The matrix of the breccia is comprised of the alteration minerals listed above and finely fragmented rock. The breccias mostly have steep discordant contacts although bodies following bedding have been mapped by Lane (1992). Maroon mudstone is associated with the breccia as interbeds, and as fragments and matrix of many breccias.

The Wernecke Supergroup, Fifteenmile group and breccia bodies are cut by diorite. Conversely, fragments of the mafic intrusives are also found within the breccia indicating a close genetic relationship between the two. Lane (1990) reported a lead isotope date of 0.9 Ga from mineralization in a crosscutting dyke in a breccia penetrating lower Fifteenmile Group. This remains ambiguous, since Lane did not map dykes intruding Fifteenmile Group strata. These mafic units vary from a fine-grained, amygdaloidal form to medium-to coarse-grained equigranular varieties. Lane (1990) noted that the dykes are amygdaloidal where in contact with breccia bodies.

6.0 PROPERTY GEOLOGY AND MINERALIZATION

6.1 Property Geology

Limited mapping on the Movie property indicates that the southern part of the property is underlain by Quartet sediments (Unit Q), while Proterozoic breccias (Unit B) predominate to the north (Figure 4). Minor diorite (Unit Di) dykes and sills intrude both the breccias and sediments.

The Quartet Group rocks consist of well bedded, black shales (Unit Qsh), with minor interbedded siltstone (Unit Qsl) and quartzite (Unit Qqt). The general trend of these rocks is northeasterly, with variable dips. The contact with the breccias to the north is poorly exposed but appears to be highly irregular.

The breccias are massive and grade between homolithic, or one clast type (Unit Bm) and heterolithic, containing more than one fragment type (Unit Bt). The breccias have been further subdivided based on clast and matrix composition. Both breccia types are matrix-supported with subrounded, altered sediment fragments ranging from 1.0 centimetre to 1.0 metre, but normally averaging less than 5 centimetres. The matrix consists of extremely milled fragments (<2-3 mm.) and hydrothermal minerals including quartz, orthoclase, carbonate, chlorite and specular hematite. These hydrothermal minerals are mainly within the breccia matrix, but also affect the fragments.

Dark green, medium to fine-grained diorite (unit Di) occurs as dykes and sills. In general diorites are equigranular and composed of euhedral plagioclase and interstitial chloritized hornblende, magnetite and trace sulphides. Diorite intrusives have a close spatial, and perhaps, genetic association with breccias.

6.2 Mineralization

Several rock samples taken on the Movie property contained base metal and silver mineralization. The most significant of these samples are summarized in table 6.2.1.

TABLE 6.2.1
SIGNIFICANT ROCK SAMPLES

Sample	Type	Gold (ppb)	Silver (ppm)	Copper (ppm)	Lead (ppm)	Zinc (ppm)	Cobalt (ppm)
596600	Grab	90	12.2	456	4000	234	126
596661	Float	<5	3.4	2430	42	211	26
596663	Float	<5	35.0	285	8000	7.82%	25
596664	Float	10	18.4	241	2.12%	1.39%	18
596665	Float	10	32.0	128	4.20%	534	18
596710	Select	<5	15.6	86	1.52%	506	43
596712	Float	<5	2.0	1.37%	6	36	20
596714	Grab	<5	1.4	2653	174	72	6
596716	Float	<5	2.2	4336	<2	26	36
596756	Float	<5	0.0	4561	<2	26	10
596997	Float	<5	<0.2	<1	<2	<2	686

Most of the mineralization on the Movie property appears to be associated with quartz-carbonate stockworks and carbonate veining within Quartet Group sediments.

Float samples 596661, 596663 - 596665 were taken from a 50 by 75 metre area of mineralized subcrop in the northeastern part of the property. The mineralization consists of disseminated galena and sphalerite within a quartz-carbonate stockwork. Grab sample 596600 was taken from similar material, exposed in outcrop 100 metres to the southwest. At this location a 2 metre wide zone of silicification and stockwork veining occurs at the contact between Quartet sediments and diorite. The sample, contained disseminated pyrite and galena with minor chalcopyrite. It is possible that the mineralization to the northeast may be associated with a similar diorite contact as diorite was observed in float in that area.

Sulphide mineralization is also associated with several dolomite-siderite-quartz veins which are exposed along a creek in the southwestern part of the Movie property. The veins are 0.4 - 2.0 metres wide and have an average attitude of 048/50 NW. They crosscut bedding within the Quartet shales. Mineralization consists of blebby and disseminated pyrite and chalcopyrite. Select grab sample 596710 was taken from a 15 centimetre wide, sparry carbonate vein, containing pyrite and galena. Samples 596712, 596714 and 596716 all consist of blebby chalcopyrite within parallel quartz-carbonate stringers within massive sparry siderite veins. With proximity to the breccia, the density of veins increases and their orientation comes into line with the tabular steeply dipping breccia body. This relationship between the breccia and veins suggests that the vein and breccia mineralizing events were synchronous.

In the central part of the Movie property, an occurrence of breccia-hosted sulphide mineralization was sampled. Grab sample 596753, was taken from a 5 by 5 metre outcrop of heterolithic breccia containing disseminated chalcopyrite.

Sample 596997 was taken from a breccia to the east of the claims and contains anomalous cobalt in association with pyrite mineralization.

7.0 SOIL GEOCHEMISTRY

A soil grid was established to determine the extent of an area of base metal mineralization in the northeastern part of the property (Figure 4). A total of 32 samples were taken at 50 metre intervals along the baseline and along two crosslines (Figures 5, 6). Due to the small number of samples taken, a statistical analysis was not performed. For the purposes of this report, values for silver >0.5 ppm, copper >200 ppm, lead >100 ppm and zinc > 150 ppm are considered anomalous. All of the soil samples returned low values for cobalt and values below the detection limit for gold. Two main areas of anomalous soil geochemistry have been defined.

A soil anomaly of partially coincident lead, zinc and silver extends from 4350E to 4650E along the baseline and from 4850N to 5100N along the 4450E crossline. Separate soil samples from this anomalous zone returned values as high as 1340 ppm lead, 532 ppm zinc and 1.2 ppm silver. The strongest part of the soil anomaly extends between stations 4600E and 4650E on the baseline, coinciding with an area of known mineralization. Rock samples 596663 - 596665, taken within this area, returned values as high as 4.20% lead, 7.82% zinc and 35.0 ppm silver (Section 6.2). The samples were taken from sulphide-bearing stockwork veining, which is believed to underlie much of the soil anomaly.

Sample 4050E, at the western end of the baseline, returned an anomalous copper value of 325 ppm. No rock samples were taken in this area, although sample 596753, taken from mineralized breccia, 300 metres to the southwest, returned 962 ppm copper.

8.0 SILT GEOCHEMISTRY

During the 1994 field season, silt samples were taken on the Movie property and on several other properties within the region. In order to determine the significance of each sample, anomalous levels were established based on a statistical analysis of all of the samples taken within the region (Table 8.0.1). For the purposes of this report, a metal value which exceeds the 85th percentile will be considered anomalous and a value which exceeds the 95th percentile will be considered highly anomalous. The same procedure could not be used for gold and silver as most analytical values for these metals were found to be below detection levels. The anomalous levels used for gold and silver are based on government regional geochemical survey data (Friske et. al., 1991).

TABLE 8.0.1
ANOMALOUS LEVELS FOR SILT GEOCHEMISTRY

Percentile	Gold (ppb)	Silver (ppm)	Copper (ppm)	Lead (ppm)	Zinc (ppm)	Cobalt (ppm)
50th	3	0.1	58	22	110	17
85th	7	0.3	113	76	268	30
95th	15	0.7	156	114	568	46

The silt sample analyses for the Movie property and surrounding area are listed in the margin of Figure 4. A few of the samples were anomalous in one or more elements. Sample 94MB-19 was weakly anomalous in copper and anomalous in lead. Sample 94MB-21 was anomalous in lead and cobalt. These samples were taken from a north-flowing drainage system just south of the property. The streams drain an area underlain by Quartet Group shales. Copper and lead-bearing quartz-carbonate-siderite veins have been found within the same rocks on the Movie property to the north (Section 6.2). It is possible that the silt anomalies are related

to similar mineralization.

9.0 CONCLUSIONS AND RECOMMENDATIONS

Exploration on the Movie property is still at an early stage, but several areas of mineralization have been found. Separate rock samples from the property have returned values as high as 90 ppb gold, 35 ppm silver, 1.37% copper, 4.20% lead and 7.82% zinc. Soil sampling has generally reinforced the results of rock sampling. Mineralization on the Movie claims appears to be unique amongst other breccia associated occurrences, because of the significant lead and zinc concentrations. There is a possibility that the copper-lead-zinc mineralization is related to a different event than the breccia-associated mineralization, however, some field examples and similar mineralogy indicate a genetic link between brecciation and veining. The favourable results to date suggest that future work on the property is warranted.


Respectfully submitted,




Robert B. Falls, B.Sc.
EQUITY ENGINEERING LTD.



Mark E. Baknes, P.Geo.
EQUITY ENGINEERING LTD.



Vancouver, British Columbia
January, 1995



LEGEND
LITHOLOGIES

PROTEROZOIC
Di Diorite
B Breccia
Bt Metrolithic breccia
Bm Homolithic breccia

Note: Convention for breccia description; Breccia class/fragment type/matrix components, i.e. Bm/do/CL indicates a homolithic breccia, with dolostone clasts, and chlorite matrix.

EARLY TO MIDDLE PROTEROZOIC
Q Quartet Group
Qsh black shale
Qsl grey to black siltstone
Qqt grey quartzite
Qms mudstone

SYMBOLS

- Outcrop boundary
- Geological contact (approximate)
- ~ Fault (assumed)
- /// Bedding, Foliation, Jointing
- Lamination
- Vein
- Rock sample (float, outcrop)
- Silt sample
- Soil sample
- ... Contour soil line

ROCK AND MINERAL ABBREVIATIONS

ct	chert	CA	calcite
do	dolostone	CB	carbonate
ls	limestone	CL	chlorite
mg	grey mudstone	DO	dolomite
mm	maroon mudstone	EP	epidote
ms	mudstone	GR	graphite
qt	quartzite	JF	jasper
sh	shale	KF	orthoclase
sl	siltstone	PF	plagioclase
ss	sandstone	QZ	quartz
sw	stockwork	SD	siderite
		SI	silica

METALLIC AND SECONDARY MINERALS

CC	chalcocite	CP	chalcopyrite
GE	goethite	GL	galena
HE	hematite	HS	specularite
MC	malachite	PY	pyrite
SP	sphalerite		


1994 Silt Geochemical Analyses

Sample	Au (ppb)	Ag (ppm)	Co (ppm)	Cu (ppm)
94RF-16	<5	<0.2	14	27
94RF-17	<5	<0.2	11	28
94RF-18	<5	<0.2	9	26
94MB-19	<5	0.2	26	114
94MB-20	<5	<0.2	14	34
94MB-21	<5	<0.2	9	43
94MB-22	<5	0.2	30	65
94MB-23	<5	<0.2	17	44
94MB-24	<5	0.2	21	86
94MM-31	<5	<0.2	18	39
94MM-32	<5	<0.2	15	35

1994 Rock Geochemical Analyses

Sample	Au (ppb)	Ag (ppm)	Co (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
596599	<5	0.8	1	305	1000	450
596600	90	12.2	126	456	4000	234
596661	<5	3.4	26	2430	42	211
596662	<5	0.8	4	79	920	48
596663	<5	35.0	25	285	8000	7.82
596664	10	18.4	18	241	2.12	1.39
596665	10	32.0	18	128	4.20	534
596666	<5	0.8	14	36	92	66
596667	<5	0.6	16	50	400	72
596668	<5	1.4	13	50	160	40
596669	<5	0.2	11	18	12	46
596710	<5	15.6	43	86	1.52	506
596711	<5	<0.2	29	90	42	44
596712	<5	2.0	20	1.17	6	16
596713	<5	<0.2	12	31	10	22
596714	<5	1.4	6	2653	174	72
596715	<5	1.0	219	25	46	18
596716	<5	2.2	36	4336	<2	26
596717	<5	<0.2	13	25	<2	26
596718	<5	<0.2	10	16	4	12
596719	<5	<0.2	205	45	<2	16
596751	<5	<0.2	10	7	<2	50
596752	<5	<0.2	3	<1	<2	0
596753	<5	<0.2	8	962	<2	18
596754	<5	<0.2	5	15	<2	8
596755	<5	<0.2	3	7	<2	30
596756	<5	<0.2	10	4561	<2	26
596764	<5	<0.2	9	12	<2	22
596765	<5	2.0	7	27	84	58
596766	<5	0.4	6	19	<2	20
596767	<5	0.4	14	21	<2	62
596768	<5	<0.2	9	20	<2	22
596769	<5	0.4	3	6	<2	10
596770	<5	0.2	10	7	<2	58
596992	<5	<0.2	11	<1	<2	28
596993	<5	<0.2	11	<1	<2	30
596994	<5	<0.2	14	734	40	70
596995	<5	<0.2	18	20	<2	22
596996	<5	<0.2	6	2	<2	2
596997	<5	<0.2	686	1	<2	2
596998	<5	<0.2	108	1	<2	16
596999	<5	<0.2	232	4	<2	2
597000	<5	<0.2	75	4	14	12

T.N.
TRUE NORTH IS 1°35' W OF UTM GRID NORTH




PENDISLE RESOURCES LTD.
**MOVIE I-18 CLAIMS
GEOLOGY &
GEOCHEMISTRY**
YUKON TERRITORY

PAMICON DEVELOPMENTS LTD.
EQUITY ENGINEERING LTD.

DRAWN: J.W./R.F.	MINING DISTRICT: DAWSON	FIGURE
N.T.S.: 1:16 B/14	SCALE: 1:10,000	4
DATE:	REVISED:	

DWA



TRUE NORTH IS 1°35'W.
OF UTM GRID NORTH

0932

Zn

Zn bubble scale is 25 ppm/m



PENDISLE RESOURCES LTD.			
MOVIE 1-18 CLAIMS			
SOIL GEOCHEMISTRY			
Zinc & Copper (ppm) in Soils			
YUKON TERRITORY			
PAMICON DEVELOPMENTS LTD.			
EQUITY ENGINEERING LTD.			
DRAWN.	J.W./M.B.	MINING DIST.	DAWSON
N.T.S.	116 B/14	SCALE	1:5,000
DATE.		REVISED.	
			5

DWG 2



T.N.
 ↑
 TRUE NORTH IS 1°35'W.
 OF UTM GRID NORTH

093239

Pb
Ag

Pb bubble scale is 10 ppm/m



PENDISLE RESOURCES LTD.			
MOVIE 1-18 CLAIMS			
SOIL GEOCHEMISTRY			
Lead & Silver (ppm) in Soils			
YUKON TERRITORY			
PAMICON DEVELOPMENTS LTD. EQUITY ENGINEERING LTD.			
DRAWN.	J.W. / M.B.	MINING DIST.	DAWSON
N.T.S.	116 B / 14	SCALE.	1: 5,000
DATE.		REVISED.	
			FIGURE 6

DWG 3

APPENDIX A

BIBLIOGRAPHY

BIBLIOGRAPHY

- Caulfield, D.A. (1994,a): 1993 Geological Report on the Monster 1-40 Claims; Report submitted for assessment credit.
- Caulfield, D.A. (1994,b): 1993 Geological Report on the Monster 41-72 Claims; Report submitted for assessment credit.
- Delaney, G.D. (1985): The Middle Proterozoic Wernecke Supergroup, Wernecke Mountains, Yukon Territory; Unpublished Ph.D. Thesis, University of Western Ontario, 373 pp.
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C. (1991): National Geochemical Reconnaissance Stream Sediment and Water Data, West Central Yukon, (NTS 116B; parts of 116C, 116F and 116G) Geological Survey of Canada Open File 2365.
- Green, L.H. and Roddick, J.A. (1972): Geology of Nash Creek, Larsen Creek, and Dawson Map-Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, 157 pp.
- Lane R.A. (1990): Geologic Setting and Petrology of the Proterozoic Ogilvie Mountains Breccia of the Coal Creek Inlier, Southern Ogilvie Mountains, Yukon Territory; Unpublished Masters Thesis, University of British Columbia, 223 pp.
- Lane, R.A. and Godwin, C.I. (1992): Geology of the Ogilvie Mountains Breccias, Coal Creek Inlier, (NTS 116B/11, 13, 14); Department of Indian and Northern Affairs, Open File 1992-1

APPENDIX B

LIST OF PERSONNEL

LIST OF PERSONNEL

Tom Bell (Prospector)
207, 675 West Hastings Street
Vancouver, B.C. V6B 1N2

Robert Falls (Geologist)
207, 675 West Hastings Street
Vancouver, B.C. V6B 1N2

Mark J. Malfair (Geologist)
207, 675 West Hastings Street
Vancouver, B.C. V6B 1N2

APPENDIX C

STATEMENT OF EXPENDITURES

**STATEMENT OF EXPENDITURES
MOVIE 1-18 CLAIMS**

CANADA) In the matter of an evaluation program on the
) Movie 1-18 Mineral Claims

I, Mark Baknes for Equity Engineering Ltd., 207, 675 West Hastings Street, Vancouver, B.C. do solemnly declare that a program consisting of lithogeochemical sampling, geological mapping, and prospecting was carried out on the Movie 1-18 Mineral Claims on the date of August 3, 1994.

The following expenses were incurred during the course of this work and in the compilation and reporting of the results:

PROFESSIONAL FEES AND WAGES:

Mark Baknes, P. Geo.		
2.2880 days @ \$400/day	\$	915.19
Robert B. Falls, Geologist		
4.9852 days @ \$350/day		1,744.79
Mark J. Malfair, Geologist		
3.8334 days @ \$225/day		862.50
Tom Bell, Prospector		
1 day @ \$275/day		275.00
Clerical		
29.5275 hours @ \$20/hour		<u>590.55</u>
	\$	4,388.03

EXPENSES:

Aircraft Charters	\$	18.02	
Automotive Fuel		4.72	
Camp Food		18.07	
Chemical Analyses		967.20	
Courier and Telefax		11.66	
Drafting		151.23	
Freight		46.25	
Helicopter Charters		2,205.42	
Maps and Publications		3.24	
Materials and Supplies		43.34	
Meals		98.85	
Printing and Reproductions		152.28	
Long Distance Charges		16.86	
Travel		<u>.93</u>	3,738.07

JOINT MOBILIZATION COSTS: 298.68

EQUIPMENT RENTAL:

4WD Equity	\$	11.31	
Handheld Radios		21.25	
Fly Camp		<u>81.41</u>	113.97

MANAGEMENT FEES:

15% on expenses only

560.71

SUBTOTAL:

\$ 9,099.46

GST:

7% on subtotal

636.97

TOTAL:

\$ 9,736.43

Notes:

1. Wages and general expenses (all other costs) are pro rated according to man days allocated to each property.
2. Assay charges are based on actual numbers of samples from the property.

And I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act.

Declared before me at Vancouver in the)
Province of British Columbia this)
_____ day of _____, 19____)

A Commissioner for Oaths for, or
Notary Public for the Yukon Territory

APPENDIX D

ROCK SAMPLE DESCRIPTIONS

MINERALS AND ALTERATION TYPES

AB	albite	AD	adularia
AK	ankerite	AS	arsenopyrite
AZ	azurite	BA	barite
BI	biotite	BO	bornite
BR	brannerite	CA	calcite
CB	Fe-carbonate	CC	chalcocite
CL	chlorite	CO	cobaltite
CP	chalcopyrite	CY	clay
DI	diopside	DO	dolomite
EP	epidote	ER	erythrite
GA	garnet	GE	goethite
GL	galena	GR	graphite
HE	earthy hematite	HS	specularite
JA	jarosite	KF	potassium feldspar
MC	malachite	MG	magnetite
MN	Mn-oxides	MR	mariposite
MS	muscovite/sericite	NE	neotocite
PO	pyrrhotite	PY	pyrite
QZ	quartz	SI	silica
SP	sphalerite	TT	tetrahedrite

ALTERATION INTENSITIES

m	medium	s	strong	tr	trace
vs	very strong	vw	very weak	w	weak

Property : MOVIE CLAIMS

NTS : 116B/14

Date : MARCH 2, 1995

Sample No.	UTM :	7182690 N	Type :	Float	Alteration :		Au	Ag	Ba	Co	Cu	Zn
		582820 E	Strike Length Exp. :	m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596599	Elevation:	1120 m	Sample Width :	3 cm	Alteration :	<1%CP, <1%GL	<5	0.8	110.	1.	305.	450.
	Orientation:	/	True Width :	3 cm	Alteration :							
Comments : Composite sample from several quartz-carbonate veins, within siltstone talus. Sample collected from a 10x10 metre area.												

Sample No.	UTM :	7182833 N	Type :	Grab	Alteration :	sCL, sSI	Au	Ag	Ba	Co	Cu	Zn
		582741 E	Strike Length Exp. :	6 m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596600	Elevation:	1165 m	Sample Width :	20 cm	Alteration :	trCP, 1%GL, 5%PY	90	12.2	10.	126.	456.	234.
	Irregular :	/	True Width :	2 m	Alteration :							
Comments : Sample is from a 2 metre wide silicified zone in sediments, adjacent to a diorite contact. Pyrite is finely disseminated. Galena and chalcopyrite occur as sparse blebs.												

Sample No.	UTM :	7182967 N	Type :	Float	Alteration :	mMS, sQZ	Au	Ag	Ba	Co	Cu	Zn
		583287 E	Strike Length Exp. :	m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596661	Elevation:	4775 ft	Sample Width :	m	Alteration :	1%CP	<5	3.4	20.	26.	2430.	211.
	Orientation:	010 /	True Width :	m	Alteration :							
Comments : Subcrop. Sample collected from quartz stockwork dark sediments adjacent to dolomite contact.												

Sample No.	UTM :	7182952 N	Type :	Float	Alteration :	sCL, sQZ	Au	Ag	Ba	Co	Cu	Zn
		583302 E	Strike Length Exp. :	m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596662	Elevation:	4775 ft	Sample Width :	m	Alteration :	trCP, >1%GL	<5	0.8	100.	4.	79.	48.
	Orientation:	/	True Width :	m	Alteration :							
Comments : Subcrop. Sample taken 5m from 596661 in same zone.												

Sample No.	UTM :	7182978 N	Type :	Float	Alteration :	sQZ, sSI	Au	Ag	Ba	Co	Cu	Zn
		582966 E	Strike Length Exp. :	m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596663	Elevation:	4175 ft	Sample Width :	m	Alteration :	>1GL, >1%PY, 7-10%SP	<5	35.0	190.	25.	285.	7.82%
	Orientation:	/	True Width :	m	Alteration :							
Comments : Subcrop. 5000N, 4655E. Vuggy fine grained quartz with black sediment fragments.												

Sample No.	UTM :	7183018 N	Type :	Float	Alteration :	wCB, sQZ	Au	Ag	Ba	Co	Cu	Zn
		582971 E	Strike Length Exp. :	m	Alteration :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596664	Elevation:	4145 ft	Sample Width :	m	Alteration :	1-2%GL	10.	18.4	140.	18.	241.	1.39%
	Orientation:	/	True Width :	m	Alteration :							
Comments : Sample taken 7 metres north of sample 596663. Quartz stockwork and brecciated sediments with minor carbonate fragments.												

Property : MOVIE CLAIMS

NTS : 116B/14

Date : MARCH 2, 1995

Sample No.	UTM :	7183012 N	Type :	Float	Alteration :	mCB, sQZ	Au	Ag	Ba	Co	Cu	Zn
		582921 E	Strike Length Exp. :	m	Metallics :	trCP, 10-20%GL, 1%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596665	Elevation:		Sample Width :	m	Secondaries:	sHE, mJA	10.	32.0	80.	18.	128.	534.
	Orientation:	/	True Width :	m	Host :	Sediments						

Comments : Subcrop. 5000N, 4665E. Quartz-carbonate stockwork. Sample collected from 2 large boulders.

Sample No.	UTM :	7183040 N	Type :	Grab	Alteration :	mCB, sQZ	Au	Ag	Ba	Co	Cu	Zn
		582681 E	Strike Length Exp. :	m	Metallics :		(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596666	Elevation:	4025 ft	Sample Width :	2 m	Secondaries:	sJA	<5	0.8	1550.	14.	36.	66.
	Orientation:	/	True Width :	m	Host :	Diorite						

Comments : Sample taken 50m south of baseline. Quartz stockwork with strock jarosite in diorite.

Sample No.	UTM :	7183010 N	Type :	Grab	Alteration :	mCB, sQZ	Au	Ag	Ba	Co	Cu	Zn
		582649 E	Strike Length Exp. :	50+ m	Metallics :	>1%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596667	Elevation:		Sample Width :	2 m	Secondaries:	mHE, mJA	<5	0.6	410.	16.	50.	72.
	Orientation:	/	True Width :	2 m	Host :	Sediments						

Comments : Stockwork sediments with minor carbonate alteration.

Sample No.	UTM :	7182980 N	Type :	Grab	Alteration :	sCB, sMS	Au	Ag	Ba	Co	Cu	Zn
		582609 E	Strike Length Exp. :	50+ m	Metallics :	2-3%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596668	Elevation:	3975 ft	Sample Width :	2 m	Secondaries:	sGE, sJA	<5	1.4	470.	13.	50.	40.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Pyrite is finely disseminated. 5000N, 4200E.

Sample No.	UTM :	7182832 N	Type :	Grab	Alteration :	mCB, mKF	Au	Ag	Ba	Co	Cu	Zn
		582463 E	Strike Length Exp. :	50+ m	Metallics :	2-3%HS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596669	Elevation:	3890 ft	Sample Width :	2 m	Secondaries:	mJA	<5	0.2	490.	11.	18.	46.
	Orientation:	/	True Width :	2 m	Host :	Breccia						

Comments :

Sample No.	UTM :	7181430 N	Type :	Select/Grab	Alteration :	sCB, wMS, wQZ, sAK	Au	Ag	Ba	Co	Cu	Zn
		581096 E	Strike Length Exp. :	50 m	Metallics :	3%GL, 5%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596710	Elevation:	1150 m	Sample Width :	15 cm	Secondaries:	mGE, mJA	<5	15.6	60.	43.	86.	506.
	Veining :	076 / 34 S	True Width :	15 cm	Host :	Grey, Fe-carbonate altered shale/slate (Pq)						

Comments : 1m thick alteration zone peripheral to a sparry carbonate vein. Massive pyrite and galena are intergrown in carbonate and are only significantly concentrated over a 15 cm thickness.

Property : MOVIE CLAIMS

NTS : 1168/14

Date : MARCH 2, 1995

Sample No.	UTM :	7181886 N	Type :	Float	Alteration :	mCB, sCL, sKF, wQZ	Au	Ag	Ba	Co	Cu	Zn
		581146 E	Strike Length Exp. :	m	Metallics :	0.5%CP, 1%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596711	Elevation:	1115 m	Sample Width :	m	Secondaries:	None	<5	<0.2	810.	29.	90.	44.
	Orientation:	/	True Width :	m	Host :	Strongly KF-CL-altered heterolithic breccia						

Comments : Subrounded boulder from stream of silt sample 94MB-21. Very minor chalcopyrite occurs as isolated blebs and within CB-KF-HE-HS stringers. The chalcopyrite is associated with pyrite.

Sample No.	UTM :	7181841 N	Type :	Float	Alteration :	sDO, mQZ, sAK, sSD	Au	Ag	Ba	Co	Cu	Zn
		581128 E	Strike Length Exp. :	m	Metallics :	6%CP	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596712	Elevation:	1117 m	Sample Width :	m	Secondaries:	None	<5	2.0	10.	20.	1.37%	36.
	Orientation:	/	True Width :	m	Host :	Siderite-quartz vein						

Comments : Sample from a boulder of siderite cut by parallel quartz-carbonate stringers. Chalcopyrite occurs as 3-10 mm blebs in the stringers. The source of this material is a vein on the east bank of the creek.

Sample No.	UTM :	7181631 N	Type :	Grab	Alteration :	sCB, wQZ, sSD	Au	Ag	Ba	Co	Cu	Zn
		581071 E	Strike Length Exp. :	m	Metallics :	0.2%CP, 3%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596713	Elevation:	1143 m	Sample Width :	m	Secondaries:	None	<5	<0.2	120.	12.	31.	22.
	Vein :	035 / 45 NW	True Width :	m	Host :	Siderite vein						

Comments : Sample taken from siderite vein exposed in subcrop on west bank of creek. Sulphides occur mainly in crosscutting quartz-carbonate veins. Similar to sample 596712 but contains less chalcopyrite.

Sample No.	UTM :	7181606 N	Type :	Grab	Alteration :	sDO, wQZ	Au	Ag	Ba	Co	Cu	Zn
		581131 E	Strike Length Exp. :	50 m	Metallics :	0.7%CP, trGL, trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596714	Elevation:	1153 m	Sample Width :	3 m	Secondaries:	None	<5	1.4	280.	6.	2653.	72.
	Vein :	048 / 56 NW	True Width :	2 m	Host :	Dolomite vein						

Comments : Sparry dolomite vein at least 1-2 metres thick. Chalcopyrite is disseminated and also occurs as blebs in carbonate-quartz veins.

Sample No.	UTM :	7181818 N	Type :	Float	Alteration :	wCB, sQZ	Au	Ag	Ba	Co	Cu	Zn
		581124 E	Strike Length Exp. :	m	Metallics :	20%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596715	Elevation:	1040 m	Sample Width :	m	Secondaries:	wGE	55	1.0	80.	219.	25.	18.
	Orientation:	/	True Width :	m	Host :	Quartz-pyrite shear in shale						

Comments : Sample from a silicified boulder containing pyrite and parallel quartz veins. From an isolated, angular boulder. Probably shear related as there are slickensides on the boulder.

Sample No.	UTM :	7181971 N	Type :	Float/Subcrp	Alteration :	wQZ, sSD	Au	Ag	Ba	Co	Cu	Zn
		581157 E	Strike Length Exp. :	m	Metallics :	3%CP, trGL	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596716	Elevation:	1120 m	Sample Width :	m	Secondaries:	wMC	<5	2.2	230.	36.	4336.	26.
	Vein :	045 / 55 NW	True Width :	m	Host :	Siderite vein						

Comments : 1x1m subcrop exposure. Quartz stringers cut by siderite. Chalcopyrite occurs as coarse blebs in siderite and quartz. Similar to material observed upstream.

Sample No. UTM : 7182164 N Type : Grab Alteration : mCL, wKF, mMS, wQZ Au Ag Ba Co Cu Zn
596717 581161 E Strike Length Exp. : >50 m Metallics : 1-3%HS (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1080 m Sample Width : 20 m Secondaries: None <5 <0.2 540. 13. 25. 26.
Vein : 095 / 90 True Width : m Host : Heterolithic breccia with a green matrix
Comments : Fragments of dolomitic siltstone, siltstone, and pink, KF-altered rock fragments in a layered volcanic looking matrix.
Local layering. Cut by quartz-carbonate stringers.

Sample No. UTM : 7182169 N Type : Grab Alteration : wCB, wCL, sQZ Au Ag Ba Co Cu Zn
596718 581222 E Strike Length Exp. : 15 m Metallics : 1%PY (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1110 m Sample Width : 2 m Secondaries: mGE, sJA <5 <0.2 500. 10. 46. 12.
Vein : 032 / 73 NW True Width : 3 m Host : Green homolithic-heterolithic breccia
Comments : Silicified, pyritic zone within breccia. Appears to be a crosscutting alteration zone.

Sample No. UTM : 7182158 N Type : Grab Alteration : sCB, sDO, wMS, AK? Au Ag Ba Co Cu Zn
596719 581245 E Strike Length Exp. : 25 m Metallics : 3%PY (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1115 m Sample Width : 1 m Secondaries: wGE <5 <0.2 270. 205. 45. 16.
Orientation: 080 / 52 N True Width : 1 m Host : Green homolithic-heterolithic breccia
Comments : Sample is from altered breccia marginal to a coarse crystalline carbonate vein. Carbonate vein is poorly mineralized
but downslope float is strongly mineralized.

Sample No. UTM : 7182910 N Type : Grab Alteration : sCL, sKF?, sSI Au Ag Ba Co Cu Zn
596751 582521 E Strike Length Exp. : >50 m Metallics : 2-5%HS (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1205 m Sample Width : 20 cm Secondaries: sHE <5 <0.2 540. 10. 7. 50.
Massive : / True Width : >50 m Host : Maroon homolithic breccia
Comments : Rock consists of 40-50% pink, subangular, siliceous clasts in a dark matrix of chlorite and hematite.

Sample No. UTM : 7182832 N Type : Float Alteration : sSI Au Ag Ba Co Cu Zn
596752 582467 E Strike Length Exp. : m Metallics : 30-40%HS (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1180 m Sample Width : m Secondaries: mGE <5 <0.2 90. 3. <1 <2
Orientation: / True Width : m Host : Homolithic breccia
Comments : Subcrop? Chert clasts in a hematitic matrix. Probably brecciated iron formation.

Sample No. UTM : 7182799 N Type : Grab Alteration : sCB, sCL, sKF? Au Ag Ba Co Cu Zn
596753 582107 E Strike Length Exp. : 5 m Metallics : <1%CP, 2%HS (ppb) (ppm) (ppm) (ppm) (ppm) (ppm)
Elevation: 1045 m Sample Width : 10 cm Secondaries: wGE, trMC <5 <0.2 500. 8. 962. 18.
Massive : / True Width : 5 m Host : Heterolithic breccia
Comments : Consists of 50% white to pink, subangular, altered sediment clasts in a matrix of chlorite and carbonate. Hematite
and chalcopyrite are finely disseminated throughout the matrix.

Property : MOVIE CLAIMS

NTS : 116B/14

Date : MARCH 2, 1995

Sample No.	UTM :	7182752 N	Type :	Grab	Alteration :	sCB, sCL, sKF?	Au	Ag	Ba	Co	Cu	Zn
		581986 E	Strike Length Exp. :	>50 m	Metallics :	1XHS, trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596754	Elevation:	1050 m	Sample Width :	10 cm	Secondaries:	wGE	<5	<0.2	450.	5.	15.	8.
	Massive :	/	True Width :	>50 m	Host :	Homolithic breccia						

Comments : Rock consists of 40% pink, altered, subrounded rock fragments in a matrix of chlorite, carbonate and hematite. Composite over several square metres.

Sample No.	UTM :	7182478 N	Type :	Float	Alteration :	sCL, sKF?	Au	Ag	Ba	Co	Cu	Zn
		581667 E	Strike Length Exp. :	m	Metallics :	1-5XHS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596755	Elevation:	1075 m	Sample Width :	m	Secondaries:	mHE	<5	<0.2	930.	3.	7.	30.
	Orientation:	/	True Width :	m	Host :	Homolithic breccia						

Comments : Composite float sample from breccia talus. Rock consists of 30% pink, subangular, altered rock fragments in a matrix of chlorite and hematite.

Sample No.	UTM :	7182419 N	Type :	Float	Alteration :	sCB, sCL	Au	Ag	Ba	Co	Cu	Zn
		581604 E	Strike Length Exp. :	m	Metallics :	<1XCP	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596756	Elevation:	1090 m	Sample Width :	m	Secondaries:	mGE, sMC	<5	<0.2	920.	10.	4561.	26.
	Orientation:	/	True Width :	m	Host :	Breccia?						

Comments : Chlorite breccia? Blebby chalcopyrite associated with ankerite veining. Taken from coarse talus below outcrop.

Sample No.	UTM :	7182175 N	Type :	Grab	Alteration :	sCL, sKF	Au	Ag	Ba	Co	Cu	Zn
		581972 E	Strike Length Exp. :	15 m	Metallics :	10XHS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596764	Elevation:	1260 m	Sample Width :	20 cm	Secondaries:	mGE	<5	<0.2	380.	9.	12.	22.
	Joint :	120 / 76 S	True Width :	30 cm	Host :	Homolithic breccia						

Comments : Sparse subrounded, pink, altered rock fragments in a fine-grained matrix of chlorite + specularite. Composite over 30x15m outcrop.

Sample No.	UTM :	7182051 N	Type :	Float	Alteration :	sSI	Au	Ag	Ba	Co	Cu	Zn
		581900 E	Strike Length Exp. :	m	Metallics :	10XPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596765	Elevation:	1280 m	Sample Width :	m	Secondaries:	sGE	<5	2.0	580.	7.	27.	58.
	Orientation:	/	True Width :	m	Host :	Silicified sediments?						

Comments : Rusty, siliceous float containing very fine-grained sulphides (probably pyrite) and also coarser patchy pyrite. Found in an area of extensive breccia subcrop.

Sample No.	UTM :	7181998 N	Type :	Grab	Alteration :	sCL, sSI	Au	Ag	Ba	Co	Cu	Zn
		581867 E	Strike Length Exp. :	>50 m	Metallics :	trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596766	Elevation:	1310 m	Sample Width :	10 cm	Secondaries:	GE	<5	0.4	670.	6.	19.	20.
	Orientation:	/	True Width :	20 m	Host :	Homolithic breccia						

Comments : 30% subrounded, siliceous (altered dolomite?) fragments in a dark green, fine-grained, chloritic matrix. Traces of disseminated pyrite. From large area of broken outcrop/subcrop.

Property : MOVIE CLAIMS

NTS : 1168/14

Date : MARCH 2, 1995

Sample No.	UTM :	7182019 N	Type :	Grab	Alteration :	sCL, KF? sSI	Au	Ag	Ba	Co	Cu	Zn
		581703 E	Strike Length Exp. :	50 m	Metallics :	1%HS, trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596767	Elevation:	1305 m	Sample Width :	10 cm	Secondaries:	wGE	<5	0.4	860.	14.	21.	62.
	Orientation:	/	True Width :	20 m	Host :	Homolithic breccia						

Comments : 30% pink to tan altered, subrounded rock fragments in a fine-grained chlorite matrix containing disseminated specularite and pyrite.

Sample No.	UTM :	7181954 N	Type :	Grab	Alteration :	sCL, sSI	Au	Ag	Ba	Co	Cu	Zn
		581663 E	Strike Length Exp. :	>50 m	Metallics :	10%HS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596768	Elevation:	1320 m	Sample Width :	10 cm	Secondaries:	mGE	<5	<0.2	650.	9.	20.	22.
	Orientation:	/	True Width :	>50 m	Host :	Homolithic breccia						

Comments : 10% altered, subrounded rock fragments in a chlorite-hematite matrix. From an extensive area of breccia subcrop/float.

Sample No.	UTM :	7182020 N	Type :	Grab	Alteration :	sCB, wCL	Au	Ag	Ba	Co	Cu	Zn
		581492 E	Strike Length Exp. :	>50 m	Metallics :	30%HS, trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596769	Elevation:	1280 m	Sample Width :	10 cm	Secondaries:	wGE	<5	0.4	660.	3.	6.	10.
	Orientation:	/	True Width :	>50 m	Host :	Heterolithic breccia						

Comments : Consists of 50-60% subangular carbonate chert and shale clasts in a matrix of carbonate and specular hematite. From a large area of breccia subcrop, clast supported.

Sample No.	UTM :	7182290 N	Type :	Grab	Alteration :	sCL, sGraphite	Au	Ag	Ba	Co	Cu	Zn
		581639 E	Strike Length Exp. :	>50 m	Metallics :	PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596770	Elevation:	1220 m	Sample Width :	10 cm	Secondaries:	wGE	<5	0.2	280.	10.	7.	58.
	Orientation:	/	True Width :	25 m	Host :	Homolithic breccia						

Comments : Rock consists of 5mm (shale ?) clasts in a matrix of chlorite + graphite, a somewhat sparkly appearance suggests very fine-grained pyrite may be present.

Sample No.	UTM :	7180018 N	Type :	Float	Alteration :	mCA	Au	Ag	Ba	Co	Cu	Zn
		579594 E	Strike Length Exp. :	m	Metallics :	3%HS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596992	Elevation:	1870 m	Sample Width :	m	Secondaries:		<5	<0.2	120.	11.	<1	28.
	Orientation:	/	True Width :	m	Host :	Homolithic breccia						

Comments : Subcrop, homolithic breccia with maroon mudstone clasts

Sample No.	UTM :	7180037 N	Type :	Float	Alteration :	wCL	Au	Ag	Ba	Co	Cu	Zn
		579868 E	Strike Length Exp. :	m	Metallics :	2%HS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596993	Elevation:	5400 ft	Sample Width :	m	Secondaries:		<5	<0.2	400.	11.	<1	30.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Subcrop, near contact with diorite

Property : MOVIE CLAIMS

NTS : 116B/14

Date : MARCH 2, 1995

Sample No.	UTM :	7182506 N	Type :	Float	Alteration :	DO, QZ	Au	Ag	Ba	Co	Cu	Zn
		583811 E	Strike Length Exp. :	m	Metallics :	3%CP, 1%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596994	Elevation:	4200 ft	Sample Width :	m	Secondaries:		<5	<0.2	2190.	14.	734.	70.
	Orientation:	/	True Width :	m	Host :	Vein						

Comments : Siderite-dolomite-quartz veins with chalcopyrite and pyrite.

Sample No.	UTM :	7182625 N	Type :	Float	Alteration :	wCL	Au	Ag	Ba	Co	Cu	Zn
		583920 E	Strike Length Exp. :	m	Metallics :	9%HS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596995	Elevation:	1300 m	Sample Width :	m	Secondaries:		<5	<0.2	370.	18.	20.	22.
	Orientation:	/	True Width :	m	Host :	Heterolithic breccia						

Comments : Heterolithic breccia with subrounded clasts, matrix supported

Sample No.	UTM :	7182993 N	Type :	Float	Alteration :	wCL	Au	Ag	Ba	Co	Cu	Zn
		584076 E	Strike Length Exp. :	m	Metallics :	trHS	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596996	Elevation:	1565 m	Sample Width :	m	Secondaries:		<5	<0.2	160.	6.	2.	22.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Subcrop on ridge, matrix-supported breccia with subrounded clasts

Sample No.	UTM :	7183088 N	Type :	Float	Alteration :	sQZ	Au	Ag	Ba	Co	Cu	Zn
		584116 E	Strike Length Exp. :	m	Metallics :	2%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596997	Elevation:	1540 m	Sample Width :	m	Secondaries:		<5	<0.2	350.	686.	1.	2.
	Orientation:	/	True Width :	m	Host :	Heterolithic breccia, medium grained						

Comments :

Sample No.	UTM :	7183437 N	Type :	Float	Alteration :	CL, SI	Au	Ag	Ba	Co	Cu	Zn
		584367 E	Strike Length Exp. :	m	Metallics :	4%HS, trPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596998	Elevation:	1500 m	Sample Width :	m	Secondaries:		<5	<0.2	310.	108.	1.	16.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Subcrop on East side of ridge

Sample No.	UTM :	7183456 N	Type :	Float	Alteration :	sSI	Au	Ag	Ba	Co	Cu	Zn
		584386 E	Strike Length Exp. :	m	Metallics :	trHS, 1%PY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
596999	Elevation:	1495 m	Sample Width :	m	Secondaries:		<5	<0.2	710.	232.	4.	2.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Mineralization is disseminated in large silicified clasts

EQUITY ENGINEERING LTD.

Property : MOVIE CLAIMS

ROCK SAMPLE DESCRIPTIONS

NTS : 116B/14

Date : MARCH 2, 1995

Page-8-

Sample No.	UTM :	7183502 N	Type :	Float	Alteration :	sSI	Au	Ag	Ba	Co	Cu	Zn
		584481 E	Strike Length Exp. :	m	Metallics :	2XPY	(ppb)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
597000	Elevation:	1515 m	Sample Width :	m	Secondaries:		<5	<0.2	810.	75.	4.	12.
	Orientation:	/	True Width :	m	Host :	Breccia						

Comments : Similar mineralization to 596999.

APPENDIX E

CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

A9424208

Comments: ATTN: M. BAKNES

CERTIFICATE

A9424208

(EIA) - EQUITY ENGINEERING LTD.

Project: JR94-02-MOVIE
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 12-SEP-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	32	Dry, sieve to -80 mesh
285	32	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	32	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
578	32	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	32	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	32	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	32	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	32	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	32	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	32	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	32	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	32	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	32	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	32	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	32	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	32	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	32	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	32	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	32	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	32	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	32	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	32	Pb ppm: 24 element, rock & core	AAS	2	10000
582	32	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	32	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	32	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	32	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	32	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N2

A9424209

Comments: ATTN: M. BAKNES

CERTIFICATE

A9424209

(EIA) - EQUITY ENGINEERING LTD.

Project: JR04-02 MOVIE
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 10-SEP-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	16	Geochem ring to approx 150 mesh
226	16	0-5 lb crush and split
285	16	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
100	16	Au ppb: Fuse 10 g sample	FA-AAS	5	10000
578	16	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	16	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	16	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	16	Ba ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	16	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	16	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	16	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	16	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	16	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	16	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	16	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	16	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	16	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	16	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	16	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	16	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	16	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	16	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	16	Pb ppm: 24 element, rock & core	AAS	2	10000
582	16	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	16	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	16	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	16	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	16	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: JR04-02 MOVIE
 Comments: ATTN: M. BAKNES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 10-SEP-94
 Invoice No. : 19424209
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS A9424209

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
596661	205 226	< 5	3.4	1.62	20	< 0.5	< 2	10.30	0.5	26	116	2430	3.90	0.27	6.18
596662	205 226	< 5	0.8	2.95	100	0.5	4	1.05	< 0.5	4	216	79	0.87	1.31	0.65
596663	205 226	< 5	35.0	2.27	190	0.5	8	0.13	189.0	25	240	285	2.11	0.98	0.17
596664	205 226	10	18.4	2.04	140	0.5	4	0.23	31.5	18	122	241	0.73	0.92	0.20
596665	205 226	10	32.0	1.20	80	< 0.5	< 2	2.53	2.0	18	293	128	1.87	0.53	1.46
596666	205 226	< 5	0.8	4.47	1550	0.5	2	0.10	< 0.5	14	171	36	2.38	4.03	2.17
596667	205 226	< 5	0.6	3.42	410	1.0	4	0.02	< 0.5	16	252	50	3.32	1.11	0.91
596668	205 226	< 5	1.4	7.47	470	2.0	6	0.12	< 0.5	13	109	50	4.23	5.60	3.48
596669	205 226	< 5	0.2	5.44	490	1.0	2	2.43	< 0.5	11	91	18	4.09	4.62	3.08
596764	205 226	< 5	< 0.2	6.33	380	1.0	4	1.67	< 0.5	9	95	12	7.44	4.57	2.87
596765	205 226	< 5	2.0	3.64	580	0.5	6	0.07	< 0.5	7	183	27	3.39	3.45	0.57
596766	205 226	< 5	0.4	4.41	670	0.5	< 2	5.10	< 0.5	6	102	19	3.50	3.42	3.20
596767	205 226	< 5	0.4	6.03	860	1.5	< 2	1.64	< 0.5	14	126	21	4.46	4.66	3.63
596768	205 226	< 5	< 0.2	6.72	650	1.5	< 2	0.82	< 0.5	9	107	20	7.41	4.43	3.37
596769	205 226	< 5	0.4	1.61	660	< 0.5	< 2	11.90	< 0.5	3	54	6	5.57	1.90	7.31
596770	205 226	< 5	0.2	10.65	280	1.5	2	0.17	< 0.5	10	122	7	4.45	4.38	5.03

CERTIFICATION: Handwritten Signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project : JR04-02 MOVIE
 Comments: ATTN: M. BAKNES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 10-SEP-94
 Invoice No. : 19424209
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS A9424209

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
596661	205 226	2130	< 1	0.03	63	180	42	17	0.07	36	< 10	211			
596662	205 226	150	< 1	0.04	11	120	920	8	0.05	16	< 10	48			
596663	205 226	130	< 1	0.10	13	120	8000	4	0.03	16	< 10	>10000			
596664	205 226	400	< 1	0.10	14	30	>10000	4	0.02	15	< 10	>10000			
596665	205 226	730	< 1	0.03	20	30	>10000	10	0.01	11	< 10	534			
596666	205 226	735	< 1	0.15	24	510	92	34	0.16	39	< 10	66			
596667	205 226	125	2	0.22	25	90	400	6	0.08	23	< 10	72			
596668	205 226	70	< 1	0.33	48	800	160	26	0.29	74	< 10	40			
596669	205 226	710	< 1	0.23	22	720	12	32	0.21	55	< 10	46			
596764	205 226	610	< 1	0.27	29	910	< 2	15	0.20	71	< 10	22			
596765	205 226	55	< 1	0.14	17	470	84	16	0.15	32	< 10	58			
596766	205 226	1070	< 1	0.19	12	660	< 2	33	0.17	48	< 10	20			
596767	205 226	490	< 1	0.37	38	800	< 2	42	0.23	61	< 10	62			
596768	205 226	330	< 1	0.34	26	830	< 2	44	0.23	67	< 10	22			
596769	205 226	1730	< 1	0.06	4	840	< 2	38	0.06	51	< 10	10			
596770	205 226	130	< 1	0.48	29	390	< 2	6	0.25	37	< 10	58			

CERTIFICATION: *M. Baknes*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

A9422688

Comments:

CERTIFICATE

A9422688

EQUITY ENGINEERING LTD.

Project: JR94-02
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 15-AUG-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	72	Dry, sieve to -80 mesh
203	10	Dry, sieve to -35 mesh
205	10	Geochem ring to approx 150 mesh
285	82	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
578	82	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	82	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	82	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	82	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	82	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	82	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	82	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	82	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	82	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	82	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	82	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	82	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	82	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	82	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	82	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	82	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	82	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	82	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	82	Pb ppm: 24 element, rock & core	AAS	2	10000
582	82	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	82	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	82	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	82	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	82	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project : MOVIE
 Comments:

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 15-AUG-94
 Invoice No. : 19422688
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS

A9422688

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
94MB-19	201	285	< 5	0.2	6.77	760	2.0	< 2	4.30	< 0.5	26	78	114	3.46	2.71	2.91
94MB-20	203	205	< 5	< 0.2	9.64	630	2.5	2	0.09	< 0.5	14	107	34	3.07	3.66	0.53
94MB-21	201	285	< 5	< 0.2	4.54	540	1.0	< 2	8.54	< 0.5	9	53	43	2.56	2.21	5.34
94MB-22	201	285	< 5	0.2	9.29	650	3.0	2	0.29	< 0.5	30	119	65	4.24	3.41	0.82
94MB-23	203	205	< 5	< 0.2	9.63	680	2.5	4	0.33	0.5	17	110	44	3.11	3.83	0.75
94MB-24	201	285	< 5	0.2	7.98	650	2.0	< 2	2.00	< 0.5	21	89	86	3.61	3.13	1.72
94MM-31	203	205	< 5	< 0.2	9.33	730	2.5	8	0.12	0.5	18	94	39	2.92	3.57	0.70
94MM-32	203	205	< 5	< 0.2	9.75	730	2.5	6	0.11	< 0.5	15	103	35	2.76	3.76	0.71
94RF-16	203	205	< 5	< 0.2	10.40	890	3.0	4	0.19	< 0.5	14	87	27	1.86	4.25	0.56
94RF-17	201	285	< 5	< 0.2	5.47	450	1.5	< 2	7.16	< 0.5	11	57	28	2.56	2.46	5.09
94RF-18	201	285	< 5	< 0.2	5.27	460	1.0	< 2	8.24	< 0.5	9	57	26	2.53	2.39	5.78

CERTIFICATION: _____

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project : MOVIE
 Comments:

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 15-AUG-94
 Invoice No. : I9422688
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS **A9422688**

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
94MB-19	201 285	1245	1	0.94	33	680	98	125	0.33	103	< 10	178			
94MB-20	203 205	525	< 1	0.63	25	250	4	45	0.33	86	< 10	40			
94MB-21	201 285	1000	2	0.62	27	550	92	95	0.24	83	< 10	168			
94MB-22	201 285	1410	1	0.67	42	290	64	53	0.32	88	< 10	106			
94MB-23	203 205	650	< 1	0.55	26	230	28	36	0.29	83	< 10	66			
94MB-24	201 285	1140	1	0.65	32	340	66	62	0.25	83	< 10	104			
94MM-31	203 205	730	< 1	0.59	24	220	20	28	0.27	77	< 10	50			
94MM-32	203 205	525	< 1	0.62	23	240	16	26	0.32	81	< 10	44			
94RF-16	203 205	335	1	0.54	17	210	50	21	0.29	76	< 10	112			
94RF-17	201 285	755	1	0.53	17	390	52	50	0.22	63	< 10	148			
94RF-18	201 285	725	< 1	0.50	17	360	48	50	0.23	63	< 10	144			

CERTIFICATION: Heartland



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N2

A9422855

Comments: ATTN: M. BAKNES

CERTIFICATE

A9422855

EQUITY ENGINEERING LTD.

Project: JR94-02
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 18-AUG-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	76	Geochem ring to approx 150 mesh
294	76	Crush and split (6-10 pounds)
285	76	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
578	76	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	76	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	76	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	76	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	76	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	76	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	76	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	76	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	76	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	76	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	76	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	76	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	76	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	76	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	76	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	76	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	76	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	76	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	76	Pb ppm: 24 element, rock & core	AAS	2	10000
582	76	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	76	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	76	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	76	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	76	Zn ppm: 24 element, rock & core	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project : MOVIE
 Comments: ATTN: M. BAKNES

Page Number : 1-A
 Total Pages : 2
 Certificate Date: 18-AUG-94
 Invoice No. : 19422855
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS A9422855

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
596599	205 294	< 5	0.8	0.37	110	< 0.5	< 2	0.88	1.0	1	92	305	0.60	0.14	0.40
596600	205 294	90	12.2	1.75	10	< 0.5	26	0.05	1.0	126	258	456	5.02	0.13	1.48
596710	205 294	< 5	15.6	3.65	60	< 0.5	< 2	6.05	2.0	43	518	86	15.05	0.45	4.80
596711	205 294	< 5	< 0.2	7.40	810	< 0.5	< 2	1.09	< 0.5	29	78	90	7.90	5.47	3.52
596712	205 294	< 5	2.0	0.26	10	< 0.5	< 2	3.71	0.5	20	19	>10000	>25.0	< 0.01	4.10
596713	205 294	< 5	< 0.2	0.29	120	< 0.5	< 2	3.68	0.5	12	8	31	>25.0	< 0.01	4.40
596714	205 294	< 5	1.4	0.07	280	< 0.5	< 2	17.85	< 0.5	6	13	2650	5.22	< 0.01	9.41
596715	205 294	55	1.0	2.19	80	< 0.5	24	1.13	< 0.5	219	145	25	6.27	0.88	0.59
596716	205 294	< 5	2.2	0.29	230	< 0.5	< 2	0.57	< 0.5	36	2	4340	>25.0	< 0.01	3.55
596717	205 294	< 5	< 0.2	6.27	540	< 0.5	< 2	2.46	< 0.5	13	86	25	5.38	4.20	3.67
596718	205 294	< 5	< 0.2	4.26	500	< 0.5	2	0.05	< 0.5	10	157	46	3.23	3.31	0.89
596719	205 294	< 5	< 0.2	5.75	270	< 0.5	2	4.44	< 0.5	205	100	45	3.44	3.14	3.28
596751	205 294	< 5	< 0.2	8.19	540	< 0.5	< 2	0.21	< 0.5	10	93	7	5.24	5.16	3.67
596752	205 294	< 5	< 0.2	0.27	90	< 0.5	< 2	0.24	< 0.5	3	168	< 1	14.20	0.06	0.25
596753	205 294	< 5	< 0.2	5.44	500	< 0.5	< 2	4.24	< 0.5	8	100	962	4.14	4.23	3.93
596754	205 294	< 5	< 0.2	6.19	450	< 0.5	< 2	3.38	< 0.5	5	116	15	4.35	4.18	3.08
596755	205 294	< 5	< 0.2	4.33	930	< 0.5	< 2	4.13	< 0.5	3	93	7	3.16	3.98	3.44
596756	205 294	< 5	< 0.2	5.42	920	< 0.5	4	0.77	< 0.5	10	109	4560	4.29	4.09	2.55
596992	205 294	< 5	< 0.2	7.03	120	0.5	< 2	1.23	< 0.5	11	89	< 1	6.72	3.18	4.54
596993	205 294	< 5	< 0.2	6.75	400	0.5	< 2	1.60	< 0.5	11	85	< 1	4.67	5.20	3.61
596994	205 294	< 5	< 0.2	1.69	2190	< 0.5	< 2	8.28	0.5	14	73	734	11.65	0.64	4.68
596995	205 294	< 5	< 0.2	6.66	370	0.5	< 2	2.30	< 0.5	18	77	20	6.67	4.07	3.87
596996	205 294	< 5	< 0.2	6.60	160	< 0.5	< 2	1.67	< 0.5	6	95	2	5.73	1.34	2.91
596997	205 294	< 5	< 0.2	7.85	350	0.5	4	1.40	< 0.5	686	111	1	2.66	4.30	1.12
596998	205 294	< 5	< 0.2	6.83	310	< 0.5	< 2	1.10	< 0.5	108	96	1	7.27	4.30	3.33
596999	205 294	< 5	< 0.2	5.43	710	< 0.5	2	3.42	< 0.5	232	85	4	3.22	6.46	2.23
597000	205 294	< 5	< 0.2	6.22	810	< 0.5	2	2.11	< 0.5	75	97	4	3.35	7.68	1.79

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: MOVIE
 Comments: ATTN: M. BAKNES

Page Number : 1-B
 Total Pages : 2
 Certificate Date: 18-AUG-94
 Invoice No. : 19422855
 P.O. Number :
 Account : EIA

CERTIFICATE OF ANALYSIS A9422855

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
596599	205 294	530	< 1	0.07	3	30	1000	6	< 0.01	2	< 10	450			
596600	205 294	130	1	0.03	135	410	4000	3	0.06	32	< 10	234			
596710	205 294	2500	< 1	0.23	255	150	>10000	51	0.17	114	< 10	506			
596711	205 294	320	< 1	0.92	34	460	42	20	0.52	253	< 10	44			
596712	205 294	>10000	< 1	0.04	37	< 10	6	31	< 0.01	11	< 10	36			
596713	205 294	>10000	< 1	0.02	28	20	10	55	< 0.01	12	< 10	22			
596714	205 294	4490	< 1	0.02	10	< 10	174	44	< 0.01	15	< 10	72			
596715	205 294	625	1	0.03	133	80	46	12	0.04	11	< 10	18			
596716	205 294	>10000	< 1	0.07	33	< 10	< 2	7	< 0.01	9	< 10	26			
596717	205 294	790	1	0.22	29	740	< 2	23	0.28	90	< 10	26			
596718	205 294	55	1	0.11	12	470	4	15	0.16	38	< 10	12			
596719	205 294	1115	1	0.28	31	630	< 2	33	0.13	58	< 10	16			
596751	205 294	290	< 1	1.78	32	720	< 2	19	0.26	84	< 10	50			
596752	205 294	130	< 1	0.01	6	450	< 2	4	0.01	11	< 10	< 2			
596753	205 294	1155	< 1	0.22	23	830	< 2	28	0.16	58	< 10	18			
596754	205 294	705	< 1	0.17	15	590	< 2	16	0.22	67	< 10	8			
596755	205 294	1095	< 1	0.18	10	680	< 2	30	0.11	35	< 10	30			
596756	205 294	410	< 1	0.16	21	600	< 2	9	0.17	40	< 10	26			
596992	205 294	440	< 1	0.21	38	640	< 2	6	0.11	76	< 10	28			
596993	205 294	695	< 1	0.23	23	970	< 2	21	0.24	70	< 10	30			
596994	205 294	6530	< 1	0.11	23	70	40	57	0.03	21	< 10	70			
596995	205 294	545	< 1	0.44	27	870	< 2	41	0.25	82	< 10	22			
596996	205 294	600	1	2.38	19	1030	< 2	20	0.24	114	< 10	22			
596997	205 294	385	< 1	0.22	74	610	< 2	10	0.17	72	< 10	2			
596998	205 294	430	< 1	0.28	39	910	< 2	21	0.20	95	< 10	16			
596999	205 294	745	< 1	0.21	28	600	6	24	0.21	45	< 10	2			
597000	205 294	585	< 1	0.19	18	650	14	22	0.27	56	< 10	12			

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N2

Project : MOVIE
Comments: ATTN: M. BAKNES & H. AWMACK

Page Number : 2
Total Pages : 2
Certificate Date: 30-AUG-94
Invoice No. : 19424047
P.O. Number :
Account : EIA

CERTIFICATE OF ANALYSIS

A9424047

SAMPLE	PREP CODE	Cu %	Pb %										
596710	244 --	-----	1.52										
596712	244 --	1.37	-----										

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N2

A9430142

Comments: ATTN: MARK BAKNES

CERTIFICATE

A9430142

(EIA) - EQUITY ENGINEERING LTD.

Project: JR04-02 MOVIE
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 14-NOV-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
244	3	Pulp; prev. prepared at Chemex

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
312	2	Pb %: Reverse Aqua-Regia digest	AAS	0.01	100.0
316	2	Zn %: Reverse Aqua-Regia digest	AAS	0.01	100.0



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EQUITY ENGINEERING LTD.

207 - 675 W. HASTINGS ST.
VANCOUVER, BC
V6B 1N2

Project : JR04-02 MOVIE
Comments: ATTN: MARK BAKNES

Page Number : 1
Total Pages : 1
Certificate Date: 14-NOV-94
Invoice No. : I9430142
P.O. Number :
Account : EIA

CERTIFICATE OF ANALYSIS

A9430142

SAMPLE	PREP CODE	Pb %	Zn %									
596663	244 --	-----	7.82									
596664	244 --	2.12	1.39									
596665	244 --	4.20	-----									

CERTIFICATION:

[Handwritten Signature]

APPENDIX F

GEOLOGIST'S CERTIFICATE

GEOLOGIST'S CERTIFICATE


I, MARK E. BAKNES, of 4355 St. Catherines Street, Vancouver, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Consulting Geologist with offices at Suite 207, 675 West Hastings Street, Vancouver, British Columbia.
2. THAT I am a graduate of the University of British Columbia with a Bachelor of Science degree in Geology.
3. THAT I am a Professional Geoscientist registered in good standing with the Association of Professional Engineers and Geoscientists of the Province of British Columbia.
4. THAT this report is based on fieldwork carried out under my direction in August 1994, government publications and assessment reports filed with the Yukon. I have examined the property in the field.

DATED at Vancouver, British Columbia, this 27th day of February, 1995.



Mark E. Baknes, P.Geol.



GEOLOGIST'S CERTIFICATE

I, Robert B. Falls, of 103 - 2181 Panorama Drive, North Vancouver, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Consulting Geologist with offices at Suite 207, 675 West Hastings Street, Vancouver, British Columbia.
2. THAT I am a graduate of the University of Toronto with a Bachelor of Science degree in Geology.
3. THAT this report is based on property work completed by myself and others, government publications and assessment reports filed with the Yukon.

DATED at Vancouver, British Columbia, this 23rd day of February, 1995.



Robert B. Falls, B.Sc.