

TABLE OF CONTENTS

	<u>PAGE</u>
SUMMARY AND RECOMMENDATIONS	1
INTRODUCTION	3
PROPERTY LOCATION, CLAIM DATA AND ACCESS	4
EXPLORATION HISTORY	5
GEOMORPHOLOGY	6
GEOLOGY AND MINERALIZATION	7
GEOCHEMISTRY	11
Techniques	11
Results	11
CONCLUSIONS	15
REFERENCES	16

TABLE

1 Selected Geochemical Data	12
-----------------------------------	----

APPENDICES

I Author's Statement of Qualifications	
II Certificates of Analysis	

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 4
2	Claim Location	Following Page 4
3	Access	Following Page 4
4	Regional Geology	Following Page 7
5	Property Geology	Following Page 7
6	Geological Cross Section	Following Page 7
7	Sample Locations	In Pocket
8	Silver Geochemistry	In Pocket
9	Molybdenum Geochemistry	In Pocket
10	Copper Geochemistry	In Pocket
11	Zinc Geochemistry	In Pocket

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 9500.

M. Bate
Regional Manager, Exploration and
Geological Services for Commissioner,
of Yukon Territory.

SUMMARY AND RECOMMENDATIONS

The Grande property is located approximately 61 km northwest of Mayo in the Yukon Territory. There is road access to the edge of the property via a 50 km road which leaves the Klondike Highway at a point approximately 425 km north of Whitehorse.

The property consists of twenty claims, owned 100% by Cash Resources Ltd. It is located in an unglaciated part of Yukon and most of the property is covered by soil and vegetation. Although no mineral occurrence has yet been identified, strongly pitted, limonitic quartz breccia has been discovered in talus and in a few scattered outcrops. The breccias cut shale and are associated with three circular structures that are up to 1400 m in diameter and easily recognizable on airphotos. These structures are interpreted as explosive vents above buried Tombstone Suite intrusions. This belt of felsic intrusions is associated with several significant mineral deposits in Alaska and Yukon, including Fairbanks Gold, Brewery Creek and Dublin Gulch.

Soil sampling done by Cash Resources in 1994 outlined three broad areas of moderately to strongly anomalous silver, molybdenum, copper and zinc response, two of which coincide with the suspect vent zones. The primary exploration target is a porphyry system beneath an oxidized leached cap.


It is recommended that the 1995 exploration program consist of 500 m of large diameter diamond drilling in two holes, at least one of which should be located within the largest, most geochemically anomalous of the circular structures. The program is estimated to cost approximately \$164,000, as shown on the proposed budget on the following page.

**PROPOSED 1995 BUDGET
GRANDE PROPERTY**

Diamond Drilling - 500 m @ \$120/m, including mob, demob and fuel	\$ 60,000
Helicopter - Bell 206B 60 hrs @ \$700/hr, fuel included	42,000
Labour - geologist, one fieldman and a cook for 24 days, plus final report and head office supervision	25,000
Field Costs - 100 mandays @ \$90/day	9,000
Transportation and Shipping	5,000
Analytical Costs - 150 samples analyzed by ICP with assays where needed	3,000
Communication, Drafting and Printing	1,000
Assessment Filing	1,000
Management	<u>7,000</u>
Sub-Total	\$153,000
GST	<u>10,710</u>
Total	<u>\$163,710</u>

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W.D. Eaton, B.A., B.Sc.

INTRODUCTION

The Grande claims were acquired by staking in early summer 1994 and are owned 100% by Cash Resources Ltd. The property covers an area of strongly anomalous multi-element soil geochemical response that was identified during a review of prospective silver targets conducted by Archer, Cathro & Associates (1981) Limited on behalf of Cash Resources in spring 1994.

The 1994 exploration program consisted of geological mapping, prospecting and grid soil sampling done between July 20 and 28 by a four-man crew operating from a tent camp on the property. The work was managed by Archer Cathro under the author's supervision. Appendix I contains the Author's Statement of Qualifications.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Grande property is located in central Yukon at latitude 63°56' north and longitude 136°58' west on NTS map sheet 115P/15, as illustrated on Figure 1. It is comprised of 20 contiguous mineral claims registered with the Dawson Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which has them in trust for Cash Resources Ltd. Claim registration data is tabulated below while Figure 2 shows the location of individual claims.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Grande 1-16	YB48778-YB48793	June 15, 1995
17-20	YB52381-YB52384	August 3, 1995

*Expiry date does not include assessment credit for 1994 exploration which will be approved when this report is submitted.


The property lies between the communities of Mayo and Dawson, some 370 km north of Whitehorse, the territorial capital. Access in 1994 was provided on a casual basis by a Trans North Air Bell 206B helicopter operating from a seasonal base at Mayo. Similar helicopters are also available from various operators who maintain permanent and/or seasonal bases in Dawson. It is not possible to drive to the property at present; however, a four-wheel drive road extending from the Red Mountain mineral prospect to the Klondike Highway lies only 1 km to the southeast, as shown on Figure 3. If the Red Mountain road was extended to the property, the distance to the highway would be about 50 km. Once on the all-weather Klondike Highway, it is 425 km to Whitehorse and a further 180 km to the seaport at Skagway, Alaska.

Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

GRANDE PROPERTY CASH RESOURCES LTD.






Figure 2


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

GRANDE PROPERTY

CASH RESOURCES LTD.

SCALE - 1 Inch = 1/2 Mile (1:31,680)







Figure 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED LOCATION

- ★ Prospect owned by CASH RESOURCES LTD.
- Occurrence or deposit owned by others and referred to in text

GRANDE PROPERTY
CASH RESOURCES LTD.



EXPLORATION HISTORY

The soil geochemical anomalies on the Grande property were first identified in 1978 during a regional reconnaissance program conducted by CCH Resources Ltd. The area was staked in March 1979 by Cortin Joint Venture (CCH Resources Ltd., Inco and Billiton Exploration Canada Limited) which performed wide spaced soil sampling and prospecting later that year. Although the sampling outlined strongly anomalous well-clustered response for silver, molybdenum, copper and zinc, no further work was done, probably because the main focus of the joint venture was tin exploration (Kennedy, 1980).

In May 1988 part of the area was restaked by a local prospecting syndicate. This group dug a few shallow hand trenches in 1989 on the periphery of one of the soil geochemical anomalies.

GEOMORPHOLOGY

The Grande property is situated at the north end of West Ridge, one of several low ranges comprising the southern margin of the Ogilvie Mountains. It lies immediately south of Big Creek, a major tributary of the South Klondike River, which is part of the Yukon River watershed. Local elevations range from 915 m on the floor of the Big Creek valley to about 1465 m on a hilltop in the extreme southwest corner of the claim block.

The property is in the part of Yukon that escaped continental and large-scale valley glaciation and, as a result, topography is subdued. Soil and vegetation cover most of the property and outcrops are confined to actively eroding stream cuts and ridge crests. Soil profiles normally exhibit about 10 cm of black humus underlain by 30 to 100 cm of mixed B and C horizon material which lies on deeply weathered, decomposed bedrock.


Vegetation consists of mature black spruce and poplar along Big Creek giving way to stunted black spruce, slide alder, buckbrush and moss at about 1050 m and grasses and lichen at elevations greater than 1370 m. Most of the property is located on north-facing slopes where frozen soil often occurs immediately below the vegetation.


GEOLOGY AND MINERALIZATION

The Grande area has been mapped at 1:250,000 scale by the Geological Survey of Canada (Bostock, 1964) and more recently at 1:50,000 scale by the Exploration and Geological Services Division of the Department of Indian and Northern Affairs (Murphy and Héon, 1994a).

The exploration area lies within the Selwyn Basin geological terrane which locally consists of deformed Upper Proterozoic and Early to Mid-Paleozoic metasedimentary rocks cut by undeformed Cretaceous felsic intrusions. The metasedimentary rocks are imbricated by a series of Jurassic-Cretaceous southwest-dipping thrust faults (Dawson, Tombstone and Robert Service Thrusts) that are truncated to the southwest by a major northwest-trending, dextral transcurrent structure (Tintina Fault), as illustrated on Figure 4. The Grande property is located in the uppermost thrust panel within a package of Paleozoic stratigraphy that is preserved in the core of the Lost Horses Syncline (Murphy and Héon, 1994b). This structure consists of tight to isoclinal folds that are overturned toward the southwest.

The oldest rocks in the area are sandstone and shale belonging to the Upper Proterozoic Hyland Group which, in the immediately vicinity of the property, is unconformably overlain by Upper Cambrian limestone of the Rabbitkettle Formation. Neither of these units come to surface on the property but they are believed to underlie it, as shown on Figures 5 and 6. Most exposures on the property are shale and chert of the Ordovician-Silurian Road River Group which conformably overlies the Rabbitkettle Formation. The youngest strata in the area are Devonian-Mississippian Earn Group black shale and chert-pebble conglomerate which lie unconformably on the Road River Group and outcrop on a hilltop in the northeastern part of the property .





----- Circular airphoto structure

- Q Alluvium and colluvium
- mKg Tombstone Suite, medium to coarse grained porphyritic, biotite-hornblende quartz monzonite
- DME Earn Group grey to black shale, siltstone sandstone and chert-pebble conglomerate
- ODR Road River Group grey to black shale and chert with minor beige-orange dolomitic siltstone
- EOr Rabbitkettle Formation calcareous phyllite and dolomitic marble
- PEHy Hyland Group dark green phyllite and meta sandstone

Figure 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

GRANDE CLAIMS

CASH RESOURCES LTD.

1000 500 0 1000 Metres

After Murphy and Héon, 1994a










Figure 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


GEOLOGICAL CROSS-SECTION

GRANDE PROPERTY

CASH RESOURCES LTD.

-  Breccia zone
-  mKg Tombstone Suite, medium to coarse grained porphyritic, biotite-hornblende quartz monzonite
-  DME Earn Group grey to black shale, siltstone sandstone and chert-pebble conglomerate
-  ODR Road River Group grey to black shale and chert with minor beige-orange dolomitic siltstone
-  EOr Rabbitkettle Formation calcareous phyllite and dolomitic marble
-  PEHy Hyland Group dark green phyllite and meta sandstone

1000 500 0 1000 Metres



After Murphy and Héon, 1994a

A small north-dipping thrust fault has been mapped along Big Creek immediately north of the property (Murphy and Héon, 1994a). This structure appears to have its roots in a reactivated, Upper Proterozoic growth fault, the Sprague Creek Fault (see Figure 6). To the north of the Sprague Creek Fault the stratigraphy includes several Upper Proterozoic(?) and Lower Cambrian metasedimentary and volcanic units that are not believed to extend beneath the property.

The Grande property lies within a belt of Mid-Cretaceous felsic intrusions that are collectively referred to as the Tombstone Suite. These bodies range in size from narrow dykes to large stocks and in composition from quartz monzonite to diorite. The presence of hornblende and absence of muscovite distinguishes them from a suite of Late Cretaceous-Paleocene felsic intrusions that occur in a second, more southerly belt.

Intrusive talus and float are common in the southwestern half of the property and appear to be derived from a number of 1 to 5 m wide dykes. Most of these intrusions occur within a 1450 m in diameter circular structure that is readily visible on airphotos. This structure, plus two smaller circular features further to the north and east, are suspected to be explosive vents overlying buried intrusions (see Figure 6). Explosive venting has been documented in other Tombstone Suite intrusions (Olade and Goodfellow, 1978 and Emond and Lynch, 1992) and evidence for it at Grande is provided by areas of brecciation developed in Road River Group shales within the southwesterly circular structure. The breccias typically consists of rotated shale fragments (a few mm to 2 cm in diameter) in a matrix of white quartz. Some rocks reportedly exhibit multistage brecciation (Kennedy, 1980) and most quartz contains weathered pits rimmed with limonite replacing sulphides.

Recent exploration work and academic research have shown that several promising mineral occurrences are located within or adjacent to Tombstone Suite intrusions. Some of the more economically significant occurrences in the same belt of rocks as Grande are briefly described below to illustrate the variety and tenor of mineralization. The location of the occurrences are shown on Figure 3, except for the Fairbanks Gold deposit which is situated in central Alaska and was offset from the rest of the belt by post-mineralization movement on the Tintina Fault.

Dublin Gulch consists of quartz-arsenopyrite vein swarms occurring along the northern edge of a granodiorite stock where it intrudes Hyland Group metasedimentary rocks. Trenching and drilling have reportedly outlined a resource of 90 million tonnes grading between 0.93 and 1.24 g/t gold.

Garnet is a scheelite-bearing skarn developed in Hyland Group rocks along the northwest side of a granodiorite stock. Drilling has outlined some 7.26 million tonnes averaging 0.87% WO_3 .

Brewery Creek is a largely oxidized, stockwork gold deposit hosted by quartz monzonite sills and enclosing Earn Group shale. Extensive drilling and trenching have outlined eight zones collectively containing 16.68 million tonnes grading 1.48 g/t gold.

Tombstone is a porphyry uranium occurrence developed within the explosive vent phase of a zoned syenite stock. It is a resource containing hundreds of millions of tonnes of low grade uranium mineralization (approximately 50 ppm) with local molybdenum concentrations. Later phase quartz monzonite dykes intersected in some drill holes contain disseminated and stockwork copper, silver and molybdenum mineralization over widths exceeding 100 m.

Marn is a gold-copper-tungsten-silver skarn hosted by Permian limestone on the margin of a quartz monzonite stock. Drilling has outlined approximately 300,000 tonnes averaging 8.6 g/t gold, 1% copper, 0.1% tungsten and 17 g/t silver.

Fairbanks Gold is a low sulphide quartz stockwork developed in a granodiorite to quartz monzonite stock. Mineable reserves are reported to be 123.39 million tonnes grading 1.03 g/t gold.

GEOCHEMISTRY

Techniques

Grid geochemical control is provided by a 2700 m long, uncut baseline marked with flagging and 1 m high wooden laths at 100 m intervals. The baseline has a bearing of 033° and is paralleled by a tie line 750 m to the east-southeast. Both lines generally follow claim lines.

Soil samples were taken at 100 m intervals on compass- and topofil-controlled lines oriented perpendicular to the baseline and spaced approximately 100 m apart. Sample locations are marked with 0.5 m wooden laths bearing aluminum tags inscribed with the sample number and grid coordinates.

Figure 7 shows the location of 378 soil samples collected from the grid plus 4 stream sediment samples and 28 rock specimens collected during prospecting traverses. All samples were sent to Chemex Labs in North Vancouver, B.C. The soil and stream sediment samples were prepared by screening to -80 mesh while rocks were crushed then ring pulverized to -150 mesh.

All samples were analyzed for 32 elements by the induced coupled plasma technique (ICP) plus gold using fire assay followed by atomic absorption. Four rocks were also analyzed for tin, tantalum and niobium. Appendix II contains the Certificates of Analysis.

Results

Grid soil geochemistry has outlined moderately to strongly anomalous results for several metals. The best clustered and most economically significant appear to be silver, molybdenum, copper and zinc, results for which are shown on Figures 8 to 11, respectively. Table 1 on the next page lists anomalous thresholds and maximum values for each metal.

TABLE 1
SELECTED GEOCHEMICAL DATA

<u>Metal</u>	<u>Anomalous Threshold</u>			<u>Maximum Value</u> (ppm)
	<u>Weak</u> (ppm)	<u>Moderate</u> (ppm)	<u>Strong</u> (ppm)	
Silver	1	2	5	10
Molybdenum	10	20	50	141
Copper	50	100	200	695
Zinc	500	1000	2000	2940

Silver and molybdenum show a strong positive correlation throughout the grid area. The best defined anomalies are a 1000 by 750 m target in the centre of the large circular structure in the southwestern part of the claim block, a 700 by 500 m area coinciding with a smaller circular structure on the northwest side of the property and a 1600 by 300 m north-trending belt of discontinuous high values located in the north-central part of the claim block. While the first two anomalies occur within structures that are interpreted as explosive vents above buried intrusions, there is no obvious geological control for the third anomaly.

Copper results are highest within the southwesterly circular structure where they are directly correlated with silver and molybdenum. Although results from other parts of the property are more subdued and discontinuous, the better values are usually located in areas of strong silver and molybdenum response. Soil geochemical and drill data from other properties in unglaciated parts of Yukon indicate that copper is often leached from strongly weathered and oxidized surface rocks and is sometime concentrated in underlying supergene-enriched zones.

Zinc shows only a moderate correlation with silver, molybdenum and copper and some of the larger clusters of high zinc values lie downhill from the main anomalies. It is not clear whether the downhill shift of zinc reflects its primary distribution in bedrock or remobilization in groundwater. Orientation studies elsewhere in Yukon have shown that zinc is often leached from its host rocks and reprecipitated in organic-rich soil. Although some of the anomalous values are in areas underlain by Earn Group black shale (a unit which frequently exhibits high zinc backgrounds), the trend of the anomalies is oblique to bedding.

Review of analytical results for other metals yielded some general observations which are summarized below.

Arsenic - Background values are low and only three samples returned more than 100 ppm. Arsenic shows a good correlation with silver.

Bismuth - Most results are below or near the detection limit and none exceeded 10 ppm.

Lead - A few clusters of moderately anomalous values (50 to 220 ppm) were outlined. Most show a positive correlation with zinc which suggests that the zinc anomalies are the result of primary distribution in the rock, not organic concentration. Surprisingly lead is only weakly correlated with silver.

Antimony - Backgrounds are low and only about 10% of the samples exceeded 10 ppm to a maximum of 54 ppm. Antimony has strong correlation with silver.

Tungsten - All samples are below or near the detection limit; however, the reliability of ICP tungsten analyses is poor because the aqua regia digestion does not effectively dissolve scheelite.

Gold - Results are uniformly low and only two samples exceeded 20 ppb.

All rock specimens collected from the property were strongly oxidized except for one specimen of unfractured quartz monzonite which contained a few grains of disseminated pyrite. Rock analyses returned values similar to those obtained from soil, including up to 5.8 ppm silver, 115 ppm molybdenum, 949 ppm copper and 2560 ppm zinc. Four of the most anomalous rock specimens were analyzed for tin, niobium and tantalum but results were all low.

CONCLUSIONS

Preliminary exploration at Grande has outlined three large areas of moderately to strongly anomalous soil geochemical response for silver, molybdenum, copper and zinc. Two of the three areas of anomalous response lie within circular structures containing felsic intrusive dykes and breccia zones. These circular structures are interpreted as explosive vents overlying a buried Tombstone Suite intrusion.

Exploration by other companies in and adjacent to Tombstone Suite intrusions has identified bulk tonnage disseminated and stockwork gold deposits, significant copper-gold and tungsten skarn prospects, porphyry-type copper-silver-molybdenum mineralization and an enormous low grade uranium resource. Considering the geological setting and geochemical response at Grande, a buried porphyry deposit is the most likely exploration target however, the possibility of skarn mineralization in the underlying Rabbitkettle Formation limestone should not be ignored.

REFERENCES

Bostock, H.S.

- 1964: Geology, McQuesten River, Yukon Territory, Geological Survey of Canada Map 1143A.

Emond, D.S., and Lynch, T.

- 1992: Geology, mineralogy and geochemistry of tin and tungsten mineralized veins, breccias and skarns, McQuesten River Region (1115P North and 105M13), Yukon. In: Yukon Geology Vol. 3, Exploration and Geological Services Division, DIAND, pp.167-195.

Kennedy, P.R.

- 1980: Assessment Report, Mozi Claims, filed for CCH Resources Ltd.

Murphy, D.C. and Héon, D.

- 1994a: Geological Map of Sprague Creek map area (NTS 115P/15), western Selwyn Basin, Yukon; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1994-3(G), 1:50,000 scale.

Murphy, D.C. and Héon, D.

- 1994b: Geological overview of Sprague Creek map area, western Selwyn Basin, in Yukon Exploration and Geology 1993; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp. 29-46.

Olade, M.A., and Goodfellow, W.D.

- 1978 Development of lithochemical and hydrochemical methods of exploration for porphyry uranium, molybdenum and tungsten mineralization, Tombstone Batholith. Paper presented at the International Symposium on Exploration Geochemistry, Denver.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, W. Douglas Eaton, geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby declare that:

1. I graduated from the University of British Columbia in 1980 with a B.Sc. majoring in Geological Sciences.
2. From 1971 to present, I have been actively engaged in mineral exploration in British Columbia and Yukon Territory and on June 1, 1981, I became a partner in Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in or supervised the field work reported herein and have interpreted all data resulting from this work.



W. Douglas Eaton, B.A., B.Sc.

APPENDIX II
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQF
Comments:

Page No. : 1-A
Total Pages : 1
Certificate Date: 04-JUL-94
Invoice No. : 19419007
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9419007

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
T23092	205	226	< 5	< 0.2	0.63	106	270	< 0.5	< 2	3.66	13.0	8	74	33	2.99	< 10	1	0.27	< 10	1.22	1880
T23093	205	226	< 5	1.2	0.27	34	640	< 0.5	2	0.11	4.0	3	77	12	2.93	< 10	1	0.09	< 10	0.04	150
T23094	205	226	15	0.8	0.62	32	840	< 0.5	2	0.16	6.0	< 1	330	56	7.56	< 10	3	0.12	< 10	0.09	75

CERTIFICATION: *Wendy Bachler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221



ARCHER CATHRO & ASSOC. (1981) LTD.

1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : SQF
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 04-JUL-94
Invoice No. : 19419007
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9419007

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T23092	205 226	3	< 0.01	48	1100	170	4	13	271	< 0.01	< 10	< 10	16	< 10	530
T23093	205 226	82	< 0.01	49	920	12	6	< 1	53	< 0.01	< 10	< 10	213	< 10	358
T23094	205 226	104	0.01	67	730	36	12	1	56	< 0.01	< 10	< 10	350	< 10	1125

CERTIFICATION: Walt Seidler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 11-AUG-94
Invoice No. : 19422159
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9422159

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
S10579	205	226	< 5	< 0.2	0.26	34	140	< 0.5	< 2	0.01	< 0.5	7	105	29	1.91	< 10	< 1	0.13	< 10	0.01	35
S10580	205	226	< 5	< 0.2	0.34	104	150	< 0.5	< 2	0.02	1.5	8	127	88	4.19	< 10	< 1	0.11	< 10	0.02	55
S10581	205	226	< 5	0.4	0.43	2	2640	< 0.5	< 2	0.03	< 0.5	2	22	3	0.60	< 10	< 1	0.28	10	0.04	5
S10582	205	226	< 5	1.0	0.19	24	300	< 0.5	< 2	0.03	0.5	2	113	20	0.76	< 10	< 1	0.11	10	0.01	10
S10583	205	226	< 5	0.4	1.03	36	330	0.5	< 2	4.41	10.0	12	60	20	3.67	< 10	< 1	0.42	60	1.51	1405
S10584	205	226	< 5	0.8	0.42	98	2280	< 0.5	< 2	0.21	1.0	3	118	49	3.10	< 10	< 1	0.33	20	0.04	20
S10585	205	226	< 5	0.4	0.19	10	440	< 0.5	< 2	0.08	2.0	3	80	15	2.53	< 10	< 1	0.13	< 10	0.02	50
S10586	205	226	< 5	0.2	0.50	50	210	0.5	< 2	3.83	8.0	17	38	34	3.36	< 10	< 1	0.30	60	1.39	1025
S10587	205	226	< 5	2.0	0.33	136	910	< 0.5	< 2	0.11	10.5	4	53	156	2.84	< 10	< 1	0.26	10	0.02	50
S10588	205	226	< 5	5.8	1.53	120	950	1.0	< 2	1.53	3.5	2	189	119	4.48	< 10	< 1	0.12	60	0.07	15
S10589	205	226	< 5	2.2	0.58	24	160	< 0.5	< 2	0.06	62.5	7	115	717	2.91	< 10	< 1	0.07	< 10	0.01	45
S10590	205	226	< 5	3.0	1.42	42	320	0.5	< 2	0.29	3.5	3	99	111	1.69	< 10	< 1	0.14	10	0.03	10
S10591	205	226	< 5	1.2	0.07	4	20	< 0.5	< 2	0.01	0.5	2	138	13	0.47	< 10	< 1	0.03	< 10	< 0.01	10
S10592	205	226	< 5	0.6	0.11	18	20	< 0.5	< 2	0.02	< 0.5	2	124	14	0.60	< 10	< 1	0.04	< 10	< 0.01	5
N33588	205	226	< 5	2.2	0.37	44	80	< 0.5	< 2	0.09	3.0	3	107	59	2.18	< 10	< 1	0.06	< 10	0.01	10
N33589	205	226	< 5	0.6	0.70	50	570	< 0.5	< 2	1.31	38.0	4	168	949	8.34	< 10	< 1	0.47	60	0.18	45
N33590	205	226	< 5	1.2	0.18	34	310	< 0.5	< 2	0.06	0.5	3	223	21	1.08	< 10	< 1	0.09	< 10	0.01	15
N33591	205	226	< 5	< 0.2	0.24	6	150	< 0.5	< 2	0.91	4.5	3	153	3	1.04	< 10	< 1	0.11	20	0.43	245
N33592	205	226	< 5	3.0	0.17	36	380	< 0.5	< 2	0.03	2.5	2	203	45	0.86	< 10	< 1	0.12	< 10	0.01	25
N33593	205	226	< 5	< 0.2	0.37	8	240	< 0.5	< 2	0.02	< 0.5	13	120	16	5.65	< 10	< 1	0.15	10	0.02	360
N33594	205	226	< 5	< 0.2	0.34	8	240	< 0.5	< 2	0.03	< 0.5	4	140	12	1.64	< 10	< 1	0.20	10	0.04	160
N33596	205	226	< 5	< 0.2	0.79	< 2	350	0.5	< 2	0.08	2.0	5	65	25	1.96	< 10	< 1	0.30	20	0.20	95
N33752	205	226	< 5	0.4	0.17	34	1190	< 0.5	< 2	0.11	6.0	8	56	7	4.01	< 10	< 1	0.07	< 10	0.02	200
N33753	205	226	< 5	0.4	0.27	36	1590	< 0.5	< 2	0.13	8.5	62	76	23	6.01	< 10	< 1	0.25	10	0.03	1720
N33754	205	226	< 5	< 0.2	0.37	58	3390	< 0.5	< 2	0.13	17.0	11	47	32	13.60	< 10	< 1	0.20	10	0.07	985

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 11-AUG-94
 Invoice No. : 19422159
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS **A9422159**

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
s10579	205 226	22 < 0.01		35	290	< 2	12	1	11 < 0.01	< 10	< 10	< 10	13	< 10	314
s10580	205 226	26 0.01		72	1170	< 2	20	1	27 < 0.01	< 10	< 10	< 10	18	< 10	496
s10581	205 226	7 0.01		3	80	8	2	1	23 < 0.01	< 10	< 10	< 10	24	< 10	6
s10582	205 226	43 < 0.01		9	220	66	8	1	52 < 0.01	< 10	< 10	< 10	121	< 10	16
s10583	205 226	2 0.01		36	1230	218	8	13	223 < 0.01	< 10	< 10	< 10	23	< 10	698
s10584	205 226	13 0.01		8	2910	162	< 2	4	360 < 0.01	< 10	< 10	< 10	41	< 10	108
s10585	205 226	25 < 0.01		24	480	6	4	< 1	116 < 0.01	< 10	< 10	< 10	74	< 10	386
s10586	205 226	1 0.01		47	1290	106	6	13	295 < 0.01	< 10	< 10	< 10	17	< 10	668
s10587	205 226	115 0.01		10	2300	124	104	2	203 < 0.01	< 10	< 10	10	345	< 10	102
s10588	205 226	56 0.01		28	>10000	14	156	9	449 < 0.01	< 10	< 10	60	1810	< 10	130
s10589	205 226	8 0.01		192	1320	8	6	1	39 < 0.01	< 10	< 10	10	238	< 10	750
s10590	205 226	10 0.01		54	5740	24	8	2	564 < 0.01	< 10	< 10	< 10	651	< 10	208
s10591	205 226	1 0.01		4	160	8	2	< 1	21 < 0.01	< 10	< 10	< 10	40	< 10	26
s10592	205 226	3 < 0.01		5	410	< 2	< 2	< 1	47 < 0.01	< 10	< 10	< 10	48	< 10	16
N33588	205 226	23 0.01		8	3060	12	8	1	147 < 0.01	< 10	< 10	< 10	521	< 10	68
N33589	205 226	12 0.04		95	>10000	< 2	8	3	389 < 0.01	< 10	< 10	< 10	535	< 10	780
N33590	205 226	32 0.01		29	2120	2	16	2	37 < 0.01	< 10	< 10	10	246	< 10	60
N33591	205 226	7 0.05		21	510	< 2	2	1	67 < 0.01	< 10	< 10	< 10	11	< 10	322
N33592	205 226	2 0.01		20	190	4	24	1	23 < 0.01	< 10	< 10	< 10	26	< 10	236
N33593	205 226	4 0.01		29	560	20	< 2	1	15 < 0.01	< 10	< 10	< 10	12	< 10	148
N33594	205 226	1 0.01		14	390	2	< 2	2	6 < 0.01	< 10	< 10	< 10	9	< 10	40
N33596	205 226	2 < 0.01		33	300	14	2	2	19 < 0.01	< 10	< 10	< 10	10	< 10	366
N33752	205 226	110 0.01		52	960	8	12	< 1	42 < 0.01	< 10	< 10	< 10	139	< 10	618
N33753	205 226	94 0.01		119	1720	6	12	1	193 < 0.01	< 10	< 10	10	133	< 10	854
N33754	205 226	69 0.01		182	570	12	8	1	92 < 0.01	< 10	< 10	< 10	141	< 10	2560

CERTIFICATION:

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

A9422149

Comments:

CERTIFICATE

A9422149

ARCHER CATHRO & ASSOC. (1981) LTD.

Project: SQF-GRANDE
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 17-AUG-94.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	377	Dry, sieve to -80 mesh
203	5	Dry, sieve to -35 mesh
205	5	Geochem ring to approx 150 mesh
229	382	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	382	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	382	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	382	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	382	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	382	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	382	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	382	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	382	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	382	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	382	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	382	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	382	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	382	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	382	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	382	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	382	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	382	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	382	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	382	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	382	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	382	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	382	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	382	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	382	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	382	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	382	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	382	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	382	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	382	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	382	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	382	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	382	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

Client: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 1-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	
S10596	201	229	0.2	1.68	2	380	< 0.5	< 2	0.61	3.0	15	34	27	3.00	< 10	< 1	0.10	20	1.02	320	2	
S10597	201	229	0.4	0.97	6	260	< 0.5	< 2	0.52	11.5	10	21	34	2.03	< 10	< 1	0.05	< 10	0.50	285	4	
N33334	201	229	1.0	1.44	4	620	0.5	< 2	0.57	1.0	10	25	73	2.56	< 10	< 1	0.29	10	0.74	285	13	
N33335	201	229	0.8	1.43	4	470	0.5	< 2	1.11	1.0	12	35	61	2.48	< 10	< 1	0.17	10	0.79	440	5	
N33336	201	229	0.6	2.00	2	290	< 0.5	< 2	0.19	1.0	18	30	52	2.77	< 10	< 1	0.20	10	0.89	380	2	
N33337	201	229	0.4	1.85	6	340	< 0.5	< 2	1.11	1.5	13	30	64	2.91	< 10	< 1	0.17	10	1.09	240	2	
N33338	201	229	1.4	2.04	4	480	0.5	< 2	0.73	4.5	9	40	82	2.23	< 10	< 1	0.26	10	1.25	240	3	
N33339	201	229	1.2	1.38	12	350	0.5	< 2	0.78	17.5	9	34	82	2.23	< 10	< 1	0.11	10	0.54	180	5	
N33340	201	229	0.4	1.75	14	480	0.5	< 2	0.36	8.0	14	32	69	3.77	< 10	< 1	0.13	10	0.53	360	8	
N33341	201	229	1.0	1.31	12	230	< 0.5	< 2	0.47	15.0	10	25	100	2.71	< 10	< 1	0.09	10	0.43	255	10	
N33342	201	229	2.2	0.70	26	150	0.5	< 2	2.87	40.0	11	16	95	2.58	< 10	< 1	0.14	20	1.74	235	55	
N33343	201	229	0.8	2.86	34	350	< 0.5	< 2	0.49	2.5	33	44	83	7.78	< 10	< 1	0.07	20	1.06	900	15	
N33344	201	229	0.4	2.27	4	470	< 0.5	< 2	0.25	1.5	23	30	54	4.97	< 10	< 1	0.05	20	0.85	630	5	
N33345	201	229	< 0.2	2.30	6	220	< 0.5	< 2	0.17	1.0	20	34	26	3.43	< 10	< 1	0.07	10	0.54	460	1	
N33346	201	229	0.2	1.73	12	150	< 0.5	< 2	0.15	0.5	9	29	22	2.83	< 10	< 1	0.07	10	0.47	225	2	
N33347	201	229	0.4	1.55	6	230	< 0.5	< 2	0.13	1.0	7	28	33	3.23	< 10	< 1	0.07	10	0.49	150	3	
N33348	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33349	201	229	0.8	2.12	< 2	390	< 0.5	< 2	0.41	1.0	19	35	66	4.72	< 10	< 1	0.03	10	1.04	510	6	
N33350	201	229	2.8	6.52	236	570	4.0	< 2	1.31	57.5	13	47	695	3.15	< 10	< 1	0.05	10	0.15	305	12	
N33351	201	229	5.6	0.49	12	550	< 0.5	< 2	0.14	1.0	< 1	87	30	2.05	< 10	< 1	0.27	20	0.06	10	27	
N33352	201	229	3.6	1.23	18	310	0.5	< 2	0.14	4.0	3	73	154	2.15	< 10	< 1	0.11	10	0.21	90	6	
N33353	201	229	1.6	2.60	22	420	0.5	< 2	0.22	3.0	9	81	162	3.29	< 10	< 1	0.12	10	0.71	260	13	
N33354	201	229	2.6	0.94	34	600	0.5	< 2	0.42	11.5	10	37	133	2.81	< 10	< 1	0.13	20	0.27	180	46	
N33355	201	229	0.8	1.68	2	800	0.5	< 2	1.32	7.5	11	36	43	2.75	< 10	< 1	0.12	10	1.00	285	4	
N33356	201	229	0.2	1.72	4	1000	0.5	< 2	0.78	1.5	11	40	29	2.99	< 10	< 1	0.18	10	0.92	285	4	
N33357	201	229	0.6	1.34	8	690	< 0.5	< 2	0.95	0.5	9	24	49	2.21	< 10	< 1	0.20	10	0.64	230	4	
N33358	201	229	0.2	1.31	4	820	< 0.5	< 2	0.77	0.5	9	26	48	2.22	< 10	< 1	0.18	20	0.59	340	5	
N33359	201	229	0.8	1.88	< 2	330	< 0.5	< 2	0.97	0.5	17	33	33	2.80	< 10	< 1	0.07	20	0.66	825	1	
N33360	201	229	0.4	1.59	4	210	< 0.5	< 2	0.54	0.5	18	29	27	3.21	< 10	< 1	0.06	20	0.65	305	1	
N33361	201	229	0.4	1.42	2	280	< 0.5	< 2	0.56	2.0	12	35	36	2.50	< 10	< 1	0.07	10	0.70	255	2	
N33362	201	229	1.2	1.43	4	550	< 0.5	< 2	0.52	6.5	10	42	65	1.87	< 10	< 1	0.08	10	0.71	190	2	
N33363	201	229	2.0	1.32	20	540	< 0.5	< 2	0.08	1.0	1	61	54	1.66	< 10	< 1	0.12	10	0.22	55	15	
N33364	201	229	5.2	1.78	88	880	0.5	< 2	0.28	2.5	6	68	147	3.18	< 10	< 1	0.15	10	0.38	185	57	
N33365	201	229	1.8	1.24	52	650	0.5	< 2	0.37	2.0	< 1	64	35	1.41	< 10	< 1	0.17	20	0.09	30	48	
N33366	201	229	10.0	1.57	42	620	1.0	< 2	0.32	5.0	2	135	185	1.96	< 10	< 1	0.17	20	0.20	55	21	
N33367	201	229	9.6	3.63	120	1720	1.0	< 2	0.36	29.0	12	77	393	3.72	< 10	< 1	0.06	10	0.18	335	12	
N33368	201	229	0.4	0.99	22	170	< 0.5	< 2	0.06	1.5	3	19	33	1.76	< 10	< 1	0.14	10	0.13	75	3	
N33369	201	229	1.2	1.46	60	410	0.5	< 2	0.13	2.0	12	28	106	4.23	< 10	< 1	0.13	10	0.21	455	41	
N33370	201	229	0.2	1.58	6	340	0.5	< 2	0.30	3.0	15	33	46	3.88	< 10	< 1	0.13	10	0.64	285	3	
N33371	201	229	0.8	2.20	2	450	< 0.5	< 2	0.23	0.5	14	34	28	3.34	< 10	< 1	0.14	10	0.74	405	3	

CERTIFICATION: *Hank Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 1-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
S10596	201 229	< 0.01	36	1160	14	< 2	3	57	0.03	< 10	< 10	52	< 10	224
S10597	201 229	< 0.01	68	1080	10	< 2	2	43	0.01	< 10	< 10	54	< 10	844
N33334	201 229	< 0.01	38	910	14	< 2	4	35	0.02	< 10	< 10	75	< 10	212
N33335	201 229	< 0.01	24	1230	16	2	6	68	0.07	< 10	< 10	61	< 10	156
N33336	201 229	< 0.01	23	1060	18	< 2	2	24	0.02	< 10	< 10	53	< 10	106
N33337	201 229	0.02	31	1120	20	< 2	4	75	0.03	< 10	< 10	49	< 10	140
N33338	201 229	< 0.01	34	1360	14	< 2	4	72	0.03	< 10	< 10	120	< 10	178
N33339	201 229	< 0.01	53	1360	14	< 2	4	59	0.02	< 10	< 10	89	< 10	388
N33340	201 229	< 0.01	52	1420	22	6	5	75	0.01	< 10	< 10	83	< 10	416
N33341	201 229	< 0.01	67	1220	16	2	4	43	0.02	< 10	< 10	74	< 10	542
N33342	201 229	< 0.01	193	1130	28	12	7	76	< 0.01	< 10	< 10	122	< 10	1480
N33343	201 229	0.01	66	2300	36	12	6	241	< 0.01	< 10	< 10	131	< 10	204
N33344	201 229	0.01	45	1810	16	2	3	139	< 0.01	< 10	< 10	79	< 10	102
N33345	201 229	< 0.01	31	500	14	< 2	4	20	0.06	< 10	< 10	65	< 10	54
N33346	201 229	< 0.01	23	430	16	2	3	20	0.05	< 10	< 10	58	< 10	76
N33347	201 229	< 0.01	30	1630	18	< 2	1	39	0.01	< 10	< 10	49	< 10	92
N33348	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33349	201 229	0.01	48	1760	18	< 2	3	187	< 0.01	< 10	< 10	73	< 10	112
N33350	201 229	< 0.01	335	>10000	26	20	13	669	< 0.01	< 10	< 10	1165	< 10	808
N33351	201 229	< 0.01	3	3590	26	8	< 1	106	< 0.01	< 10	< 10	156	< 10	20
N33352	201 229	< 0.01	46	1970	18	6	< 1	33	< 0.01	< 10	< 10	178	< 10	264
N33353	201 229	< 0.01	90	2280	12	6	4	41	0.04	< 10	< 10	421	< 10	376
N33354	201 229	< 0.01	160	1380	20	20	4	29	0.01	< 10	< 10	155	< 10	746
N33355	201 229	< 0.01	40	1100	12	< 2	6	66	0.03	< 10	< 10	79	< 10	446
N33356	201 229	< 0.01	29	730	16	< 2	4	54	0.06	< 10	< 10	73	< 10	202
N33357	201 229	< 0.01	24	1010	16	< 2	3	59	0.03	< 10	< 10	53	< 10	142
N33358	201 229	< 0.01	25	870	8	2	3	47	0.02	< 10	< 10	56	< 10	128
N33359	201 229	< 0.01	35	1300	16	< 2	4	93	0.02	< 10	< 10	44	< 10	88
N33360	201 229	< 0.01	43	920	16	< 2	3	60	0.02	< 10	< 10	38	< 10	114
N33361	201 229	< 0.01	41	1020	14	< 2	4	52	0.02	< 10	< 10	68	< 10	228
N33362	201 229	< 0.01	46	1160	12	2	4	42	0.03	< 10	< 10	120	< 10	288
N33363	201 229	< 0.01	21	1340	14	4	< 1	31	0.01	< 10	< 10	935	< 10	74
N33364	201 229	< 0.01	48	4590	18	36	3	154	0.02	< 10	< 10	1110	< 10	136
N33365	201 229	< 0.01	15	5800	32	42	1	237	< 0.01	< 10	< 10	558	< 10	54
N33366	201 229	< 0.01	46	7730	22	12	1	133	< 0.01	< 10	< 10	660	< 10	128
N33367	201 229	< 0.01	238	>10000	22	18	6	270	0.03	< 10	< 10	596	< 10	1205
N33368	201 229	< 0.01	23	1460	22	2	< 1	53	< 0.01	< 10	< 10	50	< 10	156
N33369	201 229	< 0.01	86	2730	32	12	3	246	0.01	< 10	< 10	171	< 10	638
N33370	201 229	< 0.01	67	1250	20	< 2	4	62	0.02	< 10	< 10	42	< 10	218
N33371	201 229	< 0.01	26	1110	18	< 2	3	28	0.02	< 10	< 10	60	< 10	104

CERTIFICATION:

Frank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 2-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
N33372	201	229	0.8	0.58	20	640	< 0.5	< 2	0.02	< 0.5	1	11	24	1.68	< 10	< 1	0.15	10	0.08	45	32
N33373	201	229	10.4	2.20	28	740	< 0.5	< 2	0.88	22.5	6	118	336	2.12	10	< 1	0.08	20	0.40	130	3
N33374	201	229	5.8	1.00	40	270	< 0.5	< 2	0.32	8.5	3	151	123	2.26	< 10	< 1	0.19	20	0.45	45	10
N33375	201	229	2.0	0.82	10	240	< 0.5	< 2	0.09	1.0	1	37	21	0.92	< 10	< 1	0.06	< 10	0.08	30	5
N33376	201	229	3.6	1.09	28	460	< 0.5	< 2	0.56	23.0	7	100	208	2.11	< 10	< 1	0.17	20	0.37	150	23
N33377	201	229	1.4	0.89	22	140	< 0.5	< 2	0.06	< 0.5	1	28	18	1.05	< 10	< 1	0.09	10	0.12	60	11
N33378	201	229	0.4	1.44	8	340	< 0.5	< 2	0.41	9.5	10	62	52	2.50	< 10	< 1	0.14	20	0.81	180	3
N33379	201	229	0.4	1.40	4	240	< 0.5	< 2	0.19	0.5	3	25	21	1.52	< 10	< 1	0.07	10	0.40	70	1
N33380	201	229	< 0.2	1.53	6	270	< 0.5	< 2	0.43	2.0	16	43	27	3.04	< 10	< 1	0.09	30	0.67	1395	2
N33381	201	229	0.6	0.81	4	260	< 0.5	< 2	0.09	< 0.5	2	13	11	1.24	< 10	< 1	0.04	10	0.08	65	< 1
N33386	201	229	< 0.2	1.01	2	80	< 0.5	< 2	0.05	< 0.5	1	14	17	1.26	10	< 1	0.04	30	0.08	30	< 1
N33387	201	229	< 0.2	1.65	12	170	< 0.5	< 2	0.19	< 0.5	8	26	15	2.49	< 10	< 1	0.08	10	0.40	285	< 1
N33388	201	229	< 0.2	1.23	6	210	< 0.5	< 2	0.23	5.0	15	23	27	2.14	< 10	< 1	0.13	20	0.53	300	11
N33389	201	229	4.4	1.38	34	380	< 0.5	< 2	0.40	16.0	14	66	110	2.85	< 10	< 1	0.15	20	0.47	315	28
N33390	201	229	5.2	1.15	26	320	< 0.5	< 2	0.46	20.5	12	80	258	2.60	< 10	< 1	0.11	20	0.57	180	12
N33391	201	229	2.8	1.09	26	410	< 0.5	< 2	0.56	8.5	6	38	70	1.82	< 10	< 1	0.08	10	0.33	270	13
N33392	201	229	0.4	1.01	18	320	< 0.5	< 2	0.08	< 0.5	2	25	21	1.67	< 10	< 1	0.04	10	0.17	70	7
N33393	201	229	1.2	1.22	42	320	< 0.5	< 2	0.08	0.5	3	30	54	2.64	< 10	< 1	0.04	10	0.18	115	29
N33394	201	229	2.4	1.69	44	600	< 0.5	< 2	0.20	0.5	6	41	42	3.33	< 10	< 1	0.13	10	0.35	180	15
N33395	201	229	0.4	1.74	24	550	< 0.5	< 4	0.18	3.0	6	27	142	2.32	< 10	< 1	0.08	20	0.53	200	5
N33396	201	229	6.4	1.24	28	790	< 0.5	< 2	0.35	0.5	2	66	113	1.88	< 10	< 1	0.17	10	0.14	140	19
N33397	201	229	0.4	2.38	16	1610	< 0.5	< 2	0.48	6.5	12	177	183	2.91	< 10	< 1	0.25	40	1.35	235	5
N33398	201	229	0.6	1.82	24	530	< 0.5	< 2	0.20	3.0	5	26	135	2.25	< 10	< 1	0.09	20	0.53	165	5
N33399	201	229	0.2	1.42	16	230	< 0.5	< 2	0.08	< 0.5	9	21	31	2.53	< 10	< 1	0.10	10	0.26	655	1
N33400	201	229	< 0.2	1.21	8	360	< 0.5	< 2	0.81	0.5	10	18	27	2.12	< 10	< 1	0.23	10	0.67	460	1
N33401	201	229	3.6	1.42	66	1430	< 0.5	< 2	0.51	3.5	6	64	136	2.34	< 10	< 1	0.14	20	0.32	125	28
N33402	201	229	4.2	0.82	14	990	< 0.5	< 2	0.81	8.0	2	37	142	1.15	< 10	< 1	0.06	10	0.26	50	5
N33403	201	229	4.8	1.49	42	880	< 0.5	< 2	0.19	1.0	4	73	184	2.28	< 10	< 1	0.17	10	0.42	160	35
N33404	201	229	1.4	0.71	28	480	< 0.5	< 2	0.11	3.0	1	26	50	1.90	< 10	< 1	0.12	10	0.09	50	30
N33405	201	229	2.2	0.70	24	100	< 0.5	< 2	0.04	0.5	1	16	31	1.01	< 10	< 1	0.03	10	0.06	25	30
N33406	201	229	< 0.2	1.32	4	300	< 0.5	< 2	0.17	0.5	8	24	45	2.18	< 10	< 1	0.03	10	0.41	225	2
N33407	201	229	1.4	1.27	24	460	< 0.5	< 2	0.17	4.0	12	24	113	2.57	< 10	< 1	0.09	10	0.25	465	23
N33408	201	229	2.0	2.10	36	1040	< 0.5	< 2	0.44	9.5	31	94	136	3.74	10	< 1	0.40	30	0.98	555	31
N33409	201	229	0.6	0.39	8	160	< 0.5	< 2	0.03	3.0	2	15	11	0.63	< 10	< 1	0.08	10	0.04	30	10
N33410	201	229	0.4	0.67	10	150	< 0.5	< 2	0.04	< 0.5	1	18	12	0.79	< 10	< 1	0.07	10	0.07	30	10
N33411	201	229	0.4	2.16	18	940	< 0.5	< 4	0.38	4.0	25	109	94	4.08	10	< 1	0.48	30	1.10	425	21
N33412	201	229	2.2	1.00	30	440	< 0.5	< 2	1.51	36.0	9	63	153	1.97	< 10	< 1	0.20	20	0.76	220	30
N33413	201	229	2.8	1.66	58	640	< 0.5	< 2	0.35	6.0	4	69	154	2.43	< 10	< 1	0.16	20	0.31	225	27
N33414	201	229	0.6	1.20	30	250	< 0.5	< 2	0.12	< 0.5	3	22	85	1.82	< 10	< 1	0.09	10	0.24	105	23
N33415	201	229	0.2	0.73	14	120	< 0.5	< 2	0.02	< 0.5	4	12	35	1.81	< 10	< 1	0.10	20	0.10	70	23

CERTIFICATION: *Hank Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 2-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33372	201 229	< 0.01	4	530	26	4	1	12	< 0.01	< 10	< 10	36	< 10	12
N33373	201 229	0.01	97	5210	8	6	3	111	0.03	< 10	10	296	< 10	466
N33374	201 229	< 0.01	119	1920	6	8	3	48	< 0.01	< 10	< 10	258	< 10	1075
N33375	201 229	0.02	7	1780	4	2	< 1	19	< 0.01	< 10	< 10	237	< 10	42
N33376	201 229	< 0.01	167	1970	18	18	1	75	< 0.01	< 10	< 10	321	< 10	2540
N33377	201 229	< 0.01	9	440	6	2	1	12	0.03	< 10	< 10	457	< 10	46
N33378	201 229	< 0.01	112	950	6	< 2	5	29	0.05	< 10	< 10	88	< 10	1110
N33379	201 229	< 0.01	15	630	4	< 2	2	26	0.02	< 10	< 10	47	< 10	88
N33380	201 229	< 0.01	39	1050	12	< 2	3	41	0.02	< 10	< 10	59	< 10	170
N33381	201 229	0.01	6	760	4	< 2	< 1	20	0.01	< 10	< 10	21	< 10	28
N33386	201 229	0.01	4	570	6	< 2	< 1	16	0.01	< 10	< 10	29	< 10	26
N33387	201 229	< 0.01	17	480	4	2	2	19	0.06	< 10	< 10	53	< 10	70
N33388	201 229	< 0.01	68	650	8	2	2	16	0.03	< 10	< 10	68	< 10	728
N33389	201 229	< 0.01	183	1770	12	6	2	30	0.01	< 10	< 10	334	< 10	2370
N33390	201 229	< 0.01	195	1770	12	6	5	37	0.03	< 10	< 10	282	< 10	2090
N33391	201 229	0.01	52	1370	8	6	1	36	0.01	< 10	< 10	199	< 10	398
N33392	201 229	< 0.01	7	850	8	4	< 1	13	< 0.01	< 10	< 10	97	< 10	30
N33393	201 229	< 0.01	56	870	6	6	1	15	0.02	< 10	< 10	236	< 10	382
N33394	201 229	0.01	21	2180	6	12	3	46	0.04	< 10	< 10	242	< 10	68
N33395	201 229	< 0.01	55	1060	18	6	4	46	0.01	< 10	< 10	95	< 10	382
N33396	201 229	0.01	8	5610	8	14	< 1	64	< 0.01	< 10	10	302	< 10	40
N33397	201 229	< 0.01	154	2630	18	6	15	262	0.10	< 10	< 10	226	< 10	1040
N33398	201 229	< 0.01	52	1060	14	2	5	46	0.02	< 10	< 10	96	< 10	352
N33399	201 229	0.01	23	470	20	4	2	12	0.04	< 10	< 10	52	< 10	124
N33400	201 229	0.01	32	520	8	2	3	30	0.01	< 10	< 10	23	< 10	230
N33401	201 229	0.01	99	3350	12	22	1	154	0.01	< 10	< 10	454	< 10	396
N33402	201 229	0.01	32	1130	8	6	< 1	52	< 0.01	< 10	< 10	219	< 10	214
N33403	201 229	< 0.01	49	2640	24	14	2	66	0.01	< 10	< 10	459	< 10	188
N33404	201 229	< 0.01	12	3470	8	16	< 1	39	0.01	< 10	< 10	217	< 10	72
N33405	201 229	< 0.01	7	430	4	12	< 1	10	0.02	< 10	< 10	168	< 10	38
N33406	201 229	< 0.01	18	550	6	< 2	3	15	0.04	< 10	< 10	50	< 10	54
N33407	201 229	0.01	72	1870	16	6	< 1	78	< 0.01	< 10	< 10	83	< 10	680
N33408	201 229	0.01	162	3010	22	8	2	97	0.02	< 10	< 10	473	< 10	2100
N33409	201 229	< 0.01	5	520	8	2	< 1	18	0.01	< 10	< 10	181	< 10	48
N33410	201 229	< 0.01	7	460	8	4	< 1	25	0.01	< 10	< 10	170	< 10	50
N33411	201 229	0.01	146	2500	24	4	4	79	0.06	< 10	< 10	407	< 10	1655
N33412	201 229	< 0.01	152	2860	8	8	4	71	0.01	< 10	< 10	342	< 10	1430
N33413	201 229	0.01	23	4400	12	18	4	140	0.03	< 10	< 10	526	< 10	110
N33414	201 229	< 0.01	16	1210	8	12	< 1	24	0.01	< 10	< 10	254	< 10	66
N33415	201 229	< 0.01	52	650	4	4	< 1	9	< 0.01	< 10	< 10	64	< 10	404

CERTIFICATION:

Frank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 3-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

Project : SQF-GRANDE
 Comments:

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
N33416	201 229	1.8	1.43	20	710	< 0.5	< 2	0.97	11.5	9	59	70	2.37	< 10	< 1	0.14	20	0.55	400	18
N33417	201 229	3.0	1.12	40	870	< 0.5	< 2	0.30	4.5	7	38	128	2.43	< 10	< 1	0.14	30	0.20	275	46
N33418	201 229	0.2	1.83	8	460	< 0.5	< 2	0.62	< 0.5	8	26	31	2.23	< 10	< 1	0.38	20	0.94	250	1
N33419	201 229	0.4	1.77	6	440	< 0.5	2	1.01	< 0.5	8	25	30	2.14	< 10	< 1	0.36	20	1.05	205	1
N33420	201 229	0.4	1.40	20	480	< 0.5	< 2	0.62	2.5	12	18	68	3.33	< 10	< 1	0.21	10	0.39	465	3
N33421	201 229	< 0.2	1.60	8	290	< 0.5	< 2	0.12	< 0.5	9	27	26	2.90	< 10	< 1	0.14	10	0.40	215	< 1
N33422	201 229	< 0.2	1.86	14	180	< 0.5	< 2	0.17	< 0.5	8	31	17	3.14	< 10	< 1	0.15	10	0.51	305	< 1
N33423	201 229	< 0.2	1.59	6	280	< 0.5	< 2	0.18	< 0.5	9	20	22	2.54	< 10	< 1	0.27	10	0.55	390	1
N33424	201 229	< 0.2	1.23	6	130	< 0.5	< 2	0.14	< 0.5	10	20	29	2.65	< 10	< 1	0.10	10	0.40	430	1
N33425	201 229	< 0.2	1.50	4	330	< 0.5	< 2	0.20	< 0.5	7	18	16	2.42	< 10	< 1	0.17	10	0.62	235	< 1
N33426	201 229	< 0.2	1.28	10	130	< 0.5	2	0.24	< 0.5	7	25	17	2.84	< 10	< 1	0.13	10	0.64	250	1
N33427	201 229	0.4	0.89	8	300	< 0.5	< 2	0.80	1.0	6	19	34	1.74	< 10	< 1	0.11	10	0.42	160	7
N33428	201 229	0.2	1.07	8	260	< 0.5	< 2	0.59	< 0.5	9	11	21	2.74	< 10	< 1	0.20	20	0.58	305	6
N33429	201 229	0.2	0.85	10	290	< 0.5	2	0.54	0.5	8	11	34	2.38	< 10	< 1	0.26	10	0.40	145	4
N33430	201 229	0.2	1.57	4	360	< 0.5	< 2	0.28	2.0	9	16	77	2.78	< 10	< 1	0.31	10	1.00	100	4
N33431	201 229	0.2	1.96	14	1160	< 0.5	< 2	0.59	0.5	11	35	27	3.25	< 10	< 1	0.17	30	0.73	760	1
N33432	201 229	0.4	1.58	4	1000	< 0.5	6	0.72	1.0	11	30	29	3.07	< 10	< 1	0.13	30	0.60	400	5
N33433	201 229	0.6	1.36	6	490	< 0.5	< 2	0.98	1.0	8	29	24	2.27	< 10	< 1	0.09	20	0.56	295	3
N33434	201 229	0.6	1.33	< 2	480	< 0.5	< 2	1.01	1.0	8	28	24	2.27	< 10	< 1	0.08	20	0.55	300	3
N33435	201 229	< 0.2	1.78	< 2	720	< 0.5	< 2	0.48	0.5	13	33	28	2.87	< 10	< 1	0.09	20	0.59	275	2
N33436	201 229	0.2	1.92	6	670	< 0.5	< 2	0.54	< 0.5	12	37	28	3.04	< 10	< 1	0.09	20	0.59	330	1
N33437	201 229	2.6	1.45	10	530	< 0.5	< 2	0.74	3.0	25	31	52	3.11	< 10	< 1	0.09	10	0.37	1135	14
N33438	201 229	0.2	1.64	26	790	< 0.5	< 2	1.17	1.0	18	64	24	3.68	10	< 1	0.12	30	0.75	950	< 1
N33439	201 229	< 0.2	1.69	4	960	< 0.5	< 2	0.87	< 0.5	12	37	18	2.75	< 10	< 1	0.16	30	0.73	440	< 1
N33440	201 229	0.6	1.33	16	1290	< 0.5	< 2	0.39	0.5	15	25	37	3.38	< 10	< 1	0.17	30	0.35	740	3
N33441	201 229	3.4	1.69	36	1250	< 0.5	< 2	0.31	2.0	3	179	211	2.28	10	< 1	0.18	20	0.27	115	33
N33442	201 229	3.4	0.99	22	2090	< 0.5	< 2	0.14	3.5	2	74	90	1.22	< 10	< 1	0.21	20	0.14	45	43
N33443	201 229	0.2	0.93	22	1290	< 0.5	6	0.20	20.5	9	18	43	3.11	< 10	< 1	0.20	20	0.16	300	6
N33444	201 229	1.2	1.59	22	510	< 0.5	< 2	0.29	6.0	6	63	58	2.47	< 10	< 1	0.17	20	0.33	175	13
N33445	201 229	< 0.2	1.79	12	150	< 0.5	< 2	0.13	< 0.5	3	33	10	3.00	< 10	< 1	0.08	20	0.32	110	1
N33446	201 229	< 0.2	2.15	8	460	< 0.5	2	0.19	2.0	12	34	15	2.94	< 10	< 1	0.17	20	0.55	525	2
N33451	201 229	0.4	2.25	4	950	< 0.5	6	0.24	3.0	24	45	41	3.95	< 10	< 1	0.13	30	0.76	635	3
N33452	201 229	< 0.2	3.10	6	6780	< 0.5	< 2	0.40	0.5	25	59	24	5.57	10	< 1	0.22	50	1.29	1025	1
N33453	201 229	< 0.2	1.65	2	1710	< 0.5	< 2	0.89	0.5	12	35	20	3.13	10	< 1	0.14	20	0.50	440	< 1
N33454	201 229	0.2	1.52	14	720	< 0.5	4	0.61	0.5	11	37	21	3.10	< 10	< 1	0.14	30	0.53	320	< 1
N33455	201 229	< 0.2	1.86	8	590	< 0.5	4	0.60	< 0.5	11	42	25	2.89	< 10	< 1	0.15	30	0.56	455	< 1
N33456	201 229	< 0.2	2.24	4	240	< 0.5	2	0.18	0.5	31	35	34	3.91	< 10	< 1	0.06	10	0.51	825	2
N33457	201 229	< 0.2	1.89	12	190	< 0.5	2	0.14	< 0.5	9	34	18	3.27	< 10	< 1	0.07	10	0.45	485	1
N33458	201 229	0.4	2.17	6	520	< 0.5	2	0.54	< 0.5	19	39	32	3.19	< 10	< 1	0.09	20	0.72	640	2
N33459	201 229	0.2	2.35	< 2	550	< 0.5	< 2	0.55	0.5	21	43	34	3.41	< 10	< 1	0.11	20	0.78	835	2

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page : 3-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33416	201 229	0.01	93	1260	12	12	7	45	0.02	< 10	< 10	172	< 10	782
N33417	201 229	< 0.01	138	1730	18	26	2	46	< 0.01	< 10	< 10	303	< 10	852
N33418	201 229	0.01	27	410	6	2	4	30	0.02	< 10	< 10	32	< 10	96
N33419	201 229	0.01	26	470	10	2	6	32	0.02	< 10	< 10	28	< 10	90
N33420	201 229	< 0.01	38	750	12	2	6	42	0.01	< 10	< 10	24	< 10	376
N33421	201 229	0.01	19	390	4	< 2	3	21	0.06	< 10	< 10	54	< 10	66
N33422	201 229	0.01	22	310	6	< 2	3	17	0.09	< 10	< 10	59	< 10	70
N33423	201 229	0.01	21	470	8	< 2	3	14	0.04	< 10	< 10	39	< 10	64
N33424	201 229	< 0.01	21	670	8	2	2	15	0.03	< 10	< 10	37	< 10	78
N33425	201 229	< 0.01	15	360	8	2	2	13	0.01	< 10	< 10	29	< 10	126
N33426	201 229	< 0.01	18	340	8	< 2	2	16	0.04	< 10	< 10	40	< 10	80
N33427	201 229	< 0.01	45	660	12	2	3	37	0.01	< 10	< 10	48	< 10	428
N33428	201 229	< 0.01	60	450	12	2	6	36	< 0.01	< 10	< 10	14	< 10	610
N33429	201 229	< 0.01	41	350	16	2	4	29	< 0.01	< 10	< 10	21	< 10	362
N33430	201 229	< 0.01	86	400	8	2	4	15	0.01	< 10	< 10	18	< 10	660
N33431	201 229	0.01	23	710	10	4	4	50	0.03	< 10	< 10	50	< 10	130
N33432	201 229	0.01	31	850	8	4	3	66	0.01	< 10	< 10	51	< 10	168
N33433	201 229	0.01	26	930	4	2	4	86	0.02	< 10	< 10	45	< 10	138
N33434	201 229	0.01	28	930	4	2	4	88	0.02	< 10	< 10	42	< 10	140
N33435	201 229	0.01	33	880	< 2	2	4	83	0.06	< 10	< 10	60	< 10	82
N33436	201 229	0.01	27	890	2	2	5	76	0.07	< 10	< 10	66	< 10	70
N33437	201 229	0.01	52	1310	4	6	5	142	< 0.01	< 10	< 10	116	< 10	342
N33438	201 229	0.01	32	1110	48	4	9	75	0.01	< 10	< 10	42	< 10	172
N33439	201 229	0.01	23	790	20	2	5	63	0.02	< 10	< 10	35	< 10	104
N33440	201 229	< 0.01	26	860	22	4	3	59	< 0.01	< 10	< 10	73	< 10	118
N33441	201 229	0.01	31	3140	8	18	1	178	0.01	< 10	10	1370	< 10	196
N33442	201 229	< 0.01	26	1770	8	18	2	99	0.01	< 10	< 10	885	< 10	132
N33443	201 229	0.01	52	960	42	12	2	72	< 0.01	< 10	< 10	46	< 10	766
N33444	201 229	< 0.01	49	2250	30	8	1	54	< 0.01	< 10	< 10	264	< 10	402
N33445	201 229	< 0.01	12	250	8	< 2	3	16	0.08	< 10	< 10	79	< 10	84
N33446	201 229	0.01	37	350	8	< 2	4	19	0.05	< 10	< 10	61	< 10	448
N33451	201 229	< 0.01	54	1120	12	4	4	53	0.03	< 10	< 10	214	< 10	358
N33452	201 229	0.01	36	1170	2	2	5	36	0.01	< 10	< 10	61	10	124
N33453	201 229	0.01	19	790	38	2	5	66	0.04	< 10	< 10	52	< 10	112
N33454	201 229	0.01	24	630	92	2	6	38	0.06	< 10	< 10	49	< 10	174
N33455	201 229	0.01	26	920	8	< 2	7	50	0.07	< 10	< 10	57	< 10	116
N33456	201 229	0.01	43	1030	< 2	4	3	46	0.04	< 10	< 10	65	< 10	92
N33457	201 229	0.01	17	550	6	2	3	22	0.07	< 10	< 10	72	< 10	44
N33458	201 229	0.01	36	1230	< 2	< 2	6	77	0.05	< 10	< 10	72	< 10	94
N33459	201 229	0.01	40	1280	6	< 2	6	79	0.05	< 10	< 10	78	< 10	102

Hart Buchler

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 4-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
N33460	201	229	< 0.2	2.10	8	290	< 0.5	< 2	0.25	0.5	15	35	23	3.14	< 10	< 1	0.11	10	0.60	405	1
N33461	201	229	< 0.2	2.14	12	250	< 0.5	< 2	0.19	< 0.5	7	35	15	3.45	< 10	< 1	0.08	10	0.44	175	1
N33462	201	229	0.8	1.90	10	460	< 0.5	< 2	0.22	1.0	11	44	28	2.73	< 10	< 1	0.12	20	0.48	425	6
N33463	201	229	0.8	0.86	24	500	< 0.5	2	0.36	3.5	28	20	60	5.17	10	< 1	0.10	50	0.10	570	7
N33464	201	229	0.6	1.85	24	580	< 0.5	< 2	0.43	< 0.5	36	38	39	4.31	10	< 1	0.15	30	0.51	1175	2
N33465	201	229	< 0.2	2.63	18	390	< 0.5	2	0.21	< 0.5	12	41	18	3.46	< 10	< 1	0.09	20	0.50	255	< 1
N33466	201	229	< 0.2	1.75	14	730	< 0.5	< 2	0.49	< 0.5	13	30	18	3.19	10	< 1	0.11	20	0.37	780	1
N33467	201	229	< 0.2	2.27	8	340	< 0.5	2	0.23	< 0.5	6	36	12	3.15	10	< 1	0.10	20	0.38	210	2
N33468	201	229	< 0.2	2.30	2	340	< 0.5	4	0.17	< 0.5	9	35	15	2.93	< 10	< 1	0.09	10	0.42	215	< 1
N33469	203	205	< 0.2	2.38	18	900	< 0.5	2	0.23	0.5	32	63	53	5.42	< 10	< 1	0.10	20	1.15	810	3
N33470	201	229	0.6	1.77	2	320	< 0.5	< 2	0.17	< 0.5	18	37	24	2.59	< 10	< 1	0.04	10	0.60	415	1
N33471	201	229	1.8	0.74	< 2	180	< 0.5	< 2	0.27	1.5	3	17	19	1.42	< 10	< 1	0.04	10	0.23	35	3
N33472	201	229	0.2	2.00	2	500	< 0.5	4	0.80	5.0	30	34	54	4.78	< 10	< 1	0.04	10	1.09	910	4
N33473	203	205	3.0	1.01	16	500	< 0.5	< 2	0.60	3.0	2	178	82	1.29	< 10	< 1	0.11	10	0.16	50	12
N33474	201	229	2.2	0.93	26	730	< 0.5	4	0.80	1.5	7	54	45	2.14	< 10	< 1	0.11	20	0.28	160	20
N33475	201	229	1.4	1.19	12	1700	< 0.5	2	0.69	2.5	14	39	60	2.83	< 10	< 1	0.12	10	0.30	370	6
N33476	201	229	0.8	0.83	10	540	< 0.5	10	0.34	1.0	37	14	95	6.22	< 10	< 1	0.16	20	0.25	905	1
N33477	201	229	< 0.2	1.09	22	360	< 0.5	6	0.10	4.5	15	19	92	4.31	< 10	< 1	0.13	20	0.16	295	9
N33478	201	229	< 0.2	0.94	20	170	< 0.5	6	0.09	2.5	10	17	34	3.28	< 10	< 1	0.09	10	0.15	240	6
N33479	201	229	< 0.2	1.82	12	380	< 0.5	< 2	0.20	3.5	13	34	40	3.01	< 10	< 1	0.08	10	0.50	445	5
N33480	201	229	1.4	1.19	56	760	< 0.5	< 2	0.29	10.5	12	38	141	3.06	< 10	< 1	0.16	30	0.17	335	25
N33481	201	229	< 0.2	1.46	12	640	< 0.5	< 2	0.15	0.5	3	36	20	2.08	< 10	< 1	0.13	10	0.30	115	11
N33482	201	229	< 0.2	1.51	14	1220	< 0.5	< 2	0.09	< 0.5	3	24	29	2.55	< 10	< 1	0.11	10	0.20	95	11
N33483	201	229	< 0.2	1.52	16	1370	< 0.5	< 2	0.09	< 0.5	2	22	26	2.38	< 10	< 1	0.11	10	0.20	90	11
N33484	201	229	< 0.2	1.24	12	720	< 0.5	< 2	0.11	< 0.5	4	25	20	2.05	< 10	< 1	0.16	10	0.22	120	8
N33485	201	229	1.2	1.87	40	720	< 0.5	< 2	0.20	0.5	4	87	43	2.62	< 10	< 1	0.23	20	0.33	155	25
N33486	201	229	0.6	0.87	20	510	< 0.5	< 2	0.04	< 0.5	3	15	35	1.87	< 10	< 1	0.16	20	0.07	80	23
N33487	201	229	1.0	1.46	28	1480	< 0.5	2	0.16	< 0.5	6	23	32	2.77	< 10	< 1	0.11	10	0.28	185	37
N33488	201	229	0.8	1.23	12	1440	< 0.5	< 2	0.32	7.5	13	37	35	1.65	< 10	< 1	0.10	10	0.28	385	12
N33489	201	229	0.4	1.10	4	890	< 0.5	< 2	0.19	0.5	6	22	17	1.65	< 10	< 1	0.09	10	0.30	130	3
N33490	201	229	1.4	1.63	18	830	< 0.5	< 2	0.34	6.0	29	36	55	3.86	10	< 1	0.09	20	0.54	920	10
N33491	203	205	< 0.2	2.47	6	790	< 0.5	4	0.46	0.5	25	59	55	5.92	10	< 1	0.10	20	1.18	365	4
N33492	201	229	2.2	1.63	18	230	< 0.5	< 2	0.12	0.5	6	33	28	2.91	< 10	< 1	0.10	20	0.25	155	6
N33493	201	229	2.8	1.79	20	300	< 0.5	2	0.13	0.5	10	43	41	3.35	10	< 1	0.13	20	0.28	220	11
N33595	201	229	2.0	1.31	28	1440	< 0.5	< 2	0.17	9.0	11	80	82	2.13	10	< 1	0.21	10	0.20	335	40
N33598	201	229	1.2	1.50	36	2120	< 0.5	4	0.44	10.0	8	66	110	2.68	10	< 1	0.15	20	0.37	230	16
N33599	201	229	< 0.2	2.69	90	350	< 0.5	< 2	0.15	7.0	13	18	40	5.22	10	< 1	0.11	30	0.56	375	29
N33600	201	229	1.2	1.19	< 2	560	< 0.5	< 2	2.05	1.5	12	23	35	2.10	< 10	< 1	0.08	20	0.39	605	5
N33601	201	229	0.6	0.59	< 2	1230	< 0.5	< 2	3.41	3.0	6	13	31	1.13	< 10	< 1	0.05	10	0.24	300	3
N33602	201	229	0.6	1.15	4	1400	< 0.5	< 2	1.61	1.5	10	23	32	2.20	< 10	< 1	0.08	20	0.40	685	4

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 4-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33460	201 229	0.01	25	780	< 2	< 2	4	30	0.06	< 10	< 10	66	< 10	74
N33461	201 229	0.01	14	300	6	2	4	24	0.07	< 10	< 10	83	< 10	40
N33462	201 229	0.01	29	1070	< 2	2	3	87	0.04	< 10	< 10	148	< 10	94
N33463	201 229	< 0.01	122	1770	12	16	7	38	< 0.01	< 10	< 10	31	< 10	472
N33464	201 229	< 0.01	42	950	14	6	6	30	0.02	< 10	< 10	48	< 10	120
N33465	201 229	0.01	20	280	2	< 2	5	21	0.10	< 10	< 10	71	< 10	54
N33466	201 229	0.01	20	740	6	< 2	3	44	0.07	< 10	< 10	58	< 10	72
N33467	201 229	0.01	12	320	8	< 2	4	24	0.09	< 10	< 10	85	< 10	52
N33468	201 229	0.01	16	260	4	< 2	3	18	0.09	< 10	< 10	63	< 10	50
N33469	203 205	0.01	71	1140	12	4	4	66	0.01	< 10	< 10	86	< 10	274
N33470	201 229	0.01	29	940	2	2	3	39	0.03	< 10	< 10	49	< 10	58
N33471	201 229	< 0.01	19	770	6	< 2	1	59	< 0.01	< 10	< 10	35	< 10	88
N33472	201 229	< 0.01	96	1260	< 2	6	6	68	< 0.01	< 10	< 10	59	< 10	564
N33473	203 205	< 0.01	23	3830	4	10	< 1	68	< 0.01	< 10	< 10	666	< 10	150
N33474	201 229	< 0.01	83	2320	20	10	3	75	0.01	< 10	< 10	261	< 10	606
N33475	201 229	0.01	62	1240	12	4	2	80	0.01	< 10	< 10	259	< 10	460
N33476	201 229	< 0.01	144	790	14	4	8	44	< 0.01	< 10	< 10	20	< 10	888
N33477	201 229	< 0.01	70	1180	22	4	2	83	0.01	< 10	< 10	77	< 10	644
N33478	201 229	< 0.01	50	890	14	4	2	44	0.02	< 10	< 10	45	< 10	518
N33479	201 229	< 0.01	46	660	4	2	6	23	0.06	< 10	< 10	89	< 10	338
N33480	201 229	< 0.01	106	2370	100	20	5	126	0.01	< 10	< 10	370	< 10	722
N33481	201 229	< 0.01	12	880	12	4	1	38	0.02	< 10	< 10	319	< 10	58
N33482	201 229	< 0.01	18	610	30	4	2	64	0.03	< 10	< 10	73	< 10	64
N33483	201 229	< 0.01	17	560	36	4	3	65	0.03	< 10	< 10	79	< 10	64
N33484	201 229	< 0.01	14	660	12	4	2	46	0.02	< 10	< 10	146	< 10	72
N33485	201 229	< 0.01	26	2020	44	12	3	70	0.03	< 10	< 10	996	< 10	150
N33486	201 229	< 0.01	13	920	18	8	3	192	< 0.01	< 10	< 10	84	< 10	68
N33487	201 229	< 0.01	21	1110	10	12	2	41	0.03	< 10	< 10	94	< 10	94
N33488	201 229	< 0.01	26	1040	16	4	2	60	0.02	< 10	< 10	325	< 10	230
N33489	201 229	< 0.01	16	620	6	< 2	2	28	0.03	< 10	< 10	82	< 10	94
N33490	201 229	< 0.01	50	1390	16	4	3	59	< 0.01	< 10	< 10	145	10	452
N33491	203 205	0.01	60	1450	8	2	4	96	< 0.01	< 10	< 10	91	10	198
N33492	201 229	< 0.01	20	520	16	2	3	21	0.06	< 10	< 10	120	< 10	124
N33493	201 229	< 0.01	33	710	26	4	3	30	0.05	< 10	< 10	192	< 10	184
N33595	201 229	0.01	70	1110	16	8	3	121	0.08	< 10	< 10	1430	< 10	412
N33598	201 229	< 0.01	95	2540	44	8	6	145	0.06	< 10	< 10	838	< 10	990
N33599	201 229	< 0.01	225	1540	184	12	7	27	< 0.01	< 10	< 10	291	10	1850
N33600	201 229	0.01	34	990	16	2	4	159	0.01	< 10	< 10	41	< 10	140
N33601	201 229	0.01	22	700	4	2	2	229	< 0.01	< 10	< 10	22	< 10	92
N33602	201 229	< 0.01	38	830	6	2	3	125	0.01	< 10	< 10	41	< 10	152

CERTIFICATION: *Hart Beckler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Page Number : 5-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

Project : SQF-GRANDE
 Comments:

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	
N33603	201	229	0.2	1.32	4	1140	< 0.5	2	1.72	0.5	7	25	30	2.48	< 10	< 1	0.09	20	0.51	295	4	
N33604	203	205	0.6	1.37	4	1580	< 0.5	< 2	1.81	0.5	10	40	32	2.07	< 10	< 1	0.10	10	0.37	780	3	
N33605	201	229	0.4	1.76	6	2100	< 0.5	< 2	1.23	< 0.5	10	32	22	2.33	< 10	< 1	0.11	20	0.57	555	2	
N33606	201	229	0.4	1.33	4	720	< 0.5	< 2	0.72	< 0.5	10	27	23	2.34	< 10	< 1	0.10	10	0.53	485	3	
N33607	201	229	0.6	1.54	12	430	< 0.5	< 2	0.22	< 0.5	8	27	22	1.98	< 10	< 1	0.18	20	0.43	170	3	
N33608	201	229	0.2	1.55	4	490	< 0.5	< 2	0.62	< 0.5	7	35	18	2.27	< 10	< 1	0.15	20	0.56	120	3	
N33609	201	229	< 0.2	1.87	4	290	< 0.5	2	0.22	< 0.5	9	31	23	2.78	< 10	< 1	0.16	20	0.63	265	2	
N33610	201	229	0.8	1.75	8	480	< 0.5	< 2	0.27	< 0.5	11	30	31	2.45	< 10	< 1	0.35	20	0.48	255	7	
N33611	201	229	0.2	1.42	28	290	< 0.5	2	0.11	< 0.5	6	31	30	2.78	10	< 1	0.11	10	0.25	125	4	
N33612	201	229	0.2	1.46	12	420	< 0.5	< 2	0.14	< 0.5	4	31	18	2.04	10	< 1	0.16	20	0.24	110	2	
N33613	201	229	0.2	1.69	< 2	240	< 0.5	2	0.10	< 0.5	5	32	15	2.42	< 10	< 1	0.08	10	0.30	115	2	
N33614	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33615	201	229	< 0.2	2.20	12	720	< 0.5	< 2	0.12	< 0.5	8	43	33	4.08	10	< 1	0.13	20	0.46	190	3	
N33616	201	229	0.2	1.74	10	940	< 0.5	2	0.50	< 0.5	11	36	19	3.12	< 10	< 1	0.12	20	0.60	605	3	
N33617	201	229	< 0.2	1.67	6	590	< 0.5	2	0.27	< 0.5	17	31	21	3.00	< 10	< 1	0.13	20	0.60	570	1	
N33626	201	229	0.6	2.33	2	500	< 0.5	2	0.51	0.5	15	46	18	3.74	10	< 1	0.09	10	0.48	580	2	
N33627	201	229	< 0.2	1.52	2	2030	< 0.5	2	2.19	< 0.5	14	30	21	2.77	< 10	< 1	0.11	20	0.63	625	< 1	
N33628	201	229	0.2	1.57	< 2	1130	< 0.5	2	1.32	< 0.5	15	31	14	2.53	< 10	< 1	0.10	20	0.62	455	1	
N33629	201	229	1.0	1.10	10	890	< 0.5	< 2	1.29	3.0	13	22	45	2.81	< 10	< 1	0.07	20	0.44	335	8	
N33630	201	229	0.6	1.18	8	1350	< 0.5	< 2	1.74	0.5	9	21	32	2.40	< 10	< 1	0.08	10	0.35	245	2	
N33631	201	229	0.6	1.54	8	1340	< 0.5	2	1.45	< 0.5	13	30	26	2.51	10	< 1	0.14	20	0.50	395	2	
N33632	201	229	0.4	1.73	< 2	1410	< 0.5	2	1.20	0.5	12	36	20	2.44	10	< 1	0.14	20	0.68	310	1	
N33633	201	229	0.6	1.36	8	1490	< 0.5	2	1.97	0.5	12	28	33	2.01	< 10	< 1	0.09	20	0.43	705	3	
N33634	201	229	0.6	2.48	2	880	< 0.5	< 2	0.21	< 0.5	37	39	22	2.87	< 10	< 1	0.13	10	0.54	1435	6	
N33635	201	229	0.2	1.45	6	220	< 0.5	< 2	0.13	< 0.5	3	26	12	2.09	< 10	< 1	0.10	10	0.30	165	2	
N33636	203	205	0.2	2.00	12	550	< 0.5	< 2	0.20	0.5	9	79	24	3.16	10	< 1	0.18	20	0.44	285	2	
N33637	201	229	0.2	1.68	14	530	< 0.5	4	0.19	0.5	10	33	30	2.93	10	< 1	0.15	20	0.39	300	3	
N33638	201	229	< 0.2	1.97	16	180	< 0.5	6	0.22	< 0.5	6	35	9	3.01	< 10	< 1	0.09	20	0.42	180	1	
N33639	201	229	< 0.2	2.17	14	800	< 0.5	2	0.24	< 0.5	13	35	15	3.16	< 10	< 1	0.12	20	0.52	320	1	
N33640	201	229	0.2	1.94	6	3840	< 0.5	< 2	1.20	< 0.5	18	40	24	3.46	10	< 1	0.13	30	0.70	450	< 1	
N33641	201	229	0.4	1.84	14	2760	< 0.5	< 2	1.77	< 0.5	18	36	22	3.12	10	< 1	0.14	20	0.63	500	< 1	
N33642	201	229	0.4	1.39	6	1350	< 0.5	4	0.82	< 0.5	8	22	19	2.11	< 10	< 1	0.14	20	0.32	385	1	
N33643	201	229	0.2	2.01	< 2	2480	< 0.5	2	1.48	0.5	18	35	22	3.15	10	< 1	0.15	30	0.54	740	1	
N33644	201	229	< 0.2	1.94	12	620	< 0.5	< 2	0.62	1.0	14	41	19	3.19	10	< 1	0.14	20	0.52	710	2	
N33645	201	229	0.2	1.61	4	330	< 0.5	< 2	0.35	< 0.5	7	29	12	2.01	10	< 1	0.13	20	0.35	215	1	
N33646	201	229	1.2	1.82	6	550	< 0.5	2	1.00	0.5	17	29	27	2.33	< 10	< 1	0.12	20	0.37	840	2	
N33647	201	229	2.4	1.22	14	600	< 0.5	2	0.21	0.5	2	29	25	1.77	< 10	< 1	0.13	10	0.21	60	8	
N33648	201	229	0.2	1.86	4	670	< 0.5	< 2	0.31	0.5	9	33	19	2.91	< 10	< 1	0.18	20	0.56	255	1	
N33649	201	229	0.2	1.63	< 2	330	< 0.5	4	0.13	< 0.5	3	26	14	1.72	10	< 1	0.16	20	0.31	105	1	
N33650	201	229	0.4	2.13	20	170	< 0.5	4	0.11	0.5	9	33	24	3.41	< 10	< 1	0.07	10	0.40	245	10	

CERTIFICATION:

Heath Buchanan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 5-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33603	201 229	0.01	23	940	8	2	3	132	0.01	< 10	< 10	36	< 10	120
N33604	203 205	0.01	20	1070	10	2	4	151	0.02	< 10	< 10	45	< 10	60
N33605	201 229	0.01	20	960	6	2	5	101	0.03	< 10	< 10	54	< 10	76
N33606	201 229	0.01	22	940	12	2	3	70	0.04	< 10	< 10	54	< 10	84
N33607	201 229	< 0.01	22	1190	16	< 2	2	64	0.02	< 10	< 10	49	< 10	138
N33608	201 229	0.01	30	1040	2	< 2	3	130	0.03	< 10	< 10	70	< 10	82
N33609	201 229	0.01	25	460	12	< 2	4	21	0.07	< 10	< 10	50	< 10	64
N33610	201 229	0.01	53	1240	16	2	3	34	0.02	< 10	< 10	60	< 10	134
N33611	201 229	0.01	22	1390	12	2	< 1	45	0.01	< 10	< 10	70	< 10	62
N33612	201 229	< 0.01	20	1330	24	6	< 1	183	0.01	< 10	< 10	79	< 10	68
N33613	201 229	< 0.01	15	960	6	< 2	1	35	0.02	< 10	< 10	66	< 10	46
N33614	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33615	201 229	< 0.01	28	1370	16	4	2	68	0.02	< 10	< 10	102	< 10	96
N33616	201 229	0.01	22	810	6	4	3	41	0.04	< 10	< 10	57	< 10	76
N33617	201 229	0.01	27	630	12	2	3	24	0.04	< 10	< 10	47	< 10	68
N33626	201 229	0.01	21	530	12	4	4	52	0.06	< 10	< 10	73	< 10	60
N33627	201 229	0.01	22	700	10	4	4	177	0.02	< 10	< 10	34	< 10	52
N33628	201 229	0.01	21	570	18	2	4	105	0.02	< 10	< 10	37	< 10	60
N33629	201 229	< 0.01	61	860	16	4	4	84	0.01	< 10	< 10	34	< 10	362
N33630	201 229	0.01	26	790	14	4	3	138	0.01	< 10	< 10	28	< 10	108
N33631	201 229	0.01	26	680	16	2	4	106	0.02	< 10	< 10	42	< 10	82
N33632	201 229	0.01	25	560	10	< 2	6	96	0.04	< 10	< 10	51	< 10	104
N33633	201 229	0.01	23	970	12	4	5	147	0.02	< 10	< 10	44	< 10	74
N33634	201 229	0.01	24	1060	18	< 2	2	39	0.03	< 10	< 10	90	< 10	82
N33635	201 229	< 0.01	10	370	12	2	1	17	0.03	< 10	< 10	60	< 10	44
N33636	203 205	0.01	21	560	16	4	4	30	0.07	< 10	< 10	85	< 10	74
N33637	201 229	0.01	23	690	14	4	3	29	0.06	< 10	< 10	87	< 10	94
N33638	201 229	0.01	10	550	16	< 2	3	22	0.08	< 10	< 10	79	< 10	42
N33639	201 229	0.01	23	290	10	2	4	22	0.07	< 10	< 10	65	< 10	62
N33640	201 229	0.01	36	640	12	2	8	100	0.03	< 10	< 10	49	< 10	94
N33641	201 229	0.01	29	680	16	< 2	5	136	0.03	< 10	< 10	46	< 10	96
N33642	201 229	0.01	14	870	16	< 2	3	74	0.02	< 10	< 10	37	< 10	50
N33643	201 229	0.01	26	710	16	2	6	102	0.02	< 10	< 10	47	< 10	80
N33644	201 229	0.01	29	740	14	4	4	60	0.04	< 10	< 10	61	< 10	108
N33645	201 229	0.01	12	300	8	< 2	3	39	0.06	< 10	< 10	57	< 10	52
N33646	201 229	0.01	31	1340	24	4	4	100	0.02	< 10	< 10	42	< 10	120
N33647	201 229	0.01	11	1340	26	6	2	95	0.01	< 10	< 10	120	< 10	70
N33648	201 229	0.01	23	870	8	< 2	4	44	0.04	< 10	< 10	90	< 10	74
N33649	201 229	< 0.01	13	360	6	< 2	2	17	0.03	< 10	< 10	60	< 10	58
N33650	201 229	< 0.01	52	460	14	2	3	15	0.05	< 10	< 10	73	< 10	284

CERTIFICATION:

Hank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 6-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
N33651	201	229	0.4	1.18	10	360	< 0.5	< 2	0.08	< 0.5	4	21	23	2.54	< 10	< 1	0.09	10	0.14	75	7
N33652	201	229	1.4	0.94	20	930	< 0.5	< 2	0.21	8.5	18	21	42	2.13	< 10	< 1	0.11	10	0.17	655	37
N33653	201	229	0.6	2.37	< 2	990	< 0.5	4	1.22	1.0	20	31	46	3.64	< 10	< 1	0.06	30	0.92	715	3
N33654	201	229	0.8	2.18	4	600	< 0.5	4	0.37	3.0	11	48	26	3.70	< 10	< 1	0.07	20	0.94	275	4
N33655	201	229	0.4	0.74	2	390	< 0.5	< 2	0.83	0.5	9	11	20	1.69	< 10	< 1	0.07	10	0.32	795	3
N33656	201	229	0.4	0.71	8	500	< 0.5	< 2	1.41	0.5	14	11	18	1.93	< 10	< 1	0.07	10	0.40	1595	6
N33657	201	229	0.2	0.88	< 2	1210	< 0.5	< 2	1.93	1.5	7	16	27	1.48	< 10	< 1	0.07	< 10	0.47	1865	13
N33658	201	229	0.2	0.98	2	730	< 0.5	< 2	0.16	0.5	4	19	23	1.80	< 10	< 1	0.08	10	0.27	120	3
N33659	201	229	8.2	1.35	100	1150	< 0.5	2	0.73	26.0	6	214	353	2.56	< 10	< 1	0.25	30	0.19	90	52
N33660	201	229	1.2	1.87	26	340	< 0.5	2	0.14	0.5	2	76	47	2.65	< 10	< 1	0.11	20	0.25	110	13
N33661	201	229	0.2	1.50	8	480	< 0.5	6	0.14	0.5	3	30	20	2.15	< 10	< 1	0.11	10	0.27	115	7
N33662	201	229	0.2	1.51	4	860	< 0.5	4	0.13	< 0.5	3	29	25	2.34	< 10	< 1	0.13	10	0.24	110	15
N33663	201	229	0.6	1.89	20	940	< 0.5	< 2	0.15	1.0	7	50	32	2.93	< 10	< 1	0.19	10	0.33	195	24
N33664	201	229	0.8	2.19	18	470	< 0.5	2	0.18	0.5	8	40	20	2.83	< 10	< 1	0.13	10	0.47	220	7
N33665	201	229	0.4	1.52	4	520	< 0.5	< 2	0.12	< 0.5	6	23	22	2.82	< 10	< 1	0.15	10	0.26	165	3
N33666	201	229	0.4	1.39	6	560	< 0.5	< 2	0.08	< 0.5	7	21	31	2.80	< 10	< 1	0.14	10	0.24	230	7
N33667	201	229	0.6	0.44	10	1400	< 0.5	< 2	0.02	< 0.5	4	4	22	1.62	< 10	< 1	0.10	20	0.05	95	22
N33668	201	229	0.2	1.04	6	620	< 0.5	< 2	0.11	0.5	11	16	29	2.65	< 10	< 1	0.12	10	0.21	285	5
N33669	201	229	3.2	1.32	20	350	< 0.5	2	0.16	1.0	3	53	35	2.15	< 10	< 1	0.08	10	0.26	140	8
N33670	201	229	0.4	0.92	6	350	< 0.5	< 2	0.25	1.0	9	15	17	2.30	< 10	< 1	0.08	20	0.18	305	4
N33671	201	229	0.2	1.49	6	510	< 0.5	< 2	1.18	< 0.5	8	24	16	1.91	< 10	< 1	0.08	10	0.51	255	1
N33672	201	229	1.4	0.92	16	1060	< 0.5	2	0.98	0.5	12	14	40	2.77	< 10	< 1	0.21	20	0.41	225	2
N33673	201	229	0.8	1.10	16	620	< 0.5	2	1.14	< 0.5	8	17	35	2.10	< 10	< 1	0.21	20	0.49	245	3
N33674	201	229	1.0	0.99	18	560	< 0.5	2	0.93	1.0	9	19	34	2.38	< 10	< 1	0.18	10	0.44	310	3
N33675	201	229	1.0	0.86	14	2310	< 0.5	< 2	0.12	1.0	2	14	39	1.69	< 10	< 1	0.12	20	0.09	30	20
N33676	201	229	0.2	1.83	< 2	680	< 0.5	< 2	0.41	< 0.5	14	34	21	2.30	< 10	< 1	0.08	20	0.70	215	1
N33677	201	229	0.2	1.59	< 2	600	< 0.5	4	0.48	< 0.5	9	31	15	2.24	< 10	< 1	0.07	10	0.63	185	1
N33678	201	229	0.2	2.04	6	760	< 0.5	2	0.37	< 0.5	22	39	35	3.47	< 10	< 1	0.08	20	0.76	555	2
N33679	201	229	0.2	2.13	< 2	810	< 0.5	4	0.72	< 0.5	15	39	30	2.70	< 10	< 1	0.09	20	0.77	430	1
N33680	201	229	0.2	1.88	8	560	< 0.5	< 2	0.34	< 0.5	24	34	35	3.85	< 10	< 1	0.08	10	0.72	555	3
N33681	201	229	0.4	2.14	6	910	< 0.5	< 2	0.52	< 0.5	21	39	47	3.04	< 10	< 1	0.08	20	0.79	410	2
N33682	201	229	0.2	1.70	6	820	< 0.5	4	0.37	< 0.5	11	31	18	2.12	< 10	< 1	0.08	10	0.56	240	1
N33683	201	229	0.6	2.37	16	1180	< 0.5	< 2	0.58	1.0	24	42	55	5.06	< 10	< 1	0.11	20	0.70	615	7
N33684	201	229	0.2	1.18	14	110	< 0.5	2	0.12	< 0.5	4	23	24	2.64	< 10	< 1	0.07	10	0.31	145	2
N33685	201	229	0.2	0.75	18	350	< 0.5	< 2	0.11	1.5	11	17	29	2.94	< 10	< 1	0.11	10	0.14	200	13
N33686	201	229	5.4	1.31	80	1140	< 0.5	2	1.08	8.5	13	175	270	3.79	< 10	< 1	0.23	20	0.18	335	141
N33687	201	229	1.2	2.59	28	850	< 0.5	8	0.48	16.0	35	53	99	7.83	< 10	< 1	0.13	30	0.99	535	22
N33688	201	229	< 0.2	2.20	30	800	< 0.5	6	0.40	7.0	47	42	81	8.65	< 10	< 1	0.13	20	0.85	730	53
N33689	201	229	0.6	1.18	114	630	< 0.5	2	0.56	6.5	16	41	44	4.55	< 10	< 1	0.19	20	0.35	470	8
N33690	201	229	1.6	1.03	40	1070	< 0.5	2	3.71	27.0	27	40	74	5.75	< 10	< 1	0.13	10	2.23	1310	18

Hart Buchler

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

to: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 6-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
N33651	201	229	< 0.01	19	1610	14	4	< 1	86	< 0.01	< 10	< 10	75	< 10	102
N33652	201	229	< 0.01	72	1030	66	12	3	36	< 0.01	< 10	< 10	192	< 10	634
N33653	201	229	0.01	65	1400	26	4	8	144	< 0.01	< 10	< 10	55	< 10	386
N33654	201	229	< 0.01	40	1490	10	6	4	64	0.01	< 10	< 10	195	< 10	344
N33655	201	229	< 0.01	35	640	14	< 2	3	54	0.01	< 10	< 10	30	< 10	264
N33656	201	229	< 0.01	34	670	12	4	2	86	0.01	< 10	< 10	28	< 10	278
N33657	201	229	0.01	28	890	4	2	2	110	0.01	< 10	< 10	70	< 10	160
N33658	201	229	< 0.01	20	560	8	< 2	1	25	0.02	< 10	< 10	56	< 10	96
N33659	201	229	< 0.01	150	4630	48	54	6	185	0.02	< 10	< 10	2060	< 10	766
N33660	201	229	< 0.01	16	1790	20	8	3	41	0.07	< 10	< 10	1395	< 10	82
N33661	201	229	< 0.01	13	570	14	2	1	30	0.03	< 10	< 10	178	< 10	68
N33662	201	229	< 0.01	12	910	12	6	1	73	0.02	< 10	< 10	147	< 10	48
N33663	201	229	< 0.01	32	900	42	10	4	72	0.04	< 10	< 10	420	< 10	164
N33664	201	229	< 0.01	17	530	20	< 2	4	27	0.08	< 10	< 10	225	< 10	64
N33665	201	229	0.01	17	410	14	< 2	3	22	0.06	< 10	< 10	61	< 10	76
N33666	201	229	0.01	21	600	10	2	2	26	0.02	< 10	< 10	50	< 10	82
N33667	201	229	< 0.01	10	230	16	6	1	33	< 0.01	< 10	< 10	22	< 10	58
N33668	201	229	0.01	21	640	14	2	2	39	0.02	< 10	< 10	43	< 10	88
N33669	201	229	< 0.01	17	1350	22	4	1	45	0.03	< 10	< 10	603	< 10	72
N33670	201	229	< 0.01	38	290	66	4	2	29	0.03	< 10	< 10	46	< 10	340
N33671	201	229	0.01	18	560	18	< 2	3	85	0.04	< 10	< 10	51	< 10	94
N33672	201	229	< 0.01	87	550	50	6	7	73	< 0.01	< 10	< 10	22	< 10	554
N33673	201	229	0.01	53	590	12	2	7	73	0.01	< 10	< 10	30	< 10	246
N33674	201	229	< 0.01	37	560	18	2	6	69	0.02	< 10	< 10	41	< 10	174
N33675	201	229	< 0.01	13	820	32	4	3	223	< 0.01	< 10	< 10	74	< 10	68
N33676	201	229	0.01	30	870	< 2	2	4	63	0.04	< 10	< 10	53	< 10	78
N33677	201	229	0.01	21	750	6	2	3	62	0.04	< 10	< 10	52	< 10	68
N33678	201	229	0.01	44	970	6	2	6	61	0.04	< 10	< 10	65	< 10	92
N33679	201	229	0.01	32	1060	8	< 2	6	84	0.05	< 10	< 10	61	< 10	88
N33680	201	229	0.01	50	1170	6	< 2	4	68	0.04	< 10	< 10	67	< 10	108
N33681	201	229	0.01	52	1100	4	< 2	6	101	0.03	< 10	< 10	67	< 10	98
N33682	201	229	0.01	23	750	2	< 2	4	51	0.04	< 10	< 10	56	< 10	80
N33683	201	229	0.03	78	1470	14	8	6	188	0.03	< 10	< 10	91	< 10	310
N33684	201	229	0.01	15	460	8	2	2	16	0.05	< 10	< 10	52	< 10	64
N33685	201	229	< 0.01	61	690	24	2	3	19	< 0.01	< 10	< 10	49	< 10	368
N33686	201	229	< 0.01	138	6380	40	40	6	187	0.01	< 10	10	1795	< 10	1180
N33687	201	229	0.04	253	2480	16	10	7	217	< 0.01	< 10	< 10	141	< 10	2110
N33688	201	229	0.01	369	2030	30	18	8	113	< 0.01	< 10	< 10	94	< 10	1685
N33689	201	229	0.01	82	1710	94	8	12	88	0.02	< 10	< 10	100	< 10	892
N33690	201	229	0.01	192	1560	64	12	11	191	< 0.01	< 10	< 10	159	10	1835

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments :

Page Number : 7-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
N33691	201 229	1.4	1.56	100	1780	1.0	< 2	0.73	16.5	18	38	44	5.49	< 10	< 1	0.16	20	0.17	1120	11
N33696	201 229	3.4	1.40	42	1210	0.5	< 2	0.19	3.0	8	81	68	3.88	< 10	< 1	0.18	10	0.14	290	37
N33697	201 229	0.4	0.55	12	660	< 0.5	< 2	0.04	3.0	15	9	53	2.83	< 10	< 1	0.12	10	0.07	245	10
N33698	201 229	1.4	0.89	24	970	< 0.5	< 2	0.08	1.5	4	20	49	2.43	< 10	< 1	0.19	20	0.17	180	43
N33699	201 229	0.6	1.02	8	2160	< 0.5	< 2	0.12	3.5	9	13	43	2.26	< 10	< 1	0.13	20	0.16	270	18
N33700	201 229	2.6	0.63	4	1510	0.5	< 2	0.18	1.5	< 1	121	28	0.43	< 10	2	0.13	10	0.10	20	4
N33701	201 229	2.2	1.63	26	730	0.5	< 2	0.29	7.0	35	56	116	5.53	< 10	< 1	0.18	20	0.39	620	25
N33702	201 229	1.0	1.27	8	620	0.5	2	0.79	< 0.5	19	19	32	2.75	< 10	< 1	0.16	10	0.55	555	2
N33704	201 229	1.8	1.19	16	1350	0.5	< 2	0.67	9.5	17	29	60	2.69	< 10	< 1	0.12	10	0.29	800	17
N33705	201 229	2.6	1.21	38	1190	0.5	< 2	0.89	13.0	13	70	126	3.07	< 10	< 1	0.20	20	0.46	470	36
N33706	201 229	1.2	1.09	40	860	0.5	< 2	0.93	13.0	12	49	97	3.03	< 10	< 1	0.22	20	0.44	875	30
N33707	201 229	1.4	1.47	6	900	0.5	< 2	1.08	< 0.5	19	18	60	4.67	< 10	< 1	0.29	20	0.64	750	6
N33708	201 229	0.6	1.66	4	810	0.5	< 2	0.82	0.5	13	21	36	3.79	< 10	< 1	0.29	20	0.48	610	2
N33801	201 229	0.4	1.16	< 2	980	< 0.5	< 2	0.23	< 0.5	5	21	23	1.54	< 10	< 1	0.09	10	0.31	105	2
N33802	201 229	0.2	1.11	6	1650	< 0.5	< 2	0.11	0.5	6	22	28	2.08	< 10	< 1	0.14	10	0.20	120	6
N33803	201 229	1.2	0.98	4	1520	< 0.5	< 2	0.30	2.0	4	33	23	1.25	< 10	< 1	0.12	10	0.26	125	7
N33804	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33805	201 229	0.6	1.76	< 2	700	< 0.5	< 2	0.14	< 0.5	7	24	22	2.30	< 10	< 1	0.11	10	0.29	175	4
N33806	201 229	0.6	1.62	2	530	< 0.5	< 2	0.09	< 0.5	13	22	42	2.79	< 10	< 1	0.18	< 10	0.22	395	4
N33807	201 229	0.6	1.37	< 2	420	< 0.5	< 2	0.08	< 0.5	3	18	26	1.44	< 10	< 1	0.09	10	0.16	65	1
N33808	201 229	0.2	1.24	2	130	< 0.5	< 2	0.07	< 0.5	4	16	8	2.10	< 10	< 1	0.04	10	0.22	150	1
N33809	201 229	0.2	0.90	< 2	520	< 0.5	< 2	0.17	0.5	3	13	25	1.36	< 10	< 1	0.08	< 10	0.09	80	1
N33810	201 229	0.2	1.03	< 2	420	< 0.5	< 2	0.18	< 0.5	10	18	18	1.81	< 10	< 1	0.10	10	0.29	270	3
N33811	201 229	0.4	1.32	< 2	590	< 0.5	< 2	0.14	0.5	7	20	13	1.40	< 10	< 1	0.13	10	0.25	210	1
N33812	201 229	0.6	0.97	4	750	< 0.5	< 2	0.18	0.5	3	24	17	1.49	< 10	< 1	0.08	10	0.23	95	5
N33813	201 229	0.8	1.17	< 2	680	< 0.5	< 2	0.15	< 0.5	2	25	19	1.42	< 10	< 1	0.10	10	0.24	60	4
N33814	201 229	1.0	1.31	4	1520	< 0.5	< 2	0.14	< 0.5	3	32	30	3.07	< 10	< 1	0.09	10	0.23	65	12
N33815	201 229	0.8	0.92	2	890	< 0.5	< 2	0.10	< 0.5	1	24	19	1.38	< 10	< 1	0.09	10	0.16	45	2
N33816	201 229	3.2	1.50	20	3300	1.0	< 2	0.31	4.5	3	89	105	1.63	< 10	< 1	0.14	10	0.27	105	17
N33817	201 229	0.8	1.29	< 2	660	< 0.5	< 2	0.12	0.5	3	20	16	1.21	< 10	< 1	0.11	10	0.22	70	1
N33818	201 229	1.4	1.60	< 2	1000	< 0.5	< 2	0.17	< 0.5	7	19	16	1.43	< 10	< 1	0.16	< 10	0.24	285	2
N33819	201 229	0.2	1.06	< 2	330	< 0.5	< 2	0.21	< 0.5	8	20	30	1.92	< 10	< 1	0.07	10	0.36	165	1
N33820	201 229	< 0.2	1.18	12	130	< 0.5	< 2	0.06	0.5	4	22	15	3.61	< 10	< 1	0.02	< 10	0.24	135	1
N33821	201 229	0.6	1.31	< 2	930	< 0.5	< 2	0.12	< 0.5	4	19	28	1.90	< 10	< 1	0.11	10	0.23	75	3
N33822	201 229	0.4	1.65	16	1850	< 0.5	< 2	0.08	< 0.5	6	22	19	2.98	< 10	< 1	0.07	< 10	0.25	245	13
N33823	201 229	5.4	1.50	40	3230	1.0	< 2	0.39	31.0	9	139	231	2.21	< 10	< 1	0.17	20	0.35	245	53
N33824	201 229	3.8	1.90	34	800	1.0	< 2	0.13	6.0	4	135	137	2.46	< 10	2	0.18	10	0.28	160	29
N33825	201 229	0.2	1.12	6	240	< 0.5	< 2	0.07	< 0.5	4	19	15	2.21	< 10	< 1	0.11	10	0.17	140	2
N33826	201 229	1.2	1.35	2	910	0.5	< 2	0.80	< 0.5	10	27	40	2.69	< 10	< 1	0.19	20	0.39	410	2
N33827	201 229	0.6	1.20	< 2	960	< 0.5	< 2	0.14	0.5	4	25	29	2.11	< 10	< 1	0.14	10	0.22	125	4

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

Client: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 7-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33691	201 229	< 0.01	98	2750	220	2	12	82	< 0.01	< 10	< 10	154	10	904
N33696	201 229	< 0.01	56	3080	40	12	1	240	0.01	< 10	< 10	1025	< 10	248
N33697	201 229	< 0.01	43	610	20	2	2	71	< 0.01	< 10	< 10	50	< 10	212
N33698	201 229	< 0.01	40	900	24	10	2	136	0.01	< 10	< 10	232	< 10	214
N33699	201 229	< 0.01	54	590	20	2	3	84	< 0.01	< 10	< 10	59	< 10	344
N33700	201 229	< 0.01	11	910	6	< 2	2	77	0.14	< 10	< 10	1435	< 10	50
N33701	201 229	< 0.01	246	2400	24	2	3	61	0.02	< 10	< 10	504	< 10	2100
N33702	201 229	< 0.01	70	520	6	< 2	6	48	0.02	< 10	< 10	37	< 10	300
N33704	201 229	< 0.01	90	1330	56	4	3	92	0.01	< 10	< 10	178	< 10	642
N33705	201 229	< 0.01	156	2400	90	12	5	141	0.03	< 10	< 10	675	< 10	1220
N33706	201 229	< 0.01	160	2610	60	8	4	150	0.01	< 10	< 10	451	< 10	1155
N33707	201 229	< 0.01	57	740	16	< 2	10	68	< 0.01	< 10	< 10	26	< 10	92
N33708	201 229	< 0.01	67	470	20	< 2	10	60	0.01	< 10	< 10	35	< 10	304
N33801	201 229	< 0.01	18	540	4	< 2	3	33	0.05	< 10	< 10	97	< 10	80
N33802	201 229	< 0.01	23	670	12	< 2	1	42	0.03	< 10	< 10	179	< 10	102
N33803	201 229	< 0.01	24	710	14	< 2	2	58	0.02	< 10	< 10	386	< 10	196
N33804	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
N33805	201 229	< 0.01	22	730	12	< 2	2	31	0.02	< 10	< 10	90	< 10	82
N33806	201 229	< 0.01	31	1100	18	< 2	2	64	< 0.01	< 10	< 10	45	< 10	108
N33807	201 229	< 0.01	12	880	12	< 2	< 1	21	< 0.01	< 10	< 10	64	< 10	38
N33808	201 229	< 0.01	9	230	8	< 2	1	12	0.03	< 10	< 10	43	< 10	36
N33809	201 229	0.01	13	630	10	< 2	1	30	0.01	< 10	< 10	40	< 10	40
N33810	201 229	< 0.01	18	680	8	< 2	2	30	0.03	< 10	< 10	91	< 10	64
N33811	201 229	< 0.01	15	480	12	2	2	27	0.03	< 10	< 10	71	< 10	70
N33812	201 229	< 0.01	16	790	6	< 2	1	30	0.03	< 10	< 10	203	< 10	54
N33813	201 229	< 0.01	17	440	8	< 2	2	28	0.03	< 10	< 10	311	< 10	46
N33814	201 229	< 0.01	20	940	8	< 2	2	43	0.04	< 10	< 10	371	< 10	48
N33815	201 229	< 0.01	12	730	10	< 2	1	26	0.02	< 10	< 10	193	< 10	24
N33816	201 229	< 0.01	37	3310	8	< 2	2	177	0.04	< 10	< 10	1245	< 10	164
N33817	201 229	< 0.01	14	730	12	< 2	1	26	0.01	< 10	< 10	55	< 10	58
N33818	201 229	< 0.01	16	660	14	< 2	3	38	< 0.01	< 10	< 10	44	< 10	48
N33819	201 229	< 0.01	20	620	8	< 2	3	23	0.03	< 10	< 10	42	< 10	70
N33820	201 229	< 0.01	13	270	18	< 2	1	10	0.02	< 10	< 10	77	< 10	70
N33821	201 229	< 0.01	16	740	12	< 2	2	37	0.01	< 10	< 10	47	< 10	66
N33822	201 229	< 0.01	18	610	12	2	2	28	0.04	< 10	< 10	112	< 10	60
N33823	201 229	< 0.01	204	2810	14	12	4	94	0.07	< 10	< 10	2210	< 10	1200
N33824	201 229	< 0.01	93	1410	16	8	4	41	0.02	< 10	< 10	1715	< 10	528
N33825	201 229	< 0.01	14	360	10	< 2	2	30	0.03	< 10	< 10	164	< 10	52
N33826	201 229	< 0.01	34	850	14	< 2	9	73	0.02	< 10	< 10	89	< 10	128
N33827	201 229	0.01	18	840	14	< 2	1	57	0.02	< 10	< 10	132	< 10	76

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 8-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
N33828	201	229	0.2	1.46	2	300	< 0.5	< 2	0.11	< 0.5	6	23	18	2.62	< 10	< 1	0.09	10	0.30	160	2
N33829	201	229	0.4	1.40	10	290	< 0.5	< 2	0.09	< 0.5	6	27	13	3.44	< 10	< 1	0.09	10	0.30	240	3
N33830	201	229	0.2	0.83	< 2	200	< 0.5	< 2	0.06	< 0.5	2	14	15	1.42	< 10	< 1	0.06	10	0.08	80	2
N33831	201	229	0.4	0.93	2	1320	< 0.5	< 2	0.02	< 0.5	7	11	44	2.18	< 10	< 1	0.12	10	0.05	155	7
N33832	201	229	0.2	1.01	< 2	420	< 0.5	< 2	0.04	< 0.5	1	13	24	1.01	< 10	< 1	0.06	< 10	0.07	40	1
N33833	201	229	0.2	1.26	6	130	< 0.5	< 2	0.04	< 0.5	4	18	14	2.81	< 10	< 1	0.05	< 10	0.23	155	1
N33834	201	229	0.4	1.18	2	140	< 0.5	< 2	0.04	< 0.5	2	17	13	2.31	< 10	< 1	0.02	< 10	0.15	90	1
N33835	201	229	0.2	1.04	4	200	< 0.5	< 2	0.03	< 0.5	10	13	29	2.45	< 10	< 1	0.08	10	0.08	455	2
N33836	201	229	0.2	0.98	2	190	< 0.5	< 2	0.04	< 0.5	2	13	11	1.38	< 10	< 1	0.07	10	0.08	70	2
N33837	201	229	0.2	1.14	2	200	< 0.5	< 2	0.04	0.5	9	13	32	2.68	< 10	< 1	0.11	< 10	0.08	200	3
N33838	201	229	0.2	0.85	4	440	< 0.5	< 2	0.09	< 0.5	7	14	27	2.18	< 10	< 1	0.12	10	0.21	155	2
N33839	201	229	0.8	0.98	6	1830	< 0.5	< 2	0.12	0.5	3	22	22	1.38	< 10	< 1	0.11	10	0.18	75	8
N33840	201	229	0.4	1.24	6	250	< 0.5	< 2	0.07	< 0.5	4	17	22	2.07	< 10	< 1	0.12	10	0.19	115	2
N33841	201	229	0.2	1.51	4	240	< 0.5	< 2	0.09	0.5	4	22	27	2.18	< 10	< 1	0.11	10	0.24	135	1
N33842	201	229	0.4	1.08	4	220	< 0.5	< 2	0.07	1.0	3	19	21	1.89	< 10	< 1	0.10	10	0.17	125	2
N33843	201	229	< 0.2	1.16	< 2	390	< 0.5	< 2	0.01	< 0.5	4	51	28	2.00	< 10	< 1	0.26	10	0.19	115	1
N33844	201	229	0.8	3.57	2	1080	0.5	< 2	0.05	< 0.5	8	38	76	3.55	< 10	< 1	0.28	< 10	0.29	165	4
N33845	201	229	0.4	1.30	6	1210	< 0.5	< 2	0.06	0.5	8	14	45	2.44	< 10	< 1	0.15	< 10	0.12	145	5
N33846	201	229	0.6	0.40	< 2	230	< 0.5	< 2	0.08	0.5	1	18	16	0.78	< 10	< 1	0.09	< 10	0.04	75	1
N33847	201	229	7.0	1.21	40	3360	1.5	< 2	0.48	39.5	4	140	199	1.59	< 10	2	0.12	10	0.37	140	38
N33848	201	229	0.4	1.16	16	420	< 0.5	< 2	0.16	0.5	5	19	21	2.09	< 10	< 1	0.03	< 10	0.30	155	8
N33849	201	229	0.2	1.00	10	550	< 0.5	< 2	0.04	< 0.5	3	17	16	2.45	< 10	< 1	0.10	10	0.16	115	8
N33850	201	229	0.6	0.80	8	1600	< 0.5	< 2	0.08	0.5	3	16	29	1.81	< 10	< 1	0.13	10	0.13	75	10
N33851	201	229	0.6	1.37	2	1160	0.5	< 2	0.07	1.0	6	49	47	2.28	< 10	< 1	0.30	10	0.15	115	7
N33852	201	229	0.8	1.08	12	1360	< 0.5	< 2	0.13	0.5	3	27	20	2.02	< 10	< 1	0.11	10	0.22	90	14
N33853	201	229	0.4	1.29	< 2	450	< 0.5	< 2	0.70	< 0.5	8	19	24	2.24	< 10	< 1	0.13	10	0.55	210	1
N33854	201	229	0.2	0.66	< 2	270	< 0.5	< 2	1.12	< 0.5	3	10	16	1.09	< 10	< 1	0.09	< 10	0.39	160	1
N33855	201	229	0.8	1.13	6	630	0.5	< 2	0.50	4.5	12	16	42	2.62	< 10	< 1	0.10	10	0.31	425	1
N33856	201	229	2.8	1.22	22	1890	0.5	< 2	0.56	8.0	4	83	81	1.70	< 10	< 1	0.10	10	0.33	130	26
N33857	201	229	2.2	0.82	28	1760	1.0	< 2	0.13	13.0	3	73	80	1.43	< 10	< 1	0.10	10	0.14	100	66
N33858	201	229	4.6	1.15	20	2900	2.0	< 2	0.22	5.5	1	170	192	0.92	< 10	2	0.17	20	0.16	20	34
N33859	201	229	0.8	0.93	2	2370	< 0.5	< 2	0.08	< 0.5	2	19	17	1.59	< 10	< 1	0.08	< 10	0.18	65	7
N33860	201	229	3.2	1.04	18	1430	0.5	< 2	0.15	2.0	7	79	66	1.94	< 10	< 1	0.12	10	0.24	180	29
N33861	201	229	1.0	0.34	12	690	< 0.5	< 2	0.01	< 0.5	< 1	6	17	1.45	< 10	< 1	0.12	< 10	0.06	30	5
N33862	201	229	0.4	1.35	10	410	< 0.5	< 2	0.06	< 0.5	14	20	38	2.68	< 10	< 1	0.16	10	0.18	805	3
N33863	201	229	0.4	1.73	6	430	< 0.5	< 2	0.17	< 0.5	9	27	39	2.71	< 10	< 1	0.11	10	0.35	350	1
N33864	201	229	0.2	1.37	6	200	< 0.5	< 2	0.10	< 0.5	8	23	28	2.74	< 10	< 1	0.12	10	0.30	245	1
N33865	201	229	0.2	1.27	8	210	< 0.5	< 2	0.13	< 0.5	6	21	19	2.20	< 10	< 1	0.09	10	0.33	160	1
N33866	201	229	0.2	1.22	4	250	< 0.5	< 2	0.10	< 0.5	6	20	19	2.28	< 10	< 1	0.08	10	0.29	245	1
N33867	201	229	0.2	1.58	4	170	< 0.5	< 2	0.08	< 0.5	3	22	15	2.40	< 10	< 1	0.08	10	0.24	130	1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 8-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33828	201 229	< 0.01	17	390	8	< 2	2	21	0.04	< 10	< 10	88	< 10	64
N33829	201 229	< 0.01	14	370	12	< 2	2	18	0.06	< 10	< 10	119	< 10	60
N33830	201 229	0.01	8	390	6	< 2	< 1	14	0.02	< 10	< 10	58	< 10	38
N33831	201 229	0.01	19	810	18	< 2	< 1	48	< 0.01	< 10	< 10	64	< 10	74
N33832	201 229	< 0.01	7	720	6	< 2	< 1	14	< 0.01	< 10	< 10	31	< 10	24
N33833	201 229	< 0.01	13	400	12	< 2	1	13	0.03	< 10	< 10	58	< 10	56
N33834	201 229	< 0.01	7	370	12	< 2	1	9	0.02	< 10	< 10	50	< 10	30
N33835	201 229	< 0.01	11	470	12	< 2	1	11	0.01	< 10	< 10	37	< 10	46
N33836	201 229	< 0.01	8	220	8	< 2	1	16	0.04	< 10	< 10	62	< 10	36
N33837	201 229	< 0.01	28	660	16	2	1	22	0.01	< 10	< 10	49	< 10	100
N33838	201 229	0.01	20	470	8	< 2	2	30	0.03	< 10	< 10	41	< 10	70
N33839	201 229	< 0.01	20	720	8	2	1	55	0.03	< 10	< 10	232	< 10	60
N33840	201 229	< 0.01	14	460	8	< 2	1	21	0.02	< 10	< 10	58	< 10	54
N33841	201 229	< 0.01	14	450	10	< 2	1	16	0.03	< 10	< 10	78	< 10	48
N33842	201 229	0.01	11	610	6	< 2	1	16	0.03	< 10	< 10	51	< 10	50
N33843	201 229	< 0.01	16	420	14	< 2	2	20	< 0.01	< 10	< 10	31	< 10	62
N33844	201 229	0.01	32	1520	28	< 2	4	39	< 0.01	< 10	< 10	81	< 10	106
N33845	201 229	0.01	26	1080	18	< 2	1	63	< 0.01	< 10	< 10	42	< 10	88
N33846	201 229	0.01	7	770	6	< 2	< 1	14	< 0.01	< 10	< 10	29	< 10	46
N33847	201 229	< 0.01	206	2350	14	8	< 1	135	< 0.01	< 10	< 10	2440	< 10	1760
N33848	201 229	< 0.01	21	1400	4	< 2	2	19	0.03	< 10	< 10	147	< 10	78
N33849	201 229	< 0.01	12	500	14	< 2	1	39	0.01	< 10	< 10	103	< 10	58
N33850	201 229	< 0.01	16	710	14	< 2	1	60	0.01	< 10	< 10	116	< 10	74
N33851	201 229	0.01	25	820	20	< 2	2	38	< 0.01	< 10	< 10	150	< 10	132
N33852	201 229	< 0.01	16	970	12	2	2	58	0.03	< 10	< 10	305	< 10	92
N33853	201 229	< 0.01	29	590	8	< 2	6	46	0.03	< 10	< 10	36	< 10	108
N33854	201 229	0.01	12	680	6	< 2	1	69	0.01	< 10	< 10	18	< 10	50
N33855	201 229	< 0.01	68	580	12	< 2	6	52	0.02	< 10	< 10	34	< 10	410
N33856	201 229	< 0.01	76	1590	10	4	3	112	0.08	< 10	< 10	1480	< 10	478
N33857	201 229	< 0.01	93	1750	12	2	2	125	0.10	< 10	< 10	1690	< 10	354
N33858	201 229	< 0.01	36	3130	18	4	3	323	0.12	< 10	< 10	2680	< 10	164
N33859	201 229	< 0.01	15	600	16	< 2	1	61	0.01	< 10	< 10	154	< 10	56
N33860	201 229	< 0.01	37	1620	14	4	3	118	0.07	< 10	< 10	1490	< 10	160
N33861	201 229	0.05	3	230	14	2	1	108	< 0.01	< 10	< 10	20	< 10	18
N33862	201 229	0.01	18	830	20	< 2	1	29	0.01	< 10	< 10	49	< 10	72
N33863	201 229	0.01	25	940	14	< 2	3	25	0.04	< 10	< 10	60	< 10	86
N33864	201 229	< 0.01	22	520	12	< 2	2	17	0.03	< 10	< 10	67	10	74
N33865	201 229	< 0.01	17	330	8	< 2	2	16	0.05	< 10	< 10	46	< 10	58
N33866	201 229	< 0.01	14	540	8	< 2	1	14	0.02	< 10	< 10	40	< 10	58
N33867	201 229	< 0.01	11	340	8	< 2	2	14	0.04	< 10	< 10	71	10	44

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 9-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
N33868	201	229	0.4	0.83	4	120	< 0.5	< 2	0.06	< 0.5	3	15	13	1.50	< 10	< 1	0.07	10	0.13	90	< 1
N33869	201	229	0.2	0.93	2	180	< 0.5	< 2	0.07	< 0.5	6	16	26	2.23	< 10	< 1	0.10	10	0.19	155	2
N33870	201	229	0.4	0.46	8	1470	< 0.5	< 2	0.02	< 0.5	1	7	14	1.08	< 10	< 1	0.08	< 10	0.06	40	7
N33871	201	229	0.8	0.53	12	1180	< 0.5	< 2	0.06	0.5	4	9	58	1.45	< 10	< 1	0.11	10	0.04	110	24
N33872	201	229	3.4	0.71	22	700	0.5	< 2	0.30	3.0	1	46	99	1.59	< 10	< 1	0.14	10	0.02	15	62
N33873	201	229	0.4	1.11	18	1240	< 0.5	< 2	0.08	0.5	3	18	21	1.88	< 10	< 1	0.06	10	0.22	120	15
N33874	201	229	1.2	1.32	8	1130	< 0.5	< 2	0.20	1.5	4	36	50	1.95	< 10	< 1	0.07	10	0.31	115	14
N33875	201	229	0.2	1.42	8	340	< 0.5	< 2	0.14	< 0.5	7	20	16	2.36	< 10	< 1	0.07	10	0.28	165	2
N33876	201	229	0.4	1.49	< 2	450	< 0.5	< 2	0.54	< 0.5	7	22	14	2.35	< 10	< 1	0.07	10	0.43	240	2
N33877	201	229	0.2	0.95	2	500	< 0.5	< 2	0.18	< 0.5	10	13	21	2.34	< 10	< 1	0.12	10	0.21	305	3
N33878	201	229	0.4	0.68	10	430	0.5	< 2	1.18	< 0.5	13	11	51	2.98	< 10	< 1	0.13	10	0.47	255	3
N33879	201	229	0.6	0.82	2	790	< 0.5	< 2	0.65	3.5	9	15	29	1.60	< 10	< 1	0.11	10	0.26	420	4
N33880	201	229	0.6	0.82	4	430	0.5	< 2	0.42	0.5	9	14	35	1.98	< 10	< 1	0.14	10	0.27	185	15
N33881	201	229	0.6	1.00	< 2	590	< 0.5	< 2	1.06	0.5	11	16	28	1.96	< 10	< 1	0.09	10	0.42	540	1
N33882	201	229	0.8	1.00	< 2	2260	< 0.5	< 2	0.46	< 0.5	3	15	23	1.21	< 10	< 1	0.10	10	0.23	115	6
N33883	201	229	1.6	1.05	6	2600	0.5	< 2	0.25	3.0	2	47	54	1.54	< 10	< 1	0.13	10	0.15	70	17
N33884	201	229	0.4	0.90	4	1080	< 0.5	< 2	0.04	0.5	4	13	32	1.72	< 10	< 1	0.13	< 10	0.14	105	4
N33885	201	229	0.2	0.46	4	1480	< 0.5	< 2	0.01	< 0.5	2	4	26	1.50	< 10	< 1	0.09	< 10	0.03	30	5
N33886	201	229	0.6	1.21	6	790	0.5	< 2	0.02	0.5	33	11	119	5.39	< 10	< 1	0.14	< 10	0.08	785	4
N33887	201	229	0.6	1.29	14	600	0.5	< 2	0.06	1.0	29	18	69	3.64	< 10	< 1	0.14	< 10	0.22	740	5
N33888	201	229	0.4	1.15	4	280	< 0.5	< 2	0.05	0.5	12	17	46	2.57	< 10	< 1	0.12	10	0.18	440	4
N33889	201	229	0.2	1.08	2	260	< 0.5	< 2	0.13	< 0.5	6	19	24	2.08	< 10	< 1	0.09	10	0.28	135	1
N33890	201	229	< 0.2	1.57	2	250	< 0.5	< 2	0.11	< 0.5	5	22	10	2.39	< 10	< 1	0.06	10	0.30	140	1
N33891	201	229	0.2	1.23	8	350	< 0.5	< 2	0.10	0.5	14	20	19	2.36	< 10	< 1	0.13	10	0.24	385	1
N33892	201	229	0.4	1.42	8	320	< 0.5	< 2	0.12	< 0.5	7	21	17	2.48	< 10	< 1	0.11	< 10	0.29	295	1
N33893	201	229	< 0.2	1.19	< 2	240	< 0.5	< 2	0.03	< 0.5	2	15	21	1.51	< 10	< 1	0.14	10	0.08	90	1
N33894	201	229	0.8	1.21	< 2	440	< 0.5	< 2	0.08	1.5	23	16	45	2.69	< 10	< 1	0.12	< 10	0.20	795	4
N33895	201	229	0.2	0.84	6	1040	< 0.5	< 2	0.03	< 0.5	13	9	41	2.83	< 10	< 1	0.12	< 10	0.11	305	6
N33896	201	229	0.6	1.37	12	1600	< 0.5	< 2	0.22	1.0	7	40	30	2.09	< 10	< 1	0.09	10	0.34	215	5
N33897	201	229	1.4	1.61	12	370	< 0.5	< 2	0.16	0.5	7	42	45	2.34	< 10	< 1	0.07	10	0.35	275	6
N33898	201	229	2.0	0.99	6	610	0.5	< 2	1.08	19.0	9	24	78	1.70	< 10	< 1	0.09	10	0.41	265	20
N33899	201	229	1.0	0.83	8	370	< 0.5	< 2	0.66	0.5	11	13	79	3.36	< 10	< 1	0.07	10	0.27	665	4
N33900	201	229	0.2	1.22	< 2	150	< 0.5	< 2	0.09	< 0.5	6	18	14	2.73	< 10	< 1	0.04	< 10	0.23	255	1
N33901	201	229	0.6	1.06	< 2	770	0.5	< 2	1.02	< 0.5	9	11	26	2.20	< 10	< 1	0.10	10	0.27	670	< 1
N33902	201	229	1.4	0.99	2	980	0.5	< 2	1.13	0.5	11	14	46	2.45	< 10	< 1	0.11	< 10	0.32	435	2
N33903	201	229	0.8	0.87	< 2	680	< 0.5	< 2	1.58	< 0.5	9	14	36	2.12	< 10	< 1	0.12	10	0.58	130	2
N33904	201	229	0.2	0.83	< 2	560	0.5	< 2	0.46	0.5	9	8	29	2.27	< 10	< 1	0.09	10	0.29	190	3
N33905	201	229	0.6	0.83	6	540	0.5	< 2	1.02	1.0	15	11	62	4.48	< 10	< 1	0.09	10	0.31	820	3
N33906	201	229	< 0.2	1.36	8	290	< 0.5	< 2	0.36	1.5	22	15	27	3.40	< 10	< 1	0.07	10	0.18	885	4
N33907	201	229	0.2	1.62	2	370	< 0.5	< 2	0.16	1.0	7	22	32	2.50	< 10	< 1	0.08	10	0.32	180	1

CERTIFICATION: *Frank Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

Client: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project: SQF-GRANDE
 Comments:

Page Number : 9-B
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : 19422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
N33868	201	229	0.01	10	510	8	< 2	1	11	0.02	< 10	< 10	42	< 10	34
N33869	201	229	< 0.01	18	610	8	< 2	1	18	0.01	< 10	< 10	39	< 10	64
N33870	201	229	0.01	7	370	14	2	1	86	< 0.01	< 10	< 10	21	< 10	24
N33871	201	229	0.01	27	650	14	4	2	110	< 0.01	< 10	< 10	94	< 10	74
N33872	201	229	< 0.01	23	3040	14	12	2	238	0.07	< 10	< 10	845	< 10	114
N33873	201	229	< 0.01	16	850	8	< 2	< 1	71	0.01	< 10	< 10	239	< 10	60
N33874	201	229	< 0.01	28	1800	8	2	2	87	0.02	< 10	< 10	334	< 10	120
N33875	201	229	< 0.01	22	300	12	< 2	2	20	0.02	< 10	< 10	61	< 10	108
N33876	201	229	< 0.01	21	350	8	< 2	4	47	0.04	< 10	< 10	43	10	74
N33877	201	229	< 0.01	55	330	12	< 2	2	23	< 0.01	< 10	< 10	37	< 10	388
N33878	201	229	< 0.01	56	790	16	< 2	6	74	< 0.01	< 10	< 10	18	10	218
N33879	201	229	< 0.01	40	710	8	< 2	2	62	0.01	< 10	< 10	111	< 10	334
N33880	201	229	< 0.01	66	420	12	2	4	49	0.01	< 10	< 10	59	< 10	262
N33881	201	229	< 0.01	32	630	12	< 2	5	70	0.02	< 10	< 10	42	< 10	202
N33882	201	229	< 0.01	15	620	14	< 2	2	101	0.01	< 10	< 10	84	< 10	60
N33883	201	229	< 0.01	26	1540	14	< 2	< 1	175	0.01	< 10	< 10	439	< 10	152
N33884	201	229	0.01	14	640	16	< 2	1	90	< 0.01	< 10	< 10	32	< 10	52
N33885	201	229	0.01	12	360	16	< 2	1	65	< 0.01	< 10	< 10	14	< 10	42
N33886	201	229	< 0.01	76	1300	24	< 2	2	92	< 0.01	< 10	< 10	26	20	268
N33887	201	229	0.01	50	1150	26	< 2	2	52	< 0.01	< 10	< 10	43	10	156
N33888	201	229	0.01	22	980	14	< 2	< 1	24	< 0.01	< 10	< 10	33	10	82
N33889	201	229	< 0.01	17	680	8	< 2	1	19	0.03	< 10	< 10	43	< 10	60
N33890	201	229	< 0.01	12	240	14	< 2	2	14	0.06	< 10	< 10	50	< 10	38
N33891	201	229	< 0.01	14	430	12	< 2	2	18	0.03	< 10	< 10	42	< 10	66
N33892	201	229	< 0.01	17	400	12	< 2	2	18	0.03	< 10	< 10	46	< 10	68
N33893	201	229	< 0.01	7	540	14	< 2	1	17	0.01	< 10	< 10	38	< 10	34
N33894	201	229	< 0.01	45	800	16	2	1	31	0.01	< 10	< 10	37	< 10	132
N33895	201	229	0.01	39	480	20	< 2	2	64	< 0.01	< 10	< 10	23	10	112
N33896	201	229	< 0.01	29	1270	10	< 2	3	61	0.06	< 10	< 10	203	10	220
N33897	201	229	< 0.01	22	840	10	< 2	2	26	0.06	< 10	< 10	400	10	84
N33898	201	229	< 0.01	153	940	4	4	4	50	0.01	< 10	< 10	251	< 10	2940
N33899	201	229	< 0.01	83	660	42	< 2	5	36	0.01	< 10	< 10	24	10	870
N33900	201	229	< 0.01	22	330	8	< 2	2	10	0.03	< 10	< 10	40	10	132
N33901	201	229	< 0.01	30	510	12	< 2	6	62	< 0.01	< 10	< 10	15	< 10	164
N33902	201	229	< 0.01	49	520	10	< 2	6	91	0.01	< 10	< 10	23	10	248
N33903	201	229	< 0.01	55	620	8	< 2	5	99	< 0.01	< 10	< 10	17	< 10	228
N33904	201	229	< 0.01	49	270	16	< 2	5	44	< 0.01	< 10	< 10	17	10	236
N33905	201	229	< 0.01	144	500	64	< 2	6	68	< 0.01	< 10	< 10	21	10	960
N33906	201	229	< 0.01	114	430	28	< 2	3	26	0.01	< 10	< 10	31	10	1515
N33907	201	229	< 0.01	27	190	16	2	2	15	0.03	< 10	< 10	44	10	230

CERTIFICATION: Scott Barber



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 10-A
 Total Pages : 10
 Certificate Date: 16-AUG-94
 Invoice No. : I9422149
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS A9422149

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
N33908	201	229	1.4	1.23	20	1360	0.5	< 2	0.14	2.5	4	66	60	1.81	< 10	< 1	0.10	10	0.19	95	36
N33909	201	229	0.4	1.30	12	610	< 0.5	< 2	0.12	0.5	5	27	25	1.91	< 10	< 1	0.07	< 10	0.28	155	8
N33910	201	229	0.8	0.75	4	1250	< 0.5	< 2	0.02	< 0.5	5	8	38	1.97	< 10	< 1	0.15	10	0.07	75	8
N33911	201	229	0.4	1.46	< 2	290	< 0.5	< 2	0.08	0.5	11	19	36	2.65	< 10	< 1	0.14	< 10	0.22	600	3
N33912	201	229	0.4	1.38	< 2	360	< 0.5	< 2	0.19	0.5	10	20	27	2.42	< 10	< 1	0.12	< 10	0.27	595	2
N33913	201	229	0.2	1.07	4	160	< 0.5	< 2	0.11	< 0.5	8	19	20	2.27	< 10	< 1	0.10	< 10	0.25	305	1
N33914	201	229	0.4	1.23	< 2	320	< 0.5	< 2	0.11	< 0.5	6	17	24	2.00	< 10	< 1	0.20	10	0.19	205	1
N33915	201	229	0.4	1.38	4	340	< 0.5	< 2	0.12	0.5	7	20	20	2.34	< 10	< 1	0.13	10	0.29	285	1
N33916	201	229	0.4	0.50	4	2010	< 0.5	< 2	0.03	< 0.5	4	3	36	1.82	< 10	< 1	0.13	< 10	0.04	75	6
N33917	201	229	0.8	1.44	18	990	0.5	< 2	0.03	< 0.5	23	16	113	5.80	< 10	< 1	0.22	< 10	0.17	280	10
N33918	201	229	0.6	1.07	16	620	0.5	< 2	0.04	0.5	18	14	99	4.99	< 10	< 1	0.18	< 10	0.14	190	11
N33919	201	229	1.4	0.83	< 2	380	< 0.5	< 2	0.04	0.5	3	12	37	1.88	< 10	< 1	0.13	< 10	0.05	120	4
N33920	201	229	1.2	1.17	6	690	< 0.5	< 2	0.04	0.5	14	15	46	2.52	< 10	< 1	0.14	< 10	0.14	355	4
N33921	201	229	0.4	1.09	6	1320	< 0.5	< 2	0.06	< 0.5	4	14	36	1.80	< 10	< 1	0.09	10	0.15	110	5
N33922	201	229	6.4	1.02	16	980	0.5	< 2	0.10	1.0	2	125	67	1.49	< 10	< 1	0.10	10	0.10	60	27
N33923	201	229	1.2	0.95	4	1750	< 0.5	< 2	0.63	1.5	4	14	36	1.32	< 10	< 1	0.12	< 10	0.26	190	9
N33924	201	229	0.6	0.87	< 2	550	< 0.5	< 2	0.53	1.0	9	12	35	2.22	< 10	< 1	0.12	10	0.28	130	3
N33925	201	229	0.4	0.97	< 2	600	0.5	< 2	0.56	1.5	13	12	40	2.68	< 10	< 1	0.10	10	0.28	410	7
N33926	201	229	1.2	0.62	< 2	530	< 0.5	< 2	2.61	1.0	8	6	68	2.71	< 10	< 1	0.07	< 10	0.45	485	8
N33927	201	229	1.0	0.60	< 2	300	< 0.5	< 2	0.96	0.5	7	9	45	1.92	< 10	< 1	0.08	10	0.33	155	3
N33928	201	229	0.6	0.58	< 2	360	< 0.5	< 2	1.04	< 0.5	6	8	47	1.71	< 10	< 1	0.09	10	0.37	240	1
N33929	201	229	0.8	0.98	< 2	530	< 0.5	< 2	0.72	0.5	11	14	27	2.66	< 10	< 1	0.10	10	0.42	195	1
N33930	201	229	1.2	1.26	2	430	< 0.5	< 2	0.70	0.5	11	14	42	2.58	< 10	< 1	0.15	10	0.76	245	2
N33931	201	229	1.8	1.00	18	1060	< 0.5	< 2	0.53	9.0	11	36	76	1.99	< 10	< 1	0.07	10	0.36	295	9
N33932	201	229	< 0.2	1.57	52	300	0.5	< 2	0.43	1.5	12	27	36	3.21	< 10	< 1	0.08	10	0.59	310	3

CERTIFICATION:

Hank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

to: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 10-B
Total Pages : 10
Certificate Date: 16-AUG-94
Invoice No. : 19422149
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9422149

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N33908	201 229	< 0.01	73	1000	18	4	1	102	0.03	< 10	< 10	1035	< 10	258
N33909	201 229	< 0.01	20	800	8	< 2	2	34	0.04	< 10	< 10	228	< 10	88
N33910	201 229	0.01	20	490	20	2	1	77	< 0.01	< 10	< 10	28	10	72
N33911	201 229	0.01	22	1050	16	< 2	1	27	0.02	< 10	< 10	43	< 10	94
N33912	201 229	< 0.01	20	1040	10	< 2	< 1	29	0.02	< 10	< 10	44	10	86
N33913	201 229	< 0.01	16	620	12	< 2	1	13	0.02	< 10	< 10	41	< 10	62
N33914	201 229	< 0.01	13	590	12	< 2	1	22	0.01	< 10	< 10	37	< 10	66
N33915	201 229	< 0.01	15	590	6	< 2	2	23	0.03	< 10	< 10	44	< 10	66
N33916	201 229	< 0.01	20	410	14	2	2	91	< 0.01	< 10	< 10	13	< 10	86
N33917	201 229	0.01	47	1200	28	< 2	4	61	< 0.01	< 10	< 10	33	20	172
N33918	201 229	0.02	49	1250	28	< 2	4	59	< 0.01	< 10	< 10	31	20	164
N33919	201 229	0.01	15	1350	16	< 2	< 1	26	< 0.01	< 10	< 10	26	< 10	64
N33920	201 229	0.01	27	720	18	< 2	2	46	< 0.01	< 10	< 10	30	< 10	90
N33921	201 229	< 0.01	12	370	18	2	2	70	0.02	< 10	< 10	44	< 10	48
N33922	201 229	< 0.01	37	1630	14	8	< 1	54	0.02	< 10	< 10	1380	< 10	150
N33923	201 229	< 0.01	18	850	16	4	1	104	< 0.01	< 10	< 10	109	< 10	134
N33924	201 229	< 0.01	61	360	28	< 2	5	50	< 0.01	< 10	< 10	25	< 10	552
N33925	201 229	< 0.01	99	230	14	< 2	4	47	< 0.01	< 10	< 10	33	10	1075
N33926	201 229	< 0.01	87	730	20	< 2	2	146	< 0.01	< 10	< 10	29	10	730
N33927	201 229	< 0.01	45	420	14	< 2	4	58	< 0.01	< 10	< 10	18	< 10	218
N33928	201 229	< 0.01	35	540	12	< 2	4	77	< 0.01	< 10	< 10	13	< 10	150
N33929	201 229	< 0.01	49	630	12	< 2	6	58	0.01	< 10	< 10	22	< 10	168
N33930	201 229	< 0.01	45	500	14	< 2	6	59	< 0.01	< 10	< 10	14	10	114
N33931	201 229	< 0.01	86	1650	28	2	3	81	0.01	< 10	< 10	238	< 10	586
N33932	201 229	0.01	35	880	22	< 2	4	47	0.04	< 10	< 10	56	10	180

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 1
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : I9428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb											
S10596	244 --	6											
S10597	244 --	2											
N33334	244 --	17											
N33335	244 --	10											
N33336	244 --	13											
N33337	244 --	24											
N33338	244 --	8											
N33339	244 --	1											
N33340	244 --	3											
N33341	244 --	3											
N33342	244 --	2											
N33343	244 --	5											
N33344	244 --	< 1											
N33345	244 --	< 1											
N33346	244 --	< 1											
N33347	244 --	1											
N33348	244 --	not/SS											
N33349	244 --	< 1											
N33350	244 --	1											
N33351	244 --	4											
N33352	244 --	2											
N33353	244 --	1											
N33354	244 --	2											
N33355	244 --	< 1											
N33356	244 --	3											
N33357	244 --	8											
N33358	244 --	7											
N33359	244 --	1											
N33360	244 --	< 1											
N33361	244 --	2											
N33362	244 --	2											
N33363	244 --	2											
N33364	244 --	4											
N33365	244 --	3											
N33366	244 --	6											
N33367	244 --	< 1											
N33368	244 --	3											
N33369	244 --	6											
N33370	244 --	3											
N33371	244 --	4											

CERTIFICATION:

Thuk Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
 WHITEHORSE, YT
 Y1A 3S9

Project : SQF-GRANDE
 Comments:

Page Number : 2
 Total Pages : 10
 Certificate Date: 23-OCT-94
 Invoice No. : 19428260
 P.O. Number :
 Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb											
N33372	244 ---	4											
N33373	244 ---	2											
N33374	244 ---	4											
N33375	244 ---	5											
N33376	244 ---	1											
N33377	244 ---	< 1											
N33378	244 ---	3											
N33379	244 ---	< 1											
N33380	244 ---	< 1											
N33381	244 ---	4											
N33386	244 ---	1											
N33387	244 ---	< 1											
N33388	244 ---	7											
N33389	244 ---	1											
N33390	244 ---	2											
N33391	244 ---	< 1											
N33392	244 ---	1											
N33393	244 ---	1											
N33394	244 ---	4											
N33395	244 ---	< 1											
N33396	244 ---	13											
N33397	244 ---	< 1											
N33398	244 ---	1											
N33399	244 ---	< 1											
N33400	244 ---	2											
N33401	244 ---	4											
N33402	244 ---	2											
N33403	244 ---	7											
N33404	244 ---	3											
N33405	244 ---	< 1											
N33406	244 ---	2											
N33407	244 ---	3											
N33408	244 ---	4											
N33409	244 ---	4											
N33410	244 ---	< 1											
N33411	244 ---	2											
N33412	244 ---	1											
N33413	244 ---	6											
N33414	244 ---	11											
N33415	244 ---	< 1											

CERTIFICATION: *John Vonk*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 3
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : I9428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb											
N33416	244 --	2											
N33417	244 --	4											
N33418	244 --	5											
N33419	244 --	7											
N33420	244 --	6											
N33421	244 --	2											
N33422	244 --	2											
N33423	244 --	1											
N33424	244 --	3											
N33425	244 --	< 1											
N33426	244 --	< 1											
N33427	244 --	2											
N33428	244 --	< 1											
N33429	244 --	1											
N33430	244 --	2											
N33431	244 --	< 1											
N33432	244 --	2											
N33433	244 --	1											
N33434	244 --	2											
N33435	244 --	5											
N33436	244 --	< 1											
N33437	244 --	2											
N33438	244 --	3											
N33439	244 --	2											
N33440	244 --	7											
N33441	244 --	4											
N33442	244 --	6											
N33443	244 --	1											
N33444	244 --	3											
N33445	244 --	< 1											
N33446	244 --	2											
N33451	244 --	< 1											
N33452	244 --	< 1											
N33453	244 --	2											
N33454	244 --	17											
N33455	244 --	6											
N33456	244 --	< 1											
N33457	244 --	< 1											
N33458	244 --	< 1											
N33459	244 --	1											

CERTIFICATION:

Theresa Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

o: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Pages : 4
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : I9428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb											
N33460	244 --	7											
N33461	244 --	< 1											
N33462	244 --	1											
N33463	244 --	2											
N33464	244 --	1											
N33465	244 --	1											
N33466	244 --	1											
N33467	244 --	< 1											
N33468	244 --	2											
N33469	244 --	2											
N33470	244 --	< 1											
N33471	244 --	3											
N33472	244 --	2											
N33473	244 --	4											
N33474	244 --	3											
N33475	244 --	3											
N33476	244 --	5											
N33477	244 --	4											
N33478	244 --	< 1											
N33479	244 --	3											
N33480	244 --	4											
N33481	244 --	< 1											
N33482	244 --	2											
N33483	244 --	4											
N33484	244 --	1											
N33485	244 --	10											
N33486	244 --	4											
N33487	244 --	< 1											
N33488	244 --	< 1											
N33489	244 --	3											
N33490	244 --	3											
N33491	244 --	< 1											
N33492	244 --	< 1											
N33493	244 --	1											
N33595	244 --	3											
N33598	244 --	3											
N33599	244 --	< 1											
N33600	244 --	2											
N33601	244 --	2											
N33602	244 --	2											

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 5
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : 19428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS A9428260

SAMPLE	PREP CODE	Au NAA ppb											
N33603	244 ---	6											
N33604	244 ---	2											
N33605	244 ---	9											
N33606	244 ---	1											
N33607	244 ---	1											
N33608	244 ---	< 1											
N33609	244 ---	< 1											
N33610	244 ---	1											
N33611	244 ---	< 1											
N33612	244 ---	2											
N33613	244 ---	1											
N33614	244 ---	miss.											
N33615	244 ---	< 1											
N33616	244 ---	< 1											
N33617	244 ---	1											
N33626	244 ---	< 1											
N33627	244 ---	< 1											
N33628	244 ---	< 1											
N33629	244 ---	2											
N33630	244 ---	< 1											
N33631	244 ---	1											
N33632	244 ---	2											
N33633	244 ---	2											
N33634	244 ---	< 1											
N33635	244 ---	1											
N33636	244 ---	2											
N33637	244 ---	< 1											
N33638	244 ---	1											
N33639	244 ---	< 1											
N33640	244 ---	< 1											
N33641	244 ---	< 1											
N33642	244 ---	1											
N33643	244 ---	< 1											
N33644	244 ---	< 1											
N33645	244 ---	2											
N33646	244 ---	1											
N33647	244 ---	5											
N33648	244 ---	1											
N33649	244 ---	< 1											
N33650	244 ---	< 1											

CERTIFICATION: *Theresa Vank*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 6
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : 19428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb										
N33651	244	--	< 1									
N33652	244	--	1									
N33653	244	--	< 1									
N33654	244	--	< 1									
N33655	244	--	2									
N33656	244	--	< 1									
N33657	244	--	< 1									
N33658	244	--	2									
N33659	244	--	5									
N33660	244	--	< 1									
N33661	244	--	< 1									
N33662	244	--	< 1									
N33663	244	--	2									
N33664	244	--	< 1									
N33665	244	--	8									
N33666	244	--	< 1									
N33667	244	--	2									
N33668	244	--	< 1									
N33669	244	--	3									
N33670	244	--	1									
N33671	244	--	2									
N33672	244	--	4									
N33673	244	--	4									
N33674	244	--	4									
N33675	244	--	2									
N33676	244	--	3									
N33677	244	--	21									
N33678	244	--	< 1									
N33679	244	--	7									
N33680	244	--	< 1									
N33681	244	--	1									
N33682	244	--	3									
N33683	244	--	3									
N33684	244	--	< 1									
N33685	244	--	< 1									
N33686	244	--	7									
N33687	244	--	< 1									
N33688	244	--	2									
N33689	244	--	5									
N33690	244	--	8									

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 8
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : 19428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb									
N33828	244	--	1								
N33829	244	--	2								
N33830	244	--	< 1								
N33831	244	--	< 1								
N33832	244	--	1								
N33833	244	--	3								
N33834	244	--	< 1								
N33835	244	--	< 1								
N33836	244	--	< 1								
N33837	244	--	< 1								
N33838	244	--	< 1								
N33839	244	--	4								
N33840	244	--	5								
N33841	244	--	1								
N33842	244	--	< 1								
N33843	244	--	1								
N33844	244	--	2								
N33845	244	--	1								
N33846	244	--	< 1								
N33847	244	--	7								
N33848	244	--	2								
N33849	244	--	< 1								
N33850	244	--	< 1								
N33851	244	--	< 1								
N33852	244	--	2								
N33853	244	--	3								
N33854	244	--	< 1								
N33855	244	--	7								
N33856	244	--	2								
N33857	244	--	3								
N33858	244	--	8								
N33859	244	--	< 1								
N33860	244	--	6								
N33861	244	--	3								
N33862	244	--	< 1								
N33863	244	--	1								
N33864	244	--	< 1								
N33865	244	--	< 1								
N33866	244	--	1								
N33867	244	--	< 1								

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page Number : 9
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : I9428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb										
N33868	244 --	4										
N33869	244 --	< 1										
N33870	244 --	1										
N33871	244 --	3										
N33872	244 --	4										
N33873	244 --	2										
N33874	244 --	11										
N33875	244 --	< 1										
N33876	244 --	< 1										
N33877	244 --	< 1										
N33878	244 --	10										
N33879	244 --	3										
N33880	244 --	3										
N33881	244 --	6										
N33882	244 --	2										
N33883	244 --	< 3										
N33884	244 --	< 1										
N33885	244 --	2										
N33886	244 --	< 1										
N33887	244 --	2										
N33888	244 --	< 1										
N33889	244 --	9										
N33890	244 --	< 1										
N33891	244 --	1										
N33892	244 --	3										
N33893	244 --	2										
N33894	244 --	< 1										
N33895	244 --	< 1										
N33896	244 --	2										
N33897	244 --	2										
N33898	244 --	3										
N33899	244 --	< 1										
N33900	244 --	< 1										
N33901	244 --	< 1										
N33902	244 --	6										
N33903	244 --	1										
N33904	244 --	1										
N33905	244 --	2										
N33906	244 --	< 1										
N33907	244 --	< 1										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project : SQF-GRANDE
Comments:

Page : 10
Total Pages : 10
Certificate Date: 23-OCT-94
Invoice No. : I9428260
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428260

SAMPLE	PREP CODE	Au NAA ppb										
N33908	244 --	1										
N33909	244 --	1										
N33910	244 --	3										
N33911	244 --	< 1										
N33912	244 --	< 1										
N33913	244 --	< 1										
N33914	244 --	1										
N33915	244 --	< 1										
N33916	244 --	1										
N33917	244 --	2										
N33918	244 --	1										
N33919	244 --	< 1										
N33920	244 --	< 1										
N33921	244 --	< 1										
N33922	244 --	3										
N33923	244 --	< 1										
N33924	244 --	2										
N33925	244 --	< 1										
N33926	244 --	3										
N33927	244 --	4										
N33928	244 --	2										
N33929	244 --	< 1										
N33930	244 --	4										
N33931	244 --	5										
N33932	244 --	11										

CERTIFICATION:

John V. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: ARCHER CATHRO & ASSOC. (1981) LTD.

BOX 4127
WHITEHORSE, YT
Y1A 3S9

Project: SQF-GRANDE
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 10-NOV-94
Invoice No. : I9428256
P.O. Number :
Account : F

CERTIFICATE OF ANALYSIS

A9428256


SAMPLE	PREP CODE		Sn ppm	Ta NAA ppm	Nb ppm							
S10583	244	288	< 2	< 2.0	13							
S10586	244	288	< 2	< 2.0	16							
S10588	244	288	< 2	< 2.0	9							
N33589	244	288	< 2	< 2.0	6							

CERTIFICATION:

Hart Becher

137°00'

136°55'




- N33803 soil sample location with sample number
- 10582 rock sample location with sample number
- × 10577 stream sediment sample location with sample number

0933 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


SAMPLE LOCATION 0933 02

GRANDE PROPERTY
CASH RESOURCES LTD.



137°00'

136°55'




- limit of circular structure on airphotographs
 - soil sample location with silver analysis in ppm
 - rock sample location with silver analysis in ppm
 - x stream sediment sample location with silver analysis in ppm
- | | |
|---|-----------------------|
| □ | ≥ 5 ppm Ag |
| □ | ≥ 2 ppm Ag < 5 ppm Ag |
| □ | ≥ 1 ppm Ag < 2 ppm Ag |

Figure 8
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SILVER GEOCHEMISTRY

GRANDE PROPERTY
 CASH RESOURCES LTD.


DWG 4

093302



137°00'

136°55'












-  limit of circular structure on airphotographs
 -  soil sample location with molybdenum analysis in ppm
 -  rock sample location with molybdenum analysis in ppm
 -  stream sediment sample location with molybdenum analysis in ppm
- | | |
|---|-------------------------|
|  | ≥ 50 ppm Mo |
|  | ≥ 20 ppm Mo < 50 ppm Mo |
|  | ≥ 10 ppm Mo < 20 ppm Mo |

Figure 9
 ARCHER, CATRO & ASSOCIATES (1981) LIMITED
MOLYBDENUM GEOCHEMISTRY
 GRANDE PROPERTY
 CASH RESOURCES LTD.
 SCALE 1:5000
 0 50 100 200 300 400 500 Metres
 0 100 200 300 400 500 Feet
 1033302 DWG 3

137°00'

136°55'



63°55'

63°55'

- ▨ limit of circular structure on airphotographs
 - 23 soil sample location with copper analysis in ppm
 - 56 rock sample location with copper analysis in ppm
 - x 66 stream sediment sample location with copper analysis in ppm
- | | |
|---|---------------------------|
| □ | ≥ 200 ppm Cu |
| □ | ≥ 100 ppm Cu < 200 ppm Cu |
| □ | ≥ 50 ppm Cu < 100 ppm Cu |


Figure 10
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER GEOCHEMISTRY
 GRANDE PROPERTY
 CASH RESOURCES LTD.
 SCALE 1:5000
 0 50 100 200 300 400 500 Metres
 0 100 200 300 400 500 Feet

137°00'

136°55'


137°00'

136°55'



- limit of circular structure on airphotographs
 - soil sample location with zinc analysis in ppm
 - rock sample location with zinc analysis in ppm
 - stream sediment sample location with zinc analysis in ppm
- | | |
|--|-----------------------------|
| | ≥ 2000 ppm Zn |
| | ≥ 1000 ppm Zn < 2000 ppm Zn |
| | ≥ 500 ppm Zn < 1000 ppm Zn |

Figure 11
 ARCHER, CATHER & ASSOCIATES (1981) LIMITED
ZINC GEOCHEMISTRY
 GRANDE PROPERTY
 CASH RESOURCES LTD.



dwg 5
 093302

137°00'

136°55'