

**ARCHER, CATHRO**  
 & ASSOCIATES (1981) LIMITED  
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

**ASSESSMENT REPORT**

describing

**PROSPECTING AND GEOCHEMICAL SURVEYS**

on the

**PLAY 1-64 PROPERTY**

Play 1-65 YB59183-YB59246  
65-88 YB60911-YB60934  
89-139 YB76998-YB77048

Latitude 61° 52' N; Longitude 131° 32' W

NTS 105G/13-14

in the

**WATSON LAKE MINING DISTRICT**

**YUKON TERRITORY**


Prepared by

**Archer, Cathro & Associates (1981) Limited**

for

**EXPATRIATE RESOURCES LTD.**

W.A. Wengzynowski, B.A.Sc.  
April, 1996



093488

## TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION .....	1
HISTORY .....	2
PROPERTY, LOCATION AND ACCESS .....	3
GEOMORPHOLOGY .....	4
REGIONAL GEOLOGY .....	5
REGIONAL MINERALIZATION .....	9
REGIONAL GEOCHEMISTRY .....	11
REGIONAL GEOPHYSICS .....	13
PROPERTY GEOLOGY AND MINERALIZATION .....	14
PROPERTY GEOCHEMISTRY .....	17
CONCLUSIONS AND RECOMMENDATIONS .....	19
SELECTED REFERENCES .....	20

## APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II CERTIFICATES OF ANALYSIS

## FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location . . . . .	Following Page 3
2	Claim Location . . . . .	Following Page 3
3	Tectonic Setting . . . . .	Following Page 5
4	Regional Geology . . . . .	Following Page 6
5	Property Geology . . . . .	Following Page 14
6	Rock Sample Location . . . . .	Following Page 15
7	Soil Sample Location . . . . .	Following Page 17
8	Copper Geochemistry . . . . .	Following Page 17
9	Lead Geochemistry . . . . .	Following Page 17
10	Zinc Geochemistry . . . . .	Following Page 17
11	Molybdenum Geochemistry . . . . .	Following Page 17
12	Silver Geochemistry . . . . .	Following Page 17
13	Antimony Geochemistry . . . . .	Following Page 17
14	Arsenic Geochemistry . . . . .	Following Page 17
15	Manganese Geochemistry . . . . .	Following Page 17
16	Gold Geochemistry . . . . .	Following Page 17

## INTRODUCTION

Expatriate Resources Ltd. has a 100% interest in the Play property which protects previously discovered stratabound lead-zinc-copper mineralization plus anomalous geochemical results identified in 1973 by a joint venture program managed by Archer, Cathro and Associates Ltd. The sixty-four claims subject to this report were staked in March 1995. Seventy-five claims were added between August 1995 and March 1996 but they were not explored in 1995 and are not described in this report.

Field exploration was conducted between June 6 and July 7, 1995 by a three-person crew working from fly camps on the property. It consisted of grid soil geochemistry, geological mapping and prospecting. The work was managed by Archer Cathro & Associates (1981) Limited and supervised by the author. Appendix I contains the Author's Statement of Qualifications.

## HISTORY

The area was first staked by Kerr Addison Mines Limited in 1966 following the discovery of the Faro lead-zinc deposits 100 km to the northwest. Field exploration in 1966 consisted of geological mapping, prospecting and grid soil geochemical sampling. The claim block was subsequently restaked by independents between 1973 and 1976. Yukon Revenue Mines Ltd. optioned the Gem claims in the fall of 1976 and performed geological mapping, prospecting and soil geochemical surveys. Two stratabound sulphide showings consisting of weak foliaform pyrite, chalcopyrite, galena and sphalerite were discovered within tuffaceous chlorite schist. Soil geochemistry outlined coincident lead-zinc-copper anomalies from which oxidized and leached float specimens returned up to 2.2% zinc and 0.5% lead. In 1977 one anomaly was tested by 390 m of diamond drilling in four holes. Weak mineralization was encountered in all holes, the best of which returned 0.54% zinc and 0.1% lead over 1.5 m. Exploration was discontinued and the property was transferred to Harjay Enterprises Ltd. in 1980 which later let the claims lapse.

### PROPERTY, LOCATION AND ACCESS

The Play property is located in southeast Yukon at latitude 61°52'N and longitude 131°32'W on NTS map sheet 105G/13-14 (Figure 1). It is comprised of 139 contiguous mineral claims registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Expatriate Resources Ltd. Claim registration data is listed below while locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Play 1-64	YB59183-YB59246	March 17, 2001
65-88	YB60911-YB60934	August 11, 1996
89-139	YB76998-YB77048	February 21, 1997

\*Expiry dates include 1995 work filed for assessment credit but not yet accepted.

In 1995 the property was accessed by helicopter from a logistical staging area at the Finlayson Airstrip (Km 246 on the Robert Campbell Highway). The airstrip lies 44 km south-southeast of the property and 260 km northeast of Whitehorse. Road access to the airstrip is from Ross River, 110 km to the northwest or Watson Lake, 260 km to the southeast. Helicopter support was provided by Bell 206B Jet Rangers operated by Trans North Air from its permanent base at Ross River or Frontier Helicopters which had a contract machine stationed at Westmin Resources Limited's exploration camp on Wolverine Lake 85 km southeast of the property.

Figure 1



ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

# PROPERTY LOCATION

## PLAY PROPERTY

### EXPATRIATE RESOURCES LTD.

62°00'




-  Expatriate Resources Ltd.
-  Cominco Ltd.
-  Westmin Resources Ltd. and various joint venture partners
-  Others
-  Native Land Claims



February 23, 1996

Note: Claim boundaries are approximate  
Expatriate Resources Ltd. does not assume responsibility for errors or omissions

131° 00'  
131° 30' ??



EXPATRIATE

COMINCO

PLAY 65 - 139

COMINCO

EXPATRIATE


6,855,000 N

380,000 E

- Claim boundary
- ▨ Native land claims

FIGURE 2  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**CLAIM LOCATION**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.



## GEOMORPHOLOGY

The Play property lies north of the Pelly River in an area of low hills lying between the Anvil and Campbell Ranges of the Pelly Mountains. Creeks draining the property flow into the Pelly River which is part of the Yukon River watershed.

Elevations range from 975 m in valley bottoms to 1370 m on the crest of knolls. Aside from a few creek canyons, topographic relief is gentle to moderate. Colluvial sediments and glacial till deposited by Pleistocene glaciers blanket most of the property and range from several centimetres to greater than three metres in thickness. Most of the larger drainages in the area are interpreted as Pleistocene meltwater channels.



The entire property is below treeline. Typical vegetation consists of moderate to dense growths of spruce, balsam, alder and buckbrush. North-facing slopes are generally frozen and covered with thick accumulations of moss.

## REGIONAL GEOLOGY

The Play property lies within the 380 km long, up to 60 km wide Finlayson Allochthon which consists of rocks belonging to the Yukon-Tanana and Slide Mountain Terranes (Figure 3). The southwest side of the allochthon is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which have produced approximately 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit et al, 1976). The northeast edge is a broad arc marking the surface trace of the Finlayson Lake Fault Zone, a complex mixture of thrust and high angle faults. Both fault zones juxtapose the allochthonous rocks with autochthonous rocks of the North American miogeocline.

The Yukon-Tanana and Slide Mountain Terranes are composed largely of Late Paleozoic arc stratigraphy of uncertain origin (Hansen, 1990 and Mortensen, 1992). Yukon-Tanana is more metamorphosed and contains more plutons while Slide Mountain is distinguished by the presence of ophiolitic rocks. A number of thrust faults associated with the Finlayson Lake Fault Zone have imbricated Yukon-Tanana and Slide Mountain assemblages frequently repeating various parts of the stratigraphy. All of the main volcanogenic massive sulphide occurrences in the Finlayson Lake area are hosted by Late Devonian to Mid-Mississippian metavolcanic and metasedimentary rocks of Yukon-Tanana Terrane (Johnston and Mortensen, 1994).

Geology in the vicinity of the Play property was mapped at 1:250,000 scale in the 1970's by the Geological Survey of Canada (Tempelman-Kluit, 1977) and reinterpreted at approximately 1:500,000 scale by industry geologists in the early 1980's (Mortensen and Jilson, 1985). The









-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata

FIGURE 3  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**TECTONIC SETTING**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.



Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).


following geological summary is based primarily on the work of Mortensen and Jilson and, for consistency, their nomenclature and unit descriptions are used throughout the remainder of this report.

Six principal lithological packages have been identified within the allochthonous rocks in the Finlayson Lake area (Figure 4). They include two metamorphic assemblages that comprise the bulk of Yukon-Tanana Terrane, a relatively unmetamorphosed package belonging to Slide Mountain Terrane and three younger units that intrude or overlie both terranes.

Paleozoic Layered Metamorphic Sequence is the oldest and most abundant lithological package within Yukon-Tanana Terrane. It consists of three distinct stratigraphic units with a total thickness of approximately 3 km. The lowest unit contains pre-Late Devonian, micaceous feldspathic quartzite with minor marble. The middle unit is Late Devonian to Mid-Mississippian in age and is the focus of volcanogenic massive sulphide exploration in the Finlayson Lake area. It consists of dark siliceous phyllite that is increasingly carbonaceous toward the base of the section where it is interfingered with widespread mafic metavolcanic schist. Localized felsic metavolcanic centres are found throughout the section. The uppermost unit contains Early Pennsylvanian to Early Permian white carbonate and quartzite.

Paleozoic Metaplutonic Rocks are also confined to Yukon-Tanana Terrane. They are subdivided into three suites, all of which are coarse grained and have yielded Mid-Mississippian age dates (340 to 359 Ma). The quartz monzonitic to quartz dioritic Simpson Range plutonic suite is slightly older than the augen orthogneiss (leucogranite) and monzonitic orthogneiss (quartz monzonite). Most contacts between metaplutonic rocks and the Layered Metamorphic Sequence are foliaform.

FIGURE 4  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**REGIONAL GEOLOGY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.



PLAY  
 PROPERTY

North American Miogeocline

Pre-Triassic sedimentary and volcanic

Slide Mountain Terrane

Chert, ultramafic, greenstone, metavolcanics, and carbonate rocks

Yukon-Tanana Terrane

Paleozoic Metaplutonic Rocks

Paleozoic Layered Metamorphic Sequence

Units common to all three terranes

Young Volcanic Rocks

Mesozoic Plutonic Rocks


Mesozoic Clastic Rocks

Geological contacts

Steep fault

Thrust fault

Properties held by Expatriate Resources Ltd.



Modified after Mortensen and Jilson (1985)

Both the Layered Metamorphic Sequence and the metaplutonic rocks were intensely deformed (F1) during Permian or Early Triassic time. This event resulted in pervasive foliation that usually parallels subhorizontal or shallow-dipping compositional layering. The F1 deformation was accompanied by middle greenschist to middle amphibolite facies regional metamorphism. A second phase of deformation (F2) is observed locally but appears to have been a relatively minor event.

Slide Mountain Terrane consists of ophiolitic assemblages that are most abundant within the Campbell Range Belt but also appears as imbricate slices along thrust faults elsewhere in the allochthon. The Campbell Range Belt is up to 25 km wide and forms the northeastern edge of the allochthon. It contains relatively unmetamorphosed but strongly folded and imbricated cherts with mafic and felsic volcanics, massive greenstone and serpentinite. Thrust slices elsewhere in the allochthon are also unmetamorphosed but typically contain a higher proportion of mafic to ultramafic plutonic rocks. Fossils in the cherts have been dated as Late Pennsylvanian to Early Permian while the mafic and ultramafic rocks are Late Devonian. Slide Mountain rocks do not exhibit the F1 foliation characteristic of the Yukon-Tanana Layered Metamorphic Sequence and metaplutonic rocks.

The remaining three units are all younger and unmetamorphosed. They are found in both Yukon-Tanana and Slide Mountain Terranes. Mesozoic Clastic Rocks are Late Triassic immature sediments containing cobbles derived from both Yukon-Tanana and Slide Mountain. Mesozoic Plutonic Rocks include a number of Early Jurassic mafic to intermediate plutons plus scattered

Late Cretaceous quartz monzonite stocks. Major thrust faults in the district post-date the Early Jurassic plutons but pre-date the Late Cretaceous quartz monzonite. This structural event is believed to have occurred during accretion of the allochthon to the North American craton because the thrusts cut the miogeoclinal rocks as well as the allochthonous rocks. Transcurrent movement on the Tintina Fault Zone occurred soon after the thrust faults. Young Volcanic Rocks unconformably overlie the other units and consist of Late Cretaceous to Tertiary felsic volcanic flows and volcanoclastic deposits. They are usually found in close proximity to the Tintina Fault Zone.

## REGIONAL MINERALIZATION

A total of fifty-one mineral occurrences have been reported within the Finlayson Allochthon (DIAND, 1995). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization may also be present (Morin, 1981 and Johnston and Mortensen, 1994). Two occurrences have definite economic potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 4). These occurrences are "type-deposits" for Expatriate's exploration elsewhere in the district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit lies within Yukon-Tanana Terrane near the centre of the allochthon (Cominco Exploration, 1995; Whiteway, 1995) some 65 km southeast of the Play property. It is a volcanogenic massive sulphide deposit hosted by felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip. Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m downdip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold

(Schultze, 1996). Preliminary studies suggest that satisfactory lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.

The Wolverine Deposit is located 25 km east of Kudz Ze Kayah and 85 km southeast of the Play property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It also lies within the middle unit of the Layered Metamorphic Sequence and is hosted by rhyolitic metavolcanics and argillites and consists primarily of semi-massive to massive sulphides. Pyrite and sphalerite occur with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the deposit is marked by a vegetation kill zone containing weakly malachite-stained schist. Westmin has intersected the deposit in fifteen consecutive diamond drill holes, tracing it 400 m along strike and up to 250 m downdip. It averages 6.2 m thick and dips shallowly to the north. Although the deposit is blind to surface it is open downdip and along strike in both directions. Wolverine contains significantly more zinc and precious metals than Kudz Ze Kayah. The weighted average grade for intersections reported to date is 11.82% zinc, 1.05% copper, 1.53% lead, 442.8 g/t silver and 2.48 g/t gold (Westmin News Release, November 30, 1995). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

## REGIONAL GEOCHEMISTRY

Published geochemical data for the Finlayson Lake area are limited to reconnaissance-scale stream sediment sampling conducted in the late 1980's by the Geological Survey of Canada (Hornbrook and Friske, 1988 and Friske et al, 1990). The sampling was done at an approximate density of one sample per 10 sq. km. Each sample was analyzed for twenty elements including common indicator elements for volcanogenic massive sulphide deposits such as copper, lead, zinc, silver and arsenic. Anomalous results were obtained from creeks draining some previously known volcanogenic massive sulphide occurrences (DIAND, 1995, Yukon Minfile 105G/32, 34 and 40) but many others, including the streams draining the Wolverine Deposit, produced near background values. Anomalous results were also obtained from several drainages where there were no known mineral occurrences. Follow-up exploration has since located showings in many of the anomalous creeks, with the most significant discovery to date being the Kudz Ze Kayah Deposit.

Expatriate was able to supplement the published reports with private data summarizing results of 1973 exploration managed by Archer Cathro on behalf of a joint venture (Cathro, 1973). The reconnaissance prospecting and geochemical sampling program explored for lead-zinc mineralization in the lower unit of the Layered Metamorphic Sequence but because the data provides relatively uniform coverage over the entire region, it is also suitable for evaluating areas underlain by the favourable middle unit. The Archer Cathro samples included approximately 5000 soils and stream sediments collected at a density of approximately one sample per sq. km. They were all analyzed for lead, zinc, copper and molybdenum. As might be expected, this closer-spaced sampling outlined many more areas of anomalous geochemical response than the

government survey. Almost all of the known volcanogenic occurrences showed up as anomalies on this survey, including Kudz Ze Kayah and Wolverine.

The following table illustrates regional geochemical backgrounds for the metals and anomalous thresholds used for target selection.

**GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS**

	<u>Background</u> (ppm)	<u>Anomalous Thresholds</u>			<u>Peak Value</u> (ppm)
		<u>Weak</u> (ppm)	<u>Moderate</u> (ppm)	<u>Strong</u> (ppm)	
Copper	25	50	100	200	1720
Lead	30	50	100	200	>4000
Zinc	80	200	500	1000	>4000
Molybdenum	<1	2	5	10	65

The Play property was staked to protect a previously discovered mineral occurrence and geochemical anomalies selected from the Archer Cathro data. Peak values from the 1973 sampling at Play were 215 ppm copper, 127 ppm lead, 1040 ppm zinc and 55 ppm molybdenum.

Copper, lead and zinc are major metals in most volcanogenic massive sulphide occurrences in the Finlayson Lake area and are obvious indicator elements. Molybdenum is present in anomalous quantities in the banded iron formation overlying the Wolverine Deposit (H. Meade, pers. comm., 1995) and appears to be slightly enriched in the felsic metavolcanic rocks. Based on the geochemical signature in the vicinity of known occurrences, its presence can be used to distinguish copper anomalies associated with volcanogenic mineralization from those derived from ultramafic rocks.

## REGIONAL GEOPHYSICS

The only published geophysical data for the Finlayson Lake area resulted from airborne magnetic surveys conducted in 1961 by the Geological Survey of Canada on behalf of the Department of Mines and Technical Surveys. The surveys were flown with fixed-wing aircraft at a nominal elevation of 300 m above ground level on east-west lines spaced approximately 1.6 km apart. Results are presented on a 1:250,000 scale map (DMTS, 1961) and in more detail on a series of 1:50,000 maps.

The largest, most intense areas of positive magnetic response are associated with obducted ultramafic rocks belonging to the Slide Mountain Terrane. Within the Campbell Range Belt where dips are usually moderate to steep, the anomalies are narrow and elongate while in the remainder of the allochthon where the ultramafic rocks occur along shallowly-dipping thrust faults, they are much broader.

A series of secondary positive anomalies were also recorded over Yukon-Tanana rocks but until recently they had no obvious explanation. Prospecting and mapping have now shown that magnetite occurs locally within schists of the middle unit of the Layered Metamorphic Sequence. The greatest documented concentration of magnetite is found in the hanging wall of the Wolverine Deposit where it forms several thin horizons approximately 80 m up-section from the massive sulphide mineralization. Magnetite is also a significant constituent of the mineralization at Kudz Ze Kayah.

Magnetic response is subdued in the immediate vicinity of the Play property, especially when compared to highly magnetic Slide Mountain rocks a few kilometres to the north.

## PROPERTY GEOLOGY AND MINERALIZATION


Bedrock is largely obscured by till cover however, outcrops are relatively abundant where drainages are deeply incised. Most outcrops are moderately to well foliated with an average orientation of 124°/27°N. Seven rock types are recognized on the property. The first six belong to the Paleozoic Layered Metamorphic Sequence while the seventh is part of the Paleozoic Metaplutonic Suite (Figure 5).

Quartz sericite ± chlorite schist is tan to rusty weathering and well foliated with quartz content varying from 25 to 40%. Outcrops with higher than average quartz content contain weakly strained clear quartz eyes up to 3 mm in diameter and minor mariposite. Foliaform limonitic boxwork is common in some areas. Quartz-carbonate sweats, veins and veinlets are abundant and often weakly mineralized along selvages with pyrite, arsenopyrite, chalcopyrite and galena.

Chlorite muscovite ± quartz schist is pale green to grey weathering, well foliated and weakly calcareous. Differential weathering is developed where quartz is present. Disseminated pyrite (≤ 3 mm in diameter) typically comprises between 1 and 4% of the rock. Quartz-carbonate sweats, veins and veinlets similar to those described above are also present in this unit.

Muscovite phyllite is silver to grey, well foliated and recessive weathering. Hand specimens are fissile and greasy to the touch. Quartz-carbonate sweats are present but in low quantities.

Graphitic shale/phyllite is black, recessive weathering and well foliated. In the eastern part of the property it is strongly oxidized exhibiting moderately to strongly leached, yellow or brown boxwork parallel to foliation. This unit is weakly oxidized in the western part of the property where it contains up to 20% quartz.



6,855,000 N  
360,000 E

**Paleozoic Metaplutonic Rocks**

Diorite

**Paleozoic Layered Metamorphic Sequence**

Felsic/intermediate metavolcanic

Quartz sericite±chlorite schist

Quartz muscovite±quartz schist

Muscovite phyllite

Graphitic shale/phyllite

Tuffaceous rhyolite

Native land claims

1976 Drill hole location

Gossan

Brendex showing

1995 Fly camp

Foliation with strike and dip

Thrust fault

Outcrop limit

Inferred geological contact

Claim boundary


FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**PROPERTY GEOLOGY**

PLAY PROPERTY

EXPATRIATE RESOURCES LTD.



Felsic/intermediate metavolcanics are rusty weathering, tan to blue grey on fresh surface and massive to weakly foliated. Mineral assemblage is comprised of 50 to 60% quartz, 10 to 20% decussate feldspar laths and trace to 10% muscovite and biotite. Sulphide mineralization consists of disseminated pyrite (5 to 10%), arsenopyrite (2 to 5%) and trace chalcopyrite. Crosscutting quartz veins are commonly mineralized with arsenopyrite and pyrite (totalling up to 15%).

Tuffaceous rhyolite is pale green weathering, green to grey on fresh surfaces and weakly to non calcareous. Flow banding is commonly oblique to regional foliation.

Diorite is dark green weathering, grey to green on fresh surface and comprised of 60 to 70% feldspar, 10 to 20% hornblende, 5 to 10% biotite and trace to 5% quartz. It is generally massive to weakly foliated and weakly pyritic.

Five types of mineralization recognized on the property are described below. A total of fifteen rock samples was taken (Figure 6) and sent to Chemex Labs Ltd. in Vancouver where they were geochemically analyzed for 32 elements by the Induced Coupled Plasma (ICP) technique and gold using fire assay preparation with atomic absorption finish. Assays were performed on some samples which exceeded geochemical detection limits.

Bands of massive pyrite (up to 3 cm thick) with trace amounts of chalcopyrite, sphalerite and galena are exposed in a quartz sericite  $\pm$  chlorite schist outcrop in the eastern part of the property. Yukon Revenue's diamond drill hole 77-3X tested beneath the outcrop and intersected 3 m of weak mineralization which returned 0.51% zinc and low values for other metals. The showing was relocated but no additional samples were taken.




FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

# ROCK SAMPLE LOCATION

## PLAY PROPERTY

### EXPATRIATE RESOURCES LTD.



Paleozoic metaplutonic rocks

□+□ Diorite

Paleozoic layered metamorphic sequence

□v□ Felsic/intermediate metavolcanic

□ Quartz sericite±chlorite schist

□ Quartz muscovite±quartz schist

□ Muscovite phyllite

□ Graphitic shale/phyllite

□ Tuffaceous rhyolite

□ Native land claims

■ 965163 Rock sample location with sample number

● 1976 Drill hole location

● Gossan

★ Brendex showing

▲ 1995 Fly camp

▲ Thrust fault

--- Outcrop limit

— Inferred geological contact

— Claim boundary

Ferricrete breccia float boulders (up to 1.5 x 1.0 x 0.3 m) and soliflucted lenses occur within silicified graphitic phyllite in the western part of the claim block. A hand pit exposed a 10 cm lens of red and black limonitic manganiferous breccia containing angular to subrounded silicified graphitic phyllite fragments. A chip sample (#935161) across the lens returned 0.5% zinc and low values for all other metals. Similar limonitic fragments discovered within graphitic phyllite in the eastern part of the claim block by Yukon Revenue reportedly assayed 2.2% zinc and 0.5% lead.

Yellow to brown, leached and pitted fragments discovered in a small slump on a north-facing slope in the west portion of the claim block (#935156) returned 2.97% lead, 33 g/t silver and 1 g/t gold. This type of float is not abundant and no sulphides were observed.

Pyrite- and arsenopyrite-bearing felsic metavolcanics occur in several outcrops in the northeast part of the property. Pyrite occurs as fine-grained disseminations (5 to 10%) while arsenopyrite is irregularly distributed forming up to 5 mm in diameter blebs and isolated blades. One sample returned 500 ppb gold and 1705 ppm arsenic with low values for other metals.

Sphalerite-galena-chalcopyrite mineralization associated with quartz-carbonate veins and swells are observed in numerous locations on the property. The sulphides occur along selvages and comprise trace to 2% of the rock. No samples were taken.

### PROPERTY GEOCHEMISTRY

Grid soil sampling was conducted over the Play 1-64 claims between June 6 and July 7, 1995. Two compass-controlled baselines were established approximately paralleling claim lines. Baselines were slope-corrected and marked at 100 m intervals with 1 m lath bearing aluminum tags inscribed with grid coordinates and sample numbers. Soil sample lines were run perpendicular to baselines and marked with 0.5 m lath in the same fashion as baseline stations.


A total of 882 soil samples was taken (see Figure 7 for locations) and sent to Chemex Labs Ltd. where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the Induced Coupled Plasma (ICP) technique. All pulps were later analyzed for gold by fire assay preparation and atomic absorption finish. Certificates of Analysis are listed in Appendix II. Results for nine indicator elements are plotted on Figures 8 to 16 while anomalous thresholds and peak values are as follows.

#### ANOMALOUS THRESHOLDS AND PEAK VALUES

<u>Element</u>	<u>Threshold Values (ppm)</u>			<u>Peak Value (ppm)</u>
	<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	
Copper	50	100	200	505
Lead	50	100	NA*	102
Zinc	200	500	NA*	840
Molybdenum	2	5	10	56
Silver	1	2	5	8.6
Antimony	2	5	10	58
Arsenic	20	50	100	5220
Manganese	1000	2000	NA*	3150
Gold**	25	50	100	670

\*NA = not applicable

\*\*Values in ppb



6,858,000 N


384,000 E

T37210 Soil sample location with sample number

FIGURE 7  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**SOIL SAMPLE LOCATION**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m




- <sup>156</sup> Sample location with copper value in ppm
- ≥ 200 ppm Cu
- ≥ 100 < 200 ppm Cu
- ≥ 50 < 100 ppm Cu

FIGURE 8  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**COPPER GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.






158 Sample location with lead value in ppm

- $\geq 200$  ppm Pb
- $\geq 100 < 200$  ppm Pb
- $\geq 50 < 100$  ppm Pb

FIGURE 9  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**LEAD GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.






• Sample location with zinc value in ppm

- ≥ 1000 ppm Zn
- ≥ 500 < 1000 ppm Zn
- ≥ 200 < 500 ppm Zn

FIGURE 10  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**ZINC GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.  
 0 100 200 400 600 800 1000 m



- Sample location with molybdenum value less than detection limit
- Sample location with molybdenum value in ppm
- $\geq 10$  ppm Mo
- $\geq 5 < 10$  ppm Mo
- $\geq 2 < 5$  ppm Mo


FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

## MOLYBDENUM GEOCHEMISTRY

PLAY PROPERTY  
EXPATRIATE RESOURCES LTD.





- Sample location with silver value less than detection limit
- <sup>3.2</sup> Sample location with silver value in ppm
- ≥ 5 ppm Ag
- ≥ 2 < 5 ppm Ag
- ≥ 1 < 2 ppm Ag

FIGURE 12  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**SILVER GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.  
 0 100 200 400 600 800 1000 m




- Sample location with antimony value less than detection limit
- <sup>15</sup> Sample location with antimony value in ppm
- ≥ 10 ppm Sb
- ≥ 5 < 10 ppm Sb
- ≥ 2 < 5 ppm Sb

FIGURE 13  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**ANTIMONY GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.










-  Sample location with arsenic value in ppm
-  ≥ 100 ppm As
-  ≥ 50 < 100 ppm As
-  ≥ 20 < 50 ppm As

FIGURE 14  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

**ARSENIC GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.





1580 Sample location with manganese value in ppm


- $\geq 5000$  ppm Mn
- $\geq 2000 < 5000$  ppm Mn
- $\geq 1000 < 2000$  ppm Mn

FIGURE 15  
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

## MANGANESE GEOCHEMISTRY

PLAY PROPERTY  
EXPATRIATE RESOURCES LTD.





- Sample location with gold value in ppb
- ≥ 100 ppb Au
- ≥ 50 < 100 ppb Au
- ≥ 25 < 50 ppb Au

FIGURE 16  
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
**GOLD GEOCHEMISTRY**  
 PLAY PROPERTY  
 EXPATRIATE RESOURCES LTD.



Copper, molybdenum, silver, lead, antimony and arsenic outlined two large anomalous zones located in the east and west portions of the property.

### **EAST ANOMALY**

Moderately and strongly anomalous response for copper, molybdenum, antimony and silver define an east-west trending zone approximately 2300 by 800 m in the area underlain mostly by graphitic shale/phyllite. Zinc and arsenic values are coincident along this trend but rarely exceed moderate thresholds. Arsenic and gold response is elevated in a 600 by 200 m area near the northern edge of the grid which is underlain by felsic/intermediate metavolcanics. Gold values are strongly correlative with arsenic.

### **WEST ANOMALY**

Molybdenum, antimony, silver and zinc values form a roughly rectangular zone (1400 x 700 m) at the extreme west end of the grid in the area draining the ferricrete breccia mineralization. Linear trends outlined by moderately and strongly anomalous clusters are poorly defined and likely caused by hydromorphic transport and downslope dispersion. The anomaly projects westward off the grid under till. Greater than 85% of the samples taken from this part of the grid exceed weak thresholds for copper and arsenic while moderately and strongly anomalous values are coincident with the other elements described above. Copper and arsenic are the only elements that are anomalous in the vicinity of the newly discovered lead-silver-gold bearing float occurrence. Sporadic high gold values occur where arsenic response is elevated within silicified graphitic phyllite. Lead and manganese are subdued everywhere on the grid and rarely exceed moderate thresholds.

## CONCLUSIONS AND RECOMMENDATIONS

The Play property is largely underlain by rocks of the Layered Metamorphic Sequence which host the Kudz Ze Kayah and Wolverine Deposits. Soil geochemistry outlined coincident multi-element response in two roughly east-west trending zones located in the east and west portions of the claim block. Mineralized specimens produced moderate to low assays for most metals with the exception of yellow to brown limonitic float discovered in the vicinity of the west geochemical anomaly which returned encouraging results for lead, silver and gold.

Helicopter-borne magnetic and EM surveys are completed however, the data are not yet available for analysis. Follow-up exploration should include ground geophysical surveys (Maxmin/magnetic/VLF) over previously outlined geochemical anomalies in conjunction with detailed geological mapping and prospecting. Additional grid soil sampling is also required to test the projection of the anomaly in the western part of the claim block. Pending favourable results a diamond drill program should follow to test coincident geophysical and geochemical anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W.A. Wengzynowski, B.A.Sc.

**SELECTED REFERENCES**

Cathro, R.J.

1973 Final Report, Finlayson Joint Venture; November 30, 1973, p.44.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1995 Yukon Minfile, November/95; Exploration Geological Services Division, Indian and Northern Affairs Canada.

DMTS

1961 Finlayson Lake (105G), Airborne Magnetic Map; Department of Mines and Technical Surveys, Geophysical Paper 70006G.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.

1990 Regional stream sediment and water geochemical data, central Yukon; Geological Survey of Canada Open File 2174 (105K East).

Hansen, V.L.

1990 Yukon-Tanana Terrane: A partial acquittal; Geology, V.18, pp.365-369, April 1990.

Hornbrook, E.H.W. and Friske, P.W.B.

1988 Regional stream sediment and water geochemical data, southeastern Yukon; Geological Survey of Canada Open File 1648 (105G).

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Morin, J.A.

1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.

Mortensen, J.K.

- 1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; *Tectonics*, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.

- 1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; *Geology*, V.13, pp.806-810.

Schultze, H.C.

- 1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; in: *Yukon Exploration and Geology, 1995*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; *Geological Survey of Canada Paper 76-1A*, pp.97-106.

Tempelman-Kluit, D.J.

- 1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas; *Geological Survey of Canada Open File 486*.

Westmin Resources Limited

- 1995 News Release, Joint Release with Atna Resources Ltd; November 30, 1995, p.2.

Whiteway, P.

- 1995 "Fast-Tracking" ABM; in *Canadian Mining Journal*, June 1995, pp.17-21.

**APPENDIX I**

**AUTHOR'S STATEMENT OF QUALIFICATIONS**

## STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.

*B. Wengzynowski*  
W.A. Wengzynowski, B.A.Sc.

**APPENDIX II**  
**CERTIFICATES OF ANALYSIS**



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 1  
Total Pages : 1  
Certificate Date: 22-SEP-95  
Invoice No. : 19528807  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9528807

SAMPLE	PREP CODE		Pb %									
935156	244	--	2.97									

CERTIFICATION: Said Trineh



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 1  
Total Pages : 1  
Certificate Date: 18-SEP-95  
Invoice No. : I9528220  
P.O. Number :  
Account : MPO

Project : FINLAYSON-*PLAY*  
Comments:

## CERTIFICATE OF ANALYSIS A9528220

SAMPLE	PREP CODE	Au ppb FA+AA										
T36896	244 --	< 5										
T36897	244 --	< 5										
T36908	244 --	< 5										
T36909	244 --	< 5										
T36940	244 --	< 5										
T36977	244 --	< 5										
T36982	244 --	< 5										
T37012	244 --	< 5										
T37043	244 --	< 5										

CERTIFICATION: *John Van...*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 1  
Total Pages : 1  
Certificate Date : 25-AUG-95  
Invoice No. : 19526073  
P.O. Number :  
Account : MPO

Project : FP (PLAY)  
Comments:

## CERTIFICATE OF ANALYSIS A9526073

SAMPLE	PREP CODE	Au ppb FA+AA										
T37458	244 --	< 5										
T37461	244 --	55										
T37462	244 --	< 5										
T37479	244 --	25										
T37554	244 --	< 5										
T37557	244 --	< 5										
T37558	244 --	< 5										
T37561	244 --	< 5										
T37562	244 --	< 5										
T37569	244 --	< 5										
T37576	244 --	< 5										
T37591	244 --	< 5										
T37600	244 --	< 5										
T37635	244 --	< 5										
T37655	244 --	< 5										
T37666	244 --	< 5										
T37667	244 --	< 5										
T37678	244 --	< 5										
T37679	244 --	< 5										

CERTIFICATION: *John Umh*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON - PLAY  
Comments:

Page Number: 1-A  
Total Pages: 7  
Certificate Date: 05-JUL-95  
Invoice No.: 19520341  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T36801	201	229	0.2	1.57	20	880	< 0.5	2	2.24	1.0	14	73	63	2.82	10	< 1	0.28	20	1.40	485	2
T36802	201	229	0.4	1.43	12	800	< 0.5	2	2.38	1.0	13	55	62	2.51	10	< 1	0.26	10	1.09	500	3
T36803	201	229	0.2	1.92	14	470	< 0.5	2	0.66	0.5	22	53	75	3.75	10	< 1	0.17	30	1.29	300	1
T36804	201	229	< 0.2	1.90	20	450	< 0.5	2	0.82	< 0.5	19	53	70	4.54	20	< 1	0.17	30	1.35	705	2
T36805	201	229	< 0.2	1.95	8	360	< 0.5	2	0.80	0.5	17	56	57	4.20	10	< 1	0.20	30	1.51	590	1
T36806	201	229	< 0.2	2.08	12	570	< 0.5	2	0.54	< 0.5	17	44	63	4.47	10	< 1	0.23	30	1.33	480	1
T36807	201	229	< 0.2	2.45	10	600	< 0.5	4	0.90	< 0.5	21	123	57	4.30	20	< 1	0.23	30	1.76	670	1
T36808	201	229	< 0.2	1.97	18	380	< 0.5	2	1.08	0.5	19	129	78	4.28	10	< 1	0.10	30	1.51	385	< 1
T36809	201	229	< 0.2	1.53	14	200	< 0.5	2	7.30	< 0.5	22	92	50	2.96	10	< 1	0.10	< 10	1.53	820	< 1
T36810	201	229	0.2	1.74	18	570	< 0.5	2	1.07	0.5	21	45	79	4.31	10	< 1	0.22	30	0.82	485	2
T36811	201	229	0.2	1.50	38	520	< 0.5	2	2.62	0.5	19	49	67	3.64	10	< 1	0.19	20	1.15	510	2
T36812	201	229	< 0.2	1.68	62	410	< 0.5	4	0.78	0.5	22	52	77	4.44	10	< 1	0.17	30	1.00	690	3
T36813	201	229	0.2	1.72	42	320	< 0.5	2	0.86	0.5	20	43	57	4.08	10	< 1	0.15	30	1.00	465	1
T36814	201	229	0.2	1.38	34	350	< 0.5	2	0.71	0.5	18	42	71	4.32	10	< 1	0.11	30	0.88	385	2
T36815	201	229	< 0.2	1.74	18	450	< 0.5	2	0.84	0.5	25	46	93	5.03	10	< 1	0.22	20	0.93	605	2
T36816	201	229	< 0.2	1.45	24	420	< 0.5	2	4.29	0.5	21	50	59	4.17	10	< 1	0.15	< 10	1.10	520	1
T36817	201	229	< 0.2	1.46	14	410	< 0.5	2	1.49	< 0.5	14	42	46	3.38	10	< 1	0.16	20	0.91	395	1
T36818	201	229	< 0.2	1.51	12	400	< 0.5	< 2	1.43	0.5	16	42	48	3.46	10	< 1	0.19	20	0.89	445	1
T36819	201	229	0.4	2.21	18	450	0.5	2	0.87	< 0.5	18	77	67	4.13	10	< 1	0.23	30	1.35	510	1
T36820	201	229	0.2	2.32	164	600	0.5	2	0.82	< 0.5	22	61	96	4.82	10	< 1	0.31	30	1.64	785	1
T36821	201	229	0.4	2.02	18	410	< 0.5	4	0.83	0.5	17	61	65	4.02	10	< 1	0.24	30	1.43	555	2
T36822	201	229	0.2	1.61	18	420	< 0.5	4	0.92	0.5	13	46	45	3.38	10	< 1	0.18	30	1.08	310	< 1
T36823	201	229	0.4	1.65	12	820	0.5	4	2.25	1.0	14	72	57	2.95	10	< 1	0.23	10	1.37	480	2
T36824	201	229	0.4	1.65	16	880	0.5	2	3.57	1.0	12	66	52	2.75	10	< 1	0.24	< 10	1.51	450	1
T36825	201	229	0.2	0.65	2	170	< 0.5	2	0.16	< 0.5	12	11	40	2.12	< 10	< 1	0.09	20	0.21	195	2
T36826	201	229	0.4	1.51	14	780	0.5	2	2.05	1.0	12	53	52	2.55	10	< 1	0.30	20	0.94	430	2
T36827	201	229	0.2	1.42	18	450	< 0.5	2	0.98	0.5	14	46	36	2.60	10	< 1	0.22	20	0.72	515	1
T36828	201	229	0.6	1.65	10	530	0.5	4	1.10	1.5	14	53	33	3.49	10	< 1	0.18	20	0.82	405	2
T36829	201	229	0.2	2.21	24	740	< 0.5	2	0.78	0.5	23	42	110	5.33	10	< 1	0.29	30	1.60	525	1
T36830	201	229	0.2	2.34	18	410	0.5	2	0.90	< 0.5	23	93	77	4.75	10	< 1	0.17	30	1.74	625	1
T36831	201	229	< 0.2	1.92	16	320	< 0.5	4	1.14	0.5	18	90	60	4.52	10	< 1	0.14	30	1.59	575	< 1
T36832	201	229	0.2	1.57	6	650	< 0.5	2	1.83	0.5	20	59	75	3.95	10	< 1	0.11	20	1.05	720	< 1
T36833	201	229	0.2	1.72	16	380	< 0.5	2	3.26	0.5	22	56	67	4.02	10	< 1	0.18	10	1.32	520	< 1
T36834	201	229	0.2	1.19	36	290	< 0.5	4	7.54	0.5	16	36	40	3.59	10	< 1	0.13	< 10	1.00	660	1
T36835	201	229	< 0.2	0.57	276	290	< 0.5	< 2	4.37	1.0	1	20	18	>15.00	20	< 1	0.08	< 10	0.40	215	1
T36836	201	229	0.2	1.27	22	320	< 0.5	2	1.78	0.5	14	37	41	3.67	< 10	< 1	0.15	20	0.89	505	1
T36837	201	229	0.4	1.86	24	870	0.5	< 2	2.48	1.5	19	72	67	3.71	10	< 1	0.31	20	1.47	530	2
T36838	201	229	0.2	1.88	98	450	< 0.5	< 2	1.34	0.5	29	46	94	6.51	10	< 1	0.07	30	1.53	1010	1
T36839	201	229	0.4	1.72	30	580	0.5	< 2	2.63	1.0	17	52	62	3.42	10	< 1	0.25	20	1.16	445	1
T36840	201	229	0.4	1.77	26	580	0.5	< 2	1.96	0.5	19	56	64	3.83	10	< 1	0.24	20	1.20	525	2

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page : 2-A  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : I9520341  
P.O. Number :  
Account : MPO

Project : FINLAYSON  
Comments:

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36841	201 229	0.2	1.74	20	330	< 0.5	< 2	0.95	0.5	21	52	74	4.70	10	< 1	0.15	20	1.28	665	1
T36842	201 229	0.2	1.91	28	350	< 0.5	< 2	2.64	0.5	20	59	87	4.28	10	< 1	0.20	20	1.68	560	< 1
T36843	201 229	< 0.2	1.98	16	470	< 0.5	< 2	3.23	1.5	21	95	76	3.98	10	< 1	0.20	20	1.79	520	1
T36844	201 229	< 0.2	1.95	18	340	< 0.5	< 2	1.70	0.5	19	70	70	4.32	10	< 1	0.20	20	1.53	645	1
T36845	201 229	0.4	1.35	12	710	< 0.5	< 2	2.16	2.0	10	45	64	2.44	< 10	< 1	0.28	10	1.12	475	2
T36846	201 229	0.4	1.27	10	910	< 0.5	< 2	1.44	1.0	9	33	47	2.12	10	< 1	0.28	20	0.74	375	2
T36847	201 229	0.4	1.60	20	530	< 0.5	2	0.47	< 0.5	11	59	43	2.77	10	< 1	0.22	20	0.68	390	2
T36848	201 229	0.8	0.73	4	300	< 0.5	< 2	3.37	0.5	10	27	64	3.26	< 10	< 1	0.15	10	1.13	385	2
T36849	201 229	2.8	1.54	30	390	< 0.5	< 2	6.41	9.5	14	42	366	3.69	< 10	< 1	0.77	10	2.15	395	20
T36850	201 229	0.8	1.50	16	350	< 0.5	< 2	2.80	1.0	20	58	150	4.24	10	< 1	0.22	10	1.68	400	5
T36851	201 229	0.2	1.23	20	460	< 0.5	< 2	0.77	1.0	11	45	54	2.96	10	< 1	0.16	20	0.76	375	2
T36852	201 229	0.2	1.66	18	520	< 0.5	< 2	1.64	1.0	11	44	56	3.01	10	< 1	0.10	20	1.12	445	1
T36853	201 229	< 0.2	1.55	6	500	< 0.5	< 2	0.63	1.5	10	39	17	2.27	10	< 1	0.15	10	0.51	640	2
T36854	201 229	0.4	1.74	8	600	< 0.5	< 2	0.51	0.5	12	44	46	2.92	10	< 1	0.26	20	0.74	410	2
T36855	201 229	0.2	1.47	12	540	< 0.5	2	0.61	0.5	11	37	46	2.62	10	< 1	0.24	20	0.68	410	3
T36856	201 229	< 0.2	1.42	8	460	< 0.5	< 2	0.52	1.0	10	40	27	2.49	< 10	< 1	0.20	10	0.56	350	2
T36857	201 229	0.2	1.59	6	570	< 0.5	< 2	0.65	1.0	10	48	36	2.64	10	< 1	0.21	10	0.69	420	2
T36858	201 229	0.6	1.29	20	600	< 0.5	< 2	1.35	2.0	13	37	73	2.86	10	< 1	0.18	10	0.94	1155	3
T36859	201 229	< 0.2	1.21	2	250	< 0.5	< 2	1.61	0.5	11	51	39	2.47	< 10	< 1	0.09	10	1.13	375	< 1
T36860	201 229	< 0.2	1.66	18	320	< 0.5	< 2	2.32	1.0	21	56	80	4.25	10	< 1	0.15	20	1.46	560	< 1
T36861	201 229	0.2	1.65	6	450	< 0.5	< 2	1.44	1.0	17	54	70	3.94	10	< 1	0.18	20	1.28	485	1
T36862	201 229	0.2	1.61	16	630	< 0.5	< 2	0.76	0.5	10	42	49	2.86	10	< 1	0.17	20	0.68	340	3
T36863	201 229	0.2	1.64	32	470	< 0.5	< 2	1.79	1.0	19	42	83	4.20	10	< 1	0.26	20	0.91	475	1
T36864	201 229	0.2	2.02	22	510	< 0.5	< 2	0.81	0.5	17	58	70	4.24	10	< 1	0.27	20	1.20	465	1
T36865	201 229	< 0.2	1.46	40	310	< 0.5	< 2	0.96	1.0	18	39	45	4.06	10	< 1	0.11	20	0.90	445	1
T36866	201 229	0.8	0.85	< 2	670	< 0.5	< 2	1.78	3.0	6	14	31	1.62	< 10	< 1	0.05	< 10	0.31	290	2
T36867	201 229	0.2	1.58	16	280	< 0.5	< 2	0.32	0.5	8	44	28	2.74	10	< 1	0.18	20	0.78	215	2
T36868	201 229	< 0.2	1.71	22	490	< 0.5	< 2	0.50	0.5	10	49	38	3.28	10	< 1	0.14	20	0.73	170	3
T36869	201 229	< 0.2	0.44	< 2	300	< 0.5	4	2.90	0.5	2	12	34	0.46	< 10	< 1	0.03	< 10	0.52	130	< 1
T36870	201 229	0.2	1.82	24	610	< 0.5	< 2	2.37	1.0	14	47	69	3.45	10	< 1	0.29	10	1.53	440	1
T36871	201 229	0.2	1.33	4	730	< 0.5	4	1.31	1.0	11	37	47	2.42	< 10	< 1	0.17	10	0.72	480	< 1
T36872	201 229	0.2	0.46	< 2	260	< 0.5	< 2	0.43	< 0.5	1	6	12	0.55	< 10	< 1	0.07	< 10	0.10	40	< 1
T36873	201 229	0.2	1.53	8	590	< 0.5	4	0.45	0.5	10	52	33	2.64	10	< 1	0.19	20	0.76	420	2
T36874	201 229	0.4	1.65	8	600	< 0.5	< 2	0.87	1.0	10	61	49	2.84	10	< 1	0.31	20	1.01	410	2
T36875	201 229	0.2	1.42	6	450	< 0.5	< 2	1.44	0.5	10	51	56	2.30	< 10	< 1	0.21	10	0.68	370	1
T36876	201 229	0.4	1.10	< 2	470	< 0.5	< 2	1.22	1.5	8	22	25	1.75	< 10	< 1	0.17	10	0.50	1000	3
T36877	201 229	0.4	1.69	12	1010	< 0.5	< 2	1.13	2.0	16	40	102	2.63	10	< 1	0.13	20	0.56	1065	2
T36878	201 229	0.6	1.46	12	520	< 0.5	< 2	0.53	2.0	10	52	48	2.82	< 10	< 1	0.20	20	0.59	395	7
T36879	201 229	0.2	1.32	4	380	< 0.5	< 2	0.29	1.0	8	43	26	2.34	< 10	< 1	0.18	20	0.49	255	3
T36880	201 229	0.4	1.48	8	490	< 0.5	2	0.79	0.5	12	67	40	2.97	< 10	< 1	0.15	10	0.74	425	2

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page Number : 2-B  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
T36841	201	229	0.01	59	1250	16	2	8	41	0.04	< 10	< 10	66	10	110
T36842	201	229	0.01	59	1360	12	< 2	9	91	0.04	< 10	< 10	83	10	120
T36843	201	229	0.01	76	1310	12	2	8	83	0.06	< 10	< 10	82	10	120
T36844	201	229	0.01	62	1140	18	2	8	57	0.09	< 10	< 10	75	10	124
T36845	201	229	0.01	48	1760	10	4	4	77	0.03	< 10	< 10	71	< 10	176
T36846	201	229	0.02	40	1800	16	2	4	69	0.02	< 10	< 10	78	< 10	144
T36847	201	229	0.01	48	1140	14	4	6	27	0.04	< 10	< 10	75	< 10	128
T36848	201	229	0.01	55	490	24	2	5	62	0.01	< 10	< 10	31	10	92
T36849	201	229	< 0.01	133	>10000	26	8	4	150	0.02	< 10	< 10	150	20	772
T36850	201	229	< 0.01	75	3810	12	6	4	84	0.01	< 10	< 10	61	10	112
T36851	201	229	0.01	52	2300	12	2	5	45	0.04	< 10	< 10	65	< 10	150
T36852	201	229	0.01	41	1120	14	2	6	60	0.02	< 10	< 10	48	10	112
T36853	201	229	0.01	21	630	14	< 2	3	33	0.03	< 10	< 10	68	< 10	256
T36854	201	229	0.01	49	790	16	< 2	6	31	0.04	< 10	< 10	72	< 10	118
T36855	201	229	0.01	44	1100	12	4	4	39	0.02	< 10	< 10	77	< 10	152
T36856	201	229	0.01	31	630	12	2	3	25	0.02	< 10	< 10	65	< 10	178
T36857	201	229	0.01	42	980	16	< 2	4	32	0.03	< 10	< 10	74	< 10	144
T36858	201	229	0.01	75	1890	14	2	4	62	0.03	< 10	< 10	69	< 10	204
T36859	201	229	0.02	35	890	6	< 2	5	68	0.05	< 10	< 10	48	< 10	68
T36860	201	229	0.01	64	1480	6	4	7	72	0.05	< 10	< 10	65	10	110
T36861	201	229	0.01	55	1370	12	2	7	58	0.06	< 10	< 10	61	10	104
T36862	201	229	0.01	41	1780	14	2	3	34	0.03	< 10	< 10	81	< 10	162
T36863	201	229	0.02	56	720	14	2	7	52	0.03	< 10	< 10	58	10	100
T36864	201	229	0.01	61	1400	14	2	8	41	0.03	< 10	< 10	78	< 10	136
T36865	201	229	0.02	40	930	14	< 2	7	37	0.02	< 10	< 10	43	< 10	88
T36866	201	229	0.02	21	1280	2	4	1	121	0.01	< 10	< 10	24	< 10	44
T36867	201	229	0.01	25	1400	10	4	3	20	0.03	< 10	< 10	77	< 10	130
T36868	201	229	< 0.01	38	1490	16	2	4	27	0.04	< 10	< 10	79	< 10	166
T36869	201	229	0.04	15	540	< 2	< 2	< 1	139	0.01	< 10	< 10	12	< 10	38
T36870	201	229	0.01	52	1450	14	4	7	79	0.07	< 10	< 10	82	10	126
T36871	201	229	0.01	46	580	10	4	4	61	0.02	< 10	< 10	52	< 10	92
T36872	201	229	0.09	10	240	< 2	< 2	< 1	23	0.01	< 10	< 10	19	< 10	26
T36873	201	229	0.01	41	800	16	2	5	26	0.03	< 10	< 10	66	< 10	112
T36874	201	229	0.01	60	1280	14	2	6	48	0.03	< 10	< 10	80	< 10	178
T36875	201	229	0.01	60	540	6	2	5	59	0.03	< 10	< 10	61	< 10	96
T36876	201	229	0.02	24	1070	14	2	3	60	0.01	< 10	< 10	54	< 10	144
T36877	201	229	0.02	58	850	16	2	6	55	0.02	< 10	< 10	71	< 10	182
T36878	201	229	0.01	57	1190	16	4	4	29	0.03	< 10	< 10	119	< 10	358
T36879	201	229	< 0.01	35	860	10	4	3	18	0.03	< 10	< 10	67	< 10	146
T36880	201	229	< 0.01	53	1480	12	< 2	6	37	0.03	< 10	< 10	68	< 10	168

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page : 3-A  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36881	201 229	0.2	1.72	18	420	< 0.5	< 2	0.81	1.0	15	49	59	3.45	10	< 1	0.24	20	1.18	510	2
T36882	201 229	< 0.2	2.32	18	310	< 0.5	< 2	0.60	0.5	23	53	86	5.29	10	< 1	0.35	30	1.36	420	1
T36883	201 229	< 0.2	2.57	28	340	< 0.5	< 2	1.26	0.5	21	78	92	5.13	10	< 1	0.19	20	1.71	685	1
T36884	201 229	0.4	1.96	26	560	< 0.5	< 2	0.75	1.5	17	61	65	4.37	10	< 1	0.27	20	1.06	510	5
T36885	201 229	0.6	1.58	4	650	< 0.5	2	1.57	3.0	12	49	101	2.85	10	< 1	0.19	10	1.05	450	1
T36886	201 229	1.4	2.47	50	490	< 0.5	< 2	2.65	0.5	11	62	331	3.96	10	< 1	0.58	20	0.28	90	42
T36887	201 229	0.6	0.84	4	190	< 0.5	2	0.69	0.5	7	20	32	1.66	< 10	< 1	0.13	10	0.33	355	3
T36888	201 229	0.2	1.46	4	370	< 0.5	< 2	1.62	1.0	10	32	48	2.58	10	< 1	0.10	20	1.05	660	1
T36889	201 229	< 0.2	1.31	26	250	< 0.5	< 2	1.86	1.0	11	45	40	2.54	< 10	< 1	0.15	10	1.15	325	1
T36890	201 229	0.2	1.79	130	200	< 0.5	< 2	1.10	0.5	11	43	63	2.92	10	< 1	0.25	30	1.72	200	< 1
T36891	201 229	< 0.2	0.99	12	250	< 0.5	2	2.64	0.5	6	24	35	1.40	< 10	< 1	0.13	< 10	1.04	205	< 1
T36892	201 229	0.4	1.59	14	780	< 0.5	< 2	1.90	2.0	10	44	65	2.76	10	< 1	0.34	10	1.03	390	4
T36893	201 229	0.4	0.58	4	330	< 0.5	< 2	1.00	5.5	4	15	20	1.17	< 10	< 1	0.08	< 10	0.21	390	3
T36894	201 229	0.4	0.97	8	330	< 0.5	< 2	0.60	0.5	12	37	44	2.20	< 10	< 1	0.14	20	0.53	305	3
T36895	201 229	< 0.2	2.30	6	330	< 0.5	< 2	0.20	1.0	27	62	104	5.98	10	< 1	0.11	20	1.04	325	7
T36896	201 229	2.2	1.03	18	340	< 0.5	< 2	5.48	3.5	10	33	298	2.53	< 10	< 1	0.44	10	1.68	245	15
T36897	201 229	2.2	0.35	54	560	< 0.5	< 2	0.30	0.5	9	9	110	2.54	< 10	< 1	0.09	10	0.11	220	38
T36898	201 229	< 0.2	1.52	36	280	< 0.5	< 2	0.78	0.5	33	82	179	8.01	10	< 1	0.21	20	1.18	1045	1
T36899	201 229	0.2	0.26	< 2	90	< 0.5	< 2	>15.00	1.5	6	10	17	0.46	< 10	< 1	0.04	< 10	0.48	1030	< 1
T36900	201 229	2.0	1.47	22	620	< 0.5	< 2	2.01	2.0	13	42	148	3.16	10	< 1	0.24	10	1.19	335	12
T36901	-- --	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
T36902	201 229	0.2	1.24	20	340	< 0.5	< 2	1.77	1.5	14	36	78	3.35	10	< 1	0.14	10	0.91	595	4
T36903	201 229	0.2	1.24	30	470	< 0.5	< 2	3.87	1.0	15	43	54	3.01	< 10	< 1	0.15	20	1.04	455	1
T36904	201 229	0.2	1.02	64	260	< 0.5	2	0.80	1.5	26	29	105	4.94	10	< 1	0.13	30	0.55	835	1
T36905	201 229	0.8	1.59	14	320	< 0.5	< 2	0.85	1.0	15	51	51	3.66	10	< 1	0.12	20	1.07	425	2
T36906	201 229	< 0.2	1.51	28	660	< 0.5	2	0.50	0.5	13	44	53	3.47	10	< 1	0.13	20	0.73	415	1
T36907	201 229	0.4	1.70	18	580	< 0.5	< 2	1.05	1.0	15	48	62	3.52	10	< 1	0.23	20	0.92	405	1
T36908	201 229	1.6	1.05	34	510	< 0.5	< 2	0.67	1.5	14	24	88	2.94	< 10	< 1	0.20	10	0.30	480	23
T36909	201 229	2.2	1.03	106	290	< 0.5	< 2	1.42	1.5	12	28	277	3.28	< 10	< 1	0.29	10	0.29	315	28
T36910	201 229	1.6	1.53	16	470	< 0.5	< 2	2.22	1.0	10	34	316	3.20	10	< 1	0.21	20	0.31	115	8
T36911	201 229	0.6	1.37	12	690	< 0.5	< 2	1.49	1.5	10	45	67	2.65	< 10	< 1	0.22	10	0.93	455	2
T36912	201 229	0.4	1.36	12	640	< 0.5	< 2	0.57	0.5	12	35	69	3.19	10	< 1	0.20	20	0.58	340	5
T36913	201 229	0.2	1.71	20	360	< 0.5	< 2	1.78	1.0	22	71	104	4.43	10	< 1	0.14	20	0.97	490	3
T36914	201 229	1.6	0.91	54	380	< 0.5	4	5.51	4.5	20	22	220	6.30	< 10	< 1	0.11	< 10	3.19	815	31
T36915	201 229	0.6	0.50	8	300	< 0.5	< 2	0.37	< 0.5	9	11	49	3.99	< 10	< 1	0.07	20	0.13	680	3
T36916	201 229	2.6	0.77	14	190	< 0.5	< 2	3.23	1.0	9	21	228	2.45	< 10	< 1	0.33	10	0.86	440	8
T36917	201 229	1.4	1.47	24	470	< 0.5	< 2	3.05	1.5	13	41	121	2.96	< 10	< 1	0.23	10	1.06	365	8
T36918	201 229	0.8	0.97	16	390	< 0.5	< 2	3.29	1.5	10	34	127	2.52	< 10	< 1	0.22	10	1.30	335	9
T36919	201 229	0.4	1.58	14	720	< 0.5	2	1.05	1.5	10	43	70	2.74	10	< 1	0.22	10	0.88	335	4
T36920	201 229	< 0.2	1.09	14	350	< 0.5	< 2	0.73	0.5	11	35	43	2.61	< 10	< 1	0.11	20	0.62	260	1

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page : 3-B  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9520341

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
T36881	201	229	0.01	53	1500	14	< 2	7	43	0.06	< 10	< 10	76	< 10	128
T36882	201	229	0.01	50	390	12	2	12	30	0.10	< 10	< 10	111	10	68
T36883	201	229	0.02	38	640	8	< 2	15	80	< 0.01	< 10	< 10	95	10	92
T36884	201	229	0.01	56	1590	22	< 2	7	46	0.04	< 10	< 10	96	10	222
T36885	201	229	0.01	75	1460	14	4	6	67	0.04	< 10	< 10	75	< 10	200
T36886	201	229	< 0.01	129	>10000	44	14	6	104	< 0.01	< 10	< 10	472	10	470
T36887	201	229	0.03	15	2610	6	2	2	30	0.01	< 10	< 10	47	< 10	52
T36888	201	229	0.02	36	1130	12	2	3	59	0.02	< 10	< 10	41	< 10	108
T36889	201	229	0.01	36	1370	8	2	4	75	0.08	< 10	< 10	55	< 10	120
T36890	201	229	0.01	34	880	20	4	5	46	0.14	< 10	< 10	44	< 10	90
T36891	201	229	0.02	22	610	2	4	2	163	0.05	< 10	< 10	27	< 10	44
T36892	201	229	0.01	51	1470	12	6	5	82	0.03	< 10	< 10	84	< 10	188
T36893	201	229	0.04	14	750	4	2	1	48	0.01	< 10	< 10	51	< 10	208
T36894	201	229	0.02	41	930	6	2	3	24	0.02	< 10	< 10	52	< 10	188
T36895	201	229	0.01	101	630	20	< 2	4	24	< 0.01	< 10	< 10	78	< 10	278
T36896	201	229	< 0.01	76	>10000	18	8	4	148	< 0.01	< 10	< 10	111	10	410
T36897	201	229	< 0.01	73	700	52	42	2	31	< 0.01	< 10	< 10	71	< 10	44
T36898	201	229	< 0.01	82	1550	4	2	22	51	0.01	< 10	< 10	77	10	104
T36899	201	229	0.02	111	260	< 2	< 2	1	193	< 0.01	< 10	10	11	10	452
T36900	201	229	0.01	79	2280	22	8	6	70	0.03	< 10	< 10	92	10	228
T36901	--	--	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.	miss.
T36902	201	229	0.01	46	1780	22	2	4	50	0.04	< 10	< 10	63	10	174
T36903	201	229	0.01	50	1250	8	2	4	82	0.03	< 10	< 10	46	10	118
T36904	201	229	0.01	65	1350	24	2	6	35	0.01	< 10	< 10	38	10	130
T36905	201	229	0.01	44	1530	12	2	9	36	0.08	< 10	< 10	72	10	172
T36906	201	229	0.01	52	1110	12	2	6	34	0.03	< 10	< 10	59	< 10	104
T36907	201	229	0.02	57	1320	12	2	7	54	0.03	< 10	< 10	66	< 10	134
T36908	201	229	< 0.01	102	1830	26	20	3	31	< 0.01	< 10	< 10	175	< 10	160
T36909	201	229	< 0.01	115	5470	32	22	4	54	0.01	< 10	< 10	184	< 10	262
T36910	201	229	0.01	78	8750	14	2	3	98	< 0.01	< 10	< 10	71	< 10	538
T36911	201	229	0.01	58	1400	12	6	4	60	0.02	< 10	< 10	68	< 10	172
T36912	201	229	< 0.01	58	1040	16	2	5	36	0.01	< 10	< 10	76	< 10	198
T36913	201	229	< 0.01	99	1160	14	2	9	42	0.02	< 10	< 10	71	10	388
T36914	201	229	0.01	138	1470	24	14	2	102	< 0.01	< 10	< 10	130	30	588
T36915	201	229	0.01	35	970	24	6	4	17	< 0.01	< 10	< 10	15	< 10	34
T36916	201	229	< 0.01	63	8490	24	8	3	102	< 0.01	< 10	< 10	56	< 10	168
T36917	201	229	0.02	63	2950	14	4	5	83	0.03	< 10	< 10	87	10	168
T36918	201	229	0.01	57	5280	16	6	3	96	0.03	< 10	< 10	77	10	168
T36919	201	229	0.02	49	1630	16	4	5	57	0.03	< 10	< 10	81	< 10	152
T36920	201	229	0.03	40	1150	< 2	< 2	3	35	0.03	< 10	< 10	45	< 10	86

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page : 4-A  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T36921	201	229	0.2	1.31	30	430	< 0.5	< 2	0.60	1.0	13	50	52	3.13	10	< 1	0.11	20	0.90	395	2
T36922	201	229	4.2	0.60	30	320	< 0.5	2	0.42	< 0.5	6	15	118	2.49	< 10	< 1	0.20	10	0.14	120	34
T36923	201	229	0.2	2.34	44	630	< 0.5	< 2	2.60	1.5	22	122	93	4.45	10	< 1	0.27	10	2.27	565	4
T36924	201	229	0.4	1.19	14	690	< 0.5	< 2	1.27	1.0	9	32	58	2.30	< 10	< 1	0.21	10	0.75	350	3
T36925	201	229	0.4	1.15	12	560	< 0.5	2	1.58	1.5	11	32	55	2.34	< 10	< 1	0.19	10	0.76	430	3
T36926	201	229	0.6	1.01	14	490	< 0.5	4	1.80	1.0	8	25	46	2.01	< 10	< 1	0.19	10	0.55	245	4
T36927	201	229	0.4	1.44	18	630	< 0.5	< 2	2.49	1.5	11	35	57	2.71	10	< 1	0.25	10	1.03	360	4
T36928	201	229	0.4	0.97	16	610	< 0.5	< 2	1.28	1.5	14	32	41	2.49	< 10	< 1	0.20	10	0.73	800	7
T36929	201	229	0.4	1.32	12	780	< 0.5	< 2	2.16	1.5	9	33	57	2.35	10	< 1	0.27	10	0.81	360	4
T36930	201	229	0.8	1.40	18	600	< 0.5	< 2	1.44	1.0	11	40	122	2.76	< 10	< 1	0.21	10	0.78	360	3
T36931	201	229	0.2	2.24	68	220	< 0.5	< 2	1.54	0.5	13	50	53	3.47	10	< 1	0.15	20	2.03	385	< 1
T36932	201	229	0.2	1.68	28	340	< 0.5	< 2	1.43	1.5	13	55	53	3.17	10	< 1	0.22	20	1.40	415	1
T36933	201	229	0.6	2.03	24	390	< 0.5	< 2	0.91	< 0.5	15	72	118	3.87	10	< 1	0.25	20	1.05	550	6
T36934	201	229	0.2	1.86	36	740	< 0.5	< 2	3.37	1.0	15	59	73	3.57	10	< 1	0.28	10	1.42	530	1
T36935	201	229	0.2	1.97	24	650	< 0.5	< 2	2.90	1.5	18	61	78	3.80	10	< 1	0.28	20	1.67	480	2
T36936	201	229	0.6	1.20	8	690	< 0.5	< 2	1.35	2.0	8	28	71	2.46	< 10	< 1	0.22	10	0.65	300	6
T36937	201	229	0.2	1.32	18	730	< 0.5	< 2	2.24	1.0	11	32	54	2.75	< 10	< 1	0.22	10	1.00	380	3
T36938	201	229	1.4	0.78	26	370	< 0.5	< 2	2.34	0.5	10	18	105	2.53	< 10	< 1	0.20	10	0.32	390	14
T36939	201	229	< 0.2	1.37	8	580	< 0.5	< 2	1.94	1.0	15	46	54	3.30	< 10	< 1	0.17	10	1.23	420	2
T36940	201	229	5.2	1.17	32	290	< 0.5	2	2.25	2.0	15	32	505	4.65	< 10	< 1	0.30	10	0.54	460	16
T36941	201	229	1.8	1.41	20	200	< 0.5	2	1.77	1.5	15	33	248	4.02	10	< 1	0.27	10	0.34	200	17
T36942	201	229	1.0	1.95	32	530	< 0.5	< 2	2.70	1.0	18	51	119	4.09	10	< 1	0.26	20	1.60	535	4
T36943	201	229	0.2	1.85	32	510	< 0.5	< 2	0.47	< 0.5	16	59	116	4.39	10	< 1	0.21	20	1.11	450	7
T36944	201	229	0.2	1.97	28	790	< 0.5	< 2	3.70	1.5	14	54	60	3.34	10	< 1	0.32	20	1.53	430	2
T36945	201	229	1.4	1.19	28	340	< 0.5	< 2	1.71	1.0	14	41	129	3.53	10	< 1	0.18	20	1.01	500	7
T36946	201	229	0.8	1.23	20	360	< 0.5	2	1.87	1.0	17	37	87	3.33	< 10	< 1	0.20	10	0.85	425	4
T36947	201	229	0.2	1.96	14	730	< 0.5	< 2	0.91	1.0	15	47	46	3.90	10	< 1	0.19	20	0.92	715	1
T36948	201	229	0.6	1.04	6	640	< 0.5	< 2	1.25	1.5	10	23	38	1.90	< 10	< 1	0.08	10	0.38	430	1
T36949	201	229	2.0	0.48	18	220	< 0.5	< 2	1.98	0.5	8	11	75	2.10	< 10	< 1	0.10	10	0.31	215	10
T36950	201	229	0.4	0.81	8	180	< 0.5	2	0.45	0.5	3	17	27	1.36	< 10	< 1	0.07	10	0.24	55	8
T36951	201	229	0.2	1.61	22	740	< 0.5	< 2	2.43	1.0	12	43	65	3.17	< 10	< 1	0.24	10	1.25	395	2
T36952	201	229	1.0	1.37	14	720	< 0.5	< 2	1.65	1.0	12	42	83	2.83	10	< 1	0.21	10	1.02	405	7
T36953	201	229	3.0	1.27	6	510	< 0.5	< 2	1.82	4.0	10	27	72	2.54	10	< 1	0.14	10	0.39	220	6
T36954	201	229	0.4	1.25	< 2	200	< 0.5	< 2	2.54	1.5	25	65	94	4.89	10	< 1	0.19	20	1.22	535	5
T36955	201	229	0.4	1.28	12	390	< 0.5	< 2	1.80	1.5	13	44	75	3.00	10	< 1	0.18	10	1.15	405	3
T36956	201	229	0.4	1.17	8	470	< 0.5	2	1.49	2.0	11	42	53	2.50	10	< 1	0.21	20	0.97	345	3
T36957	201	229	0.8	1.42	16	740	< 0.5	< 2	1.39	1.0	10	32	87	2.41	10	< 1	0.33	10	0.65	365	4
T36958	201	229	0.2	2.04	4	240	< 0.5	< 2	1.22	0.5	17	45	54	3.60	10	< 1	0.15	30	1.38	300	1
T36959	201	229	0.2	1.72	20	310	< 0.5	< 2	1.14	0.5	14	64	60	3.34	10	< 1	0.18	20	1.26	435	2
T36960	201	229	0.2	1.02	8	490	< 0.5	< 2	1.29	0.5	8	32	30	1.62	< 10	< 1	0.12	< 10	0.59	215	< 1

CERTIFICATION: Hank Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 4-B  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

Project : FINLAYSON  
Comments:

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
T36921	201	229	0.01	53	1340	10	< 2	4	33	0.03	< 10	< 10	52	< 10	108
T36922	201	229	0.01	63	3370	36	10	2	75	< 0.01	< 10	< 10	137	< 10	94
T36923	201	229	0.01	88	1690	18	2	9	100	0.08	< 10	< 10	102	10	148
T36924	201	229	0.02	45	1600	12	2	4	67	0.02	< 10	< 10	66	< 10	166
T36925	201	229	0.01	41	1790	12	2	4	74	0.03	< 10	< 10	64	< 10	144
T36926	201	229	0.01	42	2350	16	4	3	66	0.02	< 10	< 10	73	< 10	242
T36927	201	229	0.01	48	1270	12	4	4	86	0.02	< 10	< 10	64	10	148
T36928	201	229	0.01	48	1730	14	2	3	61	0.02	< 10	< 10	69	< 10	160
T36929	201	229	0.01	45	1630	14	6	4	86	0.02	< 10	< 10	82	10	180
T36930	201	229	0.02	62	1590	14	4	4	66	0.03	< 10	< 10	72	< 10	128
T36931	201	229	0.01	40	980	8	< 2	6	51	0.06	< 10	< 10	44	10	104
T36932	201	229	0.01	47	1540	14	2	6	67	0.08	< 10	< 10	76	10	178
T36933	201	229	0.01	74	3040	14	4	8	39	0.08	< 10	< 10	97	10	130
T36934	201	229	0.01	47	1370	16	2	8	110	0.05	< 10	< 10	84	10	128
T36935	201	229	0.01	62	1330	14	2	7	101	0.06	< 10	< 10	83	10	134
T36936	201	229	0.01	46	1630	14	6	4	69	0.01	< 10	< 10	74	< 10	178
T36937	201	229	0.01	45	1230	14	2	4	85	0.01	< 10	< 10	60	< 10	154
T36938	201	229	< 0.01	53	7330	22	8	2	68	< 0.01	< 10	< 10	124	< 10	154
T36939	201	229	0.01	49	1380	10	< 2	5	74	0.04	< 10	< 10	61	10	106
T36940	201	229	< 0.01	165	7490	24	16	6	66	< 0.01	< 10	< 10	94	10	378
T36941	201	229	0.01	150	7130	20	14	3	52	< 0.01	< 10	< 10	130	< 10	438
T36942	201	229	0.01	64	1900	16	4	9	96	0.10	< 10	< 10	109	10	150
T36943	201	229	0.01	72	1160	20	4	9	30	0.06	< 10	< 10	95	< 10	136
T36944	201	229	0.01	56	1180	8	4	6	114	0.02	< 10	< 10	79	10	140
T36945	201	229	0.01	72	3300	18	6	7	64	0.04	< 10	< 10	85	10	160
T36946	201	229	0.02	57	1810	14	4	6	59	0.03	< 10	< 10	67	10	128
T36947	201	229	0.01	46	680	14	2	7	40	0.03	< 10	< 10	79	10	134
T36948	201	229	0.02	22	740	12	< 2	2	45	0.02	< 10	< 10	56	< 10	150
T36949	201	229	< 0.01	54	4250	22	14	1	81	< 0.01	< 10	< 10	69	< 10	100
T36950	201	229	0.02	14	1450	6	2	< 1	23	< 0.01	< 10	< 10	48	< 10	76
T36951	201	229	0.01	42	1380	10	< 2	6	95	0.04	< 10	< 10	79	10	154
T36952	201	229	0.01	60	2370	8	6	5	60	0.02	< 10	< 10	75	< 10	180
T36953	201	229	0.01	36	5450	16	4	3	70	0.01	< 10	< 10	93	< 10	344
T36954	201	229	< 0.01	68	1680	14	4	6	72	0.01	< 10	< 10	52	10	126
T36955	201	229	0.01	51	1810	12	4	4	61	0.02	< 10	< 10	68	< 10	200
T36956	201	229	0.01	50	1830	10	4	4	61	0.04	< 10	< 10	84	< 10	224
T36957	201	229	0.01	48	2700	12	4	4	65	0.01	< 10	< 10	88	< 10	178
T36958	201	229	< 0.01	47	1240	4	4	4	42	0.01	< 10	< 10	49	< 10	120
T36959	201	229	0.01	56	1480	6	< 2	7	63	0.04	< 10	< 10	73	< 10	140
T36960	201	229	0.03	24	660	4	2	2	63	0.02	< 10	< 10	49	< 10	62

*Hant Bichler*

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 5-A  
Total Pages : 7  
Certificate Date : 05-JUL-95  
Invoice No. : I9520341  
P.O. Number :  
Account : MPO

Project : FINLAYSON  
Comments :

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T36961	201	229	0.2	1.35	14	590	< 0.5	< 2	2.06	1.0	12	35	62	2.90	10	< 1	0.22	20	0.92	410	2
T36962	201	229	0.6	1.10	26	300	< 0.5	< 2	0.98	1.0	13	36	55	2.36	< 10	< 1	0.13	10	0.61	550	8
T36963	201	229	1.2	0.79	34	160	< 0.5	< 2	0.47	2.0	8	14	201	2.46	< 10	< 1	0.08	10	0.15	190	25
T36964	201	229	2.2	0.92	38	320	< 0.5	< 2	1.64	< 0.5	13	24	165	3.82	< 10	< 1	0.18	10	0.16	600	23
T36965	201	229	4.8	0.87	48	330	< 0.5	< 2	1.16	0.5	14	17	155	3.64	10	< 1	0.10	20	0.14	240	31
T36966	201	229	2.6	0.34	16	130	< 0.5	< 2	0.21	< 0.5	3	7	29	1.44	< 10	< 1	0.08	20	0.07	45	12
T36967	201	229	0.4	1.19	14	510	< 0.5	< 2	1.31	0.5	10	24	31	2.34	10	< 1	0.17	10	0.53	215	1
T36968	201	229	0.2	1.96	16	490	< 0.5	< 2	3.11	1.0	12	43	50	3.00	10	< 1	0.27	20	1.24	370	2
T36969	201	229	0.2	2.25	840	340	< 0.5	< 2	0.72	1.0	19	56	73	4.41	10	< 1	0.22	20	1.61	510	2
T36970	201	229	0.2	2.18	34	540	< 0.5	< 2	1.01	1.0	19	75	130	4.32	10	< 1	0.26	20	1.28	555	2
T36971	201	229	< 0.2	1.88	14	280	< 0.5	< 2	0.58	0.5	14	48	54	3.86	10	< 1	0.12	30	1.27	450	1
T36972	201	229	0.2	1.47	38	270	< 0.5	< 2	1.90	0.5	13	42	46	2.86	10	< 1	0.10	30	1.09	490	< 1
T36973	201	229	0.2	1.49	14	520	< 0.5	< 2	0.68	0.5	11	44	45	2.78	10	< 1	0.18	20	0.78	340	2
T36974	201	229	1.0	1.51	8	650	< 0.5	< 2	2.46	1.5	12	40	137	2.94	10	< 1	0.40	20	1.30	360	6
T36975	201	229	2.0	1.91	22	840	< 0.5	< 2	1.59	0.5	8	34	125	2.49	10	< 1	0.17	20	0.41	275	4
T36976	201	229	1.6	2.13	24	620	< 0.5	< 2	1.15	2.0	13	61	151	3.49	10	< 1	0.29	20	0.82	355	9
T36977	201	229	8.6	1.72	10	450	< 0.5	< 2	1.24	6.5	3	39	43	2.99	10	< 1	0.31	10	0.20	70	5
T36978	201	229	1.6	1.05	18	280	< 0.5	< 2	1.10	2.0	11	24	72	2.63	10	< 1	0.16	20	0.34	540	17
T36979	201	229	3.6	1.04	14	460	< 0.5	< 2	0.75	0.5	10	22	50	1.98	10	< 1	0.13	20	0.34	310	8
T36980	201	229	0.8	1.33	16	350	< 0.5	< 2	0.59	3.0	13	33	46	2.96	10	< 1	0.14	20	0.59	440	8
T36981	201	229	0.4	1.86	12	490	< 0.5	< 2	1.02	1.0	18	51	65	4.00	10	< 1	0.22	20	1.08	550	4
T36982	201	229	3.8	0.67	32	650	< 0.5	< 2	6.86	4.0	12	25	228	3.28	< 10	< 1	0.19	10	1.69	360	16
T36983	201	229	0.8	1.23	30	480	< 0.5	< 2	3.18	2.5	14	47	111	3.31	10	< 1	0.22	20	1.32	430	10
T36984	201	229	< 0.2	1.07	22	330	< 0.5	< 2	0.57	< 0.5	11	43	55	2.58	10	< 1	0.14	20	0.64	320	6
T36985	201	229	0.6	1.63	18	810	< 0.5	< 2	0.55	< 0.5	11	37	54	2.69	10	< 1	0.27	20	0.59	430	4
T36986	201	229	3.0	0.44	14	210	< 0.5	< 2	0.06	0.5	2	9	27	1.09	10	< 1	0.14	50	0.07	70	10
T36987	201	229	1.4	1.47	30	410	< 0.5	< 2	1.11	2.0	13	35	168	3.25	10	< 1	0.19	20	0.48	350	19
T36988	201	229	1.6	2.05	34	400	< 0.5	< 2	0.79	4.0	11	48	159	4.14	10	< 1	0.18	20	0.86	190	19
T36989	201	229	2.2	1.05	42	390	< 0.5	< 2	1.38	1.0	12	29	226	3.17	10	< 1	0.23	20	0.36	295	22
T36990	201	229	< 0.2	1.55	4	160	< 0.5	< 2	0.72	0.5	13	25	37	2.80	10	< 1	0.06	30	1.05	230	< 1
T36991	201	229	< 0.2	1.30	42	260	< 0.5	< 2	2.62	0.5	13	37	42	2.93	< 10	< 1	0.11	20	1.05	500	< 1
T36992	201	229	0.2	1.88	16	130	< 0.5	< 2	4.08	0.5	16	34	51	3.32	10	< 1	0.09	30	1.41	350	1
T36993	201	229	< 0.2	3.20	192	890	< 0.5	< 2	1.47	1.5	33	451	144	6.78	20	< 1	0.35	20	3.36	705	1
T36994	201	229	< 0.2	3.40	112	100	< 0.5	< 2	0.52	< 0.5	14	65	54	3.82	20	< 1	0.10	30	4.29	210	< 1
T36995	201	229	< 0.2	2.21	312	220	< 0.5	< 2	0.40	1.0	34	53	87	5.70	10	< 1	0.10	20	1.08	500	1
T36996	201	229	< 0.2	0.55	306	100	< 0.5	< 2	1.00	0.5	32	18	67	5.59	10	< 1	0.07	30	0.38	525	< 1
T36997	201	229	< 0.2	1.63	26	310	< 0.5	< 2	1.33	0.5	15	40	49	3.09	10	< 1	0.13	20	1.15	265	< 1
T36998	201	229	< 0.2	1.67	62	300	< 0.5	< 2	0.55	< 0.5	17	56	39	3.94	10	< 1	0.10	30	1.17	360	1
T36999	201	229	< 0.2	1.79	22	280	< 0.5	< 2	1.30	< 0.5	14	39	50	3.51	10	< 1	0.12	30	1.16	435	1
T37000	201	229	0.6	1.44	18	440	< 0.5	< 2	1.18	0.5	13	36	98	3.16	10	< 1	0.21	20	0.76	640	3

CERTIFICATION:

*David Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON  
Comments:

Page Number: 15-B  
Total Pages: 17  
Certificate Date: 05-JUL-95  
Invoice No.: I9520341  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36961	201 229	0.01	48	1580	12	2	4	75	0.02	< 10	< 10	60	< 10	130
T36962	201 229	0.02	38	3050	8	2	4	37	0.03	< 10	< 10	71	< 10	122
T36963	201 229	< 0.01	56	3080	22	18	< 1	28	< 0.01	< 10	< 10	93	< 10	216
T36964	201 229	0.01	101	8130	30	20	3	70	0.01	< 10	< 10	237	< 10	68
T36965	201 229	< 0.01	115	4470	42	20	4	50	< 0.01	< 10	< 10	198	< 10	378
T36966	201 229	< 0.01	13	480	38	4	1	32	< 0.01	< 10	< 10	68	< 10	8
T36967	201 229	0.01	30	1480	10	2	3	70	0.01	< 10	< 10	62	< 10	160
T36968	201 229	0.01	47	1120	10	2	4	80	0.01	< 10	< 10	68	10	158
T36969	201 229	0.01	49	1150	8	2	9	44	0.03	< 10	< 10	82	< 10	126
T36970	201 229	0.01	67	970	2	2	9	63	0.06	< 10	< 10	112	< 10	162
T36971	201 229	0.01	48	1310	8	< 2	6	31	0.02	< 10	< 10	54	< 10	124
T36972	201 229	0.01	43	1000	6	< 2	4	55	0.02	< 10	< 10	42	< 10	82
T36973	201 229	0.01	47	1460	8	2	6	37	0.03	< 10	< 10	69	< 10	130
T36974	201 229	0.01	64	4730	16	4	4	75	0.02	< 10	< 10	87	< 10	154
T36975	201 229	0.01	46	4990	12	< 2	4	51	0.01	< 10	< 10	145	< 10	108
T36976	201 229	0.01	55	6050	18	6	5	65	0.04	< 10	< 10	167	< 10	242
T36977	201 229	0.01	18	>10000	24	4	3	59	0.02	< 10	< 10	187	< 10	710
T36978	201 229	0.01	54	3610	16	12	2	42	0.02	< 10	< 10	111	< 10	286
T36979	201 229	< 0.01	33	1900	20	6	2	41	0.01	< 10	< 10	79	< 10	134
T36980	201 229	< 0.01	41	2680	18	4	4	32	0.01	< 10	< 10	94	< 10	304
T36981	201 229	0.01	55	1200	6	< 2	7	39	0.03	< 10	< 10	71	< 10	120
T36982	201 229	0.01	84	5460	26	14	3	137	0.01	< 10	< 10	93	10	320
T36983	201 229	0.01	72	2630	12	6	5	71	0.04	< 10	< 10	99	10	248
T36984	201 229	< 0.01	48	1900	8	4	4	30	0.03	< 10	< 10	74	< 10	134
T36985	201 229	0.01	44	1540	16	4	6	41	0.01	< 10	< 10	91	< 10	158
T36986	201 229	< 0.01	11	1070	70	4	1	76	< 0.01	< 10	< 10	76	< 10	38
T36987	201 229	< 0.01	76	5020	22	10	6	45	0.01	< 10	< 10	208	< 10	546
T36988	201 229	< 0.01	67	4520	18	10	6	45	0.03	< 10	< 10	145	< 10	482
T36989	201 229	< 0.01	91	6590	26	12	4	58	0.01	< 10	< 10	184	< 10	260
T36990	201 229	0.01	28	690	8	2	3	35	< 0.01	< 10	< 10	21	< 10	66
T36991	201 229	0.01	34	920	10	< 2	4	79	0.02	< 10	< 10	36	< 10	94
T36992	201 229	< 0.01	35	730	4	< 2	3	86	< 0.01	< 10	< 10	29	10	98
T36993	201 229	< 0.01	108	1100	< 2	< 2	11	69	0.12	< 10	< 10	184	10	116
T36994	201 229	< 0.01	36	840	< 2	< 2	7	34	0.02	< 10	< 10	51	10	84
T36995	201 229	0.01	61	390	2	4	14	30	0.01	< 10	< 10	62	< 10	72
T36996	201 229	< 0.01	77	530	8	6	8	41	< 0.01	< 10	< 10	15	< 10	104
T36997	201 229	0.01	40	920	6	2	6	58	0.02	< 10	< 10	41	< 10	106
T36998	201 229	< 0.01	37	600	8	< 2	8	24	0.07	< 10	< 10	56	< 10	86
T36999	201 229	< 0.01	39	1150	10	< 2	5	44	0.02	< 10	< 10	42	< 10	104
T37000	201 229	0.01	53	2740	16	2	6	48	0.02	< 10	< 10	63	< 10	108

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 6-A  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : 19520341  
P.O. Number :  
Account : MPO

Project : FINLAYSON  
Comments:

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37001	201	229	2.0	0.84	32	230	< 0.5	< 2	1.19	2.0	10	21	117	2.39	10	< 1	0.18	20	0.27	180	24
T37002	201	229	1.6	1.47	46	290	< 0.5	< 2	2.09	0.5	17	28	108	3.84	10	< 1	0.16	20	1.05	365	14
T37003	201	229	0.6	2.09	18	650	< 0.5	< 2	0.64	0.5	20	53	69	4.23	10	< 1	0.31	20	1.01	665	3
T37004	201	229	0.6	1.87	16	600	< 0.5	< 2	1.15	1.0	16	47	71	3.68	10	< 1	0.27	20	1.00	530	3
T37005	201	229	< 0.2	1.78	< 2	290	< 0.5	< 2	1.24	0.5	13	29	37	2.96	10	< 1	0.08	20	1.18	575	< 1
T37006	201	229	< 0.2	1.96	94	520	< 0.5	2	1.02	2.0	22	46	45	7.39	10	< 1	0.14	20	1.23	710	1
T37007	201	229	1.6	1.12	20	270	< 0.5	< 2	0.89	0.5	12	26	71	2.83	10	< 1	0.12	20	0.46	590	15
T37008	201	229	0.2	2.57	6	120	< 0.5	2	1.74	< 0.5	20	38	56	4.13	10	< 1	0.06	40	1.84	335	2
T37009	201	229	< 0.2	3.20	< 2	60	< 0.5	< 2	4.72	< 0.5	15	45	34	3.46	10	< 1	0.03	40	2.75	375	< 1
T37010	201	229	0.2	2.36	< 2	160	< 0.5	4	1.76	0.5	16	35	45	3.53	10	< 1	0.04	40	1.54	235	1
T37011	201	229	0.2	2.22	< 2	60	< 0.5	< 2	1.49	0.5	16	34	86	3.59	20	< 1	0.04	70	1.44	350	< 1
T37012	201	229	4.0	1.56	22	230	< 0.5	< 2	0.48	4.5	12	38	100	3.43	10	< 1	0.17	10	0.48	200	15
T37013	201	229	0.6	1.88	20	550	< 0.5	4	0.67	1.0	15	41	70	3.60	10	< 1	0.28	20	0.78	460	4
T37014	201	229	0.6	1.08	16	680	< 0.5	2	1.63	1.0	9	30	60	2.29	< 10	< 1	0.22	10	0.74	330	8
T37015	201	229	< 0.2	2.22	28	380	< 0.5	< 2	0.62	0.5	21	51	53	4.54	10	< 1	0.12	30	0.76	365	1
T37016	201	229	3.6	0.97	16	260	< 0.5	< 2	1.13	1.5	14	20	73	2.69	10	< 1	0.12	20	0.32	345	16
T37017	201	229	0.8	0.52	20	290	< 0.5	< 2	0.43	< 0.5	7	10	46	2.04	< 10	< 1	0.10	20	0.08	115	26
T37018	201	229	1.4	1.41	12	280	< 0.5	4	1.04	1.0	12	32	145	2.94	10	< 1	0.13	20	0.46	220	19
T37019	201	229	0.2	1.48	12	270	< 0.5	< 2	1.03	0.5	11	34	43	2.76	10	< 1	0.07	20	0.95	335	1
T37020	201	229	< 0.2	2.02	< 2	150	< 0.5	< 2	1.11	< 0.5	15	32	39	3.37	10	< 1	0.04	40	1.37	315	< 1
T37021	201	229	< 0.2	1.48	128	170	< 0.5	< 2	1.32	< 0.5	9	18	44	2.23	10	< 1	0.08	20	0.97	190	< 1
T37022	201	229	0.4	0.82	5220	160	< 0.5	2	1.59	10.0	33	16	195	7.06	10	< 1	0.07	< 10	0.42	1205	< 1
T37023	201	229	0.2	2.03	336	360	< 0.5	2	0.32	0.5	12	64	43	3.46	10	< 1	0.10	20	0.94	285	< 1
T37024	201	229	0.2	1.18	184	190	< 0.5	2	2.62	1.0	18	42	54	3.73	10	< 1	0.09	30	1.03	620	< 1
T37025	201	229	< 0.2	2.23	416	150	< 0.5	< 2	0.21	0.5	15	40	58	4.38	10	< 1	0.03	20	0.56	205	< 1
T37026	201	229	< 0.2	1.98	20	150	< 0.5	2	1.51	< 0.5	13	32	40	3.05	10	< 1	0.07	40	1.31	305	< 1
T37027	201	229	0.2	2.39	8	130	< 0.5	< 2	0.15	0.5	25	38	57	5.10	20	< 1	0.10	60	1.29	390	6
T37028	201	229	0.2	1.14	92	210	< 0.5	< 2	1.07	1.0	30	33	87	6.59	10	< 1	0.06	20	0.59	725	2
T37029	201	229	0.6	1.74	16	350	< 0.5	2	0.72	0.5	12	45	32	3.47	10	< 1	0.16	20	0.87	250	4
T37030	201	229	0.2	1.96	18	620	< 0.5	< 2	2.32	1.0	16	48	63	3.56	10	< 1	0.29	20	1.28	460	2
T37031	201	229	0.4	1.18	20	770	< 0.5	< 2	1.57	1.5	8	31	74	2.64	< 10	< 1	0.22	10	0.77	235	12
T37032	201	229	2.8	1.97	14	310	< 0.5	< 2	0.50	1.5	15	46	147	3.58	10	< 1	0.15	20	0.69	415	16
T37033	201	229	< 0.2	1.99	30	460	< 0.5	< 2	0.43	< 0.5	18	48	76	4.07	10	< 1	0.09	30	1.11	630	1
T37034	201	229	1.8	0.87	42	160	< 0.5	< 2	0.20	< 0.5	11	18	186	3.90	< 10	< 1	0.07	20	0.21	185	28
T37035	201	229	2.0	0.98	38	100	< 0.5	2	0.37	< 0.5	18	22	294	4.46	10	< 1	0.06	40	0.18	135	69
T37036	201	229	0.2	1.51	8	320	< 0.5	< 2	1.02	1.0	9	36	50	2.52	10	< 1	0.15	20	0.98	185	< 1
T37037	201	229	< 0.2	1.95	6	220	< 0.5	< 2	0.60	0.5	14	36	38	3.38	10	< 1	0.07	40	1.31	295	< 1
T37038	201	229	< 0.2	2.47	10	60	< 0.5	< 2	1.55	< 0.5	30	40	50	3.83	20	< 1	0.07	60	1.76	205	1
T37039	201	229	0.6	0.97	8	210	< 0.5	< 2	0.86	1.0	8	24	48	2.38	< 10	< 1	0.08	20	0.56	110	7
T37040	201	229	0.6	1.45	16	270	< 0.5	4	0.90	0.5	14	31	67	3.31	10	< 1	0.12	20	0.82	505	5

CERTIFICATION:

*David Beckler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page : 6-B  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : I9520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37001	201 229	< 0.01	68	4720	20	16	3	45	0.01	< 10	< 10	178	< 10	338
T37002	201 229	0.01	80	2750	22	12	6	58	0.02	< 10	< 10	115	< 10	150
T37003	201 229	0.01	58	1220	8	2	8	34	0.02	< 10	< 10	83	< 10	116
T37004	201 229	0.01	62	1330	6	< 2	6	53	0.03	< 10	< 10	76	< 10	126
T37005	201 229	0.01	32	870	10	2	3	46	0.01	< 10	< 10	26	< 10	84
T37006	201 229	0.01	43	1530	18	4	5	58	0.02	< 10	< 10	55	20	156
T37007	201 229	< 0.01	34	3240	26	6	4	45	0.02	< 10	< 10	101	10	130
T37008	201 229	< 0.01	43	1180	20	< 2	4	49	< 0.01	< 10	< 10	31	10	106
T37009	201 229	< 0.01	30	610	12	4	5	88	< 0.01	< 10	< 10	23	20	78
T37010	201 229	0.01	35	620	14	< 2	4	58	< 0.01	< 10	< 10	32	10	84
T37011	201 229	< 0.01	36	430	24	2	4	42	< 0.01	< 10	< 10	15	10	80
T37012	201 229	0.02	53	2570	24	6	4	27	0.02	< 10	< 10	137	< 10	392
T37013	201 229	0.01	55	1410	22	6	6	39	0.01	< 10	< 10	80	10	158
T37014	201 229	0.01	46	2200	22	6	3	78	0.01	< 10	< 10	75	10	142
T37015	201 229	0.01	49	350	22	2	8	22	0.01	< 10	< 10	69	< 10	90
T37016	201 229	0.01	65	4300	32	8	3	55	0.01	< 10	< 10	109	< 10	54
T37017	201 229	0.01	37	2300	46	8	1	81	< 0.01	< 10	< 10	60	< 10	122
T37018	201 229	< 0.01	54	5100	28	6	3	55	0.01	< 10	< 10	154	< 10	256
T37019	201 229	0.01	34	1050	8	2	4	43	0.01	< 10	< 10	34	< 10	98
T37020	201 229	0.01	32	660	14	< 2	4	31	< 0.01	< 10	< 10	21	10	78
T37021	201 229	0.03	16	720	4	< 2	2	64	0.01	< 10	< 10	25	10	46
T37022	201 229	0.03	23	920	20	8	16	85	0.01	< 10	< 10	46	10	88
T37023	201 229	0.01	43	970	10	< 2	6	22	0.04	< 10	< 10	78	10	82
T37024	201 229	0.01	47	1230	30	6	7	81	0.03	< 10	< 10	38	10	124
T37025	201 229	0.01	23	220	10	2	7	20	0.03	< 10	< 10	136	< 10	66
T37026	201 229	0.02	30	780	16	2	3	47	< 0.01	< 10	< 10	30	10	88
T37027	201 229	< 0.01	68	920	40	4	3	12	< 0.01	< 10	< 10	44	10	102
T37028	201 229	0.01	97	580	24	4	9	63	0.01	< 10	< 10	45	10	174
T37029	201 229	0.01	37	2350	16	6	4	47	0.02	< 10	< 10	68	10	128
T37030	201 229	0.01	51	1230	20	2	6	81	0.02	< 10	< 10	73	10	156
T37031	201 229	0.01	53	2110	24	6	4	71	0.01	< 10	< 10	86	< 10	182
T37032	201 229	< 0.01	68	1970	22	6	5	34	0.02	< 10	< 10	145	10	342
T37033	201 229	0.01	49	450	22	< 2	10	35	0.02	< 10	< 10	60	10	96
T37034	201 229	< 0.01	73	1100	56	8	6	58	< 0.01	< 10	10	87	< 10	28
T37035	201 229	< 0.01	136	1900	74	12	4	24	< 0.01	< 10	< 10	233	< 10	80
T37036	201 229	0.01	37	1130	16	< 2	4	52	0.02	< 10	< 10	47	< 10	124
T37037	201 229	< 0.01	35	1130	14	< 2	4	29	0.01	< 10	< 10	32	10	90
T37038	201 229	< 0.01	36	730	40	< 2	3	49	< 0.01	< 10	< 10	19	10	82
T37039	201 229	0.01	28	3130	16	4	3	37	0.02	< 10	< 10	59	< 10	116
T37040	201 229	0.01	44	2540	18	6	6	39	0.03	< 10	< 10	61	10	124

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page : 17-A  
Total Pages : 7  
Certificate Date: 05-JUL-95  
Invoice No. : I9520341  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37041	201 229	0.2	1.79	6	160	< 0.5	< 2	2.99	0.5	15	26	52	3.14	< 10	< 1	0.07	20	1.38	310	3
T37042	201 229	< 0.2	2.13	2	50	< 0.5	< 2	5.66	< 0.5	21	26	48	3.08	< 10	1	0.03	20	1.41	320	< 1
T37043	201 229	6.4	1.34	60	380	0.5	< 2	0.97	< 0.5	14	23	199	4.06	< 10	< 1	0.19	10	0.17	150	54
T37044	201 229	2.0	0.83	52	380	0.5	< 2	0.09	1.0	15	15	157	4.09	< 10	1	0.10	10	0.05	275	29
T37045	201 229	< 0.2	2.09	26	340	0.5	< 2	0.44	< 0.5	21	59	50	4.60	< 10	< 1	0.08	10	0.73	340	2
T37046	201 229	0.2	2.01	62	520	< 0.5	2	3.18	< 0.5	40	42	137	5.86	< 10	1	0.06	10	1.35	635	1
T37047	201 229	< 0.2	1.01	14	160	< 0.5	< 2	0.55	0.5	23	36	52	5.01	< 10	< 1	0.09	20	0.44	655	5
T37048	201 229	< 0.2	0.34	6	140	< 0.5	< 2	0.87	< 0.5	11	2	25	3.24	< 10	< 1	0.08	20	0.20	320	7
T37049	201 229	2.4	0.66	36	310	< 0.5	< 2	0.30	< 0.5	12	13	124	3.01	< 10	1	0.12	20	0.12	290	31
T37050	201 229	2.4	1.13	48	570	1.0	< 2	0.86	1.0	14	29	387	3.57	< 10	1	0.12	10	0.15	470	50
T37051	201 229	2.2	0.24	66	220	< 0.5	< 2	0.19	< 0.5	11	3	85	7.67	< 10	< 1	0.31	< 10	0.07	55	6
T37052	201 229	< 0.2	2.07	< 2	40	< 0.5	2	7.13	< 0.5	14	26	25	3.10	< 10	< 1	0.03	30	1.60	280	< 1
T37053	201 229	< 0.2	1.77	12	90	< 0.5	2	5.29	< 0.5	17	24	47	3.15	< 10	< 1	0.04	20	1.29	380	2
T37054	201 229	< 0.2	1.25	20	220	< 0.5	< 2	1.79	1.0	15	23	81	3.26	< 10	< 1	0.11	20	0.93	560	7
T37055	201 229	< 0.2	1.65	4	280	< 0.5	< 2	2.66	< 0.5	16	25	51	3.41	< 10	< 1	0.06	20	1.00	340	1
T37056	201 229	< 0.2	0.69	42	90	< 0.5	< 2	4.50	< 0.5	14	12	31	2.94	< 10	< 1	0.10	20	0.52	385	< 1
T37057	201 229	< 0.2	2.12	16	140	< 0.5	2	0.90	< 0.5	17	43	41	3.67	< 10	< 1	0.09	20	1.34	545	< 1
T37058	201 229	< 0.2	2.32	6	130	< 0.5	< 2	0.56	< 0.5	13	38	43	3.58	< 10	< 1	0.07	40	1.46	325	< 1
T37059	201 229	< 0.2	2.63	4	110	< 0.5	2	0.70	< 0.5	16	37	47	3.43	< 10	< 1	0.04	40	1.91	365	< 1
T37060	201 229	0.8	0.83	16	540	< 0.5	< 2	1.41	1.0	8	21	58	2.05	< 10	< 1	0.14	10	0.57	205	7
T37061	201 229	1.2	0.80	26	460	< 0.5	< 2	1.48	1.0	8	19	80	2.35	< 10	< 1	0.15	10	0.61	200	17
T37062	201 229	< 0.2	2.25	< 2	60	< 0.5	< 2	2.28	< 0.5	20	29	36	3.44	< 10	< 1	0.04	30	1.38	335	< 1
T37063	201 229	< 0.2	1.81	12	50	< 0.5	2	5.62	< 0.5	32	27	75	3.69	< 10	< 1	0.03	20	1.18	315	6
T37064	201 229	< 0.2	1.16	22	200	< 0.5	2	3.60	1.0	10	21	74	2.52	< 10	< 1	0.14	10	1.14	290	8
T37065	201 229	0.8	1.41	24	430	< 0.5	< 2	1.92	0.5	15	32	95	3.50	< 10	< 1	0.15	20	0.86	395	3

CERTIFICATION:

*Hart Beckler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 7-B  
 Total Pages : 7  
 Certificate Date: 05-JUL-95  
 Invoice No. : 19520341  
 P.O. Number :  
 Account : MPO

Project : FINLAYSON  
 Comments:

## CERTIFICATE OF ANALYSIS A9520341

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37041	201 229	< 0.01	40	1510	16	58	3	64	0.01	< 10	< 10	34	< 10	106
T37042	201 229	< 0.01	31	550	16	< 2	2	108	< 0.01	< 10	< 10	15	< 10	74
T37043	201 229	< 0.01	107	5120	74	32	4	89	< 0.01	< 10	< 10	174	< 10	62
T37044	201 229	< 0.01	112	2530	56	18	2	80	< 0.01	< 10	< 10	107	< 10	84
T37045	201 229	0.01	68	390	12	< 2	9	19	< 0.01	< 10	< 10	67	< 10	68
T37046	201 229	< 0.01	74	1420	2	< 2	9	52	< 0.01	< 10	< 10	61	< 10	66
T37047	201 229	< 0.01	58	1180	12	< 2	8	23	0.02	< 10	< 10	51	< 10	126
T37048	201 229	< 0.01	20	820	10	< 2	2	23	< 0.01	< 10	< 10	4	< 10	58
T37049	201 229	< 0.01	77	1860	52	18	2	40	< 0.01	< 10	< 10	77	< 10	78
T37050	201 229	< 0.01	177	3190	36	14	10	47	< 0.01	< 10	< 10	513	< 10	832
T37051	201 229	< 0.01	38	880	34	< 2	2	104	< 0.01	< 10	< 10	20	< 10	202
T37052	201 229	< 0.01	27	440	8	< 2	3	115	< 0.01	< 10	< 10	13	< 10	74
T37053	201 229	< 0.01	35	1150	8	< 2	3	93	< 0.01	< 10	< 10	22	< 10	94
T37054	201 229	< 0.01	54	2760	16	2	4	49	0.03	< 10	< 10	64	< 10	150
T37055	201 229	< 0.01	38	1340	10	< 2	3	74	< 0.01	< 10	< 10	25	< 10	66
T37056	201 229	< 0.01	30	590	6	< 2	4	67	< 0.01	< 10	< 10	13	< 10	58
T37057	201 229	0.01	41	650	12	< 2	5	32	0.01	< 10	< 10	31	< 10	102
T37058	201 229	< 0.01	35	430	12	< 2	6	23	< 0.01	< 10	< 10	26	< 10	72
T37059	201 229	< 0.01	33	950	10	< 2	4	28	< 0.01	< 10	< 10	22	< 10	70
T37060	201 229	< 0.01	44	2150	16	2	2	54	0.01	< 10	< 10	59	< 10	124
T37061	201 229	< 0.01	53	2130	24	8	2	62	0.01	< 10	< 10	82	< 10	144
T37062	201 229	< 0.01	34	360	20	< 2	3	52	< 0.01	< 10	< 10	19	< 10	72
T37063	201 229	< 0.01	37	750	46	< 2	3	60	< 0.01	< 10	< 10	24	< 10	106
T37064	201 229	< 0.01	44	3230	14	2	3	77	0.02	< 10	< 10	66	< 10	120
T37065	201 229	< 0.01	54	4730	14	< 2	4	63	0.02	< 10	< 10	66	< 10	98

CERTIFICATION: Hart Bickler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project: FINLAYSON - PLAY  
 Comments:

Page 1 of 1 : 1-A  
 Total Pages : 5  
 Certificate Date: 04-JUL-95  
 Invoice No. : I9520342  
 P.O. Number :  
 Account : MPO

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37067	201	229	< 0.2	1.66	18	300	< 0.5	< 2	1.04	< 0.5	14	45	47	3.21	< 10	< 1	0.11	20	1.19	385	1
T37068	201	229	0.2	1.64	24	160	< 0.5	< 2	1.38	< 0.5	14	36	43	3.17	< 10	1	0.11	20	1.26	575	1
T37069	201	229	< 0.2	1.51	26	160	< 0.5	< 2	0.78	< 0.5	11	39	39	2.68	< 10	1	0.11	20	1.21	200	1
T37070	201	229	< 0.2	1.60	24	140	< 0.5	< 2	0.96	0.5	12	47	47	2.90	< 10	< 1	0.10	10	1.26	250	< 1
T37071	201	229	< 0.2	1.89	32	480	< 0.5	< 2	0.95	< 0.5	17	78	79	3.65	< 10	1	0.12	10	1.26	455	1
T37072	201	229	< 0.2	1.64	36	200	< 0.5	< 2	1.24	1.0	15	52	51	3.25	< 10	< 1	0.14	10	1.36	400	< 1
T37073	201	229	< 0.2	1.61	40	200	< 0.5	< 2	1.34	< 0.5	13	44	47	3.29	< 10	< 1	0.13	20	1.20	400	1
T37074	201	229	< 0.2	1.47	10	230	< 0.5	< 2	1.20	0.5	11	28	29	2.45	< 10	1	0.08	10	0.98	240	1
T37075	201	229	< 0.2	1.27	18	260	< 0.5	< 2	0.65	< 0.5	10	35	36	2.45	< 10	< 1	0.05	10	0.71	320	1
T37076	201	229	< 0.2	1.44	16	210	< 0.5	< 2	0.88	< 0.5	14	30	36	3.08	< 10	1	0.09	20	0.99	375	1
T37077	201	229	< 0.2	1.87	12	230	< 0.5	2	0.83	< 0.5	15	34	41	3.38	< 10	< 1	0.08	20	1.22	280	1
T37078	201	229	< 0.2	1.74	40	300	< 0.5	< 2	0.71	< 0.5	17	68	56	3.57	< 10	< 1	0.11	10	1.18	470	1
T37079	201	229	< 0.2	1.54	14	240	< 0.5	< 2	2.09	< 0.5	13	50	23	2.83	< 10	< 1	0.09	10	1.20	355	< 1
T37080	201	229	< 0.2	1.32	36	290	< 0.5	< 2	1.24	< 0.5	10	33	29	2.45	< 10	< 1	0.09	10	0.83	250	< 1
T37081	201	229	< 0.2	1.01	90	190	< 0.5	< 2	0.88	< 0.5	24	31	53	4.15	< 10	< 1	0.09	20	0.72	465	1
T37082	201	229	< 0.2	1.44	76	280	< 0.5	< 2	1.40	< 0.5	13	34	33	2.89	< 10	< 1	0.10	10	1.01	515	< 1
T37083	201	229	< 0.2	1.59	30	230	< 0.5	< 2	0.68	0.5	15	35	42	3.00	< 10	< 1	0.09	20	1.07	310	< 1
T37084	201	229	< 0.2	1.33	12	230	< 0.5	< 2	0.82	< 0.5	10	32	27	2.71	< 10	< 1	0.07	10	0.83	265	1
T37085	201	229	< 0.2	1.45	16	250	< 0.5	< 2	1.12	< 0.5	12	32	20	2.54	< 10	< 1	0.07	10	0.82	375	1
T37086	201	229	< 0.2	1.15	< 2	200	< 0.5	< 2	1.75	< 0.5	7	19	44	1.67	< 10	< 1	0.04	10	0.67	125	< 1
T37087	201	229	< 0.2	1.68	6	200	< 0.5	< 2	1.24	< 0.5	11	25	29	2.73	< 10	< 1	0.05	10	1.06	210	1
T37088	201	229	< 0.2	2.14	4	160	< 0.5	< 2	0.73	< 0.5	14	38	53	3.10	< 10	< 1	0.06	30	1.41	240	< 1
T37089	201	229	< 0.2	1.66	8	110	< 0.5	< 2	2.61	< 0.5	13	22	31	3.23	< 10	< 1	0.03	10	1.11	430	< 1
T37090	201	229	< 0.2	2.07	6	160	< 0.5	2	0.95	< 0.5	15	27	32	3.19	< 10	< 1	0.04	20	1.20	525	< 1
T37091	201	229	< 0.2	2.20	16	120	< 0.5	< 2	2.64	< 0.5	26	33	69	4.26	< 10	< 1	0.08	30	1.47	700	2
T37092	201	229	< 0.2	3.26	8	160	< 0.5	< 2	0.73	< 0.5	47	62	240	7.29	< 10	< 1	0.17	20	2.13	570	1
T37093	201	229	0.4	1.27	256	340	< 0.5	< 2	1.11	0.5	25	28	57	4.97	< 10	< 1	0.08	10	0.58	760	9
T37094	201	229	0.2	0.92	24	290	< 0.5	< 2	2.01	0.5	11	13	54	2.14	< 10	< 1	0.07	< 10	0.50	445	1
T37095	201	229	4.2	1.71	42	400	0.5	< 2	2.16	0.5	22	35	302	4.52	< 10	< 1	0.26	10	0.32	585	27
T37096	201	229	0.4	0.41	16	100	< 0.5	2	2.96	< 0.5	32	3	46	4.66	< 10	< 1	0.07	< 10	0.52	490	1
T37097	201	229	0.4	1.17	22	460	< 0.5	< 2	1.26	0.5	17	13	40	3.06	< 10	1	0.03	10	0.72	1095	22
T37098	201	229	2.6	1.33	42	310	0.5	< 2	2.53	0.5	16	30	289	3.81	< 10	< 1	0.26	10	0.26	350	26
T37099	201	229	< 0.2	2.18	4	400	< 0.5	< 2	0.38	< 0.5	16	32	14	3.81	< 10	< 1	0.53	20	1.61	130	1
T37100	201	229	< 0.2	1.39	22	190	< 0.5	< 2	0.56	< 0.5	26	31	122	5.70	< 10	< 1	0.13	10	0.56	195	< 1
T37101	201	229	< 0.2	2.20	4	60	< 0.5	2	4.56	< 0.5	14	29	42	3.34	< 10	< 1	0.02	20	1.64	255	< 1
T37102	201	229	0.2	1.76	26	70	< 0.5	< 2	3.40	< 0.5	16	22	33	3.05	< 10	1	0.03	20	1.00	340	< 1
T37103	201	229	0.2	1.35	12	240	< 0.5	2	1.03	0.5	11	23	53	2.52	< 10	< 1	0.06	10	0.79	195	3
T37104	201	229	< 0.2	1.82	10	270	< 0.5	< 2	0.52	< 0.5	10	44	40	2.69	< 10	< 1	0.08	20	1.12	175	< 1
T37105	201	229	< 0.2	1.59	4	260	< 0.5	< 2	2.11	< 0.5	9	27	32	2.33	< 10	< 1	0.07	10	0.98	230	< 1
T37106	201	229	< 0.2	1.41	8	210	< 0.5	< 2	1.17	< 0.5	9	25	27	2.32	< 10	< 1	0.07	10	0.89	250	< 1

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 1-B  
 Total Pages : 5  
 Certificate Date: 04-JUL-95  
 Invoice No. : I9520342  
 P.O. Number :  
 Account : MPO

Project : FINLAYSON  
 Comments:

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37067	201 229	< 0.01	45	1230	8	< 2	5	43	0.04	< 10	< 10	51	< 10	104
T37068	201 229	0.01	36	700	8	< 2	5	53	0.04	< 10	< 10	34	< 10	90
T37069	201 229	0.01	33	650	12	< 2	4	37	0.04	< 10	< 10	37	< 10	72
T37070	201 229	< 0.01	39	840	4	< 2	6	43	0.06	< 10	< 10	54	< 10	122
T37071	201 229	0.01	70	860	6	< 2	8	46	0.04	< 10	< 10	66	< 10	114
T37072	201 229	0.01	48	1030	6	2	6	53	0.05	< 10	< 10	52	< 10	142
T37073	201 229	0.01	41	1140	8	< 2	5	50	0.04	< 10	< 10	44	< 10	98
T37074	201 229	0.02	30	810	8	< 2	3	49	0.01	< 10	< 10	28	< 10	82
T37075	201 229	< 0.01	35	1080	8	< 2	3	28	0.02	< 10	< 10	37	< 10	80
T37076	201 229	< 0.01	38	1160	14	< 2	4	34	0.01	< 10	< 10	36	< 10	102
T37077	201 229	< 0.01	37	910	10	< 2	4	32	0.01	< 10	< 10	35	< 10	94
T37078	201 229	< 0.01	54	1060	6	< 2	7	35	0.04	< 10	< 10	62	< 10	106
T37079	201 229	< 0.01	43	600	8	< 2	4	59	0.03	< 10	< 10	35	< 10	84
T37080	201 229	0.01	31	910	4	< 2	3	55	0.03	< 10	< 10	39	< 10	110
T37081	201 229	< 0.01	58	960	14	< 2	6	32	0.02	< 10	< 10	34	< 10	114
T37082	201 229	0.01	35	1130	8	< 2	4	49	0.03	< 10	< 10	40	< 10	86
T37083	201 229	0.01	37	1020	12	< 2	4	28	0.02	< 10	< 10	37	< 10	88
T37084	201 229	0.01	30	930	8	< 2	4	33	0.02	< 10	< 10	36	< 10	90
T37085	201 229	0.01	24	660	8	< 2	3	45	0.02	< 10	< 10	36	< 10	108
T37086	201 229	0.02	22	680	4	< 2	2	65	0.01	< 10	< 10	20	< 10	40
T37087	201 229	0.01	28	830	8	< 2	2	46	< 0.01	< 10	< 10	23	< 10	74
T37088	201 229	0.01	35	770	14	< 2	4	30	< 0.01	< 10	< 10	26	< 10	78
T37089	201 229	0.01	27	950	6	< 2	3	58	< 0.01	< 10	< 10	20	< 10	76
T37090	201 229	0.02	31	1100	12	< 2	3	33	0.01	< 10	< 10	26	< 10	76
T37091	201 229	< 0.01	48	1180	14	< 2	4	60	0.01	< 10	< 10	33	< 10	94
T37092	201 229	< 0.01	106	1420	< 2	< 2	7	28	0.04	< 10	< 10	69	< 10	74
T37093	201 229	< 0.01	47	1170	14	2	4	31	< 0.01	< 10	< 10	38	< 10	138
T37094	201 229	0.02	36	1130	4	< 2	2	67	< 0.01	< 10	< 10	23	< 10	60
T37095	201 229	< 0.01	105	>10000	26	8	4	66	< 0.01	< 10	< 10	163	< 10	386
T37096	201 229	< 0.01	42	1010	6	< 2	2	50	< 0.01	< 10	< 10	9	< 10	26
T37097	201 229	< 0.01	38	750	10	< 2	4	41	< 0.01	< 10	< 10	22	< 10	64
T37098	201 229	< 0.01	152	>10000	18	16	5	69	< 0.01	< 10	< 10	205	< 10	644
T37099	201 229	< 0.01	30	460	< 2	< 2	4	20	0.22	< 10	< 10	59	< 10	30
T37100	201 229	0.01	69	860	< 2	< 2	5	18	< 0.01	< 10	< 10	26	< 10	36
T37101	201 229	< 0.01	31	610	8	< 2	2	87	< 0.01	< 10	< 10	17	< 10	72
T37102	201 229	< 0.01	34	620	4	< 2	4	44	< 0.01	< 10	< 10	16	< 10	88
T37103	201 229	0.01	37	2220	12	< 2	4	35	0.02	< 10	< 10	44	< 10	108
T37104	201 229	< 0.01	36	1050	8	< 2	4	25	0.02	< 10	< 10	44	< 10	110
T37105	201 229	0.01	29	670	6	< 2	2	53	< 0.01	< 10	< 10	22	< 10	80
T37106	201 229	0.01	24	870	6	< 2	2	46	0.01	< 10	< 10	26	< 10	78

CERTIFICATION: Hunt Bechler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 2-A  
 Total Pages : 5  
 Certificate Date: 04-JUL-95  
 Invoice No. : I9520342  
 P.O. Number :  
 Account : MPO

Project : FINLAYSON  
 Comments:

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
F37107	201 229	< 0.2	2.17	24	150	< 0.5	< 2	0.91	< 0.5	13	44	50	3.24	< 10	< 1	0.12	20	1.43	255	1
F37108	201 229	< 0.2	1.52	12	130	< 0.5	< 2	0.58	< 0.5	11	22	63	2.34	< 10	< 1	0.11	40	0.94	175	1
F37109	201 229	< 0.2	1.47	6	230	< 0.5	2	0.94	0.5	11	38	32	2.43	< 10	1	0.08	10	1.05	280	< 1
F37110	201 229	< 0.2	2.20	16	130	< 0.5	< 2	0.82	< 0.5	23	34	70	4.99	< 10	1	0.09	20	1.50	340	1
F37111	201 229	< 0.2	1.47	16	50	< 0.5	< 2	6.19	< 0.5	24	20	55	3.48	< 10	< 1	0.04	10	1.22	350	1
F37112	201 229	< 0.2	1.60	30	140	< 0.5	< 2	4.84	< 0.5	28	27	119	5.13	< 10	1	0.08	10	1.52	360	3
F37113	201 229	0.6	1.00	26	180	< 0.5	< 2	1.09	0.5	11	20	120	2.75	< 10	< 1	0.10	20	0.21	225	18
F37114	201 229	< 0.2	3.27	88	280	< 0.5	2	0.13	< 0.5	31	71	90	6.95	< 10	< 1	0.08	10	2.22	360	1
F37115	201 229	0.2	1.00	86	110	< 0.5	2	4.01	< 0.5	37	36	137	5.95	< 10	< 1	0.09	< 10	0.65	385	3
F37116	201 229	0.2	1.78	64	200	< 0.5	< 2	1.60	< 0.5	27	41	95	5.19	< 10	< 1	0.08	20	1.13	510	1
F37117	201 229	0.2	1.51	98	180	< 0.5	< 2	2.44	< 0.5	29	30	113	5.48	< 10	< 1	0.11	20	0.88	470	1
F37118	201 229	0.8	1.02	200	160	< 0.5	< 2	1.79	< 0.5	36	22	149	6.51	< 10	< 1	0.08	10	0.45	430	6
F37119	201 229	7.4	0.89	102	470	0.5	< 2	1.39	2.0	9	28	290	3.69	< 10	< 1	0.27	10	0.08	30	56
F37120	201 229	< 0.2	2.18	20	220	< 0.5	< 2	2.96	0.5	25	40	133	5.39	< 10	1	0.25	20	1.85	360	5
F37121	201 229	< 0.2	3.09	18	200	< 0.5	2	1.17	< 0.5	33	79	173	6.54	< 10	< 1	0.22	10	2.14	420	1
F37122	201 229	< 0.2	2.03	14	70	< 0.5	2	5.11	< 0.5	19	28	50	3.79	< 10	< 1	0.04	20	1.26	355	2
F37123	201 229	< 0.2	1.95	2	130	< 0.5	< 2	1.24	< 0.5	12	32	34	2.89	< 10	1	0.07	20	1.26	240	< 1
F37124	201 229	< 0.2	2.37	8	160	< 0.5	2	1.11	< 0.5	16	39	60	3.26	< 10	< 1	0.06	20	1.55	510	< 1
F37125	201 229	< 0.2	1.74	6	160	< 0.5	< 2	0.87	< 0.5	13	32	49	2.58	< 10	< 1	0.06	10	1.37	460	< 1
F37126	201 229	< 0.2	2.03	34	120	< 0.5	2	1.75	< 0.5	18	40	59	3.90	< 10	< 1	0.07	20	1.58	380	1
F37127	201 229	< 0.2	2.52	20	700	0.5	< 2	1.38	0.5	17	46	59	3.76	< 10	< 1	0.20	30	1.30	510	2
F37128	201 229	< 0.2	1.82	30	270	< 0.5	< 2	1.02	0.5	17	68	50	3.28	< 10	< 1	0.15	20	1.45	225	1
F37129	201 229	< 0.2	1.27	88	300	< 0.5	< 2	0.65	< 0.5	15	35	54	3.99	< 10	< 1	0.14	30	0.74	490	2
F37130	201 229	< 0.2	1.86	30	380	< 0.5	2	1.19	0.5	16	79	54	3.78	< 10	< 1	0.14	20	1.39	540	1
F37131	201 229	< 0.2	1.88	8	170	< 0.5	2	1.16	< 0.5	15	36	35	3.44	< 10	< 1	0.10	20	1.13	475	1
F37132	201 229	< 0.2	2.25	10	480	< 0.5	< 2	1.20	< 0.5	14	52	48	3.30	< 10	< 1	0.11	20	1.30	450	1
F37133	201 229	< 0.2	2.49	6	320	< 0.5	< 2	1.79	< 0.5	15	37	41	3.42	< 10	< 1	0.13	30	1.56	360	1
F37134	201 229	< 0.2	1.97	14	290	< 0.5	< 2	1.15	0.5	14	60	51	3.16	< 10	< 1	0.15	20	1.36	380	1
F37135	201 229	< 0.2	1.77	10	210	< 0.5	< 2	1.49	< 0.5	12	28	40	2.73	< 10	< 1	0.09	10	0.92	325	1
F37136	201 229	< 0.2	2.21	14	420	< 0.5	< 2	1.20	1.0	15	51	52	3.40	< 10	< 1	0.19	20	1.42	415	1
F37137	201 229	< 0.2	2.08	14	210	< 0.5	2	2.51	< 0.5	24	33	67	4.12	< 10	< 1	0.12	20	1.31	790	1
F37138	201 229	< 0.2	1.72	20	260	< 0.5	< 2	4.30	0.5	18	29	59	3.53	< 10	< 1	0.18	20	1.18	360	3
F37139	201 229	< 0.2	1.71	44	390	< 0.5	< 2	0.52	< 0.5	18	43	64	4.23	< 10	< 1	0.16	20	0.83	360	3
F37140	201 229	0.4	1.85	52	830	0.5	< 2	0.66	< 0.5	18	43	82	4.38	< 10	< 1	0.20	10	0.70	350	4
F37141	201 229	0.2	2.07	30	230	< 0.5	2	2.33	< 0.5	26	36	125	5.41	< 10	< 1	0.19	10	1.68	380	2
F37142	201 229	< 0.2	1.75	14	140	< 0.5	2	3.67	< 0.5	25	27	79	3.97	< 10	< 1	0.08	20	1.29	455	1
F37143	201 229	< 0.2	1.64	14	260	< 0.5	< 2	0.81	< 0.5	12	53	42	2.90	< 10	< 1	0.09	20	1.12	310	1
F37144	201 229	< 0.2	1.76	2	90	< 0.5	2	0.37	< 0.5	14	26	42	2.87	< 10	< 1	0.10	60	1.34	325	1
F37145	201 229	< 0.2	3.39	2	80	< 0.5	2	0.31	< 0.5	21	47	45	4.39	< 10	< 1	0.07	50	2.42	590	1
F37146	201 229	< 0.2	2.66	6	60	< 0.5	2	2.40	< 0.5	19	32	46	3.96	< 10	< 1	0.11	50	1.61	300	< 1

CERTIFICATION:

*Jan Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page Number : 2-B  
Total Pages : 5  
Certificate Date : 04-JUL-95  
Invoice No. : I9520342  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
F37107	201 229	0.01	42	690	6	< 2	4	42	0.01	< 10	< 10	37	< 10	108
F37108	201 229	0.02	31	480	14	< 2	2	32	0.01	< 10	< 10	18	< 10	86
F37109	201 229	< 0.01	32	1240	4	< 2	3	38	0.03	< 10	< 10	40	< 10	88
F37110	201 229	< 0.01	44	1000	14	< 2	5	26	0.01	< 10	< 10	32	< 10	82
F37111	201 229	< 0.01	37	700	16	< 2	2	83	< 0.01	< 10	< 10	15	< 10	68
F37112	201 229	< 0.01	55	1390	16	< 2	4	83	0.01	< 10	< 10	30	< 10	76
F37113	201 229	< 0.01	63	5110	22	12	2	40	< 0.01	< 10	< 10	154	< 10	128
F37114	201 229	< 0.01	77	610	< 2	< 2	12	12	0.03	< 10	< 10	138	< 10	54
F37115	201 229	< 0.01	82	2170	10	2	6	94	< 0.01	< 10	< 10	32	< 10	94
F37116	201 229	< 0.01	71	1270	12	< 2	6	38	< 0.01	< 10	< 10	36	< 10	102
F37117	201 229	< 0.01	69	1280	4	< 2	8	45	< 0.01	< 10	< 10	32	< 10	82
F37118	201 229	< 0.01	87	1230	12	2	8	48	< 0.01	< 10	< 10	52	< 10	48
F37119	201 229	< 0.01	129	8270	72	48	3	129	< 0.01	< 10	< 10	459	< 10	398
F37120	201 229	< 0.01	63	2090	10	< 2	6	57	0.05	< 10	< 10	70	< 10	132
F37121	201 229	< 0.01	102	990	< 2	< 2	10	33	0.04	< 10	< 10	76	< 10	60
F37122	201 229	< 0.01	39	690	16	< 2	4	82	< 0.01	< 10	< 10	18	< 10	98
F37123	201 229	0.02	29	780	8	< 2	3	48	0.01	< 10	< 10	25	< 10	70
F37124	201 229	0.01	40	770	8	< 2	5	40	0.01	< 10	< 10	31	< 10	74
F37125	201 229	< 0.01	27	400	12	< 2	3	38	0.02	< 10	< 10	29	< 10	46
F37126	201 229	< 0.01	46	820	6	< 2	5	53	0.01	< 10	< 10	33	< 10	78
F37127	201 229	0.01	53	1160	12	2	5	46	0.01	< 10	< 10	73	< 10	154
F37128	201 229	< 0.01	55	1730	8	< 2	6	43	0.10	< 10	< 10	72	< 10	136
F37129	201 229	< 0.01	47	1180	14	< 2	6	34	0.03	< 10	< 10	50	< 10	116
F37130	201 229	< 0.01	83	1150	14	< 2	7	44	0.06	< 10	< 10	66	< 10	130
F37131	201 229	0.01	40	850	12	< 2	4	48	0.01	< 10	< 10	31	< 10	112
F37132	201 229	0.02	41	710	6	< 2	4	42	0.02	< 10	< 10	46	< 10	92
F37133	201 229	0.01	41	900	12	< 2	3	54	< 0.01	< 10	< 10	39	< 10	122
F37134	201 229	0.01	51	1360	12	< 2	5	50	0.03	< 10	< 10	59	< 10	140
F37135	201 229	0.02	30	970	8	< 2	3	53	< 0.01	< 10	< 10	32	< 10	78
F37136	201 229	< 0.01	51	1300	12	< 2	5	44	0.02	< 10	< 10	67	< 10	152
F37137	201 229	0.01	47	1250	12	< 2	4	69	0.01	< 10	< 10	38	< 10	102
F37138	201 229	< 0.01	49	1360	12	< 2	4	74	0.01	< 10	< 10	47	< 10	116
F37139	201 229	< 0.01	63	1550	12	< 2	6	27	0.01	< 10	< 10	59	< 10	114
F37140	201 229	< 0.01	70	880	12	2	8	29	< 0.01	< 10	< 10	82	< 10	104
F37141	201 229	< 0.01	60	1750	8	2	6	47	0.02	< 10	< 10	53	< 10	78
F37142	201 229	< 0.01	46	1190	10	< 2	4	70	0.01	< 10	< 10	31	< 10	90
F37143	201 229	< 0.01	41	1520	10	< 2	4	38	0.04	< 10	< 10	54	< 10	100
F37144	201 229	< 0.01	32	800	20	< 2	2	18	< 0.01	< 10	< 10	17	< 10	62
F37145	201 229	< 0.01	45	560	16	< 2	6	14	< 0.01	< 10	< 10	31	< 10	86
F37146	201 229	< 0.01	39	630	12	< 2	3	51	< 0.01	< 10	< 10	21	< 10	96

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments :

Page : 3-A  
Total Pages : 5  
Certificate Date : 04-JUL-95  
Invoice No. : I9520342  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9520342

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37147	201 229	< 0.2	3.68	44	60	< 0.5	2	1.31	< 0.5	41	258	75	5.62	10	1	0.03	10	3.54	990	< 1
T37148	201 229	0.4	1.68	22	160	< 0.5	2	0.77	< 0.5	22	37	58	4.41	< 10	< 1	0.06	30	1.09	290	1
T37149	201 229	< 0.2	2.04	6	80	< 0.5	< 2	1.24	< 0.5	17	29	52	3.68	< 10	< 1	0.04	30	1.29	260	1
T37150	201 229	< 0.2	1.63	46	310	< 0.5	< 2	3.20	0.5	20	38	79	3.75	< 10	< 1	0.21	20	1.23	380	5
T37151	201 229	< 0.2	1.76	42	230	< 0.5	2	3.79	< 0.5	24	46	64	4.29	< 10	1	0.13	20	1.13	490	1
T37152	201 229	< 0.2	1.57	60	250	< 0.5	2	1.72	< 0.5	19	34	62	4.27	< 10	< 1	0.13	20	0.99	345	1
T37153	201 229	< 0.2	1.63	66	240	< 0.5	< 2	3.25	< 0.5	20	35	63	4.24	< 10	1	0.16	20	1.10	390	1
T37154	201 229	< 0.2	1.47	158	320	< 0.5	< 2	2.99	0.5	23	40	79	4.19	< 10	< 1	0.15	10	1.21	370	2
T37155	201 229	< 0.2	1.98	20	450	< 0.5	2	0.68	< 0.5	23	37	68	5.40	< 10	< 1	0.09	10	0.98	515	2
T37156	201 229	< 0.2	1.58	12	130	< 0.5	2	5.76	< 0.5	18	23	61	3.45	< 10	< 1	0.07	20	1.20	375	1
T37157	201 229	< 0.2	1.99	12	150	< 0.5	< 2	1.02	< 0.5	20	33	54	3.66	< 10	< 1	0.06	30	1.28	500	< 1
T37158	201 229	< 0.2	1.23	10	160	< 0.5	2	1.38	< 0.5	21	23	46	3.88	< 10	< 1	0.09	30	0.74	510	1
T37159	201 229	0.4	2.43	20	470	0.5	< 2	2.06	1.0	18	66	86	3.77	< 10	< 1	0.27	20	1.51	440	5
T37160	201 229	< 0.2	1.60	12	130	< 0.5	< 2	2.98	< 0.5	16	24	47	3.74	< 10	1	0.14	30	0.90	290	1
T37161	201 229	< 0.2	1.54	138	180	< 0.5	< 2	0.65	< 0.5	20	25	88	4.40	< 10	< 1	0.14	30	0.85	830	< 1
T37162	201 229	< 0.2	6.37	56	10	0.5	2	0.55	< 0.5	68	631	85	7.70	10	< 1	< 0.01	< 10	6.27	885	< 1
T37163	201 229	< 0.2	2.06	374	90	< 0.5	< 2	0.36	< 0.5	17	37	89	3.83	< 10	< 1	0.06	40	1.42	315	3
T37164	201 229	< 0.2	2.79	20	60	< 0.5	2	1.47	< 0.5	17	37	43	4.08	< 10	< 1	0.04	20	1.94	445	1
T37165	201 229	< 0.2	2.38	58	120	< 0.5	2	3.71	< 0.5	14	31	41	3.46	< 10	< 1	0.06	30	1.56	290	1
T37166	201 229	< 0.2	1.91	36	240	< 0.5	< 2	2.41	< 0.5	22	43	54	3.48	< 10	< 1	0.16	20	1.14	395	1
T37167	201 229	< 0.2	2.26	28	190	< 0.5	2	1.13	< 0.5	19	56	58	4.26	< 10	< 1	0.07	30	1.70	435	1
T37168	201 229	< 0.2	2.50	8	330	< 0.5	2	0.75	< 0.5	13	39	42	3.49	< 10	< 1	0.09	30	1.66	215	1
T37169	201 229	< 0.2	2.74	6	150	< 0.5	< 2	1.28	< 0.5	21	39	63	3.93	< 10	< 1	0.05	40	1.97	365	1
T37170	201 229	< 0.2	2.51	8	160	< 0.5	2	1.40	< 0.5	18	41	76	3.81	< 10	< 1	0.11	40	1.84	300	< 1
T37171	201 229	< 0.2	1.74	52	290	< 0.5	< 2	3.83	0.5	23	43	60	3.99	< 10	< 1	0.12	20	1.20	420	1
T37172	201 229	< 0.2	2.36	62	150	< 0.5	< 2	1.53	< 0.5	20	41	53	4.45	< 10	< 1	0.23	20	1.82	355	1
T37173	201 229	< 0.2	2.30	8	40	< 0.5	< 2	2.71	< 0.5	14	30	29	3.72	< 10	< 1	0.04	20	1.44	315	< 1
T37174	201 229	< 0.2	2.57	30	60	< 0.5	2	0.48	< 0.5	17	35	31	4.08	< 10	< 1	0.05	70	1.61	365	< 1
T37175	201 229	< 0.2	2.09	32	150	< 0.5	< 2	1.16	< 0.5	15	29	56	3.34	< 10	< 1	0.06	30	1.24	535	1
T37176	201 229	< 0.2	1.67	42	140	< 0.5	< 2	0.74	0.5	21	49	76	3.85	< 10	< 1	0.07	20	1.12	270	2
T37177	201 229	< 0.2	1.77	96	50	< 0.5	2	0.97	< 0.5	22	41	58	4.80	< 10	< 1	0.03	30	1.03	325	< 1
T37178	201 229	< 0.2	0.50	140	80	< 0.5	< 2	0.85	< 0.5	24	10	63	4.84	< 10	< 1	0.07	50	0.30	495	< 1
T37179	201 229	< 0.2	3.00	18	420	0.5	< 2	0.90	< 0.5	22	24	93	5.64	10	< 1	0.32	20	1.97	630	1
T37180	201 229	< 0.2	1.44	< 2	40	< 0.5	< 2	5.98	< 0.5	10	15	24	2.59	< 10	< 1	0.09	50	1.42	305	< 1
T37181	201 229	< 0.2	3.51	80	100	< 0.5	< 2	0.68	< 0.5	35	322	167	4.82	< 10	< 1	0.12	< 10	4.03	515	< 1
T37182	201 229	< 0.2	2.23	38	220	< 0.5	2	0.95	< 0.5	23	85	101	4.07	< 10	1	0.09	20	1.69	435	1
T37183	201 229	< 0.2	3.14	6	180	< 0.5	< 2	0.74	< 0.5	29	14	128	5.70	10	< 1	0.56	20	2.61	570	1
T37184	201 229	< 0.2	1.48	4	130	< 0.5	< 2	0.24	< 0.5	14	31	50	3.46	< 10	< 1	0.08	40	0.96	265	1
T37185	201 229	< 0.2	1.68	30	210	< 0.5	< 2	1.15	< 0.5	12	32	40	2.76	< 10	< 1	0.09	10	0.98	285	< 1
T37186	201 229	< 0.2	1.30	8	200	< 0.5	< 2	1.10	< 0.5	10	21	33	2.03	< 10	< 1	0.08	10	0.66	335	< 1

CERTIFICATION:

*David Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 3-B  
 Total Pages : 5  
 Certificate Date: 04-JUL-95  
 Invoice No. : 19520342  
 P.O. Number :  
 Account : MPO

Project : FINLAYSON  
 Comments:

## CERTIFICATE OF ANALYSIS

### A9520342

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37147	201 229	< 0.01	194	960	6	< 2	13	57	0.01	< 10	< 10	107	< 10	110
T37148	201 229	< 0.01	49	670	48	< 2	6	30	< 0.01	< 10	< 10	29	< 10	78
T37149	201 229	< 0.01	40	700	10	< 2	4	37	< 0.01	< 10	< 10	21	< 10	90
T37150	201 229	< 0.01	68	2050	14	< 2	4	67	0.01	< 10	< 10	62	< 10	118
T37151	201 229	< 0.01	67	1130	12	< 2	6	61	< 0.01	< 10	< 10	41	< 10	122
T37152	201 229	< 0.01	53	1040	8	< 2	5	39	< 0.01	< 10	< 10	37	< 10	104
T37153	201 229	< 0.01	55	1100	10	< 2	5	57	< 0.01	< 10	< 10	38	< 10	114
T37154	201 229	< 0.01	74	1480	18	< 2	5	63	< 0.01	< 10	< 10	48	< 10	116
T37155	201 229	< 0.01	43	970	8	< 2	6	27	0.01	< 10	< 10	51	< 10	64
T37156	201 229	< 0.01	37	1070	14	< 2	3	101	0.01	< 10	< 10	25	< 10	80
T37157	201 229	< 0.01	43	1050	18	< 2	4	33	< 0.01	< 10	< 10	28	< 10	88
T37158	201 229	< 0.01	40	1120	14	< 2	4	43	< 0.01	< 10	< 10	28	< 10	92
T37159	201 229	< 0.01	71	2210	14	< 2	6	62	0.02	< 10	< 10	93	< 10	172
T37160	201 229	< 0.01	40	810	10	< 2	4	95	< 0.01	< 10	< 10	22	< 10	94
T37161	201 229	< 0.01	42	820	2	< 2	10	36	< 0.01	< 10	< 10	62	< 10	72
T37162	201 229	< 0.01	367	340	< 2	< 2	24	17	0.01	< 10	< 10	180	< 10	92
T37163	201 229	< 0.01	40	1100	18	< 2	5	20	0.01	< 10	< 10	27	< 10	94
T37164	201 229	< 0.01	39	620	12	< 2	2	47	< 0.01	< 10	< 10	22	< 10	100
T37165	201 229	< 0.01	35	860	4	< 2	3	68	< 0.01	< 10	< 10	22	< 10	80
T37166	201 229	0.01	54	860	24	< 2	4	46	< 0.01	< 10	< 10	32	< 10	112
T37167	201 229	< 0.01	55	810	12	< 2	6	30	0.03	< 10	< 10	38	< 10	90
T37168	201 229	< 0.01	37	1020	12	< 2	4	27	< 0.01	< 10	< 10	39	< 10	104
T37169	201 229	< 0.01	43	1460	10	< 2	3	42	< 0.01	< 10	< 10	28	< 10	88
T37170	201 229	< 0.01	47	700	6	< 2	4	42	< 0.01	< 10	< 10	26	< 10	82
T37171	201 229	< 0.01	60	1070	10	< 2	4	67	< 0.01	< 10	< 10	35	< 10	110
T37172	201 229	0.01	44	1060	6	< 2	6	45	0.05	< 10	< 10	46	< 10	74
T37173	201 229	< 0.01	29	390	10	< 2	6	47	< 0.01	< 10	< 10	24	< 10	64
T37174	201 229	< 0.01	36	320	8	< 2	6	18	< 0.01	< 10	< 10	14	< 10	84
T37175	201 229	0.01	35	810	16	< 2	4	54	< 0.01	< 10	< 10	23	< 10	82
T37176	201 229	< 0.01	56	1290	18	< 2	7	29	0.02	< 10	< 10	43	< 10	94
T37177	201 229	< 0.01	60	640	12	< 2	8	32	< 0.01	< 10	< 10	27	< 10	80
T37178	201 229	< 0.01	55	500	4	< 2	5	37	< 0.01	< 10	< 10	10	< 10	76
T37179	201 229	< 0.01	26	1060	6	< 2	13	38	0.31	< 10	< 10	140	< 10	96
T37180	201 229	< 0.01	23	600	< 2	< 2	2	56	< 0.01	< 10	< 10	8	< 10	26
T37181	201 229	< 0.01	163	1060	2	< 2	12	18	0.27	< 10	< 10	92	< 10	76
T37182	201 229	< 0.01	67	1240	10	< 2	8	39	0.10	< 10	< 10	61	< 10	76
T37183	201 229	< 0.01	25	1380	< 2	< 2	14	40	0.28	< 10	< 10	176	< 10	60
T37184	201 229	< 0.01	42	360	6	< 2	6	15	0.01	< 10	< 10	24	< 10	64
T37185	201 229	0.02	31	770	6	< 2	4	53	0.02	< 10	< 10	40	< 10	96
T37186	201 229	0.03	26	580	4	< 2	2	49	0.01	< 10	< 10	21	< 10	72

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON  
Comments:

Page: 4-A  
Total Pages: 5  
Certificate Date: 04-JUL-95  
Invoice No.: 19520342  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37187	201 229	0.2	1.62	40	220	< 0.5	< 2	1.24	< 0.5	14	31	34	2.88	< 10	< 1	0.11	10	0.93	525	1
T37188	201 229	< 0.2	1.74	4	90	< 0.5	2	2.18	< 0.5	14	22	37	3.06	< 10	< 1	0.07	30	1.07	290	< 1
T37189	201 229	< 0.2	1.69	16	110	< 0.5	< 2	0.52	< 0.5	27	39	98	3.97	< 10	< 1	0.09	40	1.03	875	2
T37190	201 229	< 0.2	2.42	20	180	0.5	2	1.04	< 0.5	34	34	166	6.87	< 10	< 1	0.29	30	1.93	920	2
T37191	201 229	< 0.2	2.23	14	150	< 0.5	< 2	1.12	< 0.5	14	52	49	3.48	< 10	< 1	0.16	20	1.95	250	< 1
T37192	201 229	< 0.2	2.06	22	110	< 0.5	< 2	0.76	< 0.5	17	39	56	3.44	< 10	< 1	0.10	30	1.65	435	1
T37193	201 229	< 0.2	1.19	10	150	< 0.5	2	1.31	< 0.5	8	19	18	1.87	< 10	< 1	0.06	10	0.59	190	< 1
T37194	201 229	< 0.2	1.08	14	210	< 0.5	< 2	1.83	0.5	10	19	32	2.62	< 10	< 1	0.04	10	0.47	235	1
T37195	201 229	0.2	1.81	32	500	< 0.5	< 2	1.42	< 0.5	16	59	53	3.19	< 10	< 1	0.09	10	1.19	505	< 1
T37196	201 229	0.2	1.51	28	200	< 0.5	< 2	1.52	< 0.5	14	55	36	3.01	< 10	< 1	0.11	20	1.21	290	< 1
T37197	201 229	< 0.2	3.13	8	110	< 0.5	< 2	0.57	< 0.5	39	177	254	4.95	< 10	< 1	0.07	< 10	2.04	920	< 1
T37198	201 229	< 0.2	1.39	6	10	< 0.5	2	3.67	< 0.5	25	18	21	3.68	< 10	< 1	0.04	30	1.19	255	< 1
T37199	201 229	< 0.2	2.49	18	110	< 0.5	2	0.38	< 0.5	39	85	32	4.81	< 10	< 1	0.04	20	1.87	815	1
T37200	201 229	< 0.2	1.92	42	150	0.5	2	0.75	< 0.5	47	38	116	6.03	< 10	< 1	0.06	30	1.11	475	1
T37201	201 229	0.4	2.29	14	160	< 0.5	< 2	0.40	< 0.5	16	38	22	4.22	< 10	< 1	0.05	20	1.46	605	1
T37202	201 229	< 0.2	1.81	26	240	< 0.5	2	0.74	< 0.5	17	35	39	3.67	< 10	< 1	0.06	20	1.03	440	2
T37203	201 229	< 0.2	1.48	70	140	< 0.5	2	0.97	< 0.5	22	26	65	4.73	< 10	1	0.05	20	0.74	360	2
T37204	201 229	< 0.2	2.01	30	180	< 0.5	2	0.99	< 0.5	16	31	41	3.48	< 10	< 1	0.10	20	1.21	300	1
T37205	201 229	< 0.2	2.20	42	70	< 0.5	< 2	2.91	< 0.5	19	39	41	4.14	< 10	< 1	0.11	20	1.81	300	1
T37206	201 229	< 0.2	1.84	56	210	< 0.5	< 2	4.61	< 0.5	25	50	65	3.80	< 10	< 1	0.15	20	1.22	430	1
T37207	201 229	< 0.2	1.76	42	210	< 0.5	2	4.51	0.5	23	63	63	3.82	< 10	< 1	0.10	20	1.34	445	1
T37208	201 229	< 0.2	2.31	44	140	< 0.5	< 2	4.11	< 0.5	32	127	96	5.11	< 10	< 1	0.11	10	1.91	555	1
T37209	201 229	< 0.2	1.66	84	250	< 0.5	2	1.71	< 0.5	25	35	85	4.77	< 10	< 1	0.09	20	1.04	450	2
T37210	201 229	0.4	1.38	80	360	< 0.5	< 2	1.01	0.5	25	33	87	4.56	< 10	1	0.07	10	0.81	555	3
T37211	201 229	0.2	1.21	16	300	< 0.5	< 2	1.07	< 0.5	8	23	37	2.54	< 10	< 1	0.08	10	0.57	160	3
T37212	201 229	< 0.2	1.92	16	210	< 0.5	< 2	0.97	< 0.5	16	30	37	3.46	< 10	< 1	0.09	20	1.18	480	< 1
T37213	201 229	< 0.2	1.83	14	150	< 0.5	2	2.16	< 0.5	15	27	43	3.21	< 10	1	0.10	20	1.12	280	1
T37214	201 229	< 0.2	2.19	6	200	< 0.5	< 2	0.94	< 0.5	15	34	44	3.60	< 10	< 1	0.03	40	1.28	575	1
T37215	201 229	< 0.2	2.24	2	100	< 0.5	2	1.04	< 0.5	14	35	16	3.21	< 10	< 1	0.04	30	1.42	350	< 1
T37216	201 229	< 0.2	2.84	18	150	0.5	2	1.01	< 0.5	19	60	132	3.78	< 10	< 1	0.07	50	1.88	825	< 1
T37217	201 229	< 0.2	2.25	14	140	< 0.5	2	0.67	< 0.5	35	139	42	4.43	< 10	< 1	0.06	10	1.55	570	1
T37218	201 229	< 0.2	2.29	12	40	< 0.5	< 2	5.18	< 0.5	21	28	36	3.62	< 10	1	0.04	30	1.72	400	< 1
T37219	201 229	< 0.2	0.62	12	60	< 0.5	< 2	2.16	< 0.5	10	15	98	2.10	< 10	< 1	0.12	30	1.07	325	< 1
T37220	201 229	< 0.2	1.61	32	190	< 0.5	< 2	1.05	< 0.5	14	45	33	2.92	< 10	< 1	0.10	20	1.09	370	1
T37221	201 229	< 0.2	0.86	126	120	< 0.5	2	4.08	< 0.5	17	22	32	2.90	< 10	< 1	0.11	20	1.22	380	2
T37222	201 229	< 0.2	2.60	78	160	< 0.5	< 2	0.37	< 0.5	32	115	92	5.22	< 10	< 1	0.12	20	2.10	435	2
T37223	201 229	< 0.2	4.36	24	90	0.5	< 2	0.70	< 0.5	36	199	101	5.55	10	1	0.21	10	4.74	595	< 1
T37224	201 229	< 0.2	3.30	18	710	0.5	< 2	0.68	< 0.5	24	119	34	4.72	< 10	< 1	0.12	10	2.19	605	1
T37225	201 229	< 0.2	3.37	18	180	< 0.5	4	0.84	< 0.5	32	69	82	5.74	10	< 1	0.29	20	3.02	670	1
T37226	201 229	< 0.2	2.24	26	170	< 0.5	< 2	0.46	< 0.5	28	79	119	4.84	< 10	< 1	0.10	20	1.82	415	2

CERTIFICATION: *Hartl Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON  
Comments:

Page Number: 4-B  
Total Pages: 5  
Certificate Date: 04-JUL-95  
Invoice No.: I9520342  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS A9520342

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37187	201 229	0.01	29	790	6	< 2	4	52	0.01	< 10	< 10	40	< 10	70
T37188	201 229	0.01	30	750	10	< 2	3	52	< 0.01	< 10	< 10	14	< 10	70
T37189	201 229	< 0.01	79	650	8	< 2	7	27	< 0.01	< 10	< 10	19	< 10	54
T37190	201 229	< 0.01	52	1090	6	< 2	17	46	0.06	< 10	< 10	107	< 10	108
T37191	201 229	0.01	37	610	6	< 2	7	53	0.10	< 10	< 10	48	< 10	96
T37192	201 229	< 0.01	38	760	12	< 2	4	37	0.04	< 10	< 10	35	< 10	88
T37193	201 229	0.03	20	490	4	< 2	2	58	< 0.01	< 10	< 10	20	< 10	74
T37194	201 229	0.01	25	670	10	< 2	3	62	< 0.01	< 10	< 10	24	< 10	78
T37195	201 229	0.01	51	910	6	< 2	6	66	0.03	< 10	< 10	54	< 10	120
T37196	201 229	< 0.01	46	1400	8	< 2	5	50	0.06	< 10	< 10	51	< 10	96
T37197	201 229	< 0.01	85	340	2	< 2	6	22	0.21	< 10	< 10	95	< 10	52
T37198	201 229	< 0.01	35	570	2	< 2	2	55	< 0.01	< 10	< 10	11	< 10	70
T37199	201 229	< 0.01	45	420	16	< 2	9	24	< 0.01	< 10	< 10	64	< 10	70
T37200	201 229	< 0.01	66	490	32	< 2	9	33	< 0.01	< 10	< 10	31	< 10	88
T37201	201 229	< 0.01	39	830	12	< 2	9	18	0.01	< 10	< 10	36	< 10	84
T37202	201 229	< 0.01	40	940	16	< 2	7	30	0.01	< 10	< 10	40	< 10	90
T37203	201 229	0.01	40	530	20	< 2	7	44	< 0.01	< 10	< 10	22	< 10	132
T37204	201 229	0.01	34	760	10	< 2	4	37	< 0.01	< 10	< 10	32	< 10	80
T37205	201 229	< 0.01	38	940	10	< 2	4	60	0.02	< 10	< 10	33	< 10	74
T37206	201 229	< 0.01	53	1200	8	< 2	6	77	0.01	< 10	< 10	40	< 10	106
T37207	201 229	< 0.01	63	1210	8	< 2	5	76	0.02	< 10	< 10	41	< 10	102
T37208	201 229	< 0.01	110	1110	4	< 2	9	122	0.03	< 10	< 10	68	< 10	124
T37209	201 229	< 0.01	59	1170	12	< 2	6	44	< 0.01	< 10	< 10	41	< 10	92
T37210	201 229	< 0.01	65	2080	12	< 2	6	37	0.01	< 10	< 10	43	< 10	86
T37211	201 229	0.03	28	1360	8	< 2	3	42	0.01	< 10	< 10	40	< 10	76
T37212	201 229	0.01	35	1260	12	< 2	4	40	0.01	< 10	< 10	34	< 10	104
T37213	201 229	0.02	35	990	8	< 2	4	56	0.01	< 10	< 10	30	< 10	90
T37214	201 229	< 0.01	38	620	12	< 2	5	37	< 0.01	< 10	< 10	22	< 10	80
T37215	201 229	0.02	30	530	6	< 2	2	37	0.01	< 10	< 10	26	< 10	72
T37216	201 229	< 0.01	70	1140	8	< 2	9	40	< 0.01	< 10	< 10	33	< 10	82
T37217	201 229	< 0.01	57	650	8	< 2	5	26	0.09	< 10	< 10	74	< 10	66
T37218	201 229	< 0.01	35	480	6	< 2	4	102	< 0.01	< 10	< 10	14	< 10	74
T37219	201 229	< 0.01	17	1130	4	< 2	3	62	< 0.01	< 10	< 10	21	< 10	6
T37220	201 229	0.01	37	1000	6	< 2	4	53	0.03	< 10	< 10	44	< 10	102
T37221	201 229	< 0.01	38	570	4	< 2	4	94	< 0.01	< 10	< 10	17	< 10	78
T37222	201 229	< 0.01	113	620	10	< 2	12	21	0.09	< 10	< 10	82	< 10	110
T37223	201 229	< 0.01	122	1390	< 2	< 2	18	28	0.19	< 10	< 10	155	< 10	60
T37224	201 229	< 0.01	63	270	32	< 2	8	24	0.16	< 10	< 10	101	< 10	94
T37225	201 229	< 0.01	55	2260	2	< 2	11	37	0.17	< 10	< 10	117	< 10	68
T37226	201 229	< 0.01	78	420	12	< 2	8	19	0.09	< 10	< 10	53	< 10	120

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON  
Comments:

Page Number : 5-A  
Total Pages : 5  
Certificate Date: 04-JUL-95  
Invoice No. : 19520342  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9520342

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37227	201	229	0.2	2.48	66	170	< 0.5	< 2	0.74	0.5	28	130	125	5.26	10	< 1	0.09	20	2.27	670	1
T37228	201	229	0.2	2.17	22	540	< 0.5	< 2	1.72	0.5	24	55	207	4.64	10	< 1	0.13	20	1.47	635	< 1
T37229	201	229	< 0.2	2.33	18	360	< 0.5	2	0.65	0.5	20	103	92	5.19	10	< 1	0.11	20	2.05	575	< 1
T37230	201	229	< 0.2	2.64	16	230	< 0.5	< 2	0.12	0.5	13	62	35	3.97	10	< 1	0.07	30	1.14	270	< 1
T37231	201	229	< 0.2	3.67	< 2	180	< 0.5	6	1.14	0.5	30	133	244	6.20	10	1	0.11	10	3.51	680	< 1
T37232	201	229	< 0.2	2.46	1470	420	< 0.5	< 2	0.39	< 0.5	30	126	99	12.85	20	< 1	0.10	40	1.34	3040	1
T37235	201	229	< 0.2	2.28	60	310	< 0.5	< 2	0.96	0.5	19	87	95	4.63	10	< 1	0.09	20	1.82	520	1
T37236	201	229	< 0.2	3.48	< 2	140	< 0.5	< 2	1.81	0.5	32	169	152	5.54	10	< 1	0.12	10	3.75	630	< 1
T37237	201	229	< 0.2	2.45	12	170	< 0.5	< 2	1.08	0.5	23	121	61	4.30	10	1	0.10	10	2.52	1195	1
T37238	201	229	< 0.2	2.17	24	340	< 0.5	< 2	0.62	1.0	18	86	71	4.27	10	< 1	0.11	30	1.73	470	1
T37239	201	229	0.2	1.84	2	370	< 0.5	< 2	3.21	1.0	13	38	46	2.98	10	< 1	0.20	20	1.12	400	1
T37240	201	229	< 0.2	2.01	20	300	< 0.5	< 2	0.83	0.5	21	81	62	3.91	10	< 1	0.08	20	1.56	890	< 1
T37241	201	229	0.2	2.19	10	410	< 0.5	< 2	0.57	1.0	16	62	60	4.11	10	< 1	0.22	30	1.35	475	1
T37242	201	229	< 0.2	2.26	20	660	< 0.5	< 2	1.01	0.5	19	98	60	4.22	10	< 1	0.12	20	2.03	1000	1
T37243	201	229	< 0.2	3.34	20	190	< 0.5	< 2	0.79	< 0.5	32	164	110	5.54	10	< 1	0.17	20	3.34	740	< 1

CERTIFICATION:

*Haut Becker*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON  
Comments:

Page: 5-B  
Total Pages: 5  
Certificate Date: 04-JUL-95  
Invoice No.: 19520342  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS

## A9520342

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37227	201 229	< 0.01	107	1270	12	2	11	35	0.15	< 10	< 10	91	10	124
T37228	201 229	0.01	47	720	12	< 2	12	91	0.02	< 10	< 10	77	10	84
T37229	201 229	0.01	66	800	10	< 2	12	33	0.18	< 10	< 10	101	10	94
T37230	201 229	0.01	40	250	8	< 2	6	11	0.02	< 10	< 10	66	< 10	68
T37231	201 229	0.01	82	670	14	< 2	26	61	0.42	< 10	< 10	196	20	68
T37232	201 229	< 0.01	105	530	16	6	24	32	0.07	< 10	< 10	84	10	76
T37235	201 229	0.01	67	1030	18	2	9	44	0.07	< 10	< 10	70	10	140
T37236	201 229	< 0.01	96	1140	10	< 2	15	73	0.17	< 10	< 10	139	20	76
T37237	201 229	0.01	76	1060	4	< 2	9	50	0.13	< 10	< 10	81	10	80
T37238	201 229	< 0.01	67	1000	14	< 2	7	31	0.06	< 10	< 10	61	10	130
T37239	201 229	0.01	41	1030	12	2	4	86	0.01	< 10	< 10	48	10	122
T37240	201 229	< 0.01	58	1120	12	2	9	42	0.07	< 10	< 10	62	10	90
T37241	201 229	0.01	60	1310	14	6	7	36	0.03	< 10	< 10	71	10	136
T37242	201 229	0.01	64	1170	12	< 2	9	51	0.10	< 10	< 10	74	10	148
T37243	201 229	< 0.01	93	1350	14	< 2	15	36	0.20	< 10	< 10	129	20	84

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page : 1-A  
Total Pages : 1  
Certificate Date: 03-JUL-95  
Invoice No. : 19520343  
P.O. Number :  
Account : MPO

Project : FINLAYSON - *PLAY*  
Comments:

## CERTIFICATE OF ANALYSIS

### A9520343

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
935151	205	226	500	0.2	0.51	1705	40	< 0.5	< 2	6.51	< 0.5	38	51	149	8.64	10	< 1	0.13	< 10	2.84	1250
935152	205	226	< 5	0.2	1.51	28	220	< 0.5	< 2	0.67	< 0.5	11	114	65	2.80	10	< 1	0.37	30	0.86	90
935153	205	226	< 5	0.4	1.80	16	40	0.5	< 2	1.57	< 0.5	13	61	287	1.34	10	1	0.18	20	0.23	60
935154	205	226	< 5	< 0.2	0.15	594	270	< 0.5	< 2	11.00	< 0.5	43	628	2	3.93	< 10	1	< 0.01	< 10	6.80	825

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page : 1-B  
Total Pages : 1  
Certificate Date: 03-JUL-95  
Invoice No. : 19520343  
P.O. Number :  
Account : MPO

Project : FINLAYSON - *PLAY*  
Comments:

## CERTIFICATE OF ANALYSIS

A9520343

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935151	205 226	< 1	0.08	17	1160	< 2	12	14	269	< 0.01	< 10	< 10	43	40	90
935152	205 226	< 1	0.01	28	2360	8	< 2	2	29	< 0.01	< 10	< 10	35	< 10	72
935153	205 226	< 1	0.12	19	440	16	2	2	67	0.20	< 10	< 10	15	< 10	30
935154	205 226	< 1	< 0.01	939	< 10	4	32	5	349	< 0.01	< 10	< 10	16	20	8

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FINLAYSON - *PLAY*  
Comments:

Page : 1  
Total Pages : 1  
Certificate Date: 17-JUL-95  
Invoice No. : 19521964  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9521964

SAMPLE	PREP CODE	Au ppb FA+AA									
T37093	244 --	< 5									
T37095	244 --	< 5									
T37098	244 --	< 5									
T37118	244 --	< 5									
T37119	244 --	< 5									
T37161	244 --	< 5									
T37162	244 --	< 5									
T37163	244 --	< 5									
T37232	244 --	55									

CERTIFICATION:

*Frank Vank*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments :

Page : 1-A  
Total Pages : 5  
Certificate Date: 26-JUL-95  
Invoice No. : 19522037  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522037

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
T37233	201	229	0.4	1.79	352	190	< 0.5	< 2	1.58	< 0.5	24	34	83	4.70	< 10	< 1	0.19	10	1.36	390	1
T37234	201	229	0.2	2.43	50	150	< 0.5	2	1.17	< 0.5	23	50	90	5.38	< 10	< 1	0.22	10	1.80	395	1
T37244	201	229	< 0.2	1.15	158	110	< 0.5	< 2	0.80	< 0.5	28	18	34	5.19	< 10	< 1	0.04	20	0.57	665	1
T37245	201	229	< 0.2	1.55	10	60	< 0.5	2	6.90	< 0.5	15	21	39	3.22	< 10	< 1	0.03	30	1.17	225	1
T37246	201	229	< 0.2	2.16	20	110	< 0.5	< 2	0.35	< 0.5	20	32	80	4.31	< 10	< 1	0.03	30	1.37	480	1
T37247	201	229	< 0.2	2.79	10	40	0.5	< 2	0.64	< 0.5	19	34	29	4.21	< 10	< 1	0.04	60	1.56	725	< 1
T37248	201	229	< 0.2	2.42	154	170	< 0.5	< 2	0.40	< 0.5	17	65	65	4.14	< 10	< 1	0.06	20	1.83	425	1
T37249	201	229	< 0.2	1.99	38	240	< 0.5	2	0.69	< 0.5	16	36	71	3.86	< 10	< 1	0.08	10	1.48	375	1
T37250	201	229	< 0.2	2.24	20	210	0.5	< 2	0.34	< 0.5	22	73	111	4.71	< 10	< 1	0.05	20	1.41	550	1
T37251	201	229	< 0.2	1.29	206	140	< 0.5	< 2	6.55	0.5	29	39	87	4.07	< 10	< 1	0.03	10	1.18	585	1
T37252	201	229	< 0.2	0.49	84	80	< 0.5	< 2	5.17	< 0.5	25	11	67	4.27	< 10	< 1	0.04	10	0.56	295	1
T37253	201	229	< 0.2	2.15	54	160	< 0.5	< 2	4.84	1.0	33	69	123	5.08	< 10	< 1	0.06	20	2.23	645	1
T37254	201	229	< 0.2	2.51	48	170	< 0.5	< 2	0.75	< 0.5	26	113	123	5.85	< 10	< 1	0.05	10	2.26	630	1
T37255	201	229	< 0.2	2.29	40	190	< 0.5	< 2	2.38	1.0	33	81	143	4.30	10	< 1	0.11	20	2.13	670	< 1
T37256	201	229	< 0.2	3.92	24	190	0.5	4	1.34	< 0.5	40	18	67	9.26	20	< 1	0.23	20	2.76	1315	1
T37257	201	229	< 0.2	3.21	26	190	0.5	4	0.72	1.5	28	87	154	6.14	10	< 1	0.12	30	3.01	685	1
T37258	201	229	< 0.2	2.41	50	240	< 0.5	< 2	2.96	0.5	24	67	112	4.80	10	< 1	0.10	20	2.06	555	1
T37259	201	229	< 0.2	1.69	274	110	< 0.5	< 2	1.90	0.5	23	32	41	4.65	< 10	< 1	0.06	20	1.40	610	< 1
T37260	201	229	< 0.2	2.38	60	200	< 0.5	< 2	0.87	< 0.5	23	64	62	4.74	10	< 1	0.07	10	1.87	865	< 1
T37261	201	229	< 0.2	2.53	28	80	< 0.5	< 2	1.60	< 0.5	28	143	76	5.23	10	< 1	0.12	20	2.45	390	< 1
T37262	201	229	0.4	2.18	198	200	< 0.5	< 2	1.16	< 0.5	32	75	96	6.50	< 10	< 1	0.09	10	1.83	640	1
T37263	201	229	0.2	1.54	100	380	< 0.5	< 2	0.70	< 0.5	27	32	55	4.88	< 10	< 1	0.03	10	0.87	655	1
T37264	201	229	< 0.2	1.92	36	170	< 0.5	2	5.10	< 0.5	18	24	39	3.22	< 10	< 1	0.12	10	1.29	320	1
T37265	201	229	0.2	2.20	24	220	< 0.5	< 2	0.82	< 0.5	20	43	60	4.22	< 10	< 1	0.11	20	1.43	520	2
T37266	201	229	0.2	1.98	26	380	0.5	2	0.82	< 0.5	17	40	69	3.84	< 10	< 1	0.11	20	1.23	500	3
T37267	201	229	0.2	2.41	26	290	< 0.5	< 2	0.65	< 0.5	18	51	66	4.22	< 10	< 1	0.11	20	1.65	490	1
T37268	201	229	< 0.2	2.09	40	210	< 0.5	< 2	0.72	< 0.5	15	63	84	4.16	< 10	< 1	0.08	20	1.58	380	1
T37269	201	229	0.4	2.21	26	420	0.5	2	0.91	0.5	25	76	126	4.73	< 10	< 1	0.12	20	1.50	685	2
T37270	201	229	0.2	0.59	46	100	< 0.5	< 2	1.14	0.5	34	10	113	7.00	< 10	< 1	0.10	10	0.39	360	3
T37271	201	229	0.4	0.92	316	120	< 0.5	< 2	1.07	1.0	33	20	148	6.65	< 10	< 1	0.08	10	0.68	445	6
T37272	201	229	< 0.2	1.96	68	150	< 0.5	< 2	0.75	< 0.5	20	27	43	3.88	< 10	< 1	0.06	20	1.15	570	1
T37273	201	229	0.2	1.75	32	170	< 0.5	< 2	4.84	0.5	16	24	41	3.68	< 10	< 1	0.08	20	1.27	405	1
T37274	201	229	0.2	2.26	74	240	< 0.5	< 2	0.85	< 0.5	18	52	74	4.01	< 10	< 1	0.11	20	1.72	540	2
T37275	201	229	0.2	2.09	84	260	< 0.5	< 2	0.65	< 0.5	17	70	89	3.87	< 10	< 1	0.09	10	1.48	455	2
T37276	201	229	< 0.2	2.18	78	260	< 0.5	< 2	0.76	< 0.5	17	67	54	4.24	< 10	< 1	0.07	10	1.61	500	< 1
T37277	201	229	< 0.2	2.44	24	120	< 0.5	2	1.39	< 0.5	27	95	99	4.77	10	< 1	0.09	20	2.38	655	3
T37278	201	229	< 0.2	3.20	30	170	0.5	6	1.23	< 0.5	33	140	163	6.12	10	< 1	0.25	10	3.26	680	1
T37279	201	229	< 0.2	0.50	290	80	< 0.5	< 2	4.79	< 0.5	27	16	64	4.53	< 10	< 1	0.05	10	0.68	380	< 1
T37280	201	229	0.2	1.80	76	170	< 0.5	< 2	1.33	1.0	25	68	107	5.79	< 10	< 1	0.08	20	1.63	460	5
T37281	201	229	< 0.2	3.13	46	220	0.5	2	1.08	< 0.5	28	66	120	6.87	10	< 1	0.19	20	2.49	760	1

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 1-B  
 Total Pages : 5  
 Certificate Date: 26-JUL-95  
 Invoice No. : 19522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37233	201 229	< 0.01	42	1230	8	< 2	6	64	0.07	< 10	< 10	44	< 10	64
T37234	201 229	< 0.01	59	980	6	< 2	5	48	0.04	< 10	< 10	48	< 10	78
T37244	201 229	< 0.01	33	400	36	< 2	7	29	< 0.01	< 10	< 10	17	< 10	106
T37245	201 229	< 0.01	30	420	8	< 2	3	114	< 0.01	< 10	< 10	14	< 10	88
T37246	201 229	< 0.01	37	270	16	< 2	6	21	< 0.01	< 10	< 10	29	< 10	76
T37247	201 229	< 0.01	36	450	38	< 2	7	31	< 0.01	< 10	< 10	23	< 10	74
T37248	201 229	< 0.01	53	470	10	< 2	8	28	0.02	< 10	< 10	47	< 10	82
T37249	201 229	0.01	35	1200	8	< 2	8	39	0.05	< 10	< 10	80	< 10	68
T37250	201 229	< 0.01	52	980	12	< 2	9	17	0.02	< 10	< 10	63	< 10	82
T37251	201 229	< 0.01	49	1330	14	< 2	7	138	0.02	< 10	< 10	43	< 10	90
T37252	201 229	< 0.01	50	820	14	< 2	4	82	< 0.01	< 10	< 10	11	< 10	110
T37253	201 229	< 0.01	69	1140	18	< 2	9	127	0.07	< 10	< 10	71	< 10	152
T37254	201 229	< 0.01	77	1230	12	2	14	36	0.13	< 10	< 10	107	< 10	120
T37255	201 229	< 0.01	60	1210	16	< 2	11	75	0.13	< 10	< 10	80	< 10	170
T37256	201 229	< 0.01	7	2320	14	< 2	15	68	0.24	< 10	< 10	233	< 10	180
T37257	201 229	< 0.01	61	1160	20	< 2	14	30	0.18	< 10	< 10	117	< 10	374
T37258	201 229	< 0.01	63	1500	14	< 2	9	93	0.08	< 10	< 10	86	< 10	130
T37259	201 229	< 0.01	56	830	6	< 2	6	49	< 0.01	< 10	< 10	26	< 10	96
T37260	201 229	< 0.01	39	2060	2	< 2	10	42	0.13	< 10	< 10	115	< 10	70
T37261	201 229	< 0.01	77	1080	4	< 2	9	52	0.03	< 10	< 10	68	< 10	66
T37262	201 229	< 0.01	80	1350	12	< 2	8	44	0.02	< 10	< 10	67	< 10	78
T37263	201 229	< 0.01	38	520	22	< 2	7	28	< 0.01	< 10	< 10	37	< 10	70
T37264	201 229	< 0.01	36	690	10	< 2	3	103	< 0.01	< 10	< 10	19	< 10	106
T37265	201 229	< 0.01	53	1420	16	< 2	6	34	0.01	< 10	< 10	52	< 10	114
T37266	201 229	< 0.01	48	1450	16	2	5	35	0.01	< 10	< 10	59	< 10	110
T37267	201 229	< 0.01	48	1160	14	< 2	6	30	0.03	< 10	< 10	62	< 10	116
T37268	201 229	< 0.01	58	1400	10	< 2	7	31	0.06	< 10	< 10	52	< 10	260
T37269	201 229	< 0.01	68	1980	12	< 2	8	42	0.05	< 10	< 10	76	< 10	114
T37270	201 229	< 0.01	72	1940	14	< 2	4	33	< 0.01	< 10	< 10	17	< 10	82
T37271	201 229	< 0.01	77	2310	16	< 2	7	37	< 0.01	< 10	< 10	36	< 10	130
T37272	201 229	0.01	37	880	16	< 2	4	30	< 0.01	< 10	< 10	25	< 10	92
T37273	201 229	< 0.01	34	910	12	< 2	3	111	< 0.01	< 10	< 10	26	< 10	104
T37274	201 229	< 0.01	50	1570	12	< 2	6	37	0.03	< 10	< 10	58	< 10	112
T37275	201 229	< 0.01	52	1640	14	< 2	6	28	0.05	< 10	< 10	75	< 10	90
T37276	201 229	< 0.01	42	1730	8	< 2	6	38	0.06	< 10	< 10	79	< 10	68
T37277	201 229	< 0.01	62	1810	4	< 2	11	67	0.09	< 10	< 10	107	< 10	58
T37278	201 229	< 0.01	83	1630	4	< 2	21	51	0.16	< 10	< 10	178	< 10	84
T37279	201 229	< 0.01	62	840	4	< 2	6	98	< 0.01	< 10	< 10	14	< 10	64
T37280	201 229	< 0.01	78	1320	14	< 2	8	48	0.04	< 10	< 10	58	< 10	166
T37281	201 229	< 0.01	47	2010	2	< 2	10	51	0.15	< 10	< 10	120	< 10	132

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 2-A  
 Total Pages : 5  
 Certificate Date : 26-JUL-95  
 Invoice No. : I9522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments :

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37282	201 229	< 0.2	2.72	32	210	< 0.5	< 2	2.35	< 0.5	25	111	70	4.97	10	< 1	0.17	20	2.46	580	1
T37283	201 229	< 0.2	1.93	52	250	< 0.5	< 2	2.07	1.0	26	71	101	5.41	< 10	< 1	0.10	20	1.84	615	< 1
T37284	201 229	< 0.2	1.72	58	220	< 0.5	< 2	1.52	0.5	20	57	89	5.07	< 10	< 1	0.09	20	1.42	475	1
T37285	201 229	< 0.2	1.80	44	240	< 0.5	< 2	0.62	0.5	22	51	78	5.00	< 10	< 1	0.12	20	1.29	750	4
T37286	201 229	< 0.2	1.76	36	260	< 0.5	< 2	0.75	0.5	17	49	54	4.36	< 10	< 1	0.08	10	1.16	575	3
T37287	201 229	< 0.2	1.79	36	240	< 0.5	< 2	1.41	0.5	18	41	53	3.84	< 10	< 1	0.16	10	1.30	755	2
T37288	201 229	0.2	0.93	148	150	< 0.5	< 2	4.21	0.5	27	18	90	4.88	< 10	< 1	0.08	10	0.89	490	3
T37289	201 229	0.2	2.01	44	130	< 0.5	< 2	0.91	0.5	40	45	173	6.82	< 10	< 1	0.16	10	1.70	645	3
T37290	201 229	< 0.2	1.61	110	150	< 0.5	< 2	1.14	< 0.5	14	20	29	3.95	< 10	< 1	0.05	20	0.90	215	< 1
T37291	201 229	0.2	1.72	28	160	< 0.5	< 2	1.91	< 0.5	15	25	43	3.69	< 10	< 1	0.05	20	1.08	355	1
T37292	201 229	< 0.2	1.65	22	180	< 0.5	2	0.73	< 0.5	15	24	43	3.88	< 10	< 1	0.03	20	0.97	345	2
T37293	201 229	0.2	1.95	36	210	< 0.5	< 2	0.94	0.5	21	31	179	4.53	< 10	< 1	0.13	10	1.52	555	3
T37294	201 229	< 0.2	2.03	30	350	< 0.5	< 2	0.61	< 0.5	19	136	44	3.88	< 10	< 1	0.03	< 10	1.26	625	1
T37295	201 229	< 0.2	2.24	138	270	0.5	< 2	0.54	< 0.5	19	33	102	4.49	< 10	< 1	0.06	10	1.36	610	2
T37296	201 229	< 0.2	1.56	18	110	< 0.5	< 2	3.49	< 0.5	16	61	55	3.61	< 10	1	0.08	10	1.48	610	< 1
T37297	201 229	0.2	2.68	22	120	< 0.5	< 2	2.48	< 0.5	28	115	119	5.39	10	< 1	0.17	10	2.59	645	< 1
T37298	201 229	< 0.2	0.55	34	50	< 0.5	< 2	5.58	< 0.5	37	4	91	3.49	< 10	< 1	0.08	< 10	0.55	480	1
T37299	201 229	0.2	1.10	42	290	< 0.5	< 2	2.08	0.5	8	18	46	2.11	< 10	< 1	0.06	< 10	0.56	225	1
T37300	201 229	< 0.2	1.06	54	290	< 0.5	< 2	2.64	0.5	12	18	46	2.10	< 10	< 1	0.04	< 10	0.53	605	< 1
T37301	201 229	< 0.2	1.97	46	240	< 0.5	< 2	1.71	< 0.5	17	34	63	3.57	< 10	< 1	0.11	20	1.25	365	1
T37302	201 229	0.8	1.76	20	260	< 0.5	< 2	1.55	0.5	15	30	78	3.53	< 10	< 1	0.14	10	1.11	360	8
T37303	201 229	< 0.2	2.23	68	150	< 0.5	2	0.24	< 0.5	25	32	62	4.91	10	< 1	0.25	< 10	1.33	395	1
T37304	201 229	< 0.2	2.02	74	140	< 0.5	< 2	0.70	< 0.5	25	152	127	4.47	< 10	< 1	0.03	10	1.57	605	2
T37305	201 229	0.4	2.23	48	200	< 0.5	< 2	0.97	< 0.5	19	101	108	4.61	< 10	< 1	0.07	10	1.87	455	1
T37306	201 229	< 0.2	1.53	16	290	< 0.5	< 2	1.33	< 0.5	10	43	28	2.37	< 10	< 1	0.07	< 10	0.96	225	< 1
T37307	201 229	0.2	1.75	40	520	0.5	< 2	0.69	< 0.5	17	55	80	3.94	< 10	< 1	0.08	20	1.04	465	1
T37308	201 229	< 0.2	1.73	14	420	< 0.5	< 2	0.55	< 0.5	13	41	41	3.31	< 10	< 1	0.12	20	0.97	335	1
T37309	201 229	< 0.2	1.61	28	310	< 0.5	2	0.82	0.5	15	36	50	3.43	< 10	< 1	0.08	10	0.91	495	1
T37310	201 229	< 0.2	1.87	60	200	< 0.5	< 2	1.02	0.5	27	60	92	5.22	< 10	< 1	0.07	20	1.50	735	1
T37311	201 229	< 0.2	2.76	50	250	0.5	2	1.72	0.5	29	103	79	5.49	10	< 1	0.20	20	2.49	730	2
T37312	201 229	< 0.2	2.07	18	310	< 0.5	2	0.60	< 0.5	17	80	99	4.07	< 10	< 1	0.06	10	1.67	370	< 1
T37313	201 229	0.2	2.34	34	350	0.5	2	2.23	0.5	22	69	86	4.73	10	< 1	0.17	20	1.60	470	1
T37314	201 229	< 0.2	1.33	8	460	< 0.5	< 2	0.55	1.0	11	45	42	2.31	< 10	< 1	0.12	20	0.64	175	1
T37315	201 229	< 0.2	2.09	62	370	0.5	< 2	0.35	< 0.5	21	50	65	4.94	< 10	< 1	0.10	30	1.01	575	1
T37316	201 229	< 0.2	2.43	64	270	0.5	< 2	0.70	< 0.5	20	75	99	5.05	10	< 1	0.08	20	1.76	510	1
T37317	201 229	< 0.2	2.53	48	420	0.5	< 2	0.98	< 0.5	22	88	99	4.58	10	< 1	0.16	10	1.87	695	1
T37318	201 229	< 0.2	1.71	42	290	0.5	< 2	0.76	< 0.5	17	52	61	4.67	< 10	< 1	0.09	20	1.18	815	1
T37319	201 229	< 0.2	0.64	20	120	< 0.5	< 2	1.15	< 0.5	14	7	58	3.09	< 10	< 1	0.18	40	0.42	200	< 1
T37320	201 229	< 0.2	2.36	130	430	0.5	< 2	0.70	< 0.5	26	54	138	8.59	10	< 1	0.11	20	1.24	440	2
T37321	201 229	< 0.2	1.96	36	220	< 0.5	< 2	1.53	0.5	17	28	39	4.04	< 10	< 1	0.15	20	1.03	455	2

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 2-B  
Total Pages : 5  
Certificate Date: 26-JUL-95  
Invoice No. : I9522037  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522037

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37282	201 229	< 0.01	77	1220	6	< 2	9	66	0.11	< 10	< 10	79	< 10	128
T37283	201 229	< 0.01	69	1500	14	< 2	9	70	0.10	< 10	< 10	68	< 10	208
T37284	201 229	< 0.01	67	1330	14	< 2	9	58	0.07	< 10	< 10	65	< 10	162
T37285	201 229	< 0.01	63	1240	16	< 2	9	32	0.05	< 10	< 10	62	< 10	152
T37286	201 229	< 0.01	48	1200	12	< 2	7	37	0.02	< 10	< 10	51	< 10	156
T37287	201 229	< 0.01	47	1080	14	< 2	6	48	0.01	< 10	< 10	48	< 10	126
T37288	201 229	< 0.01	55	1580	18	< 2	5	62	< 0.01	< 10	< 10	29	< 10	74
T37289	201 229	< 0.01	101	1190	16	< 2	8	38	0.01	< 10	< 10	51	< 10	144
T37290	201 229	< 0.01	27	530	8	< 2	3	43	< 0.01	< 10	< 10	17	< 10	98
T37291	201 229	< 0.01	37	1100	12	< 2	4	53	< 0.01	< 10	< 10	25	< 10	88
T37292	201 229	< 0.01	34	1030	14	< 2	4	35	< 0.01	< 10	< 10	23	< 10	76
T37293	201 229	< 0.01	53	1960	10	< 2	8	46	0.04	< 10	< 10	89	< 10	132
T37294	201 229	< 0.01	53	870	8	< 2	2	42	0.03	< 10	< 10	53	< 10	68
T37295	201 229	< 0.01	40	1610	8	< 2	4	24	0.02	< 10	< 10	59	< 10	80
T37296	201 229	< 0.01	47	1160	4	< 2	6	70	0.01	< 10	< 10	49	< 10	52
T37297	201 229	< 0.01	71	1650	4	< 2	15	84	0.09	< 10	< 10	118	< 10	70
T37298	201 229	< 0.01	34	1920	8	< 2	4	56	< 0.01	< 10	< 10	16	< 10	16
T37299	201 229	0.01	22	1040	4	< 2	2	85	0.01	< 10	< 10	22	< 10	58
T37300	201 229	0.01	29	890	6	< 2	1	101	< 0.01	< 10	< 10	21	< 10	52
T37301	201 229	< 0.01	51	1080	14	< 2	5	58	0.01	< 10	< 10	39	< 10	96
T37302	201 229	< 0.01	59	2150	20	< 2	4	52	< 0.01	< 10	< 10	61	< 10	158
T37303	201 229	< 0.01	39	670	8	< 2	3	17	0.11	< 10	< 10	112	< 10	96
T37304	201 229	< 0.01	76	2180	18	< 2	7	32	0.05	< 10	< 10	66	< 10	92
T37305	201 229	< 0.01	67	1400	8	< 2	10	43	0.06	< 10	< 10	86	< 10	76
T37306	201 229	0.03	23	700	4	< 2	4	61	0.04	< 10	< 10	52	< 10	52
T37307	201 229	< 0.01	55	790	10	< 2	9	32	0.04	< 10	< 10	65	< 10	92
T37308	201 229	< 0.01	41	1220	8	< 2	6	31	0.02	< 10	< 10	52	< 10	88
T37309	201 229	0.01	41	950	10	< 2	5	39	0.02	< 10	< 10	47	< 10	94
T37310	201 229	< 0.01	69	1500	14	< 2	10	43	0.09	< 10	< 10	69	< 10	152
T37311	201 229	< 0.01	86	1230	6	< 2	10	63	0.10	< 10	< 10	91	< 10	152
T37312	201 229	< 0.01	63	1280	6	< 2	8	31	0.11	< 10	< 10	74	< 10	140
T37313	201 229	< 0.01	73	980	22	< 2	7	74	0.02	< 10	< 10	60	< 10	126
T37314	201 229	0.01	61	980	10	< 2	4	39	0.03	< 10	< 10	49	< 10	140
T37315	201 229	< 0.01	50	470	32	< 2	10	21	0.03	< 10	< 10	62	< 10	98
T37316	201 229	< 0.01	51	600	10	< 2	15	33	0.20	< 10	< 10	108	< 10	80
T37317	201 229	< 0.01	60	1160	6	< 2	12	43	0.11	< 10	< 10	102	< 10	88
T37318	201 229	< 0.01	48	940	18	< 2	12	38	0.09	< 10	< 10	70	< 10	82
T37319	201 229	< 0.01	25	1320	8	< 2	4	29	< 0.01	< 10	< 10	13	< 10	18
T37320	201 229	< 0.01	74	930	12	< 2	10	34	< 0.01	< 10	< 10	59	< 10	82
T37321	201 229	0.02	38	1120	12	< 2	4	55	0.01	< 10	< 10	33	< 10	102

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 3-A  
 Total Pages : 5  
 Certificate Date : 26-JUL-95  
 Invoice No. : I9522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37322	201	229	< 0.2	1.32	48	170	< 0.5	2	6.49	< 0.5	19	17	42	3.25	< 10	< 1	0.17	10	0.71	355	2
T37323	201	229	< 0.2	2.18	28	290	< 0.5	< 2	0.99	0.5	14	55	53	3.42	< 10	< 1	0.12	20	1.47	355	< 1
T37324	201	229	< 0.2	3.02	28	390	0.5	2	3.63	0.5	16	73	66	4.11	< 10	< 1	0.33	20	2.02	445	2
T37325	201	229	0.2	2.18	18	380	< 0.5	2	1.41	< 0.5	14	56	56	3.57	< 10	< 1	0.21	20	1.37	245	1
T37326	201	229	< 0.2	1.23	14	330	< 0.5	< 2	0.59	< 0.5	11	57	29	2.53	< 10	< 1	0.09	20	0.83	265	< 1
T37327	201	229	0.2	2.58	38	280	< 0.5	< 2	1.05	0.5	22	84	75	4.66	< 10	< 1	0.18	20	2.09	715	1
T37328	201	229	< 0.2	2.70	110	260	< 0.5	< 2	0.70	< 0.5	25	35	155	5.50	10	< 1	0.25	20	2.08	650	1
T37329	201	229	< 0.2	2.47	36	310	< 0.5	2	1.34	0.5	16	58	67	4.03	< 10	< 1	0.22	20	1.71	425	2
T37330	201	229	< 0.2	2.46	90	260	< 0.5	2	0.87	0.5	22	50	84	4.08	< 10	< 1	0.11	30	1.59	620	1
T37331	201	229	< 0.2	1.37	124	180	< 0.5	< 2	2.19	< 0.5	17	26	54	3.69	< 10	< 1	0.09	20	1.01	375	1
T37332	201	229	0.2	2.08	54	360	< 0.5	< 2	1.44	0.5	21	42	65	3.92	< 10	< 1	0.11	20	1.41	565	1
T37333	201	229	< 0.2	1.27	60	130	< 0.5	< 2	2.93	< 0.5	35	19	113	5.28	< 10	< 1	0.11	10	1.15	500	2
T37334	201	229	< 0.2	2.97	36	420	0.5	2	1.02	< 0.5	27	95	113	5.40	10	< 1	0.11	20	2.27	765	1
T37335	201	229	0.4	1.55	30	470	0.5	< 2	0.66	< 0.5	15	44	71	3.76	< 10	< 1	0.07	20	0.93	410	2
T37336	201	229	< 0.2	1.35	28	270	< 0.5	< 2	0.66	0.5	14	42	40	3.20	< 10	< 1	0.09	20	0.88	375	1
T37337	201	229	0.2	1.39	32	360	< 0.5	< 2	2.50	1.0	15	48	60	3.36	< 10	< 1	0.11	20	1.04	420	1
T37338	201	229	< 0.2	1.83	24	350	< 0.5	< 2	0.66	0.5	18	48	64	3.67	< 10	< 1	0.10	20	1.23	520	1
T37339	201	229	< 0.2	2.23	32	550	0.5	< 2	0.40	< 0.5	19	68	72	4.30	< 10	< 1	0.07	20	1.33	565	1
T37340	201	229	0.2	2.49	26	340	< 0.5	< 2	1.48	0.5	25	74	73	4.75	< 10	< 1	0.17	20	1.77	625	1
T37341	201	229	0.8	1.34	30	1000	0.5	< 2	0.92	2.5	18	33	159	4.58	< 10	< 1	0.09	20	0.69	570	3
T37342	201	229	< 0.2	1.43	20	490	< 0.5	< 2	0.35	0.5	11	63	25	2.80	< 10	< 1	0.09	10	0.66	335	1
T37343	201	229	< 0.2	1.52	24	540	< 0.5	< 2	0.58	0.5	15	63	47	3.01	< 10	< 1	0.13	20	0.82	370	< 1
T37344	201	229	< 0.2	1.96	28	690	0.5	< 2	0.82	< 0.5	18	53	40	4.30	< 10	< 1	0.09	20	1.29	420	2
T37345	201	229	0.2	2.56	44	190	< 0.5	< 2	4.69	< 0.5	20	75	89	4.11	10	1	0.18	20	2.11	480	1
T37346	201	229	0.4	2.07	56	250	< 0.5	< 2	1.37	0.5	19	47	116	4.18	< 10	< 1	0.17	20	1.60	665	3
T37347	201	229	< 0.2	2.52	42	230	< 0.5	< 2	0.46	< 0.5	20	71	44	4.50	< 10	< 1	0.23	< 10	1.65	475	1
T37348	201	229	0.2	2.36	118	260	< 0.5	< 2	0.62	0.5	23	38	129	4.79	10	< 1	0.13	20	1.78	705	2
T37349	201	229	< 0.2	2.57	38	90	< 0.5	< 2	4.53	< 0.5	28	88	78	4.34	10	< 1	0.08	30	2.00	455	1
T37350	201	229	< 0.2	2.12	216	80	< 0.5	< 2	2.69	< 0.5	21	32	62	3.98	< 10	< 1	0.07	30	1.47	380	1
T37351	201	229	0.2	1.61	76	100	< 0.5	< 2	2.23	< 0.5	18	25	62	3.74	< 10	< 1	0.08	20	1.04	395	1
T37352	201	229	< 0.2	0.37	24	90	< 0.5	2	7.34	< 0.5	33	2	69	3.19	< 10	< 1	0.15	< 10	0.89	395	2
T37353	201	229	< 0.2	1.05	32	510	< 0.5	< 2	0.20	1.0	11	23	44	3.91	< 10	< 1	0.05	10	0.34	405	2
T37354	201	229	< 0.2	1.53	54	240	< 0.5	< 2	2.79	0.5	37	40	121	5.15	< 10	< 1	0.09	20	1.35	615	1
T37355	201	229	< 0.2	1.55	22	420	< 0.5	< 2	0.27	0.5	23	45	137	5.44	< 10	< 1	0.10	30	0.93	420	2
T37356	201	229	0.2	2.22	16	440	< 0.5	2	1.08	< 0.5	12	46	52	3.31	< 10	< 1	0.15	10	1.20	345	1
T37357	201	229	< 0.2	1.78	32	260	< 0.5	< 2	0.72	0.5	16	52	57	3.67	< 10	< 1	0.06	10	1.23	445	1
T37358	201	229	0.2	2.79	36	340	0.5	< 2	0.52	0.5	24	51	88	4.86	10	< 1	0.09	20	2.08	610	2
T37359	201	229	0.6	1.99	68	400	0.5	< 2	1.20	0.5	18	37	70	4.21	< 10	< 1	0.11	20	1.29	525	2
T37360	201	229	0.2	2.01	14	420	< 0.5	< 2	1.29	< 0.5	16	45	40	3.43	< 10	< 1	0.10	10	1.23	520	2
T37361	201	229	0.2	1.56	22	320	< 0.5	< 2	2.07	0.5	11	21	41	2.87	< 10	< 1	0.08	10	0.79	260	1

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 3-B  
Total Pages : 5  
Certificate Date: 26-JUL-95  
Invoice No. : I9522037  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522037

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37322	201 229	0.01	42	800	8	< 2	4	93	< 0.01	< 10	< 10	25	< 10	110
T37323	201 229	0.03	43	1470	8	< 2	5	43	0.07	< 10	< 10	56	< 10	134
T37324	201 229	0.01	61	1610	14	< 2	6	108	0.03	< 10	< 10	84	< 10	136
T37325	201 229	0.01	44	2540	12	< 2	6	56	0.07	< 10	< 10	72	< 10	110
T37326	201 229	< 0.01	46	1270	6	< 2	4	35	0.06	< 10	< 10	57	< 10	98
T37327	201 229	< 0.01	55	2030	8	< 2	11	48	0.14	< 10	< 10	104	< 10	120
T37328	201 229	< 0.01	40	1280	24	< 2	9	38	0.20	< 10	< 10	137	< 10	124
T37329	201 229	< 0.01	48	1640	10	< 2	7	55	0.07	< 10	< 10	78	< 10	128
T37330	201 229	< 0.01	67	1050	14	< 2	7	40	0.02	< 10	< 10	49	< 10	104
T37331	201 229	0.02	43	1210	12	< 2	4	66	0.02	< 10	< 10	33	< 10	98
T37332	201 229	< 0.01	49	1430	12	< 2	5	48	0.02	< 10	< 10	52	< 10	114
T37333	201 229	< 0.01	48	1560	8	< 2	6	41	< 0.01	< 10	< 10	34	< 10	42
T37334	201 229	< 0.01	70	1640	8	< 2	14	49	0.12	< 10	< 10	121	< 10	98
T37335	201 229	< 0.01	56	1460	12	< 2	7	35	0.02	< 10	< 10	57	< 10	134
T37336	201 229	< 0.01	40	1710	8	< 2	5	37	0.05	< 10	< 10	51	< 10	94
T37337	201 229	< 0.01	60	1120	12	< 2	5	67	0.03	< 10	< 10	51	< 10	128
T37338	201 229	< 0.01	51	1170	12	< 2	7	32	0.05	< 10	< 10	63	< 10	118
T37339	201 229	< 0.01	63	720	14	< 2	9	21	0.09	< 10	< 10	81	< 10	120
T37340	201 229	< 0.01	75	1050	14	< 2	8	57	0.08	< 10	< 10	76	< 10	152
T37341	201 229	< 0.01	75	1570	18	< 2	9	55	0.03	< 10	< 10	55	< 10	280
T37342	201 229	< 0.01	44	940	10	< 2	3	22	0.04	< 10	< 10	61	< 10	100
T37343	201 229	< 0.01	68	1150	10	< 2	6	33	0.04	< 10	< 10	66	< 10	126
T37344	201 229	< 0.01	48	1820	8	< 2	8	38	0.07	< 10	< 10	76	< 10	114
T37345	201 229	< 0.01	56	2000	6	< 2	9	99	0.07	< 10	< 10	81	< 10	96
T37346	201 229	< 0.01	61	2420	14	< 2	7	47	0.04	< 10	< 10	74	< 10	126
T37347	201 229	< 0.01	38	480	6	< 2	2	29	0.15	< 10	< 10	76	< 10	96
T37348	201 229	< 0.01	48	900	20	< 2	9	28	0.11	< 10	< 10	102	< 10	130
T37349	201 229	< 0.01	68	840	12	< 2	7	105	< 0.01	< 10	< 10	54	< 10	102
T37350	201 229	< 0.01	46	910	16	< 2	4	68	< 0.01	< 10	< 10	25	< 10	86
T37351	201 229	0.01	39	1140	12	< 2	4	56	0.01	< 10	< 10	27	< 10	76
T37352	201 229	< 0.01	29	3040	6	< 2	3	75	< 0.01	< 10	< 10	15	< 10	8
T37353	201 229	0.01	37	800	16	< 2	3	17	0.01	< 10	< 10	34	< 10	258
T37354	201 229	< 0.01	64	1090	22	< 2	7	80	0.04	< 10	< 10	49	< 10	132
T37355	201 229	< 0.01	88	1180	18	< 2	4	21	0.04	< 10	< 10	50	< 10	330
T37356	201 229	0.02	39	1690	6	< 2	6	59	0.02	< 10	< 10	56	< 10	80
T37357	201 229	< 0.01	34	1090	8	< 2	6	34	0.07	< 10	< 10	67	< 10	92
T37358	201 229	< 0.01	53	1180	14	< 2	11	26	0.09	< 10	< 10	134	< 10	108
T37359	201 229	< 0.01	48	1540	12	< 2	4	58	0.01	< 10	< 10	56	< 10	112
T37360	201 229	< 0.01	40	1300	14	< 2	4	64	0.01	< 10	< 10	54	< 10	90
T37361	201 229	0.01	32	790	8	< 2	2	69	< 0.01	< 10	< 10	22	< 10	70

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 4-A  
 Total Pages : 5  
 Certificate Date : 26-JUL-95  
 Invoice No. : 19522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37362	201	229	< 0.2	2.13	90	240	< 0.5	< 2	0.85	< 0.5	25	38	69	4.71	< 10	< 1	0.15	30	1.43	690	1
T37363	201	229	< 0.2	1.94	4	70	< 0.5	< 2	4.83	< 0.5	28	20	69	3.70	< 10	< 1	0.10	40	1.56	355	1
T37364	201	229	< 0.2	2.24	60	120	< 0.5	< 2	1.86	< 0.5	34	84	135	6.13	< 10	< 1	0.09	20	1.92	485	1
T37365	201	229	0.6	0.69	62	530	< 0.5	< 2	2.46	3.0	11	18	91	3.48	< 10	< 1	0.12	10	1.17	280	14
T37366	201	229	< 0.2	1.96	12	160	< 0.5	< 2	2.57	< 0.5	27	60	63	3.37	< 10	< 1	0.14	40	1.67	330	1
T37367	201	229	< 0.2	2.76	36	40	< 0.5	2	1.78	< 0.5	22	35	50	4.37	< 10	< 1	0.07	60	1.96	245	< 1
T37368	201	229	0.2	2.07	86	370	< 0.5	< 2	1.00	0.5	23	37	56	4.26	< 10	< 1	0.12	30	1.42	310	1
T37369	201	229	0.2	2.08	52	590	0.5	< 2	0.84	< 0.5	19	36	79	4.02	< 10	< 1	0.10	30	1.01	515	1
T37370	201	229	0.2	1.69	24	430	< 0.5	< 2	1.07	1.0	13	42	38	2.96	< 10	< 1	0.11	20	0.94	435	2
T37371	201	229	0.4	1.34	26	390	< 0.5	< 2	0.85	0.5	10	37	53	2.90	< 10	< 1	0.13	20	0.76	230	3
T37372	201	229	< 0.2	1.69	22	500	< 0.5	< 2	0.84	2.0	12	45	60	2.71	< 10	< 1	0.12	20	0.97	520	2
T37373	201	229	0.2	1.82	28	380	< 0.5	< 2	0.85	0.5	15	55	60	3.43	< 10	< 1	0.06	20	1.22	365	1
T37374	201	229	0.2	0.36	8	190	< 0.5	< 2	0.58	0.5	12	6	32	4.74	< 10	< 1	0.03	20	0.14	320	3
T37375	201	229	< 0.2	2.63	46	290	< 0.5	< 2	0.88	0.5	23	89	90	4.87	10	< 1	0.13	20	2.21	670	1
T37376	201	229	< 0.2	2.24	26	450	0.5	< 2	0.76	< 0.5	21	71	66	4.25	< 10	< 1	0.06	20	1.65	525	1
T37377	201	229	< 0.2	0.70	14	190	< 0.5	< 2	0.69	0.5	13	14	88	2.78	< 10	< 1	0.07	30	0.53	215	1
T37378	201	229	1.8	0.98	164	500	0.5	< 2	2.34	1.0	39	23	120	8.19	< 10	< 1	0.14	10	0.40	565	4
T37379	201	229	0.2	0.97	34	470	< 0.5	< 2	0.50	3.0	26	27	216	6.94	< 10	< 1	0.11	20	0.52	780	6
T37380	201	229	< 0.2	1.98	34	560	0.5	< 2	0.71	0.5	24	66	99	5.04	< 10	< 1	0.09	20	1.38	520	2
T37381	201	229	< 0.2	1.09	56	250	< 0.5	< 2	3.48	1.0	20	28	83	3.74	< 10	< 1	0.10	20	1.34	405	3
T37382	201	229	0.2	1.54	32	380	< 0.5	< 2	0.76	0.5	14	40	57	3.27	< 10	< 1	0.12	30	0.82	405	2
T37383	201	229	< 0.2	2.00	18	320	< 0.5	2	0.77	< 0.5	13	65	61	3.42	< 10	< 1	0.06	20	1.48	395	1
T37384	201	229	0.2	2.01	32	280	< 0.5	< 2	0.66	1.5	19	66	78	4.18	< 10	< 1	0.14	20	1.52	395	3
T37385	201	229	< 0.2	1.84	10	70	< 0.5	< 2	3.23	< 0.5	17	23	29	3.21	< 10	< 1	0.17	40	1.22	205	< 1
T37386	201	229	< 0.2	1.53	62	220	< 0.5	< 2	5.37	0.5	25	29	68	4.18	< 10	< 1	0.09	20	1.30	440	2
T37387	201	229	0.4	1.30	126	1170	< 0.5	< 2	4.70	2.0	26	29	82	4.63	< 10	1	0.05	10	1.22	435	3
T37388	201	229	0.2	1.03	46	620	< 0.5	2	2.59	4.5	22	18	68	3.93	< 10	< 1	0.07	10	0.72	3150	4
T37389	201	229	< 0.2	2.41	32	240	< 0.5	< 2	2.68	< 0.5	18	34	50	3.89	< 10	< 1	0.13	30	1.48	365	1
T37390	201	229	< 0.2	1.48	14	310	< 0.5	< 2	0.85	< 0.5	14	26	35	3.31	< 10	< 1	0.08	20	0.83	295	3
T37391	201	229	0.2	1.97	18	530	0.5	< 2	0.90	< 0.5	14	46	51	3.61	< 10	< 1	0.15	20	1.08	515	2
T37392	201	229	0.6	1.38	22	500	< 0.5	< 2	1.00	< 0.5	14	36	81	3.16	< 10	< 1	0.09	20	0.74	355	4
T37393	201	229	0.4	2.00	28	390	< 0.5	< 2	1.29	0.5	17	59	96	3.51	< 10	< 1	0.10	20	1.40	395	1
T37394	201	229	< 0.2	0.92	12	200	< 0.5	< 2	0.26	0.5	11	23	25	2.10	< 10	< 1	0.07	30	0.49	240	1
T37395	201	229	< 0.2	2.82	46	300	0.5	< 2	0.84	0.5	24	96	103	5.25	10	< 1	0.17	20	2.33	775	1
T37396	201	229	0.2	1.24	28	290	< 0.5	< 2	0.49	0.5	16	34	73	3.31	< 10	< 1	0.08	20	0.77	520	2
T37397	201	229	0.2	1.68	32	330	< 0.5	< 2	2.18	0.5	16	33	55	3.51	< 10	< 1	0.15	20	1.25	475	2
T37398	201	229	< 0.2	1.69	26	410	< 0.5	< 2	0.53	1.0	17	52	75	4.11	< 10	< 1	0.08	20	1.20	340	1
T37399	201	229	< 0.2	1.65	42	420	< 0.5	< 2	1.49	1.0	22	38	93	4.27	< 10	< 1	0.16	30	1.04	635	2
T37400	201	229	0.2	1.22	28	460	< 0.5	< 2	1.02	1.5	16	28	68	3.40	< 10	< 1	0.09	20	0.69	655	2
T37401	201	229	0.2	1.41	28	240	< 0.5	< 2	0.78	1.0	13	39	72	3.19	< 10	< 1	0.10	20	0.98	320	1

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 4-B  
 Total Pages : 5  
 Certificate Date: 26-JUL-95  
 Invoice No. : I9522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37362	201 229	< 0.01	54	1220	16	< 2	7	31	0.01	< 10	< 10	46	< 10	92
T37363	201 229	< 0.01	56	490	24	< 2	1	115	0.07	< 10	< 10	11	< 10	86
T37364	201 229	0.01	91	1250	12	< 2	11	61	< 0.01	< 10	< 10	71	< 10	106
T37365	201 229	< 0.01	74	2050	22	20	4	107	< 0.01	< 10	< 10	63	< 10	434
T37366	201 229	< 0.01	55	550	10	< 2	3	94	< 0.01	< 10	< 10	28	< 10	78
T37367	201 229	< 0.01	45	830	12	< 2	3	49	< 0.01	< 10	< 10	20	< 10	116
T37368	201 229	< 0.01	51	940	16	< 2	6	45	0.01	< 10	< 10	43	< 10	106
T37369	201 229	< 0.01	48	610	20	< 2	7	33	0.01	< 10	< 10	54	< 10	134
T37370	201 229	0.01	37	1430	14	< 2	3	51	0.02	< 10	< 10	54	< 10	196
T37371	201 229	< 0.01	43	1700	12	< 2	3	61	0.01	< 10	< 10	48	< 10	178
T37372	201 229	0.01	59	1150	10	< 2	3	45	0.02	< 10	< 10	51	< 10	256
T37373	201 229	< 0.01	40	1390	12	< 2	4	45	0.02	< 10	< 10	50	< 10	84
T37374	201 229	< 0.01	28	960	20	< 2	5	25	< 0.01	< 10	< 10	10	< 10	66
T37375	201 229	< 0.01	64	1580	6	< 2	12	36	0.09	< 10	< 10	103	< 10	98
T37376	201 229	< 0.01	51	1380	8	< 2	11	36	0.07	< 10	< 10	92	< 10	80
T37377	201 229	< 0.01	34	700	12	4	4	30	< 0.01	< 10	< 10	13	< 10	126
T37378	201 229	< 0.01	123	2660	20	8	6	46	< 0.01	< 10	< 10	31	< 10	192
T37379	201 229	< 0.01	87	2630	22	4	8	31	0.01	< 10	< 10	42	< 10	320
T37380	201 229	< 0.01	68	1230	14	< 2	9	34	0.03	< 10	< 10	66	< 10	174
T37381	201 229	< 0.01	53	1390	18	4	4	79	0.01	< 10	< 10	40	< 10	128
T37382	201 229	< 0.01	45	1770	12	< 2	6	39	0.02	< 10	< 10	54	< 10	126
T37383	201 229	< 0.01	42	1530	6	< 2	8	35	0.08	< 10	< 10	75	< 10	70
T37384	201 229	< 0.01	64	1530	12	< 2	9	29	0.08	< 10	< 10	84	< 10	244
T37385	201 229	< 0.01	32	490	8	< 2	2	30	< 0.01	< 10	< 10	14	< 10	80
T37386	201 229	< 0.01	54	1030	12	2	4	58	< 0.01	< 10	< 10	29	< 10	104
T37387	201 229	0.01	87	1060	20	12	6	103	< 0.01	< 10	< 10	32	< 10	330
T37388	201 229	< 0.01	66	1460	16	4	3	97	< 0.01	< 10	< 10	25	< 10	252
T37389	201 229	< 0.01	45	900	16	< 2	4	65	< 0.01	< 10	< 10	36	< 10	110
T37390	201 229	< 0.01	34	520	16	2	3	34	0.01	< 10	< 10	42	< 10	112
T37391	201 229	0.01	49	1340	16	< 2	5	49	0.02	< 10	< 10	69	< 10	130
T37392	201 229	< 0.01	34	2170	16	< 2	3	68	0.02	< 10	< 10	53	< 10	122
T37393	201 229	< 0.01	51	1370	12	< 2	6	51	0.05	< 10	< 10	64	< 10	102
T37394	201 229	< 0.01	27	400	8	< 2	3	15	0.01	< 10	< 10	27	< 10	244
T37395	201 229	< 0.01	67	1600	8	< 2	13	41	0.14	< 10	< 10	119	< 10	108
T37396	201 229	< 0.01	48	1160	12	2	7	25	0.02	< 10	< 10	49	< 10	136
T37397	201 229	< 0.01	48	1100	14	< 2	5	63	0.01	< 10	< 10	47	< 10	128
T37398	201 229	< 0.01	53	1260	12	< 2	8	27	0.05	< 10	< 10	61	< 10	160
T37399	201 229	< 0.01	59	1440	12	< 2	6	47	0.01	< 10	< 10	48	< 10	144
T37400	201 229	< 0.01	48	950	12	< 2	4	48	< 0.01	< 10	< 10	35	< 10	124
T37401	201 229	0.01	45	1300	10	2	6	42	0.03	< 10	< 10	55	< 10	158

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 5-A  
 Total Pages : 5  
 Certificate Date: 26-JUL-95  
 Invoice No. : 19522037  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522037

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37402	201 229	0.2	2.01	60	390	< 0.5	< 2	0.71	1.0	18	66	74	4.06	< 10	1	0.07	20	1.44	580	2
T37403	201 229	0.2	2.05	298	360	< 0.5	< 2	2.04	1.0	20	68	94	4.01	< 10	< 1	0.10	20	1.61	525	3
T37404	201 229	< 0.2	1.83	70	170	< 0.5	< 2	2.05	< 0.5	19	31	52	3.68	< 10	< 1	0.06	20	1.28	325	< 1
T37405	201 229	< 0.2	1.07	52	110	< 0.5	< 2	1.55	< 0.5	14	27	44	2.86	< 10	< 1	0.03	10	0.85	310	< 1
T37406	201 229	0.4	1.16	94	290	< 0.5	< 2	1.27	2.0	19	22	80	4.14	< 10	< 1	0.07	10	0.85	305	3
T37407	201 229	< 0.2	1.66	56	270	< 0.5	< 2	1.37	0.5	14	26	25	3.24	< 10	< 1	0.08	10	0.95	365	2
T37408	201 229	< 0.2	1.74	22	200	< 0.5	< 2	0.92	< 0.5	14	28	34	3.06	< 10	< 1	0.09	20	1.03	330	1
T37409	201 229	< 0.2	1.07	12	250	< 0.5	< 2	0.52	< 0.5	11	22	36	2.69	< 10	< 1	0.06	10	0.55	390	3
T37410	201 229	< 0.2	2.40	48	320	< 0.5	< 2	0.72	< 0.5	16	46	55	4.02	< 10	< 1	0.12	20	1.63	435	2
T37411	201 229	1.4	0.80	62	480	< 0.5	< 2	1.07	4.0	19	23	226	4.26	< 10	< 1	0.19	10	0.19	205	21
T37412	201 229	< 0.2	2.06	38	420	< 0.5	< 2	0.88	0.5	17	77	53	3.78	< 10	< 1	0.11	10	1.39	735	2
T37413	201 229	0.4	1.55	22	490	0.5	< 2	0.16	1.0	10	36	202	3.76	< 10	< 1	0.19	10	0.35	185	6
T37414	201 229	< 0.2	2.39	30	360	< 0.5	< 2	0.80	< 0.5	17	55	50	3.88	< 10	< 1	0.12	20	1.68	450	2
T37415	201 229	< 0.2	1.83	32	360	< 0.5	< 2	0.53	< 0.5	14	37	59	3.49	< 10	< 1	0.11	20	1.10	505	3
T37416	201 229	0.2	2.17	18	290	< 0.5	2	0.71	0.5	16	38	59	3.72	< 10	< 1	0.13	20	1.38	345	3
T37417	201 229	0.4	1.60	24	380	< 0.5	< 2	1.01	1.0	18	27	47	3.21	< 10	< 1	0.08	10	0.88	880	3
T37418	201 229	0.2	1.49	54	330	< 0.5	< 2	1.74	1.5	21	32	61	3.63	< 10	< 1	0.07	10	1.06	585	2
T37419	201 229	< 0.2	1.41	64	280	< 0.5	2	4.69	1.5	27	24	40	4.22	< 10	< 1	0.08	10	0.96	1995	1
T37420	201 229	< 0.2	1.50	208	150	< 0.5	< 2	2.91	< 0.5	22	36	55	4.29	< 10	< 1	0.06	10	1.18	435	1
T37421	201 229	< 0.2	1.84	16	110	< 0.5	< 2	1.61	< 0.5	14	27	42	2.98	< 10	< 1	0.04	20	1.14	170	< 1
T37422	201 229	< 0.2	2.28	66	150	< 0.5	< 2	1.50	0.5	26	143	70	5.06	< 10	< 1	0.10	20	2.32	530	< 1
T37423	201 229	0.2	1.55	28	200	< 0.5	< 2	2.20	1.5	16	30	65	2.93	< 10	< 1	0.06	10	1.17	270	< 1
T37424	201 229	1.2	0.89	70	580	0.5	< 2	3.33	9.0	13	27	108	3.52	< 10	1	0.19	10	1.16	410	25
T37425	201 229	0.2	1.90	92	510	< 0.5	2	0.74	0.5	21	35	79	4.35	< 10	< 1	0.38	20	0.98	455	3
T37426	201 229	1.2	1.30	84	660	< 0.5	< 2	0.58	3.0	30	30	204	4.26	< 10	< 1	0.06	10	0.71	350	7
T37427	201 229	0.4	1.03	28	570	< 0.5	< 2	1.34	2.5	13	23	49	2.62	< 10	< 1	0.05	10	0.58	550	4
T37428	201 229	1.6	0.82	70	750	< 0.5	< 2	0.78	5.5	12	18	179	4.48	< 10	< 1	0.19	10	0.09	280	23
T37429	201 229	0.2	0.42	14	240	< 0.5	< 2	0.36	< 0.5	7	8	32	1.84	< 10	< 1	0.06	20	0.15	90	2
T37430	201 229	< 0.2	2.50	26	550	< 0.5	< 2	0.62	< 0.5	14	58	52	3.92	< 10	< 1	0.09	20	1.59	425	2
T37431	201 229	0.2	2.35	54	300	< 0.5	2	1.38	0.5	21	88	115	4.42	< 10	< 1	0.14	10	1.83	515	2
T37432	201 229	2.2	0.77	72	520	< 0.5	< 2	1.21	0.5	4	19	72	3.38	< 10	< 1	0.23	10	0.18	95	26
T37433	201 229	< 0.2	1.51	20	350	< 0.5	< 2	0.65	< 0.5	11	44	45	3.12	< 10	< 1	0.09	20	0.93	255	1
T37434	201 229	0.2	0.99	24	470	< 0.5	< 2	0.72	2.0	8	21	168	2.91	< 10	< 1	0.08	10	0.38	285	4
T37435	201 229	< 0.2	1.78	26	530	< 0.5	< 2	0.47	1.0	24	45	115	5.37	< 10	< 1	0.15	20	1.06	575	2
T37436	201 229	< 0.2	1.72	28	430	< 0.5	< 2	0.78	1.0	20	39	33	4.42	< 10	< 1	0.09	10	1.07	1195	2
T37437	201 229	0.8	1.32	28	730	< 0.5	< 2	0.58	3.5	17	39	140	3.78	< 10	< 1	0.09	10	0.62	385	4
T37438	201 229	< 0.2	1.59	18	650	< 0.5	< 2	0.56	< 0.5	13	78	46	3.26	< 10	< 1	0.07	10	1.01	380	1
T37439	201 229	0.4	2.09	36	330	< 0.5	< 2	0.79	1.0	21	68	103	4.26	< 10	< 1	0.11	20	1.59	505	3
T37440	201 229	0.2	2.12	48	380	< 0.5	< 2	0.80	< 0.5	19	60	106	4.37	< 10	< 1	0.11	10	1.60	575	2
T37441	201 229	0.8	0.75	54	320	< 0.5	< 2	1.27	4.0	19	18	84	3.90	< 10	< 1	0.09	10	0.47	455	12

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 5-B  
Total Pages : 5  
Certificate Date: 26-JUL-95  
Invoice No. : I9522037  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522037

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37402	201 229	< 0.01	54	1340	12	< 2	9	35	0.05	< 10	< 10	81	< 10	172
T37403	201 229	< 0.01	64	1810	12	2	7	69	0.05	< 10	< 10	71	< 10	190
T37404	201 229	< 0.01	43	760	12	< 2	3	44	< 0.01	< 10	< 10	20	< 10	82
T37405	201 229	< 0.01	35	630	8	< 2	3	34	< 0.01	< 10	< 10	21	< 10	54
T37406	201 229	< 0.01	50	1780	18	4	4	80	0.02	< 10	< 10	36	< 10	158
T37407	201 229	0.01	30	1110	14	< 2	3	55	0.01	< 10	< 10	38	< 10	110
T37408	201 229	0.02	32	1040	12	< 2	3	36	0.01	< 10	< 10	36	< 10	104
T37409	201 229	< 0.01	27	880	12	< 2	3	25	0.01	< 10	< 10	30	< 10	84
T37410	201 229	< 0.01	43	1790	12	< 2	5	35	0.04	< 10	< 10	72	< 10	120
T37411	201 229	< 0.01	104	4930	34	8	3	106	< 0.01	< 10	< 10	84	< 10	574
T37412	201 229	< 0.01	46	1720	6	< 2	6	46	0.07	< 10	< 10	73	< 10	100
T37413	201 229	< 0.01	52	1250	14	2	2	127	< 0.01	< 10	< 10	63	< 10	256
T37414	201 229	< 0.01	43	1650	12	< 2	6	41	0.06	< 10	< 10	72	< 10	96
T37415	201 229	< 0.01	43	1530	14	2	4	35	0.02	< 10	< 10	61	< 10	140
T37416	201 229	0.01	50	1310	14	< 2	4	29	0.01	< 10	< 10	55	< 10	138
T37417	201 229	0.01	35	1420	14	2	3	45	< 0.01	< 10	< 10	42	< 10	154
T37418	201 229	0.01	46	1150	18	< 2	4	70	0.02	< 10	< 10	37	< 10	158
T37419	201 229	0.01	59	1050	12	2	3	95	0.01	< 10	< 10	30	< 10	246
T37420	201 229	< 0.01	57	980	16	2	4	68	0.01	< 10	< 10	30	< 10	100
T37421	201 229	0.01	34	610	12	< 2	2	45	< 0.01	< 10	< 10	16	< 10	80
T37422	201 229	< 0.01	98	1080	20	< 2	8	47	0.10	< 10	< 10	78	< 10	174
T37423	201 229	< 0.01	50	840	12	2	3	73	< 0.01	< 10	< 10	25	< 10	178
T37424	201 229	< 0.01	129	3110	22	32	5	124	< 0.01	< 10	< 10	125	< 10	840
T37425	201 229	< 0.01	58	1870	12	< 2	6	33	0.03	< 10	< 10	77	< 10	116
T37426	201 229	< 0.01	95	1370	26	8	8	74	0.01	< 10	< 10	64	< 10	264
T37427	201 229	< 0.01	25	1840	16	6	3	96	0.01	< 10	< 10	51	< 10	130
T37428	201 229	< 0.01	62	5450	36	10	4	442	< 0.01	< 10	< 10	94	< 10	484
T37429	201 229	< 0.01	21	1030	8	2	1	23	< 0.01	< 10	< 10	12	< 10	116
T37430	201 229	< 0.01	42	1250	12	< 2	4	37	0.06	< 10	< 10	73	< 10	86
T37431	201 229	< 0.01	66	2030	8	< 2	7	59	0.07	< 10	< 10	81	< 10	124
T37432	201 229	0.01	25	6320	38	6	1	176	< 0.01	< 10	< 10	58	< 10	112
T37433	201 229	< 0.01	33	1560	8	< 2	6	34	0.06	< 10	< 10	59	< 10	102
T37434	201 229	< 0.01	36	1610	12	2	3	104	< 0.01	< 10	< 10	41	< 10	146
T37435	201 229	< 0.01	70	1130	16	< 2	6	28	0.02	< 10	< 10	50	< 10	208
T37436	201 229	0.02	37	1620	6	< 2	6	38	0.03	< 10	< 10	65	< 10	162
T37437	201 229	< 0.01	71	2230	14	2	6	98	0.01	< 10	< 10	68	< 10	234
T37438	201 229	< 0.01	63	1240	10	< 2	7	35	0.04	< 10	< 10	59	< 10	116
T37439	201 229	< 0.01	66	2150	12	2	8	36	0.06	< 10	< 10	84	< 10	160
T37440	201 229	< 0.01	59	2160	12	< 2	7	39	0.07	< 10	< 10	78	< 10	114
T37441	201 229	0.01	70	1790	26	14	4	81	< 0.01	< 10	< 10	41	< 10	458

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 1-A  
 Total Pages : 7  
 Certificate Date: 25-JUL-95  
 Invoice No. : 19522038  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37442	201 229	0.2	1.39	36	440	< 0.5	2	1.07	0.5	13	30	39	2.88	< 10	< 1	0.16	10	0.91	430	2
T37443	201 229	0.6	1.39	50	920	< 0.5	< 2	0.86	3.0	20	44	169	4.88	< 10	< 1	0.07	10	1.07	805	4
T37444	201 229	2.0	0.23	28	430	< 0.5	< 2	0.01	< 0.5	< 1	13	102	2.22	< 10	2	0.16	10	0.01	10	12
T37445	201 229	0.2	1.29	20	380	< 0.5	< 2	0.80	0.5	11	27	61	2.81	< 10	< 1	0.09	10	0.64	350	3
T37446	201 229	0.2	2.35	54	360	0.5	< 2	2.32	0.5	16	39	83	3.90	< 10	< 1	0.21	20	1.53	400	4
T37447	201 229	0.4	2.32	32	560	0.5	< 2	1.18	0.5	16	48	71	3.63	10	< 1	0.14	10	1.32	495	1
T37448	201 229	0.2	2.16	36	270	< 0.5	< 2	0.79	< 0.5	17	60	83	3.92	< 10	< 1	0.11	20	1.63	475	1
T37449	201 229	< 0.2	2.03	28	370	< 0.5	< 2	0.73	< 0.5	10	42	46	3.14	< 10	< 1	0.12	10	1.11	265	1
T37450	201 229	0.4	2.27	36	330	0.5	2	0.74	0.5	15	41	63	3.87	< 10	< 1	0.16	20	1.28	370	4
T37451	201 229	< 0.2	1.55	30	470	< 0.5	< 2	0.82	0.5	12	35	34	3.01	< 10	< 1	0.10	10	0.71	520	2
T37452	201 229	1.2	0.48	36	660	< 0.5	< 2	0.05	0.5	4	31	53	2.52	10	3	0.08	20	0.14	80	21
T37453	201 229	0.6	1.42	76	840	0.5	< 2	0.50	3.0	26	33	155	5.34	< 10	< 1	0.07	10	0.51	480	10
T37454	201 229	0.4	1.33	60	330	< 0.5	< 2	0.60	1.5	16	32	64	3.77	< 10	< 1	0.06	10	0.85	275	3
T37455	201 229	0.2	0.31	48	490	< 0.5	< 2	0.89	< 0.5	16	2	92	3.17	< 10	< 1	0.10	10	0.08	405	3
T37456	201 229	< 0.2	2.73	44	110	< 0.5	< 2	1.14	< 0.5	41	219	125	5.78	10	< 1	0.04	10	3.04	815	2
T37457	201 229	0.4	3.98	90	100	< 0.5	< 2	1.00	0.5	48	366	186	6.73	10	< 1	0.08	10	4.51	770	2
T37458	201 229	< 0.2	3.40	34	130	< 0.5	< 2	1.14	0.5	48	145	505	6.70	10	< 1	0.18	< 10	3.20	850	1
T37459	201 229	< 0.2	3.78	14	750	< 0.5	2	1.99	< 0.5	43	118	156	7.90	10	< 1	0.17	10	3.35	815	< 1
T37460	201 229	1.8	0.61	158	850	< 0.5	< 2	0.89	6.0	20	19	106	4.97	< 10	< 1	0.13	10	0.20	645	28
T37461	201 229	1.6	0.84	282	510	0.5	< 2	1.23	3.5	17	20	305	4.40	< 10	< 1	0.26	10	0.34	385	9
T37462	201 229	1.0	1.15	52	740	< 0.5	< 2	0.22	1.5	11	29	208	3.89	< 10	< 1	0.07	10	0.49	180	4
T37463	201 229	0.4	1.49	26	860	< 0.5	2	1.23	1.5	12	30	59	2.91	< 10	< 1	0.08	10	0.77	350	2
T37464	201 229	0.2	1.78	22	590	< 0.5	< 2	0.82	< 0.5	12	33	55	3.26	< 10	< 1	0.11	20	0.90	325	3
T37465	201 229	0.4	1.80	36	500	< 0.5	< 2	0.56	0.5	12	33	68	3.69	< 10	< 1	0.11	20	0.98	335	4
T37466	201 229	0.4	1.79	38	320	< 0.5	< 2	0.76	0.5	15	33	68	3.52	< 10	< 1	0.13	20	1.13	455	4
T37467	201 229	0.2	1.98	22	450	< 0.5	< 2	0.85	0.5	11	47	54	3.21	< 10	< 1	0.17	10	1.08	225	1
T37468	201 229	0.2	2.22	26	570	0.5	2	0.76	0.5	17	75	75	4.01	< 10	< 1	0.13	20	1.47	535	1
T37469	201 229	< 0.2	2.46	30	620	0.5	< 2	0.87	0.5	21	83	80	4.31	< 10	< 1	0.14	20	1.67	340	1
T37470	201 229	< 0.2	1.74	28	620	0.5	< 2	0.55	0.5	15	63	73	3.55	< 10	< 1	0.13	20	1.01	405	2
T37471	201 229	< 0.2	2.25	26	650	0.5	< 2	0.59	0.5	19	46	65	4.20	< 10	< 1	0.21	20	1.12	580	1
T37472	201 229	0.2	1.58	20	770	< 0.5	< 2	0.85	1.0	10	37	76	3.02	< 10	< 1	0.10	10	0.59	290	1
T37473	201 229	< 0.2	1.76	32	560	0.5	< 2	1.57	1.5	17	61	95	3.96	< 10	< 1	0.15	20	1.12	430	3
T37474	201 229	0.2	2.10	28	710	0.5	< 2	0.81	0.5	17	86	66	3.92	< 10	< 1	0.11	20	1.47	530	1
T37475	201 229	0.2	2.18	20	520	< 0.5	< 2	0.72	1.0	17	67	37	3.96	< 10	< 1	0.12	10	1.31	715	2
T37476	201 229	< 0.2	3.15	20	90	< 0.5	< 2	0.92	< 0.5	39	198	146	5.17	10	< 1	0.04	< 10	3.14	1060	< 1
T37477	201 229	2.4	0.82	308	970	0.5	< 2	0.72	2.5	38	14	160	6.96	< 10	< 1	0.20	10	0.15	785	28
T37478	201 229	1.8	0.28	20	410	< 0.5	< 2	2.01	1.0	6	8	61	2.04	< 10	1	0.07	< 10	0.13	240	9
T37479	201 229	1.6	0.52	62	360	< 0.5	< 2	1.34	3.0	19	9	315	4.56	< 10	< 1	0.18	10	0.24	390	7
T37480	201 229	< 0.2	1.74	72	400	< 0.5	< 2	4.87	0.5	22	32	80	4.14	< 10	< 1	0.21	10	1.30	435	2
T37481	201 229	0.8	1.02	30	1720	< 0.5	< 2	1.67	2.0	12	19	131	3.44	< 10	< 1	0.04	10	0.41	425	7

CERTIFICATION: Hart Bichler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page : 1-B  
 Total Pages : 7  
 Certificate Date: 25-JUL-95  
 Invoice No. : 19522038  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments:

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37442	201 229	0.01	40	1290	14	2	4	44	0.02	< 10	< 10	50	< 10	104
T37443	201 229	< 0.01	71	2000	22	8	12	52	0.05	< 10	< 10	65	< 10	232
T37444	201 229	< 0.01	3	310	10	134	1	33	< 0.01	< 10	< 10	71	< 10	14
T37445	201 229	< 0.01	35	1750	12	2	3	50	0.01	< 10	< 10	46	< 10	154
T37446	201 229	0.01	53	1940	16	2	4	71	0.03	< 10	< 10	75	< 10	158
T37447	201 229	0.02	51	1150	12	< 2	6	52	0.04	< 10	< 10	67	< 10	110
T37448	201 229	< 0.01	47	2140	8	< 2	7	38	0.08	< 10	< 10	79	< 10	100
T37449	201 229	0.03	36	1160	6	< 2	4	39	0.04	< 10	< 10	58	< 10	104
T37450	201 229	< 0.01	47	1260	18	2	4	32	0.02	< 10	< 10	66	< 10	140
T37451	201 229	< 0.01	29	830	16	< 2	3	43	0.01	< 10	< 10	57	< 10	108
T37452	201 229	< 0.01	26	600	76	94	2	88	< 0.01	< 10	< 10	52	< 10	228
T37453	201 229	< 0.01	62	3680	28	16	6	134	0.01	< 10	< 10	117	< 10	262
T37454	201 229	< 0.01	54	1030	14	2	5	42	0.01	< 10	< 10	43	< 10	250
T37455	201 229	0.01	30	1200	14	10	2	52	< 0.01	< 10	< 10	6	< 10	122
T37456	201 229	< 0.01	181	960	16	< 2	14	51	0.12	< 10	< 10	138	< 10	134
T37457	201 229	< 0.01	236	1260	22	< 2	17	41	0.15	< 10	< 10	168	< 10	162
T37458	201 229	< 0.01	141	1250	16	< 2	11	53	0.24	< 10	< 10	160	< 10	136
T37459	201 229	< 0.01	66	1290	2	< 2	17	102	0.29	< 10	< 10	241	< 10	88
T37460	201 229	< 0.01	124	2850	30	32	6	83	< 0.01	< 10	< 10	73	< 10	650
T37461	201 229	< 0.01	67	2720	32	68	5	223	< 0.01	< 10	< 10	48	< 10	284
T37462	201 229	< 0.01	51	1120	20	6	4	160	0.01	< 10	< 10	35	< 10	170
T37463	201 229	< 0.01	37	1870	16	4	4	80	0.01	< 10	< 10	54	< 10	190
T37464	201 229	0.01	45	1240	12	2	4	44	0.01	< 10	< 10	52	< 10	120
T37465	201 229	< 0.01	48	1160	14	2	5	38	0.01	< 10	< 10	59	< 10	166
T37466	201 229	< 0.01	48	1480	16	2	4	37	0.02	< 10	< 10	56	< 10	140
T37467	201 229	0.01	43	1500	10	< 2	5	42	0.03	< 10	< 10	66	< 10	138
T37468	201 229	< 0.01	64	1540	10	< 2	8	38	0.04	< 10	< 10	79	< 10	114
T37469	201 229	< 0.01	68	1570	8	< 2	10	42	0.07	< 10	< 10	98	< 10	120
T37470	201 229	< 0.01	71	1070	12	< 2	7	40	0.02	< 10	< 10	65	< 10	154
T37471	201 229	< 0.01	58	940	12	< 2	6	31	0.01	< 10	< 10	61	< 10	154
T37472	201 229	0.02	43	1460	12	< 2	4	60	< 0.01	< 10	< 10	52	< 10	116
T37473	201 229	< 0.01	74	1580	14	2	6	96	0.03	< 10	< 10	75	< 10	188
T37474	201 229	< 0.01	71	1260	8	< 2	9	45	0.07	< 10	< 10	83	< 10	104
T37475	201 229	< 0.01	45	1610	10	< 2	7	38	0.05	< 10	< 10	78	< 10	184
T37476	201 229	< 0.01	105	1230	12	< 2	8	43	0.23	< 10	< 10	125	< 10	100
T37477	201 229	< 0.01	88	4010	36	16	7	158	< 0.01	< 10	< 10	55	< 10	302
T37478	201 229	< 0.01	28	2470	30	12	1	131	< 0.01	< 10	< 10	35	< 10	126
T37479	201 229	< 0.01	76	3290	26	10	3	160	< 0.01	< 10	< 10	16	< 10	554
T37480	201 229	< 0.01	54	1470	12	< 2	4	85	0.02	< 10	< 10	48	< 10	104
T37481	201 229	< 0.01	36	2140	18	14	3	134	< 0.01	< 10	< 10	37	< 10	102

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 2-A  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : 19522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37482	201 229	0.4	1.59	28	1070	< 0.5	< 2	0.74	0.5	11	32	95	3.18	< 10	< 1	0.08	20	0.81	310	4
T37483	201 229	0.6	1.38	46	1260	< 0.5	< 2	2.10	2.5	14	28	109	3.61	< 10	1	0.12	20	0.99	365	7
T37484	201 229	0.2	1.96	26	410	< 0.5	< 2	0.81	< 0.5	14	51	58	3.36	< 10	< 1	0.13	20	1.15	455	2
T37485	201 229	0.4	2.29	42	430	< 0.5	< 2	0.77	0.5	19	67	100	4.16	< 10	< 1	0.16	20	1.47	515	2
T37486	201 229	< 0.2	2.72	36	530	0.5	< 2	0.64	0.5	22	77	81	4.44	< 10	< 1	0.27	20	1.71	565	1
T37487	201 229	< 0.2	2.28	34	620	0.5	< 2	1.71	0.5	17	63	62	3.83	< 10	< 1	0.26	20	1.28	510	1
T37488	201 229	< 0.2	1.59	26	590	< 0.5	< 2	0.70	1.0	18	35	89	3.85	< 10	< 1	0.11	20	0.78	540	2
T37489	201 229	0.4	1.48	28	1490	0.5	< 2	1.23	1.0	21	44	77	4.02	< 10	< 1	0.07	10	0.90	1530	2
T37490	201 229	< 0.2	2.15	44	470	0.5	< 2	0.51	0.5	20	70	80	4.12	< 10	1	0.16	20	1.42	585	1
T37491	201 229	0.2	2.68	46	480	0.5	< 2	0.75	1.0	22	86	123	4.91	< 10	< 1	0.20	20	1.87	575	2
T37492	201 229	< 0.2	2.03	32	480	< 0.5	< 2	0.65	< 0.5	14	54	58	3.34	< 10	< 1	0.12	20	1.21	375	2
T37493	201 229	0.4	2.20	28	310	< 0.5	2	0.82	0.5	17	46	81	3.65	< 10	< 1	0.18	20	1.39	480	2
T37494	201 229	< 0.2	1.63	8	120	< 0.5	2	0.52	< 0.5	16	20	40	2.77	< 10	< 1	0.02	20	1.22	755	< 1
T37495	201 229	< 0.2	2.33	12	30	< 0.5	< 2	3.03	< 0.5	25	30	76	4.16	< 10	< 1	0.03	20	1.71	225	< 1
T37496	201 229	0.2	1.40	32	590	< 0.5	< 2	1.13	0.5	13	56	54	2.96	< 10	< 1	0.09	10	1.07	460	2
T37497	201 229	< 0.2	2.57	24	110	< 0.5	< 2	0.90	< 0.5	33	222	81	4.54	< 10	< 1	0.04	10	2.76	630	1
T37498	201 229	1.4	0.57	70	330	< 0.5	< 2	0.35	0.5	8	11	167	3.85	< 10	< 1	0.12	10	0.16	105	10
T37499	201 229	2.6	0.66	28	680	< 0.5	< 2	0.58	1.0	5	14	48	2.31	< 10	< 1	0.15	10	0.19	175	7
T37500	201 229	1.6	1.19	90	640	< 0.5	< 2	1.09	1.5	16	24	173	4.29	< 10	< 1	0.23	10	0.51	300	6
T37501	201 229	< 0.2	1.95	58	780	0.5	< 2	0.59	1.5	22	33	240	4.80	< 10	< 1	0.22	20	0.92	480	2
T37502	201 229	< 0.2	2.03	44	1360	0.5	< 2	0.30	0.5	14	43	95	3.95	< 10	< 1	0.07	20	0.95	315	3
T37503	201 229	1.4	1.93	48	1640	0.5	< 2	1.03	1.0	13	35	157	3.50	< 10	< 1	0.10	20	0.74	460	5
T37504	201 229	0.6	1.86	26	2370	< 0.5	< 2	0.72	1.0	12	32	75	3.33	< 10	< 1	0.11	20	0.96	360	6
T37505	201 229	< 0.2	2.54	30	300	< 0.5	2	0.63	< 0.5	15	63	42	3.76	< 10	< 1	0.16	20	1.73	425	1
T37506	201 229	0.2	1.96	28	430	< 0.5	< 2	0.97	0.5	14	44	61	3.37	< 10	< 1	0.12	10	1.13	540	2
T37507	201 229	0.2	1.86	24	340	< 0.5	< 2	0.98	< 0.5	10	31	39	2.68	< 10	< 1	0.15	10	1.02	285	1
T37508	201 229	0.2	1.85	20	410	< 0.5	< 2	0.93	0.5	11	28	49	2.78	< 10	< 1	0.13	10	0.91	265	1
T37509	201 229	0.4	1.36	36	780	< 0.5	< 2	0.62	< 0.5	12	29	65	3.01	< 10	< 1	0.05	20	0.77	225	3
T37510	201 229	0.2	1.94	80	870	< 0.5	< 2	0.94	1.0	23	32	75	4.01	< 10	< 1	0.08	20	1.16	660	2
T37511	201 229	1.4	1.08	54	630	0.5	< 2	0.49	2.0	13	19	111	4.06	< 10	< 1	0.11	10	0.38	225	4
T37512	201 229	4.8	0.30	26	460	< 0.5	< 2	0.10	1.0	1	9	51	2.64	< 10	< 1	0.25	10	0.03	40	21
T37513	201 229	2.4	0.72	40	1510	0.5	< 2	0.71	9.5	12	16	168	4.04	< 10	1	0.14	10	0.12	325	51
T37514	201 229	2.6	0.49	16	860	< 0.5	< 2	0.52	1.5	1	12	40	2.46	< 10	< 1	0.15	10	0.06	40	6
T37515	201 229	< 0.2	3.46	18	190	0.5	< 2	1.19	0.5	35	177	137	5.99	10	< 1	0.15	10	3.64	690	< 1
T37516	201 229	0.8	1.28	94	200	< 0.5	< 2	1.62	< 0.5	22	22	59	3.97	< 10	< 1	0.12	10	0.87	540	1
T37517	201 229	< 0.2	1.94	44	300	< 0.5	< 2	1.03	0.5	28	51	76	5.00	< 10	< 1	0.11	20	1.19	465	1
T37518	201 229	< 0.2	1.86	58	490	0.5	< 2	1.51	0.5	18	32	53	3.90	< 10	< 1	0.14	20	0.94	505	1
T37519	201 229	< 0.2	1.64	70	310	< 0.5	< 2	5.38	0.5	21	29	61	4.00	< 10	1	0.09	10	1.03	415	1
T37520	201 229	< 0.2	2.27	58	40	< 0.5	2	4.02	< 0.5	24	27	70	3.80	< 10	< 1	0.04	40	1.53	370	< 1
T37521	201 229	< 0.2	1.99	72	520	0.5	< 2	1.04	0.5	19	40	53	3.95	< 10	< 1	0.17	20	1.17	600	1

CERTIFICATION: *Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 2-B  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : I9522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37482	201 229	< 0.01	44	1530	16	6	4	68	< 0.01	< 10	< 10	54	< 10	142
T37483	201 229	< 0.01	61	2030	16	6	4	101	< 0.01	< 10	< 10	61	< 10	260
T37484	201 229	0.01	46	2190	12	< 2	4	40	0.03	< 10	< 10	67	< 10	98
T37485	201 229	< 0.01	63	1850	12	2	7	43	0.05	< 10	< 10	78	< 10	132
T37486	201 229	0.01	70	1360	8	< 2	9	35	0.06	< 10	< 10	103	< 10	130
T37487	201 229	0.01	69	970	10	< 2	7	55	0.02	< 10	< 10	66	< 10	134
T37488	201 229	0.01	54	1180	10	< 2	6	44	0.01	< 10	< 10	45	< 10	144
T37489	201 229	< 0.01	85	1320	14	< 2	8	67	0.01	< 10	< 10	52	< 10	86
T37490	201 229	< 0.01	78	1280	16	< 2	8	34	0.06	< 10	< 10	77	< 10	158
T37491	201 229	< 0.01	83	1990	12	< 2	10	42	0.07	< 10	< 10	109	< 10	182
T37492	201 229	< 0.01	42	1500	8	< 2	6	37	0.03	< 10	< 10	68	< 10	84
T37493	201 229	0.01	61	2400	12	< 2	5	35	0.02	< 10	< 10	71	< 10	126
T37494	201 229	< 0.01	33	530	10	< 2	1	14	< 0.01	< 10	< 10	11	< 10	68
T37495	201 229	< 0.01	63	610	16	< 2	2	68	< 0.01	< 10	< 10	18	< 10	94
T37496	201 229	< 0.01	66	1070	14	< 2	5	42	0.04	< 10	< 10	56	< 10	130
T37497	201 229	< 0.01	129	1220	10	< 2	10	44	0.08	< 10	< 10	122	< 10	112
T37498	201 229	< 0.01	43	2470	42	8	1	144	< 0.01	< 10	< 10	29	< 10	292
T37499	201 229	< 0.01	19	3720	40	10	1	243	< 0.01	< 10	< 10	39	< 10	112
T37500	201 229	< 0.01	58	3390	36	10	4	201	< 0.01	< 10	< 10	47	< 10	242
T37501	201 229	< 0.01	66	1690	20	2	7	45	0.01	< 10	< 10	61	< 10	194
T37502	201 229	< 0.01	47	1140	14	4	5	34	0.01	< 10	< 10	57	< 10	148
T37503	201 229	< 0.01	47	1270	16	6	7	87	< 0.01	< 10	< 10	69	< 10	142
T37504	201 229	0.01	54	1850	16	6	4	79	0.01	< 10	< 10	53	< 10	216
T37505	201 229	< 0.01	46	1430	12	< 2	5	33	0.06	< 10	< 10	63	< 10	118
T37506	201 229	0.02	42	1670	8	< 2	4	47	0.04	< 10	< 10	61	< 10	98
T37507	201 229	0.04	33	950	8	< 2	3	37	0.03	< 10	< 10	48	< 10	112
T37508	201 229	0.03	36	1290	10	< 2	3	44	0.01	< 10	< 10	50	< 10	120
T37509	201 229	< 0.01	35	1980	16	6	3	64	< 0.01	< 10	< 10	44	< 10	118
T37510	201 229	< 0.01	54	1270	14	2	5	41	< 0.01	< 10	< 10	40	< 10	132
T37511	201 229	< 0.01	43	4890	26	6	3	169	< 0.01	< 10	< 10	34	< 10	200
T37512	201 229	< 0.01	12	3920	68	34	1	156	< 0.01	< 10	< 10	78	< 10	46
T37513	201 229	< 0.01	113	2630	52	62	3	250	< 0.01	< 10	< 10	95	< 10	556
T37514	201 229	< 0.01	17	4020	54	8	1	220	< 0.01	< 10	< 10	35	< 10	126
T37515	201 229	< 0.01	101	1400	12	< 2	17	53	0.24	< 10	< 10	176	< 10	178
T37516	201 229	0.01	41	1900	12	< 2	3	56	0.02	< 10	< 10	37	< 10	76
T37517	201 229	< 0.01	72	1200	14	< 2	6	32	< 0.01	< 10	< 10	45	< 10	124
T37518	201 229	0.01	52	900	16	< 2	4	39	< 0.01	< 10	< 10	41	< 10	114
T37519	201 229	0.01	54	1020	16	< 2	4	80	< 0.01	< 10	< 10	31	< 10	118
T37520	201 229	< 0.01	51	740	14	< 2	4	87	< 0.01	< 10	< 10	11	< 10	84
T37521	201 229	< 0.01	58	1010	16	< 2	5	36	< 0.01	< 10	< 10	49	< 10	120

CERTIFICATION: *Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page : 3-A  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : I9522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37522	201 229	< 0.2	1.18	12	490	< 0.5	< 2	0.46	< 0.5	10	30	27	2.24	< 10	< 1	0.12	20	0.54	335	1
T37523	201 229	< 0.2	1.53	46	70	< 0.5	< 2	5.12	< 0.5	18	21	42	3.01	< 10	< 1	0.06	40	1.12	380	< 1
T37524	201 229	< 0.2	1.25	30	430	< 0.5	< 2	1.32	< 0.5	12	36	40	2.78	< 10	< 1	0.09	20	0.75	275	2
T37525	201 229	< 0.2	1.04	50	80	< 0.5	< 2	8.61	< 0.5	15	13	39	3.12	< 10	< 1	0.01	20	0.77	450	< 1
T37526	201 229	< 0.2	0.46	18	10	< 0.5	2	9.27	< 0.5	11	3	21	2.60	< 10	< 1	0.01	20	1.74	595	< 1
T37527	201 229	< 0.2	0.89	46	290	< 0.5	< 2	4.33	< 0.5	16	29	42	3.07	< 10	< 1	0.06	10	0.68	535	1
T37528	201 229	< 0.2	1.84	40	220	< 0.5	< 2	0.95	< 0.5	18	32	50	4.03	< 10	< 1	0.06	20	1.20	365	1
T37529	201 229	< 0.2	1.85	42	110	< 0.5	2	3.51	< 0.5	19	23	41	3.92	< 10	< 1	0.09	30	1.23	305	< 1
T37530	201 229	< 0.2	1.82	52	310	< 0.5	< 2	3.46	0.5	24	103	52	3.50	< 10	< 1	0.18	20	1.65	355	1
T37531	201 229	< 0.2	0.83	138	90	< 0.5	< 2	1.50	< 0.5	23	14	90	5.73	< 10	< 1	0.08	20	0.78	340	2
T37532	201 229	0.2	0.98	42	90	< 0.5	< 2	1.34	< 0.5	43	8	157	6.46	< 10	< 1	0.09	10	0.72	535	2
T37533	201 229	0.2	5.95	16	10	< 0.5	< 2	0.91	< 0.5	71	1075	54	6.39	10	< 1	< 0.01	10	9.00	695	< 1
T37534	201 229	< 0.2	1.08	526	90	< 0.5	< 2	1.46	< 0.5	25	18	51	4.31	< 10	< 1	0.04	30	0.76	530	< 1
T37535	201 229	< 0.2	0.37	156	40	< 0.5	< 2	2.66	< 0.5	24	3	61	4.28	< 10	< 1	0.04	10	0.29	325	1
T37536	201 229	< 0.2	1.30	26	260	< 0.5	< 2	3.32	< 0.5	16	19	46	2.15	< 10	< 1	0.03	10	0.80	360	< 1
T37537	201 229	< 0.2	1.85	26	220	< 0.5	< 2	0.38	< 0.5	13	35	27	3.59	< 10	< 1	0.03	30	1.27	335	1
T37538	201 229	0.2	1.35	30	140	< 0.5	2	1.79	< 0.5	20	32	68	3.08	< 10	< 1	0.08	30	1.11	225	1
T37539	201 229	< 0.2	1.54	40	170	< 0.5	< 2	1.43	0.5	19	34	57	2.95	< 10	< 1	0.09	20	1.23	165	< 1
T37540	201 229	< 0.2	2.37	146	200	< 0.5	2	1.09	< 0.5	22	35	57	4.68	< 10	< 1	0.02	30	1.71	430	1
T37541	201 229	< 0.2	3.31	44	40	< 0.5	2	2.46	< 0.5	25	36	57	4.57	< 10	< 1	0.03	30	2.51	240	< 1
T37542	201 229	0.2	0.27	114	70	< 0.5	2	1.53	1.0	26	2	131	4.95	< 10	< 1	0.04	10	0.36	420	8
T37543	201 229	< 0.2	2.02	34	30	< 0.5	2	1.16	< 0.5	22	22	45	3.20	< 10	< 1	0.03	30	1.35	345	< 1
T37544	201 229	< 0.2	3.26	6	1610	0.5	2	1.31	< 0.5	33	36	203	7.49	10	< 1	0.37	10	3.02	1055	< 1
T37545	201 229	< 0.2	3.17	16	310	0.5	6	0.96	< 0.5	28	16	123	6.80	10	< 1	0.41	10	2.79	980	< 1
T37546	201 229	0.2	2.11	64	230	< 0.5	< 2	0.98	0.5	17	45	67	3.69	< 10	< 1	0.15	20	1.52	230	1
T37547	201 229	0.2	1.34	90	120	< 0.5	2	1.91	< 0.5	23	31	56	3.52	< 10	< 1	0.10	20	1.26	515	< 1
T37548	201 229	< 0.2	1.35	26	190	< 0.5	< 2	3.52	1.0	19	31	53	3.81	< 10	< 1	0.10	10	1.11	615	6
T37549	201 229	< 0.2	2.82	24	160	0.5	< 2	0.83	1.5	31	13	83	7.60	10	< 1	0.05	20	1.15	1020	1
T37550	201 229	< 0.2	2.18	68	120	0.5	< 2	1.59	< 0.5	26	183	97	5.27	< 10	< 1	0.07	20	2.22	470	1
T37551	201 229	< 0.2	0.83	16	40	< 0.5	< 2	6.81	< 0.5	17	11	63	3.61	< 10	< 1	0.09	30	0.60	325	1
T37552	201 229	< 0.2	1.50	118	100	< 0.5	< 2	0.88	0.5	25	34	59	4.31	< 10	< 1	0.08	30	1.05	460	< 1
T37553	201 229	< 0.2	6.02	16	570	1.0	< 2	1.59	< 0.5	49	395	191	8.50	20	< 1	0.04	20	6.53	725	1
T37554	201 229	0.2	4.43	14	150	0.5	< 2	2.11	1.0	65	223	304	8.08	10	< 1	0.41	10	4.41	715	1
T37555	201 229	< 0.2	3.04	46	180	0.5	< 2	1.11	0.5	43	159	134	6.87	10	< 1	0.10	10	3.10	895	1
T37556	201 229	0.4	1.38	10	90	< 0.5	< 2	0.43	0.5	28	49	168	5.78	< 10	< 1	0.11	20	1.12	425	10
T37557	201 229	< 0.2	3.64	28	290	0.5	< 2	0.98	< 0.5	41	166	211	6.83	10	< 1	0.28	10	3.95	810	< 1
T37558	201 229	< 0.2	1.95	310	100	< 0.5	2	0.72	0.5	49	151	106	7.24	< 10	< 1	0.06	10	1.79	555	1
T37559	201 229	< 0.2	1.64	114	160	< 0.5	< 2	1.43	0.5	23	41	62	4.15	< 10	< 1	0.11	20	1.18	465	< 1
T37560	201 229	< 0.2	1.12	60	50	< 0.5	< 2	5.00	< 0.5	15	16	40	3.39	< 10	< 1	0.08	30	0.75	270	< 1
T37561	201 229	0.2	1.97	448	90	< 0.5	2	1.84	0.5	53	185	142	7.18	< 10	< 1	0.07	20	2.11	570	2

CERTIFICATION:

*Hank Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FP (PLAY)  
Comments:

Page Number: 3-B  
Total Pages: 7  
Certificate Date: 25-JUL-98  
Invoice No.: 19522038  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37522	201 229	< 0.01	38	1130	12	< 2	3	33	0.01	< 10	< 10	58	< 10	108
T37523	201 229	< 0.01	41	730	8	< 2	2	110	< 0.01	< 10	< 10	14	< 10	68
T37524	201 229	< 0.01	49	910	10	< 2	3	36	0.01	< 10	< 10	41	< 10	106
T37525	201 229	< 0.01	39	600	8	< 2	2	107	< 0.01	< 10	< 10	6	< 10	66
T37526	201 229	< 0.01	22	400	4	< 2	1	148	< 0.01	< 10	< 10	2	< 10	38
T37527	201 229	< 0.01	46	730	10	< 2	4	38	0.01	< 10	< 10	26	< 10	84
T37528	201 229	0.01	46	790	16	< 2	5	32	< 0.01	< 10	< 10	29	< 10	94
T37529	201 229	< 0.01	36	730	10	< 2	3	69	< 0.01	< 10	< 10	16	< 10	86
T37530	201 229	< 0.01	100	940	14	< 2	6	67	< 0.01	< 10	< 10	49	< 10	142
T37531	201 229	< 0.01	41	1830	10	< 2	4	38	< 0.01	< 10	< 10	29	< 10	50
T37532	201 229	< 0.01	52	2050	8	< 2	6	36	< 0.01	< 10	< 10	30	< 10	36
T37533	201 229	< 0.01	583	850	< 2	< 2	17	17	0.31	< 10	< 10	170	< 10	132
T37534	201 229	< 0.01	53	440	14	< 2	4	31	< 0.01	< 10	< 10	11	< 10	56
T37535	201 229	0.01	53	380	8	< 2	5	49	< 0.01	< 10	< 10	3	< 10	92
T37536	201 229	< 0.01	34	490	12	< 2	2	98	< 0.01	< 10	< 10	17	< 10	44
T37537	201 229	< 0.01	33	700	16	< 2	4	15	0.01	< 10	< 10	32	< 10	82
T37538	201 229	< 0.01	41	1750	12	< 2	4	46	0.01	< 10	< 10	34	< 10	78
T37539	201 229	< 0.01	42	1610	8	< 2	4	40	0.01	< 10	< 10	37	< 10	96
T37540	201 229	< 0.01	51	570	34	< 2	4	22	< 0.01	< 10	< 10	26	< 10	130
T37541	201 229	< 0.01	48	510	10	< 2	2	53	< 0.01	< 10	< 10	21	< 10	108
T37542	201 229	0.01	63	740	30	2	4	42	< 0.01	< 10	< 10	8	< 10	184
T37543	201 229	0.02	42	400	12	< 2	2	33	< 0.01	< 10	< 10	11	< 10	56
T37544	201 229	< 0.01	45	1050	8	< 2	23	92	0.06	< 10	< 10	244	< 10	128
T37545	201 229	0.01	29	1220	6	< 2	16	54	0.12	< 10	< 10	206	< 10	106
T37546	201 229	0.01	49	1340	10	< 2	6	40	0.02	< 10	< 10	53	< 10	112
T37547	201 229	< 0.01	51	870	38	< 2	4	76	0.02	< 10	< 10	32	< 10	158
T37548	201 229	< 0.01	61	1180	14	2	3	79	0.01	< 10	< 10	39	< 10	252
T37549	201 229	0.01	25	1210	48	< 2	12	84	< 0.01	< 10	< 10	125	< 10	272
T37550	201 229	< 0.01	116	1060	14	< 2	11	48	0.07	< 10	< 10	83	< 10	114
T37551	201 229	< 0.01	42	740	24	< 2	3	125	< 0.01	< 10	< 10	13	< 10	140
T37552	201 229	< 0.01	57	850	32	< 2	5	29	0.02	< 10	< 10	34	< 10	190
T37553	201 229	< 0.01	140	1800	< 2	< 2	24	92	0.09	< 10	< 10	299	< 10	102
T37554	201 229	< 0.01	220	1540	96	< 2	21	86	0.10	< 10	< 10	223	< 10	434
T37555	201 229	< 0.01	147	1230	22	< 2	17	48	0.21	< 10	< 10	174	< 10	166
T37556	201 229	< 0.01	98	940	54	< 2	4	32	0.02	< 10	< 10	31	< 10	166
T37557	201 229	< 0.01	155	1580	6	< 2	19	36	0.23	< 10	< 10	228	< 10	110
T37558	201 229	< 0.01	250	910	68	< 2	11	35	0.02	< 10	< 10	56	< 10	220
T37559	201 229	0.01	49	870	16	< 2	7	46	0.04	< 10	< 10	58	< 10	134
T37560	201 229	< 0.01	40	650	10	< 2	2	85	< 0.01	< 10	< 10	13	< 10	72
T37561	201 229	< 0.01	349	890	44	< 2	10	69	0.04	< 10	< 10	70	< 10	248

CERTIFICATION:

*Hart Bickler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page Number : 4-A  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : I9522038  
P.O. Number :  
Account : MPO

Project : FP (PLAY)  
Comments:

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bl ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T37562	201 229	< 0.2	3.71	58	280	< 0.5	< 2	1.06	0.5	55	233	287	6.97	20	< 1	0.45	10	3.84	885	< 1
T37563	201 229	< 0.2	2.77	78	120	< 0.5	2	0.67	< 0.5	52	298	119	5.98	10	< 1	0.06	10	2.94	690	2
T37564	201 229	< 0.2	3.01	36	120	< 0.5	< 2	1.10	< 0.5	34	226	135	5.60	10	< 1	0.10	10	3.14	620	< 1
T37565	201 229	< 0.2	3.29	36	180	< 0.5	6	0.87	< 0.5	39	191	192	6.26	10	< 1	0.16	10	2.91	670	< 1
T37566	201 229	< 0.2	1.38	226	120	< 0.5	2	3.89	< 0.5	28	56	56	6.33	< 10	1	0.07	20	1.13	745	1
T37567	201 229	< 0.2	3.13	144	340	0.5	< 2	0.86	< 0.5	32	49	144	6.86	10	< 1	0.38	10	2.76	855	1
T37568	201 229	0.2	3.68	612	690	0.5	< 2	0.87	< 0.5	36	47	209	8.05	10	< 1	0.59	10	3.17	1170	< 1
T37569	201 229	< 0.2	2.49	448	250	< 0.5	< 2	1.19	< 0.5	25	37	106	5.89	10	< 1	0.34	10	2.11	645	< 1
T37570	201 229	< 0.2	2.23	188	120	< 0.5	< 2	1.02	0.5	31	184	83	5.57	< 10	< 1	0.08	10	2.20	695	1
T37571	201 229	< 0.2	4.23	38	160	0.5	< 2	1.35	0.5	47	312	129	6.52	10	1	0.19	10	4.65	1015	< 1
T37572	201 229	< 0.2	1.16	66	400	< 0.5	< 2	1.59	< 0.5	18	4	110	3.97	< 10	< 1	0.22	< 10	0.88	585	< 1
T37573	201 229	< 0.2	1.60	32	130	< 0.5	< 2	1.08	< 0.5	15	39	38	2.94	< 10	< 1	0.06	10	0.99	405	< 1
T37574	201 229	< 0.2	2.33	6	260	< 0.5	< 2	0.56	< 0.5	19	50	45	5.29	10	< 1	0.12	< 10	1.60	615	1
T37575	201 229	< 0.2	1.61	106	230	< 0.5	2	1.87	< 0.5	20	54	73	3.91	< 10	< 1	0.14	< 10	1.37	580	< 1
T37576	201 229	0.6	1.60	812	100	< 0.5	< 2	1.29	< 0.5	24	17	93	6.23	< 10	< 1	0.08	20	1.00	870	1
T37577	201 229	< 0.2	1.90	18	150	< 0.5	2	1.18	< 0.5	14	40	42	2.97	< 10	< 1	0.10	20	1.42	190	< 1
T37578	201 229	< 0.2	1.86	18	150	< 0.5	< 2	1.32	< 0.5	21	55	61	3.64	< 10	< 1	0.11	30	1.54	330	1
T37579	201 229	< 0.2	0.67	232	80	< 0.5	< 2	5.72	1.5	21	10	51	3.81	< 10	< 1	0.08	10	0.60	280	1
T37580	201 229	0.2	2.32	8	100	< 0.5	< 2	0.44	< 0.5	25	21	59	6.26	< 10	< 1	0.06	20	1.46	675	1
T37581	201 229	< 0.2	2.88	24	510	0.5	4	1.04	< 0.5	28	30	154	6.57	10	< 1	0.46	10	2.30	1015	< 1
T37582	201 229	< 0.2	3.24	36	390	0.5	< 2	1.02	< 0.5	35	29	139	6.87	10	< 1	0.55	10	2.63	855	< 1
T37583	201 229	< 0.2	1.83	14	160	< 0.5	2	0.58	< 0.5	23	20	61	4.57	< 10	< 1	0.22	30	1.28	760	1
T37584	201 229	< 0.2	2.15	214	160	< 0.5	< 2	2.99	0.5	28	20	82	6.00	10	< 1	0.19	10	1.77	525	< 1
T37585	201 229	< 0.2	2.40	60	160	< 0.5	< 2	1.64	< 0.5	27	55	59	4.89	< 10	< 1	0.09	30	1.70	680	< 1
T37586	201 229	0.2	3.64	4	430	0.5	< 2	0.75	< 0.5	38	200	68	7.14	20	< 1	0.29	10	3.57	965	< 1
T37587	201 229	< 0.2	1.63	20	90	< 0.5	< 2	2.08	< 0.5	19	24	41	3.77	< 10	< 1	0.13	30	1.07	325	< 1
T37588	201 229	< 0.2	1.94	26	110	< 0.5	2	0.55	< 0.5	24	27	57	4.61	< 10	< 1	0.17	40	1.34	490	< 1
T37589	201 229	0.2	2.80	36	240	0.5	6	0.80	< 0.5	24	40	94	5.60	10	< 1	0.55	10	2.38	535	< 1
T37590	201 229	< 0.2	2.28	340	200	< 0.5	2	0.94	0.5	24	39	87	5.07	< 10	< 1	0.22	20	1.88	605	< 1
T37591	201 229	0.2	1.79	230	110	< 0.5	2	0.99	0.5	33	25	140	6.28	< 10	< 1	0.10	10	1.46	950	1
T37592	201 229	< 0.2	0.72	52	80	< 0.5	< 2	1.16	0.5	15	9	45	3.99	< 10	< 1	0.07	20	0.54	550	1
T37593	201 229	< 0.2	4.48	14	330	0.5	8	1.17	< 0.5	49	245	299	8.01	10	1	0.42	10	4.78	975	< 1
T37594	201 229	< 0.2	2.50	32	400	< 0.5	2	1.02	0.5	25	176	86	3.99	10	< 1	0.07	10	2.53	610	1
T37595	201 229	< 0.2	4.96	170	410	0.5	6	1.04	< 0.5	54	208	207	8.43	10	< 1	0.33	10	5.36	1140	1
T37596	201 229	1.8	0.67	72	460	< 0.5	< 2	0.99	3.0	10	15	129	3.00	< 10	< 1	0.15	10	0.25	235	6
T37597	201 229	1.6	0.60	204	790	< 0.5	< 2	1.32	1.5	14	11	82	3.46	< 10	1	0.08	10	0.21	580	4
T37598	201 229	0.8	0.62	34	980	< 0.5	< 2	1.07	3.0	18	13	77	3.08	< 10	< 1	0.09	10	0.21	415	10
T37599	201 229	0.8	1.38	84	970	< 0.5	< 2	0.79	3.5	17	25	149	4.90	< 10	< 1	0.11	10	0.58	405	6
T37600	201 229	1.6	0.46	44	130	< 0.5	< 2	3.04	13.0	13	8	329	7.62	< 10	< 1	0.12	< 10	1.48	490	4
T37601	201 229	0.6	1.99	24	880	0.5	< 2	1.21	< 0.5	15	36	80	3.60	< 10	< 1	0.12	10	0.83	570	2

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

Client: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FP (PLAY)  
Comments:

Page Number: 4-B  
Total Pages: 7  
Certificate Date: 25-JUL-95  
Invoice No.: I9522038  
P.O. Number:  
Account: MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37562	201 229	< 0.01	229	1480	24	< 2	12	42	0.28	< 10	< 10	201	< 10	184
T37563	201 229	< 0.01	310	570	18	< 2	13	30	0.12	< 10	< 10	106	< 10	152
T37564	201 229	< 0.01	152	1280	10	< 2	13	48	0.20	< 10	< 10	146	< 10	118
T37565	201 229	< 0.01	133	1180	8	< 2	9	40	0.27	< 10	< 10	165	< 10	96
T37566	201 229	< 0.01	84	480	24	< 2	6	58	0.01	< 10	< 10	31	< 10	88
T37567	201 229	< 0.01	58	1340	18	< 2	18	38	0.15	< 10	< 10	177	< 10	126
T37568	201 229	< 0.01	62	2040	40	< 2	24	57	0.13	< 10	< 10	249	< 10	146
T37569	201 229	0.01	42	2130	62	< 2	14	72	0.13	< 10	< 10	163	< 10	132
T37570	201 229	< 0.01	138	1330	28	< 2	10	44	0.17	< 10	< 10	97	< 10	180
T37571	201 229	< 0.01	210	1330	18	< 2	23	66	0.25	< 10	< 10	191	< 10	222
T37572	201 229	0.02	21	840	28	< 2	9	83	0.06	< 10	< 10	88	< 10	104
T37573	201 229	0.02	38	760	14	< 2	3	49	< 0.01	< 10	< 10	24	< 10	102
T37574	201 229	0.01	26	550	< 2	< 2	7	36	0.23	< 10	< 10	153	< 10	74
T37575	201 229	0.03	45	700	28	< 2	8	82	0.09	< 10	< 10	73	< 10	114
T37576	201 229	< 0.01	35	820	102	< 2	9	60	< 0.01	< 10	< 10	43	< 10	74
T37577	201 229	0.01	44	890	10	< 2	4	43	< 0.01	< 10	< 10	29	< 10	112
T37578	201 229	< 0.01	50	680	14	< 2	4	46	0.04	< 10	< 10	30	< 10	78
T37579	201 229	< 0.01	55	510	44	< 2	4	108	< 0.01	< 10	< 10	11	< 10	150
T37580	201 229	0.02	35	880	26	< 2	3	41	< 0.01	< 10	< 10	40	< 10	64
T37581	201 229	< 0.01	36	1140	6	< 2	17	60	0.21	< 10	< 10	192	< 10	110
T37582	201 229	< 0.01	39	1260	18	< 2	18	55	0.28	< 10	< 10	194	< 10	152
T37583	201 229	< 0.01	38	920	12	< 2	7	25	0.09	< 10	< 10	68	< 10	102
T37584	201 229	< 0.01	51	800	52	< 2	9	83	0.14	< 10	< 10	87	< 10	148
T37585	201 229	< 0.01	56	730	16	< 2	5	50	0.01	< 10	< 10	33	< 10	90
T37586	201 229	< 0.01	128	1200	< 2	< 2	20	35	0.16	< 10	< 10	217	< 10	120
T37587	201 229	< 0.01	44	670	8	< 2	3	46	< 0.01	< 10	< 10	24	< 10	92
T37588	201 229	< 0.01	48	740	8	< 2	6	20	0.06	< 10	< 10	54	< 10	104
T37589	201 229	< 0.01	40	1220	8	< 2	14	44	0.18	< 10	< 10	154	< 10	108
T37590	201 229	< 0.01	49	790	66	< 2	10	46	0.11	< 10	< 10	89	< 10	128
T37591	201 229	< 0.01	50	1190	60	< 2	10	55	0.02	< 10	< 10	76	< 10	144
T37592	201 229	< 0.01	35	670	20	< 2	2	46	< 0.01	< 10	< 10	10	< 10	122
T37593	201 229	< 0.01	166	1760	2	< 2	28	54	0.22	< 10	< 10	280	< 10	94
T37594	201 229	0.01	110	1120	14	< 2	10	52	0.10	< 10	< 10	111	< 10	130
T37595	201 229	< 0.01	151	1760	10	< 2	32	57	0.19	< 10	< 10	290	< 10	134
T37596	201 229	< 0.01	42	2770	32	16	2	179	< 0.01	< 10	< 10	43	< 10	230
T37597	201 229	0.01	46	2500	26	14	2	117	< 0.01	< 10	< 10	33	< 10	168
T37598	201 229	< 0.01	75	2160	24	14	2	111	< 0.01	< 10	< 10	57	< 10	464
T37599	201 229	< 0.01	85	2420	20	20	4	106	< 0.01	< 10	< 10	60	< 10	342
T37600	201 229	< 0.01	46	9860	26	52	6	309	< 0.01	< 10	< 10	27	< 10	156
T37601	201 229	0.01	51	930	16	4	4	62	0.01	< 10	< 10	62	< 10	104

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project: FP (PLAY)  
 Comments:

Page Number: 5-A  
 Total Pages: 7  
 Certificate Date: 25-JUL-95  
 Invoice No.: 19522038  
 P.O. Number:  
 Account: MPO

## CERTIFICATE OF ANALYSIS

A9522038

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37602	201	229	0.2	1.86	30	370	< 0.5	< 2	1.17	0.5	14	39	60	3.38	< 10	< 1	0.15	10	1.09	430	2
T37603	201	229	0.2	2.01	24	370	< 0.5	< 2	1.01	< 0.5	16	50	67	3.42	< 10	< 1	0.14	20	1.25	345	2
T37604	201	229	0.2	2.07	22	450	< 0.5	< 2	0.89	< 0.5	13	46	54	3.62	< 10	< 1	0.11	20	1.24	275	1
T37605	201	229	0.2	3.01	42	510	0.5	< 2	0.78	< 0.5	24	93	96	5.24	10	< 1	0.21	20	2.03	660	2
T37606	201	229	< 0.2	2.76	22	560	0.5	< 2	0.45	< 0.5	17	69	55	4.28	< 10	< 1	0.17	20	1.38	470	2
T37607	201	229	0.4	2.12	32	700	0.5	< 2	0.72	0.5	20	68	62	4.27	< 10	< 1	0.17	20	1.21	725	3
T37608	201	229	1.8	1.87	36	650	0.5	< 2	0.94	4.5	21	65	124	4.06	< 10	1	0.16	10	1.20	410	4
T37609	201	229	1.6	2.18	28	440	< 0.5	< 2	0.51	0.5	20	74	105	3.99	< 10	< 1	0.12	20	1.60	485	1
T37610	201	229	0.2	2.56	24	350	< 0.5	< 2	0.74	0.5	17	75	73	4.19	< 10	< 1	0.17	20	1.73	390	1
T37611	201	229	0.4	2.55	28	360	0.5	< 2	0.87	0.5	18	60	96	4.37	< 10	< 1	0.23	20	1.50	465	2
T37612	201	229	0.2	2.56	48	380	< 0.5	< 2	0.86	0.5	22	55	90	4.52	< 10	< 1	0.23	20	1.64	645	2
T37613	201	229	0.4	2.32	386	160	< 0.5	< 2	1.46	0.5	31	193	89	4.84	10	< 1	0.09	10	2.44	815	1
T37614	201	229	0.2	3.20	100	180	< 0.5	4	1.23	< 0.5	38	254	127	5.64	10	< 1	0.07	10	3.23	685	< 1
T37615	201	229	2.4	0.86	46	1710	< 0.5	< 2	1.94	6.5	15	18	105	3.41	< 10	1	0.13	10	0.59	445	27
T37616	201	229	2.0	0.69	38	1070	< 0.5	< 2	2.62	6.0	16	18	115	3.76	< 10	1	0.13	10	0.66	480	39
T37617	201	229	1.4	1.28	24	2660	< 0.5	< 2	2.70	6.0	12	20	88	4.01	< 10	1	0.13	10	0.97	430	42
T37618	201	229	0.6	1.17	126	1070	< 0.5	< 2	0.70	3.5	22	23	146	4.53	< 10	< 1	0.12	10	0.57	440	8
T37619	201	229	0.4	1.24	50	1220	< 0.5	< 2	0.73	0.5	20	29	29	3.54	< 10	1	0.07	10	0.64	400	7
T37620	201	229	0.4	1.87	28	390	< 0.5	< 2	1.43	0.5	14	33	52	3.11	< 10	< 1	0.16	10	0.99	460	3
T37621	201	229	0.2	1.87	36	400	< 0.5	< 2	0.82	< 0.5	18	39	52	3.92	< 10	< 1	0.11	20	1.11	650	3
T37622	201	229	0.6	1.96	24	550	0.5	2	0.80	1.5	20	42	107	4.14	< 10	< 1	0.15	20	1.07	670	2
T37623	201	229	2.0	1.91	40	790	0.5	< 2	0.78	1.0	16	44	165	4.10	< 10	< 1	0.18	20	0.85	330	6
T37624	201	229	0.2	2.25	30	430	< 0.5	< 2	1.07	1.0	18	66	61	4.02	10	< 1	0.16	10	1.39	410	1
T37625	201	229	0.2	2.40	56	660	0.5	< 2	1.19	2.0	33	80	97	4.61	10	< 1	0.23	20	1.86	525	3
T37626	201	229	0.8	1.68	34	540	< 0.5	2	1.01	2.0	30	152	75	4.26	< 10	2	0.13	10	1.73	1185	3
T37627	201	229	0.2	2.37	24	880	< 0.5	2	0.74	< 0.5	20	65	35	4.09	< 10	< 1	0.17	20	1.47	620	2
T37628	201	229	0.2	2.02	28	640	< 0.5	2	1.46	1.0	13	51	56	3.25	< 10	< 1	0.14	10	1.24	280	3
T37629	201	229	< 0.2	2.66	100	320	< 0.5	< 2	0.51	< 0.5	16	57	48	4.24	< 10	< 1	0.14	20	1.56	370	2
T37630	201	229	0.2	1.30	22	400	< 0.5	< 2	0.67	0.5	14	27	36	3.26	< 10	< 1	0.09	20	0.60	540	4
T37631	201	229	< 0.2	2.38	70	120	< 0.5	2	1.39	< 0.5	24	138	84	4.18	< 10	< 1	0.12	20	2.07	425	< 1
T37632	201	229	0.2	6.06	16	300	0.5	2	1.55	< 0.5	60	425	168	8.66	20	< 1	0.11	10	6.31	1050	< 1
T37633	201	229	2.0	0.62	44	2110	< 0.5	< 2	1.83	3.0	18	15	62	3.95	< 10	< 1	0.09	10	0.20	470	23
T37634	201	229	2.0	0.42	42	390	< 0.5	2	3.27	3.5	19	8	96	3.87	< 10	< 1	0.11	10	0.73	490	17
T37635	201	229	2.2	0.45	46	70	< 0.5	< 2	3.48	7.5	21	14	114	4.35	< 10	1	0.09	< 10	0.64	520	51
T37636	201	229	1.8	1.01	64	1090	0.5	< 2	1.27	6.0	32	21	166	5.85	< 10	< 1	0.10	20	0.57	855	39
T37637	201	229	0.2	1.48	50	600	< 0.5	< 2	0.65	0.5	17	31	47	4.08	< 10	< 1	0.09	20	0.78	480	6
T37638	201	229	0.4	1.69	58	580	< 0.5	< 2	1.41	0.5	17	30	51	4.02	< 10	< 1	0.14	20	1.11	320	2
T37639	201	229	0.4	1.72	20	350	< 0.5	< 2	1.16	0.5	13	31	55	3.17	< 10	< 1	0.17	20	0.91	415	3
T37640	201	229	0.4	2.31	52	370	0.5	< 2	0.89	0.5	19	44	83	4.77	< 10	< 1	0.14	20	1.48	775	6
T37641	201	229	< 0.2	2.37	28	430	0.5	< 2	0.42	< 0.5	15	62	79	4.28	< 10	< 1	0.14	20	1.18	290	3

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 5-B  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : 19522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
T37602	201	229	0.01	44	1780	12	< 2	4	53	0.02	< 10	< 10	55	< 10	142
T37603	201	229	< 0.01	47	2310	14	< 2	6	49	0.04	< 10	< 10	69	< 10	118
T37604	201	229	< 0.01	39	1840	12	< 2	5	47	0.03	< 10	< 10	70	< 10	92
T37605	201	229	< 0.01	77	1640	8	< 2	11	39	0.09	< 10	< 10	119	< 10	142
T37606	201	229	< 0.01	56	940	12	< 2	7	29	0.06	< 10	< 10	94	< 10	116
T37607	201	229	< 0.01	70	1700	10	4	9	52	0.05	< 10	< 10	93	< 10	176
T37608	201	229	< 0.01	110	1930	18	4	10	74	0.03	< 10	< 10	127	< 10	306
T37609	201	229	< 0.01	59	1610	8	2	8	36	0.08	< 10	< 10	92	< 10	114
T37610	201	229	0.01	59	1500	8	< 2	9	42	0.09	< 10	< 10	95	< 10	124
T37611	201	229	< 0.01	64	2080	14	< 2	8	46	0.05	< 10	< 10	84	< 10	142
T37612	201	229	< 0.01	68	2010	14	< 2	7	44	0.06	< 10	< 10	82	< 10	160
T37613	201	229	< 0.01	137	900	60	< 2	10	75	0.08	< 10	< 10	79	< 10	146
T37614	201	229	< 0.01	164	1330	12	< 2	12	60	0.16	< 10	< 10	146	< 10	120
T37615	201	229	0.01	125	2780	34	20	3	137	< 0.01	< 10	< 10	85	< 10	644
T37616	201	229	< 0.01	145	3310	32	28	3	154	< 0.01	< 10	< 10	87	< 10	690
T37617	201	229	< 0.01	175	3560	36	20	4	209	< 0.01	< 10	< 10	65	< 10	766
T37618	201	229	0.01	75	2270	22	10	4	85	0.01	< 10	< 10	45	< 10	352
T37619	201	229	0.01	34	1680	18	2	3	51	0.02	< 10	< 10	48	< 10	220
T37620	201	229	0.02	39	1650	14	2	3	64	0.02	< 10	< 10	64	< 10	128
T37621	201	229	< 0.01	40	1790	16	< 2	4	47	0.04	< 10	< 10	63	< 10	96
T37622	201	229	< 0.01	59	1290	12	< 2	6	53	0.05	< 10	< 10	71	< 10	126
T37623	201	229	0.01	74	1930	14	14	6	72	0.02	< 10	< 10	94	< 10	298
T37624	201	229	0.01	47	1760	12	2	7	66	0.07	< 10	< 10	103	< 10	150
T37625	201	229	0.01	134	1710	12	2	10	64	0.08	< 10	< 10	107	< 10	386
T37626	201	229	0.01	246	1550	8	2	8	69	0.04	< 10	< 10	80	< 10	248
T37627	201	229	0.01	41	1800	12	< 2	7	50	0.07	< 10	< 10	93	< 10	144
T37628	201	229	< 0.01	47	1700	12	< 2	6	86	0.04	< 10	< 10	70	< 10	166
T37629	201	229	< 0.01	49	1510	16	< 2	4	31	0.05	< 10	< 10	85	< 10	110
T37630	201	229	< 0.01	27	1280	14	2	3	41	0.02	< 10	< 10	49	< 10	162
T37631	201	229	< 0.01	76	830	16	< 2	8	51	0.04	< 10	< 10	65	< 10	114
T37632	201	229	< 0.01	228	1170	12	< 2	37	83	0.16	< 10	< 10	256	< 10	144
T37633	201	229	< 0.01	99	2200	26	18	3	101	< 0.01	< 10	< 10	42	< 10	524
T37634	201	229	< 0.01	103	1980	22	16	2	111	< 0.01	< 10	< 10	26	< 10	404
T37635	201	229	< 0.01	178	2710	34	34	3	119	< 0.01	< 10	< 10	64	< 10	828
T37636	201	229	< 0.01	195	2110	38	22	7	102	< 0.01	< 10	< 10	66	< 10	626
T37637	201	229	0.01	35	1690	20	2	3	54	0.01	< 10	< 10	48	< 10	142
T37638	201	229	0.01	40	1840	18	< 2	4	62	0.02	< 10	< 10	50	< 10	164
T37639	201	229	0.02	41	1750	14	< 2	4	56	0.02	< 10	< 10	62	< 10	140
T37640	201	229	< 0.01	62	1420	16	2	6	38	0.02	< 10	< 10	65	< 10	216
T37641	201	229	< 0.01	48	1520	10	2	4	30	0.02	< 10	< 10	70	< 10	118

*Hart Bickler*

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Page Number : 6-A  
 Total Pages : 7  
 Certificate Date: 25-JUL-95  
 Invoice No. : I9522038  
 P.O. Number :  
 Account : MPO

Project : FP (PLAY)  
 Comments :

## CERTIFICATE OF ANALYSIS A9522038

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37642	201	229	1.2	1.09	76	790	< 0.5	< 2	0.32	3.5	9	27	80	6.14	< 10	< 1	0.18	10	0.46	320	12
T37643	201	229	0.4	1.92	38	640	0.5	2	1.53	1.5	23	70	101	4.34	< 10	< 1	0.20	10	1.53	535	2
T37644	201	229	0.4	2.07	32	500	< 0.5	< 2	0.64	0.5	16	75	32	4.29	< 10	< 1	0.13	20	1.41	285	3
T37645	201	229	0.2	2.17	28	490	< 0.5	2	0.77	0.5	20	78	42	4.24	< 10	< 1	0.12	20	1.53	480	3
T37646	201	229	0.2	1.97	12	410	< 0.5	< 2	1.00	1.0	14	57	62	2.99	< 10	< 1	0.14	10	1.30	240	< 1
T37647	201	229	0.8	1.71	38	740	< 0.5	< 2	0.71	0.5	13	51	88	3.87	< 10	1	0.10	20	1.10	465	4
T37648	201	229	1.2	0.95	38	800	< 0.5	< 2	0.51	1.0	4	18	48	3.06	< 10	< 1	0.17	10	0.10	80	11
T37649	201	229	0.2	1.68	20	410	< 0.5	2	0.94	0.5	9	30	46	2.54	< 10	< 1	0.13	10	0.90	215	3
T37650	201	229	< 0.2	1.38	142	320	< 0.5	< 2	1.18	0.5	15	58	32	2.49	< 10	< 1	0.08	10	1.02	550	1
T37651	201	229	< 0.2	4.13	128	210	0.5	< 2	1.12	< 0.5	44	222	155	6.59	10	< 1	0.28	10	4.64	985	< 1
T37652	201	229	1.4	0.70	28	1480	< 0.5	< 2	1.21	4.5	12	17	55	2.85	< 10	< 1	0.12	10	0.54	520	11
T37653	201	229	1.2	0.80	38	1520	< 0.5	< 2	1.00	3.0	15	21	46	3.40	< 10	< 1	0.14	20	0.33	680	9
T37654	201	229	3.0	0.89	44	1070	< 0.5	2	3.07	9.0	21	18	145	3.67	< 10	< 1	0.15	10	1.31	695	24
T37655	201	229	4.4	0.65	56	830	< 0.5	< 2	1.21	9.5	16	21	145	4.95	< 10	1	0.22	10	0.38	805	28
T37656	201	229	0.2	1.99	24	600	0.5	< 2	1.29	0.5	15	38	72	3.27	< 10	< 1	0.12	10	1.03	1045	2
T37657	201	229	0.4	1.96	28	410	< 0.5	2	1.36	0.5	14	43	40	3.30	< 10	< 1	0.14	10	1.25	460	1
T37658	201	229	0.2	2.04	28	420	< 0.5	2	0.99	0.5	15	42	45	3.49	< 10	< 1	0.15	20	1.22	500	2
T37659	201	229	0.6	1.87	58	720	< 0.5	2	1.11	0.5	22	38	62	4.64	< 10	< 1	0.14	20	0.98	550	4
T37660	201	229	3.0	0.71	36	210	< 0.5	< 2	0.56	9.5	7	16	82	3.56	< 10	1	0.25	10	0.17	100	41
T37661	201	229	< 0.2	4.42	4	40	< 0.5	< 2	0.73	< 0.5	39	689	71	5.84	10	1	< 0.01	< 10	5.39	645	1
T37662	201	229	< 0.2	3.47	6	140	< 0.5	< 2	1.19	< 0.5	35	301	150	5.50	10	< 1	0.05	< 10	3.91	675	< 1
T37663	201	229	1.2	0.83	24	1390	< 0.5	< 2	1.03	2.5	15	20	35	2.34	< 10	1	0.11	10	0.40	625	10
T37664	201	229	0.8	1.15	28	3440	0.5	< 2	0.83	6.5	11	31	104	3.11	< 10	1	0.10	20	0.14	440	36
T37665	201	229	< 0.2	2.30	212	170	< 0.5	< 2	0.99	0.5	31	174	89	5.31	10	< 1	0.14	20	2.29	625	< 1
T37666	201	229	< 0.2	3.03	392	220	< 0.5	8	1.00	1.0	49	152	224	7.86	10	< 1	0.25	10	2.93	1030	1
T37667	201	229	< 0.2	2.13	346	180	< 0.5	2	0.64	1.0	28	72	125	6.16	10	< 1	0.25	20	1.85	750	2
T37668	201	229	< 0.2	3.78	84	1150	1.0	2	1.20	< 0.5	34	16	384	9.27	20	< 1	1.07	10	3.27	1155	< 1
T37669	201	229	< 0.2	3.40	58	320	< 0.5	< 2	0.88	< 0.5	30	149	188	6.72	10	< 1	0.70	10	2.83	970	< 1
T37670	201	229	< 0.2	2.57	156	260	< 0.5	2	0.95	< 0.5	24	54	92	5.73	10	< 1	0.38	10	2.12	750	1
T37671	201	229	< 0.2	2.09	244	130	< 0.5	2	0.87	0.5	37	229	90	4.96	< 10	< 1	0.12	10	2.30	495	1
T37672	201	229	< 0.2	1.80	20	120	< 0.5	< 2	0.25	< 0.5	25	57	139	4.72	< 10	< 1	0.09	40	1.66	550	3
T37673	201	229	< 0.2	2.71	20	110	< 0.5	2	1.17	< 0.5	12	32	10	3.51	10	< 1	0.10	40	3.11	620	< 1
T37674	201	229	< 0.2	1.78	224	140	< 0.5	< 2	1.33	0.5	25	51	82	4.91	< 10	< 1	0.08	10	1.61	1020	1
T37675	201	229	< 0.2	1.97	198	250	< 0.5	< 2	1.65	< 0.5	22	44	90	5.27	< 10	1	0.09	10	1.61	980	< 1
T37676	201	229	< 0.2	2.06	36	150	< 0.5	< 2	1.03	< 0.5	17	32	45	4.43	< 10	< 1	0.16	20	1.56	560	< 1
T37677	201	229	0.2	3.26	124	480	0.5	8	1.34	< 0.5	22	27	108	7.28	10	< 1	0.75	20	2.39	900	1
T37678	201	229	< 0.2	2.16	294	250	< 0.5	< 2	0.83	1.0	27	71	123	6.32	< 10	< 1	0.24	20	1.78	915	1
T37679	201	229	< 0.2	3.31	394	140	0.5	4	0.91	0.5	51	301	162	6.80	10	< 1	0.14	10	3.85	835	< 1
T37680	201	229	0.2	1.96	200	200	< 0.5	< 2	1.16	0.5	28	146	77	4.56	< 10	< 1	0.10	10	1.95	690	1
T37681	201	229	0.2	2.09	26	460	< 0.5	< 2	0.78	0.5	16	57	63	3.69	< 10	< 1	0.15	20	1.28	355	2

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page : 6-B  
Total : 7  
Certificate Date: 25-JUL-95  
Invoice No. : I9522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T37642	201 229	0.01	62	1700	42	8	4	91	0.01	< 10	< 10	79	< 10	276
T37643	201 229	0.01	126	1230	14	2	9	76	0.04	< 10	< 10	84	< 10	160
T37644	201 229	< 0.01	52	1650	12	2	7	49	0.05	< 10	< 10	111	< 10	184
T37645	201 229	< 0.01	53	1840	12	< 2	8	44	0.08	< 10	< 10	106	< 10	142
T37646	201 229	0.01	59	1690	12	< 2	7	57	0.06	< 10	< 10	66	< 10	170
T37647	201 229	< 0.01	57	2090	12	2	6	44	0.04	< 10	< 10	70	< 10	180
T37648	201 229	< 0.01	26	4820	30	8	1	462	< 0.01	< 10	< 10	75	< 10	202
T37649	201 229	0.02	32	1180	8	2	3	59	0.02	< 10	< 10	45	< 10	104
T37650	201 229	0.01	43	1070	38	< 2	3	61	0.03	< 10	< 10	51	< 10	156
T37651	201 229	< 0.01	121	1460	6	< 2	28	63	0.19	< 10	< 10	194	< 10	118
T37652	201 229	< 0.01	42	3370	18	16	3	105	< 0.01	< 10	< 10	49	< 10	324
T37653	201 229	< 0.01	33	3880	20	10	3	95	0.01	< 10	< 10	50	< 10	230
T37654	201 229	0.01	91	3880	32	16	3	264	< 0.01	< 10	< 10	90	< 10	712
T37655	201 229	< 0.01	109	6490	44	52	4	233	< 0.01	< 10	< 10	114	< 10	866
T37656	201 229	0.01	46	1730	18	< 2	4	62	0.02	< 10	< 10	61	< 10	128
T37657	201 229	0.01	39	1550	14	< 2	4	63	0.02	< 10	< 10	55	< 10	122
T37658	201 229	0.01	36	1500	12	< 2	4	51	0.03	< 10	< 10	63	< 10	112
T37659	201 229	< 0.01	41	1810	18	2	4	58	0.02	< 10	< 10	70	< 10	120
T37660	201 229	0.02	55	2350	54	22	2	702	< 0.01	< 10	< 10	56	< 10	354
T37661	201 229	< 0.01	275	1030	< 2	< 2	6	24	0.42	< 10	< 10	189	< 10	64
T37662	201 229	< 0.01	178	880	< 2	< 2	8	48	0.28	< 10	< 10	150	< 10	76
T37663	201 229	< 0.01	32	2740	24	6	2	96	0.01	< 10	< 10	52	< 10	208
T37664	201 229	< 0.01	146	2690	36	26	4	151	< 0.01	< 10	< 10	106	< 10	752
T37665	201 229	< 0.01	131	1340	44	< 2	10	50	0.11	< 10	< 10	102	< 10	194
T37666	201 229	< 0.01	167	1800	54	< 2	15	54	0.18	< 10	< 10	171	< 10	194
T37667	201 229	< 0.01	72	1380	94	< 2	9	37	0.11	< 10	< 10	84	< 10	286
T37668	201 229	< 0.01	29	2430	4	< 2	22	75	0.18	< 10	< 10	255	< 10	164
T37669	201 229	< 0.01	70	2040	16	< 2	9	52	0.18	< 10	< 10	157	< 10	136
T37670	201 229	< 0.01	40	1520	48	< 2	11	60	0.17	< 10	< 10	141	< 10	126
T37671	201 229	< 0.01	178	1190	40	< 2	10	46	0.09	< 10	< 10	90	< 10	174
T37672	201 229	< 0.01	99	540	8	< 2	4	32	0.01	< 10	< 10	27	< 10	80
T37673	201 229	< 0.01	33	820	2	< 2	3	64	0.02	< 10	< 10	42	< 10	28
T37674	201 229	0.01	57	890	38	< 2	7	57	0.04	< 10	< 10	55	< 10	152
T37675	201 229	< 0.01	43	860	24	< 2	9	59	0.09	< 10	< 10	88	< 10	86
T37676	201 229	< 0.01	33	980	6	< 2	6	44	0.09	< 10	< 10	56	< 10	86
T37677	201 229	< 0.01	24	2070	12	< 2	13	80	0.23	< 10	< 10	105	< 10	106
T37678	201 229	< 0.01	66	1380	54	< 2	10	48	0.13	< 10	< 10	93	< 10	234
T37679	201 229	< 0.01	233	1190	48	< 2	16	39	0.18	< 10	< 10	157	< 10	146
T37680	201 229	< 0.01	118	1280	36	< 2	9	56	0.12	< 10	< 10	92	< 10	172
T37681	201 229	< 0.01	48	1760	10	< 2	6	41	0.05	< 10	< 10	77	< 10	120

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 7-A  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : I9522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T37682	201	229	< 0.2	2.15	20	470	< 0.5	< 2	0.78	< 0.5	18	74	82	4.03	10	< 1	0.11	20	1.44	565	2
T37683	201	229	0.2	2.24	28	430	< 0.5	< 2	0.96	< 0.5	18	81	79	4.22	10	< 1	0.18	20	1.58	545	1
T37684	201	229	0.6	1.94	12	710	< 0.5	< 2	0.79	1.0	18	81	81	3.95	10	1	0.15	20	1.16	560	2

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 7-B  
Total Pages : 7  
Certificate Date: 25-JUL-95  
Invoice No. : 19522038  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522038

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
T37682	201	229	0.01	59	1690	8	4	9	42	0.06	< 10	< 10	75	< 10	116
T37683	201	229	0.01	65	1560	8	4	9	47	0.07	< 10	< 10	83	10	134
T37684	201	229	< 0.01	79	1190	12	6	8	65	0.03	< 10	< 10	83	10	154

CERTIFICATION:

*Hart Bichler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project: FP (PLAY)  
 Comments:

Page Number: 1-A  
 Total Pages: 1  
 Certificate Date: 25-JUL-95  
 Invoice No.: I9522039  
 P.O. Number:  
 Account: MPO

## CERTIFICATE OF ANALYSIS

A9522039

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
935155	205	226	< 5	< 0.2	2.29	18	90	< 0.5	< 2	4.36	< 0.5	35	23	133	8.81	10	< 1	0.13	< 10	3.50	1370
935156	205	226	1000	33.2	0.25	>10000	240	< 0.5	< 2	0.66	16.5	2	31	310	>15.00	< 10	< 1	0.14	< 10	0.11	35
935157	205	226	105	0.2	0.57	>10000	70	< 0.5	< 2	6.49	< 0.5	55	15	23	7.88	< 10	< 1	0.10	< 10	2.20	1470
935158	205	226	< 5	0.4	1.87	2040	60	< 0.5	< 2	5.45	< 0.5	31	34	137	7.15	10	< 1	0.10	< 10	2.86	1155
935159	205	226	< 5	< 0.2	0.14	104	< 10	< 0.5	< 2	1.27	< 0.5	35	55	94	14.25	< 10	< 1	0.07	< 10	0.49	400
935160	205	226	< 5	1.0	0.60	388	560	< 0.5	< 2	0.81	14.0	9	102	222	12.70	< 10	< 1	0.18	< 10	0.13	135
935161	205	226	< 5	< 0.2	0.55	12	450	< 0.5	< 2	0.56	49.5	65	25	802	>15.00	20	< 1	0.02	10	0.06	930
935162	205	226	< 5	< 0.2	0.35	128	80	< 0.5	< 2	0.20	1.0	23	41	372	>15.00	10	< 1	0.12	< 10	0.06	455
935163	205	226	< 5	< 0.2	3.40	6	530	< 0.5	< 2	1.25	0.5	19	12	280	11.35	20	< 1	0.24	20	2.88	1200
935164	205	226	< 5	0.2	1.70	90	1660	< 0.5	< 2	0.79	9.5	6	195	107	5.31	< 10	1	0.14	10	0.10	130
935165	205	226	< 5	< 0.2	0.06	2	410	< 0.5	< 2	7.59	< 0.5	46	505	7	3.44	< 10	< 1	< 0.01	< 10	9.88	750

CERTIFICATION:

*Hart Buchler*



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FP (PLAY)  
Comments:

Page Number : 1-B  
Total Pages : 1  
Certificate Date: 25-JUL-95  
Invoice No. : 19522039  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522039

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935155	205 226	< 1	0.01	39	1330	4	6	28	237	< 0.01	< 10	< 10	141	20	108
935156	205 226	2	0.01	8	130	>10000	116	3	62	< 0.01	< 10	< 10	13	< 10	402
935157	205 226	< 1	0.01	37	1070	50	12	20	174	< 0.01	< 10	< 10	82	20	74
935158	205 226	< 1	0.01	45	1150	196	6	18	203	< 0.01	< 10	< 10	154	20	88
935159	205 226	4	< 0.01	16	210	56	12	4	54	< 0.01	< 10	< 10	13	< 10	10
935160	205 226	84	< 0.01	99	9420	66	66	2	98	< 0.01	< 10	< 10	285	< 10	1060
935161	205 226	38	< 0.01	305	290	6	34	6	49	< 0.01	< 10	80	7	< 10	5060
935162	205 226	41	< 0.01	23	>10000	36	120	7	20	< 0.01	< 10	< 10	161	< 10	788
935163	205 226	1	0.01	11	1080	2	8	14	57	0.30	< 10	< 10	166	20	240
935164	205 226	13	< 0.01	187	6250	16	18	6	147	< 0.01	< 10	10	123	< 10	974
935165	205 226	< 1	< 0.01	904	20	2	8	2	174	< 0.01	< 10	< 10	8	20	72

CERTIFICATION: Hart Buchler



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FINLAYSON-PLAY  
Comments:

Page Number : 1  
Total Pages : 1  
Certificate Date: 25-JUL-95  
Invoice No. : 19522293  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9522293

SAMPLE	PREP CODE	Au ppb FA+AA										
T37021	244 --	< 5										
T37022	244 --	615										
T37023	244 --	< 5										
T37024	244 --	< 5										
T37025	244 --	< 5										

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218



EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 1  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : I9612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA										
T36801	244 --	< 5										
T36802	244 --	< 5										
T36803	244 --	< 5										
T36804	244 --	< 5										
T36805	244 --	< 5										
T36806	244 --	< 5										
T36807	244 --	< 5										
T36808	244 --	< 5										
T36809	244 --	< 5										
T36810	244 --	< 5										
T36811	244 --	< 5										
T36812	244 --	< 5										
T36813	244 --	< 5										
T36814	244 --	< 5										
T36815	244 --	< 5										
T36816	244 --	< 5										
T36817	244 --	< 5										
T36818	244 --	< 5										
T36819	244 --	< 5										
T36820	244 --	< 5										
T36821	244 --	< 5										
T36822	244 --	< 5										
T36823	244 --	< 5										
T36824	244 --	< 5										
T36825	244 --	< 5										
T36826	244 --	< 5										
T36827	244 --	< 5										
T36828	244 --	< 5										
T36829	244 --	< 5										
T36830	244 --	< 5										
T36831	244 --	< 5										
T36832	244 --	< 5										
T36833	244 --	< 5										
T36834	244 --	< 5										
T36835	244 --	< 5										
T36836	244 --	< 5										
T36837	244 --	< 5										
T36838	244 --	< 5										
T36839	244 --	< 5										
T36840	244 --	< 5										

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 2  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612379

SAMPLE	PREP CODE	Au ppb FA+AA										
T36841	244 --	< 5										
T36842	244 --	< 5										
T36843	244 --	< 5										
T36844	244 --	< 5										
T36845	244 --	< 5										
T36846	244 --	< 5										
T36847	244 --	< 5										
T36848	244 --	< 5										
T36849	244 --	< 5										
T36850	244 --	< 5										
T36851	244 --	< 5										
T36852	244 --	< 5										
T36853	244 --	< 5										
T36854	244 --	< 5										
T36855	244 --	< 5										
T36856	244 --	< 5										
T36857	244 --	< 5										
T36858	244 --	< 5										
T36859	244 --	< 5										
T36860	244 --	< 5										
T36861	244 --	< 5										
T36862	244 --	< 5										
T36863	244 --	< 5										
T36864	244 --	< 5										
T36865	244 --	< 5										
T36866	244 --	< 5										
T36867	244 --	< 5										
T36868	244 --	< 5										
T36869	244 --	< 5										
T36870	244 --	< 5										
T36871	244 --	< 5										
T36872	244 --	< 5										
T36873	244 --	< 5										
T36874	244 --	< 5										
T36875	244 --	< 5										
T36876	244 --	< 5										
T36877	244 --	< 5										
T36878	244 --	< 5										
T36879	244 --	< 5										
T36880	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page : 3  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA											
T36881	244 --	< 5											
T36882	244 --	< 5											
T36883	244 --	< 5											
T36884	244 --	< 5											
T36885	244 --	< 5											
T36886	244 --	< 5											
T36887	244 --	< 5											
T36888	244 --	< 5											
T36889	244 --	< 5											
T36890	244 --	< 5											
T36891	244 --	< 5											
T36892	244 --	< 5											
T36893	244 --	< 5											
T36894	244 --	< 5											
T36895	244 --	< 5											
T36896	244 --	< 5											
T36897	244 --	< 5											
T36898	244 --	< 5											
T36899	244 --	< 5											
T36900	244 --	< 5											
T36901	-- --	Not Recd											
T36902	244 --	< 5											
T36903	244 --	< 5											
T36904	244 --	< 5											
T36905	244 --	< 5											
T36906	244 --	< 5											
T36907	244 --	< 5											
T36908	244 --	< 5											
T36909	244 --	< 5											
T36910	244 --	< 5											
T36911	244 --	< 5											
T36912	244 --	< 5											
T36913	244 --	< 5											
T36914	244 --	< 5											
T36915	244 --	< 5											
T36916	244 --	< 5											
T36917	244 --	< 5											
T36918	244 --	< 5											
T36919	244 --	< 5											
T36920	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218




EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 4  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : I9612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA											
T36921	244 --	< 5											
T36922	244 --	< 5											
T36923	244 --	< 5											
T36924	244 --	< 5											
T36925	244 --	< 5											
T36926	244 --	< 5											
T36927	244 --	< 5											
T36928	244 --	< 5											
T36929	244 --	< 5											
T36930	244 --	< 5											
T36931	244 --	< 5											
T36932	244 --	< 5											
T36933	244 --	< 5											
T36934	244 --	< 5											
T36935	244 --	< 5											
T36936	244 --	< 5											
T36937	244 --	< 5											
T36938	244 --	< 5											
T36939	244 --	< 5											
T36940	244 --	< 5											
T36941	244 --	< 5											
T36942	244 --	< 60											
T36943	244 --	< 5											
T36944	244 --	< 5											
T36945	244 --	< 30											
T36946	244 --	< 5											
T36947	244 --	< 5											
T36948	244 --	< 5											
T36949	244 --	< 5											
T36950	244 --	< 5											
T36951	244 --	< 5											
T36952	244 --	< 5											
T36953	244 --	< 5											
T36954	244 --	< 5											
T36955	244 --	< 5											
T36956	244 --	< 5											
T36957	244 --	< 5											
T36958	244 --	< 5											
T36959	244 --	< 5											
T36960	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page : 5  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : I9612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA											
T36961	244 --	< 5											
T36962	244 --	< 5											
T36963	244 --	< 5											
T36964	244 --	< 5											
T36965	244 --	< 5											
T36966	244 --	< 5											
T36967	244 --	< 5											
T36968	244 --	< 5											
T36969	244 --	140											
T36970	244 --	< 5											
T36971	244 --	< 5											
T36972	244 --	< 5											
T36973	244 --	< 5											
T36974	244 --	< 5											
T36975	244 --	< 5											
T36976	244 --	< 5											
T36977	244 --	< 5											
T36978	244 --	< 5											
T36979	244 --	< 5											
T36980	244 --	< 5											
T36981	244 --	< 5											
T36982	244 --	< 5											
T36983	244 --	< 5											
T36984	244 --	< 5											
T36985	244 --	< 5											
T36986	244 --	< 5											
T36987	244 --	< 5											
T36988	244 --	< 5											
T36989	244 --	< 5											
T36990	244 --	< 5											
T36991	244 --	< 5											
T36992	244 --	< 5											
T36993	244 --	< 5											
T36994	244 --	< 5											
T36995	244 --	< 5											
T36996	244 --	< 5											
T36997	244 --	< 5											
T36998	244 --	< 5											
T36999	244 --	< 5											
T37000	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Page : 6  
Total : 7  
Certificate Date: 26-FEB-96  
Invoice No. : I9612379  
P.O. Number :  
Account : MPO

Project : FP (PLAY)  
Comments:

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA											
T37001	244 --	< 5											
T37002	244 --	< 5											
T37003	244 --	< 5											
T37004	244 --	< 5											
T37005	244 --	< 5											
T37006	244 --	< 5											
T37007	244 --	< 5											
T37008	244 --	< 5											
T37009	244 --	< 5											
T37010	244 --	< 5											
T37011	244 --	< 5											
T37012	244 --	< 5											
T37013	244 --	< 5											
T37014	244 --	< 5											
T37015	244 --	< 5											
T37016	244 --	< 5											
T37017	244 --	< 5											
T37018	244 --	< 5											
T37019	244 --	< 5											
T37020	244 --	< 5											
T37021	244 --	< 5											
T37022	244 --	670											
T37023	244 --	< 5											
T37024	244 --	45											
T37025	244 --	< 5											
T37026	244 --	< 5											
T37027	244 --	< 5											
T37028	244 --	< 5											
T37029	244 --	< 5											
T37030	244 --	< 5											
T37031	244 --	< 5											
T37032	244 --	< 5											
T37033	244 --	< 5											
T37034	244 --	< 5											
T37035	244 --	< 5											
T37036	244 --	< 5											
T37037	244 --	< 5											
T37038	244 --	< 5											
T37039	244 --	< 5											
T37040	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218




EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page 1 of 7  
Total Fees : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612379  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612379

SAMPLE	PREP CODE	Au ppb FA+AA										
T37041	244 --	< 5										
T37042	244 --	< 5										
T37043	244 --	< 5										
T37044	244 --	< 5										
T37045	244 --	< 5										
T37046	244 --	< 5										
T37047	244 --	< 5										
T37048	244 --	< 5										
T37049	244 --	< 5										
T37050	244 --	< 5										
T37051	244 --	< 5										
T37052	244 --	< 5										
T37053	244 --	< 5										
T37054	244 --	< 5										
T37055	244 --	< 5										
T37056	244 --	< 5										
T37057	244 --	< 5										
T37058	244 --	< 5										
T37059	244 --	< 5										
T37060	244 --	< 5										
T37061	244 --	< 5										
T37062	244 --	< 5										
T37063	244 --	< 5										
T37064	244 --	< 5										
T37065	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218




EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page No. : 1  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612381  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612381

SAMPLE	PREP CODE	Au ppb FA+AA										
T37067	244 --	< 5										
T37068	244 --	< 5										
T37069	244 --	< 5										
T37070	244 --	< 5										
T37071	244 --	< 5										
T37072	244 --	< 5										
T37073	244 --	< 5										
T37074	244 --	< 5										
T37075	244 --	< 5										
T37076	244 --	< 5										
T37077	244 --	< 5										
T37078	244 --	< 5										
T37079	244 --	< 5										
T37080	244 --	< 5										
T37081	244 --	< 5										
T37082	244 --	< 5										
T37083	244 --	< 5										
T37084	244 --	< 5										
T37085	244 --	< 5										
T37086	244 --	< 5										
T37087	244 --	< 5										
T37088	244 --	< 5										
T37089	244 --	< 5										
T37090	244 --	< 5										
T37091	244 --	< 5										
T37092	244 --	< 5										
T37093	244 --	< 5										
T37094	244 --	< 5										
T37095	244 --	< 5										
T37096	244 --	< 5										
T37097	244 --	< 5										
T37098	244 --	< 5										
T37099	244 --	< 5										
T37100	244 --	< 5										
T37101	244 --	< 5										
T37102	244 --	< 5										
T37103	244 --	< 5										
T37104	244 --	< 5										
T37105	244 --	< 5										
T37106	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 2  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612381  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612381

SAMPLE	PREP CODE	Au ppb FA+AA											
T37107	244 ---	< 5											
T37108	244 ---	< 5											
T37109	244 ---	< 5											
T37110	244 ---	< 5											
T37111	244 ---	< 5											
T37112	244 ---	< 5											
T37113	244 ---	< 5											
T37114	244 ---	< 5											
T37115	244 ---	< 5											
T37116	244 ---	< 5											
T37117	244 ---	< 5											
T37118	244 ---	< 5											
T37119	244 ---	< 5											
T37120	244 ---	< 5											
T37121	244 ---	< 5											
T37122	244 ---	< 5											
T37123	244 ---	< 5											
T37124	244 ---	< 5											
T37125	244 ---	< 5											
T37126	244 ---	< 5											
T37127	244 ---	< 5											
T37128	244 ---	< 5											
T37129	244 ---	< 5											
T37130	244 ---	< 5											
T37131	244 ---	< 5											
T37132	244 ---	< 5											
T37133	244 ---	< 5											
T37134	244 ---	< 5											
T37135	244 ---	< 5											
T37136	244 ---	< 5											
T37137	244 ---	< 5											
T37138	244 ---	< 5											
T37139	244 ---	< 5											
T37140	244 ---	< 5											
T37141	244 ---	< 5											
T37142	244 ---	< 5											
T37143	244 ---	< 5											
T37144	244 ---	< 5											
T37145	244 ---	< 5											
T37146	244 ---	< 5											

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : FP (PLAY)  
 Comments:

Page Number : 3  
 Total Pages : 5  
 Certificate Date: 26-FEB-96  
 Invoice No. : I9612381  
 P.O. Number :  
 Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612381

SAMPLE	PREP CODE	Au ppb FA+AA										
T37147	244 --	< 5										
T37148	244 --	< 5										
T37149	244 --	< 5										
T37150	244 --	< 5										
T37151	244 --	< 5										
T37152	244 --	< 5										
T37153	244 --	< 5										
T37154	244 --	< 5										
T37155	244 --	< 5										
T37156	244 --	< 5										
T37157	244 --	< 5										
T37158	244 --	< 5										
T37159	244 --	< 5										
T37160	244 --	< 5										
T37161	244 --	< 5										
T37162	244 --	< 5										
T37163	244 --	< 5										
T37164	244 --	< 5										
T37165	244 --	< 5										
T37166	244 --	< 5										
T37167	244 --	< 5										
T37168	244 --	< 5										
T37169	244 --	< 5										
T37170	244 --	< 5										
T37171	244 --	< 5										
T37172	244 --	< 5										
T37173	244 --	< 5										
T37174	244 --	< 5										
T37175	244 --	< 5										
T37176	244 --	< 5										
T37177	244 --	< 5										
T37178	244 --	< 5										
T37179	244 --	< 5										
T37180	244 --	< 5										
T37181	244 --	< 5										
T37182	244 --	< 5										
T37183	244 --	< 5										
T37184	244 --	< 5										
T37185	244 --	< 5										
T37186	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project: FP (PLAY)  
Comments:

Page Number : 4  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612381  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612381

SAMPLE	PREP CODE	Au ppb FA+AA										
T37187	244 --	< 5										
T37188	244 --	< 5										
T37189	244 --	< 5										
T37190	244 --	< 5										
T37191	244 --	< 5										
T37192	244 --	< 5										
T37193	244 --	< 5										
T37194	244 --	< 5										
T37195	244 --	< 5										
T37196	244 --	< 5										
T37197	244 --	< 5										
T37198	244 --	< 5										
T37199	244 --	< 5										
T37200	244 --	< 5										
T37201	244 --	< 5										
T37202	244 --	< 5										
T37203	244 --	< 5										
T37204	244 --	< 5										
T37205	244 --	< 5										
T37206	244 --	< 5										
T37207	244 --	< 5										
T37208	244 --	< 5										
T37209	244 --	< 5										
T37210	244 --	< 5										
T37211	244 --	< 5										
T37212	244 --	< 5										
T37213	244 --	< 5										
T37214	244 --	< 5										
T37215	244 --	< 5										
T37216	244 --	< 5										
T37217	244 --	< 5										
T37218	244 --	< 5										
T37219	244 --	< 5										
T37220	244 --	< 5										
T37221	244 --	< 5										
T37222	244 --	< 5										
T37223	244 --	< 5										
T37224	244 --	< 5										
T37225	244 --	< 5										
T37226	244 --	< 5										

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page No. : 5  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612381  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612381

SAMPLE	PREP CODE	Au ppb FA+AA										
T37227	244 ---	< 5										
T37228	244 ---	< 5										
T37229	244 ---	< 5										
T37230	244 ---	< 5										
T37231	244 ---	< 5										
T37232	244 ---	70										
T37235	244 ---	< 5										
T37236	244 ---	< 5										
T37237	244 ---	< 5										
T37238	244 ---	< 5										
T37239	244 ---	< 5										
T37240	244 ---	< 5										
T37241	244 ---	< 5										
T37242	244 ---	< 5										
T37243	244 ---	< 5										

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page No. : 1  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612382  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612382

SAMPLE	PREP CODE	Au ppb FA+AA									
T37233	244 --	< 5									
T37234	244 --	< 5									
T37244	244 --	< 5									
T37245	244 --	< 5									
T37246	244 --	< 5									
T37247	244 --	< 5									
T37248	244 --	< 5									
T37249	244 --	< 5									
T37250	244 --	< 5									
T37251	244 --	< 5									
T37252	244 --	< 5									
T37253	244 --	< 5									
T37254	244 --	< 5									
T37255	244 --	< 5									
T37256	244 --	< 5									
T37257	244 --	< 5									
T37258	244 --	< 5									
T37259	244 --	< 5									
T37260	244 --	< 5									
T37261	244 --	< 5									
T37262	244 --	< 5									
T37263	244 --	< 5									
T37264	244 --	< 5									
T37265	244 --	< 5									
T37266	244 --	< 5									
T37267	244 --	< 5									
T37268	244 --	< 5									
T37269	244 --	< 5									
T37270	244 --	< 5									
T37271	244 --	< 5									
T37272	244 --	< 5									
T37273	244 --	< 5									
T37274	244 --	< 5									
T37275	244 --	< 5									
T37276	244 --	< 5									
T37277	244 --	< 5									
T37278	244 --	< 5									
T37279	244 --	< 5									
T37280	244 --	< 5									
T37281	244 --	< 5									

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page No. : 2  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612382  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612382

SAMPLE	PREP CODE	Au ppb FA+AA											
T37282	244 --	< 5											
T37283	244 --	< 5											
T37284	244 --	< 5											
T37285	244 --	< 5											
T37286	244 --	< 5											
T37287	244 --	< 5											
T37288	244 --	< 5											
T37289	244 --	< 5											
T37290	244 --	< 5											
T37291	244 --	< 5											
T37292	244 --	< 5											
T37293	244 --	< 5											
T37294	244 --	< 5											
T37295	244 --	< 5											
T37296	244 --	< 5											
T37297	244 --	< 5											
T37298	244 --	< 5											
T37299	244 --	< 5											
T37300	244 --	< 5											
T37301	244 --	< 5											
T37302	244 --	< 5											
T37303	244 --	< 5											
T37304	244 --	< 5											
T37305	244 --	< 5											
T37306	244 --	< 5											
T37307	244 --	< 5											
T37308	244 --	< 5											
T37309	244 --	420											
T37310	244 --	< 5											
T37311	244 --	< 5											
T37312	244 --	< 5											
T37313	244 --	< 5											
T37314	244 --	< 5											
T37315	244 --	< 5											
T37316	244 --	< 5											
T37317	244 --	< 5											
T37318	244 --	< 5											
T37319	244 --	< 5											
T37320	244 --	< 5											
T37321	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page 1 of 3  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612382  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612382

SAMPLE	PREP CODE	Au ppb FA+AA										
T37322	244 --	< 5										
T37323	244 --	130										
T37324	244 --	< 5										
T37325	244 --	< 5										
T37326	244 --	< 5										
T37327	244 --	< 5										
T37328	244 --	< 5										
T37329	244 --	< 5										
T37330	244 --	< 5										
T37331	244 --	< 5										
T37332	244 --	< 5										
T37333	244 --	< 5										
T37334	244 --	< 5										
T37335	244 --	< 5										
T37336	244 --	< 5										
T37337	244 --	< 5										
T37338	244 --	< 5										
T37339	244 --	< 5										
T37340	244 --	< 5										
T37341	244 --	< 5										
T37342	244 --	< 5										
T37343	244 --	< 5										
T37344	244 --	< 5										
T37345	244 --	< 5										
T37346	244 --	< 5										
T37347	244 --	< 5										
T37348	244 --	< 5										
T37349	244 --	< 5										
T37350	244 --	< 5										
T37351	244 --	< 5										
T37352	244 --	< 5										
T37353	244 --	< 5										
T37354	244 --	< 5										
T37355	244 --	< 5										
T37356	244 --	< 5										
T37357	244 --	< 5										
T37358	244 --	55										
T37359	244 --	< 5										
T37360	244 --	< 5										
T37361	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218



EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page 1 : 4  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : I9612382  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612382

SAMPLE	PREP CODE	Au ppb FA+AA											
T37362	244 --	< 5											
T37363	244 --	< 5											
T37364	244 --	< 5											
T37365	244 --	15											
T37366	244 --	< 5											
T37367	244 --	< 5											
T37368	244 --	< 5											
T37369	244 --	< 5											
T37370	244 --	< 5											
T37371	244 --	< 5											
T37372	244 --	< 5											
T37373	244 --	< 5											
T37374	244 --	< 5											
T37375	244 --	< 5											
T37376	244 --	< 5											
T37377	244 --	< 5											
T37378	244 --	60											
T37379	244 --	35											
T37380	244 --	5											
T37381	244 --	< 5											
T37382	244 --	< 5											
T37383	244 --	< 5											
T37384	244 --	< 5											
T37385	244 --	< 5											
T37386	244 --	< 5											
T37387	244 --	< 5											
T37388	244 --	< 5											
T37389	244 --	< 5											
T37390	244 --	< 5											
T37391	244 --	< 5											
T37392	244 --	< 5											
T37393	244 --	< 5											
T37394	244 --	< 5											
T37395	244 --	< 5											
T37396	244 --	< 5											
T37397	244 --	< 5											
T37398	244 --	< 5											
T37399	244 --	< 5											
T37400	244 --	< 5											
T37401	244 --	< 5											

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page 1 : 5  
Total Pages : 5  
Certificate Date: 26-FEB-96  
Invoice No. : 19612382  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612382

SAMPLE	PREP CODE	Au ppb FA+AA											
T37402	244 --	< 5											
T37403	244 --	< 5											
T37404	244 --	< 5											
T37405	244 --	< 5											
T37406	244 --	< 5											
T37407	244 --	< 5											
T37408	244 --	< 5											
T37409	244 --	< 5											
T37410	244 --	< 5											
T37411	244 --	< 5											
T37412	244 --	< 5											
T37413	244 --	30											
T37414	244 --	< 5											
T37415	244 --	< 5											
T37416	244 --	< 5											
T37417	244 --	< 5											
T37418	244 --	< 5											
T37419	244 --	< 5											
T37420	244 --	< 5											
T37421	244 --	< 5											
T37422	244 --	< 5											
T37423	244 --	< 5											
T37424	244 --	< 5											
T37425	244 --	< 5											
T37426	244 --	< 5											
T37427	244 --	< 5											
T37428	244 --	< 5											
T37429	244 --	< 5											
T37430	244 --	< 5											
T37431	244 --	< 5											
T37432	244 --	50											
T37433	244 --	< 5											
T37434	244 --	< 5											
T37435	244 --	< 5											
T37436	244 --	< 5											
T37437	244 --	< 5											
T37438	244 --	< 5											
T37439	244 --	< 5											
T37440	244 --	< 5											
T37441	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 1  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : I9612383  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

A9612383

SAMPLE	PREP CODE	Au ppb FA+AA									
T37442	244 --	< 5									
T37443	244 --	< 5									
T37444	244 --	< 5									
T37445	244 --	< 5									
T37446	244 --	< 5									
T37447	244 --	< 5									
T37448	244 --	< 5									
T37449	244 --	< 5									
T37450	244 --	< 5									
T37451	244 --	< 5									
T37452	244 --	< 5									
T37453	244 --	225									
T37454	244 --	< 5									
T37455	244 --	45									
T37456	244 --	< 5									
T37457	244 --	< 5									
T37458	244 --	< 5									
T37459	244 --	< 5									
T37460	244 --	40									
T37461	244 --	55									
T37462	244 --	30									
T37463	244 --	< 5									
T37464	244 --	< 5									
T37465	244 --	< 5									
T37466	244 --	< 5									
T37467	244 --	< 5									
T37468	244 --	< 5									
T37469	244 --	< 5									
T37470	244 --	< 5									
T37471	244 --	< 5									
T37472	244 --	< 5									
T37473	244 --	< 5									
T37474	244 --	< 5									
T37475	244 --	< 5									
T37476	244 --	< 5									
T37477	244 --	< 5									
T37478	244 --	< 5									
T37479	244 --	< 5									
T37480	244 --	< 5									
T37481	244 --	< 5									

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : FP (PLAY)  
 Comments:

Page Number : 2  
 Total Pages : 7  
 Certificate Date: 26-FEB-96  
 Invoice No. : 19612383  
 P.O. Number :  
 Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612383

SAMPLE	PREP CODE	Au ppb FA+AA										
T37482	244 --	< 5										
T37483	244 --	< 5										
T37484	244 --	< 5										
T37485	244 --	< 5										
T37486	244 --	< 5										
T37487	244 --	< 5										
T37488	244 --	< 5										
T37489	244 --	< 5										
T37490	244 --	< 5										
T37491	244 --	< 5										
T37492	244 --	< 5										
T37493	244 --	< 5										
T37494	244 --	< 5										
T37495	244 --	< 5										
T37496	244 --	< 5										
T37497	244 --	< 5										
T37498	244 --	< 5										
T37499	244 --	< 5										
T37500	244 --	35										
T37501	244 --	15										
T37502	244 --	< 5										
T37503	244 --	< 5										
T37504	244 --	< 5										
T37505	244 --	< 5										
T37506	244 --	< 5										
T37507	244 --	< 5										
T37508	244 --	< 5										
T37509	244 --	< 5										
T37510	244 --	20										
T37511	244 --	15										
T37512	244 --	< 5										
T37513	244 --	< 5										
T37514	244 --	< 5										
T37515	244 --	< 5										
T37516	244 --	< 5										
T37517	244 --	< 5										
T37518	244 --	< 5										
T37519	244 --	< 5										
T37520	244 --	< 5										
T37521	244 --	< 5										

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218


EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 3  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612383  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS A9612383

SAMPLE	PREP CODE	Au ppb FA+AA											
T37522	244 --	< 5											
T37523	244 --	< 5											
T37524	244 --	< 5											
T37525	244 --	< 5											
T37526	244 --	< 5											
T37527	244 --	< 5											
T37528	244 --	< 5											
T37529	244 --	< 5											
T37530	244 --	< 5											
T37531	244 --	< 5											
T37532	244 --	< 5											
T37533	244 --	< 5											
T37534	244 --	< 5											
T37535	244 --	< 5											
T37536	244 --	< 5											
T37537	244 --	< 5											
T37538	244 --	< 5											
T37539	244 --	< 5											
T37540	244 --	< 5											
T37541	244 --	< 5											
T37542	244 --	< 5											
T37543	244 --	< 5											
T37544	244 --	< 5											
T37545	244 --	< 5											
T37546	244 --	< 5											
T37547	244 --	< 5											
T37548	244 --	< 5											
T37549	244 --	< 5											
T37550	244 --	< 5											
T37551	244 --	< 5											
T37552	244 --	< 5											
T37553	244 --	< 5											
T37554	244 --	< 5											
T37555	244 --	< 5											
T37556	244 --	< 5											
T37557	244 --	< 5											
T37558	244 --	< 5											
T37559	244 --	< 5											
T37560	244 --	< 5											
T37561	244 --	< 5											

CERTIFICATION: 



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 4  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612383  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612383

SAMPLE	PREP CODE	Au ppb FA+AA									
T37562	244 --	< 5									
T37563	244 --	< 5									
T37564	244 --	< 5									
T37565	244 --	< 5									
T37566	244 --	< 5									
T37567	244 --	< 5									
T37568	244 --	< 5									
T37569	244 --	60									
T37570	244 --	< 5									
T37571	244 --	< 5									
T37572	244 --	< 5									
T37573	244 --	< 5									
T37574	244 --	< 5									
T37575	244 --	< 5									
T37576	244 --	20									
T37577	244 --	< 5									
T37578	244 --	< 5									
T37579	244 --	< 5									
T37580	244 --	< 5									
T37581	244 --	< 5									
T37582	244 --	< 5									
T37583	244 --	< 5									
T37584	244 --	< 5									
T37585	244 --	< 5									
T37586	244 --	< 5									
T37587	244 --	< 5									
T37588	244 --	< 5									
T37589	244 --	< 5									
T37590	244 --	< 5									
T37591	244 --	< 5									
T37592	244 --	< 5									
T37593	244 --	< 5									
T37594	244 --	< 5									
T37595	244 --	< 5									
T37596	244 --	< 5									
T37597	244 --	40									
T37598	244 --	45									
T37599	244 --	< 5									
T37600	244 --	< 5									
T37601	244 --	< 5									

CERTIFICATION: \_\_\_\_\_



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers

212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

to: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 5  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612383  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

### A9612383

SAMPLE	PREP CODE	Au ppb FA+AA									
T37602	244 --	< 5									
T37603	244 --	< 5									
T37604	244 --	< 5									
T37605	244 --	< 5									
T37606	244 --	< 5									
T37607	244 --	< 5									
T37608	244 --	< 5									
T37609	244 --	< 5									
T37610	244 --	< 5									
T37611	244 --	< 5									
T37612	244 --	< 5									
T37613	244 --	< 5									
T37614	244 --	< 5									
T37615	244 --	< 5									
T37616	244 --	15									
T37617	244 --	< 5									
T37618	244 --	35									
T37619	244 --	< 5									
T37620	244 --	< 5									
T37621	244 --	< 5									
T37622	244 --	< 5									
T37623	244 --	35									
T37624	244 --	< 5									
T37625	244 --	< 5									
T37626	244 --	< 5									
T37627	244 --	< 5									
T37628	244 --	< 5									
T37629	244 --	< 5									
T37630	244 --	< 5									
T37631	244 --	< 5									
T37632	244 --	< 5									
T37633	244 --	< 5									
T37634	244 --	15									
T37635	244 --	< 5									
T37636	244 --	< 5									
T37637	244 --	< 5									
T37638	244 --	< 5									
T37639	244 --	< 5									
T37640	244 --	< 5									
T37641	244 --	< 5									

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

Project : FP (PLAY)  
 Comments:

Page : 6  
 Total Pages : 7  
 Certificate Date: 26-FEB-96  
 Invoice No. : I9612383  
 P.O. Number :  
 Account : MPO

## CERTIFICATE OF ANALYSIS

A9612383

SAMPLE	PREP CODE	Au ppb FA+AA										
T37642	244 --	< 5										
T37643	244 --	< 5										
T37644	244 --	< 5										
T37645	244 --	< 5										
T37646	244 --	< 5										
T37647	244 --	15										
T37648	244 --	15										
T37649	244 --	< 5										
T37650	244 --	< 5										
T37651	244 --	< 5										
T37652	244 --	< 5										
T37653	244 --	< 5										
T37654	244 --	20										
T37655	244 --	15										
T37656	244 --	< 5										
T37657	244 --	< 5										
T37658	244 --	< 5										
T37659	244 --	< 5										
T37660	244 --	< 5										
T37661	244 --	< 5										
T37662	244 --	< 5										
T37663	244 --	< 5										
T37664	244 --	< 5										
T37665	244 --	< 5										
T37666	244 --	< 5										
T37667	244 --	< 5										
T37668	244 --	< 5										
T37669	244 --	< 5										
T37670	244 --	< 5										
T37671	244 --	< 5										
T37672	244 --	< 5										
T37673	244 --	< 5										
T37674	244 --	< 5										
T37675	244 --	< 5										
T37676	244 --	< 5										
T37677	244 --	< 5										
T37678	244 --	< 5										
T37679	244 --	< 5										
T37680	244 --	< 5										
T37681	244 --	< 5										

CERTIFICATION:



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

Project : FP (PLAY)  
Comments:

Page Number : 7  
Total Pages : 7  
Certificate Date: 26-FEB-96  
Invoice No. : 19612383  
P.O. Number :  
Account : MPO

## CERTIFICATE OF ANALYSIS

A9612383

SAMPLE	PREP CODE	Au ppb FA+AA											
T37682	244 --	< 5											
T37683	244 --	< 5											
T37684	244 --	< 5											

CERTIFICATION:

QA24654

**ARCHER, CATHRO**  
\* ASSOCIATES (1981) LIMITED  
**CONSULTING GEOLOGICAL ENGINEERS**

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (403) 667 - 4415

AFFIDAVIT

I, Joan Mariacher, of Whitehorse, Yukon make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the Play 1-64 mineral claims on Claim Sheet 105G/13 & 14 is accurate.

  
\_\_\_\_\_  
Joan Mariacher

Sworn before me at Whitehorse, Yukon  
this 5th day of  
September, 1995

  
\_\_\_\_\_  
Notary, Yukon Territory



Statement of Expenditures  
 Play 1 - 64 Mineral Claims  
September 4, 1995


Labour

B. Wengzynowski (geologist) - June 6-20, June 29- July 8 - total 200 hours at \$40/hr	\$8,000.00	
D. Barrett (field ass't) - June 20-29 - 10 days at \$195/day	1,950.00	
J. Owerko (field ass't) - June 6-July 8 - 33 days at \$180/day	5,940.00	
B. Wengzynowski (field ass't) - June 6-July 8 - 33 days at \$165/day	<u>5,445.00</u>	\$22,828.45

Expenses

Field room and board - 101 days at \$60/day	6,484.20	
Chemex Labs Ltd.	<u>6,184.47</u>	<u>12,668.67</u>
		<u>\$35,497.12</u>

QAZ4654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

**INVOICE NUMBER** I 9 5 2 0 3 4 1

### BILLING INFORMATION

Date: 5-JUL-95  
Project: FINLAYSON - *PLAY*  
P.O. No.:  
Account: MPO

Comments:

Billing: For analysis performed on  
Certificate A9520341

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
264	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	2178.00
Total Cost \$				2178.00
Client Discount ( 25%) \$				-544.50
Net Cost \$				1633.50
(Reg# R100938885 ) GST \$				114.35
<b>TOTAL PAYABLE (CDN) \$</b>				<b>1747.85</b>

QA24654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

**INVOICE NUMBER**

**I 9 5 2 0 3 4 2**

### BILLING INFORMATION

Date: 4-JUL-95  
Project: FINLAYSON - *PLAY*  
P.O. No.:  
Account: MPO

Comments:

Billing: For analysis performed on  
Certificate A9520342

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
--------------	---------------------------------	------------	--------------	--------

175	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	1443.75
-----	--	--------------	------	---------

Total Cost \$			1443.75
Client Discount ( 25%) \$			-360.94
Net Cost \$			1082.81
(Reg# R100938885 ) GST \$			75.80
<b>TOTAL PAYABLE (CDN) \$</b>			<b>1158.61</b>

*John [unclear] #278*  
*2779.61*  
*194.58*  
*2974.19*

QAZ4654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

<b>INVOICE NUMBER</b>	<b>I 9 5 2 0 3 4 3</b>
-----------------------	------------------------

## BILLING INFORMATION

Date: 3-JUL-95  
 Project: FINLAYSON - *PLAY*  
 P.O. No.:  
 Account: MPO

Comments:

Billing: For analysis performed on  
 Certificate A9520343

Terms: Payment due on receipt of invoice  
 1.25% per month (15% per annum)  
 charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
 212 Brooksbank Ave.,  
 North Vancouver, B.C.  
 Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT	
4	205 - Geochem ring to approx 150 mesh	2.50			
	226 - 0-3 Kg crush and split	2.60			
	3202 - Rock - save entire reject	0.50			
	ICP-32	7.00			
	100 - Au ppb      FA+AA	8.50	21.10	84.40	
				Total Cost \$	84.40
				Client Discount ( 25%) \$	<u>-21.10</u>
				Net Cost \$	63.30
				(Reg# R100938885 ) GST \$	<u>4.43</u>
				<b>TOTAL PAYABLE (CDN) \$</b>	<b>67.73</b>



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

QA24654

**INVOICE NUMBER I 9 5 2 1 9 6 4**

## BILLING INFORMATION

Date: 17-JUL-95  
Project: FINLAYSON - *PLAY*  
P.O. No.:  
Account: MPO

Comments:

Billing: For analysis performed on  
Certificate A9521964

Terms: Payment due on receipt of invoice  
1.25% per month (15% per annum)  
charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
212 Brooksbank Ave.,  
North Vancouver, B.C.  
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
9	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	76.50
Total Cost \$				76.50
Client Discount ( 25%) \$				-19.13
Net Cost \$				57.37
(Reg# R100938885 ) GST \$				4.02
<b>TOTAL PAYABLE (CDN) \$</b>				<b>61.39</b>

QA24654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

**INVOICE NUMBER** **I 9 5 2 2 0 3 7**

**BILLING INFORMATION**

Date: 26-JUL-95  
 Project: FP (PLAY)  
 P.O. No.:  
 Account: MPO

Comments:

Billing: For analysis performed on  
 Certificate A9522037

Terms: Payment due on receipt of invoice  
 1.25% per month (15% per annum)  
 charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
 212 Brooksbank Ave.,  
 North Vancouver, B.C.  
 Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
200	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	1650.00
Total Cost \$				1650.00
Client Discount ( 25%) \$				<u>-412.50</u>
Net Cost \$				1237.50
(Reg# R100938885 ) GST \$				<u>86.63</u>
<b>TOTAL PAYABLE (CDN) \$</b>				<b>1324.13</b>

QA24654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

<b>INVOICE NUMBER</b>	<b>I 9 5 2 2 0 3 8</b>
-----------------------	------------------------

BILLING INFORMATION	
Date:	25-JUL-95
Project:	FP (PLAY)
P.O. No.:	
Account:	MPO
Comments:	
Billing:	For analysis performed on Certificate A9522038
Terms:	Payment due on receipt of invoice 1.25% per month (15% per annum) charged on overdue accounts
Please Remit Payments to:	
	<b>CHEMEX LABS LTD.</b> 212 Brooksbank Ave., North Vancouver, B.C. Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
243	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	2004.75
				Total Cost \$ 2004.75
				Client Discount ( 25%) \$ -501.19
				Net Cost \$ 1503.56
				(Reg# R100938885 ) GST \$ 105.25
				<b>TOTAL PAYABLE (CDN) \$ 1608.81</b>

QA24654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
 212 Brooksbank Ave., North Vancouver  
 British Columbia, Canada V7J 2C1  
 PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
 1016 - 510 W. HASTINGS ST.  
 VANCOUVER, BC  
 V6B 1L8

<b>INVOICE NUMBER</b>	<b>I 9 5 2 2 0 3 9</b>
-----------------------	------------------------

BILLING INFORMATION	
Date:	25-JUL-95
Project:	FP (PLAY)
P.O. No.:	
Account:	MPO
Comments:	
Billing:	For analysis performed on Certificate A9522039
Terms:	Payment due on receipt of invoice 1.25% per month (15% per annum) charged on overdue accounts
Please Remit Payments to:	
<b>CHEMEX LABS LTD.</b> 212 Brooksbank Ave., North Vancouver, B.C. Canada V7J 2C1	

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
11	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3204 - Save 1 Kg reject for 90 days	0.00		
	ICP-32	7.00		
	100 - Au ppb      FA+AA	8.50	20.60	226.60
Total Cost \$				226.60
Client Discount ( 25%) \$				<u>-56.65</u>
Net Cost \$				169.95
(Reg# R100938885 ) GST \$				<u>11.90</u>
<b>TOTAL PAYABLE (CDN) \$</b>				<b>181.85</b>

QA24654



# Chemex Labs Ltd.

Analytical Chemists \* Geochemists \* Registered Assayers  
212 Brooksbank Ave., North Vancouver  
British Columbia, Canada V7J 2C1  
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED  
1016 - 510 W. HASTINGS ST.  
VANCOUVER, BC  
V6B 1L8

**INVOICE NUMBER** **I 9 5 2 2 2 9 3**

**BILLING INFORMATION**

Date: 25-JUL-95  
 Project: FINLAYSON-PLAY  
 P.O. No.:  
 Account: MPO

Comments:

Billing: For analysis performed on  
 Certificate A9522293

Terms: Payment due on receipt of invoice  
 1.25% per month (15% per annum)  
 charged on overdue accounts

Please Remit Payments to:

**CHEMEX LABS LTD.**  
 212 Brooksbank Ave.,  
 North Vancouver, B.C.  
 Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
5	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	42.50
			Total Cost \$	42.50
			Client Discount ( 25%) \$	-10.63
			Net Cost \$	31.87
			(Reg# R100938885 ) GST \$	2.23
			<b>TOTAL PAYABLE (CDN) \$</b>	<b>34.10</b>

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

QA24654

Project —

FINLAYSON PROJECT

Date —

JUNE 30, 1995

LABOUR

Field	A. ARCHER - 19 HRS AT 60/Hr	1140.00	
	D. EATON - 88 HRS AT 50/Hr	4400.00	
	B. WENGLYNOWSKI - 188 HRS AT 40/Hr	7520.00	
	K. SAX - 30 DAYS AT 270/DAY	8100.00	
	D. BARRETT - 11 DAYS AT 195/DAY	2145.00	
	I. GIBSON - 29 DAYS AT 180/DAY	5220.00	
	J. OWERKO - 30 DAYS AT 180/DAY	5400.00	
	P. MOORES - 3 DAYS AT 165/DAY	495.00	
	BRAD WENGLYNOWSKI - 28 DAYS AT 165/DAY	4620.00	

Office

Accounting & Expediting	J. MARIACHER - 88 3/4 HRS AT 44.50/Hr	3771.88	42811.88
-------------------------	---------------------------------------	---------	----------

OTHER SERVICES

Room & Board in Whitehorse	13 DAYS AT 60/DAY	780.00	
Field equipment from AC stock	347+5674.13 MISSED IN MAY+JUNE - 914.40	6935.13	
Photocopies	253 copies at 25¢/copy	63.25	
Rentals from AC	JUNE 1-30 - 2-50X115 AT 300/mo EACH; 1 MAG AT 25/mo; 1 MAG AT 75/mo	700.00	
	JUNE 13-30 - 2 UV LAMPS AT 1/DAY EACH; GAS AT 7.67/DAY	174.00	
	HANDHELD AT 15/mo - 60% FP	75.00	
Blueprinting	sq.ft. Ozalid at \$/ft. plus sq.ft. Dilar at \$/ft.		
Drafting	5 hrs at \$33.25/hr	168.75	8896.13

EXPENSES

Petty Cash	17.88 dt + 226.85 dt + 6.07 dt + 28.75 dt + 339.11 + 11.48 dt	295.42	
Telephone	9.65 + 8.30 + 5.22 + 73.44 + 9.55	153.16	
FRONTIER HELICOPTER		1229.40	
Food For Thought		26.60	
CALL		99.87	
SHOPPERS DRUG		10.17	
VANGAL REPRO		45.68	
INTEGRAPHICS		91.20	
WHITEPAGES		1186.68	
NORTHERN AVCON		60.00	
YUKON EXPLOSIVES		340.00	
RECEIVED GENERAL - MARK		329.10	
FALCON RESEARCH		63.32	
PRO HARDWARE		75.78	
WELCOME INN - 227.77 dt + 30.84 dt		258.11	
HOUGEN'S SPORTS LOBBE - REBATE		<14.00>	
HORWOOD'S OFFICE SUPPLY		11.45	
CARMACKS HOTEL		15.70	
SHOPPERS DRUG		103.74	
SUNRHS SERVICE		422.39	
CORPORATE COURIER - MISSED IN MAY		2.96	4810.71

MANAGEMENT	6% - ON EXPENSES	288.64	
	- ON FIELD A/c	479.12	767.76
			57486.88

GST (R100247667)	7% ON 57286.88		4010.08
------------------	----------------	--	---------

E = GST Exempt

61296.96

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

QA24654

Project: —

FINLAYSON PROJECT  
JULY 31, 1995

Date: —

LABOUR

Field

A. ARCHER - 37 HRS AT 60/HR	2220.00	
R. CARNE - 33 HRS AT 50/HR	1650.00	
D. EATON - 107 HRS AT 50/HR	5350.00	
B. WENGLYNOWSKI - 248 HRS AT 40/HR	9920.00	
K. SAX - 31 DAYS AT 270/DAY	8370.00	
J. OWENKO - 31 DAYS AT 180/DAY	5580.00	
P. MOORES - 31 DAYS AT 165/DAY	5115.00	
BRAD WENGLYNOWSKI - 31 DAYS AT 165/DAY	5115.00	

Office

Accounting & Expediting: J. MARIACHER - 9 1/4 HRS AT 41.50/HR	3878.13	47198.13
---	---------	----------

OTHER SERVICES

Room & Board in Whitehorse 16 DAYS AT 60/DAY	960.00	
Field equipment from AC stock	263.95	
Photocopies, 346 copies at 25¢/copy	86.50	
Rentals from AC: JULY 1-9 - GPS AT 7.67/DAY	69.03	
JULY 1-31 - 2 SBX II AT 200/HR EA; 2 UYLANKS AT 30/mo; 2 MAKES AT 2572/mo	760.00	
HANDHELD RADIO - PART JULY	56.25	

Blueprinting: sq.ft. Ozalid at \$ /ft, plus sq.ft. Dilar at \$ /ft.		
Drafting: hrs at \$ /hr.		2195.73

EXPENSES

Petty Cash 23.70 01 + 100.94 04 + 16.87 02 + 149.19 01 + 57.44 02 + 4.60 01 + 11.68 02 + 58.04 04 + 2.65 01 + 23.68 01 + 36.80 02 + 58.38 04	443.97	
Telephone 13.15 + 5.75 + 45.18 + 17.98 + 79.22 + 6.76	168.04	
BUILDERS SUPPLYLAND	159.00	
MAC'S FIREWEED	164.38	
CATL - 396.43 + 292.94	689.37	
SOUBDUGH MARKETS	24.23	
YUKON BUILDING SUPPLIES	7.31	
FOOD FAIR	102.57	
ALCAN AIR - FREIGHT	25.00	
ROSS RIVER SERVICE - 52.68 02 + 117.05 04	169.73	
POINTS NORTH	38.50	
SECOND AVENUE CHEVRON	68.22	
NORTHERN METALIC SALES	18.28	
FRONTIER HELICOPTER	2875.70	
YUKON EXPLOSIVES - FLAGGING	570.00	
WELCOME INN	215.27	
R. CARNE - 27 HR	194.46	
RECREAL GENERAL - MAPS	27.00	
COUREUR DES BOIS - 38 LEAGUE GAS	3336.30	
SYNRISE SERVICE	243.25	
NORCAN LEASING - 1378.47 + 488.50	1866.97	
BELVEDERE MOTOR HOTEL	276.55	
SHOPPERS SAVE	7.79	
HUGEN'S SPORTSLOAN	202.49	
YUKON OFFICE SUPPLIES	26.88	
ATLAS TRAVEL	821.00	
TRANS NORTH AIR	1642.82	14397.58

MANAGEMENT 6 1/10 - ON EXPENSES	863.85	
- ON FIELD AIR	2296.57	3160.42
		66951.86

GST (R100247667): 7% ON 66951.86 4686.63

E = GST Exempt

71638.49