

ARCHER, CATHRO
• ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT
describing
PROSPECTING AND GEOCHEMICAL SURVEYS
on the
SHUTOUT PROPERTY

Shutout 1-108 YB58953-YB59060
109-158 YB77893-YB77942

Latitude 61° 12' N; Longitude 130° 22' W

NTS 105G/1

in the
WATSON LAKE MINING DISTRICT
YUKON TERRITORY

Prepared by
Archer, Cathro & Associates (1981) Limited
for
EXPATRIATE RESOURCES LTD.

W.A. Wengzynowski, B.A.Sc.
April, 1996

093490




TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	8
REGIONAL GEOCHEMISTRY	10
REGIONAL GEOPHYSICS	12
PROPERTY GEOLOGY AND MINERALIZATION	13
PROPERTY GEOCHEMISTRY	15
CONCLUSIONS AND RECOMMENDATIONS	18
SELECTED REFERENCES	19

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 5
5	Property Geology	Following Page 13
6	Sample Location	Following Page 14
7	Copper Geochemistry	Following Page 15
8	Lead Geochemistry	Following Page 15
9	Zinc Geochemistry	Following Page 15
10	Silver Geochemistry	Following Page 15
11	Molybdenum Geochemistry	Following Page 15
12	Manganese Geochemistry	Following Page 15
13	Arsenic Geochemistry	Following Page 15
14	Antimony Geochemistry	Following Page 15
15	Gold Geochemistry	Following Page 15

INTRODUCTION

Expatriate Resources Ltd. has a 100% interest in the Shutout property which protects a target selected from a regional geochemical data base documenting results of 1973 exploration by a joint venture managed by Archer, Cathro and Associates Ltd. One hundred and eight claims were staked in March 1995 to protect soil geochemical anomalies associated with stratigraphy which is correlated to units hosting mineralization at the nearby Wolverine and Kudz Ze Kayah volcanogenic massive sulphide deposits. Fifty additional claims were staked in February 1996 bringing the total to one hundred and fifty-eight. Part of the claim block was previously staked as the MM claims in 1960 by Cassiar Asbestos Corp. Ltd. which carried out prospecting and limited sampling. The work reportedly discovered small pods of chalcopyrite and pyrrhotite within skarn zones in limestone adjacent to an intrusion.

Field exploration was managed by Archer, Cathro & Associates (1981) Limited under the author's supervision. It was conducted by a three person crew working from fly camps on the property between July 20 and August 22, 1995. Work consisted of grid soil geochemistry, geological mapping and prospecting on the Shutout 1-108 claims. Appendix I contains the author's Statement of Qualifications.


PROPERTY, LOCATION AND ACCESS


The property is located in southeast Yukon at latitude 61°12'N and longitude 130°22'W on NTS map sheet 105G/1 (Figure 1). It is comprised of 158 contiguous mineral claims registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Expatriate Resources Ltd. Claim registration data is listed below while locations are shown in Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Shutout 1-108	YB58953-YB59060	March 17, 2001*
109-158	YB77893-YB77942	March 1, 1997

*Expiry date includes 1995 work filed for assessment credit but not yet accepted.

In 1995 the property was accessed by helicopter from a logistical staging area at the Finlayson Airstrip (Km 246 on the Robert Campbell Highway). The airstrip lies 59 km north-northwest of the property and 260 km northeast of Whitehorse. Road access to the airstrip is from Ross River, 110 km to the northwest or Watson Lake, 260 km to the southeast. Helicopter support was provided by Bell 206B Jet Rangers operated by Trans North Air from its permanent base at Ross River or Frontier Helicopters which had a contract machine stationed at Westmin Resources Limited's exploration camp on Wolverine Lake 30 km north-northeast of the property.





— Claim boundary

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

SHUTOUT PROPERTY

EXPATRIATE RESOURCES LTD.



GEOMORPHOLOGY

The Shutout property covers a group of ridges located 13 km northeast of the Tintina Trench within the Pelly Mountains. Creeks draining the property flow south and northeast into the Black River and Frances River respectively, both of which are part of the Liard River watershed.

Elevations range from 1300 m along creek bottoms to 2030 m on a ridge bordering the south edge of the claim block. Slopes on most hillsides are steep, averaging 30°. Pleistocene valley glaciation has produced deeply incised drainages forming multiple arêtes ending in cirques. Glacial till and alluvial deposits are common at lower elevations but quickly give way to coarse talus and rock glaciers at higher elevations.


Treeline in the area is at 1500 m and approximately 90% of the property is above that elevation. Vegetation consists of sparse stunted black spruce, alder and buckbrush at lower elevations (up to 1500 m) giving way to moss, lichen and alpine grass.

REGIONAL GEOLOGY

The Shutout property lies within the 380 km long, up to 60 km wide Finlayson Allochthon which consists of rocks belonging to the Yukon-Tanana and Slide Mountain Terranes (Figure 3). The southwest side of the allochthon is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which have produced approximately 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit et al, 1976). The northeast edge is a broad arc marking the surface trace of the Finlayson Lake Fault Zone, a complex mixture of thrust and high angle faults. Both fault zones juxtapose the allochthonous rocks with autochthonous rocks of the North American miogeocline.

The Yukon-Tanana and Slide Mountain Terranes are composed largely of Late Paleozoic arc stratigraphy of uncertain origin (Hansen, 1990 and Mortensen, 1992). Yukon-Tanana is more metamorphosed and contains more plutons while Slide Mountain is distinguished by the presence of ophiolitic rocks. A number of thrust faults associated with the Finlayson Lake Fault Zone have imbricated Yukon-Tanana and Slide Mountain assemblages frequently repeating various parts of the stratigraphy. All of the main volcanogenic massive sulphide occurrences in the Finlayson Lake area are hosted by Late Devonian to Mid-Mississippian metavolcanic and metasedimentary rocks of Yukon-Tanana Terrane (Johnston and Mortensen, 1994).

Geology in the vicinity of the Shutout property was mapped at 1:250,000 scale in the 1970's by the Geological Survey of Canada (Tempelman-Kluit, 1977) and reinterpreted at approximately 1:500,000 scale by industry geologists in the early 1980's (Mortensen and Jilson, 1985). The



-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata

FIGURE 3
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
 SHUTOUT PROPERTY
 EXPATRIATE RESOURCES LTD.



following geological summary is based primarily on the work of Mortensen and Jilson and, for consistency, their nomenclature and unit descriptions are used throughout the remainder of this report.

Six principal lithological packages have been identified within the allochthonous rocks in the Finlayson Lake area (Figure 4). They include two metamorphic assemblages that comprise the bulk of Yukon-Tanana Terrane, a relatively unmetamorphosed package belonging to Slide Mountain Terrane and three younger units that intrude or overlie both terranes.

Paleozoic Layered Metamorphic Sequence is the oldest and most abundant lithological package within Yukon-Tanana Terrane. It consists of three distinct stratigraphic units with a total thickness of approximately 3 km. The lowest unit contains pre-Late Devonian, micaceous feldspathic quartzite with minor marble. The middle unit is Late Devonian to Mid-Mississippian in age and is the focus of volcanogenic massive sulphide exploration in the Finlayson Lake area. It consists of dark siliceous phyllite that is increasingly carbonaceous toward the base of the section where it is interfingering with widespread mafic metavolcanic schist. Localized felsic metavolcanic centres are found throughout the section. The uppermost unit contains Early Pennsylvanian to Early Permian white carbonate and quartzite.

Paleozoic Metaplutonic Rocks are also confined to Yukon-Tanana Terrane. They are subdivided into three suites, all of which are coarse grained and have yielded Mid-Mississippian age dates (340 to 359 Ma). The quartz monzonitic to quartz dioritic Simpson Range plutonic suite is slightly older than the augen orthogneiss (leucogranite) and monzonitic orthogneiss



130°00'


FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.

62°00'



North American Miogeoclinal

 Pre-Triassic sedimentary and volcanic

Slide Mountain Terrane

 Chert, ultramafic, greenstone, metavolcanics, and carbonate rocks

Yukon-Tanana Terrane

 Paleozoic Metaplutonic Rocks Paleozoic Layered Metamorphic Sequence

Units common to all three terranes

 Young Volcanic Rocks Mesozoic Plutonic Rocks Mesozoic Clastic Rocks Geological contacts Steep fault Thrust fault Properties held by Expatriate Resources Ltd.

TINTINA FAULT ZONE - 450 km RIGHT LATERAL OFFSET

SHUTOUT
PROPERTY0 10 20 30 40 50
Kilometres

61°00'

(quartz monzonite). Most contacts between metaplutonic rocks and the Layered Metamorphic Sequence are foliaform.

Both the Layered Metamorphic Sequence and the metaplutonic rocks were intensely deformed (F1) during Permian or Early Triassic time. This event resulted in pervasive foliation that usually parallels subhorizontal or shallow-dipping compositional layering. The F1 deformation was accompanied by middle greenschist to middle amphibolite facies regional metamorphism. A second phase of deformation (F2) is observed locally but appears to have been a relatively minor event.

Slide Mountain Terrane consists of ophiolitic assemblages that are most abundant within the Campbell Range Belt but also appears as imbricate slices along thrust faults elsewhere in the allochthon. The Campbell Range Belt is up to 25 km wide and forms the northeastern edge of the allochthon. It contains relatively unmetamorphosed but strongly folded and imbricated cherts with mafic and felsic volcanics, massive greenstone and serpentinite. Thrust slices elsewhere in the allochthon are also unmetamorphosed but typically contain a higher proportion of mafic to ultramafic plutonic rocks. Fossils in the cherts have been dated as Late Pennsylvanian to Early Permian while the mafic and ultramafic rocks are Late Devonian. Slide Mountain rocks do not exhibit the F1 foliation characteristic of the Yukon-Tanana Layered Metamorphic Sequence and metaplutonic rocks.

The remaining three units are all younger and unmetamorphosed. They are found in both Yukon-Tanana and Slide Mountain Terranes. Mesozoic Clastic Rocks are Late Triassic immature sediments containing cobbles derived from both Yukon-Tanana and Slide Mountain. Mesozoic Plutonic Rocks include a number of Early Jurassic mafic to intermediate plutons plus scattered Late Cretaceous quartz monzonite stocks. Major thrust faults in the district post-date the Early Jurassic plutons but pre-date the Late Cretaceous quartz monzonite. This structural event is believed to have occurred during accretion of the allochthon to the North American craton because the thrusts cut the miogeoclinal rocks as well as the allochthonous rocks. Transcurrent movement on the Tintina Fault Zone occurred soon after the thrust faults. Young Volcanic Rocks unconformably overlie the other units and consist of Late Cretaceous to Tertiary felsic volcanic flows and volcanoclastic deposits. They are usually found in close proximity to the Tintina Fault Zone.

REGIONAL MINERALIZATION

A total of fifty-one mineral occurrences have been reported within the Finlayson Allochthon (DIAND, 1995). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization may also be present (Morin, 1981 and Johnston and Mortensen, 1994). Two occurrences have definite economic potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 4). These occurrences are "type-deposits" for Expatriate's exploration elsewhere in the district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit lies within Yukon-Tanana Terrane near the centre of the allochthon (Cominco Exploration, 1995; Whiteway, 1995) some 33 km north-northwest of the Shutout property. It is a volcanogenic massive sulphide deposit hosted by felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip. Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m downdip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold

(Schultze, 1996). Preliminary studies suggest that satisfactory lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.

The Wolverine Deposit is located 25 km east of Kudz Ze Kayah and 30 km north-northeast of the Shutout property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It also lies within the middle unit of the Layered Metamorphic Sequence and is hosted by rhyolitic metavolcanics and argillites and consists primarily of semi-massive to massive sulphides. Pyrite and sphalerite occur with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the deposit is marked by a vegetation kill zone containing weakly malachite-stained schist. Westmin has intersected the deposit in fifteen consecutive diamond drill holes, tracing it 400 m along strike and up to 250 m downdip. It averages 6.2 m thick and dips shallowly to the north. Although the deposit is blind to surface it is open downdip and along strike in both directions. Wolverine contains significantly more zinc and precious metals than Kudz Ze Kayah. The weighted average grade for intersections reported to date is 11.82% zinc, 1.05% copper, 1.53% lead, 442.8 g/t silver and 2.48 g/t gold (Westmin News Release, November 30, 1995). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

REGIONAL GEOCHEMISTRY

Published geochemical data for the Finlayson Lake area is limited to reconnaissance-scale stream sediment sampling conducted in the late 1980's by the Geological Survey of Canada (Hornbrook and Friske, 1988 and Friske et al, 1990). The sampling was done at an approximate density of one sample per 10 sq. km. Each sample was analyzed for twenty elements including common indicator elements for volcanogenic massive sulphide deposits such as copper, lead, zinc, silver and arsenic. Anomalous results were obtained from creeks draining some previously known volcanogenic massive sulphide occurrences (DIAND 1995, Yukon Minfile 105G/32, 34 and 40) but many others, including the streams draining the Wolverine Deposit, produced near background values. Anomalous results were also obtained from several drainages where there were no known mineral occurrences. Follow-up exploration has since located showings in many of the anomalous creeks, with the most significant discovery to date being the Kudz Ze Kayah Deposit.

Expatriate was able to supplement the published reports with private data summarizing results of 1973 exploration managed by Archer Cathro on behalf of a joint venture (Cathro, 1973). The reconnaissance prospecting and geochemical sampling program explored for lead-zinc mineralization in the lower unit of the Layered Metamorphic Sequence but because the data provides relatively uniform coverage over the entire region, it is also suitable for evaluating areas underlain by the favourable middle unit. The Archer Cathro samples included approximately 5000 soils and stream sediments collected at a density of approximately one sample per sq. km. They were all analyzed for lead, zinc, copper and molybdenum. As might be expected, this closer-spaced sampling outlined many more areas of anomalous geochemical response than the

government survey. Almost all of the known volcanogenic occurrences showed up as anomalies on this survey, including Kudz Ze Kayah and Wolverine.

The following table illustrates regional geochemical backgrounds for the metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS

	<u>Background</u> (ppm)	<u>Anomalous Thresholds</u>			<u>Peak Value</u> (ppm)
		<u>Weak</u> (ppm)	<u>Moderate</u> (ppm)	<u>Strong</u> (ppm)	
Copper	25	50	100	200	1720
Lead	30	50	100	200	>4000
Zinc	80	200	500	1000	>4000
Molybdenum	<1	2	5	10	65

The Shutout property was staked to protect a target selected from the Archer Cathro data. Peak values from 1973 sampling at Shutout were 400 ppm copper, 270 ppm lead, 596 ppm zinc and 32 ppm molybdenum.

Copper, lead and zinc are major metals in most volcanogenic massive sulphide occurrences in the Finlayson Lake area and are obvious indicator elements. Molybdenum is present in anomalous quantities in the banded iron formation overlying the Wolverine Deposit (H. Meade, pers. comm., 1995) and appears to be slightly enriched in the felsic metavolcanic rocks. Based on the geochemical signature in the vicinity of known occurrences, its presence can be used to distinguish copper anomalies associated with volcanogenic mineralization from those derived from ultramafic rocks.

REGIONAL GEOPHYSICS

The only published geophysical data for the Finlayson Lake area resulted from airborne magnetic surveys conducted in 1961 by the Geological Survey of Canada on behalf of the Department of Mines and Technical Surveys. The surveys were flown with fixed-wing aircraft at a nominal elevation of 300 m above ground level on east-west lines spaced approximately 1.6 km apart. Results are presented on a 1:250,000 scale map (DMTS, 1961) and in more detail on a series of 1:50,000 maps.

The largest, most intense areas of positive magnetic response are associated with obducted ultramafic rocks belonging to the Slide Mountain Terrane. Within the Campbell Range Belt where dips are usually moderate to steep, the anomalies are narrow and elongate while in the remainder of the allochthon where the ultramafic rocks occur along shallowly-dipping thrust faults, they are much broader.


A series of secondary positive anomalies was also recorded over Yukon-Tanana rocks but until recently they had no obvious explanation. Prospecting and mapping have now shown that magnetite occurs locally within schists of the middle unit of the Layered Metamorphic Sequence. The greatest documented concentration of magnetite is found in the hanging wall of the Wolverine Deposit where it forms several thin horizons approximately 80 m up-section from the massive sulphide mineralization. Magnetite is also a significant constituent of the mineralization at Kudz Ze Kayah. The western part of the Shutout property covers a strong circular aeromagnetic anomaly that is 5 km in diameter.

PROPERTY GEOLOGY AND MINERALIZATION

Bedrock exposure is limited to cliffs, ridge tops and actively eroding creek cuts. Slopes between creek cuts and cliffs are generally covered by felsenmeer. Most outcrops are moderately to well foliated, exhibiting east-west strikes and moderate northerly dips (Figure 5). Six main rock types are recognized and described below. The first four belong to the Paleozoic Layered Metamorphic Sequence in a thrust bound panel that is underlain and overlain by Paleozoic Metaplutonic Rocks.

Chlorite schist, the most abundant unit, is typically green to grey weathering, massive to well foliated with local kink banding, blue opalescent quartz eyes (up to 3%) and foliaform pyrite (trace to 10%). Foliation intensity generally increases toward the hanging wall contact where local weak brecciation and silicification are common. Rare bands of fine-grained massive magnetite, up to 1 m thick, are observed parallel to bedding (subparallel to foliation) while weakly tuffaceous chert horizons, up to 2 m thick, are found in the upper part of the section near the thrust contact. Semi-massive to massive pyrite occurs as discontinuous lenses up to 100 by 0.5 m. No samples of this material were taken.

Quartz-sericite schist is grey to tan weathering, moderately to well foliated and in places laminar banded with alternating pyrite (trace to 3%), quartz-sericite and rarer quartz-chlorite layers. Local kink banding is common. The unit weathers to a blonde gossan due to increased pyrite content ($\geq 10\%$) toward its upper contact where it is thickly interbanded with chlorite schist. Mineralized float was found in a 5 by 1 m talus train within this unit. Two specimens



Paleozoic Metaplutonic Rocks

 Quartz augen hornblende gneiss

 Quartz diorite

Paleozoic Layered Metamorphic Sequence

 Chlorite schist

 Quartz sericite schist

 Limestone

 Feldspar porphyry breccia

 Massive pyrite lens

 Massive magnetite

 Float occurrence

 Foliation with strike and dip

 Thrust fault

 Inferred geological contact

 Claim boundary

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.

0 200 400 600 800 1000 1200 1400 1600 1800 2000 m


(935603 and 935607 on Figure 6) containing up to 15% pyrite, 10% fine-grained galena and 5% fine-grained red sphalerite were sent to Chemex Labs Ltd. and analyzed geochemically for 32 elements by the Induced Coupled Plasma (ICP) technique. Certificates of Analysis are listed in Appendix II. Later assays returned up to 2.68% zinc, 1.53% lead and 11.3 g/t silver.

Limestone is white to grey and weakly bedded to massive with rare banded pyrite. This unit appears to be truncated by a thrust fault along the north-central edge of the property.

Feldspar porphyry breccia is buff weathering, light grey to tan and massive to moderately foliated. Phenocrysts are dominantly flattened, clay-altered feldspar with lesser abundant blue opalescent quartz eyes. Megaclastic breccias are common near the sharp upper contact with chlorite schist. Clasts range between 2 to 50 cm in size. Foliation intensity and pyrite content also increase toward the upper contact. This unit is restricted to an oblate exposure roughly 1400 by 500 m within the thickest section of chlorite schist. A cobble of steel galena float was discovered in feldspar porphyry talus however, the mineralization could not be located in outcrop. The galena specimen was not assayed.

Quartz augen hornblende gneiss is buff, pink or grey weathering, massive to weakly foliated and green-grey to pink on fresh surface. Phenocrysts consist of subhedral feldspar, euhedral hornblende (2 to 8 mm) and poorly formed quartz augens within a weakly chloritic, fine-grained groundmass.

Quartz diorite is white to orange weathering, grey to white on fresh surface and medium grained. It forms the uppermost thrust panel with locally abundant ultramafic lenses along the thrust fault separating it from the underlying Layered Metamorphic Sequence rocks.



J35619 Soil sample location with sample number
J35603 Rock sample location with sample number

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SAMPLE LOCATION
SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.



PROPERTY GEOCHEMISTRY

Grid and contour-controlled soil sampling was conducted over the Shutout 1-108 claims between July 20 and August 22, 1995. Compass-controlled baselines were established due north approximately paralleling claim lines. Baselines were slope corrected and marked at 100 m intervals with 1 m lath bearing aluminum tags inscribed with grid coordinates and sample numbers. Grid soil sample lines were run perpendicular to the baselines. Where terrane was too steep for grid sampling, soils were taken along altimeter-controlled lines run parallel to topographic contours. All soil sample sites were marked with 0.5 m lath.


A total of 811 soil samples was taken (locations shown on Figure 6) and sent to Chemex Labs Ltd. where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the ICP technique. All samples were later analyzed for gold using a fire assay preparation and atomic absorption finish. Certificates of Analysis are listed in Appendix II. Results for nine indicator elements are plotted on Figures 7 to 15 while anomalous thresholds and peak values are as follows.

ANOMALOUS THRESHOLDS AND PEAK VALUES

<u>Element</u>	<u>Weak</u>	<u>Threshold Values (ppm)</u>		<u>Peak Value (ppm)</u>
		<u>Moderate</u>	<u>Strong</u>	
Copper	50	100	200	1345
Lead	50	100	200	1285
Zinc	200	500	1000	8100
Silver	1	2	5	8.8
Molybdenum	2	5	10	44
Manganese	1000	2000	5000	3010
Arsenic	20	50	100	142
Antimony	2	5	NA*	8
Gold**	25	50	100	200

*NA = not applicable

**Values in ppb



COLUMBIA GOLD / WELCOME OPPORTUNITIES

6,783,000 N

422,000 E


130° 20'


61' 12"

APPROXIMATE PROPERTY BOUNDARY

- 156 Sample location with copper value in ppm
- ≥ 200 ppm Cu
 - ≥ 100 < 200 ppm Cu
 - ≥ 50 < 100 ppm Cu

FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER GEOCHEMISTRY
SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.
0 100 200 400 600 800 1000 m





Sample location with zinc value in ppm

- ≥ 1000 ppm Zn
- ≥ 500 < 1000 ppm Zn
- ≥ 200 < 500 ppm Zn

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC GEOCHEMISTRY
SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.
0 100 200 400 600 800 1000 m

COLUMBIA GOLD / WELCOME OPPORTUNITIES

6,783,000 N

422,000 E



130° 20'

61° 12'

APPROXIMATE PROPERTY BOUNDARY

• Sample location with silver value less than detection limit

• Sample location with silver value in ppm

□ ≥ 5 ppm Ag

□ $\geq 2 < 5$ ppm Ag

□ $\geq 1 < 2$ ppm Ag

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER GEOCHEMISTRY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m

COLUMBIA GOLD/ WELCOME OPPORTUNITIES

6,785,000 N

422,000 E



130° 20'

61° 12'

Approximate
Property Boundary

- Sample location with molybdenum value less than detection limit
- Sample location with molybdenum value in ppm
- ≥ 10 ppm Mo
- ≥ 5 < 10 ppm Mo
- ≥ 2 < 5 ppm Mo

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
MOLYBDENUM GEOCHEMISTRY
SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.



1560 Sample location with manganese value in ppm


- ☐ ≥ 5000 ppm Mn
- ☐ $\geq 2000 < 5000$ ppm Mn
- ☐ $\geq 1000 < 2000$ ppm Mn

FIGURE 12
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MANGANESE GEOCHEMISTRY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



156 Sample location with arsenic value in ppm


- ≥ 100 ppm As
- $\geq 50 < 100$ ppm As
- $\geq 20 < 50$ ppm As

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC GEOCHEMISTRY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m




- Sample location with antimony value less than detection limit
- Sample location with antimony value in ppm
- ≥ 10 ppm Sb
- $\geq 5 < 10$ ppm Sb
- $\geq 2 < 5$ ppm Sb

FIGURE 14
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ANTIMONY GEOCHEMISTRY

SHUTOUT PROPERTY
EXPATRIATE RESOURCES LTD.





- .15 Sample location with gold value in ppb
- ≥ 100 ppb Au
 - $\geq 50 < 100$ ppb Au
 - $\geq 25 < 50$ ppb Au

FIGURE 15
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GOLD GEOCHEMISTRY
 SHUTOUT PROPERTY
 EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m

Three main areas of anomalous response are recognized in the east, central and west parts of the property.

East Anomaly is an 1800 by 600 m area of weakly anomalous copper and molybdenum response within which are north-northwest and north-northeast linear trends of moderately and strongly anomalous values that are likely the result of downslope dispersion. Zinc, silver, manganese, arsenic and antimony are strongly coincident with copper and molybdenum in the core of the anomaly but are less intense, while gold and lead response is near background. Part of the anomaly stems from an area near the contact between quartz augen hornblende gneiss and quartz sericite schist where the previously described lead-zinc-silver bearing talus lens is located. Cursory prospecting by field personnel also located malachite-stained schist float during contour sampling traverses in the southern part of the anomaly. The anomaly is open to the south and east.

Central Anomaly covers a weakly anomalous area (1200 by 1000 m) of coincident copper, molybdenum, arsenic and lead response. Moderately and strongly anomalous lead values define a north-northwest trend up to 600 m long and 300 m wide which is parallel to foliation and compositional layering in the area but may also be due in part to downslope dispersion. Zinc, manganese, silver and gold are also coincident within this zone but rarely exceed moderate thresholds. The strongest copper value (1345 ppm) is located approximately 200 m northeast of this anomaly near the edge of the grid.

West Anomaly is a 2400 by 800 m zone of weakly anomalous copper and molybdenum response in the part of the property where massive foliaform pyrite and magnetite lenses occur. Moderately anomalous copper values form an 800 by 400 m north-northwest trending core near the quartz feldspar porphyry/chlorite schist contact. Galena-bearing float was noted in talus on the northeast flank of the anomaly. The other elements form weakly to moderately anomalous clusters within the larger zone.

CONCLUSIONS AND RECOMMENDATIONS

The Shutout property is largely underlain by favourable rocks of the Layered Metamorphic Sequence, which host the nearby Kudz Ze Kayah and Wolverine Deposits. Similar stratigraphy also hosts the less documented Fyre Deposit (1.36 million tonnes grading 1% copper, 1% zinc, 5.14 g/t silver and 0.69 g/t gold, *in* DIAND 1995, Yukon Minfile 105G/34) 3 km west of Shutout in what is believed to be the same thrust sheet.

Soil geochemistry outlined three large areas of anomalous multi-element response. Peak values obtained for copper, lead and zinc are among the strongest in the Finlayson area. Massive foliaform pyrite and magnetite lenses are located in the west part of the property and are coincident with the most westerly geochemical anomaly and a strong aeromagnetic anomaly. A cobble of steel galena float was discovered in this area. Mineralized float was also discovered within the other two anomalies but was not systematically explored.

Helicopter-borne EM geophysical surveys are completed however, the data are not yet available for analysis. Pending favourable results, ground geophysical surveys, geological mapping and detailed prospecting should be done within the areas of anomalous geochemical and geophysical response in order to define drill targets.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


W.A. Wengzynowski, BA.Sc.

SELECTED REFERENCES

Cathro, R.J.

1973 Final Report, Finlayson Joint Venture; November 30, 1973, p.44.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1995 Yukon Minfile, November/95; Exploration Geological Services Division, Indian and Northern Affairs Canada.

DMTS

1961 Finlayson Lake (105G), Airborne Magnetic Map; Department of Mines and Technical Surveys, Geophysical Paper 70006G.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.

1990 Regional stream sediment and water geochemical data, central Yukon; Geological Survey of Canada Open File 2174 (105K East).

Hansen, V.L.

1990 Yukon-Tanana Terrane: A partial acquittal; Geology, V.18, pp.365-369, April 1990.

Hornbrook, E.H.W. and Friske, P.W.B.

1988 Regional stream sediment and water geochemical data, southeastern Yukon; Geological Survey of Canada Open File 1648 (105G).

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Morin, J.A.

1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.

Mortensen, J.K.

- 1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; *Tectonics*, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.

- 1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; *Geology*, V.13, pp.806-810.

Schultze, H.C.

- 1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; in: *Yukon Exploration and Geology, 1995*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; *Geological Survey of Canada Paper 76-1A*, pp.97-106.

Tempelman-Kluit, D.J.

- 1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas; *Geological Survey of Canada Open File 486*.

Westmin Resources Limited

- 1995 News Release, Joint Release with Atna Resources Ltd; November 30, 1995, p.2.

Whiteway, P.

- 1995 "Fast-Tracking" ABM; in *Canadian Mining Journal*, June 1995, pp.17-21.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.


W.A. Wengzynowski, B.A.Sc.

APPENDIX II
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: EXPATRIATE SHUTOUT
Comments: ATTN: AL ARCHER

Page Number : 1
Total Pages : 1
Certificate Date: 23-NOV-95
Invoice No. : I9534013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9534013

SAMPLE	PREP CODE		Au g/t FA+AA	Ag g/t	Cu %	Pb %	Zn %					
935607	208	226	< 0.005	11.3	0.03	1.15	2.68					

CERTIFICATION:

Said G...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 1
Total Pages : 1
Certificate Date: 06-NOV-95
Invoice No. : I9532058
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9532058

SAMPLE	PREP CODE	Au ppb FA+AA										
T35462	244 --	not/ss										
T35506	244 --	< 5										
T35507	244 --	< 5										
T35511	244 --	< 5										
T35612	244 --	105										
T35659	244 --	10										
T35806	244 --	< 5										
T35809	244 --	< 5										
T35825	244 --	< 5										
T35840	244 --	< 5										
T35846	244 --	< 5										
T35852	244 --	< 5										
T35859	244 --	< 5										
T36306	244 --	< 5										
T36333	244 --	< 5										
T36400	244 --	< 5										
T36423	244 --	< 5										
T36439	244 --	< 5										
T36448	244 --	< 5										
T36451	244 --	< 5										
T36512	244 --	< 5										
T36517	244 --	< 5										
T36526	244 --	< 5										
T36534	244 --	< 5										
T36646	244 --	< 5										
T34730	244 --	35										
T34750	244 --	10										

CERTIFICATION:

Shuk Vmsh



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 1
Total Pages : 1
Certificate Date: 22-SEP-95
Invoice No. : I9528818
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9528818

SAMPLE	PREP CODE		Pb %	Zn %							
935603	244	--	1.53	2.01							

CERTIFICATION:

Saifuddin



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 1
Total Pages : 1
Certificate Date : 14-SEP-95
Invoice No. : I9528056
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9528056

SAMPLE	PREP CODE	Au ppb FA+AA									
T35693	244 --	< 5									
T35694	244 --	< 5									
T35695	244 --	< 5									
T35697	244 --	< 5									
T35698	244 --	< 5									
T35699	244 --	< 5									
T35700	244 --	< 5									
T35769	244 --	< 5									

CERTIFICATION:

Theresa Vink



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 13-SEP-95
Invoice No. : 19526778
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526778

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
935603	205 226	9.6	0.90	8	20	< 0.5	20	0.36	>100.0	8	32	299	2.87	< 10	1	0.07	10	0.48	1615	75

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 1-B
Total Pages : 1
Certificate Date: 13-SEP-95
Invoice No. : 19526778
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526778

SAMPLE	PREP CODE		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
935603	205	226	< 0.01	4	150	>10000	2	1	39	0.06	< 10	< 10	9	< 10	>10000

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 1-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35756	203 205	0.4	0.43	44	200	< 0.5	< 2	0.01	< 0.5	2	40	42	2.59	< 10	< 1	0.18	30	0.03	60	4
T35757	203 205	0.4	0.47	68	240	< 0.5	2	< 0.01	0.5	18	34	114	5.27	10	< 1	0.23	40	0.04	630	4
T35758	203 205	0.4	0.90	94	340	< 0.5	4	0.04	1.0	18	129	120	5.70	10	< 1	0.30	40	0.26	690	6
T35759	203 205	0.8	0.72	66	380	< 0.5	4	0.02	0.5	15	50	137	5.12	10	< 1	0.30	40	0.08	390	6
T35760	203 205	1.0	0.88	46	460	< 0.5	< 2	0.03	< 0.5	12	57	110	4.80	10	< 1	0.31	40	0.10	335	6
T35761	203 205	0.6	1.11	22	390	< 0.5	2	0.05	< 0.5	15	33	88	5.05	10	< 1	0.20	40	0.22	365	9
T35762	203 205	< 0.2	1.18	22	230	< 0.5	4	0.36	< 0.5	7	65	34	2.01	< 10	< 1	0.28	20	0.43	365	1
T35763	203 205	< 0.2	1.23	14	140	< 0.5	< 2	0.54	< 0.5	6	59	24	1.83	< 10	< 1	0.25	10	0.58	380	1
T35764	203 205	< 0.2	1.08	36	250	< 0.5	< 2	0.25	< 0.5	14	72	81	3.57	< 10	< 1	0.18	20	0.52	450	8
T35765	203 205	< 0.2	1.10	36	280	< 0.5	< 2	0.36	< 0.5	14	76	65	2.84	< 10	< 1	0.19	20	0.59	475	11
T35766	203 205	0.2	1.54	22	920	< 0.5	2	1.50	2.0	23	137	92	3.53	< 10	< 1	0.21	30	1.06	755	2
T35767	203 205	< 0.2	1.39	4	230	< 0.5	4	0.35	< 0.5	6	33	22	1.54	< 10	< 1	0.18	10	0.34	345	1
T35768	203 205	< 0.2	1.72	6	250	< 0.5	2	0.36	< 0.5	9	59	60	2.65	< 10	< 1	0.32	20	0.72	525	1
T35769	203 205	< 0.2	0.82	< 2	90	< 0.5	< 2	0.25	< 0.5	8	40	58	1.37	< 10	< 1	0.22	20	0.39	345	< 1
T35770	203 205	< 0.2	1.65	12	190	< 0.5	2	0.33	< 0.5	9	55	32	2.40	< 10	< 1	0.17	10	0.73	355	1
T35771	203 205	0.4	2.34	18	420	< 0.5	2	0.58	< 0.5	12	63	49	2.93	10	1	0.30	40	1.05	675	2
T35772	203 205	< 0.2	1.87	20	280	< 0.5	6	0.65	< 0.5	14	75	25	2.71	< 10	< 1	0.31	20	1.14	1005	1
T35773	203 205	< 0.2	1.89	6	250	< 0.5	2	0.41	< 0.5	10	59	28	2.58	< 10	< 1	0.38	20	1.08	745	1
T35774	203 205	< 0.2	2.62	12	430	< 0.5	4	0.33	0.5	18	122	82	4.38	10	1	0.37	30	1.68	1090	6
T35775	203 205	0.4	1.52	6	290	< 0.5	2	0.09	< 0.5	11	24	59	1.77	10	< 1	0.41	50	0.41	340	4
T35776	203 205	0.4	1.76	68	320	< 0.5	2	0.16	0.5	6	39	26	5.76	10	< 1	0.64	40	0.54	1075	2
T35777	203 205	< 0.2	1.28	12	350	< 0.5	4	0.80	3.0	5	33	24	2.59	10	< 1	0.35	60	0.40	815	1
T35778	203 205	< 0.2	0.18	< 2	70	< 0.5	< 2	>15.00	1.5	< 1	14	4	0.25	< 10	< 1	0.06	< 10	6.53	140	< 1
T35779	203 205	< 0.2	0.97	< 2	260	< 0.5	< 2	5.30	1.0	2	24	15	1.93	< 10	< 1	0.27	20	2.61	500	1
T35780	203 205	0.2	1.50	14	350	< 0.5	2	1.85	0.5	7	32	19	3.38	10	< 1	0.28	20	1.38	805	1
T35781	203 205	< 0.2	1.17	6	240	< 0.5	6	1.32	0.5	3	19	17	1.95	< 10	< 1	0.15	10	0.49	380	< 1
T35782	203 205	< 0.2	2.00	18	260	< 0.5	2	0.95	0.5	10	84	24	3.33	< 10	< 1	0.29	20	1.40	665	1
T35783	203 205	< 0.2	0.72	4	470	< 0.5	4	0.07	< 0.5	1	81	51	2.34	< 10	< 1	0.13	30	0.43	200	5
T35784	203 205	< 0.2	1.26	6	480	< 0.5	4	0.47	< 0.5	1	54	12	1.57	< 10	< 1	0.12	10	0.29	210	4
T35785	203 205	< 0.2	1.40	< 2	570	< 0.5	2	0.52	0.5	4	67	6	1.50	< 10	< 1	0.21	< 10	0.37	500	2
T35786	203 205	0.4	1.80	< 2	590	< 0.5	< 2	0.73	0.5	7	43	12	2.13	< 10	< 1	0.33	< 10	0.60	380	2
T35787	203 205	< 0.2	1.98	< 2	540	< 0.5	< 2	0.75	1.0	9	52	14	2.50	< 10	< 1	0.33	< 10	0.79	520	< 1
T35788	203 205	< 0.2	1.30	< 2	120	< 0.5	4	0.28	< 0.5	2	48	7	1.91	< 10	< 1	0.16	10	0.34	165	1
T35789	203 205	0.4	1.29	< 2	150	< 0.5	< 2	0.20	< 0.5	2	21	21	1.16	< 10	< 1	0.21	< 10	0.26	90	1
T35790	203 205	< 0.2	1.63	< 2	130	< 0.5	< 2	0.69	< 0.5	8	46	45	2.25	< 10	1	0.30	< 10	0.66	300	2
T35791	203 205	< 0.2	0.42	< 2	30	< 0.5	< 2	0.07	< 0.5	< 1	23	2	0.45	< 10	< 1	0.06	< 10	0.06	30	< 1
T35792	203 205	< 0.2	1.38	< 2	210	< 0.5	2	0.50	< 0.5	9	56	34	1.75	< 10	< 1	0.18	10	0.54	340	3
T35793	203 205	< 0.2	1.04	< 2	180	< 0.5	< 2	0.65	0.5	12	102	28	1.48	< 10	1	0.24	10	0.40	950	3
T35794	203 205	0.2	1.59	< 2	290	< 0.5	< 2	0.77	0.5	13	79	73	1.99	< 10	1	0.25	20	0.71	560	3
T35795	203 205	0.2	2.82	< 2	580	< 0.5	< 2	0.36	0.5	14	43	63	2.52	< 10	< 1	0.54	< 10	0.64	785	12

CERTIFICATION:

Hant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 1-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : I9526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35756	203 205	< 0.01	21	490	60	2	1	7	< 0.01	< 10	< 10	25	< 10	78
T35757	203 205	< 0.01	57	1050	28	2	2	12	< 0.01	< 10	< 10	25	< 10	230
T35758	203 205	0.01	76	1170	56	< 2	2	19	< 0.01	< 10	< 10	47	< 10	408
T35759	203 205	< 0.01	65	1100	42	2	2	31	< 0.01	< 10	< 10	40	< 10	360
T35760	203 205	< 0.01	49	1210	66	2	2	34	< 0.01	< 10	< 10	38	< 10	246
T35761	203 205	< 0.01	29	890	46	4	4	21	< 0.01	< 10	< 10	51	< 10	164
T35762	203 205	0.01	8	400	20	2	3	38	0.03	< 10	< 10	27	< 10	64
T35763	203 205	0.01	6	270	16	2	4	55	0.07	< 10	< 10	30	< 10	50
T35764	203 205	< 0.01	30	730	38	2	2	19	0.04	< 10	< 10	37	< 10	178
T35765	203 205	< 0.01	34	670	18	< 2	3	23	0.11	< 10	< 10	73	< 10	162
T35766	203 205	0.01	82	1150	32	< 2	5	46	0.14	< 10	< 10	54	< 10	258
T35767	203 205	0.01	4	330	16	< 2	2	35	0.03	< 10	< 10	23	< 10	38
T35768	203 205	0.01	6	310	16	4	6	35	0.04	< 10	< 10	35	< 10	54
T35769	203 205	0.01	3	230	22	< 2	3	28	0.04	< 10	< 10	16	< 10	26
T35770	203 205	0.01	7	300	14	< 2	3	29	0.05	< 10	< 10	32	< 10	42
T35771	203 205	0.03	23	840	48	< 2	7	32	0.02	< 10	< 10	44	< 10	114
T35772	203 205	0.01	12	500	104	< 2	8	57	0.07	< 10	< 10	45	< 10	92
T35773	203 205	0.01	12	470	38	< 2	7	40	0.07	< 10	< 10	41	< 10	86
T35774	203 205	0.01	37	1010	54	< 2	8	19	0.10	< 10	< 10	82	< 10	150
T35775	203 205	0.01	8	250	34	2	4	6	< 0.01	< 10	< 10	18	< 10	30
T35776	203 205	0.04	1	910	102	4	6	42	0.02	< 10	< 10	6	< 10	152
T35777	203 205	0.01	2	270	24	2	2	15	< 0.01	< 10	< 10	4	< 10	392
T35778	203 205	0.01	2	230	4	< 2	< 1	69	< 0.01	< 10	< 10	8	10	62
T35779	203 205	0.01	4	510	40	2	2	29	< 0.01	< 10	< 10	9	10	128
T35780	203 205	0.01	3	880	52	4	4	18	< 0.01	< 10	< 10	15	< 10	168
T35781	203 205	0.02	4	940	32	< 2	1	18	0.01	< 10	< 10	16	< 10	116
T35782	203 205	0.01	19	420	28	2	8	17	0.06	< 10	< 10	53	< 10	128
T35783	203 205	< 0.01	14	300	12	< 2	1	9	< 0.01	< 10	< 10	18	< 10	90
T35784	203 205	0.02	7	1030	26	< 2	< 1	14	< 0.01	< 10	< 10	34	< 10	66
T35785	203 205	0.02	6	790	14	2	1	34	0.03	< 10	< 10	40	< 10	48
T35786	203 205	0.01	6	600	66	< 2	3	36	0.03	< 10	< 10	35	< 10	84
T35787	203 205	0.01	9	740	16	2	3	42	0.03	< 10	< 10	43	< 10	76
T35788	203 205	0.01	4	290	16	< 2	3	32	0.08	< 10	< 10	43	< 10	36
T35789	203 205	0.09	2	500	< 2	< 2	1	16	0.03	< 10	< 10	21	< 10	22
T35790	203 205	0.01	2	300	< 2	< 2	5	66	0.13	< 10	< 10	40	< 10	30
T35791	203 205	0.11	< 1	260	8	< 2	< 1	10	0.01	< 10	< 10	13	< 10	6
T35792	203 205	0.04	11	480	26	< 2	3	41	0.08	< 10	< 10	34	< 10	56
T35793	203 205	0.02	6	640	14	2	3	51	0.06	< 10	< 10	28	< 10	54
T35794	203 205	0.02	17	580	26	< 2	4	51	0.10	< 10	< 10	37	< 10	92
T35795	203 205	0.02	12	460	18	< 2	3	37	0.03	< 10	< 10	47	< 10	208

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 2-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35796	203 205	< 0.2	1.27	< 2	170	< 0.5	< 2	0.31	< 0.5	2	179	16	1.32	< 10	< 1	0.22	< 10	0.31	185	1
T35797	203 205	0.6	1.20	12	220	< 0.5	2	0.25	< 0.5	1	272	10	1.41	< 10	< 1	0.17	< 10	0.19	95	4
T35798	203 205	0.2	0.92	< 2	150	< 0.5	< 2	0.15	< 0.5	< 1	201	2	0.49	< 10	< 1	0.14	< 10	0.08	45	1
T35799	203 205	< 0.2	1.50	2	390	< 0.5	< 2	0.26	< 0.5	2	420	15	1.62	< 10	< 1	0.35	< 10	0.24	110	8
T35800	203 205	< 0.2	1.28	< 2	160	< 0.5	< 2	0.18	< 0.5	< 1	100	6	0.74	< 10	< 1	0.19	< 10	0.13	100	1
T35801	203 205	< 0.2	2.30	< 2	340	0.5	< 2	0.69	< 0.5	14	165	199	2.87	< 10	< 1	0.75	20	0.93	805	3
T35802	203 205	< 0.2	1.79	< 2	180	< 0.5	8	0.42	< 0.5	10	97	102	3.23	< 10	< 1	0.40	10	1.07	325	3
T35803	203 205	< 0.2	1.53	< 2	180	< 0.5	< 2	0.45	< 0.5	14	88	77	2.18	< 10	< 1	0.40	10	0.50	550	1
T35804	203 205	0.4	2.48	24	610	< 0.5	6	0.82	0.5	26	142	157	4.11	< 10	< 1	0.27	20	1.65	1085	5
T35805	203 205	0.8	2.02	18	610	< 0.5	4	0.73	3.5	42	184	202	4.85	< 10	< 1	0.26	20	1.55	745	23
T35806	203 205	0.8	2.28	20	460	0.5	2	0.43	< 0.5	15	87	462	3.67	< 10	< 1	0.47	20	0.99	460	10
T35807	203 205	< 0.2	2.08	< 2	280	< 0.5	< 2	0.59	< 0.5	22	76	177	3.63	< 10	< 1	0.41	20	1.22	680	3
T35808	203 205	< 0.2	2.07	< 2	190	< 0.5	< 2	0.62	< 0.5	23	53	131	3.41	< 10	< 1	0.43	10	1.50	610	4
T35809	203 205	< 0.2	2.10	< 2	290	< 0.5	< 2	0.50	< 0.5	24	65	322	4.04	< 10	< 1	0.32	10	0.93	730	8
T35810	203 205	< 0.2	1.12	< 2	150	< 0.5	2	0.33	< 0.5	6	38	51	1.29	< 10	< 1	0.31	10	0.38	255	1
T35811	203 205	< 0.2	1.11	< 2	110	< 0.5	4	0.40	< 0.5	5	59	90	1.37	< 10	< 1	0.24	10	0.39	235	8
T35812	203 205	< 0.2	1.48	< 2	110	< 0.5	2	0.26	< 0.5	4	89	46	2.29	< 10	< 1	0.22	< 10	0.50	190	3
T35813	203 205	< 0.2	1.87	< 2	260	0.5	< 2	0.40	< 0.5	5	212	23	1.80	< 10	1	0.46	< 10	0.35	270	3
T35814	203 205	< 0.2	1.86	< 2	170	< 0.5	< 2	0.37	< 0.5	5	82	58	1.92	< 10	< 1	0.28	< 10	0.40	210	4
T35815	203 205	< 0.2	2.04	< 2	200	< 0.5	2	0.40	< 0.5	2	199	28	1.28	< 10	< 1	0.40	< 10	0.26	135	1
T35816	203 205	< 0.2	2.05	< 2	400	0.5	2	0.55	< 0.5	13	72	88	2.12	< 10	< 1	0.41	20	0.63	935	6
T35817	203 205	< 0.2	1.58	< 2	110	< 0.5	2	0.32	< 0.5	9	128	10	1.79	< 10	< 1	0.20	< 10	0.21	1185	1
T35818	203 205	< 0.2	1.24	< 2	110	< 0.5	< 2	0.62	< 0.5	6	62	34	1.25	< 10	< 1	0.29	10	0.37	285	< 1
T35819	203 205	< 0.2	1.52	< 2	150	< 0.5	2	0.32	< 0.5	1	102	54	2.52	< 10	< 1	0.26	< 10	0.48	155	18
T35820	203 205	< 0.2	1.96	< 2	220	< 0.5	2	0.64	< 0.5	10	114	25	2.76	< 10	< 1	0.51	10	1.08	465	1
T35821	203 205	< 0.2	1.58	< 2	150	< 0.5	< 2	0.23	< 0.5	6	63	24	2.30	< 10	< 1	0.22	10	0.40	335	2
T35822	203 205	< 0.2	2.03	12	160	< 0.5	2	0.34	< 0.5	12	53	34	2.88	< 10	< 1	0.30	10	1.06	575	3
T35823	203 205	< 0.2	0.47	< 2	20	< 0.5	< 2	0.06	< 0.5	< 1	24	4	0.41	< 10	< 1	0.03	< 10	0.05	25	< 1
T35824	203 205	1.0	1.39	6	180	0.5	10	0.42	1.0	11	87	84	2.15	< 10	< 1	0.44	10	0.68	655	4
T35825	203 205	1.4	1.54	< 2	200	0.5	10	0.49	2.0	11	73	132	2.43	< 10	< 1	0.50	20	0.73	865	6
T35826	203 205	< 0.2	1.47	< 2	120	< 0.5	2	0.12	< 0.5	9	91	25	2.92	< 10	< 1	0.25	10	0.50	450	1
T35827	203 205	< 0.2	2.02	4	150	< 0.5	4	0.65	< 0.5	19	153	41	3.20	< 10	2	0.39	10	1.59	550	1
T35828	203 205	< 0.2	1.60	< 2	140	0.5	< 2	0.44	< 0.5	13	98	28	3.00	< 10	< 1	0.34	10	0.97	685	1
T35829	203 205	< 0.2	1.38	36	120	< 0.5	2	0.37	< 0.5	17	60	60	2.64	< 10	1	0.26	20	0.52	515	3
T35830	203 205	< 0.2	1.57	8	140	< 0.5	< 2	0.51	< 0.5	21	57	149	2.98	< 10	< 1	0.40	20	0.78	465	11
T35831	203 205	< 0.2	1.52	8	120	< 0.5	6	0.33	< 0.5	13	70	94	2.91	< 10	< 1	0.34	10	0.81	330	8
T35832	203 205	< 0.2	1.36	< 2	100	< 0.5	< 2	0.33	< 0.5	7	62	27	1.76	< 10	< 1	0.19	< 10	0.32	305	3
T35833	203 205	< 0.2	1.71	< 2	180	< 0.5	< 2	0.41	< 0.5	4	58	8	1.23	< 10	< 1	0.21	< 10	0.16	535	8
T35834	203 205	< 0.2	1.50	< 2	110	< 0.5	2	0.47	< 0.5	3	63	25	1.44	< 10	< 1	0.27	10	0.35	240	< 1
T35835	203 205	< 0.2	2.19	< 2	220	< 0.5	< 2	0.27	< 0.5	10	46	99	2.78	< 10	< 1	0.39	10	0.66	490	4

CERTIFICATION:

Barbara Borden



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 2-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35796	203 205	0.02	6	270	12	< 2	1	35	0.04	< 10	< 10	28	< 10	38
T35797	203 205	0.01	10	420	16	< 2	< 1	31	0.02	< 10	< 10	53	< 10	26
T35798	203 205	0.03	2	170	6	< 2	< 1	21	0.01	< 10	< 10	22	< 10	6
T35799	203 205	0.03	13	380	8	< 2	1	35	0.03	< 10	< 10	82	< 10	42
T35800	203 205	0.02	3	300	8	< 2	< 1	25	0.01	< 10	< 10	32	< 10	14
T35801	203 205	0.09	8	550	16	< 2	8	67	0.09	< 10	< 10	51	< 10	70
T35802	203 205	0.02	10	540	4	< 2	6	43	0.15	< 10	< 10	43	< 10	40
T35803	203 205	0.07	9	490	6	< 2	5	48	0.10	< 10	< 10	38	< 10	54
T35804	203 205	0.04	92	1150	20	< 2	7	36	0.22	< 10	< 10	93	10	312
T35805	203 205	0.02	154	1470	8	< 2	5	37	0.23	< 10	< 10	126	10	482
T35806	203 205	0.04	85	1590	42	< 2	6	35	0.07	< 10	< 10	129	< 10	178
T35807	203 205	0.02	19	600	16	< 2	13	51	0.07	< 10	< 10	71	< 10	64
T35808	203 205	0.01	13	510	12	< 2	8	48	0.14	< 10	< 10	53	< 10	66
T35809	203 205	0.02	70	960	44	< 2	8	38	0.04	< 10	< 10	88	< 10	176
T35810	203 205	0.02	2	240	4	< 2	3	38	0.05	< 10	< 10	20	< 10	22
T35811	203 205	0.01	2	200	20	< 2	3	46	0.07	< 10	< 10	20	< 10	36
T35812	203 205	0.01	3	310	2	< 2	3	33	0.09	< 10	< 10	32	< 10	24
T35813	203 205	0.03	4	320	8	< 2	3	52	0.07	< 10	< 10	36	< 10	20
T35814	203 205	0.01	2	160	6	< 2	3	44	0.03	< 10	< 10	26	< 10	26
T35815	203 205	0.08	3	300	8	< 2	2	53	0.03	< 10	< 10	28	< 10	16
T35816	203 205	0.03	7	500	34	< 2	3	51	0.04	< 10	< 10	32	< 10	64
T35817	203 205	0.01	3	280	14	< 2	2	42	0.06	< 10	< 10	32	< 10	20
T35818	203 205	0.02	3	200	12	< 2	4	69	0.09	< 10	< 10	26	< 10	28
T35819	203 205	0.01	3	320	4	< 2	3	39	0.11	< 10	< 10	32	< 10	20
T35820	203 205	0.03	13	480	20	< 2	7	52	0.14	< 10	< 10	48	< 10	70
T35821	203 205	0.04	7	580	14	< 2	2	26	0.05	< 10	< 10	44	< 10	46
T35822	203 205	0.03	13	470	14	< 2	5	28	0.10	< 10	< 10	48	< 10	72
T35823	203 205	0.08	1	160	6	< 2	< 1	8	0.01	< 10	< 10	10	< 10	4
T35824	203 205	0.02	10	390	390	< 2	4	36	0.09	< 10	< 10	29	< 10	304
T35825	203 205	0.01	8	400	448	< 2	4	45	0.10	< 10	< 10	30	< 10	510
T35826	203 205	0.01	12	500	18	< 2	2	14	0.01	< 10	< 10	42	< 10	44
T35827	203 205	0.01	75	940	4	< 2	4	40	0.20	< 10	< 10	49	10	48
T35828	203 205	0.01	17	330	6	< 2	7	38	0.07	< 10	< 10	40	< 10	44
T35829	203 205	0.03	11	580	12	< 2	6	37	0.08	< 10	< 10	40	< 10	44
T35830	203 205	0.02	10	400	14	< 2	7	51	0.12	< 10	< 10	40	< 10	40
T35831	203 205	0.03	9	370	8	< 2	5	35	0.10	< 10	< 10	38	< 10	42
T35832	203 205	0.03	3	350	18	< 2	2	37	0.06	< 10	< 10	30	< 10	38
T35833	203 205	0.01	2	230	32	< 2	1	49	0.03	< 10	< 10	32	< 10	18
T35834	203 205	0.02	1	210	16	< 2	3	55	0.06	< 10	< 10	26	< 10	24
T35835	203 205	0.04	5	590	10	< 2	8	32	0.03	< 10	< 10	38	< 10	52

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 3-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35836	203 205	< 0.2	0.90	< 2	80	< 0.5	2	0.23	< 0.5	8	21	97	1.63	< 10	< 1	0.19	10	0.49	255	9
T35837	203 205	< 0.2	1.13	< 2	60	< 0.5	4	0.18	< 0.5	5	17	122	1.96	< 10	< 1	0.16	10	0.65	215	6
T35838	203 205	< 0.2	1.65	< 2	110	< 0.5	< 2	0.25	< 0.5	13	25	153	2.52	< 10	< 1	0.18	10	0.81	625	3
T35839	203 205	< 0.2	1.46	< 2	120	< 0.5	4	0.24	< 0.5	6	21	320	2.21	< 10	< 1	0.19	10	0.60	250	26
T35840	203 205	< 0.2	1.85	2	220	0.5	< 2	0.34	< 0.5	27	12	369	2.48	< 10	1	0.26	30	0.76	725	13
T35841	203 205	< 0.2	2.27	< 2	90	< 0.5	2	0.55	< 0.5	17	60	53	3.31	< 10	< 1	0.15	< 10	1.41	680	1
T35842	203 205	< 0.2	1.51	16	220	< 0.5	< 2	0.59	1.0	27	98	119	3.69	< 10	< 1	0.22	10	1.21	510	8
T35843	203 205	1.4	1.42	26	340	< 0.5	< 2	0.55	5.5	23	115	229	3.44	< 10	< 1	0.16	30	1.06	620	12
T35844	203 205	1.2	1.89	38	600	< 0.5	4	2.54	2.0	29	170	116	4.26	< 10	< 1	0.10	20	1.25	2230	2
T35845	203 205	0.4	1.77	2	500	< 0.5	6	1.21	2.5	18	96	69	3.62	< 10	< 1	0.15	10	0.90	1075	2
T35846	203 205	2.0	0.89	116	720	< 0.5	6	1.66	53.5	79	76	354	7.12	10	< 1	0.20	30	0.38	2300	14
T35847	203 205	1.6	1.28	34	520	< 0.5	6	0.48	1.5	18	105	139	3.76	< 10	< 1	0.17	10	0.76	755	9
T35848	203 205	2.0	1.18	82	350	< 0.5	4	2.29	9.5	25	98	137	4.09	< 10	< 1	0.06	10	0.85	2590	10
T35849	203 205	0.2	1.79	12	300	< 0.5	< 2	0.57	2.0	41	73	255	5.87	10	< 1	0.22	30	0.76	2500	2
T35850	203 205	0.2	1.61	20	170	< 0.5	6	0.27	1.0	25	99	132	3.39	< 10	< 1	0.15	10	1.25	1330	3
T35851	203 205	< 0.2	1.60	8	470	< 0.5	< 2	0.15	< 0.5	6	94	69	4.26	< 10	< 1	0.21	10	0.79	485	4
T35852	203 205	0.6	2.17	< 2	420	< 0.5	< 2	0.76	1.5	39	86	373	4.60	10	< 1	0.20	20	1.31	1610	8
T35853	203 205	< 0.2	1.21	6	420	< 0.5	4	0.22	< 0.5	6	66	60	3.30	< 10	< 1	0.18	10	0.49	505	3
T35854	203 205	0.8	1.91	12	400	< 0.5	< 2	0.50	1.5	41	84	159	3.64	< 10	2	0.20	20	1.34	1220	7
T35855	203 205	< 0.2	1.83	14	320	< 0.5	< 2	1.24	2.0	20	80	143	3.69	< 10	< 1	0.25	10	1.13	1590	2
T35856	203 205	0.2	1.71	68	280	< 0.5	< 2	0.98	1.0	42	111	192	4.43	< 10	< 1	0.14	10	1.54	1330	6
T35857	203 205	1.8	1.38	20	520	< 0.5	2	1.28	5.5	35	100	360	5.10	10	< 1	0.19	20	0.93	1310	12
T35858	203 205	0.6	1.04	46	390	< 0.5	< 2	0.91	2.5	20	86	167	3.20	< 10	< 1	0.18	20	0.44	840	15
T35859	203 205	1.6	1.02	24	390	< 0.5	< 2	0.56	1.5	11	103	646	3.44	10	< 1	0.22	40	0.55	425	26
T35860	203 205	0.2	1.06	14	340	< 0.5	< 2	0.52	2.0	15	66	174	3.21	< 10	< 1	0.25	20	0.66	465	17
T35861	203 205	0.8	1.27	12	290	< 0.5	2	0.44	3.0	18	118	189	3.24	< 10	< 1	0.21	20	0.91	665	12
T35862	203 205	0.4	1.45	14	170	< 0.5	< 2	0.32	0.5	15	56	140	3.20	< 10	< 1	0.30	10	1.07	450	9
T35863	203 205	< 0.2	1.42	6	70	< 0.5	< 2	0.27	< 0.5	6	43	29	1.86	< 10	< 1	0.16	< 10	0.41	195	1
T35864	203 205	< 0.2	1.14	< 2	100	< 0.5	< 2	0.41	< 0.5	44	63	190	1.49	< 10	< 1	0.20	10	0.44	545	8
T35865	203 205	< 0.2	1.43	2	110	< 0.5	< 2	0.23	< 0.5	6	30	117	2.85	< 10	< 1	0.21	< 10	0.96	270	1
T35866	203 205	< 0.2	2.13	< 2	200	< 0.5	4	0.47	< 0.5	12	55	145	3.21	< 10	< 1	0.45	10	0.82	385	5
T35867	203 205	0.2	1.36	6	100	< 0.5	< 2	0.27	< 0.5	6	24	51	1.81	< 10	< 1	0.19	< 10	0.38	220	4
T35868	203 205	< 0.2	1.51	< 2	220	< 0.5	2	0.39	< 0.5	5	27	78	1.58	< 10	< 1	0.20	10	0.39	320	15
T35869	203 205	< 0.2	1.83	< 2	170	< 0.5	< 2	0.34	< 0.5	18	23	108	2.39	< 10	< 1	0.20	20	0.69	945	9
T35870	203 205	0.2	1.22	< 2	70	< 0.5	2	0.21	< 0.5	3	29	22	0.91	< 10	< 1	0.13	< 10	0.18	165	2
T35871	203 205	< 0.2	2.42	2	90	< 0.5	< 2	0.31	< 0.5	11	27	304	3.28	10	< 1	0.22	30	0.88	315	16
T35872	203 205	< 0.2	1.00	18	70	< 0.5	< 2	0.24	< 0.5	12	63	50	2.19	< 10	< 1	0.17	20	0.29	345	6
T35873	203 205	< 0.2	1.26	34	90	< 0.5	< 2	0.21	< 0.5	20	35	80	3.29	10	< 1	0.17	30	0.38	660	9
T36396	203 205	0.4	1.54	14	170	< 0.5	< 2	0.26	< 0.5	16	61	186	4.09	10	< 1	0.23	50	0.58	425	19
T36397	203 205	0.6	0.59	30	310	< 0.5	< 2	0.28	1.0	10	78	127	3.13	< 10	< 1	0.19	10	0.19	715	13

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 3-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35836	203 205	< 0.01	2	290	8	< 2	2	24	0.08	< 10	< 10	18	< 10	26
T35837	203 205	< 0.01	3	320	6	< 2	3	24	0.10	< 10	< 10	23	< 10	28
T35838	203 205	0.01	6	470	12	< 2	4	27	0.07	< 10	< 10	33	< 10	50
T35839	203 205	0.01	8	320	34	2	3	25	0.06	< 10	< 10	32	< 10	60
T35840	203 205	0.02	9	440	26	2	4	29	0.04	< 10	< 10	28	< 10	78
T35841	203 205	0.02	10	440	8	< 2	6	54	0.13	< 10	< 10	57	< 10	58
T35842	203 205	0.01	76	1150	4	2	4	31	0.19	< 10	< 10	73	< 10	166
T35843	203 205	0.02	154	1400	14	2	4	32	0.12	< 10	< 10	164	10	582
T35844	203 205	0.01	147	3100	18	< 2	7	54	0.10	< 10	< 10	118	10	426
T35845	203 205	0.01	49	1210	24	2	4	32	0.17	< 10	< 10	64	10	406
T35846	203 205	0.01	178	1910	48	2	5	98	0.06	< 10	< 10	51	30	8100
T35847	203 205	0.04	96	1780	20	< 2	4	42	0.09	< 10	< 10	78	< 10	426
T35848	203 205	0.05	112	1660	46	2	3	29	0.11	< 10	< 10	100	20	1180
T35849	203 205	0.01	69	880	20	2	11	20	0.02	< 10	< 10	67	10	340
T35850	203 205	0.01	78	1080	30	2	3	13	0.10	< 10	< 10	60	< 10	286
T35851	203 205	0.01	28	1010	8	< 2	3	28	0.20	< 10	< 10	57	< 10	94
T35852	203 205	0.01	69	1210	60	4	8	55	0.20	< 10	< 10	73	10	282
T35853	203 205	< 0.01	21	850	16	4	3	26	0.15	< 10	< 10	43	< 10	70
T35854	203 205	0.01	98	1080	24	< 2	7	38	0.16	< 10	< 10	71	10	322
T35855	203 205	0.02	44	1110	20	2	5	35	0.14	< 10	< 10	55	10	374
T35856	203 205	0.01	112	1480	12	2	7	36	0.18	< 10	< 10	84	10	232
T35857	203 205	0.01	156	3120	24	2	7	64	0.08	< 10	< 10	87	10	896
T35858	203 205	0.02	145	2840	20	2	4	66	0.08	< 10	< 10	113	< 10	318
T35859	203 205	< 0.01	147	3860	68	4	4	77	0.01	< 10	< 10	167	< 10	280
T35860	203 205	0.01	107	2140	18	2	5	46	0.07	< 10	< 10	98	< 10	246
T35861	203 205	0.01	114	1030	26	4	4	25	0.12	< 10	< 10	111	< 10	402
T35862	203 205	0.02	60	940	12	4	3	29	0.13	< 10	< 10	102	< 10	248
T35863	203 205	0.01	4	260	14	2	2	33	0.07	< 10	< 10	31	< 10	28
T35864	203 205	0.01	6	300	18	< 2	4	40	0.07	< 10	< 10	22	< 10	36
T35865	203 205	0.01	6	350	8	< 2	5	33	0.13	< 10	< 10	34	< 10	36
T35866	203 205	0.01	6	580	14	< 2	7	59	0.17	< 10	< 10	42	< 10	46
T35867	203 205	0.01	2	300	12	< 2	2	30	0.04	< 10	< 10	24	< 10	22
T35868	203 205	0.01	2	320	18	< 2	2	35	0.03	< 10	< 10	21	< 10	34
T35869	203 205	0.02	6	450	54	< 2	3	29	0.04	< 10	< 10	31	< 10	74
T35870	203 205	0.01	2	320	20	< 2	1	23	0.04	< 10	< 10	19	< 10	24
T35871	203 205	0.01	10	550	24	< 2	7	33	0.08	< 10	< 10	42	< 10	58
T35872	203 205	0.04	4	370	16	< 2	4	27	0.05	< 10	< 10	27	< 10	44
T35873	203 205	0.03	9	450	22	< 2	7	26	0.03	< 10	< 10	35	< 10	68
T36396	203 205	0.02	60	990	28	4	6	62	0.10	< 10	< 10	183	< 10	172
T36397	203 205	< 0.01	77	1660	78	4	2	19	< 0.01	< 10	< 10	90	< 10	400

CERTIFICATION:

Handwritten signature: H. A. Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments :

Page Number : 4-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36398	203 205	0.4	1.75	16	310	< 0.5	< 2	0.43	0.5	16	85	99	3.66	< 10	< 1	0.25	20	1.11	570	6
T36399	203 205	0.6	1.38	18	410	< 0.5	< 2	0.32	< 0.5	12	90	75	3.61	10	< 1	0.26	20	0.82	340	6
T36400	203 205	< 0.2	1.29	128	100	< 0.5	< 2	0.18	< 0.5	6	40	26	3.34	< 10	< 1	0.22	10	0.45	275	3
T36401	203 205	< 0.2	1.25	12	250	< 0.5	< 2	0.34	< 0.5	7	37	28	1.96	< 10	< 1	0.15	30	0.27	400	2
T36402	203 205	< 0.2	1.27	4	130	< 0.5	< 2	0.32	< 0.5	9	62	52	2.04	< 10	< 1	0.21	10	0.56	435	< 1
T36403	203 205	< 0.2	1.31	< 2	240	< 0.5	< 2	0.53	< 0.5	7	66	29	1.65	< 10	< 1	0.25	10	0.44	375	2
T36404	203 205	0.2	1.61	20	890	< 0.5	< 2	1.54	1.5	26	134	101	3.77	10	< 1	0.20	20	1.29	735	2
T36405	203 205	< 0.2	1.54	8	220	< 0.5	< 2	0.89	< 0.5	13	107	32	2.77	< 10	< 1	0.14	10	1.00	470	2
T36406	203 205	0.6	1.41	36	560	< 0.5	< 2	0.94	1.0	22	117	142	4.55	10	< 1	0.20	30	0.84	605	5
T36407	203 205	< 0.2	1.29	< 2	120	< 0.5	< 2	0.58	0.5	9	55	72	1.94	< 10	< 1	0.28	20	0.61	490	< 1
T36408	203 205	< 0.2	1.11	2	80	< 0.5	< 2	0.44	< 0.5	9	62	33	1.72	< 10	< 1	0.21	10	0.54	500	< 1
T36409	203 205	< 0.2	1.97	12	90	< 0.5	< 2	0.26	< 0.5	13	48	56	3.18	< 10	< 1	0.20	10	0.93	430	2
T36410	203 205	< 0.2	1.28	14	80	< 0.5	< 2	0.48	< 0.5	11	49	46	2.05	< 10	< 1	0.17	10	0.55	340	1
T36411	203 205	< 0.2	1.51	6	160	< 0.5	< 2	0.55	< 0.5	13	77	36	2.36	< 10	< 1	0.35	20	0.91	585	2
T36412	203 205	< 0.2	1.42	4	170	< 0.5	< 2	0.51	< 0.5	13	71	31	2.33	< 10	< 1	0.28	10	0.90	510	2
T36413	203 205	0.2	1.62	18	120	< 0.5	< 2	0.58	< 0.5	17	108	59	2.73	< 10	< 1	0.23	10	1.16	645	3
T36414	203 205	< 0.2	1.32	16	150	< 0.5	< 2	0.37	< 0.5	11	48	27	2.01	< 10	< 1	0.31	20	0.57	595	1
T36415	203 205	< 0.2	1.72	6	140	< 0.5	< 2	0.22	< 0.5	11	41	15	2.63	< 10	< 1	0.30	10	0.77	450	1
T36416	203 205	< 0.2	1.24	< 2	100	< 0.5	2	0.44	< 0.5	11	69	58	2.21	< 10	< 1	0.35	10	0.67	465	2
T36417	203 205	< 0.2	1.42	< 2	120	< 0.5	2	0.33	< 0.5	13	34	118	2.70	< 10	< 1	0.35	10	0.77	570	6
T36418	203 205	< 0.2	1.52	6	140	< 0.5	< 2	0.54	1.0	12	69	67	2.48	< 10	< 1	0.31	10	0.86	670	2
T36419	203 205	< 0.2	1.72	< 2	160	< 0.5	< 2	0.49	< 0.5	17	55	94	2.83	10	< 1	0.31	20	1.01	690	3
T36420	203 205	< 0.2	1.41	< 2	110	< 0.5	< 2	0.68	< 0.5	11	63	34	2.24	< 10	< 1	0.29	10	0.77	570	1
T36421	203 205	< 0.2	1.71	< 2	180	< 0.5	< 2	0.71	< 0.5	16	43	114	3.06	< 10	< 1	0.42	10	1.00	905	5
T36422	203 205	0.2	1.29	4	130	< 0.5	< 2	0.42	< 0.5	11	66	148	2.02	< 10	< 1	0.33	20	0.67	605	2
T36423	203 205	0.4	0.94	4	100	< 0.5	< 2	0.53	< 0.5	12	63	350	1.51	< 10	< 1	0.24	20	0.38	550	3
T36424	203 205	< 0.2	1.00	< 2	230	< 0.5	< 2	0.52	0.5	10	72	30	1.53	< 10	< 1	0.24	10	0.46	615	< 1
T36425	203 205	< 0.2	0.87	< 2	180	< 0.5	< 2	0.44	1.0	11	40	41	1.35	< 10	< 1	0.19	20	0.42	860	< 1
T36426	203 205	< 0.2	1.07	< 2	120	< 0.5	< 2	0.44	0.5	11	55	46	1.65	< 10	< 1	0.25	20	0.65	725	< 1
T36427	203 205	< 0.2	0.93	< 2	100	< 0.5	< 2	0.39	3.5	15	46	77	1.41	< 10	1	0.24	20	0.56	820	2
T36428	203 205	< 0.2	0.90	4	90	< 0.5	< 2	0.40	< 0.5	13	55	78	1.41	< 10	< 1	0.23	10	0.50	460	4
T36429	203 205	< 0.2	0.97	12	120	< 0.5	< 2	0.30	< 0.5	10	82	57	1.53	< 10	< 1	0.28	10	0.45	490	2
T36430	203 205	< 0.2	1.19	< 2	260	< 0.5	< 2	0.35	< 0.5	11	39	93	1.95	< 10	< 1	0.28	20	0.52	730	2
T36431	203 205	0.2	1.81	6	170	< 0.5	< 2	0.44	< 0.5	13	31	101	2.85	< 10	< 1	0.47	20	1.02	885	1
T36432	203 205	< 0.2	1.31	16	120	< 0.5	< 2	0.45	< 0.5	11	77	54	2.17	< 10	< 1	0.31	10	0.57	710	2
T36433	203 205	0.6	1.16	16	140	< 0.5	< 2	0.30	< 0.5	9	73	394	2.50	< 10	< 1	0.39	10	0.46	370	44
T36434	203 205	0.2	1.35	< 2	120	< 0.5	< 2	0.25	< 0.5	10	52	238	3.42	< 10	< 1	0.46	10	1.07	315	8
T36435	203 205	< 0.2	1.15	< 2	90	< 0.5	< 2	0.20	< 0.5	13	68	89	3.70	< 10	< 1	0.22	10	0.85	275	3
T36436	203 205	< 0.2	1.93	< 2	80	< 0.5	< 2	0.40	< 0.5	19	66	136	3.22	< 10	< 1	0.22	10	1.66	640	1
T36437	203 205	0.2	1.43	< 2	80	< 0.5	< 2	0.22	< 0.5	9	36	368	2.27	< 10	< 1	0.21	10	0.50	225	3

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 4-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36398	203 205	0.01	40	820	60	< 2	6	38	0.12	< 10	< 10	64	< 10	212
T36399	203 205	0.01	41	700	52	4	4	29	0.07	< 10	< 10	66	< 10	154
T36400	203 205	< 0.01	7	250	20	< 2	3	23	0.10	< 10	< 10	49	< 10	34
T36401	203 205	< 0.01	5	340	14	2	2	28	0.02	< 10	< 10	29	< 10	38
T36402	203 205	0.01	3	300	20	2	4	35	0.05	< 10	< 10	30	< 10	42
T36403	203 205	0.01	3	460	26	2	3	46	0.03	< 10	< 10	25	< 10	50
T36404	203 205	0.01	91	1320	36	2	5	47	0.15	< 10	< 10	56	10	242
T36405	203 205	0.01	34	980	24	2	3	38	0.13	< 10	< 10	41	< 10	100
T36406	203 205	0.01	86	1250	72	2	4	33	0.11	< 10	< 10	52	< 10	362
T36407	203 205	0.01	6	360	36	< 2	6	56	0.08	< 10	< 10	32	< 10	94
T36408	203 205	0.01	3	280	16	< 2	4	45	0.06	< 10	< 10	28	< 10	52
T36409	203 205	0.01	9	330	14	< 2	4	29	0.04	< 10	< 10	40	< 10	48
T36410	203 205	0.01	4	200	18	< 2	4	43	0.07	< 10	< 10	28	< 10	24
T36411	203 205	0.01	22	350	44	< 2	5	45	0.14	< 10	< 10	36	< 10	70
T36412	203 205	0.01	31	450	38	< 2	4	35	0.15	< 10	< 10	34	< 10	52
T36413	203 205	0.01	57	910	106	< 2	4	42	0.16	< 10	< 10	35	< 10	186
T36414	203 205	0.01	12	500	116	2	3	33	0.09	< 10	< 10	28	< 10	132
T36415	203 205	0.01	17	360	12	2	3	19	0.10	< 10	< 10	35	< 10	92
T36416	203 205	0.01	4	370	54	< 2	4	35	0.10	< 10	< 10	31	< 10	92
T36417	203 205	0.01	6	300	26	2	4	28	0.09	< 10	< 10	30	< 10	90
T36418	203 205	0.01	8	380	46	2	6	48	0.09	< 10	< 10	36	< 10	88
T36419	203 205	0.01	18	400	16	< 2	6	48	0.10	< 10	< 10	38	< 10	56
T36420	203 205	0.01	3	390	10	< 2	6	60	0.10	< 10	< 10	36	< 10	48
T36421	203 205	0.01	5	430	40	4	6	60	0.13	< 10	< 10	41	< 10	78
T36422	203 205	0.01	3	330	22	< 2	4	37	0.06	< 10	< 10	24	< 10	56
T36423	203 205	0.01	3	300	18	< 2	3	48	0.08	< 10	< 10	20	< 10	38
T36424	203 205	0.01	4	310	40	< 2	3	43	0.08	< 10	< 10	22	< 10	62
T36425	203 205	0.01	5	310	146	< 2	3	34	0.06	< 10	< 10	20	< 10	88
T36426	203 205	0.01	3	310	56	< 2	3	36	0.05	< 10	< 10	21	< 10	74
T36427	203 205	0.01	4	310	140	2	3	32	0.05	< 10	< 10	18	< 10	424
T36428	203 205	0.01	5	310	14	< 2	3	35	0.08	< 10	< 10	19	< 10	46
T36429	203 205	0.01	2	260	36	< 2	2	28	0.05	< 10	< 10	18	< 10	64
T36430	203 205	0.01	3	250	56	< 2	3	30	0.02	< 10	< 10	17	< 10	58
T36431	203 205	0.01	6	570	28	< 2	6	37	0.08	< 10	< 10	36	< 10	78
T36432	203 205	0.02	3	420	14	2	6	38	0.06	< 10	< 10	33	< 10	52
T36433	203 205	0.02	2	390	18	< 2	4	36	0.07	< 10	< 10	30	< 10	44
T36434	203 205	0.01	4	480	6	2	4	33	0.13	< 10	< 10	28	< 10	40
T36435	203 205	0.01	5	470	8	2	6	42	0.13	< 10	< 10	34	< 10	26
T36436	203 205	0.01	8	360	8	< 2	6	36	0.15	< 10	< 10	45	< 10	60
T36437	203 205	0.02	5	470	8	< 2	2	25	0.08	< 10	< 10	27	< 10	28

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 5-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36438	203 205	0.2	1.78	2	150	< 0.5	< 2	0.28	< 0.5	19	51	312	4.75	< 10	< 1	0.49	10	1.30	670	7
T36439	203 205	0.4	1.56	4	170	< 0.5	< 2	0.48	< 0.5	22	41	533	3.42	< 10	1	0.44	10	0.78	585	8
T36440	203 205	0.2	1.15	14	160	< 0.5	< 2	0.54	< 0.5	15	81	180	1.73	< 10	< 1	0.34	10	0.51	485	11
T36441	203 205	< 0.2	1.21	4	140	< 0.5	< 2	0.63	< 0.5	20	48	198	1.71	< 10	< 1	0.31	20	0.61	735	25
T36442	203 205	< 0.2	1.17	2	110	< 0.5	< 2	0.50	< 0.5	11	65	51	1.50	< 10	< 1	0.34	10	0.54	450	2
T36443	203 205	< 0.2	1.16	2	130	< 0.5	< 2	0.51	< 0.5	9	34	165	1.43	< 10	1	0.31	10	0.59	630	2
T36444	203 205	< 0.2	1.15	2	110	< 0.5	< 2	0.27	< 0.5	17	29	219	1.54	< 10	< 1	0.22	10	0.46	440	4
T36445	203 205	0.8	0.35	78	230	< 0.5	< 2	0.03	< 0.5	2	60	27	2.37	< 10	< 1	0.19	10	0.04	65	7
T36446	203 205	0.4	0.44	56	220	< 0.5	< 2	0.01	< 0.5	3	64	65	3.76	< 10	< 1	0.15	10	0.03	220	3
T36447	203 205	0.6	0.55	36	210	< 0.5	2	0.02	< 0.5	2	51	45	2.88	< 10	1	0.18	10	0.02	165	3
T36448	203 205	0.4	2.12	24	450	< 0.5	2	0.10	1.0	15	26	172	4.95	< 10	1	0.16	20	0.78	835	2
T36449	203 205	< 0.2	1.65	14	280	< 0.5	< 2	2.64	1.0	6	30	25	3.43	< 10	1	0.31	10	1.51	915	1
T36450	203 205	< 0.2	1.39	30	300	< 0.5	2	0.37	1.5	33	49	77	4.72	< 10	1	0.15	60	0.67	1120	2
T36451	203 205	2.2	1.53	98	240	0.5	< 2	2.21	4.5	14	55	428	3.44	< 10	2	0.14	30	0.52	435	4
T36452	203 205	0.4	2.77	28	410	1.0	< 2	0.77	1.5	33	60	320	3.71	< 10	1	0.17	90	0.96	945	8
T36453	203 205	< 0.2	1.63	2	120	< 0.5	< 2	0.27	< 0.5	8	47	13	2.56	< 10	1	0.19	< 10	0.73	485	< 1
T36454	203 205	< 0.2	1.55	4	170	< 0.5	< 2	0.22	< 0.5	7	38	7	2.24	< 10	1	0.16	< 10	0.46	325	1
T36455	203 205	< 0.2	1.87	6	290	0.5	< 2	0.36	0.5	19	38	29	3.08	< 10	1	0.16	10	0.52	900	3
T36456	203 205	< 0.2	1.75	8	90	< 0.5	< 2	0.39	< 0.5	8	47	35	2.38	< 10	1	0.21	< 10	0.60	240	1
T36457	203 205	< 0.2	1.75	2	100	< 0.5	< 2	0.37	< 0.5	8	42	43	2.51	< 10	1	0.21	< 10	0.67	255	3
T36458	203 205	< 0.2	0.91	2	90	< 0.5	< 2	0.59	< 0.5	8	37	28	1.03	< 10	< 1	0.21	10	0.24	210	< 1
T36459	203 205	< 0.2	0.94	2	40	< 0.5	< 2	0.39	< 0.5	8	60	13	1.49	< 10	1	0.13	< 10	0.32	175	< 1
T36460	203 205	< 0.2	1.37	< 2	120	< 0.5	< 2	0.39	< 0.5	3	41	9	1.41	< 10	< 1	0.20	< 10	0.20	120	1
T36461	203 205	< 0.2	1.31	2	180	< 0.5	< 2	0.32	< 0.5	6	39	19	1.52	< 10	1	0.20	< 10	0.22	525	2
T36462	203 205	< 0.2	1.20	4	270	< 0.5	< 2	0.56	1.0	6	59	38	1.51	< 10	1	0.28	10	0.42	265	2
T36463	203 205	< 0.2	1.19	4	130	< 0.5	< 2	0.43	< 0.5	3	41	26	1.37	< 10	< 1	0.18	< 10	0.35	165	5
T36464	203 205	< 0.2	2.03	4	340	< 0.5	< 2	0.52	2.0	16	59	233	2.84	< 10	< 1	0.39	60	0.69	440	22
T36465	203 205	< 0.2	2.45	6	150	< 0.5	< 2	0.25	< 0.5	4	44	21	2.80	< 10	1	0.18	< 10	0.41	190	3
T36466	203 205	< 0.2	1.67	8	140	< 0.5	< 2	0.26	< 0.5	3	49	15	1.93	< 10	< 1	0.18	< 10	0.35	175	2
T36467	203 205	< 0.2	1.30	6	130	< 0.5	< 2	0.30	< 0.5	4	41	30	1.64	< 10	1	0.17	< 10	0.41	215	2
T36468	203 205	0.2	1.34	2	160	< 0.5	< 2	0.16	< 0.5	2	42	40	1.37	< 10	< 1	0.13	10	0.27	100	4
T36469	203 205	< 0.2	1.78	6	190	< 0.5	< 2	0.21	< 0.5	3	46	28	2.17	< 10	< 1	0.23	< 10	0.47	165	5
T36470	203 205	< 0.2	1.27	4	150	< 0.5	< 2	0.13	< 0.5	1	35	12	1.61	< 10	< 1	0.14	< 10	0.21	65	4
T36471	203 205	< 0.2	2.08	16	350	< 0.5	2	0.26	< 0.5	34	71	123	3.58	< 10	1	0.22	10	0.80	855	18
T36472	203 205	0.2	1.50	52	200	< 0.5	< 2	0.17	< 0.5	2	35	40	3.01	< 10	< 1	0.22	< 10	0.61	160	7
T36473	203 205	0.4	2.35	8	230	< 0.5	2	0.29	< 0.5	13	65	174	3.48	< 10	1	0.17	10	1.06	390	9
T36474	203 205	< 0.2	1.72	4	190	< 0.5	< 2	0.16	< 0.5	8	41	101	2.74	< 10	1	0.14	10	0.40	320	4
T36475	203 205	0.4	1.84	6	150	< 0.5	< 2	0.62	< 0.5	12	63	144	3.41	< 10	1	0.20	< 10	0.79	350	8
T36476	203 205	< 0.2	1.47	4	100	< 0.5	< 2	0.30	< 0.5	4	48	55	1.62	< 10	< 1	0.20	< 10	0.26	190	2
T36477	203 205	< 0.2	1.58	4	140	< 0.5	< 2	0.39	< 0.5	10	40	64	2.41	< 10	1	0.25	10	0.61	250	9

CERTIFICATION:

Barth Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 5-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36438	203 205	< 0.01	8	480	8	< 2	8	26	0.09	< 10	< 10	33	< 10	54
T36439	203 205	0.01	6	550	12	< 2	6	46	0.11	< 10	< 10	37	< 10	72
T36440	203 205	0.01	4	330	26	< 2	3	50	0.07	< 10	< 10	20	< 10	38
T36441	203 205	0.01	9	310	26	< 2	3	49	0.06	< 10	< 10	21	< 10	46
T36442	203 205	0.01	6	320	14	< 2	3	48	0.04	< 10	< 10	18	< 10	48
T36443	203 205	0.01	1	410	2	< 2	3	45	0.05	< 10	< 10	17	< 10	30
T36444	203 205	0.01	4	350	12	< 2	2	28	0.06	< 10	< 10	18	< 10	30
T36445	203 205	0.01	10	890	202	< 2	< 1	22	< 0.01	< 10	< 10	27	< 10	82
T36446	203 205	< 0.01	14	780	118	< 2	1	21	< 0.01	< 10	< 10	16	< 10	154
T36447	203 205	0.03	12	520	112	< 2	1	16	< 0.01	< 10	< 10	12	< 10	154
T36448	203 205	0.01	15	1050	122	< 2	3	18	0.02	< 10	< 10	23	< 10	244
T36449	203 205	0.01	3	710	66	2	3	24	0.02	< 10	< 10	9	< 10	250
T36450	203 205	0.01	54	440	30	< 2	1	11	< 0.01	< 10	< 10	22	< 10	380
T36451	203 205	0.02	115	5060	638	< 2	5	42	0.01	< 10	< 10	40	< 10	860
T36452	203 205	0.01	116	1600	40	< 2	6	30	0.03	< 10	< 10	57	< 10	638
T36453	203 205	< 0.01	6	280	26	< 2	3	30	0.11	< 10	< 10	32	< 10	56
T36454	203 205	< 0.01	4	170	42	< 2	2	26	0.07	< 10	< 10	26	< 10	54
T36455	203 205	0.01	20	1330	40	< 2	1	28	0.02	< 10	< 10	40	< 10	298
T36456	203 205	0.01	4	350	8	< 2	4	38	0.11	< 10	< 10	39	< 10	30
T36457	203 205	< 0.01	3	260	6	< 2	3	39	0.11	< 10	< 10	36	< 10	28
T36458	203 205	0.01	1	330	8	< 2	2	56	0.08	< 10	< 10	18	< 10	20
T36459	203 205	0.01	1	200	6	< 2	2	40	0.10	< 10	< 10	23	< 10	18
T36460	203 205	0.01	1	140	16	< 2	2	49	0.09	< 10	< 10	39	< 10	22
T36461	203 205	0.01	3	440	14	< 2	1	38	0.04	< 10	< 10	28	< 10	40
T36462	203 205	0.01	23	990	12	< 2	2	50	0.05	< 10	< 10	48	< 10	130
T36463	203 205	< 0.01	10	470	22	< 2	2	43	0.06	< 10	< 10	36	< 10	40
T36464	203 205	0.01	56	650	16	< 2	6	49	0.05	< 10	10	41	< 10	300
T36465	203 205	< 0.01	10	230	20	< 2	3	34	0.05	< 10	< 10	52	< 10	42
T36466	203 205	0.01	9	200	18	< 2	2	34	0.04	< 10	< 10	46	< 10	32
T36467	203 205	< 0.01	11	320	16	< 2	2	32	0.06	< 10	< 10	33	< 10	44
T36468	203 205	0.01	9	340	14	< 2	1	21	0.04	< 10	< 10	38	< 10	22
T36469	203 205	< 0.01	14	300	14	< 2	2	29	0.04	< 10	< 10	59	< 10	42
T36470	203 205	< 0.01	4	240	8	< 2	1	20	0.06	< 10	< 10	58	< 10	14
T36471	203 205	0.01	38	1000	24	< 2	2	24	0.04	< 10	< 10	81	< 10	148
T36472	203 205	< 0.01	14	390	8	< 2	3	23	0.10	< 10	< 10	51	< 10	26
T36473	203 205	0.01	35	860	28	< 2	5	20	0.08	< 10	< 10	61	< 10	144
T36474	203 205	0.02	29	600	14	< 2	2	19	0.02	< 10	< 10	50	< 10	92
T36475	203 205	< 0.01	34	840	22	< 2	4	43	0.12	< 10	< 10	61	< 10	96
T36476	203 205	0.05	8	500	14	< 2	1	36	0.05	< 10	< 10	34	< 10	38
T36477	203 205	< 0.01	31	3010	10	< 2	3	39	0.04	< 10	< 10	43	< 10	34

CERTIFICATION:

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 6-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36478	203 205	0.2	1.62	< 2	40	< 0.5	< 2	0.13	< 0.5	2	31	24	3.89	< 10	1	0.10	< 10	0.28	120	2
T36479	203 205	< 0.2	1.26	2	140	< 0.5	< 2	0.16	< 0.5	6	37	30	2.46	< 10	< 1	0.22	< 10	0.46	190	2
T36480	203 205	< 0.2	1.52	< 2	180	< 0.5	< 2	0.52	< 0.5	14	26	173	2.05	< 10	1	0.33	10	0.67	415	3
T36481	203 205	< 0.2	1.45	< 2	200	< 0.5	< 2	0.19	< 0.5	7	55	60	2.06	< 10	< 1	0.21	< 10	0.39	265	4
T36482	203 205	< 0.2	1.31	4	150	< 0.5	< 2	0.35	< 0.5	8	28	95	1.71	< 10	1	0.27	< 10	0.44	215	2
T36483	203 205	< 0.2	1.68	2	150	< 0.5	< 2	0.43	< 0.5	9	73	85	1.98	< 10	< 1	0.32	< 10	0.52	295	1
T36484	203 205	< 0.2	1.28	2	110	< 0.5	< 2	0.33	< 0.5	10	49	149	1.84	< 10	< 1	0.18	10	0.47	285	11
T36485	203 205	< 0.2	1.77	< 2	200	< 0.5	< 2	0.28	< 0.5	5	51	78	1.60	< 10	< 1	0.24	10	0.47	195	5
T36486	203 205	< 0.2	1.29	2	80	< 0.5	< 2	0.44	< 0.5	4	82	15	1.44	< 10	< 1	0.21	< 10	0.31	205	< 1
T36487	203 205	< 0.2	1.79	2	70	< 0.5	< 2	0.36	< 0.5	4	75	44	2.93	< 10	1	0.12	< 10	0.56	165	3
T36488	203 205	< 0.2	1.63	< 2	180	< 0.5	< 2	0.26	< 0.5	2	53	38	2.39	< 10	< 1	0.20	< 10	0.45	120	5
T36489	203 205	< 0.2	2.11	22	270	0.5	< 2	0.33	< 0.5	16	64	49	3.42	< 10	< 1	0.22	10	0.85	550	9
T36490	203 205	< 0.2	1.81	8	180	< 0.5	< 2	0.63	< 0.5	10	65	15	2.65	< 10	< 1	0.25	10	0.77	430	4
T36491	203 205	< 0.2	1.89	4	160	< 0.5	< 2	0.31	< 0.5	9	61	11	3.26	< 10	< 1	0.24	< 10	0.69	455	2
T36492	203 205	< 0.2	2.52	6	220	< 0.5	< 2	0.37	< 0.5	14	81	25	3.52	< 10	1	0.27	10	1.32	615	1
T36493	203 205	0.4	0.95	38	260	< 0.5	< 2	0.07	< 0.5	14	71	91	4.84	< 10	< 1	0.19	20	0.44	360	6
T36494	203 205	0.2	0.60	38	200	< 0.5	< 2	0.01	< 0.5	14	35	107	4.90	< 10	1	0.14	30	0.09	325	4
T36495	203 205	0.6	0.47	44	570	< 0.5	< 2	0.01	< 0.5	10	45	87	4.85	< 10	< 1	0.17	20	0.12	215	6
T36496	203 205	< 0.2	1.75	6	160	< 0.5	< 2	0.37	< 0.5	15	63	22	2.74	< 10	< 1	0.43	10	0.79	565	2
T36497	203 205	< 0.2	2.34	< 2	160	< 0.5	< 2	0.57	< 0.5	18	160	36	3.31	< 10	1	0.51	10	1.70	510	1
T36498	203 205	< 0.2	1.82	8	190	< 0.5	< 2	0.34	< 0.5	13	70	44	2.77	< 10	1	0.26	10	0.80	415	1
T36499	203 205	< 0.2	1.52	6	150	< 0.5	< 2	0.24	< 0.5	7	63	25	2.25	< 10	1	0.19	10	0.37	245	1
T36500	203 205	< 0.2	1.74	48	120	0.5	< 2	0.42	< 0.5	38	71	147	4.58	< 10	1	0.25	20	0.59	750	11
T36501	203 205	< 0.2	1.55	14	140	< 0.5	< 2	0.26	< 0.5	15	63	127	3.16	< 10	< 1	0.22	30	0.57	360	16
T36502	203 205	< 0.2	1.83	< 2	90	< 0.5	< 2	0.53	< 0.5	11	28	67	2.27	< 10	1	0.25	10	0.74	370	1
T36503	203 205	< 0.2	1.56	< 2	90	< 0.5	< 2	0.31	< 0.5	8	60	15	1.48	< 10	1	0.16	< 10	0.28	215	1
T36504	203 205	< 0.2	1.55	< 2	160	< 0.5	< 2	0.42	< 0.5	15	78	52	1.49	< 10	< 1	0.28	10	0.39	490	4
T36505	203 205	< 0.2	1.67	6	250	< 0.5	< 2	0.43	< 0.5	7	86	160	2.34	< 10	1	0.34	10	0.71	275	38
T36506	203 205	0.2	1.26	2	140	< 0.5	< 2	0.58	< 0.5	19	62	95	1.79	< 10	< 1	0.28	10	0.46	360	5
T36507	203 205	< 0.2	1.60	2	120	< 0.5	< 2	0.33	< 0.5	13	76	89	2.26	< 10	1	0.24	< 10	0.64	400	9
T36508	203 205	0.2	1.56	2	120	< 0.5	< 2	0.15	< 0.5	4	39	109	2.71	< 10	< 1	0.19	< 10	0.83	200	2
T36509	203 205	< 0.2	1.47	< 2	120	< 0.5	< 2	0.36	< 0.5	9	88	127	2.28	< 10	< 1	0.23	< 10	0.75	285	4
T36510	203 205	< 0.2	1.36	2	100	< 0.5	< 2	0.26	< 0.5	3	43	79	1.70	< 10	< 1	0.18	< 10	0.54	170	2
T36511	203 205	< 0.2	2.17	12	250	0.5	< 2	0.41	< 0.5	19	31	326	2.86	< 10	1	0.34	20	0.98	455	8
T36512	203 205	1.0	1.69	40	420	< 0.5	2	0.58	5.5	23	129	301	3.82	< 10	1	0.25	30	1.21	700	12
T36513	203 205	0.4	0.92	12	400	< 0.5	< 2	0.34	0.5	8	118	93	2.43	< 10	1	0.24	10	0.26	225	10
T36514	203 205	< 0.2	1.05	22	580	< 0.5	< 2	0.60	1.5	14	98	299	2.56	< 10	1	0.28	20	0.40	385	18
T36515	203 205	7.8	1.32	40	510	< 0.5	4	0.40	< 0.5	9	111	475	5.52	< 10	2	0.34	20	0.42	425	29
T36516	203 205	0.8	1.61	48	580	0.5	2	0.58	2.5	23	66	402	4.24	< 10	1	0.26	30	0.80	940	11
T36517	203 205	3.6	1.74	30	590	< 0.5	2	1.23	8.0	34	122	341	5.00	< 10	2	0.25	20	1.07	1175	8

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 6-B
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : I9526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36478	203 205	< 0.01	2	360	4	< 2	1	19	0.13	< 10	< 10	63	< 10	20
T36479	203 205	0.01	4	680	2	< 2	1	19	0.05	< 10	< 10	50	< 10	20
T36480	203 205	< 0.01	4	360	20	< 2	5	51	0.08	< 10	< 10	29	< 10	46
T36481	203 205	< 0.01	2	270	6	< 2	2	28	0.07	< 10	< 10	31	< 10	20
T36482	203 205	< 0.01	2	260	6	< 2	3	38	0.09	< 10	< 10	23	< 10	22
T36483	203 205	0.01	3	300	6	< 2	4	46	0.07	< 10	< 10	26	< 10	30
T36484	203 205	< 0.01	3	210	12	< 2	3	37	0.07	< 10	< 10	23	< 10	34
T36485	203 205	0.04	4	500	34	< 2	2	29	0.03	< 10	< 10	29	< 10	48
T36486	203 205	0.01	2	160	14	< 2	2	49	0.08	< 10	< 10	25	< 10	26
T36487	203 205	< 0.01	2	400	4	< 2	3	38	0.11	< 10	< 10	39	< 10	20
T36488	203 205	0.01	3	370	6	< 2	3	33	0.11	< 10	< 10	40	< 10	20
T36489	203 205	0.03	21	680	58	< 2	4	26	0.06	< 10	< 10	50	< 10	122
T36490	203 205	0.04	9	660	26	< 2	5	44	0.07	< 10	< 10	51	< 10	90
T36491	203 205	0.01	5	480	14	< 2	3	38	0.11	< 10	< 10	53	< 10	60
T36492	203 205	0.01	25	360	12	2	6	36	0.12	< 10	< 10	60	< 10	72
T36493	203 205	< 0.01	42	1000	176	< 2	3	13	0.01	< 10	< 10	34	< 10	196
T36494	203 205	< 0.01	45	960	96	< 2	1	10	< 0.01	< 10	< 10	30	< 10	240
T36495	203 205	< 0.01	37	970	516	< 2	3	16	< 0.01	< 10	< 10	22	< 10	212
T36496	203 205	< 0.01	18	480	28	< 2	3	40	0.11	< 10	< 10	33	< 10	92
T36497	203 205	0.01	79	960	14	< 2	3	31	0.19	< 10	< 10	49	< 10	92
T36498	203 205	0.01	24	530	10	< 2	4	35	0.13	< 10	< 10	49	< 10	76
T36499	203 205	0.05	10	710	30	< 2	2	25	0.06	< 10	< 10	42	< 10	44
T36500	203 205	0.03	12	620	38	< 2	10	45	0.10	< 10	< 10	55	< 10	82
T36501	203 205	0.03	9	820	16	< 2	4	29	0.05	< 10	< 10	36	< 10	50
T36502	203 205	< 0.01	3	190	14	< 2	4	58	0.11	< 10	< 10	39	< 10	42
T36503	203 205	0.01	2	170	18	< 2	2	37	0.06	< 10	< 10	26	< 10	30
T36504	203 205	0.02	3	320	24	< 2	2	46	0.04	< 10	< 10	22	< 10	58
T36505	203 205	< 0.01	4	280	8	< 2	4	44	0.10	< 10	< 10	31	< 10	46
T36506	203 205	0.01	5	410	6	< 2	4	54	0.10	< 10	< 10	24	< 10	32
T36507	203 205	0.01	4	210	6	< 2	3	41	0.08	< 10	< 10	31	< 10	34
T36508	203 205	0.01	3	400	6	< 2	3	21	0.10	< 10	< 10	32	< 10	36
T36509	203 205	< 0.01	4	340	30	< 2	3	36	0.08	< 10	< 10	29	< 10	42
T36510	203 205	0.01	2	270	10	< 2	2	30	0.07	< 10	< 10	23	< 10	28
T36511	203 205	0.02	24	490	20	< 2	4	31	0.08	< 10	< 10	45	< 10	132
T36512	203 205	< 0.01	186	1600	24	< 2	5	38	0.13	< 10	< 10	217	< 10	716
T36513	203 205	0.01	79	1680	14	< 2	1	32	0.01	< 10	< 10	105	< 10	130
T36514	203 205	< 0.01	171	2690	12	4	3	43	< 0.01	< 10	< 10	202	< 10	248
T36515	203 205	0.01	106	3130	80	2	2	91	0.04	< 10	< 10	283	< 10	206
T36516	203 205	0.01	114	1860	114	4	7	56	0.08	< 10	< 10	97	< 10	372
T36517	203 205	< 0.01	130	2850	30	< 2	7	64	0.11	< 10	< 10	91	< 10	1230

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 7-A
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36518	203 205	0.8	2.08	62	380	< 0.5	2	1.00	2.0	38	103	160	3.93	< 10	1	0.22	10	1.71	1005	4
T36519	203 205	0.2	1.90	12	220	< 0.5	2	0.64	< 0.5	21	83	140	3.24	< 10	< 1	0.24	10	1.43	760	2
T36520	203 205	< 0.2	1.63	2	310	< 0.5	2	0.78	< 0.5	16	29	92	3.19	< 10	1	0.37	20	1.37	1925	1
T36521	203 205	< 0.2	1.49	4	240	< 0.5	< 2	0.49	< 0.5	18	46	107	2.62	< 10	1	0.25	10	1.00	650	2
T36522	203 205	< 0.2	1.40	2	250	< 0.5	< 2	0.46	< 0.5	17	60	77	2.56	< 10	< 1	0.29	10	0.94	655	2
T36523	203 205	< 0.2	1.90	4	90	< 0.5	< 2	0.35	< 0.5	16	49	88	3.60	< 10	1	0.28	10	1.61	480	1
T36524	203 205	< 0.2	1.34	< 2	150	< 0.5	< 2	0.45	< 0.5	10	38	54	2.29	< 10	1	0.30	< 10	0.54	460	2
T36525	203 205	0.2	1.97	10	320	< 0.5	< 2	0.70	0.5	24	75	125	3.34	< 10	1	0.30	10	1.36	815	2
T36526	203 205	0.6	1.54	26	330	< 0.5	8	0.69	1.5	21	76	134	4.16	< 10	1	0.22	10	0.72	715	11
T36527	203 205	0.2	1.40	44	440	< 0.5	< 2	1.08	2.0	19	106	278	3.41	< 10	1	0.28	20	0.74	620	14
T36528	203 205	< 0.2	2.34	6	180	0.5	< 2	0.75	< 0.5	33	55	195	3.80	< 10	1	0.36	10	1.49	740	2
T36529	203 205	0.2	2.11	6	170	< 0.5	< 2	0.76	< 0.5	25	58	316	3.77	< 10	1	0.31	10	1.36	595	1
T36530	203 205	< 0.2	0.96	4	300	< 0.5	< 2	0.51	1.0	12	104	177	2.12	< 10	< 1	0.25	20	0.24	460	6
T36531	203 205	0.2	1.22	4	110	< 0.5	< 2	0.60	< 0.5	12	35	88	1.99	< 10	< 1	0.29	10	0.63	325	2
T36532	203 205	< 0.2	2.08	2	120	< 0.5	< 2	0.09	< 0.5	8	34	64	2.04	< 10	< 1	0.39	10	0.76	345	< 1
T36533	203 205	< 0.2	1.77	< 2	120	< 0.5	< 2	0.38	< 0.5	8	35	33	2.03	< 10	1	0.30	< 10	0.68	325	1
T36534	203 205	0.6	2.73	< 2	320	0.5	< 2	0.45	< 0.5	16	39	258	2.07	< 10	1	0.21	20	0.61	260	18
T36535	203 205	0.2	1.65	< 2	100	< 0.5	< 2	0.47	< 0.5	11	28	44	2.23	< 10	1	0.21	< 10	0.62	320	1
T36536	203 205	< 0.2	1.86	2	110	< 0.5	< 2	0.27	< 0.5	6	55	128	2.16	< 10	< 1	0.21	20	0.30	235	4
T36537	203 205	< 0.2	1.07	2	70	< 0.5	< 2	0.35	< 0.5	4	63	30	1.29	< 10	1	0.20	10	0.31	240	< 1
T36538	203 205	< 0.2	1.10	4	70	< 0.5	< 2	0.31	< 0.5	6	82	13	1.42	< 10	< 1	0.17	< 10	0.30	260	< 1
T36539	203 205	< 0.2	1.77	4	110	< 0.5	< 2	0.41	< 0.5	8	45	56	1.90	< 10	< 1	0.23	< 10	0.60	290	< 1
T36540	203 205	< 0.2	1.34	2	160	< 0.5	< 2	0.30	< 0.5	3	118	50	2.60	< 10	1	0.24	< 10	0.51	155	11
T36541	203 205	0.2	1.62	14	140	< 0.5	< 2	0.32	< 0.5	4	83	49	3.06	< 10	< 1	0.25	< 10	0.41	195	2
T36542	203 205	< 0.2	2.27	38	130	0.5	< 2	0.63	< 0.5	21	62	77	4.07	< 10	1	0.18	10	1.07	825	3

CERTIFICATION:

David Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page 1 of 1
Total Pages : 7
Certificate Date: 15-SEP-95
Invoice No. : 19526777
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526777

[illegible]

CERTIFICATION:

Jant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page: 1-A
Total Pages: 5
Certificate Date: 06-SEP-95
Invoice No.: I9526013
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
F34724	203 205	< 0.2	1.20	10	190	< 0.5	< 2	0.09	< 0.5	1	86	48	3.11	< 10	< 1	0.19	20	0.36	105	4
F34725	203 205	< 0.2	2.65	28	350	< 0.5	< 2	0.52	0.5	10	84	50	3.11	10	< 1	0.25	40	0.95	450	5
F34726	203 205	< 0.2	2.09	2	180	< 0.5	< 2	0.12	< 0.5	4	79	9	2.28	< 10	1	0.25	20	0.31	205	2
F34727	203 205	< 0.2	1.91	2	280	< 0.5	2	0.21	0.5	5	76	11	1.75	< 10	< 1	0.26	20	0.27	455	3
F34728	203 205	< 0.2	2.50	2	180	< 0.5	< 2	0.15	0.5	7	74	17	2.97	< 10	< 1	0.19	20	0.40	540	2
F34729	203 205	< 0.2	0.67	2	40	< 0.5	4	0.20	< 0.5	< 1	36	7	0.69	< 10	1	0.07	< 10	0.12	60	< 1
F34730	203 205	2.6	2.92	14	360	< 0.5	14	0.38	1.5	16	63	272	6.62	10	< 1	0.38	20	1.46	810	3
F34731	203 205	< 0.2	2.07	2	670	< 0.5	< 2	0.54	0.5	10	57	24	2.85	10	< 1	0.33	50	0.62	755	< 1
F34732	203 205	< 0.2	1.95	2	380	< 0.5	< 2	0.22	0.5	9	51	14	2.59	< 10	< 1	0.24	20	0.58	545	< 1
F34733	203 205	< 0.2	3.18	2	270	< 0.5	< 2	0.27	< 0.5	7	69	13	3.44	10	2	0.27	10	0.58	760	< 1
F34734	203 205	< 0.2	2.42	2	240	< 0.5	< 2	0.17	0.5	7	56	10	3.03	< 10	< 1	0.23	20	0.37	730	< 1
F34735	203 205	< 0.2	1.86	2	590	< 0.5	< 2	0.59	< 0.5	6	127	23	2.21	10	< 1	0.28	60	0.32	415	< 1
F34736	203 205	< 0.2	2.28	2	400	< 0.5	< 2	0.29	< 0.5	4	97	10	2.10	10	< 1	0.28	20	0.37	415	3
F34737	203 205	0.2	2.73	12	810	< 0.5	< 2	0.49	0.5	11	68	34	2.51	10	< 1	0.25	60	0.55	1085	6
F34738	203 205	< 0.2	1.70	2	180	< 0.5	< 2	0.12	< 0.5	4	90	7	2.55	10	< 1	0.22	20	0.24	170	1
F34739	203 205	< 0.2	1.39	2	190	< 0.5	< 2	0.14	< 0.5	2	85	4	1.34	< 10	< 1	0.24	20	0.12	245	< 1
F34740	203 205	< 0.2	2.37	2	440	< 0.5	< 2	0.39	0.5	8	65	12	2.95	< 10	< 1	0.23	20	0.81	580	1
F34741	203 205	< 0.2	1.11	14	180	< 0.5	< 2	0.04	< 0.5	1	134	10	1.95	< 10	< 1	0.19	20	0.48	190	3
F34742	203 205	0.2	1.01	12	260	< 0.5	< 2	0.01	< 0.5	3	91	46	3.08	< 10	1	0.21	20	0.41	205	4
F34743	203 205	0.6	0.77	30	260	< 0.5	2	0.08	< 0.5	3	129	55	3.42	< 10	< 1	0.22	10	0.08	115	3
F34744	203 205	< 0.2	1.41	10	300	< 0.5	< 2	0.38	0.5	7	95	35	2.84	< 10	< 1	0.30	10	0.51	265	4
F34745	203 205	< 0.2	1.35	2	170	< 0.5	2	0.54	0.5	9	91	35	1.72	< 10	< 1	0.33	10	0.39	460	< 1
F34746	203 205	0.4	1.08	30	280	< 0.5	< 2	0.04	< 0.5	4	79	69	3.66	< 10	1	0.31	20	0.28	155	3
F34747	203 205	0.2	1.51	10	340	< 0.5	2	0.14	0.5	8	75	77	3.36	< 10	< 1	0.38	20	0.45	380	4
F34748	203 205	0.4	1.44	30	450	< 0.5	< 2	0.06	0.5	10	62	66	4.01	10	< 1	0.33	20	0.42	775	3
F34749	203 205	0.2	2.23	12	680	< 0.5	2	0.78	1.0	6	52	56	3.68	10	1	0.52	50	0.88	1060	1
F34750	203 205	2.6	2.83	30	340	< 0.5	16	0.63	3.0	19	50	1345	9.25	10	1	0.30	10	1.24	2450	1
F35140	203 205	0.2	1.20	2	450	< 0.5	< 2	1.97	1.0	2	52	31	1.85	< 10	< 1	0.46	40	1.15	510	< 1
F35141	203 205	0.4	1.89	10	550	< 0.5	< 2	0.44	1.0	7	56	93	3.88	< 10	< 1	0.48	20	0.76	1090	2
F35142	203 205	0.4	2.05	48	620	< 0.5	< 2	0.22	1.0	11	60	57	4.32	10	< 1	0.38	20	0.64	810	3
F35143	203 205	0.4	1.83	10	280	< 0.5	< 2	0.23	1.0	8	84	87	2.62	10	< 1	0.36	30	0.49	1450	3
F35144	203 205	0.2	1.82	2	200	< 0.5	2	0.41	0.5	3	105	29	1.20	< 10	2	0.36	40	0.22	170	1
F35145	203 205	0.2	1.35	4	270	< 0.5	< 2	0.46	1.0	10	105	59	2.41	< 10	< 1	0.29	10	0.52	270	4
F35146	203 205	< 0.2	1.72	24	220	< 0.5	2	2.19	< 0.5	13	162	46	3.34	< 10	< 1	0.15	10	0.88	470	2
F35147	203 205	< 0.2	1.30	38	300	< 0.5	< 2	0.04	< 0.5	1	77	45	3.95	< 10	< 1	0.25	20	0.23	115	4
F35148	203 205	0.4	1.73	22	260	< 0.5	< 2	0.07	< 0.5	2	84	27	3.71	< 10	< 1	0.24	20	0.51	190	4
F35149	203 205	< 0.2	1.93	4	250	< 0.5	< 2	0.10	< 0.5	4	99	35	3.73	< 10	< 1	0.24	20	0.52	425	3
F35605	203 205	0.2	1.36	22	220	< 0.5	< 2	0.07	< 0.5	14	69	28	3.89	< 10	< 1	0.22	10	0.37	900	6
F35606	203 205	0.2	1.42	12	200	< 0.5	< 2	0.08	0.5	3	72	44	4.21	< 10	< 1	0.16	10	0.31	145	3
F35607	203 205	< 0.2	1.29	2	140	< 0.5	4	0.06	< 0.5	2	63	9	1.38	< 10	< 1	0.22	10	0.22	145	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 1-B
Total Pages : 5
Certificate Date: 06-SEP-95
Invoice No. : 19526013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34724	203 205	0.01	14	450	28	2	2	7	< 0.01	< 10	< 10	23	< 10	82
T34725	203 205	0.02	12	960	14	< 2	6	35	0.08	< 10	10	66	< 10	50
T34726	203 205	0.02	3	380	6	2	1	21	0.02	< 10	< 10	22	< 10	32
T34727	203 205	0.07	3	390	2	< 2	1	29	0.02	< 10	< 10	19	< 10	26
T34728	203 205	0.01	8	510	20	2	2	19	0.03	< 10	< 10	40	< 10	60
T34729	203 205	0.16	1	450	2	< 2	< 1	15	0.04	< 10	< 10	18	< 10	12
T34730	203 205	0.04	11	810	462	4	9	41	0.10	< 10	< 10	78	10	686
T34731	203 205	0.03	4	530	18	< 2	6	53	0.03	< 10	< 10	33	< 10	66
T34732	203 205	0.06	6	700	6	< 2	2	21	0.03	< 10	< 10	45	< 10	50
T34733	203 205	0.02	5	780	6	< 2	2	32	0.04	< 10	< 10	69	< 10	52
T34734	203 205	0.01	4	510	2	< 2	2	24	0.02	< 10	< 10	44	< 10	46
T34735	203 205	0.02	4	570	10	< 2	2	42	0.02	< 10	< 10	33	< 10	38
T34736	203 205	0.02	4	460	16	2	2	31	0.02	< 10	< 10	32	< 10	36
T34737	203 205	0.03	6	1120	16	< 2	4	37	0.02	< 10	10	40	< 10	50
T34738	203 205	0.01	3	520	2	< 2	1	19	0.01	< 10	< 10	36	< 10	28
T34739	203 205	0.03	1	420	4	< 2	< 1	18	0.01	< 10	< 10	24	< 10	20
T34740	203 205	0.01	7	680	14	< 2	4	20	0.02	< 10	< 10	38	< 10	82
T34741	203 205	< 0.01	7	360	20	2	1	7	0.01	< 10	< 10	29	< 10	40
T34742	203 205	< 0.01	15	650	36	< 2	1	6	< 0.01	< 10	< 10	26	< 10	90
T34743	203 205	< 0.01	21	630	30	2	1	5	0.01	< 10	< 10	33	< 10	104
T34744	203 205	0.01	19	1010	24	< 2	2	24	0.10	< 10	< 10	71	< 10	80
T34745	203 205	0.01	10	430	22	< 2	3	56	0.07	< 10	< 10	26	< 10	68
T34746	203 205	0.01	17	600	80	< 2	2	17	< 0.01	< 10	< 10	26	< 10	132
T34747	203 205	0.01	24	550	70	2	3	25	< 0.01	< 10	< 10	31	< 10	142
T34748	203 205	0.02	17	740	66	2	3	30	< 0.01	< 10	< 10	22	< 10	192
T34749	203 205	0.01	8	740	76	4	6	18	0.02	< 10	< 10	14	10	320
T34750	203 205	0.01	< 1	1740	124	8	12	23	0.23	< 10	< 10	12	10	356
T35140	203 205	0.03	6	440	78	4	3	21	0.01	< 10	< 10	13	< 10	192
T35141	203 205	0.01	2	490	126	< 2	6	20	0.05	< 10	< 10	13	< 10	288
T35142	203 205	0.02	15	850	102	4	5	29	0.01	< 10	< 10	26	10	196
T35143	203 205	0.02	14	520	38	2	3	27	0.02	< 10	< 10	33	< 10	94
T35144	203 205	0.01	6	190	24	2	2	52	0.03	< 10	< 10	31	< 10	38
T35145	203 205	0.01	26	940	24	2	3	32	0.12	< 10	< 10	64	< 10	98
T35146	203 205	< 0.01	45	950	28	2	5	26	0.15	< 10	< 10	59	10	98
T35147	203 205	< 0.01	10	900	44	< 2	1	7	0.01	< 10	< 10	42	< 10	70
T35148	203 205	< 0.01	6	670	60	< 2	1	11	0.02	< 10	< 10	40	< 10	44
T35149	203 205	0.01	9	440	14	< 2	2	14	0.05	< 10	< 10	49	< 10	48
T35605	203 205	0.02	7	1320	86	< 2	< 1	11	0.01	< 10	< 10	43	< 10	52
T35606	203 205	0.02	7	850	20	2	1	12	0.04	< 10	< 10	49	< 10	42
T35607	203 205	0.07	2	510	4	< 2	< 1	10	0.01	< 10	< 10	19	< 10	18

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page: 1 of 2-A
Total Pages: 5
Certificate Date: 06-SEP-95
Invoice No.: I9526013
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35608	203 205	< 0.2	2.99	4	180	< 0.5	< 2	0.34	0.5	11	75	16	3.61	< 10	< 1	0.27	20	1.46	395	1
T35609	203 205	< 0.2	3.07	16	450	< 0.5	< 2	0.46	< 0.5	12	67	29	3.50	10	< 1	0.31	40	1.12	670	3
T35610	203 205	< 0.2	2.27	2	250	< 0.5	< 2	0.50	0.5	7	55	15	2.80	10	< 1	0.22	20	0.61	465	5
T35611	203 205	< 0.2	3.77	6	350	< 0.5	< 2	0.97	1.0	23	94	74	5.21	< 10	3	0.19	10	2.78	1055	< 1
T35612	203 205	8.8	3.35	24	370	< 0.5	22	0.58	0.5	12	92	203	6.56	< 10	< 1	0.22	10	1.95	765	2
T35613	203 205	< 0.2	2.03	2	370	< 0.5	< 2	0.34	< 0.5	7	34	11	2.88	< 10	< 1	0.25	10	0.40	630	< 1
T35614	203 205	< 0.2	3.66	2	180	< 0.5	< 2	1.15	< 0.5	25	122	40	5.31	10	< 1	0.20	30	2.39	1590	< 1
T35615	203 205	0.2	1.22	6	270	< 0.5	< 2	0.02	< 0.5	1	89	39	3.11	< 10	< 1	0.27	30	0.45	215	4
T35616	203 205	0.2	1.06	12	340	< 0.5	< 2	0.01	< 0.5	4	76	41	3.07	< 10	1	0.27	20	0.36	215	3
T35617	203 205	0.4	1.32	10	290	< 0.5	< 2	0.43	< 0.5	2	116	26	2.03	< 10	< 1	0.24	20	0.38	160	2
T35618	203 205	0.2	1.77	10	370	< 0.5	< 2	0.56	2.5	32	87	96	3.28	< 10	< 1	0.24	60	0.75	1660	6
T35619	203 205	0.6	1.72	32	240	< 0.5	< 2	0.08	0.5	7	57	111	3.62	< 10	< 1	0.24	40	0.28	170	4
T35620	203 205	0.8	0.76	62	330	< 0.5	< 2	0.01	< 0.5	6	52	88	4.38	< 10	< 1	0.29	20	0.17	175	6
T35621	203 205	0.8	0.96	32	330	< 0.5	4	0.01	< 0.5	6	65	85	4.16	< 10	< 1	0.34	20	0.26	195	5
T35622	203 205	0.8	1.32	30	500	< 0.5	< 2	0.04	< 0.5	3	35	103	4.25	< 10	1	0.47	10	0.14	130	8
T35623	203 205	0.2	1.96	18	430	< 0.5	< 2	0.16	0.5	10	69	73	5.01	< 10	< 1	0.35	30	0.86	830	2
T35624	203 205	0.2	1.81	8	670	< 0.5	< 2	0.21	0.5	6	33	30	3.07	10	1	0.51	50	0.46	1025	1
T35625	203 205	0.4	2.04	8	400	< 0.5	< 2	0.22	< 0.5	11	37	59	4.92	10	1	0.39	40	0.92	1175	4
T35626	203 205	0.8	0.56	52	360	< 0.5	2	0.01	< 0.5	5	71	82	4.24	< 10	< 1	0.35	20	0.03	255	10
T35627	203 205	0.8	0.88	30	330	< 0.5	2	0.04	0.5	6	70	81	3.39	< 10	1	0.39	20	0.18	275	4
T35628	203 205	1.2	1.40	70	360	< 0.5	< 2	0.02	< 0.5	4	37	93	5.35	< 10	< 1	0.60	20	0.27	155	6
T35629	203 205	0.6	0.91	86	360	< 0.5	< 2	0.06	1.0	11	66	98	4.53	< 10	< 1	0.31	30	0.23	320	4
T35630	203 205	1.4	1.00	38	330	< 0.5	< 2	0.01	0.5	6	57	81	4.22	< 10	< 1	0.31	30	0.22	185	4
T35631	203 205	0.2	1.65	2	140	< 0.5	< 2	0.33	0.5	4	78	52	1.61	< 10	< 1	0.28	20	0.31	180	< 1
T35632	203 205	0.8	1.34	22	380	< 0.5	2	0.50	< 0.5	4	102	35	2.39	< 10	< 1	0.24	10	0.47	155	4
T35633	203 205	0.2	1.10	18	260	< 0.5	< 2	0.89	0.5	11	126	71	3.20	< 10	< 1	0.23	20	0.33	355	2
T35634	203 205	0.2	1.31	12	320	< 0.5	< 2	0.01	< 0.5	3	93	48	3.29	< 10	< 1	0.30	30	0.49	190	3
T35635	203 205	0.4	1.65	24	360	< 0.5	< 2	0.02	< 0.5	2	67	51	3.88	< 10	< 1	0.33	20	0.63	255	4
T35636	203 205	0.4	1.24	8	210	< 0.5	< 2	0.06	< 0.5	< 1	54	26	3.08	< 10	< 1	0.22	20	0.26	95	2
T35637	203 205	< 0.2	0.72	18	320	< 0.5	< 2	< 0.01	< 0.5	4	80	83	3.65	< 10	< 1	0.26	20	0.04	265	3
T35638	203 205	1.4	1.76	20	620	< 0.5	6	1.78	2.0	33	144	113	3.40	< 10	1	0.24	20	0.92	1485	6
T35639	203 205	0.4	1.60	16	470	< 0.5	< 2	0.32	< 0.5	3	112	58	2.84	< 10	< 1	0.38	10	0.60	205	7
T35640	203 205	0.2	1.69	2	150	< 0.5	< 2	0.32	< 0.5	6	83	79	1.90	< 10	1	0.31	20	0.43	235	1
T35641	203 205	2.0	1.33	62	450	< 0.5	< 2	0.03	0.5	5	38	85	5.09	< 10	< 1	0.35	20	0.16	105	6
T35642	203 205	1.0	1.33	32	420	< 0.5	< 2	0.02	< 0.5	11	60	152	4.47	< 10	< 1	0.33	30	0.21	240	5
T35643	203 205	0.4	0.67	24	320	< 0.5	< 2	< 0.01	< 0.5	8	59	99	4.65	< 10	< 1	0.28	30	0.07	185	4
T35644	203 205	0.6	0.82	142	330	< 0.5	< 2	0.01	0.5	9	48	107	4.27	< 10	< 1	0.36	20	0.14	260	6
T35645	203 205	1.0	0.76	54	470	< 0.5	< 2	0.04	1.0	10	76	126	4.68	< 10	< 1	0.49	20	0.06	375	6
T35646	203 205	1.2	3.14	26	410	< 0.5	< 2	0.20	0.5	12	30	115	9.71	10	< 1	0.43	20	2.01	1595	2
T35647	203 205	0.2	1.60	20	280	< 0.5	< 2	0.02	< 0.5	3	69	68	4.25	< 10	< 1	0.27	30	0.42	195	4

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 2-B
Total Pages : 5
Certificate Date: 06-SEP-95
Invoice No. : I9526013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35608	203 205	0.01	12	470	< 2	< 2	6	30	0.15	< 10	< 10	62	< 10	32
T35609	203 205	0.02	12	790	26	4	7	40	0.08	< 10	< 10	63	10	76
T35610	203 205	0.04	6	820	26	< 2	3	42	0.08	< 10	< 10	52	< 10	54
T35611	203 205	0.03	23	780	30	4	13	72	0.34	< 10	< 10	128	20	250
T35612	203 205	0.02	17	850	988	8	10	56	0.28	< 10	< 10	104	10	202
T35613	203 205	0.01	1	1160	16	< 2	2	54	0.01	< 10	< 10	52	< 10	44
T35614	203 205	0.02	36	680	12	2	17	74	0.21	< 10	< 10	116	20	102
T35615	203 205	0.01	13	640	26	2	2	5	< 0.01	< 10	< 10	31	< 10	78
T35616	203 205	0.01	20	640	28	2	1	9	< 0.01	< 10	< 10	27	< 10	104
T35617	203 205	0.01	15	640	18	< 2	1	15	0.03	< 10	< 10	47	< 10	54
T35618	203 205	0.02	56	780	38	2	4	29	0.06	< 10	< 10	43	10	298
T35619	203 205	< 0.01	31	650	48	2	2	16	< 0.01	< 10	< 10	25	< 10	160
T35620	203 205	< 0.01	23	760	78	4	2	14	< 0.01	< 10	< 10	22	< 10	156
T35621	203 205	0.01	17	600	142	2	2	24	< 0.01	< 10	< 10	23	< 10	154
T35622	203 205	0.04	18	690	100	2	2	36	< 0.01	< 10	< 10	25	< 10	164
T35623	203 205	0.03	13	1070	108	< 2	5	43	0.02	< 10	< 10	25	< 10	198
T35624	203 205	0.05	1	560	56	< 2	4	20	0.02	< 10	< 10	12	< 10	154
T35625	203 205	0.02	6	1030	72	2	6	25	0.09	< 10	< 10	15	10	148
T35626	203 205	0.01	17	600	72	4	2	38	< 0.01	< 10	< 10	16	< 10	238
T35627	203 205	0.01	19	530	86	2	2	28	< 0.01	< 10	< 10	21	< 10	178
T35628	203 205	0.01	20	920	106	2	3	24	< 0.01	< 10	< 10	33	< 10	140
T35629	203 205	< 0.01	39	840	64	2	2	22	< 0.01	< 10	< 10	27	< 10	238
T35630	203 205	0.01	27	830	94	< 2	2	18	< 0.01	< 10	< 10	26	< 10	188
T35631	203 205	0.02	8	280	16	2	3	40	0.05	< 10	< 10	27	< 10	54
T35632	203 205	< 0.01	23	750	20	2	2	21	0.07	< 10	< 10	65	< 10	72
T35633	203 205	< 0.01	42	610	36	2	3	18	0.09	< 10	< 10	46	< 10	146
T35634	203 205	< 0.01	15	560	30	< 2	1	5	< 0.01	< 10	< 10	32	< 10	106
T35635	203 205	< 0.01	9	680	58	2	2	9	0.01	< 10	< 10	33	< 10	68
T35636	203 205	0.03	6	780	28	4	1	8	0.01	< 10	< 10	30	< 10	40
T35637	203 205	< 0.01	42	720	22	< 2	1	6	< 0.01	< 10	< 10	26	< 10	158
T35638	203 205	0.01	135	1960	18	4	6	38	0.12	< 10	< 10	86	10	298
T35639	203 205	0.01	30	770	28	< 2	3	26	0.10	< 10	< 10	76	< 10	98
T35640	203 205	0.02	10	430	18	< 2	2	41	0.03	< 10	< 10	30	< 10	64
T35641	203 205	0.02	22	1490	110	< 2	1	17	< 0.01	< 10	< 10	36	< 10	112
T35642	203 205	0.03	51	1400	80	< 2	1	21	< 0.01	< 10	< 10	38	< 10	236
T35643	203 205	0.01	40	740	34	< 2	2	11	< 0.01	< 10	< 10	23	< 10	240
T35644	203 205	0.01	23	850	150	2	2	19	< 0.01	< 10	< 10	21	< 10	194
T35645	203 205	0.01	31	780	92	6	3	53	< 0.01	< 10	< 10	19	< 10	306
T35646	203 205	0.04	7	2540	442	8	12	51	0.12	< 10	< 10	43	20	342
T35647	203 205	< 0.01	15	880	40	2	1	8	< 0.01	< 10	< 10	34	< 10	100

CERTIFICATION:

David Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page: 3-A
Total Pages: 5
Certificate Date: 06-SEP-95
Invoice No.: I9526013
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T35648	203	205	< 0.2	0.38	12	210	< 0.5	< 2	< 0.01	< 0.5	1	62	37	3.07	< 10	< 1	0.17	30	0.03	130	2
T35649	203	205	0.2	1.22	28	470	< 0.5	2	0.50	< 0.5	3	119	39	2.37	< 10	< 1	0.29	10	0.50	150	7
T35650	203	205	< 0.2	1.44	4	170	< 0.5	< 2	0.54	0.5	9	62	33	1.76	< 10	< 1	0.33	10	0.42	345	1
T35651	203	205	0.4	1.65	6	160	< 0.5	< 2	0.34	< 0.5	6	59	69	2.09	< 10	< 1	0.34	10	0.50	245	1
T35652	203	205	0.8	1.16	46	510	< 0.5	< 2	0.01	< 0.5	8	80	86	4.37	< 10	< 1	0.47	30	0.14	190	3
T35653	203	205	0.8	1.09	52	450	< 0.5	< 2	0.01	< 0.5	10	68	105	5.47	< 10	< 1	0.37	30	0.22	235	5
T35654	203	205	1.0	1.32	52	570	0.5	< 2	< 0.01	< 0.5	6	69	87	4.82	< 10	< 1	0.56	20	0.29	190	5
T35655	203	205	1.4	0.73	38	270	< 0.5	< 2	< 0.01	0.5	25	40	175	6.07	< 10	< 1	0.25	20	0.16	550	3
T35656	203	205	0.8	0.97	52	420	< 0.5	2	0.07	0.5	8	90	112	4.49	< 10	< 1	0.46	10	0.19	370	5
T35657	203	205	1.2	0.50	94	390	< 0.5	< 2	< 0.01	< 0.5	2	62	37	2.92	< 10	< 1	0.36	20	0.02	45	6
T35658	203	205	0.4	0.64	74	360	< 0.5	< 2	0.03	1.0	11	34	92	4.77	< 10	< 1	0.59	10	0.06	460	4
T35659	203	205	1.8	0.97	38	410	< 0.5	< 2	0.11	2.0	17	39	118	3.64	< 10	< 1	0.43	20	0.08	935	4
T35660	203	205	0.6	0.88	92	330	< 0.5	< 2	< 0.01	< 0.5	8	76	102	4.87	< 10	< 1	0.35	20	0.15	220	4
T35661	203	205	1.2	0.95	70	480	< 0.5	< 2	< 0.01	< 0.5	11	58	102	4.91	< 10	< 1	0.37	30	0.19	255	4
T35662	203	205	1.6	1.03	62	430	< 0.5	< 2	< 0.01	< 0.5	8	49	109	4.75	< 10	< 1	0.36	20	0.21	220	4
T35663	203	205	0.8	1.53	36	450	< 0.5	< 2	0.01	< 0.5	7	108	94	4.77	< 10	< 1	0.42	20	0.33	275	4
T35664	203	205	0.2	0.87	44	270	< 0.5	< 2	< 0.01	< 0.5	9	48	113	4.96	< 10	< 1	0.26	30	0.14	235	4
T35665	203	205	< 0.2	1.70	8	160	< 0.5	< 2	0.51	0.5	7	47	51	1.97	< 10	< 1	0.33	10	0.36	370	< 1
T35666	203	205	0.2	1.46	12	290	< 0.5	< 2	0.42	0.5	7	91	27	2.33	< 10	< 1	0.28	10	0.52	325	3
T35667	203	205	0.8	1.18	26	280	< 0.5	< 2	0.18	< 0.5	2	94	31	3.37	< 10	< 1	0.22	10	0.52	140	6
T35668	203	205	0.2	0.97	12	240	< 0.5	< 2	0.02	< 0.5	1	104	41	3.24	< 10	< 1	0.23	10	0.28	125	4
T35669	203	205	< 0.2	0.50	30	280	< 0.5	< 2	< 0.01	< 0.5	2	68	63	2.91	< 10	< 1	0.20	10	0.04	140	3
T35670	203	205	< 0.2	2.21	38	300	0.5	< 2	0.20	1.0	46	53	110	3.15	< 10	< 1	0.26	20	0.61	1615	16
T35671	203	205	< 0.2	1.32	2	160	< 0.5	< 2	0.23	< 0.5	3	59	22	1.22	< 10	< 1	0.15	10	0.30	125	2
T35672	203	205	0.4	1.39	22	250	< 0.5	< 2	0.17	< 0.5	6	60	66	2.77	< 10	< 1	0.27	20	0.27	215	2
T35673	203	205	0.6	1.08	46	370	< 0.5	< 2	0.02	< 0.5	8	77	97	4.64	< 10	< 1	0.32	30	0.20	245	3
T35674	203	205	1.2	1.22	44	360	< 0.5	< 2	0.01	< 0.5	7	102	112	4.84	< 10	< 1	0.36	30	0.13	215	4
T35675	203	205	0.8	1.09	42	360	< 0.5	< 2	< 0.01	< 0.5	8	70	100	5.10	< 10	< 1	0.37	30	0.18	265	3
T35676	203	205	1.0	1.09	48	390	< 0.5	< 2	< 0.01	< 0.5	6	77	82	4.74	< 10	< 1	0.41	20	0.23	210	4
T35677	203	205	1.2	1.14	62	450	< 0.5	< 2	< 0.01	< 0.5	7	55	107	5.28	< 10	< 1	0.42	30	0.22	205	4
T35678	203	205	1.0	1.05	36	390	< 0.5	< 2	0.01	0.5	9	60	57	3.83	< 10	< 1	0.51	20	0.10	485	4
T35679	203	205	2.0	0.85	54	350	< 0.5	< 2	0.03	< 0.5	3	72	27	2.80	< 10	< 1	0.40	40	0.13	105	6
T35680	203	205	0.2	2.12	6	300	0.5	< 2	0.21	0.5	12	78	86	3.27	< 10	< 1	0.37	10	0.76	885	3
T35681	203	205	0.4	1.72	16	200	< 0.5	2	0.31	< 0.5	7	85	63	3.58	< 10	< 1	0.22	10	0.73	220	2
T35682	203	205	< 0.2	2.03	2	210	< 0.5	< 2	0.10	< 0.5	5	48	22	3.14	< 10	< 1	0.24	20	0.72	440	1
T35683	203	205	< 0.2	1.85	8	170	< 0.5	2	0.33	< 0.5	7	44	21	2.39	< 10	< 1	0.13	10	0.70	275	1
T35684	203	205	< 0.2	2.36	2	460	0.5	2	0.28	< 0.5	11	50	16	3.11	< 10	< 1	0.24	20	0.95	795	1
T35685	203	205	< 0.2	3.40	4	510	0.5	6	0.70	< 0.5	20	66	33	5.27	< 10	< 1	0.20	< 10	2.16	1140	< 1
T35686	203	205	0.6	3.34	2	90	< 0.5	8	0.59	< 0.5	21	83	24	5.41	< 10	< 1	0.06	< 10	2.42	1125	< 1
T35687	203	205	< 0.2	3.59	< 2	120	0.5	< 2	0.83	< 0.5	27	76	13	5.56	< 10	< 1	0.06	< 10	2.79	1340	< 1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 3-B
Total Pages : 5
Certificate Date: 06-SEP-95
Invoice No. : 19526013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35648	203 205	< 0.01	21	350	14	< 2	1	5	< 0.01	< 10	< 10	15	< 10	140
T35649	203 205	< 0.01	31	830	24	< 2	2	29	0.10	< 10	< 10	86	< 10	90
T35650	203 205	0.01	9	350	18	< 2	3	62	0.07	< 10	< 10	28	< 10	64
T35651	203 205	0.02	11	470	20	< 2	4	44	0.04	< 10	< 10	28	< 10	58
T35652	203 205	0.01	35	840	94	< 2	1	22	< 0.01	< 10	< 10	33	< 10	200
T35653	203 205	< 0.01	47	1210	56	< 2	1	27	< 0.01	< 10	< 10	37	< 10	240
T35654	203 205	0.01	28	960	76	< 2	2	26	< 0.01	< 10	< 10	37	< 10	194
T35655	203 205	< 0.01	58	1240	40	< 2	2	13	< 0.01	< 10	< 10	23	< 10	252
T35656	203 205	0.01	26	790	148	< 2	2	38	< 0.01	< 10	< 10	26	< 10	278
T35657	203 205	0.01	13	760	48	< 2	1	40	< 0.01	< 10	< 10	25	< 10	104
T35658	203 205	0.01	36	760	58	< 2	1	141	< 0.01	< 10	< 10	16	< 10	188
T35659	203 205	0.01	36	490	1285	< 2	2	66	< 0.01	< 10	< 10	12	< 10	462
T35660	203 205	< 0.01	35	910	134	< 2	2	20	< 0.01	< 10	< 10	27	< 10	248
T35661	203 205	< 0.01	49	1040	80	< 2	2	30	< 0.01	< 10	< 10	34	< 10	270
T35662	203 205	< 0.01	38	980	154	< 2	2	24	< 0.01	< 10	< 10	32	< 10	226
T35663	203 205	0.01	29	1040	110	< 2	1	19	< 0.01	< 10	< 10	36	< 10	188
T35664	203 205	< 0.01	38	950	56	< 2	1	14	< 0.01	< 10	< 10	28	< 10	250
T35665	203 205	0.01	8	200	24	< 2	4	66	0.05	< 10	< 10	28	< 10	68
T35666	203 205	0.01	24	750	26	< 2	2	37	0.08	< 10	< 10	48	< 10	106
T35667	203 205	< 0.01	19	1140	70	< 2	1	15	0.03	< 10	< 10	55	< 10	90
T35668	203 205	0.02	12	1200	30	< 2	< 1	6	< 0.01	< 10	< 10	34	< 10	84
T35669	203 205	< 0.01	26	580	18	< 2	1	4	< 0.01	< 10	< 10	22	< 10	158
T35670	203 205	0.01	107	720	38	< 2	2	19	0.03	< 10	< 10	46	< 10	372
T35671	203 205	0.08	10	560	14	< 2	1	20	0.04	< 10	< 10	26	< 10	48
T35672	203 205	0.02	16	570	34	< 2	2	26	0.01	< 10	< 10	31	< 10	106
T35673	203 205	0.01	34	900	52	< 2	1	16	< 0.01	< 10	< 10	31	< 10	208
T35674	203 205	0.01	32	1080	70	< 2	1	15	< 0.01	< 10	< 10	36	< 10	222
T35675	203 205	0.01	34	1000	68	< 2	2	18	< 0.01	< 10	< 10	32	< 10	252
T35676	203 205	0.01	25	920	122	< 2	2	17	< 0.01	< 10	< 10	31	< 10	202
T35677	203 205	0.01	31	1070	118	< 2	2	21	< 0.01	< 10	< 10	31	< 10	236
T35678	203 205	0.01	22	580	188	< 2	1	28	< 0.01	< 10	< 10	21	< 10	184
T35679	203 205	0.02	13	440	214	< 2	1	20	0.01	< 10	< 10	27	< 10	88
T35680	203 205	0.06	25	910	92	< 2	3	17	0.02	< 10	< 10	36	< 10	236
T35681	203 205	0.03	19	1030	62	< 2	4	25	0.09	< 10	< 10	54	< 10	104
T35682	203 205	0.02	6	360	8	< 2	2	11	0.04	< 10	< 10	33	< 10	50
T35683	203 205	0.07	10	800	18	< 2	3	26	0.09	< 10	< 10	48	< 10	62
T35684	203 205	0.02	7	500	36	< 2	3	42	0.06	< 10	< 10	41	< 10	78
T35685	203 205	0.01	13	750	42	< 2	9	60	0.26	< 10	< 10	86	< 10	134
T35686	203 205	< 0.01	17	850	64	< 2	9	48	0.25	< 10	< 10	113	< 10	128
T35687	203 205	< 0.01	19	730	16	< 2	11	58	0.33	< 10	< 10	127	< 10	128

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page: 1 of 4-A
Total Pages: 5
Certificate Date: 06-SEP-95
Invoice No.: I9526013
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35688	203 205	< 0.2	3.81	12	230	0.5	6	0.97	< 0.5	24	82	46	5.20	< 10	< 1	0.12	< 10	3.35	915	< 1
T35689	203 205	< 0.2	1.20	< 2	410	0.5	< 2	0.29	< 0.5	6	63	4	1.32	< 10	< 1	0.46	90	0.21	545	< 1
T35690	203 205	< 0.2	2.66	12	260	0.5	< 2	0.43	< 0.5	19	59	40	3.57	< 10	< 1	0.29	30	1.37	1015	< 1
T35691	203 205	< 0.2	1.93	8	130	< 0.5	< 2	0.29	< 0.5	7	40	30	2.67	< 10	< 1	0.18	10	0.73	265	2
T35692	203 205	< 0.2	1.68	46	170	< 0.5	< 2	0.28	< 0.5	7	53	58	3.76	< 10	< 1	0.22	20	0.72	235	2
T35693	203 205	< 0.2	2.39	16	140	< 0.5	2	0.39	< 0.5	12	67	31	4.22	< 10	< 1	0.18	10	1.11	530	2
T35694	203 205	< 0.2	1.99	20	240	< 0.5	< 2	0.18	< 0.5	3	72	51	4.44	< 10	< 1	0.31	20	0.65	210	7
T35695	203 205	0.2	1.57	24	280	< 0.5	< 2	0.06	< 0.5	2	51	60	4.58	< 10	< 1	0.32	20	0.47	200	4
T35696	203 205	0.8	1.69	22	360	0.5	< 2	0.16	< 0.5	7	43	68	4.86	< 10	< 1	0.39	10	0.76	315	4
T35697	203 205	0.2	1.82	12	230	< 0.5	2	0.23	< 0.5	6	52	49	3.67	< 10	< 1	0.17	10	0.73	220	2
T35698	203 205	< 0.2	2.03	6	200	0.5	2	0.50	< 0.5	10	50	43	2.62	< 10	< 1	0.19	10	0.94	350	1
T35699	203 205	< 0.2	3.96	8	110	0.5	< 2	1.27	< 0.5	27	65	35	6.14	< 10	< 1	0.15	< 10	3.66	940	< 1
T35700	203 205	< 0.2	3.96	8	70	0.5	6	1.07	< 0.5	30	52	39	6.40	< 10	2	0.07	< 10	3.92	945	< 1
T35701	203 205	< 0.2	2.45	16	230	0.5	< 2	0.46	< 0.5	23	50	35	3.84	< 10	< 1	0.22	20	1.37	455	4
T35702	203 205	< 0.2	2.91	20	210	< 0.5	2	0.69	< 0.5	24	63	37	4.44	< 10	< 1	0.23	10	1.97	560	2
T35703	203 205	< 0.2	2.48	22	170	0.5	2	0.49	< 0.5	15	51	32	3.26	< 10	< 1	0.17	10	1.43	355	2
T35704	203 205	< 0.2	1.66	8	190	< 0.5	< 2	0.26	< 0.5	6	67	18	2.77	< 10	< 1	0.16	10	0.70	220	1
T35705	203 205	< 0.2	1.55	4	110	< 0.5	< 2	0.26	< 0.5	6	48	17	2.79	< 10	1	0.12	< 10	0.51	360	1
T35706	203 205	0.6	1.27	12	190	< 0.5	< 2	0.08	< 0.5	2	31	37	1.93	< 10	< 1	0.19	10	0.18	110	4
T35707	203 205	< 0.2	1.56	12	230	< 0.5	< 2	0.07	< 0.5	3	52	71	3.57	< 10	< 1	0.20	20	0.28	215	3
T35708	203 205	0.8	1.09	66	200	< 0.5	4	0.08	< 0.5	1	47	51	4.29	< 10	< 1	0.23	20	0.31	140	15
T35709	203 205	< 0.2	1.56	30	240	< 0.5	< 2	0.11	< 0.5	14	56	62	3.88	< 10	< 1	0.24	20	0.56	670	7
T35710	203 205	< 0.2	2.39	22	210	0.5	2	0.50	< 0.5	12	61	22	2.87	< 10	< 1	0.20	10	1.21	375	2
T35711	203 205	< 0.2	2.83	20	110	< 0.5	2	0.55	< 0.5	19	58	22	4.21	< 10	< 1	0.10	< 10	1.64	670	1
T35712	203 205	< 0.2	3.27	14	110	0.5	2	0.89	< 0.5	26	75	26	4.62	< 10	< 1	0.14	< 10	2.55	620	1
T35713	203 205	< 0.2	2.44	16	90	< 0.5	< 2	0.58	< 0.5	15	55	21	3.14	< 10	< 1	0.13	< 10	1.50	445	< 1
T35714	203 205	< 0.2	2.35	10	80	< 0.5	< 2	0.77	< 0.5	14	58	15	2.78	< 10	< 1	0.14	< 10	1.71	395	< 1
T35715	203 205	< 0.2	2.94	20	50	< 0.5	< 2	0.82	< 0.5	20	55	11	3.03	< 10	< 1	0.09	< 10	2.20	390	< 1
T35716	203 205	< 0.2	2.39	18	130	0.5	< 2	0.74	< 0.5	17	53	8	2.57	< 10	< 1	0.14	< 10	1.94	335	< 1
T35717	203 205	< 0.2	2.87	12	250	0.5	< 2	0.76	< 0.5	14	75	25	3.01	< 10	< 1	0.21	10	1.60	520	< 1
T35718	203 205	< 0.2	2.06	4	170	0.5	< 2	0.60	< 0.5	12	73	18	2.18	< 10	< 1	0.18	10	1.02	545	< 1
T35719	203 205	< 0.2	2.41	6	170	0.5	8	0.81	< 0.5	11	59	28	2.41	< 10	< 1	0.19	10	1.38	405	< 1
T35720	203 205	< 0.2	1.74	14	380	0.5	< 2	0.30	1.0	21	81	122	3.49	< 10	< 1	0.37	20	0.62	985	5
T35721	203 205	< 0.2	0.87	18	270	< 0.5	< 2	0.07	< 0.5	3	71	43	2.50	< 10	< 1	0.24	10	0.14	140	6
T35722	203 205	1.0	1.37	96	660	0.5	< 2	0.95	0.5	12	117	110	3.33	< 10	< 1	0.34	10	0.44	590	14
T35723	203 205	< 0.2	2.92	32	280	0.5	4	0.66	< 0.5	26	61	74	4.23	< 10	< 1	0.32	10	1.79	510	2
T35724	203 205	< 0.2	1.70	18	250	< 0.5	< 2	0.26	< 0.5	7	84	48	2.64	< 10	< 1	0.31	20	0.78	350	5
T35725	203 205	< 0.2	2.73	14	210	0.5	< 2	0.65	< 0.5	15	67	53	3.34	< 10	< 1	0.32	20	1.49	585	2
T35726	203 205	< 0.2	1.99	12	230	0.5	< 2	0.47	< 0.5	12	50	86	2.62	< 10	< 1	0.33	20	1.07	450	1
T35727	203 205	1.4	1.02	64	310	< 0.5	2	0.11	< 0.5	4	28	115	6.22	< 10	1	0.38	10	0.47	220	9

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page Number: 4-B
Total Pages: 5
Certificate Date: 06-SEP-95
Invoice No.: I9526013
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35688	203 205	< 0.01	23	600	24	< 2	12	71	0.31	< 10	< 10	111	< 10	140
T35689	203 205	0.03	2	270	22	< 2	2	29	< 0.01	< 10	< 10	10	< 10	16
T35690	203 205	< 0.01	19	660	20	< 2	7	34	0.12	< 10	< 10	54	< 10	60
T35691	203 205	0.08	11	730	14	< 2	3	27	0.10	< 10	< 10	56	< 10	50
T35692	203 205	0.05	18	970	18	< 2	3	24	0.09	< 10	< 10	53	< 10	50
T35693	203 205	< 0.01	19	520	22	2	6	34	0.22	< 10	< 10	94	< 10	72
T35694	203 205	0.02	9	990	56	< 2	2	20	0.04	< 10	< 10	58	< 10	46
T35695	203 205	0.02	7	1000	40	< 2	1	10	0.01	< 10	< 10	38	< 10	50
T35696	203 205	0.01	14	900	212	< 2	2	44	0.02	< 10	< 10	39	< 10	156
T35697	203 205	0.02	16	1080	26	< 2	3	22	0.08	< 10	< 10	52	< 10	72
T35698	203 205	0.07	10	500	12	< 2	4	37	0.11	< 10	< 10	47	< 10	48
T35699	203 205	< 0.01	19	1070	12	2	13	61	0.40	< 10	< 10	150	< 10	74
T35700	203 205	< 0.01	19	1080	16	< 2	12	52	0.41	< 10	< 10	154	< 10	86
T35701	203 205	0.01	16	590	4	< 2	8	39	0.17	< 10	< 10	67	< 10	36
T35702	203 205	0.01	20	590	4	< 2	8	47	0.26	< 10	< 10	91	< 10	40
T35703	203 205	0.03	19	930	16	< 2	6	36	0.15	< 10	< 10	70	< 10	66
T35704	203 205	0.07	12	440	14	< 2	3	29	0.12	< 10	< 10	60	< 10	36
T35705	203 205	0.04	9	750	12	< 2	2	27	0.17	< 10	< 10	78	< 10	36
T35706	203 205	0.10	7	790	44	< 2	< 1	11	0.01	< 10	< 10	28	< 10	44
T35707	203 205	0.02	20	700	36	< 2	1	11	0.01	< 10	< 10	44	< 10	108
T35708	203 205	0.03	10	830	112	< 2	1	13	0.01	< 10	< 10	51	< 10	88
T35709	203 205	0.01	31	890	68	< 2	2	14	0.02	< 10	< 10	37	< 10	162
T35710	203 205	0.02	17	580	16	< 2	4	46	0.14	< 10	< 10	54	< 10	60
T35711	203 205	< 0.01	21	920	8	< 2	5	40	0.24	< 10	< 10	104	< 10	56
T35712	203 205	< 0.01	19	640	4	2	9	52	0.31	< 10	< 10	96	< 10	46
T35713	203 205	0.04	18	1000	12	2	4	40	0.19	< 10	< 10	66	< 10	58
T35714	203 205	0.03	17	690	6	< 2	7	55	0.23	< 10	< 10	71	< 10	48
T35715	203 205	< 0.01	22	940	4	< 2	7	52	0.24	< 10	< 10	82	< 10	34
T35716	203 205	0.01	12	650	6	< 2	9	55	0.18	< 10	< 10	68	< 10	38
T35717	203 205	< 0.01	32	700	14	< 2	5	86	0.17	< 10	< 10	47	< 10	60
T35718	203 205	0.04	23	720	12	< 2	2	59	0.10	< 10	< 10	39	< 10	56
T35719	203 205	0.02	21	640	6	< 2	5	81	0.14	< 10	< 10	37	< 10	42
T35720	203 205	0.01	51	780	36	< 2	3	33	0.03	< 10	< 10	36	< 10	284
T35721	203 205	0.04	20	730	20	< 2	< 1	11	< 0.01	< 10	< 10	30	< 10	116
T35722	203 205	0.01	85	4430	26	2	2	42	0.02	< 10	< 10	172	< 10	312
T35723	203 205	0.02	34	610	22	< 2	6	74	0.11	< 10	< 10	71	< 10	116
T35724	203 205	0.02	17	500	28	< 2	2	23	0.02	< 10	< 10	31	< 10	88
T35725	203 205	0.02	21	620	20	< 2	6	65	0.14	< 10	< 10	49	< 10	74
T35726	203 205	0.01	17	660	14	< 2	4	53	0.10	< 10	< 10	26	< 10	48
T35727	203 205	0.02	18	1430	78	2	2	64	< 0.01	< 10	< 10	29	< 10	116

CERTIFICATION:

Jan Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 5-A
Total Pages : 5
Certificate Date: 06-SEP-95
Invoice No. : I9526013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35728	203	205	< 0.2	2.84	22	160	0.5	< 2	1.01	< 0.5	25	63	42	3.48	10	< 1	0.19	10	1.98	435	< 1
T35729	203	205	< 0.2	2.46	12	180	0.5	< 2	0.91	< 0.5	17	76	29	3.00	< 10	< 1	0.25	10	1.55	480	1
T35730	203	205	< 0.2	2.27	16	520	0.5	< 2	1.23	< 0.5	20	97	64	3.81	< 10	< 1	0.36	20	1.34	595	2
T35731	203	205	< 0.2	1.66	14	340	< 0.5	2	0.78	< 0.5	10	64	35	2.73	< 10	< 1	0.22	10	0.76	410	1
T35732	203	205	0.4	1.55	30	640	0.5	2	0.90	1.5	15	130	98	3.65	< 10	< 1	0.39	20	0.63	485	4
T35733	203	205	< 0.2	2.92	16	1070	0.5	6	5.74	0.5	38	223	84	4.84	< 10	< 1	0.33	20	2.60	670	< 1
T35734	203	205	< 0.2	1.62	34	420	0.5	2	0.37	< 0.5	13	65	85	3.82	< 10	< 1	0.31	30	0.72	490	3
T35735	203	205	< 0.2	3.07	14	150	0.5	8	1.11	< 0.5	17	102	13	3.58	< 10	< 1	0.24	10	2.41	550	< 1
T35736	203	205	< 0.2	2.33	8	260	0.5	2	0.55	< 0.5	16	91	42	3.83	< 10	< 1	0.47	20	1.55	560	4
T35737	203	205	< 0.2	2.70	18	180	0.5	< 2	0.48	< 0.5	23	97	32	4.48	< 10	< 1	0.35	30	1.96	645	4
T35738	203	205	1.2	1.15	24	430	< 0.5	2	0.03	< 0.5	9	41	98	4.88	< 10	< 1	0.37	30	0.33	305	7
T35739	203	205	< 0.2	1.82	18	260	0.5	2	0.23	< 0.5	12	73	56	3.93	< 10	< 1	0.29	20	0.74	515	3
T35740	203	205	< 0.2	2.18	26	280	0.5	2	0.63	< 0.5	17	69	40	3.66	< 10	< 1	0.28	10	1.31	515	2
T35741	203	205	0.6	2.70	24	810	0.5	4	3.74	0.5	42	211	113	4.98	< 10	< 1	0.21	10	2.21	720	1
T35742	203	205	1.0	1.44	34	820	< 0.5	2	0.63	1.5	20	104	142	3.78	< 10	< 1	0.38	20	0.52	490	5
T35743	203	205	0.2	1.31	14	570	< 0.5	< 2	0.14	< 0.5	8	54	73	4.59	< 10	< 1	0.35	20	0.65	270	6
T35744	203	205	0.4	1.28	14	820	< 0.5	< 2	0.16	< 0.5	9	74	84	4.37	< 10	< 1	0.37	20	0.45	220	5
T35745	203	205	< 0.2	2.24	14	1000	0.5	< 2	0.97	< 0.5	21	71	86	4.18	< 10	< 1	0.40	10	1.48	950	2
T35746	203	205	< 0.2	1.83	2	280	< 0.5	< 2	0.79	< 0.5	13	40	38	2.59	< 10	< 1	0.50	20	0.94	720	1
T35747	203	205	< 0.2	1.99	4	170	0.5	< 2	0.59	< 0.5	16	45	105	2.97	< 10	< 1	0.43	20	1.01	770	1
T35748	203	205	< 0.2	2.18	2	140	0.5	4	0.83	< 0.5	19	46	168	3.31	< 10	< 1	0.43	20	1.36	735	2
T35749	203	205	< 0.2	2.21	< 2	200	< 0.5	< 2	1.15	< 0.5	16	63	102	2.99	< 10	< 1	0.51	10	1.19	675	1
T35750	203	205	< 0.2	2.09	2	180	0.5	< 2	0.53	< 0.5	14	32	128	3.00	< 10	< 1	0.53	10	0.85	700	2
T35751	203	205	0.2	1.78	4	190	< 0.5	2	0.64	0.5	12	38	74	2.59	< 10	< 1	0.61	10	0.84	660	3
T35752	203	205	< 0.2	1.80	< 2	200	< 0.5	2	0.62	< 0.5	14	72	105	2.65	< 10	< 1	0.55	10	0.75	495	3
T35753	203	205	< 0.2	1.73	2	150	0.5	< 2	0.59	< 0.5	15	45	68	2.70	< 10	< 1	0.38	10	0.94	520	2
T35754	203	205	< 0.2	1.82	24	140	0.5	< 2	0.46	< 0.5	15	60	100	2.64	< 10	< 1	0.35	20	1.12	640	2
T35755	203	205	0.2	1.78	10	240	0.5	2	0.43	< 0.5	15	56	87	3.23	< 10	< 1	0.40	20	1.02	750	2

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 5-B
Total Pages : 5
Certificate Date: 06-SEP-95
Invoice No. : 19526013
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9526013

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35728	203 205	0.01	21	680	10	< 2	7	98	0.23	< 10	< 10	74	< 10	58
T35729	203 205	0.02	26	710	16	2	5	78	0.19	< 10	< 10	51	< 10	62
T35730	203 205	0.01	55	1310	38	< 2	5	54	0.17	< 10	< 10	65	< 10	152
T35731	203 205	0.07	28	920	26	< 2	3	41	0.11	< 10	< 10	43	< 10	96
T35732	203 205	0.02	67	1070	42	< 2	3	41	0.09	< 10	< 10	57	< 10	272
T35733	203 205	0.01	152	1860	20	2	9	99	0.23	< 10	< 10	125	< 10	132
T35734	203 205	0.02	33	770	38	< 2	3	50	0.04	< 10	< 10	37	< 10	128
T35735	203 205	0.01	37	660	12	2	8	87	0.28	< 10	< 10	77	< 10	58
T35736	203 205	0.01	43	810	28	< 2	4	50	0.14	< 10	< 10	50	< 10	86
T35737	203 205	< 0.01	44	780	28	< 2	6	49	0.16	< 10	< 10	58	< 10	78
T35738	203 205	0.01	38	980	70	< 2	2	31	< 0.01	< 10	< 10	35	< 10	212
T35739	203 205	0.01	39	750	28	< 2	3	30	0.05	< 10	< 10	43	< 10	148
T35740	203 205	0.02	25	770	26	< 2	6	54	0.16	< 10	< 10	68	< 10	86
T35741	203 205	0.07	185	1670	30	2	8	58	0.24	< 10	< 10	101	< 10	178
T35742	203 205	0.01	96	1470	52	< 2	3	30	0.06	< 10	< 10	67	< 10	362
T35743	203 205	0.01	32	1100	102	< 2	3	34	0.07	< 10	< 10	42	< 10	120
T35744	203 205	0.01	35	920	48	< 2	4	27	0.02	< 10	< 10	43	< 10	114
T35745	203 205	< 0.01	35	830	20	< 2	8	73	0.11	< 10	< 10	76	< 10	130
T35746	203 205	0.01	3	430	18	< 2	6	66	0.07	< 10	< 10	42	< 10	80
T35747	203 205	0.01	6	460	16	< 2	8	58	0.03	< 10	< 10	49	< 10	60
T35748	203 205	0.01	7	500	12	< 2	7	75	0.09	< 10	< 10	56	< 10	56
T35749	203 205	0.03	4	480	8	< 2	6	91	0.13	< 10	< 10	52	< 10	58
T35750	203 205	0.01	5	520	36	< 2	6	49	0.09	< 10	< 10	43	< 10	152
T35751	203 205	0.01	3	550	56	< 2	5	55	0.10	< 10	< 10	39	< 10	138
T35752	203 205	0.03	6	390	14	< 2	6	63	0.08	< 10	< 10	39	< 10	44
T35753	203 205	0.01	9	350	14	< 2	6	56	0.09	< 10	< 10	42	< 10	46
T35754	203 205	< 0.01	18	410	24	2	5	42	0.10	< 10	< 10	38	< 10	46
T35755	203 205	< 0.01	22	490	26	< 2	5	34	0.07	< 10	< 10	37	< 10	58

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page 1 of 1 : 1-A
Total Pages : 1
Certificate Date: 27-AUG-95
Invoice No. : I9525278
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525278

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
935602	205	226	3.8	0.10	44	80	3.5	26	0.06	< 0.5	2	22	354	>15.00	10	10	0.04	< 10	0.03	30	13

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page 1 of 1 : 1-B
Total Pages : 1
Certificate Date: 27-AUG-95
Invoice No. : I9525278
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525278

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935602	205 226	0.02	1	30	58	< 2	< 1	3	0.01	< 10	40	22	< 10	72

CERTIFICATION: Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 1-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : I9525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T35499	203	205	< 0.2	2.27	10	90	< 0.5	2	0.28	< 0.5	13	65	42	5.32	< 10	< 1	0.11	10	0.89	460	1
T35500	203	205	< 0.2	2.60	6	200	< 0.5	2	0.20	< 0.5	10	82	96	5.62	< 10	< 1	0.21	10	1.11	625	2
T35501	203	205	< 0.2	3.70	14	20	< 0.5	4	0.29	< 0.5	32	60	202	11.20	< 10	< 1	0.02	< 10	2.18	1285	1
T35502	203	205	< 0.2	3.62	6	50	< 0.5	4	0.11	< 0.5	9	106	102	13.25	< 10	< 1	0.07	< 10	1.99	765	5
T35503	203	205	2.2	3.76	16	30	< 0.5	74	0.10	< 0.5	9	22	42	>15.00	10	< 1	0.03	< 10	2.33	1000	18
T35504	203	205	< 0.2	2.69	8	110	0.5	4	0.33	< 0.5	24	57	110	7.64	< 10	< 1	0.10	< 10	1.45	750	2
T35505	203	205	< 0.2	3.54	8	150	0.5	2	0.31	1.0	46	65	358	6.98	< 10	< 1	0.16	10	1.79	1460	3
T35506	203	205	< 0.2	4.29	8	140	0.5	2	0.52	0.5	40	88	598	7.67	< 10	< 1	0.20	10	2.65	2060	1
T35507	203	205	0.2	4.22	12	20	< 0.5	4	0.20	< 0.5	20	140	193	11.95	10	< 1	0.04	< 10	2.49	1155	5
T35508	203	205	< 0.2	3.25	12	110	< 0.5	4	0.31	< 0.5	18	23	77	>15.00	< 10	< 1	0.06	< 10	2.02	825	13
T35509	203	205	< 0.2	4.24	6	150	0.5	2	1.02	3.5	38	43	151	8.50	10	< 1	0.15	< 10	2.70	2250	< 1
T35510	203	205	< 0.2	3.66	6	70	< 0.5	2	0.48	< 0.5	17	31	75	14.15	< 10	< 1	0.05	< 10	2.34	880	4
T35511	203	205	0.4	4.65	16	110	0.5	8	0.29	< 0.5	26	76	460	10.40	10	< 1	0.14	< 10	2.45	1340	3
T35512	203	205	< 0.2	3.27	4	200	0.5	2	0.51	1.0	35	84	258	7.20	< 10	< 1	0.23	10	1.82	1485	2
T35513	203	205	< 0.2	3.08	10	70	0.5	4	0.49	< 0.5	34	46	148	8.47	< 10	< 1	0.07	< 10	1.90	1015	4
T35514	203	205	< 0.2	2.85	10	180	0.5	4	0.28	< 0.5	25	63	106	7.01	< 10	< 1	0.25	10	1.41	775	4
T35515	203	205	< 0.2	3.47	16	80	0.5	2	0.46	1.0	32	46	231	7.86	< 10	< 1	0.09	10	2.11	1655	3
T35516	203	205	< 0.2	3.61	8	130	0.5	2	0.76	1.0	27	52	103	6.50	< 10	< 1	0.16	10	2.68	1665	1
T35517	203	205	< 0.2	3.61	14	60	< 0.5	4	0.25	< 0.5	15	48	113	13.80	< 10	< 1	0.08	< 10	2.27	1035	4
T35518	203	205	< 0.2	3.24	6	120	0.5	< 2	0.67	< 0.5	25	70	170	5.77	< 10	< 1	0.17	< 10	2.68	1300	1
T35519	203	205	< 0.2	3.13	12	140	0.5	2	0.54	< 0.5	40	81	101	5.83	< 10	< 1	0.18	< 10	1.60	1255	1
T35520	203	205	< 0.2	2.86	6	70	< 0.5	2	0.55	< 0.5	21	58	42	5.17	< 10	< 1	0.08	< 10	1.68	640	1
T35521	203	205	< 0.2	2.70	6	160	< 0.5	2	0.21	< 0.5	13	46	54	4.20	< 10	< 1	0.23	10	1.22	835	2
T35522	203	205	< 0.2	2.62	4	60	< 0.5	< 2	0.86	< 0.5	14	39	15	4.37	< 10	< 1	0.06	< 10	0.97	1390	< 1
T35523	203	205	< 0.2	2.04	6	120	0.5	2	0.32	0.5	7	63	31	3.69	< 10	< 1	0.13	< 10	0.87	315	1
T35524	203	205	< 0.2	2.83	8	140	0.5	2	0.62	< 0.5	26	93	62	5.52	< 10	< 1	0.12	< 10	1.57	780	1
T35525	203	205	< 0.2	4.16	18	60	0.5	2	0.66	< 0.5	36	74	133	8.69	< 10	< 1	0.07	< 10	2.50	1000	2
T35526	203	205	< 0.2	3.20	14	130	0.5	4	0.46	0.5	26	56	126	6.44	< 10	< 1	0.14	10	1.77	1030	5
T35527	203	205	< 0.2	4.01	12	100	0.5	2	0.78	< 0.5	36	54	91	9.51	10	1	0.13	< 10	2.53	1465	3
T35528	203	205	< 0.2	3.51	6	240	0.5	2	0.68	< 0.5	24	53	79	5.47	< 10	< 1	0.14	10	2.96	1335	< 1
T35529	203	205	< 0.2	3.60	8	140	0.5	2	0.64	< 0.5	29	94	201	5.63	< 10	< 1	0.15	10	2.75	1285	1
T35530	203	205	< 0.2	2.49	12	70	< 0.5	< 2	0.32	< 0.5	24	61	148	5.65	< 10	< 1	0.06	< 10	1.05	1000	2
T35531	203	205	< 0.2	3.56	6	180	0.5	< 2	0.43	< 0.5	45	65	93	7.48	< 10	< 1	0.13	10	2.06	2100	1
T35532	203	205	0.2	4.26	12	80	0.5	2	0.19	< 0.5	15	49	182	9.52	< 10	< 1	0.11	< 10	2.23	955	4
T35533	203	205	< 0.2	2.82	8	140	0.5	< 2	0.86	< 0.5	18	116	22	4.12	< 10	< 1	0.14	10	2.11	995	< 1
T35534	203	205	0.2	2.89	6	110	0.5	< 2	0.92	2.0	33	60	93	6.17	< 10	< 1	0.10	< 10	1.82	1655	1
T35535	203	205	< 0.2	2.31	14	100	< 0.5	2	0.86	< 0.5	20	84	50	4.91	< 10	< 1	0.08	< 10	1.73	830	1
T35536	203	205	< 0.2	2.83	6	370	0.5	< 2	0.50	0.5	21	62	71	4.59	< 10	< 1	0.12	< 10	2.01	815	1
T35537	203	205	< 0.2	2.35	6	120	0.5	2	0.73	< 0.5	12	66	24	3.61	< 10	< 1	0.13	10	1.47	550	1
T35538	203	205	< 0.2	2.68	10	140	< 0.5	4	0.21	< 0.5	8	61	43	5.50	< 10	< 1	0.11	< 10	0.81	550	4

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page Number: 1-B
Total Pages: 6
Certificate Date: 27-AUG-95
Invoice No.: 19525277
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35499	203 205	< 0.01	16	1230	8	< 2	3	22	0.16	< 10	< 10	94	< 10	72
T35500	203 205	0.01	13	990	14	< 2	4	24	0.16	< 10	< 10	75	< 10	98
T35501	203 205	< 0.01	14	1850	4	< 2	7	16	0.27	< 10	< 10	168	< 10	112
T35502	203 205	< 0.01	14	1770	8	2	9	10	0.30	< 10	< 10	184	< 10	88
T35503	203 205	< 0.01	3	1860	14	2	4	15	0.31	< 10	< 10	217	< 10	80
T35504	203 205	0.01	12	1610	6	2	5	30	0.19	< 10	< 10	111	< 10	84
T35505	203 205	0.01	20	1250	36	< 2	7	29	0.21	< 10	< 10	98	< 10	352
T35506	203 205	0.02	28	1120	8	2	8	39	0.22	< 10	< 10	106	< 10	430
T35507	203 205	< 0.01	21	1710	8	2	11	14	0.25	< 10	< 10	174	< 10	120
T35508	203 205	< 0.01	4	1550	6	2	6	20	0.24	< 10	< 10	159	< 10	64
T35509	203 205	0.01	11	1300	4	< 2	11	44	0.39	< 10	< 10	208	< 10	954
T35510	203 205	< 0.01	7	1040	6	< 2	8	28	0.28	< 10	< 10	194	< 10	78
T35511	203 205	< 0.01	18	1740	14	< 2	8	29	0.26	< 10	< 10	138	< 10	238
T35512	203 205	0.02	15	1090	38	< 2	8	38	0.24	< 10	< 10	117	< 10	388
T35513	203 205	< 0.01	14	1420	6	< 2	8	32	0.28	< 10	< 10	165	< 10	114
T35514	203 205	0.02	10	1280	20	< 2	6	28	0.24	< 10	< 10	107	< 10	126
T35515	203 205	< 0.01	13	1860	80	< 2	6	27	0.25	< 10	< 10	130	< 10	454
T35516	203 205	0.01	13	1140	4	< 2	9	38	0.24	< 10	< 10	128	< 10	278
T35517	203 205	< 0.01	9	1700	20	< 2	7	20	0.31	< 10	< 10	187	< 10	100
T35518	203 205	< 0.01	18	810	4	< 2	7	36	0.23	< 10	< 10	94	< 10	160
T35519	203 205	0.02	14	1160	16	< 2	6	34	0.27	< 10	< 10	128	< 10	132
T35520	203 205	< 0.01	17	860	8	2	4	29	0.25	< 10	< 10	123	< 10	74
T35521	203 205	0.04	10	1190	62	< 2	3	23	0.15	< 10	< 10	64	< 10	138
T35522	203 205	0.01	11	1440	8	< 2	3	31	0.13	< 10	< 10	91	< 10	30
T35523	203 205	< 0.01	11	430	64	< 2	4	25	0.36	< 10	< 10	149	< 10	68
T35524	203 205	0.01	19	820	6	< 2	5	37	0.25	< 10	< 10	128	< 10	72
T35525	203 205	< 0.01	19	1160	4	2	9	47	0.31	< 10	< 10	164	< 10	98
T35526	203 205	< 0.01	17	1150	54	< 2	6	34	0.23	< 10	< 10	104	< 10	364
T35527	203 205	0.01	11	1470	8	2	9	40	0.36	< 10	< 10	172	< 10	154
T35528	203 205	< 0.01	14	730	4	< 2	8	38	0.23	< 10	< 10	98	< 10	94
T35529	203 205	< 0.01	26	780	4	< 2	8	39	0.25	< 10	< 10	103	< 10	88
T35530	203 205	< 0.01	17	1260	6	< 2	3	21	0.17	< 10	< 10	96	< 10	100
T35531	203 205	0.01	17	1400	8	< 2	8	26	0.22	< 10	< 10	111	< 10	112
T35532	203 205	0.01	13	1670	24	< 2	8	15	0.23	< 10	< 10	129	< 10	166
T35533	203 205	0.02	20	630	36	< 2	8	50	0.22	< 10	< 10	76	< 10	78
T35534	203 205	0.02	11	1440	114	< 2	6	41	0.25	< 10	< 10	110	< 10	330
T35535	203 205	< 0.01	25	1380	12	2	4	41	0.22	< 10	< 10	91	< 10	82
T35536	203 205	0.03	19	1010	48	< 2	7	32	0.18	< 10	< 10	84	< 10	156
T35537	203 205	0.01	8	770	4	< 2	5	52	0.23	< 10	< 10	64	< 10	48
T35538	203 205	< 0.01	7	970	8	< 2	4	21	0.28	< 10	< 10	150	< 10	40

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page No. : 2-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : I9525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35539	203 205	< 0.2	2.11	12	240	< 0.5	2	0.24	< 0.5	3	105	20	3.13	< 10	< 1	0.20	10	0.62	190	2
T35540	203 205	< 0.2	2.66	6	120	0.5	2	0.66	< 0.5	11	82	24	3.11	< 10	< 1	0.15	10	1.36	400	1
T35541	203 205	< 0.2	1.99	< 2	70	< 0.5	2	0.45	< 0.5	4	109	5	2.06	< 10	< 1	0.07	10	0.75	165	< 1
T35542	203 205	< 0.2	2.45	8	110	< 0.5	2	0.70	< 0.5	8	103	14	2.87	< 10	< 1	0.14	10	1.22	315	1
T35543	203 205	< 0.2	2.49	< 2	120	< 0.5	2	0.51	< 0.5	5	115	6	2.71	< 10	< 1	0.19	10	0.87	295	< 1
T35544	203 205	< 0.2	2.55	16	160	< 0.5	2	0.93	< 0.5	26	159	32	4.77	< 10	< 1	0.15	10	2.51	795	1
T35545	203 205	< 0.2	2.30	8	130	< 0.5	2	0.22	< 0.5	3	79	12	2.73	< 10	< 1	0.10	10	0.66	195	1
T35546	203 205	< 0.2	3.01	10	160	< 0.5	4	0.83	< 0.5	13	60	16	4.07	< 10	< 1	0.16	10	1.78	495	< 1
T35547	203 205	< 0.2	2.62	4	120	< 0.5	2	0.55	< 0.5	9	58	26	4.09	< 10	1	0.12	10	1.19	475	2
T35548	203 205	< 0.2	2.80	< 2	60	< 0.5	2	0.99	< 0.5	10	50	11	3.81	< 10	< 1	0.05	< 10	1.48	370	< 1
T35549	203 205	< 0.2	1.84	12	280	< 0.5	2	0.25	< 0.5	3	63	34	2.99	< 10	< 1	0.21	10	0.93	275	1
T35550	203 205	< 0.2	1.98	< 2	100	< 0.5	2	0.38	< 0.5	4	67	9	2.18	< 10	< 1	0.12	10	0.67	220	< 1
T35551	203 205	< 0.2	2.27	6	80	< 0.5	2	0.69	< 0.5	7	49	4	2.37	< 10	< 1	0.10	10	1.11	250	< 1
T35552	203 205	0.2	2.77	18	370	0.5	2	0.41	< 0.5	4	64	41	3.88	< 10	< 1	0.30	20	1.09	335	3
T35553	203 205	< 0.2	3.51	18	130	0.5	2	0.71	< 0.5	73	236	53	5.78	< 10	1	0.11	10	3.35	1430	2
T35554	203 205	< 0.2	1.27	6	180	< 0.5	2	0.41	< 0.5	54	172	10	4.24	< 10	< 1	0.04	< 10	1.40	3010	< 1
T35555	203 205	< 0.2	1.78	< 2	40	< 0.5	2	0.57	< 0.5	7	48	4	2.30	< 10	< 1	0.03	< 10	0.76	235	1
T35556	203 205	< 0.2	2.39	< 2	20	< 0.5	2	0.74	< 0.5	13	52	9	3.54	< 10	< 1	0.03	< 10	1.62	405	< 1
T35557	203 205	< 0.2	2.23	< 2	30	< 0.5	2	0.46	< 0.5	10	48	6	3.14	< 10	< 1	0.02	< 10	1.16	310	< 1
T35558	203 205	< 0.2	2.60	8	90	0.5	< 2	0.83	< 0.5	7	55	8	2.75	< 10	< 1	0.12	20	0.55	485	< 1
T35559	203 205	< 0.2	2.08	< 2	70	0.5	< 2	0.75	< 0.5	9	68	9	2.82	< 10	1	0.17	20	0.67	670	< 1
T35560	203 205	< 0.2	2.92	16	150	0.5	2	0.96	< 0.5	20	65	20	4.92	< 10	< 1	0.16	50	1.27	975	< 1
T35561	203 205	< 0.2	2.90	4	70	< 0.5	< 2	0.30	< 0.5	20	32	31	>15.00	10	2	0.09	< 10	1.84	515	33
T35562	203 205	< 0.2	2.09	4	110	0.5	2	0.71	< 0.5	10	104	9	2.89	< 10	< 1	0.19	30	0.63	770	1
T35563	203 205	< 0.2	1.73	6	110	0.5	< 2	0.70	< 0.5	6	104	5	2.36	< 10	< 1	0.21	30	0.42	575	< 1
T35564	203 205	0.2	3.38	< 2	60	< 0.5	< 2	0.54	< 0.5	25	48	11	7.03	10	< 1	0.03	< 10	1.46	1455	1
T35565	203 205	< 0.2	1.18	< 2	20	< 0.5	< 2	0.17	< 0.5	6	24	4	2.32	< 10	< 1	0.03	< 10	0.31	375	< 1
T35566	203 205	< 0.2	2.07	2	60	< 0.5	< 2	0.41	< 0.5	6	73	5	3.43	< 10	< 1	0.09	10	0.62	625	< 1
T35567	203 205	< 0.2	1.75	< 2	90	< 0.5	< 2	0.40	< 0.5	13	189	5	3.38	< 10	< 1	0.06	10	0.92	530	< 1
T35568	203 205	< 0.2	2.48	< 2	70	< 0.5	2	0.57	< 0.5	29	190	23	4.42	< 10	< 1	0.03	< 10	2.49	635	< 1
T35569	203 205	< 0.2	1.60	8	40	< 0.5	< 2	0.45	< 0.5	6	72	16	1.39	< 10	< 1	0.03	< 10	0.63	115	< 1
T35570	203 205	< 0.2	3.05	10	40	< 0.5	2	0.78	< 0.5	51	203	83	3.61	< 10	< 1	0.03	< 10	3.88	645	1
T35571	203 205	< 0.2	2.95	8	60	< 0.5	2	0.43	< 0.5	14	115	10	4.60	< 10	< 1	0.07	10	1.66	640	< 1
T35572	203 205	< 0.2	2.01	2	80	< 0.5	< 2	0.23	< 0.5	3	60	6	1.73	< 10	< 1	0.08	10	0.32	280	< 1
T35573	203 205	< 0.2	2.73	< 2	70	< 0.5	2	0.39	< 0.5	11	43	15	4.44	< 10	< 1	0.07	10	0.87	395	1
T35574	203 205	< 0.2	2.27	2	90	0.5	< 2	0.98	< 0.5	6	64	6	2.41	< 10	< 1	0.17	40	0.46	575	< 1
T35575	203 205	< 0.2	2.21	6	90	0.5	< 2	0.85	< 0.5	6	61	7	2.41	< 10	< 1	0.17	50	0.43	595	< 1
T35576	203 205	< 0.2	2.24	6	70	< 0.5	< 2	0.62	< 0.5	25	161	14	3.05	< 10	< 1	0.16	10	2.00	725	< 1
T35577	203 205	< 0.2	2.11	6	60	0.5	2	0.82	< 0.5	20	140	22	2.86	< 10	< 1	0.19	20	2.39	560	< 1
T35578	203 205	< 0.2	3.05	6	40	< 0.5	2	0.72	< 0.5	44	237	86	4.25	< 10	< 1	0.03	< 10	5.99	560	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page 1 of 2-B
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : I9525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35539	203	205	0.01	8	590	16	< 2	2	32	0.12	< 10	< 10	56	< 10	42
T35540	203	205	0.04	10	610	8	< 2	6	63	0.16	< 10	< 10	61	< 10	54
T35541	203	205	0.03	8	320	4	< 2	3	39	0.17	< 10	< 10	46	< 10	24
T35542	203	205	0.01	8	490	10	< 2	4	62	0.19	< 10	< 10	52	< 10	38
T35543	203	205	0.01	4	380	6	< 2	3	60	0.14	< 10	< 10	31	< 10	34
T35544	203	205	0.01	85	840	6	< 2	6	50	0.30	< 10	< 10	89	< 10	66
T35545	203	205	< 0.01	7	450	8	< 2	2	30	0.09	< 10	< 10	39	< 10	46
T35546	203	205	< 0.01	17	750	12	< 2	6	48	0.31	< 10	< 10	85	< 10	56
T35547	203	205	< 0.01	9	960	8	< 2	3	41	0.21	< 10	< 10	73	< 10	52
T35548	203	205	< 0.01	11	550	6	< 2	6	64	0.39	< 10	< 10	97	< 10	32
T35549	203	205	< 0.01	9	530	20	< 2	3	34	0.09	< 10	< 10	30	< 10	60
T35550	203	205	0.01	7	500	8	< 2	2	42	0.16	< 10	< 10	50	< 10	30
T35551	203	205	< 0.01	7	430	2	< 2	4	65	0.20	< 10	< 10	49	< 10	30
T35552	203	205	< 0.01	7	570	32	< 2	4	49	0.10	< 10	< 10	33	< 10	62
T35553	203	205	0.02	301	1400	18	< 2	6	42	0.08	< 10	< 10	76	< 10	92
T35554	203	205	0.04	104	520	6	< 2	1	25	0.06	< 10	< 10	46	< 10	38
T35555	203	205	0.05	7	510	2	< 2	2	35	0.21	< 10	< 10	63	< 10	24
T35556	203	205	< 0.01	11	940	4	< 2	4	41	0.27	< 10	< 10	74	< 10	30
T35557	203	205	0.01	10	400	2	< 2	3	28	0.30	< 10	< 10	85	< 10	20
T35558	203	205	0.01	6	540	6	< 2	3	102	0.09	< 10	< 10	34	< 10	48
T35559	203	205	0.01	3	410	6	< 2	4	84	0.13	< 10	< 10	39	< 10	50
T35560	203	205	0.01	4	780	8	< 2	8	113	0.06	< 10	< 10	61	< 10	144
T35561	203	205	< 0.01	4	1640	8	< 2	10	21	0.21	< 10	< 10	91	< 10	34
T35562	203	205	0.01	6	650	12	< 2	4	79	0.09	< 10	< 10	42	< 10	56
T35563	203	205	0.02	4	470	12	< 2	3	77	0.08	< 10	< 10	28	< 10	50
T35564	203	205	< 0.01	7	740	4	< 2	5	40	0.41	< 10	< 10	148	< 10	78
T35565	203	205	0.08	2	530	2	< 2	1	15	0.13	< 10	< 10	48	< 10	16
T35566	203	205	0.01	5	460	12	< 2	3	57	0.17	< 10	< 10	54	< 10	46
T35567	203	205	< 0.01	41	400	14	< 2	2	31	0.17	< 10	< 10	70	< 10	32
T35568	203	205	0.03	143	360	4	< 2	2	24	0.09	< 10	< 10	51	< 10	56
T35569	203	205	0.05	33	430	6	< 2	1	17	0.05	< 10	< 10	29	< 10	18
T35570	203	205	0.04	310	470	2	< 2	2	22	0.05	< 10	< 10	30	< 10	44
T35571	203	205	< 0.01	46	420	8	< 2	4	32	0.23	< 10	< 10	76	< 10	50
T35572	203	205	0.05	7	510	8	< 2	1	31	0.08	< 10	< 10	37	< 10	26
T35573	203	205	0.04	7	690	4	< 2	4	32	0.19	< 10	< 10	88	< 10	34
T35574	203	205	0.01	5	480	14	< 2	4	104	0.10	< 10	< 10	32	< 10	56
T35575	203	205	0.02	5	430	12	< 2	4	95	0.11	< 10	< 10	32	< 10	58
T35576	203	205	0.01	153	470	12	< 2	4	52	0.09	< 10	< 10	32	< 10	62
T35577	203	205	0.01	142	420	6	< 2	5	70	0.13	< 10	< 10	34	< 10	38
T35578	203	205	0.05	395	470	2	< 2	3	22	0.04	< 10	< 10	29	< 10	52

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page 1 of 1 : 3-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35579	203 205	< 0.2	2.95	16	20	< 0.5	2	1.13	< 0.5	32	146	96	2.98	< 10	< 1	0.02	< 10	2.34	510	1
T35580	203 205	0.2	5.52	4	40	0.5	< 2	0.77	< 0.5	139	56	112	12.45	10	1	0.04	< 10	4.16	1630	6
T35581	203 205	< 0.2	3.27	4	90	0.5	< 2	0.74	< 0.5	29	73	58	6.71	< 10	< 1	0.10	10	1.71	1375	< 1
T35582	203 205	< 0.2	2.81	< 2	240	< 0.5	10	0.50	< 0.5	21	40	21	6.14	10	< 1	0.18	< 10	1.97	730	1
T35583	203 205	< 0.2	2.68	6	80	< 0.5	2	0.58	< 0.5	15	75	26	4.47	< 10	< 1	0.10	10	1.85	885	< 1
T35584	203 205	< 0.2	2.48	4	100	< 0.5	< 2	0.54	< 0.5	14	57	20	3.71	< 10	< 1	0.09	10	1.87	595	1
T35585	203 205	< 0.2	2.67	2	60	< 0.5	2	0.54	< 0.5	16	55	57	4.23	< 10	< 1	0.08	10	1.95	740	< 1
T35586	203 205	< 0.2	3.69	8	60	0.5	< 2	0.85	< 0.5	35	52	114	7.11	< 10	< 1	0.04	< 10	2.91	1320	2
T35587	203 205	< 0.2	3.51	< 2	70	< 0.5	< 2	0.72	< 0.5	52	47	114	8.50	< 10	< 1	0.09	10	2.82	1455	1
T35588	203 205	< 0.2	3.65	12	100	0.5	12	0.98	< 0.5	47	34	192	8.56	< 10	< 1	0.04	< 10	2.88	1965	2
T35589	203 205	< 0.2	4.31	28	70	< 0.5	2	1.11	< 0.5	54	34	159	10.35	< 10	1	0.04	< 10	3.60	1800	1
T35590	203 205	0.2	4.48	16	40	0.5	< 2	0.89	< 0.5	54	50	196	10.45	< 10	< 1	0.05	< 10	3.67	1445	5
T35591	203 205	0.2	4.57	12	60	< 0.5	< 2	1.11	< 0.5	36	85	21	7.01	< 10	< 1	0.23	< 10	5.01	845	1
T35592	203 205	< 0.2	2.19	6	290	0.5	2	1.24	< 0.5	6	63	1	1.90	< 10	< 1	0.10	30	1.19	215	< 1
T35593	203 205	< 0.2	2.47	8	70	0.5	6	1.26	< 0.5	8	61	3	2.48	< 10	< 1	0.09	20	1.28	315	< 1
T35594	203 205	< 0.2	1.67	6	160	< 0.5	2	0.66	< 0.5	7	50	27	2.77	< 10	1	0.25	30	0.93	245	2
T35595	203 205	< 0.2	2.95	14	30	< 0.5	2	0.98	< 0.5	23	97	10	4.29	< 10	< 1	0.07	< 10	2.99	470	< 1
T35596	203 205	< 0.2	3.47	26	150	0.5	2	1.40	< 0.5	26	70	9	4.15	< 10	< 1	0.12	10	2.68	485	1
T35597	203 205	< 0.2	3.53	18	60	< 0.5	4	1.33	< 0.5	22	95	4	3.83	< 10	< 1	0.07	< 10	3.42	405	< 1
T35598	203 205	< 0.2	3.19	14	70	< 0.5	6	1.19	< 0.5	22	65	6	4.04	< 10	1	0.09	< 10	2.92	500	< 1
T35599	203 205	< 0.2	2.94	2	30	< 0.5	< 2	1.10	< 0.5	22	75	9	4.35	< 10	1	0.07	< 10	2.81	575	1
T35600	203 205	< 0.2	4.05	16	70	0.5	6	1.27	< 0.5	38	134	35	6.20	< 10	< 1	0.03	< 10	3.81	1325	< 1
T35601	203 205	< 0.2	4.22	4	30	0.5	6	1.35	< 0.5	34	21	14	7.80	< 10	< 1	0.01	< 10	4.07	925	< 1
T35602	203 205	< 0.2	3.53	8	130	0.5	< 2	0.98	0.5	29	72	89	6.88	10	< 1	0.11	20	2.58	1325	< 1
T35603	203 205	< 0.2	2.79	4	90	0.5	2	0.65	< 0.5	19	66	57	4.85	< 10	< 1	0.09	10	1.64	840	1
T35604	203 205	< 0.2	3.27	4	80	0.5	2	0.82	< 0.5	25	54	19	5.29	< 10	< 1	0.08	10	2.10	1050	2
T36290	203 205	< 0.2	3.87	6	60	< 0.5	6	0.89	< 0.5	24	65	90	7.94	< 10	< 1	0.07	< 10	2.59	1435	1
T36291	203 205	< 0.2	3.85	4	40	< 0.5	10	0.79	< 0.5	26	58	85	8.77	< 10	1	0.05	< 10	2.64	1280	2
T36292	203 205	< 0.2	2.96	< 2	90	< 0.5	4	0.87	< 0.5	23	89	31	5.44	< 10	1	0.08	< 10	1.77	1100	3
T36293	203 205	< 0.2	2.42	2	70	< 0.5	4	1.12	< 0.5	12	79	10	3.37	< 10	< 1	0.12	10	1.25	410	< 1
T36294	203 205	< 0.2	3.08	6	110	< 0.5	2	0.75	< 0.5	30	105	65	5.49	< 10	< 1	0.11	10	1.93	965	3
T36295	203 205	< 0.2	2.78	34	10	< 0.5	2	0.64	< 0.5	65	299	102	4.02	< 10	< 1	0.02	< 10	7.56	640	< 1
T36296	203 205	< 0.2	2.79	20	10	< 0.5	2	0.67	< 0.5	54	262	95	3.58	< 10	< 1	0.02	< 10	7.41	595	< 1
T36297	203 205	< 0.2	2.99	24	10	< 0.5	6	0.80	< 0.5	51	250	91	3.62	< 10	< 1	0.01	< 10	6.29	560	< 1
T36298	203 205	< 0.2	2.34	18	60	< 0.5	2	0.54	< 0.5	52	201	70	3.07	< 10	< 1	0.05	< 10	3.90	670	< 1
T36299	203 205	< 0.2	2.44	6	120	< 0.5	4	0.69	< 0.5	51	154	33	3.58	< 10	< 1	0.06	< 10	3.15	1025	< 1
T36300	203 205	< 0.2	3.27	16	20	< 0.5	2	0.78	< 0.5	52	269	40	4.37	< 10	< 1	0.02	< 10	6.54	735	< 1
T36301	203 205	< 0.2	4.39	40	10	< 0.5	4	1.12	< 0.5	73	284	119	4.28	< 10	< 1	0.01	< 10	8.07	695	< 1
T36302	203 205	< 0.2	3.00	34	10	< 0.5	4	0.93	< 0.5	55	310	98	4.23	< 10	< 1	0.02	< 10	8.33	595	< 1
T36303	203 205	< 0.2	2.05	4	80	< 0.5	2	0.99	< 0.5	17	143	13	2.79	< 10	< 1	0.06	< 10	1.38	525	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 3-B
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35579	203	205	0.02	107	280	8	< 2	6	43	0.13	< 10	< 10	87	< 10	44
T35580	203	205	< 0.01	17	1600	2	< 2	8	23	0.41	< 10	< 10	186	< 10	62
T35581	203	205	< 0.01	19	1430	6	< 2	6	40	0.33	< 10	< 10	144	< 10	104
T35582	203	205	< 0.01	14	800	6	< 2	6	42	0.46	< 10	< 10	175	< 10	72
T35583	203	205	< 0.01	14	710	4	< 2	5	39	0.32	< 10	< 10	89	< 10	68
T35584	203	205	< 0.01	17	640	2	< 2	4	34	0.26	< 10	< 10	73	< 10	62
T35585	203	205	0.01	17	910	4	< 2	5	31	0.27	< 10	< 10	85	< 10	74
T35586	203	205	< 0.01	18	980	4	< 2	7	36	0.40	< 10	< 10	127	< 10	94
T35587	203	205	< 0.01	20	1190	2	< 2	8	37	0.32	< 10	< 10	122	< 10	86
T35588	203	205	< 0.01	13	1290	12	< 2	7	35	0.41	< 10	< 10	152	< 10	156
T35589	203	205	< 0.01	16	1410	6	< 2	9	33	0.47	< 10	< 10	179	< 10	140
T35590	203	205	< 0.01	18	1550	48	< 2	9	29	0.44	< 10	< 10	166	< 10	124
T35591	203	205	< 0.01	29	870	2	< 2	10	47	0.45	< 10	< 10	150	< 10	64
T35592	203	205	0.02	4	440	< 2	< 2	3	161	0.11	< 10	< 10	23	< 10	18
T35593	203	205	0.01	2	610	6	2	3	149	0.16	< 10	< 10	19	< 10	30
T35594	203	205	< 0.01	4	550	24	< 2	3	86	0.15	< 10	< 10	18	< 10	52
T35595	203	205	< 0.01	25	770	< 2	< 2	7	47	0.37	< 10	< 10	90	< 10	38
T35596	203	205	< 0.01	18	750	2	< 2	9	111	0.36	< 10	< 10	81	< 10	36
T35597	203	205	< 0.01	26	860	2	< 2	12	81	0.37	< 10	< 10	106	< 10	26
T35598	203	205	< 0.01	22	840	< 2	< 2	12	70	0.42	< 10	< 10	109	< 10	26
T35599	203	205	< 0.01	22	610	4	< 2	8	54	0.42	< 10	< 10	119	< 10	34
T35600	203	205	< 0.01	33	650	10	< 2	11	55	0.45	< 10	< 10	125	< 10	104
T35601	203	205	< 0.01	12	1660	2	< 2	8	63	0.57	< 10	< 10	151	< 10	50
T35602	203	205	< 0.01	21	970	20	< 2	11	43	0.27	< 10	< 10	118	< 10	160
T35603	203	205	0.02	15	800	26	< 2	7	41	0.23	< 10	< 10	92	< 10	94
T35604	203	205	< 0.01	20	1710	6	< 2	8	40	0.28	< 10	< 10	109	< 10	86
T36290	203	205	< 0.01	9	1450	6	< 2	8	41	0.45	< 10	< 10	141	< 10	142
T36291	203	205	< 0.01	10	1590	12	< 2	7	35	0.47	< 10	< 10	149	< 10	148
T36292	203	205	< 0.01	14	950	6	< 2	6	39	0.42	< 10	< 10	123	< 10	98
T36293	203	205	< 0.01	10	820	6	2	6	77	0.28	< 10	< 10	74	< 10	38
T36294	203	205	0.02	33	1140	10	< 2	6	38	0.29	< 10	< 10	112	< 10	90
T36295	203	205	0.01	591	300	12	< 2	4	29	0.09	< 10	< 10	41	< 10	52
T36296	203	205	0.01	564	290	2	< 2	3	26	0.07	< 10	< 10	30	< 10	46
T36297	203	205	0.01	477	240	12	< 2	4	32	0.12	< 10	< 10	44	< 10	50
T36298	203	205	0.07	328	510	14	< 2	3	27	0.08	< 10	< 10	39	< 10	42
T36299	203	205	0.03	196	840	14	< 2	2	33	0.13	< 10	< 10	62	< 10	60
T36300	203	205	0.01	369	340	8	< 2	2	39	0.09	< 10	< 10	38	< 10	72
T36301	203	205	0.01	633	280	18	< 2	4	52	0.12	< 10	< 10	42	< 10	62
T36302	203	205	0.01	615	210	8	< 2	5	45	0.11	< 10	< 10	43	< 10	46
T36303	203	205	0.01	52	320	22	< 2	4	60	0.20	< 10	< 10	75	< 10	38

CERTIFICATION:

Jan B. Schiller



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 4-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36304	203 205	< 0.2	4.41	18	20	< 0.5	4	1.26	< 0.5	32	97	92	7.98	< 10	< 1	0.04	< 10	3.37	1000	5
T36305	203 205	< 0.2	2.51	< 2	30	< 0.5	< 2	1.24	< 0.5	12	77	4	2.75	< 10	< 1	0.04	10	1.42	310	< 1
T36306	203 205	< 0.2	6.28	4	80	0.5	< 2	0.30	< 0.5	128	57	328	6.11	< 10	< 1	0.08	10	1.95	2300	4
T36307	203 205	< 0.2	2.39	< 2	30	< 0.5	2	0.83	< 0.5	15	52	21	5.75	< 10	< 1	0.03	< 10	1.59	675	< 1
T36308	203 205	< 0.2	3.93	26	10	< 0.5	4	0.66	< 0.5	96	392	179	3.90	< 10	< 1	0.01	< 10	10.35	595	< 1
T36309	203 205	0.2	4.03	62	10	< 0.5	2	0.98	< 0.5	92	330	220	3.98	< 10	< 1	0.02	< 10	8.80	670	< 1
T36310	203 205	< 0.2	2.72	38	20	< 0.5	4	0.38	< 0.5	99	480	154	4.96	< 10	< 1	0.01	< 10	12.80	715	< 1
T36311	203 205	< 0.2	2.64	14	70	< 0.5	2	0.87	< 0.5	27	202	28	3.18	< 10	< 1	0.06	< 10	2.33	590	1
T36312	203 205	< 0.2	2.84	10	40	< 0.5	2	0.96	< 0.5	19	155	27	3.01	< 10	< 1	0.05	< 10	2.03	340	< 1
T36313	203 205	< 0.2	2.67	16	50	< 0.5	4	0.72	< 0.5	32	252	46	4.08	< 10	< 1	0.04	< 10	5.40	480	< 1
T36314	203 205	< 0.2	2.07	2	60	< 0.5	< 2	0.65	< 0.5	9	87	8	2.44	< 10	< 1	0.08	10	1.03	290	< 1
T36315	203 205	< 0.2	2.34	22	120	< 0.5	2	0.63	< 0.5	24	190	19	3.76	< 10	< 1	0.09	< 10	2.21	700	2
T36316	203 205	< 0.2	2.49	2	20	< 0.5	2	0.59	< 0.5	11	23	6	3.14	< 10	< 1	0.03	< 10	1.50	330	< 1
T36317	203 205	0.2	1.63	6	160	0.5	< 2	0.37	0.5	9	61	30	2.10	< 10	< 1	0.17	20	0.56	485	1
T36318	203 205	< 0.2	1.46	6	120	< 0.5	< 2	0.34	< 0.5	7	77	20	2.56	< 10	< 1	0.11	10	0.55	415	< 1
T36319	203 205	< 0.2	0.83	< 2	60	< 0.5	< 2	0.10	< 0.5	1	34	9	0.84	< 10	< 1	0.05	< 10	0.11	170	< 1
T36320	203 205	0.4	1.87	2	110	< 0.5	< 2	0.29	< 0.5	11	60	29	2.08	< 10	< 1	0.09	10	0.53	415	1
T36321	203 205	< 0.2	1.54	10	130	< 0.5	< 2	0.18	< 0.5	7	61	40	3.62	< 10	< 1	0.10	20	0.54	380	2
T36322	203 205	< 0.2	1.87	12	150	< 0.5	2	0.32	< 0.5	10	101	40	3.50	< 10	< 1	0.14	10	1.02	365	1
T36323	203 205	< 0.2	1.49	4	110	< 0.5	< 2	0.22	< 0.5	9	56	22	2.83	< 10	< 1	0.07	10	0.47	715	1
T36324	203 205	< 0.2	3.03	< 2	40	< 0.5	4	0.79	< 0.5	12	59	27	4.69	< 10	< 1	0.08	< 10	1.88	770	< 1
T36325	203 205	< 0.2	1.51	10	130	< 0.5	< 2	0.20	< 0.5	7	62	47	3.50	< 10	1	0.12	20	0.43	290	2
T36326	203 205	< 0.2	1.56	12	130	< 0.5	< 2	0.18	< 0.5	6	60	39	3.41	< 10	< 1	0.11	30	0.55	230	1
T36327	203 205	< 0.2	1.65	4	250	< 0.5	2	0.15	< 0.5	5	74	56	3.86	< 10	< 1	0.17	20	0.52	205	2
T36328	203 205	1.2	1.13	4	210	< 0.5	< 2	0.22	< 0.5	2	114	27	1.60	< 10	< 1	0.14	10	0.23	105	1
T36329	203 205	0.2	1.42	8	210	< 0.5	< 2	0.19	< 0.5	4	64	37	2.09	< 10	< 1	0.15	20	0.46	140	7
T36330	203 205	< 0.2	1.60	6	220	< 0.5	2	0.26	< 0.5	7	80	28	3.01	< 10	< 1	0.19	20	0.57	230	2
T36331	203 205	< 0.2	3.00	8	70	< 0.5	4	0.70	< 0.5	60	70	65	4.32	< 10	< 1	0.10	< 10	2.08	995	1
T36332	203 205	0.2	1.79	24	230	< 0.5	4	0.21	< 0.5	12	79	76	3.59	< 10	< 1	0.23	30	1.02	360	4
T36333	203 205	0.6	1.17	20	330	< 0.5	< 2	0.02	7.0	25	39	153	4.34	< 10	< 1	0.28	40	0.30	2100	8
T36334	203 205	< 0.2	1.19	46	280	< 0.5	2	0.07	< 0.5	7	48	57	3.45	< 10	< 1	0.27	30	0.25	555	5
T36335	203 205	1.0	1.36	22	240	< 0.5	2	0.07	0.5	4	71	59	3.01	< 10	< 1	0.28	30	0.59	365	3
T36336	203 205	0.4	1.47	6	350	< 0.5	< 2	0.03	< 0.5	1	99	49	3.67	< 10	< 1	0.30	30	0.68	215	8
T36337	203 205	1.2	0.75	4	100	< 0.5	< 2	0.12	0.5	8	47	54	1.26	< 10	< 1	0.09	10	0.18	235	1
T36338	203 205	0.8	2.12	14	250	< 0.5	2	0.15	0.5	3	38	95	3.83	< 10	< 1	0.18	40	0.72	210	9
T36339	203 205	0.2	2.17	2	150	< 0.5	2	0.47	< 0.5	21	71	42	3.92	< 10	< 1	0.13	10	1.43	945	3
T36340	203 205	0.4	1.34	6	190	< 0.5	< 2	0.15	< 0.5	3	67	92	3.77	< 10	< 1	0.14	20	0.43	185	2
T36341	203 205	1.0	1.38	8	240	< 0.5	2	0.07	0.5	3	55	76	3.56	< 10	< 1	0.16	30	0.26	120	3
T36342	203 205	0.2	1.50	18	370	< 0.5	< 2	0.02	< 0.5	< 1	61	59	4.04	< 10	< 1	0.41	20	0.80	205	3
T36343	203 205	0.2	1.59	10	320	< 0.5	< 2	0.01	< 0.5	< 1	79	50	3.93	< 10	< 1	0.26	30	0.65	235	10

CERTIFICATION:

David Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 4-B
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36304	203 205	< 0.01	43	1460	6	< 2	8	50	0.45	< 10	< 10	150	< 10	60
T36305	203 205	< 0.01	10	690	6	< 2	8	84	0.35	< 10	< 10	94	< 10	26
T36306	203 205	0.01	16	1350	18	< 2	6	16	0.21	< 10	< 10	94	< 10	186
T36307	203 205	< 0.01	6	1920	< 2	< 2	4	34	0.23	< 10	< 10	101	< 10	52
T36308	203 205	< 0.01	913	130	6	< 2	3	20	0.06	< 10	< 10	29	< 10	46
T36309	203 205	< 0.01	814	320	22	< 2	4	30	0.08	< 10	< 10	47	< 10	72
T36310	203 205	< 0.01	1020	190	6	< 2	6	16	0.07	< 10	< 10	40	< 10	42
T36311	203 205	0.04	107	440	8	< 2	3	41	0.11	< 10	< 10	82	< 10	50
T36312	203 205	0.04	78	340	8	< 2	3	38	0.11	< 10	< 10	77	< 10	46
T36313	203 205	0.01	280	220	6	< 2	4	40	0.10	< 10	< 10	55	< 10	52
T36314	203 205	< 0.01	11	610	4	< 2	3	46	0.19	< 10	< 10	56	< 10	30
T36315	203 205	0.02	85	610	8	< 2	3	38	0.14	< 10	< 10	72	< 10	62
T36316	203 205	< 0.01	10	720	6	< 2	3	35	0.25	< 10	< 10	74	< 10	36
T36317	203 205	0.02	16	760	16	< 2	2	30	0.10	< 10	< 10	38	< 10	108
T36318	203 205	< 0.01	10	550	16	< 2	2	31	0.12	< 10	< 10	57	< 10	50
T36319	203 205	0.11	3	390	10	< 2	< 1	10	0.04	< 10	< 10	22	< 10	14
T36320	203 205	0.08	10	1070	10	< 2	1	20	0.09	< 10	< 10	40	< 10	40
T36321	203 205	< 0.01	14	780	18	< 2	1	17	0.10	< 10	< 10	62	< 10	68
T36322	203 205	< 0.01	17	570	10	< 2	2	19	0.17	< 10	< 10	61	< 10	72
T36323	203 205	0.01	10	660	12	< 2	1	19	0.11	< 10	< 10	71	< 10	50
T36324	203 205	0.06	11	880	2	< 2	6	40	0.37	< 10	< 10	126	< 10	58
T36325	203 205	0.01	19	770	24	< 2	1	19	0.07	< 10	< 10	58	< 10	86
T36326	203 205	< 0.01	18	620	20	< 2	2	20	0.10	< 10	< 10	50	< 10	78
T36327	203 205	< 0.01	22	730	44	< 2	2	23	0.10	< 10	< 10	52	< 10	94
T36328	203 205	0.03	10	560	32	< 2	< 1	27	0.04	< 10	< 10	34	< 10	38
T36329	203 205	0.01	13	330	76	< 2	2	22	0.07	< 10	< 10	45	< 10	50
T36330	203 205	< 0.01	18	420	26	< 2	2	32	0.08	< 10	< 10	42	< 10	68
T36331	203 205	< 0.01	28	700	10	< 2	5	29	0.35	< 10	< 10	111	< 10	62
T36332	203 205	0.01	19	830	18	< 2	2	31	0.08	< 10	< 10	49	< 10	64
T36333	203 205	0.01	52	470	304	< 2	2	11	< 0.01	< 10	< 10	11	< 10	1135
T36334	203 205	0.01	16	640	120	< 2	1	32	0.01	< 10	< 10	23	< 10	158
T36335	203 205	0.02	16	800	162	< 2	< 1	29	< 0.01	< 10	< 10	28	< 10	148
T36336	203 205	0.02	14	710	46	< 2	1	12	< 0.01	< 10	< 10	33	< 10	92
T36337	203 205	0.09	10	470	30	< 2	< 1	11	0.04	< 10	< 10	30	< 10	30
T36338	203 205	0.02	24	990	80	< 2	1	17	< 0.01	< 10	< 10	36	< 10	128
T36339	203 205	< 0.01	34	550	48	< 2	3	31	0.25	< 10	< 10	95	< 10	72
T36340	203 205	0.04	13	910	66	< 2	1	20	0.08	< 10	< 10	48	< 10	54
T36341	203 205	0.01	13	1430	44	< 2	< 1	15	< 0.01	< 10	< 10	46	< 10	62
T36342	203 205	0.01	7	840	20	< 2	1	24	< 0.01	< 10	< 10	27	< 10	56
T36343	203 205	0.01	14	770	60	< 2	1	11	< 0.01	< 10	< 10	33	< 10	116

CERTIFICATION:

Stan Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page No. : 5-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36344	203 205	0.2	1.96	14	270	< 0.5	2	0.15	< 0.5	8	46	45	4.16	< 10	1	0.22	20	1.01	495	3
T36345	203 205	< 0.2	1.55	4	120	< 0.5	4	0.18	< 0.5	8	53	33	3.58	< 10	< 1	0.11	10	0.69	365	2
T36346	203 205	< 0.2	1.74	4	160	< 0.5	2	0.25	< 0.5	15	37	40	3.81	< 10	< 1	0.13	10	0.89	485	3
T36347	203 205	0.2	1.69	12	200	< 0.5	4	0.41	< 0.5	14	67	60	4.14	< 10	< 1	0.15	20	0.98	455	2
T36348	203 205	0.8	3.03	10	260	< 0.5	2	0.35	< 0.5	12	55	54	4.89	< 10	< 1	0.21	10	1.34	450	2
T36349	203 205	< 0.2	1.87	10	120	< 0.5	2	0.34	< 0.5	10	55	24	3.14	< 10	< 1	0.11	10	0.78	425	1
T36350	203 205	< 0.2	1.10	6	130	< 0.5	< 2	0.15	< 0.5	3	83	21	2.47	< 10	1	0.11	10	0.43	295	2
T36351	203 205	0.4	1.35	12	160	< 0.5	< 2	0.11	< 0.5	6	80	45	3.37	< 10	< 1	0.13	20	0.44	380	2
T36352	203 205	0.2	0.91	6	200	< 0.5	< 2	0.09	< 0.5	5	75	46	2.72	< 10	< 1	0.14	20	0.22	140	2
T36353	203 205	0.4	1.53	6	500	< 0.5	< 2	0.06	< 0.5	2	56	62	4.45	< 10	< 1	0.32	40	0.58	130	14
T36354	203 205	1.8	1.16	2	360	< 0.5	< 2	0.10	0.5	3	73	84	2.02	< 10	< 1	0.17	30	0.38	135	2
T36355	203 205	0.2	1.50	6	410	< 0.5	2	0.12	< 0.5	< 1	65	58	3.62	< 10	< 1	0.38	20	0.91	195	3
T36356	203 205	< 0.2	2.32	58	250	0.5	2	0.55	< 0.5	15	48	77	3.73	< 10	1	0.27	30	1.35	500	4
T36357	203 205	0.2	1.74	12	600	< 0.5	4	0.18	< 0.5	2	73	57	3.98	< 10	< 1	0.45	30	0.93	235	6
T36358	203 205	0.2	1.67	20	430	< 0.5	2	0.14	< 0.5	3	62	49	3.60	< 10	< 1	0.31	30	0.89	235	3
T36359	203 205	< 0.2	2.03	8	180	< 0.5	2	0.63	< 0.5	13	65	31	3.61	< 10	1	0.16	10	1.61	395	1
T36360	203 205	< 0.2	3.13	20	60	< 0.5	4	0.60	< 0.5	52	283	76	4.03	< 10	< 1	0.04	< 10	6.39	610	< 1
T36361	203 205	< 0.2	3.53	< 2	90	0.5	4	0.87	< 0.5	27	93	46	5.60	< 10	< 1	0.08	10	2.43	960	1
T36362	203 205	< 0.2	2.12	2	60	< 0.5	2	0.51	< 0.5	13	40	26	4.02	< 10	1	0.07	< 10	1.16	535	< 1
T36363	203 205	< 0.2	1.02	< 2	40	< 0.5	< 2	0.23	< 0.5	7	23	10	1.37	< 10	1	0.04	< 10	0.29	260	< 1
T36364	203 205	< 0.2	1.35	< 2	40	< 0.5	< 2	0.29	< 0.5	5	26	10	1.78	< 10	< 1	0.04	< 10	0.36	195	< 1
T36365	203 205	< 0.2	2.06	< 2	100	< 0.5	< 2	0.56	< 0.5	16	69	13	3.53	< 10	< 1	0.09	< 10	1.12	835	< 1
T36366	203 205	< 0.2	1.74	4	60	< 0.5	2	0.57	< 0.5	8	68	23	2.97	< 10	< 1	0.05	< 10	0.63	475	< 1
T36367	203 205	< 0.2	2.23	2	160	< 0.5	2	0.78	0.5	28	81	26	4.34	< 10	< 1	0.10	< 10	1.57	2110	< 1
T36368	203 205	< 0.2	0.91	< 2	100	< 0.5	< 2	0.34	< 0.5	8	40	9	1.42	< 10	< 1	0.10	< 10	0.44	490	< 1
T36369	203 205	< 0.2	2.15	< 2	130	< 0.5	< 2	0.81	0.5	16	96	24	3.73	< 10	< 1	0.14	< 10	0.91	815	< 1
T36370	203 205	< 0.2	1.41	< 2	120	< 0.5	2	0.77	< 0.5	12	69	16	2.40	< 10	< 1	0.12	< 10	1.46	315	1
T36371	203 205	< 0.2	1.49	< 2	210	< 0.5	< 2	0.53	0.5	28	68	18	2.43	< 10	1	0.09	< 10	0.72	1180	1
T36372	203 205	0.2	1.67	< 2	130	< 0.5	< 2	0.59	< 0.5	20	80	20	3.59	< 10	1	0.10	10	1.04	915	1
T36373	203 205	< 0.2	2.46	8	190	< 0.5	< 2	0.72	< 0.5	27	111	35	3.83	< 10	< 1	0.10	< 10	1.79	790	1
T36374	203 205	< 0.2	2.63	12	130	< 0.5	2	0.71	< 0.5	21	116	33	3.96	< 10	< 1	0.13	< 10	2.19	540	< 1
T36375	203 205	< 0.2	2.50	14	80	< 0.5	2	0.89	< 0.5	14	119	22	4.20	< 10	< 1	0.10	< 10	1.79	375	1
T36376	203 205	< 0.2	2.38	14	140	< 0.5	2	0.85	< 0.5	13	101	14	3.87	< 10	< 1	0.12	< 10	1.08	495	< 1
T36377	203 205	< 0.2	2.31	12	140	< 0.5	2	0.70	0.5	16	90	34	4.04	< 10	< 1	0.13	< 10	1.26	550	2
T36378	203 205	< 0.2	1.75	4	140	< 0.5	< 2	0.33	< 0.5	14	67	20	2.31	< 10	< 1	0.14	< 10	0.49	705	1
T36379	203 205	< 0.2	1.80	10	210	< 0.5	2	0.52	0.5	17	84	19	2.73	< 10	< 1	0.11	< 10	0.77	505	1
T36380	203 205	< 0.2	3.57	20	30	< 0.5	2	1.03	< 0.5	29	206	66	3.81	< 10	< 1	0.04	< 10	2.99	595	2
T36381	203 205	< 0.2	2.52	14	60	< 0.5	2	0.98	< 0.5	22	149	82	2.99	< 10	1	0.09	10	1.78	505	< 1
T36382	203 205	< 0.2	2.81	10	130	0.5	< 2	0.59	< 0.5	15	67	22	3.41	10	< 1	0.19	10	0.69	1120	1
T36383	203 205	< 0.2	2.00	< 2	110	0.5	< 2	0.34	< 0.5	6	50	23	1.83	< 10	< 1	0.14	40	0.36	295	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 5-B
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : I9525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36344	203	205	< 0.01	12	650	28	< 2	2	24	0.09	< 10	< 10	41	< 10	76
T36345	203	205	< 0.01	16	640	16	< 2	2	19	0.16	< 10	< 10	67	< 10	56
T36346	203	205	0.03	12	820	20	< 2	2	24	0.12	< 10	< 10	54	< 10	72
T36347	203	205	0.01	23	720	18	< 2	3	28	0.16	< 10	< 10	73	< 10	104
T36348	203	205	< 0.01	22	900	54	< 2	4	25	0.15	< 10	< 10	83	< 10	90
T36349	203	205	< 0.01	16	570	16	< 2	3	23	0.17	< 10	< 10	63	< 10	58
T36350	203	205	< 0.01	9	570	20	< 2	1	14	0.08	< 10	< 10	42	< 10	50
T36351	203	205	< 0.01	16	670	26	< 2	1	15	0.03	< 10	< 10	43	< 10	84
T36352	203	205	0.03	24	670	20	< 2	1	13	0.03	< 10	< 10	35	< 10	78
T36353	203	205	0.01	20	790	48	< 2	1	47	0.02	< 10	< 10	37	< 10	38
T36354	203	205	0.04	17	1070	60	< 2	< 1	18	0.01	< 10	< 10	33	< 10	52
T36355	203	205	0.01	22	790	16	< 2	1	24	< 0.01	< 10	< 10	43	< 10	104
T36356	203	205	< 0.01	11	570	28	< 2	5	32	0.21	< 10	< 10	53	< 10	44
T36357	203	205	0.01	18	660	40	< 2	2	49	0.01	< 10	< 10	43	< 10	76
T36358	203	205	0.01	15	580	30	< 2	2	25	0.06	< 10	< 10	47	< 10	72
T36359	203	205	< 0.01	18	660	18	< 2	4	34	0.26	< 10	< 10	82	< 10	62
T36360	203	205	0.04	455	380	6	< 2	4	33	0.11	< 10	< 10	51	< 10	46
T36361	203	205	< 0.01	65	660	8	< 2	8	55	0.40	< 10	< 10	143	< 10	84
T36362	203	205	0.05	11	770	2	< 2	3	27	0.26	< 10	< 10	90	< 10	42
T36363	203	205	0.11	4	610	< 2	< 2	< 1	15	0.08	< 10	< 10	32	< 10	16
T36364	203	205	0.11	4	600	2	< 2	1	20	0.13	< 10	< 10	44	< 10	16
T36365	203	205	0.03	24	880	6	< 2	3	42	0.22	< 10	< 10	94	< 10	52
T36366	203	205	0.05	10	710	4	< 2	4	40	0.27	< 10	< 10	86	< 10	38
T36367	203	205	0.01	38	860	4	< 2	4	49	0.25	< 10	< 10	120	< 10	70
T36368	203	205	0.11	14	610	6	< 2	< 1	25	0.04	< 10	< 10	34	< 10	28
T36369	203	205	< 0.01	27	1140	14	< 2	4	52	0.20	< 10	< 10	95	< 10	62
T36370	203	205	0.06	62	820	4	< 2	2	41	0.14	< 10	< 10	40	< 10	42
T36371	203	205	0.04	26	540	12	< 2	1	31	0.11	< 10	< 10	56	< 10	64
T36372	203	205	0.02	29	500	8	< 2	3	36	0.23	< 10	< 10	79	< 10	38
T36373	203	205	< 0.01	80	510	10	< 2	5	41	0.20	< 10	< 10	79	< 10	56
T36374	203	205	< 0.01	82	480	16	< 2	5	40	0.20	< 10	< 10	79	< 10	68
T36375	203	205	0.01	62	380	6	< 2	4	51	0.22	< 10	< 10	88	< 10	42
T36376	203	205	< 0.01	33	480	12	< 2	4	54	0.23	< 10	< 10	100	< 10	68
T36377	203	205	< 0.01	44	730	20	< 2	4	47	0.18	< 10	< 10	77	< 10	70
T36378	203	205	0.06	19	440	16	< 2	2	26	0.09	< 10	< 10	46	< 10	44
T36379	203	205	0.04	29	410	12	< 2	2	35	0.13	< 10	< 10	62	< 10	48
T36380	203	205	0.01	78	180	12	< 2	7	45	0.14	< 10	< 10	81	< 10	70
T36381	203	205	0.02	46	190	8	< 2	7	50	0.15	< 10	< 10	95	< 10	48
T36382	203	205	0.01	13	330	34	< 2	4	75	0.12	< 10	< 10	56	< 10	78
T36383	203	205	0.10	12	770	12	< 2	1	28	0.04	< 10	< 10	32	< 10	32

CERTIFICATION:

Walter Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 6-A
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : 19525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36384	203 205	< 0.2	2.72	16	60	< 0.5	< 2	1.12	< 0.5	24	105	75	3.13	< 10	< 1	0.10	10	1.66	545	1
T36385	203 205	< 0.2	3.64	12	10	< 0.5	2	1.86	< 0.5	31	162	76	2.87	< 10	1	0.03	< 10	2.89	365	< 1
T36386	203 205	< 0.2	1.13	6	60	< 0.5	< 2	0.26	< 0.5	3	35	9	0.91	< 10	< 1	0.07	< 10	0.25	150	< 1
T36387	203 205	< 0.2	2.00	4	120	< 0.5	2	0.88	< 0.5	19	99	16	2.65	< 10	< 1	0.11	< 10	0.86	1270	1
T36388	203 205	< 0.2	2.66	4	180	< 0.5	< 2	0.82	0.5	19	114	30	3.24	< 10	1	0.13	< 10	1.13	925	1
T36389	203 205	< 0.2	2.03	8	260	< 0.5	2	0.70	< 0.5	17	80	31	2.87	< 10	< 1	0.16	10	0.91	1335	1
T36390	203 205	< 0.2	2.43	14	280	< 0.5	< 2	0.66	< 0.5	18	100	54	2.59	< 10	1	0.12	10	1.45	415	1
T36391	203 205	< 0.2	2.38	6	30	< 0.5	4	1.11	< 0.5	25	166	36	3.40	< 10	< 1	0.09	10	3.91	525	< 1
T36392	203 205	< 0.2	2.72	36	50	< 0.5	2	0.90	< 0.5	47	210	84	3.66	< 10	< 1	0.05	< 10	5.15	835	1
T36393	203 205	< 0.2	3.44	12	160	< 0.5	6	1.34	< 0.5	39	180	95	3.47	< 10	2	0.10	< 10	2.68	610	2
T36394	203 205	< 0.2	2.71	6	20	< 0.5	2	1.39	< 0.5	27	128	51	3.25	< 10	< 1	0.03	< 10	2.86	485	< 1
T36395	203 205	< 0.2	3.65	4	30	< 0.5	4	1.05	< 0.5	44	245	72	4.10	< 10	< 1	0.02	< 10	6.91	540	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 6-B
Total Pages : 6
Certificate Date: 27-AUG-95
Invoice No. : I9525277
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9525277

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36384	203	205	0.02	47	380	10	< 2	7	61	0.16	< 10	< 10	89	< 10	60
T36385	203	205	0.04	96	110	2	< 2	5	45	0.11	< 10	< 10	67	< 10	32
T36386	203	205	0.12	9	440	4	< 2	1	19	0.04	< 10	< 10	20	< 10	16
T36387	203	205	0.02	16	390	8	< 2	3	67	0.14	< 10	< 10	75	< 10	48
T36388	203	205	0.03	30	530	16	< 2	5	56	0.12	< 10	< 10	97	< 10	82
T36389	203	205	0.05	29	730	8	< 2	3	45	0.12	< 10	< 10	60	< 10	48
T36390	203	205	0.04	45	320	14	< 2	4	42	0.09	< 10	< 10	54	< 10	46
T36391	203	205	0.02	205	370	8	< 2	5	49	0.18	< 10	< 10	49	< 10	34
T36392	203	205	0.02	452	580	4	< 2	4	28	0.08	< 10	< 10	48	< 10	52
T36393	203	205	0.03	79	280	12	< 2	8	73	0.12	< 10	< 10	81	< 10	60
T36394	203	205	0.01	118	440	8	< 2	6	45	0.22	< 10	< 10	73	< 10	40
T36395	203	205	0.05	420	200	6	< 2	4	28	0.07	< 10	< 10	34	< 10	44

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page: 1-A
Total Pages: 4
Certificate Date: 18-AUG-95
Invoice No.: I9524654
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
F35439	203 205	< 0.2	2.11	2	270	0.5	< 2	0.93	< 0.5	8	143	23	2.13	10	< 1	0.45	20	0.55	595	2
F35440	203 205	0.2	1.84	4	240	1.0	2	0.38	< 0.5	8	39	21	1.63	10	< 1	0.14	50	0.22	2110	3
F35441	203 205	0.8	2.19	< 2	210	1.0	2	0.54	< 0.5	7	75	29	2.27	10	< 1	0.29	30	0.50	405	2
F35442	203 205	< 0.2	2.53	6	260	0.5	< 2	0.54	< 0.5	9	131	27	3.28	10	< 1	0.26	20	0.57	555	2
F35443	203 205	0.4	2.04	8	310	0.5	2	0.44	< 0.5	6	39	36	3.01	10	< 1	0.23	40	0.54	285	4
F35444	203 205	< 0.2	1.20	< 2	70	< 0.5	< 2	0.30	< 0.5	3	35	8	1.23	< 10	< 1	0.15	< 10	0.22	185	< 1
F35445	203 205	< 0.2	0.79	10	110	0.5	2	0.13	< 0.5	3	32	23	1.53	< 10	< 1	0.10	10	0.17	110	1
F35446	203 205	0.2	0.60	6	70	< 0.5	< 2	0.14	< 0.5	< 1	23	15	0.77	< 10	< 1	0.06	10	0.09	70	1
F35447	203 205	0.2	0.86	40	290	1.0	6	0.28	< 0.5	7	53	66	4.09	< 10	< 1	0.14	20	0.31	300	6
F35448	203 205	< 0.2	1.29	28	290	1.0	4	0.21	< 0.5	7	48	74	4.05	< 10	< 1	0.17	20	0.68	275	5
F35449	203 205	< 0.2	1.59	6	80	0.5	4	0.34	0.5	12	33	56	3.52	< 10	< 1	0.07	10	0.90	525	3
F35450	203 205	< 0.2	1.44	6	230	1.0	< 2	1.04	0.5	10	90	44	2.58	< 10	< 1	0.16	10	0.57	615	2
F35451	203 205	< 0.2	1.17	8	80	0.5	< 2	0.26	< 0.5	4	102	26	1.58	< 10	< 1	0.16	< 10	0.32	225	1
F35452	203 205	< 0.2	1.35	6	130	1.0	< 2	0.51	< 0.5	10	113	49	2.28	< 10	< 1	0.19	10	0.58	370	1
F35453	203 205	< 0.2	2.08	< 2	100	0.5	< 2	0.39	< 0.5	1	38	7	1.31	10	< 1	0.15	< 10	0.22	180	< 1
F35454	203 205	< 0.2	2.24	< 2	140	0.5	6	0.42	< 0.5	3	151	14	2.62	10	2	0.15	10	0.40	200	1
F35455	203 205	< 0.2	1.87	4	120	0.5	< 2	0.40	< 0.5	4	137	13	2.42	10	< 1	0.21	10	0.39	285	1
F35456	203 205	< 0.2	0.70	4	130	< 0.5	< 2	0.15	< 0.5	< 1	21	7	0.70	< 10	< 1	0.09	10	0.10	45	< 1
F35457	203 205	< 0.2	1.20	8	160	0.5	4	0.25	< 0.5	4	161	26	2.11	< 10	2	0.16	10	0.45	255	1
F35458	203 205	0.2	0.94	22	250	0.5	2	0.07	0.5	8	39	74	3.89	< 10	< 1	0.17	20	0.37	340	6
F35459	203 205	0.2	1.61	8	290	0.5	< 2	0.31	< 0.5	6	63	39	2.83	10	< 1	0.21	20	0.49	270	2
F35460	203 205	0.2	1.24	22	280	0.5	4	0.18	< 0.5	7	65	58	3.18	10	< 1	0.22	20	0.28	335	3
F35461	203 205	0.4	1.04	34	240	0.5	< 2	0.26	3.0	7	44	69	3.73	10	< 1	0.25	20	0.27	500	5
F35462	203 205	0.4	1.89	72	310	1.5	10	0.90	2.5	14	1430	234	4.65	10	< 1	0.21	10	0.70	710	20
F35463	203 205	< 0.2	2.15	22	120	0.5	2	0.50	< 0.5	12	89	34	3.45	10	< 1	0.14	10	1.27	480	2
F35464	203 205	0.2	1.70	6	190	1.0	< 2	2.01	0.5	13	105	77	3.01	10	< 1	0.17	10	0.87	585	1
F35465	203 205	< 0.2	1.25	< 2	170	0.5	4	0.43	< 0.5	9	74	26	2.01	< 10	< 1	0.25	10	0.51	470	2
F35466	203 205	< 0.2	1.31	6	150	0.5	< 2	0.30	0.5	9	44	55	2.28	< 10	< 1	0.24	10	0.52	480	3
F35467	203 205	< 0.2	1.83	12	100	0.5	2	0.46	< 0.5	7	91	16	2.29	10	< 1	0.14	20	0.76	345	1
F35468	203 205	< 0.2	1.43	16	140	0.5	< 2	0.40	< 0.5	6	45	29	2.47	10	< 1	0.12	20	0.64	325	2
F35469	203 205	< 0.2	2.63	8	140	0.5	4	0.47	< 0.5	13	54	20	3.15	10	< 1	0.10	10	1.14	550	< 1
F35470	203 205	< 0.2	0.95	2	100	< 0.5	< 2	0.23	< 0.5	4	24	14	0.95	< 10	< 1	0.06	< 10	0.17	165	< 1
F35471	203 205	0.4	2.12	24	230	0.5	< 2	0.22	< 0.5	12	43	42	3.99	< 10	< 1	0.16	10	0.92	470	4
F35472	203 205	< 0.2	1.28	10	90	0.5	6	0.18	< 0.5	6	55	30	3.22	< 10	< 1	0.08	10	0.54	300	1
F35473	203 205	< 0.2	2.32	18	160	0.5	8	0.42	< 0.5	18	45	40	4.78	10	< 1	0.13	10	1.28	745	3
F35474	203 205	0.4	2.09	36	340	0.5	2	0.41	< 0.5	12	70	57	5.08	10	< 1	0.22	10	1.43	445	3
F35475	203 205	0.2	1.76	34	300	0.5	6	0.42	0.5	13	52	73	4.75	< 10	< 1	0.25	10	1.14	350	5
F35476	203 205	< 0.2	2.94	14	70	< 0.5	4	0.54	< 0.5	25	51	63	5.56	< 10	< 1	0.06	< 10	1.86	930	1
F35477	203 205	< 0.2	2.77	10	80	0.5	4	0.62	< 0.5	16	60	27	4.46	10	< 1	0.07	10	1.62	565	< 1
F35478	203 205	< 0.2	2.22	< 2	100	1.0	< 2	0.77	0.5	10	54	18	2.63	10	< 1	0.11	20	1.16	385	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 1-B
Total Pages : 4
Certificate Date: 18-AUG-95
Invoice No. : I9524654
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35439	203 205	0.03	5	580	20	< 2	6	84	0.08	< 10	< 10	39	< 10	74
T35440	203 205	0.04	4	1270	16	2	2	29	0.02	< 10	10	32	< 10	36
T35441	203 205	0.03	8	650	24	4	5	50	0.06	< 10	< 10	42	< 10	66
T35442	203 205	0.01	10	730	24	4	3	48	0.06	< 10	< 10	52	< 10	60
T35443	203 205	0.03	13	890	34	< 2	2	34	0.04	< 10	< 10	44	< 10	68
T35444	203 205	0.06	2	380	12	< 2	< 1	33	0.03	< 10	< 10	23	< 10	26
T35445	203 205	0.08	8	540	16	< 2	< 1	15	0.03	< 10	< 10	24	< 10	40
T35446	203 205	0.11	3	570	12	< 2	< 1	11	0.02	< 10	< 10	19	< 10	14
T35447	203 205	0.01	27	750	52	4	2	17	0.02	< 10	< 10	33	< 10	156
T35448	203 205	0.01	28	730	48	6	2	19	0.06	< 10	< 10	43	< 10	138
T35449	203 205	0.01	26	960	34	2	3	18	0.12	< 10	< 10	58	< 10	118
T35450	203 205	0.02	23	640	56	< 2	3	29	0.13	< 10	< 10	51	< 10	108
T35451	203 205	0.06	9	470	18	< 2	1	22	0.06	< 10	< 10	28	< 10	68
T35452	203 205	0.02	18	650	18	< 2	3	37	0.09	< 10	< 10	40	< 10	78
T35453	203 205	0.01	2	260	16	< 2	1	44	0.05	< 10	< 10	34	< 10	30
T35454	203 205	0.02	9	270	16	2	3	36	0.10	< 10	< 10	51	< 10	42
T35455	203 205	0.02	8	240	14	< 2	3	44	0.11	< 10	< 10	51	< 10	48
T35456	203 205	0.12	3	400	6	< 2	< 1	14	0.03	< 10	< 10	18	< 10	12
T35457	203 205	0.08	15	700	20	2	1	28	0.03	< 10	< 10	30	< 10	60
T35458	203 205	0.01	25	660	46	2	1	23	0.01	< 10	< 10	29	< 10	138
T35459	203 205	0.01	15	680	22	2	2	31	0.08	< 10	< 10	54	< 10	70
T35460	203 205	0.04	23	740	48	2	1	23	0.03	< 10	< 10	41	< 10	128
T35461	203 205	0.02	25	1120	44	2	2	30	0.03	< 10	< 10	44	< 10	222
T35462	203 205	0.03	50	1110	164	4	3	65	0.16	< 10	< 10	90	30	158
T35463	203 205	0.01	21	630	14	< 2	4	31	0.22	< 10	< 10	71	< 10	76
T35464	203 205	0.02	38	960	60	2	5	39	0.19	< 10	< 10	63	< 10	176
T35465	203 205	0.04	14	610	24	< 2	2	30	0.08	< 10	< 10	39	< 10	76
T35466	203 205	0.01	11	540	40	< 2	3	28	0.08	< 10	< 10	36	< 10	158
T35467	203 205	0.01	24	650	16	< 2	3	47	0.12	< 10	< 10	40	< 10	50
T35468	203 205	0.01	17	660	26	2	3	40	0.10	< 10	< 10	36	< 10	68
T35469	203 205	0.04	19	900	12	2	4	29	0.19	< 10	< 10	77	< 10	58
T35470	203 205	0.09	6	710	2	< 2	< 1	15	0.06	< 10	< 10	25	< 10	16
T35471	203 205	0.02	19	930	52	2	2	16	0.08	< 10	< 10	65	< 10	70
T35472	203 205	0.01	13	750	28	4	1	14	0.12	< 10	< 10	62	< 10	64
T35473	203 205	0.01	13	940	28	< 2	4	25	0.19	< 10	< 10	95	< 10	60
T35474	203 205	0.01	19	930	48	< 2	4	26	0.16	< 10	< 10	78	< 10	106
T35475	203 205	0.01	26	870	40	2	4	42	0.16	< 10	< 10	76	< 10	112
T35476	203 205	0.01	20	850	4	< 2	7	24	0.31	< 10	< 10	126	10	74
T35477	203 205	0.01	18	850	12	4	6	29	0.30	< 10	< 10	102	< 10	64
T35478	203 205	0.02	15	810	8	< 2	5	64	0.20	< 10	< 10	52	< 10	48

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 2-A
Total Pages : 4
Certificate Date : 18-AUG-95
Invoice No. : I9524654
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
T35479	203	205	< 0.2	1.87	2	90	0.5	< 2	0.63	< 0.5	8	65	11	2.06	< 10	< 1	0.07	20	1.10	300	< 1
T35480	203	205	< 0.2	2.32	4	100	0.5	2	0.79	< 0.5	7	59	9	2.43	10	< 1	0.09	20	0.99	360	< 1
T35481	203	205	< 0.2	3.38	12	70	0.5	8	0.96	< 0.5	22	139	19	4.55	10	1	0.06	< 10	3.30	690	< 1
T35482	203	205	< 0.2	2.38	< 2	70	0.5	4	0.77	< 0.5	14	58	21	3.40	10	< 1	0.08	10	1.38	465	< 1
T35483	203	205	< 0.2	3.27	10	130	< 0.5	12	0.87	< 0.5	22	87	60	5.56	10	2	0.12	< 10	2.25	1015	1
T35484	203	205	< 0.2	2.22	6	60	0.5	6	0.45	< 0.5	13	46	16	3.60	< 10	1	0.09	< 10	1.27	560	1
T35485	203	205	0.4	2.13	18	280	< 0.5	2	0.32	< 0.5	10	55	45	4.58	< 10	< 1	0.17	10	1.33	450	3
T35486	203	205	< 0.2	1.70	12	180	< 0.5	2	0.36	0.5	11	42	37	4.44	10	< 1	0.11	10	0.88	650	3
T35487	203	205	0.6	1.43	16	350	< 0.5	12	0.22	0.5	18	48	115	5.57	10	< 1	0.16	30	0.77	675	10
T35488	203	205	< 0.2	3.04	14	150	< 0.5	6	0.65	< 0.5	19	42	53	7.16	10	< 1	0.11	20	2.28	705	1
T35489	203	205	< 0.2	2.94	4	80	0.5	10	0.74	< 0.5	19	58	18	4.80	10	< 1	0.15	< 10	2.19	575	< 1
T35490	203	205	< 0.2	3.51	16	80	< 0.5	< 2	0.53	< 0.5	31	55	127	7.20	10	< 1	0.10	< 10	2.12	825	1
T35491	203	205	< 0.2	2.73	6	70	< 0.5	4	0.67	< 0.5	16	57	30	4.75	10	< 1	0.08	10	1.76	545	1
T35492	203	205	< 0.2	2.64	8	90	< 0.5	< 2	0.56	< 0.5	14	60	22	3.38	< 10	< 1	0.07	10	1.36	495	< 1
T35493	203	205	< 0.2	2.28	6	60	0.5	4	0.50	< 0.5	10	35	16	3.15	10	< 1	0.03	10	1.54	455	< 1
T35494	203	205	< 0.2	2.76	< 2	80	0.5	4	0.31	< 0.5	30	40	52	4.87	< 10	< 1	0.09	< 10	1.52	820	2
T35495	203	205	< 0.2	3.26	8	80	< 0.5	10	0.64	< 0.5	40	50	101	6.15	10	< 1	0.04	< 10	2.41	985	3
T35496	203	205	< 0.2	3.35	< 2	60	0.5	< 2	0.96	< 0.5	31	45	92	6.22	10	< 1	0.04	< 10	2.63	890	1
T35497	203	205	< 0.2	3.31	8	70	< 0.5	10	0.61	< 0.5	27	54	83	6.81	10	< 1	0.07	< 10	2.02	1035	2
T35498	203	205	< 0.2	2.88	< 2	100	0.5	4	0.53	0.5	25	41	63	6.14	10	< 1	0.09	10	1.81	655	1
T36204	203	205	< 0.2	1.31	10	90	< 0.5	2	0.31	< 0.5	4	52	15	1.70	< 10	< 1	0.16	< 10	0.34	210	< 1
T36205	203	205	< 0.2	1.18	< 2	90	< 0.5	< 2	0.27	< 0.5	4	49	6	1.54	< 10	< 1	0.10	< 10	0.15	655	< 1
T36206	203	205	< 0.2	1.24	< 2	70	0.5	< 2	0.45	< 0.5	4	80	15	1.58	< 10	< 1	0.17	< 10	0.33	320	< 1
T36207	203	205	< 0.2	0.98	< 2	80	< 0.5	< 2	0.51	< 0.5	4	51	9	1.13	< 10	< 1	0.18	10	0.26	260	< 1
T36208	203	205	< 0.2	1.14	4	110	0.5	< 2	0.46	< 0.5	7	66	13	1.45	< 10	< 1	0.18	10	0.39	345	< 1
T36209	203	205	< 0.2	1.51	< 2	110	0.5	< 2	0.45	< 0.5	6	33	8	1.51	< 10	< 1	0.19	< 10	0.40	340	< 1
T36210	203	205	0.2	1.39	24	240	< 0.5	4	0.23	< 0.5	6	45	67	3.92	< 10	< 1	0.14	20	0.57	205	6
T36211	203	205	< 0.2	1.00	2	110	0.5	4	0.40	< 0.5	6	54	10	1.38	< 10	< 1	0.25	10	0.39	335	< 1
T36212	203	205	< 0.2	1.15	< 2	100	< 0.5	< 2	0.34	< 0.5	4	44	13	1.15	< 10	< 1	0.17	10	0.27	205	< 1
T36213	203	205	< 0.2	1.35	4	120	< 0.5	6	0.60	< 0.5	5	35	15	1.40	< 10	< 1	0.25	10	0.38	300	1
T36214	203	205	< 0.2	1.15	< 2	100	< 0.5	2	0.55	< 0.5	4	46	22	1.27	< 10	< 1	0.24	10	0.36	230	1
T36215	203	205	< 0.2	1.70	2	170	0.5	< 2	0.37	< 0.5	7	72	20	2.21	< 10	< 1	0.24	10	0.34	515	2
T36216	203	205	< 0.2	1.56	< 2	140	0.5	2	0.44	< 0.5	7	71	38	1.87	< 10	< 1	0.26	10	0.55	340	1
T36217	203	205	0.2	2.10	4	150	0.5	2	0.47	< 0.5	12	38	74	2.84	10	< 1	0.31	20	0.76	585	1
T36218	203	205	< 0.2	1.90	< 2	150	0.5	< 2	0.40	< 0.5	7	49	30	2.66	10	< 1	0.28	10	0.49	455	2
T36219	203	205	< 0.2	1.98	8	190	0.5	6	0.50	< 0.5	9	42	39	2.43	10	< 1	0.25	10	0.51	515	5
T36220	203	205	< 0.2	3.72	10	400	0.5	< 2	0.33	0.5	13	38	79	3.98	10	< 1	0.45	40	0.89	610	7
T36221	203	205	< 0.2	1.38	28	310	0.5	2	0.22	< 0.5	9	115	63	3.51	10	< 1	0.26	20	0.51	350	4
T36222	203	205	< 0.2	1.69	12	420	< 0.5	2	0.45	< 0.5	8	50	45	2.84	10	< 1	0.24	20	0.52	370	8
T36223	203	205	0.2	1.44	16	440	< 0.5	< 2	0.25	< 0.5	7	52	48	2.82	< 10	< 1	0.24	20	0.35	370	4

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page: 2-B
Total Pages: 4
Certificate Date: 18-AUG-95
Invoice No.: I9524654
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35479	203	205	0.01	23	760	2	2	3	60	0.12	< 10	< 10	30	< 10	38
T35480	203	205	0.02	9	630	8	4	4	89	0.16	< 10	< 10	40	< 10	38
T35481	203	205	0.01	45	540	6	2	11	49	0.43	< 10	< 10	129	10	50
T35482	203	205	0.01	24	930	6	< 2	6	43	0.28	< 10	< 10	87	< 10	62
T35483	203	205	0.02	17	940	12	4	9	39	0.40	< 10	< 10	139	10	84
T35484	203	205	0.03	14	970	2	< 2	4	21	0.25	< 10	< 10	94	< 10	42
T35485	203	205	0.01	21	790	74	8	4	21	0.13	< 10	< 10	77	< 10	118
T35486	203	205	0.01	14	1340	38	2	1	23	0.10	< 10	< 10	103	< 10	74
T35487	203	205	0.02	36	1040	34	4	4	23	0.09	< 10	< 10	53	< 10	126
T35488	203	205	0.01	13	970	14	2	8	34	0.29	< 10	< 10	114	10	72
T35489	203	205	0.01	18	640	< 2	2	7	32	0.39	< 10	< 10	130	10	48
T35490	203	205	0.02	20	1340	14	4	9	30	0.30	< 10	< 10	138	10	80
T35491	203	205	0.01	19	770	6	2	6	35	0.32	< 10	< 10	113	10	54
T35492	203	205	0.01	27	890	12	< 2	6	33	0.20	< 10	< 10	76	< 10	68
T35493	203	205	< 0.01	21	1020	8	< 2	5	24	0.19	< 10	< 10	68	< 10	50
T35494	203	205	0.01	19	820	4	4	4	13	0.24	< 10	< 10	103	< 10	58
T35495	203	205	0.01	23	630	12	< 2	6	23	0.33	< 10	< 10	148	10	70
T35496	203	205	0.01	16	1000	6	2	7	30	0.46	< 10	< 10	145	10	78
T35497	203	205	0.01	19	1210	8	2	7	26	0.34	< 10	< 10	146	10	84
T35498	203	205	0.01	18	1360	12	< 2	6	27	0.27	< 10	< 10	97	< 10	62
T36204	203	205	0.01	2	200	6	< 2	1	31	0.07	< 10	< 10	28	< 10	28
T36205	203	205	0.01	2	290	8	< 2	1	29	0.05	< 10	< 10	31	< 10	20
T36206	203	205	0.01	1	350	12	< 2	2	39	0.09	< 10	< 10	21	< 10	32
T36207	203	205	0.01	1	290	14	< 2	2	46	0.08	< 10	< 10	21	< 10	24
T36208	203	205	0.01	2	330	12	< 2	3	40	0.07	< 10	< 10	24	< 10	44
T36209	203	205	0.01	1	210	8	< 2	3	45	0.07	< 10	< 10	23	< 10	32
T36210	203	205	< 0.01	19	670	52	4	3	19	0.05	< 10	< 10	44	< 10	106
T36211	203	205	0.01	3	340	20	< 2	2	36	0.07	< 10	< 10	20	< 10	46
T36212	203	205	0.02	2	320	14	2	1	32	0.04	< 10	< 10	19	< 10	32
T36213	203	205	0.01	3	270	12	< 2	4	59	0.09	< 10	< 10	25	< 10	38
T36214	203	205	0.01	4	260	8	< 2	3	52	0.08	< 10	< 10	23	< 10	36
T36215	203	205	0.01	6	410	20	2	2	39	0.06	< 10	< 10	37	< 10	44
T36216	203	205	0.04	4	450	12	< 2	3	43	0.06	< 10	< 10	31	< 10	48
T36217	203	205	0.02	8	520	28	< 2	6	47	0.08	< 10	< 10	44	< 10	86
T36218	203	205	0.01	9	280	22	< 2	4	42	0.06	< 10	< 10	42	< 10	60
T36219	203	205	0.01	8	450	26	2	4	52	0.07	< 10	< 10	41	< 10	82
T36220	203	205	0.03	19	1090	56	< 2	6	36	0.05	< 10	< 10	65	< 10	156
T36221	203	205	0.01	26	750	38	2	2	23	0.06	< 10	< 10	47	< 10	128
T36222	203	205	0.01	16	580	60	2	3	40	0.06	< 10	< 10	42	< 10	114
T36223	203	205	0.08	16	710	36	2	2	23	0.03	< 10	< 10	40	< 10	78

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 3-A
Total Pages : 4
Certificate Date: 18-AUG-95
Invoice No. : I9524654
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
	CODE		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
F36224	203	205	< 0.2	1.40	2	170	0.5	< 2	0.66	< 0.5	3	33	11	1.31	< 10	< 1	0.24	10	0.36	285	< 1
F36225	203	205	< 0.2	1.19	6	150	< 0.5	< 2	0.75	< 0.5	6	36	12	1.31	< 10	< 1	0.28	10	0.35	335	< 1
F36226	203	205	< 0.2	1.61	8	180	< 0.5	< 2	0.73	< 0.5	6	52	12	1.55	10	< 1	0.33	10	0.40	335	< 1
F36227	203	205	< 0.2	1.57	< 2	120	< 0.5	< 2	0.65	< 0.5	4	43	8	1.54	< 10	< 1	0.22	< 10	0.27	260	< 1
F36228	203	205	< 0.2	1.99	2	130	< 0.5	< 2	0.61	< 0.5	4	42	8	2.08	< 10	< 1	0.29	< 10	0.31	260	< 1
F36229	203	205	< 0.2	1.16	2	90	< 0.5	< 2	0.73	< 0.5	5	91	12	1.38	< 10	< 1	0.17	10	0.35	340	< 1
F36230	203	205	< 0.2	1.65	4	110	< 0.5	< 2	0.55	< 0.5	8	102	19	2.22	< 10	< 1	0.26	10	0.50	465	1
F36231	203	205	< 0.2	1.53	6	90	0.5	2	0.45	< 0.5	7	94	18	1.96	10	< 1	0.19	< 10	0.43	435	1
F36232	203	205	< 0.2	1.11	6	110	0.5	< 2	0.29	< 0.5	4	96	10	1.56	< 10	< 1	0.17	< 10	0.24	390	1
F36233	203	205	< 0.2	2.27	16	480	0.5	< 2	0.22	< 0.5	7	66	36	2.72	10	< 1	0.33	20	0.56	270	2
F36234	203	205	< 0.2	1.37	24	280	0.5	< 2	0.19	< 0.5	7	142	46	3.11	10	< 1	0.22	20	0.52	305	3
F36235	203	205	0.2	1.49	34	470	0.5	< 2	0.20	< 0.5	9	139	70	4.06	10	< 1	0.39	30	0.51	400	3
F36236	203	205	0.2	1.20	30	520	0.5	< 2	0.17	< 0.5	8	76	75	4.01	10	< 1	0.31	30	0.42	355	4
F36237	203	205	0.2	1.68	36	380	0.5	4	0.31	< 0.5	10	55	61	4.06	10	< 1	0.24	20	0.75	450	4
F36238	203	205	0.4	1.20	42	360	0.5	2	0.12	< 0.5	11	49	95	4.63	10	< 1	0.24	30	0.38	435	5
F36239	203	205	0.4	1.15	42	580	0.5	2	0.21	< 0.5	10	61	88	4.58	10	< 1	0.27	30	0.36	345	6
F36240	203	205	0.2	1.87	16	230	0.5	< 2	0.39	< 0.5	10	55	75	2.88	10	< 1	0.17	10	0.58	635	9
F36241	203	205	0.2	1.81	12	250	0.5	< 2	0.54	< 0.5	10	88	76	2.98	10	< 1	0.33	30	0.48	805	2
F36242	203	205	0.2	1.80	24	220	0.5	2	0.60	< 0.5	11	94	81	4.31	10	< 1	0.48	30	0.66	400	6
F36243	203	205	< 0.2	1.67	10	260	0.5	2	0.44	< 0.5	11	153	32	2.60	< 10	< 1	0.47	10	0.60	660	2
F36244	203	205	< 0.2	1.50	18	160	0.5	< 2	0.41	< 0.5	9	57	40	2.59	10	< 1	0.14	20	0.59	295	1
F36245	203	205	0.2	1.18	12	120	0.5	< 2	0.26	< 0.5	6	89	54	2.54	< 10	< 1	0.13	20	0.26	585	4
F36246	203	205	2.4	2.13	32	500	0.5	16	0.95	0.5	28	200	133	5.69	10	< 1	0.22	10	1.76	710	4
F36247	203	205	< 0.2	1.43	8	240	0.5	< 2	0.28	< 0.5	11	123	43	3.08	< 10	< 1	0.17	10	0.49	465	1
F36248	203	205	< 0.2	1.41	12	140	0.5	< 2	0.28	< 0.5	9	94	34	2.78	< 10	< 1	0.12	10	0.56	310	2
F36249	203	205	0.4	1.30	24	360	0.5	4	0.16	0.5	10	52	79	4.71	< 10	< 1	0.32	10	0.40	680	4
F36250	203	205	< 0.2	1.44	6	340	0.5	< 2	0.33	0.5	9	193	45	3.04	< 10	< 1	0.27	10	0.60	500	2
F36251	203	205	< 0.2	2.18	14	170	0.5	< 2	0.59	< 0.5	14	116	29	3.07	10	< 1	0.21	10	1.19	525	1
F36252	203	205	0.4	1.37	24	310	0.5	2	0.28	0.5	9	48	69	3.97	10	< 1	0.21	20	0.58	315	4
F36253	203	205	0.2	1.02	28	360	0.5	< 2	0.14	< 0.5	8	63	88	4.08	10	< 1	0.24	30	0.34	330	7
F36254	203	205	< 0.2	1.59	8	140	0.5	< 2	0.41	< 0.5	9	78	18	3.00	10	< 1	0.12	< 10	0.62	1210	1
F36255	203	205	0.2	1.87	22	280	0.5	< 2	0.41	< 0.5	10	54	40	3.91	10	< 1	0.23	20	1.01	310	4
F36256	203	205	< 0.2	2.54	< 2	90	0.5	< 2	0.40	< 0.5	14	89	34	4.52	10	< 1	0.09	10	0.97	780	1
F36257	203	205	< 0.2	2.59	2	80	0.5	< 2	0.81	< 0.5	14	95	22	3.73	10	< 1	0.10	10	1.39	545	1
F36258	203	205	< 0.2	1.84	4	80	0.5	< 2	0.40	< 0.5	6	78	12	2.10	10	< 1	0.10	10	0.65	335	< 1
F36259	203	205	0.2	1.40	16	380	0.5	4	0.15	< 0.5	3	62	48	3.20	10	< 1	0.25	20	0.54	325	4
F36260	203	205	0.4	1.38	24	460	0.5	< 2	0.23	0.5	9	91	73	3.93	10	< 1	0.37	30	0.40	355	4
F36261	203	205	0.4	0.81	44	330	0.5	< 2	0.17	< 0.5	5	36	74	4.22	< 10	< 1	0.28	30	0.30	235	3
F36262	203	205	0.6	1.01	28	380	0.5	< 2	0.10	0.5	10	73	114	4.48	< 10	< 1	0.31	30	0.29	425	6
F36263	203	205	0.2	0.34	58	270	0.5	4	0.04	0.5	9	33	111	5.75	< 10	< 1	0.20	20	0.06	310	5

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page: 3-B
Total Pages: 4
Certificate Date: 18-AUG-95
Invoice No.: I9524654
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36224	203 205	0.01	2	330	12	< 2	3	63	0.09	< 10	< 10	25	< 10	38
T36225	203 205	0.01	< 1	310	14	< 2	4	77	0.09	< 10	< 10	26	< 10	36
T36226	203 205	0.02	1	340	10	< 2	4	76	0.09	< 10	< 10	32	< 10	48
T36227	203 205	0.01	1	300	6	< 2	3	71	0.08	< 10	< 10	32	< 10	28
T36228	203 205	0.01	2	240	18	2	4	71	0.09	< 10	< 10	37	< 10	34
T36229	203 205	0.02	2	290	14	< 2	4	68	0.10	< 10	< 10	28	< 10	38
T36230	203 205	0.02	7	400	16	2	3	55	0.11	< 10	< 10	37	< 10	64
T36231	203 205	0.04	6	420	20	< 2	2	43	0.10	< 10	< 10	36	< 10	46
T36232	203 205	0.08	5	680	8	< 2	1	27	0.08	< 10	< 10	45	< 10	22
T36233	203 205	0.09	15	660	40	4	2	29	0.04	< 10	< 10	49	< 10	60
T36234	203 205	0.01	22	680	38	2	2	27	0.04	< 10	< 10	35	< 10	84
T36235	203 205	0.02	31	820	50	2	3	33	0.02	< 10	< 10	43	< 10	146
T36236	203 205	0.01	24	750	46	2	2	35	0.02	< 10	< 10	37	< 10	140
T36237	203 205	0.01	25	780	44	2	3	36	0.10	< 10	< 10	58	< 10	116
T36238	203 205	0.01	35	800	60	2	2	25	0.02	< 10	< 10	39	< 10	184
T36239	203 205	0.01	32	890	64	4	2	25	0.02	< 10	< 10	38	< 10	166
T36240	203 205	0.04	27	850	34	< 2	4	23	0.06	< 10	< 10	78	< 10	164
T36241	203 205	0.01	14	1010	48	2	4	30	0.05	< 10	< 10	48	< 10	126
T36242	203 205	0.02	37	830	60	2	4	39	0.08	< 10	< 10	49	< 10	108
T36243	203 205	0.02	13	720	22	< 2	3	43	0.07	< 10	< 10	45	< 10	86
T36244	203 205	0.01	25	640	12	2	4	27	0.11	< 10	< 10	48	< 10	82
T36245	203 205	0.01	18	780	60	4	1	15	0.03	< 10	< 10	40	< 10	74
T36246	203 205	0.02	83	1720	156	2	4	32	0.22	< 10	< 10	91	< 10	188
T36247	203 205	0.01	26	770	16	2	2	25	0.07	< 10	< 10	54	< 10	72
T36248	203 205	0.01	26	520	12	< 2	2	20	0.09	< 10	< 10	44	< 10	88
T36249	203 205	0.01	24	1200	62	2	1	32	0.01	< 10	< 10	44	< 10	126
T36250	203 205	0.02	24	810	40	2	2	22	0.07	< 10	< 10	45	< 10	122
T36251	203 205	0.03	22	780	12	2	4	34	0.19	< 10	< 10	62	< 10	62
T36252	203 205	0.01	28	760	50	4	3	33	0.08	< 10	< 10	48	< 10	124
T36253	203 205	0.01	30	720	54	2	2	30	0.02	< 10	< 10	36	< 10	152
T36254	203 205	0.06	8	970	18	< 2	2	30	0.18	< 10	< 10	85	< 10	50
T36255	203 205	0.01	18	720	54	2	4	25	0.16	< 10	< 10	67	< 10	72
T36256	203 205	0.02	13	850	16	< 2	3	25	0.25	< 10	< 10	107	< 10	60
T36257	203 205	0.02	19	890	8	< 2	7	42	0.29	< 10	< 10	96	< 10	64
T36258	203 205	0.01	11	630	6	2	2	42	0.11	< 10	< 10	35	< 10	44
T36259	203 205	0.04	16	750	40	2	1	36	0.01	< 10	< 10	32	< 10	96
T36260	203 205	0.02	26	920	78	2	2	34	0.01	< 10	< 10	40	< 10	132
T36261	203 205	0.01	23	820	60	2	2	33	0.01	< 10	< 10	27	< 10	128
T36262	203 205	0.01	37	940	80	2	3	32	0.01	< 10	< 10	32	< 10	196
T36263	203 205	< 0.01	45	980	42	4	2	15	< 0.01	< 10	< 10	24	< 10	194

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P.SHUTOUT
Comments:

Page Number: 4-A
Total Pages: 4
Certificate Date: 18-AUG-95
Invoice No.: I9524654
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T36264	203 205	0.4	0.65	34	290	0.5	< 2	0.06	0.5	11	44	106	4.49	< 10	< 1	0.16	20	0.21	355	7
T36265	203 205	< 0.2	1.87	18	180	0.5	4	0.57	< 0.5	16	74	46	3.66	10	< 1	0.17	10	1.18	435	2
T36266	203 205	< 0.2	1.22	20	530	0.5	< 2	0.15	0.5	13	80	82	4.07	10	< 1	0.33	30	0.45	385	5
T36267	203 205	0.6	1.19	42	530	0.5	8	0.08	< 0.5	9	54	107	4.98	10	< 1	0.34	20	0.35	435	5
T36268	203 205	< 0.2	1.25	18	240	0.5	< 2	0.22	< 0.5	9	103	44	2.86	10	< 1	0.19	20	0.40	310	2
T36269	203 205	< 0.2	1.09	< 2	530	0.5	< 2	0.29	< 0.5	6	158	22	2.15	< 10	< 1	0.26	20	0.35	220	3
T36270	203 205	< 0.2	0.88	6	290	0.5	< 2	0.06	0.5	6	67	67	5.09	< 10	< 1	0.23	20	0.47	160	5
T36271	203 205	0.2	1.36	20	400	0.5	2	0.18	0.5	10	107	66	3.47	10	< 1	0.29	20	0.48	345	3
T36272	203 205	0.2	1.33	20	530	0.5	< 2	0.11	< 0.5	12	70	76	4.53	10	< 1	0.38	40	0.44	505	4
T36273	203 205	0.8	1.67	56	510	0.5	10	0.42	< 0.5	10	82	148	4.82	10	< 1	0.31	30	0.98	460	2
T36274	203 205	0.6	1.15	46	640	0.5	4	0.10	< 0.5	11	98	115	4.84	< 10	< 1	0.46	20	0.28	370	5
T36275	203 205	< 0.2	2.73	< 2	80	0.5	< 2	0.48	< 0.5	25	94	22	4.31	10	< 1	0.14	< 10	2.48	540	1
T36276	203 205	0.2	1.76	20	240	0.5	< 2	0.15	< 0.5	7	37	27	3.70	10	< 1	0.29	30	1.10	630	6
T36277	203 205	< 0.2	2.34	8	120	0.5	< 2	0.68	< 0.5	16	63	22	3.44	10	< 1	0.16	10	1.65	615	< 1
T36278	203 205	< 0.2	2.33	12	250	0.5	2	0.49	< 0.5	14	57	46	4.06	10	< 1	0.32	40	1.43	765	4
T36279	203 205	< 0.2	2.14	6	280	0.5	< 2	0.31	< 0.5	9	123	26	3.20	10	< 1	0.34	20	1.54	500	2
T36280	203 205	0.4	1.26	20	580	0.5	< 2	0.16	< 0.5	6	66	67	3.91	10	< 1	0.28	30	0.69	320	6
T36281	203 205	< 0.2	3.44	< 2	60	0.5	< 2	0.56	< 0.5	20	59	89	8.48	10	< 1	0.07	< 10	2.14	1015	4
T36282	203 205	< 0.2	2.72	2	220	0.5	< 2	0.37	< 0.5	28	62	62	5.03	10	< 1	0.29	10	1.29	975	2
T36283	203 205	< 0.2	3.22	16	100	0.5	2	0.49	< 0.5	26	42	115	6.60	10	< 1	0.11	< 10	1.97	965	1
T36284	203 205	< 0.2	3.01	8	70	0.5	4	0.92	< 0.5	24	52	48	5.63	10	< 1	0.05	< 10	2.03	900	3
T36285	203 205	< 0.2	2.42	14	90	0.5	8	0.85	< 0.5	14	54	40	4.71	10	< 1	0.09	< 10	1.61	660	1
T36286	203 205	< 0.2	2.91	24	20	0.5	< 2	0.65	< 0.5	56	277	87	3.44	< 10	< 1	0.02	< 10	5.85	615	< 1
T36287	203 205	< 0.2	3.22	20	10	0.5	4	0.56	< 0.5	60	323	98	3.97	< 10	< 1	0.01	< 10	6.99	615	1
T36288	203 205	< 0.2	3.64	30	30	0.5	< 2	0.73	< 0.5	68	418	137	4.04	< 10	< 1	0.03	< 10	7.75	650	< 1
T36289	203 205	< 0.2	4.00	26	60	0.5	< 2	0.87	< 0.5	38	520	94	3.37	< 10	< 1	0.09	< 10	4.66	725	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 4-B
Total Pages : 4
Certificate Date: 18-AUG-95
Invoice No. : 19524654
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9524654

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T36264	203	205	0.01	38	900	74	2	2	16	0.01	< 10	< 10	27	< 10	208
T36265	203	205	0.02	32	700	16	< 2	5	29	0.24	< 10	< 10	78	< 10	112
T36266	203	205	0.01	41	730	26	4	3	32	0.02	< 10	< 10	38	< 10	144
T36267	203	205	0.01	32	790	86	2	2	30	< 0.01	< 10	< 10	35	< 10	158
T36268	203	205	0.01	29	530	16	2	2	25	0.07	< 10	< 10	43	< 10	114
T36269	203	205	0.02	16	560	30	< 2	2	29	0.06	< 10	< 10	33	< 10	54
T36270	203	205	0.02	22	910	18	4	3	28	0.02	< 10	< 10	33	< 10	72
T36271	203	205	0.01	37	810	20	2	3	25	0.03	< 10	< 10	43	< 10	150
T36272	203	205	0.01	49	620	44	4	4	26	< 0.01	< 10	< 10	33	< 10	170
T36273	203	205	0.01	39	830	36	2	4	56	0.07	< 10	< 10	41	< 10	118
T36274	203	205	0.02	35	850	52	4	3	28	< 0.01	< 10	< 10	35	< 10	162
T36275	203	205	0.02	27	650	12	2	6	28	0.24	< 10	< 10	83	< 10	46
T36276	203	205	0.01	7	450	38	4	4	18	0.03	< 10	< 10	17	< 10	88
T36277	203	205	0.01	21	670	16	2	6	36	0.25	< 10	< 10	72	< 10	50
T36278	203	205	0.02	13	820	32	2	6	46	0.17	< 10	< 10	52	< 10	58
T36279	203	205	0.02	36	510	34	2	4	36	0.07	< 10	< 10	34	< 10	76
T36280	203	205	0.01	30	830	52	< 2	2	40	0.01	< 10	< 10	34	< 10	94
T36281	203	205	0.01	10	1570	18	6	7	28	0.33	< 10	< 10	148	10	150
T36282	203	205	0.05	11	990	24	4	5	26	0.19	< 10	< 10	83	< 10	100
T36283	203	205	0.02	16	1110	22	4	8	27	0.29	< 10	< 10	130	< 10	122
T36284	203	205	0.01	18	570	< 2	2	8	38	0.51	< 10	< 10	159	10	66
T36285	203	205	0.01	13	1120	10	< 2	6	40	0.29	< 10	< 10	98	10	68
T36286	203	205	0.02	426	440	8	2	4	26	0.09	< 10	< 10	47	10	60
T36287	203	205	0.01	524	270	20	< 2	4	24	0.10	< 10	< 10	50	10	62
T36288	203	205	0.01	615	290	14	< 2	6	28	0.10	< 10	< 10	49	10	56
T36289	203	205	0.01	205	400	14	< 2	8	57	0.11	< 10	< 10	57	10	66

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 1
Total Pages : 4
Certificate Date: 26-FEB-96
Invoice No. : I9612378
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612378

SAMPLE	PREP CODE	Au ppb FA+AA										
T35439	244 --	< 5										
T35440	244 --	< 5										
T35441	244 --	< 5										
T35442	244 --	< 5										
T35443	244 --	< 5										
T35444	244 --	< 5										
T35445	244 --	< 5										
T35446	244 --	< 5										
T35447	244 --	< 5										
T35448	244 --	< 5										
T35449	244 --	< 5										
T35450	244 --	< 5										
T35451	244 --	< 5										
T35452	244 --	< 5										
T35453	244 --	< 5										
T35454	244 --	< 5										
T35455	244 --	< 5										
T35456	244 --	< 5										
T35457	244 --	< 5										
T35458	244 --	< 5										
T35459	244 --	< 5										
T35460	244 --	< 5										
T35461	244 --	< 5										
T35462	-- --	not/ss										
T35463	244 --	< 5										
T35464	244 --	< 5										
T35465	244 --	< 5										
T35466	244 --	< 5										
T35467	244 --	< 5										
T35468	244 --	< 5										
T35469	244 --	< 5										
T35470	244 --	< 5										
T35471	244 --	< 5										
T35472	244 --	< 5										
T35473	244 --	< 5										
T35474	244 --	< 5										
T35475	244 --	< 5										
T35476	244 --	< 5										
T35477	244 --	< 5										
T35478	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 2
Total Pages : 4
Certificate Date: 26-FEB-96
Invoice No. : I9612378
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612378

SAMPLE	PREP CODE	Au ppb FA+AA										
T35479	244 --	< 5										
T35480	244 --	< 5										
T35481	244 --	< 5										
T35482	244 --	< 5										
T35483	244 --	< 5										
T35484	244 --	< 5										
T35485	244 --	< 5										
T35486	244 --	< 5										
T35487	244 --	< 5										
T35488	244 --	< 5										
T35489	244 --	< 5										
T35490	244 --	< 5										
T35491	244 --	< 5										
T35492	244 --	< 5										
T35493	244 --	< 5										
T35494	244 --	< 5										
T35495	244 --	< 5										
T35496	244 --	< 5										
T35497	244 --	< 5										
T35498	244 --	< 5										
T36204	244 --	< 5										
T36205	244 --	< 5										
T36206	244 --	< 5										
T36207	244 --	< 5										
T36208	244 --	< 5										
T36209	244 --	< 5										
T36210	244 --	< 5										
T36211	244 --	< 5										
T36212	244 --	< 5										
T36213	244 --	< 5										
T36214	244 --	< 5										
T36215	244 --	< 5										
T36216	244 --	< 5										
T36217	244 --	< 5										
T36218	244 --	< 5										
T36219	244 --	< 5										
T36220	244 --	< 5										
T36221	244 --	< 5										
T36222	244 --	< 5										
T36223	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments :

Page : 3
Total Pages : 4
Certificate Date: 26-FEB-96
Invoice No. : I9612378
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612378

SAMPLE	PREP CODE	Au ppb FA+AA										
T36224	244 --	< 5										
T36225	244 --	< 5										
T36226	244 --	< 5										
T36227	244 --	< 5										
T36228	244 --	< 5										
T36229	244 --	< 5										
T36230	244 --	< 5										
T36231	244 --	< 5										
T36232	244 --	< 5										
T36233	244 --	< 5										
T36234	244 --	< 5										
T36235	244 --	< 5										
T36236	244 --	< 5										
T36237	244 --	< 5										
T36238	244 --	< 5										
T36239	244 --	< 5										
T36240	244 --	< 5										
T36241	244 --	< 5										
T36242	244 --	< 5										
T36243	244 --	< 5										
T36244	244 --	< 5										
T36245	244 --	< 5										
T36246	244 --	< 5										
T36247	244 --	< 5										
T36248	244 --	< 5										
T36249	244 --	< 5										
T36250	244 --	< 5										
T36251	244 --	< 5										
T36252	244 --	< 5										
T36253	244 --	200										
T36254	244 --	< 5										
T36255	244 --	30										
T36256	244 --	< 5										
T36257	244 --	< 5										
T36258	244 --	< 5										
T36259	244 --	< 5										
T36260	244 --	< 5										
T36261	244 --	< 5										
T36262	244 --	< 5										
T36263	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 4
Total Pages : 4
Certificate Date: 26-FEB-96
Invoice No. : I9612378
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612378

SAMPLE	PREP CODE	Au ppb FA+AA										
T36264	244 --	< 5										
T36265	244 --	< 5										
T36266	244 --	< 5										
T36267	244 --	< 5										
T36268	244 --	< 5										
T36269	244 --	< 5										
T36270	244 --	< 5										
T36271	244 --	< 5										
T36272	244 --	< 5										
T36273	244 --	< 5										
T36274	244 --	15										
T36275	244 --	< 5										
T36276	244 --	< 5										
T36277	244 --	< 5										
T36278	244 --	< 5										
T36279	244 --	< 5										
T36280	244 --	20										
T36281	244 --	< 5										
T36282	244 --	< 5										
T36283	244 --	< 5										
T36284	244 --	< 5										
T36285	244 --	< 5										
T36286	244 --	< 5										
T36287	244 --	< 5										
T36288	244 --	< 5										
T36289	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 1
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : 19612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T35499	244 --	< 5										
T35500	244 --	< 5										
T35501	244 --	< 5										
T35502	244 --	< 5										
T35503	244 --	55										
T35504	244 --	< 5										
T35505	244 --	< 5										
T35506	244 --	< 5										
T35507	244 --	< 5										
T35508	244 --	< 5										
T35509	244 --	< 5										
T35510	244 --	< 5										
T35511	244 --	< 5										
T35512	244 --	< 5										
T35513	244 --	< 5										
T35514	244 --	< 5										
T35515	244 --	< 5										
T35516	244 --	< 5										
T35517	244 --	< 5										
T35518	244 --	< 5										
T35519	244 --	< 5										
T35520	244 --	< 5										
T35521	244 --	< 5										
T35522	244 --	< 5										
T35523	244 --	< 5										
T35524	244 --	< 5										
T35525	244 --	< 5										
T35526	244 --	< 5										
T35527	244 --	< 5										
T35528	244 --	< 5										
T35529	244 --	< 5										
T35530	244 --	< 5										
T35531	244 --	< 5										
T35532	244 --	< 5										
T35533	244 --	< 5										
T35534	244 --	< 5										
T35535	244 --	< 5										
T35536	244 --	< 5										
T35537	244 --	< 5										
T35538	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page 1 of 2
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : I9612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T35539	244 --	< 5										
T35540	244 --	< 5										
T35541	244 --	< 5										
T35542	244 --	< 5										
T35543	244 --	< 5										
T35544	244 --	< 5										
T35545	244 --	< 5										
T35546	244 --	< 5										
T35547	244 --	< 5										
T35548	244 --	< 5										
T35549	244 --	< 5										
T35550	244 --	< 5										
T35551	244 --	< 5										
T35552	244 --	< 5										
T35553	244 --	< 5										
T35554	244 --	< 5										
T35555	244 --	< 5										
T35556	244 --	< 5										
T35557	244 --	< 5										
T35558	244 --	< 5										
T35559	244 --	95										
T35560	244 --	< 5										
T35561	244 --	< 5										
T35562	244 --	< 5										
T35563	244 --	< 5										
T35564	244 --	< 5										
T35565	244 --	< 5										
T35566	244 --	< 5										
T35567	244 --	< 5										
T35568	244 --	< 5										
T35569	244 --	< 5										
T35570	244 --	< 5										
T35571	244 --	< 5										
T35572	244 --	< 5										
T35573	244 --	< 5										
T35574	244 --	< 5										
T35575	244 --	< 5										
T35576	244 --	< 5										
T35577	244 --	< 5										
T35578	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page : 3
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : I9612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T35579	244 --	< 5										
T35580	244 --	< 5										
T35581	244 --	< 5										
T35582	244 --	< 5										
T35583	244 --	< 5										
T35584	244 --	< 5										
T35585	244 --	< 5										
T35586	244 --	< 5										
T35587	244 --	< 5										
T35588	244 --	< 5										
T35589	244 --	< 5										
T35590	244 --	< 5										
T35591	244 --	< 5										
T35592	244 --	< 5										
T35593	244 --	< 5										
T35594	244 --	< 5										
T35595	244 --	< 5										
T35596	244 --	< 5										
T35597	244 --	< 5										
T35598	244 --	< 5										
T35599	244 --	< 5										
T35600	244 --	< 5										
T35601	244 --	< 5										
T35602	244 --	< 5										
T35603	244 --	< 5										
T35604	244 --	< 5										
T36290	244 --	< 5										
T36291	244 --	< 5										
T36292	244 --	< 5										
T36293	244 --	< 5										
T36294	244 --	< 5										
T36295	244 --	< 5										
T36296	244 --	< 5										
T36297	244 --	< 5										
T36298	244 --	< 5										
T36299	244 --	< 5										
T36300	244 --	< 5										
T36301	244 --	< 5										
T36302	244 --	< 5										
T36303	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 4
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : I9612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T36304	244 --	< 5										
T36305	244 --	< 5										
T36306	244 --	< 5										
T36307	244 --	< 5										
T36308	244 --	< 5										
T36309	244 --	< 5										
T36310	244 --	< 5										
T36311	244 --	< 5										
T36312	244 --	< 5										
T36313	244 --	< 5										
T36314	244 --	< 5										
T36315	244 --	< 5										
T36316	244 --	< 5										
T36317	244 --	< 5										
T36318	244 --	< 5										
T36319	244 --	< 5										
T36320	244 --	< 5										
T36321	244 --	< 5										
T36322	244 --	< 5										
T36323	244 --	< 5										
T36324	244 --	< 5										
T36325	244 --	< 5										
T36326	244 --	< 5										
T36327	244 --	< 5										
T36328	244 --	< 5										
T36329	244 --	< 5										
T36330	244 --	< 5										
T36331	244 --	< 5										
T36332	244 --	< 5										
T36333	244 --	< 5										
T36334	244 --	< 5										
T36335	244 --	< 5										
T36336	244 --	< 5										
T36337	244 --	< 5										
T36338	244 --	< 5										
T36339	244 --	< 5										
T36340	244 --	< 5										
T36341	244 --	< 5										
T36342	244 --	< 5										
T36343	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 5
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : 19612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T36344	244 --	< 5										
T36345	244 --	< 5										
T36346	244 --	< 5										
T36347	244 --	< 5										
T36348	244 --	< 5										
T36349	244 --	< 5										
T36350	244 --	< 5										
T36351	244 --	< 5										
T36352	244 --	< 5										
T36353	244 --	< 5										
T36354	244 --	< 5										
T36355	244 --	< 5										
T36356	244 --	< 5										
T36357	244 --	< 5										
T36358	244 --	< 5										
T36359	244 --	< 5										
T36360	244 --	< 5										
T36361	244 --	< 5										
T36362	244 --	< 5										
T36363	244 --	< 5										
T36364	244 --	< 5										
T36365	244 --	< 5										
T36366	244 --	< 5										
T36367	244 --	< 5										
T36368	244 --	< 5										
T36369	244 --	< 5										
T36370	244 --	< 5										
T36371	244 --	< 5										
T36372	244 --	< 5										
T36373	244 --	< 5										
T36374	244 --	< 5										
T36375	244 --	< 5										
T36376	244 --	< 5										
T36377	244 --	< 5										
T36378	244 --	< 5										
T36379	244 --	< 5										
T36380	244 --	< 5										
T36381	244 --	< 5										
T36382	244 --	< 5										
T36383	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P.SHUTOUT
Comments:

Page Number : 6
Total Pages : 6
Certificate Date: 26-FEB-96
Invoice No. : 19612377
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612377

SAMPLE	PREP CODE	Au ppb FA+AA										
T36384	244 --	< 5										
T36385	244 --	< 5										
T36386	244 --	< 5										
T36387	244 --	< 5										
T36388	244 --	< 5										
T36389	244 --	< 5										
T36390	244 --	< 5										
T36391	244 --	< 5										
T36392	244 --	< 5										
T36393	244 --	< 5										
T36394	244 --	< 5										
T36395	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 1
Total Pages : 5
Certificate Date: 23-FEB-96
Invoice No. : I9612376
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612376

SAMPLE	PREP CODE	Au ppb FA+AA										
T34724	244 --	< 5										
T34725	244 --	< 5										
T34726	244 --	< 5										
T34727	244 --	< 5										
T34728	244 --	< 5										
T34729	244 --	< 5										
T34730	244 --	40										
T34731	244 --	25										
T34732	244 --	< 5										
T34733	244 --	< 5										
T34734	244 --	< 5										
T34735	244 --	< 5										
T34736	244 --	< 5										
T34737	244 --	< 5										
T34738	244 --	< 5										
T34739	244 --	< 5										
T34740	244 --	< 5										
T34741	244 --	< 5										
T34742	244 --	< 5										
T34743	244 --	< 5										
T34744	244 --	< 5										
T34745	244 --	< 5										
T34746	244 --	< 5										
T34747	244 --	< 5										
T34748	244 --	< 5										
T34749	244 --	< 5										
T34750	244 --	15										
T35140	244 --	< 5										
T35141	244 --	< 5										
T35142	244 --	< 5										
T35143	244 --	< 5										
T35144	244 --	< 5										
T35145	244 --	< 5										
T35146	244 --	< 5										
T35147	244 --	< 5										
T35148	244 --	< 5										
T35149	244 --	< 5										
T35605	244 --	< 5										
T35606	244 --	< 5										
T35607	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 2
Total Pages : 5
Certificate Date: 23-FEB-96
Invoice No. : 19612376
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612376

SAMPLE	PREP CODE	Au ppb FA+AA										
T35608	244 --	< 5										
T35609	244 --	< 5										
T35610	244 --	< 5										
T35611	244 --	< 5										
T35612	244 --	65										
T35613	244 --	< 5										
T35614	244 --	< 5										
T35615	244 --	< 5										
T35616	244 --	< 5										
T35617	244 --	< 5										
T35618	244 --	< 5										
T35619	244 --	< 5										
T35620	244 --	30										
T35621	244 --	25										
T35622	244 --	15										
T35623	244 --	5										
T35624	244 --	< 5										
T35625	244 --	< 5										
T35626	244 --	< 5										
T35627	244 --	30										
T35628	244 --	30										
T35629	244 --	20										
T35630	244 --	10										
T35631	244 --	< 5										
T35632	244 --	< 5										
T35633	244 --	< 5										
T35634	244 --	< 5										
T35635	244 --	< 5										
T35636	244 --	< 5										
T35637	244 --	< 5										
T35638	244 --	< 5										
T35639	244 --	< 5										
T35640	244 --	< 5										
T35641	244 --	< 5										
T35642	244 --	< 5										
T35643	244 --	< 5										
T35644	244 --	15										
T35645	244 --	20										
T35646	244 --	< 5										
T35647	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 3
Total Pages : 5
Certificate Date: 23-FEB-96
Invoice No. : I9612376
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612376

SAMPLE	PREP CODE	Au ppb FA+AA										
T35648	244 --	< 5										
T35649	244 --	< 5										
T35650	244 --	< 5										
T35651	244 --	< 5										
T35652	244 --	< 5										
T35653	244 --	< 5										
T35654	244 --	< 5										
T35655	244 --	< 5										
T35656	244 --	< 5										
T35657	244 --	< 5										
T35658	244 --	< 5										
T35659	244 --	< 5										
T35660	244 --	< 5										
T35661	244 --	< 5										
T35662	244 --	< 5										
T35663	244 --	< 5										
T35664	244 --	< 5										
T35665	244 --	< 5										
T35666	244 --	< 5										
T35667	244 --	< 5										
T35668	244 --	< 5										
T35669	244 --	< 5										
T35670	244 --	< 5										
T35671	244 --	< 5										
T35672	244 --	< 5										
T35673	244 --	< 5										
T35674	244 --	< 5										
T35675	244 --	< 5										
T35676	244 --	< 5										
T35677	244 --	< 5										
T35678	244 --	< 5										
T35679	244 --	15										
T35680	244 --	< 5										
T35681	244 --	< 5										
T35682	244 --	< 5										
T35683	244 --	< 5										
T35684	244 --	< 5										
T35685	244 --	< 5										
T35686	244 --	< 5										
T35687	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 4
Total Pages : 5
Certificate Date: 23-FEB-96
Invoice No. : I9612376
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612376

SAMPLE	PREP CODE	Au ppb FA+AA										
T35688	244 --	< 5										
T35689	244 --	< 5										
T35690	244 --	< 5										
T35691	244 --	< 5										
T35692	244 --	< 5										
T35693	244 --	< 5										
T35694	244 --	< 5										
T35695	244 --	< 5										
T35696	244 --	< 5										
T35697	244 --	< 5										
T35698	244 --	< 5										
T35699	244 --	< 5										
T35700	244 --	< 5										
T35701	244 --	< 5										
T35702	244 --	< 5										
T35703	244 --	< 5										
T35704	244 --	< 5										
T35705	244 --	< 5										
T35706	244 --	< 5										
T35707	244 --	< 5										
T35708	244 --	< 5										
T35709	244 --	< 5										
T35710	244 --	< 5										
T35711	244 --	< 5										
T35712	244 --	< 5										
T35713	244 --	< 5										
T35714	244 --	< 5										
T35715	244 --	< 5										
T35716	244 --	< 5										
T35717	244 --	< 5										
T35718	244 --	< 5										
T35719	244 --	< 5										
T35720	244 --	< 5										
T35721	244 --	< 5										
T35722	244 --	< 5										
T35723	244 --	< 5										
T35724	244 --	< 5										
T35725	244 --	< 5										
T35726	244 --	< 5										
T35727	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 5
Total Pages : 5
Certificate Date: 23-FEB-96
Invoice No. : 19612376
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612376

SAMPLE	PREP CODE	Au ppb FA+AA										
T35728	244 --	< 5										
T35729	244 --	< 5										
T35730	244 --	< 5										
T35731	244 --	< 5										
T35732	244 --	< 5										
T35733	244 --	< 5										
T35734	244 --	< 5										
T35735	244 --	< 5										
T35736	244 --	< 5										
T35737	244 --	< 5										
T35738	244 --	< 5										
T35739	244 --	< 5										
T35740	244 --	< 5										
T35741	244 --	< 5										
T35742	244 --	< 5										
T35743	244 --	< 5										
T35744	244 --	< 5										
T35745	244 --	< 5										
T35746	244 --	< 5										
T35747	244 --	< 5										
T35748	244 --	< 5										
T35749	244 --	< 5										
T35750	244 --	< 5										
T35751	244 --	< 5										
T35752	244 --	< 5										
T35753	244 --	< 5										
T35754	244 --	< 5										
T35755	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page Number: 1
Total Pages: 7
Certificate Date: 23-FEB-96
Invoice No.: I9612375
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA										
T35756	244 --	< 5										
T35757	244 --	< 5										
T35758	244 --	< 5										
T35759	244 --	< 5										
T35760	244 --	< 5										
T35761	244 --	< 5										
T35762	244 --	< 5										
T35763	244 --	< 5										
T35764	244 --	< 5										
T35765	244 --	< 5										
T35766	244 --	< 5										
T35767	244 --	< 5										
T35768	244 --	< 5										
T35769	244 --	< 5										
T35770	244 --	< 5										
T35771	244 --	< 5										
T35772	244 --	< 5										
T35773	244 --	< 5										
T35774	244 --	< 5										
T35775	244 --	< 5										
T35776	244 --	40										
T35777	244 --	< 5										
T35778	244 --	< 5										
T35779	244 --	< 5										
T35780	244 --	< 5										
T35781	244 --	< 5										
T35782	244 --	< 5										
T35783	244 --	< 5										
T35784	244 --	< 5										
T35785	244 --	< 5										
T35786	244 --	< 5										
T35787	244 --	< 5										
T35788	244 --	< 5										
T35789	244 --	< 5										
T35790	244 --	< 5										
T35791	244 --	< 5										
T35792	244 --	< 5										
T35793	244 --	< 5										
T35794	244 --	< 5										
T35795	244 --	< 5										

CERTIFICATION:

Shank Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 2
Total Pages : 7
Certificate Date: 23-FEB-96
Invoice No. : 19612375
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA									
T35796	244 --	< 5									
T35797	244 --	< 5									
T35798	244 --	< 5									
T35799	244 --	< 5									
T35800	244 --	< 5									
T35801	244 --	< 5									
T35802	244 --	< 5									
T35803	244 --	< 5									
T35804	244 --	< 5									
T35805	244 --	< 5									
T35806	244 --	< 5									
T35807	244 --	< 5									
T35808	244 --	< 5									
T35809	244 --	< 5									
T35810	244 --	< 5									
T35811	244 --	< 5									
T35812	244 --	< 5									
T35813	244 --	< 5									
T35814	244 --	< 5									
T35815	244 --	< 5									
T35816	244 --	< 5									
T35817	244 --	< 5									
T35818	244 --	< 5									
T35819	244 --	< 5									
T35820	244 --	< 5									
T35821	244 --	< 5									
T35822	244 --	< 5									
T35823	244 --	< 5									
T35824	244 --	< 5									
T35825	244 --	< 5									
T35826	244 --	< 5									
T35827	244 --	< 5									
T35828	244 --	< 5									
T35829	244 --	< 5									
T35830	244 --	< 5									
T35831	244 --	< 5									
T35832	244 --	< 5									
T35833	244 --	< 5									
T35834	244 --	< 5									
T35835	244 --	< 5									

CERTIFICATION:

Mark Vink



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 3
Total Pages : 7
Certificate Date: 23-FEB-96
Invoice No. : I9612375
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA										
T35836	244 --	< 5										
T35837	244 --	< 5										
T35838	244 --	< 5										
T35839	244 --	< 5										
T35840	244 --	< 5										
T35841	244 --	< 5										
T35842	244 --	< 5										
T35843	244 --	< 5										
T35844	244 --	< 5										
T35845	244 --	< 5										
T35846	244 --	20										
T35847	244 --	< 5										
T35848	244 --	< 5										
T35849	244 --	< 5										
T35850	244 --	< 5										
T35851	244 --	< 5										
T35852	244 --	< 5										
T35853	244 --	< 5										
T35854	244 --	< 5										
T35855	244 --	< 5										
T35856	244 --	< 5										
T35857	244 --	< 5										
T35858	244 --	< 5										
T35859	244 --	< 5										
T35860	244 --	< 5										
T35861	244 --	< 5										
T35862	244 --	< 5										
T35863	244 --	< 5										
T35864	244 --	< 5										
T35865	244 --	< 5										
T35866	244 --	< 5										
T35867	244 --	< 5										
T35868	244 --	< 5										
T35869	244 --	< 5										
T35870	244 --	< 5										
T35871	244 --	< 5										
T35872	244 --	< 5										
T35873	244 --	< 5										
T36396	244 --	< 5										
T36397	244 --	< 5										

CERTIFICATION:

Mark Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: F.P. SHUTOUT
Comments:

Page 1 of 4
Total Pages: 7
Certificate Date: 23-FEB-96
Invoice No.: 19612375
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA										
T36398	244 --	< 5										
T36399	244 --	< 5										
T36400	244 --	< 5										
T36401	244 --	< 5										
T36402	244 --	< 5										
T36403	244 --	< 5										
T36404	244 --	< 5										
T36405	244 --	< 5										
T36406	244 --	< 5										
T36407	244 --	< 5										
T36408	244 --	< 5										
T36409	244 --	< 5										
T36410	244 --	< 5										
T36411	244 --	< 5										
T36412	244 --	< 5										
T36413	244 --	20										
T36414	244 --	20										
T36415	244 --	< 5										
T36416	244 --	< 5										
T36417	244 --	< 5										
T36418	244 --	< 5										
T36419	244 --	< 5										
T36420	244 --	< 5										
T36421	244 --	< 5										
T36422	244 --	< 5										
T36423	244 --	< 5										
T36424	244 --	< 5										
T36425	244 --	< 5										
T36426	244 --	< 5										
T36427	244 --	< 5										
T36428	244 --	< 5										
T36429	244 --	< 5										
T36430	244 --	< 5										
T36431	244 --	< 5										
T36432	244 --	< 5										
T36433	244 --	< 5										
T36434	244 --	< 5										
T36435	244 --	< 5										
T36436	244 --	< 5										
T36437	244 --	< 5										

CERTIFICATION:

Theresa Vornh



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page 1 of 5
Total Pages : 7
Certificate Date: 23-FEB-96
Invoice No. : I9612375
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA										
T36438	244 --	< 5										
T36439	244 --	< 5										
T36440	244 --	< 5										
T36441	244 --	< 5										
T36442	244 --	< 5										
T36443	244 --	< 5										
T36444	244 --	< 5										
T36445	244 --	10										
T36446	244 --	10										
T36447	244 --	10										
T36448	244 --	< 5										
T36449	244 --	< 5										
T36450	244 --	< 5										
T36451	244 --	< 5										
T36452	244 --	< 5										
T36453	244 --	< 5										
T36454	244 --	< 5										
T36455	244 --	< 5										
T36456	244 --	< 5										
T36457	244 --	< 5										
T36458	244 --	< 5										
T36459	244 --	< 5										
T36460	244 --	< 5										
T36461	244 --	< 5										
T36462	244 --	< 5										
T36463	244 --	< 5										
T36464	244 --	< 5										
T36465	244 --	< 5										
T36466	244 --	< 5										
T36467	244 --	< 5										
T36468	244 --	< 5										
T36469	244 --	< 5										
T36470	244 --	< 5										
T36471	244 --	< 5										
T36472	244 --	< 5										
T36473	244 --	< 5										
T36474	244 --	< 5										
T36475	244 --	< 5										
T36476	244 --	< 5										
T36477	244 --	< 5										

CERTIFICATION:

Theresa Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page : 6
Total Pages : 7
Certificate Date: 23-FEB-96
Invoice No. : 19612375
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612375

SAMPLE	PREP CODE	Au ppb FA+AA										
T36478	244 --	< 5										
T36479	244 --	< 5										
T36480	244 --	< 5										
T36481	244 --	< 5										
T36482	244 --	< 5										
T36483	244 --	< 5										
T36484	244 --	< 5										
T36485	244 --	< 5										
T36486	244 --	< 5										
T36487	244 --	< 5										
T36488	244 --	< 5										
T36489	244 --	< 5										
T36490	244 --	< 5										
T36491	244 --	< 5										
T36492	244 --	< 5										
T36493	244 --	15										
T36494	244 --	< 5										
T36495	244 --	< 5										
T36496	244 --	< 5										
T36497	244 --	< 5										
T36498	244 --	< 5										
T36499	244 --	< 5										
T36500	244 --	< 5										
T36501	244 --	< 5										
T36502	244 --	< 5										
T36503	244 --	< 5										
T36504	244 --	< 5										
T36505	244 --	< 5										
T36506	244 --	< 5										
T36507	244 --	< 5										
T36508	244 --	< 5										
T36509	244 --	< 5										
T36510	244 --	< 5										
T36511	244 --	< 5										
T36512	244 --	< 5										
T36513	244 --	< 5										
T36514	244 --	< 5										
T36515	244 --	< 5										
T36516	244 --	< 5										
T36517	244 --	< 5										

CERTIFICATION:

Theresa Vornh

Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

6: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. SHUTOUT
Comments:

Page Number : 7
Total Pages : 7
Certificate Date: 23-FEB-96
Invoice No. : 19612375
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612375

[illegible]

CERTIFICATION:


ARCHER, CATHRO
A ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (403) 667 - 4415

AFFIDAVIT


I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the Shutout 1-108
mineral claims on Claim Sheet 105G/1 is accurate.




Joan Mariacher

Sworn before me at Vancouver, B.C.
this 14th day of
March, 1996



Notary, Yukon Territory

Q424729

**Statement of Expenditures
Shutout 1-108 Claims
March 14, 1996**



Labour

Doug Eaton, geologist - June-December - 40 hrs @ \$50/hr	\$2,140.00
Kelinda Sax, geologist - July 20-August 22 - 34 days @ \$270/day	9,822.60
Peter Moores, field assistant - July 20-August 23 - 35 days @ \$165/day	6,179.25
Brad Wengzynowski, field assistant - July 20- August 7, August 16-22, 26 - 26 days @ \$165/day	<u>4,590.30</u>
	\$22,732.15

Expenses

Field - room and board - 100 days @ \$70/day	7,490.00
Trans North - 11.9 hrs Bell 206B @ \$615/hr, plus fuel	8,097.45
Frontier Helicopters - 4.4 hrs Bell 206B @ \$615/hr & \$680/hr, plus fuel ...	3,228.79
Chemex Labs Ltd.	12,807.25
Aerodat - 50% airborne mag survey	<u>6,540.91</u>
	\$38,164.40

TOTAL	<u>\$60,896.55</u>
-------------	--------------------

In Account With


Project: —

Date: —

FINLAYSON PROJECT
JULY 31, 1995

LABOUR

Field	A. ARCHER - 37 Hrs AT 60/Hr	2220.00	
	R. CARNE - 33 Hrs AT 50/Hr	1650.00	
	D. EATON - 107 Hrs AT 50/Hr	5350.00	
	B. WENZYNOWSKI - 248 Hrs AT 40/Hr	9920.00	
	K. SAX - 31 DAYS AT 270/DAY	8370.00	
	J. OWERKO - 31 DAYS AT 180/DAY	5580.00	
	P. MOORES - 31 DAYS AT 165/DAY	5115.00	
	BRAD WENZYNOWSKI - 31 DAYS AT 165/DAY	5115.00	



Office

Accounting & Expediting J. MARIACHEL - 91 1/4 Hrs AT 42.50/Hr 3878.13 47198.13

OTHER SERVICES

Room & Board In Whitehorse	16 DAYS AT 60/DAY	960.00	
Field equipment from AC stock		263.95	
Photocopies,	346 copies at 25¢/copy	86.50	
Rentals from AC:	JULY 1-9 - GPS AT 7.67/DAY	69.03	
	JULY 1-31 - 2 SOK II AT 300/mon EA; 2 UV LAMPS AT 30/mon; 2 MAPS AT 25¢/mon	760.00	
	HANDHELD RADIO - PART JULY	56.25	

Blueprinting,	sq.ft. Ozalid at	¢/ft, plus	sq.ft. Dilar at \$	/ft.	
Drafting,	hrs at \$	/hr.			2195.73

EXPENSES

Petty Cash	23.70 + 100.94 + 16.87 + 49.19 + 57.44 + 4.60 + 11.68 + 58.04 + 2.65 + 23.68 + 36.80 + 58.38 + 13.15 + 5.75 + 45.18 + 17.98 + 79.22 + 6.76	443.97	
Telephone		168.04	
BUILDERS SUPPLYLAND		159.00	
MAC'S FIREWEED		164.38	
CATL - 396.43 + 292.94		689.37	
SOURDOUGH MARKETS		24.23	
YUKON BUILDING SUPPLIES		7.31	
FOOD FAIR		102.57	
ALCAN AIR - FREIGHT		25.00	
ROSS RIVER SERVICE - 52.88 + 117.05		169.73	
POINTS NORTH		38.50	
SECOND AVENUE CHEVRON		68.22	
NORTHERN METALIC SALES		18.28	
FRONTIER HELICOPTER		2873.70	
YUKON EXPLOSIVES - FLAKING		570.00	
WELCOME INN		219.27	
R. CARNE - XPARK		194.46	
RECREAL GENERAL - MAPS		37.00	
COUREUR DES BOIS - 38 LEAVE GAS		333.63	
SUNRISE SERVICE		243.22	
NORCAN LEASING - 1378.47 + 488.50		1866.97	
BELLEVUE MOTOR HOTEL		276.55	
SHOPPERS DRIVE		279.79	
HOUGH'S SPORTSLODGE		202.49	
YUKON OFFICE SUPPLIES		26.88	
ATLAS TRAVEL		821.00	
TRANS NORTH AIR		1642.82	14397.58

MANAGEMENT 6% - ON EXPENSES
- ON FIELD A/C

863.85
2296.57 3160.42
66951.86

GST (R100247667): 7% ON 66951.86

4686.63

E = GST Exempt

71638.49

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

QA24729

In Account With

Project

FINLAYSON PROJECT

Date

AUGUST 31, 1995

LABOUR

Field	A. ARCAEL - 31 HRS AT 60/Hr	1860.00	
	D. EATON - 129 HRS AT 50/Hr	6450.00	
	B. WENZYNOWSKI - 195 HRS AT 40/Hr	7800.00	
	F. GRA - 36 HRS AT 40/Hr	1440.00	
	K. SAX - 31 DAYS AT 270/DAY	8370.00	
	R. MARTIN - 16 1/4 DAYS AT 195/DAY	3217.50	
	I. GIBSON - 19 DAYS AT 180/DAY + PRO-RATES FIELD BONUS 322.50	3742.50	
	J. ODERKO - 24 DAYS AT 180/DAY + 750 FIELD BONUS	5070.00	
	P. MOORES - 24 DAYS AT 165/DAY	3960.00	
	BRAD WENZYNOWSKI - 24 DAYS AT 165/DAY	3960.00	
	J. ASP-DAVIS - 2 DAYS AT 217.50/DAY	435.00	

Office	M. COOKE - 10 HRS AT 30/Hr	300.00	
Accounting & Expediting	J. MARIACHER - 94 HRS AT 42.50/Hr	3995.00	50600.00

OTHER SERVICES

Room & Board in Whitehorse	23 DAYS AT 60/DAY	1380.00	
Field equipment from AC stock		1787.50	
Photocopies	1376 copies at 25¢/copy	344.00	
Rentals from AC. AUGUST 1-31 - 2 5BX11's AT 300/MO EA; 2 UV LAMPS AT 30/MO EA; 2 MAKAT AT 25/MO & 75/MO EACH;		760.00	
AC HAND HELD - PRO RATED		6450	
Blueprinting	sq.ft. Ozalid at \$/ft. plus sq.ft. Dilar at \$/ft.		
Drafting	hrs at \$/hr		
Loomis CORRUM - 6 AT 75.00/EA		450.00	4411.00

EXPENSES

Petty Cash	48.6801 + 86.3402 + 71.4001 + 8.6402 + 35.5103 + 1.1201 + 4.3001 + 79.6502 + 19.7403 + 63.9204 + 28.4501 + 66.3002 + 35.0003	569.05	
Telephone	16.42 + 153.92 + 6.36 + 15.64 + 47.80 + 169.56 + 71.66	481.36	
R. CARNE XP ATC - MISSED IN JULY		2.99	
YUKON EXPLOSIVES		190.00	
CAIL - 44.35 + 399.28 + 326.36		769.99	
ATLAS TRAVEL		684.57	
INTEGRAPHICS		24.84	
SOUBOUZA MARKET		19.36	
WELCOME INN		547.10	
SECOND AVENUE CHEVROLET		156.76	
REGENEL GENERAL - MAKI		28.10	
CHEMEX LAM		38.14	
WHITE PASS		113.34	
MAC'S FIREWORKS		237.39	
SUNRISE SERVICE		442.20	
BELVEDERE MOTOR HOTEL		17.00	
SPORTS LODGE		193.22	
COUREUR DES BOIS		21440.00	
YUKON OFFICE SUPPLIES		8.55	
PRO HARDWARE		79.84	
NELSON'S HARDWARE		103.01	
NORCAN LEASING		851.60	
DNISION MOUNTAIN PROJECT - 130.2001 + 500.0002 + 599.39 6V		1229.59	
KILLER GOLD PROJECT - DIESEL BOUGHT		217.00	
SET B USED BY NORDAC - FIELD (124.24) + SILVERQUEST - FIELD (55.91)		180.15	28264.25
MANAGEMENT - 6% - ON EXPENSES		1695.86	
- ON FIELD ATC		4786.56	6482.42

GST (R100247667) 7% ON 89757.77

E = GST Exempt

96040.81



REMIT PAYMENT TO:

TRANS NORTH AIR
 TRANS NORTH TURBO AIR LTD.
 AIRPORT HANGAR "C" • WHITEHORSE • YUKON • YJA 3E4
 TELEPHONE (403) 868-2177 FAX (403) 868-3420

0A24729

ACCOUNT NUMBER	ARCHEXP		
INVOICE NUMBER	08969		
INVOICE DATE	24/07/95		
A/C TYPE	BH 206	AIRCRAFT REGISTRATION C	GP HB
FLIGHT DATE	20	07	95
PURCHASE ORDER NO.			

ARCHER CATHRO

CHARTERER

EXPATRIAT RESOURCES

BILLING ADDRESS Box 4127

WHITEHORSE, Y.T. YJA 3S9

FUEL & OIL-X	TNTA FUEL USED	HRS./LITRES	FROM
TNTA	CUST.		
X	X	208	YDM

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
ROSS RIVER		
TO		
FINLAYSON STRIP	0.6	FERRY - PAX
~~ROSS STAYKING~~		~~+PAX + IL~~
GROCERIES	1.2	IL + UL + RECCIES 1PAX
CAMP MOVES	1.8	PAX + UL + IL
FINLAYSON STRIP	0.5	FERRY UL - PAX
ROSS RIVER	0.7	FERRY - PAX
		METERED

SUB	GL	AMOUNT	
1614502		2952.00	4.8 @ 615 ⁰⁰ 2952.00
1600131		145.60	@
			HOLDING TIME: @ / HR.
0000323		237.56	FUEL 208L @ 0.70 LITRE 145.60
			FUEL CUST @ / LITRE —

TERMS: PAYABLE UPON RECEIPT OF INVOICE.

2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X  (FP)
 CHARTERER'S SIGNATURE

INITIALS RXG
 CHARTERER'S NAME (PRINTED) Rex Fullin
 PILOT'S SIGNATURE
 ENGINEER'S NAME BDG BARRY GUTHRIE

MEALS & LODGINGS	
OTHER	
OTHER	
SUB TOTAL	3097.60
GOODS & SERVICES TAX REGISTRATION NO. R 121483135	216.84

TOTAL \$ 3314.44

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
 TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT

ACCOUNT NUMBER **ARCHEXP**
INVOICE NUMBER **09020**
INVOICE DATE **18/08/95**
A/C TYPE **BH 206** AIRCRAFT REGISTRATION C **GPHB**
FLIGHT DATE **16/08/95**
PURCHASE ORDER NO.

EXPATRIATE RESOURCES
CHARTERER **ARCHER & CATHRO**
BILLING ADDRESS **WHITEHORSE**

FUEL & OIL-X TMTA FUEL USED HRS/LITRES FROM
TNTA CUST. **X** **X** **376** **YDN**

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
FINLAYSON STRIP		
TO CAMP 1+2	1.4	1PAX + GROCERIES + CAN MOVE
FINLAYSON STRIP	0.6	UL + IL + 3PAX SAMPLES RETURN
CAMP 1	0.5	2PAX + IL
ROSS RIVER	0.8	FERRY BAD METEO

SUB	GL	AMOUNT			
1614	502	2029.50	3.3	@ 615 ⁰⁰	2029.50
1600	131	103.60		@	
			HOLDING TIME:	@ / HR.	
0000	323	149.32	FUEL TNTA	@ 0.70 / LITRE	103.60
			FUEL CUST	@ / LITRE	
			MEALS & LODGINGS		
			OTHER		
			OTHER		
			SUB TOTAL		2133.10
			GOODS & SERVICES TAX		149.32
			REGISTRATION NO. R121483135		
			TOTAL		\$ 2282.42

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.
THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT

ACCOUNT NUMBER **ARCHEXP**
INVOICE NUMBER **09003**
INVOICE DATE **07/08/95**
A/C TYPE **BH 206** AIRCRAFT REGISTRATION C **GPHB**
FLIGHT DATE **06/08/95**
PURCHASE ORDER NO.

EXPATRIATE RESOURCES
% ARCHER & CATHRO
CHARTERER **P.O. Box 4127**
BILLING ADDRESS **WHITEHORSE, Y.T Y1A 3S9**

FUEL & OIL-X TMTA FUEL USED HRS/LITRES FROM
TNTA CUST. **X**

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
FINLAYSON LAKE		
TO LOCAL	1.8	STAY KING IL + PAX
ROSS RIVER	0.8	FERRY 1PAX + IL
WHITEHORSE	1.2	FERRY - PAX IL

SUB	GL	AMOUNT			
1614	502	2337.00	3.8	@ 615 ⁰⁰	2337.00
				@	
			HOLDING TIME:	@ / HR.	
0000	323	163.59	FUEL	@ / LITRE	
			FUEL	@ / LITRE	
			MEALS & LODGINGS		
			OTHER		
			OTHER		
			SUB TOTAL		2337.00
			GOODS & SERVICES TAX		163.59
			REGISTRATION NO. R121483135		
			TOTAL		\$ 2500.59

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.
THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT

FRONTIER HELICOPTERS

P.O. BOX 220, ABBOTSFORD, B.C. V2S 4N9

TELEPHONE (403) 536-7766 FAX (403) 536-7705 - WATSON LAKE, YT

№ 41778

ADDRESS % ARCHER CATARO PH (403) 667 4915

Box 4127 WHITEHORSE POSTAL CODE Y1A-359

PILOT R HOTGUNDODEN ENGINEER ROY JONES
INITIAL LAST NAME INITIAL LAST NAME

INITIAL LAST NAME INITIAL LAST NAME
AIRCRAFT TYPE BELL 206 B AIRCRAFT REGISTRATION FP4K

DATE 3/6/78-95 BASE/LOCATION WATERSON

V.P.	DOWN	ITINERARY	TIME
1735	1922	WATSON LK-FIRE LK. RETURN. PICK-UP K SACKS - MEDICAL	1-8
		MINIMUMS	
LONG LINE HOURS		TOTAL FLIGHT HOURS	1-8

**CHECK ONLY THE MEALS TO BE
BILLED TO THE CUSTOMER**

Pilot _____ Engineer _____
Exp. Cl.# _____ Exp. Cl.# _____

Pilot _____ Engineer _____
Exp. Cl.# _____ Exp. Cl.# _____

B ☐B ☐

LQ

Figure 1

D ☐

D ☐

OF DROPS _____ FOAM: YES ☐ NO ☐

OF DROPS _____ FOAM: YES ☐ NO ☐

Pre-flight information received by undersigned ☐

Customer Signature

Approved By (Print Name)

Agency Flight Report # / or Purchase Order #

Pilot Signature _____

THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS BY FRONTIER HELICOPTERS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN ITS TARIFF. ELIGIBILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO 50c PER POUND, WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICE OF FRONTIER HELICOPTERS, ABBOTSFORD AIRPORT, ABBOTSFORD, B.C.

Terms: Net due upon receipt of invoice. Interest charged on overdue accounts at 2.0% per month (24% per annum)

Short on it

FRONTIER

FRONTIER HELICOPTERS

A division of Conair Aviation Ltd.

P.O. BOX 220, ABBOTSFORD, B.C. V2S 4N9

TELEPHONE (604) 855-1190 FAX (604) 855-1017 - ABBOTSFORD, B.C.

TELEPHONE (403) 536-7766 FAX (403) 536-7705 - WATSON LAKE, YT

FLIGHT TICKET

Nº 42329

CUSTOMER Ex Patriate Resources JOB # _____ CUST # _____

ADDRESS _____ PH () _____

POSTAL CODE _____

PILOT D DeVoies ENGINEER R Jones

AIRCRAFT TYPE B206 AIRCRAFT REGISTRATION FFHL

DATE AUG 7/95 BASE/LOCATION Wolverine LK.

ITINERARY	TIME
<u>Vp - Down</u>	
<u>9:30 - 10:50 Wolverine LK. - Kal Scaaks</u>	
<u>Camp Moxe</u>	<u>1.3</u>
<u>11:10 - 11:50 Camp - Fendlayson LK.</u>	<u>0.7</u>
<u>12:15 - 12:50 Fendlayson LK - Camp -</u>	<u>0.6</u>
<u>Wolverine LK.</u>	
MINIMUMS	

LONG LINE HOURS _____ TOTAL FLIGHT HOURS 2.6

CHECK ONLY THE MEALS TO BE BILLED TO THE CUSTOMER		Flying <u>2.6</u> hours @ <u>680</u> / hr. = \$ <u>1768</u>	
Pilot Exp. Cl. # _____	Engineer Exp. Cl. # _____	Fuel supplied: by FRONTIER ☐ CUSTOMER ☒	
B ☐	B ☐	_____ litres from _____ @ \$ _____ / L = \$ _____	
L ☐	L ☐	_____ litres from _____ @ \$ _____ / L = \$ _____	
D ☐	D ☐	<u>2.6</u> hours oil @ \$ <u>3.00</u> / hr. = \$ <u>7.80</u>	
# OF DROPS _____ FOAM: YES ☐ NO ☐		GST #R101084044 <u>1775.80</u> Misc. Charges \$ <u>1775.80</u>	
		Cash ☐ <u>124.31</u> Charge ☒ <u>1900.11</u> TOTAL THIS REPORT \$ <u>1912.75</u>	

Pre-flight information received by undersigned ☐ 1912.75

Customer Signature B. Wertz Agency Flight Report # / or Purchase Order # 18'

Approved By (Print Name) _____ Pilot Signature D. DeVoies

THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS BY FRONTIER HELICOPTERS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN ITS TARIFF ELIGIBILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO 50¢ PER POUND, WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICE OF FRONTIER HELICOPTERS, ABBOTSFORD AIRPORT, ABBOTSFORD, B.C.

Terms: Net due upon receipt of invoice. Interest charged on overdue accounts at 2.0% per month (24% per annum)

Stunt



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 4 6 5 4

BILLING INFORMATION

Date: 21-AUG-95
Project: F.P.SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9524654

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
146	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	1569.50

Total Cost \$	1569.50
Client Discount (25%) \$	-392.38
Net Cost \$	1177.12
(Reg# R100938885) GST \$	82.40
TOTAL PAYABLE (CDN) \$	1259.52



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 5 2 7 7

BILLING INFORMATION

Date: 28-AUG-95
Project: F.P.SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9525277

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
212	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	2279.00
Total Cost \$				2279.00
Client Discount (25%) \$				<u>-569.75</u>
Net Cost \$				1709.25
(Reg# R100938885) GST \$				<u>119.65</u>
TOTAL PAYABLE (CDN) \$				1828.90



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 5 2 7 8

BILLING INFORMATION

Date: 28-AUG-95
Project: F.P.SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9525278

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3204 - Save 1 Kg reject for 90 days	0.00		
	ICP-32	7.00	12.10	12.10

Total Cost \$	12.10
Client Discount (25%) \$	-3.03
Net Cost \$	9.07
(Reg# R100938885) GST \$	0.63
TOTAL PAYABLE (CDN) \$	9.70



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 6 0 1 3

BILLING INFORMATION

Date: 7-SEP-95
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9526013

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
188	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	2021.00

Total Cost \$	2021.00
Client Discount (25%) \$	-505.25
Net Cost \$	1515.75
(Reg# R100938885) GST \$	106.10
TOTAL PAYABLE (CDN) \$	1621.85



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 8 0 5 6

BILLING INFORMATION

Date: 14-SEP-95
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9528056

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
8	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	68.00
Total Cost \$				68.00
Client Discount (25%) \$				-17.00
Net Cost \$				51.00
(Reg# R100938885) GST \$				3.57
TOTAL PAYABLE (CDN) \$				54.57



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 6 7 7 7

BILLING INFORMATION

Date: 15-SEP-95
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9526777

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
265	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	2848.75
Total Cost \$				2848.75
Client Discount (25%) \$				<u>-712.19</u>
Net Cost \$				2136.56
(Reg# R100938885) GST \$				<u>149.56</u>
TOTAL PAYABLE (CDN) \$				2286.12



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 8 8 1 8

BILLING INFORMATION

Date: 22-SEP-95
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9528818

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	244 - Pulp; prev. prepared at Chemex	0.00		
	312 - Pb %	8.00		
	316 - Zn %	8.00	16.00	16.00
Total Cost \$				16.00
Client Discount (25%) \$				-4.00
Net Cost \$				12.00
(Reg# R100938885) GST \$				0.84
TOTAL PAYABLE (CDN) \$				12.84



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 3 2 0 5 8

BILLING INFORMATION

Date: 7-NOV-95
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9532058

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	244 - Pulp; prev. prepared at Chemex	0.00	0.00	0.00
26	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	221.00
Total Cost \$				221.00
Client Discount (25%) \$				-55.25
Net Cost \$				165.75
(Reg# R100938885) GST \$				11.60
TOTAL PAYABLE (CDN) \$				177.35



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 3 4 0 1 3

BILLING INFORMATION

Date: 24-NOV-95
Project: EXPATRIATE SHUTOUT
P.O. No.:
Account: MPO

Comments:


Billing: For analysis performed on
Certificate A9534013

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
1	208 - Assay ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3202 - Rock - save entire reject	0.50		
	AG, CU, PB, ZN package	23.50		
	494 - Au g/t FA+AA	9.75	38.85	38.85
Total Cost \$				38.85
Client Discount (25%) \$				<u>-9.71</u>
Net Cost \$				29.14
(Reg# R100938885) GST \$				<u>2.04</u>
TOTAL PAYABLE (CDN) \$				31.18



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 7 5

BILLING INFORMATION

Date: 23-FEB-96
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9612375

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
265	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50		

Total Cost \$	2252.50
Client Discount (25%) \$	-563.13
Net Cost \$	1689.37
(Reg# R100938885) GST \$	118.26

TOTAL PAYABLE (CDN) \$ 1807.63



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 7 6

BILLING INFORMATION

Date: 23-FEB-96
Project: F.P. SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9612376

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
188	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	1598.00

Total Cost \$	1598.00
Client Discount (25%) \$	<u>-399.50</u>
Net Cost \$	1198.50
(Reg# R100938885) GST \$	<u>83.90</u>

TOTAL PAYABLE (CDN) \$ 1282.40



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 7 7

BILLING INFORMATION

Date: 26-FEB-96
Project: F.P.SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9612377


Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
212	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	1802.00

Total Cost \$	1802.00
Client Discount (25%) \$	-450.50
Net Cost \$	1351.50
(Reg# R100938885) GST \$	94.61
TOTAL PAYABLE (CDN) \$	1446.11



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

to: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 7 8

BILLING INFORMATION

Date: 26-FEB-96
Project: F.P.SHUTOUT
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9612378

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
145	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	1232.50

Total Cost \$	1232.50
Client Discount (25%) \$	-308.13
Net Cost \$	924.37
(Reg# R100938885) GST \$	64.71

TOTAL PAYABLE (CDN) \$ 989.08

9. CHARGES

9.1 Fixed mobilization/demobilization cost to the camp **\$20,000.00**

9.2 Estimated survey costs for each property, quoted by property name are given in Table II below:

Table II: Estimated Survey Costs for Each Property			
Area Name	Total Number of Line Kilometres (km)	Total Estimated Charges per Property* (\$)	Estimated Fuel Requirements by Property (drums)
Shutout	135	10,665	6
Hattrick	415	32,785	17
Slap Shot	410	32,390	17
League	145	11,455	6
Goal Net	625	49,375	26
Totals	1,730	136,670	72

* The total estimated charges per property are calculated using a line kilometre rate of **\$79.00/line kilometre**.

9.3 Survey charges including all helicopter charges (excluding fuel) and the acquisition and presentation of Electromagnetic and Magnetic data as described in Appendix "B" for a minimum of approximately

1,730 line kilometres @ \$79.00/line km \$136,670.00

NOTE:

- 1) **Expatriate** will provide room, board and aviation fuel for the field operations from a base camp located at the Finlayson Lake airstrip. This will consist of two motor homes, a 14' x 16' wall tent with oil stove for spares and equipment and a minimum 5 KVA gasoline generator to heat the aircraft.

10. PAYMENT SCHEDULE

10.1	Upon Signing of Contract	\$78,335.00
10.2	Upon Completion of Flying	\$39,167.50
10.3	Upon Delivery of Final Report	Balance


Data Processing and report costs are due upon submission and acceptance of the final report and products. Terms of payment will be net 30 days.

Any applicable GST will be charged in addition to the above prices. **Aerodat's** Registration Number for GST is R 100067024, which will be quoted on all the invoices.

Dated this 26th day of October, 1995.


AERODAT INC

By:



EXPATRIATE RESOURCES LTD.

By:



J96.03A